

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 18

13 5 2010

ISSN 1015-8243

Results of the Entomofauna of the World, based upon info-system of the Cesa

Under this major title, totally 88 regional reports, a generic list of the pterygot insects and a bibliographical evaluation are published in this issue of the Priamus (supplement). The Project "Entomofauna of the World" (except *Lepidoptera*) has been carrying out by the researchers of the Cesa for some years. The temporary results of the reports submitted here are based upon not only the literary data, but also the field results of the authors' expeditions to several states realized in earlier decades.¹ In each report submitted², faunistical, taxonomical and nomenclatural information are revised as far as possible, updated accordingly with footnotes. References to the faunal information of some states published in recent years are also mentioned in the related reports. The following states are newly added to the research program on the pterygot fauna within the frame of entomofaunal surveys of the Cesa: Austria, Bulgaria, Creta, France, Germany, Greece, Hungary, Italy, Macedonia, Romania, Spain, Sweden and Ukraine in Europe; Afghanistan, China, Cyprus, Israel, India, Iraq, Jordan, Japan, Kazakhstan, Kirgizistan, Lebanon, Sri Lanka, Nepal, Pakistan, Syria, Saudi Arabia, Thailand, Tadjikistan, Turkmenistan, Taiwan, Uighur Ili, Uzbekistan, and Yemen in Asia; Argentina, Brazil, Chile, Colombia, Costa Rica, Mexico, Peru, Surinam, United States, and Venezuela in America. Recording the faunal data of these states mentioned above are very at the beginning. Comparatively more advanced faunal lists belong to Turkey and some Middle East countries in Asia. Concerning the order Lepidoptera, results of the Project Lepidoptera of the Old World (LOW), will be published in the next issue of this serial. Finally, this not an ordinary but a planned, long-termed study. If it is needed, the Cesa projects with their published reports should be compared by the readers with the equivalent attempts only.

Editor


¹ <http://www.members.tripod.com/entcesa/Intent.pdf>

² Each report should be cited in other publications in the following way:

Example: Koçak, A.Ö. & M. Kemal, 2010, Synonymic and distributional list of the pterygot insects of Afghanistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 1. Priamus suppl. 18: 240-260.



Above: syrphids in copula on 25 3 2010, Turkey, Van 1670m; **below:** *Cicindela asiatica* Bitlis Prov., Mutki Dereyolu 1670m 25 4 2010 photos M. Kemal (Cesa)



Map 1 - Studied countries within the Entomofauna Project of the Cesa (green coloured)

Contents

	Pages
List of the genera of the pterygot insects used in the Project Entomofauna of the World by the Cesa	8-129
An attempt on the bibliographical evaluation of the Project Entomofauna of World	130-239
Synonymic and distributional list of the pterygot insects of Afghanistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 1	240-260
Synonymic and distributional list of the pterygot insects of Caucasus (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 2	261-361
Synonymic and distributional list of the pterygot insects of China (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 3	362-394
Synonymic and distributional list of the pterygot insects of Cyprus (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 4	395-476
Synonymic and distributional list of the pterygot insects of Indonesia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 5	477-487
Synonymic and distributional list of the pterygot insects of Israel (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 6	488-542
Synonymic and distributional list of the pterygot insects of India (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 7	543-560
Synonymic and distributional list of the pterygot insects of Iraq (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 8	561-577
Synonymic and distributional list of the pterygot insects of Iran (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 9	578-649
Synonymic and distributional list of the pterygot insects of Jordan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 10	650-667
Synonymic and distributional list of the pterygot insects of Japan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 11	668-681
Synonymic and distributional list of the pterygot insects of Kazakhstan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 12	682-730
Synonymic and distributional list of the pterygot insects of Kirgizistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 13	731-748
Synonymic and distributional list of the pterygot insects of Lebanon (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 14	749-765
Synonymic and distributional list of the pterygot insects of Sri Lanka (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 15	766-769
Synonymic and distributional list of the pterygot insects of Myanmar (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 16	770-774
Synonymic and distributional list of the pterygot insects of Malaysia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 17	775-783
Synonymic and distributional list of the pterygot insects of Nepal (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 18	784-787
Synonymic and distributional list of the pterygot insects of Pakistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 19	788-795
Synonymic and distributional list of the pterygot insects of Russia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 20	796-892
Synonymic and distributional list of the pterygot insects of Saudi Arabia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 21	893-901
Synonymic and distributional list of the pterygot insects of Syria (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 22	902-941

Synonymic and distributional list of the pterygot insects of Thailand (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 23	942-949
Synonymic and distributional list of the pterygot insects of Tadjikistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 24	950-972
Synonymic and distributional list of the pterygot insects of Turkmenistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 25	973-1003
Synonymic and distributional list of the pterygot insects of Turkey (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 26	1004-1724
Synonymic and distributional list of the pterygot insects of Taiwan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 27	1725-1729
Synonymic and distributional list of the pterygot insects of Uighur Ili (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 28	1730-1738
Synonymic and distributional list of the pterygot insects of Uzbekistan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 29	1739-1765
Synonymic and distributional list of the pterygot insects of Vietnam (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 30	1766-1769
Synonymic and distributional list of the pterygot insects of Yemen (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 31	1770-1775
Synonymic and distributional list of the pterygot insects of the Philippines (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 32	1776-1780
Synonymic and distributional list of the pterygot insects of Papua New Guinea (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 33	1781-1785
Synonymic and distributional list of the pterygot insects of New Caledonia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 34	1786-1787
Synonymic and distributional list of the pterygot insects of Australia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 35	1788-1795
Synonymic and distributional list of the pterygot insects of Algeria (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 36	1796-1839
Synonymic and distributional list of the pterygot insects of Angola (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 37	1840-1845
Synonymic and distributional list of the pterygot insects of Botswana (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 38	1846-1849
Synonymic and distributional list of the pterygot insects of Cameroon (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 39	1850-1857
Synonymic and distributional list of the pterygot insects of Canary Islands (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 40	1858-1867
Synonymic and distributional list of the pterygot insects of Congo (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 41	1868-1869
Synonymic and distributional list of the pterygot insects of Egypt (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 42	1870-1896
Synonymic and distributional list of the pterygot insects of Ethiopia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 43	1897-1905
Synonymic and distributional list of the pterygot insects of Gabon (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 44	1906-1908
Synonymic and distributional list of the pterygot insects of Ivory Coast (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 45	1909-1912
Synonymic and distributional list of the pterygot insects of Kenya (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 46	1913-1923
Synonymic and distributional list of the pterygot insects of Libya (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 47	1924-1935
Synonymic and distributional list of the pterygot insects of Madagascar (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 48	1936-1941

Synonymic and distributional list of the pterygot insects of Malawi (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 49	1942-1945
Synonymic and distributional list of the pterygot insects of Marocco (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 50	1946-1979
Synonymic and distributional list of the pterygot insects of Mozambique (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 51	1980-1984
Synonymic and distributional list of the pterygot insects of Namibia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 52	1985-1991
Synonymic and distributional list of the pterygot insects of Nigeria (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 53	1992-1997
Synonymic and distributional list of the pterygot insects of Rwanda (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 54	1998-2000
Synonymic and distributional list of the pterygot insects of Senegal (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 55	2001-2006
Synonymic and distributional list of the pterygot insects of Somalia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 56	2007-2012
Synonymic and distributional list of the pterygot insects of South Africa (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 57	2013-2036
Synonymic and distributional list of the pterygot insects of Sudan (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 58	2037-2043
Synonymic and distributional list of the pterygot insects of Tanzania (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 59	2044-2055
Synonymic and distributional list of the pterygot insects of Tunis (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 60	2056-2083
Synonymic and distributional list of the pterygot insects of Uganda (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 61	2084-2090
Synonymic and distributional list of the pterygot insects of Zaire (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 62	2091-2104
Synonymic and distributional list of the pterygot insects of Zambia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 63	2105-2108
Synonymic and distributional list of the pterygot insects of Zimbabwe (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 64	2109-2115
Synonymic and distributional list of the pterygot insects of Austria (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 65	2116-2171
Synonymic and distributional list of the pterygot insects of Bulgaria (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 66	2172-2233
Synonymic and distributional list of the pterygot insects of Creta (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 67	2234-2244
Synonymic and distributional list of the pterygot insects of France (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 68	2245-2319
Synonymic and distributional list of the pterygot insects of Germany (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 69	2320-2378
Synonymic and distributional list of the pterygot insects of Greece (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 70	2379-2454
Synonymic and distributional list of the pterygot insects of Hungary (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 71	2455-2513
Synonymic and distributional list of the pterygot insects of Italy (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 72	2514-2600
Synonymic and distributional list of the pterygot insects of Macedonia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 73	2601-2621
Synonymic and distributional list of the pterygot insects of Romania (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa</i>) – 74	2622-2676
Synonymic and distributional list of the pterygot insects of Spain (<i>Results of the Entomofauna of the World,</i>	

<i>based upon info-system of the Cesa) – 75</i>	2677-2743
Synonymic and distributional list of the pterygot insects of Sweden (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 76</i>	2744-2777
Synonymic and distributional list of the pterygot insects of Ukraine (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 77</i>	2778-2834
Synonymic and distributional list of the pterygot insects of Argentina (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 78</i>	2835-2837
Synonymic and distributional list of the pterygot insects of Brazil (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 79</i>	2838-2845
Synonymic and distributional list of the pterygot insects of Chile (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 80</i>	2846-2848
Synonymic and distributional list of the pterygot insects of Colombia (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 81</i>	2849-2852
Synonymic and distributional list of the pterygot insects of Costa Rica (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 82</i>	2853-2855
Synonymic and distributional list of the pterygot insects of Mexico (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 83</i>	2856-2862
Synonymic and distributional list of the pterygot insects of Peru (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 84</i>	2863-2865
Synonymic and distributional list of the pterygot insects of Surinam (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 85</i>	2866-2867
Synonymic and distributional list of the pterygot insects of United States (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 86</i>	2868-2884
Synonymic and distributional list of the pterygot insects of Venezuela (<i>Results of the Entomofauna of the World, based upon info-system of the Cesa) – 87</i>	2885-2887
List of the valid names of the pterygot insects of Middle East (<i>Results of the Entomofauna of the World based upon info-system of the Cesa) – 88</i>	2888-3186

List of the genera of the pterygot insects used in the Project Entomofauna of the World by the Cesa

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: List of the genera of the pterygot insects used in the Project Entomofauna of the World by the Cesa. *Priamus* (suppl.) 18: 8- 129.
In this paper, totally 6028 generic names of various pterygot orders (except Lepidoptera) are listed. The families of the generic names are also added. Synonyms of the generic names are arranged chronologically, if possible.

Brief explanatory information:

Previously published article	yes
Previously published reports	yes
Expedition made by the Cesa	-
Planned expeditions	-
Further planned publications	yes

1. **Abas Fennah,1950** (Achilidae) Synonym(s): *Abas Fennah,1950*
2. **Abascalaphus Tjeder & Hansson,1992** (Ascalaphidae) Synonym(s): *Abascalaphus Tjeder & Hansson,1992*
3. **Abax (Abacopercus) Ganglbauer,1891** (Carabidae) Synonym(s): *Abacopercus Ganglbauer,1891*
4. **Abax Bonelli,1810** (Carabidae) Synonym(s): *Abax Bonelli,1810*
5. **Abepalpus Townsend,1931** (Tachinidae) Synonym(s): *Abepalpus Townsend,1931*
6. **Abgrallaspis Balachowski,1948** (Diaspididae) Synonym(s): *Abgrallaspis Balachowski,1948*
7. **Abia Leach,1817** (Cimbicidae) Synonym(s): *Abia Leach,1817; Zareaa Leach,1817; #Albia Tischbein,1846; Aenoabia Kangas,1946*
8. **Abiskomyia Edwards,1937** (Chironomidae) Synonym(s): *Abiskomyia Edwards,1937*
9. **Ablabesmyia Johannsen,1905** (Chironomidae) Synonym(s): *Ablabesmyia Johannsen,1905*
10. **Ablattaria Reitter,1885** (Silphidae) Synonym(s): *Ablattaria Reitter,1885*
11. **Ablautus Loew,1866** (Asilidae) Synonym(s): *Ablautus Loew,1866; Ablautatus auct.*
12. **Ablerus Howard,1894** (Aphelinidae) Synonym(s): *Ablerus Howard,1894; Azotus Howard,1898; Myocnemella Girault,1913; Dimacrocerus Brèthes,1914*
13. **Abolodoria Townsend,1934** (Tachinidae) Synonym(s): *Abolodoria Townsend,1934*
14. **Abraeomorphus Reitter,1886** (Histeridae) Synonym(s): *Abraeomorphus Reitter,1886*
15. **Abraeus Leach,1817** (Histeridae) Synonym(s): *Abraeus Leach,1817*
16. **Abrahamia Distant,1920** (Fulgoridae) Synonym(s):
17. **Abronijs Needham,1909** (Ascalaphidae) Synonym(s): *Abronijs Needham,1909*
18. **Abrophila Daniels,1987** (Asilidae) Synonym(s): *Abrophila Daniels,1987*
19. **Aburia Stål,1866** (Fulgoridae) Synonym(s):
20. **Acalcarella Shil.,1955** (Chironomidae) Synonym(s): *Acalcarella Shil.,1955*
21. **Acanthaclisis Rambur,1842** (Myrmeleonidae) Synonym(s): *Acanthaclisis Rambur,1842*
22. **Acanthiophilus Becker,1908** (Tephritidae) Synonym(s): *Acanthiophilus Becker,1908*
23. **Acanthobodilus G.Dellacasa,1983** (Scarabaeidae) Synonym(s): *Acanthobodilus G.Dellacasa,1983*
24. **Acanthodelphax Le Quesne,1964** (Delphacidae) Synonym(s): *Acanthodelphax Le Quesne,1964*
25. **Acanthodelphia Bigot,1857** (Asilidae) Synonym(s): *Acanthodelphia Bigot,1857*
26. **Acanthodynerus Gusenleitner,1969** (Vespididae) Synonym(s): *Acanthodynerus Gusenleitner,1969*

27. **Acanthoflata Fennah,1947** (Flatidae) Synonym(s):
28. **Acanthogeron Bezzi,1925** (Bombyliidae) Synonym(s): *Acanthogeron Bezzi,1925*
29. **Acantholepis Mayr,1861** (Formicidae) Synonym(s): *Acantholepis Mayr,1861*
30. **Acantholespesia Wood,1987** (Tachinidae) Synonym(s): *Acantholespesia Wood,1987*
31. **Acanthomytilus Borkhsenius,1947** (Diaspididae) Synonym(s): *Acanthomytilus Borkhsenius,1947*
32. **Acanthophyes Stal,1866** (Membracidae) Synonym(s): *Acanthophyes Stal,1866*
33. **Acanthophyes Stal,1866** (Membracidae) Synonym(s): *Acanthophyes Stal,1866*
34. **Acanthopulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Acanthopulvinaria Borkhsenius,1952*
35. **Acantothereva Séguy,1935** (Therevidae) Synonym(s): *Acantothereva Séguy,1935*
36. **Acathrito Lyneborg,1983** (Therevidae) Synonym(s): *Acathrito Lyneborg,1983*
37. **Accanthopus Dejean,1821** (Tenebrionidae) Synonym(s): *Accanthopus Dejean,1821; Enoplopus Solier,1848*
38. **Acemya Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Acemya Robineau-Desvoidy,1830; Acomyia Agassiz,1846*
39. **Acericecis Gagne,1983** (Cecidomyiidae) Synonym(s): *Acericecis Gagne,1983; Harrisomyia Skuhrava,1986 nec Alexander,1923 (hom.n.)*
40. **Acericerus Dlabola,1974** (Cicadellidae) Synonym(s): *Acericerus Dlabola,1974*
41. **Achaemenes Stål,1866** (Cixiidae) Synonym(s):
42. **Achaetomalachus Majer,1989** (Melyridae) Synonym(s): *Achaetomalachus Majer,1989*
43. **Achaetothorax Hedicke,1923** (Sphaeroceridae) Synonym(s): *Achaetothorax Hedicke,1923; Gymnothorax Duda,1923; Femoromyza Richards,1939*
44. **Achalcerinys Girault,1915** (Encyrtidae) Synonym(s): *Achalcerinys Girault,1915*
45. **Achalcus Loew,1857** (Dolichopodidae) Synonym(s): *Achalcus Loew,1857*
46. **Acheron Lefebvre,1842** (Ascalaphidae) Synonym(s): *Acheron Lefebvre,1842*
47. **Achilla Haglund,1899** (Achilidae) Synonym(s):
48. **Achilorma Metcalf & Bruner,1930** (Tropiduchidae) Synonym(s):
49. **Achilus Kirby,1818** (Achilidae) Synonym(s):
50. **Achlaena Karsch,1892** (Mantidae) Synonym(s): *Achlaena Karsch,1892; Auchmomantis Werner,1908*
51. **Achlaenella Giglio-Tos,1915** (Mantidae) Synonym(s): *Achlaenella Giglio-Tos,1915*
52. **Achorotile Fieber,1866** (Delphacidae) Synonym(s):
53. **Achrus Lindberg,1925** (Cicadellidae) Synonym(s): *Achrus Lindberg,1925*
54. **Acidota Kirby,1829** (Staphylinidae) Synonym(s): *Acidota Kirby,1829*
55. **Acilius Leach,1817** (Dytiscidae) Synonym(s): *Acilius Leach,1817*
56. **Acinaca Ball & Hartzell,1922** (Dictyopharidae) Synonym(s):
57. **Acinopus (s.str.) Dejean,1821** (Carabidae) Synonym(s): *Acinopus Dejean,1821*
58. **Acithespis Giglio-Tos,1916** (Mantidae) Synonym(s): *Acithespis Giglio-Tos,1916*
59. **Aciura Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Aciura Robineau-Desvoidy,1830*
60. **Acixiites? Hamilton,1990** (Achilidae) Synonym(s):
61. **Aclypea Reitter,1885** (Silphidae) Synonym(s): *Aclypea Reitter,1885; Blitophaga Reitter,1885*
62. **Acmaeodera Eschscholtz,1829** (Buprestidae) Synonym(s): *Acmaeodera Eschscholtz,1829; Andromeda Gistel,1834; Ptychomus Marseul,1865*
63. **Acmaeoderella (Carininota) Volkovich,1979** (Buprestidae) Synonym(s): *Carininota Volkovich,1979*
64. **Acmaeoderella (Euacmaeoderella) Volkovich,1979** (Buprestidae) Synonym(s): *Euacmaeoderella Volkovich,1979*
65. **Acmaeoderella (Liogastria) Volkovich,1979** (Buprestidae) Synonym(s): *Liogastria Volkovich,1979*
66. **Acmaeoderella (s.str.) Cobos,1955** (Buprestidae) Synonym(s): *Acmaeoderella Cobos,1955*
67. **Acmaeoderella Cobos,1955** (Buprestidae) Synonym(s): *Acmaeoderella Cobos,1955*
68. **Acmonia Stål,1866** (Fulgoridae) Synonym(s):
69. **Acnephalum Macquart,1838** (Asilidae) Synonym(s): *Acnephalum Macquart,1838*
70. **Acocarinus Emeljanov,1991** (Achilidae) Synonym(s):
71. **Acompocoris Reuter,1875** (Anthocoridae) Synonym(s): *Acompocoris Reuter,1875*
72. **Aconosimus Dlabola,1983** (Issidae) Synonym(s): *Aconosimus Dlabola,1983; #Acanosimus Lodos & Kalkandelen,1988*
73. **Aconura Lethierry,1876** (Cicadellidae) Synonym(s): *Aconura Lethierry,1876; Carinifer Linnavuori,1952; Stalinabada Dlabola,1961; Sagittifer Dlabola,1961 nec Kuhl,1820; Jiridlabolina Koçak,1981*
74. **Aconurella Ribaut,1948** (Cicadellidae) Synonym(s): *Aconurella Ribaut,1948*
75. **Acraephia Stål,1866** (Fulgoridae) Synonym(s):
76. **Acricotopus K.,1921** (Chironomidae) Synonym(s): *Acricotopus K.,1921*
77. **Acrida Linnaeus,1758** (Acrididae) Synonym(s): *Acrida Linnaeus,1758; Tryxalis Brullé,1835*
78. **Acritus LeConte,1853** (Histeridae) Synonym(s): *Acritus LeConte,1853*

79. **Acrochordomerus Hermann,1920** (Asilidae) Synonym(s): *Acrochordomerus Hermann,1920*
80. **Acrodactyla Haliday,1838** (Ichneumonidae) Synonym(s): *Barypus Haliday,1837 nec Lap.,1835; Acrodactyla Haliday,1838; Colpomeria Holmgren,1859; Symphylus Förster,1871 nec Dall.,1851; Polemophthorus Schulz,1911*
81. **Acrolocha Thomson,1858** (Staphylinidae) Synonym(s): *Acrolocha Thomson,1858*
82. **Acromalachus Evers,1985** (Melyridae) Synonym(s): *Acromalachus Evers,1985*
83. **Acromega Emeljanov,1996** (Caliscelidae) Synonym(s):
84. **Acrometopa Fieber,1853** (Tettigoniidae) Synonym(s): *Acrometopa Fieber,1853*
85. **Acrometopus Signoret,1860** (Tropiduchidae) Synonym(s): *Acrometopus Signoret,1860*
86. **Acronyches Williston,1908** (Asilidae) Synonym(s): *Acronyches Williston,1908*
87. **Acrophaea Melichar,1901** (Flatidae) Synonym(s):
88. **Acropimpla Townes & Townes,1960** (Ichneumonidae) Synonym(s): *Selanaspis Roman,1910 (praeocc.); Acropimpla Townes & Townes,1960*
89. **Acroprivesa Schmidt,1912** (Ricaniidae) Synonym(s):
90. **Acroricnus Ratzeburg,1852** (Ichneumonidae) Synonym(s): *Acroricnus Ratzeburg,1852; Xenodocon Förster,1855; Macrobatus Holmgren,1856; Linoceras Taschenberg,1865; Leptobatides Buysson,1896; Agathobanchus Ashmead,1900*
91. **Acrorrhinium Noualhier,1895** (Miridae) Synonym(s): *Acrorrhinium Noualhier,1895*
92. **Acrosathe Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Acrosathe Irwin & Lyneborg,1981*
93. **Acrospilus Mik,1878** (Dolichopodidae) Synonym(s): *Acrospilus Mik,1878*
94. **Acrosternum Fieber,1860** (Pentatomidae) Synonym(s): *Acrosternum Fieber,1860*
95. **Acrotylus Fieber,1854** (Acrididae) Synonym(s): *Acrotylus Fieber,1854*
96. **Acrulia Thomson,1858** (Staphylinidae) Synonym(s): *Acrulia Thomson,1858*
97. **Actenodia Laporte,1840** (Meloidae) Synonym(s): *Actenodia Laporte,1840; Rusadiria Pardo Alcaide,1954*
98. **Actina Meigen,1804** (Stratiomyidae) Synonym(s): *Actina Meigen,1804; Metaberis Lindler,1967*
99. **Actinoptera Rondani,1871** (Tephritidae) Synonym(s): *Actinoptera Rondani,1871*
100. **Actorthia Kröber,1912** (Therevidae) Synonym(s): *Actorthia Kröber,1912*
101. **Acus Chen, Yang & Wilson,1989** (Achilidae) Synonym(s):
102. **Acutisha Medler,1991** (Flatidae) Synonym(s):
103. **Aczelia Carrera,1955** (Asilidae) Synonym(s): *Aczelia Carrera,1955*
104. **Adalia (Adaliomorpha) Khnzorian,1982** (Coccinellidae) Synonym(s): *Adaliomorpha Khnzorian,1982*
105. **Adalia Mulsant,1846** (Coccinellidae) Synonym(s): *Idalia Mulsant,1846 (praeocc.); Adalia Mulsant,1846; Arrowella Brethes,1925*
106. **Adamus Iwan,1997** (Tenebrionidae) Synonym(s): *Adamus Iwan,1997*
107. **Adarrus Ribaut,1947** (Cicadellidae) Synonym(s): *Adarrus Ribaut,1947; Errastunus Ribaut,1947; Belaunus Ribaut,1952; Batarius Emeljanov,1966; Romanus Emeljanov,1966*
108. **Adelencyrtus Ashmead,1900** (Encyrtidae) Synonym(s): *Adelencyrtus Ashmead,1900*
109. **Adelidoria Metcalf,1952** (Flatidae) Synonym(s):
110. **Adelina Wollaston,1858** (Tenebrionidae) Synonym(s): *#Adelina Dejean,1835; Adelina Wollaston,1858*
111. **Adelocera Latreille,1829** (Elateridae) Synonym(s): *Adelocera Latreille,1829*
112. **Adelodus Hermann,1912** (Asilidae) Synonym(s): *Adelodus Hermann,1912*
113. **Adelostoma (s.str.) Duponchel,1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel,1827; Polyscopus Waltl,1835*
114. **Adelostoma (Zarudnyomus) Semenov & Bogatshev,1947** (Tenebrionidae) Synonym(s): *Zarudnyomus Semenov & Bogatshev,1947; Falsapila Koch,1952; Adelostomoides Carl,1991*
115. **Adelostoma Duponchel,1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel,1827; Polyscopus Waltl,1835*
116. **Adelphocoris Reuter,1896** (Miridae) Synonym(s): *Adelphocoris Reuter,1896*
117. **Adelungia Melichar,1902** (Cicadellidae) Synonym(s): *Adelungia Melichar,1902*
118. **Adeniana Distant,1906** (Cicadidae) Synonym(s): *Adenia Distant,1905 nec Robin.-Desv.,1863; Adeniana Distant,1906; Hymenogaster Horvath,1911*
119. **Adenissus Linnavuori,1973** (Caliscelidae) Synonym(s):
120. **Adesmia (Macradesmia) Koch,1944** (Tenebrionidae) Synonym(s): *Macradesmia Koch,1944*
121. **Adesmia (Oteroscelis) Solier,1835** (Tenebrionidae) Synonym(s): *Oteroscelis Solier,1835*
122. **Adesmia Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *Adesmia Fischer von Waldheim,1822; Adesma Percheron,1835*
123. **Adexia Melichar,1901** (Flatidae) Synonym(s):
124. **Adolenda Distant,1911** (Kinnaridae) Synonym(s):
125. **Adolendana Distant,1917** (Cixiidae) Synonym(s):
126. **Adontomerus Nikolskaya,1955** (Torymidae) Synonym(s): *Adontomerus Nikolskaya,1955; Mellitotorymus Steffan,1964*

127. **Adoretus Laporte,1840** (Scarabaeidae) Synonym(s): *Adoretus Laporte,1840*
128. **Adoxomyia Kertesz,1907** (Stratiomyidae) Synonym(s): *Adoxomyia Kertesz,1907*; *Euclitellaria Kertesz,1923*
129. **Adrastus Eschscholtz,1829** (Elateridae) Synonym(s): *Adrastus Eschscholtz,1829*
130. **Aegialia (s.str.) Walker,1857** (Scarabaeidae) Synonym(s): *Aegialia Walker,1857*
131. **Aegialia Walker,1857** (Scarabaeidae) Synonym(s): *Aegialia Walker,1857*
132. **Aeletes Horn,1873** (Histeridae) Synonym(s): *Aeletes Horn,1873*
133. **Aelia Fabricius,1803** (Pentatomidae) Synonym(s): *Aelia Fabricius,1803*
134. **Aeoloderma Fleutiaux,1928** (Elateridae) Synonym(s): *Aeoloderma Fleutiaux,1928*
135. **Aeoloides Schwarz,1906** (Elateridae) Synonym(s): *Aeoloides Schwarz,1906*
136. **Aeolosomus Dolin,1982** (Elateridae) Synonym(s): *Aeolosomus Dolin,1982*
137. **Aeropedellus Hebard,1935** (Acrididae) Synonym(s): *Aeropedellus Hebard,1935*
138. **Aeshna Fabricius,1775** (Aeshnidae) Synonym(s): *Aeshna Fabricius,1775*
139. **Aethiessa Burmeister,1842** (Scarabaeidae) Synonym(s): *Aethiessa Burmeister,1842*
140. **Aethiocera Emeljanov,2008** (Dictyopharidae) Synonym(s): *Aethiocera Emeljanov,2008*
141. **Aethocauda Williams,1976** (Derbidae) Synonym(s):
142. **Aethomyctus Williams,1981** (Tropiduchidae) Synonym(s):
143. **Afganopogon Hradski,1962** (Asilidae) Synonym(s): *Afganopogon Hradski,1962*
144. **Afghanocroce Hölzel,1968** (Nemopteridae) Synonym(s): *Afghanocroce Hölzel,1968*
145. **Afghanoleon Hölzel,1972** (Myrmeleonidae) Synonym(s): *Afghanoleon Hölzel,1972*
146. **Aflata Melichar,1901** (Flatidae) Synonym(s):
147. **Afrachilus Fennah,1965** (Achilidae) Synonym(s):
148. **Afralycisca Koçak,1981** (Cicadellidae) Synonym(s): *Lycisca Linnavuori,1979 nec Spinola,1840*; *Afralycisca Koçak,1981*
149. **Afrius (Subafrius) Schouteden,1907** (Pentatomidae) Synonym(s): *Subafrius Schouteden,1907*
150. **Afrius Stal,1870** (Pentatomidae) Synonym(s): *Afrius Stal,1870*
151. **Afrocoronacella Asche,1988** (Delphacidae) Synonym(s):
152. **Afrocyarda Fennah,1965** (Flatidae) Synonym(s):
153. **Afrodascalia Fennah,1957** (Flatidae) Synonym(s):
154. **Afroepitriptus Lehr,1992** (Asilidae) Synonym(s): *Afroepitriptus Lehr,1992*
155. **Afroholopogon Londt,1994** (Asilidae) Synonym(s): *Afroholopogon Londt,1994*
156. **Afrokalpa Fennah,1969** (Delphacidae) Synonym(s):
157. **Afromelittodes Oldroyd & Bruggen,1963** (Asilidae) Synonym(s): *Afromelittodes Oldroyd & Bruggen,1963*
158. **Afromochtherus Lehr,1996** (Asilidae) Synonym(s): *Afromochtherus Lehr,1996*
159. **Afronaso Jacobi,1910** (Caliscelidae) Synonym(s):
160. **Afronersia Fennah,1957** (Dictyopharidae) Synonym(s):
161. **Afronias Fennah,1967** (Nogodinidae) Synonym(s): *Afronias Fennah,1967*
162. **Afrophantia Fennah,1958** (Flatidae) Synonym(s):
163. **Afroreptalus Emeljanov,1992** (Cixiidae) Synonym(s):
164. **Aformeris Fennah,1957** (Flatidae) Synonym(s):
165. **Afroscleropogon Londt,1999** (Asilidae) Synonym(s): *Afroscleropogon Londt,1999*
166. **Afroseliza Fennah,1961** (Flatidae) Synonym(s):
167. **Afrosellana Asche,1988** (Delphacidae) Synonym(s):
168. **Afrosydne Fennah,1969** (Delphacidae) Synonym(s):
169. **Afrothespis Roy,2006** (Mantidae) Synonym(s): *Afrothespis Roy,2006*
170. **Afzeliada Boulard,1973** (Cicadidae) Synonym(s): *Afzeliada Boulard,1973*
171. **Agabus (Acatodes) Thomson,1859** (Dytiscidae) Synonym(s): *Acatodes Thomson,1859*; *Badynectus Seidlitz,1882*; *Acathodes Seidlitz,1887*; *Heteronyctus Seidlitz,1887*; *Scytodytes Seidlitz,1887*; *Xanthodytes Seidlitz,1887*; *Allonychus Zaitzev,1905*; *Mesogabus Guéorguiev,1969*
172. **Agabus (Gaurodytes) Thomson,1859** (Dytiscidae) Synonym(s): *Necticus Hope,1838*; *Gaurodytes Thomson,1859*; *Dichodytes Thomson,1886*; *Xanthodytes Seidlitz,1887*; *Gabinectes Guignot,1931*; *Agabinectes Guignot,1932*;
173. **Agabus Leach,1817** (Dytiscidae) Synonym(s): *Agabus Leach,1817*
174. **Agallia Curtis,1831** (Cicadellidae) Synonym(s): *Agallia Curtis,1831*
175. **Agalmatium Emeljanov,1971** (Issidae) Synonym(s):
176. **Agalmatium Emeljanov,1971** (Issidae) Synonym(s): *Agalmatium Emeljanov,1971*
177. **Agandecca White,1879** (Achilidae) Synonym(s):
178. **Agaon Dalman,1818** (Agaonidae) Synonym(s): *Agaon Dalman,1818*
179. **Agapanthia Audinet-Serville,1835** (Cerambycidae) Synonym(s): *Agapanthia Audinet-Serville,1835*; *Segmentaria Gistel,1848*
180. **Agapanthiola Ganglbauer,1900** (Cerambycidae) Synonym(s): *Agapanthiola Ganglbauer,1900*
181. **Agathidium (s.str.) Panzer,1797** (Leiodidae) Synonym(s): *Agathidium Panzer,1797*

- 182.** **Agenia Descourtilz,1825** (Issidae) Synonym(s): *Agenia Descourtilz,1825*
183. **Ageniaspis Dalbohm,1857** (Encyrtidae) Synonym(s): *Ageniaspis Dalbohm,1857*; #*Ageniaspis Thomson,1876*
184. **Agenioideus Ashmead,1902** (Pompilidae) Synonym(s): *Agenioideus Ashmead,1902*
185. **Aglena Amyot & Audinet-Serville,1843** (Cicadellidae) Synonym(s): *Aglena Amyot & Audinet-Serville,1843*
186. **Agnentina Klapalek,1907** (Perlidae) Synonym(s): *Agnentina Klapalek,1907*; *Phasganophora Klapalek,1921*; *Neophasganophora Lestage,1922*; *Harrisiola Banks,1948*
187. **Agolius Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *Agolius Mulsant & Rey,1870*
188. **Agonum Bonelli,1810** (Carabidae) Synonym(s): *Agonum Bonelli,1810*
189. **Agramma (Lisia) Koçak & Kemal,2010** (Tingidae) Synonym(s): *Paragramma Lis,2003 nec Warren,1905*; *Lisia Koçak & Kemal,2010*
190. **Agramma (s.str.) Stephens,1829** (Tingidae) Synonym(s): *Agramma Stephens,1829*; *Serenthia Spinola,1837*; *Wombalia Schouteden,1919*; *Paraserenthia E.Wagner,1941*; *Serenthiella E.Wagner,1941*; *Drakea Schouteden,1953*
191. **Agramma Stephens,1829** (Tingidae) Synonym(s): *Agramma Stephens,1829*; *Serenthia Spinola,1837*; *Wombalia Schouteden,1919*; *Paraserenthia E.Wagner,1941*; *Serenthiella E.Wagner,1941*; *Drakea Schouteden,1953*
192. **Agria Robineau-Desvoidy,1830** (Sarcophagidae) Synonym(s): *Agria Robineau-Desvoidy,1830*
193. **Agrilinus Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *Agrilinus Mulsant & Rey,1870*
194. **Agrilus (Anambus) Thomson,1864** (Buprestidae) Synonym(s): *Anambus Thomson,1864*
195. **Agrilus Curtis,1825** (Buprestidae) Synonym(s): *Agrilus Curtis,1825*
196. **Agriocnemis Selys,1869** (Coenagrionidae) Synonym(s): *Agriocnemis Selys,1869*
197. **Agrionopsis Werner,1908** (Mantidae) Synonym(s): *Agrionopsis Werner,1908*
198. **Agrionosoma Van der Weele,1909** (Ascalaphidae) Synonym(s): *Agrionosoma Van der Weele,1909*
199. **Agriotes (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz,1829*
200. **Agriotes Eschscholtz,1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz,1829*
201. **Agriscula Ashe,1980** (Delphacidae) Synonym(s): *Agriscula Ashe,1980*
202. **Agromyza Fallén,1810** (Agromyzidae) Synonym(s): *Agromyza Fallén,1810*
203. **Agrostomyia Londt,1994** (Asilidae) Synonym(s): *Agrostomyia Londt,1994*
204. **Agrothereutes Förster,1850** (Ichneumonidae) Synonym(s): *Agrothereutes Förster,1850*; *Spilocryptus Thomson,1873*; *Dayro Cameron,1902*
205. **Agrypnus Eschscholtz,1829** (Elateridae) Synonym(s): *Agrypnus Eschscholtz,1829*
206. **Agrypon Förster,1860** (Ichneumonidae) Synonym(s): *Agrypon Förster,1860*; *Agrypum Schulz,1906*; *Trichonotus Cameron,1906 nec Schn.,1801*; *Odontagrypon Cameron,1906*; *Paragrypon Uchida,1941*; *Dioborus Rao,1953*
207. **Aguriahana Distant,1918** (Cicadellidae) Synonym(s): *Aguriahana Distant,1918*; *Eupteroidea Young,1952*; *KAshitettix Ishihara,1952*; *Asymmetropteryx Dlabola,1958*; *Wagneripteryx Dlabola,1958*
208. **Ahomocnemiella Kusnezov,1929** (Caliscelidae) Synonym(s):
209. **Aiolopus Fieber,[1853]** (Acrididae) Synonym(s): *Epacromia Fieber,1853*; *Aiolopus Fieber,[1853]*; *Aeolopus Kirby,1910*; *Ailopus Sjöstedt,1920*; *Aeoloptilus Bei-Bienko,1966*
210. **Aka White,1879** (Cixiidae) Synonym(s):
211. **Akilas Distant,1916** (Delphacidae) Synonym(s):
212. **Akis Herbst,1799** (Tenebrionidae) Synonym(s): *Akis Herbst,1799*
213. **Akotropis Matsumura,1914** (Achilidae) Synonym(s): *Akotropis Matsumura,1914*; *Ballonymus Jacobi,1941*
214. **Alaetrinus Iwan,1995** (Tenebrionidae) Synonym(s): *Alaetrinus Iwan,1995*
215. **Alalomantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Alalomantis Giglio-Tos,1917*
216. **Alara Distant,1911** (Derbidae) Synonym(s):
217. **Alaruasa Distant,1906** (Fulgoridae) Synonym(s):
218. **Alastor Lepeletier,1841** (Vespidae) Synonym(s): *Alastor Lepeletier,1841*
219. **Alatades Dlabola,1957** (Delphacidae) Synonym(s): *Alatades Dlabola,1957*
220. **Albibarbefferia Artigas & Papavero,1997** (Asilidae) Synonym(s): *Albibarbefferia Artigas & Papavero,1997*
221. **Albicoma Lehr,1986** (Asilidae) Synonym(s): *Albicoma Lehr,1986*
222. **Alcathous Stål,1863** (Fulgoridae) Synonym(s):
223. **Alcaxor Fennah,1947** (Flatidae) Synonym(s):
224. **Alcestis Stål,1862** (Tropiduchidae) Synonym(s):
225. **Alcimus Loew,1848** (Asilidae) Synonym(s): *Alcimus Loew,1848*
226. **Alcumena Schmidt,1932** (Tropiduchidae) Synonym(s):
227. **Alebra Fieber,1872** (Cicadellidae) Synonym(s): *Compsus Fieber,1866 (praeocc.)*; *Alebra Fieber,1872*
228. **Aliphera Stål,1866** (Fulgoridae) Synonym(s):

229. **Alisca Stål,1870** (Ricaniidae) Synonym(s):
230. **Allandrus Leconte,1876** (Anthribidae) Synonym(s): *Allandrus Leconte,1876*
231. **Allanthalia Melander,1927** (Hybotidae) Synonym(s):
232. **Allantus Panzer,1801** (Tenthredinidae) Synonym(s): *Allantus Panzer,1801*; *Anemphytus Dognar-Zapolski,1930*; *Synemphytus Malaise,1945*
233. **Allecula (s.str.) Fabricius,1801** (Tenebrionidae) Synonym(s): *Allecula Fabricius,1801*
234. **Allecula (Upinella) Mulsant,1856** (Tenebrionidae) Synonym(s): *Upinella Mulsant,1856*
235. **Allecula Fabricius,1801** (Tenebrionidae) Synonym(s): *Allecula Fabricius,1801*
236. **Alleloplasis Waterhouse,1839** (Issidae) Synonym(s):
237. **Alloborborus Duda,1923** (Sphaeroceridae) Synonym(s): *Alloborborus Duda,1923*; *Trichopoda Lioy,1864*
238. **Allocormodes McLachlan,1891** (Ascalaphidae) Synonym(s): *Cormodes McLachlan,1871 (praeocc.)*; *Allocormodes McLachlan,1891*
239. **Allodia (Brachycampta) Winnertz,1863** (Mycetophilidae) Synonym(s): *Brachycampta Winnertz,1863*
240. **Allodia Winnertz,1863** (Mycetophilidae) Synonym(s): *Allodia Winnertz,1863*
241. **Allodiopsis Tuomikoski,1966** (Mycetophilidae) Synonym(s): *Allodiopsis Tuomikoski,1966*
242. **Allodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Allodynerus Blüthgen,1938*
243. **Alloerhynchus Fieber,[1860]** (Nabidae) Synonym(s): *Alloerhynchus Fieber,[1860]*
244. **Allomyrina Arrow,1911** (Scarabaeidae) Synonym(s): *Myrina Redtenbacher,[1867] (praeocc.)*; *Allomyrina Arrow,1911*
245. **Allophorocera Hendel,1901** (Tachinidae) Synonym(s): *Allophorocera Hendel,1901*
246. **Alloplasta Förster,1868** (Ichneumonidae) Synonym(s): *Alloplasta Förster,1868*; *Asymmictus Förster,1868*; *Tryscampe Förster,1868*; *Trichopimpla Cameron,1903*
247. **Allopogon Schiner,1866** (Asilidae) Synonym(s): *Allopogon Schiner,1866*
248. **Alloscelis Kusnezov,1930** (Issidae) Synonym(s):
249. **Alloterra Kieffer & Marshall,1904** (Pteromalidae) Synonym(s): *Alloterra Kieffer & Marshall,1904*
250. **Allotriozoon Grandi,1916** (Agaonidae) Synonym(s): *Allotriozoon Grandi,1916*
251. **Allygidius Ribaut,1948** (Cicadellidae) Synonym(s): *Allygidius Ribaut,1948*; *Dicrallygus Ribaut,1952*
252. **Allygus Fieber,1875** (Cicadellidae) Synonym(s): *Allygus Fieber,1875*; *Syringius Emeljanov,1966*
253. **Almana Stål,1861** (Dictyopharidae) Synonym(s):
254. **Almanetta Emeljanov,1999** (Dictyopharidae) Synonym(s):
255. **Alnetoidia Dlabola,1958** (Cicadellidae) Synonym(s): *Alnetoidia Dlabola,1958*
256. **Alocoderus Schmidt,[1914]** (Scarabaeidae) Synonym(s): *Alocoderus Schmidt,[1914]*
257. **Aloha Kirkaldy,1904** (Delphacidae) Synonym(s):
258. **Alomya Panzer,1806** (Ichneumonidae) Synonym(s): *Alomya Panzer,1806*; *Halomya Billberg,1820*; *#Alomia Kolarov,1995*
259. **Alosimus Mulsant,1857** (Meloidae) Synonym(s): *Alosimus Mulsant,1857*; *Halosimus Gemmiger & Harold,1870*
260. **Alosterna Mulsant,1863** (Cerambycidae) Synonym(s): *Alosterna Mulsant,1863*
261. **Alphesiboca Schmidt,1932** (Tropiduchidae) Synonym(s):
262. **Alphina Stål,1863** (Fulgoridae) Synonym(s):
263. **Alphitobius Stephens,1829** (Tenebrionidae) Synonym(s): *Alphitobius Stephens,1829*
264. **Alphitophagus Stephens,1832** (Tenebrionidae) Synonym(s): *Alphitophagus Stephens,1832*
265. **Alsomyia Brauer & Bergenstamm,1891** (Tachinidae) Synonym(s): *Alsomyia Brauer & Bergenstamm,1891*
266. **Altica Fabricius,1775** (Chrysomelidae) Synonym(s): *Altica Fabricius,1775*
267. **Alticeps Williams,1977** (Achilidae) Synonym(s):
268. **Aluligera Richards,1951** (Sphaeroceridae) Synonym(s): *Ahuligera Richards,1951*; *Uluguria Richards,1965 nec Hoffm.,1864 [Koçak & Kemal,2009]*.
269. **Aluntia Stål,1866** (Dictyopharidae) Synonym(s):
270. **Alvarenga Carrera,1960** (Asilidae) Synonym(s): *Alvarenga Carrera,1960*
271. **Alyssomyia Hull,1962** (Asilidae) Synonym(s): *Alyssomyia Hull,1962*
272. **Amaclardea Muir,1931** (Tropiduchidae) Synonym(s):
273. **Amagua? Cockerell,1924** (Delphacidae) Synonym(s):
274. **Amalaberga Szwedó & Wappler,2006** (Eurybrachidae) Synonym(s): *Amalaberga Szwedó & Wappler,2006*
275. **Amalopota Van Duzee,1889** (Derbidae) Synonym(s):
276. **Amania Synave,1973** (Derbidae) Synonym(s):
277. **Amantia Stål,1864** (Fulgoridae) Synonym(s):
278. **Amantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Amantis Giglio-Tos,1915*; *Cimantis Giglio-Tos,1915*; *Shirakia Beier,1935*

279. **Amapala Melichar,1914** (Tropiduchidae) Synonym(s):
280. **Amara (Amarocelia) Motschoulsky,1862** (Carabidae) Synonym(s): *Amarocelia Motschoulsky,1862*
281. **Amara (Amathitis) C.Zimmermann,1832** (Carabidae) Synonym(s): *Amathitis C.Zimmermann,1832*
282. **Amara (Bradytus) Stephens,1827** (Carabidae) Synonym(s): *Bradytus Stephens,1827*
283. **Amara (Celia) C.Zimmermann,1832** (Carabidae) Synonym(s): *Celia C.Zimmermann,1832*
284. **Amara (Curtonotus) Stephens,1827** (Carabidae) Synonym(s): *Curtonotus Stephens,1827*
285. **Amara (s.str.) Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
286. **Amara (Xenocelia) Hieke,2001** (Carabidae) Synonym(s): *Xenocelia Hieke,2001*
287. **Amara (Zezea) Csiki,1929** (Carabidae) Synonym(s): *Zezea Csiki,1929*
288. **Amara Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
289. **Amasha Medler,1992** (Flatidae) Synonym(s):
290. **Amathomyia Hermann,1912** (Asilidae) Synonym(s): *Amathomyia Hermann,1912*
291. **Amauromyza (Cephalomyza) Hendel,1931** (Agromyzidae) Synonym(s): *Cephalomyza Hendel,1931*
292. **Amauromyza (s.str.) Hendel,1931** (Agromyzidae) Synonym(s): *Amauromyza Hendel,1931*
293. **Amauromyza Hendel,1931** (Agromyzidae) Synonym(s): *Amauromyza Hendel,1931*
294. **Amazobenna Penny,1980** (Cixiidae) Synonym(s):
295. **Amazonicesa Koçak & Kemal,2010** (Tettigoniidae) Synonym(s): *Machaira Toledo Piza,1958 nec Brauer & Bergenstamm,[1889]; Amazonicesa Koçak & Kemal,2010*
296. **Ambivia Stal,1877** (Mantidae) Synonym(s): *Ambivia Stal,1877*
297. **Amblychirus Koch,1956** (Tenebrionidae) Synonym(s): *Amblychirus Koch,1956*
298. **Amblycotis Stål,1853** (Delphacidae) Synonym(s):
299. **Amblycratus Uhler,1895** (Achilidae) Synonym(s):
300. **Amblyellus Day,1981** (Pompilidae) Synonym(s): *Amblyellus Day,1981*
301. **Amblyonychus Hermann,1921** (Asilidae) Synonym(s): *Amblyonychus Hermann,1921*
302. **Amblyopone Erichson,1842** (Formicidae) Synonym(s): *Amblyopone Erichson,1842*
303. **Amblytylus Fieber,1858** (Miridae) Synonym(s): *Amblytylus Fieber,1858*
304. **Amboina Kirkaldy,1913** (Dictyopharidae) Synonym(s):
305. **Ambragaeana Chou & Yao,1985** (Cicadidae) Synonym(s): *Ambragaeana Chou & Yao,1985*
306. **Ameles Burmeister,1838** (Mantidae) Synonym(s): *Ameles Burmeister,1838; Parameles Saussure,1869*
307. **Ametastegia Costa,1882** (Tenthredinidae) Synonym(s): *Ametastegia Costa,1882; Aomodyctium Ashmead,1898; Protemphytus Rohwer,1909; Emphytina Rohwer,1911; Simplemphytus MacGillivray,1914; Unitaxonus MacGillivray,1914*
308. **Amictus Wiedemann,1817** (Bombyliidae) Synonym(s): *Amictus Wiedemann,1817*
309. **Amidorus Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *Amidorus Mulsant & Rey,1870*
310. **Amiota (Phortica) Schiner,1862** (Drosophilidae) Synonym(s): *Phortica Schiner,1862*
311. **Amiota Loew,1862** (Drosophilidae) Synonym(s): *Amiota Loew,1862*
312. **Ammobius Guérin-Méneville,1844** (Tenebrionidae) Synonym(s): *Ammobius Guérin-Méneville,1844*
313. **Amodaimon Londt,1985** (Asilidae) Synonym(s): *Amodaimon Londt,1985*
314. **Ammoecius Mulsant,1842** (Scarabaeidae) Synonym(s): *Ammoecius Mulsant,1842*
315. **Ammophila Kirby,1798** (Sphecidae) Synonym(s): *Ammophila Kirby,1798*
316. **Ammophilomima Enderlein,1914** (Asilidae) Synonym(s): *Ammophilomima Enderlein,1914*
317. **Ammothereva Lyneborg,1984** (Therevidae) Synonym(s): *Ammothereva Lyneborg,1984*
318. **Amnisa Stål,1862** (Issidae) Synonym(s):
319. **Amnodeis Miller,1858** (Tenebrionidae) Synonym(s): *Amnodeis Miller,1858*
320. **Amobia Robineau-Desvoidy,1830** (Sarcophagidae) Synonym(s): *Amobia Robineau-Desvoidy,1830; Pachyophthalmus Brauer & Bergenstamm,1889; Ammobia Bezzi & Stein,1907; Austrometopia Malloch,1930*
321. **Amorphoscelis Stal,1871** (Amorphoscelidae) Synonym(s): *Amorphoscelis Stal,1871*
322. **Ampedus Dejean,1833** (Elateridae) Synonym(s): *Ampedus Dejean,1833*
323. **Amphicoma (Eulasia) Warren,1902** (Glaphyridae) Synonym(s): *Eulasia Warren,1902*
324. **Amphicoma (Pygopleurus) Motschulsky,[1860]** (Glaphyridae) Synonym(s): *Pygopleurus Motschulsky,[1860]*
325. **Amphicoma (Rudeulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Rudeulasia Baraud,1990*
326. **Amphicoma (s.str.) Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807*
327. **Amphicoma (Solskiola) Semenov,1903** (Glaphyridae) Synonym(s): *Solskiola Semenov,1903*
328. **Amphicoma (Vittateulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Vittateulasia Baraud,1990*
329. **Amphicoma Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807; #Amphycoma Frivaldsky,1845; Amphitriche Gistel,1848*

330. **Amphignoma Emeljanov,1991** (Achilidae) Synonym(s):
331. **Amphinemura Ris,1902** (Nemouridae) Synonym(s): *Amphinemura Ris,1902*
332. **Amphisbetetus Hermann,1906** (Asilidae) Synonym(s): *Amphisbetetus Hermann,1906*
333. **Amphiscepa Germar,1830** (Issidae) Synonym(s):
334. **Amychodes Karsch,1895** (Eurybrachidae) Synonym(s): *Amychodes Karsch,1895*
335. **Amycle Stål,1861** (Fulgoridae) Synonym(s):
336. **Amydetes Hoffmannsegg,1807** (Lampyridae) Synonym(s): *Amydetes Hoffmannsegg,1807*
337. **Amyotea Ellenreider,1862** (Pentatomidae) Synonym(s): *Amyotea Ellenreider,1862*
338. **Anabunda Emeljanov,2005** (Achilidae) Synonym(s): *Anabunda Emeljanov,2005*
339. **Anacaena Thomson,1859** (Hydrophilidae) Synonym(s): *Anacaena Thomson,1859*
340. **Anaceratagallia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Anaceratagallia Zachvatkin,1946*
341. **Anachalcis Steffan,1951** (Chalcididae) Synonym(s): *Anachalcis Steffan,1951*
342. **Anacinaces Enderlein,1914** (Asilidae) Synonym(s): *Anacinaces Enderlein,1914*
343. **Anacridium Uvarov,1923** (Acrididae) Synonym(s): *Anacridium Uvarov,1923; Flamiruizia Liebermann,1943*
344. **Anadascalia Melichar,1923** (Flatidae) Synonym(s):
345. **Anadolua Ramme,1939** (Tettigoniidae) Synonym(s): *Anadolua Ramme,1939*
346. **Anaglyptus Mulsant,1839** (Cerambycidae) Synonym(s): *Anaglyptus Mulsant,1839*
347. **Anagrus Haliday,1833** (Mymaridae) Synonym(s): *Anagrus Haliday,1833*
348. **Anagyrus Howard,1896** (Encyrtidae) Synonym(s): *Anagyrus Howard,1896; Paranusia Brethes,1913; Epidinocarsis Girault,1913; Doliphoceras Mercet,1921; Gyranusia Brethes,1921; Apoanagyrus Compere,1947; Anathrix Burks,1952; Aglyptoideus De Santis,1964; Xiphmastix De Santis,1972; Tongyus Noyes & Hayat,1984*
349. **Anakelisia Wagner,1963** (Delphacidae) Synonym(s):
350. **Ananconia Seidlitz,1899** (Oedemeridae) Synonym(s): *Ananconia Seidlitz,1899*
351. **Anapatara Emeljanov,1994** (Derbidae) Synonym(s):
352. **Anapersis Fennah,1952** (Derbidae) Synonym(s):
353. **Anaphes Haliday,1833** (Mymaridae) Synonym(s): *Anaphes Haliday,1833*
354. **Anapleus Horn,1873** (Histeridae) Synonym(s): *Anapleus Horn,1873*
355. **Anaprostocetus Graham,1987** (Eulophidae) Synonym(s): *Anaprostocetus Graham,1987*
356. **Anapulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Anapulvinaria Borkhsenius,1952*
357. **Anarmostus Loew,1860** (Asilidae) Synonym(s): *Anarmostus Loew,1860*
358. **Anarolius Loew,1844** (Asilidae) Synonym(s): *Anarolius Loew,1844*
359. **Anasida Karsch,1892** (Pentatomidae) Synonym(s): *Anasida Karsch,1892*
360. **Anasillomos Londt,1983** (Asilidae) Synonym(s): *Anasillomos Londt,1983*
361. **Anasta Emeljanov,2008** (Dictyopharidae) Synonym(s): *Anasta Emeljanov,2008*
362. **Anastatus Motschulsky,[1860]** (Eupelmidae) Synonym(s): *Anastatus Motschulsky,[1860]*
363. **Anastoechus Osten Sacken,1877** (Bombyliidae) Synonym(s): *Anastoechus Osten-Sacken,1877*
364. **Anatella Winnertz,1863** (Mycetophilidae) Synonym(s): *Anatella Winnertz,1863*
365. **Anatolodus Dlabola,1982** (Issidae) Synonym(s): *Anatolodus Dlabola,1982*
366. **Anatracis Fennah,1957** (Flatidae) Synonym(s):
367. **Anatrichus Loew,1860** (Chloropidae) Synonym(s): *Anatrichus Loew,1860; Echinia Paramonov,1961*
368. **Anax Leach,1815** (Aeshnidae) Synonym(s): *Anax Leach,1815*
369. **Anaya Distant,1906** (Flatidae) Synonym(s):
370. **Anchimothon Fennah,1952** (Derbidae) Synonym(s):
371. **Anchophthalmops Koch,1956** (Tenebrionidae) Synonym(s): *Anchophthalmops Koch,1956*
372. **Anchophthalmus Gerstaecker,1854** (Tenebrionidae) Synonym(s): *Anchophthalmus Gerstaecker,1854; Oxythorax Fahraeus,1870; Oncotiphallops Koch,1956*
373. **Ancistrocerus Wesmael,1836** (Vespidae) Synonym(s): *Ancistrocerus Wesmael,1836*
374. **Ancistronycha Markel,1852** (Cantharidae) Synonym(s): *Ancistronycha Markel,1852*
375. **Ancistrura Uvarov,1921** (Tettigoniidae) Synonym(s): *Ancistrura Uvarov,1921*
376. **Ancylorhynchus Berthold,1827** (Asilidae) Synonym(s): *Ancylorhynchus Berthold,1827*
377. **Ancyra White,1845** (Eurybrachidae) Synonym(s): *Ancyra White,1845*
378. **Ancyrosoma Amyot & Audinet-Serville,1843** (Pentatomidae) Synonym(s): *Ancyrosoma Amyot & Audinet-Serville,1843*
379. **Andes Stål,1866** (Cixiidae) Synonym(s):
380. **Andicesa Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Trichophoropsis Townsend,1914 nec Bonaparte,1854; Andicesa Koçak & Kemal,2010*
381. **Andrallus Bergroth,1905** (Pentatomidae) Synonym(s): *Audinetia Ellenrieder,1862 (praeocc.); Andrallus Bergroth,1905*
382. **Andrenosoma Rondani,1856** (Asilidae) Synonym(s): *Andrenosoma Rondani,1856*

- 383. Andricus Hartig,1840** (Cynipidae) Synonym(s): *Andricus Hartig,1840*; *Aphilotrix Förster,1869*; *Liodora Förster,1869*; *Manderstjernia Radoskowsky,1886*; *Adleria Rohwer & Fagan,1917*; *Euschmitzia Dettmer,1925*; *Oncaspis Dettmer,1925*; *Druon Kinsey,1937*; *Femuros Kinsey,1937*; *Feron Kinsey,1937*; *Conobius Kinsey,1938*
- 384. Anechura Scuddder,1876** (Forficulidae) Synonym(s): *Anechura Scuddder,1876*
- 385. Anechphora Karsch,1890** (Fulgoridae) Synonym(s):
- 386. Anectopia Kirkaldy,1907** (Delphacidae) Synonym(s):
- 387. Aneipo Kirkaldy,1906** (Achilidae) Synonym(s):
- 388. Aneomochtherus Lehr,1996** (Asilidae) Synonym(s): *Aneomochtherus Lehr,1996*
- 389. Aneuclis Förster,1868** (Ichneumonidae) Synonym(s): *Aneuclis Förster,1868*
- 390. Aneuidellana Asche,1988** (Delphacidae) Synonym(s):
- 391. Aneuides Fennah,1969** (Delphacidae) Synonym(s):
- 392. Aneurus Fabricius,1803** (Aradidae) Synonym(s): *Aneurus Fabricius,1803*
- 393. Angamiana Distant,1890** (Cicadidae) Synonym(s): *Angamiana Distant,1890*
- 394. Angela Audinet-Serville,1839** (Mantidae) Synonym(s): *Angela Audinet-Serville,1839*
- 395. Angelopteromyia Korneyev,2001** (Platystomidae) Synonym(s): *Angeloapteromyia Korneyev,2001*
- 396. Anggira Distant,1906** (Flatidae) Synonym(s):
- 397. Angolania Koçak & Kemal,2008** (Ascalaphidae) Synonym(s): *Rudebeckia Tjeder & Hansson,1992 nec Princis,1963*; *Angolania Koçak & Kemal,2008*
- 398. Angolositus Koch,1956** (Tenebrionidae) Synonym(s): *Angolositus Koch,1956*
- 399. Anicetus Howard,1896** (Encyrtidae) Synonym(s): *Anicetus Howard,1896*
- 400. Anidora Melichar,1901** (Flatidae) Synonym(s):
- 401. Anigrus Stal,1866** (Meenoplidae) Synonym(s): *Anigrus Stal,1866*
- 402. Anillidius (s.str.) Jeannel,1928** (Carabidae) Synonym(s): *Anillidius Jeannel,1928*
- 403. Anilus Distant,1906** (Cixiidae) Synonym(s):
- 404. Anisia Van der Wulp,1890** (Tachinidae) Synonym(s): *Anisia Van der Wulp,1890*; *Stenoneura Reinhard,1945 nec Brongniart,1893*
- 405. Anisobas Wesmael,1845** (Ichneumonidae) Synonym(s): *Anisobas Wesmael,1845*; *Lycaeniphilos Heinrich,1934*
- 406. Anisochrya (Chrysoperla) Steinmann,1964** (Chrysopidae) Synonym(s): *Chrysoperla Steinmann,1964*
- 407. Anisochrya (Cunctochrysa) Hölzel,1970** (Chrysopidae) Synonym(s): *Cunctochrysa Hölzel,1970*
- 408. Anisochrya Nakahara,1955** (Chrysopidae) Synonym(s): *Anisochrya Nakahara,1955*
- 409. Anisolabis Fieber,1853** (Labiduridae) Synonym(s): *Anisolabis Fieber,1853*
- 410. Anisoplia (Brancoplia) Baraud,1986** (Scarabaeidae) Synonym(s): *Brancoplia Baraud,1986*
- 411. Anisoplia (Chaetopteroplia) Medvedev,1949** (Scarabaeidae) Synonym(s): *Chaetopteroplia Medvedev,1949*
- 412. Anisoplia (s.str.) Fischer v. Waldheim,1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim,1824*
- 413. Anisoplia Fischer v. Waldheim,1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim,1824*
- 414. Anisopogon Roeder,1881** (Asilidae) Synonym(s): *Anisopogon Roeder,1881*
- 415. Anisopteromalus Ruschka,1912** (Pteromalidae) Synonym(s): *Anisopteromalus Ruschka,1912*
- 416. Anisotochra Karsch,1889** (Tettigoniidae) Synonym(s): *Anisotochra Karsch,1889*
- 417. Ankistrus Tsaar,1991** (Cixiidae) Synonym(s):
- 418. Annamyia Pritchard,1941** (Asilidae) Synonym(s): *Annamyia Pritchard,1941*
- 419. Anochilia Burmeister,1842** (Scarabaeidae) Synonym(s): *Anochilia Burmeister,1842*
- 420. Anoculiarus Dlabola,1985** (Cixiidae) Synonym(s):
- 421. Anogcodes Dejean,1834** (Oedemeridae) Synonym(s): *Anogcodes Dejean,1834*
- 422. Anomala Samouelle,1819** (Scarabaeidae) Synonym(s): *Anomala Samouelle,1819*
- 423. Anomaladerbe Muir,1922** (Derbidae) Synonym(s): *Anomaladerbe Muir,1922*
- 424. Anomalipus Latreille,1846** (Tenebrionidae) Synonym(s): *Heteroscelis Latreille,1829 nec Berthold,1827*; *Anomalipus Latreille,1846*; *Ectatocnemis Horn,1866*; *Acmoecus Fahraeus,1870*; *Apodemus Fahraeus,1870 nec Kaup,1829*
- 425. Anomalon Panzer,1804** (Ichneumonidae) Synonym(s): *Anomalon Panzer,1804*; *Trachynotus Gravenhorst,1829 nec Latr.,1829*; *Ochlerus Gistel,1848 nec Spinol.,1837*; *Nototrachys Marshall,1872*; *Ophiononeura Cameron,1904*; *Stictophion Cameron,1906*; *Erythrophion Cameron,1906*; *Anomalum Schulz,1906*; *Neogreeneia Viereck,1912*; *Trachyopterus Morley,1912*; *Pseudonototrachys Meyer,1930*; *Microcremastus Hedwig,1961*
- 426. Anoplistes Audinet-Serville,1833** (Cerambycidae) Synonym(s): *Anoplistes Audinet-Serville,1833*; *Asias Semenov,1914*

427. **Anoplius Dufour,1834** (Pompilidae) Synonym(s): *Anoplius Dufour,1834*; #*Anoplus Dalla Torre,1897*
428. **Anoplotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Anoplotettix Ribaut,1942*
429. **Anoplothyrea Meijere,1914** (Asilidae) Synonym(s): *Anoplothyrea Meijere,1914*
430. **Anoplotrupes Jekel,1866** (Geotrupidae) Synonym(s): *Anoplotrupes Jekel,1866*
431. **Anormenis Melichar,1923** (Flatidae) Synonym(s):
432. **Anormogomphus Selys,1854** (Gomphidae) Synonym(s): *Anormogomphus Selys,1854*
433. **Anoscopus Kirschbaum,1868** (Cicadellidae) Synonym(s): *Anoscopus Kirschbaum,1868*
434. **Anospilus Haupt,1929** (Pompilidae) Synonym(s): *Anospilus Haupt,1929*
435. **Anostirus Thomson,1859** (Elateridae) Synonym(s): *Anostirus Thomson,1859*
436. **Anoterostemma Loew,1885** (Cicadellidae) Synonym(s): *Anoterostemma Loew,1885*
437. **Anotia Kirby,1821** (Derbidae) Synonym(s):
438. **Anoxia (Mesanoxia) Medvedev,1951** (Scarabaeidae) Synonym(s): *Mesanoxia Medvedev,1951*
439. **Anoxia (Protanoxia) Medvedev,1951** (Scarabaeidae) Synonym(s): *Protanoxia Medvedev,1951*
440. **Anoxia Laporte,1833** (Scarabaeidae) Synonym(s): *Anoxia Laporte,1833*
441. **Anoxioides Petrovitz,1971** (Scarabaeidae) Synonym(s): *Anoxioides Petrovitz,1971*
442. **Antabhoga Distant,1912** (Tropiduchidae) Synonym(s):
443. **Antepipona Saussure,[1855]** (Vespidae) Synonym(s): *Antepipona Saussure,[1855]*; *Antepiponus Saussure,1875*; #*Antepipone Dalla Torre,1894*; *Mehelyella Moczar,1937*; *Odontodynerus Blüthgen,1938*; *Dichodynerus Blüthgen,1938*; *Metastenancistrocerus Blüthgen,1938*
444. **Anterastes Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *Anterastes Brunner von Wattenwyl,1882*
445. **Anthalia Zetterstedt,1838** (Hybotidae) Synonym(s): *Anthalia Zetterstedt,1838*
446. **Anthaxia (Cratomerus) Solier,1833** (Buprestidae) Synonym(s): *Cratomerus Solier,1833*
447. **Anthaxia (Cryptanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Cryptanthaxia Richter,1945*
448. **Anthaxia (Cyclanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Cyclanthaxia Richter,1945*
449. **Anthaxia (Euanthaxia) Reitter,1911** (Buprestidae) Synonym(s): *Euanthaxia Reitter,1911*
450. **Anthaxia (Haplantaxia) Richter,1945** (Buprestidae) Synonym(s): *Haplantaxia Richter,1945*
451. **Anthaxia (Melanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Melanthaxia Richter,1945*
452. **Anthaxia (Mesanthaxia) Richter,1945** (Buprestidae) Synonym(s): *Mesanthaxia Richter,1945*
453. **Anthaxia (s.str.) Eschscholtz,1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz,1829*
454. **Anthaxia Eschscholtz,1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz,1829*
455. **Anthidium (Anthidiellum) Cockerell,1904** (Megachilidae) Synonym(s): *Anthidiellum Cockerell,1904*; *Cerianthidium Friese,1923*; *Eoanthidium Popov,1950*; *Eoanthidiellum Pasteels,1969*
456. **Anthidium (Archianthidium) Mavromoustakis,1939** (Megachilidae) Synonym(s): *Archianthidium Mavromoustakis,1939*
457. **Anthidium (Exanthidium) Pasteels,1969** (Megachilidae) Synonym(s): *Exanthidium Pasteels,1969*
458. **Anthidium (Icteranthidium) Michener,1948** (Megachilidae) Synonym(s): *Icteranthidium Michener,1948*
459. **Anthidium (Mesanthidium) Popov,1950** (Megachilidae) Synonym(s): *Mesanthidium Popov,1950*; *Neanthidium Pasteels,1969*
460. **Anthidium (Oxyanthidium) Mavromoustakis,1963** (Megachilidae) Synonym(s): *Oxyanthidium Mavromoustakis,1963*
461. **Anthidium (Paraanthidium) Friese,1898** (Megachilidae) Synonym(s): *Paraanthidium Friese,1898*
462. **Anthidium (Proanthidium) Friese,1898** (Megachilidae) Synonym(s): *Proanthidium Friese,1898*; *Gulanthidium Pasteels,1969*; *Echianthidium Pasteels,1969*; *Ardenthidium Pasteels,1969*
463. **Anthidium (Pseudoanthidium) Friese,1898** (Megachilidae) Synonym(s): *Pseudoanthidium Friese,1898*; *Paraanthidiellum Michener,1948*; *Carinellum Pasteels,1969*; *Poyanthidium Pasteels,1969*; *Reanthidium Pasteels,1969*
464. **Anthidium (Rhodanthidium) Isensee,1927** (Megachilidae) Synonym(s): *Rhodanthidium Isensee,1927*; *Meganthidium Popov,1950*; *Asianthidium Popov,1950*; *Trianthidium Mavromoustakis,1958*; *Bellanthidium Pasteels,1969*; *Axillanthidium Pasteels,1969*
465. **Anthidium (s.str.) Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804*
466. **Anthidium (Trachusa) Panzer,1804** (Megachilidae) Synonym(s): *Trachusa Panzer,1804*; *Diphysis Lepeletier,1841*
467. **Anthidium (Turkanthidium) Pasteels,1969** (Megachilidae) Synonym(s): *Turkanthidium Pasteels,1969*
468. **Anthidium Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804*
469. **Anthobiodes Weise,1887** (Chrysomelidae) Synonym(s): *Anthobiodes Weise,1887*
470. **Anthobium Leach,1819** (Staphylinidae) Synonym(s): *Anthobium Leach,1819*

471. **Anthocomus Erichson,1840** (Melyridae) Synonym(s): *Anthocomus Erichson,1840*
472. **Anthocoris Fallén,1814** (Anthocoridae) Synonym(s): *Anthocoris Fallén,1814*
473. **Anthoflata Fennah,1947** (Flatidae) Synonym(s):
474. **Anthomalachius Tshernyshev,2009** (Melyridae) Synonym(s): *Anthomalachius Tshernyshev,2009*
475. **Anthophagus Gravenhorst,1802** (Staphylinidae) Synonym(s): *Anthophagus Gravenhorst,1802*
476. **Anthophora Latreille,1803** (Apidae) Synonym(s): *Anthophora Latreille,1803*
477. **Anthrax Scopoli,1763** (Bombyliidae) Synonym(s): *Anthrax Scopoli,1763*
478. **Anthrenus (Anthrenodes) Chobaut,1898** (Dermestidae) Synonym(s): *Anthrenodes Chobaut,1898*
479. **Anthrenus (Florilinus) Mulsant & Rey,1867** (Dermestidae) Synonym(s): *Florilinus Mulsant & Rey,1867*
480. **Anthrenus (Nathrenus) Casey,1900** (Dermestidae) Synonym(s): *Nathrenus Casey,1900*
481. **Anthrenus (Ranthenus) Mroczkowski,1962** (Dermestidae) Synonym(s): *Ranthenus Mroczkowski,1962*
482. **Anthrenus (s.str.) Schaeffer,1766** (Dermestidae) Synonym(s):
483. **Anthrenus (Solskinus) Mroczkowski,1951** (Dermestidae) Synonym(s): *Solskinus Mroczkowski,1951*
484. **Anthrenus Schaeffer,1766** (Dermestidae) Synonym(s): *Anthrenus Schaeffer,1766*
485. **Anthrribus Fabricius,1792** (Anthrribidae) Synonym(s): *Anthrribus Fabricius,1792; Macrocephalus Olivier,1795*
486. **Anthypna Eschscholtz,1818** (Glaphyridae) Synonym(s): *Anthypna Eschscholtz,1818; #Anthipna Cuvier,1832*
487. **Antillixius Myers,1928** (Cixiidae) Synonym(s):
488. **Antillormenis Fennah,1942** (Flatidae) Synonym(s):
489. **Antipalus Loew,1849** (Asilidae) Synonym(s): *Antipalus Loew,1849*
490. **Antiphrisson Loew,1849** (Asilidae) Synonym(s): *Antiphrisson Loew,1849; #Antiphisson Giray,1981*
491. **Antistia Stal,1876** (Irididae) Synonym(s): *Antistia Stal,1876*
492. **Antocha (Orimargula) Mik,1883** (Limoniidae) Synonym(s): *Orimargula Mik,1883*
493. **Antocha Osten-Sacken,1859** (Limoniidae) Synonym(s): *Antocha Osten-Sacken,1859*
494. **Antodynerus Saussure,[1855]** (Vespidae) Synonym(s): *Antodynerus Saussure,[1855]; Kalliepipona Giordani Soika,1952; Pseudokalliepipona Giordani Soika,1955; Parepipona Giordani Soika,1957; #Anthodynerus Giordani Soika,1961*
495. **Antonia Loew,1856** (Bombyliidae) Synonym(s): *Antonia Loew,1856*
496. **Antonina Signoret,1875** (Pseudococcidae) Synonym(s): *Antonina Signoret,1875*
497. **Antrocephalus Kirby,1883** (Chalcididae) Synonym(s): *Antrocephalus Kirby,1883; Coelochalcis Cameron,1904; Dilla Strand,1911; Stomatoceroidea Girault,1913; Metarretocera Girault,1927; Sabatiella Masi,1929; Tainania Masi,1929; Stomatocerella Girault,1930; Uda Girault,1930; Uxa Girault,1930; Dillisca Ghesquiere,1946*
498. **Antrops Enderlein,1909** (Sphaeroceridae) Synonym(s): *Antrops Enderlein,1909*
499. **Antsalovasia Constant,2004** (Fulgoridae) Synonym(s): *Antsalovasia Constant,2004*
500. **Anuraphis Del Guercio,1907** (Aphididae) Synonym(s): *Anuraphis Del Guercio,1907*
501. **Anypodetus Hermann,1907** (Asilidae) Synonym(s): *Anypodetus Hermann,1907*
502. **Aonidia Targioni-Tozzetti,1868** (Diaspididae) Synonym(s): *Aonidia Targioni-Tozzetti,1868*
503. **Aonidiella Berlese & Leonardi,1895** (Diaspididae) Synonym(s): *Aonidiella Berlese & Leonardi,1895*
504. **Apachekolos Martin,1957** (Asilidae) Synonym(s): *Apachekolos Martin,1957*
505. **Apachnas Distant,1909** (Ricanidae) Synonym(s):
506. **Apalus Fabricius,1775** (Meloidae) Synonym(s): *Apalus Fabricius,1775; Hapalus Illiger,1801; Deratus Motschulsky,1848; Criolis Mulsant,1858; ? Coriologiton Marseul,1879*
507. **Apanteles Förster,1862** (Braconidae) Synonym(s): *Apanteles Förster,1862*
508. **Apartus Holzinger,2002** (Cixiidae) Synonym(s): *Apartus Holzinger,2002*
509. **Apateson Fowler,1900** (Achilidae) Synonym(s):
510. **Apechthis Förster,1868** (Ichneumonidae) Synonym(s): *#Ephialtes Schrank,1802; Apechthis Förster,1868; #Apechthis Thomson,1889; Taiwatheronia Sonan,1936; Parapechthis Blanchard,1936*
511. **Apethymus Benson,1939** (Tenthredinidae) Synonym(s): *Apethymus Benson,1939; Kjellia Malaise,1947*
512. **Aphaena Guérin-Méneville,1834** (Fulgoridae) Synonym(s):
513. **Aphaenina Metcalf,1947** (Fulgoridae) Synonym(s):
514. **Aphaenogaster Mayr,1853** (Formicidae) Synonym(s): *Aphaenogaster Mayr,1853*
515. **Aphalara Förster,1848** (Psyllidae) Synonym(s): *Aphalara Förster,1848*
516. **Aphamartania Schiner,1866** (Asilidae) Synonym(s): *Aphamartania Schiner,1866*

517. **Aphanistes Förster,1868** (Ichneumonidae) Synonym(s): *Aphanistes Förster,1868*; *Anochilacrum Enderlein,1921*
518. **Aphanophantia Kirkaldy,1906** (Flatidae) Synonym(s):
519. **Aphasganophora Nikolskaya,1952** (Chalcididae) Synonym(s): *Aphasganophora Nikolskaya,1952*
520. **Aphelinoidea Girault,1911** (Trichogrammatidae) Synonym(s): *Aphelinoidea Girault,1911*
521. **Aphelinus Dalman,1820** (Aphelinidae) Synonym(s): *Aphelinus Dalman,1820*; *Agonioneurus Westwood,1833*; *Myina Nees,1834*; *Mesidia Förster,1856*; *Anozus Förster,1856*; *Eriophilus Haldeman,1859*; *Meroligon Rondani,1877*; *Mesidiopsis Nowicki,1930*; *Paulianaphlinus Risbec,1957*; *Indaphelinus Hayat,1990*
522. **Aphelocheirus Westwood,1833** (Aphelocheiridae) Synonym(s): *Aphelocheirus Westwood,1833*
523. **Aphelonema Uhler,1876** (Caliscelidae) Synonym(s): *Aphelonema Uhler,1876*
524. **Aphelonyx Mayr,1881** (Cynipidae) Synonym(s): *Aphelonyx Mayr,1881*
525. **Aphestia Schiner,1866** (Asilidae) Synonym(s): *Aphestia Schiner,1866*
526. **Aphidoletes Kieffer,1904** (Cecidomyiidae) Synonym(s): *Aphidoletes Kieffer,1904*
527. **Aphis Linnaeus,1758** (Aphididae) Synonym(s): *Aphis Linnaeus,1758*; #*Aphys Illiger,1802*
528. **Aphistina Oldroyd,1972** (Asilidae) Synonym(s): *Aphistina Oldroyd,1972*
529. **Aphodius (Calamosternus) Motschoulsky,[1860]** (Scarabaeidae) Synonym(s): *Calamosternus Motschoulsky,[1860]*
530. **Aphodius (Pseudacrossus) Reitter,1892** (Scarabaeidae) Synonym(s): *Pseudacrossus Reitter,1892*
531. **Aphodius Illiger,1798** (Scarabaeidae) Synonym(s): *Aphodius Illiger,1798*; *Heptaulacus Mulsant,1842*; *Apsteiniella A.Schmidt,1916*; *Cnemargulus Semenov,1903*
532. **Aphodius Illiger,1798** (Scarabaeidae) Synonym(s): *Aphodius Illiger,1798*
533. **Aphoebantus Loew,1872** (Bombyliidae) Synonym(s): *Aphoebantus Loew,1872*
534. **Apholidoptera Maran,1953** (Tettigoniidae) Synonym(s): #*Apholidoptera Ramme,1951*; *Apholidoptera Maran,1953*
535. **Aphractia Artigas & Papavero & Serra,1991** (Asilidae) Synonym(s): *Aphractia Artigas & Papavero & Serra,1991*
536. **Aphrodes Curtis,1833** (Cicadellidae) Synonym(s): *Aphrodes Curtis,1833*; *Acucephalus Germar,1833*; *Acocephalus Burmeister,1835*; *Pholetaera Zetterstedt,1840*; *Anoscopus Kirschbaum,1858*
537. **Aphrodisias Kirkaldy,1906** (Fulgoridae) Synonym(s):
538. **Aphrophora Germar,1821** (Cercopidae) Synonym(s): *Aphrophora Germar,1821*; *Omalophora Matsumura,1942*; *Trigophora Matsumura,1942*; *Europhora Matsumura,1942*; *Obiphora Matsumura,1942*; *Tilophora Matsumura,1942*; *Atuphora Matsumura,1942*
539. **Aphthona Chevrolat,1825** (Chrysomelidae) Synonym(s): *Aphthona Chevrolat,1825*
540. **Aphycoides Mercet,1921** (Encyrtidae) Synonym(s): *Aphycoides Mercet,1921*
541. **Aphycus Mayr,1875** (Encyrtidae) Synonym(s): *Aphycus Mayr,1875*
542. **Aphytia Melichar,1908** (Achilidae) Synonym(s):
543. **Aphytis Howard,1900** (Aphelinidae) Synonym(s): *Aphytis Howard,1900*; *Prospaphelinus De Gregorio,1914*; *Paraphytis Compere,1925*; *Syediella Shafee,1970*; #*Apytis Japoshvili & Karaca,2002*
544. **Apiomyia Kieffer,1912** (Cecidomyiidae) Synonym(s): *Apiomyia Kieffer,1912*
545. **Apion Herbst,1797** (Apionidae) Synonym(s): *Apion Herbst,1797*
546. **Apis Linnaeus,1758** (Apidae) Synonym(s): *Apis Linnaeus,1758*
547. **Apistomyia Bigot,1862** (Blephariceridae) Synonym(s): *Apistomyia Bigot,1862*
548. **Aplestobroma Hull,1957** (Asilidae) Synonym(s): *Aplestobroma Hull,1957*
549. **Aplidia Hope,1837** (Scarabaeidae) Synonym(s): *Aplidia Hope,1837*; *Haploidea Agassiz,1846*; #*Haplidia Gemminger & Harold,1869*
550. **Aplocnemus Stephens,1830** (Melyridae) Synonym(s): *Aplocnemus Stephens,1830*
551. **Aplotarsus Stephens,1830** (Elateridae) Synonym(s): *Aplotarsus Stephens,1830*
552. **Apoclea Macquart,1838** (Asilidae) Synonym(s): *Apoclea Macquart,1838*
553. **Apocrypta Coquerel,1855** (Agaonidae) Synonym(s): *Apocrypta Coquerel,1855*; *Goniogaster Mayr,1885*; *Idarnoides Girault,1913*; *Agaonella Baker,1913*; *Goniogastrella Girault & Dodd,1915*
554. **Apocryptophagus Ashmead,1904** (Agaonidae) Synonym(s): *Apocryptophagus Ashmead,1904*; *Dynatogmus Mayr,1906*; *Koebelea Girault,1915*; *Sycophagella Joseph,1953*; *Parakoebelea Joseph,1957*
555. **Apoderus Voss,1926** (Attelabidae) Synonym(s): *Apoderus Voss,1926*
556. **Apodiphus Spinola,1837** (Pentatomidae) Synonym(s): *Apodiphus Spinola,1837*
557. **Apogonia Kirby,1819** (Scarabaeidae) Synonym(s): *Apogonia Kirby,1819*
558. **Apohilda Bourgoïn,1986** (Tettigometridae) Synonym(s):
559. **Apolastauroides Artigas & Papavero,1988** (Asilidae) Synonym(s): *Apolastauroides Artigas & Papavero,1988*
560. **Apolexis Jacobi,1936** (Flatidae) Synonym(s):
561. **Apolysis Loew,1860** (Bombyliidae) Synonym(s): *Apolysis Loew,1860*; *Rhabdopselaphus Bigot,1886*; *Pseuduogeron Cresson,1915*; *Dagestania Paramonov,1929*
562. **Apophua Morley,1913** (Ichneumonidae) Synonym(s): *Apophua Morley,1913*

563. **Aporinellus Banks,1934** (Pompilidae) Synonym(s): *Aporinellus Banks,1934*
564. **Aporus Spinola,1808** (Pompilidae) Synonym(s): *Aporus Spinola,1808*
565. **Apossoda Schmidt,1911** (Fulgoridae) Synonym(s):
566. **Apothechyla Hull,1962** (Asilidae) Synonym(s): *Apothechyla Hull,1962*
567. **Apotnocerus Hull,1962** (Asilidae) Synonym(s): *Apotnocerus Hull,1962*
568. **Apotomus (Apotomus) Illiger,1807** (Carabidae) Synonym(s): *Apotomus Illiger,1807*
569. **Apoxyria Schiner,1866** (Asilidae) Synonym(s): *Apoxyria Schiner,1866*
570. **Aprivesa Melichar,1923** (Ricaniidae) Synonym(s):
571. **Aprostema Konow,1899** (Argidae) Synonym(s): *Aprostema Konow,1899*
572. **Aprostocetus Westwood,1833** (Eulophidae) Synonym(s): *Aprostocetus Westwood,1833*;
Tetrastichus Walker,1842; *Trichoceras Ratzeburg,1844*; *Geniocerus Ratzeburg,1848*; *Lonchentedon Ratzeburg,1852*; *Hyperteles Förster,1856*; *Oxymorpha Förster,1856*; *Exurus Philippi,1873*; *Myiomisa Rondani,1877*; *Syntomosphyrum Förster, 1878*; *Tetrastichodes Ashmead,1887*; *Ootetrastichus Perkins,1906*; *Aprostocerella Girault,1913*; *Asyntomosphyrum Girault,1913*; *Epentastichus Girault,1913*; *Hadrothrix Cameron,1913*; *Neomphaloides Girault,1913*; *Neomphaloidella Girault,1913*; *Ootetrastichella Girault,1913*; *Selitrichodelia Girault,1913*; *Tetrastichella Girault,1913*; *Omphalomopsis Girault,1917*; *Anellaria Bakkendorf,1934*; *Pachyscapus Erdös,1954*; *Domenichinia Kostjukov,1977*; *Coriophagus Graham,1987*; *Turktichus Doğanlar,1993*; *Quercastichus LaSalle, 1994*; *#Abrostetus Doğanlar et al.,2006*
573. **Apsadaropteryx Kirkaldy,1907** (Issidae) Synonym(s): *Apsadaropteryx Kirkaldy,1907*
574. **Apsectrotanypus Fittkau,1962** (Chironomidae) Synonym(s): *Apsectrotanypus Fittkau,1962*
575. **Apterameles Beier,1950** (Mantidae) Synonym(s): *Apterameles Beier,1950*
576. **Apteromantis Werner,1931** (Mantidae) Synonym(s): *Apteromantis Werner,1931*
577. **Aptinus Bonelli,1810** (Carabidae) Synonym(s): *Aptinus Bonelli,1810*
578. **Aptus Hahn,1831** (Nabidae) Synonym(s): *Aptus Hahn,1831*
579. **Aquaelicium Distant,1917** (Derbidae) Synonym(s):
580. **Aquarius Schellenberg,1800** (Gerridae) Synonym(s): *Aquarius Schellenberg,1800*
581. **Aquiarina Koçak & Kemal,2009** (Stephanidae) Synonym(s): *Hemistephanus Enderlein,1906 nec Looss,1901*; *Aquiarina Koçak & Kemal,2009*
582. **Arabistania Koçak & Kemal,2008** (Hymenopodidae) Synonym(s): *Attalia Uvarov,1936 nec Melich.,1905*; *Arabistania Koçak & Kemal,2008*
583. **Arachnocephalus A.Costa,1855** (Mogoplistidae) Synonym(s): *Arachnocephalus A.Costa,1855*
584. **Arachnospile Kincaid,1900** (Pompilidae) Synonym(s): *Arachnospile Kincaid,1900*
585. **Arachnotheutes Haupt,1927** (Pompilidae) Synonym(s): *Arachnotheutes Haupt,1927*
586. **Aracynthus Stål,1866** (Fulgoridae) Synonym(s):
587. **Aradus Fabricius,1803** (Aradidae) Synonym(s): *Aradus Fabricius,1803*
588. **Araeopus Spinola,1839** (Delphacidae) Synonym(s):
589. **Araiopogon Carrera,1949** (Asilidae) Synonym(s): *Araiopogon Carrera,1949*
590. **Arantia Stal,1874** (Tettigoniidae) Synonym(s): *Arantia Stal,1874*
591. **Araripogon Grimaldi,1990** (Asilidae) Synonym(s): *Araripogon Grimaldi,1990*
592. **Araucopogon Artigas & Papavero,1988** (Asilidae) Synonym(s): *Araucopogon Artigas & Papavero,1988*
593. **Arboridia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Arboridia Zachvatkin,1946*
594. **Archara Metcalf,1945** (Derbidae) Synonym(s):
595. **Archiborborus Duda,1921** (Sphaeroceridae) Synonym(s): *Archiborborus Duda,1921*
596. **Archimantis Saussure,1869** (Mantidae) Synonym(s): *Archimantis Saussure,1869*; *Rheomantis Giglio-Tos,1917*
597. **Arcofacies Muir,1915** (Delphacidae) Synonym(s):
598. **Arctoclavelia Haupt,1962** (Pompilidae) Synonym(s): *Arctoclavelia Haupt,1962*
599. **Arctoconopa Alexander,1955** (Limoniidae) Synonym(s): *Arctoconopa Alexander,1955*
600. **Arcyptera (Pararcyptera) Tarbinskii,1930** (Acrididae) Synonym(s): *Pararcyptera Tarbinskii,1930*
601. **Arcyptera Audinet-Serville,1839** (Acrididae) Synonym(s): *Arcyptera Audinet-Serville,1839*;
Arcyoptera Agassiz,1846; *#Arcyptera Smith,1869*
602. **Ardelia Melichar,1907** (Issidae) Synonym(s): *Ardelia Melichar,1907*
603. **Arelate Stål,1862** (Flatidae) Synonym(s):
604. **Arenasella Schmidt,1932** (Tropiduchidae) Synonym(s):
605. **Arenivaga Rehn,1903** (Polyphagidae) Synonym(s): *Arenivaga Rehn,1903*
606. **Arge Schrank,1802** (Argidae) Synonym(s): *Arge Schrank,1802*
607. **Argelusa Kirkaldy,1906** (Achilidae) Synonym(s):
608. **Argyra Macquart,1834** (Dolichopodidae) Synonym(s): *Argyra Macquart,1834*
609. **Argyrochlamys Lamb,1922** (Dolichopodidae) Synonym(s): *Argyrochlamys Lamb,1922*
610. **Aridia Ball & Hartzell,1922** (Dictyopharidae) Synonym(s):
611. **Aripora Fennah,1945** (Tropiduchidae) Synonym(s):
612. **Aristothereva Frey,1921** (Therevidae) Synonym(s): *Aristothereva Frey,1921*

613. **Aristyllis Kirkaldy,1906** (Achilidae) Synonym(s):
614. **Aritranis Förster,1868** (Ichneumonidae) Synonym(s): *Aritranis Förster,1868*; *Hoplocryptus Thomson,1873*
615. **Ariusa Stal,1877** (Irididae) Synonym(s): *Ariusa Stal,1877*; *Charieisilla Giglio-Tos,1907*
616. **Arjuna Muir,1934** (Dictyopharidae) Synonym(s):
617. **Arma Hahn,1832** (Pentatomidae) Synonym(s): *Arma Hahn,1832*; *Harma Marshall,1868*; *Auriga Kirkaldy,1909*
618. **Armacia Stål,1862** (Ricaniidae) Synonym(s):
619. **Armene Stal,1877** (Mantidae) Synonym(s): *Armene Stal,1877*
620. **Armeniola Giglio-Tos,1915** (Mantidae) Synonym(s): *Armeniola Giglio-Tos,1915*
621. **Armilustrium Distant,1917** (Ricaniidae) Synonym(s):
622. **Arocephalus Ribaut,1946** (Cicadellidae) Synonym(s): *Arocephalus Ribaut,1946*; *Ariellus Ribaut,1952*
623. **Aromia Audinet-Serville,1834** (Cerambycidae) Synonym(s): *Aromia Audinet-Serville,1834*
624. **Arotes Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Arotes Gravenhorst,1829*; *Asthenomeris Förster,1868*; *Sphalerus Kriechbaumer,1878*; *Retanisia Cameron,1886*
625. **Arrhenopeplus Koch,1937** (Staphylinidae) Synonym(s): *Arrhenopeplus Koch,1937*
626. **Arria Stal,1877** (Mantidae) Synonym(s): *Arria Stal,1877*
627. **Artacie Stål,1866** (Fulgoridae) Synonym(s):
628. **Arthrocnodax Rübсаamen,1895** (Cecidomyiidae) Synonym(s): *Arthrocnodax Rübсаamen,1895*
629. **Arthrolytus Thomson,1878** (Pteromalidae) Synonym(s): *Arthrolytus Thomson,1878*
630. **Artianus Ribaut,1942** (Cicadellidae) Synonym(s): *Artianus Ribaut,1942*
631. **Articrius Emeljanov,2008** (Dictyopharidae) Synonym(s): *Articrius Emeljanov,2008*
632. **Artvinia Karabağ,1962** (Tettigoniidae) Synonym(s): *Artvinia Karabağ,1962*
633. **Asaphes Walker,1834** (Pteromalidae) Synonym(s): *Asaphes Walker,1834*
634. **Asaphidion (Asaphidion) Gozis,1886** (Carabidae) Synonym(s): *Asaphidion Gozis,1886*
635. **Asarcopus Horváth,1921** (Caliscelidae) Synonym(s):
636. **Asarcopus phaedo Fennah,1967** (Caliscelidae) Synonym(s):
637. **Ascalaphodes McLachan,1873** (Ascalaphidae) Synonym(s): *Ascalaphodes McLachan,1873*
638. **Ascalaphus Fabricius,1775** (Ascalaphidae) Synonym(s): *Ascalaphus Fabricius,1775*
639. **Ascalohybris Sziraki,1998** (Ascalaphidae) Synonym(s): *Hybris Lefebvre,1842 nec Nitsch,1833*; *Ascalohybris Sziraki,1998*
640. **Aschitus Mercet,1921** (Encyrtidae) Synonym(s): *Aschitus Mercet,1921*
641. **Ascogaster Wesmael,1835** (Braconidae) Synonym(s): *Ascogaster Wesmael,1835*
642. **Aselgeia Walker,1851** (Dictyopharidae) Synonym(s):
643. **Aselgeoides (Distant,1917)** (Dictyopharidae) Synonym(s):
644. **Aselgeoides Fennah,1969** (Cixiidae) Synonym(s):
645. **Asiactenius Nikolajev,2000** (Scarabaeidae) Synonym(s): *Asiactenius Nikolajev,2000*
646. **Asiadodis Roy,2004** (Mantidae) Synonym(s): *Asiadodis Roy,2004*
647. **Asiloephesus Lehr,1992** (Asilidae) Synonym(s): *Asiloephesus Lehr,1992*
648. **Asilus Linnaeus,1758** (Asilidae) Synonym(s): *Asilus Linnaeus,1758*
649. **Asiothrix Majer,1996** (Melyridae) Synonym(s): *Asiothrix Majer,1996*
650. **Asiotmethis Uvarov,1943** (Pamphagidae) Synonym(s): *Asiotmethis Uvarov,1943*
651. **Asiraca Latreille,1796** (Delphacidae) Synonym(s): *Asiraca Latreille,1796*; *Manchookhania Kato,1933*
652. **Asiracemus Asche,1988** (Delphacidae) Synonym(s):
653. **Asiracina Melichar,1912** (Delphacidae) Synonym(s):
654. **Asmisapyga Kurzenko,1994** (Sapygidae) Synonym(s): *Asmisapyga Kurzenko,1994*
655. **Asotocixius Kramer,1983** (Cixiidae) Synonym(s):
656. **Asphingoderus Bei-Bienko,1950** (Acrididae) Synonym(s): *Asphingoderus Bei-Bienko,1950*
657. **Asphondylia Loew,1850** (Cecidomyiidae) Synonym(s): *Asphondylia Loew,1850*
658. **Aspidiotus Bouché,1833** (Diaspididae) Synonym(s): *Aspidiotus Bouché,1833*
659. **Aspidonitys Karsch,1895** (Eurybrachidae) Synonym(s): *Aspidonitys Karsch,1895*
660. **Aspilaspis Stal,1873** (Nabidae) Synonym(s): *Aspilaspis Stal,1873*
661. **Aspoeckina Hölzel,1972** (Myrmeleionidae) Synonym(s): *Aspoeckina Hölzel,1972*
662. **Aspoeckina Hölzel,1972** (Myrmeleionidae) Synonym(s): *Aspoeckina Hölzel,1972*
663. **Asterodiaspis Signoret,1877** (Asterolecaniidae) Synonym(s): *Asterodiaspis Signoret,1877*
664. **Astochia Becker,1913** (Asilidae) Synonym(s): *Astochia Becker,1913*
665. **Asymmetrasca Dlabola,1958** (Cicadellidae) Synonym(s): *Asymmetrasca Dlabola,1958*
666. **Asynapta Loew,1850** (Cecidomyiidae) Synonym(s): *Asynapta Loew,1850*; *#Asynapta Rondani,1860*
667. **Asyndetus Loew,1869** (Dolichopodidae) Synonym(s): *Asyndetus Loew,1869*
668. **Atella Stål,1866** (Flatidae) Synonym(s):

669. **Athalia Leach,1817** (Tenthredinidae) Synonym(s): *Athalia Leach,1817*; *Denathalia Benson,1931*
670. **Atherigona Rondani,1856** (Muscidae) Synonym(s): *Atherigona Rondani,1856*
671. **Atherix Meigen,1803** (Athericidae) Synonym(s): *Atherix Meigen,1803*; *Ibisia Rondani,1856*
672. **Athestia Melichar,1914** (Tropiduchidae) Synonym(s):
673. **Atholus Thomson,1859** (Histeridae) Synonym(s): *Atholus Thomson,1859*
674. **Athous (Euplathous) Reitter,1905** (Elateridae) Synonym(s): *Euplathous Reitter,1905*
675. **Athous (Haplathous) Reitter,1905** (Elateridae) Synonym(s): *Haplathous Reitter,1905*
676. **Athous (Orthathous) Reitter,1905** (Elateridae) Synonym(s): *Orthathous Reitter,1905*
677. **Athous (Orthathous) Reitter,1905** (Elateridae) Synonym(s): *Orthathous Reitter,1905*
678. **Athous (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Athous Eschscholtz,1829*
679. **Athous Eschscholtz,1829** (Elateridae) Synonym(s): *Athous Eschscholtz,1829*
680. **Athrycia Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Athrycia Robineau-Desvoidy,1830*
681. **Atlasacris Rehn,1914** (Tettigoniidae) Synonym(s): *Atlasacris Rehn,1914*
682. **Atomoscelis Reuter,1875** (Miridae) Synonym(s): *Atomoscelis Reuter,1875*
683. **Atonurus Emeljanov,1992** (Cixiidae) Synonym(s):
684. **Atopocixius Muir,1926** (Kinnaridae) Synonym(s):
685. **Atracis Stål,1866** (Flatidae) Synonym(s):
686. **Atracodes Melichar,1902** (Flatidae) Synonym(s):
687. **Atranopsis Baehr,1982** (Carabidae) Synonym(s): *Atranopsis Baehr,1982*
688. **Atranus LeConte,1848** (Carabidae) Synonym(s): *Atranus LeConte,1848*
689. **Atrichopogon Kieffer,1906** (Ceratopogonidae) Synonym(s): *Atrichopogon Kieffer,1906*; *Kempia Kieffer,1913 nec Matthews,1912*; *Gymnohelea Kieffer,1921*; *Dolichohelea Edwards,1929*; *Impensukempia Yu,2001*
690. **Atricops Verrall,1909** (Athericidae) Synonym(s): *Atricops Verrall,1909*; *Heterosuragina Nagatomi,1958*
691. **Atrococcus Goux,1941** (Pseudococcidae) Synonym(s): *Atrococcus Goux,1941*
692. **Atrocrates Koch,1956** (Tenebrionidae) Synonym(s): *Atrocrates Koch,1956*
693. **Atrocripticanus Iwan,1999** (Tenebrionidae) Synonym(s): *Atrocripticanus Iwan,1999*
694. **Atrometoides Fahringer,1922** (Ichneumonidae) Synonym(s): *Atrometoides Fahringer,1922*; *Romanella Meyer,1935*
695. **Attaephilus Motschoulsky,1869** (Leiodidae) Synonym(s): *Attaephilus Motschoulsky,1869*
696. **Attagenus (s.str.) Latreille,1802** (Dermestidae) Synonym(s): *Attagenus Latreille,1802*
697. **Attagenus Latreille,1802** (Dermestidae) Synonym(s): *Attagenus Latreille,1802*
698. **Attalus Erichson,1840** (Melyridae) Synonym(s): *Attalus Erichson,1840*
699. **Attelabus Linnaeus,1758** (Attelabidae) Synonym(s): *Attelabus Linnaeus,1758*; *Chyphus Thunberg,1815*; *Casnonia Schönherr,1833*
700. **Atylana Melichar,1906** (Issidae) Synonym(s):
701. **Atylotus Osten & Sacken,1876** (Tabanidae) Synonym(s): *Atylotus Osten & Sacken,1876*
702. **Augilina Melichar,1914** (Caliscelidae) Synonym(s):
703. **Augilodes Fennah,1963** (Caliscelidae) Synonym(s):
704. **Aulacaspis Cockerell,1893** (Diaspididae) Synonym(s): *Aulacaspis Cockerell,1893*
705. **Aulacidea Ashmead,1897** (Cynipidae) Synonym(s): *Aulacidea Ashmead,1897*
706. **Aulagromyza Enderlein,1936** (Agromyzidae) Synonym(s): *Aulagromyza Enderlein,1936*
707. **Auletobius Desbrochers,1869** (Attelabidae) Synonym(s): *Auletobius Desbrochers,1869*
708. **Aulocorypha Berg,1879** (Cixiidae) Synonym(s):
709. **Aulogymnus Förster,1851** (Eulophidae) Synonym(s): *Aulogymnus Förster,1851*; *Olynx Förster,1856*; *Cyniphoctonus Reinhard,1858*; *Olynx Reinhard,1858*; *Ophelinoideus Ashmead,1904*; *Scotolinx Ashmead,1904*; *Pseudiglyphella Girault,1913*; *Pseudolynx Girault,1916*; *Mirolynx Girault,1916*
710. **Aulonogyrus Gemminger & Harold,1868** (Gyrinidae) Synonym(s): *Aulonogyrus Gemminger & Harold,1868*
711. **Aulophorina Strand,1928** (Flatidae) Synonym(s):
712. **Auplopus Spinola,1841** (Pompilidae) Synonym(s): *Auplopus Spinola,1841*
713. **Australachalcus Pollet,2005** (Dolichopodidae) Synonym(s): *Australachalcus Pollet,2005*
714. **Australicesa Koçak & Kemal,2008** (Pteromalidae) Synonym(s): *Cerna Boucek,1988 nec Bonaparte,1846*; *Australicesa Koçak & Kemal,2008*; *Boucekocerna Özdikmen & Darılmaz,2009*
715. **Australojalla Thomas,1994** (Pentatomidae) Synonym(s): *Australojalla Thomas,1994*
716. **Austroagallia Evans,1935** (Cicadellidae) Synonym(s): *Austroagallia Evans,1935*; *Peragallia Ribaut,1948*
717. **Austroasca (Jacobiasca) Dworakowska,1972** (Cicadellidae) Synonym(s): *Jacobiasca Dworakowska,1972*
718. **Austroasca (s.str.) Lower,1952** (Cicadellidae) Synonym(s): *Austroasca Lower,1952*
719. **Austroasca Lower,1952** (Cicadellidae) Synonym(s): *Austroasca Lower,1952*
720. **Austrodasalia Fletcher,1988** (Flatidae) Synonym(s):

721. **Austrolimnophila Alexander,1920** (Limoniidae) Synonym(s): *Austrolimnophila Alexander,1920*
722. **Austromantis Sjöstedt,1917** (Mantidae) Synonym(s): *Austromantis Sjöstedt,1917*
723. **Austrorgerius Woodward,1960** (Dictyopharidae) Synonym(s):
724. **Austrovates Sjöstedt,1918** (Mantidae) Synonym(s): *Austrovates Sjöstedt,1918; Heterarchimantis Werner,1922*
725. **Autrimpus? Szwedó,2004** (Cixiidae) Synonym(s):
726. **Awaramada Distant,1914** (Dictyopharidae) Synonym(s):
727. **Axinopalpis Dejean,1835** (Cerambycidae) Synonym(s): *Axinopalpis Dejean,1835*
728. **Axinotarsus Motschoulsky,1854** (Melyridae) Synonym(s): *Axinotarsus Motschoulsky,1854*
729. **Aylax Hartig,1840** (Cynipidae) Synonym(s): *Aylax Hartig,1840; #Aulax Hartig,1843*
730. **Ayuthia Distant,1919** (Cicadidae) Synonym(s): *Ayuthia Distant,1919*
731. **Azamia Bolivar,1906** (Tettigoniidae) Synonym(s): *Azamia Bolivar,1906*
732. **Azelia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Azelia Robineau-Desvoidy,1830*
733. **Baccha Fabricius,1805** (Syrphidae) Synonym(s): *Baccha Fabricius,1805; Bacca Rondani,1844; Bacha Schiner,1861*
734. **Bacillus Latreille,1805** (Phasmidae) Synonym(s): *Bacillus Latreille,1805*
735. **Bactericera Puton,1876** (Triozidae) Synonym(s): *Bactericera Puton,1876*
736. **Bactria Meigen,1820** (Asilidae) Synonym(s): *Bactria Meigen,1820; Philomachus Karsch,1888*
737. **Bactrocera Macquart,1835** (Tephritidae) Synonym(s): *Bactrocera Macquart,1835*
738. **Baeoura Alexander,1924** (Limoniidae) Synonym(s): *Baeoura Alexander,1924*
739. **Bagrada Stal,1862** (Pentatomidae) Synonym(s): *Bagrada Stal,1862*
740. **Bahufleta Dlabola,1979** (Flatidae) Synonym(s):
741. **Bajauana Distant,1907** (Cixiidae) Synonym(s):
742. **Bakerella Crawford,1914** (Delphacidae) Synonym(s):
743. **Balcanocerus Maldonado-Capriles,1971** (Cicadellidae) Synonym(s): *Balcanocerus Maldonado-Capriles,1971*
744. **Balclutha Kirkaldy,1900** (Cicadellidae) Synonym(s): *Gnathodus Fieber,1866 (praeocc.); Balclutha Kirkaldy,1900; Nesosteles Kirkaldy,1906; Balcluthina Singh-Pruthi,1930*
745. **Balinta Distant,1905** (Cicadidae) Synonym(s): *Balinta Distant,1905*
746. **Balisticha Jacobi,1941** (Issidae) Synonym(s):
747. **Ballomarius Jacobi,1941** (Achilidae) Synonym(s):
748. **Bambesana Koçak & Kemal,2008** (Acrididae) Synonym(s): *Bambesana Dirsh,1961 nec Arnold,1936; Bambesana Koçak & Kemal,2008; #Bambesiana [OSF],2008*
749. **Bambucibatus Muir,1915** (Delphacidae) Synonym(s):
750. **Bamwardaria Hradski,1983** (Asilidae) Synonym(s): *Bamwardaria Hradski,1983*
751. **Bananelloides Distant,1928** (Dictyopharidae) Synonym(s):
752. **Banchopsis Rudow,1886** (Ichneumonidae) Synonym(s): *Banchopsis Rudow,1886; Banchopsis Kriechbaumer,1886; Euceribanchus Costa,1888; Banchoides Dalla Torre,1888; Ephonites Cameron,1905*
753. **Banchus Fabricius,1798** (Ichneumonidae) Synonym(s): *Banchus Fabricius,1798; Corynephanus Wesmael,1849; Cidaphurus Förster,1868; Nawaia Ashmead,1906*
754. **Bangasternus Des Gozis,1882** (Curculionidae) Synonym(s): *Coelostethus Capiomont,1873 (praeocc.); Bangasternus Des Gozis,1882*
755. **Banksiella Muir,1917** (Derbidae) Synonym(s):
756. **Bantodemus Koch,1955** (Tenebrionidae) Synonym(s): *Bantodemus Koch,1955*
757. **Bardunia Stål,1863** (Issidae) Synonym(s):
758. **Barichneumon Thomson,1893** (Ichneumonidae) Synonym(s): *Barichneumon Thomson,1893; Gurfjya Cameron,1903; Harsaces Cameron,1903; Darpasus Cameron,1904; Stictichneumon Cameron,1905*
759. **Barraza Koçak & Kemal,2008** (Tettigoniidae) Synonym(s): *Calodectes Rentz & Gurney,1985 nec Lesne,1907; Barraza Koçak & Kemal,2008*
760. **Barsac Fletcher,1988** (Flatidae) Synonym(s):
761. **Barunoides Distant,1912** (Tropiduchidae) Synonym(s):
762. **Barylypa Förster,1868** (Ichneumonidae) Synonym(s): *Barylypa Förster,1868; Laphyctes Förster,1868 nec Duj.,1844; Sarntheinia Dalla Torre,1901; Hadromanus Szepliget,1905; Magnibucca Morley,1913; Trochiscomerus Meyer,1931*
763. **Baryphora Loew,1844** (Therevidae) Synonym(s): *Baryphora Loew,1844*
764. **Baryscapus Förster,1856** (Eulophidae) Synonym(s): *Baryscapus Förster,1856; Thripasoma Crawford,1913; Tetrastichopsis Girault,1916; Eutetrastichus Kostjukov,1977*
765. **Barytarbes Förster,1868** (Ichneumonidae) Synonym(s): *Barytarbes Förster,1868; Polytrera Förster,1868; Isodiaeta Förster,1868; Hybristes Förster,1868 nec Reich.,1850; Barytarbus Thomson,1883; Polytreres Thomson,1892*
766. **Bashguetala Linnavuori,1973** (Cixiidae) Synonym(s):
767. **Bashgultala Dlabola,1957** (Cixiidae) Synonym(s): *Bashgultala Dlabola,1957*
768. **Bashgultala Dlabola,1957** (Kinnaridae) Synonym(s):

- 769. Basileocephalus Kirkaldy,1906** (Derbidae) Synonym(s): *Basileocephalus Kirkaldy,1906*;
Urabunna Distant,1907
- 770. Basilia Ribeiro,1903** (Nycteribiidae) Synonym(s): *Basilia Ribeiro,1903*
- 771. Bathycephala Fennah,1950** (Achilidae) Synonym(s):
- 772. Bathyplectes Förster,1868** (Ichneumonidae) Synonym(s): *Canidia Holmgren,1860 nec Thom.,1857*; *Bathyplectes Förster,1868*; *Rhexineura Förster,1868*; *Canidiella Ashmead,1900*; *Biolysia Schmiedeknecht,1907*; *Bathyplecta Aubert,1979*; #*Bathyplectis Kolarov,1995*
- 773. Bathythrix Förster,1868** (Ichneumonidae) Synonym(s): *Bathythrix Förster,1868*; *Ischnurgops Förster,1868*; *Stenagops Förster,1868*; *Panargyrops Förster,1868*; *Gausocentrus Förster,1868*; #*Stenoschema Förster,1868*; *Leptocryptus Thomson,1873*; *Agenora Cameron,1909*
- 774. Bathythrix Förster,1868** (Ichneumonidae) Synonym(s): *Bathythrix Förster,1868*
- 775. Batophila Foudras,1860** (Chrysomelidae) Synonym(s): *Batophila Foudras,1860*
- 776. Batozonellus Arnold,1937** (Pompilidae) Synonym(s): *Batozonellus Arnold,1937*
- 777. Batrachidacris Uvarov,1939** (Lathiceridae) Synonym(s): *Batrachidacris Uvarov,1939*
- 778. Batracomorphus Lewis,1834** (Cicadellidae) Synonym(s): *Batracomorphus Lewis,1834*
- 779. Batrisodes Reitter,1882** (Staphylinidae) Synonym(s): *Batrisodes Reitter,1882*
- 780. Batrisus Aubé,1833** (Staphylinidae) Synonym(s): *Batrisus Aubé,1833*
- 781. Bazarella Vaillant,1961** (Psychodidae) Synonym(s): *Bazarella Vaillant,1961*
- 782. Beckerellus Greathead,1995** (Bombyliidae) Synonym(s): *Beckerellus Greathead,1995*
- 783. Beckidia Saether,1979** (Chironomidae) Synonym(s): *Beckiella Saether,1977 (praeocc.)*; *Beckidia Saether,1979*
- 784. Becquartina Kato,1940** (Cicadidae) Synonym(s): *Becquartina Kato,1940*
- 785. Beesonula Uvarov,1939** (Mantidae) Synonym(s): *Beesoniella Werner,1935 nec Lallemand,1933*;
Beesonula Uvarov,1939
- 786. Belaspidia Masi,1916** (Chalcididae) Synonym(s): *Belaspidia Masi,1916*
- 787. Belbina Stål,1863** (Fulgoridae) Synonym(s):
- 788. Bellardia Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *Bellardia Robineau-Desvoidy,1863*; *Maravigna Lioy,1864*; *Pseudonesia Villeneuve,1920*; *Ambodieria Enderlein,1933*; *Miaspia Enderlein,1933*; *Melindopsis Kurahashi,1964 nec Auriv.,1898*; *Feideria Lehrer,1970*
- 789. Belocera Muir,1913** (Delphacidae) Synonym(s):
- 790. Belopus (Centorus) Mulsant,1854** (Tenebrionidae) Synonym(s): *Centorus Mulsant,1854*
- 791. Belopus Gebien,1911** (Tenebrionidae) Synonym(s): *Belopus Gebien,1911*
- 792. Belostoma Latreille,1807** (Belostomatidae) Synonym(s): *Belostoma Latreille,1807*
- 793. Bembecinus A.Costa,1859** (Crabronidae) Synonym(s): *Bembecinus A.Costa,1859*; *Stizomorphus A.Costa,1859*; #*Gorystizus Minkiewicz,1934*; *Gorystizus Pate,1937*
- 794. Bembidion (Bembidion) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*
- 795. Bembidion (Bembidionetolitzkya) Strand,1929** (Carabidae) Synonym(s):
Bembidionetolitzkya Strand,1929
- 796. Bembidion (Chlorodium) Motschoulsky,1864** (Carabidae) Synonym(s): *Chlorodium Motschoulsky,1864*
- 797. Bembidion (Diplocampa) Bedel,1896** (Carabidae) Synonym(s): *Diplocampa Bedel,1896*
- 798. Bembidion (Emphanes) Motschoulsky,1850** (Carabidae) Synonym(s): *Emphanes Motschoulsky,1850*
- 799. Bembidion (Euperyphus) Jeannel,1941** (Carabidae) Synonym(s): *Euperyphus Jeannel,1941*
- 800. Bembidion (Metallina) Motschoulsky,1850** (Carabidae) Synonym(s): *Metallina Motschoulsky,1850*
- 801. Bembidion (Microserrullula) Netolitzky,1921** (Carabidae) Synonym(s): *Microserrullula Netolitzky,1921*
- 802. Bembidion (Neja) Motschoulsky,1864** (Carabidae) Synonym(s): *Neja Motschoulsky,1864*
- 803. Bembidion (Nepha) Motschoulsky,1864** (Carabidae) Synonym(s): *Nepha Motschoulsky,1864*
- 804. Bembidion (Notaphemphanes) Netolitzky,1920** (Carabidae) Synonym(s): *Notaphemphanes Netolitzky,1920*
- 805. Bembidion (Notaphocampa) Netolitzky,1914** (Carabidae) Synonym(s): *Notaphocampa Netolitzky,1914*
- 806. Bembidion (Notaphus) Dejean,1821** (Carabidae) Synonym(s): *Notaphus Dejean,1821*
- 807. Bembidion (Ocydromus) Clairville,1806** (Carabidae) Synonym(s): *Ocydromus Clairville,1806*
- 808. Bembidion (Ocyturanus) Müller & Motzfeld,1986** (Carabidae) Synonym(s): *Ocyturanus Müller & Motzfeld,1986*
- 809. Bembidion (Odontium) LeConte,1848** (Carabidae) Synonym(s): *Odontium LeConte,1848*
- 810. Bembidion (Omoperiphus) Netolitzky,1931** (Carabidae) Synonym(s): *Omoperiphus Netolitzky,1931*
- 811. Bembidion (Peryphanes) Jeannel,1941** (Carabidae) Synonym(s): *Peryphanes Jeannel,1941*
- 812. Bembidion (Peryphiolus) Jeannel,1941** (Carabidae) Synonym(s): *Peryphiolus Jeannel,1941*

- 813. Bembidion (Peryphus) Dejean,1821** (Carabidae) Synonym(s): *Peryphus Dejean,1821*
- 814. Bembidion (Philochthus) Stephens,1828** (Carabidae) Synonym(s): *Philochthus Stephens,1828*
- 815. Bembidion (Phyla) Motschoulsky,1844** (Carabidae) Synonym(s): *Phyla Motschoulsky,1844*
- 816. Bembidion (Princidium) Motschoulsky,1864** (Carabidae) Synonym(s): *Princidium Motschoulsky,1864*
- 817. Bembidion (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*
- 818. Bembidion (Talanes) Motschoulsky,1864** (Carabidae) Synonym(s): *Talanes Motschoulsky,1864*
- 819. Bembidion (Testediolum) Ganglbauer,1891** (Carabidae) Synonym(s): *Testediolum Ganglbauer,1891*
- 820. Bembidion (Testedium) Motschoulsky,1864** (Carabidae) Synonym(s): *Testedium Motschoulsky,1864*
- 821. Bembidion (Trepanes) Motschoulsky,1864** (Carabidae) Synonym(s): *Trepanes Motschoulsky,1864*
- 822. Benamatapa Distant,1899** (Fulgoridae) Synonym(s):
- 823. Benella Kirkaldy,1906** (Achilidae) Synonym(s):
- 824. Benjaminia Viereck,1912** (Ichneumonidae) Synonym(s): *Benjaminia Viereck,1912; Zachrestoides Viereck,1925*
- 825. Benna Walker,1857** (Cixiidae) Synonym(s):
- 826. Bennarella Muir,1930** (Cixiidae) Synonym(s):
- 827. Bennaria Melichar,1914** (Cixiidae) Synonym(s):
- 828. Beraea Stephens,1833** (Beraeidae) Synonym(s): *Beraea Stephens,1833*
- 829. Bergias Kirkaldy,1904** (Delphacidae) Synonym(s):
- 830. Bergrothia Reitter,1884** (Staphylinidae) Synonym(s): *Amicrops Saulcy,1880 (praeocc.); Bergrothia Reitter,1884; Bergrothiella Reitter,1887*
- 831. Bergrothia Metcalf,1952** (Caliscelidae) Synonym(s):
- 832. Beris Latreille,1802** (Stratiomyidae) Synonym(s): *Beris Latreille,1802; Hexacantha Meigen,1803; Hexacantha Lioy,1864; Octacantha Lioy,1864*
- 833. Berosus (Enoplurus) Hope,1838** (Hydrophilidae) Synonym(s): *Enoplurus Hope,1838*
- 834. Berosus (s.str.) Leach,1817** (Hydrophilidae) Synonym(s): *Berosus Leach,1817*
- 835. Berosus Leach,1817** (Hydrophilidae) Synonym(s): *Berosus Leach,1817*
- 836. Berytinus Kirkaldy,1900** (Berytidae) Synonym(s): *Berytinus Kirkaldy,1900*
- 837. Besseria Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Besseria Robineau-Desvoidy,1830*
- 838. Betacixius Matsumura,1914** (Cixiidae) Synonym(s):
- 839. Betamantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Betamantis Giglio-Tos,1915*
- 840. Betarmon Kiesenwetter,1858** (Elateridae) Synonym(s): *Betarmon Kiesenwetter,1858*
- 841. Betatropis Matsumura,1914** (Achilidae) Synonym(s):
- 842. Betraxis Medler,1988** (Flatidae) Synonym(s):
- 843. Bibio Geoffroy,1762** (Bibionidae) Synonym(s): *Bibio Geoffroy,1762; Pullata Harris,1776; Hirtea Fabricius,1798; Lithobibio Beier,1952; Bibiophus Bollow,1954*
- 844. Biblopectus Reitter,1882** (Staphylinidae) Synonym(s): *Biblopectus Reitter,1882*
- 845. Bibloporus Thomson,1859** (Staphylinidae) Synonym(s): *Bibloporus Thomson,1859*
- 846. Bicellaria Macquart,1823 = Cyrtoma Meigen,1824 syn.** (Hybotidae) Synonym(s):
- 847. Bidessus Sharp,1881** (Dytiscidae) Synonym(s): *Bidessus Sharp,1881*
- 848. Bilbilicallia Jacobi,1928** (Issidae) Synonym(s):
- 849. Bilbilis Stål,1861** (Issidae) Synonym(s):
- 850. Bimantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Bimantis Giglio-Tos,1915*
- 851. Biolleyana Distant,1909** (Nogodinidae) Synonym(s):
- 852. Biorhiza Westwood,1840** (Cynipidae) Synonym(s): *Biorhiza Westwood,1840*
- 853. Biralus Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *Biralus Mulsant & Rey,1870*
- 854. Birdantis Stål,1863** (Fulgoridae) Synonym(s):
- 855. Biruga Fennah,1944** (Tropiduchidae) Synonym(s):
- 856. Bisanthe Stal,1876** (Mantidae) Synonym(s): *Bisanthe Stal,1876*
- 857. Bischoffitilla Lelej,2002** (Mutillidae) Synonym(s): *Bischoffitilla Lelej,2002*
- 858. Bithia Robineau-Desvoidy,1863** (Tachinidae) Synonym(s): *Bithia Robineau-Desvoidy,1863*
- 859. Blachia Walker,1867** (Pentatomidae) Synonym(s): *Blachia Walker,1867; Sessa Distant,1887*
- 860. Bladina Stål,1859** (Nogodinidae) Synonym(s):
- 861. Blaesoxipha Loew,1861** (Sarcophagidae) Synonym(s): *Blaesoxipha Loew,1861; #Blaesophixa Kara & Pape,2002*
- 862. Blakeius Ashmead,1903** (Mutillidae) Synonym(s): *Blakeius Ashmead,1903; Bisigilla Skorikov,1927*
- 863. Blaps Fabricius,1775** (Tenebrionidae) Synonym(s): *Blaps Fabricius,1775*

- 864. Blapsidotes Förster,1868** (Ichneumonidae) Synonym(s): *Blapsidotes Förster,1868*
- 865. Blastophaga Gravenhorst,1829** (Agaonidae) Synonym(s): *Blastophagus Gravenhorst,1827*;
Blastophaga Gravenhorst,1829
- 866. Blastophaga Gravenhorst,1829** (Agaonidae) Synonym(s): *Blastophaga Gravenhorst,1829*
- 867. Blastothrix Mayr,1875** (Encyrtidae) Synonym(s): *Blastothrix Mayr,1875*
- 868. Blatta Linnaeus,1758** (Blattidae) Synonym(s): *Blatta Linnaeus,1758*
- 869. Blattella Caudell,1903** (Blattidae) Synonym(s): *Blattella Caudell,1903*
- 870. Blepharicera Macquart,1843** (Blephariceridae) Synonym(s): *Blepharicera Macquart,1843*
- 871. Blepharidopterus Kolenati,1845** (Miridae) Synonym(s): *Blepharidopterus Kolenati,1845*
- 872. Blepharipa Rondani,1856** (Tachinidae) Synonym(s): *Blepharipa Rondani,1856*
- 873. Blepharodes Bolivar,1891** (Empusidae) Synonym(s): *Blepharodes Bolivar,1891*; *Phlaebarodes Giglio-Tos,1917*
- 874. Blepharopsis Rehn,1902** (Empusidae) Synonym(s): *Blepharis Serville,1831 nec Cuvier,1807*;
?Chersomantis Gistel,1856; *Blepharopsis Rehn,1902*
- 875. Blepisanis Pascoe,1867** (Cerambycidae) Synonym(s): *Blepisanis Pascoe,1867*
- 876. Blitopertha (Asiopertha) Machatschke,1957** (Scarabaeidae) Synonym(s): *Asiopertha Machatschke,1957*
- 877. Blitopertha (Exomala) Reitter,1903** (Scarabaeidae) Synonym(s): *Exomala Reitter,1903*
- 878. Blitopertha (Trichopertha) Reitter,1903** (Scarabaeidae) Synonym(s): *Trichopertha Reitter,1903*
- 879. Blitopertha Reitter,1903** (Scarabaeidae) Synonym(s): *Blitopertha Reitter,1903*
- 880. Blondelia Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Blondelia Robineau-Desvoidy,1830*
- 881. Bloodiella Nowicki,1935** (Trichogrammatidae) Synonym(s): *Bloodiella Nowicki,1935*
- 882. Bobacella Kusnezov,1929** (Cicadellidae) Synonym(s): *Bobacella Kusnezov,1929*
- 883. Bochara Distant,1906** (Flatidae) Synonym(s):
- 884. Bocra Emeljanov,1999** (Caliscelidae) Synonym(s):
- 885. Bodecia Walker,1870** (Cixiidae) Synonym(s):
- 886. Bodenheimera Bodenheimer,1935** (Coccidae) Synonym(s): *Bodenheimera Bodenheimer,1935*
- 887. Bodilopsis Adam,1994** (Scarabaeidae) Synonym(s): *Bodilopsis Adam,1994*
- 888. Bodilus Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *Bodilus Mulsant & Rey,1870*
- 889. Bolbe Stal,1877** (Iridopterygidae) Synonym(s): *Bolbe Stal,1877*
- 890. Bolbella Giglio-Tos,1915** (Mantidae) Synonym(s): *Bolbella Giglio-Tos,1915*
- 891. Bolbena (Bolboda) Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *Bolboda Giglio-Tos,1915*
- 892. Bolbena (s.str.) Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *Bolbena Giglio-Tos,1915*
- 893. Bolbena Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *Bolbena Giglio-Tos,1915*
- 894. Bolbula Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *Bolbula Giglio-Tos,1915*
- 895. Bolitophagus Illiger,1798** (Tenebrionidae) Synonym(s): *Bolitophagus Illiger,1798*; *Boletophagus Say,1826*
- 896. Bolitophila Meigen,1818** (Bolitophilidae) Synonym(s): *Bolitophila Meigen,1818*; *#Bilitophila Bechev & Koç,2006*
- 897. Bolivaria Stal,1877** (Mantidae) Synonym(s): *Bolivaria Stal,1877*
- 898. Bolua Ünal,1999** (Tettigoniidae) Synonym(s): *Bolua Ünal,1999*
- 899. Bombomyia Greathead,1995** (Bombyliidae) Synonym(s): *Bombomyia Greathead,1995*
- 900. Bombus Latreille,1802** (Apidae) Synonym(s): *Bombus Latreille,1802*; *Leucobombus Dalla Torre,1880*; *Terrestribombus Vogt,1911*
- 901. Bombylella Greathead,1995** (Bombyliidae) Synonym(s): *Bombylella Greathead,1995*
- 902. Bombylisoma Rondani,1856** (Bombyliidae) Synonym(s): *Bombylisoma Rondani,1856*;
Chasmoneura Hesse,1938
- 903. Bombylius (s.str.) Linnaeus,1758** (Bombyliidae) Synonym(s): *Bombylius Linnaeus,1758*
- 904. Bombylius (Zephyrectes) Evenhuis,1978** (Bombyliidae) Synonym(s): *Zephyrectes Evenhuis,1978*
- 905. Bombylius Linnaeus,1758** (Bombyliidae) Synonym(s): *Bombylius Linnaeus,1758*
- 906. Bongeia Sjöstedt,1901** (Tettigoniidae) Synonym(s): *Bongeia Sjöstedt,1901*
- 907. Booneta Distant,1907** (Achilidae) Synonym(s):
- 908. Boothea Emeljanov,1964** (Issidae) Synonym(s): *Boothea Emeljanov,1964*
- 909. Borbomyndus Attié,Bourgoin & Bonfils,2002** (Cixiidae) Synonym(s): *Borbomyndus Attié,Bourgoin & Bonfils,2002*
- 910. Borborillus Duda,1923** (Sphaeroceridae) Synonym(s): *Borborillus Duda,1923*
- 911. Boreaphilus Sahlberg,1832** (Staphylinidae) Synonym(s): *Boreaphilus Sahlberg,1832*
- 912. Boretsis Medler,1996** (Flatidae) Synonym(s):
- 913. Boriomyia Banks,1904** (Hemerobiidae) Synonym(s): *Boriomyia Banks,1904*
- 914. Borysthenes Stål,1866** (Cixiidae) Synonym(s):
- 915. Bostaera Ball,1902** (Delphacidae) Synonym(s):

916. **Bothriobaltia Szwedo,2002** (Cixiidae) Synonym(s): *Bothriobaltia Szwedo,2002*
917. **Bothriocera Burmeister,1835** (Cixiidae) Synonym(s):
918. **Bothrioceretta Caldwell,1950** (Cixiidae) Synonym(s):
919. **Bothriomyrmex Emery,1869** (Formicidae) Synonym(s): *Bothriomyrmex Emery,1869*
920. **Bothriothorax Ratzeburg,1844** (Encyrtidae) Synonym(s): *Bothriothorax Ratzeburg,1844*
921. **Bothynoderes Schönherr,1823** (Curculionidae) Synonym(s): *Bothynoderes Schönherr,1823*
922. **Bouceka Koçak & Kemal,2008** (Agaonidae) Synonym(s): *Tenka Boucek,1988 nec Barrande,1881; Bouceka Koçak & Kemal,2008; Hymenotenka Özdikmen & Darılmaz,2009*
923. **Boveycantharis Wittmer,1969** (Cantharidae) Synonym(s): *Boveycantharis Wittmer,1969*
924. **Bowendorpia Synave,1956** (Issidae) Synonym(s):
925. **Brachemys Abeille de Perrin,1890** (Melyridae) Synonym(s): *Brachemys Abeille de Perrin,1890*
926. **Brachineura Rondani,1840** (Cecidomyiidae) Synonym(s): *Brachineura Rondani,1840; Brachyneura Agassiz,1846*
927. **Brachinus (Aploa) Hope,1833** (Carabidae) Synonym(s): *Aploa Hope,1833*
928. **Brachinus (Brachynidius) Reitter,1919** (Carabidae) Synonym(s): *Brachynidius Reitter,1919*
929. **Brachinus (Brachynolomus) Reitter,1919** (Carabidae) Synonym(s): *Brachynolomus Reitter,1919*
930. **Brachinus (Cnecostolus) Reitter,1919** (Carabidae) Synonym(s): *Cnecostolus Reitter,1919*
931. **Brachinus (s.str.) Weber,1801** (Carabidae) Synonym(s): *Brachinus Weber,1801*
932. **Brachinus Weber,1801** (Carabidae) Synonym(s): *Brachinus Weber,1801*
933. **Brachycarenum Fieber,[1860]** (Rhopalidae) Synonym(s): *Brachycarenum Fieber,[1860]*
934. **Brachycephalus Kirkaldy,1906** (Tettigometridae) Synonym(s): *Brachycephalus Signoret,1866 (praeocc.); Brachycephalus Kirkaldy,1906*
935. **Brachyceraea Roeder,1892** (Conopidae) Synonym(s): *Brachyceraea Roeder,1892; Brachyceratiis Roeder,1893*
936. **Brachycerus Olivier,1789** (Brachyceridae) Synonym(s): *Brachycerus Olivier,1789*
937. **Brachycoleus Fieber,1858** (Miridae) Synonym(s): *Brachycoleus Fieber,1858*
938. **Brachycraera Muir,1916** (Delphacidae) Synonym(s):
939. **Brachycurtus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): *Brachycurtus Kriechbaumer,1880*
940. **Brachyesthes Fairmaire,1868** (Tenebrionidae) Synonym(s): *Brachyesthes Fairmaire,1868*
941. **Brachygluta Thomson,1859** (Staphylinidae) Synonym(s): *Brachygluta Thomson,1859*
942. **Brachygnathellus Zerche,1991** (Staphylinidae) Synonym(s): *Brachygnathellus Zerche,1991*
943. **Brachygonus Buysson,1912** (Elateridae) Synonym(s): *Brachygonus Buysson,1912*
944. **Brachylope Emeljanov,1962** (Cicadellidae) Synonym(s): *Brachylope Emeljanov,1962*
945. **Brachymeria Westwood,1829** (Chalcididae) Synonym(s): *Brachymeria Westwood,1829; Thaumatelia Kirby,1883; #Brodymeria Ashmead,1904; Oncochalcis Cameron,1904; Holochalcis Kieffer,1905; Ceyxia Girault,1911; Tumidicoxa Girault,1911; Thaumatelia Girault,1912; Pseudepitelia Girault,1913; Tumidicoxella Girault,1913; Tumidicoxoides Girault,1913; Dirrhinomorpha Girault & Dodd,1915; Mirochalcis Girault,1915; Meyeriella Krausse,1917; Neobrachymeria Masi,1929; Australochalcis Girault,1939; Gahanula Burks,1960; Matsumurameria Habu,1960*
946. **Brachynema Mulsant,1852** (Pentatomidae) Synonym(s): *Brachynema Mulsant,1852*
947. **Brachyodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Brachyodynerus Blüthgen,1938*
948. **Brachypipona Gusenleitner,1967** (Vespidae) Synonym(s): *Brachypipona Gusenleitner,1967; Desertodynerus Kurzenko,1977*
949. **Brachyprosa Kusnezov,1929** (Issidae) Synonym(s):
950. **Brachyptera Newport,1848** (Taeniopterygidae) Synonym(s): *Brachyptera Newport,1848; Nephotheryx Navas,1915; Zhiltzovia Ricker & Ross,1975*
951. **Brachypyrrhyllis Fennah,1967** (Achilidae) Synonym(s):
952. **Brachyrhopala (Pacifocesa) Koçak & Kemal,2008** (Asilidae) Synonym(s): *Vespina Clements,2000 nec Davis,1972; Pacifocesa Koçak & Kemal,2008*
953. **Brachyrhopala Macquart,1847** (Asilidae) Synonym(s): *Brachyrhopala Macquart,1847*
954. **Brachytaosa (Muir,1931)** (Dictyopharidae) Synonym(s):
955. **Brachytarsina Macquart,1851** (Strebliidae) Synonym(s): *Brachytarsina Macquart,1851*
956. **Brachythemis Brauer,1868** (Libellulidae) Synonym(s): *Brachythemis Brauer,1868*
957. **Brachytron Evans,1845** (Aeshnidae) Synonym(s): *Brachytron Evans,1845*
958. **Bracocesa Koçak & Kemal,2008** (Braconidae) Synonym(s): *Araucania Marsh,1993 nec Pate,1947; Bracocesa Koçak & Kemal,2008*
959. **Bracon (Asiabracon) Tobias,1957** (Braconidae) Synonym(s): *Asiabracon Tobias,1957*
960. **Bracon (Cyanopterobracon) Tobias,1957** (Braconidae) Synonym(s): *Cyanopterobracon Tobias,1957*
961. **Bracon (Glabrobracon) Tobias,1957** (Braconidae) Synonym(s): *Glabrobracon Tobias,1957*
962. **Bracon Fabricius,1805** (Braconidae) Synonym(s): *Bracon Fabricius,1805; Brachon Brullé,1832*

963. **Bradyporus Charpentier,1825** (Tettigoniidae) Synonym(s): *Bradyporus Charpentier,1825*; *Derallimus Caudell,1912*; *Dinarchus Stal,1874*
964. **Bradysia Winnertz,1867** (Sciaridae) Synonym(s): *Bradysia Winnertz,1867*; *Dasysciara Kieffer,1903*; *Neosciara Pettey,1918*; *Fungivorides Lengersdorf,1926*; *Lamprosciara Frey,1948*; *Paractenosciara Sasakawa,1994*
965. **Brahmaloka Distant,1906** (Issidae) Synonym(s):
966. **Brancsikia Saussure & Zehntner,1895** (Mantidae) Synonym(s): *Brancsikia Saussure & Zehntner,1895*
967. **Breddiniola Muir,1934** (Achilidae) Synonym(s):
968. **Breddiniolella Fennah,1950** (Achilidae) Synonym(s):
969. **Brevicornu Marshall,1896** (Mycetophilidae) Synonym(s): *Brevicornu Marshall,1896*
970. **Brillia Kieffer,1913** (Chironomidae) Synonym(s): *Brillia Kieffer,1913*
971. **Brinckochrysa Tjeder,1966** (Chrysopidae) Synonym(s): *Brinckochrysa Tjeder,1966*
972. **Brixia Stål,1856** (Cixiidae) Synonym(s):
973. **Brixidia Haglund,1899** (Cixiidae) Synonym(s):
974. **Brodskyana Majer,1996** (Melyridae) Synonym(s): *Brodskyana Majer,1996*
975. **Bruchomorpha Newman,1838** (Caliscelidae) Synonym(s):
976. **Bruchophagus Ashmead,1888** (Eurytomidae) Synonym(s): *Bruchophagus Ashmead,1888*
977. **Brucoscelis Melichar,1906** (Caliscelidae) Synonym(s): *Brucoscelis Melichar,1906*
978. **Brumus Mulsant,1850** (Coccinellidae) Synonym(s): *Brumus Mulsant,1850*
979. **Brunnerella Saussure,1888** (Acrididae) Synonym(s): *Brunnerella Saussure,1888*
980. **Bruntridactylus Günther,1979** (Tridactylidae) Synonym(s): *Bruntridactylus Günther,1979*
981. **Bryaxis Kugelan,1794** (Staphylinidae) Synonym(s): *Bryaxis Kugelan,1794*
982. **Bryophaenocladus Thienemann,1944** (Chironomidae) Synonym(s): *Bryophaenocladus Thienemann,1944*
983. **Brysora Medler,2000** (Flatidae) Synonym(s): *Brysora Medler,2000*
984. **Buathra Cameron,1903** (Ichneumonidae) Synonym(s): *Buathra Cameron,1903*; *Bathycrisis Cameron,1905*
985. **Bubas Mulsant,1842** (Scarabaeidae) Synonym(s): *Bubas Mulsant,1842*
986. **Bubastia (Acrestia) Dlabola,1980** (Issidae) Synonym(s): *Acrestia Dlabola,1980*
987. **Bubastia (s.str.) Emeljanov,1975** (Issidae) Synonym(s): *Bubastia Emeljanov,1975*
988. **Bubastia Emeljanov,1975** (Issidae) Synonym(s): *Bubastia Emeljanov,1975*
989. **Bubopsis McLachan,1898** (Ascalaphidae) Synonym(s): *Bubopsis McLachan,1898*
990. **Buca Walker,1858** (Issidae) Synonym(s):
991. **Bucekia Steffan,1951** (Chalcididae) Synonym(s): *Bucekia Steffan,1951*
992. **Bucephalina Malloch,1919** (Scathophagidae) Synonym(s): *Bucephalina Malloch,1919*
993. **Bucephaloptera Ebner,1924** (Tettigoniidae) Synonym(s): *Bucephaloptera Ebner,1924*
994. **Buchananiella continua (White,1880)** (Anthocoridae) Synonym(s): *continua White,1880*
995. **Budginmaya Fletcher & Moir,2009** (Flatidae) Synonym(s): *Budginmaya Fletcher & Moir,2009*
996. **Bueacola Sjöstedt,1912** (Tettigoniidae) Synonym(s): *Bueacola Sjöstedt,1912*
997. **Buettneria Karsch,1889** (Tettigoniidae) Synonym(s): *Buettneria Karsch,1889*; *Stenacroptervx Karsch,1896*
998. **Bugraia Koçak,1981** (Cicadellidae) Synonym(s): *Taeniocerus Dlabola,1974 nec Kaup,1871 non Blandford,1893*; *Bugraia Koçak,1981*; *#Bugraria Guistina,1989*
999. **Bulaea Mulsant,1850** (Coccinellidae) Synonym(s): *Bulaea Mulsant,1850*
1000. **Bulbostethus Ruckes,1960** (Pentatomidae) Synonym(s): *Bulbostethus Ruckes,1960*
1001. **Bunduica Jacobi,1909** (Achilidae) Synonym(s):
1002. **Burnilia Muir & Giffard,1924** (Delphacidae) Synonym(s):
1003. **Burnix Medler,1988** (Flatidae) Synonym(s):
1004. **Bursinia Costa,1862** (Dictyopharidae) Synonym(s):
1005. **Busas Jacobi,1909** (Ricaniidae) Synonym(s):
1006. **Byctiscus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Byctiscus C.G.Thomson,1859*
1007. **Byllis Stål,1866** (Flatidae) Synonym(s):
1008. **Byllisana Metcalf & Bruner,1948** (Flatidae) Synonym(s):
1009. **Bythinus Leach,1817** (Staphylinidae) Synonym(s): *Bythinus Leach,1817*
1010. **Bythopsyrna Melichar,1901** (Flatidae) Synonym(s):
1011. **Cabirutus Strand,1929** (Tenebrionidae) Synonym(s): *Cabirus Mulsant & Rey,1853 (praeocc.)*; *Cabirutus Strand,1929*
1012. **Caccobius (Caccophilus) Jekel,1872** (Scarabaeidae) Synonym(s): *Caccophilus Jekel,1872*
1013. **Caccobius (s.str.) Thomson,1859** (Scarabaeidae) Synonym(s): *Caccobius Thomson,1859*
1014. **Caccobius Thomson,1859** (Scarabaeidae) Synonym(s): *Caccobius Thomson,1859*
1015. **Cacodmus Stal,1873** (Cimicidae) Synonym(s): *Cacodmus Stal,1873*
1016. **Cacopsylla Ossiannilsson,1970** (Psyllidae) Synonym(s): *Cacopsylla Ossiannilsson,1970*

- 1017. Caecanthrax Greathead,1981** (Bombyliidae) Synonym(s): *Caecanthrax Greathead,1981*
1018. Caenoblaps König,1906 (Tenebrionidae) Synonym(s): *Caenoblaps König,1906*
1019. Caenocrepis Thomson,1878 (Pteromalidae) Synonym(s): *Caenocrepis Thomson,1878*
1020. Caenocryptus Thomson,1873 (Ichneumonidae) Synonym(s): *Caenocryptus Thomson,1873*;
Habrocryptoides Uchida,1952; *Pseudischmus Walkley,1954*
1021. Caesonia Stål,1866 (Flatidae) Synonym(s):
1022. Caffrocixius Synave,1969 (Cixiidae) Synonym(s):
1023. Caffrommatissus Fennah,1967 (Tropiduchidae) Synonym(s):
1024. Caffropyrrhyllis Fennah,1950 (Achilidae) Synonym(s):
1025. Cajeta Stål,1866 (Cixiidae) Synonym(s):
1026. Calais Laporte,1838 (Elateridae) Synonym(s): *Calais Laporte,1838*
1027. Calamister Kirkaldy,1906 (Cixiidae) Synonym(s):
1028. Calamobius Guérin-Ménéville,1847 (Cerambycidae) Synonym(s): *Calamobius Guérin-Ménéville,1847*
1029. Calamosternus Motschoulsky,[1860] (Scarabaeidae) Synonym(s): *Calamosternus Motschoulsky,[1860]*
1030. Calampocus Gnezdilov & Bourgoïn,2009 (Caliscelidae) Synonym(s): *Calampocus Gnezdilov & Bourgoïn,2009*
1031. Calbodus Spinola,1852 (Delphacidae) Synonym(s):
1032. Calchaenesthes Kraatz,1863 (Cerambycidae) Synonym(s): *Calchaenesthes Kraatz,1863*
1033. Calerda Signoret,1863 (Achilidae) Synonym(s):
1034. Cales Howard,1907 (Aphelinidae) Synonym(s): *Cales Howard,1907*; *Diaspidophilus Brèthes,1914*;
Paranthemus Girault,1915
1035. Caliadurgus Pate,1946 (Pompilidae) Synonym(s): *Calicurgus Lepeletier,1845 (praeocc.)*;
Caliadurgus Pate,1946
1036. Caliaeschna Selys,1883 (Aeshnidae) Synonym(s): *Caliaeschna Selys,1883*
1037. Caliscelis Laporte,1833 (Caliscelidae) Synonym(s): *Caliscelis Laporte,1833*; *Mejonosoma O.Costa,1834*; *Ahomocnemiella Kusnezov,1929*
1038. Calisius Stal,1858 (Aradidae) Synonym(s): *Calisius Stal,1858*
1039. Callichlamys Kirkaldy,1907 (Achilidae) Synonym(s):
1040. Callicorixa White,1873 (Corixidae) Synonym(s): *Callicorixa White,1873*
1041. Calligypona Sahlberg,1871 (Delphacidae) Synonym(s): *Calligypona Sahlberg,1871*
1042. Callimenus Fischer von Waldheim,1830 (Tettigoniidae) Synonym(s): *Callimenus Fischer von Waldheim,1830*; *#Callimus Fischer von Waldheim,1833*
1043. Callimoxys Kraatz,1863 (Cerambycidae) Synonym(s): *Callimoxys Kraatz,1863*
1044. Callimus Mulsant,1846 (Cerambycidae) Synonym(s): *Callimus Mulsant,1846*; *Callimellum Strand,1928*
1045. Callinesia Kirkaldy,1907 (Achilidae) Synonym(s):
1046. Calliphora Robineau-Desvoidy,1830 (Calliphoridae) Synonym(s): *Calliphora Robineau-Desvoidy,1830*; *Acrophaga Brauer & Bergenstamm,1891*; *Acronesia Hall,1948*
1047. Calliptamus Audinet-Serville,1831 (Acrididae) Synonym(s): *Calliptamus Audinet-Serville,1831*;
Caloptenus Burmeister,1838
1048. Callipteroma Motschulsky,1863 (Encyrtidae) Synonym(s): *Callipteroma Motschulsky,1863*
1049. Callirhytis Förster,1868 (Cynipidae) Synonym(s): *Callirhytis Förster,1868*
1050. Callistethus Blanchard,[1851] (Scarabaeidae) Synonym(s): *Callistethus Blanchard,[1851]*
1051. Callisthenes (s.str.) Fischer von Waldheim,1821 (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim,1821*
1052. Callisthenes Fischer von Waldheim,1821 (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim,1821*
1053. Callistus Bonelli,1810 (Carabidae) Synonym(s): *Callistus Bonelli,1810*
1054. Callodictya Melichar,1912 (Dictyopharidae) Synonym(s):
1055. Callodictya Melichar,1912 (Dictyopharidae) Synonym(s): *Callodictya Melichar,1912*
1056. Callopietromyia Hendel,1907 (Ulidiidae) Synonym(s): *Callopietromyia Loew,1873 (praeocc.)*;
Callopietromyia Hendel,1907
1057. Callospilopteron Cockerell,1920 (Fulgoridae) Synonym(s):
1058. Callostoma Macquart,1840 (Bombyliidae) Synonym(s): *Callostoma Macquart,1840*
1059. Calmar Kirkaldy,1901 (Fulgoridae) Synonym(s):
1060. Calopteryx Leach,1815 (Calopterygidae) Synonym(s): *Calopteryx Leach,1815*
1061. Calosoma Weber,1801 (Carabidae) Synonym(s): *Calosoma Weber,1801*
1062. Calosota Curtis,1836 (Eupelmidae) Synonym(s): *Calosota Curtis,1836*; *Caloster Walker,1872*
1063. Calospilota Giglio-Tos,1917 (Mantidae) Synonym(s): *Calospilota Giglio-Tos,1917*
1064. Calvia Mulsant,1846 (Coccinellidae) Synonym(s): *Calvia Mulsant,1846*
1065. Calycomyza Hendel,1931 (Agromyzidae) Synonym(s): *Calycomyza Hendel,1931*

- 1066. Calydu** Reitter,1896 (Meloidae) Synonym(s): *Caloenas Reitter,1889 nec Gray,1840; Calydu* Reitter,1896
- 1067. Calyptoproctus Spinola,1839** (Fulgoridae) Synonym(s):
- 1068. Calyptopsis Solier,1835** (Tenebrionidae) Synonym(s): *Calyptopsis Solier,1835; Choristopsis* Kraatz,1865
- 1069. Calyptopsis Tate,1893** (Tenebrionidae) Synonym(s): *Calyptopsis Tate,1893*
- 1070. Camarothorax Mayr,1906** (Agaonidae) Synonym(s): *Camarothorax Mayr,1906; Sycobiomorpha* Joseph,1961; *Pilkhanivora Farooqi & Menon,1973*
- 1071. Camelomantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Camelomantis Giglio-Tos,1917*
- 1072. Camerunilla Haglund,1899** (Tropiduchidae) Synonym(s):
- 1073. Cameruniola Strand,1928** (Flatidae) Synonym(s):
- 1074. Caminara Motschoulsky,1865** (Carabidae) Synonym(s): *Caminara Motschoulsky,1865*
- 1075. Campalita Motschoulsky,1865** (Carabidae) Synonym(s): *Campalita Motschoulsky,1865*
- 1076. Campiglossa Hendel,1927** (Tephritidae) Synonym(s): *Campiglossa Hendel,1927*
- 1077. Camponotus Mayr,1861** (Formicidae) Synonym(s): *Camponotus Mayr,1861*
- 1078. Campoplex Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Campoplex Gravenhorst,1829; Dioratica Förster,1868; Omorgus Förster,1868 nec Erichs.,1847; Omorga Thomson,1887; Zaturanosema* Viereck,1912; *Campoleptidea Viereck,1912; Sesioplex Viereck,1912; Pseuderipternoides Viereck,1917*
- 1079. Campsiura Hope,1831** (Scarabaeidae) Synonym(s): *Campsiura Hope,1831*
- 1080. Camptocera Jakovlev,1877** (Lygaeidae) Synonym(s): *Camptocera Jakovlev,1877*
- 1081. Camptomyia Kieffer,1894** (Cecidomyiidae) Synonym(s): *Camptomyia Kieffer,1894*
- 1082. Camptopus Amyot & Audinet-Serville,1843** (Alydidae) Synonym(s): *Camptopus Amyot & Audinet-Serville,1843*
- 1083. Campylomma Reuter,1878** (Miridae) Synonym(s): *Campylomma Reuter,1878*
- 1084. Campylosteira Fieber,1844** (Tingidae) Synonym(s): *Campylosteira Fieber,1844; #Campylostira* Fieber,1860
- 1085. Canada Koçak & Kemal,2008** (Pteromalidae) Synonym(s): *Babina Boucek,1993 nec* Thompson,1912; *Canada Koçak & Kemal,2008; Neobabina Özdikmen & Darılmaz,2009*
- 1086. Caneirona Distant,1916** (Cixiidae) Synonym(s):
- 1087. Cantacader Amyot & Serville,1843** (Tingidae) Synonym(s): *Cantacader Amyot & Serville,1843*
- 1088. Cantharis Linnaeus,1758** (Cantharidae) Synonym(s): *Cantharis Linnaeus,1758; Silotrachelus* Solsky,1881
- 1089. Canthecona Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Canthecona Amyot & Serville,1843*
- 1090. Cantheconidea Schouteden,1907** (Pentatomidae) Synonym(s): *Cantheconidea* Schouteden,1907
- 1091. Canthydrus Sharp,1882** (Noteridae) Synonym(s): *Canthydrus Sharp,1882*
- 1092. Cantoreanus Dlabola,1971** (Delphacidae) Synonym(s):
- 1093. Canyra Stål,1862** (Delphacidae) Synonym(s):
- 1094. Capelopterum Melichar,1906** (Issidae) Synonym(s):
- 1095. Capena Stål,1866** (Dictyopharidae) Synonym(s):
- 1096. Capenariana Lallemand,1959** (Fulgoridae) Synonym(s):
- 1097. Capenopsis Melichar,1912** (Dictyopharidae) Synonym(s):
- 1098. Capistra Fennah,1947** (Flatidae) Synonym(s):
- 1099. Capitetes Foete & Freidberg,1981** (Tephritidae) Synonym(s): *Capitetes Foete & Freidberg,1981*
- 1100. Capnia Pictet,1841** (Capniidae) Synonym(s): *Capnia Pictet,1841; Arsapnia Banks,1897*
- 1101. Capnodis Eschscholtz,1829** (Buprestidae) Synonym(s): *Capnodis Eschscholtz,1829; Caloptera* Gistel,1834
- 1102. Carabus (Archicarabus) Seidlitz,1887** (Carabidae) Synonym(s): *Archicarabus Seidlitz,1887*
- 1103. Carabus (Cechenochilus) Motschoulsky,1846** (Carabidae) Synonym(s): *Cechenochilus* Motschoulsky,1846
- 1104. Carabus (Heterocarabus) Morawitz,1886** (Carabidae) Synonym(s): *Heterocarabus* Morawitz,1886
- 1105. Carabus (Ischnocarabus) Kraatz,1877** (Carabidae) Synonym(s): *Ischnocarabus Kraatz,1877*
- 1106. Carabus (Lamprostus) Motschoulsky,1865** (Carabidae) Synonym(s): *Lamprostus* Motschoulsky,1865
- 1107. Carabus (Limnocarabus) Géhin,1876** (Carabidae) Synonym(s): *Limnocarabus Géhin,1876*
- 1108. Carabus (Limnocarabus) Géhin,1876** (Carabidae) Synonym(s): *Limnocarabus Géhin,1876*
- 1109. Carabus (Lipaster) Motschoulsky,1865** (Carabidae) Synonym(s): *Lipaster Motschoulsky,1865*
- 1110. Carabus (Mimocarabus) Géhin,1885** (Carabidae) Synonym(s): *Mimocarabus Géhin,1885*
- 1111. Carabus (Morphocarabus) Géhin,1885** (Carabidae) Synonym(s): *Morphocarabus Géhin,1885*
- 1112. Carabus (Oreocarabus) Géhin,1876** (Carabidae) Synonym(s): *Oreocarabus Géhin,1876*
- 1113. Carabus (Oxycarabus) Semenov,1898** (Carabidae) Synonym(s): *Oxycarabus Semenov,1898*
- 1114. Carabus (Pachycarabus) Géhin,1876** (Carabidae) Synonym(s): *Pachycarabus Géhin,1876*

1115. **Carabus (Pachystus) Motschoulsky,1865** (Carabidae) Synonym(s): *Pachystus Motschoulsky,1865*
1116. **Carabus (Procerus) Dejean,1828** (Carabidae) Synonym(s): *Procerus Dejean,1828*
1117. **Carabus (Procrustes) Bonelli,1809** (Carabidae) Synonym(s): *Procrustes Bonelli,1809; Procrusticus White,1845; Macrogenus Motschoulsky,1846; Sphodristus Motschoulsky,1865; Chaetomelas Thomson,1875; Procrustocarabus Géhin,1876; Creprostus Imura,2002*
1118. **Carabus (s.str.) Linnaeus,1758** (Carabidae) Synonym(s): *Carabus Linnaeus,1758*
1119. **Carabus (Sphodristocarabus) Géhin,1885** (Carabidae) Synonym(s): *Sphodristocarabus Géhin,1885*
1120. **Carabus (Tachypus) Weber,1801** (Carabidae) Synonym(s): *Tachypus Weber,1801*
1121. **Carabus (Tomocarabus) Reitter,1896** (Carabidae) Synonym(s): *Tomocarabus Reitter,1896*
1122. **Carabus Linnaeus,1758** (Carabidae) Synonym(s): *Carabus Linnaeus,1758*
1123. **Cardiacera Macquart,1847** (Pyrgotidae) Synonym(s): *Cardiacera Macquart,1847; Pyrgella Paramonov,1958 nec Lowe,1855 [Koçak & Kemal,2009].*
1124. **Cardiastethus Fieber,1860** (Anthocoridae) Synonym(s): *Cardiastethus Fieber,1860; #Cardiostethus Fieber,1860*
1125. **Cardiocladius Kieffer,1912** (Chironomidae) Synonym(s): *Cardiocladius Kieffer,1912*
1126. **Cardiocondyla Emery,1869** (Formicidae) Synonym(s): *Cardiocondyla Emery,1869*
1127. **Cardiophorus (Perrinellus) Buysson,1899** (Elateridae) Synonym(s): *Perrinellus Buysson,1899*
1128. **Cardiophorus (s.str.) Eschscholtz,1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz,1829*
1129. **Cardiophorus Eschscholtz,1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz,1829*
1130. **Cardioptera Burmeister,1838** (Mantidae) Synonym(s): *Cardioptera Burmeister,1838*
1131. **Cardopostethus Fieber,1859** (Berytidae) Synonym(s): *Cardopostethus Fieber,1859*
1132. **Cardoria Mulsant,1863** (Cerambycidae) Synonym(s): *Cardoria Mulsant,1863*
1133. **Carinatodorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Carinatodorcadion Breuning,1942*
1134. **Carinomyrmosa Lelej,1981** (Mutillidae) Synonym(s): *Carinomyrmosa Lelej,1981*
1135. **Caristianus Distant,1916** (Achilidae) Synonym(s):
1136. **Carmentalia Distant,1917** (Ricaniidae) Synonym(s):
1137. **Carnavalia Koçak & Kemal,2008** (Tettigoniidae) Synonym(s): *Linkia Piza,1971 nec Nardo,1834 non Kieff.,1910; Carnavalia Koçak & Kemal,2008*
1138. **Carolus Kirkaldy,1906** (Cixiidae) Synonym(s):
1139. **Carphotoma Emeljanov,2008** (Dictyopharidae) Synonym(s): *Carphotoma Emeljanov,2008*
1140. **Carpocoris Kolenati,1846** (Pentatomidae) Synonym(s): *Carpocoris Kolenati,1846*
1141. **Carpomya Costa,1854** (Tephritidae) Synonym(s): *Carpomya Costa,1854*
1142. **Carthaea Stål,1862** (Flatidae) Synonym(s):
1143. **Carthaeomorpha Melichar,1901** (Flatidae) Synonym(s):
1144. **Carulaspis McGillivray,1921** (Diaspididae) Synonym(s): *Carulaspis McGillivray,1921*
1145. **Carvilia Stal,1876** (Mantidae) Synonym(s): *Carvilia Stal,1876; Palaeophotina Werner,1923*
1146. **Casinarina Holmgren,1859** (Ichneumonidae) Synonym(s): *Casinarina Holmgren,1859; Alcima Förster,1868; Amorphota Förster,1868; Campotrepheus Förster,1868; Horogenes Förster,1868; Anempheres Förster,1868; Nothalomalon Szepliget,1905; Trophocampa Schmiedeknecht,1907; Fiebrigia Viereck,1912; Neonortonia Viereck,1912; Zastenomorpha Viereck,1912; Zastenogastra Viereck,1925; Nothanomaloides Uchida,1928 nec Vier.,1925; Deltops Seyrig,1935; Longicharops Uchida,1940; Neonortoniella Blanchard,1947; Casinaroides Aubert,1960*
1147. **Cassida Linnaeus,1758** (Chrysomelidae) Synonym(s): *Cassida Linnaeus,1758*
1148. **Cataglyphis Förster,1850** (Formicidae) Synonym(s): *Cataglyphis Förster,1850*
1149. **Cataphronetis Lucas,1846** (Tenebrionidae) Synonym(s): *Cataphronetis Lucas,1846*
1150. **Caterus Platia & Gundezi,2000** (Elateridae) Synonym(s): *Caterus Platia & Gundezi,2000*
1151. **Cateus Platia & Gundezi,2000** (Elateridae) Synonym(s): *Cateus Platia & Gundezi,2000*
1152. **Catharosia Rondani,1868** (Tachinidae) Synonym(s): *Catharosia Rondani,1868; Sciasma Coquillett,1897; Petia Coquillett,1910 nec Gray,1839; Microsciasma Townsend,1915; Procatharosia Villeneuve,1924*
1153. **Cathedra Kirkaldy,1903** (Fulgoridae) Synonym(s):
1154. **Catolaccus Thomson,1878** (Pteromalidae) Synonym(s): *Catolaccus Thomson,1878*
1155. **Catomus (Stenomacidius) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Stenomacidius Seidlitz,1896*
1156. **Catomus Allard,1876** (Tenebrionidae) Synonym(s): *Catomus Allard,1876*
1157. **Catonia Uhler,1895** (Achilidae) Synonym(s):
1158. **Catonidia Uhler,1896** (Achilidae) Synonym(s):
1159. **Catonoides Metcalf,1938** (Achilidae) Synonym(s):
1160. **Catoplatus Spinola,1837** (Tingidae) Synonym(s): *Catoplatus Spinola,1837*

1161. **Catopomorphus (s.str.) Aubé,1850** (Leiodidae) Synonym(s):
1162. **Catopomorphus Aubé,1850** (Leiodidae) Synonym(s):
1163. **Catoptropteryx Karsch,1890** (Tettigoniidae) Synonym(s): *Catoptropteryx Karsch,1890*
1164. **Catracis Medler,1988** (Flatidae) Synonym(s):
1165. **Catullia Stål,1870** (Tropiduchidae) Synonym(s):
1166. **Catullaria Muir,1931** (Tropiduchidae) Synonym(s):
1167. **Catullioides Bierman,1910** (Tropiduchidae) Synonym(s):
1168. **Cazira Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Cazira Amyot & Serville,1843*
1169. **Cea Haliday,1837** (Pteromalidae) Synonym(s): *Cea Haliday,1837*
1170. **Cearacesa Koçak & Kemal,2010** (Gryllidae) Synonym(s): *Neomorpha Desutter-Grandcolas,1988 nec Gould,1837; Cearacesa Koçak & Kemal,2010*
1171. **Cebrio Olivier,1790** (Cebriionidae) Synonym(s): *Cebrio Olivier,1790*
1172. **Cecyrina Walker,1867** (Pentatomidae) Synonym(s): *Cecyrina Walker,1867*
1173. **Cedochrea Emeljanov,1994** (Derbidae) Synonym(s):
1174. **Cedusa Fowler,1904** (Derbidae) Synonym(s): *Cedusa Fowler,1904; Herpis Muir,1918*
1175. **Celes Saussure,1884** (Acrididae) Synonym(s): *Celes Saussure,1884*
1176. **Celonites Latreille,1802** (Vespidae) Synonym(s): *Celonites Latreille,1802*
1177. **Cemus Fennah,1964** (Delphacidae) Synonym(s):
1178. **Cenanges Fennah,1952** (Derbidae) Synonym(s):
1179. **Cenchrea Westwood,1840** (Derbidae) Synonym(s):
1180. **Cenestra Stål,1862** (Flatidae) Synonym(s):
1181. **Cenophron Fennah,1969** (Achilidae) Synonym(s):
1182. **Centrioncus Speiser,1910** (Diopsidae) Synonym(s): *Centrioncus Speiser,1910*
1183. **Centroclisis Navas,1909** (Myrmeleonidae) Synonym(s): *Centroclisis Navas,1909*
1184. **Centrocoris Kolenati,1845** (Coreidae) Synonym(s): *Centrocoris Kolenati,1845*
1185. **Centromeria Stål,1870** (Dictyopharidae) Synonym(s):
1186. **Centromeriana Melichar,1912** (Dictyopharidae) Synonym(s):
1187. **Centrotus Megerle,1802** (Membracidae) Synonym(s): *Centrotus Megerle,1802*
1188. **Cephalia Meigen,1826** (Ulidiidae) Synonym(s): *Cephalia Meigen,1826*
1189. **Cephalochilus Blüthgen,1939** (Vespidae) Synonym(s): *Cephalochilus Blüthgen,1939*
1190. **Cephaloncus Westwood,1864** (Melyridae) Synonym(s): *Cephaloncus Westwood,1864*
1191. **Cephalostenus Dejean,1834** (Tenebrionidae) Synonym(s): *Cephalostenus Dejean,1834*
1192. **Cephalota (s.str.) Dokhturov,1883** (Carabidae) Synonym(s): *Cephalota Dokhturov,1883*
1193. **Cephalota (Taenidia) Rivalier,1950** (Carabidae) Synonym(s): *Taenidia Rivalier,1950*
1194. **Cephalota Dokhturov,1883** (Carabidae) Synonym(s): *Cephalota Dokhturov,1883*
1195. **Ceragra Emeljanov,1996** (Caliscelidae) Synonym(s):
1196. **Ceramius Latreille,1810** (Vespidae) Synonym(s): *Ceramius Latreille,1810; Gnatho Klug,1810; Paraceramius Saussure,1854; Ceramioides Saussure,1854; Euceramius Dalla Torre,1904*
1197. **Ceraninus Walker,1841** (Eulophidae) Synonym(s): *#Ceraninus Walker,1830; Ceraninus Walker,1841; Urfacus Doğanlar,2003*
1198. **Cerapheles Mulsant & Rey,1867** (Melyridae) Synonym(s): *Cerapheles Mulsant & Rey,1867*
1199. **Cerapterocerus Westwood,1833** (Encyrtidae) Synonym(s): *Cerapterocerus Westwood,1833; Jurinia Costa,1839; Telegraphus Ratzburg,1848*
1200. **Ceratanisus Gemminger,1870** (Tenebrionidae) Synonym(s): *Ceratanisus Gemminger,1870*
1201. **Ceratistes Fischer von Waldheim,1844** (Melyridae) Synonym(s): *Ceratistes Fischer von Waldheim,1844*
1202. **Ceratitidis Mac Leay,1829** (Tephritidae) Synonym(s): *Ceratitidis Mac Leay,1829; Pinacochaeta Munro,1933*
1203. **Ceratocrania Westwood,1889** (Mantidae) Synonym(s): *Ceratocrania Westwood,1889*
1204. **Ceratomantis Wood-Mason,1876** (Hymenopodidae) Synonym(s): *Ceratomantis Wood-Mason,1876*
1205. **Ceratophygadeuon Viereck,1924** (Ichneumonidae) Synonym(s): *Ceratophygadeuon Viereck,1924; Remonzia Seyrig,1952; Euromonzia Aubert,1965*
1206. **Ceratopogon Meigen,1803** (Ceratopogonidae) Synonym(s): *#Helea Meigen,1800; Ceratopogon Meigen,1803; Cerapogon Rafinesque,1815; Psilohela Kieffer,1915; Anakempia Kieffer,1924; Diplohelea Kieffer,1925*
1207. **Ceratosolen Mayr,1885** (Agaonidae) Synonym(s): *Sycocrypta Coquerel,1855; Ceratosolen Mayr,1885; Ceratosolensia Girault,1915; Rothropus Wiebes,1994; Strepitus Wiebes,1994*
1208. **Ceratothripoides Bagnall,1918** (Thripidae) Synonym(s): *Ceratothripoides Bagnall,1918*
1209. **Cerceris Latreille,1802** (Crabronidae) Synonym(s): *Cerceris Latreille,1802*
1210. **Cerchysiella Girault,1915** (Encyrtidae) Synonym(s): *Cerchysiella Girault,1915*
1211. **Cerchysius Westwood,1832** (Encyrtidae) Synonym(s): *Cerchysius Westwood,1832*
1212. **Cercion Navas,1907** (Coenagrionidae) Synonym(s): *Cercion Navas,1907*

- 1213. Cercopicesa Koçak & Kemal,2008** (Cercopidae) Synonym(s): *Tonnoiria Lallemand,1954 nec Parent,1929; Cercopicesa Koçak & Kemal,2008*
- 1214. Cercopis Fabricius,1775** (Cercopidae) Synonym(s): *Cercopis Fabricius,1775; Triecphora Amyot & Serville,1843*
- 1215. Cercopis Fabricius,1775** (Fulgoridae) Synonym(s): *Cercopis Fabricius,1775*
- 1216. Cercyon Leach,1817** (Hydrophilidae) Synonym(s): *Cercyon Leach,1817*
- 1217. Cerdistus Loew,1849** (Asilidae) Synonym(s): *Cerdistus Loew,1849; #Cerditus Koçak & Kemal,2008*
- 1218. Ceresa Amyot & Serville,1843** (Membracidae) Synonym(s): *Ceresa Amyot & Serville,1843; #Ceresinae Johnson & Ledig,1918*
- 1219. Cerfennia Stål,1870** (Flatidae) Synonym(s):
- 1220. Ceriagrion Selys,1876** (Coenagrionidae) Synonym(s): *Ceriagrion Selys,1876*
- 1221. Cermada Emeljanov,2000** (Cixiidae) Synonym(s): *Cermada Emeljanov,2000*
- 1222. Cermatulus Dallas,1851** (Pentatomidae) Synonym(s): *Cermatulus Dallas,1851*
- 1223. Cernea Williams,1977** (Achilidae) Synonym(s):
- 1224. Cerococcus Comstock,1882** (Cerococcidae) Synonym(s): *Cerococcus Comstock,1882*
- 1225. Cerocoma Geoffroy,1762** (Meloidae) Synonym(s): *Cerocoma Geoffroy,1762*
- 1226. Cerodontha (Butomyza) Nowakowski,1967** (Agromyzidae) Synonym(s): *Butomyza Nowakowski,1967*
- 1227. Cerodontha (Dizygomyza) Hendel,1920** (Agromyzidae) Synonym(s): *Dizygomyza Hendel,1920*
- 1228. Cerodontha (Poemyza) Hendel,1931** (Agromyzidae) Synonym(s): *Poemyza Hendel,1931*
- 1229. Cerodontha Rondani,1861** (Agromyzidae) Synonym(s): *Cerodontha Rondani,1861*
- 1230. Cerogenes Horváth,1909** (Fulgoridae) Synonym(s): *Cerogenes Horváth,1909*
- 1231. Ceropales Latreille,1796** (Pompilidae) Synonym(s): *Ceropales Latreille,1796*
- 1232. Ceroplastes Gray,1828** (Coccidae) Synonym(s): *Ceroplastes Gray,1828*
- 1233. Cerotainiops Curran,1930** (Asilidae) Synonym(s): *Cerotainiops Curran,1930*
- 1234. Ceroxys Macquart,1835** (Ulidiidae) Synonym(s): *Ceroxys Macquart,1835*
- 1235. Certallum Dejean,1821** (Cerambycidae) Synonym(s): *Certallum Dejean,1821*
- 1236. Cerynia Stål,1862** (Flatidae) Synonym(s):
- 1237. Cesabasis Koçak & Hüseyinoğlu,2008** (Tabanidae) Synonym(s): *Anabasis Trojan,1994 nec Heinrich,1956; Cesabasis Koçak & Hüseyinoğlu,2008*
- 1238. Cesabracon Koçak & Kemal,2009** (Braconidae) Synonym(s): *Stirostoma Cameron,1912 nec Agass.,1846; Cesabracon Koçak & Kemal,2009*
- 1239. Cesachilus Koçak & Kemal,2010** (Vespididae) Synonym(s): *Stenochilus Giordani Soika,1987 nec Cambridge,1871; Cesachilus Koçak & Kemal,2010*
- 1240. Cesacomora Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *Encalypta Redtenbacher,1891 nec Möschl.,1890; Cesacomora Koçak & Kemal,2009*
- 1241. Cesagaster Koçak & Kemal,2009** (Asilidae) Synonym(s): *Systemlogaster Hermann,1926 nec Gah.,1917; Cesagaster Koçak & Kemal,2009*
- 1242. Cesametra Koçak & Kemal,2009** (Gerridae) Synonym(s): *Eurymetra Esaki,1926 nec Odhner,1910; Cesametra Koçak & Kemal,2009*
- 1243. Cesamexico Koçak & Kemal,2008** (Scarabaeidae) Synonym(s): *Imelda Dellacasa, Gordon & Dellacasa,2002 nec Hewitson,1870; Cesamexico Koçak & Kemal,2008*
- 1244. Cesamorelosia Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Ergolabus Reinhard,1964 nec Gistel,1848; Cesamorelosia Koçak & Kemal,2010*
- 1245. Cesandria Koçak & Kemal,2009** (Ichneumonidae) Synonym(s): *Isandria Heinrich,1970 nec Warr.,1897; Cesandria Koçak & Kemal,2009*
- 1246. Cesapanama Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Parazelia Townsend,1919 nec Bigot,1882; Cesapanama Koçak & Kemal,2010*
- 1247. Cesapapua Koçak & Kemal,2010** (Sphaeroceridae) Synonym(s): *Papuella Richards,1973 nec Strohecker,1956; Cesapapua Koçak & Kemal,2010*
- 1248. Cesaperua Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Xenophasia Townsend,1934 nec Strickland,1841; Cesaperua Koçak & Kemal,2010*
- 1249. Cesaspheniscus Koçak & Kemal,2009** (Tephritidae) Synonym(s): *Paraspheniscus Hendel,1927 nec Ameghino,1905; Cesaspheniscus Koçak & Kemal,2009*
- 1250. Cesathrix Koçak & Hüseyinoğlu,2003** (Sciaridae) Synonym(s): *Pterothrix Mohrig,2003 nec Ragonot,1888; Cesathrix Koçak & Hüseyinoğlu,2003*
- 1251. Cestromoecha Karsch,1893** (Tettigoniidae) Synonym(s): *Cestromoecha Karsch,1893*
- 1252. Cetonia (Eucetonia) Schoch,1894** (Scarabaeidae) Synonym(s): *Eucetonia Schoch,1894*
- 1253. Cetonia (Indocetonia) Miksic,1965** (Scarabaeidae) Synonym(s): *Indocetonia Miksic,1965*
- 1254. Cetonia (s.str.) Fabricius,1775** (Scarabaeidae) Synonym(s): *Cetonia Fabricius,1775*
- 1255. Cetonia Fabricius,1775** (Scarabaeidae) Synonym(s): *Cetonia Fabricius,1775*
- 1256. Ceutorhynchus Germar,1824** (Curculionidae) Synonym(s): *Ceutorhynchus Germar,1824*

1257. **Chaetarthria Stephens,1833** (Hydrophilidae) Synonym(s): *Chaetarthria Stephens,1833*
1258. **Chaetocnema Stephens,1831** (Chrysomelidae) Synonym(s): *Chaetocnema Stephens,1831*
1259. **Chaetococcus Maskell,1898** (Pseudococcidae) Synonym(s): *Chaetococcus Maskell,1898*
1260. **Chaetogaedia Brauer & Bergenstamm,1891** (Tachinidae) Synonym(s): *Chaetogaedia Brauer & Bergenstamm,1891; Cloacina Reinhard,1945 nec Linstow,1898*
1261. **Chaetomalachius Kraatz,1882** (Melyridae) Synonym(s): *Chaetomalachius Kraatz,1882; Trithrix Schilsky,1896; Setomalachius Majer,1989*
1262. **Chaetorellia Hendel,1927** (Tephritidae) Synonym(s): *Chaetorellia Hendel,1927*
1263. **Chaetormenis Melichar,1923** (Flatidae) Synonym(s):
1264. **Chaetostomella Hendel,1927** (Tephritidae) Synonym(s): *Chaetostomella Hendel,1927*
1265. **Chaetostricha Walker,1851** (Trichogrammatidae) Synonym(s): *Chaetostricha Walker,1851*
1266. **Chalcophorella Kerremans,1903** (Buprestidae) Synonym(s): *Chalcophorella Kerremans,1903*
1267. **Chalia Walker,1858** (Eurybrachidae) Synonym(s):
1268. **Chalicodoma (Cesacongoa) Koçak & Kemal,2010** (Megachilidae) Synonym(s): *Cuspidella Pasteels,1965 (praeocc.); Cesacongoa Koçak & Kemal,2010*
1269. **Chalicodoma (Neochalicodoma) Pasteels,1970** (Megachilidae) Synonym(s): *Neochalicodoma Pasteels,1970*
1270. **Chalicodoma Lepeletier,1841** (Megachilidae) Synonym(s): *Chalicodoma Lepeletier,1841*
1271. **Changeondelphax Kwon,1982** (Delphacidae) Synonym(s):
1272. **Chanithus Kolenati,1857** (Dictyopharidae) Synonym(s):
1273. **Charieis Burr,1900** (Irididae) Synonym(s): *Charieis Burr,1900*
1274. **Charitopus Förster,1856** (Encyrtidae) Synonym(s): *Charitopus Förster,1856*
1275. **Charitovalgus Kolbe,1904** (Scarabaeidae) Synonym(s): *Charitovalgus Kolbe,1904*
1276. **Charopus Erichson,1840** (Melyridae) Synonym(s): *Charopus Erichson,1840*
1277. **Charora Saussure,[1888]** (Acrididae) Synonym(s): *Charora Saussure,[1888]*
1278. **Chartocerus Motschulsky,[1860]** (Signiphoridae) Synonym(s): *Chartocerus Motschulsky,[1860]*
1279. **Chasmacephala Fennah,1945** (Tropiduchidae) Synonym(s):
1280. **Chathamaka Larivière,1999** (Cixiidae) Synonym(s):
1281. **Chaturbuja Distant,1906** (Flatidae) Synonym(s):
1282. **Cheiloceps Uhler,1895** (Issidae) Synonym(s):
1283. **Cheiloneurus Westwood,1833** (Encyrtidae) Synonym(s): *Cheiloneurus Westwood,1833*
1284. **Cheilusia Panzer,[1809]** (Syrphidae) Synonym(s): *Cheilusia Panzer,[1809]*
1285. **Cheilotoma Chevrolat,1837** (Chrysomelidae) Synonym(s): *Cheilotoma Chevrolat,1837*
1286. **Cheirodes (Anemia) Laporte,1840** (Tenebrionidae) Synonym(s): *Anemia Laporte,1840*
1287. **Cheirodes Gén ,1839** (Tenebrionidae) Synonym(s): *Cheirodes G n ,1839*
1288. **Cheironitis Van Lansberge,1875** (Scarabaeidae) Synonym(s): *Cheironitis Van Lansberge,1875; Chironitis Reitter,1894*
1289. **Cheiopachus Westwood,1828** (Pteromalidae) Synonym(s): *Cheiopachus Westwood,1828; Pachychirus Agassiz,1846*
1290. **Cheiosis Deyrolle,1867** (Tenebrionidae) Synonym(s): *Cheiosis Deyrolle,1867; Chiosis Gemminger & Harold,1870*
1291. **Cheirotonus Hope,1840** (Scarabaeidae) Synonym(s): *Cheirotonus Hope,1840*
1292. **Chelidura Berthold,1827** (Labiduridae) Synonym(s): *Chelidura Berthold,1827*
1293. **Chelonus Jurine,1806** (Braconidae) Synonym(s): *#Anomala von Block,1799; AChelonus Jurine,1806; Davisania La Munyon,1877; Arichelonus Viereck,1913; Megachelonus Baker,1926*
1294. **Chelostoma (Eochelostoma) Griswold,1998** (Megachilidae) Synonym(s): *Eochelostoma Griswold,1998*
1295. **Chelostoma (Foveosmia) Warncke,1991** (Megachilidae) Synonym(s): *Foveosmia Warncke,1991*
1296. **Chelostoma (Gyrodromella) Michener,1997** (Megachilidae) Synonym(s): *Gyrodromella Michener,1997*
1297. **Chelostoma (s.str.) Latreille,1809** (Megachilidae) Synonym(s): *Chelostoma Latreille,1809*
1298. **Chelostoma Latreille,1809** (Megachilidae) Synonym(s): *Chelostoma Latreille,1809*
1299. **Chersodromia Haliday,1851** (Hybotidae) Synonym(s):
1300. **Chiasmus Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Chiasmus Mulsant & Rey,1855; Atractotypus Fieber,1866*
1301. **Chidea Emeljanov,2000** (Cixiidae) Synonym(s): *Chidea Emeljanov,2000*
1302. **Chilaspis Mayr,1881** (Cynipidae) Synonym(s): *Chilaspis Mayr,1881*
1303. **Chilobica St l,1863** (Fulgoridae) Synonym(s):
1304. **Chilocorus Leach,1815** (Coccinellidae) Synonym(s): *Chilocorus Leach,1815*
1305. **Chilothorax Motschoulsky,1860** (Scarabaeidae) Synonym(s): *Chilothorax Motschoulsky,1860*
1306. **Chilotomina Reitter,1912** (Chrysomelidae) Synonym(s): *Chilotomina Reitter,1912*
1307. **Chiltana Mushtaq,1995** (Dictyopharidae) Synonym(s):

- 1308. Chimetopon Schmidt,1910** (Issidae) Synonym(s):
1309. Chionaspis Signoret,[1869] (Diaspididae) Synonym(s): *Chionaspis Signoret,[1869]*
1310. Chionotopus Abeille de Perrin,1881 (Melyridae) Synonym(s): *Chionotopus Abeille de Perrin,1881*
1311. Chiotasa Melichar,1914 (Tropiduchidae) Synonym(s):
1312. Chirodisca Emeljanov,1996 (Caliscelidae) Synonym(s):
1313. Chironocesa Koçak & Kemal,2008 (Chironomidae) Synonym(s): *Araucania Brundin,1966 nec Pate,1947; Chironocesa Koçak & Kemal,2008*
1314. Chironomus Meigen,1803 (Chironomidae) Synonym(s): *Chironomus Meigen,1803*
1315. Chirotica Förster,1868 (Ichneumonidae) Synonym(s): *Chirotica Förster,1868; Allocota Förster,1868 nec Motsch.,1860; Spinolia Förster,1868 nec Dahlbom,1854; Syneches Förster,1868 nec Walter,1852; Diaglypta Förster,1868; Deuterospinolia Della Torre,1902; Aphadnus Cameron,1907; Hymenosyneches Viereck,1912*
1316. Chitona W.Schmidt,1844 (Oedemeridae) Synonym(s): *Chitona W.Schmidt,1844; Dolichopyga Seidlitz,1899*
1317. Chlaenius (Chlaeniellus) Reitter,1908 (Carabidae) Synonym(s): *Chlaeniellus Reitter,1908*
1318. Chlaenius (Chlaenites) Motschoulsky,1860 (Carabidae) Synonym(s): *Chlaenites Motschoulsky,1860*
1319. Chlaenius (s.str.) Bonelli,1810 (Carabidae) Synonym(s): *Chlaenius Bonelli,1810*
1320. Chlamydopteryx Kirkaldy,1907 (Issidae) Synonym(s):
1321. Chlidaspis Borkhsenius,1949 (Diaspididae) Synonym(s): *Chlidaspis Borkhsenius,1949*
1322. Chloriona Fieber,1866 (Delphacidae) Synonym(s): *Chloriona Fieber,1866*
1323. Chlorionidea Löw,1885 (Delphacidae) Synonym(s): *Chlorionidea Löw,1885*
1324. Chlorita Fieber,1872 (Cicadellidae) Synonym(s): *Chloria Fieber,1866 (praeocc.); Chlorita Fieber,1872; Eremochlorita Zachvatkin,1946; Artemisiella Zachvatkin,1953; Xerochlorita Zachvatkin,1953*
1325. Chlorocythus Graham,1956 (Pteromalidae) Synonym(s): *Chlorocythus Graham,1956*
1326. Chlorodus Johnson & Ledig,1918 (Cixiidae) Synonym(s):
1327. Chlorodynerus Blüthgen,1951 (Vespidae) Synonym(s): *Chlorodynerus Blüthgen,1951*
1328. Chloromyia Duncan,1837 (Stratiomyidae) Synonym(s): *Chloromyia Duncan,1837*
1329. Chloroperla Newman,1836 (Chloroperlidae) Synonym(s): *Chloroperla Newman,1836; Dodecatoma Dutour,1836; Isopteryx Pictet,1841; Leptomerces Rambur,1842*
1330. Chlorophorus Chevrolat,1863 (Cerambycidae) Synonym(s): *Chlorophorus Chevrolat,1863*
1331. Chlorops Meigen,1803 (Chloropidae) Synonym(s): *Chlorops Meigen,1803; Oscinis Latreille,1804; Anthracophaga Loew,1866*
1332. Chloropsalta Haupt,1920 (Cicadidae) Synonym(s): *Chloropsalta Haupt,1920*
1333. Choerades Walker,1851 (Asilidae) Synonym(s): *Choerades Walker,1851*
1334. Choeradodis Audinet-Serville,1831 (Mantidae) Synonym(s): *Choeradodis Audinet-Serville,1831; Craurusa Burmeister,1838*
1335. Choeras Mason,1981 (Braconidae) Synonym(s): *Choeras Mason,1981*
1336. Chondrodera Melichar,1912 (Dictyopharidae) Synonym(s):
1337. Chondroptera Bergroth,1910 (Issidae) Synonym(s):
1338. Chonostropheus Prell,1924 (Attelabidae) Synonym(s): *Chonostropheus Prell,1924*
1339. Chopardempusa Paulian,1958 (Empusidae) Synonym(s): *Chopardempusa Paulian,1958*
1340. Chopardentella Kaltenbach,1996 (Mantidae) Synonym(s): *Chopardentella Kaltenbach,1996*
1341. Choragus Kirby,1818 (Anthribidae) Synonym(s): *Choragus Kirby,1818; Alticopus Villa,1833*
1342. Choreia Westwood,1833 (Encyrtidae) Synonym(s): *Choreia Westwood,1833; #Choreius Westwood,1837*
1343. Chorisops Rondani,1856 (Stratiomyidae) Synonym(s): *Chorisops Rondani,1856; Chlorisops Brauer,1882*
1344. Chorosoma Curtis,1830 (Rhopalidae) Synonym(s): *Chorosoma Curtis,1830; #Chrosoma Kuyak et al.,2004*
1345. Chorthippus (Glyptobothrus) Chopard,1951 (Acrididae) Synonym(s): *Glyptobothrus Chopard,1951*
1346. Chorthippus (s.str.) Fieber,1852 (Acrididae) Synonym(s): *#Chorthippus Fischer von Waldheim,1846; Chorthippus Fieber,1852*
1347. Chortinaspis Ferris,1938 (Diaspididae) Synonym(s): *Chortinaspis Ferris,1938*
1348. Chovela (s.str.) Latreille,1796 (Leiodidae) Synonym(s): *Chovela Latreille,1796*
1349. Chovela Latreille,1796 (Leiodidae) Synonym(s): *Chovela Latreille,1796*
1350. Chremistica Stal,1870 (Cicadidae) Synonym(s): *Chremistica Stal,1870*
1351. Chroicoptera Stal,1871 (Mantidae) Synonym(s): *Chroicoptera Stal,1871; Alphamantis Giglio-Tos,1915*
1352. Chromatomyia Hardy,1849 (Agromyzidae) Synonym(s): *Chromatomyia Hardy,1849*
1353. Chromoderus Motschoulsky,1860 (Curculionidae) Synonym(s): *Chromoderus Motschoulsky,1860*

- 1354. Chromovalgus Kolbe,1897** (Scarabaeidae) Synonym(s): *Chromovalgus Kolbe,1897; Spilovalgus Kolbe,1904*
- 1355. Chromovalgus Kolbe,1897** (Scarabaeidae) Synonym(s): *Chromovalgus Kolbe,1897*
- 1356. Chroocacus Emeljanov,1962** (Cicadellidae) Synonym(s): *Chroocacus Emeljanov,1962*
- 1357. Chrysanthemyia Becker,1912** (Therevidae) Synonym(s): *Chrysanthemyia Becker,1912*
- 1358. Chrysanthia W.Schmidt,1844** (Oedemeridae) Synonym(s): *Chrysanthia W.Schmidt,1844*
- 1359. Chrysobothris Eschscholtz,1829** (Buprestidae) Synonym(s): *Chrysobothris Eschscholtz,1829*
- 1360. Chrysocharis Förster,1856** (Eulophidae) Synonym(s): *Chrysocharis Förster,1856; Oxycharis Delucchi,1954 nec Meyrick,1939; Trichocharis Delucchi,1954 nec Simon,1895; Xenocharis Delucchi,1954 nec Bierig,1934*
- 1361. Chrysogaster Meigen,1803** (Syrphidae) Synonym(s): *Chrysogaster Meigen,1803*
- 1362. Chrysolampus Spinola,1811** (Perilampidae) Synonym(s): *Chrysolampus Spinola,1811*
- 1363. Chrysolina Moutschulsky,1860** (Chrysomelidae) Synonym(s): *Chrysolina Moutschulsky,1860*
- 1364. Chrysomalla Förster,1859** (Perilampidae) Synonym(s): *Chrysomalla Förster,1859*
- 1365. Chrysomela Linnaeus,1758** (Chrysomelidae) Synonym(s): *Chrysomela Linnaeus,1758; Elia Gistel,1848*
- 1366. Chrysomphalus Ashmead,1880** (Diaspididae) Synonym(s): *Chrysomphalus Ashmead,1880*
- 1367. Chrysopa Leach,[1815]** (Chrysopidae) Synonym(s): *Chrysopa Leach,[1815]*
- 1368. Chrysopilus Macquart,1826** (Rhagionidae) Synonym(s): *Chrysopilus Macquart,1826*
- 1369. Chrysops (Petersenichrysops) Moucha & Chvala,1970** (Tabanidae) Synonym(s): *Petersenichrysops Moucha & Chvala,1970; #Petersenichrysops Kılıç,1999*
- 1370. Chrysops Meigen,1803** (Tabanidae) Synonym(s): *Chrysops Meigen,1803*
- 1371. Chrysotoxum Meigen,1803** (Syrphidae) Synonym(s): *Chrysotoxum Meigen,1803*
- 1372. Chrysotropia Navas,1911** (Chrysopidae) Synonym(s): *Chrysotropia Navas,1911*
- 1373. Chrysotus Meigen,1824** (Dolichopodidae) Synonym(s): *Chrysotus Meigen,1824*
- 1374. Chunrocerus Zachvatkin,1946** (Cicadellidae) Synonym(s): *Chunrocerus Zachvatkin,1946*
- 1375. Cicada Linnaeus,1758** (Cicadidae) Synonym(s): *Cicada Linnaeus,1758; Tettigia Kolenati,1857; Macroptopus A.Costa,1877;*
- 1376. Cicadatra Amyot,1847** (Cicadidae) Synonym(s): *Cicadatra Amyot,1847; Psalmocharias Kirkaldy,1908; Rustavelia Horvath,1912*
- 1377. Cicadella Latreille,1817** (Cicadellidae) Synonym(s): *Cicadella Latreille,1817*
- 1378. Cicadetta Kolenati,1857** (Cicadidae) Synonym(s): *Cicadetta Kolenati,1857; Melampsalta Kolenati,1857; Tettigetia Kolenati,1857; Pauropsalta Goding & Froggatt,1904; Heptaglena Horvath,1911; Oligoglena Horvath,1912; Kosemia Matsumura,1927; Karapsalta Matsumura,1931*
- 1379. Cicadivetta Boulard,1982** (Cicadidae) Synonym(s): *Cicadivetta Boulard,1982*
- 1380. Cicadula Zetterstedt,1840** (Cicadellidae) Synonym(s): *Cicadula Zetterstedt,1840; Henriana Emeljanov,1964*
- 1381. Cicadulella China,1928** (Cicadellidae) Synonym(s): *Cicadulina Haupt,1927 nec China,1926; Cicadulella China,1928*
- 1382. Cicadulina China,1926** (Cicadellidae) Synonym(s): *Cicadulina China,1926*
- 1383. Cicimora Emeljanov,1998** (Caliscelidae) Synonym(s):
- 1384. Cicindela (Cosmodela) Rivalier,1961** (Carabidae) Synonym(s): *Cosmodela Rivalier,1961*
- 1385. Cicindela Linnaeus,1758** (Carabidae) Synonym(s): *Cicindela Linnaeus,1758*
- 1386. Cidnopus Thomson,1859** (Elateridae) Synonym(s): *Cidnopus Thomson,1859*
- 1387. Cilnia Stal,1876** (Mantidae) Synonym(s): *Cilnia Stal,1876; Leomantis Rehn,1903; Zulumantis Sjöstedt,1930*
- 1388. Cimbex Olivier,1791** (Cimbicidae) Synonym(s): *Cimbex Olivier,1791; Palaeocimbex Semenov,1935*
- 1389. Cimex Linnaeus,1758** (Cimicidae) Synonym(s): *Cimex Linnaeus,1758*
- 1390. Cionoderella Fennah,1950** (Achilidae) Synonym(s):
- 1391. Cionophora Egger,1854** (Therevidae) Synonym(s): *Cionophora Egger,1854*
- 1392. Cionus Clairville,1798** (Curculionidae) Synonym(s): *Cionus Clairville,1798*
- 1393. Circulifer Zachvatkin,1935** (Cicadellidae) Synonym(s): *Circulifer Zachvatkin,1935*
- 1394. Circumdaksha Distant,1910** (Flatidae) Synonym(s):
- 1395. Cirrospilus Westwood,1832** (Eulophidae) Synonym(s): *Cirrospilus Westwood,1832; Atoposoma Masi,1907; Atoposomoidea Howard,1910; Winnemana Crawford,1911; Achrysocharellloidea Girault,1913; Cirrospilomella Girault,1913; Pseudiglyphomyia Girault,1913; Gyrolasella Girault,1913; Cirrospilopsis Girault,1915; Parzagrammosoma Girault,1916; Giraultia Gahan & Fagan,1923; Austrolynx Girault,1929; Plesiospilus Ferrière,1954*
- 1396. Cirrospilus Westwood,1832** (Eulophidae) Synonym(s): *Cirrospilus Westwood,1832*
- 1397. Cisatra Melichar,1923** (Flatidae) Synonym(s):
- 1398. Cixidia Fieber,1866** (Achilidae) Synonym(s): *Helicoptera Amyot & Serville,1843; Cixidia Fieber,1866; Epiptera Metcalf,1922*
- 1399. Cixiopsis Matsumura,1900** (Dictyopharidae) Synonym(s):
- 1400. Cixiosoma Berg,1879** (Cixiidae) Synonym(s):

- 1401. Cixius Latreille,1804** (Cixiidae) Synonym(s): *Cixius Latreille,1804*; *Paracixius Wagner,1939*; *Ceratocixius Wagner,1939*; *Acanthocixius Wagner,1939*; *Orinocixius Wagner,1939*; *Sciocixius Wagner,1939*; *Tetracixius Ribaut,1960*; *Ussuricixius Vilbaste,1968*
- 1402. Cladodiopsis S.,1949** (Diopsidae) Synonym(s): *Cladodiopsis S.,1949*
- 1403. Cladodiptera Spinola,1839** (Dictyopharidae) Synonym(s):
- 1404. Cladotanytarsus Kieffer,1922** (Chironomidae) Synonym(s): *Cladotanytarsus Kieffer,1922*
- 1405. Clanoptilus (Hypoptilus) Mulsant,1867** (Melyridae) Synonym(s): *Hypoptilus Mulsant,1867*
- 1406. Clanoptilus (Hypoptilus) Mulsant,1867** (Melyridae) Synonym(s): *Hypoptilus Mulsant,1867*
- 1407. Clanoptilus (s.str.) Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 1408. Clanoptilus Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 1409. Clanoptilus Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 1410. Clardea Signoret,1862** (Tropiduchidae) Synonym(s):
- 1411. Clastopus Fairmaire,1898** (Tenebrionidae) Synonym(s): *Clastopus Fairmaire,1898*; *Hovademulus Iwan,1996*
- 1412. Claudegirardius Iwan,1999** (Tenebrionidae) Synonym(s): *Claudegirardius Iwan,1999*
- 1413. Claviger Preyssler,1790** (Staphylinidae) Synonym(s): *Claviger Preyssler,1790*
- 1414. Cleigastra Macquart,1835** (Scathophagidae) Synonym(s): *Cleigastra Macquart,1835*; *Clidogastra Agassiz,1846*; *Cnenopogon Rondani,1856*
- 1415. Cleonis Dejean,1821** (Curculionidae) Synonym(s): *Cleonis Dejean,1821*
- 1416. Cleotyche Emeljanov,1997** (Dictyopharidae) Synonym(s):
- 1417. Cleptes Latreille,1802** (Chrysididae) Synonym(s): *Cleptes Latreille,1802*
- 1418. Clerus Geoffroy,1762** (Cleridae) Synonym(s): *Clerus Geoffroy,1762*
- 1419. Clidonisma Fennah,1969** (Achilidae) Synonym(s):
- 1420. Clinodiplosis Kieffer,1894** (Cecidomyiidae) Synonym(s): *Clinodiplosis Kieffer,1894*
- 1421. Clinotanypus Kieffer,1913** (Chironomidae) Synonym(s): *Clinotanypus Kieffer,1913*
- 1422. Clorismia Enderlein,1927** (Therevidae) Synonym(s): *Clorismia Enderlein,1927*
- 1423. Clipeopsilis Jacobi,1944** (Issidae) Synonym(s):
- 1424. Clitobius Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Clitobius Mulsant & Rey,1853*
- 1425. Closterocerus Westwood,1833** (Eulophidae) Synonym(s): *Closterocerus Westwood,1833*; *Asecodes Förster,1856*; *Ganahlia Dalla Torre,1897*; *Neochrysocharis Kurdjumov,1912*; *Achrysocharis Girault,1913*; *Achrysocharella Girault,1913*; *Chrysocharella Girault,1913*; *Pseudochrysocharis Girault,1913*; *Rhiconopeltomyia Girault,1913*; *Teleopterus Silvestri,1914*; *Wolffiella Krausse,1917*; *Halochris Erdös,1951*; *Heterocharis Erdös,1954*; *Metasecodes Erdös,1955*; *Chrysocharidia Erdös,1956*; *Desmatocharis Graham,1959*; *Cecidiophaga Erdös,1966*; *Mangocharis Boucek,1986*; *Hispinocharis Boucek,1988*
- 1426. Closterocerus Westwood,1833** (Eulophidae) Synonym(s): *Closterocerus Westwood,1833*
- 1427. Clusivius Distant,1917** (Achilidae) Synonym(s):
- 1428. Clydonagma Fennah,1969** (Delphacidae) Synonym(s):
- 1429. Clypeocampulum Gauld,1976** (Ichneumonidae) Synonym(s): *Clypeocampulum Gauld,1976*
- 1430. Clytra Laicharting,1781** (Chrysomelidae) Synonym(s): *Clytra Laicharting,1781*
- 1431. Clytus Laicharting,1784** (Cerambycidae) Synonym(s): *Clytus Laicharting,1784*
- 1432. Cnemeplatia A.Costa,1847** (Tenebrionidae) Synonym(s): *Cnemeplatia A.Costa,1847*
- 1433. Cnidus Stål,1866** (Achilidae) Synonym(s):
- 1434. Cnodalum Emeljanov,1969** (Dictyopharidae) Synonym(s):
- 1435. Cobacella Fennah,1952** (Derbidae) Synonym(s):
- 1436. Coccidohystrix Lindinger,1943** (Pseudococcidae) Synonym(s): *Coccidohystrix Lindinger,1943*
- 1437. Coccinella (Neococcinella) Savojskaia,1969** (Coccinellidae) Synonym(s): *Neococcinella Savojskaia,1969*
- 1438. Coccinella (s.str.) Linnaeus,1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus,1758*
- 1439. Coccinella Linnaeus,1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus,1758*
- 1440. Coccinula Dobzhansky,1925** (Coccinellidae) Synonym(s): *Coccinula Dobzhansky,1925*
- 1441. Coccobius Ratzeburg,1852** (Aphelinidae) Synonym(s): *Coccobius Ratzeburg,1852*; *Physcus Howard,1895*; *Encyrtophyscus Blanchard,1948*; *Physculus Yasnosh,1977*
- 1442. Cocconotus (Hondurasia) Koçak & Kemal,2008** (Tettigoniidae) Synonym(s): *Trachymetopon Beier,1960 nec Henn.,1939*; *Hondurasia Koçak & Kemal,2008 [5 May]*; *Trachymetopon Braun & Maehr,2008 [June 3]*
- 1443. Cocconotus Stal,1873** (Tettigoniidae) Synonym(s): *Cocconotus Stal,1873*
- 1444. Coccophagoides Girault,1915** (Aphelinidae) Synonym(s): *Coccophagoides Girault,1915*; *Diaspiniphagus Silvestri,1927*; *Primaprosalpella DeBach & LaSalle,1981*
- 1445. Coccophagus Westwood,1833** (Aphelinidae) Synonym(s): *Coccophagus Westwood,1833*; *Aneristus Haword,1895*; *Paracharitopus Brèthes,1913*; *Ataneostigma Girault,1914*; *Euxanthellus Silvestri,1915*; *Prococcophagus Silvestri,1915*; *Taneostigmoidella Girault,1915*; *Onophilus Brèthes,1918*; *Parencarsia Mercet,1930*; *Heptacritus De Santis,1961*; *Aclerdaephagus Sugonjaev,1969*; *Polycoccophagus Sugonjaev,1976*
- 1446. Coccus Linnaeus,1758** (Coccidae) Synonym(s): *Coccus Linnaeus,1758*

1447. **Cocottea Williams,1977** (Achilidae) Synonym(s):
1448. **Codon Fennah,1962** (Dictyopharidae) Synonym(s):
1449. **Codophila Mulsant & Rey,1866** (Pentatomidae) Synonym(s): *Codophila Mulsant & Rey,1866*
1450. **Coelioxys (Allocoelioxys) Tkalcu,1974** (Megachilidae) Synonym(s): *Allocoelioxys Tkalcu,1974*
1451. **Coelioxys Latreille,1809** (Megachilidae) Synonym(s): *Coelioxys Latreille,1809*
1452. **Coelodictya Jacobi,1910** (Fulgoridae) Synonym(s):
1453. **Coelopencyrtus Timberlake,1919** (Encyrtidae) Synonym(s): *Coelopencyrtus Timberlake,1919*
1454. **Coelopisthia Förster,1856** (Pteromalidae) Synonym(s): *Coelopisthia Förster,1856*
1455. **Coelosia Winnertz,1863** (Mycetophilidae) Synonym(s): *Coelosia Winnertz,1863; #Coellosia Bechev & Koç,2006*
1456. **Coelostoma Brullé,1835** (Hydrophilidae) Synonym(s): *Coelostoma Brullé,1835*
1457. **Coenagrion Kirby,1890** (Coenagrionidae) Synonym(s): *Coenagrion Kirby,1890*
1458. **Coenomantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Coenomantis Giglio-Tos,1917; Thorodia Tindale,1923*
1459. **Coenorrhinus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Coenorrhinus C.G.Thomson,1859*
1460. **Coenosia Meigen,1826** (Muscidae) Synonym(s): *Coenosia Meigen,1826*
1461. **Coinquenda Distant,1916** (Caliscelidae) Synonym(s):
1462. **Colaphus Chevrolat,[1844]** (Chrysomelidae) Synonym(s): *Colaphus Chevrolat,[1844]*
1463. **Colgar Kirkaldy,1900** (Flatidae) Synonym(s):
1464. **Colgaroides Distant,1910** (Flatidae) Synonym(s):
1465. **Colgorma Kirkaldy,1904** (Tropiduchidae) Synonym(s):
1466. **Colladonus Ball,1936** (Cicadellidae) Synonym(s): *Colladonus Ball,1936*
1467. **Colletes Latreille,1802** (Colletidae) Synonym(s): *Colletes Latreille,1802*
1468. **Collyria Schiödte,1839** (Ichneumonidae) Synonym(s): *Pachymerus Gravenhorst,1829 nec Thunb.,1805; Collyria Schiödte,1839*
1469. **Colmadona Kirkaldy,1901** (Nogodinidae) Synonym(s):
1470. **Colobaea Zetterstedt,1838** (Sciomyzidae) Synonym(s): *Colobaea Zetterstedt,1838*
1471. **Colobesthes Amyot & Serville,1843** (Flatidae) Synonym(s):
1472. **Colobocus Emeljanov,1969** (Dictyopharidae) Synonym(s):
1473. **Colobopterus Mulsant,1842** (Scarabaeidae) Synonym(s): *Colobopterus Mulsant,1842*
1474. **Coloborrhis Germar,1836** (Cicadellidae) Synonym(s): *Coloborrhis Germar,1836*
1475. **Colombicesa Koçak & Kemal,2008** (Sarcophagidae) Synonym(s): *Hallina Lopes,1975 nec Winchell & Schuchert,1892; Colombicesa Koçak & Kemal,2008*
1476. **Colombiella Koçak & Kemal,2008** (Mantidae) Synonym(s): *Rehniella Lombardo,1999 nec Hebard,1928; Colombiella Koçak & Kemal,2008; Lombardoa Özdikmen,2008*
1477. **Colotes Erichson,1840** (Melyridae) Synonym(s): *Colotes Erichson,1840*
1478. **Colotrechnus Thomson,1878** (Pteromalidae) Synonym(s): *Colotrechnus Thomson,1878*
1479. **Colpa (s.str.) Dufour,1841** (Scoliidae) Synonym(s): *Colpa Dufour,1841*
1480. **Colpa Dufour,1841** (Scoliidae) Synonym(s): *Colpa Dufour,1841*
1481. **Colpocara Bergroth,1920** (Nogodinidae) Synonym(s):
1482. **Colpoclypeus Lucchese,1941** (Eulophidae) Synonym(s): *Colpoclypeus Lucchese,1941*
1483. **Colpoptera Burmeister,1835** (Issidae) Synonym(s):
1484. **Colpotinoides Kaszab,1975** (Tenebrionidae) Synonym(s): *Colpotinoides Kaszab,1975*
1485. **Colpotrichia Holmgren,1855** (Ichneumonidae) Synonym(s): *Colpotrichia Holmgren,1855; Allocerus Förster,1868; Exochoides Cresson,1869; Scallama Cameron,1899; Ischyrocnemopsis Ashmead,1900; Aithris Cameron,1906; Aethris Schulz,1906; Inoresa Cameron,1909; Colpotrochoides Uchida,1930*
1486. **Colpotus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Colpotus Mulsant & Rey,1853*
1487. **Columbiana Muir,1919** (Delphacidae) Synonym(s):
1488. **Columbisoga Muir,1921** (Delphacidae) Synonym(s):
1489. **Colvanalia Muir,1925** (Cixiidae) Synonym(s):
1490. **Colymbetes Schellenberg,1806** (Dytiscidae) Synonym(s): *Colymbetes Schellenberg,1806*
1491. **Comnar Medler,1988** (Flatidae) Synonym(s):
1492. **Comperiella Howard,1906** (Encyrtidae) Synonym(s): *Comperiella Howard,1906*
1493. **Compsilura Bouché,1834** (Tachinidae) Synonym(s): *Compsilura Bouché,1834*
1494. **Compsomantis Saussure,1872** (Mantidae) Synonym(s): *Compsomantis Saussure,1872; Opsomantis Giglio-Tos,1915*
1495. **Compsiothespis Saussure,1872** (Mantidae) Synonym(s): *Compsiothespis Saussure,1872*
1496. **Concavifer Dlabola,1960** (Cicadellidae) Synonym(s): *Concavifer Dlabola,1960*
1497. **Conchotopoda Karsch,1887** (Tettigoniidae) Synonym(s): *Conchotopoda Karsch,1887; Rhegmatopoda Brunner,1891*
1498. **Conchyoptera Signoret,1860** (Tropiduchidae) Synonym(s):
1499. **Conflata Schmidt,1912** (Flatidae) Synonym(s):
1500. **Confuga Fennah,1975** (Cixiidae) Synonym(s):

1501. **Congomantis Werner,1929** (Mantidae) Synonym(s): *Congomantis Werner,1929*
1502. **Coniatus Germar,1817** (Curculionidae) Synonym(s): *Coniatus Germar,1817*
1503. **Coniocleonus Motschoulsky,1860** (Curculionidae) Synonym(s): *Coniocleonus
Motschoulsky,1860*
1504. **Coniopteryx (Xeroconiopteryx) Meinander,1972** (Coniopterygidae) Synonym(s):
Aspoeckiana Kis,1970 (praeocc.); Xeroconiopteryx Meinander,1972
1505. **Coniopteryx Curtis,1834** (Coniopterygidae) Synonym(s): *Coniopteryx Curtis,1834*
1506. **Coniosternum Becker,1894** (Scathophagidae) Synonym(s): *Coniosternum Becker,1894*
1507. **Conna Walker,1857** (Nogodinidae) Synonym(s):
1508. **Conocephalus (Anisoptera) Latreille,1829** (Tettigoniidae) Synonym(s): *Anisoptera
Latreille,1829; Xiphidion Serville,1831; Xiphidium Burmeister,1838; Palotta Walker,1869; Neoxiphidion
Karny,1912; Thecoxiphidion Karny,1912; Amurocephalus Storozhenko,2004*
1509. **Conocephalus (s.str.) Thunberg,1815** (Tettigoniidae) Synonym(s): *Conocephalus
Thunberg,1815; Xiphidium Burmeister,1838; Xyphidium Fieber,1853; Anarthropus Rehn & Hebard,1915;
Aphauropus Rehn & Hebard,1915*
1510. **Conocraera Muir,1916** (Delphacidae) Synonym(s):
1511. **Conogaster Brauer & Bergenstamm,1891** (Tachinidae) Synonym(s): *Conogaster Brauer &
Bergenstamm,1891*
1512. **Conomelus Fieber,1866** (Delphacidae) Synonym(s): *Conomelus Fieber,1866*
1513. **Conomorium Masi,1926** (Pteromalidae) Synonym(s): *Conomorium Masi,1926*
1514. **Cononedys Hermann,1907** (Bombyliidae) Synonym(s): *Cononedys Hermann,1907*
1515. **Conophorus Meigen,1803** (Bombyliidae) Synonym(s): *Conophorus Meigen,1803*
1516. **Conops Linnaeus,1758** (Conopidae) Synonym(s): *Conops Linnaeus,1758*
1517. **Conorhynchus Motschoulsky,1860** (Curculionidae) Synonym(s): *Conorhynchus
Motschoulsky,1860*
1518. **Conosanus Osborn & Ball,1902** (Cicadellidae) Synonym(s): *Conosanus Osborn & Ball,1902;
Metathysanus Dahl,1912*
1519. **Conosimus Mulsant & Rey,1855** (Issidae) Synonym(s):
1520. **Conosimus Mulsant & Rey,1855** (Issidae) Synonym(s): *Conosimus Mulsant & Rey,1855*
1521. **Contarinia Rondani,1860** (Cecidomyiidae) Synonym(s): *Contarinia Rondani,1860*
1522. **Contigaspis McGillivray,1921** (Diaspididae) Synonym(s): *Contigaspis McGillivray,1921*
1523. **Contigucephala Caldwell,1944** (Derbidae) Synonym(s):
1524. **Convarcia Schmidt,1919** (Nogodinidae) Synonym(s):
1525. **Copidocephala Stål,1869** (Fulgoridae) Synonym(s):
1526. **Copidosoma Ratzeburg,1844** (Encyrtidae) Synonym(s): *Copidosoma Ratzeburg,1844*
1527. **Copium Thunberg,1822** (Tingidae) Synonym(s): *Copium Thunberg,1822*
1528. **Coppa Emeljanov,1969** (Dictyopharidae) Synonym(s):
1529. **Coppidius Emeljanov,1969** (Dictyopharidae) Synonym(s):
1530. **Copris (Microcopris) Balthasar,1958** (Scarabaeidae) Synonym(s): *Microcopris
Balthasar,1958*
1531. **Copris Geoffroy,1762** (Scarabaeidae) Synonym(s): *Copris Geoffroy,1762*
1532. **Copromyza Fallén,1810** (Sphaeroceridae) Synonym(s): *Copromyza Fallén,1810; Cimbometopia
Lioy,1864; Isogaster Lioy,1864; Trichiaspis Duda,1923*
1533. **Copsyrna Stål,1862** (Flatidae) Synonym(s):
1534. **Coptocephala Chevrolat,1837** (Chrysomelidae) Synonym(s): *#Coptocephala Dejean,1835;
Coptocephala Chevrolat,1837*
1535. **Coptopola Stål,1869** (Fulgoridae) Synonym(s):
1536. **Coptosia Fairmaire,[1863]** (Cerambycidae) Synonym(s): *Coptosia Fairmaire,[1863]*
1537. **Coptosoma De Laporte,1832** (Plataspidae) Synonym(s): *Coptosoma De Laporte,1832;
Globocoris Hahn,1834*
1538. **Coraeus Laporte & Gory,1836** (Buprestidae) Synonym(s): *Coraeus Laporte & Gory,1836*
1539. **Cordicantharis Svihla,1999** (Cantharidae) Synonym(s): *Cordicantharis Svihla,1999*
1540. **Cordilura Fallén,1810** (Scathophagidae) Synonym(s): *Cordilura Fallén,1810; Mosina Robineau-
Desvoidy,1830; Paratidia Malloch,1931*
1541. **Cordulegaster Leach,1815** (Cordulegasteridae) Synonym(s): *Cordulegaster Leach,1815*
1542. **Cordulia Leach,1815** (Corduliidae) Synonym(s): *Cordulia Leach,1815*
1543. **Cordyla Meigen,1803** (Mycetophilidae) Synonym(s): *Cordyla Meigen,1803*
1544. **Cordylepherus Evers,1985** (Melyridae) Synonym(s): *Cordylepherus Evers,1985*
1545. **Coremacera Rondani,1856** (Sciomyzidae) Synonym(s): *Coremacera Rondani,1856*
1546. **Coriomeris Westwood,1842** (Coreiidae) Synonym(s): *Coriomeris Westwood,1842*
1547. **Corixa Geoffroy,1762** (Corixidae) Synonym(s): *Corixa Geoffroy,1762*
1548. **Corizus Fallén,1814** (Rhopalidae) Synonym(s): *Corizus Fallén,1814; Coryzus Spinola,1837; Corisus
Rambur,1839*
1549. **Cornelia Stål,1866** (Fulgoridae) Synonym(s):

1550. **Corthylomantis Milledge,1997** (Mantidae) Synonym(s): *Corthylomantis Milledge,1997*
1551. **Coruncanius Distant,1916** (Issidae) Synonym(s): *Coruncanius Distant,1916*
1552. **Corycomima Karsch,1889** (Tettigoniidae) Synonym(s): *Corycomima Karsch,1889*
1553. **Corymeta Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *Corymeta Brunner von Wattenwyl,1878*
1554. **Corynis Thunberg,1789** (Cimbicidae) Synonym(s): *Corynis Thunberg,1789; Amasis Leach,1817*
1555. **Corynoneura Winnertz,1846** (Chironomidae) Synonym(s): *Corynoneura Winnertz,1846; Corinoneura Bigot,1854*
1556. **Coryphalus Puton,1886** (Cicadellidae) Synonym(s): *Coryphaeus Fieber,1866 (praeocc.); Coryphalus Puton,1886*
1557. **Coryphiodes Bernhauer,1898** (Staphylinidae) Synonym(s): *Coryphiodes Bernhauer,1898*
1558. **Coryphium Stephens,1829** (Staphylinidae) Synonym(s): *Coryphium Stephens,1829*
1559. **Corythucha Stal,1873** (Tingidae) Synonym(s): *Corythucha Stal,1873; #Corythuca Lethierry & Severin,1896*
1560. **Cosmoconus Förster,1868** (Ichneumonidae) Synonym(s): *Cosmoconus Förster,1868*
1561. **Cosmogaster Koch,1956** (Tenebrionidae) Synonym(s): *Cosmogaster Koch,1956*
1562. **Cossyphus Olivier,1791** (Tenebrionidae) Synonym(s): *Cossyphus Olivier,1791*
1563. **Costarica Koçak & Kemal,2008** (Romaleidae) Synonym(s): *Rowellia Carbonell,2002 nec Carpenter,1864; Costarica Koçak & Kemal,2008*
1564. **Cotesia Cameron,1891** (Braconidae) Synonym(s): *Cotesia Cameron,1891*
1565. **Cotitheresiarches Telenga,1929** (Ichneumonidae) Synonym(s): *Cotitheresiarches Telenga,1929; Zimmeria Heinrich,1933*
1566. **Cotinis Burmeister,1842** (Scarabaeidae) Synonym(s): *Cotinis Burmeister,1842*
1567. **Cotrades Walker,1858** (Ricaniidae) Synonym(s):
1568. **Cotylana Fennah,1954** (Issidae) Synonym(s):
1569. **Courtella Kieffer,1912** (Agaonidae) Synonym(s): *Courtella Kieffer,1912*
1570. **Cowperia Girault,1919** (Encyrtidae) Synonym(s): *Cowperia Girault,1919*
1571. **Cranocapsus Wagner,1954** (Miridae) Synonym(s): *Cranocapsus Wagner,1954*
1572. **Craspedolepta Enderlein,1921** (Psyllidae) Synonym(s): *Craspedolepta Enderlein,1921*
1573. **Crastina Loginova,1964** (Psyllidae) Synonym(s): *Crastina Loginova,1964*
1574. **Crataepus Förster,1878** (Eulophidae) Synonym(s): *Crataepus Förster,1878*
1575. **Cratichneumon Thomson,1893** (Ichneumonidae) Synonym(s): *Cratichneumon Thomson,1893; Cosmijoppa Cameron,1902; Lareiga Cameron,1903; Sycania Cameron,1903; Tanujoppa Cameron,1906; Nimbolareiga Heinrich,1969*
1576. **Craticulina Bezzi,1906** (Sarcophagidae) Synonym(s): *Craticula Pandellé,1895 (praeocc.); Craticulina Bezzi,1906*
1577. **Cratyna Winnertz,1867** (Sciaridae) Synonym(s): *Cratyna Winnertz,1867; Pseudosciara Kieffer,1898 nec Schin.,1866; Plastosciara Berg,1899; Termitosciara Schmitz,1915; Decembrina Frey,1942; Dendroscliara Frey,1942*
1578. **Creightonella (Metamegachile) Tkalcu,1967** (Megachilidae) Synonym(s): *Metamegachile Tkalcu,1967*
1579. **Creightonella Cockerell,1908** (Megachilidae) Synonym(s): *Creightonella Cockerell,1908*
1580. **Cremastus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Cremastus Gravenhorst,1829; Zaleptopygus Viereck,1911; Neocremastus Cushman,1920*
1581. **Crematogaster Lund,1831** (Formicidae) Synonym(s): *Crematogaster Lund,1831; Crematogaster Agassiz,1846*
1582. **Creobroter Audinet-Serville,1839** (Hymenopodidae) Synonym(s): *Creobroter Audinet-Serville,1839; #Creoboter Stal,1877*
1583. **Creoleon Tillyard,1918** (Myrmeleonidae) Synonym(s): *Creoleon Tillyard,1918*
1584. **Crepidodera Faldermann,1837** (Chrysomelidae) Synonym(s): *Crepidodera Faldermann,1837*
1585. **Crepusia Stål,1866** (Fulgoridae) Synonym(s):
1586. **Cricotopus Wulp,1874** (Chironomidae) Synonym(s): *Cricotopus Wulp,1874*
1587. **Criomorphus Curtis,1833** (Delphacidae) Synonym(s):
1588. **Criopaca Schmidt,1918** (Nogodinidae) Synonym(s): *Criopaca Schmidt,1918*
1589. **Crobilocerus Loew,1847** (Asilidae) Synonym(s): *Crobilocerus Loew,1847*
1590. **Croce McLachan,1885** (Nemopteridae) Synonym(s): *Croce McLachan,1885*
1591. **Crocodytys Emeljanov,2008** (Dictyopharidae) Synonym(s): *Crocodytys Emeljanov,2008*
1592. **Crocothemis Brauer,1868** (Libellulidae) Synonym(s): *Crocothemis Brauer,1868*
1593. **Cromgar Medler,2000** (Flatidae) Synonym(s): *Cromgar Medler,2000*
1594. **Cromna Walker,1857** (Flatidae) Synonym(s):
1595. **Cromnella Fennah,1969** (Flatidae) Synonym(s):
1596. **Crossopalpus Bigot,1857** (Hybotidae) Synonym(s):
1597. **Cryomna Medler,2000** (Flatidae) Synonym(s): *Cryomna Medler,2000*
1598. **Cryphaeus Klug,[1833]** (Tenebrionidae) Synonym(s): *Cryphaeus Klug,[1833]*

- 1599. Crypsicerus Saussure,1888** (Lathiceridae) Synonym(s): *Crypsicerus Saussure,1888*
- 1600. Crypticanus Fairmaire,1897** (Tenebrionidae) Synonym(s): *Crypticanus Fairmaire,1897*
- 1601. Crypticus (Platycrypticus) Espanol,1951** (Tenebrionidae) Synonym(s): *Platycrypticus Espanol,1951*
- 1602. Crypticus Latreille,1817** (Tenebrionidae) Synonym(s): *Crypticus Latreille,1817*
- 1603. Cryptobarsac Fletcher & Moir,2002** (Flatidae) Synonym(s): *Cryptobarsac Fletcher & Moir,2002*
- 1604. Cryptobium Mannerheim,1830** (Staphylinidae) Synonym(s): *Cryptobium Mannerheim,1830*
- 1605. Cryptocephalus Geoffroy,1762** (Chrysomelidae) Synonym(s): *Cryptocephalus Geoffroy,1762*
- 1606. Cryptocheilus Panzer,1806** (Pompilidae) Synonym(s): *Cryptocheilus Panzer,1806*
- 1607. Cryptochironomus (Chironozorina) Koçak & Kemal,2008** (Chironomidae) Synonym(s): *Miscellanea Zorina,2000 nec Pfender,1935; Chironozorina Koçak & Kemal,2008*
- 1608. Cryptochironomus Kieffer,1918** (Chironomidae) Synonym(s): *Cryptochironomus Kieffer,1918*
- 1609. Cryptocladopelma Lenz,1954** (Chironomidae) Synonym(s): *Cryptocladopelma Lenz,1954*
- 1610. Cryptococcus Douglas,1890** (Eriococcidae) Synonym(s): *Cryptococcus Douglas,1890*
- 1611. Cryptoflata Melichar,1901** (Flatidae) Synonym(s):
- 1612. Cryptolaemus Mulsant,1853** (Coccinellidae) Synonym(s): *Cryptolaemus Mulsant,1853*
- 1613. Cryptomerinx Enderlein,1914** (Asilidae) Synonym(s): *Cryptomerinx Enderlein,1914; Alipiolaphria Carrera,1951*
- 1614. Cryptopimpla Taschenberg,1863** (Ichneumonidae) Synonym(s): *Cryptopimpla Taschenberg,1863; Aphanodon Förster,1868; Xenacis Förster,1868; Xenocornia Schmiedeknecht,1900; Fintona Cameron,1909*
- 1615. Cryptopristus Förster,1856** (Torymidae) Synonym(s): *Cryptopristus Förster,1856*
- 1616. Cryptotendipes Lenz,1941** (Chironomidae) Synonym(s): *Cryptotendipes Lenz,1941*
- 1617. Cryptotrogus Kraatz,1888** (Scarabaeidae) Synonym(s): *Cryptotrogus Kraatz,1888*
- 1618. Cryptotympana Stal,1862** (Cicadidae) Synonym(s): *Cryptotympana Stal,1862*
- 1619. Cryptus Fabricius,1804** (Ichneumonidae) Synonym(s): *Cryptus Fabricius,1804; Eucryptus Haldeman,1842; Itamoplex Förster,1868; Plesiocryptus Cameron,1903*
- 1620. Cryoptyx Delucchi,1956** (Pteromalidae) Synonym(s): *Cryoptyx Delucchi,1956*
- 1621. Ctenagenia Saussure,1892** (Pompilidae) Synonym(s): *Ctenagenia Saussure,1892*
- 1622. Ctenicera Latreille,1829** (Elateridae) Synonym(s): *Ctenicera Latreille,1829*
- 1623. Ctenophora Meigen,1803** (Tipulidae) Synonym(s): *Ctenophora Meigen,1803*
- 1624. Ctenopus Fischer de Waldheim,1824** (Meloidae) Synonym(s): *Ctenopus Fischer de Waldheim,1824*
- 1625. Ctenota Loew,1873** (Asilidae) Synonym(s): *Ctenota Loew,1873*
- 1626. Ctenotilla Bischoff,1920** (Mutillidae) Synonym(s): *Ctenotilla Bischoff,1920*
- 1627. Ctesias Stephens,1830** (Dermestidae) Synonym(s): *Ctesias Stephens,1830*
- 1628. Cubana Uhler,1895** (Cixiidae) Synonym(s):
- 1629. Cueta Navas,1911** (Myrmeleonidae) Synonym(s): *Cueta Navas,1911*
- 1630. Culicoides Latreille,1809** (Ceratopogonidae) Synonym(s): *Culicoides Latreille,1809*
- 1631. Cuneala Zirngiebl,1956** (Tenthredinidae) Synonym(s): *Cuneala Zirngiebl,1956; Parastasis Kirby,1881; Labidia Provancher,1886; Rethrax Cameron,1899; Fethali Cameron,1902; Clydostomus Konow,1908; Tenthredella Rohwer,1910; Zamacrophya Rohwer,1912*
- 1632. Cuneiceps Williams,1981** (Tropiduchidae) Synonym(s):
- 1633. Curculio Linnaeus,1758** (Curculionidae) Synonym(s): *Curculio Linnaeus,1758*
- 1634. Curetia Stål,1862** (Fulgoridae) Synonym(s):
- 1635. Curtometopum Muir,1926** (Delphacidae) Synonym(s):
- 1636. Cyamophila Loginova,1976** (Psyllidae) Synonym(s): *Cyamophila Loginova,1976*
- 1637. Cyarda Walker,1858** (Flatidae) Synonym(s):
- 1638. Cybister (s.str.) Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
- 1639. Cybister (Scaphinectes) Adam,1993** (Dytiscidae) Synonym(s): *Scaphinectes Adam,1993*
- 1640. Cybister Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
- 1641. Cyclometopum Muir,1913** (Derbidae) Synonym(s):
- 1642. Cyclopoliarus Fennah,1971** (Cixiidae) Synonym(s): *Cyclopoliarus Fennah,1971*
- 1643. Cylindera (Cicindina) Adam & Merkl,1986** (Carabidae) Synonym(s): *Eugrapha Rivalier,1950 nec Hbn.,[1825]; Cicindina Adam & Merkl,1986*
- 1644. Cylindera (s.str.) Westwood,1831** (Carabidae) Synonym(s): *Cylindera Westwood,1831; Cylindella Jacobson,1924*
- 1645. Cyldrinosus (s.str.) Faldermann,1837** (Tenebrionidae) Synonym(s): *Cylindrinosus Faldermann,1837; Cylindronotus Agassiz,1846*
- 1646. Cyldrinosus Meigen,1803** (Tachinidae) Synonym(s): *Cylindromyia Meigen,1803*
- 1647. Cylindronotus (Helopelius) Reitter,1922** (Tenebrionidae) Synonym(s): *Helopelius Reitter,1922*

- 1648. *Cylindronotus (Odocnemis) Allard,1876*** (Tenebrionidae) Synonym(s): *Odocnemis Allard,1876*
- 1649. *Cylindronotus (Omaleis) Allard,1877*** (Tenebrionidae) Synonym(s): *Omaleis Allard,1877*
- 1650. *Cylindronotus (Stenomax) Allard,1876*** (Tenebrionidae) Synonym(s): *Stenomax Allard,1876*
- 1651. *Cylindronotus Faldermann,1837*** (Tenebrionidae) Synonym(s): *Cylindrinotus Faldermann,1837; Cylindronotus Agassiz,1846*
- 1652. *Cyllenia Latreille,1802*** (Bombyliidae) Synonym(s): *Cyllenia Latreille,1802*
- 1653. *Cymatia Flor,1860*** (Corixidae) Synonym(s): *Cymatia Flor,1860*
- 1654. *Cymodusa (Diverdusa) Dbar,1985*** (Ichneumonidae) Synonym(s): *Diverdusa Dbar,1985*
- 1655. *Cymodusa (s.str.) Holmgren,1859*** (Ichneumonidae) Synonym(s): *Cymodusa Holmgren,1859; Sagaritis Holmgren,1859; Thertisia Schmiedeknecht,1907; Cymodusopsis Viereck,1912; Sagaritopsis Hinks,1944*
- 1656. *Cymodusa Holmgren,1859*** (Ichneumonidae) Synonym(s): *Cymodusa Holmgren,1859; Sagaritis Holmgren,1859; Thertisia Schmiedeknecht,1907; Cymodusopsis Viereck,1912; Sagaritopsis Hinks,1944*
- 1657. *Cynegetis Dejean,1835*** (Coccinellidae) Synonym(s): *Cynegetis Dejean,1835*
- 1658. *Cynips Linnaeus,1758*** (Cynipidae) Synonym(s): *Cynips Linnaeus,1758; Dryophanta Förster,1869*
- 1659. *Cyphoceratops Uhler,1901*** (Tropiduchidae) Synonym(s):
- 1660. *Cyphogenia (Lechriomus) Morawitz,1866*** (Tenebrionidae) Synonym(s): *Lechriomus Morawitz,1866*
- 1661. *Cyphogenia Solier,1835*** (Tenebrionidae) Synonym(s): *Cyphogenia Solier,1835*
- 1662. *Cyphon Paykull,1799*** (Scirtidae) Synonym(s): *Cyphon Paykull,1799*
- 1663. *Cyphonoxia Reitter,1889*** (Scarabaeidae) Synonym(s): *Cyphonoxia Reitter,1889*
- 1664. *Cyphopterus Melichar,1905*** (Flatidae) Synonym(s):
- 1665. *Cyranometra Bourgoin,1987*** (Tettigometridae) Synonym(s):
- 1666. *Cyrpoptus Stål,1862*** (Fulgoridae) Synonym(s):
- 1667. *Cyrtisiopsis Séguy,1930*** (Mythicomyiidae) Synonym(s): *Cyrtisiopsis Séguy,1930*
- 1668. *Cyrtodiopsis Frey,1928*** (Diopsidae) Synonym(s): *Cyrtodiopsis Frey,1928*
- 1669. *Cyrtogaster Walker,1833*** (Pteromalidae) Synonym(s): *Cyrtogaster Walker,1833*
- 1670. *Cyrtolabulus Vecht,1969*** (Vespidae) Synonym(s): *Cyrtolabus Vecht,1963 nec Voss,1925; Cyrtolabulus Vecht,1969*
- 1671. *Cyrtomycta Williams,1981*** (Tropiduchidae) Synonym(s):
- 1672. *Cyrtonastes Fairmaire,1874*** (Chrysomelidae) Synonym(s): *Cyrtonastes Fairmaire,1874*
- 1673. *Cyrtosia Perris,1839*** (Bombyliidae) Synonym(s): *Cyrtosia Perris,1839*
- 1674. *Cyrtosus Motschoulsky,1854*** (Melyridae) Synonym(s): *Cyrtosus Motschoulsky,1854*
- 1675. *Cytherea Fabricius,1794*** (Bombyliidae) Synonym(s): *Cytherea Fabricius,1794*
- 1676. *Cythna Kirkaldy,1906*** (Achilidae) Synonym(s):
- 1677. *Dactylopius Costa,1836*** (Dactylopiidae) Synonym(s): *Dactylopius Costa,1836*
- 1678. *Daeda Banks,1910*** (Flatidae) Synonym(s):
- 1679. *Dahlbominus Hincks,1945*** (Eulophidae) Synonym(s): *Microplectron Dahlbom,1857 nec Streubel,1842; Dahlbominus Hincks,1945*
- 1680. *Dailognatha Eschscholtz,1829*** (Tenebrionidae) Synonym(s): *Dailognatha Eschscholtz,1829; Gnathosia Lacordaire,1859*
- 1681. *Daksha Distant,1906*** (Flatidae) Synonym(s):
- 1682. *Dakshiana Metcalf & Bruner,1948*** (Flatidae) Synonym(s):
- 1683. *Dalapax Amyot & Serville,1843*** (Flatidae) Synonym(s):
- 1684. *Dallognatha Eschscholtz,1829*** (Tenebrionidae) Synonym(s): *Dallognatha Eschscholtz,1829*
- 1685. *Dalmania Robineau-Desvoidy,1830*** (Conopidae) Synonym(s): *Dalmania Robineau-Desvoidy,1830; Dalmania Robineau-Desvoidy,1853*
- 1686. *Dalopius Eschscholtz,1829*** (Elateridae) Synonym(s): *Dalopius Eschscholtz,1829*
- 1687. *Damalis Fabricius,1805*** (Asilidae) Synonym(s): *Damalis Fabricius,1805; Chalcidimorpha Westwood,1835; Discodamalis Karsch,1887; Lasiodamalis Hermann,1926; Lophurodamalis Hermann,1926; Aireina Frey,1934; Protodamalis Hull,1962; Zygocon Hull,1962*
- 1688. *Damarius Schouteden,1907*** (Pentatomidae) Synonym(s): *Damarius Schouteden,1907*
- 1689. *Danacaea Laporte de Castelnau,1836*** (Melyridae) Synonym(s): *Danacaea Laporte de Castelnau,1836*
- 1690. *Danaceothrix Majer,1989*** (Melyridae) Synonym(s): *Danaceothrix Majer,1989*
- 1691. *Danasoma Thomson,1859*** (Elateridae) Synonym(s): *Danasoma Thomson,1859*
- 1692. *Danavara Distant,1906*** (Flatidae) Synonym(s):
- 1693. *Danepteryx Uhler,1889*** (Issidae) Synonym(s):
- 1694. *Danielottea Koçak & Kemal,2009*** (Gryllidae) Synonym(s): *Uluguria Otte,1987 nec Richard,1965 non Hoffman,1964; Danielottea Koçak & Kemal,2009*
- 1695. *Danurella Westwood,1889*** (Mantidae) Synonym(s): *Danurella Westwood,1889; Micropopa Beier,1929*
- 1696. *Danuria (Danuroides) Giglio-Tos,1914*** (Mantidae) Synonym(s): *Danuroides Giglio-Tos,1914*

1697. **Danuria (s.str.) Stal,1856** (Mantidae) Synonym(s): *Danuria Stal,1856*; #*Daniura Saussure,1869*
1698. **Danuria Stal,1856** (Mantidae) Synonym(s): *Danuria Stal,1856*; #*Daniura Saussure,1869*
1699. **Dapanera Karsch,1889** (Tettigoniidae) Synonym(s): *Dapanera Karsch,1889*
1700. **Daploce Emeljanov,2008** (Dictyopharidae) Synonym(s): *Daploce Emeljanov,2008*
1701. **Daradacella Fennah,1949** (Tropiduchidae) Synonym(s):
1702. **Daradax Walker,1857** (Tropiduchidae) Synonym(s):
1703. **Daradaxoides Distant,1917** (Tropiduchidae) Synonym(s):
1704. **Dardus Stål,1859** (Eurybrachidae) Synonym(s):
1705. **Daridna Walker,1858** (Dictyopharidae) Synonym(s):
1706. **Darumara Metcalf,1952** (Issidae) Synonym(s):
1707. **Dascalina Stål,1862** (Flatidae) Synonym(s):
1708. **Dascalina Melichar,1902** (Flatidae) Synonym(s):
1709. **Dascaliomorpha Melichar,1923** (Flatidae) Synonym(s):
1710. **Dascanga Medler,2000** (Flatidae) Synonym(s): *Dascanga Medler,2000*
1711. **Dasineura Rondani,1840** (Cecidomyiidae) Synonym(s): *Dasineura Rondani,1840*; *Dasyneura Agassiz,1846*
1712. **Dasycerus Brongniart,1800** (Staphylinidae) Synonym(s): *Dasycerus Brongniart,1800*
1713. **Dasyhelea Kieffer,1911** (Ceratopogonidae) Synonym(s): *Dasyhelea Kieffer,1911*
1714. **Dasyhippus Uvarov,1930** (Acrididae) Synonym(s): *Dasyhippus Uvarov,1930*
1715. **Dasyllis Loew,1851** (Asilidae) Synonym(s): *Dasyllis Loew,1851*
1716. **Dasyphora Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Dasyphora Robineau-Desvoidy,1830*
1717. **Dasyopogon Meigen,1803** (Asilidae) Synonym(s): *Dasyopogon Meigen,1803*
1718. **Dasyrhamphis Enderlein,1922** (Tabanidae) Synonym(s): *Dasyrhamphis Enderlein,1922*; #*Dasyramphis Kılıç,2006*
1719. **Dasyscolia Bradley,1951** (Scoliidae) Synonym(s): *Dasyscolia Bradley,1951*
1720. **Dasysyrphus Enderlein,1937** (Syrphidae) Synonym(s): *Dasysyrphus Enderlein,1937*
1721. **Dasytes Paykull,1799** (Melyridae) Synonym(s): *Dasytes Paykull,1799*; *Anthoxenus Motschulsky,1854*; *Psilocorse Thomson,1864*; *Hapalogluta Thomson,1864*; *Hypodasytes Mulsant & Rey,1868*; *Mesodasytes Mulsant & Rey,1868*; *Metadasytes Mulsant & Rey,1868*; *Pseudodasytes Mulsant & Rey,1868*
1722. **Dasytidius Schilsky,1896** (Melyridae) Synonym(s): *Dasytidius Schilsky,1896*
1723. **Dasytiscus Kiesenwetter,1859** (Melyridae) Synonym(s): *Dasytiscus Kiesenwetter,1859*
1724. **Dasyvalgoides Endrodi,1952** (Scarabaeidae) Synonym(s): *Dasyvalgoides Endrodi,1952*
1725. **Dasyvalgus Kolbe,1904** (Scarabaeidae) Synonym(s): *Dasyvalgus Kolbe,1904*
1726. **Datua Schmidt,1911** (Fulgoridae) Synonym(s):
1727. **Dawnaria Distant,1911** (Derbidae) Synonym(s):
1728. **Dawnarioides Dozier,1929** (Derbidae) Synonym(s):
1729. **Debrona Walker,1870** (Tettigoniidae) Synonym(s): *Debrona Walker,1870*; *Otiaphysa Karsch,1889*
1730. **Decoomana Lallemand,1942** (Nogodinidae) Synonym(s):
1731. **Decticus Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Decticus Audinet-Serville,1831*
1732. **Deferunda Distant,1912** (Achilidae) Synonym(s): *Deferunda Distant,1912*; *Majella Kirkaldy,1906*; *Okatropis Matsumura,1914*; *Majellana Metcalf,1948*; *Tugaia Dlabola,1961*; #*Derefundata Bourgoïn,2008*
1733. **Deferundata Distant,1917** (Ricanidae) Synonym(s):
1734. **Deiphobe Stal,1877** (Mantidae) Synonym(s): *Deiphobe Stal,1877*; *Sphendale Stal,1877*
1735. **Deiphobella Giglio-Tos,1916** (Mantidae) Synonym(s): *Deiphobella Giglio-Tos,1916*
1736. **Delenda Croissandeau,1891** (Staphylinidae) Synonym(s): *Delenda Croissandeau,1891*
1737. **Deleproctophylla Lefebvre,1842** (Ascalaphidae) Synonym(s): *Deleproctophylla Lefebvre,1842*
1738. **Delhina Distant,1912** (Issidae) Synonym(s):
1739. **Delia platura Meigen,1826** (Anthomyiidae) Synonym(s): *platura Meigen,1826*
1740. **Delia Robineau-Desvoidy,1830** (Anthomyiidae) Synonym(s): *Delia Robineau-Desvoidy,1830*; *Eroischia Lioy,1864*; *Cimbotoma Lioy,1864*; *Gastrolepta Lioy,1864*; *Crinura Schnabl & Dziedzicki,1911*; *Leptohylemyia Schnabl & Dziedzicki,1911*; *Chortophilina Karl,1928*; *Flavena Karl,1928*; *Tricharia Karl,1928*; *Atrichodelia Karl,1943*; *Bisetaria Karl,1943*; *Chaetodelia Karl,1943*; *Leucodelia Karl,1943*; *Monodelia Karl,1943*; *Subdelia Karl,1943*; *Trichohylemyia Karl,1943*
1741. **Deliphrosoma Reitter,1909** (Staphylinidae) Synonym(s): *Deliphrosoma Reitter,1909*
1742. **Delomerista Förster,1868** (Ichneumonidae) Synonym(s): *Delomerista Förster,1868*
1743. **Delongana Caldwell,1945** (Issidae) Synonym(s):
1744. **Delphacellus Haupt,1929** (Delphacidae) Synonym(s):
1745. **Delphacinus Fieber,1866** (Delphacidae) Synonym(s): *Delphacinus Fieber,1866*
1746. **Delphacissa Kirkaldy,1906** (Delphacidae) Synonym(s): *Delphacissa Kirkaldy,1906*
1747. **Delphacodes Fieber,1866** (Delphacidae) Synonym(s): *Delphacodes Fieber,1866*
1748. **Delphacodoides Muir,1929** (Delphacidae) Synonym(s): *Delphacodoides Muir,1929*; *Alatades Dlabola,1957*

1749. **Delphax Fabricius,1798** (Delphacidae) Synonym(s): *Delphax Fabricius,1798*; *Araeopus Spinola,1839*
1750. **Deltocephalus Burmeister,1838** (Cicadellidae) Synonym(s): *Deltocephalus Burmeister,1838*
1751. **Deltometopus (Williams,1977)** (Achilidae) Synonym(s):
1752. **Delucchia Koçak & Kemal,2009** (Pteromalidae) Synonym(s): *Marangua Delucchi,1962 nec Lindn.,1960*; *Delucchia Koçak & Kemal,2009*
1753. **Demetia Koçak & Kemal,2009** (Cixiidae) Synonym(s): *Cubanella Fennah,1948 nec Pelegrin,1926*; *Demetia Koçak & Kemal,2009*
1754. **Demina Medler,2000** (Flatidae) Synonym(s): *Demina Medler,2000*
1755. **Demirsoyus Şirin & Çıplak,2004** (Acrididae) Synonym(s): *Demirsoyus Şirin & Çıplak,2004*
1756. **Dendarus (Pandarinus) Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Pandarinus Mulsant & Rey,1854*
1757. **Dendarus (Pandarus) Faldermann,1837** (Tenebrionidae) Synonym(s): *Pandarus Faldermann,1837 nec Leach,1816*
1758. **Dendarus Dejean,1821** (Tenebrionidae) Synonym(s): *Dendarus Dejean,1821*
1759. **Dendrokara Melichar,1914** (Derbidae) Synonym(s):
1760. **Dendroleon Brauer,1866** (Myrmeleonidae) Synonym(s): *Dendroleon Brauer,1866*
1761. **Dendrona Melichar,1923** (Flatidae) Synonym(s):
1762. **Dendroxena Motschoulsky,1858** (Silphidae) Synonym(s): *Dendroxena Motschoulsky,1858*; *Xylodrepa Thomson,1859*
1763. **Denops Fischer de Waldheim,1829** (Cleridae) Synonym(s): *Denops Fischer de Waldheim,1829*
1764. **Denticollis Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *Denticollis Piller & Mitterpacher,1783*
1765. **Dentilla Lelej,1980** (Mutillidae) Synonym(s): *Dentilla Lelej,1980*
1766. **Deocerus Metcalf & Bruner,1948** (Flatidae) Synonym(s):
1767. **Deporaus Samouelle,1819** (Atelabidae) Synonym(s): *Deporaus Samouelle,1819*
1768. **Depressotetrix Karaman,1960** (Tetrigidae) Synonym(s): *Depressotetrix Karaman,1960*
1769. **Deraeocoris Kirschbaum,1855** (Miridae) Synonym(s): *Deraeocoris Kirschbaum,1855*; *#Deraeocoris Kiyak et al.,2004*
1770. **Deraulax Signoret,1860** (Ricaniidae) Synonym(s):
1771. **Derbe Fabricius,1803** (Derbidae) Synonym(s):
1772. **Derephysia Spinola,1837** (Tingidae) Synonym(s): *Derephysia Spinola,1837*
1773. **Dericorys Audinet-Serville,[1838]** (Acrididae) Synonym(s): *Dericorys Audinet-Serville,[1838]*
1774. **Derisa Melichar,1901** (Flatidae) Synonym(s): *Derisa Melichar,1901*
1775. **Derisa Melichar,1901** (Flatidae) Synonym(s):
1776. **Dermestes (Montandonia) Jacquet,1886** (Dermestidae) Synonym(s): *Montandonia Jacquet,1886*
1777. **Dermestes Linnaeus,1758** (Dermestidae) Synonym(s): *Dermestes Linnaeus,1758*
1778. **Dermoflata Melichar,1901** (Flatidae) Synonym(s):
1779. **Derocrepis Weise,1886** (Chrysomelidae) Synonym(s): *Derocrepis Weise,1886*
1780. **Deronectes Sharp,1881** (Dytiscidae) Synonym(s): *Deronectes Sharp,1881*
1781. **Deroplatys Westwood,1839** (Mantidae) Synonym(s): *Deroplatys Westwood,1839*
1782. **Desanta Medler,2000** (Flatidae) Synonym(s): *Desanta Medler,2000*
1783. **Deserta Ball & Hartzell,1922** (Dictyopharidae) Synonym(s):
1784. **Desmatoneura Williston,1895** (Bombyliidae) Synonym(s): *Desmatoneura Williston,1895*
1785. **Desudaba Walker,1858** (Fulgoridae) Synonym(s):
1786. **Desudaboides Musgrave,1927** (Fulgoridae) Synonym(s):
1787. **Detya Distant,1906** (Nogodinidae) Synonym(s):
1788. **Devagama Distant,1906** (Issidae) Synonym(s):
1789. **Dhofaria Popov,1985** (Pamphagidae) Synonym(s): *Omania Popov,1980 nec Horvath,1915*; *Dhofaria Popov,1985*; *Dhofaria Koçak & Kemal,2008*
1790. **Diacira Walker,1858** (Dictyopharidae) Synonym(s):
1791. **Diaclina Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Diaclina Jacquelin du Val,1861*
1792. **Diadegma Förster,1868** (Ichneumonidae) Synonym(s): *Angitia Holmgren,1859 nec Wlk.,1858*; *Diadegma Förster,1868*; *Nythobia Förster,1868*; *Pectinella Morley,1914 nec Verr.,1897*; *Areolina Enderlein,1921*; *Nothanomaloides Viereck,1925*; *Neoangitia Horstmann,1969*; *Auma Dbar,1984*
1793. **Diaglyptellana Horstmann,1976** (Ichneumonidae) Synonym(s): *Diaglyptellana Horstmann,1976*
1794. **Diagrynia Melichar,1914** (Tropiduchidae) Synonym(s):
1795. **Dialineura Rondani,1856** (Theravididae) Synonym(s): *Dialineura Rondani,1856*
1796. **Dialycera Ganglbauer,1895** (Staphylinidae) Synonym(s): *Dialycera Ganglbauer,1895*
1797. **Diamesa Waltl,1837** (Chironomidae) Synonym(s): *Diamesa Waltl,1837*
1798. **Diaparsis (Nanodiaparsis) Horstmann,1971** (Ichneumonidae) Synonym(s): *Nanodiaparsis Horstmann,1971*

1799. **Diaparsis Förster,1868** (Ichneumonidae) Synonym(s): *Diaparsis Förster,1868*
1800. **Diaperis Geoffroy,1762** (Tenebrionidae) Synonym(s): *Diaperis Geoffroy,1762*
1801. **Diaphorus Meigen,1824** (Dolichopodidae) Synonym(s): *Diaphorus Meigen,1824*
1802. **Diareusa Walker,1858** (Fulgoridae) Synonym(s):
1803. **Diasemopsis Rondani,1875** (Diopsidae) Synonym(s): *Diasemopsis Rondani,1875*
1804. **Diasphax Fennah,1962** (Dictyopharidae) Synonym(s):
1805. **Diaspidiotus Berlese,1896** (Diaspididae) Synonym(s): *Diaspidiotus Berlese,1896*
1806. **Diaspis Costa,[1828]** (Diaspididae) Synonym(s): *Diaspis Costa,[1828]*
1807. **Diastracis Medler,1988** (Flatidae) Synonym(s):
1808. **Diastracoxius Caldwell,1944** (Cixiidae) Synonym(s):
1809. **Diazanus Hesse,1925** (Nogodinidae) Synonym(s):
1810. **Dibolia Latreille,1829** (Chrysomelidae) Synonym(s): *Dibolia Latreille,1829*
1811. **Dibrachoides Kurdiumov,1913** (Pteromalidae) Synonym(s): *Dibrachoides Kurdiumov,1913*
1812. **Dibrachys Förster,1856** (Pteromalidae) Synonym(s): *Dibrachys Förster,1856*
1813. **Dicaelotus Wesmael,1845** (Ichneumonidae) Synonym(s): *Dicaelotus Wesmael,1845;*
Leptodemas Förster,1868; Deloglyptus Förster,1868; Cinxaeolotus Holmgren,1890; Euryptilus Holmgren,1890;
Gnathichneumon Aubert,1958
1814. **Dicarnosis Mercet,1921** (Encyrtidae) Synonym(s): *Dicarnosis Mercet,1921*
1815. **Dichetophora Rondani,1868** (Sciomyzidae) Synonym(s): *Dichetophora Rondani,1868*
1816. **Dichillus (Dichillinus) Reitter,1916** (Tenebrionidae) Synonym(s): *Dichillinus Reitter,1916*
1817. **Dichillus (Dichillocerus) Reitter,1916** (Tenebrionidae) Synonym(s): *Dichillocerus*
Reitter,1916
1818. **Dichillus Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Dichillus Jacquelin du Val,1861*
1819. **Dichoglana Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Dichoglana Irwin &*
Lyneborg,1981
1820. **Dichomma Solier,1835** (Tenebrionidae) Synonym(s): *Dichomma Solier,1835*
1821. **Dichoptera Spinola,1839** (Dictyopharidae) Synonym(s):
1822. **Dichrogaster Doumerc,1855** (Ichneumonidae) Synonym(s): *Dichrogaster Doumerc,1855;*
Otacustes Förster,1868; Microtorus Förster,1868; Xenobrachys Förster,1868; Brachycephalus Förster,1868
nec Fitzinger,1826; Brachycranium Ashmead,1900; Chrysopoctonus Cushman,1919
1823. **Dichrogaster Doumerc,1855** (Ichneumonidae) Synonym(s): *Dichrogaster Doumerc,1855*
1824. **Dicranota (Ludicia) Hutson & Vane-Wright,1969** (Pedicidae) Synonym(s): *Ludicia Hutson*
& Vane-Wright,1969
1825. **Dicranota (Paradicranota) Alexander,1934** (Pedicidae) Synonym(s): *Paradicranota*
Alexander,1934
1826. **Dicranota Zetterstedt,1838** (Pedicidae) Synonym(s): *Dicranota Zetterstedt,1838*
1827. **Dicranotropis Fieber,1866** (Delphacidae) Synonym(s): *Dicranotropis Fieber,1866; Leimonodite*
Kirkaldy,1907
1828. **Dicrodiplosis Kieffer,1895** (Cecidomyiidae) Synonym(s): *Dicrodiplosis Kieffer,1895*
1829. **Dicronychus Brullé,1832** (Elateridae) Synonym(s): *Dicronychus Brullé,1832*
1830. **Dicrorrhina Hope,1837** (Scarabaeidae) Synonym(s): *Dicrorrhina Hope,1837; Atlas*
Castelnau,1840; Ceratorrhina Thomson,1880
1831. **Dicrotendipes Kieffer,1913** (Chironomidae) Synonym(s): *Dicrotendipes Kieffer,1913*
1832. **Dictenidia Brullé,1833** (Tipulidae) Synonym(s): *Dictenidia Brullé,1833*
1833. **Dictyla Stal,1874** (Tingidae) Synonym(s): *Dictyla Stal,1874*
1834. **Dictyobia Uhler,1889** (Issidae) Synonym(s):
1835. **Dictyomorpha Melichar,1912** (Dictyopharidae) Synonym(s):
1836. **Dictyonia Uhler,1889** (Issidae) Synonym(s):
1837. **Dictyonissus Uhler,1876** (Issidae) Synonym(s):
1838. **Dictyonota Curtis,1827** (Tingidae) Synonym(s): *Dictyonota Curtis,1827; #Dictinota Costa,1847*
1839. **Dictyophara Germar,1833** (Dictyopharidae) Synonym(s): *Dictyophara Germar,1833;*
Pseudophana Burmeister,1835; Chanitus Kolenati,1857; Avephora Bierman,1910
1840. **Dictyophara scolopax Oshanin,1879** (Dictyopharidae) Synonym(s): *scolopax Oshanin,1879*
1841. **Dictyopharina Melichar,1903** (Dictyopharidae) Synonym(s):
1842. **Dictyopharoides Fowler,1900** (Dictyopharidae) Synonym(s):
1843. **Dictyophorodelphax Swezey,1907** (Delphacidae) Synonym(s):
1844. **Dictyotangia Fennah,1945** (Tropiduchidae) Synonym(s):
1845. **Dictyssa Melichar,1906** (Issidae) Synonym(s):
1846. **Dictyssonina Ball,1936** (Issidae) Synonym(s):
1847. **Dicyphus Fieber,1858** (Miridae) Synonym(s): *Dicyphus Fieber,1858*
1848. **Dicyrtomellus Gussakovskii,1935** (Pompilidae) Synonym(s): *Dicyrtomellus*
Gussakovskii,1935
1849. **Didymocorypha Wood-Mason,1877** (Irididae) Synonym(s): *Didymocorypha Wood-*
Mason,1877; Pyrgocotis Stal,1877

- 1850. Didysmachus Lehr,1996** (Asilidae) Synonym(s): *Didysmachus Lehr,1996*
- 1851. Dielocroce Cowley,1941** (Nemopteridae) Synonym(s): *Dielocroce Cowley,1941*
- 1852. Digitocrista Fennah,1944** (Dictyopharidae) Synonym(s):
- 1853. Diglyphus Walker,1844** (Eulophidae) Synonym(s): *Diglyphus Walker,1844; Diaulus Ashmead,1904; Diaulinus Schulz,1906; Cycloscapus Erdös & Novicky,1951*
- 1854. Dikraneura Hardy,1850** (Cicadellidae) Synonym(s): *Dikraneura Hardy,1850; Dieranoneura Douglas,1879; Dieranoneura Puton,1886*
- 1855. Dilacreon Fennah,1980** (Cixiidae) Synonym(s):
- 1856. Dilatempusa Roy,2004** (Empusidae) Synonym(s): *Dilatempusa Roy,2004*
- 1857. Dilobura Spinola,1839** (Fulgoridae) Synonym(s):
- 1858. Dilophus Meigen,1803** (Bibionidae) Synonym(s): *#Philia Meigen,1800; Dilophus Meigen,1803; Acanthocnemis Blanchard,1852 nec Hawle & Corda,1847; Cnemidoctenia Enderlein,1934; Dactylodiscia Enderlein,1934; Tridicroctena Enderlein,1934; Triploctenia Enderlein,1934*
- 1859. Dimantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Dimantis Giglio-Tos,1915*
- 1860. Dinarmus Thomson,1878** (Pteromalidae) Synonym(s): *Dinarmus Thomson,1878*
- 1861. Dindinga Distant,1909** (Issidae) Synonym(s):
- 1862. Dineparyna Fennah,1945** (Kinnaridae) Synonym(s):
- 1863. Dinorhynchus Jakovlev,1876** (Pentatomidae) Synonym(s): *Dinorhynchus Jakovlev,1876; Neoglyphus Distant,1881*
- 1864. Dinotiscus Ghesquière,1946** (Pteromalidae) Synonym(s): *Dinotus Förster,1856 nec Guettard,1770; Dinotiscus Ghesquière,1946*
- 1865. Dioctria Meigen,1803** (Asilidae) Synonym(s): *Dioctria Meigen,1803*
- 1866. Diogena Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *Diogena Brunner von Wattenwyl,1878*
- 1867. Diogena Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *Diogena Brunner von Wattenwyl,1878*
- 1868. Diogma Edwards,1938** (Cylindrotomidae) Synonym(s): *Diogma Edwards,1938*
- 1869. Diolcogaster Ashmead,1900** (Braconidae) Synonym(s): *Diolcogaster Ashmead,1900*
- 1870. Dioncomena Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *Dioncomena Brunner von Wattenwyl,1878*
- 1871. Diopsina Curran,1928** (Diopsidae) Synonym(s): *Diopsina Curran,1928*
- 1872. Diopsis Linnaeus,1775** (Diopsidae) Synonym(s): *Diopsis Linnaeus,1775*
- 1873. Diorhabda Weise,1893** (Chrysomelidae) Synonym(s): *Diorhabda Weise,1893*
- 1874. Diostrombus Uhler,1896** (Derbidae) Synonym(s):
- 1875. Dioxyomus Fennah,1945** (Tropiduchidae) Synonym(s):
- 1876. Dipara Walker,1833** (Pteromalidae) Synonym(s): *Dipara Walker,1833; Tricoryphus Förster,1856; Apterolelaps Ashmead,1901; Alloterra Kieffer & Marshall,1904; Trimicrops Kieffer,1906; Parurios Girault,1913; Pseudipara Girault,1915; Uriolelaps Girault,1915; Epilelaps Girault,1915; Apterolelaps Girault,1916; Pseudiparella Girault,1927; Hispanolelaps Mercet,1927; Emersonia Girault,1933; Grahamisia Delucchi,1962; Afrolelaps Hedqvist,1964; Pondia Hedqvist,1969 nec Oder,1932; Diparomorpha Hedqvist,1972; Africesa Koçak et al.,2008*
- 1877. Diphyus Kriechbaumer,1890** (Ichneumonidae) Synonym(s): *Diphyus Kriechbaumer,1890; Pseudamblytele Ashmead,1900; Physcoteles Berthoumieu,1904; Macrophatnus Cameron,1905; Rossella Cameron,1906; Paraphyscoteles Heinrich,1968*
- 1878. Diplacodes Kirby,1889** (Libellulidae) Synonym(s): *Diplacodes Kirby,1889*
- 1879. Diplazon Viereck,1914** (Ichneumonidae) Synonym(s): *Diplazon Viereck,1914*
- 1880. Diplocladius Kieffer,1908** (Chironomidae) Synonym(s): *Diplocladius Kieffer,1908*
- 1881. Diplocolenus Ribaut,1946** (Cicadellidae) Synonym(s): *Diplocolenus Ribaut,1946; Erdianus Ribaut,1952*
- 1882. Diplolepis Goeffroy,1762** (Cynipidae) Synonym(s): *Diplolepis Goeffroy,1762; Rhodites Hartig,1840; Tribalia Walsh,1864; Hololexis Förster,1869; Lytorhodites Kieffer,1902*
- 1883. Diplorhoptrum Mayr,1855** (Formicidae) Synonym(s): *Diplorhoptrum Mayr,1855*
- 1884. Diprora Williams,1976** (Derbidae) Synonym(s):
- 1885. Dipsiathus Emeljanov,2005** (Achilidae) Synonym(s): *Dipsiathus Emeljanov,2005*
- 1886. Dirhinus Dalman,1818** (Chalcididae) Synonym(s): *Dirhinus Dalman,1818; Eniaca Kirby,1883; Hontalia Cameron,1884; Chontalia Schultz,1906; Dirrhinoidea Girault,1912; Pareniaca Girault,1913; Eniacella Girault,1913; Eniacomorpha Girault,1915; Dirrhinoides Masi,1947*
- 1887. Dischista Burmeister,1842** (Scarabaeidae) Synonym(s): *Dischista Burmeister,1842*
- 1888. Discodes Förster,1856** (Encyrtidae) Synonym(s): *Discodes Förster,1856*
- 1889. Discoelius Latreille,1809** (Vespidae) Synonym(s): *Discoelius Latreille,1809*
- 1890. Discoptila Pantel,1890** (Gryllidae) Synonym(s): *Discoptila Pantel,1890*
- 1891. Dissonomus Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Heterophyllus Mulsant & Rey,1859 (praeocc.); Dissonomus Jacquelin du Val,1861*
- 1892. Distantina Gnezdilov & Wilson,2006** (Caliscelidae) Synonym(s): *Distantina Gnezdilov & Wilson,2006; #Distantiana Bourgoïn,2008*

- 1893. Distiana Metcalf,1952** (Issidae) Synonym(s):
1894. Distichoptera Brèthes,1913 (Issidae) Synonym(s):
1895. Distoleon Banks,1910 (Myrmeleonidae) Synonym(s): *Formicaleo Leach,1815 nec Goffr.,1762;*
Distoleon Banks,1910; Formicaleon Banks,1911
1896. Dithela Karsch,1890 (Tettigoniidae) Synonym(s): *Dithela Karsch,1890*
1897. Ditropis Kirschbaum,1868 (Delphacidae) Synonym(s): *Ditropis Kirschbaum,1868*
1898. Ditropsis Wagner,1963 (Delphacidae) Synonym(s): *Ditropsis Wagner,1963*
1899. Dlabolaracus Remane,1961 (Cicadellidae) Synonym(s): *Dlabolaracus Remane,1961*
1900. Dociostaurus (Kazakia) Bei-Bienko,1933 (Acrididae) Synonym(s): *Kazakia Bei-Bienko,1933*
1901. Dociostaurus (Notostaurus) Bei-Bienko,1933 (Acrididae) Synonym(s): *Notostaurus Bei-*
Bienko,1933
1902. Dociostaurus (s.str.) Fieber,1853 (Acrididae) Synonym(s): *Dociostaurus Fieber,1853;*
Stauronotus Fieber,1853
1903. Dociostaurus (Stauronotulus) Tarbinskii,1940 (Acrididae) Synonym(s): *Stauronotulus*
Tarbinskii,1940
1904. Dociostaurus Fieber,1853 (Acrididae) Synonym(s): *Dociostaurus Fieber,1853; Stauronotus*
Fieber,1853
1905. Docosia Winnertz,1863 (Mycetophilidae) Synonym(s): *Docosia Winnertz,1863*
1906. Docotettix Ribaut,1948 (Cicadellidae) Synonym(s): *Docotettix Ribaut,1948*
1907. Doganlaria Koçak & Kemal,2008 (Pteromalidae) Synonym(s): *Duartera Boucek,1993 nec*
Mendea,1959; Doganlaria Koçak & Kemal,2008; Noyesiella Özdikmen & Darılmaz,2009
1908. Dogodelphax Lindberg,1956 (Delphacidae) Synonym(s):
1909. Dolia Kirkaldy,1907 (Tropiduchidae) Synonym(s):
1910. Dolichogenidea Viereck,1911 (Braconidae) Synonym(s): *Dolichogenidea Viereck,1911;*
#Dolichogenides Inanç & Beyarslan,2001
1911. Dolichomitus Smith,1877 (Ichneumonidae) Synonym(s): *Closterocerus Hartig,1847 (praeocc.);*
Dolichomitus Smith,1877; Mesoepialtes Schmiedeknecht,1906; Diclosterocerus Viereck,1914; Exeristoidea
Viereck,1924; Tuberculephialtes Ozols,1962; Paucdolichomitus Constantineanu & Pisica,1970
1912. Dolichozeza (s.str.) Curtis,1825 (Tipulidae) Synonym(s): *Dolichozeza Curtis,1825; Dolicozeza*
Rondani,1856
1913. Dolichozeza Curtis,1825 (Tipulidae) Synonym(s): *Dolichozeza Curtis,1825; Dolicozeza*
Rondani,1856
1914. Dolichopus Latreille,1796 (Dolichopodidae) Synonym(s): *Dolichopus Latreille,1796*
1915. Dolichovespula Rohwer,1916 (Vespidae) Synonym(s): *Dolichovespula Rohwer,1916*
1916. Dolycopoda Bolivar,1880 (Raphidophoridae) Synonym(s): *Dolycopoda Bolivar,1880; Hellerina*
Galvagni,2006 nec Dworakowska,1972
1917. Dolycoris Mulsant & Rey,1866 (Pentatomidae) Synonym(s): *Dolycoris Mulsant & Rey,1866*
1918. Donus Capiomont,1868 (Curculionidae) Synonym(s): *#Donus Dejean,1821; Donus*
Capiomont,1868
1919. Doratulina Melichar,1903 (Cicadellidae) Synonym(s): *Doratulina Melichar,1903; Trebellius*
Distant,1918; Pseudaconura Linnavuori,1952
1920. Doratura Sahlberg,1871 (Cicadellidae) Synonym(s): *Doratura Sahlberg,1871; Doraturina*
Emeljanov,1964
1921. Doraturopsis Lindberg,1935 (Cicadellidae) Synonym(s): *Doraturopsis Lindberg,1935;*
Adoratura Kusnezov,1938
1922. Dorcadion (Bergerianum) Pesarini & Sabbadini,2004 (Cerambycidae) Synonym(s):
Bergerianum Pesarini & Sabbadini,2004
1923. Dorcadion (Cribridorcadion) Pic,1901 (Cerambycidae) Synonym(s): *Cribridorcadion*
Pic,1901
1924. Dorcadion (Maculatodorcadion) Breuning,1942 (Cerambycidae) Synonym(s):
Maculatodorcadion Breuning,1942
1925. Dorcadion (s.str.) Dalman,1817 (Cerambycidae) Synonym(s): *Dorcadion Dalman,1817*
1926. Dorcadion Dalman,1817 (Cerambycidae) Synonym(s): *Dorcadion Dalman,1817*
1927. Dorcus MacLeay,1819 (Lucanidae) Synonym(s): *Dorcus MacLeay,1819*
1928. Doria Melichar,1901 (Flatidae) Synonym(s):
1929. Dorialus Van Stalle,1986 (Cixiidae) Synonym(s): *Dorialus Van Stalle,1986*
1930. Doriana Metcalf,1952 (Flatidae) Synonym(s):
1931. Dorimargus Melichar,1912 (Dictyopharidae) Synonym(s):
1932. Dorycephalus Kuschakewisch,1866 (Cicadellidae) Synonym(s): *Dorycephalus*
Kuschakewisch,1866
1933. Dorycera Meigen,1830 (Ulidiidae) Synonym(s): *Dorycera Meigen,1830; Percnomatia Loew,1868;*
Macheirocera Rondani,1869
1934. Dorycoris Mayr,1864 (Pentatomidae) Synonym(s): *Dorycoris Mayr,1864; Claudia Stal,1864*
1935. Doryctoproctus Belokobylskij,2004 (Braconidae) Synonym(s): *Doryctoproctus*
Belokobylskij,2004

- 1936. Doryphorina Melichar,1912** (Dictyopharidae) Synonym(s):
1937. Dorysarthus Puton,1895 (Dictyopharidae) Synonym(s):
1938. Dorysarthus Spinola,1839 (Dictyopharidae) Synonym(s): *Dorysarthus Spinola,1839*
1939. Doyenus Iwan,1996 (Tenebrionidae) Synonym(s): *Doyenus Iwan,1996*
1940. Dracela Signoret,1861 (Issidae) Synonym(s):
1941. Drapetis (Elaphropeza) Macquart,1827 (Hybotidae) Synonym(s):
1942. Drapetis (s.str.) Meigen,1822 (Hybotidae) Synonym(s):
1943. Drapetis Meigen,1822 (Hybotidae) Synonym(s):
1944. Drasterius Eschscholtz,1829 (Elateridae) Synonym(s): *Drasterius Eschscholtz,1829*
1945. Drepanophyllum Karsch,1890 (Tettigoniidae) Synonym(s): *Drepanophyllum Karsch,1890*;
Karschia Brunner von Wattenwyl,1891
1946. Drilaster Kiesenwetter,1879 (Lampyridae) Synonym(s): *Drilaster Kiesenwetter,1879*; *Ototreta E.Olivier,1900*
1947. Drino Robineau-Desvoidy,1863 (Tachinidae) Synonym(s): *Drino Robineau-Desvoidy,1863*
1948. Drosophila (Hirtodrosophila) Duda,1923 (Drosophilidae) Synonym(s): *Hirtodrosophila Duda,1923*
1949. Drosophila (Lordiphosa) Basden,1961 (Drosophilidae) Synonym(s): *Lordiphosa Basden,1961*
1950. Drosophila (s.str.) Fallén,1823 (Drosophilidae) Synonym(s): *Drosophila Fallén,1823*; *Idiomyia Grimshaw,1901*; *Hypenomyia Grimshaw,1901*; *Chaetodrosophillella Duda,1923*; *Acanthophila Duda,1924*; *Antopocerus Hardy,1965*; *Ateledrosophila Hardy,1965*; *Nudidrosophila Hardy,1965*; *Trichotobregma Hardy,1965*
1951. Drosophila (Scaptodrosophila) Duda,1923 (Drosophilidae) Synonym(s): *Scaptodrosophila Duda,1923*; *Paradrosophila Duda,1923*; *Spuriostyloptera Duda,1923*; *Pholadoris Sturtevant,1942*
1952. Drosophila (Sophophora) Sturtevant,1939 (Drosophilidae) Synonym(s): *Sophophora Sturtevant,1939*
1953. Drosophila Fallén,1823 (Drosophilidae) Synonym(s): *Drosophila Fallén,1823*; *Idiomyia Grimshaw,1901*; *Hypenomyia Grimshaw,1901*; *Chaetodrosophillella Duda,1923*; *Acanthophila Duda,1924*; *Antopocerus Hardy,1965*; *Ateledrosophila Hardy,1965*; *Nudidrosophila Hardy,1965*; *Trichotobregma Hardy,1965*
1954. Druentia Stål,1866 (Fulgoridae) Synonym(s): *Druentia Stål,1866*
1955. Drymadusa Stein,1860 (Tettigoniidae) Synonym(s): *Drymadusa Stein,1860*
1956. Drymeia Meigen,1826 (Muscidae) Synonym(s): *Drymeia Meigen,1826*; *#Drimeia Rondani,1856*
1957. Dryocosmus Giraud,1859 (Cynipidae) Synonym(s): *Dryocosmus Giraud,1859*; *Entropha Förster,1869*
1958. Dryodurgades Zachvatkin,1946 (Cicadellidae) Synonym(s): *Dryodurgades Zachvatkin,1946*
1959. Dryomyia Kieffer,1898 (Cecidomyiidae) Synonym(s): *Dryomyia Kieffer,1898*
1960. Ducetia Stal,1874 (Tettigoniidae) Synonym(s): *Ducetia Stal,1874*; *Paura Karsch,1889*; *Epiphlebus Karsch,1896*; *Pseudisotima Schulthess,1898*; *Kuwayamaea Matsumura & Shiraki,1908*; *Schubotzacris Rehn,1914*; *Telaea Bolivar,1922*
1961. Dufourea (Cyprirophites) Warncke,1979 (Halictidae) Synonym(s): *Cyprirophites Warncke,1979*
1962. Dufourea (Flavodufourea) Ebmer,1984 (Halictidae) Synonym(s): *Flavodufourea Ebmer,1984*
1963. Dufourea (Halictoides) Nylander,1848 (Halictidae) Synonym(s): *Halictoides Nylander,1848*
1964. Dufourea (s.str.) Lepeletier,1841 (Halictidae) Synonym(s): *Dufourea Lepeletier,1841*
1965. Dufourea Lepeletier,1841 (Halictidae) Synonym(s): *Dufourea Lepeletier,1841*
1966. Dufouria Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Dufouria Robineau-Desvoidy,1830*
1967. Dufouriellus Kirkaldy,1906 (Anthocoridae) Synonym(s): *Dufouriellus Kirkaldy,1906*
1968. Duilius Stal,1858 (Cixiidae) Synonym(s): *Duilius Stal,1858*; *Hemitropis Fieber,1866*; *Haplacha Lethierry,1874*; *Duiliopsis Bergevin,1933*; *Bitropis Dlabola,1985*
1969. Dundubia Amyot & Serville,1843 (Cicadidae) Synonym(s): *Dundubia Amyot & Serville,1843*
1970. Duplachionaspis MacGillivray,1921 (Diaspididae) Synonym(s): *Duplachionaspis MacGillivray,1921*
1971. Durgula Emeljanov,1964 (Cicadellidae) Synonym(s): *Durgula Emeljanov,1964*
1972. Duriopsis Melichar,1906 (Issidae) Synonym(s):
1973. Durium Stål,1861 (Tropiduchidae) Synonym(s):
1974. Duroides Melichar,1906 (Issidae) Synonym(s):
1975. Dusona Cameron,1900 (Ichneumonidae) Synonym(s): *Dusona Cameron,1900*; *Delopia Cameron,1903*; *Anisitsia Viereck,1912*; *Pseudocasitaria Viereck,1912*; *Thymarimorpha Viereck,1913*; *Viereckiana Strand,1914*; *Zachrestinus Enderlein,1921*; *Idisomidea Viereck,1925*; *Neodelopia Benoit,1957*; *Kartika V.Gupta & M.Gupta,1976*
1976. Dyctidea Uhler,1889 (Issidae) Synonym(s):
1977. Dynaspidiotus Thiem & Gerneck,1934 (Diaspididae) Synonym(s): *Dynaspidiotus Thiem & Gerneck,1934*
1978. Dyroderes Spinola,1837 (Pentatomidae) Synonym(s): *Dyroderes Spinola,1837*

1979. **Dysaphis Börner,1931** (Aphididae) Synonym(s): *Dysaphis Börner,1931*
1980. **Dysaules Stal,1877** (Irididae) Synonym(s): *Dysaules Stal,1877; Parepiscopus Westwood,1889*
1981. **Dysaulophthalma Stiewe,2009** (Irididae) Synonym(s): *Dysaulophthalma Stiewe,2009*
1982. **Dysepicritus Reuter,1885** (Anthocoridae) Synonym(s): *Dysepicritus Reuter,1885*
1983. **Dysimia Muir,1924** (Derbidae) Synonym(s):
1984. **Dysmachus Loew,1860** (Asilidae) Synonym(s): *Dysmachus Loew,1860*
1985. **Dysoliarus Fennah,1949** (Cixiidae) Synonym(s):
1986. **Dystacta Saussure,1871** (Mantidae) Synonym(s): *Dystacta Saussure,1871*
1987. **Dystactula Giglio-Tos,1927** (Mantidae) Synonym(s): *Dystactella Giglio-Tos,1915 (praeocc.); Dystactula Giglio-Tos,1927*
1988. **Dystheatias Kirkaldy,1907** (Cixiidae) Synonym(s):
1989. **Dytiscus Linnaeus,1758** (Dytiscidae) Synonym(s): *Dytiscus Linnaeus,1758; Diticus Goldfuss,1820*
1990. **Ealda Walker,1867** (Pentatomidae) Synonym(s): *Ealda Walker,1867*
1991. **Ebaeus Erichson,1840** (Melyridae) Synonym(s): *Ebaeus Erichson,1840*
1992. **Ebarrius Ribaut,1946** (Cicadellidae) Synonym(s): *Ebarrius Ribaut,1946*
1993. **Eccoptomera Loew,1862** (Heleomyzidae) Synonym(s): *Eccoptomera Loew,1862*
1994. **Eccoptopus Loew,1860** (Asilidae) Synonym(s): *Eccoptopus Loew,1860*
1995. **Echetra Walker,1858** (Fulgoridae) Synonym(s):
1996. **Echthistus Loew,1849** (Asilidae) Synonym(s): *Echthistus Loew,1849*
1997. **Echthromyrmex McLachan,1867** (Myrmeleonidae) Synonym(s): *Echthromyrmex McLachan,1867*
1998. **Echthronomas Förster,1868** (Ichneumonidae) Synonym(s): *Echthronomas Förster,1868*
1999. **Echthroplexiella Mercet,1921** (Encyrtidae) Synonym(s): *Echthroplexiella Mercet,1921*
2000. **Echthrus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Echthrus Gravenhorst,1829; Sphaetes Bremi,1849; Karaechthrus Uchida,1929; Bioleter Meyer,1930*
2001. **Eclimus Loew,1844** (Bombyliidae) Synonym(s): *Eclimus Loew,1844*
2002. **Ectamenogonus Buysson,1894** (Elateridae) Synonym(s): *Ectamenogonus Buysson,1894*
2003. **Ectateus Koch,1956** (Tenebrionidae) Synonym(s): *Ectateus Koch,1956*
2004. **Ectatops Amyot & Serville,1843** (Pyrrhocoridae) Synonym(s): *Ectatops Amyot & Serville,1843*
2005. **Ectinohoplia Redtenbacher,[1867]** (Scarabaeidae) Synonym(s): *Ectinohoplia Redtenbacher,[1867]; Ectinoplia Fairmaire,1889*
2006. **Ectinus Eschscholtz,1829** (Elateridae) Synonym(s): *Ectinus Eschscholtz,1829*
2007. **Ectobius Stephens,1836** (Blattidae) Synonym(s): *Ectobius Stephens,1836*
2008. **Ectomocoris Mayr,1865** (Reduviidae) Synonym(s): *Ectomocoris Mayr,1865*
2009. **Ectophasia Townsend,1912** (Tachinidae) Synonym(s): *Ectophasia Townsend,1912*
2010. **Ecuadoria Distant,1906** (Fulgoridae) Synonym(s):
2011. **Eddara Walker,1858** (Fulgoridae) Synonym(s):
2012. **Edwardsiana Zachvatkin,1929** (Cicadellidae) Synonym(s): *Edwardsiana Zachvatkin,1929*
2013. **Efflatouniella Kröber,1927** (Therevidae) Synonym(s): *Efflatouniella Kröber,1927*
2014. **Eginia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Eginia Robineau-Desvoidy,1830*
2015. **Eilithyia Distant,1912** (Tropiduchidae) Synonym(s):
2016. **Einfeldia Kieffer,1924** (Chironomidae) Synonym(s): *Einfeldia Kieffer,1924*
2017. **Elachertus Spinola,1811** (Eulophidae) Synonym(s): *Elachertus Spinola,1811; Elachistus Förster,1856; Ardalus Howard,1897; Cirrospiloideus Ashmead,1904; Diglyphomorphella Girault,1913; Parentedon Girault,1913; Pseudelachertus Girault,1913; Sympiesomorphelleus Girault,1913; Ardalooides Girault,1915; Euplectromorphella Girault,1915; Proardalus Girault & Dodd,1915; Epardalus Girault,1917; Peteenus Erdös,1961*
2018. **Elachiptera Macquart,1835** (Chloropidae) Synonym(s): *Elachiptera Macquart,1835*
2019. **Elaea Stal,1877** (Mantidae) Synonym(s): *Elaea Stal,1877*
2020. **Elampus Spinola,1806** (Chrysididae) Synonym(s): *Elampus Spinola,1806*
2021. **Elaphodelphax Fennah,1949** (Delphacidae) Synonym(s):
2022. **Elaphrosyron Haupt,1930** (Pompilidae) Synonym(s): *Elaphrosyron Haupt,1930*
2023. **Elasmotropis Stal,1874** (Tingidae) Synonym(s): *Elasmotropis Stal,1874*
2024. **Elasmus Westwood,1833** (Eulophidae) Synonym(s): *Elasmus Westwood,1833; Aneure Nees,1834; Heptocondyla Rondani,1877; Cyclopleura Cameron,1913; Austelasmus Riek,1967*
2025. **Elater Linnaeus,1758** (Elateridae) Synonym(s): *Elater Linnaeus,1758*
2026. **Elathous Reitter,1890** (Elateridae) Synonym(s): *Elathous Reitter,1890*
2027. **Elatophilus Reuter,1885** (Anthocoridae) Synonym(s): *Elatophilus Reuter,1885*
2028. **Electryone Kirkaldy,1913** (Dictyopharidae) Synonym(s):
2029. **Eledona Latreille,1796** (Tenebrionidae) Synonym(s): *Eledona Latreille,1796*
2030. **Elica Walker,1857** (Nogodinidae) Synonym(s):
2031. **Elidiptera Spinola,1839** (Achilidae) Synonym(s): *Elidiptera Spinola,1839*
2032. **Elinora Benson,1946** (Tenthredinidae) Synonym(s): *Elinora Benson,1946*

- 2033. Eliozeta Rondani,1856** (Tachinidae) Synonym(s): *Eliozeta Rondani,1856*
- 2034. Ellipoma Emeljanov,2008** (Dictyopharidae) Synonym(s): *Ellipoma Emeljanov,2008*
- 2035. Elmantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Elmantis Giglio-Tos,1915*
- 2036. Elodes Latreille,1796** (Scirtidae) Synonym(s): *Elodes Latreille,1796*
- 2037. Elthenus Jacobi,1928** (Eurybrachidae) Synonym(s):
- 2038. Elymana DeLong,1936** (Cicadellidae) Synonym(s): *Elymana DeLong,1936; Solenopyx Ribaut,1939*
- 2039. Elysiaca Emeljanov,1969** (Dictyopharidae) Synonym(s):
- 2040. Emblethis Fieber,[1860]** (Lygaeidae) Synonym(s): *Emblethis Fieber,[1860]; Embolimus Marshall,1868*
- 2041. Embolemus Westwrod,1833** (Embolemidae) Synonym(s): *Embolemus Westwrod,1833; Polyplanus Nees,1834; Formila De Romand,1846; Embolimus Agassiz,1846; Pedinomma Förster,1856; Ampulicomorpha Ashmead,1893*
- 2042. Embolophora Stål,1853** (Delphacidae) Synonym(s):
- 2043. Embrocerus Peyron,1877** (Melyridae) Synonym(s): *Embrocerus Peyron,1877*
- 2044. Emeljanopleroma Koçak,1986** (Kinnaridae) Synonym(s): *Emeljanopleroma Koçak,1986*
- 2045. Emelyanodelphax Koçak,1981** (Delphacidae) Synonym(s): *Verriculus Emelyanov,1976 nec Jordan & Evermann,1904; Emelyanodelphax Koçak,1981*
- 2046. Emelyanogramma Koçak,1981** (Cicadellidae) Synonym(s): *Homogramma Emelyanov,1975 nec Guen.,1854; Emelyanogramma Koçak,1981*
- 2047. Emelyanoviana Anufriev,1970** (Cicadellidae) Synonym(s): *Emelyanoviana Anufriev,1970*
- 2048. Emmepus Motschoulsky,1845** (Cleridae) Synonym(s): *Emmepus Motschoulsky,1845*
- 2049. Empidideicus Becker,1907** (Bombyliidae) Synonym(s): *Empidideicus Becker,1907*
- 2050. Empis (Euempis) Frey,1953** (Empididae) Synonym(s): *Euempis Frey,1953*
- 2051. Empis (Pachymeria) Stephens,1829** (Empididae) Synonym(s): *Pachymeria Stephens,1829*
- 2052. Empis (Polyblepharis) Bezzi,1909** (Empididae) Synonym(s): *Polyblepharis Bezzi,1909*
- 2053. Empis (s.str.) Linnaeus,1758** (Empididae) Synonym(s): *Empis Linnaeus,1758*
- 2054. Empis Linnaeus,1758** (Empididae) Synonym(s): *Empis Linnaeus,1758*
- 2055. Empoasca Walsh,1862** (Cicadellidae) Synonym(s): *Empoasca Walsh,1862*
- 2056. Empusa Illiger,1798** (Empusidae) Synonym(s): *Empusa Illiger,1798; Phantoma Risso,1826; #Ampusa Rambur,1838*
- 2057. Enallagma Charpentier,1840** (Coenagrionidae) Synonym(s): *Enallagma Charpentier,1840*
- 2058. Encarsia Förster,1878** (Aphelinidae) Synonym(s): *Encarsia Förster,1878; Aspidiotiphagus Howard,1894; Prospalta Howard,1894 nec Walk.,1857; Prospaltella Ashmead,1904; Mimatomus Cockerell,1911; Doloresia Mercet,1912; Prospalthoides Brèthes,1914; Paraspidiotiphagus Alam,1956; Aleurodiphilus DeBach & Rose,1981*
- 2059. Enchophora Spinola,1839** (Fulgoridae) Synonym(s):
- 2060. Enclisis Townes,1970** (Ichneumonidae) Synonym(s): *Enclisis Townes,1970*
- 2061. Encyrtus Latreille,1809** (Encyrtidae) Synonym(s): *Encyrtus Latreille,1809*
- 2062. Endasys Förster,1868** (Ichneumonidae) Synonym(s): *Endasys Förster,1868; Scinascopus Förster,1868; Bachia Endasys Förster,1868 nec Gray,1845; Stylocryptus Thomson,1873; Bachiana Strand,1928*
- 2063. Endochironomus Kieffer,1918** (Chironomidae) Synonym(s): *Endochironomus Kieffer,1918*
- 2064. Endomia Laporte,1840** (Anthicidae) Synonym(s): *Endomia Laporte,1840*
- 2065. Engela Distant,1906** (Dictyopharidae) Synonym(s):
- 2066. Engelepogon Lehr,1992** (Asilidae) Synonym(s): *Acanthopleura Engel,1927 (praeocc.); Engelepogon Lehr,1992*
- 2067. Enhydria Walker,1858** (Fulgoridae) Synonym(s):
- 2068. Enicopus Stephens,1830** (Melyridae) Synonym(s): *Enicopus Stephens,1830; Henicopus Agassiz,1846; Parahenicopus Portevin,1931*
- 2069. Enicospilus Stephens,1835** (Ichneumonidae) Synonym(s): *Enicospilus Stephens,1835; Henicospilus Agassiz,1846; Allocamptus Förster,1868; Dispilus Kriechbaumer,1894; Pleuroneurophion Asmead,1900; Cymatoneura Kriechbaumer,1901; Pterospilus Kirechbauber nec Rond.,1856; Trispilus Kriechbaumer,1901; Metophion Szepligeti,1905; Ceratospilus Szepligeti,1905; Atoponeura Szepligeti,1905; Ophiomorpha Szepligeti,1905 nec Nilss.,1836; Cryptocampus Brethes,1909; Eremotyloides Perkins,1915; Amesospilus Enderlein,1918; Schizospilus Seyrig,1936*
- 2070. Eningia Walker,1858** (Fulgoridae) Synonym(s):
- 2071. Enochletica Karsch,1896** (Tettigoniidae) Synonym(s): *Enochletica Karsch,1896*
- 2072. Enochrus (Lumetus) Zaitzev,1908** (Hydrophilidae) Synonym(s): *Lumetus Zaitzev,1908*
- 2073. Enochrus (Methydrus) Rey,1884** (Hydrophilidae) Synonym(s): *Methydrus Rey,1884*
- 2074. Enochrus (s.str.) Thomson,1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson,1859*
- 2075. Enochrus Thomson,1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson,1859*
- 2076. Ensina Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Ensina Robineau-Desvoidy,1830*
- 2077. Entedon Dalman,1820** (Eulophidae) Synonym(s): *Entedon Dalman,1820; #Entodon Berthold,1827; Tranocera Curtis,1829; Pleuropachus Westwood,1837; Pleuropachys Förster,1856; Eriglyptus*

- Crawford,1907; Metacrias Girault,1913; Entedonella Girault,1913; Pelorotelopsella Girault,1913; Uracrias Girault,1913; Acanthentedon Dodd,1917;Metacriasinus Ghesquière,1946*
- 2078. Entella (Euentella) Kaltenbach,1996** (Mantidae) Synonym(s): *Euentella Kaltenbach,1996*
- 2079. Entella (s.str.) Stal,1877** (Mantidae) Synonym(s): *Entella Stal,1877; Metentella Giglio-Tos,1915; Micrentella Giglio-Tos,1915; Ommatentella Werner,1923*
- 2080. Entella Stal,1877** (Mantidae) Synonym(s): *Entella Stal,1877; Metentella Giglio-Tos,1915; Micrentella Giglio-Tos,1915; Ommatentella Werner,1923*
- 2081. Entomobora Gistel,1857** (Pompilidae) Synonym(s): *Entomobora Gistel,1857*
- 2082. Entomogonus (Delonurops) Reitter,1922** (Tenebrionidae) Synonym(s): *Delonurops Reitter,1922*
- 2083. Entomogonus (Eutelogonus) Reitter,1922** (Tenebrionidae) Synonym(s): *Eutelogonus Reitter,1922*
- 2084. Entomogonus Solier,1848** (Tenebrionidae) Synonym(s): *Entomogonus Solier,1848*
- 2085. Entomoscelis Chevrolat,1837** (Chrysomelidae) Synonym(s): *Entomoscelis Chevrolat,1837*
- 2086. Eocanthecona Bergroth,1915** (Pentatomidae) Synonym(s): *Eocanthecona Bergroth,1915*
- 2087. Eocenchrea Muir,1913** (Derbidae) Synonym(s): *Eocenchrea Muir,1913; Gonyphlepsia Jacobi,1928*
- 2088. Eodelphax Kirkaldy,1901** (Delphacidae) Synonym(s):
- 2089. Eodryas Kirkaldy,1907** (Tropiduchidae) Synonym(s):
- 2090. Eoeurya Muir,1913** (Delphacidae) Synonym(s):
- 2091. Eoferreola Arnold,1935** (Pompilidae) Synonym(s): *Eoferreola Arnold,1935*
- 2092. Eohardya Zachvatkin,1946** (Cicadellidae) Synonym(s): *Eohardya Zachvatkin,1946; Hardyopsis Ribaut,1948*
- 2093. Eoperla Illies,1956** (Perlidae) Synonym(s): *Eoperla Illies,1956*
- 2094. Eophileurus Arrow,1908** (Scarabaeidae) Synonym(s): *Eophileurus Arrow,1908*
- 2095. Eosiopsis Feijen,2008** (Diopsidae) Synonym(s): *Sinodiopsis Feijen,1989 nec Eames,1957; Sinodiopsis Yang & Chen,1996; Eosiopsis Feijen,2008*
- 2096. Eotrichia Medvedev,1951** (Scarabaeidae) Synonym(s): *Eotrichia Medvedev,1951*
- 2097. Epacanthaclisis Okamoto,1910** (Myrmeleonidae) Synonym(s): *Epacanthaclisis Okamoto,1910*
- 2098. Epacria Gerstaecker,1895** (Nogodinidae) Synonym(s):
- 2099. Epallage Charpentier,1840** (Calopterygidae) Synonym(s): *Epallage Charpentier,1840; Euphaea Selys-Longchamps,1840; Pseudophaea Kirby,1890 nec Selys-Longchamps,1840; #Epalage Brauer,1902; #Epallaga Demirsoy,1982; #Epallaga Demirsoy,1982*
- 2100. Eparmene Fowler,1904** (Kinnaridae) Synonym(s):
- 2101. Eparmenoides Fennah,1945** (Kinnaridae) Synonym(s):
- 2102. Ephippiger Berthold,1827** (Tettigoniidae) Synonym(s): *Ephippiger Berthold,1827; Ephippigera Serville,1831*
- 2103. Epibidis Fowler,1905** (Delphacidae) Synonym(s):
- 2104. Epicauta Dejean,1834** (Meloidea) Synonym(s): *Epicauta Dejean,1834; Causima Dejean,1834; Henous Haldeman,1852; Isopentra Mulsant & Ray,1858; Apterospasta LeConte,1862; Pleuropompha LeConte,1862; Nomasps LeConte,1866; Gnathospasta Horn,1875; Anomalonyx Denier,1935 nec Weise,1903; Anomalonychus Saylor,1940; Maculicauta Dillon,1952*
- 2105. Epiclerus Haliday,1844** (Tetracampidae) Synonym(s): *Epiclerus Haliday,1844*
- 2106. Epidapus (Zuhalia) Koçak & Hüseyinoğlu,2008** (Sciaridae) Synonym(s): *Macrotarsus Mohrig,2004 nec Link,1795; Zuhalia Koçak & Hüseyinoğlu,2008*
- 2107. Epidapus Haliday,1851** (Sciaridae) Synonym(s): *Epidapus Haliday,1851*
- 2108. Epidiaspis Cockerell,1899** (Diaspididae) Synonym(s): *Epidiaspis Cockerell,1899*
- 2109. Epiona Emeljanov,2005** (Achilidae) Synonym(s): *Epiona Emeljanov,2005*
- 2110. Epirama Melichar,1903** (Achilidae) Synonym(s): *Epirama Melichar,1903*
- 2111. Episcius Spinola,1839** (Fulgoridae) Synonym(s):
- 2112. Episcopomantis Uvarov,1940** (Irididae) Synonym(s): *Episcopus Saussure,1872; Episcopomantis Uvarov,1940*
- 2113. Epistrophe Walker,1852** (Syrphidae) Synonym(s): *Epistrophe Walker,1852*
- 2114. Episyron Schiödte,1837** (Pompilidae) Synonym(s): *Episyron Schiödte,1837; Epizuron Ashmead,1902*
- 2115. Episyrrhus Matsumura,1917** (Syrphidae) Synonym(s): *Episyrrhus Matsumura,1917; Heterepistrophe Szilady,1940*
- 2116. Epitemna Melichar,1898** (Ricaniidae) Synonym(s):
- 2117. Epitenodera Giglio-Tos,1912** (Mantidae) Synonym(s): *Epitenodera Giglio-Tos,1912; Tenoderopsis Werner,1928*
- 2118. Epitetracnemus Girault,1915** (Encyrtidae) Synonym(s): *Epitetracnemus Girault,1915*
- 2119. Epithalamium Kirkaldy,1906** (Ricaniidae) Synonym(s):
- 2120. Epithalassius Mik,1891** (Dolichopodidae) Synonym(s): *Epithalassius Mik,1891*
- 2121. Epitonga Fennah,1954** (Issidae) Synonym(s):
- 2122. Epitrix Foudras,1860** (Chrysomelidae) Synonym(s): *Epitrix Foudras,1860*

- 2123. Epiusanella Synave,1959** (Achilidae) Synonym(s): *Epiusanella Synave,1959*
2124. Epoliarus Matsumura,1910 (Cixiidae) Synonym(s):
2125. Epora Walker,1857 (Tropiduchidae) Synonym(s):
2126. Eporiella Melichar,1914 (Tropiduchidae) Synonym(s):
2127. Epormenis Fennah,1945 (Flatidae) Synonym(s):
2128. Epuisana Fennah,1950 (Achilidae) Synonym(s): *Epuisana Fennah,1950*
2129. Epunka Matsumura,1935 (Delphacidae) Synonym(s):
2130. Equirria Distant,1917 (Derbidae) Synonym(s):
2131. Erax Scopoli,1763 (Asilidae) Synonym(s): *Erax Scopoli,1763*
2132. Erdoesina Graham,1957 (Pteromalidae) Synonym(s): *Erdoesina Graham,1957*
2133. Erebus Rikhter,1966 (Asilidae) Synonym(s): *Erebus Rikhter,1966*
2134. Eremazus Mulsant,1851 (Scarabaeidae) Synonym(s): *Eremazus Mulsant,1851*
2135. Eremiaphila Lefebvre,1835 (Mantidae) Synonym(s): *Eremiaphila Lefebvre,1835*
2136. Eremippus Uvarov,1926 (Acrididae) Synonym(s): *Eremippus Uvarov,1926*
2137. Eremisca Zinoveva,1956 (Asilidae) Synonym(s): *Eremisca Zinoveva,1956*
2138. Eremocampe Sugonjaev,1971 (Tetracampidae) Synonym(s): *Eremocampe Sugonjaev,1971*
2139. Eremoplana Stal,1877 (Mantidae) Synonym(s): *Eremoplana Stal,1877*
2140. Eremotylus Förster,1868 (Ichneumonidae) Synonym(s): *Eremotylus Förster,1868*;
Camptoneura Kriechbaumer,1901 nec Agass.,1846; *Genophion Felt,1903*; *Camptoneuroides Strand,1928*;
Clistorapha Cushman,1947; *Boethoneura Cushman,1947*; *Chilophion Cushman,1947*; *Chlorophion Townes,1971*
2141. Eretes Laporte,1833 (Dytiscidae) Synonym(s): *Eunectes Erichson,1832 nec Wagl.,1830*; *Eretes Laporte,1833*; *Nogrus Dejean,1833*
2142. Eretmocerus Haldeman,1850 (Aphelinidae) Synonym(s): *Eretmocerus Haldeman,1850*;
#Eretmocerus Ashmead,1904; *Ricinusa Risbec,1951*
2143. Ergenekonia Koçak & Kemal,2010 (Melyridae) Synonym(s): *Euthrix Majer,1996 nec Mg.,1830*;
Ergenekonia Koçak & Kemal,2010
2144. Eriborus Förster,1868 (Ichneumonidae) Synonym(s): *Eriborus Förster,1868*; *Zaporus Förster,1868*; *Bosmina Cameron,1899 nec Baird,1845*; *Hymenobosmina Dalla Torre,1901*; *Neobosmina Cameron,1906*
2145. Eriocydnus Haliday,1837 (Encyrtidae) Synonym(s): *#Eriocydnus Haliday,1829*; *Eriocydnus Haliday,1837*; *#Ericinidus Blanchard,1840*; *#Erycidnus Howard,1886*
2146. Erilla Distant,1906 (Fulgoridae) Synonym(s):
2147. Erimyrmosa Lelej,1984 (Mutillidae) Synonym(s): *Erimyrmosa Lelej,1984*
2148. Eriococcus Targioni-Tozzetti,1868 (Eriococcidae) Synonym(s): *Eriococcus Targioni-Tozzetti,1868*
2149. Eriopeltis Signoret,1872 (Coccidae) Synonym(s): *Eriopeltis Signoret,1872*
2150. Eriopogon Loew,1847 (Asilidae) Synonym(s): *Eriopogon Loew,1847*
2151. Eriothrix Meigen,1803 (Tachinidae) Synonym(s): *Eriothrix Meigen,1803*; *Erithorix Townsend,1911*
2152. Eripison Fennah,1969 (Delphacidae) Synonym(s):
2153. Eristalinus (Eristalodes) Mik,1897 (Syrphidae) Synonym(s): *Eristalodes Mik,1897*
2154. Eristalinus (Lathyrophthalmus) Mik,1897 (Syrphidae) Synonym(s): *Lathyrophthalmus Mik,1897*
2155. Eristalinus (s.str.) Rondani,[1845] (Syrphidae) Synonym(s): *Eristalinus Rondani,[1845]*
2156. Eristalinus Rondani,[1845] (Syrphidae) Synonym(s): *Eristalinus Rondani,[1845]*
2157. Eristalis (Eoseritalis) Latreille,1804 (Syrphidae) Synonym(s): *Eoseritalis Latreille,1804*
2158. Eristalis Latreille,1804 (Syrphidae) Synonym(s): *Eristalis Latreille,1804*
2159. Eritalaena Fennah,1952 (Derbidae) Synonym(s):
2160. Ernodes Wallengren,1891 (Beraeidae) Synonym(s): *Ernodes Wallengren,1891*
2161. Erodius (Dirosis) Miller,1858 (Tenebrionidae) Synonym(s): *Dirosis Miller,1858*
2162. Erodius Fabricius,1775 (Tenebrionidae) Synonym(s): *Erodius Fabricius,1775*
2163. Erotana Medler,2000 (Flatidae) Synonym(s): *Erotana Medler,2000*
2164. Erromenus Holmgren,1855 (Ichneumonidae) Synonym(s): *Erromenus Holmgren,1855*
2165. Errotasa Emeljanov,2005 (Achilidae) Synonym(s): *Errotasa Emeljanov,2005*
2166. Erycia Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Erycia Robineau-Desvoidy,1830*;
Hemimasicerca Brauer & Bergenstamm,[1889]
2167. Erythria (s.str.) Fieber,1866 (Cicadellidae) Synonym(s): *Erythria Fieber,1866*
2168. Erythria Fieber,1866 (Cicadellidae) Synonym(s): *Erythria Fieber,1866*
2169. Erythromma Charpentier,1840 (Coenagrionidae) Synonym(s): *Erythromma Charpentier,1840*
2170. Erythroneura Fitch,1851 (Cicadellidae) Synonym(s): *Erythroneura Fitch,1851*
2171. Erytus Mulsant & Rey,1870 (Scarabaeidae) Synonym(s): *Erytus Mulsant & Rey,1870*
2172. Esatanas Lehr,1986 (Asilidae) Synonym(s): *Esatanas Lehr,1986*
2173. Euaresta Loew,1873 (Tephritidae) Synonym(s): *Euaresta Loew,1873*
2174. Euboeus Boieldieu,1865 (Tenebrionidae) Synonym(s): *Euboeus Boieldieu,1865*

2175. **Euborellia Burr,1910** (Labiduridae) Synonym(s): *Euborellia Burr,1910*
2176. **Eucalymnatus Cockerell,1901** (Coccidae) Synonym(s): *Eucalymnatus Cockerell,1901*
2177. **Eucameruna Melichar,1906** (Tropiduchidae) Synonym(s):
2178. **Eucampsipoda Kolenati,1857** (Nycteribiidae) Synonym(s): *Eucampsipoda Kolenati,1857*
2179. **Eucanyra Crawford,1914** (Delphacidae) Synonym(s):
2180. **Eucarcelia Baranov,1934** (Tachinidae) Synonym(s): *Eucarcelia Baranov,1934*
2181. **Eucarpia Walker,1857** (Cixiidae) Synonym(s):
2182. **Eucera Scopoli,1770** (Apidae) Synonym(s): *Eucera Scopoli,1770*
2183. **Euchalcis Dufour,1861** (Chalcididae) Synonym(s): *Euchalcis Dufour,1861*
2184. **Eucharis Latreille,1804** (Eucharitidae) Synonym(s): *Eucharis Latreille,1804*; *Psilogaster Blanchard,1840*; *Psilogastrellus Ghesquière,1946*; *Eucharisca Boucek,1956*
2185. **Euchirus Kirby & Spencer,1828** (Scarabaeidae) Synonym(s): *Euchirus Kirby & Spencer,1828*
2186. **Euchomena Saussure,1870** (Mantidae) Synonym(s): *Euchomena Saussure,1870*
2187. **Euchomenella Giglio-Tos,1916** (Mantidae) Synonym(s): *Euchomenella Giglio-Tos,1916*
2188. **Eucolus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Eucolus Mulsant & Rey,1853*; *Indeucolus Kaszab,1975*
2189. **Euconomelus Haupt,1929** (Delphacidae) Synonym(s):
2190. **Euconomelus Haupt,1929** (Delphacidae) Synonym(s): *Euconomelus Haupt,1929*
2191. **Eucremastoides Kolarov,1980** (Ichneumonidae) Synonym(s): *Eucremastoides Kolarov,1980*
2192. **Eucremastus Szepligeti,1905** (Ichneumonidae) Synonym(s): *Eugnomus Förster,1868 nec Schoenh.,1847*; *Eucremastus Szepligeti,1905*; *Cephalobolus Morley,1913*
2193. **Eudascalia Melichar,1923** (Flatidae) Synonym(s):
2194. **Eudasyphora Townsend,1911** (Muscidae) Synonym(s): *Eudasyphora Townsend,1911*
2195. **Eudelus Förster,1868** (Ichneumonidae) Synonym(s): *Eudelus Förster,1868*; *Idemum Förster,1868*; *Calliphururus Förster,1868*
2196. **Euderus Haliday,1844** (Eulophidae) Synonym(s): *Euderus Haliday,1844*
2197. **Eudicella White,1839** (Scarabaeidae) Synonym(s): *Eudicella White,1839*
2198. **Eudictya Melichar,1912** (Dictyopharidae) Synonym(s):
2199. **Eugahania Mercet,1926** (Encyrtidae) Synonym(s): *Eugahania Mercet,1926*
2200. **Eugalta Cameron,1899** (Ichneumonidae) Synonym(s): *Eugalta Cameron,1899*
2201. **Eugyaria Synave,1962** (Flatidae) Synonym(s):
2202. **Euheptaulacus Dellacasa,1983** (Scarabaeidae) Synonym(s): *Euheptaulacus Dellacasa,1983*
2203. **Euhiracia Melichar,1908** (Dictyopharidae) Synonym(s):
2204. **Euhyoptera Fennah,1945** (Flatidae) Synonym(s):
2205. **Euidastor Fennah,1969** (Delphacidae) Synonym(s):
2206. **Euidella Puton,1886** (Delphacidae) Synonym(s):
2207. **Euidelloides Muir,1926** (Delphacidae) Synonym(s):
2208. **Euides Fieber,1866** (Delphacidae) Synonym(s): *Euides Fieber,1866*; *Euidella Puton,1886*
2209. **Euidopsis Ribaut,1948** (Delphacidae) Synonym(s): *Euidopsis Ribaut,1948*
2210. **Eukiefferiella Thienemann,1926** (Chironomidae) Synonym(s): *Eukiefferiella Thienemann,1926*
2211. **Euklastus Metcalf,1923** (Derbidae) Synonym(s):
2212. **Eulecanium Cockerell,1893** (Coccidae) Synonym(s): *Eulecanium Cockerell,1893*
2213. **Euleia Walker,1835** (Tephritidae) Synonym(s): *Euleia Walker,1835*
2214. **Eulioptera Ragge,1956** (Tettigoniidae) Synonym(s): *Eulioptera Ragge,1956*
2215. **Eulophus Geoffroy,1762** (Eulophidae) Synonym(s): *Eulophus Geoffroy,1762*
2216. **Eumecurus Emeljanov,1971** (Cixiidae) Synonym(s): *Eumecurus Emeljanov,1971*
2217. **Eumelicharia Kirkaldy,1906** (Flatidae) Synonym(s):
2218. **Eumenes Latreille,1802** (Vespidae) Synonym(s): *Eumenes Latreille,1802*
2219. **Eumercurus Emeljanov,1971** (Cixiidae) Synonym(s):
2220. **Eumeros Meigen,1803** (Syrphidae) Synonym(s): *Eumeros Meigen,1803*; *Eumerus Meigen,1804*; *Eumenos Leach,1817*;
2221. **Eumerus Meigen,1804** (Syrphidae) Synonym(s): *Eumerus Meigen,1804*
2222. **Eumetopina Breddin,1896** (Delphacidae) Synonym(s):
2223. **Eumyndus Synave,1956** (Cixiidae) Synonym(s):
2224. **Eunotus Walker,1834** (Pteromalidae) Synonym(s): *Eunotus Walker,1834*
2225. **Euodynerus (Pareuodynerus) Blüthgen,1938** (Vespidae) Synonym(s): *Leionotus Saussure,1851 nec Kirby & Spence,1828*; *#Lionotus Thomson,1874*; *#Lejonotus Costa,1882*; *Pareuodynerus Blüthgen,1938*
2226. **Euodynerus (s.str.) Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904*
2227. **Euodynerus Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904*
2228. **Eupelix Germar,1821** (Cicadellidae) Synonym(s): *Eupelix Germar,1821*
2229. **Eupelmus Dalman,1820** (Eupelmidae) Synonym(s): *Eupelmus Dalman,1820*
2230. **Eupeodes Osten-Sacken,1877** (Syrphidae) Synonym(s): *Eupeodes Osten-Sacken,1877*

- 2231. Euphanta Melichar,1901** (Flatidae) Synonym(s):
2232. Eupholidoptera Maran,1953 (Tettigoniidae) Synonym(s): #*Eupholidoptera Ramme,1951*;
Eupholidoptera Maran,1953; *Karabagia Harz,1979*
2233. Euphycus Kröber,1912 (Therevidae) Synonym(s): *Euphycus Kröber,1912*
2234. Euphyllura Förster,1848 (Psyllidae) Synonym(s): *Euphyllura Förster,1848*
2235. Euphyonarthex Schmidt,1912 (Tettigometridae) Synonym(s):
2236. Eupilis Walker,1857 (Issidae) Synonym(s):
2237. Euplectrus Westwood,1832 (Eulophidae) Synonym(s): *Euplectrus Westwood,1832*
2238. Euplectus Leach,1817 (Staphylinidae) Synonym(s): *Euplectus Leach,1817*
2239. Eupterycyba Dlabola,1958 (Cicadellidae) Synonym(s): *Eupterycyba Dlabola,1958*
2240. Euresta Loew,1873 (Tephritidae) Synonym(s): *Euresta Loew,1873*
2241. Euricania Melichar,1898 (Ricaniidae) Synonym(s):
2242. Eurima Melichar,1901 (Flatidae) Synonym(s): *Eurima Melichar,1901*
2243. Eurima Melichar,1901 (Flatidae) Synonym(s):
2244. Eurinopsyche Kirkaldy,1906 (Fulgoridae) Synonym(s):
2245. Euripersia Borkhsenius,1948 (Pseudococcidae) Synonym(s): *Euripersia Borkhsenius,1948*
2246. Eurocerus Metcalf,1945 (Flatidae) Synonym(s):
2247. Euroleon Esben-Petersen,1918 (Myrmeleonidae) Synonym(s): *Euroleon Esben-Petersen,1918*
2248. Euronotobrachys Kirkaldy,1906 (Eurybrachidae) Synonym(s):
2249. Eurybrachys Guérin-Ménéville,1834 (Eurybrachidae) Synonym(s):
2250. Eurybregma Scott,1875 (Delphacidae) Synonym(s): *Eurybregma Scott,1875*
2251. Eurychila Signoret,1866 (Tettigometridae) Synonym(s): *Eurychila Signoret,1866*
2252. Eurycorypha Stal,1873 (Tettigoniidae) Synonym(s): *Eurycorypha Stal,1873*; *Myrmecophana Brunner von Wattenwyl,1883*
2253. Eurydema Laporte,1832 (Pentatomidae) Synonym(s): *Eurydema Laporte,1832*
2254. Eurydiopsis Frey,1928 (Diopsidae) Synonym(s): *Eurydiopsis Frey,1928*
2255. Eurygaster Laporte,1832 (Scutellaridae) Synonym(s): *Eurygaster Laporte,1832*
2256. Eurynomeus Kirkaldy,1906 (Achilidae) Synonym(s): *Eurynomeus Kirkaldy,1906*
2257. Euryomma Stein,1899 (Fanniidae) Synonym(s): *Euryomma Stein,1899*
2258. Euryostola Reitter,1893 (Tenebrionidae) Synonym(s): *Euryostola Reitter,1893*
2259. Euryphantia Kirkaldy,1906 (Flatidae) Synonym(s):
2260. Euryphara Horvath,1912 (Cicadidae) Synonym(s): *Euryphara Horvath,1912*
2261. Euryphlepsia Muir,1922 (Cixiidae) Synonym(s):
2262. Euryproctus Holmgren,1855 (Ichneumonidae) Synonym(s): *Euryproctus Holmgren,1855*;
Sychnoleter Förster,1868; *Hypocryptus Förster,1868*; *Xenonastes Förster,1868*; *Fovaya Cameron,1903*
2263. Euryprosthilus Karsch,1890 (Flatidae) Synonym(s): *Euryprosthilus Karsch,1890*
2264. Eurysa Fieber,1866 (Delphacidae) Synonym(s):
2265. Eurysa Fieber,1866 (Delphacidae) Synonym(s): *Eurysa Fieber,1866*; *Epeurysa Matsumura,1900*
2266. Eurysula Vilbaste,1968 (Delphacidae) Synonym(s):
2267. Eurythyrea Lacordaire,1835 (Buprestidae) Synonym(s): *Eurythyrea Lacordaire,1835*
2268. Eurytoma Illiger,1803 (Eurytomidae) Synonym(s): *Eurytoma Illiger,1803*
2269. Eusapromyza Malloch,1923 (Leuxaniidae) Synonym(s): *Eusapromyza Malloch,1923*
2270. Euscelidia Westwood,1850 (Asilidae) Synonym(s): *Euscelidia Westwood,1850*; *Dolichoscius Janssens,1953*
2271. Euscelidius Ribaut,1942 (Cicadellidae) Synonym(s): *Euscelidius Ribaut,1942*
2272. Euscelis Brullé,1832 (Cicadellidae) Synonym(s): *Euscelis Brullé,1832*; *Phrynomorphus Curtis,1833*
2273. Euscopus Stal,1870 (Pyrrhocoridae) Synonym(s): *Euscopus Stal,1870*
2274. Euselates Thomson,1880 (Scarabaeidae) Synonym(s): *Euselates Thomson,1880*
2275. Eusphalerum Kraatz,1858 (Staphylinidae) Synonym(s): *Eusphalerum Kraatz,1858*
2276. Eustenancistrocerus Blüthgen,1938 (Vespidae) Synonym(s): *Eustenancistrocerus Blüthgen,1938*
2277. Eustenopus Petri,1907 (Curculionidae) Synonym(s): *Eustenopus Petri,1907*
2278. Eusyphax Fennah,1956 (Derbidae) Synonym(s):
2279. Eutagenia Reitter,1886 (Tenebrionidae) Synonym(s): *Eutagenia Reitter,1886*
2280. Euterpnosia Matsumura,1917 (Cicadidae) Synonym(s): *Euterpnosia Matsumura,1917*
2281. Euthiscia Van Duzee,1923 (Issidae) Synonym(s):
2282. Euthycera Latreille,1829 (Sciomyzidae) Synonym(s): *Euthycera Latreille,1829*
2283. Euthyneura Macquart,1836 (Hybotidae) Synonym(s):
2284. Eutolmus Loew,1848 (Asilidae) Synonym(s): *Eutolmus Loew,1848*
2285. Eutropistes Schaum,1853 (Tropiduchidae) Synonym(s):
2286. Euxesta Loew,1868 (Ulidiidae) Synonym(s): *Euxesta Loew,1868*
2287. Euzonitis Semenov,1893 (Meloidae) Synonym(s): *Euzonitis Semenov,1893*

- 2288. Evacanthus Le Peletier & Audinet-Serville, 1825** (Cicadellidae) Synonym(s): *Evacanthus Le Peletier & Audinet-Serville, 1825*; *Euacanthus Burmeister, 1835*
- 2289. Evagetes Lepeletier, 1845** (Pompilidae) Synonym(s): *Evagetes Lepeletier, 1845*
- 2290. Eviropodus Kuch, 1956** (Tenebrionidae) Synonym(s): *Eviropodus Kuch, 1956*
- 2291. Exaeretopus Newstead, 1894** (Coccidae) Synonym(s): *Exaeretopus Newstead, 1894*
- 2292. Excisivalgus Endrodi, 1952** (Scarabaeidae) Synonym(s): *Excisivalgus Endrodi, 1952*
- 2293. Exechia Winnertz, 1863** (Mycetophilidae) Synonym(s): *Exechia Winnertz, 1863*; *Parexechia Becher, 1886*
- 2294. Exenterus Hartig, 1837** (Ichneumonidae) Synonym(s): *Exenterus Hartig, 1837*
- 2295. Exeristes Förster, 1868** (Ichneumonidae) Synonym(s): *Exeristes Förster, 1868*
- 2296. Exetastes Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Exetastes Gravenhorst, 1829*; *Leptobatus Gravenhorst, 1829*; *Semnophrys Förster, 1868*; *Rhimphalea Förster, 1868*; *Icyona Cameron, 1903*; *Allxetastes Kokujev, 1904*; *Rhynchexetastes Cameron, 1906*; *Tegona Morley, 1913*; *Pseudexetastes Meyer, 1927*
- 2297. Exeurytoma Burks, 1971** (Eurytomidae) Synonym(s): *Exeurytoma Burks, 1971*
- 2298. Exhyalanthrax Becker, 1916** (Bombyliidae) Synonym(s): *Exhyalanthrax Becker, 1916*
- 2299. Exitianus Ball, 1929** (Cicadellidae) Synonym(s): *Exitianus Ball, 1929*; *Mimodrylix Zachvatkin, 1935*
- 2300. Exochomus Redtenbacher, 1843** (Coccinellidae) Synonym(s): *Exochomus Redtenbacher, 1843*
- 2301. Exochostoma Macquart, 1842** (Stratiomyidae) Synonym(s): *Exochostoma Macquart, 1842*
- 2302. Exochus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Exochus Gravenhorst, 1829*; *Amesotylus Förster, 1868*; *Mima Davis, 1897*; *Xanthexochus Morley, 1913*
- 2303. Exodrymadusa Karabağ, 1961** (Tettigoniidae) Synonym(s): *Exodrymadusa Karabağ, 1961*
- 2304. Exoma Melichar, 1901** (Flatidae) Synonym(s):
- 2305. Exomella Fennah, 1957** (Flatidae) Synonym(s):
- 2306. Exopholidoptera Ünal, 1998** (Tettigoniidae) Synonym(s): *Exopholidoptera Ünal, 1998*
- 2307. Exopristoides Boucek, 1982** (Torymidae) Synonym(s): *Exopristoides Boucek, 1982*
- 2308. Exopristus Ruschka, 1923** (Torymidae) Synonym(s): *Exopristus Ruschka, 1923*
- 2309. Exoprosopa Macquart, 1840** (Bombyliidae) Synonym(s): *Exoprosopa Macquart, 1840*
- 2310. Exorista Meigen, 1803** (Tachinidae) Synonym(s): *Exorista Meigen, 1803*
- 2311. Exoristobia Ashmead, 1904** (Encyrtidae) Synonym(s): *Exoristobia Ashmead, 1904*; *Parasyrphophagus Girault, 1915*; *Parageniaspis Masi, 1917*; *Mirsypophagus Girault, 1923*
- 2312. Exphora Signoret, 1860** (Nogodinidae) Synonym(s):
- 2313. Exyston Schiödte, 1839** (Ichneumonidae) Synonym(s): *Exyston Schiödte, 1839*; *Tricamptus Förster, 1868*; *Diaborus Förster, 1868*; *Anecephysis Förster, 1868*; *Parexyston Kerrich, 1952*
- 2314. Eysarcoris Hahn, 1834** (Pentatomidae) Synonym(s): *Eysarcoris Hahn, 1834*
- 2315. Ezgia Koçak & Kemal, 2008** (Pteromalidae) Synonym(s): *Cairnsia Boucek, 1988 nec Blackburn, 1895*; *Ezgia Koçak & Kemal, 2008*; *Neocairnsia Özdikmen & Darılmaz, 2009*
- 2316. Fagocyba Dlabola, 1958** (Cicadellidae) Synonym(s): *Fagocyba Dlabola, 1958*
- 2317. Falcidiopsis Kusnezov, 1930** (Issidae) Synonym(s): *Falcidiopsis Kusnezov, 1930*
- 2318. Falcidius Stal, 1866** (Issidae) Synonym(s): *Falcidius Stal, 1866*
- 2319. Falcophantis Fletcher, 1988** (Flatidae) Synonym(s):
- 2320. Falcotoya Fennah, 1969** (Delphacidae) Synonym(s):
- 2321. Falcotoya Fennah, 1969** (Delphacidae) Synonym(s): *Falcotoya Fennah, 1969*
- 2322. Fannia Robineau-Desvoidy, 1830** (Fanniidae) Synonym(s): *Fannia Robineau-Desvoidy, 1830*; *Homalomyia Bouché, 1834*; *Coelomyia Haliday, 1840*
- 2323. Faronia Melichar, 1901** (Flatidae) Synonym(s):
- 2324. Faronus Aubé, 1844** (Staphylinidae) Synonym(s): *Faronus Aubé, 1844*
- 2325. Faventilla Metcalf, 1948** (Achilidae) Synonym(s): *Faventilla Metcalf, 1948*
- 2326. Fedtschenkia Saussure, 1880** (Sapygidae) Synonym(s): *Fedtschenkia Saussure, 1880*; *Cosilella Banks, 1913*
- 2327. Feltiella Rübsaamen, 1910** (Cecidomyiidae) Synonym(s): *Feltiella Rübsaamen, 1910*
- 2328. Fernandea Melichar, 1912** (Dictyopharidae) Synonym(s):
- 2329. Ferreola Lepeletier, 1845** (Pompilidae) Synonym(s): *Ferreola Lepeletier, 1845*
- 2330. Fescennia Stål, 1866** (Derbidae) Synonym(s):
- 2331. Festella Giglio-Tos, 1894** (Tettigoniidae) Synonym(s): *Festella Giglio-Tos, 1894*
- 2332. Ficarasa Walker, 1857** (Tropiduchidae) Synonym(s):
- 2333. Ficarasites? Scudder, 1890** (Flatidae) Synonym(s):
- 2334. Ficocyba Vidano, 1960** (Cicadellidae) Synonym(s): *Ficocyba Vidano, 1960*
- 2335. Fieberiella Signoret, 1880** (Cicadellidae) Synonym(s): *Fieberia Signoret, 1879 (praeocc.)*; *Fieberiella Signoret, 1880*
- 2336. Fieberium Dlabola, 1980** (Issidae) Synonym(s): *Fieberium Dlabola, 1980*
- 2337. Filiptschenkia Pleske, 1926** (Stratiomyidae) Synonym(s): *Filiptschenkia Pleske, 1926*
- 2338. Fiorinia Targioni-Tozzetti, 1869** (Diaspididae) Synonym(s): *Fiorinia Targioni-Tozzetti, 1869*
- 2339. Fitchiella Van Duzee, 1917** (Caliscelidae) Synonym(s): *Naso Fitch, 1856 (praeocc.)*; *Fitchiella Van Duzee, 1917*

2340. **Flabellomalachius Evers,1985** (Melyridae) Synonym(s): *Flabellomalachius Evers,1985*
2341. **Flabellotilloidea Gerstmeier & Ku,1992** (Cleridae) Synonym(s): *Flabellotilloidea Gerstmeier & Ku,1992*
2342. **Flaccia Stål,1866** (Derbidae) Synonym(s):
2343. **Flachaemus Van Stalle,1988** (Cixiidae) Synonym(s):
2344. **Flastena Nast,1975** (Delphacidae) Synonym(s): *Flastena Nast,1975*
2345. **Flata Fabricius,1798** (Flatidae) Synonym(s):
2346. **Flatachilus Fennah,1950** (Achilidae) Synonym(s): *Flatachilus Fennah,1950*
2347. **Flatarina Metcalf & Bruner,1948** (Flatidae) Synonym(s):
2348. **Flatarissa Metcalf & Bruner,1948** (Flatidae) Synonym(s):
2349. **Flatida White,1846** (Flatidae) Synonym(s):
2350. **Flatidissa Metcalf,1952** (Flatidae) Synonym(s):
2351. **Flatidula Metcalf & Bruner,1948** (Flatidae) Synonym(s):
2352. **Flatina Melichar,1901** (Flatidae) Synonym(s):
2353. **Flatiris Fennah,1947** (Flatidae) Synonym(s):
2354. **Flatoides Guérin-Méneville,1844** (Flatidae) Synonym(s):
2355. **Flatoidessa Melichar,1923** (Flatidae) Synonym(s):
2356. **Flatoidinus Melichar,1923** (Flatidae) Synonym(s):
2357. **Flatomorpha Melichar,1901** (Flatidae) Synonym(s):
2358. **Flatopsis Melichar,1902** (Flatidae) Synonym(s):
2359. **Flatoptera Melichar,1901** (Flatidae) Synonym(s):
2360. **Flatormenis Melichar,1923** (Flatidae) Synonym(s):
2361. **Flatosaria Melichar,1923** (Flatidae) Synonym(s):
2362. **Flatosoma Melichar,1901** (Flatidae) Synonym(s):
2363. **Flatula Melichar,1901** (Flatidae) Synonym(s):
2364. **Flavina Stål,1861** (Issidae) Synonym(s):
2365. **Fletcherobrachys Constant,2006** (Eurybrachidae) Synonym(s): *Fletcherobrachys Constant,2006*
2366. **Fleuria Kieffer,1924** (Chironomidae) Synonym(s): *Fleuria Kieffer,1924*
2367. **Florichisme Kirkaldy,1904** (Fulgoridae) Synonym(s):
2368. **Florissantia? Scudder,1890** (Dictyopharidae) Synonym(s):
2369. **Florodelphax Vilbaste,1968** (Delphacidae) Synonym(s): *Florodelphax Vilbaste,1968*
2370. **Foersterella Dalla Torre,1897** (Tetracampidae) Synonym(s): *Hyperbius Förster,1878 (praeocc.); Foersterella Dalla Torre,1897*
2371. **Forculus Distant,1912** (Issidae) Synonym(s):
2372. **Forculusoides Distant,1916** (Issidae) Synonym(s):
2373. **Fordicidia Distant,1917** (Derbidae) Synonym(s):
2374. **Forficula Linnaeus,1758** (Forficulidae) Synonym(s): *Forficula Linnaeus,1758*
2375. **Formica Linnaeus,1758** (Formicidae) Synonym(s): *Formica Linnaeus,1758*
2376. **Formicomus Ferté-Senectere,1849** (Anthicidae) Synonym(s): *Formicomus Ferté-Senectere,1849*
2377. **Formodanga Yang & Wu,1993** (Derbidae) Synonym(s):
2378. **Formolevu Yang & Wu,1993** (Derbidae) Synonym(s):
2379. **Formotosena Kato,1925** (Cicadidae) Synonym(s): *Formotosena Kato,1925*
2380. **Fortunia Distant,1909** (Issidae) Synonym(s):
2381. **Francesca Kirkaldy,1906** (Achilidae) Synonym(s): *Francesca Kirkaldy,1906*
2382. **Franciscus Distant,1910** (Flatidae) Synonym(s):
2383. **Friarius Schouteden,1907** (Pentatomidae) Synonym(s): *Friarius Schouteden,1907*
2384. **Fritzruehlia Schmidt,1924** (Issidae) Synonym(s):
2385. **Frutiodia (Dworakowskellina) Koçak,1981** (Cicadellidae) Synonym(s): *Amicula Dworakowska,1971 (praeocc.); Dworakowskellina Koçak,1981*
2386. **Frutiodia (s.str.) Zachvatkin,1946** (Cicadellidae) Synonym(s): *Frutiodia Zachvatkin,1946*
2387. **Frutis Stål,1862** (Eurybrachidae) Synonym(s):
2388. **Fulgora Linné,1767** (Fulgoridae) Synonym(s):
2389. **Furchadaspis MacGillivray,1921** (Diaspididae) Synonym(s): *Furchadaspis MacGillivray,1921*
2390. **Gabaloeca Walker,1870** (Issidae) Synonym(s):
2391. **Gabonella Uvarov,1940** (Tettigoniidae) Synonym(s): *Gabonia Bolivar,1906 nec Jacob.,1893; Gabonella Uvarov,1940*
2392. **Gaeana Amyot & Serville,1843** (Cicadidae) Synonym(s): *Gaeana Amyot & Serville,1843*
2393. **Gaetulia Stål,1864** (Nogodinidae) Synonym(s):
2394. **Gaja Distant,1906** (Flatidae) Synonym(s):
2395. **Galactopogon Engel,1929** (Asilidae) Synonym(s): *Galactopogon Engel,1929*
2396. **Galapagosana Distant,1909** (Issidae) Synonym(s):

2397. **Galeatus Curtis,1833** (Tingidae) Synonym(s): *Galeatus Curtis,1833*
2398. **Galela Distant,1906** (Fulgoridae) Synonym(s):
2399. **Galepsus (Lygdamia) Stal,1877** (Irididae) Synonym(s): *Lygdamia Stal,1877*
2400. **Galepsus (Onychogalepsus) Beier,1954** (Irididae) Synonym(s): *Onychogalepsus Beier,1954*
2401. **Galepsus (s.str.) Stal,1876** (Irididae) Synonym(s): *Galepsus Stal,1876*
2402. **Galepsus (Syngalepsus) Beier,1954** (Irididae) Synonym(s): *Syngalepsus Beier,1954*
2403. **Galepsus Stal,1876** (Irididae) Synonym(s): *Galepsus Stal,1876*
2404. **Galiomyza Spencer,1981** (Agromyzidae) Synonym(s): *Galiomyza Spencer,1981*
2405. **Gambrus Förster,1868** (Ichneumonidae) Synonym(s): *Gambrus Förster,1868; Kaltenbachia Förster,1868; Hygrocryptus Thomson,1873; Allocryptus Viereck,1917*
2406. **Gamergomimus Fennah,1984** (Nogodinidae) Synonym(s):
2407. **Gamergomorphus Melichar,1906** (Issidae) Synonym(s):
2408. **Gamergus Stål,1859** (Issidae) Synonym(s): *Gamergus Stål,1859*
2409. **Gampsocleis Fieber,1852** (Tettigoniidae) Synonym(s): *Gampsocleis Fieber,1852*
2410. **Gampsocoris Fuss,1852** (Berytidae) Synonym(s): *Gampsocoris Fuss,1852*
2411. **Ganachilla Wang & Huang,1988** (Achilidae) Synonym(s): *Ganachilla Wang & Huang,1988*
2412. **Garaga Anufriev,1977** (Delphacidae) Synonym(s): *Garaga Anufriev,1977*
2413. **Garanta Medler,2000** (Flatidae) Synonym(s): *Garanta Medler,2000*
2414. **Gargara Amyot & Serville,1843** (Membracidae) Synonym(s): *Gargara Amyot & Serville,1843*
2415. **Garumna Melichar,1914** (Tropiduchidae) Synonym(s):
2416. **Gastererion Perroud & Montrouzier,1864** (Eurybrachidae) Synonym(s):
2417. **Gastrancistrus Westwood,1833** (Pteromalidae) Synonym(s): *Gastrancistrus Westwood,1833*
2418. **Gastrimargus Saussure,1884** (Acrididae) Synonym(s): *Gastrimargus Saussure,1884*
2419. **Gastrinia Stål,1859** (Tropiduchidae) Synonym(s):
2420. **Gastrophysa Chevrolat,1837** (Chrysomelidae) Synonym(s): *Gastrophysa Chevrolat,1837*
2421. **Gautengicesa Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Pretoriana Curran,1938 nec Uvarov,1922; Gautengicesa Koçak & Kemal,2010*
2422. **Gebenna Stål,1863** (Fulgoridae) Synonym(s):
2423. **Gedrosia Stål,1862** (Eurybrachidae) Synonym(s):
2424. **Geisha Kirkaldy,1900** (Flatidae) Synonym(s):
2425. **Gelastissus Kirkaldy,1906** (Caliscelidae) Synonym(s):
2426. **Gelastocephalus Kirkaldy,1906** (Cixiidae) Synonym(s):
2427. **Gelastodelphax Kirkaldy,1906** (Delphacidae) Synonym(s): *Gelastodelphax Kirkaldy,1906*
2428. **Gelastopsis Kirkaldy,1906** (Eurybrachidae) Synonym(s):
2429. **Gelastyra Kirkaldy,1904** (Issidae) Synonym(s):
2430. **Gelatopoa Brunner,1891** (Tettigoniidae) Synonym(s): *Gelatopoa Brunner,1891; Gelatopoea Kirby,1906*
2431. **Gelis Thunberg,1827** (Ichneumonidae) Synonym(s): *Gelis Thunberg,1827; Pezomachus Gravenhorst,1829; Pezolochus Förster,1850; Hemimachus Ratzeburg,1852; Plesiomma Förster,1868 nec Macq.,1838; Alegina Förster,1868; Rhadiurgus Förster,1868 nec Lu.,1849; Aschistus Förster,1868; Philonygmus Förster,1868; Ilapinastes Förster,1868; Barydotira Förster,1868; Urithreptus Förster,1868; Terpiphora Förster,1868; Micromeson Strickland,1912; Myrmicomorpha Viereck,1913; Leptogelis Ceballos,1925; Cryptogelis Hellén,1944; Fianonia Seyrig,1952; Holcogelis Aubert,1957; Arctodoeon Hellén,1967; Rhadiurginus Hellén,1967*
2432. **Genistaspis Bodenheimer,1951** (Diaspididae) Synonym(s): *Genistaspis Bodenheimer,1951*
2433. **Geocoris Fallén,1814** (Lygaeidae) Synonym(s): *Geocoris Fallén,1814*
2434. **Geodromicus Redtenbacher,[1857]** (Staphylinidae) Synonym(s): *Geodromus Heer,1841 (praeocc.); Geodromicus Redtenbacher,[1857]*
2435. **Geomantis Pantel,1896** (Mantidae) Synonym(s): *Geomantis Pantel,1896*
2436. **Geomyza Fallén,1810** (Opomyzidae) Synonym(s): *Geomyza Fallén,1810*
2437. **Geothespis Giglio-Tos,1916** (Mantidae) Synonym(s): *Geothespis Giglio-Tos,1916*
2438. **Geotrupes Latreille,1802** (Geotrupidae) Synonym(s): *Geotrupes Latreille,1802*
2439. **Gepella Hölzel,1968** (Myrmeleonidae) Synonym(s): *Gepella Hölzel,1968*
2440. **Gepus Navas,1912** (Myrmeleonidae) Synonym(s): *Gepus Navas,1912*
2441. **Geraldtonia Distant,1910** (Flatidae) Synonym(s):
2442. **Gergithoides Schumacher,1915** (Issidae) Synonym(s):
2443. **Gergithomorphus Haglund,1899** (Tropiduchidae) Synonym(s):
2444. **Gergithus Stål,1870** (Issidae) Synonym(s):
2445. **Germaria Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Germaria Robineau-Desvoidy,1830*
2446. **Geron Meigen,1820** (Bombyliidae) Synonym(s): *Geron Meigen,1820; Amictogeron Hesse,1938*
2447. **Gerris Fabricius,1794** (Gerridae) Synonym(s): *Gerris Fabricius,1794*
2448. **Gilda Walker,1870** (Issidae) Synonym(s):

- 2449. Gilgitia Mushtaq,1991** (Dictyopharidae) Synonym(s):
2450. Gillotia Kieffer,1921 (Chironomidae) Synonym(s): *Gillotia Kieffer,1921*
2451. Ginsiana Erdös & Novicky,1955 (Encyrtidae) Synonym(s): *Ginsiana Erdös & Novicky,1955*
2452. Giraudia Förster,1868 (Ichneumonidae) Synonym(s): *Giraudia Förster,1868*; *Calocryptus Thomson,1873*; *Pseudocryptus Kriechbaumer,1893*; *#Gyraudia Kolarov,1995*
2453. Giselia? Haupt,1956 (Flatidae) Synonym(s):
2454. Gitona Meigen,1830 (Drosophilidae) Synonym(s): *Gitona Meigen,1830*
2455. Givaka Distant,1906 (Issidae) Synonym(s):
2456. Glabellula Bezzi,1902 (Mythicomyiidae) Synonym(s): *Platygaster Zetterstedt,1838 nec Latr.,1809*; *Sphaerogaster Zetterstedt,1842*; *Glabella Loew,1873 nec Swains.,1840*; *Glabellula Bezzi,1902*; *Pachyneres Greene,1924*; *Proglabellula Hennig,1966*
2457. Glandulosa Harz,1979 (Gryllidae) Synonym(s): *Glandulosa Harz,1979*
2458. Glaphyrus Latreille,1802 (Glaphyridae) Synonym(s): *Glaphyrus Latreille,1802*; *Pachymerus Faldermann,1835*; *Hemiglaphyrus Champion,1903*
2459. Glaucops Szilady,1923 (Tabanidae) Synonym(s): *Glaucops Szilady,1923*
2460. Glisachaemus Szwedo,2007 (Cixiidae) Synonym(s): *Glisachaemus Szwedo,2007*
2461. Globicornis Latreille,1829 (Dermestidae) Synonym(s): *Globicornis Latreille,1829*
2462. Glossocratus Fieber,1866 (Cicadellidae) Synonym(s): *Glossocratus Fieber,1866*
2463. Glycyphana (Caloglycyphana) Miksic,1968 (Scarabaeidae) Synonym(s): *Caloglycyphana Miksic,1968*
2464. Glycyphana (Glycyphaniola) Miksic,1968 (Scarabaeidae) Synonym(s): *Glycyphaniola Miksic,1968*
2465. Glycyphana Burmeister,1842 (Scarabaeidae) Synonym(s): *Glycyphana Burmeister,1842*
2466. Glyphicnemis Förster,1868 (Ichneumonidae) Synonym(s): *Glyphicnemis Förster,1868*; *Gnathocryptus Thomson,1873*; *Semiodes Harrington,1894*
2467. Glyphomerus Förster,1856 (Torymidae) Synonym(s): *Glyphomerus Förster,1856*
2468. Glyphotmethis Bei-Bienko,1951 (Pamphagidae) Synonym(s): *Glyphotmethis Bei-Bienko,1951*
2469. Glyphotonga Schmidt,1910 (Issidae) Synonym(s): *Glyphotonga Schmidt,1910*
2470. Glyphotriclis Hermann,1920 (Asilidae) Synonym(s): *Glyphotriclis Hermann,1920*
2471. Glypsus Dallas,1851 (Pentatomidae) Synonym(s): *Glypsus Dallas,1851*; *Paraglypsus Schouteden,1907*; *Epiglypsus Schouteden,1907*; *Cataglypsus Kirkaldy,1909*
2472. Glyptapanteles Ashmead,1904 (Braconidae) Synonym(s): *Glyptapanteles Ashmead,1904*
2473. Glyptobasis McLachan,1873 (Ascalaphidae) Synonym(s): *Glyptobasis McLachan,1873*
2474. Glyptomorpha Holmgren,1868 (Braconidae) Synonym(s): *Glyptomorpha Holmgren,1868*
2475. Glyptopteryx Gebien,1910 (Tenebrionidae) Synonym(s): *Glyptopteryx Gebien,1910*
2476. Gnamptogenys Roger,1863 (Formicidae) Synonym(s): *Gnamptogenys Roger,1863*; *Stictoponera Mayr,1887*; *Holcoponera Mayr,1887*; *Alfaria Emery,1896*; *Poneracantha Emery,1897*; *Rhopalopone Emery,1897*; *Emeryella Forel,1901*; *Parectatomma Emery,1911*; *Spaniopone Wheeler & Mann,1914*; *Wheeleripone Mann,1919*; *Commateta Santschi,1929*; *Tammoteca Santschi,1929*; *Barbourella Wheeler,1930*
2477. Gnaphalostetha Reiche & Saulcy,1856 (Scarabaeidae) Synonym(s): *Gnaphalostetha Reiche & Saulcy,1856*
2478. Gnaptor Brullé,1832 (Tenebrionidae) Synonym(s): *Gnaptor Brullé,1832*; *Petrobius Brullé,1832*
2479. Gnathocerus Agassiz,1846 (Tenebrionidae) Synonym(s): *Gnathocerus Agassiz,1846*
2480. Gnorimus Lepeletier & Audinet-Serville,1828 (Scarabaeidae) Synonym(s): *Gnorimus Lepeletier & Audinet-Serville,1828*
2481. Goetia Karsch,1892 (Tettigoniidae) Synonym(s): *Goetia Karsch,1892*
2482. Goidanichium Boucek,1970 (Pteromalidae) Synonym(s): *Goidanichium Boucek,1970*
2483. Gomeda Distant,1906 (Flatidae) Synonym(s):
2484. Gomphocerus Thunberg,1815 *Gomphocerus Thunberg,1815*; *Aeropus Gistel,1848*
2485. Gomphus Leach,1815 (Gomphidae) Synonym(s): *Gomphus Leach,1815*
2486. Gonaspidiotus MacGillivray,1921 (Diaspididae) Synonym(s): *Gonaspidiotus MacGillivray,1921*
2487. Gonatoxia Karsch,1889 (Tettigoniidae) Synonym(s): *Gonatoxia Karsch,1889*
2488. Goneokara Muir,1913 (Derbidae) Synonym(s):
2489. Goneokarella Fennah,1952 (Derbidae) Synonym(s):
2490. Gongistes Fennah,1969 (Achilidae) Synonym(s): *Gongistes Fennah,1969*
2491. Gonia Meigen,1803 (Tachinidae) Synonym(s): *Gonia Meigen,1803*
2492. Goniagnathus Fieber,1866 (Cicadellidae) Synonym(s): *Goniagnathus Fieber,1866*
2493. Goniocтена Chevrolat,1837 (Chrysomelidae) Synonym(s): *Goniocтена Chevrolat,1837*
2494. Goniopsara Metcalf,1952 (Nogodinidae) Synonym(s):
2495. Gonocephalum Chevrolat,1845 (Tenebrionidae) Synonym(s): *Gonocephalum Chevrolat,1845*
2496. Gonophallus Tsaur,1991 (Cixiidae) Synonym(s):
2497. Gonopus (Agonopus) Gebien,1920 (Tenebrionidae) Synonym(s): *Agonopus Gebien,1920*
2498. Gonopus Latreille,1829 (Tenebrionidae) Synonym(s): *Gonopus Latreille,1829*
2499. Gonypeta Saussure,1869 (Mantidae) Synonym(s): *Gonypeta Saussure,1869*

2500. **Gonypetella Giglio-Tos,1915** (Mantidae) Synonym(s): *Gonypetella Giglio-Tos,1915*
2501. **Gonypetoides Beier,1942** (Mantidae) Synonym(s): *Gonypetoides Beier,1942*
2502. **Gonypetyllis Wood-Mason,1891** (Mantidae) Synonym(s): *Gonypetyllis Wood-Mason,1891*;
Haldwania Beier,1930
2503. **Gordiacea Metcalf,1948** (Achilidae) Synonym(s): *Gordiacea Metcalf,1948*
2504. **Gouxia Koçak & Kemal,2009** (Pseudococcidae) Synonym(s): *Giraudia Goux,1989 nec*
Först.,1869; *Gouxia Koçak & Kemal,2009*
2505. **Graecopachys Skopin,1968** (Tenebrionidae) Synonym(s): *Graecopachys Skopin,1968*
2506. **Grammacephalus Haupt,1929** (Cicadellidae) Synonym(s): *Grammacephalus Haupt,1929*;
Caffretus Evans,1947
2507. **Granada Koçak & Kemal,2008** (Acrididae) Synonym(s): *Jacobsiella Harz,1975 nec*
Ruebsaamen,1906; *Granada Koçak & Kemal,2008*
2508. **Grandcolasia Koçak & Kemal,2010** (Gryllidae) Synonym(s): *Smicrotes Desutter-*
Grandcolas,1992 nec Clemens,1860; *Grandcolasia Koçak & Kemal,2010*
2509. **Grapaldus Distant,1914** (Flatidae) Synonym(s):
2510. **Graphocraerus Thomson,1869** (Cicadellidae) Synonym(s): *Graphocraerus Thomson,1869*
2511. **Graphoderus Dejean,1833** (Dytiscidae) Synonym(s): *Graphoderus Dejean,1833*
2512. **Graphogaster Rondani,1868** (Tachinidae) Synonym(s): *Graphogaster Rondani,1868*
2513. **Graphosoma De Laporte,1832** (Pentatomidae) Synonym(s): *Graphosoma De Laporte,1832*
2514. **Graptodytes Seidlitz,1887** (Dytiscidae) Synonym(s): *Graptodytes Seidlitz,1887*
2515. **Grasseiteles Aubert,1965** (Ichneumonidae) Synonym(s): *Grasseiteles Aubert,1965*
2516. **Gratidia Stal,1879** (Phasmidae) Synonym(s): *Gratidia Stal,1879*
2517. **Gravenhorstia (Erigorgus) Förster,1868** (Ichneumonidae) Synonym(s): *Erigorgus*
Förster,1868; *Sympratis Förster,1868*; *Paranomalon Viereck,1912*
2518. **Gravenhorstia (Kokujewiella) Shestakov,1926** (Ichneumonidae) Synonym(s): *Kokujewiella*
Shestakov,1926; *Nenethes Ceballos,1957*
2519. **Gravenhorstia Boie,1836** (Ichneumonidae) Synonym(s): *Gravenhorstia Boie,1836*; *Odontopsis*
Förster,1868
2520. **Gravenreuthia Karsch,1892** (Tettigoniidae) Synonym(s): *Gravenreuthia Karsch,1892*
2521. **Gravesteiniella Wagner,1963** (Delphacidae) Synonym(s): *Gravesteiniella Wagner,1963*
2522. **Greniera Doby & David,1959** (Simuliidae) Synonym(s): *Greniera Doby & David,1959*
2523. **Gretella Werner,1923** (Mantidae) Synonym(s): *Gretella Werner,1923*
2524. **Griphissus Fennah,1967** (Caliscelidae) Synonym(s):
2525. **Gryllodes Saussure,1874** (Gryllidae) Synonym(s): *Gryllodes Saussure,1874*
2526. **Gryllomorpha (Gryllomorphella) Gorochoy,1984** (Gryllidae) Synonym(s):
2527. **Gryllomorpha Fieber,1853** (Gryllidae) Synonym(s): *Gryllomorpha Fieber,1853*; *Gryllomorpha*
Saussure,1877
2528. **Gryllotalpa Latreille,1802** (Gryllotalpidae) Synonym(s): *Gryllotalpa Latreille,1802*; *Curtilla*
Oken,1815; *Austrotalpa Mjoberg,1913*
2529. **Grynina Stål,1862** (Tropiduchidae) Synonym(s):
2530. **Grypocoris Douglas & Scott,1868** (Miridae) Synonym(s): *Grypocoris Douglas & Scott,1868*
2531. **Grypotes Fieber,1866** (Cicadellidae) Synonym(s): *Grypotes Fieber,1866*; *Protaenia Thomson,1869*
2532. **Guanchia Burr,1911** (Forficulidae) Synonym(s): *Guanchia Burr,1911*
2533. **Gueriniella Fernald,1903** (Margarodidae) Synonym(s): *Guerinia Targioni-Tozzetti,1868*
(praeocc.); *Gueriniella Fernald,1903*
2534. **Gugolzia Delucchi & Steffan,1956** (Pteromalidae) Synonym(s): *Gugolzia Delucchi &*
Steffan,1956
2535. **Guinea Koçak & Kemal,2008** (Pteromalidae) Synonym(s): *Briania Boucek,1988 nec Chasen &*
Kloss,1930; *Guinea Koçak & Kemal,2008*; *Austrobriania Özdikmen & Darılmaz,2009*
2536. **Gunarus Gozis,1886** (Tenebrionidae) Synonym(s): *Gunarus Gozis,1886*
2537. **Gwurra Linnavuori,1973** (Caliscelidae) Synonym(s):
2538. **Gyaria Stål,1862** (Flatidae) Synonym(s):
2539. **Gyariella Schmidt,1924** (Flatidae) Synonym(s):
2540. **Gyarina Melichar,1901** (Flatidae) Synonym(s):
2541. **Gymnomerus Blüthgen,1938** (Vespidae) Synonym(s): *Gymnomerus Blüthgen,1938*
2542. **Gymnomus Loew,1863** (Heleomyzidae) Synonym(s): *Gymnomus Loew,1863*
2543. **Gymnopleurus Illiger,1803** (Scarabaeidae) Synonym(s): *Gymnopleurus Illiger,1803*
2544. **Gymnosoma Meigen,1803** (Tachinidae) Synonym(s): *Gymnosoma Meigen,1803*
2545. **Gyranusoidea Compere,1947** (Encyrtidae) Synonym(s): *Gyranusoidea Compere,1947*;
Leptanusia De Santis,1964; *Neuranagyris Boucek,1977*; *Therencyrtus Trijapitzin,1977*
2546. **Gyrinus Geoffroy,1762** (Gyrinidae) Synonym(s): *Gyrinus Geoffroy,1762*
2547. **Habrolepis Förster,1856** (Encyrtidae) Synonym(s): *Habrolepis Förster,1856*
2548. **Habronyx Förster,1868** (Ichneumonidae) Synonym(s): *Habronyx Förster,1868*; *Acanthostoma*
Kriechbaumer,1894; *Macrostemma Shastakov,1923*; *Formosanomalon Uchida,1928*

2549. **Habropogon Loew,1847** (Asilidae) Synonym(s): *Habropogon Loew,1847*
2550. **Habrotasa Melichar,1914** (Tropiduchidae) Synonym(s):
2551. **Hackerobrachys Constant,2006** (Eurybrachidae) Synonym(s): *Hackerobrachys Constant,2006*
2552. **Hadradactylus Förster,1868** (Ichneumonidae) Synonym(s): *Hadradactylus Förster,1868*;
Dizemon Förster,1868; *Zemiodes Förster,1868*; *Narcopoea Förster,1868*; *Meropaches Schmiedeknecht,1913*
2553. **Hadrophallus Kopp & Yonke,1979** (Membracidae) Synonym(s): *Hadrophallus Kopp & Yonke,1979*
2554. **Haematobosca Bezzi,1907** (Muscidae) Synonym(s): *Haematobosca Bezzi,1907*
2555. **Haematoloma Haupt,1919** (Cercopidae) Synonym(s): *Haematoloma Haupt,1919*
2556. **Haematopota Meigen,1803** (Tabanidae) Synonym(s): *Haematopota Meigen,1803*
2557. **Haetosmia Popov,1952** (Megachilidae) Synonym(s): *Haetosmia Popov,1952*
2558. **Haicixidia Wang,1989** (Achilidae) Synonym(s): *Haicixidia Wang,1989*
2559. **Haitiana Dozier,1936** (Achilidae) Synonym(s): *Haitiana Dozier,1936*
2560. **Hajar Kirkaldy,1905** (Ricaniidae) Synonym(s):
2561. **Haliartus Melichar,1914** (Tropiduchidae) Synonym(s):
2562. **Halictus (s.str.) Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
2563. **Halictus (Seladonia) Robertson,1918** (Halictidae) Synonym(s): *Seladonia Robertson,1918*
2564. **Halictus Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
2565. **Haliplus Latreille,1802** (Haliplidae) Synonym(s): *Haliplus Latreille,1802*
2566. **Halmyra Mitjaev,1971** (Delphacidae) Synonym(s):
2567. **Halocladus Hirvenoja,1973** (Chironomidae) Synonym(s): *Halocladus Hirvenoja,1973*
2568. **Halter Rambur,1842** (Nemopteridae) Synonym(s): *Halter Rambur,1842*
2569. **Haltichella Spinola,1811** (Chalcididae) Synonym(s): *Haltichella Spinola,1811*
2570. **Halticoptera Spinola,1811** (Pteromalidae) Synonym(s): *Halticoptera Spinola,1811*
2571. **Halticopterina Erdös,1947** (Pteromalidae) Synonym(s): *Halticopterina Erdös,1947*
2572. **Hamba Distant,1907** (Achilidae) Synonym(s): *Hamba Distant,1907*
2573. **Hameishara Linnavuori,1973** (Flatidae) Synonym(s):
2574. **Hancockius Koçak & Kemal,2009** (Tephritidae) Synonym(s): *Paradesis Hancock,1986 nec Poccock,1898*; *Hancockius Koçak & Kemal,2009*
2575. **Handianus Ribaut,1942** (Cicadellidae) Synonym(s): *Handianus Ribaut,1942*; *Dlabolia Lang,1945*; *Usuironus Ishihara,1953*
2576. **Hansenia Melichar,1901** (Flatidae) Synonym(s):
2577. **Hapalogymnes Kaltenbach,1996** (Iridopterygidae) Synonym(s): *Hapalogymnes Kaltenbach,1996*
2578. **Hapalomantis (Bolbira) Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *Bolbira Giglio-Tos,1915*
2579. **Hapalomantis (s.str.) Stal,1871** (Iridopterygidae) Synonym(s): *Hapalomantis Stal,1871*;
Eubolbe Giglio-Tos,1915
2580. **Hapalomantis Stal,1871** (Iridopterygidae) Synonym(s): *Hapalomantis Stal,1871*; *Eubolbe Giglio-Tos,1915*
2581. **Hapalomelus Stål,1853** (Delphacidae) Synonym(s):
2582. **Haphsa Distant,1905** (Cicadidae) Synonym(s): *Haphsa Distant,1905*; *Aola Distant,1905*
2583. **Haplaxius Caldwell,1904** (Cixiidae) Synonym(s):
2584. **Haplodelphax Kirkaldy,1907** (Delphacidae) Synonym(s):
2585. **Haplogenius Burmeister,1939** (Ascalaphidae) Synonym(s): *Haplogenius Burmeister,1939*
2586. **Haplomalachius Evers,1985** (Melyridae) Synonym(s): *Haplomalachius Evers,1985*
2587. **Haplothrix Schilsky,1896** (Melyridae) Synonym(s): *Haplothrix Schilsky,1896*
2588. **Haplothrix Schilsky,1896** (Melyridae) Synonym(s): *Haplothrix Schilsky,1896*; *#Haplohrrix Majer,1996*
2589. **Hardya Edwards,1922** (Cicadellidae) Synonym(s): *Hardya Edwards,1922*; *Mimohardya Zachvatkin,1946*
2590. **Hariola Stål,1863** (Fulgoridae) Synonym(s):
2591. **Harmalianodes Asche,1988** (Delphacidae) Synonym(s):
2592. **Harmandiola Skuhrava,1997** (Cecidomyiidae) Synonym(s): *Harmandia Kieffer,1896 nec Rocheb.,1892*; *Harmandiola Skuhrava,1997*
2593. **Harmatelia Walker,1858** (Lampyridae) Synonym(s): *Harmatelia Walker,1858*
2594. **Harmonia Mulsant,1846** (Coccinellidae) Synonym(s): *Harmonia Mulsant,1846*
2595. **Harnischia Kieffer,1921** (Chironomidae) Synonym(s): *Harnischia Kieffer,1921*
2596. **Harpagomantis Kirby,1899** (Hymenopodidae) Synonym(s): *Harpax Serville,1831 nec Parkinson,1811*; *Harpagomantis Kirby,1899*; *Australomantis Rehn,1901*
2597. **Harpalus (Actephilus) Stephens,1829** (Carabidae) Synonym(s): *Actephilus Stephens,1829*
2598. **Harpalus (Artabas) Gozis,1883** (Carabidae) Synonym(s): *Artabas Gozis,1883*
2599. **Harpalus (Harpalophonus) Ganglbauer,1892** (Carabidae) Synonym(s): *Harpalophonus Ganglbauer,1892*

- 2600. Harpalus (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Harpalus Latreille,1802*; *Euxenus Gistel,1856*; *Epiharpalus Reitter,1900*; *Lasioharpalus Reitter,1900*; *Haploharpalus Schauburger,1926*
- 2601. Harpalus Latreille,1802** (Carabidae) Synonym(s): *Harpalus Latreille,1802*; *Euxenus Gistel,1856*; *Epiharpalus Reitter,1900*; *Lasioharpalus Reitter,1900*; *Haploharpalus Schauburger,1926*
- 2602. Harpanor Fennah,1950** (Derbidae) Synonym(s):
- 2603. Harposcepa Karsch,1896** (Tettigoniidae) Synonym(s): *Harposcepa Karsch,1896*
- 2604. Hartigiola Rübсаamen,1912** (Cecidomyiidae) Synonym(s): *Hartigiola Rübсаamen,1912*
- 2605. Hasta Melichar,1912** (Dictyopharidae) Synonym(s):
- 2606. Hastius Schmitz,1946** (Chalcididae) Synonym(s): *Hastius Schmitz,1946*
- 2607. Haterumelater Ohira,1968** (Elateridae) Synonym(s): *Haterumelater Ohira,1968*
- 2608. Haumavarga Oshanin,1908** (Dictyopharidae) Synonym(s):
- 2609. Hauptidia (Melicharidia) Dworakowska,1970** (Cicadellidae) Synonym(s): *Melicharidia Dworakowska,1970*
- 2610. Hauptidia (s.str.) Dworakowska,1970** (Cicadellidae) Synonym(s): *Hauptidia Dworakowska,1970*
- 2611. Hauptidia Dworakowska,1970** (Cicadellidae) Synonym(s): *Hauptidia Dworakowska,1970*
- 2612. Hauseria Reitter,1896** (Melyridae) Synonym(s): *Hauseria Reitter,1896*
- 2613. Hebecnema Schnabl,1889** (Muscidae) Synonym(s): *Hebecnema Schnabl,1889*
- 2614. Hecalus Stal,1864** (Cicadellidae) Synonym(s): *Hecalus Stal,1864*
- 2615. Hedqvistina Koçak, Hüseyinoğlu & Kemal,2008** (Pteromalidae) Synonym(s): *Boeria Hedqvist,1969 nec Kirkaldy,1908*; *Hedqvistina Koçak, Hüseyinoğlu & Kemal,2008*
- 2616. Hedycryptus Cameron,1903** (Ichneumonidae) Synonym(s): *Hedycryptus Cameron,1903*; *Apachia Townes,1970 nec Frederickson,1949*
- 2617. Hedyphanes Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *Hedyphanes Fischer von Waldheim,1822*; *#Hediphanes Ferrer & Soldati,1999*
- 2618. Heinrichiola Koçak & Kemal,2009** (Ichneumonidae) Synonym(s): *Heinrichia Treshkin,1996 nec Busck,1939 non Stresem.,1931*; *Heinrichiola Koçak & Kemal,2009*
- 2619. Heinsenia Melichar,1906** (Tropiduchidae) Synonym(s):
- 2620. Helcita Stål,1856** (Derbidae) Synonym(s):
- 2621. Helcostizus Förster,1868** (Ichneumonidae) Synonym(s): *Helcostizus Förster,1868*; *Brachycentrus Taschenberg,1865 nec Curt.,1834*; *Cyrtocryptus Marshall,1872*; *Mesocryptus Thomson,1873*; *Heterocryptus Woldstedt,1873*; *Astermaulax Viereck,1912*; *Chenberghus Navas,1930*
- 2622. Helenolius Van Stalle,1986** (Cixiidae) Synonym(s):
- 2623. Heleomyza Fallén,1810** (Heleomyzidae) Synonym(s): *Heleomyza Fallén,1810*
- 2624. Helicoconis Enderlein,1905** (Coniopterygidae) Synonym(s): *Helicoconis Enderlein,1905*
- 2625. Heligmonevra Bigot,1858** (Asilidae) Synonym(s): *Heligmonevra Bigot,1858*
- 2626. Helina Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Helina Robineau-Desvoidy,1830*
- 2627. Heliococcus Sulc,1912** (Pseudococcidae) Synonym(s): *Heliococcus Sulc,1912*
- 2628. Heliocopriss Hope,1837** (Scarabaeidae) Synonym(s): *Heliocopriss Hope,1837*
- 2629. Heliocorisa Lundblad,1928** (Corixidae) Synonym(s): *Heliocorisa Lundblad,1928*
- 2630. Helionidia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Helionidia Zachvatkin,1946*
- 2631. Heliophilus Meigen,1803** (Syrphidae) Synonym(s): *Heliophilus Meigen,1803*; *Helophilus Leach,1817*; *#Helophilus Meigen,1822*
- 2632. Heliopteryx Uvarov,1914** (Acrididae) Synonym(s): *Heliopteryx Uvarov,1914*
- 2633. Helladia Fairmaire,[1863]** (Cerambycidae) Synonym(s): *Helladia Fairmaire,[1863]*
- 2634. Hellerina Dworakowska,1972** (Raphidophoridae) Synonym(s): *Hellerina Dworakowska,1972*
- 2635. Hellwigiella Szepligeti,1905** (Ichneumonidae) Synonym(s): *Hellwigiella Szepligeti,1905*
- 2636. Helophorus (Orphelophorus) Orchymont,1927** (Helophoridae) Synonym(s): *Orphelophorus Orchymont,1927*
- 2637. Helophorus Fabricius,1775** (Helophoridae) Synonym(s): *Helophorus Fabricius,1775*
- 2638. Helops (Mesohelops) Reitter,1922** (Tenebrionidae) Synonym(s): *Mesohelops Reitter,1922*
- 2639. Helops (s.str.) Fabricius,1775** (Tenebrionidae) Synonym(s): *Helops Fabricius,1775*
- 2640. Helops Fabricius,1775** (Tenebrionidae) Synonym(s): *Helops Fabricius,1775*
- 2641. Hemallia Bergroth,1908** (Pentatomidae) Synonym(s): *Allia Schoutedden,1907 (praeocc.)*; *Hemallia Bergroth,1908*
- 2642. Hemerobius Linnaeus,1758** (Hemerobiidae) Synonym(s): *Hemerobius Linnaeus,1758*
- 2643. Hemianax Selys,1883** (Aeshnidae) Synonym(s): *Hemianax Selys,1883*
- 2644. Hemiberlesia Leonardi,1897** (Diaspididae) Synonym(s): *Hemiberlesia Leonardi,1897*
- 2645. Hemicrepidius Germar,1839** (Elateridae) Synonym(s): *Hemicrepidius Germar,1839*
- 2646. Hemidendroides Ferrari,1869** (Pyrochroidae) Synonym(s): *Hemidendroides Ferrari,1869*
- 2647. Hemiempusa Saussure & Zehntner,1895** (Empusidae) Synonym(s): *Hemiempusa Saussure & Zehntner,1895*
- 2648. Hemipenthes Loew,1869** (Bombyliidae) Synonym(s): *Hemipenthes Loew,1869*; *Isopenthes Osten Sacken,1886*

- 2649. Hemiphile Metcalf,1952** (Issidae) Synonym(s):
2650. Hemiptectoderes Fennah,1950 (Achilidae) Synonym(s):
2651. Hemiptarsenus Westwood,1833 (Eulophidae) Synonym(s): *Hemiptarsenus Westwood,1833*
2652. Hemipterochilus Ferton,1910 (Vespidae) Synonym(s): *Hemipterochilus Ferton,1910*
2653. Hemisobium Schmidt,1911 (Issidae) Synonym(s):
2654. Hemisphaerius Schaum,1850 (Issidae) Synonym(s):
2655. Hemisphaeroides Melichar,1903 (Issidae) Synonym(s):
2656. Hemitonga Schmidt,1911 (Issidae) Synonym(s):
2657. Hemitropis Fieber,1866 (Cixiidae) Synonym(s): *Hemitropis Fieber,1866*
2658. Hendrella Munro,1938 (Tephritidae) Synonym(s): *Hendrella Munro,1938*
2659. Henosepilachna Li & Cook,1961 (Coccinellidae) Synonym(s): *Henosepilachna Li & Cook,1961*
2660. Hephathus Ribaut,1952 (Cicadellidae) Synonym(s): *Hephathus Ribaut,1952*
2661. Heptophylla Motschoulsky,[1858] (Scarabaeidae) Synonym(s): *Heptophylla Motschoulsky,[1858]*
2662. Herbalima Emeljanov,1972 (Delphacidae) Synonym(s):
2663. Hercostomus Loew,1857 (Dolichopodidae) Synonym(s): *Hercostomus Loew,1857; Microhercostomus Stackelberg,1949; Steleopyga Grootaert & Meuffels,2001 nec Fischer,1833*
2664. Heremon Kirkaldy,1903 (Issidae) Synonym(s):
2665. Heriades (Michenerella) Krombein,1950 (Megachilidae) Synonym(s): *Michenerella Krombein,1950*
2666. Heriades (Rhopaloheriades) Griswold & Michener,1997 (Megachilidae) Synonym(s): *Rhopaloheriades Griswold & Michener,1997*
2667. Heriades (s.str.) Spinola,1808 (Megachilidae) Synonym(s): *Heriades Spinola,1808; Herias Oken,1817*
2668. Heriades Spinola,1808 (Megachilidae) Synonym(s): *Heriades Spinola,1808; Herias Oken,1817*
2669. Heringia Rondani,1856 (Syrphidae) Synonym(s): *Heringia Rondani,1856*
2670. Heringomyia Hardy,1968 (Tephritidae) Synonym(s): *Cladotricha M.Hering,1941 nec Gatevskaia,1925; Heringomyia Hardy,1968*
2671. Hermaeophaga Foudras,1860 (Chrysomelidae) Synonym(s): *Hermaeophaga Foudras,1860*
2672. Hermannula Strand,1932 (Therevidae) Synonym(s): *Hermannia Kröber,1912 (praeocc.); Hermannula Strand,1932*
2673. Hermetia Latreille,1804 (Stratiomyidae) Synonym(s): *Hermetia Latreille,1804*
2674. Hermionella Pleske,1925 (Stratiomyidae) Synonym(s): *Hermionella Pleske,1925*
2675. Heronax Kirkaldy,1906 (Derbidae) Synonym(s): *Heronax Kirkaldy,1906; Fenuahala Distant,1907*
2676. Herophila Mulsant,1863 (Cerambycidae) Synonym(s): *Herophila Mulsant,1863; Dorcatypus Thomson,1864*
2677. Herpestomus Wesmael,1845 (Ichneumonidae) Synonym(s): *Herpestomus Wesmael,1845*
2678. Herpis Stål,1862 (Derbidae) Synonym(s):
2679. Hesium Ribaut,1942 (Cicadellidae) Synonym(s): *Hesium Ribaut,1942*
2680. Hespericerus Gnezdilov,1999 (Cicadellidae) Synonym(s): *Hespericerus Gnezdilov,1999*
2681. Hesperocorixa Kirkaldy,1908 (Corixidae) Synonym(s): *Hesperocorixa Kirkaldy,1908*
2682. Hesperophantia Kirkaldy,1904 (Flatidae) Synonym(s):
2683. Hesperophara Kirkaldy,1904 (Issidae) Synonym(s):
2684. Heteracris Walker,1870 (Acrididae) Synonym(s): *Heteracris Walker,1870*
2685. Heteracris Walker,1870 (Acrididae) Synonym(s): *Heteracris Walker,1870; Paraeuprepocnemis Brunner von Wattenwyl,1893; Thisoicetrus Brunner von Wattenwyl,1893; Horaeoceris Saussure,1899; Asmara Bolivar,1914; Bibulus Bolivar,1914; Thisoicetrinus Uvarov,1921; Parathisoicetrus Ramme,1929*
2686. Heteralonia Rondani,1863 (Bombyliidae) Synonym(s): *Heteralonia Rondani,1863*
2687. Heterischnus Wesmael,1859 (Ichneumonidae) Synonym(s): *Heterischnus Wesmael,1859; Rhexidermus Förster,1868; Posocentrus Provancher,1875; Ischnopsidea Viereck,1914; Aethiopsischnus Heinrich,1938*
2688. Heterochaeta Westwood,1843 (Mantidae) Synonym(s): *Heterochaeta Westwood,1843; Stenovates Saussure,1872; Pseudochaeta Kirby,1904*
2689. Heterochaetula Wood-Mason,1889 (Mantidae) Synonym(s): *Heterochaetula Wood-Mason,1889*
2690. Heterocnemis (Celidotella) Reitter,1909 (Scarabaeidae) Synonym(s): *Celidotella Reitter,1909*
2691. Heterocnemis (s.str.) Albers,1852 (Scarabaeidae) Synonym(s): *Heterocnemis Albers,1852*
2692. Heterocnemis Albers,1852 (Scarabaeidae) Synonym(s): *Heterocnemis Albers,1852*
2693. Heterococcopsis Borkhsenius,1948 (Pseudococcidae) Synonym(s): *Heterococcopsis Borkhsenius,1948*
2694. Heterococcus Ferris,1918 (Pseudococcidae) Synonym(s): *Heterococcus Ferris,1918*
2695. Heterogaster Schilling,1829 (Lygaeidae) Synonym(s): *Heterogaster Schilling,1829*

- 2696. Heteromyza Fallén,1820** (Heleomyzidae) Synonym(s): *Heteromyza Fallén,1820*
2697. Heteropogon Loew,1847 (Asilidae) Synonym(s): *Heteropogon Loew,1847*
2698. Heterothionina Lallemand,1942 (Issidae) Synonym(s):
2699. Heterotropus Loew,1873 (Bombyliidae) Synonym(s): *Heterotropus Loew,1873; Malthacotricha Becker,1907*
2700. Hexomyza Enderlein,1936 (Agromyzidae) Synonym(s): *Hexomyza Enderlein,1936*
2701. Hidryta Förster,1868 (Ichneumonidae) Synonym(s): *Hidryta Förster,1868; Brachycryptus Thomson,1873; Euthycryptus Jussel,1907*
2702. Hierodula Burmeister,1838 (Mantidae) Synonym(s): *Hierodula Burmeister,1838; Ephierodula Giglio-Tos,1912; Parhierodula Giglio-Tos,1912; Rhomboderula Giglio-Tos,1912; Zopheromantis Tindale,1924*
2703. Hierodulella Giglio-Tos,1912 (Mantidae) Synonym(s): *Hierodulella Giglio-Tos,1912*
2704. Hikona Matsumura,1935 (Delphacidae) Synonym(s):
2705. Hilara Meigen,1822 (Empididae) Synonym(s): *Hilara Meigen,1822*
2706. Hilavrita Distant,1906 (Flatidae) Synonym(s):
2707. Hilda Kirkaldy,1900 (Tettigometridae) Synonym(s):
2708. Hildadina Bourgoïn,1986 (Tettigometridae) Synonym(s):
2709. Himacerus Wolff,1811 (Nabidae) Synonym(s): *Himacerus Wolff,1811*
2710. Himerta Förster,1868 (Ichneumonidae) Synonym(s): *Himerta Förster,1868; Ithagenes Förster,1868 nec Agass.,1846; Clepsiporthus Förster,1868; Enoecetis Förster,1868; Doliocotomus Förster,1868; Himertus Thomson,1883; Neoprotarchus Cushman,1924; Daisetsuzania Uchida,1930*
2711. Himerta Uvarov,1940 (Tettigoniidae) Synonym(s): *Himerta Brunner,1878 nec Först.,1868; Himertula Uvarov,1940*
2712. Hippodamia (Adonia) Mulsant,1846 (Coccinellidae) Synonym(s): *Adonia Mulsant,1846*
2713. Hippodamia (Asemiadalia) Barovski,1931 (Coccinellidae) Synonym(s): *Asemiadalia Barovski,1931*
2714. Hippodamia (s.str.) Dejean,1833 (Coccinellidae) Synonym(s): *Hippodamia Dejean,1833*
2715. Hippodamia (Semiadalia) Crotch,1874 (Coccinellidae) Synonym(s): *Semiadalia Crotch,1874*
2716. Hippodamia Dejean,1833 (Coccinellidae) Synonym(s): *Hippodamia Dejean,1833*
2717. Hippuriphila Foudras,1860 (Chrysomelidae) Synonym(s): *Hippuriphila Foudras,1860*
2718. Hiracia Walker,1857 (Tropiduchidae) Synonym(s):
2719. Hirticomus Pic,1894 (Anthicidae) Synonym(s): *Hirticomus Pic,1894*
2720. Hister Linnaeus,1758 (Histeridae) Synonym(s): *Hister Linnaeus,1758*
2721. Hladilium Majer,1996 (Melyridae) Synonym(s): *Hladilium Majer,1996*
2722. Hobbya Delucchi,1957 (Pteromalidae) Synonym(s): *Hobbya Delucchi,1957*
2723. Hockeria Laporte,1834 (Chalcididae) Synonym(s): *Hockeria Laporte,1834*
2724. Hofferia Tkalcu,1984 (Megachilidae) Synonym(s): *Hofferia Tkalcu,1984*
2725. Holaptilon Beier,1964 (Mantidae) Synonym(s): *Holaptilon Beier,1964*
2726. Holcostethus Fieber,[1860] (Pentatomidae) Synonym(s): *Holcostethus Fieber,[1860]*
2727. Holochelus (Dasytrogus) Reitter,1902 (Scarabaeidae) Synonym(s): *Dasytrogus Reitter,1902*
2728. Holochelus (Miltotrogus) Reitter,1902 (Scarabaeidae) Synonym(s): *Miltotrogus Reitter,1902*
2729. Holochelus Reitter,1889 (Scarabaeidae) Synonym(s): *Holochelus Reitter,1889*
2730. Holodictya Gerstaecker,1895 (Fulgoridae) Synonym(s):
2731. Holopogon Loew,1847 (Asilidae) Synonym(s): *Holopogon Loew,1847*
2732. Holotrichia Hope,1837 (Scarabaeidae) Synonym(s): *Holotrichia Hope,1837*
2733. Holzfussella Schmidt,1926 (Delphacidae) Synonym(s):
2734. Homalocephala Zetterstedt,1837 (Ulidiidae) Synonym(s): *Homalocephala Zetterstedt,1837*
2735. Homaloplasis Melichar,1906 (Caliscelidae) Synonym(s):
2736. Homalotylus Mayr,1875 (Encyrtidae) Synonym(s): *Homalotylus Mayr,1875*
2737. Homocnemis Costa,1857 (Caliscelidae) Synonym(s):
2738. Homodela Rivalier,1950 (Carabidae) Synonym(s): *Homodela Rivalier,1950*
2739. Homometria Fennah,1952 (Derbidae) Synonym(s):
2740. Homonotus Dahlbom,1845 (Pompilidae) Synonym(s): *Homonotus Dahlbom,1845*
2741. Homoporus Thomson,1878 (Pteromalidae) Synonym(s): *Homoporus Thomson,1878*
2742. Homosura Melichar,1912 (Delphacidae) Synonym(s):
2743. Hooleya? Cockerell,1922 (Achilidae) Synonym(s):
2744. Hoplitis (Alcidamea) Cresson,1864 (Megachilidae) Synonym(s): *Alcidamea Cresson,1864; Andronicus Cresson,1864; Monumetha Cresson,1864; Acanthosmia Thomson,1972; Liosmia Thomson,1972; Tridentosmia Schmiedeknecht,1886; Megalosmia Schmiedeknecht,1886; Robertsonella Titus,1904; Autochelostoma Sladen,1916; Chlorosmia Sladen,1916; Glossosmia Michener,1943; Cyrtosmia Michener,1947; Dasyosmia Michener,1947*
2745. Hoplitis (Annosmia) Warncke,1991 (Megachilidae) Synonym(s): *Annosmia Warncke,1991*
2746. Hoplitis (Anthocopa) Lepeletier & Serville,1825 (Megachilidae) Synonym(s): *Anthocopa Lepeletier & Serville,1825*

2747. **Hoplitis (Bytinskia) Mavromoustakis,1954** (Megachilidae) Synonym(s): *Bytinskia Mavromoustakis,1954*
2748. **Hoplitis (Chlidoplitis) Griswold,1997** (Megachilidae) Synonym(s): *Chlidoplitis Griswold,1997*
2749. **Hoplitis (Coloplitis) Griswold,1997** (Megachilidae) Synonym(s): *Coloplitis Griswold,1997*
2750. **Hoplitis (Euryparella) Tkalcu,1995** (Megachilidae) Synonym(s): *Euryparella Tkalcu,1995*
2751. **Hoplitis (Formicapis) Sladen,1916** (Megachilidae) Synonym(s): *Formicapis Sladen,1916*
2752. **Hoplitis (Jaxartinula) Popov,1963** (Megachilidae) Synonym(s): *Jaxartinula Popov,1963*
2753. **Hoplitis (Kumobia) Popov,1962** (Megachilidae) Synonym(s): *Kumobia Popov,1962*
2754. **Hoplitis (Megahoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Megahoplitis Tkalcu,1993*
2755. **Hoplitis (Megalosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Megalosmia Schmiedeknecht,[1885]*
2756. **Hoplitis (Micreriades) Mavromoustakis,1958** (Megachilidae) Synonym(s): *Micreriades Mavromoustakis,1958*
2757. **Hoplitis (Monumetha) Cresson,1862** (Megachilidae) Synonym(s): *Monumetha Cresson,1862*
2758. **Hoplitis (Pentadentosmia) Warncke,1991** (Megachilidae) Synonym(s): *Pentadentosmia Warncke,1991*
2759. **Hoplitis (Platosmia) Warncke,1990** (Megachilidae) Synonym(s): *Platosmia Warncke,1990*
2760. **Hoplitis (Prionohoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Prionohoplitis Tkalcu,1993*
2761. **Hoplitis (s.str.) Klug,1807** (Megachilidae) Synonym(s): *Hoplitis Klug,1807*
2762. **Hoplitis (Stenosmia) Michener,1941** (Megachilidae) Synonym(s): *Stenosmia Michener,1941*
2763. **Hoplitis (Tkalcu) Koçak & Kemal,2010** (Megachilidae) Synonym(s): *Microhoplitis Tkalcu,1993 nec Marumo,1920; Tkalcu Koçak & Kemal,2010*
2764. **Hoplitis Klug,1807** (Megachilidae) Synonym(s): *Hoplitis Klug,1807*
2765. **Hoplobasis (Eurasicesa) Koçak & Kemal,2009** (Limoniidae) Synonym(s): *Lunaria Sauchenko,1982 (praeocc.); Eurasicesa Koçak & Kemal,2009; Novolunaria Özdikmen,2010*
2766. **Hoplobasis (s.str.) Osten Sacken,1869** (Limoniidae) Synonym(s): *Hoplobasis Osten Sacken,1869*
2767. **Hoplobasis Osten Sacken,1869** (Limoniidae) Synonym(s): *Hoplobasis Osten Sacken,1869*
2768. **Hoploopsis Stefani,1889** (Encyrtidae) Synonym(s): *Hoploopsis Stefani,1889*
2769. **Hoplosathe Lyneborg & Zaitzev,1980** (Therevidae) Synonym(s): *Hoplosathe Lyneborg & Zaitzev,1980*
2770. **Hoplosternus Agassiz,1846** (Scarabaeidae) Synonym(s): *Hoplosternus Agassiz,1846*
2771. **Hoploxys Dallas,1851** (Pentatomidae) Synonym(s): *Hoploxys Dallas,1851*
2772. **Horatosphaga Schaum,1853** (Tettigoniidae) Synonym(s): *Horatosphaga Schaum,1853; Plegmatoptera Karsch,1889; Pantolepta Karsch,1889; Pachypyga Karsch,1893; Euthyphlebia Schulthess,1898; Thaumatoxenia Kirby,1909; Keniacola Sjöstedt,1912; Schulthessinia Sjöstedt,1912; Pachypygiana Strand,1921; Eupantolepta Bolivar,1922; Plegmatia Uvarov,1940*
2773. **Horcomana Asche,1988** (Delphacidae) Synonym(s):
2774. **Horcomotes Fennah,1969** (Achilidae) Synonym(s):
2775. **Horvathianella Anufriev,1980** (Delphacidae) Synonym(s): *Horvathianella Anufriev,1980*
2776. **Hosunka Matsumura,1935** (Delphacidae) Synonym(s):
2777. **Hovademus Ardoin,1970** (Tenebrionidae) Synonym(s): *Hovademus Ardoin,1970*
2778. **Huechys Amyot & Serville,1843** (Cicadidae) Synonym(s): *Huechys Amyot & Serville,1843*
2779. **Humgar Medler,2000** (Flatidae) Synonym(s): *Humgar Medler,2000*
2780. **Huseyinia Koçak & Kemal,2008** (Braconidae) Synonym(s): *Fischeriella Zettel,1990 nec Conti Monari & Pallini,1986; Huseyinia Koçak & Kemal,2008*
2781. **Huttia Myers,1924** (Cixiidae) Synonym(s):
2782. **Hyalesthes Signoret,1865** (Cixiidae) Synonym(s): *Hyalesthes Signoret,1865; Liorhinus Kirschbaum,1868; Pseudhyalesthes Kusnezov,1935*
2783. **Hyalochiton Horvath,1905** (Tingidae) Synonym(s): *Hyalochiton Horvath,1905; #Hyalochiton Onder et al.,2006*
2784. **Hyalodictyon Fennah,1944** (Dictyopharidae) Synonym(s):
2785. **Hybometopia Ganglbauer,1889** (Cerambycidae) Synonym(s): *Hybometopia Ganglbauer,1889*
2786. **Hybomitra Enderlein,1922** (Tabanidae) Synonym(s): *Hybomitra Enderlein,1922; Sipala Enderlein,1923; Mouchaemyia Olsuffev,1972*
2787. **Hybos Meigen,1803** (Hybotidae) Synonym(s): *Hybos Meigen,1803*
2788. **Hybosorus Macleay,1819** (Scarabaeidae) Synonym(s): *Hybosorus Macleay,1819*
2789. **Hybovalgus Kolbe,1904** (Scarabaeidae) Synonym(s): *Hybovalgus Kolbe,1904*
2790. **Hycleus Latreille,1817** (Meloidae) Synonym(s): *Coryna Billberg,1813 nec Wolff,1811 non Bosc.,1802; Hycleus Latreille,1817; Dices Dejean,1821; Decatoma Dejean,1821 (praeocc.); Decapotoma Voigts,1902; Gorrizia Pardo Alcaide,1954*
2791. **Hydaticus (Guignotites) Brinck,1944** (Dytiscidae) Synonym(s): *Isonotus Houlbert,1934 (praeocc.); Guignotites Brinck,1944*

- 2792. Hydaticus Leach,1817** (Dytiscidae) Synonym(s): *Hydaticus Leach,1817*
- 2793. Hydrellia Robineau-Desvoidy,1830** (Ephydriidae) Synonym(s): *Hydrellia Robineau-Desvoidy,1830*
- 2794. Hydriena Melichar,1912** (Dictyopharidae) Synonym(s):
- 2795. Hydrobius Leach,1817** (Hydrophilidae) Synonym(s): *Hydrobius Leach,1817*
- 2796. Hydrochara Berthold,1827** (Hydrophilidae) Synonym(s): *Hydrochara Berthold,1827*
- 2797. Hydrochus Leach,1817** (Hydrochidae) Synonym(s): *Hydrochus Leach,1817*; #*Hydrochus Provancher,1877*; #*Hydrochous Bedel,1881*; *Kiransus Makhan,1994*; *Amrishiush Makhan,1998*; *Deepakius Makhan,1998*; *Rishwanius Makhan,1998*
- 2798. Hydroglyphus Motschoulsky,1853** (Dytiscidae) Synonym(s): *Hydroglyphus Motschoulsky,1853*
- 2799. Hydromya Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Hydromya Robineau-Desvoidy,1830*
- 2800. Hydrophilus Müller,1764** (Hydrophilidae) Synonym(s): *Hydrophilus Müller,1764*
- 2801. Hydrophorus Fallén,1823** (Dolichopodidae) Synonym(s): *Hydrophorus Fallén,1823*
- 2802. Hydroporus Clairville,1806** (Dytiscidae) Synonym(s): *Hydroporus Clairville,1806*
- 2803. Hydrotaea Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Hydrotaea Robineau-Desvoidy,1830*
- 2804. Hydrovatus Motschoulsky,1853** (Dytiscidae) Synonym(s): *Hydrovatus Motschoulsky,1853*
- 2805. Hygrobia Latreille,1817** (Hygrobiiidae) Synonym(s): *Hygriobia Latreille,1804*; *Hygrobia Latreille,1817*
- 2806. Hygrotus (Coelambus) Thomson,1860** (Dytiscidae) Synonym(s): *Coelambus Thomson,1860*
- 2807. Hygrotus Stephens,1828** (Dytiscidae) Synonym(s): *Hygrotus Stephens,1828*
- 2808. Hyledelphax Vilbaste,1968** (Delphacidae) Synonym(s):
- 2809. Hymenalia Mulsant,1856** (Tenebrionidae) Synonym(s): *Hymenalia Mulsant,1856*
- 2810. Hypaepa Stål,1862** (Fulgoridae) Synonym(s):
- 2811. Hypebaeus Kiesenwetter,1863** (Melyridae) Synonym(s): *Hypebaeus Kiesenwetter,1863*
- 2812. Hypera Germar,1817** (Curculionidae) Synonym(s): *Hypera Germar,1817*; *Phytonomus Schoenherr,1823*
- 2813. Hyperaspis Dejean,1833** (Coccinellidae) Synonym(s): *Hyperaspis Dejean,1833*
- 2814. Hyphancylus Fowler,1904** (Flatidae) Synonym(s):
- 2815. Hypnoidus Dillwyn,1829** (Elateridae) Synonym(s): *Hypnoidus Dillwyn,1829*
- 2816. Hypocaccus (s.str.) Thomson,1867** (Histeridae) Synonym(s): *Hypocaccus Thomson,1867*
- 2817. Hypocaccus Thomson,1867** (Histeridae) Synonym(s): *Hypocaccus Thomson,1867*
- 2818. Hypocassida Weise,1893** (Chrysomelidae) Synonym(s): *Hypocassida Weise,1893*
- 2819. Hypochrysa Hagen,1866** (Chrysopidae) Synonym(s): *Hypochrysa Hagen,1866*
- 2820. Hypoganus Kiesenwetter,1863** (Elateridae) Synonym(s): *Hypoganus Kiesenwetter,1863*
- 2821. Hypolixus Desbrochers,1898** (Curculionidae) Synonym(s): *Hypolixus Desbrochers,1898*
- 2822. Hyposoter Förster,1868** (Ichneumonidae) Synonym(s): *Hyposoter Förster,1868*; *Rhythmonotus Förster,1868*; *Ischnoscopus Förster,1868*; *Amelocnotus Förster,1868*; *Ebiicha Seyrig,1936*; *Neozachresta Havrylenko & Winterhalter,1949*; *Neoarthula Rao,1953*
- 2823. Hyspicera Latreille,1829** (Ichneumonidae) Synonym(s): *Hyspicera Latreille,1829*; *Metacoelus Förster,1868*; *Polyclistus Förster,1868*; *Plesioexochus Cameron,1905*
- 2824. Hyspicorypha Krauss,1892** (Empusidae) Synonym(s):
- 2825. Hyssopus Girault,1916** (Eulophidae) Synonym(s): *Hyssopus Girault,1916*; *Hyssopiscus Ghesquière,1946*
- 2826. Hysterodius Dlabola,1980** (Issidae) Synonym(s):
- 2827. Hysteropterissus Melichar,1906** (Issidae) Synonym(s):
- 2828. Hysteropterum Amyot & Audinet-Serville,1943** (Issidae) Synonym(s): *Hysteropterum Amyot & Audinet-Serville,1943*
- 2829. Hysterosphaerius Melichar,1906** (Issidae) Synonym(s):
- 2830. Iassus Fabricius,1803** (Cicadellidae) Synonym(s): *Iassus Fabricius,1803*; *Bythoscopus Germar,1833*
- 2831. Ibalia Latreille,1802** (Ibaliidae) Synonym(s): *Ibalia Latreille,1802*
- 2832. Iberodorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Iberodorcadion Breuning,1942*
- 2833. Iberotelus Lyneborg,1989** (Therevidae) Synonym(s): *Iberotelus Lyneborg,1989*
- 2834. Icerya Signoret,1875** (Margarodidae) Synonym(s): *Icerya Signoret,1875*
- 2835. Ichneumon Linnaeus,1758** (Ichneumonidae) Synonym(s): *Ichneumon Linnaeus,1758*; *Brachypterus Gravenhorst,1829*; *Pterocormus Förster,1850*; *Colobacis Cameron,1900*; *Tyanites Cameron,1903*; *Vabsaris Cameron,1903*; *Euichneumon Berthoumieu,1904*; *Matsumuraius Ashmead,1906*; *Coreojoppa Uchida,1926*; *Bureschias Heinrich,1936*; *Thyrateles Perkins,1953*
- 2836. Iconella Mason,1981** (Braconidae) Synonym(s): *Iconella Mason,1981*
- 2837. Icosium Lucas,1854** (Cerambycidae) Synonym(s): *Icosium Lucas,1854*
- 2838. Idastrandella Strand,1929** (Tenebrionidae) Synonym(s): *Idastrandella Strand,1929*

- 2839. Idiocera Dale,1842** (Limoniidae) Synonym(s): *Idiocera Dale,1842*; *Ptilostena Bergroth,1913*; *Pseudogonomyia Santos Abreu,1923*; #*Idioptera Parvu & Popescu-Mirceni,2005*
- 2840. Idiocerinus Baker,1915** (Cicadellidae) Synonym(s): *Idiocerinus Baker,1915*
- 2841. Idiocerus Lewis,1834** (Cicadellidae) Synonym(s): *Idiocerus Lewis,1834*; *Liocratus Dubovsky,1966*
- 2842. Idiodonus Ball,1936** (Cicadellidae) Synonym(s): *Idiodonus Ball,1936*; *Orolix Ribaut,1942*
- 2843. Idiolispa Förster,1868** (Ichneumonidae) Synonym(s): *Idiolispa Förster,1868*; *Liocryptus Thomson,1873*; *Paracryptus Szepliget,1916*
- 2844. Idiomacromerus Crawford,1914** (Torymidae) Synonym(s): *Idiomacromerus Crawford,1914*; #*Idiomacromarus Fallahzadeh et al.,2009*
- 2845. Idiomyctus Williams,1981** (Tropiduchidae) Synonym(s):
- 2846. Idiosemus Berg,1883** (Delphacidae) Synonym(s):
- 2847. Idiosystatus Berg,1883** (Delphacidae) Synonym(s):
- 2848. Idiovalgus Arrow,1910** (Scarabaeidae) Synonym(s): *Idiovalgus Arrow,1910*
- 2849. Idolomantis Uvarov,1940** (Empusidae) Synonym(s): *Idolum Saussure,1869 nec Pff.,1856*; *Idolomantis Uvarov,1940*
- 2850. Idolomorpha Burmeister,1838** (Empusidae) Synonym(s): *Idolomorpha Burmeister,1838*
- 2851. Idolus Desbrochers,1875** (Elateridae) Synonym(s): *Idolus Desbrochers,1875*
- 2852. Idotarmonides Agajev,1985** (Elateridae) Synonym(s): *Idotarmonides Agajev,1985*
- 2853. Idricerus McLachan,1873** (Ascalaphidae) Synonym(s): *Idricerus McLachan,1873*; #*Indicerus Ghosh,1988*
- 2854. Idume Stål,1866** (Flatidae) Synonym(s):
- 2855. Igava Melichar,1912** (Dictyopharidae) Synonym(s):
- 2856. Ijagar Medler,2000** (Flatidae) Synonym(s): *Ijagar Medler,2000*
- 2857. Ikonza Hesse,1925** (Issidae) Synonym(s):
- 2858. Ilburnia White,1878** (Delphacidae) Synonym(s):
- 2859. Ilesia Fennah,1942** (Flatidae) Synonym(s):
- 2860. Ilisia Rondani,1856** (Limoniidae) Synonym(s): *Ilisia Rondani,1856*; #*Elisia Bigot,1857*
- 2861. Illidops Mason,1981** (Braconidae) Synonym(s): *Illidops Mason,1981*
- 2862. Ilva Stål,1866** (Achilidae) Synonym(s):
- 2863. Ilybius Erichson,1832** (Dytiscidae) Synonym(s): *Ilybius Erichson,1832*; *Ilyobius Agassiz,1846*
- 2864. Ilyocoris Stal,1861** (Naucoridae) Synonym(s): *Ilyocoris Stal,1861*
- 2865. Imbecilla Dworakowska,1970** (Cicadellidae) Synonym(s): *Imbecilla Dworakowska,1970*
- 2866. Indagnia Emeljanov,2008** (Dictyopharidae) Synonym(s): *Indagnia Emeljanov,2008*
- 2867. Indogaetulia Schmidt,1919** (Nogodinidae) Synonym(s):
- 2868. Indolipa Emeljanov,2001** (Cixiidae) Synonym(s):
- 2869. Indonesicesa Koçak & Kemal,2009** (Neriidae) Synonym(s): *Rhoptrum Enderlein,1922 nec Schrammen,1910*; *Indonesicesa Koçak & Kemal,2009*
- 2870. Indorupex Fennah,1965** (Achilidae) Synonym(s):
- 2871. Indothespis Werner,1935** (Mantidae) Synonym(s): *Indothespis Werner,1935*
- 2872. Indrival Fennah,1978** (Dictyopharidae) Synonym(s):
- 2873. Ingoma Fennah,1954** (Issidae) Synonym(s):
- 2874. Inkewana Hesse,1925** (Tropiduchidae) Synonym(s):
- 2875. Innobindus Jacobi,1928** (Cixiidae) Synonym(s):
- 2876. Inocellia (Fibla) Navas,1915** (Inocellidae) Synonym(s):
- 2877. Inocellia (Parainocellia) H.Aspöck & U.Aspöck,1968** (Inocellidae) Synonym(s): *Parainocellia H.Aspöck & U.Aspöck,1968*
- 2878. Inocellia (Reisserella) Aspöck & Aspöck,1971** (Inocellidae) Synonym(s):
- 2879. Inocellia (s.str.) Schneider,1843** (Inocellidae) Synonym(s): *Inocellia Schneider,1843*
- 2880. Inocellia Schneider,1843** (Inocellidae) Synonym(s): *Inocellia Schneider,1843*
- 2881. Insulume Medler,1999** (Flatidae) Synonym(s):
- 2882. Intandela Hesse,1925** (Dictyopharidae) Synonym(s):
- 2883. Interamma Walker,1870** (Derbidae) Synonym(s):
- 2884. Iolanira Kirkaldy,1902** (Cixiidae) Synonym(s):
- 2885. Iphicara Emeljanov,1978** (Dictyopharidae) Synonym(s):
- 2886. Iphthimulus Reitter,1920** (Tenebrionidae) Synonym(s): *Iphthimulus Reitter,1920*
- 2887. Ipsemysidia Broomfield,1985** (Derbidae) Synonym(s):
- 2888. Ipsnola Signoret,1885** (Derbidae) Synonym(s):
- 2889. Iranoidricerus Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): *Iranoidricerus Abraham & Meszaros,2002*
- 2890. Iranoleon Hölzel,1968** (Myrmeleonidae) Synonym(s): *Iranoleon Hölzel,1968*
- 2891. Iranopogon Timon-David,1955** (Asilidae) Synonym(s): *Iranopogon Timon-David,1955*
- 2892. Irianjaya Koçak & Kemal,2009** (Asilidae) Synonym(s): *Amphiscolops Hull,1962 nec Graff,1905*; *Irianjaya Koçak & Kemal,2009*

- 2893. Iris Saussure,1869** (Irididae) Synonym(s): *Iris Saussure,1869*
2894. Irwiniella Lyneborg,1976 (Therevidae) Synonym(s): *Irwiniella Lyneborg,1976*
2895. Ischnodes Germar,1844 (Elateridae) Synonym(s): *Ischnodes Germar,1844*
2896. Ischnogasteroides Magretti,1884 (Vespidae) Synonym(s): *Ischnogasteroides Magretti,1884*
2897. Ischnomantis Stal,1871 (Mantidae) Synonym(s): *Ischnomantis Stal,1871*
2898. Ischnomera Stephens,1832 (Oedemeridae) Synonym(s): *Ischnomera Stephens,1832*
2899. Ischnura Charpentier,1840 (Coenagrionidae) Synonym(s): *Ischnura Charpentier,1840*
2900. Ischnus Gravenhorst,1829 (Ichneumonidae) Synonym(s): *Ischnus Gravenhorst,1829*;
Habrocryptus Thomson,1873; *Aglaocryptus Cameron,1903*; *Erythrocryptus Cameron,1905*
2901. Ischyronota Weise,1891 (Chrysomelidae) Synonym(s): *Ischyronota Weise,1891*
2902. Isidus Mulsant & Rey,1874 (Elateridae) Synonym(s): *Isidus Mulsant & Rey,1874*
2903. Islamocantharis (s.str.) Wittmer & Magis,1978 (Cantharidae) Synonym(s):
Islamocantharis Wittmer & Magis,1978
2904. Islamocantharis (Unicantharis) Svihla,1999 (Cantharidae) Synonym(s): *Unicantharis Svihla,1999*
2905. Islamocantharis Wittmer & Magis,1978 (Cantharidae) Synonym(s): *Islamocantharis Wittmer & Magis,1978*
2906. Isobium Melichar,1906 (Issidae) Synonym(s):
2907. Isocolus Förster,1869 (Cynipidae) Synonym(s): *Isocolus Förster,1869*
2908. Isodaemon Fennah,1969 (Achilidae) Synonym(s):
2909. Isodromus Howard,1887 (Encyrtidae) Synonym(s): *Isodromus Howard,1887*
2910. Isogaetis Fennah,1969 (Delphacidae) Synonym(s):
2911. Isolabella Verhoeff,1902 (Spongiphoridae) Synonym(s): *Isolabella Verhoeff,1902*
2912. Isolaboides Hincks,1958 (Spongiphoridae) Synonym(s): *Isolaboides Hincks,1958*
2913. Isoleon Esben-Petersen,1930 (Myrmeleonidae) Synonym(s): *Isoleon Esben-Petersen,1930*
2914. Isoperla Banks,1906 (Perlodidae) Synonym(s): *Isoperla Banks,1906*; *Suzukia Okamoto,1912*;
Megahelus Klapalek,1923; *Perliphanes Banks,1947*; *Occiperla Banks,1947*; *Nanoperla Banks,1947*; *Walshiola Banks,1947*; *Perliola Banks,1947*
2915. Isophya Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *Isophya Brunner von Wattenwyl,1878*; *Jaquetia Saussure,1898*
2916. Isotomus Mulsant,1863 (Cerambycidae) Synonym(s): *Isotomus Mulsant,1863*
2917. Isporissella Baker,1927 (Tropiduchidae) Synonym(s):
2918. Issarius Metcalf,1950 (Issidae) Synonym(s):
2919. Issella Metcalf,1952 (Issidae) Synonym(s):
2920. Issidius Puton,1898 (Achilidae) Synonym(s):
2921. Issomimus Jacobi,1910 (Dictyopharidae) Synonym(s):
2922. Issus Fabricius,1803 (Issidae) Synonym(s): *Issus Fabricius,1803*
2923. Italochrysa Principi,1946 (Chrysopidae) Synonym(s): *Italochrysa Principi,1946*
2924. Itatiayana Metcalf,1952 (Caliscelidae) Synonym(s):
2925. Iteomyia Kieffer,1913 (Cecidomyiidae) Synonym(s): *Iteomyia Kieffer,1913*
2926. Ithma Fennah,1969 (Cixiidae) Synonym(s):
2927. Itokiia Sjöstedt,1901 (Tettigoniidae) Synonym(s): *Itokiia Sjöstedt,1901*
2928. Itoplectis Förster,1868 (Ichneumonidae) Synonym(s): *Itoplectis Förster,1868*; *Nesopimpla Ashmead,1906*; *Exeristesoides Uchida,1928*
2929. Ityraea Stål,1866 (Flatidae) Synonym(s):
2930. Itzalana Distant,1905 (Fulgoridae) Synonym(s):
2931. Iubsoda Nast,1975 (Delphacidae) Synonym(s): *Iubsoda Nast,1975*
2932. Ivensia Bolivar,1890 (Tettigoniidae) Synonym(s): *Ivensia Bolivar,1890*
2933. Jaapiella Rübsaamen,[1916] (Cecidomyiidae) Synonym(s): *Jaapiella Rübsaamen,[1916]*
2934. Jagannata Distant,1906 (Issidae) Synonym(s):
2935. Jalla Hahn,1832 (Pentatomidae) Synonym(s): *Jalla Hahn,1832*
2936. Jalloides Schouteden,1907 (Pentatomidae) Synonym(s): *Jalloides Schouteden,1907*
2937. Jamaica Koçak & Kemal,2008 (Tettigoniidae) Synonym(s): *Nesocnemis Beier,1954 nec Selys,1891*; *Jamaica Koçak & Kemal,2008*; *Nesokatoikos Braun & Maehr,2008*
2938. Jamaicastes Kirkaldy,1900 (Fulgoridae) Synonym(s):
2939. Jamella Kirkaldy,1906 (Flatidae) Synonym(s):
2940. Janetia Kieffer,1896 (Cecidomyiidae) Synonym(s): *Janetia Kieffer,1896*
2941. Janetiella Kieffer,1898 (Cecidomyiidae) Synonym(s): *Janetiella Kieffer,1898*
2942. Janssensia Lallemand,1950 (Ricanidae) Synonym(s):
2943. Jantaritambia Szwedó,2000 (Tropiduchidae) Synonym(s): *Jantaritambia Szwedó,2000*
2944. Japanagromyza Sasakawa,1958 (Agromyzidae) Synonym(s): *Japanagromyza Sasakawa,1958*
2945. Japetus Stål,1863 (Fulgoridae) Synonym(s):
2946. Japygophana Carl,1921 (Tettigoniidae) Synonym(s): *Japygophana Carl,1921*

2947. **Jarawasia Koçak & Kemal,2008** (Gryllidae) Synonym(s): *Chopardia Bhowmik,1969 nec Surcouf,1919; Jarawasia Koçak & Kemal,2008*
2948. **Jassargus Zachvatkin,1933** (Cicadellidae) Synonym(s): *Jassargus Zachvatkin,1933; Lausulus Ribaut,1946; Arailus Ribaut,1952; Aurkius Ribaut,1952; Sayetus Ribaut,1952*
2949. **Jassidaeus Fieber,1866** (Delphacidae) Synonym(s): *Jassidaeus Fieber,1866*
2950. **Javesella Fennah,1963** (Delphacidae) Synonym(s): *Javesella Fennah,1963; Weidneriella Wagner,1963; Haffnerianella Wagner,1966*
2951. **Johannesburgia Distant,1907** (Issidae) Synonym(s):
2952. **Joostiella Vaillant,1983** (Psychodidae) Synonym(s): *Joostiella Vaillant,1983*
2953. **Josandrea Navas,1910** (Nemopteridae) Synonym(s): *Josandrea Navas,1910*
2954. **Jothopogon Becker,1913** (Asilidae) Synonym(s): *Jothopogon Becker,1913*
2955. **Juba Jacobi,1901** (Flatidae) Synonym(s):
2956. **Jubrinia Linnavuori,1962** (Cicadellidae) Synonym(s): *Jubrinia Linnavuori,1962*
2957. **Jucancistrocerus Blüthgen,1938** (Vespidae) Synonym(s): *Jucancistrocerus Blüthgen,1938*
2958. **Jugodina Schumacher,1915** (Delphacidae) Synonym(s):
2959. **Jugurtia Saussure,1854** (Vespidae) Synonym(s): *Jugurtia Saussure,1854; #Jugurthia André,1886; #Jujurtha Ashmead,1902; Ceramiellus Schulthess,1922*
2960. **Julodella Semenov,1893** (Buprestidae) Synonym(s): *Julodella Semenov,1893*
2961. **Julodis Solier,1833** (Buprestidae) Synonym(s): *Julodis Solier,1833*
2962. **Juniperthia O'Brien,1985** (Achilidae) Synonym(s): *Juniperia O'Brien,1971 nec Dlab.,1965; Juniperthia O'Brien,1985*
2963. **Junodia Schulthess & Rechberg,1899** (Hymenopodidae) Synonym(s): *Junodia Schulthess & Rechberg,1899; Eoxypilus Giglio-Tos,1915*
2964. **Kaha Kirkaldy,1906** (Derbidae) Synonym(s): *Kaha Kirkaldy,1906; Devadanda Distant,1906*
2965. **Kakuna Matsumura,1935** (Delphacidae) Synonym(s):
2966. **Kalidasa Kirkaldy,1900** (Fulgoridae) Synonym(s):
2967. **Kallitambinia Muir,1931** (Tropiduchidae) Synonym(s):
2968. **Kallitaxila Kirkaldy,1901** (Tropiduchidae) Synonym(s):
2969. **Kamendaka Distant,1906** (Derbidae) Synonym(s):
2970. **Kampulokara Muir,1913** (Derbidae) Synonym(s):
2971. **Kardopocephalus Metcalf,1938** (Achilidae) Synonym(s):
2972. **Karebodopoides? Szwed,2001** (Cixiidae) Synonym(s):
2973. **Karna Distant,1906** (Tropiduchidae) Synonym(s):
2974. **Karrama Medler,1988** (Flatidae) Synonym(s):
2975. **Karshomyia Felt,1908** (Cecidomyiidae) Synonym(s): *Karshomyia Felt,1908; Lobodiplosis Felt,1908; Metadiplosis Felt,1908; Plesiobremia Kieffer,1912; Tristephanus Kieffer,1913 nec Brandt,1835*
2976. **Kartalia Koçak,1981** (Delphacidae) Synonym(s): *Zuleika Distant,1912 (praeocc.); Kartalia Koçak,1981*
2977. **Katamenes Meade-Waldo,1910** (Vespidae) Synonym(s): *Katamenes Meade-Waldo,1910*
2978. **Katbergella Fennah,1950** (Achilidae) Synonym(s):
2979. **Katonella Schmidt,1911** (Issidae) Synonym(s):
2980. **Kawanda Fennah,1950** (Achilidae) Synonym(s):
2981. **Kawandella Synave,1959** (Achilidae) Synonym(s):
2982. **Kayania Distant,1910** (Flatidae) Synonym(s):
2983. **Kazachicesa Koçak & Kemal,2010** (Delphacidae) Synonym(s): *Dichromina Mitjaev,1971 nec Casey,1915; Kazachicesa Koçak & Kemal,2010*
2984. **Kazachtanicus Dlabola,1961** (Cicadellidae) Synonym(s): *Kazachtanicus Dlabola,1961*
2985. **Kazerunia Dlabola,1974** (Flatidae) Synonym(s):
2986. **Keiserana Synave,1966** (Ricaniidae) Synonym(s):
2987. **Kelisia Fieber,1866** (Delphacidae) Synonym(s): *Kelisia Fieber,1866*
2988. **Kemalia Koçak,2009** (Ichneumonidae) Synonym(s): *Apocryptus Uchida,1932 nec Chevr.,1841; Kemalia Koçak,2009*
2989. **Kempiana Muir,1922** (Achilidae) Synonym(s):
2990. **Kermes Latreille,1798** (Kermesidae) Synonym(s): *Kermes Latreille,1798*
2991. **Kervillea Bergevin,[1918]** (Issidae) Synonym(s): *Kervillea Bergevin,[1918]*
2992. **Ketumala Distant,1906** (Flatidae) Synonym(s):
2993. **Kevaniella Chopard,1954** (Tettigoniidae) Synonym(s): *Kevaniella Chopard,1954*
2994. **Kibofascius Van Stalle,1986** (Cixiidae) Synonym(s):
2995. **Kinnacana Remane,1985** (Kinnaridae) Synonym(s):
2996. **Kinnara Distant,1906** (Kinnaridae) Synonym(s):
2997. **Kinnoccia Remane,1985** (Kinnaridae) Synonym(s):
2998. **Kiomonia Schmidt,1911** (Issidae) Synonym(s): *Kiomonia Schmidt,1911*
2999. **Kiomonia Schmidt,1911** (Nogodinidae) Synonym(s):

- 3000. Kirbyana Distant,1906** (Cixiidae) Synonym(s):
3001. Kirongoziella Schmidt,1924 (Tropiduchidae) Synonym(s):
3002. Kishinouyeum Ouchi,1938 (Mantidae) Synonym(s): *Kishinouyeum Ouchi,1938*; #*Kishinouyea Ouchi,1938*
3003. Klapperichicen Dlabola,1957 (Cicadidae) Synonym(s): *Klapperichicen Dlabola,1957*;
#*Klapperichien Lodos & Kalkandelen,1981*
3004. Knemodynerus Blüthgen,1940 (Vespididae) Synonym(s): *Knemodynerus Blüthgen,1940*
3005. Knutsonia Meigen,1838 (Sciomyzidae) Synonym(s): *Knutsonia Meigen,1838*
3006. Kodaiana Distant,1916 (Issidae) Synonym(s): *Kodaiana Distant,1916*
3007. Kokujewia Konow,1902 (Argidae) Synonym(s): *Kokujewia Konow,1902*
3008. Koloptera Metcalf,1938 (Achilidae) Synonym(s):
3009. Kormus Fieber,1866 (Delphacidae) Synonym(s):
3010. Korneyevia Koçak & Kemal,2009 (Pyrgotidae) Synonym(s): *Nicholsonia Malloch,1929 nec Tutt,1902 non Davis,1885, non Schlueter,1885; Korneyevia Koçak & Kemal,2009*
3011. Koroana Myers,1924 (Cixiidae) Synonym(s):
3012. Koroglus Ünal,2002 (Tettigoniidae) Synonym(s): *Koroglus Ünal,2002*
3013. Korynetes Herbst,1792 (Korynetidae) Synonym(s): *Korynetes Herbst,1792*
3014. Kosalya Distant,1906 (Achilidae) Synonym(s):
3015. Kosswigianella Wagner,1963 (Delphacidae) Synonym(s): *Kosswigianella Wagner,1963*
3016. Krenopelopia Fittkau,1962 (Chironomidae) Synonym(s): *Krenopelopia Fittkau,1962*
3017. Kriechbaumerella Dalla Torre,1897 (Chalcididae) Synonym(s): *Kriechbaumerella Dalla Torre,1897*
3018. Krombeinella Pate,1947 (Mutillidae) Synonym(s): *Krombeinella Pate,1947; Paramyrmosa Suarez,1963 nec Sauss.,1880*
3019. Kropka Dworakowska,1970 (Cicadellidae) Synonym(s): *Kropka Dworakowska,1970*
3020. Kruegeria Schmidt,1911 (Tropiduchidae) Synonym(s):
3021. Ksenoplata Boucek,1965 (Pteromalidae) Synonym(s): *Ksenoplata Boucek,1965*
3022. Kubilaya Koçak & Kemal,2010 (Derbidae) Synonym(s): *Iquitosa Fennah,1945 nec Roewer,1843; Kubilaya Koçak & Kemal,2010*
3023. Kulickamia? Gebicki & Szwedo,2000 (Cixiidae) Synonym(s):
3024. Kumlika Oshanin,1913 (Dictyopharidae) Synonym(s):
3025. Kuranda Distant,1907 (Derbidae) Synonym(s): *Kuranda Distant,1907*
3026. Kurandella Fennah,1950 (Achilidae) Synonym(s):
3027. Kurdia Uvarov,1916 (Tettigoniidae) Synonym(s): *Kurdia Uvarov,1916*
3028. Kusuma Distant,1906 (Tropiduchidae) Synonym(s):
3029. Kuvera Distant,1906 (Cixiidae) Synonym(s):
3030. Kuwanaspis MacGillivray,1921 (Diaspididae) Synonym(s): *Kuwanaspis MacGillivray,1921*
3031. Kyboasca Zachvatkin,1953 (Cicadellidae) Synonym(s): *Kyboasca Zachvatkin,1953*
3032. Kybos Fieber,1866 (Cicadellidae) Synonym(s): *Kybos Fieber,1866; Cybus Douglas,1875*
3033. Labarrus Mulsant & Rey,1870 (Scarabaeidae) Synonym(s): *Labarrus Mulsant & Rey,1870*
3034. Laberia Stål,1866 (Nogodinidae) Synonym(s):
3035. Labia Leach,1815 (Spongiphoridae) Synonym(s): *Labia Leach,1815*
3036. Labidostomis Redtenbacher,1845 (Chrysomelidae) Synonym(s): *Labidostomis Redtenbacher,1845*
3037. Labidura Leach,1815 (Labiduridae) Synonym(s): *Labidura Leach,1815*
3038. Laburris Ribaut,1942 (Cicadellidae) Synonym(s): *Laburris Ribaut,1942; Esolanus Ribaut,1952*
3039. Laccobius (Compsolaccobius) Ganglbauer,1904 (Hydrophilidae) Synonym(s):
Compsolaccobius Ganglbauer,1904; #Composolaccobius İncekara et al.,2003
3040. Laccobius (Dimorpholaccobius) Zaitzev,1938 (Hydrophilidae) Synonym(s):
Dimorpholaccobius Zaitzev,1938
3041. Laccobius (Microlaccobius) Gentili,1972 (Hydrophilidae) Synonym(s): *Microlaccobius Gentili,1972*
3042. Laccobius (s.str.) Erichson,1837 (Hydrophilidae) Synonym(s): *Laccobius Erichson,1837*
3043. Laccobius Erichson,1837 (Hydrophilidae) Synonym(s): *Laccobius Erichson,1837*
3044. Laccocera Van Duzee,1897 (Delphacidae) Synonym(s):
3045. Laccophilus Leach,1817 (Dytiscidae) Synonym(s): *Laccophilus Leach,1817*
3046. Lachnaia Chevrolat,1837 (Chrysomelidae) Synonym(s): *Lachnaia Chevrolat,1837*
3047. Lacon Laporte,1838 (Elateridae) Synonym(s): *Lacon Laporte,1838*
3048. Ladella Stål,1859 (Tropiduchidae) Synonym(s):
3049. Laemostenus (Pristonychus) Dejean,1828 (Carabidae) Synonym(s): *Pristonychus Dejean,1828; Aechmites Schaufuss,1865; Pseudopristonychus Schaufuss,1865; Eutrichomerus Carret,1907; Neomelicharia Schatzmayr,1909; Paralaemostenus Jeannel,1914; Trichotarsus Jedlicka,1962 nec Canestrini,1888 non Krtz.,1897*
3050. Laemostenus (s.str.) Bonelli,1810 (Carabidae) Synonym(s): *Laemostenus Bonelli,1810*

- 3051. Laemostenus Bonelli,1810** (Carabidae) Synonym(s): *Laemostenus Bonelli,1810*
3052. Laena Dejean,1821 (Tenebrionidae) Synonym(s): *Laena Dejean,1821*; #*Leaena Dahl,1823*
3053. Lagoana Melichar,1905 (Dictyopharidae) Synonym(s):
3054. Lagodechia Negrobov & Tsurikov,1996 (Dolichopodidae) Synonym(s): *Lagodechia Negrobov & Tsurikov,1996*
3055. Lalobidius Van Stalle,1985 (Cixiidae) Synonym(s):
3056. Laloides Oldroyd,1972 (Asilidae) Synonym(s): *Anisosis Hermann,1914 (praeocc.)*; *Laloides Oldroyd, 1972*
3057. Lamachus Förster,1868 (Ichneumonidae) Synonym(s): *Lamachus Förster,1868*; *Zaphthora Förster,1868*; *Adexioma Förster,1868*; *Torocampus Schmiedeknecht,1913*; *Bathyglyptus Schmiedeknecht,1913 nec Case,1911*
3058. Lambertonia Lallemand,1950 (Ricaniiidae) Synonym(s):
3059. Lamecosoma Ragge,1960 (Tettigoniidae) Synonym(s): *Lamecosoma Ragge,1960*
3060. Lamellipalpodes Maulik,1921 (Lampyridae) Synonym(s): *Lamellipalpodes Maulik,1921*
3061. Lamellipalpus Maulik,1921 (Lampyridae) Synonym(s): *Lamellipalpus Maulik,1921*
3062. Lamenia Stål,1859 (Derbidae) Synonym(s): *Lamenia Stål,1859*; *Thyrocephalus Kirkaldy,1906*
3063. Lamennaisia Girault,1922 (Encyrtidae) Synonym(s): *Lamennaisia Girault,1922*
3064. Lamia Fabricius,1775 (Cerambycidae) Synonym(s): *Lamia Fabricius,1775*
3065. Laminacutus Abdul-Nour,2001 (Cicadellidae) Synonym(s): *Laminacutus Abdul-Nour,2001*
3066. Laminanthrax Greathead,1967 (Bombyliidae) Synonym(s): *Laminanthrax Greathead,1967*
3067. Lampoterma Graham,1956 (Pteromalidae) Synonym(s): *Lampoterma Graham,1956*
3068. Lamprohiza Motschoulsky,1852 (Lampyridae) Synonym(s): *Phausis LeConte,1851*; *Lamprohiza Motschoulsky,1852*
3069. Lampropterus Mulsant,1863 (Cerambycidae) Synonym(s): *Lampropterus Mulsant,1863*
3070. Lamprotatus Westwood,1833 (Pteromalidae) Synonym(s): *Lamprotatus Westwood,1833*
3071. Lampyris Müller,1764 (Lampyridae) Synonym(s): *Lampyris Müller,1764*
3072. Lampyroidea Costa,1875 (Lampyridae) Synonym(s): *Lampyroidea Costa,1875*
3073. Lanaphora Muir,1915 (Delphacidae) Synonym(s):
3074. Lanelater Arnett,1952 (Elateridae) Synonym(s): *Lanelater Arnett,1952*
3075. Lanuvia Stål,1866 (Achilidae) Synonym(s):
3076. Laodelphax Fennah,1963 (Delphacidae) Synonym(s): *Laodelphax Fennah,1963*; *Callidelphax Wagner,1963*
3077. Laphria Meigen,1803 (Asilidae) Synonym(s): *Laphria Meigen,1803*
3078. Laphystia Loew,1847 (Asilidae) Synonym(s): *Laphystia Loew,1847*
3079. Lappida Amyot & Serville,1843 (Dictyopharidae) Synonym(s):
3080. Lapposmittia Tn.,1939 (Chironomidae) Synonym(s): *Lapposmittia Tn.,1939*
3081. Lapposyrphus Dusek & Laska,1967 (Syrphidae) Synonym(s): *Lapposyrphus Dusek & Laska,1967*
3082. Larinus Dejean,1821 (Curculionidae) Synonym(s): *Larinus Dejean,1821*
3083. Lariophagus Crawford,1909 (Pteromalidae) Synonym(s): *Lariophagus Crawford,1909*
3084. Larsia Fittkau,1962 (Chironomidae) Synonym(s): *Larsia Fittkau,1962*
3085. Lasiacantha Stal,1873 (Tingidae) Synonym(s): *Lasiacantha Stal,1873*
3086. Lasiambia Enderlein,1936 (Chloropidae) Synonym(s): *Lasiambia Enderlein,1936*
3087. Lasiochalcidia Masi,1929 (Chalcididae) Synonym(s): *Lasiochalcidia Masi,1929*
3088. Lasioglossum (Evylaeus) Robertson,1902 (Halictidae) Synonym(s): *Evylaeus Robertson,1902*
3089. Lasioglossum Curtis,1833 (Halictidae) Synonym(s): *Lasioglossum Curtis,1833*
3090. Lasiopa Brullé,1832 (Stratiomyidae) Synonym(s): *Lasiopa Brullé,1832*; *Cyclogaster Macquart,1834*
3091. Lasiopogon Loew,1847 (Asilidae) Synonym(s): *Lasiopogon Loew,1847*; *Alexiopogon Curran,1934*
3092. Lasiopsis (Brahmina) Blanchard,[1851] (Scarabaeidae) Synonym(s): *Brahmina Blanchard,[1851]*
3093. Lasiopsis Erichson,1847 (Scarabaeidae) Synonym(s): *Lasiopsis Erichson,1847*
3094. Lasioptera Meigen,1818 (Cecidomyiidae) Synonym(s): *Lasioptera Meigen,1818*
3095. Lasiorrhynchites Jekel,1860 (Attelabidae) Synonym(s): *Lasiorrhynchites Jekel,1860*
3096. Lasius Fabricius,[1805] (Formicidae) Synonym(s): *Lasius Fabricius,[1805]*
3097. Lasonia Melichar,1903 (Nogodinidae) Synonym(s):
3098. Lasura Medler,1992 (Flatidae) Synonym(s):
3099. Latematium Dlabola,1979 (Issidae) Synonym(s): *Latematium Dlabola,1979*
3100. Laternaria Linnaeus,1764 (Fulgoridae) Synonym(s): *Laternaria Linnaeus,1764*
3101. Latheticus Waterhouse,1880 (Tenebrionidae) Synonym(s): *Latheticus Waterhouse,1880*
3102. Lathicerus Saussure,1888 (Lathiceridae) Synonym(s): *Lathicerus Saussure,1888*

- 3103. Latibulus Gistel,1848** (Ichneumonidae) Synonym(s): *Crypturus Gravenhorst,1829 nec Ill.,1811; Latibulus Gistel,1848; Endurus Rondani,1876; Pseudosyzeuctus Hedwig,1961*
- 3104. Latilica Emeljanov,1971** (Issidae) Synonym(s): *Latilica Emeljanov,1971; Dalmatium Dlabola,1980*
- 3105. Latina Koçak & Kemal,2008** (Eucharitidae) Synonym(s): *Laurella Heraty,2002 nec Hull,1971; Latina Koçak & Kemal,2008*
- 3106. Latissus Dlabola,1974** (Issidae) Synonym(s):
- 3107. Latois Stål,1866** (Flatidae) Synonym(s):
- 3108. Latoliarus Dlabola,1957** (Cixiidae) Synonym(s): *Latoliarus Dlabola,1957*
- 3109. Lavora Muir,1931** (Tropiduchidae) Synonym(s):
- 3110. Lawana Distant,1906** (Flatidae) Synonym(s):
- 3111. Lawrenceus Iwan,1998** (Tenebrionidae) Synonym(s): *Lawrenceus Iwan,1998*
- 3112. Laxenecera Macquart,1838** (Asilidae) Synonym(s): *Laxenecera Macquart,1838; Acurana Walker,1851*
- 3113. Leades Jacobi,1928** (Cixiidae) Synonym(s):
- 3114. Learcha Stål,1863** (Fulgoridae) Synonym(s):
- 3115. Lecanodiaspis Targioni-Tozzetti,1869** (Lecanodiaspididae) Synonym(s): *Lecanodiaspis Targioni-Tozzetti,1869*
- 3116. Lecanopsis Targioni-Tozzetti,1868** (Coccidae) Synonym(s): *Lecanopsis Targioni-Tozzetti,1868*
- 3117. Lechaea Stål,1866** (Flatidae) Synonym(s):
- 3118. Lechius Iwan,1995** (Tenebrionidae) Synonym(s): *Lechius Iwan,1995*
- 3119. Lecopia Medler,1991** (Flatidae) Synonym(s):
- 3120. Ledra Fabricius,1803** (Cicadellidae) Synonym(s): *Ledra Fabricius,1803; Ledraria Rafinesque,1815*
- 3121. Legnotomyia Bezzi,1902** (Bombyliidae) Synonym(s): *Legnotomyia Bezzi,1902*
- 3122. Lehrera Koçak & Kemal,2009** (Sarcophagidae) Synonym(s): *Devriesia Lehrer,1995 nec Mintz,1967; Lehrera Koçak & Kemal,2009*
- 3123. Lehreria Koçak & Kemal,2008** (Sarcophagidae) Synonym(s): *Imerina Lehrer,2003 nec Raffray,1897; Lehreria Koçak & Kemal,2008*
- 3124. Leia Meigen,1818** (Mycetophilidae) Synonym(s): *Leia Meigen,1818; Lejomya Rondani,1856; Lejosoma Rondani,1856; Glaphyroptera Winnertz,1863; Neoglaphyroptera Osten Sacken,1878*
- 3125. Leialoha Kirkaldy,1910** (Delphacidae) Synonym(s):
- 3126. Leichenum Blanchard,1845** (Tenebrionidae) Synonym(s): *Leichenum Blanchard,1845*
- 3127. Leimonodite Kirkaldy,1907** (Delphacidae) Synonym(s):
- 3128. Leiodontocercus Chopard,1954** (Tettigoniidae) Synonym(s): *Leiodontocercus Chopard,1954*
- 3129. Leistus (Pogonophorus) Latreille,1802** (Carabidae) Synonym(s): *Pogonophorus Latreille,1802*
- 3130. Leistus (s.str.) Frölich,1799** (Carabidae) Synonym(s): *Leistus Frölich,1799*
- 3131. Lejogaster Rondani,1857** (Syrphidae) Synonym(s): *Lejogaster Rondani,1857*
- 3132. Lejops Rondani,1857** (Syrphidae) Synonym(s): *Lejops Rondani,1857; #Liops Verrall,1901*
- 3133. Lemaria Medler,1988** (Flatidae) Synonym(s):
- 3134. Lemuriana Distant,1905** (Cicadidae) Synonym(s): *Lemuriana Distant,1905*
- 3135. Leocerus Metcalf & Bruner,1948** (Flatidae) Synonym(s):
- 3136. Leomelicharia Muir,1913** (Derbidae) Synonym(s):
- 3137. Leopoldius Rondani,1843** (Conopidae) Synonym(s): *Leopoldius Rondani,1843*
- 3138. Lepidosaphes Shimer,1868** (Diaspididae) Synonym(s): *Lepidosaphes Shimer,1868*
- 3139. Leptaleocera Muir,1913** (Derbidae) Synonym(s):
- 3140. Leptarchiella Fennah,1958** (Achilidae) Synonym(s):
- 3141. Leptarthus Stephens,1829** (Asilidae) Synonym(s): *Leptarthus Stephens,1829*
- 3142. Leptinotarsa Stal,1858** (Chrysomelidae) Synonym(s): *Leptinotarsa Stal,1858*
- 3143. Leptocentrus Stal,1866** (Membracidae) Synonym(s): *Leptocentrus Stal,1866*
- 3144. Leptochilus Saussure,1853** (Vespidae) Synonym(s): *Leptochilus Saussure,1853*
- 3145. Leptocola Gerstaecker,1883** (Mantidae) Synonym(s): *Leptocola Gerstaecker,1883*
- 3146. Leptocybe Fisher & La Salle,2004** (Eulophidae) Synonym(s): *Leptocybe Fisher & La Salle,2004*
- 3147. Leptodascalia Melichar,1923** (Flatidae) Synonym(s):
- 3148. Leptodelphax Haupt,1927** (Delphacidae) Synonym(s): *Leptodelphax Haupt,1927*
- 3149. Leptodes (Leptodinopsis) Kaszab,1959** (Tenebrionidae) Synonym(s): *Leptodinopsis Kaszab,1959*
- 3150. Leptodes (s.str.) Solier,1838** (Tenebrionidae) Synonym(s): *Leptodes Solier,1838*
- 3151. Leptodes Solier,1838** (Tenebrionidae) Synonym(s): *Leptodes Solier,1838*
- 3152. Leptodiplosis Kieffer,1894** (Cecidomyiidae) Synonym(s): *Leptodiplosis Kieffer,1894; #Lestodiplosis Kieffer,1895*
- 3153. Leptodromiella Tuomikoski,1936 [178]** (Hybotidae) Synonym(s):
- 3154. Leptodusa Stolyar,1994** (Tettigoniidae) Synonym(s): *Leptodusa Stolyar,1994*

- 3155. Leptodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Leptodynerus Blüthgen,1938*
3156. Leptoerysa Fennah,1988 (Delphacidae) Synonym(s):
3157. Leptogaster Meigen,1803 (Asilidae) Synonym(s): *Leptogaster Meigen,1803*
3158. Leptolamia Metcalf,1936 (Cixiidae) Synonym(s):
3159. Leptolobus Signoret,1855 (Pentatomidae) Synonym(s): *Leptolobus Signoret,1855; Moyara Distant,1898*
3160. Leptomastidea Mercet,1916 (Encyrtidae) Synonym(s): *Leptomastidea Mercet,1916*
3161. Leptomastix Förster,1856 (Encyrtidae) Synonym(s): *Leptomastix Förster,1856*
3162. Leptopeza Macquart,1834 (Hybotidae) Synonym(s):
3163. Leptophyes Fieber,1852 (Tettigoniidae) Synonym(s): *Leptophyes Fieber,1852*
3164. Leptopsaltria Stal,1866 (Cicadidae) Synonym(s): *Leptopsaltria Stal,1866*
3165. Leptopternis Saussure,1884 (Acrididae) Synonym(s): *Leptopternis Saussure,1884*
3166. Leptormenis Melichar,1923 (Flatidae) Synonym(s):
3167. Leptotambinia Kato,1931 (Tropiduchidae) Synonym(s):
3168. Leptotarsus (Kocia) Koçak & Kemal,2009 (Tipulidae) Synonym(s): *Aldrovandia Enderlein,1912 nec Goode & Bean,1896; Kocia Koçak & Kemal,2009*
3169. Leptotarsus Guérin-Ménéville,1831 (Tipulidae) Synonym(s): *Leptotarsus Guérin-Ménéville,1831; Semnotes Westwood,1876*
3170. Leptothorax Mayr,1855 (Formicidae) Synonym(s): *Leptothorax Mayr,1855*
3171. Leptovanua Melichar,1914 (Tropiduchidae) Synonym(s):
3172. Leptura Linnaeus,1758 (Cerambycidae) Synonym(s): *Leptura Linnaeus,1758*
3173. Lepyrionia Amyot & Audinet-Serville,1843 (Cercopidae) Synonym(s): *Lepyrionia Amyot & Audinet-Serville,1843; Euclovia Matsumura,1903*
3174. Lertha Navas,1910 (Nemopteridae) Synonym(s): *Lertha Navas,1910; Kirbynthia Navas,1910; Olivierina Navas,1910*
3175. Lesabes Medler,1988 (Flatidae) Synonym(s):
3176. Leskia Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Leskia Robineau-Desvoidy,1830; Leschia Rondani,1861; Lesnia Schiner,1861*
3177. Lestes Leach,1815 (Lestidae) Synonym(s): *Lestes Leach,1815*
3178. Lesteva Latreille,1796 (Staphylinidae) Synonym(s): *Lesteva Latreille,1796*
3179. Letana Walker,1869 (Tettigoniidae) Synonym(s): *Letana Walker,1869; Pyrrhicia Stal,1873; Pyrrhizia Brunner,1906*
3180. Lethocerus Mayr,1853 (Belostomatidae) Synonym(s): *Lethocerus Mayr,1853*
3181. Leucaspis Targioni-Tozzetti,1868 (Diaspididae) Synonym(s): *Leucaspis Targioni-Tozzetti,1868; Leucodiaspis Signoret,1869*
3182. Leucophenga Mik,1886 (Drosophilidae) Synonym(s): *Leucophenga Mik,1886*
3183. Leucopis Meigen,1830 (Chamaemyiidae) Synonym(s): *Leucopis Meigen,1830*
3184. Leucorrhinia Brittinger,1850 (Libellulidae) Synonym(s): *Leucorrhinia Brittinger,1850*
3185. Leucospis Turton,1802 (Leucopsidae) Synonym(s): *Leucospis Turton,1802*
3186. Leucostoma Meigen,1803 (Tachinidae) Synonym(s): *Leucostoma Meigen,1803*
3187. Leuctra Stephens,1836 (Leuctridae) Synonym(s): *Leuctra Stephens,1836*
3188. Leusaba Walker,1857 (Tropiduchidae) Synonym(s):
3189. Levia Metcalf,1947 (Fulgoridae) Synonym(s): *Helvia Melichar,1914 nec Stal,1877; Levia Metcalf,1947*
3190. Levia Metcalf,1947 (Fulgoridae) Synonym(s):
3191. Levitina Chubareva & Petrova,1981 (Simuliidae) Synonym(s): *Levitina Chubareva & Petrova,1981*
3192. Levu Kirkaldy,1906 (Derbidae) Synonym(s): *Levu Kirkaldy,1906; Alara Distant,1911*
3193. Liacos Guérin-Ménéville,1838 (Scoliidae) Synonym(s): *Liacos Guérin-Ménéville,1838*
3194. Liancalus Loew,1857 (Dolichopodidae) Synonym(s): *Liancalus Loew,1857*
3195. Libanissum Dlabola,1980 (Issidae) Synonym(s): *Libanissum Dlabola,1980*
3196. Libelloides Tjeder,1972 (Ascalaphidae) Synonym(s): *Libelloides Tjeder,1972*
3197. Libellula Linnaeus,1758 (Libellulidae) Synonym(s): *Libellula Linnaeus,1758*
3198. Liburnia Stål,1866 (Delphacidae) Synonym(s):
3199. Liburniella Crawford,1914 (Delphacidae) Synonym(s):
3200. Lichena Melichar,1901 (Flatidae) Synonym(s):
3201. Lichenopsis Schmidt,1912 (Flatidae) Synonym(s):
3202. Lichtensia Signoret,1873 (Coccidae) Synonym(s): *Lichtensia Signoret,1873*
3203. Ligaria Stal,1877 (Mantidae) Synonym(s): *Ligaria Stal,1877; Liganona Giglio-Tos,1915*
3204. Ligariella Giglio-Tos,1915 (Mantidae) Synonym(s): *Ligariella Giglio-Tos,1915*
3205. Ligentella Kaltenbach,1996 (Mantidae) Synonym(s): *Pseudentella Beier,1955; Ligentella Kaltenbach,1996*
3206. Liguropia Haupt,1930 (Cicadellidae) Synonym(s): *Liguropia Haupt,1930*

- 3207. Ligyra Newman,1841** (Bombyliidae) Synonym(s): *Ligyra Newman,1841*
3208. Limassolla Dlabola,1965 (Cicadellidae) Synonym(s): *Limassolla Dlabola,1965*
3209. Limnia Robineau-Desvoidy,1830 (Sciomyzidae) Synonym(s): *Limnia Robineau-Desvoidy,1830*
3210. Limnophora Robineau-Desvoidy,1830 (Muscidae) Synonym(s): *Limnophora Robineau-Desvoidy,1830*
3211. Limnophyes Eat.,1875 (Chironomidae) Synonym(s): *Limnophyes Eat.,1875*
3212. Limnoxenus Motschoulsky,1853 (Hydrophilidae) Synonym(s): *Limnoxenus Motschoulsky,1853*
3213. Limobius Schönherr,1843 (Curculionidae) Synonym(s): *Limobius Schönherr,1843; Limonobius Gemminger,1871*
3214. Limois Stål,1863 (Fulgoridae) Synonym(s):
3215. Limonia Meigen,1803 (Limoniidae) Synonym(s): *Limonia Meigen,1803*
3216. Limoniscus Reitter,1905 (Elateridae) Synonym(s): *Limoniscus Reitter,1905*
3217. Limonius Eschscholtz,1829 (Elateridae) Synonym(s): *Limonius Eschscholtz,1829; Kibunea Kishii,1966*
3218. Limosina Macquart,1835 (Sphaeroceridae) Synonym(s): *Limosina Macquart,1835*
3219. Limotettix Sahlberg,1871 (Cicadellidae) Synonym(s): *Limotettix Sahlberg,1871; Drylix Edwards,1922*
3220. Lindbergina Dlabola,1958 (Cicadellidae) Synonym(s): *Youngia Dlabola,1958 (praeocc.); Lindbergina Dlabola,1958; Youngiada Dlabola,1959*
3221. Lindenia De Haan,1826 (Gomphidae) Synonym(s): *Lindenia De Haan,1826*
3222. Lineaspis MacGillivray,1921 (Diaspididae) Synonym(s): *Lineaspis MacGillivray,1921*
3223. Linnaemya Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Linnaemya Robineau-Desvoidy,1830*
3224. Linnavuoriana Dlabola,1958 (Cicadellidae) Synonym(s): *Linnavuoriana Dlabola,1958*
3225. Linycus Cameron,1903 (Ichneumonidae) Synonym(s): *Linycus Cameron,1903; Erythroischnus Cameron,1904*
3226. Liometopum Mayr,1861 (Formicidae) Synonym(s): *Liometopum Mayr,1861*
3227. Liomutilla André,1907 (Mutillidae) Synonym(s): *Liomutilla André,1907*
3228. Liorhyssus Stal,1870 (Rhopalidae) Synonym(s): *Liorhyssus Stal,1870*
3229. Liotryphon Ashmead,1900 (Ichneumonidae) Synonym(s): *Liogaster Kriechbaumer,1890 (praeocc.); Liotryphon Ashmead,1900*
3230. Lipocallia Kirkaldy,1906 (Issidae) Synonym(s):
3231. Liponeura Loew,1844 (Blephariceridae) Synonym(s): *Liponeura Loew,1844*
3232. Liposthenes Förster,1868 (Cynipidae) Synonym(s): *Liposthenes Förster,1868*
3233. Liriomyza Mik,1894 (Agromyzidae) Synonym(s): *Liriomyza Mik,1894*
3234. Lispe Latreille,1796 (Muscidae) Synonym(s): *Lispe Latreille,1796*
3235. Lispocephala Pokorny,1893 (Muscidae) Synonym(s): *Lispocephala Pokorny,1893*
3236. Lissonota (Loxonota) Aubert,1978 (Ichneumonidae) Synonym(s): *Loxonota Aubert,1978*
3237. Lissonota Gravenhorst,1829 (Ichneumonidae) Synonym(s): *Lissonota Gravenhorst,1829; Lampronota Curtis,1832; Stilbonota Stephens,1835; Meniscus Schiödtte,1839; Asynida Gistel,1848; Bothynophrys Förster,1868; Enisimus Förster,1868; Amersibia Förster,1868; Bathycetes Förster,1868; Opisorhyssa Kriechbaumer,1890; Ctenopimpla Cameron,1899 nec Kriechb.,1898; Trevoria Ashmead,1900; Pimplopterus Ashmead,1900; Harrimaniella Ashmead,1900; Echthrodoca Schmiedeknecht,1900; Campocineta Schmiedeknecht,1900; Anarthronota Schmiedeknecht,1900; Adelopimpla Schulz,1906; Stilbopoides Rohwer,1913; Lophatium Clement,1935; Gibbonota Heinrich,1937; Lissonotoides Benoit,1955*
3238. Listrognathus Tschek,1871 (Ichneumonidae) Synonym(s): *Listrognathus Tschek,1871*
3239. Litaneutria Saussure,1892 (Mantidae) Synonym(s): *Litaneutria Saussure,1892*
3240. Litemixia Asche,1980 (Delphacidae) Synonym(s):
3241. Lithodusa Bei-Bienko,1951 (Tettigoniidae) Synonym(s): *Lithodusa Bei-Bienko,1951*
3242. Litochodelphax Asche,1982 (Delphacidae) Synonym(s):
3243. Litocras Emeljanov,2008 (Dictyopharidae) Synonym(s): *Litocras Emeljanov,2008*
3244. Litus Haliday,1833 (Mymaridae) Synonym(s): *Litus Haliday,1833; #Lytus Blanchard,1840*
3245. Livatis Stål,1859 (Delphacidae) Synonym(s):
3246. Livia Latreille,1802 (Psyllidae) Synonym(s): *Livia Latreille,1802*
3247. Livilla Curtis,1836 (Psyllidae) Synonym(s): *Livilla Curtis,1836*
3248. Lixus Fabricius,1801 (Curculionidae) Synonym(s): *Lixus Fabricius,1801*
3249. Lobodera (Penthomegus) Reitter,1904 (Tenebrionidae) Synonym(s): *Penthomegus Reitter,1904*
3250. Lobodera Mulsant & Rey,1859 (Tenebrionidae) Synonym(s): *Lobodera Mulsant & Rey,1859*
3251. Lobopectera Brunner von Wattenwyl,1865 (Blattidae) Synonym(s): *Lobopectera Brunner von Wattenwyl,1865*
3252. Lobosmittia Saether & Andersen,1993 (Chironomidae) Synonym(s): *Lobosmittia Saether & Andersen,1993*

- 3253. Lobothespis La Greca & Lombardo,1987** (Mantidae) Synonym(s): *Lobothespis La Greca & Lombardo,1987*
- 3254. Locrona Fennah,1945** (Flatidae) Synonym(s):
- 3255. Locusta Linnaeus,1758** (Acrididae) Synonym(s): *Locusta Linnaeus,1758*
- 3256. Loewinella Hermann,1912** (Asilidae) Synonym(s): *Loewinella Hermann,1912*
- 3257. Loisobrachys Constant,2008** (Eurybrachidae) Synonym(s): *Loisobrachys Constant,2008*
- 3258. Lollius Stål,1866** (Issidae) Synonym(s):
- 3259. Lomagenes Fennah,1945** (Kinnaridae) Synonym(s):
- 3260. Lomatia Meigen,1822** (Bombyliidae) Synonym(s): *Lomatia Meigen,1822*
- 3261. Lombokia Distant,1910** (Flatidae) Synonym(s):
- 3262. Lonchoptera Meigen,1803** (Lonchopteridae) Synonym(s): #*Musidora Meigen,1800; Lonchoptera Meigen,1803*
- 3263. Longicoccus Dantzig,1975** (Pseudococcidae) Synonym(s): *Longicoccus Dantzig,1975*
- 3264. Longitarsus Latreille,1827** (Chrysomelidae) Synonym(s): *Longitarsus Latreille,1827*
- 3265. Lonnia McKamey,2005** (Cicadellidae) Synonym(s): *Nollia Hamilton,1983 nec Eisenack,1979; Lonnia McKamey,2005; Nallia Özdikmen & Demir,2008*
- 3266. Lopezus Navas,1913** (Myrmeleonidae) Synonym(s): *Lopezus Navas,1913*
- 3267. Lopholeucaspis Balachowsky,1953** (Diaspididae) Synonym(s): *Lopholeucaspis Balachowsky,1953*
- 3268. Lophops Spinola,1839** (Lophopidae) Synonym(s): *Lophops Spinola,1839*
- 3269. Lophosia Meigen,1824** (Tachinidae) Synonym(s): *Lophosia Meigen,1824*
- 3270. Lophyridia Jeannel,1946** (Carabidae) Synonym(s): *Lophyridia Jeannel,1946*
- 3271. Loshanosia Muir,1917** (Derbidae) Synonym(s):
- 3272. Loxocephala Schaum,1850** (Eurybrachidae) Synonym(s):
- 3273. Loxophora Van Duzee,1908** (Dictyopharidae) Synonym(s):
- 3274. Lublinia Dworakowska,1970** (Cicadellidae) Synonym(s): *Lublinia Dworakowska,1970*
- 3275. Lucanus (.s.str.) Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus Scopoli,1763; Hexaphyllus Mulsant,1839*
- 3276. Lucanus (Pseudolucanus) Hope & Westwood,1845** (Lucanidae) Synonym(s): *Pseudolucanus Hope & Westwood,1845; Eolucanus Kurosawa,1970*
- 3277. Lucanus Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus Scopoli,1763; Hexaphyllus Mulsant,1839*
- 3278. Luciola Laporte de Castelnau,1833** (Lampyridae) Synonym(s): *Luciola Laporte de Castelnau,1833*
- 3279. Ludita Nagy,1967** (Tiphidae) Synonym(s): *Ludita Nagy,1967*
- 3280. Lugardia Distant,1909** (Ricaniidae) Synonym(s):
- 3281. Lusanda Stål,1859** (Issidae) Synonym(s):
- 3282. Luxorianella Asche,1994** (Delphacidae) Synonym(s):
- 3283. Lycoriella Frey,1942** (Sciaridae) Synonym(s): *Lycoriella Frey,1942*
- 3284. Lycorma Stål,1863** (Fulgoridae) Synonym(s):
- 3285. Lyctocoris Hahn,1836** (Anthocoridae) Synonym(s): *Lyctocoris Hahn,1836*
- 3286. Lydda Westwood,1840** (Derbidae) Synonym(s): *Lydda Westwood,1840; Diopspolis Westwood,1841; Philadelphieia Kirkaldy,1906*
- 3287. Lydus Latreille,1803** (Meloidae) Synonym(s): *Lydus Latreille,1803*
- 3288. Lygaeosoma Spinola,1837** (Lygaeidae) Synonym(s): *Lygaeosoma Spinola,1837*
- 3289. Lygaeus Fabricius,1794** (Lygaeidae) Synonym(s): *Lygaeus Fabricius,1794; Lygeus Rafinesque,1815; Lyginus Rafinesque,1815;*
- 3290. Lygus Hahn,1831** (Miridae) Synonym(s): *Lygus Hahn,1831*
- 3291. Lymantrichneumon Heinrich,1968** (Ichneumonidae) Synonym(s): *Lymantrichneumon Heinrich,1968*
- 3292. Lyncides Stål,1866** (Dictyopharidae) Synonym(s):
- 3293. Lyncilia Stål,1863** (Eurybrachidae) Synonym(s):
- 3294. Lyneborgimyia Doczkal & Pape,2009** (Syrphidae) Synonym(s): *Lyneborgimyia Doczkal & Pape,2009*
- 3295. Lyphia Mulsant & Rey,1859** (Tenebrionidae) Synonym(s): *Lyphia Mulsant & Rey,1859*
- 3296. Lyristes Horvath,1926** (Cicadidae) Synonym(s): *Lyristes Horvath,1926*
- 3297. Lysibia Förster,1868** (Ichneumonidae) Synonym(s): *Lysibia Förster,1868; Pemon Förster,1868; Stiboscopus Förster,1868; Haplaspis Townes,1944*
- 3298. Lystra Fabricius,1803** (Fulgoridae) Synonym(s):
- 3299. Lytta Fabricius,1787** (Meloidae) Synonym(s): *Lytta Fabricius,1787*
- 3300. Mabira Fennah,1950** (Achilidae) Synonym(s):
- 3301. Maccavethus Amyot,1846** (Rhopalidae) Synonym(s): *Maccavethus Amyot,1846*
- 3302. Machimus Loew,1849** (Asilidae) Synonym(s): *Machimus Loew,1849; Allomachimus Bequaert,1964*
- 3303. Machiremisca Lehr,1996** (Asilidae) Synonym(s): *Machiremisca Lehr,1996*

- 3304. Macquartia Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Macquartia Robineau-Desvoidy,1830*
- 3305. Macracanthopus Uvarov,1940** (Mantidae) Synonym(s): *Macracanthopus Uvarov,1940*
- 3306. Macrobrachys Lallemand,1950** (Eurybrachidae) Synonym(s):
- 3307. Macroceras Meigen,1803** (Keroplastidae) Synonym(s): *Macroceras Meigen,1803*
- 3308. Macrocoxius Matsumura,1914** (Cixiidae) Synonym(s):
- 3309. Macrocoma Weise,1896** (Chrysomelidae) Synonym(s): *Macrocoma Weise,1896*
- 3310. Macrocorupha Muir,1926** (Delphacidae) Synonym(s):
- 3311. Macrodanuria Sjöstedt,1900** (Mantidae) Synonym(s): *Macrodanuria Sjöstedt,1900*
- 3312. Macrodiplosis Kieffer,1895** (Cecidomyiidae) Synonym(s): *Macrodiplosis Kieffer,1895*
- 3313. Macroglenes Westwood,1832** (Pteromalidae) Synonym(s): *Macroglenes Westwood,1832*
- 3314. Macrolenes Chevrolat,1837** (Chrysomelidae) Synonym(s): *Macrolenes Chevrolat,1837*
- 3315. Macrolophus Fieber,1858** (Miridae) Synonym(s): *Macrolophus Fieber,1858*
- 3316. Macromyrme Lelej,1984** (Mutillidae) Synonym(s): *Macromyrme Lelej,1984*
- 3317. Macronaso Synave,1960** (Dictyopharidae) Synonym(s):
- 3318. Macronemurus Costa,1855** (Myrmeleonidae) Synonym(s): *Macronemurus Costa,1855*
- 3319. Macronychia (Moschusa) Robineau-Desvoidy,1863** (Sarcophagidae) Synonym(s): *Moschusa Robineau-Desvoidy,1863; Dolichamobia Townsend,1915; Theonioides Strand,1917*
- 3320. Macronychia (s.str.) Rondani,1859** (Sarcophagidae) Synonym(s): *Macronychia Rondani,1859; Theone Robineau-Desvoidy,1863; Amobiopsis Townsend,1915; Itamobia Townsend,1927*
- 3321. Macronychia (Thomaspapeia) Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *Thomaspapeia Verves & Khrokalo,2006*
- 3322. Macronychia Rondani,1859** (Sarcophagidae) Synonym(s): *Macronychia Rondani,1859; Theone Robineau-Desvoidy,1863; Amobiopsis Townsend,1915; Itamobia Townsend,1927*
- 3323. Macrophyta Dahlbom,1835** (Tenthredinidae) Synonym(s): *Macrophyta Dahlbom,1835; Zalagium Rohwer,1912; Beldonea Enderlein,1919 nec Cameron,1899; Paramacrophyta Forsius,1918*
- 3324. Macropopa Giglio-Tos,1914** (Mantidae) Synonym(s): *Macropopa Giglio-Tos,1914*
- 3325. Macropsidius Ribaut,1952** (Cicadellidae) Synonym(s): *Macropsidius Ribaut,1952*
- 3326. Macropsis Lewis,1834** (Cicadellidae) Synonym(s): *Macropsis Lewis,1834*
- 3327. Macrorchis Rondani,1877** (Muscidae) Synonym(s): *Macrorchis Rondani,1877*
- 3328. Macrorhaphis (Megarhaphis) White,1878** (Pentatomidae) Synonym(s): *Megarhaphis White,1878*
- 3329. Macrorhaphis Dallas,1851** (Pentatomidae) Synonym(s): *Macrorhaphis Dallas,1851*
- 3330. Macrorileya Ashmead,1900** (Eurytomidae) Synonym(s): *Macrorileya Ashmead,1900*
- 3331. Macroscyctus Fieber,[1860]** (Cydniidae) Synonym(s): *Macroscyctus Fieber,[1860]; Hahnia Ellenrieder,1862; Philaopdemus Kirkaldy,1910*
- 3332. Macrosemia Kato,1925** (Cicadidae) Synonym(s): *Macrosemia Kato,1925*
- 3333. Macrosteles Fieber,1866** (Cicadellidae) Synonym(s): *Macrosteles Fieber,1866; Acrostigmus Thomson,1869; Erotettix Haupt,1929*
- 3334. Macrostylus Fieber,1858** (Miridae) Synonym(s): *Macrostylus Fieber,1858*
- 3335. Macrotomella Van Duzee,1907** (Delphacidae) Synonym(s):
- 3336. Macrovanua Fennah,1950** (Tropiduchidae) Synonym(s):
- 3337. Macustus Ribaut,1942** (Cicadellidae) Synonym(s): *Macustus Ribaut,1942*
- 3338. Madagascasa Koçak & Kemal,2008** (Ichneumonidae) Synonym(s): *Perinetia Seyrig,1952 nec Collenette,1936; Madagascasa Koçak & Kemal,2008*
- 3339. Madobalus Fairmaire,1901** (Tenebrionidae) Synonym(s): *Madobalus Fairmaire,1901*
- 3340. Madotrogus (Micramphimallon) Medvedev,1951** (Scarabaeidae) Synonym(s): *Micramphimallon Medvedev,1951*
- 3341. Madotrogus Reitter,1902** (Scarabaeidae) Synonym(s): *Madotrogus Reitter,1902*
- 3342. Maeniana Metcalf,1952** (Eurybrachidae) Synonym(s):
- 3343. Magadha Distant,1906** (Achilidae) Synonym(s):
- 3344. Magwengiella Heinrich,1938** (Ichneumonidae) Synonym(s): *Magwengiella Heinrich,1938; Listrocalus Heinrich,1978*
- 3345. Mahanorona Distant,1909** (Dictyopharidae) Synonym(s):
- 3346. Mahmutkashgaria Koçak & Kemal,2008** (Delphacidae) Synonym(s): *Sulculus Ding & Chen,2002 nec Adams,1854; Mahmutkashgaria Koçak & Kemal,2008*
- 3347. Mahuna Distant,1907** (Achilidae) Synonym(s):
- 3348. Majeria Koçak & Kemal,2010** (Melyridae) Synonym(s): *Neothrix Majer,1989 nec Gurney,1927; Majeria Koçak & Kemal,2010*
- 3349. Makarorysa Remane & Asche,1986** (Delphacidae) Synonym(s):
- 3350. Makula Distant,1907** (Derbidae) Synonym(s): *Makula Distant,1907*
- 3351. Malachiomimus Champion,1921** (Melyridae) Synonym(s): *Malachiomimus Champion,1921*
- 3352. Malachus Fabricius,1775** (Melyridae) Synonym(s): *Malachus Fabricius,1775*
- 3353. Maladera (Aserica) Lewis,1895** (Scarabaeidae) Synonym(s): *Aserica Lewis,1895*

- 3354. Maladera (Cephaloserica) Brenske,1900** (Scarabaeidae) Synonym(s): *Cephaloserica Brenske,1900*
- 3355. Maladera (Cycloserica) Reitter,1896** (Scarabaeidae) Synonym(s): *Cycloserica Reitter,1896*; *Leucoserica Reitter,1896*
- 3356. Maladera (Eusericula) Reitter,1902** (Scarabaeidae) Synonym(s): *Eusericula Reitter,1902*
- 3357. Maladera (Macroserica) Medvedev,1952** (Scarabaeidae) Synonym(s): *Macroserica Medvedev,1952*
- 3358. Maladera Mulsant & Rey,1871** (Scarabaeidae) Synonym(s): *Maladera Mulsant & Rey,1871*
- 3359. Malaxa Melichar,1914** (Delphacidae) Synonym(s):
- 3360. Malaxodes Fennah,1967** (Delphacidae) Synonym(s):
- 3361. Malenia Haupt,1924** (Derbidae) Synonym(s): *Malenia Haupt,1924*
- 3362. Malfeytia Schmidt,1905** (Fulgoridae) Synonym(s):
- 3363. Malleja Medler,1990** (Flatidae) Synonym(s):
- 3364. Mallosia Mulsant,1863** (Cerambycidae) Synonym(s): *Mallosia Mulsant,1863*
- 3365. Mallosiola Semenov,1895** (Cerambycidae) Synonym(s): *Mallosiola Semenov,1895*
- 3366. Malogava Emeljanov,2008** (Dictyopharidae) Synonym(s): *Malogava Emeljanov,2008*
- 3367. Malpha Myers,1924** (Cixiidae) Synonym(s):
- 3368. Malthinus Latreille,1790** (Cantharidae) Synonym(s): *Malthinus Latreille,1790*; *Apteromalthinus Escalera,1913*
- 3369. Malthodes Kiesenwetter,1852** (Cantharidae) Synonym(s): *Malthodes Kiesenwetter,1852*
- 3370. Mamatola Distant,1899** (Fulgoridae) Synonym(s):
- 3371. Manchookhonia granulipennis Kato,1933** (Delphacidae) Synonym(s):
- 3372. Manganentes Fennah,1965** (Tropiduchidae) Synonym(s):
- 3373. Mangola Melichar,1906** (Issidae) Synonym(s):
- 3374. Mangomaloba Sjöstedt,1902** (Tettigoniidae) Synonym(s): *Mangomaloba Sjöstedt,1902*
- 3375. Manica Jurine,1807** (Formicidae) Synonym(s): *Manica Jurine,1807*
- 3376. Mannerheimia Maeklin,1880** (Staphylinidae) Synonym(s): *Mannerheimia Maeklin,1880*
- 3377. Mantasoa Meriguet,2005** (Mantidae) Synonym(s): *Mantasoa Meriguet,2005*
- 3378. Mantilia Roy,1992** (Mantidae) Synonym(s): *Mantilia Roy,1992*
- 3379. Mantis Linnaeus,1767** (Mantidae) Synonym(s): *#Mantis Linnaeus,1758*; *Mantis Linnaeus,1767*
- 3380. Mantispa Illiger,1798** (Mantispidae) Synonym(s): *Mantispa Illiger,1798*; *Amycla Rafinesque,1815*
- 3381. Mantosyna Stål,1869** (Fulgoridae) Synonym(s):
- 3382. Mantura Stephens,1831** (Chrysomelidae) Synonym(s): *Mantura Stephens,1831*
- 3383. Manurevana Hoch,2006** (Cixiidae) Synonym(s): *Manurevana Hoch,2006*
- 3384. Maracanda McLachan,1875** (Myrmeleonidae) Synonym(s): *Maracanda McLachan,1875*
- 3385. Marchalina Vayssiere,1925** (Margarodidae) Synonym(s): *Marchalina Vayssiere,1925*
- 3386. Margarinotus (Paralister) Bickhardt,1917** (Histeridae) Synonym(s): *Paralister Bickhardt,1917*
- 3387. Margarinotus Marseul,1854** (Histeridae) Synonym(s): *Margarinotus Marseul,1854*
- 3388. Marietta Motschoulsky,1863** (Aphelinidae) Synonym(s): *Marietta Motschoulsky,1863*; *Perissopterus Howard,1895*; *Pseudaphelinus Brèthes,1918*
- 3389. Marleyia Distant,1909** (Ricaniidae) Synonym(s):
- 3390. Marthamea Klapalek,1907** (Perlidae) Synonym(s): *Marthamea Klapalek,1907*; *Lerpa Navas,1909*
- 3391. Martiniana Schimmel,1996** (Elateridae) Synonym(s): *Martiniana Schimmel,1996*
- 3392. Martinina Schouteden,1907** (Pentatomidae) Synonym(s): *Martinina Schouteden,1907* (praeocc.); *Martinina Schouteden,1907*; *Incitatus Distant,1908*
- 3393. Martorella Caldwell,1952** (Achilidae) Synonym(s):
- 3394. Masaris Fabricius,1793** (Vespidae) Synonym(s): *Masaris Fabricius,1793*; *Massaris Billberg,1820*; *Mazaris Schulz,1911*; *Saryara Kuznetzov,1923*
- 3395. Masicera Macquart,1834** (Tachinidae) Synonym(s): *Masicera Macquart,1834*
- 3396. Massila Walker,1862** (Flatidae) Synonym(s):
- 3397. Matacosa Distant,1906** (Fulgoridae) Synonym(s):
- 3398. Matsucoccus Cockerell,1909** (Margarodidae) Synonym(s): *Matsucoccus Cockerell,1909*
- 3399. Matsumuranoda Metcalf,1943** (Delphacidae) Synonym(s):
- 3400. Matutinus Distant,1917** (Delphacidae) Synonym(s):
- 3401. Maua Distant,1905** (Cicadidae) Synonym(s): *Maua Distant,1905*
- 3402. Maurisca Emeljanov,2005** (Achilidae) Synonym(s): *Maurisca Emeljanov,2005*
- 3403. Mayetiola Kieffer,1896** (Cecidomyiidae) Synonym(s): *Mayetia Kieffer,1896* (praeocc.); *Mayetiola Kieffer,1896*
- 3404. Mayridia Mercet,1921** (Encyrtidae) Synonym(s): *Mayridia Mercet,1921*
- 3405. Meconema Serville,1831** (Tettigoniidae) Synonym(s): *Meconema Serville,1831*
- 3406. Mecosoma Dallas,1851** (Pentatomidae) Synonym(s): *Mecosoma Dallas,1851*

- 3407. Mecostethus Fieber,1852** (Acrididae) Synonym(s): *Mecostethus Fieber,1852*; *Parapleurus Fischer,1853*
- 3408. Medecticus Uvarov,1912** (Tettigoniidae) Synonym(s): *Medecticus Uvarov,1912*
- 3409. Medina Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Medina Robineau-Desvoidy,1830*
- 3410. Meenoplus Fieber,1866** (Meenoplidae) Synonym(s): *Meenoplus Fieber,1866*
- 3411. Megabombus Dalla Torre,1880** (Apidae) Synonym(s): *Megabombus Dalla Torre,1880*; *Hortobombus Vogt,1911*
- 3412. Megacephala Latreille,1803** (Carabidae) Synonym(s): *Megacephala Latreille,1803*
- 3413. Megachile (Eutricharaea) Thomson,1872** (Megachilidae) Synonym(s): *Eutricharaea Thomson,1872*
- 3414. Megachile (s.str.) Latreille,1802** (Megachilidae) Synonym(s): *Megachile Latreille,1802*
- 3415. Megachile (Xanthosarus) Robertson,1903** (Megachilidae) Synonym(s): *Xanthosarus Robertson,1903*
- 3416. Megachile Latreille,1802** (Megachilidae) Synonym(s): *Megachile Latreille,1802*
- 3417. Megadelphax Wagner,1963** (Delphacidae) Synonym(s):
- 3418. Megadictya Melichar,1912** (Dictyopharidae) Synonym(s):
- 3419. Megahilda Fennah,1959** (Tettigometridae) Synonym(s):
- 3420. Megalocoleus Reuter,1890** (Miridae) Synonym(s): *Megalocoleus Reuter,1890*
- 3421. Megalomerium Fieber,1859** (Berytidae) Synonym(s): *Megalomerium Fieber,1859*
- 3422. Megalonotus Fieber,1860** (Lygaeidae) Synonym(s): *Rhyparochromus Curtis,1836 nec Hahn,1826; Megalonotus Fieber,1860*
- 3423. Megamelanus Ball,1902** (Delphacidae) Synonym(s):
- 3424. Megamelodes Le Quesne,1960** (Delphacidae) Synonym(s):
- 3425. Megamelus Fieber,1866** (Delphacidae) Synonym(s):
- 3426. Megamelus Fieber,1866** (Delphacidae) Synonym(s): *Megamelus Fieber,1866*
- 3427. Megapenthes Kiesenwetter,1858** (Elateridae) Synonym(s): *Megapenthes Kiesenwetter,1858*
- 3428. Megapomponia Boulard,2005** (Cicadidae) Synonym(s): *Megapomponia Boulard,2005*
- 3429. Megarthrus Stephens,1829** (Staphylinidae) Synonym(s): *Megarthrus Stephens,1829*
- 3430. Megascolia Betrem,1928** (Scoliidae) Synonym(s): *Megascolia Betrem,1928*
- 3431. Megaselia Rondani,1856** (Phoridae) Synonym(s): *Megaselia Rondani,1856*
- 3432. Megastigmus Dalman,1820** (Torymidae) Synonym(s): *Megastigmus Dalman,1820*; *Cycloneuron Dahlbom,1857*; *Trogocarpus Rondani,1877*; *Megalostigmus Schultz,1906*; *Xanthosomoides Girault,1913*; *Epimegastigmus Girault,1915*; *Eumegastigmus Hussey,1956*; #*Megastimus Bouaziz & Roques,2006*
- 3433. Megatelus Reitter,1892** (Scarabaeidae) Synonym(s): *Megatelus Reitter,1892*
- 3434. Megatelus Reitter,1892** (Scarabaeidae) Synonym(s): *Megatelus Reitter,1892*
- 3435. Megatropis Muir,1913** (Derbidae) Synonym(s):
- 3436. Megischina Reitter,1906** (Tenebrionidae) Synonym(s): *Megischina Reitter,1906*
- 3437. Megistopus Rambur,1842** (Myrmeleonidae) Synonym(s): *Megistopus Rambur,1842*
- 3438. Megophthalmus Curtis,1833** (Cicadellidae) Synonym(s): *Megophthalmus Curtis,1833*
- 3439. Megulopa Lindberg,1924** (Cicadellidae) Synonym(s): *Megulopa Lindberg,1924*
- 3440. Meigenia Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Meigenia Robineau-Desvoidy,1830*
- 3441. Meimuna Distant,1905** (Cicadidae) Synonym(s): *Meimuna Distant,1905*
- 3442. Melanagromyza Hendel,1920** (Agromyzidae) Synonym(s): *Melanagromyza Hendel,1920*
- 3443. Melanaspis Cockerell,1897** (Diaspididae) Synonym(s): *Melanaspis Cockerell,1897*
- 3444. Melandeva Distant,1906** (Cixiidae) Synonym(s):
- 3445. Melanesia Kirkaldy,1907** (Delphacidae) Synonym(s):
- 3446. Melanimon Steven,1829** (Tenebrionidae) Synonym(s): *Melanimon Steven,1829*; *Microzoum Redtenbacher,1845*
- 3447. Melanocratus Fairmaire,1895** (Tenebrionidae) Synonym(s): *Melanocratus Fairmaire,1895*
- 3448. Melanogryllus Chopard,1961** (Gryllidae) Synonym(s): *Melanogryllus Chopard,1961*
- 3449. Melanopterus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Melanopterus Mulsant & Rey,1854*
- 3450. Melanosoma Robineau-Desvoidy,1853** (Conopidae) Synonym(s): *Melanosoma Robineau-Desvoidy,1853*
- 3451. Melanostoma Schiner,1860** (Syrphidae) Synonym(s): *Melanostoma Schiner,1860*; *Pachysphyria Enderlein,1938*
- 3452. Melanotus (Spheniscosomus) Schwarz,1902** (Elateridae) Synonym(s): *Spheniscosomus Schwarz,1902*
- 3453. Melanotus Eschscholtz,1829** (Elateridae) Synonym(s): *Melanotus Eschscholtz,1829*
- 3454. Meledonus Aldrich,1926** (Tachinidae) Synonym(s): *Phytopsis Townsend,1915 nec Hall,1847*; *Meledonus Aldrich,1926*; *Athanatus Reinhard,1947*; *Dyscolomyia Reinhard,1959*
- 3455. Melianoliarus Fennah,1945** (Cixiidae) Synonym(s):
- 3456. Meliboeus Deyrolle,1864** (Buprestidae) Synonym(s): *Meliboeus Deyrolle,1864*

3457. **Melicharella Semenov,1902** (Cicadellidae) Synonym(s): *Melicharella Semenov,1902*
3458. **Melicharia Kirkaldy,1900** (Flatidae) Synonym(s):
3459. **Melicharoptera Metcalf,1938** (Dictyopharidae) Synonym(s):
3460. **Melichitona Metcalf,1952** (Flatidae) Synonym(s):
3461. **Melidia Stal,1876** (Tettigoniidae) Synonym(s): *Melidia Stal,1876*
3462. **Melieria Robineau-Desvoidy,1830** (Ulidiidae) Synonym(s): *Melieria Robineau-Desvoidy,1830*
3463. **Meligethes Stephens,1829** (Nitidulidae) Synonym(s): *Meligethes Stephens,1829*
3464. **Melillaia Linnavuori,1971** (Cicadellidae) Synonym(s): *Melillaia Linnavuori,1971*
3465. **Meliprivesa Metcalf,1952** (Ricaniidae) Synonym(s):
3466. **Meliscaeva Frey,1946** (Syrphidae) Synonym(s): *Meliscaeva Frey,1946*
3467. **Melitonoma Chevrolat,1837** (Chrysomelidae) Synonym(s): *Melitonoma Chevrolat,1837*
3468. **Melliera Saussure,1892** (Mantidae) Synonym(s): *Melliera Saussure,1892; Phaeomantis Beier,1931*
3469. **Meloboris Holmgren,1859** (Ichneumonidae) Synonym(s): *Meloboris Holmgren,1859; Asinamora Förster,1868; Nepiera Förster,1868; Pseudocymodusa Habermehl,1922; Anoxis Townes,1970*
3470. **Meloe Linnaeus,1758** (Meloidae) Synonym(s): *Meloe Linnaeus,1758; Proscarabaeus Schrank,1781; Melittophagus Kirby,1818; Triungulinus Dufour,1828; Cnestocera Thomson,1859*
3471. **Melolontha (Apropyga) Medvedev,1951** (Scarabaeidae) Synonym(s): *Apropyga Medvedev,1951*
3472. **Melolontha (s.str.) Geoffroy,1762** (Scarabaeidae) Synonym(s): *Melolontha Geoffroy,1762*
3473. **Melolontha Geoffroy,1762** (Scarabaeidae) Synonym(s): *Melolontha Geoffroy,1762*
3474. **Melormenis Metcalf,1938** (Flatidae) Synonym(s):
3475. **Melormenoides Metcalf,1954** (Flatidae) Synonym(s):
3476. **Melusa Emeljanov,1994** (Derbidae) Synonym(s):
3477. **Memantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Memantis Giglio-Tos,1915*
3478. **Menearchus Carter,1920** (Tenebrionidae) Synonym(s): *Menearchus Carter,1920*
3479. **Menenches Fennah,1962** (Dictyopharidae) Synonym(s):
3480. **Menenia Stål,1866** (Fulgoridae) Synonym(s):
3481. **Menephus Mulsant,1854** (Tenebrionidae) Synonym(s): *Menephus Mulsant,1854*
3482. **Menora Medler,1999** (Flatidae) Synonym(s):
3483. **Mercetaspis Menor,1927** (Diaspididae) Synonym(s): *Mercetaspis Menor,1927*
3484. **Meria Illiger,1807** (Tiphidae) Synonym(s): *Meria Illiger,1807*
3485. **Meringopus Förster,1868** (Ichneumonidae) Synonym(s): *Meringopus Förster,1868; Goniocryptus Thomson,1873*
3486. **Merisus Walker,1834** (Pteromalidae) Synonym(s): *Merisus Walker,1834*
3487. **Merodon Meigen,1803** (Syrphidae) Synonym(s): *#Lampetia Meigen,1800; Merodon Meigen,1803; Exmerodon Becker,1912*
3488. **Meruacesa Koçak & Kemal,2009** (Eulophidae) Synonym(s): *Meruana Delucchi,1962 nec Sjöstedt,1909; Meruacesa Koçak & Kemal,2009*
3489. **Meruterrana Sjöstedt,1912** (Tettigoniidae) Synonym(s): *Meruterrana Sjöstedt,1912*
3490. **Mesagallia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Mesagallia Zachvatkin,1946*
3491. **Meselatus Girault,1922** (Agaonidae) Synonym(s): *Meselatus Girault,1922; Austroperilampus Dodd,1924; Pembertonia Gahan,1947 nec Zimm.,1944*
3492. **Mesepora Matsumura,1914** (Tropiduchidae) Synonym(s):
3493. **Mesochorus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesochorus Gravenhorst,1829; Stictopisthus Thomson,1886; Edrisa Cameron,1907; Zamesochorus Viereck,1912; Plectochorus Uchida,1933; Cryptochorus Aubert,1965; Oncocotta Dasch,1974; Piestetron Dasch,1974; Rhaibaspis Dasch,1974*
3494. **Mesocixiella Hong,1984** (Cixiidae) Synonym(s):
3495. **Mesoleptogaster Frey,1937** (Asilidae) Synonym(s): *Mesoleptogaster Frey,1937*
3496. **Mesoleptus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesoleptus Gravenhorst,1829; Exolytus Holmgren,1858*
3497. **Mesoliarus Matsumura,1910** (Cixiidae) Synonym(s):
3498. **Mesomorphus Miedel,1880** (Tenebrionidae) Synonym(s): *Mesomorphus Miedel,1880*
3499. **Mesonemurus Navas,1919** (Myrmeleonidae) Synonym(s): *Mesonemurus Navas,1919*
3500. **Mesonitys Schmidt,1908** (Eurybrachidae) Synonym(s):
3501. **Mesophantia Melichar,1901** (Flatidae) Synonym(s):
3502. **Mesophantia Melichar,1902** (Flatidae) Synonym(s): *Mesophantia Melichar,1902*
3503. **Mesopolobus Westwood,1833** (Pteromalidae) Synonym(s): *Mesopolobus Westwood,1833*
3504. **Mesopteryx Saussure,1870** (Mantidae) Synonym(s): *Mesopteryx Saussure,1870*
3505. **Mesoptylus Matsumura,1904** (Cercopidae) Synonym(s): *Mesoptylus Matsumura,1904; Lepyrioniella Melichar,1913*
3506. **Mesorgerius Kusnezov,1933** (Dictyopharidae) Synonym(s):
3507. **Mesoricania Melichar,1923** (Ricaniidae) Synonym(s):
3508. **Mesostena Eschscholtz,1831** (Tenebrionidae) Synonym(s): *Mesostena Eschscholtz,1831*

- 3509. Mesostenus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Mesostenus Gravenhorst,1829*;
Stenaraeus Thomson,1896; *Umlima Cameron,1902*; *Derocentrus Cushman,1919*
- 3510. Messeis Stål,1862** (Achilidae) Synonym(s):
- 3511. Messena Stål,1861** (Eurybrachidae) Synonym(s):
- 3512. Messoides Metcalf,1938** (Achilidae) Synonym(s):
- 3513. Messor Forel,1890** (Formicidae) Synonym(s): *Messor Forel,1890*
- 3514. Mestus Motschulsky,1863** (Delphacidae) Synonym(s): *Mestus Motschulsky,1863*
- 3515. Metacantharis Bourgeois,1886** (Cantharidae) Synonym(s): *Metacantharis Bourgeois,1886*
- 3516. Metaclisa Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Metaclisa Jacquelin du Val,1861*
- 3517. Metacnephia Crosskey,1969** (Simuliidae) Synonym(s): *Metacnephia Crosskey,1969*
- 3518. Metacnephia Crosskey,1969** (Simuliidae) Synonym(s): *Metacnephia Crosskey,1969*
- 3519. Metadenopus Sulc,1933** (Pseudococcidae) Synonym(s): *Metadenopus Sulc,1933*
- 3520. Metagalepsus Roy,1971** (Irididae) Synonym(s): *Metagalepsus Roy,1971*
- 3521. Metalimnus Ribaut,1948** (Cicadellidae) Synonym(s): *Metalimnus Ribaut,1948*
- 3522. Metanotalia Mercet,1921** (Encyrtidae) Synonym(s): *Metanotalia Mercet,1921*
- 3523. Metaphaena Schmidt,1905** (Fulgoridae) Synonym(s):
- 3524. Metaphenica Emeljanov,1994** (Derbidae) Synonym(s):
- 3525. Metaphradmon Fennah,1950** (Achilidae) Synonym(s):
- 3526. Metaphycus Mercet,1927** (Encyrtidae) Synonym(s): *Metaphycus Mercet,1927*
- 3527. Metaplacha Emeljanov,2000** (Cixiidae) Synonym(s): *Metaplacha Emeljanov,2000*
- 3528. Metasyrphus Matsumura,1917** (Syrphidae) Synonym(s): *Metasyrphus Matsumura,1917*;
Posthosyrphus Enderlein,1938
- 3529. Metaurus Stål,1866** (Dictyopharidae) Synonym(s):
- 3530. Metcalfa Caldwell,1951** (Flatidae) Synonym(s): *Metcalfa Caldwell,1951*
- 3531. Methocha Latreille,1804** (Tiphidae) Synonym(s): *Methocha Latreille,1804*
- 3532. Metopia Meigen,1803** (Sarcophagidae) Synonym(s): *Metopia Meigen,1803*; *Argyria Robineau-Desvoidy,1863*; *Chaetania Townsend,1933*; *Australoancia Verves,1979*
- 3533. Metopius (Ceratopius) Clément,1927** (Ichneumonidae) Synonym(s): *Ceratopius Clément,1927*
- 3534. Metopius (Peltocarus) Thomson,1887** (Ichneumonidae) Synonym(s): *Peltocarus Thomson,1887*; *Clemontia Michener,1941*
- 3535. Metopius (s.str.) Panzer,1806** (Ichneumonidae) Synonym(s): *Metopius Panzer,1806*; *Peltastes Illiger,1807*; *Peltopius Clément,1927*
- 3536. Metopius (Tylopius) H.Townes & M.Townes,1959** (Ichneumonidae) Synonym(s): *Tylopius H.Townes & M.Townes,1959*
- 3537. Metopius Panzer,1806** (Ichneumonidae) Synonym(s): *Metopius Panzer,1806*; *Peltastes Illiger,1807*; *Peltopius Clément,1927*
- 3538. Metopodia Brauer & Bergenstamm,1891** (Sarcophagidae) Synonym(s): *Metopodia Brauer & Bergenstamm,1891*
- 3539. Metopomyza Enderlein,1936** (Agromyzidae) Synonym(s): *Metopomyza Enderlein,1936*
- 3540. Metoponitys Karsch,1890** (Eurybrachidae) Synonym(s):
- 3541. Metopsia Wollaston,1854** (Staphylinidae) Synonym(s): *Metopsia Wollaston,1854*
- 3542. Metriocnemus Wulp,1874** (Chironomidae) Synonym(s): *Metriocnemus Wulp,1874*
- 3543. Metrioptera (Bicolorana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Bicolorana Zeuner,1941*
- 3544. Metrioptera (Broughtonia) Harz,1969** (Tettigoniidae) Synonym(s): *Broughtonia Harz,1969*
- 3545. Metrioptera (Roeseliana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Roeseliana Zeuner,1941*
- 3546. Metrioptera (Vichetia) Harz,1969** (Tettigoniidae) Synonym(s): *Vichetia Harz,1969*
- 3547. Metropis Fieber,1866** (Delphacidae) Synonym(s): *Metropis Fieber,1866*
- 3548. Meulona Zia,1935** (Flatidae) Synonym(s):
- 3549. Miasa Distant,1906** (Dictyopharidae) Synonym(s):
- 3550. Micantulina (Mulsantina) Anufriev,1970** (Cicadellidae) Synonym(s): *Mulsantina Anufriev,1970*
- 3551. Micantulina (s.str.) Anufriev,1970** (Cicadellidae) Synonym(s): *Micantulina Anufriev,1970*
- 3552. Micantulina Anufriev,1970** (Cicadellidae) Synonym(s): *Micantulina Anufriev,1970*
- 3553. Michotamia Macquart,1838** (Asilidae) Synonym(s): *Michotamia Macquart,1838*; *Allocotosia Schiner,1866*
- 3554. Miclucha Emeljanov,2001** (Cixiidae) Synonym(s):
- 3555. Micomitra Bowden,1964** (Bombyliidae) Synonym(s): *Micomitra Bowden,1964*
- 3556. Microeides Fennah,1969** (Delphacidae) Synonym(s):
- 3557. Micrixia Fowler,1904** (Kinnaridae) Synonym(s):
- 3558. Microchelonus Szepligeti,1908** (Braconidae) Synonym(s): *Microchelonus Szepligeti,1908*;
Chelonella Szepligeti,1908; *Neochelonella Hincks,1943*
- 3559. Micrococcus Leonardi,1907** (Micrococcidae) Synonym(s): *Micrococcus Leonardi,1907*
- 3560. Microcricotopus Thienemann & Harn.,1933** (Chironomidae) Synonym(s): *Microcricotopus Thienemann & Harn.,1933*

3561. **Microdontomerus Crawford,1907** (Torymidae) Synonym(s): *Microdontomerus Crawford,1907*
3562. **Microdynerus Thomson,1874** (Vespididae) Synonym(s): *Microdynerus Thomson,1874*
3563. **Microflata Melichar,1901** (Flatidae) Synonym(s):
3564. **Microgaster Latreille,1804** (Braconidae) Synonym(s): *Microgaster Latreille,1804*
3565. **Microhoria Chevrolat,1877** (Anthicidae) Synonym(s): *Microhoria Chevrolat,1877*
3566. **Microissus Fennah,1947** (Kinnaridae) Synonym(s):
3567. **Microlarinus Hochhuth,1847** (Curculionidae) Synonym(s): *Microlarinus Hochhuth,1847*
3568. **Microledrida Fowler,1904** (Cixiidae) Synonym(s):
3569. **Microliza Medler,1991** (Flatidae) Synonym(s):
3570. **Microlycus Thomson,1878** (Eulophidae) Synonym(s): *Microlycus Thomson,1878*
3571. **Micromallosia Pic,1900** (Cerambycidae) Synonym(s): *Micromallosia Pic,1900*
3572. **Micromasoria Kirkaldy,1904** (Delphacidae) Synonym(s):
3573. **Micrometrina Lindberg,1948** (Tettigometridae) Synonym(s): *Micrometrina Lindberg,1948*
3574. **Micronecta Kirkaldy,1897** (Corixidae) Synonym(s): *Micronecta Kirkaldy,1897*
3575. **Micropeplus Latreille,1809** (Staphylinidae) Synonym(s): *Micropeplus Latreille,1809*
3576. **Microphadnus Cameron,1905** (Pompilidae) Synonym(s): *Microphadnus Cameron,1905*
3577. **Micropodisma Dovnar-Zapolskii,1933** (Acrididae) Synonym(s): *Micropodisma Dovnar-Zapolskii,1933*
3578. **Micropsectra Kieffer,1909** (Chironomidae) Synonym(s): *Micropsectra Kieffer,1909*
3579. **Microptilis Förster,1862** (Braconidae) Synonym(s): *Microptilis Förster,1862*
3580. **Micrositus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Micrositus Mulsant & Rey,1854*
3581. **Microtelus Solier,1838** (Tenebrionidae) Synonym(s): *Microtelus Solier,1838*
3582. **Microtendipes Kieffer,1915** (Chironomidae) Synonym(s): *Microtendipes Kieffer,1915*
3583. **Microterys Thomson,1876** (Encyrtidae) Synonym(s): *Microterys Thomson,1876*
3584. **Microthespis Werner,1908** (Mantidae) Synonym(s): *Microthespis Werner,1908*
3585. **Mijas Rambur,1840** (Issidae) Synonym(s):
3586. **Mikiola Kieffer,1896** (Cecidomyiidae) Synonym(s): *Mikiola Kieffer,1896*
3587. **Mikomya Kieffer,1912** (Cecidomyiidae) Synonym(s): *Mikomya Kieffer,1912*
3588. **Milesia Latreille,1804** (Syrphidae) Synonym(s): *Milesia Latreille,1804*
3589. **Milichia Meigen,1830** (Milichiidae) Synonym(s): *Milichia Meigen,1830; Lobioptera Wahlberg,1847; Prosaetomilichia Meijere,1909*
3590. **Milichiella Giglio-Tos,1895** (Milichiidae) Synonym(s): *Milichiella Giglio-Tos,1895; Ophthalmomyia Williston,1896; Stenoporomyia Hendel,1903; Eccoptomma Becker,1907; Pareccoptomma Duda,1935*
3591. **Miltogramma Meigen,1803** (Sarcophagidae) Synonym(s): *Miltogramma Meigen,1803; Hamulia Robineau-Desvoidy,1863; Cylindrothecum Rodhendorf,1930; Stephanodactylum Rodhendorf,1930; Eumiltogramma Townsend,1933*
3592. **Mimophaeopterus Pic,1930** (Lampyridae) Synonym(s): *Mimophaeopterus Pic,1930*
3593. **Mimophantia Matsumura,1900** (Flatidae) Synonym(s):
3594. **Mimothrix Majer,1989** (Melyridae) Synonym(s): *Mimothrix Majer,1989*
3595. **Mincopius Distant,1909** (Issidae) Synonym(s):
3596. **Mindura Stål,1862** (Nogodinidae) Synonym(s):
3597. **Miniscia Medler,1991** (Flatidae) Synonym(s):
3598. **Miomantis Saussure,1870** (Mantidae) Synonym(s): *Miomantis Saussure,1870; Calidomantis Rehn,1901; Oreomantis Uvarov,1935*
3599. **Mioscirtus Saussure,1888** (Acrididae) Synonym(s): *Mioscirtus Saussure,1888; Thiopteris Houlbert,1927*
3600. **Mirabella Emeljanov,1982** (Delphacidae) Synonym(s):
3601. **Miriza Stål,1862** (Nogodinidae) Synonym(s):
3602. **Miscogaster Walker,1833** (Pteromalidae) Synonym(s): *Miscogaster Walker,1833*
3603. **Misodema Melichar,1907** (Issidae) Synonym(s):
3604. **Mistaria Medler,1988 nec** (Flatidae) Synonym(s):
3605. **Mistharnophantia Kirkaldy,1907** (Flatidae) Synonym(s):
3606. **Mistshenkotetrix Harz,1973** (Tetrigidae) Synonym(s): *Mesotettix Bei-Bienko,1951 nec Matsum.,1914; Mistshenkotetrix Harz,1973*
3607. **Mithymna Stål,1861** (Nogodinidae) Synonym(s):
3608. **Mitjaevia Dworakowska,1970** (Cicadellidae) Synonym(s): *Mitjaevia Dworakowska,1970*
3609. **Mitrops Fennah,1944** (Dictyopharidae) Synonym(s):
3610. **Mixocrdylura Hendel,1909** (Scathophagidae) Synonym(s): *Mixocrdylura Hendel,1909*
3611. **Mlanjella Fennah,1950** (Achilidae) Synonym(s):
3612. **Mnemosyne Stål,1866** (Cixiidae) Synonym(s):
3613. **Mniophila Stephens,1831** (Chrysomelidae) Synonym(s): *Mniophila Stephens,1831*

- 3614. Mocuellus Ribaut,1946** (Cicadellidae) Synonym(s): *Mocuellus Ribaut,1946*; *Falcitettix Linnavuori,1953*
- 3615. Mocydia Edwards,1922** (Cicadellidae) Synonym(s): *Mocydia Edwards,1922*
- 3616. Mocydiopsis Ribaut,1939** (Cicadellidae) Synonym(s): *Mocydiopsis Ribaut,1939*
- 3617. Modicogryllus (Amodicogryllus) Gorochov,1996** (Gryllidae) Synonym(s): *Amodicogryllus Gorochov,1996*
- 3618. Modicogryllus (Eumodicogryllus) Gorochov,1986** (Gryllidae) Synonym(s): *Eumodicogryllus Gorochov,1986*
- 3619. Modicogryllus (Promodicogryllus) Gorochov,1986** (Gryllidae) Synonym(s): *Promodicogryllus Gorochov,1986*
- 3620. Modicogryllus (s.str.) Chopard,1961** (Gryllidae) Synonym(s): *Modicogryllus Chopard,1961*
- 3621. Modicogryllus Chopard,1961** (Gryllidae) Synonym(s): *Modicogryllus Chopard,1961*
- 3622. Mogangella Dlabola,1957** (Cicadellidae) Synonym(s): *Mogangella Dlabola,1957*
- 3623. Mogannia Amyot & Serville,1843** (Cicadidae) Synonym(s): *Mogannia Amyot & Serville,1843*
- 3624. Mohelnaspis Sulc,1937** (Diaspididae) Synonym(s): *Mohelnaspis Sulc,1937*
- 3625. Molobratia Hull,1958** (Asilidae) Synonym(s): *Molobratia Hull,1958*
- 3626. Momar Fennah,1950** (Achilidae) Synonym(s):
- 3627. Monarthropalpus Rübсаamen,1892** (Cecidomyiidae) Synonym(s): *Monarthropalpus Rübсаamen,1892*
- 3628. Mongoliana Distant,1909** (Issidae) Synonym(s):
- 3629. Monochorhynchus Muir,1917** (Derbidae) Synonym(s):
- 3630. Monodiscodes Hoffer,1954** (Encyrtidae) Synonym(s): *Monodiscodes Hoffer,1954*
- 3631. Monodontomerus Westwood,1833** (Torymidae) Synonym(s): *Monodontomerus Westwood,1833*
- 3632. Monoflata Melichar,1923** (Flatidae) Synonym(s):
- 3633. Monoflatina Metcalf & Bruner,1948** (Flatidae) Synonym(s):
- 3634. Monomalpa Emeljanov,2000** (Cixiidae) Synonym(s): *Monomalpa Emeljanov,2000*
- 3635. Monomorium Mayr,1855** (Formicidae) Synonym(s): *Monomorium Mayr,1855*
- 3636. Monopelopia Fittkau,1962** (Chironomidae) Synonym(s): *Monopelopia Fittkau,1962*
- 3637. Monopsis Spinola,1839** (Achilidae) Synonym(s):
- 3638. Monopsis Spinola,1839** (Tropiduchidae) Synonym(s):
- 3639. Monorachis Uhler,1901** (Cixiidae) Synonym(s):
- 3640. Monorthochaeta Blood & Kryger,1928** (Trichogrammatidae) Synonym(s): *Monorthochaeta Blood & Kryger,1928*
- 3641. Monosapyga Pic,1920** (Sapygidae) Synonym(s): *Monosapyga Pic,1920*
- 3642. Monosteira Costa,1860** (Tingidae) Synonym(s): *Monosteira Costa,1860*
- 3643. Montamantis Yang,1999** (Mantidae) Synonym(s): *Montamantis Yang,1999*
- 3644. Monteiro Melichar,1906** (Nogodinidae) Synonym(s):
- 3645. Monteirina Lallemand,1931** (Nogodinidae) Synonym(s):
- 3646. Montrouzierana Signoret,1861** (Tropiduchidae) Synonym(s):
- 3647. Montrouzieriellus Kirkaldy,1908** (Pentatomidae) Synonym(s): *Heteropus Spinola,1837 (praeocc.); Acanthomera Montrouzier,1864; Montrouzieriellus Kirkaldy,1908*
- 3648. Moraballia Fennah,1950** (Achilidae) Synonym(s):
- 3649. Morellia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Morellia Robineau-Desvoidy,1830*
- 3650. Morimus Brullé,1832** (Cerambycidae) Synonym(s): *Morimus Brullé,1832*
- 3651. Mormia Enderlein,1935** (Psychodidae) Synonym(s): *Mormia Enderlein,1935*
- 3652. Morphacris Walker,1870** (Acrididae) Synonym(s): *Morphacris Walker,1870*
- 3653. Morsina Melichar,1902** (Nogodinidae) Synonym(s): *Morsina Melichar,1902*
- 3654. Mosillus Latreille,1804** (Ephydriidae) Synonym(s): *Mosillus Latreille,1804; Gymnomyza Fallén,1810; Gymnopa Fallén,1820; Glabrinus Rondani,1856*
- 3655. Mosiona Melichar,1923** (Flatidae) Synonym(s):
- 3656. Motua Distant,1909** (Ricaniidae) Synonym(s):
- 3657. Motumotua Distant,1909** (Ricaniidae) Synonym(s):
- 3658. Muda Distant,1897** (Cicadidae) Synonym(s): *Muda Distant,1897*
- 3659. Muellerianella Wagner,1963** (Delphacidae) Synonym(s):
- 3660. Muhabbetella Koçak & Kemal,2008** (Chalcididae) Synonym(s): *Trigonurella Boucek,1988 nec Maa,1963; Muhabbetella Koçak & Kemal,2008*
- 3661. Muhabbetiella Koçak,2009** (Tephritidae) Synonym(s): *Cryptodacus Hendel,1914 nec Gundlach,[1861]; Muhabbetiella Koçak,2009*
- 3662. Muhabbetiola Koçak,2009** (Sciaridae) Synonym(s): *Zygomma Enderlein,1911 nec Bronn,1859; Muhabbetiola Koçak,2009*
- 3663. Muiralevu Zelazny,1981** (Derbidae) Synonym(s):
- 3664. Muiria Kirkaldy,1907** (Derbidae) Synonym(s):
- 3665. Muirileguatia Metcalf,1945** (Derbidae) Synonym(s):

- 3666. Muirodelphax Wagner,1963** (Delphacidae) Synonym(s):
3667. Muirodelphax Wagner,1963 (Delphacidae) Synonym(s): *Muirodelphax Wagner,1963*
3668. Muirolonia Metcalf,1936 (Cixiidae) Synonym(s):
3669. Mula Ball,1928 (Derbidae) Synonym(s):
3670. Mulsanteus Gozis,1875 (Elateridae) Synonym(s): *Mulsanteus Gozis,1875; Neotrichophorus Jacobson,1913*
3671. Mulvia Stål,1866 (Ricaniidae) Synonym(s):
3672. Mundopa Distant,1906 (Cixiidae) Synonym(s):
3673. Musaria Thomson,1864 (Cerambycidae) Synonym(s): *Musaria Thomson,1864*
3674. Musca Linnaeus,1758 (Muscidae) Synonym(s): *Musca Linnaeus,1758*
3675. Muscidifurax Girault & Sanders,1910 (Pteromalidae) Synonym(s): *Muscidifurax Girault & Sanders,1910; Smeagolia Hedqvist,1973*
3676. Muscina Robineau-Desvoidy,1830 (Muscidae) Synonym(s): *Muscina Robineau-Desvoidy,1830*
3677. Mushya Kato,1933 (Caliscelidae) Synonym(s):
3678. Mustha Amyot & Serville,1843 (Pentatomidae) Synonym(s): *Mustha Amyot & Serville,1843*
3679. Mutilla Linnaeus,1758 (Mutillidae) Synonym(s): *Mutilla Linnaeus,1758*
3680. Muzimes Aksentjev,1988 (Meloidae) Synonym(s): *Micromerus Mulsant & Rey,1858 nec Rambur,1842; Muzimes Aksentjev,1988*
3681. Myathropa Rondani,[1845] (Syrphidae) Synonym(s): *Myathropa Rondani,[1845]*
3682. Mycarinus Emeljanov,1991 (Achilidae) Synonym(s):
3683. Mycarus Emeljanov,1991 (Achilidae) Synonym(s):
3684. Mycetophila Meigen,1803 (Mycetophilidae) Synonym(s): *#Fungivora Meigen,1800; Mycetophila Meigen,1803; Mycetina Rondani,1856; Mycozetaea Rondani,1861; Mycothera Winnertz,1863; Opistholoba Mik,1891*
3685. Mycodrosophila Oldenberg,1914 (Drosophilidae) Synonym(s): *Mycodrosophila Oldenberg,1914*
3686. Mycomya (Cesamya) Koçak & Kemal,2010 (Mycetophilidae) Synonym(s): *Lycomya Vaisanen,1984 nec Bigot,1857; Cesamya Koçak & Kemal,2010*
3687. Mycomya (Cymomya) Vaisanen,1984 (Mycetophilidae) Synonym(s): *Cymomya Vaisanen,1984*
3688. Mycomya Rondani,1856 (Mycetophilidae) Synonym(s): *Mycomya Rondani,1856*
3689. Myconellus Fennah,1950 (Achilidae) Synonym(s):
3690. Myconus Stål,1862 (Achilidae) Synonym(s):
3691. Mycterodus (Aconosimus) Dlabola,1983 (Issidae) Synonym(s): *Aconosimus Dlabola,1983*
3692. Mycterodus (Aegaeum) Gnezdilov,2003 (Issidae) Synonym(s): *Aegaeum Gnezdilov,2003*
3693. Mycterodus (Comporodus) Koçak,1982 (Issidae) Synonym(s): *Comporodus Koçak,1982*
3694. Mycterodus (s.str.) Spinola,1839 (Issidae) Synonym(s): *Mycterodus Spinola,1839*
3695. Mycterodus (Semirodus) Dlabola,1987 (Issidae) Synonym(s): *Semirodus Dlabola,1987*
3696. Mycterodus Spinola,1839 (Issidae) Synonym(s): *Mycterodus Spinola,1839*
3697. Mydaea Robineau-Desvoidy,1830 (Muscidae) Synonym(s): *Mydaea Robineau-Desvoidy,1830; #Mydea Liroy,1864*
3698. Myennis Robineau-Desvoidy,1830 (Ulidiidae) Synonym(s): *Myennis Robineau-Desvoidy,1830; #Miennis Rondani,1869; #Miennys Rondani,1869;*
3699. Mylabris Fabricius,1775 (Meloidae) Synonym(s): *Mylabris Fabricius,1775; Coryna Billberg,1813; Zonabris Harold,1879; Megabris Des Gozis,1881*
3700. Myndodus Emeljanov,1992 (Cixiidae) Synonym(s):
3701. Myndus Stal,1862 (Cixiidae) Synonym(s): *Myndus Stal,1862; Entithena Fieber,1866*
3702. Myoleja Rondani,1856 (Tephritidae) Synonym(s): *Myoleja Rondani,1856*
3703. Myopa Fabricius,1775 (Conopidae) Synonym(s): *Myopa Fabricius,1775*
3704. Myophila De Vis,1884 (Muscidae) Synonym(s): *Myophila De Vis,1884*
3705. Myopites Blot,1827 (Tephritidae) Synonym(s):
3706. Myopotta Zimina,1969 (Conopidae) Synonym(s): *Myopotta Zimina,1969*
3707. Myrcinus Stal,1877 (Mantidae) Synonym(s): *Myrcinus Stal,1877*
3708. Myrilla Distant,1888 (Fulgoridae) Synonym(s):
3709. Myriochile (Monelica) Rivalier,1950 (Carabidae) Synonym(s): *Monelica Rivalier,1950*
3710. Myriochile (s.str.) Motschulsky,1862 (Carabidae) Synonym(s): *Myriochile Motschulsky,1862*
3711. Myriochile Motschulsky,1862 (Carabidae) Synonym(s): *Myriochile Motschulsky,1862*
3712. Myrmecaelurus Costa,1855 (Myrmeleonidae) Synonym(s): *Myrmecaelurus Costa,1855*
3713. Myrmecophilus Berthold,1827 (Myrmecophilidae) Synonym(s): *Myrmecophilus Berthold,1827*
3714. Myrmeleon (Morter) Navas,1915 (Myrmeleonidae) Synonym(s): *Morter Navas,1915*
3715. Myrmeleon Linnaeus,1767 (Myrmeleonidae) Synonym(s): *Myrmeleon Linnaeus,1767*
3716. Myrmeleonostenus Uchida,1936 (Ichneumonidae) Synonym(s): *Myrmeleonostenus Uchida,1936*
3717. Myrmica Latreille,1804 (Formicidae) Synonym(s): *Myrmica Latreille,1804*

- 3718. Myrmilla (Eurygnathilla) Skorikov,1927** (Mutillidae) Synonym(s): *Eurygnathilla Skorikov,1927*
- 3719. Myrmilla (Pseudomutilla) Costa,1884** (Mutillidae) Synonym(s): *Pseudomutilla Costa,1884*
- 3720. Myrmilla (s.str.) Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852; Rudia Costa,1858*
- 3721. Myrmilla Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852; Rudia Costa,1858*
- 3722. Myrmessus Linnavuori,1973** (Caliscelidae) Synonym(s):
- 3723. Myrmosa Latreille,1796** (Mutillidae) Synonym(s): *Myrmosa Latreille,1796; Ischioceras Provancher,1882*
- 3724. Mysidaloides Broomfield,1985** (Derbidae) Synonym(s):
- 3725. Mysidia Westwood,1840** (Derbidae) Synonym(s):
- 3726. Mysidioides Matsumura,1905** (Derbidae) Synonym(s):
- 3727. Mythomantis Giglio-Tos,1916** (Mantidae) Synonym(s): *Mythomantis Giglio-Tos,1916*
- 3728. Myxexoristops Townsend,1911** (Tachinidae) Synonym(s): *Myxexoristops Townsend,1911*
- 3729. Nabis Latreille,1802** (Nabidae) Synonym(s): *Nabis Latreille,1802*
- 3730. Nacerdes (s.str.) Dejean,1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean,1834*
- 3731. Nacerdes (Xanthochroa) W.Schmidt,1846** (Oedemeridae) Synonym(s): *Xanthochroa W.Schmidt,1846*
- 3732. Nacerdes Dejean,1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean,1834*
- 3733. Nacmusius Jacobi,1944** (Issidae) Synonym(s): *Nacmusius Jacobi,1944*
- 3734. Nakta Distant,1906** (Flatidae) Synonym(s):
- 3735. Nala Zacher,1910** (Labiduridae) Synonym(s): *Nala Zacher,1910*
- 3736. Nalassus (Caucasonotus) Nabozhenko,2000** (Tenebrionidae) Synonym(s): *Caucasonotus Nabozhenko,2000*
- 3737. Nalassus (Helopondrus) Reitter,1922** (Tenebrionidae) Synonym(s): *Helopondrus Reitter,1922*
- 3738. Nalassus Mulsant,1854** (Tenebrionidae) Synonym(s): *Nalassus Mulsant,1854*
- 3739. Namamantis Kaltenbach,1996** (Mantidae) Synonym(s): *Namamantis Kaltenbach,1996*
- 3740. Namaqualandia Koçak & Kemal,2008** (Vermileonidae) Synonym(s): *Namamyia Stuckenberga,2000 nec Banks,1905; Namaqualandia Koçak & Kemal,2008*
- 3741. Namibiocesa Koçak & Kemal,2009** (Tephritidae) Synonym(s): *Leucothrix Munro,1929 nec Olivier,1811; Namibiocesa Koçak & Kemal,2009*
- 3742. Nampista Navas,1914** (Mantispidae) Synonym(s): *Nampista Navas,1914*
- 3743. Namunia Reitter,1882** (Staphylinidae) Synonym(s): *Namunia Reitter,1882*
- 3744. Nanocixius Wagner,1939** (Cixiidae) Synonym(s):
- 3745. Nanoclavelia Haupt,1926** (Pompilidae) Synonym(s): *Nanoclavelia Haupt,1926*
- 3746. Nanomutilla André,1900** (Mutillidae) Synonym(s): *Nanomutilla André,1900; Ticopla Nagy,1970*
- 3747. Napomyza Westwood,1840** (Agromyzidae) Synonym(s): *Napomyza Westwood,1840*
- 3748. Narayana Distant,1906** (Issidae) Synonym(s):
- 3749. Narolskyia Koçak & Kemal,2009** (Ichneumonidae) Synonym(s): *Regius Narolsky,1990 nec Egorova,1970; Narolskyia Koçak & Kemal,2009*
- 3750. Narowalenus Shakila,1991** (Flatidae) Synonym(s):
- 3751. Nasonia Ashmead,1904** (Pteromalidae) Synonym(s): *Nasonia Ashmead,1904*
- 3752. Nataliana Muir,1926** (Delphacidae) Synonym(s):
- 3753. Naucoris Geoffroy,1762** (Naucoridae) Synonym(s): *Naucoris Geoffroy,1762*
- 3754. Neaethus Stål,1861** (Issidae) Synonym(s):
- 3755. Neatus LeConte,1862** (Tenebrionidae) Synonym(s): *Neatus LeConte,1862*
- 3756. Nebria (Eunebria) Jeannel,1937** (Carabidae) Synonym(s): *Eunebria Jeannel,1937*
- 3757. Nebria (Eurynebria) Ganglbauer,1891** (Carabidae) Synonym(s): *Eurynebria Ganglbauer,1891*
- 3758. Nebria (Nebria) Latreille,1802** (Carabidae) Synonym(s): *Nebria Latreille,1802*
- 3759. Nebria (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Nebria Latreille,1802*
- 3760. Nebria (Tyrrhenia) Ledoux & Roux,2005** (Carabidae) Synonym(s): *Tyrrhenia Ledoux & Roux,2005*
- 3761. Nebrioporus Régimbart,1906** (Dytiscidae) Synonym(s): *Nebrioporus Régimbart,1906*
- 3762. Necremnus Thomson,1878** (Eulophidae) Synonym(s): *Necremnus Thomson,1878*
- 3763. Necrobia Olivier,1795** (Korynetidae) Synonym(s): *Necrobia Olivier,1795*
- 3764. Necrobinus Reitter,1894** (Korynetidae) Synonym(s): *Necrobinus Reitter,1894*
- 3765. Necrodes Leach,1815** (Silphidae) Synonym(s): *Necrodes Leach,1815; Asbolus Bergroth,1884; Protonecrodes Portevin,1922*
- 3766. Nedroledon Navas,1914** (Myrmeleonidae) Synonym(s): *Nedroledon Navas,1914; Pteroleon Navas,1932; Banatoleon Kis,1964*
- 3767. Negastris Thomson,1859** (Elateridae) Synonym(s): *Negastris Thomson,1859*
- 3768. Neides Latreille,1802** (Berytidae) Synonym(s): *Neides Latreille,1802; Leides Rafinesque,1815*
- 3769. Nelidia Stål,1862** (Achilidae) Synonym(s):

- 3770. Nemeritis Holmgen,1860** (Ichneumonidae) Synonym(s): *Nemeritis Holmgen,1860*;
Pseudonemeritis Szepligeti,1916
- 3771. Nemka Lelej,1985** (Mutillidae) Synonym(s): *Nemka Lelej,1985*
- 3772. Nemognatha Illiger,1807** (Meloidae) Synonym(s): *Nemognatha Illiger,1807*
- 3773. Nemolecanium Borkhsenius,1955** (Coccidae) Synonym(s): *Nemolecanium Borkhsenius,1955*
- 3774. Nemopoda Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *Nemopoda Robineau-Desvoidy,1830*; *Nematopoda Agasiz,1846*
- 3775. Nemoptera Latreille,1802** (Nemopteridae) Synonym(s): *Nemoptera Latreille,1802*; *Nemopteryx Leach,1815*; *Physapus Leach,1815*; *Nematoptera Burmeister,1838*
- 3776. Nemoraea Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Nemoraea Robineau-Desvoidy,1830*
- 3777. Nemorilla Rondani,1856** (Tachinidae) Synonym(s): *Nemorilla Rondani,1856*
- 3778. Nemorius Rondani,1856** (Tabanidae) Synonym(s): *Nemorius Rondani,1856*
- 3779. Nemotelus (s.str.) Geoffroy,1762** (Stratiomyidae) Synonym(s): *Nemotelus Geoffroy,1762*;
Galeodiotrigger Pleske,1937; #*Melanonemotelinus Lindner,1937*; *Melanonemotelinus Szilady,1941*
- 3780. Nemotelus Geoffroy,1762** (Stratiomyidae) Synonym(s): *Nemotelus Geoffroy,1762*;
Galeodiotrigger Pleske,1937; #*Melanonemotelinus Lindner,1937*; *Melanonemotelinus Szilady,1941*
- 3781. Nemoura Latreille,1796** (Nemouridae) Synonym(s): *Nemoura Latreille,1796*; *Nemura Rambur,1842*; *Gemnra Navas,1928*
- 3782. Nenasa Chan & Yang,1994** (Caliscelidae) Synonym(s):
- 3783. Nenema Emeljanov,1996** (Caliscelidae) Synonym(s):
- 3784. Neoliturus Distant,1918** (Cicadellidae) Synonym(s): *Neoliturus Distant,1918*; *Bothrognathus Bergroth,1920*; *Distomotettix Ribaut,1938*
- 3785. Neoascia Williston,1886** (Syrphidae) Synonym(s): *Ascia Meigen,1822 nec* ; *Neoascia Williston,1886*
- 3786. Neoblemus (s.str.) Jeannel,1923** (Carabidae) Synonym(s): *Neoblemus Jeannel,1923*
- 3787. Neobodilus Hollande & Therond,1998** (Scarabaeidae) Synonym(s): *Neobodilus Hollande & Therond,1998*; ?*Bodiloides G.Dellacasa & M.Dellacasa,2005*
- 3788. Neobombylodes Evenhuis,1978** (Bombyliidae) Synonym(s): *Neobombylodes Evenhuis,1978*
- 3789. Neobrachyglossum Kröber,1915** (Conopidae) Synonym(s): *Neobrachyglossum Kröber,1915*
- 3790. Neocalauria Synave,1957** (Flatidae) Synonym(s):
- 3791. Neocalauria Melichar,1915** (Derbidae) Synonym(s):
- 3792. Neocatara Distant,1910** (Tropiduchidae) Synonym(s):
- 3793. Neocenchrea Metcalf,1923** (Derbidae) Synonym(s):
- 3794. Neoceris Melichar,1901** (Flatidae) Synonym(s):
- 3795. Neochalcis Kirby,1883** (Chalcididae) Synonym(s): *Neochalcis Kirby,1883*
- 3796. Neocilnia Beier,1930** (Mantidae) Synonym(s): *Neocilnia Beier,1930*
- 3797. Neocixius Wagner,1948** (Cixiidae) Synonym(s):
- 3798. Neocolpoptera Dozier,1931** (Issidae) Synonym(s):
- 3799. Neocrepidodera Heikertinger,1911** (Chrysomelidae) Synonym(s): *Neocrepidodera Heikertinger,1911*
- 3800. Neocromna Distant,1910** (Flatidae) Synonym(s):
- 3801. Neocyclokara Muir,1917** (Derbidae) Synonym(s):
- 3802. Neodaksha Distant,1910** (Flatidae) Synonym(s):
- 3803. Neodanuria La Greca & Lombardo,1986** (Mantidae) Synonym(s): *Paradanuria La Greca,1954 nec Sauss.,1871*; *Neodanuria La Greca & Lombardo,1986*;
- 3804. Neodawnaria O'Brien,1982** (Derbidae) Synonym(s):
- 3805. Neodendrokara Muir,1917** (Derbidae) Synonym(s):
- 3806. Neodictya Synave,1965** (Dictyopharidae) Synonym(s):
- 3807. Neodictyophara Distant,1910** (Dictyopharidae) Synonym(s):
- 3808. Neodiestrombus Muir,1918** (Derbidae) Synonym(s):
- 3809. Neodorcadion Ganglbauer,1884** (Cerambycidae) Synonym(s): *Neodorcadion Ganglbauer,1884*
- 3810. Neoflata Melichar,1923** (Flatidae) Synonym(s):
- 3811. Neogadora Fennah,1969** (Delphacidae) Synonym(s):
- 3812. Neoitamus Osten Sacken,1878** (Asilidae) Synonym(s): *Neoitamus Osten Sacken,1878*
- 3813. Neolamenia Muir,1917** (Derbidae) Synonym(s):
- 3814. Neolera Malloch,1919** (Heleomyzidae) Synonym(s): *Neolera Malloch,1919*
- 3815. Neolimnus Linnavuori,1953** (Cicadellidae) Synonym(s): *Neolimnus Linnavuori,1953*
- 3816. Neolollius Muir,1921** (Issidae) Synonym(s):
- 3817. Neolophonotus Engel,1925** (Asilidae) Synonym(s): *Lophonotus Macquart,1838 (praeocc.)*;
Megadrillus Bigot,1857; *Neolophonotus Engel,1925*; *Lophybus Engel,1925*; *Lophopeltis Engel,1925*;
Antilophonotus Lindner,1955
- 3818. Neomalaxa Muir,1918** (Delphacidae) Synonym(s):
- 3819. Neomargarodes Green,1914** (Margarodidae) Synonym(s): *Neomargarodes Green,1914*

- 3820. Neomelicharia Kirkaldy,1903** (Flatidae) Synonym(s):
3821. Neomiasa Fennah,1947 (Dictyopharidae) Synonym(s):
3822. Neommatissus Muir,1913 (Dictyopharidae) Synonym(s):
3823. Neomochtherus Osten Sacken,1878 (Asilidae) Synonym(s): *Neomochtherus Osten Sacken,1878*
3824. Neomusaria Plavilshchikov,1928 (Cerambycidae) Synonym(s): *Neomusaria Plavilshchikov,1928*
3825. Neomyia Walker,1859 (Muscidae) Synonym(s): *Neomyia Walker,1859*
3826. Neoperkinsiella Muir,1926 (Delphacidae) Synonym(s):
3827. Neophilaenus Haupt,1935 (Cercopidae) Synonym(s): *Neophilaenus Haupt,1935; Neophilaenus Emeljanov,1964*
3828. Neoplacionotus Kasatkin,2005 (Cerambycidae) Synonym(s): *Neoplacionotus Kasatkin,2005*
3829. Neoplatybrachys Lallemand,1950 (Eurybrachidae) Synonym(s): *Neoplatybrachys Lallemand,1950*
3830. Neopristilpophus Buysson,1894 (Elateridae) Synonym(s): *Neopristilpophus Buysson,1894*
3831. Neoprivesa Distant,1917 (Ricaniidae) Synonym(s):
3832. Neoprotista Yang & Wu,1993 (Derbidae) Synonym(s):
3833. Neoputala Distant,1914 (Dictyopharidae) Synonym(s):
3834. Neosalurnis Distant,1910 (Flatidae) Synonym(s):
3835. Neosephena Medler,2000 (Flatidae) Synonym(s): *Neosephena Medler,2000*
3836. Neotabuda Kröber,1931 (Therevidae) Synonym(s): *Pachygenia Kröber,1912 nec Motsch.,1874; Neotabuda Kröber,1931*
3837. Neotangia Melichar,1914 (Tropiduchidae) Synonym(s):
3838. Neotaxilana Synave,1979 (Tropiduchidae) Synonym(s):
3839. Neothereva Kröber,1912 (Therevidae) Synonym(s): *Neothereva Kröber,1912*
3840. Neotherevella Lyneborg,1978 (Therevidae) Synonym(s): *Neotherevella Lyneborg,1978*
3841. Neotournieria Apfelbeck,1932 (Curculionidae) Synonym(s): *Neotournieria Apfelbeck,1932*
3842. Neotrichoporoides Girault,1913 (Eulophidae) Synonym(s): *Neotrichoporoides Girault,1913*
3843. Neotrionymus Borkhsenius,1948 (Pseudococcidae) Synonym(s): *Neotrionymus Borkhsenius,1948*
3844. Neottiglossa Kirby,1837 (Pentatomidae) Synonym(s): *Neottiglossa Kirby,1837*
3845. Neotylana Distant,1909 (Issidae) Synonym(s):
3846. Neotypus Förster,1868 (Ichneumonidae) Synonym(s): *Neotypus Förster,1868; Cillimus Tosquinet,1896*
3847. Neovalgus Miyake,1985 (Scarabaeidae) Synonym(s): *Neovalgus Miyake,1985*
3848. Neovarcia Schmidt,1919 (Nogodinidae) Synonym(s):
3849. Neoxorides Cléments,1938 (Ichneumonidae) Synonym(s): *Neoxorides Cléments,1938*
3850. Neozoraida Muir,1918 (Derbidae) Synonym(s):
3851. Nepa Linnaeus,1758 (Nepidae) Synonym(s): *Nepa Linnaeus,1758*
3852. Nepachys Thomson,1859 (Melyridae) Synonym(s): *Nepachys Thomson,1859*
3853. Nephlesia Fennah,1965 (Achilidae) Synonym(s):
3854. Nephelia (Kirkaldy,1907) (Achilidae) Synonym(s):
3855. Nephesa Amyot & Serville,1843 (Flatidae) Synonym(s):
3856. Nephropsia Costa,1862 (Delphacidae) Synonym(s):
3857. Nephrotoma Meigen,1803 (Tipulidae) Synonym(s): *#Pales Meigen,1800; Nephrotoma Meigen,1803; Pachyrhina Macquart,1834*
3858. Nephus Mulsant,1846 (Coccinellidae) Synonym(s): *Nephus Mulsant,1846; Diomus Mulsant,1850; Sidis Mulsant,1850; Bipunctatus Fürsch,1987*
3859. Nersia Stål,1862 (Dictyopharidae) Synonym(s):
3860. Nersiella Emeljanov,2008 (Dictyopharidae) Synonym(s): *Nersiella Emeljanov,2008*
3861. Nesiana Metcalf,1952 (Eurybrachidae) Synonym(s):
3862. Nesochlamys Kirkaldy,1907 (Cixiidae) Synonym(s):
3863. Nesoclutha Evans,1947 (Cicadellidae) Synonym(s): *Nesoclutha Evans,1947; Irinula Ribaut,1948*
3864. Nesocore Kirkaldy,1907 (Derbidae) Synonym(s):
3865. Nesodryas Kirkaldy,1908 (Delphacidae) Synonym(s):
3866. Nesogalepsus Beier,1954 (Irididae) Synonym(s): *Nesogalepsus Beier,1954*
3867. Nesokaha Muir,1913 (Derbidae) Synonym(s):
3868. Nesoliarus Kirkaldy,1909 (Cixiidae) Synonym(s):
3869. Nesolyncides Fennah,1958 (Dictyopharidae) Synonym(s):
3870. Nesomicruxia Emeljanov,1984 (Kinnaridae) Synonym(s):
3871. Nesomyndus Jacobi,1917 (Cixiidae) Synonym(s):
3872. Nesoneura Kirkaldy,1907 (Derbidae) Synonym(s):
3873. Nesoniphas Kirkaldy,1907 (Derbidae) Synonym(s):
3874. Nesorestias Kirkaldy,1908 (Delphacidae) Synonym(s):

- 3875. Nesorhamma Fennah,1956** (Derbidae) Synonym(s):
3876. Netelia (Bessobates) Townes, Townes & Gupta,1961 (Ichneumonidae) Synonym(s):
Bessobates Townes, Townes & Gupta,1961
3877. Netelia (Paropheltes) Cameron,1907 (Ichneumonidae) Synonym(s): *Paropheltes Cameron,1907*
3878. Netelia (Paropheltes) Cameron,1907 (Ichneumonidae) Synonym(s): *Paropheltes Cameron,1907*
3879. Netelia (s.str.) Gray,1860 (Ichneumonidae) Synonym(s): *Netelia Gray,1860; Bucheckerinus Schulz,1906; Scammatonotum Enderlein,1914; Amebachia Uchida,1928*
3880. Netelia (Toxochiloides) Tolkanitz,1974 (Ichneumonidae) Synonym(s): *Toxochiloides Tolkanitz,1974; Neteloides Delrio,1975*
3881. Netelia Gray,1860 (Ichneumonidae) Synonym(s): *Netelia Gray,1860; Bucheckerinus Schulz,1906; Scammatonotum Enderlein,1914; Amebachia Uchida,1928*
3882. Netutela? Emeljanov,1983 (Dictyopharidae) Synonym(s):
3883. Neuroleon Navas,1909 (Myrmeleonidae) Synonym(s): *Neuroleon Navas,1909; Ganussa Navas,1912; Nelees Navas,1912; Barceus Navas,1914; Maldonatus Navas,1914; Neleoma Kimmins,1938; Afroclimacius Navas,1930; Oligoleon Esben-Petersen,1930*
3884. Neuroterus Hartig,1840 (Cynipidae) Synonym(s): *Neuroterus Hartig,1840; Spathegaster Hartig,1840; Ameristus Förster,1869; Dolichostrophus Ashmead,1887; Neospathegaster Kinsey,1923; Diplobius Kinsey,1923*
3885. Neurotmeta Guérin-Méneville,1856 (Tropiduchidae) Synonym(s):
3886. Nevruzia Koçak & Kemal,2010 (Melyridae) Synonym(s): *Dasythrix Majer,1998 nec Lw.,1851; Nevruzia Koçak & Kemal,2010*
3887. Nezara Amyot & Serville,1843 (Pentatomidae) Synonym(s): *Nezara Amyot & Serville,1843*
3888. Nicerta Walker,1857 (Derbidae) Synonym(s):
3889. Nicerus Navas,1912 (Ascalaphidae) Synonym(s): *Nicerus Navas,1912*
3890. Nidulus Stål,1858 (Eurybrachidae) Synonym(s):
3891. Nicrophorus Fabricius,1775 (Silphidae) Synonym(s): *Nicrophorus Fabricius,1775 ...*
3892. Nicticoris Hoberlandt,1961 (Miridae) Synonym(s): *Nicticoris Hoberlandt,1961*
3893. Nidularia Targioni-Tozzetti,1868 (Kermesidae) Synonym(s): *Nidularia Targioni-Tozzetti,1868*
3894. Nigrotipula Hutson & Vane-Wright,1969 (Tipulidae) Synonym(s): *Nigrotipula Hutson & Vane-Wright,1969*
3895. Nikanoria Nikolskaya,1955 (Eurytomidae) Synonym(s): *Nikanoria Nikolskaya,1955*
3896. Nilalohita Distant,1906 (Issidae) Synonym(s):
3897. Nilaparvata Distant,1906 (Delphacidae) Synonym(s):
3898. Nilea Robineau-Desvoidy,1863 (Tachinidae) Synonym(s): *Nilea Robineau-Desvoidy,1863*
3899. Nilomantis Werner,1907 (Iridopterygidae) Synonym(s): *Nilomantis Werner,1907; Cryptomantis Giglio-Tos,1915*
3900. Nimboa Navas,1914 (Coniopterygidae) Synonym(s): *Nimboa Navas,1914*
3901. Nineta Navas,1912 (Chrysopidae) Synonym(s): *Nineta Navas,1912*
3902. Nipaecoccus Sulc,1945 (Pseudococcidae) Synonym(s): *Nipaecoccus Sulc,1945*
3903. Nirus Jacobi,1928 (Eurybrachidae) Synonym(s):
3904. Nisia Melichar,1903 (Meenoplidae) Synonym(s): *Nisia Melichar,1903*
3905. Noabennarella Holzinger & Kunz,2006 (Cixiidae) Synonym(s): *Noabennarella Holzinger & Kunz,2006*
3906. Nocaracris Uvarov,1928 (Pamphagidae) Synonym(s): *Nocaracris Uvarov,1928*
3907. Nocarodes Fischer von Waldheim,1846 (Pamphagidae) Synonym(s): *Nocarodes Fischer von Waldheim,1846; Vachushtia Shugurov,1912; Znojkiiana Mistshenko,1951*
3908. Nocarodes Fischer von Waldheim,1846 (Pamphagidae) Synonym(s): *Nocarodes Fischer von Waldheim,1846; Vachushtia Shugurov,1912; Znojkiiana Mishchenko,1951*
3909. Noeeta Robineau-Desvoidy,1830 (Tephritidae) Synonym(s): *Noeeta Robineau-Desvoidy,1830*
3910. Nogodina Stål,1859 (Nogodinidae) Synonym(s):
3911. Nohoveus Navas,1919 (Myrmeleonidae) Synonym(s): *Nohoveus Navas,1919*
3912. Nomada Scopoli,1770 (Apidae) Synonym(s): *Nomada Scopoli,1770*
3913. Nomia (Clavinomia) Warncke,1980 (Halictidae) Synonym(s): *Clavinomia Warncke,1980*
3914. Nomia (Crocisaspidia) Ashmead,1899 (Halictidae) Synonym(s): *Crocisaspidia Ashmead,1899*
3915. Nomia (Lobonomia) Warncke,1976 (Halictidae) Synonym(s): *Lobonomia Warncke,1976*
3916. Nomia (Nomiapis) Cockerell,1919 (Halictidae) Synonym(s): *Nomiapis Cockerell,1919*
3917. Nomia (Pseudapis) Kirby,1900 (Halictidae) Synonym(s): *Pseudapis Kirby,1900*
3918. Nomia Latreille,1804 (Halictidae) Synonym(s): *Nomia Latreille,1804; Nitocris Rafinesque,1815*
3919. Nophis Navas,1912 (Myrmeleonidae) Synonym(s): *Nophis Navas,1912*
3920. Norbanus Walker,1843 (Pteromalidae) Synonym(s): *Norbanus Walker,1843*
3921. Norialsus Van Stalle,1986 (Cixiidae) Synonym(s):
3922. Noterus Schellenberg,1806 (Noteridae) Synonym(s): *Noterus Schellenberg,1806*

- 3923. Nothochrysa McLachan,1868** (Chrysopidae) Synonym(s): *Nothochrysa McLachan,1868*
3924. Nothodelphax Fennah,1963 (Delphacidae) Synonym(s):
3925. Nothodes LeConte,1861 (Elateridae) Synonym(s): *Nothodes LeConte,1861*
3926. Nothogalepsus Beier,1969 (Irididae) Synonym(s): *Nothogalepsus Beier,1969; Alfredistia Roy,2003*
3927. Nothorestias Muir,1917 (Delphacidae) Synonym(s):
3928. Notiobiella Banks,1909 (Hemerobiidae) Synonym(s): *Notiobiella Banks,1909*
3929. Notiophilus Dumeril,1806 (Carabidae) Synonym(s): *Notiophilus Dumeril,1806*
3930. Notocharis Muir,1925 (Cixiidae) Synonym(s):
3931. Notocixius Fennah,1965 (Cixiidae) Synonym(s):
3932. Notolathrus Lenicov,1992 (Cixiidae) Synonym(s):
3933. Notomantis Tindale,1923 (Mantidae) Synonym(s): *Notomantis Tindale,1923*
3934. Notoxus Geoffroy,1762 (Anthicidae) Synonym(s): *Notoxus Geoffroy,1762*
3935. Notus Fieber,1866 (Cicadellidae) Synonym(s): *Notus Fieber,1866*
3936. Nouseria Navas,1923 (Ascalaphidae) Synonym(s): *Pseudoptynx Van der Weele,1909 nec Kaup,1848; Nouseria Navas,1923*
3937. Novadrymadusa Demirsoy, Salman & Sevgili,2002 (Tettigoniidae) Synonym(s): *Novadrymadusa Demirsoy, Salman & Sevgili,2002*
3938. Novodictya Lallemand,1928 (Fulgoridae) Synonym(s):
3939. Noxius Jordan,1936 (Anthribidae) Synonym(s): *Noxius Jordan,1936*
3940. Nubianus Gnezdilov & Bourgoïn,2009 (Caliscelidae) Synonym(s): *Nubianus Gnezdilov & Bourgoïn,2009*
3941. Nubithia Stål,1859 (Issidae) Synonym(s):
3942. Nullabora Tindale,1923 (Mantidae) Synonym(s): *Nullabora Tindale,1923*
3943. Nullina Medler,1991 (Flatidae) Synonym(s):
3944. Numata Matsumura,1935 (Delphacidae) Synonym(s):
3945. Numathriambus Asche,1988 (Delphacidae) Synonym(s):
3946. Numatodes Fennah,1964 (Delphacidae) Synonym(s):
3947. Numicia Stål,1866 (Tropiduchidae) Synonym(s):
3948. Nurunderia Distant,1909 (Nogodinidae) Synonym(s):
3949. Nusa Walker,1851 (Asilidae) Synonym(s): *Nusa Walker,1851*
3950. Nycheuma Fennah,1964 (Delphacidae) Synonym(s):
3951. Nycteribia (Acrocholidia) Kolenati,1857 (Nycteribiidae) Synonym(s): *Acrocholidia Kolenati,1857*
3952. Nycteribia (s.str.) Latreille,1796 (Nycteribiidae) Synonym(s): *Nycteribia Latreille,1796*
3953. Nyctia Robineau-Desvoidy,1830 (Sarcophagidae) Synonym(s): *Nyctia Robineau-Desvoidy,1830*
3954. Nyctophila E.Olivier,1884 (Lampyridae) Synonym(s): *Nyctophila E.Olivier,1884*
3955. Nymphocixia Van Duzee,1923 (Cixiidae) Synonym(s):
3956. Nymphorgerius Oshanin,1913 (Dictyopharidae) Synonym(s):
3957. Nyonga Synave,1959 (Achilidae) Synonym(s):
3958. Nyrma Navas,1933 (Hemerobiidae) Synonym(s): *Nyrma Navas,1933*
3959. Nysius Dallas,1852 (Lygaeidae) Synonym(s): *Nysius Dallas,1852*
3960. Oaristes Fennah,1964 (Delphacidae) Synonym(s):
3961. Obedas Jacobi,1910 (Tropiduchidae) Synonym(s):
3962. Oberea Mulsant,1839 (Cerambycidae) Synonym(s): *Oberea Mulsant,1839*
3963. Obia Distant,1887 (Fulgoridae) Synonym(s):
3964. Occathemus Svihla,1999 (Cantharidae) Synonym(s): *Occathemus Svihla,1999*
3965. Oceanaspidiotus Takagi,1984 (Diaspididae) Synonym(s): *Oceanaspidiotus Takagi,1984*
3966. Ochriades Mavromoustakis,1956 (Megachilidae) Synonym(s): *Ochriades Mavromoustakis,1956*
3967. Ochridia Stal,1873 (Acrididae) Synonym(s): *Platypterna Fieber,1853; Ochridia Stal,1873; Platypternella Salfi,1928; Platypternopsis Chopard,1947*
3968. Ochrosis Foudras,1860 (Chrysomelidae) Synonym(s): *Ochrosis Foudras,1860*
3969. Ochterus Latreille,1807 (Ochteridae) Synonym(s): *Ochterus Latreille,1807*
3970. Ochthebius (Asiabates) Thomson,1859 (Hydraenidae) Synonym(s): *Asiabates Thomson,1859*
3971. Ochthebius (s.str.) Leach,1815 (Hydraenidae) Synonym(s): *Ochthebius Leach,1815*
3972. Ochthebius Leach,1815 (Hydraenidae) Synonym(s): *Ochthebius Leach,1815*
3973. Oculogryphus Jeng, Engel & Yang,2007 (Lampyridae) Synonym(s): *Oculogryphus Jeng, Engel & Yang,2007*
3974. Ocydromia Meigen,1820 (Hybotidae) Synonym(s):
3975. Odeles Klausnitzer,2004 (Scirtidae) Synonym(s): *Odeles Klausnitzer,2004*
3976. Odinadiplosis Mani,1935 (Cecidomyiidae) Synonym(s): *Odinadiplosis Mani,1935*

- 3977. Odinia Robineau-Desvoidy,1830** (Odiniidae) Synonym(s): *Odinia Robineau-Desvoidy,1830*
- 3978. Odonteus Samouelle,1819** (Geotrupidae) Synonym(s):
- 3979. Odontocolon Cushman,1942** (Ichneumonidae) Synonym(s): *Odontomerus Gravenhorst,1829* nec *Leach,1819; Odontocolon Cushman,1942*
- 3980. Odontomantis Saussure,1871** (Hymenopodidae) Synonym(s): *Odontomantis Saussure,1871; Antissa Stal,1871*
- 3981. Odontomesa Pagast,1947** (Chironomidae) Synonym(s): *Odontomesa Pagast,1947*
- 3982. Odontomyia Meigen,1803** (Stratiomyidae) Synonym(s): *#Eulalia Meigen,1800; Odontomyia Meigen,1803; Opseogymnus A.Costa,1857; Trichacrostyilia Enderlein,1914; Neuraphanisis Enderlein,1914; Catatasina Enderlein,1914; Stratiomyiopsis Pleske,1922; Hadracantha Pleske,1922; Clitellariopsis Pleske,1922; Achlyomyia Pleske,1922; Zoniomyia Pleske,1922; Orthogoniocera Lindler,1951*
- 3983. Odontoptera Carreno,1841** (Fulgoridae) Synonym(s):
- 3984. Odontosciara (Mohriga) Koçak & Hüseyinoğlu,2008** (Sciaridae) Synonym(s): *Obscura Mohrig,2003* nec *Wagner,1897; Mohriga Koçak & Hüseyinoğlu,2008*
- 3985. Odontosciara Ruebsaamen,1894** (Sciaridae) Synonym(s): *Odontosciara Ruebsaamen,1894*
- 3986. Odontotarsus Laporte,1832** (Scutellaridae) Synonym(s): *Odontotarsus Laporte,1832; Odontarsus Mulsant & Rey,1865*
- 3987. Odynerus Latreille,1802** (Vespidae) Synonym(s): *Odynerus Latreille,1802*
- 3988. Oeagra Stål,1863** (Fulgoridae) Synonym(s):
- 3989. Oecanthus Audinet-Serville,1831** (Gryllidae) Synonym(s): *Oecanthus Audinet-Serville,1831*
- 3990. Oechalia Stal,1862** (Pentatomidae) Synonym(s): *Oechalia Stal,1862; Hawaiiicola Kirkaldy,1909*
- 3991. Oechalina Melichar,1914** (Tropiduchidae) Synonym(s):
- 3992. Oecleopsis Emeljanov,1971** (Cixiidae) Synonym(s):
- 3993. Oecleus Stål,1862** (Cixiidae) Synonym(s):
- 3994. Oeclidius Van Duzee,1914** (Kinnaridae) Synonym(s):
- 3995. Oecothea Haliday,1837** (Heleomyzidae) Synonym(s): *Oecothea Haliday,1837*
- 3996. Oedalea Meigen,1820** (Hybotidae) Synonym(s):
- 3997. Oedaleus Fieber,1853** (Acrididae) Synonym(s): *Oedaleus Fieber,1853; Oedalius Sjöstedt,1920; Microgastrimargus Lee & Park,1992*
- 3998. Oedemera (Oncomera) Stephens,1829** (Oedemeridae) Synonym(s): *Oncomera Stephens,1829*
- 3999. Oedemera (s.str.) Olivier,1789** (Oedemeridae) Synonym(s): *Oedemera Olivier,1789*
- 4000. Oedemera Olivier,1789** (Oedemeridae) Synonym(s): *Oedemera Olivier,1789*
- 4001. Oedipoda Latreille,1829** (Acrididae) Synonym(s): *Oedipoda Latreille,1829; Eusternum Wesmæl,1838; #Aedipoda Le Guillou,1841; Ctypohippus Fieber,1852; Ctyphippus Bolivar,1878*
- 4002. Oenas Latreille,1802** (Meloidea) Synonym(s): *Oenas Latreille,1802*
- 4003. Oenopia Mulsant,1850** (Coccinellidae) Synonym(s): *Oenopia Mulsant,1850; Synharmonia Ganglbauer,1899*
- 4004. Oestromantis Giglio-Tos,1914** (Hymenopodidae) Synonym(s): *Oestromantis Giglio-Tos,1914; Mesomicropus Werner,1933*
- 4005. Ogcogaster Westwood,1848** (Ascalaphidae) Synonym(s): *Ogcogaster Westwood,1848*
- 4006. Ohausiella Schmidt,1910** (Caliscelidae) Synonym(s):
- 4007. Oiceoptoma Leach,1815** (Silphidae) Synonym(s): *Oiceoptoma Leach,1815; Isosilpha Portevin,1920*
- 4008. Okenana Distant,1912** (Flatidae) Synonym(s):
- 4009. Okissus Matsumura,1916** (Issidae) Synonym(s):
- 4010. Oldroydiana Lehr,1996** (Asilidae) Synonym(s): *Oldroydiana Lehr,1996*
- 4011. Olesicampe Förster,1868** (Ichneumonidae) Synonym(s): *Linneria Holmgren,1859* nec *Adam.,1851; Olesicampe Förster,1868; Omoborus Förster,1868; Holocremnus Förster,1868; Olesicampa Thomson,1887; Holocremna Thomson,1887; Linnerium Ashmead,1900; Zaplatystoma Viereck,1925*
- 4012. Oliarellus Emeljanov,1971** (Cixiidae) Synonym(s):
- 4013. Oliarissa Fennah,1945** (Cixiidae) Synonym(s):
- 4014. Oliaronus Ball,1934** (Cixiidae) Synonym(s):
- 4015. Oliarus Stal,1862** (Cixiidae) Synonym(s): *Oliarus Stal,1862*
- 4016. Oligaethus Jacobi,1928** (Tropiduchidae) Synonym(s):
- 4017. Oligocixia Gebicki,1991** (Cixiidae) Synonym(s):
- 4018. Oligodranes Loew,1844** (Bombyliidae) Synonym(s): *Oligodranes Loew,1844*
- 4019. Oligomantis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *Oligomantis Giglio-Tos,1915*
- 4020. Oligopogon Loew,1847** (Asilidae) Synonym(s): *Oligopogon Loew,1847*
- 4021. Oligosita Walker,1851** (Trichogrammatidae) Synonym(s): *Oligosita Walker,1851*
- 4022. Oligotrophus Latreille,1804** (Cecidomyiidae) Synonym(s): *Oligotrophus Latreille,1804*
- 4023. Olipa Emeljanov,2001** (Cixiidae) Synonym(s):
- 4024. Oliparisca Emeljanov,2001** (Cixiidae) Synonym(s):
- 4025. Olonia Stål,1862** (Eurybrachidae) Synonym(s):
- 4026. Olontheus Jacobi,1944** (Tropiduchidae) Synonym(s):

- 4027. Olophrum Erichson,1839** (Staphylinidae) Synonym(s): *Olophrum Erichson,1839*
- 4028. Omalium Gravenhorst,1802** (Staphylinidae) Synonym(s): *Omalium Gravenhorst,1802*
- 4029. Omaloplia (Acarina) Baraud,1965** (Scarabaeidae) Synonym(s): *Acarina Baraud,1965*
- 4030. Omaloplia (s.str.) Schoenherr,1817** (Scarabaeidae) Synonym(s): *Omaloplia Schoenherr,1817; Brachyphylla Mulsant,1842; Homalopia Redtenbacher,1845*
- 4031. Omaloplia Schoenherr,1817** (Scarabaeidae) Synonym(s): *Omaloplia Schoenherr,1817; Brachyphylla Mulsant,1842; Homalopia Redtenbacher,1845*
- 4032. Ommatidiotus Spinola,1839** (Caliscelidae) Synonym(s): *Ommatidiotus Spinola,1839*
- 4033. Ommatissus Fieber,1872** (Tropiduchidae) Synonym(s): *Ommatissus Fieber,1872*
- 4034. Ommatius Wiedemann,1821** (Asilidae) Synonym(s): *Ommatius Wiedemann,1821*
- 4035. Omocestus (Dreuxius) Defaut,1988** (Acrididae) Synonym(s): *Dreuxius Defaut,1988*
- 4036. Omocestus (Haplomocestus) Tarbinsky,1930** (Acrididae) Synonym(s): *Haplomocestus Tarbinsky,1930*
- 4037. Omocestus (s.str.) Bolivar,1878** (Acrididae) Synonym(s): *Omocestus Bolivar,1878; Dirshius Harz,1975*
- 4038. Omocestus Bolivar,1878** (Acrididae) Synonym(s): *Omocestus Bolivar,1878; Dirshius Harz,1975*
- 4039. Omolicna Fennah,1945** (Derbidae) Synonym(s):
- 4040. Omomantis Saussure,1899** (Mantidae) Synonym(s): *Omomantis Saussure,1899*
- 4041. Omophlus (Odontomophlus) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Odontomophlus Seidlitz,1896*
- 4042. Omophlus (s.str.) Solier,1835** (Tenebrionidae) Synonym(s): *Omophlus Solier,1835*
- 4043. Omophlus Solier,1835** (Tenebrionidae) Synonym(s): *Omophlus Solier,1835*
- 4044. Oncodelphax Wagner,1963** (Delphacidae) Synonym(s):
- 4045. Oncopsis Burmeister,1838** (Cicadellidae) Synonym(s): *Oncopsis Burmeister,1838; Sisipocnis Anufriev,1967*
- 4046. Oncotylus Fieber,1858** (Miridae) Synonym(s): *Oncotylus Fieber,1858*
- 4047. Oncotympana Stal,1870** (Cicadidae) Synonym(s): *Oncotympana Stal,1870*
- 4048. Onesia Robineau-Desvoidy,1830** (Calliphoridae) Synonym(s): *Onesia Robineau-Desvoidy,1830*
- 4049. Onitis Fabricius,1798** (Scarabaeidae) Synonym(s): *Onitis Fabricius,1798*
- 4050. Onthophagus (Amphionthophagus) Martin Pierra & Zunino,1983** (Scarabaeidae) Synonym(s): *Amphionthophagus Martin Pierra & Zunino,1983*
- 4051. Onthophagus (Palaeonthophagus) Zunino,1979** (Scarabaeidae) Synonym(s): *Palaeonthophagus Zunino,1979*
- 4052. Onychogomphus Selys,1854** (Gomphidae) Synonym(s): *Onychogomphus Selys,1854*
- 4053. Onychopterocheilus Blüthgen,1955** (Vespididae) Synonym(s): *Onychopterocheilus Blüthgen,1955*
- 4054. Oochrotus Lucas,1852** (Tenebrionidae) Synonym(s): *Oochrotus Lucas,1852*
- 4055. Oodes (s.str.) Bonelli,1810** (Carabidae) Synonym(s): *Oodes Bonelli,1810*
- 4056. Ooencyrtus Ashmead,1900** (Encyrtidae) Synonym(s): *Ooencyrtus Ashmead,1900*
- 4057. Oomima Berg,1879** (Fulgoridae) Synonym(s):
- 4058. Oomyzus Rondani,1870** (Eulophidae) Synonym(s): *Oomyzus Rondani,1870*
- 4059. Oopristus Steffan,1968** (Torymidae) Synonym(s): *Oopristus Steffan,1968*
- 4060. Opanthribus Schilsky,1907** (Anthribidae) Synonym(s): *Opanthribus Schilsky,1907*
- 4061. Opatroides Brullé,1832** (Tenebrionidae) Synonym(s): *Opatroides Brullé,1832; Penthicus Faldermann,1837*
- 4062. Opatrum Fabricius,1775** (Tenebrionidae) Synonym(s): *Opatrum Fabricius,1775*
- 4063. Opheltes Holmgren,1859** (Ichneumonidae) Synonym(s): *Opheltes Holmgren,1859; Nephopheltes Cushman,1924*
- 4064. Ophiogomphus Selys,1854** (Gomphidae) Synonym(s): *Ophiogomphus Selys,1854*
- 4065. Ophiomyia Braschnikov,1897** (Agromyzidae) Synonym(s): *Ophiomyia Braschnikov,1897*
- 4066. Ophion Fabricius,1798** (Ichneumonidae) Synonym(s): *Ophion Fabricius,1798; Paniscus Schrank,1802; #Pylonychia Szepliget,1905; Stenophthalmus Szepliget,1905 nec Beck.,1903; Pachyprotoma Kohl,1906; Australophion Morley,1912; Neophion Morley,1912; Apatophion Shestakov,1926; Platophion Hellén,1926; Potophion Cushman,1947; Pylonychia Cushman,1947; Apomesus Townes,1971; Mecetron Townes,1971*
- 4067. Ophonus (Hesperophonus) Antoine,1959** (Carabidae) Synonym(s): *Hesperophonus Antoine,1959*
- 4068. Ophonus Stephens,1827** (Carabidae) Synonym(s): *Ophonus Stephens,1827*
- 4069. Opiconsiva Distant,1917** (Delphacidae) Synonym(s):
- 4070. Opilo Latreille,1802** (Cleridae) Synonym(s): *Opilo Latreille,1802*
- 4071. Oplodontha Rondani,1863** (Stratiomyidae) Synonym(s): *Oplodontha Rondani,1863; Oplodonta Brauer,1882; Haplodonta Scudder,1882*
- 4072. Opsilia Mulsant,1863** (Cerambycidae) Synonym(s): *Opsilia Mulsant,1863*
- 4073. Opsimea Miller,1880** (Oedemeridae) Synonym(s): *Opsimea Miller,1880*

4074. **Opsiplanon Fennah,1945** (Achilidae) Synonym(s):
4075. **Opsius Fieber,1866** (Cicadellidae) Synonym(s): *Opsius Fieber,1866; Cestius Distant,1908*
4076. **Orcaenas Fennah,1969** (Delphacidae) Synonym(s):
4077. **Orchamus Stal,1876** (Pamphagidae) Synonym(s): *Orchamus Stal,1876*
4078. **Orchesma Melichar,1903** (Delphacidae) Synonym(s):
4079. **Ordalonema Dlabola,1980** (Caliscelidae) Synonym(s):
4080. **Orectochilus Lacordaire,1835** (Gyrinidae) Synonym(s): *#Orectochilus Dejean,1833; Orectochilus Lacordaire,1835*
4081. **Orellia Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Orellia Robineau-Desvoidy,1830*
4082. **Oreoderus Burmeister,1842** (Scarabaeidae) Synonym(s): *Oreoderus Burmeister,1842*
4083. **Oreodytes Seidlitz,1887** (Dytiscidae) Synonym(s): *Oreodytes Seidlitz,1887*
4084. **Oreopenes Ramos,1957** (Kinnaridae) Synonym(s):
4085. **Orestia Germar,1845** (Chrysomelidae) Synonym(s): *Orestia Germar,1845*
4086. **Orgamara Ball,1909** (Dictyopharidae) Synonym(s):
4087. **Orgamarella Emeljanov,1969** (Dictyopharidae) Synonym(s):
4088. **Orgerius Stål,1859** (Dictyopharidae) Synonym(s):
4089. **Orientopsaltria Kato,1944** (Cicadidae) Synonym(s): *Orientopsaltria Kato,1944*
4090. **Orinda Kirkaldy,1907** (Issidae) Synonym(s):
4091. **Orius Wolff,1811** (Anthicoridae) Synonym(s): *Orius Wolff,1811*
4092. **Ormenana Metcalf & Bruner,1948** (Flatidae) Synonym(s):
4093. **Ormenaria Metcalf & Bruner,1948** (Flatidae) Synonym(s):
4094. **Ormenina Fennah,1947** (Flatidae) Synonym(s):
4095. **Ormenis Stål,1862** (Flatidae) Synonym(s):
4096. **Ormenoflata Melichar,1923** (Flatidae) Synonym(s):
4097. **Ormenoides Melichar,1923** (Flatidae) Synonym(s):
4098. **Ormiscus Waterhouse,1845** (Anthribidae) Synonym(s): *Ormiscus Waterhouse,1845; Opisthotropis Hoffmann,1954*
4099. **Ormyrus Westwood,1832** (Ormyridae) Synonym(s): *Ormyrus Westwood,1832*
4100. **Ornithomya Latreille,1802** (Hippoboscidae) Synonym(s): *Ornithomya Latreille,1802*
4101. **Orodictya Kirkaldy,1913** (Dictyopharidae) Synonym(s):
4102. **Oronoqua Fennah,1947** (Issidae) Synonym(s):
4103. **Oronothrotes Mistshenko,1951** (Pamphagidae) Synonym(s): *Oronothrotes Mistshenko,1951*
4104. **Oropuna Fennah,1952** (Derbidae) Synonym(s):
4105. **Orosius Distant,1918** (Cicadellidae) Synonym(s): *Orosius Distant,1918*
4106. **Orphilus Erichson,1846** (Dermestidae) Synonym(s): *Orphilus Erichson,1846*
4107. **Orthetrum Newman,1833** (Libellulidae) Synonym(s): *Orthetrum Newman,1833*
4108. **Orthezia Kriechbaumer,1898** (Ortheziidae) Synonym(s): *Orthezia Kriechbaumer,1898*
4109. **Orthocentrus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Orthocentrus Gravenhorst,1829; Tapinops Förster,1868; Atmetus Förster,1868; Phaenosemus Förster,1868; Pachyonyx Walsh,1873 nec Schoenh.,1837; Orthocentrellus Benoist,1954*
4110. **Orthoceratium Schrank,1803** (Dolichopodidae) Synonym(s): *Orthoceratium Schrank,1803*
4111. **Orthocladius Wulp,1874** (Chironomidae) Synonym(s): *Orthocladius Wulp,1874*
4112. **Orthodera Burmeister,1838** (Mantidae) Synonym(s): *Orthodera Burmeister,1838; Bolidena Blanchard,1853*
4113. **Orthoderina Sjöstedt,1918** (Mantidae) Synonym(s): *Orthoderina Sjöstedt,1918*
4114. **Orthonevra Macquart,1829** (Syrphidae) Synonym(s): *Orthonevra Macquart,1829*
4115. **Orthopagus Uhler,1896** (Dictyopharidae) Synonym(s): *Orthopagus Uhler,1896*
4116. **Orthopelma Taschenberg,1865** (Ichneumonidae) Synonym(s): *Orthopelma Taschenberg,1865; Proedrus Förster,1868*
4117. **Orthophana Melichar,1923** (Issidae) Synonym(s): *Orthophana Melichar,1923*
4118. **Orthops Fieber,1858** (Miridae) Synonym(s): *Orthops Fieber,1858*
4119. **Orthothyreus Schmidt,1919** (Nogodinidae) Synonym(s):
4120. **Orthotylus Fieber,1858** (Miridae) Synonym(s): *Orthotylus Fieber,1858*
4121. **Ortochile Latreille,1809** (Dolichopodidae) Synonym(s): *Ortochile Latreille,1809*
4122. **Ortracis Medler,1996** (Flatidae) Synonym(s):
4123. **Oryctes (Rykanoryctes) Minck,1919** (Scarabaeidae) Synonym(s): *Rykanoryctes Minck,1919*
4124. **Oryctes Illiger,1798** (Scarabaeidae) Synonym(s): *Oryctes Illiger,1798*
4125. **Oryxa Melichar,1901** (Flatidae) Synonym(s):
4126. **Oryxana Distant,1910** (Issidae) Synonym(s):
4127. **Osaka Distant,1909** (Nogodinidae) Synonym(s):
4128. **Osbornellus Ball,1932** (Cicadellidae) Synonym(s): *Osbornellus Ball,1932; Mavromoustaca Dlabola,1967*
4129. **Osbornia Ball,1910** (Issidae) Synonym(s):

4130. **Oscinella Becker,1909** (Chloropidae) Synonym(s): *Oscinella Becker,1909*
4131. **Osmanius Branco & Baraud,1988** (Scarabaeidae) Synonym(s): *Osmanius Branco & Baraud,1988*
4132. **Osmia (Allosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Allosmia Tkalcu,1974*
4133. **Osmia (Erythrosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Erythrosmia Schmiedeknecht,[1885]*
4134. **Osmia (Exosmia) Tkalcu,1979** (Megachilidae) Synonym(s): *Exosmia Tkalcu,1979*
4135. **Osmia (Helicosmia) Thomson,1872** (Megachilidae) Synonym(s): *Helicosmia Thomson,1872*
4136. **Osmia (Hemiosmia) Tkalcu,1975** (Megachilidae) Synonym(s): *Hemiosmia Tkalcu,1975*
4137. **Osmia (Hoplosmia) Thomson,1872** (Megachilidae) Synonym(s): *Hoplosmia Thomson,1872*
4138. **Osmia (Melanosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Melanosmia Schmiedeknecht,[1885]*
4139. **Osmia (Metallinella) Tkalcu,1966** (Megachilidae) Synonym(s): *Metallinella Tkalcu,1966*
4140. **Osmia (Monosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Monosmia Tkalcu,1974*
4141. **Osmia (Nasutosmia) Griswold & Michener,1997** (Megachilidae) Synonym(s): *Nasutosmia Griswold & Michener,1997*
4142. **Osmia (Neosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Neosmia Tkalcu,1974*
4143. **Osmia (Orientosmia) Peters,1978** (Megachilidae) Synonym(s): *Orientosmia Peters,1978*
4144. **Osmia (Ozbekosmia) Zanden,1994** (Megachilidae) Synonym(s): *Ozbekosmia Zanden,1994*
4145. **Osmia (Pyrosmia) Tkalcu,1975** (Megachilidae) Synonym(s): *Pyrosmia Tkalcu,1975*
4146. **Osmia (Tergosmia) Warncke,1988** (Megachilidae) Synonym(s): *Tergosmia Warncke,1988*
4147. **Osmia (Tergosmia) Warncke,1988** (Megachilidae) Synonym(s): *Tergosmia Warncke,1988*
4148. **Osmia Panzer,1806** (Megachilidae) Synonym(s): *Osmia Panzer,1806; #Odmia Warncke,1991*
4149. **Osmoderma Lepeletier & Audinet-Serville,1825** (Scarabaeidae) Synonym(s): *Osmoderma Lepeletier & Audinet-Serville,1825*
4150. **Osmylus Latreille,1802** (Osmylidae) Synonym(s): *Osmylus Latreille,1802*
4151. **Osphranteria Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *Osphranteria Redtenbacher,[1849]*
4152. **Ossiannilssonola Christian,1953** (Cicadellidae) Synonym(s): *Ossiannilssonola Christian,1953*
4153. **Ossoides Bierman,1910** (Tropiduchidae) Synonym(s):
4154. **Ostama Walker,1857** (Delphacidae) Synonym(s):
4155. **Oteana Hoch,2006** (Cixiidae) Synonym(s): *Oteana Hoch,2006*
4156. **Otioccephala Lefebvre,1872** (Chrysomelidae) Synonym(s): *Otioccephala Lefebvre,1872*
4157. **Otiocerus Kirby,1821** (Derbidae) Synonym(s):
4158. **Otiiothraea Warchalowski,1990** (Chrysomelidae) Synonym(s): *Otiiothraea Warchalowski,1990*
4159. **Otlophorus Förster,1868** (Ichneumonidae) Synonym(s): *Otlophorus Förster,1868; Neales Förster,1868; Dialges Förster,1868; Aelolometis Förster,1868; Tachyporthus Förster,1868; Holmgrenia Förster,1868; Aelometis Thomson,1894; Otlophorinus Hinks,1944*
4160. **Otomantis Bolivar,1890** (Hymenopodidae) Synonym(s): *Otomantis Bolivar,1890*
4161. **Ototettix Oshanin,1913** (Dictyopharidae) Synonym(s):
4162. **Otteius Koçak & Kemal,2009** (Gryllidae) Synonym(s): *Cophus Saussure,1874 nec Gistel,1848 non Agassiz,1846; Otteius Koçak & Kemal,2009*
4163. **Oxyaciura Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Oxyaciura Robineau-Desvoidy,1830*
4164. **Oxycara Solier,1835** (Tenebrionidae) Synonym(s): *Oxycara Solier,1835*
4165. **Oxycarenum Fieber,1837** (Lygaeidae) Synonym(s): *Oxycarenum Fieber,1837*
4166. **Oxycera (Camptopelta) Williston,1917** (Stratiomyidae) Synonym(s): *Camptopelta Williston,1917; Nemotelinus Enderlein,1936*
4167. **Oxycera Meigen,1803** (Stratiomyidae) Synonym(s): *#Hermione Meigen,1800; Oxycera Meigen,1803; Hypoleon Dumeril,1806; Heteroxycera Bigot,1856; Euoxycera Pleske,1925; Paroxycera Pleske,1925; Macroxycera Pleske,1925; Metoxycera Pleske,1925; Alphoxycera Pleske,1925; Betoxycera Pleske,1925; Microxycera Pleske,1925; Heraclina Lindner,1938*
4168. **Oxyelaea Giglio-Tos,1917** (Irididae) Synonym(s): *Oxyelaea Giglio-Tos,1917*
4169. **Oxyglypta Förster,1856** (Pteromalidae) Synonym(s): *Oxyglypta Förster,1856*
4170. **Oxyilia Mulsant,1863** (Cerambycidae) Synonym(s): *Oxyilia Mulsant,1863*
4171. **Oxyina Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Oxyina Robineau-Desvoidy,1830*
4172. **Oxyophthalma Saussure,1869** (Irididae) Synonym(s): *Oxyophthalmus Saussure,1861; Oxyophthalma Saussure,1869*
4173. **Oxyophthalmellus Giglio-Tos,1917** (Irididae) Synonym(s): *Oxyophthalmellus Giglio-Tos,1917*
4174. **Oxyothespis Saussure,1870** (Mantidae) Synonym(s): *Oxyothespis Saussure,1870; #Oxyothespis Saussure,1871*
4175. **Oxypilus (s.str.) Audinet-Serville,1831** (Hymenopodidae) Synonym(s): *Oxypilus Audinet-Serville,1831; Anoxypilus Giglio-Tos,1915*
4176. **Oxypilus (Setoxypilus) Roy,1966** (Hymenopodidae) Synonym(s): *Setoxypilus Roy,1966*

4177. **Oxypilus Audinet-Serville,1831** (Hymenopodidae) Synonym(s): *Oxypilus Audinet-Serville,1831*;
Anoxypilus Giglio-Tos,1915
4178. **Oxyrhachis Germar,1833** (Membracidae) Synonym(s): *Oxyrhachis Germar,1833*; *Xiphistes*
Stal,1866
4179. **Oxythyrea Mulsant & Rey,1842** (Scarabaeidae) Synonym(s): *Oxythyrea Mulsant & Rey,1842*
4180. **Ozирhincus Rondani,1840** (Cecidomyiidae) Synonym(s): *Ozирhincus Rondani,1840*;
#Ozирhinchus Kieffer,1901
4181. **Pachyanthrax François,1964** (Bombyliidae) Synonym(s): *Pachyanthrax François,1964*
4182. **Pachybrachis (Chloropachys) Rey,1883** (Chrysomelidae) Synonym(s): *Chloropachys*
Rey,1883
4183. **Pachybrachis (s.str.) Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis*
Chevrolat,1837
4184. **Pachybrachis Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis Chevrolat,1837*
4185. **Pachycerus Schönherr,1823** (Curculionidae) Synonym(s): *Pachycerus Schönherr,1823*
4186. **Pachycrepoideus Ashmead,1904** (Pteromalidae) Synonym(s): *Pachycrepoideus Ashmead,1904*
4187. **Pachygaster Meigen,1803** (Stratiomyidae) Synonym(s): *Pachygaster Meigen,1803*; *Vappo*
Latreille,1804; *Praomyia Kertész,1916*; *Alphapachygaster Pleske,1922*
4188. **Pachymantis Saussure,1871** (Hymenopodidae) Synonym(s): *Pachymantis Saussure,1871*;
Triaenocorypha Wood-Mason,1890; *Echinomastoharpax Werner,1917*
4189. **Pachyneuron Walker,1833** (Pteromalidae) Synonym(s): *Pachyneuron Walker,1833*
4190. **Pachyntheisa Fowler,1904** (Cixiidae) Synonym(s): *Pachyntheisa Fowler,1904*
4191. **Pachyprotasis Hartig,1837** (Tenthredinidae) Synonym(s): *Pachyprotasis Hartig,1837*; *Lithracia*
Cameron,1902
4192. **Pachyscelis Solier,1836** (Tenebrionidae) Synonym(s): *Pachyscelis Solier,1836*; *Phymatiotris*
Solier,1836
4193. **Pachytodes Pic,1891** (Cerambycidae) Synonym(s): *Pachytodes Pic,1891*
4194. **Pachytrachis Uvarov,1940** (Tettigoniidae) Synonym(s): *Pachytrachelus Fieber,1853*;
Pachytrachis Uvarov,1940
4195. **Padanda Distant,1906** (Dictyopharidae) Synonym(s):
4196. **Pagiphora Horvath,1912** (Cicadidae) Synonym(s): *Pagiphora Horvath,1912*
4197. **Paharia Distant,1905** (Cicadidae) Synonym(s): *Paharia Distant,1905*
4198. **Pakabsidia Wittmer,1972** (Cantharidae) Synonym(s): *Pakabsidia Wittmer,1972*
4199. **Palaeococcus Cockerell,1894** (Margarodidae) Synonym(s): *Palaeococcus Cockerell,1894*
4200. **Palaeolecanium Sulc,1908** (Coccidae) Synonym(s): *Palaeolecanium Sulc,1908*
4201. **Pales Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Pales Robineau-Desvoidy,1830*
4202. **Palesisa Villeneuve,1929** (Tachinidae) Synonym(s): *Palesisa Villeneuve,1929*
4203. **Palorus (Circomus) Fleischer,1900** (Tenebrionidae) Synonym(s): *Circomus Fleischer,1900*
4204. **Palorus Mulsant,1854** (Tenebrionidae) Synonym(s): *Palorus Mulsant,1854*
4205. **Palpares Rambur,1842** (Myrmeleonidae) Synonym(s): *Palpares Rambur,1842*
4206. **Paluda DeLong,1937** (Cicadellidae) Synonym(s): *Paluda DeLong,1937*; *Rhopalopyx Ribaut,1939*
4207. **Pamendanga Distant,1906** (Derbidae) Synonym(s):
4208. **Pamirocesa Koçak & Kemal,2008** (Chironomidae) Synonym(s): *Kuzinia Shilova,2001 nec*
Zachvatkin,1941; *Pamirocesa Koçak & Kemal,2008*
4209. **Panaphantus Kraatz,1858** (Staphylinidae) Synonym(s): *Panaphantus Kraatz,1858*
4210. **Pandivirilia Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Pandivirilia Irwin &*
Lyneborg,1981
4211. **Pangonius (Melanopangonius) Szilady,1923** (Tabanidae) Synonym(s): *Melanopangonius*
Szilady,1923
4212. **Pangonius (s.str.) Latreille,1802** (Tabanidae) Synonym(s): *Pangonius Latreille,1802*
4213. **Pangonius Latreille,1802** (Tabanidae) Synonym(s): *Pangonius Latreille,1802*
4214. **Panormenis Melichar,1923** (Flatidae) Synonym(s):
4215. **Panorpa Linnaeus,1758** (Panorpidae) Synonym(s): *Panorpa Linnaeus,1758*
4216. **Panotrogus Reitter,1902** (Scarabaeidae) Synonym(s): *Panotrogus Reitter,1902*
4217. **Pantala Hagen,1861** (Libellulidae) Synonym(s): *Pantala Hagen,1861*
4218. **Pantorhaestes Förster,1868** (Ichneumonidae) Synonym(s): *Pantorhaestes Förster,1868*;
Trophoctonus Förster,1868
4219. **Papagona Ball,1935** (Caliscelidae) Synonym(s):
4220. **Papuanella Distant,1914** (Flatidae) Synonym(s):
4221. **Parabodilus Hollande & Therond,1998** (Scarabaeidae) Synonym(s): *Parabodilus Hollande &*
Therond,1998
4222. **Parabunda Emeljanov,2005** (Achilidae) Synonym(s): *Parabunda Emeljanov,2005*
4223. **Paracalauria Synave,1962** (Flatidae) Synonym(s):
4224. **Paracaloptenus Bolivar,1876** (Acrididae) Synonym(s): *Paracaloptenus Bolivar,1876*
4225. **Paracardiophorus Schwarz,1895** (Elateridae) Synonym(s): *Paracardiophorus Schwarz,1895*

4226. **Paracatonia Fennah,1950** (Achilidae) Synonym(s):
4227. **Parachironomus Lenz,1921** (Chironomidae) Synonym(s): *Parachironomus Lenz,1921*
4228. **Paracilnia Werner,1909** (Mantidae) Synonym(s): *Paracilnia Werner,1909*
4229. **Paracinema Fischer,1853** (Acrididae) Synonym(s): *Paracinema Fischer,1853*
4230. **Paracladius Hirv.,1973** (Chironomidae) Synonym(s): *Paracladius Hirv.,1973*
4231. **Paracladopelma Harnisch,1923** (Chironomidae) Synonym(s): *Paracladopelma Harnisch,1923*
4232. **Paraclusia Czerny,1903** (Clusiidae) Synonym(s): *Paraclusia Czerny,1903*
4233. **Paraclusivius Fennah,1950** (Achilidae) Synonym(s):
4234. **Paraclytus Bates,1884** (Cerambycidae) Synonym(s): *Paraclytus Bates,1884*
4235. **Paracorixa Poisson,1957** (Corixidae) Synonym(s): *Paracorixa Poisson,1957*
4236. **Paracorymbia Miroshnikov,1998** (Cerambycidae) Synonym(s): *Paracorymbia Miroshnikov,1998*
4237. **Paracomna Melichar,1901** (Flatidae) Synonym(s):
4238. **Paracymus Thomson,1867** (Hydrophilidae) Synonym(s): *Paracymus Thomson,1867*
4239. **Paradaksha Distant,1910** (Flatidae) Synonym(s):
4240. **Paradascalia Metcalf,1938** (Flatidae) Synonym(s):
4241. **Paradelphacodes Wagner,1963** (Delphacidae) Synonym(s):
4242. **Paradetya Schmidt,1919** (Nogodinidae) Synonym(s):
4243. **Paradictya Melichar,1912** (Dictyopharidae) Synonym(s):
4244. **Paradorydium Kirkaldy,1901** (Cicadellidae) Synonym(s): *Dorydium Burmeister,1838 nec Schinz,1825; Paradorydium Kirkaldy,1901; Carphosoma Royer,1907; Bumizana Distant,1918; Semenovium Kusnezov,1929; Kuznetsovium Zachvatkin,1953*
4245. **Paradrymadusa Herman,1874** (Tettigoniidae) Synonym(s): *Paradrymadusa Herman,1874; Paradrymadusa Kirby,1906*
4246. **Paraflata Melichar,1901** (Flatidae) Synonym(s):
4247. **Paraflatoides Melichar,1923** (Flatidae) Synonym(s):
4248. **Paraflatoptera Lallemand,1939** (Flatidae) Synonym(s):
4249. **Paragalepsus Beier,1930** (Irididae) Synonym(s): *Paragalepsus Beier,1930*
4250. **Paragamergomorphus Synave,1956** (Issidae) Synonym(s):
4251. **Paragandecca Fennah,1950** (Achilidae) Synonym(s):
4252. **Paragarumna Muir,1931** (Tropiduchidae) Synonym(s):
4253. **Parageron Paramonov,1929** (Bombyliidae) Synonym(s): *Parageron Paramonov,1929*
4254. **Paragnetina Klapalek,1907** (Perlidae) Synonym(s): *Paragnetina Klapalek,1907; Tylopyge Klapalek,1913; Banksiella Klapalek,1921; Banksiana Claassen,1936; Caucasoperla Zhiltzova,1967*
4255. **Paragomeda Distant,1914** (Flatidae) Synonym(s):
4256. **Paragomphus Cowley,1934** (Gomphidae) Synonym(s): *Mesogomphus Förster,1906 (praeocc.); Paragomphus Cowley,1934*
4257. **Paragus (Pandasyophtalmus) Stuckenberg,1954** (Syrphidae) Synonym(s): *Pandasyophtalmus Stuckenberg,1954*
4258. **Paragus (s.str.) Latreille,1804** (Syrphidae) Synonym(s): *Paragus Latreille,1804*
4259. **Paragus Latreille,1804** (Syrphidae) Synonym(s): *Paragus Latreille,1804*
4260. **Paragymnomerus Blüthgen,1938** (Vespididae) Synonym(s): *Paragymnomerus Blüthgen,1938*
4261. **Parahasta Melichar,1912** (Dictyopharidae) Synonym(s):
4262. **Parahiracia Ouchi,1940** (Tropiduchidae) Synonym(s):
4263. **Parahydriena Muir,1924** (Tropiduchidae) Synonym(s):
4264. **Paraketumala Distant,1912** (Flatidae) Synonym(s):
4265. **Parakiefferiella Thienemann,1936** (Chironomidae) Synonym(s): *Parakiefferiella Thienemann,1936*
4266. **Parakosalya Distant,1917** (Achilidae) Synonym(s):
4267. **Paralappida Melichar,1912** (Dictyopharidae) Synonym(s):
4268. **Paralasonia Muir,1924** (Nogodinidae) Synonym(s):
4269. **Paralauterboniella Lenz,1941** (Chironomidae) Synonym(s): *Paralauterboniella Lenz,1941*
4270. **Paraliburnia Jensen-Haarup,1917** (Delphacidae) Synonym(s):
4271. **Paraligaria Beier,1969** (Mantidae) Synonym(s): *Paraligaria Beier,1969*
4272. **Paralimnellus Emeljanov,1972** (Cicadellidae) Synonym(s): *Paralimnellus Emeljanov,1972*
4273. **Paralimnus Matsumura,1902** (Cicadellidae) Synonym(s): *Paralimnus Matsumura,1902; Bubulcus Dlabola,1961; Anthocallis Emeljanov,1964; Paragygrus Emeljanov,1964*
4274. **Parallelloma Becker,1894** (Scathophagidae) Synonym(s): *Parallelloma Becker,1894*
4275. **Paralusanda Synave,1956** (Issidae) Synonym(s):
4276. **Paralygdamia Saussure & Zehntner,1895** (Irididae) Synonym(s): *Paralygdamia Saussure & Zehntner,1895*
4277. **Paralyricen Muir,1913** (Derbidae) Synonym(s):
4278. **Paralystra White,1846** (Fulgoridae) Synonym(s):

4279. **Paramacroceps Bergevin,1926** (Cicadellidae) Synonym(s): *Paramacroceps Bergevin,1926*
4280. **Paramangola Synave,1956** (Issidae) Synonym(s):
4281. **Paramantis Ragge & Roy,1967** (Mantidae) Synonym(s): *Paramantis Ragge & Roy,1967*
4282. **Paramerina Fittkau,1962** (Chironomidae) Synonym(s): *Paramerina Fittkau,1962*
4283. **Paramesodes Ishihara,1953** (Cicadellidae) Synonym(s): *Paramesodes Ishihara,1953*;
Coexitianus Dlabola,1960
4284. **Paramesus Fieber,1866** (Cicadellidae) Synonym(s): *Paramesus Fieber,1866*; *Dochmocar*
Thomson,1869
4285. **Parametriocnemus Goetghebuer,1932** (Chironomidae) Synonym(s): *Parametriocnemus*
Goetghebuer,1932
4286. **Paramicrixia Distant,1911** (Kinnaridae) Synonym(s):
4287. **Paramysidia Broomfield,1985** (Derbidae) Synonym(s):
4288. **Paranagnia Melichar,1912** (Dictyopharidae) Synonym(s):
4289. **Paranaso Schmidt,1932** (Caliscelidae) Synonym(s):
4290. **Parancyra Synave,1968** (Eurybrachidae) Synonym(s): *Harmosma Fennah,1964 nec*
Diakon.,1963; *Parancyra Synave,1968*
4291. **Paranda Melichar,1903** (Delphacidae) Synonym(s):
4292. **Parandes Muir,1925** (Cixiidae) Synonym(s):
4293. **Paranipeus Melichar,1906** (Issidae) Synonym(s):
4294. **Paranocarodes Bolivar,1916** (Pamphagidae) Synonym(s): *Paranocarodes Bolivar,1916*;
Ananothrotos Mishchenko,1951; *Granulodes Ramme,1951*
4295. **Paranothrotos Mistshenko,1951** (Pamphagidae) Synonym(s): *Paranothrotos Mistshenko,1951*;
Nocaropsis Ramme,1951; *Pseudonothrotos Mistshenko,1951*
4296. **Paranotus Karsch,1890** (Flatidae) Synonym(s):
4297. **Parapeggia Yang & Wu,1993** (Derbidae) Synonym(s):
4298. **Paraphamartania Engel,1930** (Asilidae) Synonym(s): *Paraphamartania Engel,1930*
4299. **Paraphenice Muir,1924** (Derbidae) Synonym(s):
4300. **Paraphilaenus Vilbaste,1962** (Cercopidae) Synonym(s): *Paraphilaenus Vilbaste,1962*
4301. **Parapholidoptera Maran,1953** (Tettigoniidae) Synonym(s): *#Parapholidoptera Ramme,1951*;
Parapholidoptera Maran,1953
4302. **Paraphradmon Fennah,1950** (Achilidae) Synonym(s):
4303. **Paraphypia Synave,1960** (Achilidae) Synonym(s):
4304. **Paraplagionotus Kasatkin,2005** (Cerambycidae) Synonym(s): *Paraplagionotus Kasatkin,2005*
4305. **Parapoecilimon Karabağ,1975** (Tettigoniidae) Synonym(s): *Parapoecilimon Karabağ,1975*
4306. **Parapolybia Saussure,[1854]** (Vespidae) Synonym(s): *Parapolybia Saussure,[1854]*
4307. **Parapotes Emelyanov,1975** (Cicadellidae) Synonym(s): *Paranastus Emelyanov,1972 (praeocc.)*;
Parapotes Emelyanov,1975
4308. **Parargeleusa Fennah,1950** (Achilidae) Synonym(s):
4309. **Pararivetina Beier,1931** (Mantidae) Synonym(s): *Pararivetina Beier,1931*
4310. **Parasabecoides Synave,1965** (Achilidae) Synonym(s):
4311. **Parasaissetia Takahashi,1955** (Coccidae) Synonym(s): *Parasaissetia Takahashi,1955*
4312. **Parasalurnis Distant,1910** (Flatidae) Synonym(s):
4313. **Parasauleia Hoffer,1968** (Encyrtidae) Synonym(s): *Parasauleia Hoffer,1968*
4314. **Parascalaphus Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): *Parascalaphus*
Alexandrov-Martynov,1926
4315. **Paraseliza Melichar,1923** (Flatidae) Synonym(s):
4316. **Parasemo Larivière,1999** (Cixiidae) Synonym(s):
4317. **Paraseverinia Lombardo,1991** (Mantidae) Synonym(s): *Paraseverinia Lombardo,1991*
4318. **Parasiphanta Fletcher,1988** (Flatidae) Synonym(s):
4319. **Parasphendale Schulthess-Schindler,1898** (Mantidae) Synonym(s): *Parasphendale*
Schulthess-Schindler,1898; *Carvilia Kirby,1904 nec Stal,1876*
4320. **Parastasia Westwood,1841** (Scarabaeidae) Synonym(s): *Parastasia Westwood,1841*
4321. **Parasyrphus Matsumura,1917** (Syrphidae) Synonym(s): *Parasyrphus Matsumura,1917*
4322. **Paratanzia Melichar,1903** (Achilidae) Synonym(s):
4323. **Paratanytarsus Bause,1913** (Chironomidae) Synonym(s): *Paratanytarsus Bause,1913*
4324. **Paratella Melichar,1901** (Flatidae) Synonym(s):
4325. **Paratendipes Kieffer,1911** (Chironomidae) Synonym(s): *Paratendipes Kieffer,1911*
4326. **Paratetrica Distant,1916** (Issidae) Synonym(s):
4327. **Paratettix Bolivar,1887** (Tetrigidae) Synonym(s): *Paratettix Bolivar,1887*
4328. **Parathrix Majer,1989** (Melyridae) Synonym(s): *Parathrix Majer,1989*
4329. **Paratinus Abeille de Perrin,1891** (Melyridae) Synonym(s): *Paratinus Abeille de Perrin,1891*
4330. **Paratonga Schmidt,1910** (Issidae) Synonym(s):

- 4331. Paratrichocladus Thienemann,1942** (Chironomidae) Synonym(s): *Paratrichocladus Thienemann,1942*
- 4332. Paratylana Melichar,1906** (Issidae) Synonym(s):
- 4333. Paravarca Schmidt,1919** (Nogodinidae) Synonym(s):
- 4334. Paravespa Radoszkowski,1886** (Vespidae) Synonym(s): *Paravespa Radoszkowski,1886*;
Theletor Kokujev,1912
- 4335. Parealda Schouteden,1907** (Pentatomidae) Synonym(s): *Parealda Schouteden,1907*
- 4336. Parelidiptera Fennah,1950** (Achilidae) Synonym(s):
- 4337. Parentella Giglio-Tos,1915** (Mantidae) Synonym(s): *Parentella Giglio-Tos,1915*
- 4338. Pareumenes Saussure,[1855]** (Vespidae) Synonym(s): *Pareumenes Saussure,[1855]*
- 4339. Paricana Walker,1857** (Tropiduchidae) Synonym(s):
- 4340. Parlatoreopsis Lindinger,1912** (Diaspididae) Synonym(s): *Parlatoreopsis Lindinger,1912*
- 4341. Parlatoria Targioni-Tozzetti,1868** (Diaspididae) Synonym(s): *Parlatoria Targioni-Tozzetti,1868*
- 4342. Parodontodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Parodontodynerus Blüthgen,1938*
- 4343. Paroniticellus Balthasar,1963** (Scarabaeidae) Synonym(s): *Paroniticellus Balthasar,1963*
- 4344. Paropioxys Karsch, 1890** (Eurybrachidae) Synonym(s):
- 4345. Parorgerioides De Bergevin,1928** (Dictyopharidae) Synonym(s):
- 4346. Parorgerius Melichar,1912** (Dictyopharidae) Synonym(s):
- 4347. Paroxychara Lallemand & Synave,1952** (Issidae) Synonym(s):
- 4348. Paroxyphthalmus Wood-Mason,1889** (Irididae) Synonym(s): *Paroxyphthalmus Wood-Mason,1889*
- 4349. Parthenolecanium Sulc,1908** (Coccidae) Synonym(s): *Parthenolecanium Sulc,1908*
- 4350. Parthenormenis Fennah,1949** (Flatidae) Synonym(s):
- 4351. Partoya Asche,1988** (Delphacidae) Synonym(s):
- 4352. Paruzelia Melichar,1903** (Tropiduchidae) Synonym(s):
- 4353. Parvoaecus (Parvoaecus) Coiffait,1956** (Carabidae) Synonym(s): *Parvoaecus Coiffait,1956*
- 4354. Pastiroma Dlabola,1967** (Delphacidae) Synonym(s):
- 4355. Patamadaga Gnezdilov & Bourgoin,2009** (Caliscelidae) Synonym(s): *Patamadaga Gnezdilov & Bourgoin,2009*
- 4356. Patara Westwood,1840** (Derbidae) Synonym(s):
- 4357. Patrocloides Heinrich,1961** (Ichneumonidae) Synonym(s): *Patrocloides Heinrich,1961*
- 4358. Pauliana Lallemand,1950** (Flatidae) Synonym(s):
- 4359. Paurostauria Kirby,1900** (Ricanidae) Synonym(s):
- 4360. Pausias Jakovlev,1905** (Pentatomidae) Synonym(s): *Pausias Jakovlev,1905*
- 4361. Pausus (Cochliopaussus) H.Kolbe,1927** (Carabidae) Synonym(s): *Cochliopaussus H.Kolbe,1927*
- 4362. Pausus Linnaeus,1775** (Carabidae) Synonym(s): *Pausus Linnaeus,1775*; #*Pausus Thunberg,1781*
- 4363. Peartolus Van Stalle,1986** (Cixiidae) Synonym(s):
- 4364. Pedestredorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Pedestredorcadion Breuning,1942*
- 4365. Pedicia (Amalopsis) Haliday,1856** (Pedicidae) Synonym(s): *Amalopsis Haliday,1856*
- 4366. Pedicia (Crunobia) Kolenati,1859** (Pedicidae) Synonym(s): *Crunobia Kolenati,1859*
- 4367. Pedicia (s.str.) Latreille,1809** (Pedicidae) Synonym(s): *Pedicia Latreille,1809*
- 4368. Pedicia Latreille,1809** (Pedicidae) Synonym(s): *Pedicia Latreille,1809*
- 4369. Pedinotus (Eopedinotus) Belokobylskij,2004** (Braconidae) Synonym(s): *Eopedinotus Belokobylskij,2004*
- 4370. Pedinotus (s.str.) Szepligeti,1902** (Braconidae) Synonym(s): *Pedinotus Szepligeti,1902*
- 4371. Pedinotus Szepligeti,1902** (Braconidae) Synonym(s): *Pedinotus Szepligeti,1902*
- 4372. Pedinpompilus Wolf,1961** (Pompilidae) Synonym(s): *Pedinpompilus Wolf,1961*
- 4373. Pedinus (Vadalus) Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Vadalus Mulsant & Rey,1853*
- 4374. Pedinus Latreille,1796** (Tenebrionidae) Synonym(s): *Pedinus Latreille,1796*
- 4375. Pediobius Walker,1846** (Eulophidae) Synonym(s): *Pediobius Walker,1846*
- 4376. Pedostrangalia Sokolov,1896** (Cerambycidae) Synonym(s): *Pedostrangalia Sokolov,1896*
- 4377. Peggia Kirkaldy,1901** (Derbidae) Synonym(s):
- 4378. Peggiga Kirkaldy,1905** (Tropiduchidae) Synonym(s):
- 4379. Peggipsis Muir,1913** (Derbidae) Synonym(s):
- 4380. Pegomya Robineau-Desvoidy,1830** (Anthomyiidae) Synonym(s): *Pegomya Robineau-Desvoidy,1830*; *Chlorina Robineau-Desvoidy,1830*; *Pegomyia Macquart,1835*; *Phoraea Robineau-Desvoidy,1830*; *Phyllis Robineau-Desvoidy,1830*; *Zabia Robineau-Desvoidy,1830*; *Carduophila Hendel,1925*; *Chaetopegomya Ringdahl,1938*; *Petrmyia Albuquerque,1954*
- 4381. Peirates Audinet-Serville,1831** (Reduviidae) Synonym(s): *Peirates Audinet-Serville,1831*;
Pirates Burmeister,1835

- 4382. Pelecocera Meigen,1822** (Syrphidae) Synonym(s): *Pelecocera Meigen,1822*
4383. Peleteria Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Peleteria Robineau-Desvoidy,1830*
4384. Peliades Jacobi,1928 (Delphacidae) Synonym(s):
4385. Pelidnopepla Stål,1869 (Fulgoridae) Synonym(s):
4386. Peliococcopsis Borkhsenius,1948 (Pseudococcidae) Synonym(s): *Peliococcopsis Borkhsenius,1948*
4387. Peliococcus Borkhsenius,1948 (Pseudococcidae) Synonym(s): *Peliococcus Borkhsenius,1948*
4388. Pelitropis Van Duzee,1908 (Tropiduchidae) Synonym(s):
4389. Peltodictya Kirkaldy,1906 (Tropiduchidae) Synonym(s):
4390. Peltodytes Régimbart,1879 (Halipilidae) Synonym(s): *Peltodytes Régimbart,1879*
4391. Peltonotellus Puton,1886 (Caliscelidae) Synonym(s): *Peltonotus Mulsant & Rey,1855 (praeocc.); Peltonotellus Puton,1886*
4392. Penicillidia Kolenati,1863 (Nycteribiidae) Synonym(s): *Penicillidia Kolenati,1863*
4393. Pentacladia Westwood,1835 (Eupelmidae) Synonym(s): *Pentacladia Westwood,1835*
4394. Pentacladocerus Erdös,1963 (Encyrtidae) Synonym(s): *Pentacladocerus Erdös,1963*
4395. Pentagramma Van Duzee,1897 (Delphacidae) Synonym(s):
4396. Pentaphyllus Latreille,1829 (Tenebrionidae) Synonym(s): *Pentaphyllus Latreille,1829*
4397. Pentastira Kirschbaum,1868 (Cixiidae) Synonym(s): *Pentastira Kirschbaum,1868*
4398. Pentastiridius Kirschbaum,1868 (Cixiidae) Synonym(s): *Pentastiridius Kirschbaum,1868*
4399. Penthicodes Blanchard,1845 (Fulgoridae) Synonym(s):
4400. Penthimia Germar,1821 (Cicadellidae) Synonym(s): *Penthimia Germar,1821*
4401. Pentodon Hope,1837 (Scarabaeidae) Synonym(s): *Pentodon Hope,1837*
4402. Pepleuca Emeljanov,1999 (Derbidae) Synonym(s):
4403. Perandenina Distant,1911 (Derbidae) Synonym(s):
4404. Perasis Hermann,1905 (Asilidae) Synonym(s): *Perasis Hermann,1905*
4405. Peregrinus Kirkaldy,1904 (Delphacidae) Synonym(s):
4406. Pericoma Walker,1856 (Psychodidae) Synonym(s): *Pericoma Walker,1856*
4407. Perilampus Latreille,1809 (Perilampidae) Synonym(s): *Perilampus Latreille,1809*
4408. Perileptus Schaum,1860 (Carabidae) Synonym(s): *Perileptus Schaum,1860*
4409. Perilissus Holmgren,1855 (Ichneumonidae) Synonym(s): *Perilissus Holmgren,1855; Spanotecnus Förster,1868; Ichneaops Förster,1868; Polyoncus Förster,1868; Udenia Förster,1868; Exacradus Förster,1868; Daugna Seyrig,1935; Pseudochorus Rao,1953*
4410. Perillus Stal,1862 (Pentatomidae) Synonym(s): *Perillus Stal,1862; Mineus Stal,1867; Gordonierius Distant,1887; Perilloides Schouteden,1907*
4411. Perimececera Muir,1913 (Delphacidae) Synonym(s):
4412. Perindus Emeljanov,1989 (Cixiidae) Synonym(s):
4413. Periplaneta Burmeister,1838 (Blattidae) Synonym(s): *Periplaneta Burmeister,1838*
4414. Peripola Melichar,1907 (Issidae) Synonym(s):
4415. Peripontius Gurjeva,1979 (Elateridae) Synonym(s): *Peripontius Gurjeva,1979*
4416. Periscelis Loew,1858 (Periscelididae) Synonym(s): *Periscelis Loew,1858*
4417. Perissana Metcalf,1952 (Issidae) Synonym(s): *Perissus Melichar,1906 (praeocc.); Perissana Metcalf,1952*
4418. Perithous Holmgren,1859 (Ichneumonidae) Synonym(s): *Perithous Holmgren,1859; Hybomischos Baltazar,1961*
4419. Perkinsiella Kirkaldy,1903 (Delphacidae) Synonym(s): *Perkinsiella Kirkaldy,1903; Araeopides Ribaut,1948*
4420. Perikunus? Szwedo & Stroinski,2007 (Cixiidae) Synonym(s):
4421. Perla Geoffroy,1762 (Perlidae) Synonym(s): *Perla Geoffroy,1762; Semblis Fabricius,1775; Sialis Latreille,1802; Esera Navas,1909*
4422. Perlamantis Guérin-Méneville,1843 (Amorphoscelidae) Synonym(s): *Perlamantis Guérin-Méneville,1843; Discothera Bonnet & Finot,1885*
4423. Perlamantispas Handschin,1960 (Mantispidae) Synonym(s): *Perlamantispas Handschin,1960*
4424. Perlodes Banks,1903 (Perlodidae) Synonym(s): *Dictyopteryx Pictet,1841 (praeocc.); Perlodes Banks,1903*
4425. Peropyrrhicia Brunner von Wattenwyl,1891 (Tettigoniidae) Synonym(s): *Peropyrrhicia Brunner von Wattenwyl,1891; Peropyrrhizia Schulthess,1898*
4426. Persepolia Dlabola & Safavi,1972 (Flatidae) Synonym(s):
4427. Persis Stål,1862 (Derbidae) Synonym(s):
4428. Peru Koçak & Kemal,2008 (Gryllidae) Synonym(s): *Tetragonia Desutter-Grandcolas,1993 nec Hagen,1849; Peru Koçak & Kemal,2008*
4429. Petrorossia Bezzi,1908 (Bombyliidae) Synonym(s): *Petrorossia Bezzi,1908*
4430. Petrusa Stål,1862 (Flatidae) Synonym(s):
4431. Pezodrymadusa Karabag,1961 (Tettigoniidae) Synonym(s): *Pezodrymadusa Karabag,1961*

4432. **Pezotettix Burmeister,1840** (Acrididae) Synonym(s): *Pezotettix Burmeister,1840*; *Pelecycleis Fieber,1853*; *Pelecyclus Fieber,1853*; *Platyphyma Fischer,1853*
4433. **Phaciocephalus Kirkaldy,1906** (Derbidae) Synonym(s):
4434. **Phaedolus Karsch,1890** (Flatidae) Synonym(s):
4435. **Phaedon Latreille,1829** (Chrysomelidae) Synonym(s): *Phaedon Latreille,1829*
4436. **Phaenodictyon Fennah,1957** (Dictyopharidae) Synonym(s):
4437. **Phaenolobus Förster,1868** (Ichneumonidae) Synonym(s): *Phaenolobus Förster,1868*; *Chorischizus Förster,1868*; *Moldacoenitus Constantineanu & Constantineanu,1968*
4438. **Phaenotheriolum Ganglbauer,1902** (Anthribidae) Synonym(s): *Phaenotheriolum Ganglbauer,1902*
4439. **Phaenotherion Frivaldksy,1878** (Anthribidae) Synonym(s): *Phaenotherion Frivaldksy,1878*; *Phaenotherium Ganglbauer,1902*
4440. **Phaenotheriosoma Frieser,1978** (Anthribidae) Synonym(s): *Phaenotheriosoma Frieser,1978*
4441. **Phaeogenes Wesmael,1845** (Ichneumonidae) Synonym(s): *Phaeogenes Wesmael,1845*; *Tycherus Förster,1868*; *Micrope Förster,1868*; *Proscus Holmgren,1980*; *Micropa Schulz,1906*; *Glyptichneumon Habermehl,1917*
4442. **Phaeopteryx Kirkaldy,1907** (Issidae) Synonym(s):
4443. **Phaestacoenitus Smits van Burgst,1913** (Ichneumonidae) Synonym(s): *Phaestacoenitus Smits van Burgst,1913*
4444. **Phaiophantia Lindberg,1958** (Flatidae) Synonym(s): *Phaiophantia Lindberg,1958*
4445. **Phalacrotophora Enderlein,1912** (Phoridae) Synonym(s): *Phalacrotophora Enderlein,1912*
4446. **Phaleria Latreille,1802** (Tenebrionidae) Synonym(s): *Phaleria Latreille,1802*
4447. **Phalix Fennah,1952** (Tettigometridae) Synonym(s):
4448. **Phaneroptera (Erdemia) Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *Erdemia Koçak & Kemal,2009*
4449. **Phaneroptera (s.str.) Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Phaneroptera Audinet-Serville,1831*; *Dannfeltia Sjöstedt,1901*; *Anerota Caudell,1921*; *Paranerota Karny,1926*; *Euanerota Karny,1927*
4450. **Phaneroptera Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Phaneroptera Audinet-Serville,1831*; *Dannfeltia Sjöstedt,1901*; *Anerota Caudell,1921*; *Paranerota Karny,1926*; *Euanerota Karny,1927*
4451. **Phanerotoma Wesmael,1838** (Braconidae) Synonym(s): *Phanerotoma Wesmael,1838*; *Sulydus Du Buysson,1897*; *Ichneutipterus Vachal,1907*; *Neophanerotoma Szepliget,1908*; *Tritoma Szepliget,1908*; *Bracotritoma Csiki,1909*; *Szepligetia Schulz,1911*; *Tritomios Strand,1921*; *Unica Snoflak,1951*
4452. **Phanerotomella Szepliget,1900** (Braconidae) Synonym(s): *Phanerotomella Szepliget,1900*; *Plesiosphaeropyx Cameron,1912*
4453. **Phantia Fieber,1866** (Flatidae) Synonym(s): *Phantia Fieber,1866*
4454. **Phantiopsis Melichar,1905** (Flatidae) Synonym(s):
4455. **Phaonia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Phaonia Robineau-Desvoidy,1830*; *Wahlgrenia Ringdahl,1929*; *Dialytina Ringdahl,1945*
4456. **Pharaonus Blanchard,[1851]** (Scarabaeidae) Synonym(s): *Pharaonus Blanchard,[1851]*
4457. **Pharodictyon Fennah,1944** (Dictyopharidae) Synonym(s):
4458. **Pharoscymnus Bedel,1906** (Coccinellidae) Synonym(s): *Pharoscymnus Bedel,1906*
4459. **Pharsalus Melichar,1906** (Issidae) Synonym(s):
4460. **Phasia (Hyalomya) Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Hyalomya Robineau-Desvoidy,1830*
4461. **Phasia (s.str.) Latreille,1804** (Tachinidae) Synonym(s): *Phasia Latreille,1804*; *Alophora Robineau-Desvoidy,1830*; *Alophorella Townsend,1912*; *Alophoropsis Townsend,1915*; *Alophorellopsis Townsend,1927*; *Brumptalophora Dupuis,1949*; *Androeryops Beneway,1961*; *Barbella Draber-Monko,1965*
4462. **Phasia Latreille,1804** (Tachinidae) Synonym(s): *Phasia Latreille,1804*; *Alophora Robineau-Desvoidy,1830*; *Alophorella Townsend,1912*; *Alophoropsis Townsend,1915*; *Alophorellopsis Townsend,1927*; *Brumptalophora Dupuis,1949*; *Androeryops Beneway,1961*; *Barbella Draber-Monko,1965*
4463. **Phasmena Melichar,1902** (Issidae) Synonym(s): *Phasmena Melichar,1902*
4464. **Pheidole Westwood,1840** (Formicidae) Synonym(s): *Pheidole Westwood,1840*
4465. **Phenacoccus Cockerell,1893** (Pseudococcidae) Synonym(s): *Phenacoccus Cockerell,1893*
4466. **Phenax Germar,1833** (Fulgoridae) Synonym(s):
4467. **Phenelia Kirkaldy,1906** (Achilidae) Synonym(s):
4468. **Phenice Westwood,1840** (Derbidae) Synonym(s):
4469. **Pherbellia Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Pherbellia Robineau-Desvoidy,1830*; *Graphomyzina Macquart,1835*; *Ditaenia Hendel,1902*; *Dictyomyza Enderlein,1939*; *Oxytaenia Sack,1939 nec Först.,1868*
4470. **Pherbina Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Pherbina Robineau-Desvoidy,1830*
4471. **Philaenus Stal,1864** (Cercopidae) Synonym(s): *Philaenus Stal,1864*
4472. **Philanthus Fabricius,1790** (Crabronidae) Synonym(s): *Philanthus Fabricius,1790*
4473. **Philbyella China,1938** (Nogodinidae) Synonym(s): *Philbyella China,1938*; *#Philbeyella Nast,1972*

4474. **Philipomyia Olsufjev,1964** (Tabanidae) Synonym(s): *Philipomyia Olsufjev,1964*
4475. **Philippia Targioni-Tozzetti,1867** (Coccidae) Synonym(s): *Philippia Targioni-Tozzetti,1867*;
Filippia Targioni-Tozzetti,1868
4476. **Philodicus Loew,1847** (Asilidae) Synonym(s): *Philodicus Loew,1847*
4477. **Philopotamus Stephens,1829** (Philopotamidae) Synonym(s): *Philopotamus Stephens,1829*
4478. **Philorirum Kraatz,1858** (Staphylinidae) Synonym(s): *Philorirum Kraatz,1858*; #*Philonirum*
Anlaş,2009
4479. **Philosepedon Eaton,1904** (Psychodidae) Synonym(s): *Philosepedon Eaton,1904*
4480. **Philotheria Melichar,1912** (Dictyopharidae) Synonym(s): *Philotheria Melichar,1912*
4481. **Phleboterum Stål,1854** (Flatidae) Synonym(s):
4482. **Phlebotomus (Adlerius) Nitzulescu,1931** (Psychodidae) Synonym(s): *Adlerius*
Nitzulescu,1931
4483. **Phlebotomus (Euphlebotomus) Theodor,1948** (Psychodidae) Synonym(s): *Euphlebotomus*
Theodor,1948
4484. **Phlebotomus (Larrousius) Nitzulescu,1931** (Psychodidae) Synonym(s): *Larrousius*
Nitzulescu,1931
4485. **Phlebotomus (Paraphlebotomus) Theodor,1948** (Psychodidae) Synonym(s):
Paraphlebotomus Theodor,1948
4486. **Phlebotomus (Synphlebotomus) Theodor,1948** (Psychodidae) Synonym(s):
Synphlebotomus Theodor,1948
4487. **Phlebotomus Loew,1845** (Psychodidae) Synonym(s): *Phlebotomus Loew,1845*
4488. **Phlepsius Fieber,1866** (Cicadellidae) Synonym(s): *Phlepsius Fieber,1866*
4489. **Phloeostiba Thomson,1858** (Staphylinidae) Synonym(s): *Phloeostiba Thomson,1858*
4490. **Phlogotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Phlogotettix Ribaut,1942*
4491. **Phloiocopus Spinola,1841** (Cleridae) Synonym(s): *Phloiocopus Spinola,1841*
4492. **Pholidoptera Wesmael,1838** (Tettigoniidae) Synonym(s): *Pholidoptera Wesmael,1838*
4493. **Phonochorion Uvarov,1916** (Tettigoniidae) Synonym(s): *Phonochorion Uvarov,1916*
4494. **Phorbia Robineau-Desvoidy,1830** (Anthomyiidae) Synonym(s): *Phorbia Robineau-*
Desvoidy,1830
4495. **Phorticus Stal,1858** (Nabidae) Synonym(s): *Phorticus Stal,1858*
4496. **Phosphuga Leach,1817** (Silphidae) Synonym(s): *Phosphuga Leach,1817*
4497. **Photuris Dejean,1833** (Lampyridae) Synonym(s): *Photuris Dejean,1833*
4498. **Phra Distant,1911** (Derbidae) Synonym(s):
4499. **Phradis Förster,1868** (Ichneumonidae) Synonym(s): *Phradis Förster,1868*; *Eutomus*
Förster,1868 nec Hope,1838; *Isurgus Förster,1868*
4500. **Phradmonicus Emeljanov,1991** (Achilidae) Synonym(s):
4501. **Phradonoma Jacquelin du Val,1859** (Dermestidae) Synonym(s): *Phradonoma Jacquelin du*
Val,1859
4502. **Phratora Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phratora Chevrolat,1837*
4503. **Phrictus Spinola,1839** (Fulgoridae) Synonym(s):
4504. **Phromnia Stål,1862** (Flatidae) Synonym(s):
4505. **Phronia Winnertz,1863** (Mycetophilidae) Synonym(s): *Phronia Winnertz,1863*
4506. **Phrosia Robineau-Desvoidy,1830** (Scathophagidae) Synonym(s): *Phrosia Robineau-*
Desvoidy,1830
4507. **Phrosinella Robineau-Desvoidy,1863** (Sarcophagidae) Synonym(s): *Phrosinella Robineau-*
Desvoidy,1863
4508. **Phrygia Stål,1856** (Achilidae) Synonym(s):
4509. **Phryno Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Phryno Robineau-Desvoidy,1830*
4510. **Phthiria Meigen,1803** (Bombyliidae) Synonym(s): *Phthiria Meigen,1803*; *Ptimia Rafinesque,1815*
4511. **Phthiridium Hermann,1804** (Nycteribiidae) Synonym(s): *Phthiridium Hermann,1804*
4512. **Phtora Germar,1835** (Tenebrionidae) Synonym(s): *Phtora Germar,1835*
4513. **Phusta Gnezdilov,2008** (Caliscelidae) Synonym(s): *Phusta Gnezdilov,2008*
4514. **Phycotettix Haupt,1929** (Cicadellidae) Synonym(s): *Phycotettix Haupt,1929*
4515. **Phycus Walker,1850** (Therevidae) Synonym(s): *Phycus Walker,1850*; *Caenophanes Loew,1874*;
Caenophanomylia Bezzi,1902; *Paraphycus Becker,1922 nec Girault,1915 (hom.n.)*
4516. **Phylliana Metcalf,1952** (Flatidae) Synonym(s):
4517. **Phyllobrotica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllobrotica Chevrolat,1837*
4518. **Phyllodictus Ball,1926** (Delphacidae) Synonym(s):
4519. **Phyllodinus Van Duzee,1897** (Delphacidae) Synonym(s):
4520. **Phyllodrepa Thomson,1861** (Staphylinidae) Synonym(s): *Phyllodrepa Thomson,1861*
4521. **Phyllodromica Fieber,1853** (Blattidae) Synonym(s): *Phyllodromica Fieber,1853*
4522. **Phyllodryas Kirkaldy,1913** (Flatidae) Synonym(s):
4523. **Phyllolabis Osten Sacken,1877** (Limoniidae) Synonym(s): *Phyllolabis Osten Sacken,1877*;
#Phllolabis Koç,2004

4524. **Phyllomorpha Laporte,1832** (Coreidae) Synonym(s): *Phyllomorpha Laporte,1832*;
#*Phyllomorpha Laporte,1832*
4525. **Phyllorgerius Kusnezov,1928** (Dictyopharidae) Synonym(s):
4526. **Phylloscelis Germar,1839** (Dictyopharidae) Synonym(s):
4527. **Phylloteles Loew,1844** (Sarcophagidae) Synonym(s): *Phylloteles Loew,1844*
4528. **Phyllotreta Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllotreta Chevrolat,1837*
4529. **Phyllyphanta Amyot & Serville,1843** (Flatidae) Synonym(s):
4530. **Phymoides Distant,1910** (Flatidae) Synonym(s):
4531. **Phypia Stål,1862** (Achilidae) Synonym(s):
4532. **Physatocheila Fieber,1844** (Tingidae) Synonym(s): *Physatocheila Fieber,1844*; #*Phystaocheila Önder et al.,2006*
4533. **Physemocecis Rübsaamen,1914** (Cecidomyiidae) Synonym(s): *Physemocecis Rübsaamen,1914*
4534. **Physetopoda Schuster,1949** (Mutillidae) Synonym(s): *Physetopoda Schuster,1949*
4535. **Physiphora Fallén,1810** (Ulidiidae) Synonym(s): *Physiphora Fallén,1810*
4536. **Physocephala Schiner,1861** (Conopidae) Synonym(s): *Physocephala Schiner,1861*
4537. **Physokermes Targioni-Tozzetti,1868** (Coccidae) Synonym(s): *Physokermes Targioni-Tozzetti,1868*; *Physochermes Targioni-Tozzetti,1869*
4538. **Phytocentor Fennah,1980** (Cixiidae) Synonym(s):
4539. **Phytodrymadusa Ramme,1939** (Tettigoniidae) Synonym(s): *Phytodrymadusa Ramme,1939*
4540. **Phytoecia Dejean,1835** (Cerambycidae) Synonym(s): *Phytoecia Dejean,1835*
4541. **Phytoliriomyza Hendel,1931** (Agromyzidae) Synonym(s): *Phytoliriomyza Hendel,1931*
4542. **Phytomyza Fallén,1810** (Agromyzidae) Synonym(s): *Phytomyza Fallén,1810*
4543. **Pibrocha Kirkaldy,1902** (Dictyopharidae) Synonym(s):
4544. **Picodrilus Wittmer,1938** (Lampyridae) Synonym(s): *Picodrilus Wittmer,1938*
4545. **Picromerus Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Picromerus Amyot & Serville,1843*
4546. **Pictomantis Sjöstedt,1930** (Mantidae) Synonym(s): *Pictomantis Sjöstedt,1930*; *Entelloptera Beier,1942*
4547. **Picumna Stål,1864** (Issidae) Synonym(s):
4548. **Piesma (Parapiesma) Péricart,1974** (Piesmatidae) Synonym(s): *Parapiesma Péricart,1974*
4549. **Piesma (s.str.) La Peletier & Serville,1828** (Piesmatidae) Synonym(s): *Piesma La Peletier & Serville,1828*; *Aspidotoma Curtis,1833*; *Zosmenus Laporte,1833*; *Zosmerus Burmeister,1835*; *Agrammodes Uhler,1895*
4550. **Piesma La Peletier & Serville,1828** (Piesmatidae) Synonym(s): *Piesma La Peletier & Serville,1828*; *Aspidotoma Curtis,1833*; *Zosmenus Laporte,1833*; *Zosmerus Burmeister,1835*; *Agrammodes Uhler,1895*
4551. **Piezodorus Fieber,1860** (Pentatomidae) Synonym(s): *Piezodorus Fieber,1860*
4552. **Piezura Rondani,1866** (Fanniidae) Synonym(s): *Piezura Rondani,1866*; *Platycoenosia Strobl,1894*
4553. **Pignatellus Navas,1913** (Myrmeleonidae) Synonym(s): *Pignatellus Navas,1913*
4554. **Pilaria Sintenis,1889** (Limoniidae) Synonym(s): *Pilaria Sintenis,1889*
4555. **Pimelia (Camphonota) Solier,1836** (Tenebrionidae) Synonym(s): *Camphonota Solier,1836*
4556. **Pimelia (Eurypimelia) Reitter,1915** (Tenebrionidae) Synonym(s): *Eurypimelia Reitter,1915*
4557. **Pimelia (Gedeon) Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *Gedeon Reiche & Saulcy,1857*
4558. **Pimelia (Melanostola) Dejean,1834** (Tenebrionidae) Synonym(s): *Melanostola Dejean,1834*
4559. **Pimelia (s.str.) Fabricius,1775** (Tenebrionidae) Synonym(s): *Pimelia Fabricius,1775*
4560. **Pimelia Fabricius,1775** (Tenebrionidae) Synonym(s): *Pimelia Fabricius,1775*
4561. **Pimpla Fabricius,[1805]** (Ichneumonidae) Synonym(s): *Pimpla Fabricius,[1805]*;
Coccygomimus Saussure,1892; *Habropimpla Cameron,1900*; *Lissotheronia Cameron,1905*; *Phytodiaetoides Morley,1913*; *Pimplidea Viereck,1914*; *Coelopimpla Brethes,1916*; *Liotheronia Enderlein,1919*; *Dihyboplax Enderlein,1919*; *Neogabunia Brethes,1927*; *Opodactyla Seyrig,1932*; *Oxypimpla Noskiewicz & Chudoba,1951*; *Jamaicapimpla Mason,1975*
4562. **Pinacites Emeljanov,1972** (Cixiidae) Synonym(s):
4563. **Pinnaspis Cockerell,1892** (Diaspididae) Synonym(s): *Pinnaspis Cockerell,1892*
4564. **Pintalia Stål,1862** (Cixiidae) Synonym(s):
4565. **Pinthaeus Stal,1867** (Pentatomidae) Synonym(s): *Pinthaeus Stal,1867*
4566. **Piocoris Stal,1872** (Lygaeidae) Synonym(s): *Piocoris Stal,1872*
4567. **Pion Schiödte,1838** (Ichneumonidae) Synonym(s): *Pion Schiödte,1838*; *Catoglyptus Holmgren,1855*
4568. **Pionosomus Fieber,[1860]** (Lygaeidae) Synonym(s): *Pionosomus Fieber,[1860]*
4569. **Pipizella Rondani,1856** (Syrphidae) Synonym(s): *Pipizella Rondani,1856*; *Pizipella Schiner,1862*
4570. **Pippax Emeljanov,2008** (Dictyopharidae) Synonym(s): *Pippax Emeljanov,2008*
4571. **Pisacha Distant,1906** (Nogodinidae) Synonym(s):

4572. **Pissonotus Van Duzee,1894** (Delphacidae) Synonym(s):
4573. **Pithotomus Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *Pithotomus Kriechbaumer,1888*
4574. **Pithyotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Pithyotettix Ribaut,1942*; *Abietotettix Mitjaev,1965*
4575. **Pittonotus Jacquelin du Val,1860** (Elateridae) Synonym(s): *Pittonotus Jacquelin du Val,1860*
4576. **Placidus Distant,1908** (Cicadellidae) Synonym(s): *Placidus Distant,1908*
4577. **Plagiodes Redtenbacher,1845** (Chrysomelidae) Synonym(s): *Plagiodes Redtenbacher,1845*
4578. **Plagiognathus Fieber,1858** (Miridae) Synonym(s): *Plagiognathus Fieber,1858*; *Microphyllellus Reuter,1909*; *Gerhardiella Poppius,1911*; *Chaetophylleida Knight,1968*
4579. **Plagiolepis Mayr,1861** (Formicidae) Synonym(s): *Plagiolepis Mayr,1861*
4580. **Plagionotus Mulsant,1842** (Cerambycidae) Synonym(s): *Platynotus Mulsant,1839 (praeocc.)*; *Plagionotus Mulsant,1842*
4581. **Plagiopsis Berg,1883** (Caliscelidae) Synonym(s):
4582. **Plagiotrochus Mayr,1881** (Cynipidae) Synonym(s): *Plagiotrochus Mayr,1881*
4583. **Plagiotrochus Mayr,1881** (Cynipidae) Synonym(s): *Plagiotrochus Mayr,1881*; *Fioria Kieffer,1903 nec Silvestri,1898*; *Fioriella Kieffer,1903*
4584. **Plagiotropis Emeljanov,1993** (Delphacidae) Synonym(s):
4585. **Planaphrodes Hamilton,1975** (Cicadellidae) Synonym(s): *Planaphrodes Hamilton,1975*
4586. **Planata Medler,1999** (Flatidae) Synonym(s):
4587. **Planchonia Signoret,1870** (Asterolecaniidae) Synonym(s): *Planchonia Signoret,1870*
4588. **Planococcus Ferris,1950** (Pseudococcidae) Synonym(s): *Planococcus Ferris,1950*
4589. **Planodascalia Metcalf & Bruner,1948** (Flatidae) Synonym(s):
4590. **Planopsis Schouteden,1907** (Pentatomidae) Synonym(s): *Planopsis Schouteden,1907*
4591. **Plastocerus LeConte,1853** (Elateridae) Synonym(s): *Plastocerus LeConte,1853*
4592. **Plastogalepsus Beier,1954** (Irididae) Synonym(s): *Plastogalepsus Beier,1954*
4593. **Platambus Thomson,1860** (Dytiscidae) Synonym(s): *Platambus Thomson,1860*
4594. **Platigundezia Koçak & Kemal,2008** (Elateridae) Synonym(s): *Nepalinus Platia & Gundezi,2000 nec Coiffait,1975*; *Platygundezia Koçak & Kemal,2008*
4595. **Platneptis Boucek,1961** (Pteromalidae) Synonym(s): *Platneptis Boucek,1961*
4596. **Platocerella Muir,1952** (Derbidae) Synonym(s):
4597. **Platonax Metcalf,1938** (Derbidae) Synonym(s):
4598. **Platybrachys Stål, 1859** (Eurybrachidae) Synonym(s):
4599. **Platycephala Fallén,1820** (Chloropidae) Synonym(s): *Platycephala Fallén,1820*
4600. **Platycerus Geoffroy,1762** (Lucanidae) Synonym(s): *Platycerus Geoffroy,1762*
4601. **Platycheirus Lefebvire & Audinet-Serville,1828** (Syrphidae) Synonym(s): *Platycheirus Lefebvire & Audinet-Serville,1828*
4602. **Platycixius Van Duzee,1914** (Cixiidae) Synonym(s):
4603. **Platycleis (Decorana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Decorana Zeuner,1941*
4604. **Platycleis (Incertana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Incertana Zeuner,1941*; *Platycleis (s.str.) sensu Çiplak et al.,2002: 211!*
4605. **Platycleis (Montana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Montana Zeuner,1941*
4606. **Platycleis (s.str.) Fieber,1853** (Tettigoniidae) Synonym(s): *Chelidoptera Wesmael,1838*; *Platycleis Fieber,1853*
4607. **Platycleis (Sepiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Sepiana Zeuner,1941*
4608. **Platycleis (Sporadiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Sporadiana Zeuner,1941*
4609. **Platycleis (Squamiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Squamiana Zeuner,1941*
4610. **Platycleis (Tessellana) Zeller,1941** (Tettigoniidae) Synonym(s): *Tessellana Zeller,1941*
4611. **Platycleis (Yalvaciana) Çiplak, Heller & Demirsoy,2002** (Tettigoniidae) Synonym(s): *Yalvaciana Çiplak, Heller & Demirsoy,2002*
4612. **Platycnemis Burmeister,1839** (Platycnemidae) Synonym(s): *Platycnemis Burmeister,1839*
4613. **Platydema Laporte & Brullé,1831** (Tenebrionidae) Synonym(s): *Platydema Laporte & Brullé,1831*
4614. **Platyeurysa Fennah,1988** (Delphacidae) Synonym(s):
4615. **Platylomia Stal,1870** (Cicadidae) Synonym(s): *Platylomia Stal,1870*
4616. **Platymetopius (Quernus) Dlabola,1974** (Cicadellidae) Synonym(s): *Quernus Dlabola,1974*
4617. **Platymetopius (s.str.) Burmeister,1838** (Cicadellidae) Synonym(s): *Platymetopius Burmeister,1838*; *Eremetopius Lindberg,1927*; *Mahalana Distant,1918*
4618. **Platymetopius Burmeister,1838** (Cicadellidae) Synonym(s): *Platymetopius Burmeister,1838*; *Eremetopius Lindberg,1927*; *Mahalana Distant,1918*
4619. **Platymyrmilla André,1899** (Mutillidae) Synonym(s): *Platymyrmilla André,1899*
4620. **Platynaspis Redtenbacher,1843** (Coccinellidae) Synonym(s): *Platynaspis Redtenbacher,1843*
4621. **Platynocheilus Westwood,1837** (Tetracampidae) Synonym(s): *Platynocheilus Westwood,1837*
4622. **Platynopiellus Thomas,1994** (Pentatomidae) Synonym(s): *Platynopiellus Thomas,1994*

- 4623. Platynopus Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Platynopus Amyot & Serville,1843*
- 4624. Platypalpus Macquart,1827** (Hybotidae) Synonym(s):
- 4625. Platypareia Muir,1934** (Delphacidae) Synonym(s):
- 4626. Platyplectrus Ferriere,1941** (Eulophidae) Synonym(s): *Platyplectrus Ferriere,1941*
- 4627. Platypleura Amyot & Serville,1843** (Cicadidae) Synonym(s): *Platypleura Amyot & Serville,1843*
- 4628. Platyproctus Lindberg,1924** (Cicadellidae) Synonym(s): *Platyproctus Lindberg,1924*
- 4629. Platypygus Loew,1844** (Mythicomyiidae) Synonym(s): *Platypygus Loew,1844; Popsia Costa,1863*
- 4630. Platyrhinus Clairville,1798** (Anthribidae) Synonym(s): *Platyrhinus Clairville,1798*
- 4631. Platystoma Meigen,1803** (Platystomidae) Synonym(s): *Platystoma Meigen,1803; Hesyquillia Robineau-Desvoidy,1830; #Platistoma Guérin-Méneville,1831; Megaglossa Rondani,1869*
- 4632. Platysystatus Muir,1930** (Delphacidae) Synonym(s):
- 4633. Platyura Meigen,1803** (Keroplastidae) Synonym(s): *Platyura Meigen,1803*
- 4634. Plea Leach,1817** (Pleidae) Synonym(s): *Plea Leach,1817*
- 4635. Plectoderes Spinola,1839** (Achilidae) Synonym(s):
- 4636. Plectoderoides Matsumura,1914** (Achilidae) Synonym(s):
- 4637. Plectophloeus Reitter,1891** (Staphylinidae) Synonym(s): *Plectophloeus Reitter,1891*
- 4638. Plectoringa Fennah,1950** (Achilidae) Synonym(s):
- 4639. Plegmatoptera Spinola,1839** (Dictyopharidae) Synonym(s):
- 4640. Pleolophus Townes,1962** (Ichneumonidae) Synonym(s): *Pleolophus Townes,1962*
- 4641. Plesiocera Macquart,1840** (Bombyliidae) Synonym(s): *Plesiocera Macquart,1840*
- 4642. Plesiometra Bourgoïn,1986** (Tettigometridae) Synonym(s):
- 4643. Plestia Stål,1870** (Ricaniidae) Synonym(s):
- 4644. Pleurophorus Mulsant,1842** (Scarabaeidae) Synonym(s): *Pleurophorus Mulsant,1842*
- 4645. Pliacanthopus (Malayamantis) Koçak & Kemal,2008** (Iridopterygidae) Synonym(s): *Xanthomantis Giglio-Tos,1915 nec Warren,1909; Malayamantis Koçak & Kemal,2008*
- 4646. Pliacanthopus (Oligocanthopus) Beier,1935** (Iridopterygidae) Synonym(s): *Oligocanthopus Beier,1935*
- 4647. Pliacanthopus (s.str.) Giglio-Tos,1927** (Iridopterygidae) Synonym(s): *Polyacanthopus Hebard,1920 nec Kuwert,1896; Pliacanthopus Giglio-Tos,1927*
- 4648. Pliacanthopus Giglio-Tos,1927** (Iridopterygidae) Synonym(s): *Polyacanthopus Hebard,1920 nec Kuwert,1896; Pliacanthopus Giglio-Tos,1927*
- 4649. Plistospilota Giglio-Tos,1911** (Mantidae) Synonym(s): *Plistospilota Giglio-Tos,1911*
- 4650. Plummerana Caldwell,1945** (Issidae) Synonym(s):
- 4651. Pnigalio Schrank,1802** (Eulophidae) Synonym(s): *Pnigalio Schrank,1802*
- 4652. Pnigomantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Pnigomantis Giglio-Tos,1917*
- 4653. Pobjlicia Stål,1866** (Fulgoridae) Synonym(s):
- 4654. Pocharica Signoret,1860** (Ricaniidae) Synonym(s):
- 4655. Pochazia Amyot & Audinet-Serville,1843** (Ricaniidae) Synonym(s): *Pochazia Amyot & Audinet-Serville,1843*
- 4656. Pochazia Amyot & Serville,1843** (Ricaniidae) Synonym(s):
- 4657. Pochazina Melichar,1898** (Ricaniidae) Synonym(s):
- 4658. Pochazoides Signoret,1860** (Ricaniidae) Synonym(s):
- 4659. Podagratica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Podagratica Chevrolat,1837*
- 4660. Podagrion Spinola,1811** (Torymidae) Synonym(s): *Podagrion Spinola,1811*
- 4661. Podagrionella Girault,1913** (Torymidae) Synonym(s): *Podagrionella Girault,1913; Iridophaga Picard,1933; Tarachodiphaga Ferrière,1955; Iridophagoides Erdős,1964*
- 4662. Podeonius Kiesenwetter,1858** (Elateridae) Synonym(s): *Podeonius Kiesenwetter,1858*
- 4663. Podisma Berthold,1827** (Acrididae) Synonym(s): *Podisma Berthold,1827; Paraeuprocnemis Brunner von Wattenwyl,1893; #Podisme Ebner,1908*
- 4664. Poecilimon Fischer,1853** (Tettigoniidae) Synonym(s): *Poecilimon Fischer,1853; #Poecilemon Kirby,1906; Eupoecilimon Tarbinsky,1932; Micrimon Ramme,1942; Artvinia Karabag,1962; #Micromon Otte,1997*
- 4665. Poecilimonella Uvarov,1921** (Tettigoniidae) Synonym(s): *Poecilimonella Uvarov,1921*
- 4666. Poecilobothrus Mik,1878** (Dolichopodidae) Synonym(s): *Poecilobothrus Mik,1878*
- 4667. Poeciloflata Melichar,1901** (Flatidae) Synonym(s):
- 4668. Poeciloptera Latreille,1804** (Flatidae) Synonym(s):
- 4669. Poekilloptera Latreille,1796** (Flatidae) Synonym(s):
- 4670. Poemenia Holmgren,1859** (Ichneumonidae) Synonym(s): *Poemenia Holmgren,1859*
- 4671. Pogonistes (Pogonistes) Chaudoir,1871** (Carabidae) Synonym(s): *Pogonistes Chaudoir,1871*
- 4672. Pogonosoma Rondani,1856** (Asilidae) Synonym(s): *Pogonosoma Rondani,1856*
- 4673. Poiocera De Laporte,1832** (Fulgoridae) Synonym(s):

4674. **Polistes (Aphanilopterus) Meunier,1888** (Vespidae) Synonym(s): *Aphanilopterus Meunier,1888*; *Polistoides Dalla Torre,1904 nec Lw.,1873*; *Epicnemius Richards,1973*; *Fuscopolistes Richards,1973*; *Onerarius Richards,1973*; *Palisotius Richards,1973*; *Polistarchus Richards,1973*
4675. **Polistes (Gyrostoma) Kirby,1828** (Vespidae) Synonym(s): *Gyrostoma Kirby,1828*; *Megapolistes Van der Vecht,1968*; *Nygmopolistes Richards,1973*
4676. **Polistes (Polistella) Ashmead,1904** (Vespidae) Synonym(s): *Polistella Ashmead,1904*; *Stenopolistes Van der Vecht,1972*
4677. **Polistes (s.str.) Latreille,1802** (Vespidae) Synonym(s): *Polistes Latreille,1802*; *Sulcopolistes Blüthgen,1938*; *Polistula Weyrauch,1939*
4678. **Polistes Latreille,1802** (Vespidae) Synonym(s): *Polistes Latreille,1802*; *Sulcopolistes Blüthgen,1938*; *Polistula Weyrauch,1939*
4679. **Pollenia Robineau-Desvoidy,1830** (Calliphoridae) Synonym(s): *Pollenia Robineau-Desvoidy,1830*
4680. **Polleniopsis Townsend,1917** (Calliphoridae) Synonym(s): *Polleniopsis Townsend,1917*
4681. **Pollinia Targoni-Tozzetti,1868** (Asterolecaniidae) Synonym(s): *Pollinia Targoni-Tozzetti,1868*
4682. **Polycoelogastridion Reichardt,1936** (Tenebrionidae) Synonym(s): *Polycoelogastridion Reichardt,1936*
4683. **Polydictya Guérin-Méneville,1844** (Fulgoridae) Synonym(s):
4684. **Polymerus Hahn,1831** (Miridae) Synonym(s): *Polymerus Hahn,1831*
4685. **Polyneura Westwood,1842** (Cicadidae) Synonym(s): *Polyneura Westwood,1842*
4686. **Polypedilum Kieffer,1913** (Chironomidae) Synonym(s): *Polypedilum Kieffer,1913*
4687. **Polyphaga Brullé,1835** (Polyphagidae) Synonym(s): *Polyphaga Brullé,1835*
4688. **Polyphonus Loew,1848** (Asilidae) Synonym(s): *Polyphonus Loew,1848*
4689. **Polyphylla (Mesopolyphylla) Medvedev,1951** (Scarabaeidae) Synonym(s): *Mesopolyphylla Medvedev,1951*
4690. **Polyphylla (Xerasiobia) Medvedev,1951** (Scarabaeidae) Synonym(s): *Xerasiobia Medvedev,1951*
4691. **Polyphylla Harris,1841** (Scarabaeidae) Synonym(s): *Polyphylla Harris,1841*
4692. **Polysarca Schiner,1866** (Asilidae) Synonym(s): *Polysarca Schiner,1866*
4693. **Polysarcus Fieber,[1853]** (Tettigoniidae) Synonym(s): *Polysarcus Fieber,[1853]*; *Orphania Fieber,1853*; *Hadrosoma Fieber,1854*
4694. **Polyspilota Burmeister,1838** (Mantidae) Synonym(s): *Polyspilota Burmeister,1838*
4695. **Polytribax Förster,1868** (Ichneumonidae) Synonym(s): *Polytribax Förster,1868*; *Plesignathus Förster,1868*; *Neleophron Förster,1868*; *Epiphorbus Förster,1868*; *Steriphocryptus Cameron,1903*; *Chasmocryptus Uchida,1936*
4696. **Pomonia Stal,1866** (Cicadidae) Synonym(s): *Pomonia Stal,1866*
4697. **Pompilus Fabricius,1798** (Pompilidae) Synonym(s): *Pompilus Fabricius,1798*
4698. **Pomponia Stal,1866** (Cicadidae) Synonym(s): *Pomponia Stal,1866*
4699. **Ponapea Ruckes,1963** (Pentatomidae) Synonym(s): *Ponapea Ruckes,1963*
4700. **Pontoperla Zwick,1967** (Chloroperlidae) Synonym(s): *Pontoperla Zwick,1967*
4701. **Poophilus Stal,1866** (Cercopidae) Synonym(s): *Poophilus Stal,1866*
4702. **Popa Stal,1856** (Mantidae) Synonym(s): *Popa Stal,1856*
4703. **Populicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Populicerus Dlabola,1974*
4704. **Populonia Jacobi,1910** (Caliscelidae) Synonym(s):
4705. **Porophloeus Melichar,1902** (Flatidae) Synonym(s):
4706. **Porphyrophora Brandt & Ratzeburg,1833** (Margarodidae) Synonym(s): *Porphyrophora Brandt & Ratzeburg,1833*
4707. **Porthmidius Germar,1847** (Elateridae) Synonym(s): *Porthmidius Germar,1847*
4708. **Positrona? Emeljanov,1994** (Derbidae) Synonym(s):
4709. **Potamaurops Müller,1944** (Staphylinidae) Synonym(s): *Potamaurops Müller,1944*
4710. **Potamia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Potamia Robineau-Desvoidy,1830*
4711. **Potthastia Kieffer,1922** (Chironomidae) Synonym(s): *Potthastia Kieffer,1922*
4712. **Pradeshia Koçak & Kemal,2008** (Eulophidae) Synonym(s): *Arunus Jaikishan Singh & Khan,1997 nec Sengupta,1997*; *Pradeshia Koçak & Kemal,2008*
4713. **Prasocuris Latreille,1802** (Chrysomelidae) Synonym(s): *Prasocuris Latreille,1802*
4714. **Prinoessa Fennah,1950** (Achilidae) Synonym(s):
4715. **Prionosthenus (Lavivertex) Werner,1939** (Pamphagidae) Synonym(s): *Lavivertex Werner,1939*
4716. **Prionosthenus (s.str.) Bolivar,1878** (Pamphagidae) Synonym(s): *Prionosthenus Bolivar,1878*
4717. **Prionosthenus Bolivar,1878** (Pamphagidae) Synonym(s): *Prionosthenus Bolivar,1878*
4718. **Prionotropis Fieber,1853** (Pamphagidae) Synonym(s): *Prionotropis Fieber,1853*; *Cuculligera Fischer,1853*
4719. **Priopoda Holmgren,1855** (Ichneumonidae) Synonym(s): *Priopoda Holmgren,1855*; *Prionopoda Holmgren,1855*

4720. **Pristaulacus Kieffer,1900** (Aulacidae) Synonym(s): *Aulacostethus Philippi,1873 nec Waterh.,1869; Pristaulacus Kieffer,1900*
4721. **Pristomerus Curtis,1836** (Ichneumonidae) Synonym(s): *Pristomerus Curtis,1836; Pristomeridia Ashmead,1900; Pristocelus Szimpligeti,1905; Neopristomerus Viereck,1912; Nesanomalon Morley,1913*
4722. **Privesa Stål,1862** (Ricianiidae) Synonym(s):
4723. **Privesomorphus Schmidt,1912** (Nogodinidae) Synonym(s):
4724. **Probaticus (Pelorinus) de Vauloger,1900** (Tenebrionidae) Synonym(s): *Pelorinus de Vauloger,1900*
4725. **Probaticus (s.str.) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
4726. **Probaticus Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
4727. **Probles (Euporizon) Horstmann,1971** (Ichneumonidae) Synonym(s): *Euporizon Horstmann,1971*
4728. **Probles Förster,1868** (Ichneumonidae) Synonym(s): *Probles Förster,1868*
4729. **Probletomus Gerstaecker,1895** (Nogodinidae) Synonym(s):
4730. **Probruggmanniella Möhn,1961** (Cecidomyiidae) Synonym(s): *Probruggmanniella Möhn,1961*
4731. **Procallimus Pic,1907** (Cerambycidae) Synonym(s): *Procallimus Pic,1907*
4732. **Proceps Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Proceps Mulsant & Rey,1855*
4733. **Prochoeradodis Piton,1940** (Mantidae) Synonym(s): *Prochoeradodis Piton,1940*
4734. **Procladius Skuze,1889** (Chironomidae) Synonym(s): *Procladius Skuze,1889*
4735. **Proconura Dodd,1915** (Chalcididae) Synonym(s): *Proconura Dodd,1915*
4736. **Procaerus Reitter,1905** (Elateridae) Synonym(s): *Procaerus Reitter,1905*
4737. **Proctacanthella Bromley,1934** (Asilidae) Synonym(s): *Proctacanthella Bromley,1934*
4738. **Procyctotelus Nagatomi & Lyneborg,1987** (Therevidae) Synonym(s): *Procyctotelus Nagatomi & Lyneborg,1987*
4739. **Prodiamesa Kieffer,1911** (Chironomidae) Synonym(s): *Prodiamesa Kieffer,1911*
4740. **Prodiaspis Young & Wang,1984** (Diaspididae) Synonym(s): *Prodiaspis Young & Wang,1984*
4741. **Proformica Ruzsky,1903** (Formicidae) Synonym(s): *Proformica Ruzsky,1903*
4742. **Prohierodula Bolivar,1908** (Mantidae) Synonym(s): *Prohierodula Bolivar,1908*
4743. **Prokelisia Osborn,1905** (Delphacidae) Synonym(s):
4744. **Prolepta Walker,1851** (Fulgoridae) Synonym(s):
4745. **Proleptomastidea Trjapitzin,2009** (Encyrtidae) Synonym(s): *Proleptomastidea Trjapitzin,2009*
4746. **Promachus Loew,1848** (Asilidae) Synonym(s): *Promachus Loew,1848*
4747. **Promethes Förster,1868** (Ichneumonidae) Synonym(s): *Promethes Förster,1868; Liopsis Förster,1868; Promethus Thomson,1890*
4748. **Pronotalia Grandwell,1957** (Eulophidae) Synonym(s): *Pronotalia Grandwell,1957*
4749. **Proparachaetopsis Blanchard,1942** (Tachinidae) Synonym(s): *Proparachaetopsis Blanchard,1942; Colurus Reinhard,1953 nec Ehrenberg,[1830]*
4750. **Propomacrus Newman,1837** (Scarabaeidae) Synonym(s): *Propomacrus Newman,1837; Porropus Laporte,1840*
4751. **Propylea Mulsant,1846** (Coccinellidae) Synonym(s): *Propylea Mulsant,1846*
4752. **Prorachthes Loew,1868** (Bombyliidae) Synonym(s): *Prorachthes Loew,1868*
4753. **Prosagandecca Fennah,1950** (Achilidae) Synonym(s):
4754. **Prosimulium (s.str.) Rouband,1906** (Simuliidae) Synonym(s): *Prosimulium Rouband,1906; Hellichia Enderlein,1925; Taeniopterna Enderlein,1925; Mallochella Enderlein,1930 (praeocc.); Mallochianella Vargas & Diaz Najera,1948; Piezosimulium Peterson,1989*
4755. **Prosimulium Rouband,1906** (Simuliidae) Synonym(s): *Prosimulium Rouband,1906; Hellichia Enderlein,1925; Taeniopterna Enderlein,1925; Mallochella Enderlein,1930 (praeocc.); Mallochianella Vargas & Diaz Najera,1948; Piezosimulium Peterson,1989*
4756. **Prosodes (Dilopersina) Reitter,1909** (Tenebrionidae) Synonym(s): *Dilopersina Reitter,1909*
4757. **Prosodes (Prosodoscelis) Reitter,1909** (Tenebrionidae) Synonym(s): *Prosodoscelis Reitter,1909*
4758. **Prosodes Eschscholtz,1829** (Tenebrionidae) Synonym(s): *Prosodes Eschscholtz,1829*
4759. **Prosonoma Melichar,1906** (Issidae) Synonym(s):
4760. **Prosops Buckton,1893** (Cixiidae) Synonym(s):
4761. **Prosotropis Uhler,1895** (Kinnaridae) Synonym(s):
4762. **Prostemma Laporte,1832** (Nabidae) Synonym(s): *Prostemma Laporte,1832; Metastemma Amyot & Audinet-Serville,1843*
4763. **Prosternon Latreille,1804** (Elateridae) Synonym(s): *Prosternon Latreille,1804*
4764. **Protacheron Van der Weele,1909** (Ascalaphidae) Synonym(s): *Protacheron Van der Weele,1909*
4765. **Protachilus Fennah,1944** (Dictyopharidae) Synonym(s):
4766. **Protaetia (Calopototia) Reitter,1898** (Scarabaeidae) Synonym(s): *Calopototia Reitter,1898*

4767. **Protaetia (Cetonischema) Miksic,1963** (Scarabaeidae) Synonym(s): *Cetonischema Miksic,1963*
4768. **Protaetia (Eupotosia) Miksic,1954** (Scarabaeidae) Synonym(s): *Eupotosia Miksic,1954*
4769. **Protaetia (Foveopotosia) Miksic,1959** (Scarabaeidae) Synonym(s): *Foveopotosia Miksic,1959*
4770. **Protaetia (Liocola) Thomson,1859** (Scarabaeidae) Synonym(s): *Liocola Thomson,1859*
4771. **Protaetia (Potosia) Mulsant & Rey,1871** (Scarabaeidae) Synonym(s): *Potosia Mulsant & Rey,1871*
4772. **Protaetia (Pseudonetocia) Medvedev,1964** (Scarabaeidae) Synonym(s): *Pseudonetocia Medvedev,1964*
4773. **Protaetia Burmeister,1842** (Scarabaeidae) Synonym(s): *Protaetia Burmeister,1842*
4774. **Protapalochrus Evers,1987** (Melyridae) Synonym(s): *Protapalochrus Evers,1987*
4775. **Protapanteles Ashmead,1898** (Braconidae) Synonym(s): *Protapanteles Ashmead,1898*
4776. **Proteinissus Fowler,1904** (Issidae) Synonym(s):
4777. **Proteinus Latreille,1796** (Staphylinidae) Synonym(s): *Proteinus Latreille,1796*
4778. **Protepiptera? Usinger,1939** (Achilidae) Synonym(s):
4779. **Proterosydne Kirkaldy,1907** (Delphacidae) Synonym(s):
4780. **Prothona Caldwell,1945** (Issidae) Synonym(s):
4781. **Protidricerus Van der Weele,1909** (Ascalaphidae) Synonym(s): *Protidricerus Van der Weele,1909*
4782. **Protolepta Melichar,1912** (Dictyopharidae) Synonym(s):
4783. **Protomiltogramma Townsend,1916** (Sarcophagidae) Synonym(s): *Protomiltogramma Townsend,1916*
4784. **Protonemura Kempny,1898** (Nemouridae) Synonym(s): *Protonemura Kempny,1898*
4785. **Protosmia (Chelostomopsis) Cockerell,1925** (Megachilidae) Synonym(s): *Chelostomopsis Cockerell,1925*
4786. **Protosmia (Nanosmia) Griswold,1986** (Megachilidae) Synonym(s): *Nanosmia Griswold,1986*
4787. **Protosmia Ducke,1900** (Megachilidae) Synonym(s): *Protosmia Ducke,1900*
4788. **Proutista Kirkaldy,1904** (Derbidae) Synonym(s): *Assamia Bockton,1896; Proutista Kirkaldy,1904; Sardis Kirkaldy,1906; Arfaka Distant,1907; Afakia Kirkaldy,1909*
4789. **Psacadina Enderlein,1939** (Sciomyzidae) Synonym(s): *Psacadina Enderlein,1939*
4790. **Psacasta Germar,1839** (Scutellaridae) Synonym(s): *Psacasta Germar,1839*
4791. **Psallus Fieber,1858** (Miridae) Synonym(s): *Psallus Fieber,1858*
4792. **Psammotettix Haupt,1929** (Cicadellidae) Synonym(s): *Psammotettix Haupt,1929; Ribautiellus Zachvatkin,1933*
4793. **Psectra Hagen,1866** (Hemerobiidae) Synonym(s): *Psectra Hagen,1866*
4794. **Psectrocladius Kieffer,1906** (Chironomidae) Synonym(s): *Psectrocladius Kieffer,1906*
4795. **Psectrotanypus Kieffer,1909** (Chironomidae) Synonym(s): *Psectrotanypus Kieffer,1909*
4796. **Psegmatus Fieber,1875** (Cicadellidae) Synonym(s): *Psegmatus Fieber,1875*
4797. **Pselaphorhynchites Schilsky,1903** (Attelabidae) Synonym(s): *Pselaphorhynchites Schilsky,1903*
4798. **Psenoflata Fennah,1947** (Flatidae) Synonym(s):
4799. **Pseudagrion Selys,1876** (Coenagrionidae) Synonym(s): *Pseudagrion Selys,1876*
4800. **Pseudagriotes Schwarz,1896** (Elateridae) Synonym(s): *Pseudagriotes Schwarz,1896*
4801. **Pseudanasida Schouteden,1907** (Pentatomidae) Synonym(s): *Pseudanasida Schouteden,1907*
4802. **Pseudanostirus Dolin,1964** (Elateridae) Synonym(s): *Pseudanostirus Dolin,1964*
4803. **Pseudaraeopus Kirkaldy,1904** (Delphacidae) Synonym(s):
4804. **Pseudaraeopus Kirkaldy,1904** (Delphacidae) Synonym(s): *Delphacodes Melichar,1901 (praeocc.); Pseudaraeopus Kirkaldy,1904; Tricranoneura Horvath,1922*
4805. **Pseudembolophora Muir,1920** (Delphacidae) Synonym(s): *Pseudembolophora Muir,1920*
4806. **Pseudempusa Brunner von Wattenwyl,1892** (Mantidae) Synonym(s): *Pseudempusa Brunner von Wattenwyl,1892*
4807. **Pseudepipona (Deuterepipona) Blüthgen,1951** (Vespidae) Synonym(s): *Deuterepipona Blüthgen,1951*
4808. **Pseudepipona (s.str.) Saussure,[1856]** (Vespidae) Synonym(s): *Pseudepipona Saussure,[1856]; Metepipona Blüthgen,1951; Trichepipona Blüthgen,1951; Leptepipona Blüthgen,1951; #Pseudepipone Bytinski-Salz & Gusenleitner,1971*
4809. **Pseudepipona Saussure,[1856]** (Vespidae) Synonym(s): *Pseudepipona Saussure,[1856]; Metepipona Blüthgen,1951; Trichepipona Blüthgen,1951; Leptepipona Blüthgen,1951; #Pseudepipone Bytinski-Salz & Gusenleitner,1971*
4810. **Pseuderimerus Gahan,1919** (Torymidae) Synonym(s): *Pseuderimerus Gahan,1919*
4811. **Pseudeuparius Jordan,1914** (Anthribidae) Synonym(s): *Pseudeuparius Jordan,1914*
4812. **Pseudexechia Tuomikoski,1966** (Mycetophilidae) Synonym(s): *Pseudexechia Tuomikoski,1966*
4813. **Pseudhelicoptera Fowler,1904** (Achilidae) Synonym(s):
4814. **Pseudimares Kimmins,1933** (Myrmeleonidae) Synonym(s): *Pseudimares Kimmins,1933*

4815. **Pseudocatolaccus Masi,[1908]** (Pteromalidae) Synonym(s): *Pseudocatolaccus Masi,[1908]*
4816. **Pseudococeles Bolivar,1899** (Acrididae) Synonym(s): *Pseudococeles Bolivar,1899; Grusia Harz,1978*
4817. **Pseudochermes Nitsche,1895** (Eriococcidae) Synonym(s): *Pseudochermes Nitsche,1895*
4818. **Pseudoclardea Williams,1981** (Tropiduchidae) Synonym(s):
4819. **Pseudoclavellaria Schultz,1906** (Cimbicidae) Synonym(s): *Pseudoclavellaria Schultz,1906*
4820. **Pseudococcobius Timberlake,1916** (Encyrtidae) Synonym(s): *Pseudococcobius Timberlake,1916*
4821. **Pseudococcus Westwood,1840** (Pseudococcidae) Synonym(s): *Pseudococcus Westwood,1840*
4822. **Pseudocrepidophorus Dolin & Agajev,1988** (Elateridae) Synonym(s): *Pseudocrepidophorus Dolin & Agajev,1988*
4823. **Pseudodascalina Melichar,1923** (Flatidae) Synonym(s):
4824. **Pseudodelphacodes Wagner,1963** (Delphacidae) Synonym(s):
4825. **Pseudodiamesa Goetghebuer,1939** (Chironomidae) Synonym(s): *Pseudodiamesa Goetghebuer,1939*
4826. **Pseudodictya Schmidt,1924** (Fulgoridae) Synonym(s):
4827. **Pseudodiopsis Hendel,1917** (Diopsidae) Synonym(s): *Pseudodiopsis Hendel,1917*
4828. **Pseudodystacta Kaltenbach,1996** (Mantidae) Synonym(s): *Pseudodystacta Kaltenbach,1996*
4829. **Pseudoflatoides Metcalf,1938** (Flatidae) Synonym(s):
4830. **Pseudogalepsus Beier,1954** (Irididae) Synonym(s): *Pseudogalepsus Beier,1954*
4831. **Pseudogergithus Schmidt,1912** (Issidae) Synonym(s):
4832. **Pseudohelcita Muir,1918** (Derbidae) Synonym(s):
4833. **Pseudohemisphaerius Melichar,1906** (Issidae) Synonym(s):
4834. **Pseudoleria Garrett,1921** (Heleomyzidae) Synonym(s): *Pseudoleria Garrett,1921*
4835. **Pseudoliarus Haupt,1927** (Cixiidae) Synonym(s): *Pseudoliarus Haupt,1927*
4836. **Pseudoligosita Girault,1913** (Trichogrammatidae) Synonym(s): *Pseudoligosita Girault,1913*
4837. **Pseudolimmophila Alexander,1919** (Limoniidae) Synonym(s): *Pseudolimmophila Alexander,1919*
4838. **Pseudolynchia Bequaert,1925** (Hippoboscidae) Synonym(s): *Pseudolynchia Bequaert,1925*
4839. **Pseudomacrocorupha Muir,1930** (Delphacidae) Synonym(s):
4840. **Pseudomantis Saussure,1869** (Mantidae) Synonym(s): *Pseudomantis Saussure,1869*
4841. **Pseudomyrmosa Suarez,1980** (Mutillidae) Synonym(s): *Pseudomyrmosa Suarez,1980*
4842. **Pseudomysidia Metcalf,1938** (Derbidae) Synonym(s):
4843. **Pseudonapomyza Hendel,1920** (Agromyzidae) Synonym(s): *Pseudonapomyza Hendel,1920*
4844. **Pseudoneuroterus Kinsey,1923** (Cynipidae) Synonym(s): *Pseudoneuroterus Kinsey,1923*
4845. **Pseudoophonus Motschoulsky,1844** (Carabidae) Synonym(s): *Pseudoophonus Motschoulsky,1844*
4846. **Pseudoparicana Melichar,1914** (Tropiduchidae) Synonym(s):
4847. **Pseudophanella Fennah,1957** (Dictyopharidae) Synonym(s):
4848. **Pseudophotopsis André,1896** (Mutillidae) Synonym(s): *Pseudophotopsis André,1896; Alloneuron Ashmead,1899; Sphinctomutilla André,1899*
4849. **Pseudoplectus Reitter,1882** (Staphylinidae) Synonym(s): *Pseudoplectus Reitter,1882*
4850. **Pseudopompilus Costa,1887** (Pompilidae) Synonym(s): *Pseudopompilus Costa,1887*
4851. **Pseudorus Walker,1851** (Asilidae) Synonym(s): *Pseudorus Walker,1851*
4852. **Pseudoryxa Schmidt,1904** (Flatidae) Synonym(s):
4853. **Pseudosmittia Goetghebuer,1932** (Chironomidae) Synonym(s): *Pseudosmittia Goetghebuer,1932*
4854. **Pseudosphegesthes Reitter,1912** (Cerambycidae) Synonym(s): *Pseudosphegesthes Reitter,1912*
4855. **Pseudosymmorphus Blüthgen,1938** (Vespidae) Synonym(s): *Pseudosymmorphus Blüthgen,1938*
4856. **Pseudotangia Metcalf,1938** (Tropiduchidae) Synonym(s):
4857. **Pseudotephritis Johnson,1902** (Ulidiidae) Synonym(s): *Stictocephala Loew,1873 (praeocc.); Pseudotephritis Johnson,1902*
4858. **Pseudotorymus Masi,1922** (Torymidae) Synonym(s): *Pseudotorymus Masi,1922; Holaspis Mayr,1874; Senegalella Risbec,1951; Thiesia Risbec,1951*
4859. **Pseudotrematodes Jacquelin du Val,1806** (Scarabaeidae) Synonym(s): *Pseudotrematodes Jacquelin du Val,1806*
4860. **Pseudotylana Melichar,1906** (Issidae) Synonym(s):
4861. **Pseudovadonia Lobanov, Danilevsky & Murzin,1981** (Cerambycidae) Synonym(s): *Pseudovadonia Lobanov, Danilevsky & Murzin,1981*
4862. **Pseudoxypilus Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *Pseudoxypilus Giglio-Tos,1915*
4863. **Pseudoyersinia Kirby,1904** (Mantidae) Synonym(s): *Pseudoyersinia Kirby,1904*
4864. **Psiliglossa Saunders,1872** (Vespidae) Synonym(s): *Psiliglossa Saunders,1872; #Psilioglossa Bağrıaçık & Tüzün,2005*
4865. **Psilocephala Zetterstedt,1838** (Therevidae) Synonym(s): *Psilocephala Zetterstedt,1838*

- 4866. Psilocera Walker,1833** (Pteromalidae) Synonym(s): *Psilocera Walker,1833*
4867. Psilochalcis Kieffer,1905 (Chalcididae) Synonym(s): *Psilochalcis Kieffer,1905*
4868. Psilocurus Loew,1874 (Asilidae) Synonym(s):
4869. Psilodiamesa Kieffer,1918 (Chironomidae) Synonym(s): *Psilodiamesa Kieffer,1918*
4870. Pilonotus Walker,1834 (Pteromalidae) Synonym(s): *Pilonotus Walker,1834*
4871. Psilophrys Mayr,1875 (Encyrtidae) Synonym(s): *Psilophrys Mayr,1875*
4872. Psilothrix Küster,1850 (Melyridae) Synonym(s): *Psilothrix Küster,1850*
4873. Psorodonotus Brunner von Wattenwyl,1861 (Tettigoniidae) Synonym(s): *Peltastes Fischer von Waldheim,1839; Psorodonotus Brunner von Wattenwyl,1861; Semenovites Tarbinsky,1932*
4874. Psychoda Latreille,1796 (Psychodidae) Synonym(s): *Psychoda Latreille,1796; Psicoda Rondani,1856*
4875. Psychophagus Mayr,1904 (Pteromalidae) Synonym(s): *Psychophagus Mayr,1904*
4876. Psyllaephagus Ashmead,1900 (Encyrtidae) Synonym(s): *Psyllaephagus Ashmead,1900*
4877. Psylliodes Berthold,1827 (Chrysomelidae) Synonym(s): *Psylliodes Berthold,1827*
4878. Psyllobora Dejean,1833 (Coccinellidae) Synonym(s): *Psyllobora Dejean,1833*
4879. Psyllopsis Loew,1879 (Psyllidae) Synonym(s): *Psyllopsis Loew,1879*
4880. Pterandrophysalis Nowicki,1935 (Trichogrammatidae) Synonym(s): *Pterandrophysalis Nowicki,1935*
4881. Pterella Robineau-Desvoidy,1863 (Sarcophagidae) Synonym(s): *Pterella Robineau-Desvoidy,1863*
4882. Pterilia Stål,1859 (Caliscelidae) Synonym(s):
4883. Pterocheilus Klug,1805 (Vespididae) Synonym(s): *Pterocheilus Klug,1805; #Pterochilus Illiger,1807; #Pterochile Blanchard,1840; Odontopterochilus Kostylev,1940; Nannopterochilus Blüthgen,1961*
4884. Pterodictya Burmeister,1835 (Fulgoridae) Synonym(s):
4885. Pterogenia Bigot,1859 (Platystomidae) Synonym(s): *Pterogenia Bigot,1859*
4886. Pteromalus Swederus,1795 (Pteromalidae) Synonym(s): *Pteromalus Swederus,1795*
4887. Pteronemobius (s.str.) Jacobson,1904 (Gryllidae) Synonym(s): *Pteronemobius Jacobson,1904*
4888. Pteronemobius Jacobson,1904 (Gryllidae) Synonym(s): *Pteronemobius Jacobson,1904*
4889. Pteroplegma Melichar,1912 (Dictyopharidae) Synonym(s):
4890. Pteroptrix Westwood,1833 (Aphelinidae) Synonym(s): *Pteroptrix Westwood,1833; Archenomus Howard,1898; Casca Howard,1907; Artas Howard,1907; Hispaniella Mercet,1911; Pteroptrichoides Fullaway,1913; Apteroptrix Girault,1915; Pseudopteroptrix Fullaway,1918; Oa Girault,1929; Aphelosoma Nikol'skaya,1963; Archenomiscus Nikol'skaya*
4891. Pteropyx Haupt,1927 (Cicadellidae) Synonym(s): *Pteropyx Haupt,1927*
4892. Pterotus LeConte,1859 (Lampyridae) Synonym(s): *Pterotus LeConte,1859*
4893. Pterygoma Melichar,1903 (Caliscelidae) Synonym(s):
4894. Ptetica Saussure,1884 (Acrididae) Synonym(s): *Ptetica Saussure,1884*
4895. Ptychogroehnia? Szwedó & Stroinski,2001 (Achilidae) Synonym(s):
4896. Ptychoptilum Emeljanov,1990 (Achilidae) Synonym(s):
4897. Ptyngidricerus Van der Weele,1909 (Ascalaphidae) Synonym(s): *Ptyngidricerus Van der Weele,1909*
4898. Pucina Stål,1866 (Nogodinidae) Synonym(s):
4899. Puer Lefebvre,1842 (Ascalaphidae) Synonym(s): *Puer Lefebvre,1842*
4900. Puertormenis Caldwell & Martorell,1951 (Flatidae) Synonym(s):
4901. Puertormensis Caldwell & Martorell,1951 (Flatidae) Synonym(s):
4902. Puklina Graham,1991 (Eulophidae) Synonym(s): *Puklina Graham,1991*
4903. Pulaha Distant,1906 (Flatidae) Synonym(s):
4904. Pulastya Distant,1906 (Flatidae) Synonym(s):
4905. Pulvinaria Targioni-Tozzetti,1867 (Coccidae) Synonym(s): *Pulvinaria Targioni-Tozzetti,1867*
4906. Pulvinariella Borkhsenius,1953 (Coccidae) Synonym(s): *Pulvinariella Borkhsenius,1953*
4907. Punama Muir,1913 (Delphacidae) Synonym(s):
4908. Pundaluoya Kirkaldy,1902 (Delphacidae) Synonym(s):
4909. Purana Distant,1905 (Cicadidae) Synonym(s): *Purana Distant,1905*
4910. Puranoides Moulton,1917 (Cicadidae) Synonym(s): *Puranoides Moulton,1917*
4911. Purohita Distant,1906 (Delphacidae) Synonym(s):
4912. Purpuricenius Fischer von Waldheim,1824 (Cerambycidae) Synonym(s): *Purpuricenius Fischer von Waldheim,1824*
4913. Purusha Distant, 1906 (Eurybrachidae) Synonym(s):
4914. Putala Melichar,1903 (Dictyopharidae) Synonym(s):
4915. Puto Signoret,1876 (Pseudococcidae) Synonym(s): *Puto Signoret,1876*
4916. Pycna Amyot & Serville,1843 (Cicadidae) Synonym(s): *Pycna Amyot & Serville,1843*
4917. Pyncocryptodes Aubert,1971 (Ichneumonidae) Synonym(s): *Pyncocryptodes Aubert,1971*

- 4918. Pyncocryptus Thomson,1873** (Ichneumonidae) Synonym(s): *Pyncocryptus Thomson,1873*;
Cylindrocryptus Ceballos,1921
- 4919. Pyncnomalla Gerstaecker,1857** (Stratiomyidae) Synonym(s): *Pyncnomalla Gerstaecker,1857*
- 4920. Pyncnopogon Loew,1847** (Asilidae) Synonym(s): *Pyncnopogon Loew,1847*
- 4921. Pygmaeolus Hellén,1958** (Ichneumonidae) Synonym(s): *Pygmaeolus Hellén,1958*
- 4922. Pyracmon Holmgren,1859** (Ichneumonidae) Synonym(s): *Pyracmon Holmgren,1859*
- 4923. Pyrellia Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *Pyrellia Robineau-Desvoidy,1830*
- 4924. Pyrgodera Fischer von Waldheim,1846** (Acrididae) Synonym(s): *Pyrgodera Fischer von Waldheim,1846*
- 4925. Pyrgomantis Gerstaecker,1869** (Irididae) Synonym(s): *Pyrgomantis Gerstaecker,1869*
- 4926. Pyrgomorpha Audinet-Serville,1839** (Pyrgomorphidae) Synonym(s): *Pyrgomorpha Audinet-Serville,1839*
- 4927. Pyrgoteles Gerstaecker,1873** (Fulgoridae) Synonym(s):
- 4928. Pyrilla Stal,1859** (Lophopidae) Synonym(s): *Pyrilla Stal,1859*
- 4929. Pyrobombus Dalla Torre,1880** (Apidae) Synonym(s): *Pyrobombus Dalla Torre,1880*;
Poecilobombus Dalla Torre,1882; *Hypnorobombus Pérez,1927*; *Lapponicobombus Pérez,1927*
- 4930. Pyrops Spinola,1839** (Fulgoridae) Synonym(s):
- 4931. Pyrrhocoris Fallén,1814** (Pyrrhocoridae) Synonym(s): *Pyrrhocoris Fallén,1814*; *Platynotus Schilling,1829*; *Meganotus Laporte,1832*; *Phylcoris Laporte,1832*; *Astemma Spinola,1837*; *Platycoris Gistel,1848*
- 4932. Pyrrhoneura Kirkaldy,1906** (Derbidae) Synonym(s):
- 4933. Pyrrhonice Emeljanov,1994** (Derbidae) Synonym(s):
- 4934. Pyrrhosoma Charpentier,1840** (Coenagrionidae) Synonym(s): *Pyrrhosoma Charpentier,1840*
- 4935. Pyrrhyllis Kirkaldy,1906** (Achilidae) Synonym(s):
- 4936. Quadrana Caldwell,1951** (Achilidae) Synonym(s):
- 4937. Quadrastylum Dlabola,1979** (Issidae) Synonym(s): *Quadrastylum Dlabola,1979*
- 4938. Quartinia André,1884** (Vespidae) Synonym(s): *Quartinia André,1884*
- 4939. Quasimus Gozis,1886** (Elateridae) Synonym(s): *Quasimus Gozis,1886*
- 4940. Queenslandia Koçak & Kemal,2008** (Pteromalidae) Synonym(s): *Edgaria Boucek,1988 nec Bourguignat,1888*; *Queenslandia Koçak & Kemal,2008*; *Neoedgaria Özdikmen & Darılmaz,2009*
- 4941. Quilessa Fennah,1942** (Kinnaridae) Synonym(s):
- 4942. Quilnus Stal,1873** (Aradidae) Synonym(s): *Quilnus Stal,1873*
- 4943. Raatzbrockmannia Schmidt,1924** (Tettigometridae) Synonym(s):
- 4944. Rabdophaga Westwood,1847** (Cecidomyiidae) Synonym(s): *Rabdophaga Westwood,1847*
- 4945. Rabocha Melichar,1923** (Flatidae) Synonym(s):
- 4946. Radamana Distant,1906** (Fulgoridae) Synonym(s):
- 4947. Radha Melichar,1903** (Issidae) Synonym(s): *Radha Melichar,1903*
- 4948. Raiboscelis Seidlitz,1896** (Tenebrionidae) Synonym(s): *Raiboscelis Seidlitz,1896*
- 4949. Raivuna Fennah,1976** (Dictyopharidae) Synonym(s):
- 4950. Raizoda Muir,1924** (Derbidae) Synonym(s):
- 4951. Ramburiella Bolivar,1906** (Acrididae) Synonym(s): *Ramburia Bolivar,1897 nec Robin.-Desv.,1851*; ; *Stethophyma Bolivar,1897 nec Fisch.,1853*; *Ramburiella Bolivar,1906*; *Pallasiella Kirby,1910*
- 4952. Rammeihippus Woznessensky,1996** (Acrididae) Synonym(s): *Microhippus Ramme,1939 nec Matschie,1922*; *Rammeihippus Woznessensky,1996*
- 4953. Ranatra Fabricius,1790** (Nepidae) Synonym(s): *Ranatra Fabricius,1790*
- 4954. Ranissus Fieber,1866** (Dictyopharidae) Synonym(s): *Ranissus Fieber,1866*
- 4955. Rantus Dejean,1833** (Dytiscidae) Synonym(s): *Rantus Dejean,1833*; *Rhantus Lacordaire,1835*
- 4956. Raphidia (Alatauaphidia) H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s):
Alatauaphidia H.Aspöck & U.Aspöck,1970
- 4957. Raphidia (Aserbeidshanoraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae)
Synonym(s): *Aserbeidshanoraphidia H.Aspöck & U.Aspöck,1968*
- 4958. Raphidia (Atlantoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
- 4959. Raphidia (Caucasoraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s):
Caucasoraphidia H.Aspöck & U.Aspöck,1968
- 4960. Raphidia (Dichrostigma) Navas,1909** (Raphidiidae) Synonym(s): *Dichrostigma Navas,1909*
- 4961. Raphidia (Flavoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
- 4962. Raphidia (Graecoraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s):
Graecoraphidia H.Aspöck & U.Aspöck,1968
- 4963. Raphidia (Hispanoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
- 4964. Raphidia (Italoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
- 4965. Raphidia (Magnoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
Magnoraphidia Aspöck & Aspöck,1968
- 4966. Raphidia (Miroraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s):
Miroraphidia H.Aspöck & U.Aspöck,1968

4967. **Raphidia (Navasana) Steinmann,1963** (Raphidiidae) Synonym(s): *Navasana Steinmann,1963*
4968. **Raphidia (Ohmella) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
4969. **Raphidia (Ornatoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
Ornatoraphidia Aspöck & Aspöck,1968
4970. **Raphidia (Parvoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
4971. **Raphidia (Phaeostigma) Navas,1909** (Raphidiidae) Synonym(s): *Phaeostigma Navas,1909*
4972. **Raphidia (Phidiara) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s): *Phidiara H.Aspöck & U.Aspöck,1968*
4973. **Raphidia (Pontoraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s):
Pontoraphidia H.Aspöck & U.Aspöck,1968
4974. **Raphidia (Pretzmannia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s): *Pretzmannia Aspöck & Aspöck,1968*
4975. **Raphidia (Puncha) Navas,1915** (Raphidiidae) Synonym(s):
4976. **Raphidia (s.str.) Linnaeus,1758** (Raphidiidae) Synonym(s): *Raphidia Linnaeus,1758*
4977. **Raphidia (Subilla) Navas,1916** (Raphidiidae) Synonym(s):
4978. **Raphidia (Superboraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
4979. **Raphidia (Turcoraphidia) H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s):
Turcoraphidia H.Aspöck & U.Aspöck,1968
4980. **Raphidia (Ulrike) Aspöck,1968** (Raphidiidae) Synonym(s): *Ulrike) Aspöck,1968*
4981. **Raphidia (Venustoraphidia) Aspöck & Aspöck,1968** (Raphidiidae) Synonym(s):
4982. **Raphidia (Xanthostigma) Navas,1909** (Raphidiidae) Synonym(s):
4983. **Raphidia Linnaeus,1758** (Raphidiidae) Synonym(s): *Raphidia Linnaeus,1758*
4984. **Raphigaster Laporte,1833** (Pentatomidae) Synonym(s): *Raphigaster Laporte,1833*
4985. **Raphiglossa Saunders,1850** (Vespidae) Synonym(s): *Raphiglossa Saunders,1850*
4986. **Raphiophora Schaum,1851** (Dictyopharidae) Synonym(s):
4987. **Ratzeburgiola Erdös,1958** (Eulophidae) Synonym(s): *Ratzeburgiola Erdös,1958*
4988. **Ravinia Robineau-Desvoidy,1863** (Sarcophagidae) Synonym(s): *Ravinia Robineau-Desvoidy,1863*
4989. **Rcortesia Koçak & Kemal,2010** (Tachinidae) Synonym(s): *Hypsomyia Cortés,1983 nec McAlpine,1965; Rcortesia Koçak & Kemal,2010*
4990. **Recilia Edwards,1922** (Cicadellidae) Synonym(s): *Recilia Edwards,1922; Inemadara Ishihara,1953*
4991. **Redarator Distant,1916** (Issidae) Synonym(s):
4992. **Reduvius Fabricius,1775** (Reduviidae) Synonym(s): *Reduvius Fabricius,1775*
4993. **Reichenbachia Leach,1826** (Staphylinidae) Synonym(s): *Reichenbachia Leach,1826*
4994. **Reitterelater Platia & Cate,1990** (Elateridae) Synonym(s): *Reitterelater Platia & Cate,1990*
4995. **Remanodelphax Drosopoulos,1982** (Delphacidae) Synonym(s):
4996. **Reminasus Lehr,1979** (Asilidae) Synonym(s): *Reminasus Lehr,1979*
4997. **Remosa Distant,1906** (Tropiduchidae) Synonym(s):
4998. **Remosachilus Fennah,1950** (Achilidae) Synonym(s):
4999. **Rentinus Metcalf,1947** (Fulgoridae) Synonym(s):
5000. **Repetekia Oshanin,1913** (Dictyopharidae) Synonym(s):
5001. **Reptalus (s.str.) Emeljanov,1971** (Cixiidae) Synonym(s): *Reptalus Emeljanov,1971*
5002. **Reptalus (Trepalus) Emeljanov,1995** (Cixiidae) Synonym(s): *Trepalus Emeljanov,1995*
5003. **Reptalus Emeljanov,1971** (Cixiidae) Synonym(s): *Reptalus Emeljanov,1971*
5004. **Resseliella Seitner,1906** (Cecidomyiidae) Synonym(s): *Resseliella Seitner,1906*
5005. **Retanathrips Mould & Nickle,2009** (Thripidae) Synonym(s): *Retanathrips Mould & Nickle,2009*
5006. **Retiala Fennah,1944** (Dictyopharidae) Synonym(s):
5007. **Rexa Navas,1919** (Chrysopidae) Synonym(s): *Rexa Navas,1919*
5008. **Rhaba Distant,1906** (Dictyopharidae) Synonym(s):
5009. **Rhabdiopteryx Klapalek,1902** (Taeniopterygidae) Synonym(s): *Rhabdiopteryx Klapalek,1902*
5010. **Rhabdocephala Van Duzee,1929** (Fulgoridae) Synonym(s): *Rhabdocephala Van Duzee,1929*
5011. **Rhabdogaster Loew,1858** (Asilidae) Synonym(s): *Rhabdogaster Loew,1858*
5012. **Rhabdomastix Skuse,1890** (Limoniidae) Synonym(s): *Rhabdomastix Skuse,1890*
5013. **Rhabdotis Burmeister,1842** (Scarabaeidae) Synonym(s): *Rhabdotis Burmeister,1842*
5014. **Rhacimantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Rhacimantis Giglio-Tos,1915*
5015. **Rhacocleis Fieber,1853** (Tettigoniidae) Synonym(s): *Rhacocleis Fieber,1853*
5016. **Rhacognathus Fieber,1860** (Pentatomidae) Synonym(s): *Rhacognathus Fieber,1860*
5017. **Rhadinus Loew,1856** (Asilidae) Synonym(s): *Rhadinus Loew,1856*
5018. **Rhagio Fabricius,1775** (Rhagionidae) Synonym(s): *Rhagio Fabricius,1775; Leptis Fabricius,1805*
5019. **Rhagoletis Loew,1862** (Tephritidae) Synonym(s): *Rhagoletis Loew,1862*
5020. **Rhagonycha Eschscholtz,1830** (Cantharidae) Synonym(s): *Rhagonycha Eschscholtz,1830*

5021. **Rhamphixius Fowler,1904** (Cixiidae) Synonym(s):
5022. **Rhamphomyia (Holoclera) Schiner,1860** (Empididae) Synonym(s): *Holoclera Schiner,1860*
5023. **Rhamphomyia (Lundstroemiella) Frey,1922** (Empididae) Synonym(s): *Lundstroemiella Frey,1922*
5024. **Rhamphomyia (Pararhamphomyia) Frey,1922** (Empididae) Synonym(s):
Pararhamphomyia Frey,1922
5025. **Rhamphomyia Meigen,1822** (Empididae) Synonym(s): *Rhamphomyia Meigen,1822*
5026. **Rhaphitelus Walker,1834** (Pteromalidae) Synonym(s): *Rhaphitelus Walker,1834*
5027. **Rheocricotopus Thienemann & Harn.,1933** (Chironomidae) Synonym(s): *Rheocricotopus Thienemann & Harn.,1933; #Rheocricotopus Şahin,1984*
5028. **Rheotanytarsus Bause,1913** (Chironomidae) Synonym(s): *Rheotanytarsus Bause,1913*
5029. **Rhcnopelte Förster,1878** (Eulophidae) Synonym(s): *Rhcnopelte Förster,1878*
5030. **Rhigedanus Emeljanov,2000** (Cixiidae) Synonym(s): *Rhigedanus Emeljanov,2000*
5031. **Rhingia Scopoli,1763** (Syrphidae) Synonym(s): *Rhingia Scopoli,1763*
5032. **Rhinochloris Emeljanov,2005** (Achilidae) Synonym(s): *Rhinochloris Emeljanov,2005*
5033. **Rhinocolura Fennah,1950** (Achilidae) Synonym(s):
5034. **Rhinocyllus Germar,1817** (Curculionidae) Synonym(s): *Rhinocyllus Germar,1817*
5035. **Rhinodelphax Muir,1934** (Delphacidae) Synonym(s):
5036. **Rhinodictya Kirkaldy,1906** (Tropiduchidae) Synonym(s):
5037. **Rhinogaster Fennah,1949** (Caliscelidae) Synonym(s):
5038. **Rhinophantia Melichar,1901** (Flatidae) Synonym(s):
5039. **Rhinotettix Stål,1853** (Delphacidae) Synonym(s):
5040. **Rhissolepus Emeljanov,1971** (Issidae) Synonym(s): *Rhissolepus Emeljanov,1971*
5041. **Rhizaspidotus MacGillivray,1921** (Diaspididae) Synonym(s): *Rhizaspidotus MacGillivray,1921*
5042. **Rhizopulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Rhizopulvinaria Borkhsenius,1952*
5043. **Rhizotrogus (Amphimallon) Berthold,1827** (Scarabaeidae) Synonym(s): *Amphimallon Berthold,1827*
5044. **Rhizotrogus Berthold,1827** (Scarabaeidae) Synonym(s): *Rhizotrogus Berthold,1827; #Rhizotragus Cristofori & Jan,1832*
5045. **Rhoananus Dlabola,1949** (Cicadellidae) Synonym(s): *Rhoananus Dlabola,1949*
5046. **Rhodania Goux,1934** (Pseudococcidae) Synonym(s): *Rhodania Goux,1934*
5047. **Rhodococcus Borkhsenius,1953** (Coccidae) Synonym(s): *Rhodococcus Borkhsenius,1953*
5048. **Rhodomantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Rhodomantis Giglio-Tos,1917; Truxomantis Sjöstedt,1918*
5049. **Rhodus Quinlan,1968** (Cynipidae) Synonym(s): *Rhodus Quinlan,1968*
5050. **Rhogogaster Konow,1884** (Tenthredinidae) Synonym(s): *Rhogogaster Konow,1884; Rhogogastera Konow,1885*
5051. **Rhomboderella Giglio-Tos,1912** (Mantidae) Synonym(s): *Rhomboderella Giglio-Tos,1912*
5052. **Rhombotoya Fennah,1975** (Delphacidae) Synonym(s):
5053. **Rhopalicus Förster,1856** (Pteromalidae) Synonym(s): *Rhopalicus Förster,1856*
5054. **Rhopalomyia Rübsaamen,1892** (Cecidomyiidae) Synonym(s): *Rhopalomyia Rübsaamen,1892*
5055. **Rhopalus Schilling,1827** (Rhopalidae) Synonym(s): *Rhopalus Schilling,1827*
5056. **Rhopus Förster,1856** (Encyrtidae) Synonym(s): *Rhopus Förster,1856*
5057. **Rhotala Walker,1857** (Achilidae) Synonym(s):
5058. **Rhotana Walker,1857** (Derbidae) Synonym(s): *Rhotana Walker,1857*
5059. **Rhotanella Fennah,1970** (Derbidae) Synonym(s):
5060. **Rhynchites Schneider,1791** (Attelabidae) Synonym(s): *Rhynchites Schneider,1791; Mechoris Billberg,1820*
5061. **Rhynchium Spinola,1806** (Vespididae) Synonym(s): *Rhynchium Spinola,1806*
5062. **Rhynchomitra Fennah,1944** (Dictyopharidae) Synonym(s):
5063. **Rhynocoris Hahn,1833** (Reduviidae) Synonym(s): *Rhynocoris Hahn,1833; Rhinocoris Agassiz,1846*
5064. **Rhyparochromus Hahn,1826** (Lygaeidae) Synonym(s): *Rhyparochromus Hahn,1826*
5065. **Rhyssa Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Rhyssa Gravenhorst,1829*
5066. **Rhyssmodes Reitter,1892** (Scarabaeidae) Synonym(s): *Rhyssmodes Reitter,1892*
5067. **Rhytidodus Fieber,1868** (Cicadellidae) Synonym(s): *Rhytidodus Fieber,1868*
5068. **Riancia Signoret,1860** (Nogodinidae) Synonym(s):
5069. **Ribautodelphax Wagner,1963** (Delphacidae) Synonym(s): *Ribautodelphax Wagner,1963*
5070. **Ricania Germar,1818** (Ricaniidae) Synonym(s): *Ricania Germar,1818*
5071. **Ricanocephalus Melichar, 1898** (Eurybrachidae) Synonym(s):
5072. **Ricanoflata Melichar,1923** (Flatidae) Synonym(s):
5073. **Ricanoides Zia,1935** (Ricaniidae) Synonym(s):

5074. **Ricanopsis Melichar,1898** (Ricaniidae) Synonym(s):
5075. **Ricanoptera Melichar,1898** (Ricaniidae) Synonym(s):
5076. **Ricanula Melichar,1898** (Ricaniidae) Synonym(s):
5077. **Riculiflata Fennah,1947** (Flatidae) Synonym(s):
5078. **Rileyia Ashmead,1888** (Eurytomidae) Synonym(s): *Rileyia Ashmead,1888; Ashmeadia Howard,1889*
5079. **Rileypopsis De Bergevin,1917** (Issidae) Synonym(s):
5080. **Ripersiella Tinsley,1899** (Pseudococcidae) Synonym(s): *Ripersiella Tinsley,1899*
5081. **Risius Stål,1859** (Dictyopharidae) Synonym(s):
5082. **Rivetina Berland & Chopard,1922** (Mantidae) Synonym(s): *Fischeria Saussure,1869 (praeocc.); Rivetina Berland & Chopard,1922; Eufischeriella Giglio-Tos,1927; Kinzelbachia Harz,1988*
5083. **Rivetinula La Greca,1977** (Mantidae) Synonym(s): *Rivetinula La Greca,1977*
5084. **Robackia Saether,1977** (Chironomidae) Synonym(s): *Robackia Saether,1977*
5085. **Robigus Distant,1911** (Derbidae) Synonym(s):
5086. **Rodolia Mulsant,1850** (Coccinellidae) Synonym(s): *Rodolia Mulsant,1850*
5087. **Rogermantis Kaltenbach,1996** (Mantidae) Synonym(s): *Rogermantis Kaltenbach,1996*
5088. **Ronaldia Emeljanov,2000** (Cixiidae) Synonym(s): *Ronaldia Emeljanov,2000*
5089. **Rondania Robineau-Desvoidy,1850** (Tachinidae) Synonym(s): *Rondania Robineau-Desvoidy,1850*
5090. **Ronisia Costa,1858** (Mutillidae) Synonym(s): *Ronisia Costa,1858*
5091. **Roptrocerus Ratzeburg,1848** (Pteromalidae) Synonym(s): *Pachyceras Ratzeburg,1844 (praeocc.); Roptrocerus Ratzeburg,1848*
5092. **Rotunosa Distant,1906** (Tropiduchidae) Synonym(s):
5093. **Ruehlella Schmidt,1924** (Fulgoridae) Synonym(s):
5094. **Rueppellia Wiedemann,1830** (Therevidae) Synonym(s): *Rueppellia Wiedemann,1830*
5095. **Rupex Fennah,1950** (Achilidae) Synonym(s):
5096. **Ruspolia Schulthess Schindler,1898** (Tettigoniidae) Synonym(s): *Ruspolia Schulthess Schindler,1898; Homorocoryphus Karny,1907*
5097. **Rustia Stal,1866** (Cicadidae) Synonym(s): *Rustia Stal,1866*
5098. **Rutpela Nakane & Ohbayashi,1957** (Cerambycidae) Synonym(s): *Rutpela Nakane & Ohbayashi,1957*
5099. **Rybaxis Saulcy,1876** (Staphylinidae) Synonym(s): *Rybaxis Saulcy,1876*
5100. **Rymosia Winnertz,1863** (Mycetophilidae) Synonym(s): *Rymosia Winnertz,1863*
5101. **Ryukyucardiophorus Ohira,1973** (Elateridae) Synonym(s): *Ryukyucardiophorus Ohira,1973*
5102. **Sabaethis Jacobi,1916** (Flatidae) Synonym(s):
5103. **Sabecoides Fennah,1958** (Achilidae) Synonym(s):
5104. **Saccharodite Kirkaldy,1907** (Derbidae) Synonym(s):
5105. **Saccharosydne Kirkaldy,1907** (Delphacidae) Synonym(s):
5106. **Saga Charpentier,1825** (Tettigoniidae) Synonym(s): *Saga Charpentier,1825; Tettigopsis Fischer von Waldheim,1830*
5107. **Sagatus Ribaut,1948** (Cicadellidae) Synonym(s): *Sagatus Ribaut,1948*
5108. **Saigona Matsumura,1910** (Dictyopharidae) Synonym(s):
5109. **Saissetia Déplanche,1858** (Coccidae) Synonym(s): *Saissetia Déplanche,1858*
5110. **Saiva Distant,1906** (Fulgoridae) Synonym(s):
5111. **Sakina Synave,1979** (Tropiduchidae) Synonym(s):
5112. **Salemina Kirkaldy,1906** (Achilidae) Synonym(s):
5113. **Salentia A.Costa,1857** (Therevidae) Synonym(s): *Salentia A.Costa,1857*
5114. **Salicicola Lindinger,1906** (Diaspididae) Synonym(s): *Salicicola Lindinger,1906*
5115. **Salona Stål,1866** (Nogodinidae) Synonym(s):
5116. **Saltella Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *Saltella Robineau-Desvoidy,1830; Brachygaster Meigen,1826; Pandora Haliday,1833; Anisophysa Macquart,1835; Pseudopandora Rapp,1946*
5117. **Salticella Robineau-Desvoidy,1830** (Sciomyzidae) Synonym(s): *Salticella Robineau-Desvoidy,1830*
5118. **Salurnis Stål,1870** (Flatidae) Synonym(s):
5119. **Salvazana Distant,1913** (Cicadidae) Synonym(s): *Salvazana Distant,1913*
5120. **Samantiga Distant,1906** (Issidae) Synonym(s):
5121. **Samcerus Medler,1993** (Flatidae) Synonym(s):
5122. **Samsama Distant,1906** (Fulgoridae) Synonym(s):
5123. **Santandera Koçak & Kemal,2008** (Tettigoniidae) Synonym(s): *Ocana Hebard,1927 nec Adams,1861; Santandera Koçak & Kemal,2008*
5124. **Sanurus Melichar,1901** (Flatidae) Synonym(s):
5125. **Saopauloa Koçak & Kemal,2008** (Gryllidae) Synonym(s): *Chopardia Piza,1974 nec Bhowmik,1969; Saopauloa Koçak & Kemal,2008*

5126. **Saperda Fabricius,1775** (Cerambycidae) Synonym(s): *Saperda Fabricius,1775*
5127. **Saprinus Erichson,1834** (Histeridae) Synonym(s): *Saprinus Erichson,1834*
5128. **Sapromyza Fallén,1810** (Leuxaniidae) Synonym(s): *Sapromyza Fallén,1810*
5129. **Sapyga (Polosapyga) Kurzenko,1994** (Sapygidae) Synonym(s): *Polosapyga Kurzenko,1994*
5130. **Sapyga (s.str.) Latreille,1796** (Sapygidae) Synonym(s): *Sapyga Latreille,1796*
5131. **Sapyga Latreille,1796** (Sapygidae) Synonym(s): *Sapyga Latreille,1796; Hellus Fabricius,1804*
5132. **Sapygina A.Costa,1887** (Sapygidae) Synonym(s): *Sapygina A.Costa,1887*
5133. **Sarcophaga (Alisarcophaga) Fan & Chen,1981** (Sarcophagidae) Synonym(s): *Alisarcophaga Fan & Chen,1981; Gressitomyia Kano & Lopes,1985 nec Alexander,1936 (hom.n.)*
5134. **Sarcophaga (Bercaea) Robineau-Desvoidy,1863** (Sarcophagidae) Synonym(s): *Bercaea Robineau-Desvoidy,1863*
5135. **Sarcophaga (Caledonicesa) Koçak & Kemal,2010** (Sarcophagidae) Synonym(s): *Caledonia Curran,1929 nec Willemse,1923 nec Cambridge,1894; Caledonicesa Koçak & Kemal,2010*
5136. **Sarcophaga (Discachaeta) Enderlein,1928** (Sarcophagidae) Synonym(s): *Discachaeta Enderlein,1928*
5137. **Sarcophaga (Helicophagella) Enderlein,1928** (Sarcophagidae) Synonym(s): *Helicophagella Enderlein,1928*
5138. **Sarcophaga (Heteronychia) Brauer & Bergenstamm,[1889]** (Sarcophagidae) Synonym(s): *Heteronychia Brauer & Bergenstamm,[1889]*
5139. **Sarcophaga (Krameromyia) Verves,1982** (Sarcophagidae) Synonym(s): *Kramerella Rohdendorf,1937 (praeocc.); Krameromyia Verves,1982*
5140. **Sarcophaga (Liopygia) Enderlein,1928** (Sarcophagidae) Synonym(s): *Liopygia Enderlein,1928*
5141. **Sarcophaga (Liosarcophaga) Enderlein,1928** (Sarcophagidae) Synonym(s): *Liosarcophaga Enderlein,1928*
5142. **Sarcophaga (Mehria) Enderlein,1928** (Sarcophagidae) Synonym(s): *Mehria Enderlein,1928*
5143. **Sarcophaga (Myorhina) Robineau-Desvoidy,1830** (Sarcophagidae) Synonym(s): *Myorhina Robineau-Desvoidy,1830*
5144. **Sarcophaga (Pandelleisca) Rohdendorf,1937** (Sarcophagidae) Synonym(s): *Pandelleisca Rohdendorf,1937*
5145. **Sarcophaga (Parasarcophaga) Johnston & Tiegs,1922** (Sarcophagidae) Synonym(s): *Parasarcophaga Johnston & Tiegs,1922*
5146. **Sarcophaga (Phytosarcophaga) Rohdendorf,1937** (Sarcophagidae) Synonym(s): *Phytosarcophaga Rohdendorf,1937*
5147. **Sarcophaga (Pseudothyrsoenema) Rohdendorf,1937** (Sarcophagidae) Synonym(s): *Pseudothyrsoenema Rohdendorf,1937*
5148. **Sarcophaga (Rosellea) Rohdendorf,1937** (Sarcophagidae) Synonym(s): *Rosellea Rohdendorf,1937*
5149. **Sarcophaga (s.str.) Meigen,1826** (Sarcophagidae) Synonym(s): *Sarcophaga Meigen,1826*
5150. **Sarcophaga (Sarcotachinella) Townsend,1892** (Sarcophagidae) Synonym(s): *Sarcotachinella Townsend,1892*
5151. **Sarcophaga (Thyrsoenema) Enderlein,1928** (Sarcophagidae) Synonym(s): *Thyrsoenema Enderlein,1928*
5152. **Sarcophaga Meigen,1826** (Sarcophagidae) Synonym(s): *Sarcophaga Meigen,1826*
5153. **Sarcophila Rondani,1856** (Sarcophagidae) Synonym(s): *Sarcophila Rondani,1856*
5154. **Sardia Melichar,1903** (Delphacidae) Synonym(s):
5155. **Sardocixius Holzinger,2002** (Cixiidae) Synonym(s): *Sardocixius Holzinger,2002*
5156. **Sargus Fabricius,1798** (Stratiomyidae) Synonym(s): *Sargus Fabricius,1798; Chrysonotus Loew,1855; Chrysochroma Williston,1896; Chrysonotomyia Hunter,1900; Geosargus Bezzi,1907; Pedicellina James,1952 nec Sars,1935*
5157. **Sarima Melichar,1903** (Issidae) Synonym(s):
5158. **Sarimodes Matsumura,1916** (Issidae) Synonym(s):
5159. **Sarnus Stål,1866** (Issidae) Synonym(s):
5160. **Saropogon Loew,1847** (Asilidae) Synonym(s): *Saropogon Loew,1847*
5161. **Sassula Stål,1870** (Nogodinidae) Synonym(s):
5162. **Satanas Jacobson,1908** (Asilidae) Synonym(s): *Satanas Jacobson,1908*
5163. **Satapa Distant,1906** (Flatidae) Synonym(s):
5164. **Satchelliella Vaillant,1979** (Psychodidae) Synonym(s): *Satchelliella Vaillant,1979*
5165. **Sathon Mason,1981** (Braconidae) Synonym(s): *Sathon Mason,1981*
5166. **Satyramoeba Sack,1909** (Bombyliidae) Synonym(s): *Satyramoeba Sack,1909*
5167. **Saurana Medler,1992** (Flatidae) Synonym(s):
5168. **Savanopulex Dlabola,1987** (Caliscelidae) Synonym(s):
5169. **Savchenkoiana Koçak,1981** (Pedicidae) Synonym(s): *Eugenia Savchenko,1977 (praeocc.); Savchenkoiana Koçak,1981*

5170. **Sayiana Ball,1928** (Derbidae) Synonym(s):
5171. **Scaeva Fabricius,1805** (Syrphidae) Synonym(s): *Scaeva Fabricius,1805*; *Lasiopticus Rondani,1845*; *Catabomba Osten-Sacken,1877*
5172. **Scalabis Stål,1870** (Issidae) Synonym(s):
5173. **Scamandra Stål,1863** (Fulgoridae) Synonym(s):
5174. **Scambus (Atelophadnus) Cameron,1905** (Ichneumonidae) Synonym(s): *Atelophadnus Cameron,1905*
5175. **Scambus (Endromopoda) Hellén,1939** (Ichneumonidae) Synonym(s): *Endromopoda Hellén,1939*
5176. **Scambus (s.str.) Hartig,1838** (Ichneumonidae) Synonym(s): *Scambus Hartig,1838*
5177. **Scambus Hartig,1838** (Ichneumonidae) Synonym(s): *Scambus Hartig,1838*
5178. **Scantinius Stål,1866** (Issidae) Synonym(s):
5179. **Scantius Stal,1866** (Pyrrhocoridae) Synonym(s): *Scantius Stal,1866*
5180. **Scaphytoceps Dlabola,1957** (Cicadellidae) Synonym(s): *Scaphytoceps Dlabola,1957*
5181. **Scaptomyza (Parascaptomyza) Duda,1924** (Drosophilidae) Synonym(s): *Parascaptomyza Duda,1924*
5182. **Scaptomyza (s.str.) Hardy,[1850]** (Drosophilidae) Synonym(s): *Scaptomyza Hardy,[1850]*
5183. **Scaptomyza Hardy,[1850]** (Drosophilidae) Synonym(s): *Scaptomyza Hardy,[1850]*
5184. **Scarabaeus Linnaeus,1758** (Scarabaeidae) Synonym(s): *Scarabaeus Linnaeus,1758*
5185. **Scaralis Stål,1863** (Fulgoridae) Synonym(s):
5186. **Scarodytes Des Gozis,1914** (Dytiscidae) Synonym(s): *Scarodytes Des Gozis,1914*
5187. **Scarpanta Stål,1862** (Flatidae) Synonym(s):
5188. **Scarpantina Melichar,1901** (Flatidae) Synonym(s):
5189. **Scarposa Uhler,1895** (Flatidae) Synonym(s):
5190. **Scathophaga Meigen,1803** (Scathophagidae) Synonym(s): *Scathophaga Meigen,1803*; *#Scopeuma Meigen,1800*; *#Scatophaga Fabricius,1805*; *Pyropa Illiger,1807*; *Scatomyza Fallén,1810*; *Amina Robineu-Desvoidy,1830*; *Scatina Robineu-Desvoidy,1830*; *Pseudopogonota Malloch,1920*; *Scaophagella Szilady,1926*
5191. **Scaurus Fabricius,1775** (Tenebrionidae) Synonym(s): *Scaurus Fabricius,1775*
5192. **Sceptonia Winnertz,1863** (Mycetophilidae) Synonym(s): *Sceptonia Winnertz,1863*
5193. **Schistocerca Stal,1873** (Acrididae) Synonym(s): *Schistocerca Stal,1873*
5194. **Schistonyx Saussure,1887** (Pompilidae) Synonym(s): *Schistonyx Saussure,1887*; *#Schiztonyx Ashmead,1900*
5195. **Schizocephala Audinet-Serville,1831** (Mantidae) Synonym(s): *Schizocephala Audinet-Serville,1831*
5196. **Schizodactylus Brullé,1835** (Schizodactylidae) Synonym(s): *Schizodactylus Brullé,1835*; *Schizocephalus Brunner-Wattenwyl,1888*; *Dactylocomicus Karny,1923*
5197. **Schizonotus Ratzeburg,1852** (Pteromalidae) Synonym(s): *Schizonotus Ratzeburg,1852*
5198. **Schizoprymnus Förster,1862** (Braconidae) Synonym(s): *Schizoprymnus Förster,1862*
5199. **Schoenomyza Haliday,1833** (Muscidae) Synonym(s): *Schoenomyza Haliday,1833*
5200. **Schoutedenomyia Kröber,1936** (Therevidae) Synonym(s): *Schoutedenomyia Kröber,1936*
5201. **Schulmeisteri Harz,1992** (Tettigoniidae) Synonym(s): *Schulmeisteri Harz,1992*
5202. **Sciapteryx Stephens,1835** (Tenthredinidae) Synonym(s): *Sciapteryx Stephens,1835*; *Eniscia Thomson,1870*; *Sciapterina Ushinskij,1940*
5203. **Sciasminettia Shewell,1971** (Lauxaniidae) Synonym(s): *Sciasminettia Shewell,1971*
5204. **Scieroptera Stal,1866** (Cicadidae) Synonym(s): *Scieroptera Stal,1866*
5205. **Scintharista Saussure,1884** (Acrididae) Synonym(s): *Scintharista Saussure,1884*; *Conistica Saussure,1884*; *Quirguesia Bolivar,1886*
5206. **Scintharista Saussure,1884** (Acrididae) Synonym(s): *Scintharista Saussure,1884*; *Conistica Saussure,1884*; *Quiroquesia Bolivar,1886*
5207. **Sciocoris Fallén,1829** (Pentatomidae) Synonym(s): *Sciocoris Fallén,1829*
5208. **Sciomyza Fallén,1820** (Sciomyzidae) Synonym(s): *Sciomyza Fallén,1820*
5209. **Sciophila Meigen,1818** (Mycetophilidae) Synonym(s): *Sciophila Meigen,1818*
5210. **Scirtophaca Emeljanov,1969** (Dictyopharidae) Synonym(s):
5211. **Scleron Hope,1840** (Tenebrionidae) Synonym(s): *Scleron Hope,1840*
5212. **Scleroracus Van Duzee,1894** (Cicadellidae) Synonym(s): *Scleroracus Van Duzee,1894*; *Ophiola Edwards,1922*; *Ophiolix Ribaut,1942*; *Omaniella Ishihara,1953*
5213. **Scolia Fabricius,1775** (Scoliidae) Synonym(s): *Scolia Fabricius,1775*
5214. **Scoliaphleps Becker,1894** (Scathophagidae) Synonym(s): *Scoliaphleps Becker,1894*
5215. **Scoliophthalmus Becker,1903** (Chloropidae) Synonym(s): *Scoliophthalmus Becker,1903*
5216. **Scolobates Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Scolobates Gravenhorst,1829*; *Aglyphus Giraud,1872*; *Parabraconia Schmiedeknecht,1914*
5217. **Scolops Schaum,1850** (Dictyopharidae) Synonym(s):
5218. **Scolopsella Ball,1905** (Fulgoridae) Synonym(s):

5219. **Scolopsomorpha Melichar,1912** (Dictyopharidae) Synonym(s):
5220. **Scolypopa Stål,1859** (Ricanidae) Synonym(s):
5221. **Scorlupella Emeljanov,1971** (Issidae) Synonym(s): *Scorlupella Emeljanov,1971*
5222. **Scotodrymadusa Ramme,1939** (Tettigoniidae) Synonym(s): *Scotodrymadusa Ramme,1939*
5223. **Scotoeurysa Fennah,1988** (Delphacidae) Synonym(s):
5224. **Scotoplectus Reitter,1880** (Staphylinidae) Synonym(s): *Scotoplectus Reitter,1880*
5225. **Scottianella Anufriev,1980** (Delphacidae) Synonym(s):
5226. **Scutellista Motschulsky,[1860]** (Pteromalidae) Synonym(s): *Scutellista Motschulsky,[1860]*
5227. **Scylaticus Loew,1858** (Asilidae) Synonym(s): *Scylaticus Loew,1858*
5228. **Scymnus Kugelann,1794** (Coccinellidae) Synonym(s): *Scymnus Kugelann,1794; Pullus Mulsant,1846; Neopullus Sasaji,1971; Mimopullus Fürsch,1987*
5229. **Scythia Kiritshenko,1938** (Coccidae) Synonym(s): *Scythia Kiritshenko,1938*
5230. **Scytomedes Röder,1882** (Asilidae) Synonym(s): *Scytomedes Röder,1882*
5231. **Seioptera Kirby,1817** (Ulidiidae) Synonym(s): *Seioptera Kirby,1817*
5232. **Selatosomus (Pristilophus) Latreille,1834** (Elateridae) Synonym(s): *Pristilophus Latreille,1834*
5233. **Selatosomus (s.str.) Stephens,1830** (Elateridae) Synonym(s): *Selatosomus Stephens,1830*
5234. **Selatosomus (Warchalowskianus) Tarnawski,1995** (Elateridae) Synonym(s): *Warchalowskianus Tarnawski,1995*
5235. **Selatosomus Stephens,1830** (Elateridae) Synonym(s): *Selatosomus Stephens,1830*
5236. **Selenocephalus Germar,1833** (Cicadellidae) Synonym(s): *Selenocephalus Germar,1833; Levantotettix Lindberg,1953*
5237. **Selysiothemis Ris,1909** (Libellulidae) Synonym(s): *Selysiothemis Ris,1909*
5238. **Sembrax Fennah,1969** (Delphacidae) Synonym(s):
5239. **Semestra Jacobi,1916** (Nogodinidae) Synonym(s):
5240. **Semibetatropis Chen, Yang & Wilson,1989** (Achilidae) Synonym(s):
5241. **Semicixius Tsaour,1991** (Cixiidae) Synonym(s):
5242. **Semieler Boucek,1988** (Eulophidae) Synonym(s): *Semieler Boucek,1988*
5243. **Semiperipola Schmidt,1910** (Caliscelidae) Synonym(s):
5244. **Semissus Melichar,1906** (Issidae) Synonym(s): *Semissus Melichar,1906*
5245. **Semnosia K.Daniel,1904** (Cerambycidae) Synonym(s): *Semnosia K.Daniel,1904*
5246. **Semo White,1879** (Cixiidae) Synonym(s):
5247. **Senometopia Macquart,1834** (Tachinidae) Synonym(s): *Carcelia Robineau-Desvoidy,1830; Senometopia Macquart,1834*
5248. **Senotainia Macquart,1846** (Sarcophagidae) Synonym(s): *Megaera Robineau-Desvoidy,1830 (praeocc.); Senotainia Macquart,1846; Chaetometopia Malloch,1930*
5249. **Sepedon Latreille,1804** (Sciomyzidae) Synonym(s): *Sepedon Latreille,1804*
5250. **Sephena Melichar,1901** (Flatidae) Synonym(s):
5251. **Sepsis Fallén,1810** (Sepsidae) Synonym(s): *Sepsis Fallén,1810*
5252. **Serafinana? Gebicki & Szwedo,2000** (Delphacidae) Synonym(s):
5253. **Sergentomyia (Grassomyia) Theodor,1958** (Psychodidae) Synonym(s): *Grassomyia Theodor,1958*
5254. **Sergentomyia (Parrotomyia) Theodor,1958** (Psychodidae) Synonym(s): *Parrotomyia Theodor,1958*
5255. **Sergentomyia (Parvidens) Theodor & Mesghali,1964** (Psychodidae) Synonym(s): *Parvidens Theodor & Mesghali,1964*
5256. **Sergentomyia (Rondonomyia) Theodor,1958** (Psychodidae) Synonym(s): *Rondonomyia Theodor,1958*
5257. **Sergentomyia (s.str.) França & Parrot,1920** (Psychodidae) Synonym(s): *Sergentomyia França & Parrot,1920*
5258. **Sergentomyia (Sintonius) Nitzulescu,1931** (Psychodidae) Synonym(s): *Sintonius Nitzulescu,1931*
5259. **Sergentomyia França & Parrot,1920** (Psychodidae) Synonym(s): *Sergentomyia França & Parrot,1920*
5260. **Serica (Ophthalmoserica) Brenske,1898** (Scarabaeidae) Synonym(s): *Ophthalmoserica Brenske,1898*
5261. **Serica (Trichoserica) Reitter,1896** (Scarabaeidae) Synonym(s): *Trichoserica Reitter,1896*
5262. **Serica Macleay,1819** (Scarabaeidae) Synonym(s): *Serica Macleay,1819*
5263. **Sericomyia Meigen,1803** (Syrphidae) Synonym(s): *Sericomyia Meigen,1803*
5264. **Setapius Dlabola,1988** (Cixiidae) Synonym(s): *Setapius Dlabola,1988*
5265. **Severinia Finot,1902** (Mantidae) Synonym(s): *Severinia Finot,1902; Amblythespis Chopard,1943*
5266. **Sevia Stål,1862** (Cixiidae) Synonym(s):
5267. **Sfaxia De Bergevin,1917** (Issidae) Synonym(s):
5268. **Shadaka Medler,2000** (Flatidae) Synonym(s): *Shadaka Medler,2000*

- 5269. Shaerqia Koçak & Kemal,2009** (Psyllidae) Synonym(s): *Acaerus Loginova,1976 nec Pascoe,1882; Shaerqia Koçak & Kemal,2009*
- 5270. Shaoshia Wei, Zubair & Rizvi,2010** (Cicadidae) Synonym(s): *Shaoshia Wei, Zubair & Rizvi,2010*
- 5271. Sharovella Gorochoy,1985** (Gryllidae) Synonym(s): *Paroecanthus Sharov,1968 nec Sauss.,1859; Sharovella Gorochoy,1985; Sharovia Otte,1997 nec Sinichenkova,1977*
- 5272. Shelfordella Adelung,1910** (Blattidae) Synonym(s): *Shelfordella Adelung,1910*
- 5273. Shellenius Ball,1928** (Derbidae) Synonym(s):
- 5274. Shirakiana Metcalf,1945** (Derbidae) Synonym(s):
- 5275. Siagona (Siagona) Latreille,1804** (Carabidae) Synonym(s): *Siagona Latreille,1804*
- 5276. Sialis Latreille,1803** (Sialidae) Synonym(s): *Sialis Latreille,1803*
- 5277. Sicoris Stål,1866** (Dictyopharidae) Synonym(s):
- 5278. Sicorisia Melichar,1912** (Dictyopharidae) Synonym(s):
- 5279. Sicus Scopoli,1763** (Conopidae) Synonym(s): *Sicus Scopoli,1763*
- 5280. Siebererella Schmidt,1926** (Tropiduchidae) Synonym(s):
- 5281. Sigalphus Latreille,1802** (Braconidae) Synonym(s): *Sigalphus Latreille,1802*
- 5282. Sigara Fabricius,1775** (Corixidae) Synonym(s): *Sigara Fabricius,1775*
- 5283. Sigilla Skorikov,1927** (Mutillidae) Synonym(s): *Sigilla Skorikov,1927*
- 5284. Sigmophora Rondani,1867** (Eulophidae) Synonym(s): *Sigmophora Rondani,1867*
- 5285. Signoreta Gnezdilov & Bourgoïn,2009** (Caliscelidae) Synonym(s): *Signoreta Gnezdilov & Bourgoïn,2009*
- 5286. Sikaiana Distant,1907** (Derbidae) Synonym(s): *Sikaiana Distant,1907; Iguvium Distant,1917*
- 5287. Silifka Argaman & Özbek,1992** (Tiphidae) Synonym(s): *Silifka Argaman & Özbek,1992*
- 5288. Silpha Linnaeus,1758** (Silphidae) Synonym(s): *Silpha Linnaeus,1758; Parasilpha Reitter,1885; Carpatsilpha Smetana,1952*
- 5289. Silvius (Heterosilvius) Olsufjev,1970** (Tabanidae) Synonym(s): *Heterosilvius Olsufjev,1970; #Heterosilvius Kılıç,1999*
- 5290. Silvius Meigen,1830** (Tabanidae) Synonym(s): *Silvius Meigen,1830*
- 5291. Simplicixius Holzinger,2002** (Cixiidae) Synonym(s): *Simplicixius Holzinger,2002*
- 5292. Simulium (Boophthora) Enderlein,1925** (Simuliidae) Synonym(s): *Boophthora Enderlein,1925; Pseudosimulium Baranov,1926*
- 5293. Simulium (Byssodon) Enderlein,1925** (Simuliidae) Synonym(s): *Byssodon Enderlein,1925; Psilocnetha Enderlein,1935; Titanopteryx Enderlein,1935; Echinosisimulium Baranov,1938; Gibbinsiellum Rubtsov,1962*
- 5294. Simulium (Eusimulium) Roubaud,1906** (Simuliidae) Synonym(s): *Eusimulium Roubaud,1906*
- 5295. Simulium (Montisimulium) Rubtsov,1974** (Simuliidae) Synonym(s): *Montisimulium Rubtsov,1974*
- 5296. Simulium (Nevermannia) Enderlein,1921** (Simuliidae) Synonym(s): *Nevermannia Enderlein,1921*
- 5297. Simulium (Obuchovia) Rubtsov,1947** (Simuliidae) Synonym(s): *Obuchovia Rubtsov,1947*
- 5298. Simulium (s.str.) Latreille,1802** (Simuliidae) Synonym(s): *Simulium Latreille,1802*
- 5299. Simulium (Wilhelmia) Enderlein,1921** (Simuliidae) Synonym(s): *Wilhelmia Enderlein,1921*
- 5300. Simulium Latreille,1802** (Simuliidae) Synonym(s): *Simulium Latreille,1802*
- 5301. Sinaïella Uvarov,1924** (Mantidae) Synonym(s): *Sinaïella Uvarov,1924*
- 5302. Sinarachna Townes & Townes,1960** (Ichneumonidae) Synonym(s): *Sinarachna Townes & Townes,1960*
- 5303. Sinechostictus (s.str.) Motschoulsky,1864** (Carabidae) Synonym(s): *Sinechostictus Motschoulsky,1864*
- 5304. Sinodendron Schneider,1791** (Lucanidae) Synonym(s): *Ligniperda Fabricius,1790 (praeocc.); Sinodendron Schneider,1791*
- 5305. Sinodictya Matsumura,1940** (Dictyopharidae) Synonym(s):
- 5306. Sinolacme Fennah,1978** (Delphacidae) Synonym(s): *Sinolacme Fennah,1978; Crispina Kuoh,1982 nec Distant,1918; Nazugumia Koçak & Kemal,2008*
- 5307. Sinometa Wittmer,1969** (Cantharidae) Synonym(s): *Sinometa Wittmer,1969*
- 5308. Sinophorus Förster,1868** (Ichneumonidae) Synonym(s): *Sinophorus Förster,1868; Eulimneria Schmiedeknecht,1907*
- 5309. Siopaphora Metcalf,1952** (Nogodinidae) Synonym(s):
- 5310. Siphanta Stål,1862** (Flatidae) Synonym(s):
- 5311. Siphantoides Distant,1910** (Flatidae) Synonym(s):
- 5312. Siphlocerus McLachan,1873** (Ascalaphidae) Synonym(s): *Siphlocerus McLachan,1873*
- 5313. Siphonoperla Zwick,1967** (Chloroperlidae) Synonym(s): *Siphonoperla Zwick,1967*
- 5314. Siscia Stål,1870** (Flatidae) Synonym(s):
- 5315. Sisyphus Wiedemann,1823** (Scarabaeidae) Synonym(s): *Sisyphus Wiedemann,1823*

5316. **Sitophagus Mulsant,1854** (Tenebrionidae) Synonym(s): *Sitophagus Mulsant,1854*
5317. **Sivaloka Distant,1906** (Issidae) Synonym(s):
5318. **Skorikovia Ovtchinnikov,2002** (Mutillidae) Synonym(s): *Skorikovia Ovtchinnikov,2002*
5319. **Smaragdina Chevrolat,1837** (Chrysomelidae) Synonym(s): *Smaragdina Chevrolat,1837*
5320. **Smaroides Fennah,1988** (Delphacidae) Synonym(s):
5321. **Smicromyrmilla Suarez,1965** (Mutillidae) Synonym(s): *Smicromyrmilla Suarez,1965*
5322. **Smicrotatodelphax Kirkaldy,1906** (Delphacidae) Synonym(s):
5323. **Soaemis Jacobi,1916** (Nogodinidae) Synonym(s):
5324. **Sogana Matsumura,1914** (Tropiduchidae) Synonym(s):
5325. **Sogatella Fennah,1956** (Delphacidae) Synonym(s):
5326. **Sogatella Fennah,1956** (Delphacidae) Synonym(s): *Sogatella Fennah,1956*; *Sogatodes Fennah,1963*
5327. **Sogatopsis Muir,1913** (Delphacidae) Synonym(s):
5328. **Solonaima Kirkaldy,1909** (Cixiidae) Synonym(s):
5329. **Solskyana Dolin,1978** (Elateridae) Synonym(s): *Solskyana Dolin,1978*
5330. **Solter Navas,1912** (Myrmeleonidae) Synonym(s): *Solter Navas,1912*
5331. **Solva Walker,1860** (Xylomyidae) Synonym(s): *Solva Walker,1860*; *Hanauia Enderlein,1920*
5332. **Solygia Stal,1877** (Mantidae) Synonym(s): *Solygia Stal,1877*
5333. **Somalithespis Lombardo,1991** (Mantidae) Synonym(s): *Somalithespis Lombardo,1991*
5334. **Somatochlora Selys,1871** (Corduliidae) Synonym(s): *Somatochlora Selys,1871*
5335. **Somisha Medler,1991** (Flatidae) Synonym(s):
5336. **Sosephena Medler,1990** (Flatidae) Synonym(s):
5337. **Southia Kirkaldy,1904** (Cixiidae) Synonym(s):
5338. **Southia Kirkaldy,1904** (Kinnaridae) Synonym(s):
5339. **Spalangia Latreille,1804** (Pteromalidae) Synonym(s): *Spalangia Latreille,1804*
5340. **Spallanzania Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Spallanzania Robineau-Desvoidy,1830*
5341. **Sparedrus Dejean,1821** (Oedemeridae) Synonym(s): *Sparedrus Dejean,1821*
5342. **Sparnia Stål,1862** (Delphacidae) Synonym(s):
5343. **Spathocranus Muir,1934** (Dictyopharidae) Synonym(s):
5344. **Spathocranus Muir,1934** (Tropiduchidae) Synonym(s):
5345. **Spathulina Rondani,1856** (Tephritidae) Synonym(s): *Spathulina Rondani,1856*
5346. **Spazigaster Rondani,1843** (Syrphidae) Synonym(s): *Spazigaster Rondani,1843*; *Spathegaster Schiner,1868*; *Spathiogaster Loew,1876*; *Spathidogaster Loew,1876*
5347. **Speudotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Speudotettix Ribaut,1942*
5348. **Sphaeridium Fabricius,1775** (Hydrophilidae) Synonym(s): *Sphaeridium Fabricius,1775*
5349. **Sphaerocixius Wagner,1939** (Cixiidae) Synonym(s): *Sphaerocixius Wagner,1939*
5350. **Sphaeroderma Stephens,1831** (Chrysomelidae) Synonym(s): *Sphaeroderma Stephens,1831*
5351. **Sphaerolecanium Sulc,1908** (Coccidae) Synonym(s): *Sphaerolecanium Sulc,1908*
5352. **Sphaeromantis Schulthess-Schindler,1898** (Mantidae) Synonym(s): *Sphaeromantis Schulthess-Schindler,1898*
5353. **Sphaerophoria Lepeletier & Audinet-Serville,1828** (Syrphidae) Synonym(s): *Sphaerophoria Lepeletier & Audinet-Serville,1828*; *Melithreptus Loew,1840*; *Nesosyrphus Frey,1845*
5354. **Sphegigaster Spinola,1811** (Pteromalidae) Synonym(s): *Sphegigaster Spinola,1811*
5355. **Sphegina Meigen,1822** (Syrphidae) Synonym(s): *Sphegina Meigen,1822*; *Sphecina Agassiz,1846*
5356. **Sphenella Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Sphenella Robineau-Desvoidy,1830*
5357. **Sphenocratus Horvarth,1910** (Dictyopharidae) Synonym(s): *Sphenocratus Horvarth,1910*
5358. **Sphenometopa Townsend,1908** (Sarcophagidae) Synonym(s): *Sphenometopa Townsend,1908*
5359. **Sphex Linnaeus,1758** (Sphecidae) Synonym(s): *Sphex Linnaeus,1758*; *#Sphaex Scopoli,1772*
5360. **Sphinctotropis Kolbe,1894** (Anthribidae) Synonym(s): *Sphinctotropis Kolbe,1894*; *Spathorrhampus Marshall,1902*
5361. **Sphinginus Mulsant,1867** (Melyridae) Synonym(s): *Sphinginus Mulsant,1867*
5362. **Sphodromantis Stal,1871** (Mantidae) Synonym(s): *Sphodromantis Stal,1871*
5363. **Sphodropoda Stal,1871** (Mantidae) Synonym(s): *Sphodropoda Stal,1871*
5364. **Sphyracephala Say,1828** (Diopsidae) Synonym(s): *Sphyracephala Say,1828*
5365. **Spilococcus Ferris,1950** (Pseudococcidae) Synonym(s): *Spilococcus Ferris,1950*
5366. **Spilogona Schnabl,1911** (Muscidae) Synonym(s): *Spilogona Schnabl,1911*
5367. **Spilostethus Stal,1868** (Lygaeidae) Synonym(s): *Spilostethus Stal,1868*
5368. **Spinidelphecella Asche,1988** (Delphacidae) Synonym(s):
5369. **Spino Fennah,1950** (Achilidae) Synonym(s):
5370. **Spinococcus Kiritchenko,1930** (Pseudococcidae) Synonym(s): *Spinococcus Kiritchenko,1930*
5371. **Spintherus Thomson,1878** (Pteromalidae) Synonym(s): *Spintherus Thomson,1878*

- 5372. Spiriverpa Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Spiriverpa Irwin & Lyneborg,1981*
- 5373. Spogostylum Macquart,1840** (Bombyliidae) Synonym(s): *Spogostylum Macquart,1840*
- 5374. Sryphophagus Ashmead,1900** (Encyrtidae) Synonym(s): *Sryphophagus Ashmead,1900*
- 5375. Stacota Stål,1859** (Tropiduchidae) Synonym(s):
- 5376. Stagonomus Gorski,1852** (Pentatomidae) Synonym(s): *Stagonomus Gorski,1852*
- 5377. Stalia Reuter,1872** (Nabidae) Synonym(s): *Stalia Reuter,1872*
- 5378. Staliana Medler,1988** (Flatidae) Synonym(s):
- 5379. Statilia Stal,1877** (Mantidae) Synonym(s): *Statilia Stal,1877*
- 5380. Stegastopsis Kraatz,1865** (Tenebrionidae) Synonym(s): *Stegastopsis Kraatz,1865; Ohyonthis Reitter,1898*
- 5381. Stegelytra Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Stegelytra Mulsant & Rey,1855; Iberia Kirkaldy,1907*
- 5382. Stegocixius Kramer,1983** (Cixiidae) Synonym(s):
- 5383. Stempellina Bause,1913** (Chironomidae) Synonym(s): *Stempellina Bause,1913*
- 5384. Stenagostus Thomson,1859** (Elateridae) Synonym(s): *Stenagostus Thomson,1859*
- 5385. Stenarella Szepliget,1916** (Ichneumonidae) Synonym(s): *Stenarella Szepliget,1916; Orientostenaraeus Uchida,1930; Parasilsila Cheesman,1936*
- 5386. Stenares Hagen,1866** (Myrmeleonidae) Synonym(s): *Stenares Hagen,1866*
- 5387. Stenocladus Fairmaire,1878** (Lampyridae) Synonym(s): *Stenocladus Fairmaire,1878*
- 5388. Stenoconchyoptera Muir,1931** (Tropiduchidae) Synonym(s):
- 5389. Stenocranus Fieber,1866** (Delphacidae) Synonym(s): *Stenocranus Fieber,1866*
- 5390. Stenocyarda Fennah,1965** (Flatidae) Synonym(s):
- 5391. Stenodema Laporte,1832** (Miridae) Synonym(s): *Stenodema Laporte,1832*
- 5392. Stenodera Eschscholtz,1818** (Meloidae) Synonym(s): *Stenodera Eschscholtz,1818; Zonitides Abeille de Perrin,1880*
- 5393. Stenodynerus Saussure,1863** (Vespidae) Synonym(s): *Stenodynerus Saussure,1863; Nannodynerus Blüthgen,1938; Parhypodynerus Giordani Soika,1974*
- 5394. Stenoheriades Tkalcu,1984** (Megachilidae) Synonym(s): *Stenoheriades Tkalcu,1984*
- 5395. Stenokelisia Ribaut,1934** (Delphacidae) Synonym(s):
- 5396. Stenomalina Ghesquière,1946** (Pteromalidae) Synonym(s): *Stenomalina Ghesquière,1946*
- 5397. Stenomarcus Förster,1868** (Ichneumonidae) Synonym(s): *Stenomarcus Förster,1868; Synoplus Förster,1868; Mnesidacus Förster,1868; Hypoleptus Förster,1868; Deleter Förster,1868; Camarotops Förster,1868*
- 5398. Stenometopiellus Haupt,1917** (Cicadellidae) Synonym(s): *Stenometopiellus Haupt,1917; Diplocolenoidea Linnavuori,1953*
- 5399. Stenopeggia Fennah,1952** (Derbidae) Synonym(s):
- 5400. Stenopogon Loew,1847** (Asilidae) Synonym(s): *Stenopogon Loew,1847*
- 5401. Stenopterus Illiger,1804** (Cerambycidae) Synonym(s): *Stenopterus Illiger,1804; Steropterus Agassiz,1846*
- 5402. Stenopyga (Agriomantis) Giglio-Tos,1916** (Mantidae) Synonym(s): *Agriomantis Giglio-Tos,1916*
- 5403. Stenopyga (s.str.) Karsch,1892** (Mantidae) Synonym(s): *Stenopyga Karsch,1892; Phitrus Karsch,1892*
- 5404. Stenopyga Karsch,1892** (Mantidae) Synonym(s): *Stenopyga Karsch,1892; Phitrus Karsch,1892*
- 5405. Stenopygella Giglio-Tos,1916** (Mantidae) Synonym(s): *Stenopygella Giglio-Tos,1916*
- 5406. Stenoria Mulsant,1857** (Meloidae) Synonym(s): *Stenoria Mulsant,1857*
- 5407. Stenosathe Lyneborg,1976** (Therevidae) Synonym(s): *Stenosathe Lyneborg,1976*
- 5408. Stenosis Herbst,1799** (Tenebrionidae) Synonym(s): *Stenosis Herbst,1799*
- 5409. Stenosystatus Muir,1930** (Delphacidae) Synonym(s):
- 5410. Stenume Medler,1999** (Flatidae) Synonym(s):
- 5411. Stenurella Villers,1974** (Cerambycidae) Synonym(s): *Stenurella Villers,1974*
- 5412. Stephanodes Enoch,1909** (Mymaridae) Synonym(s): *Stephanodes Enoch,1909*
- 5413. Stephanolasca Van der Weele,1909** (Ascalaphidae) Synonym(s): *Stephanolasca Van der Weele,1909*
- 5414. Stephanorgerius Kusnezov,1933** (Dictyopharidae) Synonym(s):
- 5415. Sterictiphora Billberg,1820** (Argidae) Synonym(s): *Sterictiphora Billberg,1820; Schizocerus Dahlbom,1835*
- 5416. Sternoplax (Pachysternoplax) Skopin,1973** (Tenebrionidae) Synonym(s): *Pachysternoplax Skopin,1973*
- 5417. Sternoplax Frivaldsky,1890** (Tenebrionidae) Synonym(s): *Sternoplax Frivaldsky,1890*
- 5418. Stethorus Weise,1885** (Coccinellidae) Synonym(s): *Stethorus Weise,1885*
- 5419. Steyskaliella Soos,1978** (Platystomidae) Synonym(s): *Steyskaliella Soos,1978*
- 5420. Stiborus Melichar,1903** (Tropiduchidae) Synonym(s):

5421. **Stibula Spinola,1811** (Eucharitidae) Synonym(s):
5422. **Stichopogon Loew,1847** (Asilidae) Synonym(s): *Stichopogon Loew,1847*
5423. **Stictocephala Stal,1859** (Membracidae) Synonym(s): *Stictocephala Stal,1859*
5424. **Stictochironomus Kieffer,1919** (Chironomidae) Synonym(s): *Stictochironomus Kieffer,1919*
5425. **Stictocoris Thomson,1869** (Cicadellidae) Synonym(s): *Stictocoris Thomson,1869*
5426. **Stictoleptura Casey,1924** (Cerambycidae) Synonym(s): *Stictoleptura Casey,1924*
5427. **Stictomantis Beier,1942** (Mantidae) Synonym(s): *Stictomantis Beier,1942*
5428. **Stictopleurus Stal,1872** (Rhopalidae) Synonym(s): *Stictopleurus Stal,1872*; #*Stictopleurus Kuyak et al.,2004*
5429. **Stictotarsus Zimmermann,1919** (Dytiscidae) Synonym(s):
5430. **Stilbotes Stal,1871** (Pentatomidae) Synonym(s): *Stilbotes Stal,1871*
5431. **Stilpnochlaena Fennah,1967** (Nogodinidae) Synonym(s):
5432. **Stilpnus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *Stilpnus Gravenhorst,1829*
5433. **Stilpon (s.str.) Loew,1859** (Hybotidae) Synonym(s):
5434. **Stilpon Loew,1859** (Hybotidae) Synonym(s):
5435. **Stiphrolamyra Engel,1928** (Asilidae) Synonym(s): *Stiphrolamyra Engel,1928*
5436. **Stiroma Fieber,1866** (Delphacidae) Synonym(s): *Stiroma Fieber,1866*
5437. **Stiromella Wagner,1963** (Delphacidae) Synonym(s):
5438. **Stiromeurysa Dlabola,1965** (Delphacidae) Synonym(s):
5439. **Stiromoides Vilbaste,1971** (Delphacidae) Synonym(s):
5440. **Stobaera Stål,1859** (Delphacidae) Synonym(s):
5441. **Stolbax Fennah,1969** (Delphacidae) Synonym(s):
5442. **Stomina Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Stomina Robineau-Desvoidy,1830*
5443. **Stomorhina Rondani,1861** (Calliphoridae) Synonym(s): *Stomorhina Rondani,1861*
5444. **Stomoxys Geoffroy,1762** (Muscidae) Synonym(s): *Stomoxys Geoffroy,1762*
5445. **Stomylymyia Bigot,1888** (Bombyliidae) Synonym(s): *Stomylymyia Bigot,1888*
5446. **Stonemyia Brennan,1935** (Tabanidae) Synonym(s): *Stonemyia Brennan,1935*
5447. **Strangalia Audinet-Serville,1835** (Cerambycidae) Synonym(s): *Strangalia Audinet-Serville,1835*
5448. **Stratiomys Geoffroy,1762** (Stratiomyidae) Synonym(s): *Stratiomys Geoffroy,1762*; *Hirtea Scopoli,1763*; *Stratiomyia Macquart,1838*; *Hoplomyia Zeller,1842*; *Thyreodontha Rondani,1863*; *Stratiotomyia Lynch Arribalzaga,1882*; *Oreomyia Pleske,1922*; *Holopyrrhoceromyia Pleske,1922*; *Hemipyrrhoceromyia Pleske,1922*; *Laternigera Pleske,1922*; *Eustratiomyia Pleske,1922*; *Amauromyia Pleske,1922*; *Poecilothorax Pleske,1922*; *Diademomyia Pleske,1922*; *Metastratiomyia Pleske,1922*; *Electrolophidion Pleske,1922*; *Parastratiomyia Pleske,1922*; *Stereoxantha Pleske,1922*
5449. **Streptanus Ribaut,1942** (Cicadellidae) Synonym(s): *Streptanus Ribaut,1942*; *Streptanulus Emeljanov,1962*
5450. **Stroggylocephalus Flor,1861** (Cicadellidae) Synonym(s): *Amblycephalus Kirschbaum,1858 (praeocc.)*; *Stroggylocephalus Flor,1861*
5451. **Strongyloemas Stål,1853** (Dictyopharidae) Synonym(s):
5452. **Strongylopsis Brauns,1896** (Ichneumonidae) Synonym(s): *Strongylopsis Brauns,1896*
5453. **Strophalinx Fennah,1969** (Delphacidae) Synonym(s):
5454. **Struebingianella Wagner,1963** (Delphacidae) Synonym(s):
5455. **Stylascalaphus Sziraki,1998** (Ascalaphidae) Synonym(s): *Stylonotus Needham,1909 nec Olfers,1907*; *Stylascalaphus Sziraki,1998*
5456. **Stymphalus Stal,1866** (Cicadellidae) Synonym(s): *Stymphalus Stal,1866*; *Purpuranus Zachvatkin,1933*
5457. **Suarezilinna McKamey,2003** (Cicadellidae) Synonym(s): *Suarezia Linnavuori & DeLong,1978 nec Budde-Lund,1904*; *Suarezilinna McKamey,2003*; *Neosuarezia Özdikmen & Demir,2008*
5458. **Suarius Navas,1914** (Chrysopidae) Synonym(s): *Suarius Navas,1914*
5459. **Subcoccinella Huber,1841** (Coccinellidae) Synonym(s): *Subcoccinella Huber,1841*; *Subcoccinella Guérin-Méneville,1842*
5460. **Sudasina Distant,1906** (Issidae) Synonym(s):
5461. **Suhpalasca Lefebvre,1842** (Ascalaphidae) Synonym(s): *Suhpalasca Lefebvre,1842*
5462. **Suillia Robineau-Desvoidy,1830** (Heleomyzidae) Synonym(s): *Suillia Robineau-Desvoidy,1830*
5463. **Sulamicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Sulamicerus Dlabola,1974*
5464. **Sulcinephiea Rubtsov,1971** (Simuliidae) Synonym(s): *Sulcinephiea Rubtsov,1971*
5465. **Sumangula Distant,1911** (Derbidae) Synonym(s):
5466. **Sumbana Lallemand & Synave,1953** (Tropiduchidae) Synonym(s):
5467. **Summanus Distant,1916** (Flatidae) Synonym(s):
5468. **Supholomitus Van der Weele,1909** (Ascalaphidae) Synonym(s): *Supholomitus Van der Weele,1909*
5469. **Suriola Emeljanov,1992** (Cixiidae) Synonym(s):

5470. **Swezeyaria Metcalf,1946** (Tropiduchidae) Synonym(s):
5471. **Swezeyia Kirkaldy,1906** (Derbidae) Synonym(s): *Swezeyia Kirkaldy,1906*; *Phantasmatocera Kirkaldy,1906*; *Arunta Distant,1907*; *Nesophantasma Kirkaldy,1907*
5472. **Sybistroma Meigen,1824** (Dolichopodidae) Synonym(s): *Sybistroma Meigen,1824*
5473. **Sycophila Walker,1871** (Eurytomidae) Synonym(s): *Sycophila Walker,1871*; *Tineomyza Rondani,1872*; *Isanisa Walker,1875*; *Pseudisa Walker,1875*; *Decatomidea Ashmead,1888*; *Eudecatoma Ashmead,1888*
5474. **Symballophthalmus Mecker,1889** (Hybotidae) Synonym(s):
5475. **Symidia Muir,1918** (Derbidae) Synonym(s):
5476. **Symmorphus Wesmael,1836** (Vespidae) Synonym(s): *Symmorphus Wesmael,1836*; *Protodynerus Saussure,1855*
5477. **Sympecma Burmeister,1839** (Lestidae) Synonym(s): *Sympecma Burmeister,1839*
5478. **Sympetrum Newman,1833** (Libellulidae) Synonym(s): *Sympetrum Newman,1833*
5479. **Sympherta Förster,1868** (Ichneumonidae) Synonym(s): *Sympherta Förster,1868*; *Stiphrosomus Förster,1868 nec Fieb.,1858*; *Trapezocora Förster,1868*; *Atrestes Förster,1868*; *Campogenes Förster,1868*; *Provancherella Dalla Torre,1901*; *Eustiphrosomus Hinks,1944*
5480. **Symphypyga Haupt,1917** (Cicadellidae) Synonym(s): *Symphypyga Haupt,1917*
5481. **Sympiesis Förster,1856** (Eulophidae) Synonym(s): *Sympiesis Förster,1856*; *Teleogmus Förster,1856*; *Sympiezus Thomson,1878*; *Asympiesiella Girault,1913*; *Diaulomella Girault,1913*; *Necremnomyia Girault,1913*; *Opheliminus Girault,1913*; *Pseudopheliminus Girault,1913*; *Sympiesonecremnus Girault,1913*; *Diaulomorphella Girault,1915*; *Pardiaulomella Girault,1915*; *Pardiaulomyia Girault & Todd,1915*; *Pronecremnus Girault & Todd,1915*; *Moroceras Erdös,1954*; *Cladosympiesis Graham,1959*
5482. **Symplanella Fennah,1987** (Caliscelidae) Synonym(s):
5483. **Symplanodes Fennah,1987** (Caliscelidae) Synonym(s):
5484. **Symplegadella Fennah,1950** (Achilidae) Synonym(s):
5485. **Synapsis Bates,1868** (Scarabaeidae) Synonym(s): *Synapsis Bates,1868*
5486. **Synaptus Eschscholtz,1829** (Elateridae) Synonym(s): *Synaptus Eschscholtz,1829*
5487. **Synavea Emeljanov,1994** (Derbidae) Synonym(s):
5488. **Syndelphax Fennah,1963** (Delphacidae) Synonym(s):
5489. **Syndetlica Bergroth,1920** (Ricaniidae) Synonym(s):
5490. **Syndiamesa Kieffer,1925** (Chironomidae) Synonym(s): *Syndiamesa Kieffer,1925*
5491. **Syndyas Loew,1857** (Hybotidae) Synonym(s): *Syndyas Loew,1857*
5492. **Synecdoche O'Brien,1971** (Achilidae) Synonym(s):
5493. **Synechocryptus Schmiedeknecht,1904** (Ichneumonidae) Synonym(s): *Synechocryptus Schmiedeknecht,1904*
5494. **Synergus Hartig,1840** (Cynipidae) Synonym(s): *Synergus Hartig,1840*; *Sapholytus Förster,1869*
5495. **Syneuodynerus Blüthgen,1951** (Vespidae) Synonym(s): *Syneuodynerus Blüthgen,1951*; *#Syneuodynerus Kurzenko,1981*
5496. **Syngenes Kolbe,1897** (Myrmeleonidae) Synonym(s): *Syngenes Kolbe,1897*
5497. **Synomelix Förster,1868** (Ichneumonidae) Synonym(s): *Synomelix Förster,1868*; *Zemiophora Förster,1868*; *Zemiophorus Thomson,1894*
5498. **Synophrus Hartig,1843** (Cynipidae) Synonym(s): *Synophrus Hartig,1843*
5499. **Synophyropsis Haupt,1926** (Cicadellidae) Synonym(s): *Synophyropsis Haupt,1926*
5500. **Synpteron Muir,1926** (Delphacidae) Synonym(s):
5501. **Syntomopus Walker,1833** (Pteromalidae) Synonym(s): *Syntomopus Walker,1833*
5502. **Synuchus (Synuchus) Gyllenhal,1810** (Carabidae) Synonym(s): *Synuchus Gyllenhal,1810*
5503. **Syrgis Stål,1870** (Issidae) Synonym(s):
5504. **Syriolytta Kaszab,1962** (Meloidae) Synonym(s): *Syriolytta Kaszab,1962*
5505. **Syritta Lepeletier & Audinet-Serville,1828** (Syrphidae) Synonym(s): *Syritta Lepeletier & Audinet-Serville,1828*
5506. **Syromastus Berthold,1827** (Coreidae) Synonym(s): *Syromastus Berthold,1827*; *Syromastes Latreille,1829*
5507. **Syrphoctonus Förster,1868** (Ichneumonidae) Synonym(s): *Syrphoctonus Förster,1868*; *Homotropus Förster,1868*; *Homoporus Thomson,1890*; *Homocidus Morley,1911*
5508. **Syrphophilus Dasch,1964** (Ichneumonidae) Synonym(s): *Syrphophilus Dasch,1964*
5509. **Syrphus Fabricius,1775** (Syrphidae) Synonym(s): *Syrphus Fabricius,1775*; *Syrphidius Goffe,1933*
5510. **Systasis Walker,1834** (Pteromalidae) Synonym(s): *Systasis Walker,1834*
5511. **Systoechus Loew,1855** (Bombyliidae) Synonym(s): *Systoechus Loew,1855*
5512. **Systole Walker,1832** (Eurytomidae) Synonym(s): *Systole Walker,1832*
5513. **Systropha (Austrosystropha) Patiny & Michez,2006** (Halictidae) Synonym(s): *Austrosystropha Patiny & Michez,2006*
5514. **Systropha (s.str.) Illiger,1806** (Halictidae) Synonym(s): *Systropha Illiger,1806*
5515. **Systropha (Systrophidia) Cockerell,1936** (Halictidae) Synonym(s): *Systrophidia Cockerell,1936*

- 5516. Systropha Illiger,1806** (Halictidae) Synonym(s): *Systropha Illiger,1806*
5517. Systropus (Diaerops) Enderlein,1926 (Bombyliidae) Synonym(s): *Diaerops Enderlein,1926*;
Coptodircus Enderlein,1926
5518. Systropus (Dimelopelma) Enderlein,1926 (Bombyliidae) Synonym(s): *Dimelopelma Enderlein,1926*
5519. Systropus (Teinopelmus) Bowden,1967 (Bombyliidae) Synonym(s): *Teinopelmus Bowden,1967*
5520. Systropus Wiedemann,1820 (Bombyliidae) Synonym(s): *Systropus Wiedemann,1820*
5521. Syzeuctus Förster,1868 (Ichneumonidae) Synonym(s): *Syzeuctus Förster,1868*; *Diceratops Förster,1868*; *Syzeucta Thomson,1889*; *Meyva Cameron,1899*; *Rhynchotrevoria Cameron,1906*; *Ephialtina Szepilgeti,1908*; *Leptoglyphis Brethes,1927*; *Paratanera Rao,1953*
5522. Tabanus Linnaeus,1758 (Tabanidae) Synonym(s): *Tabanus Linnaeus,1758*
5523. Tabocasa Distant,1906 (Fulgoridae) Synonym(s):
5524. Tabuda Walker,1852 (Therevidae) Synonym(s): *Tabuda Walker,1852*
5525. Tachina (Echinogaster) Lioy,1864 (Tachinidae) Synonym(s): *Echinogaster Lioy,1864*
5526. Tachina (Eudoromyia) Bezzi,1906 (Tachinidae) Synonym(s): *Eudora Robineau-Desvoidy,1863* (*praeocc.*); *Eudoromyia Bezzi,1906*
5527. Tachina (Servillia) Robineau-Desvoidy,1830 (Tachinidae) Synonym(s): *Servillia Robineau-Desvoidy,1830*; *Pelus Gistel,1848*
5528. Tachina Meigen,1803 (Tachinidae) Synonym(s): *Tachina Meigen,1803*; *#Tachna Walker,1849*
5529. Tachorga Emeljanov,1969 (Dictyopharidae) Synonym(s):
5530. Tachyagetes Haupt,1930 (Pompilidae) Synonym(s): *Tachyagetes Haupt,1930*
5531. Tachyancistrocerus Giordani Soika,1952 (Vespidae) Synonym(s): *Subancistrocerus Blüthgen,1938* (*praeocc.*); *Tachyancistrocerus Giordani Soika,1952*
5532. Tachycixius Wagner,1939 (Cixiidae) Synonym(s): *Tachycixius Wagner,1939*; *Siculus Dlabola,1980*
5533. Tachydromia Meigen,1803 (Hybotidae) Synonym(s):
5534. Tachypeza Meigen,1830 (Hybotidae) Synonym(s):
5535. Tachys (Eotachys) Jeannel,1941 (Carabidae) Synonym(s): *Eotachys Jeannel,1941*
5536. Tachytrechus Stannius,1831 (Dolichopodidae) Synonym(s): *Tachytrechus Stannius,1831*
5537. Taeniopteryx Pictet,1841 (Taeniopterygidae) Synonym(s): *Taeniopteryx Pictet,1841*;
Nephopteryx Klapalek,1902; *Nephopteryx Klapalek,1903*
5538. Tagalomantis Hebard,1920 (Mantidae) Synonym(s): *Tagalomantis Hebard,1920*
5539. Tagosodes Asche & Wilson,1990 (Delphacidae) Synonym(s):
5540. Tainanina Villeneuve,1927 (Calliphoridae) Synonym(s): *Tainanina Villeneuve,1927*
5541. Tainosia Szwedó & Stroinski,2001 (Nogodinidae) Synonym(s):
5542. Talainga Distant,1890 (Cicadidae) Synonym(s): *Talainga Distant,1890*
5543. Taloka Distant,1907 (Achilidae) Synonym(s):
5544. Talopsus Medler,1989 (Flatidae) Synonym(s):
5545. Tamaricella Zachvatkin,1946 (Cicadellidae) Synonym(s): *Tamaricella Zachvatkin,1946*
5546. Tambinia Stål,1859 (Tropiduchidae) Synonym(s):
5547. Tamolanica Werner,1923 (Mantidae) Synonym(s): *Tamolanica Werner,1923*
5548. Tangella Metcalf & Bruner,1930 (Tropiduchidae) Synonym(s):
5549. Tangidia Uhler,1895 (Tropiduchidae) Synonym(s):
5550. Tangina Melichar,1903 (Achilidae) Synonym(s):
5551. Tangiopsis Uhler,1901 (Tropiduchidae) Synonym(s):
5552. Tangyria Uhler,1901 (Tropiduchidae) Synonym(s):
5553. Tanna Distant,1905 (Cicadidae) Synonym(s): *Tanna Distant,1905*
5554. Tanyproctus Faldermann,1832 (Scarabaeidae) Synonym(s): *Tanyproctus Faldermann,1832*
5555. Tanypus Meigen,1803 (Chironomidae) Synonym(s): *Tanypus Meigen,1803*
5556. Tanytarsus Wulp,1874 (Chironomidae) Synonym(s): *Tanytarsus Wulp,1874*
5557. Tanzanicesa Koçak & Kemal,2009 (Pteromalidae) Synonym(s): *Leleupia Deluchhi,1962* *nec* *Jeannel,1949*; *Tanzanicesa Koçak & Kemal,2009*
5558. Taosa Distant,1906 (Dictyopharidae) Synonym(s):
5559. Taparella Medler,1989 (Flatidae) Synonym(s):
5560. Taphoxenus (Lychnifugus) Motschoulsky,1865 (Carabidae) Synonym(s): *Lychnifugus Motschoulsky,1865*
5561. Taphoxenus Motschoulsky,1850 (Carabidae) Synonym(s): *Taphoxenus Motschoulsky,1850*
5562. Tapinoma Förster,1850 (Formicidae) Synonym(s): *Tapinoma Förster,1850*
5563. Tarachodella Giglio-Tos,1917 (Irididae) Synonym(s): *Tarachodella Giglio-Tos,1917*
5564. Tarachodes (Barbachodes) Beier,1957 (Irididae) Synonym(s): *Barbachodes Beier,1957*
5565. Tarachodes (Chiropacha) Charpentier,1841 (Irididae) Synonym(s): *Chiropacha Charpentier,1841*
5566. Tarachodes (Chiropus) Saussure,1869 (Irididae) Synonym(s): *Chiropus Saussure,1869*

5567. **Tarachodes (s.str.) Burmeister,1838** (Irididae) Synonym(s): *Tarachodes Burmeister,1838*
5568. **Tarachodes (Tarachodina) Kirby,1904** (Irididae) Synonym(s): *Tarachodina Kirby,1904*
5569. **Tarachodes Burmeister,1838** (Irididae) Synonym(s): *Tarachodes Burmeister,1838*
5570. **Tarachodula Giglio-Tos,1917** (Irididae) Synonym(s): *Tarachodula Giglio-Tos,1917*
5571. **Tarachomantis Brancsik,1893** (Mantidae) Synonym(s): *Tarachomantis Brancsik,1893*
5572. **Taractellus Metcalf,1948** (Achilidae) Synonym(s):
5573. **Tarberus Jacobi,1928** (Cixiidae) Synonym(s):
5574. **Targionia Signoret,1869** (Diaspididae) Synonym(s): *Targionia Signoret,1869*
5575. **Tarsostenus Spinola,1844** (Cleridae) Synonym(s): *Tarsostenus Spinola,1844*
5576. **Tartarogryllus Tarbinsky,1940** (Gryllidae) Synonym(s): *Tartarogryllus Tarbinsky,1940*
5577. **Tarundia Stål,1859** (Ricaniidae) Synonym(s):
5578. **Tatva Distant,1906** (Issidae) Synonym(s):
5579. **Taumantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Taumantis Giglio-Tos,1917*
5580. **Taurocera Lindner,1936** (Stratiomyidae) Synonym(s): *Taurocera Lindner,1936*
5581. **Tauropola Jacobi,1944** (Tropiduchidae) Synonym(s):
5582. **Taxigramma Macquart,1849** (Sarcophagidae) Synonym(s): *Taxigramma Macquart,1849*
5583. **Taxomyia Rübsaamen,1912** (Cecidomyiidae) Synonym(s): *Taxomyia Rübsaamen,1912*
5584. **Tbilisica Dlabola,1958** (Cicadellidae) Synonym(s): *Tbilisica Dlabola,1958*
5585. **Tecmar Fennah,1962** (Dictyopharidae) Synonym(s):
5586. **Teddia Burr,1899** (Mantidae) Synonym(s): *Teddia Burr,1899*
5587. **Tejasa Distant,1906** (Flatidae) Synonym(s):
5588. **Teleopsis Rondani,1875** (Diopsidae) Synonym(s): *Teleopsis Rondani,1875*
5589. **Teles Mulsant & Godart,1876** (Tenebrionidae) Synonym(s): *Teles Mulsant & Godart,1876*
5590. **Telmessodes Fennah,1967** (Nogodinidae) Synonym(s):
5591. **Telmosias Fennah,1967** (Nogodinidae) Synonym(s):
5592. **Teloglabus Feijen,1983** (Diopsidae) Synonym(s): *Teloglabus Feijen,1983*
5593. **Telomantis Giglio-Tos,1915** (Mantidae) Synonym(s): *Telomantis Giglio-Tos,1915*
5594. **Telostegus Costa,1889** (Pompilidae) Synonym(s): *Telostegus Costa,1889*
5595. **Temelucha Förster,1868** (Ichneumonidae) Synonym(s): *Temelucha Förster,1868*;
Paracremastus Szpliget,1900; *Tarytia Cameron,1907*; *Androna Cameron,1911*; *Cremastidea Viereck,1912*;
Neocremastus Meyer,1930 nec Cushman,1917
5596. **Temnostethus Fieber,[1860]** (Anthocoridae) Synonym(s): *Temnostethus Fieber,[1860]*;
Tmetostethus Marshall,1868; *Stethotomus Marshall,1868*
5597. **Tempsa Stål,1866** (Issidae) Synonym(s):
5598. **Tenebrio Linnaeus,1758** (Tenebrionidae) Synonym(s): *Tenebrio Linnaeus,1758*
5599. **Tenguella Matsumura,1910** (Dictyopharidae) Synonym(s):
5600. **Tenguna Matsumura,1910** (Dictyopharidae) Synonym(s):
5601. **Tenodera Burmeister,1838** (Mantidae) Synonym(s): *Tenodera Burmeister,1838*; *Paratenodera*
Rehn,1903; *Tenoderopsis Werner,1928*
5602. **Tenthredo Linnaeus,1758** (Tenthredinidae) Synonym(s): *Tenthredo Linnaeus,1758*; *Parastasis*
Kirby,1881; *Labidia Provancher,1886*; *Rethrax Cameron,1899*; *Fethalia Cameron,1902*; *Clydostomus*
Konow,1908; *Tenthredina Rohwer,1910*; *Zamacrophya Rohwer,1912*
5603. **Tenthredopsis Costa,1859** (Tenthredinidae) Synonym(s): *Tenthredopsis Costa,1859*; *Ebolia*
Costa,1859; *Thomsonia Konow,1884*; *Eutenthredopsis Enslin,1913*
5604. **Tentyria Latreille,1802** (Tenebrionidae) Synonym(s): *Tentyria Latreille,1802*; *Heliodromus*
Brullé,1832
5605. **Tephritis Latreille,1804** (Tephritidae) Synonym(s): *Tephritis Latreille,1804*
5606. **Tephritomyia Hendel,1927** (Tephritidae) Synonym(s): *Tephritomyia Hendel,1927*
5607. **Tephrochlamys Loew,1862** (Heleomyzidae) Synonym(s): *Tephrochlamys Loew,1862*
5608. **Teratolytta Semenov,1894** (Meloidae) Synonym(s): *Teratolytta Semenov,1894*
5609. **Terachiana Matsumura,1915** (Delphacidae) Synonym(s):
5610. **Terellia (Cerajocera) Rondani,1856** (Tephritidae) Synonym(s): *Cerajocera Rondani,1856*;
#Ceriocera Rondani,1870
5611. **Terellia (s.str.) Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Terellia Robineau-*
Desvoidy,1830
5612. **Terellia Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Terellia Robineau-Desvoidy,1830*
5613. **Terpnosia Distant,1892** (Cicadidae) Synonym(s): *Terpnosia Distant,1892*
5614. **Terthron Fennah,1965** (Delphacidae) Synonym(s):
5615. **Tetanocera Latreille,1804** (Sciomyzidae) Synonym(s): *Tetanocera Latreille,1804*
5616. **Tetanops Fallén,1820** (Ulidiidae) Synonym(s): *Tetanops Fallén,1820*
5617. **Tetartopeus Czwalina,1888** (Staphylinidae) Synonym(s): *Tetartopeus Czwalina,1888*
5618. **Tetartostylus Wagner,1951** (Cicadellidae) Synonym(s): *Tetartostylus Wagner,1951*

- 5619. Tethina Haliday,1837** (Tethinidae) Synonym(s): *Tethina Haliday,1837; Rhicnoessa Loew,1862; Phycomyza Melander,1952*
- 5620. Tetraceratium Muir,1924** (Flatidae) Synonym(s):
- 5621. Tetracnemus Westwood,1837** (Encyrtidae) Synonym(s): *Tetracnemus Westwood,1837*
- 5622. Tetramesa Walker,1848** (Eurytomidae) Synonym(s): *Tetramesa Walker,1848*
- 5623. Tetramorium Mayr,1855** (Formicidae) Synonym(s): *Tetramorium Mayr,1855*
- 5624. Tetrasteira Muir,1926** (Delphacidae) Synonym(s):
- 5625. Tetrica Stål,1866** (Issidae) Synonym(s):
- 5626. Tetrigus Candeze,1857** (Elateridae) Synonym(s): *Tetrigus Candeze,1857*
- 5627. Tetrix Latreille,1802** (Tetrigidae) Synonym(s): *Tetrix Latreille,1802; Tettix Dalman,1823*
- 5628. Tetrops Kirby,1826** (Cerambycidae) Synonym(s): *Tetrops Kirby,1826; Tetraopes Kirby,1826*
- 5629. Tettigometra (Hystrigonia) Emelyanov,1980** (Tettigometridae) Synonym(s): *Hystrigonia Emelyanov,1980*
- 5630. Tettigometra (Metroplaca) Emelyanov,1980** (Tettigometridae) Synonym(s): *Metroplaca Emelyanov,1980*
- 5631. Tettigometra (Mitricephalus) Signoret,1866** (Tettigometridae) Synonym(s): *Mitricephalus Signoret,1866*
- 5632. Tettigometra (s.str.) Latreille,1804** (Tettigometridae) Synonym(s): *Tettigometra Latreille,1804*
- 5633. Tettigometra (Stirometra) Emelyanov,1980** (Tettigometridae) Synonym(s): *Stirometra Emelyanov,1980*
- 5634. Tettigometra Latreille,1804** (Tettigometridae) Synonym(s): *Tettigometra Latreille,1804*
- 5635. Tettigonia Linnaeus,1758** (Tettigoniidae) Synonym(s): *Tettigonia Linnaeus,1758; Locusta Geoffroy,1762; Phasgonura Stephens,1835; Eumenymus Pictet,1888*
- 5636. Teutberga Jacobi,1917** (Derbidae) Synonym(s):
- 5637. Thabena Stål,1866** (Issidae) Synonym(s):
- 5638. Thamnotettix (Loepotettix) Ribaut,1942** (Cicadellidae) Synonym(s): *Loepotettix Ribaut,1942*
- 5639. Thamnotettix (s.str.) Zetterstedt,1840** (Cicadellidae) Synonym(s): *Thamnotettix Zetterstedt,1840; Thamnus Fieber,1866*
- 5640. Thamnotettix Zetterstedt,1840** (Cicadellidae) Synonym(s): *Thamnotettix Zetterstedt,1840; Thamnus Fieber,1866*
- 5641. Thanasimus Latreille,1806** (Cleridae) Synonym(s): *Thanasimus Latreille,1806*
- 5642. Thanatochlamys Kirkaldy,1907** (Flatidae) Synonym(s):
- 5643. Thanatodictya Kirkaldy,1906** (Dictyopharidae) Synonym(s):
- 5644. Thanatophilus Leach,1815** (Silphidae) Synonym(s): *Thanatophilus Leach,1815; Pseudopelta Bergroth,1884; Philas Portevin,1903; Silphosoma Portevin,1903; Chalcosilpha Portevin,1926*
- 5645. Thaneroclerus Westwood,1838** (Thanerocleridae) Synonym(s): *Thaneroclerus Westwood,1838; Thaneclerus Chenu,1860; Thanateroclerus Gemminger & Harold,1869*
- 5646. Thaumantia Melichar,1914** (Tropiduchidae) Synonym(s):
- 5647. Thaumastocladus? Cockerell & Sandhouse,1921** (Flatidae) Synonym(s):
- 5648. Thaumatomyia Zenker,1833** (Chloropidae) Synonym(s): *Thaumatomyia Zenker,1833*
- 5649. Thecodiplosis Kieffer,1895** (Cecidomyiidae) Synonym(s): *Thecodiplosis Kieffer,1895*
- 5650. Thecophora Rondani,1845** (Conopidae) Synonym(s): *Thecophora Rondani,1845*
- 5651. Thectoceps Williams,1977** (Achilidae) Synonym(s):
- 5652. Thelymorpha Brauer & Bergenstamm,1889** (Tachinidae) Synonym(s): *Thelymorpha Brauer & Bergenstamm,1889*
- 5653. Themira Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *Themira Robineau-Desvoidy,1830*
- 5654. Theocolax Westwood,1832** (Pteromalidae) Synonym(s): *Theocolax Westwood,1832*
- 5655. Theophilea Pic,1895** (Cerambycidae) Synonym(s): *Theophilea Pic,1895*
- 5656. Thereva Latreille,1796** (Therevidae) Synonym(s): *Thereva Latreille,1796; Exapata Macquart,1840; Thereva Loew,1854; Thereva Agassiz,1846; Neothereva Kröber,1912; Caenozona Kröber,1912; Athereva Kröber,1925; Reinigiellum Enderlein,1934;*
- 5657. Therion Curtis,1830** (Ichneumonidae) Synonym(s): *Therion Curtis,1830; Agassiz,1846; Exochilum Wesmael,1849*
- 5658. Theriopectes Zeller,1842** (Tabanidae) Synonym(s): *Theriopectes Zeller,1842*
- 5659. Theronia Holmgren,1859** (Ichneumonidae) Synonym(s): *Theronia Holmgren,1859; Pseudacoenites Kriechbaumer,1892; Poecilopimpla Cameron,1903; Erythrotheronia Cameron,1905; Orientotheronia Morley,1913*
- 5660. Theroscopus Förster,1850** (Ichneumonidae) Synonym(s): *Theroscopus Förster,1850; Chamerpes Förster,1868; Eriplanus Förster,1868; Phyrthus Förster,1868; Thysiotorus Förster,1868; Aenoplegimorpha Viereck,1912*
- 5661. Theryana De Bergevin,1922** (Issidae) Synonym(s):
- 5662. Thespoides Chopard,1916** (Mantidae) Synonym(s): *Thespoides Chopard,1916*
- 5663. Thessitus Walker,1862** (Eurybrachidae) Synonym(s): *Thessitus Walker,1862*

5664. **Thibetoides Davis,1897** (Ichneumonidae) Synonym(s): *Thibetoides Davis,1897*
5665. **Thienemanniella Kieffer,1911** (Chironomidae) Synonym(s): *Thienemanniella Kieffer,1911*
5666. **Thienemannimyia Fittkau,1957** (Chironomidae) Synonym(s): *Thienemannimyia Fittkau,1957*
5667. **Thinodytes Graham,1956** (Pteromalidae) Synonym(s): *Thinodytes Graham,1956*
5668. **Thinorycter Semenov & Reichardt,1925** (Scarabaeidae) Synonym(s): *Thinorycter Semenov & Reichardt,1925*
5669. **Thionia Stål,1859** (Issidae) Synonym(s):
5670. **Thioniamorpha Metcalf,1938** (Issidae) Synonym(s):
5671. **Thioniella Metcalf,1938** (Issidae) Synonym(s):
5672. **Thionissa Metcalf,1938** (Issidae) Synonym(s):
5673. **Thornburghiella Vaillant,1973** (Psychodidae) Synonym(s): *Thornburghiella Vaillant,1973; Thornburghiella Vaillant,1982*
5674. **Thriambus Fennah,1964** (Delphacidae) Synonym(s):
5675. **Thricops Rondani,1856** (Muscidae) Synonym(s): *Thricops Rondani,1856*
5676. **Thrybius Townes,1965** (Ichneumonidae) Synonym(s): *Thrybius Townes,1965*
5677. **Thymbra Melichar,1914** (Tropiduchidae) Synonym(s):
5678. **Thymobares Fennah,1964** (Delphacidae) Synonym(s):
5679. **Thymodelphax Asche,1988** (Delphacidae) Synonym(s):
5680. **Thyridanthrax Osten Sacken,1886** (Bombyliidae) Synonym(s): *Thyridanthrax Osten Sacken,1886*
5681. **Thysanus Walker,1839** (Signiphoridae) Synonym(s): *#Thusamus Walker,1829; Thysanus Walker,1839*
5682. **Tibicina Amyot,1847** (Cicadidae) Synonym(s): *Tibicina Amyot,1847; Tibicina Kolenati,1857*
5683. **Ticida Uhler,1891** (Dictyopharidae) Synonym(s):
5684. **Tigrahauda Oshanin,1908** (Dictyopharidae) Synonym(s):
5685. **Tilimontia Emeljanov,1969** (Dictyopharidae) Synonym(s):
5686. **Tilloidea Laporte,1832** (Cleridae) Synonym(s): *Tilloidea Laporte,1832*
5687. **Tillus Olivier,1790** (Cleridae) Synonym(s): *Tillus Olivier,1790*
5688. **Timarcha Latreille,1829** (Chrysomelidae) Synonym(s): *Timarcha Latreille,1829*
5689. **Timaspis Mayr,1881** (Cynipidae) Synonym(s): *Timaspis Mayr,1881; Aylacopsis Hedicke,1923*
5690. **Timia Wiedemann,1824** (Ulidiidae) Synonym(s): *Timia Wiedemann,1824*
5691. **Timodema Ball,1909** (Dictyopharidae) Synonym(s):
5692. **Timonidia Ball & Hartzell,1922** (Dictyopharidae) Synonym(s):
5693. **Tingicesa Koçak & Kemal,2010** (Tingidae) Synonym(s): *Idiostyla Drake,1945 nec Meyrick,1921; Tingicesa Koçak & Kemal,2010*
5694. **Tingis Fabricius,1803** (Tingidae) Synonym(s): *Tingis Fabricius,1803*
5695. **Tiphia Fabricius,1775** (Tiphidae) Synonym(s): *Tiphia Fabricius,1775*
5696. **Tipula (Acutipula) Alexander,1924** (Tipulidae) Synonym(s): *Acutipula Alexander,1924*
5697. **Tipula (Beringotipula) Savchenko,1961** (Tipulidae) Synonym(s): *Beringotipula Savchenko,1961*
5698. **Tipula (Dendrotipula) Savchenko,1961** (Tipulidae) Synonym(s): *Dendrotipula Savchenko,1961*
5699. **Tipula (Emodotipula) Alexander,1965** (Tipulidae) Synonym(s): *Emodotipula Alexander,1965*
5700. **Tipula (Lunatipula) Edwards,1931** (Tipulidae) Synonym(s): *Lunatipula Edwards,1931*
5701. **Tipula (Mediotipula) Pierre,1924** (Tipulidae) Synonym(s): *Mediotipula Pierre,1924*
5702. **Tipula (Pterelachisus) Rondani,1842** (Tipulidae) Synonym(s): *Pterelachisus Rondani,1842*
5703. **Tipula (Savtshenkia) Mannheims,1962** (Tipulidae) Synonym(s): *Savtshenkia Mannheims,1962*
5704. **Tipula (Schummelia) Edwards,1931** (Tipulidae) Synonym(s): *Schummelia Edwards,1931*
5705. **Tipula (Vestiplex) Bezzi,1924** (Tipulidae) Synonym(s): *Vestiplex Bezzi,1924*
5706. **Tipula (Yamatotipula) Matsumura,[1916]** (Tipulidae) Synonym(s): *Yamatotipula Matsumura,[1916]*
5707. **Tipula Linnaeus,1758** (Tipulidae) Synonym(s): *Tipula Linnaeus,1758*
5708. **Tiriteana Myers,1924** (Cixiidae) Synonym(s):
5709. **Tisia Dlabola,1981** (Flatidae) Synonym(s):
5710. **Tisma Giglio-Tos,1917** (Mantidae) Synonym(s): *Tisma Giglio-Tos,1917*
5711. **Tismomorpha Roy,1973** (Mantidae) Synonym(s): *Tismomorpha Roy,1973*
5712. **Tituboea Lacordaire,1848** (Chrysomelidae) Synonym(s): *Tituboea Lacordaire,1848*
5713. **Tjederina Hölzel,1970** (Chrysopidae) Synonym(s): *Tjederina Hölzel,1970*
5714. **Tmesibasis McLachan,1871** (Ascalaphidae) Synonym(s): *Tmesibasis McLachan,1871*
5715. **Togaphora Matsumura,1940** (Dictyopharidae) Synonym(s):
5716. **Togoda Melichar,1906** (Issidae) Synonym(s):
5717. **Tolmerus Loew,1849** (Asilidae) Synonym(s): *Tolmerus Loew,1849*

5718. **Tolphorea Gurjeva,1983** (Elateridae) Synonym(s): *Tolphorea Gurjeva,1983*
5719. **Tomatarella Kimmins,1952** (Myrmeleonidae) Synonym(s): *Tomatarella Kimmins,1952*
5720. **Tomicobia Ashmead,1899** (Pteromalidae) Synonym(s): *Tomicobia Ashmead,1899*
5721. **Tomintus Stål,1864** (Fulgoridae) Synonym(s):
5722. **Tonga Kirkaldy,1900** (Issidae) Synonym(s):
5723. **Tonnoiriella Vaillant,1982** (Psychodidae) Synonym(s): *Tonnoiriella Vaillant,1982*
5724. **Tormenis Medler,1999** (Flatidae) Synonym(s):
5725. **Toropa Melichar,1912** (Dictyopharidae) Synonym(s):
5726. **Torymoides Walker,1871** (Torymidae) Synonym(s): *Torymoides Walker,1871; Dimeromicrus Crawford,1910; Macrodontomerus Girault,1913; Didactyliocerus Masi,1916; Ameromicrus Nikolskaya,1954; Pontotorymus Boucek,1978*
5727. **Torymus Dalman,1820** (Torymidae) Synonym(s): *Torymus Dalman,1820; #Torymys Nees,1834*
5728. **Tosena Amyot & Serville,1843** (Cicadidae) Synonym(s): *Tosena Amyot & Serville,1843*
5729. **Townsendiellomyia Baranoff,1932** (Tachinidae) Synonym(s): *Townsendiellomyia Baranoff,1932*
5730. **Toxodanuria Uvarov,1940** (Mantidae) Synonym(s): *Toxodanuria Uvarov,1940; Paradanuria Wood-Mason,1877*
5731. **Toxophora Meigen,1803** (Bombyliidae) Synonym(s): *Toxophora Meigen,1803; Eniconevra Macquart,1840; Heniconevra Agassiz,1846; Heniconevra Bezzi,1903; Toxomyia Hull,1973 nec Felt,1911*
5732. **Toxospathius Deyrolle & Fairmaire,1878** (Scarabaeidae) Synonym(s): *Toxospathius Deyrolle & Fairmaire,1878*
5733. **Toya Distant,1906** (Delphacidae) Synonym(s): *Toya Distant,1906; Metadelphax Wagner,1963*
5734. **Toyalana Asche,1988** (Delphacidae) Synonym(s):
5735. **Toyoides Matsumura,1935** (Delphacidae) Synonym(s):
5736. **Trabutina Marchal,1905** (Pseudococcidae) Synonym(s): *Trabutina Marchal,1905*
5737. **Trachyderma Latreille,1829** (Tenebrionidae) Synonym(s): *Trachyderma Latreille,1829*
5738. **Trachymantis Giglio-Tos,1917** (Mantidae) Synonym(s): *Trachymantis Giglio-Tos,1917*
5739. **Trachyscelis Latreille,1809** (Tenebrionidae) Synonym(s): *Trachyscelis Latreille,1809*
5740. **Transcaucasica Koçak,1981** (Cicadellidae) Synonym(s): *Svanetia Schengellia & Dlabola,1964 nec Hesse,1926; Transcaucasica Koçak,1981*
5741. **Trapezonotus Fieber,[1860]** (Lygaeidae) Synonym(s): *Trapezonotus Fieber,[1860]*
5742. **Traxanellus Caldwell,1945** (Issidae) Synonym(s):
5743. **Traxus Metcalf,1923** (Issidae) Synonym(s):
5744. **Trechnites Thomson,1876** (Encyrtidae) Synonym(s): *Trechnites Thomson,1876*
5745. **Trechus (s.str.) Clairville,1806** (Carabidae) Synonym(s): *Trechus Clairville,1806*
5746. **Trematodes Faldermann,1835** (Scarabaeidae) Synonym(s): *Trematodes Faldermann,1835*
5747. **Trematopygus Holmgren,1855** (Ichneumonidae) Synonym(s): *Trematopygus Holmgren,1855; Amorphognathon Förster,1868; Rhigelus Förster,1868; Aselesma Förster,1868; Campoporus Förster,1868; Volucris Davis,1897*
5748. **Tremissus inexpectatus Besuchet,1981** (Staphylinidae) Synonym(s): *inexpectatus Besuchet,1981*
5749. **Tremulicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Tremulicerus Dlabola,1974*
5750. **Triaspis Haliday,1835** (Braconidae) Synonym(s): *Triaspis Haliday,1835*
5751. **Tribalus Erichson,1834** (Histeridae) Synonym(s): *Tribalus Erichson,1834*
5752. **Tribatus Motschoulsky,1851** (Staphylinidae) Synonym(s): *Tribatus Motschoulsky,1851*
5753. **Tribolium MacLeay,1825** (Tenebrionidae) Synonym(s): *Tribolium MacLeay,1825*
5754. **Trichardis Hermann,1906** (Asilidae) Synonym(s): *Trichardis Hermann,1906*
5755. **Trichardopsis Oldroyd,1958** (Asilidae) Synonym(s): *Trichardopsis Oldroyd,1958*
5756. **Trichina Meigen,1830** (Hybotidae) Synonym(s): *Trichina Meigen,1830*
5757. **Trichinomyia Tuomikoski,1959** (Hybotidae) Synonym(s): *Trichinomyia Tuomikoski,1959*
5758. **Trichius Fabricius,1775** (Scarabaeidae) Synonym(s): *Trichius Fabricius,1775*
5759. **Trichodelphax Vilbaste,1968** (Delphacidae) Synonym(s):
5760. **Trichodes Herbst,1792** (Cleridae) Synonym(s): *Trichodes Herbst,1792*
5761. **Trichoduchus Bierman,1910** (Tropiduchidae) Synonym(s):
5762. **Trichogramma Westwood,1833** (Trichogrammatidae) Synonym(s): *Trichogramma Westwood,1833*
5763. **Trichomalopsis Crawford,1913** (Pteromalidae) Synonym(s): *Trichomalopsis Crawford,1913*
5764. **Trichomalus Thomson,1878** (Pteromalidae) Synonym(s): *Trichomalus Thomson,1878*
5765. **Trichomasthus Thomson,1876** (Encyrtidae) Synonym(s): *Trichomasthus Thomson,1876*
5766. **Trichomeloe Reitter,1911** (Meloidae) Synonym(s): *Trichomeloe Reitter,1911*
5767. **Trichomma Wesmael,1849** (Ichneumonidae) Synonym(s): *Trichomma Wesmael,1849; Trichomella Szepliget,1910*
5768. **Triclis Loew,1851** (Asilidae) Synonym(s): *Triclis Loew,1851*
5769. **Triclistus Förster,1868** (Ichneumonidae) Synonym(s): *Triclistus Förster,1868*

5770. **Tricycleopsis Villeneuve,1927** (Calliphoridae) Synonym(s): *Tricycleopsis Villeneuve,1927*
5771. **Tricyphona (s.str.) Zetterstedt,1837** (Pediidae) Synonym(s): *Tricyphona Zetterstedt,1837*;
Bophrosia Rondani,1856
5772. **Tricyphona Zetterstedt,1837** (Pediidae) Synonym(s): *Tricyphona Zetterstedt,1837*; *Bophrosia*
Rondani,1856
5773. **Tridactylus Olivier,1789** (Tridactylidae) Synonym(s): *Tridactylus Olivier,1789*
5774. **Trieces Townes,1946** (Ichneumonidae) Synonym(s): *Trieces Townes,1946*
5775. **Triecphorella Nast,1933** (Cercopidae) Synonym(s): *Triecphorella Nast,1933*
5776. **Trienopa Signoret,1860** (Issidae) Synonym(s):
5777. **Trigava O'Brien,1999** (Dictyopharidae) Synonym(s):
5778. **Triglena Fieber,1875** (Cicadidae) Synonym(s): *Triglena Fieber,1875*
5779. **Trigonaspis Hartig,1840** (Cynipidae) Synonym(s): *Trigonaspis Hartig,1840*
5780. **Trigonidium (s.str.) Rambur,1839** (Gryllidae) Synonym(s): *Trigonidium Rambur,1839*
5781. **Trigonocera Becker,1902** (Dolichopodidae) Synonym(s): *Trigonocera Becker,1902*
5782. **Trigonocranus Fieber,1875** (Cixiidae) Synonym(s):
5783. **Trigonoscelis Solier,1836** (Tenebrionidae) Synonym(s): *Trigonoscelis Solier,1836*
5784. **Trigonotylus Fieber,1858** (Miridae) Synonym(s): *Trigonotylus Fieber,1858*
5785. **Triloris Fennah,1969** (Delphacidae) Synonym(s):
5786. **Trimedia Fennah,1944** (Dictyopharidae) Synonym(s):
5787. **Trimium Aubé,1833** (Staphylinidae) Synonym(s): *Trimium Aubé,1833*
5788. **Triodontella Reitter,1919** (Scarabaeidae) Synonym(s): *Triodonta Mulsant,1842 nec Bory,1827*;
Triodontella Reitter,1919
5789. **Trionymus Berg,1899** (Pseudococcidae) Synonym(s): *Trionymus Berg,1899*
5790. **Triozza Förster,1848** (Triozidae) Synonym(s): *Triozza Förster,1848*
5791. **Trirhacus Fieber,1875** (Cixiidae) Synonym(s):
5792. **Trirhacus Fieber,1875** (Cixiidae) Synonym(s): *Trirhacus Fieber,1875*; *Nannocixius Wagner,1939*;
Neocixius Wagner,1939; *Sphaerocixius Wagner,1939*
5793. **Trisepheha Medler,1990** (Flatidae) Synonym(s):
5794. **Trissemus Jeannel,1949** (Staphylinidae) Synonym(s): *Trissemus Jeannel,1949*
5795. **Trissolcus Ashmead,1893** (Scelionidae) Synonym(s): *Trissolcus Ashmead,1893*; *Asolcus*
Nakagawa,1900; *Immsia Cameron,1912*; *Aphanurus Kieffer,1912 nec Looss,1907*; *Microphanurus Kieffer,1926*
5796. **Trissopelopia Kieffer,1923** (Chironomidae) Synonym(s): *Trissopelopia Kieffer,1923*
5797. **Trithemis Brauer,1868** (Libellulidae) Synonym(s): *Trithemis Brauer,1868*
5798. **Trixoscelis Rondani,1856** (Trixoscelidae) Synonym(s): *Trixoscelis Rondani,1856*
5799. **Trjapitzinia Dzhankmen,1975** (Pteromalidae) Synonym(s): *Trjapitzinia Dzhankmen,1975*
5800. **Trochiscocoris Reuter,1890** (Pentatomidae) Synonym(s): *Trochiscocoris Reuter,1890*
5801. **Troglocimmerites (s.str.) Ljovuschkin,1970** (Carabidae) Synonym(s): *Troglocimmerites*
Ljovuschkin,1970
5802. **Troglophilus (Dasycelus) Werner,1927** (Raphidophoridae) Synonym(s): *Dasycelus*
Werner,1927
5803. **Troglophilus (s.str.) Krauss,1879** (Raphidophoridae) Synonym(s): *Troglophilus Krauss,1879*
5804. **Troglophilus Krauss,1879** (Raphidophoridae) Synonym(s): *Troglophilus Krauss,1879*
5805. **Troglops Erichson,1840** (Melyridae) Synonym(s): *Troglops Erichson,1840*; *Trauglops*
Abeille,1890
5806. **Trogoderma Berthold,1827** (Dermestidae) Synonym(s): *Trogoderma Berthold,1827*
5807. **Troilus Stal,1867** (Pentatomidae) Synonym(s): *Troilus Stal,1867*
5808. **Tromatobia Förster,1868** (Ichneumonidae) Synonym(s): *Tromatobia Förster,1868*;
Austropimpla Brethes,1913
5809. **Tropicophyllum Koçak & Kemal,2008** (Tettigoniidae) Synonym(s): *Rossophyllum Grant,1958*
nec Stuckenb.,1888; *Tropicophyllum Koçak & Kemal,2008*
5810. **Tropideres Schoenherr,1826** (Anthribidae) Synonym(s): *Tropideres Schoenherr,1826*;
Macrocephalus Olivier,1795 (part.); *Tropidoceres Gemminger & Harold,1872*
5811. **Tropiderinus Reitter,1916** (Anthribidae) Synonym(s): *Tropiderinus Reitter,1916*
5812. **Tropidocephala Stal,1853** (Delphacidae) Synonym(s): *Tropidocephala Stal,1853*; *Nephropsia*
A.Costa,1862; *Conicoda Matsumura,1900*; *Smara Distant,1906*
5813. **Tropidodynerus Blüthgen,1939** (Vespididae) Synonym(s): *Tropidodynerus Blüthgen,1939*
5814. **Tropidomyia Williston,1888** (Conopidae) Synonym(s): *Tropidomyia Williston,1888*
5815. **Tropidophara Bierman,1910** (Dictyopharidae) Synonym(s):
5816. **Tropidopola Stal,1873** (Acrididae) Synonym(s): *Opomala Fieber,1853*; *Opsomala Fieber,1853*;
Tropidopola Stal,1873
5817. **Tropidotilla Bischoff,1920** (Mutillidae) Synonym(s): *Tropidotilla Bischoff,1920*
5818. **Tropiduchodes Schmidt,1910** (Tropiduchidae) Synonym(s): *Tropiduchodes Schmidt,1910*
5819. **Tropiduchus Stål,1854** (Tropiduchidae) Synonym(s): *Tropiduchus Stål,1854*

- 5820. Tropinota (Epicometis) Burmeister,1842** (Scarabaeidae) Synonym(s): *Epicometis Burmeister,1842*
- 5821. Tropinota (s.str.) Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
- 5822. Tropinota Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
- 5823. Tropiphlepsia Muir,1924** (Achilidae) Synonym(s):
- 5824. Tropistethus Fieber,[1860]** (Lygaeidae) Synonym(s): *Tropistethus Fieber,[1860]; Tropidostethus Marshall,1868*
- 5825. Trupanea Schrank,1795** (Tephritidae) Synonym(s): *Trupanea Schrank,1795; Trypanea Agassiz,1846*
- 5826. Truxalis Fabricius,1775** (Acrididae) Synonym(s): *Truxalis Fabricius,1775; #Troxalis Marshall,1870; Acridella Bolivar,1893; #Tryxalis Scudder,1897*
- 5827. Trypetimorpha A.Costa,1862** (Tropiduchidae) Synonym(s): *Trypetimorpha A.Costa,1862*
- 5828. Trypetoptera Hendel,1900** (Sciomyzidae) Synonym(s): *Trypetoptera Hendel,1900*
- 5829. Tryphon Fallén,1813** (Ichneumonidae) Synonym(s): *Tryphon Fallén,1813*
- 5830. Trysanor Williams & Fennah,1980** (Ricaniiidae) Synonym(s):
- 5831. Tsauria Koçak & Kemal,2009** (Cixiidae) Synonym(s): *Discophorellus Tsaaur, Hsu & Van Stalle,1991 nec Wibmer,1986; Tsauria Koçak & Kemal,2009*
- 5832. Tshurtshurnella Kusnezov,1927** (Issidae) Synonym(s): *Tshurtshurnella Kusnezov,1927; Megissus Linnavuori,1965*
- 5833. Tuberculepsus Roy,2008** (Irididae) Synonym(s): *Tuberculepsus Roy,2008*
- 5834. Tubilustrium Distant,1916** (Caliscelidae) Synonym(s):
- 5835. Tucma Mourgués-Schurter,1987** (Sphaeroceridae) Synonym(s): *Tucma Mourgués-Schurter,1987*
- 5836. Tuponia Reuter,1875** (Miridae) Synonym(s): *Tuponia Reuter,1875*
- 5837. Turanella Semenov,1905** (Scarabaeidae) Synonym(s): *Isochirus Reitter,1892 (praeocc.); Turanella Semenov,1905*
- 5838. Turanoclytus Sama,1994** (Cerambycidae) Synonym(s): *Turanoclytus Sama,1994*
- 5839. Turanogryllus Tarbinskii,1940** (Gryllidae) Synonym(s): *Turanogryllus Tarbinskii,1940*
- 5840. Turcicornis Hava,2000** (Dermestidae) Synonym(s): *Turcicornis Hava,2000*
- 5841. Turka Özdikmen,2008** (Asilidae) Synonym(s): *Turkiella Lehr,1996 nec Zumpt & Till,1953; Turka Özdikmen,2008*
- 5842. Turkanillus (Turkanillus) Coiffait,1956** (Carabidae) Synonym(s): *Turkanillus Coiffait,1956*
- 5843. Turneriolla China,1923** (Tropiduchidae) Synonym(s):
- 5844. Turrutus Ribaut,1946** (Cicadellidae) Synonym(s): *Turrutus Ribaut,1946*
- 5845. Tychius Germar,1817** (Curculionidae) Synonym(s): *Tychius Germar,1817*
- 5846. Tychobythinus Ganglbauer,1896** (Staphylinidae) Synonym(s): *Tychobythinus Ganglbauer,1896*
- 5847. Tylacra Emeljanov,2008** (Dictyopharidae) Synonym(s): *Tylacra Emeljanov,2008*
- 5848. Tylana Stål,1861** (Issidae) Synonym(s): *Tylana Stål,1861*
- 5849. Tylanira Ball,1936** (Issidae) Synonym(s):
- 5850. Tylopsis Fieber,1853** (Tettigoniidae) Synonym(s): *Tylopsis Fieber,1853; Centrophorus Fischer von Waldheim,1846*
- 5851. Typhlobrixia Synave,1953** (Cixiidae) Synonym(s):
- 5852. Typhlocyba Germar,1833** (Cicadellidae) Synonym(s): *Typhlocyba Germar,1833*
- 5853. Tyrphodelphax Vilbaste,1968** (Delphacidae) Synonym(s):
- 5854. Tythaspis Crotch,1874** (Coccinellidae) Synonym(s): *Tythaspis Crotch,1874*
- 5855. Ubis Fennah,1945** (Tropiduchidae) Synonym(s):
- 5856. Udenopogon Becker,1913** (Asilidae) Synonym(s): *Udenopogon Becker,1913*
- 5857. Ufens Girault,1911** (Trichogrammatidae) Synonym(s): *Ufens Girault,1911*
- 5858. Ufensia Girault,1913** (Trichogrammatidae) Synonym(s): *Ufensia Girault,1913*
- 5859. Ugandana Metcalf,1952** (Caliscelidae) Synonym(s): *Ugandana Metcalf,1952*
- 5860. Ugoa Fennah,1945** (Issidae) Synonym(s):
- 5861. Ugyops Guérin-Méneville,1834** (Delphacidae) Synonym(s):
- 5862. Ujguricola Lehr,1970** (Asilidae) Synonym(s): *Ujguricola Lehr,1970*
- 5863. Ula (s.str.) Haliday,1833** (Pediidae) Synonym(s): *Ula Haliday,1833*
- 5864. Ula Haliday,1833** (Pediidae) Synonym(s): *Ula Haliday,1833*
- 5865. Ulasia Stål,1863** (Fulgoroidea) Synonym(s):
- 5866. Ulidia Meigen,1826** (Ulidiidae) Synonym(s): *Ulidia Meigen,1826*
- 5867. Ulidiopsis Henning,1939** (Ulidiidae) Synonym(s): *Ulidiopsis Henning,1939*
- 5868. Ulixes Stål,1861** (Issidae) Synonym(s):
- 5869. Ulixoides Haupt,1918** (Issidae) Synonym(s):
- 5870. Uloma Latreille,1829** (Tenebrionidae) Synonym(s): *Uloma Latreille,1829*
- 5871. Ulundia Distant,1910** (Flatidae) Synonym(s):

- 5872. Umidena Medler,1992** (Flatidae) Synonym(s):
5873. Unalia Koçak & Kemal,2008 (Acrididae) Synonym(s): *Goniocara Uvarov,1953 (praeocc.); Unalia Koçak & Kemal,2008*
5874. Unalianus Koçak & Kemal,2009 (Tettigoniidae) Synonym(s): *Unalianus Koçak & Kemal,2009*
5875. Unaspis MacGillivray,1921 (Diaspididae) Synonym(s): *Unaspis MacGillivray,1921*
5876. Undarana Hoch,1989 (Cixiidae) Synonym(s):
5877. Uniptera Ball,1933 (Achilidae) Synonym(s):
5878. Unkana Matsumura,1935 (Delphacidae) Synonym(s):
5879. Unkanodes Fennah,1956 (Delphacidae) Synonym(s): *Unkanodes Fennah,1956; Elymodelphax Wagner,1963; Chilodelphax Wagner,1968*
5880. Unnata Distant,1906 (Flatidae) Synonym(s):
5881. Upachara Distant,1906 (Delphacidae) Synonym(s):
5882. Urana Melichar,1901 (Flatidae) Synonym(s):
5883. Urentius Distant,1903 (Tingidae) Synonym(s): *Urentius Distant,1903*
5884. Urophora Robineau-Desvoidy,1830 (Tephritidae) Synonym(s): *Urophora Robineau-Desvoidy,1830*
5885. Urvillea Kirkaldy,1907 (Cixiidae) Synonym(s):
5886. Urytalpa Edwards,1929 (Keroplastidae) Synonym(s): *Urytalpa Edwards,1929*
5887. Usambrachys Constant,2005 (Eurybrachidae) Synonym(s): *Usambrachys Constant,2005*
5888. Usana Distant,1906 (Achilidae) Synonym(s):
5889. Uscana Girault,1911 (Trichogrammatidae) Synonym(s): *Uscana Girault,1911*
5890. Usia (Micrusia) Evenhuis,1990 (Bombyliidae) Synonym(s): *Micrusia Evenhuis,1990*
5891. Usia (s.str.) Latreille,1802 (Bombyliidae) Synonym(s): *#Voluccella Fabricius,1794; Usia Latreille,1802; Zerynthia Rafinesque,1815*
5892. Usia Latreille,1802 (Bombyliidae) Synonym(s): *#Voluccella Fabricius,1794; Usia Latreille,1802; Zerynthia Rafinesque,1815*
5893. Utakwana Distant,1914 (Flatidae) Synonym(s):
5894. Utecha Emeljanov,1996 (Cicadellidae) Synonym(s): *Utecha Emeljanov,1996*
5895. Uvarovistia Maran,1953 (Tettigoniidae) Synonym(s): *#Uvarovistia Ramme,1951; Uvarovistia Maran,1953*
5896. Uxantis Stål,1870 (Flatidae) Synonym(s):
5897. Uysanus Distant,1908 (Flatidae) Synonym(s):
5898. Vachiria Stal,1859 (Reduviidae) Synonym(s): *Vachiria Stal,1859*
5899. Vadonia Mulsant,1863 (Cerambycidae) Synonym(s): *Vadonia Mulsant,1863*
5900. Valgus Scriba,1790 (Scarabaeidae) Synonym(s): *Valgus Scriba,1790; Acanthurus Kirby,1827*
5901. Vanua Kirkaldy,1906 (Tropiduchidae) Synonym(s):
5902. Vanuoides Metcalf,1938 (Tropiduchidae) Synonym(s):
5903. Varcia Stål,1870 (Nogodinidae) Synonym(s):
5904. Varciella Melichar,1923 (Nogodinidae) Synonym(s):
5905. Varciopsis Jacobi,1916 (Nogodinidae) Synonym(s):
5906. Varma Distant,1906 (Tropiduchidae) Synonym(s):
5907. Vekunta Distant,1906 (Derbidae) Synonym(s):
5908. Velia (Cesavelia) Koçak & Kemal,2010 (Veliidae) Synonym(s): *Haldwania Tamanini,1955 nec Beier,1930; Cesavelia Koçak & Kemal,2010*
5909. Velia (s.str.) Latreille,1804 (Veliidae) Synonym(s): *Velia Latreille,1804*
5910. Velia Latreille,1804 (Veliidae) Synonym(s): *Velia Latreille,1804*
5911. Ventocoris Hahn,1834 (Pentatomidae) Synonym(s): *Ventocoris Hahn,1834*
5912. Venturia Schrottky,1902 (Ichneumonidae) Synonym(s): *Idechthis Förster,1868 nec Hbn.,1821; Venturia Schrottky,1902; Devorgilla Cameron,1907; Balcarcia Brethes,1922; Notamorphota Blanchard,1947; Exidechthis Walkley,1958; Slenda Gauld,1984*
5913. Verdanus Oman,1949 (Cicadellidae) Synonym(s): *Verdanus Oman,1949*
5914. Veribudo Evenhuis,1978 (Bombyliidae) Synonym(s): *Veribudo Evenhuis,1978*
5915. Vermileo Macquart,1834 (Vermileonidae) Synonym(s): *Vermileo Macquart,1834*
5916. Vervesia Koçak & Kemal,2008 (Sarcophagidae) Synonym(s): *Stuckenbergiella Verves,1997 nec Cogan,1971; Vervesia Koçak & Kemal,2008*
5917. Vespa Linnaeus,1758 (Vespidae) Synonym(s): *Vespa Linnaeus,1758*
5918. Vespula Thomson,1869 (Vespidae) Synonym(s): *Vespula Thomson,1869*
5919. Vibidia Mulsant,1846 (Coccinellidae) Synonym(s): *Vibidia Mulsant,1846*
5920. Vidalia Robineau-Desvoidy,1830 (Tephritidae) Synonym(s): *Vidalia Robineau-Desvoidy,1830; Stemonocera Rondani,1870; Pseudina Malloch,1939 nec Gn.,1852 (hom.n.)*
5921. Vildania Koçak & Kemal,2009 (Ichneumonidae) Synonym(s): *Allotheca Cameron,1906 nec Ehrenb.,1843; Vildania Koçak & Kemal,2009*
5922. Villa Lioy,1864 (Bombyliidae) Synonym(s): *Villa Lioy,1864*
5923. Vinata Distant,1906 (Derbidae) Synonym(s):

5924. **Vincentia Uhler,1895** (Cixiidae) Synonym(s):
 5925. **Vindilis Stål,1870** (Issidae) Synonym(s):
 5926. **Viridicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Viridicerus Dlabola,1974*
 5927. **Viridophara Mushtaq,1992** (Dictyopharidae) Synonym(s):
 5928. **Vishnuloka Distant,1906** (Issidae) Synonym(s):
 5929. **Vivaha Distant,1906** (Derbidae) Synonym(s): *Vivaha Distant,1906*
 5930. **Vivamexico Koçak & Kemal,2008** (Encyrtidae) Synonym(s): *Sancarlosia Trjapitzin & Myartseva,2004 nec Chiplonkar & Ghare,1978; Vivamexico Koçak & Kemal,2008*
 5931. **Vizcaya Muir,1917** (Delphacidae) Synonym(s):
 5932. **Volcanalia Distant,1917** (Cixiidae) Synonym(s):
 5933. **Volucella Geoffroy,1762** (Syrphidae) Synonym(s): *Volucella Geoffroy,1762*
 5934. **Vutina Stål,1862** (Nogodinidae) Synonym(s):
 5935. **Wachtliella Rübsaamen,1915** (Cecidomyiidae) Synonym(s): *Wachtliella Rübsaamen,1915*
 5936. **Wainia (Caposmia) Peters,1984** (Megachilidae) Synonym(s): *Caposmia Peters,1984*
 5937. **Wainia (Wainiella) Griswold,1997** (Megachilidae) Synonym(s): *Wainiella Griswold,1997*
 5938. **Wainia Tkalcu,1980** (Megachilidae) Synonym(s): *Wainia Tkalcu,1980*
 5939. **Walena Medler,1999** (Flatidae) Synonym(s):
 5940. **Webbsianus Dlabola,1983** (Issidae) Synonym(s): *Webbsianus Dlabola,1983*
 5941. **Wedelphus? Szwedó & Wappler,2006** (Dictyopharidae) Synonym(s):
 5942. **Wichmannia Ruschka,1916** (Eulophidae) Synonym(s): *Wichmannia Ruschka,1916*
 5943. **Wiedemannia Zetterstedt,1833** (Empididae) Synonym(s): *Wiedemannia Zetterstedt,1833*
 5944. **Wohlfahrtia Brauer & Bergenstamm,1889** (Sarcophagidae) Synonym(s): *Wohlfahrtia Brauer & Bergenstamm,1889; #Wohlfartia Kara & Pape,2002*
 5945. **Xanthochroina Ganglbauer,1881** (Oedemeridae) Synonym(s): *Xanthochroina Ganglbauer,1881*
 5946. **Xanthodelphax Wagner,1963** (Delphacidae) Synonym(s):
 5947. **Xanthogramma Schiner,1860** (Syrphidae) Synonym(s): *Xanthogramma Schiner,1860*
 5948. **Xenaporus Ashmead,1902** (Pompilidae) Synonym(s): *Xenaporus Ashmead,1902*
 5949. **Xenion Tschitscherine,1902** (Carabidae) Synonym(s): *Xenion Tschitscherine,1902*
 5950. **Xenoreoderus Arrow,1910** (Scarabaeidae) Synonym(s): *Xenoreoderus Arrow,1910*
 5951. **Xenoschesis (s.str.) Förster,1868** (Ichneumonidae) Synonym(s): *Xenoschesis Förster,1868; Homobia Förster,1868; Glyptocentrus Kriechbaumer,1894*
 5952. **Xenoschesis Förster,1868** (Ichneumonidae) Synonym(s): *Xenoschesis Förster,1868; Homobia Förster,1868; Glyptocentrus Kriechbaumer,1894*
 5953. **Xeramoeba Hesse,1956** (Bombyliidae) Synonym(s): *Xeramoeba Hesse,1956*
 5954. **Xerbus O'Brien,1971** (Achilidae) Synonym(s):
 5955. **Xerohippus Uvarov,1942** (Acrididae) Synonym(s): *Xerohippus Uvarov,1942*
 5956. **Xestocephalus Van Duzee,1892** (Cicadellidae) Synonym(s): *Xestocephalus Van Duzee,1892*
 5957. **Xestomyzina Kröber,1912** (Therevidae) Synonym(s): *Xestomyzina Kröber,1912*
 5958. **Xorides (Gonophonus) Förster,1868** (Ichneumonidae) Synonym(s): *Gonophonus Förster,1868*
 5959. **Xorides (Moerophora) Förster,1868** (Ichneumonidae) Synonym(s): *Moerophora Förster,1868*
 5960. **Xorides Latreille,1809** (Ichneumonidae) Synonym(s): *Xorides Latreille,1809*
 5961. **Xosias Kirkaldy,1904** (Nogodinidae) Synonym(s):
 5962. **Xosophara Kirkaldy,1904** (Fulgoridae) Synonym(s):
 5963. **Xya Latreille,1809** (Tridactylidae) Synonym(s): *Xya Latreille,1809*
 5964. **Xylocopa Latreille,1802** (Apidae) Synonym(s): *Xylocopa Latreille,1802*
 5965. **Xylocoris Dufour,1831** (Anthocoridae) Synonym(s): *Xylocoris Dufour,1831; #Xycoloris Dufour,1833*
 5966. **Xylodromus Heer,1839** (Staphylinidae) Synonym(s): *Xylodromus Heer,1839*
 5967. **Xylomya Rondani,1861** (Xylomyidae) Synonym(s): *Xylomya Rondani,1861; Subula Meigen,1820; #Xlomyia Üstüner & Kalyoncu,2005*
 5968. **Xylophagus Meigen,1803** (Xylophagidae) Synonym(s): *Xylophagus Meigen,1803; Erinna Meigen,1800; Pachystomus Latreille,1809; Archimyia Enderlein,1820*
 5969. **Xylota Meigen,1822** (Syrphidae) Synonym(s): *Xylota Meigen,1822*
 5970. **Xylotrechus Chevrolat,1860** (Cerambycidae) Synonym(s): *Xylotrechus Chevrolat,1860*
 5971. **Xylotrupes Hope,1837** (Scarabaeidae) Synonym(s): *Xylotrupes Hope,1837*
 5972. **Xyphosia Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *Xyphosia Robineau-Desvoidy,1830*
 5973. **Xysta Meigen,1829** (Tachinidae) Synonym(s): *Xysta Meigen,1829; #Xista Rondani,1856*
 5974. **Xystropeltis Rehn,1935** (Mantidae) Synonym(s): *Xystropeltis Rehn,1935*
 5975. **Yanovalgus Nomura,1952** (Scarabaeidae) Synonym(s): *Yanovalgus Nomura,1952*

- 5976. Yarrana Distant,1906** (Eurybrachidae) Synonym(s): *Yarrana Distant,1906*
- 5977. Yemenia Koçak & Kemal,2009** (Therevidae) Synonym(s): *Aræopus Lyneborg,1983 nec Spinola,1839; Yemenia Koçak & Kemal,2009*
- 5978. Yersinia Saussure,1869** (Mantidae) Synonym(s): *Ameles Sauusure,1871 nec Burm.,1838; Yersinia Saussure,1869*
- 5979. Yersinops Hebard,1931** (Mantidae) Synonym(s): *Yersinops Hebard,1931*
- 5980. Yucanda Ball & Hartzell,1922** (Dictyopharidae) Synonym(s):
- 5981. Yusufia Koçak & Kemal,2008** (Pteromalidae) Synonym(s): *Susteraia Boucek,1972 nec Bechyne,1950; Yusufia Koçak & Kemal,2008; Neosusteraia Özdikmen & Darılmaz,2009*
- 5982. Zabrachypus Cushman,1920** (Ichneumonidae) Synonym(s): *Zabrachypus Cushman,1920*
- 5983. Zabrus (s.str.) Clairville,1806** (Carabidae) Synonym(s): *Zabrus Clairville,1806*
- 5984. Zabrus Clairville,1806** (Carabidae) Synonym(s): *Zabrus Clairville,1806*
- 5985. Zaglyptus Förster,1868** (Ichneumonidae) Synonym(s): *Zaglyptus Förster,1868*
- 5986. Zaira Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *Zaira Robineau-Desvoidy,1830; Fabricia Meigen,1838 nec Blainv.,1828; Sitophaga Gistel,1848; Biomya Rondani,1856; Viviania Rondani,1861; Pseudatractocera Townsend,1892; Eubiomyia Townsend,1916; Thematheca Reinhard,1961; Nearchus Reinhard,1964 nec Redt.,1908*
- 5987. Zalutschia Lipina,1939** (Chironomidae) Synonym(s): *Zalutschia Lipina,1939*
- 5988. Zanna Kirkaldy,1902** (Fulgoridae) Synonym(s):
- 5989. Zaomma Ashmead,1900** (Encyrtidae) Synonym(s): *Zaomma Ashmead,1900*
- 5990. Zaplethocornia Schmiedeknecht,1912** (Ichneumonidae) Synonym(s): *Zaplethocornia Schmiedeknecht,1912; Nictula Burks,1952; Parastadus Burks,1952; #Zapletocorina Kolarov,1995*
- 5991. Zaputala Emeljanov,2008** (Dictyopharidae) Synonym(s): *Zaputala Emeljanov,2008*
- 5992. Zarudnya Melichar,1901** (Flatidae) Synonym(s): *Zarudnya Melichar,1901*
- 5993. Zarudnya Melichar,1901** (Flatidae) Synonym(s):
- 5994. Zathauma Fennah,1949** (Achilidae) Synonym(s):
- 5995. Zatypota Förster,1868** (Ichneumonidae) Synonym(s): *Zatypota Förster,1868; Polysphinctopsis Habermehl,1917; Lycorinopsis Haupt,1954*
- 5996. Zaumseilia Schmidt,1924** (Fulgoridae) Synonym(s):
- 5997. Zavrelia Kieffer, Thienemann & Bause,1913** (Chironomidae) Synonym(s): *Zavrelia Kieffer, Thienemann & Bause,1913*
- 5998. Zavrelimyia Fittkau,1962** (Chironomidae) Synonym(s): *Zavrelimyia Fittkau,1962*
- 5999. Zecheuna Zia,1935** (Flatidae) Synonym(s):
- 6000. Zedochir Fennah,1978** (Dictyopharidae) Synonym(s):
- 6001. Zeoliarus Larivière & Fletcher,2008** (Cixiidae) Synonym(s): *Zeoliarus Larivière & Fletcher,2008*
- 6002. Zepasa Distant,1906** (Fulgoridae) Synonym(s):
- 6003. Zercanus Dlabola,1965** (Cicadellidae) Synonym(s): *Zercanus Dlabola,1965*
- 6004. Zeugma Westwood,1840** (Derbidae) Synonym(s):
- 6005. Zeunasa Distant,1906** (Fulgoridae) Synonym(s):
- 6006. Zeuxia Meigen,1826** (Tachinidae) Synonym(s): *Zeuxia Meigen,1826*
- 6007. Zibus Saulcy,1876** (Staphylinidae) Synonym(s): *Zibus Saulcy,1876*
- 6008. Zicrona Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Zicrona Amyot & Serville,1843*
- 6009. Zodion Latreille,1796** (Conopidae) Synonym(s): *Zodion Latreille,1796*
- 6010. Zonitis Fabricius,1775** (Meloidae) Synonym(s): *Zonitis Fabricius,1775*
- 6011. Zophosis (Oculosis) Penrith,1977** (Tenebrionidae) Synonym(s): *Oculosis Penrith,1977*
- 6012. Zophosis (Septentriophosis) Penrith,1982** (Tenebrionidae) Synonym(s): *Septentriophosis Penrith,1982*
- 6013. Zophosis Latreille,1802** (Tenebrionidae) Synonym(s): *Zophosis Latreille,1802*
- 6014. Zorabana Van Stalle,1984** (Derbidae) Synonym(s):
- 6015. Zoraida Kirkaldy,1900** (Derbidae) Synonym(s): *Thracia Westwood,1840; Zoraida Kirkaldy,1900*
- 6016. Zoraidoides Distant,1914** (Derbidae) Synonym(s):
- 6017. Zorochros Thomson,1859** (Elateridae) Synonym(s): *Zorochros Thomson,1859; #Zorochrus Thomson,1864*
- 6018. Zuleika Distant,1912** (Delphacidae) Synonym(s):
- 6019. Zyгина (Hypericiella) Dworakowska,1970** (Cicadellidae) Synonym(s): *Hypericiella Dworakowska,1970*
- 6020. Zygina (s.str.) Fieber,1866** (Cicadellidae) Synonym(s): *Zygina Fieber,1866; Flammigeroidia Dlabola,1958*
- 6021. Zygina Fieber,1866** (Cicadellidae) Synonym(s): *Zygina Fieber,1866; Flammigeroidia Dlabola,1958*
- 6022. Zyginella Loew,1885** (Cicadellidae) Synonym(s): *Zyginella Loew,1885; Pyramidotettix Matsumura,1931; Remmia Vilbaste,1968*
- 6023. Zyginidia (Anatolidia) Zachvatkin,1937** (Cicadellidae) Synonym(s): *Anatolidia Zachvatkin,1937*

- 6024. Zyginidia (s.str.) Haupt,1929** (Cicadellidae) Synonym(s): *Idia Fieber,1866 (preocc.); Zyginidia Haupt,1929*
- 6025. Zygiobia Kieffer,1913** (Cecidomyiidae) Synonym(s): *Zygiobia Kieffer,1913*
- 6026. Zygomya Winnertz,1863** (Mycetophilidae) Synonym(s): *Zygomya Winnertz,1863*
- 6027. Zygonyx Hagen,1867** (Libellulidae) Synonym(s): *Zygonyx Hagen,1867*
- 6028. Zyziphoides Distant,1918** (Cicadellidae) Synonym(s): *Zyziphoides Distant,1918; Rhombopsis Haupt,1927; Rhombopsana Metcalf,1952*



An attempt on the bibliographical evaluation of the Project Entomofauna of World

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: List of the genera of the pterygot insects used in the Project Entomofauna of the World by the Cesa. *Priamus* (suppl.) 18: 130-239.

In this paper, totally 946 publications of various pterygot orders (except *Lepidoptera*) are evaluated under four parts. In the first part, under the title of Publications with faunistical information, totally 848 articles are listed as author indexes. In the part entitled “publications with taxonomical evaluations” totally 553 publications are arranged alphabetically. In the part of publications with identification keys to the taxa, totally 135 publications are used. In the last part, “selected bibliography according to some pterygot orders”, the used publications in the reports related with 17 orders (*Ephemeroptera*, *Plecoptera*, *Odonata*, *Orthoptera*, *Mantodea*, *Blattodea*, *Dermaptera*, *Thysanoptera*, *Hemiptera*, *Homoptera*, *Neuroptera*, *Mecoptera*, *Trichoptera*, *Lepidoptera*, *Diptera*, *Hymenoptera*, and *Coleoptera*) are arranged as author indexes.

Brief explanatory information:

Previously published articles	Yes ³
Previously published report	Yes (see note 2)
Expedition made by the Cesa	-
Planned expeditions	-
Further planned publications	Yes

The results on this subject submitted here, are of course temporary. There are still many publications that used in the reports or to be used in future. In the coming reports on this topic more detailed bibliographical evaluations will be published.

Below, the publications used in the reports are arranged under the following four titles: Publications with faunistical information with a list of totally 848 articles; publications with taxonomical evaluations with 553 publications arranged alphabetically; publications with identification keys to the taxa with 135 publications, and finally, “Selected bibliography according to some pterygot orders”, the used publications in the reports related with 17 orders (*Ephemeroptera*, *Plecoptera*, *Odonata*, *Orthoptera*, *Mantodea*, *Blattodea*, *Dermaptera*,

³ Articles on the insect bibliography have been previously published by the authors especially on the order *Lepidoptera* (see: **Koçak, A.Ö. & S.Seven**, 1994, Türkiye *Lepidoptera* Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141. - **Koçak, A.Ö. & M.Kemal**, 2007, Chapter 4: Bibliography of the *Lepidoptera* (BL), [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the *Lepidoptera* of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267. - **Koçak, A.Ö., Kemal, M. Seven, S. Özkol, H. & L.Kayci**, 2007, Selected bibliography on the *Lepidoptera* of Caucasus Region. *Priamus* Suppl. 10: 1-44, 1 map.- On other pterygot insects, initiary bibliographical studies were published in the previous issues of the Entomofauna reports in the serial of Cesa News (see: **Koçak, A.Ö. & M.Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 51: 3-106, 40 figs. - **Koçak, A.Ö. & M.Kemal**, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 52: 1-63, 14 figs.- **Koçak, A.Ö. & M.Kemal**, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. *Cesa News* 53: 1-212, 145 figs.

Thysanoptera, Hemiptera, Homoptera, Neuroptera, Mecoptera, Trichoptera, Lepidoptera, Diptera, Hymenoptera, and Coleoptera) are arranged as author indexes.

Publications with faunistical information

1. **Abbasian-Lintzen,R.**, 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. J. nat. Hist. 2: 231-238. [available in Cesa Library]
2. **Abeille de Perrin,E.**, 1890, Malachides d'Europe et pays voisins. Annl's Soc. ent. Fr. 59: 181-260, 311-420, 567-680, pl.4. [available in Cesa Library]
3. **Abeille de Perrin,E.**, 1891, Malachides d'Europe et pays voisins. Annl's Soc. ent. Fr. 60: 115-230, 405-446, pls. 6 & 7.
4. **Abeille de Perrin,E.**, 1892, Decrit deux nouvelles especes de Clerides méditerranéens. Bull. Soc. ent. Fr. 1892: ccxxxvi-ccxxxvii. [available in Cesa Library]
5. **Abu Dannoun,O. & A.Katbeh-Bader**, 2007, Mantodea of Jordan. Zootaxa 1617: 43-56. [available in Cesa Library]
6. **Achterberg,C.van**, 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 249: 1-324, 1250 figs. [available in Cesa Library]
7. **Achterberg,C.van**, 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 255: 1-106, 360 figs. [available in Cesa Library]
8. **Achterberg,C.van**, 1999, The west palaearctic species of the subfamily Paxylommatinae (Hymenoptera, Ichneumonidae) Synonym(s): with special reference to the genus Hybrizon Fallén. Zool. Meded. Leiden 73 (2): 11-26, figs. [available in Cesa Library]
9. **Adlbauer,K.**, 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae) Synonym(s): . NachrBl. bayer. Ent. 31 (6): 104-107, 2 Abb. [available in Cesa Library]
10. **Ahmed,M., Qadeer,A. & K.F.Malik**, 1991, Some new cicadellids from grasslands of Karachi Pakistan (Homoptera, Cicadellidae) Synonym(s): . Great Basin nat. Mem. 12: 10-17, figs. [available in Cesa Library]
11. **Ahrens,D.**, 2008, Catalogue Palaearctic Sericini (updated March 2008). <http://www.serica.gmxhome.de/layout05/thema1b.htm>
12. **Aktaş,M. & A.Hasbenli**, 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae) Synonym(s): . J. Inst. Sci. Techn. Gazi Univ. 7: 48-51. [available in Cesa Library]
13. **Aktaş,M. & S.Kiyak**, 1990, A new record of *Cacodmus vicinus* Horvath to the fauna of Turkey (Hemiptera, Cimicidae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 7: 1-2. [available in Cesa Library]
14. **Aktaş,M. & S.Sarıbiyik**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) Synonym(s): 2. Milesiinae. Gazi Univ. Fen Bil. Derg. 9 (1): 15-27, figs. [available in Cesa Library]
15. **Albarda,H.**, 1891, Révision des Raphidides. Tijdschr. Ent. 34: 65-184, 11 pls. [available in Cesa Library]
16. **Alfken,J.D.**, 1930, Apidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25-26. [available in Cesa Library]
17. **Alfken,J.D.**, 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. Ent. Rdsch. 52: 110-111, 129-132, 148-152, 153-162 [available in Cesa Library]
18. **Aliyev,A.A.**, 1999, Fauna of the subfamily Ichneumoninae (Hymenoptera, Ichneumonidae) Synonym(s): of Azerbaijan with new records. Turk. J. Zool. 23: 1-12 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library]
19. **Altınayar,G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
20. **Anlaş,S.**, 2009, Distributional checklist of the Staphylinidae (Coleoptera) of Turkey with new and additional records. Linzer biol. Beitr. 41 (1): 215-342. [available in Cesa Library]
21. **Anlaş,S., Tezcan,S. & E.Yıldırım**, 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. YYÜ Tarım Bil. Derg. 19 (1): 23-32. [available in Cesa Library]

22. **Anlaş,S., Wahis,R. & S.Tezcan,** 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. *Turk. ent. derg.* 29 (4): 255-258. [available in Cesa Library]
23. **Anonymous,** 2006-2008, HymIS Hymenoptera Information System. <http://www.hymis.info/topical/topical.php?nav1=topical>
24. **Anonymous,** 2007-2009, Universal Chalcidoidea Database. Natural History Museum. <http://www.nhm.ac.uk/jdsml/research-curation/research/projects/chalcidooids/>
25. **Ariana,A., Scheuchl,E., Tadauchi,O. & F.Gusenleitner,** 2009, A taxonomic revision of the subgenus *Andrena* (*Brachyandrena*) (Hymenoptera, Andrenidae) *Synonym(s): . Zootaxa* 2281: 21-39, figs. [available in Cesa Library]
26. **Asahina,S.,** 1973, The Odonata of Iraq. *Jap. J. Zool.* 17: 17-36, figs.
27. **Asahina,S.,** 1974, An additional note to the Odonata of Iraq. *Kontyu Tokyo* 42 (2). 107-109. [available in Cesa Library]
28. **Askew,R.R., Gomez,J.F. & J.L.Nieves-Aldrey,** 2004, Species of Microdromerini (Hymenoptera, Chalcidoidea, Torymidae) *Synonym(s):* associated with galls of Cynipidae (Hymenoptera) in Europe. *J. Hym. Res.* 13 (2): 214-222. [available in Cesa Library]
29. **Aslan,I. & H.Özbek,** 1999, Erzurum Erzincan ve Artvin illeri Chrysomelinae (Coleoptera, Chrysomelidae) *Synonym(s):* altfamilyası üzerinde faunistik ve sistematik bir araştırma. *Tr. J. Zool.* 23 (3): 751-767 [with serious errors!] [available in Cesa Library]
30. **Aslan,I., Gruev,B. & H.Özbek,** 1996, Eumolpinae (Coleoptera, Chrysomelidae) *Synonym(s):* of Turkey along with two new records. *Turk. ent. Derg.* 20 (1): 19-26. [available in Cesa Library]
31. **Aslan,I., Gruev,B. & H.Özbek,** 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) *Synonym(s):* in Turkey. *Turk. J. Zool.* 23: 373-414. [available in Cesa Library]
32. **Aslan,I., Gruev,B. & H.Özbek,** 2003, A preliminary review of the subfamily [sic!] Chrysomelinae (Coleoptera, Chrysomelidae) *Synonym(s):* of Turkey. *Linzer biol. Beitr.* 35 (1): 581-605 [publication on Chrysolina by Bienkowski (2001) was omitted!]. [available in Cesa Library]
33. **Aspöck,H. & U.Aspöck,** 1964, Neue Arten des Genus *Raphidia* L. aus Südosteuropa und Kleinasien (Vorleufigen Beschreibung). *Ent. Nachrbl.* 11: 37-40.
34. **Aspöck,H. & U.Aspöck,** 1966, Studien an europäischen und kleinasiatischen Arten des Genus *Raphidia* L. (Insecta, Raphidioidea). *Mitt. schweiz. ent. Ges.* 39: 33-48, figs.
35. **Aspöck,H. & U.Aspöck,** 1967, *Raphidia friederikae* nov. spec. und *Raphidia walteri* nov. spec. aus Anatolien (Ins., Neuropt., Raphid.). *Ent. Nachrbl.* 14: 87-94, figs. [available in Cesa Library]
36. **Aspöck,H.,** 1965, Zur Kenntnis der Raphidiiden von Südosteuropa und Kleinasien. *Annl. naturh. Mus. Wien* 68: 309-364, figs. [available in Cesa Library]
37. **Aspöck,H., Aspöck,U. & H.Rausch,** 1984, *Turcoraphidia hethitica* n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. *NachrBl. bayer. Ent.* 33 (4): 97-106, figs. [available in Cesa Library]
38. **Aspöck,H., Aspöck,U. & O.M.Martynova,** 1969, Untersuchungen ueber die Raphidiiden-fauna der Sowjet-Union (Insecta, Raphidioptera). *Tijdschr. Ent.* 112: 123-164, 99 figs. [available in Cesa Library]
39. **Aspöck,H., Aspöck,U. & Ç.Şengonca,** 1976, *Raphidia* (*Phidiara*) *remane* n.sp. - eine neue Kamelhalsfliege aus Vorderasien (Neur., Raphidioptera, Raphidiidae) *Synonym(s): . Z. ArbGem. Öst. Ent.* 28 (1/3): 14-16, figs. [available in Cesa Library]
40. **Aspöck,U. & H.Aspöck,** 1969, Das Subgenus *Phidiara* Aspöck et Aspöck 1968 (Raphidioptera, Raphidiidae, *Raphidia*). *Z. ArbGem. Öst. Ent.* 21: 109-120, 6 Abb. [available in Cesa Library]
41. **Aspöck,U. & H.Aspöck,** 1979, *Nyrma kervillea* Navas - Wiederentdeckung einer systematisch isolierten Hemerobiiden-Soezies in Kleinasien (Neuropteroidea, Planipennia). *Z. ArbGem. Öst. Ent.* 31: 92-96, figs. [available in Cesa Library]
42. **Assing,V.,** 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). *Bonner zool. Beitr.* 52 (1/2): 33-82, figs. [available in Cesa Library]
43. **Audinet-Serville,J.G.,** 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris. [available in Cesa Library]
44. **Austen,E.E.,** 1921, A contribution to knowledge of the blood sucking Diptera of Palestine other than Tabanidae. *Bull. ent. Res.* 12: 107-124.
45. **Avcı,Ü. & H.Özbek,** 1989, Erzurum'da *Lahana Sineği* *Delia radicum* (L.) (Diptera, Anthomyiidae) *Synonym(s):* 'un morfolojisi ve biyolojisi üzerinde çalışmalar. *Türk. ent. derg.* 13 (3): 153-162, figs. [available in Cesa Library]
46. **Avgın,S.S. & I.Emri,** 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) *Synonym(s):* from Kahramanmaraş and the surrounding towns, in Turkey. *Trans. am. ent. Soc.* 133 (3/4): 413-432. [available in Cesa Library]
47. **Avgın,S.S.,** 2006, General information and tiger beetles *Cicindela herbacea*, *Calomera fischeri fischeri* and *Homodela ismenia kilikiensis* collected from Southeast of Turkey (Coleoptera, Cicindelidae) *Synonym(s): . BAÜ Fen Bil. Enst. Derg.* 8 (2): 23-28, figs. [available in Cesa Library]

48. **Awad, T.I. & E. Pehlivan**, 2001, Systematic and faunistic study of the species of the tribe Carporini (Heteroptera, Pentatomidae, Pentatominae) in Turkey Part 1. *Holocogaster Fb., Staria D. & Cnephosa Jak. Türk. ent. Derg.* 25 (3): 163-174, figs. [available in Cesa Library]
49. **Awad, T.I. & F. Önder**, 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). *Türk. ent. Derg.* 21 (3): 163-171. [available in Cesa Library]
50. **Aydoğdu, M.**, 2008, A new species of the genus *Chelonus* Panzer, 1806 (Hymenoptera, Braconidae, Cheloninae) from western Anatolia (Turkey). *Biologia* 63 (2): 245-248, figs.; *ibid.* 63 (3): 455. [available in Cesa Library]
51. **Aydın, E. & Ş. Kismalı**, 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) Synonym(s): altfamilyası türleri üzerinde faunistik çalışmalar. *Türk. ent. Derg.* 14 (1): 23-35. [available in Cesa Library]
52. **Ayten, Y. & M.S. Özgökçe**, 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. *YYÜ Tarım Bil. Derg.* 19 (1): 1-9. [available in Cesa Library]
53. **Bachmaier, F. & E. Diller**, 1985, Zur Taxonomie der Gattung *Magwengiella* Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). *Entomofauna* 6 (27): 489-498, Abb. [available in Cesa Library]
54. **Bartak, M. & K. Stepan**, 2009, *Rhamphomyia* (Diptera, Empididae) Synonym(s): from Israel. *Annls ent. Soc. Am.* 102 (3): 396-405, figs.
55. **Bartak, M.**, 2006, Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae) Synonym(s): . *Biologia* 61 (5): 503-508, figs.
56. **Bartak, M., Gregor, F. & R. Rozkosny**, 2004, New records of interesting palaeartic Muscidae (Diptera). *Folia Fac. Sci. nat. Univ. Masaryk. Brun., Biologia* 109: 7-16. [available in Cesa Library]
57. **Bartak, M., Çiftçi, M.C. & A. Hasbenli**, 2007, A new species of *Rhamphomyia* (sensu stricto) Meigen (Diptera, Empididae) Synonym(s): from Southern Anatolia, Turkey. *Ent. News* 118 (2): 143-147, figs. [available in Cesa Library]
58. **Baselga, A. & F. Novoa**, 2005, The western Palaearctic *Neocrepidodera* (Coleoptera, Chrysomelidae) Synonym(s): of the *N. impressa* and *N. ferruginea* species groups. *Ann. ent. Soc. Am.* 98 (6): 896-907, figs. [available in Cesa Library]
59. **Bayraktar, F. & A. Hasbenli**, 2009, Contribution to the geographic distribution of *Dioctria* Meigen, 1803 Genus [sic!] (Diptera, Asilidae) Synonym(s): . *Turk. J. Zool.* 33: 23-26. [available in Cesa Library]
60. **Bayram, Ş. & K. Kara**, 1998, Türkiye Tachinidae (Diptera) faunası için yeni bir kayıt *Erycia fasciata* Villeneuve 1924. *Türk. ent. derg.* 22 (3): 217-224, figs. [available in Cesa Library]
61. **Bayram, Ş. & M. Skuhrava**, 2004, New records of *Cecidomyiidae* (Diptera) from Turkey. *J. Ent. Res. Soc.* 6 (3): 9-13.
62. **Bayram, Ş.**, 2001, Ankara ilinde orman alanlarındaki mantarlar üzerinde bulunan Diptera türleri. *Türk. ent. Derg.* 25 (2): 115-126. [available in Cesa Library]
63. **Bağrıaçık, N. & A. Tüzün**, 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. *C.Ü. Fen Bil. Derg.* 25 (1): 21-31. [available in Cesa Library]
64. **Beaumont, J. de**, 1967, Hymenoptera of Turkey Sphecidae I. *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 253-382, figs. [available in Cesa Library]
65. **Bechev, D. & H. Koç**, 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) Synonym(s): from Turkey with a key to the western palaeartic species of the *S. lutea* Macquart group. *Zootaxa* 1253: 61-68, figs. [available in Cesa Library]
66. **Bechev, D. & H. Koç**, 2006, The Fungus Gnats (Diptera, Bolitophilidae, Keroplatidae and Mycetophilidae) Synonym(s): of Turkey: published data and new records. *Animalia* 41: 85-89. [available in Cesa Library]
67. **Bechev, D. & H. Koç**, 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) Synonym(s): from Turkey with a key to the western palaeartic species of the genus. *Zootaxa* 1676: 29-36, figs. [available in Cesa Library]
68. **Bechev, D.**, 1995, The Palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae) Synonym(s): . *Trav. Sci. Univ. Plovdiv, Animalia* 31 (6): 7-. [available in Cesa Library]
69. **Bechev, D.**, 2010, Flower visitation of fungus gnats from the genera *Antlemom*, *Asindulum* and *Macrorrhyncha* (Diptera, Keroplatidae) Synonym(s): : published data and a new record. *Zoonotes* 7: 1-3, figs. [available in Cesa Library]
70. **Becker, T. & P. Stein**, 1913, Persische Dipteren von den Expeditionen des Herrn N.A. Zarudny 1898 und 1901. *Annu. Mus. Zool. Acad. Imp. Sci. St. Petersburg* 17: 503-654.
71. **Bei-Bienko, G.**, 1933, Records and descriptions of some Orthoptera from U.S.S.R. *Bol. Soc. Esp. Hist.-Nat.* 33: 317-341, figs. [available in Cesa Library]
72. **Belfiore, C., Tanatmış, M. & N. Kazancı**, 2000, Taxonomy of *Electrogena antalyensis* (Kazancı & Braasch, 1986) (Ephemeroptera, Heptageniidae) Synonym(s): . *Aquatic Insects* 22 (4): 261-270, 14 figs. [available in Cesa Library]

73. **Benson, R.B.**, 1962, Holarctic Sawflies (Hymenoptera, Symphyta). Bull. Br. Mus. (Nat. Hist.) Ent. 12 (1): 379-409, figs. [available in Cesa Library]
74. **Besuchet, C. & S.Kurbatov**, 2007, Les Bryaxis du Caucase et du secteur oriental des chaînes Pontiques (Coleoptera, Staphylinidae, Pselaphinae). Russ. ent. J. 16 (2): 155-206, figs.
75. **Beuk, P.**, 2004-2009, Diptera.info <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.
76. **Beyarslan, A.**, 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. Z. ArbGem. Öst. Ent. 39 (3/4): 71-76, figs. [available in Cesa Library]
77. **Beyarslan, A., Aydoğdu, M. & Ö.Ç.Erdoğan**, 2006, A survey of Turkish c fauna with redescription of *G. baetica* from a new host. Biologia 61 (2): 139-143, figs. [available in Cesa Library]
78. **Bezdek, J.**, 2002, *Phyllobrotica aslani* Warchalowski, 1998, a new synonym of *P. binotata* Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). Genus 13 (3): 351-352. [available in Cesa Library]
79. **Bialooki, P.**, 2006, A new species of *Neotournieria* Apfelbeck, 1932 from Turkey (Coleoptera, Curculionidae, Entimnae). Genus 17 (2): 263-267, figs. [available in Cesa Library]
80. **Bialooki, P.**, 2006, Two new species of *Cionus* Clairville, 1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. Polskie pismo ent. 75: 55-64, figs. [available in Cesa Library]
81. **Bienkowski, A.O.**, 2001, A study on the genus *Chrysolina* Motschulsky, 1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera, Chrysomelidae, Chrysomelinae). Genus 12 (2): 105-235, figs. [available in Cesa Library]
82. **Bily, S.**, 2006, Two new species in the *Anthaxia* (*Anthaxia*) *candens* (Panzer, 1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae) Synonym(s): . Zootaxa 1309: 25-25, figs.
83. **Biondi, M.**, 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). Fragn. Ent. Roma 23 (2): 341-354. [available in Cesa Library]
84. **Biondi, M.**, 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae) Synonym(s): . Fragn. Ent. Roma 29 (2): 383-390. [available in Cesa Library]
85. **Blüthgen, P.**, 1930, Gattung *Halictus* Latr. [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 26. [available in Cesa Library]
86. **Bologna, M.A.**, 1979, Meloidae di Turchia I Contributo (Coleoptera). Fragn. ent. 15: 143-199. [available in Cesa Library]
87. **Bologna, M.A.**, 2009, The Meloidae (Coleoptera) of Libya: an annotated catalogue and description of three new species. Anns Soc. ent. Fr. (n.s.) 45 (3): 345-364, figs. [available in Cesa Library]
88. **Boorman, J. & Dipeolu**, 1979, A taxonomic study of adult Nigerian *Culicoides* Latreille (Diptera, Ceratopogonidae) Synonym(s): species. Ent. Soc. Nigeria Occ. Publ. 22: 1-121.
89. **Boorman, J.**, 1989, *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): of the Arabian Peninsula with notes on their medical and veterinary importance. Fauna of Saudi Arabia 10: 160-224.
90. **Bordoni, A.**, 1999, Una nuova specie di *Deliphrosoma* della Turchia (Coleoptera, Staphylinidae) Synonym(s): . Fragn. ent. 31 (2): 195-202, figs. [available in Cesa Library]
91. **Borowiec, L.**, 2005, *Macrocoma doboszi*, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). Genus 16 (3): 373-377, figs. [available in Cesa Library]
92. **Borowiec, L.**, 2007, Cassidinae (Coleoptera, Chrysomelidae) Synonym(s): collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. Anns Upper Sil. Mus. (Ent.) 14-15: 7-12. [available in Cesa Library]
93. **Boucek, Z.**, 1982, Four new mediterranean Torymidae (Hymenoptera). Entomologist's Gaz. 33: 183-191, figs. [available in Cesa Library]
94. **Boulard, M.**, 1988, Les Lyristes d'Asie mineure (Hom., Cicadidae) Synonym(s): . I. Sur deux formes éthospécifiques syntopiques et description de deux espèces nouvelles. l'Entomologiques 44 (4): 153-167.
95. **Boulard, M.**, 1992, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) Synonym(s): . Nouv. Revue d'Ent. (N.S.) 9 (4): 365-374.
96. **Boulard, M.**, 1993, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) Synonym(s): . Turk. Ent. Derg. 17 (1): 1-9, figs. [second unnecessary publication!] [available in Cesa Library]
97. **Bowden, J.**, 1967, Species of the genus *Conophorus* Meigen (Dipt., Bombyliidae) Synonym(s): from Turkey. Entomologist's mon. Mag. 12: 131-134.

98. **Bradley, J.C. & F. Maidl**, 1930, Mutillidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22. [available in Cesa Library]
99. **Braun, W.**, 1979, Beitrag zur Kenntnis der Gattung *Dorcadion* (Col., Cerambycidae) Synonym(s): . NachrBl. bayer. Ent. 28 (5): 81-86, 3 Abb. [available in Cesa Library]
100. **Bravermann, Y., Boorman, J. & M. Kremer**, 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): from Israel. Ent. méd. et Parasitol. 14 (3): 179-185. [available in Cesa Library]
101. **Bravermann, Y., Boorman, J., Kremer, M. & J.-C. Delecolle**, 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): from Israel. Cah. O.R.S.T.O.M., sér. Ent. méd. et Parasitol. 14 (3): 179-185. [available in Cesa Library]
102. **Brunner von Wattenwyl, C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien. [available in Cesa Library]
103. **Brunner von Wattenwyl, C.**, 1891, Additamenta zur Monographie der Phaneropteriden. Verh. zool. bot. Ges. Wien 41: 1-196 2 Tab. [available in Cesa Library]
104. **Bulut, H. & N. Kılıçer**, 1989, Ankara İlinde meyve ağaçlarında zarar yapan önemli lepidopterlerin yumurta parazitlerinden *Trichogramma* türleri (Hym., Trichogrammatidae) Synonym(s): ve bunların yayılışı üzerine araştırmalar. Bitki koruma Bült. 29 (1/2): 19-46, şekil. [available in Cesa Library]
105. **Burckhardt, D. & A. Önuçar**, 1993, A review of Turkish jumping plant-lice (Homoptera, Psylloidea). Revue suisse Zool. 100: 547-575.
106. **Burckhardt, D.**, 1988, Angaben zur Psyllidenfauna der Nordosttürkei (Homoptera, Psylloidea). Mitt. ent. Ges. Basel 38: 31-44.
107. **Börzsöny, L.**, 1996, Erstnachweis von *Amorphogomphus kiritshenkoi* für die Türkei (Anisoptera, Gomphidae) Synonym(s): . Libellula 15: 185-190.
108. **Canbulat, S. & S. Kıyak**, 2005, A new species of the genus *Dichochrysa* from Turkey (Neuroptera, Crysopidae) Synonym(s): . Dt. ent. Z. (N.F.) 52 (2): 225-228, figs. [available in Cesa Library]
109. **Canpolat, D., Lillig, M. & A. Hasbenli**, 2007, *Accanthopus velikensis* (Piller & Mitterpacher, 1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae) Synonym(s): . Zool. Middle East 42: 104-105, fig. [available in Cesa Library]
110. **Carpenter, J.M., Gusenleitner, J. & M. Madl**, 2009, A Catalogue of the Eumeinae (Hymenoptera, Vespidae) Synonym(s): of the Ethiopian Region excluding Malagasy Subregion Part 1. Introduction, key to genera, genera *Aethiopicodynerus* Gusenleitner 1997 to *Cyrtolabulus* Van der Vecht 1969 Linzer biol. Beitr. 41 (1): 513-638, figs. [available in Cesa Library]
111. **Caspers, N. & F. Reiss**, 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthocladiinae (Diptera, Nematocera, Chironomidae) Synonym(s): . Entomofauna 10 (8-1): 105-160, 27 figs. [available in Cesa Library]
112. **Caspers, N.**, 1991, New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from Mediterranean Region. Spixiana 14 (3): 143-155, figs. [available in Cesa Library]
113. **Cassola, F.**, 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae) Synonym(s): . Biogeographia 20: 229-276, figs. [available in Cesa Library]
114. **Champion, G.C.**, 1921, Some Indian Coleoptera. Entomologist's mon. Mag. 57: 70-78, 104-110, 145-146. [available in Cesa Library]
115. **Chandler, P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae) Synonym(s): . Israel J. Ent. 28: 1-100, figs. [available in Cesa Library]
116. **Chandler, P.J.**, 2009, The fungus gnats (Diptera, Bolitophilidae, Keroplatidae, Mycetophilidae) Synonym(s): of Sardinia with description of six new species. Zootaxa 2318: 450-506, figs. [available in Cesa Library]
117. **Chen, H.-W. & M.J. Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) Synonym(s): and the establishment of species-groups based on phylogenetic analysis. J. nat. Hist. 35: 1517-1563, figs. [available in Cesa Library]
118. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library]
119. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library]
120. **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs. [available in Cesa Library]
121. **Chvala, M., Lyneborg, L. & J. Moucha**, 1972, The Horse Flies of Europe (Diptera, Tabanidae) Synonym(s): . 499pp. Copenhagen. [available in Cesa Library]

- 122. Cilbircioğlu,C. & S.Ünal**, 2008, Gall Midges (Diptera, Cecidomyiidae) Synonym(s): in forest trees of Turkey. *J. Agric. Urban ent.* 25 (1): 13-23 [published later than 20 Dec. 2008]. [available in Cesa Library]
- 123. Civelek,H.S. & S.Tezcan**, 2005, Some new records for Diptera fauna of Turkey and additional notes on the dipterous fauna of cherry orchards. *Türk. ent. derg.* 29 (1): 11-16. [available in Cesa Library]
- 124. Civelek,H.S.**, 2002, Two new records for the Turkish Diptera fauna from Izmir Province, Western Turkey. *Türk. ent. derg.* 26 (4): 295-299, figs. [available in Cesa Library]
- 125. Civelek,H.S., Çıkman,E. & O.Dursun**, 2009, Revised checklist of Turkish Agromyzidae (Diptera) fauna of Turkey. *Turk. J. Zool.* 33: 10pp. [available in Cesa Library]
- 126. Clavareau,H.**, 1913, Chrysomelidae, [in] Schenkling,S., *Coleopterorum Catalogus Pars.* 53: 1-278. W.Junk, Berlin. [available in Cesa Library]
- 127. Coher,E.**, 1988, Further studies of Asian Macrocerinae (Diptera, Mycetophilidae) Synonym(s): with the description of a new Chiasmoneurine genus *Laneocera*. *J. New York ent. Soc.* 96 (1): 82-90, figs. [available in Cesa Library]
- 128. Collingwood,C. & H. Heatwole**, 2000, Ants from northwestern China (Hymenoptera, Formicidae) Synonym(s): . *Psyche* 103 (1/2): 1-24. [available in Cesa Library]
- 129. Crosskey,R.W. & H.Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae) Synonym(s): . *Aquatic Insects* 29 (1): 21-48, figs. [available in Cesa Library]
- 130. Dalla Torre,K.W.von & J.J.Kieffer**, 1910, Cynipidae [in] Schulze,F.E., *Das Tierreich* 24. Lieferung, Hymenoptera. xxxv ♀ 891pp., 422pp. Berlin. [available in Cesa Library]
- 131. Darılmaz,M. & S.Kıyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). *Mun. Ent. Zool.* 1(1): 129-144. [available in Cesa Library]
- 132. Demir,E.**, 1998, Türkiye Homoptera faunası için yeni kayıtlar (Homoptera, Auchenorrhyncha, Tropiduchidae) Synonym(s): . *Cent. ent. Stud., Misc. Pap.* 55/56: 1-3, 1 fig. [available in Cesa Library]
- 133. Demir,E.**, 2006, *Bobacella* (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): : A new genus record for Turkey. *Ent. News* 117: 455-456. [available in Cesa Library]
- 134. Demir,E.**, 2006, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera) with a new record, *Pentastriidius nanus* (Ivanoff,1885). *Mun. Ent. Zool.* 1 (1): 97-122, figs. [available in Cesa Library]
- 135. Demir,E.**, 2006, Contributions to the knowledge of Turkish Auchenorrhyncha with twelve new records (Homoptera, Cicadellidae) Synonym(s): . *Mun. Ent. Zool.* 1 (2): 215-236. [available in Cesa Library]
- 136. Demir,E.**, 2006, A new species of *Thamnotettix Zetterstedt,1840* (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): from Turkey. *J. Kansas ent. Soc.* 79 (3): 383-387, figs. [available in Cesa Library]
- 137. Demir,E.**, 2007, Auchenorrhyncha (Homoptera) data from Ankara with two new records to Turkey. *Mun. Ent. Zool.* 2 (2): 481-492. [available in Cesa Library]
- 138. Demir,E.**, 2007, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera, Fulgoromorpha and Cicadomorpha, excl. Cicadellidae) Synonym(s): with a new record *Setapius klapperichianus Dlabola,1988* *Mun. Ent. Zool.* 2 (1): 39-58. [available in Cesa Library]
- 139. Demir,E.**, 2007, Known species of Turkish *Tachycixius Wagner,1939* (Homoptera, Auchenorrhyncha, Cixiidae, Cixiinae). *Mun. Ent. Zool.* 2 (1): 171-172. [available in Cesa Library]
- 140. Demir,E.**, 2008, The Fulgoromorpha and Cicadomorpha of Turkey Part I Mediterranean Region (Hemiptera) *Mun. Ent. Zool.* 3 (1): 447-522. [available in Cesa Library]
- 141. Demir,E.**, 2009, *Ricania Germar,1818* species of western Palaearctic Region (Hemiptera, Fulgoromorpha, Ricaniidae) Synonym(s): . *Munis Ent. Zool.* 4 (1): 271-275, figs. [available in Cesa Library]
- 142. Demir,M.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin sistematik ve faunistik değerlendirilmesi. Yüksek lisans tezi. 91s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 216668] <http://tez2.yok.gov.tr/> [available in Cesa Library]
- 143. Demirsoy,A.**, 1982, Türkiye Faunası Odonata 155s. Tübitak Yayınları, Ankara. [available in Cesa Library]
- 144. Demirsoy,A., Salman,S. & H.Sevgili**, 2002, *Novadrymadusa*, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae) Synonym(s): . *J. Orth. Res.* 11 (2): 175-183, figs. [available in Cesa Library]
- 145. Değer,S. & M.Yaman**, 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) Synonym(s): türleri. *YYÜ Vet. Fak. Derg.* 16 (1): 55-59. [available in Cesa Library]

146. **Dik,B., Karatepe,M., Karatepe,B. & Ş.Yağcı,** 2006, Niğde yöresi Culicoides Latr.,1809 (Diptera, Ceratopogonidae) Synonym(s): türleri. Türk. Parazit. Derg. 30 (2): 121-124. [available in Cesa Library]
147. **Dils,J. & H.Özbek,** 2006, A new species of the genus Conophorus (Diptera, Bombyliidae) Synonym(s): from Turkey. Phegea 34 (3): 107-110, figs. [available in Cesa Library]
148. **Dils,J. & H.Özbek,** 2006, A new species of the genus Callostoma (Diptera, Bombyliidae) Synonym(s): from Turkey. Phegea 34 (4): 157-159, figs. [available in Cesa Library]
149. **Dils,J. & H.Özbek,** 2009, Notes on Cytherea pallidipennis (Diptera, Bombyliidae) Synonym(s): . Phegea 37 (3): 103-106, figs. [available in Cesa Library]
150. **Dils,J.,** 2009, A new species of the genus Therevenetimyia (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of Therevenetimyia hirta. Phegea 37 (4): 121-125, figs. [some bibliographical information incorrect!]. [available in Cesa Library]
151. **Disney,R.H.L. & P.L.Beuk,** 1997, European Phalacrotophora (Diptera, Phoridae) Synonym(s): . Entomologist's Gaz. 48: 185-192, figs. [available in Cesa Library]
152. **Disney,R.H.L. & Ş.Bayram,** 1999, Recognition biology and first Turkish record of megaselia coaetanea Schmitz (Dipt. Phoridae) Synonym(s): . Entomologist's mon. Mag. 135: 245-248.
153. **Distant,W.L.,** 1906, Rhynchotal notes xxxviii. Ann. Mag. nat. Hist. (7) 18: 18-32. [available in Cesa Library]
154. **Distant,W.L.,** 1906, Rhynchotal notes xxxix. Ann. Mag. nat. Hist. (7) 18: 191-208. [available in Cesa Library]
155. **Dlabola,J.,** 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae) Synonym(s): . Türk. bitki kor. derg. 9: 75-78, figs. [available in Cesa Library]
156. **Dobosz,R. & L.Abraham,** 2007, New data to the Turkish ascalaphid fauna (Neuroptera, Ascalaphidae) Synonym(s): . Annls Upper Sil. Mus. (Ent.) 14-15: 13-27, figs. [available in Cesa Library]
157. **Dobosz,R. & L.Abraham,** 2009, Contribution to the knowledge of the Turkish tail-wings (Neuroptera, Nemopteridae) Synonym(s): . Natura Somog. 15: 113-126, figs. [available in Cesa Library]
158. **Dobosz,R.,** 2007, New faunistics data on Mantispidae (Neuroptera) from Turkey. Annls Upper Sil. Mus. (Ent.) 14-15: 29-34, figs. [available in Cesa Library]
159. **Dobosz,R.,** 2007, New faunistics data on Osmylidae (Neuroptera) from Turkey. Annls Upper Sil. Mus. (Ent.) 14-15: 35-37. [available in Cesa Library]
160. **Dollfuss,H.,** 1995, A worldwide revision of Pemphredon Latreille,1796 (Hymenoptera, Sphecidae) Synonym(s): . Linzer biol. Beitr. 27: 905-1019. [available in Cesa Library]
161. **Dominiak,P., Braverman,Y. & R.Szadziewski,** 2007, New records of biting midges of the genus Dasyhelea from Israel,with notes on synonymy in the genera Culicoides and Forcipomyia (Diptera, Ceratopogonidae) Synonym(s): . Pol. pismo Ent. 76: 257-265, figs. [available in Cesa Library]
162. **Doğanlar,M. & H.Çam,** 2005, Morphology and systematics of Turkish species of Exeuytoma Burks,1971 (Hymenoptera, Chalcidoidea, Eurytomidae) Synonym(s): with description of a new species from eastern Anatolia. Turk. J. Zool. 29: 243-248, 3 figs. [available in Cesa Library]
163. **Doğanlar,M. & O.Doğanlar,** 2010, Review of the species of Gugolzia Delucchi and Steffan (Hymenoptera, Pteromalidae) Synonym(s): in Europe and Turkey with descriptions of new species. Turk. J. Zool. 34: 23-34, figs. [available in Cesa Library]
164. **Doğanlar,M. & S.V.Triapitsyn,** 2007, Review of Ceranisus (Hymenoptera, Eulophidae) Synonym(s): of Turkey, with description of a new species. Eur. J. Ent. 104: 105-110, figs. [available in Cesa Library]
165. **Doğanlar,M.,** 1982, Doğu Anadolu'da saptanan bazı parazit sinekler II. Echinomyiinae, Dexiinae, Phasiinae (Diptera, Tachinidae) Synonym(s): . Türk. bitki kor. derg. 6: 209-220. [available in Cesa Library]
166. **Doğanlar,M.,** 1982, Doğu Anadolu'da saptanan bazı parazit sinekler I. Exoristinae (Diptera, Tachinidae) Synonym(s): . Türk. bitki kor. derg. 6: 161-173. [available in Cesa Library]
167. **Doğanlar,M.,** 1982, A new species Diglyphus Walker (Hymenoptera, Eulophidae) Synonym(s): from Eastern Anatolia. Türk. bitki kor. derg. 6: 75-79, figs. [available in Cesa Library]
168. **Doğanlar,M.,** 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) Synonym(s): from Southeastern Anatolia, Turkey. Turk. J. Zool. 27: 181-185, figs. [available in Cesa Library]
169. **Doğanlar,O., Yıldırım,A.E: & M.Doğanlar,** 2006, Natural enemy complex of Eurytoma amgdali Enderlein,1907 (Hymenoptera, Eurytomidae) Synonym(s): in eastern Mediterranean Region of Turkey; notes on their interaction and effectiveness. Res. J. Agr. Biol. Sci. 2 (6): 282-286. [available in Cesa Library]

- 170. Duda,O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). v Abhandl. zool.- bot. Ges. Wien 10 (1): 1-240, viii Taf. [available in Cesa Library]
- 171. Duda,O.**, 1920, Revision der altweltlichen Arten der Gattung *Sphaerocera* Latreille (Dipteren). Tijdschr. Ent. 63: 1-39. [available in Cesa Library]
- 172. Duda,O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs. [available in Cesa Library]
- 173. Duda,O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs. [available in Cesa Library]
- 174. Dumont,H.J.**, 1972, The taxonomic status of *Calopteryx xanthosoma* (Charpentier,1825) (Zygoptera, Calopterygidae) Synonym(s): . *Odonatologica* 1 (1): 21-29, figs. [available in Cesa Library]
- 175. Dumont,H.J.**, 1977, A review of the Dragonfly fauna of Turkey and adjacent Mediterranean Islands (Insecta, Odonata). Bull. Ann. Soc. r. belge Ent. 113: 119-171. [available in Cesa Library]
- 176. Dursun,A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Strachiini Mulsant & Rey,1866, Pentatomini Leach,1815 ve Piezodorini Atkinson,1888 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 225-239. [available in Cesa Library]
- 177. Dursun,A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Halyini Amyot & Serville,1843, Sciocorini Amyot & Serville,1843, Aeliini Douglas & Scott,1865 ve Eysarcorini Mulsant & Rey,1866 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 303-315. [available in Cesa Library]
- 178. Dvorak,M.**, 1983, Drei neue Arten und einige Bemerkungen zur Familie Meloidae (Coleoptera). Acta ent. bohemosl. 80: 441-450.
- 179. Ebmer,P.A.W.**, 1987, Die westpalaearktischen Arten der Gattung *Dufourea* Lapeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureae). Linzer biol. Beitr. 19 (1): 43-56, figs. [available in Cesa Library]
- 180. Ebmer,P.A.W.**, 1989, Die westpalaearktischen Arten der Gattung *Dufourea* Lapeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs. [available in Cesa Library]
- 181. Ebner,R.**, 1946, Einige seltener palaearktische Tettigoniidae und Gryllidae (Orthoptera). Eos 22: 17-30, figs. [available in Cesa Library]
- 182. Egger,J.**, 1862, Dipterologische Beiträge. Verh. zool.-bot. Ges. Wien 12: 777-784. [available in Cesa Library]
- 183. Eid,E., Katbeh-Bader,A., Al-Otoom,M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library]
- 184. Ekiz,A.N., Gök,A., Borowiec,L. & S.Bilginturan**, 2009, Redescription of *Donacia kraatzii* Weise,1881, a poorly known aquatic leaf beetle (Coleoptera, Chrysomelidae, Donaciinae) with notes on its taxonomic status and geographical distribution. Dt. ent. Z. 56 (2): 299-302, figs. [available in Cesa Library]
- 185. Ekrem,T. & E.Stur**, 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae) Synonym(s): . Eur. J. Ent. 106: 119-144, figs. [available in Cesa Library]
- 186. El-Hawagry,M. & D.J.Greathhead**, 2006, Review of the genus *Villa* Lioy (Bombyliidae, Diptera) from Egypt, with descriptions of two new species. Zootaxa 1113: 21-32, figs. [available in Cesa Library]
- 187. Erdoğan,S.Z.**, 2006, Tabanidae species (Diptera), in the Elazığ Province of Turkey. Fırat Univ. Sağlık Bilim. Derg. 20 (1): 65-68. [available in Cesa Library]
- 188. Eren,H., Yağcı,Ş. & Ş.Dinçer**, 1995, Ankara'da bulunan *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): türleri. Ankara Univ. Vet. Fak. Derg. 42: 179-182. [available in Cesa Library]
- 189. Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). Türk. ent. derg. 18 (1): 41-50, figs. [available in Cesa Library]
- 190. Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). Türk. ent. derg. 18 (2): 89-102, figs. [available in Cesa Library]
- 191. Erol,T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). Türk. ent. derg. 18 (3): 175-192, figs. [available in Cesa Library]
- 192. Esben-Petersen,P.**, 1932, Notizen zur Neuropteren- und Mecopterefauna Kleinasiens. Konowia 11: 163-167, 1 fig. [available in Cesa Library]
- 193. Fahringer,J.**, 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. Konowia 1: 137-144, 296-307. [available in Cesa Library]

- 194. Fahringer, J.**, 1930, Ichneumonidae, Braconidae, Evaniidae, Cynipidae, Chalcididae, Serphidae, Psammocharidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 19-22. [available in Cesa Library]
- 195. Fairmaire, L.**, 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M. Charles Delangrange (Ipelates, Onthophagus, Capnodis, Malacogaster, Lampyris et Cteniopus). Anns Soc. ent. Fr. (Bull.) 64: 109-111.
- 196. Falamarzi, S., Asadi, G. & R. Hosseini**, 2009, Species inventory, preys and host plants of Anthoridae sensu lato (Hemiptera, Heteroptera) in Shiraz and its environs (Iran, Fars Province). Acta ent. Mus. nat. Pragae 49 (1): 33-42, figs. [available in Cesa Library]
- 197. Fallahzadeh, M., Narendran, T. C. & N. Saghaei**, 2009, Insecta, Hymenoptera, Chalcidoidea, Eurytomidae and Torymidae in Iran. Checklist 5 (4): 830-839. [available in Cesa Library]
- 198. Fallahzadeh, M., Shojaei, M., Ostovan, H. & K. Kamali**, 2009, Notes on some Encyrtidae (Hymenoptera, Chalcidoidea) from Iran. J. ent. Soc. Iran 28 (2): 81-84. [available in Cesa Library]
- 199. Ferrer, J. & L. Soldati**, 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). Entomofauna 20 (4): 53-92, figs. [available in Cesa Library]
- 200. Fery, H., Erman, Ö. K.**, 2009, Five new species of the longulus-group of Hydroporus Clairville, 1806 from north-eastern Turkey (Coleoptera, Dytiscidae) Synonym(s): . Zootaxa 2033: 1-12, figs. [available in Cesa Library]
- 201. Finzi, B.**, 1930, Formicidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22-24. [available in Cesa Library]
- 202. Franzen, M. & J. Gebert**, 2003, Distribution of the tiger beetle *Lophyridia caucasica* (Adam, 1817) in Iran (Coleoptera, Cicindelidae) Synonym(s): . Zool. Middle East 23: 79-82, figs. [available in Cesa Library]
- 203. Frieser, R.**, 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae) Synonym(s): . Mitt. münch. ent. Ges. 71: 33-107, figs. [available in Cesa Library]
- 204. Frisch, J.**, 2006, *Scopaeus korgei* sp.n. from Southwest Anatolia (Coleoptera, Staphylinidae, Paederinae). Dt. ent. Z. (N.F.) 53 (2): 271-274, figs.
- 205. Frisch, J.**, 2009, A revision of the *Scopaeus mutatus* species group (Staphylinidae, Paederinae) with description of new species from Anatolia and the Caucasus. Dt. ent. Z. (N.F.) 56 (2): 271-287, figs. [available in Cesa Library]
- 206. Fritzlar, F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 1999-224.
- 207. Fritzlar, F.**, 2001, *Aphthona warchalowskii* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 199-224.
- 208. Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126.
- 209. Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126, figs.
- 210. Fürsch, H. & N. Uygun**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 29 (6): 109-118, 30 figs. [available in Cesa Library]
- 211. Fürsch, H.**, 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 36 (2): 47. [available in Cesa Library]
- 212. Fürsch, H.**, 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb. [available in Cesa Library]
- 213. Förster, A.**, 1868, Synopsis der Familien und Gattungen der Ichneumoniden. Verh. naturh. Ver. preuss. Rheinl. 25: 135-221 [see Perkins, J.F., 1961].
- 214. Ganglbauer, L.**, 1905, Coleoptera, [in] A. Penther & E. Zederbauer, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annl. naturh. Mus. Wien 20: 99-290. [available in Cesa Library]
- 215. Geisthardt, M.**, 1983, Beitrag zur Revision der Gattung *Lampyris* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae) Synonym(s): . Mitt. münch. ent. Ges. 73: 23-44, figs. [available in Cesa Library]
- 216. Geller-Grimm, F. & M. Hradsky**, 2003, The genus *Oligopogon* Loew, 1847 (Diptera, Asilidae) Synonym(s): in the Palaearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterolog. 10 (1): 165-179, figs. [available in Cesa Library]

- 217. Gençer,L.**, 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) Synonym(s): in Ankara Province. *Türk. J. Zool.* 28: 119-122. [available in Cesa Library]
- 218. Gençer,L.**, 2004, Contribution to the knowledge of the family Eulophidae (Hymenoptera, Chalcidoidea) from Turkey, with some new records. *Phytoparasitica* 32 (3): 264-273. [available in Cesa Library]
- 219. Gerstmeier,R., Halperin,J. & V.Chekatunov**, 1999, An annotated list of Cleridae and Thaneroceridae (Coleoptera) of Israel. *Phytoparasitica* 27 (1): 27-33, 1 fig. [available in Cesa Library]
- 220. Ghahari,H., Lehr,P.A., Lavigne,R.J., Hayat,R. & H.Ostovan**, 2007, New records of Robber Flies (Diptera, Asilidae) Synonym(s): for the Iranian fauna with their prey records. *Far east. Ent.* 179: 1-9. [available in Cesa Library]
- 221. Ghahari,H.,Carpintero,D.L. & H.Ostovan**, 2009, An annotated catalogue of the Iranian Anthocoridae (Hemiptera, Heteroptera, Cimicimorpha). *Acta ent. Mus. nat. Pragae* 49 (1): 43-58. [available in Cesa Library]
- 222. Giraud,J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. *Verh. zool.- bot. Ges. Wien* 9: 337-374, Pls. [available in Cesa Library]
- 223. Giray,H.**, 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. *Türk. Bitki Kor. Derg.* 3 (1): 35-46. [available in Cesa Library]
- 224. Giray,H.**, 1981, Türkiye Asilidae (Diptera) faunasına ait ilk liste. *Türk. bitki kor. derg.* 5 (3): 171-183. [available in Cesa Library]
- 225. Giustina,W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] *Faune de France* 73: 1-362, 143 pls. [available in Cesa Library]
- 226. Gnezdilov,V.M. & S. Drosopoulos**, 2004, Reviews of the subgenus *Semirodus* *Dlabola* of the genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): . *Annl. Soc. ent. Fr. (n.s.)* 40 (3/4): 235-241, figs. [available in Cesa Library]
- 227. Gnezdilov,V.M.**, 2002, New species of the genus *Tshurtshurnella* Kusnezov,1927 (Homoptera, Cicadina, Issidae) Synonym(s): from Turkey and Lebanon. *Russ. ent. J.* 11 (3): 233-240, figs. [available in Cesa Library]
- 228. Gnezdilov,V.M.**, 2008, New and little known species of Planthopper Genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): from the East Mediterranean. *Ent. Review* 88 (7): 808-814, figs.
- 229. Goeldlin,T.P.**, 1976, Revision du genre *Paragus* (Diptera, Syrphidae) Synonym(s): de la region Palearctique occidentale. *Mitt. schweiz. ent. Ges.* 49: 79-108, figs.
- 230. Goetghebuer,M.**, 1932, *Dipteres Nematoceres Chironomidae* IV, [in] *Faune de France* 23: 1-196, 315 figs. [available in Cesa Library]
- 231. Golub,V.B.**, 2006, Two new species of lace bugs of the genus *Tingis* F. from Transcaucasia and Middle Asia (Heteroptera, Tingidae) Synonym(s): . *Russian Ent. J.* 15 (2): 123-126, 3 figs. [available in Cesa Library]
- 232. Graham,M.W.R.de Vere & M.J.Gijswijt**, 1998, Revision of the European species of *Torymus* Dalman (Hymenoptera, Torymidae) Synonym(s): . *Zool. Verh.* 317: 1-202, 266 figs. [available in Cesa Library]
- 233. Gravenhorst,J.L.C.**, 1829, *Ichneumonologia Europaea. Pars I-III.* xxxxi⁹830⁹989⁹1097 pp. Vratislaviae. [available in Cesa Library]
- 234. Greathead,D.J. & Y.Karimpour**, 2006, A new species of *Villa* Lioy,1864 (Diptera, Bombyliidae) Synonym(s): parasitic on Sesiidae (Lepidoptera). *Zootaxa* 1156: 65-68, figs.
- 235. Greathead,D.J.**, 2001, A study of the *Exoprosopa busiris* (Jaenicke) group of *Bezzi* (1924) in tropical Africa (Diptera, Bombyliidae) Synonym(s): . *J. nat. Hist.* 35: 127-147. [available in Cesa Library]
- 236. Greca,M.la & F.Lombardo**, 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. *Rivetina* Berl. e Chop. (Insecta, Mantodea). *Animalia* 9 (1/3): 345-393, figs. [available in Cesa Library]
- 237. Grichanov,I.Y.**, 2007, New records of Dolichopodidae (Diptera) from the Middle East. *Int. J. dipterol. Res.* 18 (3): 141-153. [available in Cesa Library]
- 238. Grichanov,I.Y., Tonguç,A., Civelek,H.S., Vkhrev,N.E., Özgül,O. & O.Dursun**, 2007, Review of the Turkish Dolichopodidae (Diptera) with first description of male *Hercostomus phoebus* Parent,1927, new synonyms and new records. *Caucasian ent Bull.* 3 (2): 261-268, figs. [available in Cesa Library]
- 239. Grootaert,P. & I.Shamshev**, 2005, The genus *Platypalpus* Macquart (Diptera, Hybotidae) Synonym(s): from Northeast Thailand with comments on the species groups in the Oriental Region. *J. nat. Hist.* 39 (47): 4031-4065, figs. [available in Cesa Library]
- 240. Gueorguiev,B. & J.Ruzicka**, 2002, Check list of Bulgarian carrion beetles (Coleoptera, Silphidae) Synonym(s): . *Hist. nat. bulg.* 15: 89-112. [available in Cesa Library]

- 241. Guglielmi,A. & G.Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). *Fragm. ent.*, Roma 18 (1): 169-224, figs. [available in Cesa Library]
- 242. Gusenleitner,J.**, 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. *Linzer biol. Beitr.* 9 (1): 163-178, figs. [available in Cesa Library]
- 243. Gusenleitner,J.**, 1984, Zwei neue Subspezies der Art *Euodynerus* (*Pareuodynerus*) *quadrifasciatus* (Fabricius,1793) (Hymenoptera, Eumenidae) *Synonym(s)*: . *Entomofauna* 5 (14): 165-169. [available in Cesa Library]
- 244. Gusenleitner,J.**, 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae) *Synonym(s)*: . *Entomofauna* 6 (9): 81-101. [available in Cesa Library]
- 245. Gusenleitner,J.**, 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). *Linzer biol. Beitr.* 20 (2): 713-737, 5 Abb. [available in Cesa Library]
- 246. Gusenleitner,J.**, 1991, Über Vespoidea (Hymenoptera) aus der Mongolei und der Sovietunion. *Linzer biol. Beitr.* 23 (2): 631-641. [available in Cesa Library]
- 247. Gusenleitner,J.**, 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). *Linzer biol. Beitr.* 24 (1): 59-63. [available in Cesa Library]
- 248. Gusenleitner,J.**, 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae) *Synonym(s)*: . *Linzer biol. Beitr.* 28 (1): 23-38, figs. [available in Cesa Library]
- 249. Gusenleitner,J.**, 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). *Linzer biol. Beitr.* 29 (1): 105-108, figs. [available in Cesa Library]
- 250. Gusenleitner,J.**, 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae) *Synonym(s)*: . *Linzer biol. Beitr.* 29 (1): 137-150. [available in Cesa Library]
- 251. Gusenleitner,J.**, 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae) *Synonym(s)*: . *Linzer biol. Beitr.* 30 (2): 503-513, figs. [available in Cesa Library]
- 252. Gusenleitner,J.**, 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). *Linzer biol. Beitr.* 32 (2): 927-938. [available in Cesa Library]
- 253. Gusenleitner,J.**, 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). *Linzer biol. Beitr.* 33 (2): 663-669. [available in Cesa Library]
- 254. Gusenleitner,J.**, 2001, Über Eumeniden-Arten aus Jordanien (Hymenoptera, Vespoidea, Eumenidae) *Synonym(s)*: . *Linzer biol. Beitr.* 33 (1): 233-238. [available in Cesa Library]
- 255. Güler,Y. & N.Çağatay**, 2006, Faunistic study on Megachilini, Osmiini and Anthidiini tribes (Hymenoptera, Megachilidae) *Synonym(s)*: in Central Anatolia. *J. ent. Res. Soc.* 8 (2): 15-34. [available in Cesa Library]
- 256. Güler,Y. & N.Çağatay**, 2007, A study on the genus *Bracon* Fabricius,1804 (Hymenoptera, Braconidae, Braconinae) in Ankara Province in Turkey. *Munis Ent. Zool.* 2 (2): 517-524. [available in Cesa Library]
- 257. Gülmez,Y. & A.Tüzün**, 2005, Spheciformes (Hymenoptera) from Ankara Province. Subfamilies Sphecinae, Pempredoninae and Astatinae. *J. ent. Res. Soc.* 7 (1): 41-57. [available in Cesa Library]
- 258. Gürbüz,M.F. & J.Kolarov**, 2008, A study of the Turkish Cryptini IV (Cryptinae, Ichneumonidae, Hymenoptera). *Turk. J. zool.* 32: 373-377. [available in Cesa Library]
- 259. Gürbüz,M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. *Phytoparasitica* 33 (2): 121-122. [available in Cesa Library]
- 260. Güçlü,Ş. & D.Burckhardt**, 1996, New records of jumping plant-lice from Turkey (Hemiptera, Psylloidea). *Entomofauna* 17 (24): 381-384. [available in Cesa Library]
- 261. Gök,A. & E.G.Çilbiroğlu**, 2004, Some smaller genera of Flea Beetles (Coleoptera, Chrysomelidae) *Synonym(s)*: from western Turkey with a new record. *Phytoparasitica* 32 (5): 444-450. [available in Cesa Library]
- 262. Gök,A.**, 2002, Faunistic studies on the species *Pachybrachis* Chevrolat and *Cryptocephalus* Geoffroy (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedegöl Mountains (Isparta). *Turk. J. Zool.* 26: 31-42, figs. [with some incorrect distributional information] [available in Cesa Library]
- 263. Gök,A.**, 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) *Synonym(s)*: of Dedegöl Mountains (Isparta). *Turk. J. Zool.* 27: 187-194. [available in Cesa Library]
- 264. Haas,F. & H.Henderckx**, 2002, Dermaptera from Cyprus and Turkey. *Beitr. Ent.* 52 (1): 235-239. [available in Cesa Library]
- 265. Haddad,N.J., Dvorak,L. Adwan,O., Mnatat,H. & A.Bataynah**, 2007, New data on Vespidae wasp fauna of Jordan (Hymenoptera, Vespidae) *Synonym(s)*: . *Linzer biol. Beitr.* 39 (1): 137-142. [available in Cesa Library]
- 266. Hagen,H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. *Wiener ent. Monatschr.* 7: 193-199. [available in Cesa Library]

- 267. Halstead,D.G.H.**, 1967, A revision of the genus *Palorus* (s.l.) (Coleoptera, Tenebrionidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59- [available in Cesa Library]
- 268. Hartig,T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210.
- 269. Hartig,T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab.
- 270. Hartig,T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422.
- 271. Hasbenli,A. & M.Aktaş**, 1995, Two new *Platypygus* Loew,1844 (Diptera, Bombyliidae) Synonym(s): species for Turkey. Türk. ent. derg. 19 (2): 147-150, figs. [available in Cesa Library]
- 272. Hasbenli,A. & M.Aktaş**, 1995, Türkiye Conophorus Meigen,1803 türlerine katkılar (Diptera, Bombyliidae) Synonym(s): . Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 1-10, figs. [available in Cesa Library]
- 273. Hasbenli,A. & Zaitzev**, 2000, Two new species of *Bombylius* Linnaeus,1758 (Diptera, Bombyliidae) Synonym(s): from Turkey. Dt. ent. Z. (N.F.) 47 (1): 105-108, figs.
- 274. Hasbenli,A. & Ü.Çağlar**, 2009, A new species of *Mesoleptogaster* Frey,1937 (Diptera, Asilidae) Synonym(s): from Turkey with a key to palaearctic species. Ent. News 120 (2): 201-205, figs. [available in Cesa Library]
- 275. Hasbenli,A.**, 1997, Türkiye Hemipenthes Loew,1869 türlerine katkılar (Diptera, Bombyliidae) Synonym(s): . Gazi Uni. Fen Bil. Derg. 10 (4): 545-552, figs. [available in Cesa Library]
- 276. Hasbenli,A.**, 1997, Contributions to Bat Flies of Turkey (Diptera, Nycteribiidae, Streblidae) Synonym(s): . J. Inst. Sci. Techn. Gazi Univ. 10 (4): 533-544, 4 figs. [available in Cesa Library]
- 277. Haupt,H.**, 1917, Neue palaarktische Homoptera nebst Bemerkungen über einige schon bekannte. Wien. ent. Ztg. 36: 229-262, 12 Abb. [available in Cesa Library]
- 278. Hava,J.**, 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). Genus 17 (1): 79-94, figs. [available in Cesa Library]
- 279. Hava,J., Ruzicka,J. & J.Schneider**, 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. Klapalekiana 34: 173-181, figs. [available in Cesa Library]
- 280. Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası II. Milesiinae. Türk. ent. derg. 14 (4): 227-234. [available in Cesa Library]
- 281. Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası I. Syrphinae. Türk. ent. derg. 14 (3): 173-182. [available in Cesa Library]
- 282. Hayat,R. & C.Claussen**, 1997, A new species and new records of the genus *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae) Synonym(s): . Zool. Middle East 14: 99-108,figs.
- 283. Hayat,R. & H.Özbek**, 1994, New records of robber flies (Diptera, Asilidae) Synonym(s): for Turkish fauna. Türk. ent. derg. 18 (4): 241-244. [available in Cesa Library]
- 284. Hayat,R. & W.Schacht**, 2000, Distributional data of Horse-flies from Turkey with new records (Diptera, Tabanidae) Synonym(s): . Entomofauna 21 (23): 265-284. [available in Cesa Library]
- 285. Hayat,R., Ghahari,H., Lavigne R. & H.Ostovan**, 2008, Iranian Asilidae (Insecta, Diptera). Turk. J. Zool. 32: 175-195. [available in Cesa Library]
- 286. Hayat,R., Richet,R. Bayrak,N. & G.Pekbey**, 2008, Contributions to the knowledge of Flesh Flies (Diptera, Sarcophagidae) Synonym(s): from Turkey, with a new record. Turk. J. Zool. 32: 385-390. [available in Cesa Library]
- 287. Heiss,E. & F.Önder**, 1991, On the Aradidae fauna of Turkey (Heteroptera). Türk. ent. Derg. 15 (2): 65-70, figs. [available in Cesa Library]
- 288. Heiss,E. & J.Péricart**, 1983, Revision of Palaearctic Piesmatidae (Heteroptera). Mitt. münch. ent. Ges. 73: 61-171, figs. [available in Cesa Library]
- 289. Hejkal,J.**, 2002, Amara (Amara) lukasi sp.n. (Coleoptera, Catabidae) Synonym(s): from Turkey. Klapalekiana 38: 27-35, figs. [available in Cesa Library]
- 290. Heller,K.-G. & O.Korshunovskaya**, 2009, Systematics and bioacoustics of the genus *Lithodusa* (Orthoptera, Tettigoniidae) Synonym(s): including the description of a new species from Turkey and comments on the classification of the *Drymadusini*. J. Orth. Res. 18 (1): 5-13, figs. [available in Cesa Library]
- 291. Hemp,C.**, 2001, Two new species of *Amytta* Karsch (Orthoptera, Mecocnematinae) from East Africa (Tanzania, Mt.Kilimanjaro). J. Orth. Res. 10 (1): 129-134, figs. [available in Cesa Library]
- 292. Hemp,C.**, 2002, *Phlugidia usambarica* (Orthoptera, Tettigoniidae, Mecocnematinae, Phlugidini), a new species from the East Usambara Mts., Tanzania. J. Orth. Res. 11 (1): 63-66, figs. [available in Cesa Library]
- 293. Hemp,C.**, 2002, New Acrometopae from East Africa (Tettigoniidae, Phaneropterinae). J. Orth. Res. 11 (1): 67-76, figs. [available in Cesa Library]
- 294. Hemp,C.**, 2009, Annotated list of Caelifera (Orthoptera) of Mt. Kilimanjaro, Tanzania. J. Orth. Res. 18 (2): 183-214, figs. [available in Cesa Library]

- 295. Hilali, M., et al.**, 2003, Culicoides midges (Ceratopogonidae) Synonym(s): in some localities of Saudi Arabia and their veterinary significance. *Veter. Arhiv.* 73 (5): 285-294. [available in Cesa Library]
- 296. Hill, D.S.**, 1967, Figs (Ficus spp.) and fig-wasps (Chalcidoidea). *J. Nat. Hist.* 1: 413-434, figs. [available in Cesa Library]
- 297. Ho-Yeon Han & M.Kütük**, 2006, A new species of *Myoleja* Rondani (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the known species of the genus. *Zootaxa* 1155: 25-33, figs.
- 298. Hoberlandt, L.**, 1955, Hemiptera - Heteroptera from Iran I. *Acta ent. Mus. nat. Pragae* 29: 121-148, figs. [available in Cesa Library]
- 299. Hoberlandt, L.**, 1961, Heteroptera collected in Ankara (Turkey) by light trap. *Acta ent. Mus. nat. Pragae* 34: 393-416, 49 figs. [available in Cesa Library]
- 300. Horvath, G.**, 1875, Monographia Lygaeidarum Hungariae. 109 pp. Budapest. [available in Cesa Library]
- 301. Horvath, G.**, 1883, Heteroptera anatolica in regione Brussae collecta. *Termés. Füzetek* 7: 21-30. [available in Cesa Library]
- 302. Horvath, G.**, 1891, Hémipteres recueillis dans l'Arménie Russe. *Revue Ent.* 10 (3): 68-79; (4): 81. [available in Cesa Library]
- 303. Horvath, G.**, 1894, Hémipteres recueillis dans la Russie méridionale et en Transcaucasie. *Revue Ent.* 13: 169-189. [available in Cesa Library]
- 304. Horvath, G.**, 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémipteres du genre *Mustha*. *Bull. Mus. hist. nat. Paris* 12 (7): 514-516. [available in Cesa Library]
- 305. Horvath, G.v.**, 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, *Naturwissenschaftliche Beiträge zur Kenntnis der Kaukasusländer auf Grund seiner Sammelbeute* Dresden. *Jb. naturw. Ges. "Isis" Dresden* 1878: 72-76, 85-86. [available in Cesa Library]
- 306. Horvath, G.v.**, 1880, Hemipterologisches aus Transkaukasien. *Sber. naturw. Ges. Isis Dresden* 1879: 93-97. [available in Cesa Library]
- 307. Horvath, G.v.**, 1905, Hemipteren, [in] Penther & Zederbauer, *Naturwissenschaftliche Reise zum Erdschias-Dagh*. *Annl. naturh. Mus. Wien* 20 (2/3): 179-189. [available in Cesa Library]
- 308. Hoskovec, M. & M.Rejzek**, 2009, Cerambycidae of the West Palearctic Region. <http://www.cerambyx.uochb.cz/cerambyx.htm>
- 309. Hradsky, M. & F.Geller-Grimm**, 1997, Eine neue Art aus der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). *Studia dipterol.* 4 (1): 193-196, figs. [available in Cesa Library]
- 310. Hurkmans, W.**, 1993, A monograph of *Merodon* (Diptera, Syrphidae) Synonym(s): Part 1. *Tijdschr. Ent.* 136: 147-234, 106 figs. [available in Cesa Library]
- 311. Hüttinger, E.**, 1978, *Leopoldius pontifex* n.sp., eine neue Conopiden-spezies aus dem Iran (Diptera, Conopidae) Synonym(s): . *Z. ArbGem. Öst. Ent.* 29: 105-106, figs. [available in Cesa Library]
- 312. Hölzel, H.**, 1967, Zwei neue *Chrysopa*-Arten aus Anatolien (Neuroptera, Chrysopidae) Synonym(s): . *NachrBl. bayer. Ent.* 16 (9/10): 92-95, figs. [available in Cesa Library]
- 313. Hölzel, H.**, 1967, Die Neuropteren Vorderasiens II. Chrysopidae. *Beitr. naturk. Forsch. SW-Dtl.* 26 (1): 19-45, figs. [available in Cesa Library]
- 314. Hölzel, H.**, 1968, Die Neuropteren Vorderasiens III. Nemopteridae. *Beitr. naturk. Forsch. SW-Dtl.* 27 (1): 37-47, figs. [available in Cesa Library]
- 315. I.Özdemir, Remaudière, G., Toros, S. & N.Kılınçer**, 2005, New Aphid records from Turkey including the description of a new *Lachnus* species (Hemiptera, Aphididae) Synonym(s): . *Revue fr. Ent. (N.S.)* 27 (3): 97-102, figs. [available in Cesa Library]
- 316. Ivkovic, M. & B.Horvat**, 2007, Aquatic dance flies (Diptera, Empididae, Clinocerinae, Hemerodromiinae) of the river Cetina. *Nat. Croat.* 16 (3): 171-179. [available in Cesa Library]
- 317. Japoshvili, G. & J.S.Noyes**, 2006, The Western Palearctic species of *Psilophrys* Mayr (Hymenoptera, Chalcidoidea, Encyrtidae) Synonym(s): , parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) Synonym(s): attacking oaks (*Quercus* spp.). *J. Nat. Hist.* 40 (29-31): 1793-1800, figs. [available in Cesa Library]
- 318. Japoshvili, G.O. & I.Karaca**, 2003, New records of encyrtid parasitoids of *Kermes palestiniensis* Balachowsky (Hemiptera, Kermesidae) Synonym(s): with the description of a new species of *Blastothrix* Mayr (Hymenoptera, Encyrtidae) Synonym(s): from Turkey. *Ent. News* 114 (4): 187-191, figs. [available in Cesa Library]
- 319. Jedlicka, A.**, 1963, Neue Carabiden Anatolien und vom Balkan. *Koleopt. Rdsch.* 40/41: 16-22, figs. [available in Cesa Library]
- 320. Jelinek, J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae) Synonym(s): . *Mitt. münch. ent. Ges.* 68: 1-11, figs. [available in Cesa Library]
- 321. Jeong, J.-C. & J.-W.Lee**, 2006, Taxonomy of Listrodromini (Hymenoptera, Ichneumonidae, Ichneumoninae) from Korea. *Ent. Res.* 36: 127-132, figs. [available in Cesa Library]

- 322. Jäch, M.A.**, 1989, Revision of the palaeartic species of the genus *Ochthebius* Leach II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). *Z. ArbGem. öst. Ent.* 41 (1/2): 41-50, figs. [available in Cesa Library]
- 323. Jäch, M.A., Kasapoğlu, A. & O.Erman**, 2003, Revision of the Palaeartic species of the genus *Ochthebius* Leach (Coleoptera, Hydraenidae) Synonym(s): XX. Description of two species of the subgenus *Asiobates* Thomson from Northeastern Turkey. *Aquatic Insects* 25 (1): 71-74, figs. [available in Cesa Library]
- 324. Kalkandelen, A.**, 1985, Four new species of genus *Zyginidia* (*Zyginidia*) Haupt (Homoptera, Cicadellidae) Synonym(s): and with notes on the taxonomy and distributions of the species of this genus in Turkey. *Türk. bitki kor. derg.* 9: 13-25, figs. [available in Cesa Library]
- 325. Kalkan, V.J., Wasscher, M. & G.J.van Pelt**, 2003, An annotated checklist of the Odonata of Turkey. *Odonatologica* 32 (3): 215-236. [available in Cesa Library]
- 326. Kaltenbach, A.**, 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung *Saga* Charpentier (Saltatoria, Tettigoniidae) Synonym(s): . *Beitr. Ent.* 17 (1/2): 3-107, figs. [available in Cesa Library]
- 327. Kara, K. & S.Aksu**, 2008, Contributions to the Turkish Tachinidae (Diptera) fauna. *Türk. J. Zool.* 32: 227-228. [available in Cesa Library]
- 328. Kara, K. & T.Pape**, 2002, Check list of Turkish Sarcophagidae (Insecta, Diptera) with new records. *Mitt. Mus. Nat. kd. Berl., Dt. ent. Z.* 49 (2): 291-295. [available in Cesa Library]
- 329. Kara, K.**, 1999, Tokat ve çevresinde saptanan Tachinidae (Diptera, Tachinidae) Synonym(s): türleri. *Türk. ent. derg.* 23 (2): 121-134. [available in Cesa Library]
- 330. Kara, K.**, 2001, Amasya ilinde saptanan bazı Exoristinae, Tachinidae ve Dexiinae (Diptera, Tachinidae) Synonym(s): türleri. *Türk. ent. derg.* 25 (3): 217-222. [available in Cesa Library]
- 331. Kara, K., Korkmaz, Y. & S.Kırıkoğlu**, 2010, New records for Turkish Tachinidae (Diptera) fauna. *Türk. J. Zool.* 34: 275-277. [available in Cesa Library]
- 332. Karabağ, T.**, 1953, Some new Orthoptera from Turkey. *Eos* 29: 177-200, figs. [available in Cesa Library]
- 333. Karabağ, T.**, 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. İstanbul. [available in Cesa Library]
- 334. Karabağ, T., Balamir, S., Gümüştuyu, I. & E.Tutkun**, 1974, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (II). *Bitki Kor. Bül.* 14 (1): 3-18. [available in Cesa Library]
- 335. Karaman, Ş. & S.Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* (subgenus *Anthaxia* s.str.) Eschscholtz, 1829 (Coleoptera, Buprestidae) Synonym(s): of Turkey. *Türk. ent. derg.* 22 (1): 19-35. [available in Cesa Library]
- 336. Karimpour, Y., Tavakoli, M. & G.Melika**, 2008, New species of herb gallwasps from the Middle East (Hymenoptera, Cynipidae, Aylacini). *Zootaxa* 1854: 16-32, figs. [available in Cesa Library]
- 337. Karsavuran, Y. & Ş.Güçlü**, 2004, Türkiye faunası için yeni bir zararlı tür, *Metcalfa pruinosa* (Say, 1830) (Homoptera, Flatidae) Synonym(s): . *Türk. ent. derg.* 28 (3): 209-212. [available in Cesa Library]
- 338. Kartal, V., Zeybekoğlu, Ü. & A.Dursun**, 2001, A faunistic study on Deltocephalinae (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): in Yüksekova (Hakkari). *Türk. ent. Derg.* 25 (2): 83-92. [available in Cesa Library]
- 339. Kartal, V.**, 1978, Eine neue Singzikaden Art der Gattung *Pagiphora* Horvath von Creta (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . *Ent. Z., Frankf. a.M.* 88 (16): 179-185.
- 340. Kartal, V.**, 1980, Neue und wenig bekannte Arten der Gattungen *Cicadetta* und *Cicadatra* aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . *Ent. Z., Frankf. a.M.* 90 (17): 185-192, 4 Abb. [available in Cesa Library]
- 341. Kartal, V.**, 1983, Neue Homopteren aus der Türkei II (Homoptera, Auchenorrhyncha). *Marb. ent. Publ.* 1 (8): 235-248, figs.
- 342. Kartal, V.**, 1987, Eine neue und wenig bekannte Arten der Gattung *Ranissus* aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae) Synonym(s): . *Türk. ent. derg.* 11 (3): 145-150, figs. [available in Cesa Library]
- 343. Karz, K.**, 1988, Eine neue Sichelshrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). *Articulata* 3 (4): 137-138, 5 figs. [available in Cesa Library]
- 344. Katbeh-Bader, A. & B.Massa**, 2001, Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. *J. Orth. Res.* 10 (1): 25-37, figs. [available in Cesa Library]
- 345. Katbeh-Bader, A.**, 2001, Acridoidea (Orthoptera) of Jordan. *Zoology Middle East* 23: 89-100.
- 346. Katılmış, Y. & S.Kıyak**, 2009, *Aphelonyx persica*: a new record from Turkey, with some new host records. *Phytoparasitica* 37 (1): 95-97. [available in Cesa Library]

- 347. Kazancı,N. & S.Girgin,** 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. Rev. Hydrobiol. 1: 37-44.
- 348. Kazancı,N. & Ö.Ertunç,** 2008, Checklist of the Simuliidae (Insecta, Diptera) of Turkey. Review Hydrobiol. 2: 129-144. [available in Cesa Library]
- 349. Kazancı,N.,** 1983, Plecoptera (Insecta) from Anatolia. Aquatic Insects 5 (3): 141-146, figs.
- 350. Kazancı,N.,** 1985, Leuctra brachyptera, a new stonefly from Turkey (Plecoptera, Leuctridae) Synonym(s): . Aquatic Insects 7 (1): 49-52, figs.
- 351. Kazancı,N.,** 1999, A new apterous Leuctra (Plecoptera) species from Turkey. Aquatic Insects 21 (4): 267-271, 2 figs. [available in Cesa Library]
- 352. Kazancı,N.,** 2000, On the Taeniopterygidae (Plecoptera) fauna of Turkey. Aquatic Insects 22 (3): 171-176, 10 figs. [available in Cesa Library]
- 353. Kazancı,N.,** 2000, Brachyptera berkii, a new Plecoptera (Taeniopterygidae) Synonym(s): species from Turkey. Aquatic Insects 23 (4): 283-287, figs. [available in Cesa Library]
- 354. Kazancı,N.,** 2009, Contribution to the knowledge of Plecoptera (Insecta) fauna of Turkey. Rev. Hydrobiol. 1: 11-22. [available in Cesa Library]
- 355. Kechev,M.O.,** 2005, Check-list of Dolichopodidae (Diptera, Brachycera) species in Bulgaria. Animalia 41: 47-62. [available in Cesa Library]
- 356. Keith,D.,** 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre Triodontella Reitter,1919 (Coleoptera, Melolonthidae, Sericinae). Lambillionea ci: 153-160, 4 figs. [available in Cesa Library]
- 357. Kemal,M. & A.Ö.Koçak,** 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, figs. [available in Cesa Library]
- 358. Kemal,M. & A.Ö.Koçak,** 2008, Conops flavicaudus Bigot in South East Turkey (Conopidae, Diptera). Cesa News 36: 7-9, figs. 9-12. [available in Cesa Library]
- 359. Kemal,M. & A.Ö.Koçak,** 2008, Occurrence of Soldier Bug (Spilostethus pandurus) in Van Province (Turkey) (Hemiptera, Lygaeidae) Synonym(s): . Cesa News 33: 1-3, 3 figs. 1 map. [available in Cesa Library]
- 360. Kemal,M. & A.Ö.Koçak,** 2008, First scientific trip to the South West Van Lake Region (6-8 March,2008). Cesa News 7: 1-14, figs. [available in Cesa Library]
- 361. Kemal,M. & A.Ö.Koçak,** 2009, Cicindela asiatica Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae) Synonym(s): . Cesa News 41: 1-4, 5 figs. [available in Cesa Library]
- 362. Kemal,M. & E.Seven,** 2009, Stiphrolamyra pleskei (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) Synonym(s): (Project of the Cesa: Asilidae of East Turkey -1). Cesa News 51: 1-2, 2 figs. [available in Cesa Library]
- 363. Kemal,M. & M.Aydın,** 2009, Second record of Echthromyrmex sehitlerolmez Koçak & Kemal from East Turkey (Planipennia, Myrmeleonidae) Synonym(s): . Cesa News 39: 2-4, 3 figs. [available in Cesa Library]
- 364. Kesdek,M., Yıldırım,E., Anlaş,S. & S.Tezcan,** 2009, Contribution to the knowledge of Staphylinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 4 (2): 392-401. [available in Cesa Library]
- 365. Keskin,B.,** 2003, Erstnachweis von Tentyria cypria Kraatz,1865 (Coleoptera, Tenebrionidae) Synonym(s): für die Türkei. Zool. Middle East 29: 116-117, 1 Abb. [available in Cesa Library]
- 366. Keskin,B.,** 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: Mesostena puncticollis Solier,1835 (Pimeliinae, Tentyriini). Zool. Middle East 34: 119-120, fig.1. [available in Cesa Library]
- 367. Khalaf,K.T.,** 1957, Heleids from Iraq with descriptions of new species (Diptera, Heleidae = Ceratopogonidae) Synonym(s): . Bull. Soc. ent. Egypte 41: 335-350.
- 368. Kiesenwetter,H.v.,** 1872, Revision der europäischen Arten der Gattung Malthodes (Erstes Stück). Berl. ent. Z. 16: 369-392, Taf. iv,v. [available in Cesa Library]
- 369. Kiesenwetter,H.v.,** 1874, Revision der europäischen Arten der Gattung Malthodes (Zweites Stück). Berl. ent. Z. 18: 45-70. [available in Cesa Library]
- 370. Kiritshenko,A.,** 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5. [available in Cesa Library]
- 371. Kiritshenko,A.N.,** 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5. [available in Cesa Library]
- 372. Klapalek,F.,** 1921, Plécoptères nouveaux I. Sous famille des Perlinae et Neoperlinae. Anns Soc. ent. belg. 61: 57-67. [available in Cesa Library]
- 373. Klimaszewski,S.M. & N.Lodos,** 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. Türk. Bitki Kor. Derg. 4: 219-227.
- 374. Kocatepe,N. & O.Mergen,** 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. Türk. ent. Derg. 28 (4): 295-309. [available in Cesa Library]

- 375. Kolarov, J. & H. Ghahari**, 2008, A study of the Iranian Ichneumonidae (Hymenoptera) III. Ichneumoninae. Acta ent. serb. 13 (1/2): 61-76. [available in Cesa Library]
- 376. Kolarov, J. & M. F. Gürbüz**, 2006, A study of the Turkish Ichneumonidae (Hymenoptera) III. Anomaloninae, Banchinae, Ophioninae and Xoridinae. Acta ent. serb. 11 (1/2): 91-94. [available in Cesa Library]
- 377. Kolarov, J. & M. Yurtcan**, 2008, A study of the Ichneumonidae (Hymenoptera) of the North Anatolia (Turkey) I. Brachycyrtinae, Cryptinae and Xoridinae. Acta ent. serb. 13 (1/2): 89-91. [available in Cesa Library]
- 378. Kolarov, J. & M. Yurtcan**, 2008, A new species of Cymodusa Holmgren, 1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Biologia 63 (4): 548-549, 4 figs. [available in Cesa Library]
- 379. Kolarov, J. & M. Yurtcan**, 2009, A study of the Cremastinae (Hymenoptera, Ichneumonidae) Synonym(s): from Turkey. Turk. J. zool. 33: 371-374. [available in Cesa Library]
- 380. Kolarov, J.**, 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae) Synonym(s): . Linzer biol. Beitr. 25 (2): 1093-1097, 2 Abb. [available in Cesa Library]
- 381. Kolarov, J.**, 2007, A catalogue of the Ichneumonidae from Greece (Hymenoptera). Entomofauna 28 (30): 405-452. [available in Cesa Library]
- 382. Konstantinov, F. V.**, 1997, A revision of the genus Psallopsis (Heteroptera, Miridae) Synonym(s): . Zoosyst. ross. 6 (1/2): 171-190, figs. [available in Cesa Library]
- 383. Kovancı, B. & S. Canbulat**, 2007, A new species of the genus Nothochrysa McLachlan, 1868 from northwestern Turkey (Neuroptera, Chrysopidae) Synonym(s): with a key to western palaeartic species. Anns Soc. ent. Fr. (n.s.) 43 (2): 165-168, figs. [available in Cesa Library]
- 384. Koç, H. & P. Zwick**, 2006, New species and records of Net-winged Midges (Diptera, Blephariceridae) Synonym(s): from Asia Minor. Stud. dipterol. 13 (1): 61-66, 6 figs. [available in Cesa Library]
- 385. Koç, H.**, 2004, Muğla ili Tipulidae ve Limoniidae familyalarının faunistik ve ekolojik yönden incelenmesi. 154s. Muğla Univ. Yayınları. [available in Cesa Library]
- 386. Koç, H.**, 2008, Additions to the Limoniidae species in Turkey (Insecta, Diptera) III. Int. J. dipterol. Res. 19 (1): 3-5. [available in Cesa Library]
- 387. Koç, H., Oosterbroek, P. & O. Özgül**, 2005, A new Turkish Tipula (Lunatitipula) species in the acuminata group (Diptera, Tipulidae) Synonym(s): . Ent. fenn. 16: 251-253, figs. [available in Cesa Library]
- 388. Koç, H., Aktaş, M. & H. S. Civelek, [sic!]** 2008, New records of Tipula (Savtshenkia) (Diptera, Tipulidae) Synonym(s): from Turkey. Int. J. Dipt. Res. 19 (1): 7-10, figs. [text with numerous font errors!] [available in Cesa Library]
- 389. Koçak, A. Ö. & M. Kemal**, 2002, Van'da üç nadir sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 87: 5-8, figs. [available in Cesa Library]
- 390. Koçak, A. Ö. & M. Kemal**, 2008, Notes on some rare Planipennia species in East Turkey (Neuroptera, Planipennia, Myrmeleonidae, Ascalaphidae, Nemopteridae) Synonym(s): . Cesa News 18: 1-5, 5 figs. 2 maps. [available in Cesa Library]
- 391. Koçak, A. Ö. & M. Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 51: 3-106, 40 figs. [available in Cesa Library]
- 392. Koçak, A. Ö. & M. Kemal**, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 52: 1-63, 14 figs. [available in Cesa Library]
- 393. Koçak, A. Ö. & M. Kemal**, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 53: 1-212, 145 figs. [available in Cesa Library]
- 394. Koçak, A. Ö. & M. Kemal**, 2009, Description of taxa in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 5-6, 2 figs. [available in Cesa Library]
- 395. Koçak, A. Ö. & M. Kemal**, 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 7-8. [available in Cesa Library]
- 396. Koçak, A. Ö. & M. Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa (Report of the temporary results of the Entomofauna of Turkey-7). Cesa News 51: 3-106, 40 figs. [available in Cesa Library]
- 397. Koçak, A. Ö. & M. Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library]
- 398. Koçak, E. & M. Özdemir**, 2004, A new record for the cereal pests in Turkey: Phorbia securis Tiensuu, 1935 (Diptera, Anthomyiidae) Synonym(s): . Turk. J. Zool. 28: 83-85, figs. [available in Cesa Library]

- 399. Koçak,E. & N.Kılınçer,** 2003, Taxonomic studies on *Trissolcus* sp. (Hymenoptera, Scelionidae) Synonym(s): , egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, Eurygaster sp.) in Turkey. *Turk. J. zool.* 27: 301-307, figs. [available in Cesa Library]
- 400. Koçak,E., Özdemir,M. & V.V.Zlobin,** 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. *Turk. J. Zool.* 33: 245-247. [available in Cesa Library]
- 401. Krauss,H.,** 1892, Dermapteren und Orthopteren aus Tunis. *Wien. ent. Ztg.* 11 (5): 143-150. [available in Cesa Library]
- 402. Krolík,R. & M.Niehuis,** 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae) Synonym(s): . *Genus* 14 (3): 357-362, figs. [available in Cesa Library]
- 403. Krolík,R.,** 2002, *Agrilus kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae) Synonym(s): . *Genus* 13 (1): 25-31, figs. [available in Cesa Library]
- 404. Kubisz,D., Krolík,R., Dobosz,R. & R.B.Pettersson,** 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. *Annls Upper Sil. Mus. (Ent.)* 14-15: 111-130, figs. [available in Cesa Library]
- 405. Kuhlmann,M. H.Özbek,** 2007, Checklist of the Bees of the genus *Colletes* Latrille,1802 of Turkey (Hymenoptera, Apoidea, Colletidae) Synonym(s): . *J. ent. Res. Soc.* 9 (1): 7-31.
- 406. Kuhlmann,M.,** 2002, Neue palaearktische Arten der Bienengattung *Colletes* Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). *Linzer biol. Beitr.* 34 (1): 743-770. [available in Cesa Library]
- 407. Kuhlmann,M.,** 2003, Zur Kenntnis palaearktischer Bienen der Gattung *Colletes* Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). *Linzer biol. Beitr.* 35 (1): 723-746. [available in Cesa Library]
- 408. Kuhlmann,M.,** 2005, *Colletes rozeni* sp.n., a new bee species from Israel (Insecta, Hymenoptera, Colletidae) Synonym(s): . *Linzer biol. Beitr.* 37 (2): 1399-1400, figs. [available in Cesa Library]
- 409. Kuhlmann,M.,** 2005, Faunistik und Zoogeographie der Bienengattung *Colletes* Latreille,1802 (Hymenoptera, Apidae, Colletinae) in Mittelasien. *Linzer biol. Beitr.* 37 (2): 1353-1396, figs. [available in Cesa Library]
- 410. Kurzenko,N.V. & J.Gusenleitner,** 1994, Sapygidae from Turkey, with a key to palaeartic species of Sapyginae (Hymenoptera). *Linzer biol. Beitr.* 26 (2): 583-632, figs. [available in Cesa Library]
- 411. Kusnezov,V.,** 1931, Übersicht der asiatischen weissgeflügelten Tibicina-Arten (Homopt.-Cicadidae) Synonym(s): . *Konowia* 10: 15-18. [available in Cesa Library]
- 412. Kühbandner,M.,** 1984, Eine neue *Oxycera* -Art aus der Südosttürkei (Diptera, Stratiomyidae) Synonym(s): . *Entomofauna* 5 (34): 471-479, figs. [available in Cesa Library]
- 413. Kütük,M. & A.F.Özgür,** 2003, Faunistical and systematical studies on the genus *Tephritis* Latreille,1804 (Diptera, Tephritidae) Synonym(s): in the South West of Turkey along with new records. *Türk. ent. derg.* 27 (4): 243-252, 11 figs. [available in Cesa Library]
- 414. Kütük,M. & M.S.Varol,** 2006, Records of two species of *Terellia* Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): new to Turkish fauna. *Turk. J. Zool.* 30: 99-102, figs. [available in Cesa Library]
- 415. Kütük,M.,** 2003, Güney Batı Anadolu Bölgesi Meyve Sinekleri (Diptera, Tephritidae) Synonym(s): faunası ve sistematığı üzerine araştırmalar. Çukurova Univ. 217 s., Adana (doktora tezi).
- 416. Kütük,M.,** 2003, Doğu Akdeniz Bölgesi *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): faunası ve sistematığı üzerine araştırmalar. *Türk. ent. derg.* 27 (2): 149-160, figs. [available in Cesa Library]
- 417. Kütük,M.,** 2005, Two new records of *Tephritis* Latreille,1804 (Diptera, Tephritidae) Synonym(s): from Turkey. *Turk. J. Zool.* 29: 167-170, figs. [available in Cesa Library]
- 418. Kütük,M.,** 2006, A new species of *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the species of the *Urophora* *guadrifasciata* [sic!] group. *Türk. J. Zool.* 30: 147-153, figs. [available in Cesa Library]
- 419. Kütük,M.,** 2006, The fauna and systematics of the genus *Tephritis* Latreille,1804 (Diptera, Tephritidae) Synonym(s): with a key to the species of *Tephritis* in Turkey. *Turk. J. Ent.* 30: 345-356, figs. [available in Cesa Library]
- 420. Kütük,M.,** 2008, A new species of *Tephritis* Latreille (Diptera, Tephritidae) Synonym(s): from Turkey. *Belg. J. Zool.* 138 (2): 132-134, figs. [available in Cesa Library]
- 421. Kütük,M.,** 2009, A new species of *Urophora* Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey. *Ent. News* 120 (1): 101-105, figs.
- 422. Kılıç,A.Y. & R.Öztürk,** 2002, Sultandağı çevresinin Tabanidae (Diptera) faunası üzerine çalışmalar. *Anadolu Univ. Bilim Tekn. Derg.* 3: 307-316.

- 423. Kılıç,A.Y.**, 1999, Checklist of Tabanidae (Diptera) from Turkey. Tr. J. Zool. 23: 123-132. [available in Cesa Library]
- 424. Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Çanakkale Province. Turk. J. Zool. 25: 403-411. [available in Cesa Library]
- 425. Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Kütahya Province. J. Ent. Res. Soc. 3: 29-41.
- 426. Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Balıkesir Province. Turk. J. Zool. 25: 395-402. [available in Cesa Library]
- 427. Kılıç,A.Y.**, 2003, Bursa ve Yalova illeri Tabanidae (Diptera) faunası üzerinde araştırmalar. Türk. ent. derg. 27: 207-221. [available in Cesa Library]
- 428. Kılıç,A.Y.**, 2004, Bolu ili Tabanidae (Insecta, Diptera) faunası. Türk. ent. derg. 28: 57-68. [available in Cesa Library]
- 429. Kılıç,A.Y.**, 2005, Sinop ili Tabanidae (Insecta, Diptera) faunası. Anadolu Univ. Bilim Tekn. Derg. 5: 269-277.
- 430. Kılıç,A.Y.**, 2005, Bartın, Karabük ve Zonguldak illeri Tabanidae (Diptera) faunası üzerine araştırmalar. Türk. ent. derg. 29 (2): 151-160. [available in Cesa Library]
- 431. Kılıç,A.Y.**, 2006, New additions and errata to the Checklist of Tabanidae (Insecta, Diptera) fauna of Turkey. Turk. J. Zool. 30: 335-343. [available in Cesa Library]
- 432. Kısmalı,Ş. & D.Sassi**, 1994, Preliminary list of Chrysomelidae with notes on distribution and importance of species in Turkey II. Subfamily Cassidinae Spaeth. Turk. ent. Derg. 18 (3): 141-156. [available in Cesa Library]
- 433. Kıyak,S. & H.Özdikmen**, 1993, Über einige Neuropterenarten von Soğuksu Nationalpark (Kızılcahamam,Ankara). Priamus 6 (3/4): 156-160, 1 Abb. [available in Cesa Library]
- 434. Kıyak,S. & Y.Katılmış**, 2010, Oak Gallwasp Dryocosmus mayri (Hymenoptera, Cynipidae) Synonym(s): - new record from Turkey. J. ent. Res. Soc. 12 (1): 67-70.
- 435. Kıyak,S.**, 1990, Cranocapsus turcicus (sp.nov.), yeni bir heteropter türünün tanımı (Insecta, Heteroptera, Miridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 5: 1-3, 1 şekil. [available in Cesa Library]
- 436. Kıyak,S.**, 1993, Erstnachweisen für die Fauna Heteroptera der Türkei. Priamus 6 (3/4): 160-164, 3 Abb. [available in Cesa Library]
- 437. Kıyak,S.**, 1993, Über terrestrische Wanzenarten von Soğuksu Nationalpark. Priamus 6 (3/4): 131-156, Abb. [available in Cesa Library]
- 438. Kıyak,S., Kılıç,T. & Y.Katılmış**, 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae) Synonym(s): . Mun. Ent. Zool. 3 (1): 523-535, figs. [available in Cesa Library]
- 439. Kıyak,S., Salur,A., Canbulat,S. & M.Darılmaz**, 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 1(1): 57-62. [available in Cesa Library]
- 440. Lastovka,P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of Docosia Winnertz (Diptera, Mycetophilidae) Synonym(s): , with atlas of the male and female terminalia. Cas. Slez. Muz. Opava (A) 55: 1-37, figs. [available in Cesa Library]
- 441. Latke,J.E.**, 2004, A taxonomic revision and phylogenetic analysis of the ant genus Gnamptogenys Roger in Southeast Asia and Australasia (Hymenoptera, Formicidae, Ponerinae). Univ. Calif. Press 122: 266pp., 61 figs. [available in Cesa Library]
- 442. Lauterbach,K.E.**, 1972, Zur Kenntnis der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae) Synonym(s): . Dt. ent. Z. (N.F.) 19 (1/3): 109-140, figs. [available in Cesa Library]
- 443. Leclercq,M. & W.Schacht**, 1986, The Sciomyzidae of Turkey (Diptera, Sciomyzidae) Synonym(s): . Entomofauna 7 (4): 57-61. [available in Cesa Library]
- 444. Leclercq,M. & W.Schacht**, 1987, Additions to the Sciomyzidae of Turkey. Entomofauna 8 (17): 269-270. [available in Cesa Library]
- 445. Legalov,A.A.**, 2002, Neue Arten der Familie Rhynchitidae (Coleoptera) aus der Türkei. Russian Ent. J. 11 (2): 215-219, figs. [available in Cesa Library]
- 446. Lehr,P.A., Ghahari,H. & H.Ostovan**, 2007, A contribution to the Robber Flies of Subfamilies Stenopogoninae and Asilinae (Diptera, Asilidae) Synonym(s): from Iran. Far east. Ent. 173: 1-14. [available in Cesa Library]
- 447. Lehrer,A.Z.**, 2006, Liste des Sarcophaginae et Paramacronychiinae du Proche Orient, identifiés dans les collections de TAU (Diptera, Sarcophagidae) Synonym(s): . Fragm. dipt. 3: 14-22. [available in Cesa Library]
- 448. Lehrer,A.Z.**, 2007, Stomorhiniinae [sic!] n.sfam. une nouvelle sous-famille de Calliphoridae (Diptera) et révision de ses taxons. Fragm. dipt. 12: 4-16, figs. [available in Cesa Library]
- 449. Lelej,A.S. & E.Yıldırım**, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. Zootaxa 2160: 1-28, figs. [available in Cesa Library]

450. **Lieftnick, M.A.**, 1968, A review of Old World species of *Thyreus* Panzer (= *Crocisa* Jurine) (Hym., Apoidea, Anthophoridae) Synonym(s): Part 4. Palearctic species. Zool. Verh. 98: 3-139, 38 figs., 4 pls. [available in Cesa Library]
451. **Linnavuori, R. & M. Modarres**, 1999, Studies on the Heteroptera of the Khorassan province in N.E. Iran II. Cimicomorpha: Miridae. Ent. fenn. 10: 215-231, figs. [available in Cesa Library]
452. **Linnavuori, R.**, 1952, Contributions to the Hemipterous fauna of Palestine. Ann. ent. fenn. 18: 188-195, figs. [available in Cesa Library]
453. **Linnavuori, R.**, 1961, Hemiptera of Israel II. Ann. Zool. Soc. 22 (7): 1-51, 22 figs. [available in Cesa Library]
454. **Linnavuori, R.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. Acta ent. fenn. 21: 1-67, 24 figs. [available in Cesa Library]
455. **Linnavuori, R.**, 1972, Studies on Palaearctic Hemiptera. Ann. Ent. fenn. 38: 40-50, figs [available in Cesa Library]
456. **Linnavuori, R.**, 1995, On the Miridae fauna of the Middle East (Heteroptera, Miridae) Synonym(s): . Ent. fenn. 5: 205-212, figs. [available in Cesa Library]
457. **Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey I. Family Cixiidae Spinola. Türk. bitki kor. derg. 4 (1): 15-27. [available in Cesa Library]
458. **Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey II. Family Delphacidae Leach. Türk. bitki kor. derg. 4 (2): 103-117. [available in Cesa Library]
459. **Lodos, N. & A. Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey III. Families Meenoplidae, Derbidae, Achilidae, Dictyopharidae and Tettigoniidae. Türk. bitki kor. derg. 4 (3): 161-176. [available in Cesa Library]
460. **Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IV. Family Issidae Spinola. Türk. bitki kor. derg. 5 (1): 5-21. [available in Cesa Library]
461. **Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey V. Families Flatidae, Ricaniidae and Cicadidae. Türk. bitki kor. derg. 5 (2): 67-82. [available in Cesa Library]
462. **Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VI. Families Cercopidae and Membracidae. Türk. bitki kor. derg. 5 (3): 133-149. [available in Cesa Library]
463. **Lodos, N. & A. Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VII. Family Cicadellidae, Ulopinae, Megophthalminae, Ledrinae, Macropsinae and Agallinae. Türk. bitki kor. derg. 5 (4): 215-230. [available in Cesa Library]
464. **Lodos, N. & A. Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VIII. Family Cicadellidae, Idiocerinae. Türk. bitki kor. derg. 6 (1): 15-28. [available in Cesa Library]
465. **Lodos, N. & A. Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IX. Family Cicadellidae, Jassinae, Penthiminae, Dorycephalinae, Hecalinae and Aphrodinae. Türk. bitki kor. derg. 6: 147-159. [available in Cesa Library]
466. **Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey X. Family Cicadellidae, Xestocephalinae, Stegelytrinae and Cicadellinae. Türk. bitki kor. derg. 7 (1): 23-28. [available in Cesa Library]
467. **Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XI. Family Cicadellidae, Typhlocybinae: Alebrini and Dikraneurini. Türk. bitki kor. derg. 7: 107-115. [available in Cesa Library]
468. **Lodos, N. & A. Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XII. Family Cicadellidae, Typhlocybinae: Empoascini. Türk. bitki kor. derg. 7: 153-165. [available in Cesa Library]
469. **Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIII. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 1). Türk. bitki kor. derg. 8 (1): 33-44. [available in Cesa Library]
470. **Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIV. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 2). Türk. bitki kor. derg. 8: 87-97. [available in Cesa Library]
471. **Lodos, N. & A. Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XV. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 1). Türk. bitki kor. derg. 8: 159-168. [available in Cesa Library]

- 472. Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVI. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 2). Türk. bitki kor. derg. 8: 201-210. [available in Cesa Library]
- 473. Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVII. Family Cicadellidae, Deltocephalinae: Grypotini, Goniagnathini and Opsini (Part 1). Türk. bitki kor. derg. 9: 79-90. [available in Cesa Library]
- 474. Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVIII. Family Cicadellidae, Deltocephalinae: Macrostelini (Part 2). Türk. bitki kor. derg. 9 (3): 147-161. [available in Cesa Library]
- 475. Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIX. Family Cicadellidae, Deltocephalinae: Deltocephalini, Scaphytopiini, Doraturini. Türk. bitki kor. derg. 9: 207-215. [available in Cesa Library]
- 476. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XX. Family Cicadellidae, Deltocephalinae: Fieberiellini, Stirellini and Tetartostyliini. Türk. bitki kor. derg. 10 (1): 25-32. [available in Cesa Library]
- 477. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXI. Family Cicadellidae, Deltocephalinae: Athysanini (Part 1). Türk. bitki kor. derg. 10 (3): 131-139. [available in Cesa Library]
- 478. Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 2). Türk. bitki kor. derg. 10 (4): 203-211. [available in Cesa Library]
- 479. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 3). Türk. ent. derg. 11 (1): 29-40. [available in Cesa Library]
- 480. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIV. Family Cicadellidae, Deltocephalinae: Athysanini (Part 4). Türk. ent. derg. 11 (2): 97-109. [available in Cesa Library]
- 481. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXV. Family Cicadellidae, Deltocephalinae: Paralimnini Distans (Part 1). Türk. ent. derg. 11 (3): 151-162. [available in Cesa Library]
- 482. Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVI. Family Cicadellidae, Deltocephalinae: Paralimnini Distant (Part 2). Türk. ent. derg. 11 (4): 195-202. [available in Cesa Library]
- 483. Lodos,N. & A.Kalkandelen**, 1988, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVII. (Addenda and Corrigenda). Türk. ent. derg. 12 (1): 11-22. [available in Cesa Library]
- 484. Lodos,N.**, 1977, Preliminary list of Curculionidae (Coleoptera) with notes on distribution abundance and biology of species in Turkey III. Brachycerus Ol. Türk. bitki kor. Derg. 1 (2): 29-38, figs. [available in Cesa Library]
- 485. Loew,H.**, 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). Linn. ent. 2: 384-568; 3: 386-495; 4: 1-155. [available in Cesa Library]
- 486. Lotfalizadeh,H. & A.Mohammadi-Khoramabad**, 2009, New distribution and host record of Eurytoma scrophulariae Zerova,1981 (Hym.: Eurytomidae) Synonym(s): from south of Iran. Biharean Biol. 3 (2): 157-159. [available in Cesa Library]
- 487. Lotfalizadeh,H.**, 2008, New distribuiton records for Eucharitidae (Hym.: Chalcidoidea) in Iran. North Western J. Zool. 4 (1): 134-138, figs. [available in Cesa Library]
- 488. Maca,J.**, 1987, Amiota (Phortica) goetzi sp.n. (Diptera, Drosophilidae) Synonym(s): with faunistic notes to Drosophilidae Odiniidae and Periscelididae from Southeastern Europe and Turkey. Acta ent. Mus. natn. Pragae 42: 311-320, figs. [available in Cesa Library]
- 489. Madl,M.**, 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiiden der Türkei (Hymenoptera). Linzer biol. Beitr. 29 (2): 823-827. [available in Cesa Library]
- 490. Maican,S. & R.Serafim**, 2009, Data about Cerambycidae and Chrysomelidae (Coleoptera, Chrysomeloidea) collected from Mediterranean expeditions [results of the "Taurus" 2005, "Focida" 2006, "Punia" 2006, "Atlas" 2007 and "Euphrates" expeditions]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 52: 415-428. [available in Cesa Library]
- 491. Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) Synonym(s): newly entered in the collections of "Grigore Antipa" National Museum of Natural History [results of the expeditions from Turkey and Tunisia, 2005-2006]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 50: 421-429. [available in Cesa Library]

- 492. Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) Synonym(s): newly entered in the collections of "Grigore Antipa" National Museum of Natural History [Results of the expeditions from Turkey and Tunisia, 2005-2006]. Trav. Mus. nat. Hist. Nat. "Grigore Antipa" 50: 421-429. [available in Cesa Library]
- 493. Maidl,F.**, 1930, Sphegidae [sic!] [in] Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. [available in Cesa Library]
- 494. Majer,K.**, 1989, The genus *Dasytidius* Schilsky,1896: species from Turkey and the Balkans (Coleoptera, Melyridae) Synonym(s): . Acta ent. bohemoslov. 86: 137-155, figs.
- 495. Majer,K.**, 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . Annln naturh. Mus. Wien 98 (B): 435-500, figs. [available in Cesa Library]
- 496. Majer,K.**, 1996, Internal classification of the *Dasytidius* Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . Spixiana 19 (2): 155-182, figs. [available in Cesa Library]
- 497. Maran,J.**, 1958, Beitrag zur Kenntnis der geographischen Variabilität von *Acrotylus insubricus* (Scop.) (Orthoptera, Acrididae) Synonym(s): Acta ent. Mus. Nat. Pragae 32: 171-179. [available in Cesa Library]
- 498. Marcos-Garcia,M.A., Vujic,A. & X.Mengual**, 2007, Revision of Iberian species of the genus *Merodon* (Diptera, Syrphidae) Synonym(s): . Eur. J. Ent. 104: 531-572, figs. [available in Cesa Library]
- 499. Marseul,S.A.de**, 1872, Monographie des Mylabrides. Mém. Soc. R. Liege 1872: 363-662, 6Tab. [available in Cesa Library]
- 500. Marshall,T.A.**, 1885, Monograph of British Braconidae I. Trans. ent. Soc. London 1885 (1): 1-280, 6 pls. [available in Cesa Library]
- 501. Marshall,T.A.**, 1887, Monograph of British Braconidae II. Trans. ent. Soc. London 1887 (2): 51-131, pl.v. [available in Cesa Library]
- 502. Mart,A. & O.Erman**, 2001, A study on *Helophorus* Fabricius,1775 (Coleoptera, Hydrophilidae) Synonym(s): species. Turk. J. Zool. 25: 35-40 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library]
- 503. Martinez-Navarro,E.M., Serrano,J. & J.Galian**, 2004, Chromosome evolution in ground beetles: localization of the rDNA loci in the tribe Harpalini (Coleoptera, Carabidae) Synonym(s): . J. Zool. Syst. Evol. Res. 42: 38-43, figs. [available in Cesa Library]
- 504. Masnadi-Yazdinejad,A. & R.Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae) Synonym(s): . J. ent. Soc. Iran 28 (1): 1-11. [available in Cesa Library]
- 505. Mason,F. & R.Rozkosny**, 2003, Interesting records of European Stratiomyidae including description of the female of *Nemotelus danielssoni* (Diptera, Stratiomyidae) Synonym(s): . Boll. Soc. ent. ital. 134 (3): 253-264. [available in Cesa Library]
- 506. Mason,F., Rozkosny,R. & M.Hauser**, 2009, A review of the soldier flies (Diptera, Stratiomyidae) Synonym(s): of Sardinia. Zootaxa 2318: 507-530, figs. [available in Cesa Library]
- 507. Massa,B., Buzzetti,F.M. & P.Fontana**, 2009, New and little known species of the genus *Parapholidoptera* Maran (Insecta, Orthoptera). Dt. ent. Z. (N.F.) 56 (2): 243-249, figs. [available in Cesa Library]
- 508. Mathis,W.N., Zatwarnicki,T. & M.G.Krivosheina**, 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae) Synonym(s): , V: A Revision of the Shore-Fly Genus *Mosillus* Latreille. Smiths. Contr. Zool. 548: 48pp., figs., maps. [available in Cesa Library]
- 509. Mauss,V.**, 1996, Morphological characters of *Ceramius palaestinensis* (Giordani Soika,1957) *Gusenleitner*,1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. Linzer biol. Beitr. 28 (2): 953-966, figs. [available in Cesa Library]
- 510. Mauss,V., Müller,A. & E.Yıldırım**, 2005, First contribution to the bionomics of the Pollen Wasp *Ceramius caucasicus* André,1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. J. Kansas ent. Soc. 78 (3): 201-220, figs. [available in Cesa Library]
- 511. Medvedev,L.N.**, 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). Revue suiss. Zool. 77 (2): 309-319.
- 512. Medvedev,L.N.**, 1975, Chrysomelidae collected by W.Wittmer in Turkey and Iran. Mitt. ent. Ges. Basel 25 (1): 12-19.
- 513. Meinander,M.**, 1972, A revision of the family Coniopterygidae (Planipennia). Acta zool. fenn. 136: 1-357, figs. [available in Cesa Library]
- 514. Melika,G. & B.Gharaei**, 2006, New species of herb galling cynipids (Hymenoptera, Cynipidae, Aylacini) from Iran. Acta zool. hung. 52: 385-399, figs. [available in Cesa Library]

- 515. Melika,G. & G.N.Stone**, 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae) Synonym(s): . *Folia ent. hung.* 62: 127-131, 6 figs. [available in Cesa Library]
- 516. Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. *Vestn. zool.* 39 (2): 23-30, figs. [available in Cesa Library]
- 517. Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. *Vestn. zool.* 39 (2): 23-30, figs. [available in Cesa Library]
- 518. Melika,G. & Y.Karimpour**, 2008, The first report of Aulacidea acroptilonica and Isocolus cirsii (Hymenoptera, Cynipidae) Synonym(s): from Iran. *J. ent. Soc. Iran (suppl.)* 27 (2): 19-20. [available in Cesa Library]
- 519. Melika,G.**, 2006, A new species of Neuroterus Hartig,1840 from Syria (Hymenoptera, Cynipidae, Cynipini). *Folia ent. hung.* 67: 199-206, figs. [available in Cesa Library]
- 520. Melika,G., Pujade-Villar,J., Stone,G.N., Fülöp,D. & Z.Penzes**, 2009, New species of cynipid gallwasps of the genus Plagiotrochus Mayr,1881 from Nepal and Jordan (Hymenoptera, Cynipidae, Cynipini). *Acta zool. hung.* 55 (3): 263-274, figs. [available in Cesa Library]
- 521. Melika,G., Stone,G.N., Sadeghi,S.E. & Pujade-Villar,J.**, 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). *Acta zool. hung.* 50 (2): 139-151, figs. [available in Cesa Library]
- 522. Memon,N. & I.Ahmad**, 2008, Description of Mustha izmirensis, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. *Pakistan J. Zool.* 40 (6): 435-439, figs. [available in Cesa Library]
- 523. Merkl,O.**, 2006, Redescription of Lagria (Apteronympha) tenenbaumi Pic,1929, with a checklist of the western Palaearctic species of the Lagria F. (Coleoptera, Tenebrionidae, Lagriini). *Proc. Russ. ent. Soc., St. Petersburg* 77: 219-225, figs. [available in Cesa Library]
- 524. Merz,B.**, 2007, Two new mediterranean species of the Sapromyza intonsa group (Diptera, Lauxaniidae) Synonym(s): . *Tijdschr. Ent.* 150: 65-76, figs. [available in Cesa Library]
- 525. Mitter,H.**, 1992, Eine neue Amphicoma-Art aus dem Nahen Osten (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 24 (1): 31-34, Abb.1. [available in Cesa Library]
- 526. Mitter,H.**, 1992, Faunistische und taxonomische Notizen über südostanatolische Glaphyrinae (Scarabaeidae) Synonym(s): . *Koleopt. Rdsch.* 62: 169-171.
- 527. Mitter,H.**, 1996, Eulasia baumanni n.sp., eine neue Art aus Palestina (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 28 (1): 363-365. [available in Cesa Library]
- 528. Mitter,H.**, 1996, Eulasia palmyrensis n.sp., eine weitere neue Art aus dem Nahostgebiet (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 28 (2): 933-936. [available in Cesa Library]
- 529. Mitter,H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von Pygopleurus anahitae n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . *Linzer biol. Beitr.* 33 (2): 1041-1045. [available in Cesa Library]
- 530. Mitter,H.**, 2004, Eine neue Eulasia-Art aus dem Iran (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . *Linzer biol. Beitr.* 36 (1): 305-307, Abb.2. [available in Cesa Library]
- 531. Moczar,L.**, 2001, World revision of the Cleptes semiauratus group (Hymenoptera, Chrysididae, Cleptinae). *Linzer biol. Beitr.* 33 (1): 905-931, figs. [available in Cesa Library]
- 532. Montreuil,O. & S.Serri**, 2007, Description of a new Pygopleurus species (Col.: Glaphyridae) Synonym(s): with a list of recorded species of the genera Pygopleurus and Eulasia from Iran. *J. ent. Soc. Iran* 26 (2): 1-6, figs. [available in Cesa Library]
- 533. Morton,K.J.**, 1894, Palaearctic Nemourae. *Trans. ent. Soc. London* 1894: 557-574, Pls.xiii,xiv. [available in Cesa Library]
- 534. Morton,K.J.**, 1914, Notes on a collection of Odonata from Van, Turkey in Asia. *Entomologist's mon. Mag.* 50: 56-59, pl.viii. [available in Cesa Library]
- 535. Morton,K.J.**, 1919, Odonata from Mesopotamia. *Entomologist's mon. Mag.* 3: 143-151, 183-196, figs. [available in Cesa Library]
- 536. Mostovski,M.B. & R.H.L.Disney**, 2002, A new species of Megaselia (Dipt., Phoridae) Synonym(s): from donkey dung in Turkey. *Entomologist's mon. Mag.* 138: 135-137, 6 figs. [available in Cesa Library]
- 537. Muche,W.H.**, 1962, Die Alosimus meiner Anatolienausbeute (Col., Meloidae) Synonym(s): . *Reichenbachia* 1: 57-59.
- 538. Muche,W.H.**, 1962, Lydus anatolicus spec. nov. (Col., Meloidae) Synonym(s): . *Reichenbachia* 1: 51-53.
- 539. Mutun,S. Ceyhan,Z. & C.Sözen**, 2009, Invasion by the oak lace bug, Corytheucha arcuata (Say) (Heteroptera, Tingidae) Synonym(s): . *Turk J. Zool.* 33: 263-268, figs. [available in Cesa Library]
- 540. Muştu,M. & N.Kılınçer**, 2005, Türkiye faunası için yeni kayıt Phalacrotophora fasciata (Fallen) (Dip., Phoridae) Synonym(s): . *Bitki kor. bült.* 45 (1/4): 1-7, figs. [available in Cesa Library]

- 541. Müller,A.**, 2009, Palaearctic Osmiine Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini>
- 542. Müller,G.**, 1931, Neue und wenig bekannte Carabiden von Leo Weirather auf der Balkanhalbinsel und in Kleinasien gesammelt. Koleopt. Rdsch. 17 (6): 209-223. [available in Cesa Library]
- 543. Nadein,K.S.**, 2009, Revision of the genus *Mniophila* Stephens,1831 (Coleoptera, Chrysomelidae) Synonym(s): . Beitr. Ent. 59 (1): 103-131, 7 figs, 3 maps. [available in Cesa Library]
- 544. Nagatomi,A.**, 1964, The Chorisops of the Palaearctic Region (Diptera, Stratiomyidae) Synonym(s): . Insecta matsumurana 27 (1): 18-23. [available in Cesa Library]
- 545. Naglis,S.**, 2009, New records of Sympycninae (Diptera, Dolichopodidae) Synonym(s): from Turkey, with the description of a new species of *Teuchophorus*. Mitt. schweiz. ent. Ges. 82: 173-180, figs. [available in Cesa Library]
- 546. Namin,S.M. & G.R.Rasoulia**n, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30. [available in Cesa Library]
- 547. Namin,S.M. & G.R.Rasoulia**n, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30, figs. [available in Cesa Library]
- 548. Narchuk,E.P.**, 1992, Chloropid flies (Diptera, Chloropidae) Synonym(s): of Cyprus. Ent. fenn. 1: 227-232.
- 549. Narchuk,E.P.**, 2004, On Chloropidae (Diptera, Muscomorpha) from Tunisia. Russ. Ent. J. 13 (1/2): 85-89, figs. [available in Cesa Library]
- 550. Narchuk,E.P.**, 2007, Nemestrinid flies (Diptera, Nemestrinidae) Synonym(s): in the fauna of Eastern Europe and the Caucasus. Zool. Zh. 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085]
- 551. Narolsky,N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). Vestn. zool. 35 (3): 23-29, figs. [available in Cesa Library]
- 552. Nartshuk,E.P. & V.A.Korneyev**, 2005, Data on the fauna of Pyrgotidae (Diptera, Cyclorrhapha) of the Russian Far East. Far east. Ent. 147: 1-10, figs. [available in Cesa Library]
- 553. Nartshuk,E.P.**, 2004, On Chloropidae (Diptera, Muscomorpha) from Tunisia. Russ. Ent. J. 13 (1/2): 85-89, figs. [available in Cesa Library]
- 554. Nazemi,J., Talebi,A.A., Sadeghi,S.E., Melika,G. & A.Loza**n, 2008, Species richness of oak gall wasps (Hymenoptera, Cynipidae) Synonym(s): and identification of associated inquilines and parasitoids on two oak species in western Iran. North West J Zool. 4 (2): 189-202, figs. [available in Cesa Library]
- 555. Nazemi-Rafie,J., Talebi,A.A., Sadeghi,S.E. & G.Melika**, 2007, Parasitoids (Hym., Chalcidoidea) reared from oak gall wasps (hym. Cynipidae) Synonym(s): in West of Iran with five new species records. J. ent. Res. Soc. 9 (3): 43-56. [available in Cesa Library]
- 556. Neimorovets,V.V.**, 2006, On the synonymy and distribution of the Heteropterans, *Trapezonotus dispar* Stal and *T. desertus* Seidenstücker (Heteroptera, Lygaeidae) Synonym(s): . Ent. Obozr. 85 (1): 162-166, figs.
- 557. Nieser,N. & Z.Moubayed**, 1985, Les Heteroptere aquatiques du Liban I. Inventaire faunistique. Annls Limnol. 21 (3): 247-252. [available in Cesa Library]
- 558. Nieves-Aldrey,J.L. & G.Melika**, 2005, *Aylax hypecoi* Trotter (Hymenoptera, Cynipidae) Synonym(s): in Europe: Redescription with taxonomic and biological notes. J. Nat. Hist. 39 (27): 2525-2535, figs. [available in Cesa Library]
- 559. Novak,V.**, 2007, New species of the genus *Hymenalia* Mulsant,1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. Stud. rep. Distr. Mus. Prague-East (Tax. Series) 3 (1/2): 149-170, figs. [available in Cesa Library]
- 560. Noyes,J.S.**, 2010, Universal Chalcidoidea Database. <http://www.nhm.ac.uk/entomology/chalcidoids/index.html> [accessed 1.3.2010].
- 561. Oehlke,J.**, 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). Beitr. Ent. 33 (2): 439-447. [available in Cesa Library]
- 562. Oosterbroek,P.**, 1994, Notes on western Palaearctic species of the *Tipula* (*Yamatotipula*) *lateralis* group, with the description of a new species from Turkey (Diptera, Tipulidae) Synonym(s): . Eur. J. Ent. 91: 429-435, figs. [available in Cesa Library]
- 563. Osten,T.**, 2001, Beitrag zur Scoliiden-Fauna der Insel Phuket (Thailand) (Hymenoptera, Scoliidae) Synonym(s): . Entomofauna 22 (23): 433-444. [available in Cesa Library]
- 564. Papp,J.**, 2003, Braconidae (Hymenoptera) from Greece, 5. Notes faun. Gembloux 53: 21-54. [available in Cesa Library]
- 565. Papp,J.**, 2007, Braconidae (Hymenoptera) from Greece, 6. Notes faun. Gembloux 60 (3): 99-127. [available in Cesa Library]

- 566. Parvu,C., R.Popescu-Mirceni,** 2006, Faunistic data on some Dipteran families (Insecta, Diptera) from West Turkey. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 49: 283-295, 5 figs. [available in Cesa Library]
- 567. Pehlivan,E.,** 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. Scarabaeus L., Gymnopleurus Ill., Sisyphus Latr. Türk. ent. Derg. 12 (4): 221-230, 12 figs. [available in Cesa Library]
- 568. Pehlivan,E.,** 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. Onthophagus Latr. Türk. ent. Derg. 13 (1): 25-42, figs. [available in Cesa Library]
- 569. Pehlivan,E., Karsavuran,Y. & S.Tezcan,** 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) Synonym(s): from Turkey. Türk. ent. derg. 29 (3): 173-182. [available in Cesa Library]
- 570. Pehlivan,E., Karsavuran,Y. & S.Tezcan,** 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) Synonym(s): from Turkey. Türk. ent. derg. 29 (4): 259-272. [available in Cesa Library]
- 571. Pekel,S. & H.Özbek,** 2000, Erzurum ili Cremastinae (Hymenoptera, Ichneumonidae) Synonym(s): altfamilyası üzerinde faunistik ve sistematik bir çalışma. Türk. ent. derg. 24 (3): 215-228. [available in Cesa Library]
- 572. Peters,D.S.,** 1974, Über die Untergattung Haetosmia Popov,1952 (Insecta, Hymenoptera, Megachilidae, Osmia). Senckenberg. biol. 55 (4/6): 293-309, figs. [available in Cesa Library]
- 573. Peters,D.S.,** 1978, Systematik und Zoogeographie der west-palaearktischen Arten von Osmia Panzer,1806 s.str., Monosmia Tkalcu,1974 und Orientosmia n.subgen. (Insecta, Hymenoptera, Megachilidae) Synonym(s): . Senckenberg. biol. 58 (4/6): 287-346, figs. [available in Cesa Library]
- 574. Petrovitz,R.,** 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera. Annln naturh. Mus. Wien 70: 325-343, Abb. [available in Cesa Library]
- 575. Petrovitz,R.,** 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Zweite Folge). Annln naturh. Mus. Wien 72: 465-491, Abb. [available in Cesa Library]
- 576. Petrovitz,R.,** 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Dritte Folge). Annln naturh. Mus. Wien 73: 383-400, figs. [available in Cesa Library]
- 577. Petrovitz,R.,** 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Vierte Folge). Annln naturh. Mus. Wien 75: 565-589, Abb. [available in Cesa Library]
- 578. Peyron,E.,** 1858, Catalogue des Coléoptères des environs de Tarsous (Caramanie), avec la description des espèces nouvelles. Annls Soc. ent. Fr. 3 (6): 353-434, pl. [available in Cesa Library]
- 579. Pittino,R.,** 2004, New or nothworthy taxa of the genus Onthophagus (Subg. Palaeonthophagus) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae) Synonym(s): . Fragm. ent. Roma 36 (2): 145-214, figs. [available in Cesa Library]
- 580. Plassmann,E.,** 1987, Neun neue Pilzmücken aus der Westpalaearktis (Diptera, Nematocera, Mycetophilidae) Synonym(s): . Spixiana 9: 143-150, figs. [available in Cesa Library]
- 581. Platia,G. & D.Tarnawski,** 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae) Synonym(s): . Genus 9 (3): 269-274, figs. [available in Cesa Library]
- 582. Pont,A.C.,** 1991, A preliminary list of the Fanniidae and Muscidae (Insecta, Diptera) from Turkey. Zool. Middle East 5: 63-112.
- 583. Pont,A.C., Werner,D. & E.A.Kachvoryan,** 2005, A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia. Zool. Middle East 36: 73-86, figs. [available in Cesa Library]
- 584. Popescu-Mirceni,R. & C.Parvu,** 2009, Distributional data on some East-Mediterranean Brachycera (Diptera) [results of the "Euphrates" Expedition - 2008 in Turkey and Syria]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 52: 429-436. [available in Cesa Library]
- 585. Popov,A.,** 2008, Hemerobiiden aus Bulgarien (Neuroptera). Mitt. Mus. Nat. Berlin 62 (2): 323-331.
- 586. Priesner,H.,** 1973, Neue Pompiliden aus der Türkei (Hym.). NachrBl. bayer. Ent. 22 (6): 106-110. [available in Cesa Library]
- 587. Puissant,S. & Sueur,J.,** 2002, Description of a new Cicada species from Turkey (Hemiptera, Cicadoidea). Revue fr. Ent. (N.S.) 24 (4): 197-200, figs. [available in Cesa Library]
- 588. Pujade-Villar,J., Kwast,E., Thuroczy,C. & D.Bellido,** 2002, Gall wasps and their associated fauna collected in Greece, with some taxonomic changes and description of a new species (Hymenoptera, Cynipidae, Chalcidoidea). Acta zool. cracov. 45 (4): 351-364, figs. [available in Cesa Library]
- 589. Pulawski,W.J.,** 1967, Hymenoptera from Turkey Sphecidae II. (Genera Astata Latreille and Tachysphex Kohl). Bull. Br. Mus. (Nat. Hist.) Ent. 19: 383-410, figs. [available in Cesa Library]
- 590. Radoszkowski,O.,** 1890, Hyménoptères recoltés sur le mont Ararat. Horae Soc. ent. ross. 24: 502-510, figs. [available in Cesa Library]

- 591. Ragge, D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 40 (2): 67-192, figs. [available in Cesa Library]
- 592. Ramme, W.**, 1930, Neue Orthopteren aus Westasien (Acrid. et Tett.). Mitt. zool. Mus. Berl. 16: 394-396.
- 593. Ramme, W.**, 1951, Zur Systematik, Faunistik und Biologie der Orthopteren von Südost Europa und Vorderasien. Mitt. zool. Mus. Berl. 27: 1-421, figs. [available in Cesa Library]
- 594. Reiche, L. & F. de Sauley**, 1855-1858, Espèces nouvelles ou peu connues de Coléoptères, recueillies par M. F. de Sauley membre de l'Institut, dans son Voyage en Orient. Annls Soc. ent. Fr. 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls. [available in Cesa Library]
- 595. Reinig, W.F.**, 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. NachrBl. bayer. Ent. 23 (4): 67-80. [available in Cesa Library]
- 596. Remaudière, G., Toros, S. & I. Özdemir**, 2006, New contribution to the Aphid fauna of Turkey (Hemiptera, Aphidoidea). Revue fr. Ent. (N.S.) 28 (2): 75-96. [available in Cesa Library]
- 597. Reuter, O.M.**, 1890, Conspectus specierum generis Mustha (Hemiptera, Pentatomidae) Synonym(s): . Revue d'Ent. 9: 262-264. [available in Cesa Library]
- 598. Rezwani, A.**, 2008, A new species and a new record of a subspecies belonging to the genus Dysaphis (Homoptera, Aphididae) Synonym(s): from Iran. J. ent. Soc. Iran 27 (2): 23-26, figs. [available in Cesa Library]
- 599. Riedel, M.**, 2008, Revision der westpalaearktischen Platylabini 1. Die Gattung Platylabus Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). Spixiana 31 (1): 105-172, figs. [available in Cesa Library]
- 600. Robineau-Desvoidy, J.B.**, 1830, Essai sur les Myodaires. Mém. Présentés Acad. roy. Sci. Inst. France (2) 2: 1-813. [available in Cesa Library]
- 601. Rondani, C.**, 1856-1871, Dipterologiae Italicae Prodromus vols. 1-7. Parmae. [available in Cesa Library]
- 602. Roy, R.**, 1966, A new species of Amorphoscelis from Iraq (Mantodea, Amorphoscelidae) Synonym(s): . Ent. News 77: 267-270, 3 figs. [available in Cesa Library]
- 603. Rozkosny, R., Gregor, F. & A.C. Pont**, 1997, The European Fanniidae (Diptera). Acta Sci. nat. Brno 31 (2): 1-80, 18 figs. [available in Cesa Library]
- 604. Russo, C. di, Rampini, M. & I. Landeck**, 2007, The cave crickets of northeast Turkey and transCaucasian [sic!] regions, with descriptions of two new species of the genera Dolichopoda and Trogiophilus (Orthoptera, Rhaphidophoridae) Synonym(s): . J. Orth. Res. 16 (1): 67-76, figs. [available in Cesa Library]
- 605. Ruzicka, J.**, 1993, Three new species of Choleva (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the cisteloides group. Eur. J. Ent. 90: 337-348, figs. [available in Cesa Library]
- 606. Ruzicka, J.**, 1994, A new species of Catopomorphus from Turkey (Coleoptera, Leiodidae, Chovelinae). Fragm. ent. Roma 26 (1): 133-139, figs. [available in Cesa Library]
- 607. Ruzicka, J.**, 1997, A new species of Attaephilus from Turkey (Coleoptera, Leiodidae, Chovelinae). Ent. Probl. 28 (1): 57-59, figs. [available in Cesa Library]
- 608. Röder, V.v.**, 1887, Eine neue Exoprosopa aus Syrien. Berl. ent. Z. 31: 75-76. [available in Cesa Library]
- 609. Sabatinelli, G. & Katbeh-Bader, A.**, 2009, Madotrogus nikolajevi new species from Jordan with notes on the genus Madotrogus Reitter, 1902 and its sbgenera (Coleoptera, Scarabaeidae, Melolonthinae, Rhizotrogini). Lambillionea 109: 427-431, figs. [available in Cesa Library]
- 610. Sabatinelli, G. & M. Uliana**, 2009, Description of Pygopleurus keithi, n.sp. from North Syria (Insecta, Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): Boll. Mus. civ. Stor. nat. Venezia 60: 33-39, 12 figs. [available in Cesa Library]
- 611. Sabatinelli, G.**, 1977, Note su alcuni Lucanidae e Scarabaeoidea floricoli di Turchia con descrizione di due nuove specie (Coleoptera). Fragm. ent. 13 (2): 71-96, figs. [available in Cesa Library]
- 612. Sabatinelli, G.**, 2008, The Scarabs of the Levant Syria, Lebanon, Jordan, Palestine, Israel, Sinai. <http://www.glaphyridae.com/index.html>
- 613. Sabatinelli, G.**, 2008, Pygopleurus katbehi sp.nov. di Giordania e Palestina e nota sinonimica Pygopleurus syriacus (Linnaeus, 1758) = P. nabataeensis (Mitter, 1996) (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . Lambillionea 108: 149-152, figs. [available in Cesa Library]
- 614. Saghaei, N., Ostovan, H., Shojaei, M. & R. Hayat**, 2009, Introduction to the Asilidae fauna (Insecta, Diptera) of Fars Province, Iran. Turk. J. Zool. 33: 187-200, map. [available in Cesa Library]
- 615. Salur, A. & S. Kiyak**, 2006, Additional records for the Odonata fauna of East Mediterranean Region of Turkey. Munis Ent. Zool. 1 (2): 239-252. [available in Cesa Library]

- 616. Salur,A. & S.Kiyak,** 2007, Additional records for the Odonata fauna of South-Western Anatolia, Part 1 Anisoptera Munis Ent. Zool. 2 (1): 63-78. [available in Cesa Library]
- 617. Salur,A. & Ö. Özsarac,** 2004, Additional notes on the Odonata fauna of Çiçekdağı (Kırşehir) Turkey G.Ü. J. Sci. 17 (1): 11-19. [available in Cesa Library]
- 618. Sarıbiyık,S. & M.Aktaş,** 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) Synonym(s): I. Syrphinae. Gazi Univ. Fen Bil. Derg. 9 (1): 1-13, figs. [available in Cesa Library]
- 619. Sarıbiyık,S.,** 2008, Contributions to the Syrphidae fauna of Turkey (Diptera, Syrphidae) Synonym(s): . Ent. News 119 (5): 501-508. [available in Cesa Library]
- 620. Sarıbiyık,S.,** 2009, Ballıdağ Syrphidae faunası (Diptera). Kastamonu Eğit. Derg. 17 (2): 707-714. [available in Cesa Library]
- 621. Saussure,M.H.de,** 1888, Synopsis de la tribu des Sagiens. Anns Soc. ent. Fr. 1888: 127-155, 5 pls. [available in Cesa Library]
- 622. Schedl,W.,** 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, Auchenorrhyncha, Cicadidae et Tibicinidae) Synonym(s): . Linzer biol. Beitr. 31 (2): 823-837, figs. [available in Cesa Library]
- 623. Schedl,W.,** 2001, Eine neue Singzikade aus der Türkei, Tettigetia turcica nov. spec. (Cicadoidea, Tibicinidae) Synonym(s): . Linzer biol. Beitr. 33 (2): 1287-1290, figs. [available in Cesa Library]
- 624. Scheerpeltz,O.,** 1979, Studien an den paläarktischen Arten der Gattung Cryptobium Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. Mitt. münch. ent. Ges. 68: 121-143. [available in Cesa Library]
- 625. Schmid-Egger,C.,** 2004, Revision of Bembecinus (Hymenoptera, Crabronidae) Synonym(s): of the Palaearctic region. Notes faun. Gembloux 54: 3-69, figs. [available in Cesa Library]
- 626. Schmidt,E.,** 1953, Zwei neue Libellen aus dem Nahen Osten. Mitt. münch. ent. Ges. 43: 1-9, figs. [available in Cesa Library]
- 627. Schmidt,J.,** 1977, Die Chrysididen der Türkei, insbesondere Anatoliens (Hymenoptera, Chrysididae) Synonym(s): . Linzer biol. Beitr. 9 (1): 91-129. [available in Cesa Library]
- 628. Schmitschek,E.,** 1938, Beitrage zur Forstentomologie der Türkei I. Z. angew. Ent. 25 (2): 291-310, figs. [available in Cesa Library]
- 629. Schneider,W.,** 1984, Description of Calopteryx watsoni spec. nov. from northeastern Turkey (Zygoptera, Calopterygidae) Synonym(s): . Odonatologica 13: 281-286, fig.
- 630. Schneider,W.,** 1985, Dragonfly records from South East Turkey (Insecta, Odonata). Senckenberg. biol. 66: 67-78.
- 631. Schneider,W.,** 1985, Die Gattung Crocothemis Brauer,1868 in Nahen Osten (Insecta, Odonata, Libellulidae) Synonym(s): . Senckenberg. biol. 66: 79-88.
- 632. Schneider,W.,** 1986, Erstnachweis von Cordulia aenea (Linnaeus,1758) für die Türkei (Odonata, Anisoptera, Libellulidae) Synonym(s): . Ent. Z., Frankf. a. M. 96 (7): 92-93.
- 633. Schneider,W.,** 1995, Die Verbreitung von Pseudagrion syriacum Selys 1887 und Erstnachweis der Art für die Türkei (Odonata, Zygoptera, Coenagrionidae) Synonym(s): . Ent. Z., Frankf. a. M. 105: 161-166.
- 634. Schneider,W.G.,** 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. Stettin ent. Ztg. 6: 110-116, 133-135.
- 635. Schubert,F.,** 1963, Apion tauricum n.sp. Koleopt. Rdsch. 40/41: 81-82. [available in Cesa Library]
- 636. Schulthess,A.v.,** 1930, Vespidae in Ebner,R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. [available in Cesa Library]
- 637. Schwarz,M.,** 1979, Zur Kenntnis der aus Syrien beschriebenen Nomada kervilleana Pér. (Hymenoptera, Apoidea). NachrBl. bayer. Ent. 28 (5): 90-94. [available in Cesa Library]
- 638. Schwarz,M.,** 1999, Anmerkungen zu einigen westpalaearktischen Arten der Gattung Listrognathus Tschek (Hymenoptera, Ichneumonidae, Cryptinae). Linzer biol. Beitr. 31 (1): 459-463. [available in Cesa Library]
- 639. Selys-Longchamps,E.de,** 1887, Odonates de l'Asie Mineure etc. Ann. Soc. ent. Belg. 31: 1-85. [available in Cesa Library]
- 640. Sert,O.,** 2004, Türkiye Tychius (Coleoptera, Curculionidae) Synonym(s): faunası için yeni kayıtlar Türk. ent. Derg. 28 (4): 311-313. [available in Cesa Library]
- 641. Sert,O.,** 2005, Akdeniz ve İç Anadolu Bölgesi'nde Ceutorhynchus Germar,1824 ve Tychius Germar,1817 (Coleoptera, Curculionidae) Synonym(s): cinslerine bağlı türler üzerine faunistik çalışmalar. Türk. ent. derg. 29 (2): 135-149. [available in Cesa Library]
- 642. Serçe,Ö. & H.Koç,** 2005, Contributions to Tipulidae of Turkey (Insecta, Diptera). Gazi Univ. Fen Bilim. Derg. 18 (1): 39-50. [available in Cesa Library]

- 643. Sevgili,H. & B.Çıplak**, 2000, The Orthoptera of Şanlıurfa province from the Mesopotamian part of Turkey. *Ital. J. Zool.* 67: 229-240. [available in Cesa Library]
- 644. Sevgili,H. & K.-G.Heller**, 2003, A new species of the genus *Isophya* Brunner von Wattenwyl from Turkey (Orthoptera, Tettigoniidae, Phaneropterinae). *Tijdschr. Ent.* 146: 39-44, 12 figs. [available in Cesa Library]
- 645. Sevgili,H.**, 2001, A new bushcricket species and notes on some less known species of the genus *Poecilimon* Fischer,1853 from Turkey (Orthoptera, Phaneropterinae). *J. Orth. Res.* 10 (1): 15-24, figs. [available in Cesa Library]
- 646. Sevgili,H.**, 2003, A new species of Bushcricket (Orthoptera, Tettigoniidae) Synonym(s): of the palaeartic genus *Isophya* (Phaneropterinae) from Turkey. *Ent. News* 114 (3): 129-137, figs. [available in Cesa Library]
- 647. Sevgili,H.**, 2004, Review of the genus *Leptophyes* of Turkey with the description of a new species (Orthoptera, Phaneropterinae). *Trans. am. Ent. Soc.* 130 (1): 95-112, figs.
- 648. Sifner,F.**, 2004, Three new species of scatophagid flies from the Palaeartic region with a description of male *Hexamitocera martineki* (Diptera, Scathophagidae) Synonym(s): . *J. Nat. Mus. (Nat. Hist. Ser.)* 73: 105-110.
- 649. Silkin,N.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin değerlendirilmesi. Yüksek lisans tezi. 159s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 234041] <http://tez2.yok.gov.tr/> [available in Cesa Library]
- 650. Sipahiler,F.**, 2010, Two new species of Trichoptera from northeastern Turkey (Rhyacophilidae, Sericostomatidae) Synonym(s): . *Aquatic Insects* 32 (1): 61-66, figs. [available in Cesa Library]
- 651. Skartveit,J. & H.Koç**, 2007, New records of Bibionidae (Diptera) from Turkey. *J. ent. Res. Soc.* 9 (1): 49-52, 1 map. [available in Cesa Library]
- 652. Skuhrava,M.,Mayram,Ş., Çam,H., Tezcan,S. & P.Can**, 2005, Gall midges (Cecidomyiidae, Diptera) of Turkey. *Türk. Ent. Derg.* 29 (1): 17-34. [available in Cesa Library]
- 653. Smissen,J.v.d.**, 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetes* Lepeletier,1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae) Synonym(s): . *Verh. Ver. Naturw. Heimatforsch. Hamburg* 42: 1-253, figs. [available in Cesa Library]
- 654. Smit,J.T. & C.G.Gutiérrez-Chacon**, 2008, A new species of the *Paragus serratus*-group from Yemen (Diptera, Syrphidae) Synonym(s): . *Zool. Meded., Leiden* 82 (20): 211-216, 5 figs. [available in Cesa Library]
- 655. Sorokina,V.S. & O.E.Chashchina**, 2003, Data on the fauna of flower flies (Diptera, Syrphidae) Synonym(s): of the South Urals. *Russ. Ent. J.* 12 (1): 93-101. [available in Cesa Library]
- 656. Sorokina,V.S.**, 2002, Beschreibung von drei neuen Arten der Gattung *Paragus* Latreille,1804 (Diptera, Syrphidae) Synonym(s): aus Asien, mit einem Bestimmungsschlüssel der bisher bekannten russischen *Paragus*-Arten. *Volucella* 6: 1-22, 92 Abb. [available in Cesa Library]
- 657. Sorokina,V.S.**, 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) Synonym(s): of Russia and adjacent countries. *Ent. Obozr.* 88 (2): 466-487; *Ent. Rev.* 89 (3): 351-366, figs. [in English] [available in Cesa Library]
- 658. St.Quentin,D.**, 1964, Odonaten aus Anatolien und dem Irak. *Ent. Mitt. Z. Mus. Hamb.* 3: 49-51.
- 659. St.Quentin,D.**, 1964, Die Odonaten der Sammelreise R.Petrowitz und F.Ressl aus Kleinasien. *Beitr. Ent.* 14: 421-426.
- 660. St.Quentin,D.**, 1965, Zur Odonatenfauna Anatoliens und angrenzenden Gebiete. *Annln naturh. Mus. Wien* 68: 531-552. [available in Cesa Library]
- 661. St.Quentin,D.**, 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. *Annln naturh. Mus. Wien* 68: 531-552, figs. [available in Cesa Library]
- 662. Stary,J. & A.Freidberg**, 2007, The Limoniidae of Israel (Diptera). *Israel J. Ent.* 37: 301-357, figs. [available in Cesa Library]
- 663. Stuke,J.-H.**, 2006, Erste Nachweise von Lonchoptera nerana Vaillant,1989 aus der Türkei (Diptera, Lonchopteridae) Synonym(s): . *Stud. dipterol.* 13(2): 331. [available in Cesa Library]
- 664. Stuke,J.-H.**, 2007, Sepsidenfunde aus Ostanatolien (Diptera, Sepsidae) Synonym(s): . *Stud. dipterol.* 13(2): 391-395. [available in Cesa Library]
- 665. Sueur,J., Puissant,S. & J.-M.Pillet**, 2003, An eastern Mediterranean Cicada in the West: First record of *Tibicina steveni* (Krynicky,1837) in Switzerland and France (Hemiptera, Cicadidae, Tibicininae). *Revue fr. Ent. (N.S.)* 25 (3): 105-111, figs. [available in Cesa Library]
- 666. Sumakov,G.**, 1915, Les especes paléarctiques du genre *Mylabris* Fabr. *Horae Soc. ent. ross.* 42: 1-71.
- 667. Svihla,V. & J.Hajek**, 2009, Taxonomic changes in Eastern Mediterranean *Malachius* (Coleoptera, Malachiidae) Synonym(s): . *Acta ent. Mus. natn. Pragae* 49 (1): 217-224, figs. [available in Cesa Library]
- 668. Svihla,V.**, 1998, New species of the family Malachiidae (Coleoptera) for the fauna of Turkey. *Klapalekiana* 34: 233-237. [available in Cesa Library]

- 669. Svihla, V.**, 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae) Synonym(s): . Ent. Basil. 21: 135-170.
- 670. Svihla, V.**, 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) Synonym(s): from the western Palaearctic Region. Acta ent. Mus. natn. Pragae 49 (1): 191-216, figs. [available in Cesa Library]
- 671. Szadziwski, R., Dominiak, P. & A. Tothova**, 2007, European *Atrichopogon* biting midges of the subgenus *Meloehalea* (Diptera, Ceratopogonidae) Synonym(s): . Polski pismo Ent. 76: 267-284. [available in Cesa Library]
- 672. Szekessy, W.**, 1939, *Acruvia armeniaca* n.sp. (Col. Staph.). Mitt. münch. ent. Ges. 29: 374-376. [available in Cesa Library]
- 673. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): . Faune de France 17: 193 pp. 384 figs. Paris. [available in Cesa Library]
- 674. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): , [in] Faune de France 17: 1-193, 384 figs. [available in Cesa Library]
- 675. Séguy, E.**, 1934, Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae) Synonym(s): , [in] Faune de France 28: 1-832, 27 pls. 903 figs. [available in Cesa Library]
- 676. Tavakoli, M. & G. Melika**, 2006, Two new species of *Timaspis* Meyr, 1881 from Iran (Hymenoptera, Cynipidae, Aylacini). Folia ent. hung. 67: 207-219, figs. [available in Cesa Library]
- 677. Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae, Cynipini). Zootaxa 1699: 1-64, figs. [available in Cesa Library]
- 678. Tezcan, S. & S. Bily**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz, 1829 (subgenus *Cratomerus* Solier, 1833 and *Melanthaxia* Richter, 1944) (Coleoptera, Buprestidae) Synonym(s): of Turkey. Türk. ent. derg. 22 (3): 171-186. [available in Cesa Library]
- 679. Tezcan, S., Karsavuran, Y., Pehlivan, E. & J. Hava**, 2004, Contribution to the Dermestidae (Coleoptera) fauna of Turkey along with new records. Türk. ent. derg. 28 (1): 27-37. [available in Cesa Library]
- 680. Tezcan, S., Karsavuran, Y., Pehlivan, E. & S. Anlaş**, 2004, Contribution to the knowledge of Scoliididae (Hymenoptera) fauna of Turkey. Türk. ent. Derg. 28 (4): 247-252. [available in Cesa Library]
- 681. Tezcan, S., Karsavuran, Y., Pehlivan, E., Anlaş, S. & E. Yıldırım**, 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. Türk. ent. Derg. 29 (2): 101-110. [available in Cesa Library]
- 682. Tezcan, S., Karsavuran, Y., Pehlivan, E., Keskin, B. & J. Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. Türk. ent. derg. 28 (2): 99-114. [available in Cesa Library]
- 683. Tezcan, S., Karsavuran, Y., Pehlivan, E., Keskin, B. & J. Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. Türk. ent. derg. 28 (3): 163-180. [available in Cesa Library]
- 684. Tezcan, S., Uhmann, G. & B. Keskin**, 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. Baltic J. Coleopt. 2 (1): 77-82. [available in Cesa Library]
- 685. Theischinger, G.**, Weitere Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 28: 49-54, figs. [available in Cesa Library]
- 686. Theischinger, G.**, 1976, *Leuctra holzschuhi* spec. nov., eine neue Steinfliege aus Iran (Plecoptera, Leuctridae) Synonym(s): . Linzer biol. Beitr. 8 (1): 289-292, 4 Abb. [available in Cesa Library]
- 687. Theischinger, G.**, 1976, Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 27: 105-114, figs. [available in Cesa Library]
- 688. Thomas, D. B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae) Synonym(s): . Insecta mundi 8 (3/4): 145-212, figs. [available in Cesa Library]
- 689. Thomson, C. G.**, 1885, Notes hyménoptérologiques (Première partie Cryptidae) Synonym(s): . Anns Soc. ent. Fr. (6) 5: 17-32. [available in Cesa Library]
- 690. Tjeder, B.**, 1970, A new *Lertha* from Israel (Neur., Nemopteridae) Synonym(s): . Ent. scand. 1: 219-222. [available in Cesa Library]
- 691. Toledano, L. & K. Rébl**, 2006, A new species of *Bembidion* Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae) Synonym(s): . Koleopt. Rdsch. 76: 7-13, figs. [available in Cesa Library]
- 692. Tomasovic, G., Weyer, G. van der & J. Dils**, 2009, A new species of the genus *Holopogon* from Turkey (Diptera, Asilidae) Synonym(s): . Phegea 37 (1): 22-26, figs. [available in Cesa Library]
- 693. Tomov, V. & B. Gruev**, 1975, Chrysomelidae (Col.) collected by K. M. Guichard in Turkey, Greece and Yugoslavia. Trav. Sci. Univ. Plovdiv Bulgarica 13 (4): 133-151.
- 694. Tomov, V.**, 1976, Eine neue *Cryptocephalus* Art (Coleoptera, Chrysomelidae) Synonym(s): aus der Türkei. Acta zool. Bulgarica 5: 83-85.

- 695. Tomov, V.**, 1984, Cryptocephalinae and Galerucinae from Turkey (Coleoptera, Chrysomelidae) Synonym(s): . *Fragm. ent. Roma* 17 (2): 373-378. [available in Cesa Library]
- 696. Tonguç, A., Grichanov, I. & M. Kechev**, 2009, New records of the family Dolichopodidae (Diptera) from Turkey. *Acta zool. bulg.* 61 (2): 213-216, figs. [available in Cesa Library]
- 697. Topkara, E.T. & S. Balık**, 2008, First record of the family Hygrobiidae (Coleoptera, Adephaga) from Turkey *Annls Soc. ent. Fr. (n.s.)* 44 (3): 315-316, figs. [available in Cesa Library]
- 698. Townes, H. & M. Townes**, 1959, Ichneumon-Flies of America North of Mexico: I. Subfamily Metopiinae. *Bull. U. S. natn. Mus.* 216: ix[♀]1-318, figs. [available in Cesa Library]
- 699. Tozlu, G. & H. Özbek**, 2000, Erzurum, Erzincan, Artvin ve Kars illeri Buprestidae (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik çalışmalar I. Acmaeoderinae, Polycestinae ve Buprestinae. *Türk J. Zool.* 24 (ek sayı): 51-78 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library]
- 700. Tozlu, G. & K. Kara**, 2007, The first host record for *Zeuxia zejana* Kolomiets, 1971 (Diptera, Tachinidae) Synonym(s): from Turkey. *Türk. J. Zool.* 31: 357-358. [available in Cesa Library]
- 701. Tracy, J.L. & T.O. Robbins**, 2009, Taxonomic revision and biogeography of the Tamarix-feeding *Diorhabda elongata* (Brullé, 1832) species group (Coleoptera, Chrysomelidae, Galerucinae, Galerucini) and analysis of their potential in biological control of Tamarix. *Zootaxa* 2101: 1-152, figs. [available in Cesa Library]
- 702. Tschorsnig, H.-P. & K. Kara**, 2002, A new species of *Bithia* (Diptera, Tachinidae) Synonym(s): from Turkey. *Stuttg. Beitr. Naturk. (A)* 644: 1-4. [available in Cesa Library]
- 703. Tschorsnig, H.-P.**, 2000, Three new species of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 603: 1-9, figs. [available in Cesa Library]
- 704. Tunç, I.**, 1985, On some Thysanoptera from the Middle Black Sea Region of Turkey. *Türk. bitki kor. derg.* 9: 217-224. [available in Cesa Library]
- 705. Turner, R.E.**, 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist. (8)* 7: 297-310. [available in Cesa Library]
- 706. Tüzün, A.**, 2004, Studies on Scoliidae (Insecta, Hymenoptera) fauna of Ankara Province. *F.Ü. Fen Mühend. Bilim. Derg.* 16 (1): 25-29. [available in Cesa Library]
- 707. Tüzün, A., Gülmez, Y. & N. Bağrıaçık**, 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 20 (23): 381-388. [available in Cesa Library]
- 708. Ulay, S.M. & S. Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz, 1829 (subgenus *Haplantaxia* Reitter, 1911) (Coleoptera, Buprestidae) Synonym(s): of Turkey. *Türk. ent. derg.* 22 (2): 109-121. [available in Cesa Library]
- 709. Ustaoglu, M.R., Balık, S. & A. Taşdemir**, 2005, Chironomidae fauna (Diptera, Insecta) of Gümüldür Stream (İzmir). *Türk. J. Zool.* 29: 269-274, figs. [available in Cesa Library]
- 710. Uvarov, B.P.**, 1926, Orthoptera palaeartica critica II. Genus *Tropidopola* St. (Acrid). *Eos* 2: 149-177, figs. [available in Cesa Library]
- 711. Uvarov, B.P.**, 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. *Eos* 10: 21-119, figs. [available in Cesa Library]
- 712. Uvarov, B.P.**, 1936, New Orthoptera from Cyprus. *Ann. Mag. nat. Hist.* 18: 505-515.
- 713. Uygun, N. & H. Fürsch**, 1981, Die Hyperaspis-Arten der Türkei. *NachrBl. bayer. Ent.* 30 (1): 12-15. [available in Cesa Library]
- 714. Vaisanen, R.**, 1984, A monograph of the genus *Mycomya* Rondani in the Holarctic Region (Diptera, Mycetophilidae) Synonym(s): . *Acta zool. fenn.* 177: 1-346, figs.
- 715. Verves, Y. & K. Szpila**, 2008, *Miltogramma drabermonkoi* sp.n. from Ukraine (Diptera, Sarcophagidae, Miltogramminae). *Polskie pismo ent.* 77: 57-61, figs. [available in Cesa Library]
- 716. Verves, Y.G. & L.A. Khrokalo**, 2006, Review of Macronychiinae (Diptera, Sarcophagidae) Synonym(s): of the World. *Vestn. zool.* 40 (3): 219-239, figs. [available in Cesa Library]
- 717. Verves, Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 2. The species of genus *Bellardia* Robineau-Desvoidy. *Far eastern Ent.* 135: 1-23, figs. [available in Cesa Library]
- 718. Verves, Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 1. The species of the genera *Polleniopsis* Townsend, *Tainanina* Villeneuve and *Tricycleopsis* Villeneuve. *Far eastern Ent.* 134: 1-12. [available in Cesa Library]
- 719. Vondracek, K.**, 1953, Results of the zoological scientific expedition of the National Museum in Praha to Turkey. 14. Hemiptera III. Homoptera-Psyllinea. *Acta ent. Mus. natn. Pragae* 27: 435-450.
- 720. Voss, E.**, 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe *Rhynchitina* V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. *Koleopt. Rdsch.* 18 (3/4): 153-189, figs. [available in Cesa Library]

- 721. Voss,E.**, 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 19 (1/2): 25-56, figs. [available in Cesa Library]
- 722. Voss,E.**, 1933, Nachtraegliches über palaearktische Arten der Subfamilie Rhynchitinae (Col., Curc.). Koleopt. Rdsch. 19 (3/4): 134-138. [available in Cesa Library]
- 723. Vujic,A., Pérez-Banon,C., Radenkovic,S., Stahls,G. Rojo,S, Petanidou,T. & S.Simic**, 2007, Two new species of the genus *Merodon* Meigen,1803 (Diptera, Syrphidae) Synonym(s): from the island of Lesbos (Greece) in the eastern Mediterranean. Anns Soc. ent. Fr. (n.s.) 43 (3): 319-326, figs. [available in Cesa Library]
- 724. Wagner,R.**, 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae) Synonym(s): . Entomofauna 7 (6): 81-92, figs. [available in Cesa Library]
- 725. Wagner,R.**, 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae) Synonym(s): . Entomofauna 14 (24): 410-415, Abb. [available in Cesa Library]
- 726. Wahis,R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold,1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae) Synonym(s): . Notes faun. Gembloux 46: 39-73. [available in Cesa Library]
- 727. Waloff,N.**, 1953, Notes on the Orthoptera in Cyprus, April 1950. Proc. R. ent. Soc. London (A) 28 (1/3): 24-30.
- 728. Warchalowski,A.**, 1998, Beschreibung der neuen Art *Derocrepis* (*Aeschrocnemis*) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). Genus 9 (3): 361-365, figs. [available in Cesa Library]
- 729. Warchalowski,A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat,1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). Genus 19 (2): 213-283, figs. [available in Cesa Library]
- 730. Warncke,K.**, 1980, Die Bienengattung *Anthidium* Fabricius,1804 in der Westpalaearktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs. [available in Cesa Library]
- 731. Warncke,K.**, 1980, Die Bienengattungen *Nomia* and *Systropha* im Iran mit Ergaenzungen zu den *Nomia*-Arten der Westpalaearktis. Linzer biol. Beitr. 12 (2): 363-384. [available in Cesa Library]
- 732. Warncke,K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae) Synonym(s): . Linzer biol. Beitr. 14 (1): 23-37. [available in Cesa Library]
- 733. Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb. [available in Cesa Library]
- 734. Warncke,K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, Megachilinae). Linzer biol. Beitr. 23 (2): 483-489, Abb.
- 735. Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephalosmia* Sladen,1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb. [available in Cesa Library]
- 736. Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveosmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb. [available in Cesa Library]
- 737. Warncke,K.**, 1992, Die westpalaearktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps. [available in Cesa Library]
- 738. Wei,C., Zubair,A. & S.A.Rizvi**, 2010, *Shaoshia*, an unusual new cicada genus from Pakistan with the description of a new species (Hemiptera, Cicadidae) Synonym(s): . Zootaxa 2421: 28-34, figs. [available in Cesa Library]
- 739. Weise,J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. Dt. ent. Z. 28 (1): 157-160.
- 740. Weise,J.**, 1897, Neue Chrysomeliden aus Angora. Stettin ent. Ztg. 58 (1): 63-68. [available in Cesa Library]
- 741. Weise,J.**, 1900, Neue Coleopteren aus Kleinasien. Dt. ent. Z. 1900 (1): 132-140.
- 742. Weyer,G.van de**, 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae) Synonym(s): . Phegea 28 (4): 149-152, figs. [available in Cesa Library]
- 743. Weyer,G.van de**, 2010, A new species of *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae) Synonym(s): . Phegea 38 (1): 16-20, figs. [available in Cesa Library]
- 744. White,I.M. & K.F.M.Goodger**, 2009, African *Dacus* (Diptera, Tephritidae) Synonym(s): ; new species and data with particular reference to the Tel Aviv University Collection. Zootaxa 2127: 1-49, figs. [available in Cesa Library]
- 745. Wiedemann,C.R.W.**, 1821, Diptera exotica. Pars I, 244pp. Tab.2, Kiliae. [available in Cesa Library]
- 746. Wiedemann,C.R.W.**, 1828, Aussereuropäische zweiflügelige Insecten vol. 1, xxxii+608 pp., 7 Taf., Hamm. [available in Cesa Library]

747. **Willmann,R.**, 1973, Eine neue Panorpa-Art aus Kleinasien: *P. aspoeckii* n.sp. (Mecoptera, Panorpidae) Synonym(s): . Ent. Z., Frankf. a. M. 83: 97-101, figs. [available in Cesa Library]
748. **Willmann,R.**, 1974, *Panorpa tatvana* n.sp. (Mecoptera). Ent. Mitt. Zool. Mus. Hamburg 4: 465-469, fig. [available in Cesa Library]
749. **Willmann,R.**, 1975, Die Gattung *Panorpa* (Insecta, Mecoptera) in der Türkei. Annln naturh. Mus. Wien 79: 543-564, figs. [available in Cesa Library]
750. **Willmann,R.**, 1976, Eine neue europäische *Panorpa* (Mecoptera, Panorpidae) Synonym(s): . Ent. Z., Frankf. a. M. 86: 60-64, figs. [available in Cesa Library]
751. **Wilson,M.R.**, 1991, *Afronisia*, a new african genus of Meenoplidae (Homoptera, Fulgoroidea). Great Basin nat. Mem. 12: 324-334, 57 figs. [available in Cesa Library]
752. **Wingelmüller,A.**, 1938, Monographie der palaearktischen Arten der Tribus Cionini. Koleopt. Rundsch. 23: 143-221. [available in Cesa Library]
753. **Winnertz,J.**, 1863, Beitrag zu einer Monographie der Pilzmücken. Verh. zool.-bot. Ges. Wien 13: 637-964, Taf. [available in Cesa Library]
754. **Winnertz,J.**, 1867, Beitrag zu einer Monographie der Sciarinen. Verh. zool.-bot. Ges. Wien 17: 1-187, 1 Taf. [available in Cesa Library]
755. **Wittmer,W.**, 1970, Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae) Synonym(s): . Ent. Arb. Mus. Frey 21: 13-107, figs.
756. **Wittmer,W.**, 1974, 57. Beitrag zur Kenntnis der palaeaktischen Cantharidae und Malachiidae (Coleoptera). Fragm. ent. 10 (1): 1-20, figs. [available in Cesa Library]
757. **Wolf,H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) Synonym(s): des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. Linzer biol. Beitr. 29 (2): 831-843, figs. [available in Cesa Library]
758. **Woznica,A.J. & A.Ö.Koçak**, 2009, New records of Turkish Heleomyzid flies (Diptera, Heleomyzidae) Synonym(s): . Dipteron 25: 77-81, 1 fig. [available in Cesa Library]
759. **Woznica,A.J. & R.Andrade**, 2008, *Neolieria maritima* Villeneuve,1921 (Diptera, Heleomyzidae) Synonym(s): - new species to the fauna of Netherlands and Portugal. Dipteron 24: 53-55, 2 figs. [available in Cesa Library]
760. **Woznica,A.J.**, 2007, New records of the Turkish Sunflies (Diptera, Trixoscelididae) Synonym(s): with description of a new *Trixoscelis* species. Ann. Upper Sil. Mus. (Ent.) 14-15: 59-64, figs. [available in Cesa Library]
761. **Woznica,A.J.**, 2008, *Eccoptomera promethei* Gorodkov,1966 (Diptera, Heleomyzidae) Synonym(s): - first record of the species in Europe. Dipteron 24: 50-52, 2 figs. [available in Cesa Library]
762. **Woznica,A.J.**, 2009, Order Diptera, family Trixoscelididae. Arthropod fauna of the UAE 2: 752-763, figs. [available in Cesa Library]
763. **Yaakop,S., Duffels,J.P. & H.Visser**, 2005, The Cicada genus *Chremistica* Stal (Hemiptera, Cicadidae) Synonym(s): in Sundaland. Tijdschr. Ent. 148: 247-306, 92 figs. 1 tab. [available in Cesa Library]
764. **Yalın,F.B., Şirin,D., Taylan,M.S. & B.Çıplak**, 2004, *Demirsoyus* n.gen. (Orthoptera, Acrididae, Oedipodinae) and *D. salmani* n.sp. from the Mediterranean Anatolia with remarks on biogeography of the related genera. Trans. am. Ent. Soc. 130 (4): 425-437, figs. [with numerous misspellings in the literature cited!] [available in Cesa Library]
765. **Yağcı,Ş. & Dinçer,Ş.**, 1996, Türkiye Tabanidae (Diptera) faunası için yeni bir tür *Tabanus caucasicus* Kröber,1925. Ankara Univ. Veter. Fak. Derg. 43: 357-359.
766. **Yağcı,Ş.**, 1997, Edremit (Balıkesir) yöresi Tabanidae (Diptera) türleri. Türk. Parazit. Derg. 21: 405-408.
767. **Yurtcan,M. & A.Beyarslan**, 2007, Six new Ichneumonidae species from Turkey; with special reference to the rare species *Zabrachypus tenuiabdominalis* (Uchida,1941) (Hymenoptera, Ichneumonidae) Synonym(s): . Ent. News 117 (5): 540-544. [available in Cesa Library]
768. **Yurtsever,S.**, 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) Synonym(s): of Edirne in Norh-Western Turkey. Turk. J. Zool. 25: 71-75. [available in Cesa Library]
769. **Yücel,Ş.**, 1991, İç Anadolu Bölgesindeki bazı Tabanidae türleri ve yayılışları (Diptera). J. Biol. Fac. Sci. Arts Gazi Univ. 1991 (2): 303-318, figs. [available in Cesa Library]
770. **Yıldırım,E. & H.Özbek**, 1993, Polistinae (Hymenoptera, Vespidae) Synonym(s): of Turkey. Türk. ent. derg. 17 (3): 141-156. [available in Cesa Library]
771. **Yıldırım,E. & H.Özbek**, 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs. [available in Cesa Library]
772. **Yıldırım,E. & H.Özbek**, 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). Tr. J. Zool. 23 (Ek 2): 591-604. [available in Cesa Library]

773. **Yıldırım,E. & J.Gusenleitner**, 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (2): 671-675. [available in Cesa Library]
774. **Yılmaz,E., Karsavuran,Y. & Ü.Zeybekoğlu**, 2009, Aydın, İzmir ve Manisa illeri mısır alanlarında belirlenen Cixiidae ve Delphacidae (Homoptera) familyalarına bağlı türler üzerine araştırmalar. Türk. ent. Derg. 33 (1): 63-71. [available in Cesa Library]
775. **Zachvatkin,A.A.**, 1946, Studies on the Homoptera of Turkey. Trans. R. ent. Soc. London 97 (6): 149-176, figs.
776. **Zalat,S., Auo-Ghalia,A. Gilbert,F. & N.Shaumar**, 1992, Taxonomic studies of Egyptian Eumenidae (Hymenoptera). J. Egypt Germ. Soc. Zool. 7 (B): 515-540, figs. [available in Cesa Library]
777. **Zanden,G.van der**, 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs. [available in Cesa Library]
778. **Zanden,G.van der**, 1992, Neue Arten der paläarktischen Osmiini (Insecta, Hymenoptera, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 24 (2): 817-827. [available in Cesa Library]
779. **Zanden,G.van der**, 1996, Neue Arten und Synonymie bei paläarktischen Bauchsammlern (Hymenoptera aculeata, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 28 (2): 883-895, 8 Abb. [available in Cesa Library]
780. **Zerche,L.**, 1996, Deliphrosoma freudeorum spec. nov. aus der Osttürkei (Insecta, Coleoptera, Staphylinidae, Omaliinae). Reichenbachia 31: 175-177.
781. **Zerova,M.D. & L.Y. Seryogina**, 2009, A review of Eurytoma pistaciae species group (Hymenoptera, Eurytomidae) Synonym(s): with description of two new species. Vestn. zool. 43 (1): 31-38, figs. [available in Cesa Library]
782. **Zerova,M.D., Mehrnejad,M.R., Gharaei,B. & I.Y.Seryogina**, 2004, Two new species of the genus Eurytoma (Hymenoptera, Eurytomidae) Synonym(s): from Iran. Vestn. zool. 38 (1): 81-84, figs. [available in Cesa Library]
783. **Zerova,M.D., Seryogina,L.Y. & Y.Karimpour**, 2008, New species of the chalcidoid wasps of the families Eurytomidae and Torymidae (Hymenoptera, Chalcidoidea) from Iran. Vestn. zool. 42 (6): 101-108, figs. [available in Cesa Library]
784. **Zerova,M.D., Seryogina,L.Y., Melika,G. et al.**, 2003, New genus and new species of cynipid gall inducing wasp (Hymenoptera, Cynipidae) Synonym(s): and new species of chalcid wasps (Hymenoptera, Chalcidoidea) from Israel. J. ent. Res. Soc. 5 (1): 35-49.
785. **Zetterstedt,J.W.**, 1842-1860, Diptera Scandinaviae Disposita et descripta. 14 vols. (6609pp.) Lund. [available in Cesa Library]
786. **Zeuner,F.E.**, 1941, The classification of the Decticinae hitherto included in Platycleis Fieb. or Metriopectera Wesm. (Orthoptera, Saltatoria). Trans. R. ent. Soc. London 91: 1-50, figs. [available in Cesa Library]
787. **Zimina,L.V.**, 1979, A new Conopidae species from Turkmenistan (Diptera). Trudy Vses. Ent. Obshch. 61: 196-197.
788. **Zimmermann,V.S.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturh. Mus. Wien 75: 591-625. [available in Cesa Library]
789. **Zimmermann,V.S.**, 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturh. Mus. Wien 77: 409-419. [available in Cesa Library]
790. **Zlobin,V.V.**, 2005, A new species of Melanagromyza feeding on giant hogweed in the Caucasus (Diptera, Agromyzidae) Synonym(s): . Zoosyst. ross. 14 (1): 173-177, figs. [available in Cesa Library]
791. **Zwick,P.**, 1971, Plecoptera aus Anatolien und benachbarten Gebieten. Mitt. schweiz. ent. Ges. 44 (3/4): 233-264, 11 Abb. [available in Cesa Library]
792. **Zwick,P.**, 1972, Blephariceridae (Dipt.) aus der asiatischen Türkei. Nouv. Revue Ent. 2: 21-42, figs.
793. **Zwick,P.**, 1988, Contribution to the Turkish Blephariceridae and Ptychopteridae (Diptera). Mitt. schweiz. ent. Ges. 61: 123-129, figs.
794. **[Adamstroinski]**, 2001, Two new species of genus Ricania Germar,1808 from North Vietnam (Hemiptera, Fulgoromorpha, Ricaniidae) Synonym(s): . Genus 12 (4): 437-443, figs. [available in Cesa Library]
795. **Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part II. Subfamilies Blennocampinae, Dolerinae, Nematinae and Selandrinae. Turk J. Zool. 28: 55-71. [available in Cesa Library]
796. **Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part I. Subfamily Tenthredininae. Turk J. Zool. 28: 37-54. [available in Cesa Library]

797. **Çam,H. & T.Atay**, 2008, The faunistic studies on the subfamily Alticinae (Coleoptera, Chrysomelidae) Synonym(s): species in Tokat Province. Int. J. nat. eng. Sci. 2 (3): 21-26. [available in Cesa Library]
798. **Çağatay,N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae) Synonym(s): . Ent. Abh. 53 (2): 27-36, figs. [available in Cesa Library]
799. **Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs. [available in Cesa Library]
800. **Çiftçi,M.C. & A.Hasbenli**, 2008, Contribution to the Empis (subgenus Empis) (Empididae, Diptera) fauna of Turkey. Turk. J. Zool. 32: 433-435. [available in Cesa Library]
801. **Çiftçi,M.C., Parvu,C. & A.Hasbenli**, 2008, A new Hilara Meigen (Diptera, Empididae) Synonym(s): species from the Eastern Mediterranean Region of Turkey. Ent. News 119 (1): 96-101, figs.
802. **Çoruh,I. & S.Çoruh**, 2008, Ichneumonidae (Hymenoptera) species associated with some Umbelliferae plants occurring in Palandöken Mountains of Erzurum Turkey. Turk. J. zool. 32: 121-124. [available in Cesa Library]
803. **Çoruh,S. & H.Özbek**, 2005, New records of Cryptinae (Hymenoptera, Ichneumonidae) Synonym(s): from Turkey with some hosts. Türk. ent. derg. 29 (3): 183-186. [available in Cesa Library]
804. **Çıplak,B.**, 1994, A new species and a new subspecies of Stenobothrus Fischer,1853 (Orthoptera, Acrididae) Synonym(s): from Turkey. Türk. ent. Derg. 18 (1): 7-14, figs. [available in Cesa Library]
805. **Çıplak,B.**, 2000, Systematics and phylogeny of Parapholidoptera (Orthoptera, Tettigoniidae, Tettigoniinae). Syst. Ent. 25 (4): 411-436, figs. [available in Cesa Library]
806. **Çıplak,B.**, 2000, Genus Festella (Orthoptera, Tettigoniidae) Synonym(s): with description of F.rammei sp.n. Ent. News 111 (4): 299-306, figs. [available in Cesa Library]
807. **Çıplak,B., Heller,K.-G. & A.Demirsoy**, 2002, Review and key to species of Platycleis from Turkey (Orthoptera, Tettigoniidae) Synonym(s): with descriptions of Yalvaciana subgen.n. and two new species. J. Nat. Hist. 36: 197-236, figs. [available in Cesa Library]
808. **İnanç,F. & A.Beyarslan**, 1997, Gaziantep ve Şanlıurfa illerinin bazı yörelerinden toplanan Microgastrinae (Hymenoptera, Braconidae) Synonym(s): türleri. Türk. ent. derg. 21 (3): 213-223, 3 şekil. [available in Cesa Library]
809. **İnanç,F. & A.Beyarslan**, 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae) Synonym(s): . Entomofauna 22 (11): 221-243. [available in Cesa Library]
810. **İnanç,F.**, 2002, Cotesia pappi sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Acta zool. hung. 48 (2): 157-160, figs. [available in Cesa Library]
811. **İncekara,Ü., Mart,A. & O.Erman**, 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. Turk. J. Zool. 27: 47-53. [available in Cesa Library]
812. **İncekara,Ü., Mart,A. & O.Erman**, 2005, Helophorus erzurumicus sp.n., a new species from Turkey and some notes on H. ponticus Angus,1988 (Coleoptera, Hydrophilidae) Synonym(s): . Aquatic Insects 27 (1): 43-46, figs. [available in Cesa Library]
813. **Önder,F., Karsavuran,Y., Tezcan,S. & M.Fent**, 2006, Türkiye Heteroptera (Insecta) Kataloğu. 164 s. Izmir. [available in Cesa Library]
814. **Özbek,H. & G.Çetin**, 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. Türk. ent. derg. 15 (4): 193-202. [available in Cesa Library]
815. **Özbek,H. & Zanden,G.van der**, 1992, A preliminary review of the Megachilidae of Turkey Part II Heriadini (Hymenoptera, Apoidea). Türk. ent. derg. 16 (3): 129-134. [available in Cesa Library]
816. **Özbek,H. & Zanden,G.van der**, 1993, A preliminary review of the Megachilidae of Turkey Part III Anthidiini (Hymenoptera, Apoidea). Türk. ent. derg. 17 (4): 193-207. [available in Cesa Library]
817. **Özbek,H. & Zanden,G.van der**, 1994, A preliminary review of the Megachilidae of Turkey Part IV Megachilini and Lithurgini (Hymenoptera, Apoidea). Türk. ent. derg. 18 (4): 157-174. [available in Cesa Library]
818. **Özbek,H. & Zanden,G.van der**, 1996, A preliminary review of the Megachilidae of Turkey Part V Supplement to parts I-IV (Hymenoptera, Apoidea). Türk. ent. derg. 20 (1): 3-17. [available in Cesa Library]
819. **Özbek,H. & van der G.Zanden**, 1996, A preliminary review of the Megachilidae of Turkey Part V. Supplement to parts 1-IV (Hymenoptera, Apoidea). Türk. ent. derg. 20 (1): 3-17. [available in Cesa Library]
820. **Özbek,H. Pekel,S. & J.Kolarov**, 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) II. Ctenopelmatinae and Campopleginae. J. ent. Res. Soc. 2 (1): 17-24.

- 821. Özbek,H.**, 1976, Doğu Anadolu Bölgesi Andrenidae (Hymenoptera Apoidea) Familyası Arıları, Kısım I. Bitki Koruma Bült. 16 (3): 123-145. [available in Cesa Library]
- 822. Özbek,H.**, 1990, A new Bumblebee species of *Pyrobombus Dalla* Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. *Türk. ent. Derg.* 14 (4): 207-214, 4 figs. [available in Cesa Library]
- 823. Özbek,H., Yıldırım,E. & T.Osten**, 1999, A contribution to the knowledge of the fauna of the families Myrmosidae and Mutillidae (Hymenoptera, Aculeata) in Türkiye [sic]. *Türk. ent. derg.* 23 (1): 15-26. [available in Cesa Library]
- 824. Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 1999, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105. [available in Cesa Library]
- 825. Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 2000, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128. [available in Cesa Library]
- 826. Özdikmen,H.**, 2005, Three interesting records of longhorn beetles in Turkish fauna (Coleoptera, Cerambycidae) *Synonym(s): . Russian Ent. J.* 14 (1): 59-60. [available in Cesa Library]
- 827. Özgen,İ., Gözüaçık,C., Karsavuran,Y. & M.Fent**, 2005, Doğu ve Güneydoğu Anadolu Bölgesi'nde Antepfıstığı, Kayısı, Kiraz ve Zeytin Ağaçlarında bulunan Pentatomidae (Heteroptera) familyasına ait türlerin saptanması üzerine çalışmalar. *Ege Üniv. Ziraat Derg.* 42 (2): 35-43. [available in Cesa Library]
- 828. Özkan,N.**, 2002, Five new Chironomidae (Diptera) species for the Turkish fauna. *Turk. J. Zool.* 26: 183-188, figs. [available in Cesa Library]
- 829. Ülgentürk,S. & M.R.Ulusoy**, 1999, Ankara İlinde bulunan beyazsinek türleri (Homoptera, Aleyrodidae) *Synonym(s): . Türk. ent. Derg.* 23 (4): 259-268. [available in Cesa Library]
- 830. Ülgentürk,S.**, 1999, Tükiye [sic!] faydalı faunası için yeni bir kayıt; *Leucopis silesiaca* Egger (Diptera, Chamaemyiidae) *Synonym(s): . Türk. ent. derg.* 23 (1): 75-80, figs. [available in Cesa Library]
- 831. Ünal,M.**, 1999, Notes on Orthoptera of western Turkey with description of a new genus and four new species. *J. Orth. Res.* 8: 243-255, figs. [available in Cesa Library]
- 832. Ünal,M.**, 2002, First data on Orthoptera of Mount Köroğlu, N.W.Anatolia with description of three new taxa. *Ent. News* 113 (4): 275-288, figs. [available in Cesa Library]
- 833. Ünal,M.**, 2005, Three short-winged species of *Chorthippus* Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). *Ent. News* 116 (5): 283-290, 13 figs. [available in Cesa Library]
- 834. Ünal,M.**, 2005, A new species of *Isophya* Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phanaeropterinae) from Turkey. *Ent. News* 116 (4): 209-216, figs. [available in Cesa Library]
- 835. Ünal,M.**, 2005, *Phanaeropterinae* (Orthoptera, Tettigoniidae) *Synonym(s):* from Turkey and the Middle East. *Trans. am. ent. Soc.* 131 (3/4): 425-448, figs. [available in Cesa Library]
- 836. Ünal,M.**, 2006, Kırıkkale Orthopter'lerinin fauna ekoloji ve taksonomisi üzerine araştırmalar. *Priamus* 3: 1-50. [available in Cesa Library]
- 837. Ünal,M.**, 2006, *Tettigoniidae* (Orthoptera) from Turkey and the Middle East. *Trans. am. Ent. Soc.* 132 (1/2): 157-203, figs. [available in Cesa Library]
- 838. Ünal,M.**, 2007, Genus *Asiotmethis* Uvarov (Orthoptera, Pamphagidae) *Synonym(s):* from Turkey, with a checklist of known taxa. *J. Orthopt. Res.* 16 (2): 191-197, figs. [available in Cesa Library]
- 839. Ünal,M.**, 2008, The Cyprian genus *Exodrymadusa* Karabağ (Orthoptera, Tettigoniidae) *Synonym(s): . Zootaxa* 1934: 40-46.
- 840. Üstüner,T. & A.Hasbenli**, 2003, First record of the subfamily Beridinae (Diptera, Stratiomyidae) *Synonym(s):* from Turkey. *Stud. dipterol.* 10 (1): 186-188. [available in Cesa Library]
- 841. Üstüner,T. & A.Hasbenli**, 2004, A new species of *Oxycera* Meigen (Diptera, Stratiomyidae) *Synonym(s):* from Turkey. *Ent. News* 115 (3): 163-167, figs. [available in Cesa Library]
- 842. Üstüner,T. & A.Hasbenli**, 2007, A new species and some new records of the genus *Oxycera* (Diptera, Stratiomyidae) *Synonym(s):* from Turkey. *Ent. News* 118 (2): 179-183, figs. [available in Cesa Library]
- 843. Üstüner,T. & Hasbenli,A. & R.Rozkosny**, 2003, First record of *Hermetia illucens* (Linnaeus,1758) (Diptera, Stratiomyidae) *Synonym(s):* from the Near East. *Stud. dipterol.* 10 (1): 181-185. [available in Cesa Library]
- 844. Üstüner,T., Hasbenli,A. & A.Aktümsek**, 2002, Contribution to subfamily Clitelliariinae (Diptera, Stratiomyidae) *Synonym(s):* fauna of Turkey. *J. ent. Res. Soc.* 4 (1): 19-24.
- 845. Şahin,Y.**, 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki Chironomidae (Diptera) larvalarının teşhisi ve dağılımları. *Anadolu Üniversitesi Yayınları* no 57. 145s., 359 şek. [available in Cesa Library]

- 846. Şahin, Y.,** 1991, Yeni Diamesinae (Chironomidae, Diptera) türleri. Anadolu Univ., Fen Edb. Fak. Derg. C3: 63-72, şekil. [available in Cesa Library]
- 847. Şengonca, Ç.,** 1981, Die Neuropteren Anatoliens I. Chrysopidae. Mitt. münch. ent. Ges. 71: 121-137. [available in Cesa Library]
- 848. Şengonca, Ç.,** 1981, Türkiye Nemopteridae (Insecta, Neuroptera) faunası üzerinde taksonomik araştırmalar II. Faunistik. Türk. bitki kor. derg. 5 (2): 101-114, figs. [available in Cesa Library]

Publications with taxonomical evaluations

- 1. Abbasian-Lintzen, R.,** 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. J. nat. Hist. 2: 231-238. [available in Cesa Library]
- 2. Abeille de Perrin, E.,** 1890, Malachides d'Europe et pays voisins. Annl. Soc. ent. Fr. 59: 181-260, 311-420, 567-680, pl.4. [available in Cesa Library]
- 3. Abeille de Perrin, E.,** 1891, Malachides d'Europe et pays voisins. Annl. Soc. ent. Fr. 60: 115-230, 405-446, pls. 6 & 7.
- 4. Abeille de Perrin, E.,** 1892, Decrit deux nouvelles especes de Clerides méditerranéens. Bull. Soc. ent. Fr. 1892: ccxxxvi-ccxxxvii. [available in Cesa Library]
- 5. Achterberg, C. van,** 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 249: 1-324, 1250 figs. [available in Cesa Library]
- 6. Achterberg, C. van,** 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 255: 1-106, 360 figs. [available in Cesa Library]
- 7. Achterberg, C. van,** 1999, The west palaearctic species of the subfamily Paxylommatinae (Hymenoptera, Ichneumonidae) Synonym(s): with special reference to the genus Hybrizon Fallén. Zool. Meded. Leiden 73 (2): 11-26, figs. [available in Cesa Library]
- 8. Adlbauer, K.,** 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae) Synonym(s): . NachrBl. bayer. Ent. 31 (6): 104-107, 2 Abb. [available in Cesa Library]
- 9. Ahmed, M., Qadeer, A. & K.F. Malik,** 1991, Some new cicadellids from grasslands of Karachi Pakistan (Homoptera, Cicadellidae) Synonym(s): . Great Basin nat. Mem. 12: 10-17, figs. [available in Cesa Library]
- 10. Albarda, H.,** 1891, Révision des Raphidides. Tijdschr. Ent. 34: 65-184, 11 pls. [available in Cesa Library]
- 11. Alfken, J.D.,** 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. Ent. Rdsch. 52: 110-111, 129-132, 148-152, 153-162 [available in Cesa Library]
- 12. Andrade, G.S.,** 1997, Stictocephala alta (Walker, 1851) sp. rev., comb. nov., the correct name for the "buffalo treehopper", with S. bisonia Kopp & Yonke, 1977 as a new synonym, and notes on Hadrophallus bubalus (Fabricius, 1794) comb. nov. (Homoptera, Membracidae) Synonym(s): . Trans. am. ent. Soc. 123 (4): 289-295.
- 13. Ariana, A., Scheuchl, E., Tadauchi, O. & F. Gusenleitner,** 2009, A taxonomic revision of the subgenus Andrena (Brachyandrena) (Hymenoptera, Andrenidae) Synonym(s): . Zootaxa 2281: 21-39, figs. [available in Cesa Library]
- 14. Askew, R.R., Gomez, J.F. & J.L. Nieves-Aldrey,** 2004, Species of Microdontomerini (Hymenoptera, Chalcidoidea, Torymidae) Synonym(s): associated with galls of Cynipidae (Hymenoptera) in Europe. J. Hym. Res. 13 (2): 214-222. [available in Cesa Library]
- 15. Aspöck, H. & U. Aspöck,** 1964, Neue Arten des Genus Raphidia L. aus Südosteuropa und Kleinasien (Vorläufige Beschreibung). Ent. Nachrbl. 11: 37-40.
- 16. Aspöck, H. & U. Aspöck,** 1966, Studien an europäischen und kleinasiatischen Arten des Genus Raphidia L. (Insecta, Raphidioidea). Mitt. Schweiz. ent. Ges. 39: 33-48, figs.
- 17. Aspöck, H. & U. Aspöck,** 1967, Raphidia friederikae nov. spec. und Raphidia walteri nov. spec. aus Anatolien (Ins., Neuropt., Raphid.). Ent. Nachrbl. 14: 87-94, figs. [available in Cesa Library]
- 18. Aspöck, H.,** 1965, Zur Kenntnis der Raphidiiden von Südosteuropa und Kleinasien. Annl. naturh. Mus. Wien 68: 309-364, figs. [available in Cesa Library]
- 19. Aspöck, H., Aspöck, U. & H. Rausch,** 1984, Turcoraphidia hethitica n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. NachrBl. bayer. Ent. 33 (4): 97-106, figs. [available in Cesa Library]
- 20. Aspöck, H., Aspöck, U. & O.M. Martynova,** 1969, Untersuchungen ueber die Raphidiiden-fauna der Sowjet-Union (Insecta, Raphidioptera). Tijdschr. Ent. 112: 123-164, 99 figs. [available in Cesa Library]
- 21. Aspöck, H., Aspöck, U. & Ç. Şengonca,** 1976, Raphidia (Phidiara) remane n.sp. - eine neue Kamelhalsfliege aus Vorderasien (Neur., Raphidioptera, Raphidiidae) Synonym(s): . Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs. [available in Cesa Library]

22. **Aspöck, U. & H. Aspöck**, 1969, Das Subgenus *Phidiara* Aspöck et Aspöck 1968 (Raphidioptera, Raphidiidae, Raphidia). *Z. ArbGem. Öst. Ent.* 21: 109-120, 6 Abb. [available in Cesa Library]
23. **Assing, V.**, 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). *Bonner zool. Beitr.* 52 (1/2): 33-82, figs. [available in Cesa Library]
24. **Audinet-Serville, J.G.**, 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris. [available in Cesa Library]
25. **Austen, E.E.**, 1921, A contribution to knowledge of the blood sucking Diptera of Palestine other than Tabanidae. *Bull. ent. Res.* 12: 107-124.
26. **Aydoğdu, M.**, 2008, A new species of the genus *Chelonus* Panzer, 1806 (Hymenoptera, Braconidae, Cheloniinae) from western Anatolia (Turkey). *Biologia* 63 (2): 245-248, figs.; *ibid.* 63 (3): 455. [available in Cesa Library]
27. **Bachmaier, F. & E. Diller**, 1985, Zur Taxonomie der Gattung *Magwengiella* Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). *Entomofauna* 6 (27): 489-498, Abb. [available in Cesa Library]
28. **Bartak, M. & K. Stepan**, 2009, *Rhamphomyia* (Diptera, Empididae) Synonym(s): from Israel. *Annls ent. Soc. Am.* 102 (3): 396-405, figs.
29. **Bartak, M.**, 2006, Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae) Synonym(s): . *Biologia* 61 (5): 503-508, figs.
30. **Bartak, M., Çiftçi, M.C. & A. Hasbenli**, 2007, A new species of *Rhamphomyia* (sensu stricto) Meigen (Diptera, Empididae) Synonym(s): from Southern Anatolia, Turkey. *Ent. News* 118 (2): 143-147, figs. [available in Cesa Library]
31. **Baselga, A. & F. Novoa**, 2005, The western Palaearctic Neocrepidodera (Coleoptera, Chrysomelidae) Synonym(s): of the *N. impressa* and *N. ferruginea* species groups. *Ann. ent. Soc. Am.* 98 (6): 896-907, figs. [available in Cesa Library]
32. **Baumann, R.W.**, 1975, Revision of the stonefly family Nemouridae (Plecoptera): A study of the world fauna at generic level. *Smithsonian Contr. Zool.* 211: 1-74, 186 figs. 1 tab. [available in Cesa Library]
33. **Beaumont, J.de**, 1967, Hymenoptera of Turkey Sphecidae I. *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 253-382, figs. [available in Cesa Library]
34. **Bechev, D. & H. Koç**, 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) Synonym(s): from Turkey with a key to the western palaearctic species of the *S. lutea* Macquart group. *Zootaxa* 1253: 61-68, figs. [available in Cesa Library]
35. **Bechev, D. & H. Koç**, 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) Synonym(s): from Turkey with a key to the western palaearctic species of the genus. *Zootaxa* 1676: 29-36, figs. [available in Cesa Library]
36. **Bechev, D.**, 1995, The Palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae) Synonym(s): . *Trav. Sci. Univ. Plovdiv, Animalia* 31 (6): 7-. [available in Cesa Library]
37. **Becker, T. & P. Stein**, 1913, Persische Dipteren von den Expeditionen des Herrn N.A. Zarudny 1898 und 1901. *Annu. Mus. Zool. Acad. Imp. Sci. St. Petersburg* 17: 503-654.
38. **Bei-Bienko, G.**, 1933, Records and descriptions of some Orthoptera from U.S.S.R. *Bol. Soc. Esp. Hist.-Nat.* 33: 317-341, figs. [available in Cesa Library]
39. **Belfiore, C., Tanatmış, M. & N. Kazancı**, 2000, Taxonomy of *Electrogena antalyensis* (Kazancı & Braasch, 1986) (Ephemeroptera, Heptageniidae) Synonym(s): . *Aquatic Insects* 22 (4): 261-270, 14 figs. [available in Cesa Library]
40. **Benson, R.B.**, 1938, On the classification of sawflies (Hymenoptera, Symphita). *Trans. R. ent. Soc. London* 87 (15): 353-384.
41. **Benson, R.B.**, 1962, Holarctic Sawflies (Hymenoptera, Symphyta). *Bull. Br. Mus. (Nat. Hist.) Ent.* 12 (1): 379-409, figs. [available in Cesa Library]
42. **Besuchet, C. & S. Kurbatov**, 2007, Les Bryaxis du Caucase et du secteur oriental des chaînes Pontiques (Coleoptera, Staphylinidae, Pselaphinae). *Russ. ent. J.* 16 (2): 155-206, figs.
43. **Beyarslan, A.**, 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. *Z. ArbGem. Öst. Ent.* 39 (3/4): 71-76, figs. [available in Cesa Library]
44. **Bezdek, J.**, 2002, *Phyllobrotica aslani* Warchalowski, 1998, a new synonym of *P. binotata* Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). *Genus* 13 (3): 351-352. [available in Cesa Library]
45. **Bialooki, P.**, 2006, A new species of *Neotournieria* Apfelbeck, 1932 from Turkey (Coleoptera, Curculionidae, Entimnae). *Genus* 17 (2): 263-267, figs. [available in Cesa Library]
46. **Bialooki, P.**, 2006, Two new species of *Cionus* Clairville, 1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. *Polskie pismo ent.* 75: 55-64, figs. [available in Cesa Library]

47. **Bienkowski, A.O.**, 2001, A study on the genus *Chrysolina* Motschulsky, 1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera, Chrysomelidae, Chrysomelinae). *Genus* 12 (2): 105-235, figs. [available in Cesa Library]
48. **Bily, S.**, 2006, Two new species in the *Anthaxia* (*Anthaxia*) *candens* (Panzer, 1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae) *Synonym(s)*: . *Zootaxa* 1309: 25-25, figs.
49. **Biondi, M.**, 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). *Fragm. Ent. Roma* 23 (2): 341-354. [available in Cesa Library]
50. **Biondi, M.**, 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae) *Synonym(s)*: . *Fragm. Ent. Roma* 29 (2): 383-390. [available in Cesa Library]
51. **Bologna, M.A. & J.D. Pinto**, 2002, The Old World genera of Meloidae (Coleoptera): a key and synopsis. *J. nat. Hist.* 36 (17): 2013-2102. [available in Cesa Library]
52. **Bologna, M.A.**, 2009, The Meloidae (Coleoptera) of Libya: an annotated catalogue and description of three new species. *Annls Soc. ent. Fr. (n.s.)* 45 (3): 345-364, figs. [available in Cesa Library]
53. **Boorman, J. & Dipeolu**, 1979, A taxonomic study of adult Nigerian *Culicoides* Latreille (Diptera, Ceratopogonidae) *Synonym(s)*: species. *Ent. Soc. Nigeria Occ. Publ.* 22: 1-121.
54. **Boorman, J.**, 1989, *Culicoides* (Diptera, Ceratopogonidae) *Synonym(s)*: of the Arabian Peninsula with notes on their medical and veterinary importance. *Fauna of Saudi Arabia* 10: 160-224.
55. **Bordoni, A.**, 1999, Una nuova specie di *Deliphrosoma* della Turchia (Coleoptera, Staphylinidae) *Synonym(s)*: . *Fragm. ent.* 31 (2): 195-202, figs. [available in Cesa Library]
56. **Boucek, Z.**, 1982, Four new mediterranean Torymidae (Hymenoptera). *Entomologist's Gaz.* 33: 183-191, figs. [available in Cesa Library]
57. **Boulard, M.**, 1988, Les *Lyristes* d'Asie mineure (Hom., Cicadidae) *Synonym(s)*: . I. Sur deux formes éthospécifiques syntopiques et description de deux espèces nouvelles. *l'Entomologiques* 44 (4): 153-167.
58. **Boulard, M.**, 1992, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) *Synonym(s)*: . *Nouv. Revue d'Ent. (N.S.)* 9 (4): 365-374.
59. **Boulard, M.**, 1993, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) *Synonym(s)*: . *Turk. Ent. Derg.* 17 (1): 1-9, figs. [second unnecessary publication!] [available in Cesa Library]
60. **Braun, W.**, 1979, Beitrag zur Kenntnis der Gattung *Dorcadion* (Col., Cerambycidae) *Synonym(s)*: . *NachrBl. Bayer. Ent.* 28 (5): 81-86, 3 Abb. [available in Cesa Library]
61. **Broomfield, P.S.**, 1971, A catalogue of the Membracid types (Homoptera, Membracidae) *Synonym(s)*: in the British Museum (Natural History). *Bull. Br. Mus. Nat. Hist. (Ent.)* 25 (8): 325-386. [available in Cesa Library]
62. **Brunner von Wattenwyl, C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien. [available in Cesa Library]
63. **Brunner von Wattenwyl, C.**, 1891, Additamenta zur Monographie der Phaneropteriden. *Verh. zool. bot. Ges. Wien* 41: 1-196 2 Tab. [available in Cesa Library]
64. **Canbulat, S. & S. Kiyak**, 2005, A new species of the genus *Dichochrysa* from Turkey (Neuroptera, Crysopidae) *Synonym(s)*: . *Dt. ent. Z. (N.F.)* 52 (2): 225-228, figs. [available in Cesa Library]
65. **Carpenter, J.M., Gusenleitner, J. & M. Madl**, 2009, A Catalogue of the Eumeinae (Hymenoptera, Vespidae) *Synonym(s)*: of the Ethiopian Region excluding Malagasy Subregion Part 1. Introduction, key to genera, genera *Aethiopicodynerus* Gusenleitner 1997 to *Cyrtolabulus* Van der Vecht 1969 *Linzer biol. Beitr.* 41 (1): 513-638, figs. [available in Cesa Library]
66. **Caspers, N. & F. Reiss**, 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthocladiinae (Diptera, Nematocera, Chironomidae) *Synonym(s)*: . *Entomofauna* 10 (8-1): 105-160, 27 figs. [available in Cesa Library]
67. **Caspers, N.**, 1991, New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from Mediterranean Region. *Spixiana* 14 (3): 143-155, figs. [available in Cesa Library]
68. **Champion, G.C.**, 1921, Some Indian Coleoptera. *Entomologist's mon. Mag.* 57: 70-78, 104-110, 145-146. [available in Cesa Library]
69. **Chandler, P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae) *Synonym(s)*: . *Israel J. Ent.* 28: 1-100, figs. [available in Cesa Library]
70. **Chandler, P.J.**, 2009, The fungus gnats (Diptera, Bolitophilidae, Keroplatidae, Mycetophilidae) *Synonym(s)*: of Sardinia with description of six new species. *Zootaxa* 2318: 450-506, figs. [available in Cesa Library]

71. **Chen, H.-W. & M.J.Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) Synonym(s): and the establishment of species-groups based on phylogenetic analysis. *J. nat. Hist.* 35: 1517-1563, figs. [available in Cesa Library]
72. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. *Field Mus. Nat. Hist. (Zool.)* 20 (32): 427-437. [available in Cesa Library]
73. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. *Field Mus. Nat. Hist. (Zool.)* 20 (32): 427-437. [available in Cesa Library]
74. **Chopard, L.**, 1951, Orthopteroides, [in] *Faune de France* 56: 1-356, 531 figs. [available in Cesa Library]
75. **Chvala, M., Lyneborg, L. & J.Moucha**, 1972, The Horse Flies of Europe (Diptera, Tabanidae) Synonym(s): . 499pp. Copenhagen. [available in Cesa Library]
76. **Coher, E.**, 1988, Further studies of Asian Macrocerinae (Diptera, Mycetophilidae) Synonym(s): with the description of a new Chiasmoneurine genus *Laneocera*. *J. New York ent. Soc.* 96 (1): 82-90, figs. [available in Cesa Library]
77. **Crosskey, R.W. & H.Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae) Synonym(s): . *Aquatic Insects* 29 (1): 21-48, figs. [available in Cesa Library]
78. **Dalla Torre, K.W.von & J.J.Kieffer**, 1910, Cynipidae [in] Schulze, F.E., *Das Tierreich* 24. Lieferung, Hymenoptera. xxxv + 891pp., 422pp. Berlin. [available in Cesa Library]
79. **Demir, E.**, 2006, A new species of *Thamnotettix* Zetterstedt, 1840 (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): from Turkey. *J. Kansas ent. Soc.* 79 (3): 383-387, figs. [available in Cesa Library]
80. **Demirsoy, A., Salman, S. & H.Sevgili**, 2002, *Novadrymadusa*, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae) Synonym(s): . *J. Orth. Res.* 11 (2): 175-183, figs. [available in Cesa Library]
81. **Dils, J. & H.Özbek**, 2006, A new species of the genus *Conophorus* (Diptera, Bombyliidae) Synonym(s): from Turkey. *Phegea* 34 (3): 107-110, figs. [available in Cesa Library]
82. **Dils, J. & H.Özbek**, 2006, A new species of the genus *Callostoma* (Diptera, Bombyliidae) Synonym(s): from Turkey. *Phegea* 34 (4): 157-159, figs. [available in Cesa Library]
83. **Dils, J.**, 2009, A new species of the genus *Therevenetimyia* (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of *Therevenetimyia hirta*. *Phegea* 37 (4): 121-125, figs. [some bibliographical information incorrect!]. [available in Cesa Library]
84. **Disney, R.H.L. & P.L.Beuk**, 1997, European Phalacrotophora (Diptera, Phoridae) Synonym(s): . *Entomologist's Gaz.* 48: 185-192, figs. [available in Cesa Library]
85. **Distant, W.L.**, 1906, Rhynchotal notes xxxviii. *Ann. Mag. nat. Hist. (7)* 18: 18-32. [available in Cesa Library]
86. **Distant, W.L.**, 1906, Rhynchotal notes xxxix. *Ann. Mag. nat. Hist. (7)* 18: 191-208. [available in Cesa Library]
87. **Dlabola, J.**, 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae) Synonym(s): . *Türk. bitki kor. derg.* 9: 75-78, figs. [available in Cesa Library]
88. **Dollfuss, H.**, 1995, A worldwide revision of *Pemphredon* Latreille, 1796 (Hymenoptera, Sphecidae) Synonym(s): . *Linzer biol. Beitr.* 27: 905-1019. [available in Cesa Library]
89. **Doğanlar, M. & H.Çam**, 2005, Morphology and systematics of Turkish species of *Exeuytoma* Burks, 1971 (Hymenoptera, Chalcidoidea, Eurytomidae) Synonym(s): with description of a new species from eastern Anatolia. *Turk. J. Zool.* 29: 243-248, 3 figs. [available in Cesa Library]
90. **Doğanlar, M. & O.Doğanlar**, 2010, Review of the species of *Gugolzia* Delucchi and Steffan (Hymenoptera, Pteromalidae) Synonym(s): in Europe and Turkey with descriptions of new species. *Turk. J. Zool.* 34: 23-34, figs. [available in Cesa Library]
91. **Doğanlar, M. & S.V.Triapitsyn**, 2007, Review of *Ceranisus* (Hymenoptera, Eulophidae) Synonym(s): of Turkey, with description of a new species. *Eur. J. Ent.* 104: 105-110, figs. [available in Cesa Library]
92. **Doğanlar, M.**, 1982, A new species *Diglyphus* Walker (Hymenoptera, Eulophidae) Synonym(s): from Eastern Anatolia. *Türk. bitki kor. derg.* 6: 75-79, figs. [available in Cesa Library]
93. **Doğanlar, M.**, 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) Synonym(s): from Southeastern Anatolia, Turkey. *Turk. J. Zool.* 27: 181-185, figs. [available in Cesa Library]
94. **Drake, C.J. & F.A.Ruhoff**, 1960, Lace-bug genera of the World (Hemiptera, Tingidae) Synonym(s): . *Proc. U. S. nat. Mus.* 112 (3431): 1-105, 9 Pls. [available in Cesa Library]
95. **Duda, O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). v *Abhandl. zool.- bot. Ges. Wien* 10 (1): 1-240, viii Taf. [available in Cesa Library]
96. **Duda, O.**, 1920, Revision der altweltlichen Arten der Gattung *Sphaerocera* Latreille (Dipteren). *Tijdschr. Ent.* 63: 1-39. [available in Cesa Library]

97. **Duda, O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs. [available in Cesa Library]
98. **Duda, O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs. [available in Cesa Library]
99. **Dumont, H.J.**, 1972, The taxonomic status of *Calopteryx xanthosoma* (Charpentier, 1825) (Zygoptera, Calopterygidae) Synonym(s): . *Odonatologica* 1 (1): 21-29, figs. [available in Cesa Library]
100. **Dvorak, M.**, 1983, Drei neue Arten und einige Bemerkungen zur Familie Meloidae (Coleoptera). *Acta ent. bohemosl.* 80: 441-450.
101. **Ebmer, P.A.W.**, 1987, Die westpalaearktischen Arten der Gattung *Dufourea* Lapeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae). *Linzer biol. Beitr.* 19 (1): 43-56, figs. [available in Cesa Library]
102. **Ebmer, P.A.W.**, 1989, Die westpalaearktischen Arten der Gattung *Dufourea* Lapeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Zweiter Nachtrag. *Linzer biol. Beitr.* 21 (1): 193-210, figs. [available in Cesa Library]
103. **Ebner, R.**, 1946, Einige seltenere palaearktische Tettigoniidae und Gryllidae (Orthoptera). *Eos* 22: 17-30, figs. [available in Cesa Library]
104. **Egger, J.**, 1862, Dipterologische Beiträge. *Verh. zool.-bot. Ges. Wien* 12: 777-784. [available in Cesa Library]
105. **Ekiz, A.N., Gök, A., Borowiec, L. & S. Bilginturan**, 2009, Redescription of *Donacia kraatzi* Weise, 1881, a poorly known aquatic leaf beetle (Coleoptera, Chrysomelidae, Donaciinae) with notes on its taxonomic status and geographical distribution. *Dt. ent. Z.* 56 (2): 299-302, figs. [available in Cesa Library]
106. **Ekrem, T. & E. Stur**, 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae) Synonym(s): . *Eur. J. Ent.* 106: 119-144, figs. [available in Cesa Library]
107. **El-Hawagry, M. & D.J. Greathead**, 2006, Review of the genus *Villa* Lioy (Bombyliidae, Diptera) from Egypt, with descriptions of two new species. *Zootaxa* 1113: 21-32, figs. [available in Cesa Library]
108. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). *Türk. ent. derg.* 18 (1): 41-50, figs. [available in Cesa Library]
109. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). *Türk. ent. derg.* 18 (2): 89-102, figs. [available in Cesa Library]
110. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). *Türk. ent. derg.* 18 (3): 175-192, figs. [available in Cesa Library]
111. **Fairmaire, L.**, 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M. Charles Delanrange (*Ipelates*, *Onthophagus*, *Capnodis*, *Malacogaster*, *Lampyris* et *Ctenopus*). *Annls Soc. ent. Fr. (Bull.)* 64: 109-111.
112. **Ferrer, J. & L. Soldati**, 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). *Entomofauna* 20 (4): 53-92, figs. [available in Cesa Library]
113. **Fery, H., Erman, Ö.K.**, 2009, Five new species of the longulus-group of *Hydroporus* Clairville, 1806 from north-eastern Turkey (Coleoptera, Dytiscidae) Synonym(s): . *Zootaxa* 2033: 1-12, figs. [available in Cesa Library]
114. **Finzi, B.**, 1930, Formicidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 22-24. [available in Cesa Library]
115. **Frieser, R.**, 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae) Synonym(s): . *Mitt. münch. ent. Ges.* 71: 33-107, figs. [available in Cesa Library]
116. **Frisch, J.**, 2006, *Scopaeus korgei* sp.n. from Southwest Anatolia (Coleoptera, Staphylinidae, Paederinae). *Dt. ent. Z. (N.F.)* 53 (2): 271-274, figs.
117. **Frisch, J.**, 2009, A revision of the *Scopaeus mutatus* species group (Staphylinidae, Paederinae) with description of new species from Anatolia and the Caucasus. *Dt. ent. Z. (N.F.)* 56 (2): 271-287, figs. [available in Cesa Library]
118. **Fritzlar, F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 1999-224.
119. **Fritzlar, F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. *Ent. Bl.* 97: 199-224.

120. **Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126.
121. **Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126, figs.
122. **Fürsch, H. & N.Uygun**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 29 (6): 109-118, 30 figs. [available in Cesa Library]
123. **Fürsch, H.**, 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb. [available in Cesa Library]
124. **Förster, A.**, 1868, Synopsis der Familien und Gattungen der Ichneumoniden. Verh. naturh. Ver. preuss. Rheinl. 25: 135-221 [see Perkins, J.F., 1961].
125. **Ganglbauer, L.**, 1905, Coleoptera, [in] A.Penther & E.Zederbauer, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 99-290. [available in Cesa Library]
126. **Geisthardt, M.**, 1983, Beitrag zur Revision der Gattung *Lampyris* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae) Synonym(s): . Mitt. münch. ent. Ges. 73: 23-44, figs. [available in Cesa Library]
127. **Geller-Grimm, F. & M. Hradsky**, 2003, The genus *Oligopogon* Loew, 1847 (Diptera, Asilidae) Synonym(s): in the Palaearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterolog. 10 (1): 165-179, figs. [available in Cesa Library]
128. **Giraud, J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. Verh. zool.- bot. Ges. Wien 9: 337-374, Pls. [available in Cesa Library]
129. **Giustina, W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] Faune de France 73: 1-362, 143 pls. [available in Cesa Library]
130. **Gnezdilov, V.M. & S. Drosopoulos**, 2004, Reviews of the subgenus *Semirodus* Dlabola of the genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): . Anns Soc. ent. Fr. (n.s.) 40 (3/4): 235-241, figs. [available in Cesa Library]
131. **Gnezdilov, V.M.**, 2002, New species of the genus *Tshurtshurnella* Kusnezov, 1927 (Homoptera, Cicadina, Issidae) Synonym(s): from Turkey and Lebanon. Russ. ent. J. 11 (3): 233-240, figs. [available in Cesa Library]
132. **Gnezdilov, V.M.**, 2008, New and little known species of Planthopper Genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): from the East Mediterranean. Ent. Review 88 (7): 808-814, figs.
133. **Goeldlin, T.P.**, 1976, Revision du genre *Paragus* (Diptera, Syrphidae) Synonym(s): de la region Palearchtique occidentale. Mitt. schweiz. ent. Ges. 49: 79-108, figs.
134. **Goetghebuer, M.**, 1932, Dipteres Nematoceres Chironomidae IV, [in] Faune de France 23: 1-196, 315 figs. [available in Cesa Library]
135. **Golub, V.B.**, 2006, Two new species of lace bugs of the genus *Tingis* F. from Transcaucasia and Middle Asia (Heteroptera, Tingidae) Synonym(s): . Russian Ent. J. 15 (2): 123-126, 3 figs. [available in Cesa Library]
136. **Graham, M.W.R.de Vere & M.J.Gijswijt**, 1998, Revision of the European species of *Torymus Dalman* (Hymenoptera, Torymidae) Synonym(s): . Zool. Verh. 317: 1-202, 266 figs. [available in Cesa Library]
137. **Gravenhorst, J.L.C.**, 1829, Ichneumonologia Europaea. Pars I-III. xxxxi²830⁹989⁹1097 pp. Vratislaviae. [available in Cesa Library]
138. **Greathead, D.J. & Y.Karimpour**, 2006, A new species of *Villa Lioy*, 1864 (Diptera, Bombyliidae) Synonym(s): parasitic on *Sesiidae* (Lepidoptera). Zootaxa 1156: 65-68, figs.
139. **Greathead, D.J.**, 2001, A study of the *Exoprosopa busiris* (Jaenicke) group of *Bezzi* (1924) in tropical Africa (Diptera, Bombyliidae) Synonym(s): . J. nat. Hist. 35: 127-147. [available in Cesa Library]
140. **Greca, M.la & F.Lombardo**, 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. *Rivetina* Berl. e Chop. (Insecta, Mantodea). Animalia 9 (1/3): 345-393, figs. [available in Cesa Library]
141. **Grichanov, I.Y., Tonguç, A., Civelek, H.S., Vikhrev, N.E., Özgül, O. & O.Dursun**, 2007, Review of the Turkish *Dolichopodidae* (Diptera) with first description of male *Hercostomus phoebus* Parent, 1927, new synonyms and new records. Caucasian ent Bull. 3 (2): 261-268, figs. [available in Cesa Library]
142. **Grootaert, P. & I.Shamshev**, 2005, The genus *Platypalpus* Macquart (Diptera, Hybotidae) Synonym(s): from Northeast Thailand with comments on the species groups in the Oriental Region. J. nat. Hist. 39 (47): 4031-4065, figs. [available in Cesa Library]
143. **Guglielmi, A. & G.Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). Fragm. ent., Roma 18 (1): 169-224, figs. [available in Cesa Library]

144. **Gusenleitner, J.**, 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. Linzer biol. Beitr. 9 (1): 163-178, figs. [available in Cesa Library]
145. **Gusenleitner, J.**, 1984, Zwei neue Subspezies der Art Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius, 1793) (Hymenoptera, Eumenidae) Synonym(s): . Entomofauna 5 (14): 165-169. [available in Cesa Library]
146. **Gusenleitner, J.**, 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae) Synonym(s): . Entomofauna 6 (9): 81-101. [available in Cesa Library]
147. **Gusenleitner, J.**, 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb. [available in Cesa Library]
148. **Gusenleitner, J.**, 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). Linzer biol. Beitr. 24 (1): 59-63. [available in Cesa Library]
149. **Gusenleitner, J.**, 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae) Synonym(s): . Linzer biol. Beitr. 28 (1): 23-38, figs. [available in Cesa Library]
150. **Gusenleitner, J.**, 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). Linzer biol. Beitr. 29 (1): 105-108, figs. [available in Cesa Library]
151. **Gusenleitner, J.**, 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae) Synonym(s): . Linzer biol. Beitr. 29 (1): 137-150. [available in Cesa Library]
152. **Gusenleitner, J.**, 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae) Synonym(s): . Linzer biol. Beitr. 30 (2): 503-513, figs. [available in Cesa Library]
153. **Gusenleitner, J.**, 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938. [available in Cesa Library]
154. **Gusenleitner, J.**, 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). Linzer biol. Beitr. 33 (2): 663-669. [available in Cesa Library]
155. **Hagen, H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199. [available in Cesa Library]
156. **Halstead, D.G.H.**, 1967, A revision of the genus Palorus (s.l.) (Coleoptera, Tenebrionidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59- [available in Cesa Library]
157. **Hartig, T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210.
158. **Hartig, T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab.
159. **Hartig, T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422.
160. **Hasbenli, A. & Zaitzev**, 2000, Two new species of Bombylius Linnaeus, 1758 (Diptera, Bombyliidae) Synonym(s): from Turkey. Dt. ent. Z. (N.F.) 47 (1): 105-108, figs.
161. **Hasbenli, A. & Ü.Çağlar**, 2009, A new species of Mesoleptogaster Frey, 1937 (Diptera, Asilidae) Synonym(s): from Turkey with a key to palaeartic species. Ent. News 120 (2): 201-205, figs. [available in Cesa Library]
162. **Haupt, H.**, 1917, Neue palaearktische Homoptera nebst Bemerkungen über einige schon bekannte. Wien. ent. Ztg. 36: 229-262, 12 Abb. [available in Cesa Library]
163. **Hava, J.**, 2006, Notes on the genus Phradonoma from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). Genus 17 (1): 79-94, figs. [available in Cesa Library]
164. **Hayat, R. & C. Claussen**, 1997, A new species and new records of the genus Paragus Latreille, 1804 from Turkey (Diptera, Syrphidae) Synonym(s): . Zool. Middle East 14: 99-108, figs.
165. **Heiss, E. & J. Péricart**, 1983, Revision of Palaeartic Piesmatidae (Heteroptera). Mitt. münch. ent. Ges. 73: 61-171, figs. [available in Cesa Library]
166. **Hejkal, J.**, 2002, Amara (Amara) lukasi sp.n. (Coleoptera, Catabidae) Synonym(s): from Turkey. Klapalekiana 38: 27-35, figs. [available in Cesa Library]
167. **Heller, K.-G. & O. Korshunovskaya**, 2009, Systematics and bioacoustics of the genus Lithodusa (Orthoptera, Tettigoniidae) Synonym(s): including the description of a new species from Turkey and comments on the classification of the Drymadusini. J. Orth. Res. 18 (1): 5-13, figs. [available in Cesa Library]
168. **Hemp, C.**, 2001, Two new species of Amytta Karsch (Orthoptera, Mecocnematinae) from East Africa (Tanzania, Mt. Kilimanjaro). J. Orth. Res. 10 (1): 129-134, figs. [available in Cesa Library]
169. **Hemp, C.**, 2002, Phlugidia usambarica (Orthoptera, Tettigoniidae, Mecocnematinae, Phlugidini), a new species from the East Usambara Mts., Tanzania. J. Orth. Res. 11 (1): 63-66, figs. [available in Cesa Library]
170. **Hemp, C.**, 2002, New Acrometopae from East Africa (Tettigoniidae, Phaneropterinae). J. Orth. Res. 11 (1): 67-76, figs. [available in Cesa Library]
171. **Hill, D.S.**, 1967, Figs (Ficus spp.) and fig-wasps (Chalcidoidea). J. Nat. Hist. 1: 413-434, figs. [available in Cesa Library]

172. **Ho-Yeon Han & M.Kütük**, 2006, A new species of *Myoleja* Rondani (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the known species of the genus. *Zootaxa* 1155: 25-33, figs.
173. **Hoberlandt, L.**, 1955, Hemiptera - Heteroptera from Iran I. *Acta ent. Mus. nat. Pragae* 29: 121-148, figs. [available in Cesa Library]
174. **Hoberlandt, L.**, 1961, Heteroptera collected in Ankara (Turkey) by light trap. *Acta ent. Mus. nat. Pragae* 34: 393-416, 49 figs. [available in Cesa Library]
175. **Horvath, G.**, 1875, *Monographia Lygaeidarum Hungariae*. 109 pp. Budapest. [available in Cesa Library]
176. **Horvath, G.**, 1883, Heteroptera anatolica in regione Brussae collecta. *Termés. Füzetek* 7: 21-30. [available in Cesa Library]
177. **Horvath, G.**, 1891, Hémipteres recueillis dans l'Arménie Russe. *Revue Ent.* 10 (3): 68-79; (4): 81. [available in Cesa Library]
178. **Horvath, G.**, 1894, Hémipteres recueillis dans la Russie méridionale et en Transcaucasie. *Revue Ent.* 13: 169-189. [available in Cesa Library]
179. **Horvath, G.**, 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémipteres du genre *Mustha*. *Bull. Mus. hist. nat. Paris* 12 (7): 514-516. [available in Cesa Library]
180. **Horvath, G.v.**, 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, *Naturwissenschaftliche Beiträge zur Kenntnis der Kaukasusländer auf Grund seiner Sammelbeute* Dresden. *Jb. naturw. Ges. "Isis" Dresden* 1878: 72-76, 85-86. [available in Cesa Library]
181. **Horvath, G.v.**, 1905, Hemipteren, [in] Penther & Zederbauer, *Naturwissenschaftliche Reise zum Erdschias-Dagh*. *Annln naturh. Mus. Wien* 20 (2/3): 179-189. [available in Cesa Library]
182. **Hradsky, M. & F.Geller-Grimm**, 1997, Eine neue Art aus der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). *Studia dipterol.* 4 (1): 193-196, figs. [available in Cesa Library]
183. **Hurkmans, W.**, 1993, A monograph of *Merodon* (Diptera, Syrphidae) Synonym(s): Part 1. *Tijdschr. Ent.* 136: 147-234, 106 figs. [available in Cesa Library]
184. **Hüttinger, E.**, 1978, *Leopoldius pontifex* n.sp., eine neue Conopiden-spezies aus dem Iran (Diptera, Conopidae) Synonym(s): . *Z. ArbGem. Öst. Ent.* 29: 105-106, figs. [available in Cesa Library]
185. **Hölzel, H.**, 1967, Zwei neue *Chrysopa*-Arten aus Anatolien (Neuroptera, Chrysopidae) Synonym(s): . *NachrBl. bayer. Ent.* 16 (9/10): 92-95, figs. [available in Cesa Library]
186. **Hölzel, H.**, 1967, Die Neuropteren Vorderasiens II. *Chrysopidae*. *Beitr. naturk. Forsch. SW-Dtl.* 26 (1): 19-45, figs. [available in Cesa Library]
187. **Hölzel, H.**, 1968, Die Neuropteren Vorderasiens III. *Nemopteridae*. *Beitr. naturk. Forsch. SW-Dtl.* 27 (1): 37-47, figs. [available in Cesa Library]
188. **I.Özdemir, Remaudière, G., Toros, S. & N.Kılınçer**, 2005, New Aphid records from Turkey including the description of a new *Lachnus* species (Hemiptera, Aphididae) Synonym(s): . *Revue fr. Ent. (N.S.)* 27 (3): 97-102, figs. [available in Cesa Library]
189. **Japoshvili, G. & J.S.Noyes**, 2006, The Western Palaearctic species of *Psilophrys* Mayr (Hymenoptera, Chalcidoidea, Encyrtidae) Synonym(s): , parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) Synonym(s): attacking oaks (*Quercus* spp.). *J. Nat. Hist.* 40 (29-31): 1793-1800, figs. [available in Cesa Library]
190. **Japoshvili, G.O. & I.Karaca**, 2003, New records of encyrtid parasitoids of *Kermes palestiniensis* Balachowsky (Hemiptera, Kermesidae) Synonym(s): with the description of a new species of *Blastothrix* Mayr (Hymenoptera, Encyrtidae) Synonym(s): from Turkey. *Ent. News* 114 (4): 187-191, figs. [available in Cesa Library]
191. **Jedlicka, A.**, 1963, Neue Carabiden Anatolien und vom Balkan. *Koleopt. Rdsch.* 40/41: 16-22, figs. [available in Cesa Library]
192. **Jelinek, J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae) Synonym(s): . *Mitt. münch. ent. Ges.* 68: 1-11, figs. [available in Cesa Library]
193. **Jeong, J.-C. & J.-W.Lee**, 2006, Taxonomy of Listrodromini (Hymenoptera, Ichneumonidae, Ichneumoninae) from Korea. *Ent. Res.* 36: 127-132, figs. [available in Cesa Library]
194. **Jäch, M.A.**, 1989, Revision of the palaearctic species of the genus *Ochthebius* Leach II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). *Z. ArbGem. öst. Ent.* 41 (1/2): 41-50, figs. [available in Cesa Library]
195. **Jäch, M.A., Kasapoğlu, A. & O.Erman**, 2003, Revision of the Palaearctic species of the genus *Ochthebius* Leach (Coleoptera, Hydraenidae) Synonym(s): XX. Description of two species of the subgenus *Asiobates* Thomson from Northeastern Turkey. *Aquatic Insects* 25 (1): 71-74, figs. [available in Cesa Library]
196. **Kakarsulemankhel, J.-K.**, 2004, Taxonomic morphology of *Phlebotomus nuri* Lewis, 1967 (Diptera, Psychodidae, Phlebotominae) from Pakistan. *Int. J. Agr. Biol.* 6 (1): 196-199, figs. [available in Cesa Library]

197. **Kalkandelen,A.**, 1985, Four new species of genus Zyginidia (Zyginidia) Haupt (Homoptera, Cicadellidae) Synonym(s): and with notes on the taxonomy and distributions of the species of this genus in Turkey. *Türk. bitki kor. derg.* 9: 13-25, figs. [available in Cesa Library]
198. **Kaltenbach,A.**, 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung Saga Charpentier (Saltatoria, Tettigoniidae) Synonym(s): . *Beitr. Ent.* 17 (1/2): 3-107, figs. [available in Cesa Library]
199. **Karabağ,T.**, 1953, Some new Orthoptera from Turkey. *Eos* 29: 177-200, figs. [available in Cesa Library]
200. **Kartal,V.**, 1978, Eine neue Singzikaden Art der Gattung Pagiphora Horvath von Creta (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . *Ent. Z., Frankf. a.M.* 88 (16): 179-185.
201. **Kartal,V.**, 1980, Neue und wenig bekannte Arten den Gattungen Cicadetta und Cicadatra aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . *Ent. Z., Frankf. a.M.* 90 (17): 185-192, 4 Abb. [available in Cesa Library]
202. **Kartal,V.**, 1983, Neue Homopteren aus der Türkei II (Homoptera, Auchenorrhyncha). *Marb. ent. Publ.* 1 (8): 235-248, figs.
203. **Kartal,V.**, 1987, Eine neue und wenig bekannte Arten der Gattung Ranissus aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae) Synonym(s): . *Türk. ent. derg.* 11 (3): 145-150, figs. [available in Cesa Library]
204. **Karz,K.**, 1988, Eine neue Sichelshrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). *Articulata* 3 (4): 137-138, 5 figs. [available in Cesa Library]
205. **Katbeh-Bader,A. & B.Massa**, 2001, Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. *J. Orth. Res.* 10 (1): 25-37, figs. [available in Cesa Library]
206. **Kazancı,N.**, 1983, Plecoptera (Insecta) from Anatolia. *Aquatic Insects* 5 (3): 141-146, figs.
207. **Kazancı,N.**, 1985, Leuctra brachyptera, a new stonefly from Turkey (Plecoptera, Leuctridae) Synonym(s): . *Aquatic Insects* 7 (1): 49-52, figs.
208. **Kazancı,N.**, 1999, A new apterous Leuctra (Plecoptera) species from Turkey. *Aquatic Insects* 21 (4): 267-271, 2 figs. [available in Cesa Library]
209. **Kazancı,N.**, 2000, On the Taeniopterygidae (Plecoptera) fauna of Turkey. *Aquatic Insects* 22 (3): 171-176, 10 figs. [available in Cesa Library]
210. **Kazancı,N.**, 2000, Brachyptera berkii, a new Plecoptera (Taeniopterygidae) Synonym(s): species from Turkey. *Aquatic Insects* 23 (4): 283-287, figs. [available in Cesa Library]
211. **Keith,D.**, 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre Triodontella Reitter,1919 (Coleoptera, Melolonthidae, Sericinae). *Lambillionea ci:* 153-160, 4 figs. [available in Cesa Library]
212. **Kemal,M. & A.Ö.Koçak**, 2009, Nomenclatural notes on two Russian Insecta (Lepidoptera, Coleoptera). *Cent. ent. Stud., Misc. Pap.* 146: 1-2. [available in Cesa Library]
213. **Khalaf,K.T.**, 1957, Heleids from Iraq with descriptions of new species (Diptera, Heleidae = Ceratopogonidae) Synonym(s): . *Bull. Soc. ent. Egypte* 41: 335-350.
214. **Kiesenwetter,H.v.**, 1872, Revision der europäischen Arten der Gattung Malthodes (Erstes Stück). *Berl. ent. Z.* 16: 369-392, Taf. iv,v. [available in Cesa Library]
215. **Kiesenwetter,H.v.**, 1874, Revision der europäischen Arten der Gattung Malthodes (Zweites Stück). *Berl. ent. Z.* 18: 45-70. [available in Cesa Library]
216. **Kiritshenko,A.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41: 1-5. [available in Cesa Library]
217. **Kiritshenko,A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. *Wien. ent. Ztg.* 41: 1-5. [available in Cesa Library]
218. **Klapalek,F.**, 1921, Pléoptères nouveaux I. Sous famille des Perlinae et Neoperlinae. *Annls Soc. ent. belg.* 61: 57-67. [available in Cesa Library]
219. **Klimaszewski,S.M. & N.Lodos**, 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. *Türk. Bitki Kor. Derg.* 4: 219-227.
220. **Kolarov,J. & M.Yurtcan**, 2008, A new species of Cymodusa Holmgren,1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. *Biologia* 63 (4): 548-549, 4 figs. [available in Cesa Library]
221. **Kolarov,J.**, 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae) Synonym(s): . *Linzer biol. Beitr.* 25 (2): 1093-1097, 2 Abb. [available in Cesa Library]
222. **Konstantinov,F.V.**, 1997, A revision of the genus Psallopsis (Heteroptera, Miridae) Synonym(s): . *Zoosyst. ross.* 6 (1/2): 171-190, figs. [available in Cesa Library]
223. **Korneyev,V.A.**, 1996, The status of Urophora dzieduszyckii Frauenfeld (Insecta, Diptera, Tephritidae) Synonym(s): . *Annln naturh. Mus. Wien* 98B: 525-528. [available in Cesa Library]

- 224. Kovancı,B. & S.Canbulat,** 2007, A new species of the genus *Nothochrysa* McLachlan,1868 from northwestern Turkey (Neuroptera, Chrysopidae) Synonym(s): with a key to western palaeartic species. *Annls Soc. ent. Fr. (n.s.)* 43 (2): 165-168, figs. [available in Cesa Library]
- 225. Koç,H. & P.Zwick,** 2006, New species and records of Net-winged Midges (Diptera, Blephariceridae) Synonym(s): from Asia Minor. *Stud. dipterol.* 13 (1): 61-66, 6 figs. [available in Cesa Library]
- 226. Koç,H., Oosterbroek,P. & O.Özgül,** 2005, A new Turkish *Tipula* (*Lunatitipula*) species in the *acuminata* group (Diptera, Tipulidae) Synonym(s): . *Ent. fenn.* 16: 251-253, figs. [available in Cesa Library]
- 227. Koçak,A.Ö. & M.Kemal,** 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5. [available in Cesa Library]
- 228. Koçak,A.Ö. & M.Kemal,** 2008, Two replacement names in the genus group taxa of Dictyoptera from Colombia and Arabian Peninsula. *Cent. ent. Stud., Misc. Pap.* 141: 6. [available in Cesa Library]
- 229. Koçak,A.Ö. & M.Kemal,** 2008, A replacement name in the genus group taxa of the family Ascalaphidae in Africa (Neuroptera). *Cent. ent. Stud., Misc. Pap.* 141: 7. [available in Cesa Library]
- 230. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on the genus group names in the order Hymenoptera (Chalcidoidea). *Cent. ent. Stud., Misc. Pap.* 143: 3-7. [available in Cesa Library]
- 231. Koçak,A.Ö. & M.Kemal,** 2008, Scientific note 2. On the nomenclature of the name *Neotrimorus* in India (Scelionidae) Synonym(s): (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 143: 7. [available in Cesa Library]
- 232. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes in the genus group taxa of Homoptera. *Cent. ent. Stud., Misc. Pap.* 139-140: 15. [available in Cesa Library]
- 233. Koçak,A.Ö. & M.Kemal,** 2008, *Cercopicesa* nom.nov., a replacement name in the family Cercopidae from Australia (Homoptera). *Cent. ent. Stud., Misc. Pap.* 144: 4. [available in Cesa Library]
- 234. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on the genus-group names in the order Coleoptera. *Cent. ent. Stud., Misc. Pap.* 144: 5. [available in Cesa Library]
- 235. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on the genus-group names in the families Braconidae and Ichneumonidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 144: 6. [available in Cesa Library]
- 236. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on some genus-group names in the order Diptera. *Cent. ent. Stud., Misc. Pap.* 144: 1-3. [available in Cesa Library]
- 237. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on some species group names in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 145: 9-12. [available in Cesa Library]
- 238. Koçak,A.Ö. & M.Kemal,** 2008, Nomenclatural notes on the genus group names of the families Pompilidae and Sphecidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 145: 6-7. [available in Cesa Library]
- 239. Koçak,A.Ö. & M.Kemal,** 2008, *Tropicalia* nom. nov., a replacement name for pre-occupied genus name from South America (Scarabaeidae, Coleoptera). *Cent. ent. Stud., Misc. Pap.* 145: 7-8. [available in Cesa Library]
- 240. Koçak,A.Ö. & M.Kemal,** 2008, Miscellaneous nomenclatural notes. *Cent. ent. Stud., Misc. Pap.* 145: 8-9. [available in Cesa Library]
- 241. Koçak,A.Ö. & M.Kemal,** 2009, Replacement names in the family Ichneumonidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 3-4. [available in Cesa Library]
- 242. Koçak,A.Ö. & M.Kemal,** 2009, A replacement name for a subgenus in the family Tipulidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 5. [available in Cesa Library]
- 243. Koçak,A.Ö. & M.Kemal,** 2009, Two replacement names for the genera in the family Cixiidae (Homoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 5-6. [available in Cesa Library]
- 244. Koçak,A.Ö. & M.Kemal,** 2009, Two replacement names in the family Sciaridae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 6-7. [available in Cesa Library]
- 245. Koçak,A.Ö. & M.Kemal,** 2009, A replacement name in the family Stephanidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 7-8. [available in Cesa Library]
- 246. Koçak,A.Ö. & M.Kemal,** 2009, *Yemenia* (nom. nov.), a replacement name in the family Therevidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9. [available in Cesa Library]
- 247. Koçak,A.Ö. & M.Kemal,** 2009, A replacement name in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9-10. [available in Cesa Library]
- 248. Koçak,A.Ö. & M.Kemal,** 2009, Two replacement names in the family Tephritidae (Diptera, Tephritoidea). *Cent. ent. Stud., Misc. Pap.* 147-148: 10-11. [available in Cesa Library]
- 249. Koçak,A.Ö. & M.Kemal,** 2009, Further replacement names in the family Ichneumonidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 12-13. [available in Cesa Library]
- 250. Koçak,A.Ö. & M.Kemal,** 2009, A replacement name in the family Braconidae (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 14. [available in Cesa Library]

- 251. Koçak, A.Ö. & M.Kemal**, 2009, A replacement name in the family Asilidae in South America (Diptera). Cent. ent. Stud., Misc. Pap. 147-148: 14-15. [available in Cesa Library]
- 252. Koçak, A.Ö. & M.Kemal**, 2009, A replacement name in the family Neriidae (Diptera) Cent. ent. Stud., Misc. Pap. 147-148: 11-12. [available in Cesa Library]
- 253. Koçak, A.Ö. & M.Kemal**, 2009, Gouxia nom.n., a replacement name of a genus group taxon in the Hemiptera (Coccoidea, Pseudococcidae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 149: 1. [available in Cesa Library]
- 254. Koçak, A.Ö. & M.Kemal**, 2009, Nomenclatural notes on the genus group names in Orthoptera. Cent. ent. Stud., Misc. Pap. 149: 2-4. [available in Cesa Library]
- 255. Koçak, A.Ö. & M.Kemal**, 2009, A replacement name in the family Pyrgotidae (Diptera). Cent. ent. Stud., Misc. Pap. 149: 4-5. [available in Cesa Library]
- 256. Koçak, A.Ö. & M.Kemal**, 2009, Description of taxa in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 5-6, 2 figs. [available in Cesa Library]
- 257. Koçak, A.Ö. & M.Kemal**, 2009, A generic replacement name in the family Psyllidae (Hemiptera). Cent. ent. Stud., Misc. Pap. 149: 7. [available in Cesa Library]
- 258. Koçak, A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 1 [available in Cesa Library]
- 259. Koçak, A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Braconidae from Zaire (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 2. [available in Cesa Library]
- 260. Koçak, A.Ö. & M.Kemal**, 2009, On the nomenclature of two pre-occupied generic names in the family Tephritidae in the Afrotropical Region (Diptera). Cent. ent. Stud., Misc. Pap. 150: 2-3. [available in Cesa Library]
- 261. Koçak, A.Ö. & M.Kemal**, 2009, A generic replacement name in the family Gerridae (Hemiptera) from Afrotropical Region. Cent. ent. Stud., Misc. Pap. 150: 3-4. [available in Cesa Library]
- 262. Koçak, A.Ö. & M.Kemal**, 2009, Eurasicesa nom. n., a replacement name in the family Limoniidae in Eurasia (Diptera). Cent. ent. Stud., Misc. Pap. 150: 4-5. [available in Cesa Library]
- 263. Koçak, A.Ö. & M.Kemal**, 2009, Nomenclatural notes on some generic names of the superfamily Chalcidoidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 5-6. [available in Cesa Library]
- 264. Koçak, A.Ö. & M.Kemal**, 2009, A replacement name, Danielottea nom.n. in the family Gryllidae (Orthoptera). Cent. ent. Stud., Misc. Pap. 150: 6-7. [available in Cesa Library]
- 265. Koçak, A.Ö. & M.Kemal**, 2009, Notes on the nomenclature of some generic names of the order Diptera. Cent. ent. Stud., Misc. Pap. 150: 7-8. [available in Cesa Library]
- 266. Koçak, A.Ö. & M.Kemal**, 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 7-8. [available in Cesa Library]
- 267. Koçak, A.Ö. & M.Kemal**, 2010, Generic replacement names in the family Megachilidae (Hymenoptera). Priamus 12 (5): 127-128. [available in Cesa Library]
- 268. Koçak, A.Ö. & M.Kemal**, 2010, Some replacement names among the genus group names in various families of the order Homoptera. Priamus 12 (5): 128-130. [available in Cesa Library]
- 269. Koçak, A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library]
- 270. Koçak, A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of Melyridae (Coleoptera). Priamus 12 (6): 160-161. [available in Cesa Library]
- 271. Koçak, A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of some families (Diptera). Priamus 12 (6): 156-160. [available in Cesa Library]
- 272. Koçak, A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of some families (Orthoptera). Priamus 12 (6): 155-156. [available in Cesa Library]
- 273. Koçak, A.Ö. & M.Kemal**, 2010, Generic replacement name in the family Derbidae from New Caledonia and Australia (Homoptera). Priamus 12 (6): 154. [available in Cesa Library]
- 274. Koçak, A.Ö. & M.Kemal**, 2010, A generic replacement name, Kazachicesa nom. n. from Central Asia (Homoptera, Delphacidae) Synonym(s): . Priamus 12 (6): 153. [available in Cesa Library]
- 275. Koçak, A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of the families Veliidae and Tingidae (Hemiptera). Priamus 12 (6): 151-152. [available in Cesa Library]
- 276. Koçak, A.Ö. & Y.Hüseyinoğlu**, 2008, Nomenclatural notes on the genus group names in the order Diptera (Tabanidae, Sciaridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 143: 1-2. [available in Cesa Library]
- 277. Koçak, A.Ö.**, 1981, On the nomenclature of some genera of Orthoptera. Priamus 1: 126-128. [available in Cesa Library]

- 278. Koçak,A.Ö.**, 1984, On the nomenclatural status of two species group names in Orthoptera. Priamus 3 (4): 169-170 [this is wasnot cited intentionally in the related other publications!] [available in Cesa Library]
- 279. Koçak,A.Ö.**, 2008, Nomenclatural notes on the recently proposed replacement names in the order Orthoptera. Cent. ent. Stud., Misc. Pap. 142: 7-8. [available in Cesa Library]
- 280. Koçak,A.Ö., Hüseyinoğlu,Y. & M.Kemal**, 2008, Further notes on the nomenclature of the genus group names in the superfamily Chalcidoidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 144: 7. [available in Cesa Library]
- 281. Krauss,H.**, 1892, Dermapteren und Orthopteren aus Tunis. Wien. ent. Ztg. 11 (5): 143-150. [available in Cesa Library]
- 282. Krolík,R. & M.Niehuis**, 2003, Agrilus rhoos, a new species from Turkey (Coleoptera, Buprestidae) Synonym(s): . Genus 14 (3): 357-362, figs. [available in Cesa Library]
- 283. Krolík,R.**, 2002, Agrilus kutahyanus n.sp. from Turkey (Coleoptera, Buprestidae) Synonym(s): . Genus 13 (1): 25-31, figs. [available in Cesa Library]
- 284. Krombein,K.V. & B.D.Burks**, 1967, Hymenoptera of America North of Mexico Synoptic Catalog (Agriculture Monograph No.2) Second Supplement 584pp. Washington D.C. [available in Cesa Library]
- 285. Kuhlmann,M.**, 2002, Neue palaearktische Arten der Bienengattung Colletes Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 34 (1): 743-770. [available in Cesa Library]
- 286. Kuhlmann,M.**, 2003, Zur Kenntnis palaearktischer Bienen der Gattung Colletes Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 35 (1): 723-746. [available in Cesa Library]
- 287. Kuhlmann,M.**, 2005, Colletes rozeni sp.n., a new bee species from Israel (Insecta, Hymenoptera, Colletidae) Synonym(s): . Linzer biol. Beitr. 37 (2): 1399-1400, figs. [available in Cesa Library]
- 288. Kuhlmann,M.**, 2005, Faunistik und Zoogeographie der Bienengattung Colletes Latreille,1802 (Hymenoptera, Apidae, Colletinae) in Mittelasiien. Linzer biol. Beitr. 37 (2): 1353-1396, figs. [available in Cesa Library]
- 289. Kurzenko,N.V. & J.Gusenleitner**, 1994, Sapygidae from Turkey, with a key to palaeartic species of Sapyginae (Hymenoptera). Linzer biol. Beitr. 26 (2): 583-632, figs. [available in Cesa Library]
- 290. Kusnezov,V.**, 1931, Übersicht der asiatischen weissgeflügelten Tibicina-Arten (Homopt.-Cicadidae) Synonym(s): . Konowia 10: 15-18. [available in Cesa Library]
- 291. Kühbandner,M.**, 1984, Eine neue Oxycera -Art aus der Südosttürkei (Diptera, Stratiomyidae) Synonym(s): . Entomofauna 5 (34): 471-479, figs. [available in Cesa Library]
- 292. Kütük,M.**, 2003, Doğu Akdeniz Bölgesi Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): faunası ve sistematiği üzerine arařtırmalar. Türk. ent. derg. 27 (2): 149-160, figs. [available in Cesa Library]
- 293. Kütük,M.**, 2006, A new species of Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the species of the Urophora quadrifasciata [sic!] group. Türk. J. Zool. 30: 147-153, figs. [available in Cesa Library]
- 294. Kütük,M.**, 2008, A new species of Tephritis Latreille (Diptera, Tephritidae) Synonym(s): from Turkey. Belg. J. Zool. 138 (2): 132-134, figs. [available in Cesa Library]
- 295. Kütük,M.**, 2009, A new species of Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey. Ent. News 120 (1): 101-105, figs.
- 296. Kıyak,S.**, 1990, Cranocapsus turcicus (sp.nov.), yeni bir heteropter türünün tanımı (Insecta, Heteroptera, Miridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 5: 1-3, 1 şekil. [available in Cesa Library]
- 297. Lastovka,P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of Docosia Winnertz (Diptera, Mycetophilidae) Synonym(s): , with atlas of the male and female terminalia. Cas. Slez. Muz. Opava (A) 55: 1-37, figs. [available in Cesa Library]
- 298. Lattke,J.E.**, 2004, A taxonomic revision and phylogenetic analysis of the ant genus Gnamptogenys Roger in Southeast Asia and Australasia (Hymenoptera, Formicidae, Ponerinae). Univ. Calif. Press 122: 266pp., 61 figs. [available in Cesa Library]
- 299. Lauterbach,K.E.**, 1972, Zur Kenntnis der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae) Synonym(s): . Dt. ent. Z. (N.F.) 19 (1/3): 109-140, figs. [available in Cesa Library]
- 300. Legalov,A.A.**, 2002, Neue Arten der Familie Rhynchitidae (Coleoptera) aus der Türkei. Russian Ent. J. 11 (2): 215-219, figs. [available in Cesa Library]
- 301. Lehrer,A.Z.**, 2007, Stomorhiniinae [sic!] n.sfam. une nouvelle sous-famille de Calliphoridae (Diptera) et révision de ses taxons. Fragm. dipt. 12: 4-16, figs. [available in Cesa Library]

- 302. Lelej,A.S. & E.Yıldırım**, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. *Zootaxa* 2160: 1-28, figs. [available in Cesa Library]
- 303. Lieftnick,M.A.**, 1968, A review of Old World species of *Thyreus* Panzer (=Crocisa Jurine) (Hym., Apoidea, Anthophoridae) Synonym(s): Part 4. Palearctic species. *Zool. Verh.* 98: 3-139, 38 figs., 4 pls. [available in Cesa Library]
- 304. Linnavuori,R. & M.Modarres**, 1999, Studies on the Heteroptera of the Khorassan province in N.E.Iran II. Cimicomorpha: Miridae. *Ent. fenn.* 10: 215-231, figs. [available in Cesa Library]
- 305. Linnavuori,R.**, 1952, Contributions to the Hemipterous fauna of Palestine. *Ann. ent. fenn.* 18: 188-195, figs. [available in Cesa Library]
- 306. Linnavuori,R.**, 1961, Hemiptera of Israel II. *Ann. Zool. Soc.* 22 (7): 1-51, 22 figs. [available in Cesa Library]
- 307. Linnavuori,R.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. *Acta ent. fenn.* 21: 1-67, 24 figs. [available in Cesa Library]
- 308. Linnavuori,R.**, 1972, Studies on Palaearctic Hemiptera. *Ann. Ent. fenn.* 38: 40-50, figs [available in Cesa Library]
- 309. Linnavuori,R.**, 1995, On the Miridae fauna of the Middle East (Heteroptera, Miridae) Synonym(s): . *Ent. fenn.* 5: 205-212, figs. [available in Cesa Library]
- 310. Loew,H.**, 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). *Linn. ent.* 2: 384-568; 3: 386-495; 4: 1-155. [available in Cesa Library]
- 311. Maca,J.**, 1987, *Amiota* (Phortica) goetzi sp.n. (Diptera, Drosophilidae) Synonym(s): with faunistic notes to Drosophilidae Odiniidae and Perisclididae from Southeastern Europe and Turkey. *Acta ent. Mus. natn. Pragae* 42: 311-320, figs. [available in Cesa Library]
- 312. Majer,K.**, 1989, The genus *Dasytidius* Schilsky,1896: species from Turkey and the Balkans (Coleoptera, Melyridae) Synonym(s): . *Acta ent. bohemoslov.* 86: 137-155, figs.
- 313. Majer,K.**, 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . *Annln naturh. Mus. Wien* 98 (B): 435-500, figs. [available in Cesa Library]
- 314. Majer,K.**, 1996, Internal classification of the *Dasytidius* Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . *Spixiana* 19 (2): 155-182, figs. [available in Cesa Library]
- 315. Maran,J.**, 1958, Beitrag zur Kenntnis der geographischen Variabilität von *Acrotylus insubricus* (Scop.) (Orthoptera, Acrididae) Synonym(s): *Acta ent. Mus. Nat. Pragae* 32: 171-179. [available in Cesa Library]
- 316. Marcos-Garcia,M.A., Vujic,A. & X.Mengual**, 2007, Revision of Iberian species of the genus *Merodon* (Diptera, Syrphidae) Synonym(s): . *Eur. J. Ent.* 104: 531-572, figs. [available in Cesa Library]
- 317. Marseul,S.A.de**, 1872, Monographie des Mylabrides. *Mém. Soc. R. Liege* 1872: 363-662, 6Tab. [available in Cesa Library]
- 318. Marshall,T.A.**, 1885, Monograph of British Braconidae I. *Trans. ent. Soc. London* 1885 (1): 1-280, 6 pls. [available in Cesa Library]
- 319. Marshall,T.A.**, 1887, Monograph of British Braconidae II. *Trans. ent. Soc. London* 1887 (2): 51-131, pl.v. [available in Cesa Library]
- 320. Masnadi-Yazdinejad,A. & R.Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae) Synonym(s): . *J. ent. Soc. Iran* 28 (1): 1-11. [available in Cesa Library]
- 321. Massa,B., Buzzetti,F.M. & P.Fontana**, 2009, New and little known species of the genus *Parapholidoptera* Maran (Insecta, Orthoptera). *Dt. ent. Z. (N.F.)* 56 (2): 243-249, figs. [available in Cesa Library]
- 322. Mathis,W.N., Zatwarnicki,T. & M.G.Krivosheina**, 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae) Synonym(s): , V: A Revision of the Shore-Fly Genus *Mosillus* Latreille. *Smiths. Contr. Zool.* 548: 48pp., figs., maps. [available in Cesa Library]
- 323. Mauss,V.**, 1996, Morphological characters of *Ceramius palaestinensis* (Giordani Soika,1957) Gusenleitner,1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. *Linzer biol. Beitr.* 28 (2): 953-966, figs. [available in Cesa Library]
- 324. Mayor,A.J.**, 2003, Nomenclatural corrections for Dasytidae and Malachiidae (Coleoptera). *Insecta Mundi* 17 (1/2): 85-96. [available in Cesa Library]
- 325. Meinander,M.**, 1972, A revision of the family Coniopterygidae (Planipennia). *Acta zool. fenn.* 136: 1-357, figs. [available in Cesa Library]
- 326. Melika,G. & G.N.Stone**, 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae) Synonym(s): . *Folia ent. hung.* 62: 127-131, 6 figs. [available in Cesa Library]
- 327. Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. *Vestn. zool.* 39 (2): 23-30, figs. [available in Cesa Library]

- 328. Melika,G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs. [available in Cesa Library]
- 329. Melika,G.**, 2006, A new species of *Neuroterus* Hartig,1840 from Syria (Hymenoptera, Cynipidae, Cynipini). Folia ent. hung. 67: 199-206, figs. [available in Cesa Library]
- 330. Melika,G., Pujade-Villar,J., Stone,G.N., Fülöp,D. & Z.Penzes**, 2009, New species of cynipid gallwasps of the genus *Plagiotrochus* Mayr,1881 from Nepal and Jordan (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 55 (3): 263-274, figs. [available in Cesa Library]
- 331. Melika,G., Stone,G.N., Sadeghi,S.E. & Pujade-Villar,J.**, 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs. [available in Cesa Library]
- 332. Memon,N. & I.Ahmad**, 2008, Description of *Mustha izmirensis*, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. Pakistan J. Zool. 40 (6): 435-439, figs. [available in Cesa Library]
- 333. Merz,B.**, 2007, Two new mediterranean species of the *Sapromyza intonsa* group (Diptera, Lauxaniidae) Synonym(s): . Tijdschr. Ent. 150: 65-76, figs. [available in Cesa Library]
- 334. Michael,E.S.**, 2005, Family-group names for Bees (Hymenoptera, Apoidea). American Mus. Novit. 3476: 1-33. [available in Cesa Library]
- 335. Mitter,H.**, 1992, Eine neue *Amphicoma*-Art aus dem Nahen Osten (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 24 (1): 31-34, Abb.1. [available in Cesa Library]
- 336. Mitter,H.**, 1996, *Eulasia baumanni* n.sp., eine neue Art aus Palestina (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 28 (1): 363-365. [available in Cesa Library]
- 337. Mitter,H.**, 1996, *Eulasia palmyrensis* n.sp., eine weitere neue Art aus dem Nahostgebiet (Coleoptera, Scarabaeidae, Glaphyrinae). Linzer biol. Beitr. 28 (2): 933-936. [available in Cesa Library]
- 338. Mitter,H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von *Pygopleurus anahitae* n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . Linzer biol. Beitr. 33 (2): 1041-1045. [available in Cesa Library]
- 339. Mitter,H.**, 2004, Eine neue *Eulasia*-Art aus dem Iran (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . Linzer biol. Beitr. 36 (1): 305-307, Abb.2. [available in Cesa Library]
- 340. Moczar,L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysididae, Cleptinae). Linzer biol. Beitr. 33 (1): 905-931, figs. [available in Cesa Library]
- 341. Montreuil,O. & S.Serri**, 2007, Description of a new *Pygopleurus* species (Col.: Glaphyridae) Synonym(s): with a list of recorded species of the genera *Pygopleurus* and *Eulasia* from Iran. J. ent. Soc. Iran 26 (2): 1-6, figs. [available in Cesa Library]
- 342. Morton,K.J.**, 1894, Palaearctic *Nemourae*. Trans. ent. Soc. London 1894: 557-574, Pls.xiii,xiv. [available in Cesa Library]
- 343. Morton,K.J.**, 1919, Odonata from Mesopotamia. Entomologist's mon. Mag. 3: 143-151, 183-196, figs. [available in Cesa Library]
- 344. Mostovski,M.B. & R.H.L.Disney**, 2002, A new species of *Megaselia* (Dipt., Phoridae) Synonym(s): from donkey dung in Turkey. Entomologist's mon. Mag. 138: 135-137, 6 figs. [available in Cesa Library]
- 345. Muche,W.H.**, 1962, *Lydus anatolicus* spec. nov. (Col., Meloidae) Synonym(s): . Reichenbachia 1: 51-53.
- 346. Müller,A.**, 2009, Palaearctic *Osmiine* Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini>
- 347. Müller,G.**, 1931, Neue und wenig bekannte Carabiden von Leo Weirather auf der Balkanhalbinsel und in Kleinasien gesammelt. Koleopt. Rdsch. 17 (6): 209-223. [available in Cesa Library]
- 348. Nadein,K.S.**, 2009, Revision of the genus *Mniophila* Stephens,1831 (Coleoptera, Chrysomelidae) Synonym(s): . Beitr. Ent. 59 (1): 103-131, 7 figs, 3 maps. [available in Cesa Library]
- 349. Nagatomi,A.**, 1964, The *Chorisops* of the Palaearctic Region (Diptera, Stratiomyidae) Synonym(s): . Insecta matsumurana 27 (1): 18-23. [available in Cesa Library]
- 350. Naglis,S.**, 2009, New records of *Sympyteninae* (Diptera, Dolichopodidae) Synonym(s): from Turkey, with the description of a new species of *Teuchophorus*. Mitt. schweiz. ent. Ges. 82: 173-180, figs. [available in Cesa Library]
- 351. Namin,S.M. & G.R.Rasoulian**, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30. [available in Cesa Library]
- 352. Namin,S.M. & G.R.Rasoulian**, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30, figs. [available in Cesa Library]
- 353. Narchuk,E.P.**, 2007, *Nemestrinid* flies (Diptera, Nemestrinidae) Synonym(s): in the fauna of Eastern Europe and the Caucasus. Zool. Zh. 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085]

- 354. Narolsky, N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). *Vestn. zool.* 35 (3): 23-29, figs. [available in Cesa Library]
- 355. Neimorovets, V.V.**, 2006, On the synonymy and distribution of the Heteropterans, *Trapezonotus dispar* Stal and *T. desertus* Seidenstücker (Heteroptera, Lygaeidae) *Synonym(s):* . *Ent. Obozr.* 85 (1): 162-166, figs.
- 356. Nieves-Aldrey, J.L. & G.Melika**, 2005, *Aylax hypecoi* Trotter (Hymenoptera, Cynipidae) *Synonym(s):* in Europe: Redescription with taxonomic and biological notes. *J. Nat. Hist.* 39 (27): 2525-2535, figs. [available in Cesa Library]
- 357. Novak, V.**, 2007, New species of the genus *Hymenalia* Mulsant, 1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaeartic Region. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 3 (1/2): 149-170, figs. [available in Cesa Library]
- 358. Oehlke, J.**, 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). *Beitr. Ent.* 33 (2): 439-447. [available in Cesa Library]
- 359. Oosterbroek, P.**, 1994, Notes on western Palaeartic species of the *Tipula* (*Yamatotipula*) *lateralis* group, with the description of a new species from Turkey (Diptera, Tipulidae) *Synonym(s):* . *Eur. J. Ent.* 91: 429-435, figs. [available in Cesa Library]
- 360. Osten, T.**, 2001, Beitrag zur Scoliiden-Fauna der Insel Phuket (Thailand) (Hymenoptera, Scoliidae) *Synonym(s):* . *Entomofauna* 22 (23): 433-444. [available in Cesa Library]
- 361. Papp, J.**, 2003, Braconidae (Hymenoptera) from Greece, 5. *Notes faun. Gembloux* 53: 21-54. [available in Cesa Library]
- 362. Papp, J.**, 2007, Braconidae (Hymenoptera) from Greece, 6. *Notes faun. Gembloux* 60 (3): 99-127. [available in Cesa Library]
- 363. Patiny, S. & D.Michez**, 2006, Phylogenetic analysis of the *Systropha* Illiger, 1806 (Hymenoptera, Apoidea, Halictidae) *Synonym(s):* and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs. [available in Cesa Library]
- 364. Peck, O., Boucek, Z. & A.Hoffer**, 1964, Keys to the Chalcidoidea of Czechoslovakia (Insecta, Hymenoptera). *Mem. Ent. Soc. Canada* 34: 1-170, 289 figs.
- 365. Perkins, J.F.**, 1961, On the type species of Foerster's genera (Hymenoptera, Ichneumonidae) *Synonym(s):* . *Br. Mus. (Nat. Hist.) Ent.* 11: 383-483. [available in Cesa Library]
- 366. Peters, D.S.**, 1974, Über die Untergattung *Haetosmia* Popov, 1952 (Insecta, Hymenoptera, Megachilidae, Osmia). *Senckenberg. biol.* 55 (4/6): 293-309, figs. [available in Cesa Library]
- 367. Peters, D.S.**, 1978, Systematik und Zoogeographie der west-palaearktischen Arten von *Osmia* Panzer, 1806 s.str., *Monosmia* Tkalcu, 1974 und *Orientosmia* n.subgen. (Insecta, Hymenoptera, Megachilidae) *Synonym(s):* . *Senckenberg. biol.* 58 (4/6): 287-346, figs. [available in Cesa Library]
- 368. Petrovitz, R.**, 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera. *Annln naturh. Mus. Wien* 70: 325-343, Abb. [available in Cesa Library]
- 369. Petrovitz, R.**, 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Zweite Folge). *Annln naturh. Mus. Wien* 72: 465-491, Abb. [available in Cesa Library]
- 370. Petrovitz, R.**, 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Dritte Folge). *Annln naturh. Mus. Wien* 73: 383-400, figs. [available in Cesa Library]
- 371. Petrovitz, R.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Vierte Folge). *Annln naturh. Mus. Wien* 75: 565-589, Abb. [available in Cesa Library]
- 372. Peyron, E.**, 1858, Catalogue des Coléoptères des environs de Tarsous (Caramanie), avec la description des espèces nouvelles. *Annls Soc. ent. Fr.* 3 (6): 353-434, pl. [available in Cesa Library]
- 373. Pittino, R.**, 2004, New or nothworthy taxa of the genus *Onthophagus* (Subg. *Palaeonthophagus*) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae) *Synonym(s):* . *Fragm. ent. Roma* 36 (2): 145-214, figs. [available in Cesa Library]
- 374. Plassmann, E.**, 1987, Neun neue Pilzmücken aus der Westpalaearktis (Diptera, Nematocera, Mycetophilidae) *Synonym(s):* . *Spixiana* 9: 143-150, figs. [available in Cesa Library]
- 375. Platia, G. & D.Tarnawski**, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae) *Synonym(s):* . *Genus* 9 (3): 269-274, figs. [available in Cesa Library]
- 376. Pont, A.C.**, 1991, A preliminary list of the Fanniidae and Muscidae (Insecta, Diptera) from Turkey. *Zool. Middle East* 5: 63-112.
- 377. Pont, A.C., Werner, D. & E.A.Kachvoryan**, 2005, A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia. *Zool. Middle East* 36: 73-86, figs. [available in Cesa Library]
- 378. Priesner, H.**, 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110. [available in Cesa Library]
- 379. Puissant, S. & Sueur, J.**, 2002, Description of a new Cicada species from Turkey (Hemiptera, Cicadoidea). *Revue fr. Ent. (N.S.)* 24 (4): 197-200, figs. [available in Cesa Library]
- 380. Pujade-Villar, J., Kwast, E., Thuroczy, C. & D.Bellido**, 2002, Gall wasps and their associated fauna collected in Greece, with some taxonomic changes and description of a new species

- (Hymenoptera, Cynipidae, Chalcidoidea). Acta zool. cracov. 45 (4): 351-364, figs. [available in Cesa Library]
- 381. Pulawski, W.J.**, 1967, Hymenoptera from Turkey Sphecidae II. (Genera Astata Latreille and Tachysphex Kohl). Bull. Br. Mus. (Nat. Hist.) Ent. 19: 383-410, figs. [available in Cesa Library]
- 382. Radoszkowski, O.**, 1890, Hyménoptères recoltés sur le mont Ararat. Horae Soc. ent. ross. 24: 502-510, figs. [available in Cesa Library]
- 383. Ragge, D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 40 (2): 67-192, figs. [available in Cesa Library]
- 384. Ramme, W.**, 1930, Neue Orthopteren aus Westasien (Acrid. et Tett.). Mitt. zool. Mus. Berl. 16: 394-396.
- 385. Ramme, W.**, 1951, Zur Systematik, Faunistik und Biologie der Orthopteren von Südost Europa und Vorderasien. Mitt. zool. Mus. Berl. 27: 1-421, figs. [available in Cesa Library]
- 386. Reiche, L. & F. de Saulcy**, 1855-1858, Espèces nouvelles ou peu connues de Coléoptères, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. Anns Soc. ent. Fr. 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls. [available in Cesa Library]
- 387. Reuter, O.M.**, 1890, Conspectus specierum generis Mustha (Hemiptera, Pentatomidae) Synonym(s): . Revue d'Ent. 9: 262-264. [available in Cesa Library]
- 388. Rezwani, A.**, 2008, A new species and a new record of a subspecies belonging to the genus Dysaphis (Homoptera, Aphididae) Synonym(s): from Iran. J. ent. Soc. Iran 27 (2): 23-26, figs. [available in Cesa Library]
- 389. Riedel, M.**, 2008, Revision der westpalaearktischen Platylabini 1. Die Gattung Platylabus Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). Spixiana 31 (1): 105-172, figs. [available in Cesa Library]
- 390. Robineau-Desvoidy, J.B.**, 1830, Essai sur les Myodaires. Mém. Présentés Acad. roy. Sci. Inst. France (2) 2: 1-813. [available in Cesa Library]
- 391. Rondani, C.**, 1856-1871, Dipterologiae Italicae Prodromus vols. 1-7. Parmae. [available in Cesa Library]
- 392. Roy, R.**, 1966, A new species of Amorphoscelis from Iraq (Mantodea, Amorphoscelidae) Synonym(s): . Ent. News 77: 267-270, 3 figs. [available in Cesa Library]
- 393. Rozkosny, R., Gregor, F. & A.C. Pont**, 1997, The European Fanniidae (Diptera). Acta Sci. nat. Brno 31 (2): 1-80, 18 figs. [available in Cesa Library]
- 394. Russo, C. di, Rampini, M. & I. Landeck**, 2007, The cave crickets of northeast Turkey and transCaucasian [sic!] regions, with descriptions of two new species of the genera Dolichopoda and Trogiophilus (Orthoptera, Rhaphidophoridae) Synonym(s): . J. Orth. Res. 16 (1): 67-76, figs. [available in Cesa Library]
- 395. Ruzicka, J.**, 1993, Three new species of Choleva (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the cisteloides group. Eur. J. Ent. 90: 337-348, figs. [available in Cesa Library]
- 396. Ruzicka, J.**, 1994, A new species of Catopomorphus from Turkey (Coleoptera, Leiodidae, Chovelinae). Fragm. ent. Roma 26 (1): 133-139, figs. [available in Cesa Library]
- 397. Ruzicka, J.**, 1997, A new species of Attaephilus from Turkey (Coleoptera, Leiodidae, Chovelinae). Ent. Probl. 28 (1): 57-59, figs. [available in Cesa Library]
- 398. Röder, V.v.**, 1887, Eine neue Exoprosopa aus Syrien. Berl. ent. Z. 31: 75-76. [available in Cesa Library]
- 399. Sabatinelli, G. & Katbeh-Bader, A.**, 2009, Madotrogus nikolajevi new species from Jordan with notes on the genus Madotrogus Reitter, 1902 and its sbgenera (Coleoptera, Scarabaeidae, Melolonthinae, Rhizotrogini). Lambillionea 109: 427-431, figs. [available in Cesa Library]
- 400. Sabatinelli, G. & M. Uliana**, 2009, Description of Pygopleurus keithi, n.sp. from North Syria (Insecta, Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): Boll. Mus. civ. Stor. nat. Venezia 60: 33-39, 12 figs. [available in Cesa Library]
- 401. Sabatinelli, G.**, 1977, Note su alcuni Lucanidae e Scarabaeoidea floricoli di Turchia con descrizione di due nuove specie (Coleoptera). Fragm. ent. 13 (2): 71-96, figs. [available in Cesa Library]
- 402. Sabatinelli, G.**, 2008, Pygopleurus katbehi sp.nov. di Giordania e Palestina e nota sinonimica Pygopleurus syriacus (Linnaeus, 1758) = P. nabataeensis (Mitter, 1996) (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . Lambillionea 108: 149-152, figs. [available in Cesa Library]
- 403. Saussure, M.H. de**, 1888, Synopsis de la tribu des Sagiens. Anns Soc. ent. Fr. 1888: 127-155, 5 pls. [available in Cesa Library]

- 404. Schedl,W.**, 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, Auchenorrhyncha, Cicadidae et Tibicinidae) *Synonym(s)*: . *Linzer biol. Beitr.* 31 (2): 823-837, figs. [available in Cesa Library]
- 405. Schedl,W.**, 2001, Eine neue Singzikade aus der Türkei, *Tettigetta turcica* nov. spec. (Cicadoidea, Tibicinidae) *Synonym(s)*: . *Linzer biol. Beitr.* 33 (2): 1287-1290, figs. [available in Cesa Library]
- 406. Scheerpeltz,O.**, 1979, Studien an den paläarktischen Arten der Gattung *Cryptobium* Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. *Mitt. münch. ent. Ges.* 68: 121-143. [available in Cesa Library]
- 407. Schmid-Egger,C.**, 2004, Revision of *Bembecinus* (Hymenoptera, Crabronidae) *Synonym(s)*: of the Palaearctic region. *Notes faun. Gembloux* 54: 3-69, figs. [available in Cesa Library]
- 408. Schmidt,E.**, 1953, Zwei neue Libellen aus dem Nahen Osten. *Mitt. münch. ent. Ges.* 43: 1-9, figs. [available in Cesa Library]
- 409. Schmitschek,E.**, 1938, Beitrage zur Forstentomologie der Türkei I. *Z. angew. Ent.* 25 (2): 291-310, figs. [available in Cesa Library]
- 410. Schneider,W.**, 1984, Description of *Calopteryx watersoni* spec. nov. from northeastern Turkey (Zygoptera, Calopterygidae) *Synonym(s)*: . *Odonatologica* 13: 281-286, fig.
- 411. Schneider,W.**, 1985, Die Gattung *Crocothemis* Brauer, 1868 in Nahen Osten (Insecta, Odonata, Libellulidae) *Synonym(s)*: . *Senckenberg. biol.* 66: 79-88.
- 412. Schneider,W.G.**, 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. *Stettin ent. Ztg.* 6: 110-116, 133-135.
- 413. Schubert,F.**, 1963, *Apion tauricum* n.sp. *Koleopt. Rdsch.* 40/41: 81-82. [available in Cesa Library]
- 414. Schwarz,M.**, 1979, Zur Kenntnis der aus Syrien beschriebenen *Nomada kervilleana* Pér. (Hymenoptera, Apoidea). *NachrBl. bayer. Ent.* 28 (5): 90-94. [available in Cesa Library]
- 415. Schwarz,M.**, 1999, Anmerkungen zu einigen westpalaearktischen Arten der Gattung *Listrognathus* Tschek (Hymenoptera, Ichneumonidae, Cryptinae). *Linzer biol. Beitr.* 31 (1): 459-463. [available in Cesa Library]
- 416. Selys-Longchamps,E.de**, 1887, Odonates de l'Asie Mineure etc. *Ann. Soc. ent. Belg.* 31: 1-85. [available in Cesa Library]
- 417. Sevgili,H. & K.-G.Heller**, 2003, A new species of the genus *Isophya* Brunner von Wattenwyl from Turkey (Orthoptera, Tettigoniidae, Phaneropterinae). *Tijdschr. Ent.* 146: 39-44, 12 figs. [available in Cesa Library]
- 418. Sevgili,H.**, 2001, A new bushcricket species and notes on some less known species of the genus *Poecilimon* Fischer, 1853 from Turkey (Orthoptera, Phaneropterinae). *J. Orth. Res.* 10 (1): 15-24, figs. [available in Cesa Library]
- 419. Sevgili,H.**, 2003, A new species of Bushcricket (Orthoptera, Tettigoniidae) *Synonym(s)*: of the palaeartic genus *Isophya* (Phaneropterinae) from Turkey. *Ent. News* 114 (3): 129-137, figs. [available in Cesa Library]
- 420. Sevgili,H.**, 2004, Review of the genus *Leptophyes* of Turkey with the description of a new species (Orthoptera, Phaneropterinae). *Trans. am. Ent. Soc.* 130 (1): 95-112, figs.
- 421. Sifner,F.**, 2004, Three new species of scathophagid flies from the Palaearctic region with a description of male *Hexamitocera martineki* (Diptera, Scathophagidae) *Synonym(s)*: . *J. Nat. Mus. (Nat. Hist. Ser.)* 73: 105-110.
- 422. Sifner,F.**, 2008, A catalogue of the Scathophagidae (Diptera) of the Palaearctic region, with notes on their taxonomy and faunistics. *Acta ent. Mus. natn. Pragae* 48 (1): 111-196. [available in Cesa Library]
- 423. Sinclair,B.J. & J.M.Cumming**, 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). *Zootaxa* 1180: 1-172, figs. [available in Cesa Library]
- 424. Sipahiler,F.**, 2010, Two new species of Trichoptera from northeastern Turkey (Rhyacophilidae, Sericostomatidae) *Synonym(s)*: . *Aquatic Insects* 32 (1): 61-66, figs. [available in Cesa Library]
- 425. Smissen,J.v.d.**, 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetes* Lepeletier, 1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae) *Synonym(s)*: . *Verh. Ver. Naturw. Heimatforsch. Hamburg* 42: 1-253, figs. [available in Cesa Library]
- 426. Smit,J.T. & C.G.Gutiérrez-Chacon**, 2008, A new species of the *Paragus serratus*-group from Yemen (Diptera, Syrphidae) *Synonym(s)*: . *Zool. Meded., Leiden* 82 (20): 211-216, 5 figs. [available in Cesa Library]
- 427. Sorokina,V.S.**, 2002, Beschreibung von drei neuen Arten der Gattung *Paragus* Latreille, 1804 (Diptera, Syrphidae) *Synonym(s)*: aus Asien, mit einem Bestimmungsschlüssel der bisher bekannten russischen *Paragus*-Arten. *Volucella* 6: 1-22, 92 Abb. [available in Cesa Library]

- 428. Sorokina, V.S.**, 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) Synonym(s): of Russia and adjacent countries. Ent. Obozr. 88 (2): 466-487; Ent. Rev. 89 (3): 351-366, figs. [in English] [available in Cesa Library]
- 429. St.Quentin, D.**, 1965, Zur Odonatenfauna Anatoliens und angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552. [available in Cesa Library]
- 430. St.Quentin, D.**, 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552, figs. [available in Cesa Library]
- 431. Stary, J. & A.Freidberg**, 2007, The Limoniidae of Israel (Diptera). Israel J. Ent. 37: 301-357, figs. [available in Cesa Library]
- 432. Sueur, J. & S.Puissant**, 2003, Analysis of sound behaviour leads to new synonymy in Mediterranean cicadas (Hemiptera, Cicadidae, Tibicina). Mitt. Mus. Natkd. Berl., Dt. ent. Z. 50 (1): 121-127, figs. [available in Cesa Library]
- 433. Sueur, J., Puissant, S. & J.-M.Pillet**, 2003, An eastern Mediterranean Cicada in the West: First record of *Tibicina steveni* (Krynicky, 1837) in Switzerland and France (Hemiptera, Cicadidae, Tibicininae). Revue fr. Ent. (N.S.) 25 (3): 105-111, figs. [available in Cesa Library]
- 434. Sumakov, G.**, 1915, Les especes paléarctiques du genre *Mylabris* Fabr. Horae Soc. ent. ross. 42: 1-71.
- 435. Svihla, V. & J.Hajek**, 2009, Taxonomic changes in Eastern Mediterranean *Malachius* (Coleoptera, Malachiidae) Synonym(s): . Acta ent. Mus. natn. Pragmae 49 (1): 217-224, figs. [available in Cesa Library]
- 436. Svihla, V.**, 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae) Synonym(s): . Ent. Basil. 21: 135-170.
- 437. Svihla, V.**, 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) Synonym(s): from the western Palaearctic Region. Acta ent. Mus. natn. Pragmae 49 (1): 191-216, figs. [available in Cesa Library]
- 438. Szekessy, W.**, 1939, *Acrulia armeniaca* n.sp. (Col. Staph.). Mitt. münch. ent. Ges. 29: 374-376. [available in Cesa Library]
- 439. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): . Faune de France 17: 193 pp. 384 figs. Paris. [available in Cesa Library]
- 440. Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): , [in] Faune de France 17: 1-193, 384 figs. [available in Cesa Library]
- 441. Séguy, E.**, 1934, Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae) Synonym(s): , [in] Faune de France 28: 1-832, 27 pls. 903 figs. [available in Cesa Library]
- 442. Tavakoli, M. & G.Melika**, 2006, Two new species of *Timaspis* Meyr, 1881 from Iran (Hymenoptera, Cynipidae, Aylacini). Folia ent. hung. 67: 207-219, figs. [available in Cesa Library]
- 443. Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae, Cynipini). Zootaxa 1699: 1-64, figs. [available in Cesa Library]
- 444. Theischinger, G.**, Weitere Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 28: 49-54, figs. [available in Cesa Library]
- 445. Theischinger, G.**, 1976, *Leuctra holzschuhi* spec.nov., eine neue Steinfliege aus Iran (Plecoptera, Leuctridae) Synonym(s): . Linzer biol. Beitr. 8 (1): 289-292, 4 Abb. [available in Cesa Library]
- 446. Theischinger, G.**, 1976, Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 27: 105-114, figs. [available in Cesa Library]
- 447. Thomas, D.B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae) Synonym(s): . Insecta mundi 8 (3/4): 145-212, figs. [available in Cesa Library]
- 448. Thomson, C.G.**, 1885, Notes hyménoptérologiques (Première partie Cryptidae) Synonym(s): . Annls Soc. ent. Fr. (6) 5: 17-32. [available in Cesa Library]
- 449. Tjeder, B.**, 1970, A new *Lertha* from Israel (Neur., Nemopteridae) Synonym(s): . Ent. scand. 1: 219-222. [available in Cesa Library]
- 450. Toledano, L. & K.Rébl**, 2006, A new species of *Bembidion* Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae) Synonym(s): . Koleopt. Rdsch. 76: 7-13, figs. [available in Cesa Library]
- 451. Tomasovic, G., Weyer, G.van der & J.Dils**, 2009, A new species of the genus *Holopogon* from Turkey (Diptera, Asilidae) Synonym(s): . Phegea 37 (1): 22-26, figs. [available in Cesa Library]
- 452. Tomov, V.**, 1976, Eine neue *Cryptocephalus* Art (Coleoptera, Chrysomelidae) Synonym(s): aus der Türkei. Acta zool. Bulgarica 5: 83-85.
- 453. Tomov, V.**, 1984, *Cryptocephalinae* and *Galerucinae* from Turkey (Coleoptera, Chrysomelidae) Synonym(s): . Fragn. ent. Roma 17 (2): 373-378. [available in Cesa Library]
- 454. Townes, H. & M.Townes**, 1959, Ichneumon-Flies of America North of Mexico: I. Subfamily *Metopiinae*. Bull. U. S. natn. Mus. 216: ix+1-318, figs. [available in Cesa Library]
- 455. Tracy, J.L. & T.O.Robbins**, 2009, Taxonomic revision and biogeography of the Tamarix-feeding *Diorhabda elongata* (Brullé, 1832) species group (Coleoptera, Chrysomelidae, Galerucinae,

- Galerucini) and analysis of their potential in biological control of *Tamarix*. *Zootaxa* 2101: 1-152, figs. [available in Cesa Library]
456. **Tschorsnig, H.-P. & K.Kara**, 2002, A new species of *Bithia* (Diptera, Tachinidae) Synonym(s): from Turkey. *Stuttg. Beitr. Naturk. (A)* 644: 1-4. [available in Cesa Library]
457. **Tschorsnig, H.-P.**, 2000, Three new species of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 603: 1-9, figs. [available in Cesa Library]
458. **Turner, R.E.**, 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist. (8)* 7: 297-310. [available in Cesa Library]
459. **Uvarov, B.P.**, 1926, Orthoptera palaeartica critica II. Genus *Tropidopola* St. (Acrid). *Eos* 2: 149-177, figs. [available in Cesa Library]
460. **Uvarov, B.P.**, 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. *Eos* 10: 21-119, figs. [available in Cesa Library]
461. **Uvarov, B.P.**, 1936, New Orthoptera from Cyprus. *Ann. Mag. nat. Hist.* 18: 505-515.
462. **Uygun, N. & H.Fürsch**, 1981, Die *Hyperaspis*-Arten der Türkei. *NachrBl. bayer. Ent.* 30 (1): 12-15. [available in Cesa Library]
463. **Vaisanen, R.**, 1984, A monograph of the genus *Mycomya* Rondani in the Holarctic Region (Diptera, Mycetophilidae) Synonym(s): . *Acta zool. fenn.* 177: 1-346, figs.
464. **Vaisanen, R.**, 1986, The delimitation of the Gnoristinae: criteria for classification of recent European genera (Diptera, Mycetophilidae) Synonym(s): . *Ann. zool. fenn.* 23: 197-206, figs. [available in Cesa Library]
465. **Vega, M.C.**, 2005, Estudio taxonomico y faunistico de los Lygaeidae Schilling, 1829 (Insecta, Heteroptera) del macizo central de la Sierra de Gredos (Sistema Central). *Bol. Soc. Ent. Arag.* 36: 333-345, figs. [available in Cesa Library]
466. **Verves, Y. & K.Szpila**, 2008, *Miltogramma drabermonkoi* sp.n. from Ukraine (Diptera, Sarcophagidae, Miltogramminae). *Polskie pismo ent.* 77: 57-61, figs. [available in Cesa Library]
467. **Verves, Y.G. & L.A.Khrokalo**, 2006, Review of *Macronychiinae* (Diptera, Sarcophagidae) Synonym(s): of the World. *Vestn. zool.* 40 (3): 219-239, figs. [available in Cesa Library]
468. **Verves, Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 2. The species of genus *Bellardia* Robineau-Desvoidy. *Far eastern Ent.* 135: 1-23, figs. [available in Cesa Library]
469. **Verves, Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 1. The species of the genera *Polleniopsis* Townsend, *Tainanina* Villeneuve and *Tricycleopsis* Villeneuve. *Far eastern Ent.* 134: 1-12. [available in Cesa Library]
470. **Voss, E.**, 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe *Rhynchitina* V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. *Koleopt. Rdsch.* 18 (3/4): 153-189, figs. [available in Cesa Library]
471. **Voss, E.**, 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe *Rhynchitina* V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. *Koleopt. Rdsch.* 19 (1/2): 25-56, figs. [available in Cesa Library]
472. **Voss, E.**, 1933, Nachtraegliches über palaearktische Arten der Subfamilie Rhynchitinae (Col., Curc.). *Koleopt. Rdsch.* 19 (3/4): 134-138. [available in Cesa Library]
473. **Vujic, A., Pérez-Banon, C., Radenkovic, S., Stahls, G. Rojo, S, Petanidou, T. & S.Simic**, 2007, Two new species of the genus *Merodon* Meigen, 1803 (Diptera, Syrphidae) Synonym(s): from the island of Lesbos (Greece) in the eastern Mediterranean. *Annl. Soc. ent. Fr. (n.s.)* 43 (3): 319-326, figs. [available in Cesa Library]
474. **Wagner, R.**, 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae) Synonym(s): . *Entomofauna* 7 (6): 81-92, figs. [available in Cesa Library]
475. **Wagner, R.**, 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae) Synonym(s): . *Entomofauna* 14 (24): 410-415, Abb. [available in Cesa Library]
476. **Wahis, R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold, 1935 in the Palaeartics with description of a new species (Hymenoptera, Pompilidae) Synonym(s): . *Notes faun. Gembloux* 46: 39-73. [available in Cesa Library]
477. **Wahl, D.**, 1999, Classification and systematics of the Ichneumonidae (Hymenoptera). American Entomological Institute. <http://iris.biosci.ohio-state.edu/catalogs/ichneumonids/index.html>
478. **Warchalowski, A.**, 1998, Beschreibung der neuen Art *Derocrepis* (*Aeschrocnemis*) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). *Genus* 9 (3): 361-365, figs. [available in Cesa Library]
479. **Warchalowski, A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat, 1837 s.str. of Palearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). *Genus* 19 (2): 213-283, figs. [available in Cesa Library]
480. **Warncke, K.**, 1980, Die Bienengattung *Anthidium* Fabricius, 1804 in der Westpalaearktis und im turkestanischen Becken. *Entomofauna* 1 (10): 119-209, figs. [available in Cesa Library]

- 481. Warncke, K.**, 1980, Die Bienengattungen *Nomia* and *Systropha* im Iran mit Ergänzungen zu den *Nomia*-Arten der Westpaläarkt. Linzer biol. Beitr. 12 (2): 363-384. [available in Cesa Library]
- 482. Warncke, K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae) Synonym(s): . Linzer biol. Beitr. 14 (1): 23-37. [available in Cesa Library]
- 483. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb. [available in Cesa Library]
- 484. Warncke, K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, Megachilinae). Linzer biol. Beitr. 23 (2): 483-489, Abb.
- 485. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephalosmia* Sladen, 1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb. [available in Cesa Library]
- 486. Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarkt und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveosmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb. [available in Cesa Library]
- 487. Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps. [available in Cesa Library]
- 488. Wei, C., Zubair, A. & S.A. Rizvi**, 2010, *Shaoshia*, an unusual new cicada genus from Pakistan with the description of a new species (Hemiptera, Cicadidae) Synonym(s): . *Zootaxa* 2421: 28-34, figs. [available in Cesa Library]
- 489. Weise, J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Asien. Dt. ent. Z. 28 (1): 157-160.
- 490. Weise, J.**, 1897, Neue Chrysomeliden aus Angora. Stettin ent. Ztg. 58 (1): 63-68. [available in Cesa Library]
- 491. Weise, J.**, 1900, Neue Coleopteren aus Kleinasien. Dt. ent. Z. 1900 (1): 132-140.
- 492. Westwood, J.O.**, 1889, Revisio Insectorum Familie Mantidarum, speciebus novis aut minus cognitis descriptis et delineatis. 72 pp., Pls., Gurney & Jackson, London. [available in Cesa Library]
- 493. Weyer, G. van de**, 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae) Synonym(s): . *Phegea* 28 (4): 149-152, figs. [available in Cesa Library]
- 494. Weyer, G. van de**, 2010, A new species of *Paragus* Latreille, 1804 from Turkey (Diptera, Syrphidae) Synonym(s): . *Phegea* 38 (1): 16-20, figs. [available in Cesa Library]
- 495. White, I.M. & K.F.M. Goodger**, 2009, African *Dacus* (Diptera, Tephritidae) Synonym(s): ; new species and data with particular reference to the Tel Aviv University Collection. *Zootaxa* 2127: 1-49, figs. [available in Cesa Library]
- 496. Wiedemann, C.R.W.**, 1821, *Diptera exotica*. Pars I, 244pp. Tab. 2, Kiliae. [available in Cesa Library]
- 497. Wiedemann, C.R.W.**, 1828, *Aussereuropäische zweiflügelige Insecten* vol. 1, xxxii+608 pp., 7 Taf., Hamm. [available in Cesa Library]
- 498. Willmann, R.**, 1973, Eine neue *Panorpa*-Art aus Kleinasien: *P. aspoECKi* n.sp. (Mecoptera, Panorpidae) Synonym(s): . *Ent. Z., Frankf. a. M.* 83: 97-101, figs. [available in Cesa Library]
- 499. Willmann, R.**, 1974, *Panorpa tatvana* n.sp. (Mecoptera). *Ent. Mitt. Zool. Mus. Hamburg* 4: 465-469, fig. [available in Cesa Library]
- 500. Willmann, R.**, 1975, Die Gattung *Panorpa* (Insecta, Mecoptera) in der Türkei. *Annln naturh. Mus. Wien* 79: 543-564, figs. [available in Cesa Library]
- 501. Willmann, R.**, 1976, Eine neue europäische *Panorpa* (Mecoptera, Panorpidae) Synonym(s): . *Ent. Z., Frankf. a. M.* 86: 60-64, figs. [available in Cesa Library]
- 502. Wilson, M.R.**, 1991, *Afronisia*, a new african genus of Meenoplidae (Homoptera, Fulgoroidea). *Great Basin nat. Mem.* 12: 324-334, 57 figs. [available in Cesa Library]
- 503. Wingelmüller, A.**, 1938, Monographie der paläarktischen Arten der Tribus Cionini. *Koleopt. Rundsch.* 23: 143-221. [available in Cesa Library]
- 504. Winnertz, J.**, 1863, Beitrag zu einer Monographie der Pilzmücken. *Verh. zool.-bot. Ges. Wien* 13: 637-964, Taf. [available in Cesa Library]
- 505. Winnertz, J.**, 1867, Beitrag zu einer Monographie der Sciarinen. *Verh. zool.-bot. Ges. Wien* 17: 1-187, 1 Taf. [available in Cesa Library]
- 506. Wittmer, W.**, 1970, Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae) Synonym(s): . *Ent. Arb. Mus. Frey* 21: 13-107, figs.
- 507. Wittmer, W.**, 1974, Beitrag zur Kenntnis der paläarktischen Cantharidae und Malachiidae (Coleoptera). *Fragm. ent.* 10 (1): 1-20, figs. [available in Cesa Library]
- 508. Wolf, H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) Synonym(s): des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. *Linzer biol. Beitr.* 29 (2): 831-843, figs. [available in Cesa Library]

- 509. Woznica,A.J.,** 2007, New records of the Turkish Sunflies (Diptera, Trixoscelididae) Synonym(s): with description of a new Trixoscelis species. Ann. Upper Sil. Mus. (Ent.) 14-15: 59-64, figs. [available in Cesa Library]
- 510. Woznica,A.J.,** 2009, Order Diptera, family Trixoscelididae. Arthropod fauna of the UAE 2: 752-763, figs. [available in Cesa Library]
- 511. Yaakop,S., Duffels,J.P. & H.Visser,** 2005, The Cicada genus Chremistica Stal (Hemiptera, Cicadidae) Synonym(s): in Sundaland. Tijdschr. Ent. 148: 247-306, 92 figs. 1 tab. [available in Cesa Library]
- 512. Yalın,F.B., Şirin,D., Taylan,M.S. & B.Çıplak,** 2004, Demirsoyus n.gen. (Orthoptera, Acrididae, Oedipodinae) and D. salmani n.sp. from the Mediterranean Anatolia with remarks on biogeography of the related genera. Trans. am. Ent. Soc. 130 (4): 425-437, figs. [with numerous misspellings in the literature cited!] [available in Cesa Library]
- 513. Yıldırım,E. & H.Özbek,** 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs. [available in Cesa Library]
- 514. Zachvatkin,A.A.,** 1946, Studies on the Homoptera of Turkey. Trans. R. ent. Soc. London 97 (6): 149-176, figs.
- 515. Zanden,G.van der,** 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs. [available in Cesa Library]
- 516. Zanden,G.van der,** 1992, Neue Arten der paläarktischen Osmiini (Insecta, Hymenoptera, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 24 (2): 817-827. [available in Cesa Library]
- 517. Zanden,G.van der,** 1996, Neue Arten und Synonymie bei paläarktischen Bauchsammlern (Hymenoptera aculeata, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 28 (2): 883-895, 8 Abb. [available in Cesa Library]
- 518. Zerche,L.,** 1996, Deliphrosoma freudeorum spec. nov. aus der Osttürkei (Insecta, Coleoptera, Staphylinidae, Omaliinae). Reichenbachia 31: 175-177.
- 519. Zerova,M.D. & L.Y. Seryogina,** 2009, A review of Eurytoma pistaciae species group (Hymenoptera, Eurytomidae) Synonym(s): with description of two new species. Vestn. zool. 43 (1): 31-38, figs. [available in Cesa Library]
- 520. Zerova,M.D., Mehrnejad,M.R., Gharaei,B. & I.Y.Seryogina,** 2004, Two new species of the genus Eurytoma (Hymenoptera, Eurytomidae) Synonym(s): from Iran. Vestn. zool. 38 (1): 81-84, figs. [available in Cesa Library]
- 521. Zerova,M.D., Seryogina,L.Y. & Y.Karimpour,** 2008, New species of the chalcidoid wasps of the families Eurytomidae and Torymidae (Hymenoptera, Chalcidoidea) from Iran. Vestn. zool. 42 (6): 101-108, figs. [available in Cesa Library]
- 522. Zerova,M.D., Seryogina,L.Y., Melika,G. et al.,** 2003, New genus and new species of cynipid gall inducing wasp (Hymenoptera, Cynipidae) Synonym(s): and new species of chalcid wasps (Hymenoptera, Chalcidoidea) from Israel. J. ent. Res. Soc. 5 (1): 35-49.
- 523. Zetterstedt,J.W.,** 1842-1860, Diptera Scandinaviae Disposita et descripta. 14 vols. (6609pp.) Lund. [available in Cesa Library]
- 524. Zeuner,F.E.,** 1941, The classification of the Decticinae hitherto included in Platycleis Fieb. or Metrioptera Wesm. (Orthoptera, Saltatoria). Trans. R. ent. Soc. London 91: 1-50, figs. [available in Cesa Library]
- 525. Zimina,L.V.,** 1979, A new Conopidae species from Turkmenistan (Diptera). Trudy Vses. Ent. Obshch. 61: 196-197.
- 526. Zimmermann,V.S.,** 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 75: 591-625. [available in Cesa Library]
- 527. Zimmermann,V.S.,** 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 77: 409-419. [available in Cesa Library]
- 528. Zlobin,V.V.,** 2005, A new species of Melanagromyza feeding on giant hogweed in the Caucasus (Diptera, Agromyzidae) Synonym(s): . Zoosyst. ross. 14 (1): 173-177, figs. [available in Cesa Library]
- 529. Zwick,P.,** 1971, Plecoptera aus Anatolien und benachbarten Gebieten. Mitt. schweiz. ent. Ges. 44 (3/4): 233-264, 11 Abb. [available in Cesa Library]
- 530. Zwick,P.,** 1972, Blephariceridae (Dipt.) aus der asiatischen Türkei. Nouv. Revue Ent. 2: 21-42, figs.
- 531. Zwick,P.,** 1988, Contribution to the Turkish Blephariceridae and Ptychopteridae (Diptera). Mitt. schweiz. ent. Ges. 61: 123-129, figs.
- 532. [Adamstroinski],** 2001, Two new species of genus Ricania Germar,1808 from North Vietnam (Hemiptera, Fulgoromorpha, Ricaniidae) Synonym(s): . Genus 12 (4): 437-443, figs. [available in Cesa Library]

- 533. Çağatay,N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae) Synonym(s): . Ent. Abh. 53 (2): 27-36, figs. [available in Cesa Library]
- 534. Çiftçi,M.C., Parvu,C. & A.Hasbenli**, 2008, A new *Hilara* Meigen (Diptera, Empididae) Synonym(s): species from the Eastern Mediterranean Region of Turkey. Ent. News 119 (1): 96-101, figs.
- 535. Çıplak,B.**, 1994, A new species and a new subspecies of *Stenobothrus* Fischer,1853 (Orthoptera, Acrididae) Synonym(s): from Turkey. Türk. ent. Derg. 18 (1): 7-14, figs. [available in Cesa Library]
- 536. Çıplak,B.**, 2000, Systematics and phylogeny of Parapholidoptera (Orthoptera, Tettigoniidae, Tettigoniinae). Syst. Ent. 25 (4): 411-436, figs. [available in Cesa Library]
- 537. Çıplak,B.**, 2000, Genus *Festella* (Orthoptera, Tettigoniidae) Synonym(s): with description of *F.rammei* sp.n. Ent. News 111 (4): 299-306, figs. [available in Cesa Library]
- 538. Çıplak,B., Heller,K.-G. & A.Demirsoy**, 2002, Review and key to species of *Platycleis* from Turkey (Orthoptera, Tettigoniidae) Synonym(s): with descriptions of *Yalvaciana* subgen.n. and two new species. J. Nat. Hist. 36: 197-236, figs. [available in Cesa Library]
- 539. İnanç,F.**, 2002, *Cotesia pappi* sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Acta zool. hung. 48 (2): 157-160, figs. [available in Cesa Library]
- 540. İncekara,Ü., Mart,A. & O.Erman**, 2005, *Helophorus erzurumicus* sp.n., a new species from Turkey and some notes on *H. ponticus* Angus,1988 (Coleoptera, Hydrophilidae) Synonym(s): . Aquatic Insects 27 (1): 43-46, figs. [available in Cesa Library]
- 541. Özbek,H.**, 1990, A new Bumblebee species of *Pyrobombus* Dalla Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. Türk. ent. Derg. 14 (4): 207-214, 4 figs. [available in Cesa Library]
- 542. Ülgentürk,S.**, 1999, Tükiye [sic!] faydalı faunası için yeni bir kayıt; *Leucopis silesiaca* Egger (Diptera, Chamaemyiidae) Synonym(s): . Türk. ent. derg. 23 (1): 75-80, figs. [available in Cesa Library]
- 543. Ünal,M.**, 1999, Notes on Orthoptera of western Turkey with description of a new genus and four new species. J. Orth. Res. 8: 243-255, figs. [available in Cesa Library]
- 544. Ünal,M.**, 2002, First data on Orthoptera of Mount Köroğlu, N.W.Anatolia with description of three new taxa. Ent. News 113 (4): 275-288, figs. [available in Cesa Library]
- 545. Ünal,M.**, 2005, Three short-winged species of *Chorthippus* Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). Ent. News 116 (5): 283-290, 13 figs. [available in Cesa Library]
- 546. Ünal,M.**, 2005, A new species of *Isophya* Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phanaeropterinae) from Turkey. Ent. News 116 (4): 209-216, figs. [available in Cesa Library]
- 547. Ünal,M.**, 2005, Phanaeropterinae (Orthoptera, Tettigoniidae) Synonym(s): from Turkey and the Middle East. Trans. am. ent. Soc. 131 (3/4): 425-448, figs. [available in Cesa Library]
- 548. Ünal,M.**, 2006, Kırıkkale Orthopter'lerinin fauna ekoloji ve taksonomisi üzerine araştırmalar. Priamus 3: 1-50. [available in Cesa Library]
- 549. Ünal,M.**, 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. Trans. am. Ent. Soc. 132 (1/2): 157-203, figs. [available in Cesa Library]
- 550. Ünal,M.**, 2007, Genus *Asiotmethis* Uvarov (Orthoptera, Pamphagidae) Synonym(s): from Turkey, with a checklist of known taxa. J. Orthopt. Res. 16 (2): 191-197, figs. [available in Cesa Library]
- 551. Üstüner,T. & A.Hasbenli**, 2004, A new species of *Oxycera* Meigen (Diptera, Stratiomyidae) Synonym(s): from Turkey. Ent. News 115 (3): 163-167, figs. [available in Cesa Library]
- 552. Üstüner,T. & A.Hasbenli**, 2007, A new species and some new records of the genus *Oxycera* (Diptera, Stratiomyidae) Synonym(s): from Turkey. Ent. News 118 (2): 179-183, figs. [available in Cesa Library]
- 553. Şahin,Y.**, 1991, Yeni Diamesinae (Chironomidae, Diptera) türleri. Anadolu Univ., Fen Edb. Fak. Derg. C3: 63-72, şekil. [available in Cesa Library]

Publications with identification keys to the taxa

- 1. Achterberg,C.van**, 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 249: 1-324, 1250 figs. [available in Cesa Library]
- 2. Achterberg,C.van**, 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae) Synonym(s): . Zool. Verh. 255: 1-106, 360 figs. [available in Cesa Library]

3. **Achterberg, C. van**, 1999, The west palaeartic species of the subfamily Paxylommatinae (Hymenoptera, Ichneumonidae) Synonym(s): with special reference to the genus *Hybrizon* Fallén. Zool. Meded. Leiden 73 (2): 11-26, figs. [available in Cesa Library]
4. **Ariana, A., Scheuchl, E., Tadauchi, O. & F. Gusenleitner**, 2009, A taxonomic revision of the subgenus *Andrena* (*Brachyandrena*) (Hymenoptera, Andrenidae) Synonym(s): . Zootaxa 2281: 21-39, figs. [available in Cesa Library]
5. **Aslan, I. & H. Özbek**, 1999, Erzurum Erzincan ve Artvin illeri Chrysomelinae (Coleoptera, Chrysomelidae) Synonym(s): altfamilyası üzerinde faunistik ve sistematik bir araştırma. Tr. J. Zool. 23 (3): 751-767 [with serious errors!] [available in Cesa Library]
6. **Assing, V.**, 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). Bonner zool. Beitr. 52 (1/2): 33-82, figs. [available in Cesa Library]
7. **Awad, T. I. & F. Önder**, 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). Türk. ent. Derg. 21 (3): 163-171. [available in Cesa Library]
8. **Baselga, A. & F. Novoa**, 2005, The western Palaeartic Neocrepidodera (Coleoptera, Chrysomelidae) Synonym(s): of the *N. impressa* and *N. ferruginea* species groups. Ann. ent. Soc. Am. 98 (6): 896-907, figs. [available in Cesa Library]
9. **Baumann, R. W.**, 1975, Revision of the stonefly family Nemouridae (Plecoptera): A study of the world fauna at generic level. Smithsonian Contr. Zool. 211: 1-74, 186 figs. 1 tab. [available in Cesa Library]
10. **Bechev, D. & H. Koç**, 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) Synonym(s): from Turkey with a key to the western palaeartic species of the *S. lutea* Macquart group. Zootaxa 1253: 61-68, figs. [available in Cesa Library]
11. **Bechev, D. & H. Koç**, 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) Synonym(s): from Turkey with a key to the western palaeartic species of the genus. Zootaxa 1676: 29-36, figs. [available in Cesa Library]
12. **Bechev, D.**, 1995, The Palaeartic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae) Synonym(s): . Trav. Sci. Univ. Plovdiv, Animalia 31 (6): 7-. [available in Cesa Library]
13. **Bei-Bienko, G.**, 1933, Records and descriptions of some Orthoptera from U.S.S.R. Bol. Soc. Esp. Hist.-Nat. 33: 317-341, figs. [available in Cesa Library]
14. **Beyarslan, A., Aydoğdu, M. & Ö. Ç. Erdoğan**, 2006, A survey of Turkish c fauna with redescription of *G. baetica* from a new host. Biologia 61 (2): 139-143, figs. [available in Cesa Library]
15. **Bologna, M. A. & J. D. Pinto**, 2002, The Old World genera of Meloidae (Coleoptera): a key and synopsis. J. nat. Hist. 36 (17): 2013-2102. [available in Cesa Library]
16. **Brunner von Wattenwyl, C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien. [available in Cesa Library]
17. **Brunner von Wattenwyl, C.**, 1891, Additamenta zur Monographie der Phaneropteriden. Verh. zool. bot. Ges. Wien 41: 1-196 2 Tab. [available in Cesa Library]
18. **Carpenter, J. M., Gusenleitner, J. & M. Madl**, 2009, A Catalogue of the Eumeinae (Hymenoptera, Vespidae) Synonym(s): of the Ethiopian Region excluding Malagasy Subregion Part 1. Introduction, key to genera, genera *Aethiopicodynerus* Gusenleitner 1997 to *Cyrtolabulus* Van der Vecht 1969 Linzer biol. Beitr. 41 (1): 513-638, figs. [available in Cesa Library]
19. **Chandler, P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae) Synonym(s): . Israel J. Ent. 28: 1-100, figs. [available in Cesa Library]
20. **Chen, H.-W. & M. J. Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) Synonym(s): and the establishment of species-groups based on phylogenetic analysis. J. nat. Hist. 35: 1517-1563, figs. [available in Cesa Library]
21. **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs. [available in Cesa Library]
22. **Coher, E.**, 1988, Further studies of Asian Macrocerinae (Diptera, Mycetophilidae) Synonym(s): with the description of a new Chiasmoneurine genus *Laneocera*. J. New York ent. Soc. 96 (1): 82-90, figs. [available in Cesa Library]
23. **Darılmaz, M. C. & S. Kiyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae) Synonym(s): . Baltic J. Coleopt. 8 (2): 149-154, 3 figs. [available in Cesa Library]
24. **Demirsoy, A., Salman, S. & H. Sevgili**, 2002, *Novadrymadusa*, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae) Synonym(s): . J. Orth. Res. 11 (2): 175-183, figs. [available in Cesa Library]
25. **Dils, J.**, 2009, A new species of the genus *Therevenetimyia* (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of *Therevenetimyia hirta*. Phegea 37 (4): 121-125, figs. [some bibliographical information incorrect!]. [available in Cesa Library]

26. **Dollfuss, H.**, 1995, A worldwide revision of *Pemphredon* Latreille, 1796 (Hymenoptera, Sphecidae) Synonym(s): . Linzer biol. Beitr. 27: 905-1019. [available in Cesa Library]
27. **Doğanlar, M. & H.Çam**, 2005, Morphology and systematics of Turkish species of *Exeuytoma* Burks, 1971 (Hymenoptera, Chalcidoidea, Eurytomidae) Synonym(s): with description of a new species from eastern Anatolia. Turk. J. Zool. 29: 243-248, 3 figs. [available in Cesa Library]
28. **Doğanlar, M. & O. Doğanlar**, 2010, Review of the species of *Gugolzia* Delucchi and Steffan (Hymenoptera, Pteromalidae) Synonym(s): in Europe and Turkey with descriptions of new species. Turk. J. Zool. 34: 23-34, figs. [available in Cesa Library]
29. **Duda, O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). v Abhandl. zool.- bot. Ges. Wien 10 (1): 1-240, viii Taf. [available in Cesa Library]
30. **Duda, O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs. [available in Cesa Library]
31. **Duda, O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs. [available in Cesa Library]
32. **Ebmer, P.A.W.**, 1987, Die westpalaearktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae). Linzer biol. Beitr. 19 (1): 43-56, figs. [available in Cesa Library]
33. **Ebmer, P.A.W.**, 1989, Die westpalaearktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs. [available in Cesa Library]
34. **Ehrmann, R.**, 2002, Mantodea Gottesanbeterinnen der Welt. Natur & Tier Verlag GmbH [available in Cesa Library]
35. **Ekrem, T. & E. Stur**, 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae) Synonym(s): . Eur. J. Ent. 106: 119-144, figs. [available in Cesa Library]
36. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). Türk. ent. derg. 18 (1): 41-50, figs. [available in Cesa Library]
37. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). Türk. ent. derg. 18 (2): 89-102, figs. [available in Cesa Library]
38. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). Türk. ent. derg. 18 (3): 175-192, figs. [available in Cesa Library]
39. **Falamarzi, S., Asadi, G. & R. Hosseini**, 2009, Species inventory, preys and host plants of Anthocoridae sensu lato (Hemiptera, Heteroptera) in Shiraz and its environs (Iran, Fars Province). Acta ent. Mus. nat. Pragae 49 (1): 33-42, figs. [available in Cesa Library]
40. **Frieser, R.**, 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae) Synonym(s): . Mitt. münch. ent. Ges. 71: 33-107, figs. [available in Cesa Library]
41. **Geller-Grimm, F. & M. Hradsky**, 2003, The genus *Oligopogon* Loew, 1847 (Diptera, Asilidae) Synonym(s): in the Palaearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterolog. 10 (1): 165-179, figs. [available in Cesa Library]
42. **Giustina, W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] Faune de France 73: 1-362, 143 pls. [available in Cesa Library]
43. **Goetghebuer, M.**, 1932, Dipteres Nematoceres Chironomidae IV, [in] Faune de France 23: 1-196, 315 figs. [available in Cesa Library]
44. **Graham, M.W.R. de Vere & M.J. Gijswijt**, 1998, Revision of the European species of *Torymus* Dalman (Hymenoptera, Torymidae) Synonym(s): . Zool. Verh. 317: 1-202, 266 figs. [available in Cesa Library]
45. **Gusenleitner, J.**, 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae) Synonym(s): . Entomofauna 6 (9): 81-101. [available in Cesa Library]
46. **Gök, A. & E.G. Çilbiroğlu**, 2004, Some smaller genera of Flea Beetles (Coleoptera, Chrysomelidae) Synonym(s): from western Turkey with a new record. Phytoparasitica 32 (5): 444-450. [available in Cesa Library]
47. **Halstead, D.G.H.**, 1967, A revision of the genus *Palorus* (s.l.) (Coleoptera, Tenebrionidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59- [available in Cesa Library]
48. **Hasbenli, A. & M. Aktaş**, 1995, Two new *Platypygus* Loew, 1844 (Diptera, Bombyliidae) Synonym(s): species for Turkey. Türk. ent. derg. 19 (2): 147-150, figs. [available in Cesa Library]
49. **Hava, J.**, 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). Genus 17 (1): 79-94, figs. [available in Cesa Library]
50. **Heiss, E. & J. Péricart**, 1983, Revision of Palaearctic *Piesmatidae* (Heteroptera). Mitt. münch. ent. Ges. 73: 61-171, figs. [available in Cesa Library]

51. **Horvath, G.**, 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémiptères du genre *Mustha*. Bull. Mus. hist. nat. Paris 12 (7): 514-516. [available in Cesa Library]
52. **Hradsky, M. & F.Geller-Grimm**, 1997, Eine neue Art aus der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). *Studia dipterol.* 4 (1): 193-196, figs. [available in Cesa Library]
53. **Hurkmans, W.**, 1993, A monograph of *Merodon* (Diptera, Syrphidae) *Synonym(s):* Part 1. *Tijdschr. Ent.* 136: 147-234, 106 figs. [available in Cesa Library]
54. **Hölzel, H.**, 1967, Die Neuropteren Vorderasiens II. Chrysopidae. *Beitr. naturk. Forsch. SW-Dtl.* 26 (1): 19-45, figs. [available in Cesa Library]
55. **Japoshvili, G. & J.S.Noyes**, 2006, The Western Palaearctic species of *Psilophrys* Mayr (Hymenoptera, Chalcidoidea, Encyrtidae) *Synonym(s):* , parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) *Synonym(s):* attacking oaks (*Quercus* spp.). *J. Nat. Hist.* 40 (29-31): 1793-1800, figs. [available in Cesa Library]
56. **Jelinek, J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae) *Synonym(s):* . *Mitt. münch. ent. Ges.* 68: 1-11, figs. [available in Cesa Library]
57. **Kartal, V.**, 1987, Eine neue und wenig bekannte Arten der Gattung *Ranissus* aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae) *Synonym(s):* . *Türk. ent. derg.* 11 (3): 145-150, figs. [available in Cesa Library]
58. **Konstantinov, F.V.**, 1997, A revision of the genus *Psallopsis* (Heteroptera, Miridae) *Synonym(s):* . *Zoosyst. ross.* 6 (1/2): 171-190, figs. [available in Cesa Library]
59. **Kovancı, B. & S.Canbulat**, 2007, A new species of the genus *Nothochrysa* McLachlan, 1868 from northwestern Turkey (Neuroptera, Chrysopidae) *Synonym(s):* with a key to western palaearctic species. *Annls Soc. ent. Fr. (n.s.)* 43 (2): 165-168, figs. [available in Cesa Library]
60. **Koçak, E. & N.Kılınçer**, 2003, Taxonomic studies on *Trissolcus* sp. (Hymenoptera, Scelionidae) *Synonym(s):* , egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, *Eurygaster* sp.) in Turkey. *Türk. J. zool.* 27: 301-307, figs. [available in Cesa Library]
61. **Krolík, R.**, 2002, *Agrius kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae) *Synonym(s):* . *Genus* 13 (1): 25-31, figs. [available in Cesa Library]
62. **Kurzenko, N.V. & J.Gusenleitner**, 1994, Sapygidae from Turkey, with a key to palaearctic species of Sapyginae (Hymenoptera). *Linzer biol. Beitr.* 26 (2): 583-632, figs. [available in Cesa Library]
63. **Kusnezov, V.**, 1931, Übersicht der asiatischen weissgeflogelten Tibicina-Arten (Homopt.- Cicadidae) *Synonym(s):* . *Konowia* 10: 15-18. [available in Cesa Library]
64. **Kütük, M. & A.F.Özgür**, 2003, Faunistical and systematical studies on the genus *Tephritis* Latreille, 1804 (Diptera, Tephritidae) *Synonym(s):* in the South West of Turkey along with new records. *Türk. ent. derg.* 27 (4): 243-252, 11 figs. [available in Cesa Library]
65. **Kütük, M.**, 2006, The fauna and systematics of the genus *Tephritis* Latreille, 1804 (Diptera, Tephritidae) *Synonym(s):* with a key to the species of *Tephritis* in Turkey. *Türk. J. Ent.* 30: 345-356, figs. [available in Cesa Library]
66. **Lastovka, P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of *Docosia* Winnertz (Diptera, Mycetophilidae) *Synonym(s):* , with atlas of the male and female terminalia. *Cas. Sle. Muz. Opava (A)* 55: 1-37, figs. [available in Cesa Library]
67. **Linnavuori, R.**, 1972, Studies on Palaearctic Hemiptera. *Ann. Ent. fenn.* 38: 40-50, figs [available in Cesa Library]
68. **Majer, K.**, 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) *Synonym(s):* . *Annln naturh. Mus. Wien* 98 (B): 435-500, figs. [available in Cesa Library]
69. **Majer, K.**, 1996, Internal classification of the Dasytidius Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) *Synonym(s):* . *Spixiana* 19 (2): 155-182, figs. [available in Cesa Library]
70. **Marcos-Garcia, M.A., Vujic, A. & X.Mengual**, 2007, Revision of Iberian species of the genus *Merodon* (Diptera, Syrphidae) *Synonym(s):* . *Eur. J. Ent.* 104: 531-572, figs. [available in Cesa Library]
71. **Marshall, T.A.**, 1885, Monograph of British Braconidae I. *Trans. ent. Soc. London* 1885 (1): 1-280, 6 pls. [available in Cesa Library]
72. **Marshall, T.A.**, 1887, Monograph of British Braconidae II. *Trans. ent. Soc. London* 1887 (2): 51-131, pl.v. [available in Cesa Library]
73. **Masnadi-Yazdinejad, A. & R.Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae) *Synonym(s):* . *J. ent. Soc. Iran* 28 (1): 1-11. [available in Cesa Library]
74. **Memon, N. & I.Ahmad**, 2008, Description of *Mustha izmirensis*, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. *Pakistan J. Zool.* 40 (6): 435-439, figs. [available in Cesa Library]

75. **Moczar, L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysididae, Cleptinae). *Linzer biol. Beitr.* 33 (1): 905-931, figs. [available in Cesa Library]
76. **Nagatomi, A.**, 1964, The Chorisops of the Palaearctic Region (Diptera, Stratiomyidae) Synonym(s): . *Insecta matsumurana* 27 (1): 18-23. [available in Cesa Library]
77. **Namin, S.M. & G.R. Rasouljan**, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. *Vestn. zool.* 43 (1): 25-30. [available in Cesa Library]
78. **Namin, S.M. & G.R. Rasouljan**, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. *Vestn. zool.* 43 (1): 25-30, figs. [available in Cesa Library]
79. **Narchuk, E.P.**, 2007, Nemestrinid flies (Diptera, Nemestrinidae) Synonym(s): in the fauna of Eastern Europe and the Caucasus. *Zool. Zh.* 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085]
80. **Narolsky, N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). *Vestn. zool.* 35 (3): 23-29, figs. [available in Cesa Library]
81. **Nieves-Aldrey, J.L. & G. Melika**, 2005, *Aylax hypecoi* Trotter (Hymenoptera, Cynipidae) Synonym(s): in Europe: Redescription with taxonomic and biological notes. *J. Nat. Hist.* 39 (27): 2525-2535, figs. [available in Cesa Library]
82. **Pakyürek, B.**, 2006, Gazi Üniversitesi Zooloji Müzesindeki Tephritidae (Diptera) familyası örneklerinin değerlendirilmesi. Yüksek lisans tezi. 432s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 184776] <http://tez2.yok.gov.tr/> [available in Cesa Library]
83. **Patiny, S. & D. Michez**, 2006, Phylogenetic analysis of the *Systropha* Illiger, 1806 (Hymenoptera, Apoidea, Halictidae) Synonym(s): and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs. [available in Cesa Library]
84. **Peck, O., Boucek, Z. & A. Hoffer**, 1964, Keys to the Chalcidoidea of Czechoslovakia (Insecta, Hymenoptera). *Mem. Ent. Soc. Canada* 34: 1-170, 289 figs.
85. **Pehlivan, E.**, 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. *Onthophagus Latr. Türk. ent. Derg.* 13 (1): 25-42, figs. [available in Cesa Library]
86. **Peters, D.S.**, 1974, Über die Untergattung *Haetosmia* Popov, 1952 (Insecta, Hymenoptera, Megachilidae, Osmia). *Senckenberg. biol.* 55 (4/6): 293-309, figs. [available in Cesa Library]
87. **Peters, D.S.**, 1978, Systematik und Zoogeographie der west-palaearktischen Arten von *Osmia* Panzer, 1806 s.str., *Monosmia* Tkalcu, 1974 und *Orientosmia* n.subgen. (Insecta, Hymenoptera, Megachilidae) Synonym(s): . *Senckenberg. biol.* 58 (4/6): 287-346, figs. [available in Cesa Library]
88. **Priesner, H.**, 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110. [available in Cesa Library]
89. **Ragge, D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae) Synonym(s): . *Bull. Br. Mus. (Nat. Hist.) Ent.* 40 (2): 67-192, figs. [available in Cesa Library]
90. **Reuter, O.M.**, 1890, Conspectus specierum generis *Mustha* (Hemiptera, Pentatomidae) Synonym(s): . *Revue d'Ent.* 9: 262-264. [available in Cesa Library]
91. **Rozkosny, R.**, 1991, A key to the Palaearctic species of *Pherbellia* Robineau-Desvoidy, with descriptions of three new species (Diptera, Sciomyzidae) Synonym(s): . *Acta ent. bohemosl.* 88: 391-406, 52 figs., 1 pl. [available in Cesa Library]
92. **Rozkosny, R., Gregor, F. & A.C. Pont**, 1997, The European Fanniidae (Diptera). *Acta Sci. nat. Brno* 31 (2): 1-80, 18 figs. [available in Cesa Library]
93. **Ruzicka, J.**, 1993, Three new species of *Choleva* (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the *cisteloides* group. *Eur. J. Ent.* 90: 337-348, figs. [available in Cesa Library]
94. **Saussure, M.H.de**, 1888, Synopsis de la tribu des Sagiens. *Annls Soc. ent. Fr.* 1888: 127-155, 5 pls. [available in Cesa Library]
95. **Scheerpeltz, O.**, 1979, Studien an den paläarktischen Arten der Gattung *Cryptobium* Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. *Mitt. münch. ent. Ges.* 68: 121-143. [available in Cesa Library]
96. **Schmidt, E.**, 1953, Zwei neue Libellen aus dem Nahen Osten. *Mitt. münch. ent. Ges.* 43: 1-9, figs. [available in Cesa Library]
97. **Sinclair, B.J. & J.M. Cumming**, 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). *Zootaxa* 1180: 1-172, figs. [available in Cesa Library]
98. **Sorokina, V.S.**, 2002, Beschreibung von drei neuen Arten der Gattung *Paragus* Latreille, 1804 (Diptera, Syrphidae) Synonym(s): aus Asien, mit einem Bestimmungsschlüssel der bisher bekannten russischen *Paragus*-Arten. *Volucella* 6: 1-22, 92 Abb. [available in Cesa Library]
99. **Sorokina, V.S.**, 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) Synonym(s): of Russia and adjacent countries. *Ent. Obozr.* 88 (2): 466-487; *Ent. Rev.* 89 (3): 351-366, figs. [in English] [available in Cesa Library]

100. **Sary,J. & A.Freidberg**, 2007, The Limoniidae of Israel (Diptera). Israel J. Ent. 37: 301-357, figs. [available in Cesa Library]
101. **Szekessy,W.**, 1939, *Acrulia armeniaca* n.sp. (Col. Staph.). Mitt. münch. ent. Ges. 29: 374-376. [available in Cesa Library]
102. **Séguy,E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): . Faune de France 17: 193 pp. 384 figs. Paris. [available in Cesa Library]
103. **Séguy,E.**, 1927, Dipteres (Brachyceres) (Asilidae) Synonym(s): , [in] Faune de France 17: 1-193, 384 figs. [available in Cesa Library]
104. **Séguy,E.**, 1934, Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae) Synonym(s): , [in] Faune de France 28: 1-832, 27 pls. 903 figs. [available in Cesa Library]
105. **Thomas,D.B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae) Synonym(s): . Insecta mundi 8 (3/4): 145-212, figs. [available in Cesa Library]
106. **Townes,H. & M.Townes**, 1959, Ichneumon-Flies of America North of Mexico: I. Subfamily Metopiinae. Bull. U. S. natn. Mus. 216: ix+1-318, figs. [available in Cesa Library]
107. **Tschorsnig,H.-P. & K.Kara**, 2002, A new species of *Bithia* (Diptera, Tachinidae) Synonym(s): from Turkey. Stuttg. Beitr. Naturk. (A) 644: 1-4. [available in Cesa Library]
108. **Turner,R.E.**, 1911, Notes on fossorial Hymenoptera.-III. Ann. Mag. nat. Hist. (8) 7: 297-310. [available in Cesa Library]
109. **Tüzün,A., Gülmez,Y. & N.Bağrıaçık**, 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). Entomofauna 20 (23): 381-388. [available in Cesa Library]
110. **Unwin,D.M.**, 1981, A key to the families of British Diptera. Field stud. 5: 513-533, figs. [available in Cesa Library]
111. **Uvarov,B.P.**, 1926, Orthoptera palaeartica critica II. Genus *Tropidopola* St. (Acrid). Eos 2: 149-177, figs. [available in Cesa Library]
112. **Verves,Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 2. The species of genus *Bellardia* Robineau-Desvoidy. Far eastern Ent. 135: 1-23, figs. [available in Cesa Library]
113. **Verves,Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) Synonym(s): Part 1. The species of the genera *Polleniopsis* Townsend, *Tainanina* Villeneuve and *Tricycleopsis* Villeneuve. Far eastern Ent. 134: 1-12. [available in Cesa Library]
114. **Voss,E.**, 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 18 (3/4): 153-189, figs. [available in Cesa Library]
115. **Voss,E.**, 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 19 (1/2): 25-56, figs. [available in Cesa Library]
116. **Voss,E.**, 1933, Nachtraegliches über palaearktische Arten der Subfamilie Rhynchitinae (Col., Curc.). Koleopt. Rdsch. 19 (3/4): 134-138. [available in Cesa Library]
117. **Wahis,R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold,1935 in the Palaeartis with description of a new species (Hymenoptera, Pompilidae) Synonym(s): . Notes faun. Gembloux 46: 39-73. [available in Cesa Library]
118. **Warchalowski,A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat,1837 s.str. of Palaeartic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). Genus 19 (2): 213-283, figs. [available in Cesa Library]
119. **Warncke,K.**, 1980, Die Bienengattung *Anthidium* Fabricius,1804 in der Westpalaearktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs. [available in Cesa Library]
120. **Warncke,K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae) Synonym(s): . Linzer biol. Beitr. 14 (1): 23-37. [available in Cesa Library]
121. **Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveosmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb. [available in Cesa Library]
122. **Warncke,K.**, 1992, Die westpalaearktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps. [available in Cesa Library]
123. **Wingelmüller,A.**, 1938, Monographie der palaearktischen Arten der Tribus Cionini. Koleopt. Rundsch. 23: 143-221. [available in Cesa Library]
124. **Yaakop,S., Duffels,J.P. & H.Visser**, 2005, The Cicada genus *Chremistica* Stal (Hemiptera, Cicadidae) Synonym(s): in Sundaland. Tijdschr. Ent. 148: 247-306, 92 figs. 1 tab. [available in Cesa Library]
125. **Yücel,Ş.**, 1991, İç Anadolu Bölgesindeki bazı Tabanidae türleri ve yayılışları (Diptera). J. Biol. Fac. Sci. Arts Gazi Univ. 1991 (2): 303-318, figs. [available in Cesa Library]

126. **Yıldırım,E. & H.Özbek**, 1993, Polistinae (Hymenoptera, Vespidae) Synonym(s): of Turkey. Türk. ent. derg. 17 (3): 141-156. [available in Cesa Library]
127. **Zalat,S., Auo-Ghalia,A. Gilbert,F. & N.Shaumar**, 1992, Taxonomic studies of Egyptian Eumenidae (Hymenoptera). J. Egypt Germ. Soc. Zool. 7 (B): 515-540, figs. [available in Cesa Library]
128. **Zerova,M.D. & L.Y. Seryogina**, 2009, A review of Eurytoma pistaciae species group (Hymenoptera, Eurytomidae) Synonym(s): with description of two new species. Vestn. zool. 43 (1): 31-38, figs. [available in Cesa Library]
129. **Çağatay,N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae) Synonym(s): . Ent. Abh. 53 (2): 27-36, figs. [available in Cesa Library]
130. **Çıplak,B.**, 2000, Genus Festella (Orthoptera, Tettigoniidae) Synonym(s): with description of F.rammei sp.n. Ent. News 111 (4): 299-306, figs. [available in Cesa Library]
131. **Çıplak,B., Heller,K.-G. & A.Demirsoy**, 2002, Review and key to species of Platycleis from Turkey (Orthoptera, Tettigoniidae) Synonym(s): with descriptions of Yalvaciana subgen.n. and two new species. J. Nat. Hist. 36: 197-236, figs. [available in Cesa Library]
132. **İnanç,F.**, 2002, Cotesia pappi sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. Acta zool. hung. 48 (2): 157-160, figs. [available in Cesa Library]
133. **Ünal,M.**, 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. Trans. am. Ent. Soc. 132 (1/2): 157-203, figs. [available in Cesa Library]
134. **Şahin,Y.**, 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki Chironomidae (Diptera) larvalarının teşhisi ve dağılışları. Anadolu Üniversitesi Yayınları no 57. 145s., 359 şek. [available in Cesa Library]
135. **Şengonca,Ç.**, 1981, Die Neuropteren Anatoliens I. Chrysopidae. Mitt. münch. ent. Ges. 71: 121-137. [available in Cesa Library]

Selected bibliography according to some pterygot orders

Bibliography, according to author index and in chronological order is submitted below. Special attributions to some publications are given in blue colour.

Ephemeroptera

1. **Belfiore,C., Tanatmış,M. & N.Kazancı**, 2000, Taxonomy of Electrogena antalyensis (Kazancı & Braasch,1986) (Ephemeroptera, Heptageniidae) Synonym(s): . Aquatic Insects 22 (4): 261-270, 14 figs. [available in Cesa Library] **Heptageniidae**
2. **Kazancı,N. & S.Girgin**, 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. Rev. Hydrobiol. 1: 37-44.

Plecoptera

1. **Baumann,R.W.**, 1975, Revision of the stonefly family Nemouridae (Plecoptera): A study of the world fauna at generic level. Smithsonian Contr. Zool. 211: 1-74, 186 figs. 1 tab. [available in Cesa Library] **Nemouridae**
2. **Kazancı,N. & S.Girgin**, 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. Rev. Hydrobiol. 1: 37-44.
3. **Kazancı,N.**, 1983, Plecoptera (Insecta) from Anatolia. Aquatic Insects 5 (3): 141-146, figs. **Taeniopterygidae Brachyptera demirsoyi**
4. **Kazancı,N.**, 1985, Leuctra brachyptera, a new stonefly from Turkey (Plecoptera, Leuctridae) Synonym(s): . Aquatic Insects 7 (1): 49-52, figs. **Leuctridae Leuctra brachyptera**

5. **Kazancı,N.**, 1999, A new apterous Leuctra (Plecoptera) species from Turkey. Aquatic Insects 21 (4): 267-271, 2 figs. [available in Cesa Library] [Leuctridae Leuctra](#)
6. **Kazancı,N.**, 2000, On the Taeniopterygidae (Plecoptera) fauna of Turkey. Aquatic Insects 22 (3): 171-176, 10 figs. [available in Cesa Library] [Taeniopterygidae](#)
7. **Kazancı,N.**, 2000, Brachyptera berkii, a new Plecoptera (Taeniopterygidae) Synonym(s): species from Turkey. Aquatic Insects 23 (4): 283-287, figs. [available in Cesa Library] [Taeniopterygidae Brachyptera berkii](#)
8. **Kazancı,N.**, 2009, Contribution to the knowledge of Plecoptera (Insecta) fauna of Turkey. Rev. Hydrobiol. 1: 11-22. [available in Cesa Library] [Taeniopterygidae Nemouridae Leuctridae Capniidae](#)
9. **Klapalek,F.**, 1921, Pléoptères nouveaux I. Sous famille des Perlinae et Neoperlinae. Anns Soc. ent. belg. 61: 57-67. [available in Cesa Library] [Perlidae](#)
10. **Morton,K.J.**, 1894, Palaeartic Nemoura. Trans. ent. Soc. London 1894: 557-574, Pls.xiii,xiv. [available in Cesa Library] [Nemouridae Nemoura Protonemura](#)
11. **Theischinger,G.**, Weitere Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 28: 49-54, figs. [available in Cesa Library]
12. **Theischinger,G.**, 1976, Leuctra holzschuhi spec.nov., eine neue Steinfliege aus Iran (Plecoptera, Leuctridae) Synonym(s): . Linzer biol. Beitr. 8 (1): 289-292, 4 Abb. [available in Cesa Library] [Leuctridae Leuctra holzschuhi](#)
13. **Theischinger,G.**, 1976, Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 27: 105-114, figs. [available in Cesa Library]
14. **Zwick,P.**, 1971, Plecoptera aus Anatolien und benachbarten Gebieten. Mitt. schweiz. ent. Ges. 44 (3/4): 233-264, 11 Abb. [available in Cesa Library]

Odonata

1. **Asahina,S.**, 1973, The Odonata of Iraq. Jap. J. Zool. 17: 17-36, figs.
2. **Asahina,S.**, 1974, An additional note to the Odonata of Iraq. Kontyu Tokyo 42 (2). 107-109. [available in Cesa Library]
3. **Ayten,Y. & M.S.Özgökçe**, 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. YYÜ Tarım Bil. Derg. 19 (1): 1-9. [available in Cesa Library]
4. **Börzsöny,L.**, 1996, Erstnachweis von Amorphogomphus kiritshenkoi für die Türkei (Anisoptera, Gomphidae) Synonym(s): . Libellula 15: 185-190. [Gomphidae](#)
5. **Demirsoy,A.**, 1982, Türkiye Faunası Odonata 155s. Tübitak Yayınları, Ankara. [available in Cesa Library]
6. **Dumont,H.J.**, 1972, The taxonomic status of Calopteryx xanthosoma (Charpentier,1825) (Zygoptera, Calopterygidae) Synonym(s): . Odonatologica 1 (1): 21-29, figs. [available in Cesa Library] [Zygoptera Calopterygidae](#)
7. **Dumont,H.J.**, 1977, A review of the Dragonfly fauna of Turkey and adjacent Mediterranean Islands (Insecta, Odonata). Bull. Ann. Soc. r. belge Ent. 113: 119-171. [available in Cesa Library]
8. **Eid,E., Katbeh-Bader,A., Al-Otoom,M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)
9. **Hagen,H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199. [available in Cesa Library] [Panorpidae Panorpa](#)
10. **Kalkman,V.J., Wasscher,M. & G.J.van Pelt**, 2003, An annotated checklist of the Odonata of Turkey. Odonatologica 32 (3): 215-236. [available in Cesa Library]
11. **Kazancı,N. & S.Girgin**, 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. Rev. Hydrobiol. 1: 37-44.
12. **Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)
13. **Morton,K.J.**, 1914, Notes on a collection of Odonata from Van, Turkey in Asia. Entomologist's mon. Mag. 50: 56-59, pl.viii. [available in Cesa Library] [Libellulidae Aeshnidae Cordulegasteridae Agrionidae Lestidae](#)

14. **Morton, K.J.**, 1919, Odonata from Mesopotamia. Entomologist's mon. Mag. 3: 143-151, 183-196, figs. [available in Cesa Library]
15. **Salur, A. & S.Kiyak**, 2006, Additional records for the Odonata fauna of East Mediterranean Region of Turkey. Munis Ent. Zool. 1 (2): 239-252. [available in Cesa Library]
16. **Salur, A. & S.Kiyak**, 2007, Additional records for the Odonata fauna of South-Western Anatolia, Part 1 Anisoptera Munis Ent. Zool. 2 (1): 63-78. [available in Cesa Library]
17. **Salur, A. & Ö. Özseraç**, 2004, Additional notes on the Odonata fauna of Çiçekdağı (Kırşehir) Turkey G.Ü. J. Sci. 17 (1): 11-19. [available in Cesa Library]
18. **Schmidt, E.**, 1953, Zwei neue Libellen aus dem Nahen Osten. Mitt. münch. ent. Ges. 43: 1-9, figs. [available in Cesa Library] [Ceriagrionidae Gomphidae](#)
19. **Schneider, W.**, 1984, Description of Calopteryx watersoni spec. nov. from northeastern Turkey (Zygoptera, Calopterygidae) Synonym(s): . Odonatologica 13: 281-286, fig. [Calopterygidae Calopteryx watersoni](#)
20. **Schneider, W.**, 1985, Dragonfly records from South East Turkey (Insecta, Odonata). Senckenberg. biol. 66: 67-78.
21. **Schneider, W.**, 1985, Die Gattung Crocothemis Brauer, 1868 in Nahen Osten (Insecta, Odonata, Libellulidae) Synonym(s): . Senckenberg. biol. 66: 79-88. [Libellulidae](#)
22. **Schneider, W.**, 1986, Erstnachweis von Cordulia aenea (Linnaeus, 1758) für die Türkei (Odonata, Anisoptera, Libellulidae) Synonym(s): . Ent. Z., Frankf. a. M. 96 (7): 92-93. [Libellulidae Cordulia aenea](#)
23. **Schneider, W.**, 1995, Die Verbreitung von Pseudagrion syriacum Selys 1887 und Erstnachweis der Art für die Türkei (Odonata, Zygoptera, Coenagrionidae) Synonym(s): . Ent. Z., Frankf. a. M. 105: 161-166. [Coenagrionidae Pseudagrion syriacum](#)
24. **Schneider, W.G.**, 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. Stettin ent. Ztg. 6: 110-116, 133-135.
25. **Selys-Longchamps, E.de**, 1887, Odonates de l'Asie Mineure etc. Ann. Soc. ent. Belg. 31: 1-85. [available in Cesa Library]
26. **St. Quentin, D.**, 1964, Odonaten aus Anatolien und dem Irak. Ent. Mitt. Z. Mus. Hamb. 3: 49-51.
27. **St. Quentin, D.**, 1964, Die Odonaten der Sammelreise R. Petrowitz und F. Ressler aus Kleinasien. Beitr. Ent. 14: 421-426.
28. **St. Quentin, D.**, 1965, Zur Odonatenfauna Anatoliens und angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552. [available in Cesa Library]
29. **St. Quentin, D.**, 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552, figs. [available in Cesa Library]

Orthoptera

1. **Audinet-Serville, J.G.**, 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris. [available in Cesa Library]
2. **Bei-Bienko, G.**, 1933, Records and descriptions of some Orthoptera from U.S.S.R. Bol. Soc. Esp. Hist.-Nat. 33: 317-341, figs. [available in Cesa Library] [Tettigoniidae Gryllidae Acrididae Poecilimon Gampsocleis Metrioptera Tridactylus Chortippus Kazakia Notostaurus](#)
3. **Beuk, P.**, 2004-2009, Diptera.info <http://www.diptera.info/news.php> - images in Diptera Gallery and Forum of their respective owners.
4. **Brunner von Wattenwyl, C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien. [available in Cesa Library] [Tettigoniidae Phaneropterinae](#)
5. **Brunner von Wattenwyl, C.**, 1891, Additamenta zur Monographie der Phaneropteriden. Verh. zool. bot. Ges. Wien 41: 1-196 2 Tab. [available in Cesa Library] [Tettigoniidae Phaneropterinae](#)
6. **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs. [available in Cesa Library] [Tettigoniidae Acrididae Gryllidae Mantidae Empusidae Ectobiidae Blattidae Rhaphidophoridae Mogoplistidae Tridactylidae Pyrgomorphidae Pamphagidae](#)
7. **Demirsoy, A., Salman, S. & H. Sevgili**, 2002, Novadrymadusa, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae) Synonym(s): . J. Orth. Res. 11 (2): 175-183, figs. [available in Cesa Library] [Tettigoniidae Novadrymadusa](#)
8. **Ebner, R.**, 1946, Einige seltener palaearktische Tettigoniidae und Gryllidae (Orthoptera). Eos 22: 17-30, figs. [available in Cesa Library] [Tettigoniidae Tettigonia](#)

9. **Eid,E., Katbeh-Bader,A., Al-Otoom,M. & Y.Othman,** 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. *Cesa News* 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae](#) [Acrididae](#) [Gryllidae](#) [Tettigoniidae](#) [Empusidae](#) [Mantidae](#) [Blattellidae](#) [Forficulidae](#) [Coreidae](#) [Cydnidae](#) [Lygaeidae](#) [Pentatomidae](#) [Reduviidae](#) [Rhopalidae](#) [Scutellaridae](#) [Chrysopidae](#) [Hemerobiidae](#) [Carabidae](#) [Cerambycidae](#) [Coccinellidae](#) [Elateridae](#) [Scarabaeidae](#)
10. **Heller,K.-G. & O.Korshunovskaya,** 2009, Systematics and bioacoustics of the genus *Lithodusa* (Orthoptera, Tettigoniidae) Synonym(s): including the description of a new species from Turkey and comments on the classification of the Drymadusini. *J. Orth. Res.* 18 (1): 5-13, figs. [available in Cesa Library] [Tettigoniidae](#) [Lithodusa](#) [Drymadusini](#)
11. **Hemp,C.,** 2001, Two new species of *Amytta* Karsch (Orthoptera, Mecocnematinae) from East Africa (Tanzania, Mt.Kilimanjaro). *J. Orth. Res.* 10 (1): 129-134, figs. [available in Cesa Library] [Tettigoniidae](#) [Mecocnematinae](#) [Amytta](#)
12. **Hemp,C.,** 2002, *Phlugidia usambarica* (Orthoptera, Tettigoniidae, Mecocnematinae, Phlugidini), a new species from the East Usambara Mts., Tanzania. *J. Orth. Res.* 11 (1): 63-66, figs. [available in Cesa Library] [Tettigoniidae](#) [Phlugidia](#) [Mecocnematinae](#)
13. **Hemp,C.,** 2002, New Acrometopae from East Africa (Tettigoniidae, Phaneropterinae). *J. Orth. Res.* 11 (1): 67-76, figs. [available in Cesa Library] [Tettigoniidae](#) [Acrometopinae](#)
14. **Hemp,C.,** 2009, Annotated list of Caelifera (Orthoptera) of Mt. Kilimanjaro, Tanzania. *J. Orth. Res.* 18 (2): 183-214, figs. [available in Cesa Library] [Pamphagidae](#) [Lentulidae](#) [Acrididae](#) [Pyrgomorphidae](#)
15. **Kaltenbach,A.,** 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung *Saga* Charpentier (Saltatoria, Tettigoniidae) Synonym(s): . *Beitr. Ent.* 17 (1/2): 3-107, figs. [available in Cesa Library] [Tettigoniidae](#) [Saga](#)
16. **Karabağ,T.,** 1953, Some new Orthoptera from Turkey. *Eos* 29: 177-200, figs. [available in Cesa Library] [Tettigoniidae](#) [Acrididae](#) [Pamphagidae](#) [Pyrgomorphidae](#) [Poecilimon](#) [Stenobothrus](#) [Gomphocerus](#) [Dasyhippus](#) [Xerohippus](#) [Nocarodes](#) [Pyrgomorpha](#)
17. **Karabağ,T.,** 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. Istanbul. [available in Cesa Library]
18. **Karabağ,T., Balamir,S., Gümüşsuyu,I. & E.Tutkun,** 1974, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (II). *Bitki Kor. Bül.* 14 (1): 3-18. [available in Cesa Library] [Acrididae](#) [Pamphagidae](#) [Pyrgomorphidae](#) [Tettigoniidae](#) [Mantidae](#) [Empusidae](#)
19. **Karz,K.,** 1988, Eine neue Sichelschrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). *Articulata* 3 (4): 137-138, 5 figs. [available in Cesa Library] [Tettigoniidae](#) [Phaneropterinae](#) [Phanoptera](#) [hackeri](#) [Erdemia](#)
20. **Katbeh-Bader,A. & B.Massa,** 2001, Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. *J. Orth. Res.* 10 (1): 25-37, figs. [available in Cesa Library] [Tettigoniidae](#)
21. **Katbeh-Bader,A. & B.Massa,** 2001, Errata: Tettigoniidae (Orthoptera) from Jordan with description of new species and redescription of less known species. *J. Orth. Res.* 10 (2): 376. [Tettigoniidae](#)
22. **Katbeh-Bader,A.,** 2001, Acridoidea (Orthoptera) of Jordan. *Zoology Middle East* 23: 89-100. [Acrididae](#)
23. **Koçak,A.Ö. & M.Kemal,** 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5. [available in Cesa Library] [Acrididae](#) [Pamphagidae](#) [Gryllidae](#) [Tettigoniidae](#) [Proparagryllacrididae](#) [Romaleidae](#)
24. **Koçak,A.Ö. & M.Kemal,** 2008, Miscellaneous nomenclatural notes. *Cent. ent. Stud., Misc. Pap.* 145: 8-9. [available in Cesa Library] [Acrididae](#) [Mantidae](#) [Iridopterygidae](#)
25. **Koçak,A.Ö. & M.Kemal,** 2009, Nomenclatural notes on the genus group names in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 149: 2-4. [available in Cesa Library] [Tettigoniidae](#) [Gryllidae](#) [Raphidophoridae](#) [Pamphagidae](#)
26. **Koçak,A.Ö. & M.Kemal,** 2009, Description of taxa in the family Tettigoniidae from South East Turkey (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 149: 5-6, 2 figs. [available in Cesa Library] [Tettigoniidae](#) [Phanoptera](#)
27. **Koçak,A.Ö. & M.Kemal,** 2009, A replacement name, *Danielottea* nom.n. in the family Gryllidae (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 150: 6-7. [available in Cesa Library] [Gryllidae](#)
28. **Koçak,A.Ö. & M.Kemal,** 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). *Cent. ent. Stud., Misc. Pap.* 149: 7-8. [available in Cesa Library] [Tettigoniidae](#) [Phanoptera](#) [hackeri](#) [Erdemia](#)
29. **Koçak,A.Ö. & M.Kemal,** 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). *Priamus* 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina](#) [serhadensis](#)
30. **Koçak,A.Ö. & M.Kemal,** 2010, Nomenclatural notes on the genus group names of some families (Orthoptera). *Priamus* 12 (6): 155-156. [available in Cesa Library] [Gryllidae](#) [Tettigoniidae](#)

31. **Koçak, A.Ö.**, 1981, On the nomenclature of some genera of Orthoptera. Priamus 1: 126-128. [available in Cesa Library] [Tettigoniidae](#) [Tettigoniinae](#) [Pholidopterini](#)
32. **Koçak, A.Ö.**, 1984, On the nomenclatural status of two species group names in Orthoptera. Priamus 3 (4): 169-170 [this is wasnot cited intentionally in the related other publications!] [available in Cesa Library] [Tettigoniidae](#) [Decticinae](#) [Platycleis](#) [veyseli](#)
33. **Koçak, A.Ö.**, 2008, Nomenclatural notes on the recently proposed replacement names in the order Orthoptera. Cent. ent. Stud., Misc. Pap. 142: 7-8. [available in Cesa Library] [Tettigoniidae](#)
34. **Krauss, H.**, 1892, Dermapteren und Orthopteren aus Tunis. Wien. ent. Ztg. 11 (5): 143-150. [available in Cesa Library]
35. **Maran, J.**, 1958, Beitrag zur Kenntnis der geographischen Variabilität von *Acrotylus insubricus* (Scop.) (Orthoptera, Acrididae) Synonym(s): Acta ent. Mus. Nat. Pragae 32: 171-179. [available in Cesa Library] [Acrididae](#) [Acrotylus](#)
36. **Massa, B., Buzzetti, F.M. & P.Fontana**, 2009, New and little known species of the genus *Parapholidoptera* Maran (Insecta, Orthoptera). Dt. ent. Z. (N.F.) 56 (2): 243-249, figs. [available in Cesa Library] [Tettigoniidae](#) [Parapholidoptera](#)
37. **Ragge, D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 40 (2): 67-192, figs. [available in Cesa Library] [Tettigoniidae](#) [Phaneropterinae](#)
38. **Ragge, D.R.**, 1969, An Index-Catalogue of African Phaneropterinae (Orthoptera, Tettigoniidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 22 (3): 75-108. [available in Cesa Library] [Tettigoniidae](#) [Phaneropterinae](#)
39. **Ramme, W.**, 1930, Neue Orthopteren aus Westasien (Acrid. et Tett.). Mitt. zool. Mus. Berl. 16: 394-396. [Acrididae](#) [Tettigoniidae](#)
40. **Ramme, W.**, 1951, Zur Systematik, Faunistik und Biologie der Orthopteren von Südost Europa und Vorderasien. Mitt. zool. Mus. Berl. 27: 1-421, figs. [available in Cesa Library]
41. **Russo, C.di, Rampini, M. & I.Landeck**, 2007, The cave crickets of northeast Turkey and transCaucasian [sic!] regions, with descriptions of two new species of the genera *Dolichopoda* and *Trogiophilus* (Orthoptera, Rhaphidophoridae) Synonym(s): . J. Orth. Res. 16 (1): 67-76, figs. [available in Cesa Library] [Rhaphidophoridae](#)
42. **Saussure, M.H.de**, 1888, Synopsis de la tribu des Sagiens. Anns Soc. ent. Fr. 1888: 127-155, 5 pls. [available in Cesa Library] [Tettigoniidae](#) [Saga](#)
43. **Sevgili, H. & B.Çıplak**, 2000, The Orthoptera of Şanlıurfa province from the Mesopotamian part of Turkey. Ital. J. Zool. 67: 229-240. [available in Cesa Library] [Tettigoniidae](#) [Gryllotalpidae](#) [Gryllidae](#) [Tetrigidae](#) [Pyrgomorphidae](#) [Acrididae](#) [Pamphagidae](#) [Phaneropterinae](#) [Tettigoniinae](#) [Saginae](#) [Conocephalinae](#)
44. **Sevgili, H. & K.-G.Heller**, 2003, A new species of the genus *Isophya* Brunner von Wattenwyl from Turkey (Orthoptera, Tettigoniidae, Phaneropterinae). Tijdschr. Ent. 146: 39-44, 12 figs. [available in Cesa Library] [Tettigoniidae](#) [Isophya](#)
45. **Sevgili, H.**, 2001, A new bushcricket species and notes on some less known species of the genus *Poecilimon* Fischer, 1853 from Turkey (Orthoptera, Phaneropterinae). J. Orth. Res. 10 (1): 15-24, figs. [available in Cesa Library] [Tettigoniidae](#) [Phaneropterinae](#) [Poecilimon](#)
46. **Sevgili, H.**, 2003, A new species of Bushcricket (Orthoptera, Tettigoniidae) Synonym(s): of the palaeartic genus *Isophya* (Phaneropterinae) from Turkey. Ent. News 114 (3): 129-137, figs. [available in Cesa Library] [Tettigoniidae](#) [Phaneropterinae](#) [Isophya](#) [rizeensis](#)
47. **Sevgili, H.**, 2004, Review of the genus *Leptophyes* of Turkey with the description of a new species (Orthoptera, Phaneropterinae). Trans. am. Ent. Soc. 130 (1): 95-112, figs. [Tettigoniidae](#) [Phaneropterinae](#) [Leptophyes](#)
48. **Soltani, A.A.**, 1978, Preliminary synonymy and description of new species in the genus *Dociostaurus* Fieber, 1853 (Orthoptera, Acrididae, Gomphocerinae) with a key to the species in the genus. J. Ent. Soc. Iran, Suppl. 2: 1-93, 158 figs. [available in Cesa Library] [Acrididae](#) [Gomphocerinae](#) [Dociostaurus](#)
49. **Uvarov, B.P.**, 1926, Orthoptera palaeartica critica II. Genus *Tropidopola* St. (Acrid). Eos 2: 149-177, figs. [available in Cesa Library] [Acrididae](#) [Tropidopola](#)
50. **Uvarov, B.P.**, 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. Eos 10: 21-119, figs. [available in Cesa Library] [Mantidae](#) [Gryllidae](#) [Tettigoniidae](#) [Acrididae](#) [Pamphagidae](#)
51. **Uvarov, B.P.**, 1936, New Orthoptera from Cyprus. Ann. Mag. nat. Hist. 18: 505-515. [Tettigoniidae](#)
52. **Waloff, N.**, 1953, Notes on the Orthoptera in Cyprus, April 1950. Proc. R. ent. Soc. London (A) 28 (1/3): 24-30.
53. **Yahm, F.B., Şirin, D., Taylan, M.S. & B.Çıplak**, 2004, *Demirsoyus* n.gen. (Orthoptera, Acrididae, Oedipodinae) and *D. salmani* n.sp. from the Mediterranean Anatolia with remarks on biogeography of the related genera. Trans. am. Ent. Soc. 130 (4): 425-437, figs. [with numerous mis-spellings in the literature cited!] [available in Cesa Library] [Acrididae](#) [Oedipodinae](#)

54. **Zeuner, F.E.**, 1941, The classification of the Decticinae hitherto included in Platycleis Fieb. or Metriopectera Wesm. (Orthoptera, Saltatoria). Trans. R. ent. Soc. London 91: 1-50, figs. [available in Cesa Library] [Tettigoniidae Decticinae Platycleis Metriopectera](#)
55. **Çıplak, B.**, 1994, A new species and a new subspecies of Stenobothrus Fischer, 1853 (Orthoptera, Acrididae) Synonym(s): from Turkey. Türk. ent. Derg. 18 (1): 7-14, figs. [available in Cesa Library] [Acrididae Stenobothrus](#)
56. **Çıplak, B.**, 2000, Systematics and phylogeny of Parapholidoptera (Orthoptera, Tettigoniidae, Tettigoniinae). Syst. Ent. 25 (4): 411-436, figs. [available in Cesa Library] [Tettigoniidae Parapholidoptera Tettigoniinae Pholidopterini](#)
57. **Çıplak, B.**, 2000, Genus Festella (Orthoptera, Tettigoniidae) Synonym(s): with description of F. rammei sp.n. Ent. News 111 (4): 299-306, figs. [available in Cesa Library] [Tettigoniidae Platycleini Festella festae rammei](#)
58. **Çıplak, B., Heller, K.-G. & A. Demirsoy**, 2002, Review and key to species of Platycleis from Turkey (Orthoptera, Tettigoniidae) Synonym(s): with descriptions of Yalvaciana subgen.n. and two new species. J. Nat. Hist. 36: 197-236, figs. [available in Cesa Library] [Tettigoniidae Platycleis](#)
59. **Ünal, M.**, 1999, Notes on Orthoptera of western Turkey with description of a new genus and four new species. J. Orth. Res. 8: 243-255, figs. [available in Cesa Library] [Tettigoniidae Phaneropterinae Conocephalinae Saginae Tettigoniinae Bradyporinae Gryllidae Tetrigidae Pamphagidae Acrididae](#)
60. **Ünal, M.**, 2002, First data on Orthoptera of Mount Köroğlu, N.W. Anatolia with description of three new taxa. Ent. News 113 (4): 275-288, figs. [available in Cesa Library] [Tettigoniidae Phaneropterinae Isophya Poecilimon Tettigoniinae Koroglus](#)
61. **Ünal, M.**, 2003, Checklist of the Turkish Orthoptera. <http://www.members.tripod.com/Cesa88/orthtr.htm> (last accessed on 6th Sept., 2009). [available in Cesa Library]
62. **Ünal, M.**, 2005, Three short-winged species of Chorthippus Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). Ent. News 116 (5): 283-290, 13 figs. [available in Cesa Library] [Acrididae Chorthippus](#)
63. **Ünal, M.**, 2005, A new species of Isophya Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phanaeropterinae) from Turkey. Ent. News 116 (4): 209-216, figs. [available in Cesa Library] [Tettigoniidae Isophya karadenizensis](#)
64. **Ünal, M.**, 2005, Phanaeropterinae (Orthoptera, Tettigoniidae) Synonym(s): from Turkey and the Middle East. Trans. am. ent. Soc. 131 (3/4): 425-448, figs. [available in Cesa Library] [Tettigoniidae Phanaeropterinae](#)
65. **Ünal, M.**, 2006, Kıkkale Orthopter'lerinin fauna ekoloji ve taksonomisi üzerine araştırmalar. Priamus 3: 1-50. [available in Cesa Library]
66. **Ünal, M.**, 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. Trans. am. Ent. Soc. 132 (1/2): 157-203, figs. [available in Cesa Library] [Tettigoniidae](#)
67. **Ünal, M.**, 2007, Genus Asiotmethis Uvarov (Orthoptera, Pamphagidae) Synonym(s): from Turkey, with a checklist of known taxa. J. Orthopt. Res. 16 (2): 191-197, figs. [available in Cesa Library] [Pamphagidae Asiotmethis](#)
68. **Ünal, M.**, 2008, The Cyprian genus Exodrymadusa Karabağ (Orthoptera, Tettigoniidae) Synonym(s): . Zootaxa 1934: 40-46. [Tettigoniidae Exodrymadusa](#)

Mantodea

1. **Abu Dannoun, O. & A. Katbeh-Bader**, 2007, Mantodea of Jordan. Zootaxa 1617: 43-56. [available in Cesa Library] [Mantidae Empusidae](#)
2. **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs. [available in Cesa Library] [Tettigoniidae Acrididae Gryllidae Mantidae Empusidae Ectobiidae Blattidae Rhaphidophoridae Mogoplistidae Tridactylidae Pyrgomorphidae Pamphagidae](#)
3. **Ehrmann, R. & A. Ö. Koçak**, 2009, The neotropical mantids (Insecta, Dictyoptera, Mantodea) (Ehrmann 30.v.2009). Cesa News 49: 1-18, 4 figs. [available in Cesa Library]
4. **Ehrmann, R.**, 2002, Mantodea Gottesanbeterinnen der Welt. Natur & Tier Verlag GmbH [available in Cesa Library]
5. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y. Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)

6. **Greca, M. la & F. Lombardo**, 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. Rivetina Berl. e Chop. (Insecta, Mantodea). Animalia 9 (1/3): 345-393, figs. [available in Cesa Library] [Mantidae Rivetina](#)
7. **Karabağ, T., Balamir, S., Gümüştuyu, I. & E. Tutkun**, 1974, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (II). Bitki Kor. Bült. 14 (1): 3-18. [available in Cesa Library] [Acrididae Pamphagidae Pyrgomorphidae Tettigoniidae Mantidae Empusidae](#)
8. **Koçak, A. Ö. & M. Kemal**, 2008, Two replacement names in the genus group taxa of Dictyoptera from Colombia and Arabian Peninsula. Cent. ent. Stud., Misc. Pap. 141: 6. [available in Cesa Library] [Mantidae Hymenopodidae](#)
9. **Koçak, A. Ö. & M. Kemal**, 2008, Miscellaneous nomenclatural notes. Cent. ent. Stud., Misc. Pap. 145: 8-9. [available in Cesa Library] [Acrididae Mantidae Iridopterygidae](#)
10. **Koçak, A. Ö. & M. Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)
11. **Krauss, H.**, 1892, Dermapteren und Orthopteren aus Tunis. Wien. ent. Ztg. 11 (5): 143-150. [available in Cesa Library]
12. **Roy, R.**, 1966, A new species of Amorphoscelis from Iraq (Mantodea, Amorphoscelidae) Synonym(s): . Ent. News 77: 267-270, 3 figs. [available in Cesa Library] [Amorphoscelidae](#)
13. **Uvarov, B. P.**, 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. Eos 10: 21-119, figs. [available in Cesa Library] [Mantidae Gryllidae Tettigoniidae Acrididae Pamphagidae](#)
14. **Waloff, N.**, 1953, Notes on the Orthoptera in Cyprus, April 1950. Proc. R. ent. Soc. London (A) 28 (1/3): 24-30.
15. **Westwood, J. O.**, 1889, Revisio Insectorum Familie Mantidarum, speciebus novis aut minus cognitiss descriptis et delineatis. 72 pp., Pls., Gurney & Jackson, London. [available in Cesa Library]

Blattodea

1. **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs. [available in Cesa Library] [Tettigoniidae Acrididae Gryllidae Mantidae Empusidae Ectobiidae Blattidae Rhaphidophoridae Mogoplistidae Tridactylidae Pyrgomorphidae Pamphagidae](#)
2. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y. Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)
3. **Koçak, A. Ö. & M. Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)

Dermaptera

1. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y. Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)
2. **Haas, F. & H. Henderckx**, 2002, Dermaptera from Cyprus and Turkey. Beitr. Ent. 52 (1): 235-239. [available in Cesa Library] [Forficulidae Labiduridae Anisolabididae Spongiphoridae](#)
3. **Koçak, A. Ö. & M. Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Dermaptera](#)
4. **Krauss, H.**, 1892, Dermapteren und Orthopteren aus Tunis. Wien. ent. Ztg. 11 (5): 143-150. [available in Cesa Library]

Thysanoptera

1. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
2. **Tunç, I.**, 1985, On some Thysanoptera from the Middle Black Sea Region of Turkey. Türk. bitki kor. derg. 9: 217-224. [available in Cesa Library]

Hemiptera

1. **Aktaş, M. & S.Kıyak**, 1990, A new record of *Cacodmus vicinus* Horvath to the fauna of Turkey (Hemiptera, Cimicidae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 7: 1-2. [available in Cesa Library] [Cimicidae](#) [Cacodmus vicinus](#)
2. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
3. **Awad, T.I. & E.Pehlivan**, 2001, Systematic and faunistic study of the species of the tribe Carpocorini (Heteroptera, Pentatomidae, Pentatominae) in Turkey Part 1. Holcogaster Fb., Staria D. & Cnephosa Jak. Türk. ent. Derg. 25 (3): 163-174, figs. [available in Cesa Library] [Pentatomidae](#)
4. **Awad, T.I. & F.Önder**, 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). Türk. ent. Derg. 21 (3): 163-171. [available in Cesa Library] [Pyrrhocoridae](#)
5. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library] [Cydniidae](#) [Pentatomidae](#) [Coreidae](#) [Lygaeidae](#) [Reduviidae](#) [Gerridae](#) [Belostomatidae](#) [Cicadidae](#) [Dictyopharidae](#) [Flatidae](#) [Ricaniidae](#)
6. **China, W.E.**, 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Lygaeidae](#) [Reduviidae](#) [Gerridae](#) [Belostomatidae](#) [Cicadidae](#) [Dictyopharidae](#) [Flatidae](#) [Ricaniidae](#)
7. **Drake, C.J. & F.A.Ruhoff**, 1960, Lace-bug genera of the World (Hemiptera, Tingidae) Synonym(s): . Proc. U. S. nat. Mus. 112 (3431): 1-105, 9 Pls. [available in Cesa Library] [Tingidae](#)
8. **Dursun, A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Strachiini Mulsant & Rey, 1866, Pentatomini Leach, 1815 ve Piezodorini Atkinson, 1888 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 225-239. [available in Cesa Library] [Pentatomidae](#)
9. **Dursun, A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Halyini Amyot & Serville, 1843, Sciocorini Amyot & Serville, 1843, Aeliini Douglas & Scott, 1865 ve Eysarcorini Mulsant & Rey, 1866 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. Türk. ent. Derg. 32 (3): 303-315. [available in Cesa Library] [Pentatomidae](#)
10. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae](#) [Acrididae](#) [Gryllidae](#) [Tettigoniidae](#) [Empusidae](#) [Mantidae](#) [Blattellidae](#) [Forficulidae](#) [Coreidae](#) [Cydniidae](#) [Lygaeidae](#) [Pentatomidae](#) [Reduviidae](#) [Rhopalidae](#) [Scutellaridae](#) [Chrysopidae](#) [Hemerobiidae](#) [Carabidae](#) [Cerambycidae](#) [Coccinellidae](#) [Elateridae](#) [Scarabaeidae](#)
11. **Fahringer, J.**, 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. Konowia 1: 137-144, 296-307. [available in Cesa Library]
12. **Falamarzi, S., Asadi, G. & R.Hosseini**, 2009, Species inventory, preys and host plants of Anthocoridae sensu lato (Hemiptera, Heteroptera) in Shiraz and its environs (Iran, Fars Province). Acta ent. Mus. nat. Pragae 49 (1): 33-42, figs. [available in Cesa Library] [Anthocoridae](#)
13. **Ghahari, H., Carpintero, D.L. & H.Ostovan**, 2009, An annotated catalogue of the Iranian Anthocoridae (Hemiptera, Heteroptera, Cimicimorpha). Acta ent. Mus. nat. Pragae 49 (1): 43-58. [available in Cesa Library] [Anthocoridae](#)
14. **Golub, V.B.**, 2006, Two new species of lace bugs of the genus *Tingis* F. from Transcaucasia and Middle Asia (Heteroptera, Tingidae) Synonym(s): . Russian Ent. J. 15 (2): 123-126, 3 figs. [available in Cesa Library] [Tingidae](#) [Tingis](#)
15. **Heiss, E. & F.Önder**, 1991, On the Aradidae fauna of Turkey (Heteroptera). Türk. ent. Derg. 15 (2): 65-70, figs. [available in Cesa Library] [Aradidae](#)
16. **Hoberlandt, L.**, 1955, Hemiptera - Heteroptera from Iran I. Acta ent. Mus. nat. Pragae 29: 121-148, figs. [available in Cesa Library] [Cydniidae](#) [Pentatomidae](#) [Coreidae](#) [Saldidae](#) [Veliidae](#) [Gerridae](#) [Nepidae](#) [Belostomatidae](#)

17. **Horvath,G.**, 1875, Monographia Lygaeidarum Hungariae. 109 pp. Budapest. [available in Cesa Library] [Lygaeidae](#)
18. **Horvath,G.**, 1883, Heteroptera anatolica in regione Brussae collecta. Termés. Füzetek 7: 21-30. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Lygaeidae](#) [Aradidae](#) [Tingidae](#) [Hyrdometridae](#) [Reduviidae](#) [Saldidae](#) [Acanthiidae](#) [Capsidae](#)
19. **Horvath,G.**, 1891, Hémipteres recueillis dans l'Armenie Russe. Revue Ent. 10 (3): 68-79; (4): 81. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Lygaeidae](#) [Tingidae](#) [Aradidae](#) [Hebridae](#) [Hydrometridae](#) [Reduviidae](#) [Acanthiidae](#) [Cimicidae](#) [Capsidae](#) [Corixidae](#) [Cicadidae](#) [Cixiidae](#) [Tettigometridae](#) [Dictyopharidae](#) [Psyllidae](#)
20. **Horvath,G.**, 1894, Hémipteres recueillis dans la Russie méridionale et en Transcaucasie. Revue Ent. 13: 169-189. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Berytidae](#) [Lygaeidae](#) [Tingidae](#) [Reduviidae](#) [Saldidae](#) [Cimicidae](#) [Capsidae](#) [Corixidae](#) [Cixiidae](#) [Issidae](#) [Tettigometridae](#) [Cercopidae](#) [Cicadellidae](#) [Psyllidae](#) [Aphididae](#) [Aleurodidae](#) [Coccidae](#)
21. **Horvath,G.**, 1906, Collections recueillies par M.J. de Morgan en Perse: Insecte: Hémipteres du genre Mustha. Bull. Mus. hist. nat. Paris 12 (7): 514-516. [available in Cesa Library] [Pentatomidae](#) [Mustha](#)
22. **Horvath,G.v.**, 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, Naturwissenschaftliche Beitrage zur Kenntniss der Kaukasuslaender auf Grund seiner Sammelbeute Dresden. Jb. naturw. Ges. "Isis" Dresden 1878: 72-76, 85-86. [available in Cesa Library]
23. **Horvath,G.v.**, 1880, Hemipterologisches aus Transkaukasien. Sber. naturw. Ges. Isis Dresden 1879: 93-97. [available in Cesa Library]
24. **Horvath,G.v.**, 1905, Hemipteren, [in] Penther & Zederbauer, Naturwissenschaftliche Reise zum Erdschias-Dagh. Annln naturh. Mus. Wien 20 (2/3): 179-189. [available in Cesa Library]
25. **I.Özdemir, Remaudière,G., Toros,S. & N.Kılınċer**, 2005, New Aphid records from Turkey including the description of a new Lachnus species (Hemiptera, Aphididae) Synonym(s): . Revue fr. Ent. (N.S.) 27 (3): 97-102, figs. [available in Cesa Library] [Aphididae](#)
26. **Japoshvili,G. & J.S.Noyes**, 2006, The Western Palaearctic species of Psilophrys Mayr (Hymenoptera, Chalcidoidea, Encyrtidae) Synonym(s): , parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) Synonym(s): attacking oaks (Quercus spp.). J. Nat. Hist. 40 (29-31): 1793-1800, figs. [available in Cesa Library] [Chalcidoidea](#) [Encyrtidae](#) [Coccoidea](#) [Kermesidae](#)
27. **Japoshvili,G.O. & I.Karaca**, 2003, New records of encyrtid parasitoids of Kermes palestiniensis Balachowsky (Hemiptera, Kermesidae) Synonym(s): with the description of a new species of Blastothrix Mayr (Hymenoptera, Encyrtidae) Synonym(s): from Turkey. Ent. News 114 (4): 187-191, figs. [available in Cesa Library] [Chalcidoidea](#) [Encyrtidae](#) [Coccoidea](#) [Kermesidae](#)
28. **Kemal,M. & A.Ö.Koçak**, 2008, Occurrence of Soldier Bug (Spilostethus pandurus) in Van Province (Turkey) (Hemiptera, Lygaeidae) Synonym(s): . Cesa News 33: 1-3, 3 figs. 1 map. [available in Cesa Library] [Lygaeidae](#) [Spilostethus pandurus](#)
29. **Kerzhner,I.M. & R.T.Schuh**, 2001, Corrections to the Catalog "Plant bugs of the World" by Randall T.Schuh (Heteroptera, Miridae) Synonym(s): . J. New. York Ent. Soc. 109 (2): 263-299. [available in Cesa Library] [Miridae](#) [Cranocapsus turcicus](#)
30. **Kiritshenko,A.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5. [available in Cesa Library]
31. **Kiritshenko,A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Pyrrhocoridae](#) [Lygaeidae](#) [Reduviidae](#) [Nabidae](#) [Anthochoridae](#) [Miridae](#) [Notonectidae](#)
32. **Konstantinov,F.V.**, 1997, A revision of the genus Psallopsis (Heteroptera, Miridae) Synonym(s): . Zoosyst. ross. 6 (1/2): 171-190, figs. [available in Cesa Library] [Miridae](#) [Psallopsis](#)
33. **Koçak,A.Ö. & M.Kemal**, 2009, Gouxia nom.n., a replacement name of a genus group taxon in the Hemiptera (Coccoidea, Pseudococcidae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 149: 1. [available in Cesa Library] [Pseudococcidae](#)
34. **Koçak,A.Ö. & M.Kemal**, 2009, A generic replacement name in the family Psyllidae (Hemiptera). Cent. ent. Stud., Misc. Pap. 149: 7. [available in Cesa Library] [Psyllidae](#) [Acaerus Shaerqia](#)
35. **Koçak,A.Ö. & M.Kemal**, 2009, A generic replacement name in the family Gerridae (Hemiptera) from Afrotropical Region. Cent. ent. Stud., Misc. Pap. 150: 3-4. [available in Cesa Library] [Gerridae](#)
36. **Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina serhadensis](#)
37. **Koçak,A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of the families Veliidae and Tingidae (Hemiptera). Priamus 12 (6): 151-152. [available in Cesa Library] [Veliidae](#) [Tingidae](#)

38. **Koçak,E., Özdemir,M. & V.V.Zlobin**, 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. *Turk. J. Zool.* 33: 245-247. [available in Cesa Library] [Pentatomidae](#) [Curculionidae](#) [Agromyzidae](#) [Chloropidae](#)
39. **Kıyak,S.**, 1990, *Cranocapsus turcicus* (sp.nov.), yeni bir heteropter türünün tanımı (Insecta, Heteroptera, Miridae) *Synonym(s): . Cent. ent. Stud., Misc. Pap.* 5: 1-3, 1 şekil. [available in Cesa Library] [Miridae](#) [Cranocapsus turcicus](#)
40. **Kıyak,S.**, 1993, Erstnachweisen für die Fauna Heteroptera der Türkei. *Priamus* 6 (3/4): 160-164, 3 Abb. [available in Cesa Library] [Lygaeidae](#) [Nabidae](#)
41. **Kıyak,S.**, 1993, Über terrestrische Wanzenarten von Soğuksu Nationalpark. *Priamus* 6 (3/4): 131-156, Abb. [available in Cesa Library] [Miridae](#) [Anthocoridae](#) [Reduviidae](#) [Phymatidae](#) [Nabidae](#) [Berytidae](#) [Lygaeidae](#) [Pyrrhocoridae](#) [Stenocephalidae](#) [Coreidae](#) [Alydidae](#) [Rhopalidae](#) [Scutelleridae](#) [Pentatomidae](#) [Acanthosomatidae](#) [Cydnidae](#) [Plataspidae](#)
42. **Linnavuori,R. & M.Modarres**, 1999, Studies on the Heteroptera of the Khorassan province in N.E.Iran II. *Cimicomorpha: Miridae. Ent. fenn.* 10: 215-231, figs. [available in Cesa Library] [Miridae](#)
43. **Linnavuori,R.**, 1952, Contributions to the Hemipterous fauna of Palestine. *Ann. ent. fenn.* 18: 188-195, figs. [available in Cesa Library] [Anthocoridae](#) [Miridae](#) [Tettigometridae](#) [Cixiidae](#) [Araeophidae](#) [Dictyophoridae](#) [Issidae](#) [Flatidae](#) [Cicadellidae](#) [Membracidae](#) [Cercopidae](#) [Cicadidae](#)
44. **Linnavuori,R.**, 1961, Hemiptera of Israel II. *Ann. Zool. Soc.* 22 (7): 1-51, 22 figs. [available in Cesa Library] [Miridae](#) [Cimicidae](#) [Anthocoridae](#) [Nabidae](#) [Reduviidae](#) [Joppeicidae](#) [Aradidae](#) [Tingidae](#) [Piesmidae](#)
45. **Linnavuori,R.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. *Acta ent. fenn.* 21: 1-67, 24 figs. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Stenocephalidae](#) [Alydidae](#) [Rhopalidae](#) [Pyrrhocoridae](#) [Lygaeidae](#) [Berytidae](#) [Tingidae](#) [Reduviidae](#) [Nabiidae](#) [Anthocoridae](#) [Miridae](#) [Gerridae](#) [Pleidae](#) [Notonectidae](#) [Corixidae](#) [Cicadidae](#) [Cercopidae](#) [Cicadellidae](#) [Cixiidae](#) [Delphacidae](#) [Issidae](#) [Flatidae](#) [Dictyopharidae](#) [Meenoplidae](#) [Tettigometridae](#)
46. **Linnavuori,R.**, 1972, Studies on Palaearctic Hemiptera. *Ann. Ent. fenn.* 38: 40-50, figs [available in Cesa Library] [Miridae](#) [Reduviidae](#) [Heterocordylus](#) [Systellonotus](#) [Ectomocoris](#)
47. **Linnavuori,R.**, 1995, On the Miridae fauna of the Middle East (Heteroptera, Miridae) *Synonym(s): . Ent. fenn.* 5: 205-212, figs. [available in Cesa Library] [Miridae](#)
48. **Lis,J.A.**, 1999, Burrower bugs of the Old World (Hemiptera, Heteroptera, Cydnidae) *Synonym(s): . Genus* 10 (2): 165-249. [available in Cesa Library] [Cydnidae](#)
49. **Memon,N. & I.Ahmad**, 2008, Description of *Mustha izmirensis*, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. *Pakistan J. Zool.* 40 (6): 435-439, figs. [available in Cesa Library] [Pentatomidae](#) [Mustha izmirensis](#)
50. **Mutun,S. Ceyhan,Z. & C.Sözen**, 2009, Invasion by the oak lace bug, *Corytheucha arcuata* (Say) (Heteroptera, Tingidae) *Synonym(s): . Turk J. Zool.* 33: 263-268, figs. [available in Cesa Library] [Tingidae](#) [Corytheucha arcuata](#)
51. **Neimorovets,V.V.**, 2006, On the synonymy and distribution of the Heteropterans, *Trapezonotus dispar* Stal and *T. desertus* Seidenstücker (Heteroptera, Lygaeidae) *Synonym(s): . Ent. Obozr.* 85 (1): 162-166, figs. [Lygaeidae](#) [Trapezonotus dispar](#) [desertus](#)
52. **Nieser,N. & Z.Moubayed**, 1985, Les Heteroptere aquatiques du Liban I. *Inventaire faunistique. Anns Limnol.* 21 (3): 247-252. [available in Cesa Library] [Nepomorpha](#)
53. **Remaudière,G., Toros,S. & I.Özdemir**, 2006, New contribution to the Aphid fauna of Turkey (Hemiptera, Aphidoidea). *Revue fr. Ent. (N.S.)* 28 (2): 75-96. [available in Cesa Library] [Aphididae](#)
54. **Reuter,O.M.**, 1890, Conspectus specierum generis *Mustha* (Hemiptera, Pentatomidae) *Synonym(s): . Revue d'Ent.* 9: 262-264. [available in Cesa Library] [Pentatomidae](#) [Mustha longispinis](#)
55. **Thomas,D.B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae) *Synonym(s): . Insecta mundi* 8 (3/4): 145-212, figs. [available in Cesa Library] [Pentatomidae](#)
56. **Vega,M.C.**, 2005, Estudio taxonomico y faunistico de los Lygaeidae Schilling,1829 (Insecta, Heteroptera) del macizo central de la Sierra de Gredos (Sistema Central). *Bol. Soc. Ent. Arag.* 36: 333-345, figs. [available in Cesa Library] [Lygaeidae](#)
57. **Viskens,G.**, 1995, Check List of the Heteroptera of Europe. <http://www.earthlife.net/insects/heteropt.html> [accessed on 16 Jan.,2010]. [available in Cesa Library] [Heteroptera](#)
58. **Çağatay,N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae) *Synonym(s): . Ent. Abh.* 53 (2): 27-36, figs. [available in Cesa Library] [Lygaeidae](#) [Geocorinae](#)
59. **Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... *Cesa News* 48: 1-60, 111 figs. [available in Cesa Library]
60. **Önder,F., Karsavuran,Y., Tezcan,S. & M.Fent**, 2006, Türkiye Heteroptera (Insecta) Kataloğu. 164 s. Izmir. [available in Cesa Library] [Heteroptera](#)

61. **Özgen,İ., Gözüaçık,C., Karsavuran,Y. & M.Fent,** 2005, Doğu ve Güneydoğu Anadolu Bölgesi'nde Antepfıstığı, Kayısı, Kiraz ve Zeytin Ağaçlarında bulunan Pentatomidae (Heteroptera) familyasına ait türlerin saptanması üzerine çalışmalar. Ege Üniv. Ziraat Derg. 42 (2): 35-43. [available in Cesa Library] [Pentatomidae](#)

Homoptera

1. **Ahmed,M., Qadeer,A. & K.F.Malik,** 1991, Some new cicadellids from grasslands of Karachi Pakistan (Homoptera, Cicadellidae) Synonym(s): . Great Basin nat. Mem. 12: 10-17, figs. [available in Cesa Library] [Cicadellidae](#)
2. **Altınayar,G.,** 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
3. **Andrade,G.S.,** 1997, *Stictocephala alta* (Walker,1851) sp. rev., comb. nov., the correct name for the "buffalo treehopper", with *S. bisonia* Kopp & Yonke,1977 as a new synonym, and notes on *Hadrophallus bubalus* (Fabricius,1794) comb. nov. (Homoptera, Membracidae) Synonym(s): . Trans. am. ent. Soc. 123 (4): 289-295. [Membracidae Stictocephala](#)
4. **Boulard,M.,** 1988, Les Lyristes d'Asie mineure (Hom., Cicadidae) Synonym(s): . I. Sur deux formes éthospécifiques syntopiques et description de deux especes nouvelles. l'Entomologiques 44 (4): 153-167. [Cicadidae Lyristes](#)
5. **Boulard,M.,** 1992, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premieres informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) Synonym(s): . Nouv. Revue d'Ent. (N.S.) 9 (4): 365-374. [Cicadidae Pagiphora yanni](#)
6. **Boulard,M.,** 1993, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premieres informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae) Synonym(s): . Turk. Ent. Derg. 17 (1): 1-9, figs. [second unnecessary publication!] [available in Cesa Library] [Cicadidae Pagiphora yanni](#)
7. **Broomfield,P.S.,** 1971, A catalogue of the Membracid types (Homoptera, Membracidae) Synonym(s): in the British Museum (Natural History). Bull. Br. Mus. Nat. Hist. (Ent.) 25 (8): 325-386. [available in Cesa Library] [Membracidae](#)
8. **Burckhardt,D. & A.Önuçar,** 1993, A review of Turkish jumping plant-lice (Homoptera, Psylloidea). Revue suisse Zool. 100: 547-575. [Psylloidea](#)
9. **Burckhardt,D.,** 1988, Angaben zur Psyllidenfauna der Nordosttürkei (Homoptera, Psylloidea). Mitt. ent. Ges. Basel 38: 31-44. [Psylloidea](#)
10. **China,W.E.,** 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library] [Cydnidae Pentatomidae Coreidae Lygaeidae Reduviidae Gerridae Belostomatidae Cicadidae Dictyopharidae Flatidae Ricaniidae](#)
11. **China,W.E.,** 1938, Hemiptera from Iraq, Iran and Arabia. Field Mus. Nat. Hist. (Zool.) 20 (32): 427-437. [available in Cesa Library] [Pentatomidae Coreidae Lygaeidae Reduviidae Gerridae Belostomatidae Cicadidae Dictyopharidae Flatidae Ricaniidae](#)
12. **Demir,E.,** 1998, Türkiye Homoptera faunası için yeni kayıtlar (Homoptera, Auchenorrhyncha, Tropiduchidae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 55/56: 1-3, 1 fig. [available in Cesa Library] [Tropiduchidae Trypetimorpha fenestrata](#)
13. **Demir,E.,** 2006, *Bobacella* (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): : A new genus record for Turkey. Ent. News 117: 455-456. [available in Cesa Library] [Cicadellidae Bobacella](#)
14. **Demir,E.,** 2006, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera) with a new record, *Pentastridius nanus* (Ivanoff,1885). Mun. Ent. Zool. 1 (1): 97-122, figs. [available in Cesa Library] [Cixiidae Delphacidae Meenoplidae Derbidae Dictyopharidae Tettigometridae Cicadidae Cercopidae Membracidae Cicadellidae](#)
15. **Demir,E.,** 2006, Contributions to the knowledge of Turkish Auchenorrhyncha with twelve new records (Homoptera, Cicadellidae) Synonym(s): . Mun. Ent. Zool. 1 (2): 215-236. [available in Cesa Library] [Cicadellidae](#)
16. **Demir,E.,** 2006, A new species of *Thamnotettix* Zetterstedt,1840 (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): from Turkey. J. Kansas ent. Soc. 79 (3): 383-387, figs. [available in Cesa Library] [Cicadellidae Thamnotettix lutfi](#)
17. **Demir,E.,** 2007, Auchenorrhyncha (Homoptera) data from Ankara with two new records to Turkey. Mun. Ent. Zool. 2 (2): 481-492. [available in Cesa Library] [Cixiidae Delphacidae Meenoplidae Tettigometridae Caliscelidae Issidae Flatidae Cicadidae Cercopidae Membracidae Cicadellidae](#)

18. **Demir,E.**, 2007, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera, Fulgoromorpha and Cicadomorpha, excl. Cicadellidae) Synonym(s): with a new record *Setapius klapperichianus* Dlabola,1988 Mun. Ent. Zool. 2 (1): 39-58. [available in Cesa Library] [Cixiidae](#) [Delphacidae](#) [Meenoplidae](#) [Achilidae](#) [Dictyopharidae](#) [Tropiduchidae](#) [Tettigometridae](#) [Caliscelidae](#) [Issidae](#) [Flatidae](#) [Cicadidae](#) [Cercopidae](#) [Membracidae](#)
19. **Demir,E.**, 2007, Known species of Turkish Tachycixius Wagner,1939 (Homoptera, Auchenorrhyncha, Cixiidae, Cixiinae). Mun. Ent. Zool. 2 (1): 171-172. [available in Cesa Library] [Cixiidae](#) [Tachycixius](#)
20. **Demir,E.**, 2008, The Fulgoromorpha and Cicadomorpha of Turkey Part I Mediterranean Region (Homiptera) Mun. Ent. Zool. 3 (1): 447-522. [available in Cesa Library] [Cixiidae](#) [Delphacidae](#) [Meenoplidae](#) [Derbidae](#) [Achilidae](#) [Dictyopharidae](#) [Tropiduchidae](#) [Tettigometridae](#) [Caliscelidae](#) [Issidae](#) [Flatidae](#) [Cicadidae](#) [Cercopidae](#) [Membracidae](#) [Ulopidae](#) [Cicadellidae](#)
21. **Demir,E.**, 2009, Ricania Germar,1818 species of western Palaearctic Region (Homiptera, Fulgoromorpha, Ricaniidae) Synonym(s): . Munis Ent. Zool. 4 (1): 271-275, figs. [available in Cesa Library] [Ricaniidae](#)
22. **Distant,W.L.**, 1906, Rhynchotal notes xxxviii. Ann. Mag. nat. Hist. (7) 18: 18-32. [available in Cesa Library] [Fulgoridae](#) [Cicadidae](#)
23. **Distant,W.L.**, 1906, Rhynchotal notes xxxix. Ann. Mag. nat. Hist. (7) 18: 191-208. [available in Cesa Library] [Fulgoridae](#) [Eurybrachidae](#)
24. **Dlabola,J.**, 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae) Synonym(s): . Türk. bitki kor. derg. 9: 75-78, figs. [available in Cesa Library] [Cicadellidae](#)
25. **Fahringer,J.**, 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. Konowia 1: 137-144, 296-307. [available in Cesa Library]
26. **Giustina,W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] Faune de France 73: 1-362, 143 pls. [available in Cesa Library] [Cicadellidae](#)
27. **Gnezdilov,V.M. & S. Drosopoulos**, 2004, Reviews of the subgenus *Semirotus* Dlabola of the genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): . Anns Soc. ent. Fr. (n.s.) 40 (3/4): 235-241, figs. [available in Cesa Library] [Issidae](#) [Mycterodus](#) [Semirotus](#)
28. **Gnezdilov,V.M.**, 2002, New species of the genus *Tshurtshurnella* Kusnezov,1927 (Homoptera, Cicadina, Issidae) Synonym(s): from Turkey and Lebanon. Russ. ent. J. 11 (3): 233-240, figs. [available in Cesa Library] [Issidae](#) [Tshurtshurnella](#)
29. **Gnezdilov,V.M.**, 2008, New and little known species of Planthopper Genus *Mycterodus* Spinola (Homoptera, Issidae) Synonym(s): from the East Mediterranean. Ent. Review 88 (7): 808-814, figs. [Issidae](#) [Mycterodus](#)
30. **Güçlü,Ş. & D.Burckhardt**, 1996, New records of jumping plant-lice from Turkey (Homiptera, Psylloidea). Entomofauna 17 (24): 381-384. [available in Cesa Library] [Psylloidea](#)
31. **Haupt,H.**, 1917, Neue palaearktische Homoptera nebst Bemerkungen über einige schon bekannte. Wien. ent. Ztg. 36: 229-262, 12 Abb. [available in Cesa Library]
32. **Horvath,G.**, 1891, Hémipteres recueillis dans l'Arménie Russe. Revue Ent. 10 (3): 68-79; (4): 81. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Lygaeidae](#) [Tingidae](#) [Aradidae](#) [Hebridae](#) [Hydrometridae](#) [Reduviidae](#) [Acanthiidae](#) [Cimicidae](#) [Capsidae](#) [Corixidae](#) [Cicadidae](#) [Cixiidae](#) [Tettigometridae](#) [Dictyopharidae](#) [Psyllidae](#)
33. **Horvath,G.**, 1894, Hémipteres recueillis dans la Russie méridionale et en Transcaucasie. Revue Ent. 13: 169-189. [available in Cesa Library] [Pentatomidae](#) [Coreidae](#) [Berytidae](#) [Lygaeidae](#) [Tingidae](#) [Reduviidae](#) [Saldidae](#) [Cimicidae](#) [Capsidae](#) [Corixidae](#) [Cixiidae](#) [Issidae](#) [Tettigometridae](#) [Cercopidae](#) [Cicadellidae](#) [Psyllidae](#) [Aphididae](#) [Aleurodidae](#) [Coccidae](#)
34. **Horvath,G.v.**, 1880, Hemipterologisches aus Transkaukasien. Sber. naturw. Ges. Isis Dresden 1879: 93-97. [available in Cesa Library]
35. **Horvath,G.v.**, 1905, Hemipteren, [in] Penther & Zederbauer, Naturwissenschaftliche Reise zum Erdschias-Dagh. Annln naturh. Mus. Wien 20 (2/3): 179-189. [available in Cesa Library]
36. **Kalkandelen,A.**, 1985, Four new species of genus *Zyginidia* (*Zyginidia*) Haupt (Homoptera, Cicadellidae) Synonym(s): and with notes on the taxonomy and distributions of the species of this genus in Turkey. Türk. bitki kor. derg. 9: 13-25, figs. [available in Cesa Library] [Cicadellidae](#) [Zyginidia](#)
37. **Karsavuran,Y. & Ş.Güçlü**, 2004, Türkiye faunası için yeni bir zararlı tür, *Metcalfa pruinosa* (Say,1830) (Homoptera, Flatidae) Synonym(s): . Türk. ent. derg. 28 (3): 209-212. [available in Cesa Library] [Flatidae](#) [Metcalfa](#) [pruinosa](#)
38. **Kartal,V. Zeybekoğlu,Ü. & A.Dursun**, 2001, A faunistic study on Deltocephalinae (Homoptera, Auchenorrhyncha, Cicadellidae) Synonym(s): in Yüksekova (Hakkari). Türk. ent. Derg. 25 (2): 83-92. [available in Cesa Library] [Cicadellidae](#)
39. **Kartal,V.**, 1978, Eine neue Singzikaden Art der Gattung *Pagiphora* Horvath von Creta (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . Ent. Z., Frankf. a.M. 88 (16): 179-185. [Cicadidae](#)

40. **Kartal, V.**, 1980, Neue und wenig bekannte Arten den Gattungen Cicadetta und Cicadatra aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae) Synonym(s): . Ent. Z., Frankf. a.M. 90 (17): 185-192, 4 Abb. [available in Cesa Library] [Cicadidae Cicadetta fraseri Cicadatra reinhardi adanai](#)
41. **Kartal, V.**, 1983, Neue Homopteren aus der Türkei II (Homoptera, Auchenorrhyncha). Marb. ent. Publ. 1 (8): 235-248, figs. [Cicadellidae](#)
42. **Kartal, V.**, 1987, Eine neue und wenig bekannte Arten der Gattung Ranissus aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae) Synonym(s): . Türk. ent. derg. 11 (3): 145-150, figs. [available in Cesa Library] [Dictyopharidae](#)
43. **Kemal, M. & A.Ö.Koçak**, 2010, Cicadidae of Turkey and some ecological notes on Tibicina serhadensis Koçak & Kemal from Van Province (East Turkey) (Homoptera). Cesa News 55: 1-19, 1 map, 26 figs. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)
44. **Kirkaldy, G.W.**, 1909, Hemiptera, old and new, nr.2. Canad. ent. 41: 388-392. [available in Cesa Library] [Cicadidae Miridae Fulgoridae Issidae Lygaeidae Nabidae Reduviidae Hydrometridae](#)
45. **Klimaszewski, S.M. & N.Lodos**, 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. Türk. Bitki Kor. Derg. 4: 219-227. [Psylloidea](#)
46. **Koçak, A.Ö. & M.Kemal**, 2008, Nomenclatural notes in the genus group taxa of Homoptera. Cent. ent. Stud., Misc. Pap. 139-140: 15. [available in Cesa Library]
47. **Koçak, A.Ö. & M.Kemal**, 2008, Cercopicesa nom.nov., a replacement name in the family Cercopidae from Australia (Homoptera). Cent. ent. Stud., Misc. Pap. 144: 4. [available in Cesa Library] [Cercopidae Cercopicesa Tonnoiria](#)
48. **Koçak, A.Ö. & M.Kemal**, 2009, Two replacement names for the genera in the family Cixiidae (Homoptera). Cent. ent. Stud., Misc. Pap. 147-148: 5-6. [available in Cesa Library] [Cixiidae](#)
49. **Koçak, A.Ö. & M.Kemal**, 2010, Some replacement names among the genus group names in various families of the order Homoptera. Priamus 12 (5): 128-130. [available in Cesa Library] [Delphacidae Cicadellidae Cercopidae Fulgoridae](#)
50. **Koçak, A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)
51. **Koçak, A.Ö. & M.Kemal**, 2010, Generic replacement name in the family Derbidae from New Caledonia and Australia (Homoptera). Priamus 12 (6): 154. [available in Cesa Library] [Derbidae](#)
52. **Koçak, A.Ö. & M.Kemal**, 2010, A generic replacement name, Kazachicesa nom. n. from Central Asia (Homoptera, Delphacidae) Synonym(s): . Priamus 12 (6): 153. [available in Cesa Library] [Delphacidae](#)
53. **Kusnezov, V.**, 1931, Übersicht der asiatischen weissgeflügelten Tibicina-Arten (Homopt.- Cicadidae) Synonym(s): . Konowia 10: 15-18. [available in Cesa Library] [Cicadidae Tibicina](#)
54. **Linnavuori, R.**, 1952, Contributions to the Hemipterous fauna of Palestine. Ann. ent. fenn. 18: 188-195, figs. [available in Cesa Library] [Anthocoridae Miridae Tettigometridae Cixiidae Araeophidae Dictyophoridae Issidae Flatidae Cicadellidae Membracidae Cercopidae Cicadidae](#)
55. **Linnavuori, R.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. Acta ent. fenn. 21: 1-67, 24 figs. [available in Cesa Library] [Pentatomidae Coreidae Stenocephalidae Alydidae Rhopalidae Pyrrhocoridae Lygaeidae Berytidae Tingidae Reduviidae Nabiidae Anthocoridae Miridae Gerridae Pleidae Notonectidae Corixidae Cicadidae Cercopidae Cicadellidae Cixiidae Delphacidae Issidae Flatidae Dictyopharidae Meenoplidae Tettigometridae](#)
56. **Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey I. Family Cixiidae Spinola. Türk. bitki kor. derg. 4 (1): 15-27. [available in Cesa Library] [Cixiidae](#)
57. **Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey II. Family Delphacidae Leach. Türk. bitki kor. derg. 4 (2): 103-117. [available in Cesa Library] [Delphacidae](#)
58. **Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey III. Families Meenoplidae, Derbidae, Achilidae, Dictyopharidae and Tettigoniidae. Türk. bitki kor. derg. 4 (3): 161-176. [available in Cesa Library] [Meenoplidae Derbidae Achilidae Dictyopharidae Tettigoniidae](#)
59. **Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IV. Family Issidae Spinola. Türk. bitki kor. derg. 5 (1): 5-21. [available in Cesa Library] [Issidae](#)
60. **Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey V. Families Flatidae, Ricaniidae and Cicadidae. Türk. bitki kor. derg. 5 (2): 67-82. [available in Cesa Library] [Flatidae Ricaniidae Cicadidae](#)
61. **Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VI. Families Cercopidae and Membracidae. Türk. bitki kor. derg. 5 (3): 133-149. [available in Cesa Library] [Cercopidae Membracidae](#)

62. **Lodos,N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VII. Family Cicadellidae, Ulopinae, Megophthalminae, Ledrinae, Macropsinae and Agallinae. Türk. bitki kor. derg. 5 (4): 215-230. [available in Cesa Library] [Cicadellidae Ulopinae Megophthalminae Ledrinae Macropsinae Agallinae](#)
63. **Lodos,N. & A.Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VIII. Family Cicadellidae, Idiocerinae. Türk. bitki kor. derg. 6 (1): 15-28. [available in Cesa Library] [Cicadellidae Idiocerinae](#)
64. **Lodos,N. & A.Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IX. Family Cicadellidae, Jassinae, Penthiminae, Dorycephalinae, Hecalinae and Aphrodinae. Türk. bitki kor. derg. 6: 147-159. [available in Cesa Library] [Cicadellidae Jassinae Penthiminae Dorycephalinae Hecalinae Aphrodinae](#)
65. **Lodos,N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey X. Family Cicadellidae, Xestocephalinae, Stegelytrinae and Cicadellinae. Türk. bitki kor. derg. 7 (1): 23-28. [available in Cesa Library] [Cicadellidae Xestocephalinae Stegelytrinae Cicadellinae](#)
66. **Lodos,N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XI. Family Cicadellidae, Typhlocybinae: Alebrini and Dikraneurini. Türk. bitki kor. derg. 7: 107-115. [available in Cesa Library] [Cicadellidae Typhlocybinae Alebrini Dikraneurini](#)
67. **Lodos,N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XII. Family Cicadellidae, Typhlocybinae: Emposcini. Türk. bitki kor. derg. 7: 153-165. [available in Cesa Library] [Cicadellidae Typhlocybinae Emposcini](#)
68. **Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIII. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 1). Türk. bitki kor. derg. 8 (1): 33-44. [available in Cesa Library] [Cicadellidae Typhlocybinae Typhlocybini](#)
69. **Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIV. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 2). Türk. bitki kor. derg. 8: 87-97. [available in Cesa Library] [Cicadellidae Typhlocybinae Typhlocybini](#)
70. **Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XV. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 1). Türk. bitki kor. derg. 8: 159-168. [available in Cesa Library] [Cicadellidae Typhlocybinae Erythroneurini](#)
71. **Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVI. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 2). Türk. bitki kor. derg. 8: 201-210. [available in Cesa Library] [Cicadellidae Typhlocybinae Erythroneurini](#)
72. **Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVII. Family Cicadellidae, Deltocephalinae: Grypotini, Goniagnathini and Opsiini (Part 1). Türk. bitki kor. derg. 9: 79-90. [available in Cesa Library] [Cicadellidae Deltocephalinae Grypotini Goniagnathini Opsiini](#)
73. **Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVIII. Family Cicadellidae, Deltocephalinae: Macrostelini (Part 2). Türk. bitki kor. derg. 9 (3): 147-161. [available in Cesa Library] [Cicadellidae Deltocephalinae Macrostelini](#)
74. **Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIX. Family Cicadellidae, Deltocephalinae: Deltocephalini, Scaphytopiini, Doraturini. Türk. bitki kor. derg. 9: 207-215. [available in Cesa Library] [Cicadellidae Deltocephalinae Deltocephalini Scaphytopiini Doraturini](#)
75. **Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XX. Family Cicadellidae, Deltocephalinae: Fieberiellini, Stirellini and Tetartostyliini. Türk. bitki kor. derg. 10 (1): 25-32. [available in Cesa Library] [Cicadellidae Deltocephalinae Fieberiellini Stirellini Tetartostyliini](#)
76. **Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXI. Family Cicadellidae, Deltocephalinae: Athysanini (Part 1). Türk. bitki kor. derg. 10 (3): 131-139. [available in Cesa Library] [Cicadellidae Deltocephalinae Athysanini](#)
77. **Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 2). Türk. bitki kor. derg. 10 (4): 203-211. [available in Cesa Library] [Cicadellidae Deltocephalinae Athysanini](#)

78. **Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 3). Türk. ent. derg. 11 (1): 29-40. [available in Cesa Library] [Cicadellidae Deltocephalinae Athysanini](#)
79. **Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIV. Family Cicadellidae, Deltocephalinae: Athysanini (Part 4). Türk. ent. derg. 11 (2): 97-109. [available in Cesa Library] [Cicadellidae Deltocephalinae Athysanini](#)
80. **Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXV. Family Cicadellidae, Deltocephalinae: Paralimnini Distans (Part 1). Türk. ent. derg. 11 (3): 151-162. [available in Cesa Library] [Cicadellidae Deltocephalinae Paralimnini](#)
81. **Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVI. Family Cicadellidae, Deltocephalinae: Paralimnini Distant (Part 2). Türk. ent. derg. 11 (4): 195-202. [available in Cesa Library] [Cicadellidae Deltocephalinae Paralimnini](#)
82. **Lodos,N. & A.Kalkandelen**, 1988, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVII. (Addenda and Corrigenda). Türk. ent. derg. 12 (1): 11-22. [available in Cesa Library] [Cicadellidae](#)
83. **Puissant,S. & Sueur,J.**, 2002, Description of a new Cicada species from Turkey (Hemiptera, Cicadoidea). Revue fr. Ent. (N.S.) 24 (4): 197-200, figs. [available in Cesa Library] [Cicadidae Tibicina fieberi](#)
84. **Rezwani,A.**, 2008, A new species and a new record of a subspecies belonging to the genus Dysaphis (Homoptera, Aphididae) Synonym(s): from Iran. J. ent. Soc. Iran 27 (2): 23-26, figs. [available in Cesa Library] [Aphididae](#)
85. **Schedl,W.**, 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, Auchenorrhyncha, Cicadidae et Tibicinidae) Synonym(s): . Linzer biol. Beitr. 31 (2): 823-837, figs. [available in Cesa Library] [Cicadidae](#)
86. **Schedl,W.**, 2001, Eine neue Singzikade aus der Türkei, Tettigetia turcica nov. spec. (Cicadoidea, Tibicinidae) Synonym(s): . Linzer biol. Beitr. 33 (2): 1287-1290, figs. [available in Cesa Library] [Cicadidae](#)
87. **Sueur,J. & S.Puissant**, 2003, Analysis od sound behaviour leads to new synonymy in Mediterranean cicadas (Hemiptera, Cicadidae, Tibicina). Mitt. Mus. Natkd. Berl., Dt. ent. Z. 50 (1): 121-127, figs. [available in Cesa Library] [Cicadidae Tibicina](#)
88. **Sueur,J., Puissant,S. & J.-M.Pillet**, 2003, An eastern Mediterranean Cicada in the West: First record of Tibicina steveni (Krynicky,1837) in Switzerland and France (Hemiptera, Cicadidae, Tibicininae). Revue fr. Ent. (N.S.) 25 (3): 105-111, figs. [available in Cesa Library] [Cicadidae Tibicina](#)
89. **Vondracek,K.**, 1953, Results of the zoological scientific expedition of the National Museum in Praha to Turkey. 14. Hemiptera III. Homoptera-Psyllinea. Acta ent. Mus. natn. Pragae 27: 435-450. [Psylloidea](#)
90. **Wei,C., Zubair,A. & S.A.Rizvi**, 2010, Shaoshia, an unusual new cicada genus from Pakistan with the description of a new species (Hemiptera, Cicadidae) Synonym(s): . Zootaxa 2421: 28-34, figs. [available in Cesa Library] [Cicadidae Shaoshia zhangii](#)
91. **Wilson,M.R.**, 1991, Afronisia, a new african genus of Meenoplidae (Homoptera, Fulgoroidea). Great Basin nat. Mem. 12: 324-334, 57 figs. [available in Cesa Library] [Meenoplidae](#)
92. **Yaakop,S., Duffels,J.P. & H.Visser**, 2005, The Cicada genus Chremistica Stal (Hemiptera, Cicadidae) Synonym(s): in Sundaland. Tijdschr. Ent. 148: 247-306, 92 figs. 1 tab. [available in Cesa Library] [Cicadidae Chremistica](#)
93. **Yilmaz,E., Karsavuran,Y. & Ü.Zeybekoğlu**, 2009, Aydın, İzmir ve Manisa illeri mısırsır alanlarında belirlenen Cixiidae ve Delphacidae (Homoptera) familyalarına bağlı türler üzerine araştırmalar. Türk. ent. Derg. 33 (1): 63-71. [available in Cesa Library] [Cixiidae Delphacidae](#)
94. **Zachvatkin,A.A.**, 1946, Studies on the Homoptera of Turkey. Trans. R. ent. Soc. London 97 (6): 149-176, figs.
95. **[Adamstroinski]**, 2001, Two new species of genus Ricania Germar,1808 from North Vietnam (Hemiptera, Fulgoromorpha, Ricaniidae) Synonym(s): . Genus 12 (4): 437-443, figs. [available in Cesa Library] [Ricaniidae Ricania](#)
96. **Ülgentürk,S. & M.R.Ulusoy**, 1999, Ankara İlinde bulunan beyazsinek türleri (Homoptera, Aleyrodidae) Synonym(s): . Türk. ent. Derg. 23 (4): 259-268. [available in Cesa Library] [Aleyrodidae](#)

Neuroptera

1. **Albarda, H.**, 1891, Révision des Raphidides. Tijdschr. Ent. 34: 65-184, 11 pls. [available in Cesa Library] [Raphidiidae](#)
2. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
3. **Aspöck, H. & U. Aspöck**, 1964, Neue Arten des Genus Raphidia L. aus Südosteuropa und Kleinasien (Vorläufige Beschreibung). Ent. Nachrbl. 11: 37-40. [Raphidiidae](#) [Raphidia phoenicia](#)
4. **Aspöck, H. & U. Aspöck**, 1966, Studien an europäischen und kleinasiatischen Arten des Genus Raphidia L. (Insecta, Raphidioidea). Mitt. schweiz. ent. Ges. 39: 33-48, figs. [Raphidiidae](#) [Raphidia](#)
5. **Aspöck, H. & U. Aspöck**, 1967, Raphidia friederikae nov. spec. und Raphidia walteri nov. spec. aus Anatolien (Ins., Neuropt., Raphid.). Ent. Nachrbl. 14: 87-94, figs. [available in Cesa Library] [Raphidiidae](#) [Raphidia friederikae walteri](#)
6. **Aspöck, H.**, 1965, Zur Kenntnis der Raphidiiden von Südosteuropa und Kleinasien. Anln. naturh. Mus. Wien 68: 309-364, figs. [available in Cesa Library] [Raphidiidae](#)
7. **Aspöck, H., Aspöck, U. & H. Rausch**, 1984, Turcoraphidia hethitica n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. NachrBl. bayer. Ent. 33 (4): 97-106, figs. [available in Cesa Library] [Raphidiidae](#)
8. **Aspöck, H., Aspöck, U. & O.M. Martynova**, 1969, Untersuchungen ueber die Raphidiiden-fauna der Sowjet-Union (Insecta, Raphidioptera). Tijdschr. Ent. 112: 123-164, 99 figs. [available in Cesa Library] [Raphidiidae](#) [Raphidia](#)
9. **Aspöck, H., Aspöck, U. & Ç. Şengonca**, 1976, Raphidia (Phidiara) remane n.sp. - eine neue Kamelhalsfliege aus Vorderasien (Neur., Raphidioptera, Raphidiidae) Synonym(s): . Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs. [available in Cesa Library] [Raphidiidae](#) [Raphidia remane](#)
10. **Aspöck, U. & H. Aspöck**, 1969, Das Subgenus Phidiara Aspöck et Aspöck 1968 (Raphidioptera, Raphidiidae, Raphidia). Z. ArbGem. Öst. Ent. 21: 109-120, 6 Abb. [available in Cesa Library] [Raphidiidae](#) [Phidiara](#) [Raphidia](#)
11. **Aspöck, U. & H. Aspöck**, 1979, Nyrma kervillea Navas - Wiederentdeckung einer systematisch isolierten Hemerobiiden-Soezies in Kleinasien (Neuropteroidea, Planipennia). Z. ArbGem. Öst. Ent. 31: 92-96, figs. [available in Cesa Library] [Hemerobiidae](#) [Nyrma kervillea](#)
12. **Beuk, P.**, 2004-2009, Diptera.info <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.
13. **Canbulat, S. & S. Kıyak**, 2005, A new species of the genus Dichochrysa from Turkey (Neuroptera, Chrysopidae) Synonym(s): . Dt. ent. Z. (N.F.) 52 (2): 225-228, figs. [available in Cesa Library] [Chrysopidae](#) [Dichochrysa hadimensis](#)
14. **Dobosz, R. & L. Abraham**, 2007, New data to the Turkish ascalaphid fauna (Neuroptera, Ascalaphidae) Synonym(s): . Anns Upper Sil. Mus. (Ent.) 14-15: 13-27, figs. [available in Cesa Library] [Ascalaphidae](#)
15. **Dobosz, R. & L. Abraham**, 2009, Contribution to the knowledge of the Turkish tail-wings (Neuroptera, Nemopteridae) Synonym(s): . Natura Somog. 15: 113-126, figs. [available in Cesa Library] [Nemopteridae](#)
16. **Dobosz, R.**, 2007, New faunistics data on Mantispidae (Neuroptera) from Turkey. Anns Upper Sil. Mus. (Ent.) 14-15: 29-34, figs. [available in Cesa Library] [Mantispidae](#)
17. **Dobosz, R.**, 2007, New faunistics data on Osmyliidae (Neuroptera) from Turkey. Anns Upper Sil. Mus. (Ent.) 14-15: 35-37. [available in Cesa Library] [Osmyliidae](#)
18. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y. Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae](#) [Acrididae](#) [Gryllidae](#) [Tettigoniidae](#) [Empusidae](#) [Mantidae](#) [Blattellidae](#) [Forficulidae](#) [Coreidae](#) [Cydniidae](#) [Lygaeidae](#) [Pentatomidae](#) [Reduviidae](#) [Rhopalidae](#) [Scutellaridae](#) [Chrysopidae](#) [Hemerobiidae](#) [Carabidae](#) [Cerambycidae](#) [Coccinellidae](#) [Elateridae](#) [Scarabaeidae](#)
19. **Esben-Petersen, P.**, 1932, Notizen zur Neuropteren- und Mecopterefauna Kleinasiens. Konowia 11: 163-167, 1 fig. [available in Cesa Library] [Nemopteridae](#) [Myrmeleonidae](#) [Hemerobiidae](#) [Berthidae](#) [Chrysopidae](#) [Raphidiidae](#) [Panorpidae](#) [Chrysopa wagneri](#) [Panorpa picta](#)
20. **Hagen, H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
21. **Hölzel, H.**, 1967, Zwei neue Chrysopa-Arten aus Anatolien (Neuroptera, Chrysopidae) Synonym(s): . NachrBl. bayer. Ent. 16 (9/10): 92-95, figs. [available in Cesa Library] [Chrysopidae](#)
22. **Hölzel, H.**, 1967, Die Neuropteren Vorderasiens II. Chrysopidae. Beitr. naturk. Forsch. SW-Dtl. 26 (1): 19-45, figs. [available in Cesa Library] [Chrysopidae](#)
23. **Hölzel, H.**, 1968, Die Neuropteren Vorderasiens III. Nemopteridae. Beitr. naturk. Forsch. SW-Dtl. 27 (1): 37-47, figs. [available in Cesa Library] [Nemopteridae](#)

24. **Kemal, M. & A.Ö.Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, figs. [available in Cesa Library] [Ascalaphidae](#)
25. **Kovancı, B. & S.Canbulat**, 2007, A new species of the genus Nothochrysa McLachlan, 1868 from northwestern Turkey (Neuroptera, Chrysopidae) Synonym(s): with a key to western palaeartic species. Anns Soc. ent. Fr. (n.s.) 43 (2): 165-168, figs. [available in Cesa Library] [Chrysopidae](#) [Nothochrysa turcicus](#)
26. **Koçak, A.Ö. & M.Kemal**, 2002, Van'da üç nadir sinir kanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 87: 5-8, figs. [available in Cesa Library] [Ascalaphidae](#) [Nemopteridae](#)
27. **Koçak, A.Ö. & M.Kemal**, 2008, A replacement name in the genus group taxa of the family Ascalaphidae in Africa (Neuroptera). Cent. ent. Stud., Misc. Pap. 141: 7. [available in Cesa Library] [Ascalaphidae](#)
28. **Koçak, A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina serhadensis](#)
29. **Kıyak, S. & H.Özdikmen**, 1993, Über einige Neuropterenarten von Soğuksu Nationalpark (Kızılcahamam, Ankara). Priamus 6 (3/4): 156-160, 1 Abb. [available in Cesa Library] [Dilaridae](#) [Hemerobiidae](#) [Chrysopidae](#) [Ascalaphidae](#)
30. **Meinander, M.**, 1972, A revision of the family Coniopterygidae (Planipennia). Acta zool. fenn. 136: 1-357, figs. [available in Cesa Library] [Coniopterygidae](#)
31. **Popov, A.**, 2008, Hemerobiiden aus Bulgarien (Neuroptera). Mitt. Mus. Nat. Berlin 62 (2): 323-331. [Hemerobiidae](#)
32. **Schneider, W.G.**, 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. Stettin ent. Ztg. 6: 110-116, 133-135.
33. **Tjeder, B.**, 1970, A new Lertha from Israel (Neur., Nemopteridae) Synonym(s): . Ent. scand. 1: 219-222. [available in Cesa Library] [Nemopteridae](#)
34. **Şengonca, Ç.**, 1981, Die Neuropteren Anatoliens I. Chrysopidae. Mitt. münch. ent. Ges. 71: 121-137. [available in Cesa Library] [Chrysopidae](#)
35. **Şengonca, Ç.**, 1981, Türkiye Nemopteridae (Insecta, Neuroptera) faunası üzerinde taksonomik araştırmalar II. Faunistik. Türk. bitki kor. derg. 5 (2): 101-114, figs. [available in Cesa Library] [Nemopteridae](#)

Mecoptera

1. **Esben-Petersen, P.**, 1932, Notizen zur Neuropteren- und Mecopterefauna Kleinasiens. Konowia 11: 163-167, 1 fig. [available in Cesa Library] [Nemopteridae](#) [Myrmeleonidae](#) [Hemerobiidae](#) [Berotheridae](#) [Chrysopidae](#) [Raphidiidae](#) [Panorpidae](#) [Chrysopa wagneri](#) [Panorpa picta](#)
2. **Hagen, H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
3. **Koçak, A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina serhadensis](#)
4. **Lauterbach, K.E.**, 1972, Zur Kenntnis der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae) Synonym(s): . Dt. ent. Z. (N.F.) 19 (1/3): 109-140, figs. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
5. **Willmann, R.**, 1973, Eine neue Panorpa-Art aus Kleinasien: P. aspoecki n.sp. (Mecoptera, Panorpidae) Synonym(s): . Ent. Z., Frankf. a. M. 83: 97-101, figs. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
6. **Willmann, R.**, 1974, Panorpa tatvana n.sp. (Mecoptera). Ent. Mitt. Zool. Mus. Hamburg 4: 465-469, fig. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
7. **Willmann, R.**, 1975, Die Gattung Panorpa (Insecta, Mecoptera) in der Türkei. Annl. naturh. Mus. Wien 79: 543-564, figs. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)
8. **Willmann, R.**, 1976, Eine neue europäische Panorpa (Mecoptera, Panorpidae) Synonym(s): . Ent. Z., Frankf. a. M. 86: 60-64, figs. [available in Cesa Library] [Panorpidae](#) [Panorpa](#)

Trichoptera

1. **Sipahiler, F.**, 2010, Two new species of Trichoptera from northeastern Turkey (Rhyacophilidae, Sericostomatidae) Synonym(s): . Aquatic Insects 32 (1): 61-66, figs. [available in Cesa Library] [Rhyacophilidae Sericostomatidae](#)

Lepidoptera

Nearly 7500 publications as the temporary results of the project “Bibliography of the Lepidoptera (BL)” are given as a list used in the projects of the Cesa (Koçak & Kemal, 2007) ⁴

Diptera

1. **Abbasian-Lintzen, R.**, 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. J. nat. Hist. 2: 231-238. [available in Cesa Library] [Bombyliidae Cythereinae](#)
2. **Aktaş, M. & A. Hasbenli**, 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae) Synonym(s): . J. Inst. Sci. Techn. Gazi Univ. 7: 48-51. [available in Cesa Library] [Nycteribiidae](#)
3. **Aktaş, M. & S. Sarıbyık**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) Synonym(s): 2. Milesiinae. Gazi Univ. Fen Bil. Derg. 9 (1): 15-27, figs. [available in Cesa Library] [Syrphidae Milesiinae](#)
4. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
5. **Austen, E. E.**, 1921, A contribution to knowledge of the blood sucking Diptera of Palestine other than Tabanidae. Bull. ent. Res. 12: 107-124. [Ceratopogonidae Culicoides](#)
6. **Avcı, Ü. & H. Özbek**, 1989, Erzurum'da Lahana Sineği *Delia radicum* (L.) (Diptera, Anthomyiidae) Synonym(s): 'un morfolojisi ve biyolojisi üzerinde çalışmalar. Türk. ent. derg. 13 (3): 153-162, figs. [available in Cesa Library] [Anthomyiidae Delia radicum](#)
7. **Bartak, M. & K. Stepan**, 2009, *Rhamphomyia* (Diptera, Empididae) Synonym(s): from Israel. Anns ent. Soc. Am. 102 (3): 396-405, figs. [Empididae Rhamphomyia](#)
8. **Bartak, M.**, 2006, Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae) Synonym(s): . Biologia 61 (5): 503-508, figs. [Empididae Rhamphomyia](#)
9. **Bartak, M.**, 2007, Catalogue of the Palaearctic species of the *Rhamphomyia* Subgenus *Lundstroemiella* (Diptera, Empididae) Synonym(s): with new distribution records. Acta Zool. Univ. Comeniana 47 (2): 101-104. [available in Cesa Library] [Empididae Rhamphomyia Lundstroemiella](#)
10. **Bartak, M., Gregor, F. & R. Rozkosny**, 2004, New records of interesting palaeartic Muscidae (Diptera). Folia Fac. Sci. nat. Univ. Masaryk. Brun., Biologia 109: 7-16. [available in Cesa Library] [Muscidae](#)
11. **Bartak, M., Çiftçi, M. C. & A. Hasbenli**, 2007, A new species of *Rhamphomyia* (sensu stricto) Meigen (Diptera, Empididae) Synonym(s): from Southern Anatolia, Turkey. Ent. News 118 (2): 143-147, figs. [available in Cesa Library] [Empididae Rhamphomyia karamanensis](#)
12. **Bayrakdar, F. & A. Hasbenli**, 2009, Contribution to the geographic distribution of *Dioctria* Meigen, 1803 Genus [sic!] (Diptera, Asilidae) Synonym(s): . Turk. J. Zool. 33: 23-26. [available in Cesa Library] [Asilidae Dioctria](#)
13. **Bayram, Ş. & K. Kara**, 1998, Türkiye Tachinidae (Diptera) faunası için yeni bir kayıt *Erycia fasciata* Villeneuve 1924. Türk. ent. derg. 22 (3): 217-224, figs. [available in Cesa Library] [Tachinidae Erycia fasciata](#)
14. **Bayram, Ş. & M. Skuhrava**, 2004, New records of Cecidomyiidae (Diptera) from Turkey. J. Ent. Res. Soc. 6 (3): 9-13. [Cecidomyiidae](#)
15. **Bayram, Ş.**, 2001, Ankara ilinde orman alanlarındaki mantarlar üzerinde bulunan Diptera türleri. Türk. ent. Derg. 25 (2): 115-126. [available in Cesa Library] [Muscidae Pedicidae Sciaridae Anthomyiidae Mycetophilidae Phoridae](#)
16. **Bechev, D. & H. Koç**, 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) Synonym(s): from Turkey with a key to the western palaeartic species of the *S. lutea* Macquart group. Zootaxa 1253: 61-68, figs. [available in Cesa Library] [Mycetophilidae](#)
17. **Bechev, D. & H. Koç**, 2006, The Fungus Gnats (Diptera, Bolitophilidae, Keroplatidae and Mycetophilidae) Synonym(s): of Turkey: published data and new records. Animalia 41: 85-89. [available in Cesa Library] [Bolitophilidae Keroplatidae Mycetophilidae](#)

⁴ See: **Koçak, A. Ö. & M. Kemal**, 2007, Chapter 4, [in] Results of the International Projects of the CESA on the World Lepidoptera - I. Cent. ent. Stud., Memoirs 3-4: v + 1-1989 pp. 49 Col. Plates. <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

18. **Bechev, D. & H.Koç**, 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) Synonym(s): from Turkey with a key to the western palaeartic species of the genus. *Zootaxa* 1676: 29-36, figs. [available in Cesa Library] [Keroplatidae](#) [Urytalpa](#)
19. **Bechev, D.**, 1995, The Palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae) Synonym(s): . *Trav. Sci. Univ. Plovdiv, Animalia* 31 (6): 7-. [available in Cesa Library] [Mycetophilidae](#) [Sceptonia](#)
20. **Bechev, D.**, 2002, Checklist of the fungus gnats of the families Bolitophilidae, Diadocidiidae, Ditomyiidae, Keroplatidae and Mycetophilidae in Bulgaria (Diptera, Nematocera). *Trav. Sci. Univ. Plovdiv, Animalia* 38 (6): 81-112. [available in Cesa Library] [Bolitophilidae](#) [Diadocidiidae](#) [Ditomyiidae](#) [Keroplatidae](#) [Mycetophilidae](#)
21. **Bechev, D.**, 2010, Flower visitation of fungus gnats from the genera *Antlemom*, *Asindulum* and *Macrorrhyncha* (Diptera, Keroplatidae) Synonym(s): : published data and a new record. *Zootaxa* 7: 1-3, figs. [available in Cesa Library] [Keroplatidae](#) [Antlemom](#) [Asindulum](#) [Macrorrhyncha](#)
22. **Becker, T. & P.Stein**, 1913, Persische Dipteren von den Expeditionen des Herrn N.A.Zarudny 1898 und 1901. *Annu. Mus. Zool. Acad. Imp. Sci. St. Petersburg* 17: 503-654. [Asilidae](#)
23. **Beuk, P.**, 2004-2009, *Diptera.info* <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.
24. **Boorman, J. & Dipeolu**, 1979, A taxonomic study of adult Nigerian *Culicoides* Latreille (Diptera, Ceratopogonidae) Synonym(s): species. *Ent. Soc. Nigeria Occ. Publ.* 22: 1-121. [Ceratopogonidae](#) [Culicoides](#)
25. **Boorman, J.**, 1989, *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): of the Arabian Peninsula with notes on their medical and veterinary importance. *Fauna of Saudi Arabia* 10: 160-224. [Ceratopogonidae](#) [Culicoides](#)
26. **Borkent, A.**, 2009, World species of Biting Midges (Diptera, Ceratopogonidae) Synonym(s): , 236pp. <http://www.inhs.uiuc.edu/cee/FLYTREE/CeratopogonidaeCatalog.pdf> [last updated July 9, 2009] (access 9 August, 2009). [available in Cesa Library] [Ceratopogonidae](#)
27. **Bowden, J.**, 1967, Species of the genus *Conophorus* Meigen (Dipt., Bombyliidae) Synonym(s): from Turkey. *Entomologist's mon. Mag.* 12: 131-134. [Bombyliidae](#) [Conophorus](#)
28. **Bravermann, Y., Boorman, J. & M.Kremer**, 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): from Israel. *Ent. méd. et Parasitol.* 14 (3): 179-185. [available in Cesa Library] [Ceratopogonidae](#) [Culicoides](#)
29. **Bravermann, Y., Boorman, J., Kremer, M. & J.-C. Delecolle**, 1976, Faunistic list of *Culicoides* (Diptera, Ceratopogonidae) Synonym(s): from Israel. *Cah. O.R.S.T.O.M., sér. Ent. méd. et Parasitol.* 14 (3): 179-185. [available in Cesa Library] [Ceratopogonidae](#) [Culicoides](#)
30. **Caspers, N. & F.Reiss**, 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthocladiinae (Diptera, Nematocera, Chironomidae) Synonym(s): . *Entomofauna* 10 (8-1): 105-160, 27 figs. [available in Cesa Library] [Chironomidae](#)
31. **Caspers, N.**, 1991, New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from Mediterranean Region. *Spixiana* 14 (3): 143-155, figs. [available in Cesa Library] [Mycetophilidae](#) [Keroplatidae](#)
32. **Chandler, P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae) Synonym(s): . *Israel J. Ent.* 28: 1-100, figs. [available in Cesa Library] [Mycetophilidae](#) [Keroplatidae](#) [Diadocidiidae](#)
33. **Chandler, P.J.**, 2009, The fungus gnats (Diptera, Bolitophilidae, Keroplatidae, Mycetophilidae) Synonym(s): of Sardinia with description of six new species. *Zootaxa* 2318: 450-506, figs. [available in Cesa Library] [Bolitophilidae](#) [Keroplatidae](#) [Mycetophilidae](#)
34. **Chen, H.-W. & M.J.Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) Synonym(s): and the establishment of species-groups based on phylogenetic analysis. *J. nat. Hist.* 35: 1517-1563, figs. [available in Cesa Library] [Drosophilidae](#) [Amiota](#)
35. **Chvala, M., Lyneborg, L. & J.Moucha**, 1972, The Horse Flies of Europe (Diptera, Tabanidae) Synonym(s): . 499pp. Copenhagen. [available in Cesa Library] [Tabanidae](#)
36. **Cilbircioğlu, C. & S.Ünal**, 2008, Gall Midges (Diptera, Cecidomyiidae) Synonym(s): in forest trees of Turkey. *J. Agric. Urban ent.* 25 (1): 13-23 [published later than 20 Dec. 2008]. [available in Cesa Library] [Cecidomyiidae](#)
37. **Civelek, H.S. & S.Težcan**, 2005, Some new records for Diptera fauna of Turkey and additional notes on the dipterous fauna of cherry orchards. *Türk. ent. derg.* 29 (1): 11-16. [available in Cesa Library] [Calliphoridae](#) [Chloropidae](#) [Muscidae](#) [Sarcophagidae](#) [Ulidiidae](#)
38. **Civelek, H.S.**, 2002, Two new records for the Turkish Diptera fauna from Izmir Province, Western Turkey. *Türk. ent. derg.* 26 (4): 295-299, figs. [available in Cesa Library] [Chloropidae](#) [Drosophilidae](#)
39. **Civelek, H.S., Çikman, E. & O.Dursun**, 2009, Revised checklist of Turkish Agromyzidae (Diptera) fauna of Turkey. *Turk. J. Zool.* 33: 10pp. [available in Cesa Library] [Agromyzidae](#)

40. **Coher, E.**, 1988, Further studies of Asian Macrocerinae (Diptera, Mycetophilidae) Synonym(s): with the description of a new Chiasmoneurine genus *Laneocera*. J. New York ent. Soc. 96 (1): 82-90, figs. [available in Cesa Library] [Mycetophilidae](#) [Macrocera](#) [Laneocera](#) [Macrocerinae](#)
41. **Crosskey, R.W. & H.Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae) Synonym(s): . Aquatic Insects 29 (1): 21-48, figs. [available in Cesa Library] [Simuliidae](#)
42. **Değer, S. & M.Yaman**, 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) Synonym(s): türleri. YYÜ Vet. Fak. Derg. 16 (1): 55-59. [available in Cesa Library] [Psychodidae](#) [Phlebotominae](#) [Phlebotomus](#)
43. **Dik, B., Karatepe, M., Karatepe, B. & Ş.Yağcı**, 2006, Niğde yöresi Culicoides Latr., 1809 (Diptera, Ceratopogonidae) Synonym(s): türleri. Türk. Parazit. Derg. 30 (2): 121-124. [available in Cesa Library] [Ceratopogonidae](#) [Culicoides](#)
44. **Dils, J. & H.Özbek**, 2006, A new species of the genus *Conophorus* (Diptera, Bombyliidae) Synonym(s): from Turkey. Phegea 34 (3): 107-110, figs. [available in Cesa Library] [Bombyliidae](#) [Conophorus](#)
45. **Dils, J. & H.Özbek**, 2006, A new species of the genus *Callostoma* (Diptera, Bombyliidae) Synonym(s): from Turkey. Phegea 34 (4): 157-159, figs. [available in Cesa Library] [Bombyliidae](#) [Callostoma](#) [oezbeki](#)
46. **Dils, J. & H.Özbek**, 2009, Notes on *Cytherea pallidipennis* (Diptera, Bombyliidae) Synonym(s): . Phegea 37 (3): 103-106, figs. [available in Cesa Library] [Bombyliidae](#)
47. **Dils, J.**, 2009, A new species of the genus *Therevenetimyia* (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of *Therevenetimyia hirta*. Phegea 37 (4): 121-125, figs. [some bibliographical information incorrect!]. [available in Cesa Library] [Bombyliidae](#) [Therevenetimyia](#) [Ecliminae](#)
48. **Disney, R.H.L. & P.L.Beuk**, 1997, European Phalacrotophora (Diptera, Phoridae) Synonym(s): . Entomologist's Gaz. 48: 185-192, figs. [available in Cesa Library] [Phoridae](#)
49. **Disney, R.H.L. & Ş.Bayram**, 1999, Recognition biology and first Turkish record of megaselia coaetanea Schmitz (Dipt. Phoridae) Synonym(s): . Entomologist's mon. Mag. 135: 245-248. [Phoridae](#) [Megaselia](#)
50. **Dominiak, P., Braverman, Y. & R.Szadziewski**, 2007, New records of biting midges of the genus *Dasyhelea* from Israel, with notes on synonymy in the genera *Culicoides* and *Forcipomyia* (Diptera, Ceratopogonidae) Synonym(s): . Pol. pismo Ent. 76: 257-265, figs. [available in Cesa Library] [Ceratopogonidae](#) [Dasyhelea](#) [Forcipomyia](#)
51. **Doğanlar, M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler II. Echinomyiinae, Dexiinae, Phasiinae (Diptera, Tachinidae) Synonym(s): . Türk. bitki kor. derg. 6: 209-220. [available in Cesa Library] [Tachinidae](#)
52. **Doğanlar, M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler I. Exoristinae (Diptera, Tachinidae) Synonym(s): . Türk. bitki kor. derg. 6: 161-173. [available in Cesa Library] [Tachinidae](#) [Exoristinae](#)
53. **Duda, O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). v Abhandl. zool.- bot. Ges. Wien 10 (1): 1-240, viii Taf. [available in Cesa Library] [Sphaeroceridae](#) [Limosina](#)
54. **Duda, O.**, 1920, Revision der altweltlichen Arten der Gattung *Sphaerocera* Latreille (Dipteren). Tijdschr. Ent. 63: 1-39. [available in Cesa Library] [Sphaeroceridae](#) [Sphaerocera](#)
55. **Duda, O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs. [available in Cesa Library] [Sepsidae](#)
56. **Duda, O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs. [available in Cesa Library] [Sepsidae](#)
57. **Egger, J.**, 1862, Dipterologische Beiträge. Verh. zool.-bot. Ges. Wien 12: 777-784. [available in Cesa Library] [Tachinidae](#) [Gonia](#)
58. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae](#) [Acrididae](#) [Gryllidae](#) [Tettigoniidae](#) [Empusidae](#) [Mantidae](#) [Blattellidae](#) [Forficulidae](#) [Coreidae](#) [Cydniidae](#) [Lygaeidae](#) [Pentatomidae](#) [Reduviidae](#) [Rhopalidae](#) [Scutellaridae](#) [Chrysopidae](#) [Hemerobiidae](#) [Carabidae](#) [Cerambycidae](#) [Coccinellidae](#) [Elateridae](#) [Scarabaeidae](#)
59. **Ekrem, T. & E.Stur**, 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae) Synonym(s): . Eur. J. Ent. 106: 119-144, figs. [available in Cesa Library] [Chironomidae](#) [Zavrelia](#)
60. **El-Hawagry, M. & D.J.Greathead**, 2006, Review of the genus *Villa* Lioy (Bombyliidae, Diptera) from Egypt, with descriptions of two new species. Zootaxa 1113: 21-32, figs. [available in Cesa Library] [Bombyliidae](#) [Villa](#)
61. **Erdogmuş, S.Z.**, 2006, Tabanidae species (Diptera), in the Elazığ Province of Turkey. Firat Univ. Sağlık Bilim. Derg. 20 (1): 65-68. [available in Cesa Library] [Tabanidae](#)

62. **Eren,H., Yağcı,Ş. & Ş.Dinçer**, 1995, Ankara'da bulunan Culicoides (Diptera, Ceratopogonidae) Synonym(s): türleri. Ankara Univ. Vet. Fak. Derg. 42: 179-182. [available in Cesa Library] [Ceratopogonidae Culicoides](#)
63. **Evenhuis,N.L.** 2002, Catalog of the Mythicomyiidae of the World (Insecta, Diptera). Bull. Bishop Mus. Ent. 10: 1-85. [available in Cesa Library] [Mythicomyiidae](#)
64. **Evenhuis,N.L. & D.J.Greathead**, 1999, World catalog of bee flies (Diptera, Bombyliidae) Synonym(s): . xlviii+756pp. Backhuys Publishers, Leiden [last updated online version as pdf in 2008]. [available in Cesa Library] [Bombyliidae](#)
65. **Geller-Grimm,F. & M. Hradsky**, 2003, The genus Oligopogon Loew,1847 (Diptera, Asilidae) Synonym(s): in the Palaearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterolog. 10 (1): 165-179, figs. [available in Cesa Library] [Asilidae Oligopogon](#)
66. **Gencer,L.**, 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) Synonym(s): in Ankara Province. Turk. J. Zool. 28: 119-122. [available in Cesa Library] [Eulophidae Agromyzidae Liriomyza Chromatomyia Diglyphus Neochrysocharis Pediobius Hemiptarsenus](#)
67. **Ghahari,H., Lehr,P.A., Lavigne,R.J., Hayat,R. & H.Ostovan**, 2007, New records of Robber Flies (Diptera, Asilidae) Synonym(s): for the Iranian fauna with their prey records. Far east. Ent. 179: 1-9. [available in Cesa Library] [Asilidae](#)
68. **Giray,H.**, 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. Türk. Bitki Kor. Derg. 3 (1): 35-46. [available in Cesa Library] [Tephritidae](#)
69. **Giray,H.**, 1981, Türkiye Asilidae (Diptera) faunasına ait ilk liste. Türk. bitki kor. derg. 5 (3): 171-183. [available in Cesa Library] [Asilidae](#)
70. **Goeldlin,T.P.**, 1976, Revision du genre Paragus (Diptera, Syrphidae) Synonym(s): de la region Palearctique occidentale. Mitt. schweiz. ent. Ges. 49: 79-108, figs. [Syrphidae Paragus](#)
71. **Goetghebuer,M.**, 1932, Dipteres Nematoceres Chironomidae IV, [in] Faune de France 23: 1-196, 315 figs. [available in Cesa Library] [Chironomidae](#)
72. **Greathead,D.J. & Y.Karimpour**, 2006, A new species of Villa Lioy,1864 (Diptera, Bombyliidae) Synonym(s): parasitic on Sesiidae (Lepidoptera). Zootaxa 1156: 65-68, figs. [Bombyliidae Villa sesivora](#)
73. **Greathead,D.J.**, 2001, A study of the Exoprosopa busiris (Jaenicke) group of Bezzi (1924) in tropical Africa (Diptera, Bombyliidae) Synonym(s): . J. nat. Hist. 35: 127-147. [available in Cesa Library] [Bombyliidae Exoprosopa](#)
74. **Grichanov,I.Y.**, 2007, A checklist and keys to Dolichopodidae (Diptera) of the Caucasus and East Mediterranean. Plant Protection News (Suppl.), 160 pp. St. Petersburg. [available in Cesa Library] [Dolichopodidae](#)
75. **Grichanov,I.Y.**, 2007, New records of Dolichopodidae (Diptera) from the Middle East. Int. J. dipterol. Res. 18 (3): 141-153. [available in Cesa Library] [Dolichopodidae](#)
76. **Grichanov,I.Y., Tonguç,A., Civelek,H.S., Vihrev,N.E., Özgül,O. & O.Dursun**, 2007, Review of the Turkish Dolichopodidae (Diptera) with first description of male Hercostomus phoebus Parent,1927, new synonyms and new records. Caucasian ent Bull. 3 (2): 261-268, figs. [available in Cesa Library] [Dolichopodidae](#)
77. **Grootaert,P. & I.Shamshev**, 2005, The genus Platypalpus Macquart (Diptera, Hybotidae) Synonym(s): from Northeast Thailand with comments on the species groups in the Oriental Region. J. nat. Hist. 39 (47): 4031-4065, figs. [available in Cesa Library] [Hybotidae Platypalpus](#)
78. **Hasbenli,A. & M.Aktaş**, 1995, Two new Platypygus Loew,1844 (Diptera, Bombyliidae) Synonym(s): species for Turkey. Türk. ent. derg. 19 (2): 147-150, figs. [available in Cesa Library] [Mythicomyiidae Platypygus](#)
79. **Hasbenli,A. & M.Aktaş**, 1995, Türkiye Conophorus Meigen,1803 türlerine katkılar (Diptera, Bombyliidae) Synonym(s): . Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 1-10, figs. [available in Cesa Library] [Bombyliidae](#)
80. **Hasbenli,A. & N.L.Evenhuis**, 2000, Checklist of Turkish Bombyliidae (Diptera) with new records. J. ent. Res. Soc. 2 (1): 25-43. [Bombyliidae](#)
81. **Hasbenli,A. & Zaitzev**, 2000, Two new species of Bombylius Linnaeus,1758 (Diptera, Bombyliidae) Synonym(s): from Turkey. Dt. ent. Z. (N.F.) 47 (1): 105-108, figs. [Bombyliidae Bombylius aksarayensis spinulosus](#)
82. **Hasbenli,A. & Ü.Çağlar**, 2009, A new species of Mesoleptogaster Frey,1937 (Diptera, Asilidae) Synonym(s): from Turkey with a key to palaearctic species. Ent. News 120 (2): 201-205, figs. [available in Cesa Library] [Asilidae Mesoleptogaster](#)
83. **Hasbenli,A.**, 1997, Türkiye Hemipenthes Loew,1869 türlerine katkılar (Diptera, Bombyliidae) Synonym(s): . Gazi Uni. Fen Bil. Derg. 10 (4): 545-552, figs. [available in Cesa Library] [Bombyliidae Hemipenthes](#)

84. **Hasbenli,A.**, 1997, Contributions to Bat Flies of Turkey (Diptera, Nycteribiidae, Streblidae) Synonym(s): . J. Inst. Sci. Techn. Gazi Univ. 10 (4): 533-544, 4 figs. [available in Cesa Library] [Nycteribiidae Streblidae](#)
85. **Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası II. Milesiinae. Türk. ent. derg. 14 (4): 227-234. [available in Cesa Library] [Syrphidae Milesiinae](#)
86. **Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası I. Syrphinae. Türk. ent. derg. 14 (3): 173-182. [available in Cesa Library] [Syrphidae Syrphinae](#)
87. **Hayat,R. & C.Claussen**, 1997, A new species and new records of the genus *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae) Synonym(s): . Zool. Middle East 14: 99-108,figs. [Syrphidae Paragus](#)
88. **Hayat,R. & H.Özbek**, 1994, New records of robber flies (Diptera, Asilidae) Synonym(s): for Turkish fauna. Türk. ent. derg. 18 (4): 241-244. [available in Cesa Library] [Asilidae](#)
89. **Hayat,R. & W.Schacht**, 2000, Distributional data of Horse-flies from Turkey with new records (Diptera, Tabanidae) Synonym(s): . Entomofauna 21 (23): 265-284. [available in Cesa Library] [Tabanidae](#)
90. **Hayat,R., Ghahari,H., Lavigne R. & H.Ostovan**, 2008, Iranian Asilidae (Insecta, Diptera). Turk. J. Zool. 32: 175-195. [available in Cesa Library] [Asilidae](#)
91. **Hayat,R., Richet,R. Bayrak,N. & G.Pekbey**, 2008, Contributions to the knowledge of Flesh Flies (Diptera, Sarcophagidae) Synonym(s): from Turkey, with a new record. Turk. J. Zool. 32: 385-390. [available in Cesa Library] [Sarcophagidae](#)
92. **Hilali,M., et al.**, 2003, Culicoides midges (Ceratopogonidae) Synonym(s): in some localities of Saudi Arabia and their veterinary significance. Veter. Arhiv. 73 (5): 285-294. [available in Cesa Library] [Ceratopogonidae Culicoides](#)
93. **Ho-Yeon Han & M.Kütük**, 2006, A new species of *Myoleja* Rondani (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the known species of the genus. Zootaxa 1155: 25-33, figs. [Tephritidae Myoleja korneyevi](#)
94. **Hradsky,M. & F.Geller-Grimm**, 1997, Eine neue Art aus der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). Studia dipterol. 4 (1): 193-196, figs. [available in Cesa Library] [Asilidae Stiphrolamyra](#)
95. **Hurkmans,W.**, 1993, A monograph of *Merodon* (Diptera, Syrphidae) Synonym(s): Part 1. Tijdschr. Ent. 136: 147-234, 106 figs. [available in Cesa Library] [Syrphidae Merodon](#)
96. **Hüttinger,E.**, 1978, *Leopoldius pontifex* n.sp., eine neue Conopiden-spezies aus dem Iran (Diptera, Conopidae) Synonym(s): . Z. ArbGem. Öst. Ent. 29: 105-106, figs. [available in Cesa Library] [Conopidae Leopoldius pontifex](#)
97. **Ivkovic,M. & B.Horvat**, 2007, Aquatic dance flies (Diptera, Empididae, Clinocerinae, Hemerodromiinae) of the river Cetina. Nat. Croat. 16 (3): 171-179. [available in Cesa Library] [Empididae Clinocerinae Hemerodromiinae](#)
98. **Kakarsulemankhel,J.-K.**, 2004, Taxonomic morphology of *Phlebotomus nuri* Lewis,1967 (Diptera, Psychodidae, Phlebotominae) from Pakistan. Int. J. Agr. Biol. 6 (1): 196-199, figs. [available in Cesa Library] [Psychoidea Phlebotominae Phlebotomus](#)
99. **Kara,K. & H.-P.Tschorsnig**, 2003, Host catalogue for the Turkish Tachinidae (Diptera). J. Appl. Ent. 127: 465-476. [available in Cesa Library] [Tachinidae](#)
100. **Kara,K. & S.Aksu**, 2008, Contributions to the Turkish Tachinidae (Diptera) fauna. Turk. J. Zool. 32: 227-228. [available in Cesa Library] [Tachinidae](#)
101. **Kara,K. & T.Pape**, 2002, Check list of Turkish Sarcophagidae (Insecta, Diptera) with new records. Mitt. Mus. Nat. kd. Berl., Dt. ent. Z. 49 (2): 291-295. [available in Cesa Library] [Sarcophagidae](#)
102. **Kara,K.**, 1999, Tokat ve çevresinde saptanan Tachininae (Diptera, Tachinidae) Synonym(s): türleri. Türk. ent. derg. 23 (2): 121-134. [available in Cesa Library] [Tachinidae Tachininae](#)
103. **Kara,K.**, 2001, Amasya ilinde saptanan bazı Exoristinae, Tachininae ve Dexiinae (Diptera, Tachinidae) Synonym(s): türleri. Türk. ent. derg. 25 (3): 217-222. [available in Cesa Library] [Tachinidae Tachininae Dexiinae Exoristinae](#)
104. **Kara,K., Korkmaz,Y. & S.Kırıkoglu**, 2010, New records for Turkish Tachinidae (Diptera) fauna. Turk. J. Zool. 34: 275-277. [available in Cesa Library] [Tachinidae](#)
105. **Kazancı,N. & Ö.Ertunç**, 2008, Checklist of the Simuliidae (Insecta, Diptera) of Turkey. Review Hydrobiol. 2: 129-144. [available in Cesa Library] [Simuliidae](#)
106. **Kechev,M.O.**, 2005, Check-list of Dolichopodidae (Diptera, Brachycera) species in Bulgaria. Animalia 41: 47-62. [available in Cesa Library] [Dolichopodidae](#)
107. **Kemal,M. & A.Ö.Koçak**, 2008, *Conops flavicaudus* Bigot in South East Turkey (Conopidae, Diptera). Cesa News 36: 7-9, figs. 9-12. [available in Cesa Library] [Conopidae Conops flavicaudus](#)
108. **Kemal,M. & A.Ö.Koçak**, 2008, First scientific trip to the South West Van Lake Region (6-8 March,2008). Cesa News 7: 1-14, figs. [available in Cesa Library] [Cicindelidae](#)

109. **Kemal, M. & E. Seven**, 2009, *Stiphrolamyra pleskei* (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) Synonym(s): (Project of the Cesa: Asilidae of East Turkey -1). *Cesa News* 51: 1-2, 2 figs. [available in Cesa Library] [Asilidae Stiphrolamyra pleskei](#)
110. **Khalaf, K.T.**, 1957, Heleids from Iraq with descriptions of new species (Diptera, Heleidae = Ceratopogonidae) Synonym(s): . *Bull. Soc. ent. Egypte* 41: 335-350. [Ceratopogonidae Culicoides](#)
111. **Korneyev, V.A.**, 1996, The status of *Urophora dzieduszyckii* Frauenfeld (Insecta, Diptera, Tephritidae) Synonym(s): . *Annln naturh. Mus. Wien* 98B: 525-528. [available in Cesa Library] [Tephritidae Urophora](#)
112. **Koç, H. & P. Zwick**, 2006, New species and records of Net-winged Midges (Diptera, Blephariceridae) Synonym(s): from Asia Minor. *Stud. dipterol.* 13 (1): 61-66, 6 figs. [available in Cesa Library] [Blephariceridae](#)
113. **Koç, H.**, 2004, Muğla ili Tipulidae ve Limoniidae familyalarının faunistik ve ekolojik yönden incelenmesi. 154s. Muğla Univ. Yayınları. [available in Cesa Library] [Tipulidae Limoniidae](#)
114. **Koç, H.**, 2008, Additions to the Limoniidae species in Turkey (Insecta, Diptera) III. *Int. J. dipterol. Res.* 19 (1): 3-5. [available in Cesa Library] [Limoniidae](#)
115. **Koç, H., Oosterbroek, P. & O. Özgül**, 2005, A new Turkish *Tipula* (*Lunatitipula*) species in the *acuminata* group (Diptera, Tipulidae) Synonym(s): . *Ent. fenn.* 16: 251-253, figs. [available in Cesa Library] [Tipulidae](#)
116. **Koç, H., Akta[ş], M. & H.S. Civelek, [sic!]** 2008, New records of *Tipula* (*Savtshenkia*) (Diptera, Tipulidae) Synonym(s): from Turkey. *Int. J. Dipt. Res.* 19 (1): 7-10, figs. [text with numerous font errors!] [available in Cesa Library] [Tipulidae](#)
117. **Koçak, A.Ö. & M. Kemal**, 2008, Nomenclatural notes on some genus-group names in the order Diptera. *Cent. ent. Stud., Misc. Pap.* 144: 1-3. [available in Cesa Library] [Chironomidae Sarcophagidae Asilidae Vermileonidae](#)
118. **Koçak, A.Ö. & M. Kemal**, 2008, Nomenclatural notes on some species group names in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 145: 9-12. [available in Cesa Library] [Asilidae](#)
119. **Koçak, A.Ö. & M. Kemal**, 2009, A replacement name for a subgenus in the family Tipulidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 5. [available in Cesa Library] [Tipulidae](#)
120. **Koçak, A.Ö. & M. Kemal**, 2009, Two replacement names in the family Sciaridae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 6-7. [available in Cesa Library] [Sciaridae](#)
121. **Koçak, A.Ö. & M. Kemal**, 2009, *Yemenia* (nom. nov.), a replacement name in the family Therevidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9. [available in Cesa Library] [Therevidae](#)
122. **Koçak, A.Ö. & M. Kemal**, 2009, A replacement name in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9-10. [available in Cesa Library] [Asilidae](#)
123. **Koçak, A.Ö. & M. Kemal**, 2009, Two replacement names in the family Tephritidae (Diptera, Tephritoidea). *Cent. ent. Stud., Misc. Pap.* 147-148: 10-11. [available in Cesa Library] [Tephritidae](#)
124. **Koçak, A.Ö. & M. Kemal**, 2009, A replacement name in the family Asilidae in South America (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 14-15. [available in Cesa Library] [Asilidae](#)
125. **Koçak, A.Ö. & M. Kemal**, 2009, A replacement name in the family Neriidae (Diptera) *Cent. ent. Stud., Misc. Pap.* 147-148: 11-12. [available in Cesa Library] [Neriidae Indonesicesa Rhoptrum](#)
126. **Koçak, A.Ö. & M. Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. *Cesa News* 51: 3-106, 40 figs. [available in Cesa Library]
127. **Koçak, A.Ö. & M. Kemal**, 2009, A replacement name in the family Pyrgotidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 149: 4-5. [available in Cesa Library] [Pyrgotidae](#)
128. **Koçak, A.Ö. & M. Kemal**, 2009, On the nomenclature of two pre-occupied generic names in the family Tephritidae in the Afrotropical Region (Diptera). *Cent. ent. Stud., Misc. Pap.* 150: 2-3. [available in Cesa Library] [Tephritidae](#)
129. **Koçak, A.Ö. & M. Kemal**, 2009, *Eurasicesa* nom. n., a replacement name in the family Limoniidae in Eurasia (Diptera). *Cent. ent. Stud., Misc. Pap.* 150: 4-5. [available in Cesa Library] [Limoniidae](#)
130. **Koçak, A.Ö. & M. Kemal**, 2009, Notes on the nomenclature of some generic names of the order Diptera. *Cent. ent. Stud., Misc. Pap.* 150: 7-8. [available in Cesa Library] [Calliphoridae Tachinidae Sarcophagidae Sphaeroceridae Pyrgotidae](#)
131. **Koçak, A.Ö. & M. Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa (Report of the temporary results of the Entomofauna of Turkey-7). *Cesa News* 51: 3-106, 40 figs. [available in Cesa Library]
132. **Koçak, A.Ö. & M. Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). *Priamus* 12 (5): 130-149. [available in Cesa Library] [Cicadidae Tibicina serhadensis](#)
133. **Koçak, A.Ö. & M. Kemal**, 2010, Nomenclatural notes on the genus group names of some families (Diptera). *Priamus* 12 (6): 156-160. [available in Cesa Library] [Tachinidae Sarcophagidae Mycetophilidae](#)

134. **Koçak,A.Ö. & Y.Hüseyinoğlu**, 2008, Nomenclatural notes on the genus group names in the order Diptera (Tabanidae, Sciaridae) Synonym(s): . Cent. ent. Stud., Misc. Pap. 143: 1-2. [available in Cesa Library] [Tabanidae Sciaridae](#)
135. **Koçak,A.Ö.**, 2010, On the synonymy of newly proposed two replacement names in the family Limoniidae (Diptera). Cesa News 54: 36. [available in Cesa Library] [Limoniidae Lunaria Eurasicesa Novolunaria](#)
136. **Koçak,E. & M.Özdemir**, 2004, A new record for the cereal pests in Turkey: Phorbia securis Tiensuu,1935 (Diptera, Anthomyiidae) Synonym(s): . Turk. J. Zool. 28: 83-85, figs. [available in Cesa Library] [Anthomyiidae Phorbia securis](#)
137. **Koçak,E., Özdemir,M. & V.V.Zlobin**, 2009, Insects associated with the endemic species Heracleum platytaenium Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247. [available in Cesa Library] [Pentatomidae Curculionidae Agromyzidae Chloropidae](#)
138. **Kühbandner,M.**, 1984, Eine neue Oxycera -Art aus der Südosttürkei (Diptera, Stratiomyidae) Synonym(s): . Entomofauna 5 (34): 471-479, figs. [available in Cesa Library] [Stratiomyidae Oxycera](#)
139. **Kütük,M. & A.F.Özgür**, 2003, Faunistical and systematical studies on the genus Tephritis Latreille,1804 (Diptera, Tephritidae) Synonym(s): in the South West of Turkey along with new records. Türk. ent. derg. 27 (4): 243-252, 11 figs. [available in Cesa Library] [Tephritidae Tephritis](#)
140. **Kütük,M. & M.S.Varol**, 2006, Records of two species of Terellia Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): new to Turkish fauna. Turk. J. Zool. 30: 99-102, figs. [available in Cesa Library] [Tephritidae](#)
141. **Kütük,M.**, 2003, Güney Batı Anadolu Bölgesi Meyve Sinekleri (Diptera, Tephritidae) Synonym(s): faunası ve sistematığı üzerine araştırmalar. Çukurova Univ. 217 s., Adana (doktora tezi). [Tephritidae](#)
142. **Kütük,M.**, 2003, Doğu Akdeniz Bölgesi Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): faunası ve sistematığı üzerine araştırmalar. Türk. ent. derg. 27 (2): 149-160, figs. [available in Cesa Library] [Tephritidae Urophora](#)
143. **Kütük,M.**, 2005, Two new records of Tephritis Latreille,1804 (Diptera, Tephritidae) Synonym(s): from Turkey. Turk. J. Zool. 29: 167-170, figs. [available in Cesa Library] [Tephritidae](#)
144. **Kütük,M.**, 2006, A new species of Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey with a key to the species of the Urophora quadrifasciata [sic!] group. Türk. J. Zool. 30: 147-153, figs. [available in Cesa Library] [Tephritidae Urophora](#)
145. **Kütük,M.**, 2006, The fauna and systematics of the genus Tephritis Latreille,1804 (Diptera, Tephritidae) Synonym(s): with a key to the species of Tephritis in Turkey. Turk. J. Ent. 30: 345-356, figs. [available in Cesa Library] [Tephritidae Tephritis](#)
146. **Kütük,M.**, 2008, A new species of Tephritis Latreille (Diptera, Tephritidae) Synonym(s): from Turkey. Belg. J. Zool. 138 (2): 132-134, figs. [available in Cesa Library] [Tephritidae](#)
147. **Kütük,M.**, 2009, A new species of Urophora Robineau-Desvoidy,1830 (Diptera, Tephritidae) Synonym(s): from Turkey. Ent. News 120 (1): 101-105, figs. [Tephritidae Urophora hani](#)
148. **Kılıç,A.Y. & R.Öztürk**, 2002, Sultandağı çevresinin Tabanidae (Diptera) faunası üzerine çalışmalar. Anadolu Univ. Bilim Tekn. Derg. 3: 307-316. [Tabanidae](#)
149. **Kılıç,A.Y.**, 1999, Checklist of Tabanidae (Diptera) from Turkey. Tr. J. Zool. 23: 123-132. [available in Cesa Library] [Tabanidae](#)
150. **Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Çanakkale Province. Turk. J. Zool. 25: 403-411. [available in Cesa Library] [Tabanidae](#)
151. **Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Kütahya Province. J. Ent. Res. Soc. 3: 29-41. [Tabanidae](#)
152. **Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Balıkesir Province. Turk. J. Zool. 25: 395-402. [available in Cesa Library] [Tabanidae](#)
153. **Kılıç,A.Y.**, 2003, Bursa ve Yalova illeri Tabanidae (Diptera) faunası üzerinde araştırmalar. Türk. ent. derg. 27: 207-221. [available in Cesa Library] [Tabanidae](#)
154. **Kılıç,A.Y.**, 2004, Bolu ili Tabanidae (Insecta, Diptera) faunası. Türk. ent. derg. 28: 57-68. [available in Cesa Library] [Tabanidae](#)
155. **Kılıç,A.Y.**, 2005, Sinop ili Tabanidae (Insecta, Diptera) faunası. Anadolu Univ. Bilim Tekn. Derg. 5: 269-277. [Tabanidae](#)
156. **Kılıç,A.Y.**, 2005, Bartın, Karabük ve Zonguldak illeri Tabanidae (Diptera) faunası üzerine araştırmalar. Türk. ent. derg. 29 (2): 151-160. [available in Cesa Library] [Tabanidae](#)
157. **Kılıç,A.Y.**, 2006, New additions and errata to the Checklist of Tabanidae (Insecta, Diptera) fauna of Turkey. Turk. J. Zool. 30: 335-343. [available in Cesa Library] [Tabanidae](#)
158. **Lastovka,P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of Docosia Winnertz (Diptera, Mycetophilidae) Synonym(s): , with atlas of the male and female terminalia. Cas. Slez. Muz. Opava (A) 55: 1-37, figs. [available in Cesa Library] [Mycetophilidae Docosia Leinae](#)
159. **Leclercq,M. & W.Schacht**, 1986, The Sciomyzidae of Turkey (Diptera, Sciomyzidae) Synonym(s): . Entomofauna 7 (4): 57-61. [available in Cesa Library] [Sciomyzidae](#)

160. **Leclercq, M. & W. Schacht**, 1987, Additions to the Sciomyzidae of Turkey. Entomofauna 8 (17): 269-270. [available in Cesa Library] [Sciomyzidae](#)
161. **Lehr, P.A., Ghahari, H. & H. Ostovan**, 2007, A contribution to the Robber Flies of Subfamilies Stenopogoninae and Asilinae (Diptera, Asilidae) Synonym(s): from Iran. Far east. Ent. 173: 1-14. [available in Cesa Library] [Asilidae Stenopogoninae Asilinae](#)
162. **Lehrer, A.Z.**, 2006, Liste des Sarcophaginae et Paramacronychiinae du Proche Orient, identifiés dans les collections de TAU (Diptera, Sarcophagidae) Synonym(s): . Fragm. dipt. 3: 14-22. [available in Cesa Library] [Sarcophagidae Sarcophaginae Paramacronychiinae](#)
163. **Lehrer, A.Z.**, 2007, Stomorhiniinae [sic!] n.sfam. une nouvelle sous-famille de Calliphoridae (Diptera) et révision de ses taxons. Fragm. dipt. 12: 4-16, figs. [available in Cesa Library] [Calliphoridae](#)
164. **Loew, H.**, 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). Linn. ent. 2: 384-568; 3: 386-495; 4: 1-155. [available in Cesa Library] [Asilidae](#)
165. **Maca, J.**, 1987, Amiota (Phortica) goetzi sp.n. (Diptera, Drosophilidae) Synonym(s): with faunistic notes to Drosophilidae Odiniidae and Periscelididae from Southeastern Europe and Turkey. Acta ent. Mus. natn. Pragae 42: 311-320, figs. [available in Cesa Library] [Drosophilidae Odiniidae Periscelididae](#)
166. **Marcos-Garcia, M.A., Vujic, A. & X. Mengual**, 2007, Revision of Iberian species of the genus Merodon (Diptera, Syrphidae) Synonym(s): . Eur. J. Ent. 104: 531-572, figs. [available in Cesa Library] [Syrphidae Merodon](#)
167. **Mason, F. & R. Rozkosny**, 2003, Interesting records of European Stratiomyidae including description of the female of Nemotelus danielssoni (Diptera, Stratiomyidae) Synonym(s): . Boll. Soc. ent. ital. 134 (3): 253-264. [available in Cesa Library] [Stratiomyidae](#)
168. **Mason, F., Rozkosny, R. & M. Hauser**, 2009, A review of the soldier flies (Diptera, Stratiomyidae) Synonym(s): of Sardinia. Zootaxa 2318: 507-530, figs. [available in Cesa Library] [Stratiomyidae](#)
169. **Mathis, W.N. & L. Munari**, 1996, World Catalog of the family Tethinidae (Diptera). Smiths. Contr. Zool. 584: 1-20. [available in Cesa Library] [Tethinidae](#)
170. **Mathis, W.N., Zatwarnicki, T. & M.G. Krivosheina**, 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae) Synonym(s): , V: A Revision of the Shore-Fly Genus Mosillus Latreille. Smiths. Contr. Zool. 548: 48pp., figs., maps. [available in Cesa Library] [Ephydriidae Gymnomyzinae](#)
171. **Merz, B.**, 2007, Two new mediterranean species of the Sapromyza intonsa group (Diptera, Lauxaniidae) Synonym(s): . Tijdschr. Ent. 150: 65-76, figs. [available in Cesa Library] [Lauxaniidae](#)
172. **Mostovski, M.B. & R.H.L. Disney**, 2002, A new species of Megaselia (Dipt., Phoridae) Synonym(s): from donkey dung in Turkey. Entomologist's mon. Mag. 138: 135-137, 6 figs. [available in Cesa Library] [Phoridae Megaselia onis](#)
173. **Muştu, M. & N. Kılınçer**, 2005, Türkiye faunası için yeni kayıt Phalacrotophora fasciata (Fallen) (Dipt., Phoridae) Synonym(s): . Bitki kor. bült. 45 (1/4): 1-7, figs. [available in Cesa Library] [Phoridae Phalacrotophora](#)
174. **Nagatomi, A.**, 1964, The Chorisops of the Palaearctic Region (Diptera, Stratiomyidae) Synonym(s): . Insecta matsumurana 27 (1): 18-23. [available in Cesa Library] [Stratiomyidae Chorisops](#)
175. **Naglis, S.**, 2009, New records of Sympycninae (Diptera, Dolichopodidae) Synonym(s): from Turkey, with the description of a new species of Teuchophorus. Mitt. schweiz. ent. Ges. 82: 173-180, figs. [available in Cesa Library] [Dolichopodidae Sympycninae](#)
176. **Namin, S.M. & G.R. Rasoulian**, 2009, A review of fruit flies of the genus Rhagoletis (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30. [available in Cesa Library] [Tephritidae Rhagoletis](#)
177. **Namin, S.M. & G.R. Rasoulian**, 2009, A review of fruit flies of the genus Rhagoletis (Diptera, Tephritidae) Synonym(s): of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30, figs. [available in Cesa Library] [Tephritidae Rhagoletis](#)
178. **Narchuk, E.P.**, 1984, Family Chloropidae [in] Soos, A. & K. Papp, Catalogue of Palaearctic Diptera vol. 10. pp.222-298, Budapest. [Chloropidae](#)
179. **Narchuk, E.P.**, 1992, Chloropid flies (Diptera, Chloropidae) Synonym(s): of Cyprus. Ent. fenn. 1: 227-232. [Chloropidae](#)
180. **Narchuk, E.P.**, 2004, On Chloropidae (Diptera, Muscomorpha) from Tunisia. Russ. Ent. J. 13 (1/2): 85-89, figs. [available in Cesa Library] [Chloropidae](#)
181. **Narchuk, E.P.**, 2007, Nemestrinid flies (Diptera, Nemestrinidae) Synonym(s): in the fauna of Eastern Europe and the Caucasus. Zool. Zh. 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085] [Nemestrinidae](#)

182. **Nartshuk,E.P. & V.A.Korneyev**, 2005, Data on the fauna of Pyrgotidae (Diptera, Cyclorrhapha) of the Russian Far East. Far east. Ent. 147: 1-10, figs. [available in Cesa Library] [Pyrgotidae](#)
183. **Nartshuk,E.P.**, 2004, On Chloropidae (Diptera, Muscomorpha) from Tunisia. Russ. Ent. J. 13 (1/2): 85-89, figs. [available in Cesa Library] [Chloropidae](#)
184. **Oosterbroek,P.**, 1994, Notes on western Palaearctic species of the Tipula (Yamatotipula) lateralis group, with the description of a new species from Turkey (Diptera, Tipulidae) Synonym(s): . Eur. J. Ent. 91: 429-435, figs. [available in Cesa Library] [Tipulidae](#)
185. **Pakyürek,B.**, 2006, Gazi Üniversitesi Zooloji Müzesindeki Tephritidae (Diptera) familyası örneklerinin değerlendirilmesi. Yüksek lisans tezi. 432s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 184776] <http://tez2.yok.gov.tr/> [available in Cesa Library] [Tephritidae](#)
186. **Parvu,C., R.Popescu-Mirceni**, 2006, Faunistic data on some Dipteran families (Insecta, Diptera) from West Turkey. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 49: 283-295, 5 figs. [available in Cesa Library] [Dolichopodidae](#) [Tephritidae](#) [Bombyliidae](#) [Ephyridae](#) [Syrphidae](#) [Tabanidae](#) [Rhagionidae](#) [Hybotidae](#) [Limoniidae](#) [Otitidae](#) [Sepsidae](#) [Sciomyzidae](#) [Opomyzidae](#) [Drosophilidae](#)
187. **Plassmann,E.**, 1987, Neun neue Pilzmücken aus der Westpalaearktis (Diptera, Nematocera, Mycetophilidae) Synonym(s): . Spixiana 9: 143-150, figs. [available in Cesa Library] [Mycetophilidae](#) [Bolitophilidae](#) [Boletina](#) [Bolitophila](#) [Exechiopsis](#) [Mycetophila](#) [Docosia](#) [Coelosia](#)
188. **Pont,A.C.**, 1991, A preliminary list of the Fanniidae and Muscidae (Insecta, Diptera) from Turkey. Zool. Middle East 5: 63-112. [Muscidae](#) [Fanniidae](#)
189. **Pont,A.C., Werner,D. & E.A.Kachvoryan**, 2005, A preliminary list of the Fanniidae and Muscidae (Diptera) of Armenia. Zool. Middle East 36: 73-86, figs. [available in Cesa Library] [Muscidae](#) [Fanniidae](#)
190. **Popescu-Mirceni,R. & C.Parvu**, 2009, Distributional data on some East-Mediterranean Brachycera (Diptera) [results of the "Euphrates" Expedition - 2008 in Turkey and Syria]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 52: 429-436. [available in Cesa Library] [Tabanidae](#) [Stratiomyidae](#) [Nemestrinidae](#) [Mythicomyiidae](#) [Phthiriidae](#) [Bombyliidae](#) [Dolichopodidae](#) [Syrphidae](#) [Tephritidae](#) [Sepsidae](#) [Ephyridae](#)
191. **Robineau-Desvoidy,J.B.**, 1830, Essai sur les Myodaires. Mém. Présentés Acad. roy. Sci. Inst. France (2) 2: 1-813. [available in Cesa Library]
192. **Rondani,C.**, 1856-1871, Dipterologiae Italicae Prodromus vols. 1-7. Parmae. [available in Cesa Library]
193. **Rozkosny,R.**, 1991, A key to the Palaearctic species of Pherbellia Robineau-Desvoidy, with descriptions of three new species (Diptera, Sciomyzidae) Synonym(s): . Acta ent. bohemosl. 88: 391-406, 52 figs., 1 pl. [available in Cesa Library] [Sciomyzidae](#) [Pherbellia](#)
194. **Rozkosny,R.**, 1995, World distribution of Sciomyzidae based on the list of species (Diptera). Stud. dipterol. 2 (2): 221-238. [available in Cesa Library] [Sciomyzidae](#)
195. **Rozkosny,R., Gregor,F. & A.C.Pont**, 1997, The European Fanniidae (Diptera). Acta Sci. nat. Brno 31 (2): 1-80, 18 figs. [available in Cesa Library] [Fanniidae](#)
196. **Röder,V.v.**, 1887, Eine neue Exoprosopa aus Syrien. Berl. ent. Z. 31: 75-76. [available in Cesa Library] [Bombyliidae](#) [Exoprosopa](#)
197. **Saghaei,N., Ostovan,H., Shojaei,M. & R.Hayat**, 2009, Introduction to the Asilidae fauna (Insecta, Diptera) of Fars Province, Iran. Turk. J. Zool. 33: 187-200, map. [available in Cesa Library] [Asilidae](#)
198. **Sarıbiyık,S. & M.Aktaş**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) Synonym(s): I. Syrphinae. Gazi Univ. Fen Bil. Derg. 9 (1): 1-13, figs. [available in Cesa Library] [Syrphidae](#) [Syrphinae](#)
199. **Sarıbiyık,S.**, 2008, Contributions to the Syrphidae fauna of Turkey (Diptera, Syrphidae) Synonym(s): . Ent. News 119 (5): 501-508. [available in Cesa Library] [Syrphidae](#)
200. **Sarıbiyık,S.**, 2009, Ballıdağ Syrphidae faunası (Diptera). Kastamonu Eğit. Derg. 17 (2): 707-714. [available in Cesa Library] [Syrphidae](#)
201. **Serçe,Ö. & H.Koç**, 2005, Contributions to Tipulidae of Turkey (Insecta, Diptera). Gazi Univ. Fen Bilim. Derg. 18 (1): 39-50. [available in Cesa Library] [Tipulidae](#)
202. **Sifner,F.**, 2004, Three new species of scatophagid flies from the Palaearctic region with a description of male Hexamitocera martineki (Diptera, Scathophagidae) Synonym(s): . J. Nat. Mus. (Nat. Hist. Ser.) 73: 105-110. [Scathophagidae](#)
203. **Sifner,F.**, 2008, A catalogue of the Scathophagidae (Diptera) of the Palaearctic region, with notes on their taxonomy and faunistics. Acta ent. Mus. natn. Pragae 48 (1): 111-196. [available in Cesa Library] [Scathophagidae](#)
204. **Sinclair,B.J. & J.M.Cumming**, 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). Zootaxa 1180: 1-172, figs. [available in Cesa Library] [Empididae](#)

205. **Skartveit, J. & H. Koç**, 2007, New records of Bibionidae (Diptera) from Turkey. *J. ent. Res. Soc.* 9 (1): 49-52, 1 map. [available in Cesa Library] [Bibionidae](#)
206. **Skuhrava, M., Mayram, Ş., Çam, H., Tezcan, S. & P. Can**, 2005, Gall midges (Cecidomyiidae, Diptera) of Turkey. *Türk. Ent. Derg.* 29 (1): 17-34. [available in Cesa Library] [Cecidomyiidae](#)
207. **Smit, J.T. & C.G. Gutiérrez-Chacon**, 2008, A new species of the *Paragus serratus*-group from Yemen (Diptera, Syrphidae) *Synonym(s): . Zool. Meded., Leiden* 82 (20): 211-216, 5 figs. [available in Cesa Library] [Syrphidae](#)
208. **Sorokina, V.S. & O.E. Chashchina**, 2003, Data on the fauna of flower flies (Diptera, Syrphidae) *Synonym(s): of the South Urals. Russ. Ent. J.* 12 (1): 93-101. [available in Cesa Library] [Syrphidae](#)
209. **Sorokina, V.S.**, 2002, Beschreibung von drei neuen Arten der Gattung *Paragus* Latreille, 1804 (Diptera, Syrphidae) *Synonym(s): aus Asien, mit einem Bestimmungsschlüssel der bisher bekannten russischen Paragus-Arten. Volucella* 6: 1-22, 92 Abb. [available in Cesa Library] [Syrphidae](#) [Paragus](#)
210. **Sorokina, V.S.**, 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) *Synonym(s): of Russia and adjacent countries. Ent. Obozr.* 88 (2): 466-487; *Ent. Rev.* 89 (3): 351-366, figs. [in English] [available in Cesa Library] [Syrphidae](#) [Paragus](#)
211. **Stary, J. & A. Freidberg**, 2007, The Limoniidae of Israel (Diptera). *Israel J. Ent.* 37: 301-357, figs. [available in Cesa Library] [Limoniidae](#)
212. **Stuke, J.-H.**, 2006, Erste Nachweise von *Lonchoptera nerana* Vaillant, 1989 aus der Türkei (Diptera, Lonchoptera) *Synonym(s): . Stud. dipterol.* 13(2): 331. [available in Cesa Library] [Lonchoptera](#) [Lonchoptera nerana](#)
213. **Stuke, J.-H.**, 2007, Sepsidenfunde aus Ostanatolien (Diptera, Sepsidae) *Synonym(s): . Stud. dipterol.* 13(2): 391-395. [available in Cesa Library] [Sepsidae](#)
214. **Szadziwski, R., Dominiak, P. & A. Tothova**, 2007, European *Atrichopogon* biting midges of the subgenus *Meloehalea* (Diptera, Ceratopogonidae) *Synonym(s): . Polski pismo Ent.* 76: 267-284. [available in Cesa Library] [Ceratopogonidae](#) [Atrichopogon](#)
215. **Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) *Synonym(s): . Faune de France* 17: 193 pp. 384 figs. Paris. [available in Cesa Library] [Asilidae](#)
216. **Séguy, E.**, 1927, Dipteres (Brachyceres) (Asilidae) *Synonym(s): , [in] Faune de France* 17: 1-193, 384 figs. [available in Cesa Library] [Asilidae](#)
217. **Séguy, E.**, 1934, Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae) *Synonym(s): , [in] Faune de France* 28: 1-832, 27 pls. 903 figs. [available in Cesa Library] [Pyrgotidae](#) [Platystomidae](#) [Pterocallidae](#) [Ortaliidae](#) [Pallopteridae](#) [Piophilidae](#) [Thyreophoridae](#) [Ulidiidae](#) [Dryomyzidae](#) [Neottiophilidae](#) [Trypetidae](#) [Lonchaeidae](#) [Lauxaniidae](#) [Tylidae](#) [Tanypezidae](#) [Psillidae](#) [Megamerinidae](#) [Sepsidae](#) [Tetanoceridae](#) [Opomyzidae](#) [Anthomyzidae](#) [Chyromyiidae](#) [Coelopidae](#) [Helomyzidae](#) [Trichoscelidae](#) [Clusiidae](#) [Chamaemyiidae](#) [Drosophilidae](#) [Asteiidae](#) [Periscelidae](#) [Aulacigasteridae](#) [Tethinidae](#) [Canaceidae](#) [Ephydridae](#) [Cypselidae](#) [Chloropidae](#) [Agromyzidae](#) [Odiniidae](#) [Carnidae](#) [Nycteribiidae](#) [Scatophagidae](#) [Braulidae](#)
218. **Tomasovic, G., Weyer, G. van der & J. Dils**, 2009, A new species of the genus *Holopogon* from Turkey (Diptera, Asilidae) *Synonym(s): . Phegea* 37 (1): 22-26, figs. [available in Cesa Library] [Asilidae](#) [Holopogon](#)
219. **Tonguç, A., Grichanov, I. & M. Kechev**, 2009, New records of the family Dolichopodidae (Diptera) from Turkey. *Acta zool. bulg.* 61 (2): 213-216, figs. [available in Cesa Library] [Dolichopodidae](#)
220. **Tozlu, G. & K. Kara**, 2007, The first host record for *Zeuxia zejana* Kolomiets, 1971 (Diptera, Tachinidae) *Synonym(s): from Turkey. Turk. J. Zool.* 31: 357-358. [available in Cesa Library] [Tachinidae](#)
221. **Tschorsnig, H.-P. & K. Kara**, 2002, A new species of *Bithia* (Diptera, Tachinidae) *Synonym(s): from Turkey. Stuttg. Beitr. Naturk. (A)* 644: 1-4. [available in Cesa Library] [Tachinidae](#) [Bithia](#)
222. **Tschorsnig, H.-P.**, 2000, Three new species of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 603: 1-9, figs. [available in Cesa Library] [Tachinidae](#)
223. **Unwin, D.M.**, 1981, A key to the families of British Diptera. *Field stud.* 5: 513-533, figs. [available in Cesa Library]
224. **Ustaoglu, M.R., Balık, S. & A. Taşdemir**, 2005, Chironomidae fauna (Diptera, Insecta) of Gümüldür Stream (İzmir). *Turk. J. Zool.* 29: 269-274, figs. [available in Cesa Library] [Chironomidae](#)
225. **Vaisanen, R.**, 1984, A monograph of the genus *Mycomya* Rondani in the Holarctic Region (Diptera, Mycetophilidae) *Synonym(s): . Acta zool. fenn.* 177: 1-346, figs. [Mycetophilidae](#) [Mycomya](#)
226. **Vaisanen, R.**, 1986, The delimitation of the Gnoristinae: criteria for classification of recent European genera (Diptera, Mycetophilidae) *Synonym(s): . Ann. zool. fenn.* 23: 197-206, figs. [available in Cesa Library] [Mycetophilidae](#) [Gnoristinae](#)

227. **Verves,Y. & K.Szpila**, 2008, *Miltogramma drabermonkoi* sp.n. from Ukraine (Diptera, Sarcophagidae, Miltogramminae). *Polskie pismo ent.* 77: 57-61, figs. [available in Cesa Library] [Sarcophagidae](#)
228. **Verves,Y.G. & L.A.Khrokalo**, 2006, Review of *Macronychiinae* (Diptera, Sarcophagidae) *Synonym(s): of the World.* *Vestn. zool.* 40 (3): 219-239, figs. [available in Cesa Library] [Sarcophagidae](#) [Macronychiinae](#)
229. **Verves,Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) *Synonym(s): Part 2. The species of genus Bellardia Robineau-Desvoidy.* *Far eastern Ent.* 135: 1-23, figs. [available in Cesa Library] [Calliphoridae](#) [Bellardia](#)
230. **Verves,Y.G.**, 2004, A review of the "Onesia" generic group (Diptera, Calliphoridae) *Synonym(s): Part 1. The species of the genera Polleniopsis Townsend, Tainanina Villeneuve and Tricycleopsis Villeneuve.* *Far eastern Ent.* 134: 1-12. [available in Cesa Library] [Calliphoridae](#) [Polleniopsis](#) [Tainanina](#) [Tricycleopsis](#)
231. **Vujic,A., Pérez-Banon,C., Radenkovic,S., Stahls,G. Rojo,S, Petanidou,T. & S.Simic**, 2007, Two new species of the genus *Merodon* Meigen,1803 (Diptera, Syrphidae) *Synonym(s): from the island of Lesbos (Greece) in the eastern Mediterranean.* *Annls Soc. ent. Fr. (n.s.)* 43 (3): 319-326, figs. [available in Cesa Library] [Syrphidae](#) [Merodon](#)
232. **Wagner,R.**, 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae) *Synonym(s): . Entomofauna* 7 (6): 81-92, figs. [available in Cesa Library] [Psychodidae](#)
233. **Wagner,R.**, 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae) *Synonym(s): . Entomofauna* 14 (24): 410-415, Abb. [available in Cesa Library] [Psychodidae](#)
234. **Weyer,G.van de**, 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae) *Synonym(s): . Phegea* 28 (4): 149-152, figs. [available in Cesa Library] [Syrphidae](#) [Paragus faesi](#)
235. **Weyer,G.van de**, 2010, A new species of *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae) *Synonym(s): . Phegea* 38 (1): 16-20, figs. [available in Cesa Library] [Syrphidae](#) [Paragus altomontanus](#)
236. **White,I.M. & K.F.M.Goodger**, 2009, African *Dacus* (Diptera, Tephritidae) *Synonym(s): ; new species and data with particular reference to the Tel Aviv University Collection.* *Zootaxa* 2127: 1-49, figs. [available in Cesa Library] [Tephritidae](#) [Dacus](#)
237. **Wiedemann,C.R.W.**, 1821, *Diptera exotica. Pars I*, 244pp. Tab.2, Kiliae. [available in Cesa Library]
238. **Wiedemann,C.R.W.**, 1828, *Aussereuropäische zweiflügelige Insecten vol. 1*, xxxii+608 pp., 7 Taf., Hamm. [available in Cesa Library]
239. **Winnertz,J.**, 1863, Beitrag zu einer Monographie der Pilzmücken. *Verh. zool.-bot. Ges. Wien* 13: 637-964, Taf. [available in Cesa Library] [Mycetophilidae](#) [Bolitophilidae](#)
240. **Winnertz,J.**, 1867, Beitrag zu einer Monographie der Sciarinen. *Verh. zool.-bot. Ges. Wien* 17: 1-187, 1 Taf. [available in Cesa Library] [Sciaridae](#)
241. **Woznica,A.J. & A.Ö.Koçak**, 2009, New records of Turkish Heleomyzid flies (Diptera, Heleomyzidae) *Synonym(s): . Dipteron* 25: 77-81, 1 fig. [available in Cesa Library] [Heleomyzidae](#)
242. **Woznica,A.J. & R.Andrade**, 2008, *Neoleria maritima* Villeneuve,1921 (Diptera, Heleomyzidae) *Synonym(s): - new species to the fauna of Netherlands and Portugal.* *Dipteron* 24: 53-55, 2 figs. [available in Cesa Library] [Heleomyzidae](#) [Neoleria maritima](#)
243. **Woznica,A.J.**, 2007, New records of the Turkish Sunflies (Diptera, Trixoscelidae) *Synonym(s): with description of a new Trixoscelis species.* *Ann. Upper Sil. Mus. (Ent.)* 14-15: 59-64, figs. [available in Cesa Library] [Trixoscelidae](#)
244. **Woznica,A.J.**, 2008, *Eccoptomera promethei* Gorodkov,1966 (Diptera, Heleomyzidae) *Synonym(s): - first record of the species in Europe.* *Dipteron* 24: 50-52, 2 figs. [available in Cesa Library] [Heleomyzidae](#) [Eccoptomera promethei](#)
245. **Woznica,A.J.**, 2009, Order Diptera, family Trixoscelidae. *Arthropod fauna of the UAE* 2: 752-763, figs. [available in Cesa Library] [Trixoscelidae](#)
246. **Yağcı,Ş. & Dinçer,Ş.**, 1996, Türkiye Tabanidae (Diptera) faunası için yeni bir tür *Tabanus caucasius* Kröber,1925. *Ankara Univ. Veter. Fak. Derg.* 43: 357-359. [Tabanidae](#)
247. **Yağcı,Ş.**, 1997, Edremit (Balıkesir) yöresi Tabanidae (Diptera) türleri. *Türk. Parazit. Derg.* 21: 405-408. [Tabanidae](#)
248. **Yücel,Ş.**, 1991, İç Anadolu Bölgesindeki bazı Tabanidae türleri ve yayılışları (Diptera). *J. Biol. Fac. Sci. Arts Gazi Univ.* 1991 (2): 303-318, figs. [available in Cesa Library] [Tabanidae](#)
249. **Zetterstedt,J.W.**, 1842-1860, *Diptera Scandinaviae Disposita et descripta.* 14 vols. (6609pp.) Lund. [available in Cesa Library]
250. **Zimina,L.V.**, 1979, A new Conopidae species from Turkmenistan (Diptera). *Trudy Vses. Ent. Obshch.* 61: 196-197. [Conopidae](#) [Physocephala zaitzevi](#)

251. **Zlobin,V.V.**, 2005, A new species of *Melanagromyza* feeding on giant hogweed in the Caucasus (Diptera, Agromyzidae) *Synonym(s):* . *Zoosyst. ross.* 14 (1): 173-177, figs. [available in Cesa Library] [Agromyzidae](#)
252. **Zwick,P.**, 1972, *Blephariceridae* (Dipt.) aus der asiatischen Türkei. *Nouv. Revue Ent.* 2: 21-42, figs. [Blephariceridae](#)
253. **Zwick,P.**, 1988, Contribution to the Turkish *Blephariceridae* and *Ptychopteridae* (Diptera). *Mitt. schweiz. ent. Ges.* 61: 123-129, figs. [Blephariceridae](#) [Ptychopteridae](#)
254. **Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... *Cesa News* 48: 1-60, 111 figs. [available in Cesa Library]
255. **Çiftçi,M.C. & A.Hasbenli**, 2008, Contribution to the *Empis* (subgenus *Empis*) (*Empididae*, Diptera) fauna of Turkey. *Turk. J. Zool.* 32: 433-435. [available in Cesa Library] [Empididae](#) [Empis](#)
256. **Çiftçi,M.C., Parvu,C. & A.Hasbenli**, 2008, A new *Hilara* Meigen (Diptera, *Empididae*) *Synonym(s):* species from the Eastern Mediterranean Region of Turkey. *Ent. News* 119 (1): 96-101, figs. [Empididae](#) [Hilara](#)
257. **Özdikmen,H.**, 2008, *Turka* nom. nov. for the preoccupied Palaearctic Robber Flies genus *Turkiella* Lehr,1996 (Diptera, *Asilidae*) *Synonym(s):* . *Mun. Ent. Zool.* 3 (2): 554-555. [available in Cesa Library] [Asilidae](#) [Turkiella](#) [Turka](#)
258. **Özkan,N.**, 2002, Five new *Chironomidae* (Diptera) species for the Turkish fauna. *Turk. J. Zool.* 26: 183-188, figs. [available in Cesa Library] [Chironomidae](#)
259. **Ülgentürk,S.**, 1999, Tükiye [sic!] faydalı faunası için yeni bir kayıt; *Leucopis silesiaca* Egger (Diptera, *Chamaemyiidae*) *Synonym(s):* . *Türk. ent. derg.* 23 (1): 75-80, figs. [available in Cesa Library] [Chamaemyiidae](#) [Leucopis silesiaca](#)
260. **Üstüner,T. & A.Hasbenli**, 2003, First record of the subfamily *Beridinae* (Diptera, *Stratiomyidae*) *Synonym(s):* from Turkey. *Stud. dipterol.* 10 (1): 186-188. [available in Cesa Library] [Stratiomyidae](#) [Beridinae](#) [Beris clavipes](#)
261. **Üstüner,T. & A.Hasbenli**, 2004, A new species of *Oxycera* Meigen (Diptera, *Stratiomyidae*) *Synonym(s):* from Turkey. *Ent. News* 115 (3): 163-167, figs. [available in Cesa Library] [Stratiomyidae](#) [Oxycera turcica](#)
262. **Üstüner,T. & A.Hasbenli**, 2007, A new species and some new records of the genus *Oxycera* (Diptera, *Stratiomyidae*) *Synonym(s):* from Turkey. *Ent. News* 118 (2): 179-183, figs. [available in Cesa Library] [Stratiomyidae](#) [Oxycera](#)
263. **Üstüner,T. & Hasbenli,A. & R.Rozkosny**, 2003, First record of *Hermetia illucens* (Linnaeus,1758) (Diptera, *Stratiomyidae*) *Synonym(s):* from the Near East. *Stud. dipterol.* 10 (1): 181-185. [available in Cesa Library] [Stratiomyidae](#) [Hermetiinae](#) [Hermetia illucens](#)
264. **Üstüner,T., Hasbenli,A. & A.Aktümsek**, 2002, Contribution to subfamily *Clitellariinae* (Diptera, *Stratiomyidae*) *Synonym(s):* fauna of Turkey. *J. ent. Res. Soc.* 4 (1): 19-24. [Stratiomyidae](#) [Clitellariinae](#)
265. **Şahin,Y.**, 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki *Chironomidae* (Diptera) larvalarının teşhisi ve dağılımları. *Anadolu Üniversitesi Yayınları* no 57. 145s., 359 şek. [available in Cesa Library] [Chironomidae](#)
266. **Şahin,Y.**, 1991, Yeni *Diamesinae* (*Chironomidae*, Diptera) türleri. *Anadolu Univ., Fen Edb. Fak. Derg. C3:* 63-72, şekil. [available in Cesa Library] [Chironomidae](#) [Diamesinae](#)

Hymenoptera

1. **Achterberg,C.van**, 1988, Revision of the subfamily *Blacinae* Foerster (Hymenoptera, *Braconidae*) *Synonym(s):* . *Zool. Verh.* 249: 1-324, 1250 figs. [available in Cesa Library] [Braconidae](#) [Blacinae](#)
2. **Achterberg,C.van**, 1990, Revision of the western Palaearctic *Phanerotomini* (Hymenoptera, *Braconidae*) *Synonym(s):* . *Zool. Verh.* 255: 1-106, 360 figs. [available in Cesa Library] [Braconidae](#) [Phanerotomini](#)
3. **Achterberg,C.van**, 1999, The west palaearctic species of the subfamily *Paxylommatinae* (Hymenoptera, *Ichneumonidae*) *Synonym(s):* with special reference to the genus *Hybrizon* Fallén. *Zool. Meded. Leiden* 73 (2): 11-26, figs. [available in Cesa Library] [Ichneumonidae](#) [Paxylommatinae](#) [Hybrizon](#)
4. **Alfken,J.D.**, 1930, *Apidae* in Ebner,R., *Hymenopteren aus Palaestina und Syrien* (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 25-26. [available in Cesa Library] [Apidae](#)
5. **Alfken,J.D.**, 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. *Ent. Rdsch.* 52: 110-111, 129-132, 148-152, 153-162 [available in Cesa Library] [Apidae](#)

6. **Aliyev, A.A.**, 1999, Fauna of the subfamily Ichneumoninae (Hymenoptera, Ichneumonidae) Synonym(s): of Azerbaijan with new records. Turk. J. Zool. 23: 1-12 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library] [Ichneumonidae](#) [Ichneumoninae](#)
7. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
8. **Anlaş, S., Tezcan, S. & E.Yıldırım**, 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. YYÜ Tarım Bil. Derg. 19 (1): 23-32. [available in Cesa Library]
9. **Anlaş, S., Wahis, R. & S.Tezcan**, 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. Turk. ent. derg. 29 (4): 255-258. [available in Cesa Library] [Pompilidae](#)
10. **Anonymous**, 2006-2008, HymIS Hymenoptera Information System. <http://www.hymis.info/topical/topical.php?nav1=topical>
11. **Anonymous**, 2007-2009, Universal Chalcidoidea Database. Natural History Museum. <http://www.nhm.ac.uk/jdsml/research-curation/research/projects/chalcidoidea/> [Chalcidoidea](#)
12. **Ariana, A., Scheuchl, E., Tadauchi, O. & F.Gusenleitner**, 2009, A taxonomic revision of the subgenus *Andrena* (*Brachyandrena*) (Hymenoptera, Andrenidae) Synonym(s): . Zootaxa 2281: 21-39, figs. [available in Cesa Library] [Andrenidae](#) [Andrena](#)
13. **Askew, R.R., Gomez, J.F. & J.L.Nieves-Aldrey**, 2004, Species of Microdromerini (Hymenoptera, Chalcidoidea, Torymidae) Synonym(s): associated with galls of Cynipidae (Hymenoptera) in Europe. J. Hym. Res. 13 (2): 214-222. [available in Cesa Library] [Cynipidae](#) [Aulacidea](#) [acroptilonica](#)
14. **Aydoğdu, M.**, 2008, A new species of the genus *Chelonus* Panzer, 1806 (Hymenoptera, Braconidae, Cheloninae) from western Anatolia (Turkey). Biologia 63 (2): 245-248, figs.; ibid. 63 (3): 455. [available in Cesa Library] [Braconidae](#) [Cheloninae](#) [Chelonus](#)
15. **Bachmaier, F. & E.Diller**, 1985, Zur Taxonomie der Gattung *Magwengiella* Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). Entomofauna 6 (27): 489-498, Abb. [available in Cesa Library] [Ichneumonidae](#) [Ctenocalini](#) [Magwengiella](#)
16. **Bağrıaçık, N. & A.Tüzün**, 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. C.Ü. Fen Bil. Derg. 25 (1): 21-31. [available in Cesa Library] [Eumenidae](#)
17. **Beaumont, J.de**, 1967, Hymenoptera of Turkey Sphecidae I. Bull. Br. Mus. (Nat. Hist.) Ent. 19: 253-382, figs. [available in Cesa Library] [Sphecidae](#)
18. **Benson, R.B.**, 1938, On the classification of sawflies (Hymenoptera, Symphyta). Trans. R. ent. Soc. London 87 (15): 353-384. [Argidae](#) [Cimbicidae](#) [Tenthredinidae](#) [Blasticotomidae](#) [Cephidae](#) [Diprionidae](#) [Megalodontesidae](#) [Orussidae](#) [Siricidae](#) [Xiphydriidae](#) [Xyelidae](#) [Symphyta](#)
19. **Benson, R.B.**, 1962, Holarctic Sawflies (Hymenoptera, Symphyta). Bull. Br. Mus. (Nat. Hist.) Ent. 12 (1): 379-409, figs. [available in Cesa Library] [Argidae](#) [Cimbicidae](#) [Tenthredinidae](#) [Blasticotomidae](#) [Cephidae](#) [Diprionidae](#) [Megalodontesidae](#) [Orussidae](#) [Siricidae](#) [Xiphydriidae](#) [Xyelidae](#) [Symphyta](#)
20. **Beuk, P.**, 2004-2009, Diptera.info <http://www.diptera.info//news.php> - images in Diptera Gallery and Forum of their respective owners.
21. **Beyarslan, A.**, 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. Z. ArbGem. Öst. Ent. 39 (3/4): 71-76, figs. [available in Cesa Library] [Braconidae](#)
22. **Beyarslan, A., Aydoğdu, M. & Ö.Ç.Erdoğan**, 2006, A survey of Turkish c fauna with redescription of *G. baetica* from a new host. Biologia 61 (2): 139-143, figs. [available in Cesa Library] [Braconidae](#) [Braconinae](#) [Glyptomorpha](#)
23. **Blüthgen, P.**, 1930, Gattung *Halictus* Latr. [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 26. [available in Cesa Library] [Apidae](#) [Halictus](#)
24. **Bolu, H. & I.Özgen**, 2007, Badem içkurdunun (*Eurytoma amygdali* Enderlein) (Hymenoptera, Eurytomidae) Synonym(s): yayılış alanları, bulaşma oranları ve parazitoidleri. Harran Univ. Ziraat Fak. Derg. 11 (3/4): 59-65, figs. [available in Cesa Library] [Eurytomidae](#) [Torymidae](#) [Eulophidae](#) [Pteromalidae](#) [Chalcidoidea](#)
25. **Boucek, Z.**, 1982, Four new mediterranean Torymidae (Hymenoptera). Entomologist's Gaz. 33: 183-191, figs. [available in Cesa Library] [Torymidae](#)
26. **Bradley, J.C. & F.Maidl**, 1930, Mutillidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22. [available in Cesa Library] [Mutillidae](#)
27. **Bulut, H. & N.Kılıçer**, 1989, Ankara İlinde meyve ağaçlarında zarar yapan önemli lepidopterlerin yumurta parazitlerinden *Trichogramma* türleri (Hym., Trichogrammatidae) Synonym(s): ve bunların

- yayıışı üzerine arařtırmalar. Bitki koruma Blt. 29 (1/2): 19-46, Őekil. [available in Cesa Library] [Trichogrammatidae Trichogramma](#)
28. **Carpenter, J.M.**, 1986, A synonymic generic checklist of the Eumeninae (Hymenoptera, Vespidae) Synonym(s): . Psyche 93: 61-90. [available in Cesa Library] [Eumenidae](#)
29. **Carpenter, J.M., Gusenleitner, J. & M.Madl**, 2009, A Catalogue of the Eumeinae (Hymenoptera, Vespidae) Synonym(s): of the Ethiopian Region excluding Malagasy Subregion Part 1. Introduction, key to genera, genera Aethiopicodynerus Gusenleitner 1997 to Cyrtolabulus Van der Vecht 1969 Linzer biol. Beitr. 41 (1): 513-638, figs. [available in Cesa Library] [Vespidae Eumeninae](#)
30. **Collingwood, C. & H. Heatwole**, 2000, Ants from northwestern China (Hymenoptera, Formicidae) Synonym(s): . Psyche 103 (1/2): 1-24. [available in Cesa Library] [Formicidae](#)
31. **Dalla Torre, C.G.v.**, 1894, Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Volumen IX Vespidae (Diploptera). 181 pp. Lipsiae. [available in Cesa Library] [Vespidae Eumenidae](#)
32. **Dalla Torre, K.W.von & J.J.Kieffer**, 1910, Cynipidae [in] Schulze, F.E., Das Tierreich 24. Lieferung, Hymenoptera. xxxv ♀ 891pp., 422pp. Berlin. [available in Cesa Library] [Cynipidae](#)
33. **Dollfuss, H.**, 1995, A worldwide revision of Pemphredon Latreille, 1796 (Hymenoptera, Sphecidae) Synonym(s): . Linzer biol. Beitr. 27: 905-1019. [available in Cesa Library] [Sphecidae Pemphredon](#)
34. **Dođanlar, M. & H.Çam**, 2005, Morphology and systematics of Turkish species of Exeuytoma Burks, 1971 (Hymenoptera, Chalcidoidea, Eurytomidae) Synonym(s): with description of a new species from eastern Anatolia. Turk. J. Zool. 29: 243-248, 3 figs. [available in Cesa Library] [Eurytomidae Exeuytoma Chalcidoidea](#)
35. **Dođanlar, M. & O.Dođanlar**, 2010, Review of the species of Gugolzia Delucchi and Steffan (Hymenoptera, Pteromalidae) Synonym(s): in Europe and Turkey with descriptions of new species. Turk. J. Zool. 34: 23-34, figs. [available in Cesa Library] [Pteromalidae Gugolzia](#)
36. **Dođanlar, M. & S.V.Triapitsyn**, 2007, Review of Ceranisus (Hymenoptera, Eulophidae) Synonym(s): of Turkey, with description of a new species. Eur. J. Ent. 104: 105-110, figs. [available in Cesa Library] [Eulophidae Ceranisus](#)
37. **Dođanlar, M.**, 1982, A new species Diglyphus Walker (Hymenoptera, Eulophidae) Synonym(s): from Eastern Anatolia. Türk. bitki kor. derg. 6: 75-79, figs. [available in Cesa Library] [Eulophidae Diglyphus anadolucus](#)
38. **Dođanlar, M.**, 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) Synonym(s): from Southeastern Anatolia, Turkey. Turk. J. Zool. 27: 181-185, figs. [available in Cesa Library] [Eulophidae Ceranisus](#)
39. **Dođanlar, O., Yıldırım, A.E. & M.Dođanlar**, 2006, Natural enemy complex of Eurytoma amgdali Enderlein, 1907 (Hymenoptera, Eurytomidae) Synonym(s): in eastern Mediterranean Region of Turkey; notes on their interaction and effectiveness. Res. J. Agr. Biol. Sci. 2 (6): 282-286. [available in Cesa Library] [Eurytomidae Torymidae](#)
40. **Ebmer, P.A.W.**, 1987, Die westpalaearktischen Arten der Gattung Dufourea Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae). Linzer biol. Beitr. 19 (1): 43-56, figs. [available in Cesa Library] [Halictidae Dufourea Apoidea Dufoureaeinae](#)
41. **Ebmer, P.A.W.**, 1989, Die westpalaearktischen Arten der Gattung Dufourea Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs. [available in Cesa Library] [Halictidae Dufourea Apoidea Dufoureaeinae](#)
42. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y.Othman**, 2009, Contribution to the Entomofauna of Dibeen Forest Reserve in Jordan. Cesa News 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)
43. **Fahringer, J.**, 1930, Ichneumonidae, Braconidae, Evaniidae, Cynipidae, Chalcididae, Serphidae, Psammocharidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 19-22. [available in Cesa Library] [Ichneumonidae Braconidae Evaniidae Cynipidae Chalcididae Serphidae Pompilidae](#)
44. **Fallahzadeh, M., Narendran, T.C. & N.Saghaei**, 2009, Insecta, Hymenoptera, Chalcidoidea, Eurytomidae and Torymidae in Iran. Checklist 5 (4): 830-839. [available in Cesa Library] [Eurytomidae Torymidae](#)
45. **Fallahzadeh, M., Shojaei, M., Ostovan, H. & K.Kamali**, 2009, Notes on some Encyrtidae (Hymenoptera, Chalcidoidea) from Iran. J. ent. Soc. Iran 28 (2): 81-84. [available in Cesa Library] [Encyrtidae Chalcidoidea](#)

46. **Finzi, B.**, 1930, Formicidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 22-24. [available in Cesa Library] [Formicidae](#)
47. **Förster, A.**, 1868, Synopsis der Familien und Gattungen der Ichneumoniden. Verh. naturh. Ver. preuss. Rheinl. 25: 135-221 [see Perkins, J.F., 1961]. [Ichneumonidae](#) [Cynipidae](#)
48. **Gençer, L. & S. Seven**, 2005, Chalcidoid parasitoids of *Micrurapteryx sophorivora* (Lepidoptera, Gracillariidae) Synonym(s): in Kuluncak, Turkey Phytoprotection 86: 133-134. [available in Cesa Library] [Eulophidae](#) [Pteromalidae](#) [Chalcidoidea](#)
49. **Gençer, L.**, 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) Synonym(s): in Ankara Province. Turk. J. Zool. 28: 119-122. [available in Cesa Library] [Eulophidae](#) [Agromyzidae](#) [Liriomyza](#) [Chromatomyia](#) [Diglyphus](#) [Neochrysocharis](#) [Pediobius](#) [Hemiptarsenus](#)
50. **Gençer, L.**, 2004, Contribution to the knowledge of the family Eulophidae (Hymenoptera, Chalcidoidea) from Turkey, with some new records. Phytoparasitica 32 (3): 264-273. [available in Cesa Library] [Eulophidae](#) [Chalcidoidea](#)
51. **Giraud, J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. Verh. zool.- bot. Ges. Wien 9: 337-374, Pls. [available in Cesa Library] [Cynipidae](#)
52. **Graham, M.W.R. de Vere & M.J. Gijswijt**, 1998, Revision of the European species of *Torymus Dalman* (Hymenoptera, Torymidae) Synonym(s): . Zool. Verh. 317: 1-202, 266 figs. [available in Cesa Library] [Torymidae](#) [Torymus](#)
53. **Gravenhorst, J.L.C.**, 1829, Ichneumonologia Europaea. Pars I-III. xxxxi+830+989+1097 pp. Vratislaviae. [available in Cesa Library] [Ichneumonidae](#)
54. **Gusenleitner, J.**, 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. Linzer biol. Beitr. 9 (1): 163-178, figs. [available in Cesa Library] [Vespidae](#) [Eumeninae](#) [Leptochilus](#)
55. **Gusenleitner, J.**, 1984, Zwei neue Subspezies der Art *Euodynerus* (*Pareuodynerus*) *quadrifasciatus* (Fabricius, 1793) (Hymenoptera, Eumenidae) Synonym(s): . Entomofauna 5 (14): 165-169. [available in Cesa Library] [Eumenidae](#)
56. **Gusenleitner, J.**, 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae) Synonym(s): . Entomofauna 6 (9): 81-101. [available in Cesa Library] [Eumenidae](#)
57. **Gusenleitner, J.**, 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb. [available in Cesa Library] [Vespidae](#) [Eumenidae](#)
58. **Gusenleitner, J.**, 1991, Über Vespoidea (Hymenoptera) aus der Mongolei und der Sowjetunion. Linzer biol. Beitr. 23 (2): 631-641. [available in Cesa Library] [Eumenidae](#)
59. **Gusenleitner, J.**, 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). Linzer biol. Beitr. 24 (1): 59-63. [available in Cesa Library] [Masaridae](#)
60. **Gusenleitner, J.**, 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae) Synonym(s): . Linzer biol. Beitr. 28 (1): 23-38, figs. [available in Cesa Library] [Sapygidae](#)
61. **Gusenleitner, J.**, 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). Linzer biol. Beitr. 29 (1): 105-108, figs. [available in Cesa Library] [Sapygidae](#)
62. **Gusenleitner, J.**, 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae) Synonym(s): . Linzer biol. Beitr. 29 (1): 137-150. [available in Cesa Library] [Eumenidae](#) [Masaridae](#)
63. **Gusenleitner, J.**, 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae) Synonym(s): . Linzer biol. Beitr. 30 (2): 503-513, figs. [available in Cesa Library] [Eumenidae](#) [Masaridae](#)
64. **Gusenleitner, J.**, 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938. [available in Cesa Library] [Eumenidae](#)
65. **Gusenleitner, J.**, 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). Linzer biol. Beitr. 33 (2): 663-669. [available in Cesa Library] [Eumenidae](#)
66. **Gusenleitner, J.**, 2001, Über Eumeniden-Arten aus Jordanien (Hymenoptera, Vespoidea, Eumenidae) Synonym(s): . Linzer biol. Beitr. 33 (1): 233-238. [available in Cesa Library] [Eumenidae](#)
67. **Güler, Y. & N. Çağatay**, 2006, Faunistic study on Megachilini, Osmiini and Anthidiini tribes (Hymenoptera, Megachilidae) Synonym(s): in Central Anatolia. J. ent. Res. Soc. 8 (2): 15-34. [available in Cesa Library] [Megachilidae](#) [Megachilini](#) [Osmiini](#) [Anthidiini](#)
68. **Güler, Y. & N. Çağatay**, 2007, A study on the genus *Bracon* Fabricius, 1804 (Hymenoptera, Braconidae, Braconinae) in Ankara Province in Turkey. Munis Ent. Zool. 2 (2): 517-524. [available in Cesa Library] [Braconidae](#) [Braconinae](#)
69. **Gülmez, Y. & A. Tüzün**, 2005, Spheciformes (Hymenoptera) from Ankara Province. Subfamilies Sphecinae, Pempredoninae and Astatinae.

- a J. ent. Res. Soc. 7 (1): 41-57. [available in Cesa Library] [Sphecidae](#) [Sphecinae](#) [Pempredoninae](#) [Astatinae](#)
70. **Gürbüz, M.F. & J. Kolarov**, 2008, A study of the Turkish Cryptini IV (Cryptinae, Ichneumonidae, Hymenoptera). Turk. J. zool. 32: 373-377. [available in Cesa Library] [Ichneumonidae](#) [Cryptinae](#) [Cryptini](#)
71. **Gürbüz, M.F. & M.Y. Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. Phytoparasitica 33 (2): 121-122. [available in Cesa Library] [Ichneumonidae](#)
72. **Haddad, N.J., Dvorak, L. Adwan, O., Mnadat, H. & A. Bataynah**, 2007, New data on Vespidae wasp fauna of Jordan (Hymenoptera, Vespidae) Synonym(s): . Linzer biol. Beitr. 39 (1): 137-142. [available in Cesa Library] [Vespidae](#)
73. **Hartig, T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210. [Cynipidae](#)
74. **Hartig, T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab. [Cynipidae](#)
75. **Hartig, T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422. [Cynipidae](#)
76. **Hill, D.S.**, 1967, Figs (Ficus spp.) and fig-wasps (Chalcidoidea). J. Nat. Hist. 1: 413-434, figs. [available in Cesa Library] [Chalcidoidea](#) [Agaonidae](#) [Torymidae](#) [Eurytomidae](#) [Ormyridae](#) [Eulophidae](#)
77. **Japoshvili, G. & J.S. Noyes**, 2006, The Western Palaearctic species of Psilophrys Mayr (Hymenoptera, Chalcidoidea, Encyrtidae) Synonym(s): , parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) Synonym(s): attacking oaks (Quercus spp.). J. Nat. Hist. 40 (29-31): 1793-1800, figs. [available in Cesa Library] [Chalcidoidea](#) [Encyrtidae](#) [Coccoidea](#) [Kermesidae](#)
78. **Japoshvili, G.O. & I. Karaca**, 2003, New records of encyrtid parasitoids of Kermes palestiniensis Balachowsky (Hemiptera, Kermesidae) Synonym(s): with the description of a new species of Blastothrix Mayr (Hymenoptera, Encyrtidae) Synonym(s): from Turkey. Ent. News 114 (4): 187-191, figs. [available in Cesa Library] [Chalcidoidea](#) [Encyrtidae](#) [Coccoidea](#) [Kermesidae](#)
79. **Jeong, J.-C. & J.-W. Lee**, 2006, Taxonomy of Listrodromini (Hymenoptera, Ichneumonidae, Ichneumoninae) from Korea. Ent. Res. 36: 127-132, figs. [available in Cesa Library] [Ichneumonidae](#) [Listrodromini](#)
80. **Kamal, M.**, 1937, Brachymeria femorata Panz. (Hymenoptera, Chalcididae) Synonym(s): a primary parasite of the cabbage worm Pieris rapae L. Bull. Soc. R. ent. Egypte 1937: 5-12, 6 pls. [available in Cesa Library] [Chalcididae](#) [Brachymeria](#)
81. **Karimpour, Y., Tavakoli, M. & G. Melika**, 2008, New species of herb gallwasps from the Middle East (Hymenoptera, Cynipidae, Aylacini). Zootaxa 1854: 16-32, figs. [available in Cesa Library] [Cynipidae](#) [Aylacini](#)
82. **Katılmış, Y. & S. Kiyak**, 2008, Checklist of Cynipidae of Turkey with a new genus record. J. Nat. Hist. 42: 2161-2167. [available in Cesa Library] [Cynipidae](#)
83. **Katılmış, Y. & S. Kiyak**, 2009, Aphelonyx persica: a new record from Turkey, with some new host records. Phytoparasitica 37 (1): 95-97. [available in Cesa Library] [Cynipidae](#) [Aphelonyx persica](#)
84. **Kolarov, J. & H. Ghahari**, 2008, A study of the Iranian Ichneumonidae (Hymenoptera) III. Ichneumoninae. Acta ent. serb. 13 (1/2): 61-76. [available in Cesa Library] [Ichneumonidae](#) [Ichneumoninae](#)
85. **Kolarov, J. & M.F. Gürbüz**, 2006, A study of the Turkish Ichneumonidae (Hymenoptera) III. Anomaloninae, Banchinae, Ophioninae and Xoridinae. Acta ent. serb. 11 (1/2): 91-94. [available in Cesa Library] [Ichneumonidae](#) [Anomaloninae](#) [Banchinae](#) [Ophioninae](#) [Xoridinae](#)
86. **Kolarov, J. & M. Yurtcan**, 2008, A study of the Ichneumonidae (Hymenoptera) of the North Anatolia (Turkey) I. Brachycyrtinae, Cryptinae and Xoridinae. Acta ent. serb. 13 (1/2): 89-91. [available in Cesa Library] [Ichneumonidae](#) [Brachycyrtinae](#) [Cryptinae](#) [Xoridinae](#)
87. **Kolarov, J. & M. Yurtcan**, 2008, A new species of Cymodusa Holmgren, 1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Biologia 63 (4): 548-549, 4 figs. [available in Cesa Library] [Ichneumonidae](#) [Cymodusa](#) [Campopleginae](#)
88. **Kolarov, J. & M. Yurtcan**, 2009, A study of the Cremastinae (Hymenoptera, Ichneumonidae) Synonym(s): from Turkey. Turk. J. zool. 33: 371-374. [available in Cesa Library] [Ichneumonidae](#) [Cremastinae](#)
89. **Kolarov, J.**, 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae) Synonym(s): . Linzer biol. Beitr. 25 (2): 1093-1097, 2 Abb. [available in Cesa Library] [Ichneumonidae](#)
90. **Kolarov, J.**, 2007, A catalogue of the Ichneumonidae from Greece (Hymenoptera). Entomofauna 28 (30): 405-452. [available in Cesa Library] [Ichneumonidae](#)
91. **Koçak, A.Ö. & M. Kemal**, 2008, Nomenclatural notes on the genus group names in the order Hymenoptera (Chalcidoidea). Cent. ent. Stud., Misc. Pap. 143: 3-7. [available in Cesa Library] [Agaonidae](#) [Chalcididae](#) [Pteromalidae](#) [Encyrtidae](#) [Eucharitidae](#) [Eulophidae](#)
92. **Koçak, A.Ö. & M. Kemal**, 2008, Scientific note 2. On the nomenclature of the name Neotrimorus in India (Scelionidae) Synonym(s): (Hymenoptera). Cent. ent. Stud., Misc. Pap. 143: 7. [available in Cesa Library] [Scelionidae](#)

93. **Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus-group names in the families Braconidae and Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 144: 6. [available in Cesa Library] [Braconidae](#) [Ichneumonidae](#)
94. **Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus group names of the families Pompilidae and Sphecidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 145: 6-7. [available in Cesa Library] [Pompilidae](#) [Sphecidae](#)
95. **Koçak,A.Ö. & M.Kemal**, 2009, Replacement names in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 3-4. [available in Cesa Library] [Ichneumonidae](#)
96. **Koçak,A.Ö. & M.Kemal**, 2009, A replacement name in the family Stephanidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 7-8. [available in Cesa Library] [Stephanidae](#)
97. **Koçak,A.Ö. & M.Kemal**, 2009, Further replacement names in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 12-13. [available in Cesa Library] [Ichneumonidae](#)
98. **Koçak,A.Ö. & M.Kemal**, 2009, A replacement name in the family Braconidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 147-148: 14. [available in Cesa Library] [Braconidae](#)
99. **Koçak,A.Ö. & M.Kemal**, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 52: 1-63, 14 figs. [available in Cesa Library]
100. **Koçak,A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Ichneumonidae (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 1 [available in Cesa Library] [Ichneumonidae](#)
101. **Koçak,A.Ö. & M.Kemal**, 2009, On the nomenclature of a pre-occupied generic name in the family Braconidae from Zaire (Hymenoptera). Cent. ent. Stud., Misc. Pap. 150: 2. [available in Cesa Library] [Braconidae](#)
102. **Koçak,A.Ö. & M.Kemal**, 2010, Generic replacement names in the family Megachilidae (Hymenoptera). Priamus 12 (5): 127-128. [available in Cesa Library] [Megachilidae](#)
103. **Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina serhadensis](#)
104. **Koçak,A.Ö., Hüseyinoğlu,Y. & M.Kemal**, 2008, Further notes on the nomenclature of the genus group names in the superfamily Chalcidoidea (Hymenoptera). Cent. ent. Stud., Misc. Pap. 144: 7. [available in Cesa Library] [Pteromalidae](#) [Mymaridae](#)
105. **Koçak,E. & N.Kılınçer**, 2003, Taxonomic studies on Trissolcus sp. (Hymenoptera, Scelionidae) Synonym(s): , egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, Eurygaster sp.) in Turkey. Turk. J. zool. 27: 301-307, figs. [available in Cesa Library] [Scelionidae](#)
106. **Krombein,K.V. & B.D.Burks**, 1967, Hymenoptera of America North of Mexico Synoptic Catalog (Agriculture Monograph No.2) Second Supplement 584pp. Washington D.C. [available in Cesa Library]
107. **Kuhlmann,M. H.Özbek**, 2007, Checklist of the Bees of the genus Colletes Latrille,1802 of Turkey (Hymenoptera, Apoidea, Colletidae) Synonym(s): . J. ent. Res. Soc. 9 (1): 7-31. [Colletidae](#) [Colletes](#)
108. **Kuhlmann,M.**, 2002, Neue palaearktische Arten der Bienengattung Colletes Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 34 (1): 743-770. [available in Cesa Library] [Colletidae](#) [Colletes](#)
109. **Kuhlmann,M.**, 2003, Zur Kenntnis palaearktischer Bienen der Gattung Colletes Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 35 (1): 723-746. [available in Cesa Library] [Colletidae](#) [Colletes](#)
110. **Kuhlmann,M.**, 2005, Colletes rozeni sp.n., a new bee species from Israel (Insecta, Hymenoptera, Colletidae) Synonym(s): . Linzer biol. Beitr. 37 (2): 1399-1400, figs. [available in Cesa Library] [Colletidae](#) [Colletes rozeni](#)
111. **Kuhlmann,M.**, 2005, Faunistik und Zoogeographie der Bienengattung Colletes Latreille,1802 (Hymenoptera, Apidae, Colletinae) in Mittelasien. Linzer biol. Beitr. 37 (2): 1353-1396, figs. [available in Cesa Library] [Colletidae](#) [Colletes](#)
112. **Kurzenko,N.V. & J.Gusenleitner**, 1994, Sapygidae from Turkey, with a key to palaeartic species of Sapyginae (Hymenoptera). Linzer biol. Beitr. 26 (2): 583-632, figs. [available in Cesa Library] [Sapygidae](#)
113. **Kiyak,S. & Y.Katılmış**, 2010, Oak Gallwasp Dryocosmus mayri (Hymenoptera, Cynipidae) Synonym(s): - new record from Turkey. J. ent. Res. Soc. 12 (1): 67-70. [Cynipidae](#) [Dryocosmus mayri](#)
114. **Kiyak,S., Kılıç,T. & Y.Katılmış**, 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae) Synonym(s): . Mun. Ent. Zool. 3 (1): 523-535, figs. [available in Cesa Library] [Cynipidae](#)

115. **Lattke, J.E.**, 2004, A taxonomic revision and phylogenetic analysis of the ant genus *Gnamptogenys* Roger in Southeast Asia and Australasia (Hymenoptera, Formicidae, Ponerinae). Univ. Calif. Press 122: 266pp., 61 figs. [available in Cesa Library] [Formicidae Ponerinae](#)
116. **Lelej, A.S. & E.Yıldırım**, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. Zootaxa 2160: 1-28, figs. [available in Cesa Library] [Mutillidae](#)
117. **Lieftnick, M.A.**, 1968, A review of Old World species of *Thyreus* Panzer (=Crocisa Jurine) (Hym., Apoidea, Anthophoridae) Synonym(s): Part 4. Palearctic species. Zool. Verh. 98: 3-139, 38 figs., 4 pls. [available in Cesa Library] [Apidae Thyreus](#)
118. **Lotfalizadeh, H. & A.Mohammadi-Khoramabad**, 2009, New distribution and host record of *Eurytoma scrophulariae* Zerova, 1981 (Hym.: Eurytomidae) Synonym(s): from south of Iran. Biharean Biol. 3 (2): 157-159. [available in Cesa Library] [Eurytomidae Eurytoma scrophulariae](#)
119. **Lotfalizadeh, H.**, 2008, New distribution records for Eucharitidae (Hym.: Chalcidoidea) in Iran. North Western J. Zool. 4 (1): 134-138, figs. [available in Cesa Library] [Eucharitidae Eucharis](#)
120. **Madl, M.**, 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiden der Türkei (Hymenoptera). Linzer biol. Beitr. 29 (2): 823-827. [available in Cesa Library] [Vespidae Pompilidae Scoliidae Tiphidae](#)
121. **Maidl, F.**, 1930, Sphegidae [sic!] [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. [available in Cesa Library] [Sphecidae Sceliphron tubifex](#)
122. **Marshall, T.A.**, 1885, Monograph of British Braconidae I. Trans. ent. Soc. London 1885 (1): 1-280, 6 pls. [available in Cesa Library] [Braconidae](#)
123. **Marshall, T.A.**, 1887, Monograph of British Braconidae II. Trans. ent. Soc. London 1887 (2): 51-131, pl.v. [available in Cesa Library] [Braconidae](#)
124. **Masnadi-Yazdinejad, A. & R.Jussila**, 2008, A study to the Iranian Cryptinae (Hymenoptera, Ichneumonidae) Synonym(s): . J. ent. Soc. Iran 28 (1): 1-11. [available in Cesa Library] [Ichneumonidae Cryptinae](#)
125. **Mauss, V.**, 1996, Morphological characters of *Ceramius palaestinensis* (Giordani Soika, 1957) Gusenleitner, 1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. Linzer biol. Beitr. 28 (2): 953-966, figs. [available in Cesa Library] [Masaridae Ceramius palaestinensis](#)
126. **Mauss, V., Müller, A. & E.Yıldırım**, 2005, First contribution to the bionomics of the Pollen Wasp *Ceramius caucasicus* André, 1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. J. Kansas ent. Soc. 78 (3): 201-220, figs. [available in Cesa Library] [Vespidae Ceramius caucasicus](#)
127. **Melika, G. & B.Gharaei**, 2006, New species of herb galling cynipids (Hymenoptera, Cynipidae, Aylacini) from Iran. Acta zool. hung. 52: 385-399, figs. [available in Cesa Library] [Cynipidae Aylacini](#)
128. **Melika, G. & G.N.Stone**, 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae) Synonym(s): . Folia ent. hung. 62: 127-131, 6 figs. [available in Cesa Library] [Cynipidae Andricus askewi](#)
129. **Melika, G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs. [available in Cesa Library] [Cynipidae Aylacinae](#)
130. **Melika, G. & S.Klymenko**, 2005, New species of Aylacine gall wasps (Hymenoptera, Cynipidae, Aylacini) from Ukraine. Vestn. zool. 39 (2): 23-30, figs. [available in Cesa Library] [Cynipidae Aylacini](#)
131. **Melika, G. & Y.Karimpour**, 2008, The first report of *Aulacidea acroptilonica* and *Isocolus cirsii* (Hymenoptera, Cynipidae) Synonym(s): from Iran. J. ent. Soc. Iran (suppl.) 27 (2): 19-20. [available in Cesa Library] [Cynipidae Aulacidea acroptilonica Isocolus cirsii](#)
132. **Melika, G.**, 2006, A new species of *Neuroterus* Hartig, 1840 from Syria (Hymenoptera, Cynipidae, Cynipini). Folia ent. hung. 67: 199-206, figs. [available in Cesa Library] [Cynipidae Cynipini Neuroterus](#)
133. **Melika, G., Pujade-Villar, J., Stone, G.N., Fülöp, D. & Z.Penzes**, 2009, New species of cynipid gallwasps of the genus *Plagiotrochus* Mayr, 1881 from Nepal and Jordan (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 55 (3): 263-274, figs. [available in Cesa Library] [Cynipidae](#)
134. **Melika, G., Stone, G.N., Sadeghi, S.E. & Pujade-Villar, J.**, 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs. [available in Cesa Library] [Cynipidae Cynipini](#)
135. **Michael, E.S.**, 2005, Family-group names for Bees (Hymenoptera, Apoidea). American Mus. Novit. 3476: 1-33. [available in Cesa Library] [Apoidea](#)
136. **Moczar, L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysididae, Cleptinae). Linzer biol. Beitr. 33 (1): 905-931, figs. [available in Cesa Library] [Chrysididae Cleptes Cleptinae](#)
137. **Müller, A.**, 2009, Palaeartic Osmiine Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini> [Apidae Osmiini](#)

138. **Narolsky, N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). *Vestn. zool.* 35 (3): 23-29, figs. [available in Cesa Library] [Ichneumonidae](#) [Eucremastus](#) [Cremastinae](#)
139. **Nazemi, J., Talebi, A.A., Sadeghi, S.E., Melika, G. & A. Lozan**, 2008, Species richness of oak gall wasps (Hymenoptera, Cynipidae) Synonym(s): and identification of associated inquilines and parasitoids on two oak species in western Iran. *North West J Zool.* 4 (2): 189-202, figs. [available in Cesa Library] [Cynipidae](#)
140. **Nazemi-Rafie, J., Talebi, A.A., Sadeghi, S.E. & G. Melika**, 2007, Parasitoids (Hym., Chalcidoidea) reared from oak gall wasps (hym. Cynipidae) Synonym(s): in West of Iran with five new species records. *J. ent. Res. Soc.* 9 (3): 43-56. [available in Cesa Library] [Chalcidoidea](#) [Cynipidae](#) [Eulophidae](#) [Eupelmidae](#) [Eurytomidae](#) [Ormyridae](#) [teromalidae](#) [Torymidae](#) [Cynipini](#)
141. **Nieves-Aldrey, J.L. & G. Melika**, 2005, *Aylax hypedoi* Trotter (Hymenoptera, Cynipidae) Synonym(s): in Europe: Redescription with taxonomic and biological notes. *J. Nat. Hist.* 39 (27): 2525-2535, figs. [available in Cesa Library] [Cynipidae](#) [Aylax hypedoi](#)
142. **Noyes, J.S.**, 1982, Collecting and preserving chalcid wasps (Hymenoptera, Chalcidoidea). *J. Nat. Hist.* 16: 315-334, figs. [available in Cesa Library] [Chalcidoidea](#)
143. **Noyes, J.S.**, 2010, Universal Chalcidoidea Database. <http://www.nhm.ac.uk/entomology/chalcidoids/index.html> [accessed 1.3.2010]. [Chalcidoidea](#)
144. **Oehlke, J.**, 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). *Beitr. Ent.* 33 (2): 439-447. [available in Cesa Library] [Aulacidae](#)
145. **Osten, T.**, 2001, Beitrag zur Scoliiden-Fauna der Insel Phuket (Thailand) (Hymenoptera, Scoliidae) Synonym(s): . *Entomofauna* 22 (23): 433-444. [available in Cesa Library] [Scoliidae](#)
146. **Papp, J.**, 2003, Braconidae (Hymenoptera) from Greece, 5. *Notes faun. Gembloux* 53: 21-54. [available in Cesa Library] [Braconidae](#)
147. **Papp, J.**, 2007, Braconidae (Hymenoptera) from Greece, 6. *Notes faun. Gembloux* 60 (3): 99-127. [available in Cesa Library] [Braconidae](#)
148. **Patiny, S. & D. Michez**, 2006, Phylogenetic analysis of the *Systropha* Illiger, 1806 (Hymenoptera, Apoidea, Halictidae) Synonym(s): and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs. [available in Cesa Library] [Halictidae](#) [Systropha](#)
149. **Peck, O., Boucek, Z. & A. Hoffer**, 1964, Keys to the Chalcidoidea of Czechoslovakia (Insecta, Hymenoptera). *Mem. Ent. Soc. Canada* 34: 1-170, 289 figs. [Chalcididae](#) [Pteromalidae](#) [Eucharitidae](#) [Perilampidae](#)
150. **Pekel, S. & H. Özbek**, 2000, Erzurum ili Cremastinae (Hymenoptera, Ichneumonidae) Synonym(s): altfamilyası üzerinde faunistik ve sistematik bir çalışma. *Türk. ent. derg.* 24 (3): 215-228. [available in Cesa Library] [Ichneumonidae](#) [Cremastinae](#)
151. **Perkins, J.F.**, 1961, On the type species of Foerster's genera (Hymenoptera, Ichneumonidae) Synonym(s): . *Br. Mus. (Nat. Hist.) Ent.* 11: 383-483. [available in Cesa Library] [Ichneumonidae](#)
152. **Peters, D.S.**, 1974, Über die Untergattung *Haetosmia* Popov, 1952 (Insecta, Hymenoptera, Megachilidae, Osmia). *Senckenberg. biol.* 55 (4/6): 293-309, figs. [available in Cesa Library] [Megachilidae](#) [Haetosmia](#) [Osmia](#)
153. **Peters, D.S.**, 1978, Systematik und Zoogeographie der west-palaearktischen Arten von *Osmia* Panzer, 1806 s.str., *Monosmia* Tkalcu, 1974 und *Orientosmia* n.subgen. (Insecta, Hymenoptera, Megachilidae) Synonym(s): . *Senckenberg. biol.* 58 (4/6): 287-346, figs. [available in Cesa Library] [Megachilidae](#) [Osmia](#) [Monosmia](#) [Orientosmia](#)
154. **Priesner, H.**, 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110. [available in Cesa Library] [Pompilidae](#)
155. **Pujade-Villar, J., Kwast, E., Thuroczy, C. & D. Bellido**, 2002, Gall wasps and their associated fauna collected in Greece, with some taxonomic changes and description of a new species (Hymenoptera, Cynipidae, Chalcidoidea). *Acta zool. cracov.* 45 (4): 351-364, figs. [available in Cesa Library] [Cynipidae](#) [Chalcidoidea](#)
156. **Pulawski, W.J.**, 1967, Hymenoptera from Turkey Sphecidae II. (Genera *Astata* Latreille and *Tachysphex* Kohl). *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 383-410, figs. [available in Cesa Library] [Sphecidae](#) [Astata](#) [Tachysphex](#)
157. **Radoszkowski, O.**, 1890, Hyménopteres recoltés sur le mont Ararat. *Horae Soc. ent. ross.* 24: 502-510, figs. [available in Cesa Library] [Apidae](#) [Mutilidae](#) [Crabronidae](#) [Chrysididae](#)
158. **Reinig, W.F.**, 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. *NachrBl. bayer. Ent.* 23 (4): 67-80. [available in Cesa Library] [Apidae](#)
159. **Riedel, M.**, 2008, Revision der westpalaearktischen Platylabini 1. Die Gattung *Platylabus* Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). *Spixiana* 31 (1): 105-172, figs. [available in Cesa Library] [Ichneumonidae](#) [Platylabini](#) [Platylabus](#) [Ichneumoninae](#)

160. **Schmid-Egger, C.**, 2004, Revision of *Bembecinus* (Hymenoptera, Crabronidae) Synonym(s): of the Palaearctic region. Notes faun. Gembloux 54: 3-69, figs. [available in Cesa Library] [Crabronidae](#) [Bembecinus](#)
161. **Schmidt, J.**, 1977, Die Chrysididen der Türkei, insbesondere Anatoliens (Hymenoptera, Chrysididae) Synonym(s): . Linzer biol. Beitr. 9 (1): 91-129. [available in Cesa Library] [Chrysididae](#)
162. **Schmitschek, E.**, 1938, Beitrage zur Forstentomologie der Türkei I. Z. angew. Ent. 25 (2): 291-310, figs. [available in Cesa Library] [Ichneumonidae](#) [Braconidae](#) [Eulophidae](#) [Scolytidae](#) [Chalcidoidea](#)
163. **Schulthess, A.v.**, 1930, Vespidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). Sitz. Akad. Wiss. Wien 139: 25. [available in Cesa Library] [Vespidae](#)
164. **Schwarz, M.**, 1979, Zur Kenntnis der aus Syrien beschriebenen *Nomada kervilleana* Pér. (Hymenoptera, Apoidea). NachrBl. bayer. Ent. 28 (5): 90-94. [available in Cesa Library] [Apoidea](#) [Nomada](#)
165. **Schwarz, M.**, 1999, Anmerkungen zu einigen westpalaearktischen Arten der Gattung *Listrognathus* Tschek (Hymenoptera, Ichneumonidae, Cryptinae). Linzer biol. Beitr. 31 (1): 459-463. [available in Cesa Library] [Ichneumonidae](#) [Listrognathus](#) [Cryptinae](#)
166. **Smissen, J.v.d.**, 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetes* Lepeletier, 1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae) Synonym(s): . Verh. Ver. Naturw. Heimatforsch. Hamburg 42: 1-253, figs. [available in Cesa Library] [Pompilidae](#) [Evagetes](#)
167. **Tavakoli, M. & G.Melika**, 2006, Two new species of *Timaspis* Meyr, 1881 from Iran (Hymenoptera, Cynipidae, Aylacini). Folia ent. hung. 67: 207-219, figs. [available in Cesa Library] [Cynipidae](#) [Timaspis](#) [Aylacini](#)
168. **Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae, Cynipini). Zootaxa 1699: 1-64, figs. [available in Cesa Library] [Cynipidae](#) [Cynipini](#)
169. **Tezcan, S., Karsavuran, Y., Pehlivan, E. & S.Anlaş**, 2004, Contribution to the knowledge of *Scoliidae* (Hymenoptera) fauna of Turkey. Türk. ent. Derg. 28 (4): 247-252. [available in Cesa Library] [Scoliidae](#)
170. **Tezcan, S., Karsavuran, Y., Pehlivan, E., Anlaş, S. & E.Yıldırım**, 2005, Contribution to the knowledge of *Vespidae* (Hymenoptera, Aculeata) fauna of Turkey. Türk. ent. Derg. 29 (2): 101-110. [available in Cesa Library] [Vespidae](#) [Eumenidae](#)
171. **Thomson, C.G.**, 1885, Notes hyménoptérologiques (Première partie *Cryptidae*) Synonym(s): . Annl. Soc. ent. Fr. (6) 5: 17-32. [available in Cesa Library] [Cryptinae](#)
172. **Townes, H. & M.Townes**, 1959, *Ichneumon*-Flies of America North of Mexico: I. Subfamily *Metopiinae*. Bull. U. S. natn. Mus. 216: ix+1-318, figs. [available in Cesa Library] [Ichneumonidae](#) [Metopiinae](#)
173. **Turner, R.E.**, 1911, Notes on fossorial Hymenoptera.-III. Ann. Mag. nat. Hist. (8) 7: 297-310. [available in Cesa Library] [Thynnidae](#) [Scoliidae](#) [Sapygidae](#)
174. **Tüzün, A.**, 2004, Studies on *Scoliidae* (Insecta, Hymenoptera) fauna of Ankara Province. F.Ü. Fen Mühend. Bilim. Derg. 16 (1): 25-29. [available in Cesa Library] [Scoliidae](#)
175. **Tüzün, A., Gülmez, Y. & N.Bağrıaçık**, 1999, Studies on *Sphecidae* of Aegean Region (Insecta, Hymenoptera). Entomofauna 20 (23): 381-388. [available in Cesa Library] [Sphecidae](#) [Crabronidae](#)
176. **Wahis, R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold, 1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae) Synonym(s): . Notes faun. Gembloux 46: 39-73. [available in Cesa Library] [Pompilidae](#) [Eoferreola](#)
177. **Wahl, D.**, 1999, Classification and systematics of the *Ichneumonidae* (Hymenoptera). American Entomological Institute. <http://iris.biosci.ohio-state.edu/catalogs/ichneumonids/index.html> [Ichneumonidae](#)
178. **Warncke, K.**, 1980, Die Bienengattung *Anthidium* Fabricius, 1804 in der Westpalaearktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs. [available in Cesa Library] [Megachilidae](#) [Anthidium](#)
179. **Warncke, K.**, 1980, Die Bienengattungen *Nomia* and *Systropha* im Iran mit Ergänzungen zu den *Nomia*-Arten der Westpalaearktis. Linzer biol. Beitr. 12 (2): 363-384. [available in Cesa Library] [Halictidae](#) [Nomia](#) [Systropha](#)
180. **Warncke, K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae) Synonym(s): . Linzer biol. Beitr. 14 (1): 23-37. [available in Cesa Library] [Apidae](#) [Xylocopa](#)
181. **Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaearktis und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb. [available in Cesa Library] [Megachilidae](#) [Alcidamea](#)
182. **Warncke, K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, Megachilinae). Linzer biol. Beitr. 23 (2): 483-489, Abb. [Megachilidae](#)

183. **Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephalosmia* Sladen,1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb. [available in Cesa Library] [Megachilidae](#)
184. **Warncke,K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpalaarktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveosmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb. [available in Cesa Library] [Megachilidae](#)
185. **Warncke,K.**, 1992, Die westpalaarktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, Halictinae). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps. [available in Cesa Library] [Halictidae](#) [Halictinae](#) [Sphecodes](#)
186. **Wolf,H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) Synonym(s): des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. Linzer biol. Beitr. 29 (2): 831-843, figs. [available in Cesa Library] [Pompilidae](#)
187. **Yefremova,Z.A.**, 2002, Catalogue of the Eulophidae (Hymenoptera, Chalcidoidea) of Russia. Linzer biol. Beitr. 34 (1): 563-618. [available in Cesa Library] [Eulophidae](#) [Chalcidoidea](#)
188. **Yurtcan,M. & A.Beyarslan**, 2007, Six new Ichneumonidae species from Turkey; with special reference to the rare species *Zabrachypus tenuiabdominalis* (Uchida,1941) (Hymenoptera, Ichneumonidae) Synonym(s): . Ent. News 117 (5): 540-544. [available in Cesa Library] [Ichneumonidae](#)
189. **Yıldırım,E. & H.Özbek**, 1993, Polistinae (Hymenoptera, Vespidae) Synonym(s): of Turkey. Türk. ent. derg. 17 (3): 141-156. [available in Cesa Library] [Vespidae](#) [Polistinae](#)
190. **Yıldırım,E. & H.Özbek**, 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs. [available in Cesa Library] [Eumenidae](#)
191. **Yıldırım,E. & H.Özbek**, 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). Tr. J. Zool. 23 (Ek 2): 591-604. [available in Cesa Library] [Vespoidea](#) [Vespidae](#) [Eumenidae](#)
192. **Yıldırım,E. & J.Gusenleitner**, 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (2): 671-675. [available in Cesa Library] [Sapygidae](#)
193. **Zalat,S., Auo-Ghalia,A. Gilbert,F. & N.Shaumar**, 1992, Taxonomic studies of Egyptian Eumenidae (Hymenoptera). J. Egypt Germ. Soc. Zool. 7 (B): 515-540, figs. [available in Cesa Library] [Eumenidae](#)
194. **Zanden,G.van der**, 1989, Neue oder wenig bekannte Arten und Unterarten der palaarktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs. [available in Cesa Library] [Apidae](#) [Megachilinae](#)
195. **Zanden,G.van der**, 1992, Neue Arten der paläarktischen *Osmiini* (Insecta, Hymenoptera, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 24 (2): 817-827. [available in Cesa Library] [Megachilidae](#)
196. **Zanden,G.van der**, 1996, Neue Arten und Synonymie bei paläarktischen Bauchsammlern (Hymenoptera aculeata, Apoidea, Megachilidae) Synonym(s): . Linzer biol. Beitr. 28 (2): 883-895, 8 Abb. [available in Cesa Library] [Megachilidae](#)
197. **Zerova,M.D. & L.Y. Seryogina**, 2009, A review of *Eurytoma pistaciae* species group (Hymenoptera, Eurytomidae) Synonym(s): with description of two new species. Vestn. zool. 43 (1): 31-38, figs. [available in Cesa Library] [Eurytomidae](#) [Eurytoma](#)
198. **Zerova,M.D., Mehrnejad,M.R., Gharaei,B. & I.Y.Seryogina**, 2004, Two new species of the genus *Eurytoma* (Hymenoptera, Eurytomidae) Synonym(s): from Iran. Vestn. zool. 38 (1): 81-84, figs. [available in Cesa Library] [Eurytomidae](#) [Eurytoma](#)
199. **Zerova,M.D., Seryogina,L.Y. & Y.Karimpour**, 2008, New species of the chalcidoid wasps of the families Eurytomidae and Torymidae (Hymenoptera, Chalcidoidea) from Iran. Vestn. zool. 42 (6): 101-108, figs. [available in Cesa Library] [Eurytomidae](#) [Torymidae](#) [Chalcidoidea](#)
200. **Zerova,M.D., Seryogina,L.Y., Melika,G. et al.**, 2003, New genus and new species of cynipid gall inducing wasp (Hymenoptera, Cynipidae) Synonym(s): and new species of chalcid wasps (Hymenoptera, Chalcidoidea) from Israel. J. ent. Res. Soc. 5 (1): 35-49. [Cynipidae](#) [Chalcidoidea](#)
201. **Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part II. Subfamilies Blennocampinae, Dolerinae, Nematinae and Selandrinae. Turk J. Zool. 28: 55-71. [available in Cesa Library] [Tenthredinidae](#) [Symphita](#) [Blennocampinae](#) [Dolerinae](#) [Nematinae](#) [Selandrinae](#)
202. **Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part I. Subfamily Tenthredininae. Turk J. Zool. 28: 37-54. [available in Cesa Library] [Tenthredinidae](#) [Symphita](#) [Tenthredininae](#)
203. **Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs. [available in Cesa Library]

204. **Çoruh, I. & S.Çoruh**, 2008, Ichneumonidae (Hymenoptera) species associated with some Umbelliferae plants occurring in Palandöken Mountains of Erzurum Turkey. *Türk. J. zool.* 32: 121-124. [available in Cesa Library] [Ichneumonidae](#)
205. **Çoruh, S. & H.Özbek**, 2005, New records of Cryptinae (Hymenoptera, Ichneumonidae) Synonym(s): from Turkey with some hosts. *Türk. ent. derg.* 29 (3): 183-186. [available in Cesa Library] [Ichneumonidae](#) [Cryptinae](#)
206. **İnanç, F. & A.Beyarslan**, 1997, Gaziantep ve Şanlıurfa illerinin bazı yörelerinden toplanan Microgastrinae (Hymenoptera, Braconidae) Synonym(s): türleri. *Türk. ent. derg.* 21 (3): 213-223, 3 şekil. [available in Cesa Library] [Braconidae](#) [Microgastrinae](#)
207. **İnanç, F. & A.Beyarslan**, 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae) Synonym(s): . *Entomofauna* 22 (11): 221-243. [available in Cesa Library] [Braconidae](#) [Microgastrinae](#)
208. **İnanç, F.**, 2002, *Cotesia pappi* sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. *Acta zool. hung.* 48 (2): 157-160, figs. [available in Cesa Library] [Braconidae](#) [Cotesia pappi](#) [Microgastrinae](#)
209. **Özbek, H. & Zanden, G.van der**, 1992, A preliminary review of the Megachilidae of Turkey Part II Heriadini (Hymenoptera, Apoidea). *Türk. ent. derg.* 16 (3): 129-134. [available in Cesa Library] [Megachilidae](#) [Heriadini](#)
210. **Özbek, H. & Zanden, G.van der**, 1993, A preliminary review of the Megachilidae of Turkey Part III Anthidiini (Hymenoptera, Apoidea). *Türk. ent. derg.* 17 (4): 193-207. [available in Cesa Library] [Megachilidae](#) [Anthidiini](#)
211. **Özbek, H. & Zanden, G.van der**, 1994, A preliminary review of the Megachilidae of Turkey Part IV Megachilini and Lithurgini (Hymenoptera, Apoidea). *Türk. ent. derg.* 18 (4): 157-174. [available in Cesa Library] [Megachilidae](#) [Megachilini](#) [Lithurgini](#)
212. **Özbek, H. & Zanden, G.van der**, 1996, A preliminary review of the Megachilidae of Turkey Part V Supplement to parts I-IV (Hymenoptera, Apoidea). *Türk. ent. derg.* 20 (1): 3-17. [available in Cesa Library] [Megachilidae](#)
213. **Özbek, H. & van der G.Zanden**, 1996, A preliminary review of the Megachilidae of Turkey Part V. Supplement to parts 1-IV (Hymenoptera, Apoidea). *Türk. ent. derg.* 20 (1): 3-17. [available in Cesa Library] [Megachilidae](#)
214. **Özbek, H. Pekel, S. & J.Kolarov**, 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) II. Ctenopelmatinae and Campopleginae. *J. ent. Res. Soc.* 2 (1): 17-24. [Ichneumonidae](#) [Ctenopelmatinae](#) [Campopleginae](#)
215. **Özbek, H.**, 1976, Doğu Anadolu Bölgesi Andrenidae (Hymenoptera Apoidea) Familyası Arıları, Kısım I. Bitki Koruma Bült. 16 (3): 123-145. [available in Cesa Library] [Andrenidae](#)
216. **Özbek, H.**, 1990, A new Bumblebee species of *Pyrobombus Dalla* Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. *Türk. ent. Derg.* 14 (4): 207-214, 4 figs. [available in Cesa Library] [Apidae](#) [Bombinae](#) [Pyrobombus](#)
217. **Özbek, H., Yıldırım, E. & T.Osten**, 1999, A contribution to the knowledge of the fauna of the families Myrmosidae and Mutillidae (Hymenoptera, Aculeata) in Türkiye [sic]. *Türk. ent. derg.* 23 (1): 15-26. [available in Cesa Library] [Mutillidae](#) [Myrmosidae](#)
218. **Özbek, H., Yıldırım, E., Wolf, H. & R.Wahis**, 1999, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105. [available in Cesa Library] [Pompilidae](#) [Ceropalinae](#) [Pepsinae](#)
219. **Özbek, H., Yıldırım, E., Wolf, H. & R.Wahis**, 2000, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128. [available in Cesa Library] [Pompilidae](#)

Coleoptera

1. **Abeille de Perrin, E.**, 1890, Malachides d'Europe et pays voisins. *Annls Soc. ent. Fr.* 59: 181-260, 311-420, 567-680, pl.4. [available in Cesa Library] [Melyridae](#)
2. **Abeille de Perrin, E.**, 1891, Malachides d'Europe et pays voisins. *Annls Soc. ent. Fr.* 60: 115-230, 405-446, pls. 6 & 7. [Melyridae](#)
3. **Abeille de Perrin, E.**, 1892, Decrit deux nouvelles especes de Clerides méditerranéens. *Bull. Soc. ent. Fr.* 1892: ccxxxvi-ccxxxvii. [available in Cesa Library] [Cleridae](#)
4. **Adlbauer, K.**, 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae) Synonym(s): . *NachrBl. bayer. Ent.* 31 (6): 104-107, 2 Abb. [available in Cesa Library] [Cerambycidae](#) [Dorcadion](#)
5. **Ahrens, D.**, 2008, Catalogue Palaeartic Sericini (updated March 2008). <http://www.serica.gmxhome.de/layout05/thema1b.htm> [Melolonthidae](#) [Sericini](#)

6. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki kor. bült. 21 (2): 53-88. [available in Cesa Library]
7. **Anlaş, S.**, 2009, Distributional checklist of the Staphylinidae (Coleoptera) of Turkey with new and additional records. Linzer biol. Beitr. 41 (1): 215-342. [available in Cesa Library] [Staphylinidae](#)
8. **Anonymous**, 2009, Family Glaphyridae, [in] Synopsis of the described Coleoptera of the World. <http://insects.tamu.edu/research/collection/hallan/test/...> [available in Cesa Library] [Glaphyridae](#)
9. **Aslan, E.G. & A.Gök**, 2006, Host-plant relationships of 65 Flea Beetles species from Turkey with new associations (Coleoptera, Chrysomelidae, Alticinae). Ent. News 117 (3): 297-308. [Chrysomelidae](#) [Alticinae](#)
10. **Aslan, I. & H.Özbek**, 1999, Erzurum Erzincan ve Artvin illeri Chrysomelinae (Coleoptera, Chrysomelidae) Synonym(s): altfamilyası üzerinde faunistik ve sistematik bir araştırma. Tr. J. Zool. 23 (3): 751-767 [with serious errors!] [available in Cesa Library] [Chrysomelidae](#) [Chrysomelinae](#)
11. **Aslan, I., Gruev, B. & H.Özbek**, 1996, Eumolpinae (Coleoptera, Chrysomelidae) Synonym(s): of Turkey along with two new records. Turk. ent. Derg. 20 (1): 19-26. [available in Cesa Library] [Chrysomelidae](#) [Eumolpinae](#)
12. **Aslan, I., Gruev, B. & H.Özbek**, 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) Synonym(s): in Turkey. Turk. J. Zool. 23: 373-414. [available in Cesa Library] [Chrysomelidae](#) [Alticinae](#)
13. **Aslan, I., Gruev, B. & H.Özbek**, 2003, A preliminary review of the subfamily [sic!] Chrysomelinae (Coleoptera, Chrysomelidae) Synonym(s): of Turkey. Linzer biol. Beitr. 35 (1): 581-605 [publication on Chrysolina by Bienkowski (2001) was omitted!]. [available in Cesa Library] [Chrysomelidae](#) [Chrysomelinae](#)
14. **Assing, V.**, 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). Bonner zool. Beitr. 52 (1/2): 33-82, figs. [available in Cesa Library] [Staphylinidae](#) [Paederinae](#)
15. **Avgın, S.S. & I.Emri**, 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) Synonym(s): from Kahramanmaraş and the surrounding towns, in Turkey. Trans. Am. Ent. Soc. 133 (3/4): 413-432. [available in Cesa Library] [Carabidae](#) [Harpalinae](#)
16. **Avgın, S.S.**, 2006, General information and tiger beetles Cicindela herbacea, Calomera fischeri fischeri and Homodela ismenia kilikiensis collected from Southeast of Turkey (Coleoptera, Cicindelidae) Synonym(s): . BAÜ Fen Bil. Enst. Derg. 8 (2): 23-28, figs. [available in Cesa Library] [Cicindelidae](#)
17. **Aydın, E. & Ş.Kısmalı**, 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) Synonym(s): altfamilyası türleri üzerinde faunistik çalışmalar. Türk. ent. Derg. 14 (1): 23-35. [available in Cesa Library] [Chrysomelidae](#) [Clytrinae](#)
18. **Baselga, A. & F.Novoa**, 2005, The western Palaearctic Neocrepidodera (Coleoptera, Chrysomelidae) Synonym(s): of the N.impressa and N.ferruginea species groups. Ann. ent. Soc. Am. 98 (6): 896-907, figs. [available in Cesa Library] [Chrysomelidae](#) [Neocrepidodera](#)
19. **Besuchet, C. & S.Kurbatov**, 2007, Les Bryaxis du Caucase et du secteur oriental des chaînes Pontiques (Coleoptera, Staphylinidae, Pselaphinae). Russ. ent. J. 16 (2): 155-206, figs. [Staphylinidae](#) [Bryaxis](#) [Pselaphinae](#)
20. **Bezdek, J.**, 2002, Phyllobrotica aslani Warchalowski, 1998, a new synonym of P. binotata Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). Genus 13 (3): 351-352. [available in Cesa Library] [Chrysomelidae](#) [Galerucinae](#)
21. **Bialooki, P.**, 2006, A new species of Neotourneria Apfelbeck, 1932 from Turkey (Coleoptera, Curculionidae, Entiminae). Genus 17 (2): 263-267, figs. [available in Cesa Library] [Curculionidae](#) [Entiminae](#)
22. **Bialooki, P.**, 2006, Two new species of Cionus Clairville, 1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. Polskie pismo ent. 75: 55-64, figs. [available in Cesa Library] [Curculionidae](#) [Cioniini](#) [Cionus](#)
23. **Bienkowski, A.O.**, 2001, A study on the genus Chrysolina Motschulsky, 1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera, Chrysomelidae, Chrysomelinae). Genus 12 (2): 105-235, figs. [available in Cesa Library] [Chrysomelidae](#) [Chrysomelinae](#) [Chrysolina](#)
24. **Bily, S.**, 2006, Two new species in the Anthaxia (Anthaxia) candens (Panzer, 1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae) Synonym(s): . Zootaxa 1309: 25-25, figs. [Buprestidae](#) [Anthaxia](#)
25. **Biondi, M.**, 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). Fragm. Ent. Roma 23 (2): 341-354. [available in Cesa Library] [Chrysomelidae](#) [Alticinae](#)

26. **Biondi, M.**, 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae) Synonym(s): . *Fragm. Ent. Roma* 29 (2): 383-390. [available in Cesa Library] [Chrysomelidae Alticinae](#)
27. **Bologna, M.A. & J.D. Pinto**, 2002, The Old World genera of Meloidae (Coleoptera): a key and synopsis. *J. nat. Hist.* 36 (17): 2013-2102. [available in Cesa Library] [Meloidae](#)
28. **Bologna, M.A.**, 1979, *Meloidae di Turchia I Contributo* (Coleoptera). *Fragm. ent.* 15: 143-199. [available in Cesa Library] [Meloidae](#)
29. **Bologna, M.A.**, 2009, The Meloidae (Coleoptera) of Libya: an annotated catalogue and description of three new species. *Annls Soc. ent. Fr. (n.s.)* 45 (3): 345-364, figs. [available in Cesa Library] [Meloidae](#)
30. **Bordoni, A.**, 1999, Una nuova specie di *Deliphrosoma* della Turchia (Coleoptera, Staphylinidae) Synonym(s): . *Fragm. ent.* 31 (2): 195-202, figs. [available in Cesa Library] [Staphylinidae Deliphrosoma kopdagense](#)
31. **Borowiec, L.**, 2005, *Macrocoma doboszi*, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). *Genus* 16 (3): 373-377, figs. [available in Cesa Library] [Chrysomelidae Eumolpinae, Macrocoma](#)
32. **Borowiec, L.**, 2007, Cassidinae (Coleoptera, Chrysomelidae) Synonym(s): collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. *Annls Upper Sil. Mus. (Ent.)* 14-15: 7-12. [available in Cesa Library] [Chrysomelidae Cassidinae](#)
33. **Braun, W.**, 1979, Beitrag zur Kenntnis der Gattung *Dorcadion* (Col., Cerambycidae) Synonym(s): . *NachrBl. bayer. Ent.* 28 (5): 81-86, 3 Abb. [available in Cesa Library] [Cerambycidae Dorcadion](#)
34. **Canpolat, D., Lillig, M. & A. Hasbenli**, 2007, *Accanthopus velikensis* (Piller & Mitterpacher, 1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae) Synonym(s): . *Zool. Middle East* 42: 104-105, fig. [available in Cesa Library] [Tenebrionidae Accanthopus velikensis](#)
35. **Cassola, F.**, 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae) Synonym(s): . *Biogeographia* 20: 229-276, figs. [available in Cesa Library] [Carabidae Cicindela](#)
36. **Champion, G.C.**, 1921, Some Indian Coleoptera. *Entomologist's mon. Mag.* 57: 70-78, 104-110, 145-146. [available in Cesa Library] [Melyridae Colotes Malachus](#)
37. **Clavareau, H.**, 1913, Chrysomelidae, [in] Schenkling, S., *Coleopterorum Catalogus Pars.* 53: 1-278. W.Junk, Berlin. [available in Cesa Library] [Chrysomelidae](#)
38. **Darılmaz, M. & S. Kiyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). *Mun. Ent. Zool.* 1(1): 129-144. [available in Cesa Library] [Gyrinidae Haliplidae Noteridae Dytiscidae Helophoridae Hydrophilidae](#)
39. **Darılmaz, M.C. & S. Kiyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae) Synonym(s): . *Baltic J. Coleopt.* 8 (2): 149-154, 3 figs. [available in Cesa Library] [Hydrochidae](#)
40. **Darılmaz, M.C. & S. Kiyak**, 2009, Checklist of Gyrinidae, Haliplidae, Noteridae and Dytiscidae of Turkey (Coleoptera, Adephaga). *J. nat. Hist.* 43 (25-26): 1585-1636. [available in Cesa Library] [Gyrinidae Haliplidae Noteridae Dytiscidae](#)
41. **Demir, M.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin sistematik ve faunistik değerlendirilmesi. Yüksek lisans tezi. 91s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 216668] <http://tez2.yok.gov.tr/> [available in Cesa Library] [Cleridae](#)
42. **Dvorak, M.**, 1983, Drei neue Arten und einige Bemerkungen zur Familie Meloidae (Coleoptera). *Acta ent. bohemosl.* 80: 441-450. [Meloidae](#)
43. **Eid, E., Katbeh-Bader, A., Al-Otoom, M. & Y. Othman**, 2009, Contribution to the Entomofauna of Dibein Forest Reserve in Jordan. *Cesa News* 49: 19-41, 6 figs. [available in Cesa Library] [Libellulidae Acrididae Gryllidae Tettigoniidae Empusidae Mantidae Blattellidae Forficulidae Coreidae Cydnidae Lygaeidae Pentatomidae Reduviidae Rhopalidae Scutellaridae Chrysopidae Hemerobiidae Carabidae Cerambycidae Coccinellidae Elateridae Scarabaeidae](#)
44. **Ekiz, A.N., Gök, A., Borowiec, L. & S. Bilginturan**, 2009, Redescription of *Donacia kraatzii* Weise, 1881, a poorly known aquatic leaf beetle (Coleoptera, Chrysomelidae, Donaciinae) with notes on its taxonomic status and geographical distribution. *Dt. ent. Z.* 56 (2): 299-302, figs. [available in Cesa Library] [Chrysomelidae Donaciinae Donacia kraatzii](#)
45. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Byctiscini). *Türk. ent. derg.* 18 (1): 41-50, figs. [available in Cesa Library] [Attelabidae](#)
46. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). *Türk. ent. derg.* 18 (2): 89-102, figs. [available in Cesa Library] [Attelabidae](#)

47. **Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). Türk. ent. derg. 18 (3): 175-192, figs. [available in Cesa Library] [Attelabidae](#)
48. **Fairmaire, L.**, 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M. Charles Delangrange (Ipelates, Onthophagus, Capnodis, Malacogaster, Lampyris et Cteniopos). Annl. Soc. ent. Fr. (Bull.) 64: 109-111. [Lampyridae Buprestidae](#)
49. **Ferrer, J. & L. Soldati**, 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). Entomofauna 20 (4): 53-92, figs. [available in Cesa Library] [Tenebrionidae](#)
50. **Fery, H., Erman, Ö.K.**, 2009, Five new species of the longulus-group of Hydroporus Clairville, 1806 from north-eastern Turkey (Coleoptera, Dytiscidae) Synonym(s): . Zootaxa 2033: 1-12, figs. [available in Cesa Library] [Dytiscidae Hydroporus](#)
51. **Franzen, M. & J. Gebert**, 2003, Distribution of the tiger beetle *Lophyridia caucasica* (Adam, 1817) in Iran (Coleoptera, Cicindelidae) Synonym(s): . Zool. Middle East 23: 79-82, figs. [available in Cesa Library] [Cicindelidae Lophyridia caucasica](#)
52. **Frieser, R.**, 1981, Die Anthribiden der Westpalaearktis einschliesslich der Arten der UdSSR (Coleoptera, Anthribidae) Synonym(s): . Mitt. münch. ent. Ges. 71: 33-107, figs. [available in Cesa Library] [Anthribidae](#)
53. **Frisch, J.**, 2006, *Scopaeus korgei* sp.n. from Southwest Anatolia (Coleoptera, Staphylinidae, Paederinae). Dt. ent. Z. (N.F.) 53 (2): 271-274, figs. [Staphylinidae Paederinae Scopaeus korgei](#)
54. **Frisch, J.**, 2009, A revision of the *Scopaeus mutatus* species group (Staphylinidae, Paederinae) with description of new species from Anatolia and the Caucasus. Dt. ent. Z. (N.F.) 56 (2): 271-287, figs. [available in Cesa Library] [Staphylinidae Scopaeus Paederinae](#)
55. **Fritzlar, F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 199-224. [Chrysomelidae Alticinae](#)
56. **Fritzlar, F.**, 2001, *Aphthona warchalowskii* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 199-224. [Chrysomelidae Alticinae](#)
57. **Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126. [Chrysomelidae Alticinae](#)
58. **Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126, figs. [Chrysomelidae Alticinae](#)
59. **Fürsch, H. & N. Uygün**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 29 (6): 109-118, 30 figs. [available in Cesa Library] [Coccinellidae](#)
60. **Fürsch, H.**, 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 36 (2): 47. [available in Cesa Library] [Coccinellidae Cynegetis syriaca](#)
61. **Fürsch, H.**, 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae) Synonym(s): . NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb. [available in Cesa Library] [Coccinellidae Hyperaspis wllschmiedi](#)
62. **Ganglbauer, L.**, 1905, Coleoptera, [in] A. Penther & E. Zederbauer, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annl. naturh. Mus. Wien 20: 99-290. [available in Cesa Library]
63. **Geisthardt, M.**, 1983, Beitrag zur Revision der Gattung *Lampyris* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae) Synonym(s): . Mitt. münch. ent. Ges. 73: 23-44, figs. [available in Cesa Library] [Lampyridae](#)
64. **Gerstmeier, R., Halperin, J. & V. Chekatunov**, 1999, An annotated list of Cleridae and Thanerocleridae (Coleoptera) of Israel. Phytoparasitica 27 (1): 27-33, 1 fig. [available in Cesa Library] [Cleridae Thanerocleridae](#)
65. **Gueorguiev, B. & J. Ruzicka**, 2002, Check list of Bulgarian carrion beetles (Coleoptera, Silphidae) Synonym(s): . Hist. nat. bulg. 15: 89-112. [available in Cesa Library] [Silphidae](#)
66. **Guglielmi, A. & G. Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). Fragm. ent., Roma 18 (1): 169-224, figs. [available in Cesa Library] [Elateridae](#)
67. **Gök, A.**, 2002, Faunistic studies on the species *Pachybrachis Chevrolat* and *Cryptocephalus Geoffroy* (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedegöl Mountains (Isparta). Turk. J. Zool. 26: 31-42, figs. [with some incorrect distributional information] [available in Cesa Library] [Chrysomelidae Pachybrachis Cryptocephalus](#)
68. **Gök, A.**, 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) Synonym(s): of Dedegöl Mountains (Isparta). Turk. J. Zool. 27: 187-194. [available in Cesa Library] [Chrysomelidae Clytrinae](#)

69. **Halstead, D.G.H.**, 1967, A revision of the genus *Palorus* (s.l.) (Coleoptera, Tenebrionidae) Synonym(s): . Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59- [available in Cesa Library] [Tenebrionidae](#) [Palorus](#)
70. **Hava, J.**, 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). Genus 17 (1): 79-94, figs. [available in Cesa Library] [Dermestidae](#) [Megatominae](#)
71. **Hava, J., Ruzicka, J. & J.Schneider**, 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. Klapalekiana 34: 173-181, figs. [available in Cesa Library] [Silphidae](#)
72. **Hejkal, J.**, 2002, *Amara* (*Amara*) *lukasi* sp.n. (Coleoptera, Carabidae) Synonym(s): from Turkey. Klapalekiana 38: 27-35, figs. [available in Cesa Library] [Carabidae](#) [Amara](#)
73. **Herman, L.H.**, 2001, Catalog of the Staphylinidae (Insecta, Coleoptera). 1758 to the end of the second millennium. 7 vols. Bull. amer. Mus. Nat. Hist. 265: 1-4218. [available in Cesa Library] [Staphylinidae](#)
74. **Hoskovec, M. & M.Rejzek**, 2009, Cerambycidae of the West Palaearctic Region. <http://www.cerambyx.uochb.cz/cerambyx.htm> [Cerambycidae](#)
75. **Iwan, D.**, 2002, Catalogue of the World Platynotini (Coleoptera, Tenebrionidae) Synonym(s): . Genus 13 (2): 219-323. [available in Cesa Library] [Tenebrionidae](#) [Platynotini](#)
76. **Jedlicka, A.**, 1963, Neue Carabiden Anatolien und vom Balkan. Koleopt. Rdsch. 40/41: 16-22, figs. [available in Cesa Library] [Carabidae](#)
77. **Jelinek, J. & K.Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae) Synonym(s): . Mitt. münch. ent. Ges. 68: 1-11, figs. [available in Cesa Library] [Nitidulidae](#)
78. **Jäch, M.A.**, 1989, Revision of the palaearctic species of the genus *Ochthebius* Leach II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). Z. ArbGem. öst. Ent. 41 (1/2): 41-50, figs. [available in Cesa Library] [Hydraenidae](#) [Ochthebius](#) [Cobalius](#)
79. **Jäch, M.A., Kasapoğlu, A. & O.Erman**, 2003, Revision of the Palaearctic species of the genus *Ochthebius* Leach (Coleoptera, Hydraenidae) Synonym(s): XX. Description of two species of the subgenus *Asiobates* Thomson from Northeastern Turkey. Aquatic Insects 25 (1): 71-74, figs. [available in Cesa Library] [Hydraenidae](#) [Ochthebius](#) [Asiobates](#)
80. **Karaman, Ş. & S.Težcan**, 1998, Contribution to the study of the genus *Anthaxia* (subgenus *Anthaxia* s.str.) Eschscholtz, 1829 (Coleoptera, Buprestidae) Synonym(s): of Turkey. Türk. ent. derg. 22 (1): 19-35. [available in Cesa Library] [Buprestidae](#) [Anthaxia](#)
81. **Keith, D.**, 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre *Triodontella* Reitter, 1919 (Coleoptera, Melolonthidae, Sericinae). Lambillionea ci: 153-160, 4 figs. [available in Cesa Library] [Melolonthidae](#)
82. **Kemal, M. & A.Ö.Koçak**, 2008, First scientific trip to the South West Van Lake Region (6-8 March, 2008). Cesa News 7: 1-14, figs. [available in Cesa Library] [Cicindelidae](#)
83. **Kemal, M. & A.Ö.Koçak**, 2009, *Cicindela asiatica* Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae) Synonym(s): . Cesa News 41: 1-4, 5 figs. [available in Cesa Library] [Cicindelidae](#) [Cicindela asiatica](#)
84. **Kemal, M. & A.Ö.Koçak**, 2009, Nomenclatural notes on two Russian Insecta (Lepidoptera, Coleoptera). Cent. ent. Stud., Misc. Pap. 146: 1-2. [available in Cesa Library] [Scarabaeidae](#)
85. **Kesdek, M., Yıldırım, E., Anlaş, S. & S.Težcan**, 2009, Contribution to the knowledge of Staphylinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 4 (2): 392-401. [available in Cesa Library] [Staphylinidae](#)
86. **Keskin, B.**, 2003, Erstnachweis von *Tentyria cypria* Kraatz, 1865 (Coleoptera, Tenebrionidae) Synonym(s): für die Türkei. Zool. Middle East 29: 116-117, 1 Abb. [available in Cesa Library] [Tenebrionidae](#) [Tentyria](#)
87. **Keskin, B.**, 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: *Mesostena puncticollis* Solier, 1835 (Pimeliinae, Tentyriini). Zool. Middle East 34: 119-120, fig.1. [available in Cesa Library] [Tenebrionidae](#) [Pimeliinae](#) [Tentyriini](#) [Mesostena](#)
88. **Kiesenwetter, H.v.**, 1872, Revision der europäischen Arten der Gattung *Malthodes* (Erstes Stück). Berl. ent. Z. 16: 369-392, Taf. iv, v. [available in Cesa Library] [Cantharidae](#) [Malthodes](#)
89. **Kiesenwetter, H.v.**, 1874, Revision der europäischen Arten der Gattung *Malthodes* (Zweites Stück). Berl. ent. Z. 18: 45-70. [available in Cesa Library] [Cantharidae](#) [Malthodes](#)
90. **Kocatepe, N. & O.Mergen**, 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. Türk. ent. Derg. 28 (4): 295-309. [available in Cesa Library] [Carabidae](#)
91. **Koçak, A.Ö. & M.Kemal**, 2008, Nomenclatural notes on the genus-group names in the order Coleoptera. Cent. ent. Stud., Misc. Pap. 144: 5. [available in Cesa Library] [Scarabaeidae](#) [Elateridae](#)
92. **Koçak, A.Ö. & M.Kemal**, 2008, *Tropicalia* nom. nov., a replacement name for pre-occupied genus name from South America (Scarabaeidae, Coleoptera). Cent. ent. Stud., Misc. Pap. 145: 7-8. [available in Cesa Library] [Scarabaeidae](#)

93. **Koçak,A.Ö. & M.Kemal**, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 53: 1-212, 145 figs. [available in Cesa Library]
94. **Koçak,A.Ö. & M.Kemal**, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. Cesa News 41: 4-46, 2 figs. [available in Cesa Library] [Buprestidae](#) [Capnodis marquardtii](#)
95. **Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149. [available in Cesa Library] [Cicadidae](#) [Tibicina serhadensis](#)
96. **Koçak,A.Ö. & M.Kemal**, 2010, Nomenclatural notes on the genus group names of Melyridae (Coleoptera). Priamus 12 (6): 160-161. [available in Cesa Library] [Melyridae](#)
97. **Koçak,E., Özdemir,M. & V.V.Zlobin**, 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247. [available in Cesa Library] [Pentatomidae](#) [Curculionidae](#) [Agromyzidae](#) [Chloropidae](#)
98. **Krolik,R. & M.Niehuis**, 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae) Synonym(s): . Genus 14 (3): 357-362, figs. [available in Cesa Library] [Buprestidae](#) [Agrilus](#)
99. **Krolik,R.**, 2002, *Agrilus kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae) Synonym(s): . Genus 13 (1): 25-31, figs. [available in Cesa Library] [Buprestidae](#) [Agrilus kutahyanus](#)
100. **Kubisz,D., Krolik,R., Dobosz,R. & R.B.Pettersson**, 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. Annls Upper Sil. Mus. (Ent.) 14-15: 111-130, figs. [available in Cesa Library] [Oedemeridae](#)
101. **Kısmalı,Ş. & D.Sassi**, 1994, Preliminary list of Chrysomelidae with notes on distribution and importance of species in Turkey II. Subfamily Cassidinae Spaeth. Turk. ent. Derg. 18 (3): 141-156. [available in Cesa Library] [Chrysomelidae](#) [Cassidinae](#)
102. **Kıyak,S., Salur,A., Canbulat,S. & M.Darılmaz**, 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 1(1): 57-62. [available in Cesa Library] [Gyrinidae](#)
103. **Legalov,A.A.**, 2002, Neue Arten der Familie Rhynchitidae (Coleoptera) aus der Türkei. Russian Ent. J. 11 (2): 215-219, figs. [available in Cesa Library] [Rhynchitidae](#)
104. **Lodos,N.**, 1977, Preliminary list of Curculionidae (Coleoptera) with notes on distribution abundance and biology of species in Turkey III. *Brachycerus* Ol. Türk. bitki kor. Derg. 1 (2): 29-38, figs. [available in Cesa Library] [Brachyceridae](#) [Brachycerus](#)
105. **Maican,S. & R.Serafim**, 2009, Data about Cerambycidae and Chrysomelidae (Coleoptera, Chrysomeloidea) collected from Mediterranean expeditions [results of the "Taurus" 2005, "Focida" 2006, "Punia" 2006, "Atlas" 2007 and "Euphrates" expeditions]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 52: 415-428. [available in Cesa Library] [Chrysomelidae](#) [Cerambycidae](#)
106. **Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) Synonym(s): newly entered in the collections of "Grigore Antipa" National Museum of Natural History [results of the expeditions from Turkey and Tunisia, 2005-2006]. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 50: 421-429. [available in Cesa Library] [Chrysomelidae](#)
107. **Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) Synonym(s): newly entered in the collections of "Grigore Antipa" National Museum of Natural History [Results of the expeditions from Turkey and Tunisia, 2005-2006]. Trav. Mus. nat. Hist. Nat. "Grigore Antipa" 50: 421-429. [available in Cesa Library] [Chrysomelidae](#)
108. **Majer,K.**, 1989, The genus *Dasytidius* Schilsky,1896: species from Turkey and the Balkans (Coleoptera, Melyridae) Synonym(s): . Acta ent. bohemoslov. 86: 137-155, figs. [Melyridae](#) [Dasytidius](#)
109. **Majer,K.**, 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . Annln naturh. Mus. Wien 98 (B): 435-500, figs. [available in Cesa Library] [Dasytidae](#) [Melyridae](#) [Chaetomalachiinae](#)
110. **Majer,K.**, 1996, Internal classification of the *Dasytidius* Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae) Synonym(s): . Spixiana 19 (2): 155-182, figs. [available in Cesa Library] [Melyridae](#) [Dasytidae](#)
111. **Marseul,S.A.de**, 1872, Monographie des Mylabrides. Mém. Soc. R. Liege 1872: 363-662, 6Tab. [available in Cesa Library] [Meloidea](#) [Mylabris](#)
112. **Mart,A. & O.Erman**, 2001, A study on *Helophorus* Fabricius,1775 (Coleoptera, Hydrophilidae) Synonym(s): species. Turk. J. Zool. 25: 35-40 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library] [Hydrophilidae](#) [Helophorus](#)
113. **Martinez-Navarro,E.M., Serrano,J. & J.Galian**, 2004, Chromosome evolution in ground beetles: localization of the rDNA loci in the tribe Harpalini (Coleoptera, Carabidae) Synonym(s): . J. Zool. Syst. Evol. Res. 42: 38-43, figs. [available in Cesa Library] [Carabidae](#) [Harpalidae](#)
114. **Mayor,A.J.**, 2003, Nomenclatural corrections for Dasytidae and Malachiidae (Coleoptera). Insecta Mundi 17 (1/2): 85-96. [available in Cesa Library] [Melyridae](#) [Dasytidae](#) [Malachiidae](#)

115. **Medvedev, L.N.**, 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). *Revue suisse. Zool.* 77 (2): 309-319. [Chrysomelidae](#)
116. **Medvedev, L.N.**, 1975, Chrysomelidae collected by W. Wittmer in Turkey and Iran. *Mitt. ent. Ges. Basel* 25 (1): 12-19. [Chrysomelidae](#)
117. **Merkel, O.**, 2006, Redescription of *Lagria* (*Apteronympha*) *tenenbaumi* Pic, 1929, with a checklist of the western Palaearctic species of the *Lagria* F. (Coleoptera, Tenebrionidae, Lagriini). *Proc. Russ. ent. Soc., St. Petersburg* 77: 219-225, figs. [available in Cesa Library] [Tenebrionidae](#) [Lagriinae](#) [Lagria](#) [Apteronympha tenenbaumi](#)
118. **Mertlik, J. & G. Platia**, 2008, Catalogue of the family Cebriionidae, Elateridae, Lissomidae, Melasidae, and Throscidae (Coleoptera) from Turkey. *Elateridarum* 2: 1-40. [available in Cesa Library] [Elateridae](#) [Cebriionidae](#)
119. **Mitter, H.**, 1992, Eine neue *Amphicoma*-Art aus dem Nahen Osten (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 24 (1): 31-34, Abb.1. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
120. **Mitter, H.**, 1992, Faunistische und taxonomische Notizen über südostanatolische Glaphyrinae (Scarabaeidae) *Synonym(s):* . *Koleopt. Rdsch.* 62: 169-171. [Glaphyridae](#)
121. **Mitter, H.**, 1996, *Eulasia baumanni* n.sp., eine neue Art aus Palestina (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 28 (1): 363-365. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
122. **Mitter, H.**, 1996, *Eulasia palmyrensis* n.sp., eine weitere neue Art aus dem Nahostgebiet (Coleoptera, Scarabaeidae, Glaphyrinae). *Linzer biol. Beitr.* 28 (2): 933-936. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
123. **Mitter, H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von *Pygopleurus anahitae* n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae) *Synonym(s):* . *Linzer biol. Beitr.* 33 (2): 1041-1045. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
124. **Mitter, H.**, 2004, Eine neue *Eulasia*-Art aus dem Iran (Coleoptera, Scarabaeoidea, Glaphyridae) *Synonym(s):* . *Linzer biol. Beitr.* 36 (1): 305-307, Abb.2. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
125. **Montreuil, O. & S. Serri**, 2007, Description of a new *Pygopleurus* species (Col.: Glaphyridae) *Synonym(s):* with a list of recorded species of the genera *Pygopleurus* and *Eulasia* from Iran. *J. ent. Soc. Iran* 26 (2): 1-6, figs. [available in Cesa Library] [Glaphyridae](#) [Amphicoma](#)
126. **Muche, W.H.**, 1962, *Alosimus* meiner Anatolienausbeute (Col., Meloidae) *Synonym(s):* . *Reichenbachia* 1: 57-59. [Meloidae](#) [Alosimus](#)
127. **Muche, W.H.**, 1962, *Lydus anatolicus* spec. nov. (Col., Meloidae) *Synonym(s):* . *Reichenbachia* 1: 51-53. [Meloidae](#) [Lydus anatolicus](#)
128. **Müller, G.**, 1931, Neue und wenig bekannte Carabiden von Leo Weirather auf der Balkanhalbinsel und in Kleinasien gesammelt. *Koleopt. Rdsch.* 17 (6): 209-223. [available in Cesa Library] [Carabidae](#)
129. **Nadein, K.S.**, 2009, Revision of the genus *Mniophila* Stephens, 1831 (Coleoptera, Chrysomelidae) *Synonym(s):* . *Beitr. Ent.* 59 (1): 103-131, 7 figs, 3 maps. [available in Cesa Library] [Chrysomelidae](#) [Mniophila](#)
130. **Novak, V.**, 2007, New species of the genus *Hymenalia* Mulsant, 1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 3 (1/2): 149-170, figs. [available in Cesa Library] [Tenebrionidae](#)
131. **Pehlivan, E.**, 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. *Scarabaeus* L., *Gymnopleurus* Ill., *Sisyphus* Latr. *Türk. ent. Derg.* 12 (4): 221-230, 12 figs. [available in Cesa Library] [Scarabaeidae](#) [Scarabaeus](#) [Gymnopleurus](#) [Sisyphus](#)
132. **Pehlivan, E.**, 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. *Onthophagus* Latr. *Türk. ent. Derg.* 13 (1): 25-42, figs. [available in Cesa Library] [Scarabaeidae](#) [Onthophagus](#)
133. **Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) *Synonym(s):* from Turkey. *Türk. ent. derg.* 29 (3): 173-182. [available in Cesa Library] [Curculionidae](#) [Curculioninae](#) [Phytonominae](#)
134. **Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) *Synonym(s):* from Turkey. *Türk. ent. derg.* 29 (4): 259-272. [available in Cesa Library] [Curculionidae](#) [Lixinae](#)
135. **Petrovitz, R.**, 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera. *Annln naturh. Mus. Wien* 70: 325-343, Abb. [available in Cesa Library] [Scarabaeidae](#) [Glaphyridae](#) [Amphicoma](#)
136. **Petrovitz, R.**, 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Zweite Folge). *Annln naturh. Mus. Wien* 72: 465-491, Abb. [available in Cesa Library] [Scarabaeidae](#) [Glaphyridae](#) [Amphicoma](#)

137. **Petrovitz,R.**, 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Dritte Folge). Annln naturh. Mus. Wien 73: 383-400, figs. [available in Cesa Library] [Scarabaeidae Maladera](#)
138. **Petrovitz,R.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: Lamellicornia, Coleoptera (Vierte Folge). Annln naturh. Mus. Wien 75: 565-589, Abb. [available in Cesa Library] [Scarabaeidae Glaphyridae Amphicom](#)
139. **Peyron,E.**, 1858, Catalogue des Coléoptères des environs de Tarsous (Caramanie), avec la description des espèces nouvelles. Annls Soc. ent. Fr. 3 (6): 353-434, pl. [available in Cesa Library] [Carabidae Cicindelidae Grynidae Hydrophilidae Histeridae Scaphididae Silphidae Pselaphidae Staphylinidae Paussidae](#)
140. **Pic,M.**, 1904, Description du male de *Malachius akbesianus* Oic (Col.). Bull. ent. Soc. Fr. 1904: 216. [available in Cesa Library] [Melyridae Malachius akbesianus](#)
141. **Pittino,R.**, 2004, New or nothworthy taxa of the genus *Onthophagus* (Subg. *Palaeonthophagus*) from South-estern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae) Synonym(s): . *Fragm. ent. Roma* 36 (2): 145-214, figs. [available in Cesa Library] [Scarabaeidae Onthophagus](#)
142. **Platia,G. & D.Tarnawski**, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae) Synonym(s): . *Genus* 9 (3): 269-274, figs. [available in Cesa Library] [Elateridae](#)
143. **Reiche,L. & F. de Saulcy**, 1855-1858, Espèces nouvelles ou peu connues de Coléoptères, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. *Annls Soc. ent. Fr.* 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls. [available in Cesa Library]
144. **Roy,H.E. & E.Wajnberg (Ed.)**, 2008, From biological control to invasion: the Ladybird *Harmonia axyridis* as a model species. 56 pp. Springer. [Coccinellidae Harmonia axyridis](#)
145. **Ruzicka,J.**, 1993, Three new species of *Choleva* (Coleoptera, Leiodidae, Cholevinae) from the Caucasus and Turkey with a key to species of the *cisteloides* group. *Eur. J. Ent.* 90: 337-348, figs. [available in Cesa Library] [Leiodidae Choleva Cholevinae](#)
146. **Ruzicka,J.**, 1994, A new species of *Catopomorphus* from Turkey (Coleoptera, Leiodidae, Chovelinae). *Fragm. ent. Roma* 26 (1): 133-139, figs. [available in Cesa Library] [Leiodidae Catopomorphus Cholevinae](#)
147. **Ruzicka,J.**, 1997, A new species of *Attaephilus* from Turkey (Coleoptera, Leiodidae, Chovelinae). *Ent. Probl.* 28 (1): 57-59, figs. [available in Cesa Library] [Leiodidae Attaephilus Chovelinae](#)
148. **Sabatinelli,G. & Katbeh-Bader,A.**, 2009, *Madotrogus nikolajevi* new species from Jordan with notes on the genus *Madotrogus* Reitter,1902 and its sbgenera (Coleoptera, Scarabaeidae, Melolonthinae, Rhizotrogini). *Lambillionea* 109: 427-431, figs. [available in Cesa Library] [Scarabaeidae Melolonthinae Rhizotrogini Madotrogus nikolajevi](#)
149. **Sabatinelli,G. & M.Uliana**, 2009, Description of *Pygopleurus keithi*, n.sp. from North Syria (Insecta, Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): *Boll. Mus. civ. Stor. nat. Venezia* 60: 33-39, 12 figs. [available in Cesa Library] [Glaphyridae Pygopleurus keithi](#)
150. **Sabatinelli,G.**, 1977, Note su alcuni *Lucanidae* e *Scarabaeoidea* floricoli di Turchia con descrizione di due nuove specie (Coleoptera). *Fragm. ent.* 13 (2): 71-96, figs. [available in Cesa Library] [Lucanidae Scarabaeidae Glaphyridae Amphicom](#)
151. **Sabatinelli,G.**, 2008, The Scarabs of the Levant Syria, Lebanon, Jordan, Palestine, Israel, Sinai. <http://www.glaphyridae.com/index.html> [Scarabaeidae Glaphyridae Lucanidae](#)
152. **Sabatinelli,G.**, 2008, *Pygopleurus katbehi* sp.nov. di Giordania e Palestina e nota sinonimica *Pygopleurus syriacus* (Linnaeus,1758)=*P.nabataeensis* (Mitter,1996) (Coleoptera, Scarabaeoidea, Glaphyridae) Synonym(s): . *Lambillionea* 108: 149-152, figs. [available in Cesa Library] [Glaphyridae Pygopleurus katbehi syriacus](#)
153. **Scheerpeltz,O.**, 1979, Studien an den paläarktischen Arten der Gattung *Cryptobium* Mannerheim (Col. Staphylinidae, Subfam. Paederinae), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. *Mitt. münch. ent. Ges.* 68: 121-143. [available in Cesa Library] [Staphylinidae Paederinae Cryptobium](#)
154. **Schmitschek,E.**, 1938, Beitrage zur Forstentomologie der Türkei I. *Z. angew. Ent.* 25 (2): 291-310, figs. [available in Cesa Library] [Ichneumonidae Braconidae Eulophidae Scolytidae Chalcidoidea](#)
155. **Schubert,F.**, 1963, *Apion tauricum* n.sp. *Koleopt. Rdsch.* 40/41: 81-82. [available in Cesa Library] [Apionidae](#)
156. **Sert,O.**, 2004, Türkiye *Tychius* (Coleoptera, Curculionidae) Synonym(s): faunası için yeni kayıtlar *Türk. ent. Derg.* 28 (4): 311-313. [available in Cesa Library] [Curculionidae Tychius](#)
157. **Sert,O.**, 2005, Akdeniz ve İç Anadolu Bölgesi'nde *Ceutorhynchus* Germar,1824 ve *Tychius* Germar,1817 (Coleoptera, Curculionidae) Synonym(s): cinslerine bağlı türler üzerine faunistik çalışmalar. *Türk. ent. derg.* 29 (2): 135-149. [available in Cesa Library] [Curculionidae Ceutorhynchus Tychius Ceutorhynchinae Curculioninae](#)

158. **Silkin,N.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin değerlendirilmesi. Yüksek lisans tezi. 159s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 234041] <http://tez2.yok.gov.tr/> [available in Cesa Library] [Cantharidae](#)
159. **Sumakov,G.**, 1915, Les especes paléarctiques du genre Mylabris Fabr. Horae Soc. ent. ross. 42: 1-71. [Meloidae Mylabris](#)
160. **Svihla,V. & J.Hajek**, 2009, Taxonomic changes in Eastern Mediterranean Malachius (Coleoptera, Malachiidae) Synonym(s): . Acta ent. Mus. natn. Pragae 49 (1): 217-224, figs. [available in Cesa Library] [Melyridae Malachius](#)
161. **Svihla,V.**, 1998, New species of the family Malachiidae (Coleoptera) for the fauna of Turkey. Klapalekiana 34: 233-237. [available in Cesa Library] [Melyridae](#)
162. **Svihla,V.**, 1999, Contribution to the knowledge of the genus Cantharis L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae) Synonym(s): . Ent. Basil. 21: 135-170. [Cantharidae Cantharis](#)
163. **Svihla,V.**, 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) Synonym(s): from the western Palearctic Region. Acta ent. Mus. natn. Pragae 49 (1): 191-216, figs. [available in Cesa Library] [Cantharidae Malthininae](#)
164. **Szekessy,W.**, 1939, Acrulia armeniaca n.sp. (Col. Staph.). Mitt. münch. ent. Ges. 29: 374-376. [available in Cesa Library] [Staphylinidae](#)
165. **Tezcan,S. & S.Bily**, 1998, Contribution to the study of the genus Anthaxia Eschscholtz,1829 (subgenus Cratomerus Solier,1833 and Melanthaxia Richter,1944) (Coleoptera, Buprestidae) Synonym(s): of Turkey. Türk. ent. derg. 22 (3): 171-186. [available in Cesa Library] [Buprestidae Anthaxia](#)
166. **Tezcan,S., Karsavuran,Y., Pehlivan,E. & J.Hava**, 2004, Contribution to the Dermestidae (Coleoptera) fauna of Turkey alongwith new records. Türk ent. derg. 28 (1): 27-37. [available in Cesa Library] [Dermestidae](#)
167. **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. Türk ent. derg. 28 (2). 99-114. [available in Cesa Library] [Tenebrionidae Lagriinae Pimeliinae Bolitophaginae Diaperinae](#)
168. **Tezcan,S., Karsavuran,Y., Pehlivan,E., Keskin,B. & J.Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. Türk ent. derg. 28 (3). 163-180. [available in Cesa Library] [Tenebrionidae Opatrinae Tenebrioninae Adeliinae](#)
169. **Tezcan,S., Uhmann,G. & B.Keskin**, 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. Baltic J. Coleopt. 2 (1): 77-82. [available in Cesa Library] [Anthicidae](#)
170. **Toledano,L. & K.Rébl**, 2006, A new species of Bembidion Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae) Synonym(s): . Koleopt. Rdsch. 76: 7-13, figs. [available in Cesa Library] [Carabidae Bembidion](#)
171. **Tomov,V. & B.Gruev**, 1975, Chrysomelidae (Col.) collected by K.M.Guichard in Turkey, Greece and Yugoslavia. Trav. Sci. Univ. Plovdiv Bulgarica 13 (4): 133-151. [Chrysomelidae](#)
172. **Tomov,V.**, 1976, Eine neue Cryptocephalus Art (Coleoptera, Chrysomelidae) Synonym(s): aus der Türkei. Acta zool. Bulgarica 5: 83-85. [Chrysomelidae](#)
173. **Tomov,V.**, 1984, Cryptocephalinae and Galerucinae from Turkey (Coleoptera, Chrysomelidae) Synonym(s): . Fragm. ent. Roma 17 (2): 373-378. [available in Cesa Library] [Chrysomelidae Cryptocephalinae Galerucinae](#)
174. **Topkara,E.T. & S.Balık**, 2008, First record of the family Hygrobiidae (Coleoptera, Adepaga) from Turkey Annls Soc. ent. Fr. (n.s.) 44 (3): 315-316, figs. [available in Cesa Library] [Hygrobiidae](#)
175. **Tozlu,G. & H.Özbek**, 2000, Erzurum, Erzincan, Artvin ve Kars illeri Buprestidae (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik çalışmalar I. Acmaeoderinae, Polycestinae ve Buprestinae. Turk J. Zool. 24 (ek sayı): 51-78 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey]. [available in Cesa Library] [Buprestidae](#)
176. **Tracy,J.L. & T.O.Robbins**, 2009, Taxonomic revision and biogeography of the Tamarix-feeding Diorhabda elongata (Brullé,1832) species group (Coleoptera, Chrysomelidae, Galerucinae, Galerucini) and analysis of their potential in biological control of Tamarix. Zootaxa 2101: 1-152, figs. [available in Cesa Library] [Chrysomelidae Diorhabda elongata](#)
177. **Ulay,S.M. & S.Tezcan**, 1998, Contribution to the study of the genus Anthaxia Eschscholtz,1829 (subgenus Haplanthaxia Reitter,1911) (Coleoptera, Buprestidae) Synonym(s): of Turkey. Türk. ent. derg. 22 (2): 109-121. [available in Cesa Library] [Buprestidae Anthaxia](#)
178. **Uygun,N. & H.Fürsch**, 1981, Die Hyperaspis-Arten der Türkei. NachrBl. bayer. Ent. 30 (1): 12-15. [available in Cesa Library] [Coccinellidae Hyperaspis](#)

179. **Voss,E.**, 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 18 (3/4): 153-189, figs. [available in Cesa Library] [Rhynchitidae](#)
180. **Voss,E.**, 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. Koleopt. Rdsch. 19 (1/2): 25-56, figs. [available in Cesa Library] [Rhynchitidae](#)
181. **Voss,E.**, 1933, Nachtraegliches über palaearktische Arten der Subfamilie Rhynchitinae (Col., Curc.). Koleopt. Rdsch. 19 (3/4): 134-138. [available in Cesa Library] [Rhynchitidae](#)
182. **Warchalowski,A.**, 1998, Beschreibung der neuen Art Derocrepis (Aeschrocnemis) whiteheadi sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). Genus 9 (3): 361-365, figs. [available in Cesa Library] [Chrysomelidae Alticinae](#)
183. **Warchalowski,A.**, 2008, A review of the subgenus Pachybrachys Chevrolat,1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). Genus 19 (2): 213-283, figs. [available in Cesa Library] [Chrysomelidae Pachybrachys Cryptocephalinae](#)
184. **Weise,J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. Dt. ent. Z. 28 (1): 157-160. [Chrysomelidae](#)
185. **Weise,J.**, 1897, Neue Chrysomeliden aus Angora. Stettin ent. Ztg. 58 (1): 63-68. [available in Cesa Library] [Chrysomelidae](#)
186. **Weise,J.**, 1900, Neue Coleopteren aus Kleinasien. Dt. ent. Z. 1900 (1): 132-140. [Chrysomelidae Clytrinae](#)
187. **Wingelmüller,A.**, 1938, Monographie der palaearktischen Arten der Tribus Cionini. Koleopt. Rundsch. 23: 143-221. [available in Cesa Library] [Curculionidae Cionini](#)
188. **Wittmer,W.**, 1970, Zur Kenntnis der Gattung Malthodes (Coleoptera, Cantharidae) Synonym(s): . Ent. Arb. Mus. Frey 21: 13-107, figs. [Cantharidae](#)
189. **Wittmer,W.**, 1974, 57. Beitrag zur Kenntnis der palaearktischen Cantharidae und Malachiidae (Coleoptera). Fragm. ent. 10 (1): 1-20, figs. [available in Cesa Library] [Cantharidae Melyridae Malachiinae](#)
190. **Yurtsever,S.**, 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) Synonym(s): of Edirne in North-Western Turkey. Turk. J. Zool. 25: 71-75. [available in Cesa Library] [Coccinellidae](#)
191. **Zerche,L.**, 1996, Deliphrosoma freudeorum spec. nov. aus der Osttürkei (Insecta, Coleoptera, Staphylinidae, Omaliinae). Reichenbachia 31: 175-177. [Staphylinidae Omaliinae Deliphrosoma freudeorum](#)
192. **Zimmermann,V.S.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 75: 591-625. [available in Cesa Library] [Cleridae Trichodes](#)
193. **Zimmermann,V.S.**, 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung Trichodes Herbst (Cleridae, Coleoptera). Annln naturhn. Mus. Wien 77: 409-419. [available in Cesa Library] [Cleridae Trichodes](#)
194. **Çam,H. & T.Atay**, 2008, The faunistic studies on the subfamily Alticinae (Coleoptera, Chrysomelidae) Synonym(s): species in Tokat Province. Int. J. nat. eng. Sci. 2 (3): 21-26. [available in Cesa Library] [Chrysomelidae Alticinae](#)
195. **Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs. [available in Cesa Library]
196. **İncekara,Ü., Mart,A. & O.Erman**, 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. Turk. J. Zool. 27: 47-53. [available in Cesa Library] [Hydrophilidae](#)
197. **İncekara,Ü., Mart,A. & O.Erman**, 2005, Helophorus erzurumicus sp.n., a new species from Turkey and some notes on H. ponticus Angus,1988 (Coleoptera, Hydrophilidae) Synonym(s): . Aquatic Insects 27 (1): 43-46, figs. [available in Cesa Library] [Hydrophilidae Helophorus erzurumicus ponticus](#)
198. **Özbek,H. & G.Çetin**, 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. Türk. ent. derg. 15 (4): 193-202. [available in Cesa Library] [Coccinellidae](#)
199. **Özdikmen,H.**, 2005, Three interesting records of longhorn beetles in Turkish fauna (Coleoptera, Cerambycidae) Synonym(s): . Russian Ent. J. 14 (1): 59-60. [available in Cesa Library] [Cerambycidae](#)

Synonymic and distributional list of the pterygot insects of Afghanistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

1

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Afghanistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 1. *Priamus* (suppl.) 18: 240-260.

In this study, totally 596 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Afghanistan recorded in info-system of the Cesa, total pterygot species of Afghanistan increase to 2195.

Key words: List, distribution, *pterygota*, *Insecta*, Afghanistan.

Brief explanatory information:

Previously published article	Yes ⁵
Previously published report	Yes
Expedition made by the Cesa	No
Planned expeditions	No
Further planned publications	yes

In this study, totally 596 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes.⁶ Original references to some taxa are given in blue colour.

Within the frame of the Project Entomofauna, the Lepidoptera of this country has been previously published by the authors as a list of 1599 species.⁷ By this way, total number of the pterygots increased to 2195.

The study is still continuing, and the new results will be published within this Project.

1. "**Megamelus**" **ornatipennis Haupt,1927** (Delphacidae) Synonym(s): *ornatipennis Haupt,1927* **AF IR IL JO**
2. **Acanthaclisis obscura Hölzel,1972** (Myrmeleonidae) Synonym(s): *obscura Hölzel,1972* **AF**
3. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae) Synonym(s): *occitanica Villers,1789* **AF IR Elb Th PK TR IL Pa KG**
4. **Acanthaclisis occitanicum Villers,1789** (Myrmeleonidae) Synonym(s): *occitanicum Villers,1789; pisanus Rossi,1790; georgianum Fischer v. Waldheim,1846.* **TR IR PK AF KG IL**
5. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**
6. **Achaetomalachius clarus Majer** (Melyridae) Synonym(s): **AF**
7. **Achaetomalachius confusus Majer** (Melyridae) Synonym(s): **AF**
8. **Achaetomalachius cupreatus Majer** (Melyridae) Synonym(s): **AF**
9. **Achaetomalachius pretincus Majer** (Melyridae) Synonym(s): **AF**

⁵ Koçak,A.Ö. & M.Kemal, 2009, On the nomenclature of a pre-occupied generic name in the family *Ichneumonidae* (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 150: 1.

⁶ in all the faunistic publications of the Cesa, all the states, countries, territories, and localities are explained as special codes. These codes are freely obtainable from the following URL address: <http://www.members.tr.pod.com/Cesa88/Code.pdf>

⁷ Koçak,A.Ö. & M.Kemal,2007, Results of the International Projects of the CESA on the World Lepidoptera - I. *Cent. ent. Stud., Memoirs* 3-4: v + 1-1989 pp. 49 Col. Plates. see: **Chapter 13**, "List of the Lepidoptera recorded in Afghanistan (LAS)". <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

10. **Achaetomalachius tibialis (Jablonkoff-Khnzorian,1966)** (Melyridae) Synonym(s): *tibialis Jablonkoff-Khnzorian,1966* AF
11. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis Lethierry,1876* AF IR IQ? MN TR GG KG RU TJ TM UZ
12. **Aconurella nuristana Dlabola,1957** (Cicadellidae) Synonym(s): *nuristana Dlabola,1957* AF
13. **Aconurella prolata (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolata Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
14. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus *insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO*
15. **Adoretus afghanus Machatschke,1958** (Scarabaeidae) Synonym(s): *afghanus Machatschke,1958* AF
16. **Adoretus pruinus Ballion,1870** (Scarabaeidae) Synonym(s): *pruinus Ballion,1870* RU KG AF
17. **Afganopogon lindbergi Hradski,1962** (Asilidae) Synonym(s): *lindbergi Hradski,1962* AF
18. **Afghanocroce vartianorum Hölzel,1968** (Nemopteridae) Synonym(s): *vartianorum Hölzel,1968* AF
19. **Afghanoleon flavomaculatus Hölzel,1972** (Myrmeleonidae) Synonym(s): *flavomaculatus Hölzel,1972* AF IR Fa
20. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF Cn Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
21. **Agallia cuspidata (Dlabola,1957)** (Cicadellidae) Synonym(s): *cuspidata Dlabola,1957* AF
22. **Agallia mutilata Dlabola,1957** (Cicadellidae) Synonym(s): *mutilata Dlabola,1957* AF
23. **Agonum chalconotum Ménériés,1832** (Carabidae) Synonym(s): *chalconotum Ménériés,1832* GB LA TR AF KK KG TJ UZ CN MN
24. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticolus Candeze,1863* TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
25. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia *simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU*
26. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus *thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW*
27. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola Weise,1889* TR RU KG Cc AF MN KP KR TW
28. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris Weise,1888* TR Cc IR AF KG DZ
29. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis Motschoulsky,1844; badiola Bates,1878; latiuscula Poppius,1908; nigriventris Lutshnik,1927; chivensis Lutshnik,1928; tratnikovi Lutshnik,1928; pamiricola Lutshnik,1930; gisellae Csiki,1929* AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
30. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
31. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832; bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
32. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans C.Zimmermann,1832; inderiensis Motschoulsky,1850; dagestana Jedlicka,1962* AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
33. **Ameles crassinervis Dirsch,1927** (Mantidae) Synonym(s): *crassinervis Dirsch,1927* AF IR Cc TM
34. **Ameles persa Bolivar,1911** (Mantidae) Synonym(s): *persa Bolivar,1911* AF IR
35. **Amorphoscelis naumanni Kaltenbach,1983** (Amorphoscelidae) Synonym(s): *naumanni Kaltenbach,1983* AF PK

36. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi* Ballion,1870; *clypeata* Solsky,1876; *dubia* Solsky,1876; *auricollis* Reitter,1890; *viridicollis* Reitter,1890; *belia* Reitter,1900 **AF UZ KG TJ KK TM**
37. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae) Synonym(s): *mirabilis* Martynov,1928 **Cc TR IR AF Ch**
38. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 **Cc RU GR ES IL Pa TR IR Fa Kz AF**
39. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
40. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
41. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 **Gryllus aegyptium** Linnaeus,1764, **Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL**
42. **Anastoechus mellinus François,1969** (Bombyliidae) Synonym(s): *mellinus* François,1969 **AF**
43. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 **IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR**
44. **Anastoechus turanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turanicus* Paramonov,1926 **AF IR UZ**
45. **Anastoechus turkmenorum Paramonov,1930** (Bombyliidae) Synonym(s): *turkmenorum* Paramonov,1930 **AF IR TM UZ**
46. **Anastoechus zimini Paramonov,1940** (Bombyliidae) Synonym(s): *zimini* Paramonov,1940 **KG AF UZ MN IR AM AZ Cc**
47. **Aneomochtherus stackelbergi (Lehr,1958)** (Asilidae) Synonym(s): *stackelbergi* Lehr,1958 **MN CN AF**
48. **Anigrus vicinus Dlabola,1959** (Meenoplidae) Synonym(s): *vicinus* Dlabola,1959 **AF IL**
49. **Anisopogon asiaticus Oldroyd,1963** (Asilidae) Synonym(s): *asiaticus* Oldroyd,1963 **AF**
50. **Anomala barbata Burmeister** (Scarabaeidae) Synonym(s): **AF**
51. **Anomala dimidiata (Hope,1831)** (Scarabaeidae) Synonym(s): *dimidiata* Hope,1831 **AF**
52. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 **IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU**
53. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
54. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 **IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM**
55. **Anthrenus (Anthrenodes) klapperichi Hava & Kadej,2006** (Dermestidae) Synonym(s): *klapperichi* Hava & Kadej,2006 **AF**
56. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876 **PL AF Cc CN KG KK TJ TM UZ**
57. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus* Solsky,1876 **AF Cc TR IR KK KG TJ TM UZ**
58. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): *rotundulus* Reitter,1889 **TR AF Cc IR TM**
59. **Antocha vitripennis (Meigen,1830)** (Limoniidae) Synonym(s): *vitripennis* Meigen,1830 **TR AF**
60. **Aphodius (Erytus) persicus Petrovitz,1961** (Scarabaeidae) Synonym(s): *persicus* Petrovitz,1961 **IR AF**
61. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
62. **Aphthona abdominalis (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid,1825; *finitima* Ogloblin,1927 **TR Cc IR AF KG**
63. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 **IT ES TN Cn HV HU EG AF IL Pa IR TM UZ**
64. **Arboridia defecta (Dlabola,1957)** (Cicadellidae) Synonym(s): *defecta* Dlabola,1957 **AF**
65. **Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): *pusilla* Eversmann,1859 **AF MN TJ TM CN Ui**

66. **Armene robusta** Mistshenko,1956 (Mantidae) Synonym(s): *robusta* Mistshenko,1956 AF TJ
67. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
68. **Astochia caspica** Hermann,1917 (Asilidae) Synonym(s): *caspica* Hermann,1917; *sareptana* Becker,1923 IR AF RU KG AZ Cc
69. **Attagenus (s.str.) afghanus** Hava,2000 (Dermestidae) Synonym(s): *afghanus* Hava,2000 AF
70. **Attagenus (s.str.) bifasciatus** (Olivier,1790) (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 TR AF Cc IR IQ IL Pa LB SY TM
71. **Attagenus (s.str.) brunneus** Faldermann,1835 (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 DZ EG MA TN CA US AF PK KK TM UZ TR
72. **Austroagallia avicula** (Ribaut,1935) (Cicadellidae) Synonym(s): *avicula* Ribaut,1935 AF FR IR IT MA TN
73. **Austroagallia sarobica** (Dlabola,1964) (Cicadellidae) Synonym(s): *sarobica* Dlabola,1964 AF
74. **Balclutha punctata** (Fabricius,1775) (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
75. **Balclutha rhenana** Wagner,1939 (Cicadellidae) Synonym(s): *rhenana* Wagner,1939 AF AT BG CS FI DE IT NL KG KK UZ YU TR
76. **Barylypa uniguttata** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829 TR Cc AM IR AF RU Sb Us
77. **Bashgultala clara** Dlabola,1957 (Cixiidae) Synonym(s): *clara* Dlabola,1957 AF
78. **Batracomorpha avulsus** Dlabola,1964 (Cicadellidae) Synonym(s): *avulsus* Dlabola,1964 AF
79. **Batracomorpha consignatus** Dlabola,1964 (Cicadellidae) Synonym(s): *consignatus* Dlabola,1964 AF
80. **Batracomorpha irroratus** Lewis,1834 (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
81. **Belostoma cordofanum** Mayr,1853 (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853 AF BG IQ IR HU EG RP SD SY SA TR
82. **Bembecinus asiaticus** (Gussakowski,1935) (Crabronidae) Synonym(s): *asiaticus* Gussakowski,1935 AF UZ TR IR TJ KG UZ
83. **Bembidion (Euperyphus) fluviatile** Dejean,1831 (Carabidae) Synonym(s): *fluviatile* Dejean,1831 TR MA TN AF IQ
84. **Bembidion (Microserrullula) quadricolle** (Motschoulsky,1844) (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844 AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
85. **Bembidion (Notaphocampa) niloticum** Dejean,1831 (Carabidae) Synonym(s): *niloticum* Dejean,1831 AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
86. **Bembidion (Notaphus) varium** (Olivier,1795) (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
87. **Bembidion (Peryphus) abbreviatum** Solsky,1874 (Carabidae) Synonym(s): *abbreviatum* Solsky,1874 TR AF IR KK TJ UZ
88. **Bembidion (Testediolum) armeniacum** Chaudoir,1846 (Carabidae) Synonym(s): *armeniaceum* Chaudoir,1846; *glabricolle* Motschoulsky,1846; *olympicum* De Monte,1946; *coiffaiti* De Wailly,1954; *colasi* Schuler,1961; *davatchii* Morvan,1971; *damavandense* Marggi & Huber,1999 AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
89. **Bischoffitilla afghanica** (Lelej,1980) (Mutillidae) Synonym(s): *afghanica* Lelej,1980 AF
90. **Blaps tridentata** Waterhouse,1889 (Tenebrionidae) Synonym(s): *tridentata* Waterhouse,1889 AF
91. **Blepharopsis mendica** (Fabricius,1775) (Empusidae) Synonym(s): *mendica* Fabricius,1775 AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
92. **Bolivaria brachyptera** (Pallas,1773) (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
93. **Bombomyia vertebralis** (Dufour,1833) (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec* De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
94. **Bombylisoma brevisculum** (Loew,1855) (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
95. **Bombylius (s.str.) altivolans** François,1969 (Bombyliidae) Synonym(s): *altivolans* François,1969 AF
96. **Bombylius (s.str.) analis** Olivier,1789 (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ

97. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus Loew,1855* AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
98. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
99. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikán,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
100. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
101. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
102. **Bombylius (s.str.) nigricolor François,1969** (Bombyliidae) Synonym(s): *nigricolor François,1969* AF
103. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus Loew,1873* AF IR KG KK TJ TM UZ
104. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
105. **Boriomyia amseli Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *amseli Aspöck & Aspöck,1966* Boriomyia amseli Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 77-78, figs. Holotype ♂: Afghanistan centr.: östl. Band-i-Amir, 3600m 29.7.1963 leg. E. & A. Vartian & Kasy (coll. Aspöck). AF NP
106. **Boriomyia vartianae Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *vartianae Aspöck & Aspöck,1966* Boriomyia vartianae Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 75-76, figs. Holotype ♂: Afghanistan: Paghman, 30km nordwestl. Kabul, 2500m 19-31.5.1965 leg. E. & A. Vartian & Kasy (coll. Aspöck). AF
107. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
108. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
109. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
110. **Caccobius (s.str.) denticollis Harold,1897** (Scarabaeidae) Synonym(s): *denticollis Harold,1897* AF
111. **Caccobius (s.str.) himalayanus Jekel,1772** (Scarabaeidae) Synonym(s): *himalayanus Jekel,1772* AF
112. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sicutus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
113. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952* Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF
114. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784* AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
115. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta Loew,1844* TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO
116. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN

117. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
118. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; misteriosa Obenberger,1917; nonfriedi Obenberger,1934* AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
119. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
120. **Cardiophorus (s.str.) varius Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *varius Cate, Platia & Schimmel,2002* TR AF IR
121. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranum Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
122. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus Boheman,1851* TR AF IL Pa Cc IQ SY TJ
123. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus Poda,1761* TR AF IL Pa IR Cc EG SY
124. **Cassida brevis Weise,1834** (Chrysomelidae) Synonym(s): *brevis Weise,1834* TR GR AF
125. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): *fulvicornis Jakovlev,1890* TR AF RU TM
126. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola Faldermann,1836* TR MN CN Ui AF IR RU Ur Cc
127. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens Schultze,1895* TR AF AZ Cc GG IR KG SY TJ TM UZ
128. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
129. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
130. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
131. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
132. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
133. **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae) Synonym(s): *montenegrina Heikertinger,1912* YU TR IR AF
134. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis Illiger,1807* TR Cc IR AF KG DZ RU Sb
135. **Chaetomalachus aeneolus Majer,1989** (Melyridae) Synonym(s): *aeneolus Majer,1989* AF IR TJ TM
136. **Chaetomalachus australis Majer,1988** (Melyridae) Synonym(s): *australis Majer,1988* AF
137. **Chaetomalachus insidiosus Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): *insidiosus Jablokoff-Khnzorian,1966* AF
138. **Chaetomalachus klapperichi Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): *klapperichi Jablokoff-Khnzorian,1966* AF
139. **Chaetomalachus largus Majer,1988** (Melyridae) Synonym(s): *largus Majer,1988* AF
140. **Chaetomalachus pulcher Majer,1988** (Melyridae) Synonym(s): *pulcher Majer,1988* AF
141. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
142. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
143. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
144. **Chlorita akdzhusani (Zachvatkin,1953)** (Cicadellidae) Synonym(s): *akdzhusani Zachvatkin,1953; afghanistanica Dlabola,1957* AF Cc AZ KG RU
145. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928* TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
146. **Chromovalgus klapperichi Endrodi,1955** (Scarabaeidae) Synonym(s): *klapperichi Endrodi,1955* AF

147. **Chrysolina armeniaca (Faldermann,1837)** (Chrysomelidae) Synonym(s): *armeniaca Faldermann,1837; persica Jakob,1960 nec Jolivet,1951; iranica Medvedev,1975 nec Jacob,1954* Cc IR AM TM AF
148. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824; festiva Ménétréris,1832* EG IL Pa Cc RU Da IR GR Rd CY SY AF
149. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
150. **Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa Scopoli,1763* Cc TR AF RU Sb
151. **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana Weise,1884* Cc TR IR AF KG
152. **Chrysolina imperfecta (Breit,1920)** (Chrysomelidae) Synonym(s): *imperfecta Breit,1920; kaltenbachi Jakob,1954* Cc IR TM AF
153. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata Linnaeus,1758; unificans Bechyne,1950* TR Cc IR AF RU Sb MN CN DZ KG
154. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni Stal,1854 (praeocc.); querula Pallas,1773; paliuri Kolenati,1857* Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
155. **Cicadatra rugipennis (Walker,1858)** (Cicadidae) Synonym(s): *rugipennis Walker,1858* AF
156. **Cicadatra spectra (Distant,1908)** (Cicadellidae) Synonym(s): *spectra Distant,1908* AF AT IR JP
157. **Cicadetta afghanistica Dlabola,1964** (Cicadidae) Synonym(s): *afghanistica Dlabola,1964* AF
158. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suoedicola Bergevin,1913* AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ
159. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952; Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
160. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952* AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
161. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
162. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia Stal,1859* AF BG TR CZ FR GR HU RO YU
163. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes Fieber,1876; notaticollis Rey,1894; fumipennis Horvath,1897* Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
164. **Coloborrhhis damaspina (Dlabola,1957)** (Cicadellidae) Synonym(s): *dampina Dlabola,1957* AF
165. **Colotes afghanisticus Wittmer,1981** (Melyridae) Synonym(s): *afghanisticus Wittmer,1981* AF
166. **Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): *fluviale Rondani,1867* AT AF IT ES TM
167. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
168. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falvicaudus Stucke, Hayat & Özbek,2008 Sphyxosoma flavicauda Bigot,1880, Anns Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus.* GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm
169. **Coptocephala crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): *crassipes Lefevre,1876; leprieuri Pic,1897; rungsi Pic,1953; kocheri Pic,1953; vavilovi Lopatin,1966; iranica Medvedev,1971* MA DZ IR AF CN Ti
170. **Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) Synonym(s): *lugdunensis Villers,1789; lineatus Latreille,1807; plumbeus Olivier,1811; murinus Klug,1834; pictus Burmeister,1839; tabidus Eversmann,1841; pallidipennis Rambur,1842; conspurcatus Kolenati,1856; plumbea Hagen,1860* RU TR AF IR IL Pa
171. **Croce zarudnyi Alexandrov-Martynov,1930** (Nemopteridae) Synonym(s): *zarudnyi Alexandrov-Martynov,1930* IR AF PK BI Qu
172. **Ctenagenia ozbeki Wahis,2002** (Pompilidae) Synonym(s): *ozbeki Wahis,2002* Ctenagenia ozbeki Wahis,2002, Notes faun. Gembloux 49: 116-117, figs. Holotype ♀: Turkey: Adana Prov. Karakuz 1410m leg. O.Kaftanoğlu (Gembloux). TR AF PK
173. **Cueta grata Hölzel,1972** (Myrmeleonidae) Synonym(s): *grata Hölzel,1972* AF
174. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa Rambur,1842; morosus Walker,1853; ulianini Mc Lachan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915; albanica Capra.* SD EG AF IR SA TR IQ IL CY AM GG AL

175. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus Rambur,1842*; *morosus Walker,1853*; *ulianini McLachlan,1875*; *trilineata Navas,1911*; *grammaticus Navas,1912*; *syriaca Navas,1914*; *natti Navas,1914*; *anomala Navas,1915* AF IR TR SA IQ IL Pa Cc CY SD
176. **Cueta minervae Hölzel,1972** (Myrmeleonidae) Synonym(s): *minervae Hölzel,1972* AF
177. **Cueta striata Kimmins,1943** (Myrmeleonidae) Synonym(s): *striata Kimmins,1943* AF IR SA
178. **Cueta thaliae Hölzel,1972** (Myrmeleonidae) Synonym(s): *thaliae Hölzel,1972* AF
179. **Culicoides noshaquensis Tokunaga,1966** (Ceratopogonidae) Synonym(s): *noshaquensis Tokunaga,1966* AF
180. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
181. **Danaceothrix murina Majer,1989** (Melyridae) Synonym(s): *murina Majer,1989* AF
182. **Dasyhelea afghanica Navai,1994** (Ceratopogonidae) Synonym(s): *afghanica Navai,1994* AF
183. **Dasyhelea bamianica Navai,1994** (Ceratopogonidae) Synonym(s): *bamianica Navai,1994* AF
184. **Dasyhelea peculiopa Navai,1994** (Ceratopogonidae) Synonym(s): *peculiopa Navai,1994* AF
185. **Dasyhelea schumanni Navai,1994** (Ceratopogonidae) Synonym(s): *schumanni Navai,1994* AF
186. **Dasyhelea seminigra Navai,1994** (Ceratopogonidae) Synonym(s): *seminigra Navai,1994* AF
187. **Dasyhelea serrata Navai,1994** (Ceratopogonidae) Synonym(s): *serrata Navai,1994* AF
188. **Dasyhelea similinigrina Navai,1994** (Ceratopogonidae) Synonym(s): *similinigrina Navai,1994* AF
189. **Dasytidius candidus Majer,1991** (Melyridae) Synonym(s): *candidus Majer,1991* AF
190. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis Morawitz,1861* AF AL BG HV GR MK RU UA YU
191. **Dasytiscus klapperichi Majer,1988** (Melyridae) Synonym(s): *klapperichi Majer,1988* AF
192. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons Fabricius,1793*; *aeolicus Guarino,1935* TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
193. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758*; *rubicundus De Geer,1778*; *hastatus Fischer von Waldheim,1839*; *radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
194. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* AF DZ CY TR FR IL IT MA ES TN
195. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
196. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus Steven,1808* PL AF TR Cc IN KK IR MN RU CN Ui
197. **Deronectes afghanicus Wewalka,1971** (Dytiscidae) Synonym(s): *afghanicus Wewalka,1971* AF PK
198. **Desmatoneura albifacies (Macquart,1840)** (Bombyliidae) Synonym(s): *tibialis Stephens,1829*; *albifacies Macquart,1840* EG DZ AF
199. **Diadegma pulchripes (Kokujev,1915)** (Ichneumonidae) Synonym(s): *pulchripes Kokujev,1915* TR GR Cr AF MN
200. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
201. **Dictyophara afghana Dlabola,1986** (Dictyopharidae) Synonym(s): *afghana Dlabola,1986* AF
202. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767*; *#aeuropaea Petagna,1787*; *europe Aucher-Elroy,1826*; *italica Kirschbaum,1868*; *lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
203. **Dictyophara tangigharuha Dlabola,1957** (Dictyopharidae) Synonym(s): *tangigharuha Dlabola,1957* AF IQ
204. **Dielocroce afghana Hölzel,1968** (Nemopteridae) Synonym(s): *afghana Hölzel,1968* AF
205. **Dielocroce baudii (Griffini,1895)** (Nemopteridae) Synonym(s): *baudii Griffini,1895* TR SA IR AF
206. **Dielocroce elegans (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *elegans Alexandrov-Martynov,1930* SY IR AF
207. **Dielocroce persica (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *persica Alexandrov-Martynov,1930* IR IQ AF
208. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
209. **Dlabolaracus klapperichi (Dlabola,1957)** (Cicadellidae) Synonym(s): *klapperichi Dlabola,1957* AF
210. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): *albicornis Eversmann,1848* RU KG IR TM AF PK
211. **Dociostaurus (Notostaurus) plotnikovi Uvarov,1921** (Acrididae) Synonym(s): *plotnikovi Uvarov,1921* IR AF TJ KG

212. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatu*s Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 **Gryllus maroccanus** Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Morocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
213. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus* Pantel,1886 CN Ui RU AF PK IR ES
214. **Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): *signatus* Meigen,1824; *argentifer* Loew,1859 RO UA RU KG AF
215. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851 Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
216. **Doratulina curtipennis (Dlabola,1957)** (Cicadellidae) Synonym(s): *curtipennis* Dlabola,1957 AF
217. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948 AF CY EG GR IL Pa IT LY TR
218. **Doratulina longipennis (Dlabola,1957)** (Cicadellidae) Synonym(s): *longipennis* Dlabola,1957 AF
219. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
220. **Duilius fasciata Howarth,1894** (Cixiidae) Synonym(s): *fasciata* Howarth,1894 AF Cc AM AZ KG RU Da TJ
221. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemand,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
222. **Echthromyrmex platypterus McLachan,1867** (Myrmeleonidae) Synonym(s): *platypterus* McLachan,1867 AF IQ
223. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
224. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004 TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY
225. **Epacanthaclisis continentalis Esben-Petersen,1935** (Myrmeleonidae) Synonym(s): *continentalis* Esben-Petersen,1935 PK Gg AF
226. **Episyrrhus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternata* Macquart,1842 TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
227. **Ergenekonia ⁸ lata (Majer,1996)** (Melyridae) Synonym(s): *lata* Majer,1996 AF
228. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
229. **Euonicellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
230. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829 FR RU Ur Sb Cc KG SY AF MN US
231. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 AF AT CS FI FR DE IT IQ RO SW TR RU MD
232. **Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 AF KG KK TM UZ
233. **Eupteryx taborskyi Dlabola,1957** (Cicadellidae) Synonym(s): *taborskyi* Dlabola,1957 AF IR TR
234. **Euroleon parvus Hölzel,1972** (Myrmeleonidae) Synonym(s): *parvus* Hölzel,1972 AF
235. **Eurychila pantherina (Horvath,1891)** (Tettigometridae) Synonym(s): *pantherina* Horvath,1891 AF AZ TM UZ
236. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 AF IR IL Pa JO GR Cr TR KG KK
237. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurillus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU

⁸ generic name established by the authors.

238. **Eutolmus parricida (Loew,1848)** (Asilidae) Synonym(s): *parricida* Loew,1848 TR AF IR Elb Mz Cc GG AM AZ
239. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
240. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
241. **Exoprosopa turkestanica Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1925 CN Ui Um Adu KK TJ MN AF IR
242. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
243. **Gepella modesta Hölzel,1968** (Myrmeleonidae) Synonym(s): *modesta* Hölzel,1968 AF IR
244. **Glossocratus lefroyi (Distant,1908)** (Cicadellidae) Synonym(s): *lefroyi* Distant,1908 AF
245. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
246. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae) Synonym(s): *granulatum* Fabricius,1791 TR AF
247. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
248. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ
249. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura* Morawitz,1875; *altera* Peters,1974 TM UZ CN Ui AF PK
250. **Halictus (Seladonia) paropamissos Ebmer,1978** (Halictidae) Synonym(s): *paropamissos* Ebmer,1978 AF
251. **Halter halterata (Forskål,1775)** (Nemopteridae) Synonym(s): *halterata* Forskål,1775; *nutans* Navas,1910. IQ IR AF PK Bl Qu
252. **Handianus sarekandinus Dlabola,1959** (Cicadellidae) Synonym(s): *sarekandinus* Dlabola,1959 AF TJ UZ
253. **Haplothrix leucosa Majer,1989** (Melyridae) Synonym(s): *leucosa* Majer,1989 AF
254. **Haplothrix sanguinicollis Majer,1989** (Melyridae) Synonym(s): *sanguinicollis* Majer,1989 AF
255. **Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): *alpina* Wagner,1955 AF RO TR Cc AM GG
256. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946 AF BG RO TR Cc AM GG YU IR
257. **Hauseria acmaeopsiformis Reitter,1896** (Melyridae) Synonym(s): *acmaeopsiformis* Reitter,1896 AF
258. **Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962 AF EG IR IL IT
259. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
260. **Helladia circumdata (Kraatz,1882)** (Cerambycidae) Synonym(s): *circumdata* Kraatz,1882 KG UZ AF
261. **Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis* Semenov,1900 TM IR SA TR AF
262. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
263. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
264. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
265. **Hephathus tshakaranus Dlabola,1957** (Cicadellidae) Synonym(s): *tshakaranus* Dlabola,1957 AF
266. **Hesperocorixa occulta (Lundblad,1929)** (Corixidae) Synonym(s): *occulta* Lundblad,1929 TR AF IN
267. **Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878 TR IQ Cc IR AF Ui
268. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus* Rossi,1792 Cn DZ LT SE RU AF KG Sb TR

269. **Hishimonus sellatus (Uhler,1896)** (Cicadellidae) Synonym(s): *sellatus Uhler,1896* AF CN JP KP Cc GG
270. **Hoplitis (Anthocopa) perezii (Ferton,1895)** (Megachilidae) Synonym(s): *perezii Ferton,1895; convolvuli Ducke,1899* AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
271. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis Morawitz,1895* TM KG TJ AF IR TR
272. **Hoplobasis (Eurasicesa)⁹ amseliana (Nielsen,1961)** (Limoniidae) Synonym(s): *amseliana Nielsen,1961* AF
273. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera Lackschewitz,1940* TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
274. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus Signoret,1865; albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935* Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
275. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
276. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum Lethierry,1878* AF SY AZ Cc KG KK TM UZ
277. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis Loew,1856; ?flicina Santos Abreu,1923; similior Alexander,1956* Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
278. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
279. **Idiocerus proximoriens Dlabola,1965** (Cicadellidae) Synonym(s): *proximoriens Dlabola,1965* AF JO
280. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898* AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
281. **Iranoleon electus Hölzel,1968** (Myrmeleonidae) Synonym(s): *electus Hölzel,1968* AF IR
282. **Iranoleon nitidus Hölzel,1972** (Myrmeleonidae) Synonym(s): *nitidus Hölzel,1972* AF
283. **Iris nana Uvarov,1930** (Irididae) Synonym(s): *nana Uvarov,1930; radians Uvarov,1931* Iris nana Uvarov,1930, Ann. Mag. nat. Hist. (10) 5: 632. Type: Iraq: Bagdad (BMNH). AF IQ Bgd PK BI IN IR
284. **Iris orientalis Wood-Mason,1882** (Irididae) Synonym(s): *orientalis Wood-Mason,1882* IN Clc NP AF PK ID Ja
285. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica Fischer v. Waldheim,1846; tiflisina Giglio-Tos,1915; caucasica Lindt,1983* Mantis oratoria polystictica Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui
286. **Iris splendida Uvarov,1922** (Irididae) Synonym(s): *splendida Uvarov,1922* AF PK
287. **Ischnura pumilio (Charpentier,1825)** (Coenagrionidae) Synonym(s): *pumilio Charpentier,1825* TR? CY Cc AM IR AF
288. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758; nigriventris Fieber,1861; anthracina Jakovlev,1885; vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
289. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti Wagner,1938* Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
290. **Klapperichicen dubius (Jacobi,1927)** (Cicadidae) Synonym(s): *dubius Jacobi,1927* AF
291. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima Walker,1858; alhageos Kolenati,1857; glycyrrhizae Kolenati,1857; ochreatea Melichar,1902; olivacea Melichar,1913; stenoptera Haupt,1917; smaragdula Haupt,1920* AF GR IR IQ IL Pa IT JO TR RU
292. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965* AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
293. **Laemostenus (Pristonychus) rigrevanensis (Coiffait,1962)** (Carabidae) Synonym(s): *rigrevanensis Coiffait,1962; dahanensis Coiffait,1962; djalrezi Coiffait,1962; kaboulensis Coiffait,1962* AF Kab
294. **Lampyris olivieriana Heyden,1890** (Lampyridae) Synonym(s): *olivieriana Heyden,1890; afghana Nakane,1966* KG AF CN Ui
295. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
296. **Laphystia latiuscula Loew,1871** (Asilidae) Synonym(s): *latiuscula Loew,1871; metallescens Hermann,1906* IR Fa AF RU

⁹ subgeneric name established by the authors.

297. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
298. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 AF TM IL Pa SY TR AM Cc IR
299. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiourgan* Ebner,1980 TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
300. **Lasioglossum (s.str.) leucozonium (Schrank,1781)** (Halictidae) Synonym(s): *leucozonium* Schrank,1781; *leucostoma* Schrank,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976 TR AF Kab PK
301. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
302. **Latoliarus brunneus Dlabola,1957** (Cixiidae) Synonym(s): *brunneus* Dlabola,1957 AF
303. **Leptocentrus taurus (Fabricius,1775)** (Membracidae) Synonym(s): *taurus* Fabricius,1775 AF
304. **Lepyronia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
305. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 nec Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909 TR AZ GG Cc AF IR KG RU
306. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860 TR Cc AZ JO IR AF
307. **Longitarsus alferii (Pic,1923)** (Chrysomelidae) Synonym(s): *alferii* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
308. **Longitarsus echii (Koch,1803)** (Chrysomelidae) Synonym(s): *echii* Koch,1803; *tibialis* Duftschmidt,1825; *excurvus* Wollaston,1854; *flavipes* Allard,1860; *coerulescens* Weise,1888; *nigrescens* Weise,1888; *peregrinus* Weise,1888; *kulikovskii* Jacobson,1895 PL AF Cn TR
309. **Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus* Warchalowski,1967 IL Pa TR IQ IR AF
310. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 nec Sph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 nec Marshm.,1802 FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
311. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly,1874 Cc TR IR AF RU Sb MN CN VN JP
312. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus* De Geer,1775 Cc TR IR AF KG IL Pa RU Sb
313. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777 TR Cc IR AF RU Sb KG DZ
314. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus* Foudras,1860 TR Cc IR AF RU MN KG
315. **Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis* Weise,1900 TR Cc IR AF KG RU
316. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794 TR Cc IR AF KG IL Pa DZ
317. **Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus* Foudras,1860 TR Cc IR AF DZ KG
318. **Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus* Warchalowski,1973 TR IR Cc AF
319. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus* Weise,1893 TR Cc IR AF KG RU Sb MN CN Ui
320. **Lopezus fedtschenkoi (McLachan,1875)** (Myrmeleonidae) Synonym(s): *fedtschenkoi* McLachan,1875 AF KG SA IR
321. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817 AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bi TJ AF OM
322. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854 AF IR IL Pa IT SY TR GR Cr
323. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
324. **Macropsis multiguttata Dlabola,1957** (Cicadellidae) Synonym(s): *multiguttata* Dlabola,1957 AF JO
325. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
326. **Macrocytus brunneus (Fabricius,1803)** (Cydnididae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc

- TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK
PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
327. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 AF BG
GR FR IT PT ES TR
328. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi*
Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO
SE SW TR EE Cc GG KG KK LV MD UZ UA RU
329. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR
IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
330. **Malachius coerulescutatus Fairmaire,1891** (Melyridae) Synonym(s): *coerulescutatus*
Fairmaire,1891 AF
331. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica*
Anufriev,1966 AF? CY TR IT RO Cc AZ? UA YU TJ UZ
332. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis*
McLachlan,1875; *?minuta* Kozhantshikov,1949; *?caucasica* Handschin,1959 GR Rd TR Cc AM IQ IR AF TJ
TM KK UZ CN Ui
333. **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica* Linnaeus,1767 TR Cc
AF KG RU Sb MN CN
334. **Masaris longicornis (Kuznetsov,1923)** (Vespidae) Synonym(s): *longicornis* Kuznetsov,1923
AF UZ KK
335. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR
AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
336. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT
BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
337. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871;
ballestrerii Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU
BG HV IL Pa MA MX CN PT TN TM UA UZ US
338. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 IT GR
Rd CY TR IR IQ AF SY LB LY TD CF SD ET
339. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 LY Cy
Rd GR TR CY IR IQ AF SY LB TD CF SD ET
340. **Melanogryllus afghan Chopard,1968** (Gryllidae) Synonym(s): *afghan* Chopard,1968 AF Hr
341. **Meligethes pheretra Easton,1956** (Nitidulidae) Synonym(s): *pheretra* Easton,1956 AF IR UZ
342. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus* Leach,1815 ES TR Cc IR
AF RU GB
343. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 DZ IT
Si TR Cc RU Sb UA Cm KG TJ TM IR AF
344. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910 TR Cc RU
AF TM IR UA Cm
345. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758
ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
346. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius*
Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc
TR GR HU PL RO UA LB LY JO IQ AF
347. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus* Rossi,1792; *ruficornis* Balbi,1897
Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
348. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758;
orientalis Szepliget,1916 SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
349. **Metacnephia sorkulensis Rubtsov,1971** (Simuliidae) Synonym(s): *sorkulensis* Rubtsov,1971
AF TJ
350. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF
ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
351. **Mimothrix bella Majer,1995** (Melyridae) Synonym(s): *bella* Majer,1995 AF
352. **Mimothrix cinis Majer,1995** (Melyridae) Synonym(s): *cinis* Majer,1995 AF Pm
353. **Mimothrix cybaea Majer,1995** (Melyridae) Synonym(s): *cybaea* Majer,1995 AF
354. **Mimothrix extranea Majer,1995** (Melyridae) Synonym(s): *extranea* Majer,1995 AF
355. **Mimothrix fraterna Majer,1995** (Melyridae) Synonym(s): *fraterna* Majer,1995 AF
356. **Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): *amseli* Dlabola,1961 AF KG KK
TJ UZ
357. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s):
chinensis Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-
Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus*
Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi*
Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR
RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
358. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis*
Fieber,1844; *hemsdorffensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus*

- Walker,1871; alata Jacobson,1904; turanicus Bei-Bienko,1933* **Gryllus frontalis** Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IRAF RU KG MN TR
359. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
360. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
361. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR SY BG DZ
362. **Mylabris cincta Olivier,1811** (Meloidae) Synonym(s): *cincta Olivier,1811; #cincat Kaszab,1968* TR AF Cc GR SY IR DZ
363. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata Linnaeus,1767* FR TR Cc RU IR AF MN
364. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* TR SY Cc RU IQ IR MN AF
365. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825* AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
366. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
367. **Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) Synonym(s): *acerbus Walker,1853; atrox Walker,1853; iners Walker,1853; nigellus Navas,1930.* TR AF IN SA IQ
368. **Myrmecaelurus afghanus Kimmins,1950** (Myrmeleonidae) Synonym(s): *afghanus Kimmins,1950* AF
369. **Myrmecaelurus maior McLachan,1875** (Myrmeleonidae) Synonym(s): *maior McLachan,1875* TJ KG AF TR
370. **Myrmecaelurus major McLachlan,1875** (Myrmeleonidae) Synonym(s): *major McLachlan,1875* TR AF KG RO
371. **Myrmecaelurus paghmanus Hölzel,1969** (Myrmeleonidae) Synonym(s): *paghmanus Hölzel,1969* AF IR
372. **Myrmecaelurus varians Navas,1913** (Myrmeleonidae) Synonym(s): *variens Navas,1913; aequans Navas,1913; nematicus Navas,1932.* KG AF IR
373. **Myrmeleon (Morter) hyalinus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *hyalinus Olivier,1811* AF IR LB IQ
374. **Myrmeleon (Morter) pseudohyalinus Hölzel,1972** (Myrmeleonidae) Synonym(s): *pseudohyalinus Hölzel,1972* IR AF
375. **Myrmeleon (s.str.) paghmanus Hölzel,1972** (Myrmeleonidae) Synonym(s): *paghmanus Hölzel,1972* AF PK
376. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer Seidenstücker,1954* TR CY UZ TM SY AF
377. **Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae) Synonym(s): *armeniacus Pleske,1937* Nemotelus (s.str.) armeniacus Pleske,1937, [in] Lindner, Fliegen pal. Reg. 4 (1): 119. Type: [Turkey: Iğdır Prov.]: "Kasikoparan". TR RU Cc AF
378. **Neolimnus eberti Dlabola,1964** (Cicadellidae) Synonym(s): *eberti Dlabola,1964* AF IR
379. **Nomia (Lobonomia) platula Warncke,1978** (Halictidae) Synonym(s): *platula Warncke,1978* AF
380. **Nomia (Nomiapis) femoralis Pallas,1773** (Halictidae) Synonym(s): *femoralis Pallas,1773; valga Gerstaecker,1872* RU IR Fa Shr AF
381. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii Leach,1817* MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
382. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
383. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus Latreille,1804* TR AF CN IN JP LK ID Sum
384. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis Ferro,1983* TR IR AF IN PK
385. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
386. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor Loew,1846; limbata Macquart,1849 nec Meig.,1822* MA DZ FR Co RO ES IT GR TR IL AF
387. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon Linnaeus,1758; felina Panzer,[1798]; alpina Jaennicke,1866* CH DE RU TR IL AF CN MN
388. **Oliarus afghanus Dlabola,1957** (Cixiidae) Synonym(s): *afghanus Dlabola,1957* AF
389. **Oliarus badakshanus Dlabola,1957** (Cixiidae) Synonym(s): *badakshanus Dlabola,1957* AF

390. **Oliarus kabulus Dlabola,1957** (Cixiidae) Synonym(s): *kabulus Dlabola,1957* **AF Kab**
391. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus Signoret,1884; fumatus Melichar,1902* **AF IR IQ Cc AZ CN Ui UZ TM**
392. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suzensis Matsumura,1910; modestus Haupt,1927* **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
393. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus Fieber,1876; maculatus Fieber,1876* **AF BG CZ GR RO SY TR RU Cc AZ**
394. **Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli Reitter,1891* **DZ LY Cy SY IR AF**
395. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* **ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM**
396. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* **RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR**
397. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892* **TM TJ AF IR KG UZ KK TR**
398. **Onthophagus (Palaeonthophagus) afghanus Petrovitz,1961** (Scarabaeidae) Synonym(s): *afghanus Petrovitz,1961* **TJ AF**
399. **Onthophagus (Palaeonthophagus) conspersus Reitter,1892** (Scarabaeidae) Synonym(s): *conspersus Reitter,1892* **TZ AF**
400. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* **RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN**
401. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763* **YU UA Cm Cc AZ RU TR IR IQ AF TM**
402. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**
403. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus Horvath,1911* **AF IR Cc AZ KG KK RU TJ UZ**
404. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871* **AF DZ EG IR IQ Tr Cc AZ KG RU TJ**
405. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni Lethierry,1876 (praeocc.); lethierryi Wagner,1942* **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU**
406. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris Lethierry,1874* **AF DZ ES Cn CN EG IL LY MA TN**
407. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon Burmeister,1824* **EG Sn IL Pa SD SO SA AF PK**
408. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
409. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana Morawitz,1875; nassonowi Pérez,1902* **KK KG TJ TM UZ AF IL Pa SY TR**
410. **Osmia (s.str.) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; balucha Nurse,1904; usbekistana Cockerell,1930* **TJ TM UZ AF PK**
411. **Osmia (s.str.) longicornis Morawitz,1875** (Megachilidae) Synonym(s): *longicornis Morawitz,1875* **Cc UZ Tas AF**
412. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
413. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii Staeger,1844; fraterna Loew,1873; caucasica Kertész,1916; turkestanica Kertész,1916; sinica Pleske,1925; transcaspia Pleske,1925; pallidipes Pleske,1925* **DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT**
414. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus Fallén,1817; carneus Walker,1849; unicolor Loew,1863; carbonarius Loew,1869* **SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA**
415. **Oxythopsis wagneri (Kittary,1849)** (Mantidae) Synonym(s): *wagneri Kittary,1849; tadhicus Lindt,1967* **TJ AF IR**
416. **Oxyrhachis taranda (Fabricius,1798)** (Membracidae) Synonym(s): *taranda Fabricius,1798* **AF**
417. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917* **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
418. **Oxythyrea groenbechi Petrovitz,1955** (Scarabaeidae) Synonym(s): *groenbechi Petrovitz,1955* **AF**
419. **Pachybrachis (s.str.) afghanensis Lopatin,1966** (Chrysomelidae) Synonym(s): *afghanensis Lopatin,1966* **AF**
420. **Pachybrachis (s.str.) dimorphus Medvedev,1978** (Chrysomelidae) Synonym(s): *dimorphus Medvedev,1978* **AF Ca**
421. **Paharia casyapae (Distant,1888)** (Cicadidae) Synonym(s): *casyapae Distant,1888* **AF**

422. **Paharia lacteipennis (Walker,1850)** (Cicadidae) Synonym(s): *lacteipennis* Walker,1850 AF
423. **Paharia putoni (Distant,1892)** (Cicadidae) Synonym(s): *putoni* Distant,1892 AF IR KG TJ TM
424. **Paharia zevara (Kusnezov,1931)** (Cicadidae) Synonym(s): *zevara* Kusnezov,1931 TJ AF
425. **Palpares cephalotes (Klug,1834)** (Myrmeleonidae) Synonym(s): *cephalotes* Klug,1834; *subducens* Walker,1853; *sollicitus* Walker,1853. EG SA AF
426. **Palpares solidus Gerstaecker,1893** (Myrmeleonidae) Synonym(s): *solidus* Gerstaecker,1893; *zugmayeri* Navas,1912; *klapaleki* Navas,1912; *validus* Navas,1927 AF IR Elb Th Es TR IQ
427. **Paradorydium breviceps (Melichar,1902)** (Cicadellidae) Synonym(s): *breviceps* Melichar,1902 AF IR
428. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
429. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
430. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
431. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 AF AZ BG Cc GR HU RO RU SL SY TR UA YU
432. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876 TR AF BG CZ GR RO SY RU
433. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
434. **Penthimia scutellata Melichar,1902** (Cicadellidae) Synonym(s): AF IR
435. **Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948 AF CY IQ IL Pa TR
436. **Petalocephala bazarakana Dlabola,1957** (Cicadellidae) Synonym(s): *bazarakana* Dlabola,1957 AF
437. **Petalocephala grandiosa Dlabola,1957** (Cicadellidae) Synonym(s): *grandiosa* Dlabola,1957 AF
438. **Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792 TR AF Cc KG DZ
439. **Phantia christophii Rusiecka,1902** (Flatidae) Synonym(s): *christophii* Rusiecka,1902 AF IR TM
440. **Phantia cylindricornis Melichar,1902** (Flatidae) Synonym(s): *cylindricornis* Melichar,1902 AF IR TM
441. **Phantia rubromarginata Rusiecka,1902** (Flatidae) Synonym(s): *rubromarginata* Rusiecka,1902 AF IR
442. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896 AF AL CY GR IQ IT MA ES TR YU
443. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
444. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913 IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
445. **Philodicus spectabilis Loew,1871** (Asilidae) Synonym(s): *spectabilis* Loew,1871 IR Ss Fa AF KG
446. **Phlebotomus (Adlerius) kabulensis Artemiev,1978** (Psychodidae) Synonym(s): *kabulensis* Artemiev,1978 AF Kab IR
447. **Phlebotomus (Adlerius) salengensis Artemiev,1978** (Psychodidae) Synonym(s): *salengensis* Artemiev,1978 AF IR
448. **Phlebotomus (Paraphlebotomus) nuri Lewis,1967** (Psychodidae) Synonym(s): *nuri* Lewis,1967 PK Bl Qu Pj Rw AF
449. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
450. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
451. **Phradonoma jelineki Hava,2006** (Dermestidae) Synonym(s): *jelineki* Hava,2006 IR AF PK Nwf
452. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
453. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU

454. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedei* Engel,1933 **IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA**
455. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 **PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF**
456. **Phyllotreta acutecarinata Heikertinger,1941** (Chrysomelidae) Synonym(s): *acutecarinata* Heikertinger,1941 **TR AF**
457. **Phyllotreta balcanica Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909 **TR Cc AF KG RU**
458. **Phyllotreta corrugata Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858 **Cc TR IR AF DZ KG**
459. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 **TR Cc IR AF KG MN DZ SD IN**
460. **Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860 **TR Cc IR IQ AF IN RU**
461. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 **TR Cc GR IT MT IR AF KG RU CN**
462. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775 **TR Cc IR AF DZ KG**
463. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 **Cc TR IR AF KG RU Sb MN CN IN**
464. **Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher,1849 **Cc TR AF KG MN KP KR JP RU Sb**
465. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 **AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU**
466. **Placidus vicinus Dlabola,1957** (Cicadellidae) Synonym(s): *vicinus* Dlabola,1957 **AF**
467. **Platynemesis dealbata Selys,1863** (Platynemidae) Synonym(s): *dealbata* Selys,1863 **TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM**
468. **Platymetopius centralasiae Dlabola,1960** (Cicadellidae) Synonym(s): *centralasiae* Dlabola,1960 **AF IR UZ**
469. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927 **AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ**
470. **Platymetopius distinctus Melichar,1902** (Cicadellidae) Synonym(s): *distinctus* Melichar,1902 **AF IR UZ**
471. **Platymetopius exhereditus Dlabola & Heller,1962** (Cicadellidae) Synonym(s): *exhereditus* Dlabola & Heller,1962 **AF IR**
472. **Platymetopius kabulensis Dlabola,1957** (Cicadellidae) Synonym(s): *kabulensis* Dlabola,1957 **AF KG UZ Fe**
473. **Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985 **TR AF IR IQ SY IL Pa GR**
474. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *mucheii* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
475. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 **ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF**
476. **Poophilus costalis (Walker,1851)** (Cercopidae) Synonym(s): *costalis* Walker,1851 **AF CN IR Cc AZ**
477. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876 **Cc TR AF IR AM GG KG TM**
478. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus* Wiedemann,1818 **IR Fa TR AF RU KG CN TW**
479. **Protaetia (Potosia) afghana Petrovitz,1955** (Scarabaeidae) Synonym(s): *afghana* Petrovitz,1955; *#afgana* Medvedev,1964 **AF**
480. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétrés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv**
481. **Protaetia (Potosia) indica Miksic,1955** (Scarabaeidae) Synonym(s): *indica* Miksic,1955 **IN Ch AF**
482. **Protaetia (Potosia) inpavida Janson,1879** (Scarabaeidae) Synonym(s): *inpavida* Janson,1879 **IN AF**
483. **Protaetia (Potosia) neglecta (Hope,1831)** (Scarabaeidae) Synonym(s): *neglecta* Hope,1831 **IN AF**
484. **Protaetia (Pseudonetocia) kulabensis Reitter,1893** (Scarabaeidae) Synonym(s): *kulabensis* Reitter,1893; *bucharica* Curti,1915 **TM AF UZ**
485. **Psammodius (Pararhyssemus) coluber Mayet,1787** (Scarabaeidae) Synonym(s): *coluber* Mayet,1787 **RU TM AF**

486. **Psammotettix dubovskii Vilbaste,1960** (Cicadellidae) Synonym(s): *dubovskii Vilbaste,1960* AF KG KK UZ
487. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis Matsumura,1908; claudiopolitanus Matsumura,1910; similis Wagner,1947* AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA
488. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus Melichar,1896; diluta Ribaut,1952* AF AT BG CS FR DE HU IT NL PL PT
489. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869* AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
490. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
491. **Pseudolimnophila (s.str.) sepium (Verrall,1886)** (Limoniidae) Synonym(s): *sepium Verrall,1886* TR Cc AF
492. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis Macquart,1839; maura Bigot,1885* Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
493. **Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta Morawitz,1894; myrmosina Dalla Torre,1897; gobicola Lelej,1981* CN MN AF UZ KK KG Cc AM
494. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus Signoret,1880* AF IQ MN AM AZ KG KK MD RU UA TJ UZ
495. **Pseudophotopsis afghanica Lelej,1980** (Mutillidae) Synonym(s): *afghanica Lelej,1980* AF
496. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami Bischoff,1920; zarudnyi Skorikov,1935* KG UZ TJ KK TM IR Ke AF IN Rj
497. **Pseudophotopsis brachythorax (Skorikov,1935)** (Mutillidae) Synonym(s): *brachythorax Skorikov,1935* IR Kh AF TM TJ
498. **Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caspica Radoszkowski,1885; radoszkowskyi Morawitz,1890; selevkida Skorikov,1935* TM Kp UZ KK IR AF
499. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica Radoszkowski,1885; caucasicola Dalla Torre,1897;* Cc GG AM AZ TR IR Elb AF TM CY
500. **Pseudophotopsis irana (Skorikov,1935)** (Mutillidae) Synonym(s): *irana Skorikov,1935; cithara Skorikov,1935* IR Kh Ke AF IN Rj
501. **Pseudophotopsis kabakovi Lelej,1980** (Mutillidae) Synonym(s): *kabakovi Lelej,1980* AF
502. **Pseudophotopsis pavlovskiy Skorikov,1935** (Mutillidae) Synonym(s): *pavlovskiy Skorikov,1935; melanocephala Skorikov,1935* TM Kp IR KK UZ AF
503. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata Fischer von Waldheim,1820* Acrydium armatum Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia. TR Cc RU KG AF TM IR KK
504. **Pyrilla protuberans Stal,1859** (Lophopidae) Synonym(s): *protuberans Stal,1859* AF
505. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
506. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus Linnaeus,1758; annularis Geoffroy,1785* AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
507. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus Scopoli,1763; aurifer Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferghanensis Newskij,1929; armeniacus Zaitzev,1937* AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
508. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata Thunberg,1815 nec Olivier,1792; baetica Rambur,1838; maculipennis Gistel,1856; pallasii Fieber,1853* MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa
509. **Rivetina rhombicollis La Greca & Lombardo,1982** (Mantidae) Synonym(s): *rhombicollis La Greca & Lombardo,1982* IR AF PK
510. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes Robineau-Desvoidy,1830* AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
511. **Scaphytoceps melleus Dlabola,1957** (Cicadellidae) Synonym(s): *melleus Dlabola,1957* AF
512. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius Illiger,1803* RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
513. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
514. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri Stolfa,1938* UZ TM Kp AF IR IQ SY KG PK TJ TR
515. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US

516. **Schizodactylus hesperus Bei-Bienko,1967** (Schizodactylidae) Synonym(s): *hesperus Bei-Bienko,1967* AF
517. **Scotodrymadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi Uvarov,1927; palaestina Uvarov,1939* IL Pa JO SY TR IQ IR AF
518. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens Hoffmannsegg,1826* SE FI NO RU Us AF TR
519. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea Melander & Spuler,1917* CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
520. **Setapius barajus (Dlabola,1957)** (Cixiidae) Synonym(s): *barajus Dlabola,1957* Cc AF TR AM GG
521. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi Dlabola,1957* AF CY IR IQ IL TR RU Da Cc AZ UZ
522. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
523. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis Fieber,1848* AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
524. **Solter amseli Hölzel,1967** (Myrmeleonidae) Synonym(s): *amseli Hölzel,1967* AF
525. **Solter felderi Navas,1912** (Myrmeleonidae) Synonym(s): *felderi Navas,1912* AF Ch IR
526. **Solter pulcher Hölzel,1967** (Myrmeleonidae) Synonym(s): *pulcher Hölzel,1967* AF
527. **Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae Hölzel,1967* IQ IR AF PK IL
528. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776* TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
529. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata Fallén,1814* DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
530. **Stalagmopygus albella (Pallas,1781)** (Scarabaeidae) Synonym(s): *albella Pallas,1781* TM TJ AF
531. **Statilia ocellata Uvarov,1923** (Mantidae) Synonym(s): *ocellata Uvarov,1923* AF PK SA
532. **Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): *sigillatus Haupt,1917* AF KG KK TJ UZ
533. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
534. **Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus Loew,1851; bicolor Bigot,1878* TR Cc RU AF CN IR Fa AZ
535. **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron Loew,1873; theseus Loew,1873* TR IR Fa Ss Ke AF AZ Cc EG CN
536. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini Vasiliev,1935* AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR
537. **Stiphrolamyra pleskei (Becker,1913)** (Asilidae) Synonym(s): *pleskei Becker,1913* IR Ss Ke AF TR
538. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinensis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
539. **Sulamicerus ancorarius (Dlabola,1964)** (Cicadellidae) Synonym(s): *ancorarius Dlabola,1964* AF TR IR YU
540. **Symplecta (Psiloconopa) stictica (Meigen,1818)** (Limoniidae) Synonym(s): *stictica Meigen,1818* TR IR AF
541. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804* AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
542. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii Linnaeus,1758; blanda Harris,1780* TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
543. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis Meigen,1822* TR RU Ur Sb Cc IR MN AF KP KR JP US
544. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri Gussakovsky,1933* IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
545. **Systole foeniculi Otten,1941** (Eurytomidae) Synonym(s): *foeniculi Otten,1941* IR AF BG NC NZ
546. **Tabanus golovi Olsuffjev,1936** (Tabanidae) Synonym(s): *golovi Olsuffjev,1936; Pallidus Olsuffjev,1936; mediaasiaticus Olsuffjev,1970* KG Aa TrA CN AF TR
547. **Tabanus laetinctus Becker,1913** (Tabanidae) Synonym(s): *laetinctus Becker,1913; sordes Bogatshev & Samedov,1949; assuetus Hauser,1960; cinereus Hauser,1960* TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU
548. **Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae) Synonym(s): *komarowi Morawitz,1885* TR TM AF IR

549. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
550. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 GR Cr TR IR KG RU UA YU AF PK
551. **Tamaricella tangigharuha (Dlabola,1957)** (Cicadellidae) Synonym(s): *tangigharuha* Dlabola,1957 AF EG IL
552. **Temelucha tricolorata (Sedivy,1968)** (Ichneumonidae) Synonym(s): *tricolorata* Sedivy,1968 TR AF
553. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa* Loew,1856 TR RU Sb CN Ui AF IR Cc AM GG
554. **Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens* Loew,1846 TR AF KG IL Pa IR CA
555. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis* Signoret,1866 AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
556. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
557. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preysslner,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
558. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932 Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
559. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
560. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
561. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
562. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946 *Tettigonia acutipennis* Ebner,1946, *Eos* 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
563. **Tingis afemeljanovi Golub,2006** (Tingidae) Synonym(s): *afemeljanovi* Golub,2006 UZ TJ AF
564. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
565. **Trachyderma gracilis Waterhouse,1889** (Tenebrionidae) Synonym(s): *gracilis* Waterhouse,1889 AF
566. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
567. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 AF FR GR Cr IT MA PT ES CH UA YU TR
568. **Trirhacus globuliferus (Wagner,1939)** (Cixiidae) Synonym(s): *globuliferus* Wagner,1939 AF AL
569. **Tropinota (Epicometis) jakesi Balthazar,1967** (Scarabaeidae) Synonym(s): *jakesi* Balthazar,1967 AF
570. **Tropinota (Epicometis) spinifrons Reitter,1889** (Scarabaeidae) Synonym(s): *spinifrons* Reitter,1889 TM AF
571. **Tropinota (Epicometis) turanica Reitter,1888** (Scarabaeidae) Synonym(s): *turanica* Reitter,1888 TM AF
572. **Truxalis afghana Bei-Bienko,1963** (Acrididae) Synonym(s): *afghana* Bei-Bienko,1963 AF
573. **Turanoclytus namaganensis (Heyden,1885)** (Cerambycidae) Synonym(s): *namaganensis* Heyden,1885 UZ AF
574. **Unkanodes latespinosa (Dlabola,1957)** (Delphacidae) Synonym(s): *latespinosa* Dlabola,1957 AF MN TR
575. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
576. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata* Rondani,1870 TR IR Ak IT GR AF CN Ui MN AZ AM
577. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961 TR AF IL EG SY JO
578. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobeae* Panzer,1805 AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA

579. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910 **Urophora tenuior Hendel,1910, Wien. ent. Ztg. 29: 311. TR KG UZ TM TJ AF IR**
580. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771 **GR TR JO IR Cc AF KK MX**
581. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 **Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
582. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS**
583. **Villa chorassani (Becker & Stein,1913)** (Bombyliidae) Synonym(s): *medisecta* Pandelle,1899; *chorassani* Becker & Stein,1913 **AM Cc AZ GG TM IR Kh AF**
584. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 **AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN**
585. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
586. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 **ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU**
587. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
588. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 **IT Si TR AF AM AZ GG Cc GR IR MK YU**
589. **Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): *lepida* Hermann,1907 **TR IL Pa IR AF**
590. **Xeramoeba semirufa (Sack,1903)** (Bombyliidae) Synonym(s): *semirufa* Sack,1903 **EG IR AF SA PK**
591. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 **AZ AM Cc GG TR AF IR KG PA SY TM UZ**
592. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
593. **Zorochros nanus (Gurjeva,1963)** (Elateridae) Synonym(s): *nanus* Gurjeva,1963 **TR AF**
594. **Zygina (s.str.) karatasa (Dlabola,1957)** (Cicadellidae) Synonym(s): *karatasa* Dlabola,1957 **AF JO TR**
595. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948 **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**
596. **Zyziphoides virens (Haupt,1927)** (Cicadellidae) Synonym(s): *virens* Haupt,1927 **AF IR IL**

Synonymic and distributional list of the pterygot insects of Caucasus

(Results of the Entomofauna of the World based upon info-system of the Cesa)

2

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Caucasus (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 2.

Priamus (suppl.) 18: 261-361.

In this study, totally 3003 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Caucasus.

Brief explanatory information:

Previously published article	yes ¹⁰
Previously published report	yes
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 3003 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Entomofauna, the Lepidoptera of this country has been previously published by the authors as a list of 943 noctuid species. However, the info-system of the Cesa has totally 2959 lepidopteran species of the Caucasus [unpublished yet]. By this way, total number of the pterygots may increase to 5962.

The study is still continuing, and the new results will be published within this Project.

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* AZ Cc TR EG SA SY YE
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
4. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926* TR GR Cr CY IL Pa IQ IR Cc JO LB SY
5. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
6. **Acanthophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH

¹⁰ Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci, 2007, Selected bibliography on the Lepidoptera of Caucasus Region. *Priamus* Suppl. 10: 1-44, 1 map.- Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci, 2008, Noctuidae fauna of the Caucasus Region (Lepidoptera). *Priamus* Suppl. 11: 1-128, 7 tables, 10 maps, 11 figs. - <http://www.cesa-tr.org/Pri.htm>

7. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons Kirschbaum,1868* AT FR DE IT RO GG Cc TR UA YU
8. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
9. **Achrus flavovirens Lindberg,1924** (Cicadellidae) Synonym(s): *flavovirens Lindberg,1924* Cc GG TM UZ
10. **Achrus marmoratus (Horvath,1894)** (Cicadellidae) Synonym(s): *marmoratus Horvath,1894* Cc AM
11. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
12. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
13. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
14. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata Laporte & Gory,1835; dorsalis Spinola,1838; sturalis Gory,1840; bivitis Frivaldsky,1912; krueperi Obenberger,1926* TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR
15. **Acmaeodera (s.str.) transcaucasica Semenov,1895** (Buprestidae) Synonym(s): *transcaucasica Semenov,1895* AZ AM GG Cc TR
16. **Aconosimus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus Dlabola,1958* Cc AM AZ GG TR
17. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina Melichar,1902; inustus Haupt,1927* EG IR IL AZ Cc TM UZ
18. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
19. **Acrida anatolica Dirsh,1949** (Acrididae) Synonym(s): *anatolica Dirsh,1949; caucasica Dirsh,1949; #anatolcia Weidner,1969* *Acrida anatolica Dirsh,1949, Eos 25: 34. Type: [Turkey]: Angora [Ankara].* TR Cc
20. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* *Gryllus insubricus Scopoli,1786, Deliciae faunae et floriae insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO*
21. **Acrulia armeniaca Szekessy,1939** (Staphylinidae) Synonym(s): *armeniaca Szekessy,1939* *Acrulia armeniaca Szekessy,1939, Mitt. münch. ent. Ges. 29: 374-375. Type ♀: [Azerbaijan]: Lenkoran, leg. Leder (NHMU).* AZ Len Cc
22. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834* ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
23. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844* AZ AM GG TR Cc FR EE KG LT MD UA RU YU
24. **Actorthia kerzhneri Zaitzev,1975** (Therevidae) Synonym(s): *kerzhneri Zaitzev,1975* Cc AM
25. **Actorthia kozlovi Zaitzev,1974** (Therevidae) Synonym(s): *kozlovi Zaitzev,1974* Cc AM
26. **Adarrus niphanticus Logvinenko,1966** (Cicadellidae) Synonym(s): *niphanticus Logvinenko,1966* RU Cc TR
27. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915* DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
28. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
29. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps Puton,1887; tabida Horvath,1911; planiceps Horvath,1917* IL Pa DZ TN EG Cc AZ IR
30. **Adesmia (s.str.) maillei Solier,1835** (Tenebrionidae) Synonym(s): *maillei Solier,1835* RU Cc TM IR
31. **Adesmia (s.str.) nodulosa Faldermann,1837** (Tenebrionidae) Synonym(s): *nodulosa Faldermann,1837* Cc RU
32. **Adoretus discolor (Faldermann,1835)** (Scarabaeidae) Synonym(s): *discolor Faldermann,1835* RU AM Cc
33. **Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons Steven,1809* Cc RU TM UZ KK TJ PK
34. **Adoxomyia portschinskii (Pleske,1903)** (Stratiomyidae) Synonym(s): *portschinskii Pleske,1903* Cc AM Eri AZ Kir
35. **Adrastus circassicus Reitter,1896** (Elateridae) Synonym(s): *circassicus Reitter,1896* TR Cc
36. **Adrastus protractus Roubal,1924** (Elateridae) Synonym(s): *protractus Roubal,1924* Cc TR
37. **Adrastus rachifer (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer Fourcroy,1785* GR Cc TR

38. **Adrastus samedovi Dolin & Agajev,1974** (Elateridae) Synonym(s): *samedovi Dolin & Agajev,1974* TR Cc AZ IR
39. **Aeoloides grisescens (Germar,1844)** (Elateridae) Synonym(s): *grisescens Germar,1844; bicarinatus Reitter,1891* TR Cc SY IR TM
40. **Aeoloides sarmaticus (Motschoulsky,1860)** (Elateridae) Synonym(s): *sarmaticus Motschoulsky,1860* TR AM Cc
41. **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis Van Der Linden,1820* TR Cc AM CY IL Pa IR
42. **Aeshna cyanea (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *cyanea O.F.Müller,1764* TR? Cc GG Aj Btm AM
43. **Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *isosceles O.F.Müller,1764* TR Cc GG AM IR Elb Th
44. **Aeshna mixta Latreille,1805** (Aeshnidae) Synonym(s): *mixta Latreille,1805* TR Cc AM IR
45. **Aeshna serrata (Hagen,1856)** (Aeshnidae) Synonym(s): *serrata Hagen,1856* TR Cc AM
46. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica Burmeister,1842; bagdadensis Burmeister,1842; inhumata Brasavola,1939* DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ
47. **Agabus (Acatodes) bergi Zaitzev,1913** (Dytiscidae) Synonym(s): *bergi Zaitzev,1913* TR AM GG Cc
48. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener Thunberg,1794; foveolatus Mulsant & Godart,1860; venturii Bertolini,1870; funkii Seidlitz,1887; daisetsuzanus Kamiya,1938* AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
49. **Agabus (Acatodes) coxalis Sharp,1882** (Dytiscidae) Synonym(s): *coxalis Sharp,1882; splichali Reitter,1899* Cc AM GG TR KG MN RU
50. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
51. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
52. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides Sharp,1882; merkli Régimbart,1884* TR BG Cc GG MK UA IR LB SY
53. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni Zaitzev,1927; palaestinus Zimmermann,1934; iranicus Guéorguiev,1975* TR IR IL Pa SY LB Cc AZ
54. **Agabus (Gaurodytes) glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis Hochhuth,1846; armeniacus Sharp,1882; inguttatus Reitter,1908* Cc AZ AM GG TR RU IR
55. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuti Zaitzev,1908; transcaucasicus Zaitzev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
56. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis Melichar,1911* ES Cn EG IR IQ IT MA Cc AM TR
57. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta Melichar,1896* CY GR IL Pa TR JO RO Cc GG YU
58. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
59. **Agapanthia dahli (Richter,1821)** (Cerambycidae) Synonym(s): *dahli Richter,1821* RU Cc KG SK
60. **Agapanthia kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi Gyllenhal,1817* SK HU Cc RU TR GR
61. **Agapanthia lateralis Ganglbauer,1884** (Cerambycidae) Synonym(s): *lateralis Ganglbauer,1884* TR AM Cc SY
62. **Agapanthia villosoviridescens (De Geer,1775)** (Cerambycidae) Synonym(s): *villosoviridescens De Geer,1775* TR RU Cc KG
63. **Agapanthia violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): *violacea Fabricius,1775* RU Cc TR KG GR
64. **Agapanthia walteri Reitter,1898** (Cerambycidae) Synonym(s): *walteri Reitter,1898* TR AM Cc
65. **Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): *leucaspis Steven,1817* SK HU YU RU Cc TR GR
66. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
67. **Agnentina senilis Klapalek,1921** (Perlidae) Synonym(s): *senilis Klapalek,1921; acutipennis Klapalek,1921* GG Cc Tbl Bjo Ceh Kta Im UA Cm
68. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR

69. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
70. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
71. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
72. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
73. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846 AM Cc BG RO RU TR IR SY
74. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
75. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
76. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
77. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
78. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
79. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
80. **Agriotes (s.str.) acuminatus (Stephens,1830)** (Elateridae) Synonym(s): *acuminatus* Stephens,1830 TR Cc
81. **Agriotes (s.str.) brevis Candeze,1863** (Elateridae) Synonym(s): *brevis* Candeze,1863 GR Cc TR IR
82. **Agriotes (s.str.) infuscatus Desbrochers,1870** (Elateridae) Synonym(s): *infuscatus* Desbrochers,1870 TR Cc
83. **Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): *lapicida* Falderann,1835 TR Cc AZ AM GG RU IR
84. **Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
85. **Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) Synonym(s): *tauricus* Heyden,1882 TR Cc UA Cm
86. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus* Schaller,1783 SK GR TR DZ Cc BR
87. **Agrypnus murinus (Linnaeus,1758)** (Elateridae) Synonym(s): *murinus* Linnaeus,1758 TR RU Sb Cc
88. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
89. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acrydium *strepens* Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
90. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus *thalassinus* Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
91. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufouri* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
92. **Allantus balteatus (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872 CY TR Cc RU Sb IR
93. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus* Linnaeus,1758; *cordigera* Geoffroy,1785; *togata* Zetterstedt,1840; *varipes* Audinet-Serville,1840; *neglectus* Zaddach,1859 Cc TR UA Cm IR KG MN CA
94. **Allantus cingulatus (Scopoli,1763)** (Tenthredinidae) Synonym(s): *cingulatus* Scopoli,1763; *tenuis* Audinet-Serville,1823; *elegans* Costa,1859 TR Cc RU Sb

95. **Allantus didymus (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus* Klug,1818; *testaceipes* Audinet-Seville,1823; *nigritarsis* Brullé,1832; *proximus* Costa,1859; *ruficrus* Mocsary,1880; *fumatus* André,1880 TR Cc IR KG RU
96. **Allantus viennensis (Schrank,1781)** (Tenthredinidae) Synonym(s): *viennensis* Schrank,1781; *uberior* Enslin,1914; *nigricoxis* De Stefani,1883; *medinae* Konow,1894 TR Cc RU Sb
97. **Alloplasta piceator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *piceator* Thunberg,1822 TR Cc RU At
98. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
99. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
100. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
101. **Allygus caucasicus Melichar,1914** (Cicadellidae) Synonym(s): *caucasicus* Melichar,1914 Cc AZ GG
102. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
103. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
104. **Alosimus abeillei (Escherich,1896)** (Meloidae) Synonym(s): *abeillei* Escherich,1896 TR Cc
105. **Alosimus armeniacus (Faldermann,1837)** (Meloidae) Synonym(s): *armeniacus* Faldermann,1837 TR SY Cc GR
106. **Alosimus castaneus Escherich,1896** (Meloidae) Synonym(s): *castaneus* Escherich,1896 SY TR Cc
107. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812 RU Ur Cc TR RO BG
108. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *decolor* Abeille de Perrin,1880 TR Cc GR AM
109. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *gracilis* Abeille de Perrin,1880 TR SY Cc AM IR IL Pa
110. **Alosimus reittedianus (Semenov,1990)** (Meloidae) Synonym(s): *reittedianus* Semenov,1990 Cc TR
111. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 Meloe syriacus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
112. **Alosterna scapularis (Heyden,1878)** (Cerambycidae) Synonym(s): *scapularis* Heyden,1878 AZ Cc TR IR
113. **Alosterna tabacicolor (De Geer,1775)** (Cerambycidae) Synonym(s): *tabacicolor* De Geer,1775 RU Cc KG IR SK CZ
114. **Altica ancyrensis (Weise,1897)** (Chrysomelidae) Synonym(s): *ancyrensis* Weise,1897 TR AM Cc IL Pa
115. **Altica brevicollis Foudras,1860** (Chrysomelidae) Synonym(s): *brevicollis* Foudras,1860 TR Cc IR KG
116. **Altica carduorum (Guérin-Ménéville,1858)** (Chrysomelidae) Synonym(s): *carduorum* Guérin-Ménéville,1858 TR Cc KG
117. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola* Weise,1889 TR RU KG Cc AF MN KP KR TW
118. **Altica globicollis (Weise,1889)** (Chrysomelidae) Synonym(s): *globicollis* Weise,1889 Haltica globicollis Weise,1889, Horae Soc. ent. ross. 23: 635. Type: Erzurum. TR Cc IR
119. **Altica hamperi (Allard,1867)** (Chrysomelidae) Synonym(s): *hamperi* Allard,1867; *khnozoriani* Kral,1969 Cc TR
120. **Altica impressicollis (Reiche,1862)** (Chrysomelidae) Synonym(s): *impressicollis* Reiche,1862; *#impressicoilis* Aslan et al,1999 TR Cc
121. **Altica jarmilae Kral,1979** (Chrysomelidae) Synonym(s): *jarmilae* Kral,1979 TR GR G IL Pa Cc GG
122. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *oleracea* Linnaeus,1758 TR Cc KG KP KR JP
123. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris* Weise,1888 TR Cc IR AF KG DZ
124. **Altica quercetorum Foudras,1860** (Chrysomelidae) Synonym(s): *quercetorum* Foudras,1860 TR Cc
125. **Amara ((Curtonotus) propinqua Ménétris,1832** (Carabidae) Synonym(s): *propinqua* Ménétris,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
126. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP

127. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 **AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN**
128. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
129. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui**
130. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 **AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG**
131. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *orcaleica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 **Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui**
132. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablorkoff & Khnzorian,1957 **AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR**
133. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
134. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
135. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
136. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
137. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**
138. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 **AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ**
139. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL**
140. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
141. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
142. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 **AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui**
143. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshvi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 **AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ**
144. **Amara (s.str.) morio Ménétrés,1832** (Carabidae) Synonym(s): *morio* Ménétrés,1832 **AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH**
145. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857;

- sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
146. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
147. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
148. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
149. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
150. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
151. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
152. **Ameles crassinervis Dirsch,1927** (Mantidae) Synonym(s): *crassinervis* Dirsch,1927 AF IR Cc TM
153. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata* Fallén,1808; *fulvipes* Costa,1882; *agilis* Klug,1817; *rufipes* Audinet-Serville,1823; *nigrisoma* Norton,1862; *abnormis* Provancher,1885; *potulenta* MacGillivray,1923 RU Sb UA Cm TR Cc KG DZ MN CA
154. **Ametastegia pallipes (Spinola,1808)** (Tenthredinidae) Synonym(s): *pallipes* Spinola,1808; *grossulariae* Klug,1818; *lapponica* Zetterstedt,1838; *pallipes* Provancher,1878 nec Spin.,1808; *leucopodus* Audinet-Serville,1823; *canadense* Kirby,1882; *pallidipes* Dalla Torre,1894; *cavata* MacGillivray,1911; *cetaria* MacGillivray,1921 TR Cc IR RU Sb CA
155. **Ammophila heydeni Dahlbom,1845** (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845 TR Cc AM KK RU
156. **Ammothereva splendida (Kröber,1912)** (Therevidae) Synonym(s): *splendida* Kröber,1912; *caucasica* Zaitzev,1973 AM Eri Cc TR
157. **Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): *balteatus* Linnaeus,1758 TR Cc RU Sb
158. **Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz,1829; *atropilosus* Reitter,1918 TR GR Cc RU Sb DZ
159. **Ampedus nigerrimus (Lacordaire,1835)** (Elateridae) Synonym(s): *nigerrimus* Lacordaire,1835 TR GR Cc
160. **Ampedus sinuatus Germar,1844** (Elateridae) Synonym(s): *sinuatus* Germar,1844 GR Cc TR
161. **Amphicoma (Eulasia) arctos (Pallas,1781)** (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903 BG TR GG AM Cc
162. **Amphicoma (Eulasia) bombylifformis (Pallas,1781)** (Glaphyridae) Synonym(s): *bombylifformis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980 GR TR Cc AM Eri TM KG
163. **Amphicoma (Eulasia) chrysopyga Faldermann,1835** (Glaphyridae) Synonym(s): *chrysopyga* Faldermann,1835; *pallidopilosa* Motschoulsky,1859 Cc TR
164. **Amphicoma (Eulasia) korbi (Petrovitz,1972)** (Glaphyridae) Synonym(s): *korbi* Petrovitz,1972 Cc AM
165. **Amphicoma (Eulasia) praeusta (Champenois,1896)** (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972 TR IR AZ Cc
166. **Amphicoma (Pygopleurus) cyaneoviolaceus Motschoulsky,1859** (Glaphyridae) Synonym(s): *psilotrichia* Waltl,1838 nec Fald.,1835; *cyaneoviolaceus* Motschoulsky,1859; *versicolor* Baraud,1989 Cc TR
167. **Amphicoma (Pygopleurus) cyanescens (Reitter,1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter,1890; *bicolor* Petrovitz,1968 nec Wtl.,1838; *brunneipennis* Petrovitz,1968 SY TR Cc
168. **Amphicoma (Pygopleurus) distinguenda (Muche,1963)** (Glaphyridae) Synonym(s): *distinguenda* Muche,1963 GG Cc
169. **Amphicoma (Pygopleurus) psilotrichius Faldermann,1835** (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992 TR Cc AZ AM IR
170. **Amphicoma (Pygopleurus) transcaucasicus Petrovitz,1962** (Glaphyridae) Synonym(s): *transcaucasicus* Petrovitz,1962; *rufoviolacea* Petrovitz,1972 Cc
171. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopicias* Pallas,1781; *hirta* Fabricius,1781; *vulpes* Fabricius,1792; *vulpecula* Truqui,1848; *pyrrhothrix* Dohrn,1885; *griseovillosa* Reitter,1903; *obscurithorax* Miksic,1955; *bogoevskii* Miksic,1955 GR TR UA Cc RU KG

172. **Amphicoma (Rudeulasia) chalybaea Faldermann,1835** (Glaphyridae) Synonym(s): *chalybaea Faldermann,1835; adusta Ganglbauer,1905; brenskei Reitter,1890; apicipennis Petrovitz,1968; brunneipennis Petrovitz,1968; coeruleipennis Petrovitz,1968* Cc IR TR
173. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae) Synonym(s): *hybrida Reitter,1890; agricola Reitter,1890; ithae Reitter,1903* AM Cc TR SY
174. **Amphicoma (Rudeulasia) pulchra (Reitter,1890)** (Glaphyridae) Synonym(s): *pulchra Reitter,1890; kurdistanica Petrovitz,1968* AM Cc TR IR
175. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae) Synonym(s): *mirabilis Martynov,1928* Cc TR IR AF Ch
176. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae) Synonym(s): *trialectica Zhiltzova,1957* TR Cc
177. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus Loew,1856* Cc RU GR ES IL Pa TR IR Fa Kz AF
178. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1938* AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
179. **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra Steffan,1951* BG Cc GR MK YU TR
180. **Anaglyptus arabicus (Küster,1847)** (Cerambycidae) Synonym(s): *arabicus Küster,1847* Cc GG AZ AM TR IR
181. **Anaglyptus ganglbaueri Reitter,1886** (Cerambycidae) Synonym(s): *ganglbaueri Reitter,1886* Cc AZ TR IR
182. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus Linnaeus,1758* DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
183. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis Mercet,1921; orbitalis Ruschka,1923* AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
184. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928* TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
185. **Anagyrus spaici Hoffer,1970** (Encyrtidae) Synonym(s): *spaici Hoffer,1970* GG Cc GR MK
186. **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus Loew,1844* Cc RU GR TR IR Th Elb AZ AM GG
187. **Anarolius setitarsis Richter,1963** (Asilidae) Synonym(s): *setitarsis Richter,1963* Cc RU
188. **Anastoechus araxis Paramonov,1926** (Bombyliidae) Synonym(s): *araxis Paramonov,1926; nigrisetosus Paramonov,1926* TR Cc AM IR
189. **Anastoechus caucasicus Paramonov,1930** (Bombyliidae) Synonym(s): *caucasicus Paramonov,1930* AM AZ GG Cc MD RU UA
190. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus Wiedemann,1820* IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
191. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens Becker,1913; intermedius Becker,1916* AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
192. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus Wiedemann,1818; viduus Becker,1916* IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
193. **Anastoechus mylabricida Zakhvatkin,1934** (Bombyliidae) Synonym(s): *mylabricida Zakhvatkin,1934* Cc AZ AM GG MD UA RU
194. **Anastoechus nigricirratu Becker,1913** (Bombyliidae) Synonym(s): *nigricirratu Becker,1913* IR GG AZ AM Cc
195. **Anastoechus trisignatus Portschiński,1881** (Bombyliidae) Synonym(s): *trisignatus Portschiński,1881; retrogradus Becker,1902; werneri Paramonov,1930; fulvojubatus François,1967* IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
196. **Anastoechus zimini Paramonov,1940** (Bombyliidae) Synonym(s): *zimini Paramonov,1940* KG AF UZ MN IR AM AZ Cc
197. **Anastrangalia dubia (Scopoli,1763)** (Cerambycidae) Synonym(s): *dubia Scopoli,1763* Cc IR TR DZ CZ SK
198. **Anastrangalia sanguinolenta (Linnaeus,1761)** (Cerambycidae) Synonym(s): *sanguinolenta Linnaeus,1761* TR Cc
199. **Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): *parthenope Selys,1839; #partenope Demirsoy,1982* TR IT Cc AZ Len CY
200. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
201. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis Morawitz,1874* PL SS MK GR BG IT Sa CY TR TM AM Cc
202. **Andricus ceconii Kieffer,1901** (Cynipidae) Synonym(s): *ceconii Kieffer,1901* ES IT GR TR AZ Cc IL Pa IR
203. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius Hartig,1843; lusitanicus Kieffer,1900* PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR

204. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 **IT AL GR TR IL Pa AZ Cc IR**
205. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ**
206. **Aneomochtherus grisescens (Tsacas,1968)** (Asilidae) Synonym(s): *grisescens* Tsacas,1968 **Cc AM RU TR**
207. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Cc AM IR KG**
208. **Aneomochtherus mundus (Loew,1849)** (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963 **GR Rd TR Cc AM IR**
209. **Aneomochtherus nairicus (Richter,1962)** (Asilidae) Synonym(s): *nairicus* Richter,1962 **Cc AM RU**
210. **Aneomochtherus perplexus (Becker,1923)** (Asilidae) Synonym(s): *perplexus* Becker,1923; *repentinus* Richter,1963 **RU Cc TR IR**
211. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997 **ES IT DE CZ TR Cc RU KG IR**
212. **Anisoplia (Lasioplia) brenskei Reitter,1889** (Scarabaeidae) Synonym(s): *brenskei* Reitter,1889 **RU Cc GG**
213. **Anisoplia (Lasioplia) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata* Faldermann,1835 **Cc GG AM**
214. **Anisoplia (s.str.) agricola (Poda,1761)** (Scarabaeidae) Synonym(s): *agricola* Poda,1761 **YU RU Cc KG**
215. **Anisoplia (s.str.) farraria Erichson,1847** (Scarabaeidae) Synonym(s): *farraria* Erichson,1847 **Cc AM**
216. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus* Lehr,1964 **RU Cc KG IL Pa TR IR Fa AM AZ GG**
217. **Anomala (s.str.) abchasica Motschulsky,1853** (Scarabaeidae) Synonym(s): *abchasica* Motschulsky,1853 **RU Cc GG**
218. **Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae) Synonym(s): *dubia* Scopoli,1763 **RU SS HV Cc LT TR**
219. **Anoplodera rufipes (Schaller,1783)** (Cerambycidae) Synonym(s): *rufipes* Schaller,1783 **Cc TR IR CZ**
220. **Anoplodera sexguttata (Fabricius,1775)** (Cerambycidae) Synonym(s): *sexguttata* Fabricius,1775 **DZ Cc DE CZ**
221. **Anoplotettix magnificus Emeljanov,1962** (Cicadellidae) Synonym(s): *magnificus* Emeljanov,1962 **Cc AZ GG**
222. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
223. **Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae) Synonym(s): *asiatica* Desbrochers,1872; *syriaca* Brenske,1894 **RO TR AM Cc IQ SY**
224. **Anthaxia (Cratomerus) krueperi Ganglbauer,1885** (Buprestidae) Synonym(s): *krueperi* Ganglbauer,1885 **AM GG Cc TR**
225. **Anthaxia (Cratomerus) mirabilis Zicharev,1918** (Buprestidae) Synonym(s): *mirabilis* Zicharev,1918 **AM AZ Cc TR**
226. **Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae) Synonym(s): *nupta* Kiesenwetter,1857 **AM GG Cc TR SY**
227. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa* Kiesenwetter,1857 **AM AZ Cc GG TR BG GR IL Pa SY**
228. **Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae) Synonym(s): *anatolica* Chevrolat,1837 **TR AM AZ Cc GG BG GR**
229. **Anthaxia (Haplanthaxia) armeniaca Obenberger,1929** (Buprestidae) Synonym(s): *armeniaca* Obenberger,1929 **AM AZ Cc TR IQ IR**
230. **Anthaxia (Haplanthaxia) flavicomis Abeille,1900** (Buprestidae) Synonym(s): *flavicomis* Abeille,1900; *erivana* Obenberger,1913; *#flavicomis* Ulay & Tezcan,1998 **AM Eri Cc TR IR IQ**
231. **Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri* Marseul,1865 **BG GR GG Cc IL Pa SY TR**
232. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787 **DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
233. **Anthaxia (Melanthaxia) caucasica Abeille,1900** (Buprestidae) Synonym(s): *caucasica* Abeille,1900 **Cc AM AZ GG TR**

234. **Anthaxia (Melanthaxia) godeti Gory & Laporte,1839** (Buprestidae) Synonym(s): *godeti* Gory & Laporte,1839; *granulata* Küster,1850; *cupricolor* Abeille,1909; *frankenbergeri* Obenberger,1914; *submontana* Obenberger,1930; *balcanica* Obenberger,1938; *spaethi* Obenberger,1938; *scheerpeltzi* Obenberger,1938; *raclinae* Baudon,1959 **AM AZ GG Cc TR**
235. **Anthaxia (Melanthaxia) quadripunctata (Linnaeus,1758)** (Buprestidae) Synonym(s): *quadripunctata* Linnaeus,1758; *punctata* Ponz,1805; *angulicollis* Küster,1850; *angulata* Küster,1850; *quadrioveolata* Obenberger,1918 **TR AM Cc RU Sb**
236. **Anthaxia (s.str.) amasina Daniel,1903** (Buprestidae) Synonym(s): *amasina* Daniel,1903 **TR Cc GR IR IQ YU**
237. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor* Faldermann,1835 **AM AZ GG Cc TR IR IQ IL Pa SY TM UA**
238. **Anthaxia (s.str.) deaurata (Gmelin,1788)** (Buprestidae) Synonym(s): *deaurata* Gmelin,1788; *senicula* Schrank,1789 **Cc TR YU**
239. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis* Gory & Laporte,1839; *kanaanita* Obenberger,1912 **AM AZ GG Cc TR BG MK GR SY**
240. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans* Schrank,1789 **AM AT CZ Cc DE HU IT SK ES CH UA TR**
241. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula* Illiger,1803 **AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR**
242. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena* Illiger,1803 **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
243. **Anthaxia (s.str.) manca (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca* Linnaeus,1767 **DZ MA SE Cc AM TR**
244. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae) Synonym(s): *muliebris* Obenberger,1918 **AZ AM Cc TR IR IL Pa SY**
245. **Anthaxia (s.str.) passerini (Pecchioli,1837)** (Buprestidae) Synonym(s): *passerini* Pecchioli,1837 **AM AZ Cc TR TM**
246. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare* Morawitz,1874; *elongatum* Friese,1897; *hoplostomum* Mavromoustakis,1945 **Cc RU Da GR Rd HV TR IL Pa SY**
247. **Anthidium (Anthidiellum) judaeense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaense* Mavromoustakis,1945; *anale* Pasteels,1969 **AM Cc IL Pa LB TR**
248. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805 **TR Cc KG RU Sb Us DZ**
249. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerales* Alfken,1936 **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
250. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens* Morawitz,1872; *maximum* Friese,1931; *verhoeffi* Mavromoustakis,1955 **UA Cm RU HU GR TM TR Cc SY IL Pa ZA**
251. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884 **FR IT ES BG Cc AM Eri TR**
252. **Anthidium (Icteranthidium) aequabile Morawitz,1896** (Megachilidae) Synonym(s): *aequabile* Morawitz,1896 **Cc AZ Nv Ord TR**
253. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 **IT Si AL SY LB IR GR Cc TR KG RU DZ**
254. **Anthidium (Icteranthidium) croceum Morawitz,1878** (Megachilidae) Synonym(s): *croceum* Morawitz,1878 **Cc RU**
255. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dufour,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
256. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931 **MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM**
257. **Anthidium (Icteranthidium) limbiferum Morawitz,1875** (Megachilidae) Synonym(s): *limbiferum* Morawitz,1875 **UZ TR Cc**
258. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 **Cc RU TM TR IL Js Pa BG SY DZ ES**
259. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 **TM SY TR Cc LB IL Pa IR EG**

- 260. Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 *nec* Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolutor* Ferton,1921 **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
- 261. Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 *nec* Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 **MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR**
- 262. Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae) Synonym(s): *undulatifforme* Friese,1917 **TR AM Cc ES IL Pa Js GR**
- 263. Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmani* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
- 264. Anthidium (Proanthidium) venustum Morawitz,1878** (Megachilidae) Synonym(s): *venustum* Morawitz,1878; *morawitzi* Dalla Torre,1896 **Cc RU EG**
- 265. Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae) Synonym(s): *alpinum* Morawitz,1874 **Cc RU Da RO HU TR**
- 266. Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
- 267. Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
- 268. Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermanni* Mavromoustakis,1954 **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
- 269. Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js**
- 270. Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord**
- 271. Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum* Latreille,1809 **RU Sb DZ Cc TR**
- 272. Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *causicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
- 273. Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775 **US RU Sb TR SY Cc**
- 274. Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus,1758 **TR RU Sb Cc DZ BR UY AR**
- 275. Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevrier,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes* Friese,1897; *kohlui* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum* Friese,1917; *suecicum* Alfken,1927 **SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR**
- 276. Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre* Friese,1899; *melanopygum* Friese,1917 **IL Pa LB Cr TR Cc AZ Kir TM Rpt**
- 277. Anthidium (s.str.) trispinosum Friese,1917** (Megachilidae) Synonym(s): *trispinosum* Friese,1917 **Cc RU TR**
- 278. Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina* Panzer,1804; *resinana* Schilling,1829; *pyrenaica* Lepeletier,841; *rotundiiventris* Perris,1852; *zeitzi* Cockerell,1925 **DE ES FR RU TR Cc**
- 279. Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 **DZ ES FR DE AT IT HV YU GR UA RU AZ Cc**
- 280. Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 **FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ**
- 281. Anthophora caucasicus Radoszkowski** (Apidae) Synonym(s): *caucasicus* Radoszkowski **Cc TR**

282. **Anthophora furcata (Panzer,1798)** (Apidae) Synonym(s): *furcata* Panzer,1798; *dumetorum* Panzer,1798; *norvegica* Nylander,1852; *caucasicola* Hedicke,1929; *obscurilla* Alfken,1926 **TR Cc NO**
283. **Anthrax alagoezicus Paramonov,1935** (Bombyliidae) Synonym(s): *alagoezicus* Paramonov,1935 **AM AZ GG Cc**
284. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 **IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU**
285. **Anthrax armeniacus Paramonov,1935** (Bombyliidae) Synonym(s): *armeniacus* Paramonov,1935 **Cc AM AZ GG**
286. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
287. **Anthrax jazykovi Zakhvatkin,1934** (Bombyliidae) Synonym(s): *jazykovi* Zakhvatkin,1934; *jazykovi* Paramonov,1935 **Cc AZ AM GG MN TJ UZ**
288. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 **IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD**
289. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 **IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU**
290. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
291. **Anthrax tajikistanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *tajikistanus* Evenhuis & Greathead,1999 **AM AZ GG Cc KG TJ UZ**
292. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius* Fabricius,1794 **IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ**
293. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 **IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR**
294. **Anthrax zonabripaghus (Portschinsky,1895)** (Bombyliidae) Synonym(s): *zonabripaghus* Portschinsky,1895 **BY EE KG LT MD RU Cc UA**
295. **Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae) Synonym(s): *caucasicus* Reitter,1881 **Cc AM AT GG PL IR TM**
296. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876 **PL AF Cc CN KG KK TJ TM UZ**
297. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851 **TR EG DZ TN MA IR SY Cc**
298. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus* Solsky,1876 **AF Cc TR IR KK KG TJ TM UZ**
299. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): *rotundulus* Reitter,1889 **TR AF Cc IR TM**
300. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881 **TR AU Cc SY UZ**
301. **Anthrenus araraticus Zhantiev,1976** (Dermestidae) Synonym(s): *araraticus* Zhantiev,1976 **Cc TR**
302. **Anthrenus araxensis Zhantiev,1976** (Dermestidae) Synonym(s): *araxensis* Zhantiev,1976 **Cc AM**
303. **Anthrenus armeniacus Zaitzev,1919** (Dermestidae) Synonym(s): *armeniacus* Zaitzev,1919 **Cc AM**
304. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes* Meigen,1820; *tibialis* Megerle,1820; *macrurus* Ruthe,1831; *xanthopygus* Ruthe,1831; *aurifluus* Zeller,1840; *tenax* Zeller,1840; *mollis* Loew,1871; *flabellifer* Pandellé,1905 **AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY**
305. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus* Loew,1849 **Cc RU KG IL Pa TR IR Kz Fa EG TN**
306. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN**
307. **Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özbek & Szaloki,1998 **TR RU Cc KG TJ**
308. **Apalus necydalaeus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus* Pallas,1782 **TR Cc RU Sb GR HU TM**
309. **Apanteles aragatzi Tobias,1976** (Braconidae) Synonym(s): *aragatzi* Tobias,1976 **Apanteles aragatzi** Tobias,1976, *Trudy zool. Inst.*: 244-245. **TR Cc AM CH**
310. **Apanteles ater (Ratzeburg,1852)** (Braconidae) Synonym(s): *ater* Ratzeburg,1852 **Microgaster ater** Ratzeburg,1852, *Ichn. D. Forstins.* 3: 56. **TR Cc AZ**
311. **Apanteles brunnistigma Abdinbekova,1969** (Braconidae) Synonym(s): *brunnistigma* Abdinbekova,1969 **Apanteles brunnistigma** Abdinbekova,1969, *Azerb. Sci. Acad. Zool. Enst. ELM.* **TR Cc AZ GB IT HU**
312. **Apanteles kubensis Abdinbekova,1975** (Braconidae) Synonym(s): *kubensis* Abdinbekova,1975 **Apanteles kubensis** Abdinbekova,1975, *Azerb. Sci. Acad. Zool. Enst. ELM.* 26. **TR HU Cc AZ**

313. **Apanteles obscurus (Nees,1834)** (Braconidae) Synonym(s): *obscurus* Nees,1834 **Microgaster obscurus** Nees,1834, *Hym. Ichn. Affin. Mon. 1: 182. TR Cc RU Sb MN*
314. **Apethymus apicalis (Klug,1818)** (Tenthredinidae) Synonym(s): *apicalis* Klug,1818; *serotinus* Müller,1776; *filiformis* Klug,1818 **TR RU Cc**
315. **Aphalara maculipennis Loew,1886** (Psyllidae) Synonym(s): *maculipennis* Loew,1886 **TR Cc RU Sb Am IN**
316. **Aphasganophora armeniaca (Boucek,1952)** (Chalcididae) Synonym(s): *armeniaca* Boucek,1952; *ensifera* Nikolskaya,1952 **AM Cc RU TR**
317. **Aphelocheirus kolenati Kiritshenko,1925** (Aphelocheiridae) Synonym(s): *kolenati* Kiritshenko,1925 **AZ AM Cc TR**
318. **Aphodius (Acanthbodilus) immundus Creutzer,1799** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 **RU Cc Ur Sb Us KG TM TJ**
319. **Aphodius (Acrossus) depressus (Kugelann,1798)** (Scarabaeidae) Synonym(s): *depressus* Kugelann,1798 **RU Cc Ur Sb Us IT UA GG**
320. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 **RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ**
321. **Aphodius (Acrossus) planicollis Reitter,1890** (Scarabaeidae) Synonym(s): *planicollis* Reitter,1890 **Cc GG RU**
322. **Aphodius (Acrossus) rufipes (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *rufipes* Linnaeus,1758 **RU Sb Us Am IT FI UA Cc GG KG**
323. **Aphodius (Agolius) abchasikus Reitter,1892** (Scarabaeidae) Synonym(s): *abchasikus* Reitter,1892 **Cc GG**
324. **Aphodius (Agrilinus) ater (De Geer,1774)** (Scarabaeidae) Synonym(s): *ater* De Geer,1774 **RU Ur Sb Us Sh GG Cc KG**
325. **Aphodius (Amidorus) obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): *obscurus* Fabricius,1792 **RU Cc GG**
326. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **RU Cc Ur Sb Us UA AM GG KG KK TM UZ**
327. **Aphodius (Bodilus) ictericus (Laicharting,1781)** (Scarabaeidae) Synonym(s): *ictericus* Laicharting,1781 **RU Cc Ur Sb HU UA Cm KG**
328. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 **RU Ur Cc UA Cm KG KK TJ TM**
329. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767 **RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy**
330. **Aphodius (Calamosternus) lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): *lividus* Olivier,1789 **RU Am Cc GG KG TM TJ**
331. **Aphodius (Chilothorax) distinctus (Müller,1776)** (Scarabaeidae) Synonym(s): *distinctus* Müller,1776 **DE RU Cc Ur Sb Us KG TM TJ**
332. **Aphodius (Chilothorax) sticticus (Panzer,1798)** (Scarabaeidae) Synonym(s): *sticticus* Panzer,1798 **RU BY Cc**
333. **Aphodius (Esymus) merdarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): *merdarius* Fabricius,1775 **RU Cc TM**
334. **Aphodius (Eupleurus) subterraneus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *subterraneus* Linnaeus,1758 **RU Cc Ur Sb Us KG TM**
335. **Aphodius (Loraphodius) suarius Faldermann,1835** (Scarabaeidae) Synonym(s): *suarius* Faldermann,1835 **Cc AZ**
336. **Aphodius (Melinopterus) prodromus (Brahm,1790)** (Scarabaeidae) Synonym(s): *prodromus* Brahm,1790 **UA RU Cc LT Ur Sb Us KG TM**
337. **Aphodius (Nialus) varians Duftschmid,1805** (Scarabaeidae) Synonym(s): *variens* Duftschmid,1805 **RU Sb UA AZ Cc KG TJ**
338. **Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): *pusillus* Herbst,1789 **RU Cc Ur Sb Us Am Krl GG KG KK TM UZ**
339. **Aphodius (Oromus) asphaltinus Kolenati,1846** (Scarabaeidae) Synonym(s): *asphaltinus* Kolenati,1846 **RU Cc GG**
340. **Aphodius (Teuchestes) fossor (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fossor* Linnaeus,1758 **RU Cc Ur Sb Us UA Cm KG**
341. **Aphrodes araxicus Logvinenko,1971** (Cicadellidae) Synonym(s): *araxicus* Logvinenko,1971 **Cc AZ**
342. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schränk,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**

343. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
344. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876 CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
345. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821 AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
346. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
347. **Aphrodes montanus Vilbaste,1965** (Cicadellidae) Synonym(s): *montanus* Vilbaste,1965; *caucasicus* Vilbaste,1965 Cc AZ RU At
348. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum,1868; *integer* Wagner,1937 DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
349. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscifasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
350. **Aphrodes vallicola Logvinenko,1967** (Cicadellidae) Synonym(s): *vallicola* Logvinenko,1967 Cc GG
351. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fusca* Haupt,1925; *umbrina* Linnavuori,1950 Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
352. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
353. **Aphthona abdominalis (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid,1825; *finitima* Ogloblin,1927 TR Cc IR AF KG
354. **Aphthona atrovirens (Förster,1849)** (Chrysomelidae) Synonym(s): *atrovirens* Förster,1849 TR Cc
355. **Aphthona euphorbiae (Schrank,1781)** (Chrysomelidae) Synonym(s): *euphorbiae* Schrank,1781 Cc TR RU Sb KG
356. **Aphthona flaviceps Allard,1859** (Chrysomelidae) Synonym(s): *flaviceps* Allard,1859 Cc TR DZ KG
357. **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944 Cc TR SY IL Pa
358. **Aphthona gracilis Faldermann,1837** (Chrysomelidae) Synonym(s): *gracilis* Faldermann,1837 TR Cc RU KG
359. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens* Gyllenhal,1808 TR Cc RU Sb KG MN YE
360. **Aphthona maculata Allard,1876** (Chrysomelidae) Synonym(s): *maculata* Allard,1876 TR Cc RU KG
361. **Aphthona nigriceps (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *nigriceps* Redtenbacher,1842 DZ TR Cc
362. **Aphthona nigriscutis Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis* Foudras,1860 TR Cc RU IR KG
363. **Aphthona nonstriata (Goeze,1777)** (Chrysomelidae) Synonym(s): *nonstriata* Goeze,1777 TR Cc IR KG
364. **Aphthona ovata Foudras,1860** (Chrysomelidae) Synonym(s): *ovata* Foudras,1860 Cc TR
365. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae) Synonym(s): *pygmaea* Kutschera,1861 TR Cc EG LY YE
366. **Aphthona rugipennis Ogloblin,1926** (Chrysomelidae) Synonym(s): *rugipennis* Ogloblin,1926 RU Cc TR
367. **Aphthona semicyanea Allard,1859** (Chrysomelidae) Synonym(s): *semicyanea* Allard,1859 TR Cc KG RU
368. **Aphthona venustula Kutschera,1861** (Chrysomelidae) Synonym(s): *venustula* Kutschera,1861 TR Cc
369. **Aphytis proclia (Walker,1839)** (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnoch,1972; *chowdhurii* Kaul,1974 Aphelinus proclia Walker,1839, Monographia Chalciditum 1: 9. Lectotype ♀: England (BMNH). GB GG Cc CY TR IN Hp
370. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
371. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858 TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH

372. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
373. **Apolysis dolichorostris Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Meland.,1946; *dolichorostris* Evenhuis & Greathead,1999 Cc AZ AM GG TM
374. **Apolysis pusilla (Paramonov,1929)** (Bombyliidae) Synonym(s): *pusilla* Paramonov,1929 Cc AZ Da RU
375. **Apolysis superba (Engel,1933)** (Bombyliidae) Synonym(s): *superba* Engel,1933 Cc AZ AM GG IR
376. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
377. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825 AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
378. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
379. **Aprosthemella tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
380. **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978 AM Cc IR IL Pa TR
381. **Aradus caucasicus Kolenati,1856** (Aradidae) Synonym(s): *caucasicus* Kolenati,1856 Cc TR
382. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (praeocc.) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
383. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937 AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
384. **Arboridia simillima (Wagner,1939)** (Cicadellidae) Synonym(s): *simillima* Wagner,1939 AT DE Cc GG
385. **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891 B-H RO Cc SY TR
386. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
387. **Arge carinifrons Enslin,1917** (Argidae) Synonym(s): *carinifrons* Enslin,1917 Cc
388. **Arge caucasica Tournier,1889** (Argidae) Synonym(s): *caucasica* Tournier,1889 Cc SK RU UA B-H
389. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
390. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
391. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
392. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 SK HU UA RO BG MK GR AL TR Cc
393. **Arge impressifrons Konow** (Argidae) Synonym(s): Cc IR
394. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
395. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
396. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
397. **Arge pallidinervis Gussakovskii,1935** (Argidae) Synonym(s): *pallidinervis* Gussakovskii,1935 UA Cc
398. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 B-H HU SK UA RO MK BG TR Cc CN Ui
399. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
400. **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 BG GR SY TR Cc
401. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 nec Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 GG RO GR RU Cc UA IR MA
402. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 GR Cr MD RO RU UA Cc Cm MA CN
403. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ

404. **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata Kowarz,1879* **GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ**
405. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus Flor,1861; pallipes Kirschbaum,1868; pusillus Kirschbaum,1868; productus Thomson,1869; haupti Lindberg,1924; ocellatus Cerutti,1939* **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA**
406. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps Kirschbaum,1868; longivalvis Kirschbaum,1868; linnei Fieber,1869* **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD**
407. **Aromia moschata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *moschata Linnaeus,1758* **Cc TR IR CZ SE**
408. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821; diminutus Kirschbaum,1858* **AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU**
409. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii Kirschbaum,1868* **BG CS HU IT RO TR Cc AM GG MD UA YU**
410. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne Solsky,1874* **AM Cc BG GR TR CY IR KK KG TJ UZ**
411. **Asiotmethis turritus (Fischer von Waldheim,1833)** (Pamphagidae) Synonym(s): *turritus Fischer von Waldheim,1833* **Cc AM Eri TR**
412. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
413. **Astochia caspica Hermann,1917** (Asilidae) Synonym(s): *caspica Hermann,1917; sareptana Becker,1923* **IR AF RU KG AZ Cc**
414. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR**
415. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *bicolor Audinet-Serville,1823* **UA Cm TR Cc DZ RU**
416. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata Audinet-Serville,1823; suessionensis Audinet-Serville,1823; blanchardi Brullé,1846* **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
417. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815; immaculata Konow,1884* **RU TR IR UZ KK Cc Sb IN CN JP**
418. **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia Meigen,1826* **Cc AM Eri GG AZ IR**
419. **Atherix alagezica Paramonov,1926** (Athericidae) Synonym(s): *alagezica Paramonov,1926* **Cc AM**
420. **Athous (Haplathous) marginicollis Reitter,1890** (Elateridae) Synonym(s): *marginicollis Reitter,1890* **GR TR Cc**
421. **Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae) Synonym(s): *vittatus Gmelin,1790; vittatus Fabricius,1792* **GR TR Cc**
422. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922; torgnyensis Goetghebuer,1949* **AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA**
423. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus Olivier,1790* **TR AF Cc IR IQ IL Pa LB SY TM**
424. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis Reitter,1878* **TR TN Cc IQ IR SY**
425. **Attagenus (s.str.) pantherinus (Ahrens,1814)** (Dermestidae) Synonym(s): *pantherinus Ahrens,1814* **Cc TR**
426. **Attagenus (s.str.) quadrimaculatus Kraatz,1858** (Dermestidae) Synonym(s): *quadrimaculatus Kraatz,1858* **FR YU Cc TR**
427. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
428. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* **DE BG GG Cc TR IQ MK GR**
429. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus Voss,1934* **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
430. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
431. **Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): *gracilis Krynicky,1832* **RU Cc CZ GR**
432. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius Fabricius,1775* **MT DK SE PT RU Cc MA DZ IT Sa Si**
433. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi Trotter,1913; spirorhynchusii Diakontshuk,1990* **Aulax hypecoi Trotter,1913, Marcellia 11: 214. DZ LY BG GR TR Cc AM TM**

434. **Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): *femoralis* Förster,1848 **Cc TR RU Sb Am**
435. **Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): *chloris* Horvath,1894 **Cc AM GG KG TJ UZ**
436. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
437. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
438. **Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): *crassicornis* Rudow,1886 **TR RU Cc**
439. **Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor* Thunberg,1822 **TR Cc KK KG TJ**
440. **Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829 **TR Cc AM IR AF RU Sb Us**
441. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
442. **Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax* Weise,1888 **Cc TR IR**
443. **Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai* Kral,1964 **GR BG GG Cc TR**
444. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 **AF AL AT BE BG CN Uj CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU**
445. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD MA SK ES SY TJ TM UA RU YU**
446. **Belaspida nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 **AT AZ Cc BE CZ FR HU MD ES CH TN TR**
447. **Belaspida obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 **AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR**
448. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 **US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us**
449. **Bellardia grunini Schumann,1974** (Calliphoridae) Synonym(s): *grunini* Schumann,1974 **RU Or Ur Cc UA**
450. **Bellardia kisha (Grunin,1970)** (Calliphoridae) Synonym(s): *kisha* Grunin,1970 **Cc GG RU Da**
451. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 **BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB**
452. **Bellardia rohdendorfi (Grunin,1970)** (Calliphoridae) Synonym(s): *rohdendorfi* Grunin,1970 **Cc AZ GG**
453. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 **EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA**
454. **Bellardia tatica (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatica* Enderlein,1933 **IL Pa GR PL RU Cc Kr Y JO**
455. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 **US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB**
456. **Bellardia zaitzevi (Grunin,1970)** (Calliphoridae) Synonym(s): *zaitzevi* Grunin,1970 **Cc GG**
457. **Bembecinus gracilicornis (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892 **IR Ke Cc AZ AM TR TJ TM**
458. **Bembecinus nigrolabrum Schmid-Egger,2004** (Crabronidae) Synonym(s): *nigrolabrum* Schmid-Egger,2004 **TR Cc**
459. **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883 **AL MK BG TR AM AZ Cc IL Pa JO**
460. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
461. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 **AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU**
462. **Bembidion (Euperyphus) combustum Ménétrés,1832** (Carabidae) Synonym(s): *combustum* Ménétrés,1832 **AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU**
463. **Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne* Chaudoir,1850 **AZ AM Cc GG RU TR IR**

464. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
465. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
466. **Bembidion (Microserrullula) apicale Ménériés,1832** (Carabidae) Synonym(s): *apicale Ménériés,1832* AZ AM Cc GG TR IR
467. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
468. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
469. **Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844* AZ AM Cc B-H BG GG GR MK RU TR LB YU
470. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918* AM Cc TR IR IQ TJ TM
471. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
472. **Bembidion (Nepha) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): *pinkeri Netolitzky,1935* GG RU TR Cc
473. **Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846* AZ AM Cc GG RU TR UA IR
474. **Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): *versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891* AZ AM Cc GR TR
475. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
476. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
477. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
478. **Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799* BG GR MK AZ AM Cc GG RU TR
479. **Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): *ispartanum Netolitzky,1930* AM Cc TR IR
480. **Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934* AM Cc TR IR KK TJ UZ
481. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831* AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
482. **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne Schaum,1862* TR IR IL Pa LB Cc GG
483. **Bembidion (Peryphiolus) monticola Sturm,1825** (Carabidae) Synonym(s): *monticola Sturm,1825* AM Cc GG RU TR
484. **Bembidion (Peryphus) distinguendum Jacquelin du Val,1852** (Carabidae) Synonym(s): *distinguendum Jacquelin du Val,1852* AZ AM Cc GG TR IR
485. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
486. **Bembidion (Peryphus) persicum Ménériés,1832** (Carabidae) Synonym(s): *persicum Ménériés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
487. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
488. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
489. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
490. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
491. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU

492. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale* Duftschmid,1812 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
493. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805 AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
494. **Beris kovalevi Rozkosny & Nartshuk,1980** (Stratiomyidae) Synonym(s): *kovalevi* Rozkosny & Nartshuk,1980 RU Cc AM GG
495. **Beris schaposchnikowi Pleske,1926** (Stratiomyidae) Synonym(s): *schaposchnikowi* Pleske,1926 Cc RU GG Lag AZ
496. **Blaps koenigi Seidlitz,1893** (Tenebrionidae) Synonym(s): *koenigi* Seidlitz,1893 TR Cc
497. **Blaps lata Seidlitz,1893** (Tenebrionidae) Synonym(s): *miliaria* Allard,1882 nec Fisch.; *lata* Seidlitz,1893; *miliaria* Allard,1882 TR Cc AM
498. **Blaps lethifera Marsham,1802** (Tenebrionidae) Synonym(s): *lethifera* Marsham,1802 TR Cc
499. **Blaps luctuosa Ménériés,1832** (Tenebrionidae) Synonym(s): *luctuosa* Ménériés,1832 Cc
500. **Blaps montana Motschoulsky,1839** (Tenebrionidae) Synonym(s): *montana* Motschoulsky,1839 Cc
501. **Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *mortisaga* Linnaeus,1758 RU Sb Cc
502. **Blaps ominosa Ménériés,1832** (Tenebrionidae) Synonym(s): *ominosa* Ménériés,1832; *armeniaca* Faldermann,1837 Cc AZ Bak AM
503. **Blaps orbicollis Motschoulsky,1845** (Tenebrionidae) Synonym(s): *orbicollis* Motschoulsky,1845 RU Cc AZ Bak
504. **Blaps pallasi Seidlitz,1893** (Tenebrionidae) Synonym(s): *pallasi* Seidlitz,1893 Cc AM
505. **Blaps pterotapha Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *pterotapha* Fischer von Waldheim,1832 Cc
506. **Blaps pudica Ballion,1888** (Tenebrionidae) Synonym(s): *pudica* Ballion,1888 Cc
507. **Blaps puella Allard,1880** (Tenebrionidae) Synonym(s): *puella* Allard,1880 Cc AZ Nv
508. **Blaps pulvinata Ménériés,1849** (Tenebrionidae) Synonym(s): *pulvinata* Ménériés,1849 Cc
509. **Blaps putrida Motschoulsky,1845** (Tenebrionidae) Synonym(s): *putrida* Motschoulsky,1845 RU Cc AZ
510. **Blaps titanus Ménériés,1849** (Tenebrionidae) Synonym(s): *titanus* Ménériés,1849 TM UZ AZ Cc Bak
511. **Blaps vicina Ménériés,1845** (Tenebrionidae) Synonym(s): *vicina* Ménériés,1845 Cc AZ Bak
512. **Blepisanis vittipennis (Reich,1877)** (Cerambycidae) Synonym(s): *vittipennis* Reich,1877 TR BG Cc
513. **Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae) Synonym(s): *arenicola* Mulsant,1870 Cc TR
514. **Blitopertha (s.str.) lineata Fabricius,1798** (Scarabaeidae) Synonym(s): *lineata* Fabricius,1798 RU Cc AZ AM TM
515. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdita* Petrovitz,1959; *majuscola* Medvedev Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
516. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
517. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
518. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisdual,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
519. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975 TR GB ES GR Cc PL DK NO SE FI RU YU
520. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954 GB IT ES PT DZ GR Cc PL DK CZ RO TR
521. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
522. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
523. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU

524. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
525. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
526. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
527. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
528. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
529. **Bombylius (s.str.) alexandri Paramonov,1940** (Bombyliidae) Synonym(s): *alexandri* Paramonov,1940 AM Cc AZ GG IL Pa
530. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21.** Type(s): Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
531. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
532. **Bombylius (s.str.) armeniacus Paramonov,1925** (Bombyliidae) Synonym(s): *armeniacus* Paramonov,1925 AM Cc
533. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855 AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
534. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinerus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
535. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
536. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
537. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
538. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
539. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
540. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
541. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
542. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
543. **Bombylius (s.str.) iranicus Paramonov,1940** (Bombyliidae) Synonym(s): *iranicus* Paramonov,1940 AZ AM GG Cc IR
544. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
545. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
546. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978;

- thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
547. **Bombylius (s.str.) modestus** Loew,1873 (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
548. **Bombylius (s.str.) mus** Bigot,1862 (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
549. **Bombylius (s.str.) niveus** Meigen,1804 (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
550. **Bombylius (s.str.) nubilus** Mikan,1796 (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
551. **Bombylius (s.str.) posticus** Fabricius,1805 (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
552. **Bombylius (s.str.) pumilus** Meigen,1820 (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
553. **Bombylius (s.str.) semifuscus** Meigen,1820 (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 nec Fabr.,1794; *nigripes* Strobl,1898 nec Macq.,1834 AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
554. **Bombylius (s.str.) shah** Paramonov,1940 (Bombyliidae) Synonym(s): *shah* Paramonov,1940 IR AM AZ GG Cc
555. **Bombylius (s.str.) shelkovnikovi** Paramonov,1926 (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1926 IT AM AZ Cc GR GR TM
556. **Bombylius (s.str.) testaceiventris** Paramonov,1925 (Bombyliidae) Synonym(s): *testaceiventris* Paramonov,1925; *bergi* Paramonov,1926 UZ TM Cc AM AZ GG KG
557. **Bombylius (s.str.) torquatus** Loew,1855 (Bombyliidae) Synonym(s): *torquatus* Loew,1855 DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
558. **Bombylius (s.str.) trichurus** Pallas,1818 (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
559. **Bombylius (s.str.) venosus** Mikan,1796 (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
560. **Bombylius (s.str.) vlasovi** Paramonov,1940 (Bombyliidae) Synonym(s): *vlasovi* Paramonov,1940 AM AZ GG Cc TM UZ
561. **Bombylius (Zephyrectes) cinerarius** Pallas,1818 (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
562. **Bombylius (Zephyrectes) cruciatus** Fabricius,1798 (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804 AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
563. **Bombylius (Zephyrectes) quadrifarius** Loew,1855 (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
564. **Bootheca taurus** (Oshanin,1870) (Issidae) Synonym(s): *taurus* Oshanin,1870 Cc AZ MD UA
565. **Boveycantharis rufimana** (Ménétriés,1832) (Cantharidae) Synonym(s): *rufimana* Ménétriés,1832 TR AZ Cc GG AM RU
566. **Brachinus (Brachynidius) bodemeyeri** Apfelbeck,1904 (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
567. **Brachinus (Brachynidius) brevicollis** Motschoulsky,1844 (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
568. **Brachinus (Brachynidius) explodens** (Duftschmid,1812) (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
569. **Brachinus (Brachynidius) nigricornis** Gebler,1829 (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
570. **Brachinus (Cnecostolus) hamatus** Fischer von Waldheim,1828 (Carabidae) Synonym(s): *hamatus* Fischer von Waldheim,1828 AZ AM Cc GG RU TR KK KG TJ TM UZ MN
571. **Brachinus (s.str.) alexandri** F.Battoni,1984 (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 nec Reiche,868; *alexandri* F.Battoni,1984 AZ AL AM Cc BG GR RU TR UA
572. **Brachinus (s.str.) berytensis** Reiche & Saulcy,1855 (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy,1855 AZ AM Cc BG TR IL Pa SY
573. **Brachinus (s.str.) ejaculans** Fischer von Waldheim,1828 (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ

574. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
575. **Brachyceraea brevicornis (Loew,1847)** (Conopidae) Synonym(s): *brevicornis Loew,1847* TR Cc RU Da GR IR Fa
576. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
577. **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): *quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837* TR SY Cc AM
578. **Brachylope brachypterus (Sidorski,1938)** (Cicadellidae) Synonym(s): *brachypterus Sidorski,1938* Cc AZ
579. **Brachylope evidens Logvinenko,1969** (Cicadellidae) Synonym(s): *evidens Logvinenko,1969* Cc AZ
580. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
581. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplesia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
582. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens Ruschka,1922* AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
583. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951;* Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ
584. **Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): *transcaucasica Zhiltzova,1956* Brachyptera transcaucasica Zhiltzova,1956, Ent. Obozr. 35: 659-670. TR GR Cc
585. **Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *pratense O.F.Müller,1764; #partense Demirsoy,1982* GR TR Cc GG
586. **Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis Telenga,1936* RU KG Cc GG Tbl TR
587. **Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris Tobias,1957* TM KG Cc AZ RU TR
588. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
589. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator Nees,1812* CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
590. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator Nees,1812* MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
591. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger Wesmael,1838* TR JP KG Cc RU RO CZ HU AT IT BE FR GB
592. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini Kokoujev,1904* TR Cc AZ KG RU TM KG RO HU
593. **Brodskyana semipallida (Reitter,1899)** (Melyridae) Synonym(s): *semipallida Reitter,1899* AM Cc
594. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali Fedoseeva,1954* IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
595. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
596. **Bruchophagus robiniae Zerova,1970** (Eurytomidae) Synonym(s): *robiniae Zerova,1970* IR Th AM Cc BG UA UZ
597. **Brunnerella mirabilis Saussure,1888** (Acrididae) Synonym(s): *mirabilis Saussure,1888* TR Cc AM IR Kh
598. **Bryaxis abastumanus (Reitter,1890)** (Staphylinidae) Synonym(s): *abastumanus Reitter,1890* GG Cc TR
599. **Bubastia (s.str.) transcaucasica (Melichar,1914)** (Issidae) Synonym(s): *transcaucasica Melichar,1914* RU Cc TR
600. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
601. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG

602. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858* **RU Cc UA Cm TR TM AM SY IL Pa**
603. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838* **TR Cc SY IL Pa IQ JO LB**
604. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* **RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY**
605. **Cacopsylla hippophaes (Förster,1848)** (Psyllidae) Synonym(s): *hippophaes Förster,1848* **SE Cc TR**
606. **Cacopsylla pruni (Scopoli,1763)** (Psyllidae) Synonym(s): *pruni Scopoli,1763* **YU Cc RU Sb**
607. **Caenoblaps difformis König,1906** (Tenebrionidae) Synonym(s): *difformis König,1906* **Cc**
608. **Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): *filum Rossi,1790* **GR Cc TR SK CZ FR**
609. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma Schneider,1845* **GR TR Cc GG LB IR CY IQ Dk**
610. **Caliscelis affinis (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis Fieber,1876* **Cc BG RO AM GG MD UA**
611. **Caliscelis eximia Stal,1859** (Caliscelidae) Synonym(s): *eximia Stal,1859* **Cc AZ**
612. **Callicorixa raddei (Kiritshenko & Jaczewski,1960)** (Corixidae) Synonym(s): *raddei Kiritshenko & Jaczewski,1960* **GG AM Cc TR**
613. **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis Brullé,1832* **Cc TR IR GR SK HU**
614. **Callimus angulatus (Schrank,1789)** (Cerambycidae) Synonym(s): *angulatus Schrank,1789* **Cc GR Cc TR IR CZ**
615. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sículus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
616. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anaticus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951* **DZ TR Cc LB SY GR BG TM KG**
617. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952* **Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF**
618. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951* **TR IR Cc IQ RU LB SY**
619. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ**
620. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla Hagen,1983* **DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR**
621. **Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): *intermedia Selys,1887* **SY TR IR Cc**
622. **Calopteryx mingrelia Selys,1869** (Calopterygidae) Synonym(s): *mingrelia Selys,1869* **Cc GG TR Rd CY**
623. **Calopteryx orientalis Selys,1887** (Calopterygidae) Synonym(s): *orientalis Selys,1887* **IR Gor Elb Th AZ Cc Len**
624. **Calopteryx taurica Selys-Longchamps,1853** (Calopterygidae) Synonym(s): *taurica Selys-Longchamps,1853* **Calopteryx splendens var. taurica Selys-Longchamps,1853, Synopsis des Calopterygines: 13. Type(s): Ukraine: Crimée. UA Cm Cc AM AZ RU Da TR**
625. **Calopteryx waterstoni Schneider,1984** (Calopterygidae) Synonym(s): *waterstoni Schneider,1984* **GG Cc TR**
626. **Calosoma brevisculus Mannerheim,1830** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830* **AM Cc TR**
627. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* **AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR**
628. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* **AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY**

629. **Calyptopsis caucasica Kraatz,1865** (Tenebrionidae) Synonym(s): *caucasica* Kraatz,1865; *antoniae* Reitter,1889 Cc
630. **Calyptopsis convexicollis Desbrochiers,1881** (Tenebrionidae) Synonym(s): *convexicollis* Desbrochiers,1881 Cc AZ Nv
631. **Calyptopsis emarginata Reitter,1889** (Tenebrionidae) Synonym(s): *emarginata* Reitter,1889 Cc AZ Nv
632. **Calyptopsis harpaloides Baudi,1874** (Tenebrionidae) Synonym(s): *harpaloides* Baudi,1874; *armeniaca* Baudi,1874 IR Cc AZ Nv
633. **Calyptopsis morawitzi Faust,1877** (Tenebrionidae) Synonym(s): *morawitzi* Faust,1877 Cc AM
634. **Calyptopsis nitescens Reitter,1896** (Tenebrionidae) Synonym(s): *nitescens* Reitter,1896 Cc AM TM
635. **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter,1896 TR GR SY Hal Cc
636. **Calyptopsis pulchella Faldermann,1837** (Tenebrionidae) Synonym(s): *pulchella* Faldermann,1837; *rugipennis* Faldermann,1837 Cc TM
637. **Calyptopsis rosti Reitter,1896** (Tenebrionidae) Synonym(s): *rosti* Reitter,1896 IR Cc AZ
638. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata* Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschinsky,1875; *beckeri* Rübsaamen,1910; *effingendea* Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971; IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA
639. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta* Loew,1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
640. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis* Ménétrés,1836 TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
641. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
642. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
643. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
644. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
645. **Capnia nigra (Pictet,1833)** (Capniidae) Synonym(s): *nigra* Pictet,1833; *conic* Klapalek,1909; *maynari* Navas,1917 TR Cc RU Kmt
646. **Capnia sevanica Zhiltzova,1964** (Capniidae) Synonym(s): *sevanica* Zhiltzova,1964 AM Cc TR
647. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR
648. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
649. **Capnodis excisa Ménétrés,1849** (Buprestidae) Synonym(s): *excisa* Ménétrés,1849 TR Cc
650. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
651. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR
652. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
653. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
654. **Carabus (Cechenochilus) boeberi Adams,1817** (Carabidae) Synonym(s): *boeberi* Adams,1817 AZ GG RU TR Cc
655. **Carabus (Lamprostus) calleyi Fischer von Waldheim,1823** (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823 AZ AM Cc GG TR IR
656. **Carabus (Procerus) caucasicus Adams,1817** (Carabidae) Synonym(s): *caucasicus* Adams,1817 Cc TR
657. **Carabus (Procrustes) chevrolati Cristoforis & Jan,1837** (Carabidae) Synonym(s): *chevrolati* Cristoforis & Jan,1837; *assimilis* Cristoforis & Jan,1837; *persimilis* Csiki,1927 GG TR Cc
658. **Carabus (Procrustes) clypeatus Adams,1817** (Carabidae) Synonym(s): *clypeatus* Adams,1817 AM Cc GG RU TR IR

659. **Carabus (Sphodristocarabus) scovitzii Faldermann,1835** (Carabidae) Synonym(s): *scovitzii Faldermann,1835* **GG TR Cc**
660. **Carabus (Sphodristocarabus) varians Fischer von Waldheim,1827** (Carabidae) Synonym(s): *varians Fischer von Waldheim,1827* **AM Cc GG RU TR**
661. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* **AM Cc GG TR CY IR IQ IL Pa LY SY TM**
662. **Carabus pumilio Kuster,1846** (Carabidae) Synonym(s): *pumilio Kuster,1846* **AM Cc GG TR**
663. **Carabus puschkini Adams,1817** (Carabidae) Synonym(s): *puschkini Adams,1817* **AZ AM Cc GG TR**
664. **Carabus roseri Faldermann,1835** (Carabidae) Synonym(s): *roseri Faldermann,1835* **GG Cc TR**
665. **Cardiophorus (s.str.) alienus (Szombathy,1910)** (Elateridae) Synonym(s): *alienus Szombathy,1910* **ID Ja IQ Cc AZ Nv**
666. **Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae) Synonym(s): *araxicola Jablokoff & Khnzorian,1970* **TR Cc**
667. **Cardiophorus (s.str.) arcanus Dolin & Mardzhanian,1985** (Elateridae) Synonym(s): *arcanus Dolin & Mardzhanian,1985* **Cc AM**
668. **Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis Herbst,1806* **GR Cc TR SK MN RU Sb**
669. **Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): *ebeninus Germar,1824* **TR Cc TM**
670. **Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei Frivaldsky,1837* **TR GR BG Cc AM**
671. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax Faldermann,1835; antennalis Desbrochers,1875* **TR GR IL Pa AM Cc**
672. **Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): *nigerrimus Erichson,1840* **CZ TR Cc RU Sb**
673. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus Buysson,1891* **SY TR Cc AM TM**
674. **Cardiophorus (s.str.) nijazi (Dolin & Agajev,1983)** (Elateridae) Synonym(s): *nijazi Dolin & Agajev,1983* **Cc AZ**
675. **Cardiophorus (s.str.) nubilosus (Schwarz,1895)** (Elateridae) Synonym(s): *nubilosus Schwarz,1895* **Cc**
676. **Cardiophorus (s.str.) ordubadensis (Agaev,1985)** (Elateridae) Synonym(s): *ordubadensis Agaev,1985* **Cc AZ Nv Ord**
677. **Cardiophorus (s.str.) pseudogramineus (Mardjanian,1977)** (Elateridae) Synonym(s): *pseudogramineus Mardjanian,1977* **AM Cc**
678. **Cardiophorus (s.str.) quadrinaevus (Reitter,1891)** (Elateridae) Synonym(s): *quadrinaevus Reitter,1891* **Cc AZ Nv Ord**
679. **Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris Linnaeus,1758; tibialis Erichson,1840* **IT GR TR Cc AM**
680. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus Erichson,1840; tokatensis Pic,1913* **SY CY TR Cc AZ AM IQ IR**
681. **Cardiophorus (s.str.) somcheticus Schwarz,1896** (Elateridae) Synonym(s): *somcheticus Schwarz,1896* **Cc TR**
682. **Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri Buysson,1913* **TR GR Rd MK Cc AZ Bak**
683. **Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): *syriacoides Platia & Cate,2001* **IR Cc AZ AM GG TM Kp TJ**
684. **Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus Linnaeus,1758* **TR Cc SY IR**
685. **Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata Fabricius,1792* **SK CZ AT HU RO TR Cc AM**
686. **Carinatodorcadion carinatum (Pallas,1771)** (Cerambycidae) Synonym(s): *carinatum Pallas,1771; pigra Schönherr,1817; cinereopubescens Breuning,1946* **RU Ur Cc UA Cm KG TR**
687. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranum Tamanini,1958* **IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK**
688. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus Boheman,1851* **TR AF IL Pa Cc IQ SY TJ**
689. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulatus Goeze,1778* **IR TR Cc SY TM**
690. **Carpocoris melanocerus Mulsant,1852** (Pentatomidae) Synonym(s): *melanocerus Mulsant,1852* **Cc TR**
691. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus Poda,1761* **TR AF IL Pa IR Cc EG SY**

692. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856 TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
693. **Cassida atrata Fabricius,1787** (Chrysomelidae) Synonym(s): *atrata* Fabricius,1787 TR Cc IT
694. **Cassida bella Faldermann,1837** (Chrysomelidae) Synonym(s): *bella* Faldermann,1837 TR Cc
695. **Cassida hablitziae Motschoulsky,1838** (Chrysomelidae) Synonym(s): *hablitziae* Motschoulsky,1838 TR Cc KG
696. **Cassida margaritacea Schaller,1783** (Chrysomelidae) Synonym(s): *margaritacea* Schaller,1783 TR Cc
697. **Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858 TR IL Pa Cc
698. **Cassida saucia Weise,1889** (Chrysomelidae) Synonym(s): *saucia* Weise,1889 TR AM AZ Cc IR
699. **Cassida seraphina Ménétrés,1836** (Chrysomelidae) Synonym(s): *seraphina* Ménétrés,1836 TR Cc GR
700. **Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae) Synonym(s): *brevicornis* Akramovskaya & Golub,1973 Cc TR
701. **Catopomorphus magnicollis Reitter,1894** (Leiodidae) Synonym(s): *magnicollis* Reitter,1894 Cc
702. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arbonarius* Uvarov,1917 TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG
703. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 CY TR GR Rd IL Pa SY LB Cc AM IR
704. **Celonites rudesculptus Kostylev,1935** (Vespidae) Synonym(s): *rudesculptus* Kostylev,1935 AM Cc
705. **Celonites spinosus Gusenleitner,1966** (Vespidae) Synonym(s): *spinosus* Gusenleitner,1966; *invitus* Gusenleitner,1973 TR Cc AM
706. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
707. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836 TR MN CN Ui AF IR RU Ur Cc
708. **Ceramius caucasicus André,1884** (Vespidae) Synonym(s): *caucasicus* André,1884 Cc AM IR TR
709. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 **Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU).** ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
710. **Ceratanisus tristis (Faldermann,1837)** (Tenebrionidae) Synonym(s): *tristis* Faldermann,1837 TR Cc
711. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938 TR Cc AM LB SY IL Pa NL SE
712. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
713. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (*praeocc.*); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
714. **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849 TR IR Es BG GR AZ AM GG Cc
715. **Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii* Schiner,1867 TN TR IR Elb Mz Cc AZ AM GG
716. **Ceres bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
717. **Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli* Kraatz,1863 TR SY Cc RO
718. **Cerocoma festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva* Faldermann,1837 Cc TR IR AM
719. **Cerocoma gloriosa Mulsant,1857** (Meloidae) Synonym(s): *gloriosa* Mulsant,1857 Cc SY TR
720. **Cerocoma kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835 SY TR Cc IL Pa IR BG
721. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817 HU BG TR IQ IR Cc CY RU
722. **Cerocoma scovitzi Faldermann,1837** (Meloidae) Synonym(s): *scovitzi* Faldermann,1837 AM TR Cc IR
723. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880 TR IL Pa SY IR Cc AZ Bak BG

724. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767;
ruficollis Fabricius,1787 PT ES FR IT MT GR Cr Cc TR UA Cm RU
725. **Cetonia (s.str.) aeratula Reitter,1891** (Scarabaeidae) Synonym(s): *aeratula* Reitter,1891 Cc AM
IR Mz Elb
726. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761;
smaragdus De Geer,1774; *anea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata*
Scriba,1790; *variabilis* Preyss.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti*
Bourgin,1948 IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
727. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895
TR AF AZ Cc GG IR KG SY TJ TM UZ
728. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792
AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT
RO SY TN UA GR TR
729. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus*
Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
730. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi*
Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT
KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
731. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 AF AZ CN
GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
732. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845
AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
733. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus*
Schultze,1902 DZ AM Cc GG KG UZ UA TR TM
734. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
735. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus*
Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG
CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
736. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis*
Gyllenhal,1837 DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS
TN TM TR UA GR
737. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus*
Gyllenhal,1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL
RO Sb SK TN TM TR UA
738. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837
DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ
PL PT RU Sb YU TN TR UA
739. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837
DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
740. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus*
Brisoth,1869 AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
741. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD
NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
742. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903
AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
743. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae) Synonym(s): *arenacea* Allard,1860
TR DZ Cc
744. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827
TR Cc KG RU Sb DZ
745. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae) Synonym(s): *breviuscula*
Faldermann,1884 TR Cc KG RU Sb KP KR
746. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana*
Duftschmid,1825 TR Cc IQ IL Pa SY DZ
747. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna* Marsham,1802
TR Cc KG RU Sb MN KP KR TW MA
748. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): *conducta*
Motschoulsky,1838 TR Cc RU KG ZR
749. **Chaetocnema confusa (Boheman,1851)** (Chrysomelidae) Synonym(s): *confusa* Boheman,1851
TR Cc
750. **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei* Allard,1863 TR Cc IQ
IR
751. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis*
Thomson,1866 TR Cc IR KG RU Sb MN CN Mc KP KR
752. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major* Jaquelin du
Val,1852 TR Cc IR KG RU

753. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827 TR Cc RU Sb KG
754. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 TR Cc IQ KG CN Ti DZ MN RU Sb
755. **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis* Bauduer,1874 TR Cc IR TM
756. **Chaetocnema sahlbergi (Gyllenhal,1859)** (Chrysomelidae) Synonym(s): *sahlbergi* Gyllenhal,1859 TR Cc RU Sb MN
757. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864 TR Cc IQ IR IL Pa DZ
758. **Chaetocnema semicoerulea (Koch,1803)** (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803 TR Cc KG RU Sb
759. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807 TR Cc IR AF KG DZ RU Sb
760. **Chaetomalachus marginicollis (Reitter,1891)** (Melyridae) Synonym(s): *marginicollis* Reitter,1891 AZ Cc TM Kp
761. **Chaetomalachus reitteri Majer,1988** (Melyridae) Synonym(s): *reitteri* Majer,1988 Cc
762. **Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841)** (Megachilidae) Synonym(s): *ericetorum* Lepeletier,1841 DZ Cc TR
763. **Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): *parietina* Geoffroy,1785 DZ RU Cc TR
764. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes* Abeille de Perrin,1885 TR IT HU Cc MK GG IR
765. **Cheilotoma erythrostroma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostroma* Faldermann,1837 IT BG RO UA Cm Cc RU
766. **Cheilotoma musciformis (Goeze,1777)** (Chrysomelidae) Synonym(s): *musciformis* Goeze,1777 FR UA PL Cc
767. **Cheirosis acuminata (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *acuminata* Ménétriés,1832; *ovata* Faldermann,1837 SY Cc
768. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckhert,1929 AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
769. **Chelostoma (Foveosmia) garrulum (Warncke,1991)** (Megachilidae) Synonym(s): *garrulum* Warncke,1991 Osmia (Foveosmia) garrula Warncke,1991, Linzer biol. Beitr. 23: 270. Holotype ♀: Türkei: Kars, 20km W Sarkamış 2200m (OLML Linz). TR AM Cc
770. **Chelostoma (Gyrodromella) orientale Schletterer,1890** (Megachilidae) Synonym(s): *orientale* Schletterer,1890 Cc AM TR
771. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum* Schletterer,1889 AZ GG Cc RU UA TM IR TR
772. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepeletier,1841; *nigricornis* Nylander,1848; *inerme* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
773. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
774. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepeletier,1841; *parumerinitus* Alfken,1932 AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
775. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 BG HV FR GR IT Si UA Cc TR IL Pa
776. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
777. **Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): *kindermanni* Chaudoir,1856 ST UA TJ UZ AZ AM Cc GG KG ST KG TR
778. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis* Fabricius,1787 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
779. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis* Schaller,1783 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
780. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ

781. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
782. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826 AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
783. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812 AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
784. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
785. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
786. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
787. **Chlaenius viridis Ménétrés,1832** (Carabidae) Synonym(s): *viridis* Ménétrés,1832 AZ AM Cc B-H GG RU TR IR KG UZ
788. **Chloriona clavata Dlabola,1960** (Delphacidae) Synonym(s): *clavata* Dlabola,1960 MD RU Da Cc TR UZ KG
789. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens* Fieber,1866; *alba* Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata* Metcalf,1943 Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
790. **Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens* Dlabola,1961 BG MN RO RU Cc Da
791. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
792. **Chlorita akdzhusani (Zachvatkin,1953)** (Cicadellidae) Synonym(s): *akdzhusani* Zachvatkin,1953; *afghanistanica* Dlabola,1957 AF Cc AZ KG RU
793. **Chlorita alticola Logvinenko,1966** (Cicadellidae) Synonym(s): *alticola* Logvinenko,1966 RU Cc
794. **Chlorita augustinica Dlabola,1958** (Cicadellidae) Synonym(s): *augustinica* Dlabola,1958 Cc GG
795. **Chlorita caspica Dlabola,1961** (Cicadellidae) Synonym(s): *caspica* Dlabola,1961 RU Cc Da
796. **Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): *orientalis* Dlabola,1961 BG TJ RU Da Cc UZ
797. **Chlorita popovi Zachvatkin,1953** (Cicadellidae) Synonym(s): *popovi* Zachvatkin,1953 GG KG Cc ER
798. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884 BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
799. **Chlorita uvaroviana Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvaroviana* Zachvatkin,1946; *azerbeidzhanica* Zachvatkin,1946 TR Cc AZ
800. **Chloroperla zhiltzovae Zwick,1967** (Chloroperlidae) Synonym(s): *zhiltzovae* Zwick,1967 Cc TR
801. **Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *sartor* O.F.Müller,1766 Cc TR IR IT
802. **Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *varius* O.F.Müller,1766 Cc TR IR SK HV
803. **Chorades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata* Meigen,1820 IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
804. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis* Spinola,1808 *Hypomicrogaster dorsalis* Spinola,1808, *Insect. Liguriae* 2: 151. TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
805. **Chonostropheus tristis (Fabricius,1794)** (Attelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880 DE AT BE BG CZ FR IT Cc TR HU RO UA YU
806. **Choragus sheppardi Kirby,1818** (Anthribidae) Synonym(s): *sheppardi* Kirby,1818; *bostrichoides* Müller,1821; *niger* Stephens,1830; *pygmaeus* Robert,1832; *galeazzii* Villa,1833; *caucasicus* Motschoulsky,1873; *nitidipennis* Gerhard,1901 TR Cc
807. **Choragus vittatus Reitter,1885** (Anthribidae) Synonym(s): *vittatus* Reitter,1885 TR Cc
808. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii* Rozkosny,1979 CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
809. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
810. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus*

- Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU
Ur Cc IR KG PG
811. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous Eversmann,1859; australia Predtechenskii,1928* TR Cc RO IR RU KG Sb
812. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus Fischer von Waldheim,1846; dorsatus Giglio-Tos,1894; braumeri Znojko,1928; dessyi Jannone,1936* TR RU
Cc RO IR KG Sb CN KP KR JP
813. **Chovela (s.str.) elongata Paykull,1798** (Leiodidae) Synonym(s): *elongata Paykull,1798* RU Cc
814. **Chovela (s.str.) fencli Ruzicka,1993** (Leiodidae) Synonym(s): *fencli Ruzicka,1993* Cc GG TR
815. **Chovela (s.str.) obscuripes Reitter,1888** (Leiodidae) Synonym(s): *obscuripes Reitter,1888* Cc RU
816. **Chovela (s.str.) rousi Ruzicka,1993** (Leiodidae) Synonym(s): *rousi Ruzicka,1993* RU Cc Kc
817. **Chovela (s.str.) sagittaria Ruzicka,1993** (Leiodidae) Synonym(s): *sagittaria Ruzicka,1993* RU Cc
Kb
818. **Chovela (s.str.) zolotarevi Reitter,1909** (Leiodidae) Synonym(s): *zolotarevi Reitter,1909* Cc
RU Kb
819. **Chroocacus psittaceus Emeljanov,1962** (Cicadellidae) Synonym(s): *psittaceus Emeljanov,1962* RU Cc
820. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyti Richter,1944* DE AL AT BE BG GR YU TN DZ CZ DK Cc
AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
821. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma Linnaeus,1758; quadraticollis Abeille,1893; kerremansi Abeille,1894* DE AT BG CZ CN DK EE FI FR Cc GG Tbl
GB SE CH IT JP HU NO PL RO RU TR YU
822. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Campanyo,1863; quadridens Rey,1890; bedeli Pic,1930* DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
823. **Chrysolina adzharica Lopatin,1988** (Chrysomelidae) Synonym(s): *adzharica Lopatin,1988* Cc GG TR
824. **Chrysolina armeniaca (Faldermann,1837)** (Chrysomelidae) Synonym(s): *armeniaca Faldermann,1837; persica Jakob,1960 nec Jolivet,1951; iranica Medvedev,1975 nec Jacob,1954* Cc IR AM TM
AF
825. **Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis Linnaeus,1767* Cc TR KG RU Sb MN
826. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824; festiva Ménétrés,1832* EG IL Pa Cc RU Da IR GR Rd CY SY AF
827. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN
Ui AF IR RU TM UZ IQ
828. **Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa Scopoli,1763* Cc
TR AF RU Sb
829. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata Paykull,1799* DE BG CZ FR IT NO RO YU Cc TR
830. **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae Küster,1845; lucidicollis Küster,1845* TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
831. **Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera Linnaeus,1758* FR Cc TR IR
832. **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea Fairmaire,1865 nec Falderm.,1837; halysa Bechyne,1950; ayrica Bechyne,1950; intercalaria Bechyne,1950* TR CY Cc IR IQ AZ
833. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea Duftschmidt,1825; alacris Bechyne,1950* TR Cc RU Sb IN KG
834. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici Forster,1771* Cc
TR IR RU Sb UZ IT Si
835. **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana Weise,1884* Cc TR
IR AF KG
836. **Chrysolina imperfecta (Breit,1920)** (Chrysomelidae) Synonym(s): *imperfecta Breit,1920; kaltenbachi Jakob,1954* Cc IR TM AF
837. **Chrysolina kulzeri Bechyne,1950** (Chrysomelidae) Synonym(s): *kulzeri Bechyne,1950* TR Cc
838. **Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata Fabricius,1775* Cc TR RU Sb KG
839. **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida Linnaeus,1767; diluta Joakimov,1904* RU Sb Cc TR
840. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata Linnaeus,1758; unificans Bechyne,1950* TR Cc IR AF RU Sb MN CN DZ KG

841. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950 **TR SY IL Pa GR Rd CY Cc IR IQ TN**
842. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758 **TR IL Pa SY RU Sb Cc**
843. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudohurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 **FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak**
844. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884 **TR SY CY Cc LB IL Pa EG IR**
845. **Chrysolina salviae (Germar,1824)** (Chrysomelidae) Synonym(s): *salviae* Germar,1824; *sculptipennis* Faldermann,1837 **HU Cc TR**
846. **Chrysolina staphylea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea* Linnaeus,1758 **TR Cc KG CN MN KP KR**
847. **Chrysolina trapezicollis Bechyné,1952** (Chrysomelidae) Synonym(s): *trapezicollis* Bechyné,1952 **TR Cc**
848. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906 **ES B-H HV AL TR IR Cc BG MK GR**
849. **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris* Linnaeus,1758 **TR Cc KG MN RU Sb CN**
850. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus,1758 **GR TR Cc IN CN JP**
851. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli,1763 **TR Cc UA Cm RU Sb CN MN JP KP KR**
852. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni* Austen,1922 **IL Pa IQ TR Cc AM**
853. **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl,1893; *nigerrimus* Becker,1918 **RU Cc TR AT CH HU**
854. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 **GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR**
855. **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes* Meigen,1824; *subfemoratus* Frey,1839; *callidus* Parent,1944 **GG Cc AM AZ RO RU TR UA**
856. **Chrysotus collini Parent,1923** (Dolichopodidae) Synonym(s): *collini* Parent,1923 **AM AZ GG Cc UA RU TM**
857. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes* Zetterstedt,1838; *amplicornis* Lowarz,1874; *kowarzi* Lundbeck,1912 **RO TR UA RU Cc Ya Am KK CN**
858. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 **AM BG GR RO RU Cc TR HV HU DE IT**
859. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 **AM BG EG GG GR Cc IQ IL Pa RO RU TR UA**
860. **Chunrocerus pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): *pruni* Ribaut,1952 **BG FR IT RU Cc Da**
861. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
862. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *viridis* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 **Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA**
863. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (*praeocc.*); *persica* Kirkaldy,1909 **Cicadatra persica** Kirkaldy,1909, *Canad. ent.* 41: 391, nr.110 (*nomen novum pro lineola* Hagen,1856). **MK Cc IR IL Pa IT SY TR AM AZ GG**
864. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *stevani* Stal,1854 (*praeocc.*); *querula* Pallas,1773; *paliuri* Kolenati,1857 **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
865. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**
866. **Cicadetta caucasica (Kolenati,1857)** (Cicadidae) Synonym(s): *caucasica* Kolenati,1857; *imbecillis* Eversmann,1859; *sareptana* Fieber,1876 **AZ Cc RU**
867. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 **MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU**
868. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 **TR Cc DZ GR IT MA PT ES GG KG TJ TM**
869. **Cicadetta haematophleps Fieber,1876** (Cicadidae) Synonym(s): *haematophleps* Fieber,1876 **Cc GG**
870. **Cicadetta kollari Fieber,1876** (Cicadidae) Synonym(s): *kollari* Fieber,1876 **Cc AZ**
871. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819;

- parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc
AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
872. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspiica*
Kolenati,1857; *tamarisci* Walker,1870; *suedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN
TR Cc AZ KG RU TM UZ
873. **Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): *prasina* Pallas,1773 CN MN MA? PT?
Cc AM KG RU Sb
874. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica*
Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES
TN KK MD RU Cc TR UA UZ
875. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952;
Ribaut,1952 AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
876. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata*
Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 AF DZ BG PT FR IL IT Si MA SY TN
TR Cc AZ UZ
877. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794;
strigipes Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS
IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
878. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica* Audouin &
Brullé,1839 TR SY IR Qz AM AZ Nv Ord Cc TM Kp
879. **Cidnopus pilosus (Leske,1785)** (Elateridae) Synonym(s): *pilosus* Leske,1785 GR TR Cc
880. **Cionus caucasicus Reitter,1888** (Curculionidae) Synonym(s): *caucasicus* Reitter,1888 Cc AM
GG TR
881. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps*
Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868;
opacipennis Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor*
Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948;
interibilis Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY
TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
882. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus*
Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD
NL CN PL RO RU Us SK ES SE UA GB YU
883. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 TR DZ AT BG
HV CZ FR GG Cc DE IR LB SE YU
884. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM
Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK
ES CH TZ TM AE UZ YE YU
885. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus*
Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae*
Mariani,1942; *hytomyzae* Ishii,1953; *novickiji* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ
FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB
UA Cf Col YU
886. **Cixius cambricus China,1935** (Cixiidae) Synonym(s): *cambricus* China,1935; *borussicus*
Wagner,1939; *austriacus* Wagner,1939 Cc AL AT CZ FR DE GB IT PL AZ GG YU
887. **Cixius haupti Dlabola,1949** (Cixiidae) Synonym(s): *montanus* Haupt,1949 (praeocc.); *haupti*
Dlabola,1949 Cc AT CZ FR DE IT PL GG SW
888. **Cixius hispidus Logvinenko,1967** (Cixiidae) Synonym(s): *hispidus* Logvinenko,1967 AZ Cc UA
RU
889. **Cixius hylaeus Logvinenko,1969** (Cixiidae) Synonym(s): *hylaeus* Logvinenko,1969 Cc AZ
890. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758;
hemerobioides Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912;
longispinus Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU
AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
891. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894;
fumipennis Horvath,1897 Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
892. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis*
Reuter,1880 (praeocc.); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV
RU
893. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776
(praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti*
Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
894. **Clanoptilus (Hypoptilus) flavipalpis (Abeille de Perrin,1891)** (Melyridae) Synonym(s):
flavipalpis Abeille de Perrin,1891 AZ Cc
895. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus*
Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
896. **Claviger ciscaucasicus Reitter,1910** (Staphylinidae) Synonym(s): *ciscaucasicus* Reitter,1910
Cc TR
897. **Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787 RU AM Cc
TR DZ

898. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806*; *diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
899. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761* US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
900. **Clerus mutillaroides Reitter,1893** (Cleridae) Synonym(s): *mutillaroides Reitter,1893* TR Cc
901. **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta Lacordaire,1848* TR SY IA Cc IR
902. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata Olivier,1808*; *elata Weise,1881*; *persica Pic,1920* IT Si RO UA BG TR Cc SY IQ IR RU
903. **Clytra valeriana Ménétériés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménétériés,1832*; *tetrastigma Schmidt,1841*; *#valerianae Aydın & Kismali,1990* YU GR BG TR Cc UA Cm IT Si RU IR
904. **Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis Linnaeus,1758* Cc TR IR RU
905. **Clytus arietis lederi Ganglbauer,1881** (Cerambycidae) Synonym(s): *lederi Ganglbauer,1881* TR IR Cc
906. **Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni Germar,1817* RU Cc IR TR GR
907. **Clytus schneideri Kiesenwetter,1879** (Cerambycidae) Synonym(s): *schneideri Kiesenwetter,1879* TR Cc
908. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata Förster,1853* IR LB AM Cc TJ UZ RU Cc DZ TR
909. **Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum Morton,1924*; *ponticum Bartenev,1929* TR BG Cc GG
910. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus Herbst,1797*; *aeneovirens Marsham,1802*; *punctatus Olivier,1807*; *obscurus Gyllenhal,1833* DE BG DZ FR GB JP Cc MK TR
911. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus Linnaeus,1767*; *purpureus Goeze,1777*; *ruber Geoffroy,1785*; *bicolor Rossi,1790*; *rufipes Sturm,1826*; *ruber Fairmaire,1859*; *paykulli Schilsky,1903* DE BG FR GB IR Cc KG UA Cm MK SY TR TM
912. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus Stephens,1831*; *alliariae Gyllenhal,1821* DE BE BG DZ FR SE Cc KG RU Sb IT Si
913. **Coenorrhinus paucillus (Germar,1824)** (Attelabidae) Synonym(s): *paucillus Germar,1824*; *persicus Gyllenhal,1839*; *pauculus Voss,1933* DE BG FR IN IR SE UA Cm Cc TR KG
914. **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina Fallén,1825* FR Co DE PL CZ SK CH AT HU Cc TR AM Eri
915. **Coenosia brevicauda Pont,2005** (Muscidae) Synonym(s): *brevicauda Pont,2005* AM Cc Eri
916. **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means Meigen,1826* AD FR ES DE PL CZ SK CH AT Cc
917. **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita Rondani,1866* DE PL CZ SK CH AT HU TR RU Cc AM Eri
918. **Coenosia testacea (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *testacea Robineau-Desvoidy,1830* AM Cc Eri TR
919. **Coenosia tigrina (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina Fabricius,1775* AM Cc TR IR
920. **Coenosia wernerae Pont,2005** (Muscidae) Synonym(s): *wernerae Pont,2005* AM Cc Eri
921. **Colaphus hoefti (Ménétériés,1832)** (Chrysomelidae) Synonym(s): *hoefti Ménétériés,1832* TR Cc RU KG
922. **Colletes edentulus Noskiewicz,1936** (Colletidae) Synonym(s): *edentulus Noskiewicz,1936* Cc AM TR
923. **Colletes hakkari Kuhlmann,2002** (Colletidae) Synonym(s): *hakkari Kuhlmann,2002* *Colletes hakkari Kuhlmann,2002*, Linzer biol. Beitr. 34 (1): 753-755. Holotype ♂: Turkey: Hakkari Suvari Halil Pass 2500m leg. & coll. Max Schwarz TR IR Elb Ar Mz GG Soc Cc AM Eri
924. **Colletes rubellus Noskiewicz,1936** (Colletidae) Synonym(s): *rubellus Noskiewicz,1936* AM Cc TR
925. **Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator Villers,1789*; *calcitrator Gravenhorst,1829* TR Cc RU US
926. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus Castelnau du Laporte,1836* LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
927. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus Walker,1839*; *silvestrii Lucchese,1941* TR AM AZ Cc BG CA On CZ FR DE HU
928. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus Schoenherr,1834*; *melanographus Fahreus,1840* ES FR TR EG RU Cc UA Cm IT SY DZ
929. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis Latreille,1804*; *brevicaudatum Uvarov,1910*; *hungaricus Cziki,1923* FR GB EE LT DE AT HU RO Cc RU KG TR
930. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus Fabricius,1793*; *discolor Thunberg,1815*; *thoracicus Fischer von Waldheim,1846*; *concolor Bolivar,1878*;

- ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR
931. **Conomelus anceps (Germar,1821)** (Delphacidae) **Synonym(s):** *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849 Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
932. **Conophorus caucasicus Zaitzev,1960** (Bombyliidae) **Synonym(s):** *caucasicus* Zaitzev,1960 RU Cc
933. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) **Synonym(s):** *glaucescens* Loew,1863; *#glaucesces* Hasbenli & Aktaş,1995 IT BG YU AL RU MD UA TR Cc GG AZ AM
934. **Conophorus nobilis (Loew,1873)** (Bombyliidae) **Synonym(s):** *nobilis* Loew,1873 Cc AM AZ GG TR JO IR TM
935. **Conophorus rjabovi Paramonov,1929** (Bombyliidae) **Synonym(s):** *rjabovi* Paramonov,1929 RU Da Cc AZ AM GG
936. **Conophorus talyshensis Zaitzev,1960** (Bombyliidae) **Synonym(s):** *talyshensis* Zaitzev,1960 Cc AZ
937. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) **Synonym(s):** *virescens* Fabricius,1787 DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
938. **Conops flavicaudus (Bigot,1880)** (Conopidae) **Synonym(s):** *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbek,2008 *Sphyxosoma flavicauda* Bigot,1880, *Annl. Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus.* GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm
939. **Conops flavipes Linnaeus,1758** (Conopidae) **Synonym(s):** *flavipes* Linnaeus,1758 TR Cc
940. **Conosimus caucasicus Melichar,1914** (Issidae) **Synonym(s):** *caucasicus* Melichar,1914 Cc AZ GG
941. **Conosimus kobachidzei Dlabola,1958** (Issidae) **Synonym(s):** *kobachidzei* Dlabola,1958 GG RU Da Cc
942. **Conosimus nuchensis Logvinenko,1968** (Issidae) **Synonym(s):** *nuchensis* Logvinenko,1968 AZ Cc
943. **Copris felschei Reitter,1893** (Scarabaeidae) **Synonym(s):** *felschei* Reitter,1893 TR Cc AM RU
944. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) **Synonym(s):** *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 GB DE FR YU LT RU UA Cm Cc KK KG TM
945. **Coptocephala chalybaea (Germar,1824)** (Chrysomelidae) **Synonym(s):** *chalybaea* Germar,1824; *apicalis* Lacordaire,1848 SK UA Cm Cc RU KG
946. **Coptocephala gebleri Gebler,1841** (Chrysomelidae) **Synonym(s):** *quadrimaculatus* Fabricius,1792 *nec* Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 BG TR Cc RU KG
947. **Coptosia bithynensis Pic,1900** (Cerambycidae) **Synonym(s):** *bithynensis* Pic,1900 TR Cc
948. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) **Synonym(s):** *insignis* Schneider,1845; *amasina* Morton,1916 BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR
949. **Cordulegaster picta Selys,1854** (Cordulegasteridae) **Synonym(s):** *picta* Selys,1854 YU TR Cc AZ Kir Lag GG
950. **Cordylepherus koenigi (Abeille de Perrin,1900)** (Melyridae) **Synonym(s):** *koenigi* Abeille de Perrin,1900 TR AM Cc
951. **Corixa dentipes Thomson,1869** (Corixidae) **Synonym(s):** *dentipes* Thomson,1869 RU Cc IR TR
952. **Corixa jakowleffi Horvath,1879** (Corixidae) **Synonym(s):** *jakowleffi* Horvath,1879 RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR
953. **Corizus fenestella Horvath,1917** (Rhopalidae) **Synonym(s):** *fenestella* Horvath,1917 GR TR Cc RU IQ IR Th Elb Kdv Gh
954. **Corynis caucasica (Mocsary,1886)** (Cimbicidae) **Synonym(s):** *caucasica* Mocsary,1886 YU BG TR Cc IR
955. **Corynis concinna (Stein,1876)** (Cimbicidae) **Synonym(s):** *concinna* Stein,1876; *sarta* Kuznetsov-Ugamskii; *bleyli* Muehe,1964 TR Cc
956. **Corynis frontina (Konow,1905)** (Cimbicidae) **Synonym(s):** *frontina* Konow,1905 TR Cc
957. **Corynis lateralis (Brullé,1832)** (Cimbicidae) **Synonym(s):** *lateralis* Brullé,1832 GR TR RU Ur Cc
958. **Corynis obscura (Fabricius,1775)** (Cimbicidae) **Synonym(s):** *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
959. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) **Synonym(s):** *gyllenhalii* Fallén,1826 AT FI DE NO PL SE Cc AZ EE KG LV RU UA
960. **Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) **Synonym(s):** *elongator* Fabricius,1775 TR Cc RU At Sb KG Aa
961. **Cotesia brevicollis (Wesmael,1837)** (Braconidae) **Synonym(s):** *brevicollis* Wesmael,1837 RU Cc AZ TR
962. **Cotesia glabratus (Telenga,1955)** (Braconidae) **Synonym(s):** *glabratus* Telenga,1955 BG Cc RU Da GG IL Pa DE TR KG UA

963. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885 DE Cc AM AT MD CZ FR GB IC SE TR
964. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
965. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 DZ DE BG GB TR IR Cc NL PL HU MA
966. **Cratichneumon coruscator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *coruscator* Linnaeus,1758; *luridus* Gravenhorst,1829 TR Cc IR
967. **Creightonella (Metamegachile) albisecta (Klug,1817)** (Megachilidae) Synonym(s): *albisecta* Klug,1817 RU DZ Cc TR
968. **Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918 SY TR Cc RU Sb KG
969. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis* Fabricius,1792; *smaragdina* Foundras,1860; *picicornis* Weise,1886; *jucunda* Weise,1886; *lapponica* Heikertinger,1950 FI TR Cc IR KG RU Sb MN CN
970. **Crepidodera lamina (Bedel,1901)** (Chrysomelidae) Synonym(s): *lamina* Bedel,1901; *sapphirina* Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886 IT TR Cc GG
971. **Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878 AL YU MK BG RO GR Cc
972. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847 RO Cc AZ IR Fa Th Elb RU GR TR
973. **Cryptobium chaudiroi Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906 GR TR Cc AM
974. **Cryptobium fracticorne (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaquelini* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884 DE AT Cc TR
975. **Cryptocephalus amasiensis Weise,1894** (Chrysomelidae) Synonym(s): *amasiensis* Weise,1894 TR Cc
976. **Cryptocephalus anticus Suffrian,1848** (Chrysomelidae) Synonym(s): *anticus* Suffrian,1848 Cc
977. **Cryptocephalus araxidis Weise,1898** (Chrysomelidae) Synonym(s): *araxidis* Weise,1898 Cc AM TR
978. **Cryptocephalus astracanicus Suffrian,1847** (Chrysomelidae) Synonym(s): *astracanicus* Suffrian,1847 Cc KG
979. **Cryptocephalus atriplicis Lopatin,1967** (Chrysomelidae) Synonym(s): *atriplicis* Lopatin,1967 Cc KG
980. **Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinus* Suffrian,1853 UA Cm BG TR Cc IR FR
981. **Cryptocephalus bilineatus (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *bilineatus* Linnaeus,1767; *armeniacus* Faldermann,1837; *moestus* Weise,1882; *partitus* Jacobson,1885; *bisbilineatus* Pic,1904 GB AM Cc RU JP
982. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799 ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR
983. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847 Cc RU TR BG TM AZ IR
984. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
985. **Cryptocephalus curda Jacobson,1897** (Chrysomelidae) Synonym(s): *curda* Jacobson,1897 TR Cc
986. **Cryptocephalus ergenensis Morawitz,1863** (Chrysomelidae) Synonym(s): *ergenensis* Morawitz,1863 Cc RU Ur KG
987. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781 RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
988. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
989. **Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781 AL BG YU GR Cc IR TR
990. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus* Germar,1824 RU Sb Cc KG AZ AM GG UA IR TR
991. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758 RU Sb AL BG PL UA Cm YU Cc IR TR JO
992. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819 AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR
993. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891 RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc

994. **Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus Müller,1776*
PL RU Sb Cc KG AZ IR TR
995. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi Suffrian,1848*
DE ES Cc KG RU BG PL TR
996. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias Suffrian,1853*
TR BG GR AZ AM Cc JO SY YU
997. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus Fabricius,1792* DE ES BG PL Cc TR
998. **Cryptocephalus variceps Weise,1884** (Chrysomelidae) Synonym(s): *variceps Weise,1884*
BG TR Cc
999. **Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata Gravenhorst,1829; armeniator Aubert,1977* TR RU KG Cc
1000. **Ctenota armeniaca Paramonov,1930** (Asilidae) Synonym(s): *armeniaca Paramonov,1930*
Cc AM
1001. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca Radoszkowski,1879*
TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
1002. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus Rambur,1842; morosus Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915* AF IR TR SA IQ IL Pa Cc CY SD
1003. **Culicoides abchazicus Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *abchazicus Dzhafarov,1964* Abk GG Cc
1004. **Culicoides achkamalicus Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *achkamalicus Dzhafarov,1964* AZ Cc
1005. **Culicoides alatavicus Gutsevich & Smatov,1971** (Ceratopogonidae) Synonym(s): *fuscus Gutsevich & Smatov,1966 nec Goet.,1952; alatavicus Gutsevich & Smatov,1971* Cc AZ
1006. **Culicoides alazanicus Dzhafarov,1961** (Ceratopogonidae) Synonym(s): *alazanicus Dzhafarov,1961; musilator Kremer & Callot,1961* Cc AZ FR
1007. **Culicoides alexandrae Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *alexandrae Dzhafarov,1962* Cc AZ
1008. **Culicoides azerbajdzhanicus Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *azerbajdzhanicus Dzhafarov,1962* Cc AZ IL Pa
1009. **Culicoides beybienkoi Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *beybienkoi Dzhafarov,1962* AZ Cc
1010. **Culicoides caucasicus Sergejev,1959** (Ceratopogonidae) Synonym(s): *caucasicus Sergejev,1959* Cc RU
1011. **Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus Kieffer,1918; nadayanus Kieffer,1918; edwardsi Goetghebuer,1921; algarum Kieffer,1924; salicola Kieffer,1924; pictidorsum Kieffer,1924; albonotatus Vimmer,1932 nec Kieff.,1918; albosignatus Vimmer,1932; polymaculatus Vimmer,1932; kirovabadicus Dzhafarov,1964* BG TR TN BE NO DE IL Pa Cc AZ Kir
1012. **Culicoides dzhafarovi Remm,1967** (Ceratopogonidae) Synonym(s): *dzhafarovi Remm,1967; dzhafarovi Callot,Kremer,Molet & Bach,1968* Cc AZ FR TR
1013. **Culicoides firuzae Dzhafarov,1958** (Ceratopogonidae) Synonym(s): *firuzae Dzhafarov,1958*
AZ Cc
1014. **Culicoides flavipulicaris Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *flavipulicaris Dzhafarov,1964* Cc AZ TR
1015. **Culicoides gejgelensis Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *gejgelensis Dzhafarov,1964* Cc AZ IL Pa TR
1016. **Culicoides ibericus Dzhafarov,1963** (Ceratopogonidae) Synonym(s): *ibericus Dzhafarov,1963*
AZ Cc
1017. **Culicoides longipennis Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis Khalaf,1957; flavisimilis Dzhafarov,1964* Cc AZ IL Pa IQ TR
1018. **Culicoides maritimus Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus Kieffer,1924; submaritimus Dzhafarov,1962* DE TR DE Cc AZ IL Pa
1019. **Culicoides saevanicus Dzhafarov,1960** (Ceratopogonidae) Synonym(s): *saevanicus Dzhafarov,1960* Cc AM IL Pa
1020. **Cyamophila astragalicola (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola Gegechkori,1977* Cc TR IR
1021. **Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae) Synonym(s): *lateralimarginalis De Geer,1774* TR Cc RU
1022. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria Fuessli,1775* DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
1023. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
1024. **Cymatia coleoprata (Fabricius,1777)** (Corixidae) Synonym(s): *coleoprata Fabricius,1777*
TR Cc
1025. **Cymatia rogenhoferi (Fieber,1864)** (Corixidae) Synonym(s): *rogenhoferi Fieber,1864* TR Cc
1026. **Cyphon arietizans Nyholm,1970** (Scirtidae) Synonym(s): *arietizans Nyholm,1970* TR IR Cc

1027. **Cyphon buceros Nyholm,1949** (Scirtidae) Synonym(s): *buceros Nyholm,1949* Cc TR
1028. **Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus Nyholm,1970* TR
GR Rd Cc IR IL Pa
1029. **Cyphon wittmeri Nyholm,1970** (Scirtidae) Synonym(s): *wittmeri Nyholm,1970* TR Cc
1030. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO
MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
1031. **Cyrtosus anceyi Abeille de Perrin,1869** (Melyridae) Synonym(s): *anceyi Abeille de Perrin,1869* AM Cc TR
1032. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis Zetterstedt,1838* TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE
GB US Ny YU
1033. **Dailognatha caraboides Solier,1835** (Tenebrionidae) Synonym(s): *caraboides Solier,1835; audouini Solier,1835; caucasica Desbrochers,1881* TR Cc BG SY IR
1034. **Dailognatha carceli Solier,1835** (Tenebrionidae) Synonym(s): *carceli Solier,1835* TR GR Cc
Cr
1035. **Dailognatha crenata Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *crenata Reiche & Sauley,1857* TR SY Cc
1036. **Dailognatha pumila Baudi,1874** (Tenebrionidae) Synonym(s): *pumila Baudi,1874; humeralis Desbrochers,1881* TR Cc AM
1037. **Dasyhelea abhazica Remm,1967** (Ceratopogonidae) Synonym(s): *abhazica Remm,1967* Cc
GG Abk
1038. **Dasyhelea alboverrucosa Remm,1967** (Ceratopogonidae) Synonym(s): *alboverrucosa Remm,1967* Cc AZ
1039. **Dasyhelea baculata Remm,1967** (Ceratopogonidae) Synonym(s): *baculata Remm,1967* Cc GG
1040. **Dasyhelea ermeri Remm,1967** (Ceratopogonidae) Synonym(s): *ermeri Remm,1967* Cc GG
1041. **Dasyhelea fulvosa Remm,1967** (Ceratopogonidae) Synonym(s): *fulvosa Remm,1967* AZ Cc
1042. **Dasyhelea fuscocincta Remm,1967** (Ceratopogonidae) Synonym(s): *fuscocincta Remm,1967*
AZ Cc
1043. **Dasyphora albofasciata (Macquart,1839)** (Muscidae) Synonym(s): *albofasciata Macquart,1839; aeneomicans Portschiński,1881* Cc AM Eri GG AZ TR
1044. **Dasyphora meridionalis Zimin,1951** (Muscidae) Synonym(s): *meridionalis Zimin,1951* AM
Cc TM
1045. **Dasyphora paraversicolor Zimin,1951** (Muscidae) Synonym(s): *paraversicolor Zimin,1951*
AM Cc Eri
1046. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata Egger,1865* MA DE
PL CZ SK CH AT HU Cc AM RU TR
1047. **Dasyphora pratorum (Meigen,1826)** (Muscidae) Synonym(s): *pratorum Meigen,1826* TR
GG AZ AM Cc
1048. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyßler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU
SK SS ES CH TR GB
1049. **Dasyopogon irinelae Weinberg,1986** (Asilidae) Synonym(s): *irinelae Weinberg,1986* Cc RU
TR AZ IR
1050. **Dasyopogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus Loew,1869; melanopterus Loew,1869* IR AZ Cc GR KG MN RO RU Sb TR
1051. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787; araratica Radoskovsky,1890; fastuosa Gribodo,1893* MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
1052. **Dasysyrphus albostriatus (Fallén,1817)** (Syrphidae) Synonym(s): *albostriatus Fallén,1817*
TR RU Ur Sb Cc KG MN JP
1053. **Dasytidius kubani Majer,1991** (Melyridae) Synonym(s): *kubani Majer,1991* AM Cc
1054. **Dasytidius nigripes (Pic,1894)** (Melyridae) Synonym(s): *nigripes Pic,1894* GR SY TR IR AZ Cc
1055. **Dasytidius sequensi (Reitter,1902)** (Melyridae) Synonym(s): *sequensi Reitter,1902* AM Cc
KG
1056. **Dasytiscus strejckorum Mayer,1996** (Melyridae) Synonym(s): *strejckorum Mayer,1996*
Cc AM Eri
1057. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG
KK MN KP KR JP AF IQ SY LB IL Pa SA CN
1058. **Deferunda lineola (Matsumura,1914)** (Achilidae) Synonym(s): *lineola Matsumura,1914* RU
Cc
1059. **Deleproctophylla dusmeti Navas,1914** (Ascalaphidae) Synonym(s): *dusmeti Navas,1914* ES
TR Cc AZ PK
1060. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata Klug,1834*
IL Pa TR Cc AM GG CY TM UZ KG

1061. **Delphax armeniacus Anufriev,1970** (Delphacidae) Synonym(s): *armeniacus Anufriev,1970* AM Cc
1062. **Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus Baudi,1876* TR IR TM Cc
1063. **Dendarus (Pandarinus) crenulatus (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *crenulatus Ménétriés,1832; dardanus Faldermann,1837; cribratus Waltl,1838* TR Cc AM
1064. **Dendarus (Pandarinus) punctatus Audinet-Serville,1825** (Tenebrionidae) Synonym(s): *punctatus Audinet-Serville,1825* TR Cc AM RU
1065. **Dendarus (Pandarinus) simplex Seidlitz,1893** (Tenebrionidae) Synonym(s): *simplex Seidlitz,1893* Cc AM SY
1066. **Denticollis parallelcollis Aubé,1850** (Elateridae) Synonym(s): *parallelcollis Aubé,1850* TR Cc GG RO
1067. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens Piller & Mitterpacher,1783* AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
1068. **Dentilla curtiventris (André,1901)** (Mutillidae) Synonym(s): *curtiventris André,1901* TR AM AZ Cc SY GR YU MK AL IT Si
1069. **Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica Sichel & Radoszkowski,1869* IR TR AZ AM Cc IL Pa GR
1070. **Dentilla ursina (Nagy,1972)** (Mutillidae) Synonym(s): *ursina Nagy,1972* TR AZ Cc
1071. **Deporaus betulae (Linnaeus,1758)** (Atelabidae) Synonym(s): *betulae Linnaeus,1758; populi Scopoli,1763; fagi Scopoli,1763; femoratus Olivier,1789; populneus Gmelin,1790; femoralis Latreille,1804* DE DZ BG FR GB Cc TR KG MK MN RU Sb
1072. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa Brisout,1848; acuminata Brisout,1850; charpentieri Fieber,1853; elevata Fieber,1853; rudis Walker,1971; turcicus Demirsoy,1977* TR ES FR GR BG RO IR Cc
1073. **Dericorys uvarovi Ramme,1930** (Acrididae) Synonym(s): *uvarovi Ramme,1930* TR Cc AM
1074. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus Steven,1808* PL AF TR Cc IN KK IR MN RU CN Ui
1075. **Dermestes (Dermestinus) gyllenhalii Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus Gyllenhal,1808 nec Fabr.,1775; gyllenhalii Castelnau,1840* Cc TR RU Sb IR KG
1076. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi Kalik,1950* AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
1077. **Dermestes (Dermestinus) leopardinus Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus Mulsant & Godart,1855* BG HV TR YU Cc UA RU
1078. **Dermestes (Montandonia) fuliginosus Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus Rossi,1792* TR Cc IR
1079. **Dermestes (Montandonia) olivieri Lepesme,1939** (Dermestidae) Synonym(s): *olivieri Lepesme,1939* Cc IR TR SY TM
1080. **Derocrepis caucasica Weise,1886** (Chrysomelidae) Synonym(s): *caucasica Weise,1886* Cc GG Tbl RU Da
1081. **Derocrepis laterufa Pic,1909** (Chrysomelidae) Synonym(s): *laterufa Pic,1909; obscuricolor Pic,1911* Cc TR GG
1082. **Derocrepis ossetica Heikertinger,1922** (Chrysomelidae) Synonym(s): *ossetica Heikertinger,1922* GG Cc RU
1083. **Derocrepis pubipennis Reitter,1882** (Chrysomelidae) Synonym(s): *pubipennis Reitter,1882* Cc AZ
1084. **Derocrepis rufipes (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes Linnaeus,1758; ruficornis Fabricius,1792; obscura Weise,1886; latithorax Pic,1911* IT TR Cc RU Sb Sj
1085. **Deronectes doriae Sharp,1882** (Dytiscidae) Synonym(s): *doriae Sharp,1882* TR Cc
1086. **Diadegma apostata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *apostata Gravenhorst,1829* Cc AM TR
1087. **Diaphorus disjunctus Loew,1857** (Dolichopodidae) Synonym(s): *disjunctus Loew,1857* GR RO RU Cc
1088. **Diaphorus hoffmannseggi Meigen,1830** (Dolichopodidae) Synonym(s): *hoffmannseggi Meigen,1830; tripilus Loew,1857* RU Cc IL Pa RO
1089. **Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans Meigen,1824; obscuripes Zetterstedt,1838; sokolovi Stackelberg,1928; consimilis Parent,1937* GG Cc GR IL Pa RO RU IN Ch
1090. **Diaphorus parenti Stackelberg,1928** (Dolichopodidae) Synonym(s): *parenti Stackelberg,1928* RU Cc Us
1091. **Diaphorus pilitibius Negrobov & Maslova,2005** (Dolichopodidae) Synonym(s): *pilitibius Negrobov & Maslova,2005* RU Cc
1092. **Diaphorus sublautus Negrobov,2007** (Dolichopodidae) Synonym(s): *sublautus Negrobov,2007* Cc AZ
1093. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ

1094. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 **TR Cc AM RU KG BG HU RO SK UA IL Pa**
1095. **Dibolia cryptocephala (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803 **TR Cc RU Sb KG**
1096. **Dibolia cynoglossi (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi* Koch,1803; *paludina* Foudras,1860; *marrubii* Hering,1924 **TR Cc AM**
1097. **Dibolia depressiuscula (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860 **TR Cc RU Sb MN KG**
1098. **Dibolia femoralis Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis* Redtenbacher,1849; *aurichalcea* Förster,1849; *erythrogaster* Allard,1861; *theresae* Pic,1909 **TR Cc GR Rd**
1099. **Dibolia foersteri Bach,1859** (Chrysomelidae) Synonym(s): *foersteri* Bach,1859; *buglossi* Foudras,1860; *foudrasi* Mulsant & Rey,1874 **GR Cc AM**
1100. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803; *menthae* Hering,1924 **TR Cc IR DZ MA Cn**
1101. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866 **TR HU Cc GG YU BG LB JO IL Pa**
1102. **Dibolia rugulosa Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa* Redtenbacher,1849 **AT TR Cc**
1103. **Dibolia schillingii (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847; *punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911 **TR Cc KG IT YU**
1104. **Dibolia tricolor Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor* Reitter,1899 **TR Cc AM**
1105. **Dibolia weisei Mohr,1981** (Chrysomelidae) Synonym(s): *weisei* Mohr,1981 **GG Cc**
1106. **Dibolia zangezurica Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica* Khnzorian,1968 **TR Cc AM IR**
1107. **Dicaelotus montanus (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus* Destefani,1886 **IT Si Cc TR**
1108. **Dichillus (Dichillocerus) araxidis Reitter,1916** (Tenebrionidae) Synonym(s): *araxidis* Reitter,1916 **TR Cc**
1109. **Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae) Synonym(s): *sericata* Meigen,1830 **TR Cc**
1110. **Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): *chorea* Meigen,1818 **TR DZ Cc**
1111. **Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae) Synonym(s): *mitis* Meigen,1830 **TR DZ Cc**
1112. **Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829 **TR Cc IR**
1113. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988 **IT Si PT ES RU Cc GG AM AZ TR IR**
1114. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri* Fieber,1866 **Cc AM TR KG RU TJ UA UZ**
1115. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens* Kirschbaum,1868; *carpathica* Horvath,1884 **AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA**
1116. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**
1117. **Dicranotropis zenata Logvinenko,1969** (Delphacidae) Synonym(s): *zenata* Logvinenko,1969 **Cc GG**
1118. **Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784 **GR TR Cc RU At**
1119. **Dicronychus decorus (Faldermann,1835)** (Elateridae) Synonym(s): *decorus* Faldermann,1835 **TR Cc AM AZ GG**
1120. **Dicronychus equiseti (Herbst,1784)** (Elateridae) Synonym(s): *equiseti* Herbst,1784 **GR TR Cc**
1121. **Dictyophara avocetta Oshanin,1879** (Dictyopharidae) Synonym(s): *avocetta* Oshanin,1879 **IR Cc AZ TJ**
1122. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#europaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 **Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
1123. **Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris* Walker,1851 **Cc PT ES GG KG KK TM UZ**
1124. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica* Germar,1830 **Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ**
1125. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879 **DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ**
1126. **Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 **TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG**

1127. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
1128. **Dioctria arcana Richter,1966** (Asilidae) Synonym(s): *arcana* Richter,1966 TR Cc AM RU
1129. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959 *Microgaster claritibia* Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY
1130. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
1131. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata* Desbrochers,1870 Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
1132. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
1133. **Diorhabda fischeri (Faldermann,1837)** (Chrysomelidae) Synonym(s): *fischeri* Faldermann,1837 TR Cc
1134. **Diorhabda nigrifrons Laboissiere,1914** (Chrysomelidae) Synonym(s): *nigrifrons* Laboissiere,1914 Cc
1135. **Diphyus mercatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *mercatorius* Fabricius,1793; *ponticus* Heinrich,1978 TR Cc AM IR
1136. **Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae) Synonym(s): *ochromelas* Gmelin,1790; *negatorius* Fabricius,1793 TR Cc KG RU Sb MN
1137. **Diphyus pseudomercator** (Ichneumonidae) Synonym(s): *hexaleucus* Heinrich,1978; *#caucasicus* Heinrich,1978 TR Cc AM
1138. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
1139. **Diplocolenus parcanicus Dlabola,1948** (Cicadellidae) Synonym(s): *parcanicus* Dlabola,1948 CS BG HU Cc GG RU YU
1140. **Diplocolenus rustavelicus Logvinenko,1971** (Cicadellidae) Synonym(s): *rustavelicus* Logvinenko,1971 Cc GG
1141. **Diplolepis fructuum (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum* Rübsaamen,1895 TR GG Tbl Cc UA Cm
1142. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
1143. **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921 RU AZ Kir Cc AM IR IS Mos SY TR
1144. **Ditropis pontica Logvinenko,1972** (Delphacidae) Synonym(s): *pontica* Logvinenko,1972 AZ Cc
1145. **Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis* Spinola,1839 Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
1146. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis* Eversmann,1848; *annulipes* Türk,1862 CZ HU RO TR Cc IR RU Sb KG MN
1147. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905 *Dociostaurus anatolicus* Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa IR Elb Th
1148. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatu*s Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 *Gryllus maroccanus* Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
1149. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893 TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
1150. **Dolichogenidea anarsiae (Faure & Alabouvetle,1924)** (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle,1924 *Apanteles anarsiae* Faure & Alabouvetle,1924, Revue Zool. Agri. Appl. 23: 283. TR Cc AZ GG FR IT RO HU
1151. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938 *Apanteles coleophorae* Wilkinson,1938, Proc. ent. Soc. Lond. (B) 7: 225. TR Cc AZ AT RU FI SE CZ GB
1152. **Dolichogenidea infimus (Haliday,1834)** (Braconidae) Synonym(s): *infimus* Haliday,1834 *Microgaster infimus* Haliday,1834, Entomologist's mon. Mag. 2: 243. TR Cc AZ LT KG RU Sb

1153. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis Reinhard,1880* **Apanteles longipalpis Reinhard,1880, Dt. ent. Z. 24: 365. TR DE CN Cc AM RU TJ**
1154. **Dolichopus annulipes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *annulipes Zetterstedt,1838; stenhammari Zetterstedt,1843* **RU Cc Ya Us**
1155. **Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): *arbustorum Stannius,1831* **RO Cc GG RU UA**
1156. **Dolichopus armeniacus Stackelberg,1926** (Dolichopodidae) Synonym(s): *armeniacus Stackelberg,1926* **AM Cc**
1157. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus Macquart,1827; macquarti Parent,1926; pseudocilifemoratus Stackelberg,1930* **Cc AZ AM GG RO RU UA Cm TR KG At Us Sh**
1158. **Dolichopus ciscaucasicus Stackelberg,1927** (Dolichopodidae) Synonym(s): *ciscaucasicus Stackelberg,1927* **RU Cc**
1159. **Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): *claviger Stannius,1831* **RO RU Cc At Us UA Cm To**
1160. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus Loew,1859* **Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ**
1161. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859* **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**
1162. **Dolichopus kiritshenkoi Stackelberg,1927** (Dolichopodidae) Synonym(s): *kiritshenkoi Stackelberg,1927* **Cc GG**
1163. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus Macquart,1827; vulgaris Stannius,1831* **Cc AZ GG BG RO RU Ur UA TR KG MN UZ**
1164. **Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus Loew,1871* **GG Cc AM IL Pa TR TJ KG**
1165. **Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes Meigen,1824; cysneus Meigen,1824; fastuosus Haliday,1832; plebejus Zetterstedt,1838* **RO RU Cc TR At KG**
1166. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824* **Cc GG BG GR RO RU UA TR CN MX**
1167. **Dolichopus plumitarsis Fallén,1823** (Dolichopodidae) Synonym(s): *plumitarsis Fallén,1823* **Cc RU Sb Als CA On**
1168. **Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis Wiedemann,1817* **BG GG Cc RO UA RU**
1169. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus Haliday,1838; pictus Staeger,1842* **Cc GG BG GR Cr IL Pa RO RU TR TZ**
1170. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* **Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ**
1171. **Dolichopoda (s.str.) euxina Semenov,1901** (Raphidophoridae) Synonym(s): *euxina Semenov,1901* **TR Cc**
1172. **Doratura caucasica Melichar,1913** (Cicadellidae) Synonym(s): *caucasica Melichar,1913* **Cc AM GG**
1173. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* **AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU**
1174. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
1175. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
1176. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* **CN Ui IR Cc AM GG TR KG RU TM UA UZ**
1177. **Dorcadion (Cribridorcadion) glaucum Faldermann,1837** (Cerambycidae) Synonym(s): *glaucum Faldermann,1837* **AM Cc IR Elb Kdv Tbz Ak**
1178. **Dorcadion (Cribridorcadion) talyschense Ganglbauer,1883** (Cerambycidae) Synonym(s): *talyschense Ganglbauer,1883; posticeinterruptum Pic,1900; morgani Pic,1905* **AZ Cc IR**
1179. **Dorcus parallelipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelipedus Linnaeus,1758* **TR Cc IR Gh Mz Elb Kh KG**
1180. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura Collin,1936* **B-H RO BG TR GG Cc Soc**
1181. **Drymeia caucasica (Schnabl & Dziedzicki,1911)** (Muscidae) Synonym(s): *caucasica Schnabl & Dziedzicki,1911* **Cc RU MN**
1182. **Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata Stein,1916* **Cc AM Eri AT IT BG TR GG**
1183. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus Herrich-Schäffer,1834* **AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR**

1184. **Duilius fasciata** Howarth,1894 (Cixiidae) Synonym(s): *fasciata* Howarth,1894 AF Cc AM AZ
KG RU Da TJ
1185. **Duilius modesta** Horwarth,1894 (Cixiidae) Synonym(s): *modesta* Horwarth,1894 Cc AM
1186. **Duilius viridissima** Dlabola,1960 (Cixiidae) Synonym(s): *viridissima* Dlabola,1960 Cc AZ
1187. **Dysmachus bilobus** Loew,1871 (Asilidae) Synonym(s): *bilobus* Loew,1871 YU RO Cc RU BG TR
IR UA AZ AM GG
1188. **Dysmachus dasyproctus** Loew,1871 (Asilidae) Synonym(s): *dasyproctus* Loew,1871 RO Cc
RU GR TR IR Es AZ GG AM
1189. **Dysmachus fuscipennis** (Meigen,1820) (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 TR
IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG
1190. **Dysmachus stylifer** (Loew,1854) (Asilidae) Synonym(s): *stylifer* Loew,1854 AT AL BG CZ DE
FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
1191. **Dysmachus transcausicus** Richter,1962 (Asilidae) Synonym(s): *transcausicus*
Richter,1962 Cc AM RU TR
1192. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 AL AT BG
S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
1193. **Ebarrius intertinctus** (Fieber,1869) (Cicadellidae) Synonym(s): *intertinctus* Fieber,1869 AT
FR HU IT MN PL SW Cc GG YU
1194. **Edwardsiana flavescens** (Fabricius,1794) (Cicadellidae) Synonym(s): *flavescens*
Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936 AT BG CS FR DE GB HU NL PL RO
SE Cc GG TR MD RU UA
1195. **Edwardsiana frustrator** (Edwards,1908) (Cicadellidae) Synonym(s): *frustrator*
Edwards,1908; *solearis* Ribaut,1931 CS DK FI FR DE GB NL PL SE SW Cc GG UA CA
1196. **Edwardsiana lethierryi** (Edwards,1881) (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881;
chromata Rey,1894; *plurispinosa* Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW
TR Cc GG MD UA YU
1197. **Edwardsiana pseudoplatani** Logvinenko,1966 (Cicadellidae) Synonym(s): *pseudoplatani*
Logvinenko,1966 RU Cc
1198. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758;
laetifica Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT SI
JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
1199. **Edwardsiana sociabilis** (Ossiannilsson,1936) (Cicadellidae) Synonym(s): *sociabilis*
Ossiannilsson,1936 CS FI DE PL SE Cc GG
1200. **Edwardsiana spinigera** (Edwards,1924) (Cicadellidae) Synonym(s): *spinigera* Edwards,1924
AT BG CS FR DE GB NL PL TR GG Cc YU
1201. **Edwardsiana trigonometrica** Logvinenko,1966 (Cicadellidae) Synonym(s): *trigonometrica*
Logvinenko,1966 RU Cc
1202. **Edwardsiana tshinari** Zachvatkin,1947 (Cicadellidae) Synonym(s): *tshinari* Zachvatkin,1947
IL Pa Cc CY TR GG MD UZ
1203. **Eginia ocypterata** (Meigen,1826) (Muscidae) Synonym(s): *ocypterata* Meigen,1826 DE PL CZ
SK AT HU Cc
1204. **Elachertus azerbaijanicus** (Boucek,1971) (Eulophidae) Synonym(s): *azerbaidzhanicus*
Boucek,1971 AZ Cc RU AZ Cc
1205. **Elachertus pulcher** (Erdős,1961) (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc
HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
1206. **Elampus bidens** (Förster,1853) (Chrysididae) Synonym(s): *bidens* Förster,1853 PL IT RU Sb
TR Cc
1207. **Elasmus nudus** (Nees,1834) (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis*
Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
1208. **Elasmus platydrae** Ferrière,1935 (Eulophidae) Synonym(s): *platydrae* Ferrière,1935;
elongatus Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US
Tx YE YU
1209. **Elasmus unicolor** (Rondani,1877) (Eulophidae) Synonym(s): *unicolor* Rondani,1877;
fumipennis Thomson,1878; *vibicellae* Ferrière,1947 TR Cc BG CZ DE HU IT MD SK ES SE
1210. **Elater ferrugineus** Linnaeus,1758 (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR
Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
1211. **Elathous buyssoni** Reitter,1890 (Elateridae) Synonym(s): *buyssoni* Reitter,1890 TR Az Len
Cc
1212. **Elodes eberti** Klausnitzer,1970 (Scirtidae) Synonym(s): *eberti* Klausnitzer,1970 TJ IR Cc TR
1213. **Eloeophila maculata** (Meigen,1804) (Limoniidae) Synonym(s): *maculata* Meigen,1804 TR
Cc
1214. **Emblethis bullatus** Fieber,1861 (Lygaeidae) Synonym(s): *bullatus* Fieber,1861 TR Cc
1215. **Emblethis denticollis** Hovarth,1878 (Lygaeidae) Synonym(s): *denticollis* Hovarth,1878 TR
Cc TJ
1216. **Emblethis griseus** (Wolff,1802) (Lygaeidae) Synonym(s): *griseus* Wolff,1802 IL Pa TR Cc SY
1217. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae) Synonym(s): *verbasci* Fabricius,1803 GB
IL Pa Cc C TR LB CN Ti Ui

- 1218. Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
- 1219. Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
- 1220. Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
- 1221. Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
- 1222. Engelepogon cingulifer (Becker,1913)** (Asilidae) Synonym(s): *cingulifer* Becker,1913 **IR Ss Kd AZ Cc Kc**
- 1223. Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus,1758; *merdarius* Gravenhorst,1829 **TR Cc RU Sb Us Sh**
- 1224. Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 **AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR**
- 1225. Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemii* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzoneræ* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
- 1226. Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdös,1944; *lixi* Erdös,1951; *mecini* Askew,1992 **TR AT BG HV CZ FR GG Cc DE GR HU**
- 1227. Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus* Erdös,1944 **TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA**
- 1228. Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis* Weise,1882 **BG AZ Cc TR GG IQ IR CN**
- 1229. Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea* Pallas,1773; *sirdariensis* Radoszkowski,1889 **AM Cc IR TM Kp TR KK KG Uk RU Da**
- 1230. Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
- 1231. Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 **CH ES IT DE FR AT HU GR Cc TR**
- 1232. Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 **AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU**
- 1233. Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840 **TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG**
- 1234. Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771 **BG TR Cc RU UZ KG CN Ui**
- 1235. Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternana* Macquart,1842 **TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn**
- 1236. Epithalassius caucasicus Becker,1918** (Dolichopodidae) Synonym(s): *caucasicus* Becker,1918 **BG Cc GG**
- 1237. Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874 **TR IQ IR Cc KG**
- 1238. Epitrix atropae Foudras,1860** (Chrysomelidae) Synonym(s): *atropae* Foudras,1860 **DZ TR Cc**
- 1239. Epitrix caucasica (Heitertinger,1950)** (Chrysomelidae) Synonym(s): *caucasica* Heitertinger,1950 **TR Cc IR RU KG IN**
- 1240. Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia* Foudras,1860 **TR ES IT SK UA HU YU Cc**
- 1241. Epitrix ogloblini (Khnzorian,1960)** (Chrysomelidae) Synonym(s): *ogloblini* Khnzorian,1960 **AM Cc**
- 1242. Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903 **Cc AZ Len TR KK Az KG IR RU Sb**
- 1243. Eremippus aserbeidshanicus Ramme,1951** (Acrididae) Synonym(s): *aserbeidshanicus* Ramme,1951 **Cc AZ**

1244. **Eremippus costatus** Tarbinsky,1927 (Acrididae) Synonym(s): *costatus* Tarbinsky,1927 **RU**
Ce
1245. **Eremippus mirami** Tarbinsky,1927 (Acrididae) Synonym(s): *mirami* Tarbinsky,1927;
miramae Bei-Bienko & Mishtchenko,1951 **Ce RU**
1246. **Eremisca shahgudiani** Abbasian-Lintzen,1964 (Asilidae) Synonym(s): *shahgudiani*
Abbasian-Lintzen,1964; *araratica* Richter,1966 **IR Kz AZ AM Ce**
1247. **Eremotylus marginatus** (Jurine,1807) (Ichneumonidae) Synonym(s): *marginatus*
Jurine,1807 **Ce TR**
1248. **Eristalinus (Eristalodes) taeniops** (Wiedemann,1818) (Syrphidae) Synonym(s): *taeniops*
Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Ce ZA NP PK**
IN
1249. **Eristalis transcaucasica** Kuznetsov,1994 (Syrphidae) Synonym(s): *transcaucasica*
Kuznetsov,1994 **AM Ce**
1250. **Erythria (s.str.) manderstjernii** (Kirschbaum,1868) (Cicadellidae) Synonym(s):
manderstjernii Kirschbaum,1868; *dilatatus* Fieber,1872 **AT BE CS FR DE IT PL RO SW AZ Ce UA**
1251. **Euchalcis miegii** Dufour,1861 (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor*
Sichel,1866 **ES AL AM Ce DZ TN GR IL Pa IT Sa JO TR KK**
1252. **Euchalcis unicolor** (Lucas,1871) (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda*
Bouceck,1952 **DZ AM Ce ES IL Pa TR**
1253. **Eucharis adscendens** (Fabricius,1787) (Eucharitidae) Synonym(s): *adscendens*
Fabricius,1787; *kollari* Föster,1859 **AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Ce SK UA GB YU Sb TR**
IR Ak Mrd
1254. **Eucharis carinifera** Gussakovsky,1940 (Eucharitidae) Synonym(s): *carinifera*
Gussakovsky,1940 **KG AM Ce UA UZ YU IR**
1255. **Eucharis reticulata** Ruschka,1924 (Eucharitidae) Synonym(s): *reticulata* Ruschka,1924 **Ce**
TR RO HU
1256. **Euconomelus lepidus** (Boheman,1847) (Delphacidae) Synonym(s): *limbata* Fabricius,1794
(*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 **Ce AT BL BG CZ DK FI FR DE GB HU IE IT MN NL**
NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
1257. **Eudasyphora zimini** (Hennig,1963) (Muscidae) Synonym(s): *zimini* Hennig,1963 **DE PL CZ**
SK CH AT HU Ce AM Eri GG
1258. **Euides caspiana** (Dlabola,1961) (Delphacidae) Synonym(s): *caspiana* Dlabola,1961 **RU Da Ce**
TR
1259. **Euides speciosa** (Boheman,1845) (Delphacidae) Synonym(s): *speciosa* Boheman,1845;
asiracoides Forel,1858; *obscura* Metcalf,1943 **AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Ce EE KG**
RU UA YU
1260. **Euleia heraclei** (Linnaeus,1758) (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758;
onopordinis Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR**
IR Ab AF AZ EE GG Ce CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
1261. **Euoniticellus fulvus** (Goeze,1777) (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 **RU Ce Ur**
Sb MD UA Cm GG KG KK TM UZ TJ
1262. **Euoniticellus pallipes** (Fabricius,1781) (Scarabaeidae) Synonym(s): *pallipes* Fabricius,1781
RU Ce IL Pa TM TJ
1263. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775;
porrecta Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838;
producta Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ**
AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ
EE GG Ce KG KK LV MD RU Sb TJ UA UZ YU IR
1264. **Eupeodes corollae** (Fabricius,1794) (Syrphidae) Synonym(s): *corollae* Fabricius,1794 **TR RU**
Ur Sb KG Ce IR MN CN DZ AU
1265. **Eupeodes latifasciatus** (Macquart,1829) (Syrphidae) Synonym(s): *latifasciatus*
Macquart,1829 **FR RU Ur Sb Ce KG SY AF MN US**
1266. **Eupteryx adspersa** (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *adspersa* Herrich-
Schäffer,1838; *gallica* Wagner,1939 **AT BG TR CS DK FR DE GB HU IT NL PL AM Ce KG MD RU UA**
1267. **Eupteryx assectator** Logvinenko,1966 (Cicadellidae) Synonym(s): *assectator*
Logvinenko,1966 **RU Ce**
1268. **Eupteryx atropunctata** (Goeze,1778) (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778;
nigropunctata Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta*
Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata*
Cerutti,1939 **AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Ce LV RU MD YU**
1269. **Eupteryx aurata** (Linnaeus,1758) (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva*
Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 **AT BE BG CS**
DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Ce TR IR LV MD RU UA YU
1270. **Eupteryx collina** (Flor,1861) (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936
AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Ce TR LV MD RU TJ UA UZ YU CA
1271. **Eupteryx formaster** Logvinenko,1966 (Cicadellidae) Synonym(s): *formaster* Logvinenko,1966
RU Ce

1272. **Eupteryx melissae** Curtis,1837 (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
1273. **Eupteryx praestabilis** Logvinenko,1966 (Cicadellidae) Synonym(s): *praestabilis* Logvinenko,1966 RU Cc
1274. **Eupteryx stachydearum** (Hardy,1850) (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
1275. **Eupteryx thoulessi** Edwards,1926 (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
1276. **Eupteryx zelleri** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936 AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
1277. **Eurhadina saageri** Wagner,1937 (Cicadellidae) Synonym(s): *saageri* Wagner,1937 AT CS DE PL Cc GG
1278. **Eurybregma sparsa** Logvinenko,1970 (Delphacidae) Synonym(s): *sparsa* Logvinenko,1970 AZ Cc
1279. **Eurysa lineata** (Perris,1857) (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
1280. **Eurytoma amygdali** Enderlein,1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
1281. **Eurytoma aspila** (Walker,1836) (Eurytomidae) Synonym(s): *aspila* Walker,1836 TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
1282. **Eurytoma rosae** Nees,1834 (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
1283. **Eurytoma schreineri** Schreiner,1908 (Eurytomidae) Synonym(s): *schreineri* Schreiner,1908 TR AM GG Cc GR MD RO RU Ao Da UA
1284. **Euscelidius schenkii** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
1285. **Euscelidius variegatus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
1286. **Euscelis caucasicus** Emeljanov,1962 (Cicadellidae) Synonym(s): *caucasicus* Emeljanov,1962 GG Cc
1287. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
1288. **Euscelis lineolatus** Brullé,1832 (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
1289. **Eutolmus parricida** (Loew,1848) (Asilidae) Synonym(s): *parricida* Loew,1848 TR AF IR Elb Mz Cc GG AM AZ
1290. **Euxesta pechumani** Curran,1938 (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 HU UA US BG GR Cc TM IL Pa
1291. **Euzonitis rubida** (Ménétriés,1832) (Meloidae) Synonym(s): *rubida* Ménétriés,1832 TR Cc GR TM
1292. **Evacanthus acuminatus** (Fabricius,1794) (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
1293. **Evacanthus interruptus** (Linnaeus,1758) (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
1294. **Exetastes illusor** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829 TR Cc KG RU Sb
1295. **Exetastes laevigator** (Villers,1789) (Ichneumonidae) Synonym(s): *laevigator* Villers,1789 TR RU At Cc CN
1296. **Exochus albicinctus** Holmgren,1873 (Ichneumonidae) Synonym(s): *albicinctus* Holmgren,1873 TR Cc AM MN
1297. **Exopristus trigonomerus** (Masi,1916) (Torymidae) Synonym(s): *trigonomerus* Masi,1916 B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru

1298. **Exyston montanus Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus* Kerrich,1975 ES
CH TR Cc KK
1299. **Exyston subnitidus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subnitidus*
Gravenhorst,1829; *phaeorrhaeus* Haliday,1838 TR RU Da Cc
1300. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-
Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE
SW GG Cc MD UA YU
1301. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
1302. **Fallacia elegans (Faldermann,1837)** (Cerambycidae) Synonym(s): *elegans* Faldermann,1837
Cc AM AZ TR IR
1303. **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761 Cc
TR AM GG IR
1304. **Fannia lepida (Wiedemann,1817)** (Fanniidae) Synonym(s): *lepida* Wiedemann,1817; *mutica*
Zetterstedt,1845 FI Cc AM Eri GG Ch
1305. **Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): *serena* Fallén,1825 YU BG AM Cc Eri
GG TR
1306. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR
DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
1307. **Fieberiella lugubris Emeljanov,1964** (Cicadellidae) Synonym(s): *lugubris* Emeljanov,1964
Cc RU
1308. **Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai* Linnavuori,1962
IL Pa TR Cc GG CN Mc DE PL RO RU
1309. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis*
Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
1310. **Filiptschenkia sargoides Pleske,1926** (Stratiomyidae) Synonym(s): *sargoides* Pleske,1926
Cc GG RU
1311. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis*
Audinet-Serville,1839 TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
1312. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata*
Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
1313. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891;
picta Melichar,1896 FR IT LY TR Cc GG YU IR
1314. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775;
okinawanus Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW
TR Cc GG KG MD RU Sb UA UZ YU
1315. **Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni*
Linnaeus,1758 TR Cc IR CN KG KP KR RU Sb MN DZ CA
1316. **Gastrophysa viridula (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775;
caucasica Jolivet,1951 RU KG Cc TR CA
1317. **Gelis instabilis (Förster,1851)** (Ichneumonidae) Synonym(s): *instabilis* Förster,1851 TR Cc
RU Sb
1318. **Geron asiaticus Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967; *paramonovi*
Greathead,2001 AM Cc UA TJ UZ
1319. **Geron auratus Zaitzev,1962** (Bombyliidae) Synonym(s): *auratus* Zaitzev,1962 AM AZ GG Cc
1320. **Geron canescens Zaitzev,1962** (Bombyliidae) Synonym(s): *canescens* Zaitzev,1962 AM AZ GG
Cc
1321. **Geron griseus Zaitzev,1962** (Bombyliidae) Synonym(s): *griseus* Zaitzev,1962 LB AZ AM GG Cc
1322. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972 AM AZ GG Cc CN
IR KG KK TJ UZ TR
1323. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ
YU
1324. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc
AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
1325. **Gerris caucasicus Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982 AM
GG Cc IQ IR TR RU AZ
1326. **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946 AZ AM
Cc GG IR TR IL Pa SY
1327. **Giraudia gyratoria (Thunberg,1824)** (Ichneumonidae) Synonym(s): *gyratoria*
Thunberg,1824; *congruens* Gravenhorst,1829 TR Cc
1328. **Glaphyrus calvaster Zaitzev,1923** (Glaphyridae) Synonym(s): *calvaster* Zaitzev,1923 Cc AM
1329. **Glaphyrus caucasicus Kraatz,1882** (Glaphyridae) Synonym(s): *caucasicus* Kraatz,1882 Cc
1330. **Glaphyrus micans Faldermann,1835** (Glaphyridae) Synonym(s): *micans* Faldermann,1835;
persicus Pic,1947; *purpureus* Pic,1947; *euphraticus* Mitter,1990 Cc AM TR IR
1331. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856 AT HV CZ
FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR

1332. **Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus Haliday,1834*
Microgaster callidus Haliday,1834, *Entomologist's mon. Mag. 2: 248*. DE AT GB Cc AM GG HU TR
1333. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor Thunberg,1822*
TR Cc UA Cm RO RU
1334. **Glyptomorpha kasparyani Tobias,1976** (Braconidae) Synonym(s): *kasparyani Tobias,1976*
TR Cc AZ
1335. **Glyptomorpha nachitshevanica Tobias,1975** (Braconidae) Synonym(s): *nachitshevanica*
Tobias,1975 AZ Cc Nv
1336. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832*
TR MY Bor ID PK IN CN Cc TR RU MN KG
1337. **Glyptomorpha telugosa (Shenefelt,1978)** (Braconidae) Synonym(s): *telugosa Shenefelt,1978*
Cc AM
1338. **Gnorimus armeniacus Reitter,1887** (Scarabaeidae) Synonym(s): *armeniacus Reitter,1887*
TM Cc TR IL Pa
1339. **Gnorimus bartelsi Faldermann,1836** (Scarabaeidae) Synonym(s): *bartelsi Faldermann,1836*
TM Cc AM
1340. **Gnorimus subcostatus Ménétriés,1832** (Scarabaeidae) Synonym(s): *subcostatus*
Ménétriés,1832; *cupreus Kraatz,1895* Cc AZ IR
1341. **Gomphocerus armeniacus (Uvarov,1931)** (Acrididae) Synonym(s): *armeniacus Uvarov,1931*
AM Cc
1342. **Gomphocerus dispar Fischer von Waldheim,1846** (Acrididae) Synonym(s): *dispar Fischer*
von Waldheim,1846 RU Cc
1343. **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825*
TR SY Hom Dms Cc IR RU Sb
1344. **Gomphus schneideri Selys,1850** (Gomphidae) Synonym(s): *schneideri Selys,1850* TR Cc GG
RU
1345. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-*
Schäffer,1835; *annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES
SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
1346. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis*
Kirschbaum,1868; *putoni Lethierry,1874*; *laminatus Ivanoff,1885*; *ferganensis Kusnezov,1929* AF DZ ES Cn
CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
1347. **Goniagnathus maculatus Emeljanov,1962** (Cicadellidae) Synonym(s): *maculatus*
Emeljanov,1962 IR Cc AZ GG
1348. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887*
DZ EG IL Pa TR LY MA AZ Cc RU Da
1349. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata*
Brüggemann,1873; *sexpunctata Joakimov,1904* TR SY RO PL YU UA RU Cc
1350. **Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniidae) Synonym(s): *conoviensis*
Barnes,1924 TR DZ Cc
1351. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835*;
nigritarsis Sahlberg,1882; *hopffgarteni Schilsky,1892*; *pervasus Gozis,1914*; *narentinus Zimmermann,1915*
AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
1352. **Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta Boie,1836* TR
AZ Cc KG UZ TJ
1353. **Greniera nairica Terteryan,1972** (Simuliidae) Synonym(s): *nairica Terteryan,1972* Cc AM
1354. **Gymnomus caucasicus Woznica,2006** (Heleomyzidae) Synonym(s): *caucasicus*
Woznica,2006 Cc RU Kc Teb
1355. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus*
Fabricius,1787; *coriarius Herbst,1789*; *serratus Fischer von Waldheim,1821*; *asperatus Mulsant,1842*;
caliginosus Balthasar,1934 RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
1356. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785*;
cantharus Illiger,1803 RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
1357. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU
UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
1358. **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf,1947*;
verbekei Mesnil,1952 RU Cc CY IL Pa TR
1359. **Gymnosoma desertorum (Rohdendorf,1947)** (Tachinidae) Synonym(s): *desertorum*
Rohdendorf,1947; *plesiomorpha Zimin,1966* RU Cc PL MN
1360. **Habropogon doriae Rondani,1873** (Asilidae) Synonym(s): *doriae Rondani,1873* IR AZ Cc
1361. **Haematobosca atripalpis (Bezzi,1895)** (Muscidae) Synonym(s): *atripalpis Bezzi,1895* TR
AM Cc
1362. **Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans Meigen,1824*
AM Cc Eri GG TR IN NP
1363. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens Loew,1871*; *obscura*
Bigot,1880; *obscurata Bigot,1891*; *caucasica Kröber,1922*; *araxis Szilady,1923* RO RU MD UA TR Cc GG AM
AZ KG IQ IR AF UZ

1364. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
1365. **Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): *bejbienkoi* Dlabola,1959 Cc GG KG RU UA
1366. **Handianus caucasicus Logvinenko,1967** (Cicadellidae) Synonym(s): *caucasicus* Logvinenko,1967 Cc GG
1367. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
1368. **Haplothrix armeniaca (Kiesenwetter,1878)** (Melyridae) Synonym(s): *armeniaca* Kiesenwetter,1878 AM Cc
1369. **Haplothrix ruficollis (Reitter,1889)** (Melyridae) Synonym(s): *ruficollis* Reitter,1889 AM GG Cc
1370. **Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): *alpina* Wagner,1955 AF RO TR Cc AM GG
1371. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946 AF BG RO TR Cc AM GG YU IR
1372. **Hardya ribauti Linnavuori,1953** (Cicadellidae) Synonym(s): *ribauti* Linnavuori,1953 RU Cc TM
1373. **Hardya sevanensis Zachvatkin,1946** (Cicadellidae) Synonym(s): *sevanensis* Zachvatkin,1946 MN Cc AM GG
1374. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
1375. **Hardya turanica Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica* Zachvatkin,1946 Cc AZ KG KK UZ
1376. **Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
1377. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
1378. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957 TR Cc AM KG RU UA IR
1379. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
1380. **Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): *fumosa* Meigen,1826 TR AM Cc Eri
1381. **Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826 AM Cc Eri TR MM CN
1382. **Hebecnema vespertina (Fallén,1823)** (Muscidae) Synonym(s): *vespertina* Fallén,1823; *affinis* Malloch,1921 AM Cc Eri
1383. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
1384. **Heleomyza modesta (Meigen,1838)** (Heleomyzidae) Synonym(s): *modesta* Meigen,1838 TR Cc
1385. **Helina arctata Collin,1953** (Muscidae) Synonym(s): *arctata* Collin,1953 AM Cc UA
1386. **Helina evecta (Harris,1780)** (Muscidae) Synonym(s): *evecta* Harris,1780 AM Cc Eri GG LK
1387. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924 FR Co DE PL CZ SK CH AT HU TR Cc AM RU
1388. **Helina maculipennis (Zetterstedt,1845)** (Muscidae) Synonym(s): *maculipennis* Zetterstedt,1845 AM Cc Eri
1389. **Helina reversio (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780 AM Cc Eri AZ TR
1390. **Helina tetrastigma (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826 IL Pa AM Cc TR
1391. **Heliocoris vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874 DZ RU ES LY TN Cc IR TR
1392. **Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus* Lackschewitz,1928 TR ES GB GG Cc AM AZ IR
1393. **Helladia armeniaca Frivaldsky,1878** (Cerambycidae) Synonym(s): *armeniaca* Frivaldsky,1878 TR AM Cc
1394. **Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata* Faldermann,1837 AM Cc IR TR

1395. **Helladia millefolii** (Adams,1817) (Cerambycidae) Synonym(s): *millefolii* Adams,1817 **UA Cm**
Ce TR IR CY
1396. **Helladia plasoni** Ganglbauer,1884 (Cerambycidae) Synonym(s): *plasoni* Ganglbauer,1884
TR Ce IR
1397. **Helladia praetextata** (Steven,1817) (Cerambycidae) Synonym(s): *praetextata* Steven,1817
BG RO TR UA Cm Ce AM SY
1398. **Helladia pretiosa** (Faldermann,1837) (Cerambycidae) Synonym(s): *pretiosa*
Faldermann,1837 **AM Ce AZ IR TR**
1399. **Helophorus abeillei** Guillebeau,1896 (Helophoridae) Synonym(s): *abeillei* Guillebeau,1896
SY LB AM Ce IR TR
1400. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae) Synonym(s): *aquaticus*
Linnaeus,1758 **TR Ce GG ES DE DK GB SE FI RU IR**
1401. **Helophorus armeniacus** Ganglbauer,1901 (Helophoridae) Synonym(s): *armeniacus*
Ganglbauer,1901 **AM Ce TR**
1402. **Helophorus brevipalpis** Bedel,1881 (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881 **TR**
Ce US DZ DK SE RU Ur FI LB SY IL Pa IR TR
1403. **Helophorus discrepans** Rey,1885 (Helophoridae) Synonym(s): *discrepans* Rey,1885 **Ce RU**
FI IR TR DE PL GR
1404. **Helophorus dorsalis** (Marsham,1802) (Helophoridae) Synonym(s): *dorsalis* Marsham,1802
GB FR DE AT UA Ce SE GB TR
1405. **Helophorus faustianus** Sharp,1916 (Helophoridae) Synonym(s): *faustianus* Sharp,1916 **TR**
Ce
1406. **Helophorus glacialis** Villa,1883 (Helophoridae) Synonym(s): *glacialis* Villa,1883 **Ce SE FI**
DK ES TR
1407. **Helophorus griseus** Herbst,1793 (Helophoridae) Synonym(s): *griseus* Herbst,1793 **GB FR ES**
SE FI DK Ce TR
1408. **Helophorus guttulus** Motschoulsky,1860 (Helophoridae) Synonym(s): *guttulus*
Motschoulsky,1860 **Ce TR**
1409. **Helophorus hilaris** Sharp,1916 (Helophoridae) Synonym(s): *hilaris* Sharp,1916 **Ce IR AZ TR**
LB
1410. **Helophorus lapponicus** Thomson,1854 (Helophoridae) Synonym(s): *lapponicus*
Thomson,1854 **DK SE FI RU ES Ce LB IL Pa IR TR**
1411. **Helophorus maculatus** Motschoulsky,1860 (Helophoridae) Synonym(s): *maculatus*
Motschoulsky,1860 **AM AZ Ce IR TR**
1412. **Helophorus micans** Falderman,1835 (Helophoridae) Synonym(s): *micans* Falderman,1835
TR Ce GG IL Pa PK
1413. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae) Synonym(s): *montenegrinus*
Kuwert,1885 **YU Ce AT IT TR**
1414. **Helophorus nanus** Sturm,1836 (Helophoridae) Synonym(s): *nanus* Sturm,1836 **RU Sb Ce TR**
1415. **Helophorus syriacus** Kuwert,1885 (Helophoridae) Synonym(s): *syriacus* Kuwert,1885 **TR**
SY SA IR Ce TM KG
1416. **Helophorus terminassianae** Angus,1984 (Helophoridae) Synonym(s): *terminassianae*
Angus,1984 **RU AM Ce TR**
1417. **Hemicrepidius hirtus** (Herbst,1784) (Elateridae) Synonym(s): *hirtus* Herbst,1784 **SK TR Ce**
1418. **Hemicrepidius niger** (Linnaeus,1758) (Elateridae) Synonym(s): *niger* Linnaeus,1758 **TR AL**
AZ Ce BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK
1419. **Hemicrepidius nigrutilus** (Reitter,1890) (Elateridae) Synonym(s): *nigrutilus* Reitter,1890
TR Ce AZ
1420. **Hemicrepidius schneideri** (Kiesenwetter,1877) (Elateridae) Synonym(s): *schneideri*
Kiesenwetter,1877 **TR Ce AM**
1421. **Hemicrepidius vulpeculus** (Reitter,1890) (Elateridae) Synonym(s): *vulpeculus* Reitter,1890
TR Ce GG AM
1422. **Hemipenthes caucasica** Zaitzev,1966 (Bombyliidae) Synonym(s): *caucasica* Zaitzev,1966 **Ce**
AZ AM GG IR
1423. **Hemipenthes exoprosopoides** Paramonov,1928 (Bombyliidae) Synonym(s):
exoprosopoides Paramonov,1928 **Ce AM AZ CN Sz IR IL Pa KK TJ TM UZ**
1424. **Hemipenthes hamifera** (Loew,1854) (Bombyliidae) Synonym(s): *hamifera* Loew,1854 **RU**
Sb Ce AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
1425. **Hemipenthes maurus** (Linnaeus,1758) (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758;
denigrata Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata*
Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 **AF Ce AM AZ GG BY BE BG B-H CN Ui**
HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
1426. **Hemipenthes mischanensis** Paramonov,1927 (Bombyliidae) Synonym(s): *mischanensis*
Paramonov,1927 **Ce AM**
1427. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae) Synonym(s): *morio* Linnaeus,1758;
semiatra Meigen,1820; *morioides* Say,1823 **IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Ce IR AL HV CY**
GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz CF NMx CA TH CN Ui

1428. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus Zaitzev,1966* Cc
AM AZ GG CN KK KG TJ TM UZ
1429. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus
Zaitzev,1966* TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
1430. **Hemipenthes tusheticus Zaitzev,1966** (Bombyliidae) Synonym(s): *tusheticus Zaitzev,1966*
Cc AM AZ GG IR CN Ui
1431. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820;*
bicincta Wiedemann,1820; nycthemera Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA
TN SY IT Si Sa TR CN Ui PK TM YU EG
1432. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-
Schäffer,1835; cretacea Fieber,1868* AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM
AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
1433. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor Lindberg,1926;*
canus Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
1434. **Heptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus Herbst,1783* RU HU Sb Cc
AM
1435. **Heptaulacus testudinarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): *testudinarius
Fabricius,1775* Cc
1436. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo Loew,1869* AM Cc
TR GR IQ UA Cm TN
1437. **Hercostomus armeniorum Stackelberg,1933** (Dolichopodidae) Synonym(s): *armeniorum
Stackelberg,1933* AM RU Cc
1438. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus Loew,1871*
Cc GG Abk RO RU TJ TM UZ
1439. **Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus
Stackelberg,1933* Cc GG Abk AM RU TR KK
1440. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer Walker,1849;*
chetifera Walker,1849; alutifer Haliday,1851; cretifer Walker,1856; cretifera Walker,1856 GR Cr GG Cc IL Pa
RO RU TR UA Cm DZ CA
1441. **Hercostomus conformis (Loew,1857)** (Dolichopodidae) Synonym(s): *conformis Loew,1857;*
chalybeus Wiedemann,1817 Cc RU GG Os
1442. **Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens Loew,1857*
AZ Cc IL Pa RO RU UA
1443. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus
Loew,1857; papillifer Mik,1880* Cc AM GG RO RU DZ Cn KK TJ
1444. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax Loew,1857* Cc AZ BG
GG RO RU Ur KG TJ
1445. **Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus
Wiedemann,1817; chaerophylli Meigen,1824* AZ AM GG Cc RO RU Da Ur UA MA
1446. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis Stannius,1831;*
bohemani Wahlberg,1851 AM Cc BG GR TR UA RO TJ TM
1447. **Hercostomus leptocercus Stackelberg,1949** (Dolichopodidae) Synonym(s): *leptocercus
Stackelberg,1949* RU Cc IR TJ
1448. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris
Loew,1857; forcipatus A.Müller,1923* BG GG Cc GR IL Pa TR RO RU MA TJ
1449. **Hercostomus nigriplantis (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis
Stannius,1831; subsimplicipes Verrall,1912* AM Cc GG MD RO RU UA Cm
1450. **Hercostomus phoebus Parent,1927** (Dolichopodidae) Synonym(s): *phoebus Parent,1927*
Hercostomus phoebus Parent,1927, Anns Soc. ent. Fr. 96: 230. AM Cc TR
1451. **Hercostomus shelkovnikovi Stackelberg,1926** (Dolichopodidae) Synonym(s):
shelkovnikovi Stackelberg,1926 AM Cc
1452. **Hercostomus tanjusilus Negrobov & Zurikov,1988** (Dolichopodidae) Synonym(s):
tanjusilus Negrobov & Zurikov,1988 Cc GG
1453. **Hercostomus varicoloris Becker,1917** (Dolichopodidae) Synonym(s): *varicoloris Becker,1917*
Cc Abk GG AM RU TR
1454. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s):
clavicornis Morawitz,1875; armeniacus Popov,1956 Cc AM TM CY IL Pa SY TR GR TJ
1455. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus
Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG
TR
1456. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum
Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI
NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
1457. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata Fallén,1814; gemmata
Meigen,1826* Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR
1458. **Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis
Fabricius,1792* TR Cc JO

1459. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849
ES FR Co IT MK GR TR Cc KG NG SD SA LK
1460. **Hermionella seguyi Pleske,1925** (Stratiomyidae) Synonym(s): *seguyi* Pleske,1925 Cc GG Tbl
AM
1461. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*);
domino Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO
PL RO SE Cc AM GG LV MD RU UA
1462. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820;
consanguinea Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888;
aegyptiacus Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM
Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
1463. **Heteromyza atricornis Meigen,1830** (Heleomyzidae) Synonym(s): *atricornis* Meigen,1830
Cc RU Kr Soc
1464. **Heteropogon lehri Richter,1968** (Asilidae) Synonym(s): *lehri* Richter,1968 Cc RU TR IR Elb
Mz AM
1465. **Heteropogon lugubris Hermann,1906** (Asilidae) Synonym(s): *lugubris* Hermann,1906;
mesasiaticus Lehr,1970 IR AZ Cc KG
1466. **Heteropogon pyrinus Hermann,1906** (Asilidae) Synonym(s): *pyrinus* Hermann,1906;
pyrrihinus Engel,1925 EG IL Pa IR Fa AZ Cc KG
1467. **Heterotropus kazanovskyi Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskyi*
Paramonov,1925 AZ Cc EG KG TJ TM UZ
1468. **Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s):
transcaucasica Brunner von Wattenwyl,1878 TR IQ Cc IR AF Ui
1469. **Hishimonus sellatus (Uhler,1896)** (Cicadellidae) Synonym(s): *sellatus* Uhler,1896 AF CN JP
KP Cc GG
1470. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera*
Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU
Sb YU TR
1471. **Holopogon imbecillus Loew,1871** (Asilidae) Synonym(s): *imbecillus* Loew,1871 Cc AZ AM IR
Elb Th
1472. **Hoplia (Hoplia) brevipes Medvedev,1951** (Scarabaeidae) Synonym(s): *brevipes*
Medvedev,1951 Cc RU
1473. **Hoplia (Hoplia) graminicola Fabricius,1792** (Scarabaeidae) Synonym(s): *graminicola*
Fabricius,1792 Cc GG RU
1474. **Hoplia (Hoplia) pallinosa Krynický,1832** (Scarabaeidae) Synonym(s): *pallinosa*
Krynický,1832 GG Cc RU Am
1475. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
acuticornis Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes*
Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA
DZ Cn Md TN KG TJ TM CY IR JO SY TR
1476. **Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae) Synonym(s): *antennata*
Morawitz,1876 *Osmia antennata* Morawitz,1876, *Horae Soc. ent. ross. 12: 43. Lectotype ♂: [Armenia]*
"auf dem Berge Schaffnabadell", designated by Warncke,1991 (ZIN) AM Cc TR
1477. **Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa*
Morawitz,1876 Gg Bjo Cc GR TR
1478. **Hoplitis (Alcidamea) caucasica (Friese,1920)** (Megachilidae) Synonym(s): *caucasica*
Friese,1920 Cc TR
1479. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta*
Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT
AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN
TR
1480. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana*
Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc
BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
1481. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis*
Nylander,1852; *montivaga* Morawitz,1872 AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
1482. **Hoplitis (Alcidamea) ozbeki Tkalcu,2000** (Megachilidae) Synonym(s): *ozbeki* Tkalcu,2000
Hoplitis (Liosmia) ozbeki Tkalcu,2000, *Acta Soc. zool. bohemosl. 64: 313. Holotype ♂: [Turkey]:*
Erzurum Serce (EMET). Cc TR
1483. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans*
Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ
UZ IL Pa JO TR
1484. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
tridentata Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES
FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
1485. **Hoplitis (Alcidamea) verruciventris (Morawitz,1886)** (Megachilidae) Synonym(s):
verruciventris Morawitz,1886 Cc AZ TR

1486. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
1487. **Hoplitis (Anthocopa) brevispina (Tkalcu,2000)** (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000 *Anthocopa (Arctosmia) brevispina* Tkalcu,2000, *Acta Soc. zool. bohemosl. 64: 305.* Holotype ♂: [Turkey]: Erzurum (EMET). TR Cc
1488. **Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875 KG AM Cc GR Cr TR
1489. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
1490. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 AT AM Cc ES FR Co GR HU RU SK TR
1491. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
1492. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
1493. **Hoplitis (Anthocopa) saxialis (Zanden,1994)** (Megachilidae) Synonym(s): *saxialis* Zanden,1994 Cc RU
1494. **Hoplitis (Anthocopa) yermasoyiae (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *coreyraea* Tkalcu,1979 AL AM Cc GR CY YU SY TR
1495. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Cc AZ HU RO RU Or KG MN CN JO SY TR
1496. **Hoplitis (Pentadentostmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
1497. **Hoplitis (Pentadentostmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877 AM Cc IL Pa JO SY CN Ui
1498. **Hoplitis (Pentadentostmia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888 AM Cc RU KG PK IR
1499. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 AL BG Cc GG GR IT SS MA DZ TR
1500. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 GR AZ Cc BG ES FR IT Si TR
1501. **Hoplitis (Prionohoplitis) grossepunctata (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905 *Osmia grossepunctata* Kohl,1905, *Annln naturh. Mus. Wien 20: 242.* Holotype ♂: Türkei, [Kayseri Prov.], Erdschias (Wwlije-Dagh" (NHMW). GR AM Cc TR
1502. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
1503. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
1504. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 AM Cc BG GR MK JO TR SY
1505. **Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935 IL Pa JO SY TR AM Cc
1506. **Hoplitis (s.str.) lapidaria (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria* Morawitz,1877 AM Eri Cc TR
1507. **Hoplitis (s.str.) linguaria (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria* Morawitz,1876 Cc TR
1508. **Hoplitis (s.str.) subulicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *subulicornis* Morawitz,1877 AM Cc
1509. **Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 AM Cc CN Ui TM JO
1510. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd It Si MK YU RO CH MA AZ Cc TM TJ AF KK
1511. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
1512. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879 Cc CY IR TR AM AZ GG RU TM UZ IQ
1513. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
1514. **Hyalesthes venustus Logvinenko,1969** (Cixiidae) Synonym(s): *venustus* Logvinenko,1969 Cc AZ

1515. **Hybometopia starcki Ganglbauer,1889** (Cerambycidae) Synonym(s): *starcki Ganglbauer,1889* Cc TR
1516. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus Pallas,1771* DZ GR TR Cc RU KG Sb TM SY
1517. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* RU Cc TR SY IR KG
1518. **Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus Olivier,1811* TR SY IR Cc RU
1519. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
1520. **Hydrochus flavipennis Küster,1852** (Hydrochidae) Synonym(s): *flavipennis Küster,1852; foveostriatus Fairmaire,1859; obtusicollis Fairmaire,1877; filiformis Kuwert,1887; fuscipennis Kuwert,1887; testaceipennis Kuwert,1887* TR HV UA Cc AZ IL Pa
1521. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis Motschoulsky,1860* AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc
1522. **Hydrochus nodulifer Reitter,1897** (Hydrochidae) Synonym(s): *nodulifer Reitter,1897* TR Cc AZ
1523. **Hydrocyphon finitimus Nyholm,1977** (Scirtidae) Synonym(s): *finitimus Nyholm,1977* TR Cc RU
1524. **Hydrocyphon segrex Nyholm,1972** (Scirtidae) Synonym(s): *segrex Nyholm,1972* GR TR Cc AZ IR
1525. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus Meigen,1824; chloropus Von Roser,1840* BG CY TR Cc GG GR IL Pa RO RU UA Cm
1526. **Hydrophorus bipunctatus (Lehmann,1822)** (Dolichopodidae) Synonym(s): *bipunctatus Lehmann,1822; binotatus Fallén,1823* RO RU Cc KK
1527. **Hydrophorus callostomus Loew,1857** (Dolichopodidae) Synonym(s): *callostomus Loew,1857* Cc AM RU Da Sb RO UA Cm
1528. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822; inaequalipes Macquart,1834; schoenherri Zetterstedt,1843; cinereus Perris,1847; vagus Hutton,1901; breviventris Becker,1902* BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
1529. **Hydroporus artvinensis Fery & Erman,2009** (Dytiscidae) Synonym(s): *artvinensis Fery & Erman,2009* TR Cc
1530. **Hydroporus thracicus Guéorguiev,1966** (Dytiscidae) Synonym(s): *thracicus Guéorguiev,1966* TR Cc
1531. **Hydrotaea albipuncta (Zetterstedt,1845)** (Muscidae) Synonym(s): *albipuncta Zetterstedt,1845* GG TR AM Cc Eri
1532. **Hydrotaea armipes (Fallén,1825)** (Muscidae) Synonym(s): *armipes Fallén,1825; occulta Meigen,1826* TW MM IR GG AM Cc
1533. **Hydrotaea cyrtoneurina (Zetterstedt,1845)** (Muscidae) Synonym(s): *cyrtoneurina Zetterstedt,1845* AM Cc TR
1534. **Hydrotaea dentipes (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes Fabricius,1805* Cc Eri AM TR GG IN NP CN
1535. **Hydrotaea floccosa Macquart,1835** (Muscidae) Synonym(s): *floccosa Macquart,1835* Cc Eri AM AZ IR TR Cc
1536. **Hydrotaea hirticeps (Fallén,1824)** (Muscidae) Synonym(s): *hirticeps Fallén,1824* Cc Eri AM
1537. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780* Ch NP CN MY Cc AZ GG TR IR AM
1538. **Hydrotaea irritans (Fallén,1823)** (Muscidae) Synonym(s): *irritans Fallén,1823* GG Cc AM
1539. **Hydrotaea meteorica (Linnaeus,1758)** (Muscidae) Synonym(s): *meteorica Linnaeus,1758* Cc Eri AM IR TR PK GG
1540. **Hygrotus (Coelambus) armeniacus (Zaitzev,1927)** (Dytiscidae) Synonym(s): *armeniacus Zaitzev,1927* AM Cc TR GG
1541. **Hypogonus inunctus (Panzer,1795)** (Elateridae) Synonym(s): *inunctus Panzer,1795; cinctus Paykull,1800* TR Cc SY GR
1542. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum Lethierry,1878* AF SY AZ Cc KG KK TM UZ
1543. **Hysteropterum orientale Kusnezov,1926** (Issidae) Synonym(s): *orientale Kusnezov,1926* Cc AM GG
1544. **Hysteropterum transcausicum Melichar,1914** (Issidae) Synonym(s): *transcausicum Melichar,1914* Cc TR AZ AM
1545. **Ichneumon albicollis Wesmael,1857** (Ichneumonidae) Synonym(s): *albicollis Wesmael,1857* Cc TR RU Sb KG
1546. **Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus Wesmael,1844* Cc KG TR RU Sb
1547. **Ichneumon extensorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *extensorius Linnaeus,1758* TR Cc RU Sb

1548. **Ichneumon gracilicornis** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829 TR Cc RU Sb
1549. **Ichneumon minutorius** Desvignes,1856 (Ichneumonidae) Synonym(s): *minutorius* Desvignes,1856 Cc TR
1550. **Ichneumon proletarius** Wesmael,1848 (Ichneumonidae) Synonym(s): *proletarius* Wesmael,1848 TR Cc IR
1551. **Ichneumon sarcitorius** Linnaeus,1758 (Ichneumonidae) Synonym(s): *sarcitorius* Linnaeus,1758; *caucasicus* Meyer,1926 Cc TR CY IR
1552. **Ichneumon terminatorius** Gravenhorst,1820 (Ichneumonidae) Synonym(s): *terminatorius* Gravenhorst,1820 TR Cc
1553. **Iconella albinervis** (Tobias,1964) (Braconidae) Synonym(s): *albinervis* Tobias,1964 *Apanteles albinervis* Tobias,1964, Trudy. zool. Inst. Leningr. 34: 221. TR HU KG Cc AZ
1554. **Iconella lacteoides** (Nixon,1965) (Braconidae) Synonym(s): *lacteoides* Nixon,1965 *Apanteles lacteoides* Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU
1555. **Iconella vindicia** (Nixon,1965) (Braconidae) Synonym(s): *vindicia* Nixon,1965 *Apanteles vindicia* Nixon,1965, Bull. Br. Mus. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR
1556. **Idiocera (s.str.) laterospina** (Alexander,1975) (Limoniidae) Synonym(s): *laterospina* Alexander,1975 GR TR Cc AM IR
1557. **Idiocera (s.str.) pulchripennis** (Loew,1856) (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?felicina* Santos Abreu,1923; *similior* Alexander,1956 *Limnobia pulchripennis* Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
1558. **Idiocerus lituratus** (Fallén,1806) (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
1559. **Idiocerus prolixus** Horvath,1894 (Cicadellidae) Synonym(s): *prolixus* Horvath,1894 Cc AM
1560. **Idiocerus vicinus** Melichar,1898 (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
1561. **Idiomacromerus perplexus** (Gahan,1914) (Torymidae) Synonym(s): *perplexus* Gahan,1914 IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
1562. **Idolus adrastoides** (Reitter,1888) (Elateridae) Synonym(s): *adrastoides* Reitter,1888 Cc TR
1563. **Illidops urgo** (Nixon,1965) (Braconidae) Synonym(s): *urgo* Nixon,1965 *Apanteles urgo* Nixon,1965, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 2: 182. TR Cr Cc AZ MN HU
1564. **Ilybius satunini** (Zaitzev,1913) (Dytiscidae) Synonym(s): *satunini* Zaitzev,1913 Cc RU GG TR
1565. **Iris polystictica** Fischer v. Waldheim,1846 (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 *Mantis oratoria polystictica* Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui
1566. **Ischnodes sanguinicollis** (Panzer,1793) (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
1567. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
1568. **Ischnura fontainei** (Morton,1905) (Coenagrionidae) Synonym(s): *fontainei* Morton,1905 TR EG Sn IQ Cc AZ
1569. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae) Synonym(s): *pumilio* Charpentier,1825 TR? CY Cc AM IR AF
1570. **Ischnura senegalensis** (Rambur,1842) (Coenagrionidae) Synonym(s): *senegalensis* Rambur,1842 TR? IQ Cc AZ Kir TH
1571. **Isoperla armeniaca** Zhiltzova,1961 (Perlodidae) Synonym(s): *armeniaca* Zhiltzova,1961 AM Cc TR
1572. **Isoperla bithynica** (Kempny,1908) (Perlodidae) Synonym(s): *bithynica* Kempny,1908; *caucasica* Balinsky,1950; *pulchra* Balinsky,1950 Cc TR
1573. **Isoperla rhododendri** Zhiltzova,1956 (Perlodidae) Synonym(s): *rhododendri* Zhiltzova,1956 Cc TR
1574. **Isophya redtenbacheri** Adelung,1907 (Tettigoniidae) Synonym(s): *redtenbacheri* Adelung,1907; *nigrosignata* Miram,1938 TR Cc GG Bjo
1575. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *schneideri* Brunner von Wattenwyl,1878; *caucasica* Uvarov,1921 TR Cc AZ Bak Nv AM GG RU
1576. **Isophya transcaucasica** Ramme,1930 (Tettigoniidae) Synonym(s): *transcaucasica* Ramme,1930 Cc GG
1577. **Isophya zernovi** Miram,1938 (Tettigoniidae) Synonym(s): *zernovi* Miram,1938 Cc GG TR
1578. **Isotomus comptus** (Mannerheim,1825) (Cerambycidae) Synonym(s): *comptus* Mannerheim,1825 UA Cm Cc TR SY IR
1579. **Isotomus speciosus** (Schneider,1787) (Cerambycidae) Synonym(s): *speciosus* Schneider,1787 Cc CZ

1580. **Issus canariensis Melichar,1906** (Issidae) Synonym(s): *canariensis Melichar,1906* Cc AM AZ GG
1581. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
1582. **Issus muscaeformis (Schränk,1781)** (Issidae) Synonym(s): *muscaeformis Schränk,1781* Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
1583. **Itopectis alternans (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *alternans Gravenhorts,1829* TR Cc RU At
1584. **Itopectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator Fabricius,1775* TR DZ Cc Cn
1585. **Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana Schmiedeknecht,1914* DZ TR Cc IR KG RU At Tv MN
1586. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758; nigriventris Fieber,1861; anthracina Jakovlev,1885; vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1587. **Jassargus bucerus Dlabola,1958** (Cicadellidae) Synonym(s): *bucerus Dlabola,1958* Cc GG
1588. **Jassargus caucasicus Logvinenko,1966** (Cicadellidae) Synonym(s): *caucasicus Logvinenko,1966* RU Cc
1589. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus Flor,1861; pseudocellaris Flor,1861; mattiacellus Kirschbaum,1868; parallelus Fieber,1869; falleni Fieber,1869; paleaceus Sahlberg,1871; longiceps Rey,1894; confinis Rey,1894; kemneri Ossiannilsson,1935; gallicus Metcalf,1955; reyji Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
1590. **Jassargus firmus Logvinenko,1966** (Cicadellidae) Synonym(s): *firmus Logvinenko,1966* Cc AZ
1591. **Jassargus japheticus Emeljanov,1966** (Cicadellidae) Synonym(s): *japheticus Emeljanov,1966* Cc GG
1592. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis Kirschbaum,1868; picturatus Fieber,1869* AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
1593. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
1594. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; varicollis Rey,1894* Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
1595. **Joostiella caucasica Vaillant,1983** (Psychodidae) Synonym(s): *caucasica Vaillant,1983* TR Cc AM
1596. **Jugurtia eurycara Kostylev,1935** (Vespididae) Synonym(s): *eurycara Kostylev,1935* TR Cc AM Eri IR
1597. **Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca Marseul,1865* AM CY SY Cc TR IR GG AZ
1598. **Julodis faldermanni Mannerheim,1837** (Buprestidae) Synonym(s): *faldermanni Mannerheim,1837* Cc TR
1599. **Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): *praecox Haupt,1935* Cc BG CZ DE MN PL EE GG KG RU
1600. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti Wagner,1938* Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
1601. **Kokujewia ectrapela Konow,1902** (Argidae) Synonym(s): *ectrapela Konow,1902; palestina Benson* TR IR Oru Cc IL Pa
1602. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues Nikol'skaya,1952* HV CY IQ IL Pa Cc UA RU TR
1603. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis Tournier,1889* GR BG TR HV YU MK RO SK UA RU Cc
1604. **Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi Invrea,1963* YU BG UA TR RU AZ GG Cc
1605. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
1606. **Kybos candelabricus Dlabola,1958** (Cicadellidae) Synonym(s): *candelabricus Dlabola,1958* TR Cc GG BG
1607. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus Fallén,1806; viridipes Curtis,1837* AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
1608. **Labidostomis asiatica Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica Faldermann,1837* TR Cc IR SY

1609. **Labidostomis brevipennis Faldermann,1837** (Chrysomelidae) Synonym(s): *brevipennis Faldermann,1837* TR Cc IR
1610. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens Faldermann,1837; lineola Redtenbacher,1843* CY TR Cc SY IR RU
1611. **Labidostomis elegans Lefebvre,1876** (Chrysomelidae) Synonym(s): *elegans Lefebvre,1876* Cc IR
1612. **Labidostomis kaszabi Medvedev,1962** (Chrysomelidae) Synonym(s): *kaszabi Medvedev,1962* Cc RU
1613. **Labidostomis maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis Lefebvre,1870; kindermannii Kraatz,1872* TR Cc LB RU
1614. **Labidostomis metallica Lefebvre,1872** (Chrysomelidae) Synonym(s): *metallica Lefebvre,1872* TR Cc RU MN
1615. **Labidostomis peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina Weise,1900* UA Cm Cc RU TM TR
1616. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua Faldermann,1837; binotata Waltl,1838; steveni Waltl,1848; arnoldii Medvedev,1962* RO BG GR TR Cc IR
1617. **Labidostomis subfasciata Weise,1885** (Chrysomelidae) Synonym(s): *subfasciata Weise,1885* TR Cc IR RU
1618. **Labidostomis sulcicollis Lacordaire,1848** (Chrysomelidae) Synonym(s): *sulcicollis Lacordaire,1848* TR Cc
1619. **Labidostomis testaceipes Pic,1904** (Chrysomelidae) Synonym(s): *testaceipes Pic,1904* TR Cc AM SY
1620. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia Pallas,1773; mongolica Rehn,1905* ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
1621. **Laburris handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965* AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
1622. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons Boheman,1852; sulphureus Kirschbaum,1858; thiogaster Kirschbaum,1858; anomalus Uhler,1896; vittatipes Uhler,1896* AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA UY
1623. **Laburris quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus Forel,1864; limbatus Ferrari,1882; atrata Ribaut,1942; deleta Ribaut,1942* FR IT LY MA ES SW TN AM Cc
1624. **Laccobius (Dimorpholaccobius) hoberlandti Gentili,1982** (Hydrophilidae) Synonym(s): *hoberlandti Gentili,1982* IR AZ Cc TR
1625. **Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus Panzer,1801; aurosquamosus Jagemann,1939* RU Sb ES FR CZ Cc TR
1626. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim,1823; weiratheiri J.Müller,1932* AL AM Cc TR GR BG IT IL Pa
1627. **Laemostenus (Pristonychus) gratus (Faldermann,1836)** (Carabidae) Synonym(s): *gratus Faldermann,1836; angustatus Faldermann,1838; caucasicus Chaudoir,1846* AZ AM GG Cc
1628. **Laemostenus (Pristonychus) lederi (Reitter,1885)** (Carabidae) Synonym(s): *lederi Reitter,1885* Cc GG TR AM
1629. **Laemostenus (Pristonychus) mannerheimi (Kolenati,1845)** (Carabidae) Synonym(s): *mannerheimi Kolenati,1845; armeniacus Casale,1988; transcaucasicus Casale,1988; araratensis Casale,1988* TR Cc AM
1630. **Laemostenus (Pristonychus) piceus (Motschulsky,1850)** (Carabidae) Synonym(s): *piceus Motschulsky,1850* Cc GG AM
1631. **Laemostenus (Pristonychus) pretiosus (Faldermann,1837)** (Carabidae) Synonym(s): *pretiosus Faldermann,1837; amoenus Fischer von Waldheim,1844* AM RU Cc TR
1632. **Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae) Synonym(s): *sericeus Fischer von Waldheim,1824; tauricus Dejean,1828; hepaticus Faldermann,1836* UA RU Da AM Cc TR GG
1633. **Lagodechia spinulifera (Negrobov & Zurikov,1988)** (Dolichopodidae) Synonym(s): *spinulifera Negrobov & Zurikov,1988* Cc GG Lag
1634. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula Linnaeus,1767; antiqua Brullé,1832; Villaret,1833* NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
1635. **Lampropterus femoratus (Germar,1824)** (Cerambycidae) Synonym(s): *femoratus Germar,1824* Cc TR IR
1636. **Lampyris angustata (Motschoulsky,1854)** (Lampyridae) Synonym(s): *angustata Motschoulsky,1854* GG Cc
1637. **Lampyris caspica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica Motschoulsky,1854* GG Cc KG TM IR TR
1638. **Lampyris costalis (Motschoulsky,1854)** (Lampyridae) Synonym(s): *costalis Motschoulsky,1854* AM Cc

1639. **Lampyris depressiuncula (Motschoulsky,1854)** (Lampyridae) Synonym(s): *depressiuncula* Motschoulsky,1854 **GG Cc**
1640. **Lampyris limbata (Motschoulsky,1854)** (Lampyridae) Synonym(s): *limbata* Motschoulsky,1854 **GG Cc**
1641. **Lampyris membranacea (Motschoulsky,1854)** (Lampyridae) Synonym(s): *membranacea* Motschoulsky,1854 **GG Cc**
1642. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): **Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU**
1643. **Lampyris orientalis Faldermann,1835** (Lampyridae) Synonym(s): *orientalis* Faldermann,1835 **AM GG Cc**
1644. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
1645. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847 **Cc RU GR IQ IR Fa IL Pa TR**
1646. **Laphria varia Loew,1865** (Asilidae) Synonym(s): *varia* Loew,1865 **Cc RU TR**
1647. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 **IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR**
1648. **Lasiocalidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 **DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR**
1649. **Lasioglossum (Evylaeus) araxanum (Blüthgen,1923)** (Halictidae) Synonym(s): *araxanum* Blüthgen,1923; *araxanellus* Blüthgen,1926 **Cc AM TR PK**
1650. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 **ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF**
1651. **Lasioglossum (Evylaeus) persicum (Cockerell,1919)** (Halictidae) Synonym(s): *persicum* Cockerell,1919 **IR GG Cc Tbl YE**
1652. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 **AF TM IL Pa SY TR AM Cc IR**
1653. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiorgan* Ebner,1980 **TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj**
1654. **Lasioglossum acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931 **IT TR Cc**
1655. **Lasioglossum argaeum (Blüthgen,1931)** (Halictidae) Synonym(s): *argaeum* Blüthgen,1931 **Cc TR**
1656. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892 **Cc UA GR TR IL Pa IR**
1657. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975 **MA DZ IT YU GR AL TR IL Pa Cc IR**
1658. **Lasioglossum euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum* Ebmer,1972 **MA IT UA Cm AZ Cc IR**
1659. **Lasioglossum zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum* Smith,1848 **GB RU Sb TR AZ Cc IR CN Yu Sz**
1660. **Lasiopa caucasica (Pleske,1901)** (Stratiomyidae) Synonym(s): *caucasica* Pleske,1901; *koenigi* Lichtwardt,1901 **AZ GG Cc Bjo Tbl AM TR Pja RU**
1661. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 **DE BG DZ DK FR GB ES IT Cc HU MK TR**
1662. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861 **DE BG DZ DK AM Cc TR FR GB**
1663. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 **TN TR CY TJ UZ KG KK RU Am Cc**
1664. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 **AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR**
1665. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867 **IL Pa IT YU UA RU Cc AM IR TR KG**
1666. **Leptodes (s.str.) lederi Reitter** (Tenebrionidae) Synonym(s): **Cc AM TR?**
1667. **Leptodes (s.str.) semenowi Reitter** (Tenebrionidae) Synonym(s): **Cc AM TR?**

1668. **Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): *calceata Engel,1925* Cc RU TR IR Kd AZ GG AM
1669. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica De Geer,1776; tipuloides Fabricius,1775; livida Geoffroy,1785; fusca Meigen,1804; hispanica Meigen,1838; nigricornis Loew,1847; dorsalis Dahlbom,1851* MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
1670. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
1671. **Leptura quadrifasciata Linnaeus,1758** (Cerambycidae) Synonym(s): *quadrifasciata Linnaeus,1758* SK TR Cc IR
1672. **Lepyronia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896* Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
1673. **Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa Olivier,1811* TR IQ IR Cc SY JO
1674. **Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae) Synonym(s): *ledereri Selys-Longchamps,1866* TR Cc IR
1675. **Lertha palmonii Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii Tjeder,1970* Lertha palmonii Tjeder,1970, Ent. scand. 1: 219-222, figs. Holotype ♂: Israel: Sussita (Hippus), SE shore of the Lake Tiberias (ZIL). IL Pa TR Cc AM IR
1676. **Leskia erevanica Richter,1974** (Tachinidae) Synonym(s): *erevanica Richter,1974* Cc AM Eri TR
1677. **Lestes macrostigma (Eversmann,1836)** (Lestidae) Synonym(s): *macrostigma Eversmann,1836* TR RU CY Cc AM
1678. **Lestes sponsa (Hansemann,1823)** (Lestidae) Synonym(s): *sponsa Hansemann,1823* TR Cc JP
1679. **Lestes virens (Charpentier,1825)** (Lestidae) Synonym(s): *virens Charpentier,1825* TR SY Cc
1680. **Leucophenga maculata (Dufour,1839)** (Drosophilidae) Synonym(s): *maculata Dufour,1839* LT B-H Cc RU TR GG Soc
1681. **Leuctra minuta Zhiltzova,1960** (Leuctridae) Synonym(s): *minuta Zhiltzova,1960; bursaensis Vincon & Sivec,2001; kastamonui Vincon & Sivec,2001* Cc TR
1682. **Leuctra zangezurica Zhiltzova,1960** (Leuctridae) Synonym(s): *zangezurica Zhiltzova,1960* AZ Cc TR
1683. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
1684. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
1685. **Libelloides ustulatus (Eversmann,1850)** (Ascalaphidae) Synonym(s): *ustulatus Eversmann,1850* TR Cc GG AZ AM IR
1686. **Libellula quadrimaculata Linnaeus,1758** (Libellulidae) Synonym(s): *quadrimaculata Linnaeus,1758* TR Cc AM
1687. **Limnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta Kowarz,1893* IT Si DE PL CZ AT HU LY? Cc? RU
1688. **Limnophora latevittata Schnabl,1911** (Muscidae) Synonym(s): *latevittata Schnabl,1911* AM Cc
1689. **Limnophora maculosa (Meigen,1826)** (Muscidae) Synonym(s): *maculosa Meigen,1826* AM Cc Eri TJ
1690. **Limnophora pandellei Séguy,1923** (Muscidae) Synonym(s): *pandellei Séguy,1923* AM Cc Eri GG TR
1691. **Limnophora triangula (Fallén,1825)** (Muscidae) Synonym(s): *triangula Fallén,1825* AM Cc Eri
1692. **Limnophyes transcausicus Tchern.1949** (Chironomidae) Synonym(s): *transcausicus Tchern.1949* TR Cc
1693. **Limonius araratensis (Faldermann,1835)** (Elateridae) Synonym(s): *araratensis Faldermann,1835* TR Cc Arr
1694. **Limonius minutus (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus Linnaeus,1758* IT Si GR TR Cc AM RU Sb Am
1695. **Limotettix aviger Emeljanov,1964** (Cicadellidae) Synonym(s): *aviger Emeljanov,1964* Cc AZ RU
1696. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
1697. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkittii Bartenev,1929* TR DZ EG Cc AM GR YU IQ IL Pa
1698. **Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): *compta Fallén,1810; compta Meigen,1824; fulgeus Meigen,1824; heraclei Robineau-Desvoidy,1830; aestivalis Robineau-Desvoidy,1830; borealis Robineau-Desvoidy,1830; longipes Robineau-Desvoidy,1830; oenanthis Robineau-Desvoidy,1830; humeralis Robineau-Desvoidy,1863* CA US MX TR SE Cc MN GB RU Ur

1699. **Liotryphon caudatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *caudatus* Ratzeburg,1848 TR Cc MN
1700. **Liponeura euryfrons Bischoff,1935** (Blephariceridae) Synonym(s): *euryfrons* Bischoff,1935 Cc TR
1701. **Lispe armeniaca Canzoneri & Meneghini,1972** (Muscidae) Synonym(s): *armeniaca* Canzoneri & Meneghini,1972 Cc AM Eri
1702. **Lispe flavicincta Loew,1847** (Muscidae) Synonym(s): *flavicincta* Loew,1847 FE Co IT Sa PL CZ SK AT Cc
1703. **Lispe longicollis Meigen,1826** (Muscidae) Synonym(s): *longicollis* Meigen,1826 Ch AM Cc TR
1704. **Lispe nana Macquart,1835** (Muscidae) Synonym(s): *nana* Macquart,1835 AM Cc Eri IR TR IN
1705. **Lispe tentaculata (De Geer,1776)** (Muscidae) Synonym(s): *tentaculata* De Geer,1776 AM Cc IR TR Ch
1706. **Lispocephala spuria (Zetterstedt,1838)** (Muscidae) Synonym(s): *spuria* Zetterstedt,1838 AM Cc Eri GB JP
1707. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1708. **Lissonota (s.str.) fundator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822 Cc RU Sb TR
1709. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator* Gravenhorst,1829 AM Cc GB FR CH AT IT YU TR
1710. **Lithodusa daghestanica Bei-Bienko,1951** (Tettigoniidae) Synonym(s): *daghestanica* Bei-Bienko,1951 RU Cc Da
1711. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea* Loginova,1974 Cc UA Cm TR BG IL Pa DZ
1712. **Lixus nordmanni Hochhuht,1847** (Curculionidae) Synonym(s): *nordmanni* Hochhuht,1847 Cc TR
1713. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794 ES MD UA RU Cc IT DZ TR
1714. **Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862 TR Cc TM KG MN RU
1715. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 nec *Fabr.*,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909 TR AZ GG Cc AF IR KG RU
1716. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860 TR Cc AZ JO IR AF
1717. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
1718. **Longitarsus anatolicus Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus* Weise,1900 TR IL Pa Cc AZ R
1719. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888 TR Cc IR KG RU Sb
1720. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893 DZ TN TR Cc IR TM
1721. **Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945 TR Cc IR MN YE
1722. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi,1973 TR Cc IR TM T HU AT
1723. **Longitarsus brachypterus Weise,1890** (Chrysomelidae) Synonym(s): *brachypterus* Weise,1890 Cc AZ
1724. **Longitarsus bytinskii Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii* Furth,1979 AM Cc IL Pa TR
1725. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967 Cc AZ TR FR IT AT HU PL CZ SK IR TN
1726. **Longitarsus dlabolai Kral,1964** (Chrysomelidae) Synonym(s): *dlabolai* Kral,1964 Cc GG
1727. **Longitarsus exsoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus,1758; *femoralis* Marsham,1802; *boppardiensis* Bach,1856; *rufula* Foudras,1860; *megaloleuca* Allard,1860; *lividus* Fauvel,1888; *arctulus* Weise,1893 TR TJ Cc CY SY
1728. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 nec *Stph.*,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 nec *Marshm.*,1802 FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
1729. **Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): *foudrasi* Weise,1893 TR RU Sb Cc DZ
1730. **Longitarsus fuscoaeneus Redtenbacher,1859** (Chrysomelidae) Synonym(s): *fuscoaeneus* Redtenbacher,1859 TR Cc
1731. **Longitarsus ganglbaueri Haikertinger,1912** (Chrysomelidae) Synonym(s): *ganglbaueri* Haikertinger,1912 TR RU Sb MN Cc

1732. **Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae Waterhouse,1858* TR Cc RU Sb MN KK KG
1733. **Longitarsus juncicola (Foudras,1860)** (Chrysomelidae) Synonym(s): *juncicola Foudras,1860* DZ TR Cc
1734. **Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscherae Rey,1892* DZ TR Cc RU Sb KP KR CN
1735. **Longitarsus lateripunctatus Rosenhauer,1856** (Chrysomelidae) Synonym(s): *lateripunctatus Rosenhauer,1856; personatus Weise,1893* Cc TR
1736. **Longitarsus ledouxi Doguet,1979** (Chrysomelidae) Synonym(s): *ledouxi Doguet,1979* Cc TR
1737. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii Baly,1874* Cc TR IR AF RU Sb MN CN VN JP
1738. **Longitarsus linnaei (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *linnaei Duftschmid,1825* TR Cc IR
1739. **Longitarsus longipennis Kutschera,1836** (Chrysomelidae) Synonym(s): *longipennis Kutschera,1836* TR Cc RU Sb KG
1740. **Longitarsus luridus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *luridus Scopoli,1763* Cc TR RU Sb MN KG
1741. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi Foudras,1860* Cc TR IR SA RU Sb KG YE
1742. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus De Geer,1775* Cc TR IR AF KG IL Pa RU Sb
1743. **Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae) Synonym(s): *membranaceus Foudras,1860* TR Cc IR
1744. **Longitarsus minusculus (Foudras,1860)** (Chrysomelidae) Synonym(s): *minusculus Foudras,1860* Cc TR DZ
1745. **Longitarsus niger (Koch,1803)** (Chrysomelidae) Synonym(s): *niger Koch,1803* TR Cc
1746. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus Goeze,1777* TR Cc IR AF RU Sb KG DZ
1747. **Longitarsus obliterated (Rosenhauer,1847)** (Chrysomelidae) Synonym(s): *obliterated Rosenhauer,1847; meridionalis Cziki & Heikertinger,1940* TR Cc IR
1748. **Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae) Synonym(s): *ochroleucus Marsham,1802* TR Cc DZ
1749. **Longitarsus parvulus (Paykull,1799)** (Chrysomelidae) Synonym(s): *parvulus Paykull,1799* TR Cc RU Sb DZ
1750. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus Foudras,1860* TR Cc IR AF RU MN KG
1751. **Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis Weise,1900* TR Cc IR AF KG RU
1752. **Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis Weise,1888* TR Cc DE SY RU
1753. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis Panzer,1794* TR Cc IR AF KG IL Pa DZ
1754. **Longitarsus quadriguttatus (Pontoppidan,1765)** (Chrysomelidae) Synonym(s): *quadriguttatus Pontoppidan,1765* TR Cc
1755. **Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus Foudras,1860* TR Cc IR AF DZ KG
1756. **Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): *reichei Allard,1860* TR Cc IR
1757. **Longitarsus salviae Gruev,1975** (Chrysomelidae) Synonym(s): *salviae Gruev,1975* RU Cc TR
1758. **Longitarsus scutellaris (Rey,1874)** (Chrysomelidae) Synonym(s): *scutellaris Rey,1874* TR Cc
1759. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus Foudras,1860* TR Cc RU Sb KG DZ MN KP KR JP
1760. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus Fabricius,1775* TR Cc DE IR KG DZ MN
1761. **Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus Warchalowski,1973* TR IR Cc AF
1762. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus Weise,1893* TR Cc IR AF KG RU Sb MN CN Ui
1763. **Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817* Cc AM IQ TR SY IR Ab Ak
1764. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bl TJ AF OM
1765. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm

1766. **Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus* Motschoulsky,1845; *curtulus* Motschoulsky,1845; *barbarossa* Burmeister,1847 nec Fabr.,1801; *minor* Burmeister,1847; *orientalis* Kraatz,1860; *piger* Motschoulsky,1870; *syriacus* Motschoulsky,1870; *tenebrosus* Motschoulsky,1870; *intermedius* Motschoulsky,1870; *caspica* Semenov,1901; *ravasinii* Schatzmayr,1923; *#ibericus* Sabatinelli,1977 **Lucanus ibericus Motschoulsky,1845, Bull. Soc. nat. Moscou 18: 60. AL GR Cc GG Tbl Akh Smt AZ Len TR IR Elb Mz Gh**
1767. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelica* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 **AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG**
1768. **Lydus unicolor Reitter,1887** (Meloidae) Synonym(s): *unicolor* Reitter,1887; *halbhuberi* Escherich,1896 **TR Cc AM IR Ha**
1769. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758 **IL Pa CY Cc IQ SY TM TR**
1770. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955 **Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU**
1771. **Lytta vesicatoria (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria* Linnaeus,1758 **ES IT Sa Si Cc TR**
1772. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861 **IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH**
1773. **Machimus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781 **Cc TR**
1774. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* Robineau-Desvoidy,1863; *spinipecta* Meade,1891; *echinalis* Pandelle,1895; *fuscicularis* Pandelle,1895; *#praefica* Kara,1999 **BE DE Cc IL Pa UA GB BG ES RU TR**
1775. **Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* Robineau-Desvoidy,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* Robineau-Desvoidy,1863; *laeta* Robineau-Desvoidy,1863; *villica* Robineau-Desvoidy,1863; *clausicella* Rondani,1865 **SE GB TR Cc IL Pa MN KG RU**
1776. **Macquartia tessellum Meigen,1824** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* Robineau-Desvoidy,1863; *microcera* Robineau-Desvoidy,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895 **FR CH SK Cn IL Pa Cc TJ TR**
1777. **Macromyrme binotata (Radoszkowski,1879)** (Mutillidae) Synonym(s): *binotata* Radoszkowski,1879; *araratica* Radoszkowski,1890 **Mutilla binotata Radoszkowski,1879, Horae Soc. ent. ross. 14: 150 Type ♀: "Caucasus". TR IR Cc AM GG AZ**
1778. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 **AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB**
1779. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 **GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA**
1780. **Macropsidius araxes Dlabola,1961** (Cicadellidae) Synonym(s): *araxes* Dlabola,1961 **Cc AM**
1781. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 **FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU**
1782. **Macropsidius valiturus Dlabola,1963** (Cicadellidae) Synonym(s): *valiturus* Dlabola,1963 **Cc GG**
1783. **Macropsis acrotica Dlabola,1967** (Cicadellidae) Synonym(s): *acrotica* Dlabola,1967 **CY RU Cc Da**
1784. **Macropsis castanicolor Dlabola,1958** (Cicadellidae) Synonym(s): *castanicolor* Dlabola,1958 **Cc AM GG**
1785. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 **AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU**
1786. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 **AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR**
1787. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reiter,1885; *ornata* Lindberg,1926 **DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU**
1788. **Macropsis viridinervis Wagner,1950** (Cicadellidae) Synonym(s): *viridinervis* Wagner,1950 **CS DE IT Cc GG UA**
1789. **Macrorchis meditata (Fallén,1825)** (Muscidae) Synonym(s): *meditata* Fallén,1825 **AM Cc Eri GG TR**
1790. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 **TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU**

1791. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus Fabricius,1803*; *proximus Rambur,1839*; *opacus Stal,1854*; *scutellaris Horvath,1919*; *exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Tz Zz TM TN UG UZ YE YU ZR 01 31
1792. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis Fieber,1885 nec* Scett.,1875; *fieberi Edwards,1889* AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
1793. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis Ribaut,1927*; *mannerheimi Kontkanen,1935*; *nubila Ossiannilsson,1936* AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
1794. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus Kirschbaum,1868*; *ramigera Zachvatkin,1933* AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
1795. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus Fallén,1806*; *devastans Guérin-Méneville,1852*; *didymus Mulsant & Rey,1855*; *diminuta Lethierry,1876*; *binotata Rey,1894*; *submaculata Rey,1894* DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
1796. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus Linnaeus,1758* SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
1797. **Malachius armeniacus Ménétris,1832** (Melyridae) Synonym(s): *armeniacus Ménétris,1832* *Malachius armeniacus Ménétris,1832*, Catalogue raisonne obj. zool.: 163, nr.660. Type(s): l'Arménie russe. AM Cc TR
1798. **Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): *faldermanni Faldermann,1836* TR AZ Cc AM GG IR
1799. **Malachius labiatus Brullé,1832** (Melyridae) Synonym(s): *labiatus Brullé,1832* GR AZ Cc
1800. **Malachius vittatus Ménétris,1832** (Melyridae) Synonym(s): *vittatus Ménétris,1832* AM Cc
1801. **Maladera (Aserica) castanea Arrow,1913** (Scarabaeidae) Synonym(s): *castanea Arrow,1913* RU Cc GG Am Us
1802. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
1803. **Maladera (s.str.) holosericea (Scopoli,1772)** (Scarabaeidae) Synonym(s): *holosericea Scopoli,1772* RU Cc Us KG
1804. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica Horvath,1907*; *turanica Anufriev,1966* AF? CY TR IT RO Cc AZ? UA YU TJ UZ
1805. **Malenia sarmatica Anufriev,1966** (Derbidae) Synonym(s): *sarmatica Anufriev,1966* Cc AZ GG UA Cm RU
1806. **Malthinus alicae Svihla,1990** (Cantharidae) Synonym(s): *aliceae Svihla,1990* AZ Cc
1807. **Malthinus evidentissimus Wittmer,1974** (Cantharidae) Synonym(s): *evidentissimus Wittmer,1974* Cc AM
1808. **Malthinus flaveoloides Svihla,1997** (Cantharidae) Synonym(s): *flaveoloides Svihla,1997* GG Abk Cc
1809. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
1810. **Mantispa adelungi Navas,1912** (Mantispidae) Synonym(s): *adelungi Navas,1912* Cc AM TR
1811. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte U.Aspöck & H.Aspöck,1994*; *#aphavexelte Dobosz,2007* *Mantispa aphavexelte U.Aspöck & H.Aspöck,1994*, Annl n naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
1812. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875*; *?minuta Kozhantshikov,1949*; *?caucasica Handschin,1959* GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
1813. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca Poda,1761*; *pagana Fabricius,1775*; *hauseri Poivre,1982* AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
1814. **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica Linnaeus,1767* TR Cc AF KG RU Sb MN CN
1815. **Medecticus assimilis (Fieber,1853)** (Tettigoniidae) Synonym(s): *assimilis Fieber,1853*; *syriacus Fieber,1853* TR Cc GG Tbl SY JO
1816. **Meenopus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus Fieber,1866* CY GR IL Pa IT JO TR RU Cc YU IQ
1817. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus Scopoli,1763*; *sichelii Radoszkowski,1859* FR IT AT HU TR IR RU Cc ES PL
1818. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus Radoszkowski,1877*; *scythes Skorikov,1925* TR Cc AM IR RU RO GR YU BG PL

1819. **Megabombus humilis (Illiger,1806)** (Apidae) Synonym(s): *humilis Illiger,1806; solstitialis Jurine,1807; helferanus Seidl,1837; variabilis Schmiedeknecht,1978* **FR TR Cc PL**
1820. **Megabombus mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas Gerstaecker,1869; elegans Seidl,1837* **BG Cc TR IR PL**
1821. **Megabombus pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum Scopoli,1763; agrorum Fabricius,1787* **GB IT FR CH Sa BE TR Cc GR BG IR**
1822. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus Smith,1854* **BG RO HU GR Cc IR RU TR**
1823. **Megachile (Eutricharaea) apicalis Spinola,1808** (Megachilidae) Synonym(s): *apicalis Spinola,1808* **CA DZ Cc TR**
1824. **Megachile (Eutricharaea) deceptoria Perez,1890** (Megachilidae) Synonym(s): *deceptoria Perez,1890* **Cc KG TM TR**
1825. **Megachile (Eutricharaea) pilidens Alfken,1924** (Megachilidae) Synonym(s): *pilidens Alfken,1924* **Cc TR DZ**
1826. **Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) Synonym(s): *rotundata Fabricius,1787* **Cc RU KG CA US NZ**
1827. **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus Morawitz,1878* **UA HU DE Cc RU TR**
1828. **Megachile (s.str.) pyrenaea Perez,1890** (Megachilidae) Synonym(s): *pyrenaea Perez,1890* **FI SE Cc TR**
1829. **Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s): *lagopoda (Linnaeus,1761* **TR Cc RU Sb Us JP DZ**
1830. **Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) Synonym(s): *maritima Kirby,1802* **Cc KG RU Us TR**
1831. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula Germar,1830; truncatipennis Boheman,1847; brevifrons Reuter,1880; fuscus Metcalf,1943; pallidus Metcalf,1943* **AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU**
1832. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
1833. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae Boucek,1971; kondaricus Zerova & Seregina,1994* **DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM**
1834. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis Edwards,1915* **AL BG FR GB GR IL IT TR GG Cc YU IR**
1835. **Melanagromyza heracleana Zlobin,2005** (Agromyzidae) Synonym(s): *heracleana Zlobin,2005* **Melanagromyza heracleana Zlobin,2005, Zoosyst. ross. 14 (1): 173-177, figs. Holotype ♂: Russia, Caucasus, Krasnodar near Arkhyz 1000-1700m (ZIP). TR Cc Kr RU**
1836. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus Pallas,1771; melas Charpentier,1825; tristis Audinet-Serville,1838; agricola Rambur,1838; alata Ramme,1921* **TR Cc RU ES FR AT PL RO IR KG MN**
1837. **Melanotus (s.str.) brunnipes (Germar,1824)** (Elateridae) Synonym(s): *brunnipes Germar,1824* **GR Cc TR**
1838. **Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola Ménétriés,1832* **TR BG Cc AM IR**
1839. **Melanotus (s.str.) sobrinus (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus Ménétriés,1832* **Cc TR? IR TM**
1840. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus Erichson,1841* **TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH**
1841. **Melieria parmensis Rondani,1869** (Uliidiidae) Synonym(s): *parmensis Rondani,1869* **FR DE AT CH Cc**
1842. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus Sturm,1845* **DZ FR TR Cc IR UZ KG**
1843. **Meligethes maurus Sturm,1845** (Nitidulidae) Synonym(s): *maurus Sturm,1845* **Cc TR**
1844. **Meligethes ovatus Sturm,1845** (Nitidulidae) Synonym(s): *ovatus Sturm,1845* **Cc**
1845. **Meligethes umbrosus Sturm,1845** (Nitidulidae) Synonym(s): *umbrosus Sturm,1845* **Cc TR**
1846. **Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer Kirejtschuk,1978* **Cc GG BG UA Cm TR**
1847. **Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis Olivier,1792* **ES IT Si Sa TR DZ Cc**
1848. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus Leach,1815* **ES TR Cc IR AF RU GB**
1849. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* **DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF**
1850. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi Pliginski,1910* **TR Cc RU AF TM IR UA Cm**
1851. **Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus Schrank,1776* **HU TR IL Pa Cc RU**

1852. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus Linnaeus,1758* ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
1853. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817*; *coriarius Brandt & Erichson,1832*; *reticulatus Brandt & Ratzeburg,1833*; *cyanicornis Escherich,1889* FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
1854. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus Marsham,1802* ES IT RU DZ Cc TR TM
1855. **Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus Brandt & Erichson,1832* RU Cc IT Si TR TM
1856. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792*; *ruficornis Balbi,1897* Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
1857. **Melolontha (s.str.) pectoralis Germar,1824** (Scarabaeidae) Synonym(s): *pectoralis Germar,1824* RU Cc GG
1858. **Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens Gravenhorst,1829* AZ Cc TR IR MN KK
1859. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator Linnaeus,1758*; *orientalis Szepligetii,1916* SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
1860. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860*; *obscuripennis Palma,1863*; *knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
1861. **Merodon alagozicus Paramonov,1925** (Syrphidae) Synonym(s): *alagozicus Paramonov,1925* Cc AM Eri TR GR
1862. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons Meigen,1822*; *grossus Gil Collado,1930* PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
1863. **Merodon brevis Paramonov,1925** (Syrphidae) Synonym(s): *brevis Paramonov,1925* Cc AM Eri
1864. **Merodon caucasicus Portschinsky,1877** (Syrphidae) Synonym(s): *caucasicus Portschinsky,1877* Cc
1865. **Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus Paramonov,1925* MK GR IL Pa TR Cc Eri AM
1866. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR IT YU GR Rd CY Cc BG IL Pa
1867. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis Strobl,1909*; *fuerteventurensis Barkemeyer,2002* ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
1868. **Merodon velox Loew,1869** (Syrphidae) Synonym(s): *velox Loew,1869*; *anathema Paramonov,1925*; *armeniaca Paramonov,1925* Merodon velox Loew,1869, Besch. eur. Dipt.: 253. Lectotype ♂: "Rhodus" (NHMW), designated by Hurkmans (1993: 183). MK GR Rd TR Cc AM Eri AZ Nv Ord
1869. **Mesoptylus petrovi (Grigoriev,1910)** (Cercopidae) Synonym(s): *petrovi Grigoriev,1910* TR AM AZ GG RU Cc Da
1870. **Metacantharis araxicola Reitter,1891** (Cantharidae) Synonym(s): *araxicola Reitter,1891* TR AM Cc IR
1871. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1872. **Metacnephia hajotsdzorensis (Terteryan,1962)** (Simuliidae) Synonym(s): *hajotsdzorensis Terteryan,1962* Cc AM
1873. **Metacnephia nigra (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra Rubtsov,1940*; *saxicola Rubtsov,1956* Cc AZ Nv RU RO TM
1874. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica Rubtsov,1940*; *hirta Rubtsov & Terteryan,1954* IR AM Cc AZ KG RO TM UZ
1875. **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae) Synonym(s): *subalpina Rubtsov,1956* AM AZ Cc GG TR
1876. **Metacnephia terterjani (Rubtsov,1955)** (Simuliidae) Synonym(s): *terterjani Rubtsov,1955* AM Cc
1877. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus Boheman,1845* AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
1878. **Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): *steini Fieber,1869* DE HU JP Cc AZ UA
1879. **Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis Thomson,1887* DZ TR Cc KG IR
1880. **Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): *dentatus Fabricius,1779* TR NO RU Sb Cc
1881. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus Mocsary,1883* TR DZ Cc TJ KG RU
1882. **Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus Förster,1859* TR Cc KG RU Sb
1883. **Metropis incisus Logvinenko,1970** (Delphacidae) Synonym(s): *incisus Logvinenko,1970* Cc GG

1884. **Metropis tridentatus** Logvinenko,1970 (Delphacidae) Synonym(s): *tridentatus* Logvinenko,1970 Cc AZ
1885. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1886. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feiberi* Metcalf,1968 DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At
1887. **Microcara caspica** Reitter,1889 (Scirtidae) Synonym(s): *caspica* Reitter,1889 TR Cc AZ
1888. **Microchelonus contracta (Nees,1834)** (Braconidae) Synonym(s): *contracta* Nees,1834 Cc KG RU Sb TR
1889. **Microchelonus sulcata (Jurine,1807)** (Braconidae) Synonym(s): *sulcata* Jurine,1807 Cc RU Sb TR
1890. **Microgaster fulvicornis** Wesmael,1837 (Braconidae) Synonym(s): *fulvicornis* Wesmael,1837 *Microgaster fulvicornis* Wesmael,1837, Vouv. Mem. Acad. Brux. 10: 44. TR Cc RU
1891. **Microgaster subcompleta** Nees,1834 (Braconidae) Synonym(s): *subcompleta* Nees,1834 *Microgaster subcompleta* Nees,1834, Hym. Ichn. Affin. Mon. 1: 165. US Cc TR
1892. **Microhoria terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata* Schmidt,1842 TR RU UA Cc TM
1893. **Micronecta anatolica** Lindberg,1922 (Corixidae) Synonym(s): *anatolica* Lindberg,1922 TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
1894. **Microptilis marshallii** Kokujev,1897 (Braconidae) Synonym(s): *marshallii* Kokujev,1897 Cc AZ AM GG HU TR RO RU
1895. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator* Haliday,1834 TR DK JP RU Sb Sh Cc KG LT ID Ja
1896. **Microptilis scrophulariae** Szepligeti,1898 (Braconidae) Synonym(s): *scrophulariae* Szepligeti,1898 Cc AZ GG FR RO CH HU CZ MN TR
1897. **Microptilis sofron** Nixon,1970 (Braconidae) Synonym(s): *sofron* Nixon,1970 GB IE IT CH Cc AZ DK BG FR GR HU NL TR
1898. **Microptilis spinolae** Nees,1834 (Braconidae) Synonym(s): *spinolae* Nees,1834 TR Cc AZ AM RU Sb ID Ja
1899. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer* Wesmael,1837 FR RU Sb LK MN Cc AZ AM TR JP
1900. **Microptilis varipes** Ruthe,1860 (Braconidae) Synonym(s): *varipes* Ruthe,1860 Cc AZ DE FR YU TR AT PL RU MN Sb SE HU
1901. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua* Ruthe,1860 Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU
1902. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
1903. **Mniophila caucasica** Nadein,2009 (Chrysomelidae) Synonym(s): *caucasica* Nadein,2009 Cc Abk GG AZ RU
1904. **Mniophila transcaucasica** Nadein,2009 (Chrysomelidae) Synonym(s): *transcaucasica* Nadein,2009 AM GG Cc
1905. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
1906. **Mocuellus dzhavacheticus** Logvinenko,1971 (Cicadellidae) Synonym(s): *dzhavacheticus* Logvinenko,1971 Cc GG
1907. **Mocuellus gruzinicus** Dlabola,1958 (Cicadellidae) Synonym(s): *gruzinicus* Dlabola,1958 Cc GG
1908. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1909. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata* Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885 AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
1910. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
1911. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 *Gryllus frontalis* Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR

1912. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae) Synonym(s): *truncatus Tarbinski,1940* RO Cc TR
1913. **Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria Dlabola,1958* Cc GG TR IR RU UA
1914. **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia Loew,1869* TR IR Fa RO Cc GG AM AZ
1915. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
1916. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
1917. **Monosapyga clavicornis (Linnaeus,1758)** (Sapygidae) Synonym(s): *clavicornis Linnaeus,1758; prisma Fabricius,1787; ininterrupta Pic,1920; triinterrupta Pic,1920; theresae Pic,1920* DZ Cc TR
1918. **Monticorixa armeniaca (Stys,1975)** (Corixidae) Synonym(s): *armeniaca Stys,1975* AM Cc TR DZ
1919. **Morellia hortorum (Fallén,1817)** (Muscidae) Synonym(s): *hortorum Fallén,1817* Cc GG TR AM
1920. **Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus Faldermann,1836* UA Cm TR Cc IR
1921. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
1922. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
1923. **Musaria affinis (Harrer,1784)** (Cerambycidae) Synonym(s): *affinis Harrer,1784; nigripes Voet,1778* GR RU Cc
1924. **Musaria kurdistana (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *kurdistana Ganglbauer,1884* AM Cc TR IR
1925. **Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): *puncticollis Faldermann,1837* TR IR Ab AM Cc
1926. **Musaria volgensis (Kraatz,1883)** (Cerambycidae) Synonym(s): *volgensis Kraatz,1883* Cc TR
1927. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
1928. **Musca larvipara Portschinsky,1910** (Muscidae) Synonym(s): *larvipara Portschinsky,1910* Cc AM TR AZ
1929. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
1930. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
1931. **Muscina stabulans (Fallén,1817)** (Muscidae) Synonym(s): *stabulans Fallén,1817* Cc AM TR
1932. **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula Lefebvre,1831* Halys spinosula Lefebvre,1831, [in] Guérin-Ménéville, Magas. Zool. 1: page & tab.21. GR TR IR Kh Cc AZ Kir Nv Ord EG YU B-H
1933. **Mutilla richterae Lelej,1984** (Mutillidae) Synonym(s): *richterae Lelej,1984* AM Cc IQ TR
1934. **Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris Fabricius,1787* TR MK GR BG RU Cc
1935. **Muzimes erivanicus (Kaszab,1958)** (Meloidae) Synonym(s): *erivanicus Kaszab,1958* Micromerus erivanicus Kaszab,1958, Acta ent. Mus. nat. Pragae 32: 5-18. AM TR Cc Eri
1936. **Mycodrosophila poecilogastra (Loew,1874)** (Drosophilidae) Synonym(s): *poecilogastra Loew,1874* BG GG Cc Soc
1937. **Mycterodus (s.str.) alatus Logvinenko,1968** (Issidae) Synonym(s): *alatus Logvinenko,1968* Cc GG TR
1938. **Mycterodus (s.str.) batus Dlabola,1958** (Issidae) Synonym(s): *batus Dlabola,1958* Cc GG
1939. **Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): *confusus Stal,1861* Cc CS HU RO TR AZ GG UA YU
1940. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794* Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
1941. **Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): *intricatus Stal,1861; jaltaicus Dlabola,1958* Cc CY TR AZ GG UA
1942. **Mycterodus (s.str.) lobatus Logvinenko,1968** (Issidae) Synonym(s): *lobatus Logvinenko,1968* Cc GG
1943. **Mycterodus (s.str.) rostratulus Emeljanov,1964** (Issidae) Synonym(s): *rostratulus Emeljanov,1964* Cc RU TR

1944. **Mycterodus caucasicus (Melichar,1906)** (Issidae) Synonym(s): *caucasicus* Melichar,1906
Ce TR AZ AM GG
1945. **Mycterodus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus* Dlabola,1958 TR AM AZ
GG Cc RU
1946. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-
Schäffer,1835 FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1947. **Mycterodus ovifrons (Puton,1890)** (Issidae) Synonym(s): *ovifrons* Puton,1890 RU Cc TR
1948. **Mydaea urbana (Meigen,1826)** (Muscidae) Synonym(s): *urbana* Meigen,1826 AM Cc Eri GG
TR
1949. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata*
Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1950. **Mylabris bimaculata Klug,1845** (Meloidae) Synonym(s): *bimaculata* Klug,1845 TR SY IR Cc
1951. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida* Pallas,1781 TR Cc RU KG AF IR
SY BG DZ
1952. **Mylabris cincta Olivier,1811** (Meloidae) Synonym(s): *cincta* Olivier,1811; #cincat Kaszab,1968
TR AF Cc GR SY IR DZ
1953. **Mylabris concolor Marseul,1870** (Meloidae) Synonym(s): *concolor* Marseul,1870 Mylabris
concolor Marseul,1870, Abeille 1870: 112. TR Cc IR
1954. **Mylabris emiliae (Escherich,1899)** (Meloidae) Synonym(s): *emiliae* Escherich,1899 TR SY Cc
1955. **Mylabris externepunctata Faldermann,1832** (Meloidae) Synonym(s): *externepunctata*
Faldermann,1832 TR Cc AZ IR
1956. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec
Fabr.,1781; *fabricii* Sumakov,1924 TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1957. **Mylabris furcimacula Sumakov,1915** (Meloidae) Synonym(s): *furcimacula* Sumakov,1915 Cc
TR
1958. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca* Olivier,1811 TR Cc RU TM IR SY
1959. **Mylabris geminata Fabricius,1798** (Meloidae) Synonym(s): *geminata* Fabricius,1798 TR RU
Cc IR
1960. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa* Escherich,1899 TR
Cc TM UZ GR SY
1961. **Mylabris laevicollis Marseul,1870** (Meloidae) Synonym(s): *laevicollis* Marseul,1870 TR Cc
TM GR
1962. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri* Billberg,1813; *grisescens*
Marseul,1872; *impar* Sumakov,1915 RU Cc TR TM IR KG TJ
1963. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811 TR Cc SY RU Sb KG
KK UZ IR
1964. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata*
Linnaeus,1767 FR TR Cc RU IR AF MN
1965. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 TR SY Cc
RU IQ IR MN AF
1966. **Mylabris serana (Escherich,1897)** (Meloidae) Synonym(s): *serana* Escherich,1897 AM TR Cc
1967. **Mylabris sexmaculata (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1811 TR
SY RU Cc IR
1968. **Mylabris variabilis (Pallas,1782)** (Meloidae) Synonym(s): *variabilis* Pallas,1782 TR Cc RU DZ
KG TM
1969. **Mylabris zebraea (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870 TR Cc IR
GR
1970. **Myopa pallida Kröber,1916** (Conopidae) Synonym(s): *pallida* Kröber,1916 TR Cc
1971. **Myophila bimaculata (Macquart,1834)** (Muscidae) Synonym(s): *bimaculata* Macquart,1834
AM Cc Eri
1972. **Myophila meditabunda (Fabricius,1781)** (Muscidae) Synonym(s): *meditabunda*
Fabricius,1781 AM Cc Eri AZ IR TR GG
1973. **Myrmica caucasicola Arnoldi,1934** (Formicidae) Synonym(s): *caucasicola* Arnoldi,1934 Cc
AZ
1974. **Myrmica ravasinii Finzi,1923** (Formicidae) Synonym(s): *ravasinii* Finzi,1923 AL GR BTR Cc
GG Bjo
1975. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki* Viereck,1903; *kutteri*
Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 SE DK ES FR CH CZ BG TR GG Cc KK KG
1976. **Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps*
Radoszowski,1888 nec Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927 TR IQ IR Cc AZ AM
TM
1977. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica*
Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927 GR BG TR Cc RU Da GG AM AZ IR UA Cm
1978. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s):
#*corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869 FR GR SY Cc UA Cm TR IL Pa IR
1979. **Myrmilla (s.str.) etschmiadzini (Radoszowski,1885)** (Mutillidae) Synonym(s):
etschmiadzini Radoszowski,1885; *armeniaca* Skorikov,1927 Cc AM AZ Eri

1980. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
1981. **Nalassus (Caucasonotus) svaneticus Nabozhenko & Dzhabazishvili,2001** (Tenebrionidae) Synonym(s): *svaneticus Nabozhenko & Dzhabazishvili,2001* Cc GG
1982. **Nalassus (Helopondrus) adzharicus Nabozhenko & Dzhabazishvili,2001** (Tenebrionidae) Synonym(s): *adzharicus Nabozhenko & Dzhabazishvili,2001* Cc GG
1983. **Narolskyia chorsov (Narolsky,1990)** (Ichneumonidae) Synonym(s): *chorsov Narolsky,1990* AM Cc
1984. **Nebria (Eunebria) jarrigei Ledoux & Roux,1991** (Carabidae) Synonym(s): *jarrigei Ledoux & Roux,1991* GG TR Cc
1985. **Nebria (Eunebria) nigerrima Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima Chaudoir,1846* AZ AM Cc TR IR
1986. **Nebria (s.str.) adjarica Shilenkov,1983** (Carabidae) Synonym(s): *adjarica Shilenkov,1983* TR Cc GG
1987. **Nebria (s.str.) araschinica Reitter,1892** (Carabidae) Synonym(s): *araschinica Reitter,1892* AM Cc TR
1988. **Nebria (s.str.) bonellii M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii M.F. Adams,1817* GG RU Cc TR
1989. **Nebria (s.str.) fischeri Faldermann,1836** (Carabidae) Synonym(s): *fischeri Faldermann,1836* GG Cc TR
1990. **Nebria (s.str.) gotschii Chaudoir,1846** (Carabidae) Synonym(s): *gotschii Chaudoir,1846* AM Cc TR
1991. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
1992. **Nemoptera coa (Linnaeus,1758)** (Nemopteridae) Synonym(s): *coa Linnaeus,1758; petiveri Westwood,1841* GR TR Cc
1993. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* YU RO GR BG TR SY Cc IR
1994. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* TR IT Si CY ES YU BG GR RU Cc AM IL IR
1995. **Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae) Synonym(s): *armeniacus Pleske,1937* Nemotelus (s.str.) armeniacus Pleske,1937, [in] Lindner, Fliegen pal. Reg. 4 (1): 119. Type: [Turkey: İğdir Prov.]: "Kasikoparan". TR RU Cc AF
1996. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969* YU HU RO IT BG AL GR TR CY RU Cc IL EG
1997. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* GR IT YU RO BG AL RU UA Cc TR IL IR
1998. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus Linnaeus,1758; marginatus Fabricius,1775; marginellus Gmelin,1790; muticus Schrank,1803; nigritus Meigen,1804; fraternus Loew,1846; gracilis Loew,1846; satunini Pleske,1937; zelleri Pleske,1937; albirostris Szilady,1941; caucasicus Nartshuk,1969; punctirostris Lindner,1974* GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA
1999. **Nemotelus (s.str.) rudifraci (Berezovsky & Nartshuk,1993)** (Stratiomyidae) Synonym(s): *rudifraci Berezovsky & Nartshuk,1993* Geitonomyia rudifraci Berezovsky & Nartshuk,1993, Zoosyst. ross. 1: 97-101. AZ Cc TR
2000. **Nemotelus (s.str.) rufiventris Potschinsky,1887** (Stratiomyidae) Synonym(s): *rufiventris Potschinsky,1887* Cc AM
2001. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
2002. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
2003. **Nemoura martynovia Claassen,1936** (Nemouridae) Synonym(s): *martynovia Claassen,1936* Cc TR
2004. **Nemoura taurica Zhiltzova,1967** (Nemouridae) Synonym(s): *taurica Zhiltzova,1967* TR Cc UA Cm
2005. **Neoliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher Haupt,1927* IR IL Pa Cc TR GG KG TJ
2006. **Neoliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis Puton,1881; fasciata Ferrari,1885* IL IT SY TR Cc AZ
2007. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni Kieffer,1899; barbara Benoist,1921; scutellata Boucek,1952* DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR

2008. **Neocrepidodera crassicornis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *crassicornis Faldermann,1837* TR Cc KG
2009. **Neocrepidodera ferruginea (Scopoli,1763)** (Chrysomelidae) Synonym(s): *ferruginea Scopoli,1763* TR Cc IR
2010. **Neocrepidodera motschulskyi Konstantinov,1991** (Chrysomelidae) Synonym(s): *motschulskyi Konstantinov,1991* TR Cc
2011. **Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa Marsham,1802* TR Cc CY IR
2012. **Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): *senectus Richter,1963; lehri Moucha & Hradski,1963* Cc RU IR TR UA MD GG AZ AM
2013. **Neomusaria suworovi (Pic,1906)** (Cerambycidae) Synonym(s): *suworovi Pic,1906* Cc TR
2014. **Neomyia cornicina (Fabricius,1781)** (Muscidae) Synonym(s): *cornicina Fabricius,1781; caesarion Meigen,1826* AM Cc Eri AZ TR IR Hw
2015. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris Fallén,1805; parvula Vismara,1877; fasciatus Ferrari,1882; obsoletus Ferrari,1882; bimaculata Rey,1894; brunnifrons Rey,1894* Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
2016. **Neophilaenus inversus Dlabola,1958** (Cercopidae) Synonym(s): *inversus Dlabola,1958* RU Cc
2017. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus Linnaeus,1758; abbreviata Fabricius,1787; capitata Fabricius,1794; aterrimus Sahlberg,1871; pulchellus Sahlberg,1871; fusca Haupt,1912; pallida Haupt,1917; danicus Wagner,1935; fulva Gyllensvard,1965* AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
2018. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
2019. **Nephrotoma appendiculata (Pierre,1919)** (Tipulidae) Synonym(s): *appendiculata Pierre,1919* TR Cc
2020. **Nephrotoma scalaris (Meigen,1818)** (Tipulidae) Synonym(s): *scalaris Meigen,1818* TR Cc
2021. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica Kokujev,1899* Cc BG RO UA RU PL DE AT FR
2022. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkanitz,1971* BG UA RU TR SY IR Cc
2023. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus Giraud,1859* GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY
2024. **Nicrophorus antennatus (Reitter,1885)** (Silphidae) Synonym(s): *antennatus Reitter,1885* TR Cc MN CN Ui Mc
2025. **Nicrophorus confusus Portevin,1924** (Silphidae) Synonym(s): *confusus Portevin,1924* TR Cc T-S
2026. **Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus Linnaeus,1758* TR Cc SY CN Ui
2027. **Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): *humator Gleditsch,1767* DZ TR Cc IR CN Ui
2028. **Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): *nigricornis Faldermann,1835* TR FR AT SS BG Cc CH
2029. **Nocaracris cyanipes (Fischer von Waldheim,1846)** (Pamphagidae) Synonym(s): *cyanipes Fischer von Waldheim,1846* Nocarodes cyanipes Fischer von Waldheim,1846, *Nouv. Mem. Soc. imp. Nat. Moscou* 8: 269. Type(s): Caucasus. TR Cc GG
2030. **Nocarodes armenus Ramme,1951** (Pamphagidae) Synonym(s): *armenus Ramme,1951; fragosus Mishchenko,1951* Cc AM Eri IR AZ Nv Ord
2031. **Nocarodes balachowskyi Descamps,1967** (Pamphagidae) Synonym(s): *balachowskyi Descamps,1967* Cc AZ IR Ak Ab
2032. **Nocarodes femoralis Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): *femoralis Fischer von Waldheim,1846* Cc RU
2033. **Nocarodes geniculatus Uvarov,1928** (Pamphagidae) Synonym(s): *geniculatus Uvarov,1928* RU Cc Da
2034. **Nocarodes nanus Mishchenko,1951** (Pamphagidae) Synonym(s): *nanus Mishchenko,1951* Cc AZ Nv
2035. **Nocarodes scabiosus Mishchenko,1951** (Pamphagidae) Synonym(s): *scabiosus Mishchenko,1951* Cc AZ IR Ak Ab
2036. **Nocarodes urmianus Ramme,1939** (Pamphagidae) Synonym(s): *urmianus Ramme,1939* IR Ak Ab Cc
2037. **Nocarodes variegatus Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): *variegatus Fischer von Waldheim,1846* Cc RU
2038. **Nocarodes znojtkoi Miram,1938** (Pamphagidae) Synonym(s): *znojtkoi Miram,1938* Cc AZ Nv
2039. **Nocarodes znojtkoi Miram,1938** (Pamphagidae) Synonym(s): *znojtkoi Miram,1938* Cc AZ Nv

2040. **Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicosa* Robineau-Desvoidy,1830; *lineata* Macquart,1835 **TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU**
2041. **Nomia bytinski Warncke,1976** (Halictidae) Synonym(s): *bytinski* Warncke,1976 **TR AZ Cc**
2042. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
2043. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
2044. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 **AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL**
2045. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 **AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA**
2046. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 **AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL**
2047. **Notonecta glauca Linnaeus,1758** (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953 **TR IR AM GG AZ Cc**
2048. **Notonecta marmorea Fabricius,1803** (Notonectidae) Synonym(s): *marmorea* Fabricius,1803 **RU Cc TR IR TM**
2049. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919 **Cc AM AZ GR TR IR TM**
2050. **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa* Loew,1871 **IR Ss Ke Kz AZ Cc IQ TR KG CN**
2051. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
2052. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
2053. **Nyctophila caucasica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caucasica* Motschoulsky,1854 **Cc IR AZ Len**
2054. **Nyctophila pseudocaucasica Geisthardt,1982** (Lampyridae) Synonym(s): *pseudocaucasica* Geisthardt,1982 **Cc IR**
2055. **Nymphorgerius transcaucasicus Sidorski,1938** (Dictyopharidae) Synonym(s): *transcaucasicus* Sidorski,1938 **Cc AZ**
2056. **Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis* Linnaeus,1761 **CZ GR TR Cc RU**
2057. **Ochrilidia obtusa (Salfi,1931)** (Acrididae) Synonym(s): *obtusa* Salfi,1931 **TR Cc AM IR**
2058. **Ochrosis ventralis (Illiger,1807)** (Chrysomelidae) Synonym(s): *ventralis* Illiger,1807 **TR Cc IR DZ**
2059. **Ochthebius (Asiabates) limbicollis Reitter,1885** (Hydraenidae) Synonym(s): *limbicollis* Reitter,1885 **AZ Cc IR**
2060. **Odeles armilabris (Nyholm,1974)** (Scirtidae) Synonym(s): *armilabris* Nyholm,1974 **RU Cc TR**
2061. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922 **GR IT Si BG GR TR UA RU Cc AZ IL IR**
2062. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 **MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ**
2063. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
2064. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus* Germar,1817 **Acrydium decorus** Germar,1817, *Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype* ♂: [Russia]: Dagestan (BMNH). **TR RU Us Cc Da TM TJ KK KG**
2065. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokoziowitzcki* Bolivar,1884; *mlokozewitchi* Bolivar,1887; *dimidiatus* Bolivar,1899 **Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV**
2066. **Oedipoda caeruleascens (Linnaeus,1758)** (Acrididae) Synonym(s): *caeruleascens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
2067. **Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuicornis* Abeille de Perrin,1880; *#tenuitarsis* Kaszab,1968 **TR Cc AM Eri SY**
2068. **Oliarus apiculatus Fieber,1876** (Cixiidae) Synonym(s): *apiculatus* Fieber,1876 **FR HU RO Cc AZ YU**
2069. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**

2070. **Oliarus dagestanicus** Kusnezov,1937 (Cixiidae) Synonym(s): *dagestanicus* Kusnezov,1937
RU Cc Da
2071. **Oliarus minusculus** Melichar,1913 (Cixiidae) Synonym(s): *minusculus* Melichar,1913 AM GG
Cc
2072. **Oliarus nigrofurcatus** Signoret,1884 (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884;
fumatus Melichar,1902 AF IR IQ Cc AZ CN Ui UZ TM
2073. **Oliarus obscurus** (Signoret,1865) (Cixiidae) Synonym(s): *obscurus* Signoret,1865; *signatus*
Fieber,1876 EG FR IT Sa Cc AM AZ RU UA
2074. **Oliarus pallens** (Germar,1821) (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus*
Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR
AM AZ GG KG KK MD RU TJ TM UA UZ YU
2075. **Oliarus roridus** Fieber,1876 (Cixiidae) Synonym(s): *roridus* Fieber,1876; *maculatus* Fieber,1876
AF BG CZ GR RO SY TR RU Cc AZ
2076. **Oligodranes flavus** Paramonov,1929 (Bombyliidae) Synonym(s): *flavus* Paramonov,1929
TM UZ AZ Cc
2077. **Omaloplia (s.str.) ruricola** (Fabricius,1775) (Scarabaeidae) Synonym(s): *ruricola*
Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata*
Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschi* Reitter,1905; *arnoldi*
Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazishvili,1973 AT BE B-H BG CZ FR
GB DE GG GR HU IT RO SK YU Cc
2078. **Ommatius stackelbergi** (Richter,1960) (Asilidae) Synonym(s): *stackelbergi* Richter,1960 Cc
RU TR AM IR Se
2079. **Ommatius tenellus** Wulp,1899 (Asilidae) Synonym(s): *tenellus* Wulp,1899 DZ TD CN EG ET
IL Pa IR AZ Cc YE IN NE SN SD
2080. **Omocestus (s.str.) demokidovi** Ramme,1930 (Acrididae) Synonym(s): *demokidovi*
Ramme,1930 Cc AZ AM TR
2081. **Omocestus (s.str.) haemorrhoidalis** (Charpentier,1825) (Acrididae) Synonym(s):
haemorrhoidalis Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus*
Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 ES FR CH
DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
2082. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae) Synonym(s): *petraeus* Brisout,1855;
tesquorum Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 FR ES IT CZ RO Cc TR RU KG
Sb
2083. **Omocestus (s.str.) znojkoii** Mistchenko,1951 (Acrididae) Synonym(s): *znojkoii*
Mistchenko,1951 Cc AZ
2084. **Omophlus (s.str.) caucasicus** Kirsch,1869 (Tenebrionidae) Synonym(s): *caucasicus*
Kirsch,1869 TR Cc
2085. **Oncopsis alni** (Schrank,1801) (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*);
ferrugineus Curtis,1837; *heydenii* Kirschbaum,1868 AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES
SE SW AZ GG Cc TR LV RU Sb UA YU
2086. **Onitis damoetas** Steven,1806 (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus*
Olivier,1811; *steveni* Brullé,1832 Cc GG GR RU TR IR AM SY LB
2087. **Onthophagus (Euonthophagus) atramentarius** (Ménétriés,1832) (Scarabaeidae)
Synonym(s): *atramentarius* Ménétriés,1832 Cc SY CY IR TR BG GR IL Pa EG
2088. **Onthophagus (Euonthophagus) gibbosus** (Scriba,1790) (Scarabaeidae) Synonym(s):
gibbosus Scriba,1790 RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
2089. **Onthophagus (Furconthophagus) furcatus** (Fabricius,1781) (Scarabaeidae) Synonym(s):
furcatus Fabricius,1781 RU Cc AM AZ GG TM SY TR IQ SA MA
2090. **Onthophagus (Palaeonthophagus) coenobita** (Herbst,1783) (Scarabaeidae) Synonym(s):
coenobita Herbst,1783 MD RU Cc GG TM TR
2091. **Onthophagus (Palaeonthophagus) cruciatus** (Ménétriés,1832) (Scarabaeidae)
Synonym(s): *cruciatus* Ménétriés,1832 TM Cc AM TR SY IQ IL Pa CY GR Rd
2092. **Onthophagus (Palaeonthophagus) dorsosignatus** D'Orbigny,1898 (Scarabaeidae)
Synonym(s): *dorsosignatus* D'Orbigny,1898 TR Cc AM IQ IR
2093. **Onthophagus (Palaeonthophagus) fissicornis** Steven,1809 (Scarabaeidae) Synonym(s):
fissicornis Steven,1809 RU Cc AM AZ TM SY IQ TR IR UA Cm
2094. **Onthophagus (Palaeonthophagus) formaneki** Reitter,1897 (Scarabaeidae) Synonym(s):
formaneki Reitter,1897 TR Cc AZ Nv
2095. **Onthophagus (Palaeonthophagus) fracticornis** (Preyssler,1790) (Scarabaeidae)
Synonym(s): *fracticornis* Preyssler,1790 GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR
2096. **Onthophagus (Palaeonthophagus) grossepunctatus** J.Müller,1906 (Scarabaeidae)
Synonym(s): *grossepunctatus* J.Müller,1906 Cc
2097. **Onthophagus (Palaeonthophagus) lemur** (Fabricius,1781) (Scarabaeidae) Synonym(s):
lemur Fabricius,1781 RU MD Cc TM TR
2098. **Onthophagus (Palaeonthophagus) lemuroides** D'Orbigny,1898 (Scarabaeidae)
Synonym(s): *lemuroides* D'Orbigny,1898 IQ IR TR SY Cc MN

2099. **Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus* Sturm,1800 HU SK UA Cm TR SY Cc IQ Cc
2100. **Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nuchicornis* Linnaeus,1758 RU Sb KG TR Cc MN CA US On Qb BCo Ny
2101. **Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s): *ovatus* Linnaeus,1762 RU MD UA Cm Cc BG TR Cc TM
2102. **Onthophagus (Palaeonthophagus) parmatus Reitter,1892** (Scarabaeidae) Synonym(s): *parmatus* Reitter,1892 Cc AZ Nv AM RU IR TR RO SY
2103. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965 Cc GG TR RU SY LB IR AZ AM RO GR
2104. **Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s): *ruficapillus* Brullé,1832 Cc AZ AM SY HU TR AT SK IL Pa
2105. **Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae) Synonym(s): *sacharovskii* Olsoufieff,1918 Cc AM GG RU TR
2106. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
2107. **Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s): *sericatus* Reitter,1893 HV AL TR Cc SY IR
2108. **Onthophagus (Palaeonthophagus) specularifer Solsky,1876** (Scarabaeidae) Synonym(s): *specularifer* Solsky,1876 KG KK TM Cc TR IR
2109. **Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s): *suturellus* Brullé,1832; *trochiscobius* Kolenati,1846 RU Cc AZ GR TR SY IR
2110. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus* Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965 Cc AZ Nv TM IR SY LB IL Pa TR
2111. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca* Linnaeus,1767 RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
2112. **Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis* Laicharting,1781 AZ Cc TR SY TM
2113. **Onthophagus (Palaeonthophagus) viridis Ménériés,1832** (Scarabaeidae) Synonym(s): *viridis* Ménériés,1832 Cc AZ
2114. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus* Scopoli,1763 YU UA Cm Cc AZ RU TR IR IQ AF TM
2115. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
2116. **Onychogomphus assimilis (Schneider,1845)** (Gomphidae) Synonym(s): *assimilis* Schneider,1845; *fulvipennis* Bartenev,1912 TR Cc AM
2117. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus* Schneider,1845 TR Cc AZ Kir IQ IR AM IL Pa
2118. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus* Linnaeus,1758 TR CY Cc AM YU
2119. **Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus* Brullé,1832; *parvulus* Faldermann,1837 TR Cc RU Sb ET SO
2120. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa
2121. **Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1960 IR RU Da Cc TR
2122. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus* Horvath,1911 AF IR Cc AZ KG KK RU TJ UZ
2123. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 AF DZ EG IR IQ TR Cc AZ KG RU TJ
2124. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
2125. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
2126. **Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826 TR Cc KG RU Sb DZ
2127. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK
2128. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 DE AZ AM GG Cc IR TR IL Pa LB JO
2129. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us

2130. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770* TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
2131. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre Scopoli,1763; virens Panzer,1798; formosum Haliday,1832; viridipes Macquart,1834* Cc AZ BG CY GR IL Pa UA Cm DZ TN Md TZ
2132. **Orthopelma luteolator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *luteolator Gravenhorst,1829* TR Cc
2133. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis Linnaeus,1758* PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
2134. **Osmia (Allosmia) decorata Morawitz,1886** (Megachilidae) Synonym(s): *decorata Morawitz,1886* RU Cc
2135. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura Morawitz,1871* AM Cc BG FR GR IT Si MK UA TR
2136. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta Latreille,1811; spiniventris Giraud,1857; soror Pérez,1896* AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
2137. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides Spinola,1808* AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
2138. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta Panzer,1799; haematoda Panzer,1801* AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
2139. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
2140. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis Morawitz,1871; macedonica Tkalcu,1979; acuta Warncke,1988* MK BG ES GR IL Pa JO SY Cc TR
2141. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899* AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
2142. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris Panzer,1798* CA Cc KG Cn Az UA Cm TR DZ CY
2143. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895* AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
2144. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
2145. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta Morawitz,1875* AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
2146. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata Morawitz,1876; affinis Frivaldsky,1877; pallens Tkalcu,1979* AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
2147. **Osmia (Hoplosmia) distinguenda (Tkalcu,1974)** (Megachilidae) Synonym(s): *distinguenda Tkalcu,1974* IL Pa Js AM GR Cc JO TR
2148. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica Morawitz,1868; detrita Pérez,1879* AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
2149. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa Kirby,1802; euchreiformis Radoszkowski,1882* AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
2150. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina Curtis,1828; angustula Zetterstedt,1838; vankovitzii Radoszkowski,1887* AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
2151. **Osmia (Melanosmia) thoracica Radoszkowsky,1874** (Megachilidae) Synonym(s): *thoracica Radoszkowsky,1874; pentheri Kohl,1905* Cc AM Eri TR
2152. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935* AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
2153. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata Smith,1853; macroglossa Gerstaecker,1869* AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
2154. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor Schrank,1781; rustica Geoffroy,1785; fusca Christ,1791; hirudinaria Christ,1791; pyrenaea Lepeletier,1841; fusca Gistel,1857;*

- rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
2155. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
2156. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
2157. **Osmia (Pyrosmia) forticornis Zanden,1989** (Megachilidae) Synonym(s): *forticornis* Zanden,1989 AM Cc GR TR
2158. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984 AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
2159. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
2160. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
2161. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
2162. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
2163. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
2164. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
2165. **Osmia (s.str.) longicornis Morawitz,1875** (Megachilidae) Synonym(s): *longicornis* Morawitz,1875 Cc UZ Tas AF
2166. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
2167. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988 AM Cc GR Rd JO TR
2168. **Osmoderma richteri Medvedev,1953** (Scarabaeidae) Synonym(s): *richteri* Medvedev,1953 Cc GG
2169. **Osmylus elegantissimus Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951 TR? Cc UA RU AM AZ GG
2170. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
2171. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869 SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA
2172. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis* Meigen,1822 GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
2173. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 RO GR CY RU UA Cc AZ TR IL LB
2174. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaenicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
2175. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
2176. **Oxylia argentata (Ménétriés,1832)** (Cerambycidae) Synonym(s): *argentata* Ménétriés,1832 AZ Cc TR SY
2177. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR
2178. **Oxymus silvestris (Scopoli,1763)** (Scarabaeidae) Synonym(s): *silvestris* Scopoli,1763 RU YU Cc GG

2179. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845 **MK SY TR Cc AM UZ TM**
2180. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
2181. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761 **HV YU BG TR RU Cc Ur Sb Us KG**
2182. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
2183. **Pachybrachis (s.str.) albicans Weise,1882** (Chrysomelidae) Synonym(s): *albicans* Weise,1882 **RU Cc**
2184. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 *nec* Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
2185. **Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921 **IQ Bgd TM IR Cc TR**
2186. **Pachybrachis (s.str.) mendax Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962 **Cc RU Sb TR UA**
2187. **Pachybrachis (s.str.) pubipennis Lopatin,1977** (Chrysomelidae) Synonym(s): *pubipennis* Lopatin,1977 **Cc**
2188. **Pachybrachis (s.str.) scripticollis Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905 **Cc TR IL Pa**
2189. **Pachybrachis (s.str.) scriptidorsum Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913 **BG RO UA CN RU Ur Cc Sb KP KR**
2190. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
2191. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953 **TR Cc IL Pa LB SY TM**
2192. **Pachybrachis (s.str.) vermicularis Suffrian,1854** (Chrysomelidae) Synonym(s): *vermicularis* Suffrian,1854; *astragali* Stierlin,1863; *pallidiventris* Jacobson,1894 **RU Sb Ur Cc IR**
2193. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 **SE PT ES BG UA Cc GG TR IL**
2194. **Pachyscelis metopotapha (Fischer von Waldheim,1832)** (Tenebrionidae) Synonym(s): *metopotapha* Fischer von Waldheim,1832; *gemmans* Baudi,1876 **Cc IR**
2195. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893 **IQ TR Cc AM SY TM RU IR**
2196. **Pachyscelis villosa (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836 **TR GR SY Cc**
2197. **Pachytodes cerambyciformis (Schrank,1781)** (Cerambycidae) Synonym(s): *cerambyciformis* Schrank,1781 **Cc TR CZ**
2198. **Pachytodes erraticus (Dalman,1817)** (Cerambycidae) Synonym(s): *erraticus* Dalman,1817 **CZ Cc TR IR**
2199. **Palorus orientalis Fleischer,1900** (Tenebrionidae) Synonym(s): *orientalis* Fleischer,1900 **Cc AZ IR**
2200. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
2201. **Panorpa caucasica McLachlan,1869** (Panorpidae) Synonym(s): *caucasica* McLachlan,1869 **Cc IQ IR**
2202. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 **YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES**
2203. **Panorpa connexa McLachlan,1869** (Panorpidae) Synonym(s): *connexa* McLachlan,1869 **Cc Soc GG TR**
2204. **Panorpa nigrirostris McLachlan,1882** (Panorpidae) Synonym(s): *nigrirostris* McLachlan,1882; *selysi* Esben-Petersen,1915 **Cc AZ Kir IR GG TR?**
2205. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
2206. **Paraclytus raddei (Ganglbauer,1881)** (Cerambycidae) Synonym(s): *raddei* Ganglbauer,1881 **AZ Cc IR**
2207. **Paraclytus reitteri (Ganglbauer,1881)** (Cerambycidae) Synonym(s): *reitteri* Ganglbauer,1881 **AZ Cc IR**

2208. **Paraclytus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): *sexguttatus Adams,1817* Cc AZ TR IR BG
2209. **Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): *concinna Fieber,1848* TR Cc RU Sb MN CN Ui
2210. **Paracorymbia maculicornis (De Geer,1775)** (Cerambycidae) Synonym(s): *maculicornis De Geer,1775* Cc CZ
2211. **Paracorymbia tonsa (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *tonsa K.Daniel & J.Daniel,1891* Cc TR IR
2212. **Paradelphomyia (Oxyrhiza) senilis (Haliday,1833)** (Limoniidae) Synonym(s): *senilis Haliday,1833* Cc TR
2213. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum Herrich-Schäffer,1837; lanceolatum Burmeister,1839* DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
2214. **Parageron griseus Paramonov,1947** (Bombyliidae) Synonym(s): *griseus Paramonov,1947; glauca Evenhuis,1978* TM UZ Cc AZ AM GG
2215. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis Boheman,1847; lugens Horvath,1897* AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
2216. **Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): *pulchellus Rey,1891* BE FR Cc AZ RU UA UZ
2217. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps Lethierry,1885* AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
2218. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa Fallén,1806 (praeocc.); obtusifrons Stal,1853; verrallii Scott,1875; caucasicus Melichar,1913* AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
2219. **Paramyrmosa brunnipes (Lepelletier,1845)** (Mutillidae) Synonym(s): *brunnipes Lepelletier,1845; cognata Costa,1858* DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
2220. **Paramyrmosa radoszkowskyi (Saussure,1880)** (Mutillidae) Synonym(s): *radoszkowskyi Saussure,1880* Cc GG AM AZ TR
2221. **Paranocaracris rimansonae (Uvarov,1918)** (Pamphagidae) Synonym(s): *rimansonae Uvarov,1918* Nocarodes rimansonae Uvarov,1918, Bull. Mus. Caucase Tiflis 12: 58. Type: [Georgia]: Tiflis. TR Cc GG Tbl
2222. **Paranocarodes aserbeidshanicus Ramme,1951** (Pamphagidae) Synonym(s): *aserbeidshanicus Ramme,1951* AZ Cc
2223. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961* TR Cc GG RU At KG KK TJ UA UZ FR
2224. **Parapholidoptera georgiae Massa, Buzzetti & Fontana,2009** (Tettigoniidae) Synonym(s): *georgiae Massa, Buzzetti & Fontana,2009* Cc GG
2225. **Parapholidoptera kalashiani Massa, Buzzetti & Fontana,2009** (Tettigoniidae) Synonym(s): *kalashiani Massa, Buzzetti & Fontana,2009* AM Cc
2226. **Paraplacionotus floralis (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis Pallas,1773* TR Cc IR SK
2227. **Parathrix aeneolus (Reitter,1889)** (Melyridae) Synonym(s): *aeneolus Reitter,1889* AZ Cc
2228. **Parathrix gravaida Majer,1990** (Melyridae) Synonym(s): *gravaida Majer,1990* AZ Cc
2229. **Parathrix plumbeus (Kiesenwetter,1878)** (Melyridae) Synonym(s): *plumbeus Kiesenwetter,1878* AZ Cc
2230. **Paravespa quadricolor (Morawitz,1885)** (Vespidae) Synonym(s): *quadricolor Morawitz,1885; komarowi Radoszkowski,1886* Cc
2231. **Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): *festivus Steven,1809* TR Cc RU TM
2232. **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus Frivaldszky,1835* AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
2233. **Pedestredorcadion apicerufum (Breuning,1943)** (Cerambycidae) Synonym(s): *sanguinolentum Thomson,1865; apicerufum Breuning,1943; lineiferum Breuning,1946* Dorcadion apicerufum Breuning,1943, Misc. Ent. 40: 91. AM Cc
2234. **Pedestredorcadion auratum (Tournier,1872)** (Cerambycidae) Synonym(s): *auratum Tournier,1872; lederi Kraatz,1878;...* Cc GG
2235. **Pedestredorcadion beckeri (Kraatz,1873)** (Cerambycidae) Synonym(s): *beckeri Kraatz,1873* Cc AZ RU AM TR
2236. **Pedestredorcadion bisignatum (Jakovlev,1900)** (Cerambycidae) Synonym(s): *bisignatum Jakovlev,1900* Cc
2237. **Pedestredorcadion bistriatum (Pic,1898)** (Cerambycidae) Synonym(s): *bistriatum Pic,1898* Cc
2238. **Pedestredorcadion cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): *cinerarium Fabricius,1787; tricolor Fischer von Waldheim,1806; caucasicum Küster,1847; micans Thonson,1867;*

- sericatum* Kraatz,1873; *amasinum* Pic,1898; *corallicorne* Pic,1904; *macropoides* Plavilstshikov,1932; *perroudi* Pic,1942; *paracinerarium* Breuning,1974 **AZ Cc IR Ak TR UA Cm**
- 2239. Pedestredorcadion cineriferum (Suvorov,1909)** (Cerambycidae) Synonym(s): *cineriferum* Suvorov,1909 **Dorcadion cineriferum** Suvorov,1909, *Revue Russk. ent.* 9: 290. **Cc**
- 2240. Pedestredorcadion ciscaucasicum (Jakovlev,1900)** (Cerambycidae) Synonym(s): *ciscaucasicum* Jakovlev,1900; *borodini* Suvorov,1915 **Cc RU**
- 2241. Pedestredorcadion daratshitshagi (Suvorov,1915)** (Cerambycidae) Synonym(s): *daratshitshagi* Suvorov,1915 **Cc AM Dar**
- 2242. Pedestredorcadion demodikovi (Suvorov,1915)** (Cerambycidae) Synonym(s): *demodikovi* Suvorov,1915 **Cc**
- 2243. Pedestredorcadion dimidiatum (Motschoulsky,1838)** (Cerambycidae) Synonym(s): *dimidiatum* Motschoulsky,1838; *erivanicum* Pic,1901 **Cc AM Eri**
- 2244. Pedestredorcadion frustator (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): *frustator* Plavilstshikov,1958 **Cc AZ**
- 2245. Pedestredorcadion griseipenne (Breuning,1943)** (Cerambycidae) Synonym(s): *griseipenne* Breuning,1943 **AM Cc**
- 2246. Pedestredorcadion haemorrhoidale (Hampe,1852)** (Cerambycidae) Synonym(s): *haemorrhoidale* Hampe,1852 **Cc AM Eri TR**
- 2247. Pedestredorcadion hellmanni (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *hellmanni* Ganglbauer,1883 **AM Cc IR**
- 2248. Pedestredorcadion hypocritellum (Breuning,1958)** (Cerambycidae) Synonym(s): *hypocrita* Plavilstshikov,1937; *hypocritellum* Breuning,1958 **Cc**
- 2249. Pedestredorcadion impressicorne (Tournier,1872)** (Cerambycidae) Synonym(s): *impressicorne* Tournier,1872; *kurda* Suvorov,1913;... **AM Cc TR**
- 2250. Pedestredorcadion indutum (Faldermann,1837)** (Cerambycidae) Synonym(s): *indutum* Faldermann,1837 **Cc**
- 2251. Pedestredorcadion jacobleviellum (Plavilstshikov,1951)** (Cerambycidae) Synonym(s): *jacobleviellum* Plavilstshikov,1951 **AM Cc**
- 2252. Pedestredorcadion kagyzmanicum (Suvorov,1915)** (Cerambycidae) Synonym(s): *kagyzmanicum* Suvorov,1915 **TR Cc**
- 2253. Pedestredorcadion karsense (Suvorov,1915)** (Cerambycidae) Synonym(s): *karsense* Suvorov,1915 **Cc TR**
- 2254. Pedestredorcadion kasikoparanum (Pic,1902)** (Cerambycidae) Synonym(s): *kasikoparanum* Pic,1902 **Cc TR**
- 2255. Pedestredorcadion kubanicum (Plavilstshikov,1934)** (Cerambycidae) Synonym(s): *kubanicum* Plavilstshikov,1934 **Cc GG RU**
- 2256. Pedestredorcadion luctuosum (Suvorov,1913)** (Cerambycidae) Synonym(s): *luctuosum* Suvorov,1913 **Cc**
- 2257. Pedestredorcadion nitidum (Motschoulsky,1838)** (Cerambycidae) Synonym(s): *nitidum* Motschoulsky,1838 **Cc AM TR**
- 2258. Pedestredorcadion niveisparsum (Thomson,1865)** (Cerambycidae) Synonym(s): *niveisparsum* Thomson,1865 **AM Cc IR**
- 2259. Pedestredorcadion nobile (Hampe,1852)** (Cerambycidae) Synonym(s): *nobile* Hampe,1852 **AM Cc**
- 2260. Pedestredorcadion reitteri (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *reitteri* Ganglbauer,1883 **Cc**
- 2261. Pedestredorcadion semilucens (Kraatz,1873)** (Cerambycidae) Synonym(s): *semilucens* Kraatz,1873; *mesmini* Pic,1903 **Cc**
- 2262. Pedestredorcadion sodale (Hampe,1852)** (Cerambycidae) Synonym(s): *sodale* Hampe,1852; *rosti* Pic,1900 **Cc TR**
- 2263. Pedestredorcadion wagneri (Küster,1846)** (Cerambycidae) Synonym(s): *wagneri* Küster,1846 **Cc TR**
- 2264. Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
- 2265. Pedicia (Crunobia) persica Alexander,1975** (Pediidae) Synonym(s): *persica* Alexander,1975; *elegantula* Savchenko,1978 **IR GG AZ Cc**
- 2266. Pedicia (s.str.) savchenkoi Paramonov,2009** (Pediidae) Synonym(s): *savchenkoi* Paramonov,2009 **RU Cc**
- 2267. Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU**
- 2268. Podostrangalia emmipoda (Mulsant,1863)** (Cerambycidae) Synonym(s): *emmipoda* Mulsant,1863 **GR TR AM Cc**
- 2269. Podostrangalia revestita (Linnaeus,1767)** (Cerambycidae) Synonym(s): *revestita* Linnaeus,1767 **Cc CZ TR**

2270. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua Speiser,1901* MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
2271. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii Westwood,1835* MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
2272. **Pentacladocerus araraticus (Trjapitzin)** (Encyrtidae) Synonym(s): Cc TR
2273. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* Cc AL CY HU IQ IL JO RO SY TR AM GG UA
2274. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista Emeljanov,1978* AF AZ BG Cc GR HU RO RU SL SY TR UA YU
2275. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus Linnaeus,1761; pallidus Herrich-Schäffer,1835* AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
2276. **Penthimia laetifica Dlabola,1958** (Cicadellidae) Synonym(s): *laetifica Dlabola,1958* Cc GG
2277. **Penthimia lenkoreana Dlabola,1961** (Cicadellidae) Synonym(s): *lenkoreana Dlabola,1961* Cc AZ Len
2278. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra Goeze,1778; aethyops Schrank,1781; haemorrhoea Schrank,1781; castanea Gmelin,1790; biguttata Gmelin,1790 (praeocc.); atra Fabricius,1794; ruficollis Fabricius,1794; thoracica Panzer,1799; sanguinicollis Fabricius,1803; maculata Melichar,1896; caucasica Kusnezov,1931; clavalis Ribaut,1952; fulva Ribaut,1952; maculipennis Ribaut,1952* AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
2279. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
2280. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens Pallas,1771* IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
2281. **Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium Faldermann,1835* TR IQ IR SY Cc AZ
2282. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota Herbst,1789* RU Cc UA Cm IQ TR IR IQ CY LB IL Pa
2283. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens Gebler,1845* KG MN TR AM Cc IR CY SY LB RU Am CN
2284. **Perasis sussianae Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *sussianae Abbassian-Lintzen,1964* IR Kz AZ Cc
2285. **Pericoma blandula Eaton,1893** (Psychodidae) Synonym(s): *blandula Eaton,1893* TR Cc
2286. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus Creutzer,1799* AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
2287. **Perissana jakowleffi (Puton,1890)** (Issidae) Synonym(s): *jakowleffi Puton,1890* IR AZ Cc
2288. **Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): *caucasica Guérin-Ménéville,1838; abbreviata Klapalek,1921; persica Zwick,1975* CY Cc IR
2289. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis Rambur,1842; alpicola Klapalek,1900* MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
2290. **Perla kiritschenkoi Zhiltzova,1961** (Perlidae) Synonym(s): *kiritschenkoi Zhiltzova,1961* TR? Cc IR Elb
2291. **Perlamantispia perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla Pallas,1772* TR Cc KG TM RU IR
2292. **Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae Fabricius,1792* GR TR Cc KG RU Sb
2293. **Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus Rossi,1792* TR AF Cc KG DZ
2294. **Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): *areolator Constantineanu & Constantineanu,1968* ES RO TR Cc AZ RU KG
2295. **Phaenotherion bodemeyeri Wolfrum,1956** (Anthribidae) Synonym(s): *bodemeyeri Wolfrum,1956* TR Cc
2296. **Phaenotherion pulskyi Frivaldsky,1878** (Anthribidae) Synonym(s): *pulskyi Frivaldsky,1878; innotatum Pic,1908* RO Cc?
2297. **Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis Berthoumieu,1901* BG TR GR Cc RU
2298. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata Poda,1761; libellula Stoll,1787; lilifolia Audinet-Serville,1831; phyllopteroides Fischer von Waldheim,1846; sinensis Uvarov,1933* Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
2299. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀

- [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
2300. **Phanerotoma (Bracotritoma) acuminata Szepligeti,1908** (Braconidae) Synonym(s): *acuminata Szepligeti,1908* AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU
2301. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata Panzer,1805*; *minor Snoflak,1951* AT BE CZ GB GR IT NL PL ES SE Cc AZ DE
2302. **Phanerotoma kozlovi Shestakov,1930** (Braconidae) Synonym(s): *kozlovi Shestakov,1930* RU Cc MN
2303. **Phantia flavida Rusiecka,1902** (Flatidae) Synonym(s): *flavida Rusiecka,1902* IR AZ Cc
2304. **Phantia viridula Puton,1890** (Flatidae) Synonym(s): *viridula Puton,1890* IR Cc AM
2305. **Phantia zaitzevi Melichar,1914** (Flatidae) Synonym(s): *zaitzevi Melichar,1914* Cc GG
2306. **Phaonia atriceps (Loew,1858)** (Muscidae) Synonym(s): *atriceps Loew,1858* AM Cc Eri
2307. **Phaonia kobica Schnabl,1911** (Muscidae) Synonym(s): *kobica Schnabl,1911* AM Eri Cc GG AZ TR
2308. **Phaonia pura (Loew,1873)** (Muscidae) Synonym(s): *pura Loew,1873* SK CH AT Cc RO RU
2309. **Phaonia serva (Meigen,1826)** (Muscidae) Synonym(s): *serva Meigen,1826* AM Cc Eri
2310. **Phasmena nigrodorsalis Sidorski,1938** (Issidae) Synonym(s): *nigrodorsalis Sidorski,1938* Cc AZ
2311. **Phenacoccus transcaucasicus Hadzibejli** (Pseudococcidae) Synonym(s): *transcaucasicus Hadzibejli* Cc TR
2312. **Pherbellia lutheri Rozkosny,1982** (Sciomyzidae) Synonym(s): *lutheri Rozkosny,1982* RU Kr Cc TR
2313. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758*; *leucophthalma Linnaeus,1758*; *lateralis Linnaeus,1758*; *leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
2314. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus Bigot,1880*; *bimaculatus Becker,1913* IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
2315. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps Meigen,1820*; *canescens Wiedemann,1820*; *nudus Loew,1840*; *eletus Loew,1871*; *domesticus Ricardo,1920*; *pulcher Becker,1923*; *marinus Becker,1923*; *orientalis Esipenko,1969* IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
2316. **Philopotamus caucasicus Navas,1933** ? (Philopotamidae) Synonym(s): *caucasicus Navas,1933* Cc
2317. **Philopotamus tenuis Martynov,1913** (Philopotamidae) Synonym(s): *tenuis Martynov,1913* TR Cc GG RU
2318. **Philopotamus tenuis Martynov,1913** (Philopotamidae) Synonym(s): *tenuis Martynov,1913*; *caucasicus Navas,1933* Cc GG
2319. **Phlebotomus transcaucasicus Perfiliew,1937** (Psychodidae) Synonym(s): *transcaucasicus Perfiliew,1937* TR Cc
2320. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838*; *octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
2321. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops Mulsant & Rey,1855* CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
2322. **Phradis morionellus (Holmgren,1860)** (Ichneumonidae) Synonym(s): *morionellus Holmgren,1860* TN MD Cc TR
2323. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
2324. **Phradonoma villosulum (Duftschmid,1825)** (Dermestidae) Synonym(s): *villosulum Duftschmid,1825* Cc TR
2325. **Phratora vitellinae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae Linnaeus,1758* CN KG Cc KP KR RU Sb CA TR
2326. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris Fabricius,1805*; *scirpi Robineau-Desvoidy,1830*; *albofasciata Gimmerthal,1846* AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
2327. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846*; *convergens Loew,1846* IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
2328. **Phthiria grisea Zaitzev,1966** (Bombyliidae) Synonym(s): *grisea Zaitzev,1966* Cc AZ AM GG
2329. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796*; *nigra Meigen,1804*; *pygmaea Fabricius,1805*; *campestris Fallén,1815*; *major Strobl,1909* AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
2330. **Phthiria quadrinotata Loew,1873** (Bombyliidae) Synonym(s): *quadrinotata Loew,1873* UZ TJ TM Cc AM AZ GG
2331. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens Loew,1846*; *rustica Loew,1846* TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV

2332. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
2333. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
2334. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
2335. **Phyllo Drepa caucasica (Kolenati,1846)** (Staphylinidae) Synonym(s): *caucasica* Kolenati,1846 Cc TR
2336. **Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *horticola* Linnaeus,1758 IT RU Cc Sb Us Am KG CN
2337. **Phyllotreta astrachanica Lopatin,1977** (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977 TR Cc CY KG
2338. **Phyllotreta balcanica Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909 TR Cc AF KG RU
2339. **Phyllotreta caucasicola Heikertinger,1941** (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger,1941 TR Cc IQ
2340. **Phyllotreta corrugata Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858 Cc TR IR AF DZ KG
2341. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 TR Cc IR AF KG MN DZ SD IN
2342. **Phyllotreta dacica Heikertinger,1941** (Chrysomelidae) Synonym(s): *dacica* Heikertinger,1941 TR Cc AZ
2343. **Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860 TR Cc IR IQ AF IN RU
2344. **Phyllotreta erysimi Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900 TR Cc IR IL Pa KG RU MN
2345. **Phyllotreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901 BG TR AM IL Pa IR JO Cc
2346. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 TR Cc GR IT MT IR AF KG RU CN
2347. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775 TR Cc IR AF DZ KG
2348. **Phyllotreta nodicornis (Marsham,1802)** (Chrysomelidae) Synonym(s): *nodicornis* Marsham,1802 Cc TR IN
2349. **Phyllotreta ochripes (Curtis,1837)** (Chrysomelidae) Synonym(s): *ochripes* Curtis,1837 Cc TR IR RU Sb
2350. **Phyllotreta pallidipennis Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891 TR Cc IR KG RU Sb MN CN Ti
2351. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 Cc TR IR AF KG RU Sb MN CN IN
2352. **Phyllotreta procera (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *procera* Redtenbacher,1849 TR Cc IR
2353. **Phyllotreta punctulata (Marsham,1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802 Cc TR IL Pa MA
2354. **Phyllotreta sisymbrii Weise,1888** (Chrysomelidae) Synonym(s): *sisymbrii* Weise,1888 RU Cc TR IR
2355. **Phyllotreta tetrastigma (Comolli,1837)** (Chrysomelidae) Synonym(s): *tetrastigma* Comolli,1837 TR Cc RU Sb
2356. **Phyllotreta undulata Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata* Kutschera,1860 TR Cc RU Sb KG
2357. **Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher,1849 Cc TR AF KG MN KP KR JP RU Sb
2358. **Phyllotreta wiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana* Jacobson,1901 TR Cc RU IR KG
2359. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
2360. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
2361. **Physetopoda similis (Lelej,1984)** (Mutillidae) Synonym(s): *similis* Lelej,1984 TR AM AZ UA Cm Cc
2362. **Phytoecia achilleae Holzschuh,1971** (Cerambycidae) Synonym(s): *achilleae* Holzschuh,1971 TR Cc
2363. **Phytoecia caerulea (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea* Scopoli,1772 TR Cc IR GR
2364. **Phytoecia icterica (Schaller,1783)** (Cerambycidae) Synonym(s): *icterica* Schaller,1783 TR Cc RU SK

2365. **Phytoecia nigricornis (Fabricius,1781)** (Cerambycidae) Synonym(s): *nigricornis Fabricius,1781* RU Cc CZ
2366. **Phytoecia pustulata (Schrank,1776)** (Cerambycidae) Synonym(s): *pustulata Schrank,1776* TR Cc KG SK
2367. **Phytoecia virgula (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula Charpentier,1825* GR SK TR Cc RU KG
2368. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
2369. **Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis Herrich-Schäffer,1841* AL AZ Cc BG CZ FI HU IT TR CH RU YU
2370. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae Becker,1867* Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
2371. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
2372. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
2373. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
2374. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
2375. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
2376. **Pimelia (Camphonota) capito Krynicky,1832** (Tenebrionidae) Synonym(s): *capito Krynicky,1832* Cc AZ RU GG KK
2377. **Pimelia cursor Ménériés,1832** (Tenebrionidae) Synonym(s): *cursor Ménériés,1832* Cc AM IR
2378. **Pimelia dubia Faldermann,1837** (Tenebrionidae) Synonym(s): *dubia Faldermann,1837* Cc IR
2379. **Pimelia tuberculata Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *tuberculata Fischer von Waldheim,1832* Cc RU Sb IR
2380. **Pimpla illecebrator (Villers,1799)** (Ichneumonidae) Synonym(s): *illecebrator Villers,1799* TR Cc KG
2381. **Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria Gravenhorst,1829* TR Cc KG RU At IR
2382. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris Kriechbaumer,1888* RO BG TR RU Cc
2383. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus Fieber,1864* AT Cc HU RO RU CN Ui TR
2384. **Plagionotus arcuatus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arcuatus Linnaeus,1758* CZ DZ Cc TR IR
2385. **Plagionotus bartholomaei (Motschoulsky,1859)** (Cerambycidae) Synonym(s): *bartholomaei Motschoulsky,1859* Cc AZ IR Kh
2386. **Plagionotus detritus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *detritus Linnaeus,1758* CZ RU Cc KG IR
2387. **Plagionotus lugubris (Ménétriés,1832)** (Cerambycidae) Synonym(s): *lugubris Ménétriés,1832* Cc IR Kh TR
2388. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus Tavares,1901* PT ES FR IT MA AZ Cc IR IL Pa GR
2389. **Platycerus caucasicus Parry,1864** (Lucanidae) Synonym(s): *caucasicus Parry,1864* TR Cc AZ AM
2390. **Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): *primigenius Weise,1960* TR Cc AZ IR Elb TM Kp
2391. **Platycleis (Incertana) persica Uvarov,1917** (Tettigoniidae) Synonym(s): *persica Uvarov,1917* Cc IR Elb Th TR
2392. **Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *armeniaca Ramme,1930* TR AM Cc
2393. **Platycleis (Montana) daghestanica Uvarov,1917** (Tettigoniidae) Synonym(s): *daghestanica Uvarov,1917* Cc Da RU
2394. **Platycleis (s.str.) escaleraei Bolivar,1899** (Tettigoniidae) Synonym(s): *escaleraei Bolivar,1899; iphigeniae Adelung,1907; graeca Harz,1966* TR Cc AZ Nv Ord IR Ak Ab Elb IL Pa

- 2395. Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) **Synonym(s):** *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
- 2396. Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae) **Synonym(s):** *irritans* Ramme,1951 **TR Cc AM**
- 2397. Platycnemis dealbata Selys,1863** (Platycnemidae) **Synonym(s):** *dealbata* Selys,1863 **TR LB**
Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
- 2398. Platycnemis pennipes (Pallas,1771)** (Platycnemidae) **Synonym(s):** *pennipes* Pallas,1771 **TR**
Rd GR RU Da Cc GG
- 2399. Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) **Synonym(s):** *viridinervis* Signoret,1880 *nec* Kbm.,1868; *signoreti* Wagner,1959 **RU Cc BG CZ HU TR YU**
- 2400. Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) **Synonym(s):** *henribauti* Dlabola,1961 **BG TR CS DE IT MN Cc GG KG RU YU**
- 2401. Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) **Synonym(s):** *obsoletus* Signoret,1880 **EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU**
- 2402. Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) **Synonym(s):** *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 **AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU**
- 2403. Platymetopius chloroticus Puton,1877** (Cicadellidae) **Synonym(s):** *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927 **AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ**
- 2404. Platymetopius dagestanicus Dlabola,1967** (Cicadellidae) **Synonym(s):** *dagestanicus* Dlabola,1967 **RU Da Cc**
- 2405. Platymetopius quadricornis Lindberg,1960** (Cicadellidae) **Synonym(s):** *quadricornis* Lindberg,1960 **Cc AM**
- 2406. Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) **Synonym(s):** *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 **AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR**
- 2407. Platymetopius singularis Logvinenko,1969** (Cicadellidae) **Synonym(s):** *singularis* Logvinenko,1969 **Cc AZ**
- 2408. Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) **Synonym(s):** *quinquefasciata* Olivier,1811 **TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD**
- 2409. Platypsectus schaeuffelei Dlabola,1960** (Cicadellidae) **Synonym(s):** *schaeuffelei* Dlabola,1960 **Cc AM KG RU TM**
- 2410. Platypsectus tessellatus Lindberg,1924** (Cicadellidae) **Synonym(s):** *tessellatus* Lindberg,1924 **Cc AM KG RU TM**
- 2411. Platypygus bellus Loew,1869** (Mythicomyiidae) **Synonym(s):** *bellus* Loew,1869 **RU AM AZ GG Cc TR EG**
- 2412. Platypygus kurdorum Paramonov,1929** (Mythicomyiidae) **Synonym(s):** *kurdorum* Paramonov,1929; *persicus* Paramonov,1934 **TR IR Cc AZ AM GG**
- 2413. Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) **Synonym(s):** *ridibundus* A.Costa,1863 **ES IT Si BG TR RU UA MD Cc AZ AM GG EG**
- 2414. Platypygus ridibundus (Costa,1863)** (Mythicomyiidae) **Synonym(s):** *ridibundus* Costa,1863 **ES BG TR RU UA MD GG AZ AM Cc EG**
- 2415. Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) **Synonym(s):** *caesus* Creutzer,1796 **MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR**
- 2416. Podagraca fuscicornis (Linnaeus,1767)** (Chrysomelidae) **Synonym(s):** *fuscicornis* Linnaeus,1767 **TR Cc**
- 2417. Podagraca malvae (Illiger,1807)** (Chrysomelidae) **Synonym(s):** *malvae* Illiger,1807 **Cc TR IR**
- 2418. Podagraca menetriesi (Faldermann,1837)** (Chrysomelidae) **Synonym(s):** *menetriesi* Faldermann,1837 **Cc TR IQ KG RU CN**
- 2419. Podisma miramae Savenko,1941** (Acrididae) **Synonym(s):** *miramae* Savenko,1941 **Cc GG**
- 2420. Podisma pedestris (Linnaeus,1758)** (Acrididae) **Synonym(s):** *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 **Gryllus (Locusta) pedestris** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). **AT DE GR TR BG RU IT FR Cc**
- 2421. Podisma satunini Uvarov,1916** (Acrididae) **Synonym(s):** *satunini* Uvarov,1916 **Cc GG Sok RU**
- 2422. Podisma teberdina Ramme,1951** (Acrididae) **Synonym(s):** *teberdina* Ramme,1951 **Cc GG RU**
- 2423. Podisma uvarovi Ramme,1926** (Acrididae) **Synonym(s):** *uvarovi* Ramme,1926 **Cc RU**
- 2424. Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) **Synonym(s):** *comitalis* Kowarz,1867 **AM Cc BG MD RO RU TR UA KG TJ**
- 2425. Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) **Synonym(s):** *regalis* Meigen,1824 **BG Cc GG GR RO RU TR UA Cm IR UZ**
- 2426. Poemenia hectica (Gravenhorst,1829)** (Ichneumonidae) **Synonym(s):** *hectica* Gravenhorst,1829 **TR Cc RU**
- 2427. Polistes (s.str.) associus (Kohl,1898)** (Vespidae) **Synonym(s):** *associus* Kohl,1898 **IT FR GR YU TR Cc AZ IL IN CN**

2428. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis* Linnaeus,1758; *alpium* Blüthgen,1957 IR Cc TR RU Ur Sb Am Us KG MN
2429. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
2430. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
2431. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848 AZ Cc RU GR AL IR IL Pa TR SY
2432. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758 AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
2433. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840 RU Cc AM GG AL GR TR IR SY IL Pa
2434. **Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): *alba* Pallas,1773 RU Cc Sb KG TM
2435. **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea* Schiner,1867 TN Cc RU DZ TR
2436. **Polysarcus zacharovi (Stschelkanovcev,1909)** (Tettigoniidae) Synonym(s): *zacharovi* Stschelkanovcev,1909 *Orphanina zacharovi* Stschelkanovcev,1909, *Varsava Izv. Univ. 1909 (6/8): 47.* Type: [Georgia]: Manglisi. TR Cc GG
2437. **Pontoperla teberdinica (Balinsky,1950)** (Chloroperlidae) Synonym(s): *teberdinica* Balinsky,1950 TR Cc RU GG
2438. **Poophilus costalis (Walker,1851)** (Cercopidae) Synonym(s): *costalis* Walker,1851 AF CN IR Cc AZ
2439. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876 Cc TR AF IR AM GG KG TM
2440. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (*praeocc.*); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
2441. **Potamia littoralis Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *littoralis* Robineau-Desvoidy,1830 Cc AM
2442. **Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909 RU Sb Cc TR
2443. **Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): *ornatus* Abeille,1881 TR AZ Cc LB SY
2444. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900 Cc RU Da DE RO HU MK BG ES
2445. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
2446. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
2447. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848 YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM
2448. **Prosimulium (s.str.) frontatum Terteryan,1956** (Simuliidae) Synonym(s): *frontatum* Terteryan,1956; *stenopalpe* Rubtsov,1956 AM AZ Cc
2449. **Prosimulium (s.str.) gigas Rubtsov,1956** (Simuliidae) Synonym(s): *gigas* Rubtsov,1956 RU Cc
2450. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955 AZ AM Cc RU TR GR Rd BG RO
2451. **Prosimulium (s.str.) tomosvaryi Enderlein,1921** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
2452. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
2453. **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878 RU IL Pa SY TR Cc GR
2454. **Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): *tessellatum* Linnaeus,1758 GR TR Cc RU Sb US
2455. **Protaetia (Netocia) asiatica (Faldermann,1835)** (Scarabaeidae) Synonym(s): *asiatica* Faldermann,1835 Cc AZ RU
2456. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790 HU LT Cc AM TR TM KG RU Sb MN
2457. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833 Cc AM GG GR BG TR AZ IR LY Cy DZ

2458. **Protaetia (Potosia) caucasica Kolenati,1845** (Scarabaeidae) Synonym(s): *caucasica Kolenati,1845* Cc TM
2459. **Protaetia (Potosia) cuprina (Motschulsky,1849)** (Scarabaeidae) Synonym(s): *rubrocuprea Mulsant & Rey,1842; cuprina Motschulsky,1849* RU Cc TR UA Cm
2460. **Protaetia (Potosia) fausti Kraatz,1891** (Scarabaeidae) Synonym(s): *fausti Kraatz,1891* Cc TR
2461. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris Gory & Percheron,1833; exclamtionlis Faldermann,1835; funesta Ménériés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000* RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv
2462. **Protaetia (Potosia) hieroglyphica (Ménériés,1832)** (Scarabaeidae) Synonym(s): *hieroglyphica Ménériés,1832; pulverulenta Motschoulsky,1845; ganglbaueri Reitter,1891; depressiuncula Reitter,1891* Cc AZ TM IR PK
2463. **Protaetia (Potosia) splendidula (Faldermann,1835)** (Scarabaeidae) Synonym(s): *splendidula Faldermann,1835* TM TR Cc AM Eri
2464. **Protonemura abchasica Zhiltzova,1964** (Nemouridae) Synonym(s): *abchasica Zhiltzova,1964* Cc GG
2465. **Protonemura bacurianica Zhiltzova,1957** (Nemouridae) Synonym(s): *bacurianica Zhiltzova,1957* TR Cc GG
2466. **Protonemura teberdensis Zhiltzova,1958** (Nemouridae) Synonym(s): *teberdensis Zhiltzova,1958* Cc GG RU TR
2467. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa Giraud,1871* BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR
2468. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis Morawitz,1876; graffei Schmiedeknecht,1890* BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
2469. **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus Reuter,1878* FR YU BG RU Cc TR
2470. **Psallus pumilus (Jakovlev,1876)** (Miridae) Synonym(s): *pumilus Jakovlev,1876* TR Cc TM
2471. **Psammodius (Rhyssenus) germanus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *germanus Linnaeus,1767* RU Cc GG TM TJ
2472. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914* AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
2473. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis Dahlbom,1850; eurylobus Kirschbaum,1868; heydeni Fieber,1872; thenii Edwards,1915; spathifer Ribaut,1925* AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
2474. **Psammotettix gracilis Logvinenko,1971** (Cicadellidae) Synonym(s): *gracilis Logvinenko,1971* Cc AZ
2475. **Psammotettix kaszabi Dlabola,1961** (Cicadellidae) Synonym(s): *kaszabi Dlabola,1961* Cc GG KG
2476. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis Matsumura,1908; claudiopolitanus Matsumura,1910; similis Wagner,1947* AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA
2477. **Psammotettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus Linnavuori,1951* CY EG IL Pa TR Cc GG
2478. **Psammotettix orientalis Zachvatkin,1945** (Cicadellidae) Synonym(s): *orientalis Zachvatkin,1945; badghyzicus Zachvatkin,1945* Cc AZ TM UA
2479. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869* AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
2480. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
2481. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus Linnaeus,1758; striata Fabricius,1794 (praeocc.); strigatus Germar,1821; varipennis Herrich-Schäffer,1838; pallidus Flor,1861; flavipennis Scott,1876; amyoti Vismara,1878; divergens Rey,1894; capitatus Matsumura,1908; immundus Matsumura,1908* BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
2482. **Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): *transcaucasicus Dlabola,1961* Cc GG TR KG
2483. **Psegmatus lethierryi Signoret,1880** (Cicadellidae) Synonym(s): *lethierryi Signoret,1880* Cc GG
2484. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus Paykull,1792; planirostris Fabricius,1801; cylindricus Stephens,131; angustifrons Voss,1932* DE FR GB Cc KG TM RU Sb TR
2485. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus Gyllenhal,1839; coeruleus Fabricius,1798* TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
2486. **Pseudepipona tricolor Gusenleitner,1976** (Vespidae) Synonym(s): *tricolor Gusenleitner,1976* KG RU Cc Da
2487. **Pseudocoelus armeniacus Dirsh,1949** (Acrididae) Synonym(s): *armeniacus Dirsh,1949* Cc AM

2488. **Pseudocoelus obscurus (Uvarov,1927)** (Acrididae) Synonym(s): *obscurus Uvarov,1927* TR Cc
2489. **Pseudocoelus oedipoides Bolivar,1899** (Acrididae) Synonym(s): *oedipoides Bolivar,1899; arpatchai Dirsh,1949; uvarovi Dirsh,1949; kraheri Harz,1978* TR Cc AM
2490. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbridae) Synonym(s): *amerinae Linnaeus,1758 Tenthredo amerinae Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555.* PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
2491. **Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae) Synonym(s): *flavescens Eschscholtz,1818* TR Cc
2492. **Pseudoliarius fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus Melichar,1902; obliterated Kusnezov,1937; aegyptiacus Wagner,1954* EG IR LY TN Cc AM TR RU TJ TM YE
2493. **Pseudolimnophila (s.str.) sepium (Verrall,1886)** (Limoniidae) Synonym(s): *sepium Verrall,1886* TR Cc AF
2494. **Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta Morawitz,1894; myrmosina Dalla Torre,1897; gobicola Lelej,1981* CN MN AF UZ KK KG Cc AM
2495. **Pseudophotopsis armeniaca (Skorikov,1935)** (Mutillidae) Synonym(s): *armeniaca Skorikov,1935; cyprica Hammer,1950* AM Eri Cc YU
2496. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica Radoszkowski,1885; caucasicola Dalla Torre,1897;* Cc GG AM AZ TR IR Elb AF TM CY
2497. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda Skorikov,1935; robusta Skorikov,1935; mavromoustakisi Suarez,1959; #schachrudii Özbek et al.,1999; caucasica auct.* TM IR TR CY AM Cc IL Pa
2498. **Pseudosphegthes brunnea (Pic,1897)** (Cerambycidae) Synonym(s): *brunnea Pic,1897* Cc GG Tbl
2499. **Pseudovadonia livida (Fabricius,1776)** (Cerambycidae) Synonym(s): *livida Fabricius,1776* RU Cc TR IR DE CZ
2500. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti Steffan,1948; ferrierei Steffan,1948* CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
2501. **Psilocurus hypopygialis (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis Paramonov,1930; ?ltranslatus Oldroyd,1958* IR Kz AM Cc AZ IQ
2502. **Psophus stridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus Linnaeus,1758; samniticus Baccetti,1958* TR Cc RU BY UA KG
2503. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *specularis Fischer von Waldheim,1839; inermis Ramme,1951* TR UA Cm Cc GG AZ RU AM Eri
2504. **Psorodonotus venosus (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *venosus Fischer von Waldheim,1839* TR AZ Kir GG AM Cc RU Sb
2505. **Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis Paykull,1799* Cc TR KG MA RU Sb
2506. **Psylliodes aristus Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus Jablokoff-Khnzorian,1962* TR Cc AM GG IR
2507. **Psylliodes attenuatus (Koch,1803)** (Chrysomelidae) Synonym(s): *attenuatus Koch,1803* TR Cc
2508. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus Illiger,1807* TR Cc IR KG RU Sb CN
2509. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus Linnaeus,1758* TR Cc DZ IR
2510. **Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus Redtenbacher,1842* TR Cc IR
2511. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus Koch,1803* Cc TR IR KG RU Sb MN DZ
2512. **Psylliodes dulcamarae (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae Koch,1803* Cc TR KG MN RU Sb
2513. **Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis Foudras,1860* DZ Cc TR
2514. **Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis Heikertinger,1912* TR Cc IR KG RU Sb MN
2515. **Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus O.F.Müller,1776* TR IR Cc
2516. **Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi Fabricius,1792* TR Cc RU Sb KG DZ
2517. **Psylliodes ozisiki Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki Leonardi & Arnold,1995* TR Cc AM
2518. **Psylliodes sauleyi Allard,1867** (Chrysomelidae) Synonym(s): *sauleyi Allard,1867* TR Cc KG MN
2519. **Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor Heikertinger,1926* AZ Cc TR LB CY IL Pa
2520. **Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus Weise,1889* RU Cc Da GG TR

2521. **Pterocheilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): *atrohirtus Morawitz,1885* TR Cc
2522. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853; lateralis Costa,1855* TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR
2523. **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis Götz,1783* GR SK HU Cc TR SY IR
2524. **Purpuricenens caucasicus Pic,1902** (Cerambycidae) Synonym(s): *caucasicus Pic,1902* Cc TR?
2525. **Purpuricenens kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri Linnaeus,1758* GR Cc TR IR
2526. **Purpuricenens talyshensis Reitter,1914** (Cerambycidae) Synonym(s): *talyshensis Reitter,1914* IR Elb Mz AZ Cc
2527. **Purpuricenens wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui Levrat,1858* Cc AM TR IR
2528. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens Fabricius,1787; rufitarsis Macquart,1838; jordana Lindner,1974* ES PT RU Cc AM TR IL Pa MA DZ TN
2529. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus Loew,1847* TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
2530. **Pycnopogon leucostomus Engel,1930** (Asilidae) Synonym(s): *leucostomus Engel,1930* FR Cc RU TR IR Elb Mz AM
2531. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus Loew,1847; anthophorinus Loew,1847* TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG
2532. **Pyrellia vivida Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina auct.; vivida Robineau-Desvoidy,1830* Cc AM Eri AZ TR IR PK IN CN
2533. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata Fischer von Waldheim,1820* *Acrydium armatum Fischer von Waldheim,1820*, Ent. ross. 1: 37. Type(s): Russia. TR Cc RU KG AF TM IR KK
2534. **Pyrobombus niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus Kriechbaumer,1870* TR Cc IR
2535. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
2536. **Quartinia araxiana Giordani Soika,1960** (Vespidae) Synonym(s): *araxiana Giordani Soika,1960* Cc AM
2537. **Ramburiella bolivari (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari Kuthy,1907; elegans Uvarov,1910* *Stethophyma bolivari Kuthy,1907*, Annls Hist. nat. Mus. natn. Hung. 5: 431. Type(s): Asia Minor (types lost!). TR Cc IR RU KG
2538. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana Fischer von Waldheim,1833; formosus Becker,1864* BG GR Cc RU KG UA Cm TR
2539. **Raphidia (Aserbeidshoraphidia) nuchensis H.Aspöck, U.Aspöck & Martynova,1968** (Raphidiidae) Synonym(s): *nuchensis H.Aspöck, U.Aspöck & Martynova,1968* AZ Cc
2540. **Raphidia (Caucasoraphidia) caucasica Esben-Petersen,1913** (Raphidiidae) Synonym(s): *caucasica Esben-Petersen,1913* Cc TR AM
2541. **Raphidia (Navasana) notata Fabricius,1781** (Raphidiidae) Synonym(s): *notata Fabricius,1781* Cc RU Teb AZ
2542. **Raphidia (Pontoraphidia) pontica Albarda,1891** (Raphidiidae) Synonym(s): *pontica Albarda,1891* AM Cc TR
2543. **Raphidia (s.str.) grusinica H.Aspöck, U.Aspöck & Martynova,1968** (Raphidiidae) Synonym(s): *grusinica H.Aspöck, U.Aspöck & Martynova,1968* Cc GG RU
2544. **Raphidia (Turcoraphidia) acerba H.Aspöck & U.Aspöck,1966** (Raphidiidae) Synonym(s): *acerba H.Aspöck & U.Aspöck,1966* TR Cc AZ Nv AM
2545. **Raphidia (Turcoraphidia) flaviventris Navas,1926** (Raphidiidae) Synonym(s): *flaviventris Navas,1926; pseudoamara H.Aspöck & U.Aspöck,1968* Cc AM AZ Kir
2546. **Raphiglossa eumenoides Saunders,1850** (Vespidae) Synonym(s): *eumenoides Saunders,1850; caucasica Giordani Soika,1970* Cc TR
2547. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera Marshall,1866; coroniceps Kirschbaum,1868; i-album Scott,1881* AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
2548. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi Then,1896* AT BG CS DE IT MN RO TN GG Cc KG UA YU
2549. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
2550. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus Fieber,1876; fasciatus Kusnezov,1928* Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
2551. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU

2552. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
2553. **Reptalus dagestanica (Kusnezov,1937)** (Cixiidae) Synonym(s): *dagestanica* Kusnezov,1937 Cc RU Da
2554. **Rhabdomastix (s.str.) filata Stary,2004** (Limoniidae) Synonym(s): *filata* Stary,2004 *Rhabdomastix (s.str.) filata* Stary,2004, Eur. J. Ent. 101: 675-676, figs. Holotype ♂: Lebanon Becharre, leg. H.Zerny (NHMW). BG GR RU Cc GG AM TR LB Bsa
2555. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856 IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
2556. **Rhagio sordidus (Loew,1862)** (Rhagionidae) Synonym(s): *sordidus* Loew,1862; *pilosus* Loew,1865 *Leptis sordidus* Loew,1862, Berl. ent. Z. 6: 74. Type: Kutais, Amassia. TR Cc GG Kta Im
2557. **Rhagoletis bagheera Richter & Kandybina,1997** (Tephritidae) Synonym(s): *bagheera* Richter & Kandybina,1997 AM Eri Cc GG
2558. **Rhagoletis berberidis Jermy,1961** (Tephritidae) Synonym(s): *berberidis* Jermy,1961 TR AT HU Cc RU SK CH UA
2559. **Rhagoletis caucasica Kandybina & Richter,1976** (Tephritidae) Synonym(s): *caucasica* Kandybina & Richter,1976 Cc RU
2560. **Rhagoletis cerasi (Linnaeus,1758)** (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758 RU Sb KG GG Cc IR Th Elb TR
2561. **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958 KG KK TJ TM IR TR Cc CH
2562. **Rhagonycha caucasica Wittmer,1972** (Cantharidae) Synonym(s): *caucasica* Wittmer,1972 Cc
2563. **Rhagonycha erevanensis Dahlgren,1985** (Cantharidae) Synonym(s): *erevanensis* Dahlgren,1985 Cc AM Eri
2564. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
2565. **Rhagonycha ghilanensis Dahlgren,1985** (Cantharidae) Synonym(s): *ghilanensis* Dahlgren,1985 IR Elb AM Cc
2566. **Rhagonycha gruziana Wittmer,1972** (Cantharidae) Synonym(s): *gruziana* Wittmer,1972 GG Cc
2567. **Rhagonycha lencoranica Kazantsev,1992** (Cantharidae) Synonym(s): *lencoranica* Kazantsev,1992 AZ Cc Len
2568. **Rhizotrogus (Amphimallon) causicum (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *causicum* Gyllenhal,1817 TR Cc
2569. **Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789 RU UA Cm TM Cc TR
2570. **Rhoanans hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869 AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
2571. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
2572. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
2573. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaria* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
2574. **Rhynchites giganteus Krynický,1832** (Attelabidae) Synonym(s): *giganteus* Krynický,1832 BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
2575. **Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae) Synonym(s): *hajastanicus* Ter-Minacian,1965 TR AM Cc TJ
2576. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916 BG AM Cc HU IR MK RU Sb SY TR GR
2577. **Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926 BG AM Cc MK GR TR SY IL Pa
2578. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis* Desbrochers,1869 AM Cc TR IR TM JO SY
2579. **Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889 RU Cc IR TR
2580. **Rhynocoris rubrogularis (Horvath,1880)** (Reduviidae) Synonym(s): *rubrogularis* Horvath,1880 TR Cc AZ GG

2581. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778 GB SE Cc RU TR IR CN Ui
2582. **Rhyparochromus confusus (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886 Cc IQ TR
2583. **Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878 TR Cc IR
2584. **Rhyparochromus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775 DK GB SE NO Cc TR
2585. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794 IL Pa Cc TR SY CY
2586. **Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758 Cc TR IR CN Ui Ti
2587. **Rhyparochromus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798 GB SE Cc CN Ui TR
2588. **Rhyparochromus saturnius (Rossi,1790)** (Lygaeidae) Synonym(s): *saturnius* Rossi,1790 TR Cc 01 07 23 27 31 33 35 46
2589. **Rhyparochromus validus (Horvath,1875)** (Lygaeidae) Synonym(s): *validus* Horvath,1875 Cc TR
2590. **Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829 Cc TR CY
2591. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
2592. **Rhytidodus mecheticus Dlabola,1970** (Cicadellidae) Synonym(s): *mecheticus* Dlabola,1970 Cc GG
2593. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868 CN MN RU Cc KG KK TJ UA TR
2594. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR DE GR IT Sa SW Cc TR GG RU
2595. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931 TR BG FR GB IT PT SE AZ Cc
2596. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
2597. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
2598. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
2599. **Ribautodelphax affinis Logvinenko,1970** (Delphacidae) Synonym(s): *affinis* Logvinenko,1970 Cc GG UA Cm
2600. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
2601. **Ricania hedenborgi Stal,1865** (Ricaniidae) Synonym(s): *hedenborgi* Stal,1865 Ricania hedenborgi Stal,1865, Öftver.Kongl. Vetensk. Akad. 22: Type: Rhodus. GR Rd Cr TR AM Cc
2602. **Ricania japonica Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898 JP KP KR TR CN Cc GG UA
2603. **Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988 TR Cc IR SY
2604. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
2605. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 Saga ephippigera Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd
2606. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
2607. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
2608. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU

2609. **Saperda maculosa Ménériés,1832** (Cerambycidae) Synonym(s): *maculosa Ménériés,1832* IR Cc AZ
2610. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica Radoszkowski,1880* IR TR Cc
2611. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius Linnaeus,1758; violaceus Scopoli,1763; caeruleicollis Meigen,1822; coeruleicollis Loew,1855; nubeculosus Zetterstedt,1842; minimus Zetterstedt,1849* ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
2612. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas Eversmann,1855* IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
2613. **Scambus (s.str.) elegans (Woldstedt,1877)** (Ichneumonidae) Synonym(s): *elegans Woldstedt,1877* TR Cc UA Cm
2614. **Scambus (s.str.) pomorum (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *pomorum Ratzeburg,1848* TR Cc
2615. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida Zetterstedt,1847; disticha Duda,1921* YU AL RO BG UA Cm GG Cc Soc GB TR
2616. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus Ménériés,1832; nigrociliatus Motschoulsky,1849* RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
2617. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius Illiger,1803* RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
2618. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis Latreille,1819* ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
2619. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758* RU Cc AZ TM
2620. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim,1822* RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
2621. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
2622. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
2623. **Schoenomyza litorella (Fallén,1823)** (Muscidae) Synonym(s): *litorella Fallén,1823* AM Cc GG TR PK NP
2624. **Sciasminettia vikhrevi Shatalkin,2008** (Lauxaniidae) Synonym(s): *vikhrevi Shatalkin,2008* AZ Cc Len
2625. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
2626. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* TR Cc AZ IR PK IN LK SA SO TZ Cn
2627. **Scirtophaca tianshanskyi (Oshanin,1913)** (Dictyopharidae) Synonym(s): *tianshanskyi Oshanin,1913* Cc AZ KG KK
2628. **Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus Fallén,1826; lineigera Zetterstedt,1840; sibiricus Vilbaste,1965* AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
2629. **Scolia erivanensis (Radoszkowski,1876)** (Scoliidae) Synonym(s): *erivanensis Radoszkowski,1876* TR Cc AM Eri
2630. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula Pallas,1771; tricolor Pallas,1771; quadricincta Scopoli,1786; notata Fabricius,1787; bifasciata Rossi,1790; tridens Fabricius,1793; elisabethae Mucho,1962* FR IT Si YU HU UA BG GR CY Cc TR EG
2631. **Scolobates nigripennis Sichel,1860** (Ichneumonidae) Synonym(s): *nigripennis Sichel,1860* TR UA Cm Cc
2632. **Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): *discolor Germar,1821* Cc BG IT RO TR GG UA
2633. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum Becker,1865; arundidis Becker,1865* Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
2634. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans Linnaeus,1758* AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
2635. **Selatosomus (s.str.) aeneus (Linnaeus,1758)** (Elateridae) Synonym(s): *aeneus Linnaeus,1758* TR Cc RU Sb
2636. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis Germar,1843* GR TR Cc SY
2637. **Selatosomus (s.str.) caucasicus (Ménétriés,1879)** (Elateridae) Synonym(s): *caucasicus Ménériés,1879* Cc TR
2638. **Selatosomus (s.str.) latus (Fabricius,1801)** (Elateridae) Synonym(s): *latus Fabricius,1801; saginatus Ménériés,1832; gravidus Germar,1843* TR Cc RU Sb
2639. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae) Synonym(s): *armeniacus Lindberg,1960* Cc AM TR

2640. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
2641. **Semnosia caucasica (Pic,1898)** (Cerambycidae) Synonym(s): *caucasica* Pic,1898 Cc AM TR
2642. **Semnosia galinae (Danilevsky,1990)** (Cerambycidae) Synonym(s): *galinae* Danilevsky,1990 *Mallosia galinae* Danilevsky,1990, Acta ent. bohemoslov. 87 (5): 363-367. Holotype ♂: Azerbaidjan, Shemakha distr., Maraza 10 v 1987 (M.Danilevsky leg.). AZ Cc
2643. **Semnosia herminae (Reitter,1890)** (Cerambycidae) Synonym(s): *herminae* Reitter,1890; *gobustanica* Danilevsky,1990 AZ AM Cc TR IR
2644. **Semnosia scovitzi (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzi* Faldermann,1837 TR AM Cc AZ IR
2645. **Sepsis alanica Ozerov,1999** (Sepsidae) Synonym(s): *alanica* Ozerov,1999 RU Cc
2646. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguin,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
2647. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
2648. **Setapius barajus (Dlabola,1957)** (Cixiidae) Synonym(s): *barajus* Dlabola,1957 Cc AF TR AM GG
2649. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 AF CY IR IQ IL TR RU Da Cc AZ UZ
2650. **Sharovella caucasica (Sharov,1968)** (Gryllidae) Synonym(s): *caucasica* Sharov,1968 RU Cc
2651. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
2652. **Sicus caucasicus Zimina,1963** (Conopidae) Synonym(s): *caucasicus* Zimina,1963 TR Cc
2653. **Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris* Horvath,1911 TR IQ IL Pa Cc SY
2654. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
2655. **Sigara daghestanica Jansson,1983** (Corixidae) Synonym(s): *daghestanica* Jansson,1983; *#daghestanica* Önder et al.,2006 *Sigara* (Subsigara) *daghestanica* Jansson,1983, Ann. ent. fenn. 49 (3): 65-70. Cc RU Da AZ AM TR GB
2656. **Silpha tristis Illiger,1798** (Silphidae) Synonym(s): *tristis* Illiger,1798 TR Cc IR
2657. **Simulium (Byssodon) heptapotamicum Rubtsov,1940** (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov,1940 KG AZ Cc IR TJ TM
2658. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivoecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
2659. **Simulium (Eusimulium) armeniacum (Rubtsov,1955)** (Simuliidae) Synonym(s): *armeniaticum* Rubtsov,1955 Cc AM AZ CN
2660. **Simulium (Eusimulium) azerbaidzhanicum (Djafarov,1953)** (Simuliidae) Synonym(s): *azerbaidzhanicum* Djafarov,1953 AZ AM Cc
2661. **Simulium (Eusimulium) brachyantherum Rubtsov,1947** (Simuliidae) Synonym(s): *brachyantherum* Rubtsov,1947 TJ AM Cc RO UZ
2662. **Simulium (Eusimulium) nigrofusipes Rubtsov,1947** (Simuliidae) Synonym(s): *nigrofusipes* Rubtsov,1947 TJ AM Cc
2663. **Simulium (Eusimulium) paucicuspis Rubtsov,1947** (Simuliidae) Synonym(s): *paucicuspis* Rubtsov,1947 TJ TM UZ IR IQ AM Cc
2664. **Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): *reginae* Terteryan,1949 TR? AM AZ Cc GG CN Ui
2665. **Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov,1940; *caucasicum* Rubtsov,1940 TR Cc
2666. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
2667. **Sinodendron persicum Reitter,1902** (Lucanidae) Synonym(s): *persicum* Reitter,1902 IR Elb Gh Mz TM Kp Cc AZ
2668. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829 DZ TR CY IL Pa JO Cc AM IR SA
2669. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758 TR RU Am BG UA Cm Cc AM GG TM KP KR
2670. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885 RU Cc AZ KG UZ TM IR KK
2671. **Skorikovia radoszkowskii (Skorikov,1935)** (Mutillidae) Synonym(s): *radoszkowskii* Skorikov,1935 AZ GG Cc RU Da TR

2672. **Skorikovia transcaucasica (Lelej,1985)** (Mutillidae) Synonym(s): *transcaucasica* Lelej,1985
AZ AM Cc TR
2673. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris*
Lacordaire,1848; *biornata* Lefebvre,1872 BG TR IQ IR Cc
2674. **Smaragdina flavicollis (Charpentier,1825)** (Chrysomelidae) Synonym(s): *flavicollis*
Charpentier,1825 TR Cc
2675. **Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806;
dorsalis Olivier,1808 BG GR TR Cc IR
2676. **Smaragdina salicina (Scopoli,1763)** (Chrysomelidae) Synonym(s): *salicina* Scopoli,1763;
cyaneus Fabricius,1775 HV DE Cc
2677. **Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata*
Olivier,1808 TR Cc SY IQ EG
2678. **Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881 Cc AM KK KG
UZ TR?
2679. **Sphaeroderma rubidum (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells,1858
TR Cc DZ Md
2680. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758;
gemmata Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB
HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
2681. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR
RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn Ke KG KK LT EG MD UZ TJ TM UG UA
2682. **Spilogona dispar (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 SE DE PL CZ SK
CH AT HU TR Cc
2683. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763 Cc
TR IR CY IQ TM YU GR
2684. **Stenagostus rosti (Schwarz,1897)** (Elateridae) Synonym(s): *rosti* Schwarz,1897 TR Cc GG AZ
RU
2685. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri*
Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU
KG MN
2686. **Stenobothrus (s.str.) zubovskii Bolivar,1899** (Acrididae) Synonym(s): *zubovskii*
Bolivar,1899 Cc TR
2687. **Stenobothrus (Stenobothrodes) weneri Adelung,1907** (Acrididae) Synonym(s): *weneri*
Adelung,1907 Cc TR IR
2688. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858;
colorata Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
2689. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787;
lineola Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ
DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
2690. **Stenodera caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica* Pallas,1781 TR Cc SY
IL Pa IR RU Sb
2691. **Stenometopiellus araxis Zachvatkin,1946** (Cicadellidae) Synonym(s): *araxis*
Zachvatkin,1946 Cc AM AZ
2692. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus* Pallas,1818 IR Fa BG DE
FR HU PL RO YU RU TR Cc AZ AM GG KG
2693. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820;
tanygastrus Loew,1861 IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
2694. **Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus* Loew,1851; *bicolor*
Bigot,1878 TR Cc RU AF CN IR Fa AZ
2695. **Stenopogon mollis Loew,1868** (Asilidae) Synonym(s): *mollis* Loew,1868 Cc RU TR IR Elb
Dam AM
2696. **Stenopogon nataliae Richter,1963** (Asilidae) Synonym(s): *nataliae* Richter,1963 Cc RU TR IR
Mz Elb AM
2697. **Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): *nigriventris* Loew,1868 Cc RU
GR TR IR AZ
2698. **Stenopogon roederii Bezzi,1895** (Asilidae) Synonym(s): *roederii* Bezzi,1895 IT Cc RU TR
2699. **Stenopogon sabaudus (Fabricius,1794)** (Asilidae) Synonym(s): *sabaudus* Fabricius,1794;
fulvus Pallas,1818 Cc RU TR IR Kd
2700. **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron* Loew,1873; *theseus* Loew,1873
TR IR Fa Ss Ke AF AZ Cc EG CN
2701. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767 Cc IR
FR HV TR SY LB JO IL Pa
2702. **Stenosis comata Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *comata* Reiche &
Sauley,1857 TR SY Cc AM
2703. **Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes* Reitter,1887; *reitteri*
Mars,1887 TR SY EG Cc AM
2704. **Stenosis pilosa Motschoulsky,1839** (Tenebrionidae) Synonym(s): *pilosa* Motschoulsky,1839
Cc

2705. **Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller,1776 **RU Cc TR IR DE**
2706. **Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura* Fabricius,1792 **RU Cc TR IR DE CZ**
2707. **Stephanitis caucasica Kiritschenko,1939** (Tingidae) Synonym(s): *caucasica* Kiritschenko,1939 **RU Cc TR**
2708. **Stephanitis oschanini Vasilliev,1935** (Tingidae) Synonym(s): *oschanini* Vasilliev,1935 **AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR**
2709. **Stichopogon auritinctus Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *auritinctus* Abbassian-Lintzen,1964 **IR AZ Cc**
2710. **Stichopogon caucasicus Bezzi,1910** (Asilidae) Synonym(s): *caucasicus* Bezzi,1910 **IR Ss Ab Ak Cc RU**
2711. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**
2712. **Stictoleptura cordigera (Fuesslin,1775)** (Cerambycidae) Synonym(s): *cordigera* Fuesslin,1775 **HV TR Cc IR**
2713. **Stictoleptura deyrollei (Pic,1895)** (Cerambycidae) Synonym(s): *deyrollei* Pic,1895 **GG Cc TR IR**
2714. **Stictoleptura erythroptera (Hagenbach,1822)** (Cerambycidae) Synonym(s): *erythroptera* Hagenbach,1822 **TR Cc IR CZ**
2715. **Stictoleptura heydeni (Ganglbauer,1889)** (Cerambycidae) Synonym(s): *ustulata* Ménériés,1832; *heydeni* Ganglbauer,1889 **TR Cc AZ IR**
2716. **Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniel,1891 **IT GR TR Cc IR Lo**
2717. **Stictoleptura tesserula (Charpentier,1825)** (Cerambycidae) Synonym(s): *tesserula* Charpentier,1825 **CZ SK PL YU TR Cc**
2718. **Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti* Royer,1923 **RU Cc TR IL Pa CY DZ**
2719. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA**
2720. **Stomoxys calcitrans (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758 **AM Cc TR AZ IR**
2721. **Stratiomys armeniaca Bigot,1879** (Stratiomyidae) Synonym(s): *armeniaca* Bigot,1879; *herzi* Pleske,1901; *potschinskii* Pleske,1901; *#armaniaca* Üstüner,2005 **Cc AZ AM GG TR**
2722. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
2723. **Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922 **Musca chamaeleon** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 589. Type(s): **Europa. CH YU FR RU TR Cc GG AM CN At LT**
2724. **Stratiomys nobilis Loew,1871** (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912 **Cc AM IR CN KG UZ**
2725. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythrocerata* Egger,1859; *pyrrhocera* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
2726. **Stratiomys viridis (Paramonov,1926)** (Stratiomyidae) Synonym(s): *viridis* Paramonov,1926; *persica* Torres,1947 **Cc AZ Nv Ord IR**
2727. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vibaste,1968 **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
2728. **Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 **BG HU RO RU Cc TR**
2729. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 **AL BG CY IL Pa IR IT JP KP AZ Cc TR**
2730. **Suillia variegata (Loew,1862)** (Heleomyzidae) Synonym(s): *variegata* Loew,1862 **ES TR AZ RU Cc Kr Soc**
2731. **Sybistroma clara Negrobov & Onishchenko,1991** (Dolichopodidae) Synonym(s): *clara* Negrobov & Onishchenko,1991 **Cc GG**
2732. **Sybistroma lenkoranica Negrobov,1979** (Dolichopodidae) Synonym(s): *lenkoranica* Negrobov,1979 **Cc AZ Len**
2733. **Sybistroma obscurella (Fallén,1823)** (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827 **Cc Abk GG GR RO RU UA Cm**
2734. **Sybistroma transcaucasica Stackelberg,1941** (Dolichopodidae) Synonym(s): *transcaucasica* Stackelberg,1941 **Cc Abk GG RU**

2735. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata Swederus,1795; obscura Curtis,1831; cooperi Curtis,1831; fasciatus Fonscolombe,1832; immaculata Walker,1832; semifasciata Walker,1834; signata Nees,1834; inaequalis Thomson,1876; strigifrons Thomson,1876* TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
2736. **Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis Walker,1834* IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
2737. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle Walker,1848; nubeculatus Ratzeburg,1848; bifasciatus Thomson,1878; bimaculatipennis Girault,1912; bimaculatus Crawford,1913; meteori Girault,1916* TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
2738. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis Nees,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massasoit Crawford,1913; fulvipes Györfi,1941* TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
2739. **Synaptus filiformis (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis Fabricius,1781* TR Cc GR RU Sb
2740. **Synechocryptus mactator (Tschek,1870)** (Ichneumonidae) Synonym(s): *mactator Tschek,1870* TR Cc
2741. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
2742. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis Illiger,1798* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
2743. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
2744. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii Linnaeus,1758; blanda Harris,1780* TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
2745. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis Meigen,1822* TR RU Ur Sb Cc IR MN AF KP KR JP US
2746. **Tabanus caucasiae Kröber,1925** (Tabanidae) Synonym(s): *caucasiae Kröber,1925* TR Cc
2747. **Tabanus indrae Hauser,1939** (Tabanidae) Synonym(s): *indrae Hauser,1939; vappa Bogatchev & Samedov,1949; montivagus Olsjjev,1970* TR Cc AM AZ Nv GG IR RU
2748. **Tabanus laetinctus Becker,1913** (Tabanidae) Synonym(s): *laetinctus Becker,1913; sordes Bogatshev & Samedov,1949; assuetus Hauser,1960; cinereus Hauser,1960* TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU
2749. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labameanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
2750. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
2751. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjinicolaoui Kröber,1936; loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
2752. **Tabanus swiridowi Portschinsky,1882** (Tabanidae) Synonym(s): *swiridowi Portschinsky,1882* TR Cc
2753. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps Meigen,1824; argentifrons Macquart,1835; pusilla Macquart,1845; fuscipennis Macquart,1845; alpicola Rondani,1861; tricondyla Rondani,1868; roederi Giglio-Tos,1891; similis Giglio-Tos,1891* RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
2754. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera Linnaeus,1761* TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
2755. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
2756. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
2757. **Tachycixius bifurcatus Logvinenko,1971** (Cixiidae) Synonym(s): *bifurcatus Logvinenko,1971* Cc AZ
2758. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum Fieber,1876* Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
2759. **Tachycixius tigrinus Logvinenko,1971** (Cixiidae) Synonym(s): *tigrinus Logvinenko,1971* Cc AZ GG RU UA TM

2760. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
2761. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
2762. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
2763. **Tachys (Eotachys) transcaucasicus Coulon,2004** (Carabidae) Synonym(s): *transcaucasicus Coulon,2004* GG Cc TR IQ
2764. **Tachytrechus genualis Loew,1857** (Dolichopodidae) Synonym(s): *genualis Loew,1857* AM Cc BG RO RU JP TW
2765. **Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi Mik,1864* AM Cc TR AT CZ HU IT
2766. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus Stannius,1831; litoreus Haliday,1833; obscuripes Gertaeker,1864; beckeri Müller,1923* Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn
2767. **Tachytrechus petraeus Loew,1871** (Dolichopodidae) Synonym(s): *petraeus Loew,1871* Cc AM UZ
2768. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola Loew,1857* GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
2769. **Taeniopteryx caucasica Zhiltzova,1981** (Taeniopterygidae) Synonym(s): *caucasica Zhiltzova,1981* Taeniopteryx caucasica Zhiltzova,1981, Ent. Obozr. 60 (3): 607. Cc
2770. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa Linnaeus,1758; praetexta Burmeister,1839; nigripes Zetterstedt,1840; minuta Rambur,1842; socia Rambur,1842* GB SE DE BE NL PL BY UA Cc KG CH AT HU TR
2771. **Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): *jaxartensis Oshanin,1871; astrachanica Zachvatkin,1953* MN Cc AZ KG KK TJ UZ
2772. **Tanyproctus carbonarius Faldermann,1835** (Scarabaeidae) Synonym(s): *carbonarius Faldermann,1835* Cc Nv AZ TR IR
2773. **Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): *cellarum Adams,1817* AZ AM Cc GG IR IQ JO SY TR
2774. **Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): *univittatus Rossi,1792* ES IT LY RU KP KR Cc AM Sb MN...
2775. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus Saussure,1874; intermedius Chopard,1940; intercalatus Chopard,1943* ES IQ Cc KG UZ TM PK TR
2776. **Tbilisica denticulata Dlabola,1958** (Cicadellidae) Synonym(s): *denticulata Dlabola,1958* Cc GG
2777. **Temelucha decorata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decorata Gravenhorst,1829; ornatus Szepliget,1900* TR AZ Cc MD DK
2778. **Tenthredo luteipennis Eversmann,1847** (Tenthredinidae) Synonym(s): *luteipennis Eversmann,1847; fallax Mocsary,1880 nec Smith,1878 nec Audinet-Serville,1823; mocsaryi André,1882; menetriesi Kirby,1882; obscuraria Enslin,1913* TR Cc Pm
2779. **Tenthredo maculata Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata Geoffroy,1785; unifasciata Geoffroy,1785; zonta Christ,1791; equestris Panzer,1809; latizona Audinet-Serville,1823; andréi Mocsary,1883; maculata Enslin,1912* TR Cc RU Sb JP
2780. **Tenthredo omissa Förster,1844** (Tenthredinidae) Synonym(s): *omissa Förster,1844; viensis sensu Panzer,1799; marginella sensu Thomson,1871; melanoceraea Enslin,1912* TR Cc RU Sb
2781. **Tenthredo propinqua Klug,1817** (Tenthredinidae) Synonym(s): *propinqua Klug,1817* TR RU UA Cc
2782. **Tenthredo scrophulariae Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae Linnaeus,1758* TR RU Cc
2783. **Tenthredo thompsoni Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni Curtis,1839; basanalis Enslin,1912; marginella sensu Chevin,1983; semifasciatus Rudow,1872* TR Cc RU KG
2784. **Tenthredo vespa Retzius,1783** (Tenthredinidae) Synonym(s): *vespa Retzius,1783; multifasciata Geoffroy,1785; sexannulata Schrank,1802; tricineta Fabricius,1804 nec Christ,1791; quadricincta Fallén,1808; vespiformis Audinet-Serville,1823; multicinctus Rudow,1872; nigrilabris Frivaldszky,1877* TR RU Cc Sb CN MN
2785. **Tenthredo zonula Klug,1817** (Tenthredinidae) Synonym(s): *zonula Klug,1817; fasciata Scopoli,1763 nec Linn.,1758; bifasciata Geoffroy,1785; bicictaflava Christ,1791; similis Mocsary,1880; nazarensis André; serena Konow; calcaratus André,1881; scutellaris Konow,1898* TR RU UA IR MD Cc AM IL SY LB
2786. **Tenthredopsis festiva Konow,1890** (Tenthredinidae) Synonym(s): *festiva Konow,1890* TR Cc
2787. **Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata Klug,1817; alboplagiata Konow,1890; ischiadica Eversmann,1847; cylindrica Rudow,1871* TR RU Cc Sb MN CN IR
2788. **Tentyria nomas (Pallas,1781)** (Tenebrionidae) Synonym(s): *nomas Pallas,1781; saisanensis Motschoulsky,1845* RU Sb Cc KG

2789. **Tentyria punctipleuris Reitter,1900** (Tenebrionidae) Synonym(s): *punctipleuris* Reitter,1900
Cc
2790. **Tentyria tessulata Tauscher,1812** (Tenebrionidae) Synonym(s): *tessulata* Tauscher,1812 TR
Cc IR
2791. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa* Loew,1856 TR RU Sb CN Ui
AF IR Cc AM GG
2792. **Tephritis dioscorea (Loew,1856)** (Tephritidae) Synonym(s): *dioscorea* Loew,1856 TR AT EE
DE FR HU LT LV MD CH SE UA GG Cc AM RU
2793. **Tephritis formosa (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844 TR Cc IL Pa
GB IR CN
2794. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 TR GR
UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
2795. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 *Trypeta postica*
Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
2796. **Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata*
Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 TR HV YU MK AL GR BG RO UA AZ AM
Cc IR SY Hal
2797. **Teratolytta optabilis (Faldermann,1832)** (Meloidae) Synonym(s): *optabilis* Faldermann,1832
AZ Cc Len Nv AM RU Da Bak IR
2798. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma*
M.Hering,1936 TR CY Cc IL Pa LB IR
2799. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 TR Cc
AM AZ IL Pa LB JO IR
2800. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794 TR
KG CN KK Cc MN RU Sb Us
2801. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 TR
KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
2802. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934 BG TR DE HU
MN ES Cc
2803. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 ES FR CZ YU SS
B-H HV RO BG TR Cc RU KG TM UZ KK
2804. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s):
hexaspina Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866 Cc BG GR IL IT JO PT RO TR AM GG
RU Da UA YU
2805. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s):
longicornis Signoret,1866 AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
2806. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi*
Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
2807. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 Cc
AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA
UZ YU
2808. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae)
Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*);
contaminatus Metcalf,1932 Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
2809. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s):
sulphurea Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO
ES TR AZ GG KG KK MD RU TM UA YU
2810. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata*
Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
2811. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825
DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
2812. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865 Cc AT
CZ FR HU IR RO TR GG KG RU Sb UA YU
2813. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc
AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
2814. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata*
Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852;
armeniaca Tarbinsky,1940 DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
2815. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima*
Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936;
intermedia Jannone,1937; *trinacriae* Jannone,1937 *Gryllus (Tettigonia) viridissima* Linnaeus,1758, Syst.
Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU
Cc AZ AM GG IR KG MN TR
2816. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus*
Melichar,1896 AL AT BG CS HU IT Si RO GG Cc TR MD YU
2817. **Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): *formicarius* Linnaeus,1758
RU UA Cm Cc TR

2818. **Theophilea cylindricollis Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis* Pic,1895 TR
AM Cc IR
2819. **Thereva affinis Kröber,1913** (Therevidae) Synonym(s): *affinis* Kröber,1913 Cc AZ AM GG TR
2820. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821;
bivittata Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
2821. **Thereva caucasica Kröber,1913** (Therevidae) Synonym(s): *caucasica* Kröber,1913 Cc
2822. **Thereva marmorata Kröber,1912** (Therevidae) Synonym(s): *marmorata* Kröber,1912 Cc AM
2823. **Thereva neglecta Kröber,1912** (Therevidae) Synonym(s): *neglecta* Kröber,1912 GR TR Cc AM
2824. **Thereva ordubadica Paramonov,1927** (Therevidae) Synonym(s): *ordubadica* Paramonov,1927
Cc AZ Nv Ord
2825. **Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): *atalantae* Poda,1761 TR Cc
TM
2826. **Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964
TR Cc RU
2827. **Thricops nigrifrons (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *nigrifrons*
Robineau-Desvoidy,1830 RU Ur Cc IR GG AM Eri TR
2828. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763;
sanguinea Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes*
Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA
MK YU
2829. **Tibicina intermedia Fieber,1876** (Cicadidae) Synonym(s): *intermedia* Fieber,1876 Tibicina
intermedia Fieber,1876, Revue Mag. Zool. (3) 4: 34. Type: [Azerbaijan]: Karabagh. Cc AM AZ
2830. **Tibicina nigronevosa Fieber,1876** (Cicadidae) Synonym(s): *nigronevosa* Fieber,1876 FR
Co PT ES CH Cc TR
2831. **Tibicina quadrisignata (Hagen,1855)** (Cicadidae) Synonym(s): *quadrisignata* Hagen,1855
Cicada *haematodes* *quadrisignata* Hagen,1855, Stettin ent. Ztg. 16: 356. DZ ES Py ?Cc
2832. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveri* Krynicky,1837 CH FR PT
BG MK TR Cc GG UA Cm
2833. **Timarcha hummeli Faldermann,1837** (Chrysomelidae) Synonym(s): *hummeli*
Faldermann,1837 GG AM Cc TR
2834. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa* Loew,1873 RU Or LB UA MD KG
IR MN Cc TJ
2835. **Tingis caucasica (Jakovlev,1880)** (Tingidae) Synonym(s): *caucasica* Jakovlev,1880 Cc TR AL
RU HU YU
2836. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877 RU Cc TR CY SY
GR
2837. **Tingis kerzhneri Golub,2006** (Tingidae) Synonym(s): *kerzhneri* Golub,2006 AM AZ Cc KG TJ
IR TM
2838. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata* Puton,1879 MA RU Cc TR
CN Ui
2839. **Tingis pusilla (Jakovlev,1874)** (Tingidae) Synonym(s): *pusilla* Jakovlev,1874 RU Cc TR
2840. **Tipula (Savtshenkia) rufina Meigen,1818** (Tipulidae) Synonym(s): *rufina* Meigen,1818 DZ
Cc TR
2841. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae) Synonym(s): *caesia*
Schummel,1833 Cc TR
2842. **Tipula (Yamatotipula) caucasimontana Savchenko,1955** (Tipulidae) Synonym(s):
caucasimontana Savchenko,1955 Cc TR
2843. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis*
Meigen,1804; *itermedia* Eiroa,1990 *Tipula lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE
B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU
CY SY LB IL Pa TM KG Cc GG AM TR
2844. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800 TN
ES AT AL TR Cc SY IR RU
2845. **Tituboea rugulosa (Weise,1898)** (Chrysomelidae) Synonym(s): *rugulosa* Weise,1898 Cc
2846. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781;
striatus Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848 IR Kh AT AZ Cc BE B-H BG HV CZ DK
FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
2847. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 IR Ak Kd AT
BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
2848. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758;
viridis Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus*
Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1:
567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ
TR TM UA GB US Arz Cf Col Or Ut YU
2849. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833 IR Lo AZ Cc
BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB

- 2850. *Torymus rubi* (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
- 2851. *Toxophora epargyra* Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907 TR SD AM AZ GG Cc EG TJ TM UZ
- 2852. *Toxophora fasciculata* (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
- 2853. *Toxophora psammophila* Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933 AM AZ GG Cc KK TJ TM UZ
- 2854. *Toxophora shelkovnikovi* Paramonov,1933** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1933 AM AZ GG Cc CY
- 2855. *Toya propinqua* (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
- 2856. *Toya simulans* (Dlabola,1958)** (Delphacidae) Synonym(s): *simulans* Dlabola,1958 Cc GG KG TJ UA
- 2857. *Trachyderma setosa* (Fischer,1819)** (Tenebrionidae) Synonym(s): *setosa* Fischer,1819 TR Cc
- 2858. *Transcaucasica kobachidzeina* (Schengellia & Dlabola,1964)** (Cicadellidae) Synonym(s): *kobachidzeina* Schengellia & Dlabola,1964 Cc GG
- 2859. *Trapezonotus dispar* (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883 MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
- 2860. *Trechus* (s.str.) *melanocephalus* Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus* Kolenati,1845 AZ AM Cc RU TR IR
- 2861. *Trechus* (s.str.) *quadristriatus* (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
- 2862. *Trichius fasciatus* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758 RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR
- 2863. *Trichodes albei* Escherich,1893** (Cleridae) Synonym(s): *albei* Escherich,1893; *korbianus* Ganglbauer,1905 TR AM Cc IQ
- 2864. *Trichodes apiarius* (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius* Linnaeus,1758 DE BG RU TR Cc AM GG
- 2865. *Trichodes heydeni* Escherich** (Cleridae) Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893 Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos
- 2866. *Trichodes inermis* Reitter,1893** (Cleridae) Synonym(s): *inermis* Reitter,1893 TR Cc RU IL Pa IR Ak Ab
- 2867. *Trichodes insignis* Fischer,1829** (Cleridae) Synonym(s): *insignis* Fischer,1829; *armeniacus* Baudi,1873 TR Cc GG AM
- 2868. *Trichodes laminatus* Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843 GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
- 2869. *Trichodes longissimus* (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881 TR Cc AM SY LB CY EG
- 2870. *Trichodes nobilis* Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844 AL GR TR SY IL Pa IR Cc AM TJ Pm KG
- 2871. *Trichodes pulcherrimus* Escherich,1892** (Cleridae) Synonym(s): *pulcherrimus* Escherich,1892 TR IR Cc AM
- 2872. *Trichodes punctatus* Fischer,1829** (Cleridae) Synonym(s): *punctatus* Fischer,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843 TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
- 2873. *Trichodes quadriguttatus* Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817 GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
- 2874. *Trichodes reichei* Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863; *conjunctus* Escherich,1892 TR SY Hal Ltk IL Pa IR Cc AM
- 2875. *Trichodes sexpustulatus* Chevrolat,1874** (Cleridae) Synonym(s): *sexpustulatus* Chevrolat,1874; *erratus* Champenois,1898 TR AM Cc Eri SY IR
- 2876. *Trichodes sipylus* (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915 TR GR EG IL Pa SY Cc AM Eri IR
- 2877. *Triclis olivaceus* Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856 TR AZ Cc IR FR GR IT RU KG IL Pa
- 2878. *Triclistus lativentris* Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris* Thomson,1887 TR Cc
- 2879. *Tricyphona* (s.str.) *immaculata* (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
- 2880. *Tricyphona* (s.str.) *zwicki* Mendl,1973** (Pedicidae) Synonym(s): *zwicki* Mendl,1973; *acuspica* Alexander,1975; *elburzensis* Alexander,1975 TR IR AZ Cc GG RU BG IT

2881. **Trieces tricarinatus (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856 TR Cc KG
2882. **Trigonoscelis armeniaca Faldermann,1837** (Tenebrionidae) Synonym(s): *armeniaca* Faldermann,1837 Cc AZ Nv Ord
2883. **Trigonoscelis cordata Allard,1886** (Tenebrionidae) Synonym(s): *cordata* Allard,1886 Cc AZ Len
2884. **Trimium caucasicum Kolenati,1846** (Staphylinidae) Synonym(s): *caucasicum* Kolenati,1846; *merkli* Reitter,1894; *dianae* Sahlberg,1908 Cc TR
2885. **Triodontella flavimana (Burmeister,1855)** (Scarabaeidae) Synonym(s): *flavimana* Burmeister,1855; *sieversi* Reitter,1889 Cc GG Smt Bjo TR SY
2886. **Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): *manteroi* Kieffer,1909 MD AM Cc RU TR TM
2887. **Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris* Mayr,1908; *stshepetilnikova* Pubstov,1944; *rubriventris* Szabo,1959 MD IR Cc UA TR AZ AM GG DZ
2888. **Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi sensu* Viktorov,1960; *reticulatus* Delucchi,1961 MA SY TR Cc AZ GG
2889. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958 MD Cc AZ AM GG IR MN UA TR
2890. **Troglocimmerites (s.str.) pasquini Vigna Taglianti,1977** (Carabidae) Synonym(s): *pasquini* Vigna Taglianti,1977 GG TR Cc
2891. **Tromatobia ornata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829 Cc KG TR
2892. **Tropiderinus interruptus (Reitter,1889)** (Anthribidae) Synonym(s): *interruptus* Reitter,1889 Cc TR AM JO
2893. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
2894. **Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana* André,1901 TR Cc AZ AM GR MK RU
2895. **Tropidotilla semirufa (André,1893)** (Mutillidae) Synonym(s): *semirufa* André,1893 AM AZ Cc IR TR
2896. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767 AL TR SY LB IL Pa Cc YU RU UA Cm
2897. **Tropinota (Epicometis) senicula (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *senicula* Ménétriés,1832 Cc AM
2898. **Tropinota (Epicometis) senicula Ménétriés,1832** (Scarabaeidae) Synonym(s): *senicula* Ménétriés,1832 Cc
2899. **Tropinota (Epicometis) suturalis Reitter,1913** (Scarabaeidae) Synonym(s): *suturalis* Reitter,1913 Cc AM
2900. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913 TR Cc IR SY JO KG KK TM
2901. **Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969 *Truxalis eximia* Eichwald,1830, Zool. Spec. 2: 239. TR Cc IR KG CY SA
2902. **Truxalis robusta (Uvarov,1916)** (Acrididae) Synonym(s): *robusta* Uvarov,1916 *Acrida robusta* Uvarov,1916, Revue russk. ent. 16: 8, 11.Type: [Azerbaijan]: Elisabethpol [Gence], Shach-Tshinar (GPPT Tiflis). TR Cc AZ Kir IR
2903. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoïn,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
2904. **Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761 TR IR Cc
2905. **Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855 Cc KG TR RU Sb
2906. **Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939 HU BG TR Cc KG
2907. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
2908. **Tychius ruscicus Desbrochers,1908** (Curculionidae) Synonym(s): *ruscicus* Desbrochers,1908 TR Cc IR
2909. **Tychius squamulatus Gyllenhal,1836** (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836 TR DZ GB IR Cc
2910. **Tychius thoracicus Boheman,1843** (Curculionidae) Synonym(s): *thoracicus* Boheman,1843 TR Cc
2911. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginepunctata* Audinet-Serville,1838; *praeusta* Fischer von

- Waldheim,1846; *spinosus* Fischer von Waldheim,1846; #*lilifolia* Bolivar,1877 **Locusta lilifolia** Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
2912. **Ula (s.str.) mollissima Haliday,1833** (Pediciidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 **Ula mollissima Haliday,1833**, Ent. Mag. 1: 153. AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
2913. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
2914. **Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* Robineau-Desvoidy,1830; *scutellata* Rondani,1870 DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
2915. **Urophora cuspidata (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zettstedt,1847 nec Linn.,1758 TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
2916. **Urophora eriolepidis (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis* Loew,1856; *terebrans* Frauenfeld,1857 TR DE AZ Cc AM GG LT MD RU UA
2917. **Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana* M.Hering,1935 TR GB FR NO RU FI FR Py ES Cc Ur US
2918. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870 **Trypeta macrura** Loew,1855, Stettin ent. Ztg. 16: 40. TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR
2919. **Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945 TR AZ Cc AM TM UZ KG
2920. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826 TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
2921. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
2922. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805 AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
2923. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 **Trypeta terebrans** Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
2924. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
2925. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; #*pubera* Becker,1906; *pubera* Strobl,1906 DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
2926. **Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes* Becker,1906 Cc AZ AM GG IR TJ TM UZ
2927. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
2928. **Usia (s.str.) transcaspica Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1950 AM AZ Cc MK TM UZ
2929. **Utecha trivia (Germar,1821)** (Cicadellidae) Synonym(s): *trivia* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
2930. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 DZ TR Cc IR KG SK
2931. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
2932. **Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829 TR Cc RU
2933. **Verdanus caucasicus (Emeljanov,1962)** (Cicadellidae) Synonym(s): *caucasicus* Emeljanov,1962 Cc RU
2934. **Verdanus ciscaucasicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *ciscaucasicus* Emeljanov,1964 RU Cc
2935. **Verdanus daghestanicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *daghestanicus* Emeljanov,1964 Cc RU Da
2936. **Verdanus intermedius (Emeljanov,1964)** (Cicadellidae) Synonym(s): *intermedius* Emeljanov,1964 RU Cc
2937. **Verdanus melichari (Dlabola,1951)** (Cicadellidae) Synonym(s): *melichari* Dlabola,1951 AZ Cc GG TR
2938. **Verdanus oseticus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *oseticus* Emeljanov,1964 RU Cc
2939. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US

2940. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771* GR TR JO IR
Cc AF KK MX
2941. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn
Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RÜ Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
2942. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris Linnaeus,1758* BE GB SE
TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
2943. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon Fabricius,1794* DZ AM
Cc AZ HV FR GR GG IR IT LB SY ES YU TM
2944. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869; gracilis Ringdahl,1915*
Cc AM AZ BG CY EG GR GG IR IT TR
2945. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea Becker,1916; latifrons Stein,1916*
ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
2946. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804; quinquefasciata*
Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
2947. **Villa chorassani (Becker & Stein,1913)** (Bombyliidae) Synonym(s): *medisecta Pandelle,1899;*
chorassani Becker & Stein,1913 AM Cc AZ GG TM IR Kh AF
2948. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata Meigen,1804* AF AL AM
Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
2949. **Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *cingulum Wiedemann,1820*
AM AZ BE Cc FR GR GG IT Si ES PT YU
2950. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera Zetterstedt,1845;*
claripennis Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
2951. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima Loew,1857; diluta*
Rondani,1866 Cc AM AZ GG BG CY IL Pa IT Si SY LY YU
2952. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804; trigonostigma*
Czerny,1901 MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
2953. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans Becker,1916* AM AZ GG Cc
EG IT GR IR TR
2954. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis Kowarz,1883; corsicana*
Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
2955. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta Linnaeus,1758;*
nugator Harris,1780 AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT
Sa Si
2956. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura Loew,1869* ES AM Cc AZ
GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
2957. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta Meigen,1820* AL AM AZ Cc
GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
2958. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta Loew,1869; nana*
Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
2959. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta Wiedemann,1820* AM
AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
2960. **Villa orientalis Zaitzev,1966** (Bombyliidae) Synonym(s): *orientalis Zaitzev,1966* AM AZ Cc GG
KG MN TM UZ
2961. **Villa senex (Rondani,1863)** (Bombyliidae) Synonym(s): *senex Rondani,1863* Cc
2962. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa Becker,1916* IT Si TR AF
AM AZ GG Cc GR IR MK YU
2963. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa Loew,1869* IT Si Sa AM Cc
AZ GG EG BG IR LY MD RO RU UA YU
2964. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta Meigen,1820; margaritifera*
Dufour,1833; dolosa Jaennicke,1867; turbidus Loew,1869 IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO
SS ES SE CH TJ TM YU
2965. **Wiedemannia zetterstedti (Fallén,1826)** (Empididae) Synonym(s): *zetterstedti Fallén,1826*
Cc RU Soc
2966. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni Schiner,1862*
AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
2967. **Xorides (Moerophora) rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes*
Gravenhorst,1829 TR Cc
2968. **Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator*
Thunberg,1822 Cc Da RU TR BG
2969. **Xorides (s.str.) gravenhorstii (Curtis,1831)** (Ichneumonidae) Synonym(s): *gravenhorstii*
Curtis,1831; securicornis Holmgren,1860; seticornis Strobl,1902 Cc TR
2970. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata Latreille,1809*
Tridactylus variegatus Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB
Brussels). FR ES CZ RO TR Cc RU KG IN
2971. **Xylomya ciscaucasica (Pleske,1928)** (Xylomyidae) Synonym(s): *ciscaucasica Pleske,1928* Cc
RU
2972. **Xylomya mlokosiewczy (Pleske,1925)** (Xylomyidae) Synonym(s): *mlokosiewczy Pleske,1925*
Cc GG Lag

2973. **Xylomya trinotata (Bigot,1880)** (Xylomyidae) Synonym(s): *trinotata Bigot,1880* Cc GG IR
2974. **Xylophagus caucasicus Krivosheina & Mamaev,1982** (Xylophagidae) Synonym(s): *caucasicus Krivosheina & Mamaev,1982* RU Cc
2975. **Xylophagus lukjanovtshi Krivosheina & Mamaev,1972** (Xylophagidae) Synonym(s): *lukjanovtshi Krivosheina & Mamaev,1972* Cc AZ Len
2976. **Xylotrechus antilope (Schönherr,1817)** (Cerambycidae) Synonym(s): *antilope Schönherr,1817* DZ CZ Cc IR
2977. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola Olivier,1795* CZ GR Cc DZ IR TR RU KG
2978. **Xylotrechus pantherinus (Savenius,1825)** (Cerambycidae) Synonym(s): *pantherinus Savenius,1825* RU KG Cc CZ
2979. **Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus Linnaeus,1758* Cc TR IR CZ RU
2980. **Xylotrechus sieversi Ganglbauer,1890** (Cerambycidae) Synonym(s): *sieversi Ganglbauer,1890* TR Cc
2981. **Xyphosia conspicua (Loew,1869)** (Tephritidae) Synonym(s): *conspicua Loew,1869* RU Cc TR
2982. **Zabrachypus tenuiabdominalis (Uchida,19141)** (Ichneumonidae) Synonym(s): *tenuiabdominalis Uchida,19141* RU Cc TR JP
2983. **Zabrus aciculatus Schaum,1864** (Carabidae) Synonym(s): *aciculatus Schaum,1864* AM Cc TR
2984. **Zabrus aurichalceus M.F.Adams,1817** (Carabidae) Synonym(s): *aurichalceus M.F.Adams,1817* Cc GG TR AM
2985. **Zabrus chalceus Faldermann,1836** (Carabidae) Synonym(s): *chalceus Faldermann,1836* AM Cc TR
2986. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio Mandrias,1832* AZ AM Cc GG TR AF IR KG PA SY TM UZ
2987. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
2988. **Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani Holmgren,1854* TR Cc AM KG Aa TJ US
2989. **Zirona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
2990. **Zonitis nigriventris Motschulsky,1845** (Meloidea) Synonym(s): *nigriventris Motschulsky,1845* TR Cc AM
2991. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata Brullé,1832* TR IL Pa SY Cc AM EG IR TM
2992. **Zophosis (Septentriophosis) rugosa Faldermann,1837** (Tenebrionidae) Synonym(s): *rugosa Faldermann,1837* TR Cc AM IR
2993. **Zorochros caucasicus Jagemann,1939** (Elateridae) Synonym(s): *caucasicus Jagemann,1939* Cc TR
2994. **Zorochros georgicus Dolin & Tschatlandze,1980** (Elateridae) Synonym(s): *georgicus Dolin & Tschatlandze,1980* Cc GG TR
2995. **Zorochros meridionalis (Laporte,1840)** (Elateridae) Synonym(s): *meridionalis Laporte,1840* Cc TR
2996. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874* AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
2997. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor Horvath,1897; #discolor Lodos & Kalkandelen,1984* BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU
2998. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
2999. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
3000. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
3001. **Zyginidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): *eremita Zachvatkin,1953; caucasica Zachvatkin,1953* Cc TR GG RU UZ
3002. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris Herrich-Schäffer,1838* AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU
3003. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab Zachvatkin,1947; coacta Ribaut,1948* AF CY IR IL JO LB SY TR RU Cc GG Da UZ

Synonymic and distributional list of the pterygot insects of China (Results of the Entomofauna of the World based upon info-system of the Cesa)

3

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of China (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 3.
Priamus (suppl.) 18: 362-394.

In this study, totally 990 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of China recorded in info-sytem of the Cesa, total pterygot species of China increase to 6655.

Key words: List, distribution, *pterygota*, *Insecta*, China.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 990 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 5665 recorded species of Lepidoptera from China are found. Taking this information into consideration, total number of the pterygots may increase to 6655.

The study is still continuing, and the new results will be published within this Project.

- Achaetomalachius tibetensis (Champion,1925)** (Melyridae) Synonym(s): *tibetensis* Champion,1925 CN Ti
- Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux* Walker,1853 BT BD CN Hun IN TH CMa JP TW
- Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758 PK IN CN AU TR IT Sa
- Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
- Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
- Adoretus sinicus Burmeister,1844** (Scarabaeidae) Synonym(s): *sinicus* Burmeister,1844 VN CN
- Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA

8. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch Kk LB PK SA SY TM UZ TR
9. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
10. **Agonum chalconotum Ménétriés,1832** (Carabidae) Synonym(s): *chalconotum* Ménétriés,1832 GB LA TR AF KK KG TJ UZ CN MN
11. **Allantus basalis (Klug,1818)** (Tenthredinidae) Synonym(s): *basalis* Klug,1818; *togatus* Stephens,1835 nec Panz.,1801; *caledonicus* Benson,1945 TR RU Sb MN CN JP CA
12. **Amantis hainanensis Tinkham,1937** (Mantidae) Synonym(s): *hainanensis* Tinkham,1937 CN Hn VN
13. **Amantis lofaoshanensis Tinkham,1937** (Mantidae) Synonym(s): *lofaoshanensis* Tinkham,1937 CN
14. **Amantis nawai (Shiraki,1908)** (Mantidae) Synonym(s): *nawai* Shiraki,1908 CN JP LK TW
15. **Amantis wuzhishana (Yang,2002)** (Mantidae) Synonym(s): *wuzhishana* Yang,2002 CN Hn
16. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
17. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
18. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeyi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
19. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
20. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
21. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
22. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
23. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
24. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzey,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
25. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
26. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
27. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
28. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indertiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
29. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 TR IR KG TJ TM UZ CN Ui

30. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM**
31. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 **AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM**
32. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc**
33. **Ambivia parapopa Wang,1992** (Mantidae) Synonym(s): *parapopa* Wang,1992 **CN**
34. **Amorphoscelis chinensis Tinkham,1937** (Amorphoscelidae) Synonym(s): *chinensis* Tinkham,1937 **CN Yu**
35. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica* Fabricius,1775; *macrans* Fabricius,1781; *oculatus* Fabricius,1798 (*praeocc.*); *argus* Fabricius,1803; *dystercoides* Ellenreider,1862; *nigripes* Ellenreider,1862; *rubrocincta* Breddin,1899; *rufus* Azim & Shafee,1982 **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
36. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
37. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris* Girault,1915 **IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US**
38. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
39. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 **TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU**
40. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 **AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH**
41. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus* Becker,1916; *villosus* Paramonov,1930; *albulus* Paramonov,1940 **CN Ui KK KG MN RU UZ**
42. **Anastoechus aurecrinitus Du & Yang,1990** (Bombyliidae) Synonym(s): *aurecrinitus* Du & Yang,1990 **CN Pkn**
43. **Anastoechus chinensis Paramonov,1930** (Bombyliidae) Synonym(s): *chinensis* Paramonov,1930 **CN Pkn MN**
44. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 **IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR**
45. **Ancylorhynchus minus Shi,1995** (Asilidae) Synonym(s): *minus* Shi,1995 **CN**
46. **Ancylorhynchus orientalis Shi,1995** (Asilidae) Synonym(s): *orientalis* Shi,1995 **CN**
47. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
48. **Aneomochtherus alexisi Tomasovic,2004** (Asilidae) Synonym(s): *alexisi* Tomasovic,2004 **CN**
49. **Aneomochtherus hauseri (Engel,1927)** (Asilidae) Synonym(s): *hauseri* Engel,1927 **CN**
50. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Cc AM IR KG**
51. **Aneomochtherus psathyrus (Tsacas,1968)** (Asilidae) Synonym(s): *psathyrus* Tsacas,1968 **CN**
52. **Aneomochtherus sinensis (Ricardo,1919)** (Asilidae) Synonym(s): *sinensis* Ricardo,1919; *agers* Esipenko,1974 **RU CN KP KR**
53. **Aneomochtherus stackelbergi (Lehr,1958)** (Asilidae) Synonym(s): *stackelbergi* Lehr,1958 **MN CN AF**
54. **Aneomochtherus tenuis (Tsacas,1968)** (Asilidae) Synonym(s): *tenuis* Tsacas,1968 **CN**
55. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 **RU Cn FR Co TR SD IN CN Ui**
56. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszowskyi* Mocsary,1887; *seraxense* Radoszowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
57. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes* Reuter,1884 **IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ**

58. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
59. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris Rondani,1866* C DK FI IT SE HU YU RU CN JP TR
60. **Anthophora xinjiangensis (Wu,1985)** (Apidae) Synonym(s): *xinjiangensis Wu,1985* CN Ui
61. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
62. **Anthrax appendiculatus Macquart,1855** (Bombyliidae) Synonym(s): *appendiculatus Macquart,1855* CN
63. **Anthrax bimaculus Walker,1849** (Bombyliidae) Synonym(s): *bimaculus Walker,1849* CN
64. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
65. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus Solsky,1876; rufulus Solsky,1876* PL AF Cc CN KG KK TJ TM UZ
66. **Antiphrisson tenebrosus Lehr,1972** (Asilidae) Synonym(s): *tenebrosus Lehr,1972* MN RU CN
67. **Aphodius (Chilothorax) altaicus Nikolajev,1984** (Scarabaeidae) Synonym(s): *altaicus Nikolajev,1984* CN RU At
68. **Aphodius (Phaeaphodius) rectus Motschoulsky,1866** (Scarabaeidae) Synonym(s): *rectus Motschoulsky,1866* RU Ur Sb Us Am Krl CN KG
69. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
70. **Aphytis lepidosaphes Compere,1955** (Aphelinidae) Synonym(s): *lepidosaphes Compere,1955* CN CY TR
71. **Aphytis lingnanensis Compere,1955** (Aphelinidae) Synonym(s): *lingnanensis Compere,1955* CN CY TR
72. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
73. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790* DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
74. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
75. **Aprosthemella tardum (Klug,1814)** (Argidae) Synonym(s): *tardum Klug,1814; cylindricorne Thomson,1871; carpentieri Konow,1902* FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
76. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus Westwood,1833; tristis Nees,1834; phalis Walker,1839; trabea Walker,1839; mutilia Walker,1839; crassicauda Thomson,1878* AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
77. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae Girault,1916* AU NSW EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
78. **Aprostocetus coelarchus (Graham,1991)** (Eulophidae) Synonym(s): *coelarchus Graham,1991* TR CZ CN Yu SE GB YU
79. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino Walker,1838; dispar Silvestri,1920; oecanthivorus Gahan,1932; compar Gahan,1932; dubius Bakkendorf,1955* AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
80. **Aprostocetus decrescens (Graham,1991)** (Eulophidae) Synonym(s): *decrescens Graham,1991* TR FR GB SE CN Kwa
81. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
82. **Arge cingulata Jakovlev** (Argidae) Synonym(s): *cingulata Jakovlev; turanica Kuznetsov-Ugamskii* CN Ui IR
83. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
84. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica Klug,1834* B-H HU SK UA RO MK BG TR Cc CN Ui
85. **Arma chinensis Fallou,1881** (Pentatomidae) Synonym(s): *chinensis Fallou,1881; discors Jakovlev,1902; peipingensis Yang,1933* CN KP KR MN
86. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794; #scutellaris Stichel,1961; neocustos Ahmad & Onder,1990; neoinsperata Ahmad & Onder,1990* DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
87. **Arma ferruginea (Hsiao & Zheng,1977)** (Pentatomidae) Synonym(s): *ferruginea Hsiao & Zheng,1977* CN
88. **Arma koreana Josifov & Kerzhner,1978** (Pentatomidae) Synonym(s): *koreana Josifov & Kerzhner,1978* KP KR CN

89. **Arma maculata (Zheng,1980)** (Pentatomidae) Synonym(s): *maculata* Zheng,1980 CN Yu
90. **Arma tubercula Yang,1934** (Pentatomidae) Synonym(s): *tubercula* Yang,1934 CN VN
91. **Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): *pusilla* Eversmann,1859 AF MN TJ TM CN Ui
92. **Ascalohybris brisi (Navas,1930)** (Ascalaphidae) Synonym(s): *brisi* Navas,1930 CN
93. **Ascalohybris koltzoffi (Navas,1927)** (Ascalaphidae) Synonym(s): *koltzoffi* Navas,1927 CN
94. **Ascalohybris stenoptera (Navas,1927)** (Ascalaphidae) Synonym(s): *stenoptera* Navas,1927 CN
95. **Ascalohybris subjacens (Walker,1853)** (Ascalaphidae) Synonym(s): *subjacens* Walker,1853 KH CN Hun Kig JP Hdo TW
96. **Asiadodis yunnanensis (Wang & Liang,1995)** (Mantidae) Synonym(s): *yunnanensis* Wang & Liang,1995 CN Yu
97. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
98. **Athalia circularis (Klug,1815)** (Tenthredinidae) Synonym(s): *circularis* Klug,1815; *lineolata* Audinet-Serville,1823; *bolivari* Dusmet,1896; *libertoides* Priesner,1928; *longifoliae* Kontuniemi,1951; *alpina* Chevin,1969 UA Cm TR RU MN CA CN JP
99. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884 RU TR IR UZ KK Cc Sb IN CN JP
100. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915 TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
101. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry,1884; *artemisiae* Haupt,1924 AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU
102. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spreta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
103. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR
104. **Batracormorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
105. **Bellardia longistricta Fan & Quian,1997** (Calliphoridae) Synonym(s): *longistricta* Fan & Quian,1997 CN Ui
106. **Bellardia sastylata Qian & Fan,1981** (Calliphoridae) Synonym(s): *sastylata* Qian & Fan,1981 CN Ui
107. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
108. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
109. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
110. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
111. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
112. **Bischoffitilla exilipunctata (Chen,1957)** (Mutillidae) Synonym(s): *exilipunctata* Chen,1957 CN Hbe Fkn KP KR
113. **Bischoffitilla strangulata (Smith,1879)** (Mutillidae) Synonym(s): *strangulata* Smith,1879 CN Fkn Kwa
114. **Blachia ducalis Walker,1867** (Pentatomidae) Synonym(s): *ducalis* Walker,1867; *coccinelloides* Vollenhoven,1868; *manifesta* Distant,1887 TH IN CN ID MM
115. **Blaps kashgarensis Bates,1879** (Tenebrionidae) Synonym(s): *kashgarensis* Bates,1879; *lobnoriana* Reitter,1887; *euosoma* Kraatz,1888; *gobiensis* Friwaldsky,1889 CN Ui Ga Ln MN
116. **Blaps latericosta Reitter,1889** (Tenebrionidae) Synonym(s): *latericosta* Reitter,1889 CN Gn
117. **Blaps maeander Kraatz,1885** (Tenebrionidae) Synonym(s): *maeander* Kraatz,1885 CN Ui
118. **Blaps multistriata Ballion,1878** (Tenebrionidae) Synonym(s): *multistriata* Ballion,1878 CN Ui Ku
119. **Blaps potanini Reitter,1889** (Tenebrionidae) Synonym(s): *potanini* Reitter,1889 CN Gn

120. **Blaps quadricollis Ballion,1878** (Tenebrionidae) Synonym(s): *quadricollis Ballion,1878* CN
Ui Ku
121. **Blaps transversimulcata Ballion,1878** (Tenebrionidae) Synonym(s): *transversimulcata Ballion,1878* CN Ui Ku
122. **Blaps turkestanica Seidlitz,1893** (Tenebrionidae) Synonym(s): *turkestanica Seidlitz,1893* CN Ui
123. **Blaps variolaris Allard,1880** (Tenebrionidae) Synonym(s): *variolaris Allard,1880* CN Ui
124. **Bolivaria xanthoptera (Olivier,1792)** (Mantidae) Synonym(s): *xanthoptera Olivier,1792* TJ Ui CN
IN NP
125. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
126. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818; dispar Meigen,1820* [Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 \(2\): 21.](#) Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
127. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus Loew,1855* RU Sb CN IR MN KK ES TJ TM UZ
128. **Bombylius (s.str.) chinensis Paramonov,1931** (Bombyliidae) Synonym(s): *chinensis Paramonov,1931* CN
129. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
130. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
131. **Bombylius (s.str.) koreanus Paramonov,1926** (Bombyliidae) Synonym(s): *koreanus Paramonov,1926* RU Us KP KR CN Sz
132. **Bombylius (s.str.) kozlovi Paramonov,1926** (Bombyliidae) Synonym(s): *kozlovi Paramonov,1926* CN MN KK TJ
133. **Bombylius (s.str.) lejustomus Loew,1855** (Bombyliidae) Synonym(s): *lejustomus Loew,1855* CN
KP KR RU MN
134. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax Paramonov,1926* UZ TJ KK TM CN Ui
135. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liroy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
136. **Bombylius (s.str.) pygmaeus Fabricius,1781** (Bombyliidae) Synonym(s): *pygmaeus Fabricius,1781; canadensis Curran,1933* CA US CN Pkn
137. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus Paramonov,1926 nec Wiedem.,1820; rossicus Evenhuis & Greathead,1999* CN KG KK TJ TM UZ
138. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
139. **Bombylius (s.str.) sytshuanensis Paramonov,1926** (Bombyliidae) Synonym(s): *sytshuanensis Paramonov,1926* CN Sz
140. **Bombylius (s.str.) uzbekorum Paramonov,1926** (Bombyliidae) Synonym(s): *uzbekorum Paramonov,1926* CN Ti KG KK TJ UZ
141. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
142. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
143. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus Duda,1923* BE CN
Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU
144. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* *Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16.* B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
145. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
146. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator Nees,1812* CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR

147. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812
CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
148. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836
IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
149. **Byctiscus betulae (Linnaeus,1758)** (Attelebidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794 BG
CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
150. **Byctiscus populi (Linnaeus,1758)** (Attelebidae) Synonym(s): *populi* Linnaeus,1758; *auratus* Fourcroy,1785 DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
151. **Caliscelis chinensis Melichar,1906** (Caliscelidae) Synonym(s): *chinensis* Melichar,1906 CN
152. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 CN FR GR
TR HU IT RO RU
153. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784
AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
154. **Calyptopsis laevipennis Reitter,1896** (Tenebrionidae) Synonym(s): *laevipennis* Reitter,1896 CN
Ui
155. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
156. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata* Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschnsky,1875; *beckeri* Rübsaamen,1910; *effingendea* Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971; IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA
157. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta* Loew,1844 TR AF CZ CN
FI NL IQ GB IL Pa Cn DZ SY JO
158. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta* Loew,1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
159. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY
RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
160. **Cantheconidea humeralis Distant,1908** (Pentatomidae) Synonym(s): *humeralis* Distant,1908
IN MM CN TH
161. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
162. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958 IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
163. **Cazira breddini Schouteden,1907** (Pentatomidae) Synonym(s): *breddini* Schouteden,1907 IN BT
CN
164. **Cazira concinna Hsiao & Zheng,1977** (Pentatomidae) Synonym(s): *concinna* Hsiao & Zheng,1977
CN Hun
165. **Cazira emeia Zhang & Lin,1982** (Pentatomidae) Synonym(s): *emeia* Zhang & Lin,1982 CN Sz
166. **Cazira flava Yang,1934** (Pentatomidae) Synonym(s): *flava* Yang,1934 CN
167. **Cazira frivaldskyi Horvath,1889** (Pentatomidae) Synonym(s): *frivaldskyi* Horvath,1889 NP BT
IN CN
168. **Cazira horvathi Breddin,1903** (Pentatomidae) Synonym(s): *horvathi* Breddin,1903; *gibbosa* Hsiao & Zheng,1977 VN Ton CN
169. **Cazira inerma Yang,1934** (Pentatomidae) Synonym(s): *inerma* Yang,1934 CN
170. **Cazira membrania Zhang & Lin,1982** (Pentatomidae) Synonym(s): *membrania* Zhang & Lin,1982
CN Hun
171. **Cazira montandoni Breddin,1903** (Pentatomidae) Synonym(s): *montandoni* Breddin,1903 VN
Ton CN
172. **Cazira sichuana Zhang & Lim,1986** (Pentatomidae) Synonym(s): *sichuana* Zhang & Lim,1986 CN
Sz
173. **Cazira thibetensis Schouteden,1907** (Pentatomidae) Synonym(s): *thibetensis* Schouteden,1907
CN Ti
174. **Cazira ulcerata (Burmeister,1835)** (Pentatomidae) Synonym(s): *ulcerata* Burmeister,1835; *strumosa* Stal,1870 IN TH CN ID Ja Sum
175. **Cazira vegeta Kirkaldy,1909** (Pentatomidae) Synonym(s): *ulcerata* Herrich-Schäffer,1839 nec Burm.,1835; *vegeta* Kirkaldy,1909 JP CN VN TH IN
176. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa* Westwood,1834; *verrucifer* Burmeister,1835 CN TW MM IN BD TH KH VN ID Ja PH JP
177. **Cazira yunnanica (Zhang & Lin,1982)** (Pentatomidae) Synonym(s): *yunnanica* Zhang & Lin,1982
CN Yu
178. **Cecyrina platyrhinoides Walker,1867** (Pentatomidae) Synonym(s): *platyrhinoides* Walker,1867
IN BT CN
179. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836 TR MN CN Ui AF IR RU Ur Cc
180. **Ceratomantis yunnanensis Zhang,1986** (Hymenopodidae) Synonym(s): *yunnanensis* Zhang,1986 CN Yu

181. **Ceroxys munda (Loew,1868)** (Ulidiidae) Synonym(s): *munda* Loew,1868 **UA KG CN Ui RU**
182. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 **RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO**
183. **Cetonia (Eucetonia) magnifica Ballion,1870** (Scarabaeidae) Synonym(s): *magnifica* Ballion,1870 **RU Us Am CN**
184. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyssl.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 **IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui**
185. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
186. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 **AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM**
187. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 **DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA**
188. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866 **TR Cc IR KG RU Sb MN CN Mc KP KR**
189. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 **TR Cc IQ KG CN Ti DZ MN RU Sb**
190. **Cheirotonus fujiokai Muramoto,1994** (Scarabaeidae) Synonym(s): *fujiokai* Muramoto,1994 **CN**
191. **Cheirotonus jansoni Jordan,1898** (Scarabaeidae) Synonym(s): *jansoni* Jordan,1898 **CN VN**
192. **Cheirotonus macleayi Hope,1840** (Scarabaeidae) Synonym(s): *macleayi* Hope,1840; *macleayanus* Burmeister,1842 **IN SI BT Ass CN Ti TW**
193. **Cheirotonus szechuanus Medvedev,1960** (Scarabaeidae) Synonym(s): *szechuanus* Medvedev,1960 **CN Sz**
194. **Chelostoma (s.str.) carinocaudatum Wu,2004** (Megachilidae) Synonym(s): *carinocaudatum* Wu,2004 **CN**
195. **Chelostoma (s.str.) xizangense Wu,1982** (Megachilidae) Synonym(s): *xizangense* Wu,1982 **CN Ti**
196. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
197. **Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa* Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926 **HU AT RU At TR IL CN**
198. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
199. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936 **TR RU Cc RO IR KG Sb CN KP KR JP**
200. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 **DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU**
201. **Chrysolina altimontana (Rybalow,1889)** (Chrysomelidae) Synonym(s): *altimontana* Rybalow,1889 **CN Ui**
202. **Chrysolina amplicollis (Jacobson,1895)** (Chrysomelidae) Synonym(s): *amplicollis* Jacobson,1895 **CN Ui**
203. **Chrysolina belousovi Lopatin,2000** (Chrysomelidae) Synonym(s): *belousovi* Lopatin,2000 **CN Ui**
204. **Chrysolina borochoensis Lopatin,2000** (Chrysomelidae) Synonym(s): *borochoensis* Lopatin,2000 **CN Ui**
205. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967 **FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ**
206. **Chrysolina cyanopurpurea (Ballion,1878)** (Chrysomelidae) Synonym(s): *cyanopurpurea* Ballion,1878 **CN Ui**
207. **Chrysolina dacchordii Lopatin,2000** (Chrysomelidae) Synonym(s): *dacchordii* Lopatin,2000 **CN Ui**
208. **Chrysolina fuyunica Chen,1961** (Chrysomelidae) Synonym(s): *fuyunica* Chen,1961 **CN Ui**
209. **Chrysolina graminis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *graminis* Linnaeus,1758 **TR RU Sb Us CN**

210. **Chrysolina juldusana (Lopatin,1962)** (Chrysomelidae) Synonym(s): *juldusana Lopatin,1962* KK CN Ui KG
211. **Chrysolina luchti Lopatin,2000** (Chrysomelidae) Synonym(s): *luchti Lopatin,2000* CN Ui
212. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata Linnaeus,1758; unificans Bechyne,1950* TR Cc IR AF RU Sb MN CN DZ KG
213. **Chrysolina naratica Lopatin,2000** (Chrysomelidae) Synonym(s): *naratica Lopatin,2000* CN Ui
214. **Chrysolina roborowskii (Jacobson,1895)** (Chrysomelidae) Synonym(s): *roborowskii Jacobson,1895; fallax Jacobson,1895* CN Ui
215. **Chrysolina staphylea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea Linnaeus,1758* TR Cc KG CN MN KP KR
216. **Chrysolina tekessica Lopatin,1990** (Chrysomelidae) Synonym(s): *tekessica Lopatin,1990* CN Ui
217. **Chrysolina tianshanica (Jacobson,1910)** (Chrysomelidae) Synonym(s): *tianshanica Jacobson,1910* CN Ui
218. **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris Linnaeus,1758* TR Cc KG MN RU Sb CN
219. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi Linnaeus,1758* GR TR Cc IN CN JP
220. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata Scopoli,1763* TR Cc UA Cm RU Sb CN MN JP KP KR
221. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes Zetterstedt,1838; amplicornis Lowarz,1874; kowarzi Lundbeck,1912* RO TR UA RU Cc Ya Am KK CN
222. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912* AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
223. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa Hagen,1856* MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
224. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876* Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
225. **Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): *prasina Pallas,1773* CN MN MA? PT? Cc AM KG RU Sb
226. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilotoccephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
227. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta Fabricius,1801; flavomaculata Chevrolat,1845* **Cicindela aurulenta Fabricius,1801, Syst. Eleuth. 1: 239.** Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
228. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878* TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
229. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
230. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomysae Ishii,1953; novickiji Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
231. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius Linnaeus,1767; nervosopunctata De Geer,1773; cynosbatis Fabricius,1775; dionysii Panzer,1796; dorsalis Hardy,1850; eurypterus Kirschbaum,1868; vulgaris Fieber,1876; fusca Fieber,1876* AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
232. **Cleptes nitidulus (Fabricius,1793)** (Chrysididae) Synonym(s): *nitidulus Fabricius,1793* IT TR CN Mc
233. **Clinterocera scabrosa Motschulsky,1853** (Scarabaeidae) Synonym(s): *scabrosa Motschulsky,1853* CN
234. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; sylvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
235. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
236. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus Zetterstedt,1828; oxalidis Fieber,1875* AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR

237. **Colletes pallipes Noskiewicz,1936** (Colletidae) Synonym(s): *pallipes Noskiewicz,1936* **CN Ui Ku**
238. **Conophorus chinensis Paramonov,1929** (Bombyliidae) Synonym(s): *chinensis Paramonov,1929* **CN**
239. **Conophorus turkestanicus Paramonov,1929** (Bombyliidae) Synonym(s): *turkestanicus Paramonov,1929* **CN Ui**
240. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* **DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN**
241. **Conops annulosus Bigot,1887** (Conopidae) Synonym(s): *annulosus Bigot,1887* **ID CN IN MY**
242. **Conops rufifrons Doleschall,1857** (Conopidae) Synonym(s): *rufifrons Doleschall,1857* **CN ID**
243. **Coptocephala crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): *crassipes Lefevre,1876; leprieuri Pic,1897; rungsi Pic,1953; kocheri Pic,1953; vavilovi Lopatin,1966; iranica Medvedev,1971* **MA DZ IR AF CN Ti**
244. **Cordilura femoralis Sun,1993** (Scathophagidae) Synonym(s): *femoralis Sun,1993* **CN**
245. **Cordilura nigrifrons Sun,1993** (Scathophagidae) Synonym(s): *nigrifrons Sun,1993* **CN Sz**
246. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): **AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH**
247. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica Meigen,1826; geniculata Zetterstedt,1846; alberta Curran,1929* **AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA**
248. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi Horvath,1879* **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR**
249. **Cotesia melanoscela (Ratzeburg,1844)** (Braconidae) Synonym(s): *melanoscela Ratzeburg,1844* **TR CN DK MN CA**
250. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
251. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae Reinhard,1880* **DE GB FI TR AT RU HU CN AU**
252. **Creobroter apicalis Saussure,1869** (Hymenopodidae) Synonym(s): *apicalis Saussure,1869* **IN NP BD CN ID Ja**
253. **Creobroter geminatus (Stoll,1813)** (Hymenopodidae) Synonym(s): *geminatus Stoll,1813* **MM VN CN IN ID Ja Sda**
254. **Creobroter jiangxiensis Zheng,1988** (Hymenopodidae) Synonym(s): *jiangxiensis Zheng,1988* **CN**
255. **Creobroter nebulosus (Zheng,1988)** (Hymenopodidae) Synonym(s): *nebulosus Zheng,1988* **CN**
256. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus Fabricius,1775* **IN MM VN CN ID Sum Ja MY Bor PH**
257. **Creobroter vitripennis Beier,1933** (Hymenopodidae) Synonym(s): *vitripennis Beier,1933* **CN**
258. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis Fabricius,1792; smaragdina Foundras,1860; picicornis Weise,1886; jucunda Weise,1886; lapponica Heikertinger,1950* **FI TR Cc IR KG RU Sb MN CN**
259. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus Linnaeus,1758; dispar Paykull,1799* **ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR**
260. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes Fabricius,1781* **RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa**
261. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus Bedel,1891* **RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc**
262. **Culicoides absitus Liu & Yu,1990** (Ceratopogonidae) Synonym(s): *absitus Liu & Yu,1990* **CN**
263. **Culicoides alpigenus Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *alpigenus Yu & Liu,2006* **CN**
264. **Culicoides anthropophygas Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *anthropophygas Yu & Liu,2006* **CN**
265. **Culicoides apiculatus Yu & Zhang,1988** (Ceratopogonidae) Synonym(s): *apiculatus Yu & Zhang,1988* **CN**
266. **Culicoides besscus Liu & Yu,1990** (Ceratopogonidae) Synonym(s): *besscus Liu & Yu,1990* **CN**
267. **Culicoides biclavatus Deng & Yu,1990 (homonym!)** (Ceratopogonidae) Synonym(s): *biclavatus Deng & Yu,1990 nec Kieffer,1924* **CN**
268. **Culicoides bicornus Liu & Yu,2006** (Ceratopogonidae) Synonym(s): *bicornus Liu & Yu,2006* **CN**
269. **Culicoides bicultellus Yu & Liu,1990** (Ceratopogonidae) Synonym(s): *bicultellus Yu & Liu,1990* **CN**
270. **Culicoides brachcordylus Liu & Zhao,2006** (Ceratopogonidae) Synonym(s): *brachcordylus Liu & Zhao,2006* **CN**
271. **Culicoides brevipenis Mai & Yu,1990** (Ceratopogonidae) Synonym(s): *brevipenis Mai & Yu,1990* **CN**

272. **Culicoides buhetoensis Takahasi,1941** (Ceratopogonidae) Synonym(s): *buhetoensis Takahasi,1941* CN
273. **Culicoides cassideus Zhang & Yu,1990** (Ceratopogonidae) Synonym(s): *cassideus Zhang & Yu,1990* CN
274. **Culicoides chagyabensis Lee,1982** (Ceratopogonidae) Synonym(s): *chagyabensis Lee,1982* CN
275. **Culicoides chengduensis Zhou & Lee,1984** (Ceratopogonidae) Synonym(s): *chengduensis Zhou & Lee,1984* CN
276. **Culicoides cleaves Liu,1995** (Ceratopogonidae) Synonym(s): *cleaves Liu,1995* CN
277. **Culicoides clivus Yu & Liu,1990** (Ceratopogonidae) Synonym(s): *clivus Yu & Liu,1990* CN
278. **Culicoides combinothercus Yu & Liu,1986** (Ceratopogonidae) Synonym(s): *combinothercus Yu & Liu,1986* CN
279. **Culicoides comparis Liu & Yu,2006** (Ceratopogonidae) Synonym(s): *comparis Liu & Yu,2006* CN
280. **Culicoides conaensis Liu & Yu,1990** (Ceratopogonidae) Synonym(s): *conaensis Liu & Yu,1990* CN
281. **Culicoides concatervans Liu & Yu,2006** (Ceratopogonidae) Synonym(s): *concatervans Liu & Yu,2006* CN
282. **Culicoides continualis Qu & Liu,1982** (Ceratopogonidae) Synonym(s): *continualis Qu & Liu,1982* CN
283. **Culicoides corniculus Liu & Qu,1981** (Ceratopogonidae) Synonym(s): *corniculus Liu & Qu,1981* CN
284. **Culicoides desytoculus Liu & Zhao,1998** (Ceratopogonidae) Synonym(s): *desytoculus Liu & Zhao,1998* CN
285. **Culicoides dingriensis Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *dingriensis Yu & Liu,2006* CN
286. **Culicoides donggangensis Liu, Zhou & Wu,2007** (Ceratopogonidae) Synonym(s): *donggangensis Liu, Zhou & Wu,2007* CN
287. **Culicoides dunhuaensis Chu,1983** (Ceratopogonidae) Synonym(s): *dunhuaensis Chu,1983* CN
288. **Culicoides elongatus Chu & Liu,1978** (Ceratopogonidae) Synonym(s): *elongatus Chu & Liu,1978* CN
289. **Culicoides eremicus Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *eremicus Yu & Liu,2006* CN
290. **Culicoides erkaensis Yu & Yang,1988** (Ceratopogonidae) Synonym(s): *erkaensis Yu & Yang,1988* CN
291. **Culicoides filamentus Liu, Yan & Liu,1996** (Ceratopogonidae) Synonym(s): *filamentus Liu, Yan & Liu,1996* CN
292. **Culicoides huochengensis Ma & Yu,1990** (Ceratopogonidae) Synonym(s): *huochengensis Ma & Yu,1990* CN
293. **Culicoides manchuriensis Tokunaga,1941** (Ceratopogonidae) Synonym(s): *manchuriensis Tokunaga,1941* CN Mc
294. **Culicoides meridionalis Xue, Liu & Yu,2003** (Ceratopogonidae) Synonym(s): *meridionalis Xue, Liu & Yu,2003* CN
295. **Culicoides minor Tokunaga,1941** (Ceratopogonidae) Synonym(s): *minor Tokunaga,1941* CN
296. **Culicoides morisitai Tokunaga,1940** (Ceratopogonidae) Synonym(s): *morisitai Tokunaga,1940* CN
297. **Culicoides nagarzensis Lee,1978** (Ceratopogonidae) Synonym(s): *nagarzensis Lee,1978* CN
298. **Culicoides nanpingensis Yu & Song,1986** (Ceratopogonidae) Synonym(s): *nanpingensis Yu & Song,1986* CN
299. **Culicoides onoi Tokunaga,1940** (Ceratopogonidae) Synonym(s): *onoi Tokunaga,1940* CN
300. **Culicoides pelius Liu & Yu,1990** (Ceratopogonidae) Synonym(s): *pelius Liu & Yu,1990* CN
301. **Culicoides yunanensis Chu & Liu,1978** (Ceratopogonidae) Synonym(s): *yunanensis Chu & Liu,1978* CN Yu
302. **Culicoides zhangmensis Deng & Yu,1990** (Ceratopogonidae) Synonym(s): *zhangmensis Deng & Yu,1990* CN
303. **Culicoides zhiyingi Yu & Liu,1990** (Ceratopogonidae) Synonym(s): *zhiyingi Yu & Liu,1990* CN
304. **Culicoides zhongningensis Yu,1982** (Ceratopogonidae) Synonym(s): *zhongningensis Yu,1982* CN
305. **Culicoides zhuhaiensis Yu & Hao,1988** (Ceratopogonidae) Synonym(s): *zhuhaiensis Yu & Hao,1988* CN
306. **Culicoides zyzamaculatus Yu,1982** (Ceratopogonidae) Synonym(s): *zyzamaculatus Yu,1982* CN
307. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR

308. **Damalis paradoxa (Frey,1934)** (Asilidae) Synonym(s): *paradoxa* Frey,1934; *thorakeraia* Shi,1995 LA IN CN
309. **Danaceothrix glaberrima Majer,1996** (Melyridae) Synonym(s): *glaberrima* Majer,1996 CN
Yu
310. **Dasyhelea abdita Yu,2006** (Ceratopogonidae) Synonym(s): *abdita* Yu,2006 CN
311. **Dasyhelea abronica Yu,2001** (Ceratopogonidae) Synonym(s): *abronica* Yu,2001 CN
312. **Dasyhelea actita Yu,2006** (Ceratopogonidae) Synonym(s): *actita* Yu,2006 CN
313. **Dasyhelea agrila Yu,2006** (Ceratopogonidae) Synonym(s): *agrila* Yu,2006 CN
314. **Dasyhelea alticola Liu & Zhang,2002** (Ceratopogonidae) Synonym(s): *alticola* Liu & Zhang,2002
CN
315. **Dasyhelea alula Yu,2006** (Ceratopogonidae) Synonym(s): *alula* Yu,2006 CN
316. **Dasyhelea ambita Yu,2006** (Ceratopogonidae) Synonym(s): *ambita* Yu,2006 CN
317. **Dasyhelea ampelis Yu,2006** (Ceratopogonidae) Synonym(s): *ampelis* Yu,2006 CN
318. **Dasyhelea apiculata Yu,Chen & Yan,2006** (Ceratopogonidae) Synonym(s): *apiculata* Yu,Chen &
Yan,2006 CN
319. **Dasyhelea aurosa Yu,2006** (Ceratopogonidae) Synonym(s): *aurosa* Yu,2006 CN
320. **Dasyhelea bambusaoris Yu,2006** (Ceratopogonidae) Synonym(s): *bambusaoris* Yu,2006 CN
321. **Dasyhelea barbaros Yu,2006** (Ceratopogonidae) Synonym(s): *barbaros* Yu,2006 CN
322. **Dasyhelea batouensis Yu,2006** (Ceratopogonidae) Synonym(s): *batouensis* Yu,2006 CN
323. **Dasyhelea borkenti Yu,2006** (Ceratopogonidae) Synonym(s): *borkenti* Yu,2006 CN
324. **Dasyhelea brachibaos Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *brachibaos* Yu &
Liu,2006 CN
325. **Dasyhelea brevicula Yu,2006** (Ceratopogonidae) Synonym(s): *brevicula* Yu,2006 CN
326. **Dasyhelea caelata Yu,2006** (Ceratopogonidae) Synonym(s): *caelata* Yu,2006 CN
327. **Dasyhelea caerulea Yu & Hao,2006** (Ceratopogonidae) Synonym(s): *caerulea* Yu & Hao,2006
CN
328. **Dasyhelea chimaira Yu & Wang,2006** (Ceratopogonidae) Synonym(s): *chimaira* Yu &
Wang,2006 CN
329. **Dasyhelea circellata Yu,2006** (Ceratopogonidae) Synonym(s): *circellata* Yu,2006 CN
330. **Dasyhelea cirrata Yu,2006** (Ceratopogonidae) Synonym(s): *cirrata* Yu,2006 CN
331. **Dasyhelea compta Yu & Hao,2006** (Ceratopogonidae) Synonym(s): *compta* Yu & Hao,2006 CN
332. **Dasyhelea connexa Yu,2006** (Ceratopogonidae) Synonym(s): *connexa* Yu,2006 CN
333. **Dasyhelea consuta Yu & Zhao,2006** (Ceratopogonidae) Synonym(s): *consuta* Yu & Zhao,2006
CN
334. **Dasyhelea contexta Yu,2006** (Ceratopogonidae) Synonym(s): *contexta* Yu,2006 CN
335. **Dasyhelea coruscantis Yu & Zhang,2006** (Ceratopogonidae) Synonym(s): *coruscantis* Yu &
Zhang,2006 CN
336. **Dasyhelea cremnica Yu & Ding,2006** (Ceratopogonidae) Synonym(s): *cremnica* Yu &
Ding,2006 CN
337. **Dasyhelea curta Yu & Yan,2006** (Ceratopogonidae) Synonym(s): *curta* Yu & Yan,2006 CN
338. **Dasyhelea deiras Yu,2006** (Ceratopogonidae) Synonym(s): *deiras* Yu,2006 CN
339. **Dasyhelea deleasma Yu,2006** (Ceratopogonidae) Synonym(s): *deleasma* Yu,2006 CN
340. **Dasyhelea dicrae Yu,2006** (Ceratopogonidae) Synonym(s): *dicrae* Yu,2006 CN
341. **Dasyhelea dilatata Yu,2006** (Ceratopogonidae) Synonym(s): *dilatata* Yu,2006 CN
342. **Dasyhelea dioxyria Hao & Yu,2001** (Ceratopogonidae) Synonym(s): *dioxyria* Hao & Yu,2001
CN
343. **Dasyhelea diversiloba Yu,2006** (Ceratopogonidae) Synonym(s): *diversiloba* Yu,2006 CN
344. **Dasyhelea doratos Yu,2006** (Ceratopogonidae) Synonym(s): *doratos* Yu,2006 CN
345. **Dasyhelea dujanga Yu,2006** (Ceratopogonidae) Synonym(s): *dujanga* Yu,2006 CN
346. **Dasyhelea dunhuangensis Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *dunhuangensis*
Yu & Liu,2006 CN
347. **Dasyhelea echinatus Liu, Yan & Liu,1996** (Ceratopogonidae) Synonym(s): *echinatus* Liu,
Yan & Liu,1996 CN
348. **Dasyhelea echma Yu,2006** (Ceratopogonidae) Synonym(s): *echma* Yu,2006 CN
349. **Dasyhelea effusa Liu & Yu,2001** (Ceratopogonidae) Synonym(s): *effusa* Liu & Yu,2001 CN
350. **Dasyhelea enygros Yu,2006** (Ceratopogonidae) Synonym(s): *enygros* Yu,2006 CN
351. **Dasyhelea erema Yu & Huang,2006** (Ceratopogonidae) Synonym(s): *erema* Yu & Huang,2006
CN
352. **Dasyhelea excelsa Yu & Deng,2006** (Ceratopogonidae) Synonym(s): *excelsa* Yu & Deng,2006
CN
353. **Dasyhelea flava Yu,2006** (Ceratopogonidae) Synonym(s): *flava* Yu,2006 (*praeocc.*) CN
354. **Dasyhelea foliacea Yu,2006** (Ceratopogonidae) Synonym(s): *foliacea* Yu,2006 CN
355. **Dasyhelea forcepina Ma & Yu,2006** (Ceratopogonidae) Synonym(s): *forcepina* Ma & Yu,2006
CN

356. **Dasyhelea fornicata Yu & Liu,2006** (Ceratopogonidae) Synonym(s): *fornicata Yu & Liu,2006* CN
357. **Dasyhelea fossata Yu,2006** (Ceratopogonidae) Synonym(s): *fossata Yu,2006* CN
358. **Dasyhelea fulcillata Yu,2006** (Ceratopogonidae) Synonym(s): *fulcillata Yu,2006* CN
359. **Dasyhelea fusca Yu,2006** (Ceratopogonidae) Synonym(s): *fusca Yu,2006 (praeocc.)* CN
360. **Dasyhelea galea Yu & Ma,2006** (Ceratopogonidae) Synonym(s): *galea Yu & Ma,2006* CN
361. **Dasyhelea gemma Yu,2006** (Ceratopogonidae) Synonym(s): *gemma Yu,2006* CN
362. **Dasyhelea gnopheros Yu,2006** (Ceratopogonidae) Synonym(s): *gnopheros Yu,2006* CN
363. **Dasyhelea gongylophoda Yu & Huang,2006** (Ceratopogonidae) Synonym(s): *gongylophoda Yu & Huang,2006* CN
364. **Dasyhelea hesperos Yu & Yan,2006** (Ceratopogonidae) Synonym(s): *hesperos Yu & Yan,2006* CN
365. **Dasytidius licenti (Pic,1936)** (Melyridae) Synonym(s): *licenti Pic,1936* CN
366. **Dasytidius turnai Majer,1996** (Melyridae) Synonym(s): *turnai Majer,1996* CN Yu
367. **Dasyvalgoides denticulatus Endrodi,1952** (Scarabaeidae) Synonym(s): *denticulatus Endrodi,1952* CN
368. **Dasyvalgus decamaculatus Miyake,1993** (Scarabaeidae) Synonym(s): *decamaculatus Miyake,1993* CN
369. **Dasyvalgus ichangicus Moser,1915** (Scarabaeidae) Synonym(s): *ichangicus Moser,1915* CN
370. **Dasyvalgus jordansi Endrodi,1953** (Scarabaeidae) Synonym(s): *jordansi Endrodi,1953* CN
371. **Dasyvalgus pubicollis Pic,1928** (Scarabaeidae) Synonym(s): *pubicollis Pic,1928* CN Ti
372. **Dasyvalgus sebastiani Endrodi,1953** (Scarabaeidae) Synonym(s): *sebastiani Endrodi,1953* CN
373. **Dasyvalgus sellatus (Kraatz,1883)** (Scarabaeidae) Synonym(s): *sellatus Kraatz,1883* CN TW
374. **Dasyvalgus sommershofi Endrodi,1953** (Scarabaeidae) Synonym(s): *sommershofi Endrodi,1953* CN
375. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
376. **Deiphobe yunnanensis Tinkham,1937** (Mantidae) Synonym(s): *yunnanensis Tinkham,1937* CN Yu
377. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): *pantherinus Fabricius,1787* CN TR
378. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): *pantherinus Fabricius,1787* CN Ui TR
379. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus Steven,1808* PL AF TR Cc IN KK IR MN RU CN Ui
380. **Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): *platyoma Fieber,1861* TR CN Ui RU Sb
381. **Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): *rotundata Herrich-Schäffer,1835* RU TR CN Ui
382. **Dictyonota tricornis (Schränk,1801)** (Tingidae) Synonym(s): *tricornis Schrank,1801* US CV CA DZ IR TR RU Sb CN Ui
383. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
384. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica Germar,1830* Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
385. **Dictyophara patruelis (Stal,1859)** (Dictyopharidae) Synonym(s): *patruelis Stal,1859* CN JP RU AZ
386. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
387. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis Erdős,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
388. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
389. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus Graham,1963* HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR
390. **Dinorhynchus dybowskyi Jakovlev,1876** (Pentatomidae) Synonym(s): *dybowskyi Jakovlev,1876* RU Sb JP CN KP KR
391. **Dinorhynchus opulentus (Distant,1890)** (Pentatomidae) Synonym(s): *opulentus Distant,1890* CN

392. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820*; *aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
393. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius Fabricius,1798* *Ichneumon alvearius Fabricius,1798, Suppl. ent. Syst.: 232.* TR DE CN GB FR AT IT CZ RU KG YU
394. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Ce AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
395. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata Desbrochers,1870* Ce AM AZ RU IR CN Ui KK MN TJ TM UZ KG
396. **Diphyus quinquecinctus (Kriechbaumer,1892)** (Ichneumonidae) Synonym(s): *quinquecinctus Kriechbaumer,1892* TR CN Ui
397. **Dociostaurus (s.str.) brachypterus Demirsoy,1979** (Acrididae) Synonym(s): *brachypterus Demirsoy,1979* *Dociostaurus (s.str.) brachypterus Demirsoy,1979, Ent. Mitt. Zool. Mus. Hamburg 6 (106): 280. Type: [Uighur Ili]: Nilka (IZCAS).* CN Ui
398. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus Pantel,1886* CN Ui RU AF PK IR ES
399. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
400. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis Reinhard,1880* *Apanteles longipalpis Reinhard,1880, Dt. ent. Z. 24: 365.* TR DE CN Cc AM RU TJ
401. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema Haliday,1832*; *fraternus Staeger,1842* BG GR IL Pa RO RU UA TR KG CN
402. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763*; *pennitarsis Fallén,1823*; *planitarsis Meigen,1824* Ce GG BG GR RO RU UA TR CN MX
403. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica Fabricius,1781* GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
404. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris Scopoli,1763* ES Md DZ TN TR EG IL Pa IR GB CN MN
405. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
406. **Dorcadion (s.str.) arietinum Jakovlev,1897** (Cerambycidae) Synonym(s): *arietinum Jakovlev,1897* CN Ui
407. **Dorcadion (s.str.) ataense Pic,1901** (Cerambycidae) Synonym(s): *ataense Pic,1901*; *kusnezovi Jakovlev,1906* CN Ui
408. **Dorcadion (s.str.) cephalotes Jakovlev,1890** (Cerambycidae) Synonym(s): *cephalotes Jakovlev,1890*; *alexii Suvorov,1915* CN Ui
409. **Dorcadion (s.str.) globithorax Jakovlev,1895** (Cerambycidae) Synonym(s): *globithorax Jakovlev,1895* CN Ui
410. **Dorcadion (s.str.) heptapotanicum Plavilstshikov,1951** (Cerambycidae) Synonym(s): *heptapotanicum Plavilstshikov,1951* KG Tk CN Ui
411. **Dorcadion (s.str.) mystacinum Ballion,1878** (Cerambycidae) Synonym(s): *mystacinum Ballion,1878*; *auliense Pic,1901*; *nubilum Breuning,1948* CN Ui KG T-S
412. **Dorcadion (s.str.) pelidnum Jakovlev,1906** (Cerambycidae) Synonym(s): *pelidnum Jakovlev,1906* CN Ui
413. **Dorcadion (s.str.) phenax Jakovlev,1900** (Cerambycidae) Synonym(s): *phenax Jakovlev,1900* CN Ui KG
414. **Dorcadion (s.str.) profanifuga Plavilstshikov,1951** (Cerambycidae) Synonym(s): *profanifuga Plavilstshikov,1951* CN Ui
415. **Dorcadion (s.str.) rufidens Jakovlev,1906** (Cerambycidae) Synonym(s): *rufidens Jakovlev,1906* CN Ui
416. **Dorcadion (s.str.) thianshanense Breuning,1947** (Cerambycidae) Synonym(s): *thianshanense Breuning,1947* T-S CN Ui
417. **Dorcadion (s.str.) thianshanskii Suvorov,1910** (Cerambycidae) Synonym(s): *thianshanskii Suvorov,1910* T-S CN Ui
418. **Dorcadion (s.str.) tibiale Jakovlev,1890** (Cerambycidae) Synonym(s): *tibiale Jakovlev,1890* CN Ui
419. **Dorcadion (s.str.) validipes Jakovlev,1906** (Cerambycidae) Synonym(s): *validipes Jakovlev,1906*; *chantengrii Breuning,1943* CN Ui KG DsA
420. **Drymeia alpicola (Rondani,1871)** (Muscidae) Synonym(s): *alpicola Rondani,1871* CA US NMx DE PL SK CH AT TR CN
421. **Ducetia attenuata Hsia & Liu,1990** (Tettigoniidae) Synonym(s): *attenuata Hsia & Liu,1990* CN Yu
422. **Ducetia borealis Gorochov & Kang,2002** (Tettigoniidae) Synonym(s): *borealis Gorochov & Kang,2002* CN Mc

423. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica* Thunberg,1815; *quinquenervis* Haan,1842; *lanceolatum* Walker,1859; *neochlora* Walker,1869; *privata* Walker,1869; *adspersa* Brunner von Wattenwyl,1878 **IN LK CN KP KR JP TW PH**
424. **Ducetia spina Chang, Lu & Shi,2003** (Tettigoniidae) Synonym(s): *spina* Chang, Lu & Shi,2003 **CN**
425. **Ducetia strelkovi Gorochov & Storozhenko,1993** (Tettigoniidae) Synonym(s): *strelkovi* Gorochov & Storozhenko,1993 **CN Hn**
426. **Ducetia zagulajevi Gorochov,2001** (Tettigoniidae) Synonym(s): *zagulajevi* Gorochov,2001 **CN Yu**
427. **Ducetia zhengi Chang & Shi,1999** (Tettigoniidae) Synonym(s): *zhengi* Chang & Shi,1999 **CN Sz**
428. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**
429. **Elampus constrictus (Förster,1853)** (Chrysididae) Synonym(s): *constrictus* Förster,1853 **IT PL CN Mc RU**
430. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
431. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci* Fabricius,1803 **GB IL Pa Cc C TR LB CN Ti Ui**
432. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
433. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004 **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY**
434. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemii* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzonerae* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
435. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 **TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB**
436. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas,1771; *abdominalis* Netolitzki,1912 **TR SY UA RU Sb CN IR KG CA MN PK**
437. **Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis* Weise,1882 **BG AZ Cc TR GG IQ IR CN**
438. **Eocanthecona binotata (Distant,1879)** (Pentatomidae) Synonym(s): *binotata* Distant,1879 **CN IN Ass Meg**
439. **Eocanthecona concinna (Walker,1867)** (Pentatomidae) Synonym(s): *concinna* Walker,1867 **CN TW**
440. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata* Wolff,1801; *armigera* Herrich-Schäffer,1844 **PH IN LK MM ID Ja Mlc BD TW CN TH JP**
441. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta* Distant,1879 **IN PG PH LK CN AU ID Ja Sum**
442. **Eocanthecona thomsoni (Distant,1911)** (Pentatomidae) Synonym(s): *thomsoni* Distant,1911 **CN**
443. **Eophileurus chinensis (Faldermann,1835)** (Scarabaeidae) Synonym(s): *chinensis* Faldermann,1835 **JP CN**
444. **Eosiopsis orientalis (Ouchi,1942)** (Diopsidae) Synonym(s): *orientalis* Ouchi,1942 **CN Sz Fkn**
445. **Eosiopsis pumila (Yang & Chen,1996)** (Diopsidae) Synonym(s): *pumila* Yang & Chen,1996 **CN Yu**
446. **Eosiopsis sinensis (Ouchi,1942)** (Diopsidae) Synonym(s): *sinensis* Ouchi,1942 **CN Fkn**
447. **Epicauta erythrocephala (Pallas,1771)** (Meloidea) Synonym(s): *erythrocephala* Pallas,1771 **BG TR Cc RU UZ KG CN Ui**
448. **Episyrrhus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternana* Macquart,1842 **TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn**

449. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
450. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
451. **Eumenes jarkandensis Blüthgen,1938** (Vespidae) Synonym(s): *jarkandensis Blüthgen,1938; turanicus Blüthgen,1943* TR CN Ui MN
452. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae Fabricius,1794* TR RU Ur Sb KG Cc IR MN CN DZ AU
453. **Eurytoma blastophagi Hedqvist,1963** (Eurytomidae) Synonym(s): *blastophagi Hedqvist,1963* IR Ak DE NO CN RU SE
454. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
455. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
456. **Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): *plotnikovi Nikolskaya,1934* IR Ak Fa Es Ke Kh Se Zj GR IL Pa CN
457. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
458. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929* AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
459. **Excisivalgus csikii Endrodi,1952** (Scarabaeidae) Synonym(s): *csikii Endrodi,1952* CN
460. **Excisivalgus klapperichi Endrodi,1952** (Scarabaeidae) Synonym(s): *klapperichi Endrodi,1952* CN
461. **Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius Thunberg,1822; guttatorius Fahringer,1921* TR KG RU Sb CN
462. **Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator Desvignes,1856* TR KG MN RU Sb CN
463. **Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): *laevigator Villers,1789* TR RU At Cc CN
464. **Exoprosopa turkestanica Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica Paramonov,1925* CN Ui Um Adu KK TJ MN AF IR
465. **Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai Linnavuori,1962* IL Pa TR Cc GG CN Mc DE PL RO RU
466. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis Wagner,1963* BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
467. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
468. **Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni Linnaeus,1758* TR Cc IR CN KG KP KR RU Sb MN DZ CA
469. **Geron kaszabi Zaitzev,1972** (Bombyliidae) Synonym(s): *kaszabi Zaitzev,1972* MN CN TJ UZ
470. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi Zaitzev,1972* AM AZ GG Cc CN IR KG KK TJ UZ TR
471. **Geron longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris Efflatoun,1945; roborovskii Zaitzev,1996* CN EG IL Pa TJ UZ
472. **Geron sinensis Yang & Yang,1992** (Bombyliidae) Synonym(s): *sinensis Yang & Yang,1992* CN Pkn
473. **Glycyphana (Caloglycyphana) fulvistemma (Motschulsky,1860)** (Scarabaeidae) Synonym(s): *fulvistemma Motschulsky,1860* CN JP RU Am TW
474. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s): *horsfieldi Hope,1831; marginicollis Gory & Percheron,1833* IN Ass Meg MM NP CN TW LA TH BD Syl
475. **Glycyphana (Caloglycyphana) nasalis Boh,1858** (Scarabaeidae) Synonym(s): *nasalis Boh,1858* CN
476. **Glycyphana (Glycyphaniola) nepalensis Kraatz,1894** (Scarabaeidae) Synonym(s): *nepalensis Kraatz,1894; roquesi Bourgoin,1916* RU VN NP IN CN Yu
477. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832* TR MY Bor ID PK IN CN Cc TR RU MN KG
478. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889; bannana Xu & Zhang,1996* MM TH CMa CDo Int Dst Tng Cbi VN CN Hn ID Ja Bli IN Ass Meg
479. **Gnamptogenys panda (Brown,1948)** (Formicidae) Synonym(s): *panda Brown,1948* CN Sz

480. **Gnamptogenys sichuanensis Lattke,2004** (Formicidae) Synonym(s): *sichuanensis* Lattke,2004 CN Sz
481. **Gnamptogenys sinensis Wu & Xiao,1987** (Formicidae) Synonym(s): *sinensis* Wu & Xiao,1987 CN Hun
482. **Gnorimus flavitarsis Fairmaire,1887** (Scarabaeidae) Synonym(s): *flavitarsis* Fairmaire,1887 CN Ti Sz Yu VN
483. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
484. **Graphosoma lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum* Linnaeus,1758; *italicus* Müller,1766; *nigrolineatus* Fabricius,1781; *shangini* Gebler,1817; *reductum* Horvath,1901; *ochraceum* Royer,1925; *obscurum* Stepanek,1926; *soosi* Halaszfy,1953; *nigriscutellatum* Halaszfy,1955; *flavolineatum* Halaszfy,1955 CN Ui TR IT
485. **Graphosoma rubrolineatum (Westwood,1837)** (Pentatomidae) Synonym(s): *rubrolineatum* Westwood,1837; *crassa* Motschoulsky,1861 CN Gn Hbe Mc Hun She Sha Sz Yu RU Us Kp KR JP
486. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana* Beauvois,1805; *oryctes* Scudder,1869; *fossor* Scudder,1869; *colini* Rochebrune,1884; *formosana* Chopard,1931 *nec* Shiraki,1930; *microptalma* Chopard,1936; *confusa* Chopard,1939 ZA Kzu Nta SN ZR NG IR Ss CN TW
487. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta* Burmeister,1838; *longipennis* Haan,1842; *grandis* Walker,1869; *siamensis* Giebel,1878; *sinensis* Giebel,1878 TH ID Ja PH MM Bor IN CN
488. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina* Saussure,1884 TM UZ KG CN Mc IR Ss
489. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica* Shafee, Alam & Agarwal,1975 IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
490. **Gyranusoidea yunnanensis Xu,2004** (Encyrtidae) Synonym(s): *yunnanensis* Xu,2004 CN Yu
491. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura* Morawitz,1875; *altera* Peters,1974 TM UZ CN Ui AF PK
492. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773 Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
493. **Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826 AM Cc Eri TR MM CN
494. **Helophorus frater Orchymont,1926** (Helophoridae) Synonym(s): *frater* Orchymont,1926 IN CN IR TR
495. **Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928 Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ
496. **Hemipenthes gaudanicus Paramonov,1927** (Bombyliidae) Synonym(s): *gaudanicus* Paramonov,1927 CN Ui KK TJ TM UZ MN IR
497. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
498. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
499. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
500. **Hemipenthes noscibilis (Austen,1936)** (Bombyliidae) Synonym(s): *noscibilis* Austen,1936 CN Ti
501. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus* Loew,1869 CN KK MN RU TJ TM UZ IL Pa
502. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus* Zaitzev,1966 Cc AM AZ GG CN KK KG TJ TM UZ
503. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966 TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
504. **Hemipenthes tusheticus Zaitzev,1966** (Bombyliidae) Synonym(s): *tusheticus* Zaitzev,1966 Cc AM AZ GG IR CN Ui
505. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
506. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi* Frauenfeld,1864 TR CN KG KK MN MD UZ RU TJ TM UA
507. **Heriades (Michenerella) yunnanensis Wu,1993** (Megachilidae) Synonym(s): *yunnanensis* Wu,1993 CN Yu

508. **Heriades (s.str.) cancavus Wu,1982** (Megachilidae) Synonym(s): *cancavus Wu,1982* CN Ti Pkn
509. **Hierodula chinensis Werner,1929** (Mantidae) Synonym(s): *chinensis Werner,1929* CN
510. **Hierodula daqingshanensis Wang,1992** (Mantidae) Synonym(s): *daqingshanensis Wang,1992* CN
511. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea Burmeister,1838* CN IN ID Ja TH NP LK
512. **Hierodula multispina Wang,1992** (Mantidae) Synonym(s): *multispina Wang,1992* CN
513. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera Audinet-Serville,1839; bipapilla Audinet-Serville,1839; dispar Kirby,1900; saussurei Kirby,1904* CN TW Hw IN JP KP KR ID Ja Sba VN PH PG
514. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata Saussure,1869; heterodera Westwood,1889; westwoodi Kirby,1904* IN NP MY Bor Sda TM Ui CN
515. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata Olivier,1792; notata Stoll,1813* CN IN LK MM VN ID Ja
516. **Hierodula xishaensis Wang,1992** (Mantidae) Synonym(s): *xishaensis Wang,1992* CN
517. **Hierodula yunnanensis Wang,1992** (Mantidae) Synonym(s): *yunnanensis Wang,1992* CN Yu
518. **Hierodulella albomaculata Zhang & Zou,1991** (Mantidae) Synonym(s): *albomaculata Zhang & Zou,1991* CN
519. **Himacerus maracandicus (Reuter,1890)** (Nabidae) Synonym(s): *maracandicus Reuter,1890* TR CN Ui
520. **Hishimonus sellatus (Uhler,1896)** (Cicadellidae) Synonym(s): *sellatus Uhler,1896* AF CN JP KP Cc GG
521. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis Meigen,1820* IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
522. **Holotrichia diomphalia (Batten,1895)** (Scarabaeidae) Synonym(s): *diomphalia Batten,1895* RU Am CN Mc
523. **Holotrichia maxima Chang** (Scarabaeidae) Synonym(s): CN
524. **Hoplitis (Alcidamea) beijingensis Wu,1987** (Megachilidae) Synonym(s): *beijingensis Wu,1987* CN Pkn
525. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896* RU UA KG KK CN TM UZ SY TR
526. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta Schenck,1861 nec Latr.,1811; claviventris Thomson,1872; foveolata Schenck,1873; columba Warncke,1991* AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
527. **Hoplitis (Alcidamea) heilungjiangensis Wu,1987** (Megachilidae) Synonym(s): *heilungjiangensis Wu,1987* CN Mc
528. **Hoplitis (Alcidamea) hyperplastica (Morawitz,1894)** (Megachilidae) Synonym(s): *hyperplastica Morawitz,1894* CN Ui
529. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
530. **Hoplitis (Alcidamea) xinjiangensis Wu,1987** (Megachilidae) Synonym(s): *xinjiangensis Wu,1987* CN Ui
531. **Hoplitis (Anthocopa) bipartita (Friese,1899)** (Megachilidae) Synonym(s): *bipartita Friese,1899* CN Ui KG TR
532. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula Fonscolombe,1846 nec Duf.,1841; cristatula Zanden,1990* ES FR Co IT Si DZ MA TN CN
533. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi Radoszkowski,1874; serrilabris Morawitz,1875; quadridentata Fonscolombe,1879* Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
534. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris Latreille,1799; hyalinipennis Lepeletier,1841* AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
535. **Hoplitis (Euryparella) denudata (Morawitz,1880)** (Megachilidae) Synonym(s): *denudata Morawitz,1880* MN CN
536. **Hoplitis (Euryparella) procerior (Tkalcu,2000)** (Megachilidae) Synonym(s): *procerior Tkalcu,2000* CN Gn
537. **Hoplitis (Formicapis) latifemoralis (Wu,1985)** (Megachilidae) Synonym(s): *latifemoralis Wu,1985* CN KG
538. **Hoplitis (Formicapis) robusta (Nylander,1848)** (Megachilidae) Synonym(s): *robusta Nylander,1848* AT CH FR FI IT RU MN CN CA US
539. **Hoplitis (Kumobia) abbreviata (Morawitz,1875)** (Megachilidae) Synonym(s): *abbreviata Morawitz,1875* KG KK MN CN Ui

540. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Ce AZ HU RO RU Or KG MN CN JO SY TR
541. **Hoplitis (Megalosmia) laboriosa (Smith,1878)** (Megachilidae) Synonym(s): *laboriosa* Smith,1878; *maculata* Morawitz,1880; *magrettii* Ducke,1899 CN Ui Ku KG MN RU
542. **Hoplitis (Megalosmia) mongolica Wu,1990** (Megachilidae) Synonym(s): *mongolica* Wu,1990 CN
543. **Hoplitis (Megalosmia) popovi Wu,2006** (Megachilidae) Synonym(s): *popovi* Wu,2006 CN Gn
544. **Hoplitis (Megalosmia) princeps (Morawitz,1872)** (Megachilidae) Synonym(s): *princeps* Morawitz,1872 KG MN CN RU UA HU
545. **Hoplitis (Megalosmia) pyrrhosoma Wu,1990** (Megachilidae) Synonym(s): *pyrrhosoma* Wu,1990 CN
546. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s): *tuberculata* Nylander,1848; *hamata* Eversmann,1852; *cylindrica* Giraud,1857; *signatum* Eversmann,1852; *macrodonta* Cockerell,1924; *amaguensis* Cockerell,1924 AT CH DE FR FI HV IT LT PL RU MN CN
547. **Hoplitis (Pentadentosmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Ce CZ HU IT MK RU SK SS ES CN Ui PK TR IN
548. **Hoplitis (Pentadentosmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877 AM Ce IL Pa JO SY CN Ui
549. **Hoplitis (Pentadentosmia) minuta Wu,1990** (Megachilidae) Synonym(s): *minuta* Wu,1990 CN
550. **Hoplitis (s.str.) albopilosa Wu,1987** (Megachilidae) Synonym(s): *albopilosa* Wu,1987 CN Ti
551. **Hoplitis (s.str.) bilobulata Wu,1993** (Megachilidae) Synonym(s): *bilobulata* Wu,1993 CN Yu
552. **Hoplitis (s.str.) carinotarsa Wu,1987** (Megachilidae) Synonym(s): *carinotarsa* Wu,1987 CN Sz
553. **Hoplitis (s.str.) rufoantennalis Wu,2004** (Megachilidae) Synonym(s): *rufoantennalis* Wu,2004 CN Gn
554. **Hoplitis (s.str.) sichuanensis Wu,1993** (Megachilidae) Synonym(s): *sichuanensis* Wu,1993 CN Sz
555. **Hoplitis (s.str.) tibetensis Wu,1987** (Megachilidae) Synonym(s): *tibetensis* Wu,1987 CN Ti
556. **Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 AM Ce CN Ui TM JO
557. **Hoplitis (Stenosmia) xinjiangensis (Wu,1994)** (Megachilidae) Synonym(s): *xinjiangensis* Wu,1994 CN Ui
558. **Hybomitra expollicata (Pandelle,1883)** (Tabanidae) Synonym(s): *expollicata* Pandelle,1883 TR CN Mc MN
559. **Hybovalgus laticollis Arrow,1944** (Scarabaeidae) Synonym(s): *laticollis* Arrow,1944 CN
560. **Hybovalgus versicolor Moser,1908** (Scarabaeidae) Synonym(s): *versicolor* Moser,1908 CN Yu
561. **Hybovalgus yunnanus Moser,1906** (Scarabaeidae) Synonym(s): *yunnanus* Moser,1906 CN Yu
562. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
563. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Ce BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
564. **Hydrotaea dentipes (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes* Fabricius,1805 Ce Eri AM TR GG IN NP CN
565. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava* Harris,1780 Ch NP CN MY Ce AZ GG TR IR AM
566. **Hypocassida subferruginea (Schrank,1776)** (Chrysomelidae) Synonym(s): *subferruginea* Schrank,1776 TR CN
567. **Ichneumon veressi (Kiss,1915)** (Ichneumonidae) Synonym(s): *veressi* Kiss,1915 TR RU Sb CN
568. **Idricerus sjostedti Navas,1927** (Ascalaphidae) Synonym(s): *sjostedti* Navas,1927 CN
569. **Idricerus weelei Navas,1909** (Ascalaphidae) Synonym(s): *weelei* Navas,1909 CN HK
570. **Idricerus xianganus Yang,1992** (Ascalaphidae) Synonym(s): *xianganus* Yang,1992 CN Hun
571. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 Mantis oratoria polystictica Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Ce Tbl GG TJ MN AF IR CN TM Ui
572. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 TR UA RU SY IR PK CN Ui MN
573. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Ce BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
574. **Jalla subcalcarata Jakovlev,1885** (Pentatomidae) Synonym(s): *subcalcarata* Jakovlev,1885 CN MN RU TR
575. **Kemalia chinensis (Gupta & Gupta,1983)** (Ichneumonidae) Synonym(s): *chinensis* Gupta & Gupta,1983 CN

576. **Kemalia gratus (Sheng & Sun,2002)** (Ichneumonidae) Synonym(s): *gratus Sheng & Sun,2002* CN
577. **Kemalia quinquentatus (Wang,2001)** (Ichneumonidae) Synonym(s): *quinquentatus Wang,2001* CN
578. **Kishinouyeum breve Wang,1993** (Mantidae) Synonym(s): *breve Wang,1993* CN Yu
579. **Kishinouyeum cangshanensis Mao,2001** (Mantidae) Synonym(s): *cangshanensis Mao,2001* CN Yu
580. **Kishinouyeum cornutus Zhang,1988** (Mantidae) Synonym(s): *cornutus Zhang,1988* CN
581. **Kishinouyeum hepatica Zhang,1988** (Mantidae) Synonym(s): *hepatica Zhang,1988* CN
582. **Kishinouyeum jianfenglingensis Hua,1984** (Mantidae) Synonym(s): *jianfenglingensis Hua,1984* CN
583. **Kishinouyeum parvula Xu & Mao,2004** (Mantidae) Synonym(s): *parvula Xu & Mao,2004* CN Yu
584. **Kishinouyeum robusta Nui & Lm,1998** (Mantidae) Synonym(s): *robusta Nui & Lm,1998* CN
585. **Kishinouyeum sinensis Ouchi,1938** (Mantidae) Synonym(s): *sinensis Ouchi,1938* CN
586. **Kishinouyeum stigosus X.Zhou & W.Zhou,2004** (Mantidae) Synonym(s): *stigosus X.Zhou & W.Zhou,2004* CN
587. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
588. **Labidostomis pallidipennis (Gebier,1830)** (Chrysomelidae) Synonym(s): *pallidipennis Gebier,1830; chalybeicornis Brullé,1832; longipennis Gebier,1848* ES CN RU
589. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons Boheman,1852; sulphureus Kirschbaum,1858; thiogaster Kirschbaum,1858; anomalus Uhler,1896; vittatipes Uhler,1896* AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
590. **Lampyris olivieriana Heyden,1890** (Lampyridae) Synonym(s): *olivieriana Heyden,1890; afghana Nakane,1966* KG AF CN Ui
591. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
592. **Laphria shi Koçak & Kemal,2008** (Asilidae) Synonym(s): *grossa Shi,1992 nec Fabr.,1775; shi Koçak & Kemal,2008* Laphria shi Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 10 (nomen novum pro grossa Shi,1992 nec Fabr.,1775). CN
593. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola Loew,1847* IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
594. **Lasioglossum zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum Smith,1848* GB RU Sb TR AZ Cc IR CN Yu Sz
595. **Lasiotrichius succinctus (Pallas,1781)** (Scarabaeidae) Synonym(s): *succinctus Pallas,1781* RU Am Us CN
596. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita Linnaeus,1758; cristata Schreber,1759; secunda Schaeffer,1767* AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
597. **Leptocentrus flexicornis (Walker,1858)** (Membracidae) Synonym(s): *flexicornis Walker,1858* CN Sha
598. **Leptodes (Leptodopsis) tjanschanicus Semenov** (Tenebrionidae) Synonym(s): CN Ui
599. **Leptodes (s.str.) reitteri Semenov** (Tenebrionidae) Synonym(s): CN Ui
600. **Leptodes (s.str.) sulcicollis Reitter** (Tenebrionidae) Synonym(s): CN Gn
601. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
602. **Lestes barbarus (Fabricius,1798)** (Lestidae) Synonym(s): *barbarus Fabricius,1798* TR SE CN Ui
603. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
604. **Libelloides sibiricus (Eversmann,1845)** (Ascalaphidae) Synonym(s): *sibiricus Eversmann,1845* RU Sb Us CN Pkn KP KR
605. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
606. **Loewinella virescens (Loew,1871)** (Asilidae) Synonym(s): *virescens Loew,1871* IR Kz RU CN
607. **Longitarsus kutscheriae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscheriae Rey,1892* DZ TR Cc RU Sb KP KR CN
608. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii Baly,1874* Cc TR IR AF RU Sb MN CN VN JP

609. **Longitarsus violentus** Weise,1893 (Chrysomelidae) Synonym(s): *violentus* Weise,1893 TR Cc
IR AF KG RU Sb MN CN Ui
610. **Lucanus (Pseudolucanus) davidis** (Deyrolle,1878) (Lucanidae) Synonym(s): *davidis*
Deyrolle,1878 CN Sz Ti Yu
611. **Lucanus (Pseudolucanus) gracilis** Albers,1889 (Lucanidae) Synonym(s): *gracilis* Albers,1889
IN SI Ass NP BT CN Ti
612. **Lucanus (Pseudolucanus) imitator** Boucher & Huang,1991 (Lucanidae) Synonym(s):
imitator Boucher & Huang,1991 CN Ti
613. **Lucanus (Pseudolucanus) lesnei** (Planet,1905) (Lucanidae) Synonym(s): *lesnei* Planet,1905
BT MM CN Yu
614. **Lucanus (Pseudolucanus) prometheus** Boucher & Huang,1991 (Lucanidae) Synonym(s):
prometheus Boucher & Huang,1991 CN Ti
615. **Macronychia (Moschusa) alpestris** Rondani,1865 (Sarcophagidae) Synonym(s): *alpestris*
Rondani,1865; *dumosum* Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
616. **Macronychia (Moschusa) griseola** (Fallén,1820) (Sarcophagidae) Synonym(s): *griseola*
Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ
UA Cm GB TW
617. **Macronychia (Moschusa) polyodon** (Meigen,1824) (Sarcophagidae) Synonym(s): *polyodon*
Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865
AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc
Am Us Sh YU SK SE CH TJ UA GB
618. **Macronychia (s.str.) lemariei** Jacentkovsky,1941 (Sarcophagidae) Synonym(s): *lemariei*
Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
619. **Macronychia (s.str.) striginervis** (Zetterstedt,1838) (Sarcophagidae) Synonym(s): *striginervis*
Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK
SE CH CN Ti TM UZ KE ZA
620. **Macropsis fuscinerervis** (Boheman,1845) (Cicadellidae) Synonym(s): *fuscinerervis*
Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
621. **Macropsis prasina** (Boheman,1852) (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT?
BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb
TJ? UA? UZ? YU?
622. **Macropsis scutellata** (Boheman,1845) (Cicadellidae) Synonym(s): *scutellata* Boheman,1845;
tibialis Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW
SY TR AZ GG LV RU Sb UA UZ YU
623. **Macroscytus brunneus** (Fabricius,1803) (Cydnididae) Synonym(s): *brunneus* Fabricius,1803;
proximus Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc
TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK
PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31
624. **Macrosteles cristatus** (Ribaut,1927) (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT
BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
625. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi*
Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO
SE SW TR EE Cc GG KG KK LV MD UZ UA RU
626. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Ménéville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894;
submaculata Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md
MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
627. **Mahmutkashgaria liboensis** (Chen,2002) (Delphacidae) Synonym(s): *liboensis* Chen,2002
CN
628. **Mahmutkashgaria sulcatus** (Ding,2002) (Delphacidae) Synonym(s): *sulcatus* Ding,2002
CN
629. **Mantis religiosa** (Linnaeus,1758) (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 Gryllus
religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF
GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb
KP KR CN VN
630. **Mantispa aphavexelte** U.Aspöck & H.Aspöck,1994 (Mantispidae) Synonym(s): *aphavexelte*
U.Aspöck & H.Aspöck,1994; #*aphavexellte* Dobosz,2007 Mantispa *aphavexelte* U.Aspöck &
H.Aspöck,1994, Annlh naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-
Samotheaki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
631. **Mantispa scabricollis** McLachlan,1875 (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875;
?minuta Kozhantshikov,1949; *?caucasica* Handschin,1959 GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
632. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae) Synonym(s): *rustica* Linnaeus,1767 TR Cc
AF KG RU Sb MN CN
633. **Martinina inexpectata** (Schouteden,1907) (Pentatomidae) Synonym(s): *inexpectata*
Schouteden,1907 CN Ti
634. **Megastigmus aculeatus** (Swederus,1795) (Torymidae) Synonym(s): *aculeatus* Swederus,1795
IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU
SK ES SO ZA SE CH TJ TM UA GB US

635. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis Fabricius,1798; bohemani Ratzburg,1848; xanthopygus Förster,1859* FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
636. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballesrerii Rondani,1877* ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
637. **Meimuna mongolica (Distant,1881)** (Cicadidae) Synonym(s): *mongolica Distant,1881; suigensis Matsumura,1927; gallosi Matsumura,1927; heijonis Matsumura,1927* CN KP KR MN
638. **Meimuna opalifera (Walker,1850)** (Cicadidae) Synonym(s): *opalifera Walker,1850; nigroventris Kato,1927; punctata Kato,1927* CN JP Hkk KP KR
639. **Melanogryllus bilineatus Yang & Yang,1994** (Gryllidae) Synonym(s): *bilineatus Yang & Yang,1994* CN
640. **Melieria nigratarsis Becker,1903** (Ulidiidae) Synonym(s): *nigratarsis Becker,1903* UA CN Ui Ga IR Kh
641. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793; #varigatus Özbek & Szaloki,1998* ES IT TR IR RU KK CN Ui
642. **Merodon kawamurae Matsumura,1916** (Syrphidae) Synonym(s): *kawamurae Matsumura,1916; micromegas Hervé Bazin,1929* JP CN
643. **Mesocixiella korlaensis Hong,1984** (Cixiidae) Synonym(s): *korlaensis Hong,1984* CN Ui Kl
644. **Mesopteryx alata Saussure,1870** (Mantidae) Synonym(s): *alata Saussure,1870* CN IN PH
645. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae Rubtsov,1956* CN Ui TJ KG KK MN RU Sb At UZ
646. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus Boheman,1845* AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
647. **Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius Panzer,1805* TR CN NP IN
648. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
649. **Microptilis strenua Reinhard,1880** (Braconidae) Synonym(s): *strenua Reinhard,1880* TR AM NL PL HU GB CH CN RU Sb
650. **Mimothrix agnoscenda (Pic,1907)** (Melyridae) Synonym(s): *agnoscenda Pic,1907* CN Yu
651. **Mimothrix atrotibialis (Pic,1907)** (Melyridae) Synonym(s): *atrotibialis Pic,1907* CN Yu
652. **Mimothrix baishuiensis Majer,1995** (Melyridae) Synonym(s): *baishuiensis Majer,1995* CN Yu
653. **Mimothrix donjuan Mayer** (Melyridae) Synonym(s): CN Sz
654. **Mimothrix jendeki Majer,1995** (Melyridae) Synonym(s): *jendeki Majer,1995* CN Yu
655. **Mimothrix kubani Majer,1995** (Melyridae) Synonym(s): *kubani Majer,1995* CN Yu
656. **Mimothrix maowensis Majer,1995** (Melyridae) Synonym(s): *maowensis Majer,1995* CN Sz
657. **Mimothrix menieri Majer,1995** (Melyridae) Synonym(s): *menieri Majer,1995* CN Yu
658. **Mimothrix montivaga Majer,1995** (Melyridae) Synonym(s): *montivaga Majer,1995* CN Yu
659. **Mimothrix rhododendri Majer** (Melyridae) Synonym(s): CN Yu
660. **Mimothrix sparsehirsuta (Pic,1907)** (Melyridae) Synonym(s): *sparsehirsuta Pic,1907* CN Yu
661. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
662. **Montamantis meihuashana Yang,1999** (Mantidae) Synonym(s): *meihuashana Yang,1999* CN Fkn
663. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
664. **Muhabbetella acutiscutella (Liu,1995)** (Chalcididae) Synonym(s): *acutiscutellum Liu,1995* CN Hn
665. **Muhabbetella leptepipygia (Liu,1995)** (Chalcididae) Synonym(s): *leptepipygium Liu,1995* CN Tkg
666. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
667. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
668. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
669. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* AR AU NSW Qau BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fl Ny Tx UY UZ VE

670. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
671. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* RU TR IN CN TH MY
672. **Myxexoristops bicolor (Villeneuve,1908)** (Tachinidae) Synonym(s): *bicolor Villeneuve,1908* DE CZ RU CN Yu
673. **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *blondeli Robineau-Desvoidy,1830* TR FR CN Pkn Mc Sz Ui Yu
674. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus Dohrn,1862* RU TR RO BG IR CN Ui
675. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
676. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis Malloch,1923* MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW
677. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens Walker,1856* MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN
678. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis Walker,1859* MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK
679. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica Robineau-Desvoidy,1830* IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw
680. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta Wiedemann,1830* MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry
681. **Neomyia laveifrons (Loew,1858)** (Muscidae) Synonym(s): *laveifrons Loew,1858* RU KP KR CN JP
682. **Neomyia viridescens (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *viridescens Robineau-Desvoidy,1830* RU GB FR Co MN KP KR CN MA
683. **Neovalgus laterufus (Pic,1928)** (Scarabaeidae) Synonym(s): *laterufus Pic,1928* CN Ti
684. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
685. **Nicerus gervaisi Navas,1912** (Ascalaphidae) Synonym(s): *gervaisi Navas,1912* CN Yu
686. **Nicrophorus antennatus (Reitter,1885)** (Silphidae) Synonym(s): *antennatus Reitter,1885* TR Cc MN CN Ui Mc
687. **Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus Linnaeus,1758* TR Cc SY CN Ui
688. **Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): *humator Gleditsch,1767* DZ TR Cc IR CN Ui
689. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa Motschulsky,1863; atrovenosus Lethierry,1888* GR TR EG IL CN JP KP KR MA
690. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
691. **Nusa ramifica (Loew,1871)** (Asilidae) Synonym(s): *ramifica Loew,1871* IR Ss Ke Kz AZ Cc IQ TR KG CN
692. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus Latreille,1804* TR AF CN IN JP LK ID Sum
693. **Odontomantis brachyptera Zhang,1989** (Hymenopodidae) Synonym(s): *brachyptera Zhang,1989* CN Sz
694. **Odontomantis chayuensis Zhang,1987** (Hymenopodidae) Synonym(s): *chayuensis Zhang,1987* CN Ti
695. **Odontomantis foveafrons Zhang,1985** (Hymenopodidae) Synonym(s): *foveafrons Zhang,1985* CN Sz
696. **Odontomantis hainana Tinkham,1937** (Hymenopodidae) Synonym(s): *hainana Tinkham,1937* CN Hn
697. **Odontomantis laticollis Beier,1933** (Hymenopodidae) Synonym(s): *laticollis Beier,1933* CN Sz
698. **Odontomantis longipennis Zhang,1989** (Hymenopodidae) Synonym(s): *longipennis Zhang,1989* CN Fkn
699. **Odontomantis monticola Beier,1933** (Hymenopodidae) Synonym(s): *monticola Beier,1933* CN Yu
700. **Odontomantis nigrimarginalis Zhang,1985** (Hymenopodidae) Synonym(s): *nigrimarginalis Zhang,1985* CN Ti
701. **Odontomantis xizangensis Zhang,1989** (Hymenopodidae) Synonym(s): *xizangensis Zhang,1989* CN Ti
702. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis*

- Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG
Kmt Sh Krl
703. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaennicke,1866 CH DE RU TR IL AF CN MN
704. **Oedaleus infernalis Saussure,1884** (Acrididae) Synonym(s): *infernalis* Saussure,1884; *amurensis* Ikonnikov,1911; *montanus* Bei-Bienko,1951; *taeguensis* Lee & Park,1992 JP KP R RU Am Sb CN TW KG
705. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902 AF IR IQ Cc AZ CN Ui UZ TM
706. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876 DZ CN GR IQ LY MA
707. **Ommatissus tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899 DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
708. **Omocestus (s.str.) enitor Uvarov,1925** (Acrididae) Synonym(s): *enitor* Uvarov,1925 CN Yu
709. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
710. **Oncotympana fuscata Distant,1905** (Cicadidae) Synonym(s): *fuscata* Distant,1905 CN KP KR
711. **Oncotympana maculaticollis (Motschoulsky,1866)** (Cicadidae) Synonym(s): *maculaticollis* Motschoulsky,1866 CN JP
712. **Oncotympana stratoria Distant,1905** (Cicadidae) Synonym(s): *stratoria* Distant,1905 CN Yu
713. **Oncotympana virescens Distant,1905** (Cicadidae) Synonym(s): *virescens* Distant,1905 CN Ti Yu
714. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790 RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
715. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
716. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
717. **Oploodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata* Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846; *heydeni* Jaennicke,1866 DZ CH YU HV DE TR IL MN CN
718. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 AF DZ ES Cn CN EG IL LY MA TN
719. **Oreoderus arrowi Ricchiardi,2001** (Scarabaeidae) Synonym(s): *arrowi* Ricchiardi,2001 CN Yu
720. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis* Selys,1891 CN Hn IN LK MM MY TH PH SG Bor Sbh
721. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 CN ID IN JP LK MM MY TH PH VN TW Bor Sbh
722. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
723. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum* Burmeister,1839 CN Hn MM MY TH PH TW VN Bor Sbh
724. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758 PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
725. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
726. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
727. **Osmia (Helicosmia) carinoclypearis Wu,1985** (Megachilidae) Synonym(s): *carinoclypearis* Wu,1985 CN KK TJ TR
728. **Osmia (Helicosmia) chinensis Morawitz,1890** (Megachilidae) Synonym(s): *chinensis* Morawitz,1890 CN Gn
729. **Osmia (Helicosmia) concavoclypearis Wu,1985** (Megachilidae) Synonym(s): *concavoclypearis* Wu,1985 CN Ui KK
730. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata* Latreille,1811; *atroalba* Morawitz,1875; *kuznetsovi* Cockerell,1930 TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN
731. **Osmia (Helicosmia) haemorrhoea Morawitz,1886** (Megachilidae) Synonym(s): *haemorrhoea* Morawitz,1886 CN IN
732. **Osmia (Helicosmia) jacoti Cockerell,1929** (Megachilidae) Synonym(s): *jacoti* Cockerell,1929 JP CN

733. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
734. **Osmia (Helicosmia) microdonta Cockerell,1931** (Megachilidae) Synonym(s): *microdonta* Cockerell,1931 CN
735. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
736. **Osmia (Helicosmia) pieli Cockerell,1931** (Megachilidae) Synonym(s): *pieli* Cockerell,1931 CN
737. **Osmia (Helicosmia) shaanxiensis Wu,2004** (Megachilidae) Synonym(s): *shaanxiensis* Wu,2004 CN Pkn
738. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
739. **Osmia (Helicosmia) subtersa Cockerell,1930** (Megachilidae) Synonym(s): *subtersa* Cockerell,1930 CN
740. **Osmia (Melanosmia) ishikawai Hirashima,1973** (Megachilidae) Synonym(s): *ishikawai* Hirashima,1973 JP Hkk CN
741. **Osmia (Melanosmia) jilinensis Wu,2004** (Megachilidae) Synonym(s): *jilinensis* Wu,2004 CN
742. **Osmia (Melanosmia) melanota Morawitz,1888** (Megachilidae) Synonym(s): *melanota* Morawitz,1888 CN Ui
743. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
744. **Osmia (Melanosmia) nigroscopula (Wu,1982)** (Megachilidae) Synonym(s): *nigroscopula* Wu,1982 CN Ti
745. **Osmia (Melanosmia) pamirensis Gussakowsky,1930** (Megachilidae) Synonym(s): *pamirensis* Gussakowsky,1930 TJ Pm CN Ui
746. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN
747. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
748. **Osmia (Pyrosmia) mongolica Morawitz,1880** (Megachilidae) Synonym(s): *mongolica* Morawitz,1880; *lilacina* Cockerell,1930 MN CN
749. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
750. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
751. **Osmia (s.str.) cornifrons (Radoszkowski,1887)** (Megachilidae) Synonym(s): *cornifrons* Radoszkowski,1887 JP CN KP KR RU Us
752. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
753. **Osmia (s.str.) excavata Alfken,1903** (Megachilidae) Synonym(s): *excavata* Alfken,1903; *mitsukurii* Cockerell,1911; *heudei* Cockerell,1931 CN JP
754. **Osmia (s.str.) melanocephala Morawitz,1875** (Megachilidae) Synonym(s): *melanocephala* Morawitz,1875 TJ KK KG MN CN UZ Ui
755. **Osmia (s.str.) pedicornis Cockerell,1919** (Megachilidae) Synonym(s): *pedicornis* Cockerell,1919 JP CN RU Us
756. **Osmia (s.str.) quadricornuta Wu,2004** (Megachilidae) Synonym(s): *quadricornuta* Wu,2004 CN Yu
757. **Osmia (s.str.) rufina Cockerell,1931** (Megachilidae) Synonym(s): *rufina* Cockerell,1931 CN
758. **Osmia (s.str.) rufinoides Wu,2004** (Megachilidae) Synonym(s): *rufinoides* Wu,2004 CN
759. **Osmia (s.str.) taurus Smith,1873** (Megachilidae) Synonym(s): *taurus* Smith,1873 JP CN RU Us
760. **Osmia (s.str.) yanbianensis Wu,2004** (Megachilidae) Synonym(s): *yanbianensis* Wu,2004 CN
761. **Osmoderma barnabita Motschoulsky,1860** (Scarabaeidae) Synonym(s): *barnabita* Motschoulsky,1860 RU Am CN
762. **Osmoderma davidis Fairmaire,1887** (Scarabaeidae) Synonym(s): *davidis* Fairmaire,1887 CN

763. **Oxycera (Camptopelta) meigenii** **Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* *Staeger,1844*; *fraterna* *Loew,1873*; *caucasica* *Kertész,1916*; *turkestanica* *Kertész,1916*; *sinica* *Pleske,1925*; *transcaspia* *Pleske,1925*; *pallidipes* *Pleske,1925* **DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT**
764. **Oxycera (Camptopelta) nigrinus** **Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* *Fallén,1817*; *carneus* *Walker,1849*; *unicolor* *Loew,1863*; *carbonarius* *Loew,1869* **SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA**
765. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* *Linnaeus,1767*; *graeca* *Pontoppidan,1763*; *hypoleon* *Linnaeus,1767*; *fasciata* *Geoffroy,1785*; *proxima* *Loew,1873*; *collaris* *Brunetti,1889*; *transfasciata* *Pleske,1925*; *ferghanensis* *Pleske,1925*; *ucrainica* *Paramonov,1926*; *bucheti* *Seguy,1930*; *angustistomata* *Lindner,1938* **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
766. **Oxyna guttatofasciata (Loew,1850)** (Tephritidae) Synonym(s): *guttatofasciata* *Loew,1850* **TR CN KG MN RU Sb**
767. **Oxyrhachis egyptiana** **Distant,1915** (Membracidae) Synonym(s): *egyptiana* *Distant,1915* **EG IL Pa IT JO MA SY TN TR CN Ui YU**
768. **Pachybrachis (s.str.) distictopygus** **Jacobson,1901** (Chrysomelidae) Synonym(s): *distictopygus* *Jacobson,1901* **CN RU Am Daur**
769. **Pachybrachis (s.str.) hauseri** **Pic,1907** (Chrysomelidae) Synonym(s): *hauseri* *Pic,1907* **CN Ts Kno**
770. **Pachybrachis (s.str.) jastschenkoi** **Lopatin,1995** (Chrysomelidae) Synonym(s): *jastschenkoi* *Lopatin,1995* **CN Ui Tpn**
771. **Pachybrachis (s.str.) lineatus** **Weise,1889** (Chrysomelidae) Synonym(s): *lineatus* *Weise,1889* **CN MN**
772. **Pachybrachis (s.str.) potanini** **Medvedev & Rybakova,1980** (Chrysomelidae) Synonym(s): *potanini* *Medvedev & Rybakova,1980* **CN**
773. **Pachybrachis (s.str.) scriptidorsum** **Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* *Suffrian,1848*; *scriptidorsum* *Marseul,1875*; *lugubris* *Weise,1882*; *thoracicus* *Weise,1889*; *beckeri* *Pic,1910*; *chinensis* *Weise,1913* **BG RO UA CN RU Ur Cc Sb KP KR**
774. **Pachybrachis (s.str.) sinkianensis** **Lopatin,1995** (Chrysomelidae) Synonym(s): *sinkianensis* *Lopatin,1995* **CN Ui Um**
775. **Pachybrachis (s.str.) tibetanus** **Gressit & Kimoto,1961** (Chrysomelidae) Synonym(s): *tibetanus* *Gressit & Kimoto,1961* **CN Ti**
776. **Pachyscelis banghaasi** **Reitter,1893** (Tenebrionidae) Synonym(s): *banghaasi* *Reitter,1893* **CN Ui**
777. **Pachyscelis nitidula** **Kraatz,1882** (Tenebrionidae) Synonym(s): *nitidula* *Kraatz,1882* **CN Ui**
778. **Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): *concinna* *Fieber,1848* **TR Cc RU Sb MN CN Ui**
779. **Parageron beijingensis** **Yang & Yang,1994** (Bombyliidae) Synonym(s): *beijingensis* *Yang & Yang,1994* **CN Pkn**
780. **Paralloloma lautereri** **Sifner,2002** (Scathophagidae) Synonym(s): *lautereri* *Sifner,2002* **CN Sha**
781. **Pedestredorcadion dokhtouroffi (Ganglbauer,1886)** (Cerambycidae) Synonym(s): *dokhtouroffi* *Ganglbauer,1886*; *subcostatum* *Heyden,1887*; *fulvescens* *Breuning,1946* **CN Ui**
782. **Pedestredorcadion jacobsoni (Jakovlev,1899)** (Cerambycidae) Synonym(s): *jacobsoni* *Jakovlev,1899*; *sokolovi* *Jakovlev,1900*; *obtusicolle* *Pic,1926*;... **KG DsA CN Ui**
783. **Pedestredorcadion kuldschanum (Pic,1908)** (Cerambycidae) Synonym(s): *kuldschanum* *Pic,1908*; *pauli* *Pic,1909*; *albidolimbatum* *Pic,1912*; *julduasianum* *Pic,1912* **CN Ui Ku Ju**
784. **Pedestredorcadion lucae (Pic,1898)** (Cerambycidae) Synonym(s): *lucae* *Pic,1898* **KG DsA CN Ui T-S**
785. **Pedestredorcadion matthieseni (Suvorov,1910)** (Cerambycidae) Synonym(s): *matthieseni* *Suvorov,1910* **CN Ui**
786. **Pedestredorcadion merzbacheri (Breuning,1946)** (Cerambycidae) Synonym(s): *merzbacheri* *Breuning,1946*; *thianshanicum* *Breuning,1946* **CN Ui T-S**
787. **Pedestredorcadion semenovi (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *semenovi* *Ganglbauer,1883*; *hauseri* *Reitter,1885*; *issykkulense* *Pic,1906* **CN Ui T-S KK Ik KG Tk Ktm**
788. **Pedestredorcadion tschitscherini (Jakovlev,1900)** (Cerambycidae) Synonym(s): *tschitscherini* *Jakovlev,1900*; *abundans* *Suvorov,1910* **CN Ui**
789. **Pedestredorcadion turkestanicum (Kraatz,1873)** (Cerambycidae) Synonym(s): *turkestanicum* *Kraatz,1873* **CN Ui**
790. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* *Nees,1834*; *acantha* *Walker,1839*; *caenus* *Walker,1839* **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU**
791. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* *Wiedemann,1817*; *mitis* *Meigen,1826*; *longipes* *Robineau-Desvoidy,1851*; *rumicis* *Hardy,1854*; *jynx* *Séguy,1926*; *cinereorufa* *Ringdahl,1930*; *sapporensis* *Kato,1941* **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hk CN**

792. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
793. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845 KG MN TR AM Cc IR CY SY LB RU Am CN
794. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
795. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
796. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
797. **Phratora vitellinae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758 CN KG Cc KP KR RU Sb CA TR
798. **Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *horticola* Linnaeus,1758 IT RU Cc Sb Us Am KG CN
799. **Phyllothelys weneri Karny,1915** (Mantidae) Synonym(s): *weneri* Karny,1915 CN TW
800. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 TR Cc GR IT MT IR AF KG RU CN
801. **Phyllotreta pallidipennis Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891 TR Cc IR KG RU Sb MN CN Ti
802. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 Cc TR IR AF KG RU Sb MN CN IN
803. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
804. **Picromerus fasciiceps Zheng & Liu,1987** (Pentatomidae) Synonym(s): *fasciiceps* Zheng & Liu,1987 CN
805. **Picromerus griseus (Dallas,1851)** (Pentatomidae) Synonym(s): *griseus* Dallas,1851; *obtusus* Walker,1867; *nigrivitta* Walker,1867; *sundanus* Breddin,1902 BD MM CN IN PK ID Ja
806. **Picromerus lewisi Scott,1874** (Pentatomidae) Synonym(s): *lewisi* Scott,1874; *angusticeps* Jakovlev,1880; *vicinus* Signoret,1880; *similis* Distant,1883 CN Pkn RU Sb Am JP KP KR
807. **Picromerus viridipunctatus Yang,1934** (Pentatomidae) Synonym(s): *viridipunctatus* Yang,1934 CN
808. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
809. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *causicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
810. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatum* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
811. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
812. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
813. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
814. **Pinthaeus humeralis Horvath,1911** (Pentatomidae) Synonym(s): *humeralis* Horvath,1911 CN
815. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
816. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864 AT Cc HU RO RU CN Ui TR
817. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
818. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus*

- Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919* SE FI DK GB NL BE FR
ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
819. **Platycerus consimilis Tanikado & Tabana,1998** (Lucanidae) Synonym(s): *consimilis Tanikado & Tabana,1998* CN Sz
820. **Platycerus feminatus Tanikado & Tabana,1997** (Lucanidae) Synonym(s): *feminatus Tanikado & Tabana,1997* CN Sz
821. **Platycleura coelebs Stal,1863** (Cicadidae) Synonym(s): *coelebs Stal,1863* IN CN
822. **Platycleura kaempferi (Fabricius,1794)** (Cicadidae) Synonym(s): *kaempferi Fabricius,1794; fuscangulis Butler,1874; takasogona Kato,1930 (praeocc.); kyotonis Kato,1932; tsuchidai Kato,1932* CN Hkk JP KP KR RU Krl
823. **Platycleura semusa (Distant,1887)** (Cicadidae) Synonym(s): *semusa Distant,1887* CN
824. **Pliacanthopus (Malayamantis)¹¹ bimaculatus (Wang,1993)** (Iridopterygidae) Synonym(s): *bimaculata Wang,1993* CN Yu
825. **Podagrica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi Faldermann,1837* Cc TR IQ KG RU CN
826. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus Kohl,1898* IT FR GR YU TR Cc AZ IL IN CN
827. **Polyneura ducalis Westwood,1842** (Cicadidae) Synonym(s): *ducalis Westwood,1842* NP IN MM SI Ass Meg Djl Rgo CN Ti
828. **Pomonia linearis (Walker,1850)** (Cicadidae) Synonym(s): *fusca Olivier,1790 (praeocc.); linearis Walker,1850; cinctimanus Walker,1850; ramifera Walker,1850; urania Walker,1850* CN Hpe
829. **Pomonia thalia (Walker,1850)** (Cicadidae) Synonym(s): *thalia Walker,1850; sphinx Walker,1850; horsfieldi Distant,1893* CN Ti IN ID Ja
830. **Poophilus costalis (Walker,1851)** (Cercopidae) Synonym(s): *costalis Walker,1851* AF CN IR Cc AZ
831. **Popillia indigonacea Motschulsky,1853** (Scarabaeidae) Synonym(s): *indigonacea Motschulsky,1853* RU Am CN KR
832. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
833. **Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): *vulnerator Panzer,1799* TR IN CN
834. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus Wiedemann,1818* IR Fa TR AF RU KG CN TW
835. **Promachus miocenus Koçak & Kemal,2008** (Asilidae) Synonym(s): *rapax Zhang, Sun & Zhang,1994 nec Gerstaeck.,1871; miocenus Koçak & Kemal,2008* Promachus miocenus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro rapax Zhang, Sun & Zhang,1994 nec Gerstaeck.,1871). CN
836. **Propomacrus davidi Deyrolle,1874** (Scarabaeidae) Synonym(s): *davidi Deyrolle,1874* CN
837. **Propomacrus muramotoae Fujioka,2007** (Scarabaeidae) Synonym(s): *muramotoae Fujioka,2007* CN Ti
838. **Protaetia (Calopototia) mandschuriensis Smurhoff,1933** (Scarabaeidae) Synonym(s): *mandschuriensis Smurhoff,1933* RU Am CN Mc
839. **Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *turkestanica Kraatz,1886* CN Ui TM UZ TJ
840. **Protaetia (Potosia) yunnana Miksic,1965** (Scarabaeidae) Synonym(s): *yunnana Miksic,1965* CN Yu
841. **Protidricerus elwesi (McLachan,1891)** (Ascalaphidae) Synonym(s): *elwesi McLachan,1891* CN Hun Ass Meg IN
842. **Protidricerus exilis (McLachan,1894)** (Ascalaphidae) Synonym(s): *exilis McLachan,1894* CN
843. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
844. **Pseudomyrmosa kashgarica Lelej,1981** (Mutillidae) Synonym(s): *kashgarica Lelej,1981* CN Ui Ga
845. **Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta Morawitz,1894; myrmosina Dalla Torre,1897; gobicola Lelej,1981* CN MN AF UZ KK KG Cc AM
846. **Psilocephala chekiangensis Ouchi,1943** (Therevidae) Synonym(s): *chekiangensis Ouchi,1943* CN
847. **Psilocephala sinensis Ouchi,1943** (Therevidae) Synonym(s): *sinensis Ouchi,1943* CN
848. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus Illiger,1807* TR Cc IR KG RU Sb CN

¹¹ subgeneric name established by the authors.

849. **Purpuricen** *lituratus* **Ganglbauer,1886** (Cerambycidae) Synonym(s): *lituratus* Ganglbauer,1886 **KP KR CN**
850. **Pyrellia** *vivida* **Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* Robineau-Desvoidy,1830 **Cc AM Eri AZ TR IR PK IN CN**
851. **Recilia** *schmidtgeni* (**Wagner,1939**) (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
852. **Reminasus** *ephippium* (**Macquart,1855**) (Asilidae) Synonym(s): *ephippium* Macquart,1855; *pulcher* Ricardo,1922 **IR CN IN MN LK**
853. **Reptalus** (s.str.) *quinquecostatus* (**Dufour,1833**) (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 **Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU**
854. **Rhacognathus** *corniger* **Hsiao & Zheng,1977** (Pentatomidae) Synonym(s): *corniger* Hsiao & Zheng,1977 **CN**
855. **Rhacognathus** *punctatus* (**Linnaeus,1758**) (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785 **AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU**
856. **Rhombodera** *brachynota* (**Wang & Dong,1993**) (Mantidae) Synonym(s): *brachynota* Wang & Dong,1993 **CN**
857. **Rhombodera** *javana* (**Giglio-Tos,1912**) (Mantidae) Synonym(s): *javana* Giglio-Tos,1912 **CN Ja ID**
858. **Rhombodera** *latipronotum* (**Zhang,1990**) (Mantidae) Synonym(s): *latipronotum* Zhang,1990 **CN**
859. **Rhombodera** *valida* (**Burmeister,1838**) (Mantidae) Synonym(s): *valida* Burmeister,1838; *rotunda* Giglio-Tos,1917 **CN IN JP MY ID Ja Mlc Tim**
860. **Rhombodera** *zhang* (**Wang & Dong,1993**) (Mantidae) Synonym(s): *zhang* Wang & Dong,1993 **CN**
861. **Rhombonyx** *pekinensis* **Heyden,1886** (Scarabaeidae) Synonym(s): *pekinensis* Heyden,1886 **CN**
862. **Rhyparochromus** *alboacuminatus* (**Goeze,1778**) (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778 **GB SE Cc RU TR IR CN Ui**
863. **Rhyparochromus** *pini* (**Linnaeus,1758**) (Lygaeidae) Synonym(s): *pini* Linnaeus,1758 **Cc TR IR CN Ui Ti**
864. **Rhyparochromus** *quadratus* (**Fabricius,1798**) (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798 **GB SE Cc CN Ui TR**
865. **Rhytidodus** *decimusquartus* (**Schrank,1776**) (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 **AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU**
866. **Rhytidodus** *nobilis* (**Fieber,1868**) (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868 **CN MN RU Cc KG KK TJ UA TR**
867. **Ricania** *japonica* **Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898 **JP KP KR TR CN Cc GG UA**
868. **Ricania** *speculum* (**Walker,1851**) (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). **CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**
869. **Sapyga** (s.str.) *similis* (**Fabricius,1793**) (Sapygidae) Synonym(s): *similis* Fabricius,1793; *variegata* Dahlbom,1844; *exornata* Gerstraecker,1861; *pedestris* Gerstraecker,1861; *rufipes* A.Costa,1864 **RU MN CN TR**
870. **Satanas** *gigas* (**Eversmann,1855**) (Asilidae) Synonym(s): *gigas* Eversmann,1855 **IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR**
871. **Scarabaeus** *typhon* (**Fischer von Waldheim,1822**) (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 **RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR**
872. **Scathophaga** *mellipes* (**Coquillet,1899**) (Scathophagidae) Synonym(s): *mellipes* Coquillet,1899; *chinensis* Malloch,1935 **KP KR JP CN TW NP IN RU**
873. **Scathophaga** *scybalaria* (**Linnaeus,1758**) (Scathophagidae) Synonym(s): *scybalaria* Linnaeus,1758; *anomala* Collin,1958 **KP KR MN CN**
874. **Scathophaga** *stercoraria* (**Linnaeus,1758**) (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 **MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US**
875. **Scleroculus** *corniculus* (**Marshall,1866**) (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 **AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA**
876. **Sepsis** *barbata* **Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 **Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW**

877. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea Melander & Spuler,1917* CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
878. **Severinia turcomaniae (Saussure,1872)** (Mantidae) Synonym(s): *turcomaniae Saussure,1872* MN Ui CN
879. **Severinia turcomaniae turcomaniae (Saussure,1872)** (Mantidae) Synonym(s): *turcomaniae Saussure,1872* MN CN Ui
880. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis Fieber,1848* AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
881. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum De Geer,1776; sericatum Meigen,1830; tenuifrons Enderlein,1921; sinense Enderlein,1934; mihalyii Rubtsov,1967; chelevini Ivashchenko,1968* SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
882. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivoecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
883. **Simulium (Eusimulium) armeniacum (Rubtsov,1955)** (Simuliidae) Synonym(s): *armeniaceum Rubtsov,1955* Cc AM AZ CN
884. **Simulium (Eusimulium) beiwanense Guo,Zhang, An, Zhang, Zheng, Dong & Zao,2008** (Simuliidae) Synonym(s): *beiwanense Guo,Zhang, An, Zhang, Zheng, Dong & Zao,2008* CN Ui
885. **Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): *reginae Terteryan,1949* TR? AM AZ Cc GG CN Ui
886. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938* NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
887. **Sinodendron yunnanense Kral,1994** (Lucanidae) Synonym(s): *yunnanense Kral,1994* CN Yu
888. **Sinolacme tortuosa (Kuoh,1982)** (Delphacidae) Synonym(s): *tortuosa Kuoh,1982* CN
889. **Smaragdina aurita (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *aurita Linnaeus,1767* ES CN
890. **Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata Meigen,1820* FR RU Tv ES DK GB UA Cm CN MN TR
891. **Staltia agresta Zheng,1987** (Mantidae) Synonym(s): *agresta Zheng,1987* CN
892. **Staltia chayuensis Zhang & Li,1983** (Mantidae) Synonym(s): *chayuensis Zhang & Li,1983* CN
893. **Staltia flavobrunnea Zhang & Li,1983** (Mantidae) Synonym(s): *flavobrunnea Zhang & Li,1983* CN
894. **Staltia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata Thunberg,1784* IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG
895. **Staltia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis Saussure,1870; orientalis Saussure,1870; nobilis Brunner von Wattenwyl,1892* IN VN CN KP KR JP MM MY Bor ID Sum Ja PH
896. **Staltia spanis Wang,1992** (Mantidae) Synonym(s): *spanis Wang,1992* CN
897. **Staltia tangi Niu, Hou & Zheng,2005** (Mantidae) Synonym(s): *tangi Niu, Hou & Zheng,2005* CN
898. **Staltia viridibrunnea Zhang & Li,1983** (Mantidae) Synonym(s): *viridibrunnea Zhang & Li,1983* CN
899. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus Stal,1858; colorata Kirschbaum,1868* Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
900. **Stenopogon flavibarbis Enderlein,1934** (Asilidae) Synonym(s): *flavibarbis Enderlein,1934; fuscibarbis Enderlein,1934* TR RU KG CN
901. **Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus Loew,1851; bicolor Bigot,1878* TR Cc RU AF CN IR Fa AZ
902. **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron Loew,1873; theseus Loew,1873* TR IR Fa Ss Ke AF AZ Cc EG CN
903. **Sternoplax kashgariensis Reitter,1903** (Tenebrionidae) Synonym(s): *kashgariensis Reitter,1903; seidlitzii Reitter,1903* CN Ui Ga
904. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
905. **Stratiomys bochariensis (Pleske,1899)** (Stratiomyidae) Synonym(s): *bochariensis Pleske,1899; turkestanica Pleske,1922; manchurensis Ouchi,1940* CN Ui Mc UZ KG
906. **Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon Linnaeus,1758; sellata Sulzer,1761; spatula Scopoli,1763; nigrodentata Meigen,1804; rhaetica Jaennicke,1866; unguicornis Becker,1887; caucasica Pleske,1899; kosnakowi Pleske,1901; winogradowinikitini Pleske,1922*

- Musca chamaeleon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 589. Type(s): Europa. CH YU FR RU TR Cc GG AM CN At LT
907. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
908. **Stratiomys nobilis Loew,1871** (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912 Cc AM IR CN KG UZ
909. **Stratiomys potschinskayana Nartshuk & Rozkosny,1984** (Stratiomyidae) Synonym(s): *brevicornis* Potschinsky,1887 nec Lw.,1840; *potschinskayana* Nartshuk & Rozkosny,1984 CN Ui
910. **Stratiomys singularior (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 GB DE SE NO RU Sb Us KG IR MN CN
911. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
912. **Suphalasca longialata Yang,1992** (Ascalaphidae) Synonym(s): *longialata* Yang,1992 CN Hun
913. **Supholomitus luteomaculatus Yang,1992** (Ascalaphidae) Synonym(s): *luteomaculatus* Yang,1992 CN Hun
914. **Supholomitus rufimaculatus Yang,1986** (Ascalaphidae) Synonym(s): *rufimaculatus* Yang,1986 CN Hun
915. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
916. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU
917. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
918. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
919. **Systropus (s.str.) polistoides Westwood,1876** (Bombyliidae) Synonym(s): *polistoides* Westwood,1876 CN MN TH
920. **Systropus (s.str.) studyi Enderlein,1926** (Bombyliidae) Synonym(s): *studyi* Enderlein,1926 CN VN
921. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
922. **Tabanus golovi Olsufjev,1936** (Tabanidae) Synonym(s): *golovi* Olsufjev,1936; *Pallidus* Olsufjev,1936; *mediaasiaticus* Olsufjev,1970 KG Aa TrA CN AF TR
923. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta* Rondani,1859; *micado* Kirby,1884; *orientalis* Zimin,1935; *trigonata* Villeneuve,1936; *nigriventris* Zimin,1967; *mesnili* Zimin,1967; *turanica* Zimin,1980 IT FR DE CH Cc TR UZ MN CN JP KG RU
924. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
925. **Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri* Lichtwardt,1917; *gussakowskii* Stackelberg,1941 TR TJ FR IT CN
926. **Tenodera angustipennis Saussure,1869** (Mantidae) Synonym(s): *angustipennis* Saussure,1869 CN Hw IN JP ID Ja KP KR RU Sb
927. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno
928. **Tenodera caudafissilis Wang,1992** (Mantidae) Synonym(s): *caudafissilis* Wang,1992 CN
929. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH
930. **Tenodera sinensis Saussure,1871** (Mantidae) Synonym(s): *sinensis* Saussure,1871; *mandarinea* Saussure,1871 CN JP TH
931. **Tenodera stotzneri Werner,1929** (Mantidae) Synonym(s): *stotzneri* Werner,1929 CN
932. **Tenthredo vespa Retzius,1783** (Tenthredinidae) Synonym(s): *vespa* Retzius,1783; *multifasciata* Geoffroy,1785; *sexannulata* Schrank,1802; *tricincta* Fabricius,1804 nec Christ,1791; *quadricincta* Fallén,1808;

- vespiformis* Audinet-Serville,1823; *multicinctus* Rudow,1872; *nigrilabris* Frivaldszky,1877 TR RU Cc Sb CN MN
933. **Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata* Klug,1817; *alboplagiata* Konow,1890; *ischiadica* Eversmann,1847; *cylindrica* Rudow,1871 TR RU Cc Sb MN CN IR
934. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa* Loew,1856 TR RU Sb CN Ui AF IR Cc AM GG
935. **Tephritis formosa (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844 TR Cc IL Pa GB IR CN
936. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 Trypeta *postica* Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
937. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794 TR KG CN KK Cc MN RU Sb Us
938. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
939. **Tetanops sintenisi Becker,1909** (Ulidiidae) Synonym(s): *sintenisi* Becker,1909 RU Us UA CN NL DE
940. **Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *circumflexum* Linnaeus,1758 TR IN CN
941. **Tibicina chinensis Distant,1905** (Cicadidae) Synonym(s): *chinensis* Distant,1905 Tibicina *chinensis* Distant,1905, Ann. Mag. nat. Hist. (7) 16: 23. CN
942. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847 US DZ RU IL Pa SY TR CN Ui
943. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata* Puton,1879 MA RU Cc TR CN Ui
944. **Tingis pilosa Hummel,1825** (Tingidae) Synonym(s): *pilosa* Hummel,1825 MA TR CN Ui RU Sb
945. **Tingis valida (Puton,1878)** (Tingidae) Synonym(s): *valida* Puton,1878 LB TR IR SY CN Ui
946. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833 IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
947. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus* Walker,1833; *pallidicornis* Boheman,1834; *nanulus* Walker,1874 CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
948. **Toxospathius auriventris Bates,1891** (Scarabaeidae) Synonym(s): *auriventris* Bates,1891 CN
949. **Trachyderma raddeana Reitter,1888** (Tenebrionidae) Synonym(s): *raddeana* Reitter,1888 CN Ui
950. **Trachyderma sublaevigata Bates,1879** (Tenebrionidae) Synonym(s): *sublaevigata* Bates,1879 CN Ui Ga
951. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883 MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
952. **Trapezonotus ullrichi (Fieber,1836)** (Lygaeidae) Synonym(s): *ullrichi* Fieber,1836 DE TR CN Ui
953. **Trigonoscelis holdereri Reitter,1900** (Tenebrionidae) Synonym(s): *holdereri* Reitter,1900 CN Ui
954. **Trigonoscelis schrencki Geblen,1845** (Tenebrionidae) Synonym(s): *schrencki* Geblen,1845 UZ CN Ui Ga
955. **Trigonoscelis sublaevigata Reitter,1887** (Tenebrionidae) Synonym(s): *sublaevigata* Reitter,1887 CN Ui UZ MN
956. **Trigonoscelis zoufali Reitter,1893** (Tenebrionidae) Synonym(s): *zoufali* Reitter,1893 TM CN Ui UZ Smk
957. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
958. **Troilus testaceus Zheng & Liu,1987** (Pentatomidae) Synonym(s): *testaceus* Zheng & Liu,1987 CN
959. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata* Fuesslin,1775 TR GB SE KG RU CN IN DZ IR
960. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
961. **Ujguricola pergrisea Lehr,1970** (Asilidae) Synonym(s): *pergrisea* Lehr,1970 CN Ui
962. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata* Rondani,1870 TR IR Ak IT GR AF CN Ui MN AZ AM
963. **Urophora maura (Frauenfeld,1857)** (Tephritidae) Synonym(s): *maura* Frauenfeld,1857 TR CZ CN Ui KK RU UA MD FR Co
964. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae) Synonym(s): *neuenschwanderi* Freidberg,1982 TR GR Cr IT CN

965. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 **TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA**
966. **Usia (s.str.) xizangensis Yang & Yang,1994** (Bombyliidae) Synonym(s): *xizangensis* Yang & Yang,1994 **CN Ti**
967. **Valgus parvicollis Fairmaire,1891** (Scarabaeidae) Synonym(s): *parvicollis* Fairmaire,1891 **CN**
968. **Valgus savioi Pic,1928** (Scarabaeidae) Synonym(s): *savioi* Pic,1928 **CN**
969. **Valgus thibetanus Nonfried,1891** (Scarabaeidae) Synonym(s): *thibetanus* Nonfried,1891 **CN Ti**
970. **Velia (Cesavelia) longiconnexiva Tran, Zettel & Maria Buzzetti,2009** (Veliidae) Synonym(s): *longiconnexiva* Tran, Zettel & Maria Buzzetti,2009 **CN**
971. **Velia (Cesavelia) sinensis Andersen,1981** (Veliidae) Synonym(s): *sinensis* Andersen,1981 **CN Sz**
972. **Velia (Cesavelia) yunnana Tran, Zettel & Maria Buzzetti,2009** (Veliidae) Synonym(s): *yunnana* Tran, Zettel & Maria Buzzetti,2009 **CN Yu**
973. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 **TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US**
974. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 **Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
975. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 **BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl**
976. **Villa aquila Yao, Yang & Evenhuis,2009** (Bombyliidae) Synonym(s): *aquila* Yao, Yang & Evenhuis,2009 **CN**
977. **Villa aspros Yao, Yang & Evenhuis,2009** (Bombyliidae) Synonym(s): *aspros* Yao, Yang & Evenhuis,2009 **CN**
978. **Villa aurepilosa Du & Yang,1991** (Bombyliidae) Synonym(s): *aurepilosa* Du & Yang,1991 **CN**
979. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 **AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN**
980. **Villa flavida Yao, Yang & Evenhuis,2009** (Bombyliidae) Synonym(s): *flavida* Yao, Yang & Evenhuis,2009 **CN**
981. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
982. **Villa obtusa Yao, Yang & Evenhuis,2009** (Bombyliidae) Synonym(s): *obtusa* Yao, Yang & Evenhuis,2009 **CN**
983. **Villa ovata (Loew,1869)** (Bombyliidae) Synonym(s): *ovata* Loew,1869 **MN RU CN**
984. **Villa paniscus (Rossi,1790)** (Bombyliidae) Synonym(s): *paniscus* Rossi,1790; *cingulata* Meigen,1820; *bimaculata* Macquart,1840 **IT Si Sa MN CN IN**
985. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifer* Dufour,1833; *dolosa* Jaennicke,1867; *turbidus* Loew,1869 **IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU**
986. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
987. **Xorides (s.str.) praecatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *praecatorius* Fabricius,1793 **CN TR**
988. **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria* Schrank,1781 **TR KK KG CN RU Us**
989. **Zavrelia pentatoma Kieffer & Bause,1914** (Chironomidae) Synonym(s): *pentatoma* Kieffer & Bause,1914; *atrofasciata* Kieffer,1921; *nigritula* Goethebuer,1921; *paludosa* Goethebuer,1931 **BE DE CZ PL AT TR CN**
990. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**

Synonymic and distributional list of the pterygot insects of Cyprus (Results of the Entomofauna of the World based upon info-system of the Cesa)

4

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Cyprus (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 4. *Priamus* (suppl.) 18: 395-476.

In this study, totally 1387 pterygot species (including Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. A selected bibliography on the Lepidoptera of Cyprus is also mentioned.

Key words: List, distribution, *pterygota*, *Insecta*, Cyprus.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	Yes ¹²
Planned expeditions	Yes
Further planned publications	Yes

In this study, list of the pterygot species are listed in the first part. For this purpose totally 683 species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. Similarly, the Lepidoptera list at specific level is given in the second part. Totally 704 species are mentioned. Finally, a selected bibliography on the Lepidoptera of Cyprus is given. Totally 388 publications are arranged according to the authors and date of publications. By this way, 1387 pterygot insects (including Lepidoptera) are recorded in Cyprus Island within the frame of the Entomofuna project.

The study is still continuing, and the new results will be published within this Project.

Synonymic and distributional list of the pterygot insects of Cyprus (except Lepidoptera)

1. "**Calligypona**" **obtusangula** Linnavuori,1957 (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957 **CY IL IT**
2. **Ablattaria arenaria** (Kraatz,1876) (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
3. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**

¹² <http://www.members.tripod.com/entcesa/Intent.pdf>

4. **Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus* Loew,1844 **DZ Cn FR CY IT Si EG SY TR**
5. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 **TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA**
6. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**
7. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Fivaldsky,1912; *krueperi* Obenberger,1926 **TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR**
8. **Aconura oculata (Lindberg,1948)** (Cicadellidae) Synonym(s): *oculata* Lindberg,1948 **CY TR**
9. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
10. **Acrida ungarica (Herbst,1786)** (Acrididae) Synonym(s): *ungarica* Herbst,1786; *cypria* Dirsh,1949 **ES FR HU CZ CY**
11. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937 **Acrometopa syriaca Brunner von Wattenwyl,1878, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). GR CY EG IL Pa LB Bei SY Dms TR IQ**
12. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 **TR GR CY SY LB IL Pa**
13. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
14. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel,1827 **TR ES MA DZ CY SY EG**
15. **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820 **TR Cc AM CY IL Pa IR**
16. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
17. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896 **CY GR IL Pa TR JO RO Cc Gg YU**
18. **Agallia sabulicola Lindberg,1948** (Cicadellidae) Synonym(s): *sabulicola* Lindberg,1948 **CY JO**
19. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**
20. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *scula* O.Costa,1840; *zelleri* Kirschbaum,1868 **AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU**
21. **Agapanthia gemella Holzschuh,1989** (Cerambycidae) Synonym(s): *gemella* Holzschuh,1989 **CY**
22. **Agapanthia nicosiensis Pic,1927** (Cerambycidae) Synonym(s): *nicosiensis* Pic,1927 **CY**
23. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 **DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR**
24. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
25. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU**
26. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
27. **Akis latreillei Solier,1836** (Tenebrionidae) Synonym(s): *latreillei* Solier,1836 **TR SY CY EG**
28. **Allantus balteatus (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872 **CY TR Cc RU Sb IR**

29. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans Baudi di Selva,1864*; *syriaca Putzeys,1866*; *palaestina Putzeys,1870*; *gridellii Baliani,1928* **GR MK MT TR CY IR IL Pa JO LB SY**
30. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *orcalceica O.F.Müller,1776*; *bifrons Gyllenhal,1810*; *discrepans Stephens,1828*; *zimmermanni Heer,1837*; *longiceps Seidlitz,1887*; *kleini Schuler,1964* **Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui**
31. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana Dejean,1828*; *distincta Rambur,1838*; *corsica Putzeys,1866*; *collina Putzeys,1867*; *burdigalensis Schuler,1964* **AL HV FR Co GR IT MA SL ES TR DZ CY SY**
32. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774*; *trivialis Gyllenhal,1810*; *atra Stephens,1828*; *persica Chaudoir,1842*; *maculipes Grimmer,1841*; *palustris Gistel,1857*; *sororcula Tschitscherine,1895*; *vogesiaca Bourgeois,1898*; *devincta Casey,1918*; *palanda Jedlicka,1957*; *thisbe Antoine,1951* **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
33. **Ameles cyprica Uvarov,1936** (Mantidae) Synonym(s): *cyprica Uvarov,1936* **CY**
34. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): *heldreichi Brunner von Wattenwyl,1882* **TR GR IL Pa LY CY**
35. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935*; *acuteangulata Zachvatkin,1946* **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
36. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855*; *quadrisignata Flor,1861*; *feberi Vismara,1878*; *laevis Berg.,1934 (praeocc.)*; *zachvatkini Vilbaste,1961*; *nasti Dlabola,1964*; *deserticola Dlabola,1964* **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
37. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
38. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus Wiedemann,1818*; *viduus Becker,1916* **IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU**
39. **Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): *parthenope Selys,1839*; *#partenope Demirsoy,1982* **TR IT Cc AZ Len CY**
40. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis Morawitz,1874* **PL SS MK GR BG IT Sa CY TR TM AM Cc**
41. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus Masi,1917*; *brevicaudatus Subba-Rao,1965* **AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW**
42. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758*; *fusca Linnaeus,1761*; *paganus Dahlbom,1843*; *propinquus SWmith,1879*; *delatorius Tournier,1890*; *immixtus Tournier,1890*; *macrurus Tournier,1890*; *pleuropicus Tournier,1890*; *tibialis Tournier,1890*; *valesicus Tournier,1890*; *holomelas Mantero,1905* **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY**
43. **Anoplotettix bitaeniatus Ribaut,1948** (Cicadellidae) Synonym(s): *bitaeniatus Ribaut,1948* **CY**
44. **Anoxia (Mesanoxia) cypria Zurcher,1911** (Scarabaeidae) Synonym(s): *cypria Zurcher,1911*; *mavromoustakisi Miksic,1959* **CY IL Pa**
45. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema Fischer,1824* **BG CY GR IL Pa SY LB TR UA**
46. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* **AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA**
47. **Anthaxia (Haplantaxia) karsanthiana Pic,1917** (Buprestidae) Synonym(s): *karsanthiana Pic,1917* **TR CY**
48. **Anthaxia (Haplantaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps Abeille,1900*; *minerva Obenberger,1913*; *navratili Bily,1984* **TR Cr GR CY SY**
49. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii Fabricius,1801* **AT YU CY BG CZ HU IT SK TR UA**
50. **Anthaxia (Melantaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia Reiche & Saulcy,1856* **CY IL Pa LB SY TR**
51. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis Gory & Laporte,1839* **Cr GR TR CY IL Pa SY UA**
52. **Anthaxia (s.str.) herbertschmidti Novak,1992** (Buprestidae) Synonym(s): *herbertschmidti Novak,1992* **CY TR**
53. **Anthaxia (s.str.) perrini Obenberger,1918** (Buprestidae) Synonym(s): *perrini Obenberger,1918* **CY TR?**
54. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum Pérez,1890*; *troodicum Mavromoustakis,1949* **FR CY GR Rd LB IL Pa Js TR TN**
55. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae) Synonym(s): *insulare Morawitz,1873*; *persicolum Mavromoustakis,1937*; *lemesium Mavromoustakis,1937* **GR Rd IR TR CY TJ**

56. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humeralis* Alfken,1936 MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ
57. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 ES EG SA TM MR SY TRIL Pa CY
58. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord
59. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventris* Lepeletier,1841; *radoszowskyi* Mocsary,1887; *seraxense* Radoszowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
60. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (praeocc.); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 RU Sb KG TR CY IL Pa Js LB TM Kp GR
61. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
62. **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957 PT ES IT Si CY IL Pa TR
63. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
64. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): *munroi* Hinton,1943 TR BG FR Co CY ES IT
65. **Antrocephalus hypsopygiae Masi,1928** (Chalcididae) Synonym(s): *hypsopygiae* Masi,1928 B-H CY
66. **Aphelinus mali (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocidolomiae* Risbec,1951 TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up
67. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
68. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
69. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910 IT GR Rd CY TR BG EG IR
70. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae* Mercet,1911; *dubius* De Santis,1948; *intermedius* De Santis,1948; *citrinus* Compere,1955 ES CY TR GG JP AR
71. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964 CL US Cf ES TR CY LB AR
72. **Aphytis chrysomphali (Mercet,1912)** (Aphelinidae) Synonym(s): *chrysomphali* Mercet,1912; *silvestrii* De Gregorio,1914; *quaylei* Rust,1915; *mazandarantica* Kiriukhin,1946 CY TR IR Elb Mz
73. **Aphytis diaspidis (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971 US FI CY TR MG AU Qau
74. **Aphytis holoxanthus DeBach (7)** (Aphelinidae) Synonym(s): CY
75. **Aphytis lepidosaphes Compere,1955** (Aphelinidae) Synonym(s): *lepidosaphes* Compere,1955 CN CY TR
76. **Aphytis lingnanensis Compere,1955** (Aphelinidae) Synonym(s): *lingnanensis* Compere,1955 CN CY TR
77. **Aphytis luteus (Ratzeburg)** (Aphelinidae) Synonym(s): CY
78. **Aphytis melinus DeBach,1959** (Aphelinidae) Synonym(s): *melinus* DeBach,1959 CY TR
79. **Aphytis mytilaspidis (Le Baron,1870)** (Aphelinidae) Synonym(s): *albidus* Westwood,1837; *mytilaspidis* Le Baron,1870; *variolosum* Alam,1956; *diaspidioti* Chumakova,1957; *ficus* Traboulsi,1969 GB CY LB TR RU Us

80. **Aphytis proclia (Walker,1839)** (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnoch,1972; *chowdhurii* Kaul,1974 **Aphelinus proclia** Walker,1839, **Monographia Chalciditum 1: 9. Lectotype ♀: England (BMNH). GB GG Cc CY TR IN Hp**
81. **Apistomyia aphrodite Zwick,1988** (Blephariceridae) Synonym(s): *aphrodite* Zwick,1988 **TR CY**
82. **Aplocnemus syriacus (Schilsky,1894)** (Melyridae) Synonym(s): *syriacus* Schilsky,1894 **CY TR**
83. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 **AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa**
84. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 **BG IL Pa CY LB GR TR**
85. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
86. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 **PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR**
87. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
88. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
89. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 **AM Cc BG GR TR CY IR KK KG TJ UZ**
90. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
91. **Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): *viridis* Brullé,1835 **Cn GR TR CY**
92. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932 **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR**
93. **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus* Becker,1902 **CY EG IQ TN ES**
94. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
95. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915 **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ**
96. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
97. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891 **CY IT JO YU UA RU TR IR**
98. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927 **ES Cn EG IQ JO TR CY LB GR Cr**
99. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spreta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
100. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
101. **Batracomorpha glaber Haupt,1927** (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948 **CY IL TR**
102. **Bembecinus cyprius De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954 **GR CY IL Pa TR**
103. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
104. **Bembidion (Euperyphus) combustum Ménétrés,1832** (Carabidae) Synonym(s): *combustum* Ménétrés,1832 **AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU**
105. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850 **AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY**
106. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum* Dejean,1831 **AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP**
107. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN**

108. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
109. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
110. **Bembidion (Omoperypus) caricum Sahlberg,1908** (Carabidae) Synonym(s): *caricum Sahlberg,1908* TR CY IL Pa
111. **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997* CY IL Pa LB TR GR Cr
112. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
113. **Beris cypria James,1970** (Stratiomyidae) Synonym(s): *cypria James,1970* CY
114. **Berytinus montivagus (Meyer-Dür,1841)** (Berytidae) Synonym(s): *montivagus Meyer-Dür,1841* CY TR
115. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus Latreille,1792; angusticollis Spinola,1843; tuberculata Lepeletier,1845; bituberculata Smith,1855; erythrothorax Sichel & Radoszowski,1870; cobosi Suarez,1958* FR ES IT GR CY SY MA DZ TN
116. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
117. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscula Medvedev* Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
118. **Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae Bodenheimer,1924* TR CY IR IQ IL Pa
119. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
120. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analisis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
121. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
122. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
123. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus Loew,1855* AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
124. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
125. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
126. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
127. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
128. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
129. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
130. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR

131. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevisrostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
132. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
133. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus Fabricius,1798; leucopogon Meigen,1804* AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
134. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RÖ RU SK SL ES SE CH TR UA CY IR
135. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
136. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psiferus Thunberg,1799; sinuatus Olivier,1807; lutulentus Gyllenhal,1833* RU RO YU IT Si GR TR CY
137. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi Schmidt-Göbl,1836; longispina Reitter,1884* ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
138. **Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): *aegyptiaca Masi,1931* CY IQ IL Pa EG
139. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
140. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplesia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
141. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
142. **Brachymeria podagrica (Fabricius,1787)** (Chalcididae) Synonym(s): *podagrica Fabricius,1787* CY AU
143. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ*
144. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
145. **Bubastia (Acrestia) ephialtes (Linnavuori,1971)** (Issidae) Synonym(s): *ephialtes Linnavuori,1971* CY TR
146. **Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale Fieber,1877* CY GR LB TR PT?
147. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
148. **Cabirutus cribricollis (Baudi,1875)** (Tenebrionidae) Synonym(s): *cribricollis Baudi,1875* TR CY
149. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma Schneider,1845* GR TR Cc GG LB IR CY IQ Dk
150. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952* Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF
151. **Calopteryx mingrellica Selys,1869** (Calopterygidae) Synonym(s): *mingrellica Selys,1869* Cc GG TR Rd CY
152. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
153. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata Loew,1844; producta Loew,1844* TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA

154. **Canthyrus diophthalmus (Reiche & Sauley,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Sauley,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
155. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849* **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
156. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926* **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
157. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
158. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; mysteriosa Obenberger,1917; nonfriedi Obenberger,1934* **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
159. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855* **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
160. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* **DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU**
161. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* **DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU**
162. **Carabus (Procrustes) anatolicus Chaudoir,1857** (Carabidae) Synonym(s): *anatolicus Chaudoir,1857; cyprius Roeschke,1915* **TR CY**
163. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* **AM Cc GG TR CY IR IQ IL Pa LY SY TM**
164. **Cardiophorus (s.str.) ovipennis (Desbrochers,1875)** (Elateridae) Synonym(s): *ovipennis Desbrochers,1875* **CY**
165. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus Erichson,1840; tokatensis Pic,1913* **SY CY TR Cc AZ AM IQ IR**
166. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus Reiche,1856* **EG IL Pa LB SY TR CY GR Rd**
167. **Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): *annulosus Fieber,1859* **TR DE RU CY FR Co**
168. **Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes Fieber,1861* **CY SY RU TR YU**
169. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius Saussure,1854* **CY TR GR Rd IL Pa SY LB Cc AM IR**
170. **Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps Bischoff,1928* **HV YU BG GR Cr CY TR**
171. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX Pa PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
172. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi Gyllenhal,1817* **HU BG TR IQ IR Cc CY RU**
173. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei Boucard,1893; syriaca Boucard,1893; chrysosoma Reitter,1896* **CY TR SY LB IL Pa EG**
174. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
175. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus Gyllenhal,1837* **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**
176. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
177. **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami Stackelberg,1929* **TR CY IL Pa IQ UZ**
178. **Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): *diodon Schletterer,1889; cypriacum Mavromoustakis,1951* **TR CY IL Pa JO SY**
179. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**

180. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola Lindberg,1948* **CY EG IL Pa MA TR RU**
181. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* **ES FR DE IT Si AT BG CY TR EG IL MA TR KG**
182. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808 Hypomicrogaster dorsalis Spinola,1808, Insect. Liguriae 2: 151.* **TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU**
183. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans Eversmann,1848* **TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN**
184. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824; festiva Ménériés,1832* **EG IL Pa Cc RU Da IR GR Rd CY SY AF**
185. **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta Weise,1898* **TR CY SY IL Pa**
186. **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea Fairmaire,1865 nec Falderm.,1837; halysa Bechyne,1950; ayrica Bechyne,1950; intercalaria Bechyne,1950* **TR CY Cc IR IQ AZ**
187. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950* **TR SY IL Pa GR Rd CY Cc IR IQ TN**
188. **Chrysolina planicollis (Breit,1919)** (Chrysomelidae) Synonym(s): *planicollis Breit,1919* **TR CY**
189. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménériés,1832; cupreopunctata Reiche,1858; venefica Weise,1884* **TR SY CY Cc LB IL Pa EG IR**
190. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
191. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemii Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954* **AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU**
192. **Cicadetta hageni Fieber,1872** (Cicadidae) Synonym(s): *hageni Fieber,1872* **CY GR SY**
193. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suoedicola Bergevin,1913* **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
194. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904; bipunctella Matsumura,1908; zae China,1926* **DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK**
195. **Cicadulina zae China,1926** (Cicadellidae) Synonym(s): *zae China,1926* **Cn Md CY TR AU**
196. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris Linnaeus,1758* **SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR**
197. **Circulifer haematiceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematiceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
198. **Cixius granulatus Horvath,1897** (Cixiidae) Synonym(s): *granulatus Horvath,1897* **CY RO**
199. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes Fieber,1876; notaticollis Rey,1894; fumipennis Horvath,1897* **Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU**
200. **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *assimilis Baudi di Selve,1873* **IL Pa BG CY TR**
201. **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris Chevrolat,1864* **IL Pa TR CY SY**
202. **Cleptes maculatus Linsenmeier,1968** (Chrysididae) Synonym(s): *maculatus Linsenmeier,1968* **CY**
203. **Clytra bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri Weise,1900* **TR IQ CY**
204. **Clytra ovata (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *ovata Lacordaire,1848* **CY TR**
205. **Clytra rotundata Medvedev,1961** (Chrysomelidae) Synonym(s): *rotundata Medvedev,1961* **CY**
206. **Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia Walker,1839; lecanii Fitch,1859; ater Howard,1881; cognatus Haword,1881; vividus Howard,1885; californicus Howard,1889; coccidis Girault,1917; corni Alam,1956; taxi Alam,1956* **Aphelinus lycimnia Walker,1839, Monographia Chaciditum 1: 11. Type: Ireland. US Cf DE GB TR CY**
207. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis Desbrochers,1869* **RU GR Cr IT CY FR Co TR LB Sa**
208. **Colletes cyprius Noskiewicz,1936** (Colletidae) Synonym(s): *cyprius Noskiewicz,1936* **CY**
209. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus Erichson,1840* **HV GR CY SY LB BG TR**
210. **Colpotus reitteri Zürcher,1911** (Tenebrionidae) Synonym(s): *reitteri Zürcher,1911* **CY**

211. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbek,2008 *Sphyxosoma flavicauda* Bigot,1880, *Anns Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus. GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm*
212. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 *AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR*
213. **Coptocephala babylonica Medvedev,1961** (Chrysomelidae) Synonym(s): *babylonica* Medvedev,1961 *CY*
214. **Coptosia ganglbaueri (Pic,1951)** (Cerambycidae) Synonym(s): *ganglbaueri* Pic,1951 *CY TR*
215. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis* Leach,1818 *Cn Az Md IN IR CY TR PK*
216. **Corynis similis (Mocsary,1880)** (Cimbicidae) Synonym(s): *similis* Mocsary,1880 *GR Cr CY SY IL Pa*
217. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884 *TR GR AL CY JO SY*
218. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 *SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO*
219. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa* Rambur,1842; *morosus* Walker,1853; *ulianini* Mc Lachan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915; *albanica* Capra. *SD EG AF IR SA TR IQ IL CY AM GG AL*
220. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915 *AF IR TR SA IQ IL Pa Cc CY SD*
221. **Danacaea cypria Schilsky,1897** (Melyridae) Synonym(s): *cypria* Schilsky,1897 *CY*
222. **Danacaea marginata (Küster,1851)** (Melyridae) Synonym(s): *marginata* Küster,1851 *RO GR CY TR*
223. **Dasytidius inchoatus Majer,1991** (Melyridae) Synonym(s): *inchoatus* Majer,1991 *CY*
224. **Dasytidius indutus Kiesenwetter,1859** (Melyridae) Synonym(s): *indutus* Kiesenwetter,1859 *HV GR Cr TR CY*
225. **Dasytidius syriacus (Reitter,1885)** (Melyridae) Synonym(s): *syriacus* Reitter,1885 *CY IL Pa JO LB SY TR*
226. **Dasytidius virescens (Baudi,1873)** (Melyridae) Synonym(s): *virescens* Baudi,1873 *CY*
227. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata* Klug,1834 *IL Pa TR Cc AM GG CY TM UZ KG*
228. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis* Ribaut,1934 *AF DZ CY TR FR IL IT MA ES TN*
229. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 *AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR*
230. **Dermestes (Dermestinus) maculatus DeGeer,1774** (Dermestidae) Synonym(s): *maculatus* DeGeer,1774; *marginatus* Thunberg,1781; *vulpinus* Fabricius,1781; *senex* Germar,1824; *elongatus* Hope,1834; *lupinus* Mannerheim,1843; *cinereus* Redtenbacher,1867; *sudanicus* Gredler,1878; *cyprius* Pic,1951; *pakistanicus* Havelka,1951 *TR SD CY PK*
231. **Dibolia rufofemorata Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata* Reitter,1896 *TR CY SY IL Pa JO*
232. **Dichillus (s.str.) subsetulosus Reitter,1886** (Tenebrionidae) Synonym(s): *subsetulosus* Reitter,1886 *TR CY*
233. **Dictyonota aridula (Jakovlev,1902)** (Tingidae) Synonym(s): *aridula* Jakovlev,1902 *CY HU RU TR*
234. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea* Seidenstücker,1963 *IT Si IL Pa CY FR Co LB SY TR*
235. **Dictyophara asiatica Melichar,1912** (Dictyopharidae) Synonym(s): *asiatica* Melichar,1912 *CY IL Pa TR*
236. **Dictyophara lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): *acuminata* Lindberg,1948; *lindbergi* Metcalf,1955 *BG CY IT ES TR*
237. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 *DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN*
238. **Dirhinus cyprius Masi,1939** (Chalcididae) Synonym(s): *cyprius* Masi,1939 *AL IL Pa CY*
239. **Dirhinus gussakovskii Nikolskaya,1952** (Chalcididae) Synonym(s): *gussakovskii* Nikolskaya,1952 *CY RU*
240. **Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae* Ferrière,1935 *CY EG IL Pa SA SO SD YE*
241. **Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis* Spinola,1839 *Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU*
242. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978 *DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR*

243. **Docotettix cornutus Ribaut,1948** (Cicadellidae) Synonym(s): *cornutus Ribaut,1948* **CY GR TR**
244. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859* **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**
245. **Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps Ribaut,1948* **CY IL Pa TR GR YU IR**
246. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis Ribaut,1948* **AF CY EG GR IL Pa IT LY TR**
247. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897; margaritacea Horvath,1897* **CY HU IQ JO RO YU TR**
248. **Dorycera maculipennis Macquart,1843** (Ulidiidae) Synonym(s): *maculipennis Macquart,1843* **ES IT GR Rd CY**
249. **Dufourea (Cyprirophites) cypria Mavromoustakis,1952** (Halictidae) Synonym(s): *cypria Mavromoustakis,1952* **CY**
250. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa Lethierry,1874; irrorata A.Costa,1882; punctata Lallemand,1929* **AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ**
251. **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus Marseul,1868; orientalis Wittmer,1979* **TR CY SY IL Pa LB**
252. **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans Rossi,1790* **PT ES Co Sa Si IT AL Cr CY TR**
253. **Edwardsiana kemneri (Ossiannilsson,1942)** (Cicadellidae) Synonym(s): *kemneri Ossiannilsson,1942* **CY CS MN RO SE**
254. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* **AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
255. **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari Zachvatkin,1947* **IL Pa Cc CY TR GG MD UZ**
256. **Elampus caeruleus Dahlbom,1854** (Chrysididae) Synonym(s): *caeruleus Dahlbom,1854* **DE IT CY**
257. **Elampus soror (Mocsary,1889)** (Chrysididae) Synonym(s): *soror Mocsary,1889* **IT HU CY**
258. **Elasmus cyprianus Ferrière,1947** (Eulophidae) Synonym(s): *cyprianus Ferrière,1947* **TR ES CY**
259. **Elasmus phthorimaeae Ferrière,1947** (Eulophidae) Synonym(s): *phthorimaeae Ferrière,1947* **TR CY ES TR AE YE**
260. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae Ferrière,1935; elongatus Ferrière,1947* **TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU**
261. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praecoc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
262. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
263. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata Brullé,1836* **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO**
264. **Encarsia lutea (Masi) (5)** (Aphelinidae) Synonym(s): **CY**
265. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus Horvath,1903; imitatus Haupt,1924; byzantina Zachvatkin,1946; mira Zachvatkin,1946; insularis Lindberg,1948* **AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU**
266. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* **TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG**
267. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
268. **Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus Mercet,1931; longipilus Khan & Shafee,1980* **ES CY TR IN Up**
269. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
270. **Erythria (s.str.) seclusa Horvath,1803** (Cicadellidae) Synonym(s): *Horvath,1803* **BG CY IT Sa YU**
271. **Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): *truncata Ribaut,1948* **CY GR IT TR**
272. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803* **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**

273. **Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus* Linnaeus,1758; *lunulatus* Fabricius,1804 TR CY IL Pa KG
274. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius* Saussure,1852 CY TR RU IL Pa LB SY IR
275. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
276. **Eupholidoptera cypria Ramme,1951** (Tettigoniidae) Synonym(s): *cypria* Ramme,1951 CY TR
277. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 CY EG IL Pa GR Cr IR JO TR KG
278. **Eupteryx insulana (Ribaut,1948)** (Cicadellidae) Synonym(s): *insulana* Ribaut,1948 CY IL TR
279. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
280. **Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936 CY TR FI FR DE NL SE
281. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *ornatum* Linnaeus,1758 TR CY
282. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
283. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
284. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
285. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 ES IT Sa Si TR RU MN CY IR
286. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790 *Apalus sexmaculatus* Olivier,1790, *Encycl. méthod.* 4: 166. DZ ES IT Si CY TR TJ SY
287. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguy,1941; *peyerimhoffi* Burghelle-Balacesco,1966 Cn PT ES FR Co DE GR BG CY TR
288. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
289. **Exodrymadusa inornata (Uvarov,1936)** (Tettigoniidae) Synonym(s): *inornata* Uvarov,1936 CY
290. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
291. **Fieberiella lindbergi Wagner,1963** (Cicadellidae) Synonym(s): *lindbergi* Wagner,1963 TR CY
292. **Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948 BG CY GR TR
293. **Forficula aetolica Brunner von Wattenwyl,1882** (Forficulidae) Synonym(s): *aetolica* Brunner von Wattenwyl,1882 CY TR
294. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
295. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
296. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847 DZ BG GR IT CY TR IR
297. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
298. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus* Saunders,1876 CV Cn SN ES GR CY TR
299. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
300. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
301. **Globicornis picta (Küster,1851)** (Dermestidae) Synonym(s): *picta* Küster,1851 TR YU CY IT Sa Si SK

302. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862 **Gonia maculipennis** Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". ES HU UA CY TR IL Pa TM
303. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
304. **Gravestiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870; *consanguinea* Scott,1873; *tschikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967 CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
305. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927 DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
306. **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata* Rohdendorf,1947; *verbekei* Mesnil,1952 RU Cc CY IL Pa TR
307. **Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis* Reitter,1885 CY GR
308. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
309. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
310. **Hauptidia (s.str.) armata (Ribaut,1948)** (Cicadellidae) Synonym(s): *armata* Ribaut,1948 CY
311. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
312. **Hauptidia (s.str.) stellata (Ribaut,1948)** (Cicadellidae) Synonym(s): *stellata* Ribaut,1948 CY TR
313. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
314. **Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis* Waltl,1828 TR IR CY
315. **Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii* Adams,1817 UA Cm Cc TR IR CY
316. **Helophorus pallidipennis Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis* Mulsant & Wachanru,1852 TR CY GR
317. **Hemianax ephippiger (Burmeister,1839)** (Aeshnidae) Synonym(s): *ephippiger* Burmeister,1839 TR CY LB Bei
318. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
319. **Hercostomus cyprius Parent,1937** (Dolichopodidae) Synonym(s): *cyprius* Parent,1937 CY
320. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 HV BG GR IT Si MT CY IL Pa SY TR
321. **Heriades (Michenerella) punctuliferus Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928 TR CY SY
322. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956 Cc AM TM CY IL Pa SY TR GR TJ
323. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
324. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
325. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
326. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
327. **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890 BG GR TR CY LB
328. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
329. **Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica* Mavromoustakis,1937 CY IL Pa JO TR

330. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
331. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935 **GR Cr CY IL Pa JO SY TR**
332. **Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980 **CY IL Pa JO SY TR**
333. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 **GR Cr CY JO SY TR**
334. **Hoplitis (Anthocopa) yermasoyiae (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoustakis,1938; *asiae* Tkalcu,1979; *corcyraea* Tkalcu,1979 **AL AM Cc GR CY YU SY TR**
335. **Hoplitis (s.str.) holmboei (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *holmboei* Mavromoustakis,1948 **GR CY**
336. **Hyalesthes mavromoustakisi Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959 **CY TR GR Rd JO**
337. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879 **Cc CY IR TR AM AZ GG RU TM UZ IQ**
338. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
339. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
340. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 **ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR**
341. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840 **BG CY TR Cc GG GR IL Pa RO RU UA Cm**
342. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 **BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ**
343. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
344. **Ichneumon sarcitorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *sarcitorius* Linnaeus,1758; *caucasicus* Meyer,1926 **Cc TR CY IR**
345. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, *Progr. K. Realschule Meseritz 1856: 23.* **AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK**
346. **Idiocera vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868 **AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU**
347. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 **Gryllus (Mantis) oratorius** Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 426.* **ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA**
348. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 **AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR**
349. **Ischnura pumilio (Charpentier,1825)** (Coenagrionidae) Synonym(s): *pumilio* Charpentier,1825 **TR? CY Cc AM IR AF**
350. **Isophya mavromaustakisi Uvarov,1936** (Tettigoniidae) Synonym(s): *mavromaustakisi* Uvarov,1936 **CY**
351. **Issus bellardi Melichar,1906** (Issidae) Synonym(s): *bellardi* Melichar,1906 **CY**
352. **Issus fieberi Melichar,1906** (Issidae) Synonym(s): *fieberi* Melichar,1906 **CY**
353. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897; *strigosa* Matsumura,1910; *duffelsi* Dlabola,1974 **IT Si HV YU CY FR GR ES TR**
354. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 **AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ**
355. **Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca* Marseul,1865 **AM CY SY Cc TR IR GG AZ**
356. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835 **GR AL BG CY TR SY IL Pa EG**
357. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 **AL CY CZ FR GR TR HU IL IT RU YU**
358. **Kelisia perrieri Ribaut,1934** (Delphacidae) Synonym(s): *perrieri* Ribaut,1934 **CY FR IT**
359. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 **Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ**

360. **Kelisia yarkonensis** Linnavuori,1962 (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962 IL AT BG CY GR YU TR
361. **Kriechbaumerella mansues** (Nikol'skaya,1952) (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952 HV CY IQ IL Pa Cc UA RU TR
362. **Labidostomis decipiens** Faldermann,1837 (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843 CY TR Cc SY IR RU
363. **Labidostomis karamanica** Weise,1900 (Chrysomelidae) Synonym(s): *karamanica* Weise,1900 CY TR SY
364. **Laemostenus (Pristonychus) conspicuus** (Waltl,1838) (Carabidae) Synonym(s): *conspicuus* Waltl,1838; *grandicollis* Sturm,1843; *grandis* Motschoulsky,1950; *nitidus* Motschoulsky,1865 CY GR TR Rd
365. **Lampyroidea lucifer** (Reiche & Sauley,1857) (Lampyridae) Synonym(s): *lucifer* Reiche & Sauley,1857; *lucifera* E.Olivier,1884 *Luciola lucifer* Reiche & Sauley,1857, Anns Soc. ent. Fr. (3) 5: 169. CY SY
366. **Lampyroidea maculicollis** (Mulsant & Wachanru,1852) (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870 CY SY TR
367. **Lasiacantha hedenborgi** (Stal,1873) (Tingidae) Synonym(s): *hedenborgi* Stal,1873; *#hedenbergii* Önder et al.,2006 IL Pa CY SY TR
368. **Lasioglossum bischoffi** (Blüthgen,1931) (Halictidae) Synonym(s): *bischoffi* Blüthgen,1931 YU TR GR CY
369. **Lasioglossum kotschyi** Ebmer,1981 (Halictidae) Synonym(s): *kotschyi* Ebmer,1981 CY
370. **Lasioglossum pallens** (Brullé,1832) (Halictidae) Synonym(s): *pallens* Brullé,1832 MA FR ES BE DE CY IR
371. **Latibulus argiolus** (Rossi,1790) (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 TN TR CY TJ UZ KG KK RU Am Cc
372. **Latilica maculipes** (Melichar,1906) (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910 MA FR IT ES CY GR IL IT TR YU
373. **Latilica quercus** (Lindberg,1948) (Issidae) Synonym(s): *quercus* Lindberg,1948 TR CY
374. **Leistus (Pogonophorus) spinibarbis** (Fabricius,1775) (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775 TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
375. **Leistus (s.str.) caucasicus** Chaudoir,1867 (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867 UA Cm TN CY IL Pa TR SY
376. **Leptodelphax cyclops** Haupt,1927 (Delphacidae) Synonym(s): *cyclops* Haupt,1927 CY IT Si TR EG IL
377. **Leptomastidea abnormis** (Girault,1915) (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
378. **Lestes macrostigma** (Eversmann,1836) (Lestidae) Synonym(s): *macrostigma* Eversmann,1836 TR RU CY Cc AM
379. **Lestes parvidens** Artobolevski,1929 (Lestidae) Synonym(s): *parvidens* Artobolevski,1929 ES SY DZ DK TR Rd CY
380. **Leuctra cypria** Zwick,1978 (Leuctridae) Synonym(s): *cypria* Zwick,1978 CY
381. **Liancalus virens** (Scopoli,1763) (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
382. **Libanissum talhouki** (Dlabola,1974) (Issidae) Synonym(s): *talhouki* Dlabola,1974 CY TR LB GR
383. **Liguropia juniperi** (Lethierry,1876) (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876; *menozii* Haupt,1930 DZ CY FR IT Sa Si TN TR YU
384. **Limassolla pistaciae** (Linnavuori,1962) (Cicadellidae) Synonym(s): *pistaciae* Linnavuori,1962 CY IL
385. **Limotettix striola** (Fallén,1806) (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
386. **Longitarsus exsoletus** (Linnaeus,1758) (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus,1758; *femoralis* Marsham,1802; *boppardiensis* Bach,1856; *rufula* Foudras,1860; *megaloleuca* Allard,1860; *lividus* Fauvel,1888; *arctulus* Weise,1893 TR TJ Cc CY SY
387. **Lophosia fasciata** Meigen,1824 (Tachinidae) Synonym(s): *fasciata* Meigen,1824 RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
388. **Lophyridia aphrodisia** (Baudi,1864) (Carabidae) Synonym(s): *aphrodisia* Baudi,1864 CY SY IT Si TR
389. **Lophyridia fischeri** (Adams,1817) (Carabidae) Synonym(s): *fischeri* Adams,1817 AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bl TJ AF OM
390. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae) Synonym(s): *reticulatum* Herrich-Schäffer,1838 Cn CY GR TR
391. **Lygaeus equestris** (Linnaeus,1758) (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758 IL Pa CY Cc IQ SY TM TR

392. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
393. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris Rondani,1865* AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
394. **Macropsis acrotrica Dlabola,1967** (Cicadellidae) Synonym(s): *acrotrica Dlabola,1967* CY RU Cc Da
395. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
396. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
397. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus Fallén,1806; devastans Guérin-Méneville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894* DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
398. **Malachius cyprius (Baudi,1871)** (Melyridae) Synonym(s): *cyprius Baudi,1871* CY
399. **Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987* GR Cr CY TR IT LY
400. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica Horvath,1907; turanica Anufriev,1966* AF? CY TR IT RO Cc AZ? UA YU TJ UZ
401. **Malthinus kafkai Svihla,2002** (Cantharidae) Synonym(s): *kafkai Svihla,2002* CY
402. **Malthodes anadyomenae Svihla,2009** (Cantharidae) Synonym(s): *anadyomenae Svihla,2009* CY
403. **Malthodes aphroditae Svihla,2009** (Cantharidae) Synonym(s): *aphroditae Svihla,2009* CY
404. **Malthodes cyprogenius Svihla,2009** (Cantharidae) Synonym(s): *cyprogenius Svihla,2009* CY
405. **Malthodes fritzlari Svihla,2009** (Cantharidae) Synonym(s): *fritzlari Svihla,2009* CY
406. **Malthodes lycosensis Svihla,2009** (Cantharidae) Synonym(s): *lycosensis Svihla,2009* CY
407. **Malthodes malickyi Wittmer,1980** (Cantharidae) Synonym(s): *malickyi Wittmer,1980* CY
408. **Malthodes malickyi Wittmer,1980** (Cantharidae) Synonym(s): *malickyi Wittmer,1980* CY
409. **Malthodes zurcheri Pic,1911** (Cantharidae) Synonym(s): *zurcheri Pic,1911* CY
410. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
411. **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus Fieber,1866* CY GR IL Pa IT JO TR RU Cc YU IQ
412. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica Dejean,1822* IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
413. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballestrerii Rondani,1877* ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
414. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
415. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
416. **Megischina cypria Maran,1936** (Tenebrionidae) Synonym(s): *cypria Maran,1936* CY
417. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus Fallén,1806; ? scutata Germar,1821; bipunctatus Curtis,1833; pallidipennis Hardy,1850; vilis Snellen van Vollenhoven,1862; innotata Rey,1894* DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
418. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
419. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790; spinipes Fabricius,1794; serrulatus Wiedemann,1822; italicus Rondani,1845; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864* DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
420. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT Si YU BG GR CY TR LB
421. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR IT YU GR Rd CY Cc BG IL Pa

422. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscinervis* Röder,1887; *obscurus* Gil Collado,1929 **MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK**
423. **Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962 **CY IL Pa TR IR**
424. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 **AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU**
425. **Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator* Fabricius,1798 **TR CY IR MN GR RU**
426. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua* Ruthe,1860 **Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU**
427. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 **AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR**
428. **Modicogryllus (Amodicogryllus) pseudocyprius Gorochoy,1996** (Gryllidae) Synonym(s): *pseudocyprius* Gorochoy,1996 **CY**
429. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
430. **Mutilla quinque maculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinque maculata* Cyrillo,1787 **TR SY IL Pa CY GR HV UA Cn IT Sa Si MT FR ES DZ EG**
431. **Mycterodus (s.str.) denticulatus Lindberg,1948** (Issidae) Synonym(s): *denticulatus* Lindberg,1948 **CY TR**
432. **Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): *intricatus* Stal,1861; *jaltaicus* Dlabola,1958 **Cc CY TR AZ GG UA**
433. **Mylabris sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata* Klug,1845 **LY CY SY TR**
434. **Myopites cypriacus M.Hering,1938** (Tephritidae) Synonym(s): *cypriacus* M.Hering,1938; *shiakidesi* Dirlbek,1974 **Myopites cypriacus** M.Hering,1938, *Dt. ent. Z.* 1938 (2): 399. **CY Cn TR**
435. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 **MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG**
436. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 **AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG**
437. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer* Seidenstücker,1954 **TR CY UZ TM SY AF**
438. **Nabis pseudoferus Remane,1949** (Nabidae) Synonym(s): *pseudoferus* Remane,1949 **Az TR CY IR**
439. **Neides aduncus Fieber,1859** (Berytidae) Synonym(s): *aduncus* Fieber,1859 **TR CY**
440. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859 **TR IT Si CY ES YU BG GR RU Cc AM IL IR**
441. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
442. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
443. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 **AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU**
444. **Neoliturus inscriptis (Haupt,1927)** (Cicadellidae) Synonym(s): *inscriptis* Haupt,1927 **CY IL MA**
445. **Neoliturus macchiae Lindberg,1948** (Cicadellidae) Synonym(s): *macchiae* Lindberg,1948 **CY IL**
446. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
447. **Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa* Marsham,1802 **TR Cc CY IR**
448. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
449. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**

450. **Neuroleon egenus (Navas,1914)** (Myrmeleonidae) Synonym(s): *egenus Navas,1914; cyprius Navas,1940* TR CY
451. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis O.F.Müller,1776* TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
452. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia Latreille,1805* DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
453. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
454. **Nyctophila libani (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani Laporte de Castelnau,1833; insignis Ancey,1870* CY LB SY TR
455. **Nymphorgerius cyprius (Lindberg,1948)** (Dictyopharidae) Synonym(s): *cyprius Lindberg,1948* CY
456. **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa Brunner von Wattenwyl,1882* TR Rd GR CY
457. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni Bolivar & Chicote,1879; longiceps Puton,1896; alternans Horvath,1916; longicipiti Horvath,1916* AL GR CY IQ IL IT PT ES TR
458. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832* Cc SY CY IR TR BG GR IL Pa EG
459. **Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés,1832* TM Cc AM TR SY IQ IL Pa CY GR Rd
460. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis Reitter,1893* BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
461. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus Klug,1845* EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
462. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus Linnaeus,1758* TR CY Cc AM YU
463. **Opsius cypriacus Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus Lindberg,1958* CY TR IR UA Cm
464. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
465. **Orchamus gracilis (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *gracilis Brunner von Wattenwyl,1882* CY
466. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali Zhantiev,2001* CY FR GR ES TR IL Pa JO LB SY
467. **Orthetrum taeniolatum (Schneider,1845)** (Libellulidae) Synonym(s): *taeniolatum Schneider,1845* TR CY
468. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre Scopoli,1763; virens Panzer,1798; formosum Haliday,1832; viridipes Macquart,1834* Cc AZ BG CY GR IL Pa UA Cm DZ TN Md TZ
469. **Osbornellus macchiai (Lindberg,1948)** (Cicadellidae) Synonym(s): *macchiai Lindberg,1948; consanguineus Dlabola,1967* CY TR GR
470. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita Smith,1853; ruficollis Sichel,1873; fossoria Pérez,1890; duckei Friese,1899* AL GR Cr DZ EG TN CY IL Pa JO SY TR
471. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides Spinola,1808* AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
472. **Osmia (Erythrosmia) erythrogastra Ferton,1905** (Megachilidae) Synonym(s): *erythrogastra Ferton,1905* FR Co GR IT Sa CY TR
473. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
474. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899* AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
475. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR
476. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris Panzer,1798* CA Cc KG Cn Az UA Cm TR DZ CY
477. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberofafricana Peters,1975* CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR

478. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowki,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
479. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
480. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
481. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
482. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
483. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
484. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 GR CY IT Si IL Pa JO SY TR
485. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
486. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
487. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY TR
488. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984 AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
489. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetradonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
490. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
491. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
492. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981 GR HV IT CY IL Pa JO SY TR
493. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
494. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
495. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
496. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
497. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 RO GR CY RU UA Cc AZ TR IL LB
498. **Oxythyrea noemi Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Sauley,1856 CY TR SY LB JO Pa IL
499. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU
500. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd

501. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
502. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
503. **Pedostrangalia raggii Sama,1992** (Cerambycidae) Synonym(s): *raggii* Sama,1992 CY
504. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
505. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
506. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839 PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
507. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
508. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
509. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
510. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
511. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 RU Cc UA Cm IQ TR IR IQ CY LB IL Pa
512. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845 KG MN TR AM Cc IR CY SY LB RU Am CN
513. **Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948 AF CY IQ IL Pa TR
514. **Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): *caucasica* Guérin-Ménéville,1838; *abbreviata* Klapalek,1921; *persica* Zwick,1975 CY Cc IR
515. **Pezotettix cypria Dirsh,1949** (Acrididae) Synonym(s): *cypria* Dirsh,1949 CY
516. **Phanerotoma (Bracotritoma) parva Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930 CY GR MN RU
517. **Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma* Marshall,1898; *antennalis* Snoflak,1951 AT CY CZ GB FR IE IT NL PL ES
518. **Phanerotoma ocellaria Kohl,1906** (Braconidae) Synonym(s): *ocellaria* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US CF
519. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
520. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
521. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
522. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili* Draber-Monko,1965; *theodori* Draber-Monko,1965 PT ES FR IT Co Si HU UA RU Cr CY
523. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896 AF AL CY GR IQ IT MA ES TR YU
524. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
525. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
526. **Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis* Klug,1842 EG Sn IL Pa CY TR
527. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
528. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
529. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF

530. **Phycus insignis (Loew,1874)** (Therevidae) Synonym(s): *insignis* Loew,1874 **TR CY IR**
531. **Phyllotreta astrachanica Lopatin,1977** (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977 **TR Cc CY KG**
532. **Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps* Horvath,1903 **DZ LB TR CY GR**
533. **Phytoecia geniculata Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863 **GR BG CY TR**
534. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**
535. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 **AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU**
536. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 **FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO**
537. **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis* Loew,1857 **CY SY TR IR Es**
538. **Propomacrus cypriacus Alexis & Makris,2002** (Scarabaeidae) Synonym(s): *cypriacus* Alexis & Makris,2002 **CY**
539. **Prostemma guttula (Fabricius,1787)** (Nabidae) Synonym(s): *guttula* Fabricius,1787 **Cn CY TR**
540. **Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898 **TR CY SY LB IL Pa EG**
541. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
542. **Protaetia (Potosia) ikonovovi Miksic,1958** (Scarabaeidae) Synonym(s): *ikonovovi* Miksic,1958 **CY**
543. **Protonemura libanocypria Zwick,1967** (Nemouridae) Synonym(s): *libanocypria* Zwick,1967 **LB CY**
544. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
545. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
546. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
547. **Psammodictyon cerinus (Lindberg,1948)** (Cicadellidae) Synonym(s): *cerinus* Lindberg,1948 **CY TR**
548. **Psammodictyon majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951 **CY EG IL Pa TR Cc GG**
549. **Psammodictyon provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
550. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 **ES Cn CY FR IL YU GR Cr IT Si TR**
551. **Pseudophotopsis armeniaca (Skorikov,1935)** (Mutillidae) Synonym(s): *armeniaca* Skorikov,1935; *cyprica* Hammer,1950 **AM Eri Cc CY**
552. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasicola* Dalla Torre,1897; **Cc GG AM AZ TR IR Elb AF TM CY**
553. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965 **KG KK UZ TJ TM Kp IR CY EG DZ**
554. **Pseudophotopsis obliterata (Smith,1855)** (Mutillidae) Synonym(s): *obliterata* Smith,1855 **AL CY**
555. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct. **TM IR TR CY AM Cc IL Pa**
556. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
557. **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 **ES IT GR CY TR**
558. **Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926 **AZ Cc TR LB CY IL Pa**
559. **Purpuricenoides nicocles Schaufuss,1871** (Cerambycidae) Synonym(s): *nicocles* Schaufuss,1871 **CY**
560. **Purpuricenoides nudicollis Demelt,1968** (Cerambycidae) Synonym(s): *nudicollis* Demelt,1968 **CY TR**
561. **Pycnocryptodes reticulator Aubert,1971** (Ichneumonidae) Synonym(s): *reticulator* Aubert,1971 **CY TR**

562. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791; *grylloides* Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 **MA Cn ES FR LY CY YE GH TR**
563. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
564. **Raphidia cypria Navas,1931** (Raphidiidae) Synonym(s): *cypria* Navas,1931; *phoenicia* H.Aspöck & U.Aspöck,1964; *#cypria* H.Aspöck & U.Aspöck,1967 **CY TR**
565. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 **AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU**
566. **Rhagonycha kiesenwetteri Marseul,1864** (Cantharidae) Synonym(s): *kiesenwetteri* Marseul,1864 **TR GR CY**
567. **Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003 **GR Cr Rd SY CY IL Pa**
568. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794 **IL Pa Cc TR SY CY**
569. **Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829 **Cc TR CY**
570. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenta* Kirschbaum,1868 **AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR**
571. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 **MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa**
572. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 *Iris syriaca* Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. **TR IQ Bgd LB SY Hal CY TJ TM**
573. **Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911 **TR Cr CY IT DE**
574. **Sapromyza gozmanyi Papp,1981** (Leuxaniidae) Synonym(s): *gozmanyi* Papp,1981 **DZ CY IL Pa TR**
575. **Sapromyza laszlopappi Merz,2000** (Leuxaniidae) Synonym(s): *laszlopappi* Merz,2000 **TR CY**
576. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781 **TR SY Bld CY IL Pa JO MT GR MA TN MA**
577. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 **AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG**
578. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 **TR CY BG GR FR IT HU RO MK**
579. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 **TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU**
580. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 **AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA**
581. **Sargus maculatus (Lindner,1936)** (Stratiomyidae) Synonym(s): *maculatus* Lindner,1936 **CY IL Pa**
582. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 **AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU**
583. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménériés,1832; *nigrociliatus* Motschoulsky,1849 **RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG**
584. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 **ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM**
585. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 **MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa**
586. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber,1861; *#ochraseus* Önder et al.,2006 **IQ IL Pa CY SY TM TR**
587. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muehe,1962 **FR IT Si YU HU UA BG GR CY Cc TR EG**
588. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970 **IT Sa Si TR PT ES MT CY FR Co CY KG**
589. **Selenocephalus nervosus Lindberg,1948** (Cicadellidae) Synonym(s): *nervosus* Lindberg,1948 **CY JO**
590. **Selenocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens* Lindberg,1948; *obscurus* Lindberg,1953 **CY IL Pa MA TN TR**
591. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 **AF CY IR IQ IL TR RU Da Cc AZ UZ**

592. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
593. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri Fieber,1860* AL AT BG IT CY EG RO GR TR
594. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum Rivosecchi,1963* IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
595. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
596. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst,1829* DZ TR CY IL Pa JO Cc AM IR SA
597. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
598. **Solter gaudryi Navas,1914** (Myrmeleonidae) Synonym(s): *gaudryi Navas,1914* CY IR
599. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis Forskål,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
600. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus Scopoli,1763* Cc TR IR CY IQ TM YU GR
601. **Spilostethus saxatilis (Scopoli,1763)** (Lygaeidae) Synonym(s): *saxatilis Scopoli,1763* YU CY TR
602. **Stalia major Costa,1840** (Nabidae) Synonym(s): *major Costa,1840* Cn CY TR RU
603. **Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator Poda,1761; gladiator Fahringer,1922* TR CY
604. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma Schiner,1867; lucidiventria Becker,1902* TR IR Kh Eib Th CY EG IL Pa KG LY MN
605. **Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti Royer,1923* RU Cc TR IL Pa CY DZ
606. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia Meigen,1822; flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941* FR CY RU TR Cc AM IL SY IR EG MA DZ TN
607. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinensis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
608. **Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus Horvath,1916; josifovi Dlabola,1957* CY AL BG BG IT TR
609. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus Stal,1855; rubrostriatus Horvath,1907; rubrovittatus Matsumura,1914* AL BG CY IL Pa IR IT JP KP AZ Cc TR
610. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali Fieber,1868; bicolor Melichar,1896; toktogulensis Dubovsky,1970* CY BG GR Rd TR KK TJ UZ
611. **Sympecma fusca (Van Der Linden,1820)** (Lestidae) Synonym(s): *fusca Van Der Linden,1820* TR Rd CY GR
612. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
613. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
614. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
615. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum Fieber,1876* Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
616. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931* AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
617. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
618. **Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG IL Pa TR
619. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872; subpunctata Vilbaste,1961* BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA

620. **Tentyria cylindrica Solier,1835** (Tenebrionidae) Synonym(s): *cylindrica* Solier,1835; *acuminata* Reiche & Saulcy,1857; *lata* Baudi,1874 **CY TR SY**
621. **Tentyria cypria Kraatz,1865** (Tenebrionidae) Synonym(s): *cypria* Kraatz,1865 **CY TR**
622. **Tentyria puncticeps Miller,1861** (Tenebrionidae) Synonym(s): *puncticeps* Miller,1861; *persica* Baudi,1874 **SY CY IR**
623. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 **TR GR**
UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
624. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979 **TR ES FR CY GR IL Pa**
625. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936 **TR CY Cc IL Pa LB IR**
626. **Tetrigus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius* Baudi,1871; *akbesianus* Fairmaire,1893 **TR CY SY GR**
627. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 **Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU**
628. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 **AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU**
629. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 **AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU**
630. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868 **CY FR IL Pa IT Si SY GR TR YU**
631. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 **ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT**
632. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata* Fieber,1861 **DZ MA TN ES CY EG JO TR YU**
633. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877 **RU Cc TR CY SY GR**
634. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 **AL BG RU IT CY RO TR YU GR**
635. **Tipula (Acutipula) isparta Vermoolen,1983** (Tipulidae) Synonym(s): *isparta* Vermoolen,1983 **TR CY**
636. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 **Tipula lateralis** Meigen,1804, *Klass. Besch.* 1: 67. **AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR**
637. **Torymus cyprianus Graham & Gijswijt,1998** (Torymidae) Synonym(s): *cyprianus* Graham & Gijswijt,1998 **Torymus cyprianus** Graham & Gijswijt,1998, *Zool. Verh.* 317: 87-88. Holotype ♀: Cyprus (BMNH). **CY**
638. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 *nec* Müll.,1764; *completa* Paramonov,1933 **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
639. **Toxophora shelkovnikovi Paramonov,1933** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1933 **AM AZ GG Cc CY**
640. **Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957 **Co FR CY IT ES TR**
641. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
642. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876 **BG GR TR CY IL Pa JO LB SY**
643. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
644. **Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus* Csiki,1928 **TR CY IL Pa JO LB SY**
645. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus* Fabricius,1803; *auronitens* Kirschbaum,1868; *halbum* Fieber,1868 **AT BE CZ DK GB FR DE IT NL RU CY IR TR**
646. **Tribalus anatolicus Olexa,1980** (Histeridae) Synonym(s): *anatolicus* Olexa,1980 **TN CY TR GR**
647. **Trichodes cyprius Reitter,1893** (Cleridae) Synonym(s): *cyprius* Reitter,1893 **IL Pa CY**

648. **Trichodes ganglbaueri Escherich,1893** (Cleridae) Synonym(s): *ganglbaueri Escherich,1893; israelicus Winkler,1963* GR CY TR IL Pa IR
649. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus Abeille de Perrin,1881; angustifrons Abeille de Perrin,1881* TR Cc AM SY LB CY EG
650. **Trichodes olivieri (Chevrolat,1843)** (Cleridae) Synonym(s): *olivieri Chevrolat,1843* IQ Mos IR CY TR?
651. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus Fischer,1829; illustris Klug,1842; viridifasciatus Chevrolat,1843* TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
652. **Trithemis festiva (Rambur,1842)** (Libellulidae) Synonym(s): *festiva Rambur,1842* TR CY
653. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
654. **Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): *eximia Eichwald,1830; cypria Dirsh,[1951]; #examia Weidner,1969* Truxalis eximia Eichwald,1830, Zool. Spec. 2: 239. TR Cc IR KG CY SA
655. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata auct. nec A.Costa,1862; occidentalis Huang & Bourgoïn,1993* AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
656. **Trypetimorpha pilosa Horvath,1907** (Tropiduchidae) Synonym(s): *pilosa Horvath,1907* CY IL IT YU
657. **Tshurtshurnella campestre (Lindberg,1948)** (Issidae) Synonym(s): *campestre Lindberg,1948; bidens Linnavuori,1965* CY TR IL Pa
658. **Tshurtshurnella longispinosa (Linnavuori,1962)** (Issidae) Synonym(s): *longispinosa Linnavuori,1962* CY IL TR
659. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia Fabricius,1793; thymifolia Petagna,1792; gracilis Germar,1817; marginepunctata Audinet-Serville,1838; praeusta Fischer von Waldheim,1846; spinosus Fischer von Waldheim,1846; #liliifolia Bolivar,1877* Locusta lilifolia Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
660. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
661. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
662. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872* AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
663. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869; gracilis Ringdahl,1915* Cc AM AZ BG CY EG GR GG IR IT TR
664. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea Becker,1916; latifrons Stein,1916* ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
665. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima Loew,1857; diluta Rondani,1866* Cc AM AZ GG BG CY IL Pa IT Si SY LY YU
666. **Villa cyrprigna (Rondani,1863)** (Bombyliidae) Synonym(s): *cyrprigna Rondani,1863* CY
667. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata Becker,1916* ES FR GR CY HU IT Si MD RU UA
668. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea Fabricius,1781; humilis Ruthe,1831* BE CY CZ FR DE GR HU IT PL RO SK ES UA YU
669. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion Fabricius,1794; stolata Rondani,1866; senecio Loew,1869* AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
670. **Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata Austen,1936* IT TR GR CY
671. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta Loew,1869; nana Becker,1916* AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
672. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga Loew,1868* IT BG CY GR MK TR
673. **Xerohippus azami (Bolivar,1901)** (Acrididae) Synonym(s): *azami Bolivar,1901* TR CY
674. **Xerohippus sinuosus Uvarov,1942** (Acrididae) Synonym(s): *sinuosus Uvarov,1942* CY
675. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
676. **Zorochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus Kiesenwetter,1858* GR Cr TR CY
677. **Zygina (Hypericiella) digitata (Ribaut,1948)** (Cicadellidae) Synonym(s): *digitata Ribaut,1948* CY
678. **Zygina (Hypericiella) nebulosa (Ribaut,1948)** (Cicadellidae) Synonym(s): *nebulosa Ribaut,1948* CY IL Pa TR
679. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera Fourcroy,1785* AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU

680. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936; *pandellei* Ribaut,1936; *variegata* Ribaut,1936 AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR
681. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni* Ferrari,1882; *simplex* Ferrari,1882; *detrita* Rey,1894; *difficilis* Ribaut,1936; *manca* Ribaut,1936 AT BG CY CS FR DE IL IT SW TR UZ
682. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra* Loew,1885; *quercus* Kusnezov,1930 AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
683. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948 AF CY IR IL JO LB SY TR RU Cc GG Da UZ

Synonymic and distributional list of the order Lepidoptera of Cyprus

1. **Acalyptis minimella (Rebel,1924)** (Nepticulidae) Synonym(s): *minimella* Rebel,1924; *lentiscella* Groschke,1944 MA DZ TN PT ES Cz Gi Sa Co Si IT YU HV GR CY
2. **Acalyptis pistaciae Nieukerken,2007** (Nepticulidae) Synonym(s): *pistaciae* Nieukerken,2007 GR Rd CY TR IL Pa
3. **Acalyptis platani (Müller-Rutz,1934)** (Nepticulidae) Synonym(s): *platani* Müller-Rutz,1934 PT ES FR Co IT Si CH YU HV MK GR BG CY TR IR Elb Th
4. **Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877. *Sphinx atropos* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490. Az Cn CV MA DZ TN LY PT ES Mu An FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR DK NO SE FI EE LV LT RU MD UA Cm BY LB IL Hf Pa JO AZ IR Elb Gor IQ SA MU MG ZA Nta Cap Ec Pre Tva SO MZ GN SL TZ GM GA EG EG05 SY AZ AM Gau Lpo Spb Mdk Mpu Brb Dbn Kir GG Bjo Tbl Lag Len Da Mo Vl St Sr Cc
5. **Achyra nudalis (Hübner,1796)** (Pyrilidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901 *Pyralis nudalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.90. Type(s): Europa. PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc CN Ui LK IN ZA
6. **Acleris undulana (Walsingham,1900)** (Tortricidae) Synonym(s): *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obratzov,1956 *Oxygrapha undulana* Walsingham,1900, Ann. Mag. nat. Hist. (7) 5: 373. Type: [Turkey]: [Kahramanmaraş]: Zeitoon (Asia Minor)" (=Süleymanlı). MA CY SY TR RU At
7. **Acontia lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *lugens* Alpheraky,1889. *Phalaena lucida* Hufnagel,1766, Berl. Mag. 3 (3): 302. Type(s): Berlin. Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Agh kut Bgd Kro Bji SA FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da
8. **Acrapex taurica (Staudinger,1900)** (Noctuidae) Synonym(s): *taurica* Staudinger,1900 *Tapinostola taurica* Staudinger,1900, Dt. ent. Z., Iris 12: 374. Syntypes: [Turkey]: Maraş, Akbes. TR CY
9. **Acrobasis glaucella Staudinger,1859** (Pyrilidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. *Acrobasis glaucella* Staudinger,1859, Stettin ent. Ztg. 20: 255. Syntypes: Spain: Granada. PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr CY RU MD UA BY TR IL Pa Hf IR Ab Ak Elb Fa LB Bsa
10. **Acrobasis obliqua (Zeller,1847)** (Pyrilidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927. *Myelois obliqua* Zeller,1847, Isis 1847: 31. Type ♂: [Greece]: Rhodus. PT Cn ES FR Co Sa Si IT CH YU AL GR Rd CY TR IL Pa LB Bsa
11. **Acrobasis sodalella Zeller,1848** (Pyrilidae) Synonym(s): *sodalella* Zeller,1848 PT ES FR Si IT BE NL DE CH AT CZ SK HU RO YU AL BG GR CY? Cc AM DK NO SE FI RU MD UA BY

12. **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
Phalaena aceris Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh Kh Sbz AF Kab TM
13. **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
Phalaena psi Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa IR Elb Mz Th Kdj AF DK NO SE FI EE LV LT RU Cc Ro Kr St Kc MD UA BY KG Sb At MN KK TeA TrA Ax TJ UZ N-A
14. **Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878. *Noctua tridens* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 67. Type(s): [Austria]: Vienna district. PT ES Mu FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Kyi Da MD UA BY CN Ui Yk
15. **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 *Phalaena rumicis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Tk Dj KK Skm
16. **Actenia beatalis Kalchberg,1897** (Pyrilidae) Synonym(s): *beatalis* Kalchberg,1897 *Actenia beatalis* Kalchberg,1897, Dt. ent. Z., Iris 10: 183-184. Syntypes: Palestina: Haifa. CY LB TR IL Pa Hf
17. **Actenia brunnealis (Treitschke,1829)** (Pyrilidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900. PT ES FR Sa Si IT MT CH AT CZ SK HU RO YU MK BG GR CY IL TR LB IQ Bgd TM Kp
18. **Actenia honestalis (Treitschke,1829)** (Pyrilidae) Synonym(s): *honestalis* Treitschke,1829 ES SK HU RO YU AL BG GR TR CY IR Fa Sse Shr Elb Th Kdj IQ Ry LB
19. **Adela paludicolella (Zeller,1850)** (Adelidae) Synonym(s): *paludicolella* Zeller,1850 FR Co Sa IT HU RO GR Cr CY
20. **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862. *Procris obscura* Zeller,1847, Isis 1847: 15. Lectotype ♂: [Greece]: Rhodos, designated by Tarmann & Tremewan,1995 (BMNH). MK BG GR Rd CY TR RU Da Cc GG SY LB Bsa Pa IL Hf EG IQ IR Fa Sse
21. **Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989 *Phalaena leucomelas* Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): Europa. ZA MA DZ TN PT ES Mu FR Co Sa Si IT MT CH AT HU RO YU AL BG GR TR GG AZ AM Cc Ru Kr CY LB IR Mz Elb Clu Th KP KR JP IN NP TW CN PH ID Ja Sum Bor Clb NC FJ GU NH WS TH LA KH VN MM
22. **Aegle semicana (Esper,[1798])** (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspertalis* Hacker,1986. LY Sa Si IT MT HU RO YU AL BG GR TR GG Cc CY EG IR Fa Ab Mia Km AF LB Bei IL Hf Pa Js JO
23. **Agdistis (Frankistis) frankeniae (Zeller,1847)** (Pterophoridae) Synonym(s): *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991. Cn MA TN Gf LY Cy DZ PT ES Mu FR Co Sa Si IT MT RO GR Cr TR RU Da Cc No Sr MD UA BY EG CY IL Jt Pa JO Amm IR Mz SA KG Uk Ind
24. **Agdistis (Meridistis) meridionalis (Zeller,1847)** (Pterophoridae) Synonym(s): *meridionalis* Zeller,1847; *staticis* Millière,1875; *portlandica* Tutt,1906; *clivicola* Meyrick,1920; *tyrrhenica* Amsel,1952; *prolai* Hartig,1953. Cn MA TN Gf DZ ES Mu FR Co Sa Si IT MT GB YU HV AL GR TR CY IL Pa Hf
25. **Agdistis (s.str.) cypriota Arenberger,1983** (Pterophoridae) Synonym(s): *cypriota* Arenberger,1983 TN CY
26. **Agdistis (s.str.) heydeni (Zeller,1852)** (Pterophoridae) Synonym(s): *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920. Cn DZ TN PT ES FR Co Sa Si IT PL AL BG GR Cr TR SY IL Hf Js Pa LB Bsa CY
27. **Agdistis (s.str.) nigra Amsel,1955** (Pterophoridae) Synonym(s): *nigra* Amsel,1955 IL Hf Pa CY
28. **Agdistis (s.str.) protai Arenberger,1973** (Pterophoridae) Synonym(s): *protai* Arenberger,1973 Sa IT CY TR
29. **Agdistis (Tamaristis) tamaricis (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997. *Adactyla tamaricis* Zeller,1847, Isis 1847: 899. Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Elb Th Kz Sde IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf Pa JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 Hj SA39 EG EG05 EG11 SD GH YE
30. **Aglossa caprealis (Hübner,[1809])** (Pyrilidae) Synonym(s): *caprealis* Hübner,[1809]; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897 *Pyrilis caprealis* Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.23 fig.153 Type(s): Europa. PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ HU RO YU AL BG GR CY TR EG IL Pa Hf IR Elb Th Kdj Fa Com LB Cc GG AU

31. **Aglossa exsucealis Lederer,1863** (Pyrilidae) Synonym(s): *exsucealis Lederer,1863; ommatalis Hampson,1906* *Aglossa exsucealis Lederer,1863, Wien. ent. Monatschr. 1863: 341, pl.7 fig.10.* Type: Beirut (ZMB). LB Bei CY
32. **Aglossa pinguinalis (Linnaeus,1758)** (Pyrilidae) Synonym(s): *pinguinalis Linnaeus,1758; marmorella Geoffroy,1785; marmoratella Villers,1789; pinguiculatus Haworth,1809; pinguinatus Haworth,1809; guicciardii Constantino,1922* *Phalaena pinguinalis Linnaeus,1758, Syst. Nat. (Edn.10): 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 224).* PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK NO SE FI EE LV LT RU MD UA BY IR Ab EG CY IQ Bgd IL LB Ax KK Na AF Ca PK BI Qu AU
33. **Agonopterix scopariella (Heinemann,1870)** (Oecophoridae) Synonym(s): *scopariella Heinemann,1870; calycotomella Amsel,1958* PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK RO YU GR Cr CY DK NO SE EE RU MD UA Cm BY
34. **Agrapha accentifera (Lefèbvre,1827)** (Noctuidae) Synonym(s): *accentifera Lefèbvre,1827; la-aureum Freyer,1831; accifera Gaede,1937.* *Plusia accentifera Lefèbvre,1827, Mém. Soc. linn. Paris 6: 96-97, pl.5 f.2.* Type(s): [Italy]: Sicily, Madoniers Mts. PT ES Mu FR Co Sa Si IT GB AL GR Cr TR LB Bsa Ale Bei CY IL Pa SA YE OM ZA ET ET196 MG
35. **Agriphila brionella (Zerny,1914)** (Pyrilidae) Synonym(s): *brioniella Zerny,1914; #subbrioniella Amsel,1959.* *Crambus brioniellus Zerny,1914, Annln naturh. Mus. Wien 28: 298, Taf.xxv figs.4,5.* Lectotype ♂: Brioni grande, Istrien (NHMW). FR Sa Si IT SK HU RO YU AL BG Cr CY TR RU MD UA Cm IQ SY LB Bei
36. **Agriphila tolli (Bleszynski,1952)** (Pyrilidae) Synonym(s): *tollii Bleszynski,1952* *Crambus tolli Bleszynski,1952, Z. Wien. ent. Ges. 37: 149, Taf.16 figs.2,5.* Holotype ♂: Dalmatien: Ragusa. Co Si IT AT CZ SK HU RO YU HV AL BG GR Cr CY TR SY IQ Mos Shq IR RU MD UA Cm
37. **Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli Linnaeus,1758; abaddonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927* Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN AU NSW WS FJ SB TZ NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm Ye Ad Gor Elb TW Tn Ngl PK Kre Ask Cle BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt VI Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Mdo Mno Neg Pal Pan Sam Sga Siq Pre Brb Mpu Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab CMA Cuo Cuo3 Cmz Cz10 Tak Bnk Cbu Nst Phe Kln TW Cc AZ AM
38. **Agrochola (Anchoscelis) rupicapra (Staudinger,1879)** (Noctuidae) Synonym(s): *rupicapra Staudinger,1879* *Orthosia rupicapra Staudinger,1879, Horae Soc. ent. ross. 14: 390-392.* Syntypes 1♂ 2♀: [Türkei]: Taurus (Haberhauer leg.). BG GR TR CY IL Pa
39. **Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis [Denis & Schiffermüller],1775; pistacina Goeze,1781; rubetra Esper,[1791]; canaria Esper,[1791]; serina Esper,[1791]; lineola Donovan,1801 nec Panzer,1785; sphaerulatina Haworth,1809; venosa Haworth,1809 nec Hw.1809.* *Phalaena pistacina Goeze,1781, Ent. Beytr. 3(3): 213, nr.121.* DZ MA TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa Hf JO IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ
40. **Agrochola orientalis Fibiger,1997** (Noctuidae) Synonym(s): *orientalis Fibiger,1997* CY
41. **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma Esper,[1790]; crassa Hübner,[1803]; lata Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891.* PT MA DZ ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc CY IQ Brs Dia Ry Rww Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY JO
42. **Agrotis (Putagrotis) herzogi (Rebel,1911)** (Noctuidae) Synonym(s): *herzogi Rebel,1911; hoggari Rothschild,1920; minima Turati,1924; securifera Turati,1924; saracenic Tams,1925; leroyi Lucas,1940* *Agrotis haifae herzogi Rebel,1911, Verh. zool.-bot. Ges. Wien 61:[143]: Syntypes: Libanon: Chebak.* Cn MR MA DZ TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh IN SA
43. **Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) Synonym(s): *puta Hübner,[1803]; radius Haworth,1803; renitens Hübner,[1824]; lignosa Godart,1825; erythroxylea Treit.,1826; radiola Stephens,1829; catalaunensis Milliere,1873; meridionalis Spuler,1905; andreasi, minima, silvestrii Turati,1924; insula Richardson,1958.* *Noctua puta Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.52, fig.255.* Type: [Europa]. MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn
44. **Agrotis (Putagrotis) syricola Berio,1936** (Noctuidae) Synonym(s): *#syricola Corti & Draudt,1933; syricola Berio,1936* *Agrotis puta ssp. syricola Berio,1936, Annali Mus. civ. Stor. nat. Giacomo Doria 59:81.* Syntypes: [Turkey]: Maraş, Akşehir. Si IT AL GR Cr CY TR IL Pa JO
45. **Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae) Synonym(s): *spinifera Hübner,[1808] nec Vill.,1789; biconica Kollar,[1844].* *Agrotis biconica Kollar,[1844], [in] Hügel F.v.,Kashmir.. 4 (2): 480.* Type(s): [India]: Himalaya: Massuri. Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Elb Gh Mz Ss Th Pa DJ DJ44

46. **Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. **Phalaena** *exclamationis* Linnaeus,1758, *Syst. Nat. (Edn.10) 1: 515*. **Lectotype** ♂: Europa, designated by Mikkola & Honey,1993. **MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Kc Kh Fa Bk MN UZ KK KG CN Ui Ku Tlk AF Hr Pli Adr Iq Mos LB Bsa IL Pa**
47. **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. **Phalaena** *ipsilon* Hufnagel,1766, *Berl. Mag. 4 (2): 416*. **Type(s): [Germany]: Berlin. PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing Da Kyi ET ET24**
48. **Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. **Noctua segetum** [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend:81,t.1,f.3*. **Type(s): [Austria]: Vienna district. Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY JO Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Kz Hz UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24**
49. **Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933. **Noctua trux** Hübner,[1824], *Samml. eur. Schmett., Noct. 2: Taf.155, figs.723-725*. **Syntypes: [France]: Wallis. ZA Tva Gau Pre MR MA DZ TN Cn PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY EG IR Gh Ss Hz IQ Agh Bgd LB SY IL Hf Pa JO**
50. **Alloclita recisella Staudinger,1859** (Cosmopterigidae) **Synonym(s):** *recisella* Staudinger,1859; *albocinctella* Chrétien,1915; *orthoclina* Meyrick,1922; *inconspicua* Turati,1929; *gelechiformis* Turati,1930 **ES Si IL Pa Hf CY**
51. **Allophyes asiatica (Staudinger,1892)** (Noctuidae) **Synonym(s):** *asiatica* Staudinger,1892 **Miselia oxyacanthae** var. *asiatica* Staudinger,1892, *Dt. ent. Z., Iris 4: 283-284*. **Syntypes: [Türkei]: Amasia. GR TR CY**
52. **Alophia combustella (Herrich-Schäffer,[1855])** (Pylalidae) **Synonym(s):** *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910. **PT ES Mu FR Sa Si IT MT HU RO YU GR Tyg TR IR CY IL Pa Hf LB Bsa JO RU MD UA BY**
53. **Altenia elsneriella Huemer & Karsholt,1999** (Gelechiidae) **Synonym(s):** *elsneriella* Huemer & Karsholt,1999 **HV GR CY**
54. **Altenia modesta (Danilevsky,1955)** (Gelechiidae) **Synonym(s):** *modesta* Danilevsky,1955 **DZ HV CY Cc AM TM KK**
55. **Alucita cinnerethella Amsel,1935** (Alucitidae) **Synonym(s):** *cinnerethella* Amsel,1935 **TR CY IL Pa IR Fa Shr**
56. **Alucita klimeschi Scholz,1997** (Alucitidae) **Synonym(s):** *klimeschi* Scholz,1997 **CY TR**
57. **Amblyptilia acanthadactyla (Hübner,[1813])** (Pterophoridae) **Synonym(s):** *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895. **MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr DK NO SE EE LV LT RU MD UA BY TR CY IR**
58. **Amephana dalmatica (Rebel,1919)** (Noctuidae) **Synonym(s):** *dalmatica* Rebel,1919 **Cleophana dejeani dalmatica** Rebel,1919, *Verh. zool.-bot. Ges. Wien 69:107*. **Syntypes: Dalmatien. Sa? YU AL BG GR TR CY**
59. **Ammoconia aholai Fibiger,1996** (Noctuidae) **Synonym(s):** *aholai* Fibiger,1996 **Ammoconia aholai** Fibiger,1996, *Esperiana 4: 269-271, 8 figs*. **Holotype** ♂: Cyprus, K.K.T.C., Akcicek, 700m, 27.xii.1993, M.Ahola leg., coll.M.Fibiger. **CY**
60. **Amphipyra micans Lederer,1857** (Noctuidae) **Synonym(s):** *micans* Lederer,1857 **Amphipyra micans** Lederer,1857, *Wien. ent. Monatschr. 1:94*. **Type(s): [Libanon]: Beirut. RO MK BG GR LB Bei TR Cc IR Es CY IL Pa Hf**
61. **Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) **Synonym(s):** *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766. **[Phalaena] tragopoginis** Clerck,1759, *Icones Ins. rariorum 1: Taf.1 fig.5*. **Schweden. MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG AZ AM Cc LB IR Fa Lo By Yas Ke Mia Kz DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb At MD UA BY Ch IN Hp Kul CA US Pns Mss Ny**

62. **Amphithrix sublineatella (Staudinger,1859)** (Pyralidae) Synonym(s): *sublineatella* Staudinger,1859 *Nephopteryx sublineatella* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 223. PT ES Mu FR Co Si YU IL LB CY
63. **Anarpia incertalis (Duponchel,1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846 MA DZ TN PT ES FR Co Sa Si IT YU GR Cr TR Cc AM RU IR Elb Mz Dam IL Pa LB Bsa CY B-H
64. **Anatrachyntis simplex (Walsingham,1891)** (Cosmopterigidae) Synonym(s): *simplex* Walsingham,1891; *gossypiella* Walsingham,1906; *hemizopha* Meyrick,1916; *repandatella* Legrand,1965; *flexiloquella* Riedl,1994 *Pyroderces simplex* Walsingham,1891, Trans. ent. Soc. London 1891: 19, pl.6 fig.58. Syntypes ♂♀: Gambia. MA ES PT EG GB MW SC SN KE CY GM IN MM ID Ja TW MU PH Luz Mno
65. **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909 *Tinea palpella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. DZ PT ES FR IT BE AT SK HU RO YU AL BG GR CY RU MD UA BY IR IQ Shq Amr Mos IL Pa LB TR Cc EG TM Kp KG
66. **Ancylolomia pectinatella (Zeller,1847)** (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847 *Crambus pectinatellus* Zeller,1847, Isis 1847: 747. Type ♂: Sizilien. Si IT MT HU YU BG GR Cr TR IL Pa Hf LB IQ Mos IR Ahz CY SY
67. **Ancylolomia tentaculella (Hübner,1796)** (Pyralidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949. *Tinea tentaculella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.33 fig.230. Type(s): Europa. PT ES FR Co Sa Si IT MT GB CH RO YU AL BG GR Cr TR RU Ur MD UA Cm BY CY Cc GG Lag JO IL Pa Hf IQ Dia IR LB
68. **Ancylolomia (Cabotia) oblitella (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. *Ephestia oblitella* Zeller,1848, Isis 1848: 597. Lectotype ♂: Russland: Sarepta (Roesler,1973: 440). MA TN DZ LY Cy PT ES FR Sa IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG TM Kp MN NP
69. **Ancylolomia (Heterographis) convexella (Lederer,1855)** (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albicieliella* Staudinger,1859; *favorinella* Zeller,1867 *Myelois convexella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 222, t.4 fig.9. Lectotype ♂: Libanon: Beirut (designated by Roesler,1973, Microlepid. palaearkt. 4: 401) (ZMB). Cn MA DZ TN LY Cy ES Mu MT YU GR IR Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc
70. **Ancylolomia (Heterographis) hellenica (Staudinger,1870)** (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. *Myelois rhodochrella* var.? *hellenica* Staudinger,1870, Horae Soc. ent. ross. 7: 209210. Tab.2 fig.18. Syntypes 4♂: Griechenland: Attica. LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb Kj Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br
71. **Ancylolomia (Heterographis) rhodochrella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. *Pyralis rhodochrella* Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 6: 147. Type ♂: [Algerien]: Lambessa. DZ PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb Kj Th Kh Msh Fa Shr IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN
72. **Ancylolomia (Syria) biflexella (Lederer,1855)** (Pyralidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medicalba* Rothschild,1921; *latakiella* Amsel,1952; *fuscella* Amsel,1961. *Myelois biflexella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 222, t.4 fig.10. Type ♀: [Libanon]: Beirut (ZMB). Cn MA DZ TN LY Cy EG EG11 YE SA SA63 SD BH IL Hf Jf Js Pa CY SY Ltk IR Ss Irs Ahz LB Bei
73. **Angustalius malacellus (Duponchel,1836)** (Pyralidae) Synonym(s): *malacellus* Duponchel,1836 *Crambus malacellus* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 61 Taf.270 fig.5. Type ♀: Spanien: Malaga. PT ES Grn An FR Sa Si IT GR Cr CY TR SY IL LB Cc GG ET ZA MG IR ET PH TW AU
74. **Antarchaea conicephala (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870; *fumicollis* Rogenhofer,1873. *Thalpochares conicephala* Staudinger,1870, Berl. ent. Z. 14: 121. Syntypes: [Spanien]: Catalonia, Malaga; Macedonia; [Iran]: Persia. MA SD FR ES An Mlg Mu BG MK GR Cr CY RU IR Hz Ss Ab Mak Elb Th TR Cc
75. **Antennola impura (Mann,1862)** (Noctuidae) Synonym(s): *impura* Mann,1862 GR TR CY LB Bei IL Pa Hf SY T-S CN Ui Ku
76. **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911 *Papilio cardamines* Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Type(s):[Europe]. Aa AL AM At AT Ba BE BG B-H Bs BY CH CN Co CY CZ DE Dj DK EE ES FI FR GB GR HU HV IE IL IQ IR IT Kb KG KK Kr Ku LB Le LT LU LV MK Mn NL NO Or PL Pt Pw RO RU Sa SE Sem Si Sj SK Sm Sms So Sp Sr SS SY Teb Tk TM To TR Tra T-S Tt Ty UA Ui Uk Vt YU Cw Dv Smt Mu Sr VI H-W Sur Ssx Ken Mt Ko Sof Ril Rg Rtc Mkl Trb Ti Kts Bn Ax DsA His Al Gh Pa Hf Gh Kas Shq Rvw Cc
77. **Anthophilopsis moeschleri (Christoph,1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph,1862 RU TM Kp TR IR Th Kdj Fa Se Cc AM AZ Kir IL Pa CY AF Kab Arh Dwe Gbh Srb Pic Pli Pag

78. **Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851] *Ophiusa eriopoda* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 403. Type (s): [Türkei]: Brussa [Bursa]. RO MK BG GR CY TR SY LB IL Hf Pa
79. **Antigastra catalaunalis (Duponchel,1833)** (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929 PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Kdj Ss Irs Ke Ana AF Srb Dwe Kab Gbh Hr Bkt TR YE Sk EG IL Hf Pa IN CN TW JP AU ZA
80. **Apamea monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766. *Phalaena monoglypha* Hufnagel,1766, Berl. Mag. 3(3): 308. Type(s): Germany: Berlin. PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR AZ AM GG Cc IR Fa Es Zj Ha Mz Elb Dam Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY LB Bsa SY CN
81. **Apamea syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. *Parastichtis monoglypha* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23: 70. Syntypes: [Türkei]: Maraş, Durnali. ES FR HU RO CZ MK BG TR Cc GR IR Ab Oru Elb Th CY IQ Brs Ry R wz Dia LB Bsa Bei SY IL Pa
82. **Apatema fasciatum (Stainton,1859)** (Autostichidae) Synonym(s): *fasciata* Stainton,1859; *coarctella* Rebel,1896; *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *proteroclina* Meyrick,1938; *impunctella* Amsel,1940; *melitensis* Amsel,1942 *Gelechia fasciata* Stainton,1859, Ann. Mag. nat. Hist. (3) 3: 213. FR MT CY Cn IT Sa HV IL Pa Js
83. **Apatema mediopallidum Walsingham,1900** (Autostichidae) Synonym(s): *mediopallidum* Walsingham,1900 PT ES FR Co Sa Si IT MT AT HU RO YU AL BG GR Cr TR CY
84. **Aphomia sociella (Linnaeus,1758)** (Pyralidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. *Phalaena sociella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 534. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 231). PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Elb Th Kdv Dam KG Tk Dj CN Ui Ku AU
85. **Aphomia unicolor (Staudinger,1870)** (Pyralidae) Synonym(s): *unicolor* Staudinger,1870 *Melissoblaptis unicolor* Staudinger,1870, Horae Soc. ent. ross. 7: 212. Type ♂: Greece. DZ ES GR BG IT Si TR RU CY KG Uk
86. **Apiletria (s.str.) luella Lederer,1855** (Autostichidae) Synonym(s): *luella* Lederer,1855 DZ JO IL Pa CY TR LB Bei Bsa Bmm
87. **Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861 *Phalaena ononaria* Fuessly,1783, Arch. Insektengesch. 3: pl.17 figs. 1-5. Syntypes: [Europe]. PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IQ LB Bsa JO SY RU MD UA BY IL Pa He IR AM Cc
88. **Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. *Phalaena plagiata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa. PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ R wz IR Fa Sse Com Kz CY DK NO SE FI EE LV LT RU Krl MD UA BY CN Ui Ju IL Pa Js He LB Bsa
89. **Apochima flabellaria (Heeger,1838)** (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915. *Amphidasis flabellaria* Heeger,1838, Beiträge zur Schmett.: 6, pl.1 figs. 6-11. Syntypes: [Italia]: Sicilia: Palermo. ES Sa Si IT MT YU BG GR Rd Cr TR Cc GG LB RU IQ Bgd Mj CY IL Pa Js Jf JO
90. **Apomyeloides ceratoniae (Zeller,1839)** (Pyralidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *riularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950 *Myeloides ceratoniae* Zeller,1839, Isis 1839: 176. Type(s): Österreich: Laibach (BMNH). TN DZ SD PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT CZ HU RO YU AL BG GR Cr CY TR IR IL Pa Hf KK Ax DK NO SE FI LV RU MD UA BY SD ZA AU ID Sum US FI IN SI Ass
91. **Apomyeloides cognata (Staudinger,1871)** (Pyralidae) Synonym(s): *cognata* Staudinger,1871 GR RU Sr CY?
92. **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. *Papilio crataegi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe]. Ae AF AL AM Ao At AT AZ Ba BE BG B-H Bs BY Cb CH CN CY CZ DE DK DZ EE ES FI FR GG Gn GR HU HV IL IQ IR IT JP Kg KG KK KP Kr Krl LB LT LU LV MA MK MN NL No NO Om Or PL Pm PT Rd RO RU Sb SE Si Sj SK Sm So Sr SS SY Sz Ti TJ TM To TR Ts Tt UA Ui Uk Vl Tm T-S Aq Ax Bog Dg Dsa Dsa Ka Kt Ktm KuA Kw Mn Pp Pw Rk Sp Syr Tar TeA Tk TrA Ze Mt Ko Sjv Sof Ril Slv Rtc Rg Vrn Beo JO Ktn Bn Kp Kh Ab Ak Kz Fa Ke Lo Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Cc Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio Seg San Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Yz TN Kml
93. **Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *grisealis* Caradja,1917; *#florealis* Rebel,1939 *Pyralis floralis* Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.142. Type(s): Europa. TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB

- AF Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm CN Ui Yk PK Sd Krc Hf Cc IN Mh Bba Kz Sde Irs PL
94. **Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis Boisduval,1829* *Xylina australis Boisduval,1829*, Genera Index meth. Eur. Lep. Add.:6. Type(s): [France]: Gallo prov. ES FR Co Sa Si IT IE GB BE NL RO YU AL BG GR Cr TR CY IQ LB IL Pa Hf JO
95. **Aporophyla canescens (Duponchel,1826)** (Noctuidae) Synonym(s): *canescens Duponchel,1826*; *pumicosa Geyer,[1832]*; *asphodeli Rambur,1832*; *plumbea Staudinger,1895*; *plumbina Osthelder,1933*. *Noctua canescens Duponchel,1826*, Hist. nat. Lépid. pap. France 6:422. Syntypes: [France]: Castelnaudary. PT ES Co Sa Si IT MT CH YU AL BG GR Cr Rd TR IQ IL Pa Js Hf LB JO CY IR Km Fa Shr Bu Dlk
96. **Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula Ström,1783 nec Hfn.,1766*; *nigra Haworth,[1809]*; *nigricans Hbn.,[1813]*; *aethiops Ochsenheimer,1816*; *seileri Fuchs,1901* *Noctua nigra Haworth,[1809]*, Lep. Br. 2:192. Type(s): England. PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ
97. **Archanara geminipuncta (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta Haworth,1809*; *paludicola Hübner,[1817]*. PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU Cc Ro Ich Kyi Da MD UA BY
98. **Archanara wiltshirei Bytinski-Salz,1936** (Noctuidae) Synonym(s): *wiltshirei Bytinski-Salz,1936* SY IQ LB CY
99. **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *pandora [Denis & Schiffermüller],1775*; *maja Cramer,1775 nec Fabricius,1775*; *cynara Fabricius,1777*; *cyrnea Schwerda,1926*; *transcaucasica Moucha,1967*; *deserticola Gross & Ebert,1975*. *Papilio pandora [Denis & Schiffermüller],1775*, Ankündigung syst. Werkes Schmett. Wienergegend: 176. Type(s): Austria: Vienna district. AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ VI YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr Mu Mu18 Um Ae CY T-S Elb Th Nv Ord Tbl Bjo Smt Cc Mos
100. **Ascotis selenaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#selenaria [Denis & Schiffermüller],1775*; *dianaria Hübner,[1817]*; *#selenaris Okyar & Aytac,1999* *Geometra selenaria [Denis & Schiffermüller],1775*, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district. ES FR Co Sa Si IT MT LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ RU MD UA BY IL Pa Mer CY
101. **Aspitates ochrearia (Rossi,1794)** (Geometridae) Synonym(s): *ochrearia Rossi,1794*; *sulphuraria Fabricius,1794*; *trifoliaria Haworth,1809*; *citraria Hübner,[1826]*; *laetula Hulst,1896*; *parvularia Lempke,1953* *Phalaena ochrearia Rossi,1794*, Fauna Etrusca 2: 33, pl.7N. Syntypes: Italy: Etrusca. DZ PT ES Mu FR Co Sa Si IT MT GB BE NL RO YU AL BG GR Rd TR CY IQ Dia RU MD UA BY IL Pa Car US
102. **Assara conicolella (Constant,1884)** (Pyalidae) Synonym(s): *conicolella Constant,1884* *Euzophera conicolella Constant,1884*, Anns Soc. ent. Fr. 4: 209. Lectotype ♂: Frankreich: Alpes Maritimes (designated by Roesler,1973, Microlepid. palaearkt. 4: 141) (MNHNP). TN PT ES Mu FR Co CY
103. **Atethmia ambusta (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta [Denis & Schiffermüller],1775*; *ambusta Fabricius,1787*; *xerampelina Esper,1793* *Noctua ambusta Fabricius,1787*, Mant. Ins. 2: 152, nr.129. Type(s): [Wien]. IT DE CH AT PL CZ SK HU RO YU BG GR LT RU Cc Ro MD UA BY CY TR LB IL Pa Js
104. **Atethmia centrago (Haworth,[1809])** (Noctuidae) Synonym(s): *centrago Haworth,[1809]*. *Noctua centrago Haworth,[1809]*, Lepid. Br.:236. Type(s): England. PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM Eri Cc GG Bjo TR CY LB Bei IL Js Pa SY JO Sn EG RU Ro Kr MD UA BY IR Elb Th Fa Shr TM Kp PK
105. **Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma Linnaeus,1758*; *messmeri Schadewald,1992*; *voelkeri Schadewald,1992*. *Phalaena gamma Linnaeus,1758*, Syst. Nat. (Edn.10)1: 513. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24
106. **Autophila (Cheirophanes) anaphanes Boursin,1940** (Noctuidae) Synonym(s): *anaphanes Boursin,1940* *Autophila anaphanes Boursin,1940*, Mitt. münch. ent. Ges. 30: 522-523, Taf.xi fig.78. Holotype ♂: Libanon: Shweir 1.viii.33 Wiltshire leg. (coll.Boursin). YU AL BG GR Cr CY TR LB
107. **Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida Hübner,[1808]*; *praeclara Schawerda,1918*; *argentea Caradja,1930*; *troniceki Reisser,1958*. *Noctua dilucida Hübner,[1808]*, Samml. eur. Schmett. 4, Noctuae: Tab.82 fig.383. Type(s): Europa. PT ES An Mlg Mu FR Co Sa Si IT MT CH AT RO YU B-H AL BG GR Cr CY TR RU MD UA BY CN Ui Ku
108. **Autophila (s.str.) einsleri Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa Zerny,1933*; *einsleri Amsel,1935*; *luxuriosa Schwingenschuss,1939*. *Autophila einsleri Amsel,1935*, Zoogeographica 2: 274. Syntypes: Georgskolster, Jericho, Ain Karim, Jordanbrücke. TR CY IR Elb Mz Fa Ke Ss Es OM GG TM Kp LB Bsa RU Cc Kr Ing
109. **Azanus (s.str.) jesous (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *jesous Guérin-Méneville,1849*; *agave Walker,1870*; *sigillata Butler,1876*. *Polyommatus jesous Guérin-Méneville,1849*,

- [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 383, pl.11 figs.3,4. Type(s): [Ethiopia]: Abyssinie. Ad AO As BF BI BJ BW CF CG CI CM CY Dh DJ DZ EG EH ER ET GA GH GM GN Hd Hj IL Pa Hf IR JO KE LB LR LY MR MZ NE NG OM RW SA SD SO SZ TD TG TZ UG YE ZA Tva Lpo Spb Mdk Kru Pma Pf Gau Pre Nta Kzu Wnn ZM ZR ZV MM IN LK
110. **Basistriga flammata** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. *Noctua flammata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL Pa SY JO Sn EG IQ Mos TIH DK RU At Sb MD UA BY CN Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rw Ti SI UZ N-A KK TrA Ro St Nt Kb Ich Ing Kyi Da
111. **Bedellia somnulentella** (Zeller,1847) (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953 Md PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI LV LT RU MD UA BY DZ KG Uk UZ TR CY SA ZA Tva Lpo Hae JP AU NZ TH
112. **Bembecia (Pseudosphecia) stiziformis** (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara De Freina*,1983; *tubercula De Freina*,1983; *barbarossa De Freina*,1983. TR CY IR Elb Shh Cc AZ Tlh TM Kp PK
113. **Bembecia ichneumoniformis** ([Denis & Schiffermüller],1775) (Sesiidae) Synonym(s): *ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910 *Sphinx ichneumoniformis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 44. Type(s): Vienna district. PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV RU MD UA BY IR Elb Th Cc AM Kho
114. **Blastobasis phycidella** (Zeller,1839) (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847 DZ Cn PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LT RU MD UA BY LB Bsa Bmm
115. **Bradyrrhoa confiniella** Zeller,1848 (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969 *Bradyrrhoa confiniella* Zeller,1848, Isis 1848: 683. Lectotype ♂: Libanon: Beirut (Roesler, 1993: 92). MA Co Si IT MT YU AL BG GR Cr TR SY IL Pa LB Bei CY RU MD UA Cm BY
116. **Bryotropha arabica** Amsel,1952 (Gelechiidae) Synonym(s): *arabica* Amsel,1952 MA DZ TN Gf LY Cy ES Mu FR BG CY GR MK Cc AZ IQ Shq Mos TR SY Dms IR Fa Kd IL Pa Amm LB Bsa JO Pet TM
117. **Bryotropha azovica** Bidzilya,1996 (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996 UA CY TR MK BG GR
118. **Bryotropha domestica** (Haworth,1828) (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algiricella* Chrétien,1917 MA DZ TN Gf LY Cy PT Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK HU HV YU AL GR Cr LB Bsa Bei Cc AM Eri CY TR IR Fa IL Pa Js JO Amm SA As Ye Sna TM
119. **Bryotropha hendrikseni** Karsholt & Rutten,2005 (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005 CY BG Cr HV MK TR UA Cm TM Kp
120. **Bryotropha hulli** Karsholt & Rutten,2005 (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005 CY HV GR TR BG MK SY
121. **Bryotropha sabulosella** (Rebel,1905) (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905 Lita *sabulosella* Rebel,1905, Annl. naturh. Mus. Wien 20: 211-212. Type ♀: [Türkei]: Erdschias Geb. (Gereme) (NHMW). Cc TR CY IR Elb Th Snj MK
122. **Cacoecimorpha pronubana** (Hübner,[1799]) (Tortricidae) Synonym(s): *pronubana* Hübner,[1799]; *ambustana* Frölich,1830; *herminiana* Treitschke,1835; *insolatana* Lucas,1848; *perochreana* Herrich-Schäffer,1856; *obsoletana* Strand,1901 DZ PT ES FR Co Sa Si IT MT IE GB BE NL CH RO AL GR Rd CY TR SY Hal DK ?ZA UA Cm
123. **Cadra cautella** (Walker,1863) (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 *Pempelia cautella* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 73. Type ♂: [Syri Lanka]: Ceylon. Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW
124. **Cadra figulilella** (Gregson,1871) (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *halfaella* Roesler,1965. *Ephestia figulilella* Gregson,1871, Entomologist 5: 385. Type(s): England: Liverpool. Cn MR MA DZ TN LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU
125. **Calocuccia celsiae** (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850] *Cuccia celsiae* Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:311. Syntypes: [Greece]: Saloniki [=Selanik]. HU RO MK AL BG GR CY TR IL Js Hf Pa Cc AM IQ IR LB Ale JO
126. **Caloptilia (s.str.) roscipennella** (Hübner,1796) (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-

- Schäffer,1855; juglandella Mann,1867 Cn Md ES FR Co Sa? Si IT BE DE CH AT PL CZ SK HU RO MK TR CY
GR RU MD UA BY TJ KG IR IN
127. **Canephora villosella (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella*
Ochsenheimer,1810 ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK SE
FI EE LV LT RU Pt Mo Tt Ur Or At Ir MD UA BY KG Ssn AZ Nv Ord GG Tbl Kir Hkd Cc LB Bsa
128. **Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercisus*
Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997. *Oxyptilus celeusi* Frey,1886,
Stettin ent. Ztg. 47: 18. Lectotype ♀: Deutschland: Bayern, designated by Arenberger,2002 (BMNH).
ES FR IT DE CH AT CZ SK HU YU HV MK B-H AL BG GR TR Cc CY RU Kc Teb MD UA Cm BY TM Kp K-K IR Ss
Irs LB Bsa
129. **Caradrina (Boursinidrina) syriaca (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca*
Staudinger,1892 *Caradrina vicina* var. ? *syriaca* Staudinger,1892, Dt. ent. Z., Iris 4: 294-295.
Syntypes 1♂ 5♀: [Libanon]: Syrien (Beirut). LB Bsa Bei BG GR Rd TR IL Hf Pa JO Amm SY CY
130. **Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina*
Staudinger,1870; *perspicua* W.Warren,1911 *Caradrina vicina* Staudinger,1870, Berl. ent. Z. 14: 118.
Lectotype ♂: [Russia]: Sarepta (MNHU). IT MT BG CY TR RU Sr Cc Da AM TM Kp AF PK Hu TJ Pm IR Fa
Kh KuB Elb Th Plr LB IL Pa CN Ui KG KK
131. **Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) Synonym(s): *ingrata*
Staudinger,1897 *Caradrina ingrata* Staudinger,1897, Dt. ent. Z., Iris 10: 175, Taf.iv fig.13. Syntypes:
Palestina: Haifa; [Libanon]: Beirut. MR MA DZ LY Cy PT ES FR Co Si? CH GR Cr TR LB Bei IL Hf Pa SY JO
IQ Amr CY EG SA BH
132. **Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852;
indicata Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
Caradrina atriluna Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 252. Lectotype ♂:
[Ethiopia]: Abyssinie, designated by Viette (1951) (MNHNP). ZA ET LY EG Sn IL Pa LB CY JO TR IR Hz
Fa Ss Hz B-A CY
133. **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis*
Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775;
leucoptera Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri*
Kobes,1975 *Phalaena clavipalpis* Scopoli,1763, Entomologia Carniolica: 213. Type(s): [Slovenien]:
Carniolia [Krain]. MA MR DZ TN EG PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU
RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG UK SD SA IQ Agh Ry R wz Dia Brs Kum IR
Fa Es Plr Dam Kdj PK AF Hk Hr MN CN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa SY JO TJ UZ N-A PK Th Kd Kz
Yas Mia
134. **Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena*
Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
Caradrina flavirena Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noctuelites 1: 250.
Type(s):- MA TN PT ES Mu FR Co Sa Si IT MT CH YU AL BG GR Cr TR Cc IL Pa CY RU IQ Agh Mos Bgd IR Elb
Kdj Th
135. **Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840;
selinoides Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigenbach-Stehlin,1876; *minor* Staudinger,1897;
#puengeleri Draudt,1934; *telekii* Dioszeghy,[1935] MA DZ TN LY EG JO PT ES Mu FR Co Sa Si IT BE NL
DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc CY IL Pa Hf IR Mz Elb Dam Plr DK NO SE FI EE LV LT RU MD
UA BY KG
136. **Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
Cr CY LB Bei JO IL Pa TR EG IR Fa Shr
137. **Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa*
Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913. *Caradrina aspersa* Rambur,1834,
Annl. Soc. ent. Fr. 1834: 385, Pl.8 fig.3. MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU YU AL BG GR
Cr TR Cc IR Fa Kh TM Kp RU Nt Sb LB IL Pa Hf CY
138. **Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836
Noctua kadenii Freyer,1836, Neue. Beitr. Schmett. 2: 147. PT ES FR Co Sa Si? IT CH AT PL CZ SK HU RO
YU MK AL BG GR Cr TR LB Bsa EE RU Ro Kr St Nt Kyi MD UA IR Elb Mz TM AZ Cc GG AM CY IL Pa
139. **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780];
malvae Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus*
Picard,1948. *Papilio alceae* Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland:
Erlangen. AF AL AM Ao AT AZ Ba BE BG BY Ch Ci CN Co Cr CZ DE ES FR Gg GG GR Rd Gs Hd Hp HU IN IQ IR
IT Kab KG Kr Ku LB Ld LU MA Mre Mus NL Pag PK PL PT RO RU Sa Si SK Sm Sml So Sr TM TN TR UA Ui Uk
Up Vi YE YU Mt Ko MK SS At Mn Sp Tk Aa Tm Sau Tar Dsa Ax Tls TrA T-S Mu CH HV B-H DZ Bn CY IL Pa Hf
Cc
140. **Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
Pyralis quercana Fabricius,1775; Syst. Ent.: 652. Type(s): Saxonia, on *Quercus*. PT ES FR Co Sa Si IT IE
GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LB Bsa DK NO SE FI RU MD UA BY
141. **Cardepija affinis Rothschild,1913** (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigli*
Turati,1921; *strobilacei* Dumont,1925. Cn MA TN ES Mu CY LB IL Pa SY JO EG Sn IR Fa
142. **Cardepija deserticola Hampson,1905** (Noctuidae) Synonym(s): *deserticola* Hampson,1905
Cardepija irrisor ssp. *deserticola* Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 235. Type: Syria. Cn
MA DZ TN LY Cy ES Mu CY TR SA SA63 AE JO SY Hms Pmy EG IR Es Ss Kz

143. **Cardepi** **hartigi** **Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981 **Cardepi** *hartigi* Parenzan,1981, Entomologica Bari 16: 97. Holotype: Italia: Südditalia. IT GR TR UA CY
144. **Carpatolechia humeralis** (**Zeller,1839**) (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübn.,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964. **Gelechia humeralis** Zeller,1839, Isis Leipzig 1839: 200. Lectotype ♀: Poland: Siesia, Glogow, designated by Sattler (1982:20) (BMNH). Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE RU Ur MD UA BY CY KG
145. **Casilda antophilaria** (**Hübner,[1813]**) (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. **Geometra antophilaria** Hübner,[1813], Samml. eur. Schmett. 5: pl.84, fig.433. Type: Europa. ES FR IT YU AL GR Rd Cr CY TR RU UA Cm Cc AM GG AZ IR IQ CN Ui Ku KG
146. **Casilda consecraria** (**Staudinger,1871**) (Geometridae) Synonym(s): *consecraria* Staudinger,1871; *intermediaria* Turati,1930 MA DZ TN LY Cy ES Mu FR Sa Si IL Pa Js Tbs Hf CY EG SA IR Fa TM KG UZ
147. **Catarhoe cupreata** (**Herrich-Schäffer,1839**) (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839 DZ Sa Si GR Rd Cr TR IL LB CY
148. **Catephia alchymista** (**[Denis & Schiffermüller],1775**) (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775 **Noctua alchymista** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. MA DZ TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR AZ Hkd Cc IR IQ Mos CY IL Pa LV LT RU Ro St Kr Ich Da MD UA BY
149. **Catharia pyrenaealis** (**Duponchel,[1843]**) (Pyralidae) Synonym(s): *pyrenaealis* Duponchel,1843 FR IT CH AT CY IL Pa LB TR
150. **Catocala (Ephesia) nymphaea** (**Esper,[1787]**) (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]. **Phalaena nymphaea** Esper,[1787], Die Schmett. 4:158, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU RO MD UA BY Ch PK AF Srb Gbh Bm Pag Kab CY IL Pa IR Elb Th Kz Yas Skh
151. **Catocala (s.str.) conversa** (**Esper,1783**) (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813] **Phalaena conversa** Esper,[1787], Die Schmett. 4:368, Tab.105 Noct. 26B fig. 1-3. Syntypes: Italia: Florenz. MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR CY DK RU Ro Kr MD UA Cc AM GG AZ LB Bsa IL Pa
152. **Catocala (s.str.) dilecta** (**Hübner,[1808]**) (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *laetitia* Schawerda,1931 **Noctua dilecta** Hübner,[1808], Samml. eur. Schmett. Noct.2: Taf.83 fig.388 Type(s): Europa. PT ES Mu FR Co Sa Si IT DE CH AT SK HU RO YU BG GR Cr CY TR RU MD UA BY
153. **Catocala (s.str.) disjuncta** (**Geyer,[1828]**) (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 nec Hulst,1884; *fumigata* Kuznetsov,1903. YU B-H AL BG GR CY Cr Rd TR RU Cc Kr MD UA BY
154. **Catocala (s.str.) elocata** (**Esper,[1787]**) (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] **Phalaena elocata** Esper,[1787], Die Schmett. 4: 127, Tab.99 Noct.20 fig. 1,2. Syntypes: [Deutschland]: Erlangen, Uffenheim. MA PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR AZ Len Cc IR Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL Pa SY IQ Bgd JHa JO CN Ui Ku Chk UZ Fe
155. **Catocala (s.str.) nymphagoga** (**Esper,[1787]**) (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865 **Phalaena nymphagoga** Esper,[1787], Die Schmett. 4:159, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr Rd CY IR Fa Kz Yas Skh TR RU MD UA BY LB Bsa IL Pa JO IQ
156. **Catocala (s.str.) promissa** (**[Denis & Schiffermüller],1775**) (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813] **Noctua promissa** [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 90. Type(s): [Austria]: Vienna district. PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR DK SE FI EE LV LT RU Cc Ro Kr St Ich Ing MD UA BY
157. **Catoptria dimorphella** (**Staudinger,1881**) (Pyralidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganey & Hacker,1984 **Crambus dimorphellus** Staudinger,1881, Horae Soc. ent. ross. 16: 81. Lectotype ♀: [Türkei]: Amasia (Bleszynski,1965: 282). ES Si GR Cr TR CY
158. **Catoptria mytilella** (**Hübner,[1805]**) (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954. **Tinea mytilella** Hübner,[1805], Samml. eur. Schmett. 8, Tineae: Tab.42 fig.287. Type(s): Europa. ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL RU Sb BG GR CY TR Cc AM
159. **Celastrina argiolus** (**Linnaeus,1758**) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. **Papilio argiolus** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type ♀: Europa (Linnean coll. London) [gen.vern.]. He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG KK Ku LT LU LV MA MK MT NL NO PL PT Rd Ro RU Sa SE Si SK Sm So Sr TM TN TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA TrA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon Wc Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm

- Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Ws Wy Nsr TH CMA CDo MM NP IN Clc SI Slo Ass VN Ann Cc
160. **Ceutholopha isidis (Zeller,1867)** (Pyrilidae) **Synonym(s):** *isidis* Zeller,1867; *aequalisella* Lucas,1948; *parallelineata* Lucas,1950. **Nephoteryx (Ceutholopha) isidis** Zeller,1867, Stettin ent. Ztg. 28 (10/12): 375-376. **Type ♂:** Aegypten: Manfalut. TN MT MA Co EG LY Cy CY PK Krc Sd IR Ss Irs Ana Ke ZA
161. **Chamaesphecia masariformis (Ochsenheimer,1808)** (Sesiidae) **Synonym(s):** *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966 ES IT AT CZ SK HU RO YU AL BG GR Cr CY TR RU MD UA BY IR LB SY
162. **Chamaesphecia proximata (Staudinger,1871)** (Sesiidae) **Synonym(s):** *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927 YU BG GR CY TR IL Pa IR
163. **Charadraula cassandra Gozmany,1967** (Autostichidae) **Synonym(s):** *cassandra* Gozmany,1967 *Charadraula cassandra* Gozmány,1967, Acta zool. hung. 13: 275, fig.2. **Holotype ♂:** Syrien: Aleppo: "Shar Deresy Haleb" (NHML). RO Cr SY TR CY
164. **Charaxes jasius (Linnaeus,1767)** (Argynnidae) **Synonym(s):** *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917. **Papilio jasius** Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): Errata (replacement name for *jason* Linnaeus,1767). **Type(s):** Barbaria. He IL Pa Hf Ae Co Cr ES Mu Mu18 FR GR IT PT Rd Sa Si TR YU DZ MA TN JO CY ZA Gau Pre Rtb Tva Lpo Spb Mdk Lj Nta Kzu Ptb Kru Pma Wb Suw Jh Wm Bfk BW NA SZ MZ ZW ZM ZR CF MW TZ KE ET SO UG SD SN ML GN CI AO GA
165. **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) **Synonym(s):** *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. **Papilio briseis** Linnaeus,1764, Museum Ludovicae Ultricae: 276. **Type(s):** Germania. AF AL AM Ao At Bn Kts AT Aty AZ Ba BE BG B-H BY CH CN CY CZ DE DZ ES FR GG GR HU HV IQ IR IT Ju KG KK LU MA MK MN PL RO RU SE Si SK Sm So Sr SS TJ TM TN TR T-S UA Ui Uk UZ VI YU Tm Vi Ao Sr Uk Aq Or Sm Tt Cb Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Mu Trt Kts Ur Aa Ku Sem Tk Ui TeA KuA DsA Bc Ab Ak Kd Mz Elb Kp Sju Cc
166. **Chesias rhegmatica L.B.Prout,1937** (Geometridae) **Synonym(s):** *rhegmatica* L.B.Prout,1937 *Chesias rhegmatica* L.B.Prout,1937, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 85. **Type ♂:** Cypern: Limassol (Mavromoustakis leg.) (BMNH). CY
167. **Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) **Synonym(s):** *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. *Geometra aestimaria* Hübner,[1809], Samml. eur. Schmett. 5: pl.64 fig.333. **Type(s):** Europa. TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Nv CY IQ Agh IR Fa Sse RU MD UA BY CN Ui Ku KK Ik IL Pa Jf Hf
168. **Chiasmia (Godonela) sareptanaria (Staudinger,1871)** (Geometridae) **Synonym(s):** *sareptanaria* Staudinger,1871 RU Sr KG TM SA SA39 Jh SN CY
169. **Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) **Synonym(s):** *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934. *Macaria aestimaria* var. *syriacaria* Staudinger & Wock, Cat. lepid. eur. Faunengeb. (2): 160. **Syntypes:** Syria, Cyprus. Cr TR Cc CY TM Kp IR Ahz Srd IQ Bgd Agh Mq Sbn Dk Amr IL Pa Hf Jf LB Bei BH
170. **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) **Synonym(s):** *galba* Lederer,1855 *Lycaena galba* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4. **Syntypes:** [Libanon]: Beirut. AF BH CY IL IQ Agh Bag Su IR Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY TR UE PK Wa Bl Pm TJ
171. **Chloantha hypericii (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#hypericii* [Denis & Schiffmüller],1775; *hypericii* Fabricius,1787 *Noctua hypericii* Fabricius,1787, Mant. Ins. 2: 167, nr.217. **Type(s):** Austria: [Wien]. PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj Gor Elb Clu Mz Dam Th Mia Kd AF TM Kp LB Bsa
172. **Choreutis nemorana (Hübner,[1799])** (Choreutidae) **Synonym(s):** *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranal* Treitschke,1829; *nemorella* Herrich-Schäffer,1862 Md Cn DZ MA PT ES Co MT AT GR Cr CY TR IQ Shq IR Gh Tgo RU MD UA Cm Cc GG AZ AM TM CN Yu
173. **Chrysocrambus craterellus (Scopoli,1763)** (Pyrilidae) **Synonym(s):** *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. *Phalaena craterellus* Scopoli,1763, Entomologia Carniolica: 246. **Type(s):** [Slovenien]: Carniolia [Krain]. PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR RU Ur MD TR Cc CY JO IR Kh LB Bsa
174. **Chrysocrambus linetellus (Fabricius,1781)** (Pyrilidae) **Synonym(s):** *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. *Tinea linetella* Fabricius,1781, Spec. Ins.2: 291. **Lectotype ♂:** Italia: Piemont (Bleszynski,1965: 344). ES FR Co Sa Si IT GB CH AT SK HU RO YU AL BG GR Cr TR SY JO IR Gh Tgo LB IQ CY Rd UZ Br CN Ui
175. **Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) **Synonym(s):** *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 *Phalaena chalcites* Esper,[1789], Die Schmett. 4 (2): Abschnitt 1:

- pl.141 fig.3; [1805], ibidem: 447. Type(s): Italia. PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT HU RO YU AL BG GR Cr Rd TR CY IQ Mj Amr LB Bsa Bei SY IL Pa Hf JO DK RU Cc St MD UA BY ZA Sk KE MW ZW Har BW Nga Nta Kzu Kkf Dbn YE Ad IN LK MM CN JP HW WS FJ TO NH SB PG AU MY IR Mz Elb Th Fa Kaz Mia Hz B-A
176. **Cigaritis acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; #düldüli Pfeiffer,1932; *dueldueli* Pfeiffer,1932 Lycaena acamas Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by Olivier & Nekrutenko,2000. Ad AF As BH CY Dh EG Hd IL Pa Hf JO KW LB OM PK QA SA SD SO SY TR UE Ci Nwf Cp Sd Krc Bl Chm IR Elb Fa Ke TM Kp
177. **Clepsis consimilana (Hübner,[1817])** (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948 DZ PT ES FR Co Sa Si IT MT IE GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI RU MD UA BY LB Bsa MG
178. **Clepsis neglectana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933. DZ PT FR IT MT BE DE CH AT PL CZ RO BG SE FI EE LV LT RU Tv MD UA BY LB Bsa Cc GG CY KK KG Tk Dj Ii
179. **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. *Ophiusa syriaca* Bugnion,1837, Anns Soc. ent. Fr. 1837: 442. Neotype: Turkey: Adana: Feke 6km N, 100m, leg. Hacker (ZSM). AT RO YU AL BG GR Cr CY LB Bei Beq IL Pa SY TR RU Cc St Ich Da MD UA BY IR Fa Ahz IQ Agh Amr Bgd KG Tk Dj Aa KK Skm UZ
180. **Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877 Sciaphila orientana Alpheraky,1877, Trudy Vses. ent. Obstsh. 10 (1876): 48. Syntypes: Russia: Tagonrog. MT RO BG TR SY Dms RU UA CY Cc GG KG TM UZ TJ IR Elb Dam IQ AF
181. **Cnephasia (s.str.) tofina (Meyrick,1922)** (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinensis* Amsel,1958 Cnephasia tofina Meyrick,1922, Exot. Microlepid. 2: 498. Type ♂: Palestine: Nazareth (BMNH) [Clarke,1958, Catalogue...3: pl.44 figs. 4-4b]. GR Cr SY IL Pa Hf CY TR
182. **Cnephasia (s.str.) wimmeri Arenberger,1998** (Tortricidae) Synonym(s): *wimmeri* Arenberger,1998 CY
183. **Cochylimorpha alternana (Stephens,1834)** (Tortricidae) Synonym(s): *alternana* Stephens,1834; #gigantana Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936. Lozopera alternana Stephens,1834, Ill. Br. Ent. Haust. 4: 187, Pl.35 fig.2. Type(s): England: Dover. FR IT GB NL DE CH AT PL CZ SK HU TR CY DK NO SE FI EE LV LT RU Mo MD UA LY Cy
184. **Cochylimorpha asiana (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934. LY Cy RU Da Ro Tgn Cc AZ Kir UA TM K-K KG Ka UZ Nmg Man Fe IR Elb Th AF Kab Srb PK Kag Nar TR CY MN
185. **Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IR Elb Mz Clu DK SE LT RU Pt Ur MD UA BY IL Pa Hf LB IQ Shq Hjo SY Dms Cc AM TM KG UK
186. **Coleophora alashiae Baldizzone,1996** (Coleophoridae) Synonym(s): *alashiae* Baldizzone,1996 CY
187. **Coleophora albella (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796. PT ES FR IT Si GB DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa CY IR NO SE FI LV LT RU
188. **Coleophora albicostella (Duponchel,1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albimarginella* Herrich-Schäffer,1855 PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL GR TR CY SY LB IR Elb Kdv EE LV LT
189. **Coleophora arenbergerella Baldizzone,1985** (Coleophoridae) Synonym(s): *arenbergerella* Baldizzone,1985 CY
190. **Coleophora bilineella Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer,1855; *perserenella* Rebel,1919; *joannisella* Suire,1930; *sergii* Gozmany,1956 PT ES FR Co Sa IT AT HU RO GR Cr TR CY
191. **Coleophora bivittella Staudinger,1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879 Coleophora bivittella Staudinger,1879, Horae Soc. ent. ross. 15: 363-364. Syntypes: [Türkei]: Amasia (Kerasdere). TR CY IR
192. **Coleophora granuloseella Staudinger,1880** (Coleophoridae) Synonym(s): *granuloseella* Staudinger,1880 Coleophora granuloseella Staudinger,1880, Horae Soc. ent. ross. 15: 379. Syntypes 4♂♂: [Türkei]: Amasia. CY LB TR
193. **Coleophora helianthemella Millière,1870** (Coleophoridae) Synonym(s): *helianthemella* Millière,1870 DZ LY PT ES FR Sa Si IT GR Cr TR CY LY

194. **Coleophora jerusalemella Toll,1942** (Coleophoridae) Synonym(s): *jerusalemella* Toll,1942 DZ
ES GR Cr LB JO IL Js Pa SA IR CY SY TR
195. **Coleophora lassella Staudinger,1859** (Coleophoridae) Synonym(s): *lassella* Staudinger,1859;
teidensis Walsingham,1908; *gotlandica* Benander,1939; *telavivella* Toll,1942 Cn MA PT ES FR Co Sa Si IT
IE GB BE NL DE PL GR TR CY IL DK NO SE FI LV RU MD UA BY RO
196. **Coleophora luteolella Staudinger,1880** (Coleophoridae) Synonym(s): *luteolella* Staudinger,1880;
mendosella Toll,1960 Coleophora luteolella Staudinger,1880, Horae Soc. ent. ross. 15: 380. Syntypes
♂♀: [Türkei]: Amasia. MA PT ES FR Sa Si IT MT GR Cr TR IR AF CY
197. **Coleophora maritimella Newman,1863** (Coleophoridae) Synonym(s): *maritimella* Newman,1863
TN ES FR Sa Si IT IE GB NL YU AL BG GR Cr CY IR DK
198. **Coleophora mausolella Chrétien,1908** (Coleophoridae) Synonym(s): *mausolella*
Chrétien,1908; *thermoleuca* Meyrick,1922; *palaestinella* Toll,1942 MA DZ LY Cy PT ES Co Si IT GR TR CY
IL Pa
199. **Coleophora ononidella Millière,1879** (Coleophoridae) Synonym(s): *ononidella* Millière,1879
ES FR IT AT YU GR Cr CY
200. **Coleophora parthenica Meyrick,1891** (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891;
cygnipennella Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967;
hilmendella Amsel,1968. MA DZ RO GR Cr TR LB JO IR IQ CY PK RU
201. **Coleophora salicorniae Heinemann & Wocke,1877** (Coleophoridae) Synonym(s):
salicorniae Heinemann & Wocke,1877; *cypricella* Rebel,1928. Cn PT ES FR Sa Si IT GB BE NL AT HU RO
YU GR TR TM IR CY EG DK SE FI RU MD UA BY
202. **Coleophora salinella Stainton,1858** (Coleophoridae) Synonym(s): *salinella* Stainton,1858
ES FR Si IT GB NL SK HU BG Cc AM RU MD UA CY
203. **Coleophora semicinerea Staudinger,1859** (Coleophoridae) Synonym(s): *semicinerea*
Staudinger,1859 PT ES Sa Si MT YU MK CY GR Cr
204. **Coleophora tamesis Waters,1929** (Coleophoridae) Synonym(s): *tamesis* Waters,1929 ES
FR IT IE GB BE NL DE AT PL CZ SK HU YU BG GR RO JO TR CY AF DK NO SE FI LV LT RU MD UA BY
205. **Coleophora valesianella Zeller,1849** (Coleophoridae) Synonym(s): *valesianella* Zeller,1849;
giraudi Ragonot,1874; *simillima* Staudinger,1880; *predotaella* Rebel,1914 ES FR IT CH AT RO YU HV MK
GR TR IR CY
206. **Coleophora zernyi Toll,1944** (Coleophoridae) Synonym(s): *zernyi* Toll,1944 MA ES Co Sa IQ
IR LB SY CY
207. **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) Synonym(s): *crocea* Fourcroy,1785;
pyrenaica Groum-Grshimailo,1893. Papilio croceus Fourcroy,1785, Entomologia Parisiensis: 250.
Type(s): [France]: Paris. AL AM Ao AT AZ Az Ba BE BG B-H BY CH Co Cr CY CZ DE DK DZ EG ES FI FR GG
GR HG HV IQ IR IT Kb Kr LB LT LU LY LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY
Teb TR TN UA VI YU KG Aq Or Uk VI Bs Cb Kt Rk Cw Dv Smt H-W Sur Ssx Ken Mt Sof Ril Syr Cy Rg Rte Bgz
Vrn Slv Sjv Trb Mkl Mst Ko JO He IL Ab Ak Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd
Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mut8 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor
Svl Ter Tol Trg Val Vcl Zg Zm Pa Hf SA TD SD Agh Cc
208. **Colias (Neocolias) erate (Esper,[1805])** (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana*
O.Bang-Haas,1927 Papilio erate Esper,[1805], Die Schmett. (Suppl.) 1(2): 13, pl.119, fig.3. Type(s):
Russia: Sarepta. AF Anj Ao AT At Att Aty Au Ba Bd BG Bqu BY Ci Cp Mre CN CZ Dj Ga GR Hk HU IR LB Kab
Kbb KG KK Ku Ld Nu Pag PK PL Pnj RO RU Sem SK Sm So Sr TJ TM TR UA Ui Uk UZ VI YE YU Ser Gj Or Aq
Mg Ky Rk Kt Ka Sp Tk Aa Db Tm TrA KuA TeA Ax Na Nym Ktm MK MD CY Syr TW DsA T-S Fa Ab Ak ET SA As
SD
209. **Colotois pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus,1761;
cerasi Fabricius,1775; *bifidaria* Haworth,1809 DZ MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT
PL CZ SK HU RO YU AL BG GR Cr TR Ce GG DK NO SE FI EE LV LT RU Us MD UA BY CY
210. **Condica viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata*
Turati,1934; *europaea* Parenzan,1980. Cn MA DZ TN EN PT ES Si IT YU AL BG GR Cr TR CY IQ Bsr LB IL
Pa Hf SY JO IR Fa Mia Ss Irs
211. **Conistra (s.str.) rubricans Fibiger,1997** (Noctuidae) Synonym(s): *rubricans* Fibiger,1997 TR
CY
212. **Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767;
lunata Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta*
Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko &
Pinratana,2005 Phalaena circumflexa Linnaeus,1767, Syst. Nat. (Edn.12) 1: 844. Type(s): Europa.
Md Cn PT ES Si IT GB CH RO AL BG GR TR Ce CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz
Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK IL UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wez
Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMa Php MM GG AM AZ Ce Skh Kd Snj Lo Kaz Mia Bu Dlk B-
A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44
213. **Coscinia cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria* Linnaeus,1758; *cribrum*
Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata*
South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica*
Daniel,1955;... Phalaena cribraria Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa]. PT
ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA
BY KG Ssn Sb Ya MN CN Ui At Mc CY

214. **Cosmopterix coryphaea Walsingham,1908** (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham,1908; *donatellae* Mariani,1932; *formosa* Amsel,1935; *coryphae* Agenjo,1952 **DZ Cn ES Si IT MT YU GR CY IL Pa**
215. **Cosmopterix pararufella Riedl,1976** (Cosmopterigidae) Synonym(s): *pararufella* Riedl,1976 **DZ TN EG ES Co CY**
216. **Crocallis (s.str.) cypriaca Fischer,2003** (Geometridae) Synonym(s): *cypriaca* Fischer,2003 **CY**
217. **Crombrugghia reichli Arenberger,1998** (Pterophoridae) Synonym(s): *reichli* Arenberger,1998 **CY**
218. **Crossobela barysphena Meyrick,1923** (Gelechiidae) Synonym(s): *barysphena* Meyrick,1923 **CY**
219. **Crossotocera wagnerella Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930 *Crossotocera wagnerella* Zerny,1930, [in] Wagner, Int. ent. Z. 25(2): 20. Syntypes 2♂ 1♀: [Türkei]: Akschehir [Akşehir]. **RO BG GR TR CY SY**
220. **Cryopega bajaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *aerugaria* [Denis & Schiffermüller],1775; *bajaria* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legrasi* Dumont,1925 *Geometra bajaria* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 315*. Type(s): [Austria]: Vienna district. **PT ES FR Sa Si IT BE LU DE CH AT CZ SK HU RO YU BG GR Cr TR Cc GG RU MD UA BY IL Pa CY**
221. **Cryphia (Bryoleuca) microphysa Boursin,1952** (Noctuidae) Synonym(s): *microphysa* Boursin,1952 **CY TR**
222. **Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852 **MR MA PT ES Mu FR Co GR Cr CY TR LB IQ IR SY IL Pa Hf**
223. **Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962 *Noctua raptricula* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 89*. Type(s): [Austria]: Vienna district. **MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb CN Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da**
224. **Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. *Metachrostis rectilinea* W.Warren,1909, [in] Seitz, Die Gross-Schmett. Erde 3: 22. Type(s): [Israel]: Haifa. **IT RO YU AL BG GR Cr CY IL Pa TR Cc IR LB Bei IQ**
225. **Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis* Boursin,1954 *Cryphia tephrocharis* Boursin,1954, Z. wien. ent. Ges. 39: 85-87, Taf.7 figs.1,2. Holotype ♂: [Türkei]: Malatya-Tecde (Kleinasien) (coll. Boursin). **RO HV MK BG GR Cr CY TR IL Pa LB JO IR Fa Kd**
226. **Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909. *Bryophila maeonis* Lederer,1865, *Annls Soc. ent. Belg.* 9:78. Syntypes: [Türkei]: Boz Dagh. **GR Cc AM TR IR Fa Elb Shh Mz Dam Kdj Nss Ab Km Kd Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik Skm CN Ts Kno**
227. **Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931 **RO MK BG GR Cr CY TR TM IR Kh LB IL Pa JO YE RU Cc St Ich Da AM**
228. **Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. *Noctua algae* Fabricius,1775, *Syst. Ent.: 614*. Type(s): Germania. **PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ DK SE FI LT RU Ro Kr St Kb Ich MD UA BY IL Pa GG AM AZ Cc**
229. **Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952 *Bryophila ochsi* Boursin,1941, *Mitt. münch. ent. Ges.* 31: 316. Holotype ♂. **ES FR IT CH RO YU AL BG GR Cr CY TR LB Bei IL Pa IR Elb RU Cc Kr**
230. **Crypsotidia maculifera (Staudinger,1898)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1898; *wollastoni* Rothschild,1901; *voolastoni* Hampson,1913; ? *maculata* Tams,1926. *Hydrilla maculifera* Staudinger,1898, *Dt. ent. Z., Iris* 10: 287, Taf.4 fig.22. Syntypes: Jaffa. **TR ET SD EG NG MW IL Pa CY**
231. **Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucantheri* Rambur,1858; *dellabrunai* Berio,1980. *Cucullia chamomillae* var. *calendulae* Treitschke,1835, *Schmett. Eur.* 10 (2): 127. Syntypes: Italia: Sicilia. **Cn MA DZ TN PT ES Mu FR Co Sa Si IT MK MT AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa Hf SA CY IR Ahz TM Kp AF**

232. **Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933 *Cucullia barthae* Boursin,1933, Mitt. münch. ent. Ges. 23 (1): 11-13, figs. Holotype ♀: [Türkei]: Syria sept., Taurus, Marasch (ZSM). TR Cc LB Bsa Bei IL Pa Hf CY IQ IR Elb SY JO
233. **Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 ES FR Co Sa Si IT MT CH AT PL CZ SK HU RO YU BG GR TR RU Cc St Kb Kc MD UA BY IR Ke Fa CN Ui CY LB Bsa
234. **Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. *Phalaena verbasci* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa]. MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa SY JO DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam AF TM Kp
235. **Culpinia prouti (Thierry-Mieg,1913)** (Geometridae) Synonym(s): *prouti* Thierry-Mieg,1913; *feroniaria* Oberthür,1916. *Thalera prouti* Thierry-Mieg,1913, Feuille jeun Nat. (5) 43: 180. Syntypes 2♂: [Türkei]: "Syria: Akbes" (MNHNP). TR CY IL Pa Hf Car LB Bsa
236. **Cybalomia pentadalis (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855 *Botys pentadalis* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 217-218, Taf. 3 fig.13. Syntypes 20♂♀: Libanon: Beirut. GR CY TR Cc LB TM Kp IR Ahz Fa Shr Th Kdj IQ Kbl Bgd Bsr Amr JO IL Pa Hf PK Sd Krc
237. **Cydia amplana (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884 PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE RU MD UA BY Cc GG
238. **Cydia lunulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Frölich,1828; *jungiana* Frölich,1828; *selenana* Zeller,1847; *effusana* Lederer,1855; *conspectana* Lederer,1859; *selliferana* Kennel,1901; *bipartitana* Kennel,1901; *dimidiatana* Kennel,1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja,1916; *exosticha* Meyrick,1936; *praedorsana* Amsel,1958 *Tortrix lunulana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 127. Type(s): Vienna district. DZ MA PT ES FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK RO YU AL TR Cc CY LB DK NO SE FI EE LV LT RU Sb At MD UA BY CN Ui
239. **Cydia pomonella (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 *Phalaena Tinea pomonella* Linnaeus,1758, Syst. Nat. 10 (1): 538. Type(s): "Habitat intra Poma Pyri". PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IL Pa IR Gh Tgo Ss Irs Cc GG LB Bsa SY Hal Ch US MX CA AU NZ ZA
240. **Cydia praedorsana (Amsel,1958)** (Tortricidae) Synonym(s): *praedorsana* Amsel,1958 *Laspeyresia praedorsana* Amsel,1958, Z. wien. ent. Ges. 43: 71-72 Abb.12. Holotype ♂: Cypern, Kyrenia, 14.3.1947, leg. Wiltshire. CY
241. **Cynaeda dentalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959 *Pyralis dentalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. TN Gf PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL Pa Hf EG KG Tk Dj Ji TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor
242. **Cyprusia wiltshirei Amsel,1958** (Pyralidae) Synonym(s): *wiltshirei* Amsel,1958 *Cyprusia wiltshirei* Amsel,1958, Z. wien. ent. Ges. 43: 55, Taf.2 fig.2. Holotype ♂: Cypern, Kyrenia 750 ft., 22.4.1947, leg. Wiltshire. CY
243. **Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759 *Papilio chrysippus* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)]. Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ Nj RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nca Ec ZR ZW Wca Kzu AL As Ptb Tug TH CMa Cm1 Cu0 Cu02 Cu05 Cu07 Cu09 Cu10 Nan Knc Sbu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Nf Nj NP OM PK Mre BI QA SA Sa Sd SI Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Lj Gau Pre Mv Est Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tie Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kla Bng Tuk Bnr Sla Kbn Kgr Ben SI Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EG07 Nst Ths Tnga Usa Ani Eth
244. **Dasycorsa modesta (Staudinger,1879)** (Geometridae) Synonym(s): *modesta* Staudinger,1879 *Dasycephala modesta* Staudinger,1879, Horae Soc. ent. ross. 14: 445. Type ♀: [Türkei]: Taurus (Haberhauer leg.). RO YU BG GR CY TR LB Bsa IL Pa Tbs IQ IR
245. **Dattinia mavromoustakisi Rebel,1928** (Pyralidae) Synonym(s): *mavromoustakisi* Rebel,1928 CY IL Pa IT Sa
246. **Depressaria daucivorella Ragonot,1889** (Oecophoridae) Synonym(s): *daudivorella* Ragonot,1889; *mesopotamica* Amsel,1949 FR IT CH AT IR Elb IQ CY
247. **Depressaria rhodochlora Meyrick,1923** (Oecophoridae) Synonym(s): *rhodochlora* Meyrick,1923 CY

248. **Deudorix (Virachola) livia (Klug,1834)** (Lycaenidae) Synonym(s): *livia* Klug,1834; *pallescens* Rothschild,1921 *Lycaena livia* Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.40 figs. 3-6. Syntypes: [Egypt]: Kineh, Assuan; [Saudi Arabia]: Arabia. Ad As BH Dh EG Hd Hj LB IL Pa Js JO IR Hz KE KW NE OM QA SA SD SN SO TZ UG YE CY GR
249. **Dichagyris (s.str.) adelfi Fibiger, Nilsson & Svendsen,1999** (Noctuidae) Synonym(s): *adelfi* Fibiger, Nilsson & Svendsen,1999 CY
250. **Dichagyris (s.str.) endemica Fibiger, Svendsen & Nilsson,1999** (Noctuidae) Synonym(s): *endemica* Fibiger, Svendsen & Nilsson,1999; *#endemica* Fibiger, Svendsen & Nilsson,1999 CY
251. **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846 *Agrotis melanura* Kollar,1846, [in] Carrara, La Dalmazia descritta: 99. Type(s): Dalmatia: Dubrovnik (Ragusa). RO YU MK BG GR Cr RU MD UA BY TR Cc CY IR LB SY Dms IL Pa He JO
252. **Dichomeris limbipunctella (Staudinger,1859)** (Gelechiidae) Synonym(s): *limbipunctella* Staudinger,1859; *millierella* Stainton,1873. PT ES FR Co Sa IT GR CY
253. **Dichomeris neatodes Meyrick,1923** (Gelechiidae) Synonym(s): *neatodes* Meyrick,1923 *Dichomeris neatodes* Meyrick,1923, Exot. Microlepid. 3: 35. Type: Cyprus: Platres. CY
254. **Dioryctria abietella (Fabricius,1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787 *Tinea abietella* Fabricius,1787, Mant. Ins. 2: 245. PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Sb IN TH TW KP JP
255. **Dioryctria mendacella (Staudinger,1859)** (Pyralidae) Synonym(s): *mendacella* Staudinger,1859; *#mendacella* Rebel,1939 *Nephopteryx mendacella* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 222-223. Syntypes ♂♀: Spanien: Granada. PT ES FR Co Si IT MT YU GR TR CY IL Pa HF
256. **Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915 *Botys bruguieralis* Duponchel,1833, [in] Godart, Hist. Nat. Lépid. Pap. Fr. 15: 320, Tab. 232 fig.3. Syntypes: Nismes [sic!], Corsica. PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr CY LB Bsa Bmm IL Pa Hf IQ Rwx Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA
257. **Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775 *Pyralis punctalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. TN Sfx Elk PT ES FR Co Sa Si IT GB NL DE CH AT CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE IR Elb Th Kdj Kdv Fa Sse Ss Gh Tgo Pa IL AF Anh
258. **Dryobota labecula (Esper,[1788])** (Noctuidae) Synonym(s): *labecula* Esper,[1788] *Phalaena labecula* Esper,[1788], Die Schmett. 4(2): 393, Tab.129 Noct.50 fig.5. Syntypes: Tyrol, Erlangen. MA DZ EG PT ES FR Co Sa Si IT CH YU GR Cr TR CY IL Pa
259. **Dryobotodes (Dichonioxa) tenebrosa (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826. *Phalaena tenebrosa* Esper,[1789], Die Schmett. 4(2): 451, Tab.142 Noct.63, fig.2. Syntypes: [Germany]: Erlangen. MA DZ PT ES FR Co Sa Si IT MT YU BG GR Cr TR CY IL Pa
260. **Dryobotodes (s.str.) servadeii Parenzan,1982** (Noctuidae) Synonym(s): *servadeii* Parenzan,1982 *Dryobotodes servadeii* Parenzan,1982, Mem. Soc. ent. ital. Genova 60(1981): 279-286, figs. Holotype ♂: Italia: Monte Camplo (Taranto), 410m. Sa? IT GR TR CY
261. **Duponchelia fovealis (Zeller,1847)** (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuisalis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabilie,1880 Cn PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Kc JO LB YE Ad IQ Bsr DK SE AF Srb ZA Nta Kzu ZR MZ
262. **Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923 Co Sa Si IT YU AL BG GR RU MD UA BY TR IQ Ama IL Pa CY
263. **Dyscia (s.str.) simplicaria Rebel,1939** (Geometridae) Synonym(s): *simplicaria* Rebel,1939 *Dyscia (Scodiona) simplicaria* Rebel,1939, Mitt. münch. ent. Ges. 29 (4): 539, pl.15 fig.5. Holotype ♂: Cyprus: Limassol. CY
264. **Dysspessa infuscata (Staudinger,1892)** (Cossidae) Synonym(s): *infuscata* Staudinger,1892; *cypriaca* Rebel,1927; *kurdistana* Turati,1909. TR Cc RU LB Bei CY
265. **Dysspessa ulula (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912. *Phalaena ulula* Borkhausen,1790, Naturg. Eur. Schmett. 3: 142. Type: Germany: Frankfurt. MA DZ TN PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR RU MD UA BY CY LB Bei IR Kd KG Ssn IQ Mkp GG Tbl Bjo Kir Kak Cc AZ
266. **Dysspastus undecimpunctellus (Mann,1864)** (Autostichidae) Synonym(s): *undecimpunctellus* Mann,1864 RO YU AL GR CY TR
267. **Earias clorana (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783 *Phalaena clorana* Linnaeus,1761, Fauna Suecica (2): 343. Type(s): Schweden. PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Fa Ha Kd Snj Ab Oru IQ DK NO SE FI EE LV LT RU Cc Ro Kr Kc Nt Kb Ich MD UA BY

268. **Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881. *Tortix insulana* Boisduval,1833, *Fauna Ent. Madag.* 1833: 121, Pl. 16,9. Type: Mauritius. MA DZ TN LY Cn Pt ES Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD ET ET²⁹ AF Ca Arh JP IN PH ID AU ZA
269. **Ebulea crocealis (Hübner,1796)** (Pyrilidae) Synonym(s): *crocealis* Hübner,1796 *Pyralis crocealis* Hübner,1796, *Samml. eur. Schmett.* 6, *Pyralides*: Tab.11 fig.71 Type(s): Europa. ES FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LV RU MD UA BY CY TR IR
270. **Ebulea testacealis (Zeller,1847)** (Pyrilidae) Synonym(s): *testacealis* Zeller,1847 ES FR Co Sa Si IT MT AT CZ SK HU RO YU GR Cr TR IL Pa Hf CY
271. **Ectoedemia (s.str.) alnifoliae Van Nieukerken,1985** (Nepticulidae) Synonym(s): *alnifoliae* Van Nieukerken,1985 GR? CY
272. **Ectoedemia (s.str.) erythrogenerella (De Joannis,1908)** (Nepticulidae) Synonym(s): *erythrogenerella* De Joannis,1908 PT ES FR Co Si IT GB CH YU GR CY
273. **Ectoedemia (s.str.) heringella (Mariani,1939)** (Nepticulidae) Synonym(s): *heringella* Mariani,1939 Co Si IT YU CY
274. **Egira anatolica (Hering,1933)** (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966 *Xylomiges conspicillaris* ssp. *anatolica* Hering,1933, *Int. ent. Z.* 26(37/38): 412. Syntypes 3♂ 4♀: [Türkei]: Ankara. IT GR TR Cc AZ Nv UZ KK Tls TM Kp TJ IR Elb Th Kdj RU Ro Kr Da UA BG LB CY
275. **Eilema complana (Linnaeus,1758)** (Arctiidae) Synonym(s): *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. *Phalaena complana* Linnaeus,1758, *Syst. Nat. (Edn.10)*1: 512. Type(s): [Europa]. FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY KG Lps
276. **Ematheudes punctellus (Treitschke,1833)** (Pyrilidae) Synonym(s): *punctella* Treitschke,1833 PT ES FR Co Sa Si IT MT BE CH AT CZ SK HU RO YU AL BG GR Cr TR RU MD UA BY IQ Shq IR Elb Th Ha Fa Kdj Shr Sse CY EG IL Pa Hf LB JO
277. **Ematheudes tunesiellus Ragonot,1892** (Pyrilidae) Synonym(s): *tunesiella* Ragonot,1892 IT TN CY
278. **Emmelia trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865 *Phalaena trabealis* Scopoli,1763, *Entomologia Carniolica*: 240. Type(s): [Slovenien]: Carniolia [Krain]. MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK BI CN Ui Ku MN KK Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da
279. **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. *Phalaena Alucita monodactyla* Linnaeus,1758, *Syst. Nat. (Edn.10)* 1: 542. Type(s): Europa. Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts SY Hal IR Elb Kdj Th Gor Gh Clu IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No Vl Bn Aa Lps KK Al TM Kp UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo
280. **Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951. *Pyralis flammealis* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IL Hf Pa CY LB Cc GG IR Fa Sse Com Shr Th Kdj Gor Gh Tgo TM Kp DK SE RU MD UA BY
281. **Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth,1809 PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CY
282. **Ennomos (Deuteronomos) lissochilus L.B.Prout,1929** (Geometridae) Synonym(s): *lissochila* L.B.Prout,1929 *Deuteronomos lissochila* L.B.Prout,1929, *Novit. zool.* 35: 149. Holotype ♂: Cyprus: Platres, 4000ft (BMNH). CY
283. **Enolmis desidella (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855 YU CY TR LB Bei LY MR SY
284. **Epactoctena octogenalis (Lederer,1863)** (Pyrilidae) Synonym(s): *octogenalis* Lederer,1863. *Metasia octogenalis* Lederer,1863, *Wien. ent. Monatschr.* 7: 421, 481, Taf. 15 fig.10. Type ♂: Syrien. TR IR Ahz Ha JO IQ Ssa Dia Mos Ry Shq IL Pa Hf CY
285. **Ephestia (Anagasta) cypriusella Roesler,1965** (Pyrilidae) Synonym(s): *cypriusella* Roesler,1965 *Ephestia (Anagasta) cypriusella* Roesler,1965, *Inaug.-Diss. Saarbrücken* 1965: 118. Holotype ♂: Cypren: Prodromos (LNK). GR CY TR LB Bei
286. **Ephestia (Anagasta) kuehniella Zeller,1879** (Pyrilidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitionella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutcharern & Tubtim,1995 *Ephestia kuehniella* Zeller,1879, *Stettin ent. Ztg.* 40: 466. Lectotype ♂:

- Deutschland: Halle (Roesler,1973: 618). DZ MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch CN Kgs JP TH TW MX NZ AU ZA
287. **Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 *Tinea elutella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.24 fig.163. Type(s): Europa. Md Cn MA DZ TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY AF PK Ch NP CN KP KR JP TH TW AU ZA
288. **Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. MA DZ PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR RU Or IR Elb Th Fa Cc AZ Kir AF Bm Srb IL Hf Pa Js LB Bei Bsa SY Dms CY KG Uk
289. **Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871. TR RU Ur IR Elb Th Ab Oru CY UA Cm AF
290. **Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775 *Tinea formosella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district. DZ PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR CY GG Btm Lag Sok AZ Len AM Eri Cc IL Pa Hf SE EE LV LT RU MD UA BY
291. **Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. *Noctua linogrisea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 79. Type(s): [Austria]: Vienna district. MA DZ PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc RU Kr Ich DK NO SE EE LB IL Pa He IR TM
292. **Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912 *Geometra galiata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. PT ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG AM AZ DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa
293. **Episcardia (Bilobatana) fuscoviolacella (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935. *Tineola fuscoviolacella* Ragonot,1895, Bull. Soc. ent. Fr. 1895: cv. Type ♂: [Turquie]: Hte. Syrie, Akbes. CY TR IL Hf Pa IQ LB Bsa Bei Cc AZ Nv Ord SY Dms
294. **Epischnia illotella Zeller,1839** (Pyralidae) Synonym(s): *illotella* Zeller,1839 *Epischnia illotella* Zeller,1839, Isis 1839: 178. Type(s): Sicilia. PT ES Mu FR Co Sa Si IT MT DE SK RO YU MK AL GR Cr RU MD UA BY TR KG Uk CY IL Pa LB Bsa Bmm EG
295. **Epischnia leucoloma (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849] *Epischnia leucoloma* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 4: 89, fig.126. Type(s): Türkei. ES IT YU GR TR RU CY LB EG
296. **Epischnia prodromella (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939 *Tinea prodromella* Hübner,[1799], Samml. eur. Schmett. 8, Tineae: Tab. 37 fig.254. Type(s): Europa. PT ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM SY IR Shh Gor Mz Elb IL Pa Hf LB CY TM Kp KG Uk RU MD UA BY
297. **Episema korsakovi (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885. *Agrotis korsakovi* Christoph,1885, [in] Romanoff, Mem. Lep. 2: 44, fig. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]. RO YU BG GR Cr TR CY Cc AZ Kir AM GG RU Kr SY CY IL Js Pa IR Gh Elb Fa
298. **Episema kuorion Nilsson,Svendsen & Fibiger,1999** (Noctuidae) Synonym(s): *kuorion* Nilsson,Svendsen & Fibiger,1999 CY
299. **Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. RO MK BG GR RU Da TR Cc CY TM Kp SY IQ Dy Dia Kq Pa IL IR Gh Elb Th Ab Ksh Shr AF
300. **Episema tersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956. *Noctua tersa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district. Sa? IT AT PL CZ SK HU RO YU BG GR TR IL Pa Js CY UA RU Cc Kr KG KK Ik T-S IR?
301. **Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966 PT ES FR Sa Si IT AT SK HU RO YU BG GR Cr CY TR RU MD UA BY IR
302. **Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920 *Elachista sumptuosella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 234. Type: Libanon: Beirut. MA TN ES FR Co IT YU HV MK AL BG GR TR RU Cc MD UA BY LB Bei CY IL Js SY Hal TM AF Pag Kab KG Uk

303. **Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947. **Tinea bipunctella** Fabricius,1775, Syst. Ent.: 668. Type(s): Saxonica. Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr CY TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY KG Uk IL Js IR Elb Th Km IQ Shq LB Bsa
304. **Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. **Phycis zinckenella** Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201. Lectotype ♀: "Sizilien" (TMB). PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cnz Cz10 Cz11 ID Sum Sbh
305. **Eublemma (albida-gr.) albida (Duponchel,1843)** (Noctuidae) Synonym(s): *albida* Duponchel,1843; *albicans* Guenée,1852; *gueneei* Spuler,1907. **DZ FR ES IQ Mos Kbl LB Bsa CY**
306. **Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851] **RU TR AZ Kir Hkd Cc IR Elb Th Kd Snj Lo Sqq IQ? SA? AF? LB? JO CY**
307. **Eublemma (albida-gr.) straminea (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. **GR TR Cc IR Ha AF Hr Gbh Srb Bsg CY BH IQ**
308. **Eublemma (candidana-gr.) candidana (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871. **Phalaena candidana** Fabricius,1794, Ent. Syst. 3(2): 245. Type(s): **Monspeliae**. PT ES Mu Sa Si IT YU GR Cr TR IR Fa IQ CY AM GG Smt Akh Cc TM
309. **Eublemma (Coccidiphaga) scitula (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002. **Erastria scitula** Rambur,1833, Anns Soc. ent. Fr. 2: 26. Syntypes: Corsica. LY PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr CY TR LB IL Hf Pa JO YE PK LK ZA ID Ij
310. **Eublemma (cochylionides-gr.) cochylionides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylionides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* W.Warren,1913. **FR Cn ES Mu MT GR Rd TR CY SY IQ Agh IR Fa Shr LB Bei IL Pa Hf JO ZA RE LK AU IN NC FJ TO YE OM**
311. **Eublemma (Glossodice) polygramma (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. **Anthophila polygramma** Duponchel,[1842], Hist. nat. Léop. Pap. Fr. 3: 519. Syntypes: France: Digne, Lyon; Schweiz: Wallis. PT ES Mu FR IT CH AT PL RO YU AL BG GR Cr TR CY AZ Kir Hkd Cc IR Fa Bk By Mz Es Elb Th Kd Sqq Ab Mak Kz Yas Mia Shr Ss Hz B-A IQ RU Ro St Nt Ing Da MD UA BY LB Bsa Bei IL Pa Hf JO
312. **Eublemma (Honeyania) ragusana (Freyer,1844)** (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginia* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894. **Anthophila ragusana** Freyer,1844, Neuere Beitr. Schmett. 5: 92, Taf. 437 fig.1. Sa Si IT AL BG GR Cr TR CY LB Bei TM ZA Nta Tva SC SD NG CI IN AU QAU NH NC PG PH FJ
313. **Eublemma (ostrina-gr.) ostrina (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973. **Noctua ostrina** Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.85, fig.399. Type(s): Europa. Cn PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT HU RO YU AL BG GR Cr Rd CY TR Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry Rwz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj
314. **Eublemma (pallidula-gr.) pallidula (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856 **RU Ro TR Cc BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na CN Ui Ii LB Bsa SA AF NG**
315. **Eublemma (parva-gr.) parva (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabilite,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. **Noctua parva** Hübner,[1808], Samml. eur. Schmett., Noctuae: Taf.77 fig. 356. Type(s): [Europa]. MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU YU AL BG GR Cr CY TR DK RU MD UA IL Pa Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID AU ZA Snj Mia Km Kz Yas Hz B-A Cc St Da
316. **Euchalcia (s.str.) augusta (Staudinger,1892)** (Noctuidae) Synonym(s): *augusta* Staudinger,1892 **Plusia augusta** Staudinger,1892, Dt. ent. Z., Iris 4: 309-310, Taf. iv fig.5. Lectotype ♂: [Türkei]: Aintab [=Gaziantep] (designated by Dufay,1968) (ZMB). TR CY SY Hal
317. **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. **Papilio ausonia** Hübner,[1804], Samml. eur. Schmett. 1: pl.113, figs.582-583; 64-65. Syntypes:Italien. Aa AF AL Cc AM Ao At AZ Ba BE BG B-H Bs BY CH Cm CN Co Cr FR GG GR HV

- IL IQ IR IT JO KG Kp Ku Ky LB LY MK Mn Or Rd RO RU Si Sm Sp Sr SS SY Tk Syr Tm TM TR T-S UA Ui Uk YU
Mt Ko Slv Skp Vrn Rg Rtc TrA Aa Sau Tar DsA Mrk Nym Ktm CY Fa Lo Elb Th Zj
318. **Euchromius ocellus (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumicella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982 *Palparia ocella* Haworth,[1811], Lep. Br.:486. Type ♂: England. Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj Ii EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr IR Ahz Mz Plr CY AF Hr IN Mh Poo Pj Krc Sd Mhw AU US Tx UZ Br ET SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wea Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Gh Tgo Ss Irs Sde Kz Pa Hf
319. **Euchromius rayatellus (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949 *Eromene rayatella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 278, Taf.1 fig.4. Holotype ♂: Iraq: Kurdistan: Rayat, 5000ft. ES IT YU BG GR Cr CY IQ Ry TR Cc RU Sr AF Pic Blh IL Jer Pa JO UZ Br
320. **Euchromius superbellus (Zeller,1849)** (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958. *Crambus superbellus* Zeller,1849, Stettin ent. Ztg. 10:314. Holotype ♂: Italien: Toscana. ES FR Co Sa Si IT AT? HU RO YU AL BG GR Cr RU MD UA BY TR Cc IL CY KG Uk UZ Br IR Elb Kdv Srd PK Pj
321. **Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848] *Botys splendidalis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 32, fig.109. "aus der Turkey". This figure was selected as Lectotype by Popescu-Gorj & Constantinescu,1976). TN Gf MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Kir Len CN Ui Ku
322. **Eucrostes indigenata (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789 ES Mu FR Co Sa Si IT MT HU YU AL BG GR Cr TR IL Pa Js CY
323. **Eudonia delunella (Stainton,1849)** (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923 *Eudorea delunella* Stainton,1849, Cat. Br. Tineidae & Pterophoridae: 3. DZ MA PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK YU B-H BG CY GR DK RU Pja Sb MD UA BY LB Bei
324. **Eumera mulier L.B.Prout,1929** (Geometridae) Synonym(s): *mulier* L.B.Prout,1929 *Eumera mulier* L.B.Prout,1929, Novit. zool. 35: 149. Holotype ♀: Cyprus: Nicosia (BMNH). CY
325. **Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. MA DZ TN PT ES FR Co Sa Si IT MT DE CH HU RO YU AL BG GR Cr Rd TR Cc AZ RU MD UA BY IL Pa CY JO IR TM Kp Da
326. **Eupithecia caeruleata Favre,1899** (Geometridae) Synonym(s): *caeruleata* Favre,1899 *Eupithecia venosata* var. *caeruleata* Favre,1899, Faune des Macro-Lepid du Valais: 305. Syntypes: Switzerland: Mt. Chemin, Mt. Ravoire, Sion. MA DZ PT ES FR Si Co IT CH AT SK RO YU BG GR Cr RU UA Cm IL Pa CY LB AZ Cc
327. **Eupithecia cerussaria (Lederer,1855)** (Geometridae) Synonym(s): *cerussaria* Lederer,1855 *Cidaria cerussaria* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 215, pl.3 fig.9. Syntypes: [Libanon]: Beirut. GR TR CY LB Bei IL Pa JO
328. **Eupithecia ericeata (Rambur,1833)** (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871 ES FR Co Sa Si IT CH AT CZ SK HU YU AL BG GR Cr TR CY Rd UA Cm RU
329. **Eupithecia oblongata (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892. *Geometra oblongata* Thunberg,1784, Diss. ent. sistens Insecta Suecica 1: 14. Lectotype ♂ (UZIU). MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ DK NO SE FI EE LV LT RU Da MD UA BY KG Tk CN Ui Ku IL Pa Car Jf LB Bsa
330. **Eupithecia quercetica L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938 *Eupithecia quercetica* L.B.Prout,1938, [in] Seitz, Gross-Schmett. Erde 3(suppl.): 204 (14i). Syntypes 2♀: Libanon: Arayah. MK BG GR Cr TR UA Cm LB IQ CY IL Pa JO SA
331. **Eupithecia reisserata Pinker,1976** (Geometridae) Synonym(s): *reisserata* Pinker,1976 *Eupithecia reisserata* Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 2-3, figs. Holotype ♂: [Turkey]: Anatolien: Kizilcahamam (coll. Pinker). GR Cr CY Cc AZ Nv TR JO
332. **Eupithecia schiefereri Dietze,1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000 PT ES FR Si Co IT AT SK RO YU BG GR Cr TR RU UA Cm IL Pa CY LB AZ Cc
333. **Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 nec Hol.,1897; *latefasciata* Bubacek,1915. *Phalaena quadripunctaria* Poda,1761, Insecta Mus. Graecensis: 89. Type(s): {Austria}: Graz. PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LV LT RU Ur Vi Pt MD UA BY SY LB Bsa IR Cc AM Dar AZ Adz Kir GG Mng Tbl TM Kp
334. **Eurhodope (Eurhobasis) cinerea (Staudinger,1879)** (Pyralidae) Synonym(s): *cinerea* Staudinger,1879 *Myeloides cinerea* Staudinger,1879, Horae Soc. ent. ross. 15: 210. Syntypes: Cypem; [Lebanon]: Beirut. LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY
335. **Eurhodope (s.str.) incompta (Zeller,1847)** (Pyralidae) Synonym(s): *incompta* Zeller,1847 *Myeloides incompta* Zeller,1847, Isis 1847: 30. Syntypes 2♂ 1♀: [Turkey]: Mermeriza [Marmaris], Makri [Fethiye]. YU GR Cr TR CY IL Pa

336. **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813] *Noctua adulatrix* Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.111 fig.517. Type(s): Europa. Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Pli Srb Nu Bsg Kab PK KK KG TM IN
337. **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. PT ES FR Co IT RO YU BG GR TR GG Akh Smt Cc AZ Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Ssn Na Tk Dj KK TrA UZ IR Ab Ak Mz Th Kd Ha Fa Ss Kh Ke Ha Mz Enz CN Ui Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sz CY
338. **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. *Noctua cos* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.154, fig.720. Type: [France]: Wallis. DZ TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Cc AM TM UZ Fe KK Ik KG LB Bsa CY IL Pa He
339. **Euxoa (s.str.) hemispherica Hampson,1903** (Noctuidae) Synonym(s): *hemispherica* Hampson,1903 CY
340. **Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 *Ephestia bigella* Zeller,1848, Isis 1848: 596. Type ♀: Italien: Toskana (BMNH). DZ TN MA PT ES Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY DK RU LB Bei IQ Mos AF NP UZ Br TM K-K Kp
341. **Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934. *Myelois cinerosella* Zeller,1839, Isis 1839: 176. Type ♂: Deutschland: Stettin (BMNH). ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv LB IL Hf Pa CY KG Uk Ind CN Ui Ku MN
342. **Euzophera (s.str.) formosella (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910 *Myelois formosella* Rebel,1910, Dt. ent. Z., Iris 24: 5. Lectotype ♂: [Kazachstan]: Indersky (designated by Roesler,1973, Microlep. palaearkt. 4: 24 (MGAB). GR RU IQ Kbl IR Elb Th Fa CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku
343. **Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901. *Phycis osseatella* Treitschke,1832, Schmett. Eur. 9(1): 199. Lectotype ♂: Sicilien (designated by Whalley,1963: 100). MA DZ TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke
344. **Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albigivella* Ragonot,1887; *depauperatella* Ragonot,1901. *Myelois umbrosella* Staudinger,1879, Horae Soc. ent. ross. 15: 215-216. Syntypes 3♀: Cypern (ZMB). GR Cr CY TR IL Hf Js Pa Cc AZ Nv Ord LB Bei
345. **Evergestis isatidialis (Duponchel,1833)** (Pyralidae) Synonym(s): *isatidialis* Duponchel,1833 Cn DZ PT ES FR Co Sa Si IT MT YU GR JO IL Pa CY IQ Bgd IR Ss Bu Fa EG LY Cy TR
346. **Exaereta ledereri (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854. YU TR Cc CY IL Pa LB Bsa IR Fa Shr Th AF Pli Pag Kab
347. **Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937 MA PT ES Si IT MT YU GR Cr CY TR IQ Mos Bgd IR Ahz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh IL Pa Hf
348. **Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheela* Dufrane,1930. *Phalaena mellonella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 537. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 219). PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ IL Pa Hf EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Sbh
349. **Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 nec Fabr.,1775; *aetna* Boisduval,1840; *lefeburii* Rambur,1842; *monochroa* Rebel,1907. *Papilio pumilio* Hoffmannsegg,1804, Mag. f. Insektenk. (Illiger) 3: 202. Lectotype selected by Hemming,1964, Annot. lep. (3): 112 (Pl.5 fig.2 of Cyrilli's Ent. Neap. published in 1787). He IL AL BI Ci ES Mu FR GR Rd HV Hyb IN IT JO Kul MT Nwf Pj PK Si Sk TR Up Wa YE YU Mt DZ MA TN IQ IR CY
350. **Glaucopsyche (Apelles) paphos (Chapman,1920)** (Lycaenidae) Synonym(s): *paphos* Chapman,1920 *Glaucopsyche paphos* Chapman,1920, Trans. ent. Soc. Lond. 1920 (1/2): 166-169, figs. Syntypes: Cyprus. CY Rd
351. **Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910 GR Rd LB Bei TR CY JO IL Pa IQ AF Srb Kab Bm PK TJ Pm IR Shr Fa Sse Com Kz KG UK

352. **Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916. Co Sa Si IT YU AL BG GR Cr Rd TR Cc GG LB Bsa RU MD UA BY SY IR Fa Sse IL Pa Mer Car Hf Js CY
353. **Goniodoma limoniella (Stainton,1884)** (Coleophoridae) Synonym(s): *limoniella* Stainton,1884 ES FR Sa Si IT GB BE NL SK YU GR CY
354. **Grammodes stolidi (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidi* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869. **Noctua stolidi** Fabricius,1775, Syst. Ent.:599. Type(s): India orientali. DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET²⁴ SD KE NA Nta Kzu Ec YE Ad Ak Lo Mia Kaz UZ N-A Ro Kr Kb Nt Da Kyi BW Dmr Nga
355. **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933 **Noctua perplexa** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district. MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku Tj Pm Tk Af Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY
356. **Hadena (Anepia) perplexa perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933 **Noctua perplexa** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district. MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AM DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG TrA At Sb KK CN Ui Ku Tj Pm Tk Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ AZ JO UZ Fe Cc Ro St Kb Nt Ing Da CY
357. **Hadena (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859 **Dianthoecia sancta** Staudinger,1859, Stettin ent. Ztg. 20: 213. Syntypes: Spanien: Cerro de Santa Anna (Chiclana). MA DZ TN LY MT ES Co Sa MT IL Pa JO TR CY LB Bei
358. **Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. **Harmodia lepida** ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23 (2): 47. Syntypes: [Türkei]: Marasch. Si IT RO YU BG GR CY RU Ro St TR PK Bl Qu EG PL BG MK Cc AZ Nv AM SY Dms IR Fa Sse IQ IL Pa JO
359. **Hadena (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933. Cn MR MA DZ TN Gf LY Cy PT ES DZ CY IL Js Pa JO SY LB Sn EG SA IQ Agh Kbl IR Fa
360. **Hadena (s.str.(Albimaculia)) adriana (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921 **Dianthoecia armeriae** var. *adriana* Schawerda,1921, Dt. ent. Z., Iris 25: 9. Lectotype ♂: Kroatien: Zengg, designated by Hacker,1996. HV IT MK GR TR CY LB IL Pa TN
361. **Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905 **Dianthoecia gueneei** Staudinger,1901, Cat. Lepid. Palaearkt. Faunengeb. 3(1): 163. Syntypes: Zypern, Taurus, Antiochia, Mardin, Bithynien. Lectotype ♀: Turkey: Mardin, designated by Hacker,1996 (NHMU). IT B-H HV MK GR CY TR IL Pa AZ AM Cc IR Lo Kh Elb Th Plr Kz Yas Fa IQ TM
362. **Hadula (Aglossestra) deserticola (Hampson,1905)** (Noctuidae) Synonym(s): *deserticola* Hampson,1905; *mariaeludovicae* Lucas,1914; *affinis* Rothschild,1914. **Aglossestra deserticola** Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 225, fig.38. Type: Egypt: Suez. DZ TN EG IL Pa CY
363. **Hadula (Caloestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930. **Noctua dianthi** Tauscher,1809, Mém. Soc. imp. Nat. Moscou 1: 316. Lectotype ♂: Russia: Sarepta, designated by Hacker (1998: 717) (ZIN). MA ES IT AT SK HU RO YU BG TR RU Sr Cc Ro St Kyi KG Tk Dj Aa KK Osh Ssn Mn DsA TM Kp CY CN Ui Ku MN TJ UZ IR Ak
364. **Hadula (Caloestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 **Phalaena trifolii** Hufnagel,1766, Berl. Mag. 3(3): 398. Type(s): [Germany]: Berlin. CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da
365. **Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 **Hapsifera luridella** Zeller,1847, Isis 1847: 33. Syntypes 3♂; Lectotype ♂: [Turkey]: "Patara", designated by Robinson,1982, Entomologist's Gaz. 33: 178 (BMNH). MA TN MK BG

- GR Cr TR CY LB Bei IL Pa Hf JO IQ Kbl Hjo SA YE IR Elb Th Fa UZ TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms EG
366. **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. **Phalaena bicolorata** Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Ich Ing Da Sb At Am MD UA BY IR Fa Es Ke Mz Elb Th Kd Hz AM AZ GG Cc CY LB Bsa IL Pa Hf SY KK Ax TrA Na
367. **Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809] **Noctua cappa** Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.95, fig. 447. Type: [Europa]. MA DZ ES FR Sa Si IT MT CZ SK HU RO YU AL BG GR Cr TR Cc AM IR Fa Lo LB RU Ro St Kb Ich Kyi Da At MD UA BY LB Bsa CY JO
368. **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910. **Noctua spinaciae** Vieweg,1790, Tab. Verz. Brand. Schmett. 2:70. Type(s): [Germany]: Berlin. PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn CN UI Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY
369. **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972. **Noctua armigera** Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa]. Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN UI Ku PK BI Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp NI Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDo Cuo Cuo7 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24
370. **Helicoverpa armigera armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972. **Noctua armigera** Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa]. Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN UI Ku PK BI Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp NI Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMA CDo Cuo Cuo7 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24
371. **Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. **Heliothis nubigera** Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:366. Type(s): Kleinasien. Cn DZ PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM Kp
372. **Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. **Noctua peltigera** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK BI Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp NP JO Sn IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A GG AZ AM Cc KK TrA TM Kp UZ KG Ro Kr St Kb Kc Nt Ing Da
373. **Heliothis viroplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viroplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. **Phalaena viroplaca** Hufnagel,1766, Berl. Mag. 4(2): 406. Type(s): [Germany]: Berlin. Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag CN UI Ku Yk MM Ch PK Hu IL Pa IN Dra JP JO
374. **Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992. Cn MA DZ TN LY PT ES FR MT DE AT PL CZ SK HU YU HV MK BG GR Cr TR CY LB Bsa IL Jf js Jt JO Zq Pa RU MD UA BY EG CN Stg Ui UZ Man
375. **Hellinsia pectodactyla (Staudinger,1859)** (Pterophoridae) Synonym(s): *pectodactylus* Staudinger,1859; *angustus* Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908. Cn MA ES FR Sa HU GR Cr CY RU MD UA BY KG Aa TrA IR AF Pm Adr PK CN US
376. **Hellula undalis (Fabricius,1781)** (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977 **Phalaena undalis** Fabricius,1781, Spec. Ins. 2: 272. Type(s): Italia. TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr

- Sse Ss Irs Ana Ke Th Kdj Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AU QAU Bri Bth NSw Aby Gtn Hf TH MY Bor BN Swk Sbh
377. **Herpetogramma licarsialis (Walker,1859)** (Pyrilidae) Synonym(s): *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939 TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc TW LK CN JP MY Bor Ja ID MH FJ ZA WS TO SB PG AU IN TH
378. **Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898 UZ TR CY IN PK AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU
379. **Hipparchia (Parahipparchia) cypriensis (Holik,1949)** (Satyridae) Synonym(s): *cypriensis* Holik,1949 Satyrus semele ssp. *cypriensis* Holik,1949, Z. Wien ent. Ges. 34: 99. Syntypes 10♂ 3♀: Zypern. CY
380. **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. Satyrus *hermione* var. *syriaca* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 27. Lectotype ♂: [Lebanon]: Beirut (Kudrna, 1977:40). Ae AL BG B-H CY GR HV IQ IR Ab LB Bei MK Rd RO TR Cc YU SY
381. **Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864 *Sphinx celerio* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 491. Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th Ss DK RU MD UA BY GG Bjo IN Tn LK ID Sum Ja Kai AU QAU Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SL MU MG PH Bal Boh Cal Ceb Dum Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta Kzu Dbn SL JO AF Sfk Srb Nu Bsg TH CMa Cuo TW Cc
382. **Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel). TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK AI IR Elb Th Kdj Clu Shh TM Kp Cc AM Eri AF Hr Pli Blh
383. **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 *Noctua ambigua* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district. MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK BI Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj EG? TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A KK T
384. **Hydriris ornatalis (Duponchel,1832)** (Pyrilidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabille,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972 TH Bnk CMa Cuo Cuo7 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA
385. **Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK BI Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc
386. **Hyles livornica livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK BI Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc
387. **Hypena (Ophiuche) lividialis (Hübner,1796)** (Noctuidae) Synonym(s): *lividialis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ?*bipartita* Smith,1900. US MA DZ TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MG IN MX VE
388. **Hypena (s.str.) obsitalis (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813] *Pyralis obsitalis* Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab. 25 figs.164,165; Tab.28 fig.179. Syntypes: Europa; Neotype ♂: [Kroatien]: Dalmatia merid., Gravosa Schwingenschuss leg. (NHMW) (designated by Lödl,1994). Cn TN DZ MA PT ES Mu FR Co Sa Si IT MT IE GB LU CH AT YU AL BG GR Cr Rd TR GG Smt Akh Cc CY IL Pa JO EG Sn LB Bei Bsa SY IQ IR Kh Fa Kaz Mia Sse Kz Yas SA Sk ET SD
389. **Hypenodes orientalis Staudinger,1901** (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916. FR HU MK RO BG Cr TR UA Cm Ru Cc Ich TM LB Bsa CY
390. **Hypomecis punctinalis (Scopoli,1763)** (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bande villaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789 *Phalaena punctinalis*

- Scopoli,1763, Entomologia Carniolica: 217. Type(s): [Slovenien]: Carniolia [Krain]. PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE FI EE LV LT RU Ur Sb MD UA BY KP KR JP TW
391. **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836] *Satyrus lupinus* Costa,[1836], Fauna Regno di Napoli.: [69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano.. At Bn Ae AF AL AM Ao AZ Ba B-H Cr CY CZ DZ ES Mu FR GG GR HU Hr HV IL IQ IR IT JO KG KK LB MA MK MN PK PT Rd RU Si SK Sm Sr SS TJ TM TR UA UZ VI YU Uk Aq Ky Syr Tm Db Aa Tk Ka Kt Ty Pw Sp Mn Or Bs Sm Kg Sau Mrk Tar DsA iID T-S SY Tls CN Ui Il Ku Sju Hr Ax Kh Kp Cc
392. **Hyposcotis (Euchrognophos) subtaurica (Wehrli,1932)** (Geometridae) Synonym(s): *subtaurica* Wehrli,1932 *Gnophos variegata* var. *subtaurica* Wehrli,1932, Mitt. münch. ent. Ges. 22 (1): 9. Syntypes 23♂ 7♀: [Türkei]: Marasch, Akbes; [Lebanon]: Beirut (ZFMK). TR LB Bei Bsa IL Pa Js CY
393. **Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900. *Constantia colchicalis* Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 4: 148, fig.136. Type(s): [Türkei]: Amasia. DZ TN LY ES RU MD UA BY TR IR Ahz Fa Ss Shr Sse SY JO IL LB IQ Ry CY IR TM KG Tk Dj
394. **Hyppa rectilinea (Esper,[1788])** (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952 *Phalaena rectilinea* Esper,[1788], Die Schmett. 4 (2(1): 379, Taf. 127, Noct. 48 fig.1. Syntypes: Deutschland: Schwaben, Unteressendorf, usw. ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR CY DK NO SE FI EE LV LT RU Cc Kb Kr No MD UA BY At Ya Sb Am Us Kmt Krl Sh JP
395. **Hypsopygia costalis (Fabricius,1775)** (Pyrilidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. *Phalaena costalis* Fabricius,1775, Syst. Ent.: 644, nr.132. Type(s): Anglia. PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Th Elb IL Hf Pa EG TM Kp UZ Fe IQ Shq Dia KG Tk NrK CN Ui
396. **Idea albitorquata (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata* Püngeler,1909 *Acidalia albitorquata* Püngeler,1909, Dt. ent. Z., Iris 21 (4): 293, pl.4 fig.10. Syntypes: [Griechenland]: Pelponnees: Tirnys; Kalavryta; [Türkei]: Aidin [Aydn]; Amasia [Amasya]; [Italia]: Sicilia, Ficuzza. Si IT YU AL BG GR Rd Cr TR CY
397. **Idea camparia (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. *Acidalia camparia* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type(s): [Türkei]: Smyrna [=Izmir]. PT ES FR Si IT RO YU HV AL BG GR Cr CY TR LB Bsa Cc AZ Nv AM GG IQ RU MD UA BY IR Fa Com Kz IL Pa TM
398. **Idea completa (Staudinger,1892)** (Geometridae) Synonym(s): *completa* Staudinger,1892 DZ TN Gf ES MA DZ TN Si MT CY
399. **Idea consanguinaria (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929 *Acidalia consanguinaria* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 256-257. Syntypes: Spalato; [Türkei]: Brussa [=Bursa]. Si IT RO YU AL BG GR Cr TR RU IL Pa LB Bsa CY IR Cc AZ Nv GG
400. **Idea consolidata (Lederer,1853)** (Geometridae) Synonym(s): *consolidata* Lederer,1853 *Acidalia consolidata* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 257. Syntypes: [Türkei]: Brussa [=Bursa]. Sa Si SS HV YU AL MK BG GR Rd Cr CY TR LB Bsa IR?
401. **Idea degeneraria (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 *Geometra degeneraria* Hübner,[1799], Samml. eur. Schmett. 5: pl.11, fig.57. Type: Europa. MA DZ TN PT ES FR Co Sa Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR IL Pa LB Bsa Cc AZ GG IQ RU MD UA BY IR Elb Fa
402. **Idea distinctaria (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852 FR Co Sa Si IT CH SS HV YU AL BG GR Cr Rd CY TR IL Pa
403. **Idea elongaria (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infirmata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942. *Acidalia elongaria* Rambur,1833, Anns. Soc. ent. Fr. 2 (1): 38, pl.2 fig.20. Syntypes: [France]: Corsica: Ajaccio. MA DZ TN PT ES Mu FR Co Sa Si IT MT SK HU RO YU AL BG GR Cr CY TR Cc AZ GG LB Bsa AZ Nv IQ Akr RU UZ CN Ui Ii Ku Khr KG Tk
404. **Idea filicata (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830 *Geometra filicata* Hübner,[1799], Samml. eur. Schmett. 5: pl.46, fig.238. Type: Europa. ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IQ Rvw Agh CY LB IR
405. **Idea fractilineata (Zeller,1847)** (Geometridae) Synonym(s): *fractilineata* Zeller,1847; *fractilineararia* Herrich-Schäffer,1852 MA DZ TN PT ES Si IT MT CY IL Pa
406. **Idea inclinata (Lederer,1855)** (Geometridae) Synonym(s): *inclinata* Lederer,1855 LB Bei IL Pa Js TR CY EG LY
407. **Idea inquinata (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840 *Phalaena inquinata* Scopoli,1763, Entomologia Carniolica: 230. Syntype(s): [Slovenien]: Carniolia

- [Krain] [lost] (Hausmann,2006). MA DZ TN EG LY Cy PT ES FR Co Sa Si IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY AZ Cc AM GG IR DK SE FI LV RU UA Cm
408. **Idaea intermedia (Staudinger,1879)** (Geometridae) Synonym(s): *intermedia* Staudinger,1879 *Acidalia intermedia* Staudinger,1879, *Horae Soc. ent. ross. 14: 436*. Syntypes 2♂: [Türkei]: Amasia (Kerasdere). GR Cr RD CY TR LB Bei Bsa IL Pa Hf
409. **Idaea mimosaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer,1852 TR CY IL Pa Hf
410. **Idaea ochrata (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrigata* Fabricius,1781; *ochrearia* Schrank,1802 *nec* Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901 *Phalaena ochrata* Scopoli,1763, *Entomologia Carniolica: 227*. Type(s): Carniolia. MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Ksp CY LB DK SE RU MD UA BY IR
411. **Idaea ostrinaria (Hübner,[1813])** (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938. *Geometra ostrinaria* Hübner,[1813], *Samml. eur. Schmett. 5: pl.83, fig.430*. Type: Europa. MA DZ TN PT ES Mu FR Co Sa Si IT YU AL BG GR Cr Rd TR CY
412. **Idaea palaestinensis (Sterneck,1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 *nec* Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934. *Ptychopoda palaestinensis* Sterneck,1933, *Z. öst. EntVer. 18: 65-66, figs*. Syntypes: [Israel]: Haifa, Jerusalem, Jericho.; Libanon. LB Shw Bei IL Pa GR Cr Rd CY TR IQ Agh Bgd IR Fa
413. **Idaea politaria (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 *nec* Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901 *Geometra politaria* Hübner,[1799], *Samml. eur. Schmett. 5: pl.12, fig.61*. Type: Europa. DZ PT ES FR Co Sa Si IT CH CZ SK HU RO SS YU AL BG GR TR IQ LB Bsa RU MD UA Cm CY Cc GG AZ AM IR
414. **Idaea ruficostata Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852. *Idaea ruficostata* Zeller,1847, *Stettin ent. Ztg. 10: 215-216*. GR Rd CY Cc TR LB Bsa
415. **Idaea sodaliaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852] *Acidalia sodaliaria* Herrich-Schäffer,[1852], *Syst. Bearb. Schmett. Eur. 6: 65*. CY TR Cc GG AZ AM Nv
416. **Idaea subsaturata (Guenée,[1858])** (Geometridae) Synonym(s): *subsaturata* Guenée,[1858]; *miserata* Staudinger,1859; *subherbariata* Rössler,1877 DZ TN LY PT ES FR CY?
417. **Idaea textaria (Lederer,1861)** (Geometridae) Synonym(s): *textaria* Lederer,1861 *Acidalia textaria* Lederer,1861, *Wien. ent. Monatschr. 5: 153, pl.2, fig.3*. Type: [Turkey]: Antiochia [=Antakya]. TR CY IQ Sbn Agh
418. **Idaea tineata (Thierry-Mieg,1911)** (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. *Acidalia tineata* Thierry-Mieg,1911, *Annl's Soc. ent. belg. 54: 468*. Syntypes: [Turkey]: Akbes. GR TR IL Pa LB Bmm CY
419. **Idaea trigeminata (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. ES Co Sa Si IT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR LB Bsa TR CY GG AZ SE RU MD UA Cm Cc AM
420. **Idaea troglodytaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939 IL Pa Js Rd Cr GR CY TR
421. **Idia calvaria ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775 *Noctua calvaria* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 71*. Type(s): [Austria]: Vienna district. ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Cc CY IQ RU Cc Kr MD UA BY
422. **Infurcitinea cyprica G.Petersen & Gaedike,1983** (Tineidae) Synonym(s): *cyprica* G.Petersen & Gaedike,1983 CY
423. **Infurcitinea frustigerella (Walsingham,1907)** (Tineidae) Synonym(s): *frustigerella* Walsingham,1907; *absconditella* Chrétien,1915. DZ MA TN ES TR CY
424. **Infurcitinea graeca Gaedike,1983** (Tineidae) Synonym(s): *graeca* Gaedike,1983; *graeca* G.Petersen & Gaedike,1983 GR Cr TR CY
425. **Infurcitinea nedae Gaedike,1983** (Tineidae) Synonym(s): *nedae* Gaedike,1983; *nedae* Baldizzone,1983 HV GR TR CY
426. **Infurcitinea nigropluviella (Walsingham,1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968. DZ TN TR GR Cr Rd CY
427. **Istrianis femoralis (Staudinger,1876)** (Gelechiidae) Synonym(s): *femoralis* Staudinger,1876; *comendonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941. ES Grn Snv IT GR Si HV MK CY Cm UA TR
428. **Isturgia berytaria (Staudinger,1892)** (Geometridae) Synonym(s): *berytaria* Staudinger,1892 *Halia berytaria* Staudinger,1892, *Dt. ent. Z., Iris 5: 200*. Syntypes 9♂ 2♀: [Lebanon]: Beirut. GR Cr LB Bei TR CY IL Pa
429. **Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998. TR Cc AZ Nv IR Lo Fa Shr LB Bsa SY CY EG Sn LY JO IQ

430. **Jordanita (s.str.) graeca (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907; *sultana* Alberti,1937 SK HU RO YU HV AL BG GR TR RU MD UA Cm AM Cc GG AZ CY IQ IR Elb Th Kdj
431. **Jordanita (s.str.) syriaca (Alberti,1937)** (Zygaenidae) Synonym(s): *syriaca* Alberti,1937 *Procris syriaca* Alberti,1937, Mitt. münch. ent. Ges. 27: 94-96. Syntypes: "Syrien". CY SY LB IL Js
432. **Keradere lepidella (Ragonot,1887)** (Pyrilidae) Synonym(s): *lepidella* Ragonot,1887 *Salebria lepidella* Ragonot,1887, Annl. Soc. ent. Fr. 1887: 232. Type(s): [Turquie]: Asie Mineure: Marasch. YU GR TR Cc CY AM AZ Nv Ord GG LB Bsa IQ Hjo IR Ahz
433. **Keradere tengstroemiella (Erschoff,1874)** (Pyrilidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879. YU GR CY TR IL LB Bsa IQ Hjo RU MD UA BY KG Uk UZ TM At IR Elb Mz Dam
434. **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989 *Papilio roxelana* Cramer,[1777], Uitl. Kapellen 2:101, pl.161, figs. C-F. Syntypes: [Türkei]:Constantinopel [=Istanbul], Smyrna [=Izmir]. Ae AL BG Cc Cm CY GR Rd RO RU LB IQ IR Lo TR UA YU SY
435. **Lamoria anella ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *anella* [Denis & Schiffermüller],1775 *Tinea anella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. TN Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU MD UA BY AF Hr IL Pa Hf LB Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj IN Poo Mh LK ZA
436. **Lamoria jordanis Ragonot,1901** (Pyrilidae) Synonym(s): *jordanis* Ragonot,1901 **Lamoria jordanis** Ragonot,1901, [in] Romanoff, Mém. lepid. 8: 435, pl.46 fig.5. ES IL Pa JO CY TR
437. **Lamoria melanophlebia Ragonot,1888** (Pyrilidae) Synonym(s): *melanophlebia* Ragonot,1888 **Lamoria melanophlebia** Ragonot,1888, Nouv. Gen.: 51. SY CY AM Cc
438. **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 **Papilio boeticus** Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 789. Type(s): *Barbaria* [Algeria]. Ae AF AL AM AZ Az Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Pnj PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA UE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao Mu18 Ci He Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Za Tva Lpo Spb Lj Mdk Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH CMA Cuo Cuo7 Cui2 Lmp Sgl Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD SD91 SD119 Bgd Cc
439. **Larentia clavaria Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd CY TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js KG UZ TJ
440. **Lasiocampa serrula (Guenée,1858)** (Lasiocampidae) Synonym(s): *serrula* Guenée,1858 ES MA DZ TN EG IL Pa JO SA CY
441. **Lasiocampa terreni (Herrich-Schäffer,1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847 *Bombyx terreni* Herrich-Schäffer,1847, Syst. Bearb. Schmett. Eur. 2: 14. Type: Constantinopel [Istanbul]. Neotype ♂: Türkiye: Prov. Hatay, 20km östl Iskenderum [sic] 100m, leg. Ströhle (ZSM) (designated by Lewandowski & Fischer,2005). GR Rd TR CY LB Bei IL Pa JO Amm SY SA EG
442. **Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. **Papilio maera** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): *Suecia* (vide Linnaeus,1746 *Fauna Suecica* (1): 238). Ae AL Cc AM At Bn AT AZ Ba BE BG B-H Bs BY Cb CH Cr CY CZ DE DK EE ES Mu FI FR GG GR HU HV IL IT KG Kg Kr Kw LB LT LU LV MK Mn NL No NO Om Or PL Pp PT Rd RO RU SE Si SK Sm So Sp Sr SS Tk TR Tt Ty UA Uk VI YU At Sau Mrk Tar DsA Cb Kg Pp Kw Ty Pw SY Sb T-S Pa Hf CN Ui Mu18 Cc Pja Kis Tbl
443. **Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. **Papilio megera** Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 771, nr.142. Ae AL AT BE BG B-H BY CH Co Cr CY CZ DE DK EE ES Mu Mu18 FI FR GB GR HU HV IE IL IQ Dy IR IT Kp Kr Lb Lt Lu Lv Mk Mt Nl No Pl Pt Rd RO RU Sa Se Si SK Sm So Sr SS SY TM TR Cc JO UA VI YU Cw Dv Smt H-W Sur Ssx Ken
444. **Leptotes pirthous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirthous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. **Papilio pirthous** Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 790. Type(s): *Barbaria* [Algeria]. Ad Ae AL As AT BG BY CH Cm Co Cr CY DE Dh DZ EG ES Mu18 FR GR HU IL IT LB LY MA MK MT PT Rd RU SA Sa Si TN TR UA YE YU JO Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm ZA Tva Lpo Spb Gau Pre Mpu Brb MZ Pa Hf SD SD91 SD119 TZ Tnga Usa Ani

445. **Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849] *Leucania herrichi* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 238, Taf.66 fig.341. Type(s): [Turkey]: Bosphorus. BG GR Cr RU Cc Da TR IQ LB IL Pa SY JO CY
446. **Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. *Noctua loreyi* Duponchel,1827, Hist. nat. Lépid. Pap. France 7: 81, pl.105 fig.7. Type(s): [France]: Dijon. Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp NI Bl Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAU Bri FJ TO NC KE JP TW MM PH Ceb CY US Up Bhi Sn EG JO SY IL Pa Hf Mz Th Nos Kdj Kd Lo Kz Yas Km Cc RU Ro Kb Ich
447. **Leucania palaestinae Staudinger,1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 nec Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornoşor & Lödl,1990 *Leucania putrida* var. *palaestinae* Staudinger,1897, Dt. ent. Z., Iris 10: 174, Taf. iv figs. 11,12. Syntypes: Palaestina: Haifa. DZ EG Sn GR TR IQ Bgd IR IL Hf Pa Jt SY JO CY SA
448. **Leucania punctosa (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825 *Simyra punctosa* Treitschke,1825, Schmett. Eur. 5(2): 287. Type(s): Mulzer in Unsbach. PT ES FR Co Sa? Si IT? MT CH? YU GR TR IR Fa Gh Elb Th CY IQ Agh RU Cc Da TM Kp LB IL Pa JO SY
449. **Leucania putrescens (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952 *Noctua putrescens* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.156, figs.730-731. Syntypes: [Europa]. Cn DZ PT ES FR Co Sa Si IT MT GB RO YU AL BG GR Cr TR IQ Brs Ry Rvw Dia RU MD UA BY IR Hz KK Ik CY LB IL Pa JO CN
450. **Leucochlaena muscosa (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892 *Epunda muscosa* Staudinger,1892, Dt. ent. Z., Iris 4: 281-282. Syntypes 5♂: [Türkei]: Amasia, ?Maraş, ?Malatia. GR TR IR Hz Elb Gh Ab Ksh CY IQ TJ TM Kp UZ N-A IL Js Pa RU Cc Da Der
451. **Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782 *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch Insektengesch. (2) (4): 1, pl.8 figs.1-3. Type(s): S.Tirol: Bolzano. AL AT BG B-H Bw BY CH Cr CY DZ TN ES Mu FR GR HU HV IQ IR Elb IT Kp MK PK Ci Nwf PT RO RU Sa Si SK SS TM TR Cc UA YU Tra Ax Tls KG CN TW JP KP KR T-S
452. **Limenitis (Azuritis) reducta Staudinger,1901** (Argynniidae) Synonym(s): *reducta* Staudinger,1901. *Limenitis camilla* var. *reducta* Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 22,nr.135a. Syntypes: [Armenia]: Arm. or; [Iran]: Hyrc. Lectotype ♂: Azerbaidjan: Hankynda, designated by Wagener,1995, Die Tagfalter der Türkei: 978. Ae AL AM AT AZ BG B-H BY CH Co CZ DE ES Mu FR GG Cc GR HU HV IL IQ IR Ab Ak Elb Fa IT JO Kp LB LU MK NL Rd RO RU Sa Si SK Sm Sr SS SY TM TR UA YU CY
453. **Lithophane lapidea (Hübner,[1808])** (Noctuidae) Synonym(s): *lapidea* Hübner,[1808] *Noctua lapidea* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab. 82, fig.382. Type(s): Europa. MZ DZ LY IT CH? HV MK BG GR Cr Rd CY TR LB Bei IL Pa SY IR Elb Th
454. **Lithophane ledereri (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892 *Xylina ledereri* Staudinger,1892, Dt. ent. Z., Iris 4: 304-305. Syntypes: [Türkei]: Amasia (Kindermann leg.). YU BG GR Rd TR CY IQ Shq IL Pa
455. **Lithophane merckii (Rambur,1832)** (Noctuidae) Synonym(s): *merckii* Rambur,1832 ES FR Co Sa IT CH RO YU BG GR CY TR
456. **Lithostege palaestinensis Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941. GR CY TR IL Pa IQ Kbl Fat Njf Agh SA SA63 IR Fa
457. **Loxostege emiralis (Oberthür,1888)** (Pyralidae) Synonym(s): *emiralis* Oberthür,1888 DZ IQ Bsr CY IL Pa IR Elb Kdj Ss Kz Sde Ssh Ke Ana AF Pag
458. **Luperina diversa (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933 *Apamea dumerilii* var. *diversa* Staudinger,1892, Dt. ent. Z., Iris 4: 284-285. Syntypes: [Türkei]: Amasia, Diarbekir. TR Cc AM Geg Eri CY IQ IR Ab Ksh Elb Th LB Bei EG Sn
459. **Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826 *Noctua dumerilii* Duponchel,1826, Hist. nat. Lépid. Pap. Fr. 6: 277. Type(s): Paris. MA DZ PT ES Co Sa Si IT MT GB BE DE CH RO YU BG GR Cr TR RU Cc Da CY IQ Dia IL Pa Jt JO
460. **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 *Papilio phlaeas* Linnaeus,1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia. Ad Ae AF AL AM Ao As At AT Aty AZ Ba BE BG BY CH Cm CN Co Cr CY CZ DE DK EE ES FI FR GB GG GR HU IE IL IN IQ IR IT JO KG Kgs KK Kmt Ku LB Ld Lt LU LV MK MN MT NL NO PK PL PT Rd RO RU SA Sa SE Si SK Sm So Sr SY Ti TJ Tk TM TR UA Ui Uk Vi YE YU Cw Dv Smt Mui8 Bn Cy LY H-W Sur Ssx Ken MA DZ TN Pm Bik Ci Bl Sau Tar Dsa Ax Tra KuA TeA Ket T-S Pes Mre Mus Krl JP US Cf UG ZR ET Md Mon Abt CA Msc Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Prj Us Pa Hf Sml Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Trz Tol Trg Val Vel Zg Zm US Aks Cf Cnt Col Dw Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc Nca Ndk NMx Neb Nh Nje Ny Oh Ok Org Pns RdI Sdk Tnn Ut Vi Vr WVi We Wy Um Adu Bgd Cc
461. **Lycaena (Thersamonia) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.

- Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta. At Bn Ao He Kos AF AL AT Ba BG BY CN Ui CY CZ GR EG Sn HU Ii IL Pa Hf IR Kh IT JO KG KK MK PL Rd RO RU SK Sm Sr Tk TR T-S UA Uk VI YU SY Buc Nym SAT Sau Tar Mrk DsA TrA Aa Tk Rk Aq Syr Tm Cc
462. **Lygephila craccae (Fabricius,1787)** (Noctuidae) Synonym(s): #craccae [Denis & Schiffermüller],1775; craccae Fabricius,1787; nigricollis Villers,1789; riata Rungs,1952; caliginosa Schawerda,1931; herreraei Yela,1990; #craccae Hacker & Kautt,1999. **Noctua craccae Fabricius,1787, Mant. Ins. 2: 154, nr.137. Type(s): [Wien].** MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag KG Tk Dj Ii KK Ik T-A CY
463. **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; nigra Cosmovici,1892. **Sphinx stellatarum Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493.** Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm VI Pt Tt Or Bgd Rd JO Kab Khi Pjr Hrz Cc
464. **Macroglossum stellatarum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): stellatarum Linnaeus,1758; nigra Cosmovici,1892. **Sphinx stellatarum Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493.** Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm VI Pt Tt Or Bgd Rd JO Kab Khi Pjr Hrz
465. **Mamestra brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): brassicae Linnaeus,1758; omicron Geoffroy,1785; albidilinea Haworth,1809; andalusica Staudinger,1871; decolorata Staudinger,1889. **Phalaena brassicae Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa].** PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA BY PK AF KG Tk Dj KK Ax Ik UZ Fe Sb Am Prj Us CN Ch IN Kul Hp Pj Dlh Sml Ti Drm PK IR Elb Gh Kz JP
466. **Maniola (Telmessiola) cypricola (Graves,1928)** (Satyridae) Synonym(s): cypricola Graves,1928 **Epinephele cypricola Graves,1928, Entomologist 61: 5-7, Pl.1. Lectotype ♂: Cyprus: Limassol (designated by Olivier,1993) (in BMHN).** CY
467. **Meganola togatalis (Hübner,1796)** (Noctuidae) Synonym(s): togatalis Hübner,1796; togatulana Duponchel,1845 **Pyralis togatalis Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.20 fig.131. Type(s): Europa.** PT ES Mu FR Co Sa Si IT BE NL DE CH PL CZ SK HU YU BG GR TR LT RU MD UA BY CY IL Pa LB Bsa IQ
468. **Melanchra persicariae (Linnaeus,1761)** (Noctuidae) Synonym(s): persicariae Linnaeus,1761; sambuci Hufnagel,1766; graphica Geoffroy,1785; accipitrina Esper,[1788]. **Phalaena persicariae Linnaeus,1761, Fauna Suecica (2): 319. Type(s): Schweden.** PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR CY DK NO SE FI EE LV LT RU Cc Ro St Kr Kb Kc Nt Ich Ing Da Sb Prj Us AM MD UA BY CN T-T Sz Ui Ii KK Ik IR Elb Gh JP
469. **Menophra berenicidaria (Turati,1924)** (Geometridae) Synonym(s): berenicidaria Turati,1924; trypanaria Wiltshire,1948; cretacaria Reisser,1948 **TN LY Cy TR CY GR Cr**
470. **Menophra trypanaria (Wiltshire,1948)** (Geometridae) Synonym(s): trypanaria Wiltshire,1948 **CY Cr**
471. **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): malacodactyla Zeller,1847; meridionalis Staudinger,1880; indocta Meyrick,1913; subtilis Caradja,1920; parca Meyrick,1921; subcretosa Meyrick,1922; phaeoschista Meyrick,1923; luteodactyla Turati,1926; rayatella Amsel,1959; insularis Bigot,1961; livadiensis Zagulyaev & Filippova,1976; transdanubinus Fazekas,1986; garrigae Bigot & Picard,1989; moulignieri Nel,1991; inopinata Bigot, Nel & Picard,1993 **MA DZ TN LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry IR Elb Kdj Shr FA AF Srb Kab Sfk Kot Nu SA As**
472. **Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): secalis Linnaeus,1758 **Phalaena secalis Linnaeus,1758, Syst. Nat. (Edn.10)1: 519. Type(s): [Europa].** MA DZ PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY IR Fa IQ KG Tk Dj CY LB Cc AM Nyu AZ Adz
473. **Mesophleps silacella (Hübner,1796)** (Gelechiidae) Synonym(s): ?pyropella Hübner,1793; silacella Hübner,1796; silacea Haworth,1828 **PT ES FR Sa Si IT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU MD UA BY**
474. **Metachrostis dardouini (Boisduval,1840)** (Noctuidae) Synonym(s): dardouini Boisduval,1840; velox Treitschke nec Hbn.,[1813]; mendacula Freyer,1841; dilutior Schwingenschuss,1926 **Bryophila dardouini Boisduval,1840, Gen. Ind. Meth. Eur. Lepid.: 96. PT ES FR IT CH AT SK HU RO YU BG GR Cr TR IR Ab Oru Fa Kaz Kh Msh TM Kp CY IL Pa JO LB**
475. **Metachrostis velocior (Staudinger,1892)** (Noctuidae) Synonym(s): velocior Staudinger,1892 **Si BG GR Cr TR CY LB Bsa Bei IL Pa Js SY JO**
476. **Metachrostis velox (Hübner,[1813])** (Noctuidae) Synonym(s): velox Hübner,[1813]; griseimargo W.Warren,1912; mendacularis Treitschke,1829; tarda Turati,1926; velocissima Turati,1926; rubescens Schwingenschuss,1930 **Noctua velox Hübner,[1813], Samml. eur. Schmett. 4, Noctuae:**

- Tab.108 fig.507. Type(s): Europa. Cn MA DZ TN LY EG PT ES Mu FR Sa Si IT MT YU MK AL BG GR Cr TR AM Cc LB Bei IL Pa Hf JO CY IR Fa Hz B-A
477. **Metallostichodes nigrocyanella (Constant,1865)** (Pyrilidae) Synonym(s): *nigrocyanella Constant,1865*; *chalcocyanella Staudinger & Wocke,1871*. *Myelois nigrocyanella Constant,1865*, Anns Soc. ent. Fr. 1865: 190, pl.7 fig.2. Neotype ♂: Frankreich: Landes (designated by Roesler,1973, Microlepid. palaearkt. 4: 130) (MNHNP). MA DZ LY PT ES An FR Co Sa Si IT MT YU GR Cr TR CY IL Pa Hf LB EG
478. **Metallostichodes vinaceella (Ragonot,1895)** (Pyrilidae) Synonym(s): *vinaceella Ragonot,1895*; *#vinacellum Rebel,1939* *Hyphantidium vinaceellum Ragonot,1895*, Bull. Soc. ent. Fr. 1895: 101. Type: [Turquie]: [Hatay Prov.]: Alexandrette [=Iskenderun] (MNHNP). TR LB CY
479. **Metasia (Clasperia) ophialis (Treitschke,1829)** (Pyrilidae) Synonym(s): *ophialis Treitschke,1829*; *parvalis Caradja,1917*. *Botys ophialis Treitschke,1829*, Schmett. Eur. 7: 90. Type(s): Ungarn. PT ES FR Co Si IT CH AT CZ SK HU RO YU AL BG GR Cr TR CY
480. **Metasia (s.str.) albicostalis Hampson,1900** (Pyrilidae) Synonym(s): *albicostalis Hampson,1900* TR CY LB Bsa Bei
481. **Metasia (s.str.) cypriusalis Amsel,1958** (Pyrilidae) Synonym(s): *cypriusalis Amsel,1958* *Metasia cypriusalis Amsel,1958*, Z. wien. ent. Ges. 43: 56-57, Taf.2. fig.3, Abb.8. Holotype ♂: Cypern, Kyrenia 24.5.1947 leg. Wiltshire. CY
482. **Metasia (s.str.) rosealis Ragonot,1895** (Pyrilidae) Synonym(s): *rosealis Ragonot,1895* YU GR TR CY
483. **Metasia (s.str.) rubricalis Rebel,1939** (Pyrilidae) Synonym(s): *rubricalis Rebel,1939* *Metasia rubricalis Rebel,1939*, Mitt. münch. ent. Ges. 29: 556-557, Taf.xv fig.5. Type ♂: Cyprus, Agios Joanni 28. Juli '30, Mavromoustakis. CY
484. **Metasia (s.str.) supbandalis (Hübner,[1823])** (Pyrilidae) Synonym(s): *supbandalis Hübner,[1823]* *Pyalis supbandalis Hübner,[1823]*, Samml. eur. Schmett. 6, Pyralides: Tab.30 figs.187-190. Syntypes: Europa. PT ES FR Co Si RO YU AL BG GR Cr TR Cc CY IQ Hjo IR Elb Th Kdj Sse Fa Com
485. **Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): *omar Oberthür,1887* TN MR MA Si IT TR EG Sn LB Bei CY IQ Amr IR Mz Fa Ss Elb Gor Bu Hz B-A IL Pa Hf SY JO TM
486. **Metzneria riadella Englert,1974** (Gelechiidae) Synonym(s): *riadella Englert,1974* *Metzneria riadella Englert,1974*, Z. angew. Ent. 75: 398, fig. Holotype ♂: [Saudi] Arabia, Riad, 700m (LNK). CY SA ES Alm An
487. **Microloxia herbaria (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria Hübner,[1813]*; *advolata Eversmann,1837*; *graminaria Zeller,1849*; *bruandaria Millière,1860*. *Geometra herbaria Hübner,[1813]*, Samml. eur. Schmett. 5: pl.79 fig.407. Type(s): Europa. PT ES FR Co Sa Si IT HU RO YU AL BG GR Cr TR Cc AZ Nv CY IQ Kbl RU MD UA BY CN Ui Ku IR Fa Com Kz OM IL Pa Hf
488. **Micronola karsholti (Fibiger,1997)** (Micronoctuidae) Synonym(s): *karsholti Fibiger,1997* *Micronoctua karsholti Fibiger,1997*, Nota lepid. 20 (1/2): 23, figs.1-4. Holotype ♂: Antalya Prov., 40km N Alanya, 5km S Gündoğmuş, 1100m (coll.Fibiger). CY Rd GR TR
489. **Micropterix cypriensis J.Heath,1985** (Micropterigidae) Synonym(s): *cypriensis J.Heath,1985* CY
490. **Mimudea languidalis (Eversmann,1842)** (Pyrilidae) Synonym(s): *languidalis Eversmann,1842* RO B-H AL BG GR Cr TR Cc IR IQ Ry IL Pa CY
491. **Mirificarma (s.str. (Interrupta)) mulinella (Zeller,1839)** (Gelechiidae) Synonym(s): *mulinella Zeller,1839*; *caminariella Fuchs,1902*; *nigraesilvae Amsel,1950*. DZ TN PT ES Gna FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU GR Cr CY DK NO SE RU MD UA BY
492. **Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella [Denis & Schiffermüller],1775*; *formosella Hübner,1796 nec [Denis & Schiffermüller],1775*; *flammella Hübner,[1825]*; *rufeoformosella Bruand,1859*. *Tinea eburnella [Denis & Schiffermüller],1775*, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district. PT ES FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR Cr Rd TR SY IL Pa Hf LB Cc AM CY RU MD UA BY US Cf
493. **Mirificarma (s.str. (s.str.)) flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella Duponchel,[1844]*; *segetella Zeller,1847*. DZ TN ES FR Co Sa Si BE RO GR Cr TR IL Pa Hf Js CY LB
494. **Monopis imella (Hübner,[1813])** (Tineidae) Synonym(s): *imella Hübner,[1813]*; *nitidella Zaguljaev,1960*. PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc LB Bsa DK SE FI EE LV LT RU MD UA BY IR Fa Shr MN
495. **Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura Linnaeus,1758*; *lemur Meinecke,1775*; *usta Fourcroy,1785*; *deusta Geoffroy,1799*; *cypriaca Hacker,1996* *Phalaena maura Linnaeus,1758*, Syst. Nat. (Edn.10)1: 512. Type(s): Mauritania. MA DZ TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY AM GG Cc TR DK RU Kr MD UA BY IL Hf Pa IQ Shq LB Bsa TM IR
496. **Muscula muscula (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula Staudinger,1899* *Lithosia muscula Staudinger,1899*, Dt. ent. Z., Iris 12: 156. Type(s): [Türkei]: Gjaur Dagh [Amanos]. TR GR Rd IQ Shq LB Bei CY SY IL Pa

497. **Myelois (Gnathogutta) pluripunctella (Ragonot,1887)** (Pyralidae) Synonym(s): *pluripunctella Ragonot,1887* Myelois pluripunctella Ragonot,1887, Annl. Soc. ent. Fr. 1887: 226. Syntypes: [Lebanon]: Beirut. TR GR LB Bei IL Hf Pa CY IR Elb Mz
498. **Myinodes shohami Hausmann,1994** (Geometridae) Synonym(s): *shohami Hausmann,1994* Myinodes shohami Hausmann,1994, Nota lepid. 17 (1/2): 38, figs. Holotype ♂: Jordan (north-east): Quasr el Hallabad, 500m (ZSBS). Rd TR LB CY IL Pa JO IQ IR Fa Shr
499. **Myrmecozela (Promasia) parnassiella (Rebel,1915)** (Tineidae) Synonym(s): *parnassiella Rebel,1915* MK BG GR TR CY
500. **Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri Boisduval,1840; syriaca Osthelder,1933* Leucania alopecuri Boisduval,1840, Genera Index meth. Eur. Lep.:132. Type(s): [Russia]: Taganrog. FR RO YU BG GR RU Cc Ro St Ich Ing Da MD UA TR CY IQ TM KG IL Pa JO
501. **Mythimna (Aletia) flavostigma (Bremer,1861)** (Noctuidae) Synonym(s): *flavo-stigma Bremer,1861; macaria Rebel,1916.* Xanthia flavo-stigma Bremer,1861, Bull. Acad. Imp. Sci. St.Petersburg 3:488. Syntypes: [Russia]: Ussuri. RU Prj Us CY CN JP
502. **Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album Linnaeus,1767; penicillata Moore,1881* Phalaena l-album Linnaeus,1767, Syst. Nat. (Edn.12)1: 850. Type(s): [Europa]. MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SI NP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da
503. **Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi Duponchel,1836; dactylidis Boisduval,1840; montium Boisduval,1840; cyperi Boisduval,1840; fuscilinea Graslin,1852; syriaca Osthelder,1933.* Leucania scirpi Duponchel,1836, Hist. nat. Lépid. Pap. France, Suppl.3: 349. Syntypes: [France]: Montpellier; Korsica. PT Co Sa Si IT MT BE LU DE AT CZ RO AL GR TR IL Hf Pa CY TM Kp
504. **Mythimna (Aletia) sicula (Treitschke,1835)** (Noctuidae) Synonym(s): *sicula Treitschke,1835; albivena Graslin,1852.* Leucania sicula Treitschke,1835, Schm. Eur. 10(2): 90. Type(s): [Italy]: Palermo. PT ES FR Co Sa Si IT MT BE NL DE CH YU AL BG GR Cr TR CY
505. **Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina Hübner,[1808]; #vitellena Lederer,1870; decolorata Dannehl,1929; saturator Dannehl,1929; grisescens Dannehl,1929.* Noctua vitellina Hübner,[1808], Samml. eur. Schm.,Noct.2: Taf.81, fig.379. Type: [Europa]. Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rvw Dia Agh DK RU At MD UA BY PK Ch NP IN Pj Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da
506. **Mythimna (Anapoma) riparia (Rambur,1829)** (Noctuidae) Synonym(s): *riparia Rambur,1829* DZ PT ES FR Co Sa Si IT YU AL BG GR Cr TR CY TM IL Pa SY
507. **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926* Noctua ferrago Fabricius,1787, Mant. Ins. 2: 160, nr.170. Type(s): [Germany]; Kiliae [=Kiel]. DZ MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY CN Ui Kun TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc
508. **Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): *consanguis auct. nec Gn.,1852; languida Walker,1858; zachii Bohatsch,1880; abbas Bethune-Baker,1894; arbia Boursin & Rungs,1952.* Hadenia languida Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1728. Syntypes: [South Africa]: Natal. DZ MT PT FR GR Cr TR EG EGo5 ZA Nta LB Beq Bei IL Pa SY JO IR Fa Ss IQ CY
509. **Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta Haworth,[1809]; extranea Guenée,1852; antica Walker,1856; tseki Koutsaftikis,1974.* Noctua unipuncta Haworth,[1809], Lep. Br. 2: 174. Type(s): England. Md Cn DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB NL LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR DK SE RU Ur Sb At Am Us MD UA BY AF Gbh Pli Srb Kab CN JP Ch IN Pj Kul PK Mre Cp Hp Drm SI Clc Bba ID Ja AU NSw Syd NZ CA US Ny Iln Alb NMx Arz Tx Kan Col MX GT Prj CR PA BR AR VE CU PU Az Flo CY IL Pa LB Bsa SY JO ZA Nta Kzu IR Mz Elb Th Dam Kd Lo Cc Ro St Kb Kc Nt Ich
510. **Nebula adlata (Staudinger,[1895])** (Geometridae) Synonym(s): *adlata Staudinger,[1895]* Cidaria adlata Staudinger,[1895], Dt. ent. Z., iris 7: 294-295. Syntypes: [Libanon]: Beirut. GR CY LB Bei IL Pa Jt
511. **Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#salicata [Denis & Schiffermüller],1775* Geometra salicata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schm. Wienergegend: 109. Type(s): [Austria]: Vienna district. PT ES FR Co Sa Si IT MT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM RU MD UA BY IQ Brs Dia IR Fa IL Pa Car Js
512. **Nemapogon cyprica Gaedike,1986** (Tineidae) Synonym(s): *cyprica Gaedike,1986* Nemapogon cyprica Gaedike,1986, Reichenbachia 24 (2): 31, figs. Holotype ♂: Zypern: Troodos Gebirge, Tripylos Cedar valley, 1300m (coll. E. Arenberger). CY

513. **Neocorodes amnesta Meyrick,1923** (Lecithoceridae) Synonym(s): *amnesta Meyrick,1923*
Neocorodes amnesta Meyrick,1923, Exot. Microlepid. 3: 36. Holotype ♂: Cyprus: Platres 1600m, leg.
K.Hayward, 9.1921 (BMNH). CY
514. **Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria*
Boisduval,1840; *lapiditaria Freyer,1841* PT ES Mu FR IT RO YU MK AL BG GR Cr TR AZ Cc AM GG IQ IR
Fa Sse Com Kz RU Sr IL Pa Car Hf LB Bsa CY
515. **Neurothamasia macedonica G.Petersen,1962** (Tineidae) Synonym(s): *macedonica*
G.Petersen,1962; *inornata G.Petersen,1966* MK HV GR Cr CY IR Fa Com TR AM Cc
516. **Niditinea fuscella (Linnaeus,1758)** (Tineidae) Synonym(s): *fuscella Linnaeus,1758*; *spretella [Denis*
& Schiffermüller],1775; *crintitella Schrank,1802*; *fuscipunctella Haworth,[1828]*; *nubilipennella Clemens,1859*;
abligatella Walker,1863; *eurinella Zaguljaev,1952*; *distans Gozmany,1959*. PT ES FR Co Sa Si IT MT IE GB
BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc IQ Bgd DK NO SE FI EE LV LT RU MD UA BY ZA
517. **Niditinea tugarialis (Meyrick,1932)** (Tineidae) Synonym(s): *tugarialis Meyrick,1932*; *unipunctella*
Zagulyaev,1960 CN Ui Ch IR Elb Th IQ BH TR CY IL Pa TM K-K SA
518. **Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) Synonym(s): *haywardi Tams,1926*;
balcanica Slivov,1985 HU B-H MK YU BG GR Cr TR CY UA Cm
519. **Noctua (Latanocua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona Hufnagel,1766*;
subsequa [Denis & Schiffermüller],1775; *caroni Lempke,1964*. *Phalaena orbona Hufnagel,1766*, Berl.
Mag. 3(3): 304. Type(s): [Germany]: Berlin. MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL LU DE CH AT
PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY
IR Lo By Yas Zj Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF KG
Uk KK Osh Tj Pm Chr
520. **Noctua (Paranoctua) warreni (Lödl,1987)** (Noctuidae) Synonym(s): *warreni Lödl,1987*
Noctua warreni Lödl,1987, Nota lepid. 10 (3): 164-173, 12 figs. Holotype ♂: Cyprus: Platraes. CY TR
521. **Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba Linnaeus,1758*;
connuba Hübner,[1822]; *innuba Treitschke,1825*; *hoegi Herrich-Schäffer,1861*; *nigra Krausse,1912 nec*
Piesz.,1908; *decolorata Turati,1923*. *Phalaena pronuba Linnaeus,1758*, Syst. Nat. (Edn.10)1: 512.
Type(s): [Europa]. MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO
YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa Mz Gh Elb Th Kd Bu Dlk IQ
Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Cc Sb Ur LB Bsa IL Hf Pa JO Sn Az Cn UZ Br Ro Kr St Kc Kb
Nt Ing Kyi Da
522. **Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia*
Mentzer, Moberg & Fibiger,1991 *Noctua tertia Mentzer, Moberg & Fibiger,1991*, Nota lepid. 14 (1): 37-
39, figs. Holotype ♂: Bulgaria: SW Bulgaria,Kozuch pr. Petric, 17.ix.1983 (leg. & coll. E. v. Mentzer). IT
YU AL BG GR TR Cc IR Elb CY
523. **Nola aegyptiaca Snellen,1875** (Noctuidae) Synonym(s): *aegyptiaca Snellen,1875* CY EG
EG11
524. **Nola chlamitulalis (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis Hübner,[1813]*;
chlamydulana Duponchel,[1845] *Pyralis chlamitulalis Hübner,[1813]*, Samml. eur. Schmett. 6,
Pyralides: Tab. 25 fig.160. Type(s): Europa. ES Mu FR Co Sa Si IT DE CH AT SK HU BG GR Cr TR LB IL Hf
Pa CY EG
525. **Nola harouni (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni Wiltshire,1951*; *dilmuna*
Wiltshire,1961. *Celama harouni Wiltshire,1951*, J. Bombay nat. Hist. Soc. 49: 653, fig. Holotype ♂:
Iraq: Basra. GR TR IQ Dk Agh Bsr LB JO BH OM SA CY IR Ss Kd
526. **Nola squalida Staudinger,1871** (Noctuidae) Synonym(s): *squalida Staudinger,1871*; *musculalis*
Saalmüller,1880; *turanica Staudinger,1887*; *fraterna Moore,1888*; *vanhasseltii Heylaerts,1892*; *ceylonica*
Hampson,1893; *desmotes Turner,1899*; *parvula Chrétien,1913*; *mesoscia Hampson,1914*; *henrioti*
Warnecke,1937; *minima Warnecke,1938*; *#squamosa Zukowsky,1941*; *priesneri Rebel,1947* *Nola squalida*
Staudinger,1871, Berl. ent. Z. 1870: 102. Type: Andalusia (Malaga). AL ES FR Sa Si IT DE AL GR CY TR
LB Bei IL Pa AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Sbz IQ Bgd Bsr Sbn Agh CN TW LK ZA
527. **Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella*
[Denis & Schiffermüller],1775 *Tinea noctuella [Denis & Schiffermüller],1775*, Ankündigung syst.
Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed
by fire in 1848]. MA DZ TN Sfx Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO
YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz LB Bsa Bei SY IL Pa Hf AF
Hr Bmu Anj Gz Jla Kot DK NO SE FI EE LV LT RU MD UA BY PH TW ID IN ZA
528. **Nychiodes aphrodite Hausmann & Wimmer,1994** (Geometridae) Synonym(s): *aphrodite*
Hausmann & Wimmer,1994 CY
529. **Nycteola columbana (Turner,1925)** (Noctuidae) Synonym(s): *columbana Thurner,1925*;
gallicana Aubert,1957; *#apicistrigata Dufay,1958*. *Sarrothripus reveyana columbana Thurner,1925*,
Entomologist's Rec. J. Var. 37: 77. Type(s): France: Haute Loire. MA DZ TN PT ES Mu FR Co Sa Si IT CH
RO YU MK BG GR Cr TR CY LB Bsa RU Cc Kr
530. **Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana Scopoli,1772*; *duplana*
Fabricius,1777; *ilicana Fabricius,1781*; *fasciatum Retzius,1783*; *punctana Thunberg,1784*; *anglica*
Fourcroy,1785; *rivagana Fabricius,1787*; *ramosana Hübner,1793*; *undulana Hübner,[1799]*; *bifasciana*
Donovan,1801 nec Hbn.,1787 *Phalaena revayana Scopoli,1772*, Annu. hist. nat. Leipzig 5: 116.
Type(s): Hungaria: Schemnitz. MA DZ TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU

- RO YU AL B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Cc Kr Kb Da MD UA BY CY IR Fa Kh IL Pa LB Bsa
KG Ssn
531. **Nymphalis polychloros (Linnaeus,1758)** (Argynnidae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. **Papilio polychloros** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. Ae AL AM Cc Ao At AT AZ Ba BE BG B-H BY CH Cm Co Cr CZ DE DK DZ EE ES Mu FI FR GB GG GR HU HV IE IQ IR Elb Mz IT KG Kp Kr LT LU LV MA MK MT NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR UA Uk VI YU Sur Ssx Ken LB SY PK Ci Nwf Mre CY
532. **Ocnogyna (s.str.) cypriaca O.Bang-Haas,1934** (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas,1934; *#immaculata* O.Bang-Haas,1934; *#maculata* O.Bang-Haas,1934; *#rosacea* O.Bang-Haas,1934 *Ocnogyna loewii* ssp. *cypriaca* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 48. Syntypes: Cypria: Limassol. CY
533. **Odites (Gozmaniola) kollarella (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836] PT ES FR Co IT HU GR TR Cc CY LB TM
534. **Odites (Oditoides) ternatella (Staudinger,1859)** (Lecithoceridae) Synonym(s): *ternatella* Staudinger,1859 PT ES Si CY
535. **Oegoconia apatemella Amsel,1958** (Autostichidae) Synonym(s): *apatemella* Amsel,1958 *Oegoconia* [sic!] *apatemella* Amsel,1958, Z. wien. ent. Ges. 43: 74-75, Abb.14. Holotype ♂: Cypem, Trikoukkia, Prodromos 4000ft. 23.8.1949, leg. Wiltshire. CY
536. **Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996. **Polyphaenis subsericata** Herrich-Schäffer,1861, Neue Schmett. 3: 26, fig.124. Type(s): [Griechenland]: Rhodus. MK BG GR Rd Cr TR Cc IQ Rwz IR LB CY IL Pa Hf SY JO
537. **Oncocera semirubella (Scopoli,1763)** (Pyrilidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 **Phalaena semirubella** Scopoli,1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain]. PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz
538. **Oncocnemis arenbergeri Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989 CY TR
539. **Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. **Phalaena lunaris** Goeze,1781, Ent. Beytr. 3(3): 224. MA DZ PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Cc Ro Kr St Kb Nt Inc Kyi Da MD UA BY CY IR JO IL Pa AM Cc
540. **Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 **Phalaena tirhaca** Cramer,[1777], Uitl. Kapellen 2:116. Type(s): [South Africa]: Kap Horn. Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMa Int CDo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo
541. **Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. **Noctua musculosa** Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.78 fig.363. Type(s): Europa. Cn MA DZ TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF Hr Tj Pm IQ Agh LB IL Hf Js Pa SY Dms JO
542. **Ornativaiva plutelliformis (Staudinger,1859)** (Gelechiidae) Synonym(s): *plutelliformis* Staudinger,1859; *sinuatella* Walsingham,1904 Cn Md MA DZ Bsk TN LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ KW IR Bmp Ana Ke Kh AF PK CY
543. **Orpecovalva aphrodite Gozmany,1986** (Autostichidae) Synonym(s): *aphrodite* Gozmany,1986 CY
544. **Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 Kzu Nta IL Pa Jf Mtl LB Bsa MY Bor Sbh KBa CY
545. **Orthopygia almanalis (Rebel,1917)** (Pyrilidae) Synonym(s): *almanalis* Rebel,1917 *Herculia almanalis* Rebel,1917, Sber. Akad. Wiss. Wien 126: 277. Syntypes 1♂ 2♀: [Hatay]: Jarbaschi (NHMW). TR CY IL Pa
546. **Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803;

- pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888 **Phalaena incerta**
Hufnagel,1766, Berl. Mag. 3 (3): 298. Type(s): [Germany]: Berlin. MA PT ES FR Co Sa Si IT IE GB BE NL
LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU Cc Ro Kr Nt Da Sb At MD UA BY
CN Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th
547. **Orthosia cypriaca** Hacker,1996 (Noctuidae) Synonym(s): *cypriaca* Hacker,1996 **LB IL Pa**
JO CY TR
548. **Orthostixis cinerea** Rebel,1916 (Geometridae) Synonym(s): *cinerea* Rebel,1916; *impura*
L.B.Prout,1916. *Orthostixis cinerea* Rebel,1916, Jb. Wien. ent. Ver. 26: 108. Lectotype ♂: Zypern:
Nicosia (NHMW). CY
549. **Ostrinia nubilalis** (Hübner,1796) (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis*
Hübner,1796. *Pyralis nubilalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.94.
Type(s): Europa. MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL
BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg CY IR Elb Gh Tgo CA On Nfl Qb
Mnt US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU
550. **Palpita testalis** (Fabricius,1794) (Pyralidae) Synonym(s): *testalis* Fabricius,1794; *incoloralis*
Guenée,1854; *ruficostalis* Lederer,1855; *albidalis* Walker,[1866]; *putrescens* Meyrick,1934 **Phalaena**
testalis Fabricius,1794, Ent. Syst. 3 (2): 227. Type: India. ES FR Si IT MT CH YU GR CY LB Bei IN BD Syl
551. **Palpita vitrealis** (Rossi,1794) (Pyralidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796;
quinquepunctalis Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis*
Mabille,1880 TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY
TR SE CY YE IL Pa Hf JO LB Bsa EG AF Bsg Bkt AU ZA
552. **Palumbina guerinii** (Stainton,[1857]) (Gelechiidae) Synonym(s): *guerinii* Stainton,[1857];
terebintella Rondani,1876; *pistaciae* Anagnostopoulos,1935. *Stathmopoda guerinii* Stainton,[1857],
Entomologist's Annu. 1858: 152, fig.5. Type : [France] (BMNH). PT ES FR Si IT MT YU GR TR CY LB IR
IN
553. **Pamparama acuta** (Freyer,[1837]) (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta*
Lederer,1857; *pygmaea* Staudinger,1871. *Acronicta acuta* Freyer,[1837], Neue. Beitr. Schmett. 3:88,
Tab.255 fig.3. Type(s): [Turkey]: Konstantinopel [=Istanbul]. GR TR LB Bei IQ Cc AM AZ CY IL Pa Js JO
IR Th Elb Kdj Ab Hz B-A
554. **Papilio (s.str.) machaon** Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758;
reginae Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. **Papilio machaon**
Linnaeus,1758, Syst. Nat. (Ed.10)1: 462. Type(s): Europe. AF AL AM Ao At AT BE BH B-H BY Ch CH CN
Co Cr CY CZ DE DK DZ EE ES Mu FI FR GB GG GR HV Ii IN IQ IR Ir IT KG Kmt Kp Kr Krl Ku KW LB LT LU LV
MA MD MK MN MT NL NO OM PK PL PT QA Rd RU Sa SA SE Sh Si SK Sm So Sr SS SY TM TN TR UA Ui Uk US
UZ VI Ya Ass BG Ci BT Chb Hkk JP Kis Kr Mc MM NP Pja Shn SI Teb Ti Vv Yu Sjv Trb Mst Slv Rg Rtc Mt Ko JO
Kts Tm KK KP KR Um Mre Cp Bn Cho Ax Dj DsA Ii Ket KuA Sau Sem Tar TeA Tk TrA T-S Ab Ak Elb Th Ss Ke
Fa Ba Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs CA Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv
Jae Lda Leo Lug Mdr Mlg Mu18 Nrr Ore Pv Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Bei Bmm YU RO
HU AZ TJ Zj Als Yuk BCo Abt Ssk Mnt On Qb Qg US MX Arz Cf Col Id Kan Mch Mon NDk NMx Ne Neb Org SDK
Ut Ws Wy TW Gn IL Pa Hf Shn Yu VN Ton Ass Cc
555. **Parallelia algira** (Linnaeus,1767) (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina*
Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albititta* Guenée,1852; *festina*
Walker,1858; *europa* Schawerda,1912 **Phalaena algira** Linnaeus,1767, Syst. Nat. (Edn.12)1: 836.
Type(s): Algeria. Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc
CY IQ Akr Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP ZA Tva Lpo
Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN LK MM Ab Elb Mz Th AZ AM
GG Cc Ro Kr St Ich Da
556. **Parallelia torrida** (Guenée,1852) (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albititta*
Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987] **Ophiusa torrida** Guenée,1852, [in]
Boisduval & Guenée, Hist. nat. Ins. Noct. 3: 269. Type(s): Bourbon. MA DZ PT ES Mu Si IT MT YU HV AL
BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AF Srb Nu Gbh IN ZR ZA ET ET24
557. **Paranthrene tabaniformis** (Rottemburg,1775) (Sesiidae) Synonym(s): *tabaniformis*
Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis*
Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *tricincta* Harris,1839; *serratifomis* Freyer,1842;
rhingiiformis Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893 **MA PT ES FR Co Si IT**
GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Am MD UA BY CN
Ui Kun Chr TJ Pm IR
558. **Pararge aegeria** (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone*
Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908. **Papilio aegeria** Linnaeus,1758, Syst. Nat.
(Edn.10) 1: 473. Syntypes: Europa, Mauritania. Ae AL AM AT AZ Ba BE BG BY Cc CH Co Cr CY CZ DE DK
DZ EE ES Mu Mu18 FI FR GB GG GR HU IE IT LB LT LU LV MA MT NL NO PL PT RO RU Sa SE Si SK Sm Sr TN
TR UA VI YU Sr Or Bs Tt Cw Dv Smt H-W Sur Ssx Ken SY IQ IR
559. **Parascotia detersa** (Staudinger,1892) (Noctuidae) Synonym(s): *detersa* Staudinger,1892
Boletobia *detersa* Staudinger,1892, Dt. ent. Z., Iris 4: 333. Syntypes: [Türkei]: Antiochia [=Antakya],
Hadjin [=Saimbeyli], Taurus. Cr TR LB Bsa CY IR Km
560. **Parascotia robiginosa** (Staudinger,1892) (Noctuidae) Synonym(s): *robiginosa*
Staudinger,1892 *Boletobia robiginosa* Staudinger,1892, Dt. ent. Z., Iris 4: 332. Syntypes: [Türkei]:
Amasia, Hadjin [=Saimbeyli], Maraş. TR CY

561. **Parastichtis corticea (Esper,[1800])** (Noctuidae) Synonym(s): #*ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. *Phalaena corticea* Esper,[1800], Die Schmett. 4: 463, Tab. 145 figs. 2,3. MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi MD UA BY AF Balk UZ N-A
562. **Pareulype berberata (Fabricius,1787)** (Geometridae) Synonym(s): #*berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 *Phalaena berberata* Fabricius,1787, Mant. Ins. 2: 203, nr.154. Type(s): Austria. MA ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU YU CY TR Cc AZ DK SE LV LT RU MD UA BY CN Ui Kun
563. **Parornix acuta Triberti,1980** (Gracillariidae) Synonym(s): *acuta* Triberti,1980 Si IT Cr GR CY MK Och
564. **Pediasia desertella (Lederer,1855)** (Pyrilidae) Synonym(s): *desertellus* Lederer,1855 *Crambus desertellus* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 220, Taf.4 fig.7 Lectotype ♂: [Libanon]: Beirut (Bleszynski,1965: 386). MR DZ LB Bei PT Si RO TR IL Jf Js Hf Pa JO CY IQ Mos Dia Brs IR Fa
565. **Pelopidas thrax (Hübner,[1821])** (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870 *Gegenes thrax* Hübner,[1821], Samml. exot. Schmett. 2: pl.[150]. SD ET SO DJ KE UG SZ ZA Nta Kzu Ptb Tva Lpo Gau Mal Spb Mdk Kru Pf Ec Wca Fs Mpu Kny OM Cu CY EG IL Pa IN IR IQ JO Kre Lhj MM Mpr PK SA Sd SI SY TR YE
566. **Pempelia albicostella Amsel,1958** (Pyrilidae) Synonym(s): *albicostella* Amsel,1958 *Pempelia albicostella* Amsel,1958, Z. wien. ent. Ges. 43: 53, pl.2 fig.1. Holotype ♂: Cyprus: Kyrenia, 18.5.1947, leg. Wiltshire. CY
567. **Pempelia brephiella (Staudinger,1879)** (Pyrilidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910. *Nephoteryx brephiella* Staudinger,1879, Horae Soc. ent. ross. 15: 191-192. Syntypes ♂♂: Macedonien. DZ ES Cue FR Co Sa Si MT YU MK TR CY IL Pa
568. **Pempelia numidella Ragonot,1890** (Pyrilidae) Synonym(s): *numidella* Ragonot,1890 DZ EG ES IL Pa Hf CY
569. **Pempelia palumbella ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775 *Tinea palumbella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. ZA? DZ PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ IL Pa LB Bsa Bmm DK NO SE FI EE LV LT
570. **Peribatodes correptarius (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847. *Boarmia correptaria* Zeller,1847, Zeller 1847: 18-19. Syntypes: [Turkey]: Pera [Istanbul], Smyrna [=Izmir] (BMNH). YU AL BG GR Cr Rd CY TR RU LB Bsa
571. **Peribatodes rhomboidarius [Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #*rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943 MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG IQ IR Fa Sse DK SE FI RU MD UA BY IL Pa LB Bsa Bmm Zah CY
572. **Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916 *Geometra umbraria* Hübner,[1809], Samml. eur. Schmett. 5: pl.65, fig.340. Type: Europa. MA DZ PT ES Mu FR Co Sa Si IT CH SK HU RO YU AL BG GR Cr TR IQ Brs IR Fa Sse RU MD UA BY IL Pa Js LB Bsa CY
573. **Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842 *Acidalia albidentaria* Freyer,1842, Neuere Beitr. Schmett. 4:115, Tab.354 fig.1. Type(s): [Russia]: Südrussland. GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR CN Ui Ku Ga KG Tk Dj Aa RU Cc Ro St Ich Da Sr LY
574. **Pericyma squalens Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855 CY TR IQ kut Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Ke Mia Kaz Kd Lo Km Snj Chh Hz B-A Bu Dlk AF Pli TM KW SA EG EG11 EG61 LB Bei IL Pa JO
575. **Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. *Noctua saucia* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.81, fig.378. Type: [Europa]. PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR GG AZ AM Cc IR Ra Mz Elb Lo LB Bsa DK NO SE FI LT RU Ro Kr St MD UA BY IN Up Bhi IL Hf Pa SY JO ZA
576. **Perigrapha (Opacographa) wimmeri Hacker,1996** (Noctuidae) Synonym(s): *wimmeri* Hacker,1996 *Perigrapha (Opacographa) wimmeri* Hacker,1996, Esperiana 4: 297, figs. Holotype ♂: Zypern: Umg. Paphos, leg. Wimmer (coll. Hacker). CY
577. **Perizoma bifaciata (Haworth,1809)** (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870; #*bifasciata* Rebel,1939 *Phalaena bifaciata* Haworth,1809, Lepid. Br. (2): 334. Syntypes: Britain (BMNH). MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ KG

578. **Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. *Geometra etruscaria* Zeller,1849, Stettin ent. Ztg. 10 (7): 203. Syntypes 1♂ 3♀: [Italia]: Tuscany (BMNH). PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR IQ RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Cc LB Bsa IL Pa Jf Mtl CN Ui ii
579. **Phaiogramma faustinata (Millière,1868)** (Geometridae) Synonym(s): *faustinata* Millière,1868; *rhoisaria* Chrétien,1909. *Nemoria faustinata* Millière,1868, Iconogr. Descr. Chenilles Lépid. inédits 2 (21): 436, pl.96 figs.2-8. Syntypes: [Spain]: [Catalonia]: Barcelona. NG CM DZ PT ES Mu FR Si MT GR Cr IL Pa Jf Hf Ngv CY OM
580. **Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925. DZ PT ES FR Sa Si IT MT AT CZ SK HU RO MK AL BG Bgz GR TR CY LB IL Hf Pa Cc AM SY Dms IR Gor Elb Mz Clu TM Kp AF Srb TJ Pm Ch RU Sr Ur KG Uk CN Ui Ku IN Ch Sri
581. **Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 *Phalaena meticulosa* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa]. MA DZ TN PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc IQ Agh CY LB IL Hf Pa IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Ich Da MD UA BY
582. **Phtheochroa sodaliana (Haworth,1811)** (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851. FR IT IE GB NL DE CH AT PL CZ SK HU RO YU HV GR TR? CY LB DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk
583. **Phycita diaphana (Staudinger,1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger,1870 *Nephopteryx diaphana* Staudinger,1870, Berl. ent. Z. 14: 197. Cn ES MT GR Cc TR CY AM SY IQ Bgd IR Ana Ke Shh Kz Ss Irs
584. **Phycita poteriella (Zeller,1846)** (Pyralidae) Synonym(s): *poteriella* Zeller,1846 Si IT RO YU BG GR Cr CY TR IL Pa LB Bmm Bsa RU MD UA BY
585. **Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887 *Homoeosoma albatella* Ragonot,1887, Annl. Soc. ent. Fr. 1887: 255. Syntypes: [Usbekistan]: Samarkand; [Turkmenistan]: Nuchur. LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She
586. **Phycitodes inquinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887 *Homoeosoma inquinatella* Ragonot,1887, Annl. Soc. ent. Fr. 1887: 256. Type(s): [Turkey]: Marasch. Cn MA DZ PT ES Mu FR Sa Si IT MT BE NL DE Bv CH AT SK HU RO YU HV MK AL BG GR Cr CY TR LB Bsa IL Hf Js Pa SY Dms IR Elb Th Fa Shr
587. **Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870 *Homoeosoma saxicola* Vaughan,1870, Entomologist's mon. Mag. 7: 132. Type ♂: England: Isle of Man. Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh
588. **Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913 *Phyllocnistis citrella* Stainton,1856, Trans. ent. Soc. Lond. (n.s.) (2) 3(8): 302-303. Syntypes: India: Calcutta (BMNH). Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl
589. **Phyllonorycter blancardella (Fabricius,1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899 PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY TR IR CY CA BCo Nsc Qb US
590. **Phyllonorycter helianthemella (Herrich-Schäffer,1861)** (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,1861; *cistifoliella* Groschke,1944 *Lithocolletis helianthemella* Herrich-Schäffer,1861, Neue Schmett. 3: 20, fig.115. Syntypes: [Deutschland]: Regensburg. Cn ES FR Sa? Si IT DE CH AT CZ SK HU YU GR TR CY MK HV
591. **Phyllonorycter obtusifoliella Deschka,1974** (Gracillariidae) Synonym(s): *obtusifoliella* Deschka,1974 CY
592. **Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848 PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR CY DK NO SE EE LV LT RU MD UA BY
593. **Phyllonorycter troodi Deschka,1974** (Gracillariidae) Synonym(s): *troodi* Deschka,1974 CY
594. **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. *Papilio rapae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Lectotype ♂: [Sweden (Verity,1947)] (LSL). Ae AF AL AT Az BE BG BH B-H BY Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA Sa SE Si SK SS SY TJ TM TN TR UA UZ YU Aa Am Ao At Aty Ax Ba Bs Cb Ike Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk Tm TrA Tt Us Vj Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sjv Mst Mkl T-S Um Bl Ci Bn DsA Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mui8 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Lug Ple San US MX Aks Alb Arz Cf Cnt

Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut Vi Vr WVi We Ws Wy AU Hw Agh Pa Hf TW Kml JP RU Am Us Sh TW VN D-I Ldo GG AZ Kir AM Cc

595. **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *venata* Verity,1908; *cyniphia* Turati,1924. **Papilio brassicae** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe]. Adr AF AL At AT Az Bd BE BG B-H Bs BY Cb CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR Hk HU HV IE Ii IL IQ IR IS IT JO Ka Kab Kbb Kg KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE Si SK So SS Tm TM TR Tt UA Ui UZ Aa Ax Ikc KuA Mn Sp Tk TrA Cw Dv Smt H-W Sur Ssx Ken Ko MA DZ TN Sjt Trb Sof Rg Rtc Slv Mt LY Cy SY Kts T-S Um Bn DsA Elb Th Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf
596. **Pleurota pyropella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775 **Tinea pyropella** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. DZ PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc LB Bsa CY RU RM UD UA BY
597. **Polymitia eximipalpella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935 TM UZ AF Blh Ca Hr Pli Srb Bm SA SA63 CY TR SY Dms JO Amm IR Elb Th Km Fa Snj IQ Bgd TJ IL Pa
598. **Polymixis (Bischoffia) alaschja Hacker,1996** (Noctuidae) Synonym(s): *alashja* Hacker,1996 **Polymixis alaschja** Hacker,1996, Esperiana 4: 299-300, figs. Holotype ♂: Zypern: Troodos Gebirge, s.dl. Lania, 600m, 24.x.1989 leg. Arenberger (coll. Hacker). CY
599. **Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. **Noctua rufocincta** Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 2, Noctuae: Taf.160, figs.747-748. Syntypes: Fiume [=Rijeka]. FR Sa Si IT CH AT HU RO YU AL BG GR Cr Rd TR CY LB Bsa IL Pa Hf JO IR Fa RU Kr Nt Da Cc Kap
600. **Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 LY RO MK BG GR Cr Rd TR Cc RU Ro UA TM CY LB IL Pa Hf JO SY UZ Fe AF IR Elb Th
601. **Polymixis (s.str.) ancepsoides Poole,1989** (Noctuidae) Synonym(s): *anceps* Staudinger,1898 nec Sph.,1850; *ancepsoides* Poole,1989 JO IL Jt Pa TR CY
602. **Polymixis (s.str.) manisadjiani (Staudinger,1881)** (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 **Polia manisadjiani** Staudinger,1881, Horae Soc. ent. ross. 16: 73. Syntypes ♂♀: [Türkei]: Amasia. TR Cc AM LB Bsa Pa IL CY
603. **Polymixis (Serpmixis) serpentina (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825 **Miselia serpentina** Treitschke,1825, Schmett. Eur. 5(1):399. Syntypes: [Croatia]: Fiume [=Rijeka]. IT YU AL BG GR Cr Rd TR IL Pa Hf CY LB
604. **Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852] Sa TR Cc SY CY IQ R wz LB Bsa IL Pa Hf
605. **Polyocha venosa (Zeller,1847)** (Pyralidae) Synonym(s): *venosa* Zeller,1847 **Epischnia venosa** Zeller,1847, Isis 1847: 31-32. Syntypes ♂♀: [Turkey]: Kellemish. GR TR IL Pa Hf LB CY
606. **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. **Papilio agestis** [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett, Wienergegend: 184. Type(s): [Austria]: Vienna district. AL AM Ao At AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE DK FR GB GG GR ES Mu HU HV IL IQ IR IT JO KG KK Ku LB LT LU MK MT NL PL R Rd RO RU SE Si SK Sm So Sr SS SY Tk TM TR T-S UA Ui Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Sau Tar DsA TrA Ax T-S PK Nwf Ci IN Kma CY Ab Ak Elb Th Kp Fa Cc
607. **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999 **Papilio icarus** Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia. Ae AF AL Ao AT Ba BE BG B-H BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GR HU HV IE Ii IL IQ IR IT JO KG KK Ku LB LT LU LV MA MK MN MT NL NO PK PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TJ TM TN TR T-S Tv UA Ui Uk Us UZ VI YU Cw Dv Smt H-W Sur Ssx Ken Mu Mu18 Bn At Kts Sau Tar Buc Bkb Mrk Ssn Ktm Nym Sb DsA TrA KuA TeA Ax Ii Kuz Sli Bl Ci Nwf Kmt Sju Prj Pa Hf Cc Kc Pe Ir Irk
608. **Polypogon zelleralis (Wocke,1850)** (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851. **Herminia zelleralis** Wocke,1850, Z. Ent., Breslau: pl.4 fig.14. ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc RU MD UA BY
609. **Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881. **Papilio chloridice** Hübner,[1813], Samml. eur. Schmett. 1: pl. 141, figs. 712-715. Syntype(s): [Europe]. AF Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ab Ak Elb Th Kh Lo Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk Vl Slv Rg T-S CN Ui Adu Um

610. **Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa Fabricius,1777*; *bellidice Ochsenheimer,1808*; *persica Bienert,1869*; *#nitida Verity,[1908]*. [Papilio edusa Fabricius,1777](#), [Genera Insectorum: 255](#). Type(s): [Deutschland]: Chilonii. Aa Ae Aq Bn At Kts Aty Ax BG Bs Cb CN CY DE Dg Dj Gg Gj GR IQ IR IT Kg KG KK Kp Kt KuA Ky Mg MK Mn No Nrk Om Or Pp Rd Rk RU Sb Sem Sm Sp SS TeA Tj Tg Syr Tm TR TrA Ty Ui Uk UZ YU Ze SY Um Ku DsA T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Adu Sju Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Agh Cc
611. **Powellinia lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei Oberthür,1881*; *sabura Mabile,1888*; *ptolemaidea Turati,1924* [Luperina lasserei Oberthür,1881](#), [Etudes ent. comp. 6:86](#). Syntypes: Algeria: Magenta. MA DZ TN Cn ES MT DZ TN LY EG TR IL Hf Pa LB SY CY JO IQ Agh Bgd Kq TM Kp IR Kz
612. **Prionapteryx obeliscota (Meyrick,1936)** (Pylalidae) Synonym(s): *obeliscota Meyrick,1936* [Surattha obeliscota Meyrick,1936](#), [Exot. Microlepid. 5: 21](#). Lectotype ♂: Lebanon: Beirut, designated by [Bleszynski,1965 \(BMNH\)](#). LB Bei CY
613. **Problepsis ocellata (Frigalszky,1845)** (Geometridae) Synonym(s): *ocellata Frivaldszky,1845*; *ommatophoraria Guenée,[1858]* [Caloptera ocellata Frivaldszky,1845](#), [Evr. Kiral. Magy. Term. Tars. 1: 185, pl.3 fig.1](#). Syntypes: Greece: Crete, [Turkey]: Smyrna [İzmir]. TR GR Cr CY LB Bei IL Pa Js Tbs PK Rw Cp Pj
614. **Prochoristis crudalis (Lederer,1863)** (Pylalidae) Synonym(s): *crudalis Lederer,1863* [Botys crudalis Lederer,1863](#), [Wien. ent. Monatschr. 1863: 372, pl.10 fig. 5](#). SY CY
615. **Prochoristis rupicapralis (Lederer,1855)** (Pylalidae) Synonym(s): *rupicapralis Lederer,1855* [Botys rupicapralis Lederer,1855](#), [Verh. zool.- bot. Ges. Wien 5: 218-219, Taf.3 fig.12](#). Syntypes 1♂ 2♀: Libanon: Beirut. IL Pa Hf CY LB Bei TM Kp AF Hr TR IQ Mos Kbl Rwz
616. **Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria Herrich-Schäffer,[1852]*. [Geometra neriaria Herrich-Schäffer,\[1852\]](#), [Syst. Bearb. Schmett. Eur. 6: 62, fig.435](#). Type(s): [Griechenland]: Creta. YU BG GR Cr TR Cc GG IL Pa LB Bsa CY
617. **Pseudenargia troodosi Svendsen, Nielsson & Fibiger,1999** (Noctuidae) Synonym(s): *troodosi Svendsen, Nielsson & Fibiger,1999* CY
618. **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea Hübner,[1824]*; *atavirensis Coutsis,1973*. [Papilio anthelea Hübner,\[1824\]](#), [Samml. eur. Schmett. 1: pl.174, figs.861-862](#). Syntypes: [Kleinasien] (Hesselbarth et al.,1995: 962). Ae AL BG B-H Cr CY GR MK Rd TR Cc IR Kd Mz
619. **Pseudocopicucullia syrtana (Mabile,1888)** (Noctuidae) Synonym(s): *syrtana Mabile,1888* [Cucullia syrtana Mabile,1888](#), [Bull. Soc. ent. Fr. 1888: 11](#). Syntypes: Tunesien: Gabes. Cn MR MA DZ TN LY EG Sn SA MT GR CY IR Hz Ss IQ Agh IL Pa JO
620. **Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga Rambur,1832* MA DZ TN LY PT ES FR Co Si IT TR CY Cc GG AM LB Bsa SY IR Fa IQ TM UZ CN Ui
621. **Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana Linnaeus,1758*; *fagana Fabricius,1781*; *sylvana Fabricius,1794*; *britannica W.Warren,1913*. NO DK SE FI EE LT PL CZ SK DE NL GB IE BE LU FR ES PT Sa Si IT CH AT HU YU RO BG AL GR TR CY RU Cc Ro Kr Kb Da Nt
622. **Pseudophilotes vicrama (Moore,1865)** (Lycenidae) Synonym(s): *vicrama Moore,1865* [Polyommatus vicrama Moore,1865](#), [Proc. zool. Soc. London 35: 505, pl.31, fig.6](#). Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni. AF AL At Bn AT Ba BG BY CY Ch Ci CN Cr CZ DE EE FI GR HU Ii IN IR Elb Fa Kp IQ IT KG Ld Lt LV PK PL RO RU SK Sm So Sr Ti TM TR Cc GG Smt Akh UA Ui VI YU Uk Kt Ka Sp Sau Tar DsA Db Syr Tm Ku T-S
623. **Pseudoterpna coronillaria (Hübner,[1817])** (Geometridae) Synonym(s): *coronillaria Hübner,[1817]*; *cinerascens Koch,1854 nec Z.,1847*; *#coronillaria Rebel,1939* [Geometra coronillaria Hübner,\[1817\]](#), [Samml. eur. Schmett. 5: pl. 93, figs.479-482](#). Syntypes: Europa. DZ PT ES Mu FR Co Sa Si IT TR IL Pa Hf LB Bei Bsa CY
624. **Pseudoterpna rectistrigaria Wiltshire,1948** (Geometridae) Synonym(s): *rectistrigaria Wiltshire,1948* CY
625. **Psorosa dahliella (Treitschke,1832)** (Pylalidae) Synonym(s): *dahliella Treitschke,1832*; *bivitella Duponchel,1836*. PT ES FR Co Sa Si IT CH SK HU RO YU BG GR CY TR IQ Ama Ssa IL Pa Hf RU MD UA BY IR Dam Plr Elb Mz Gor Shh
626. **Ptocheuusa campicolella (Mann,1857)** (Gelechiidae) Synonym(s): *campicolella Mann,1857* PT Co Sa Si IT TR CY
627. **Ptocheuusa minimella (Rebel,1936)** (Gelechiidae) Synonym(s): *minimella Rebel,1936* Sa IT CY
628. **Puerphorus olbiadactylus (Millière,1859)** (Pterophoridae) Synonym(s): *olbiadactylus Millière,1859*; *hemiargus Meyrick,1908*; *dactilographa Turati,1927*. Cn PT ES FR Co Sa Si IT MT GR Cr CY
629. **Pyalis farinalis (Linnaeus,1758)** (Pylalidae) Synonym(s): *farinalis Linnaeus,1758*; *erecta Fourcroy,1785*; *farinatus Haworth,1810*; *domesticalis Zeller,1847*; *fraterna Butler,1879*; *meridionalis Schmidt,1934*; *orientalis Amsel,1961 nec Fabr.,1794*. [Phalaena farinalis Linnaeus,1758](#), [Syst. Nat. \(Edn.10\): 533](#). Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 210). TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Elb Th Kdj Nss Ha LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Pli AU AY NZ TW JP KP KR ZA

630. **Pyralis imperialis Caradja,1917** (Pyralidae) Synonym(s): *imperialis Caradja,1917* **Pyralis imperialis Caradja,1917**, Dt. ent. Z., Iris 30: 17-18. Type ♂: [Türkei]: Amasia. TR CY
631. **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata Scopoli,1763*; *cespitalis [Denis & Schiffermüller],1775*. **Phalaena despicata Scopoli,1763**, Entomologia Caniolic: 231. Type(s): [Slovenien]: Carniolia [Krain]. PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Rwz Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli UZ Fe CN Ui Ju Kml LB Bsa
632. **Pyrausta (Haematia) sanguinalis (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis Linnaeus,1767*; *crentalis Scriba,1770*; *haematalis Hübner,[1819]* **Phalaena sanguinalis Linnaeus,1767**, Syst. Nat. (Edn.12) 1(2): 882, no.339. Lectotype 1ex: [Lusitania] (Robinson & Nielsen, 1983: 229). PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG IL Pa Hf LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh Srb Pli
633. **Pyrausta (Haematia) virginalis (Duponchel,1832)** (Pyralidae) Synonym(s): *virginalis Duponchel,1832*; *auroralis Zeller,1847*; *neglectalis Caradja,1916* **Rhodaria virginalis Duponchel,1832**, Hist. nat. Lépid. Papillons Fr. 8: 216, pl.224 fig.3. TN Elk Sfx ES Cue FR Co Sa Si IT CH AT SK HU RO YU AL BG GR Cr Rd CY TR Cc AM IQ Hjo Mos Shq IR Fa Shr Sse Th Kdj Elb Mz Srd AF Pnj Kbb Kot BdA
634. **Pyrausta (s.str.) aurata (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata Scopoli,1763*; *punicealis [Denis & Schiffermüller],1775*; *nepoldalis Lederer,1863* **Phalaena aurata Scopoli,1763**, Entomologia Carniolic: 227. Type(s): [Slovenien]: Carniolia [Krain]. Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Enz Gh Tgo DK NO SE FI EE LV LT RU MD UA BY AF Hr
635. **Pyrausta (s.str.) inciae Koçak,1982** (Pyralidae) Synonym(s): *meridionalis Staudinger,1880 nec Wcke,1871*; *inciae Koçak,1982*. **Pyrausta aurota ssp. inciae Koçak,1982**, Priamus 2 (1): 65, nomen novum pro *Botys aurata* var. *meridionalis Staudinger,1880 nec Botys polygonalis meridionalis Wocke,1871*. MA IQ GR Cr TR CY IR Fa Yz Elb Kdj Th Ana Ke AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe LB Bsa IL Pa
636. **Pyrausta (s.str.) pauperalis (Staudinger,1879)** (Pyralidae) Synonym(s): *pauperalis Staudinger,1879* **Botys pauperalis Staudinger,1879**, Horae Soc. ent. ross. 15: 173-174. Type ♂: [Türkei]: Amasia. TR CY IL Pa
637. **Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos Zeller,1847*; *goldeggiella Herrich-Schäffer,[1853]* **Cosmopteryx argyrogrammos Zeller,1847**, Isis 1847: 37-38. Syntypes: Kleinasien: Adirnas [Edirne]; Italia: Sicilia, Rom. MR MA DZ Cn PT ES FR Co Sa Si IT MT CH AT CZ SK HU RO YU AL BG GR Cr CY TR KG Uk LB Bei Bsa RU MD UA BY SY IL Pa IR Elb Dam Gor
638. **Pyrois effusa (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa Boisduval,1828*; *sciaphila Staudinger,1871* **Amphipyra effusa Boisduval,1828**, Eur. lepid. Index Meth.: 68. Type(s): Italia: Sicilia. MA DZ LY ES FR Co Sa Si IT YU AL BG GR Cr CY TR IL Pa Hf LB Bei
639. **Pyropteron minianiformis (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis Freyer,1843* IT RO YU AL BG GR Cr CY TR RU Cc AZ Nv AM Kho IR TM Kp
640. **Quercusia quercus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus Linnaeus,1758*; *longicauda Riley,1921* **Papilio quercus Linnaeus,1758**, Syst. Nat. (Edn.10) 1: 482. Type(s): [England (Verity,1943)]. AL AM Ao AT AZ Ba BE BG B-H BY CH Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU HV IE IQ IR Fa IT KG LB Le LT LU LV MA MK NL NO PL PT Rd RO RU Sa Sms SE Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Alv Atu Av Bad Bar Bgs C-M Cas Ces Cor Cue Ct Gna Gp Gu Hue Lda Leo Mdr Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Ter Tol Trg Val Vel Zg Zm Akh
641. **Ramphis libanoticus Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus Riedl,1969* **GR Cr Rd CY LB Bsa SY TR**
642. **Raphimotopus ablutellus (Zeller,1839)** (Pyralidae) Synonym(s): *ablutellus Zeller,1839*; *stigmatellus Ragonot,1888*; *buxtoni Rothschild,1921* **Anerastia ablutella Zeller,1839**, Isis 1839: 177. PT ES Grn FR Si IT RO YU BG GR Cr TR CY IQ Bgd IR Qz Ss Irs IL Hf Pa TE LB JO EG TM Kp AF PK Sd Krc IN ZA
643. **Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria Linnaeus,1767*; *labda Cramer,1777*; *sacralis Thunberg,1784*; *fulvaria Fabricius,1794*; *sanguinaria Esper,1801*; *minervae Gistel,1856*; *labdaria Guenée,[1858]*; **Phalaena sacraria Linnaeus,1767**, Syst. Nat. (Edn.12) 1(2): 863. Syntypes: [Algeria]: Barbaria (LSL). MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Cn Md Az IN AZ Nv AM IR Cm
644. **Rhodostrophia tabidaria (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria Zeller,1847* **Geometra tabidaria Zeller,1847**, Isis 1847 (7): 506. Syntypes 6♂♂: Griechenland; Türkei (BMNH). CY TR GR Rd
645. **Rhoptria asperaria (Hübner,[1817])** (Geometridae) Synonym(s): *asperaria Hübner,[1817]*; *collata Hübner,[1826]*; *pityata Rambur,1829*; *esteparentis Agenjo,1933*; *#aspersaria Zukowsky,1941*. **Geometra asperaria Hübner,[1817]**, Samml. eur. Schmett. 5: pl.94, fig.484. Type(s): Europa. PT ES Mu FR Co Sa Si IT CH YU AL BG GR Cr TR CY
646. **Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea Hampson,1907*; *pseudosimulans Kozhantschikov,1929*. **Epipsilia arenacea Hampson,1907**, Ann. Mag. nat. Hist. (7) 19: 245. Type: Pakistan: Quetta. BG RU Ing Kyi Sb UA Cm AM GG Tbl UZ TM Kp CY TR PK Qu

- Bl IR Mz Fa Shr Ke Ss Elb Th Kdj AF Hr Gbh Pag Bm Cc AZ Kir Kp TM UZ N-A KK TrA Ik Fe CN Ui Ii Ch LB Bsa IL Pa Hf JO
647. **Rhyacionia buoliana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897 *Tortrix buoliana* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 128*. Type(s): Vienna district. Md MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR CY DK NO SE FI EE LV LT RU Ur MD UA BY LB Bei IL Pa Hf KP KR CN JP US AR
648. **Rhyagla lacernaria** (Hübner,[1813]) (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 *Geometra lacernaria* Hübner,[1813], *Samml. eur. Schmett. 5, Geometrae: Tab.82 fig.422*. Type(s): Europa. DZ ES Mu FR IT YU AL BG GR Cr TR GG Cc AM IR Es Fa Kaz Kz Yas Kd Kh Elb Th IQ TIH CY LB IL Pa JO
649. **Rivula tanitalis** Rebel,1912 (Noctuidae) Synonym(s): *tanitalis* Rebel,1912 MA DZ Cr TR CY GR IR Fa Kaz Kd Snj Km Ss SA YE EG EGO5 IQ Kq Agh BH LB IL Pa
650. **Saluria maculivittella** Ragonot,1887 (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888. *Saluria maculivittella* Ragonot,1887, *Annl. Soc. ent. Fr. 1887: 258-259*. Syntypes: Gabes, Caucase: Mt. Elder; [Usbekistan]: Marghilan. FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Fa RU UZ
651. **Saturnia (Perisomena) caecigena** Kupido,1825 (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914 *Saturnia caecigena* Kupido,1825, *Neuent. europ. Nacht-Pfauen-Auge, Saturnia caecigena 4: 5*. Type: Fiume [Rijeka, Croatia]. IT RO YU AL BG GR TR CY GG Tbl AZ Kir Hkd Cc
652. **Sciota (Ciliocerodes) coenulentella** (Zeller,1846) (Pyralidae) Synonym(s): *coenulentella* Zeller,1846 MA ES FR Co Sa Si MT YU GR CY IL Pa Hf
653. **Scoparia basistrigalis** Knaggs,1866 (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923 *Scoparia basistrigalis* Knaggs,1866, *Entomologist's mon. Mag. 3:1 fig*. Type(s): England: Surrey, Sussex, Worcestershire. DZ ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr DK NO SE EE LV LT RU MD UA BY TR MK B-H CY IR
654. **Scoparia ingrattella** (Zeller,1846) (Pyralidae) Synonym(s): ? *majalis* Scopoli,1763; *ingrattella* Zeller,1846; *ingrattalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Lerout,1982 *Eudorea ingrattella* Zeller,1846, *Linn. Ent. 1: 283, fig. 5*. Lectotype: Österreich: Wien. MA ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG CY GR RU Sb MD UA BY TR LB Cc GG AM Ch At KG Ur Mn
655. **Scoparia obsoleta** Staudinger,1879 (Pyralidae) Synonym(s): *obsoleta* Staudinger,1879; *berytella* Rebel,1911; *syriaca* Caradja,1917; *coprista* Meyrick,1936; *unicornutella* Amsel,1958 *Scoparia obsoleta* Staudinger,1879, *Horae Soc. ent. ross. 15: 163*. Type ♀: [Türkei]: Amasia (MNHUB). LB Bei SY CY TR
656. **Scoparia staudingeralis** (Mabille,1869) (Pyralidae) Synonym(s): *staudingeralis* Mabille,1869; *nevadalis* Caradja,1917; *fuscularis* Amsel,1936 ES FR Co Sa IT CH GR Cr CY Cc AZ Nv
657. **Scoparia unicolorella** Amsel,1958 (Pyralidae) Synonym(s): *unicorella* Amsel,1958 *Scoparia unicolorella* Amsel,1958, *Z. wien. ent. Ges. 43: 55-56, Abb.7*. Holotype ♂: Cypem, Kyrenia Febr. 1947 leg. Wiltshire. CY
658. **Scopula decolor** (Staudinger,1898) (Geometridae) Synonym(s): *decolor* Staudinger,1898; *languidata* L.B.Prout,1913 MA DZ TN LY Cy PT ES Sa IT IL Pa CY JO Jt
659. **Scopula flaccidaria** (Zeller,1852) (Geometridae) Synonym(s): *flaccidaria* Zeller,1852 *Acidalia flaccidaria* Zeller,1852, *Stettin ent. Ztg. 13 (6): 184*. Syntypes: Kleinasien. AT CZ SK HU RO YU AL BG GR Cr TR GG Cc AZ AM IQ RU MD UA BY CN Ui Ku IR IL Pa CY TM
660. **Scopula imitaria** (Hübner,[1799]) (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 *nec Schreb.,1759*; *imitaria* Hübner,[1799] *Geometra imitaria* Hübner,[1799], *Samml. eur. Schmett. 5: pl.10, fig.51*. Type: Europa. PT ES Mu FR Co Sa Si IT MT IE GB BE NL CH RO YU AL BG GR Cr Rd CY TR Cc GG AZ DK RU MD UA BY SY IL Pa LB Bei
661. **Scopula luridata** (Zeller,1847) (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855 *Idaea luridata* Zeller,1847, *Isis 1847: 20-21*. Type: [Griechenland]: Rhodus. GR Cr Rd TR LB Cc GG AZ Nv PK Krc CY KP KR CN IL Pa Jf SA YE SO
662. **Scopula marginepunctata** (Goeze,1781) (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891 *Phalaena marginepunctata* Goeze,1781, *Ent. Beytr. 3(3): 385*. MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG AZ Nv Arr IQ IR Elb Th Fa DK SE LV LT RU Da MD UA Cm BY CN Ui Ku Ju LB Bsa IL Pa Jf MN
663. **Scopula minorata** (Boisduval,1833) (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnaji* D.Lucas,1937. *Geometra minorata* Boisduval,1833, *Nouv. Ann. Mus. Hist. nat. Paris 2: 263*. Syntypes: Mauritius. KE Mb MG RE MU MA PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum

664. **Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. **Phalaena ornata Scopoli,1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain]. MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun AF Ca PK Bl Qu**
665. **Scopula turbulenteria (Staudinger,1870)** (Geometridae) Synonym(s): *turbulenteria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturcica* Wehrli,1934 **TN Si IT GR Cr Rd CY TR RO BG RU Cc AM IR Elb Mz LB Bei IL Pa Js TM SA CN**
666. **Scopula vigilata (Wagner,1926)** (Geometridae) Synonym(s): *#submutulata* Rebel,1902; *#vigilata* L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926 **Acidalia submutata var. vigilata Wagner,1926, Z. öster. Ent. Ver. 11 (9): 84, 86, fig. Lectotype ♂: Sicilia: Palermo (BMNH). Si IT MT GR TR CY**
667. **Scotomera caesarealis (Ragonot,1891)** (Pyralidae) Synonym(s): *caesarealis* Ragonot,1891 *Stemmatophora caesarealis* Ragonot,1891, *Annls Soc. ent. Fr.* 1891: 88-89, pl.16 fig.6. Type ♂: [Turquie]: Césarée de Cappadoce [Kayseri]. **TR IL Pa Jt JO CY EG GR**
668. **Scythris (dissitella-gr.) dissitella (Zeller,1847)** (Scythridae) Synonym(s): *dissitella* Zeller,1847; *eatonii* Caradja,1920; *arizoella* Amsel,1936 **DZ MA TN IT Sa Si Cy**
669. **Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880. **Tinea limbella Fabricius,1775; Syst. Ent.: 660. Type(s): Germania. PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR CY TR Cc AM DK NO SE FI EE LV LT RU Ao MD UA BY KG Uk**
670. **Scythris (mus-gr.) mus Walsingham,1898** (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924 **DZ Bsk LY TN Gf ES Co Sa DE GR CY IL Pa SA**
671. **Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) Synonym(s): *punctivittella* Costa,[1836]; *asmodella* Millière,1873 **FR Co Si IT RO? YU AL BG? GR CY TR**
672. **Selidosema tamsi Rebel,1939** (Geometridae) Synonym(s): *tamsi* Rebel,1939 **Selidosema tamsi Rebel,1939, Mitt. münch. ent. Ges. 29: 539. Holotype ♂: Zypern: Platres (BMNH). CY**
673. **Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917 **Smerinthus kindermanni Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden (MNHB). TR IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len UZ Fe Man CN Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S TRa**
674. **Sorhagenia reconditella Riedl,1983** (Cosmopterigidae) Synonym(s): *reconditella* Riedl,1983 **GR CY**
675. **Spiris striata (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. **Phalaena striata Linnaeus,1758, Syst. Nat. (Edn.10)1: 502. Type(s): Germania. PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE EE LV LT RU Sb Ya MD Cm UA BY GG AZ Len Cc KG Ssn CN Ui MN**
676. **Spodoptera cilium Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870. **Spodoptera cilium Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 156. Type(s): Indie (MNHNP). PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Qu AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk**
677. **Spodoptera exiguum (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985. **Noctua exigua Hübner,[1808], Samml. eur. Schmett. Noct.2, Taf.78 fig.362. Type(s): Europa. TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24**
678. **Spodoptera littoralis (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911. **Hadena littoralis Boisduval,1833, Faune ent. Madagascar:91, Taf.13 fig.8. Syntypes: Maurica, Bourbon, Madagascar. ET ET24 ZA PT ES Mu FR Co Sa Si IT MT GB NL DE CH AL GR Cr TR CY DK SE FI IQ IR Ke Bu Dlk Hz B-A IL Pa Hf**
679. **Spoladea recurvalis (Fabricius,1775)** (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910. **Phalaena recurvalis Fabricius,1775, Syst. Ent.: 407. Type(s): Lost (Clarke,1986: 51). Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG Nlr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF**

- Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMA Cuo Cuo1
Cuo5 Dst Dso9 Sgk Hya PSu SG Md
680. **Spudaea castanea Osthelder,1933** (Noctuidae) Synonym(s): *#castanea W.Warren,1911*;
castanea Osthelder,1933; *pontica Kljutshko,1968* RO YU BG GR Cr CY TR LB IL Pa RU UA Cm
681. **Standfussiana lucerneae (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea Linnaeus,1758*
Phalaena lucerneae Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s): Europa. ES FR IT IS IE GB DE CH
AT PL CZ SK RO YU AL MK BG GR TR IR Elb Kh Lo Ha Mz Es Th DK NO SE FI RU Cc Kb Da Kus MD UA BY AZ
LB Bsa CY
682. **Standfussiana nictymera (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera*
Boisduval,[1837]; *carriei Boursin,1948. Agrotis nictymera Boisduval,[1837], Icon. Hist. Lépid. Eur. 2:*
Taf.78, figs.1,2. Type(s): Europa. FR IT? CH GR CY TR Cc AM RU Kb Nt Da IR Elb Th Mz
683. **Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota Zeller,1847*; *ononidis*
Zeller,1852; *ononydactyla Bruand,1858*; *siceliotidactyla Bruand,1858. Pterophorus siceliota Zeller,1847,*
Isis 1847 (12): 907. MA DZ TN DZ Cn PT ES Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Cc SY Dms LB Bei
Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR IQ Bgd SA As OM YE CN Hun
684. **Staudingeria (s.str.) yerburii (Butler,1884)** (Pyralidae) Synonym(s): *yerburii Butler,1884*;
labeculella Ragonot,1887; *innotalis Hampson,1899*; *costalbella Mabilie,1906*; *rubronervella Mabilie,1906*;
pallidicostella Chrétien,1910; *pruinosa Chrétien,1911*; *vinosparsella Turati,1924*; *ruehli Gozmany,1959*;
khuzistanella Amsel,1959; *benderella Amsel,1961 Mella yerburii Butler,1884, Proc. zool. Soc. Lond.*
1884: 502. Type ♀: [Yemen]: Aden (BMNH). MA DZ TN LY Cy SD Sk YE Ad EG Sn IL Jt Jer Jf Js Hf Pa SA
BH IR Kz Sde Ss CY
685. **Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s):
taprobanes R.Felder & Rogenhofer,1875; *brachymorpha Meyrick,1888*; *seeboldi Hofmann,1898*; *crenulata*
Barnes & McDunnough,1913; *phaenicodactyla Chrétien,1915*; *terlizzii Turati,1926*; *zavattarii Hartig,1953*;
legrandi Bigot,1962. Amblyptilia taprobanes R.Felder & Rogenhofer,1875, Reise österr. Fregatte
Novara, Lep. Het.: pl.140 fig.54. Type: India (BMNH). TD PT ES FR Si IT MT BG GR Cr CY TR IL FI CN
Kwt Kwa MM JP TH IN LK US Hw
686. **Stigmella auromarginella (Richardson,1890)** (Nepticulidae) Synonym(s): *auromarginella*
Richardson,1890 PT FR IE GB GR Cr DK SE HV CY
687. **Stigmella azaroli (Klimesch,1978)** (Nepticulidae) Synonym(s): *azaroli Klimesch,1978 TR*
CY GR
688. **Stigmella pyrellicola Klimesch,1978** (Nepticulidae) Synonym(s): *pyrellicola Klimesch,1978*
TR CY
689. **Stigmella pyrivora Gustafsson,1981** (Nepticulidae) Synonym(s): *pyrivora Gustafsson,1981*
CY
690. **Stigmella rhamnella (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *rhamnella*
Herrich-Schäffer,1860 PT ES FR IT DE CH AT PL CZ SK HU RO YU CY DK EE RU MD UA BY
691. **Stigmella rhamnophila (Amsel,1934)** (Nepticulidae) Synonym(s): *rhamnophila Amsel,1934*
GR TR CY
692. **Stilbina (s.str.) hypaenides Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides*
Staudinger,1892 Stilbina hypaenides Staudinger,1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Lebanon]:
Beirut; [Israel]: Jerusalem; Lectotype ♂: Jerusalem (NHMU) [illustrated in Esperiana 8: Taf.12
figs.4,5♂♀]. LB Bei IL Js Hf Pa TR IQ Ry Rwz Dia Brs IR Gh Elb Mz Clu Lo CY SY JO
693. **Stomphastis conflua (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua Meyrick,1914*
ZA Tva Gau Pre Nta Kzu Umk Srn Dbn Slpp Mpu Tst Brb Lpo Spb Msw Ltr Kru ZW NG SD MZ EG IL Pa GG Cc
IQ Bgd SA RU JO CY
694. **Symmoca salem Gozmany,1963** (Autostichidae) Synonym(s): *salem Gozmany,1963 CY*
695. **Synansphecchia leucomelaena (Zeller,1847)** (Sesiidae) Synonym(s): *leucomelaena Zeller,1847*
PT ES FR Co Sa Si IT RO YU AL BG GR Cr CY TR RU MD UA BY IR Elb Kdv Mz
696. **Synanthedon myopaeformis (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis*
Borkhausen,1789; *mutillaeformis Laspeyres,1801*; *luctuosa Lederer,1853*; *myopiformis Staudinger,1856*;
elegans Lederer,1861. EG PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR NO
SE EE LV LT RU MD UA BY IR
697. **Syringopais temperatella (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella*
Lederer,1855; *fuscofasciata Stainton,1867*; *ochrolitella Staudinger,1871*; *xenicopa Meyrick,1920 GR CY TR*
LB IL Pa Hf IQ Shq
698. **Tabulaephorus punctinervis (Constant,1885)** (Pterophoridae) Synonym(s): *punctinervis*
Constant,1885 Cn DZ PT ES Mu FR Sa Si IT TR CY
699. **Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus*
Freyer,[1843] Lycaena balkanica Freyer,[1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs. 1,2.
Type(s): Türkei. AE AF AL Cc AM AZ BG BH Cr CY Dh DZ EG EH GG GR Hd IL IN IQ Nsr Agh Bgd IR JO KK
KW LB LY LY MA MK MR NE Nf NG Nj OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE Bl Bol Nwf Pes Elb Th
Kp
700. **Tathorhynchus exsiccatus (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata Lederer,1855*;
vinctalis Walker,[1866]; *angustiorata Grote,1882*; *#exsiccata Wiltshire,1941*; *greuteri Koutsaftikis,1973*
Spintherops exsiccata Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 204, pl.2 fig.12. Type ♂: Lebanon:

- Beirut (MNHUB). PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia Kaz B-A AF Hr Gbh CY IQ Bsy Kbl LB Bei Bsa UZ Br ZA US Mai Col AU NF NZ
701. **Tecmerium perplexum (Gozmany,1957)** (Blastobasidae) Synonym(s): *perplexum* Gozmany,1957 HU GR CY
702. **Tephronia arenbergeri (Hausmann,1995)** (Geometridae) Synonym(s): *arenbergeri* Hausmann,1995 *Eumannia arenbergeri* Hausmann,1995, Mitt. münch. ent. Ges. 85: 107. Holotype ♂: Cyprus. CY
703. **Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838] YU MK AL BG GR TR IQ R wz LB CY IR Elb IL Pa Hf AF Srb SA
704. **Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925 CY IL Pa LB SY TR
705. **Therapne obsoletalis (Mann,1864)** (Pyrilidae) Synonym(s): *obsoletalis* Mann,1864 *Stemmatophora obsoletalis* Mann,1864, Wien. ent. Monatschr. 8: 179 Taf.4 fig.5 Syntypes 2♂ 1♀: [Türkei]: Brussa [Bursa]. PT ES FR Co Sa Si IT MT YU BG GR CY TR IL Pa IR Elb Mz
706. **Theresimima ampellophaga (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampellophaga* Bayle-Barelle,1808; *#ampellophaga* Staudinger,1878. *Zygaena ampellophaga* Bayle-Barelle,1808, Giorn. Soc. D'Incorrag. Sci. Milano 5: 40, pl.1 figs. Type: Italia; Prov. Pavia: Piemonte, Appennino Ligure, between Broni and Casteggio. DZ ES FR IT Co Sa Si SK HU RO YU MK AL BG GR Cr TR RU MD AZ GG AM CY IL Pa SY LB
707. **Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988 *Thria robusta* Walker,[1858], List Specimens lepid. Insects Colln Br. Mus. 13: 1112. Syntypes: South Africa. Cn MA DZ TN PT ES Ly EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Lo Km Ss Hz B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM
708. **Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. *Papilio acteon* Rottemburg,1775, Naturforscher 6: 30. Type(s): Germany: Lansberg an der Warthe. DZ MA TN AL AT Ba BE BG B-H Bv Bw CH Cr CZ DE ES Mu FR GB GR Rd HU HV IT LU MK NL PL PT RO Rp RU Si SK Sr SS TR Cc YU Ssx He CY IL Pa Hf IQ IR LB SY Mt Ko Mut8
709. **Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858] MA DZ TN LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY LB CY IR Fa Ss Hz B-A IQ Bgd Agh Bsr PK SI Gg IN NP CN JP TW TH CMA Php
710. **Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. *Noctua orichalcea* Fabricius,1775, Syst. Ent.: 607. Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB IN Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH NP PK SA YE AU Cc Cn AZ Kir DJ DJ44 ET KE
711. **Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007 TR CY IL Pa JO SY IQ IR Fa
712. **Trichiura (s.str.) verenae Witt,1981** (Lasiocampidae) Synonym(s): *verenae* Witt,1981; *witti* Ganev,1982 *Trichiura verenae* Witt,1981, Entomofauna 2 (23): 275-278, Abb. 10-11. Holotype ♂: [Türkei]: "Asia min., Kizilcahaman". BG GR TR Cc CY MK
713. **Trichophaga tapetzella (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877 PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY ZA SA
714. **Trichoplusia circumscripta (Freyer,1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer,1831 FR Sa Si IT GR Cr TR CY LB Bsa
715. **Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. *Noctua ni* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.58 fig. 284. Type(s): Europa. MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Skh Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44
716. **Trifurcula (Glaucolepis) rosmarinella (Chrétien,1914)** (Nepticulidae) Synonym(s): *rosmarinella* Chrétien,1914 PT ES FR Co CY
717. **Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 *Noctua luctuosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Wiener Gegend: 90. Type(s): [Austria]: Wien. MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tj Kk Ik TrA Osh UZ CN Ui Kun Ku AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da

718. **Udea ferrugalis (Hübner,1796)** (Pyrilidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; #*ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
Pyrilis ferrugalis Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.9 fig.54. Type(s): Europa. DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd R wz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM JP TW TH C Ma Dst Dso9 Cc
719. **Ulotricha egregialis (Herrich-Schäffer,1838)** (Pyrilidae) Synonym(s): *egregialis* Herrich-Schäffer,1838 TN Sfx PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr TR LB Bsa IL Hf Pa CY
720. **Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; #*limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 *Pyrilis polygonalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): Vienna district. TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU MD UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr IR Ahz Fa Shr Se Ha Elb Th Kdj Lo AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt ZA Tva Lpo Spb Hgl Mdk Lj
721. **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. *Phalaena pulchella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 534. Syntypes: Europa, Mauritania. PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH C Ma Knc Sbu
722. **Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynniidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. *Papilio cardui* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa [Sweden (Verity,1950)]. Ad Ae AF AL As At At Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld Lt LU LV MN Mt Mu Nf Nj NL NO PH PK PL PT QA Rd RO RU SA Sa SE SI Si SK SY Ti Tj TM TR T-S UA Ui UZ YE YU SS HV B-H MK Mt AO BF BI BJ BW BZ CF CG CI CM Cn Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW Cw Dv Smt H-W Sur Ssx Ken Cy Ly Kts Tm Ci Um Sau Tar DsA TeA KUA TrA Ket Bn Mu Mui8 GG AZ Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDK NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru Pma Pf Pa Hf TH C Ma SD91 SD119
723. **Wheeleria ivae (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960 *Aciptilia ivae* Kasy,1960, Z. Wien. ent. Ges. 45: 183-185, fig. Holotype ♂: [Mazedonien]: "Westmazedonien: Drenovo bei Kavadar" (coll. Kasy). MK BG GR TR LB Bei CY Bsa SY Dms Hal
724. **Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970. FR Sa Si IT AT CZ SK HU RO YU B-H HV MK BG GR TR Cc RU Or MD UA BY IL Jt Js Pa SY Hal Dms IR Fa Shr Ha Kdj Elb Th Dam Gor TM Kp CY JO
725. **Xanthia (Tiliacea) cypreago (Hampson,1906)** (Noctuidae) Synonym(s): *cypreago* Hampson,1906 *Cosmia cypreago* Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: 506. Type(s): Cyprus. Si IT MK BG GR Cr CY TR IL Pa
726. **Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840 *Phalaena fluctuata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): [Europa]. ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG KP KR JP
727. **Xenochlorodes olympiaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* W.Warren,1897. *Geometra olympiaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 63, fig. 539. Type(s): [Türkei]: Brussa [Bursa: Uludağ]. TR LB Bei Bsa IL Pa Js Hf CY
728. **Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849] *Caradrina cohaesa* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2:209. Syntypes: Südeuropa. Sa Si IT RO YU BG GR Cr TR RU Cc Ich IQ IR Elb Th Fa SY IL Pa JO CY
729. **Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898. *Agrotis xanthographa* var. *palaestinensis* Kalchberg,1898, Dt. ent. Z., Iris 10: 168. GR Cr TR IL Pa JO IR IQ Brs Ry Dia R wz CY LB SY AF BdA Kbb
730. **Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922. *Noctua xanthographa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district. MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich MD UA BY IQ Agh Bgd IR Elb Kh Nys UZ Fe EG Sn JO IL Hf Pa LB
731. **Xylena vetusta (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813] *Noctua vetusta* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.97, fig.459. Type: [Europa]. MA PT ES FR Sa

- IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB CY IL Pa DK NO SE FI EE LV LT RU Cc Ro Kr St MD UA BY At Sb MN CN
732. **Ypthima asterope (Klug,1832)** (Satyridae) Synonym(s): *asterope Klug,1832*; *marlenii Kattulas & Koutsaftikis,1978*. *Hipparchia asterope Klug,1832*, [in] Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien. Ad Ae AF As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO KW LB OM PK Rd SA SY TR UE YE ZA Tva Lpo Spb Mpu Brb Wca Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH
733. **Zebeeba falsalis (Herrich-Schäffer,1839)** (Noctuidae) Synonym(s): *falsalis Herrich-Schäffer,1839* MA DZ TN PT ES Mu FR Co Sa Si IT MT YU MK AL BG GR Cr TR CY LB Bsa IL Pa Hf SY
734. **Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis Herrich-Schäffer,[1852]*; *revolutalis Zeller,1852*; *eremialis Swinhoe,1889 nec Walk.,1859*; *centralis Staudinger,1892*; *syriacalis Staudinger,1892*; *extorris W.Warren,1913*; *#pallida Schawerda,1929*; *#transcaspica Brandt,1941*. *Hypena ravalis Herrich-Schäffer,[1852]*, Syst. Bearb. Schmett. Eur. 2: 425. Type(s): [Türkei]: Amasia. GR RU Cc Ich Da TR CY IL Pa LB Bei IQ Mos Dia Ry Rww Brs Agh Amr KG KK PK IN AF Hr Blh Gbh Srb Pli Bd Fz Kab EG BH JO SY IR Fa Ss Kh Elb Gh Mz Kd Ke Hz B-A TM Kp UZ Fe N-A
735. **Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis Hübner,[1809]*; *anatolica Wagner,1931*; *#antiquilis Zukowsky,1941* *Pyralis antiqualis Hübner,[1809]*, Samml. eur. Schmett. 6, Pyralides: Tab.23 fig.152. Type(s): Europa. Si IT RO YU AL BG GR Cr CY TR AM RU Cc Ro St Kr LB Bsa IL Pa JO IR Ab Oru Km Kd Sqq
736. **Zekelita (Rhynchodontodes) revolutalis Zeller,1852** (Noctuidae) Synonym(s): *revolutalis Zeller,1852*; *angulalis Mabille,1880*; *eremialis Swinhoe,1889 nec Wlk.,[1859]*; *syriacalis Staudinger,1892*; *extorris W.Warren,1913*; *#pallida Schawerda,1929*; *transcaspica Brandt,1941* *Hypena revolutalis Zeller,1852*, K. svenska Vetensk. Akad. Handl. 1852: 10. Type: [South Africa]: Caffra. ZA EG GR TR CY LB Bei IQ Mos IR Fa Ss TM Kp PK Sd IN UZ Tas Fe
737. **Zerynthia (Allancastria) cerisyi (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi Godart,1822*; *cerisy Godart,[1824]*; *martini Fruhst.,1906*; *speciosa, cypria Stichel,1907*; *#destrigata Schultz,1908*; *#caeca Shelj.,1927*; *mysiniensis Eisn. & Wag.,1974*; *kocaki, goeksui Kuhna,1977*; *koroneii Katt.& Kouts.,1978*; *sami Schmidt,1989*. *Thais cerisyi Godart,1822*, Mem. Soc. linn. Paris 2: 234, pl.20,figs.3,4. Syntypes: [Turkey]: Ourlac [=Urla (İzmir)]. BG B-H CY GR IL Pa Hf JO LB Bei MK Rd SY TR YU Slv Skp Trv Rtc Ppp Bgz Ko
738. **Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis Rambur,1833* *Zethes insularis Rambur,1833*, Annl. Soc. ent. Fr. 2: 29. Syntypes: [France]: Korsica. MA DZ TN LY PT ES Mu FR Co Sa Si IT YU BG GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO
739. **Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): *pyrina Linnaeus,1761*; *hypocastani Poda,1761*; *aesuli Linnaeus,1767*; *hilaris Fourcroy,1785*; *octopunctata Boisduval,1832*; *decipiens Kirby,1892* MA DZ PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Bjo Tbl Lag Smg Smt Akh Abk Sok Aj Cc IQ DK NO SE EE LV LT RU MD UA BY EG IL Pa Hf LB Bsa Us Vv CN US Ny
740. **Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra Moore,1865* *Polyommatus karsandra Moore,1865*, Proc. zool. Soc. London 35: 505, pl.31, fig.7. Type: [India]: NW.India: from Oudh to the Punjab. AF AU BH Cr CY DZ ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Mre QA SA Si SY TH Nrt Rat CMA Cmz Cuo Cuo1 Nst Chw MY Lkw TN TR UE VN YE PH Jol Luz Mno Pal

Selected Bibliography of Lepidoptera of Cyprus

1. **Agassiz,J.L.R.**, 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
2. **Agenjo,R.**, 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes,1899 (Lepidoptera,Phycitidae). Eos 34: 205-208. [available in Cesa Library]
3. **Aigner-Abafi,L.v.**, 1906, Neue Falterformen aus Ungarn. Ent. Z., Stuttgart 19: 207-209. [available in Cesa Library]
4. **Alberti,B.**, 1955, Zur Kenntnis der Gattung Carcharodus Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs. [available in Cesa Library]
5. **Amsel,H.G.**, 1958, Cyprische Kleinschmetterlinge. Z. wien. ent. Ges. 43: 51-58, 69-75, 135, pl. [available in Cesa Library]
6. **Arenberger,E. & J.Wimmer**, 1996, Erster Nachtrag zur Mikrolepidopterenfauna Zyperns. Nachr. ent. Ver. Apollo (N.F.) 17 (2): 209-224. [available in Cesa Library]

7. **Arenberger, E.**, 1983, Ergänzungen zur Gattung *Agdistis* (Lepidoptera, Pterophoridae). *Andrias* 3: 51-54, 5 Abb. [available in Cesa Library]
8. **Aurivillius, C.**, 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. *Dt. ent. Z., Iris* 7: 121-192. [available in Cesa Library]
9. **Back, H. E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken. [available in Cesa Library]
10. **Baisch, G., Beshkov, S. V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.**, 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). *Esperiana* 6: 213-373. [available in Cesa Library]
11. **Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). *Assoc. natur. Piemont. Memorie* 3: 1-423, 699 figs. [available in Cesa Library]
12. **Baldizzone, G.**, 1996, Contribuzioni alla conoscenza dei Coleophoridae. LXXXVI.I Coleophoridae di Cipro (Lepidoptera, Coleophoridae). *Shilap* 24 (96): 359-367, 12 figs. [available in Cesa Library]
13. **Bang-Haas, O.**, 1930, Novitates Macrolepidopterologicae Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz. [available in Cesa Library]
14. **Bartel, M.**, 1899-1902, Nachtfalter. [In] **Rühl, F.**, Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol. 2. (Lief. 17-23). 336 pp. Leipzig. [available in Cesa Library]
15. **Bartel, M.**, 1912, Aegeriidae (Sesiidae). [In] **Seitz, A.**, Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart. [available in Cesa Library]
16. **Behounek, G.**, 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb. [available in Cesa Library]
17. **Bergsträßer, J. A. B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
18. **Bergsträßer, J. A. B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
19. **Bergsträßer, J. A. B.**, 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
20. **Berio, E.**, 1936, Contributo alla conoscenza della variazione di *Agrotis puta* (Hb., 1802) Ochs., 1816 *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 69-117, 4 Tav. [available in Cesa Library]
21. **Beuret, H.**, 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopterygini* (Lep., Lycaenidae). *Mitt. ent. Ges. Basel* 8: 61-79, 81-100, pls. [available in Cesa Library]
22. **Bidzilya, O.**, 1996, A new species of the genus *Bryotropha* (Lepidoptera, Gelechiidae) from the South Ukraine. *Vestn. zool.* 1996: 83.
23. **Bidzilya, O.**, 2005, A review of the genus *Athrips* (Lepidoptera, Gelechiidae) in the Palaearctic Region. *Dt. ent. Z.* 52 (1): 3-72, figs. [available in Cesa Library]
24. **Billberg, G. J.**, 1820, *Enumeratio insectorum in Museo Billberg*, 138pp., Holmiae. [available in Cesa Library]
25. **Bleszynski, S. & R. J. Collins**, 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). *Acta zool. cracov.* 7: 197-389. [available in Cesa Library]
26. **Bleszynski, S.**, 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). *Acta zool. cracov.* 1: 161-622, pls. 27-92. [available in Cesa Library]
27. **Bleszynski, S.**, 1965, Crambinae, [In] **Amsel, H. G., Reisser, H. & F. Gregor**: *Microlepidoptera Palaearctica* 1: xlvii + 533pp. 133 pls., Wien [available in Cesa Library]
28. **Bleszynski, S.**, 1970, A revision of the world species of *Chilo* Zincken (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 25: 101-195, 5 pls. [available in Cesa Library]
29. **Boisduval, J. B. A.**, 1828, *Europaeorum Lepidopterorum index methodicus*. 103pp., Paris. [issued Nov. 1828; vide *Bibl. Franç.* 1828: 845] [available in Cesa Library]
30. **Boisduval, J. B. A.**, 1828, *Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidoptères*. xxvi + 132 pp. 8 pls. Paris. [issued Nov. 1828; vide *Bibl. Franç.* 1828: 836]
31. **Boisduval, J. B. A.**, 1832-[1834], *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol. 1, 252 pp., 47 pls. Paris.
32. **Boisduval, J. B. A.**, 1834-[1841], *Icones historiques des Lépidoptères nouveaux ou peu connus*. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol. 2, 208 pp., 37 pls. Paris.
33. **Boisduval, J. B. A.**, 1836, *Histoire naturelle des Insectes. Spécies général des Lépidoptères* vol. 1, [4][♀] xii + 690 ♀ 6pp., 24 pls. Paris. [available in Cesa Library]
34. **Boisduval, J. B. A.**, 1840, *Genera et Index Methodicus Europaeorum Lepidopterorum*, 238 pp. Paris. [out by 9 May; vide *Bibl. Franç.*] [available in Cesa Library]
35. **Bollow, C.**, 1930, Familie Pieridae. [In] **Seitz, A.**, *Die Gross-Schmett. Erde, Suppl.* 1: 96-125. Stuttgart. [available in Cesa Library]
36. **Bollow, C.**, 1930-1931, Familie Lycaenidae. [In] **Seitz, A.**, *Die Gross-Schmett. Erde (Suppl.)* 1: 249-296. Stuttgart. [available in Cesa Library]
37. **Borkhausen, M. B.**, 1788, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 1. 288pp. Frankfurt. [available in Cesa Library]

38. **Borkhausen, M.B.**, 1789, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 2. 239pp. pl., Frankfurt.
39. **Borkhausen, M.B.**, 1790, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 3. 476pp. Frankfurt.
40. **Borkhausen, M.B.**, 1792, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 4. 809pp. Frankfurt.
41. **Borkhausen, M.B.**, 1794, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 5. 572pp. Frankfurt.
42. **Boudinot, J.**, 1986, Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae) *Alexandria* 14 (7): 315-322, 12 figs. [available in Cesa Library]
43. **Boudinot, J.**, 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) *Nouv. Rev. Ent. (n.s.)* 2 (4): 403-409. [available in Cesa Library]
44. **Boursin, C.**, 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. *Mitt. münch. ent. Ges.* 30: 474-543, Taf.viii-xii. [available in Cesa Library]
45. **Boursin, C.**, 1957, Eine neue Allophytes Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). *Z. wien. ent. Ges.* 42: 103-106, 1 Taf. [available in Cesa Library]
46. **Bridges, C.A.**, 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Sebstverlag).
47. **Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
48. **Brown, J.W.**, 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [available in Cesa Library]
49. **Bryk, F.**, 1934, Lymantriidae, [in] E.Strand, *Lepidopterorum Catalogus. Pars 62: 1-441 pp.* W.Junk, Berlin. [available in Cesa Library]
50. **Bryk, F.**, 1936, Zygaenidae II. [in] Bryk, F., *Lepidopterorum Catalogus Pars 71. 95-332 pp.* Dr.W.Junk 's-Gravenhage. [available in Cesa Library]
51. **Bryk, F.**, 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk, F., *Lepidopterorum Catalogus Pars 82. 105 pp.* Dr.W.Junk 's-Gravenhage. [available in Cesa Library]
52. **Can, F. & N.Arap**, 2005, On the geometrid moths (Lepidoptera) of northern Cyprus, including three new records. *Zool. Middle East* 35: 79-86.
53. **Carter, D.**, 1992, Butterflies and Moths. 304pp., figs. Dorling Kindersley, London [available in Cesa Library]
54. **Chapman, T.A.**, 1917, Micropteryx entitled to ordinal rank. Order Zeugloptera. *Trans. ent. Soc. London* 1916: 310-314, 12 figs. [available in Cesa Library]
55. **Chapman, T.A.**, 1920, An undescribed Lycaenid butterfly from Cyprus, *Glaucopsyche paphos*, sp.n. (Lycaenidae). *Trans. ent. Soc. Lond.* 1920 (1/2): 166-169, Pl.v. [available in Cesa Library]
56. **Clarke, J.F.G.**, 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London. [available in Cesa Library]
57. **Clerck, C.**, 1759-[1764], *Icones Insectorum Rarioum cum Nominibus eorum Trivialibus, Locisque e C.Linnae.* Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae. [available in Cesa Library]
58. **Corley, M.F.V.**, 2001, *Pseudosophronia*, a new genus of Gelechiidae (Lepidoptera). *Entomologist's Gaz.* 52: 213-225, figs. [available in Cesa Library]
59. **Cowan, C.F.**, 1985, The type-species of *Hipparchia* Fabricius, 1807 (Lepidoptera, Satyridae). *Entomologist's Gaz.* 36: 284.
60. **D'Abbrera, B.**, 1980, Butterflies on the Afrotropical Region. 593 pp., Pls. Lansdowne Ed., Melbourne. [available in Cesa Library]
61. **D'Abbrera, B.**, [1987], *Sphingidae Mundi: Hawk Moths of the World.* x²226pp., Faringdon.
62. **Dalla Torre, K.W.v.**, 1914, Thyrididae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 20. 55pp.* Dr. W. Junk Berlin. [available in Cesa Library]
63. **Dalla Torre, K.W.v.**, 1923, Cossidae. [in] Strand, E., *Lepidopterorum Catalogus Pars 29. 63pp.* Dr.W.Junk Berlin. [available in Cesa Library]
64. **Daniel, F.**, 1964, Monographie der palaearktischen Cossidae VII. Genus *Dyspessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. *Mitt. münch. ent. Ges.* 54: 181-236, 4 Abb., Taf. iii-vi. [available in Cesa Library]
65. **Deschka, G.**, 1974, Neue Lithocolletiden von Zypern (Lepidoptera, Lithocolletidae). *Ent. Ber., Amst.* 34: 174-179, 9 Abb. [available in Cesa Library]
66. **Desmarest, E.**, 1857, *Papillons, Nocturnes.* [In] Chenu, J.C., *Encyclopédie d'Histoire naturelle.* iv²312pp., 40 pls. Paris.
67. **Diakonoff, A.**, 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). *Zool. Verh.* 59: 1-48, 37 figs., 13 Pls. [available in Cesa Library]
68. **Dietrich, K.**, 1862, Zur Systematik der Schmetterlinge. *Stettin ent. Ztg.* 23: 466-479. [available in Cesa Library]
69. **Dietze, C.**, 1910-1913, *Biologie der Eupitheciiden (Tafeln & Text).* 1.Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2.Teil (Text): 172 pp. Pls.83-86, 1913. Berlin. [available in Cesa Library]
70. **Draudt, M.**, 1931, Familie Arctiidae. In Seitz, A., *Gross-Schmett. Erde, Suppl. 2: 61-94.* Stuttgart.
71. **Drury, D.**, 1773-1782, *Illustrations of Natural History.* 3 vols. London.
72. **Dufay, C.**, 1958, Révision des *Nycteola* Hübner (*Sarrothripus* Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). *Annls Soc. ent. Fr.* 27: 107-132, Pl.ii,iii,A,B. [available in Cesa Library]
73. **Dufay, C.**, 1958, Mise au point de la synonymie des *Nycteola* Hb. (*Sarrothripus* Curt.) européennes. *Bull. mens. Soc. linn. Lyon* 27: 108-120.
74. **Dyar, H.G.**, 1894, A classification of lepidopterous larvae. *Ann. N.Y. Acad. Sci.* 8: 194-232, 5 figs.

75. **Dyar, H.G.**, 1899, The phylogeny of the lasiocampids. *Entomologist's Rec. J. Var.* 11: 141-142, Pl.ii. [available in Cesa Library]
76. **Efetov, K.A. & G.M.Tarmann**, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. *Entomologist's Gaz.* 46: 63-103, 23 figs.
77. **Efetov, K.A.**, 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). *Entomologist's Gaz.* 52: 153-162, figs. [available in Cesa Library]
78. **Ehrlich, P.R.**, 1958, The comparative morphology, phylogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). *Univ. Kans. Sci. Bull.* 39(8): 305-370.
79. **Eisner, C.**, 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. *Zool. Verh., Leiden* 81: 1-190, 84 Pls. [available in Cesa Library]
80. **Eitschberger, U. & P.Hofmann**, 2002, Morphologische Untersuchungen an einigen *Aporia crataegi*-Populationen aus dem Iran (Lepidoptera, Pieridae). *Atalanta* 33 (3/4): 373-387. [available in Cesa Library]
81. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laothoe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphingia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). *Neue ent Nachr.* 23: 151-195, figs. [available in Cesa Library]
82. **Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus Latreille*, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). *Neue ent Nachr.* 23: 85-149, figs. [available in Cesa Library]
83. **Eitschberger, U.**, [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii+504pp., 1(2): 601pp. Markt-leuthen. [available in Cesa Library]
84. **Elekçioğlu, N.Z. & N.Uygun**, 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. *Turk. J. Zool.* 30: 155-160. [available in Cesa Library]
85. **Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. *Bull. Br. Mus. (Nat. Hist.) Ent.* 28 (6): 373-505, figs., 6 Pls. [available in Cesa Library]
86. **Eller, K.**, 1936, Die Rassen von *Papilio machaon* L. *Abh. Bayer. Acad. Wiss. (N.F.)* 36: xiv+96 pp. [available in Cesa Library]
87. **Eller, K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). *Z. angew. Ent.* 24: 145-149, 2 Abb.
88. **Eller, K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*-Gruppe. *Verh. VII. Int. Kongr. Ent.* 1938 (1): 74-101, Pls.
89. **Evans, W.H.**, 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London. [available in Cesa Library]
90. **Fabricius, J.C.**, 1775, *Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus.* 832 pp. Flensburgi et Lipsiae. [available in Cesa Library]
91. **Farren, W.**, 1893, On the variation of *Papilio machaon*. *Entomologist's Rec. J. Var.* 4: 100-108. [available in Cesa Library]
92. **Fibiger, M. & J.D.Lafontaine**, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. *Esperiana* 11: 7-92. [available in Cesa Library]
93. **Fibiger, M.**, 1997, New Noctuid Moths from Cyprus with winter appearance (Lepidoptera, Noctuidae). *Ent. Meddr.* 65(1): 17-27, 21 figs. 1 Pl. [available in Cesa Library]
94. **Fibiger, M., Nilsson, D. & P.Svendsen**, 1999, Contribution to the Noctuidae fauna of Cyprus, with descriptions of four new species, six new subspecies and reports of 55 species not previously found on Cyprus (Lepidoptera, Noctuidae). *Esperiana* 7: 639-667, figs. [available in Cesa Library]
95. **Fletcher, D.S. & I.W.B.Nye**, 1982, Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.4. xiv+192 pp., 1 frontispiece, London. [available in Cesa Library]
96. **Fletcher, D.S. & I.W.B.Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.5. xv+185pp., London. [available in Cesa Library]
97. **Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World* vol. 3, xx+243 pp. 2 frontispieces, London. [available in Cesa Library]
98. **Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. *Illinois biol. Monogr.* 2: 1-169, 112 figs.
99. **Freina, J.J.de & T.J.Witt**, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München. [available in Cesa Library]
100. **Freina, J.J.de & T.J.Witt**, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
101. **Freina, J.J.de & T.J.Witt**, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
102. **Freina, J.J.de & T.J.Witt**, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
103. **Fruhstorfer, H.**, 1910, Neues über *Eumenis fagi* und *alcyone*. *Ent. Z., Stuttgart* 24: 71-73, 75-77, 82-83, 86-88, 22 Abb.
104. **Fuchs, J.**, 1996, Zwei Wochen Schmetterlingsbeobachtungen auf Zypern (4-18.6.1995). *Galathea* 12 (2): 57-62. [available in Cesa Library]
105. **Gaede, M.**, 1930, Familie Satyridae. Gattungen: *Melanargia* Meigen- *Triphysa* Z. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 153-179. Stuttgart. [available in Cesa Library]
106. **Gaede, M.**, 1930, Familie Nymphalidae. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 196-227. Stuttgart. [available in Cesa Library]

107. **Gaede, M.**, 1930, Familie Lycaenidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart. [available in Cesa Library]
108. **Gaede, M.**, 1931, Drepanidae. [in] Strand, E., Lepidopterorum Catalogus Pars 49. 60pp. Dr. W. Junk Berlin. [available in Cesa Library]
109. **Gaede, M.**, 1932, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
110. **Gaede, M.**, 1932, Familie Thaumetopoeidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
111. **Gaede, M.**, 1932, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
112. **Gaede, M.**, 1933, Familie Aegeriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart.
113. **Gaede, M.**, 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
114. **Gaede, M.**, 1933, Familie Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart.
115. **Gaede, M.**, 1937, Gelechiidae [in] Bryk, F., Lepidopterorum Catalogus. Pars 79, 630pp. [available in Cesa Library]
116. **Gaede, M.**, 1938-1939, Oecophoridae [in] Bryk, F., Lepidopterorum Catalogus. Pars 92, 209-476pp. [available in Cesa Library]
117. **Gehlen, B.**, 1932, Familie Sphingidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart.
118. **Geoffroy, E. L.**, 1785, Lepidoptera. [In] Fourcroy, A. F., Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui addita sunt nomina trivialia et fere trecentae novae species. I: 1-231; 2: 233-544. Paris.
119. **Georghiou, G. P.**, 1977, The insects and mites of Cyprus. 347 pp. Athens.
120. **Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs. [available in Cesa Library]
121. **Gielis, C.**, 1996, Pterophoridae, [in] Huemer, P., Karsholt, O. & L. Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup. [available in Cesa Library]
122. **Godart, J. B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol. 9. pp. 1-318 (1819), pp. 329-828 [1824]. Paris.
123. **Goeze, J. A. E.**, 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439. [available in Cesa Library]
124. **Gozmany, L. A.**, 1986, New Symmocid and Holcopogonid species from Eastern Mediterranean (Lepidoptera, Symmocidae, Holcopogonidae). Entomofauna 7 (14): 201-214, 8 figs. [available in Cesa Library]
125. **Graves, P. P.**, 1928, *Epinephela cypricola* sp. nov. Entomologist 61: 5-7, pl. 1 [available in Cesa Library]
126. **Guenée, A.**, 1852, Noctuérites II. [In] Boisduval, J. A. & A. Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 6. xcvi ♀ 407 pp. Paris. [available in Cesa Library]
127. **Guenée, A.**, 1852, Noctuérites III. [In] Boisduval, J. A. & A. Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 7. 442 pp. Paris. [available in Cesa Library]
128. **Guenée, A.**, 1852, Noctuérites I. [In] Boisduval, J. A. & A. Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 5. xcvi ♀ 407 pp. Paris. [available in Cesa Library]
129. **Guenée, A.**, 1854, Deltoides et Pyralites. [In] Boisduval, J. A. & A. Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 8. 448 ♀ 6 pp., 10 Pls. Paris. [available in Cesa Library]
130. **Hacker, H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbiopoliana 2: 1-590, Taf.
131. **Hacker, H.**, 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf. [available in Cesa Library]
132. **Hacker, H.**, 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb. [available in Cesa Library]
133. **Hacker, H.**, 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S. 273-330. Esperiana 4: 453-458, Abb. [available in Cesa Library]
134. **Hacker, H.**, 2004, Revision of the genus *Caradrina* Ochsenheimer, 1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls. [available in Cesa Library]
135. **Hackman, W.**, 1952, On the insect fauna of Cyprus. Results of the expedition of 1939 by Harald, Hakan and P. H. Lindberg. Commentat. biol. 13: 1-9, 1 fig. [available in Cesa Library]
136. **Hampson, G. F.**, 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. Trans. ent. Soc. London 1896 (4): 451-550, figs. [available in Cesa Library]
137. **Hampson, G. F.**, 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs. [available in Cesa Library]
138. **Hampson, G. F.**, 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. Trans. ent. Soc. London 1897 (2): 127-240, figs. [available in Cesa Library]
139. **Hampson, G. F.**, 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi ♀ 559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
140. **Hampson, G. F.**, 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosianae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
141. **Hampson, G. F.**, 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiidae & Agaristidae. xix ♀ 690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
142. **Hampson, G. F.**, 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]

143. **Hampson, G.F.**, 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
144. **Hampson, G.F.**, 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcv-cvii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
145. **Hampson, G.F.**, 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
146. **Hampson, G.F.**, 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
147. **Hampson, G.F.**, 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
148. **Hampson, G.F.**, 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrinae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
149. **Hampson, G.F.**, 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Eutelinae to Acontinae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
150. **Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
151. **Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. cxxxii-cxxxix. Printed by the order of the Trustees British Museum (Natural History), London. [available in Cesa Library]
152. **Hampson, G.F.**, 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58. [available in Cesa Library]
153. **Handlirsch, A.**, 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840. [available in Cesa Library]
154. **Hausmann, A.**, 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung Glossotrophia Prout, 1913 (Lepidoptera, Geometridae, Sterrhinae). Mitt. münch. ent. Ges. 83: 77-107, 68 Abb. [available in Cesa Library]
155. **Hausmann, A.**, 1995, Neue Geometriden-Funde aus Zypern und Gesamtübersicht über die Fauna. Mitt. münch. ent. Ges. 85: 79-111.
156. **Hausmann, A.**, 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. Nota lepid. 19 (1/2): 3-90, 148 figs. [available in Cesa Library]
157. **Hausmann, A.**, 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. Nota lepid. 19 (1/2): 91-106. [available in Cesa Library]
158. **Hausmann, A.**, 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books.
159. **Haworth, A.H.**, 1803-1828, Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiuntur...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London. [available in Cesa Library]
160. **Heath, J.**, 1985, New species of Micropterix Hübner (Lepidoptera, Zeugloptera, Micropterigidae) from Greece and Cyprus. Nota lepid. 8(4): 336-340, 4 figs. [available in Cesa Library]
161. **Heath, J.**, 1987, A Check List of the genus Micropterix Hübner, [1825] (Lepidoptera, Micropterigidae). Entomologist's Gaz. 38: 205-207. [available in Cesa Library]
162. **Hemming, A.F.**, 1928, Baoris zelleri Led. an unrecognized European Hesperid. Proc. ent. Soc. London 3: 61-64, figs. [available in Cesa Library]
163. **Hemming, A.F.**, 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245. [available in Cesa Library]
164. **Hemming, A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp. [available in Cesa Library]
165. **Hemming, A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509. [available in Cesa Library]
166. **Heppner, J.B. & W.D. Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144. [available in Cesa Library]
167. **Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrysiid superfamily. J. Lepid. Soc. 31(2): 124-134. [available in Cesa Library]
168. **Heppner, J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). Ent. Ber., Amst. 39 (8): 127-128. [available in Cesa Library]
169. **Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294. [available in Cesa Library]
170. **Hering, E.**, 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128. [available in Cesa Library]
171. **Hering, M.**, 1964, Die Lebensweise von Procris graeca Jord. (Lepidoptera, Zygaenidae). Z. wien. ent. Ges. 49: 75-81, 4 Abb. [available in Cesa Library]
172. **Herrich-Schäffer, G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg. [available in Cesa Library]

173. **Hesselbarth, G.**, 1983, Beitrag zur Biologie von *Ypthima asterope* Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs. [available in Cesa Library]
174. **Higgins, L.G.**, 1965, Boisduval, *Europaeorum Lepidopterorum index methodicus*. Entomologist 98: 241-242.
175. **Higgins, L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). Entomologist 102: 67. [available in Cesa Library]
176. **Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London. [available in Cesa Library]
177. **Hockin, D.C.**, 1980, The biogeography of the butterflies of the Mediterranean Islands. Nota lepid. 3(1/2): 119-125, figs. [available in Cesa Library]
178. **Hofmann, P. & K. Rose**, 1987, Zur Rhopaloceren-Fauna Zyperns. Nachr. ent. Ver. Apollo (N.F.) 7 (4): 133-141, 7 Abb. [available in Cesa Library]
179. **Holik, O.**, 1949, Über die Gattung *Satyrus* I. Z. wien. ent. Ges. 34: 98-105. [available in Cesa Library]
180. **Hufnagel**, 1766, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90. [available in Cesa Library]
181. **Hufnagel**, 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. Berl. Mag. 2: 391-437. [available in Cesa Library]
182. **Hufnagel**, 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426. [available in Cesa Library]
183. **Hufnagel**, 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). Berl. Mag. 4: 504-527, 599-626. [available in Cesa Library]
184. **Hundsdoerfer, A.K., Kitching, I. & M. Wink**, 2005, A molecular phylogeny of the Hawkmoth genus *Hyles* (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs.
185. **Hübner, J.**, 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg. [available in Cesa Library]
186. **Hübner, J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg. [available in Cesa Library]
187. **Hübner, J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg. [available in Cesa Library]
188. **Hübner, J.**, 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg. [available in Cesa Library]
189. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg. [available in Cesa Library]
190. **Hübner, J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg. [available in Cesa Library]
191. **Hübner, J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg. [available in Cesa Library]
192. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg. [available in Cesa Library]
193. **Hübner, J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg. [available in Cesa Library]
194. **Hübner, J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg. [available in Cesa Library]
195. **Hübner, J.**, 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg. [available in Cesa Library]
196. **Hübner, J.**, 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen. 81 pp. Augsburg. [available in Cesa Library]
197. **Igarashi, S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
198. **Janzon, L.-A.**, 1987, Some records of Cypriot butterflies. Entomologist's Gaz. 38: 91-92. [available in Cesa Library]
199. **John, E. & C. Markis**, 2001, *Libythea celtis* (Laicharting, 1782) (Lepidoptera, Libytheidae): Presence of a breeding colony in the Troodos Mountains, Cyprus. Entomologist's Gaz. 52: 173-180. [available in Cesa Library]
200. **John, E. & R. Parker**, 2002, Dispersal of *Hipparchia cypriensis* (Holik, 1949) (Lepidoptera, Nymphalidae, Satyrinae) in Cyprus. with notes on its ecology and life-history. Entomologist's Gaz. 53: 3-18. [available in Cesa Library]
201. **John, E.**, 2000, Butterflies of Cyprus 1998 (Records of a year's sightings). 46 pp., 1 Tb., 52 maps. Pamphlet no.15, The Amateur Entomologists' Society, London. [available in Cesa Library]
202. **John, E.**, 2001, Migration of *Vanessa cardui* (L.) (Lep., Nymphalidae) through Cyprus, March 2001. Entomologist's Rec. J. Var. 113: 269-281. [available in Cesa Library]
203. **Jong, R. de**, 1976, Affinities between the West palaeartic and Ethiopian butterfly faunas. Tijdschr. Ent. 119: 165-215, maps. [available in Cesa Library]
204. **Karsholt, O. & T. Rutten**, 2005, The genus *Bryotropha* Heinemann in the Western Palaeartic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs. [available in Cesa Library]
205. **Kirby, W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London. [available in Cesa Library]
206. **Kirby, W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London. [available in Cesa Library]
207. **Kirby, W.F.**, 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii+951 pp., London. [available in Cesa Library]

208. **Kirby, W.F.G.**, 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
209. **Kiriakoff, S.G.**, 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. *Biol. Jb.* 15: [118]-143.
210. **Klemstein, J.**, 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. *Ent. Z., Frankf. a.M.* 76: 17-21.
211. **Klots, A.B.**, 1930, A generic revision of the Euchloini. *Bull. Brooklyn ent. Soc.* 25: 80-95, 1 pl.
212. **Klots, A.B.**, 1933, A generic revision of the Pieridae. *Entomologica am. (N.S.)* 12: 139-242.
213. **Klots, A.B.**, 1970, Lepidoptera. [In] Tuxen, S.L. (Ed.), *Taxonomist's glossary of genitalia in Insects.* 115-130 pp., Munksgaard, Copenhagen (Edn. 2). [available in Cesa Library]
214. **Koçak, A.Ö. & M.Kemal**, 2000, Chazara briseis (Linnaeus) üzerine revizyon notları (Satyridae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 1-5. [available in Cesa Library]
215. **Koçak, A.Ö. & S.Seven**, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. *Cent. ent. Stud., Misc. Pap.* 37: 3-8. [available in Cesa Library]
216. **Koçak, A.Ö.**, 1982-1983, Additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut, 1980. *Cent. ent. Stud., Priamus* 2 (3): 97-133; 2 (4): 137-157. [available in Cesa Library]
217. **Koçak, A.Ö.**, 1984, More additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut 1980. *Cent. ent. Stud., Priamus* 3 (4): 155-168. [available in Cesa Library]
218. **Koçak, A.Ö.**, 1996, Güney Batı Asya Polyommatae Taksonlarının Listesi ve Bazı Nomenklatür Notları (Lepidoptera, Lycaenidae). *Cent. ent. Stud., Misc. Pap.* 30/33: 1-32. [available in Cesa Library]
219. **Kostrowicki, A.S.**, 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). *Acta zool. cracov.* 6: 367-472, pls. [available in Cesa Library]
220. **Kostrowicki, A.S.**, 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warszaw. [available in Cesa Library]
221. **Kudrna, O.**, 1974, *Artogeia Verity*, 1947, gen.rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). *Entomologist's Gaz.* 25: 9-12, 7 figs. [available in Cesa Library]
222. **Kudrna, O.**, 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). *Entomologist's Gaz.* 26: 3-37, 50 figs. [available in Cesa Library]
223. **Kudrna, O.**, 1975, On a hitherto undescribed European species of the genus *Hipparchia* Fabricius (Lep., Satyridae). *Entomologist's Gaz.* 26: 197-207, 15 figs. [available in Cesa Library]
224. **Kudrna, O.**, 1982, On the nomenclature of *Colias alfaciensis* Berger, 1948 (Lepidoptera, Pieridae). *J. Res. Lepid.* 20: 103-110. [available in Cesa Library]
225. **Kudrna, O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. *J. Res. Lepid.* 21: 1-106. [available in Cesa Library]
226. **Kudrna, O.**, 1985, Concise bibliography of European butterflies. [in] Kudrna, O., *Butterflies of Europe* 1: 1-448. [available in Cesa Library]
227. **Kupido, F.J.**, 1825, Neuentdecktes europäisches Nacht-Pfauen-Auge. *Saturnia caecigena* Nro.4. 11 pp., 1 pl. Brünn. [available in Cesa Library]
228. **Kuznetsov, V.I. & S.V.Baryshnikova**, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. *Ent. Obozr.* 80 (1): 96-120, figs. [available in Cesa Library]
229. **Lamas, G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). *Entomofauna* 26 (6): 57-100. [available in Cesa Library]
230. **Larsen, T.B.**, 1982, *Gegenes pumilio* Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). *Nota lepid.* 5 (2/3): 103-110, 1 fig. [available in Cesa Library]
231. **Lattin, G.de**, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. *Decheniana* 105/106: 115-164.
232. **Lattin, G.de**, 1967, Grundriss der Zoogeographie. [In] Borris, H. & Gersch, M., *Hochschullehrbücher für Biologie*, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena. [available in Cesa Library]
233. **Leach, W.E.**, 1817, *The zoological Miscellany.* 3.vol. 151 pp., 5 Pls. London.
234. **Leach, W.E.**, [1815], *Entomology* [In] Brewster, D., *Edinburgh Encyclopaedia* 9.vol., pt.1. 57-172 pp., Edinburgh.
235. **Lederer, J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. *Verh. zool.- bot. Ver. Wien* 3: 165-269, pls. [available in Cesa Library]
236. **Lederer, J.**, 1855, Beitrag zur Schmetterlings-Fauna von Cypem, Beirut und einem Theile Klein-Asiens. *Verh. zool.- bot. Ver. Wien* 5: 177-254, 5 Taf. [available in Cesa Library]
237. **Lederer, J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasiens, Syriens und Labradors. 16[♀]252pp., 4 Pls. Wien. [available in Cesa Library]
238. **Lederer, J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. *Wien. ent. Monatschr.* 1: 75-80. [available in Cesa Library]
239. **Lederer, J.**, 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. *Wien. ent. Monatschr.* 1: 25-32. [available in Cesa Library]
240. **Lederer, J.**, 1863, Beitrag zur Kenntnis der Pyraliden. *Wien. ent. Monatschr.* 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18. [available in Cesa Library]
241. **Lee, S. & R.L.Brown**, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). *Zootaxa* 1818: 1-55, figs. [available in Cesa Library]

242. **Lesse, H.de**, 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). *Revue fr. lépid.* 13 (3/4): 39-43. [available in Cesa Library]
243. **Lewvanich, A.**, 1981, A revision of the Old World species of *Scirpophaga* (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 42: 185-298, 188 figs. [available in Cesa Library]
244. **Linnaeus, C.**, 1758, *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis.* ed. decima reformata. Tom.1, 823 pp. Holmiae. [available in Cesa Library]
245. **Linnaeus, C.**, 1761, *Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ...* 578pp. Stockholmiae. [available in Cesa Library]
246. **Linnaeus, C.**, 1764, *Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum.* 720pp., Holmiae.
247. **Linnaeus, C.**, 1767, *Systema Naturae per regna tria naturae secundum classes, ordinis, genera, species, cum characteribus, differentiis, synonymis, locis.* editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.
248. **Lovtrup, S.**, 1975, On the Phylogenetic Classification. *Acta zool. cracov.* 20 (14): 499-524, 2 text-figs. [available in Cesa Library]
249. **Lödl, M.**, 1987, *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn., 1813 from Cyprus (Lepidoptera, Noctuidae). *Nota lepid.* 10(2): 163-174, 12 figs.
250. **Lödl, M.**, 1993, Die Flügelzeichnung der Gattungsgruppe *Hypena* Schrank, 1802 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 103 (4): 453-459.
251. **Lödl, M.**, 1993, Notes on the synonymy of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854 and *Harita* Moore, 1882 (Lepidoptera, Noctuidae). *Z. ArbGem. Öst. Ent.* 45 (1/2): 11-14. [available in Cesa Library]
252. **Lukhtanov, V.A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. *Ent. Obozr.* 70(3): 619-636, 3 figs. [available in Cesa Library]
253. **Mabille, M.P.**, 1909, Hesperidae, [in] Seitz, A., *Die Gross-Schmetterlinge der Erde*, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart. [available in Cesa Library]
254. **Maes, K.**, 1984, Some remarks on the genus *Euproctis* Hübner, [1819] 1816 (Lepidoptera, Lymantriidae). *Nota lepid.* 7: 55-58, figs. [available in Cesa Library]
255. **Maes, K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). *Nota lepid.* 24 (4) (2001): 51-58.
256. **Makris, C.**, 2003, *Butterflies of Cyprus*. 329pp. 53 Pls. Bank of Cyprus Cultural Foundation. [available in Cesa Library]
257. **Malicky, H.**, 1992, Faunistische Meldungen von Lepidopteren aus Griechenland und Zypern. *Esperiana* 3: 391-407. [available in Cesa Library]
258. **Manil, L.**, 1990, Les Rhopalceres de Chypre (Lepidoptera: Papilionoidea et Hesperioidea). *Linneana Belgica* 12: 313-391, figs. [available in Cesa Library]
259. **Meyrick, E.**, 1890, On the classification of the Pyralidina of the European fauna. *Trans. ent. Soc. London* 1890: 429-492, Pl.xv [available in Cesa Library]
260. **Meyrick, E.**, 1892, On the classification of the Geometrina of the European fauna. *Trans. ent. Soc. London* 1892: 53-140, Tab.iii. [available in Cesa Library]
261. **Meyrick, E.**, 1892, Classification by structure of imago. *Entomologist's Rec. J. Var.* 3: 104-106. [available in Cesa Library]
262. **Meyrick, E.**, 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 6*. 68pp. Dr.W.Junk Berlin. [available in Cesa Library]
263. **Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 13*. 53pp. Dr.W.Junk Berlin. [available in Cesa Library]
264. **Meyrick, E.**, 1923, Three new Microlepidoptera from Cyprus. *Entomologist* 56: 277-278. [available in Cesa Library]
265. **Meyrick, E.**, 1923-1930, *Exotic Microlepidoptera*, vol.3. 640 pp. [available in Cesa Library]
266. **Miller, J.S.**, 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). *Bull. Am. Mus. Nat. Hist.* 186 (4): 365-512.
267. **Mironov, V.**, 2003, *The Geometrid Moths of Europe Vol. 4 Larentiinae II*. 462 pp., figs. Pls. Apollo Books.
268. **Mitter, C. & E.Silverfine**, 1987, On the systematic position of *Catocala* Schrank (Noctuidae). *Syst. Ent.* 13: 67-84, figs.
269. **Mosher, E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. *Bull. Ill. St. Lab. nat. Hist.* 12: 1-158, figs. [available in Cesa Library]
270. **Moucha, J. & J.Zahradnik**, 1969, *Papilio machaon* L. et *Chaerocampa alecto* L. deux Lépidoptères nuisibles et remarques sur d'autres espèces de l'île de Chypre. *Alexanor* 6: 146-149, 2 figs. [available in Cesa Library]
271. **Munroe, E.**, 1961, The classification of the Papilionidae (Lepidoptera). *Can. Ent. Suppl.* 17: 1-51.
272. **Mutuura, A. & E.Munroe**, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus *Ostrinia* (Lepidoptera, Pyralidae). *Mem. ent. Soc. Can.* 71: 1-112, 661 figs. [available in Cesa Library]
273. **Müller, G.**, 1992, Winterbeobachtungen von Tagfaltern auf Zypern. *Atalanta* 23(1/2): 81-83. [available in Cesa Library]
274. **Müller, G.**, 2001, Winterbeobachtungen von Tagfaltern auf Zypern (Lepidoptera, Diurna). *Atalanta* 32 (1/2): 80-82, figs. [available in Cesa Library]

275. **Nässig,W.A.**, 2002, Anmerkungen über Saturnia (Perisomena) caecigena mit Beschreibung einer neuen Unternart von Zypern (Lepidoptera, Saturniidae, Saturniinae). Nachr. ent. Ver. Apollo (N.F.) 23 (1/2): 43-48, figs. [available in Cesa Library]
276. **Nekrutenko,Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. Nota lepid. 23 (3/4): 192-352.
277. **Nieukerken, E.J.v.**, 2007, Acalyptris Meyrick: revision of the platani and staticis groups in Europe and the Mediterranean (Lepidoptera, Nepticulidae). Zootaxa 1436: 1-48, figs. [available in Cesa Library]
278. **Nye,I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. [available in Cesa Library]
279. **Obraztsov,N.S.**, 1966, Die palaearktischen Amata-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamml. München 10: 1-383, Taf. [available in Cesa Library]
280. **Olivier,A. & J.G.Coutsis**, 1995, Rhopalocera of Turkey 13.Sympatry and supposed gene exchange between Maniola telmessia (Zeller,1847) and Maniola halicarnassus Thomson,1990 on the Bodrum Peninsula (SW.Turkey) vs. evidence for their specific distinctness: two sides of the same coin(Lep.) Entomobrochure 7: 1-60, figs. [available in Cesa Library]
281. **Olivier,A.**, 1993, The Butterflies of the Greek Island of Rodos: taxonomy,faunistics,ecology and phenology with a tentative synthesis on the biogeography of the butterflies of Kriti, Karpathos, Rodos, the Eastern Aegean islands and Kypros...Antwerpen.
282. **Olivier,A.**, 1996, Notes on the taxonomic status and supposed biogeographic affinity of the Pseudochazara anthelea (Hübner,[1824]) populations from Kipros (Cyprus) and from the Greek island of Kos (Lepidoptera, Nymphalidae Satyrinae). Phegea 24 (1): 5-12, 2 Pls. [available in Cesa Library]
283. **Parker,R.**, 1983, The butterflies of Cyprus. Entomologist's Gaz. 34: 17-53.
284. **Parker,R.**, 1983, The butterflies of Cyprus. Entomologist's Gaz. 34: 17-53.
285. **Petersen,G. & R.Gaedike**, 1985, Die Microlepidopteren Zyperns 2. Teil: Tineidae (Lepidoptera). Reichenbachia 23 (7): 29-34, 12 Abb.
286. **Pittaway,A.R.**, 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs. [available in Cesa Library]
287. **Pittaway,A.R.**, 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
288. **Pittaway,A.R.**, 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
289. **Poole,R.W.**, 1989, Noctuidae (Parts 1-3) [in] Heppner,J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln. [available in Cesa Library]
290. **Popescu-Gorj,A. & A.Constantinescu**, 1977, Revision of the Genus Euclasta Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr.Antipa" 18: 157-245, 97 figs. [available in Cesa Library]
291. **Povolny,D. & Z.Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Staphia 16: 209-247.
292. **Povolny,D.**, 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zabl. csl. Akad. Ved. 28: 315-345, 4 figs.
293. **Povolny,D.**, 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204.
294. **Povolny,D.**, 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61.
295. **Prins,W.de & J. de Prins**, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [available in Cesa Library]
296. **Pröse,H.**, 1988, Bemerkungen zur Cydia succendana-Gruppe im Alpen- und Mediterranraum (Lepidoptera, Tortricidae). Staphia 16: 257-271, 11 Abb.
297. **Razowski,J.**, 1970, A short catalogue of the Palaearctic Cochyliidae (Lepidoptera). Acta zool. cracov. 15: 341-400. [available in Cesa Library]
298. **Razowski,J.**, 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162. [available in Cesa Library]
299. **Razowski,J.**, 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703. [available in Cesa Library]
300. **Razowski,J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. Acta zool. cracov. 38 (2): 285-324. [available in Cesa Library]
301. **Rebel,H.**, 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116. [available in Cesa Library]
302. **Rebel,H.**, 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268. [available in Cesa Library]
303. **Rebel,H.**, 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. 368S. Berlin. [available in Cesa Library]
304. **Rebel,H.**, 1915, Über Lepidopterenfauna Cyperns. Jb. Wien. ent Ver. 1915: 93-110, 1 Karte. [available in Cesa Library]

305. **Rebel,H.**, 1920, Lepidopterologische Nachträge zu einigen ostmediterranean Insularfaunen. Jber. Wien. ent. Ver. 30: 37-
306. **Rebel,H.**, 1927, Beitrag zur Lepidopterenfauna der Insel Cypern. Verh. zool.- bot. Ges. Wien 1927: (58)-(63), Abb.
307. **Rebel,H.**, 1928, Zur Lepidopterenfauna Cyperns V. Verh. zool.- bot. Ges. Wien 1928: (29)-(34), Abb. [available in Cesa Library]
308. **Rebel,H.**, 1939, Zur Lepidopterenfauna Cyperns. Mitt. münch. ent. Ges. 29: 487-564, Taf.xv. [available in Cesa Library]
309. **Reiss,H. & W.G.Tremewan**, 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag. [available in Cesa Library]
310. **Reiss,H.**, 1930-1931, Familie Zygaenidae. [in] Seitz,A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
311. **Reverdin,J.L.**, 1909, *Pieris rapae*, L., and *P. manni*, Mayer. Entomologist's Rec. J. Var. 21: 149-150, Pl.xiii. [available in Cesa Library]
312. **Robinson,G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs. [available in Cesa Library]
313. **Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsm1>) Natural History Museum, London. [available in Cesa Library]
314. **Roine,A.**, 2000, Butterflies of Europe 2.0. CD-ROM. [available in Cesa Library]
315. **Rosen,K.von**, 1929, Familie Papilio[nidae]. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart. [available in Cesa Library]
316. **Rothschild,W.L.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463. [available in Cesa Library]
317. **Rougeot,P.-C.**, 1971, Les Bombycoïdes (Lepidoptera-Bombycoidea) de l'Europe et du Bassin Méditerranéen. Tome 1. Lemoniidae, Bombycidae, Brahmaeidae, Attacidae, Endromididae. Faune de l'Europe et du Bassin Méditerranéen 5: 1-159, 197 figs., 2 pls. Paris.
318. **Röber,J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz,A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf. [available in Cesa Library]
319. **Sattler,K.**, 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien. [available in Cesa Library]
320. **Sattler,K.**, 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282. [available in Cesa Library]
321. **Sattler,K.**, 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with *Pistacia*, *Rhus* and *Cotinus* (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs. [available in Cesa Library]
322. **Sauter,W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil. Liste der palaearktischen Arten. Nota lepid. 14(1): 69-89. [available in Cesa Library]
323. **Sauter,W.**, 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs. [available in Cesa Library]
324. **Sauter,W.**, 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314.
325. **Scholz,A.**, 1997, Zwei neue, paläarktische Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 20(1): 51-58, 13 figs. [available in Cesa Library]
326. **Schoorl,J.W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditryisia) based on external adult morphology. Zool. Verh. 263: 1-295,138 figs., 1 pl., 33 tab. [available in Cesa Library]
327. **Schüssler,H.**, 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand,E., Lepidopterorum Catalogus Pars 55. 81pp. Dr.W.Junk Berlin. [available in Cesa Library]
328. **Scopoli,J.A.**, 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner. [available in Cesa Library]
329. **Scudder,S.H.**, 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
330. **Seven,S.**, 1997, *Papilio machaon* Linnaeus,1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3. [available in Cesa Library]
331. **Shirozu,T. & H.Yamamoto**, 1956, A generic revision and phylogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
332. **Sibatani,A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs. [available in Cesa Library]
333. **Sinev,S.Y.**, 1993, New and little known species of Blastobasidae (Lepidoptera) of the Palaearctic Region. Ent. Obozr. 72(2): 368-377 [engl. transl. Ent. rev. 73(1): 72-81, 8 figs.,1994]
334. **Speidel,W. & L.Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
335. **Stainton,H.T.**, 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304.
336. **Staudinger,O. & H.Rebel**, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. xxxii+411S. Berlin. [available in Cesa Library]
337. **Staudinger,O.**, 1861, Macrolepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84S. Dresden. [available in Cesa Library]

338. **Staudinger, O.**, 1871, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200 S. Dresden. [available in Cesa Library]
339. **Stoll, C.**, 1780-[1782], [in] Cramer, P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht. [available in Cesa Library]
340. **Stoll, C.**, 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam. [available in Cesa Library]
341. **Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188. [available in Cesa Library]
342. **Tams, W.H.T. & J. Bowden**, 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
343. **Tams, W.H.T.**, 1926, A New species of *Lycophotia* (Noctuidae, Agrotinae) from Cyprus. Entomologist's Rec. J. Var. 38: 129-130, 1 Pl. [available in Cesa Library]
344. **Tauber, A.F.**, 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. Z. ArbGem. öst. Ent. 22(4): 101-119, 13 Abb. [available in Cesa Library]
345. **Tennent, W.J.**, 1985, Some records of spring butterflies in Cyprus in 1984. Entomologist's Gaz. 36: 105-109.
346. **Thomson, G.**, 1992, Egg surface morphology of *Manioline* butterflies (Lepidoptera, Nymphalidae, Satyrinae). Atalanta 23(1/2): 195-214, 42 figs. [available in Cesa Library]
347. **Turner, H.J.**, 1925, A new form of *Sarothripus revayana* race *columbana* nova. Entomologist's Rec. J. Var. 37: 77-78. [available in Cesa Library]
348. **Turner, H.J.**, 1920, Butterflies of Cyprus. Trans. ent. Soc. London 1920: 170-207. [available in Cesa Library]
349. **Tutt, J.W.**, 1892, Classification by neuraction. Entomologist's Rec. J. Var. 3: 50-51. [available in Cesa Library]
350. **Tutt, J.W.**, 1892, [Reply to "Classification by structure of imago by E. Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111. [available in Cesa Library]
351. **Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92. [available in Cesa Library]
352. **Ustjuzhanin, P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. Nota lepid. 24 (3): 11-32.
353. **Uygun, N., et al.**, 1995, A serious citrus pest: Citrus leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252.
354. **Uygun, N., et al.**, 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
355. **Vane-Wright, R.I. & P.R. Ackery**, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
356. **Varga, Z.**, 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa: pp. 263-284, 6 Abb. Junk & The Hague. [available in Cesa Library]
357. **Varga, Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagsschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb. [available in Cesa Library]
358. **Verity, R.**, 1905-1911, *Rhopalocera palaeartica*. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze. [available in Cesa Library]
359. **Verity, R.**, 1913, Revision of the Linnean types of palaeartctic *Rhopalocera*. J. Linn. Soc. (Zool.) 32: 173-191. [available in Cesa Library]
360. **Verity, R.**, 1914, Dates of Publication of "*Rhopalocera Palaeartica*". Novit. zool. 21: 426. [available in Cesa Library]
361. **Verity, R.**, 1929, The asiatic origins of the Western palaeartctic *Rhopalocera* exemplified by *Melitaea didyma* Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132. [available in Cesa Library]
362. **Vives Moreno, A.**, 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196. [available in Cesa Library]
363. **Wagner, H. & R. Pfitzner**, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin. [available in Cesa Library]
364. **Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin. [available in Cesa Library]
365. **Wakeham-Dawson, A., Parker, R., John, E. & R.L.H. Dennis**, 2003, Comparison of the male genitalia and androconia of *Pseudochazara anthelea acamanthis* (Rebel, 1916) from Cyprus *Pseudochazara anthelea anthelea* (Hübner, 1824) from mainland Turkey and *Pseudochazara anthelea amalthea* (Friv., 1845) from mainland Greece... Nota lepid. 25 (4): 251-263, 4 Tab., 6 figs. [available in Cesa Library]
366. **Watson, E.Y.**, 1893, A proposed classification of the Hesperidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls. [available in Cesa Library]
367. **Watson, L. & M.J. Dallwitz**, 2007, British insects the genera of Lepidoptera Noctuidae. <http://delta-intkey.com/> [available in Cesa Library]
368. **Watson, L. & M.J. Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. <http://delta-intkey.com/> [available in Cesa Library]
369. **Wehrli, E.**, 1933, Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart. [available in Cesa Library]

370. **Wehrli, E.**, 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart. [available in Cesa Library]
371. **Wehrli, E.**, 1950, Die Einteilung der Gattung *Dyscia* Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs. [available in Cesa Library]
372. **Weidemann, H.J.**, 1986, 1988, Tagfalter. Entwicklung, Lebensweise, Biologie, Ökologie, Biotopschutz. Band 1 (1986). Papilionidae, Pieridae, Lycaenidae. 286S. 240 Farbfotos. Band 2 (1988). Lycaenidae, Riodinidae, Nymphalidae, Satyridae, Hesperidae. 372S. 360 Farbfotos. JNN-Naturführer [available in Cesa Library]
373. **Whalley, P.E.S.**, 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs. [available in Cesa Library]
374. **Whalley, P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs. [available in Cesa Library]
375. **Whalley, P.E.S.**, 1973, The genus *Etiella* Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls. [available in Cesa Library]
376. **Wiltshire, E.P.**, 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. Entomologist's Rec. J. Var. 50: 144-146. [available in Cesa Library]
377. **Wiltshire, E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106. [available in Cesa Library]
378. **Wiltshire, E.P.**, 1943, Substitute food-plants. Entomologist's Rec. J. Var. 55: 79-85. [available in Cesa Library]
379. **Wiltshire, E.P.**, 1949, Some more new records of Lepidoptera from Cyprus, Iraq and Iran. Entomologist's Rec. J. Var. 61: 73-76. [available in Cesa Library]
380. **Wiltshire, E.P.**, 1952, Early stages of Palaearctic Lepidoptera, X. Bull. Soc. Fouad Ier Ent. 36: 175-186, Pl. [available in Cesa Library]
381. **Wiltshire, E.P.**, 1962, Early stages of old world Lepidoptera- XII. J. Bomb. nat. Hist. Soc. 59(3): 778-779, 4 pls. [available in Cesa Library]
382. **Wiltshire, E.P.**, 1970, A review of the genus *Pericyma* Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs. [available in Cesa Library]
383. **Wiltshire, E.P.**, 1976, Early stages of Palaearctic Lepidoptera, XIV. *Cucullia minogenica* Rebel (Noctuidae), and some closely relatives; with a provisional key to the known larvae of the *C. verbasci* L. group. Proc. Br. ent. Nat. Hist. Soc. 1976: 26-32, 2 pls. [available in Cesa Library]
384. **Wiltshire, E.P.**, 1948, Middle East Lepidoptera IX. Two new forms of species and thirty-five new records from Cyprus. Entomologist's Rec. J. Var. 60: 79-87. [available in Cesa Library]
385. **Wocke, M.**, 1861, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden. [available in Cesa Library]
386. **Wocke, M.**, 1871, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dresden. [available in Cesa Library]
387. **Worms, C.G.M.de**, 1967, Three weeks in Cyprus, April-May 1967. Entomologist's Rec. J. Var. 79: 245-249. [available in Cesa Library]
388. **Zhdanko, A.B.**, 1994, Systematics and distribution of Lycaenidae of the genus *Thersamon* (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian]. [available in Cesa Library]

Synonymic and distributional list of the pterygot insects of Indonesia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

5

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Indonesia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 5.
Priamus (suppl.) 18: 477-487.

In this study, totally 328 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Indonesia recorded in info-system of the Cesa, total pterygot species of Indonesia increase to 5685.

Key words: List, distribution, *pterygota*, *Insecta*, Indonesia.

Brief explanatory information:

Previously published article	yes ¹³
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 328 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 5357 recorded species of *Lepidoptera* from Indonesia are found. Taking this information into consideration, total number of the pterygots may increase to 5685.

The study is still continuing, and the new results will be published within this Project.

1. **Adoretus compressus (Weber,1801)** (Scarabaeidae) Synonym(s): *compressus* Weber,1801 **ID Ja TH**
2. **Amantis biroi Giglio-Tos,1915** (Mantidae) Synonym(s): *biroi* Giglio-Tos,1915 **IN ID Mlc Clb Sda**
3. **Amantis gestrii Giglio-Tos,1915** (Mantidae) Synonym(s): *gestrii* Giglio-Tos,1915 **PH ID Sum**
4. **Amantis malaya (Westwood,1889)** (Mantidae) Synonym(s): *malaya* Westwood,1889 **ID Bch Clb**
5. **Amantis muhabbet Koçak,2008**¹⁴ (Mantidae) Synonym(s): *reticulata* De Haan,1842 *nec* Burm.,1838; *muhabbet* Koçak,2008 **Amantis muhabbet Koçak,2008, Cent. ent. Stud., Misc. Pap. 145: 8 (nomen novum pro reticulata De Haan,1842 nec Burm.,1838). MM MY ID Sum Ja Bor PH Pal**
6. **Ammophilomima contermina (Edwards,1918)** (Asilidae) Synonym(s): *contermina* Edwards,1918 **ID Sum**
7. **Ammophilomima inflatus (Osten-Sacken,1881)** (Asilidae) Synonym(s): *inflatus* Osten-Sacken,1881 **ID Clb**
8. **Ammophilomima occlusa (Meijere,1914)** (Asilidae) Synonym(s): *occlusa* Meijere,1914 **ID Ja**

¹³ **Kocak,A.O.& M.Kemal**, 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5.

¹⁴ Specific name established by the author.

9. **Ammophilomima triangulata Enderlein,1914** (Asilidae) Synonym(s): *triangulata* Enderlein,1914 ID Sum
10. **Ammophilomima truncata Martin,1973** (Asilidae) Synonym(s): *truncata* Martin,1973 ID Sum
11. **Ammophilomima vitiosa (Wulp,1872)** (Asilidae) Synonym(s): *vitiosa* Wulp,1872 ID Ja
12. **Amorphoscelis javana Roy,1966** (Amorphoscelidae) Synonym(s): *javana* Roy,1966 ID Ja
13. **Amorphoscelis parva Beier,1952** (Amorphoscelidae) Synonym(s): *parva* Beier,1952 ID Sba
14. **Amorphoscelis pellucida Westwood,1889** (Amorphoscelidae) Synonym(s): *pellucida* Westwood,1889 AU ID Ja SG LK?
15. **Amorphoscelis rufula Roy,1966** (Amorphoscelidae) Synonym(s): *rufula* Roy,1966 Bor ID
16. **Amorphoscelis singaporana Giglio-Tos,1915** (Amorphoscelidae) Synonym(s): *singaporana* Giglio-Tos,1915 *Amorphoscelis singaporana* Giglio-Tos,1915, Bull. Soc. ent. ital. 46 (1914): 32-33. Type ♂: Singapore (BMNH). SG MY IN Ass ID Sum TH
17. **Amyotea erythromela (Walker,1868)** (Pentatomidae) Synonym(s): *erythromela* Walker,1868; *praecipua* Walker,1868; *pyrophila* Walker,1868; *carnifex* Vollenhoven,1868; *praecipuus* Stal,1870 ID Mlc PG AU
18. **Amyotea frontalis (Walker,1868)** (Pentatomidae) Synonym(s): *frontalis* Walker,1868; *semiviolaceus* Vollenhoven,1868 ID Mlc
19. **Amyotea hamata (Walker,1868)** (Pentatomidae) Synonym(s): *hamata* Walker,1868; *saturata* Walker,1868; *distigma* Vollenhoven,1868 PG ID Crm Amb AU
20. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica* Fabricius,1775; *macrans* Fabricius,1781; *oculatus* Fabricius,1798 (*praeocc.*); *argus* Fabricius,1803; *dystercoides* Ellenreider,1862; *nigripes* Ellenreider,1862; *rubrocincta* Breddin,1899; *rufus* Azim & Shafee,1982 BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW
21. **Amyotea reciproca (Walker,1868)** (Pentatomidae) Synonym(s): *reciproca* Walker,1868; *megaspilus* Walker,1868; *bernsteinii* Vollenhoven,1868 PG ID Mlc
22. **Anacinaces gigas Enderlein,1914** (Asilidae) Synonym(s): *gigas* Enderlein,1914 ID Sum
23. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
24. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris* Girault,1915 IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
25. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
26. **Ancylorhynchus percheronii (Macquart,1834)** (Asilidae) Synonym(s): *percheronii* Macquart,1834 ID Sum
27. **Ancylorhynchus plecioides Meijere,1913** (Asilidae) Synonym(s): *plecioides* Meijere,1913 ID Ij
28. **Ancylorhynchus rufipes Meijere,1913** (Asilidae) Synonym(s): *rufipes* Meijere,1913 ID Ij
29. **Ancylorhynchus rufithorax (Doleschall,1858)** (Asilidae) Synonym(s): *rufithorax* Doleschall,1858 ID Mlc
30. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
31. **Anoplothyrea javana (Meijere,1911)** (Asilidae) Synonym(s): *javana* Meijere,1911 PH ID Ja
32. **Anthrax arcus Meijere,1913** (Bombyliidae) Synonym(s): *arcus* Meijere,1913 ID Ij
33. **Anthrax aterrimus Doleschall,1858** (Bombyliidae) Synonym(s): *aterrimus* Doleschall,1858 ID Clb Amb
34. **Anthrax melania Wulp,1885** (Bombyliidae) Synonym(s): *melania* Wulp,1885 ID Ja PG
35. **Antipalax wieneckii Wulp,1872** (Asilidae) Synonym(s): *wieneckii* Wulp,1872 ID Tim Ja
36. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853 TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
37. **Ascalohybris ferruginea (Navas,1911)** (Ascalaphidae) Synonym(s): *ferruginea* Navas,1911 ID Sum
38. **Ascalohybris flavicans (Van der Weele,1904)** (Ascalaphidae) Synonym(s): *flavicans* Van der Weele,1904 ID Sum
39. **Ascalohybris javana (Burmeister,1839)** (Ascalaphidae) Synonym(s): *javana* Burmeister,1839 PK Krc ID Ja
40. **Ascalohybris rufescens (Navas,1911)** (Ascalaphidae) Synonym(s): *rufescens* Navas,1911 ID Sum
41. **Asilus javanus Koçak & Kemal,2008**¹⁵(Asilidae) Synonym(s): *rufibarbis* Macquart,1849 nec Meigen,1820; *javanus* Koçak & Kemal,2008 *Asilus javanus* Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 10 (nomen novum pro *rufibarbis* Macquart,1849 nec Meigen,1820). ID Ja
42. **Blachia ducalis Walker,1867** (Pentatomidae) Synonym(s): *ducalis* Walker,1867; *coccinelloides* Vollenhoven,1868; *manifesta* Distant,1887 TH IN CN ID MM

¹⁵ Specific name established by the author.

43. **Bombomyia tricolor (Guérin-Ménéville,1835)** (Bombyliidae) Synonym(s): *tricolor* Guérin-Ménéville,1835; *orientalis* Macquart,1840 **BD IN Ben Up ID Ja PK LK**
44. **Bombylius (s.str.) ardens Walker,1849** (Bombyliidae) Synonym(s): *ardens* Walker,1849 **ID Ja**
45. **Bombylius (s.str.) morosus Meijere,1914** (Bombyliidae) Synonym(s): *morosus* Meijere,1914 **ID Ja**
46. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **Chalcis femorata** Panzer,1801, Faun. Ins. Germ. 84, fig.16. **B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
47. **Brachyrhopala (Pacifocesa) grandis Clements,2000** (Asilidae) Synonym(s): *grandis* Clements,2000 **PG ID Ij**
48. **Brachyrhopala (Pacifocesa) melaena Clements,2000** (Asilidae) Synonym(s): *melaena* Clements,2000 **AU NSw ID Ij PG**
49. **Brachyrhopala (Pacifocesa) soluta (Walker,1861)** (Asilidae) Synonym(s): *soluta* Walker,1861 **ID PG SB**
50. **Callistethus waterstraati** (Scarabaeidae) Synonym(s): **ID**
51. **Camelomantis giraffa (Giglio-Tos,1912)** (Mantidae) Synonym(s): *giraffa* Giglio-Tos,1912 **ID Sum MY Bor**
52. **Camelomantis gracillima Giglio-Tos,1917** (Mantidae) Synonym(s): *gracillima* Giglio-Tos,1917 **ID Ja**
53. **Camelomantis sondaica (Werner,1921)** (Mantidae) Synonym(s): *sondaica* Werner,1921 **ID Sum Ja**
54. **Camelomantis sumatrana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *sumatrana* Giglio-Tos,1912 **ID Sum**
55. **Cantheconidea acuta (Vollenhoven,1868)** (Pentatomidae) Synonym(s): *acuta* Vollenhoven,1868 **ID**
56. **Cantheconidea gaugleri Schneider,1940** (Pentatomidae) Synonym(s): *gaugleri* Schneider,1940 **ID Sum**
57. **Cantheconidea javana (Dallas,1851)** (Pentatomidae) Synonym(s): *javana* Dallas,1851; *cognata* Distant,1882; *insularis* Kirby,1891 **IN LK ID Ja Sum Clb**
58. **Cantheconidea variabilis (Vollenhoven,1868)** (Pentatomidae) Synonym(s): *variabilis* Vollenhoven,1868 **ID**
59. **Cardiophorus (s.str.) alienus (Szombathy,1910)** (Elateridae) Synonym(s): *alienus* Szombathy,1910 **ID Ja IQ Cc AZ Nv**
60. **Cateus diehli Platia & Gundezi,2000** (Elateridae) Synonym(s): *diehli* Platia & Gundezi,2000 **ID Sum**
61. **Cazira chiroptera (Herrich-Schäffer,1840)** (Pentatomidae) Synonym(s): *chiroptera* Herrich-Schäffer,1840 **PH ID Bor MY Sum Ja**
62. **Cazira fruhstorferi Breddin,1901** (Pentatomidae) Synonym(s): *fruhstorferi* Breddin,1901 **ID Clb**
63. **Cazira kirkaldyi Breddin,1903** (Pentatomidae) Synonym(s): *kirkaldyi* Breddin,1903 **ID Sum**
64. **Cazira ulcerata (Burmeister,1835)** (Pentatomidae) Synonym(s): *ulcerata* Burmeister,1835; *strumosa* Stal,1870 **IN TH CN ID Ja Sum**
65. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa* Westwood,1834; *verrucifer* Burmeister,1835 **CN TW MM IN BD TH KH VN ID Ja PH JP**
66. **Ceratocrania macra Westwood,1889** (Mantidae) Synonym(s): *macra* Westwood,1889 **ID Ja MY Bor Sum**
67. **Ceratosolen solmsi (Mayr,1885)** (Agaonidae) Synonym(s): *solmsi* Mayr,1885; *marchali* Mayr,1906; *berlandi* Grandi,1928 **ID Ja IN VN**
68. **Chremistica bimaculata (Olivier,1790)** (Cicadidae) Synonym(s): *bimaculata* Olivier,1790; *atrovirens* Guérin-Ménéville,1838 **ID Ja**
69. **Chremistica brooksi Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *brooksi* Yaakop & Duffels,2005 **ID Sum**
70. **Chremistica cetacauda Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *cetacauda* Yaakop & Duffels,2005 **ID Sum**
71. **Chremistica guamusangensis Salmah & Zaidi,2002** (Cicadidae) Synonym(s): *guamusangensis* Salmah & Zaidi,2002 **TH MY Bor Swk ID Sum**
72. **Chremistica nesiotas Breddin,1905** (Cicadidae) Synonym(s): *nesiotas* Breddin,1905 **TH MY Bor SG BN Swk ID**
73. **Chremistica niasica Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *niasica* Yaakop & Duffels,2005 **ID Nia**
74. **Chremistica sumatrana Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *sumatrana* Yaakop & Duffels,2005 **ID Sum**
75. **Chremistica umbrosa (Distant,1904)** (Cicadidae) Synonym(s): *umbrosa* Distant,1904; *pisanga* Moulton,1923 **MY ID Sum**
76. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta* Fabricius,1801; *flavomaculata* Chevrolat,1845 **Cicindela aurulenta** Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. **ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP**

77. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806*; *diana Mocsary,1889* **ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum**
78. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833*; *phaenna Walker,1839*; *lunatus Ratzeburg,1848*; *ovulorum Ratzeburg,1848*; *fullowayi Crawford,1913*; *meridionalis Silvestri,1914*; *silvia Girault,1917*; *camilli Girault,1917* **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU**
79. **Compsomantis crassipes (De Haan,1842)** (Mantidae) Synonym(s): *crassipes De Haan,1842* **MY Bor ID Ja**
80. **Compsomantis semirufula (Westwood,1889)** (Mantidae) Synonym(s): *semirufula Westwood,1889* **MY Bor Swk ID Sda**
81. **Compsomantis tumidiceps Bolivar,1890** (Mantidae) Synonym(s): *tumidiceps Bolivar,1890* **ID Ja Lb Sum Sba Tim PH**
82. **Conops annulosus Bigot,1887** (Conopidae) Synonym(s): *annulosus Bigot,1887* **ID CN IN MY**
83. **Conops rufifrons Doleschall,1857** (Conopidae) Synonym(s): *rufifrons Doleschall,1857* **CN ID**
84. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
85. **Creobroter apicalis Saussure,1869** (Hymenopodidae) Synonym(s): *apicalis Saussure,1869* **IN NP BD CN ID Ja**
86. **Creobroter celebensis Werner,1930** (Hymenopodidae) Synonym(s): *celebensis Werner,1930* **ID Clb**
87. **Creobroter discifera (Audinet-Serville,1839)** (Hymenopodidae) Synonym(s): *discifera Audinet-Serville,1839* **ID Ja**
88. **Creobroter fasciatus (Werner,1927)** (Hymenopodidae) Synonym(s): *fasciatus Werner,1927* **ID Clb**
89. **Creobroter geminatus (Stoll,1813)** (Hymenopodidae) Synonym(s): *geminatus Stoll,1813* **MM VN CN IN ID Ja Sda**
90. **Creobroter granulicollis Saussure,1870** (Hymenopodidae) Synonym(s): *granulicollis Saussure,1870* **MY Bor ID Sum Ja**
91. **Creobroter insolitus Beier,1942** (Hymenopodidae) Synonym(s): *insolitus Beier,1942* **ID Clb**
92. **Creobroter laevicollis (Saussure,1870)** (Hymenopodidae) Synonym(s): *laevicollis Saussure,1870* **IN ID Ja**
93. **Creobroter medanus (Giglio-Tos,1915)** (Hymenopodidae) Synonym(s): *medanus Giglio-Tos,1915* **ID Sum**
94. **Creobroter pictipennis (Wood-Mason,1878)** (Hymenopodidae) Synonym(s): *pictipennis Wood-Mason,1878* **IN LK ID Clb**
95. **Creobroter sumatranus (De Haan,1842)** (Hymenopodidae) Synonym(s): *sumatranus De Haan,1842* **ID Sum Ja MY Prk**
96. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus Fabricius,1775* **IN MM VN CN ID Sum Ja MY Bor PH**
97. **Culicoides agas Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *agas Wirth & Hubert,1989* **ID**
98. **Culicoides arakawai (Arakawa,1910)** (Ceratopogonidae) Synonym(s): *arakawai Arakawa,1910*; *sugimotonis Shiraki,1913*; *albuguttatus Kieffer,1921*; *shimai Sasaki,1928*; *daleki Smith & Swaminath,1932*; *micropunctatus Tokunaga,1951*; *niigataensis Takahashi,1958* **JP TW IN ID**
99. **Culicoides bifasciatus Tokunaga,1951** (Ceratopogonidae) Synonym(s): *bifasciatus Tokunaga,1951* **ID**
100. **Culicoides bodemensis Clastrier & Delécolle,1996** (Ceratopogonidae) Synonym(s): *bodemensis Clastrier & Delécolle,1996* **ID**
101. **Culicoides circumbasalis Tokunaga,1959** (Ceratopogonidae) Synonym(s): *circumbasalis Tokunaga,1959* **ID**
102. **Culicoides eupurus Dyce & Wirth,1997** (Ceratopogonidae) Synonym(s): *eupurus Dyce & Wirth,1997* **ID**
103. **Culicoides hollandiensis Tokunaga,1959** (Ceratopogonidae) Synonym(s): *hollandiensis Tokunaga,1959* **ID**
104. **Culicoides javae Tokunaga,1951** (Ceratopogonidae) Synonym(s): *javae Tokunaga,1951* **ID Ja**
105. **Culicoides maculiscutellaris Tokunaga,1959** (Ceratopogonidae) Synonym(s): *maculiscutellaris Tokunaga,1959* **ID**
106. **Culicoides novaguineanus Tokunaga,1959** (Ceratopogonidae) Synonym(s): *novaguineanus Tokunaga,1959* **ID**
107. **Culicoides peregrinus Kieffer,1910** (Ceratopogonidae) Synonym(s): *peregrinus Kieffer,1910*; *judicandus Bezzi,1916*; *esmoneti Salm,1917*; *philippinensis Kieffer,1921*; *assamensis Smith & Swaminath,1932*; *quadratus Tokunaga,1951* **IN Ass Meg PH ID**
108. **Culicoides punctigerus Tokunaga,1951** (Ceratopogonidae) Synonym(s): *punctigerus Tokunaga,1951* **ID**

109. **Culicoides subflavescens Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *subflavescens Wirth & Hubert,1959* ID
110. **Culicoides sumatrae Macfie,1934** (Ceratopogonidae) Synonym(s): *sumatrae Macfie,1934* MY ID Sum
111. **Cylindromyia orientalis (Townsend,1927)** (Tachinidae) Synonym(s): *orientalis Townsend,1927* TW IN Ass Meg ID Mlc
112. **Dasyhelea affinis (Johannsen,1932)** (Ceratopogonidae) Synonym(s): *affinis Johannsen,1932* ID
113. **Dasyhelea assimilis (Johannsen,1932)** (Ceratopogonidae) Synonym(s): *assimilis Johannsen,1932* ID
114. **Dasyhelea confinis (Johannsen,1932)** (Ceratopogonidae) Synonym(s): *confinis Johannsen,1932* ID
115. **Dasyhelea contigua (Johannsen,1932)** (Ceratopogonidae) Synonym(s): *contigua Johannsen,1932* ID
116. **Dasyhelea curticoma Kieffer,1923** (Ceratopogonidae) Synonym(s): *curticoma Kieffer,1923* ID
117. **Dasyhelea grata (Johannsen,1932)** (Ceratopogonidae) Synonym(s): *grata Johannsen,1932* ID
118. **Dasyhelea heurui Kieffer,1923** (Ceratopogonidae) Synonym(s): *heurui Kieffer,1923* ID
119. **Deroplatys angustata Westwood,1841** (Mantidae) Synonym(s): *angustata Westwood,1841* MM MY ID Sum Ja Bor
120. **Deroplatys desiccata Westwood,1839** (Mantidae) Synonym(s): *desiccata Westwood,1839* MY Bor ID Sum Ja
121. **Deroplatys lobata (Guérin-Méneville,1838)** (Mantidae) Synonym(s): *lobata Guérin-Méneville,1838* TH MY Bor ID Ja
122. **Deroplatys rhombica (De Haan,1842)** (Mantidae) Synonym(s): *rhombica De Haan,1842; palliata De Haan,1842* MY Bor Ja Sum ID
123. **Deroplatys trigonodera Westwood,1889** (Mantidae) Synonym(s): *trigonodera Westwood,1889* MY ID Sum PG
124. **Deroplatys truncata (Guérin-Méneville,1843)** (Mantidae) Synonym(s): *truncata Guérin-Méneville,1843; siccifolium Saussure,1870* MY ID Sum Ja PG
125. **Dictyophara sumatrana Lallemand,1931** (Dictyopharidae) Synonym(s): *sumatrana Lallemand,1931* ID Sum
126. **Dictyophara timorina Lallemand,1935** (Dictyopharidae) Synonym(s): *timorina Lallemand,1935* ID Tim
127. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus Hansson & LaSalle,1996* IN Up ID Clb Ja MY ZA TW TZ VN
128. **Dimantis haani Giglio-Tos,1915** (Mantidae) Synonym(s): *haani Giglio-Tos,1915* ID Ja
129. **Ducetia javanica (Brunner von Wattenwyl,1891)** (Tettigoniidae) Synonym(s): *javanica Brunner von Wattenwyl,1891* ID Ja
130. **Ectatops sulawesiensis Stehlik & Jindra,2006** (Pyrrhocoridae) Synonym(s): *sulawesiensis Stehlik & Jindra,2006* ID Clb
131. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata Wolff,1801; armigera Herrich-Schäffer,1844* PH IN LK MM ID Ja Mlc BD TW CN TH JP
132. **Eocanthecona mitis (Vollenhoven,1868)** (Pentatomidae) Synonym(s): *mitis Vollenhoven,1868* ID Amb
133. **Eocanthecona plebeja (Vollenhoven,1868)** (Pentatomidae) Synonym(s): *plebeja Vollenhoven,1868* ID Mlc
134. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta Distant,1879* IN PG PH LK CN AU ID Ja Sum
135. **Eocanthecona rufescens (Vollenhoven,1868)** (Pentatomidae) Synonym(s): *rufescens Vollenhoven,1868; similis Jensen-Haarup,1931* Bor MY ID Ja Sum
136. **Eocanthecona vollenhoveni (Breddin,1902)** (Pentatomidae) Synonym(s): *vollenhoveni Breddin,1902* ID Ja
137. **Epaphroditus gellergrimmi Koçak & Kemal,2008**¹⁶(Asilidae) Synonym(s): *placens Walker,1865 nec Walk.,1859; gellergrimmi Koçak & Kemal,2008* Epaphroditus gellergrimmi Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 10 (nomen novum pro placens Walker,1865 nec Walk.,1859). ID Ij
138. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja PH PG
139. **Euchirus dupontianus Burmeister,1841** (Scarabaeidae) Synonym(s): *dupontianus Burmeister,1841; quadrilineatus Waterhouse,1841* PH Luz Mar Mno ID Ja
140. **Euchirus longimanus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *longimanus Linnaeus,1758; celebicus Ohaus,1913* ID Amb Clb Crm Bru
141. **Euchomenella apicalis Werner,1922** (Mantidae) Synonym(s): *apicalis Werner,1922* ID Ja Sum

¹⁶ Specific name established by the author.

142. **Euchomenella heteroptera (De Haan,1842)** (Mantidae) Synonym(s): *heteroptera De Haan,1842* MY ID Sum Ja Bor Clb PH
143. **Euchomenella moluccarum (Saussure,1872)** (Mantidae) Synonym(s): *moluccarum Saussure,1872* ID Mlc
144. **Euchomenella thoracica (De Haan,1842)** (Mantidae) Synonym(s): *thoracica De Haan,1842* ID Clb
145. **Euscopus rubens Stehlik & Jindra,2006** (Pyrrhocoridae) Synonym(s): *rubens Stehlik & Jindra,2006* ID Sum
146. **Glycyphana (Glycyphaniola) quadricolor (Wiedemann,1823)** (Scarabaeidae) Synonym(s): *quadricolor Wiedemann,1823* ID Sum Ja Bor MY LA VN MM Ass IN
147. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832* TR MY Bor ID PK IN CN Cc TR RU MN KG
148. **Gnamptogenys atrata Latkke,2004** (Formicidae) Synonym(s): *atrata Latkke,2004* ID Clb
149. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889; bannana Xu & Zhang,1996* MM TH CMa CDo Int Dst Tng Cbi VN CN Hn ID Ja Bli IN Ass Meg
150. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900; borneensis Emery,1900* MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMa Dst Pbu ID Clb
151. **Gnamptogenys chapmani Brown,1958** (Formicidae) Synonym(s): *chapmani Brown,1958* ID Ja MY Bor Sbh PH Neg TH
152. **Gnamptogenys costata (Emery,1889)** (Formicidae) Synonym(s): *costata Emery,1889; unicolor Forel,1901; parva Forel,1913; simalurensis Forel,1915; pinealis Wheeler,1929; wallacei Donisthorpe,1932* MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMa CDo Tng Nrt MY Bor Sbh BN Swk
153. **Gnamptogenys crassicornis (Forel,1912)** (Formicidae) Synonym(s): *crassicornis Forel,1912; spiralis Karavaiev,1925* ID Sum Ja MY
154. **Gnamptogenys cribrata (Emery,1900)** (Formicidae) Synonym(s): *cribrata Emery,1900; diehlii Forel,1901; dammermani Wheeler,1924* MY Bor Sbh KBa Swk PH Neg SG TH PG ID Ja
155. **Gnamptogenys gastrodeia Latkke,2004** (Formicidae) Synonym(s): *gastrodeia Latkke,2004* ID Sum Ja
156. **Gnamptogenys laevior (Forel,1905)** (Formicidae) Synonym(s): *laevior Forel,1905; avia Forel,1912; kalabit Brown,1958* MY Bor Swk Sbh ID Clb Ja PH Luz
157. **Gnamptogenys menadensis (Mayr,1887)** (Formicidae) Synonym(s): *menadensis Mayr,1887; stylata Menozi,1925; obscura Santschi,1932* ID Clb Sum MY Pah Bor Sbh Swk PH Luz Neg PG
158. **Gnamptogenys posteropsis (Gregg,1951)** (Formicidae) Synonym(s): *posteropsis Gregg,1951* ID Sum MY Bor Sbh Swk PH Luz Neg
159. **Gongylus gongylodes (Linnaeus,1758)** (Empusidae) Synonym(s): *gongylodes Linnaeus,1758* IN ID Ja LK MM TH
160. **Gonypeta humbertiana Saussure,1869** (Mantidae) Synonym(s): *punctata De Haan,1842 nec Stoll,1813; humbertiana Saussure,1869; lateralis Werner,1933* LK IN MY ID Ja Sum
161. **Gonypetoides brevipennis Beier,1942** (Mantidae) Synonym(s): *brevipennis Beier,1942* ID Ja
162. **Gretella gracilis Werner,1923** (Mantidae) Synonym(s): *gracilis Werner,1923* ID Sda
163. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta Burmeister,1838; longipennis Haan,1842; grandis Walker,1869; siamensis Giebel,1878; sinensis Giebel,1878* TH ID Ja PH MM Bor IN CN
164. **Gyransoidea flava Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *flava Shafee, Alam & Agarwal,1975* IN Up ID Ja Bli KE MY PH
165. **Gyransoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG
166. **Hierodula aruana Westwood,1889** (Mantidae) Synonym(s): *aruana Westwood,1889* PG ID Aru
167. **Hierodula atrocoxata Brunner von Wattenwyl,1898** (Mantidae) Synonym(s): *atrocoxata Brunner von Wattenwyl,1898* ID Clb Aru
168. **Hierodula brunnea Beier,1952** (Mantidae) Synonym(s): *brunnea Beier,1952* ID Sba
169. **Hierodula coarctata Saussure,1869** (Mantidae) Synonym(s): *coarctata Saussure,1869* IN ID Ja PK NP
170. **Hierodula dyaka Westwood,1889** (Mantidae) Synonym(s): *dyaka Westwood,1889* IN ID Sum Ja MY Bor
171. **Hierodula everetti Kirby,1904** (Mantidae) Synonym(s): *everetti Kirby,1904* MY Bor ID Flo
172. **Hierodula formosana Giglio-Tos,1912** (Mantidae) Synonym(s): *formosana Giglio-Tos,1912* TW MY ID Sum Ja Sda
173. **Hierodula fumipennis Werner,1926** (Mantidae) Synonym(s): *fumipennis Werner,1926* ID Sum
174. **Hierodula heinrichi Beier,1935** (Mantidae) Synonym(s): *heinrichi Beier,1935* ID Clb
175. **Hierodula heteroptera (Werner,1906)** (Mantidae) Synonym(s): *heteroptera Werner,1906* MY Bor ID Sda
176. **Hierodula inconspicua Beier,1952** (Mantidae) Synonym(s): *inconspicua Beier,1952* ID Clb
177. **Hierodula ingens Werner,1911** (Mantidae) Synonym(s): *ingens Werner,1911* ID Mlc Tim
178. **Hierodula laevicollis Saussure,1871** (Mantidae) Synonym(s): *laevicollis Saussure,1871; ovata Saussure,1871* ID Amb Mlc Tim

179. **Hierodula longedentata Werner,1933** (Mantidae) Synonym(s): *longedentata* Werner,1933 **ID Sda**
180. **Hierodula maculisternum Werner,1925** (Mantidae) Synonym(s): *maculisternum* Werner,1925 **ID Kei**
181. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea* Burmeister,1838 **CN IN ID Ja TH NP LK**
182. **Hierodula modesta Brunner von Wattenwyl,1898** (Mantidae) Synonym(s): *modesta* Brunner von Wattenwyl,1898; *dentata* Beier,1942 **MY Bor ID Clb**
183. **Hierodula obiensis Hebard,1920** (Mantidae) Synonym(s): *obiensis* Hebard,1920 **ID Obi**
184. **Hierodula obtusata Brunner von Wattenwyl,1898** (Mantidae) Synonym(s): *obtusata* Brunner von Wattenwyl,1898 **ID Clb Amb**
185. **Hierodula oraea Werner,1933** (Mantidae) Synonym(s): *oraea* Werner,1933 **ID Clb**
186. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera* Audinet-Serville,1839; *bipapilla* Audinet-Serville,1839; *dispar* Kirby,1900; *saussurei* Kirby,1904 **CN TW Hw IN JP KP KR ID Ja Sba VN PH PG**
187. **Hierodula pulchripes (Werner,1930)** (Mantidae) Synonym(s): *pulchripes* Werner,1930 **ID Clb**
188. **Hierodula purpurescens (Brunner von Wattenwyl,1898)** (Mantidae) Synonym(s): *purpurescens* Brunner von Wattenwyl,1898 **ID Clb**
189. **Hierodula pygmaea (Werner,1933)** (Mantidae) Synonym(s): *pygmaea* Werner,1933 **ID Ij PG**
190. **Hierodula quadridens Werner,1916** (Mantidae) Synonym(s): *quadridens* Werner,1916 **ID Kei**
191. **Hierodula quinquepatellata Werner,1911** (Mantidae) Synonym(s): *quinquepatellata* Werner,1911 **ID Sba Flo Lb**
192. **Hierodula rajah Werner,1911** (Mantidae) Synonym(s): *rajah* Werner,1911 **ID Mlc**
193. **Hierodula rufomaculata Werner,1922** (Mantidae) Synonym(s): *rufomaculata* Werner,1922 **ID Sum**
194. **Hierodula rufopatellata Werner,1925** (Mantidae) Synonym(s): *rufopatellata* Werner,1925 **ID Sba Mw**
195. **Hierodula sarsinorum Werner,1926** (Mantidae) Synonym(s): *sarsinorum* Werner,1926 **ID Clb**
196. **Hierodula similis Beier,1935** (Mantidae) Synonym(s): *similis* Beier,1935 **ID Clb**
197. **Hierodula siporana Giglio-Tos,1912** (Mantidae) Synonym(s): *siporana* Giglio-Tos,1912 **ID Sum Mw**
198. **Hierodula striatipes Werner,1933** (Mantidae) Synonym(s): *striatipes* Werner,1933 **ID Ja**
199. **Hierodula tenuis Giglio-Tos,1912** (Mantidae) Synonym(s): *tenuis* Giglio-Tos,1912 **MY ID Sum**
200. **Hierodula timorensis (De Haan,1842)** (Mantidae) Synonym(s): *timorensis* De Haan,1842; *robusta* Saussure,1871 **ID Tim Amb**
201. **Hierodula togiana Giglio-Tos,1912** (Mantidae) Synonym(s): *togiana* Giglio-Tos,1912 **ID Clb**
202. **Hierodula torinca Beier,1935** (Mantidae) Synonym(s): *torinca* Beier,1935 **ID Clb**
203. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata* Olivier,1792; *notata* Stoll,1813 **CN IN LK MM VN ID Ja**
204. **Hierodula vitreoides Giglio-Tos,1912** (Mantidae) Synonym(s): *vitreoides* Giglio-Tos,1912 **PH ID Sda**
205. **Hierodula weneri (Giglio-Tos,1912)** (Mantidae) Synonym(s): *weneri* Giglio-Tos,1912 **AU ID Aru Kei**
206. **Hierodulella celebensis Beier,1935** (Mantidae) Synonym(s): *celebensis* Beier,1935 **ID Clb**
207. **Hierodulella reticulata (Brunner von Wattenwyl,1898)** (Mantidae) Synonym(s): *reticulata* Brunner von Wattenwyl,1898 **ID Mlc**
208. **Hierodulella soror Beier,1935** (Mantidae) Synonym(s): *soror* Beier,1935 **ID Mlc**
209. **Indonesicesa annulipes (Doleschall,1857)** (Neriidae) Synonym(s): *annulipes* Doleschall,1857 **ID Ij PG**
210. **Indonesicesa lieftincki (Aczél,1954)** (Neriidae) Synonym(s): *lieftincki* Aczél,1954 **ID Ij**
211. **Indonesicesa mantoides (Walker,1861)** (Neriidae) Synonym(s): *mantoides* Walker,1861 **ID Ij PG**
212. **Irianjaya areolaris (Walker,1860)** (Asilidae) Synonym(s): *areolaris* Walker,1860 **ID Clb**
213. **Irianjaya complens (Walker,1861)** (Asilidae) Synonym(s): *complens* Walker,1861; *nigritulus* Wulp,1872 **ID Ij Mlc**
214. **Irianjaya impiger (Wulp,1872)** (Asilidae) Synonym(s): *impiger* Wulp,1872 **ID Clb**
215. **Irianjaya mendax (Walker,1857)** (Asilidae) Synonym(s): *mendax* Walker,1857; *areolatus* Walker,1861 **ID Clb**
216. **Iris orientalis Wood-Mason,1882** (Irididae) Synonym(s): *orientalis* Wood-Mason,1882 **IN Clc NP AF PK ID Ja**
217. **Kemalia javanicus (Gupta & Gupta,1983)** (Ichneumonidae) Synonym(s): *javanicus* Gupta & Gupta,1983 **ID Ja**
218. **Laloides disciplenus (Walker,1861)** (Asilidae) Synonym(s): *disciplenus* Walker,1861 **ID Ij**
219. **Laloides justus (Walker,1858)** (Asilidae) Synonym(s): *justus* Walker,1858 **ID Mlc**

220. **Leptogaster walkeri Koçak & Kemal,2008**¹⁷(Asilidae) Synonym(s): *ferruginea* Walker,1858 nec Wlk.,1855; *walkeri* Koçak & Kemal,2008 **Leptogaster walkeri Koçak & Kemal,2008, Cent. entt. Stud., Misc. Pap. 145: 11 (nomen novum pro ferruginea Walker,1858 nec Wlk.,1855). ID Ij**
221. **Liacos erythrosoma (Burmeister,1854)** (Scoliidae) Synonym(s): *erythrosoma* Burmeister,1854; *penangensis* Saussure,1855; *analisis* Saussure,1864 **MY Pen TH CMa Phu ID Sum**
222. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
223. **Martiniana carinata Schimmel,1996** (Elateridae) Synonym(s): *carinata* Schimmel,1996 **ID Sum TH**
224. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator* Haliday,1834 **TR DK JP RU Sb Sh Cc KG LT ID Ja**
225. **Microptilis spinolae Nees,1834** (Braconidae) Synonym(s): *spinolae* Nees,1834 **TR Cc AZ AM RU Sb ID Ja**
226. **Milichia minuta Walker,1865** (Milichiidae) Synonym(s): *minuta* Walker,1865 **ID Ij**
227. **Milichia myrmecophila Meijere,1909** (Milichiidae) Synonym(s): *myrmecophila* Meijere,1909 **ID Ja**
228. **Milichia posticata Becker,1907** (Milichiidae) Synonym(s): *posticata* Becker,1907 **ID Ja**
229. **Milichiella argentea (Fabricius,1775)** (Milichiidae) Synonym(s): *argentea* Fabricius,1775 **ID Mlc SB SC**
230. **Milichiella javana Meijere,1911** (Milichiidae) Synonym(s): *javana* Meijere,1911 **ID Ja**
231. **Mnemosyne sulawesiensis Van Stalle,1988** (Cixiidae) Synonym(s): *sulawesiensis* Van Stalle,1988 **ID Clb**
232. **Montrouzieriellus falleni (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *falleni* Guérin-Méneville,1831; *melacanthum* Boisduval,1835; *tenellus* Walker,1867; *apicalis* Vollenhoven,1868; *biguttata* Vollenhoven,1868 **PG Adl AU Bsm FJ ID Mlc NC MH NH WS SB Tah Glb Cro**
233. **Montrouzieriellus laetus (Walker,1867)** (Pentatomidae) Synonym(s): *laetus* Walker,1867; *dotatus* Walker,1867; *semiscitus* Walker,1867; *decorata* Vollenhoven,1868 **ID Clb MY PG Mlc**
234. **Montrouzieriellus lefebvrei (Spinola,1837)** (Pentatomidae) Synonym(s): *lefebvrei* Spinola,1837 **ID Ja**
235. **Montrouzieriellus minor (Ellenreider,1862)** (Pentatomidae) Synonym(s): *minor* Ellenreider,1862 **ID Sum**
236. **Montrouzieriellus purparascens (Walker,1867)** (Pentatomidae) Synonym(s): *purparascens* Walker,1867 **ID Mlc**
237. **Muhabbetella achtenbergi (Narendran,1987)** (Chalcididae) Synonym(s): *achtenbergi* Narendran,1987 **ID Clb**
238. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior* Stein,1909 **IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN**
239. **Myrcinus octispinus Stal,1877** (Mantidae) Synonym(s): *octispinus* Stal,1877 **ID Sda**
240. **Mythomantis confusa (Westwood,1889)** (Mantidae) Synonym(s): *heteroptera* De Haan,1842; *confusa* Westwood,1889 **ID Clb Ja Bor MY**
241. **Mythomantis gracilis Werner,1922** (Mantidae) Synonym(s): *gracilis* Werner,1922 **ID Ja Amb**
242. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis* Malloch,1923 **MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW**
243. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons* Macquart,1851 **MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW**
244. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens* Walker,1856 **MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN**
245. **Neomyia fumipennis (Walker,1865)** (Muscidae) Synonym(s): *fumipennis* Walker,1865 **ID**
246. **Neomyia gavisa (Walker,1859)** (Muscidae) Synonym(s): *gavisa* Walker,1859 **MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK**
247. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica* Robineau-Desvoidy,1830 **IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw**
248. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta* Wiedemann,1830 **MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry**
249. **Neomyia rufitarsis (Stein,1920)** (Muscidae) Synonym(s): *rufitarsis* Stein,1920 **MM ID Ja MY TH**
250. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804 **TR AF CN IN JP LK ID Sum**
251. **Odontomantis buehleri Beier,1952** (Hymenopodidae) Synonym(s): *buehleri* Beier,1952 **ID Sba**
252. **Odontomantis micans (Saussure,1871)** (Hymenopodidae) Synonym(s): *micans* Saussure,1871 **IN LK TH MY Bor ID Sda**

¹⁷ Specific name established by the author.

253. **Odontomantis montana Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *montana* Giglio-Tos,1915 **IN MY ID Sum**
254. **Odontomantis planiceps (De Haan,1842)** (Hymenopodidae) Synonym(s): *planiceps* De Haan,1842; *javana* Giglio-Tos,1915 **ID Sum Mw Ja MY Bor**
255. **Oestromantis bacillaris Giglio-Tos,1914** (Hymenopodidae) Synonym(s): *bacillaris* Giglio-Tos,1914 **ID Ja**
256. **Oligomantis hyalina (Werner,1916)** (Hymenopodidae) Synonym(s): *hyalina* Werner,1916 **ID Sum**
257. **Oligomantis mentaweiana (Giglio-Tos,1915)** (Hymenopodidae) Synonym(s): *mentaweiana* Giglio-Tos,1915 **ID Mw**
258. **Oligomantis orientalis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *orientalis* Giglio-Tos,1915 **MY SG ID Sum**
259. **Ommatius nigripes Meijere,1913** (Asilidae) Synonym(s): *nigripes* Meijere,1913; *formosanus* Koçak & Kemal,2008 **ID Ij**
260. **Ommatius philippinus Koçak & Kemal,2008**¹⁸(Asilidae) Synonym(s): *nanus* Walker,1861 nec Wlk.,1851; *philippinus* Koçak & Kemal,2008 **Ommatius philippinus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro nanus Walker,1861 nec Walker,1851). PH ID Ij**
261. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 **CN ID IN JP LK MM MY TH PH VN TW Bor Sbh**
262. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
263. **Orthodera insularis Beier,1952** (Mantidae) Synonym(s): *insularis* Beier,1952 **ID Sba**
264. **Orthodera ministralis (Fabricius,1775)** (Mantidae) Synonym(s): *ministralis* Fabricius,1775; *prasina* Burmeister,1838; *timorensis* Werner,1933 **AU NZ Hw ID Tim**
265. **Pachymantis bicingulata De Haan,1842** (Hymenopodidae) Synonym(s): *bicingulata* De Haan,1842 **ID Sum Ja MY Bor**
266. **Parastasia nigriceps Westwood,1841** (Scarabaeidae) Synonym(s): *nigriceps* Westwood,1841 **ID**
267. **Peltonotus sulawesiensis Wada,1990** (Scarabaeidae) Synonym(s): *sulawesiensis* Wada,1990 **ID Clb**
268. **Pheidole fervens F.Smith,1858** (Formicidae) Synonym(s): *fervens* F.Smith,1858; *javana* Mayr,1867; *cavannae* Emery,1887; *dharmsalana* Forel,1902; *amia* Forel,1912; *tahitiana* Santschi,1928; **EG IN Hp ID Ja**
269. **Phyllothelys decipiens Giglio-Tos,1915** (Mantidae) Synonym(s): *decipiens* Giglio-Tos,1915 **IN MY Bor ID Ja**
270. **Phyllotreta striolata (Fabricius,1803)** (Chrysomelidae) Synonym(s): *striolata* Fabricius,1803 **TR ID Sum**
271. **Picromerus griseus (Dallas,1851)** (Pentatomidae) Synonym(s): *griseus* Dallas,1851; *obtusus* Walker,1867; *nigrivitta* Walker,1867; *sundanus* Breddin,1902 **BD MM CN IN PK ID Ja**
272. **Platynopus calliger Horvath,1911** (Pentatomidae) Synonym(s): *calliger* Horvath,1911 **ID**
273. **Platynopus carbonarius Horvath,1911** (Pentatomidae) Synonym(s): *carbonarius* Horvath,1911 **ID Ja**
274. **Platynopus dalpadoides (Vollenhoven,1867)** (Pentatomidae) Synonym(s): *dalpadoides* Vollenhoven,1867; *tagalicus* Stal,1870 **PH ID Mlc**
275. **Platynopus melanoleucus (Westwood,1837)** (Pentatomidae) Synonym(s): *melanoleucus* Westwood,1837; *varius* Amyot & Serville,1843; *polygraphus* Walker,1867 **ID Ja Crm Mlc Clb Sum PH TW**
276. **Platypleura nobilis (Germar,1830)** (Cicadidae) Synonym(s): *nobilis* Germar,1830; *hemiptera* Guérin-Ménéville,1834; *semilucida* Walker,1850; *gemina* Walker,1850 **IN Ass Meg MM Tvy TH ID Sum Ja**
277. **Pnigomantis medioconstricta (Westwood,1889)** (Mantidae) Synonym(s): *medioconstricta* Westwood,1889 **ID Flo**
278. **Pomonia thalia (Walker,1850)** (Cicadidae) Synonym(s): *thalia* Walker,1850; *sphinx* Walker,1850; *horsfieldi* Distant,1893 **CN Ti IN ID Ja**
279. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
280. **Rhombodera basalis (De Haan,1842)** (Mantidae) Synonym(s): *basalis* De Haan,1842; *deflexa* Saussure,1871 **IN TH MY ID Ja Bor**
281. **Rhombodera extensicollis (Audinet-Serville,1839)** (Mantidae) Synonym(s): *extensicollis* Audinet-Serville,1839; *macropsis* Giebel,1861; *rhomboidalis* Saussure,1870 **ID Ja Clb**
282. **Rhombodera flava (De Haan,1842)** (Mantidae) Synonym(s): *flava* De Haan,1842; *major* Saussure,1871 **ID Ja Clb**
283. **Rhombodera handschini Werner,1933** (Mantidae) Synonym(s): *handschini* Werner,1933 **ID Tim**
284. **Rhombodera javana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *javana* Giglio-Tos,1912 **CN Ja ID**

¹⁸ Specific name established by the author.

285. **Rhombodera keiana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *keiana* Giglio-Tos,1912 **ID Kei**
286. **Rhombodera kirbyi Beier,1952** (Mantidae) Synonym(s): *haani* Kirby,1904; *saussurii* Kirby,1904; *kirbyi* Beier,1952 **ID Tim**
287. **Rhombodera laticollis (Burmeister,1838)** (Mantidae) Synonym(s): *laticollis* Burmeister,1838 **ID Ja MY**
288. **Rhombodera lingulata (Stal,1877)** (Mantidae) Synonym(s): *lingulata* Stal,1877 **ID Ja**
289. **Rhombodera rollei Beier,1935** (Mantidae) Synonym(s): *rollei* Beier,1935 **ID Mlc**
290. **Rhombodera sjoestedti (Werner,1930)** (Mantidae) Synonym(s): *sjoestedti* Werner,1930 **ID Tnm**
291. **Rhombodera stalli Giglio-Tos,1912** (Mantidae) Synonym(s): *stalli* Giglio-Tos,1912 **ID Ja**
292. **Rhombodera titania (Stal,1877)** (Mantidae) Synonym(s): *titania* Stal,1877; *dubia* Werner,1929 **MM ID Bch Kei Mlc**
293. **Rhombodera valida (Burmeister,1838)** (Mantidae) Synonym(s): *valida* Burmeister,1838; *rotunda* Giglio-Tos,1917 **CN IN JP MY ID Ja Mlc Tim**
294. **Ricania speculum (Walker,1851)** (Ricanidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). **CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**
295. **Sathon falcatus (Nees,1834)** (Braconidae) Synonym(s): *falcatus* Nees,1834 **Microgaster falcatus** Nees, 1834, Hym. Ich. Affin. Mon. 1: 175. **TR ID Ja**
296. **Schizocephala bicornis (Linnaeus,1758)** (Mantidae) Synonym(s): *bicornis* Linnaeus,1758; *oculata* Fabricius,1781; *stricta* Olivier,1792 **IN NP LK ID Sda**
297. **Statilia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 **AU PG NC IN ID Clb Sba Tim PH GH GN ZR**
298. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
299. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 **IN VN CN KP KR JP MM MY Bor ID Sum Ja PH**
300. **Stictomantis cinctipes (Werner,1916)** (Mantidae) Synonym(s): *cinctipes* Werner,1916 **ID Ja**
301. **Suhpalasca donckieri Navas,1913** (Ascalaphidae) Synonym(s): *donckieri* Navas,1913 **ID Ja**
302. **Suhpalasca ledrana Navas,1913** (Ascalaphidae) Synonym(s): *ledrana* Navas,1913 **ID Ja**
303. **Suhpalasca lugubris Gerstaecker,1893** (Ascalaphidae) Synonym(s): *lugubris* Gerstaecker,1893 **ID Ja**
304. **Suhpalasca princeps Gerstaecker,1893** (Ascalaphidae) Synonym(s): *princeps* Gerstaecker,1893 **ID Ja**
305. **Suhpalasca sumbawana Van der Weele,1909** (Ascalaphidae) Synonym(s): *sumbawana* Van der Weele,1909 **ID Sbw**
306. **Supholomitus jentinki Van der Weele,1909** (Ascalaphidae) Synonym(s): *jentinki* Van der Weele,1909 **ID Tim**
307. **Supholomitus malayanus (McLachan,1871)** (Ascalaphidae) Synonym(s): *malayanus* McLachan,1871 **ID Clb Ja PH**
308. **Systropus (s.str.) violascens (Enderlein,1926)** (Bombyliidae) Synonym(s): *violascens* Enderlein,1926 **ID Sum PH**
309. **Tagalomantis brevis (Beier,1952)** (Mantidae) Synonym(s): *brevis* Beier,1952 **ID Clb**
310. **Tamolonica leopoldi (Werner,1930)** (Mantidae) Synonym(s): *leopoldi* Werner,1930 **PG Aro ID Aru**
311. **Tenodera angustipennis Saussure,1869** (Mantidae) Synonym(s): *angustipennis* Saussure,1869 **CN Hw IN JP ID Ja KP KR RU Sb**
312. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 **IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno**
313. **Tenodera blanchardi Giglio-Tos,1912** (Mantidae) Synonym(s): *?fusca* Blanchard,1853; *blanchardi* Giglio-Tos,1912; **AU PG Bsm Bor MY IN ID Mlc Clb**
314. **Tenodera costalis (Blanchard,1853)** (Mantidae) Synonym(s): *costalis* Blanchard,1853 **ID Crm Clb NC**
315. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 **IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH**
316. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
317. **Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti* Lefebvre,1835; *sanguinolentus* Spinola,1844; *girodi* Chevrolat,1880; *tabacci* Matsumura,1935 **DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAu Syd**

- 318. Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 **AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH**
- 319. Unalianus** ¹⁹ **heteracanthus (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *heteracanthus* Redtenbacher,1891 **TH VN KH ID Ja MM MY**
- 320. Unalianus intermedius (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *intermedius* Redtenbacher,1891 **ID Ja**
- 321. Villa abeilla Hull,1973** (Bombyliidae) Synonym(s): *abeilla* Hull,1973 **ID Clb PH**
- 322. Villa apicifera (Walker,1865)** (Bombyliidae) Synonym(s): *nemorum* Fallén,1823; *apicifera* Walker,1865 **ID Ij**
- 323. Villa duplex Bowden,1975** (Bombyliidae) Synonym(s): *duplex* Bowden,1975 **ID Clb**
- 324. Villa hyalina (Wiedemann,1821)** (Bombyliidae) Synonym(s): *hyalina* Wiedemann,1821 **ID Ja**
- 325. Villa leucopyga (Macquart,1840)** (Bombyliidae) Synonym(s): *leucopyga* Macquart,1840 **ID Tim**
- 326. Villa pretendens (Walker,1859)** (Bombyliidae) Synonym(s): *pretendens* Walker,1859 **ID Clb PG**
- 327. Villa semihyalina (Meijere,1907)** (Bombyliidae) Synonym(s): *semihyalina* Meijere,1907 **ID Ja**
- 328. Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**

¹⁹ genus name established by the author.

Synonymic and distributional list of the pterygot insects of Israel (Results of the Entomofauna of the World based upon info-system of the Cesa)

6

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Israel (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 6.

Priamus (suppl.) 18: 488-542.

In this study, totally 1642 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Israel recorded in info-system of the Cesa, total pterygot species of Israel increase to 3050.

Key words: List, distribution, *pterygota*, *Insecta*, Israel.

Brief explanatory information:

Previously published article	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 1642 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 1408 recorded species of Lepidoptera from Israel are found. Taking this information into consideration, total number of the pterygots may increase to 3050.

The study is still continuing, and the new results will be published within this Project.

1. "**Calligypona**" **obtusangula** **Linnavuori,1957** (Delphacidae) **Synonym(s):** *obtusangula* *Linnavuori,1957* **CY IL IT**
2. "**Megamelus**" **ornatipennis** **Haupt,1927** (Delphacidae) **Synonym(s):** *ornatipennis* *Haupt,1927* **AF IR IL JO**
3. **Ablattaria arenaria** (**Kraatz,1876**) (Silphidae) **Synonym(s):** *arenaria* *Kraatz,1876*; *punctigera* *Reitter,1885*; *alleoni* *Portevin,1926* **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
4. **Acanthaclisis occitanica** (**Villers,1789**) (Myrmeleonidae) **Synonym(s):** *occitanica* *Villers,1789* **AF IR Elb Th PK TR IL Pa KG**
5. **Acanthaclisis occitanicum** **Villers,1789** (Myrmeleonidae) **Synonym(s):** *occitanicum* *Villers,1789*; *pisanus* *Rossi,1790*; *georgianum* *Fischer v. Waldheim,1846*. **TR IR PK AF KG IL**
6. **Acanthiophilus helianthi** (**Rossi,1790**) (Tephritidae) **Synonym(s):** *helianthi* *Rossi,1790*; *eluta* *Meigen,1826* **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**
7. **Acanthobodilus immundus** (**Creutzer,1799**) (Scarabaeidae) **Synonym(s):** *immundus* *Creutzer,1799* **IL Pa JO LB SY**
8. **Acathrito robusta** (**Kröber,1929**) (Therevidae) **Synonym(s):** *robusta* *Kröber,1929* **IL Pa**
9. **Acinopus megacephalus** (**P.Rossi,1794**) (Carabidae) **Synonym(s):** *megacephalus* *P.Rossi,1794* **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**

10. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
11. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926 TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO BR
12. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina* Melichar,1902; *inustus* Haupt,1927 EG IR IL AZ Cc TM UZ
13. **Aconura impicta (Linnavuori,1962)** (Cicadellidae) Synonym(s): *impicta* Linnavuori,1962 IL Pa TR
14. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
15. **Acrida palaestina Dirsh,1949** (Acrididae) Synonym(s): *palaestina* Dirsh,1949 IL Pa
16. **Acromalachus clavicornis (Peyron,1877)** (Melyridae) Synonym(s): *clavicornis* Peyron,1877 TR SY IL Pa
17. **Acromalachus flexicornis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *flexicornis* Baudi di Selve,1873 TR IL Pa
18. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937 **Acrometopa syriaca Brunner von Wattenwyl,1878**, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). GR CY EG IL Pa LB Bei SY Dms TR IQ
19. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 TR GR CY SY LB IL Pa
20. **Acrospilus brevitatus (Parent,1937)** (Dolichopodidae) Synonym(s): *brevitatus* Parent,1937 IL Pa ZR TZ
21. **Acrossus luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 IL Pa SY
22. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866 TR SY IL Pa Hf LB EG Sn LY Cy
23. **Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): *grande* Haag-Rutenberg,1879; *persis* Semenov & Bogatshev,1947; *perissinottoi* Canzoneri,1965 IQ IR Fa IL Pa
24. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps* Puton,1887; *tabida* Horvath,1911; *planiceps* Horvath,1917 IL Pa DZ TN EG Cc AZ IR
25. **Adeniana yotvataensis Schedl,1999** (Cicadidae) Synonym(s): *yotvataensis* Schedl,1999 IL Pa
26. **Adesmia (s.str.) abbreviata Klug,1830** (Tenebrionidae) Synonym(s): *abbreviata* Klug,1830; *arca* Reiche & Saulcy,1857 SY IL Pa
27. **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) Synonym(s): *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857 TR SY IL Pa
28. **Adoretus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): *granulifrons* Fairmaire,1882 DZ EG IL Pa JO
29. **Adoretus irakanus Ohaus,1928** (Scarabaeidae) Synonym(s): *irakanus* Ohaus,1928 IQ IL Pa
30. **Adoretus sterbae Reitter,1909** (Scarabaeidae) Synonym(s): *sterbae* Reitter,1909 TR IL Pa
31. **Adoxomyia dahlii (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlii* Meigen,1830; *schineri* Lindner,1937; *personata* Lindner,1975 YU GR FR AT IT IL
32. **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820 TR Cc AM CY IL Pa IR
33. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ
34. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
35. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975 TR IR IL Pa SY LB Cc AZ
36. **Agallia hispanica Horvath,1900** (Cicadellidae) Synonym(s): *hispanica* Horvath,1900 IL MA PT ES
37. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896 CY GR IL Pa TR JO RO Cc GG UZ
38. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877 FR GR IL IT Sa ES SY TN TR UA Cm
39. **Agapanthia pustulifera Pic,1905** (Cerambycidae) Synonym(s): *pustulifera* Pic,1905 IL Pa SY LB
40. **Agapanthia simplicicornis Reitter,1898** (Cerambycidae) Synonym(s): *simplicicornis* Reitter,1898 TR SY IL Pa
41. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR

42. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis Haupt,1962* TR LY TN IL Pa ES Cn SY Hms
43. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838*; *pallida Walker,1851 (praeocc.)*; *ornatula Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
44. **Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): *radula Desbrochers,1875*; *brevicollis Schwarz,1891* TR? LB SY IL Pa
45. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870*; *savignyi Krauss,1890*; *affinis Bolivar,1902*; *laticosta Bolivar,1912*; *deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
46. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804*; *prasinus Thunberg,1815*; *vittatum Brullé,1840*; *chloroptera Ramme,1913*; *cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
47. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781*; *grossuni Costa,1836*; *laetum Brullé,1840*; *flavovirens Fischer von Waldheim,1846*; *angustifemur Ghiliani,1869*; *rufipes Ivanov,1888*; *kivuensis Sjöstedt,1923*; *acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
48. **Akotropis quercicola Linnavuori,1962** (Achilidae) Synonym(s): *quercicola Linnavuori,1962* IL Pa TR BG GR
49. **Alastor mediomaculatus Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus Giordani Soika,1952*; *iconius Blüthgen,1955* IL Pa JO TR GR
50. **Alatades trilineatus Dlabola,1957** (Delphacidae) Synonym(s): *trilineatus Dlabola,1957* IL Pa TR
51. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella Fallén,1826*; *elegantula Zetterstedt,1828*; *discicollis Herrich-Schäffer,1834*; *fasciata Curtis,1837*; *fulveola Herrich-Schäffer,1838*; *eximia Hardy,1850*; *fastuosa Graff, Six & Snellen,1862*; *viridis Rey,1894*; *flavocephala Kupka,1899*; *diluta Ribaut,1936*; *dufourii Ribaut,1936* DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
52. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus Ferrari,1882* DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
53. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris Fabricius,1798* DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
54. **Alocoderus turbatus (Baudi,1870)** (Scarabaeidae) Synonym(s): *turbatus Baudi,1870* IL Pa LB EG Sn SY
55. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *gracilis Abeille de Perrin,1880* TR SY Cc AM IR IL Pa
56. **Alosimus luteus (Waltl,1838)** (Meloidae) Synonym(s): *luteus Waltl,1838* TR SY IL Pa IR
57. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus Linnaeus,1758*; *austriacus Schrank,1781* Meloe syriacus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
58. **Altica ancycensis (Weise,1897)** (Chrysomelidae) Synonym(s): *ancycensis Weise,1897* TR AM Cc IL Pa
59. **Altica jarmilae Kral,1979** (Chrysomelidae) Synonym(s): *jarmilae Kral,1979* TR GR G IL Pa Cc GG
60. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans Baudi di Selva,1864*; *syriaca Putzeys,1866*; *palaestina Putzeys,1870*; *gridellii Baliani,1928* GR MK MT TR CY IR IL Pa JO LB SY
61. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774*; *trivialis Gyllenhal,1810*; *atra Stephens,1828*; *persica Chaudoir,1842*; *maculipes Grimmer,1841*; *palustris Gistel,1857*; *sororcula Tschitscherine,1895*; *vogesiaca Bourgeois,1898*; *devincta Casey,1918*; *palanda Jedlicka,1957*; *thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
62. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): *heldreichi Brunner von Wattenwyl,1882* TR GR IL Pa LY CY
63. **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius Brullé,1832* IL Pa JO LB SY
64. **Amidorus obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): *obscurus Fabricius,1792* IL Pa SY
65. **Amphicoma (Eulasia) hyrax Truqui,1848** (Glaphyridae) Synonym(s): *hyrax Truqui,1848*; *truqui Reitter,1890*; *atripilis Petrovitz,1971*; *splendidula Petrovitz,1971* SY LB IL Pa TR
66. **Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata Reitter,1890*; *nitidicollis Reiche,1962*; *simplicipennis Petrovitz,1964* SY IL Pa JO TR

67. **Amphicoma (Pygopleurus) akbesianus Petrovitz,1957** (Glaphyridae) Synonym(s): *akbesianus* Petrovitz,1957; *cuprea* Petrovitz,1957; *coerulea* Petrovitz,1962 **SY TR IL Pa**
68. **Amphicoma (Pygopleurus) aleppensis Petrovitz,1957** (Glaphyridae) Synonym(s): *aleppensis* Petrovitz,1957; *violacea* Petrovitz,1957; *palaestinensis* Petrovitz,1963 **SY Hal TR IL Pa**
69. **Amphicoma (Pygopleurus) besucheti Baraud,1989** (Glaphyridae) Synonym(s): *besucheti* Baraud,1989 **IL Pa JO**
70. **Amphicoma (Pygopleurus) caesareae Baraud,1989** (Glaphyridae) Synonym(s): *caesareae* Baraud,1989 **IL Pa**
71. **Amphicoma (Pygopleurus) israelitus Muche,1963** (Glaphyridae) Synonym(s): *israelitus* Muche,1963 **IL Pa**
72. **Amphicoma (Pygopleurus) katbehi Sabatinelli,2008** (Glaphyridae) Synonym(s): *katbehi* Sabatinelli,2008 *Pygopleurus katbehi* Sabatinelli,2008, *Lambillionea* 108: 149-152, figs. Holotype ♂: Jordan, Harta 14km N Irbid, 440m 27 iii 2007 leg. G. Sabatinelli (MCSNG). **JO IL Pa**
73. **Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957 **LB SY TR IL Pa**
74. **Amphicoma (Pygopleurus) orientalis Petrovitz,1957** (Glaphyridae) Synonym(s): *orientalis* Petrovitz,1957 **IL Pa LB**
75. **Amphicoma (Pygopleurus) ponticus Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz,1957 **TR SY IL Pa**
76. **Amphicoma (Rudeulasia) baumanni (Mitter,1996)** (Glaphyridae) Synonym(s): *baumanni* Mitter,1996 *Eulasia (Rudeulasia) baumanni* Mitter,1996, *Linzer biol. Beitr.* 28 (1): 363-365. Holotype ♀: Palaestina, mittl. Jordantal-Westseite 25km S Bet Shean, 150m 23.3.1995 leg. de Freina (coll.Mitter). **IL Pa**
77. **Amphicoma (Rudeulasia) fastuosa Reitter,1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter,1890; *heydeni* Reitter,1890; *pretiosa* Reitter,1890; *semicyanea* Reitter,1890; *reitteri* Ganglbauer,1905; *cyanea* Petrovitz,1962 **TR SY LB IL Pa**
78. **Amphicoma (Rudeulasia) japhoensis (Petrovitz,1972)** (Glaphyridae) Synonym(s): *japhoensis* Petrovitz,1972 **IL Pa**
79. **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896 **JO TR SY IL Pa**
80. **Amphicoma (Rudeulasia) rapillyi (Baraud,1988)** (Glaphyridae) Synonym(s): *rapillyi* Baraud,1988 **IL Pa SY**
81. **Amphicoma (Rudeulasia) saccai (Petrovitz,1972)** (Glaphyridae) Synonym(s): *saccai* Petrovitz,1972 **JO IL Pa Js**
82. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 **RU KG IL Pa IR Ss TR EG**
83. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 **Cc RU GR ES IL Pa TR IR Fa Kz AF**
84. **Amphisbetetus gederati Efflatoun,1937** (Asilidae) Synonym(s): *gederati* Efflatoun,1937 **EG IL Pa**
85. **Amphisbetetus ruazi Theodor,1980** (Asilidae) Synonym(s): *ruazi* Theodor,1980 **JO IL Pa**
86. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
87. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
88. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis* Compere,1939 **ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf**
89. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
90. **Anarolius bicolor Theodor,1980** (Asilidae) Synonym(s): *bicolor* Theodor,1980 **JO IL Pa**
91. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 **TN EG KE SD DZ IL Pa LY SA ES SY**
92. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**
93. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 **SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE**
94. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 **IT DZ EG FR IL Pa LY PT ES TN TM SA SD**
95. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**

96. **Anax immaculifrons Rambur,1842** (Aeshnidae) Synonym(s): *immaculifrons Rambur,1842* TR
LB Bei IL Pa
97. **Ancistrocerus auctus (Fabricius,1793)** (Vespididae) Synonym(s): *auctus Fabricius,1793* FR IQ IL
Pa JO Pet Amm TR
98. **Ancistrocerus biphaleratus Saussure,1852** (Vespididae) Synonym(s): *biphaleratus Saussure,1852;*
palaesticus Giordani Soika,1952 PT EG Sn JO Pet IL Pa SA YE
99. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucus Rossi,1790; variegatus*
Wiedemann,1818; pictus Wiedemann,1821 AT AL FR GR IT RO TR YU KG SR IL Pa
100. **Ancylorhynchus rufocinctus Séguy,1930** (Asilidae) Synonym(s): *rufocinctus Séguy,1930*
TN IL Pa
101. **Andricus ceconii Kieffer,1901** (Cynipidae) Synonym(s): *ceconii Kieffer,1901* ES IT GR TR AZ Cc
IL Pa IR
102. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus Westwood,1837* IT AL
GR TR IL Pa AZ Cc IR
103. **Aneomochtherus hermonensis (Theodor,1980)** (Asilidae) Synonym(s): *hermonensis*
Theodor,1980 JO IL Pa SY
104. **Aneomochtherus illustris (Schiner,1867)** (Asilidae) Synonym(s): *illustris Schiner,1867* IL
Pa JO SY TR
105. **Aneomochtherus macropygus (Tsacas,1968)** (Asilidae) Synonym(s): *macropygus Tsacas,1968*
IL Pa
106. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus Masi,1917; brevicaudatus*
Subba-Rao,1965 AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
107. **Anigrus vicinus Dlabola,1959** (Meenoplidae) Synonym(s): *vicinus Dlabola,1959* AF IL
108. **Anisoplia (Brancoplia) klapperichi Petrovitz,1971** (Scarabaeidae) Synonym(s): *klapperichi*
Petrovitz,1971 IL Pa JO
109. **Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis*
Laporte,1840 TM TR IQ IL Pa SY LB
110. **Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): *mesopotamica*
Pilleri,1954 TR IQ IL Pa LB SY
111. **Anisoplia (Brancoplia) pumila Petrovitz,1973** (Scarabaeidae) Synonym(s): *pumila*
Petrovitz,1973 IL Pa JO LB
112. **Anisoplia (Chaetopteroptia) obenbergeri Vsetecka,1941** (Scarabaeidae) Synonym(s):
obenbergeri Vsetecka,1941 IL Pa LB SY
113. **Anisoplia (Chaetopteroptia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca*
Burmeister,1844 UA Cm RU SY IL Pa TR
114. **Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata*
Faldermann,1835 TR SY JO IL Pa
115. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni Engel,1930; modestus*
Lehr,1964 RU Cc KG IL Pa TR IR Fa AM AZ GG
116. **Anisopogon parvum Efflatoun,1937** (Asilidae) Synonym(s): *parvum Efflatoun,1937* EG IL Pa
117. **Anomala palestina Pic,1905** (Scarabaeidae) Synonym(s): *palestina Pic,1905* IL Pa
118. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata*
Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata
Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus
Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus
Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937;
germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963 AL AT Az BE BG CS DK FI FR DE GB HU IE
IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
119. **Anoxia (Mesanoxia) cypria Zurcher,1911** (Scarabaeidae) Synonym(s): *cypria Zurcher,1911;*
mavromoustakisi Miksic,1959 CY IL Pa
120. **Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): *cingulata*
Marseul,1868 LB Bei IL Pa JO Amm
121. **Anoxia (Protanoxia) laevimaculata Petrovitz,1973** (Scarabaeidae) Synonym(s): *laevimaculata*
Petrovitz,1973 IL Pa
122. **Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae) Synonym(s): *orientalis*
Krynicki,1832; meridionalis Reitter,1890 IL Pa Hf SY LB Bei TR
123. **Anoxia (s.str.) maculiventris Reitter,1890** (Scarabaeidae) Synonym(s): *maculiventris*
Reitter,1890; israelitica Petrovitz,1971 IL Pa Hf SY Hal LB
124. **Anoxioides bytinskisalzi Petrovitz,1971** (Scarabaeidae) Synonym(s): *bytinskisalzi Petrovitz,1971*
IL Pa
125. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema*
Fischer,1824 BG CY GR IL Pa SY LB TR UA
126. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa*
Kiesenwetter,1857 AM AZ Cc GG TR BG GR IL Pa SY
127. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii*
Olivier,1790 AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA

128. **Anthaxia (Haplantaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri* Marseul,1865 **BG GR GG Cc IL Pa SY TR**
129. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara* Mannerheim,1837 **DZ GR IL Pa IT PT ES SY TR**
130. **Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia* Reiche & Saulcy,1856 **CY IL Pa LB SY TR**
131. **Anthaxia (Melanthaxia) pinguis Kiesenwetter,1880** (Buprestidae) Synonym(s): *pinguis* Kiesenwetter,1880 **IL Pa SY TR**
132. **Anthaxia (s.str.) adiyamana Svoboda,1994** (Buprestidae) Synonym(s): *adiyamana* Svoboda,1994 **TR IL Pa**
133. **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae) Synonym(s): *berytensis* Abeille,1895 **IL Pa SY LB Bei TR**
134. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor* Faldermann,1835 **AM AZ GG Cc TR IR IQ IL Pa SY TM UA**
135. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis* Gory & Laporte,1839 **Cr GR TR CY IL Pa SY UA**
136. **Anthaxia (s.str.) ghazi Obenberger,1938** (Buprestidae) Synonym(s): *ghazi* Obenberger,1938 **IL Pa SY TR**
137. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae) Synonym(s): *muliebris* Obenberger,1918 **AZ AM Cc TR IR IL Pa SY**
138. **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae) Synonym(s): *myrmidon* Abeille,1891 **IL Pa SY LB TR**
139. **Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882 **IL Pa LB SY TR**
140. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *brevisculum* Pérez,1890; *troodicum* Mavromoustakis,1949 **FR CY GR Rd LB IL Pa Js TR TN**
141. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare* Morawitz,1874; *elongatum* Friese,1897; *hoplostomum* Mavromoustakis,1945 **Cc RU Da GR Rd HV TR IL Pa SY**
142. **Anthidium (Anthidiellum) judaense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaense* Mavromoustakis,1945; *anale* Pasteels,1969 **AM Cc IL Pa LB TR**
143. **Anthidium (Anthidiellum) nasicum Friese,1917** (Megachilidae) Synonym(s): *nasicum* Friese,1917; *nasiculum* Pasteels,1969 **IL Pa SY TR**
144. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humeralis* Alfken,1936 **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
145. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens* Morawitz,1872; *maximum* Friese,1931; *verhoeffi* Mavromoustakis,1955 **UA Cm RU HU GR TM TR Cc SY IL Pa ZA**
146. **Anthidium (Exanthidium) wahrmannicum Mavromoustakis,1933** (Megachilidae) Synonym(s): *wahrmannicum* Mavromoustakis,1933 **IL Pa**
147. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 **ES EG SA TM MR SY TR IL Pa CY**
148. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
149. **Anthidium (Mesanthidium) alternans Klug,1832** (Megachilidae) Synonym(s): *alternans* Klug,1832; *karschi* Friese,1899; *doederlini* Friese,1917; *dusmeti* Mavromoustakis,1947; *lividum* Benoist,1950; *flavissimum* Pasteels,1969 **DZ MA SA EG IL Pa**
150. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 **Cc RU TM TR IL Js Pa BG SY DZ ES**
151. **Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae) Synonym(s): *lebanense* Mavromoustakis,1955; *nigratum* Pasteels,1969 **LB IL Pa TR**
152. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 **TM SY TR Cc LB IL Pa IR EG**
153. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969 **OM TM PK Qu Bl IR IL Pa Js SY TR**
154. **Anthidium (Proanthidium) eremicum Alfken,1938** (Megachilidae) Synonym(s): *eremicum* Alfken,1938; *aleppense* Mavromoustakis,1954 **SY Hal IL Pa**

155. **Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae) Synonym(s): *undulatifforme* Friese,1917 **TR AM Cc ES IL Pa Js GR**
156. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
157. **Anthidium (Pseudoanthidium) bytinskii Mavromoustakis,1948** (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis,1948 **IL Pa**
158. **Anthidium (Pseudoanthidium) ochrognatum Alfken,1932** (Megachilidae) Synonym(s): *ochrognatum* Alfken,1932; *obscuratum* Benoist,1950 nec Mor.,1875; *rubellulum* Pasteels,1969 **IL Pa EG MA**
159. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js**
160. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord**
161. **Anthidium (s.str.) auritum Klug,1832** (Megachilidae) Synonym(s): *auritum* Klug,1832; *fischeri* Spinola,1838; *rufomaculatum* Friese,1899 **MA EG IL Pa**
162. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915 **GR Rd TR SY LB IL Pa**
163. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 **RU Sb KG TR CY IL Pa Js LB TM Kp GR**
164. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre* Friese,1899; *melanopygum* Friese,1917 **IL Pa LB Cr TR Cc AZ Kir TM Rpt**
165. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum* Latreille,1809; *fasciatum* Latreille,1809; *sulphureum* Lepeletier,1841; *affine* Morawitz,1873; *monile* Friese,1897; *nostrum* Radoszowski,1893 **FR ES IT Si TM MA DZ HV GR Rd TR IL Pa**
166. **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cyprica* Mavromoustakis,1957 **PT ES IT Si CY IL Pa TR**
167. **Anthrax amnoni Zaitzev,1997** (Bombyliidae) Synonym(s): *amnoni* Zaitzev,1997 **IL Pa**
168. **Anthrax bezzii Paramonov,1957** (Bombyliidae) Synonym(s): *bezzii* Paramonov,1957 **EG IL Pa**
169. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
170. **Anthrax candidapex (Austen,1937)** (Bombyliidae) Synonym(s): *candidapex* Austen,1937 **IL Pa**
171. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 **IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU**
172. **Anthrax nitidus (Austen,1937)** (Bombyliidae) Synonym(s): *nitidus* Austen,1937 **IL Pa**
173. **Anthrax palaesticus Zaitzev,1997** (Bombyliidae) Synonym(s): *palaesticus* Zaitzev,1997 **IL Pa**
174. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 **IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU**
175. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
176. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 **IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR**
177. **Anthrenus (Anthrenodes) israelicus Hava,2004** (Dermestidae) Synonym(s): *israelicus* Hava,2004 **IL Pa**
178. **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): *jordanicus* Pic,1934 **JO IL Pa IR**
179. **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000 **IL Pa SY TR**
180. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881 **TR TN IL Pa SY IR**
181. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus* Loew,1849 **Cc RU KG IL Pa TR IR Kz Fa EG TN**
182. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN**
183. **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie* Wilkinson,1932 **Apanteles gallerie** Wilkinson,1932, *Stylops* 1: 139. **TR US AR MU IN FR HU IL Pa**
184. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 **DZ TN LY IL Pa SY IQ SA**
185. **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **IL Pa JO LB SY**

186. **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783 **IL Pa JO LB SY**
187. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 **AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR**
188. **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960 **IL JO SY**
189. **Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcearmatus* Parent,1925 **EG Sn IL Pa TR**
190. **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944 **Cc TR SY IL Pa**
191. **Aphthona fuentei Reitter,1901** (Chrysomelidae) Synonym(s): *fuentei* Reitter,1901 **TR IL Pa IR DZ ZR**
192. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
193. **Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882 **IL Pa Hf SY LB**
194. **Aplidia endroedii Baraud,1988** (Scarabaeidae) Synonym(s): *endroedii* Baraud,1988 **?IL Pa JO Amm**
195. **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855 **TR IL Pa LB SY**
196. **Aplidia janczyki Baraud,1988** (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988 **IL Pa LB SY**
197. **Aplidia joannis Baraud,1988** (Scarabaeidae) Synonym(s): *joannis* Baraud,1988 **IL Pa LB SY**
198. **Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri* Keith,2000 **TR SY IL Pa?**
199. **Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882 **TR SY IL Pa**
200. **Aplidia petrovitzi Baraud,1988** (Scarabaeidae) Synonym(s): *petrovitzi* Baraud,1988 **?IL Pa SY**
201. **Aplidia villosicollis Kraatz,1882** (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882 **?IL Pa LB SY**
202. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871 **MA DZ LY TN EG NG TR SA IL Pa IR**
203. **Apoclea conicera Loew,1856** (Asilidae) Synonym(s): *conicera* Loew,1856 **EG IL Pa**
204. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis* Wiedemann,1828; *helva* Wiedemann,1828; *illustris* Schiner,1867; *aperta* Becker,1909 **EG SA IL Pa IR Fa Ss Ke Kh YE SD**
205. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910 **EG TN LY MA IL Pa YE SA IR**
206. **Apoclea obscura Theodor,1980** (Asilidae) Synonym(s): *obscura* Theodor,1980 **IL Pa**
207. **Apoclea treibensis Theodor,1980** (Asilidae) Synonym(s): *treibensis* Theodor,1980 **IL Pa**
208. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 **IT ES TN Cn HV HU EG AF IL Pa IR TM UZ**
209. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 **AZ BG FR GG IT ES TR MA TN IL Pa**
210. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 **AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa**
211. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb**
212. **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978 **AM Cc IR IL Pa TR**
213. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 **AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
214. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 **BG IL Pa CY LB GR TR**
215. **Arboridia adanae (Dlabola,1957)** (Cicadellidae) Synonym(s): *adanae* Dlabola,1957 **IL Pa TR**
216. **Arboridia ithaburensis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *ithaburensis* Linnavuori,1962 **IL**
217. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
218. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 **ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa**
219. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
220. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 **AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ**

221. **Argyra vestita (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *vestita* Wiedemann,1817 **BG RO IL Pa**
222. **Ascalaphus festivus (Rambur,1842)** (Ascalaphidae) Synonym(s): *festivus* Rambur,1842 **IL Pa SA MG**
223. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
224. **Asmisapyga warnckei Kurzenko,1994** (Sapygidae) Synonym(s): *warnckei* Kurzenko,1994 *Asmisapyga warnckei* Kurzenko,1994, *Linzer biol. Beitr.* 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). **TR SY Bid IL Pa JO TN**
225. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932 **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR**
226. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionnensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
227. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 **TR AF Cc IR IQ IL Pa LB SY TM**
228. **Attalus mitlaensis Wittmer,1971** (Melyridae) Synonym(s): *mitlaensis* Wittmer,1971 **IL Pa**
229. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915 **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ**
230. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
231. **Austroagallia quadricornis Linnavuori,1962** (Cicadellidae) Synonym(s): *quadricornis* Linnavuori,1962 **EG IL**
232. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
233. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932 **AL? DZ EG IL IT Sa JO LY ES TN**
234. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**
235. **Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella* Linnavuori,1962 **IL Pa IR TR**
236. **Balclutha nicolasi (Lethierry,1876)** (Cicadellidae) Synonym(s): *nicolasi* Lethierry,1876; *eos* Haupt,1927 **FR IL UZ**
237. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
238. **Balclutha rufofasciata (Merino,1936)** (Cicadellidae) Synonym(s): *rufofasciata* Merino,1936 **EG IL**
239. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
240. **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913 *Barytarbes superbus* Schmiedeknecht,1913, *Opusc. Ichneum.* 5: 2911. **TR BG RU IL Pa**
241. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
242. **Batracomorphus glaber Haupt,1927** (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948 **CY IL TR**
243. **Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923 **EG IL Pa LY TR IR**
244. **Bellardia nova Rognes,2002** (Calliphoridae) Synonym(s): *nova* Rognes,2002 **IL Pa SY**
245. **Bellardia tatrix (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatrix* Enderlein,1933 **IL Pa GR PL RU Cc Kr Y JO**
246. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911 **MA DZ TR LB SY JO IR OM IL Pa ML MR TM**
247. **Bembecinus asphaltites De Beaumont,1968** (Crabronidae) Synonym(s): *asphaltites* De Beaumont,1968 **IL Pa JO EG Sn**
248. **Bembecinus bytinskii De Beaumont,1954** (Crabronidae) Synonym(s): *bytinskii* De Beaumont,1954 **SA IL Pa JO AE YE**
249. **Bembecinus cyprius De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954 **GR CY IL Pa TR**

250. **Bembecinus gynandromorphus (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus Handlirsch,1892* SY TR IL Pa JO Js
251. **Bembecinus hebraeus De Beaumont,1968** (Crabronidae) Synonym(s): *hebraeus De Beaumont,1968* IL Pa
252. **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis A.Costa,1859* AL HV GR Rd IL Pa IT JO HV LB SY TR
253. **Bembecinus niehuisi Schmid-Egger,2004** (Crabronidae) Synonym(s): *niehuisi Schmid-Egger,2004* SY IL Pa
254. **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus Smith,1856; erberi Mocsary,1881; biarmatus Mocsary,1883* AL MK BG TR AM AZ Cc IL Pa JO
255. **Bembecinus revindicatus Schulz,1911** (Crabronidae) Synonym(s): *schmiedeknechti Handlirsch,1900 nec Handl.,1898; revindicatus Schulz,1911; houskai Balthasar,1954* IL Pa SY Dms JO
256. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
257. **Bembecinus validior Gussakowski,1952** (Crabronidae) Synonym(s): *validior Gussakowski,1952; diacanthus De Beaumont,1967* TJ TR IL Pa EG OM TM
258. **Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): *bodenheimeri Netolitzky,1935* TR IL Pa
259. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
260. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
261. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
262. **Bembidion (Omoperyphus) caricum Sahlberg,1908** (Carabidae) Synonym(s): *caricum Sahlberg,1908* TR CY IL Pa
263. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne Jacquelin du Val,1852* B-H BG GR TR IL Pa LB SY
264. **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne Schaum,1862* TR IR IL Pa LB Cc GG
265. **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum J.Sahlberg,1908* GR TR IL Pa LB SY
266. **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997* CY IL Pa LB TR GR Cr
267. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
268. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
269. **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus Faldermann,1835* IL Pa JO LB SY
270. **Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi Ménétriés,1847* IL Pa JO LB SY
271. **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius Herbst,1789* IL Pa JO LB SY
272. **Bithia modesta (Meigen,1824)** (Tachinidae) Synonym(s): *modesta Meigen,1824; invaria Walker,1849; grisea Perris,1852; vetusa Pandelle,1896* TR IL Pa RU
273. **Blaps judaeorum Miller,1861** (Tenebrionidae) Synonym(s): *judaeorum Miller,1861; judaica Seidlitz,1893* IL Pa LB SY
274. **Blaps juliae Allard,1880** (Tenebrionidae) Synonym(s): *juliae Allard,1880* IL Pa Js
275. **Blaps kaifensis Seidlitz,1893** (Tenebrionidae) Synonym(s): *rotundata Allard,1880 (praeocc.); kaifensis Seidlitz,1893* IL Pa Hf
276. **Blaps rotundata Solier,1848** (Tenebrionidae) Synonym(s): *rotundata Solier,1848; sodalis Reiche & Saulcy,1857; laticollis Allard,1880 (praeocc.)* TR SY IL Pa
277. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
278. **Blitopertha (Asiopertha) nazarena (Marseul,1878)** (Scarabaeidae) Synonym(s): *nazarena Marseul,1878* TR IL Pa
279. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscola Medvedev* Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
280. **Bodenheimera rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae Bodenheimer,1924* TR CY IR IQ IL Pa

281. **Bodilopsis rufa (Moll,1782)** (Scarabaeidae) Synonym(s): *rufa* Moll,1782 **IL Pa**
282. **Bodilopsis sordida (Fabricius,1775)** (Scarabaeidae) Synonym(s): *sordida* Fabricius,1775 **IL Pa SY**
283. **Bodilus longispina (Kuster,1854)** (Scarabaeidae) Synonym(s): *longispina* Kuster,1854 **IL Pa EG Sn?**
284. **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 **IL Pa JO LB SY EG Sn**
285. **Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848 **IL Pa LB SY EG Sn**
286. **Bodilus sabaeus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): *sabaeus* Peyerimhoff,1907 **IL Pa JO Sn EG**
287. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 **TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG**
288. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW**
289. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 **AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE**
290. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 **AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU**
291. **Bombylella simulans (Austen,1937)** (Bombyliidae) Synonym(s): *simulans* Austen,1937 **Bombylius simulans** Austen,1937, **Bombyliidae of Palestine: 20. Holotype: Palestine (BMNH). IL Pa LB JO**
292. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 **AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU**
293. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937 **EG IL Pa IR SA**
294. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937 **SD EG IL Pa SA**
295. **Bombylius (s.str.) alexandri Paramonov,1940** (Bombyliidae) Synonym(s): *alexandri* Paramonov,1940 **AM Cc AZ GG IL Pa**
296. **Bombylius (s.str.) argentifacies Austen,1937** (Bombyliidae) Synonym(s): *argentifacies* Austen,1937 **IL Pa JO**
297. **Bombylius (s.str.) candidifrons Austen,1937** (Bombyliidae) Synonym(s): *candidifrons* Austen,1937 **IL Pa**
298. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855 **AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA**
299. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 **AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU**
300. **Bombylius (s.str.) crassitarsis Paramonov,1940** (Bombyliidae) Synonym(s): *crassitarsis* Paramonov,1940 **IL Pa UZ**
301. **Bombylius (s.str.) fallax Austen,1937** (Bombyliidae) Synonym(s): *fallax* Austen,1937 **IL Pa**
302. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 **AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU**
303. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 **AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU**
304. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 **IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM**
305. **Bombylius (s.str.) kugleri Zaitsev,1995** (Bombyliidae) Synonym(s): *kugleri* Zaitsev,1995 **IL Pa**
306. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 **AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU**
307. **Bombylius (s.str.) mendax Austen,1937** (Bombyliidae) Synonym(s): *mendax* Austen,1937 **IL Pa**

308. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
309. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
310. **Bombylius (s.str.) olgae Zaitsev,1995** (Bombyliidae) Synonym(s): *olgae Zaitsev,1995* IL Pa
311. **Bombylius (s.str.) polypogon Loew,1855** (Bombyliidae) Synonym(s): *polypogon Loew,1855* EG IL Pa LY SY LB
312. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
313. **Bombylius (s.str.) repeteki Paramonov,1940** (Bombyliidae) Synonym(s): *repeteki Paramonov,1940; submodestus Paramonov,1940* TM UZ IL Pa
314. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; breviostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; tavrizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
315. **Bombylius (s.str.) wadensis Efflatoun,1945** (Bombyliidae) Synonym(s): *wadensis Efflatoun,1945* SD EG IL Pa
316. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
317. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
318. **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis Reiche & Saulcy,1855* AZ AM Cc BG TR IL Pa SY
319. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
320. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
321. **Brachycerus cribrarius Olivier,1807** (Brachyceridae) Synonym(s): *cribrarius Olivier,1807; ornatus Reiche,1857; fimbriatus Desbrochers,1871* TR LB IL Pa
322. **Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): *foveifrons Bedel,1874* TR SY IL Pa
323. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797; incertus Desbrochers,1871; olivieri Desbrochers,1871* GR Cr TR SY LB IL Pa EG
324. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
325. **Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): *aegyptiaca Masi,1931* CY IQ IL Pa EG
326. **Brachymeria albicus (Klug,1834)** (Chalcididae) Synonym(s): *albicus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
327. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis *femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16.* B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
328. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplesia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
329. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
330. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte).* AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu Bl UZ
331. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
332. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
333. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR

334. **Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus* Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842 **ES IL Pa TR IQ FR ES PT**
335. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 **TR IL Pa LB SY GR BG MK Cr Rd TM**
336. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834 **DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp**
337. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides* Ménétriés,1832; *anthracinus* Faldermann,1835; *nigellus* Kiesenwetter,1858 **RU Cc UA Cm TR TM AM SY IL Pa**
338. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétriés,1838 **TR Cc SY IL Pa IQ JO LB**
339. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi* Linnaeus,1767 **RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY**
340. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus* Horvath,1934 **TN EG IL Pa LB JO TR**
341. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 **DZ TN LY Cy IL Pa SY SA IQ**
342. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767 **IL Pa JO LB Sn EG SY**
343. **Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *hyxos* Petrovitz,1962 **IL Pa LB Sn EG SY**
344. **Calamosternus pseudounicolor (Balthasar,1960)** (Scarabaeidae) Synonym(s): *pseudounicolor* Balthasar,1960 **IL Pa SY**
345. **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus* Harold,1863 **IL Pa JO LB SY**
346. **Callimus akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): *akbesianus* Pic,1892 **TR SY IL Pa**
347. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, *Fauna del regno Napoli, Ortotteri: 13. Neotype* ♂: Italy, Salentina pen., Puglie reg. (BMNH). **MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN**
348. **Calopteryx syriaca Géné,1842** (Calopterygidae) Synonym(s): *syriaca* Géné,1842; *pseudosyriaca* Buchholtz,1955 *Calopteryx syriaca* Géné,1842 [in] Rambur,1842, *Hist. nat. Ins. Neuropt.: 223. Type(s): Liban (coll. Serville?).* **TR LB IL Pa JO**
349. **Calyptopsis jeremias Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *jeremias* Reiche & Sauley,1857 **IL Pa**
350. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta* Loew,1844 **TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO**
351. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta* Loew,1844 **TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA**
352. **Cantharis annularis Ménétriés,1836** (Cantharidae) Synonym(s): *annularis* Ménétriés,1836 **TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa**
353. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 **TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US**
354. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#symrnensis* Silkin,2008 **TR AL BG GR LB SY IL Pa**
355. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
356. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
357. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
358. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
359. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
360. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcesei*

- Obenberger,1945; morio Obenberger,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
361. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
362. **Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi* Dejean,1826 TR IL Pa LB SY
363. **Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985 TR IL Pa LB SY
364. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus* Klug,1832 TR EG IQ IL Pa JO LY SY
365. **Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): *piochardi* Géhin,1883 TR IL Pa LY SY
366. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817 AM Cc GG TR CY IR IQ IL Pa LY SY TM
367. **Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis* Descrochers,1875 IL Pa SY TR
368. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax* Faldermann,1835; *antennalis* Desbrochers,1875 TR GR IL Pa AM Cc
369. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856 EG IL Pa LB SY TR CY GR Rd
370. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958 IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
371. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851 TR AF IL Pa Cc IQ SY TJ
372. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761 TR AF IL Pa IR Cc EG SY
373. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856 TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
374. **Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858 TR IL Pa Cc
375. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880 AL RU IL Pa LB SY TR GR
376. **Catoplatus hilaris (Horvath,1906)** (Tingidae) Synonym(s): *hilaris* Horvath,1906 IL Pa LB SY TR
377. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 CY TR GR Rd IL Pa SY LB Cc AM IR
378. **Celonites foveolatus Kostylev,1935** (Vespidae) Synonym(s): *foveolatus* Kostylev,1935 TR IL Pa TM
379. **Centrotus israelensis Linnavuori,1962** (Membracidae) Synonym(s): *israelensis* Linnavuori,1962 IL Pa
380. **Ceramius palaestinensis Giordani Soika,1957** (Vespidae) Synonym(s): *palaestinensis* Giordani Soika,1957; *#palaestinensis* Yildirim & Özbek,1997 IL Pa SY TR
381. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 *Tephritis capitata* Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH NG KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
382. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938 TR Cc AM LB SY IL Pa NL SE
383. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
384. **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903 TR IL JO LB SY
385. **Cerdistus erythruroides Theodor,1980** (Asilidae) Synonym(s): *erythruroides* Theodor,1980 MT IL Pa TR
386. **Cerocoma kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835 SY TR Cc IL Pa IR BG
387. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880 TR IL Pa SY IR Cc AZ Bak BG
388. **Cesaspheniscus debskii (Efflatoun,1924)** (Tephritidae) Synonym(s): *debskii* Efflatoun,1924; *#debreskii* Koçak & Kemal,2009 EG IL Pa
389. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896 CY TR SY LB IL Pa EG

390. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
391. **Ceutorhynchus pitaris Gyllenhal,1837** (Curculionidae) Synonym(s): *pitaris Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
392. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
393. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
394. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana Duftschmid,1825* TR Cc IQ IL Pa SY DZ
395. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri Kutschera,1864* TR Cc IQ IR IL Pa DZ
396. **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami Stackelberg,1929* TR CY IL Pa IQ UZ
397. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer Rossi,1792; pugil Costa,1853; syphax Fairmaire,1875; metasternalis Reitter,1894; theryi Tondu,1907* IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY
398. **Cheironitis irroratus (Rossi,1790)** (Scarabaeidae) Synonym(s): *irroratus Rossi,1790* IT Co Sa Si EG Sn IL Pa SY
399. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus Ménétriés,1849; eumenes Motschoulsky,1859; ponticus Lansberge,1875* EG Sn IL Pa LB SY RU GR TM UZ
400. **Chelostoma (Gyrodromella) hebraeum (Benoist,1935)** (Megachilidae) Synonym(s): *hebraeum Benoist,1935* IL Pa Js TR
401. **Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): *diodon Schletterer,1889; cypriacum Mavromoustakis,1951* TR CY IL Pa JO SY
402. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi Schletterer,1889* BG HV FR GR IT Si UA Cc TR IL Pa
403. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
404. **Chilaspis israeli Sternlicht,1968** (Cynipidae) Synonym(s): *israeli Sternlicht,1968* IL Pa IR Lo
405. **Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): *mayri Müllner,1901* Dryocosmus mayri Müllner,1901, Verh. zool.- bot. Ges. Wien 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). AT GR HU IL Pa TR
406. **Chilothorax discedens (A.Schmidt,1907)** (Scarabaeidae) Synonym(s): *discedens A.Schmidt,1907* IL Pa JO
407. **Chilothorax hieroglyphicus (Klug,1845)** (Scarabaeidae) Synonym(s): *hieroglyphicus Klug,1845* IL Pa JO LB SY
408. **Chilothorax hucklesbyi (Paulian,1942)** (Scarabaeidae) Synonym(s): *hucklesbyi Paulian,1942* IL Pa
409. **Chilothorax lineolatus (Illiger,1803)** (Scarabaeidae) Synonym(s): *lineolatus Illiger,1803* IL Pa JO LB SY
410. **Chilothorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): *melanostictus W.Schmidt,1840* IL Pa JO LB EG Sn SY
411. **Chionotopus humeralis (Reiche,1857)** (Melyridae) Synonym(s): *humeralis Reiche,1857* TR SY IL Pa
412. **Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator Horstmann,1983* FR IT Si DZ TR IL Pa IR
413. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
414. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
415. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola Lindberg,1948* CY EG IL Pa MA TR RU
416. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* ES FR DE IT Si AT BG CY TR EG IL MA TR KG
417. **Chlorita eremophila Linnavuori,1962** (Cicadellidae) Synonym(s): *eremophila Linnavuori,1962* EG IL
418. **Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926* HU AT RU At TR IL CN
419. **Chlorops syriacus Becker,1910** (Chloropidae) Synonym(s): *syriacus Becker,1910* IL Pa LB
420. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL

421. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
422. **Chrysolina aeneipennis (Reiche,1858)** (Chrysomelidae) Synonym(s): *aeneipennis* Reiche,1858 EG IL Pa SY TR
423. **Chrysolina anceyi (Marseul,1868)** (Chrysomelidae) Synonym(s): *anceyi* Marseul,1868; *winkleri* Breit,1919; *pluscula* Bechyne,1950 IL Pa IQ SY
424. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménériés,1832 EG IL Pa Cc RU Da IR GR Rd CY SY AF
425. **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta* Weise,1898 TR CY SY IL Pa
426. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae) Synonym(s): *didymata* Scriba,1791; *syriaca* Weise,1884 SY TR IL Pa IR TM
427. **Chrysolina gypsophila (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophila* Küster,1845; *lucidicollis* Küster,1845 TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
428. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950 TR SY IL Pa GR Rd CY Cc IR IQ TN
429. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955 EG JO IL Pa SY LB TR IR IQ
430. **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949 IL Pa JO TR GR Rd
431. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758 TR IL Pa SY RU Sb Cc
432. **Chrysolina ruffoi (Dacchordi,1971)** (Chrysomelidae) Synonym(s): *ruffoi* Dacchordi,1971; *benjaminica* Dacchordi,1971 LY IL Pa
433. **Chrysolina sahlbergi (Ménériés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménériés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884 TR SY CY Cc LB IL Pa EG IR
434. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni* Austen,1922 IL Pa IQ TR Cc AM
435. **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae) Synonym(s): *compactus* Austen,1924 TR IL Pa IQ
436. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
437. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
438. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
439. **Cicadatra flavicollis Horvath,1911** (Cicadidae) Synonym(s): *flavicollis* Horvath,1911 EG IL Pa SA
440. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
441. **Cicadatra longipennis Schumacher,1923** (Cicadidae) Synonym(s): *longipennis* Schumacher,1923 EG Sn IL Pa Js JO
442. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (praeocc.); *persica* Kirkaldy,1909 *Cicadatra persica* Kirkaldy,1909, *Canad. ent. 41: 391, nr.110 (nomen novum pro lineola Hagen,1856)*. MK Cc IR IL Pa IT SY TR AM AZ GG
443. **Cicadatra plagifera Schumacher,1923** (Cicadidae) Synonym(s): *plagifera* Schumacher,1923 TN IL Pa EG Sn IR
444. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876 IL Pa JO LB SY TR MK
445. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *stevani* Stal,1854 (praeocc.); *querula* Pallas,1773; *paliuri* Kolenati,1857 Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
446. **Cicadatra ramanensis Linnavuori,1962** (Cicadidae) Synonym(s): *ramanensis* Linnavuori,1962 IR Ss IL Pa
447. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megelei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU

448. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
449. **Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): *parvula* Fieber,1876; *fieberi* Oshanin,1908; *libanotica* Horvath,1911 **MA TR LB IL Pa**
450. **Cicadetta sibilatrix Horvath,1901** (Cicadidae) Synonym(s): *sibilatrix* Horvath,1901 **Cicadetta sibilatrix** Horvath,1901, Termes Füzetek 24: 483. Type: Asia minor. **IL Pa SY TR**
451. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut*,1952 **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
452. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962 **CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR**
453. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 **AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ**
454. **Cicadulella pallida (Haupt,1927)** (Cicadellidae) Synonym(s): *pallida* Haupt,1927 **EG IL**
455. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 **DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK**
456. **Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): *herbacea* Klug,1832; *persana* Dokhtouroff,1885 **LB Bei TR IL Pa SY AM**
457. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 **FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa**
458. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 **TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU**
459. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897 **Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU**
460. **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *assimilis* Baudi di Selve,1873 **IL Pa BG CY TR**
461. **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864 **IL Pa TR CY SY**
462. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU**
463. **Coelospia fusca Bezzi,1892** (Mycetophilidae) Synonym(s): *fusca* Bezzi,1892 **IT Sa Cn IL Pa TR**
464. **Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849 **TR SY IL Pa IR KG**
465. **Colletes judaicus Noskiewicz,1955** (Colletidae) Synonym(s): *judaicus* Noskiewicz,1955 **IL Pa**
466. **Colletes rozeni Kuhlmann,2005** (Colletidae) Synonym(s): *rozeni* Kuhlmann,2005 **IL Pa**
467. **Colobopterus erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758 **IL Pa JO LB SY**
468. **Colotes cinctus Motschoulsky,1853** (Melyridae) Synonym(s): *cinctus* Motschoulsky,1853 **IL Pa**
469. **Colotes flavicinctus Marseul,1868** (Melyridae) Synonym(s): *flavicinctus* Marseul,1868 **TR IL Pa BG**
470. **Colotes scutellaris Pic,1919** (Melyridae) Synonym(s): *scutellaris* Pic,1919 **IL Pa**
471. **Concavifer marmoratus Dlabola,1960** (Cicadellidae) Synonym(s): *marmoratus* Dlabola,1960 **IR IL KG TJ**
472. **Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s): *concolor* Burmeister,1838 **ES EG IL Pa IQ Amara TR**
473. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbek,2008 *Sphyxosoma flavicauda* Bigot,1880, Annl. Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus. **GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm**
474. **Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): *clavicorne* Linnaeus,1758 **RU TR IL Pa**
475. **Copium teucris (Host,1788)** (Tingidae) Synonym(s): *teucris* Host,1788 **DZ IL Pa IR SY TR**
476. **Coppa huldaensis (Linnavuori,1962)** (Dictyopharidae) Synonym(s): *huldaensis* Linnavuori,1962 **IL**
477. **Coptocephala furthi Medvedev,1992** (Chrysomelidae) Synonym(s): *furthi* Medvedev,1992 **IL Pa**
478. **Coptocephala jaechi Warchalowski,1991** (Chrysomelidae) Synonym(s): *jaechi* Warchalowski,1991 **IL Pa**
479. **Coptocephala judaea Medvedev,1992** (Chrysomelidae) Synonym(s): *judaea* Medvedev,1992 **IL Pa**

480. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi Horvath,1879* **RU Cc IQ**
IL Pa KK UZ TJ CN Ui TM IR TR
481. **Corynis haematica Benson,1968** (Cimbicidae) Synonym(s): *haematica Benson,1968* **IL Pa**
482. **Corynis orientalis (Konow,1898)** (Cimbicidae) Synonym(s): *orientalis Konow,1898* **SY LB IL**
Pa IQ
483. **Corynis reticulata Benson,1954** (Cimbicidae) Synonym(s): *reticulata Benson,1954* **TR IL Pa**
484. **Corynis similis (Mocsary,1880)** (Cimbicidae) Synonym(s): *similis Mocsary,1880* **GR Cr CY**
SY IL Pa
485. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla Nixon,1974* **Apanteles ancilla**
Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
486. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus Telenga,1955* **BG Cc**
RU Da GG IL Pa DE TR KG UA
487. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* **EG Cc AM**
AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP
KR TW AU
488. **Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) Synonym(s): *lugdunensis Villers,1789;*
lineatus Latreille,1807; plumbeus Olivier,1811; murinus Klug,1834; pictus Burmeister,1839; tabidus
Eversmann,1841; pallidipennis Rambur,1842; conspurcatus Kolenati,1856; plumbea Hagen,1860 **RU TR AF**
IR IL Pa
489. **Crobilocerus spinosus Theodor,1980** (Asilidae) Synonym(s): *spinosus Theodor,1980* **IL Pa**
IR Fa
490. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus Olivier,1808*
AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
491. **Cryptocephalus dahdah Marseul,1869** (Chrysomelidae) Synonym(s): *dahdah Marseul,1869* **LB**
IL Pa JO
492. **Cryptocephalus dinae Lopatin & Chikatunov,2000** (Chrysomelidae) Synonym(s): *dinae*
Lopatin & Chikatunov,2000 **IL Pa**
493. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes Fabricius,1781*
RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
494. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus Goeze,1777* **RU Sb**
AL BG PL YU TR JO IL Pa DZ SA UA
495. **Cryptotrogus weisei Kraatz,1888** (Scarabaeidae) Synonym(s): *weisei Kraatz,1888* **EG JO IL**
Pa
496. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913*
TN DZ TR ES FR IT BG IL Pa
497. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* **SY**
ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
498. **Ctenota coerulea (Becker,1913)** (Asilidae) Synonym(s): *coerulea Becker,1913* **IR Kh IL Pa KG**
MN
499. **Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix Loew,1873* **IR Ss Kz EG IL Pa SY**
KG
500. **Ctesias syriaca Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca Ganglbauer,1904* **TR**
SY IL Pa
501. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa Rambur,1842; morosus*
Walker,1853; ulianini Mc Lachan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914;
natti Navas,1914; anomala Navas,1915; albanica Capra. **SD EG AF IR SA TR IQ IL CY AM GG AL**
502. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus Rambur,1842; morosus*
Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914;
natti Navas,1914; anomala Navas,1915 **AF IR TR SA IQ IL Pa Cc CY SD**
503. **Cueta pallens (Klug,1834)** (Myrmeleonidae) Synonym(s): *pallens Klug,1834* **SA IL Pa**
504. **Culicoides agathensis Callot, Kremer & Rioux,1963** (Ceratopogonidae) Synonym(s):
agathensis Callot, Kremer & Rioux,1963 **FR IL Pa**
505. **Culicoides azerbajdzhanicus Dzhafarov,1962** (Ceratopogonidae) Synonym(s):
azerbajdzhanicus Dzhafarov,1962 **Cc AZ IL Pa**
506. **Culicoides badooshensis Khalaf,1961** (Ceratopogonidae) Synonym(s): *badooshensis*
Khalaf,1961 **IQ IL Pa**
507. **Culicoides baghdadensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *baghdadensis*
Khalaf,1957 **IQ Bgd IL Pa**
508. **Culicoides begueti Clastrier,1957** (Ceratopogonidae) Synonym(s): *begueti Clastrier,1957* **DZ**
IL Pa
509. **Culicoides biarcuatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *biarcuatus Vimmer,1932*
IL Pa
510. **Culicoides bipunctatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *bipunctatus Vimmer,1932*
IL Pa
511. **Culicoides bodenheimeri Vimmer,1932** (Ceratopogonidae) Synonym(s): *bodenheimeri*
Vimmer,1932 **IL Pa**
512. **Culicoides brunnicans Edwards,1939** (Ceratopogonidae) Synonym(s): *brunnicans Edwards,1939*
GB IL Pa

513. **Culicoides cataneii Clastrier, 1957** (Ceratopogonidae) Synonym(s): *cataneii Clastrier, 1957* **DZ IL Pa TR**
514. **Culicoides circumscriptus Kieffer, 1918** (Ceratopogonidae) Synonym(s): *circumscriptus Kieffer, 1918; nadayanus Kieffer, 1918; edwardsi Goetghebuer, 1921; algarum Kieffer, 1924; salicola Kieffer, 1924; pictidorsum Kieffer, 1924; albonotatus Vimmer, 1932 nec Kieff., 1918; albosignatus Vimmer, 1932; polymaculatus Vimmer, 1932; kirovabadicus Dzhafarov, 1964* **BG TR TN BE NO DE IL Pa Cc AZ Kir**
515. **Culicoides cubitalis Edwards, 1939** (Ceratopogonidae) Synonym(s): *cubitalis Edwards, 1939* **GB IL Pa**
516. **Culicoides derisor Callot & Kremer, 1965** (Ceratopogonidae) Synonym(s): *derisor Callot & Kremer, 1965* **FR IL Pa**
517. **Culicoides distinctipennis Austen, 1912** (Ceratopogonidae) Synonym(s): *distinctipennis Austen, 1912* **NG IL Pa**
518. **Culicoides fagineus Edwards, 1939** (Ceratopogonidae) Synonym(s): *fagineus Edwards, 1939* **GB IL Pa**
519. **Culicoides festivipennis Kieffer, 1914** (Ceratopogonidae) Synonym(s): *festivipennis Kieffer, 1914; odibilis Austen, 1921; winnertzi Edwards, 1926* **DE IL Pa TR**
520. **Culicoides flavitarsis Vimmer, 1932** (Ceratopogonidae) Synonym(s): *flavitarsis Vimmer, 1932* **IL Pa**
521. **Culicoides geigelensis Dzhafarov, 1964** (Ceratopogonidae) Synonym(s): *geigelensis Dzhafarov, 1964* **Cc AZ IL Pa TR**
522. **Culicoides griseovittatus Vimmer, 1932** (Ceratopogonidae) Synonym(s): *griseovittatus Vimmer, 1932* **IL Pa**
523. **Culicoides haranti Rioux, Descous & Pech, 1959** (Ceratopogonidae) Synonym(s): *haranti Rioux, Descous & Pech, 1959* **FR IL Pa**
524. **Culicoides imicola Kieffer, 1913** (Ceratopogonidae) Synonym(s): *imicola Kieffer, 1913; pallidipennis Carter, Ingram & Macfie, 1920* **KE SA GH IL Pa**
525. **Culicoides indistinctus Khalaf, 1961** (Ceratopogonidae) Synonym(s): *indistinctus Khalaf, 1961* **IQ IL Pa**
526. **Culicoides judaeae Macfie, 1933** (Ceratopogonidae) Synonym(s): *judaee Macfie, 1933* **IL Pa**
527. **Culicoides jumineri Callot & Kremer, 1969** (Ceratopogonidae) Synonym(s): *jumineri Callot & Kremer, 1969* **TN IL Pa**
528. **Culicoides langeroni Kieffer, 1921** (Ceratopogonidae) Synonym(s): *langeroni Kieffer, 1921* **TN IL Pa**
529. **Culicoides longipennis Khalaf, 1957** (Ceratopogonidae) Synonym(s): *longipennis Khalaf, 1957; flavisimilis Dzhafarov, 1964* **Cc AZ IL Pa IQ TR**
530. **Culicoides luteosignatus Vimmer, 1932** (Ceratopogonidae) Synonym(s): *luteosignatus Vimmer, 1932* **IL Pa**
531. **Culicoides maritimus Kieffer, 1924** (Ceratopogonidae) Synonym(s): *maritimus Kieffer, 1924; submaritimus Dzhafarov, 1962* **DE TR DE Cc AZ IL Pa**
532. **Culicoides micromaculatus Vimmer, 1932** (Ceratopogonidae) Synonym(s): *micromaculatus Vimmer, 1932* **IL Pa**
533. **Culicoides montanus Shakirzjanova, 1962** (Ceratopogonidae) Synonym(s): *montanus Shakirzjanova, 1962* **KG IL Pa**
534. **Culicoides mystacinus Vimmer, 1932** (Ceratopogonidae) Synonym(s): *mystacinus Vimmer, 1932* **IL Pa**
535. **Culicoides newsteadi Austen, 1921** (Ceratopogonidae) Synonym(s): *newsteadi Austen, 1921; biclavatus Kieffer, 1924; halophilus Kieffer, 1924; edwardsi Goetghebuer, 1933; edwardsianus Goetghebuer, 1933* **IL Pa DE NO GB TR**
536. **Culicoides obsoletus (Meigen, 1818)** (Ceratopogonidae) Synonym(s): *obsoletus Meigen, 1818* **TR IL Pa**
537. **Culicoides odiatus Austen, 1921** (Ceratopogonidae) Synonym(s): *odiatus Austen, 1921* **IL Pa TR**
538. **Culicoides picturatus Kremer & Deduit, 1961** (Ceratopogonidae) Synonym(s): *picturatus Kremer & Deduit, 1961* **TR IL Pa FR**
539. **Culicoides pseudopallidus Khalaf, 1961** (Ceratopogonidae) Synonym(s): *pseudopallidus Khalaf, 1961* **IQ IL Pa**
540. **Culicoides pulicaris (Linnaeus, 1758)** (Ceratopogonidae) Synonym(s): *pulicaris Linnaeus, 1758; setosinervis Kieffer, 1913; pullatus Kieffer, 1915; stephensi Carter, 1916; cinerellus Kieffer, 1919; quinquepunctatus Goetghebuer, 1921; flaviplumus Kieffer, 1924; sawamotoi Kono & Takahasi, 1940* **DE UA BE EG RU SE LT TR IL Pa TW**
541. **Culicoides punctatus (Meigen, 1804)** (Ceratopogonidae) Synonym(s): *punctatus Meigen, 1804; ocellaris Kieffer, 1921; kasachstanicus Shakirzjanova, 1963* **FR LT RU KG TR IL Pa SA**
542. **Culicoides puncticollis (Becker, 1903)** (Ceratopogonidae) Synonym(s): *puncticollis Becker, 1903; impressus Kieffer, 1918; distigma Kieffer, 1922; donatieni Kieffer, 1922; sciniphes Kieffer, 1925; bipunctatus Vimmer, 1932; tripunctatus Vimmer, 1932; wenigi Vimmer, 1932; flavitarsis Vimmer, 1932; griseovittatus Vimmer, 1932; vavrai Vimmer, 1932* **ES TR TN DZ EG IL Pa**
543. **Culicoides puripennis Austen, 1921** (Ceratopogonidae) Synonym(s): *puripennis Austen, 1921* **IL Pa**

544. **Culicoides quadrivittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *quadrivittatus Vimmer,1932* **IL Pa**
545. **Culicoides quinquemaculatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *quinquemaculatus Vimmer,1932* **IL Pa**
546. **Culicoides saevanicus Dzhafarov,1960** (Ceratopogonidae) Synonym(s): *saevanicus Dzhafarov,1960* **Cc AM IL Pa**
547. **Culicoides semimaculatus Clastrier,1958** (Ceratopogonidae) Synonym(s): *Clastrier,1958* **DZ IL Pa**
548. **Culicoides shaklawensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *shaklawensis Khalaf,1957* **IQ Sqw IL Pa TR**
549. **Culicoides simulans Vimmer,1932** (Ceratopogonidae) Synonym(s): *simulans Vimmer,1932* **IL Pa**
550. **Culicoides subneglectus Vimmer,1932** (Ceratopogonidae) Synonym(s): *subneglectus Vimmer,1932* **IL Pa TR**
551. **Culicoides tentorius Austen,1921** (Ceratopogonidae) Synonym(s): *tentorius Austen,1921* **IL Pa**
552. **Culicoides tripunctatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *tripunctatus Vimmer,1932* **IL Pa**
553. **Culicoides trivittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *trivittatus Vimmer,1932* **IL Pa**
554. **Culicoides univittatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *univittatus Vimmer,1932* **IL Pa**
555. **Culicoides vavrai Vimmer,1932** (Ceratopogonidae) Synonym(s): *vavrai Vimmer,1932* **IL Pa**
556. **Culicoides vidourensis Callot, Kremer, Molet & Bach,1968** (Ceratopogonidae) Synonym(s): *vidourensis Callot, Kremer, Molet & Bach,1968* **FR IL Pa**
557. **Culicoides vitreipennis Austen,1921** (Ceratopogonidae) Synonym(s): *vitreipennis Austen,1921* **IL Pa**
558. **Culicoides wenigi Vimmer,1932** (Ceratopogonidae) Synonym(s): *wenigi Vimmer,1932* **IL Pa**
559. **Cylindromyia montana Kugler,1974** (Tachinidae) Synonym(s): *montana Kugler,1974* **TR IL Pa**
560. **Cyphon abeillei Bourgeois,1884** (Scirtidae) Synonym(s): *abeillei Bourgeois,1884* **FR IL Pa TR**
561. **Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus Nyholm,1970* **TR GR Rd Cc IR IL Pa**
562. **Cyphonoxia praestabilis Reitter,1889** (Scarabaeidae) Synonym(s): *praestabilis Reitter,1889* **IL Pa IQ IR**
563. **Cyrtosus cerealis Peyron,1877** (Melyridae) Synonym(s): *cerealis Peyron,1877* **IL Pa**
564. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794* **DZ IT TR IL Pa LB IR Ha Lo Th Elb**
565. **Cytherea pallidipennis (Abbasian-Lintzen,1968)** (Bombyliidae) Synonym(s): *pallidipennis Abbasian-Lintzen,1968* **IR IL Pa TR**
566. **Dasyrhamphis nigrinus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus Fabricius,1794; alexandrinus Wiedemann,1830* **DZ ES FR IT TR IL Pa SY**
567. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus Meigen,1820* **IT Si AT AL YU BG RO GR TR IL Pa LB RU**
568. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787; araratica Radoskovsky,1890; fastuosa Gribodo,1893* **MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si**
569. **Dasytidius alferii (Wittmer,1935)** (Melyridae) Synonym(s): *alferii Wittmer,1935* **EG Sn IQ IL Pa JO SY**
570. **Dasytidius subnudus Majer,1991** (Melyridae) Synonym(s): *subnudus Majer,1991* **IQ IL Pa JO SY**
571. **Dasytidius syriacus (Reitter,1885)** (Melyridae) Synonym(s): *syriacus Reitter,1885* **CY IL Pa JO LB SY TR**
572. **Dasytiscus abeillei (Bourgeois,1885)** (Melyridae) Synonym(s): *abeillei Bourgeois,1885* **IL Pa JO**
573. **Dasytiscus fallax Majer,1988** (Melyridae) Synonym(s): *fallax Majer,1988* **IL Pa JO**
574. **Dasytiscus hebraicus Bourgeois,1883** (Melyridae) Synonym(s): *hebraicus Bourgeois,1883* **IL Pa**
575. **Dasytiscus schererii Majer,1988** (Melyridae) Synonym(s): *schererii Majer,1988* **IL Pa JO**
576. **Dasytiscus simulator Majer,1988** (Melyridae) Synonym(s): *simulator Majer,1988* **IL Pa**
577. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
578. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata Klug,1834* **IL Pa TR Cc AM GG CY TM UZ KG**
579. **Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): *audrasi Ribaut,1954; linnavuorii LeQuesne,1960* **AL BG CZ FR IL RO TR YU**
580. **Delphacodoides anaxarchi (Muir,1926)** (Delphacidae) Synonym(s): *anaxarchi Muir,1926; ornata Muir,1929; trilineus Dlabola,1957; #trilineatus Nast,1972* **IL TR**

581. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* AF DZ CY TR
FR IL IT MA ES TN
582. **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus Saussure,1852*;
elegans Saussure,1852 SA JO Pet IL Pa EG Sn IR
583. **Dendarus (Pandarinus) oertzeni Seidlitz,1893** (Tenebrionidae) Synonym(s): *oertzeni*
Seidlitz,1893 IL Pa
584. **Denops albofasciatus (Charpentier,1825)** (Cleridae) Synonym(s): *albofasciatus*
Charpentier,1825 PT ES LY TR IL Pa
585. **Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica Sichel &*
Radoszkowski,1869 IR TR AZ AM Cc IL Pa GR
586. **Derisa pallida Fennah,1964** (Flatidae) Synonym(s): *pallida Fennah,1964* EG IL
587. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis Schaum,1864*
TR IR Zj BG GR IL Pa
588. **Desmatoneura davidi Zaitzev,1997** (Bombyliidae) Synonym(s): *davidi Zaitzev,1997* IL Pa
589. **Desmatoneura kinereti Zaitzev,1999** (Bombyliidae) Synonym(s): *kinereti Zaitzev,1999* IL
Pa
590. **Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): *chrysostictos*
Gmelin,1790 TR IL Pa EG
591. **Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): *gredleri Mik,[1881]*; *flavomaculatus*
Strobl,1909 AT ES FR IT TN IL Pa
592. **Diaphorus hoffmannseggi Meigen,1830** (Dolichopodidae) Synonym(s): *hoffmannseggi*
Meigen,1830; *tripilus Loew,1857* RU Cc IL Pa RO
593. **Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans Meigen,1824*;
obscuripes Zetterstedt,1838; *sokolovi Stackelberg,1928*; *consimilis Parent,1937* GG Cc GR IL Pa RO RU IN Ch
594. **Diaphorus varifrons Becker,1918** (Dolichopodidae) Synonym(s): *varifrons Becker,1918* IL
Pa TR TN
595. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica Weise,1893*;
transcaucasica Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
596. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati Allard,1861* IT Si ES
An GR Rd SY IL Pa EG TN DZ
597. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia Allard,1866* TR HU
Cc GG YU BG LB JO IL Pa
598. **Dibolia rufofemorata Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata Reitter,1896*
TR CY SY IL Pa JO
599. **Dichillus (Dichilocerus) crassicornis Allard,1869** (Tenebrionidae) Synonym(s):
crassicornis Allard,1869 TR IQ IL Pa Hf
600. **Dichrogaster modesta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *modesta*
Gravenhorst,1829 TR IL Pa
601. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea*
Seidenstücker,1963 IT Si IL Pa CY FR Co LB SY TR
602. **Dictyophara asiatica Melichar,1912** (Dictyopharidae) Synonym(s): *asiatica Melichar,1912*
CY IL Pa TR
603. **Dictyophara eremica Linnavuori,1962** (Dictyopharidae) Synonym(s): *eremica*
Linnavuori,1962 IL Pa
604. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s):
multireticulata Mulsant & Rey,1855; *heydenii Kirschbaum,1868*; *curvata Matsumura,1910*;
nemourensensis Matsumura,1910; *oertzeni Matsumura,1910* AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
605. **Dictyophara pales Linnavuori,1970** (Dictyopharidae) Synonym(s): *pales Linnavuori,1970*
IL Pa
606. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ
CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
607. **Dictyophara subsimilis Linnavuori,1953** (Dictyopharidae) Synonym(s): *subsimilis*
Linnavuori,1953 IL JO
608. **Dictyophara xiphias Puton,1884** (Dictyopharidae) Synonym(s): *xiphias Puton,1884*; *compacta*
Linnavuori,1962 IL Pa JO TR
609. **Dielocroce joppana (Withycombe,1923)** (Nemopteridae) Synonym(s): *joppana*
Withycombe,1923 Pa IL
610. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn
BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
611. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838*; *lycophron*
Walker,1838; *medidas Walker,1838*; *gracilis Goureaux,1851*; *ornatus Förster,1861*; *bisannulatus Förster,1861*;
clavicornis Walker,1872; *phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR
HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Gn Kwa Hbe
Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
612. **Dioctria rufonigra Theodor,1980** (Asilidae) Synonym(s): *rufonigra Theodor,1980* IL Pa TR IR Elb
Mz
613. **Dioctria striata Theodor,1980** (Asilidae) Synonym(s): *striata Theodor,1980* IL Pa TR IR Fa

614. **Dioctria valida** Loew,1856 (Asilidae) Synonym(s): *valida* Loew,1856 SY LB IL Pa TR IR Es
615. **Diogena fausta** (Burmeister,1838) (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838 LY SD
YE IL Pa JO
616. **Dirhinus cyprius Masi**,1939 (Chalcididae) Synonym(s): *cyprius Masi*,1939 AL IL Pa CY
617. **Dirhinus giffardii Silvestri**,1913 (Chalcididae) Synonym(s): *giffardii Silvestri*,1913 AU NSw QAu
BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
618. **Dirhinus wohlfahrtiae Ferrière**,1935 (Chalcididae) Synonym(s): *wohlfahrtiae Ferrière*,1935
CY EG IL Pa SA SO SD YE
619. **Dociostaurus (Kazakia) jagoi Soltani**,1978 (Acrididae) Synonym(s): *jagoi Soltani*,1978 DZ ES
PT FR IT Sa Co CY SY IL Pa LB JO TR IR
620. **Dociostaurus (Notostaurus) anatolicus Krauss**,1896 (Acrididae) Synonym(s): *anatolicus*
Krauss,1896; *castaneopicta Krauss*,1896; *castaneopictus Jacobson*,1905 Dociostaurus anatolicus
Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂♀: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa
IR Elb Th
621. **Dociostaurus (Notostaurus) cephalotes Uvarov**,1924 (Acrididae) Synonym(s): *cephalotes*
Uvarov,1924 IL Pa SY LB
622. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s):
hauensteini Bolivar,1893 TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
623. **Dolichopus diadema Haliday**,1832 (Dolichopodidae) Synonym(s): *diadema Haliday*,1832;
fraternus Staeger,1842 BG GR IL Pa RO RU UA TR KG CN
624. **Dolichopus excisus Loew**,1859 (Dolichopodidae) Synonym(s): *excisus Loew*,1859 Cc GG AM
BG IL Pa RO RU UA Cm TR TM TJ
625. **Dolichopus griseipennis Stannius**,1831 (Dolichopodidae) Synonym(s): *nitidus*
Macquart,1827 nec *Fall.*,1823; *griseipennis Stannius*,1831; *subrutilus Zetterstedt*,1859 AZ AM Cc GG BG CY
GR Cr IL RO RU TR TN DZ MA KG
626. **Dolichopus perversus Loew**,1871 (Dolichopodidae) Synonym(s): *perversus Loew*,1871 GG Cc
AM IL Pa TR TJ KG
627. **Dolichopus sabinus Haliday**,1838 (Dolichopodidae) Synonym(s): *sabinus Haliday*,1838;
pictus Staeger,1842 Cc GG BG GR Cr IL Pa RO RU TR TZ
628. **Dolichopus siculus Loew**,1859 (Dolichopodidae) Synonym(s): *siculus Loew*,1859 FR BG IL Pa
IT Si
629. **Dolichopus syriacus Becker**,1917 (Dolichopodidae) Synonym(s): *syriacus Becker*,1917 IL Pa
Hf
630. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris Scopoli*,1763
ES Md DZ TN TR EG IL Pa IR GB CN MN
631. **Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps Ribaut*,1948 CY IL Pa
TR GR YU IR
632. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis Ribaut*,1948 AF
CY EG GR IL Pa IT LY TR
633. **Doratulina luxoriensis (Linnavuori,1952)** (Cicadellidae) Synonym(s): *luxoriensis*
Linnavuori,1952 EG IL
634. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor*,1861 AL AT BE
BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
635. **Dorysarthrus mobilicornis Puton**,1895 (Dictyopharidae) Synonym(s): *mobilicornis*
Puton,1895 IL
636. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa Lethierry*,1874; *irrorata*
A. Costa,1882; *punctata Lallemand*,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
637. **Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis Krauss*,1909
Duronia laticornis Krauss,1909, Verh. naturw. Ver. Karlsruhe 21: 118-119. Syntypes. IL Pa JO TR BG
638. **Dusona oxyacanthae (Boie,1855)** (Ichneumonidae) Synonym(s): *oxyacanthae Boie*,1855 TR
IL Pa
639. **Dysmachus zaitzevi Lehr**,1996 (Asilidae) Synonym(s): *zaitzevi Lehr*,1996 IL Pa TR
640. **Ebaeus flavobullatus Marseul**,1868 (Melyridae) Synonym(s): *flavobullatus Marseul*,1868;
orientalis Wittmer,1979 TR CY SY IL Pa LB
641. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis Macquart*,1838;
erythrogastrus Loew,1871; *lucidus Becker*,1907 IR DZ EG IQ IL Pa TN MA ES
642. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen*,1820 IL Pa
TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
643. **Ectomocoris melanogaster (Fieber,1861)** (Reduviidae) Synonym(s): *melanogaster*
Fieber,1861 IT Si IL Pa
644. **Edwardsiana tshinari Zachvatkin**,1947 (Cicadellidae) Synonym(s): *tshinari Zachvatkin*,1947
IL Pa Cc CY TR GR MD UZ
645. **Elasmus steffani Viggiani**,1967 (Eulophidae) Synonym(s): *masii Steffan*,1962; *steffani*
Viggiani,1967 TR HV FR R IL Pa IT ES SY AE
646. **Emblethis griseus (Wolff,1802)** (Lygaeidae) Synonym(s): *griseus Wolff*,1802 IL Pa TR Cc SY
647. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci Fabricius*,1803 GB
IL Pa Cc C TR LB CN Ti Ui

648. **Emmepus bonnairii Fairmaire,1883** (Cleridae) Synonym(s): *bonnairii* Fairmaire,1883 **DZ EG IL Pa**
649. **Emmepus pallidipennis Pic,1898** (Cleridae) Synonym(s): *pallidipennis* Pic,1898 **DZ IL Pa**
650. **Empis (s.str.) curticoris Collin,1960** (Empididae) Synonym(s): *curticoris* Collin,1960 **TR IL Pa**
651. **Empis (s.str.) discrepans Collin,1960** (Empididae) Synonym(s): *discrepans* Collin,1960 **TR IL Pa**
652. **Empis (s.str.) inopinata Collin,1960** (Empididae) Synonym(s): *inopinata* Collin,1960 **IL Pa TR**
653. **Empis (s.str.) insulata Collin,1960** (Empididae) Synonym(s): *insulata* Collin,1960 **TR IL Pa**
654. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
655. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
656. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836 **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO**
657. **Empusa uvarovi Chopard,1921** (Empusidae) Synonym(s): *uvarovi* Chopard,1921 **IL Pa IQ IN**
658. **Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854 **YU GR BG TR LB SY IL Pa**
659. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 **DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR**
660. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemii* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzoneriae* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
661. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdös,1944; *longus* Boucek,1968 **TR BG DE HU IL Pa SE GB**
662. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 **TR HV FR GR IL Pa KG KK MK RU ES TM**
663. **Eoferreola cyrenaica (Guiglia,1941)** (Pompilidae) Synonym(s): *cyrenaica* Guiglia,1941; *facilis* Priesner,1955 **LY Cy IL Pa EG JO MA ML**
664. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
665. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 **AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU**
666. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840 **TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG**
667. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968 **TR IL Pa JO IR SA TM**
668. **Erax nigrosetosus Theodor,1980** (Asilidae) Synonym(s): *nigrosetosus* Theodor,1980 **IL Pa TR**
669. **Eremisca heleni (Efflatoun,1934)** (Asilidae) Synonym(s): *heleni* Efflatoun,1934 **IR OM IL Pa EG MA**
670. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata* Thunberg,1815 *nec* Oliv.,1792; *infelix* Uvarov,1924 **EG IL Pa JO LB SA SD**
671. **Eriothrix apenninus (Rondani,1862)** (Tachinidae) Synonym(s): *apenninus* Rondani,1862; *latifrons* Brauer,1898 **RU IL Pa MA TR**
672. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
673. **Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata* Villeneuve,1924; *hierosolymitana* Kugler,1963 **TR IL Pa AT CH YU RU Sb**
674. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 **ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA**
675. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851 **TR LB IL Pa JO IR SA YE EG**
676. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 **ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK**

677. **Euchalcis unicolor (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952
DZ AM Cc ES IL Pa TR
678. **Euheptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus*
Germar,1824 BG IL Pa JO
679. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758;
onopordinis Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 TR
IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
680. **Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus* Linnaeus,1758;
lunulatus Fabricius,1804 TR CY IL Pa KG
681. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius* Saussure,1852 CY TR RU IL
Pa LB SY IR
682. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus*
Kriechbaumer,1879; *housaki* Giordani Soika,1952; *anatolicus* Giordani Soika,1952 TR JO IL Pa MN
683. **Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): *diversus* Walker,1871 JO Amm
EG IL Pa SA
684. **Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): *pallipes* Fabricius,1781
RU Cc IL Pa TM TJ
685. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775;
porrecta Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838;
producta Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ
AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ
EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
686. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 CY EG IL Pa
GR Cr IR JO TR KG
687. **Eupteryx insulana (Ribaut,1948)** (Cicadellidae) Synonym(s): *insulana* Ribaut,1948 CY IL TR
688. **Eupteryx nemoricola Linnavuori,1962** (Cicadellidae) Synonym(s): *nemoricola*
Linnavuori,1962 IL
689. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum*
Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG
CS CY DK DE GB HU IE IL IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
690. **Eurhadina angulata Linnavuori,1962** (Cicadellidae) Synonym(s): *angulata* Linnavuori,1962
IL
691. **Eurima astuta Melichar,1902** (Flatidae) Synonym(s): *astuta* Melichar,1902 IR IL
692. **Eurychila tafratensis (Bergevin,1920)** (Tettigometridae) Synonym(s): *tafratensis*
Bergevin,1920 IL LY MA
693. **Euryproctus numidicus Schmiedeknecht (Ichneumonidae)** Synonym(s): *numidicus*
Schmiedeknecht; *tunetanus* Habermehl,1925; *turcator* Aubert,1979 DZ TN IL Pa TR
694. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907
TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
695. **Eurytoma calicotomae Zerova,2005** (Eurytomidae) Synonym(s): *calicotomae* Zerova,2005
IR Oru Ab IL Pa
696. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es
Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE
CH TM UA GB YE
697. **Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): *plotnikovi*
Nikolskaya,1934 IR Ak Fa Es Ke Kh Se Zj GR IL Pa CN
698. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis*
Dlabola,1957 AF IR IL Pa JO GR Cr TR KG KK
699. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 BG FR IL Pa IT MN
MA PT ES EG GR TR KG KK UZ IR
700. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus*
Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868;
tessellatus Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis*
Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis*
H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL
NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
701. **Eustenancistrocerus israelensis Giordani Soika,1938** (Vespidae) Synonym(s): *israelensis*
Giordani Soika,1938; *#israelensis* Bağrıaçık & Tüzün,2005 IL Pa TR
702. **Eustenancistrocerus jerichoensis Bytinski-Salz,1956** (Vespidae) Synonym(s): *jerichoensis*
Bytinski-Salz,1956; *iconius* Blüthgen,1957 IL Pa TR
703. **Eutolmus facialis (Loew,1848)** (Asilidae) Synonym(s): *facialis* Loew,1848 YU IL Pa TR IR Elb
Dam
704. **Eutolmus palestinensis Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980
JO IL Pa TR
705. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani* Curran,1938;
stackelbergi Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 HU UA US BG GR Cc TM
IL Pa

706. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 **AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA**
707. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 **AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ**
708. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 **DZ ES Cn FR GR IT MA IL ES SW TN RU**
709. **Fedtschenkia palaestinensis Guiglia,1963** (Sapygidae) Synonym(s): *palaestinensis* Guiglia,1963 **IL Pa**
710. **Festella festae (Giglio-Tos,1893)** (Tettigoniidae) Synonym(s): *festae* Giglio-Tos,1893 **IL Pa Hf**
711. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897 **BG TR FR IL Pa IT Sa MA ES YU**
712. **Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai* Linnavuori,1962 **IL Pa TR Cc GG CN Mc DE PL RO RU**
713. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 **BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ**
714. **Flabellomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus* Frivaldsky,1835 **IL Pa BG TR**
715. **Flabellotilloidea palaestina (Pic,1900)** (Cleridae) Synonym(s): *palaestina* Pic,1900 **IL Pa TR**
716. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 **ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA**
717. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 **TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU**
718. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 **AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU**
719. **Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): *hispidus* Engel,1929 **IR Ss Kz Fa JO IL Pa DZ**
720. **Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980 **IL Pa TR SY**
721. **Geron efflatouni Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni* Greathead,1999 **EG IL Pa SA TN**
722. **Geron freidbergi Zaitzev,1996** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev,1996 **GR Rd IL Pa**
723. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936 **FR Co IT Si GR Rd ES? IL Pa TR**
724. **Geron longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris* Efflatoun,1945; *roborovskii* Zaitzev,1996 **CN EG IL Pa TJ UZ**
725. **Geron mystacinus Bezzi,1924** (Bombyliidae) Synonym(s): *mystacinus* Bezzi,1924 **ES IL Pa SY**
726. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 **TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA**
727. **Geron ritae Zaitzev,1996** (Bombyliidae) Synonym(s): *ritae* Zaitzev,1996 **IL Pa**
728. **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860 **DZ MA IL Pa SY TR**
729. **Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Schäffer,1850; *fieberi* Stichel,1938 **IL Pa SY TR**
730. **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946 **AZ AM Cc GG IR TR IL Pa SY**
731. **Glabellula nobilis Kertesz,1912** (Mythicomyiidae) Synonym(s): *nobilis* Kertesz,1912 **SY TR IL Pa**
732. **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869 **IL Pa JO LB SY**
733. **Glaphyrus rothi Harold,1869** (Glaphyridae) Synonym(s): *rothi* Harold,1869 **IL Pa**
734. **Gnaphalostetha bonvoisini Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *bonvoisini* Reiche & Saulcy,1856 **IL Pa JO Amm**
735. **Gnorimus armeniacus Reitter,1887** (Scarabaeidae) Synonym(s): *armeniacus* Reitter,1887 **TM Cc TR IL Pa**
736. **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi* Selys,1887 **TR IL Pa IQ SY Dms LB Bei**
737. **Gonia atra Meigen,1826** (Tachinidae) Synonym(s): *atra* Meigen,1826 **IL Pa**
738. **Gonia atrata Bischoff** (Tachinidae) Synonym(s): **IL Pa**
739. **Gonia bimaculata Wiedemann,1819** (Tachinidae) Synonym(s): *bimaculata* Wiedemann,1819 **IL Pa**
740. **Gonia foersteri Meigen,1838** (Tachinidae) Synonym(s): *foersteri* Meigen,1838 **IL Pa**
741. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862 **Gonia maculipennis** Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". **ES HU UA CY TR IL Pa TM**
742. **Gonia olgae Rhodendorf,1927** (Tachinidae) Synonym(s): *olgae* Rhodendorf,1927 **IL Pa**

743. **Gonia ornata Meigen,1826** (Tachinidae) Synonym(s): *ornata Meigen,1826* **TR IL Pa**
744. **Gonia sicula (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *sicula Robineau-Desvoidy,1830* **IT Si IL Pa**
745. **Gonia umbipennis Herting,1958** (Tachinidae) Synonym(s): *umbipennis Herting,1958* **IL Pa**
746. **Goniagnathus bolivari (Melichar,1907)** (Cicadellidae) Synonym(s): *bolivari Melichar,1907; hoberlandti Dlabola,1957* **IL Pa ES TR IR BG**
747. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* **AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**
748. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
749. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887* **DZ EG IL Pa TR LY MA AZ Cc RU Da**
750. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960* **EG IR IL SY TR**
751. **Gravenhorstia (Kokujewiella) ibera (Ceballos,1957)** (Ichneumonidae) Synonym(s): *ibera Ceballos,1957* **ES IL Pa TR**
752. **Greniera dobyi Beaucournu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): *dobyi Beaucournu-Saguez & Braverman,1987* **IL Pa Gol SY**
753. **Gryllomorpha (Gryllomorphella) mira Gorochoy,1993** (Gryllidae) Synonym(s): *mira Gorochoy,1993* **IL Pa**
754. **Gryllomorpha (Gryllomorphella) sternlichti Chopard,1963** (Gryllidae) Synonym(s): *sternlichti Chopard,1963* **IL Pa**
755. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* **Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE**
756. **Grypocoris fieberi Douglas & Scott,1868** (Miridae) Synonym(s): *fieberi Douglas & Scott,1868* **IL Pa SY JO TR**
757. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus Ivanoff,1885; australis Haupt,1927* **DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU**
758. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**
759. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* **RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR**
760. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* **RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG**
761. **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf,1947; verbekei Mesnil,1952* **RU Cc CY IL Pa TR**
762. **Habropogon aegyptius Efflatoun,1937** (Asilidae) Synonym(s): *aegyptius Efflatoun,1937* **EG JO IL Pa**
763. **Habropogon appendiculatus Schiner,1867** (Asilidae) Synonym(s): *appendiculatus Schiner,1867; solox Enderlein,1921* **ES IL Pa MA EG**
764. **Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens Theodor,1980* **JO IL Pa TR IR Fa**
765. **Habropogon francoisi Janssens,1969** (Asilidae) Synonym(s): *francoisi Janssens,1969* **IL Pa**
766. **Habropogon heteroneurus Timon & David,1951** (Asilidae) Synonym(s): *striatus Fabricius,1794 nec Gmel.,1790; heteroneurus Timon & David,1951 (see Koçak & Kemal,2008, Misc. Pap. 145: 10).* **DZ MT IL Pa**
767. **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris Loew,1847* **FR RU GR IR Elb Th Ss IL Pa TR**
768. **Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): *similimus Theodor,1980* **IL Pa TR IR Gor**
769. **Habropogon theodori Hradsky & Geller-Grimm,2005** (Asilidae) Synonym(s): *theodori Hradsky & Geller-Grimm,2005* **IL Pa SY TN**
770. **Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti Peters,1974* **IR Elb Th TR IL Pa GR**
771. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835; palaestinis Linnavuori,1962* **AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR**
772. **Hauptidia (Melicharidia) aridula (Linnavuori,1956)** (Cicadellidae) Synonym(s): *aridula Linnavuori,1956* **IL**
773. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda Kirschbaum,1868; fasciaticollis Rey,1891; ecbalii Linnavuori,1962* **AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR**

774. **Hauptidia (s.str.) rivularis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *rivularis* Linnavuori,1962 **TR IL Pa**
775. **Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962 **AF EG IR IL IT**
776. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 **AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
777. **Helina tetrastigma (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826 **IL Pa AM Cc TR**
778. **Helionidia biplagiata (Haupt,1927)** (Cicadellidae) Synonym(s): *biplagiata* Haupt,1927 **IL JO**
779. **Helionidia himyarita Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958 **IR IQ IL Pa TR**
780. **Helionidia longifalx (Linnavuori,1953)** (Cicadellidae) Synonym(s): *ongifalx* Linnavuori,1953 **EG IL**
781. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881 **TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR**
782. **Helophorus difficilis Angus,1988** (Helophoridae) Synonym(s): *difficilis* Angus,1988 **IL Pa LB TR**
783. **Helophorus illustris Sharp,1916** (Helophoridae) Synonym(s): *illustris* Sharp,1916 **FR IL Pa TR**
784. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus* Thomson,1854 **DK SE FI RU ES Cc LB IL Pa IR TR**
785. **Helophorus lewisi Angus,1985** (Helophoridae) Synonym(s): *lewisi* Angus,1985 **RU IL Pa TR**
786. **Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans* Falderman,1835 **TR Cc GG IL Pa PK**
787. **Helophorus subcarinatus Angus,1985** (Helophoridae) Synonym(s): *subcarinatus* Angus,1985 **LB IL Pa TR**
788. **Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928 **Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ**
789. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus* Loew,1869 **CN KK MN RU TJ TM UZ IL Pa**
790. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 **PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG**
791. **Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis* Giordani Soika,1952 **IL Pa JO AM TR**
792. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 **AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU**
793. **Hephathus orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 **IL Pa**
794. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856 **GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA**
795. **Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens* Loew,1857 **AZ Cc IL Pa RO RU UA**
796. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 **BG GG Cc GR IL Pa TR RO RU MA TJ**
797. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 **HV BG GR IT Si MT CY IL Pa SY TR**
798. **Heriades (Rhopalheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956 **Cc AM TM CY IL Pa SY TR GR TJ**
799. **Heriades (s.str.) hierosolomitus Benoist,1935** (Megachilidae) Synonym(s): *hierosolomitus* Benoist,1935 **IL Pa Js**
800. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 **MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR**
801. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 **AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR**
802. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 **AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR**
803. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 **AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU**

804. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus* Wiedemann,1820
IR Fa ES PT JO IL Pa MA DZ TN TR
805. **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851 RU YU GR
BG AL IL Pa TR
806. **Heteropogon pyrinus Hermann,1906** (Asilidae) Synonym(s): *pyrinus* Hermann,1906;
pyrrihinus Engel,1925 EG IL Pa IR Fa AZ Cc KG
807. **Heterotropus israeliensis Zaitzev,2001** (Bombyliidae) Synonym(s): *israeliensis* Zaitzev,2001
IL Pa
808. **Heterotropus kaplanae Zaitzev,2001** (Bombyliidae) Synonym(s): *kaplanae* Zaitzev,2001 IL
Pa
809. **Hockeria brachygaster Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956
Hockeria brachygaster Boucek,1956, Bull. Res. Coun. Israel 5B: 234. Syntypes: Israel (BMNH). LY TR
IL Pa IN Up
810. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ
SK DE HU IL Pa KG MD RO RU ES TR YU UA
811. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti*
Schletterer,1889; tumida Benoist,1928; *gibba* Benoist,1928 BG GR MK RO TR IL Pa SY JO
812. **Holaptilon pusillum Beier,1964** (Mantidae) Synonym(s): *pusillum* Beier,1964 IL Pa JO
813. **Holochelus (s.str.) setiventris (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris*
Reitter,1902 IL Pa SY LB
814. **Holopogon nigropilosus Theodor,1980** (Asilidae) Synonym(s): *nigropilosus* Theodor,1980
IL Pa TR IR
815. **Hoplitis (Alcidamea) abnormis Zanden,1992** (Megachilidae) Synonym(s): *abnormis*
Zanden,1992 GR IL Pa
816. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902
FR GR HV MK SS IL Pa TR
817. **Hoplitis (Alcidamea) hoppferi Tkalcu,1977** (Megachilidae) Synonym(s): *hoppferi* Tkalcu,1977
IL Pa JO OM PK Qu SY AE
818. **Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s):
limassolica Mavromoustakis,1937 CY IL Pa JO TR
819. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans*
Morawitz,1894; lineola Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ
UZ IL Pa JO TR
820. **Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea*
Warncke,1991 *Osmia (Alcidamea) subbutea* Warncke,1991, Linzer biol. Beitr. 23: 733. Holotype ♂:
[Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). TR GR KG IL Pa SY
821. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata*
Latreille,1811; crenulata Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica*
Warncke,1991 AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
822. **Hoplitis (Annosmia) christae (Warncke,1991)** (Megachilidae) Synonym(s): *christae*
Warncke,1991 IL Pa
823. **Hoplitis (Annosmia) hierichonica (Mavromoustakis,1949)** (Megachilidae) Synonym(s):
hierichonica Mavromoustakis,1949 MA TN IL Pa JO
824. **Hoplitis (Annosmia) israelica (Warncke,1991)** (Megachilidae) Synonym(s): *israelica*
Warncke,1991 MA IL Pa JO IR
825. **Hoplitis (Annosmia) leiocephala (Mavromoustakis,1954)** (Megachilidae) Synonym(s):
leiocephala Mavromoustakis,1954 IL Pa
826. **Hoplitis (Annosmia) parana (Warncke,1991)** (Megachilidae) Synonym(s): *parana*
Warncke,1991 IL Pa
827. **Hoplitis (Annosmia) segura (Warncke,1991)** (Megachilidae) Synonym(s): *segura*
Warncke,1991 IL Pa
828. **Hoplitis (Annosmia) sordida (Benoist,1929)** (Megachilidae) Synonym(s): *sordida*
Benoist,1929 IL Pa EG
829. **Hoplitis (Annosmia) verhoeffi (Mavromoustakis,1954)** (Megachilidae) Synonym(s):
verhoeffi Mavromoustakis,1954 IL Pa JO
830. **Hoplitis (Annosmia) zonalis (Pérez,1895)** (Megachilidae) Synonym(s): *zonalis* Pérez,1895;
undulata Pérez,1902; *taprurensis* Benoist,1929; *bodenheimeri* Mavromoustakis,1949 MA DZ TN IL Pa
831. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta*
Alfken,1935 GR Cr CY IL Pa JO SY TR
832. **Hoplitis (Anthocopa) batyamae (Zanden,1986)** (Megachilidae) Synonym(s): *batyamae*
Zanden,1986 PT IL Pa EG OM YE
833. **Hoplitis (Anthocopa) bifoveolata (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata*
Alfken,1935 IL Pa JO SY TR
834. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca*
Gerstaecker,1869; lanosa Pérez,1879 ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
835. **Hoplitis (Anthocopa) bytinskii (Mavromoustakis,1948)** (Megachilidae) Synonym(s):
bytinskii Mavromoustakis,1948 IL Pa

836. **Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca Mavromoustakis,1938; bayburtensis Tkalcu,1980* **CY IL Pa JO SY TR**
837. **Hoplitis (Anthocopa) daniana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *daniana Mavromoustakis,1949* **IL Pa**
838. **Hoplitis (Anthocopa) hemisphaerica (Alfken,1935)** (Megachilidae) Synonym(s): *hemisphaerica Alfken,1935* **IL Pa JO SY**
839. **Hoplitis (Anthocopa) jerichoensis (Zanden,1996)** (Megachilidae) Synonym(s): *jerichoensis Zanden,1996* **IL Pa**
840. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa Friese,1899* **TR AL GR Cr HV? IL Pa SY JO**
841. **Hoplitis (Anthocopa) rubricrus (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus Friese,1899* **DZ MA IL Pa PK IN**
842. **Hoplitis (Anthocopa) semirubra (Friese,1899)** (Megachilidae) Synonym(s): *semirubra Friese,1899* **IL Pa JO SY**
843. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis Morawitz,1875* **KG KK TJ TM UZ IL Pa TR**
844. **Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina Alfken,1935* **GR? IL Pa JO SY TR**
845. **Hoplitis (Anthocopa) wadicola (Alfken,1935)** (Megachilidae) Synonym(s): *wadicola Alfken,1935* **IL Pa TR**
846. **Hoplitis (Anthocopa) wahrmani (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *wahrmani Mavromoustakis,1948* **IL Pa**
847. **Hoplitis (Bytinskia) erythrogastra (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra Mavromoustakis,1954* **IL Pa JO LB**
848. **Hoplitis (Bytinskia) negevensis (Warncke,1991)** (Megachilidae) Synonym(s): *negevensis Warncke,1991* **IL Pa**
849. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi Friese,1899* **GR Rd IL Pa JO SY LB TR**
850. **Hoplitis (Chlidoplitis) onychophora (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora Mavromoustakis,1939* **IL Pa JO SY TR**
851. **Hoplitis (Pentadentoscia) enslini (Alfken,1935)** (Megachilidae) Synonym(s): *grandior Alfken,1935 nec Cock.,1897; enslini Alfken,1935* **IL Pa**
852. **Hoplitis (Pentadentoscia) helouanensis (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis Friese,1899* **EG MA IL Pa JO OM AE**
853. **Hoplitis (Pentadentoscia) meyeri (Benoist,1934)** (Megachilidae) Synonym(s): *meyeri Benoist,1934* **DZ MA IL Pa**
854. **Hoplitis (Pentadentoscia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor Morawitz,1877* **AM Cc IL Pa JO SY CN Ui**
855. **Hoplitis (Pentadentoscia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei Friese,1899; pustinia Warncke,1991* **Cn DZ MA TN IL Pa JO PK AE IN**
856. **Hoplitis (Pentadentoscia) quinquespinosa (Friese,1899)** (Megachilidae) Synonym(s): *quinquespinosa Friese,1899; consanguinea Benoist,1929; neptunea Benoist,1929* **MA DZ TN IL Pa**
857. **Hoplitis (Pentadentoscia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta Morawitz,1875; laeviscutum Alfken,1935* **TJ TM UZ IL Pa IR JO PK TR**
858. **Hoplitis (Platosmia) africana (Warncke,1990)** (Megachilidae) Synonym(s): *africana Warncke,1990; adustus Zanden,1991* **MA DZ IL Pa**
859. **Hoplitis (Platosmia) gerofita (Warncke,1990)** (Megachilidae) Synonym(s): *gerofita Warncke,1990* **IL Pa**
860. **Hoplitis (Prionhoplitis) eburnea (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea Warncke,1991* **TR IL Pa SY**
861. **Hoplitis (s.str.) fertoni (Pérez,1890)** (Megachilidae) Synonym(s): *fertoni Pérez,1890; albispina Pérez,1895; mecheriana Pérez,1902* **MA DZ TN IL Pa**
862. **Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera Morice,1901; conjuncta Alfken,1935; stichi Alfken,1935* **IL Pa JO SY TR AM Cc**
863. **Hoplitis (s.str.) homalocera Zanden,1991** (Megachilidae) Synonym(s): *homalocera Zanden,1991* **IL Pa JO**
864. **Hoplitis (s.str.) improceros Zanden,1998** (Megachilidae) Synonym(s): *improceros Zanden,1998* **IL Pa**
865. **Hoplitis (s.str.) libanensis (Morice,1901)** (Megachilidae) Synonym(s): *libanensis Morice,1901* **LB IL Pa JO SY TR**
866. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida Dours,1873; chobauti Pérez,1902; taorminaensis Strand,1919; maroccana Benoist,1929* **CH ES FR IT Si PT DZ MA TN IL Pa JO**
867. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis Friese,1895* **AL GR Cr HV IT MK SS IL Pa JO SY TR**

868. **Hoplitis (s.str.) testaceozonata (Alfken,1935)** (Megachilidae) Synonym(s): *testaceozonata* Alfken,1935 **IL Pa**
869. **Hoplitis (Stenosmia) aravensis (Zanden,1992)** (Megachilidae) Synonym(s): *aravensis* Zanden,1992 **IL Pa SY**
870. **Hoplitis (Stenosmia) denticulata (Zanden,1992)** (Megachilidae) Synonym(s): *denticulata* Zanden,1992 **IL Pa**
871. **Hoplitis (Stenosmia) hartliebi (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi* Friese,1899 **DZ? EG LY TN IL Pa**
872. **Hoplitis (Tkalca)²⁰ paralias (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *paralias* Mavromoustakis,1954 **MA TN IL Pa**
873. **Hoplosathe frauenfeldi (Loew,1856)** (Therevidae) Synonym(s): *frauenfeldi* Loew,1856 **IL Pa**
874. **Hyalesthes hani Hoch,1985** (Cixiidae) Synonym(s): *hani* Hoch,1985 **IL LB TR**
875. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
876. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 **AL AT BG TR CZ FR HU IL IT RO ES YU**
877. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 **TR IL Pa LB IQ SY GR BG**
878. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
879. **Hydrochus flavipennis Küster,1852** (Hydrochidae) Synonym(s): *flavipennis* Küster,1852; *foveostriatus* Fairmaire,1859; *obtusicollis* Fairmaire,1877; *filiformis* Kuwert,1887; *fuscipennis* Kuwert,1887; *testaceipennis* Kuwert,1887 **TR HV UA Cc AZ IL Pa**
880. **Hydrocyphon vicinans Nyholm,1972** (Scirtidae) Synonym(s): *vicinans* Nyholm,1972 **TR IL Pa**
881. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840 **BG CY TR Cc GG GR IL Pa RO RU UA Cm**
882. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherr* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 **BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ**
883. **Hyposoter ebenitor Aubert,1972** (Ichneumonidae) Synonym(s): *ebenitor* Aubert,1972 **FR TR IL Pa**
884. **Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): *nervosum* Fieber,1877 **DZ GR IT IL ES YU**
885. **Hysteropterum syriacum Melichar,1906** (Issidae) Synonym(s): *syriacum* Melichar,1906 **IL SY**
886. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?felicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, *Progr. K. Realschule Meseritz 1856: 23*. **AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK**
887. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 **AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR**
888. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989 **TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz**
889. **Ilybius hulae Wewalka,1984** (Dytiscidae) Synonym(s): *hulae* Wewalka,1984 **TR IL Pa SY**
890. **Imbecilla imbecilla (Linnavuori,1962)** (Cicadellidae) Synonym(s): *imbecilla* Linnavuori,1962; *libanotica* Dbalola,1965 **IL Pa LB TR**
891. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 **Gryllus (Mantis) oratorius** Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 426*. **ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA**
892. **Irwiniella palaestinensis (Kröber,1932)** (Therevidae) Synonym(s): *palaestinensis* Kröber,1932 **IL Pa**
893. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 **AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR**
894. **Isocolus freidbergi Melika,2008** (Cynipidae) Synonym(s): *freidbergi* Melika,2008 **IL Pa**
895. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893 **LB SY JO IL Pa TR**
896. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 **AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU**
897. **Jothopogon leucomallus (Loew,1871)** (Asilidae) Synonym(s): *leucomallus* Loew,1871 **IR Ss JO IL Pa TR**

²⁰ Subgenus name established by the authors.

898. **Jubrinia distincta Linnavuori,1962** (Cicadellidae) Synonym(s): *distincta Linnavuori,1962* EG Pa IL
899. **Jugurtia jemenensis Kostylev,1935** (Vespidae) Synonym(s): *jemenensis Kostylev,1935; hoggarica Giordani Soika,1954* DZ IL Pa SA OM AE
900. **Julodis aequinoctialis (Olivier,1790)** (Buprestidae) Synonym(s): *aequinoctialis Olivier,1790* IL Pa
901. **Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae Olivier,1790* TR IL Pa SY IR
902. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi Laporte,1835* GR AL BG CY TR SY IL Pa EG
903. **Julodis peregrina (Chevrolat,1838)** (Buprestidae) Synonym(s): *peregrina Chevrolat,1838* IL Pa
904. **Julodis rothi (Storm,1843)** (Buprestidae) Synonym(s): *rothi Storm,1843* IL Pa
905. **Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera Laporte & Gory,1835* IL Pa TR SY IQ SA
906. **Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca Olivier,1790* SY IL Pa JO EG
907. **Julodis zoufali (Obenberger,1914)** (Buprestidae) Synonym(s): *zoufali Obenberger,1914* IL Pa
908. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki Fieber,1878* AL CY CZ FR GR TR HU IL IT RU YU
909. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis Linnavuori,1962* IL AT BG CY GR YU TR
910. **Kermes palestiniensis Balachowsky,1953** (Kermesidae) Synonym(s): *palestiniensis Balachowsky,1953* IL Pa TR
911. **Kervillea placophorum (Horvath,1905)** (Issidae) Synonym(s): *placophorum Horvath,1905* IL Pa TR TJ
912. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima Walker,1858; alhageos Kolenati,1857; glycyrrhizae Kolenati,1857; ochreata Melichar,1902; olivacea Melichar,1913; stenoptera Haupt,1917; smaragdula Haupt,1920* AF GR IR IQ IL Pa IT JO TR RU
913. **Knemodermus sinaicus (Giordani Soika,1939)** (Vespidae) Synonym(s): *sinaicus Giordani Soika,1939* IL Pa
914. **Kokujewia ectrapela Konow,1902** (Argidae) Synonym(s): *ectrapela Konow,1902; palestina Benson* TR IR Oru Cc IL Pa
915. **Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis Reitter,1894* SY GR Cr IL Pa
916. **Korynetes pusillus Klug,1842** (Korynetidae) Synonym(s): *pusillus Klug,1842* FR Co IT Sa Si IL Pa
917. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues Nikol'skaya,1952* HV CY IQ IL Pa Cc UA RU TR
918. **Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea Suarez,1963* IL Js Pa SY TR IR
919. **Krombeinella hebraea (Suarez,1963)** (Mutillidae) Synonym(s): *hebraea Suarez,1963* IL Pa Hf TR
920. **Labidostomis diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons Lefebvre,1876* IL Pa LB SY TR
921. **Labidostomis hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea Lacordaire,1848* TR IL Pa LB SY
922. **Labidostomis laeta Medvedev,1992** (Chrysomelidae) Synonym(s): *laeta Medvedev,1992* IL Pa
923. **Lachnaia cerealis (Olivier,1808)** (Chrysomelidae) Synonym(s): *cerealis Olivier,1808* DZ IL Pa SY
924. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim,1823; weiratheiri J.Müller,1932* AL AM Cc TR GR BG IT IL Pa
925. **Laminanthrax olgae Zaitzev,1999** (Bombyliidae) Synonym(s): *olgae Zaitzev,1999* IL Pa
926. **Lampyris berytensis Fairmaire,1866** (Lampyridae) Synonym(s): *berytensis Fairmaire,1866* Lampyris berytensis Fairmaire,1866, Annl. Soc. ent. Fr. 1866: 263. Type(s): [Lebanon]: Beirut. LB Bei SY IL Pa
927. **Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa Olivier,1883; barbara Olivier,1884* DZ IL Pa Js Hf JO Amm TR SY
928. **Lampyris setosa Geisthardt,1983** (Lampyridae) Synonym(s): *setosa Geisthardt,1983* JO Amm IL Pa
929. **Lampyroidea syriaca A.Costa,1875** (Lampyridae) Synonym(s): *syriaca A.Costa,1875; innotaticollis Pic,1914* Lampyroidea syriaca A.Costa,1875, Bull. Soc. ent. Fr. (5) 5: 169. Type(s): Syria. IL Pa SY TR
930. **Lampyroidea tenenbaumi Pic,1928** (Lampyridae) Synonym(s): *tenenbaumi Pic,1928* IL Pa
931. **Lanelater judaicus (Reiche & Saulcy,1856)** (Elateridae) Synonym(s): *judaicus Reiche & Saulcy,1856* IL Pa TR LB SY

932. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Ce AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
933. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847 **Ce RU GR IQ IR Fa IL Pa TR**
934. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 **IR Ss Kz Fa AZ Ce EG GR IL Pa IT KG MT ES TN RO TR**
935. **Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi* Stal,1873; *#hedenbergii* Önder et al.,2006 **IL Pa CY SY TR**
936. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 **ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Ce GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF**
937. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 **AF TM IL Pa SY TR AM Ce IR**
938. **Lasioglossum aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970 **YU TR IQ IR EG IL Pa**
939. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892 **Ce UA GR TR IL Pa IR**
940. **Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): *callizonium* Pérez,1895; *mogadoricus* Cockerell,1937 **PT ES FR MA EG IL Pa**
941. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 **MA FR DK ES PT Co DE PL MK IL Pa TR IR**
942. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975 **MA DZ IT YU GR AL TR IL Pa Ce IR**
943. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockerell,1924; **FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR**
944. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 **HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR**
945. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910 **MA FR IT ES CY GR IL IT TR YU**
946. **Latilica retamae (Linnavuori,1962)** (Issidae) Synonym(s): *retamae* Linnavuori,1962 **TR IL Pa**
947. **Latoliarus aither Linnavuori,1971** (Cixiidae) Synonym(s): *aither* Linnavuori,1971 **IL Pa**
948. **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867 **UA Cm TN CY IL Pa TR SY**
949. **Leptochilus bellus Blüthgen,1955** (Vespidae) Synonym(s): *bellus* Blüthgen,1955 **EG Sn IL Pa JO**
950. **Leptochilus gemma Giordani Soika,1970** (Vespidae) Synonym(s): *gemma* Giordani Soika,1970 **IL Pa JO IR**
951. **Leptochilus jordaneus Gusenleitner,1994** (Vespidae) Synonym(s): *jordaneus* Gusenleitner,1994 **JO IL Pa**
952. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867 **IL Pa IT YU UA RU Ce AM IR TR KG**
953. **Leptochilus tussaci Giordani Soika,1986** (Vespidae) Synonym(s): *tussaci* Giordani Soika,1986 **IL Pa JO MA**
954. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 **FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE**
955. **Leptodelphax cyclops Haupt,1927** (Delphacidae) Synonym(s): *cyclops* Haupt,1927 **CY IT Si TR EG IL**
956. **Leptodynerus arabicus Giordani Soika,1970** (Vespidae) Synonym(s): *arabicus* Giordani Soika,1970 **IL Pa**
957. **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis* Loew,1847 **RO RU KG IR IL Pa TR**
958. **Leptogaster hermonensis Theodor,1980** (Asilidae) Synonym(s): *hermonensis* Theodor,1980 **SY IL Pa**
959. **Leptogaster montana Theodor,1980** (Asilidae) Synonym(s): *montana* Theodor,1980 **IL Pa**
960. **Leptogaster theodori Koçak & Kemal,2008**²¹ (Asilidae) Synonym(s): *tomentosa* Theodor,1980 nec Oldr.,1972; *theodori* Koçak & Kemal,2008 **Leptogaster theodori Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro tomentosa Theodor,1980 nec Oldroyd,1972).** **IL Pa JO**
961. **Leptogaster truncata Theodor,1980** (Asilidae) Synonym(s): *truncata* Theodor,1980 **IL Pa**

²¹ specific name established by the authors.

962. **Lertha palmonii Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii Tjeder,1970* **Lertha palmonii Tjeder,1970**, Ent. scand. 1: 219-222, figs. Holotype ♂: Israel: Sussita (Hippus), SE shore of the Lake Tiberias (ZIL). **IL Pa TR Cc AM IR**
963. **Levitinia freidbergi Beaucounu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): *freidbergi Beaucounu-Saguez & Braverman,1987* **SY IL Pa Gol**
964. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* **SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ**
965. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae) Synonym(s): *rhomboideus Schneider,1845* **AL GR TR SY IL Pa**
966. **Libelloides syriacus (McLachan,1871)** (Ascalaphidae) Synonym(s): *syriacus McLachan,1871* **IL Pa SY TR**
967. **Limassolla pistaciae (Linnavuori,1962)** (Cicadellidae) Synonym(s): *pistaciae Linnavuori,1962* **CY IL**
968. **Limnophora pulchriceps (Loew,1860)** (Muscidae) Synonym(s): *pulchriceps Loew,1860* **CZ AT IL? TR?**
969. **Lindbergina tarsalis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *tarsalis Linnavuori,1962* **TR IL Pa**
970. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkitii Bartenev,1929* **TR DZ EG Cc AM GR YU IQ IL Pa**
971. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* **MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU**
972. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea Loginova,1974* **Cc UA Cm TR BG IL Pa DZ**
973. **Longitarsus albus (Allard,1866)** (Chrysomelidae) Synonym(s): *albus Allard,1866* **MA DZ IL Pa**
974. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* **MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG**
975. **Longitarsus allotrophus Furth,1979** (Chrysomelidae) Synonym(s): *allotrophus Furth,1979* **IL Pa**
976. **Longitarsus anatolicus Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus Weise,1900* **TR IL Pa Cc AZ R**
977. **Longitarsus aramaicus Leonardi,1979** (Chrysomelidae) Synonym(s): *aramaicus Leonardi,1979* **TR IL Pa JO**
978. **Longitarsus bytinskii Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii Furth,1979* **AM Cc IL Pa TR**
979. **Longitarsus debernardii Leonhardi,1979** (Chrysomelidae) Synonym(s): *debernardii Leonhardi,1979* **IL Pa Hf**
980. **Longitarsus emarginatus Weise,1890** (Chrysomelidae) Synonym(s): *emarginatus Weise,1890* **IL Pa JO**
981. **Longitarsus emarginatus Furth,1979** (Chrysomelidae) Synonym(s): *emarginatus Furth,1979* **IL Pa LB SY**
982. **Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus Warchalowski,1967* **IL Pa TR IQ IR AF**
983. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* **FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG**
984. **Longitarsus karlheinzi Warchalowski,1972** (Chrysomelidae) Synonym(s): *karlheinzi Warchalowski,1972* **TR IL Pa IR UA Cm**
985. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus De Geer,1775* **Cc TR IR AF KG IL Pa RU Sb**
986. **Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi Furth,1979* **TR AT IT BG SS IL Pa**
987. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis Panzer,1794* **TR Cc IR AF KG IL Pa DZ**
988. **Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus Weise,1890* **TR GR JO IL Pa**
989. **Lublina gediensis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *gediensis Linnavuori,1962* **IL Pa**
990. **Lydus algiricus (Linnaeus,1758)** (Meloidea) Synonym(s): *algiricus Linnaeus,1758* **DZ LY IL Pa**
991. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* **AF IR IL Pa IT SY TR GR Cr**
992. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris Linnaeus,1758* **IL Pa CY Cc IQ SY TM TR**
993. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* **Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU**

994. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861 IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
995. **Machimus aradensis Theodor,1980** (Asilidae) Synonym(s): *aradensis* Theodor,1980 IL Pa IR Fa
996. **Machimus nahalelensis Theodor,1980** (Asilidae) Synonym(s): *nahalelensis* Theodor,1980 IL Pa IR Fa
997. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
998. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* Robineau-Desvoidy,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscularis* Pandelle,1895; #*praefica* Kara,1999 BE DE Cc IL Pa UA GB BG ES RU TR
999. **Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* Robineau-Desvoidy,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* Robineau-Desvoidy,1863; *laeta* Robineau-Desvoidy,1863; *villica* Robineau-Desvoidy,1863; *clausicella* Rondani,1865 SE GB TR Cc IL Pa MN KG RU
1000. **Macquartia tessellum Meigen,1824** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* Robineau-Desvoidy,1863; *microcera* Robineau-Desvoidy,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895 FR CH SK Cn IL Pa Cc TJ TR
1001. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
1002. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
1003. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
1004. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
1005. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
1006. **Macrosteles chobauti Ribaut,1952** (Cicadellidae) Synonym(s): *chobauti* Ribaut,1952 FR IL
1007. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
1008. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
1009. **Malachius oxyacanthae Peyron,1877** (Melyridae) Synonym(s): *oxyacanthae* Peyron,1877 IL Pa
1010. **Malachius palaestinus Peyron,1877** (Melyridae) Synonym(s): *palaestinus* Peyron,1877 IL Pa
1011. **Maladera (Aserica) matruda Argamon,1986** (Scarabaeidae) Synonym(s): *matruda* Argamon,1986 IL Pa
1012. **Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894 IR OM SA IL Pa JO LY
1013. **Maladera (Eusericula) modesta (Fairmaire,1881)** (Scarabaeidae) Synonym(s): *modesta* Fairmaire,1881 IL Pa Jf EG Sn SY
1014. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835 TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
1015. **Maladera (Macroserica) syriaca Petrovitz,1969** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz,1969; *ieraschiensis* Baraud,1990 SY Dms IL Pa JO
1016. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter,1852 TR IR IL Pa JO LB SY
1017. **Marthamea vitripennis (Burmeister,1839)** (Perlidae) Synonym(s): *vitripennis* Burmeister,1839; *bicolor* Burmeister,1839; *angustata* Rambur,1842; *terminalis* Walker,1852; *beraudi* Navas,1909 TR IL Pa SY
1018. **Masaris aegytiacus Meade-Waldo,1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo,1911 EG IL Pa JO SA
1019. **Medecticus goliath Uvarov,1923** (Tettigoniidae) Synonym(s): *goliath* Uvarov,1923 IL Pa
1020. **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 CY GR IL Pa IT JO TR RU Cc YU IQ

1021. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica Dejean,1822* IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
1022. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballesrerii Rondani,1877* ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ
1023. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis Edwards,1915* AL BG FR GB GR IL IT TR GG Cc YU IR
1024. **Megulopa sahlbergorum Lindberg,1924** (Cicadellidae) Synonym(s): *sahlbergorum Lindberg,1924* EG IL MA
1025. **Meliboeus adlbaueri Niehuis,1997** (Buprestidae) Synonym(s): *adlbaueri Niehuis,1997* IL Pa SY TR
1026. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
1027. **Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus Schrank,1776* HU TR IL Pa Cc RU
1028. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925* ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
1029. **Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida Frivaldsky,1835* GR SY TR IL Pa
1030. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata Rossi,1790; sexfasciata Rossi,1792* AT IT FR ES Md HU AL TR IL Pa EG MA DZ
1031. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus Tschek,1872* Cryptus pseudonymphus Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR TJ JO IL Pa
1032. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator Linnaeus,1758; orientalis Szepilgeti,1916* SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
1033. **Merodon auronitens Hurkmans,1993** (Syrphidae) Synonym(s): *auronitens Hurkmans,1993* IL Pa
1034. **Merodon caudatus Sack,1913** (Syrphidae) Synonym(s): *caudatus Sack,1913* IL Pa Js TR
1035. **Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus Paramonov,1925* MK GR IL Pa TR Cc Eri AM
1036. **Merodon flaviventris (Sack,1932)** (Syrphidae) Synonym(s): *flaviventris Sack,1932* IL Pa
1037. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES FR IT Si YU AL TR BG RO PL IL Pa LY
1038. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909* PT ES FR Co IT YU BG TR IL Pa DZ MA MT
1039. **Merodon hirsutus Sack,1913** (Syrphidae) Synonym(s): *hirsutus Sack,1913* IL Pa SY JO
1040. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis Sack,1913; affinis Gil Collado,1930* MA DZ ES YU GR UA RU LB IL Pa SY TR
1041. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR IT YU GR Rd CY Cc BG IL Pa
1042. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis Strobl,1909; fuerteventurensis Barkemeyer,2002* ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
1043. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790; fulvus Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscinervis Röder,1887; obscurus Gil Collado,1929* MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
1044. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons Horvath,1911; arcifer Horvath,1911; seminiger Horvath,1911; quinque maculatus Horvath,1911; vestitus Horvath,1911; obscurus Lindberg,1923* EG IL Pa JO LB SY TR
1045. **Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps Linnavuori,1962* CY IL Pa TR IR
1046. **Microdynerus anatolicus (Blüthgen,1938)** (Vespidae) Synonym(s): *anatolicus Blüthgen,1938* IL Pa TR
1047. **Microdynerus latro Blüthgen,1955** (Vespidae) Synonym(s): *latro Blüthgen,1955* SY Dms IL Pa
1048. **Microdynerus saundersi Blüthgen,1955** (Vespidae) Synonym(s): *saundersi Blüthgen,1955* IL Pa DZ
1049. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
1050. **Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): *wui Lundblad,1933; alkani Hoberlandt,1948* IR PK TR IL Pa
1051. **Microptilis fordii Nixon,1970** (Braconidae) Synonym(s): *fordii Nixon,1970* TR IL Pa TN MN
1052. **Microtelus careniceps Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *careniceps Reiche & Sauley,1857* LB Bei SY Hal EG IL Pa
1053. **Microtelus limitis Reitter** (Tenebrionidae) Synonym(s): IL Pa

1054. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi* Werner,1908 **ET YE IR IL Pa OM PK SO AE**
1055. **Milichia sinaiensis Steyskal,1966** (Milichiidae) Synonym(s): *sinaiensis* Steyskal,1966 **EG Sn IL Pa**
1056. **Milichiella argentiventris Hendel,1931** (Milichiidae) Synonym(s): *argentiventris* Hendel,1931 **CV EG IL? NG OM SD YE**
1057. **Miomantis paykulii Stal,1871** (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
1058. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
1059. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
1060. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera* Reuter,1888 **TR IL Pa IR EG RU SY GR**
1061. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
1062. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSW QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
1063. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
1064. **Mustha incana Stal,1876** (Pentatomidae) Synonym(s): *incana* Stal,1876 **Mustha incana Stal,1876, Königl. Svenska Vetensk. Akad. Handl. 14 (4): 48. Type ♂: "Persia (Mus. Holm.)" IR IL Pa**
1065. **Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787 **TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG**
1066. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 *nec Fabr.,1781; fabricii* Sumakov,1924 **TR Cc IL Pa RU KG UZ IR IT Si GR FE ES**
1067. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca* Klug,1845 **TR IR SY IL Pa EG GR SD**
1068. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979 **Myopites apicatus Freidberg,1979, Israel J. ent. 13: 16. TR IL Pa IT HU GR Gr AT FR CZ**
1069. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 **MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG**
1070. **Myrmeleon (Morter) circumcinctus Tjeder,1963** (Myrmeleonidae) Synonym(s): *circumcinctus* Tjeder,1963 **IL**
1071. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869 **FR GR SY Cc UA Cm TR IL Pa IR**
1072. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 **AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG**
1073. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 **GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa**
1074. **Nanomutilla parila (Nagy,1970)** (Mutillidae) Synonym(s): *parila* Nagy,1970 **JO Amm IL Pa**
1075. **Nanomutilla yoca (Nagy,1970)** (Mutillidae) Synonym(s): *yoca* Nagy,1970 **JO IL Pa**
1076. **Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi* Klug,1832 **TR IR IL Pa SY**
1077. **Necrobia ruficollis (Fabricius,1775)** (Korynetidae) Synonym(s): *ruficollis* Fabricius,1775 **IL Pa**
1078. **Necrobia rufipes (DeGeer,1775)** (Korynetidae) Synonym(s): *rufipes* DeGeer,1775 **IL pa**
1079. **Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum* Waltl,1835 **ES PT MA DZ TN SY IL Pa**
1080. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES**
1081. **Nemoptera aegyptiaca Rambur,1842** (Nemopteridae) Synonym(s): *aegyptiaca* Rambur,1842; *hebraica* Westwood,1874 **IL Pa SY TR EG**
1082. **Nemotelus (s.str.) anchora Loew,1846** (Stratiomyidae) Synonym(s): *anchora* Loew,1846; *siculus* Jaennicke,1866; *persicus* Pleske,1937 **IT Si MT RU IL IR DZ TN**
1083. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859 **TR IT Si CY ES YU BG GR RU Cc AM IL IR**

1084. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
1085. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871 **GR IT YU RO BG AL RU UA Cc TR IL IR**
1086. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
1087. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus* Frivaldsky,1855; *varius* Loew,1871 **HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN**
1088. **Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): *syriacus* Lindner,1933; *aterrimus* Szilady,1941 **LB Bei IL Hf Pa TR**
1089. **Neoliturus inscriptis (Haupt,1927)** (Cicadellidae) Synonym(s): *inscriptis* Haupt,1927 **CY IL MA**
1090. **Neoliturus macchiai Lindberg,1948** (Cicadellidae) Synonym(s): *macchiai* Lindberg,1948 **CY IL**
1091. **Neoliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher* Haupt,1927 **IR IL Pa Cc TR GG KG TJ**
1092. **Neoliturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954 **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
1093. **Neoliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885 **IL IT SY TR Cc AZ**
1094. **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929 **Cn DZ LY Cy EG IL Pa JO LB SY**
1095. **Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916 **HU IT IL Pa ES TR**
1096. **Neolimninus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908 **EG IR IQ IL JO**
1097. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
1098. **Neotherevella citrina (Becker,1902)** (Therevidae) Synonym(s): *citrina* Becker,1902 **EG IL Pa**
1099. **Nepachys eximus Peyron,1877** (Melyridae) Synonym(s): *eximus* Peyron,1877 **IL Pa**
1100. **Nephotettix modulatus Melichar,1912** (Cicadellidae) Synonym(s): *modulatus* Melichar,1912 **EG IL MA TN**
1101. **Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783 **IT TR SY LB IL Pa**
1102. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
1103. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888 **GR TR EG IL CN JP KP KR MA**
1104. **Nomia (Pseudapis) magretti Gribodo,1884** (Halictidae) Synonym(s): *magretti* Gribodo,1884 **SD IL Pa**
1105. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
1106. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897 **B-H BG HV GR MK TR IR IL Pa SY**
1107. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
1108. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
1109. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 **DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR**
1110. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
1111. **Nyctophila syriaca (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca* Baudi di Selve,1871 **Lampyrus syriaca Baudi di Selve,1871, Berl. ent. Z. 1871: 58. SY IL Pa TR**
1112. **Ochriades fasciatus (Friese,1899)** (Megachilidae) Synonym(s): *fasciatus* Friese,1899 **IL Pa JO SY**
1113. **Ochridia acuta (Bolivar,1905)** (Acrididae) Synonym(s): *acuta* Bolivar,1905 **TR IQ IL Pa IR**
1114. **Ochridia flicornis (Krauss,1902)** (Acrididae) Synonym(s): *flicornis* Krauss,1902 **DZ IL Pa**

1115. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
1116. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922 GR IT Si BG GR TR UA RU Cc AZ IL IR
1117. **Odontomyia damascena Villeneuve,1912** (Stratiomyidae) Synonym(s): *damascena* Villeneuve,1912 SY Dms IL
1118. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822 MA DZ FR Co RO ES IT GR TR IL AF
1119. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
1120. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaenicke,1866 CH DE RU TR IL AF CN MN
1121. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 SE ES IT BG LT TR SY IL Pa RU Mo
1122. **Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus* Saussure,1853; *cauponalis* Giordani Soika,1977 SA EG IL Pa JO Amm Pet
1123. **Odynerus palaestinensis Gusenleitner,1972** (Vespidae) Synonym(s): *palaestinensis* Gusenleitner,1972 IL Pa
1124. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
1125. **Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): *aurea* Uvarov,1923 Oedipoda germanica aurea Uvarov,1923, Entomologist's mon. Mag. 3 (9): 32. Holotype ♂: Palestina (BNMH). TR JO Amm IL Pa
1126. **Oliarus angustiformis Linnavuori,1953** (Cixiidae) Synonym(s): *angustiformis* Linnavuori,1953 IL Pa TR
1127. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
1128. **Oligodranes israeliensis Zaitzev,1996** (Bombyliidae) Synonym(s): *israeliensis* Zaitzev,1996 IL Pa
1129. **Oligopogon palestinensis Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980 IL Pa
1130. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916 AL GR CY IQ IL IT PT ES TR
1131. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899 DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
1132. **Omophlus (Odontomophlus) syriacus Mulsant,1856** (Tenebrionidae) Synonym(s): *syriacus* Mulsant,1856 IL Pa SY TR
1133. **Omophlus (s.str.) ocellaris Kirsch,1869** (Tenebrionidae) Synonym(s): *ocellaris* Kirsch,1869 IL Pa
1134. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 MA DZ TN LY Cy EG Co FR ES TR IL Pa
1135. **Onitis ezechias Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *ezechias* Reiche & Saulcy,1856 EG SY Dms IL Pa
1136. **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii* Goidanich,1926 IL Pa SY LB TR IR
1137. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
1138. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792 AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
1139. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832 Cc SY CY IR TR BG GR IL Pa EG
1140. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900 ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
1141. **Onthophagus (Euonthophagus) tissoni Reitter,1906** (Scarabaeidae) Synonym(s): *tissoni* Reitter,1906; *hannas* Sahlberg,1908 SY Dms IL Pa JO
1142. **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982 SY Hal LB IL Pa TR JO IQ IR
1143. **Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1963 TR IL Pa SY IR MK GR BG

1144. **Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae)
Synonym(s): *cruciatus* Ménétriés,1832 **TM Cc AM TR SY IQ IL Pa CY GR Rd**
1145. **Onthophagus (Palaeonthophagus) hermonensis Baraud,1892** (Scarabaeidae)
Synonym(s): *hermonensis* Baraud,1892 **IL Pa SY**
1146. **Onthophagus (Palaeonthophagus) nebulosus Reiche,1864** (Scarabaeidae) Synonym(s):
nebulosus Reiche,1864 **IL Pa SA LY Cy**
1147. **Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae)
Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927 **SY LB TR IL Pa JO**
1148. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s):
opacicollis Reitter,1893 **BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si**
1149. **Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s):
ruficapillus Brullé,1832 **Cc AZ AM SY HU TR AT SK IL Pa**
1150. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae)
Synonym(s): *truchmenus* Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965
Cc AZ Nv TM IR SY LB IL Pa TR
1151. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus*
Schneider,1845 **TR Cc AZ Kir IQ IR AM IL Pa**
1152. **Onychogomphus macrodon (Selys,1887)** (Gomphidae) Synonym(s): *macrodon* Selys,1887
TR LB Bei IL Pa
1153. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi* Dusmet,1928 **MA
DZ TN IL Pa JO**
1154. **Ophion bipictor Aubert,1980** (Ichneumonidae) Synonym(s): *bipictor* Aubert,1980 **TR IL Pa**
1155. **Opilo longipilis Fairmaire,1892** (Cleridae) Synonym(s): *longipilis* Fairmaire,1892 **SO EG IL
Pa**
1156. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 **AT CZ YU AT Cc Cr
GR Rd LY Cy SY TR IL Pa**
1157. **Opilo tilloides Chevrolat,1876** (Cleridae) Synonym(s): *tilloides* Chevrolat,1876 **IL Pa SY**
1158. **Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775;
canina Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata*
Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846;
heydeni Jaennicke,1866 **DZ CH YU HV DE TR IL MN CN**
1159. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*);
lethierryi Wagner,1942 **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU**
1160. **Opsius pallasii (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasii* Lethierry,1874 **DZ EG GR
IL TN Cc AZ KG KK RU TJ UZ**
1161. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 **AF
DZ ES Cn CN EG IL LY MA TN**
1162. **Orchamus hebraeus Uvarov,1942** (Pamphagidae) Synonym(s): *hebraeus* Uvarov,1942 **IL Pa**
1163. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis*
Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 **DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG
KK**
1164. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 **DE AZ
AM GG Cc IR TR IL Pa LB JO**
1165. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914;
albicinctus Distant,1918; *filigranus* Haupt,1927 **PT ES EG IQ IL Pa IR Md MA TR PK JP TW**
1166. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 **CY FR GR ES
TR IL Pa JO LB SY**
1167. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763;
virens Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 **Cc AZ BG CY GR IL Pa UA Cm DZ TN
Md TZ**
1168. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea*
Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor*
Loew,1850; *italica* Rondani,1859 **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
1169. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s):
agamemnon Burmeister,1824 **EG Sn IL Pa SD SO SA AF PK**
1170. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei* Pérez,1887
DZ EG MA LY TN IL Pa JO SY
1171. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta*
Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT
Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
1172. **Osmia (Allosmia) rufotibialis Friese,1920** (Megachilidae) Synonym(s): *rufotibialis*
Friese,1920 **IL Pa JO**
1173. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853;
ruficollis Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 **AL GR Cr DZ EG TN CY IL Pa JO SY TR**
1174. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides*
Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL
Pa TR**

1175. **Osmia (Helicosmia) alfkeni** Ducke,1899 (Megachilidae) Synonym(s): *alfkeni* Ducke,1899; *crinita* Alfken,1942 **DZ MA TN EG IL Pa JO**
1176. **Osmia (Helicosmia) aquila** Warncke,1988 (Megachilidae) Synonym(s): *aquila* Warncke,1988 **TR IL Pa JO**
1177. **Osmia (Helicosmia) clypearis** Morawitz,1871 (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 **MK BG ES GR IL Pa JO SY Cc TR**
1178. **Osmia (Helicosmia) dimidiata** Morawitz,1870 (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**
1179. **Osmia (Helicosmia) dives** Mocsary,1877 (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
1180. **Osmia (Helicosmia) fasciata** Latreille,1811 (Megachilidae) Synonym(s): *fasciata* Latreille,1811; *atroalba* Morawitz,1875; *kuznetsovi* Cockerell,1930 **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
1181. **Osmia (Helicosmia) gutturalis** Warncke,1988 (Megachilidae) Synonym(s): *gutturalis* Warncke,1988 **TR IL Pa IR**
1182. **Osmia (Helicosmia) laticella** Zanden,1986 (Megachilidae) Synonym(s): *laticeps* Friese,1899 *nec* Thoms.,1872; *laticella* Zanden,1986 **EG IL Pa**
1183. **Osmia (Helicosmia) latreillei** (Spinola,1806) (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**
1184. **Osmia (Helicosmia) lazulina** Benoist,1928 (Megachilidae) Synonym(s): *lazulina* Benoist,1928 **TN DZ MA LY IL Pa**
1185. **Osmia (Helicosmia) niveata** (Fabricius,1804) (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
1186. **Osmia (Helicosmia) niveocincta** Pérez,1879 (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 **ES FR GR IT Sa PT DZ MA IL? Pa?**
1187. **Osmia (Helicosmia) notata** (Fabricius,1804) (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 **ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa**
1188. **Osmia (Helicosmia) signata** Erichson,1835 (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
1189. **Osmia (Helicosmia) sogdiana** Morawitz,1875 (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 **KK KG TJ TM UZ AF IL Pa SY TR**
1190. **Osmia (Helicosmia) subcornuta** Morawitz,1875 (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR**
1191. **Osmia (Hemiosmia) chrysolepta** Haeseler,2005 (Megachilidae) Synonym(s): *chrysolepta* Haeseler,2005 **EG? IL Pa JO**
1192. **Osmia (Hemiosmia) difficilis** Morawitz,1875 (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 **Osmia difficilis** Morawitz,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. **KK KG RU TJ UZ IL Pa TR IR**
1193. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
1194. **Osmia (Hoplosmia) distinguenda** (Tkalcu,1974) (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974 **IL Pa Js AM GR Cc JO TR**
1195. **Osmia (Hoplosmia) hermonensis** (Tkalcu,1992) (Megachilidae) Synonym(s): *hermonensis* Tkalcu,1992 **IL Pa SY He**
1196. **Osmia (Hoplosmia) ligurica** Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
1197. **Osmia (Hoplosmia) pinguis** Pérez,1895 (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994 **DZ MA TN IL Pa JO SY**
1198. **Osmia (Hoplosmia) scutellaris** Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
1199. **Osmia (Hoplosmia) spinigera** Latreille,1811 (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 **BG GR MK EG IL Pa JO LB SY TR**
1200. **Osmia (Monosmia) apicata** Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR**
1201. **Osmia (Neosmia) cinnabarina** Pérez,1895 (Megachilidae) Synonym(s): *cinnabarina* Pérez,1895 **DZ Cn MA TN IL Pa**

1202. **Osmia (Neosmia) gracilicornis Pérez,1895** (Megachilidae) Synonym(s): *gracilicornis Pérez,1895* **DZ MA TN IL Pa**
1203. **Osmia (Neosmia) jason Benoist,1929** (Megachilidae) Synonym(s): *jason Benoist,1929* **GR MK RO IL Pa**
1204. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica Mavromoustakis,1937* **GR CY IT Si IL Pa JO SY TR**
1205. **Osmia (Pyrosmia) avedata Warncke,1992** (Megachilidae) Synonym(s): *avedata Warncke,1992* **JO IL Pa**
1206. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes Morawitz,1870; bacillus Pérez,1879; pulsata Buysson,1899; longiceps Morawitz,1876* **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
1207. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha Pérez,1879; cyanoxura Zanden,1991; elbaba Warncke,1992* **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
1208. **Osmia (Pyrosmia) dilaticornis Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis Morawitz,1875* **TJ UZ Tas IL Pa JO TR**
1209. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea Latreille,1811; metallica Lucas,1849; igneopurpurea Costa,1882* **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
1210. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea Pérez,1895 nec Cress.,1864; gemmea Pérez,1896; ligulicornis Friese,1899* **DZ EG TN MA LY IL Pa**
1211. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados Zanden,1984* **AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR**
1212. **Osmia (Pyrosmia) hermona Warncke,1992** (Megachilidae) Synonym(s): *hermona Warncke,1992* **TJ IL Pa SY TR**
1213. **Osmia (Pyrosmia) lobata Friese,1899** (Megachilidae) Synonym(s): *lobata Friese,1899; leucopyga Ducke,1899* **ES PT DZ MA TN IL Pa**
1214. **Osmia (Pyrosmia) moreensis Zanden,1984** (Megachilidae) Synonym(s): *moreensis Zanden,1984* **GR Rd IL Pa SY TR**
1215. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana Morawitz,1874; tetrodonta Benoist,1934* **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
1216. **Osmia (Pyrosmia) ramona Warncke,1992** (Megachilidae) Synonym(s): *ramona Warncke,1992* **IL Pa**
1217. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola Ducke,1899; caelestina Benoist,1929; cypricola Mavromoustakis,1937; posti Mavromoustakis,1956; riemanni Warncke,1992* **ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR**
1218. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans Morawitz,1870; giraudi Schmiedeknecht,1886; hebraea Benoist,1934; canaria Mavromoustakis,1957; lanzarotae Warncke,1992; columbina Zanden,1996* **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
1219. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii Zanden,1981* **GR HV IT CY IL Pa JO SY TR**
1220. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor Latreille,1811; corrusca Erichson,1835; laeta Gistel,1857; algarbiensis Strand,1917; viricephalica Warncke,1992* **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR**
1221. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984* **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
1222. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina Gerstaecker,1869; nigrohirta Friese,1899; griseohirta Alfken,1935; umbrosa Peters,1978* **AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR**
1223. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
1224. **Oxycara hegetericum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hegetericum Reiche & Saulcy,1857* **EG IL Pa**
1225. **Oxycara pygmaeum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *pygmaeum Reiche & Saulcy,1857* **IL Pa EG**
1226. **Oxycera galeata (Lindner,1975)** (Stratiomyidae) Synonym(s): *galeata Lindner,1975* **IL Pa TR**
1227. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata Loew,1862* **RO GR CY RU UA Cc AZ TR IL LB**
1228. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata Linnaeus,1767; graeca Pontoppidan,1763; hypoleon Linnaeus,1767; fasciata Geoffroy,1785; proxima Loew,1873; collaris Brunetti,1889; transfasciata Pleske,1925; ferghanensis Pleske,1925; ucrainica Paramonov,1926; bucheti Seguy,1930; angustistomata Lindner,1938* **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**

1229. **Oxyyna nebulosa (Wiedemann,1817)** (Tephritidae) Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* Robineau-Desvoidy,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870 **TR BY CZ EE IL Pa LT MD RU UA**
1230. **Oxyrhachis caligula Capener,1962** (Membracidae) Synonym(s): *caligula* Capener,1962 **EG IL Pa EH**
1231. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 *nec* Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 **EG IL Pa JO IT MA SY TN TR RU YU TM**
1232. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 **EG IL Pa IT JO MA SY TN TR CN Ui YU**
1233. **Oxyrhachis furva Capener,1962** (Membracidae) Synonym(s): *furva* Capener,1962 **EG IL Pa EH**
1234. **Oxyrhachis versicolor Distant,1916** (Membracidae) Synonym(s): *versicolor* Distant,1916 **DZ EG IL Pa**
1235. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
1236. **Oxythyrea noemi Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Sauley,1856 **CY TR SY LB JO Pa IL**
1237. **Pachyanthrax flavifacies (Austen,1937)** (Bombyliidae) Synonym(s): *flavifacies* Austen,1937 **IL Pa**
1238. **Pachyanthrax nimrodicus Zaitzev,1999** (Bombyliidae) Synonym(s): *nimrodicus* Zaitzev,1999 **IL Pa**
1239. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
1240. **Pachybrachis (s.str.) freidbergi Lopatin,1994** (Chrysomelidae) Synonym(s): *freidbergi* Lopatin,1994 **EG Sn IL Pa**
1241. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 **GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd**
1242. **Pachybrachis (s.str.) scripticollis Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905 **Cc TR IL Pa**
1243. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953 **TR Cc IL Pa LB SY TM**
1244. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 **SE PT ES BG UA Cc GG TR IL**
1245. **Pachyscelis crinita Solier,1836** (Tenebrionidae) Synonym(s): *crinita* Solier,1836 **DZ IL Pa**
1246. **Paradorydium dimorphum Linnavuori,1962** (Cicadellidae) Synonym(s): *dimorphum* Linnavuori,1962 **IL TN**
1247. **Parageron dimonicus Zaitzev,1996** (Bombyliidae) Synonym(s): *dimonicus* Zaitzev,1996 **IL Pa**
1248. **Parageron negevi Zaitzev,1996** (Bombyliidae) Synonym(s): *negevi* Zaitzev,1996 **IL Pa**
1249. **Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846 **TR GR IL Pa IT SY**
1250. **Parageron volkovitshi Zaitzev,1996** (Bombyliidae) Synonym(s): *volkovitshi* Zaitzev,1996 **IL Pa**
1251. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
1252. **Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus* Dlabola,1961 **IL Pa TR MN RO RU TJ UZ**
1253. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
1254. **Paramacroceps maculipennis Linnavuori,1962** (Cicadellidae) Synonym(s): *maculipennis* Linnavuori,1962 **IL**
1255. **Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959 **IT IL Pa UZ RU TR IR**
1256. **Paramesus major Haupt,1927** (Cicadellidae) Synonym(s): *major* Haupt,1927 **CS IL Pa TR KG UZ**
1257. **Paraphamartania syriaca (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867 **IR Elb Th KG SY GR IL Pa TR**
1258. **Parapholidoptera willemsei Katbeh Bader & Massa,2001** (Tettigoniidae) Synonym(s): *willemsei* Katbeh Bader & Massa,2001 **IL Pa JO**
1259. **Pareumenes enslini (Schulthess,1931)** (Vespidae) Synonym(s): *enslini* Schulthess,1931 **IL Pa**
1260. **Pedostrangalia riccardoi Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984 **IL Pa SY JO Dms TR**

1261. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
1262. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1263. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839 PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
1264. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
1265. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1266. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1267. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
1268. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
1269. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
1270. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 RU Cc UA Cm IQ TR IR IQ CY LB IL Pa
1271. **Pentodon variolopunctatus Fairmaire,1879** (Scarabaeidae) Synonym(s): *variolopunctatus* Fairmaire,1879 LY EG Sn IL Pa SA
1272. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
1273. **Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): *concolor* Desbrochers,1875 LB IL Pa SY TR
1274. **Perissana circularis (Linnavuori,1952)** (Issidae) Synonym(s): *circularis* Linnavuori,1952 EG IL Pa
1275. **Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948 AF CY IQ IL Pa TR
1276. **Perkinsiella rivularis Linnavuori,1964** (Delphacidae) Synonym(s): *rivularis* Linnavuori,1964 EG IL Pa
1277. **Pezotettix curvicerca Uvarov,1934** (Acrididae) Synonym(s): *curvicerca* Uvarov,1934 IL Pa Js
1278. **Pezotettix judaica Uvarov,1934** (Acrididae) Synonym(s): *judaica* Uvarov,1934 IL Pa Js
1279. **Phaenotheriolum steindachneri (Frigaldsky,1883)** (Anthribidae) Synonym(s): *steindachneri* Frivaldsky,1883 LB IL Pa TR
1280. **Phaiophantia jordanensis Linnavuori,1962** (Flatidae) Synonym(s): *jordanensis* Linnavuori,1962 IL
1281. **Phanerotoma ocellaria Kohl,1906** (Braconidae) Synonym(s): *ocellaria* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
1282. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
1283. **Pharaonus varicolorus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicolorus* Burmeister,1844 TR IR IQ IL Pa
1284. **Pheidole jordanica Saulcy,1874** (Formicidae) Synonym(s): *jordanica* Saulcy,1874; *schmitzi* Forel,1911 EG JO SA IL Pa
1285. **Pheidole orientalis Emery,1915** (Formicidae) Synonym(s): *orientalis* Emery,1915 IL Pa SA
1286. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens* Sykes,1835; *indica* Mayr,1879; *himalayana* Forel,1902 Cn EG IL Pa IR SA IN
1287. **Pheidole sinaitica Mayr,1862** (Formicidae) Synonym(s): *sinaitica* Mayr,1862 EG Sn IL Pa
1288. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913 IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
1289. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1290. **Phlebotomus (Larrousius) mascittii Grassi,1908** (Psychodidae) Synonym(s): *mascittii* Grassi,1908 IR IL Pa
1291. **Phlebotomus (Larrousius) syriacus Adler & Theodor,1930** (Psychodidae) Synonym(s): *syriacus* Adler & Theodor,1930 IL Pa SY TR

1292. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1293. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1294. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1295. **Phloiocopus andresi Schenkling,1912** (Cleridae) Synonym(s): *andresi* Schenkling,1912 EG SY IL Pa
1296. **Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis* Klug,1842 EG Sn IL Pa CY TR
1297. **Phradonoma draco Hava,2006** (Dermestidae) Synonym(s): *draco* Hava,2006 IL Pa
1298. **Phradonoma hirsutululum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutululum* Reiche,1868 ER ET IL Pa SA SY TM
1299. **Phradonoma spectrum Hava,2006** (Dermestidae) Synonym(s): *spectrum* Hava,2006 IL Pa
1300. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846 IT TR B-H HV FR GR IR IL Pa MK SS ES YU
1301. **Phthiria freidbergi Zaitzev,2002** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev,2002 IL Pa
1302. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1303. **Phthiria pulchripes Austen,1937** (Bombyliidae) Synonym(s): *pulchripes* Austen,1937 IL Pa
1304. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1305. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1306. **Phthiria variceps Austen,1937** (Bombyliidae) Synonym(s): *variceps* Austen,1937 IL Pa
1307. **Phthiria variegata Austen,1937** (Bombyliidae) Synonym(s): *variegata* Austen,1937 IL Pa
1308. **Phthiria virgata Austen,1937** (Bombyliidae) Synonym(s): *virgata* Austen,1937 IL Pa
1309. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1310. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster,1771; *hauseri* Reitter,1894 SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
1311. **Phyllotreta erysimi Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900 TR Cc IR IL Pa KG RU MN
1312. **Phyllotreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901 BG TR AM IL Pa IR JO Cc
1313. **Phyllotreta punctulata (Marsham,1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802 Cc TR IL Pa MA
1314. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1315. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1316. **Pimelia (Melanostola) bajula Klug,1830** (Tenebrionidae) Synonym(s): *bajula* Klug,1830 TR SY IL Pa
1317. **Pimelia prolongata Miller,1861** (Tenebrionidae) Synonym(s): *prolongata* Miller,1861 SY IL Pa
1318. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901 PT ES FR IT MA AZ Cc IR IL Pa GR
1319. **Platycleis (Decorana) buxtoni (Uvarov,1923)** (Tettigoniidae) Synonym(s): *buxtoni* Uvarov,1923; *erecta* Uvarov,1939 IL Pa Js
1320. **Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): *escalerae* Bolivar,1899; *iphigeniae* Adelung,1907; *graeca* Harz,1966 TR Cc AZ Nv Ord IR Ak Ab Elb IL Pa
1321. **Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata* Selys,1863 TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
1322. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880 EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1323. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1324. **Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927 IR IQ IL Pa JO TR
1325. **Platymetopius quercicola Linnavuori,1962** (Cicadellidae) Synonym(s): *quercicola* Linnavuori,1962 IL Pa

1326. **Platymetopius retamae** Linnavuori,1962 (Cicadellidae) Synonym(s): *retamae* Linnavuori,1962 **IL Pa**
1327. **Platymyrmilla quinquefasciata** (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811 **TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD**
1328. **Platyproctus agraphopteron** Bergevin,1932 (Cicadellidae) Synonym(s): *agraphopteron* Bergevin,1932 **DZ IL**
1329. **Platystoma arcuatum** Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856 **FR GR Cr TR SY IL Pa RO RU**
1330. **Poecilimon anatolicus** Ramme,1933 (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985 **TR AF IR IQ SY IL Pa GR**
1331. **Poecilobothrus basilius** (Loew,1869) (Dolichopodidae) Synonym(s): *basilius* Loew,1869 **IT IL Pa**
1332. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae) Synonym(s): *associus* Kohl,1898 **IT FR GR YU TR Cc AZ IL IN CN**
1333. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *mucheii* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
1334. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 **ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF**
1335. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae) Synonym(s): *nimpha* Christ,1791 **DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa**
1336. **Polistes (s.str.) sulcifer** (Zimmermann,1930) (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930 **Md ES TR DZ EG IL IR**
1337. **Polyphonus laevigatus** Loew,1848 (Asilidae) Synonym(s): *laevigatus* Loew,1848 **AZ Cc RU GR AL IR IL Pa TR SY**
1338. **Polyphylla (s.str.) olivieri** (Laporte de Castelnau,1840) (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840 **RU Cc AM GG AL GR TR IR SY IL Pa**
1339. **Populicerus populi** (Linnaeus,1761) (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 **DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU**
1340. **Prionosthenus (Lavivertex) liebmanni** Werner,1939 (Pamphagidae) Synonym(s): *liebmanni* Werner,1939 **IL Pa**
1341. **Prionosthenus (s.str.) galericulatus** (Stal,1876) (Pamphagidae) Synonym(s): *galericulatus* Stal,1876 **IL Pa**
1342. **Promachus griseiventris** Becker,1913 (Asilidae) Synonym(s): *griseiventris* Becker,1913; *aegyptiacus* Efflatoun,1929 **IR Ss Kc EG IL Pa SD**
1343. **Promachus leoninus** Loew,1848 (Asilidae) Synonym(s): *leoninus* Loew,1848 **YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM**
1344. **Promachus mustelus** Loew,1854 (Asilidae) Synonym(s): *mustela* Loew,1854 **SY LB IL Pa TR**
1345. **Propomacrus bimucronatus** (Pallas,1781) (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781 **BG GR TR IR IL Pa SY LB**
1346. **Prostemma krueperi** Stein,1878 (Nabidae) Synonym(s): *krueperi* Stein,1878 **RU IL Pa SY TR Cc GR**
1347. **Protaetia (Eupotosia) miriffica** (Mulsant & Rey,1840) (Scarabaeidae) Synonym(s): *miriffica* Mulsant & Rey,1840 **FR ES IT YU SY TR IL Pa**
1348. **Protaetia (Foveopotosia) judith** (Reiche,1871) (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898 **TR CY SY LB IL Pa EG**
1349. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
1350. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménériés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv**
1351. **Protonemura zernyi** Aubert,1964 (Nemouridae) Synonym(s): *zernyi* Aubert,1964 **IL Pa LB**
1352. **Protosmia (Chelostomopsis) longiceps** (Friese,1899) (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928 **GR Cr TR IL Pa JO SY LB**
1353. **Protosmia (Nanosmia) pulex** (Benoist,1935) (Megachilidae) Synonym(s): *pulex* Benoist,1935 **IL Pa Jf**
1354. **Protosmia (s.str.) humeralis** (Pérez,1895) (Megachilidae) Synonym(s): *humeralis* Pérez,1895 **ES DZ IL Pa JO SY TR**
1355. **Protosmia (s.str.) monstrosa** (Pérez,1895) (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
1356. **Protosmia (s.str.) paradoxa** (Friese,1899) (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
1357. **Protosmia (s.str.) tiftensis** (Morawitz,1876) (Megachilidae) Synonym(s): *tiftensis* Morawitz,1876; *graffei* Schmiedeknecht,1890 **BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR**

1358. **Protosmia judaica (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *judaica Mavromoustakis,1948* IL Pa Js
1359. **Psammotettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): *adriaticus Wagner,1959; linnavuorii Wagner,1959* EG FR IL IT TN
1360. **Psammotettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus Linnavuori,1951* CY EG IL Pa TR Cc GG
1361. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869* AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1362. **Pseudaraeopus bolivari (Melichar,1901)** (Delphacidae) Synonym(s): *bolivari Melichar,1901* ES Cn EG IR IL PT ES
1363. **Pseudaraeopus frontalis (Lindberg,1958)** (Delphacidae) Synonym(s): *frontalis Lindberg,1958* IL
1364. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi Mulsant & Rey,1879; ribauti Lallemand,1921* ES Cn CY FR IL YU GR Cr IT Si TR
1365. **Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta Gusenleitner,1972* IL Pa JO Amm TR
1366. **Pseudoliarus palaestinensis Linnavuori,1962** (Cixiidae) Synonym(s): *palaestinensis Linnavuori,1962* IL Pa TR
1367. **Pseudophotopsis aegyptiaca (Bischoff,1920)** (Mutillidae) Synonym(s): *aegyptiaca Bischoff,1920* IL Pa EG LY SD TD
1368. **Pseudophotopsis fumata Bischoff,1920** (Mutillidae) Synonym(s): *fumata Bischoff,1920* IL Pa LY TN TD EH
1369. **Pseudophotopsis maura Bischoff,1920** (Mutillidae) Synonym(s): *maura Bischoff,1920* IL Pa TN DZ LY EG TD
1370. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda Skorikov,1935; robusta Skorikov,1935; mavromoustakisi Suarez,1959; #schachrudi Özbek et al.,1999; caucasica auct.* TM IR TR CY AM Cc IL Pa
1371. **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca André,1900; caspica sensu Özbek et al.,1999 nec Radoszkowski,1885* SY IL Pa TR GR
1372. **Pseudosymmorphus moricei (Schulthess,1925)** (Vespidae) Synonym(s): *moricei Schulthess,1925* IL Pa
1373. **Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus Giordani Soika,1952; asiaticus Giordani Soika,1970* SY JO IL Pa TR
1374. **Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus Allard,1861* TR IL Pa SY JO
1375. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor Pic,1903* ES BG GR TR SY IL Pa LB IQ
1376. **Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor Heikertinger,1926* AZ Cc TR LB CY IL Pa
1377. **Pterochilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus André,1884* IL Pa JO TN DZ Cn
1378. **Pteropyx hyalinus Haupt,1927** (Cicadellidae) Synonym(s): *hyalinus Haupt,1927* EG IL Pa
1379. **Puer maculatus (Olivier,1789)** (Ascalaphidae) Synonym(s): *maculatus Olivier,1789* FR DZ IL Pa
1380. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens Fabricius,1787; rufitarsis Macquart,1838; jordanica Lindner,1974* ES PT RU Cc AM TR IL Pa MA DZ TN
1381. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus Loew,1847* TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
1382. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus Loew,1847; anthophorinus Loew,1847* TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG
1383. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri Burr,1899; brevipennis Bolivar,1904; predtetschenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961* TR IR TM IL Pa SY IR ZM
1384. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1385. **Quartinia candida Gusenleitner,1997** (Vespidae) Synonym(s): *candida Gusenleitner,1997* IL Pa
1386. **Recilia angustisectus (Linnavuori,1962)** (Cicadellidae) Synonym(s): *angustisectus Linnavuori,1962* IL
1387. **Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus Linnavuori,1962; zercanus Dlabola,1965* GR TR JO LB IL
1388. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix Loew,1856* IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
1389. **Rhamphomyia (Holoclera) biserialis Collin,1960** (Empididae) Synonym(s): *biserialis Collin,1960* IL Pa

1390. **Rhamphomyia (Holoclera) tenuipes** Becker,1907 (Empididae) Synonym(s): *tenuipes* Becker,1907 **IL Pa**
1391. **Rhamphomyia (Pararhamphomyia) intersita** Collin,1960 (Empididae) Synonym(s): *intersita* Collin,1960 **IL Pa**
1392. **Rhamphomyia (Pararhamphomyia) sulcatella** Collin,1926 (Empididae) Synonym(s): *sulcatella* Collin,1926 **IL Pa**
1393. **Rhamphomyia (s.str.) furmani** Bartak & Stepan,2009 (Empididae) Synonym(s): *furmani* Bartak & Stepan,2009 **IL Pa**
1394. **Rhamphomyia (s.str.) hermonensis** Bartak & Stepan,2009 (Empididae) Synonym(s): *hermonensis* Bartak & Stepan,2009 **IL Pa**
1395. **Rhamphomyia (s.str.) karamanensis** Bartak, Çiftçi & Hasbenli,2007 (Empididae) Synonym(s): *karamanensis* Bartak, Çiftçi & Hasbenli,2007 **TR IL Pa**
1396. **Rhodus cyprius** (Houard,1919) (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *keziwi* Melika,2003 **GR Cr Rd SY CY IL Pa**
1397. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 **DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU**
1398. **Rhynchites lenaeus** Faust,1891 (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926 **BG AM Cc MK GR TR SY IL Pa**
1399. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794 **IL Pa Cc TR SY CY**
1400. **Ribautiana tenerrima** (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 **AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA**
1401. **Rivetina baetica** (Rambur,1838) (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 **MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa**
1402. **Rivetina byblica** La Greca & Lombardo,1982 (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982 *Rivetina byblica* La Greca & Lombardo,1982, *Animalia* 9 (1/3): 368-369. Holotype ♂: Giordania, Wadi Shu'elb (A.R.Waterston). **JO IL Pa SY Hal TR**
1403. **Ronisia marocana** (Olivier,1811) (Mutillidae) Synonym(s): *marocana* Olivier,1811 **TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG**
1404. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 *Saga ephippigera* Fischer von Waldheim,1846, *Orth Ross.:* 185, pl.30. Type(s): Caucasus. **Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd**
1405. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae) Synonym(s): *onos* Stoll,1787 *nec* Pall.,1772; *synophrys* Charpentier,1841; *natoliae* Audinet-Serville,1839; *brunneri* Saussure,1888 *Saga natoliae* Audinet-Serville,1839, *Hist. nat. Ins. Orthopteres:* 541-542. Syntypes: "Smyrne" (coll. M.A.Lefebvre). **AL MK BG TR SY IL Pa**
1406. **Saltella nigripes** Robineau-Desvoidy,1830 (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
1407. **Sapromyza freidbergi** Yarom,1990 (Leuxaniidae) Synonym(s): *freidbergi* Yarom,1990 **IL Pa**
1408. **Sapromyza gozmanyi** Papp,1981 (Leuxaniidae) Synonym(s): *gozmanyi* Papp,1981 **DZ CY IL Pa TR**
1409. **Sapromyza intonsina** Yarom,1990 (Leuxaniidae) Synonym(s): *intonsina* Yarom,1990 **IL Pa TR**
1410. **Sapyga (s.str.) gusenleitneri** Kurzenko,1994 (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994 **TR IL Pa JO**
1411. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781 **TR SY Bld CY IL Pa JO MT GR MA TN MA**
1412. **Sapygina decemguttata** (Jurine,1807) (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889 **TR IL Pa GR Le**
1413. **Sarcophaga (Bercaea) africa** (Wiedemann,1819) (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 **AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG**
1414. **Sarcophila latifrons** (Fallén,1817) (Sarcophagidae) Synonym(s): *latifrons* Fallén,1817 **TR IL Pa**
1415. **Sargus cuprarius** (Linnaeus,1758) (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 **ES IT BG RU Cc TR IL Pa MN YU AT SE TJ**
1416. **Sargus maculatus** (Lindner,1936) (Stratiomyidae) Synonym(s): *maculatus* Lindner,1936 **CY IL Pa**
1417. **Saropogon ehrenbergii** Loew,1851 (Asilidae) Synonym(s): *ehrenbergii* Loew,1851 **GR SY LB IL Pa TR**
1418. **Saropogon eucerus** (Loew,1847) (Asilidae) Synonym(s): *eucerus* Loew,1847 **GR IL Pa TR**

1419. **Saropogon longicornis (Macquart,1838)** (Asilidae) Synonym(s): *longicornis* Macquart,1838
IR Ss Kh Th Elb EG IL Pa
1420. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828;
aegypticus Macquart,1838; *confluens* Loew,1851 TR IR Ss IL Pa EG SY LY CH
1421. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke Kh
Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
1422. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1423. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus*
Ménériés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
1424. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 RU Cc AM TM
TJ TR HU IT YU AL GR SY IL Pa JO AF
1425. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis*
Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
1426. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus*
De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus*
Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG
MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1427. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon*
Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB
IL Pa CN MN KP KR
1428. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794
DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1429. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA
DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
1430. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber,1861;
#ochraceus Önder et al.,2006 IQ IL Pa CY SY TM TR
1431. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides*
Becker,1903 EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
1432. **Scotodryadusa annulicornis (Uvarov,1922)** (Tettigoniidae) Synonym(s): *annulicornis*
Uvarov,1922 IL Pa Hf
1433. **Scotodryadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927;
palaestina Uvarov,1939 IL Pa JO SY TR IQ IR AF
1434. **Selinocephalus bytinskii Lindberg,1953** (Cicadellidae) Synonym(s): *bytinskii* Lindberg,1953
IL Pa
1435. **Selinocephalus deserticola Linnavuori,1962** (Cicadellidae) Synonym(s): *deserticola*
Linnavuori,1962 IL Pa
1436. **Selinocephalus flavicosta Linnavuori,1962** (Cicadellidae) Synonym(s): *flavicosta*
Linnavuori,1962 IL Pa
1437. **Selinocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens* Lindberg,1948;
obscurus Lindberg,1953 CY IL Pa MA TN TR
1438. **Selinocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus*
Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos &
Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
1439. **Selinocephalus striatus (Lindberg,1953)** (Cicadellidae) Synonym(s): *striatus* Lindberg,1953
IL Pa
1440. **Sergentomyia (Parrotomyia) palestinensis (Adler & Theodor,1927)** (Psychodidae)
Synonym(s): *palestinensis* Adler & Theodor,1927 IL Pa IR
1441. **Sergentomyia (Sintonius) tiberiadis (Adler, Theodor & Lourie,1930)** (Psychodidae)
Synonym(s): *tiberiadis* Adler, Theodor & Lourie,1930 IL Pa IR
1442. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 AF CY IR
IQ IL TR RU Da Cc AZ UZ
1443. **Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris* Horvath,1911 TR IQ IL
Pa Cc SY
1444. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s):
velutinum Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum*
Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum*
Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT
RO YU SK SS ES TN TR UA Cm
1445. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus*
Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1446. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
xanthostomus Gravenhorst,1829 DZ TR CY IL Pa JO Cc AM IR SA
1447. **Smaragdina clypealis (Medvedev,1992)** (Chrysomelidae) Synonym(s): *clypealis*
Medvedev,1992 IL Pa
1448. **Smaragdina furthi Erber & Medvedev,1999** (Chrysomelidae) Synonym(s): *furthi* Erber &
Medvedev,1999 IL Pa

1449. **Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica* Lefebvre,1872 TR IL Pa SY
1450. **Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832 BG GR TR SY IL Pa
1451. **Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana* Lacordaire,1848 TR SY IQ IL Pa JO
1452. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
1453. **Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae* Hölzel,1967 IQ IR AF PK IL
1454. **Spathulina sicula Rondani,1856** (Tephritidae) Synonym(s): *sicula* Rondani,1856; *tristis* Loew,1869; *luisieri* Tavares,1901; *sepia* Becker,1908 TR Cn IL Pa
1455. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1456. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
1457. **Stegelytra albofasciata Linnavuori,1962** (Cicadellidae) Synonym(s): *albofasciata* Linnavuori,1962 IL Pa
1458. **Stenares irroratus (Navas,1912)** (Myrmeleonidae) Synonym(s): *irroratus* Navas,1912 OM IL
1459. **Stenocranus pallidus Linnavuori,1962** (Delphacidae) Synonym(s): *pallidus* Linnavuori,1962 IL Pa
1460. **Stenodera caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica* Pallas,1781 TR Cc SY IL Pa IR RU Sb
1461. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935 *Heriades asiaticus* Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Aïran". TR BG GR HV IL Pa JO LB SY
1462. **Stenoheriades eingeddicus Griswold,1994** (Megachilidae) Synonym(s): *eingeddicus* Griswold,1994 IL Pa JO OM
1463. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus* Meigen,1804 TR IR EG GR FR HU IL Pa RO RU TN
1464. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus* Macquart,1838 MA DZ TN EG IL Pa IR Ss
1465. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861 IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
1466. **Stenopogon rufescens Theodor,1980** (Asilidae) Synonym(s): *rufescens* Theodor,1980 IL Pa TR
1467. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767 Cc IR FR HV TR SY LB JO IL Pa
1468. **Stenosis fulvipes Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *fulvipes* Reiche & Sauley,1857 IL Pa
1469. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini* Vasiliev,1935 AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR
1470. **Stichopogon albellus Loew,1856** (Asilidae) Synonym(s): *albellus* Loew,1856 IR Ss Kz IL Pa EG
1471. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902 TR IR Kh Elb Th CY EG IL Pa KG LY MN
1472. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
1473. **Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti* Royer,1923 RU Cc TR IL Pa CY DZ
1474. **Stiphrolamyra rubicunda Oldroyd,1947** (Asilidae) Synonym(s): *rubicunda* Oldroyd,1947 LY EG IL Pa IR Fa
1475. **Stiphrolamyra sinaitica Theodor,1980** (Asilidae) Synonym(s): *sinaitica* Theodor,1980 IL Pa IQ Bgd
1476. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 FR CY RU TR Cc AM IL SY IR EG MA DZ TN
1477. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
1478. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 AL BG CY IL Pa IR IT JP KP AZ Cc TR

1479. **Suhpalasca fuscostigma Navas,1925** (Ascalaphidae) Synonym(s): *fuscostigma Navas,1925* IL Pa
1480. **Sybistroma golanica (Gricharov,2000)** (Dolichopodidae) Synonym(s): *golanica Gricharov,2000* IL Pa
1481. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar Rondani,1843* BG GR IL RO HU IT TR
1482. **Sybistroma israelensis (Grichanov,2000)** (Dolichopodidae) Synonym(s): *israelensis Grichanov,2000* IL Pa
1483. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis Meigen,1824; wiedemanni Rondani,1843* BG EG GR IL Pa IQ RO RU
1484. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis Nees,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massassoit Crawford,1913; fulvipes Györfi,1941* TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU
1485. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804* AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
1486. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes Fabricius,1787* AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
1487. **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *egregius Herrich-Schäffer,1839* TR JO Amm IL Pa
1488. **Synophyopsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
1489. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis Illiger,1798* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1490. **Systropha (s.str.) hirsuta Spinola,1839** (Halictidae) Synonym(s): *hirsuta Spinola,1839; christae Warncke,1992* EG IL Pa
1491. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
1492. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps Meigen,1824; argentifrons Macquart,1835; pusilla Macquart,1845; fuscipennis Macquart,1845; alpicola Rondani,1861; tricondyla Rondani,1868; roederi Giglio-Tos,1891; similis Giglio-Tos,1891* RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
1493. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera Linnaeus,1761* TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
1494. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
1495. **Tachorga recurviceps (Linnavuori,1956)** (Dictyopharidae) Synonym(s): *recurviceps Linnavuori,1956* IL
1496. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum Fieber,1876* Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
1497. **Tachycixius perarmatus (Linnavuori,1962)** (Cixiidae) Synonym(s): *perarmatus Linnavuori,1962* IL Pa
1498. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus Stannius,1831; litoreus Haliday,1833; obscuripes Gertaecker,1864; beckeri Müller,1923* Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn
1499. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis Becker,1907* EG IL Pa SY DZ Cn ET IR SA TN TM
1500. **Tachytrechus tessellatus (Macquart,1842)** (Dolichopodidae) Synonym(s): *tessellatus Macquart,1842; indirectus Walker,1849; picticornis Bigot,1890; salinarius Becker,1902; seychellensis Lamb,1922; capensis Curran,1924; ponderosus Frey,1958* ZA SC IL Pa EG YE Sk NC
1501. **Tamaricella adspersa (Haupt,1927)** (Cicadellidae) Synonym(s): *adspersa Haupt,1927* EG IL JO
1502. **Tamaricella complicata Dworakowska,1972** (Cicadellidae) Synonym(s): *complicata Dworakowska,1972* EG IL
1503. **Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG IL Pa TR
1504. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872; subpunctata Vilbaste,1961* BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
1505. **Tamaricella tangigharuha (Dlabola,1957)** (Cicadellidae) Synonym(s): *tangigharuha Dlabola,1957* AF EG IL

1506. **Temelucha meritionellator Aubert,1981** (Ichneumonidae) Synonym(s): *meritionellator Aubert,1981* MT TR IL Pa
1507. **Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): *observator Aubert,1966* TN RO TR IL Pa EG
1508. **Tenthredo zonula Klug,1817** (Tenthredinidae) Synonym(s): *zonula Klug,1817; fasciata Scopoli,1763 nec Linn.,1758; bifasciata Geoffroy,1785; bicictaflava Christ,1791; similis Mocsary,1880; nazarensis André; serena Konow; calcaratus André,1881; scutellaris Konow,1898* TR RU UA IR MD Cc AM IL SY LB
1509. **Tenthredopsis albonotata (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata Brullé,1832; propinqua Mocsary,1880 nec Klug,1817* TR LB SY IL
1510. **Tentyria collatina Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *collatina Reiche & Saulcy,1857; latiuscula Kraatz,1865* SY IL Pa
1511. **Tentyria discicollis Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *discicollis Reiche & Saulcy,1857* SY IL Pa
1512. **Tephritis formosa (Loew,1844)** (Tephritidae) Synonym(s): *formosa Loew,1844* TR Cc IL Pa GB IR CN
1513. **Tephritis hurvitzi Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzi Freidberg,1981* TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
1514. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844 Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ*
1515. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata Rondani,1871* TR IL Pa TJ RU Sb SY IQ KK KG
1516. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta Loew,1869* TR GR Cr IL Pa IR EG
1517. **Teratolytta senilis (Abeille de Perrin,1895)** (Meloidae) Synonym(s): *senilis Abeille de Perrin,1895; bytinskii Kaszab,1957* TR IL Pa
1518. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis Loew,1844; #fuscicornis Giray,1979* TR ES FR CY GR IL Pa
1519. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma M.Hering,1936* TR CY Cc IL Pa LB IR
1520. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola Wiedemann,1830* TR ES IT GR LB IL TN EG Sn KG
1521. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula Loew,1869* TR Cc AM AZ IL Pa LB JO IR
1522. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae Linnaeus,1758* TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
1523. **Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens Loew,1846* TR AF KG IL Pa IR CA
1524. **Tethina acrostichalis Freidberg & Beschovsky,1996** (Tethinidae) Synonym(s): *acrostichalis Freidberg & Beschovsky,1996* IL Pa
1525. **Tethina guttata Freidberg & Beschovski,1996** (Tethinidae) Synonym(s): *guttata Freidberg & Beschovski,1996* IL Pa TN
1526. **Tethina shalom Freidberg & Beschovski,1996** (Tethinidae) Synonym(s): *shalom Freidberg & Beschovski,1996* IL Pa
1527. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866* Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
1528. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii Signoret,1866* AL BG CS FR GR IL IT RO ES TR RU TJ YU
1529. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1530. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
1531. **Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra Kirschbaum,1868* DZ IL ES SY TN
1532. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata Lindberg,1948* AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
1533. **Tettigometra contracta Lindberg,1948** (Tettigometridae) Synonym(s): *contracta Lindberg,1948* IL
1534. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina Fieber,1865* Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU

1535. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis Ebner,1946* *Tettigonia acutipennis Ebner,1946*, *Eos* 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
1536. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868* CY FR IL Pa IT Si SY GR TR YU
1537. **Thamnotettix allygidioides Linnavuori,1953** (Cicadellidae) Synonym(s): *allygidioides Linnavuori,1953* IL Pa
1538. **Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus Linnavuori,1958* IL Pa JO LB TR
1539. **Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti Lefebvre,1835*; *sanguinolentus Spinola,1844*; *girodi Chevrolat,1880*; *tabacci Matsumura,1935* DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd
1540. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820*; *taenita Meigen,1820*; *antheracoides Macquart,1840*; *arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1541. **Thereva semirufa Kröber,1912** (Therevidae) Synonym(s): *semirufa Kröber,1912* IL Pa
1542. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes Scopoli,1763*; *sanguinea Fabricius,1803*; *helveola Germar,1821*; *viridinervis Fieber,1876* Cicada *haematodes Scopoli,1763*, *Ent. Carn.* 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1543. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata Costa,1847* US DZ RU IL Pa SY TR CN UI
1544. **Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola Loew,1873* GR BG TR UA IL Pa
1545. **Tipula (Lunatipula) pseudopeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *pseudopeliostigma Mannheims,1965* LB IL Pa TR
1546. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis Meigen,1804*; *itermedia Eiroa,1990* *Tipula lateralis Meigen,1804*, *Klass. Besch.* 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1547. **Tituboea chikatunovi (Lopatin,1995)** (Chrysomelidae) Synonym(s): *chikatunovi Lopatin,1995* IL Pa
1548. **Tituboea israelita (Medvedev,1992)** (Chrysomelidae) Synonym(s): *israelita Medvedev,1992* IL Pa
1549. **Tolmerus tivonensis Theodor,1980** (Asilidae) Synonym(s): *tivonensis Theodor,1980* IL Pa TR IR
1550. **Toxophora bezzii Paramonov,1933** (Bombyliidae) Synonym(s): *bezzii Paramonov,1933* EG IL Pa
1551. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789*; *maculata Rossi,1790 nec Müll.,1764*; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1552. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866*; *hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1553. **Trachyderma philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s): *philistina Reich & Saulcy,1857*; *gomorrhana Reiche & Saulcy,1857*; *persea Baudi,1875*; *ovalipennis Baudi,1875* TR GR IL Pa IR
1554. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer Piochard,1876* BG GR TR CY IL Pa JO LB SY
1555. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1556. **Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus Csiki,1928* TR CY IL Pa JO LB SY
1557. **Trematopygus triangulator Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator Aubert,1981* IL Pa TR
1558. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus Wulp,1899*; *albipila Becker,1907* IR Kz MA DZ EG IL Pa YE KG MN
1559. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis Chevrolat,1843*; *apicalis Champenois,1900* GR Cr TR JO EG SY IL Pa Js
1560. **Trichodes cyprius Reitter,1893** (Cleridae) Synonym(s): *cyprius Reitter,1893* IL Pa CY
1561. **Trichodes dilatipennis Reitter,1893** (Cleridae) Synonym(s): *dilatipennis Reitter,1893* TR SY JO IL Pa
1562. **Trichodes ganglbaueri Escherich,1893** (Cleridae) Synonym(s): *ganglbaueri Escherich,1893*; *israelicus Winkler,1963* GR CY TR IL Pa IR
1563. **Trichodes inermis Reitter,1893** (Cleridae) Synonym(s): *inermis Reitter,1893* TR Cc RU IL Pa IR Ak Ab

1564. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus Chevrolat,1843* GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
1565. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis Klug,1842; sanguineosignatus Spinola,1844* AL GR TR SY IL Pa IR Cc AM TJ Pm KG
1566. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus Fischer,1829; illustris Klug,1842; viridifasciatus Chevrolat,1843* TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
1567. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus Adams,1817* GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
1568. **Trichodes reichei Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei Mulsant & Rey,1863; conjunctus Escherich,1892* TR SY Hal Lik IL Pa IR Cc AM
1569. **Trichodes rubrolimbatus Chevrolat,1876** (Cleridae) Synonym(s): *rubrolimbatus Chevrolat,1876; difficilis Escherich,1893* TR SY IL Pa
1570. **Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus Linnaeus,1758; subfasciatus Kraatz,1873; frater Kraatz,1893; fraterculus Zaitzev,1915* TR GR EG IL Pa SY Cc AM Eri IR
1571. **Trichodes syriacus Spinola,1844** (Cleridae) Synonym(s): *syriacus Spinola,1844* TR SY IL Pa JO
1572. **Trichodes viridiaureus (Abeille,1881)** (Cleridae) Synonym(s): *viridiaureus Abeille,1881* IL Pa
1573. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851; halictivorus Rondani,1856* TR AZ Cc IR FR GR IT RU KG IL Pa
1574. **Tricephorella geniculata (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata Horvath,1881; fasciata Kirschbaum,1868* IL Pa LB SY TR YU HV
1575. **Trigonocera rivosa Becker,1902** (Dolichopodidae) Synonym(s): *rivosa Becker,1902* EG IL Pa CV TW
1576. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
1577. **Tropidopola syriaca Walker,1871** (Acrididae) Synonym(s): *syriaca Walker,1871* IL Pa LB
1578. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1579. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta Poda,1761; hirtellus Linnaeus,1767* AL TR SY LB IL Pa Cc YU RU UA Cm
1580. **Tropinota (Epicometis) ilariae Dutto,2007** (Scarabaeidae) Synonym(s): *ilariae Dutto,2007* Tropinota (Epicometis) *ilariae Dutto,2007, Natural. Sicil. 31: 85-90.* IL Pa JO Amm
1581. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli,1763; pilosa Brullé,1832* GR SS LY SY LB IL Pa JO EG IQ TR
1582. **Tropinota (s.str.) vittula Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *vittula Reiche & Sauley,1856* LB SY IL Pa
1583. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata auct. nec A.Costa,1862; occidentalis Huang & Bourgoïn,1993* AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1584. **Trypetimorpha pilosa Horvath,1907** (Tropiduchidae) Synonym(s): *pilosa Horvath,1907* CY IL IT YU
1585. **Tshurtshurnella campestre (Lindberg,1948)** (Issidae) Synonym(s): *campestre Lindberg,1948; bidens Linnavuori,1965* CY TR IL Pa
1586. **Tshurtshurnella longispinosa (Linnavuori,1962)** (Issidae) Synonym(s): *longispinosa Linnavuori,1962* CY IL TR
1587. **Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus Tournier,1873* TR GR Cr IL Pa SY
1588. **Tychius striatulus Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus Gyllenhal,1836* TR SY IL Pa
1589. **Tylopsis peneri Ragge,1974** (Tettigoniidae) Synonym(s): *peneri Ragge,1974* LY IL Pa JO
1590. **Ulidia wadicola Steyskal,1968** (Ulidiidae) Synonym(s): *wadicola Steyskal,1968* EG IL Pa
1591. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
1592. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii Frauenfeld,1867; wodzizkii Frauenfeld,1867; syriaca Hendel,1927; erichschmidtii M.Hering,1953* TR AT KG MD UA RU IL Pa LB SY
1593. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura Loew,1855; lejura Rondani,1870* Trypeta *macrura Loew,1855, Stettin ent. Ztg. 16: 40.* TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR
1594. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
1595. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera M.Hering,1961* TR AF IL EG SY JO
1596. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata Meigen,1826* TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA

1597. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata Fabricius,1775; ciesii Schrank,1803; jacobaeae Panzer,1805* AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
1598. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata Fabricius,1794; taeniolata Costa,1883* IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
1599. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata Brullé,1833* DZ EG IL Pa TN IT YU MT MK GR
1600. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor Macquart,1855* B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
1601. **Usia (s.str.) calva Loew,1869** (Bombyliidae) Synonym(s): *calva Loew,1869* TR IL Pa SY
1602. **Usia (s.str.) carmelitensis Becker,1906** (Bombyliidae) Synonym(s): *carmelitensis Becker,1906* IL Pa Hf SY
1603. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata Becker,1906* DZ SD EG IL Pa MA ES TN SY
1604. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata Costa,1883* DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
1605. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872* AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
1606. **Villa atricauda (Austen,1937)** (Bombyliidae) Synonym(s): *jugorum Stein,1916; atricauda Austen,1937* IL Pa SY
1607. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis Meigen,1826; bivirgata Austen,1937* EG YE IL Pa JO SY SA
1608. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima Loew,1857; diluta Rondani,1866* Cc AM AZ GG BG CY IL Pa IT Si SY LY YU
1609. **Villa fallax Austen,1937** (Bombyliidae) Synonym(s): *anthracina Zetterstedt,1860; fallax Austen,1937* IL Pa SY
1610. **Villa insignis Austen,1937** (Bombyliidae) Synonym(s): *humeralis Robineau-Desvoidy,1830; insignis Austen,1937* IL Pa SY
1611. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio Loew,1869* IT TR GR EG LY IL Pa YU
1612. **Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana Mavromoustakis,1949* EG TN? IL Pa JO SY
1613. **Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella Macquart,1839* TR SY IL Pa EG Sn
1614. **Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica Schiner,1862* TR IL Pa EG
1615. **Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): *lepida Hermann,1907* TR IL Pa IR AF
1616. **Xeramoeba ramsesi (Paramonov,1935)** (Bombyliidae) Synonym(s): *ramsesi Paramonov,1935* EG IL Pa
1617. **Xeramoeba sabulonensis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonensis Becker,1906* SD DZ EG GR MK IL Pa YU TN TR
1618. **Xerohippus palaestinus Uvarov,1942** (Acrididae) Synonym(s): *palaestinus Uvarov,1942* IL Pa
1619. **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri Harz,1970; indisticta Harz,1979; musicus Harz,1979* Tridactylus pfaendleri Harz,1970, *NachrBl. bayer. Ent. 19 (3): 56, 59.* Holotype ♀: Austria: Neusiedler See. TR IL Pa JO ES AT CZ SK
1620. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
1621. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana Ragusa,1882; laevicollis Escherich,1891* FR HU AT CZ IT Si GR TR IL Pa SY
1622. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis Frivaldsky,1877* DZ MA LY Cy SY IL Pa Cr TR
1623. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata Brullé,1832* TR IL Pa SY Cc AM EG IR TM
1624. **Zophosis aelanitica Peyerimhoff,1907** (Tenebrionidae) Synonym(s): *aelanitica Peyerimhoff,1907* EG Sn IL Pa
1625. **Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica Miller,1861* TR SY IL Pa IR
1626. **Zophosis bicarinata Solier,1834** (Tenebrionidae) Synonym(s): *bicarinata Solier,1834; minuta Brullé,1838* Cn IL Pa
1627. **Zophosis carinata Solier,1834** (Tenebrionidae) Synonym(s): *carinata Solier,1834* EG IL Pa
1628. **Zophosis cognata Miller,1861** (Tenebrionidae) Synonym(s): *cognata Miller,1861* LB Bei IL Pa SY

1629. **Zophosis farinosa Blair** (Tenebrionidae) Synonym(s): **IL Pa**
1630. **Zophosis orientalis Deyrolle,1867** (Tenebrionidae) Synonym(s): *orientalis Deyrolle,1867* **IL Pa SY**
1631. **Zophosis osmanlis Deyrolle,1872** (Tenebrionidae) Synonym(s): *osmanlis Deyrolle,1872* **TR SY IL Pa**
1632. **Zophosis personata Erichson,1841** (Tenebrionidae) Synonym(s): *personata Erichson,1841* **DZ IL Pa**
1633. **Zophosis plana (Fabricius,1792)** (Tenebrionidae) Synonym(s): *plana Fabricius,1792* **SD EG IL Pa**
1634. **Zophosis punctulata Olivier,1795** (Tenebrionidae) Synonym(s): *punctulata Olivier,1795; angusta Wiedemann,1823* **ZA IL Pa**
1635. **Zygina (Hypericiella) nebulosa (Ribaut,1948)** (Cicadellidae) Synonym(s): *nebulosa Ribaut,1948* **CY IL Pa TR**
1636. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor Horvath,1897; #discolor Lodos & Kalkandelen,1984* **BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU**
1637. **Zygina (s.str.) krueperi Fieber,1884** (Cicadellidae) Synonym(s): *krueperi Fieber,1884* **GR HU IL YU**
1638. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936* **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
1639. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detruta Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* **AT BG CY CS FR DE IL IT SW TR UZ**
1640. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* **AT BG CY CS FR DE GR IL IT PL TR UA Cm YU**
1641. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab Zachvatkin,1947; coacta Ribaut,1948* **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**
1642. **Zyziphoides virens (Haupt,1927)** (Cicadellidae) Synonym(s): *virens Haupt,1927* **AF IR IL**

Synonymic and distributional list of the pterygot insects of India (Results of the Entomofauna of the World based upon info-system of the Cesa)

7

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of India (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 7.

Priamus (suppl.) 18: 543-560.

In this study, totally 564 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of India recorded in info-sytem of the Cesa, total pterygot species of India increase to 6994.

Key words: List, distribution, *pterygota*, *Insecta*, India.

Brief explanatory information:

Previously published article	yes ²²
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 564 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 6430 recorded species of Lepidoptera from India are found. Taking this information into consideration, total number of the pterygots may increase to 6994.

The study is still continuing, and the new results will be published within this Project.

1. **Ablerus perspeciosus Girault,1916** (Aphelinidae) Synonym(s): *perspeciosus Girault,1916*; *kashmirensis Narayanan,1961*; *bimaculatus Khan & Shafee,1976* [Ablerus perspeciosus Girault,1916, Annls ent. Soc. America 9 \(3\): 292.](#) Syntypes 4♀: Japan: Nishigahara. **TR IN Up JP**
2. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790*; *eluta Meigen,1826* **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**
3. **Achaetomalachius aeneonitens (Champion,1922)** (Melyridae) Synonym(s): *aeneonitens Champion,1922* **IN**
4. **Achaetomalachius cinereus Majer** (Melyridae) Synonym(s): **IN Ch**
5. **Achaetomalachius coloratus Majer** (Melyridae) Synonym(s): **IN Hp**
6. **Achaetomalachius danacaeoides (Champion,1922)** (Melyridae) Synonym(s): *danacaeoides Champion,1922* **IN**
7. **Achaetomalachius discretus (Gorham,1895)** (Melyridae) Synonym(s): *discretus Gorham,1895* **IN**

²² Koçak, A.Ö. & M. Kemal, 2008, Scientific note 2- On the nomenclature of the name Neotrimorus in India (Scelionidae) (Hymenoptera). *Cent. ent. Stud., Misc. Pap.* 143: 7.

8. **Achaetomalachius kangraensis (Champion,1925)** (Melyridae) Synonym(s): *kangraensis* Champion,1925 IN Hp
9. **Achaetomalachius kashmirensis (Champion,1922)** (Melyridae) Synonym(s): *kashmirensis* Champion,1922 Ch IN
10. **Achaetomalachius kumaonensis (Champion,1922)** (Melyridae) Synonym(s): *kumaonensis* Champion,1922 IN Hp
11. **Achaetomalachius mutabilis (Champion,1922)** (Melyridae) Synonym(s): *mutabilis* Champion,1922 IN Up
12. **Achaetomalachius rosti Majer** (Melyridae) Synonym(s): IN
13. **Achaetomalachius scabricollis (Champion,1922)** (Melyridae) Synonym(s): *scabricollis* Champion,1922 IN
14. **Achaetomalachius tenuicornis Majer** (Melyridae) Synonym(s): IN NP
15. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
16. **Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux* Walker,1853 BT BD CN Hun IN TH CMa JP TW
17. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758 PK IN CN AU TR IT Sa
18. **Adamus barkudensis (Blair,1922)** (Tenebrionidae) Synonym(s): *barkudensis* Blair,1922 IN
19. **Adamus bellaryensis (Kaszab,1975)** (Tenebrionidae) Synonym(s): *bellaryensis* Kaszab,1975 IN
20. **Adamus mediocris (Fairmaire,1896)** (Tenebrionidae) Synonym(s): *mediocris* Fairmaire,1896 IN
21. **Adamus micrositoides (Kaszab,1975)** (Tenebrionidae) Synonym(s): *micrositoides* Kaszab,1975 IN
22. **Adamus opatroides (Kaszab,1975)** (Tenebrionidae) Synonym(s): *opatroides* Kaszab,1975 IN
23. **Adamus sikkimensis (Kaszab,1975)** (Tenebrionidae) Synonym(s): *sikkimensis* Kaszab,1975 IN SI
24. **Adelostoma (Zarudnyomus) borowieci Purchart,2007** (Tenebrionidae) Synonym(s): *borowieci* Purchart,2007 IN
25. **Adoretus andrewesi Ohaus,1914** (Scarabaeidae) Synonym(s): *andrewesi* Ohaus,1914 IN
26. **Adoretus cribratus (White,1844)** (Scarabaeidae) Synonym(s): *cribratus* White,1844 IN
27. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
28. **Agrionosoma dhorni Van der Weele,1909** (Ascalaphidae) Synonym(s): *dhorni* Van der Weele,1909 IN SI Ben
29. **Agrionosoma swinhoei Van der Weele,1909** (Ascalaphidae) Synonym(s): *swinhoei* Van der Weele,1909 IN Meg Ass
30. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. *Dermaptera*, *Saltatoria* Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
31. **Amantis biroi Giglio-Tos,1915** (Mantidae) Synonym(s): *biroi* Giglio-Tos,1915 IN ID Mlc Clb Sda
32. **Amantis fuliginosa (Werner,1931)** (Mantidae) Synonym(s): *fuliginosa* Werner,1931 IN
33. **Amantis fumosa (Giglio-Tos,1915)** (Mantidae) Synonym(s): *fumosa* Giglio-Tos,1915 IN
34. **Amantis indica Giglio-Tos,1915** (Mantidae) Synonym(s): *indica* Giglio-Tos,1915 IN
35. **Amantis irina (Saussure,1870)** (Mantidae) Synonym(s): *irina* Saussure,1870 IN Mlc Amb Sum MY MM
36. **Amantis malabarensis Vyjayandi & Narendran,2005** (Mantidae) Synonym(s): *malabarensis* Vyjayandi & Narendran,2005 IN
37. **Amantis saussurei (Bolivar,1897)** (Mantidae) Synonym(s): *saussurei* Bolivar,1897 IN
38. **Amantis subirina Giglio-Tos,1915** (Mantidae) Synonym(s): *subirina* Giglio-Tos,1915 IN
39. **Amantis testacea (Werner,1931)** (Mantidae) Synonym(s): *testacea* Werner,1931 IN
40. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
41. **Ammophilomima australis Martin,1973** (Asilidae) Synonym(s): *australis* Martin,1973 IN
42. **Ammophilomima indiae Martin,1973** (Asilidae) Synonym(s): *indiae* Martin,1973 IN
43. **Ammophilomima rufescens Frey,1937** (Asilidae) Synonym(s): *rufescens* Frey,1937 IN
44. **Ammophilomima simila Martin,1973** (Asilidae) Synonym(s): *simila* Martin,1973 IN
45. **Amorphoscelis annulicornis Stal,1871** (Amorphoscelidae) Synonym(s): *annulicornis* Stal,1871; *indica* Giglio-Tos,1915; *keiseri* Beier,1956 LK IN NP MY

46. **Amorphoscelis brunneipennis** Beier,1956 (Amorphoscelidae) Synonym(s): *brunneipennis* Beier,1956 LK IN
47. **Amorphoscelis singaporana** Giglio-Tos,1915 (Amorphoscelidae) Synonym(s): *singaporana* Giglio-Tos,1915 *Amorphoscelis singaporana* Giglio-Tos,1915, Bull. Soc. ent. ital. 46 (1914): 32-33. Type ♂: Singapore (BMNH). SG MY IN Ass ID Sum TH
48. **Amyotea malabarica** (Fabricius,1775) (Pentatomidae) Synonym(s): *malabarica* Fabricius,1775; *macrans* Fabricius,1781; *oculatus* Fabricius,1798 (praeocc.); *argus* Fabricius,1803; *dystercoides* Ellenreider,1862; *nigripes* Ellenreider,1862; *rubrocincta* Breddin,1899; *rufus* Azim & Shafee,1982 BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW
49. **Anacinaces rufiventris** (Macquart,1838) (Asilidae) Synonym(s): *rufiventris* Macquart,1838 IN
50. **Anagyrus aligarhensis** Agarwal & Alam,1959 (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
51. **Anagyrus kivuensis** Compere,1939 (Encyrtidae) Synonym(s): *kivuensis* Compere,1939 ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
52. **Anagyrus pseudococci** (Girault,1915) (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
53. **Anagyrus thailandicus** (Myartseva,1979) (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
54. **Anagyrus tibimaculatus** Agarwal,1965 (Encyrtidae) Synonym(s): *tibimaculatus* Agarwal,1965 BD IN Up
55. **Anaprostocetus acuminatus** (Ratzeburg,1848) (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
56. **Anasida orientalis** Distant,1910 (Pentatomidae) Synonym(s): *orientalis* Distant,1910 PK IN
57. **Anastoechus longirostris** Wulp,1885 (Bombyliidae) Synonym(s): *longirostris* Wulp,1885 IN Up
58. **Andrallus spinidens** (Fabricius,1787) (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
59. **Andrenosoma choprai** Bromley,1935 (Asilidae) Synonym(s): *choprai* Bromley,1935 IN
60. **Angamiana aetherea** Distant,1890 (Cicadidae) Synonym(s): *aetherea* Distant,1890 IN Ass Meg Nag
61. **Anicetus italicus** (Masi,1917) (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965 AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
62. **Anisops sardeus** Herrich-Schäffer,1849 (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 RU Cn FR Co TR SD IN CN Ui
63. **Anoplothyrea indiana** Joseph & Parui,1987 (Asilidae) Synonym(s): *indiana* Joseph & Parui,1987 IN
64. **Anormogomphus kiritshenkoi** Bartenev,1913 (Gomphidae) Synonym(s): *kiritshenkoi* Bartenev,1913 TR IQ Dk Ama IN
65. **Anthrax argentiapicalis** Brunetti,1912 (Bombyliidae) Synonym(s): *argentiapicalis* Brunetti,1912 IN
66. **Anthrax bigoti** Brunetti,1920 (Bombyliidae) Synonym(s): *appendiculata* Bigot,1892; *bigoti* Brunetti,1920 IN
67. **Anthrax bipunctatus** Fabricius,1805 (Bombyliidae) Synonym(s): *bipunctatus* Fabricius,1805; *carbonarius* Walker,1852 IN Ass Bi Mad Ben BD PK Sd
68. **Apanteles gallerie** Wilkinson,1932 (Braconidae) Synonym(s): *gallerie* Wilkinson,1932 *Apanteles gallerie* Wilkinson,1932, Stylops 1: 139. TR US AR MU IN FR HU IL Pa
69. **Apanteles hemara** Nixon,1965 (Braconidae) Synonym(s): *hemara* Nixon,1965 *Apanteles hemara* Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
70. **Aphalara maculipennis** Loew,1886 (Psyllidae) Synonym(s): *maculipennis* Loew,1886 TR Cc RU Sb Am IN
71. **Aphelinus asychis** Walker,1839 (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913 *Aphelinus asychis* Walker,1839, Monographia Chalciditum 1: 2-3. TR GB PK IN Hp Ass Ch Meg Up Ben NP
72. **Aphelinus mali** (Haldeman,1851) (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocidolomiae* Risbec,1951 TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up
73. **Aphytis proclia** (Walker,1839) (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnoch,1972; *chowdhurii* Kaul,1974 *Aphelinus proclia* Walker,1839, Monographia Chalciditum 1: 9. Lectotype ♀: England (BMNH). GB GG Cc CY TR IN Hp
74. **Apoclea indica** Bromley,1935 (Asilidae) Synonym(s): *indica* Bromley,1935 IN
75. **Apoclea rajasthanensis** Joseph & Parui,1984 (Asilidae) Synonym(s): *rajasthanensis* Joseph & Parui,1984 IN

76. **Apolysis sedophila (Brunetti,1909)** (Bombyliidae) Synonym(s): *sedophila Brunetti,1909* **PK IN Hp**
77. **Aprostocetus hayati Narendran,2007** (Eulophidae) Synonym(s): *hayati Narendran,2007* **IN Up**
78. **Arma velata Walker,1868** (Pentatomidae) Synonym(s): *velata Walker,1868* **IN**
79. **Arria cinctipes Stal,1877** (Mantidae) Synonym(s): *cinctipes Stal,1877* **IN**
80. **Ascalaphodes canifrons (Westwood,1848)** (Ascalaphidae) Synonym(s): *canifrons Westwood,1848* **IN SY**
81. **Ascalaphus abdominalis (Kimmings,1949)** (Ascalaphidae) Synonym(s): *abdominalis Kimmings,1949* **IN Ben**
82. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* **TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG**
83. **Ascalaphus prothoracicus (Kimmings,1949)** (Ascalaphidae) Synonym(s): *prothoracicus Kimmings,1949* **IN Ass SI Ben TH**
84. **Ascalaphus sinister Walker,1853** (Ascalaphidae) Synonym(s): *sinister Walker,1853* **IN Bba Oi Ben LK**
85. **Ascalohybris angulata (Westwood,1848)** (Ascalaphidae) Synonym(s): *angulata Westwood,1848* **BD MM IN Ass Meg Ben MY**
86. **Astochia canis Bromley,1935** (Asilidae) Synonym(s): *canis Bromley,1935* **IN MM**
87. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815; immaculata Konow,1884* **RU TR IR UZ KK Cc Sb IN CN JP**
88. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890* **PK IN LK BD MM TH LA VN MU RE EG OM SA**
89. **Beesonula pallida (Werner,1935)** (Mantidae) Synonym(s): *pallida Werner,1935* **IN**
90. **Bellardia khasiensis (Senior-White,1923)** (Calliphoridae) Synonym(s): *khasiensis Senior-White,1923* **BD IN Khs Meg**
91. **Bembecinus proximus Handlirsch,1892** (Crabronidae) Synonym(s): *proximus Handlirsch,1892* **SA PK IN NP YE**
92. **Blachia ducalis Walker,1867** (Pentatomidae) Synonym(s): *ducalis Walker,1867; coccinelloides Vollenhoven,1868; manifesta Distant,1887* **TH IN CN ID MM**
93. **Blastophaga psenes (Linnaeus,1758)** (Agaonidae) Synonym(s): *psenes Linnaeus,1758; grossorum Gravenhorst,1827; vaidi Joseph,1954* **Cynips psenes Linnaeus,1758, Syst. Nat. (Edn.10): 554. TR IN Up**
94. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
95. **Bolivaria xanthoptera (Olivier,1792)** (Mantidae) Synonym(s): *xanthoptera Olivier,1792* **TJ Ui CN IN NP**
96. **Bombomyia maculatus (Fabricius,1775)** (Bombyliidae) Synonym(s): *maculatus Fabricius,1775* **IN**
97. **Bombomyia tricolor (Guérin-Ménéville,1835)** (Bombyliidae) Synonym(s): *tricolor Guérin-Ménéville,1835; orientalis Macquart,1840* **BD IN Ben Up ID Ja PK LK**
98. **Bombylella albosparsa (Bigot,1892)** (Bombyliidae) Synonym(s): *albosparsa Bigot,1892; comastes Brunetti,1909* **IN**
99. **Bombylella roonwali (Zaitzev,1988)** (Bombyliidae) Synonym(s): *roonwali Zaitzev,1988* **IN**
100. **Bombylisoma ghorpadei Kapoor & Agarwal,1979** (Bombyliidae) Synonym(s): *ghorpadei Kapoor & Agarwal,1979* **IN**
101. **Bombylisoma ghorpadei Kapoor & Agarwal,1979** (Bombyliidae) Synonym(s): *ghorpadei Kapoor & Agarwal,1979* **IN**
102. **Bombylisoma resplendens (Brunetti,1909)** (Bombyliidae) Synonym(s): *resplendens Brunetti,1909* **IN Ass SI Up Hp NP LK TH**
103. **Bombylius (s.str.) albosparsus Bigot,1892** (Bombyliidae) Synonym(s): *albosparsus Bigot,1892* **IN**
104. **Bombylius (s.str.) cirrhopus Evenhuis,1978** (Bombyliidae) Synonym(s): *fulvipes Bigot,1892; cirrhopus Evenhuis,1978* **IN PK**
105. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liou,1864; notialis Evenhuis,1978* **CA Alb BCo On US Arz Cf Col Tx NmX BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU**
106. **Bombylius (s.str.) propinquus Brunetti,1909** (Bombyliidae) Synonym(s): *propinquus Brunetti,1909* **IN LK**
107. **Bombylius (s.str.) terminalis Brunetti,1909** (Bombyliidae) Synonym(s): *terminalis Brunetti,1909* **IN Up PK**
108. **Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): *albicrus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* **EG ET IN NP PG PK SO IL Pa**
109. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* **Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84,**

- fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
110. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis Fonscolombe,1840*; *punctulata Förster,1859*; *carbonaria Masi,1951* FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
111. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767*; *femoralis Geoffroy,1785*; *pusilla Fabricius,1787*; *saltatrix Cuvier,1833*; *brevicornis Klug,1834*; *scrobiculata Förster,1859*; *tricolor Förster,1859*; *fumata Thomson,1876*; *paraplesia Crawford,1910*; *jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
112. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria Ruschka,1922*; *tauriensis Masi,1929* AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
113. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834*; *intermedia Nees,1834*; *cingulata Walker,1834*; *distinguenda Walker,1834*; *rufofemorata Rosenhauer,1856*; *scirropoda Förster,1859*; *boops Thomson,1876*; *quettaensis Cameron,1906*; *turkestanica Masi,1951*; **Chalcis tibialis Walker,1834, Mon. Chalcid.: 29.** Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ
114. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator Fabricius,1798* TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
115. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
116. **Bruchophagus glycyrrhizae Nikolskaya,1952** (Eurytomidae) Synonym(s): *glycyrrhizae Nikolskaya,1952* Qz IR IN KG
117. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
118. **Bubopsis rubrapunctata Ghosh,1981** (Ascalaphidae) Synonym(s): *rubrapunctata Ghosh,1981* IN
119. **Cantheconidea humeralis Distant,1908** (Pentatomidae) Synonym(s): *humeralis Distant,1908* IN MM CN TH
120. **Cantheconidea javana (Dallas,1851)** (Pentatomidae) Synonym(s): *javana Dallas,1851*; *cognata Distant,1882*; *insularis Kirby,1891* IN LK ID Ja Sum Clb
121. **Cazira breddini Schouteden,1907** (Pentatomidae) Synonym(s): *breddini Schouteden,1907* IN BT CN
122. **Cazira frivaldskyi Horvath,1889** (Pentatomidae) Synonym(s): *frivaldskyi Horvath,1889* NP BT IN CN
123. **Cazira insignis (Schouteden,1907)** (Pentatomidae) Synonym(s): *insignis Schouteden,1907* BT IN
124. **Cazira internex Walker,1867** (Pentatomidae) Synonym(s): *internex Walker,1867* KH IN
125. **Cazira similis Distant,1902** (Pentatomidae) Synonym(s): *similis Distant,1902* IN Ass Meg
126. **Cazira ulcerata (Burmeister,1835)** (Pentatomidae) Synonym(s): *ulcerata Burmeister,1835*; *strumosa Stal,1870* IN TH CN ID Ja Sum
127. **Cazira vegeta Kirkaldy,1909** (Pentatomidae) Synonym(s): *ulcerata Herrich-Schäffer,1839 nec Burm.,1835*; *vegeta Kirkaldy,1909* JP CN VN TH IN
128. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa Westwood,1834*; *verrucifer Burmeister,1835* CN TW MM IN BD TH KH VN ID Ja PH JP
129. **Cecyrina platyrhinoides Walker,1867** (Pentatomidae) Synonym(s): *platyrhinoides Walker,1867* IN BT CN
130. **Ceratomantis ghattei Roy & Svenson,2007** (Hymenopodidae) Synonym(s): *ghatei Roy & Svenson,2007* IN
131. **Ceratosolen solmsi (Mayr,1885)** (Agaonidae) Synonym(s): *solmsi Mayr,1885*; *marchali Mayr,1906*; *berlandi Grandi,1928* ID Ja IN VN
132. **Ceratothripoides cameroni (Priesner,1934)** (Thripidae) Synonym(s): *cameroni Priesner,1934* SD NG SA IN TH
133. **Cetonia (Indocetonia) bensoni Westwood,1849** (Scarabaeidae) Synonym(s): *bensoni Westwood,1849* IN Ch
134. **Cetonia (Indocetonia) laeviventris Arrow,1910** (Scarabaeidae) Synonym(s): *laeviventris Arrow,1910* IN Ass Meg
135. **Cetonia (Indocetonia) rhododendri Gestro,1891** (Scarabaeidae) Synonym(s): *rhododendri Gestro,1891*; *purpurascens Kraatz,1897*; *assamica Schoch,1898* IN Ass MM TH
136. **Cetonia (Indocetonia) rutilans Janson,1881** (Scarabaeidae) Synonym(s): *rutilans Janson,1881* IN
137. **Cheirotonus macleayi Hope,1840** (Scarabaeidae) Synonym(s): *macleayi Hope,1840*; *macleayanus Burmeister,1842* IN SI BT Ass CN Ti TW
138. **Cheirotonus parryi Gray,1848** (Scarabaeidae) Synonym(s): *parryi Gray,1848* IN SI VN
139. **Chelostoma (Eochelostoma) aureocinctum (Bingham,1897)** (Megachilidae) Synonym(s): *aureocinctum Bingham,1897* IN SI MM Tns TH

140. **Choeradodis cancellata (Fabricius,1775)** (Mantidae) Synonym(s): *cancellata Fabricius,1775* IN MM TH LK
141. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
142. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea Duftschmidt,1825; alacris Bechyne,1950* TR Cc RU Sb IN KG
143. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi Linnaeus,1758* GR TR Cc IN CN JP
144. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta Fabricius,1801; flavomaculata Chevrolat,1845* Cicindela aurulenta Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMA Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
145. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
146. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus Kerrich,1970; latipennis Khan & Shafee,1981* IN KE MW MZ OM PK LK AE ZA
147. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
148. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus Germar,1824; persicus Gyllenhal,1839; pauculus Voss,1933* DE BG FR IN IR SE UA Cm Cc TR KG
149. **Colotes simlaensis Wittmer,1977** (Melyridae) Synonym(s): *simlaensis Wittmer,1977* IN Hp Sml
150. **Colpotinoides bremeri Iwan,1997** (Tenebrionidae) Synonym(s): *bremeri Iwan,1997* IN
151. **Colpotinoides gebieni (Kaszab,1942)** (Tenebrionidae) Synonym(s): *gebieni Kaszab,1942* IN
152. **Conops annulosus Bigot,1887** (Conopidae) Synonym(s): *annulosus Bigot,1887* ID CN IN MY
153. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis Leach,1818* Cn Az Md IN IR CY TR PK
154. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
155. **Creobroter apicalis Saussure,1869** (Hymenopodidae) Synonym(s): *apicalis Saussure,1869* IN NP BD CN ID Ja
156. **Creobroter elongatus (Beier,1929)** (Hymenopodidae) Synonym(s): *elongatus Beier,1929* IN
157. **Creobroter geminatus (Stoll,1813)** (Hymenopodidae) Synonym(s): *geminatus Stoll,1813* MM VN CN IN ID Ja Sda
158. **Creobroter laevicollis (Saussure,1870)** (Hymenopodidae) Synonym(s): *laevicollis Saussure,1870* IN ID Ja
159. **Creobroter pictipennis (Wood-Mason,1878)** (Hymenopodidae) Synonym(s): *pictipennis Wood-Mason,1878* IN LK ID Clb
160. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus Fabricius,1775* IN MM VN CN ID Sum Ja MY Bor PH
161. **Crocothemis erythraea (Brullé,1832)** (Libellulidae) Synonym(s): *erythraea Brullé,1832* TR IN
162. **Culicoides actoni Smith,1929** (Ceratopogonidae) Synonym(s): *actoni Smith,1929; okumensis Arnaud,1956; imperceptus Das Gupta,1962* IN JP
163. **Culicoides annandalei Majumdar & Das Gupta,2000** (Ceratopogonidae) Synonym(s): *annandalei Majumdar & Das Gupta,2000* IN
164. **Culicoides anophelis Edwards,1922** (Ceratopogonidae) Synonym(s): *anophelis Edwards,1922* IN MY
165. **Culicoides arakawai (Arakawa,1910)** (Ceratopogonidae) Synonym(s): *arakawai Arakawa,1910; sugimotonis Shiraki,1913; alboguttatus Kieffer,1921; shimai Sasaki,1928; daleki Smith & Swaminath,1932; micropunctatus Tokunaga,1951; niigataensis Takahashi,1958* JP TW IN ID
166. **Culicoides autumnalis Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *autumnalis Sen & Das Gupta,1959* IN
167. **Culicoides candidus Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *candidus Sen & Das Gupta,1959* IN
168. **Culicoides causeyi Majumdar & Das Gupta,2000** (Ceratopogonidae) Synonym(s): *causeyi Majumdar & Das Gupta,2000* IN
169. **Culicoides certus Das Gupta,1962** (Ceratopogonidae) Synonym(s): *certus Das Gupta,1962* IN
170. **Culicoides clavipalpis Mukerji,1931** (Ceratopogonidae) Synonym(s): *clavipalpis Mukerji,1931* IN
171. **Culicoides definitus Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *definitus Sen & Das Gupta,1959* IN
172. **Culicoides distinctipalpis Majumdar & Das Gupta,2000** (Ceratopogonidae) Synonym(s): *distinctipalpis Majumdar & Das Gupta,2000* IN
173. **Culicoides distinctus Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *distinctus Sen & Das Gupta,1959* IN
174. **Culicoides dumdumi Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *dumdumi Sen & Das Gupta,1959* IN

175. **Culicoides fulvus Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *fulvus* Sen & Das Gupta,1959 **IN**
176. **Culicoides minutus Sen & Das Gupta,1959** (Ceratopogonidae) Synonym(s): *minutus* Sen & Das Gupta,1959 **IN**
177. **Culicoides parararipalpis Das Gupta,1963** (Ceratopogonidae) Synonym(s): *parararipalpis* Das Gupta,1963 **IN**
178. **Culicoides pararegalis Majumdar & Das Gupta,1997** (Ceratopogonidae) Synonym(s): *pararegalis* Majumdar & Das Gupta,1997 **IN**
179. **Culicoides peculiaris Majumdar & Das Gupta,2000** (Ceratopogonidae) Synonym(s): *peculiaris* Majumdar & Das Gupta,2000 **IN**
180. **Culicoides peregrinus Kieffer,1910** (Ceratopogonidae) Synonym(s): *peregrinus* Kieffer,1910; *judicandus* Bezzi,1916; *esmoneti* Salm,1917; *philippinensis* Kieffer,1921; *assamensis* Smith & Swaminath,1932; *quadratus* Tokunaga,1951 **IN Ass Meg PH ID**
181. **Culicoides pseudoturgidus Das Gupta,1962** (Ceratopogonidae) Synonym(s): *pseudoturgidus* Das Gupta,1962 **IN**
182. **Culicoides superfulvus Das Gupta,1962** (Ceratopogonidae) Synonym(s): *superfulvus* Das Gupta,1962 **IN**
183. **Cylindromyia orientalis (Townsend,1927)** (Tachinidae) Synonym(s): *orientalis* Townsend,1927 **TW IN Ass Meg ID Mlc**
184. **Damalis paradoxa (Frey,1934)** (Asilidae) Synonym(s): *paradoxa* Frey,1934; *thorakeraia* Shi,1995 **LA IN CN**
185. **Danaceothrix monilicornis (Champion,1922)** (Melyridae) Synonym(s): *monilicornis* Champion,1922 **IN**
186. **Dasyhelea brevimana (Kieffer,1910)** (Ceratopogonidae) Synonym(s): *brevimana* Kieffer,1910 **IN**
187. **Dasyhelea fallax Bose & Das Gupta,2002** (Ceratopogonidae) Synonym(s): *fallax* Bose & Das Gupta,2002 **IN**
188. **Dasyhelea longicornis Kieffer,1913** (Ceratopogonidae) Synonym(s): *longicornis* Kieffer,1913 **IN**
189. **Dasyvalgus carbonarius Arrow,1910** (Scarabaeidae) Synonym(s): *carbonarius* Arrow,1910 **SI IN MM**
190. **Dasyvalgus hystrix Arrow,1910** (Scarabaeidae) Synonym(s): *hystrix* Arrow,1910 **Ass IN Meg**
191. **Dasyvalgus peniciliatus (Blanchard,1850)** (Scarabaeidae) Synonym(s): *peniciliatus* Blanchard,1850 **IN**
192. **Dasyvalgus podicaris (Blanchard,1850)** (Scarabaeidae) Synonym(s): *podicaris* Blanchard,1850 **IN NP BT**
193. **Deiphobe brevipennis Sjöstedt,1930** (Mantidae) Synonym(s): *brevipennis* Sjöstedt,1930 **IN**
194. **Deiphobe brunneri (Saussure,1871)** (Mantidae) Synonym(s): *brunneri* Saussure,1871 **IN NP**
195. **Deiphobe incisa Werner,1933** (Mantidae) Synonym(s): *incisa* Werner,1933 **IN MM NP?**
196. **Deiphobe indica Giglio-Tos,1916** (Mantidae) Synonym(s): *indica* Giglio-Tos,1916 **IN**
197. **Deiphobe infuscata (Saussure,1870)** (Mantidae) Synonym(s): *infuscata* Saussure,1870 **IN NP LK**
198. **Deiphobe longipes Werner,1926** (Mantidae) Synonym(s): *longipes* Werner,1926 **IN**
199. **Deiphobe mesomelas (Olivier,1792)** (Mantidae) Synonym(s): *mesomelas* Olivier,1792; *nympha* Stoll,1813; *stollii* Saussure,1870 **IN Bba**
200. **Deiphobella gardeneri Werner,1935** (Mantidae) Synonym(s): *gardeneri* Werner,1935 **IN**
201. **Deiphobella laticeps (Wood-Mason,1876)** (Mantidae) Synonym(s): *laticeps* Wood-Mason,1876 **IN LK**
202. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852 **Cn ES DZ EG JO Pet SO YE TR AF NP IN**
203. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808 **PL AF TR Cc IN KK IR MN RU CN Ui**
204. **Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824; *obscuripes* Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937 **GG Cc GR IL Pa RO RU IN Ch**
205. **Dictyophara nilgiriensis Distant,1906** (Dictyopharidae) Synonym(s): *nilgiriensis* Distant,1906 **IN NI**
206. **Didymocorypha lanceolata (Fabricius,1798)** (Irididae) Synonym(s): *lanceolata* Fabricius,1798; *ensifera* Wood-Mason,1877; *gracilipes* Stal,1877 **IN NP LK**
207. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus* Hansson & LaSalle,1996 **IN Up ID Clb Ja MY ZA TW TZ VN**
208. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
209. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia* Walker,1846 **AU NSw QAu IN Up Pj PH ZA TW ZM**

210. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus* Ashmead,1905 **IN Up**
Ben LA MU PK PH LK TW TH VN
211. **Dirhinus excavatus Dalman,1818** (Chalcididae) Synonym(s): *excavatus* Dalman,1818 **ER IN KE**
SN MM SL
212. **Ducetia dichotoma Ingrisch & Shishodia,1998** (Tettigoniidae) Synonym(s): *dichotoma* Ingrisch
& Shishodia,1998 **IN**
213. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica* Thunberg,1815;
quinquenervis Haan,1842; *lanceolatum* Walker,1859; *neochlora* Walker,1869; *privata* Walker,1869; *adspersa*
Brunner von Wattenwyl,1878 **IN LK CN KP KR JP TW PH**
214. **Dysaules himalayanus Wood-Mason,1889** (Irididae) Synonym(s): *himalayanus* Wood-
Mason,1889 **IN Hp NP**
215. **Dysaules longicollis Stal,1877** (Irididae) Synonym(s): *longicollis* Stal,1877; *hampsoni* Wood-
Mason,1889 **IN NI**
216. **Dysaules uvana Henry,1932** (Irididae) Synonym(s): *uvana* Henry,1932 **IN LK**
217. **Dysaulophthalma nathani Stiewe,2009** (Irididae) Synonym(s): *nathani* Stiewe,2009 **IN**
218. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935; *elongatus*
Ferrière,1947 **TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU**
219. **Elmantis nira Mukherjee & Hazra,1983** (Mantidae) Synonym(s): *nira* Mukherjee & Hazra,1983
IN
220. **Elmantis trincomaliae (Saussure,1869)** (Mantidae) Synonym(s): *trincomaliae*
Saussure,1869; *vicina* Bolivar,1897 **IN LK**
221. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 **EG DZ AO ET**
BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
222. **Empusa pauperata (Fabricius,1781)** (Empusidae) Synonym(s): *pauperata* Fabricius,1781;
humbertiana Saussure,1869; *servillei* Saussure,1871 **IN LK IR**
223. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763;
pennicornis Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli*
Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa*
Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa*
Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae*
Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004 **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN**
LK CN MY
224. **Empusa uvarovi Chopard,1921** (Empusidae) Synonym(s): *uvarovi* Chopard,1921 **IL Pa IQ IN**
225. **Eocanthecona binotata (Distant,1879)** (Pentatomidae) Synonym(s): *binotata* Distant,1879
CN IN Ass Meg
226. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata* Wolff,1801;
armigera Herrich-Schäffer,1844 **PH IN LK MM ID Ja Mlc BD TW CN TH JP**
227. **Eocanthecona ornatula (Distant,1908)** (Pentatomidae) Synonym(s): *ornatula* Distant,1908
IN MM
228. **Eocanthecona parva (Distant,1902)** (Pentatomidae) Synonym(s): *parva* Distant,1902 **IN**
MM TW
229. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta* Distant,1879
IN PG PH LK CN AU ID Ja Sum
230. **Eocanthecona tibialis (Distant,1879)** (Pentatomidae) Synonym(s): *tibialis* Distant,1879 **IN**
MM
231. **Epitrix caucasica (Heiteringer,1950)** (Chrysomelidae) Synonym(s): *caucasica* Heiteringer,1950
TR Cc IR RU KG IN
232. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus*
Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 **ES MA DZ EG TR SD ZR SL SN**
ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
233. **Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus* Mercet,1931; *longipilus*
Khan & Shafee,1980 **ES CY TR IN Up**
234. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops*
Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK**
IN
235. **Euchomenella indica Ghate & Mukherjee,2004** (Mantidae) Synonym(s): *indica* Ghate &
Mukherjee,2004 **IN**
236. **Eucolus ardoini Kaszab,1975** (Tenebrionidae) Synonym(s): *ardoini* Kaszab,1975 **IN NI**
237. **Eucolus besucheti Kaszab,1975** (Tenebrionidae) Synonym(s): *besucheti* Kaszab,1975 **IN**
238. **Eucolus indicus Kaszab,1975** (Tenebrionidae) Synonym(s): *indicus* Kaszab,1975 **IN**
239. **Eucolus laminicollis (Fairmaire,1894)** (Tenebrionidae) Synonym(s): *laminicollis*
Fairmaire,1894 **IN**
240. **Eucolus polinieri Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *polinieri* Mulsant &
Rey,1853 **IN LK**
241. **Euodynerus (Pareuodynerus) unifasciatus Gusenleitner,1998** (Vespidae) Synonym(s):
unifasciatus Gusenleitner,1998 **IN SI Djl**

242. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 MA
DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
243. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 TR
AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
244. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es
Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE
CH TM UA GB YE
245. **Formotosena montivaga (Distant,1889)** (Cicadidae) Synonym(s): *montivaga* Distant,1889
TH IN Ass Meg Nag
246. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus* Saussure,1888;
orientalis Sjöstedt,1928; *zebrata* Sjöstedt,1928 RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
247. **Geron albescens Brunetti,1909** (Bombyliidae) Synonym(s): *albescens* Brunetti,1909 IN Hp
Up
248. **Geron argentifrons Brunetti,1909** (Bombyliidae) Synonym(s): *argentifrons* Brunetti,1909
PK LK TH IN Up Hp
249. **Gimantis assamica (Giglio-Tos,1915)** (Mantidae) Synonym(s): *assamica* Giglio-Tos,1915 IN
Ass Meg
250. **Gimantis authaemon (Wood-Mason,1882)** (Mantidae) Synonym(s): *authaemon* Wood-
Mason,1882; *marmorata* Brunner Wattenwyl,1893 IN MM TH
251. **Glycyphana (Caloglycyphana) catena Arrow,1910** (Scarabaeidae) Synonym(s): *catena*
Arrow,1910 IN LA
252. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s):
horsfieldi Hope,1831; *marginicollis* Gory & Percheron,1833 IN Ass Meg MM NP CN TW LA TH BD Syl
253. **Glycyphana (Glycyphaniola) minima Bates,1891** (Scarabaeidae) Synonym(s): *minima*
Bates,1891 IN
254. **Glycyphana (Glycyphaniola) nepalensis Kraatz,1894** (Scarabaeidae) Synonym(s):
nepalensis Kraatz,1894; *roquesi* Bourgoïn,1916 RU VN NP IN CN Yu
255. **Glycyphana (Glycyphaniola) quadricolor (Wiedemann,1823)** (Scarabaeidae)
Synonym(s): *quadricolor* Wiedemann,1823 ID Sum Ja Bor MY LA VN MM Ass IN
256. **Glyptobasis cornuta Kimmins,1949** (Ascalaphidae) Synonym(s): *cornuta* Kimmins,1949 IN
Oi
257. **Glyptobasis dentifera (Westwood,1848)** (Ascalaphidae) Synonym(s): *dentifera* Westwood,1848
IN Oi Pj Ben
258. **Glyptobasis nigrifrons Kimmins,1949** (Ascalaphidae) Synonym(s): *nigrifrons* Kimmins,1949
IN
259. **Glyptobasis nugax (Walker,1853)** (Ascalaphidae) Synonym(s): *nugax* Walker,1853 LK IN
260. **Glyptobasis weelei Kimmins,1949** (Ascalaphidae) Synonym(s): *weelei* Kimmins,1949 IN Pj
261. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis* Brullé,1832 TR
MY Bor ID PK IN CN Cc TR RU MN KG
262. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor* Emery,1889;
bannana Xu & Zhang,1996 MM TH CMA CDo Int Dst Tng Chi VN CN Hn ID Ja Bli IN Ass Meg
263. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii* Forel,1900;
borneensis Emery,1900 MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMA Dst Pbu ID Clb
264. **Gnamptogenys meghalaya Lattke,2004** (Formicidae) Synonym(s): *meghalaya* Lattke,2004
IN Ass Meg
265. **Gongylus gongylodes (Linnaeus,1758)** (Empusidae) Synonym(s): *gongylodes* Linnaeus,1758
IN ID Ja LK MM TH
266. **Gongylus trachelophylla (Burmeister,1838)** (Empusidae) Synonym(s): *trachelophylla*
Burmeister,1838 IN
267. **Gonypeta humberiana Saussure,1869** (Mantidae) Synonym(s): *punctata* De Haan,1842 nec
Stoll,1813; *humberiana* Saussure,1869; *lateralis* Werner,1933 LK IN MY ID Ja Sum
268. **Gonypetyllis semuncialis Wood-Mason,1891** (Mantidae) Synonym(s): *semuncialis* Wood-
Mason,1891; *liliputana* Beier,1930 NP IN
269. **Grylloides sigillatus (Walker,1869)** (Gryllidae) Synonym(s): *sigillatus* Walker,1869 MX US
CU DE IN
270. **Grylloides supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans* Walker,1859 GY US
CU ET PK IN RU Us KP KR JP AU
271. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta* Burmeister,1838;
longipennis Haan,1842; *grandis* Walker,1869; *siamensis* Giebel,1878; *sinensis* Giebel,1878 TH ID Ja PH MM
Bor IN CN
272. **Gyranusoidea flava Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *flava* Shafee,
Alam & Agarwal,1975 IN Up ID Ja Bli KE MY PH
273. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica*
Shafee, Alam & Agarwal,1975 IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
274. **Gyranusoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi* Noyes,1988 BJ ZR CG GA
GH IN Up ID Clb CI MY NG SL TG
275. **Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans* Meigen,1824 AM
Cc Eri GG TR IN NP

276. **Halictus (Seladonia) lucidipennis Smith,1853** (Halictidae) Synonym(s): *lucidipennis* Smith,1853; *vernalis* Smith,1853 **IN Hp LK PK Mre Pj**
277. **Halictus (Seladonia) vicinus Vachal,1894** (Halictidae) Synonym(s): *vicinus* Vachal,1894; *obuensis* Cameron,1908; *silvatica* Blüthgen,1926; *daturae* Cockerell,1929; *laosina* Cockerell,1929; *umbrosus* Cockerell,1929 **MM IN Tns TH Nan**
278. **Haplothrix vana Majer,1989** (Melyridae) Synonym(s): *vana* Majer,1989 **IN**
279. **Helophorus frater Orchymont,1926** (Helophoridae) Synonym(s): *frater* Orchymont,1926 **IN CN IR TR**
280. **Hemipenthes referens (Walker,1852)** (Bombyliidae) Synonym(s): *referens* Walker,1852; *himalayensis* Brunetti,1909; *bidens* Bigot,1909 **IN Hp Up Ass Meg PK MM**
281. **Hesperocorixa occulta (Lundblad,1929)** (Corixidae) Synonym(s): *occulta* Lundblad,1929 **TR AF IN**
282. **Heterochaetula fissispinis Wood-Mason,1889** (Mantidae) Synonym(s): *fissispinis* Wood-Mason,1889 **IN**
283. **Heterochaetula tricolor Wood-Mason,1876** (Mantidae) Synonym(s): *tricolor* Wood-Mason,1876 **IN**
284. **Heterotropus indicus Nurse,1922** (Bombyliidae) Synonym(s): *indicus* Nurse,1922 **IN**
285. **Hierodula assamensis Mukherjee,1995** (Mantidae) Synonym(s): *assamensis* Mukherjee,1995 **IN Ass Meg**
286. **Hierodula beieri Mukherjee,1995** (Mantidae) Synonym(s): *beieri* Mukherjee,1995 **IN**
287. **Hierodula coarctata Saussure,1869** (Mantidae) Synonym(s): *coarctata* Saussure,1869 **IN ID Ja PK NP**
288. **Hierodula doveri Chopard,1924** (Mantidae) Synonym(s): *doveri* Chopard,1924 **IN**
289. **Hierodula dyaka Westwood,1889** (Mantidae) Synonym(s): *dyaka* Westwood,1889 **IN ID Sum Ja MY Bor**
290. **Hierodula grandis Saussure,1870** (Mantidae) Synonym(s): *grandis* Saussure,1870 **IN BD MM**
291. **Hierodula keralensis Vyjayandi & Narendran,2003** (Mantidae) Synonym(s): *keralensis* Vyjayandi & Narendran,2003 **IN**
292. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea* Burmeister,1838 **CN IN ID Ja TH NP LK**
293. **Hierodula nicobarica Mukerjee,1995** (Mantidae) Synonym(s): *nicobarica* Mukerjee,1995 **IN Nk**
294. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera* Audinet-Serville,1839; *bipapilla* Audinet-Serville,1839; *dispar* Kirby,1900; *saussurei* Kirby,1904 **CN TW Hw IN JP KP KR ID Ja Sba VN PH PG**
295. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata* Saussure,1869; *heterodera* Westwood,1889; *westwoodi* Kirby,1904 **IN NP MY Bor Sda TM Ui CN**
296. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata* Olivier,1792; *notata* Stoll,1813 **CN IN LK MM VN ID Ja**
297. **Hierodula venosa (Olivier,1792)** (Mantidae) Synonym(s): *venosa* Olivier,1792; *conspurcata* Lichtenstein,1796; *punctata* Stoll,1813; *vitrea* Stoll,1813; *hybrida* Burmeister,1838; *bankae* Giebel,1861; *similis* Giebel,1861; *daphne* Stal,1877; *athene* Rehn,1909 **MY Bor IN Ja Sum PH MM**
298. **Hierodula ventralis Giglio-Tos,1912** (Mantidae) Synonym(s): *ventralis* Giglio-Tos,1912 **IN**
299. **Hladilium amplexum (Champion,1925)** (Melyridae) Synonym(s): *amplexum* Champion,1925 **IN SI**
300. **Hladilium cambiense (Gorham,1895)** (Melyridae) Synonym(s): *cambiense* Gorham,1895; *kuluensis* Pic,1922; *assamensis* Pic,1922 **IN Hp Sml Up**
301. **Hladilium himalayanum (Pic,1911)** (Melyridae) Synonym(s): *himalayanum* Pic,1911 **IN Ch**
302. **Hladilium insulcatum (Pic,1922)** (Melyridae) Synonym(s): *insulcatum* Pic,1922 **IN Hp Sml**
303. **Hladilium perpolitum Majer,1996** (Melyridae) Synonym(s): *perpolitum* Majer,1996 **IN Ch**
304. **Hladilium speculiferum (Champion,1922)** (Melyridae) Synonym(s): *speculiferum* Champion,1922 **IN Up Hp**
305. **Hockeria brachygaster Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956 **Hockeria brachygaster** Boucek,1956, Bull. Res. Coun. Israel 5B: 234. Syntypes: Israel (BMNH). **LY TR IL Pa IN Up**
306. **Hoplitis (Annosmia) peralba Zanden,1992** (Megachilidae) Synonym(s): *peralba* Zanden,1992 **IN EG**
307. **Hoplitis (Anthocopa) rubricrus (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus* Friese,1899 **DZ MA IL Pa PK IN**
308. **Hoplitis (Anthocopa) saundersi (Vachal,1891)** (Megachilidae) Synonym(s): *saundersi* Vachal,1891 **MA DZ PK IN**
309. **Hoplitis (Pentadentosmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 **AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN**
310. **Hoplitis (Pentadentosmia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 **Cn DZ MA TN IL Pa JO PK AE IN**

311. **Hydrotaea dentipes (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes Fabricius,1805* Cc Eri AM TR GG IN NP CN
312. **Idricerus decrepitus (Walker,1859)** (Ascalaphidae) Synonym(s): *decrepitus Walker,1859* IN Ass Ch Meg Up TM
313. **Idricerus sogdianus McLachan,1875** (Ascalaphidae) Synonym(s): *sogdianus McLachan,1875* IN TM
314. **Indothespis assamensis Werner,1935** (Mantidae) Synonym(s): *assamensis Werner,1935* IN Ass Meg
315. **Iris nana Uvarov,1930** (Irididae) Synonym(s): *nana Uvarov,1930; radians Uvarov,1931* Iris nana Uvarov,1930, Ann. Mag. nat. Hist. (10) 5: 632. Type: Iraq: Bagdad (BMNH). AF IQ Bgd PK BI IN IR
316. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832* Gryllus (Mantis) oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
317. **Iris orientalis Wood-Mason,1882** (Irididae) Synonym(s): *orientalis Wood-Mason,1882* IN Cle NP AF PK ID Ja
318. **Jarawasia andamanensis (Bhowmik,1969)** (Gryllidae) Synonym(s): *andamanensis Bhowmik,1969* IN Adm
319. **Kartalia bengalensis (Distant,1912)** (Delphacidae) Synonym(s): *bengalensis Distant,1912* IN
320. **Kemalia flavorbitalis (Gupta & Gupta,1983)** (Ichneumonidae) Synonym(s): *flavorbitalis Gupta & Gupta,1983* IN
321. **Kemalia garhwalensis (Gupta & Gupta,1983)** (Ichneumonidae) Synonym(s): *garhwalensis Gupta & Gupta,1983* IN
322. **Kemalia mysorensis (Gupta & Gupta,1983)** (Ichneumonidae) Synonym(s): *mysorensis Gupta & Gupta,1983* IN
323. **Lamellipalpus atripalpis Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *atripalpis Brancucci & Geiser,2009* IN Meg Cpj
324. **Lamellipalpus bombayensis Maulik,1921** (Lampyridae) Synonym(s): *bombayensis Maulik,1921; sallei Pic,1924* IN Bba
325. **Lamellipalpus flavomarginatus Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *flavomarginatus Brancucci & Geiser,2009* IN
326. **Lamellipalpus lineatus (Pic,1921)** (Lampyridae) Synonym(s): *lineatus Pic,1921* IN
327. **Lamellipalpus manipurensis Maulik,1921** (Lampyridae) Synonym(s): *manipurensis Maulik,1921* IN Mpr
328. **Lamellipalpus pacholathoi Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *pacholathoi Brancucci & Geiser,2009* IN Ass Meg
329. **Lamellipalpus sinuaticollis Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *sinuaticollis Brancucci & Geiser,2009* IN Meg
330. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava Linnaeus,1761; conopsoides Scopoli,1763; ferox Scopoli,1763; fulva Geoffroy,1785; pedemontana Fabricius,1794; escorialensis Strobl,1906* DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
331. **Lasiocalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii Latreille,1805; denticornis Fonscolombe,1832* DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
332. **Lasioglossum (Evylaeus) catipes (Blüthgen,1926)** (Halictidae) Synonym(s): *catipes Blüthgen,1926* PK Pj Mre IN Hp Sml
333. **Lasioglossum (Evylaeus) didomenon Ebmer,1980** (Halictidae) Synonym(s): *didomenon Ebmer,1980* Ld IN
334. **Lasioglossum (Evylaeus) hypsiston Ebmer,1980** (Halictidae) Synonym(s): *hypsiston Ebmer,1980* IN Ld
335. **Lasioglossum (s.str.) tardum (Cameron,1896)** (Halictidae) Synonym(s): *tardum Cameron,1896; reflexoides Blüthgen,1926* Ld Ch PK IN
336. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
337. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
338. **Lispe nana Macquart,1835** (Muscidae) Synonym(s): *nana Macquart,1835* AM Cc Eri IR TR IN
339. **Lucanus (Pseudolucanus) atratus Hope,1831** (Lucanidae) Synonym(s): *atratus Hope,1831* IN SI Djl Ass NP
340. **Lucanus (Pseudolucanus) confusus (Boucher,1994)** (Lucanidae) Synonym(s): *confusus Boucher,1994* IN SI Djl NP BT
341. **Lucanus (Pseudolucanus) devei (Lacroix,1988)** (Lucanidae) Synonym(s): *devei Lacroix,1988* IN Ch
342. **Lucanus (Pseudolucanus) gracilis Albers,1889** (Lucanidae) Synonym(s): *gracilis Albers,1889* IN SI Ass NP BT CN Ti
343. **Lucanus (Pseudolucanus) groulti (Planet,1897)** (Lucanidae) Synonym(s): *groulti Planet,1897* PK Nwf IN Up NP

344. **Lucanus (Pseudolucanus) oberthuri (Planet,1896)** (Lucanidae) Synonym(s): *oberthuri Planet,1896* IN SI NP
345. **Majeria aspericollis (Champion,1925)** (Melyridae) Synonym(s): *aspericollis Champion,1925* IN Hp
346. **Malachiomimus latifrons Champion,1921** (Melyridae) Synonym(s): *latifrons Champion,1921* IN Hp Kma
347. **Malachiomimus luteipes Champion,1921** (Melyridae) Synonym(s): *luteipes Champion,1921* IN Hp Kma
348. **Malachiomimus nigripilis Champion,1921** (Melyridae) Synonym(s): *nigripilis Champion,1921* IN
349. **Mantis indica Mijkherjee,1995** (Mantidae) Synonym(s): *indica Mijkherjee,1995* IN
350. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
351. **Martinina prima (Distant,1908)** (Pentatomidae) Synonym(s): *prima Distant,1908* IN
352. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis Fabricius,1798; bohemani Ratzeburg,1848; xanthopygus Förster,1859* FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
353. **Melanogryllus carmichaeli (Chopard,1928)** (Gryllidae) Synonym(s): *carmichaeli Chopard,1928* IN
354. **Memantis fuliginosa (Thunberg,1815)** (Mantidae) Synonym(s): *fuliginosa Thunberg,1815; femorata Saussure,1870; consobrina Saussure,1871* IN MM NP
355. **Memantis gardeneri Werner,1931** (Mantidae) Synonym(s): *gardeneri Werner,1931* IN
356. **Memantis minor Werner,1931** (Mantidae) Synonym(s): *minor Werner,1931* IN
357. **Mesopteryx alata Saussure,1870** (Mantidae) Synonym(s): *alata Saussure,1870* CN IN PH
358. **Mesopteryx platycephala (Stal,1877)** (Mantidae) Synonym(s): *platycephala Stal,1877* IN MM KH
359. **Mesopteryx robusta Wood-Mason,1882** (Mantidae) Synonym(s): *robusta Wood-Mason,1882* IN
360. **Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius Panzer,1805* TR CN NP IN
361. **Mimothrix histrio Majer,1995** (Melyridae) Synonym(s): *histrio Majer,1995* IN SI
362. **Mimothrix olivacea Majer,1989** (Melyridae) Synonym(s): *olivacea Majer,1989* IN SI
363. **Mimothrix scortea Majer,1995** (Melyridae) Synonym(s): *scortea Majer,1995* IN Ch
364. **Mimothrix trapezicollis Majer,1995** (Melyridae) Synonym(s): *trapezicollis Majer,1995* IN Ld
365. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
366. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
367. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
368. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
369. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
370. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* RU TR IN CN TH MY
371. **Myriochoile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
372. **Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) Synonym(s): *acerbus Walker,1853; atrox Walker,1853; iners Walker,1853; nigellus Navas,1930.* TR AF IN SA IQ
373. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis Malloch,1923* MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW
374. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons Macquart,1851* MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW
375. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens Walker,1856* MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN
376. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri Emden,1965* MM LK IN Ass Ben NP TH VN
377. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis Walker,1859* MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK
378. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica Robineau-Desvoidy,1830* IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw

379. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta* Wiedemann,1830 **MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry**
380. **Neomyia ruficornis (Shinonaga,1970)** (Muscidae) Synonym(s): *ruficornis* Shinonaga,1970 **IN VN**
381. **Neomyia steini (Aubertin,1933)** (Muscidae) Synonym(s): *steini* Aubertin,1933 **IN**
382. **Netelia (Bessobates) virgata (Fourcroy,1785)** (Ichneumonidae) Synonym(s): *virgata* Fourcroy,1785 **TR IN**
383. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**
384. **Nousera furcifer (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *furcifer* Van der Weele,1909 **IN**
385. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804 **TR AF CN IN JP LK ID Sum**
386. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis* Ferro,1983 **TR IR AF IN PK**
387. **Odontomantis micans (Saussure,1871)** (Hymenopodidae) Synonym(s): *micans* Saussure,1871 **IN LK TH MY Bor ID Sda**
388. **Odontomantis montana Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *montana* Giglio-Tos,1915 **IN MY ID Sum**
389. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivola* Butler,1881; *mlokoziewitzki* Bolivar,1884; *mlokozewitchi* Bolivar,1887; *dimidiatus* Bolivar,1899 **Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV**
390. **Ogcogaster kempfi Fraser,1922** (Ascalaphidae) Synonym(s): *kempfi* Fraser,1922 **IN**
391. **Ogcogaster kirbyi Van der Weele,1909** (Ascalaphidae) Synonym(s): *kirbyi* Van der Weele,1909 **KH IN Ch**
392. **Ogcogaster segmantator Westwood,1848** (Ascalaphidae) Synonym(s): *segmantator* Westwood,1848; *salvatoris* Navas,1924 **IN Hp Ch Up**
393. **Ogcogaster tessellata Westwood,1848** (Ascalaphidae) Synonym(s): *tessellata* Westwood,1848; *xavierii* Navas,1930 **IN Hp PK**
394. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899 **DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD**
395. **Oncotympana expansa (Walker,1858)** (Cicadidae) Synonym(s): *expansa* Walker,1858 **IN**
396. **Oncotympana mahoni Distant,1906** (Cicadidae) Synonym(s): *mahoni* Distant,1906 **IN**
397. **Oncotympana melanoptera (Distant,1904)** (Cicadidae) Synonym(s): *melanoptera* Distant,1904 **IN**
398. **Oncotympana obnubila (Distant,1888)** (Cicadidae) Synonym(s): *obnubila* Distant,1888 **IN**
399. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 **RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN**
400. **Opatroides frater Fairmaire,1896** (Tenebrionidae) Synonym(s): *frater* Fairmaire,1896 **IN**
401. **Opatroides striolatus Fairmaire,1896** (Tenebrionidae) Synonym(s): *striolatus* Fairmaire,1896 **IN**
402. **Opatroides vicinus Fairmaire,1896** (Tenebrionidae) Synonym(s): *vicinus* Fairmaire,1896 **IN**
403. **Oreoderus bidentatus Ricchiardi,2001** (Scarabaeidae) Synonym(s): *bidentatus* Ricchiardi,2001 **IN**
404. **Oreoderus pseudohumeralis Ricchiardi,2001** (Scarabaeidae) Synonym(s): *pseudohumeralis* Ricchiardi,2001 **IN**
405. **Oreoderus sikkimensis Ricchiardi,2001** (Scarabaeidae) Synonym(s): *sikkimensis* Ricchiardi,2001 **IN SI**
406. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis* Selys,1891 **CN Hn IN LK MM MY TH PH SG Bor Sbh**
407. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 **CN ID IN JP LK MM MY TH PH VN TW Bor Sbh**
408. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
409. **Osmia (Helicosmia) adae Bingham,1897** (Megachilidae) Synonym(s): *adae* Bingham,1897 **PK IN NP**
410. **Osmia (Helicosmia) caerulescens (Linneus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linneus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
411. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata* Latreille,1811; *atroalba* Morawitz,1875; *kuznetsovi* Cockerell,1930 **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
412. **Osmia (Helicosmia) haemorrhoea Morawitz,1886** (Megachilidae) Synonym(s): *haemorrhoea* Morawitz,1886 **CN IN**

413. **Osmia (Helicosmia) sponsa Nurse,1904** (Megachilidae) Synonym(s): *sponsa* Nurse,1904 **PK Qu**
TM UZ IN
414. **Oxyophthalma engaea Wood-Mason,1889** (Irididae) Synonym(s): *engaea* Wood-Mason,1889
IN NI LK
415. **Oxyophthalma gracilis Saussure,1861** (Irididae) Synonym(s): *gracilis* Saussure,1861 **IN LK**
416. **Pachyanthrax velleris Greathead,1980** (Bombyliidae) Synonym(s): *velleris* Greathead,1980 **IN**
SA
417. **Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus* Selys &
Hagen,1850 **TR IR IN NP MM**
418. **Pararivetina fraseri Beier,1931** (Mantidae) Synonym(s): *fraseri* Beier,1931 **IN**
419. **Parascalaphus oreobius Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): *oreobius*
Alexandrov-Martynov,1926 **IN**
420. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha*
Walker,1839; *caenus* Walker,1839 **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL**
NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
421. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835
MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF
IN
422. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ**
MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
423. **Pheidole fervens F.Smith,1858** (Formicidae) Synonym(s): *fervens* F.Smith,1858; *javana*
Mayr,1867; *cavannae* Emery,1887; *dharmasana* Forel,1902; *amia* Forel,1912; *tahitiana* Santschi,1928; **EG**
IN Hp ID Ja
424. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens* Sykes,1835; *indica*
Mayr,1879; *himalayana* Forel,1902 **Cn EG IL Pa IR SA IN**
425. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 **IR IQ CY**
GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
426. **Phradonoma piceum Hava,2002** (Dermestidae) Synonym(s): *piceum* Hava,2002 **IN**
427. **Phradonoma tricolor (Arrow,1915)** (Dermestidae) Synonym(s): *tricolor* Arrow,1915 **IN SA**
OM YE
428. **Phthiria gracilis Walker,1852** (Bombyliidae) Synonym(s): *gracilis* Walker,1852 **IN Hp Ch Up**
429. **Phyllothelys decipiens Giglio-Tos,1915** (Mantidae) Synonym(s): *decipiens* Giglio-Tos,1915
IN MY Bor ID Ja
430. **Phyllothelys westwoodi (Wood-Mason,1876)** (Mantidae) Synonym(s): *westwoodi* Wood-
Mason,1876 **IN MM**
431. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 **TR Cc**
IR AF KG MN DZ SD IN
432. **Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860
TR Cc IR IQ AF IN RU
433. **Phyllotreta nodicornis (Marsham,1802)** (Chrysomelidae) Synonym(s): *nodicornis*
Marsham,1802 **Cc TR IN**
434. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 **Cc TR**
IR AF KG RU Sb MN CN IN
435. **Picromerus griseus (Dallas,1851)** (Pentatomidae) Synonym(s): *griseus* Dallas,1851; *obtus*
Walker,1867; *nigrivitta* Walker,1867; *sundanus* Breddin,1902 **BD MM CN IN PK ID Ja**
436. **Plagiodes versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora*
Laicharting,1781 **TR DZ RU Sb IN JP TW CA**
437. **Platycleis (Decorana) himalayana (Ramme,1933)** (Tettigoniidae) Synonym(s):
himalayana Ramme,1933 **IN Hp Sml**
438. **Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata* Selys,1863 **TR LB**
Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
439. **Platylomia andamansidensis Boulard,2001** (Cicadidae) Synonym(s): *andamansidensis*
Boulard,2001 **TH IN Adm**
440. **Platynopus indicus Chaterjee,1934** (Pentatomidae) Synonym(s): *indicus* Chaterjee,1934 **IN**
441. **Platypleura affinis (Fabricius,1803)** (Cicadidae) Synonym(s): *affinis* Fabricius,1803; *nicobarica*
Butler,1877; *distincta* Atkinson,1885 **IN Nk**
442. **Platypleura andamana Distant,1878** (Cicadidae) Synonym(s): *andamana* Distant,1878 **IN**
Adm
443. **Platypleura assamensis Atkinson,1888** (Cicadidae) Synonym(s): *assamensis* Atkinson,1888
IN Ass Meg Khs Nag
444. **Platypleura basialba (Walker,1850)** (Cicadidae) Synonym(s): *basialba* Walker,1850 **IN Up**
Ddu Ben Mhw
445. **Platypleura basiviridis Walker,1850** (Cicadidae) Synonym(s): *basiviridis* Walker,1850 **IN**
Bba
446. **Platypleura bufo (Walker,1850)** (Cicadidae) Synonym(s): *bufo* Walker,1850 **IN**
447. **Platypleura capitata (Olivier,1790)** (Cicadidae) Synonym(s): *capitata* Olivier,1790; *subrufa*
Walker,1850 **IN LK**

448. **Platypleura cervina Walker,1850** (Cicadidae) Synonym(s): *cervina* Walker,1850; *straminea* Walker,1850 **IN Ben**
449. **Platypleura coelebs Stal,1863** (Cicadidae) Synonym(s): *coelebs* Stal,1863 **IN CN**
450. **Platypleura hampsoni (Distant,1887)** (Cicadidae) Synonym(s): *hampsoni* Distant,1887 **IN NI**
451. **Platypleura mackinnoni Distant,1904** (Cicadidae) Synonym(s): *mackinnoni* Distant,1904 **IN Mus Up Ddu**
452. **Platypleura nobilis (Germar,1830)** (Cicadidae) Synonym(s): *nobilis* Germar,1830; *hemiptera* Guérin-Ménéville,1834; *semilucida* Walker,1850; *gemina* Walker,1850 **IN Ass Meg MM Tvy TH ID Sum Ja**
453. **Platypleura octoguttata (Fabricius,1798)** (Cicadidae) Synonym(s): *octoguttata* Fabricius,1798; *sanguiflua* Walker,1850 **IN Pj Mus Mhw Bba NI LK Krc Sd PK**
454. **Platypleura polita (Walker,1850)** (Cicadidae) Synonym(s): *polita* Walker,1850 **IN Knr**
455. **Platypleura repanda (Linnaeus,1767)** (Cicadidae) Synonym(s): *repanda* Linnaeus,1767; *phalaenoides* Walker,1850; *interna* Walker,1852 **IN SI Djl Ch Ass Mge Khs Nag MM**
456. **Platypleura sphinx Walker,1850** (Cicadidae) Synonym(s): *sphinx* Walker,1850 **IN Mhw Ben**
457. **Plistospilota nova Beier,1930** (Mantidae) Synonym(s): *nova* Beier,1930 **IN TH**
458. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 **IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA**
459. **Podagrionella caudata Narendran,1994** (Torymidae) Synonym(s): *caudata* Narendran,1994 **IR Ss IN**
460. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus* Kohl,1898 **IT FR GR YU TR Cc AZ IL IN CN**
461. **Polistes (s.str.) indicus Stofla,1934** (Vespidae) Synonym(s): *indicus* Stofla,1934 **IN**
462. **Polyneura ducalis Westwood,1842** (Cicadidae) Synonym(s): *ducalis* Westwood,1842 **NP IN MM SI Ass Meg Djl Rgo CN Ti**
463. **Pomonia thalia (Walker,1850)** (Cicadidae) Synonym(s): *thalia* Walker,1850; *sphinx* Walker,1850; *horsfieldi* Distant,1893 **CN Ti IN ID Ja**
464. **Pradeshia indica (Jaikishan Singh & Khan,1997)** (Eulophidae) Synonym(s): *indica* Jaikishan Singh & Khan,1997 **IN Up**
465. **Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): *vulnerator* Panzer,1799 **TR IN CN**
466. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848 **YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM**
467. **Protacheron philippinensis (Van der Weele,1904)** (Ascalaphidae) Synonym(s): *philippinensis* Van der Weele,1904 **IN PH**
468. **Protacheron westermanni Esben-Petesen,1933** (Ascalaphidae) Synonym(s): *westermanni* Esben-Petesen,1933 **IN**
469. **Protaetia (Potosia) indica Miksic,1955** (Scarabaeidae) Synonym(s): *indica* Miksic,1955 **IN Ch AF**
470. **Protaetia (Potosia) inpavida Janson,1879** (Scarabaeidae) Synonym(s): *inpavida* Janson,1879 **IN AF**
471. **Protaetia (Potosia) neglecta (Hope,1831)** (Scarabaeidae) Synonym(s): *neglecta* Hope,1831 **IN AF**
472. **Protidricerus elwesi (McLachan,1891)** (Ascalaphidae) Synonym(s): *elwesi* McLachan,1891 **CN Hun Ass Meg IN**
473. **Protosmia (Nanosmia) devia Tkalcu,1978** (Megachilidae) Synonym(s): *devia* Tkalcu,1978 **PK IN Ch**
474. **Pseudanasida fallax Schouteden,1907** (Pentatomidae) Synonym(s): *fallax* Schouteden,1907 **IN**
475. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
476. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami* Bischoff,1920; *zarudnyi* Skorikov,1935 **KG UZ TJ KK TM IR Ke AF IN Rj**
477. **Pseudophotopsis irana (Skorikov,1935)** (Mutillidae) Synonym(s): *irana* Skorikov,1935; *cithara* Skorikov,1935 **IR Kh Ke AF IN Rj**
478. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
479. **Pycna repanda (Linnaeus,1767)** (Cicadidae) Synonym(s): *repanda* Linnaeus,1767; *phalaenoides* Walker,1850; *interna* Walker,1852 **Cicada repanda Linnaeus,1767, Syst. Nat. (Ed.12): 707. IN SI Djl Ch Ass Meg Khs Nag MM Syl BD**
480. **Pyrellia vivida Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* Robineau-Desvoidy,1830 **Cc AM Eri AZ TR IR PK IN CN**
481. **Remisium ephippium (Macquart,1855)** (Asilidae) Synonym(s): *ephippium* Macquart,1855; *pulcher* Ricardo,1922 **IR CN IN MN LK**
482. **Rhombodera basalis (De Haan,1842)** (Mantidae) Synonym(s): *basalis* De Haan,1842; *deflexa* Saussure,1871 **IN TH MY ID Ja Bor**

483. **Rhombodera butleri (Wood-Mason,1878)** (Mantidae) Synonym(s): *butleri* Wood-Mason,1878 **IN NP**
484. **Rhombodera crassa (Giglio-Tos,1912)** (Mantidae) Synonym(s): *crassa* Giglio-Tos,1912 **IN**
485. **Rhombodera doriana Laidlaw,1931** (Mantidae) Synonym(s): *doriana* Laidlaw,1931 **IN**
486. **Rhombodera fraticida (Wood-Mason,1878)** (Mantidae) Synonym(s): *fraticida* Wood-Mason,1878 **IN MY Bor Sda**
487. **Rhombodera mjoebergi (Werner,1930)** (Mantidae) Synonym(s): *mjoebergi* Werner,1930 **IN**
488. **Rhombodera tectiformis (Saussure,1870)** (Mantidae) Synonym(s): *tectiformis* Saussure,1870 **IN MM NP**
489. **Rhombodera valida (Burmeister,1838)** (Mantidae) Synonym(s): *valida* Burmeister,1838; *rotunda* Giglio-Tos,1917 **CN IN JP MY ID Ja Mlc Tim**
490. **Rhombodera woodmasoni (Werner,1931)** (Mantidae) Synonym(s): *woodmasoni* Werner,1931 **IN NP MY**
491. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, **List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**
492. **Rivetinula fraterna (Saussure,1871)** (Mantidae) Synonym(s): *trifasciata* De Haan,1842; *fraterna* Saussure,1871 **IN SA**
493. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 **YU RO BG TR EG US TW RU UZ GB DK Hw IN**
494. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 **ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR**
495. **Scathophaga mellipes (Coquillet,1899)** (Scathophagidae) Synonym(s): *mellipes* Coquillet,1899; *chinensis* Malloch,1935 **KP KR JP CN TW NP IN RU**
496. **Schizocephala bicornis (Linnaeus,1758)** (Mantidae) Synonym(s): *bicornis* Linnaeus,1758; *oculata* Fabricius,1781; *stricta* Olivier,1792 **IN NP LK ID Sda**
497. **Schizodactylus minor Ander,1938** (Schizodactylidae) Synonym(s): *minor* Ander,1938 **IN**
498. **Schizodactylus monstrosus (Drury,1773)** (Schizodactylidae) Synonym(s): *monstrosus* Drury,1773 **IN Ben**
499. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg**
500. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **TR Cc AZ IR PK IN LK SA SO TZ Cn**
501. **Sepedon plumbella Wiedemann,1830** (Sciomyzidae) Synonym(s): *plumbella* Wiedemann,1830 **IN TH CMa AU**
502. **Sergentomyia (Grassomyia) indica (Theodor,1931)** (Psychodidae) Synonym(s): *indica* Theodor,1931 **IN IR**
503. **Siphlocerus nimius (Walker,1853)** (Ascalaphidae) Synonym(s): *nimius* Walker,1853 **IN Pj Up Ben**
504. **Sphyracephala hearseiana (Westwood,1845)** (Diopsidae) Synonym(s): *hearseiana* Westwood,1845 **PK IN**
505. **Statilia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 **AU PG NC IN ID Clb Sba Tim PH GH GN ZR**
506. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
507. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 **IN VN CN KP KR JP MM MY Bor ID Sum Ja PH**
508. **Stylascalaphus obscurus (Westwood,1848)** (Ascalaphidae) Synonym(s): *obscurus* Westwood,1848 **IN**
509. **Suhpalasca obscura Fraser,1922** (Ascalaphidae) Synonym(s): *obscura* Fraser,1922 **IN**
510. **Suhpalasca orsedicae Banks,1914** (Ascalaphidae) Synonym(s): *orsedicae* Banks,1914 **IN Ben**
511. **Supholomitus brevis Kimmins,1949** (Ascalaphidae) Synonym(s): *brevis* Kimmins,1949 **IN Ben LK**
512. **Supholomitus parvus Kimmins,1949** (Ascalaphidae) Synonym(s): *parvus* Kimmins,1949 **IN**
513. **Supholomitus verbosus (Walker,1853)** (Ascalaphidae) Synonym(s): *verbosus* Walker,1853 **IN Ben LK**
514. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 **IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB**
515. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 **IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ**

516. **Systropha (s.str.) punjabensis** **Batra & Michener,1966** (Halictidae) Synonym(s): *punjabensis* *Batra & Michener,1966* **IN Pj**
517. **Systropus (s.str.) flavipectus** (**Enderlein,1926**) (Bombyliidae) Synonym(s): *flavipectus* *Enderlein,1926* **IN SI TH**
518. **Tenodera angustipennis** **Sauusure,1869** (Mantidae) Synonym(s): *angustipennis* *Sauusure,1869* **CN Hw IN JP ID Ja KP KR RU Sb**
519. **Tenodera aridifolia** (**Stoll,1813**) (Mantidae) Synonym(s): *aridifolia* *Stoll,1813*; *brevicollis* *Beier,1933*; *chloreudeta* *Burmeister,1838*; *japonica* *Saussure,1869* **IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno**
520. **Tenodera blanchardi** **Giglio-Tos,1912** (Mantidae) Synonym(s): *?fusca* *Blanchard,1853*; *blanchardi* *Giglio-Tos,1912*; **AU PG Bsm Bor MY IN ID Mlc Clb**
521. **Tenodera fasciata** (**Olivier,1792**) (Mantidae) Synonym(s): *fasciata* *Olivier,1792*; *attenuata* *Stoll,1813*; *leptelytra* *Lichtenstein,1802*; *excissata* *Audinet-Serville,1839* **IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH**
522. **Tenodera superstitiosa** (**Fabricius,1781**) (Mantidae) Synonym(s): *superstitiosa* *Fabricius,1781*; *bokiana* *Giglio-Tos,1907* **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
523. **Thaneroclerus buqueti** **Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti* *Lefebvre,1835*; *sanguinolentus* *Spinola,1844*; *girodi* *Chevolat,1880*; *tabacci* *Matsumura,1935* **DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd**
524. **Therion circumflexum** (**Linnaeus,1758**) (Ichneumonidae) Synonym(s): *circumflexum* *Linnaeus,1758* **TR IN CN**
525. **Tosena dives** (**Westwood,1842**) (Cicadidae) Synonym(s): *dives* *Westwood,1842*; *transversa* *Walker,1858* **IN SI Djl Syl BD**
526. **Tosena mearesiana** (**Westwood,1842**) (Cicadidae) Synonym(s): *mearesiana* *Westwood,1842* **IN SI**
527. **Tosena melanoptera** (**White,1846**) (Cicadidae) Synonym(s): *melanoptera* *White,1846* **TH IN SI Djl Ass Meg Khs Syl BD MM Bha**
528. **Tosena splendida** **Distant,1878** (Cicadidae) Synonym(s): *splendida* *Distant,1878* **TH IN Ass Meg Nag MM**
529. **Toxodanuria orientalis** (**Wood-Mason,1877**) (Mantidae) Synonym(s): *orientalis* *Wood-Mason,1877* **IN**
530. **Toxodanuria parvula** (**Westwood,1889**) (Mantidae) Synonym(s): *parvula* *Westwood,1889* **IN**
531. **Trogoderma inclusum** **LeConte,1854** (Dermestidae) Synonym(s): *inclusum* *LeConte,1854*; *tarsale* *Riley,1894*; *advena* *Casey,1900*; *obsolescens* *Casey,1900*; *frosti* *Casey,1916*; *nigrescans* *Casey,1916*; *brunnescens* *Casey,1916* **TR US RU RG IN**
532. **Troilus luridus** (**Fabricius,1775**) (Pentatomidae) Synonym(s): *luridus* *Fabricius,1775*; *serrulatus* *Müller,1776*; *dentatus* *Schrank,1781*; *beryllinus* *Gmelin,1788*; *elector* *Fabricius,1794*; *angusta* *Reuter,1881* **AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH**
533. **Tropidopola longicornis** (**Fieber,1853**) (Acrididae) Synonym(s): *longicornis* *Fieber,1853*; *syrica* *Walker,1871*; *cylindrica* *Giglio-Tos,1893*; *indica* *Uvarov,1937* **TR GR Cr IN LY EG SY LB Bei**
534. **Trupanea amoena** (**Frauenfeld,1857**) (Tephritidae) Synonym(s): *amoena* *Frauenfeld,1857*; *#amonea* *Giray,1979* **TR ET IN LK AU**
535. **Trupanea stellata** (**Fuesslin,1775**) (Tephritidae) Synonym(s): *stellata* *Fuesslin,1775* **TR GB SE KG RU CN IN DZ IR**
536. **Truxalis indica** (**Bolivar,1902**) (Acrididae) Synonym(s): *indica* *Bolivar,1902* **IN**
537. **Usia (s.str.) marginata** **Brunetti,1909** (Bombyliidae) Synonym(s): *marginata* *Brunetti,1909* **IN Hp**
538. **Usia (s.str.) sedophila** **Brunetti,1909** (Bombyliidae) Synonym(s): *sedophila* *Brunetti,1909* **IN**
539. **Velia (Cesavelia) anderseni** **Tran, Zettel & Maria Buzzetti,2009** (Veliidae) Synonym(s): *anderseni* *Tran, Zettel & Maria Buzzetti,2009* **IN Ben**
540. **Velia (Cesavelia) championi** **Tamanini,1955** (Veliidae) Synonym(s): *championi* *Tamanini,1955* **IN**
541. **Velia (Cesavelia) steelei** **Tamanini,1955** (Veliidae) Synonym(s): *steelei* *Tamanini,1955* **IN**
542. **Vespula germanica** (**Fabricius,1793**) (Vespidae) Synonym(s): *germanica* *Fabricius,1793* **Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
543. **Vespula vulgaris** (**Linnaeus,1758**) (Vespidae) Synonym(s): *vulgaris* *Linnaeus,1758* **BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl**
544. **Villa andamanensis** **Bhalla, Grewal & Kapoor,1991** (Bombyliidae) Synonym(s): *andamanensis* *Bhalla, Grewal & Kapoor,1991* **IN Adm**
545. **Villa aperta** (**Walker,1852**) (Bombyliidae) Synonym(s): *aperta* *Walker,1852* **IN Ass Meg Up**
546. **Villa approximata** **Brunetti,1917** (Bombyliidae) Synonym(s): *approximata* *Brunetti,1917* **MM LK IN Ass Meg NP**
547. **Villa aureohirta** **Brunetti,1909** (Bombyliidae) Synonym(s): *aureohirta* *Brunetti,1909* **IN**

548. **Villa baluchianus Brunetti,1920** (Bombyliidae) Synonym(s): *baluchianus Brunetti,1920* PK
BI IN Ch
549. **Villa brunettii Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *brunettii Evenhuis & Greathead,1999* PK IN
550. **Villa clara (Walker,1852)** (Bombyliidae) Synonym(s): *clara Walker,1852* IN Ass Meg Up
551. **Villa claripennis (Brunetti,1909) homonym!** (Bombyliidae) Synonym(s): *claripennis Brunetti,1909 nec Kowarz,1868* IN Up
552. **Villa dia (Wiedemann,1824)** (Bombyliidae) Synonym(s): *dia Wiedemann,1824; fulviceps Rondani,1880* IN
553. **Villa fletcheri (Brunetti,1920)** (Bombyliidae) Synonym(s): *fletcheri Brunetti,1920* IN LK
554. **Villa fuscolimbata (Brunetti,1917)** (Bombyliidae) Synonym(s): *fuscolimbata Brunetti,1917* IN Hp Up
555. **Villa kopanghatiensis Bhalla, Grewal & Kapoor,1991** (Bombyliidae) Synonym(s): *kopanghatiensis Bhalla, Grewal & Kapoor,1991* IN
556. **Villa limpida (Walker,1852)** (Bombyliidae) Synonym(s): *limpida Walker,1852* IN
557. **Villa lucens (Walker,1852)** (Bombyliidae) Synonym(s): *lucens Walker,1852* IN
558. **Villa lucida (Walker,1852)** (Bombyliidae) Synonym(s): *lucida Walker,1852* IN
559. **Villa manifesta (Walker,1852)** (Bombyliidae) Synonym(s): *manifesta Walker,1852* IN Up Ass
Ch
560. **Villa paniscus (Rossi,1790)** (Bombyliidae) Synonym(s): *paniscus Rossi,1790; cingulata Meigen,1820; bimaculata Macquart,1840* IT Si Sa MN CN IN
561. **Villa transversa (Brunetti,1920)** (Bombyliidae) Synonym(s): *transversa Brunetti,1920* IN
Up
562. **Villa troglodyta (Fabricius,1775)** (Bombyliidae) Synonym(s): *troglodyta Fabricius,1775* IN
PG
563. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata Latreille,1809 Tridactylus variegatus Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB Brussels). FR ES CZ RO TR Cc RU KG IN*
564. **Zicrona hisarensis Chopra & Sucheta,1984** (Pentatomidae) Synonym(s): *hisarensis Chopra & Sucheta,1984* IN

Synonymic and distributional list of the pterygot insects of Iraq (Results of the Entomofauna of the World based upon info-system of the Cesa)

8

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Iraq (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **8**.

Priamus (suppl.) 18: 561-577.

In this study, totally 466 pterygot species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Taking earlier publications of the authors into consideration, species number of the pterygot fauna of Iraq increased to 1650.

Key words: List, distribution, *pterygota*, *Insecta*, Iraq.

Brief explanatory information:

Previously published article	yes
Previously published report	yes
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 466 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Entomofauna, the Lepidoptera²³ of this country has been previously published by the authors as a list of 1184 species. By this way, total number of the pterygots increased to 1650.

The study is still continuing, and the new results will be published within this Project.

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
2. **Acanthacლის mesopotamica Hölzel,1972** (Myrmeleonidae) Synonym(s): *mesopotamica* Hölzel,1972 **IQ**
3. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**

²³ **Koçak,A.Ö. & M.Kemal**, 2001, Lepidoptera coğrafiyesi üstide tetqiqatlar 3.İraq képinekliri üstide zoocoğrafiyelik hatiriler (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Priamus 10 (3/4): 164-173 [in Uighur language]. - **Koçak,A.Ö. & M.Kemal**, 2007, Results of the International Projects of the CESA on the World Lepidoptera - I. Cent. ent. Stud., Memoirs 3-4: v + 1-1989 pp. 49 Col. Plates. see: **Chapter 9**, "List of the Lepidoptera recorded in Iraq". <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

4. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926 **TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR**
5. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876 **AF IR IQ? MN TR GG KG RU TJ TM UZ**
6. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
7. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937 **Acrometopa syriaca Brunner von Wattenwyl,1878, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). GR CY EG IL Pa LB Bei SY Dms TR IQ**
8. **Acrorrhinium conspersum Noualhier,1895** (Miridae) Synonym(s): *conspersum* Noualhier,1895 **IQ TR**
9. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
10. **Actorthia olivierii (Macquart,1840)** (Therevidae) Synonym(s): *olivierii* Macquart,1840 **IQ**
11. **Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): *grande* Haag-Rutenberg,1879; *persis* Semenov & Bogatshev,1947; *perissinottoi* Canzoneri,1965 **IQ IR Fa IL Pa**
12. **Adesmia (s.str.) mesopotamica Chevrolat,1877** (Tenebrionidae) Synonym(s): *mesopotamica* Chevrolat,1877 **IQ**
13. **Adesmia (s.str.) ramburi Solier,1835** (Tenebrionidae) Synonym(s): *ramburi* Solier,1835 **IQ**
14. **Adoretus irakanus Ohaus,1928** (Scarabaeidae) Synonym(s): *irakanus* Ohaus,1928 **IQ IL Pa**
15. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889 **DZ TR TM SY IR IQ TM TJ**
16. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ**
17. **Aethiessa zarudnyi Kiseritzkij,1939** (Scarabaeidae) Synonym(s): *zarudnyi* Kiseritzkij,1939; *bagdadensis* Arrow,1910 **IR IQ Bgd**
18. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
19. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911 **ES Cn EG IR IQ IT MA Cc AM TR**
20. **Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt **TR JO IQ IR**
21. **Agriotes (s.str.) meticolosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 **TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY**
22. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
23. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU**
24. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
25. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
26. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythroga* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni*

- Schatzmayr,1909; chobauti Puel,1924* LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN
IR IQ KG NL
27. **Amnodelis confluens** Miller,1858 (Tenebrionidae) Synonym(s): *confluens* Miller,1858 IQ EG
28. **Amorphoscelis pantherina** Roy,1966 (Amorphoscelidae) Synonym(s): *pantherina* Roy,1966
Amorphoscelis pantherina Roy,1966, Ent. News 77: 268-270, 3 fig. Holotype ♂: Iraq: Arbil Liwa, Aug.
(USNM). IQ Er IR Fa TR
29. **Amphicomma (Pygopleurus) basalis** Reitter,1890 (Glaphyridae) Synonym(s): *basalis*
Reitter,1890; *purpurea* Petrovitz,1957 TR IQ IR
30. **Amphicomma (Pygopleurus) cirrius** Petrovitz,1957 (Glaphyridae) Synonym(s): *cirrius*
Petrovitz,1957 IQ SA
31. **Amphicomma (Pygopleurus) rufovillosus** Reitter,1907 (Glaphyridae) Synonym(s): *rufovillosus*
Reitter,1907; *nigropubescens* Petrovitz,1963; *pompa* Petrovitz,1963 TR SY IQ
32. **Amphicomma (Rudeulasia) pietschmanni** (Breit,1919) (Glaphyridae) Synonym(s):
pietschmanni Breit,1919 IQ JO
33. **Amphicomma (Rudeulasia) straussi** Ganglbauer,1905 (Glaphyridae) Synonym(s): *straussi*
Ganglbauer,1905; *#viridis* Petrovitz,1968 IR IQ TR
34. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae) Synonym(s): *laevis* Ribaut,1935;
acuteangulata Zachvatkin,1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK
MD TJ UZ YU
35. **Anagyrus pseudococci** (Girault,1915) (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM
AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn
Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
36. **Ananconia mesopotamica** Reitter,1908 (Oedemeridae) Synonym(s): *mesopotamica* Reitter,1908
IQ Mos
37. **Anastoechus nivifrons** (Walker,1871) (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus*
Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA
SY AE
38. **Anastoechus pulcher** Paramonov,1930 (Bombyliidae) Synonym(s): *pulcher* Paramonov,1930
IQ IR TM UZ
39. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae) Synonym(s): *auctus* Fabricius,1793 FR IQ IL
Pa JO Pet Amm TR
40. **Aneomochtherus mesopotamicus** (Janssens,1961) (Asilidae) Synonym(s): *mesopotamicus*
Janssens,1961 IQ IR
41. **Anisoplia (Brancoplia) leucaspis** Laporte,1840 (Scarabaeidae) Synonym(s): *leucaspis*
Laporte,1840 TM TR IQ IL Pa SY LB
42. **Anisoplia (Brancoplia) mesopotamica** Pilleri,1954 (Scarabaeidae) Synonym(s): *mesopotamica*
Pilleri,1954 TR IQ IL Pa LB SY
43. **Anoplotettix kurdicus** Remane,1966 (Cicadellidae) Synonym(s): *kurdicus* Remane,1966 IQ
44. **Anormogomphus kiritshenkoi** Bartenev,1913 (Gomphidae) Synonym(s): *kiritshenkoi*
Bartenev,1913 TR IQ Dk Ama IN
45. **Anoxia (s.str.) asiatica** Desbrochers,1872 (Scarabaeidae) Synonym(s): *asiatica*
Desbrochers,1872; *syriaca* Brenske,1894 RO TR AM Cc IQ SY
46. **Anthaxia (Haplantaxia) armeniaca** Obenberger,1929 (Buprestidae) Synonym(s): *armeniaca*
Obenberger,1929 AM AZ Cc TR IQ IR
47. **Anthaxia (Haplantaxia) flavicomes** Abeille,1900 (Buprestidae) Synonym(s): *flavicomes*
Abeille,1900; *erivana* Obenberger,1913; *#flavicomis* Ulay & Tezcan,1998 AM Eri Cc TR IR IQ
48. **Anthaxia (Haplantaxia) puella** Bily,1980 (Buprestidae) Synonym(s): *puella* Bily,1980 IQ TR
49. **Anthaxia (Haplantaxia) umbellatarum** (Fabricius,1787) (Buprestidae) Synonym(s):
umbellatarum Fabricius,1787 DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
50. **Anthaxia (s.str.) amasina** Daniel,1903 (Buprestidae) Synonym(s): *amasina* Daniel,1903 TR Cc
GR IR IQ YU
51. **Anthaxia (s.str.) bicolor** Faldermann,1835 (Buprestidae) Synonym(s): *bicolor* Faldermann,1835
AM AZ GG Cc TR IR IQ IL Pa SY TM UA
52. **Anthaxia (s.str.) kurdistana** Obenberger,1912 (Buprestidae) Synonym(s): *kurdistana*
Obenberger,1912; *adanensis* Obenberger,1913 IQ TR
53. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae) Synonym(s): *strigatum*
Panzer,1805; *contractum* Latreille,1809; *frontale* Lapeletier,1841; *minusculum* Nylander,1852; *coronatum*
Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924;
pauperculum Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936;
judaicum Alfken,1936; *humeralis* Alfken,1936 MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ
TM Kp TJ CY IL Pa IQ
54. **Anthrenus (s.str.) mesopotamicus** Hava,2001 (Dermestidae) Synonym(s): *mesopotamicus*
Hava,2001 IR IQ SY
55. **Aphodius (Calamosternus) chobauti** (Clouet,1896) (Scarabaeidae) Synonym(s): *chobauti*
Clouet,1896 DZ TN LY IL Pa SY IQ SA

56. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758*; *mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
57. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax Pecchioli,1837* AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
58. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus Dejean,1825* AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
59. **Arboridia hussaini (Ghauri,1963)** (Cicadellidae) Synonym(s): *hussaini Ghauri,1963* IQ
60. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
61. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
62. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus Becker,1902* EG IQ IR RO AT ES
63. **Asyndetus izius Negrobov,1973** (Dolichopodidae) Synonym(s): *izius Negrobov,1973* IQ MN TJ
64. **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus Becker,1902* CY EG IQ TN ES
65. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus Olivier,1790* TR AF Cc IR IQ IL Pa LB SY TM
66. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis Reitter,1878* TR TN Cc IQ IR SY
67. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* DE BG GG Cc TR IQ MK GR
68. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858*; *cypranus Ricardo,1911*; *karybenthinus Szilady,1915* TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
69. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855*; *quadrisignata Flor,1861*; *homeyeri Kirschbaum,1868*; *feberi Vismara,1878*; *laevis Bergevin,1934* (*praeocc.*); *zachvatkini Vilbaste,1961*; *nasti Dlabola,1964*; *deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
70. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus Schrank,1798* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
71. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe Kirkaldy,1906*; *hortensis Lindberg,1948*; *virescens Haupt,1927* ES Cn EG IQ JO TR CY LB GR Cr
72. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum Mayr,1853* AF BG IQ IR HU EG RP SD SY SA TR
73. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
74. **Bembecinus schwarzi De Beaumont,1967** (Crabronidae) Synonym(s): *schwarzi De Beaumont,1967* TR IQ Mos?
75. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781*; *cinctus Rossi,1790*; *repandus Panzer,1801*; *sinuatus Latreille,1805*; *satsumanus Sonan,1934*; *errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
76. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum Sturm,1825* AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
77. **Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile Dejean,1831* TR MA TN AF IQ
78. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
79. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
80. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
81. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918* AM Cc TR IR IQ TJ TM
82. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
83. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
84. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
85. **Blaps spinosa Allard,1880** (Tenebrionidae) Synonym(s): *spinosa Allard,1880* Blaps (Uroblaps) *spinosa Allard,1880*, Anns Soc. ent. Fr. (5) 10: 304; *ibid.* 6 (1) (1881): 135-136, fig.20. Type: Mésopotamie (coll. Bates). IQ
86. **Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae Bodenheimer,1924* TR CY IR IQ IL Pa

87. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si Kz KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
88. **Bombylius (s.str.) flavisetosus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *flavisetosus* Abbasian-Lintzen,1965 IR IQ
89. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si Kz KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
90. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
91. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikán,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si Kz KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
92. **Bombylius (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 IQ
93. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si Kz KK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
94. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
95. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
96. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
97. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
98. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
99. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
100. **Brachinus (subg.) bagdatensis Pic,1902** (Carabidae) Synonym(s): *bagdatensis* Pic,1902; *richteri* Jedlicka,1961 IQ Bgd TR
101. **Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): *aegyptiaca* Masi,1931 CY IQ IL Pa EG
102. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
103. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
104. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu Bl UZ
105. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
106. **Brachythemis fuscopalliata (Selys,1887)** (Libellulidae) Synonym(s): *fuscopalliata* Selys,1887 IQ
107. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
108. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
109. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938 MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR

110. **Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus* Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842 **ES IL Pa TR IQ FR ES PT**
111. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834 **DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp**
112. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétriés,1838 **TR Cc SY IL Pa IQ JO LB**
113. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 **DZ TN LY Cy IL Pa SY SA IQ**
114. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider,1845 **GR TR Cc GG LB IR CY IQ Dk**
115. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky,1930; *aurantiacus* Ramme,1930; *iranicus* Ramme,1930; *persa* Uvarov,1938; *aurantipes* Ramme,1951; *syriacus* Ramme,1951 **TR IR Cc IQ RU LB SY**
116. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ**
117. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 **TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl**
118. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta* Loew,1844 **TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO**
119. **Camponotus jaliensis Dalla Torre,1893** (Formicidae) Synonym(s): *jaliensis* Dalla Torre,1893 **IQ TR**
120. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
121. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
122. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
123. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldernmann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
124. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
125. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olceseii* Obenberger,1945; *morio* Obenberger,1945 **DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU**
126. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus* Klug,1832 **TR EG IQ IL Pa JO LY SY**
127. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817 **AM Cc GG TR CY IR IQ IL Pa LY SY TM**
128. **Cardiophorus (s.str.) alienus (Szombathy,1910)** (Elateridae) Synonym(s): *alienus* Szombathy,1910 **ID Ja IQ Cc AZ Nv**
129. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913 **SY CY TR Cc AZ AM IQ IR**
130. **Cardiophorus (s.str.) turgidus Erichson,1840** (Elateridae) Synonym(s): *turgidus* Erichson,1840 **TR IQ SY**
131. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958 **IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK**
132. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851 **TR AF IL Pa Cc IQ SY TJ**
133. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817 **HU BG TR IQ IR Cc CY RU**
134. **Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): *thoracicum* Sharp,1880 **IR Ab Ak IQ SA**
135. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
136. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 **DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR**
137. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825 **TR Cc IQ IL Pa SY DZ**
138. **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei* Allard,1863 **TR Cc IQ IR**

139. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 TR Cc IQ KG CN TI DZ MN RU Sb
140. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864 TR Cc IQ IR IL Pa DZ
141. **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami* Stackelberg,1929 TR CY IL Pa IQ UZ
142. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
143. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
144. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
145. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
146. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
147. **Chrysolina anceyi (Marseul,1868)** (Chrysomelidae) Synonym(s): *anceyi* Marseul,1868; *winkleri* Breit,1919; *pluscula* Bechyne,1950 IL Pa IQ SY
148. **Chrysolina coeruleans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coeruleans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967 FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
149. **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950 TR CY Cc IR IQ AZ
150. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950 TR SY IL Pa GR Rd CY Cc IR IQ TN
151. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955 EG JO IL Pa SY LB TR IR IQ
152. **Chrysolina sellata (Weise,1894)** (Chrysomelidae) Synonym(s): *sellata* Weise,1894; *cilissa* Jacobson,1924 IQ TR
153. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni* Austen,1922 IL Pa IQ TR Cc AM
154. **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae) Synonym(s): *compactus* Austen,1924 TR IL Pa IQ
155. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
156. **Cicadetta fraseri (China,1938)** (Cicadidae) Synonym(s): *fraseri* China,1938 IQ
157. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ
158. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
159. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
160. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897 Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
161. **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae) Synonym(s): *erythroptilus* Erichson,1840 TR IR Kz IQ Bgd
162. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826 AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
163. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU
164. **Clytra bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1900 TR IQ CY
165. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 IT Si RO UA BG TR Cc SY IQ IR RU
166. **Coniosternum mihalyii Sifner,1975** (Scathophagidae) Synonym(s): *mihalyii* Sifner,1975 MN IQ Bgd
167. **Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s): *concolor* Burmeister,1838 ES EG IL Pa IQ Amara TR

168. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916 **BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR**
169. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR**
170. **Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *fenestella* Horvath,1917 **GR TR Cc RU IQ IR Th Elb Kdv Gh**
171. **Corynis orientalis (Konow,1898)** (Cimbicidae) Synonym(s): *orientalis* Konow,1898 **SY LB IL Pa IQ**
172. **Cryptocephalus augustalisi Pic,1913** (Chrysomelidae) Synonym(s): *augustalisi* Pic,1913 **SY IQ**
173. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa* Rambur,1842; *morosus* Walker,1853; *ulianini* Mc Lachan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915; *albanica* Capra. **SD EG AF IR SA TR IQ IL CY AM GG AL**
174. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915 **AF IR TR SA IQ IL Pa Cc CY SD**
175. **Culicoides badooshensis Khalaf,1961** (Ceratopogonidae) Synonym(s): *badooshensis* Khalaf,1961 **IQ IL Pa**
176. **Culicoides baghdadensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *baghdadensis* Khalaf,1957 **IQ Bgd IL Pa**
177. **Culicoides bulbostylus Khalaf,1961** (Ceratopogonidae) Synonym(s): *bulbostylus* Khalaf,1961 **IQ**
178. **Culicoides indistinctus Khalaf,1961** (Ceratopogonidae) Synonym(s): *indistinctus* Khalaf,1961 **IQ IL Pa**
179. **Culicoides iraqensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *iraqensis* Khalaf,1957 **IQ**
180. **Culicoides kasimi Khalaf,1961** (Ceratopogonidae) Synonym(s): *kasimi* Khalaf,1961 **IQ**
181. **Culicoides lailae Khalaf,1961** (Ceratopogonidae) Synonym(s): *lailae* Khalaf,1961 **IQ**
182. **Culicoides longipennis Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhafarov,1964 **Cc AZ IL Pa IQ TR**
183. **Culicoides mesopotamiensis Patton,1920** (Ceratopogonidae) Synonym(s): *mesopotamiensis* Patton,1920 **IQ**
184. **Culicoides micromaculithorax Khalaf,1957** (Ceratopogonidae) Synonym(s): *micromaculithorax* Khalaf,1957 **IQ**
185. **Culicoides mosulensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *mosulensis* Khalaf,1957 **IQ Mos**
186. **Culicoides pallidus Khalaf,1957** (Ceratopogonidae) Synonym(s): *pallidus* Khalaf,1957 **IQ**
187. **Culicoides pictus Khalaf,1961** (Ceratopogonidae) Synonym(s): *pictus* Khalaf,1961 **IQ**
188. **Culicoides pseudopallidus Khalaf,1961** (Ceratopogonidae) Synonym(s): *pseudopallidus* Khalaf,1961 **IQ IL Pa**
189. **Culicoides shaklawensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *shaklawensis* Khalaf,1957 **IQ Sqw IL Pa TR**
190. **Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae) Synonym(s): *pygmaea* Dejean,1825 **TR SY IR Ss IQ**
191. **Cyphonoxia praestabilis Reitter,1889** (Scarabaeidae) Synonym(s): *praestabilis* Reitter,1889 **IL Pa IQ IR**
192. **Dasytidius alfieri (Wittmer,1935)** (Melyridae) Synonym(s): *alfieri* Wittmer,1935 **EG Sn IQ IL Pa JO SY**
193. **Dasytidius kalalovae Majer,1991** (Melyridae) Synonym(s): *kalalovae* Majer,1991 **IR IQ TR**
194. **Dasytidius laticollis (Bourgeois,1885)** (Melyridae) Synonym(s): *laticollis* Bourgeois,1885 **IQ**
195. **Dasytidius maceki Majer,1991** (Melyridae) Synonym(s): *maceki* Majer,1991 **IQ**
196. **Dasytidius princeps Majer,1991** (Melyridae) Synonym(s): *princeps* Majer,1991 **IQ IR**
197. **Dasytidius subnudus Majer,1991** (Melyridae) Synonym(s): *subnudus* Majer,1991 **IQ IL Pa JO SY**
198. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
199. **Dendarus (Pandarinus) tenellus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *tenellus* Mulsant & Rey,1854 **TR GR IQ**
200. **Dichillus (Dichillocerus) crassicornis Allard,1869** (Tenebrionidae) Synonym(s): *crassicornis* Allard,1869 **TR IQ IL Pa Hf**
201. **Dicronychus drureri (Pic,1908)** (Elateridae) Synonym(s): *drureri* Pic,1908 **IQ Bgd TR?**
202. **Dicronychus exstinctus (Erichson,1840)** (Elateridae) Synonym(s): *exstinctus* Erichson,1840 **EG IQ TR?**
203. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#europaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 **Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
204. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879 **DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ**

205. **Dictyophara tangigharuha Dlabola,1957** (Dictyopharidae) Synonym(s): *tangigharuha Dlabola,1957* **AF IQ**
206. **Diolocroce ephemera (Gersträcker,1893)** (Nemopteridae) Synonym(s): *ephemera Gersträcker,1893* **TR IQ IR Fa**
207. **Diolocroce persica (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *persica Alexandrov-Martynov,1930* **IR IQ AF**
208. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* **Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE**
209. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureau,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
210. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* **Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx**
211. **Diorhabda octocostata Gahan,1896** (Chrysomelidae) Synonym(s): *octocostata Gahan,1896* **SY IQ**
212. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata Lucas,1849* **MA DZ TN ES PT EG IQ SN YE**
213. **Dociostaurus (Notostaurus) larensis Soltani,1978** (Acrididae) Synonym(s): *larensis Soltani,1978* **IR IQ**
214. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* **TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP**
215. **Dolichopus lairdi Olejnicek, Mohsen & Ouda,1995** (Dolichopodidae) Synonym(s): *lairdi Olejnicek, Mohsen & Ouda,1995* **IQ**
216. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897; margaritacea Horvath,1897* **CY HU IQ JO RO YU TR**
217. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
218. **Duilius bagdada (Dlabola,1952)** (Cixiidae) Synonym(s): *bagdada Dlabola,1952* **IQ Bgd**
219. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa Lethierry,1874; irrorata A.Costa,1882; punctata Lallemant,1929* **AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ**
220. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis Macquart,1838; erythrogastrus Loew,1871; lucidus Becker,1907* **IR DZ EG IQ IL Pa TN MA ES**
221. **Echthromyrmex platypterus McLachan,1867** (Myrmeleonidae) Synonym(s): *platypterus McLachan,1867* **AF IQ**
222. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
223. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata Brullé,1836* **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO**
224. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollii Saussure,1871; attenuata Ramme,1951; mujuncumica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004* **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY**
225. **Empusa uvarovi Chopard,1921** (Empusidae) Synonym(s): *uvarovi Chopard,1921* **IL Pa IQ IN**
226. **Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis Weise,1882* **BG AZ Cc TR GG IQ IR CN**
227. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* **TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG**
228. **Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei Bauduer,1874* **TR IQ IR Cc KG**
229. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
230. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola Ribaut,1936; bilobata Cerutti,1939; unita Cerutti,1939* **AF AT CS FI FR DE IT IQ RO SW TR RU MD**
231. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* **AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU**
232. **Euscelis alsioides Remane,1967** (Cicadellidae) Synonym(s): *alsioides Remane,1967* **IQ IR TR**

233. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 AL AT BG CS FI FR DE GR IQ IT SI NL NO PL PT RO SE TN TR EE RU UA YU
234. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
235. **Exitianus nanus (Distant,1908)** (Cicadellidae) Synonym(s): *nanus* Distant,1908 IQ
236. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
237. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
238. **Fieberiella gemelina Dlabola,1965** (Cicadellidae) Synonym(s): *gemelina* Dlabola,1965 IQ TR
239. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
240. **Gampsocoris punctipes (Germar,1822)** (Berytidae) Synonym(s): *punctipes* Germar,1822 TR IQ GB TM
241. **Gepus buxtoni Morton,1921** (Myrmeleonidae) Synonym(s): *buxtoni* Morton,1921 IQ
242. **Gerris caucasicus Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982 AM GG Cc IQ IR TR RU AZ
243. **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi* Selys,1887 TR IL Pa IQ SY Dms LB Bei
244. **Gomphus kinzelbachi Schneider,1984** (Gomphidae) Synonym(s): *kinzelbachi* Schneider,1984 IQ IR
245. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
246. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 *Gryllus gryllotalpa* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
247. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ
248. **Halter halterata (Forskal,1775)** (Nemopteridae) Synonym(s): *halterata* Forskal,1775; *nutans* Navas,1910. IQ IR AF PK BI Qu
249. **Haplothrix chalif Majer,1989** (Melyridae) Synonym(s): *chalif* Majer,1989 IR IQ
250. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT SI JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
251. **Helionidia himyarita Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958 IR IQ IL Pa TR
252. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869 AM Cc TR GR IQ UA Cm TN
253. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
254. **Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878 TR IQ Cc IR AF UI
255. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879 Cc CY IR TR AM AZ GG RU TM UZ IQ
256. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
257. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 TR IL Pa LB IQ SY GR BG
258. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
259. **Hydrophorus nilicola Parent,1927** (Dolichopodidae) Synonym(s): *nilicola* Parent,1927 EG IQ
260. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherrri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
261. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
262. **Iranoleon tigridis Hölzel,1972** (Myrmeleonidae) Synonym(s): *tigridis* Hölzel,1972 IQ
263. **Iris nana Uvarov,1930** (Irididae) Synonym(s): *nana* Uvarov,1930; *radians* Uvarov,1931 *Iris nana* Uvarov,1930, Ann. Mag. nat. Hist. (10) 5: 632. Type: Iraq: Bagdad (BMNH). AF IQ Bgd PK BI IN IR

264. **Ischnura evansi Morton,1919** (Coenagrionidae) Synonym(s): *evansi Morton,1919* **Ischnura evansi Morton,1919**, Entomologist's mon. Mag. 3: 146-148. Syntypes: Iraq: Amara, Tigris, Qurnah, Hamar lake, Basrah, etc. TR IQ Dk Ama
265. **Ischnura fontainei (Morton,1905)** (Coenagrionidae) Synonym(s): *fontainei Morton,1905* TR EG Sn IQ Cc AZ
266. **Ischnura senegalensis (Rambur,1842)** (Coenagrionidae) Synonym(s): *senegalensis Rambur,1842* TR? IQ Cc AZ Kir TH
267. **Isophya hakkarica Karabağ,1962** (Tettigoniidae) Synonym(s): *hakkarica Karabağ,1962* TR IQ Su
268. **Jassargus kurdicus Remane & Schultz,1976** (Cicadellidae) Synonym(s): *kurdicus Remane & Schultz,1976* IQ Mos TR
269. **Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera Laporte & Gory,1835* IL Pa TR SY IQ SA
270. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti Wagner,1938* Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
271. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima Walker,1858; alhageos Kolenati,1857; glycyrrhizae Kolenati,1857; ochreata Melichar,1902; olivacea Melichar,1913; stenoptera Haupt,1917; smaragdula Haupt,1920* AF GR IR IQ IL Pa IT JO TR RU
272. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues Nikol'skaya,1952* HV CY IQ IL Pa Cc UA RU TR
273. **Kurdia nesterovi Uvarov,1916** (Tettigoniidae) Synonym(s): *nesterovi Uvarov,1916* **Kurdia nesterovi Uvarov,1916**, Bull. Mus. Caucase Tiflis 10: 6. Syntypes: Iraq/Iran: Kandol [Kandil] (GPPT Tiflis). IR Kd IQ
274. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia Pallas,1773; mongolica Rehn,1905* ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
275. **Lampyris angustula Fairmaire,1895** (Lampyridae) Synonym(s): *angustula Fairmaire,1895; iraqi Geisthardt,1999* **Lampyris angustula Fairmaire,1895**, Anns Soc. ent. Fr. 64: 110. Type(s): [Turquie]: Akbes. TR IQ
276. **Lampyroidea schneideri Geisthardt,1999** (Lampyridae) Synonym(s): *schneideri Geisthardt,1999* IQ
277. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
278. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias Loew,1847* Cc RU GR IQ IR Fa IL Pa TR
279. **Lasioglossum aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum Strand,1909; orontis Cockerell,1918; dalmaticum Ebmer,1970* YU TR IQ IR EG IL Pa
280. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896* Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
281. **Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa Olivier,1811* TR IQ IR Cc SY JO
282. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkitii Bartenev,1929* TR DZ EG Cc AM GR YU IQ IL Pa
283. **Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus Warchalowski,1967* IL Pa TR IQ IR AF
284. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
285. **Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817* Cc AM IQ TR SY IR Ab Ak
286. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bl TJ AF OM
287. **Lophyridia hilariola (Bates,1874)** (Carabidae) Synonym(s): *hilariola Bates,1874* TR IQ IR Mos Bgd
288. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris Linnaeus,1758* IL Pa CY Cc IQ SY TM TR
289. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula Zetterstedt,1828* AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
290. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
291. **Macrosteles oculatus Dlabola,1952** (Cicadellidae) Synonym(s): *oculatus Dlabola,1952; angorensis Dubovsky,1970* IR IQ TM UZ

292. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
293. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 Gryllus *religiosus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
294. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *?caucasica* Handschin,1959 GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
295. **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 CY GR IL Pa IT JO TR RU Cc YU IQ
296. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
297. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
298. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
299. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
300. **Melanotus (s.str.) fulvus Reitter,1891** (Elateridae) Synonym(s): *fulvus* Reitter,1891 TR TM IR IQ
301. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
302. **Meloe olivieri Chevrolat,1833** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833 TR SY IR IQ Mos
303. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
304. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
305. **Merodon quadrinotatus (Sack,1931)** (Syrphidae) Synonym(s): *quadrinotatus* Sack,1931 *Lampetia quadrinotata* Sack,1931; *Fliegen palearkt. Reg. 4 (6): 324. Holotype ♀: [Iraq]: Mesopotamia (lost (Hurkmans,1993:182)).* IQ TR
306. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835 TR JO SA SY IR IQ EG
307. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922 TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
308. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
309. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola* Remane,1961 IQ AT FR GR HU RU TR
310. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
311. **Mutilla richterae Lelej,1984** (Mutillidae) Synonym(s): *richterae* Lelej,1984 AM Cc IQ TR
312. **Muzimes maceki (Dvorak,1983)** (Meloidae) Synonym(s): *maceki* Dvorak,1983 Micromerus *maceki* Dvorak,1983, Acta ent. bohemosl. 80 (6): 441-450. Holotype: Iraq, Kurdistan, Penjwin 1300m, 22.5.1976, leg. J.Macek. IQ
313. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 TR SY Cc RU IQ IR MN AF
314. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825 TR SY IQ IR AM AZ RU Da TM TJ
315. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
316. **Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) Synonym(s): *acerbus* Walker,1853; *atrox* Walker,1853; *iners* Walker,1853; *nigellus* Navas,1930. TR AF IN SA IQ
317. **Myrmeleon (Morter) hyalinus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *hyalinus* Olivier,1811 AF IR LB IQ
318. **Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps* Radoszowski,1888 nec Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927 TR IQ IR Cc AZ AM TM

319. **Neolimnus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908 EG IR IQ IL JO
320. **Nohoveus persicus Navas,1929** (Myrmeleionidae) Synonym(s): IQ IR
321. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
322. **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa* Loew,1871 IR Ss Ke Kz AZ Cc IQ TR KG CN
323. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
324. **Ochrilidia acuta (Bolivar,1905)** (Acrididae) Synonym(s): *acuta* Bolivar,1905 TR IQ IL Pa IR
325. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902 AF IR IQ Cc AZ CN Ui UZ TM
326. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916 AL GR CY IQ IL IT PT ES TR
327. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876 DZ CN GR IQ LY MA
328. **Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781 RU Cc AM AZ GG TM SY TR IQ SA MA
329. **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982 SY Hal LB IL Pa TR JO IQ IR
330. **Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés,1832 TM Cc AM TR SY IQ IL Pa CY GR Rd
331. **Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny,1898** (Scarabaeidae) Synonym(s): *dorsosignatus* D'Orbigny,1898 TR Cc AM IQ IR
332. **Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis* Steven,1809 RU Cc AM AZ TM SY IQ TR IR UA Cm
333. **Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae) Synonym(s): *fissinasus* Fairmaire,1895 SY IR IQ TR
334. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
335. **Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae) Synonym(s): *lemuroides* D'Orbigny,1898 IQ IR TR SY Cc MN
336. **Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus* Sturm,1800 HU SK UA Cm TR SY Cc IQ Cc
337. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
338. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus* Scopoli,1763 YU UA Cm Cc AZ RU TR IR IQ AF TM
339. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
340. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus* Schneider,1845 TR Cc AZ Kir IQ IR AM IL Pa
341. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei* Rambur,1842 TR SY LB Bei IQ Dk Ama
342. **Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): *turkestanicus* Skriptshinsky,1929 UZ PK IQ IR Elb Th
343. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 AF DZ EG IR IQ TR Cc AZ KG RU TJ
344. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
345. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 PT ES EG IQ IL Pa IR Md MA TR PK JP TW
346. **Osphranteria coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher,[1849] IR TR SY IQ
347. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
348. **Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921 IQ Bgd TM IR Cc TR
349. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893 IQ TR Cc AM SY TM RU IR

350. **Palpares solidus Gerstaecker,1893** (Myrmeleonidae) Synonym(s): *solidus Gerstaecker,1893; zugmayeri Navas,1912; klapaleki Navas,1912; validus Navas,1927* **AF IR Elb Th Es TR IQ**
351. **Panorpa caucasica McLachlan,1869** (Panorpidae) Synonym(s): *caucasica McLachlan,1869* **Cc IQ IR**
352. **Paralimnellus cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): *cingulatus Dlabola,1960* **IQ TR IR TJ UZ**
353. **Parathrix bimetallicus (Abeille,1894)** (Melyridae) Synonym(s): *bimetallicus Abeille,1894* **IQ**
354. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU**
355. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* **Cc AL CY HU IQ IL JO RO SY TR AM GG UA**
356. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
357. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens Pallas,1771* **IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ**
358. **Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium Faldermann,1835* **TR IQ IR SY Cc AZ**
359. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota Herbst,1789* **RU Cc UA Cm IQ TR IR IQ CY LB IL Pa**
360. **Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata Melichar,1905; insignis Distant,1912; picta Ribaut,1948* **AF CY IQ IL Pa TR**
361. **Phanerotoma (Bracotritoma) longiradialis Achteberg,1990** (Braconidae) Synonym(s): *longiradialis Achteberg,1990* **IQ**
362. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata Herrich-Schäffer,1838* **BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT**
363. **Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicoloreus Burmeister,1844* **TR IR IQ IL Pa**
364. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus Melichar,1896* **AF AL CY GR IQ IT MA ES TR YU**
365. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
366. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus Bigot,1880; bimaculatus Becker,1913* **IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF**
367. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
368. **Phyllotreta caucasica Heikertinger,1941** (Chrysomelidae) Synonym(s): *caucasica Heikertinger,1941* **TR Cc IQ**
369. **Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata Foudras,1860* **TR Cc IR IQ AF IN RU**
370. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; causicum Péricart,1973* **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**
371. **Piesma (Parapiesma) tenellum Horvath,1906** (Piesmatidae) Synonym(s): *tenellum Horvath,1906* **SA IQ Bgd TM UZ**
372. **Pimelia kraatzi S nac,1886** (Tenebrionidae) Synonym(s): *kraatzi S nac,1886* **IQ**
373. **Pimelia parallela Solier,1836** (Tenebrionidae) Synonym(s): *parallela Solier,1836; borrei Haag,1878* **SY IQ**
374. **Platyceles (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
375. **Platynemesis dealbata Selys,1863** (Platynemidae) Synonym(s): *dealbata Selys,1863* **TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM**
376. **Platynemesis kervillei (Martin,1909)** (Platynemidae) Synonym(s): *kervillei Martin,1909* **TR SY Hom LB IQ Dk Ama**
377. **Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus Haupt,1927* **IR IQ IL Pa JO TR**
378. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata Olivier,1811* **TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD**
379. **Podagratica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi Faldermann,1837* **Cc TR IQ KG RU CN**
380. **Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus Ramme,1933; rufonitens Ingrisch & Pavicevic,1985* **TR AF IR IQ SY IL Pa GR**

381. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménériés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv
382. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus* Signoret,1880 AF IQ MN AM AZ KG KK MD RU UA TJ UZ
383. **Psilocurus hypopygialis (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis* Paramonov,1930; *?translatus* Oldroyd,1958 IR Kz AM Cc AZ IQ
384. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 ES BG GR TR SY IL Pa LB IQ
385. **Purpuricenens tommasoi Sama,2001** (Cerambycidae) Synonym(s): *tommasoi* Sama,2001 TR IR Fa IQ
386. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
387. **Raphidia (Phidiara) remane H.Aspöck, U.Aspöck & Şengonca,1976** (Raphidiidae) Synonym(s): *remane* H.Aspöck, U.Aspöck & Şengonca,1976 **Raphidia (Phidiara) remane H.Aspöck, U.Aspöck & Şengonca,1976**, Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs. Holotype ♂: Türkiye, Südoanatolien, Hakkari Prov., Çukurca 1300m 14 Juni 1976 von Juglans [paratypes from Quercus], Ç.Şengoca leg. (coll. Aspöck). IQ Mos TR
388. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
389. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856 IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
390. **Rhagonycha kurdistanica Svihla,1983** (Cantharidae) Synonym(s): *kurdistanica* Svihla,1983 IQ
391. **Rhagonycha maceki Svihla,1983** (Cantharidae) Synonym(s): *maceki* Svihla,1983 IQ
392. **Rhagonycha rassouli Wittmer,1981** (Cantharidae) Synonym(s): *rassouli* Wittmer,1981 IQ
393. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
394. **Rhyarochromus confusus (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886 Cc IQ TR
395. **Rivetina excellens Beier,1956** (Mantidae) Synonym(s): *excellens* Beier,1956 IR IQ YE AE
396. **Rivetina laticollis La Greca & Lombardo,1982** (Mantidae) Synonym(s): *laticollis* La Greca & Lombardo,1982 **Rivetina laticollis La Greca & Lombardo,1982**, Animalia 9 (1/3): 388-390. Holotype ♂: Iraq: Kut. IQ
397. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 **Iris syriaca** Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. TR IQ Bgd LB SY Hal CY TJ TM
398. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 **Saga ephippigera Fischer von Waldheim,1846**, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd
399. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménériés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
400. **Scarabaeus irakensis Stolfa,1938** (Scarabaeidae) Synonym(s): *irakensis* Stolfa,1938 JO SY IQ
401. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
402. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
403. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938 UZ TM Kp AF IR IQ SY KG PK TJ TR
404. **Scathophaga staryi Sifner,2000** (Scathophagidae) Synonym(s): *staryi* Sifner,2000 IQ Er Shq
405. **Scaurus macricollis Allard,1882** (Tenebrionidae) Synonym(s): *macricollis* Allard,1882 IQ EG
406. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
407. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber,1861; *#ochraseus* Önder et al.,2006 IQ IL Pa CY SY TM TR
408. **Scotodryadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939 IL Pa JO SY TR IQ IR AF
409. **Scotodryadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca* Pictet,1888; *anatolica* Werner,1901; *rammei* Uvarov,1929; *turcica* Ramme,1939; *kozana* Ramme,1951; *amani* Ramme,1951 TR SY LB IQ

410. **Selenocephalus kalalae Dlabola,1952** (Cicadellidae) Synonym(s): *kalalae Dlabola,1952* **IQ**
411. **Selysiothemis nigra (Van Der Linden,1825)** (Libellulidae) Synonym(s): *nigra Van Der Linden,1825* **TR? IQ**
412. **Sergentomyia (Parrotomyia) baghdadis (Adler & Theodor,1929)** (Psychodidae) Synonym(s): *baghdadis Adler & Theodor,1929* **IQ IR**
413. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi Dlabola,1957* **AF CY IR IQ IL TR RU Da Cc AZ UZ**
414. **Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris Horvath,1911* **TR IQ IL Pa Cc SY**
415. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis Fieber,1848* **AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU**
416. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta Rambur,1840* **AL BG DZ MA HV IQ IT ES TN TR**
417. **Simulium (Byssodon) buxtoni Austen,1923** (Simuliidae) Synonym(s): *bipunctatum Austen,1923 (praeocc.); buxtoni Austen,1923; irakae Smart,1944* **JO IQ**
418. **Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): *paucispis Rubtsov,1947* **TJ TM UZ IR IQ AM Cc**
419. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris Lacordaire,1848; biornata Lefebvre,1872* **BG TR IQ IR Cc**
420. **Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata Olivier,1808* **TR Cc SY IQ EG**
421. **Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana Lacordaire,1848* **TR SY IQ IL Pa JO**
422. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* **ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU**
423. **Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae Hölzel,1967* **IQ IR AF PK IL**
424. **Sphodromantis trimacula (Saussure,1870)** (Mantidae) Synonym(s): *trimacula Saussure,1870; arabica Wood-Mason,1882; dhufarica Uvarov,1933* **IQ IR SA OM YE**
425. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus Scopoli,1763* **Cc TR IR CY IQ TM YU GR**
426. **Stegastopsis babylonica Kraatz,1865** (Tenebrionidae) Synonym(s): *babylonica Kraatz,1865* **IQ Bgd**
427. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini Vasiliev,1935* **AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR**
428. **Stiphrolamyra sinaitica Theodor,1980** (Asilidae) Synonym(s): *sinaitica Theodor,1980* **IL Pa IQ Bgd**
429. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinis Lindner,1937; flavoscutella Lindner,1940* **IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG**
430. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis Macquart,1838; erythrocerca Egger,1859; pyrrocera Loew,1868* **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
431. **Stylosomus erythrocephalus Suffrian,1853** (Chrysomelidae) Synonym(s): *erythrocephalus Suffrian,1853* **IQ**
432. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis Meigen,1824; wiedemanni Rondani,1843* **BG EG GR IL Pa IQ RO RU**
433. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica Thomson,1876* **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
434. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata Curtis,1831* **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
435. **Syriolytta vulneratus (Fairmaire,1892)** (Meloidae) Synonym(s): *vulneratus Fairmaire,1892; suturifera Pic,1899; fairmairei Borchmann,1917* **TR SY IQ**
436. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* **PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR**
437. **Tabanus laetinctus Becker,1913** (Tabanidae) Synonym(s): *laetinctus Becker,1913; sordes Bogatshev & Samedov,1949; assuetus Hauser,1960; cinereus Hauser,1960* **TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU**
438. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* **DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR**
439. **Tachys (Eotachys) transcaucasicus Coulon,2004** (Carabidae) Synonym(s): *transcaucasicus Coulon,2004* **GG Cc TR IQ**

440. **Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): *cellarum Adams,1817* AZ AM Cc GG IR IQ JO SY TR
441. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus Saussure,1874; intermedius Chopard,1940; intercalatus Chopard,1943* ES IQ Cc KG UZ TM PK TR
442. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii Freidberg,1981* TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
443. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata Rondani,1871* TR IL Pa TJ RU Sb SY IQ KK KG
444. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae Linnaeus,1758* TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
445. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis Ebner,1946* Tettigonia acutipennis Ebner,1946, Eos 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
446. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis Wiedemann,1821; bivittata Loew,1840* AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
447. **Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex Wiedemann,1817* DE PL CZ SK CH AT HU IQ
448. **Tingis demissa Horvath,1906** (Tingidae) Synonym(s): *demissa Horvath,1906* TR IQ IR
449. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
450. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
451. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
452. **Trichodes albei Escherich,1893** (Cleridae) Synonym(s): *albei Escherich,1893; korbianus Ganglbauer,1905* TR AM Cc IQ
453. **Trichodes ephippiger Chevrolat,1874** (Cleridae) Synonym(s): *ephippiger Chevrolat,1874* TR SY IQ IR
454. **Trichodes flavotarsis Gerstmeier,1985** (Cleridae) Synonym(s): *flavotarsis Gerstmeier,1985* IQ
455. **Trichodes heydeni Escherich** (Cleridae) Synonym(s): *heydeni Escherich; anatolicus Reitter,1893* Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos
456. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus Chevrolat,1843* GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
457. **Trichodes olivieri (Chevrolat,1843)** (Cleridae) Synonym(s): *olivieri Chevrolat,1843* IQ Mos IR CY TR?
458. **Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicala Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* DZ IT Si IQ Amr IR
459. **Tropidopola cylindrica cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicala Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* DZ IT Si IQ Amr
460. **Tropidopola cylindrica obtusa Uvarov,1922** (Acrididae) Synonym(s): *obtusa Uvarov,1922* IQ
461. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli,1763; pilosa Brullé,1832* GR SS LY SY LB IL Pa JO EG IQ TR
462. **Truxalis mesopotamica Dirsh,1951** (Acrididae) Synonym(s): *mesopotamica Dirsh,1951* IQ IR
463. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913* RU KG KK TR IQ IR MA TN EG
464. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata Meigen,1826* TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
465. **Uvarovistia (s.str.) iraka (Uvarov,1934)** (Tettigoniidae) Synonym(s): *iraka Uvarov,1934* IQ
466. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga Zakhvatkin,1931* ML NE PK IQ KG OM SA TJ TM UZ

Synonymic and distributional list of the pterygot insects of Iran (Results of the Entomofauna of the World based upon info-system of the Cesa)

9

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Iran (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 9. *Priamus* (suppl.) 18: 578-649.

In this study, totally 2208 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Taking earlier publications of the authors into consideration, species number of the pterygot fauna of Iran increased to 5503.

Key words: List, distribution, *pterygota*, *Insecta*, Iran.

Brief explanatory information:

Previously published articles	yes ²⁴
Previously published report	yes
Expedition made by the Cesa	yes ²⁵
Planned expeditions	yes
Further planned publications	yes

In this study, totally 2208 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

²⁴ **Koçak,A.Ö.**, 1981, *Khayyama* (nom.nov.) A replacement name for *Dinaria* Popov,1951 (Orthoptera) from Iran. *Cent. ent. Stud.*, *Priamus* 1 (1): 41-42.- **Koçak,A.Ö.**, 1995, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan Entomolojik ve Botanik Ekspedisyönunun Sonuçları 1. Giriş. *Cent. ent. Stud.*, *Misc. Pap.* 22: 6-8, 1 harita. - **Koçak,A.Ö., Hüseyinoğlu,Y. & S.Seven**, 1997, 1995 yılında İran'a yapılan Lepidoptera ekspedisyönunun sonuçları III. Argynnidae, Lycaenidae, Hesperidae. *Cent. ent. Stud.*, *Misc. Pap.* 44: 2-8.- **Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu**, 1997, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan entomolojik ekspedisyönunun sonuçları III. Horasan Eyaleti Papilionoidea ve Hesperioidea Faunası Hakkında. *Cent. ent. Stud.*, *Misc. Pap.* 42: 1-7.- **Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu**, 1997, Kuzey İran'da *Epicallia villica* (Linnaeus)'nin varlığı hakkında (Lepidoptera, Arctiidae). *Cent. ent. Stud.*, *Misc. Pap.* 38: 3-5, 1 harita. - **Koçak,A.Ö., Kemal,M. & S.Seven**, 2007, Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. *Cent. ent. Stud.*, *Memoirs* 3-4: 1790-1848, figs. (see **Chapter 14**)-<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10> **Kemal,M. Seven,S. & A.Ö.Koçak**, 2007, List of the Irano-Anatolian Noctuidae with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (Lepidoptera). *Priamus* Suppl. 9: 1-88, 1 map, 1 table. - **Koçak, A.Ö. & M.Kemal**, 2008, Series of the World Checklists of the Lepidoptera based upon the Info-System of the Cesa Nr.8 -Check-List of the Butterflies of Iran, with vernacular names in English, Turkish and Uighurian language. <http://www.members.tripod.com/entlep/Ir.htm> [first onlined in 2001

²⁵ <http://www.members.tripod.com/entcesa/Intent.pdf>

Within the frame of the Project Entomofauna, the Lepidoptera of this country has been previously published by the authors as a list of 3295 species. By this way, total number of the pterygots increased to 5503.

The study is still continuing, and the new results will be published within this Project.

1. "**Megamelus**" **ornatipennis Haupt,1927** (Delphacidae) Synonym(s): *ornatipennis Haupt,1927* **AF IR IL JO**
2. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926* **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
3. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* **AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU**
4. **Acanthaclisis baetica Rambur,1842** (Myrmeleonidae) Synonym(s): *baetica Rambur,1842* **ES IR**
5. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae) Synonym(s): *occitanica Villers,1789* **AF IR Elb Th PK TR IL Pa KG**
6. **Acanthaclisis occitanicum Villers,1789** (Myrmeleonidae) Synonym(s): *occitanicum Villers,1789; pisanus Rossi,1790; georgianum Fischer v. Waldheim,1846.* **TR IR PK AF KG IL**
7. **Acanthaclisis pallida McLachan,1887** (Myrmeleonidae) Synonym(s): *pallida McLachan,1887* **IR KG**
8. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**
9. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* **AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM**
10. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**
11. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* **AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR**
12. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina Melichar,1902; inustus Haupt,1927* **EG IR IL AZ Cc TM UZ**
13. **Aconura jakowlefi Lethierry,1876** (Cicadellidae) Synonym(s): *jakowlefi Lethierry,1876* **RU IR TR**
14. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis Lethierry,1876* **AF IR IQ? MN TR GG KG RU TJ TM UZ**
15. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
16. **Acrida oxycephala (Pallas,1771)** (Acrididae) Synonym(s): *oxycephala Pallas,1771; deserti Uvarov,1916; caspica Dirsh,1949; persa Dirsh,1949; turca Dirsh,1949* **Gryllus oxycephalus Pallas,1771, Reise Russ. Reich. 1: 418, 423, 468. Type: South Russia: north coast of Caspian Sea (ZIN). RU IR TR**
17. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
18. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes Charpentier,1845; aurifera Walker,1870; collecta Walker,1870* **MA GR TR IR Ss PK RU**
19. **Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): *grande Haag-Rutenberg,1879; persis Semenov & Bogatshev,1947; perissinottoi Canzoneri,1965* **IQ IR Fa IL Pa**
20. **Adelungia elegans Melichar,1902** (Cicadellidae) Synonym(s): *elegans Melichar,1902* **IR**
21. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps Puton,1887; tabida Horvath,1911; planiceps Horvath,1917* **IL Pa DZ TN EG Cc AZ IR**
22. **Adenissus zahedanicus Dlabola,1980** (Caliscelidae) Synonym(s): *zahedanicus Dlabola,1980* **IR**
23. **Adesmia (Oteroscelis) bicarinata Klug,1830** (Tenebrionidae) Synonym(s): *bicarinata Klug,1830; villae Osculati,1844* **EG IR**
24. **Adesmia (Oteroscelis) carinata Miller,1861** (Tenebrionidae) Synonym(s): *carinata Miller,1861* **TR IR**
25. **Adesmia (Oteroscelis) lacunosa Klug,1830** (Tenebrionidae) Synonym(s): *lacunosa Klug,1830* **SY IR SA EG**
26. **Adesmia (s.str.) clathrata Solier,1835** (Tenebrionidae) Synonym(s): *clathrata Solier,1835* **IR**
27. **Adesmia (s.str.) devechii Osculati,1844** (Tenebrionidae) Synonym(s): *devechii Osculati,1844* **SY IR**
28. **Adesmia (s.str.) fagergreeni Baudi,1874** (Tenebrionidae) Synonym(s): *fagergreeni Baudi,1874* **IR**
29. **Adesmia (s.str.) maillei Solier,1835** (Tenebrionidae) Synonym(s): *maillei Solier,1835* **RU Cc TM IR**

30. **Adesmia (s.str.) metallica Klug,1830** (Tenebrionidae) Synonym(s): *metallica Klug,1830*; *syriaca Baudi,1874* EG SY IR
31. **Adesmia (s.str.) montana Klug,1830** (Tenebrionidae) Synonym(s): *montana Klug,1830*; *parallela Miller,1861* SA EG Sn IR
32. **Adesmia (s.str.) tenebrosa Solier,1835** (Tenebrionidae) Synonym(s): *tenebrosa Solier,1835* IR
33. **Adontomerus confusus Askew,2000** (Torymidae) Synonym(s): *confusus Askew,2000* Cn IR
34. **Adontomerus crassipes (Boucek,1982)** (Torymidae) Synonym(s): *crassipes Boucek,1982* DZ ES IR
35. **Adontomerus impolitus (Askew & Nieves-Aldrey,1988)** (Torymidae) Synonym(s): *impolitus Askew & Nieves-Aldrey,1988* ES TR UZ IR Ak
36. **Adoxomyia ruficornis (Loew,1873)** (Stratiomyidae) Synonym(s): *ruficornis Loew,1873* KK IR TR
37. **Adrastus samedovi Dolin & Agajev,1974** (Elateridae) Synonym(s): *samedovi Dolin & Agajev,1974* TR Cc AZ IR
38. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus Germar,1844*; *turcomanus Candeze,1889* DZ TR TM SY IR IQ TM TJ
39. **Aeoloides griseus (Germar,1844)** (Elateridae) Synonym(s): *griseus Germar,1844*; *bicarinatus Reitter,1891* TR Cc SY IR TM
40. **Aeolosomus rossi (Germar,1844)** (Elateridae) Synonym(s): *rossi Germar,1844* TR IR KG
41. **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis Van Der Linden,1820* TR Cc AM CY IL Pa IR
42. **Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *isosceles O.F.Müller,1764* TR Cc GG AM IR Elb Th
43. **Aeshna mixta Latreille,1805** (Aeshnidae) Synonym(s): *mixta Latreille,1805* TR Cc AM IR
44. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica Burmeister,1842*; *bagdadensis Burmeister,1842*; *inhumata Brasavola,1939* DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ
45. **Aethiessa zarudnyi Kiseritzkij,1939** (Scarabaeidae) Synonym(s): *zarudnyi Kiseritzkij,1939*; *bagdadensis Arrow,1910* IR IQ Bgd
46. **Afghanoleon flavomaculatus Hölzel,1972** (Myrmeleonidae) Synonym(s): *flavomaculatus Hölzel,1972* AF IR Fa
47. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides Sharp,1882*; *merkli Régimbart,1884* TR BG Cc GG MK UA IR LB SY
48. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni Zaitzev,1927*; *palaestinus Zimmermann,1934*; *iranicus Guéorguiev,1975* TR IR IL Pa SY LB Cc AZ
49. **Agabus (Gaurodytes) glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis Hochhuth,1846*; *armeniacus Sharp,1882*; *inguttatus Reitter,1908* Cc AZ AM GG TR RU IR
50. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis Melichar,1911* ES Cn EG IR IQ IT MA Cc AM TR
51. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
52. **Agapanthia amitina Holzschuh,1989** (Cerambycidae) Synonym(s): *amitina Holzschuh,1989* IR Qz
53. **Agapanthia angelicae Reitter,1898** (Cerambycidae) Synonym(s): *angelicae Reitter,1898* IR Elb Mz
54. **Agapanthia coeruleipennis Frivaldsky,1878** (Cerambycidae) Synonym(s): *coeruleipennis Frivaldsky,1878* TR IR SY
55. **Agapanthia persica Semenov,1893** (Cerambycidae) Synonym(s): *persica Semenov,1893* IR Kh
56. **Agapanthia persicola Reitter,1894** (Cerambycidae) Synonym(s): *persicola Reitter,1894* IR Kh
57. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820*; *cyancephalus Bouché,1834*; *praysincola Silvestri,1907*; *anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
58. **Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus Morawitz,1890*; *emarginatus Haupt* TR JO IQ IR
59. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838*; *pallida Walker,1851 (praeocc.)*; *ornatula Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
60. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
61. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
62. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle Chaudoir,1846* AM Cc BG RO RU TR IR SY
63. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU

64. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
65. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
66. **Agriotes (s.str.) brevis Candeze,1863** (Elateridae) Synonym(s): *brevis Candeze,1863* GR Cc TR IR
67. **Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): *lapicida Falderann,1835* TR Cc AZ AM GG RU IR
68. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticulosus Candeze,1863* TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
69. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH).** LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
70. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* **Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH).** LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
71. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH).** LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
72. **Akis subtricostata Redtenbacher,1850** (Tenebrionidae) Synonym(s): *subtricostata Redtenbacher,1850* IR
73. **Alastor esfandiarii Giordani Soika,1970** (Vespidae) Synonym(s): *esfandiarii Giordani Soika,1970* TR IR
74. **Allantus balteatus (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus Klug,1818; bucculentus Tischbein,1846; fulvocinctus Rudow,1872* CY TR Cc RU Sb IR
75. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus Linnaeus,1758; cordigera Geoffroy,1785; togata Zetterstedt,1840; varipes Audinet-Serville,1840; neglectus Zaddach,1859* Cc TR UA Cm IR KG MN CA
76. **Allantus didymus (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus Klug,1818; testaceipes Audinet-Seville,1823; nigritarsis Brullé,1832; proximus Costa,1859; ruficus Mocsary,1880; fumatus André,1880* TR Cc IR KG RU
77. **Allygidius ectabanicus Logvinenko,1979** (Cicadellidae) Synonym(s): *ectabanicus Logvinenko,1979* IR TR
78. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus Ferrari,1882* DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
79. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus Fabricius,1794; marmorata Hardy,1850; communis Ferrari,1882; corisipennis Ferrari,1882; juvenis Ferrari,1882; margaritinus Ferrari,1882; gracilis Rey,1894; immunis Rey,1894* AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
80. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *gracilis Abeille de Perrin,1880* TR SY Cc AM IR IL Pa
81. **Alosimus luteus (Waltl,1838)** (Meloidae) Synonym(s): *luteus Waltl,1838* TR SY IL Pa IR
82. **Alosimus smyrnensis (Maran,1942)** (Meloidae) Synonym(s): *smyrnensis Maran,1942* GR TR Rd IR
83. **Alosterna scapularis (Heyden,1878)** (Cerambycidae) Synonym(s): *scapularis Heyden,1878* AZ Cc TR IR
84. **Alosterna tabacicolor (De Geer,1775)** (Cerambycidae) Synonym(s): *tabacicolor De Geer,1775* RU Cc KG IR SK CZ
85. **Altica bicarinata (Kutschera,1860)** (Chrysomelidae) Synonym(s): *bicarinata Kutschera,1860; ciliciensis Weise,1897* TR IR EG
86. **Altica brevicollis Foudras,1860** (Chrysomelidae) Synonym(s): *brevicollis Foudras,1860* TR Cc IR KG
87. **Altica globicollis (Weise,1889)** (Chrysomelidae) Synonym(s): *globicollis Weise,1889* **Haltica globicollis Weise,1889, Horae Soc. ent. ross. 23: 635. Type: Erzurum.** TR Cc IR
88. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris Weise,1888* TR Cc IR AF KG DZ
89. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua Ménériés,1832; bistrinata Putzeys,1866* AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
90. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis Motschoulsky,1844; badiola Bates,1878; latiuscula Poppius,1908; nigriventris Lutshnik,1927; chivensis*

- Lutshnik*,1928; *tratnikovi Lutshnik*,1928; *pamiricola Lutshnik*,1930; *gisellae Csiki*,1929 **AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN**
91. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula Chaudoir*,1850 **AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC**
92. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans Baudi di Selva*,1864; *syriaca Putzeys*,1866; *palaestina Putzeys*,1870; *gridellii Baliani*,1928 **GR MK MT TR CY IR IL Pa JO LB SY**
93. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica O.F.Müller*,1776; *bifrons Gyllenhal*,1810; *discrepans Stephens*,1828; *zimmermanni Heer*,1837; *longiceps Seidlitz*,1887; *kleini Schuler*,1964 **Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui**
94. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata Dejean*,1828; *crenatostrata Chaudoir*,1846 **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
95. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer*,1774; *trivialis Gyllenhal*,1810; *atra Stephens*,1828; *persica Chaudoir*,1842; *maculipes Grimmer*,1841; *palustris Gistel*,1857; *sororcula Tschitscherine*,1895; *vogesiaca Bourgeois*,1898; *devincta Casey*,1918; *palanda Jedlicka*,1957; *thisbe Antoine*,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
96. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris Duftschmid*,1812; *cursor Sturm*,1825; *levis Sturm*,1825; *perplexa Dejean*,1828; *elegans Rylands*,1841; *humilis Casey*,1918 **AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui**
97. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida Duftschmid*,1812; *erythrope Stephens*,1828; *gemina C.Zimmermann*,1832; *septentrionalis Curtis*,1840; *heydeni Schatzmayr*,1909; *chobauti Puel*,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
98. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans C.Zimmermann*,1832; *inderiensis Motschoulsky*,1850; *dagestana Jedlicka*,1962 **AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN**
99. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca Dejean*,1828; *complanata Dejean*,1828; *mesatlantica Antoine*,1853; *theryi Antoine*,1853 **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
100. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena Hieke*,1999 **TR IR KG TJ TM UZ CN Ui**
101. **Amathomyia persiana Hermann,1912** (Asilidae) Synonym(s): *persiana Hermann*,1912; *persiana Becker*,1913 **KG IR Ss TN**
102. **Ameles crassinervis Dirsch,1927** (Mantidae) Synonym(s): *crassinervis Dirsch*,1927 **AF IR Cc TM**
103. **Ameles persa Bolivar,1911** (Mantidae) Synonym(s): *persa Bolivar*,1911 **AF IR**
104. **Ametastegia pallipes (Spinola,1808)** (Tenthredinidae) Synonym(s): *pallipes Spinola*,1808; *grossulariae Klug*,1818; *lapponica Zetterstedt*,1838; *pallipes Provancher*,1878 *nec Spin.*,1808; *leucopodus Audinet-Serville*,1823; *canadense Kirby*,1882; *pallidipes Dalla Torre*,1894; *cavata MacGillivray*,1911; *cetaria MacGillivray*,1921 **TR Cc IR RU Sb CA**
105. **Amorphoscelis pantherina Roy,1966** (Amorphoscelidae) Synonym(s): *pantherina Roy*,1966 **Amorphoscelis pantherina Roy,1966, Ent. News 77: 268-270, 3 fig. Holotype ♂: Iraq: Arbil Liwa, Aug. (USNM). IQ Er IR Fa TR**
106. **Amphicoma (Eulasia) aurantiaca (Reitter,1890)** (Glaphyridae) Synonym(s): *aurantiaca Reitter*,1890 **TR IR**
107. **Amphicoma (Eulasia) azarbaijanica (Petrovitz,1980)** (Glaphyridae) Synonym(s): *azarbaijanica Petrovitz*,1980 **IR Ab Ak**
108. **Amphicoma (Eulasia) bodemeyeri Petrovitz,1965** (Glaphyridae) Synonym(s): *bodemeyeri Petrovitz*,1965 **Amphicoma (Eulasia) bodemeyeri Petrovitz,1965, Annln naturh. Mus. Wien 68: 683, Abb.5. Holotype ♂: Persien, Luristan leg. Bodemeyer (coll. Petrovitz). IR Lo**
109. **Amphicoma (Eulasia) diadema Reitter,1890** (Glaphyridae) Synonym(s): *diadema Reitter*,1890; *diademata Reitter*,1903; *cuprea Petrovitz*,1962; *coerulea Petrovitz*,1967; *nigripilis Petrovitz*,1967 **TR IR**
110. **Amphicoma (Eulasia) kordestana (Mitter,2004)** (Glaphyridae) Synonym(s): *kordestana Mitter*,2004 **Eulasia (s.str.) kordestana Mitter,2004, Linzer biol. Beitr. 36 (1): 305-307, Abb. Holotype ♂: Iran, Prov. Kordestan, 3km E Marad-abad 2200m 28.4.2001 leg. G.Fabian (coll. Mitter). IR Kd Ab Ak**
111. **Amphicoma (Eulasia) naviauxi (Baraud,1971)** (Glaphyridae) Synonym(s): *naviauxi Baraud*,1971 **IR**
112. **Amphicoma (Eulasia) nitidinatis (Baraud,1990)** (Glaphyridae) Synonym(s): *nitidinatis Baraud*,1990 **IR Ak Ab Fa**

113. **Amphicoma (Eulasia) persidis (Baraud,1990)** (Glaphyridae) Synonym(s): *persidis* Baraud,1990
IR Fa
114. **Amphicoma (Eulasia) praeusta (Champenois,1896)** (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972 TR IR AZ Cc
115. **Amphicoma (Eulasia) zaitzevi (Bogatchev,1947)** (Glaphyridae) Synonym(s): *zaitzevi* Bogatchev,1947 IR
116. **Amphicoma (Pygopleurus) anahitae Mitter,2001** (Glaphyridae) Synonym(s): *anahitae* Mitter,2001 *Pygopleurus anahitae* Mitter,2001, Linzer biol. Beitr. 33 (2): 1041-1042. Holotype ♂: Iran SW Azarbay[j]an, Mahabad 1500m 5.5.2000 leg. Kalab. IR Ab Ak
117. **Amphicoma (Pygopleurus) banghaasi Reitter,1895** (Glaphyridae) Synonym(s): *banghaasi* Reitter,1895; *mita* Brancsik,1899; *coeruleipennis* Petrovitz,1957 IR Kh TM TJ
118. **Amphicoma (Pygopleurus) basalis Reitter,1890** (Glaphyridae) Synonym(s): *basalis* Reitter,1890; *purpurea* Petrovitz,1957 TR IQ IR
119. **Amphicoma (Pygopleurus) deuvei (Montrueil & Serri,2007)** (Glaphyridae) Synonym(s): *deuvei* Montrueil & Serri,2007 *Pygopleurus deuvei* Montrueil & Serri,2007, J. ent. Soc. Iran 26 (2): 2-3, figs. Holotype ♂: Iran, Ghilan Barrehsar, Damash 1800m 13.vi.2002, leg. Montrueil & Serri. IR
120. **Amphicoma (Pygopleurus) distinctus Faldermann,1835** (Glaphyridae) Synonym(s): *distinctus* Faldermann,1835; *persica* Ganglbauer,1905 TR IR
121. **Amphicoma (Pygopleurus) immundus (Reitter,1903)** (Glaphyridae) Synonym(s): *immundus* Reitter,1903; *distinguenda* Mucha,1963 TR IR
122. **Amphicoma (Pygopleurus) mardiensis Baraud,1989** (Glaphyridae) Synonym(s): *mardiensis* Baraud,1989 IR
123. **Amphicoma (Pygopleurus) psilotrichius Faldermann,1835** (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992 TR Cc AZ AM IR
124. **Amphicoma (Pygopleurus) rapuzzii (Keith & Uliana,2008)** (Glaphyridae) Synonym(s): *rapuzzii* Keith & Uliana,2008 IR
125. **Amphicoma (Pygopleurus) tristis Petrovitz,1968** (Glaphyridae) Synonym(s): *tristis* Petrovitz,1968 *Amphicoma (Pygopleurus) tristis* Petrovitz,1968, Annln naturh. Mus. Wien 72: 469-470, Abb. Holotype ♂: Türki: Hakkari, Yüksekova 24.v.1966 leg. Petrovitz. TR IR
126. **Amphicoma (Pygopleurus) zagrosensis (Nikodym & Kral,1998)** (Glaphyridae) Synonym(s): *zagrosensis* Nikodym & Kral,1998 IR Fa
127. **Amphicoma (Rudeulasia) carinata (Baraud,1990)** (Glaphyridae) Synonym(s): *carinata* Baraud,1990 IR SY
128. **Amphicoma (Rudeulasia) chalybaea Faldermann,1835** (Glaphyridae) Synonym(s): *chalybaea* Faldermann,1835; *adusta* Ganglbauer,1905; *brenskai* Reitter,1890; *apicipennis* Petrovitz,1968; *brunneipennis* Petrovitz,1968; *coeruleipennis* Petrovitz,1968 Cc IR TR
129. **Amphicoma (Rudeulasia) genei Truqui,1848** (Glaphyridae) Synonym(s): *genei* Truqui,1848; *pretiosa* Truqui,1848; *chaifensis* Reitter,1890; *nobilissima* Balthasar,1929 SY JO IR Fa
130. **Amphicoma (Rudeulasia) pulchra (Reitter,1890)** (Glaphyridae) Synonym(s): *pulchra* Reitter,1890; *kurdistana* Petrovitz,1968 AM Cc TR IR
131. **Amphicoma (Rudeulasia) speciosa Champenois,1900** (Glaphyridae) Synonym(s): *speciosa* Champenois,1900 TR IR SY
132. **Amphicoma (Rudeulasia) straussi Ganglbauer,1905** (Glaphyridae) Synonym(s): *straussi* Ganglbauer,1905; *#viridis* Petrovitz,1968 IR IQ TR
133. **Amphicoma (s.str.) persica Ganglbauer,1905** (Glaphyridae) Synonym(s): *persica* Ganglbauer,1905 IR
134. **Amphicoma (s.str.) purpureus (Pic,1947)** (Glaphyridae) Synonym(s): *purpureus* Pic,1947 IR
135. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Waltl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysur* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysur* Miksic,1960; *persica* Petrovitz,1963 SY BG GR Rd TR IR
136. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae) Synonym(s): *mirabilis* Martynov,1928 Cc TR IR AF Ch
137. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 RU KG IL Pa IR Ss TR EG
138. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 Cc RU GR ES IL Pa TR IR Fa Kz AF
139. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
140. **Anaceratagallia tianshanica (Dubovsky,1970)** (Cicadellidae) Synonym(s): *tianshanica* Dubovsky,1970 KK IR TR
141. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838;

- albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 **Gryllus aegyptium** Linnaeus,1764, *Museum Ludovicae Ulricaee...*: 138. Type ♂: Egypt (UZI U Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
142. **Anaglyptus arabicus (Küster,1847)** (Cerambycidae) Synonym(s): *arabicus* Küster,1847 Cc GG AZ AM TR IR
143. **Anaglyptus ganglbaueri Reitter,1886** (Cerambycidae) Synonym(s): *ganglbaueri* Reitter,1886 Cc AZ TR IR
144. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
145. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris* Girault,1915 IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
146. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
147. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
148. **Anarolius jamshidi Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *jamshidi* Abbassian-Lintzen,1964 IR Elb Th TR
149. **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus* Loew,1844 Cc RU GR TR IR Th Elb AZ AM GG
150. **Anastoechus araxis Paramonov,1926** (Bombyliidae) Synonym(s): *araxis* Paramonov,1926; *nigrisetosus* Paramonov,1926 TR Cc AM IR
151. **Anastoechus aurifrons Efflatoun,1945** (Bombyliidae) Synonym(s): *aurifrons* Efflatoun,1945 EG IR
152. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
153. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
154. **Anastoechus nigricirratu s Becker,1913** (Bombyliidae) Synonym(s): *nigricirratu s* Becker,1913 IR GG AZ AM Cc
155. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
156. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
157. **Anastoechus pulcher Paramonov,1930** (Bombyliidae) Synonym(s): *pulcher* Paramonov,1930 IQ IR TM UZ
158. **Anastoechus retardatus Bezz i,1924** (Bombyliidae) Synonym(s): *retardatus* Bezz i,1924 IR TM
159. **Anastoechus turanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turanicus* Paramonov,1926 AF IR UZ
160. **Anastoechus turkmenorum Paramonov,1930** (Bombyliidae) Synonym(s): *turkmenorum* Paramonov,1930 AF IR TM UZ
161. **Anastoechus zimini Paramonov,1940** (Bombyliidae) Synonym(s): *zimini* Paramonov,1940 KG AF UZ MN IR AM AZ Cc
162. **Anastrangalia dubia (Scopoli,1763)** (Cerambycidae) Synonym(s): *dubia* Scopoli,1763 Cc IR TR DZ CZ SK
163. **Ancylorhynchus argyrogaster (Séguy,1932)** (Asilidae) Synonym(s): *argyrogaster* Séguy,1932 IR
164. **Ancylorhynchus bicolor (Becker,1913)** (Asilidae) Synonym(s): *bicolor* Becker,1913 IR Kh
165. **Ancylorhynchus farinosus Becker,1913** (Asilidae) Synonym(s): *farinosus* Becker,1913 IR Ss
166. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
167. **Andrena (Brachyandrena) alisadra Ariana et al.,2009** (Andrenidae) Synonym(s): *alisadra* Ariana et al.,2009 IR Ha Lo
168. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
169. **Andrenosoma serratum Hermann,1906** (Asilidae) Synonym(s): *serratum* Hermann,1906 TR IR Elb Se
170. **Andricus ceconii Kieffer,1901** (Cynipidae) Synonym(s): *ceconii* Kieffer,1901 ES IT GR TR AZ Cc IL Pa IR

171. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 **IT AT HU YU RO BG UA PL TR GR IR**
172. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 **PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR**
173. **Andricus curtisii (Müller,1870)** (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901 **IT GR TR IR**
174. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 **IT AL GR TR IL Pa AZ Cc IR**
175. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR**
176. **Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004**, *Acta zool. hung* 50: 141-143, figs. Holotype ♀: Turkey; Tefenni [Burdur Prov.] (BMNH). **TR IR Kd Ak Lo**
177. **Andricus megatruncicolus Melika,2008** (Cynipidae) Synonym(s): *megatruncicolus* Melika,2008 **IR Kd Lo TR**
178. **Andricus moreae (Graeffe,1905)** (Cynipidae) Synonym(s): *moreae* Graeffe,1905 **GR TR IR**
179. **Andricus pseudoaries Melika, Stone, Sadeghi,2008** (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone, Sadeghi,2008 **IR TR**
180. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 **HU AT IT GR TR IR**
181. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ**
182. **Aneomochtherus atripes (Oldroyd,1958)** (Asilidae) Synonym(s): *atripes* Oldroyd,1958 **IR Ss**
183. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Cc AM IR KG**
184. **Aneomochtherus mesopotamicus (Janssens,1961)** (Asilidae) Synonym(s): *mesopotamicus* Janssens,1961 **IQ IR**
185. **Aneomochtherus mundus (Loew,1849)** (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963 **GR Rd TR Cc AM IR**
186. **Aneomochtherus perplexus (Becker,1923)** (Asilidae) Synonym(s): *perplexus* Becker,1923; *repentinus* Richter,1963 **RU Cc TR IR**
187. **Aneomochtherus petrishtshevae (Stackelberg,1937)** (Asilidae) Synonym(s): *petrishtshevae* Stackelberg,1937 **RU KG IR**
188. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst,1820 (*praecoc.*); *cingulatellus* Horstmann,1997 **ES IT DE CZ TR Cc RU KG IR**
189. **Anisochrya (Chrysoperla) iranica (Hölzel,1967)** (Chrysopidae) Synonym(s): *iranica* Hölzel,1967 **IR TR**
190. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus* Lehr,1964 **RU Cc KG IL Pa TR IR Fa AM AZ GG**
191. **Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum* Geoffroy,1785 **TR IR KG RU Sb**
192. **Anoplites chodjii (Holzschuh,1974)** (Cerambycidae) Synonym(s): *chodjii* Holzschuh,1974 **IR Kh**
193. **Anoploclera rufipes (Schaller,1783)** (Cerambycidae) Synonym(s): *rufipes* Schaller,1783 **Cc TR IR CZ**
194. **Anthaxia (Haplanthaxia) armeniaca Obenberger,1929** (Buprestidae) Synonym(s): *armeniaca* Obenberger,1929 **AM AZ Cc TR IQ IR**
195. **Anthaxia (Haplanthaxia) flavicomis Abeille,1900** (Buprestidae) Synonym(s): *flavicomis* Abeille,1900; *erivana* Obenberger,1913; *#flavicomis* Ulay & Tezcan,1998 **AM Eri Cc TR IR IQ**
196. **Anthaxia (Haplanthaxia) ursulae Niehuis,1989** (Buprestidae) Synonym(s): *ursulae* Niehuis,1989 **TR IR**
197. **Anthaxia (s.str.) amasina Daniel,1903** (Buprestidae) Synonym(s): *amasina* Daniel,1903 **TR Cc GR IR IQ YU**
198. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor* Faldermann,1835 **AM AZ GG Cc TR IR IQ IL Pa SY TM UA**
199. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae) Synonym(s): *muliebris* Obenberger,1918 **AZ AM Cc TR IR IL Pa SY**
200. **Anthaxia (s.str.) shirasensis Obenberger,1940** (Buprestidae) Synonym(s): *shirasensis* Obenberger,1940 **IR TR Fa**
201. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae) Synonym(s): *insulare* Morawitz,1873; *persicolum* Mavromoustakis,1937; *lemesium* Mavromoustakis,1937 **GR Rd IR TR CY TJ**
202. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 **IT Si AL SY LB IR GR Cc TR KG RU DZ**

203. **Anthidium (Icteranthidium) decoloratum Alfken,1932** (Megachilidae) Synonym(s): *decoloratum Alfken,1932; paraequabile Popov,1967* EG IR
204. **Anthidium (Icteranthidium) urfanum Warncke,1980** (Megachilidae) Synonym(s): *urfanum Warncke,1980* **Anthidium (Icteranthidium) urfanum Warncke,1980**, Entomofauna 1 (10): 179. Holotype ♀: Türkiye, Urfa 14-17.vi.1977 leg. Heinrich (coll. Warncke). TR IR Kz Fa Ke
205. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum Morawitz,1895; mochii Mavromoustakis,1956* TM SY TR Cc LB IL Pa IR EG
206. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre Morawitz,1888; arabicum Pasteels,1969; intermedium Pasteels,1969* OM TM PK Qu BI IR IL Pa Js SY TR
207. **Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s): *rotundum Warncke,1980* IR Elb Th LB Bsa TR
208. **Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): *caspicum Morawitz,1880; germabicum Radoszkowski,1893; labrosum Pasteels,1969* TR TM IR Elb
209. **Anthidium (s.str.) christianseni Mavromoustakis,1956** (Megachilidae) Synonym(s): *christianseni Mavromoustakis,1956* LB IR Elb Th
210. **Anthocoris angularis Reuter,1884** (Anthocoridae) Synonym(s): *angularis Reuter,1884* KK KG TJ MN UZ IR Th Elb
211. **Anthocoris butleri Le Quense,1954** (Anthocoridae) Synonym(s): *butleri Le Quense,1954* ES FR GB SE BE NL DE CZ AT IR Elb Mz
212. **Anthocoris confusus Reuter,1884** (Anthocoridae) Synonym(s): *confusus Reuter,1884* TR IR Ha Mz Elb Gh Gor
213. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes Reuter,1884* IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ
214. **Anthocoris gallarumulmi (DeGeer,1773)** (Anthocoridae) Synonym(s): *gallarumulmi DeGeer,1773* TR IR Se Kh Gor
215. **Anthocoris guentheri Péricart,2007** (Anthocoridae) Synonym(s): *guentheri Péricart,2007* IR Kh
216. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus Fieber,1836* FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
217. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
218. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
219. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
220. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
221. **Anthocoris poissoni Kiritshenko,1952** (Anthocoridae) Synonym(s): *poissoni Kiritshenko,1952* KK TJ IR Ab
222. **Anthocoris simillimus Poppius,1909** (Anthocoridae) Synonym(s): *simillimus Poppius,1909* KK TJ IR Gh
223. **Anthocoris visci Douglas,1889** (Anthocoridae) Synonym(s): *visci Douglas,1889* ES FR GB BE NL DE CZ YU MK TR IR Kd
224. **Anthomalachus strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
225. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
226. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
227. **Anthrax brevis Becker & Stein,1913** (Bombyliidae) Synonym(s): *brevis Becker & Stein,1913* IR
228. **Anthrax flavipes (Röder,1896)** (Bombyliidae) Synonym(s): *flavipes Röder,1896* IR TR
229. **Anthrax flavus (Sack,1909)** (Bombyliidae) Synonym(s): *flavus Sack,1909* TR IR
230. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
231. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
232. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
233. **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): *jordanicus Pic,1934* JO IL Pa IR

234. **Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae) Synonym(s): *caucasicus Reitter,1881* Cc AM AT GG PL IR TM
235. **Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae) Synonym(s): *pubifer Reitter,1899* IR SY TR
236. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus Kiesenwetter,1851* TR EG DZ TN MA IR SY Cc
237. **Anthrenus (s.str.) mesopotamicus Hava,2001** (Dermestidae) Synonym(s): *mesopotamicus Hava,2001* IR IQ SY
238. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus Solsky,1876* AF Cc TR IR KK KG TJ TM UZ
239. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): *rotundulus Reitter,1889* TR AF Cc IR TM
240. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis Reitter,1881* TR TN IL Pa SY IR
241. **Anthrenus zagrosensis Hava,2004** (Dermestidae) Synonym(s): *zagrosensis Hava,2004* IR
242. **Antipalus truncatus (Loew,1849)** (Asilidae) Synonym(s): *truncatus Loew,1849* TR IR Fa
243. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus Loew,1849* Cc RU KG IL Pa TR IR Kz Fa EG TN
244. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
245. **Antodynerus incomparabilis Giordani Soika,1970** (Vespidae) Synonym(s): *incomparabilis Giordani Soika,1970* TR IR Kh
246. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica Melika, Stone, Sadeghi & Pujade-Villar,2004* Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004, Acta zool. hung. 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex Quercus brantii leg.G.N.Stone (BMNH). JO SY LB IR Kd Km TR
247. **Aphodius (Erytus) persicus Petrovitz,1961** (Scarabaeidae) Synonym(s): *persicus Petrovitz,1961* IR AF
248. **Aphthona abdominalis (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis Duftschmid,1825; finitima Ogloblin,1927* TR Cc IR AF KG
249. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri Allard,1861; tauricola Pic,1910* IT GR Rd CY TR BG EG IR
250. **Aphthona fuentei Reitter,1901** (Chrysomelidae) Synonym(s): *fontei Reitter,1901* TR IL Pa IR DZ ZR
251. **Aphthona nigriscutis Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis Foudras,1860* TR Cc RU IR KG
252. **Aphthona nonstriata (Goeze,1777)** (Chrysomelidae) Synonym(s): *nonstriata Goeze,1777* TR Cc IR KG
253. **Aphytis chrysomphali (Mercet,1912)** (Aphelinidae) Synonym(s): *chrysomphali Mercet,1912; silvestrii De Gregorio,1914; quaylei Rust,1915; mazandaranica Kiriukhin,1946* CY TR IR Elb Mz
254. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
255. **Apoclea albipila Becker,1913** (Asilidae) Synonym(s): *albipila Becker,1913* IR
256. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871* MA DZ LY TN EG NG TR SA IL Pa IR
257. **Apoclea continuata Becker,1909** (Asilidae) Synonym(s): *continuata Becker,1909* IR
258. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis Wiedemann,1828; helva Wiedemann,1828; illustris Schiner,1867; aperta Becker,1909* EG SA IL Pa IR Fa Ss Ke Kh YE SD
259. **Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes Loew,1873* RU KG DZ IR TR
260. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha Loew,1856; arabica Becker,1910* EG TN LY MA IL Pa YE SA IR
261. **Apoclea plurisetosa Becker,1909** (Asilidae) Synonym(s): *plurisetosa Becker,1909* IR
262. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873* RU KG DZ TN LY IR TR
263. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila Loew,1873* IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
264. **Apolysis superba (Engel,1933)** (Bombyliidae) Synonym(s): *superba Engel,1933* Cc AZ AM GG IR
265. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax Pecchioli,1837* AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
266. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc

267. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb**
268. **Aprostocetus beyazus Doğanlar,1992** (Eulophidae) Synonym(s): *beyazus* Doğanlar,1992 **IR**
269. **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978 **AM Cc IR IL Pa TR**
270. **Arboridia kermanshah (Dlabola,1963)** (Cicadellidae) Synonym(s): *kermanshah* Dlabola,1963 **IR**
271. **Arge cingulata Jakovlev** (Argidae) Synonym(s): *cingulata* Jakovlev; *turanica* Kuznetsov-Ugamskii **CN Ui IR**
272. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
273. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 **ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP**
274. **Arge impressifrons Konow** (Argidae) Synonym(s): **Cc IR**
275. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 **PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR**
276. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
277. **Arge persica Gussakovskii,1935** (Argidae) Synonym(s): *persica* Gussakovskii,1935 **IR**
278. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
279. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 *nec* Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 **GG RO GR RU Cc UA IR MA**
280. **Argyra diaphana (Fabricius,1775)** (Dolichopodidae) Synonym(s): *diaphana* Fabricius,1775; *ludea* Harris,1776; *pellucens* Fallén,1823; *versicolor* Meigen,1824; *hirtipes* Curtis,1835 **MD RU RO UA IR**
281. **Aromia moschata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758 **Cc TR IR CZ SE**
282. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 **AM Cc BG GR TR CY IR KK KG TJ UZ**
283. **Asiloephesus excisus (Loew,1848)** (Asilidae) Synonym(s): *excisus* Loew,1848 **IR Kh TR**
284. **Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): *barbarus* Linnaeus,1758; *sinis* Séguy,1930; *flavipes* Esipenko,1970 **IR Kz DZ MA TN RU**
285. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 **IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB**
286. **Asilus lucidus Pallas,1818** (Asilidae) Synonym(s): *lucidus* Pallas,1818 **IR Kd RU**
287. **Aspoeckina uralensis Hölzel** (Myrmeleonidae) Synonym(s): **RU Ur TR IR**
288. **Astochia caspica Hermann,1917** (Asilidae) Synonym(s): *caspica* Hermann,1917; *sareptana* Becker,1923 **IR AF RU KG AZ Cc**
289. **Astochia metatarsata Becker,1913** (Asilidae) Synonym(s): *metatarsata* Becker,1913 **IR Ss Ke**
290. **Astochia sodalis (Wulp,1899)** (Asilidae) Synonym(s): *sodalis* Wulp,1899 **IR YE**
291. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932 **TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR**
292. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus* Becker,1902 **EG IQ IR RO AT ES**
293. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884 **RU TR IR UZ KK Cc Sb IN CN JP**
294. **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826 **Cc AM Eri GG AZ IR**
295. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 **TR AF Cc IR IQ IL Pa LB SY TM**
296. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878 **TR TN Cc IQ IR SY**
297. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833 **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
298. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915 **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ**
299. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979 **TR IR Ab Oru UA RU KG KK TM TJ UZ**
300. **Aulacidea irani Melika & Gharaei,2006** (Cynipidae) Synonym(s): *irani* Melika & Gharaei,2006 **IR**
301. **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula* Ribaut,1935 **AF FR IR IT MA TN**

302. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus Schrank,1798* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
303. **Balcanocerus alkani (Wagner,1958)** (Cicadellidae) Synonym(s): *alkani Wagner,1958* TR TJ IR
304. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae Horvath,1891* CY IT JO YU UA RU TR IR
305. **Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella Linnavuori,1962* IL Pa IR TR
306. **Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata Gravenhorst,1829* TR Cc AM IR AF RU Sb Us
307. **Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax Weise,1888* Cc TR IR
308. **Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus Lindberg,1923; nigrum Lindberg,1923* EG IL Pa LY TR IR
309. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus Loew,1855* IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
310. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura Masi,1916; meridionalis Steffan,1951* AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
311. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum Mayr,1853* AF BG IQ IR HU EG RP SD SY SA TR
312. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus Morice,1911* MA DZ TR LB SY JO IR OM IL Pa ML MR TM
313. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus Gussakowski,1935* AF UZ TR IR TJ KG UZ
314. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
315. **Bembecinus gracilicornis (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis Handlirsch,1892* IR Ke Cc AZ AM TR TJ TM
316. **Bembecinus guichardi Schmid-Egger,2004** (Crabronidae) Synonym(s): *guichardi Schmid-Egger,2004* TR IR
317. **Bembecinus khuzestani Schmid-Egger,2004** (Crabronidae) Synonym(s): *khuzestani Schmid-Egger,2004* IR
318. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
319. **Bembidion (Euperyphus) combustum Ménétrés,1832** (Carabidae) Synonym(s): *combustum Ménétrés,1832* AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
320. **Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne Chaudoir,1850* AZ AM Cc GG RU TR IR
321. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
322. **Bembidion (Microserrullula) apicale Ménétrés,1832** (Carabidae) Synonym(s): *apicale Ménétrés,1832* AZ AM Cc GG TR IR
323. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
324. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
325. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918* AM Cc TR IR IQ TJ TM
326. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
327. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918* BG GR MK TR IR LY SY YU
328. **Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918* AZ BG GR MK TR IR YU
329. **Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846* AZ AM Cc GG RU TR UA IR
330. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
331. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
332. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
333. **Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): *ispartanum Netolitzky,1930* AM Cc TR IR

334. **Bembidion (Ocyturanus) balcanicum Apfelbeck,1899** (Carabidae) Synonym(s): *balcanicum Apfelbeck,1899* TR IR
335. **Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934* AM Cc TR IR KK TJ UZ
336. **Bembidion (Ocyturanus) viduum Netolitzky,1910** (Carabidae) Synonym(s): *viduum Netolitzky,1910* TR IR
337. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831* AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
338. **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne Schaum,1862* TR IR IL Pa LB Cc GG
339. **Bembidion (Peryphanes) lacrimans Netolitzky,1935** (Carabidae) Synonym(s): *lacrimans Netolitzky,1935* TR IR
340. **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum Solsky,1874* TR AF IR KK TJ UZ
341. **Bembidion (Peryphus) distinguendum Jacquelin du Val,1852** (Carabidae) Synonym(s): *distinguendum Jacquelin du Val,1852* AZ AM Cc GG TR IR
342. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
343. **Bembidion (Peryphus) persicum Ménériés,1832** (Carabidae) Synonym(s): *persicum Ménériés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
344. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
345. **Bembidion (Principidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
346. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
347. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
348. **Blaps platythorax Gemminger,1870** (Tenebrionidae) Synonym(s): *laticollis Redtenbacher,1850; platythorax Gemminger,1870* IR
349. **Blaps punctostriata Solier,1848** (Tenebrionidae) Synonym(s): *punctostriata Solier,1848* IR
350. **Blaps scabiosa Baudi,1874** (Tenebrionidae) Synonym(s): *scabiosa Baudi,1874; coriacea Allard,1880* IR Gor UZ
351. **Blaps seriata Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *seriata Fischer von Waldheim,1822* UZ IR
352. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata Westwood,1842* PT ES IT GR TR LB IR
353. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
354. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscola Medvedev* Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
355. **Bodenheimera rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae Bodenheimer,1924* TR CY IR IQ IL Pa
356. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera Pallas,1773* TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
357. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
358. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
359. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
360. **Bombylella firjuzana (Paramonov,1929)** (Bombyliidae) Synonym(s): *firjuzana Paramonov,1929* IR TM

361. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *brevisculum* Loew,1855
AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
362. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec
Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb
SK SS ES CH UA YU
363. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855;
brevirostratus Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN
UA YU
364. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855 IT YU
TR SY MK IR HU GR AL
365. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771;
minimum Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL
PT RO RU Sb SK SS ES CH SY TR UA YU
366. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862;
nigricephalus Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
367. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855 IT
TR HV GR IR MK SY LB YU
368. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum*
Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937 EG IL Pa IR SA
369. **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum*
Paramonov,1926; *flavisetis* Paramonov,1940 TR IR TJ UZ TM
370. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ
AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
371. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus*
Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK
ES CH TJ TR TM UA UZ
372. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855
RU Sb CN IR MN KK ES TJ TM UZ
373. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
374. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s):
cinerarius Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD
MN RO RU SK SS ES SY TR TM UA UZ YU
375. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc
AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
376. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus*
Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF
AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK
ES SY TJ TN TR TM UA UZ YU
377. **Bombylius (s.str.) flavicalcaratus Lindner,1975** (Bombyliidae) Synonym(s): *flavicalcaratus*
Lindner,1975 IR
378. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes*
Wiedemann,1828 EG IR IT LY MA ES YU TR
379. **Bombylius (s.str.) flavisetosus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s):
flavisetosus Abbasian-Lintzen,1965 IR IQ
380. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857;
nigropenicillatus Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
381. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens*
Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT
Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
382. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
383. **Bombylius (s.str.) iranica Paramonov,1940** (Bombyliidae) Synonym(s): *iranica*
Paramonov,1940 AZ AM GG Cc IR
384. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758;
punctatus De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius*
Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec
Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG
Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA
NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
385. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758;
dilutus Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876;
ochraceus paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978;
thapsinoides Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT
Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
386. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873
ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU

387. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
388. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
389. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus Mikan,1796; pilirostris Loew,1855; monticola Paramonov,1926; algericus Villeneuve,1932* DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
390. **Bombylius (s.str.) pallidus Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): *pallidus Abbassian-Lintzen,1965* IR
391. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus Loew,1873* AF IR KG KK TJ TM UZ
392. **Bombylius (s.str.) persicus Paramonov,1926** (Bombyliidae) Synonym(s): *persicus Paramonov,1926* IR
393. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
394. **Bombylius (s.str.) proximocruciatus Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): *proximocruciatus Abbassian-Lintzen,1965* IR
395. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
396. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis Loew,1855* GR IR MK ES TN TR YU
397. **Bombylius (s.str.) schaeuffelei Lindner,1975** (Bombyliidae) Synonym(s): *schaeuffelei Lindner,1975* IR
398. **Bombylius (s.str.) shah Paramonov,1940** (Bombyliidae) Synonym(s): *shah Paramonov,1940* IR AM AZ GG Cc
399. **Bombylius (s.str.) susianae Abbassian-Lintzen,1965** (Bombyliidae) Synonym(s): *susianae Abbassian-Lintzen,1965* IR
400. **Bombylius (s.str.) tephroleucus Loew,1855** (Bombyliidae) Synonym(s): *tephroleucus Loew,1855* IR
401. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; breviostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
402. **Bombylius (s.str.) zarudnyi Paramonov,1940** (Bombyliidae) Synonym(s): *zarudnyi Paramonov,1940* IR
403. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
404. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus Fabricius,1798; leucopogon Meigen,1804* AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
405. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
406. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
407. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
408. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
409. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
410. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
411. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
412. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
413. **Brachyceraea brevicornis (Loew,1847)** (Conopidae) Synonym(s): *brevicornis Loew,1847* TR Cc RU Da GR IR Fa

414. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **Chalcis tibialis** Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ
415. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
416. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
417. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
418. **Brodskyana juncta Majer,1996** (Melyridae) Synonym(s): *juncta* Majer,1996 IR
419. **Brodskyana lubrica Majer,1996** (Melyridae) Synonym(s): *lubrica* Majer,1996 IR
420. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
421. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
422. **Bruchophagus glycyrrhizae Nikolskaya,1952** (Eurytomidae) Synonym(s): *glycyrrhizae* Nikolskaya,1952 Qz IR IN KG
423. **Bruchophagus mutabilis Nikolskaya,1952** (Eurytomidae) Synonym(s): *mutabilis* Nikolskaya,1952 IR Qz BG FR KG
424. **Bruchophagus nikolskayae Zerova,1975** (Eurytomidae) Synonym(s): *nikolskayae* Zerova,1975 IR Kh KK
425. **Bruchophagus robiniae Zerova,1970** (Eurytomidae) Synonym(s): *robiniae* Zerova,1970 IR Th AM Cc BG UA UZ
426. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
427. **Bruchophagus trjapitzini Zerova,2008** (Eurytomidae) Synonym(s): *trjapitzini* Zerova,2008 *Bruchophagus trjapitzini* Zerova,2008, Vestn. zool. 42 (6): 103-104, figs. Holotype ♀: Iran, Urmia, Band ex seeds of *Astragalus* sp. (leg. Karimpour) (SIZ, Kiev). IR Ab Oru
428. **Brunnerella mirabilis Saussure,1888** (Acrididae) Synonym(s): *mirabilis* Saussure,1888 TR Cc AM IR Kh
429. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938 MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
430. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834 DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
431. **Bubopsis zarudnyi Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): *zarudnyi* Alexandrov-Martynov,1926 IR TR
432. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi* Linnaeus,1767 RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
433. **Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi* Steven,1830 GR TR IR RU
434. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider,1845 GR TR Cc GG LB IR CY IQ Dk
435. **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis* Brullé,1832 Cc TR IR GR SK HU
436. **Callimus angulatus (Schrank,1789)** (Cerambycidae) Synonym(s): *angulatus* Schrank,1789 Cc GR Cc TR IR CZ
437. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
438. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky,1930; *aurantiacus* Ramme,1930; *iranicus* Ramme,1930; *persa* Uvarov,1938; *aurantipes* Ramme,1951; *syriacus* Ramme,1951 TR IR Cc IQ RU LB SY
439. **Callisthenes (s.str.) persicus (Géhin,1885)** (Carabidae) Synonym(s): *persicus* Géhin,1885; *adehinotus* Lassale,1992 TR IR
440. **Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): *intermedia* Selys,1887 SY TR IR Cc
441. **Calopteryx orientalis Selys,1887** (Calopterygidae) Synonym(s): *orientalis* Selys,1887 IR Gor Elb Th AZ Cc Len

442. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 **AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL**
443. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775 **AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR**
444. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 **AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY**
445. **Calyptopsis amaroides Baudi,1874** (Tenebrionidae) Synonym(s): *amaroides* Baudi,1874 **IR**
446. **Calyptopsis clypeata Faust,1875** (Tenebrionidae) Synonym(s): *clypeata* Faust,1875 **IR TM**
447. **Calyptopsis harpaloides Baudi,1874** (Tenebrionidae) Synonym(s): *harpaloides* Baudi,1874; *armeniaca* Baudi,1874 **IR Cc AZ Nv**
448. **Calyptopsis punctiventris Baudi,1874** (Tenebrionidae) Synonym(s): *punctiventris* Baudi,1874 **TM IR**
449. **Calyptopsis rosti Reitter,1896** (Tenebrionidae) Synonym(s): *rosti* Reitter,1896 **IR Cc AZ**
450. **Calyptopsis suleimargo Reitter,1896** (Tenebrionidae) Synonym(s): *suleimargo* Reitter,1896 **IR**
451. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata* Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschinsky,1875; *beckeri* Rübsaamen,1910; *effingendea* Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971; **IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA**
452. **Cantharis annularis Ménétériés,1836** (Cantharidae) Synonym(s): *annularis* Ménétériés,1836 **TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa**
453. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
454. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
455. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
456. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
457. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
458. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 **DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU**
459. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 **DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU**
460. **Carabus (Lamprostus) calleyi Fischer von Waldheim,1823** (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823 **AZ AM Cc GG TR IR**
461. **Carabus (Procrustes) clypeatus Adams,1817** (Carabidae) Synonym(s): *clypeatus* Adams,1817 **AM Cc GG RU TR IR**
462. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817 **AM Cc GG TR CY IR IQ IL Pa LY SY TM**
463. **Cardiastethus fasciiventris (Garbiglietti,1869)** (Anthocoridae) Synonym(s): *fasciiventris* Garbiglietti,1869 **IR**
464. **Cardiastethus pseudococci (E.Wagner,1951)** (Anthocoridae) Synonym(s): *pseudococci* E.Wagner,1951 **IR**
465. **Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae) Synonym(s): *carnosus* Platia & Gundezi,2002 **TR IR Fa**
466. **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860 **TR GR SY LB IR**
467. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913 **SY CY TR Cc AZ AM IQ IR**
468. **Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): *syriacoides* Platia & Cate,2001 **IR Cc AZ AM GG TM Kp TJ**
469. **Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus,1758 **TR Cc SY IR**
470. **Cardiophorus (s.str.) varius Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *varius* Cate, Platia & Schimmel,2002 **TR AF IR**

471. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899*; *iranus Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
472. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulatus Goeze,1778* IR TR Cc SY TM
473. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus Poda,1761* TR AF IL Pa IR Cc EG SY
474. **Cassida saucia Weise,1889** (Chrysomelidae) Synonym(s): *saucia Weise,1889* TR AM AZ Cc IR
475. **Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): *carthusianus Goeze,1778* RU TR DZ IR
476. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius Saussure,1854* CY TR GR Rd IL Pa SY LB Cc AM IR
477. **Celonites pictus Richards,1962** (Vespidae) Synonym(s): *pictus Richards,1962* IR SN MA SA OM
478. **Celonites rothschildi Du Buysson,1906** (Vespidae) Synonym(s): *rothschildi Du Buysson,1906* IR KE
479. **Celonites semenovi Kostylev,1935** (Vespidae) Synonym(s): *semenovi Kostylev,1935* IR
480. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola Faldermann,1836* TR MN CN Ui AF IR RU Ur Cc
481. **Ceramius caucasicus André,1884** (Vespidae) Synonym(s): *caucasicus André,1884* Cc AM IR TR
482. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868*; *obliterata Kirschbaum,1868*; *nigra Royer,1906*; *simulans Peneau,1912*; *turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
483. **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus Loew,1849* TR IR Es BG GR AZ AM GG Cc
484. **Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii Schiner,1867* TN TR IR Elb Mz Cc AZ AM GG
485. **Cerocoma ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica Reitter,1885* TR EG IR BG
486. **Cerocoma festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva Faldermann,1837* Cc TR IR AM
487. **Cerocoma kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei Frivaldsky,1835* SY TR Cc IL Pa IR BG
488. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi Gyllenhal,1817* HU BG TR IQ IR Cc CY RU
489. **Cerocoma scovitzi Faldermann,1837** (Meloidae) Synonym(s): *scovitzi Faldermann,1837* AM TR Cc IR
490. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca Abeille de Perrin,1880* TR IL Pa SY IR Cc AZ Bak BG
491. **Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): *thoracicum Sharp,1880* IR Ab Ak IQ SA
492. **Cetonia (s.str.) aeratula Reitter,1891** (Scarabaeidae) Synonym(s): *aeratula Reitter,1891* Cc AM IR Mz Elb
493. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata Linnaeus,1761*; *smaragdus De Geer,1774*; *aenea Fuessly,1778*; *chlorochrysa Schrank,1776*; *viridicorus Voet,1779*; *maculata Scriba,1790*; *variabilis Preyss.,1790*; *piligera Mulsant & Rey,1842*; *praeclara Mulsant & Rey,1842*; *clermonti Bourgin,1948* IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
494. **Cetonia (s.str.) sexguttata Olsufiev,1916** (Scarabaeidae) Synonym(s): *sexguttata Olsufiev,1916* IR
495. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens Schultze,1895* TR AF AZ Cc GG IR KG SY TJ TM UZ
496. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
497. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis Schultze,1898* AZ RU Da IR TR TM UZ UA
498. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
499. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
500. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
501. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
502. **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei Allard,1863* TR Cc IQ IR
503. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis Thomson,1866* TR Cc IR KG RU Sb MN CN Mc KP KR

504. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major Jaquelin du Val,1852* TR Cc IR KG RU
505. **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae) Synonym(s): *montenegrina Heikertinger,1912* YU TR IR AF
506. **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis Bauduer,1874* TR Cc IR TM
507. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri Kutschera,1864* TR Cc IQ IR IL Pa DZ
508. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis Illiger,1807* TR Cc IR AF KG DZ RU Sb
509. **Chaetomalachus aeneolus Majer,1989** (Melyridae) Synonym(s): *aeneolus Majer,1989* AF IR TJ TM
510. **Chaetomalachus dispar Schilsky,1896** (Melyridae) Synonym(s): *dispar Schilsky,1896; bodemeyeri Majer,1988* IR SY
511. **Chaetomalachus jelineki Majer,1989** (Melyridae) Synonym(s): *jelineki Majer,1989* IR
512. **Chaetomalachus kotschyi Schilsky,1896** (Melyridae) Synonym(s): *kotschyi Schilsky,1896* IR
513. **Chaetomalachus wittmeri Majer,1989** (Melyridae) Synonym(s): *wittmeri Majer,1989* IR KK TM
514. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes Abeille de Perrin,1885* TR IT HU Cc MK GG IR
515. **Cheironitis klapperichi Ballion,1870** (Scarabaeidae) Synonym(s): *klapperichi Ballion,1870* IR
516. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckhert,1929* AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
517. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum Schletterer,1889* AZ GG Cc RU UA TM IR TR
518. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum Nylander,1856; appendiculata Morawitz,1871; angustata Chevrier,1872; intermedia Chevrier,1872; quadrifidum Kriechbaumer,1879; incertum Pérez,1890; ursina Benoist,1935* AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
519. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
520. **Chilaspis israeli Sternlicht,1968** (Cynipidae) Synonym(s): *israeli Sternlicht,1968* IL Pa IR Lo
521. **Chirotica ruficeps Horstmann,1983** (Ichneumonidae) Synonym(s): *ruficeps Horstmann,1983* TR IR
522. **Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator Horstmann,1983* FR IT Si DZ TR IL Pa IR
523. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
524. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
525. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
526. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
527. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
528. **Chlaenius viridis Ménétrés,1832** (Carabidae) Synonym(s): *viridis Ménétrés,1832* AZ AM Cc B-H GG RU TR IR KG UZ
529. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
530. **Chlorita vana Dlabola,1971** (Cicadellidae) Synonym(s): *vana Dlabola,1971* IR TR
531. **Chlorophorus adelii Holzschuh,1974** (Cerambycidae) Synonym(s): *adelii Holzschuh,1974* IR Lo Fa
532. **Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *sartor O.F.Müller,1766* Cc TR IR IT
533. **Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *varius O.F.Müller,1766* Cc TR IR SK HV
534. **Chlorops persicus Duda,1933** (Chloropidae) Synonym(s): *persicus Duda,1933* IR
535. **Chloropsalta smaragdula Haupt,1920** (Cicadidae) Synonym(s): *smaragdula Haupt,1920* IR
536. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820* IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
537. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA

538. **Choerades loewi Lehr,1991** (Asilidae) Synonym(s): *loewi Lehr,1991* GR TR IR Yz
539. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940* IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
540. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
541. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928* TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
542. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous Eversmann,1859; australia Predtechenskii,1928* TR Cc RO IR RU KG Sb
543. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus Fischer von Waldheim,1846; dorsatus Giglio-Tos,1894; brauneri Znojko,1928; dessyi Jannone,1936* TR RU Cc RO IR KG Sb CN KP KR JP
544. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyji Richter,1944* DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
545. **Chrysolina armeniaca (Faldermann,1837)** (Chrysomelidae) Synonym(s): *armeniaca Faldermann,1837; persica Jakob,1960 nec Jolivet,1951; iranica Medvedev,1975 nec Jacob,1954* Cc IR AM TM AF
546. **Chrysolina bodemeyeri (Weise,1910)** (Chrysomelidae) Synonym(s): *bodemeyeri Weise,1910* IR TR TM
547. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824; festiva Ménétrés,1832* EG IL Pa Cc RU Da IR GR Rd CY SY AF
548. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
549. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae) Synonym(s): *didymata Scriba,1791; syriaca Weise,1884* SY TR IL Pa IR TM
550. **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae Küster,1845; lucidicollis Küster,1845* TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
551. **Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera Linnaeus,1758* FR Cc TR IR
552. **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea Fairmaire,1865 nec Falderm.,1837; halysa Bechyne,1950; ayrica Bechyne,1950; intercalaria Bechyne,1950* TR CY Cc IR IQ AZ
553. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici Forster,1771* Cc TR IR RU Sb UZ IT Si
554. **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana Weise,1884* Cc TR IR AF KG
555. **Chrysolina imperfecta (Breit,1920)** (Chrysomelidae) Synonym(s): *imperfecta Breit,1920; kaltenbachi Jakob,1954* Cc IR TM AF
556. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata Linnaeus,1758; unificans Bechyne,1950* TR Cc IR AF RU Sb MN CN DZ KG
557. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950* TR SY IL Pa GR Rd CY Cc IR IQ TN
558. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis Bechyne,1955; assurensis Bechyne,1955* EG JO IL PA SY LB TR IR IQ
559. **Chrysolina sahlbergi (Ménétrés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménétrés,1832; cupreopunctata Reiche,1858; venefica Weise,1884* TR SY CY Cc LB IL Pa EG IR
560. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis Brullé,1836; ottomana Weise,1906* ES B-H HV AL TR IR Cc BG MK GR
561. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti Weise,1884; #salceti Arslan & Özbek,1999* GR TR IR KG RU Sb MN
562. **Chrysopilus pallipes (Loew,1869)** (Rhagionidae) Synonym(s): *pallipes Loew,1869* GR TR IR
563. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis Kowarz,1874* GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
564. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU

565. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (*praeocc.*); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 **AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU**
566. **Cicadatra flava (Dlabola,1970)** (Cicadidae) Synonym(s): *flava* Dlabola,1970 **IR**
567. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 **Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA**
568. **Cicadatra kermanica Dlabola,1970** (Cicadidae) Synonym(s): *kermanica* Dlabola,1970 **IR**
569. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (*praeocc.*); *persica* Kirkaldy,1909 **Cicadatra persica Kirkaldy,1909, Canad. ent. 41: 391, nr.110 (nomen novum pro lineola Hagen,1856)**. **MK Cc IR IL Pa IT SY TR AM AZ GG**
570. **Cicadatra plagifera Schumacher,1923** (Cicadidae) Synonym(s): *plagifera* Schumacher,1923 **TN IL Pa EG Sn IR**
571. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (*praeocc.*); *querula* Pallas,1773; *paliuri* Kolenati,1857 **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
572. **Cicadatra ramanensis Linnavuori,1962** (Cicadidae) Synonym(s): *ramanensis* Linnavuori,1962 **IR Ss IL Pa**
573. **Cicadatra vulcania Dlabola & Heller,1962** (Cicadidae) Synonym(s): *vulcania* Dlabola & Heller,1962 **IR**
574. **Cicadatra zahedanica Dlabola,1970** (Cicadidae) Synonym(s): *zahedanica* Dlabola,1970 **IR**
575. **Cicadella spectra (Distant,1908)** (Cicadellidae) Synonym(s): *spectra* Distant,1908 **AF AT IR JP**
576. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
577. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut*,1952 **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
578. **Cicadula mesasiatica (Dubovsky,1966)** (Cicadellidae) Synonym(s): *mesasiatica* Dubovsky,1966 **IR TR**
579. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839 **TR SY IR Qz AM AZ Nv Ord Cc TM Kp**
580. **Cicindela turkestanicoidea W.Horn,1938** (Carabidae) Synonym(s): *turkestanicoidea* W.Horn,1938 **TR IR Elb Th Mz**
581. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
582. **Cirrospilus lynceus Walker,1838** (Eulophidae) Synonym(s): *lynceus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 **TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU**
583. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 **TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU**
584. **Cixius persicus Distant,1907** (Cixiidae) Synonym(s): *longipennis* Melichar,1902 (*praeocc.*); *persicus* Distant,1907 **IR**
585. **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae) Synonym(s): *erythroptilus* Erichson,1840 **TR IR Kz IQ Bgd**
586. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU**
587. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773; *deficiens* Weise,1900 **ES HU RU Sb GR TR IR MN KP KR**
588. **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848 **TR SY IA Cc IR**
589. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 **IT Si RO UA BG TR Cc SY IQ IR RU**
590. **Clytra valeriana Ménétriés,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétriés,1832; *tetrastigma* Schmidt,1841; *#valerianae* Aydın & Kismali,1990 **YU GR BG TR Cc UA Cm IT Si RU IR**
591. **Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis* Linnaeus,1758 **Cc TR IR RU**
592. **Clytus arietis lederi Ganglbauer,1881** (Cerambycidae) Synonym(s): *lederi* Ganglbauer,1881 **TR IR Cc**
593. **Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni* Germar,1817 **RU Cc IR TR GR**

594. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata Förster,1853* IR LB AM Cc TJ UZ RU Cc DZ TR
595. **Coenagrion persicum Lohmann,1993** (Coenagrionidae) Synonym(s): *persicum Lohmann,1993* TR IR
596. **Coenagrion puellum (Linnaeus,1758)** (Coenagrionidae) Synonym(s): *puellum Linnaeus,1758* TR DZ IR
597. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus Linnaeus,1767; purpureus Goeze,1777; ruber Geoffroy,1785; bicolor Rossi,1790; rufipes Sturm,1826; ruber Fairmaire,1859; paykulli Schilsky,1903* DE BG FR GB IR Cc KG UA Cm MK SY TR TM
598. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus Germar,1824; persicus Gyllenhal,1839; pauculus Voss,1933* DE BG FR IN IR SE UA Cm Cc TR KG
599. **Coenosia tigrina (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina Fabricius,1775* AM Cc TR IR
600. **Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis Ménétriés,1849* TR SY IL Pa IR KG
601. **Colletes alfredjohni Kuhlmann,2002** (Colletidae) Synonym(s): *alfredjohni Kuhlmann,2002* IR
602. **Colletes hakkari Kuhlmann,2002** (Colletidae) Synonym(s): *hakkari Kuhlmann,2002* Colletes hakkari Kuhlmann,2002, Linzer biol. Beitr. 34 (1): 753-755. Holotype ♂: Turkey: Hakkari Suvari Halil Pass 2500m leg.& coll. Max Schwarz TR IR Elb Ar Mz GG Soc Cc AM Eri
603. **Colletes iranicus Noskiewicz,1962** (Colletidae) Synonym(s): *iranicus Noskiewicz,1962* TR IR
604. **Colletes persicus Warncke,1979** (Colletidae) Synonym(s): *persicus Warncke,1979* IR
605. **Colletes warnckei Kuhlmann,2002** (Colletidae) Synonym(s): *warnckei Kuhlmann,2002* TR IR Elb Mz
606. **Colotes iranicus Wittmer,1981** (Melyridae) Synonym(s): *iranicus Wittmer,1981* IR
607. **Concavifer marmoratus Dlabola,1960** (Cicadellidae) Synonym(s): *marmoratus Dlabola,1960* IR IL KG TJ
608. **Coniopteryx (Xeroconiopteryx) resslı Rausch & H.Aspöck,1978** (Coniopterygidae) Synonym(s): *resslı Rausch & H.Aspöck,1978* IR Ss
609. **Coniopteryx (Xeroconiopteryx) venustula Rausch & H.Aspöck,1978** (Coniopterygidae) Synonym(s): *venustula Rausch & H.Aspöck,1978* IR Ss
610. **Coniopteryx (Xeroconiopteryx?) orba Rausch & H.Aspöck,1978** (Coniopterygidae) Synonym(s): *orba Rausch & H.Aspöck,1978* IR Ss
611. **Conophorus asiaticus Paramonov,1929** (Bombyliidae) Synonym(s): *asiaticus Paramonov,1929* TR IR
612. **Conophorus nobilis (Loew,1873)** (Bombyliidae) Synonym(s): *nobilis Loew,1873* Cc AM AZ GG TR JO IR TM
613. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
614. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falvicaudus Stucke, Hayat & Özbek,2008 Sphyxosoma flavicauda Bigot,1880, Anns Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus.* GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm
615. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus Kirschbaum,1858; sejungendus Kirschbaum,1868; covexus Kirschbaum,1868; sexpunctatus Sahlberg,1871; piceus Scott,1875* AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
616. **Conosimus oshanini Puton,1890** (Issidae) Synonym(s): *oshanini Puton,1890* IR KK
617. **Copium teucrıi (Host,1788)** (Tingidae) Synonym(s): *teucrıi Host,1788* DZ IL Pa IR SY TR
618. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus Linnaeus,1764; cavolini Petagna,1792; retusus Mulsant,1842; sinuatus Mulsant,1842; tridens Mulsant,1842; persianus Miksic,1958* ES RU UA UZ TM TJ IR TR EG
619. **Coptocephala crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): *crassipes Lefevre,1876; leprieuri Pic,1897; rungsi Pic,1953; kocheri Pic,1953; vavilovi Lopatin,1966; iranica Medvedev,1971* MA DZ IR AF CN Ti
620. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis Schneider,1845; amasina Morton,1916* BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR
621. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis Leach,1818* Cn Az Md IN IR CY TR PK
622. **Corixa dentipes Thomson,1869** (Corixidae) Synonym(s): *dentipes Thomson,1869* RU Cc IR TR
623. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi Horvath,1879* RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR
624. **Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *fenestella Horvath,1917* GR TR Cc RU IQ IR Th Elb Kdv Gh
625. **Corizus hyoscyami (Linnaeus,1758)** (Rhopalidae) Synonym(s): *hyoscyami Linnaeus,1758; #hyosciami Kyjak et al.,2004* TR IR Elb Th Se Gh

626. **Corynis caucasica (Mocsary,1886)** (Cimbicidae) Synonym(s): *caucasica* Mocsary,1886 YU
BG TR Cc IR
627. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 DZ DE BG GB
TR IR Cc NL PL HU MA
628. **Cratichneumon coruscator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *coruscator*
Linnaeus,1758; *luridus* Gravenhorst,1829 TR Cc IR
629. **Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) Synonym(s): *lugdunensis* Villers,1789;
lineatus Latreille,1807; *plumbeus* Olivier,1811; *murinus* Klug,1834; *pictus* Burmeister,1839; *tabidus*
Eversmann,1841; *pallidipennis* Rambur,1842; *conspurcatus* Kolenati,1856; *plumbea* Hagen,1860 RU TR AF
IR IL Pa
630. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis*
Fabricius,1792; *smaragdina* Foundras,1860; *picicornis* Weise,1886; *jucunda* Weise,1886; *lapponica*
Heikertinger,1950 FI TR Cc IR KG RU Sb MN CN
631. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847 RO Cc
AZ IR Fa Th Elb RU GR TR
632. **Crobilocerus spinosus Theodor,1980** (Asilidae) Synonym(s): *spinosus* Theodor,1980 IL Pa
IR Fa
633. **Croce zarudnyi Alexandrov-Martynov,1930** (Nemopteridae) Synonym(s): *zarudnyi*
Alexandrov-Martynov,1930 IR AF PK BI Qu
634. **Cryptobium iranoturkestanicum Scheerpeltz,1956** (Staphylinidae) Synonym(s):
iranoturkestanicum Scheerpeltz,1956 IR TM UZ
635. **Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor*
Eschscholtz,1818; *concinus* Suffrian,1853 UA Cm BG TR Cc IR FR
636. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
Cc RU TR BG TM AZ IR
637. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
638. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
639. **Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis*
Laicharting,1781 AL BG YU GR Cc IR TR
640. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus*
Germar,1824 RU Sb Cc KG AZ AM GG UA IR TR
641. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
RU Sb AL BG PL UA Cm YU Cc IR TR JO
642. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR
643. **Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus* Müller,1776
PL RU Sb Cc KG AZ IR TR
644. **Cryptopristus salviae Zerova,2008** (Torymidae) Synonym(s): *salviae* Zerova,2008
Cryptopristus salviae Zerova,2008, Vestn. zool. 42 (6): 105-106, figs. Holotype ♀: Iran, E.Azerbaijan,
ex galls of *Hedickiana levantina* (Cynipidae) Synonym(s): on stem *Salvia syriaca* (leg. Sadeghi) (SIZ,
Kiev). IR Ak
645. **Cryptotrogus niveus (Hampe,1852)** (Scarabaeidae) Synonym(s): *niveus* Hampe,1852 IR TR
646. **Ctenota coerulea (Becker,1913)** (Asilidae) Synonym(s): *coerulea* Becker,1913 IR Kh IL Pa KG
MN
647. **Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873 IR Ss Kz EG IL Pa SY
KG
648. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879
TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
649. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa* Rambur,1842; *morosus*
Walker,1853; *ulianini* Mc Lachan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914;
natti Navas,1914; *anomala* Navas,1915; *albanica* Capra. SD EG AF IR SA TR IQ IL CY AM GG AL
650. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus*
Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914;
natti Navas,1914; *anomala* Navas,1915 AF IR TR SA IQ IL Pa Cc CY SD
651. **Cueta luteola Hölzel,1972** (Myrmeleonidae) Synonym(s): *luteola* Hölzel,1972 IR
652. **Cueta modesta Hölzel,1972** (Myrmeleonidae) Synonym(s): *modesta* Hölzel,1972 IR
653. **Cueta parvula Hölzel,1968** (Myrmeleonidae) Synonym(s): *parvula* Hölzel,1968 IR
654. **Cueta striata Kimmins,1943** (Myrmeleonidae) Synonym(s): *striata* Kimmins,1943 AF IR SA
655. **Culicoides faghihi Navai,1971** (Ceratopogonidae) Synonym(s): *faghihi* Navai,1971 IR
656. **Culicoides iranicus Navai,1971** (Ceratopogonidae) Synonym(s): *iranicus* Navai,1971 IR
657. **Culicoides mesghalii Navai,1973** (Ceratopogonidae) Synonym(s): *mesghalii* Navai,1973 IR
658. **Culicoides shahgudiani Navai,1973** (Ceratopogonidae) Synonym(s): *shahgudiani* Navai,1973
IR
659. **Cyamophila astragalicola (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola*
Gegechkori,1977 Cc TR IR

660. **Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae) Synonym(s): *pygmaea Dejean,1825* TR SY IR Ss IQ
661. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
662. **Cylindromyia persica Tschorsnig,2000** (Tachinidae) Synonym(s): *persica Tschorsnig,2000* IR Fa
663. **Cynegetis syriaca (Mader)** (Coccinellidae) Synonym(s): *syriaca Mader ; rapillyi* IR TR
664. **Cyphon arietizans Nyholm,1970** (Scirtidae) Synonym(s): *arietizans Nyholm,1970* TR IR Cc
665. **Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus Nyholm,1970* TR GR Rd Cc IR IL Pa
666. **Cyphonoxia praestabilis Reitter,1889** (Scarabaeidae) Synonym(s): *praestabilis Reitter,1889* IL Pa IQ IR
667. **Cyrtisiposis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
668. **Cyrtolabulus iranus (Giordani Soika,1968)** (Vespidae) Synonym(s): *iranus Giordani Soika,1968* TR IR
669. **Cyrtolabulus zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi Kostylev,1939* IR TR
670. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794* DZ IT TR IL Pa LB IR Ha Lo Th Elb
671. **Cytherea pallidipennis (Abbasian-Lintzen,1968)** (Bombyliidae) Synonym(s): *pallidipennis Abbasian-Lintzen,1968* IR IL Pa TR
672. **Cytherea speciosa Loew,1844** (Bombyliidae) Synonym(s): *speciosa Loew,1844* TR IR Th Elb
673. **Cytherea thyridophora Bezzi,1925** (Bombyliidae) Synonym(s): *thyridophora Bezzi,1925* IR EG
674. **Dailognatha caraboides Solier,1835** (Tenebrionidae) Synonym(s): *caraboides Solier,1835; audouini Solier,1835; caucasica Desbrochers,1881* TR Cc BG SY IR
675. **Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preysslner,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
676. **Dasypogon irinelae Weinberg,1986** (Asilidae) Synonym(s): *irinelae Weinberg,1986* Cc RU TR AZ IR
677. **Dasypogon magisi Tomasovic,1999** (Asilidae) Synonym(s): *magisi Tomasovic,1999* IR Fa
678. **Dasypogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus Loew,1869; melanopterus Loew,1869* IR AZ Cc GR KG MN RO RU Sb TR
679. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787; araratica Radoszkowsky,1890; fastuosa Gribodo,1893* MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
680. **Dasytidius kalalovae Majer,1991** (Melyridae) Synonym(s): *kalalovae Majer,1991* IR IQ TR
681. **Dasytidius longiventris Majer,1991** (Melyridae) Synonym(s): *longiventris Majer,1991* IR
682. **Dasytidius nigripes (Pic,1894)** (Melyridae) Synonym(s): *nigripes Pic,1894* GR SY TR IR AZ Cc
683. **Dasytidius opertus Majer,1991** (Melyridae) Synonym(s): *opertus Majer,1991* IR
684. **Dasytidius persicus (Pic,1926)** (Melyridae) Synonym(s): *persicus Pic,1926* IR
685. **Dasytidius princeps Majer,1991** (Melyridae) Synonym(s): *princeps Majer,1991* IQ IR
686. **Dasytidius quadricollis (Schilsky,1896)** (Melyridae) Synonym(s): *quadricollis Schilsky,1896* IR
687. **Dasytidius quaesitus Majer,1991** (Melyridae) Synonym(s): *quaesitus Majer,1991* IR
688. **Dasytidius robustus Majer,1991** (Melyridae) Synonym(s): *robustus Majer,1991* IR
689. **Dasytidius transversus Majer,1991** (Melyridae) Synonym(s): *transversus Majer,1991* I IR
690. **Dasytiscus minimus (J.Sahlberg,1903)** (Melyridae) Synonym(s): *minimus J.Sahlberg,1903; bicoloripes Pic,1926* IR Elb Th
691. **Dasytiscus pallens Majer,1988** (Melyridae) Synonym(s): *pallens Majer,1988* IR
692. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
693. **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus Saussure,1852; elegans Saussure,1852* SA JO Pet IL Pa EG Sn IR
694. **Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus Baudi,1876* TR IR TM Cc
695. **Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica Sichel & Radoszkowski,1869* IR TR AZ AM Cc IL Pa GR

696. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa* Brisout,1848; *acuminata* Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus* Demirsoy,1977 **TR ES FR GR BG RO IR Cc**
697. **Derisa atratula Melichar,1902** (Flatidae) Synonym(s): *atratula* Melichar,1902 **IR**
698. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808 **PL AF TR Cc IN KK IR MN RU CN Ui**
699. **Dermestes (Dermestinus) gyllenhali Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 nec Fabr.,1775; *gyllenhali* Castelnau,1840 **Cc TR RU Sb IR KG**
700. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950 **AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR**
701. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous* Küster,1846; *asiatica* Hava,2002 **FR Co PT ES IT Sa DZ IR JO SY TR**
702. **Dermestes (Montandonia) fuliginosus Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus* Rossi,1792 **TR Cc IR**
703. **Dermestes (Montandonia) olivieri Lepesme,1939** (Dermestidae) Synonym(s): *olivieri* Lepesme,1939 **Cc IR TR SY TM**
704. **Deronectes elburs Fery, Köksal & Hosseinie,2001** (Dytiscidae) Synonym(s): *elburs Fery, Köksal & Hosseinie,2001* **IR Elb Th**
705. **Deronectes elmii Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *elmii Fery & Hosseinie,1998* **IR Ke**
706. **Deronectes hendrichi Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *hendrichi Fery & Hosseinie,1998* **IR Ke**
707. **Deronectes longipes Sharp,1882** (Dytiscidae) Synonym(s): *longipes* Sharp,1882 **IR Fa Lo TR**
708. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864 **TR IR Zj BG GR IL Pa**
709. **Deronectes persicus Peschet,1914** (Dytiscidae) Synonym(s): *persicus* Peschet,1914 **IR Fa Lo TJ**
710. **Deronectes youngi Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *youngi Fery & Hosseinie,1998* **IR Fa Kz**
711. **Desmatoneura erythrostoma (Rondani,1873)** (Bombyliidae) Synonym(s): *frenatus* Holmgren,1872; *erythrostoma* Rondani,1873 **IR**
712. **Dibolia kralii Mohr,1981** (Chrysomelidae) Synonym(s): *kralii* Mohr,1981 **TR IR**
713. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803; *menthae* Hering,1924 **TR Cc IR DZ MA Cn**
714. **Dibolia zangezurica Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica* Khnzorian,1968 **TR Cc AM IR**
715. **Dichillus (s.str.) iranicus Kaszab,1963** (Tenebrionidae) Synonym(s): *iranicus* Kaszab,1963 **IR TR**
716. **Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829 **TR Cc IR**
717. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988 **IT Si PT ES RU Cc GG AM AZ TR IR**
718. **Dictyonota tricornis (Schränk,1801)** (Tingidae) Synonym(s): *tricornis* Schrank,1801 **US CV CA DZ IR TR RU Sb CN Ui**
719. **Dictyophara albata Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): *albata* Dlabola & Heller,1962 **IR**
720. **Dictyophara avocetta Oshanin,1879** (Dictyopharidae) Synonym(s): *avocetta* Oshanin,1879 **IR Cc AZ TJ**
721. **Dictyophara exoptata Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): *exoptata* Dlabola & Heller,1962 **TR IR**
722. **Dictyophara iranica Linnavuori,1962** (Dictyopharidae) Synonym(s): *iranica* Linnavuori,1962 **IR TR**
723. **Dictyophara kazeruna Dlabola,1986** (Dictyopharidae) Synonym(s): *kazeruna* Dlabola,1986 **IR**
724. **Dictyophara pazukii (Dlabola,1984)** (Dictyopharidae) Synonym(s): *pazukii* Dlabola,1984 **IR**
725. **Didismachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 **TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG**
726. **Diolocroce baudii (Griffini,1895)** (Nemopteridae) Synonym(s): *baudii* Griffini,1895 **TR SA IR AF**
727. **Diolocroce elegans (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *elegans* Alexandrov-Martynov,1930 **SY IR AF**
728. **Diolocroce ephemera (Gersträcker,1893)** (Nemopteridae) Synonym(s): *ephemera* Gersträcker,1893 **TR IQ IR Fa**
729. **Diolocroce modesta Hölzel,1975** (Nemopteridae) Synonym(s): *modesta* Hölzel,1975 **TR IR OM**
730. **Diolocroce persica (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *persica* Alexandrov-Martynov,1930 **IR IQ AF**

731. **Dielocroce withycombei (Navas,1926)** (Nemopteridae) Synonym(s): *withycombei* Navas,1926
IR SA
732. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias* Walker,1838 BG TR
Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
733. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis* Erdős,1958 Cn
BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
734. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron*
Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861;
clavicornis Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR
HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe
Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
735. **Dioctria abdominalis Becker,1923** (Asilidae) Synonym(s): *abdominalis* Becker,1923 TR IR Es
736. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni*
Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 AT BE BG BY FR Co DK EE FI DE HU IT KG LT
LV LX MD MN NL PL RO RU SE CH TR UA GB IR
737. **Dioctria dispar Loew,1871** (Asilidae) Synonym(s): *dispar* Loew,1871 IR RU
738. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons*
Meigen,1820 FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
739. **Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis sensu*
Meigen,1830; *concinna* Costa,1883 DZ FR DE CH IT TR IR Kh Ss
740. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794;
anomala Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri*
Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
741. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata*
Zetterstedt,1849 IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
742. **Dioctria lugens Loew,1873** (Asilidae) Synonym(s): *lugens* Loew,1873 IR TR
743. **Dioctria rufonigra Theodor,1980** (Asilidae) Synonym(s): *rufonigra* Theodor,1980 IL Pa TR
IR Elb Mz
744. **Dioctria striata Theodor,1980** (Asilidae) Synonym(s): *striata* Theodor,1980 IL Pa TR IR Fa
745. **Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856 SY LB IL Pa TR IR Es
746. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata*
Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US
Tx
747. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata*
Desbrochers,1870 Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
748. **Diorhabda meridionalis Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis*
Berti & Rapilly,1973 IR PK SY Hal
749. **Diorhabda persica (Faldermann,1837)** (Chrysomelidae) Synonym(s): *persica*
Faldermann,1837 SY IR
750. **Diphyus mercatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *mercatorius*
Fabricius,1793; *ponticus* Heinrich,1978 TR Cc AM IR
751. **Discoelius dufourii Lepeletier,1841** (Vespidae) Synonym(s): *dufourii* Lepeletier,1841 TR IR
752. **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleoneidae) Synonym(s): *tetragrammicus*
Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914;
mesmini Navas,1921 RU AZ Kir Cc AM IR IS Mos SY TR
753. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis*
Eversmann,1848; *annulipes* Türk,1862 CZ HU RO TR Cc IR RU Sb KG MN
754. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978 DZ
ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
755. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s):
albicornis Eversmann,1848 RU KG IR TM AF PK
756. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus*
Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905 Dociostaurus anatolicus
Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa
IR Elb Th
757. **Dociostaurus (Notostaurus) diamesus Bei-Bienko,1948** (Acrididae) Synonym(s): *diamesus*
Bei-Bienko,1948 IR Elb Th Ke
758. **Dociostaurus (Notostaurus) larensis Soltani,1978** (Acrididae) Synonym(s): *larensis*
Soltani,1978 IR IQ
759. **Dociostaurus (Notostaurus) plotnikovi Uvarov,1921** (Acrididae) Synonym(s): *plotnikovi*
Uvarov,1921 IR AF TJ KG
760. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus*
Thunberg,1815; *cruciatu*s Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870;
degeneratus Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 Gryllus maroccanus
Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Morocco (UZI). MA PT ES FR
Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU

761. **Dociostaurus (Stauronotulus) cappadocicus (Azam,1913)** (Acrididae) Synonym(s): *cappadocicus* Azam,1913; *iranicus* Ramme,1951 **TR IR**
762. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus* Pantel,1886 **CN Ui RU AF PK IR ES**
763. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893 **TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP**
764. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763 **ES Md DZ TN TR EG IL Pa IR GB CN MN**
765. **Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948 **CY IL Pa TR GR YU IR**
766. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros* Melichar,1902 **CN UI IR Cc AM GG TR KG RU TM UA UZ**
767. **Dorcadion (Cribridorcadion) discodivisum Pic,1939** (Cerambycidae) Synonym(s): *discodivisum* Pic,1939 **IR**
768. **Dorcadion (Cribridorcadion) glaucum Faldermann,1837** (Cerambycidae) Synonym(s): *glaucum* Faldermann,1837 **AM Cc IR Elb Kdv Tbz Ak**
769. **Dorcadion (Cribridorcadion) marandense Holzschuh,2007** (Cerambycidae) Synonym(s): *marandense* Holzschuh,2007 **IR Ab**
770. **Dorcadion (Cribridorcadion) nurense Danilevsky & Murzin,2009** (Cerambycidae) Synonym(s): *nurense* Danilevsky & Murzin,2009 **IR Ar**
771. **Dorcadion (Cribridorcadion) resslı Holzschuh,2007** (Cerambycidae) Synonym(s): *ressli* Holzschuh,2007 **IR Ab**
772. **Dorcadion (Cribridorcadion) serouensis Kadlec,2006** (Cerambycidae) Synonym(s): *serouensis* Kadlec,2006 **IR Ab Oru**
773. **Dorcadion (Cribridorcadion) talyschense Ganglbauer,1883** (Cerambycidae) Synonym(s): *talyschense* Ganglbauer,1883; *posticeinterruptum* Pic,1900; *morgani* Pic,1905 **AZ Cc IR**
774. **Dorcadion (Cribridorcadion) tebristicum Plavilstshikov,1951** (Cerambycidae) Synonym(s): *tebristicum* Plavilstshikov,1951 **IR Ak Tbz**
775. **Dorcadion (s.str.) faldermanni Ganglbauer,1884** (Cerambycidae) Synonym(s): *faldermanni* Ganglbauer,1884 **IR**
776. **Dorcus parallelopedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelopedus* Linnaeus,1758 **TR Cc IR Gh Mz Elb Kh KG**
777. **Dorcus vavrai Nonfried,1905** (Lucanidae) Synonym(s): *vavrai* Nonfried,1905; ? *peyroni* Petrovitz,1980 **IR By Fa Lo Kd Kz TR**
778. **Dorysarthus sumakovi Oshanin,1908** (Dictyopharidae) Synonym(s): *sumakovi* Oshanin,1908 **IR TM**
779. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 **AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR**
780. **Durgula lycii Emeljanov,1964** (Cicadellidae) Synonym(s): *lycii* Emeljanov,1964 **IR KG**
781. **Dysaphis inulae Rezwani,2008** (Aphididae) Synonym(s): *inulae* Rezwani,2008 **Dysaphis inulae** Rezwani,2008, J. ent. Soc. Iran 27 (2): 23-26, figs. Holotype ♀: Iran: West Azerbaidjan: Khoy, 27 June 1987 ex *Inula britannica* (HMIM). **IR**
782. **Dysaphis lappae (Koch,1854)** (Aphididae) Synonym(s): *lappae* Koch,1854 **ZA IR ES**
783. **Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus* Loew,1848 **IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR**
784. **Dysmachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus* Loew,1871 **YU RO Cc RU BG TR IR UA AZ AM GG**
785. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854 **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
786. **Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus* Loew,1871 **YU RU GR BG AL TR IR Fa**
787. **Dysmachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus* Loew,1871 **RO Cc RU GR TR IR Es AZ GG AM**
788. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
789. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 **AT AL BG DE FR HU PL RO UA TR IR Fa**
790. **Dysmachus setipyga Becker,1923** (Asilidae) Synonym(s): *setipyga* Becker,1923 **TR IR Elb Th**
791. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR**
792. **Dysmachus tricuspis (Loew,1848)** (Asilidae) Synonym(s): *tricuspis* Loew,1848 **TR IR Es AL GR RO TN**
793. **Ebaeus medvedevi Wittmer,1970** (Melyridae) Synonym(s): *medvedevi* Wittmer,1970 **TR IR**
794. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis* Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907 **IR DZ EG IQ IL Pa TN MA ES**
795. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**

796. **Edwardsiana iranicola Zachvatkin,1947** (Cicadellidae) Synonym(s): *iranicola Zachvatkin,1947* IR
797. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola Edwards,1885* AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU AT
798. **Elaea richter Beier,1956** (Mantidae) Synonym(s): *richter Beier,1956* IR
799. **Elodes eberti Klausnitzer,1970** (Scirtidae) Synonym(s): *eberti Klausnitzer,1970* TJ IR Cc TR
800. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
801. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata Brullé,1836* RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO
802. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii Stal,1877* EG ET IR YE SO SA SD AE
803. **Empusa pauperata (Fabricius,1781)** (Empusidae) Synonym(s): *pauperata Fabricius,1781; humbertiana Saussure,1869; servillei Saussure,1871* IN LK IR
804. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollii Saussure,1871; attenuata Ramme,1951; mujuncumica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004* TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY
805. **Endomia concolor (Desbrochers,1875)** (Anthicidae) Synonym(s): *concolor Desbrochers,1875* TR IR
806. **Engelepogon antiochienensis (Tsacas,1964)** (Asilidae) Synonym(s): *antiochienensis Tsacas,1964* TR IR Elb Mz
807. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes Fabricius,1794; castanipes Meigen,1820; rufipes Meigen,1820; goliath Schiner,1867* IR Kd DZ GR MA TN TR YU
808. **Engelepogon cingulifer (Becker,1913)** (Asilidae) Synonym(s): *cingulifer Becker,1913* IR Ss Kd AZ Cc KG
809. **Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator Victorov,1957* TR IR DZ MN KG RU At
810. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis Thomson,1884* AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
811. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemii Robineau-Desvoidy,1830; daronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
812. **Entedon biroi Erdös,1944** (Eulophidae) Synonym(s): *biroi Erdös,1944* TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ
813. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis Pallas,1771; abdominalis Netolitzki,1912* TR SY UA RU Sb CN IR KG CA MN PK
814. **Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis Weise,1882* BG AZ Cc TR GG IQ IR CN
815. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta Smith,1855; syraensis Radoszkowski,1888; schmidtii Priesner,1973; #cinerata Priesner,1973* DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY
816. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea Pallas,1773; sirdariensis Radoszkowski,1889* AM Cc IR TM Kp TR KK KG Uk RU Da
817. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
818. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus Horvath,1903; imitatus Haupt,1924; byzantina Zachvatkin,1946; mira Zachvatkin,1946; insularis Lindberg,1948* AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
819. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
820. **Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei Bauduer,1874* TR IQ IR Cc KG
821. **Epitrix caucasica (Heiteringer,1950)** (Chrysomelidae) Synonym(s): *caucasica Heiteringer,1950* TR Cc IR RU KG IN
822. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni Mohr,1968* TR IL Pa JO IR SA TM
823. **Epitrix priesneri (Heikertinger,1950)** (Chrysomelidae) Synonym(s): *priesneri Heikertinger,1950* EG SA OM YE IR

824. **Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903 **Cc AZ Len TR KK Az KG IR RU Sb**
825. **Erax grootaerti Tomasovic,2002** (Asilidae) Synonym(s): *grootaerti* Tomasovic,2002 **IR Fa**
826. **Erebunus farinosus (Becker,1913)** (Asilidae) Synonym(s): *farinosus* Becker,1913; *transcaspica* Lehr,1964; *pilosa* Lehr,1964 **IR Kh KG**
827. **Eremippus haghghii Descamps,1967** (Acrididae) Synonym(s): *haghghii* Descamps,1967 **IR Ss**
828. **Eremippus kermanicus Mishtchenko,1976** (Acrididae) Synonym(s): *kermanicus* Mishtchenko,1976 **IR Ke**
829. **Eremippus persicus Uvarov,1929** (Acrididae) Synonym(s): *#uvarovi* Moritz,1928; *persicus* Uvarov,1929 **IR Kh**
830. **Eremisca heleni (Eflatoun,1934)** (Asilidae) Synonym(s): *heleni* Eflatoun,1934 **IR OM IL Pa EG MA**
831. **Eremisca shahgudiani Abbasian-Lintzen,1964** (Asilidae) Synonym(s): *shahgudiani* Abbasian-Lintzen,1964; *araratica* Richter,1966 **IR Kz AZ AM Cc**
832. **Eremopeza gibbera (Stal,1874)** (Pamphagidae) Synonym(s): *gibbera* Stal,1874 **TR IR Bu Es Hz Ke Kz Lo Fa Il Km Ss**
833. **Eremopeza saussurei (Uvarov,1918)** (Pamphagidae) Synonym(s): *saussurei* Uvarov,1918; *Tmethis saussurei* Uvarov,1918, *Bull. Mus. Caucas. 12: 49, fig.3.* **TR IR Bk Kh Ab Ak Es Fa Ha By Kd Ke Kh Lo Ma Ss Th**
834. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvohus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
835. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger* Meigen,1804; *flavescens* Jaenicke,1867 **DZ MA FR PT ES TN IR Ss**
836. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
837. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus* Rossi,1792 **ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR**
838. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 **AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR**
839. **Erythroma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *viridulum* Charpentier,1840 **TR IR JO**
840. **Esatanas shah (Rondani,1873)** (Asilidae) Synonym(s): *shah* Rondani,1873 **IR KG**
841. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851 **TR LB IL Pa JO IR SA YE EG**
842. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 **AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd**
843. **Eucharis carinifera Gussakovsky,1940** (Eucharitidae) Synonym(s): *carinifera* Gussakovsky,1940 **KG AM Cc UA UZ YU IR**
844. **Eucharis rugulosa Gussakovsky,1940** (Eucharitidae) Synonym(s): *rugulosa* Gussakovsky,1940 **IR Elb Th UA Cm RU**
845. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
846. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius* Saussure,1852 **CY TR RU IL Pa LB SY IR**
847. **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis* Blüthgen,1940 **TR JO Pet IR**
848. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
849. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
850. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae* Fabricius,1794 **TR RU Ur Sb KG Cc IR MN CN DZ AU**
851. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 **AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU**
852. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 **CY EG IL Pa GR Cr IR JO TR KG**
853. **Eupteryx iranica Linnavuori,1953** (Cicadellidae) Synonym(s): *iranica* Linnavuori,1953 **IR**

854. **Eupteryx pavlovskii Zachvatkin,1947** (Cicadellidae) Synonym(s): *pavlovskii Zachvatkin,1947*; *tochalica Dlabola,1974* **IR TR**
855. **Eupteryx taborskyi Dlabola,1957** (Cicadellidae) Synonym(s): *taborskyi Dlabola,1957* **AF IR TR**
856. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868*; *putoni Lethierry,1876*; *hipposideros Horvath,1892*; *decussata Ribaut,1936* **AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU**
857. **Eurima astuta Melichar,1902** (Flatidae) Synonym(s): *astuta Melichar,1902* **IR IL**
858. **Eurygaster integriceps Puton,1881** (Scutellaridae) Synonym(s): *integriceps Puton,1881* **TR IR Kh**
859. **Eurygaster maurus (Linnaeus,1758)** (Scutellaridae) Synonym(s): *maurus Linnaeus,1758* **TR IR Kh**
860. **Euryostola minor Baudi,1875** (Tenebrionidae) Synonym(s): *minor Baudi,1875* **IR**
861. **Eurytoma abdita Zerova,1995** (Eurytomidae) Synonym(s): *abdita Zerova,1995* **IR Oru Ab KG RU UA**
862. **Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): *acroptilae Zerova,1986* **IR Ab Ak KG TJ UA UZ**
863. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz**
864. **Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): *arctica Thomson,1875* **IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB**
865. **Eurytoma blastophagi Hedqvist,1963** (Eurytomidae) Synonym(s): *blastophagi Hedqvist,1963* **IR Ak DE NO CN RU SE**
866. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris Ratzeburg,1852* **IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
867. **Eurytoma calicotomae Zerova,2005** (Eurytomidae) Synonym(s): *calicotomae Zerova,2005* **IR Oru Ab IL Pa**
868. **Eurytoma caninae Lotfalizadeh & Delvare,2007** (Eurytomidae) Synonym(s): *caninae Lotfalizadeh & Delvare,2007* **Eurytoma caninae Lotfalizadeh & Delvare,2007, Zootaxa 1640: 55-68. IR Ab Th Elb FR MA**
869. **Eurytoma collina Zerova,1984** (Eurytomidae) Synonym(s): *collina Zerova,1984* **IR Ak Th Elb TM TJ UZ**
870. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum Mayr,1878* **TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU**
871. **Eurytoma ghazvini Zerova,2004** (Eurytomidae) Synonym(s): *ghazvini Zerova,2004* **IR Qz**
872. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi Boucek,1970* **IR HV CZ DE IT MD MK RU SK UA TM YU**
873. **Eurytoma iranica Narendran & Lotfalizadeh,1999** (Eurytomidae) Synonym(s): *iranica Narendran & Lotfalizadeh,1999* **IR Fa**
874. **Eurytoma iranicola Zerova,2007** (Eurytomidae) Synonym(s): *iranica Zerova,2004 nec Narend. & Lotf.,1999*; *iranicola Zerova,2007* **IR Ke Bk**
875. **Eurytoma lactucae Zerova,2008** (Eurytomidae) Synonym(s): *lactucae Zerova,2008* **Eurytoma lactucae Zerova,2008, Vestn. zool. 42 (6): 101-103, figs. Holotype ♀: Iran, Lorestan Prov. Zalian Ghelaei, Albors-lar (ex stem galls of Timaspis sp.) (SIZ, Kiev). IR Lo**
876. **Eurytoma melikai Zerova & Seryogina,2009** (Eurytomidae) Synonym(s): *melikai Zerova & Seryogina,2009* **Eurytoma melikai Zerova & Seryogina,2009, Zool. Zh. 88 (8): 951-959. IR**
877. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**
878. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877*; *setigera Mayr,1878* **TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB**
879. **Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): *plotnikovi Nikolskaya,1934* **IR Ak Fa Es Ke Kh Se Zj GR IL Pa CN**
880. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* **TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru**
881. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834*; *pubicornis Boheman,1836* **TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU**
882. **Eurytoma scrophulariae Zerova,1981** (Eurytomidae) Synonym(s): *scrophulariae Zerova,1981* **IR Fa**
883. **Eusapromyza martineki (Shatalkin,1999)** (Leuxaniidae) Synonym(s): *martineki Shatalkin,1999* **IR Ak Ab**
884. **Eusapromyza multipunctata (Fallén,1820)** (Leuxaniidae) Synonym(s): *multipunctata Fallén,1820* **LT IR Km RU**
885. **Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides Pallas,1818*; *pallasii Wiedemann,1818*; *pubiceps Loew,1871* **GR TR IR RU**

886. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 **AF IR IL Pa JO GR Cr TR KG KK**
887. **Euscelis alsioides Remane,1967** (Cicadellidae) Synonym(s): *alsioides* Remane,1967 **IQ IR TR**
888. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 **BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR**
889. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
890. **Eutolmus facialis (Loew,1848)** (Asilidae) Synonym(s): *facialis* Loew,1848 **YU IL Pa TR IR Elb Dam**
891. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848 **TR IR Fa GR Rd RO RU TN**
892. **Eutolmus parricida (Loew,1848)** (Asilidae) Synonym(s): *parricida* Loew,1848 **TR AF IR Elb Mz Cc GG AM AZ**
893. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 **ES IT Sa Si TR RU MN CY IR**
894. **Exeurytoma caraganae Burks,1971** (Eurytomidae) Synonym(s): *caraganae* Burks,1971 **IR Elb Th**
895. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 **AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA**
896. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 **AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ**
897. **Exopristoides hypecoi Zerova & Stojanova,2004** (Torymidae) Synonym(s): *hypecoi* Zerova & Stojanova,2004 **IR Ab Oru BG**
898. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus* Masi,1916 **B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru**
899. **Exoprosopa dedecor Loew,1871** (Bombyliidae) Synonym(s): *dedecor* Loew,1871 **TR IR**
900. **Exoprosopa turkestanica Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1925 **CN Ui Um Adu KK TJ MN AF IR**
901. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 **AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ**
902. **Fallacia elegans (Faldermann,1837)** (Cerambycidae) Synonym(s): *elegans* Faldermann,1837 **Cc AM AZ TR IR**
903. **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761 **Cc TR AM GG IR**
904. **Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa* Saussure,1880 **TR IR TM UZ TJ PK**
905. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 **AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA**
906. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 **ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA**
907. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 **TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU**
908. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847 **DZ BG GR IT CY TR IR**
909. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 **AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU**
910. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891; *picta* Melichar,1896 **FR IT LY TR Cc GG YU IR**
911. **Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): *hispidus* Engel,1929 **IR Ss Kz Fa JO IL Pa DZ**
912. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 **AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU**
913. **Gastrophysa polygona (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygona* Linnaeus,1758 **TR Cc IR CN KG KP KR RU Sb MN DZ CA**
914. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 **AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM**
915. **Gepella modesta Hölzel,1968** (Myrmeleonidae) Synonym(s): *modesta* Hölzel,1968 **AF IR**
916. **Gepus curvatus Navas,1914** (Myrmeleonidae) Synonym(s): *curvatus* Navas,1914 **SA IR**
917. **Gepus gibbosus Hölzel,1968** (Myrmeleonidae) Synonym(s): *gibbosus* Hölzel,1968 **IR**
918. **Gepus invisus Navas,1912** (Myrmeleonidae) Synonym(s): *invisus* Navas,1912; *scutellatus* Klapalek,1914; *tersus* Navas,1936. **LY SD TN SA IR**

919. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi Zaitzev,1972* AM AZ GG Cc CN IR KG KK TJ UZ TR
920. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
921. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
922. **Gerris caucasicus Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus Kanyukova,1982* AM GG Cc IQ IR TR RU AZ
923. **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus Tamanini,1946* AZ AM Cc GG IR TR IL Pa SY
924. **Glaphyrus festivus Ménétrés,1836** (Glaphyridae) Synonym(s): *festivus Ménétrés,1836; rufipennis Gory,1844; equestris Champenois,1898* TR IR
925. **Glaphyrus luristanus Reitter,1903** (Glaphyridae) Synonym(s): *luristanus Reitter,1903* IR Lo
926. **Glaphyrus micans Faldermann,1835** (Glaphyridae) Synonym(s): *micans Faldermann,1835; persicus Pic,1947; purpureus Pic,1947; euphraticus Mitter,1990* Cc AM TR IR
927. **Glaphyrus muticus Reitter,1903** (Glaphyridae) Synonym(s): *muticus Reitter,1903* IR
928. **Glaphyrus onopordi Reitter,1903** (Glaphyridae) Synonym(s): *onopordi Reitter,1903* IR
929. **Glaphyrus superbus Champenois,1898** (Glaphyridae) Synonym(s): *superbus Champenois,1898; straussi Reitter,1903* TM IR
930. **Glyphomerus aylax Stojanova,2008** (Torymidae) Synonym(s): *aylax Stojanova,2008* Glyphomerus aylax Stojanova,2008, Revue suisse zool. 112 (1): 173-182. Holotype: Bulgaria. BG IR Ab Oru
931. **Glyphomerus flavabdomen Zerova,2008** (Torymidae) Synonym(s): *flavabdomen Zerova,2008* Glyphomerus flavabdomen Zerova,2008, Vestn. zool. 42 (6): 105-106, figs. Holotype ♀: Iran, Urmia, Seer Mountain 1400m ex galls on stems of *Salvia* induced by *Hedickiana levantina* (Cynipidae) Synonym(s): (leg. Karimpour) (SIZ, Kiev). IR Oru Ab
932. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
933. **Glyphotriclis impulvinatus Oldroyd,1958** (Asilidae) Synonym(s): *impulvinatus Oldroyd,1958* IR Ss Kz
934. **Gnorimus subcostatus Ménétrés,1832** (Scarabaeidae) Synonym(s): *subcostatus Ménétrés,1832; cupreus Kraatz,1895* Cc AZ IR
935. **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825* TR SY Hom Dms Cc IR RU Sb
936. **Gomphus kinzelbachi Schneider,1984** (Gomphidae) Synonym(s): *kinzelbachi Schneider,1984* IQ IR
937. **Goniagnathus bolivari (Melichar,1907)** (Cicadellidae) Synonym(s): *bolivari Melichar,1907; hoberlandti Dlabola,1957* IL Pa ES TR IR BG
938. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
939. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
940. **Goniagnathus maculatus Emeljanov,1962** (Cicadellidae) Synonym(s): *maculatus Emeljanov,1962* IR Cc AZ GG
941. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960* EG IR IL SY TR
942. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana Beauvois,1805; oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939* ZA Kzu Nta SN ZR NG IR Ss CN TW
943. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
944. **Gryllotalpa isfahan Ingrich, Nikouei & Hatami,2006** (Gryllotalpidae) Synonym(s): *isfahan Ingrich, Nikouei & Hatami,2006* IR Es
945. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina Saussure,1884* TM UZ KG CN Mc IR Ss
946. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
947. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
948. **Gymnosoma iranica (Zimin,1966)** (Tachinidae) Synonym(s): *iranica Zimin,1966* IR

949. **Gymnosoma persica (Mesnil,1952)** (Tachinidae) Synonym(s): *persica* Mesnil,1952; *pulchra* Zimin,1966 **IR**
950. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica* Shafee, Alam & Agarwal,1975 **IN Up IR Fa AU QaU BZ EG GY PR TT Hw CN JP**
951. **Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens* Theodor,1980 **JO IL Pa TR IR Fa**
952. **Habropogon doriae Rondani,1873** (Asilidae) Synonym(s): *doriae* Rondani,1873 **IR AZ Cc**
953. **Habropogon lineatus Lehr,1960** (Asilidae) Synonym(s): *lineatus* Lehr,1960 **IR Ak Tbz**
954. **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris* Loew,1847 **FR RU GR IR Elb Th Ss IL Pa TR**
955. **Habropogon montanus Lehr,1960** (Asilidae) Synonym(s): *montanus* Lehr,1960 **IR Kz KG TM**
956. **Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): *similimus* Theodor,1980 **IL Pa TR IR Gor**
957. **Habropogon verticalis Becker,1913** (Asilidae) Synonym(s): *verticalis* Becker,1913 **IR Ss TR**
958. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 **RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ**
959. **Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti* Peters,1974 **IR Elb Th TR IL Pa GR**
960. **Halter halterata (Forskal,1775)** (Nemopteridae) Synonym(s): *halterata* Forskal,1775; *nutans* Navas,1910. **IQ IR AF PK Bl Qu**
961. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962 **AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR**
962. **Haplothrix chalif Majer,1989** (Melyridae) Synonym(s): *chalif* Majer,1989 **IR IQ**
963. **Haplothrix effusa Majer,1989** (Melyridae) Synonym(s): *effusa* Majer,1989 **IR**
964. **Haplothrix soluta Majer,1989** (Melyridae) Synonym(s): *soluta* Majer,1989 **IR**
965. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946 **AF BG RO TR Cc AM GG YU IR**
966. **Hardya iranica Zachvatkin,1946** (Cicadellidae) Synonym(s): *iranica* Zachvatkin,1946 **IR TR**
967. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957 **TR Cc AM KG RU UA IR**
968. **Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962 **AF EG IR IL IT**
969. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 **AF BG CY CS EG HU IR IQ IL IT SI JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
970. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874 **DZ RU ES LY TN Cc IR TR**
971. **Helionidia himyarita Zachvatkin,1946** (Cicadellidae) Synonym(s): *himonyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958 **IR IQ IL Pa TR**
972. **Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus* Lackschewitz,1928 **TR ES GB GG Cc AM AZ IR**
973. **Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata* Faldermann,1837 **AM Cc IR TR**
974. **Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis* Waltl,1828 **TR IR CY**
975. **Helladia imperialis Sama & Rejzek,2001** (Cerambycidae) Synonym(s): *imperialis* Sama & Rejzek,2001 **IR Ab Oru**
976. **Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii* Adams,1817 **UA Cm Cc TR IR CY**
977. **Helladia plasoni Ganglbauer,1884** (Cerambycidae) Synonym(s): *plasoni* Ganglbauer,1884 **TR Cc IR**
978. **Helladia pretiosa (Faldermann,1837)** (Cerambycidae) Synonym(s): *pretiosa* Faldermann,1837 **AM Cc AZ IR TR**
979. **Helophorus abeillei Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei* Guillebeau,1896 **SY LB AM Cc IR TR**
980. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus* Linnaeus,1758 **TR Cc GG ES DE DK GB SE FI RU IR**
981. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881 **TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR**
982. **Helophorus daedalus Orchymont,1932** (Helophoridae) Synonym(s): *daedalus* Orchymont,1932 **TR IR**
983. **Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885 **Cc RU FI IR TR DE PL GR**

984. **Helophorus frater** Orchymont,1926 (Helophoridae) Synonym(s): *frater* Orchymont,1926 **IN CN IR TR**
985. **Helophorus hilaris** Sharp,1916 (Helophoridae) Synonym(s): *hilaris* Sharp,1916 **Cc IR AZ TR LB**
986. **Helophorus kirgisticus** Knisch,1914 (Helophoridae) Synonym(s): *kirgisticus* Knisch,1914 **RU KG Sb IR TR**
987. **Helophorus lapponicus** Thomson,1854 (Helophoridae) Synonym(s): *lapponicus* Thomson,1854 **DK SE FI RU ES Cc LB IL Pa IR TR**
988. **Helophorus maculatus** Motschoulsky,1860 (Helophoridae) Synonym(s): *maculatus* Motschoulsky,1860 **AM AZ Cc IR TR**
989. **Helophorus mervensis** Semenov,1900 (Helophoridae) Synonym(s): *mervensis* Semenov,1900 **TM IR SA TR AF**
990. **Helophorus nubilus** Fabricius,1776 (Helophoridae) Synonym(s): *nubilus* Fabricius,1776 **RU SE FI IT ES DK IR TR**
991. **Helophorus syriacus** Kuwert,1885 (Helophoridae) Synonym(s): *syriacus* Kuwert,1885 **TR SY SA IR Cc TM KG**
992. **Helophorus zagrosicus** Angus,1988 (Helophoridae) Synonym(s): *zagrosicus* Angus,1988 **IR Fa TR**
993. **Hemipenthes caucasica** Zaitzev,1966 (Bombyliidae) Synonym(s): *caucasica* Zaitzev,1966 **Cc AZ AM GG IR**
994. **Hemipenthes exoprosopoides** Paramonov,1928 (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928 **Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ**
995. **Hemipenthes gaudanicus** Paramonov,1927 (Bombyliidae) Synonym(s): *gaudanicus* Paramonov,1927 **CN Ui KK TJ TM UZ MN IR**
996. **Hemipenthes hamifera** (Loew,1854) (Bombyliidae) Synonym(s): *hamifera* Loew,1854 **RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR**
997. **Hemipenthes maurus** (Linnaeus,1758) (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 **AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU**
998. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 **IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui**
999. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966 **TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN**
1000. **Hemipenthes tusheticus** Zaitzev,1966 (Bombyliidae) Synonym(s): *tusheticus* Zaitzev,1966 **Cc AM AZ GG IR CN Ui**
1001. **Hephathus freyi** (Fieber,1868) (Cicadellidae) Synonym(s): *freyi* Fieber,1868 **DZ BG CZ FR IT MA ES TR YU AF IR**
1002. **Hercostomus leptocercus** Stackelberg,1949 (Dolichopodidae) Synonym(s): *leptocercus* Stackelberg,1949 **RU Cc IR TJ**
1003. **Heringina guttata** (Fallén,1814) (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826 **Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR**
1004. **Heteralonia megerlei** (Meigen,1820) (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 **AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU**
1005. **Heteronemis** (Celidotella) **matthiesseni** Reitter,1909 (Scarabaeidae) Synonym(s): *matthiesseni* Reitter,1909 **IR**
1006. **Heteropogon lehri** Richter,1968 (Asilidae) Synonym(s): *lehri* Richter,1968 **Cc RU TR IR Elb Mz AM**
1007. **Heteropogon lugubris** Hermann,1906 (Asilidae) Synonym(s): *lugubris* Hermann,1906; *mesasiaticus* Lehr,1970 **IR AZ Cc KG**
1008. **Heteropogon nubilus** (Wiedemann,1820) (Asilidae) Synonym(s): *nubilus* Wiedemann,1820 **IR Fa ES PT JO IL Pa MA DZ TN TR**
1009. **Heteropogon pyrinus** Hermann,1906 (Asilidae) Synonym(s): *pyrinus* Hermann,1906; *pyrihinus* Engel,1925 **EG IL Pa IR Fa AZ Cc KG**
1010. **Heteropogon scoparius** Loew,1847 (Asilidae) Synonym(s): *scoparius* Loew,1847 **RU AL TR IR**
1011. **Heteropogon succinctus** Loew,1847 (Asilidae) Synonym(s): *succinctus* Loew,1847 **TR IR Es**
1012. **Heterotropus zarudnyi** Paramonov,1947 (Bombyliidae) Synonym(s): *zarudnyi* Paramonov,1947 **IR**
1013. **Hierodula macrostigmata** Deelmann & Reinhold,1957 (Mantidae) Synonym(s): *macrostigmata* Deelmann & Reinhold,1957 **IR**
1014. **Hierodula transcaucasica** Brunner von Wattenwyl,1878 (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878 **TR IQ Cc IR AF Ui**

1015. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus Meigen,1820*; *dimidipennis Megerle,1820*; *fuscipennis Meigen,1820*; *timidus Loew,1847* AT FR GR HU IT PL RO RU YU IR
1016. **Holopogon imbecillus Loew,1871** (Asilidae) Synonym(s): *imbecillus Loew,1871* Cc AZ AM IR Elb Th
1017. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis Meigen,1820* IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
1018. **Holopogon nigropilosus Theodor,1980** (Asilidae) Synonym(s): *nigropilosus Theodor,1980* IL Pa TR IR
1019. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840*; *dentiventris Morawitz,1877*; *hispanica Schmiedeknecht,1886*; *brunneipes Peters,1975*; *gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
1020. **Hoplitis (Alcidamea) fossulata (Mocsary,1883)** (Megachilidae) Synonym(s): *fossulata Mocsary,1883* IR
1021. **Hoplitis (Alcidamea) iranica (Warncke,1991)** (Megachilidae) Synonym(s): *iranica Warncke,1991* IR Fa
1022. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata Dufour & Perris,1840*; *melanoleuca Benoist,1934*; *asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
1023. **Hoplitis (Annosmia) israelica (Warncke,1991)** (Megachilidae) Synonym(s): *israelica Warncke,1991* MA IL Pa JO IR
1024. **Hoplitis (Anthocopa) agis (Benoist,1929)** (Megachilidae) Synonym(s): *agis Benoist,1929* TR IR
1025. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi Radoszkowski,1874*; *serrilabris Morawitz,1875*; *quadridentata Fonscolombe,1879* Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
1026. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis Morawitz,1895* TM KG TJ AF IR TR
1027. **Hoplitis (Chlidoplitis) heinrichi Zanden,1980** (Megachilidae) Synonym(s): *heinrichi Zanden,1980* TR SY IR
1028. **Hoplitis (Coloplitis) persica (Warncke,1991)** (Megachilidae) Synonym(s): *persica Warncke,1991* IR Elb Th
1029. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina Morawitz,1871*; *tricuspidata Sichel,1873*; *deserti Benoist,1934* DZ MA GR TR SY IR
1030. **Hoplitis (Pentadentostmia) jejuna Popov,1952** (Megachilidae) Synonym(s): *jejuna Popov,1952*; *argentea Zanden,1998* TJ UZ IR
1031. **Hoplitis (Pentadentostmia) karakalensis (Popov,1936)** (Megachilidae) Synonym(s): *karakalensis Popov,1936* TM IR
1032. **Hoplitis (Pentadentostmia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula Morawitz,1877*; *transcaspica Morawitz,1888* AM Cc RU KG PK IR
1033. **Hoplitis (Pentadentostmia) pomarina (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina Warncke,1991* Osmia (Pentadentostmia) *pomarina Warncke,1991*, Entomofauna 12: 22. Holotype ♂: Türkiye: Van Prov., Erciş 1650m (OLML Linz). GR MK TR IR
1034. **Hoplitis (Pentadentostmia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta Morawitz,1875*; *laeviscutum Alfken,1935* TJ TM UZ IL Pa IR JO PK TR
1035. **Hoplitis (s.str.) semilinguaria Tkalcu,1992** (Megachilidae) Synonym(s): *semilinguaria Tkalcu,1992* IR
1036. **Hyaletthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi Signoret,1879* Cc CY IR TR AM AZ GG RU TM UZ IQ
1037. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata Loew,1858* FR YU AT RU RO TR IR MN
1038. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* RU Cc TR SY IR KG
1039. **Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus Olivier,1811* TR SY IR Cc RU
1040. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama Fairmaire,1829* BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
1041. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
1042. **Hydrocyphon segrex Nyholm,1972** (Scirtidae) Synonym(s): *segrex Nyholm,1972* GR TR Cc AZ IR
1043. **Hydrotaea armipes (Fallén,1825)** (Muscidae) Synonym(s): *armipes Fallén,1825*; *occulta Meigen,1826* TW MM IR GG AM Cc
1044. **Hydrotaea floccosa Macquart,1835** (Muscidae) Synonym(s): *floccosa Macquart,1835* Cc Eri AM AZ IR TR Ch
1045. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780* Ch NP CN MY Cc AZ GG TR IR AM

1046. **Hydrotaea meteorica (Linnaeus,1758)** (Muscidae) Synonym(s): *meteorica* Linnaeus,1758
Cc Eri AM IR TR PK GG
1047. **Hymenalia genuensis Novak,2007** (Tenebrionidae) Synonym(s): *genuensis* Novak,2007 IR
1048. **Hymenalia iranica Novak,2007** (Tenebrionidae) Synonym(s): *iranica* Novak,2007 IR Ke
1049. **Hymenalia lalai Novak,2007** (Tenebrionidae) Synonym(s): *lalai* Novak,2007 IR
1050. **Ichneumon proletarius Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius*
Wesmael,1848 TR Cc IR
1051. **Ichneumon sarcitorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *sarcitorius*
Linnaeus,1758; *caucasicus* Meyer,1926 Cc TR CY IR
1052. **Idiocera (s.str.) laterospina (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina*
Alexander,1975 GR TR Cc AM IR
1053. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis*
Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956 [Limnobia pulchripennis Loew,1856](#),
[Progr. K. Realschule Meseritz 1856: 23.](#) AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR
AF GG AM AZ CY IL Pa IR TM TJ KK
1054. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868
AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
1055. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 AF AT FR
DE GR Cr IT RU Da Cc ES TR IL Pa IR
1056. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris*
Förster,1856; *akdenizeus* Doğanlar,1989 TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
1057. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus* Gahan,1914
IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
1058. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916
IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
1059. **Iranoidricerus iranensis (Kimmings,1938)** (Ascalaphidae) Synonym(s): *iranensis*
Kimmings,1938 IR Ha TR
1060. **Iranoleon darius Hölzel,1972** (Myrmeleonidae) Synonym(s): *darius* Hölzel,1972 IR Ke
1061. **Iranoleon electus Hölzel,1968** (Myrmeleonidae) Synonym(s): *electus* Hölzel,1968 AF IR
1062. **Iranoleon septimus Hölzel,1972** (Myrmeleonidae) Synonym(s): *septimus* Hölzel,1972 IR
1063. **Iranoleon solus Hölzel,1968** (Myrmeleonidae) Synonym(s): *solus* Hölzel,1968 IR
1064. **Iranoleon vartianae Hölzel,1968** (Myrmeleonidae) Synonym(s): *vartianae* Hölzel,1968 PK
IR
1065. **Iranopogon brandti Timon-David,1955** (Asilidae) Synonym(s): *brandti* Timon-David,1955
IR
1066. **Iris nana Uvarov,1930** (Irididae) Synonym(s): *nana* Uvarov,1930; *radians* Uvarov,1931 [Iris](#)
[nana Uvarov,1930, Ann. Mag. nat. Hist. \(10\) 5: 632.](#) Type: Iraq: Bagdad (BMNH). AF IQ Bgd PK BI IN
IR
1067. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata*
Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 [Gryllus \(Mantis\)](#)
[oratorius Linnaeus,1758, Syst. Nat. \(Edn. 10\) 1: 426.](#) ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN
TD CA
1068. **Iris persa Uvarov,1922** (Irididae) Synonym(s): *persa* Uvarov,1922 [Iris persa Uvarov,1922, J.](#)
[Bombay nat. Hist. Soc. 28 \(3\): 355.](#) Syntypes: Iran: Bushire (BMNH). IR Ss
1069. **Iris persiminima Otte,2005** (Irididae) Synonym(s): *minima* Ramme,1951 *nec* Charp.,1825;
persiminima Otte,2005 IR Ke Elb Th
1070. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v.
Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 [Mantis oratoria polystictica Fischer v.](#)
[Waldheim,1846, Orth. Ross.: 102.](#) RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui
1071. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793
TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
1072. **Ischnogasteroides zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi*
Kostylev,1939 IR TR
1073. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der
Linden,1820 AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
1074. **Ischnura pumilio (Charpentier,1825)** (Coenagrionidae) Synonym(s): *pumilio*
Charpentier,1825 TR? CY Cc AM IR AF
1075. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum*
Gebler,1833 TR UA RU SY IR PK CN Ui MN
1076. **Islamocantharis (s.str.) diffusa Wittmer & Magis,1978** (Cantharidae) Synonym(s):
diffusa Wittmer & Magis,1978 IR
1077. **Isocolus beheni Melika & Karimpour,2008** (Cynipidae) Synonym(s): *beheni* Melika &
Karimpour,2008 IR
1078. **Isocolus cirsii Diakontshuk,1987** (Cynipidae) Synonym(s): *cirsii* Diakontshuk,1987 UA IR
1079. **Isocolus karimpouri Melika & Tavakoli,2008** (Cynipidae) Synonym(s): *karimpouri* Melika
& Tavakoli,2008 IR

1080. **Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus*
Mannerheim,1825 UA Cm Cc TR SY IR
1081. **Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana*
Schmiedeknecht,1914 DZ TR Cc IR KG RU At Tv MN
1082. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758;
nigriventris Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK
GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1083. **Jothopogon leucomallus (Loew,1871)** (Asilidae) Synonym(s): *leucomallus* Loew,1871 IR Ss
JO IL Pa TR
1084. **Jucancistrocerus citreodecoratus Giordani Soika,1970** (Vespidae) Synonym(s):
citreodecoratus Giordani Soika,1970 TR IR
1085. **Jugurtia escalerae Meade-Waldo,1910** (Vespidae) Synonym(s): *escalerae* Meade-Waldo,1910
IR TR
1086. **Jugurtia eurycara Kostylev,1935** (Vespidae) Synonym(s): *eurycara* Kostylev,1935 TR Cc AM
Eri IR
1087. **Jugurtia irana Kostylev,1935** (Vespidae) Synonym(s): *irana* Kostylev,1935 IR
1088. **Jugurtia zarudnyi Kostylev,1935** (Vespidae) Synonym(s): *zarudnyi* Kostylev,1935 IR
1089. **Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae* Olivier,1790 TR IL Pa SY
IR
1090. **Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca* Marseul,1865 AM
CY SY Cc TR IR GG AZ
1091. **Klapperichicen acoloratus Dlabola,1960** (Cicadidae) Synonym(s): *acoloratus* Dlabola,1960
IR
1092. **Klapperichicen turbatus (Melichar,1902)** (Cicadidae) Synonym(s): *turbatus* Melichar,1902
IR
1093. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima*
Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreata* Melichar,1902; *olivacea*
Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU
1094. **Kokujewia ectrapela Konow,1902** (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina*
Benson TR IR Oru Cc IL Pa
1095. **Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea* Suarez,1963 IL Js
Pa SY TR IR
1096. **Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957;
vidanoi Dworakowska,1970 BG TR GR PK YU IR
1097. **Kurdia nesterovi Uvarov,1916** (Tettigoniidae) Synonym(s): *nesterovi* Uvarov,1916 Kurdia
nesterovi Uvarov,1916, Bull. Mus. Caucase Tiflis 10: 6. Syntypes: Iraq/Iran: Kandol [Kandil] (GPPT
Tiflis). IR Kd IQ
1098. **Kyboasca kiritshenkoi (Zachvatkin,1953)** (Cicadellidae) Synonym(s): *kiritshenkoi*
Zachvatkin,1953 IR
1099. **Labidostomis asiatica Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica*
Faldermann,1837 TR Cc IR SY
1100. **Labidostomis brevipennis Faldermann,1837** (Chrysomelidae) Synonym(s): *brevipennis*
Faldermann,1837 TR Cc IR
1101. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens*
Faldermann,1837; *lineola* Redtenbacher,1843 CY TR Cc SY IR RU
1102. **Labidostomis elegans Lefebvre,1876** (Chrysomelidae) Synonym(s): *elegans* Lefebvre,1876
Cc IR
1103. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua*
Faldermann,1837; *binotata* Waltl,1838; *steveni* Waltl,1848; *arnoldii* Medvedev,1962 RO BG GR TR Cc IR
1104. **Labidostomis subfasciata Weise,1885** (Chrysomelidae) Synonym(s): *subfasciata* Weise,1885
TR Cc IR RU
1105. **Laccobius (Dimorpholaccobius) hoberlandti Gentili,1982** (Hydrophilidae) Synonym(s):
hoberlandti Gentili,1982 IR AZ Cc TR
1106. **Lacon unicolor (Candeze,1874)** (Elateridae) Synonym(s): *unicolor* Candeze,1874 IR Fa TR
1107. **Laemostenus (Pristonychus) elburzensis Morvan,1981** (Carabidae) Synonym(s):
elburzensis Morvan,1981 IR Elb
1108. **Lampropterus femoratus (Germar,1824)** (Cerambycidae) Synonym(s): *femoratus*
Germar,1824 Cc TR IR
1109. **Lampyris caspica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica*
Motschoulsky,1854 GG Cc KG TM IR TR
1110. **Lampyroidea antennalis Gesithardt,1988** (Lampyridae) Synonym(s): *antennalis*
Gesithardt,1988 IR
1111. **Lampyroidea maculata Geisthardt,2004** (Lampyridae) Synonym(s): *maculata*
Geisthardt,2004 IR
1112. **Lampyroidea persica E.Olivier,1907** (Lampyridae) Synonym(s): *persica* E.Olivier,1907 IR
1113. **Lanelater persicus (Candeze,1874)** (Elateridae) Synonym(s): *persicus* Candeze,1874 IR TR

1114. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Ce AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
1115. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847 **Ce RU GR IQ IR Fa IL Pa TR**
1116. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 **DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN**
1117. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 **IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR**
1118. **Laphystia dimidiata Oldroyd,1958** (Asilidae) Synonym(s): *dimidiata* Oldroyd,1958 **IR Kz**
1119. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 **IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR**
1120. **Laphystia latiuscula Loew,1871** (Asilidae) Synonym(s): *latiuscula* Loew,1871; *metallescens* Hermann,1906 **IR Fa AF RU**
1121. **Laphystia lehri Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *lehri* Abbassian-Lintzen,1964 **IR Kz**
1122. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 **IT AT RU KG GR TR IR Fa TN UZ TJ TM CN**
1123. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 **ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF**
1124. **Lasioglossum (Evylaeus) persicum (Cockerell,1919)** (Halictidae) Synonym(s): *persicum* Cockerell,1919 **IR GG Cc Tbl YE**
1125. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 **AF TM IL Pa SY TR AM Cc IR**
1126. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiourgan* Ebner,1980 **TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj**
1127. **Lasioglossum aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970 **YU TR IQ IR EG IL Pa**
1128. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892 **Cc UA GR TR IL Pa IR**
1129. **Lasioglossum cilicium Ebmer,1972** (Halictidae) Synonym(s): *cilicium* Ebmer,1972 **TR IR**
1130. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 **MA FR DK ES PT Co DE PL MK IL Pa TR IR**
1131. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975 **MA DZ IT YU GR AL TR IL Pa Cc IR**
1132. **Lasioglossum euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum* Ebmer,1972 **MA IT UA Cm AZ Cc IR**
1133. **Lasioglossum fahringeri Friese,1921** (Halictidae) Synonym(s): *fahringeri* Friese,1921 **TR IR**
1134. **Lasioglossum glaciegenitum (Ebmer,1972)** (Halictidae) Synonym(s): *glaciegenitum* Ebmer,1972 **GR IR**
1135. **Lasioglossum laevigatum (Kirby,1802)** (Halictidae) Synonym(s): *laevigatum* Kirby,1802; *lugubris* Kirby,1802; *semicinctus* Förster,1860 **GB RU Ur ES IR**
1136. **Lasioglossum lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre* Schenck,1853; *bisbistrigatus* Schenck,1853; *bicinctus* Schenck,1874; *decipiens* Perkins,1913; *sotschica* Blüthgen,1931 **ES IR**
1137. **Lasioglossum pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832 **MA FR ES BE DE CY IR**
1138. **Lasioglossum quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum* Kirby,1802 **GB KG RU FI ES IR**
1139. **Lasioglossum zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum* Smith,1848 **GB RU Sb TR AZ Cc IR CN Yu Sz**
1140. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 **HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR**
1141. **Leopoldius pontifex Hüttinger,1978** (Conopidae) Synonym(s): *pontifex* Hüttinger,1978 **Leopoldius pontifex** Hüttinger,1978, Z. ArbGem. Öst. Ent. 29: 105-106, figs. Holotype ♂: Iran: Zoshk bei Shandiz, W. Mashad, 1600-2000m. (coll. Hüttinger). **IR Kh**
1142. **Leptarthus brevisrostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 **IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR**
1143. **Leptochilus fuscipes Gusenleitner,1985** (Vespidae) Synonym(s): *fuscipes* Gusenleitner,1985 **IR Qz TR**
1144. **Leptochilus gemma Giordani Soika,1970** (Vespidae) Synonym(s): *gemma* Giordani Soika,1970 **IL Pa JO IR**

1145. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus Morawitz,1867* IL Pa IT YU UA RU Cc AM IR TR KG
1146. **Leptochilus resslı Gusenleitner,1985** (Vespidae) Synonym(s): *resslı Gusenleitner,1985* IR TR
1147. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
1148. **Leptodes (s.str.) tschitscherini Semenov** (Tenebrionidae) Synonym(s): IR
1149. **Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): *calceata Engel,1925* Cc RU TR IR Kd AZ GG AM
1150. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica De Geer,1776; tipuloides Fabricius,1775; livida Geoffroy,1785; fusca Meigen,1804; hispanica Meigen,1838; nigricornis Loew,1847; dorsalis Dahlbom,1851* MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
1151. **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis Loew,1847* RO RU KG IR IL Pa TR
1152. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris Zetterstedt,1842; cylindrica sensu Meigen,1820* IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
1153. **Leptogaster nartshukae Lehr,1961** (Asilidae) Synonym(s): *nartshukae Lehr,1961* IR KG MN RU Sb
1154. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis Loew,1847; pusillus Jaenicke,1867* IR BG CZ FR DE GR HU IT RU CH TR
1155. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
1156. **Leptophyes iranica (Ramme,1939)** (Tettigoniidae) Synonym(s): *iranica Ramme,1939* IR
1157. **Leptura quadrifasciata Linnaeus,1758** (Cerambycidae) Synonym(s): *quadrifasciata Linnaeus,1758* SK TR Cc IR
1158. **Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa Olivier,1811* TR IQ IR Cc SY JO
1159. **Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae) Synonym(s): *ledereri Selys-Longchamps,1866* TR Cc IR
1160. **Lertha palmonii Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii Tjeder,1970* Lertha palmonii Tjeder,1970, Ent. scand. 1: 219-222, figs. Holotype ♂: Israel: Sussita (Hippos), SE shore of the Lake Tiberias (ZIL). IL Pa TR Cc AM IR
1161. **Leuctra klapperichi Muranyi,2005** (Leuctridae) Synonym(s): *klapperichi Muranyi,2005* IR
1162. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN UI
1163. **Libelloides ustulatus (Eversmann,1850)** (Ascalaphidae) Synonym(s): *ustulatus Eversmann,1850* TR Cc GG AZ AM IR
1164. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
1165. **Lispe apicalis Mik,1869** (Muscidae) Synonym(s): *apicalis Mik,1869* MA DZ AT HU TR IR
1166. **Lispe nana Macquart,1835** (Muscidae) Synonym(s): *nana Macquart,1835* AM Cc Eri IR TR IN
1167. **Lispe tentaculata (De Geer,1776)** (Muscidae) Synonym(s): *tentaculata De Geer,1776* AM Cc IR TR Ch
1168. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata Lucas,1849; lineolator Aubert,1972* DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1169. **Listrognathus (s.str.) furax (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax Tschek,1871* TR IR Elb Th
1170. **Listrognathus mactator (Thunberg,1824)** (Ichneumonidae) Synonym(s): *mactator Thunberg,1824* IR KK
1171. **Lobothespis vignai La Greca & Lombardo,1987** (Mantidae) Synonym(s): *vignai La Greca & Lombardo,1987* IR
1172. **Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria Linnaeus,1758* TR IR RU KG
1173. **Loewinella virescens (Loew,1871)** (Asilidae) Synonym(s): *virescens Loew,1871* IR Kz RU CN
1174. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis Marsham,1802 nec Fabr.,1775; aeneicollis Faldermann,1837; nigricollis Foudras,1860; rubenticollis Allard,1860; similis Weise,1893; cribripennis Abeille,1909* TR AZ GG Cc AF IR KG RU
1175. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus Foudras,1860* TR Cc AZ JO IR AF
1176. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
1177. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae Paykull,1799; punctatissimus Weise,1888* TR Cc IR KG RU Sb

1178. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus*
Linnaeus,1761; declivis Weise,1893 **DZ TN TR Cc IR TM**
1179. **Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae*
Marsham,1802; canescens Foudras,1860; septorum Buysson,1908; #caligans Kral,1945 **TR Cc IR MN YE**
1180. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii Leonhardi,1973* **TR**
Cc IR TM T HU AT
1181. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus*
Warchalowski,1967 **Cc AZ TR FR IT AT HU PL CZ SK IR TN**
1182. **Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus*
Warchalowski,1967 **IL Pa TR IQ IR AF**
1183. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec*
Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802 **FR IT HV BG**
IL Pa TR Cc IR IQ AF TJ KG
1184. **Longitarsus karlheini Warchalowski,1972** (Chrysomelidae) Synonym(s): *karlheini*
Warchalowski,1972 **TR IL Pa IR UA Cm**
1185. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii Baly,1874* **Cc TR IR AF**
RU Sb MN CN VN JP
1186. **Longitarsus linnaei (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *linnaei*
Duftschmid,1825 **TR Cc IR**
1187. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi Foudras,1860* **Cc**
TR IR SA RU Sb KG YE
1188. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus*
De Geer,1775 **Cc TR IR AF KG IL Pa RU Sb**
1189. **Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae) Synonym(s): *membranaceus*
Foudras,1860 **TR Cc IR**
1190. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus*
Goeze,1777 **TR Cc IR AF RU Sb KG DZ**
1191. **Longitarsus obliteratus (Rosenhauer,1847)** (Chrysomelidae) Synonym(s): *obliteratus*
Rosenhauer,1847; meridionalis Cziki & Heikertinger,1940 **TR Cc IR**
1192. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus*
Foudras,1860 **TR Cc IR AF RU MN KG**
1193. **Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis Weise,1900* **TR Cc**
IR AF KG RU
1194. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis Panzer,1794*
TR Cc IR AF KG IL Pa DZ
1195. **Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus*
Foudras,1860 **TR Cc IR AF DZ KG**
1196. **Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): *reichei Allard,1860* **TR Cc**
IR
1197. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus Fabricius,1775*
TR Cc DE IR KG DZ MN
1198. **Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus*
Warchalowski,1973 **TR IR Cc AF**
1199. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus Weise,1893* **TR Cc**
IR AF KG RU Sb MN CN Ui
1200. **Lopezus fedtschenkoi (McLachan,1875)** (Myrmeleionidae) Synonym(s): *fedtschenkoi*
McLachan,1875 **AF KG SA IR**
1201. **Lophops pallida Melichar,1902** (Lophopidae) Synonym(s): *pallida Melichar,1902* **IR**
1202. **Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817* **Cc AM**
IQ TR SY IR Ab Ak
1203. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* **AM AZ Cc**
GG Tbl IR TR BG GR CY Rd IQ TM PK BI TJ AF OM
1204. **Lophyridia hilariola (Bates,1874)** (Carabidae) Synonym(s): *hilariola Bates,1874* **TR IQ IR**
Mos Bgd
1205. **Lucanus (Pseudolucanus) xerxes Kral,2004** (Lucanidae) Synonym(s): *xerxes Kral,2004*
IR Fa By
1206. **Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus*
Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor
Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus
Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923;
#hibericus Sabatinelli,1977 **Lucanus ibericus Motschoulsky,1845, Bull. Soc. nat. Moscou 18: 60. AL GR**
Cc GG Tbl Akh Smt AZ Len TR IR Elb Mz Gh
1207. **Lydus unicolor Reitter,1887** (Meloidae) Synonym(s): *unicolor Reitter,1887; halbhuberi*
Escherich,1896 **TR Cc AM IR Ha**
1208. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* **AF IR IL Pa IT**
SY TR GR Cr
1209. **Lyristes esfandiarii Dlabola,1970** (Cicadidae) Synonym(s): *esfandiarii Dlabola,1970* **IR**

1210. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
1211. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes Brullé,1832; basalis Loew,1849; cerdo Gerstaecker,1861* IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
1212. **Machimus aradensis Theodor,1980** (Asilidae) Synonym(s): *aradensis Theodor,1980* IL Pa IR Fa
1213. **Machimus armipes Becker,1913** (Asilidae) Synonym(s): *armipes Becker,1913* IR Ss Ke
1214. **Machimus elegans (Loew,1849)** (Asilidae) Synonym(s): *elegans Loew,1849* TR IR Es ES
1215. **Machimus graciosus Loew,1871** (Asilidae) Synonym(s): *graciosus Loew,1871* TR IR
1216. **Machimus idiorrhythmicus Janssens,1960** (Asilidae) Synonym(s): *idiorrhythmicus Janssens,1960* IR Fa
1217. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus Loew,1849* HU YU RO GR BG TR IR Gor
1218. **Machimus nahalelensis Theodor,1980** (Asilidae) Synonym(s): *nahalelensis Theodor,1980* IL Pa IR Fa
1219. **Machimus nevadensis (Strobl,1909)** (Asilidae) Synonym(s): *nevadensis Strobl,1909* IR
1220. **Machimus rudis Becker,1923** (Asilidae) Synonym(s): *rudis Becker,1923* TR IR Fa
1221. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
1222. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
1223. **Machimus thoracius (Loew,1849)** (Asilidae) Synonym(s): *thoracius Loew,1849* IR Ss Ke HU TR
1224. **Machiremisca decipiens (Wiedemann,1820)** (Asilidae) Synonym(s): *decipiens Wiedemann,1820; variegatus Meigen,1820; multicolor Schiner,1854; varispinus Strobl,1909* IR Es IT FR PT ES
1225. **Macromyrme binotata (Radoszkowski,1879)** (Mutillidae) Synonym(s): *binotata Radoszkowski,1879; araratica Radoszkowski,1890* Mutilla *binotata Radoszkowski,1879, Horae Soc. ent. ross. 14: 150 Type ♀: "Caucasus".* TR IR Cc AM GG AZ
1226. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea Fabricius,1798; populi Edwards,1919* AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
1227. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
1228. **Macroscytus brunneus (Fabricius,1803)** (Cydnididae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
1229. **Macrosteles oculus Dlabola,1952** (Cicadellidae) Synonym(s): *oculus Dlabola,1952; angorensis Dubovsky,1970* IR IQ TM UZ
1230. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni Lindberg,1954; ossiannilssoni Le Quense,1968* Cn CZ DK GB FI DE Md SE IR EG GR Cc TR
1231. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus Kirschbaum,1868; ramigera Zachvatkin,1933* AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
1232. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus Fallén,1806; devastans Guérin-Ménéville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894* DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
1233. **Malachius ephippiger Redtenbacher,1843** (Melyridae) Synonym(s): *ephippiger Redtenbacher,1843* TR IR
1234. **Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): *faldermanni Faldermann,1836* TR AZ Cc AM GG IR
1235. **Malachius heliophilus Peyron,1877** (Melyridae) Synonym(s): *heliophilus Peyron,1877* IR
1236. **Malachius pulcherrimus (Pic,1909)** (Melyridae) Synonym(s): *pulcherrimus Pic,1909* IR
1237. **Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis Brenske,1894* IR OM SA IL Pa JO LY
1238. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
1239. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus Kiesenwetter,1852* TR IR IL Pa JO LB SY
1240. **Malthinus elbursensis Wittmer,1978** (Cantharidae) Synonym(s): *elbursensis Wittmer,1978* IR Elb
1241. **Malthinus rauschi Wittmer,1978** (Cantharidae) Synonym(s): *rauschi Wittmer,1978* IR
1242. **Malthodes paveli Svihla,2009** (Cantharidae) Synonym(s): *paveli Svihla,2009* IR Lo

1243. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
1244. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *?caucasica* Handschin,1959 **GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui**
1245. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 **AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA**
1246. **Maracanda iranica Hölzel,1968** (Myrmeleonidae) Synonym(s): *iranica* Hölzel,1968 **IR PK**
1247. **Masaris carli Schulthess,1921** (Vespidae) Synonym(s): *carli* Schulthess,1921; *smirnovi* Kostylev,1925 **KG UZ IR**
1248. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 **FR IT AT HU TR IR RU Cc ES PL**
1249. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniaceus* Radoszkowski,1877; *scythes* Skorikov,1925 **TR Cc AM IR RU RO GR YU BG PL**
1250. **Megabombus mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837 **BG Cc TR IR PL**
1251. **Megabombus pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum* Scopoli,1763; *agrorum* Fabricius,1787 **GB IT FR CH Sa BE TR Cc GR BG IR**
1252. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus* Smith,1854 **BG RO HU GR Cc IR RU TR**
1253. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 **IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY**
1254. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
1255. **Megastigmus almusiensis Doğanlar,1989** (Torymidae) Synonym(s): *almusiensis* Doğanlar,1989 **TR IR**
1256. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 **IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ**
1257. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 **FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU**
1258. **Megastigmus dunicola Boucek,1982** (Torymidae) Synonym(s): *dunicola* Boucek,1982 **IR FR ES**
1259. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
1260. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 **DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM**
1261. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 **IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB**
1262. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 **IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET**
1263. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 **LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET**
1264. **Megistopus flavicornis (Rossi,1807)** (Myrmeleonidae) Synonym(s): *flavicornis* Rossi,1807; *bisignatus* Rambur,1842 **SK AT TR IR Elb Th**
1265. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915 **AL BG FR GB GR IL IT TR GG Cc YU IR**
1266. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921 **TR Cc RU ES FR AT PL RO IR KG MN**
1267. **Melanotus (s.str.) fulvus Reitter,1891** (Elateridae) Synonym(s): *fulvus* Reitter,1891 **TR TM IR IQ**
1268. **Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832 **TR BG Cc AM IR**
1269. **Melanotus (s.str.) mutatus Harold,1869** (Elateridae) Synonym(s): *mutatus* Harold,1869 **IR SY TR?**
1270. **Melanotus (s.str.) sobrinus (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832 **Cc TR? IR TM**
1271. **Melicharella proxima Dlabola,1960** (Cicadellidae) Synonym(s): *proxima* Dlabola,1960 **IR**
1272. **Melieria nigratarsis Becker,1903** (Ulidiidae) Synonym(s): *nigratarsis* Becker,1903 **UA CN Ui Ga IR Kh**
1273. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus* Sturm,1845 **DZ FR TR Cc IR UZ KG**

1274. **Meligethes perceptus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *perceptus Jelinek & Spornraft,1979* IR Fa
1275. **Meligethes pheretra Easton,1956** (Nitidulidae) Synonym(s): *phetra Easton,1956* AF IR UZ
1276. **Meligethes tauricus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *tauricus Jelinek & Spornraft,1979* **Meligethes tauricus Jelinek & Spornraft,1979**, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Iran, leg. Waehner, (Mus. Frey). TR IR UA Cm
1277. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus Leach,1815* ES TR Cc IR AF RU GB
1278. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
1279. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi Pliginski,1910* TR Cc RU AF TM IR UA Cm
1280. **Meloe olivieri Chevrolat,1833** (Meloidae) Synonym(s): *olivieri Chevrolat,1833* TR SY IR IQ Mos
1281. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793*; #*varigatus Özbek & Szaloki,1998* ES IT TR IR RU KK CN UI
1282. **Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens Gravenhorst,1829* AZ Cc TR IR MN KK
1283. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator Linnaeus,1758*; *orientalis Szepilgeti,1916* SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
1284. **Merodon ankylogaster Hurkmans,1993** (Syrphidae) Synonym(s): *ankylogaster Hurkmans,1993* IR Fa
1285. **Merodon marginicornis Hurkmans,1993** (Syrphidae) Synonym(s): *marginicornis Hurkmans,1993* IR Fa Shr
1286. **Merodon persicus Hurkmans,1993** (Syrphidae) Synonym(s): *persicus Hurkmans,1993* IR Fa Sse
1287. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790*; *fulvus Macquart,1834*; *pallidus Macquart,1842*; *sicanus Rondani,1845*; *fuscineris Röder,1887*; *obscurus Gil Collado,1929* MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
1288. **Merodon turkestanicus Paramonov,1926** (Syrphidae) Synonym(s): *turkestanicus Paramonov,1926* IR Ke TJ
1289. **Merodon xanthipous Hurkmans,1993** (Syrphidae) Synonym(s): *xanthipous Hurkmans,1993* IR Fa Shr Sse
1290. **Mesophantia pallens Melichar,1902** (Flatidae) Synonym(s): *pallens Melichar,1902* IR
1291. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis Solier,1835* TR JO SA SY IR IQ EG
1292. **Metacantharis araxicola Reitter,1891** (Cantharidae) Synonym(s): *araxicola Reitter,1891* TR AM Cc IR
1293. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1294. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica Rubtsov,1940*; *hirta Rubtsov & Terteryan,1954* IR AM Cc AZ KG RO TM UZ
1295. **Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis Thomson,1887* DZ TR Cc KG IR
1296. **Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps Linnavuori,1962* CY IL Pa TR IR
1297. **Microchelonus basalis (Curtis,1837)** (Braconidae) Synonym(s): *basalis Curtis,1837* RU TR IR KG
1298. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus Spinola,1808* IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
1299. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
1300. **Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): *wui Lundblad,1933*; *alkani Hoberlandt,1948* IR PK TR IL Pa
1301. **Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator Fabricius,1798* TR CY IR MN GR RU
1302. **Microtelus persis Baudi** (Tenebrionidae) Synonym(s): IR
1303. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi Werner,1908* ET YE IR IL Pa OM PK SO AE
1304. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
1305. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus Curtis,1835* (*praeocc.*); *crocea Herrich-Schäffer,1837*; *oxypterus Kirschbaum,1868* AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1306. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801*; *burdigalensis Latreille,1804*; #*bordigalensis Charpentier,1825*; *cerisyi Audinet-Serville,1838*; *geminus Audinet-Serville,1838*; *arvensis Rambur,1838*; *cinereus Costa,1852*;

- marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
1307. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 Gryllus frontalis Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR
1308. **Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria* Dlabola,1958 Cc GG TR IR RU UA
1309. **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia* Loew,1869 TR IR Fa RO Cc GG AM AZ
1310. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834 ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
1311. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
1312. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834 TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
1313. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
1314. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae* Walker,1847 IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
1315. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera* Reuter,1888 TR IL Pa IR EG RU SY GR
1316. **Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus* Faldermann,1836 UA Cm TR Cc IR
1317. **Morsina persica Melichar,1902** (Nogodinidae) Synonym(s): *persica* Melichar,1902 IR
1318. **Mulsanteus guillebeui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeui* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853 IT SY IR TR
1319. **Musaria kurdistanica (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *kurdistanica* Ganglbauer,1884 AM Cc TR IR
1320. **Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): *puncticollis* Faldermann,1837 TR IR Ab AM Cc
1321. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830 IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
1322. **Mustha gigantea Horvath,1906** (Pentatomidae) Synonym(s): *gigantea* Horvath,1906 Mustha gigantea Horvath,1906, Bull. Mus. hist. Nat. Paris 12 (7): 515-516. Type ♀: "Perse: Mont Baktyaris (alt. 1,500 a 4,500 metres)". occidentale". IR
1323. **Mustha incana Stal,1876** (Pentatomidae) Synonym(s): *incana* Stal,1876 Mustha incana Stal,1876, Königl. Svenska Vetensk. Akad. Handl. 14 (4): 48. Type ♂: "Persia (Mus. Holm.)" IR IL Pa
1324. **Mustha morgani Horvath,1906** (Pentatomidae) Synonym(s): *morgani* Horvath,1906 Mustha morgani Horvath,1906, Bull. Mus. hist. Nat. Paris 12 (7): 515. Syntypes ♂♀: "Perse occidentale". IR
1325. **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831 Halys spinosula Lefebvre,1831, [in] Guérin-Ménéville, Magas. Zool. 1: page & tab.21. GR TR IR Kh Cc AZ Kir Nv Ord EG YU B-H
1326. **Mustha vicina Hoberlandt,1995** (Pentatomidae) Synonym(s): *vicina* Hoberlandt,1995 IR
1327. **Muzimes iranicus (Maran,1942)** (Meloidea) Synonym(s): *iranicus* Maran,1942 IR Ha
1328. **Mycetophila alea Laffoon,1965** (Mycetophilidae) Synonym(s): *alea* Laffoon,1965 EE LT LV RU Sb TR IR CA
1329. **Mylabris apicenigra Sumacov,1924** (Meloidea) Synonym(s): *apicenigra* Sumacov,1924 TR IR Lo
1330. **Mylabris bimaculata Klug,1845** (Meloidea) Synonym(s): *bimaculata* Klug,1845 TR SY IR Cc
1331. **Mylabris calida (Pallas,1781)** (Meloidea) Synonym(s): *calida* Pallas,1781 TR Cc RU KG AF IR SY BG DZ
1332. **Mylabris cincta Olivier,1811** (Meloidea) Synonym(s): *cincta* Olivier,1811; #cincat Kaszab,1968 TR AF Cc GR SY IR DZ
1333. **Mylabris cingulata Faldermann,1837** (Meloidea) Synonym(s): *cingulata* Faldermann,1837 SA SY IR TR
1334. **Mylabris concolor Marseul,1870** (Meloidea) Synonym(s): *concolor* Marseul,1870 Mylabris concolor Marseul,1870, Abeille 1870: 112. TR Cc IR
1335. **Mylabris crocata (Pallas,1781)** (Meloidea) Synonym(s): *crocata* Pallas,1781 TR RU KG MN IR SY BG DE ES HU DE
1336. **Mylabris externepunctata Faldermann,1832** (Meloidea) Synonym(s): *externepunctata* Faldermann,1832 TR Cc AZ IR

1337. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 *nec Fabr.,1781; fabricii Sumakov,1924* TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1338. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca* Olivier,1811 TR Cc RU TM IR SY
1339. **Mylabris geminata Fabricius,1798** (Meloidae) Synonym(s): *geminata* Fabricius,1798 TR RU Cc IR
1340. **Mylabris guerini Chevrolat,1840** (Meloidae) Synonym(s): *guerini* Chevrolat,1840; *rubripennis* Chevrolat,1840; *normandi* Pic,1953; *lambdaesis* Pic,1953 DZ MA TN IR
1341. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri* Billberg,1813; *griseus* Marseul,1872; *impar* Sumakov,1915 RU Cc TR TM IR KG TJ
1342. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811 TR Cc SY RU Sb KG KK UZ IR
1343. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata* Linnaeus,1767 FR TR Cc RU IR AF MN
1344. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 TR SY Cc RU IQ IR MN AF
1345. **Mylabris sexmaculata (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1811 TR SY RU Cc IR
1346. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca* Klug,1845 TR IR SY IL Pa EG GR SD
1347. **Mylabris zebraea (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870 TR Cc IR GR
1348. **Myophila meditabunda (Fabricius,1781)** (Muscidae) Synonym(s): *meditabunda* Fabricius,1781 AM Cc Eri AZ IR TR GG
1349. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825 TR SY IQ IR AM AZ RU Da TM TJ
1350. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
1351. **Myrmecaelurus laetus (Klug,1834)** (Myrmeleonidae) Synonym(s): *laetus* Klug,1834 IR SA
1352. **Myrmecaelurus paghmanus Hölzel,1969** (Myrmeleonidae) Synonym(s): *paghmanus* Hölzel,1969 AF IR
1353. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus* Pallas,1781; *pictum* Fabricius,1798; *flavus* Rambur,1842 TR TJ KG IR Elb
1354. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus* Pallas,1781; *pictum* Fabricius,1798; *flavus* Rambur,1842. TR IR KG TJ
1355. **Myrmecaelurus varians Navas,1913** (Myrmeleonidae) Synonym(s): *variens* Navas,1913; *aequans* Navas,1913; *nematicus* Navas,1932. KG AF IR
1356. **Myrmeleon (Morter) hyalinus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *hyalinus* Olivier,1811 AF IR LB IQ
1357. **Myrmeleon (Morter) inconspicuus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur,1842 ES GR IR TR
1358. **Myrmeleon (Morter) pseudohyalinus Hölzel,1972** (Myrmeleonidae) Synonym(s): *pseudohyalinus* Hölzel,1972 IR AF
1359. **Myrmeleon (s.str.) formicarius Linnaeus,1767** (Myrmeleonidae) Synonym(s): *formicarius* Linnaeus,1767 IR TR TJ KG
1360. **Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps* Radoszowski,1888 *nec* Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927 TR IQ IR Cc AZ AM TM
1361. **Myrmilla (s.str.) astrabada Skorikov,1927** (Mutillidae) Synonym(s): *astrabada* Skorikov,1927 IR Elb
1362. **Myrmilla (s.str.) bilobicornis Skorikov,1927** (Mutillidae) Synonym(s): *bilobicornis* Skorikov,1927 IR Gor TM
1363. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927 GR BG TR Cc RU Da GG AM AZ IR UA Cm
1364. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869 FR GR SY Cc UA Cm TR IL Pa IR
1365. **Myrmilla (s.str.) lezginica (Radoszowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszowski,1885 GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
1366. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809; *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
1367. **Nabis pseudoferus Remane,1949** (Nabidae) Synonym(s): *pseudoferus* Remane,1949 Az TR CY IR
1368. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus* Dohrn,1862 RU TR RO BG IR CN Ui
1369. **Nebria (Eunebria) nigerrima Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima* Chaudoir,1846 AZ AM Cc TR IR

1370. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis Fabricius,1801* AT BE CZ FR DE IT PL SK ES CH TR UA IR
1371. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata Linnaeus,1767* FR GB IT PT ES TR DZ MA TN IR
1372. **Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi Klug,1832* TR IR IL Pa SY
1373. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
1374. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* YU RO GR BG TR SY Cc IR
1375. **Nemotelus (s.str.) anchora Loew,1846** (Stratiomyidae) Synonym(s): *anchora Loew,1846; sículus Jaennicke,1866; persicus Pleske,1937* IT Si MT RU IL IR DZ TN
1376. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* TR IT Si CY ES YU BG GR RU Cc AM IL IR
1377. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* GR IT YU RO BG AL RU UA Cc TR IL IR
1378. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
1379. **Nealiturus alboflavovittatus (Lindberg,1954)** (Cicadellidae) Synonym(s): *alboflavovittatus Lindberg,1954* ES Cn IR KG
1380. **Nealiturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher Haupt,1927* IR IL Pa Cc TR GG KG TJ
1381. **Nealiturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus Baker,1896; ignavus Matsumura,1908; egyptiacus Matsumura,1908; indivisus Haupt,1927; ambiguosus Young & Frazier,1954; zygophylli Lindberg,1954* DZ ES Cn EG FR IR IL IT Si LY ES TN KG
1382. **Neocrepidodera ferruginea (Scopoli,1763)** (Chrysomelidae) Synonym(s): *ferruginea Scopoli,1763* TR Cc IR
1383. **Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa Marsham,1802* TR Cc CY IR
1384. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides Harris,1776; niger De Geer,1776; aestivus Schrank,1781; tabidus Meigen,1820; cyanurus Loew,1849* IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
1385. **Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): *senectus Richter,1963; lehri Moucha & Hradski,1963* Cc RU IR TR UA MD GG AZ AM
1386. **Neolimnus eberti Dlabola,1964** (Cicadellidae) Synonym(s): *eberti Dlabola,1964* AF IR
1387. **Neolimnus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus Matsumura,1908* EG IR IQ IL JO
1388. **Neolophonotus pegasus (Loew,1858)** (Asilidae) Synonym(s): *pegasus Loew,1858* IR Ss SD ZA
1389. **Neomyia cornicina (Fabricius,1781)** (Muscidae) Synonym(s): *cornicina Fabricius,1781; caesarion Meigen,1826* AM Cc Eri AZ TR IR Hw
1390. **Nephus caneparii Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): *caneparii Fürsch & Uygun,1980* TR IR
1391. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala Ferrari,1882; flaveolus Matsumura,1908; wagneri Lindberg,1954* ES Cn Md FR IR IT JP TR GR Cr YU IR
1392. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkanitz,1971* BG UA RU TR SY IR Cc
1393. **Neuroleon occultus (Navas,1914)** (Myrmeleonidae) Synonym(s): *occultus Navas,1914* IR Elb Th TR
1394. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus Giraud,1859* GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY
1395. **Nevruzia flavoniger (Majer,1991)** (Melyridae) Synonym(s): *flavoniger Majer,1991* IR
1396. **Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): *humator Gleditsch,1767* DZ TR Cc IR CN Ui
1397. **Nikanoria shohadae Zerova,2008** (Eurytomidae) Synonym(s): *shohadae Zerova,2008* Nikanoria shohadae Zerova,2008, Vestn. zool. 42 (6): 104, figs. Holotype ♀: Iran: Urmia Shohada (Glasmloo valley) 1400m ex galls on the leaves Astragalus caryolotus (leg. Karimpour) (coll.SIZ, Kiev). IR Ab Oru
1398. **Nilomantis floweri Werner,1907** (Iridopterygidae) Synonym(s): *floweri Werner,1907; tenella Giglio-Tos,1915; arabica Beier,1930* ET IR YE MR NE OM SA SD TD
1399. **Nimboa asadeva Rausch & H.Aspöck,1978** (Coniopterygidae) Synonym(s): *asadeva Rausch & H.Aspöck,1978* IR Fa
1400. **Nocarodes armenus Ramme,1951** (Pamphagidae) Synonym(s): *armenus Ramme,1951; fragosus Mishchenko,1951* Cc AM Eri IR AZ Nv Ord

1401. **Nocarodes balachowskyi** Descamps,1967 (Pamphagidae) Synonym(s): *balachowskyi* Descamps,1967 Cc AZ IR Ak Ab
1402. **Nocarodes corrugatus** Mishchenko,1951 (Pamphagidae) Synonym(s): *corrugatus* Mishchenko,1951 IR Elb
1403. **Nocarodes crispus** Mishchenko,1951 (Pamphagidae) Synonym(s): *crispus* Mishchenko,1951 IR Ak Ab
1404. **Nocarodes ebneri** Ramme,1951 (Pamphagidae) Synonym(s): *ebneri* Ramme,1951 IR Elb Kdv
1405. **Nocarodes gibbosus** Mishchenko,1951 (Pamphagidae) Synonym(s): *gibbosus* Mishchenko,1951 IR
1406. **Nocarodes humerosus** Mishchenko,1951 (Pamphagidae) Synonym(s): *humerosus* Mishchenko,1951 IR
1407. **Nocarodes keredjensis** (Werner,1939) (Pamphagidae) Synonym(s): *keredjensis* Werner,1939 IR Elb Th
1408. **Nocarodes scabiosus** Mishchenko,1951 (Pamphagidae) Synonym(s): *scabiosus* Mishchenko,1951 Cc AZ IR Ak Ab
1409. **Nocarodes schelkovnikovi** Uvarov,1917 (Pamphagidae) Synonym(s): *schelkovnikovi* Uvarov,1917 IR Ak Ab
1410. **Nocarodes specialis** Mishchenko,1951 (Pamphagidae) Synonym(s): *specialis* Mishchenko,1951 IR Elb Th
1411. **Nocarodes urmianus** Ramme,1939 (Pamphagidae) Synonym(s): *urmianus* Ramme,1939 IR Ak Ab Cc
1412. **Nohoveus atrifrons** Hölzel,1970 (Myrmeleonidae) Synonym(s): *atrifrons* Hölzel,1970 MN TR IR
1413. **Nohoveus atrifrons** Hölzel,1970 (Myrmeleonidae) Synonym(s): *atrifrons* Hölzel,1970 MN IR TR
1414. **Nohoveus fidelis** Hölzel,1968 (Myrmeleonidae) Synonym(s): IR
1415. **Nohoveus palpalis** (Klapalek,1914) (Myrmeleonidae) Synonym(s): *palpalis* Klapalek,1914 DZ SA IR
1416. **Nohoveus persicus** Navas,1929 (Myrmeleonidae) Synonym(s): IQ IR
1417. **Nomia (Clavinomia) clavicornis** Warncke,1980 (Halictidae) Synonym(s): *clavicornis* Warncke,1980 IR Elb Th
1418. **Nomia (Crocisaspidia) callichlora** Cckerell,1911 (Halictidae) Synonym(s): *callichlora* Cckerell,1911 IR Ss
1419. **Nomia (Crocisaspidia) muscatensis** Cockerell,1910 (Halictidae) Synonym(s): *muscatensis* Cockerell,1910 SD OM IR EG
1420. **Nomia (Lobonomia) armata** Olivier,1811 (Halictidae) Synonym(s): *armata* Olivier,1811; *latipes* Morawitz,1880 IR Elb Th Kh Ss
1421. **Nomia (Lobonomia) flavolobata** Cockerell,1911 (Halictidae) Synonym(s): *flavolobata* Cockerell,1911; *iranica* Warncke,1979 IR Ss
1422. **Nomia (Lobonomia) lobata** Olivier,1811 (Halictidae) Synonym(s): *lobata* Olivier,1811 TR IR Ha Th Elb Es Fa Shr
1423. **Nomia (Nomiapis) diversipes** Latreille,1802 (Halictidae) Synonym(s): *diversipes* Latreille,1802 IR Ab Oru Elb Mz Ha Th Es Qz Fa Shr Kh Ke
1424. **Nomia (Nomiapis) equestris** Gerstaecker,1872 (Halictidae) Synonym(s): *equestris* Gerstaecker,1872 TR IR Fa Shr
1425. **Nomia (Nomiapis) femoralis** Pallas,1773 (Halictidae) Synonym(s): *femoralis* Pallas,1773; *valga* Gerstaecker,1872 RU IR Fa Shr AF
1426. **Nomia (Nomiapis) fugax** Morawitz,1878 (Halictidae) Synonym(s): *fugax* Morawitz,1878 IR Ab Oru Ha Ke
1427. **Nomia (Nomiapis) unidentata** Olivier,1811 (Halictidae) Synonym(s): *unidentata* Olivier,1811 TR IR Ak Ha Yz Th Ss
1428. **Nomia (Pseudapis) patellata** Magretti,1884 (Halictidae) Synonym(s): *patellata* Magretti,1884; *abbassa* Warncke,1980 ET IR Ss
1429. **Noterus clavicornis** (De Geer,1774) (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc At AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
1430. **Noterus crassicornis** (O.F.Müller,1776) (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
1431. **Notiophilus aestuans** Dejean,1826 (Carabidae) Synonym(s): *aestuans* Dejean,1826 AZ AM Cc At BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
1432. **Notiophilus danieli** Reitter,1897 (Carabidae) Synonym(s): *danieli* Reitter,1897 B-H BG HV GR MK TR IR IL Pa SY
1433. **Notonecta glauca** Linnaeus,1758 (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953 TR IR AM GG AZ Cc

1434. **Notonecta marmorea Fabricius,1803** (Notonectidae) Synonym(s): *marmorea Fabricius,1803* RU Cc TR IR TM
1435. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus Krekich & Strassoldo,1919* Cc AM AZ GR TR IR TM
1436. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
1437. **Nusa puella (Rondani,1873)** (Asilidae) Synonym(s): *puella Rondani,1873* IR
1438. **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa Loew,1871* IR Ss Ke Kz AZ Cc IQ TR KG CN
1439. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata Westwood,1835* MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
1440. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia Latreille,1805* DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
1441. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
1442. **Nyctophila caucasica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caucasica Motschoulsky,1854* Cc IR AZ Len
1443. **Nyctophila maculicollis (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis Fairmaire,1866* MK TR SY IR
1444. **Nyctophila pseudocaucasica Geisthardt,1982** (Lampyridae) Synonym(s): *pseudocaucasica Geisthardt,1982* Cc IR
1445. **Ochrilidia acuta (Bolivar,1905)** (Acrididae) Synonym(s): *acuta Bolivar,1905* TR IQ IL Pa IR
1446. **Ochrilidia obtusa (Salfi,1931)** (Acrididae) Synonym(s): *obtusa Salfi,1931* TR Cc AM IR
1447. **Ochrilidia orientalis Salfi,1931** (Acrididae) Synonym(s): *orientalis Salfi,1931* IR
1448. **Ochrilidia persica (Salfi,1931)** (Acrididae) Synonym(s): *persica Salfi,1931* IR Elb
1449. **Ochrilidia richteri Bei-Bienko,1960** (Acrididae) Synonym(s): *richteri Bei-Bienko,1960* IR Ss
1450. **Ochrosis ventralis (Illiger,1807)** (Chrysomelidae) Synonym(s): *ventralis Illiger,1807* TR Cc IR DZ
1451. **Ochthebius (Asiabates) limbicollis Reitter,1885** (Hydraenidae) Synonym(s): *limbicollis Reitter,1885* AZ Cc IR
1452. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis Ferro,1983* TR IR AF IN PK
1453. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydroptera Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
1454. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922* GR IT Si BG GR TR UA RU Cc AZ IL IR
1455. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873* MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG GR IR RU HU UA Cm Cc GG KK KG
1456. **Oedipoda kurda Deschamps,1967** (Acrididae) Synonym(s): *kurda Deschamps,1967*
Oedipoda kurda Deschamps,1967, Bull. Soc. ent. Fr. 72: 35. Holotype ♂: Iran: Kermanshah, Karand (MNHN Paris). IR
1457. **Oldroydiana calceatus (Oldroyd,1958)** (Asilidae) Synonym(s): *calceatus Oldroyd,1958* IR
1458. **Oliarus convergens Melichar,1902** (Cixiidae) Synonym(s): *convergens Melichar,1902* IR
1459. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus Signoret,1884; fumatus Melichar,1902* AF IR IQ Cc AZ CN Ui UZ TM
1460. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suzeensis Matsumura,1910; modestus Haupt,1927* Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
1461. **Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis Loew,1844* TR GR IT IR
1462. **Ommatidiotus iranicus Horvath,1905** (Caliscelidae) Synonym(s): *iranicus Horvath,1905* IR TR
1463. **Ommatius stackelbergi (Richter,1960)** (Asilidae) Synonym(s): *stackelbergi Richter,1960* Cc RU TR AM IR Se
1464. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus Wulp,1899* DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
1465. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscata Gravenhorst,1807; nigritulus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837; pulchellus Curtis,1837; reticulatus Curtis,1837; frontalis Curtis,1837; capucinus Zetterstedt,1840; dubius Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944* DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU

1466. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas Steven,1806*; *laevigatus Olivier,1811*; *steveni Brullé,1832* Cc GG GR RU TR IR AM SY LB
1467. **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii Goidanich,1926* IL Pa SY LB TR IR
1468. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832* Cc SY CY IR TR BG GR IL Pa EG
1469. **Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli Reitter,1891* DZ LY Cy SY IR AF
1470. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900*; *neutto Olsoufieff,1900* ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
1471. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892* TM TJ AF IR KG UZ KK TR
1472. **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis Redtenbacher,1843*; *hyrcanicus Kabakov,1982* SY Hal LB IL Pa TR JO IQ IR
1473. **Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis Petrovitz,1963* TR IL Pa SY IR MK GR BG
1474. **Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny,1898** (Scarabaeidae) Synonym(s): *dorsosignatus D'Orbigny,1898* TR Cc AM IQ IR
1475. **Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis Steven,1809* RU Cc AM AZ TM SY IQ TR IR UA Cm
1476. **Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae) Synonym(s): *fissinasus Fairmaire,1895* SY IR IQ TR
1477. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790* GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR
1478. **Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae) Synonym(s): *lemuroides D'Orbigny,1898* IQ IR TR SY Cc MN
1479. **Onthophagus (Palaeonthophagus) osellai Pittino,1982** (Scarabaeidae) Synonym(s): *osellai Pittino,1982* TR SY IR
1480. **Onthophagus (Palaeonthophagus) parmatus Reitter,1892** (Scarabaeidae) Synonym(s): *parmatus Reitter,1892* Cc AZ Nv AM RU IR TR RO SY
1481. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus Harold,1883*; *furcicornis Reitter,1893*; *granulifer Reitter,1893*; *granulosus Kozhantschikov,1894*; *gorhami Shipp,1895*; *krali Balthasar,1963*; *citellorum Medvedev,1965* Cc GG TR RU SY LB IR AZ AM RO GR
1482. **Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s): *sericatus Reitter,1893* HV AL TR Cc SY IR
1483. **Onthophagus (Palaeonthophagus) specularifer Solsky,1876** (Scarabaeidae) Synonym(s): *specularifer Solsky,1876* KG KK TM Cc TR IR
1484. **Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s): *suturellus Brullé,1832*; *trochiscobius Kolenati,1846* RU Cc AZ GR TR SY IR
1485. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus Kolenati,1846*; *araxicola Reitter,1893*; *latiplage Reitter,1897*; *xerces Petrovitz,1965* Cc AZ Nv TM IR SY LB IL Pa TR
1486. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767* RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
1487. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763* YU UA Cm Cc AZ RU TR IR IQ AF TM
1488. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
1489. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus Schneider,1845* TR Cc AZ Kir IQ IR AM IL Pa
1490. **Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): *turkestanicus Skriptshinsky,1929* UZ PK IQ IR Elb Th
1491. **Opatroides angulatus Baudi,1875** (Tenebrionidae) Synonym(s): *angulatus Baudi,1875* IR SY
1492. **Ophion mocsaryi Brauns,1889** (Ichneumonidae) Synonym(s): *mocsaryi Brauns,1889* BG TR IR
1493. **Opsius cypriacus Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus Lindberg,1958* CY TR IR UA Cm
1494. **Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus Dlabola,1960* IR RU Da Cc TR
1495. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus Horvath,1911* AF IR Cc AZ KG KK RU TJ UZ
1496. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871* AF DZ EG IR IQ TR Cc AZ KG RU TJ
1497. **Opsius richteri Dlabola,1960** (Cicadellidae) Synonym(s): *richteri Dlabola,1960* IR

1498. **Opsius tigris** (Lethierry,1876) (Cicadellidae) Synonym(s): *tigris* Lethierry,1876 IR KG
KK RU TJ UZ
1499. **Orellia quadratula** (Loew,1869) (Tephritidae) Synonym(s): *quadratula* Loew,1869 DE AZ
AM GG Cc IR TR IL Pa LB JO
1500. **Orellia steropea** (Rondani,1870) (Tephritidae) Synonym(s): *steropea* Rondani,1870 IT TR IR
1501. **Orosius orientalis** (Matsumura,1914) (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914;
albicinctus Distant,1918; *filigranus* Haupt,1927 PT ES EG IQ IL Pa IR Md MA TR PK JP TW
1502. **Osmanius persicus** Branco & Baraud,1988 (Scarabaeidae) Synonym(s): *persicus* Branco &
Baraud,1988 IR
1503. **Osmia (Helicosmia) aurulenta** (Panzer,1799) (Megachilidae) Synonym(s): *aurulenta*
Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT
MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
1504. **Osmia (Helicosmia) caerulea** (Linnaeus,1758) (Megachilidae) Synonym(s):
caerulea Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea*
Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG
CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK
KG CN TJ TM UZ CY IR JO SY TR CA US IN
1505. **Osmia (Helicosmia) dimidiata** Morawitz,1870 (Megachilidae) Synonym(s): *dimidiata*
Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 AL BG ES FR GR Cr IT Sa Si MK RU UA Cc
TM CY IL Pa LB TR IR
1506. **Osmia (Helicosmia) gutturalis** Warncke,1988 (Megachilidae) Synonym(s): *gutturalis*
Warncke,1988 TR IL Pa IR
1507. **Osmia (Helicosmia) leaiana** (Kirby,1802) (Megachilidae) Synonym(s): *hirta* Geoffroy,1785
nec Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii*
Alfken,1924; *schachti* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK
PL RO RU SK SS UA DZ MA TN KK TR IR
1508. **Osmia (Helicosmia) mediana** Engel,2006 (Megachilidae) Synonym(s): *mediana* Engel,2006
IR Elb Th
1509. **Osmia (Helicosmia) melanogaster** Spinola,1808 (Megachilidae) Synonym(s):
melanogaster Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876;
subaenea Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN
CY JO SY TR IR
1510. **Osmia (Helicosmia) niveata** (Fabricius,1804) (Megachilidae) Synonym(s): *niveata*
Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris*
Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV
LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
1511. **Osmia (Helicosmia) signata** Erichson,1835 (Megachilidae) Synonym(s): *signata*
Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cineta* Dours,1873; *taurica* Radoszkowski,1874;
laticincta Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA
Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
1512. **Osmia (Hemiosmia) difficilis** Morawitz,1875 (Megachilidae) Synonym(s): *difficilis*
Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 Osmia *difficilis* Morawitz,1875, [in]
Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. KK KG RU TJ UZ IL Pa TR IR
1513. **Osmia (Hoplosmia) ligurica** Morawitz,1868 (Megachilidae) Synonym(s): *ligurica*
Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA
CY IL Pa IR JO SY TR
1514. **Osmia (Hoplosmia) warnckeii** (Tkalcu,1992) (Megachilidae) Synonym(s): *warnckeii*
Tkalcu,1992 IR Fa
1515. **Osmia (Metallinella) brevicornis** (Fabricius,1798) (Megachilidae) Synonym(s):
brevicornis Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875;
subcyanea Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA
KK KG TJ TM UZ CY IR TR
1516. **Osmia (Monosmia) apicata** Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853;
macroglossa Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
1517. **Osmia (Orientosmia) maxillaris** Morawitz,1875 (Megachilidae) Synonym(s): *maxillaris*
Morawitz,1875 KG TJ TM UZ IR TR
1518. **Osmia (Pyrosmia) oramara** Warncke,1992 (Megachilidae) Synonym(s): *oramara*
Warncke,1992 Osmia (Pyrosmia) *oramara* Warncke,1992, Linzer biol. Beitr. 24: 908. Holotype ♀:
Türkei, Hakkari Prov., Yüksekova, Oramar [Dağhca] 1500m (OLML Linz). TR IR
1519. **Osmia (s.str.) bicornis** (Linnaeus,1758) (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758;
rufa Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799;
hedera Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR
Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY
IR
1520. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae) Synonym(s): *cerinthidis*
Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR

1521. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
1522. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 **AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR**
1523. **Osphranteria coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher,[1849] **IR TR SY IQ**
1524. **Osphranteria lata Pic,1956** (Cerambycidae) Synonym(s): *lata* Pic,1956; *richteri* Heyrovsky,1959 **IR**
1525. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
1526. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertesz,1916; *turkestanica* Kertesz,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 **DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT**
1527. **Oxythespis persica (Bolivar,1913)** (Mantidae) Synonym(s): *persica* Bolivar,1913 **IR Ss**
1528. **Oxythespis wagneri (Kittary,1849)** (Mantidae) Synonym(s): *wagneri* Kittary,1849; *tadzhicus* Lindt,1967 **TJ AF IR**
1529. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
1530. **Pachybrachis (s.str.) boreopersicus Lopatin,1991** (Chrysomelidae) Synonym(s): *boreopersicus* Lopatin,1991 **IR Kh**
1531. **Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921 **IQ Bgd TM IR Cc TR**
1532. **Pachybrachis (s.str.) laticollis Suffrian,1860** (Chrysomelidae) Synonym(s): *laticollis* Suffrian,1860; *callosus* Sahlberg,1860; *misellus* Weise,1900 **IR**
1533. **Pachybrachis (s.str.) nigropunctatus Suffrian,1854** (Chrysomelidae) Synonym(s): *nigropunctatus* Suffrian,1854; *paulonotatus* Pic,1908 **IR Fa Shr**
1534. **Pachybrachis (s.str.) pudicus Lopatin,1984** (Chrysomelidae) Synonym(s): *pudicus* Lopatin,1984 **IR**
1535. **Pachybrachis (s.str.) rapillyi Lopatin,1984** (Chrysomelidae) Synonym(s): *rapillyi* Lopatin,1984 **IR**
1536. **Pachybrachis (s.str.) vermicularis Suffrian,1854** (Chrysomelidae) Synonym(s): *vermicularis* Suffrian,1854; *astragali* Stierlin,1863; *pallidiventris* Jacobson,1894 **RU Sb Ur Cc IR**
1537. **Pachyscelis metopotapha (Fischer von Waldheim,1832)** (Tenebrionidae) Synonym(s): *metopotapha* Fischer von Waldheim,1832; *gemmans* Baudi,1876 **Cc IR**
1538. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893 **IQ TR Cc AM SY TM RU IR**
1539. **Pachyscelis pauxilla Hampe,1852** (Tenebrionidae) Synonym(s): *pauxilla* Hampe,1852 **IR**
1540. **Pachyscelis persica Redtenbacher,1850** (Tenebrionidae) Synonym(s): *persica* Redtenbacher,1850 **IR**
1541. **Pachyscelis zophosioides Baudi,1875** (Tenebrionidae) Synonym(s): *zophosioides* Baudi,1875 **IR**
1542. **Pachytodes erraticus (Dalman,1817)** (Cerambycidae) Synonym(s): *erraticus* Dalman,1817 **CZ Cc TR IR**
1543. **Paharia putoni (Distant,1892)** (Cicadidae) Synonym(s): *putoni* Distant,1892 **AF IR KG TJ TM**
1544. **Palorus orientalis Fleischer,1900** (Tenebrionidae) Synonym(s): *orientalis* Fleischer,1900 **Cc AZ IR**
1545. **Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764 **TR SY IR**
1546. **Palpares solidus Gerstaecker,1893** (Myrmeleonidae) Synonym(s): *solidus* Gerstaecker,1893; *zugmayeri* Navas,1912; *klapaleki* Navas,1912; *validus* Navas,1927 **AF IR Elb Th Es TR IQ**
1547. **Palpares turcicus Koçak,1976** (Myrmeleonidae) Synonym(s): *turcicus* Koçak,1976 **Palpares hispanus ssp. turcicus** Koçak,1976, *NachrBl. bayer. Ent. 22 (5): 97-100, figs. Holotype ♂: Turkey: Hakkari Prov., Hakkari, Zap karakolu (Coll. Cesa).* **IR TR**
1548. **Panorpa caucasica McLachlan,1869** (Panorpidae) Synonym(s): *caucasica* McLachlan,1869 **Cc IQ IR**
1549. **Panorpa nigrirostris McLachlan,1882** (Panorpidae) Synonym(s): *nigrirostris* McLachlan,1882; *selysi* Esben-Petersen,1915 **Cc AZ Kir IR GG TR?**
1550. **Paraclytus raddei (Ganglbauer,1881)** (Cerambycidae) Synonym(s): *raddei* Ganglbauer,1881 **AZ Cc IR**
1551. **Paraclytus reitteri (Ganglbauer,1881)** (Cerambycidae) Synonym(s): *reitteri* Ganglbauer,1881 **AZ Cc IR**
1552. **Paraclytus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): *sexguttatus* Adams,1817 **Cc AZ TR IR BG**

1553. **Paracorymbia tonsa** (K.Daniel & J.Daniel,1891) (Cerambycidae) Synonym(s): *tonsa* K.Daniel & J.Daniel,1891 **Cc TR IR**
1554. **Paradorydium breviceps** (Melichar,1902) (Cicadellidae) Synonym(s): *breviceps* Melichar,1902 **AF IR**
1555. **Paragomphus lineatus** (Selys & Hagen,1850) (Gomphidae) Synonym(s): *lineatus* Selys & Hagen,1850 **TR IR IN NP MM**
1556. **Paragus (s.str.) albifrons** (Fallén,1817) (Syrphidae) Synonym(s): *albifrons* Fallén,1817 *Pipiza albifrons* Fallén,1817, *Syrphici Svecicae* (6): 60. **ES DE AT SE SS YU TR GB DK RU IR**
1557. **Paralimnellus cingulatus** (Dlabola,1960) (Cicadellidae) Synonym(s): *cingulatus* Dlabola,1960 **IQ TR IR TJ UZ**
1558. **Paralimnus phragmitis** (Boheman,1847) (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
1559. **Paramesodes lineaticollis** (Distant,1908) (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959 **IT IL Pa UZ RU TR IR**
1560. **Paranocarodes sulcatus** (Bolivar,1912) (Pamphagidae) Synonym(s): *sulcatus* Bolivar,1912 **IR**
1561. **Paranothrotres gotvendicus** (Bolivar,1912) (Pamphagidae) Synonym(s): *gotvendicus* Bolivar,1912 **TR IR Lo**
1562. **Paraphamartania syriaca** (Schiner,1867) (Asilidae) Synonym(s): *syriaca* Schiner,1867 **IR Elb Th KG SY GR IL Pa TR**
1563. **Paraplagionotus floralis** (Pallas,1773) (Cerambycidae) Synonym(s): *floralis* Pallas,1773 **TR Cc IR SK**
1564. **Parapolybia escalarae** Meade-Waldo,1911 (Vespidae) Synonym(s): *escalarae* Meade-Waldo,1911 **IR TR**
1565. **Paratettix iranica** Uvarov,1952 (Tetrigidae) Synonym(s): *iranica* Uvarov,1952 **TR IR**
1566. **Parathrix attonita** Majer,1990 (Melyridae) Synonym(s): *attonita* Majer,1990 **IR**
1567. **Parathrix tristis** Majer,1996 (Melyridae) Synonym(s): *tristis* Majer,1996 **IR**
1568. **Paussus (Cochliopaussus) turcicus** Frivaldszky,1835 (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 **AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ**
1569. **Pedestredorcadion biforme** (Kraatz,1873) (Cerambycidae) Synonym(s): *biforme* Kraatz,1873; *dorsomaculatum* Breuning,1946; *subnudum* Breuning,1946 **IR**
1570. **Pedestredorcadion blanchardi** (Mulsant & Rey,1863) (Cerambycidae) Synonym(s): *blanchardi* Mulsant & Rey,1863 **IR**
1571. **Pedestredorcadion bruneicolle** (Kraatz,1873) (Cerambycidae) Synonym(s): *bruneicolle* Kraatz,1873; *jakovlei* Semenov,1905;... **IR Fa Shr**
1572. **Pedestredorcadion chopardi** (Breuning,1948) (Cerambycidae) Synonym(s): *chopardi* Breuning,1948 **IR**
1573. **Pedestredorcadion cinerarium** (Fabricius,1787) (Cerambycidae) Synonym(s): *cinerarium* Fabricius,1787; *tricolor* Fischer von Waldheim,1806; *caucasicum* Küster,1847; *micans* Thomson,1867; *sericatum* Kraatz,1873; *amasinum* Pic,1898; *corallicorne* Pic,1904; *macropoides* Plavilstshikov,1932; *perroudi* Pic,1942; *paracinerarium* Breuning,1974 **AZ Cc IR Ak TR UA Cm**
1574. **Pedestredorcadion cingulatoides** (Breuning,1946) (Cerambycidae) Synonym(s): *cingulatoides* Breuning,1946 **IR**
1575. **Pedestredorcadion cingulatum** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *cingulatum* Ganglbauer,1883; *invicinum* Pic,1902; *persianum* Breuning,1943 **IR**
1576. **Pedestredorcadion complanatum** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *complanatum* Ganglbauer,1883 **IR**
1577. **Pedestredorcadion discomaculatum** (Pic,1905) (Cerambycidae) Synonym(s): *discomaculatum* Pic,1905 **IR**
1578. **Pedestredorcadion elbursense** (Breuning,1943) (Cerambycidae) Synonym(s): *elbursense* Breuning,1943 **IR Elb**
1579. **Pedestredorcadion hellmanni** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *hellmanni* Ganglbauer,1883 **AM Cc IR**
1580. **Pedestredorcadion iranicum** (Breuning,1947) (Cerambycidae) Synonym(s): *iranicum* Breuning,1947 **IR**
1581. **Pedestredorcadion lineatopunctatum** (Breuning,1944) (Cerambycidae) Synonym(s): *lineatopunctatum* Breuning,1944 **IR**
1582. **Pedestredorcadion niveisparsum** (Thomson,1865) (Cerambycidae) Synonym(s): *niveisparsum* Thomson,1865 **AM Cc IR**
1583. **Pedestredorcadion parcepunctatum** (Breuning,1948) (Cerambycidae) Synonym(s): *parcepunctatum* Breuning,1948 **IR**
1584. **Pedestredorcadion pasquieri** (Breuning,1974) (Cerambycidae) Synonym(s): *pasquieri* Breuning,1974 **IR Gor**
1585. **Pedestredorcadion pseudonobile** (Breuning,1946) (Cerambycidae) Synonym(s): *pseudonobile* Breuning,1946; *tabrisense* Breuning,1946 **IR Ak Tbz**

1586. **Pedestredorcadion spectabile (Kraatz,1873)** (Cerambycidae) Synonym(s): *spectabile* Kraatz,1873 **IR**
1587. **Pedestredorcadion subcorpulentum (Breuning,1946)** (Cerambycidae) Synonym(s): *subcorpulentum* Breuning,1946 **IR**
1588. **Pedestredorcadion urmianum (Plavilstshikov,1937)** (Cerambycidae) Synonym(s): *urmianum* Plavilstshikov,1937 **IR Ab**
1589. **Pedicia (Crunobia) persica Alexander,1975** (Pediidae) Synonym(s): *persica* Alexander,1975; *elegantula* Savchenko,1978 **IR GG AZ Cc**
1590. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 **MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF**
1591. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN**
1592. **Penthimia scutellata Melichar,1902** (Cicadellidae) Synonym(s): **AF IR**
1593. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
1594. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 **IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ**
1595. **Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835 **TR IQ IR SY Cc AZ**
1596. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 **RU Cc UA Cm IQ TR IR IQ CY LB IL Pa**
1597. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845 **KG MN TR AM Cc IR CY SY LB RU Am CN**
1598. **Perasis sussianae Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *sussianae* Abbassian-Lintzen,1964 **IR Kz AZ Cc**
1599. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
1600. **Perissana jakowleffi (Puton,1890)** (Issidae) Synonym(s): *jakowleffi* Puton,1890 **IR AZ Cc**
1601. **Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): *caucasica* Guérin-Ménéville,1838; *abbreviata* Klapalek,1921; *persica* Zwick,1975 **CY Cc IR**
1602. **Perla kiritschenkoi Zhiltzova,1961** (Perlidae) Synonym(s): *kiritschenkoi* Zhiltzova,1961 **TR? Cc IR Elb**
1603. **Perlamantispa perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772 **TR Cc KG TM RU IR**
1604. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 **AT CZ FR GR HU IR IT MN ES RU Sb US Cf**
1605. **Phanerotoma ocellaria Kohl,1906** (Braconidae) Synonym(s): *ocellaria* Kohl,1906; *rjabovi* Vojnenskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
1606. **Phantia christophii Rusiecka,1902** (Flatidae) Synonym(s): *christophii* Rusiecka,1902 **AF IR TM**
1607. **Phantia cylindricornis Melichar,1902** (Flatidae) Synonym(s): *cylindricornis* Melichar,1902 **AF IR TM**
1608. **Phantia flavida Rusiecka,1902** (Flatidae) Synonym(s): *flavida* Rusiecka,1902 **IR AZ Cc**
1609. **Phantia helleri Linnavuori,1962** (Flatidae) Synonym(s): *helleri* Linnavuori,1962 **IR**
1610. **Phantia lactea Rusiecka,1902** (Flatidae) Synonym(s): *lactea* Rusiecka,1902 **IR**
1611. **Phantia putoni Rusiecka,1902** (Flatidae) Synonym(s): *putoni* Rusiecka,1902 **IR**
1612. **Phantia rubromarginata Rusiecka,1902** (Flatidae) Synonym(s): *rubromarginata* Rusiecka,1902 **AF IR**
1613. **Phantia viridula Puton,1890** (Flatidae) Synonym(s): *viridula* Puton,1890 **IR Cc AM**
1614. **Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicoloreus* Burmeister,1844 **TR IR IQ IL Pa**
1615. **Phasmena nasuta Melichar,1902** (Issidae) Synonym(s): *nasuta* Melichar,1902 **IR**
1616. **Phasmena telifera Melichar,1902** (Issidae) Synonym(s): *telifera* Melichar,1902 **IR**
1617. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens* Sykes,1835; *indica* Mayr,1879; *himalayana* Forel,1902 **Cn EG IL Pa IR SA IN**
1618. **Philbyella glarea Dlabola & Heller,1962** (Nogodinidae) Synonym(s): *glarea* Dlabola & Heller,1962 **IR**
1619. **Philipomyia aprica (Meigen,1820)** (Tabanidae) Synonym(s): *aprica* Meigen,1820 **TR RU IR**
1620. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913 **IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF**
1621. **Philodicus spectabilis Loew,1871** (Asilidae) Synonym(s): *spectabilis* Loew,1871 **IR Ss Fa AF KG**
1622. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923;

- marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1623. **Philopotamus achemenus** Schmid,1959 (Philopotamidae) Synonym(s): *achemenus* Schmid,1959 Philopotamus achemenus Schmid,1959, Beitr. Ent. 9: 210. GR BG TR IR
1624. **Phlebotomus (Adlerius) balcanicus** Theodor,1958 (Psychodidae) Synonym(s): *balcanicus* Theodor,1958 TR IR
1625. **Phlebotomus (Adlerius) brevis** Theodor & Mesghali,1964 (Psychodidae) Synonym(s): *brevis* Theodor & Mesghali,1964 IR
1626. **Phlebotomus (Adlerius) halepensis** Theodor,1958 (Psychodidae) Synonym(s): *halepensis* Theodor,1958 TR SY Hal IR
1627. **Phlebotomus (Adlerius) kabulensis** Artemiev,1978 (Psychodidae) Synonym(s): *kabulensis* Artemiev,1978 AF Kab IR
1628. **Phlebotomus (Adlerius) longiductus** Parrot,1928 (Psychodidae) Synonym(s): *longiductus* Parrot,1928 IR
1629. **Phlebotomus (Adlerius) salengensis** Artemiev,1978 (Psychodidae) Synonym(s): *salengensis* Artemiev,1978 AF IR
1630. **Phlebotomus (Euphlebotomus) mesghali** Seyedi-Rashti & Nadim,1970 (Psychodidae) Synonym(s): *mesghali* Seyedi-Rashti & Nadim,1970 IR
1631. **Phlebotomus (Euphlebotomus) nadimi** Javadian,1997 (Psychodidae) Synonym(s): *nadimi* Javadian,1997 IR
1632. **Phlebotomus (Larrousius) ilami** Javadian,1997 (Psychodidae) Synonym(s): *ilami* Javadian,1997 IR
1633. **Phlebotomus (Larrousius) kandelakii** Shurenkova,1929 (Psychodidae) Synonym(s): *kandelakii* Shurenkova,1929 IR
1634. **Phlebotomus (Larrousius) keshishtani** Shurenkova,1936 (Psychodidae) Synonym(s): *keshishtani* Shurenkova,1936 IR
1635. **Phlebotomus (Larrousius) langeroni** Nitzulescu,1930 (Psychodidae) Synonym(s): *langeroni* Nitzulescu,1930 IR
1636. **Phlebotomus (Larrousius) major** Annandale,1910 (Psychodidae) Synonym(s): *major* Annandale,1910 IR
1637. **Phlebotomus (Larrousius) mascittii** Grassi,1908 (Psychodidae) Synonym(s): *mascittii* Grassi,1908 IR IL Pa
1638. **Phlebotomus (Larrousius) perfiliewi** Parrot,1930 (Psychodidae) Synonym(s): *perfiliewi* Parrot,1930 IR TR
1639. **Phlebotomus (Larrousius) smirnovi** Perfiliew,1941 (Psychodidae) Synonym(s): *smirnovi* Perfiliew,1941 IR
1640. **Phlebotomus (Larrousius) tobbi** Adler & Theodor,1930 (Psychodidae) Synonym(s): *tobbi* Adler & Theodor,1930 IR TR
1641. **Phlebotomus (Larrousius) wenyoni** Adler & Theodor,1930 (Psychodidae) Synonym(s): *wenyoni* Adler & Theodor,1930 IR
1642. **Phlebotomus (Paraphlebotomus) bergeroti** Parrot,1934 (Psychodidae) Synonym(s): *bergeroti* Parrot,1934 IR
1643. **Phlebotomus (Paraphlebotomus) papatasi** (Scopoli,1786) (Psychodidae) Synonym(s): *papatasi* Scopoli,1786 TR IR
1644. **Phlebotomus (Paraphlebotomus) salehi** Mesghali,1965 (Psychodidae) Synonym(s): *salehi* Mesghali,1965 IR
1645. **Phlebotomus (Synphlebotomus) ansarii** Lewis,1958 (Psychodidae) Synonym(s): *ansarii* Lewis,1958 IR
1646. **Phlebotomus (Synphlebotomus) eleanorae** Sinton,1931 (Psychodidae) Synonym(s): *eleanorae* Sinton,1931 IR
1647. **Phlepsioides intricatus** (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1648. **Phlepsioides ornatus** (Perris,1857) (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1649. **Phlepsioides spinulosus** Wagner,1963 (Cicadellidae) Synonym(s): *spinulosus* Wagner,1963 FR IT Sa Si MA TN TR IR
1650. **Phlogotettix cyclops** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1651. **Phradonoma incognitum** Hava,2006 (Dermestidae) Synonym(s): *incognitum* Hava,2006 IR
1652. **Phradonoma jelineki** Hava,2006 (Dermestidae) Synonym(s): *jelineki* Hava,2006 IR AF PK Nwf
1653. **Phradonoma monarchus** Hava,2006 (Dermestidae) Synonym(s): *monarchus* Hava,2006 IR

1654. **Phradonoma nebulosum Hava,2006** (Dermestidae) Synonym(s): *nebulosum Hava,2006* IR
1655. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY
GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
1656. **Phradonoma simile Hava,2006** (Dermestidae) Synonym(s): *simile Hava,2006* IR Fa
1657. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846; convergens
Loew,1846* IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO
RU Sb SK SS ES SE CH UA YU
1658. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua Loew,1846* IT TR B-H
HV FR GR IR IL Pa MK SS ES YU
1659. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei Wiedemann,1820;
maculata Wiedemann,1820; punctata Meigen,1835; zimmermanni Nowicki,1868; gaedei Engel,1933* IT TR
AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1660. **Phthiria inconspicua Becker,1913** (Bombyliidae) Synonym(s): *inconspicua Becker,1913* IR
1661. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796; nigra
Meigen,1804; pygmaea Fabricius,1805; campestris Fallén,1815; major Strobl,1909* AM AZ Cc GG TR AT BY
BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1662. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens Loew,1846; rustica
Loew,1846* TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
1663. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans Loew,1846; pallescens
Engel,1933* AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ
YU
1664. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum
Hermann,1804* PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM
TJ KK AF
1665. **Phycus insignis (Loew,1874)** (Therevidae) Synonym(s): *insignis Loew,1874* TR CY IR
1666. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus Forster,1771;
hauseri Reitter,1894* SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
1667. **Phyllotreta corrugata Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata Reiche,1858* Cc
TR IR AF DZ KG
1668. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae Goeze,1777* TR
Cc IR AF KG MN DZ SD IN
1669. **Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata Foudras,1860*
TR Cc IR IQ AF IN RU
1670. **Phyllotreta egridirensis Gruev & Kasap,1985** (Chrysomelidae) Synonym(s): *egridirensis
Gruev & Kasap,1985* TR IR
1671. **Phyllotreta erysimi Weise,1900** (Chrysomelidae) Synonym(s): *erysimi Weise,1900* TR Cc IR
IL Pa KG RU MN
1672. **Phyllotreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea Pic,1901* BG TR AM IL Pa IR
JO Cc
1673. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata
Kutschera,1860* TR Cc GR IT MT IR AF KG RU CN
1674. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes Fabricius,1775*
TR Cc IR AF DZ KG
1675. **Phyllotreta ochripes (Curtis,1837)** (Chrysomelidae) Synonym(s): *ochripes Curtis,1837* Cc TR
IR RU Sb
1676. **Phyllotreta pallidipennis Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis
Reitter,1891* TR Cc IR KG RU Sb MN CN Ti
1677. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola Weise,1887* Cc TR
IR AF KG RU Sb MN CN IN
1678. **Phyllotreta procera (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *procera
Redtenbacher,1849* TR Cc IR
1679. **Phyllotreta sisymbrii Weise,1888** (Chrysomelidae) Synonym(s): *sisymbrii Weise,1888* RU
Cc TR IR
1680. **Phyllotreta variipennis (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *variipennis
Boieldieu,1859* TR IR DZ
1681. **Phyllotreta wiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana Jacobson,1901*
TR Cc RU IR KG
1682. **Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae Preyssler,1791* AT FR RU
ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1683. **Physocephala zaitsevi Zimina,1979** (Conopidae) Synonym(s): *zaitsevi Zimina,1979*
Physocephala zaitsevi Zimina,1979, Trudy Vses. Ent. Obshch. 61: 196-197. TM IR Elb Th TR
1684. **Phytoecia caerulea (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea Scopoli,1772* TR Cc
IR GR
1685. **Pimelia atarnites Baudi,1875** (Tenebrionidae) Synonym(s): *atarnites Baudi,1875* IR
1686. **Pimelia cursor Ménériés,1832** (Tenebrionidae) Synonym(s): *cursor Ménériés,1832* Cc AM
IR
1687. **Pimelia dubia Faldermann,1837** (Tenebrionidae) Synonym(s): *dubia Faldermann,1837* Cc IR
1688. **Pimelia gestroi S enac,1884** (Tenebrionidae) Synonym(s): *gestroi S enac,1884* IR

1689. **Pimelia gracilipes** S nac,1886 (Tenebrionidae) Synonym(s): *gracilipes* S nac,1886 IR
1690. **Pimelia persica** Baudi,1875 (Tenebrionidae) Synonym(s): *persica* Baudi,1875 IR
1691. **Pimelia tuberculata** Fischer von Waldheim,1832 (Tenebrionidae) Synonym(s): *tuberculata* Fischer von Waldheim,1832 Cc RU Sb IR
1692. **Pimpla spuria** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829 TR Cc KG RU At IR
1693. **Plagionotus arcuatus** (Linnaeus,1758) (Cerambycidae) Synonym(s): *arcuatus* Linnaeus,1758 CZ DZ Cc TR IR
1694. **Plagionotus bartholomaei** (Motschoulsky,1859) (Cerambycidae) Synonym(s): *bartholomaei* Motschoulsky,1859 Cc AZ IR Kh
1695. **Plagionotus detritus** (Linnaeus,1758) (Cerambycidae) Synonym(s): *detritus* Linnaeus,1758 CZ RU Cc KG IR
1696. **Plagionotus lugubris** (M n tri s,1832) (Cerambycidae) Synonym(s): *lugubris* M n tri s,1832 Cc IR Kh TR
1697. **Plagiotrochus kiefferianus** Tavares,1901 (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901 PT ES FR IT MA AZ Cc IR IL Pa GR
1698. **Platycephala isinensis** Kubik & Bartak,2008 (Chloropidae) Synonym(s): *isinensis* Kubik & Bartak,2008 IR
1699. **Platycerus caraboides** (Linnaeus,1758) (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carmiolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1700. **Platycerus primigenius** Weise,1960 (Lucanidae) Synonym(s): *primigenius* Weise,1960 TR Cc AZ IR Elb TM Kp
1701. **Platycleis (Decorana) capitata** Uvarov,1917 (Tettigoniidae) Synonym(s): *capitata* Uvarov,1917 IR
1702. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae) Synonym(s): *persica* Uvarov,1917 Cc IR Elb Th TR
1703. **Platycleis (Montana) richteri** Bei-Bienko,1958 (Tettigoniidae) Synonym(s): *richteri* Bei-Bienko,1958 IR Elb Gor
1704. **Platycleis (s.str.) escalerae** Bolivar,1899 (Tettigoniidae) Synonym(s): *escalerae* Bolivar,1899; *iphigeniae* Adelung,1907; *graeca* Harz,1966 TR Cc AZ Nv Ord IR Ak Ab Elb IL Pa
1705. **Platycnemis dealbata** Selys,1863 (Platycnemidae) Synonym(s): *dealbata* Selys,1863 TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
1706. **Platymetopius (Quernus) quercinus** Dlabola,1974 (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974 IR TR
1707. **Platymetopius (s.str.) obsoletus** (Signoret,1880) (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880 EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1708. **Platymetopius centralasiae** Dlabola,1960 (Cicadellidae) Synonym(s): *centralasiae* Dlabola,1960 AF IR UZ
1709. **Platymetopius cruentatus** Haupt,1927 (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927 IR IQ IL Pa JO TR
1710. **Platymetopius distinctus** Melichar,1902 (Cicadellidae) Synonym(s): *distinctus* Melichar,1902 AF IR UZ
1711. **Platymetopius exhereditus** Dlabola & Heller,1962 (Cicadellidae) Synonym(s): *exhereditus* Dlabola & Heller,1962 AF IR
1712. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1713. **Platymetopius quercinus** Dlabola,1974 (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974 TR IR
1714. **Platymetopius rostratus** (Herrich-Sch ffer,1834) (Cicadellidae) Synonym(s): *rostratus* Herrich-Sch ffer,1834; *decipiens* Horvath,1894 AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1715. **Platymetopius safavii** Dlabola,1971 (Cicadellidae) Synonym(s): *safavii* Dlabola,1971 IR TR
1716. **Platymetopius shirazicus** Dlabola,1974 (Cicadellidae) Synonym(s): *shirazicus* Dlabola,1974 IR TR
1717. **Platymyrmilla quinquefasciata** (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811 TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
1718. **Platypleura testacea** (Walker,1858) (Cicadidae) Synonym(s): *testacea* Walker,1858 IR
1719. **Platyproctus roseovittatus** Dlabola,1960 (Cicadellidae) Synonym(s): *roseovittatus* Dlabola,1960 IR TJ
1720. **Platypygus kurdorum** Paramonov,1929 (Mythicomyiidae) Synonym(s): *kurdorum* Paramonov,1929; *persicus* Paramonov,1934 TR IR Cc AZ AM GG
1721. **Pochazia umbrata** Melichar,1896 (Ricaniidae) Synonym(s): *umbrata* Melichar,1896 IR TM RU Sb
1722. **Podagrica malvae** (Illiger,1807) (Chrysomelidae) Synonym(s): *malvae* Illiger,1807 Cc TR IR

1723. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ
BF CM GM GN CI FR MA PT OM ES SN SO ZA
1724. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833*
IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1725. **Podagrionella caudata Narendran,1994** (Torymidae) Synonym(s): *caudata Narendran,1994*
IR Ss IN
1726. **Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini*
Picard,1933 IR Ak Cn FR KG ES
1727. **Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus Ramme,1933*;
rufonitens Ingrisch & Pavicevic,1985 TR AF IR IQ SY IL Pa GR
1728. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis Meigen,1824*
BG Cc GG GR RO RU TR UA Cm IR UZ
1729. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum*
Fabricius,1794 IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1730. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis Linnaeus,1758*;
alpium Blüthgen,1957 IR Cc TR RU Ur Sb Am Us KG MN
1731. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus Christ,1791*;
bucharensis Erichson,1949; *mucheii Gusenleitner,1976* IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK
SE UZ Br AF IR AM Cc IL Pa JO CA AU
1732. **Polistes (s.str.) iranus Guiglia,1976** IR
1733. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer*
Zimmermann,1930 Md ES TR DZ EG IL IR
1734. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus Loew,1848* AZ Cc RU
GR AL IR IL Pa TR SY
1735. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s):
olivieri Laporte de Castelnau,1840 RU Cc AM GG AL GR TR IR SY IL Pa
1736. **Polysarcus elbursianus (Uvarov,1929)** (Tettigoniidae) Synonym(s): *elbursianus*
Uvarov,1929; *rechingeri Werner,1939* IR Elb Dam
1737. **Poophilus costalis (Walker,1851)** (Cercopidae) Synonym(s): *costalis Walker,1851* AF CN IR
Cc AZ
1738. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus Lethierry,1876*
Cc TR AF IR AM GG KG TM
1739. **Populicerus sharifi Dlabola,1977** (Cicadellidae) Synonym(s): *sharifi Dlabola,1977* IR TR
1740. **Prionosthenus (Lavivertex) iranicus Werner,1939** (Pamphagidae) Synonym(s): *iranicus*
Werner,1939 IR Elb Th
1741. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis Mulsant &*
Rey,1855; *albolimbatus Kirschbaum,1868* FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
1742. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes*
Fonscolombe,1832; *nebulosa Fonscolombe,1840*; *sexdentata Förster,1855*; *decepiens Masi,1929* AL DZ Cn HV
CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
1743. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus Wiedemann,1818* IR Fa
TR AF RU KG CN TW
1744. **Promachus griseiventris Becker,1913** (Asilidae) Synonym(s): *griseiventris Becker,1913*;
aegyptiacus Efflatoun,1929 IR Ss Ke EG IL Pa SD
1745. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus Loew,1848* YU SS B-H HV
RO Cc AZ RU GR IL Pa TR IR Fa IN MM
1746. **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis Loew,1857* CY SY TR IR
Es
1747. **Promachus rectangularis Loew,1854** (Asilidae) Synonym(s): *rectangularis Loew,1854*;
cinctipes Walker,1871 IR Ke Ss EG YE ET
1748. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus*
Pallas,1781 BG GR TR IR IL Pa SY LB
1749. **Prosodes (Dilopersina) chorassanica G.Medvedev,1996** (Tenebrionidae) Synonym(s):
chorassanica G.Medvedev,1996 IR Kh
1750. **Prosodes (Dilopersina) cribrella (Baudi,1874)** (Tenebrionidae) Synonym(s): *cribrella*
Baudi,1874 IR Kh
1751. **Prosodes (Dilopersina) exilis G.Medvedev,1996** (Tenebrionidae) Synonym(s): *exilis*
G.Medvedev,1996 IR Kh
1752. **Prosodes (Dilopersina) jakowlewi Semenov,1894** (Tenebrionidae) Synonym(s): *jakowlewi*
Semenov,1894 IR Kh
1753. **Prosodes (Dilopersina) mithras Reitter,1904** (Tenebrionidae) Synonym(s): *mithras*
Reitter,1904 IR Kh
1754. **Prosodes (Dilopersina) parthenica G.Medvedev,1996** (Tenebrionidae) Synonym(s):
parthenica G.Medvedev,1996 IR Kh
1755. **Prosodes (Meropersina) fabiani G.Medvedev & Merkl,2005** (Tenebrionidae)
Synonym(s): *fabiani G.Medvedev & Merkl,2005* IR Kd

1756. **Prosodes (Meropersina) laevigata (Baudi,1874)** (Tenebrionidae) Synonym(s): *laevigata Baudi,1874* IR Elb
1757. **Prosodes (Meropersina) vermiculosa Reitter,1909** (Tenebrionidae) Synonym(s): *vermiculosa Reitter,1909* IR
1758. **Prosodes (Meropersina) vigi G.Medvedev & Merkl,2005** (Tenebrionidae) Synonym(s): *vigi G.Medvedev & Merkl,2005* IR Fa
1759. **Prosodes (Prosodoscelis) solskyi Faust,1875** (Tenebrionidae) Synonym(s): *solskyi Faust,1875* IR Kh
1760. **Protaetia (Calopotisia) ignisternum Reitter,1891** (Scarabaeidae) Synonym(s): *ignisternum Reitter,1891* IR
1761. **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa Adams,1817; psittacina Ménériés,1832* TR IT TM SY IR Fa
1762. **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis Andersch,1797* FR IT Sa Co SY TR IR
1763. **Protaetia (Netocia) persica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *persica Kraatz,1886* IR TM
1764. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana Gory & Percheron,1833* Cc AM GG GR BG TR AZ IR LY Cy DZ
1765. **Protaetia (Netocia) zagrosica (Alexis & Delpont,2001)** (Scarabaeidae) Synonym(s): *zagrosica Alexis & Delpont,2001* IR Fa
1766. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica Latreille,1807 (praeocc.); angustata Germar,1817; muelleri Reitter,1897; angustula Reitter,1898; eibesensis Reitter,1902; orientalis Alexis & Delpont,1996 nec Gory & Percheron,1833* HU HV TR SY IR
1767. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris Gory & Percheron,1833; exclamationis Faldermann,1835; funesta Ménériés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000* RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv
1768. **Protaetia (Potosia) hieroglyphica (Ménériés,1832)** (Scarabaeidae) Synonym(s): *hieroglyphica Ménériés,1832; pulverulenta Motschoulsky,1845; ganglbaueri Reitter,1891; depressiuncula Reitter,1891* Cc AZ TM IR PK
1769. **Protonemura elbourzi Aubert,1964** (Nemouridae) Synonym(s): *elbourzi Aubert,1964* IR
1770. **Protonemura waliabadi Aubert,1964** (Nemouridae) Synonym(s): *waliabadi Aubert,1964* IR
1771. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914* AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
1772. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
1773. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus Linnaeus,1758; striata Fabricius,1794 (praeocc.); strigatus Germar,1821; varipennis Herrich-Schäffer,1838; pallidus Flor,1861; flavipennis Scott,1876; amyoti Vismara,1878; divergens Rey,1894; capitatus Matsumura,1908; immundus Matsumura,1908* BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
1774. **Pseudaraeopus bolivari (Melichar,1901)** (Delphacidae) Synonym(s): *bolivari Melichar,1901* ES Cn EG IR IL PT ES
1775. **Pseudaraeopus curtulus Dlabola,1960** (Delphacidae) Synonym(s): *curtulus Dlabola,1960* IR
1776. **Pseudaraeopus iranicus Dlabola,1960** (Delphacidae) Synonym(s): *iranicus Dlabola,1960* IR
1777. **Pseuderimerus irani Zerova & Seryogina,2008** (Torymidae) Synonym(s): *irani Zerova & Seryogina,2008* IR Lo
1778. **Pseudimares iris Kimmins,1933** (Myrmeleoneidae) Synonym(s): *iris Kimmins,1933* IR
1779. **Pseudoliarus fuscifasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscifasciatus Melichar,1902; obliteratus Kusnezov,1937; aegyptiacus Wagner,1954* EG IR LY TN Cc AM TR RU TJ TM YE
1780. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami Bischoff,1920; zarudnyi Skorikov,1935* KG UZ TJ KK TM IR Ke AF IN Rj
1781. **Pseudophotopsis brachythorax (Skorikov,1935)** (Mutillidae) Synonym(s): *brachythorax Skorikov,1935* IR Kh AF TM TJ
1782. **Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caspica Radoszkowski,1885; radoszkowskyi Morawitz,1890; selevkida Skorikov,1935* TM Kp UZ KK IR AF
1783. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica Radoszkowski,1885; caucasicola Dalla Torre,1897;* Cc GG AM AZ TR IR Elb AF TM CY
1784. **Pseudophotopsis irana (Skorikov,1935)** (Mutillidae) Synonym(s): *irana Skorikov,1935; cithara Skorikov,1935* IR Kh Ke AF IN Rj
1785. **Pseudophotopsis kermana Skorikov,1935** (Mutillidae) Synonym(s): *kermana Skorikov,1935* IR Ke
1786. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii Radoszkowski,1885; askhabadensis Radoszkowski,1885; oculosa Skorikov,1935; inductrix Skorikov,1935; asiatica Suarez,1965* KG KK UZ TJ TM Kp IR CY EG DZ

1787. **Pseudophotopsis pavlovskyi Skorikov,1935** (Mutillidae) Synonym(s): *pavlovskyi Skorikov,1935; melanocephala Skorikov,1935* **TM Kp IR KK UZ AF**
1788. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda Skorikov,1935; robusta Skorikov,1935; mavromoustakisi Suarez,1959; #schachrudii Özbek et al.,1999; caucasica auct.* **TM IR TR CY AM Cc IL Pa**
1789. **Pseudotorymus euphorbiae Zerova & Seryogina,1999** (Torymidae) Synonym(s): *euphorbiae Zerova & Seryogina,1999* **IR UA**
1790. **Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis Mayr,1874* **IR Ak AT CZ MN RO SE UA GB**
1791. **Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris Boheman,1834; parellinus Boheman,1834* **DE SE CZ UA TR IR Ab Oru**
1792. **Pseudotorymus regalis Askew,2006** (Torymidae) Synonym(s): *regalis Askew,2006* **IR Lo**
1793. **Pseudotorymus stachidis (Mayr,1874)** (Torymidae) Synonym(s): *stachidis Mayr,1874* **IR Fa AT HU SE**
1794. **Pseudovadonia livida (Fabricius,1776)** (Cerambycidae) Synonym(s): *livida Fabricius,1776* **RU Cc TR IR DE CZ**
1795. **Psilocurus hypopygialis (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis Paramonov,1930; ?ltranslatus Oldroyd,1958* **IR Kz AM Cc AZ IQ**
1796. **Psylliodes aristus Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus Jablokoff-Khnzorian,1962* **TR Cc AM GG IR**
1797. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus Illiger,1807* **TR Cc IR KG RU Sb CN**
1798. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus Linnaeus,1758* **TR Cc DZ IR**
1799. **Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus Redtenbacher,1842* **TR Cc IR**
1800. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus Koch,1803* **Cc TR IR KG RU Sb MN DZ**
1801. **Psylliodes inflatus Reiche,1856** (Chrysomelidae) Synonym(s): *inflatus Reiche,1856* **TR IR**
1802. **Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis Heikertinger,1912* **TR Cc IR KG RU Sb MN**
1803. **Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus O.F.Müller,1776* **TR IR Cc**
1804. **Pterocheilus tenebricosus Gusenleitner,1998** (Vespidae) Synonym(s): *tenebricosus Gusenleitner,1998* **IR Fa**
1805. **Ptyngidricerus albardanus (McLachan,1891)** (Ascalaphidae) Synonym(s): *albardanus McLachan,1891* **TR IR**
1806. **Ptyngidricerus albardanus pterostygmatus Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): *pterostygmatus Alexandrov-Martynov,1926* **IR**
1807. **Ptyngidricerus venustus (Tjeder & Waterson,1977)** (Ascalaphidae) Synonym(s): *venustus Tjeder & Waterson,1977* **IR OM**
1808. **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis Götz,1783* **GR SK HU Cc TR SY IR**
1809. **Purpuricenens deyrollei Thomson,1867** (Cerambycidae) Synonym(s): *deyrollei Thomson,1867* **IR Kh**
1810. **Purpuricenens kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri Linnaeus,1758* **GR Cc TR IR**
1811. **Purpuricenens sasanus Kadlec,2006** (Cerambycidae) Synonym(s): *sasanus Kadlec,2006* **IR**
1812. **Purpuricenens talyshensis Reitter,1914** (Cerambycidae) Synonym(s): *talyshensis Reitter,1914* **IR Elb Mz AZ Cc**
1813. **Purpuricenens tommasoii Sama,2001** (Cerambycidae) Synonym(s): *tommasoii Sama,2001* **TR IR Fa IQ**
1814. **Purpuricenens wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui Levrat,1858* **Cc AM TR IR**
1815. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus Loew,1847* **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
1816. **Pycnopogon hirsutus Becker,1913** (Asilidae) Synonym(s): *hirsutus Becker,1913* **IR Ss**
1817. **Pycnopogon leucostomus Engel,1930** (Asilidae) Synonym(s): *leucostomus Engel,1930* **FR Cc RU TR IR Elb Mz AM**
1818. **Pycnopogon melanostomus Loew,1874** (Asilidae) Synonym(s): *melanostomus Loew,1874* **IR Kz Mz Elb EG KG**
1819. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus Loew,1847; anthophorinus Loew,1847* **TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG**
1820. **Pyrellia vivida Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina auct.; vivida Robineau-Desvoidy,1830* **Cc AM Eri AZ TR IR PK IN CN**

1821. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata Fischer von Waldheim,1820* *Acrydium armatum Fischer von Waldheim,1820*, Ent. ross. 1: 37. Type(s): Russia. TR Cc RU KG AF TM IR KK
1822. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877* TR SN LY SD TD IR SA
1823. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri Burr,1899; brevipennis Bolivar,1904; predtetschenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961* TR IR TM IL Pa SY IR ZM
1824. **Pyrobombus niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus Kriechbaumer,1870* TR Cc IR
1825. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1826. **Quartinia atrata Gusenleitner,1998** (Vespidae) Synonym(s): *atrata Gusenleitner,1998* IR Fa
1827. **Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): *minutissimus Germar,1817* AT TR IR
1828. **Ramburiella bolivari (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari Kuthy,1907; elegans Uvarov,1910* *Stethophyma bolivari Kuthy,1907*, Annls Hist. nat. Mus. natn. Hung. 5: 431. Type(s): Asia Minor (types lost!). TR Cc IR RU KG
1829. **Raphidia (Caucasoraphidia) ressliana H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *ressliana H.Aspöck & U.Aspöck,1970* IR Elb Clu
1830. **Raphidia (s.str.) ophiopsis Linnaeus,1758** (Raphidiidae) Synonym(s): *ophiopsis Linnaeus,1758* IR
1831. **Raphidia wittmeri H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *wittmeri H.Aspöck & U.Aspöck,1970* IR Tlh
1832. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1833. **Reminasus ephippium (Macquart,1855)** (Asilidae) Synonym(s): *ephippium Macquart,1855; pulcher Ricardo,1922* IR CN IN MN LK
1834. **Rhabdogaster cinerascens (Wulp,1899)** (Asilidae) Synonym(s): *cinerascens Wulp,1899* IR YE KE
1835. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix Loew,1856* IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
1836. **Rhagoletis cerasi (Linnaeus,1758)** (Tephritidae) Synonym(s): *cerasi Linnaeus,1758* RU Sb KG GG Cc IR Th Elb TR
1837. **Rhagoletis flavicincta Enderlein,1934** (Tephritidae) Synonym(s): *flavicincta Enderlein,1934* IR Th Elb RU Sr UA KG KK TJ UZ
1838. **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis M.Hering,1958* KG KK TJ TM IR TR Cc CH
1839. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763* TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
1840. **Rhagonycha ghilanensis Dahlgren,1985** (Cantharidae) Synonym(s): *ghilanensis Dahlgren,1985* IR Elb AM Cc
1841. **Rhagonycha hyrcana Svihla,2002** (Cantharidae) Synonym(s): *hyrcana Svihla,2002* IR
1842. **Rhagonycha iranica Wittmer,1972** (Cantharidae) Synonym(s): *iranica Wittmer,1972* IR
1843. **Rhagonycha morvani Wittmer,1974** (Cantharidae) Synonym(s): *morvani Wittmer,1974* IR Fa
1844. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus Scopoli,1763; aurifer Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferghanensis Newskij,1929; armeniacus Zaitzev,1937* AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
1845. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus Linnaeus,1758; laetus Germar,1824; circassicus Voss,1938* DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
1846. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus De Geer,1775; alliaria Fabricius,1775; pubescens Rossi,1790; nanus Marshall,1802; conicus Illiger,1807; ussuriensis Voss,1930* DE BG DK FR SE GB IR Cc TR JP RU Sb Us
1847. **Rhynchites giganteus Krynický,1832** (Attelabidae) Synonym(s): *giganteus Krynický,1832* BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
1848. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus Herbst,1784; marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903; maculicollis Reitter,1916; suturifer Reitter,1916* BG AM Cc HU IR MK RU Sb SY TR GR
1849. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis Desbrochers,1869* AM Cc TR IR TM JO SY
1850. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum Fabricius,1781; hebraeum Giordani & Soika,1952* Cn ES IT Si GR Cr TR OM IR EG JO

1851. **Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889 **RU Cc IR TR**
1852. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778 **GB SE Cc RU TR IR CN UI**
1853. **Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878 **TR Cc IR**
1854. **Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758 **Cc TR IR CN Ui Ti**
1855. **Rhyparochromus zarudnyi (Jakovlev,1905)** (Lygaeidae) Synonym(s): *zarudnyi* Jakovlev,1905 **TR IR**
1856. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 **AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA**
1857. **Ricania soraya Dlabola,1983** (Ricaniidae) Synonym(s): *soraya* Dlabola,1983 **IR**
1858. **Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988 **TR Cc IR SY**
1859. **Rivetina dolichoptera (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): *dolichoptera* Schulthess-Rechberg,1894 **IR Ss PK Bl SA YE AE**
1860. **Rivetina excellens Beier,1956** (Mantidae) Synonym(s): *excellens* Beier,1956 **IR IQ YE AE**
1861. **Rivetina inermis (Uvarov,1923)** (Mantidae) Synonym(s): *inermis* Uvarov,1923 **YE SA IR BH**
1862. **Rivetina rhombicollis La Greca & Lombardo,1982** (Mantidae) Synonym(s): *rhombicollis* La Greca & Lombardo,1982 **IR AF PK**
1863. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 **TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR**
1864. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosona* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 **Gryllus nitidulus** Scopoli,1786, **Delicidae florum & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA**
1865. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 **Saga ephippigera Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd**
1866. **Salentia fuscipennis A.Costa,1857** (Therevidae) Synonym(s): *fuscipennis* A.Costa,1857 **TR IT IR**
1867. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; **CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb Tj TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU**
1868. **Saperda maculosa Ménétriés,1832** (Cerambycidae) Synonym(s): *maculosa* Ménétriés,1832 **IR Cc AZ**
1869. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880 **IR TR Cc**
1870. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986 **Sapyga morawitzi Turner,1911, Ann. Mag. nat. Hist. (8) 7: 309-310. Holotype: Iran: SW Persia (Escalera leg.) (BMNH). TR GR Cr IR**
1871. **Saropogon alternatus Loew,1873** (Asilidae) Synonym(s): *alternatus* Loew,1873; *alternans* Loew,1873 **IR Ss**
1872. **Saropogon bijani Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *bijani* Abbassian-Lintzen,1964 **IR Kz**
1873. **Saropogon clausus Becker,1906** (Asilidae) Synonym(s): *clausus* Becker,1906; *vosseleri* Becker,1906 **IR Ss Kh DZ MA TN**
1874. **Saropogon distinctus Becker,1906** (Asilidae) Synonym(s): *distinctus* Becker,1906 **IR Fa**
1875. **Saropogon fucatus Loew,1869** (Asilidae) Synonym(s): *fucatus* Loew,1869 **ES DZ IR Ss**
1876. **Saropogon gigas Becker,1913** (Asilidae) Synonym(s): *gigas* Becker,1913 **IR Ss Ke**
1877. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869 **TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES**
1878. **Saropogon longicornis (Macquart,1838)** (Asilidae) Synonym(s): *longicornis* Macquart,1838 **IR Ss Kh Th Elb EG IL Pa**
1879. **Saropogon luctuosus (Wiedemann,1820)** (Asilidae) Synonym(s): *luctuosus* Wiedemann,1820; *nigripennis* Costa,1844 **IR Ak Ab HV GR FR IT PT**
1880. **Saropogon mofidii Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *mofidii* Abbassian-Lintzen,1964 **IR Kz**

1881. **Saropogon platynotus (Loew,1847)** (Asilidae) Synonym(s): *platynotus* Loew,1847 **TR IR Elb Mz**
1882. **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus* Loew,1869 **TN EG ES TR IR Es**
1883. **Saropogon verticalis Oldroyd,1958** (Asilidae) Synonym(s): *verticalis* Oldroyd,1958 **IR Ss Kz**
1884. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828; *aegypticus* Macquart,1838; *confluens* Loew,1851 **TR IR Ss IL Pa EG SY LY CH**
1885. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 **IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR**
1886. **Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 **TR ES IR GB HU GR Cr**
1887. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 **AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU**
1888. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménériés,1832; *nigrociliatus* Motschoulsky,1849 **RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG**
1889. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 **ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM**
1890. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 **ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR**
1891. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938 **UZ TM Kp AF IR IQ SY KG PK TJ TR**
1892. **Scarabaeus zagrosensis Montreuil,2006** (Scarabaeidae) Synonym(s): *zagrosensis* Montreuil,2006 **IR Fa SY**
1893. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 **MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa**
1894. **Schizoprymnus obscurus (Nees,1813)** (Braconidae) Synonym(s): *obscurus* Nees,1813 **RU UA Cm IR TR**
1895. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg**
1896. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **TR Cc AZ IR PK IN LK SA SO TZ Cn**
1897. **Scotodryadusa persa (Uvarov,1917)** (Tettigoniidae) Synonym(s): *persa* Uvarov,1917 **IR Elb Th**
1898. **Scotodryadusa persica (Chopard,1921)** (Tettigoniidae) Synonym(s): *persica* Chopard,1921 **IR Qz**
1899. **Scotodryadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939 **IL Pa JO SY TR IQ IR AF**
1900. **Scylaticus elamiensis Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *elamiensis* Abbassian-Lintzen,1964 **IR Kz**
1901. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882 **FR GR MA DZ TN BG TR IR Ab Mak**
1902. **Selenocephalus anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957 **TR IR**
1903. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 **AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU**
1904. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 **AL AT GR HU IL Pa IR IT TR RU UA YU**
1905. **Semnosia herminae (Reitter,1890)** (Cerambycidae) Synonym(s): *herminae* Reitter,1890; *gobustanica* Danilevsky,1990 **AZ AM Cc TR IR**
1906. **Semnosia mirabilis (Faldermann,1837)** (Cerambycidae) Synonym(s): *mirabilis* Faldermann,1837 **TR IR Mz Elb Fa**
1907. **Semnosia scovitzi (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzi* Faldermann,1837 **TR AM Cc AZ IR**
1908. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 **TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh**
1909. **Sergentomyia (Grassomyia) dreyfussi Theodor & Mesghali,1964** (Psychodidae) Synonym(s): *dreyfussi* Theodor & Mesghali,1964 **IR**
1910. **Sergentomyia (Grassomyia) dreyfussi turkestanica Theodor & Mesghali,1964** (Psychodidae) Synonym(s): *turkestanica* Theodor & Mesghali,1964 **IR**
1911. **Sergentomyia (Grassomyia) indica (Theodor,1931)** (Psychodidae) Synonym(s): *indica* Theodor,1931 **IN IR**

1912. **Sergentomyia (Grassomyia) squamipleuris (Newstead,1912)** (Psychodidae)
Synonym(s): *squamipleuris* Newstead,1912 IR
1913. **Sergentomyia (Parrotomyia) africana (Newstead,1912)** (Psychodidae) Synonym(s):
africana Newstead,1912 IR
1914. **Sergentomyia (Parrotomyia) baghdadis (Adler & Theodor,1929)** (Psychodidae)
Synonym(s): *baghdadis* Adler & Theodor,1929 IQ IR
1915. **Sergentomyia (Parrotomyia) bailyi (Sinton,1931)** (Psychodidae) Synonym(s): *bailyi*
Sinton,1931 IR
1916. **Sergentomyia (Parrotomyia) grekovi (Chodukin,1929)** (Psychodidae) Synonym(s):
grekovi Chodukin,1929 IR
1917. **Sergentomyia (Parrotomyia) palestinensis (Adler & Theodor,1927)** (Psychodidae)
Synonym(s): *palestinensis* Adler & Theodor,1927 IL Pa IR
1918. **Sergentomyia (Parrotomyia) sogdiana (Parrot,1929)** (Psychodidae) Synonym(s):
sogdiana Parrot,1929 UZ IR
1919. **Sergentomyia (Parrotomyia) sumbarica (Perfiliew,1933)** (Psychodidae) Synonym(s):
sumbarica Perfiliew,1933 IR
1920. **Sergentomyia (Parvidens) iranica (Lewis & Mesghali,1961)** (Psychodidae) Synonym(s):
iranica Lewis & Mesghali,1961 IR
1921. **Sergentomyia (Rondonomyia) dolichopus (Abonnene & Courtois,1970)** (Psychodidae)
Synonym(s): *dolichopus* Abonnene & Courtois,1970 IR
1922. **Sergentomyia (Rondonomyia) hodgsoni (Sinton,1933)** (Psychodidae) Synonym(s):
hodgsoni Sinton,1933 IR
1923. **Sergentomyia (Rondonomyia) pawlowskyi (Perfiliew,1933)** (Psychodidae) Synonym(s):
pawlowskyi Perfiliew,1933 IR
1924. **Sergentomyia (s.str.) antennata (Newstead,1912)** (Psychodidae) Synonym(s): *antennata*
Newstead,1912 IR
1925. **Sergentomyia (s.str.) dentata (Sinton,1933)** (Psychodidae) Synonym(s): *dentata*
Sinton,1933 IR
1926. **Sergentomyia (s.str.) mervynae Pringle,1953** (Psychodidae) Synonym(s): *mervynae*
Pringle,1953 IR
1927. **Sergentomyia (s.str.) sintoni (Pringle,1953)** (Psychodidae) Synonym(s): *sintoni*
Pringle,1953 IR
1928. **Sergentomyia (s.str.) theodori (Parrot,1942)** (Psychodidae) Synonym(s): *theodori*
Parrot,1942 IR
1929. **Sergentomyia (Sintonius) adleri (Theodor,1933)** (Psychodidae) Synonym(s): *adleri*
Theodor,1933 IR
1930. **Sergentomyia (Sintonius) christophersi (Sinton,1927)** (Psychodidae) Synonym(s):
christophersi Sinton,1927 IR
1931. **Sergentomyia (Sintonius) tiberiadis (Adler, Theodor & Lourie,1930)** (Psychodidae)
Synonym(s): *tiberiadis* Adler, Theodor & Lourie,1930 IL Pa IR
1932. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 AF CY IR
IQ IL TR RU Da Cc AZ UZ
1933. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV
IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
1934. **Silpha tristis Illiger,1798** (Silphidae) Synonym(s): *tristis* Illiger,1798 TR Cc IR
1935. **Simulium (Byssodon) heptapotamicum Rubtsov,1940** (Simuliidae) Synonym(s):
heptapotamicum Rubtsov,1940 KG AZ Cc IR TJ TM
1936. **Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): *paucispis*
Rubtsov,1947 TJ TM UZ IR IQ AM Cc
1937. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus*
Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1938. **Sinodendron persicum Reitter,1902** (Lucanidae) Synonym(s): *persicum* Reitter,1902 IR Elb
Gh Mz TM Kp Cc AZ
1939. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
xanthostomus Gravenhorst,1829 DZ TR CY IL Pa JO Cc AM IR SA
1940. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata*
Radoszkowski,1885 RU Cc AZ KG UZ TM IR KK
1941. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris*
Lacordaire,1848; *biornata* Lefebvre,1872 BG TR IQ IR Cc
1942. **Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806;
dorsalis Olivier,1808 BG GR TR Cc IR
1943. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix*
Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949;
dogensis Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 ES
Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
1944. **Solter felderi Navas,1912** (Myrmeleonidae) Synonym(s): *felderi* Navas,1912 AF Ch IR

1945. **Solter gaudryi Navas,1914** (Myrmeleonidae) Synonym(s): *gaudryi Navas,1914* **CY IR**
1946. **Solter hardei Hölzel,1968** (Myrmeleonidae) Synonym(s): *hardei Hölzel,1968* **IR**
1947. **Solter iranensis Hölzel,1967** (Myrmeleonidae) Synonym(s): *iranensis Hölzel,1967* **IR**
1948. **Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri Navas,1912* **SY LB IR**
1949. **Solter resslı Hölzel,1972** (Myrmeleonidae) Synonym(s): *resslı Hölzel,1972* **IR**
1950. **Solter robustus Hölzel,1972** (Myrmeleonidae) Synonym(s): *robustus Hölzel,1972* **IR**
1951. **Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae Hölzel,1967* **IQ IR AF**
PK IL
1952. **Sphodromantis trimacula (Saussure,1870)** (Mantidae) Synonym(s): *trimacula Saussure,1870; arabica Wood-Mason,1882; dhufarica Uvarov,1933* **IQ IR SA OM YE**
1953. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus Scopoli,1763* **Cc**
TR IR CY IQ TM YU GR
1954. **Stegastopsis crassicornis Baudi,1874** (Tenebrionidae) Synonym(s): *crassicornis Baudi,1874*
IR
1955. **Stegastopsis persica Baudi,1874** (Tenebrionidae) Synonym(s): *persica Baudi,1874* **IR**
1956. **Stegelytra sororcula Dlabola,1974** (Cicadellidae) Synonym(s): *sororcula Dlabola,1974* **IR TR**
1957. **Stenobothrus (Stenobothrodes) wernerı Adelung,1907** (Acrididae) Synonym(s): *wernerı Adelung,1907* **Cc TR IR**
1958. **Stenodera caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica Pallas,1781* **TR Cc SY**
IL Pa IR RU Sb
1959. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus Pallas,1818* **IR Fa BG DE**
FR HU PL RO YU RU TR Cc AZ AM GG KG
1960. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus Loew,1847* **IT FR HU**
RO GR BG TR IR
1961. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus Meigen,1804* **TR IR**
EG GR FR HU IL Pa RO RU TN
1962. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus Macquart,1838* **MA DZ TN EG IL Pa IR Ss**
1963. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* **IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA**
1964. **Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus Loew,1851; bicolor Bigot,1878* **TR Cc RU AF CN IR Fa AZ**
1965. **Stenopogon mollis Loew,1868** (Asilidae) Synonym(s): *mollis Loew,1868* **Cc RU TR IR Elb**
Dam AM
1966. **Stenopogon nataliae Richter,1963** (Asilidae) Synonym(s): *nataliae Richter,1963* **Cc RU TR IR**
Mz Elb AM
1967. **Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): *nigriventris Loew,1868* **Cc RU**
GR TR IR AZ
1968. **Stenopogon rufipilus (Loew,1873)** (Asilidae) Synonym(s): *rufipilus Loew,1873* **TR IR Kh**
1969. **Stenopogon sabaudus (Fabricius,1794)** (Asilidae) Synonym(s): *sabaudus Fabricius,1794; fulvus Pallas,1818* **Cc RU TR IR Kd**
1970. **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron Loew,1873; theseus Loew,1873*
TR IR Fa Ss Ke AF AZ Cc EG CN
1971. **Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus Brullé,1832* **TR**
IR Es AL GR RO
1972. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus Linnaeus,1767* **Cc IR**
FR HV TR SY LB JO IL Pa
1973. **Stenoria analis Schaum,1859** (Meloidae) Synonym(s): *analis Schaum,1859* **IR TR**
1974. **Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata O.F.Müller,1776* **RU Cc TR IR DE**
1975. **Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura Fabricius,1792*
RU Cc TR IR DE CZ
1976. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini Vasiliev,1935* **AF AZ**
Cc GG AM IQ IR IL Pa KK UZ TJ TM TR
1977. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubidaei Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* **DZ PT ES FR DE**
CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1978. **Stichopogon albellus Loew,1856** (Asilidae) Synonym(s): *albellus Loew,1856* **IR Ss Kz IL Pa**
EG
1979. **Stichopogon auritinctus Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *auritinctus Abbassian-Lintzen,1964* **IR AZ Cc**
1980. **Stichopogon caucasicus Bezzi,1910** (Asilidae) Synonym(s): *caucasicus Bezzi,1910* **IR Ss Ab**
Ak Cc RU
1981. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma Schiner,1867; lucidiventria Becker,1902* **TR IR Kh Elb Th CY EG IL Pa KG LY MN**
1982. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus Wiedemann,1820* **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**

1983. **Stichopogon scaliger** Loew,1847 (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856 IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
1984. **Stichopogon schineri** Koch,1872 (Asilidae) Synonym(s): *schineri* Koch,1872; *spinimanus* Pokorny,1887 IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1985. **Stictoleptura cordigera** (Fuesslin,1775) (Cerambycidae) Synonym(s): *cordigera* Fuesslin,1775 HV TR Cc IR
1986. **Stictoleptura deyrollei** (Pic,1895) (Cerambycidae) Synonym(s): *deyrollei* Pic,1895 GG Cc TR IR
1987. **Stictoleptura erythroptera** (Hagenbach,1822) (Cerambycidae) Synonym(s): *erythroptera* Hagenbach,1822 TR Cc IR CZ
1988. **Stictoleptura heydeni** (Ganglbauer,1889) (Cerambycidae) Synonym(s): *ustulata* Ménériés,1832; *heydeni* Ganglbauer,1889 TR Cc AZ IR
1989. **Stictoleptura rufa** (Brullé,1832) (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniél,1891 IT GR TR Cc IR Lo
1990. **Stictoleptura tripartita** (Heyden,1889) (Cerambycidae) Synonym(s): *tripartita* Heyden,1889 SY TR IR
1991. **Stiphrolamyra pleskei** (Becker,1913) (Asilidae) Synonym(s): *pleskei* Becker,1913 IR Ss Ke AF TR
1992. **Stiphrolamyra rubicunda** Oldroyd,1947 (Asilidae) Synonym(s): *rubicunda* Oldroyd,1947 LY EG IL Pa IR Fa
1993. **Stomoxys calcitrans** (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758 AM Cc TR AZ IR
1994. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 FR CY RU TR Cc AM IL SY IR EG MA DZ TN
1995. **Stratiomys longicornis** (Scopoli,1763) (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
1996. **Stratiomys nobilis** Loew,1871 (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912 Cc AM IR CN KG UZ
1997. **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythropera* Egger,1859; *pyrrhocera* Loew,1868 FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
1998. **Stratiomys singularior** (Harris,[1776]) (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 GB DE SE NO RU Sb Us KG IR MN CN
1999. **Stratiomys viridis** (Paramonov,1926) (Stratiomyidae) Synonym(s): *viridis* Paramonov,1926; *persica* Torres,1947 Cc AZ Nv Ord IR
2000. **Stratiomys vittipennis** (Lindler,1937) (Stratiomyidae) Synonym(s): *vittipennis* Lindler,1937 IR Elb Dam
2001. **Stratiomys zarudnyi** (Pleske,1899) (Stratiomyidae) Synonym(s): *zarudnyi* Pleske,1899; *sarudnyi* Pleske,1901 IR KG
2002. **Stymphalus rubrolineatus** (Stal,1855) (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 AL BG CY IL Pa IR IT JP KP AZ Cc TR
2003. **Sulamicerus ancorarius** (Dlabola,1964) (Cicadellidae) Synonym(s): *ancorarius* Dlabola,1964 AF TR IR YU
2004. **Sybistroma discipes** (Germar,1821) (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824 GR RO RU IR
2005. **Sycophila biguttata** (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
2006. **Sycophila binotata** (Fonscolombe,1832) (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 IR Ak Ab BG HV FR IT ES RU
2007. **Sycophila flavicollis** (Walker,1834) (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
2008. **Sycophila iracemae** Nieves Aldrey,1984 (Eurytomidae) Synonym(s): *iracemae* Nieves Aldrey,1984 ES FR IR
2009. **Sycophila submutica** (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
2010. **Sycophila variegata** (Curtis,1831) (Eurytomidae) Synonym(s): *variegata* Curtis,1831 TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
2011. **Symphypyga impressa** (Melichar,1902) (Cicadellidae) Synonym(s): *impressa* Melichar,1902 IR

2012. **Symphypyga melichari** Kusnezov,1929 (Cicadellidae) Synonym(s): *melichari* Kusnezov,1929
IR TM
2013. **Symphypyga prodigiosa** (Melichar,1902) (Cicadellidae) Synonym(s): *prodigiosa*
Melichar,1902 IR
2014. **Sympiesis sericeicornis** (Nees,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees,1834;
upupaenellae Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis*
Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888;
massasoit Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr
HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS
ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
2015. **Symplecta (Psiloconopa) stictica** (Meigen,1818) (Limoniidae) Synonym(s): *stictica*
Meigen,1818 TR IR AF
2016. **Symplecta (s.str.) hybrida** (Meigen,1804) (Limoniidae) Synonym(s): *hybrida* Meigen,1804
AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR
JP Az CA US
2017. **Syromastus rhombeus** (Linnaeus,1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767
PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si Tr Cc IQ IR
2018. **Syrphus vitripennis** Meigen,1822 (Syrphidae) Synonym(s): *vitripennis* Meigen,1822 TR RU
Ur Sb Cc IR MN AF KP KR JP US
2019. **Systole albipennis** Walker,1832 (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG
CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
2020. **Systole coriandri** Gussakovsky,1933 (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933
IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
2021. **Systole foeniculi** Otten,1941 (Eurytomidae) Synonym(s): *foeniculi* Otten,1941 IR AF BG NC NZ
2022. **Systropha (s.str.) iranica** Popov,1967 (Halictidae) Synonym(s): *iranica* Popov,1967 IR Ke
2023. **Systropha (s.str.) villosa** Ebmer,1978 (Halictidae) Synonym(s): *villosa* Ebmer,1978 IR Ss
2024. **Tabanus glaucopsis** Meigen,1820 (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec
Ström,1768; *glaucopsis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN
CN
2025. **Tabanus ilchanii** Jezek,1981 (Tabanidae) Synonym(s): *ilchanii* Jezek,1981 TR IR
2026. **Tabanus indrae** Hauser,1939 (Tabanidae) Synonym(s): *indrae* Hauser,1939; *vappa* Bogatchev
& Samedov,1949; *montivagus* Olsfjev,1970 TR Cc AM AZ Nv GG IR RU
2027. **Tabanus laetetinctus** Becker,1913 (Tabanidae) Synonym(s): *laetetinctus* Becker,1913; *sordes*
Bogatshev & Samedov,1949; *assuetus* Hauser,1960; *cinereus* Hauser,1960 TR Cc AZ Nv Ord IR Ss Ke PK Bl
IQ AF RU
2028. **Tabanus quatuornatatus** Meigen,1820 (Tabanidae) Synonym(s): *quatuornatatus*
Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU
UA MD GG Cc AZ AM IR MA TN
2029. **Tabanus regularis** Jaennicke,1866 (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus*
Szilady,1923 nec Scop.,1763; *#regluaris* Kılıç,1999 DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU
Cc GG AZ AM IQ IR
2030. **Tabanus rupium** Brauer,1880 (Tabanidae) Synonym(s): *pusillus* Egger,1859 nec Macq.,1839;
rupium Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui*
Kröber,1936; *loewi* Muschamp,1939 DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
2031. **Tachina (Echinogaster) praeceps** Meigen,1824 (Tachinidae) Synonym(s): *praeceps*
Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola*
Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Cc TR TM UZ
KK KG RU AM IR SK BG ES IL Pa
2032. **Tachyancistrocerus komarowi** (Morawitz,1885) (Vespididae) Synonym(s): *komarowi*
Morawitz,1885 TR TM AF IR
2033. **Tachys (Eotachys) bistratus** (Duftschmid,1812) (Carabidae) Synonym(s): *bistratus*
Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK
ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
2034. **Tachys (Eotachys) micros** (Fischer von Waldheim,1828) (Carabidae) Synonym(s):
micros Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT
RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
2035. **Tachytrechus planitarsis** Becker,1907 (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907
EG IL Pa SY DZ Cn ET IR SA TN TM
2036. **Tamaricella anbarabada** (Dlabola,1960) (Cicadellidae) Synonym(s): *anbarabada*
Dlabola,1960 IR
2037. **Tamaricella ribauti** (Zachvatkin,1947) (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947
GR Cr TR IR KG RU UA YU AF PK
2038. **Tanyproctus carbonarius** Faldermann,1835 (Scarabaeidae) Synonym(s): *carbonarius*
Faldermann,1835 Cc Nv AZ TR IR
2039. **Taphoxenus (Lychnifugus) cellarum** Adams,1817 (Carabidae) Synonym(s): *cellarum*
Adams,1817 AZ AM Cc GG IR IQ JO SY TR
2040. **Tenthredo zonula** Klug,1817 (Tenthredinidae) Synonym(s): *zonula* Klug,1817; *fasciata*
Scopoli,1763 nec Linn.,1758; *bifasciata* Geoffroy,1785; *bicictaflava* Christ,1791; *similis* Mocsary,1880;

- nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 TR RU UA IR MD Cc AM IL SY LB
2041. **Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata* Klug,1817; *alboplagiata* Konow,1890; *ischiadica* Eversmann,1847; *cylindrica* Rudow,1871 TR RU Cc Sb MN CN IR
2042. **Tentyria parallela Baudi,1874** (Tenebrionidae) Synonym(s): *parallela* Baudi,1874 IR
2043. **Tentyria puncticeps Miller,1861** (Tenebrionidae) Synonym(s): *puncticeps* Miller,1861; *persica* Baudi,1874 SY CY IR
2044. **Tentyria tessulata Tauscher,1812** (Tenebrionidae) Synonym(s): *tessulata* Tauscher,1812 TR Cc IR
2045. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa* Loew,1856 TR RU Sb CN Ui AF IR Cc AM GG
2046. **Tephritis formosa (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844 TR Cc IL Pa GB IR CN
2047. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
2048. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 *Trypeta postica* Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
2049. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta* Loew,1869 TR GR Cr IL Pa IR EG
2050. **Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal
2051. **Teratolytta optabilis (Faldermann,1832)** (Meloidae) Synonym(s): *optabilis* Faldermann,1832 AZ Cc Len Nv AM RU Da Bak IR
2052. **Teratolytta tricolor (Haag-Rutenberg,1880)** (Meloidae) Synonym(s): *tricolor* Haag-Rutenberg,1880 IR Mz Gor Kh Ke UZ
2053. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936 TR CY Cc IL Pa LB IR
2054. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 TR Cc AM AZ IL Pa LB JO IR
2055. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
2056. **Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens* Loew,1846 TR AF KG IL Pa IR CA
2057. **Tetanops laticeps Loew,1868** (Ulidiidae) Synonym(s): *laticeps* Loew,1868 RU Sr IR Kh TM Kp
2058. **Tetartopeus persicus Coiffait** (Staphylinidae) Synonym(s): TR IR
2059. **Tetramesa leucospae Zerova & Madjdzadeh,2005** (Eurytomidae) Synonym(s): *leucospae* Zerova & Madjdzadeh,2005 IR Elb Mz
2060. **Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae* Walker,1849 TR CA IT Md MX UA US IR Th Fa
2061. **Tetramesa persica (Hedicke,1921)** (Eurytomidae) Synonym(s): *persica* Hedicke,1921 IR Ha
2062. **Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici* Fitch,1859 IR Th Elb CA BR RU ES US
2063. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
2064. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
2065. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
2066. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa* Fieber,1865 DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
2067. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865 Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
2068. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
2069. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946 *Tettigonia acutipennis* Ebner,1946, Eos 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
2070. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
2071. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 *Gryllus (Tettigonia) viridissima* Linnaeus,1758, Syst.

- Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU
Cc AZ AM GG IR KG MN TR
2072. **Thamnotettix gazella Emeljanov,1962** (Cicadellidae) Synonym(s): *gazella Emeljanov,1962* IR
2073. **Thamnotettix lacteus Melichar,1902** (Cicadellidae) Synonym(s): *lacteus Melichar,1902* IR
2074. **Thanatophilus sinuatus (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus Fabricius,1775* TR UA Cm SY IR TM
2075. **Theophilea cylindricollis Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis Pic,1895* TR AM Cc IR
2076. **Thricops nigrifrons (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *nigrifrons Robineau-Desvoidy,1830* RU Ur Cc IR GG AM Eri TR
2077. **Timaspis irani Tavakoli & Melika,2006** (Cynipidae) Synonym(s): *irani Tavakoli & Melika,2006* IR Lo
2078. **Timaspis lorestanicus Tavakoli & Melika,2006** (Cynipidae) Synonym(s): *lorestanicus Tavakoli & Melika,2006* IR Lo Ha Elb Th Dam
2079. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa Loew,1873* RU Or LB UA MD KG IR MN Cc TJ
2080. **Tingis demissa Horvath,1906** (Tingidae) Synonym(s): *demissa Horvath,1906* TR IQ IR
2081. **Tingis kerzhneri Golub,2006** (Tingidae) Synonym(s): *kerzhneri Golub,2006* AM AZ Cc KG TJ IR TM
2082. **Tingis valida (Puton,1878)** (Tingidae) Synonym(s): *valida Puton,1878* LB TR IR SY CN Ui
2083. **Tipula (Lunatipula) bimacula Theowald,1980** (Tipulidae) Synonym(s): *bimacula Theowald,1980* AL GR ES IT IR TR
2084. **Tipula (Yamatotipula) iranensis Theowald,1978** (Tipulidae) Synonym(s): *iranensis Theowald,1978* IR TR
2085. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium Theowald & Oosterbroek,1981* AD FR CH AT CZ SK SS YU AL GR TR IR Elb Mz
2086. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus Illiger,1800* TN ES AT AL TR Cc SY IR RU
2087. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata Fabricius,1781* DZ ES FR TR SY IR
2088. **Tmethis pulchripennis Audinet-Serville,1839** (Pamphagidae) Synonym(s): *pulchripennis Audinet-Serville,1839* TR IR Hz Il Km Kh
2089. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781; striatus Meigen,1820; annulatus Macquart,1826; pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
2090. **Tolmerus facialis Becker,1913** (Asilidae) Synonym(s): *facialis Becker,1913* IR Ss
2091. **Tolmerus tivonensis Theodor,1980** (Asilidae) Synonym(s): *tivonensis Theodor,1980* IL Pa TR IR
2092. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus Müller,1764* IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
2093. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929* *Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567.* AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
2094. **Torymus erucarum (Schränk,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
2095. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii Walker,1833* IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
2096. **Torymus lapsanae (Hoffmeyer,1930)** (Torymidae) Synonym(s): *lapsanae Hoffmeyer,1930* IR Fa Elb Th HU FR UA SE
2097. **Toxophora deserta Paramonov,1933** (Bombyliidae) Synonym(s): *deserta Paramonov,1933; tadzhikorum Paramonov,1933* IR TJ TM UZ
2098. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
2099. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
2100. **Trachyderma christophi Faust,1875** (Tenebrionidae) Synonym(s): *christophi Faust,1875; longicollis Baudi,1875* IR
2101. **Trachyderma darwini Faust,1875** (Tenebrionidae) Synonym(s): *darwini Faust,1875* IR
2102. **Trachyderma hispida (Forskal,1775)** (Tenebrionidae) Synonym(s): *hispida Forskal,1775; latreillei Solier,1836; major Baudi,1875* IT Si SY SA IR SN
2103. **Trachyderma parvicollis Baudi,1875** (Tenebrionidae) Synonym(s): *parvicollis Baudi,1875* IR Fa

2104. **Trachyderma philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s): *philistina Reich & Saulcy,1857*; *gomorrhana Reiche & Saulcy,1857*; *persea Baudi,1875*; *ovalipennis Baudi,1875* **TR GR IL Pa IR**
2105. **Trachyderma robusta Faust,1875** (Tenebrionidae) Synonym(s): *robusta Faust,1875* **IR**
2106. **Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus Kolenati,1845* **AZ AM Cc RU TR IR**
2107. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus Schränk,1781* **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
2108. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835*; *falciger Boheman,1845*; *discolor Flor,1861*; *venustus Scott,1874* **AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR**
2109. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803*; *auronitens Kirschbaum,1868*; *halbum Fieber,1868* **AT BE CZ DK GB FR DE IT NL RU CY IR TR**
2110. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus Wulp,1899*; *albpila Becker,1907* **IR Kz MA DZ EG IL Pa YE KG MN**
2111. **Trichardopsis richteri Oldroyd,1958** (Asilidae) Synonym(s): *richteri Oldroyd,1958*; *kasakh Lehr,1958* **IR Kz KG**
2112. **Trichius abdominalis Ménériés,1832** (Scarabaeidae) Synonym(s): *abdominalis Ménériés,1832* **IR**
2113. **Trichodes ephippiger Chevrolat,1874** (Cleridae) Synonym(s): *ephippiger Chevrolat,1874* **TR SY IQ IR**
2114. **Trichodes ganglbaueri Escherich,1893** (Cleridae) Synonym(s): *ganglbaueri Escherich,1893*; *israelicus Winkler,1963* **GR CY TR IL Pa IR**
2115. **Trichodes heydeni Escherich** (Cleridae) Synonym(s): *heydeni Escherich*; *anatolicus Reitter,1893* **Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos**
2116. **Trichodes inermis Reitter,1893** (Cleridae) Synonym(s): *inermis Reitter,1893* **TR Cc RU IL Pa IR Ak Ab**
2117. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus Chevrolat,1843* **GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO**
2118. **Trichodes longicollis Gerstmeier,1985** (Cleridae) Synonym(s): *longicollis Gerstmeier,1985* **IR**
2119. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis Klug,1842*; *sanguineosignatus Spinola,1844* **AL GR TR SY IL Pa IR Cc AM TJ Pm KG**
2120. **Trichodes olivieri (Chevrolat,1843)** (Cleridae) Synonym(s): *olivieri Chevrolat,1843* **IQ Mos IR CY TR?**
2121. **Trichodes pulcherrimus Escherich,1892** (Cleridae) Synonym(s): *pulcherrimus Escherich,1892* **TR IR Cc AM**
2122. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus Fischer,1829*; *illustris Klug,1842*; *viridifasciatus Chevrolat,1843* **TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR**
2123. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus Adams,1817* **GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG**
2124. **Trichodes reichei Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei Mulsant & Rey,1863*; *conjunctus Escherich,1892* **TR SY Hal Ltk IL Pa IR Cc AM**
2125. **Trichodes sexpustulatus Chevrolat,1874** (Cleridae) Synonym(s): *sexpustulatus Chevrolat,1874*; *erratus Champenois,1898* **TR AM Cc Eri SY IR**
2126. **Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus Linnaeus,1758*; *subfasciatus Kraatz,1873*; *frater Kraatz,1893*; *fraterculus Zaitzev,1915* **TR GR EG IL Pa SY Cc AM Eri IR**
2127. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851*; *halictivorus Rondani,1856* **TR AZ Cc IR FR GR IT RU KG IL Pa**
2128. **Tricyphona (s.str.) zwicki Mendl,1973** (Pediidae) Synonym(s): *zwicki Mendl,1973*; *acuspica Alexander,1975*; *elburzensis Alexander,1975* **TR IR AZ Cc GG RU BG IT**
2129. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis Rjachovsky,1959*; *rossicus Rjachovsky,1959* **MD RO BG IR MN UA SS LT EE RU TR**
2130. **Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris Mayr,1908*; *stshepetilnikova Pubstov,1944*; *rubriventris Szabo,1959* **MD IR Cc UA TR AZ AM GG DZ**
2131. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): *vassilievi Mayr,1903*; *rufiventris Rubstov,1944*; *scutellaris Masner,1958* **MD Cc AZ AM GG IR MN UA TR**
2132. **Tropidocephala prasina Melichar,1902** (Delphacidae) Synonym(s): *prasina Melichar,1902* **IR**
2133. **Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836*; *sicula Audinet-Serville,1838*; *fasciculata Charpentier,1841*; *algeriana Uvarov,1922*; *virescens Uvarov,1922* **DZ IT Si IQ Amr IR**
2134. **Tropidopola cylindrica iranica Uvarov,1933** (Acrididae) Synonym(s): *iranica Uvarov,1933* **IR**
2135. **Tropidopola turanica Uvarov,1926** (Acrididae) Synonym(s): *turanica Uvarov,1926*; *caspica Uvarov,1933*; *iliensis Bei-Bienko,1948* **TM KG Tk IR Gor**

2136. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
2137. **Tropidotilla semirufa (André,1893)** (Mutillidae) Synonym(s): *semirufa André,1893* AM AZ Cc IR TR
2138. **Tropinota (Epicometis) villiersi Baraud,1984** (Scarabaeidae) Synonym(s): *villiersi Baraud,1984* IR
2139. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis Reitter,1913* TR Cc IR SY JO KG KK TM
2140. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata Fuesslin,1775* TR GB SE KG RU CN IN DZ IR
2141. **Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): *eximia Eichwald,1830; cypria Dirsh,[1951]; #examia Weidner,1969* *Truxalis eximia Eichwald,1830, Zool. Spec. 2: 239.* TR Cc IR KG CY SA
2142. **Truxalis fitzgeraldi Dirsh,1950** (Acrididae) Synonym(s): *fitzgeraldi Dirsh,1950* IR
2143. **Truxalis mesopotamica Dirsh,1951** (Acrididae) Synonym(s): *mesopotamica Dirsh,1951* IQ IR
2144. **Truxalis obesa Bei-Bienko,1960** (Acrididae) Synonym(s): *obesa Bei-Bienko,1960* IR
2145. **Truxalis robusta (Uvarov,1916)** (Acrididae) Synonym(s): *robusta Uvarov,1916* *Acrida robusta Uvarov,1916, Revue russk. ent. 16: 8, 11.Type: [Azerbaijan]: Elisabethpol [Gence], Shach-Tshinar (GPPT Tiflis).* TR Cc AZ Kir IR
2146. **Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator Linnaeus,1761* TR IR Cc
2147. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913* RU KG KK TR IQ IR MA TN EG
2148. **Tychius ruscicus Desbrochers,1908** (Curculionidae) Synonym(s): *ruscicus Desbrochers,1908* TR Cc IR
2149. **Tychius squamulatus Gyllenhal,1836** (Curculionidae) Synonym(s): *squamulatus Gyllenhal,1836* TR DZ GB IR Cc
2150. **Udenopogon inscriptus Becker,1913** (Asilidae) Synonym(s): *inscriptus Becker,1913* IR Ss Ke
2151. **Ulidia ruficeps Becker,1913** (Ulidiidae) Synonym(s): *ruficeps Becker,1913* IR LB IT RU TM
2152. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
2153. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata Rondani,1870* TR IR Ak IT GR AF CN Ui MN AZ AM
2154. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata Meigen,1826* TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
2155. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907* TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
2156. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior Hendel,1910; tenuis Hendel,1910* *Urophora tenuior Hendel,1910, Wien. ent. Ztg. 29: 311.* TR KG UZ TM TJ AF IR
2157. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata Fabricius,1794; taeniolata Costa,1883* IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
2158. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
2159. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794; dubia Kertész,1900* DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
2160. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798; vicina Macquart,1840; #pubera Becker,1906; pubera Strobl,1906* DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
2161. **Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes Becker,1906* Cc AZ AM GG IR TJ TM UZ
2162. **Usia (s.str.) incognita Paramonov,1950** (Bombyliidae) Synonym(s): *incognita Paramonov,1950* IR TM
2163. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata Costa,1883* DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
2164. **Uvarovistia (s.str.) bakhtiara (Uvarov,1934)** (Tettigoniidae) Synonym(s): *bakhtiara Uvarov,1934* IR
2165. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica Stal,1859* PT ES LY EG TN TR IR
2166. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* DZ TR Cc IR KG SK
2167. **Verdanus pazoukii (Dlabola,1980)** (Cicadellidae) Synonym(s): *pazoukii Dlabola,1980* IR TR
2168. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro Linnaeus,1758* TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US
2169. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771* GR TR JO IR Cc AF KK MX

2170. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 Cn
Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
2171. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 BE GB SE
TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
2172. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 DZ AM
Cc AZ HV FR GR GG IR IT LB SY ES YU TM
2173. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
Cc AM AZ BG CY EG GR GG IR IT TR
2174. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
2175. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata*
Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
2176. **Villa chorassani (Becker & Stein,1913)** (Bombyliidae) Synonym(s): *medisecta* Pandelle,1899;
chorassani Becker & Stein,1913 AM Cc AZ GG TM IR Kh AF
2177. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 AF AL AM
Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
2178. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916 AM AZ GG Cc
EG IT GR IR TR
2179. **Villa kuehlhorni François,1969** (Bombyliidae) Synonym(s): *interlatens* Walker,1853;
kuehlhorni François,1969 IR
2180. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ
GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
2181. **Villa merlei François,1969** (Bombyliidae) Synonym(s): *merlei* François,1969 TR IR TM
2182. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 AL AM AZ Cc
GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
2183. **Villa sesivora Greathead & Karimpour,2006** (Bombyliidae) Synonym(s): *sesivora*
Greathead & Karimpour,2006 IR Ab Oru
2184. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 IT Si TR AF
AM AZ GG Cc GR IR MK YU
2185. **Villa turcomanus (Paramonov,1927)** (Bombyliidae) Synonym(s): *turcomanus*
Paramonov,1927 IR TJ TM UZ
2186. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 IT Si Sa AM Cc
AZ GG EG BG IR LY MD RO RU UA YU
2187. **Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): *lepida* Hermann,1907 TR
IL Pa IR AF
2188. **Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869 TR GR Rd
IR SY
2189. **Xeramoeba semirufa (Sack,1903)** (Bombyliidae) Synonym(s): *semirufa* Sack,1903 EG IR AF
SA PK
2190. **Xylomya trinotata (Bigot,1880)** (Xylomyidae) Synonym(s): *trinotata* Bigot,1880 Cc GG IR
2191. **Xylotrechus antilope (Schönherr,1817)** (Cerambycidae) Synonym(s): *antilope*
Schönherr,1817 DZ CZ Cc IR
2192. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795 CZ
GR Cc DZ IR TR RU KG
2193. **Xylotrechus ilamensis Holzschuh,1979** (Cerambycidae) Synonym(s): *ilamensis*
Holzschuh,1979 IR
2194. **Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758
Cc TR IR CZ RU
2195. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 AZ AM Cc GG
TR AF IR KG PA SY TM UZ
2196. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 AL AM
Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR
UA CY IR
2197. **Zarudnya fusca Melichar,1902** (Flatidae) Synonym(s): *fusca* Melichar,1902 IR TM
2198. **Zarudnya interstitialis Melichar,1902** (Flatidae) Synonym(s): *interstitialis* Melichar,1902
EG IR LY TN
2199. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758;
concinna Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF
DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID
Ja Sum Bor IR BG YU US
2200. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta*
Fabricius,1792; *thoracica* Laporte,1840 DZ ES IT Si Sa TR SY IR TM
2201. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata*
Brullé,1832 TR IL Pa SY Cc AM EG IR TM
2202. **Zophosis (Septentriophosis) rugosa Faldermann,1837** (Tenebrionidae) Synonym(s):
rugosa Faldermann,1837 TR Cc AM IR
2203. **Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica* Miller,1861 TR SY IL Pa
IR

- 2204. Zophosis persica Kraatz,1882** (Tenebrionidae) Synonym(s): *persica* Kraatz,1882; *ardistana* Reitter,1916 **IR Lo**
- 2205. Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolor* Lodos & Kalkandelen,1984 **BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU**
- 2206. Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *crucioris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
- 2207. Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948 **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**
- 2208. Zyziphoides virens (Haupt,1927)** (Cicadellidae) Synonym(s): *virens* Haupt,1927 **AF IR IL**

Synonymic and distributional list of the pterygot insects of Jordan (Results of the Entomofauna of the World based upon info-system of the Cesa)

10

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Jordan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **10**.
Priamus (suppl.) 18: 650-667.

In this study, totally 491 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Jordan recorded in info-system of the Cesa, total pterygot species of Jordan increase to 1077.

Key words: List, distribution, *pterygota*, *Insecta*, Jordan.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 491 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 586 recorded species of *Lepidoptera* from Jordan are found. Taking this information into consideration, total number of the pterygots may increase to 1077.

The study is still continuing, and the new results will be published within this Project.

1. "**Megamelus**" **ornatipennis** Haupt,1927 (Delphacidae) Synonym(s): *ornatipennis* Haupt,1927 **AF IR IL JO**
2. **Ablattaria arenaria** (Kraatz,1876) (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
3. **Acanthobodilus immundus** (Creutzer,1799) (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 **IL Pa JO LB SY**
4. **Acmaeodera (s.str.) flavolineata** Laporte & Gory,1835 (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Fivaldsky,1912; *krueperi* Oberberger,1926 **TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR**
5. **Aconurella prolixa** (Lethierry,1885) (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
6. **Adontomerus amygdali** (Boucek,1958) (Torymidae) Synonym(s): *amygdali* Boucek,1958 **TR JO RU**
7. **Adoretus granulifrons** Fairmaire,1882 (Scarabaeidae) Synonym(s): *granulifrons* Fairmaire,1882 **DZ EG IL Pa JO**

8. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
9. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896 CY GR IL Pa TR JO RO Cc GG YU
10. **Agallia sabulicola Lindberg,1948** (Cicadellidae) Synonym(s): *sabulicola* Lindberg,1948 CY JO
11. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
12. **Agenioideus ciliatus (Lepeletier,1845)** (Pompilidae) Synonym(s): *ciliatus* Lepeletier,1845; *acrobates* Ferton,1911 TR SY JO
13. **Agenioideus dichrous (Brullé,1840)** (Pompilidae) Synonym(s): *dichrous* Brullé,1840 TR SY JO
14. **Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt TR JO IQ IR
15. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae) Synonym(s): *sericeus* Van der Linden,1827 TR JO
16. **Agenioideus vesanus (Kohl,1907)** (Pompilidae) Synonym(s): *vesanus* Kohl,1907 TR SY Dms Hms JO YE
17. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savigny* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 *Epacromia simulatrix* Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
18. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 *Acrydium strepens* Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
19. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 *Gryllus thalassinus* Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
20. **Alastor mediomaculatus Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus* Giordani Soika,1952; *iconius* Blüthgen,1955 IL Pa JO TR GR
21. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
22. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928 GR MK MT TR CY IR IL Pa JO LB SY
23. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
24. **Ameles kervillei Bolivar,1911** (Mantidae) Synonym(s): *kervillei* Bolivar,1911 SY JO
25. **Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): *syriensis* Giglio-Tos,1915 Ameles syriensis Giglio-Tos,1915, Bull. Soc. ent. ital. 46: 150. Type ♀: "Siria" (Mus. Torino). SY JO TR
26. **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius* Brullé,1832 IL Pa JO LB SY
27. **Amphicoma (Eulasia) jordanica Mitter,1992** (Glaphyridae) Synonym(s): *jordanica* Mitter,1992 *Amphicoma (Eulasia) jordanica* Mitter,1992, Linzer biol. Beitr. 24 (1): 31-34, Abb. Holotype ♂: Jordanien, 80km NE Aqaba 15.4.1989 leg. J.Gusenleitner. JO
28. **Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964 SY IL Pa JO TR
29. **Amphicoma (Pygopleurus) besucheti Baraud,1989** (Glaphyridae) Synonym(s): *besucheti* Baraud,1989 IL Pa JO
30. **Amphicoma (Pygopleurus) katbehi Sabatinelli,2008** (Glaphyridae) Synonym(s): *katbehi* Sabatinelli,2008 *Pygopleurus katbehi* Sabatinelli,2008, Lambillionea 108: 149-152, figs. Holotype ♂: Jordan, Harta 14km N Irbid, 440m 27 iii 2007 leg. G. Sabatinelli (MCSNG). JO IL Pa

31. **Amphicoma (Pygopleurus) syriacus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *syriaca* Linnaeus,1758; *piesbergeni* Trappen,1906; *carinata* Muche,1963; *nabataensis* Mitter,1996 **SY JO**
32. **Amphicoma (Rudeulasia) genei Truqui,1848** (Glaphyridae) Synonym(s): *genei* Truqui,1848; *pretiosa* Truqui,1848; *chaiensis* Reitter,1890; *nobilissima* Balthasar,1929 **SY JO IR Fa**
33. **Amphicoma (Rudeulasia) harmonia (Petrovitz,1968)** (Glaphyridae) Synonym(s): *#harmonia* Petrovitz,1962; *#maculata* Petrovitz,1962; *harmonia* Petrovitz,1968; *purpurea* Petrovitz,1968 **Amphicoma (Eulasia) harmonia** Petrovitz,1968, *Annl'n naturh. Mus. Wien* 72: 474-475, Abb. Holotype ♂: Türkei, Hatay, Amanusgebirge, Topboğazi u. Nurdağ tepesi. **TR JO**
34. **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896 **JO TR SY IL Pa**
35. **Amphicoma (Rudeulasia) pietschmanni (Breit,1919)** (Glaphyridae) Synonym(s): *pietschmanni* Breit,1919 **IQ JO**
36. **Amphicoma (Rudeulasia) saccai (Petrovitz,1972)** (Glaphyridae) Synonym(s): *saccai* Petrovitz,1972 **JO IL Pa Js**
37. **Amphicoma (Vittateulasia) palmyrensis (Mitter,1996)** (Glaphyridae) Synonym(s): *palmyrensis* Mitter,1996 **Eulasia (Vittateulasia) palmyrensis** Mitter,1996, *Linzer biol. Beitr.* 28 (2): 933-936. Holotype ♂: Syria, Palmyra 1.5.1995 leg. K.Denes. **SY JO**
38. **Amphisbetetus ruazi Theodor,1980** (Asilidae) Synonym(s): *ruazi* Theodor,1980 **JO IL Pa**
39. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
40. **Anarolius bicolor Theodor,1980** (Asilidae) Synonym(s): *bicolor* Theodor,1980 **JO IL Pa**
41. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**
42. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 **SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE**
43. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
44. **Ancistrocerus auctus (Fabricius,1793)** (Vespididae) Synonym(s): *auctus* Fabricius,1793 **FR IQ IL Pa JO Pet Amm TR**
45. **Ancistrocerus biphaleratus Saussure,1852** (Vespididae) Synonym(s): *biphaleratus* Saussure,1852; *palaesticus* Giordani Soika,1952 **PT EG Sn JO Pet IL Pa SA YE**
46. **Aneomochtherus hermonensis (Theodor,1980)** (Asilidae) Synonym(s): *hermonensis* Theodor,1980 **JO IL Pa SY**
47. **Aneomochtherus illustris (Schiner,1867)** (Asilidae) Synonym(s): *illustris* Schiner,1867 **IL Pa JO SY TR**
48. **Anisoplia (Brancoplia) klapperichi Petrovitz,1971** (Scarabaeidae) Synonym(s): *klapperichi* Petrovitz,1971 **IL Pa JO**
49. **Anisoplia (Brancoplia) pumila Petrovitz,1973** (Scarabaeidae) Synonym(s): *pumila* Petrovitz,1973 **IL Pa JO LB**
50. **Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata* Faldermann,1835 **TR SY JO IL Pa**
51. **Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): *cingulata* Marseul,1868 **LB Bei IL Pa JO Amm**
52. **Antepipona dentella Gusenleitner,1991** (Vespididae) Synonym(s): *dentella* Gusenleitner,1991 **SY Dms JO**
53. **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): *jordanicus* Pic,1934 **JO IL Pa IR**
54. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Aphelonyx persica** Melika, Stone, Sadeghi & Pujade-Villar,2004, *Acta zool. hung.* 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex *Quercus brantii* leg.G.N.Stone (BMNH). **JO SY LB IR Kd Km TR**
55. **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **IL Pa JO LB SY**
56. **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783 **IL Pa JO LB SY**
57. **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960 **IL JO SY**
58. **Aplidia baraudi Sabatinelli,1991** (Scarabaeidae) Synonym(s): *baraudi* Sabatinelli,1991 **JO**
59. **Aplidia endroedii Baraud,1988** (Scarabaeidae) Synonym(s): *endroedii* Baraud,1988 **?IL Pa JO Amm**
60. **Apoclea inarticulata Theodor,1980** (Asilidae) Synonym(s): *inarticulata* Theodor,1980 **JO**
61. **Apoclea parvula Theodor,1980** (Asilidae) Synonym(s): *parvula* Theodor,1980 **JO**

62. **Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii Kurzenko,1994* *Asmisapyga warnckeii Kurzenko,1994*, *Linzer biol. Beitr.* 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). TR SY Bld IL Pa JO TN
63. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
64. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858*; *cyprianus Ricardo,1911*; *karybenthinus Szilady,1915* TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
65. **Auletobius politus Voss,1934** (Atelabidae) Synonym(s): *politus Voss,1934* BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO
66. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica Bergevin & Zanon,1922*; *citrea Haupt,1930*; *bodenheimeri Haupt,1930*; *benedettoi Paoli,1932* AL? DZ EG IL IT Sa JO LY ES TN
67. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae Horvath,1891* CY IT JO YU UA RU TR IR
68. **Balcanocerus ramallahicus (Dlabola,1965)** (Cicadellidae) Synonym(s): *ramallahicus Dlabola,1965* JO TR
69. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe Kirkaldy,1906*; *hortensis Lindberg,1948*; *virescens Haupt,1927* ES Cn EG IQ JO TR CY LB GR Cr
70. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea Scott,1876*; *frontalis Ferrari,1882*; *flava Haupt,1927*; *pulchella Lindberg,1948*; *haupti Metcalf,1955* AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
71. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana Theodor & Moscona,1954* ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ
72. **Bellardia tatica (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatica Enderlein,1933* IL Pa GR PL RU Cc Kr Y JO
73. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus Morice,1911* MA DZ TR LB SY JO IR OM IL Pa ML MR TM
74. **Bembecinus asphaltites De Beaumont,1968** (Crabronidae) Synonym(s): *asphaltites De Beaumont,1968* IL Pa JO EG Sn
75. **Bembecinus bytinskii De Beaumont,1954** (Crabronidae) Synonym(s): *bytinskii De Beaumont,1954* SA IL Pa JO AE YE
76. **Bembecinus gynandromorphus (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus Handlirsch,1892* SY TR IL Pa JO Js
77. **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis A.Costa,1859* AL HV GR Rd IL Pa IT JO HV LB SY TR
78. **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus Smith,1856*; *erberi Mocsary,1881*; *biarmatus Mocsary,1883* AL MK BG TR AM AZ Cc IL Pa JO
79. **Bembecinus revindicatus Schulz,1911** (Crabronidae) Synonym(s): *schmiedeknechti Handlirsch,1900 nec Handl.,1898*; *revindicatus Schulz,1911*; *houskai Balthasar,1954* IL Pa SY Dms JO
80. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781*; *cinctus Rossi,1790*; *repandus Panzer,1801*; *sinuatus Latreille,1805*; *satsumanus Sonan,1934*; *errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
81. **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus Faldermann,1835* IL Pa JO LB SY
82. **Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi Ménétriés,1847* IL Pa JO LB SY
83. **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius Herbst,1789* IL Pa JO LB SY
84. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
85. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855*; *abdita Petrovitz,1959*; *majuscola Medvedev* Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
86. **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens Creutzer,1799* IL Pa JO LB SY EG Sn
87. **Bodilus sabaeus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): *sabaeus Peyerimhoff,1907* IL Pa JO Sn EG
88. **Bombyliella simulans (Austen,1937)** (Bombyliidae) Synonym(s): *simulans Austen,1937* *Bombylius simulans Austen,1937*, *Bombyliidae of Palestine: 20*. Holotype: Palestine (BMNH). IL Pa LB JO
89. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855*; *brevirostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
90. **Bombylius (s.str.) argentifacies Austen,1937** (Bombyliidae) Synonym(s): *argentifacies Austen,1937* IL Pa JO
91. **Boveycantharis deserticola Wittmer,1969** (Cantharidae) Synonym(s): *deserticola Wittmer,1969* JO

92. **Brachypipona schlaeflei Gusenleitner,2001** (Vespidae) Synonym(s): *schlaeflei Gusenleitner,2001* *Brachypipona schlaeflei Gusenleitner,2001*, *Linzer biol. Beitr.* 33 (1): 235-236. Holotype ♀: Jordanien: Petra, 25.4.1997 leg. W.Schlaefle (coll. Gusenleitner). **JO Pet**
93. **Brachytarsina flavipennis Macquart,1851** (Streblidae) Synonym(s): *flavipennis Macquart,1851* **MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF**
94. **Brodskyana furcilla Majer,1996** (Melyridae) Synonym(s): *furcilla Majer,1996* **JO**
95. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* **DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp**
96. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838* **TR Cc SY IL Pa IQ JO LB**
97. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus Horvath,1934* **TN EG IL Pa LB JO TR**
98. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* **IL Pa JO LB Sn EG SY**
99. **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus Harold,1863* **IL Pa JO LB SY**
100. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sículus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). **MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN***
101. **Calopteryx syriaca Génée,1842** (Calopterygidae) Synonym(s): *syriaca Génée,1842; pseudosyriaca Buchholtz,1955* *Calopteryx syriaca Génée,1842* [in] Rambur,1842, *Hist. nat. Ins. Neuropt.:* 223. Type(s): Liban (coll. Serville?). **TR LB IL Pa JO**
102. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta Loew,1844* **TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO**
103. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926* **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
104. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
105. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; mysteriosa Obenberger,1917; nonfriedi Obenberger,1934* **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
106. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855* **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
107. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus Klug,1832* **TR EG IQ IL Pa JO LY SY**
108. **Celonites hamanni Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni Gusenleitner,1973* **SY JO TR**
109. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* *Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC Bf BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA***
110. **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata Melichar,1903* **TR IL JO LB SY**
111. **Ceriagrion tenellum (De Villiers,1789)** (Coenagrionidae) Synonym(s): *tenellum De Villiers,1789* **TR JO**
112. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
113. **Cheilotoma beldei Kasap,1984** (Chrysomelidae) Synonym(s): *beldei Kasap,1984* **TR JO**
114. **Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): *diodon Schletterer,1889; cypriacum Mavromoustakis,1951* **TR CY IL Pa JO SY**
115. **Chelostoma (s.str.) lucens (Benoist,1928)** (Megachilidae) Synonym(s): *lucens Benoist,1928* *Heriades lucens Benoist,1928, Anns Soc. ent. Fr. 97: 418. Lectotype ♀: [Turkey]: "Taurus" (MNHN Paris). **TR GR Rd JO***
116. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale Schletterer,1889; brevifurca Benoist,1935; subnitida Benoist,1935* **HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR**
117. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* **AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU**

118. **Chilothorax discedens (A.Schmidt,1907)** (Scarabaeidae) Synonym(s): *discedens* A.Schmidt,1907
IL Pa JO
119. **Chilothorax hieroglyphicus (Klug,1845)** (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845
IL Pa JO LB SY
120. **Chilothorax lineolatus (Illiger,1803)** (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803 IL
Pa JO LB SY
121. **Chilothorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): *melanostictus*
W.Schmidt,1840 IL Pa JO LB EG Sn SY
122. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von
Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
123. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus*
Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 TR ES FR DE CH AT HU CZ SK IT HV YU B-
H RO PL SE IL Pa JO SY RU Sb KG
124. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955;
assurensis Bechyne,1955 EG JO IL PA SY LB TR IR IQ
125. **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina*
Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida*
Bechyne,1949 IL Pa JO TR GR Rd
126. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798;
oleae A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM
UA YU
127. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma*
Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans*
Schumacher,1923; *rossica* Schumacher,1923 Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
128. **Cicadatra longipennis Schumacher,1923** (Cicadidae) Synonym(s): *longipennis* Schumacher,1923
EG Sn IL Pa Js JO
129. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876 IL Pa JO LB SY
TR MK
130. **Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): *mediterranea* Fieber,1876 BG
IT JO TN YU
131. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica*
Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN
TR Cc AZ KG RU TM UZ
132. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904;
bipunctella Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
133. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant
& Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis*
Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis*
Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis*
Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM
AZ GG Cc KG KK MD RU TM UA UZ YU
134. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus*
Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae*
Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ
FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB
UA Cf Col YU
135. **Cleptes jordanicus Linsenmeier,1968** (Chrysididae) Synonym(s): *jordanicus* Linsenmeier,1968
JO TR ES
136. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833;
phaenna Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913;
meridionalis Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI
FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA
ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU
137. **Colobopteris erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758
IL Pa JO LB SY
138. **Conophorus nobilis (Loew,1873)** (Bombyliidae) Synonym(s): *nobilis* Loew,1873 Cc AM AZ GG TR
JO IR TM
139. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
140. **Cryptocephalus dahdah Marseul,1869** (Chrysomelidae) Synonym(s): *dahdah* Marseul,1869
LB IL Pa JO
141. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777 RU Sb AL
BG PL YU TR JO IL Pa DZ SA UA
142. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
TR GR AL CY JO SY
143. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
RU Sb AL BG PL UA Cm YU Cc IR TR JO
144. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853 TR
BG GR AZ AM Cc JO SY YU

145. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus Suffrian,1847*; *pistaciae Suffrian,1853* HV FR Co GR TR AL BG GR SY JO
146. **Cryptotrogus weisei Kraatz,1888** (Scarabaeidae) Synonym(s): *weisei Kraatz,1888* EG JO IL Pa
147. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
148. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
149. **Dasytidius alferii (Wittmer,1935)** (Melyridae) Synonym(s): *alferii Wittmer,1935* EG Sn IQ IL Pa JO SY
150. **Dasytidius subnudus Majer,1991** (Melyridae) Synonym(s): *subnudus Majer,1991* IQ IL Pa JO SY
151. **Dasytidius subsyriacus Majer,1991** (Melyridae) Synonym(s): *subsyriacus Majer,1991* JO SY
152. **Dasytidius syriacus (Reitter,1885)** (Melyridae) Synonym(s): *syriacus Reitter,1885* CY IL Pa JO LB SY TR
153. **Dasytiscus abeillei (Bourgeois,1885)** (Melyridae) Synonym(s): *abeillei Bourgeois,1885* IL Pa JO
154. **Dasytiscus amasyanus Majer,1996** (Melyridae) Synonym(s): *amasyanus Majer,1996* TR JO
155. **Dasytiscus fallax Majer,1988** (Melyridae) Synonym(s): *fallax Majer,1988* IL Pa JO
156. **Dasytiscus jordanicus Majer,1988** (Melyridae) Synonym(s): *jordanicus Majer,1988* JO
157. **Dasytiscus schereri Majer,1988** (Melyridae) Synonym(s): *schereri Majer,1988* IL Pa JO
158. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
159. **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus Saussure,1852*; *elegans Saussure,1852* SA JO Pet IL Pa EG Sn IR
160. **Delta lepeletierii (Saussure,1853)** (Vespidae) Synonym(s): *lepeletierii Saussure,1853* ZA SO EG YE JO
161. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous Küster,1846*; *asiatica Hava,2002* FR Co PT ES IT Sa DZ IR JO SY TR
162. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia Allard,1866* TR HU Cc GG YU BG LB JO IL Pa
163. **Dibolia rufofemorata Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata Reitter,1896* TR CY SY IL Pa JO
164. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
165. **Dictyophara subsimilis Linnavuori,1953** (Dictyopharidae) Synonym(s): *subsimilis Linnavuori,1953* IL JO
166. **Dictyophara xiphias Puton,1884** (Dictyopharidae) Synonym(s): *xiphias Puton,1884*; *compacta Linnavuori,1962* IL Pa JO TR
167. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
168. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838*; *lycophron Walker,1838*; *medidas Walker,1838*; *gracilis Gouleau,1851*; *ornatus Förster,1861*; *bisannulatus Förster,1861*; *clavicornis Walker,1872*; *phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
169. **Diogena fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta Burmeister,1838* LY SD YE IL Pa JO
170. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi Soltani,1978* DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
171. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus Krauss,1896*; *castaneopicta Krauss,1896*; *castaneopictus Jacobson,1905* Dociostaurus anatolicus Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa IR Elb Th
172. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897*; *margaritacea Horvath,1897* CY HU IQ JO RO YU TR
173. **Duilius verticilineata Dlabola,1965** (Cixiidae) Synonym(s): *verticilineata Dlabola,1965* JO
174. **Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis Krauss,1909* Duronia laticornis Krauss,1909, Verh. naturw. Ver. Karlsruhe 21: 118-119. Syntypes. IL Pa JO TR BG
175. **Empis (s.str.) pexata Collin,1960** (Empididae) Synonym(s): *pexata Collin,1960* JO TR
176. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930*; *bifurcata Cerutti,1939*; *meridiana Zachvatkin,1946*; *minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
177. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata Brullé,1836* RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO
178. **Eoferreola cyrenaica (Guiglia,1941)** (Pompilidae) Synonym(s): *cyrenaica Guiglia,1941*; *facilis Priesner,1955* LY Cy IL Pa EG JO MA ML
179. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771*; *fasciatus Eversmann,1849*; *variabilis Eversmann,1849* nec Ross.; *hellmanni Eversmann,1849*; *micans Radoszkowski,1877*; *caucasica Radoszkowski,1889*; *rossica Radoszkowski,1889*; *lichtensteini Tournier,1895*;

- claripennis* Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
180. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840 TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
181. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968 TR IL Pa JO IR SA TM
182. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata* Thunberg,1815 *nec* Oliv.,1792; *infelix* Uvarov,1924 EG IL Pa JO LB SA SD
183. **Erythromma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *viridulum* Charpentier,1840 TR IR JO
184. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
185. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851 TR LB IL Pa JO IR SA YE EG
186. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
187. **Euheptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus* Germar,1824 BG IL Pa JO
188. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus* Kriechbaumer,1879; *housaki* Giordani Soika,1952; *anatolicus* Giordani Soika,1952 TR JO IL Pa MN
189. **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis* Blüthgen,1940 TR JO Pet IR
190. **Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): *diversus* Walker,1871 JO Amm EG IL Pa SA
191. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 CY EG IL Pa GR Cr IR JO TR KG
192. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
193. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
194. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 AF IR IL Pa JO GR Cr TR KG KK
195. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
196. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
197. **Eutolmus palestinensis Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980 JO IL Pa TR
198. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
199. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
200. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
201. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
202. **Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): *hispidus* Engel,1929 IR Ss Kz Fa JO IL Pa DZ
203. **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869 IL Pa JO LB SY
204. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856 AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
205. **Gnaphalostetha bonvoisini Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *bonvoisini* Reiche & Saulcy,1856 IL Pa JO Amm
206. **Gnaphalostetha hiemalis Baraud,1990** (Scarabaeidae) Synonym(s): *hiemalis* Baraud,1990 JO
207. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ

208. **Grypocoris fieberi Douglas & Scott,1868** (Miridae) Synonym(s): *fieberi Douglas & Scott,1868* IL Pa SY JO TR
209. **Habropogon aegyptius Efflatoun,1937** (Asilidae) Synonym(s): *aegyptius Efflatoun,1937* EG JO IL Pa
210. **Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens Theodor,1980* JO IL Pa TR IR Fa
211. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835; palaestinensis Linnavuori,1962* AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
212. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866; sulcatus Fieber,1866; aegyptiacus Signoret,1879; arenarius Horvath,1897* AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
213. **Helionidia biplagiata (Haupt,1927)** (Cicadellidae) Synonym(s): *biplagiata Haupt,1927* IL JO
214. **Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis Giordani Soika,1952* IL Pa JO Amm TR
215. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-Schäffer,1835; cretacea Fieber,1868* AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
216. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
217. **Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis Fabricius,1792* TR Cc JO
218. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus Wiedemann,1820* IR Fa ES PT JO IL Pa MA DZ TN TR
219. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti Schletterer,1889; tumida Benoist,1928; gibba Benoist,1928* BG GR MK RO TR IL Pa SY JO
220. **Holaptilon pusillulum Beier,1964** (Mantidae) Synonym(s): *pusillulum Beier,1964* IL Pa JO
221. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
222. **Hoplitis (Alcidamea) arenivaga Zanden,1996** (Megachilidae) Synonym(s): *arenivaga Zanden,1996* JO Amm
223. **Hoplitis (Alcidamea) hoppferi Tkalcu,1977** (Megachilidae) Synonym(s): *hoppferi Tkalcu,1977* IL Pa JO OM PK Qu SY AE
224. **Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica Mavromoustakis,1937* CY IL Pa JO TR
225. **Hoplitis (Alcidamea) mollis Tkalcu,2000** (Megachilidae) Synonym(s): *mollis Tkalcu,2000* Hoplitis (Liosmia) mollis Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 316. Holotype ♂: [Turkey]: Erzurum, Tkalcu coll. (Praha). TR JO SY
226. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans Morawitz,1894; lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
227. **Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris Warncke,1991* Osmia (Alcidamea) stellaris Warncke,1991, Linzer biol. Beitr. 23: 731. Holotype ♂: [Turkey]: Van, Başkale 30km S 1700m (OLML Linz). JO SY TR GR
228. **Hoplitis (Alcidamea) tricolor (Saunders,1908)** (Megachilidae) Synonym(s): *tricolor Saunders,1908* MA DZ JO
229. **Hoplitis (Annosmia) aqabaensis (Warncke,1991)** (Megachilidae) Synonym(s): *aqabaensis Warncke,1991* JO TN
230. **Hoplitis (Annosmia) cercomela (Warncke,1991)** (Megachilidae) Synonym(s): *cercomela Warncke,1991* JO
231. **Hoplitis (Annosmia) hierichonica (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *hierichonica Mavromoustakis,1949* MA TN IL Pa JO
232. **Hoplitis (Annosmia) israelica (Warncke,1991)** (Megachilidae) Synonym(s): *israelica Warncke,1991* MA IL Pa JO IR
233. **Hoplitis (Annosmia) verhoeffi (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *verhoeffi Mavromoustakis,1954* IL Pa JO
234. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta Alfken,1935* GR Cr CY IL Pa JO SY TR
235. **Hoplitis (Anthocopa) bifoveolata (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata Alfken,1935* IL Pa JO SY TR
236. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca Gerstaecker,1869; lanosa Pérez,1879* ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
237. **Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca Mavromoustakis,1938; bayburtensis Tkalcu,1980* CY IL Pa JO SY TR

238. **Hoplitis (Anthocopa) hemisphaerica (Alfken,1935)** (Megachilidae) Synonym(s): *hemisphaerica* Alfken,1935 IL Pa JO SY
239. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 GR Cr CY JO SY TR
240. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899 TR AL GR Cr HV? IL Pa SY JO
241. **Hoplitis (Anthocopa) pulchella (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella* Pérez,1895; *lativentris* Friese,1899; *albiscopa* Friese,1899 MA DZ EG TN JO
242. **Hoplitis (Anthocopa) semirubra (Friese,1899)** (Megachilidae) Synonym(s): *semirubra* Friese,1899 IL Pa JO SY
243. **Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935 GR? IL Pa JO SY TR
244. **Hoplitis (Bytinskia) erythrogastra (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra* Mavromoustakis,1954 IL Pa JO LB
245. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 GR Rd IL Pa JO SY LB TR
246. **Hoplitis (Chlidoplitis) onychophora (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939 IL Pa JO SY TR
247. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Cc AZ HU RO RU Or KG MN CN JO SY TR
248. **Hoplitis (Micreriades) lebanotica (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955 JO LB TR
249. **Hoplitis (Pentadentosmia) gallinula (Warncke,1991)** (Megachilidae) Synonym(s): *gallinula* Warncke,1991 *Osmia (Pentadentosmia) gallinula* Warncke,1991, *Entomofauna* 9: 19. Holotype ♂: Türkiye: Urfa, Ceylanpınar 20km N 500m (OLML Linz). TR JO SY
250. **Hoplitis (Pentadentosmia) helouanensis (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis* Friese,1899 EG MA IL Pa JO OM AE
251. **Hoplitis (Pentadentosmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877 AM Cc IL Pa JO SY CN Ui
252. **Hoplitis (Pentadentosmia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 Cn DZ MA TN IL Pa JO PK AE IN
253. **Hoplitis (Pentadentosmia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935 TJ TM UZ IL Pa IR JO PK TR
254. **Hoplitis (Prionhoplitis) epeoliformis (Ducke,1899)** (Megachilidae) Synonym(s): *epeoliformis* Ducke,1899 DZ MA JO
255. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 AM Cc BG GR MK JO TR SY
256. **Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935 IL Pa JO SY TR AM Cc
257. **Hoplitis (s.str.) homalocera Zanden,1991** (Megachilidae) Synonym(s): *homalocera* Zanden,1991 IL Pa JO
258. **Hoplitis (s.str.) libanensis (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901 LB IL Pa JO SY TR
259. **Hoplitis (s.str.) monstrabilis Tkalcu,2000** (Megachilidae) Synonym(s): *monstrabilis* Tkalcu,2000 *Hoplitis (s.str.) monstrabilis* Tkalcu,2000, *Acta Soc. zool. bohemosl.* 64: 323. Holotype ♂: Turkey: Erzurum (EMET). TR JO
260. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 CH ES FR IT Si PT DZ MA TN IL Pa JO
261. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 AL GR Cr HV IT MK SS IL Pa JO SY TR
262. **Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 AM Cc CN Ui TM JO
263. **Hoplitis (Stenosmia) jordanica (Warncke,1991)** (Megachilidae) Synonym(s): *jordanica* Warncke,1991 MA EG JO AE
264. **Hyalesthes mavromoustakisi Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959 CY TR GR Rd JO
265. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
266. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
267. **Idiocerus proximoriens Dlabola,1965** (Cicadellidae) Synonym(s): *proximoriens* Dlabola,1965 AF JO
268. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 Gryllus (Mantis)

- oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
269. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893 LB SY JO IL Pa TR
270. **Jothopogon leucomallus (Loew,1871)** (Asilidae) Synonym(s): *leucomallus* Loew,1871 IR Ss JO IL Pa TR
271. **Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca* Olivier,1790 SY IL Pa JO EG
272. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreate* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU
273. **Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884 DZ IL Pa Js Hf JO Amm TR SY
274. **Lampyris setosa Geisthardt,1983** (Lampyridae) Synonym(s): *setosa* Geisthardt,1983 JO Amm IL Pa
275. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
276. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermannii* Desbrochers,1845; *syriacus* Desbrochers,1868 AT BG HV DZ FR IT Si RO GR TR SY JO
277. **Leptochilus alpestris (Saussure,1855)** (Vespidae) Synonym(s): *alpestris* Saussure,1855 TR TM JO
278. **Leptochilus bellus Blüthgen,1955** (Vespidae) Synonym(s): *bellus* Blüthgen,1955 EG Sn IL Pa JO
279. **Leptochilus gemma Giordani Soika,1970** (Vespidae) Synonym(s): *gemma* Giordani Soika,1970 IL Pa JO IR
280. **Leptochilus jordaneus Gusenleitner,1994** (Vespidae) Synonym(s): *jordaneus* Gusenleitner,1994 JO IL Pa
281. **Leptochilus ornatulus Gusenleitner,1977** (Vespidae) Synonym(s): *ornatulus* Gusenleitner,1977 TR JO
282. **Leptochilus tussaci Giordani Soika,1986** (Vespidae) Synonym(s): *tussaci* Giordani Soika,1986 IL Pa JO MA
283. **Leptochilus villosus Gusenleitner,2001** (Vespidae) Synonym(s): *villosus* Gusenleitner,2001 JO
284. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
285. **Leptogaster theodori Koçak & Kemal,2008²⁶** (Asilidae) Synonym(s): *tomentosa* Theodor,1980 nec Oldr.,1972; *theodori* Koçak & Kemal,2008 **Leptogaster theodori Koçak & Kemal,2008**, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro *tomentosa* Theodor,1980 nec Oldroyd,1972). IL Pa JO
286. **Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa* Olivier,1811 TR IQ IR Cc SY JO
287. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860 TR Cc AZ JO IR AF
288. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
289. **Longitarsus aramaicus Leonardi,1979** (Chrysomelidae) Synonym(s): *aramaicus* Leonardi,1979 TR IL Pa JO
290. **Longitarsus emarginatus Weise,1890** (Chrysomelidae) Synonym(s): *emarginatus* Weise,1890 IL Pa JO
291. **Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus* Weise,1890 TR GR JO IL Pa
292. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
293. **Macropsis multiguttata Dlabola,1957** (Cicadellidae) Synonym(s): *multiguttata* Dlabola,1957 AF JO
294. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
295. **Madotrogus (?Micramphimallon) nikolajevi Sabatinelli & Katbeh-Bader,2009** (Scarabaeidae) Synonym(s): *nikolajevi* Sabatinelli & Katbeh-Bader,2009 **Madotrogus nikolajevi**

²⁶ specific name established by the authors.

- Sabatinelli & Katbeh-Bader,2009, Lambillionea 109: 427-431, figs. Holotype ♂: Jordan, Tafila Gov. Dana reserve 320m 22.iii.2008 leg. G. Sabatinelli (MHNG). JO
296. **Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894 IR OM SA IL Pa JO LY
297. **Maladera (Macroserica) syriaca Petrovitz,1969** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz,1969; *jeraschiensis* Baraud,1990 SY Dms IL Pa JO
298. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter,1852 TR IR IL Pa JO LB SY
299. **Malthinus jordanicus Wittmer,1974** (Cantharidae) Synonym(s): *jordanicus* Wittmer,1974 JO
300. **Malthinus nabataeicus Wittmer,1974** (Cantharidae) Synonym(s): *nabataeicus* Wittmer,1974 JO
301. **Malthinus petraensis Wittmer,1971** (Cantharidae) Synonym(s): *petraensis* Wittmer,1971 JO
302. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
303. **Masaris aegytiacus Meade-Waldo,1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo,1911 EG IL Pa JO SA
304. **Medecticus assimilis (Fieber,1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853 TR Cc GG Tbl SY JO
305. **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 CY GR IL Pa IT JO TR RU Cc YU IQ
306. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
307. **Meligethes jordanis Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *jordanis* Jelinek & Spornraft,1979 JO Amm
308. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
309. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus* Müller,1925 ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
310. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
311. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872 Cryptus pseudonymphus Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR TJ JO IL Pa
312. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916 SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
313. **Merodon hirsutus Sack,1913** (Syrphidae) Synonym(s): *hirsutus* Sack,1913 IL Pa SY JO
314. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923 EG IL Pa JO LB SY TR
315. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835 TR JO SA SY IR IQ EG
316. **Microdynerus appenninicus Giordani Soika,1960** (Vespidae) Synonym(s): *appenninicus* Giordani Soika,1960 IT JO TR
317. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praecoc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
318. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
319. **Nanomutilla parila (Nagy,1970)** (Mutillidae) Synonym(s): *parila* Nagy,1970 JO Amm IL Pa
320. **Nanomutilla yoca (Nagy,1970)** (Mutillidae) Synonym(s): *yoca* Nagy,1970 JO IL Pa
321. **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929 Cn DZ LY Cy EG IL Pa JO LB SY
322. **Neolimnus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908 EG IR IQ IL JO
323. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
324. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU

325. **Ochreriades fasciatus (Friese,1899)** (Megachilidae) Synonym(s): *fasciatus Friese,1899* **IL Pa JO SY**
326. **Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus Saussure,1853; cauponalis Giordani Soika,1977* **SA EG IL Pa JO Amm Pet**
327. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
328. **Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): *aurea Uvarov,1923* **Oedipoda germanica aurea Uvarov,1923, Entomologist's mon. Mag. 3 (9): 32. Holotype ♂: Palestina (BNMH). TR JO Amm IL Pa**
329. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suезensis Matsumura,1910; modestus Haupt,1927* **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
330. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
331. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* **AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
332. **Onthophagus (Euonthophagus) tissoni Reitter,1906** (Scarabaeidae) Synonym(s): *tissoni Reitter,1906; hannas Sahlberg,1908* **SY Dms IL Pa JO**
333. **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis Redtenbacher,1843; hyrcanicus Kabakov,1982* **SY Hal LB IL Pa TR JO IQ IR**
334. **Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae) Synonym(s): *carpanetoi Pittino,1982* **TR JO**
335. **Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri Novak,1921; novaki Boucomont & Gillet,1927* **SY LB TR IL Pa JO**
336. **Onychopterocheilus grandiceps (Blüthgen,1955)** (Vespidae) Synonym(s): *grandiceps Blüthgen,1955* **JO**
337. **Onychopterocheilus mena (Giordani Soika,1943)** (Vespidae) Synonym(s): *mena Giordani Soika,1943* **JO Pet**
338. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi Dusmet,1928* **MA DZ TN IL Pa JO**
339. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula Loew,1869* **DE AZ AM GG Cc IR TR IL Pa LB JO**
340. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali Zhantiev,2001* **CY FR GR ES TR IL Pa JO LB SY**
341. **Osmia (Allosmia) Ihotelleriei Pérez,1887** (Megachilidae) Synonym(s): *Ihotelleriei Pérez,1887* **DZ EG MA LY TN IL Pa JO SY**
342. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta Latreille,1811; spiniventris Giraud,1857; soror Pérez,1896* **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
343. **Osmia (Allosmia) rufotibialis Friese,1920** (Megachilidae) Synonym(s): *rufotibialis Friese,1920* **IL Pa JO**
344. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita Smith,1853; ruficollis Sichel,1873; fossoria Pérez,1890; duckei Friese,1899* **AL GR Cr DZ EG TN CY IL Pa JO SY TR**
345. **Osmia (Helicosmia) alfkeni Ducke,1899** (Megachilidae) Synonym(s): *alfkeni Ducke,1899; crinita Alfken,1942* **DZ MA TN EG IL Pa JO**
346. **Osmia (Helicosmia) aquila Warncke,1988** (Megachilidae) Synonym(s): *aquila Warncke,1988* **TR IL Pa JO**
347. **Osmia (Helicosmia) caerulescens (Linneus,1758)** (Megachilidae) Synonym(s): *caerulescens Linneus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
348. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis Morawitz,1871; macedonica Tkalcu,1979; acuta Warncke,1988* **MK BG ES GR IL Pa JO SY Cc TR**
349. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
350. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
351. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberofafricana Peters,1975* **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**
352. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrима Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowki,1876;*

- subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN
CY JO SY TR IR
353. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV
LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
354. **Osmia (Helicosmia) saxatilis Warncke,1988** (Megachilidae) Synonym(s): *saxatilis* Warncke,1988 *Osmia (Helicosmia) saxatilis* Warncke,1988, *Entomofauna* 9: 5. Holotype ♀: Türkiye, Kars Prov., 20km W Karakurt 1600m (OLML Linz). TR SY JO
355. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cineta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA
Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
356. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
357. **Osmia (Hemiosmia) chrysolepta Haeseler,2005** (Megachilidae) Synonym(s): *chrysolepta* Haeseler,2005 EG? IL Pa JO
358. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK
RU SK SS UA EG DZ? IL Pa JO SY TR
359. **Osmia (Hoplosmia) distinguenda (Tkalcu,1974)** (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974 IL Pa Js AM GR Cc JO TR
360. **Osmia (Hoplosmia) elegans (Tkalcu,1992)** (Megachilidae) Synonym(s): *elegans* Tkalcu,1992
GR TR JO
361. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA
CY IL Pa IR JO SY TR
362. **Osmia (Hoplosmia) pinguis Pérez,1895** (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994 DZ MA TN IL Pa JO SY
363. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
364. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 BG GR MK EG IL Pa JO LB SY TR
365. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroGLOSSa* Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
366. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 GR CY IT Si IL Pa JO SY TR
367. **Osmia (Pyrosmia) aedata Warncke,1992** (Megachilidae) Synonym(s): *avedata* Warncke,1992 JO IL Pa
368. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR
GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
369. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN
CY IL Pa JO SY TR
370. **Osmia (Pyrosmia) dilaticornis Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875 TJ UZ Tas IL Pa JO TR
371. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY MA
TN CY IL Pa JO SY TR
372. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984
AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
373. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
374. **Osmia (Pyrosmia) polkruga Warncke,1992** (Megachilidae) Synonym(s): *polkruga* Warncke,1992 JO
375. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
376. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU
SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
377. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981
GR HV IT CY IL Pa JO SY TR
378. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus*

- Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
379. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988 AM Cc GR Rd JO TR
380. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 EG IL Pa JO IT MA SY TN TR RU YU TM
381. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 EG IL Pa IT JO MA SY TN TR CN Ui YU
382. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praecoc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
383. **Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856 CY TR SY LB JO Pa IL
384. **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003 *Pachybrachis (s.str.) cordatus* Sassi & Schöller,2003, Senckenberg. biol. 82 (1/2): 144. TR SY JO
385. **Pachybrachis (s.str.) jordanicus Lopatin,1984** (Chrysomelidae) Synonym(s): *jordanicus* Lopatin,1984 JO
386. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd
387. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus* Loew,1856 MA Cn ES IT EG JO
388. **Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus* Haupt,1930; *lindneri* Fahringer,1942; *subtilis* Linnavuori,1964 EG JO MN TR KG MD RU
389. **Parapholidoptera willemsei Katbeh Bader & Massa,2001** (Tettigoniidae) Synonym(s): *willemsei* Katbeh Bader & Massa,2001 IL Pa JO
390. **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
391. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
392. **Pedostrangalia riccardoi Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984 IL Pa SY JO Dms TR
393. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
394. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
395. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
396. **Pezotettix sorbini Massa & Fontana,1999** (Acrididae) Synonym(s): *sorbini* Massa & Fontana,1999 JO Amm
397. **Phaenotherium villosum Frieser,1978** (Anthribidae) Synonym(s): *villosum* Frieser,1978 TR LB JO
398. **Phantia ramana Dlabola,1965** (Flatidae) Synonym(s): *ramana* Dlabola,1965 JO LB
399. **Phidole jordanica Saulcy,1874** (Formicidae) Synonym(s): *jordanica* Saulcy,1874; *schmitzi* Forel,1911 EG JO SA IL Pa
400. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
401. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
402. **Phyllotreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901 BG TR AM IL Pa IR JO Cc
403. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
404. **Plagiotrochus csokai Melika & Pujade-Villar,2009** (Cynipidae) Synonym(s): *csokai* Melika & Pujade-Villar,2009 JO Dib
405. **Platyceis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
406. **Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927 IR IQ IL Pa JO TR
407. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR

408. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
409. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 **ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF**
410. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 **FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO**
411. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménériés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv**
412. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928 **GR Cr TR IL Pa JO SY LB**
413. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
414. **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895 **ES DZ IL Pa JO SY TR**
415. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
416. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
417. **Protosmia (s.str.) tiffensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiffensis* Morawitz,1876; *graffei* Schmiedeknecht,1890 **BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR**
418. **Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta* Gusenleitner,1972 **IL Pa JO Amm TR**
419. **Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970 **SY JO IL Pa TR**
420. **Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861 **TR IL Pa SY JO**
421. **Pterocheilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus* André,1884 **IL Pa JO TN DZ Cn**
422. **Purpuricenens nabateus Sama,1998** (Cerambycidae) Synonym(s): *nabateus* Sama,1998 **JO**
423. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847 **TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG**
424. **Recilia jordanica Dlabola,1965** (Cicadellidae) Synonym(s): *jordanica* Dlabola,1965 **JO**
425. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
426. **Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965 **GR TR JO LB IL**
427. **Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902 **?TR SY LB JO Amm**
428. **Rhynchites smyrnensis Desbrochers,1869** (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869 **AM Cc TR IR TM JO SY**
429. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *hebraeum* Giordani & Soika,1952 **Cn ES IT Si GR Cr TR OM IR EG JO**
430. **Rivetina byblica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982 *Rivetina byblica* La Greca & Lombardo,1982, *Animalia* 9 (1/3): 368-369. **Holotype ♂: Giordania, Wadi Shu'elb (A.R.Waterston). JO IL Pa SY Hal TR**
431. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 **TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG**
432. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrcus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 **Gryllus nitidulus Scopoli,1786, Delicidae florum & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA**
433. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 **Saga ephippigera Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd**
434. **Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994 **TR IL Pa JO**
435. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781 **TR SY Bld CY IL Pa JO MT GR MA TN MA**
436. **Scarabaeus irakensis Stolfa,1938** (Scarabaeidae) Synonym(s): *irakensis* Stolfa,1938 **JO SY IQ**
437. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 **RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF**

438. **Scotodrymadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi Uvarov,1927; palaestina Uvarov,1939* IL Pa JO SY TR IQ IR AF
439. **Selenocephalus nervosus Lindberg,1948** (Cicadellidae) Synonym(s): *nervosus Lindberg,1948* CY JO
440. **Selenocephalus sirvadi Dlabola,1965** (Cicadellidae) Synonym(s): *sirvadi Dlabola,1965* JO TR
441. **Setapius klapperichianus Dlabola,1988** (Cixiidae) Synonym(s): *klapperichianus Dlabola,1988* TR JO
442. **Simulium (Byssodon) buxtoni Austen,1923** (Simuliidae) Synonym(s): *bipunctatum Austen,1923 (praeocc.); buxtoni Austen,1923; irakae Smart,1944* JO IQ
443. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
444. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst,1829* DZ TR CY IL Pa JO Cc AM IR SA
445. **Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana Lacordaire,1848* TR SY IQ IL Pa JO
446. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
447. **Sphodromantis viridis (Forsk.,1775)** (Mantidae) Synonym(s): *viridis Forsk.,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
448. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus Friese,1921; coelostoma Benoist,1935* Heriades asiaticus Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Airan". TR BG GR HV IL Pa JO LB SY
449. **Stenoheriades eingeddicus Griswold,1994** (Megachilidae) Synonym(s): *eingeddicus Griswold,1994* IL Pa JO OM
450. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus Linnaeus,1767* Cc IR FR HV TR SY LB JO IL Pa
451. **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *egregius Herrich-Schäffer,1839* TR JO Amm IL Pa
452. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
453. **Tamaricella adpersa (Haupt,1927)** (Cicadellidae) Synonym(s): *adpersa Haupt,1927* EG IL JO
454. **Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): *cellarum Adams,1817* AZ AM Cc GG IR IQ JO SY TR
455. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii Freidberg,1981* TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
456. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratura Loew,1869* TR Cc AM AZ IL Pa LB JO IR
457. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866* Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
458. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
459. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903* Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
460. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
461. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons Mulsant-Rey,1855; marginata Fieber,1876* DZ BE FR GR TR IT Si JO MA ES SY TN
462. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia Fieber,1865* BG JO AZ KG KK RU TJ TM UZ YU
463. **Thamnotettix (s.str.) klapperichi Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi Dlabola,1965* TR JO SY
464. **Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus Linnavuori,1958* IL Pa JO LB TR

465. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata Fieber,1861* **DZ MA TN ES CY EG JO TR YU**
466. **Tituboea decemguttata (Walker,1871)** (Chrysomelidae) Synonym(s): *decemguttata Walker,1871* **JO SY**
467. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
468. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer Piochard,1876* **BG GR TR CY IL Pa JO LB SY**
469. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
470. **Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus Csiki,1928* **TR CY IL Pa JO LB SY**
471. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis Chevrolat,1843; apicalis Champenois,1900* **GR Cr TR JO EG SY IL Pa Js**
472. **Trichodes dilatipennis Reitter,1893** (Cleridae) Synonym(s): *dilatipennis Reitter,1893* **TR SY JO IL Pa**
473. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus Chevrolat,1843* **GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO**
474. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus Adams,1817* **GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG**
475. **Trichodes syriacus Spinola,1844** (Cleridae) Synonym(s): *syriacus Spinola,1844* **TR SY IL Pa JO**
476. **Tropiderinus interruptus (Reitter,1889)** (Anthribidae) Synonym(s): *interruptus Reitter,1889* **Cc TR AM JO**
477. **Tropinota (Epicometis) ilariae Dutto,2007** (Scarabaeidae) Synonym(s): *ilariae Dutto,2007* **Tropinota (Epicometis) ilariae Dutto,2007, Natural. Sicil. 31: 85-90. IL Pa JO Amm**
478. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis Reitter,1913* **TR Cc IR SY JO KG KK TM**
479. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli,1763; pilosa Brullé,1832* **GR SS LY SY LB IL Pa JO EG IQ TR**
480. **Tylopsis peneri Ragge,1974** (Tettigoniidae) Synonym(s): *peneri Ragge,1974* **LY IL Pa JO**
481. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera M.Hering,1961* **TR AF IL EG SY JO**
482. **Uvarovistia (s.str.) rammei Katbeh-Bader & Massa,2001** (Tettigoniidae) Synonym(s): *rammei Katbeh-Bader & Massa,2001* **JO**
483. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771* **GR TR JO IR Cc AF KK MX**
484. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* **Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
485. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis Meigen,1826; bivirgata Austen,1937* **EG YE IL Pa JO SY SA**
486. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868* **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
487. **Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana Mavromoustakis,1949* **EG TN? IL Pa JO SY**
488. **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri Harz,1970; indisticta Harz,1979; musicus Harz,1979* **Tridactylus pfaendleri Harz,1970, NachrBl. bayer. Ent. 19 (3): 56, 59. Holotype ♀: Austria: Neusiedler See. TR IL Pa JO ES AT CZ SK**
489. **Zercanus rubrocellatus Dlabola,1965** (Cicadellidae) Synonym(s): *rubrocellatus Dlabola,1965* **TR JO**
490. **Zygina (s.str.) karatasa (Dlabola,1957)** (Cicadellidae) Synonym(s): *karatasa Dlabola,1957* **AF JO TR**
491. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab Zachvatkin,1947; coacta Ribaut,1948* **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**

Synonymic and distributional list of the pterygot insects of Japan (Results of the Entomofauna of the World based upon info-system of the Cesa)

11

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Japan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 11.
Priamus (suppl.) 18: 668-681.

In this study, totally 344 species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Japan recorded in info-system of the Cesa, total pterygot species of Japan increase to 2407.

Key words: List, distribution, *pterygota*, *Insecta*, Japan.

Brief explanatory information:

Previously published article	yes ²⁷
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 344 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 2063 recorded species of *Lepidoptera* from Japan are found. Taking this information into consideration, total number of the pterygots may increase to 2407.

The study is still continuing, and the new results will be published within this Project.

1. **Ablerus perspeciosus Girault,1916** (Aphelinidae) Synonym(s): *perspeciosus Girault,1916*; *kashmirensis Narayanan,1961*; *bimaculatus Khan & Shafee,1976* [Ablerus perspeciosus Girault,1916, Annls ent. Soc. America 9 \(3\): 292.](#) Syntypes 4♀: Japan: Nishigahara. TR IN Up JP
2. **Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux Walker,1853* BT BD CN Hun IN TH CMa JP TW
3. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR

²⁷ Koçak,A.Ö. & M.Kemal, 2007, Notes on the nomenclature of Asiatic Noctuidae (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 105: 7-8.

4. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
5. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata Burmeister,1841* DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
6. **Allantus basalis (Klug,1818)** (Tenthredinidae) Synonym(s): *basalis Klug,1818; togatus Stephens,1835 nec Panz.,1801; caledonicus Benson,1945* TR RU Sb MN CN JP CA
7. **Allantus togatus (Panzer,1801)** (Tenthredinidae) Synonym(s): *togatus Panzer,1801; succincta Klug,1817; steini Schmiedeknecht,1881* RU Sb TR JP
8. **Allomyrina dichotomus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *dichotomus Linnaeus,1758* JP
9. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti Dahlbom,1850; coryli Tollin,1851; mali Edwards,1851* AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
10. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *oleracea Linnaeus,1758* TR Cc KG KP KR JP
11. **Amantis nawai (Shiraki,1908)** (Mantidae) Synonym(s): *nawai Shiraki,1908* CN JP LK TW
12. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
13. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula Chaudoir,1850* AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
14. **Ammophilomima trifida Hsia,1949** (Asilidae) Synonym(s): *trifida Hsia,1949* JP TW
15. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica Fabricius,1775; macrans Fabricius,1781; oculatus Fabricius,1798 (praeocc.); argus Fabricius,1803; dystercoides Ellenreider,1862; nigripes Ellenreider,1862; rubrocincta Breddin,1899; rufus Azim & Shafee,1982* BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW
16. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928* TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
17. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus Ratzeburg,1848* TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
18. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
19. **Anastoechus suzukii Matsumura,1916** (Bombyliidae) Synonym(s): *suzukii Matsumura,1916* JP
20. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
21. **Andrenosoma otanegawana (Matsumura,1916)** (Asilidae) Synonym(s): *otanegawana Matsumura,1916* JP RU
22. **Anomala (Euchronomala) albopilosa Hope,1839** (Scarabaeidae) Synonym(s): *albopilosa Hope,1839* JP
23. **Anomala (s.str.) daimiana Harold,1877** (Scarabaeidae) Synonym(s): *daimiana Harold,1877* JP
24. **Anomala (s.str.) motschulskyi Harold,1877** (Scarabaeidae) Synonym(s): *motschulskyi Harold,1877* JP
25. **Anomala (s.str.) rufocuprea Motschulsky,1860** (Scarabaeidae) Synonym(s): *rufocuprea Motschulsky,1860* RU Krl JP
26. **Anomala costata Hope** (Scarabaeidae) Synonym(s): JP
27. **Anomala edentula Ohaus** (Scarabaeidae) Synonym(s): JP
28. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris Rondani,1866* C DK FI IT SE HU YU RU CN JP TR
29. **Anthrax boninensis (Matsumura,1916)** (Bombyliidae) Synonym(s): *boninensis Matsumura,1916* JP Bo
30. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
31. **Aphodius (Aganocrossus) urostigma Harold,1862** (Scarabaeidae) Synonym(s): *urostigma Harold,1862* JP
32. **Aphodius (Aparammoecis) isaburoi Nakane,1956** (Scarabaeidae) Synonym(s): *isaburoi Nakane,1956* JP
33. **Aphodius (Aphodius) elegans Allibert,1848** (Scarabaeidae) Synonym(s): *elegans Allibert,1848* JP

34. **Aphodius (Pharaphodius) rugosostriatus Waterhouse,1875** (Scarabaeidae) Synonym(s): *rugosostriatus Waterhouse,1875* JP
35. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
36. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae Mercet,1911; dubius De Santis,1948; intermedius De Santis,1948; citrinus Compere,1955* ES CY TR GG JP AR
37. **Apoderus coryli (Linnaeus,1758)** (Atelabidae) Synonym(s): *coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790* DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
38. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
39. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
40. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
41. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
42. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
43. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794; #scutellaris Stichel,1961; neocustos Ahmad & Önder,1990; neoinsperata Ahmad & Önder,1990* DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
44. **Ascalohybris subjacens (Walker,1853)** (Ascalaphidae) Synonym(s): *subjacens Walker,1853* KH CN Hun Kig JP Hdo TW
45. **Athalia circularis (Klug,1815)** (Tenthredinidae) Synonym(s): *circularis Klug,1815; lineolata Audinet-Serville,1823; bolivari Dusmet,1896; libertoides Priesner,1928; longifoliae Kontuniemi,1951; alpina Chevin,1969* UA Cm TR RU MN CA CN JP
46. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815; immaculata Konow,1884* RU TR IR UZ KK Cc Sb IN CN JP
47. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata Lethierry,1884; artemisiae Haupt,1924* AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU
48. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella Kirschbaum,1868; angustus Then,1886; incisus Matsumura,1902; quadriguttatus Matsumura,1908* CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR
49. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum Robineau-Desvoidy,1830; pusilla Meigen,1826; aculeata Pandellé,1896; krameri Müller,1922; zetterstedti Enderlein,1933; longlobata Jacentkovsky,1941* AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
50. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile Gyllenhal,1810* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
51. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
52. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
53. **Bischoffitilla ardescens (Smith,1873)** (Mutillidae) Synonym(s): *ardescens Smith,1873* JP
54. **Bischoffitilla bidentata (Tsuneki,1972)** (Mutillidae) Synonym(s): *bidentata Tsuneki,1972* JP
55. **Bischoffitilla pungens (Smith,1873)** (Mutillidae) Synonym(s): *pungens Smith,1873; militans Dalla Torre,1897* JP
56. **Bischoffitilla unidentata (Tsuneki,1972)** (Mutillidae) Synonym(s): *unidentata Tsuneki,1972* JP
57. **Blitopertha (Exomala) orientalis Waterhouse,1875** (Scarabaeidae) Synonym(s): *orientalis Waterhouse,1875* JP
58. **Blondelia nigripes (Fallén,1810)** (Tachinidae) Synonym(s): *nigripes Fallén,1810* SE TR JP
59. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liouy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NmX BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
60. **Bombylius (s.str.) shibakawae Matsumura,1916** (Bombyliidae) Synonym(s): *shibakawae Matsumura,1916* JP

61. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 **AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU**
62. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 **FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM**
63. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
64. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
65. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 **AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP**
66. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 **JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR**
67. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger* Wesmael,1838 **JP RU TJ TM RO HU AT BE IT FR TR**
68. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 **TR JP KG Cc RU RO CZ HU AT IT BE FR GB**
69. **Calopteryx japonica Selys,1869** (Calopterygidae) Synonym(s): *japonica* Selys,1869 **JP**
70. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 **AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP**
71. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps* Horvath,1905 **TR DE AT CZ RU IT JP HU SK TN**
72. **Cazira vegeta Kirkaldy,1909** (Pentatomidae) Synonym(s): *ulcerata* Herrich-Schäffer,1839 *nec* Burm.,1835; *vegeta* Kirkaldy,1909 **JP CN VN TH IN**
73. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa* Westwood,1834; *verrucifer* Burmeister,1835 **CN TW MM IN BD TH KH VN ID Ja PH JP**
74. **Cetonia (Eucetonia) roelofsi Harold,1880** (Scarabaeidae) Synonym(s): *roelofsi* Harold,1880 **JP**
75. **Charitovalgus laetus Arrow,1913** (Scarabaeidae) Synonym(s): *laetus* Arrow,1913 **JP**
76. **Cheirotonus jambar Kurosawa,1984** (Scarabaeidae) Synonym(s): *jambar* Kurosawa,1984 **JP**
77. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
78. **Chloriona japonica Matsumura,1935** (Delphacidae) Synonym(s): *japonica* Matsumura,1935 **JP**
79. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
80. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936 **TR RU Cc RO IR KG Sb CN KP KR JP**
81. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 **DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU**
82. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarius* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 **TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI Nmx Ny Tx YU**
83. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus,1758 **GR TR Cc IN CN JP**
84. **Chrysomela tremulae Fabricius,1787** (Chrysomelidae) Synonym(s): *tremulae* Fabricius,1787 **TR JP**
85. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli,1763 **TR Cc UA Cm RU Sb CN MN JP KP KR**
86. **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758 **RU Sb JP TR HU GB NL DE**
87. **Cicadella spectra (Distant,1908)** (Cicadellidae) Synonym(s): *spectra* Distant,1908 **AF AT IR JP**
88. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**

89. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilotocephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
90. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904; bipunctella Matsumura,1908; zeae China,1926* DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
91. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta Fabricius,1801; flavomaculata Chevrolat,1845* Cicindela aurulenta Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
92. **Cirrospilus lynceus Walker,1838** (Eulophidae) Synonym(s): *lynceus Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878* TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
93. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomyzae Ishii,1953; novickyi Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
94. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus Linnaeus,1758; hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus Schumacher,1912; longispinus Wagner,1955* Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
95. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
96. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae Ferrière,1952; fimbriata Erdős,1956* HV FI DE HU IT JP ES SE CH UA RU YU TR
97. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
98. **Clytra laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata Ratzeburg,1837 nec Fabr.,1801; laeviuscula Ratzeburg,1837* FR RU At Sb TR JP
99. **Coenorhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus Herbst,1797; aeneovirens Marsham,1802; punctatus Olivier,1807; obscurus Gyllenhal,1833* DE BG DZ FR GB JP Cc MK TR
100. **Cordilura cuspidata Sasakawa,1986** (Scathophagidae) Synonym(s): *cuspidata Sasakawa,1986* JP
101. **Cordilura nubecula Sasakawa,1986** (Scathophagidae) Synonym(s): *nubecula Sasakawa,1986* JP
102. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla Nixon,1974* Apanteles ancilla Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
103. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae Riley,1887* MX CA US GB DE YU TR CZ NL HU MD UA RU JP
104. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
105. **Cryptocephalus bilineatus (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *bilineatus Linnaeus,1767; armeniacus Faldermann,1837; moestus Weise,1882; partitus Jacobson,1885; bisbilineatus Pic,1904* GB AM Cc RU JP
106. **Culicoides actoni Smith,1929** (Ceratopogonidae) Synonym(s): *actoni Smith,1929; okumensis Arnaud,1956; imperceptus Das Gupta,1962* IN JP
107. **Culicoides aomoriensis Kitaoka,1991** (Ceratopogonidae) Synonym(s): *aomoriensis Kitaoka,1991* JP
108. **Culicoides arakawai (Arakawa,1910)** (Ceratopogonidae) Synonym(s): *arakawai Arakawa,1910; sugimotonis Shiraki,1913; alboguttatus Kieffer,1921; shimai Sasaki,1928; daleki Smith & Swaminath,1932; micropunctatus Tokunaga,1951; niigataensis Takahashi,1958* JP TW IN ID
109. **Culicoides arnaudi Hubert & Wirth,1961** (Ceratopogonidae) Synonym(s): *arnaudi Hubert & Wirth,1961* JP
110. **Culicoides aterinervis Tokunaga,1937** (Ceratopogonidae) Synonym(s): *aterinervis Tokunaga,1937* JP
111. **Culicoides balius Arnaud,1956** (Ceratopogonidae) Synonym(s): *balius Arnaud,1956* JP
112. **Culicoides charadraeus Arnaud,1956** (Ceratopogonidae) Synonym(s): *charadraeus Arnaud,1956* JP
113. **Culicoides comosioculatus Tokunaga,1956** (Ceratopogonidae) Synonym(s): *comosioculatus Tokunaga,1956* JP
114. **Culicoides crassipilosus Tokunaga,1937** (Ceratopogonidae) Synonym(s): *crassipilosus Tokunaga,1937* JP
115. **Culicoides dubius Arnaud,1956** (Ceratopogonidae) Synonym(s): *dubius Arnaud,1956* JP
116. **Culicoides erairai Kono & Takahasi,1940** (Ceratopogonidae) Synonym(s): *erairai Kono & Takahasi,1940* JP

117. **Culicoides flavipunctatus Kitaoka,1975** (Ceratopogonidae) Synonym(s): *flavipunctatus* Kitaoka,1975 JP
118. **Culicoides humeralis Okada,1941** (Ceratopogonidae) Synonym(s): *humeralis* Okada,1941 JP
119. **Culicoides kibunensis Tokunaga,1937** (Ceratopogonidae) Synonym(s): *kibunensis* Tokunaga,1937; *cubitalis* Edwards,1939; *ponkikiri* Kono & Takahasi,1940; *sitinoensis* Okada,1941 GB TR JP
120. **Culicoides kitaokai Tokunaga,1955** (Ceratopogonidae) Synonym(s): *kitaokai* Tokunaga,1955 JP
121. **Culicoides matsuzawai Tokunaga,1950** (Ceratopogonidae) Synonym(s): *matsuzawai* Tokunaga,1950 JP
122. **Culicoides nagahanai Tokunaga,1956** (Ceratopogonidae) Synonym(s): *nagahanai* Tokunaga,1956 JP
123. **Culicoides nasuensis Kitaoka,1984** (Ceratopogonidae) Synonym(s): *nasuensis* Kitaoka,1984 JP
124. **Culicoides nipponensis Tokunaga,1955** (Ceratopogonidae) Synonym(s): *nipponensis* Tokunaga,1955 JP
125. **Culicoides pastus Kitaoka,1980** (Ceratopogonidae) Synonym(s): *pastus* Kitaoka,1980 JP
126. **Culicoides reesi Bullock & Akiyama,1959** (Ceratopogonidae) Synonym(s): *reesi* Bullock & Akiyama,1959 JP
127. **Cylindromyia brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius,1775; *boscii* Robineau-Desvoidy,1830; *trinaerina* Bigot,1878; *sapporensis* Matsumura,1916 GB FR TR Md Cn RU MN JP
128. **Danasoma fasciata (Linnaeus,1758)** (Elateridae) Synonym(s): *fasciata* Linnaeus,1758 TR SK RU Sb Tv Us JP
129. **Dasyhelea arciforceps Tokunaga,1940** (Ceratopogonidae) Synonym(s): *arciforceps* Tokunaga,1940; *clavifulva* Tokunaga,1940 JP
130. **Dasyhelea breviforceps Tokunaga,1962** (Ceratopogonidae) Synonym(s): *breviforceps* Tokunaga,1962 JP
131. **Dasyhelea centridorsalis Tokunaga,1963** (Ceratopogonidae) Synonym(s): *centridorsalis* Tokunaga,1963 JP
132. **Dasyhelea claviculifera Tokunaga,1962** (Ceratopogonidae) Synonym(s): *claviculifera* Tokunaga,1962 JP
133. **Dasyhelea crassipilosa Tokunaga,1956** (Ceratopogonidae) Synonym(s): *crassipilosa* Tokunaga,1956 JP
134. **Dasyhelea curtiradialis Tokunaga,1940** (Ceratopogonidae) Synonym(s): *curtiradialis* Tokunaga,1940 JP TW
135. **Dasyhelea curtivitta Tokunaga,1940** (Ceratopogonidae) Synonym(s): *curtivitta* Tokunaga,1940 JP
136. **Dasyhelea denticulata Yu,2006** (Ceratopogonidae) Synonym(s): *denticulata* Yu,2006 JP
137. **Dasyhelea dentiforceps Tokunaga,1940** (Ceratopogonidae) Synonym(s): *dentiforceps* Tokunaga,1940 JP
138. **Dasysyrphus albostrigatus (Fallén,1817)** (Syrphidae) Synonym(s): *albostrigatus* Fallén,1817 TR RU Ur Sb Cc KG MN JP
139. **Dasyvalgus angusticollis (Waterhouse,1875)** (Scarabaeidae) Synonym(s): *angusticollis* Waterhouse,1875 JP
140. **Dasyvalgus inouei Sawada,1939** (Scarabaeidae) Synonym(s): *inouei* Sawada,1939 JP
141. **Dasyvalgus tuberculatus (Lewis,1887)** (Scarabaeidae) Synonym(s): *tuberculatus* Lewis,1887 JP
142. **Dasyvalgus yonakuniensis Sawada,1941** (Scarabaeidae) Synonym(s): *yonakuniensis* Sawada,1941 JP
143. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
144. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KKL TJ UA YU
145. **Dictyophara okinawensis Matsumura,1906** (Dictyopharidae) Synonym(s): *okinawensis* Matsumura,1906 JP
146. **Dictyophara patruelis (Stal,1859)** (Dictyopharidae) Synonym(s): *patruelis* Stal,1859 CN JP RU AZ
147. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomysae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
148. **Dinocistus eupterus (Walker,1836)** (Pteromalidae) Synonym(s): *eupterus* Walker,1836; *dimidiatus* Walker,1836; *capitatus* Förster,1841; *lanceolatus* Ratzeburg,1848; *clypealis* Thomson,1878; *acutus*

- Provancher,1887; polygraphi Ashmead,1894; ashmeadi Crawford,1912; pityogenis Ishii,1938* GB SE DE TR JP
149. **Dinorhynchus dybowskyi Jakovlev,1876** (Pentatomidae) Synonym(s): *dybowskyi Jakovlev,1876* RU Sb JP CN KP KR
150. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum Rossi,1790; cornigera Jurine,1807; imperialis Giraud,1863* AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
151. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
152. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes Haliday,1856* ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
153. **Ducetia boninensis Ishikawa,1987** (Tettigoniidae) Synonym(s): *boninensis Ishikawa,1987* JP
154. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica Thunberg,1815; quinquerennis Haan,1842; lanceolatum Walker,1859; neochlora Walker,1869; privata Walker,1869; adspersa Brunner von Wattenwyl,1878* IN LK CN KP KR JP TW PH
155. **Ducetia unzenensis Yamasaki,1983** (Tettigoniidae) Synonym(s): *unzenensis Yamasaki,1983* JP
156. **Ectinohoplia obducta (Motschulsky,1857)** (Scarabaeidae) Synonym(s): *obducta Motschulsky,1857* JP TW
157. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
158. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
159. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praecoc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
160. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis Göthe,1875; aurantiaca Lethierry,1880; viticola Targioni-Tozzetti,1888; subvaria Rey,1894; vitium Paoli,1931; punctata Kato,1933; petiolata Cerutti,1939* DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
161. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemii Robineau-Desvoidy,1830; doronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
162. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata Wolff,1801; armigera Herrich-Schäffer,1844* PH IN LK MM ID Ja Mlc BD TW CN TH JP
163. **Eocanthecona japonicola (Esaki & Ishihara,1950)** (Pentatomidae) Synonym(s): *#hirayamae Suzuki,1915; japonicola Esaki & Ishihara,1950* JP
164. **Eocanthecona kyushuensis (Esaki & Ishihara,1950)** (Pentatomidae) Synonym(s): *kyushuensis Esaki & Ishihara,1950* JP
165. **Eocanthecona shikokuensis (Esaki & Ishihara,1950)** (Pentatomidae) Synonym(s): *shikokuensis Esaki & Ishihara,1950* JP
166. **Eophileurus chinensis (Faldermann,1835)** (Scarabaeidae) Synonym(s): *chinensis Faldermann,1835* JP CN
167. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842* TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
168. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
169. **Eriothrix umbrinervis Mesnil,1957** (Tachinidae) Synonym(s): *umbrinervis Mesnil,1957; mesnii Kolomiets,1967; tragicus Kolomiets,1967* RU MN JP
170. **Eristalinus (Lathyrrophthalmus) quinquestriatus (Fabricius,1794)** (Syrphidae) Synonym(s): *quinquestriatus Fabricius,1794* JP TH CMa TR
171. **Euodynerus (Pareuodynerus) nipanicus (Schulthess,1908)** (Vespidae) Synonym(s): *nipanicus Schulthess,1908* JP
172. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris Ratzeburg,1852* IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
173. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
174. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus Fabricius,1794; acuminalis Turton,1802; interstincta Fallén,1806; germari Curtis,1833* AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU

175. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
176. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
177. **Glycyphana (Caloglycyphana) fulvistemma (Motschulsky,1860)** (Scarabaeidae) Synonym(s): *fulvistemma* Motschulsky,1860 CN JP RU Am TW
178. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
179. **Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): *fulvipes* Haliday,1834 *Microgaster fulvipes* Haliday,1834, *Entomologist's mon. Mag.* 2: 249. TR RU Sh Sb JP KG
180. **Gnorimus subopacus Motschoulsky,1860** (Scarabaeidae) Synonym(s): *subopacus* Motschoulsky,1860 RU Am Us Sb JP
181. **Graphosoma rubrolineatum (Westwood,1837)** (Pentatomidae) Synonym(s): *rubrolineatum* Westwood,1837; *crassa* Motschoulsky,1861 CN Gn Hbe Mc Hun She Sha Sz Yu RU Us Kp KR JP
182. **Gryllodes supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans* Walker,1859 GY US CU ET PK IN RU Us KP KR JP AU
183. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica* Shafee, Alam & Agarwal,1975 IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
184. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773 *Coccinella axyridis* Pallas,1773, *Reise Russia* 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
185. **Heptophylla picea Motschulsky,1857** (Scarabaeidae) Synonym(s): *picea* Motschulsky,1857 JP KP
186. **Heriades (Michenerella) fujiyamai Yasumatsu & Hirashima,1952** (Megachilidae) Synonym(s): *fujiyamai* Yasumatsu & Hirashima,1952 JP
187. **Heriades (Michenerella) sakishimanus Yasumatsu & Hirashima,1965** (Megachilidae) Synonym(s): *sakishimanus* Yasumatsu & Hirashima,1965 JP
188. **Heriades (Michenerella) sauteri Cockerell,1911** (Megachilidae) Synonym(s): *sauteri* Cockerell,1911 TW JP
189. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera* Audinet-Serville,1839; *bipapilla* Audinet-Serville,1839; *dispar* Kirby,1900; *saussurei* Kirby,1904 CN TW Hw IN JP KP KR ID Ja Sba VN PH PG
190. **Hishimonus sellatus (Uhler,1896)** (Cicadellidae) Synonym(s): *sellatus* Uhler,1896 AF CN JP KP Cc GG
191. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
192. **Holotrichia inelegans (Lewis,1895)** (Scarabaeidae) Synonym(s): *inelegans* Lewis,1895 JP
193. **Hoplia (Euchromorplia) communis Waterhouse,1875** (Scarabaeidae) Synonym(s): *communis* Waterhouse,1875 JP
194. **Hybovalgus major Sawada,1939** (Scarabaeidae) Synonym(s): *major* Sawada,1939 JP
195. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
196. **Kartalia nipponica (Matsumura & Ishihara,1945)** (Delphacidae) Synonym(s): *nipponica* Matsumura & Ishihara,1945 JP
197. **Kemalia issikii (Uchida,1932)** (Ichneumonidae) Synonym(s): *issikii* Uchida,1932 JP
198. **Kemalia suisharionis (Uchida,1932)** (Ichneumonidae) Synonym(s): *suisharionis* Uchida,1932 JP
199. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
200. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
201. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
202. **Lestes sponsa (Hansemann,1823)** (Lestidae) Synonym(s): *sponsa* Hansemann,1823 TR Cc JP

203. **Libelloides ramburi (McLachan,1875)** (Ascalaphidae) Synonym(s): *ramburi* McLachan,1875
JP Hdo
204. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
205. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
206. **Lispocephala spuria (Zetterstedt,1838)** (Muscidae) Synonym(s): *spuria* Zetterstedt,1838
AM Cc Eri GB JP
207. **Lonchoptera japonica Matsumura,1915** (Lonchopteridae) Synonym(s): *japonica* Matsumura,1915 JP
208. **Lonchoptera sapporensis Matsumura,1915** (Lonchopteridae) Synonym(s): *sapporensis* Matsumura,1915 JP
209. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly,1874 Cc TR IR AF RU Sb MN CN VN JP
210. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus* Foudras,1860 TR Cc RU Sb KG DZ MN KP KR JP
211. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
212. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
213. **Macropsis fuscata (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscata* Zetterstedt,1828 AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
214. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injudunda* Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
215. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
216. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
217. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
218. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
219. **Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s): *lagopoda* (Linnaeus,1761 TR Cc RU Sb Us JP DZ
220. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
221. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
222. **Meimuna opalifera (Walker,1850)** (Cicadidae) Synonym(s): *opalifera* Walker,1850; *nigroventris* Kato,1927; *punctata* Kato,1927 CN JP Hkk KP KR
223. **Meimuna oshimensis (Matsumura,1906)** (Cicadidae) Synonym(s): *oshimensis* Matsumura,1906 JP
224. **Meimuna tsuchidai Kato,1931** (Cicadidae) Synonym(s): *tsuchidai* Kato,1931 JP
225. **Merodon kawamurae Matsumura,1916** (Syrphidae) Synonym(s): *kawamurae* Matsumura,1916; *micromegas* Hervé Bazin,1929 JP CN
226. **Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): *steini* Fieber,1869 DE HU JP Cc AZ UA
227. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator* Haliday,1834 TR DK JP RU Sb Sh Cc KG LT ID Ja
228. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer* Wesmael,1837 FR RU Sb LK MN Cc AZ AM TR JP
229. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
230. **Mimela flavilabris Waterhouse,1875** (Scarabaeidae) Synonym(s): *flavilabris* Waterhouse,1875 RU Krl JP


231. **Mimela inonea** Nomura (Scarabaeidae) Synonym(s): JP
232. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
233. **Monodontomerus aereus** Walker,1834 (Torymidae) Synonym(s): *aereus* Walker,1834 TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
234. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
235. **Nemoraea pellucida (Meigen,1824)** (Tachinidae) Synonym(s): *pellucida* Meigen,1824; *neglecta* Meigen,1824; *rubrica* Meigen,1824; *affinis* Robineau-Desvoidy,1830; *bombylans* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *conjuncta* Macquart,1848; *vicina* Macquart,1848; *vulnerata* Zetterstedt,1849; *nupta* Rondani,1859; *discreta* Robineau-Desvoidy,1863; *sponsa* Rondani,1865 DZ TR RU JP
236. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons* Macquart,1851 MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW
237. **Neomyia laveifrons (Loew,1858)** (Muscidae) Synonym(s): *laveifrons* Loew,1858 RU KP KR CN JP
238. **Neovalgus sikokuensis (Sawada,1941)** (Scarabaeidae) Synonym(s): *sikokuensis* Sawada,1941 JP
239. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
240. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 ES Cn Md FR IR IT JP TR GR Cr YU IR
241. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888 GR TR EG IL CN JP KP KR MA
242. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804 TR AF CN IN JP LK ID Sum
243. **Oedaleus infernalis Saussure,1884** (Acrididae) Synonym(s): *infernalis* Saussure,1884; *amurensis* Ikonnikov,1911; *montanus* Bei-Bienko,1951; *taeguensis* Lee & Park,1992 JP KP R RU Am Sb CN TW KG
244. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU
245. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
246. **Oncotympana maculaticollis (Motschoulsky,1866)** (Cicadidae) Synonym(s): *maculaticollis* Motschoulsky,1866 CN JP
247. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
248. **Onthophagus (Phanaeomorphus) japonicus Harold,1874** (Scarabaeidae) Synonym(s): *japonicus* Harold,1874 RU Am JP
249. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
250. **Opanthribus tessellatus (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus* Boheman,1829; *fallax* Perris,1875; *brunneipennis* Reitter,1916 DE TR RU JP
251. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 PT ES EG IQ IL Pa IR Md MA TR PK JP TW
252. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 CN ID IN JP LK MM MY TH PH VN TW Bor Sbh
253. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
254. **Osmia (Helicosmia) jacoti Cockerell,1929** (Megachilidae) Synonym(s): *jacoti* Cockerell,1929 JP CN
255. **Osmia (Helicosmia) orientalis Benoist,1929** (Megachilidae) Synonym(s): *orientalis* Benoist,1929 JP RU
256. **Osmia (Melanosmia) ishikawai Hirashima,1973** (Megachilidae) Synonym(s): *ishikawai* Hirashima,1973 JP Hkk CN
257. **Osmia (s.str.) cornifrons (Radoszkowski,1887)** (Megachilidae) Synonym(s): *cornifrons* Radoszkowski,1887 JP CN KP KR RU Us
258. **Osmia (s.str.) excavata Alfken,1903** (Megachilidae) Synonym(s): *excavata* Alfken,1903; *mitsukurii* Cockerell,1911; *heudei* Cockerell,1931 CN JP

259. **Osmia (s.str.) pedicornis Cockerell,1919** (Megachilidae) Synonym(s): *pedicornis Cockerell,1919* JP CN RU Us
260. **Osmia (s.str.) taurus Smith,1873** (Megachilidae) Synonym(s): *taurus Smith,1873* JP CN RU Us
261. **Oxycetonia forticula (Janson)** (Scarabaeidae) Synonym(s): JP
262. **Pachybrachis (s.str.) eruditus Baly,1873** (Chrysomelidae) Synonym(s): *eruditus Baly,1873* JP
263. **Pandivirilia sapporensis (Matsumura,1916)** (Therevidae) Synonym(s): *sapporensis Matsumura,1916* JP Hkk
264. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
265. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor Wiedemann,1817; mitis Meigen,1826; longipes Robineau-Desvoidy,1851; rumicis Hardy,1854; jynx Séguy,1926; cinereorufa Ringdahl,1930; sapporensis Kato,1941* AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
266. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra Goeze,1778; aethyops Schrank,1781; haemorrhoea Schrank,1781; castanea Gmelin,1790; biguttata Gmelin,1790 (praeocc.); atra Fabricius,1794; ruficollis Fabricius,1794; thoracica Panzer,1799; sanguinicollis Fabricius,1803; maculata Melichar,1896; caucasica Kusnezov,1931; clavalis Ribaut,1952; fulva Ribaut,1952; maculipennis Ribaut,1952* AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
267. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata Poda,1761; libellula Stoll,1787; lilifolia Audinet-Serville,1831; phyllopteroides Fischer von Waldheim,1846; sinensis Uvarov,1933* Gryllus *falcata Poda,1761, Ins. Mus. Graec.: 52.* ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
268. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
269. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops Mulsant & Rey,1855* CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
270. **Phyllopertha diversa Waterhouse,1875** (Scarabaeidae) Synonym(s): *diversa Waterhouse,1875* JP
271. **Phyllopertha intermixta (Arrow,1913)** (Scarabaeidae) Synonym(s): *intermixta Arrow,1913* JP RU Krl
272. **Phyllopertha irregularis Waterhouse,1875** (Scarabaeidae) Synonym(s): *irregularis Waterhouse,1875* JP
273. **Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula Redtenbacher,1849* Cc TR AF KG MN KP KR JP RU Sb
274. **Physatocheila veteris Drake,1942** (Tingidae) Synonym(s): *veteris Drake,1942* JP Hkk
275. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
276. **Picromerus lewisi Scott,1874** (Pentatomidae) Synonym(s): *lewisi Scott,1874; angusticeps Jakovlev,1880; vicinus Signoret,1880; similis Distant,1883* CN Pkn RU Sb Am JP KP KR
277. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes Fabricius,1781; genei Costa,1841* AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
278. **Plagioderia versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora Laicharting,1781* TR DZ RU Sb IN JP TW CA
279. **Platyleura kaempferi (Fabricius,1794)** (Cicadidae) Synonym(s): *kaempferi Fabricius,1794; fuscangulis Butler,1874; takasogona Kato,1930 (praeocc.); kyotonis Kato,1932; tsuchidai Kato,1932* CN Hkk JP KP KR RU Krl
280. **Poecilophilides rusticola (Burmeister,1842)** (Scarabaeidae) Synonym(s): *rusticola Burmeister,1842* RU Am JP
281. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus Christ,1791; bucharensis Erichson,1949; muchei Gusenleitner,1976* IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
282. **Polyphylla (Gynexophylla) laticollis Lewis,1887** (Scarabaeidae) Synonym(s): *laticollis Lewis,1887* JP
283. **Pomonia kiushiensis Kato,1925** (Cicadidae) Synonym(s): *kiushiensis Kato,1925* JP
284. **Popillia quadriguttata (Fabricius,1787)** (Scarabaeidae) Synonym(s): *quadriguttata Fabricius,1787* RU Am Krl JP US
285. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
286. **Protaetia (Potosia) lenzi (Harold)** (Scarabaeidae) Synonym(s): JP

287. **Protaetia (s.str.) orientalis (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *orientalis* Gory & Percheron,1833 JP
288. **Protaetia culta Waterhouse 1879** (Scarabaeidae) Synonym(s): *culta* Waterhouse 1879 JP
289. **Protidricerus japonicus (McLachan,1891)** (Ascalaphidae) Synonym(s): *japonicus* McLachan,1891 JP Hdo
290. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
291. **Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hyoscyami* Linnaeus,1758 TR JP SE
292. **Psylliodes sophiae Heikertinger,1914** (Chrysomelidae) Synonym(s): *sophiae* Heikertinger,1914 TR MA JP
293. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
294. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
295. **Rhombodera valida (Burmeister,1838)** (Mantidae) Synonym(s): *valida* Burmeister,1838; *rotunda* Giglio-Tos,1917 CN IN JP MY ID Ja Mlc Tim
296. **Rhombonyx testaceipes (Motschulsky,1860)** (Scarabaeidae) Synonym(s): *testaceipes* Motschulsky,1860 JP
297. **Rhomborrhina japonica (Hope,1841)** (Scarabaeidae) Synonym(s): *japonica* Hope,1841 JP
298. **Rhomborrhina polita Waterhouse,1875** (Scarabaeidae) Synonym(s): *polita* Waterhouse,1875 JP
299. **Rhomborrhina unicolor Motschulsky,1861** (Scarabaeidae) Synonym(s): *unicolor* Motschulsky,1861 JP
300. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaria* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
301. **Ricania japonica Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898 JP KP KR TR CN Cc GG UA
302. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
303. **Scathophaga mellipes (Coquillet,1899)** (Scathophagidae) Synonym(s): *mellipes* Coquillet,1899; *chinensis* Malloch,1935 KP KR JP CN TW NP IN RU
304. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
305. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
306. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
307. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
308. **Serica (Ophthalmoserica) nijimai Konthwan** (Scarabaeidae) Synonym(s): JP
309. **Serica (Trichoserica) pilosa (Nomura)** (Scarabaeidae) Synonym(s): JP
310. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
311. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG
312. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 IN VN CN KP KR JP MM MY Bor ID Sum Ja PH
313. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
314. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 AL BG CY IL Pa IR IT JP KP AZ Cc TR
315. **Supholomitus okinawensis (Okamoto,1910)** (Ascalaphidae) Synonym(s): *okinawensis* Okamoto,1910 JP Ri

316. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
317. **Sympecma annulata (Selys,1887)** (Lestidae) Synonym(s): *paedisca* Brauer,1882 *nec Eversm.*,1836; *annulata* Selys,1887; *braueri* Jacobson & Bianchi,1905 **TR SY NL JP**
318. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteorii* Girault,1916 **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU**
319. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU**
320. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 **AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US**
321. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 **TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US**
322. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis* Meigen,1822 **TR RU Ur Sb Cc IR MN AF KP KR JP US**
323. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 **IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ**
324. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761 **TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm**
325. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* Robineau-Desvoidy; *satanas* Zimin,1935 **ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP**
326. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta* Rondani,1859; *micado* Kirby,1884; *orientalis* Zimin,1935; *trigonata* Villeneuve,1936; *nigriventris* Zimin,1967; *mesnili* Zimin,1967; *turanica* Zimin,1980 **IT FR DE CH Cc TR UZ MN CN JP KG RU**
327. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 **AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP**
328. **Tachytrechus genualis Loew,1857** (Dolichopodidae) Synonym(s): *genualis* Loew,1857 **AM Cc BG RO RU JP TW**
329. **Tenodera angustipennis Saussure,1869** (Mantidae) Synonym(s): *angustipennis* Saussure,1869 **CN Hw IN JP ID Ja KP KR RU Sb**
330. **Tenodera sinensis Saussure,1871** (Mantidae) Synonym(s): *sinensis* Saussure,1871; *mandarinea* Saussure,1871 **CN JP TH**
331. **Tenthredo maculata Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy,1785; *unifasciata* Geoffroy,1785; *zonta* Christ,1791; *equestris* Panzer,1809; *latizona* Audinet-Serville,1823; *andréi* Mocsary,1883; *maculata* Enslin,1912 **TR Cc RU Sb JP**
332. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera* Meigen,1830; *subfasciata* Schummel,1839; *modesta* Becker,1922 **GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP**
333. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus* Wiedemann,1817 **US Cf Als DE PL CZ SK CH AT HU TR JP**
334. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833 **IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB**
335. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
336. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805 **AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA**
337. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 **TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US**
338. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 **BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl**
339. **Villa limbata (Coquillett,1898)** (Bombyliidae) Synonym(s): *limbata* Coquillett,1898 **TW JP KP KR**
340. **Villa myrmeleonostena (Baba,1953)** (Bombyliidae) Synonym(s): *myrmeleonostena* Baba,1953 **JP**
341. **Yanovalgus planiuscufus Nomura,1952** (Scarabaeidae) Synonym(s): *planiuscufus* Nomura,1952 **JP TW**
342. **Zabrachypus tenuiabdominalis (Uchida,19141)** (Ichneumonidae) Synonym(s): *tenuiabdominalis* Uchida,19141 **RU Cc TR JP**

343. **Zaira cinerea (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea* Fallén,1810 **TR SE JP**
344. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758;
concinna Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF**
DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID
Ja Sum Bor IR BG YU US



Synonymic and distributional list of the pterygot insects of Kazakhstan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

12

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Kazakhstan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 12. *Priamus* (suppl.) 18: 682-730.

In this study, totally 1340 species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Kazakhstan.

Brief explanatory information:

Previously published article	yes ²⁸
Previously published report	yes
Expedition made by the Cesa	yes ²⁹
Planned expeditions	no
Further planned publications	yes

In this study, totally 1340 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae) Synonym(s): *occitanica* Villers,1789 **AF IR Elb Th PK TR IL Pa KG**
2. **Acanthaclisis occitanicum Villers,1789** (Myrmeleonidae) Synonym(s): *occitanicum* Villers,1789; *pisanus* Rossi,1790; *georgianum* Fischer v. Waldheim,1846. **TR IR PK AF KG IL**
3. **Acanthaclisis pallida McLachan,1887** (Myrmeleonidae) Synonym(s): *pallida* McLachan,1887 **IR KG**
4. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**

²⁸ Koçak,A.Ö. & M.Kemal, 2001, Lepidoptera coğrafyesi üstide tetqiqatlar 2.Qazaqıstan k pineklirining zoocoğrafyesi ve taksonomiyesi  stide tetqiqatlar (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Priamus 10 (3/4): 111-163 [in Uighur language]. - Kemal,M., 2006, Tanrı Dağlarının Papilionoidea ve Hesperioidea (Lepidoptera) Faunası ve Zoocoğrafyası  zerine Arařtırmalar. Cent. ent. Stud., Priamus Suppl. 2: 1-122, 34  izelge, 8 Tablo. - Koçak, A.Ö. & M.Kemal, 2008, Series of the World Checklists of the Lepidoptera based upon the Info-System of the Cesa Nr.3 - Check-List of the Butterflies of the Trans-Ili Alatau (Zailiski) (South-East Kazakhstan) <http://www.members.tripod.com/entlep/trans.htm> [first onlined in 2001] - Koçak, A.Ö. & M.Kemal, 2008, Series of the World Checklists of the Lepidoptera based upon the Info-System of the Cesa Nr.7 -Check-List of the Butterflies of Dshungarian Alatau (East Kazakhstan), with vernacular names in English, Turkish and Uighurian language. <http://www.members.tripod.com/entlep/dsa1.htm> [first onlined in 2001]

²⁹ Koçak,A.Ö. & M.Kemal, 2000, Entomological expedition of the Cesa to the Kazakhstan and Kyrgyzstan in 1999. Cent. ent. Stud., Misc. Pap. 70: 1-5.

5. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
6. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790*; *rotundiventris Meigen,1826*; *femoralis Robineau-Desvoidy,1830*; *powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
7. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis Lethierry,1876* AF IR IQ? MN TR GG KG RU TJ TM UZ
8. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa Lethierry,1885*; *minutus Haupt,1917*; *simplex Haupt,1917 (praeocc.)*; *sanguisuga Lindberg,1927*; *obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
9. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea Fallén,1814*; *aestiva Meigen,1826*; *gnaphalii Loew,1844* AZ AM GG TR Cc FR EE KG LT MD UA RU YU
10. **Adarrus bellevoeyi (Puton,1877)** (Cicadellidae) Synonym(s): *bellevoeyi Puton,1877* BE BG FR IT PL KG RU Sb
11. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847*; *micantulus Kirschbaum,1868*; *thoracicus Fieber,1869*; *mayri Fieber,1869* DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
12. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.)*; *ocellaris Fallén,1806*; *notatifrons Kirschbaum,1868*; *sachaninensis Matsumura,1915* DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
13. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
14. **Adoretus pruinus Ballion,1870** (Scarabaeidae) Synonym(s): *pruinus Ballion,1870* RU KG AF
15. **Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis Loew,1873*; *maschouk Pleske,1925* TJ KG UZ RU TR
16. **Aeolosomus rossi (Germar,1844)** (Elateridae) Synonym(s): *rossi Germar,1844* TR IR KG
17. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener Thunberg,1794*; *foveolatus Mulsant & Godart,1860*; *venturii Bertolini,1870*; *funkii Seidlitz,1887*; *daisetsuzanus Kamiya,1938* AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
18. **Agabus (Acatodes) coxalis Sharp,1882** (Dytiscidae) Synonym(s): *coxalis Sharp,1882*; *splichali Reitter,1899* Cc AM GG TR KG MN RU
19. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808*; *goedeli A.Villa & G.B.Villa,1833*; *fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
20. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790*; *femoralis Paykull,1798*; *impressus Zoubkoff,1833*; *assimilis Sturm,1834*; *hochhuti Zaitsev,1908*; *transcaucasicus Zaitsev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
21. **Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata Horvath,1894* RO AM AZ GG KG KK RU TM UZ
22. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
23. **Agapanthia dahli (Richter,1821)** (Cerambycidae) Synonym(s): *dahli Richter,1821* RU Cc KG SK
24. **Agapanthia detrita Kraatz,1882** (Cerambycidae) Synonym(s): *detrita Kraatz,1882* UZ KG
25. **Agapanthia soror Kraatz,1882** (Cerambycidae) Synonym(s): *soror Kraatz,1882* UZ KG
26. **Agapanthia villosoviridescens (De Geer,1775)** (Cerambycidae) Synonym(s): *villosoviridescens De Geer,1775* TR RU Cc KG
27. **Agapanthia violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): *violacea Fabricius,1775* RU Cc TR KG GR
28. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820*; *cianocephalus Bouché,1834*; *praysincola Silvestri,1907*; *anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
29. **Agonum chalconotum Ménériés,1832** (Carabidae) Synonym(s): *chalconotum Ménériés,1832* GB LA TR AF KK KG TJ UZ CN MN
30. **Agonum extensum Ménériés,1849** (Carabidae) Synonym(s): *extensum Ménériés,1849* GR IT MD TR UA KG
31. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
32. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
33. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
34. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
35. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US

36. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
37. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticulosus Candeze,1863* TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
38. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari Zetterstedt,1840* DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
39. **Albicoma kaptshagaica Lehr,1987** (Asilidae) Synonym(s): *kaptshagaica Lehr,1987* RU KG Aa
40. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus Linnaeus,1758; cordigera Geoffroy,1785; togata Zetterstedt,1840; varipes Audinet-Serville,1840; neglectus Zaddach,1859* Cc TR UA Cm IR KG MN CA
41. **Allantus didymus (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus Klug,1818; testaceipes Audinet-Serville,1823; nigratarsis Brullé,1832; proximus Costa,1859; ruficrus Mocsary,1880; fumatus André,1880* TR Cc IR KG RU
42. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus Fieber,1872* AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
43. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus Fabricius,1794; marmorata Hardy,1850; communis Ferrari,1882; corisipennis Ferrari,1882; juvenis Ferrari,1882; margaritinus Ferrari,1882; gracilis Rey,1894; immunis Rey,1894* AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
44. **Alosterna tabacicolor (De Geer,1775)** (Cerambycidae) Synonym(s): *tabacicolor De Geer,1775* RU Cc KG IR SK CZ
45. **Altica brevicollis Foudras,1860** (Chrysomelidae) Synonym(s): *brevicollis Foudras,1860* TR Cc IR KG
46. **Altica carduorum (Guérin-Ménéville,1858)** (Chrysomelidae) Synonym(s): *carduorum Guérin-Ménéville,1858* TR Cc KG
47. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola Weise,1889* TR RU KG Cc AF MN KP KR TW
48. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *oleracea Linnaeus,1758* TR Cc KG KP KR JP
49. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris Weise,1888* TR Cc IR AF KG DZ
50. **Amara ((Curtonotus) propinqua Ménétris,1832** (Carabidae) Synonym(s): *propinqua Ménétris,1832; bistrinata Putzeys,1866* AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
51. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
52. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis Motschoulsky,1844; badiola Bates,1878; latiuscula Poppius,1908; nigriventris Lutshnik,1927; chivensis Lutshnik,1928; tratnikovi Lutshnik,1928; pamiricola Lutshnik,1930; gisellae Csiki,1929* AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
53. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva O.F.Müller,1776; concolor Olivier,1795; iridipennis Heer,1837* AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
54. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula Chaudoir,1850* AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
55. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica O.F.Müller,1776; bifrons Gyllenhal,1810; discrepans Stephens,1828; zimmermanni Heer,1837; longiceps Seidlitz,1887; kleini Schuler,1964* Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
56. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
57. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior Stephens,1828; obtusa Stephens,1828; puncticollis Rylands,1841; continua Thomson,1873* AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
58. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta Dejean,1828; brunnicornis Heer,1837; aeruginosa Kolenati,1845; cyanocnamis Thomson,1857; ovalis Mulsant & Rey,1861* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
59. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832; bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN

60. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 **AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ**
61. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythroga* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
62. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 **AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN**
63. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 **TR IR KG TJ TM UZ CN Ui**
64. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 **AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ**
65. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc**
66. **Amathomyia persiana Hermann,1912** (Asilidae) Synonym(s): *persiana* Hermann,1912; *persiana* Becker,1913 **KG IR Ss TN**
67. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata* Fallén,1808; *fulvipes* Costa,1882; *agilis* Klug,1817; *rufipes* Audinet-Serville,1823; *nigrisoma* Norton,1862; *abnormis* Provancher,1885; *potulenta* MacGillivray,1923 **RU Sb UA Cm TR Cc KG DZ MN CA**
68. **Amphicoma (Eulasia) bombylifformis (Pallas,1781)** (Glaphyridae) Synonym(s): *bombylifformis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980 **GR TR Cc AM Eri TM KG**
69. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi* Ballion,1870; *clypeata* Solsky,1876; *dubia* Solsky,1876; *auricollis* Reitter,1890; *viridicollis* Reitter,1890; *belia* Reitter,1900 **AF UZ KG TJ KK TM**
70. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopacias* Pallas,1781; *hirta* Fabricius,1781; *vulpes* Fabricius,1792; *vulpecula* Truqui,1848; *pyrrhothrix* Dohrn,1885; *griseovillosa* Reitter,1903; *obscurithorax* Miksic,1955; *bogoevskii* Miksic,1955 **GR TR UA Cc RU KG**
71. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 **RU KG IL Pa IR Ss TR EG**
72. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
73. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 **Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL**
74. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 **AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU**
75. **Anarolius fronto Loew,1873** (Asilidae) Synonym(s): *fronto* Loew,1873 **RU KG TR**
76. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus* Becker,1916; *villosus* Paramonov,1930; *albulus* Paramonov,1940 **CN Ui KK KG MN RU UZ**
77. **Anastoechus baigakumensis Paramonov,1926** (Bombyliidae) Synonym(s): *baigakumensis* Paramonov,1926 **KG UZ**
78. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 **AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ**
79. **Anastoechus fuscus Paramonov,1926** (Bombyliidae) Synonym(s): *fuscus* Paramonov,1926 **KG**
80. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 **IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR**
81. **Anastoechus syrdarjensis Paramonov,1926** (Bombyliidae) Synonym(s): *syrdarjensis* Paramonov,1926 **KG TM UZ**
82. **Anastoechus turkestanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turkestanicus* Paramonov,1926 **KG UZ**
83. **Anastoechus vlasovi Paramonov,1930** (Bombyliidae) Synonym(s): *vlasovi* Paramonov,1930; *albicans* Paramonov,1930 **KG TM UZ**
84. **Anastoechus zimini Paramonov,1940** (Bombyliidae) Synonym(s): *zimini* Paramonov,1940 **KG AF UZ MN IR AM AZ Cc**

85. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 **AT AL FR GR IT RO TR YU KG SR IL Pa**
86. **Andrena (Brachyandrena) limonii Osytshnjuk,1983** (Andrenidae) Synonym(s): *limonii* Osytshnjuk,1983 **RU KG**
87. **Andrenosoma trigoniferum Hermann,1906** (Asilidae) Synonym(s): *trigoniferum* Hermann,1906 **RU KG**
88. **Anechura bipunctata (Fabricius,1781)** (Forficulidae) Synonym(s): *bipunctata* Fabricius,1781; *asiatica* Semenov,1903; *fabricii* Fieber,1854 **ES TR RU FR SK AM KG UZ**
89. **Aneomochtherus desertorum (Lehr,1958)** (Asilidae) Synonym(s): *desertorum* Lehr,1958 **RU KG**
90. **Aneomochtherus farinosus (Loew,1871)** (Asilidae) Synonym(s): *farinosus* Loew,1871 **RU KG**
91. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 **AT DE CH FR HU GR RO RU KG**
92. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Cc AM IR KG**
93. **Aneomochtherus leucophorus (Tsacas,1963)** (Asilidae) Synonym(s): *leucophorus* Tsacas,1963 **RU KG**
94. **Aneomochtherus marikovskii (Lehr,1958)** (Asilidae) Synonym(s): *marikovskii* Lehr,1958 **MN RU KG**
95. **Aneomochtherus petrishtshevae (Stackelberg,1937)** (Asilidae) Synonym(s): *petrishtshevae* Stackelberg,1937 **RU KG IR**
96. **Aneomochtherus platypygus (Tsacas,1968)** (Asilidae) Synonym(s): *platypygus* Tsacas,1968; *promiscus* Tsacas,1968 **RU KG**
97. **Aneomochtherus tricuspis (Engel,1927)** (Asilidae) Synonym(s): *tricuspis* Engel,1927 **RU KG**
98. **Angeloptyromyia alf Korneyev,2001** (Platystomidae) Synonym(s): *alf* Korneyev,2001 **KG**
99. **Angeloptyromyia merzi Korneyev,2001** (Platystomidae) Synonym(s): *merzi* Korneyev,2001 **KG**
100. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997 **ES IT DE CZ TR Cc RU KG IR**
101. **Anisoplia (Chaetopteroptia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum* Herbst,1783 **TR BG RU KG**
102. **Anisoplia (Lasioplia) campicola Ménétrés,1832** (Scarabaeidae) Synonym(s): *campicola* Ménétrés,1832 **RU Uf KG**
103. **Anisoplia (s.str.) agricola (Poda,1761)** (Scarabaeidae) Synonym(s): *agricola* Poda,1761 **YU RU Cc KG**
104. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus* Lehr,1964 **RU Cc KG IL Pa TR IR Fa AM AZ GG**
105. **Anomala (Psammoscaphaeus) vittata Gebler,1841** (Scarabaeidae) Synonym(s): *vittata* Gebler,1841 **KG**
106. **Anomala cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum* Geoffroy,1785 **TR IR KG RU Sb**
107. **Anomalon foliator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *foliator* Fabricius,1798 **TR KG RU Sb**
108. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi* Lethierry,1876; *fusca* Ivanoff,1885; *henschi* Loew,1885 **IT RO TR KG MD RU UA YU**
109. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805 **TR Cc KG RU Sb Us DZ**
110. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 **IT Si AL SY LB IR GR Cc TR KG RU DZ**
111. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 **RU Sb KG TR CY IL Pa Js LB TM Kp GR**
112. **Anthocoris angularis Reuter,1884** (Anthocoridae) Synonym(s): *angularis* Reuter,1884 **KK KG TJ MN UZ IR Th Elb**
113. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes* Reuter,1884 **IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ**
114. **Anthomalachius foveatus (Medvedev,1964)** (Melyridae) Synonym(s): *foveatus* Medvedev,1964 **KG RU MN**
115. **Anthomalachius pseudospinosus (Medvedev,1964)** (Melyridae) Synonym(s): *pseudospinosus* Medvedev,1964 **TR KG**
116. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 **FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ**
117. **Anthrax tajikistanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *tajikistanus* Evenhuis & Greathead,1999 **AM AZ GG Cc KG TJ UZ**

118. **Anthrax transcaspicus** Paramonov,1935 (Bombyliidae) Synonym(s): *transcaspicus* Paramonov,1935 **KG TM UZ**
119. **Anthrax zonabriphagus** (Portschinsky,1895) (Bombyliidae) Synonym(s): *zonabriphagus* Portschinsky,1895 **BY EE KG LT MD RU Cc UA**
120. **Anthrenus (Florilinus) flavidus** Solsky,1876 (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876 **PL AF Cc CN KG KK TJ TM UZ**
121. **Anthrenus (Ranthenus) alatauensis** Mroczkowski,1962 (Dermestidae) Synonym(s): *alatauensis* Mroczkowski,1962 **KG**
122. **Anthrenus (s.str.) picturatus** Solsky,1876 (Dermestidae) Synonym(s): *picturatus* Solsky,1876 **AF Cc TR IR KK KG TJ TM UZ**
123. **Anthrenus (Solskinus) dsungaricus** Mroczkowski,1962 (Dermestidae) Synonym(s): *dsungaricus* Mroczkowski,1962 **KG DsA**
124. **Anthrenus (Solskinus) talassicus** Sokolov,1980 (Dermestidae) Synonym(s): *talassicus* Sokolov,1980 **KG**
125. **Antiphrisson adpressus** (Loew,1849) (Asilidae) Synonym(s): *adpressus* Loew,1849 **Cc RU KG IL Pa TR IR Kz Fa EG TN**
126. **Antiphrisson malkovskii** Lehr,1970 (Asilidae) Synonym(s): *malkovskii* Lehr,1970 **RU KG**
127. **Antiphrisson minor** Lehr,1970 (Asilidae) Synonym(s): *minor* Lehr,1970 **RU KG**
128. **Antiphrisson mitjaevi** Lehr,1964 (Asilidae) Synonym(s): *mitjaevi* Lehr,1964 **RU KG**
129. **Antiphrisson trifarius** (Loew,1849) (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN**
130. **Apalus bipunctatus** Germar,1817 (Meloidae) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özbek & Szaloki,1998 **TR RU Cc KG TJ**
131. **Aphodius (Acanthbodilus) immundus** Creutzer,1799 (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 **RU Cc Ur Sb Us KG TM TJ**
132. **Aphodius (Acrossus) bimaculatus** (Laxmann,1770) (Scarabaeidae) Synonym(s): *bimaculatus* Laxmann,1770 **RU Sb Us KG**
133. **Aphodius (Acrossus) luridus** (Fabricius,1775) (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 **RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ**
134. **Aphodius (Acrossus) rufipes** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *rufipes* Linnaeus,1758 **RU Sb Us Am IT FI UA Cc GG KG**
135. **Aphodius (Agolius) makowskyi** D.Koshantschikov,1891 (Scarabaeidae) Synonym(s): *makowskyi* D.Koshantschikov,1891 **KG**
136. **Aphodius (Agrilinus) ater** (De Geer,1774) (Scarabaeidae) Synonym(s): *ater* De Geer,1774 **RU Ur Sb Us Sh GG Cc KG**
137. **Aphodius (Agrilinus) borealis** Gyllenhal,1827 (Scarabaeidae) Synonym(s): *borealis* Gyllenhal,1827 **RU Sb Am FI KG**
138. **Aphodius (Agrilinus) lapponum** Gyllenhal,1806 (Scarabaeidae) Synonym(s): *lapponum* Gyllenhal,1806 **RU Us KG**
139. **Aphodius (Agrilinus) piceus** Gyllenhal,1808 (Scarabaeidae) Synonym(s): *piceus* Gyllenhal,1808 **RU Us KG**
140. **Aphodius (Agrilinus) uliginosus** (Hardy,1847) (Scarabaeidae) Synonym(s): *uliginosus* Hardy,1847 **RU Sb Us BY KG**
141. **Aphodius (Amidorus) tomentosus** (Müller,1776) (Scarabaeidae) Synonym(s): *tomentosus* Müller,1776 **RU Sb Us KG**
142. **Aphodius (Amidorus) zangi** A.Schmidt,1906 (Scarabaeidae) Synonym(s): *zangi* A.Schmidt,1906 **RU Sb Us KG**
143. **Aphodius (Ammoecius) brevis** Erichson,1848 (Scarabaeidae) Synonym(s): *brevis* Erichson,1848 **RU Ur Sb KG**
144. **Aphodius (Aphodius) fimetarius** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **RU Cc Ur Sb Us UA AM GG KG KK TM UZ**
145. **Aphodius (Aphodius) foetens** (Fabricius,1787) (Scarabaeidae) Synonym(s): *foetens* Fabricius,1787 **RU Ur Sb Us KG**
146. **Aphodius (Apsteiniella) aralicus** Nikolajev,1979 (Scarabaeidae) Synonym(s): *aralicus* Nikolajev,1979 **KG**
147. **Aphodius (Biralus) menetriési** Ménétré,1849 (Scarabaeidae) Synonym(s): *menetriési* Ménétré,1849 **KG KK TM UZ**
148. **Aphodius (Biralus) satellitus** (Herbst,1789) (Scarabaeidae) Synonym(s): *satellitus* Herbst,1789 **RU KG**
149. **Aphodius (Bodilus) gregarius** Harold,1871 (Scarabaeidae) Synonym(s): *gregarius* Harold,1871 **RU KG MN**
150. **Aphodius (Bodilus) hastatus** Reitter,1892 (Scarabaeidae) Synonym(s): *hastatus* Reitter,1892 **RU KG**
151. **Aphodius (Bodilus) ictericus** (Laicharting,1781) (Scarabaeidae) Synonym(s): *ictericus* Laicharting,1781 **RU Cc Ur Sb HU UA Cm KG**

152. **Aphodius (Bodilus) lugens** Creutzer,1799 (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
RU Ur Cc UA Cm KG KK TJ TM
153. **Aphodius (Bodilus) nigriventris** Reitter,1892 (Scarabaeidae) Synonym(s): *nigriventris*
Reitter,1892 RU KG
154. **Aphodius (Bodilus) punctipennis** Erichson,1848 (Scarabaeidae) Synonym(s): *punctipennis*
Erichson,1848 RU Sb KG TM
155. **Aphodius (Bodilus) rufus** (Moll,1782) (Scarabaeidae) Synonym(s): *rufus* Moll,1782 RU Ur KG
HU
156. **Aphodius (Bodilus) sordescens** Harold,1869 (Scarabaeidae) Synonym(s): *sordescens*
Harold,1869 RU Sb KG MN
157. **Aphodius (Calamosternus) granarius** (Linnaeus,1767) (Scarabaeidae) Synonym(s): *granarius*
Linnaeus,1767 RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
158. **Aphodius (Calamosternus) lividus** (Olivier,1789) (Scarabaeidae) Synonym(s): *lividus*
Olivier,1789 RU Am Cc GG KG TM TJ
159. **Aphodius (Calamosternus) suturifer** Reitter,1893 (Scarabaeidae) Synonym(s): *suturifer*
Reitter,1893 RU Us KG
160. **Aphodius (Chilothorax) badenkoi** Nikolajev,1987 (Scarabaeidae) Synonym(s): *badenkoi*
Nikolajev,1987 KG
161. **Aphodius (Chilothorax) comma** Reitter,1892 (Scarabaeidae) Synonym(s): *comma* Reitter,1892
RU Sb KG
162. **Aphodius (Chilothorax) distinctus** (Müller,1776) (Scarabaeidae) Synonym(s): *distinctus*
Müller,1776 DE RU Cc Ur Sb Us KG TM TJ
163. **Aphodius (Chilothorax) flavimargo** Reitter,1901 (Scarabaeidae) Synonym(s): *flavimargo*
Reitter,1901 TM KG
164. **Aphodius (Chilothorax) jakobsoni** W.Koshantshikov,1911 (Scarabaeidae) Synonym(s):
jakobsoni W.Koshantshikov,1911 RU Us KG
165. **Aphodius (Chilothorax) kerzhneri** Nikolajev,1984 (Scarabaeidae) Synonym(s): *kerzhneri*
Nikolajev,1984 RU Sb Us KG
166. **Aphodius (Chilothorax) melanostictus** W.Schmidt,1840 (Scarabaeidae) Synonym(s):
melanostictus W.Schmidt,1840 RU Sb UA KG KK TM
167. **Aphodius (Chilothorax) scuticollis** Semenov,1898 (Scarabaeidae) Synonym(s): *scuticollis*
Semenov,1898 KG TJ
168. **Aphodius (Chilothorax) transvolgensis** Semenov,1898 (Scarabaeidae) Synonym(s):
transvolgensis Semenov,1898 RU Sb KG
169. **Aphodius (Colobopterus) erraticus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *erraticus*
Linnaeus,1758 RU Ur Sb Us UA KG TM UZ
170. **Aphodius (Esymus) alaiensis** Reitter,1892 (Scarabaeidae) Synonym(s): *alaiensis* Reitter,1892
KG TM TJ
171. **Aphodius (Eupleurus) subterranius** (Linnaeus,1758) (Scarabaeidae) Synonym(s):
subterranius Linnaeus,1758 RU Cc Ur Sb Us KG TM
172. **Aphodius (Loraspis) frater** Mulsant & Rey,1870 (Scarabaeidae) Synonym(s): *frater* Mulsant &
Rey,1870 RU Ur Sb Us KG
173. **Aphodius (Melaphodius) caspicus** Ménétrés,1823 (Scarabaeidae) Synonym(s): *caspicus*
Ménétrés,1823 RU Sb Us UA KG
174. **Aphodius (Melinopterus) prodromus** (Brahm,1790) (Scarabaeidae) Synonym(s): *prodromus*
Brahm,1790 UA RU Cc LT Ur Sb Us KG TM
175. **Aphodius (Melinopterus) punctatosulcatus** Sturm,1805 (Scarabaeidae) Synonym(s):
punctatosulcatus Sturm,1805 RU Ur Sb Us KG
176. **Aphodius (Melinopterus) scuticollis** Semenov,1898 (Scarabaeidae) Synonym(s): *scuticollis*
Semenov,1898 KG TJ
177. **Aphodius (Mendidius) bidens** Solsky,1876 (Scarabaeidae) Synonym(s): *bidens* Solsky,1876 KG
TM
178. **Aphodius (Mendidius) multiplex** Reitter,1897 (Scarabaeidae) Synonym(s): *multiplex*
Reitter,1897 RU Sb KG TM MN
179. **Aphodius (Mendidius) nelsinae** (Medvedev,1968) (Scarabaeidae) Synonym(s): *nelsinae*
Medvedev,1968 KG
180. **Aphodius (Mendidius) sijasovi** Lebedev,1932 (Scarabaeidae) Synonym(s): *sijasovi*
Lebedev,1932 KG
181. **Aphodius (Neagolius) dzhungaricus** Nikolajev & Frolov,1997 (Scarabaeidae) Synonym(s):
dzhungaricus Nikolajev & Frolov,1997 KG DsA
182. **Aphodius (Neagolius) haroldi** D.Koshantschikov,1894 (Scarabaeidae) Synonym(s): *haroldi*
D.Koshantschikov,1894 KG
183. **Aphodius (Nialus) kraatzi** Harold,1868 (Scarabaeidae) Synonym(s): *kraatzi* Harold,1868 KG
KK TM
184. **Aphodius (Nialus) plagiatu**s (Linnaeus,1767) (Scarabaeidae) Synonym(s): *plagiatus*
Linnaeus,1767 RU Sb Us LT KG

185. **Aphodius (Nialus) sturmi Harold, 1870** (Scarabaeidae) Synonym(s): *sturmi* Harold, 1870 **RU Sb KG TM**
186. **Aphodius (Nialus) varians Duftschmid, 1805** (Scarabaeidae) Synonym(s): *variens* Duftschmid, 1805 **RU Sb UA AZ Cc KG TJ**
187. **Aphodius (Nimbus) turkestanicus Heyden, 1881** (Scarabaeidae) Synonym(s): *turkestanicus* Heyden, 1881 **KG KK**
188. **Aphodius (Nobius) serotinus (Panzer, 1799)** (Scarabaeidae) Synonym(s): *serotinus* Panzer, 1799 **RU Sb KG**
189. **Aphodius (Orodaliscus) rotundangulus Reitter, 1900** (Scarabaeidae) Synonym(s): *rotundangulus* Reitter, 1900 **RU Sb KG**
190. **Aphodius (Orodalus) pusillus (Herbst, 1789)** (Scarabaeidae) Synonym(s): *pusillus* Herbst, 1789 **RU Cc Ur Sb Us Am Krl GG KG KK TM UZ**
191. **Aphodius (Phaeaphodius) costalis Gebler, 1848** (Scarabaeidae) Synonym(s): *costalis* Gebler, 1848 **RU Sb KG**
192. **Aphodius (Phaeaphodius) dauricus Harold, 1863** (Scarabaeidae) Synonym(s): *dauricus* Harold, 1863 **RU Sb Us KG**
193. **Aphodius (Phaeaphodius) rectus Motschoulsky, 1866** (Scarabaeidae) Synonym(s): *rectus* Motschoulsky, 1866 **RU Ur Sb Us Am Krl CN KG**
194. **Aphodius (Phalacronotus) biguttatus Germar, 1824** (Scarabaeidae) Synonym(s): *biguttatus* Germar, 1824 **RU Ur Sb KG**
195. **Aphodius (Phalacronotus) citellorum Semenov & Medvedev, 1928** (Scarabaeidae) Synonym(s): *citellorum* Semenov & Medvedev, 1928 **RU Sb KG**
196. **Aphodius (Plagiogonus) praeustus Ballion, 1871** (Scarabaeidae) Synonym(s): *praeustus* Ballion, 1871 **KG TM**
197. **Aphodius (Plagiogonus) putridus (Fourcroy, 1785)** (Scarabaeidae) Synonym(s): *putridus* Fourcroy, 1785 **RU Ur Sb Us KG**
198. **Aphodius (Pseudacrossus) grombczewskyi D.Koshantschikov, 1891** (Scarabaeidae) Synonym(s): *grombczewskyi* D.Koshantschikov, 1891 **KK KG**
199. **Aphodius (Pseudacrossus) hahni Reitter, 1907** (Scarabaeidae) Synonym(s): *hahni* Reitter, 1907 **RU Ur KG**
200. **Aphodius (Teuchestes) fossor (Linnaeus, 1758)** (Scarabaeidae) Synonym(s): *fossor* Linnaeus, 1758 **RU Cc Ur Sb Us UA Cm KG**
201. **Aphodius (Trichonotulus) scrofa (Fabricius, 1787)** (Scarabaeidae) Synonym(s): *scrofa* Fabricius, 1787 **RU MN KG**
202. **Aphrodes bicinctus (Schrank, 1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus, 1761 (*praeocc.*); *rustica* Fabricius, 1775 (*praeocc.*); *bicinctus* Schrank, 1776; *ochromelas* Gmelin, 1790; *variegata* Fabricius, 1794; *striatella* Fabricius, 1794; *transversa* Fabricius, 1798; *strigata* Turton, 1802; *pallidus* Curtis, 1836; *cardui* Curtis, 1836; *fasciatus* Curtis, 1836; *obscurus* Curtis, 1836; *rugosus* Curtis, 1836; *sparsus* Curtis, 1836; *unicolor* Curtis, 1836; *pulverulenta* Curtis, 1837; *adustus* Hardy, 1850; *obtusifrons* Kirschbaum, 1868; *signifrons* Rey, 1894; *aestuarinus* Edwards, 1908; *brevior* Melichar, 1914; *alpinus* Prohaska, 1923; *diminutus* Ribaut, 1952; *centrossicus* Zachvatkin, 1952; *ferganensis* Dubovsky, 1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
203. **Aphrodes bifasciatus (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus, 1758; *trifasciata* De Geer, 1773; *tristriata* Gmelin, 1790; *spuria* Fallén, 1806; *obliquus* Germar, 1821; *tricinatus* Curtis, 1836; *simulans* Ribaut, 1952; *major* Duffield, 1963 **AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR**
204. **Aphrodes histrionicus (Fabricius, 1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius, 1794; *arenicola* Marshall, 1866 **AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU**
205. **Aphrodes nigrinus (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum, 1868; *integer* Wagner, 1937 **DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU**
206. **Aphrophora alni (Fallén, 1805)** (Cercopidae) Synonym(s): *alni* Fallén, 1805; *fuscata* Haupt, 1925; *umbrina* Linnavuori, 1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU**
207. **Aphrophora salicina (Goeze, 1778)** (Cercopidae) Synonym(s): *salicina* Goeze, 1778 **AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU**
208. **Aphthona abdominalis (Duftschmid, 1825)** (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid, 1825; *finitima* Ogloblin, 1927 **TR Cc IR AF KG**
209. **Aphthona euphorbiae (Schrank, 1781)** (Chrysomelidae) Synonym(s): *euphorbiae* Schrank, 1781 **Cc TR RU Sb KG**
210. **Aphthona flaviceps Allard, 1859** (Chrysomelidae) Synonym(s): *flaviceps* Allard, 1859 **Cc TR DZ KG**
211. **Aphthona gracilis Faldermann, 1837** (Chrysomelidae) Synonym(s): *gracilis* Faldermann, 1837 **TR Cc RU KG**

212. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens Gyllenhal,1808* TR Cc RU Sb KG MN YE
213. **Aphthona maculata Allard,1876** (Chrysomelidae) Synonym(s): *maculata Allard,1876* TR Cc RU KG
214. **Aphthona nigricutis Foudras,1860** (Chrysomelidae) Synonym(s): *nigricutis Foudras,1860* TR Cc RU IR KG
215. **Aphthona nonstriata (Goeze,1777)** (Chrysomelidae) Synonym(s): *nonstriata Goeze,1777* TR Cc IR KG
216. **Aphthona semicyanea Allard,1859** (Chrysomelidae) Synonym(s): *semicyanea Allard,1859* TR Cc KG RU
217. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
218. **Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes Loew,1873* RU KG DZ IR TR
219. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873* RU KG DZ TN LY IR TR
220. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790* DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
221. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus Dejean,1825* AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
222. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini Kostjukov,1976* DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
223. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
224. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus Flor,1861; pallipes Kirschbaum,1868; pusillus Kirschbaum,1868; productus Thomson,1869; haupti Lindberg,1924; ocellatus Cerutti,1939* AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
225. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821; diminutus Kirschbaum,1858* AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
226. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne Solsky,1874* AM Cc BG GR TR CY IR KK KG TJ UZ
227. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
228. **Aspoekina caudata (Navas,1913)** (Myrmeleonidae) Synonym(s): *caudata Navas,1913* KG
229. **Astochia caspica Hermann,1917** (Asilidae) Synonym(s): *caspica Hermann,1917; sareptana Becker,1923* IR AF RU KG AZ Cc
230. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM
231. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica Tyurebaev,1979* TR IR Ab Oru UA RU KG KK TM TJ UZ
232. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
233. **Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus Schränk,1798* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
234. **Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): *chloris Horvath,1894* Cc AM GG KG TJ UZ
235. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952* AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
236. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana Wagner,1939* AF AT BG CS FI DE IT NL KG KK UZ YU TR
237. **Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *volutatorius Linnaeus,1758* TR KG Aa RU Ya
238. **Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor Thunberg,1822* TR Cc KK KG TJ
239. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus Lewis,1834; microcephalus Herrich-Schäffer,1838; punctulatus Forel,1858; punctuosus Kirschbaum,1868; verrucosa Haupt,1917* AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
240. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus Loew,1855* IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU

241. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura Masi,1916; meridionalis Steffan,1951* AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
242. **Bellardia saur Verves,2004** (Calliphoridae) Synonym(s): *saur Verves,2004* KG Sau
243. **Belopus (Centorus) procerus Mulsant,1854** (Tenebrionidae) Synonym(s): *procerus Mulsant,1854* TR MD UA Cm KG
244. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus Gussakowski,1935* AF UZ TR IR TJ KG UZ
245. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
246. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
247. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812* AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
248. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
249. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
250. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
251. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
252. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
253. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
254. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
255. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
256. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
257. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
258. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
259. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
260. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
261. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
262. **Blitopertha (s.str.) variabilis Ballion,1870** (Scarabaeidae) Synonym(s): *variabilis Ballion,1870* KG TM UZ TJ
263. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina Horvath,1903; teratocera Kusnezov,1929; turanica Hovarth,1936; ornata Emeljanov,1962* Anoterostemma corvina Horvath,1903, Ann. Hist.-nat. Mus. Natl. Hung. 1: 472-476. AT SE HU RU At Sb KG TM UA MN TR
264. **Bolivaria amnicola Mistshenko,1964** (Mantidae) Synonym(s): *amnicola Mistshenko,1964* KG
265. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera Pallas,1773* TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
266. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG

- KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta
Mpu Fs Gau SZ TZ TG UG YE ZM ZW
267. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794
nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis*
Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR
HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
268. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus*
Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE
B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY
TJ TR TM UA AE UZ YU
269. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *brevisculum*
Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM
UA UZ
270. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s):
ambustus Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas &**
Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ
EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
271. **Bombylius (s.str.) antennipilosus Paramonov,1926** (Bombyliidae) Synonym(s): *antennipilosus*
Paramonov,1926 KG TJ UZ
272. **Bombylius (s.str.) arenosus Paramonov,1940** (Bombyliidae) Synonym(s): *arenosus*
Paramonov,1940 UZ KG TM
273. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s):
cinerarius Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD
MN RO RU SK SS ES SY TR TM UA UZ YU
274. **Bombylius (s.str.) deserticola Paramonov,1940** (Bombyliidae) Synonym(s): *deserticola*
Paramonov,1940 KG UZ
275. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis*
Loew,1873 nec Oliv.,1789; desertivagus Paramonov,1940 PK KG KK TJ TM UZ
276. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus*
Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF
AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK
ES SY TJ TN TR TM UA UZ YU
277. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens*
Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT
Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
278. **Bombylius (s.str.) kutshurganicus Paramonov,1926** (Bombyliidae) Synonym(s):
kutshurganicus Paramonov,1926 UA GR MD KG PL RU
279. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758;
anonymus Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus*
Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus*
Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Liouy,1864; *notialis* Evenhuis,1978 CA
Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ
DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE
CH TJ TR TN TM GB UZ YU
280. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758;
punctatus De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius*
Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec*
Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG
Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA
NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
281. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758;
dilutus Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876;
ochraceus paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978;
thapsinoides Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT
Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
282. **Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): *mobilis* Loew,1873 UZ TJ
TM KG PK
283. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873
ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
284. **Bombylius (s.str.) olsufjevi Paramonov,1940** (Bombyliidae) Synonym(s): *olsufjevi*
Paramonov,1940 KG
285. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus*
Loew,1873 AF IR KG KK TJ TM UZ
286. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804
nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis*
Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H
BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG KK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR
TM UA

287. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus* Paramonov,1926 nec Wiedem.,1820; *rossicus* Evenhuis & Greathead,1999 **CN KG KK TJ TM UZ**
288. **Bombylius (s.str.) testaceiventris Paramonov,1925** (Bombyliidae) Synonym(s): *testaceiventris* Paramonov,1925; *bergi* Paramonov,1926 **UZ TM Cc AM AZ GG KG**
289. **Bombylius (s.str.) uzbekorum Paramonov,1926** (Bombyliidae) Synonym(s): *uzbekorum* Paramonov,1926 **CN Ti KG KK TJ UZ**
290. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 **AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU**
291. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 **AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ**
292. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 **AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG**
293. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 **AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ**
294. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus* Fischer von Waldheim,1828 **AZ AM Cc GG RU TR KK KG TJ TM UZ MN**
295. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 **AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ**
296. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 **AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG**
297. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **Chalcis femorata** Panzer,1801, **Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
298. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
299. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 **AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP**
300. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **Chalcis tibialis** Walker,1834, **Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ**
301. **Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis* Telenga,1936 **RU KG Cc GG Tbl TR**
302. **Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris* Tobias,1957 **TM KG Cc AZ RU TR**
303. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 **CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB**
304. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 **RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR**
305. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 **CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR**
306. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 **TR JP KG Cc RU RO CZ HU AT IT BE FR GB**
307. **Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): *popovi* Telenga,1936 **KG RU TR**
308. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini* Kokoujev,1904 **TR Cc AZ KG RU TM KG RO HU**
309. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 **TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT**
310. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 **IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM**
311. **Bruchophagus glycyrrhizae Nikolskaya,1952** (Eurytomidae) Synonym(s): *glycyrrhizae* Nikolskaya,1952 **Qz IR IN KG**
312. **Bruchophagus mutabilis Nikolskaya,1952** (Eurytomidae) Synonym(s): *mutabilis* Nikolskaya,1952 **IR Qz BG FR KG**

313. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
314. **Bubopsis tancrei Van der Weele,1909** (Ascalaphidae) Synonym(s): *tancrei Van der Weele,1909* TM UZ KG
315. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
316. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
317. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sicutus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
318. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951* DZ TR Cc LB SY GR BG TM KG
319. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952 Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF*
320. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
321. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colchicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
322. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784* AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
323. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
324. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata Rondani,1870; argyrocephala Zetterstedt,1847; borealis Portschnsky,1875; beckeri Rübsaamen,1910; effingendea Dirlbek & Dirlbek,1971; hebea Dirlbek & Dirlbekova,1971;* IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA
325. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis Ménétrés,1836* TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
326. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
327. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
328. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
329. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
330. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
331. **Carinatodorcadion carinatum (Pallas,1771)** (Cerambycidae) Synonym(s): *carinatum Pallas,1771; pigra Schönherr,1817; cinereopubescens Breuning,1946* RU Ur Cc UA Cm KG TR
332. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranum Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
333. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856* TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
334. **Cassida hablitziae Motschoulsky,1838** (Chrysomelidae) Synonym(s): *hablitziae Motschoulsky,1838* TR Cc KG

335. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arbonarius* Uvarov,1917 **TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG**
336. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 **AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU**
337. **Ceroxys munda (Loew,1868)** (Ulidiidae) Synonym(s): *munda* Loew,1868 **UA KG CN Ui RU**
338. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 **RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO**
339. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 **IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui**
340. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895 **TR AF AZ Cc GG IR KG SY TJ TM UZ**
341. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
342. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 **AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR**
343. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
344. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 **AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM**
345. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902 **DZ AM Cc GG KG UZ UA TR TM**
346. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**
347. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 **DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR**
348. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
349. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 **AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA**
350. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 **DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA**
351. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 **DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR**
352. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 **DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR**
353. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 **AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR**
354. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827 **TR Cc KG RU Sb DZ**
355. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae) Synonym(s): *breviuscula* Faldermann,1884 **TR Cc KG RU Sb KP KR**
356. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna* Marsham,1802 **TR Cc KG RU Sb MN KP KR TW MA**
357. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): *conducta* Motschoulsky,1838 **TR Cc RU KG ZR**
358. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866 **TR Cc IR KG RU Sb MN CN Mc KP KR**
359. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852 **TR Cc IR KG RU**
360. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827 **TR Cc RU Sb KG**
361. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 **TR Cc IQ KG CN Ti DZ MN RU Sb**
362. **Chaetocnema semicoerulea (Koch,1803)** (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803 **TR Cc KG RU Sb**

363. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis Illiger,1807* TR Cc
IR AF KG DZ RU Sb
364. **Chaetomalachus dasytoides Kraatz,1882** (Melyridae) Synonym(s): *dasytoides Kraatz,1882*
KK KG TJ TM UZ
365. **Chaetomalachus forticornis Schiksy,1896** (Melyridae) Synonym(s): *forticornis Schiksy,1896*
KG KK UZ
366. **Chaetomalachus hauseri (Schilsky,1894)** (Melyridae) Synonym(s): *hauseri Schilsky,1894*
KG TJ UZ
367. **Cheironitis eumenes (Motschulsky,1859)** (Scarabaeidae) Synonym(s): *eumenes*
Motschulsky,1859 UA KG RU
368. **Cheironitis haroldi Ballion,1870** (Scarabaeidae) Synonym(s): *haroldi Ballion,1870* KG UZ
TM
369. **Cheironitis moeris Pallas,1781** (Scarabaeidae) Synonym(s): *moeris Pallas,1781* RU KG
370. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s):
rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872;
archanensis Cockerell,1928; platyodonta Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV
LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
371. **Chioneosoma (Aleucolomus) porosum (Fischer,1824)** (Scarabaeidae) Synonym(s): *porosum*
Fischer,1824 KG TM
372. **Chioneosoma (Chionotrogus) kizilkumenze Semenov,1895** (Scarabaeidae) Synonym(s):
kizilkumenze Semenov,1895 KG TM
373. **Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s):
kindermanni Chaudoir,1856 ST UA TJ UZ AZ AM Cc GG KG ST KG TR
374. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s):
nigricornis Fabricius,1787 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT
LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
375. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus*
Schrank,1781 AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL
ES CH TR UA MR KG NL
376. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis*
Schaller,1783 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK
MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
377. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792*
AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA
MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
378. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826*
AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
379. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus*
Duftschmid,1812 AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
380. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer*
von Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
381. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL
AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
382. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM
Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
383. **Chlaenius viridis Ménétrés,1832** (Carabidae) Synonym(s): *viridis Ménétrés,1832* AZ AM Cc
B-H GG RU TR IR KG UZ
384. **Chloriona clavata Dlabola,1960** (Delphacidae) Synonym(s): *clavata Dlabola,1960* MD RU Da
Cc TR UZ KG
385. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba*
Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata
Metcalf,1943 Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
386. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910;*
flaveola Lindberg,1948 ES FR DE IT Si AT BG CY TR EG IL MA TR KG
387. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-*
Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN
GG TR KG KK RU UA UZ YU MD AZ
388. **Chlorita akdzhusani (Zachvatkin,1953)** (Cicadellidae) Synonym(s): *akdzhusani*
Zachvatkin,1953; afghanistanica Dlabola,1957 AF Cc AZ KG RU
389. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa Ribaut,1933* AT BG CS FI
FR DE IT PL RO SE KG
390. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939*
AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
391. **Chlorita popovi Zachvatkin,1953** (Cicadellidae) Synonym(s): *popovi Zachvatkin,1953* GG KG Cc
ER
392. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG
CS GR IT RO TN TR AZ GG Cc KG KK RU UA

393. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 **DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU**
394. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 **PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG**
395. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 **TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG**
396. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 **ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb**
397. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
398. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous* Eversmann,1859; *australia* Predtechenskii,1928 **TR Cc RO IR RU KG Sb**
399. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936 **TR RU Cc RO IR KG Sb CN KP KR JP**
400. **Chrysolina brevilata (Heyden,1886)** (Chrysomelidae) Synonym(s): *brevilata* Heyden,1886 **KK KG**
401. **Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis* Linnaeus,1767 **Cc TR KG RU Sb MN**
402. **Chrysolina gypsophila (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophila* Küster,1845; *lucidicollis* Küster,1845 **TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ**
403. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmidt,1825; *alacris* Bechyne,1950 **TR Cc RU Sb IN KG**
404. **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884 **Cc TR IR AF KG**
405. **Chrysolina juldusana (Lopatin,1962)** (Chrysomelidae) Synonym(s): *juldusana* Lopatin,1962 **KK CN Ui KG**
406. **Chrysolina ketmenica (Lopatin,1970)** (Chrysomelidae) Synonym(s): *ketmenica* Lopatin,1970 **KG Ket**
407. **Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata* Fabricius,1775 **Cc TR RU Sb KG**
408. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950 **TR Cc IR AF RU Sb MN CN DZ KG**
409. **Chrysolina oschanini (Lopatin,1965)** (Chrysomelidae) Synonym(s): *oschanini* Lopatin,1965 **KK KG**
410. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudohurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 **FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak**
411. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta* Linnaeus,1758; *marginalis* Duftschmidt,1825 **TR Cn FI KG RU Sb MN**
412. **Chrysolina staphylea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea* Linnaeus,1758 **TR Cc KG CN MN KP KR**
413. **Chrysolina verestschaginae Lopatin,1992** (Chrysomelidae) Synonym(s): *verestschaginae* Lopatin,1992 **KK KG**
414. **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris* Linnaeus,1758 **TR Cc KG MN RU Sb CN**
415. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti* Weise,1884; *#salceti* Arslan & Özbek,1999 **GR TR IR KG RU Sb MN**
416. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (*praeocc.*); *querula* Pallas,1773; *paliuri* Kolenati,1857 **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
417. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**
418. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 **MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU**
419. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 **TR Cc DZ GR IT MA PT ES GG KG TJ TM**
420. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis*

- Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
421. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ
422. **Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): *prasina* Pallas,1773 CN MN MA? PT? Cc AM KG RU Sb
423. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962 CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
424. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards,1920 AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
425. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
426. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
427. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
428. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distengendus* Lodos & Kalkandelen,1980 AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
429. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (*praeocc.*); *atavus* Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
430. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (*praeocc.*); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
431. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
432. **Clanoptilus (s.str.) milkoi Tshernyshev,1998** (Melyridae) Synonym(s): *milkoi* Tshernyshev,1998 KK KG
433. **Clanoptilus (s.str.) strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885 TR UA Cm KK KG
434. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU
435. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goetze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 DE BG FR GB IR Cc KG UA Cm MK SY TR TM
436. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus* Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 *nec* Herbst.; *fauconetti* Pic,1926 DE BG FR GB KG MN RU Sb YU TR
437. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821 DE BE BG DZ FR SE Cc KG RU Sb IT Si
438. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933 DE BG FR IN IR SE UA Cm Cc TR KG
439. **Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849 TR SY IL Pa IR KG
440. **Colaphus hoefti (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *hoefti* Ménétriés,1832 TR Cc RU KG
441. **Colletes annejohnae Kuhlmann,2003** (Colletidae) Synonym(s): *annejohnae* Kuhlmann,2003 KG
442. **Colotes kasachstanicus Medvedev,1964** (Melyridae) Synonym(s): *kasachstanicus* Medvedev,1964 KG
443. **Concavifer marmoratus Dlabola,1960** (Cicadellidae) Synonym(s): *marmoratus* Dlabola,1960 IR IL KG TJ
444. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis* Latreille,1804; *brevicaudatum* Uvarov,1910; *hungaricus* Cziki,1923 FR GB EE LT DE AT HU RO Cc RU KG TR

445. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Bolivar,1878; *ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 **PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR**
446. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 **GB DE FR YU LT RU UA Cm Cc KK KG TM**
447. **Coptocephala chalybaea (Germar,1824)** (Chrysomelidae) Synonym(s): *chalybaea* Germar,1824; *apicalis* Lacordaire,1848 **SK UA Cm Cc RU KG**
448. **Coptocephala gebleri Gebler,1841** (Chrysomelidae) Synonym(s): *quadrimaculatus* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 **BG TR Cc RU KG**
449. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa* Loew,1873 **SK AT BE CZ FR DE HU KG NL PL RO RU**
450. **Cordilura zaitzevi Gorodkov,1974** (Scathophagidae) Synonym(s): *zaitzevi* Gorodkov,1974 **KG MN RU Sb**
451. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 **AT FI DE NO PL SE Cc AZ EE KG LV RU UA**
452. **Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775 **TR Cc RU At Sb KG Aa**
453. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus* Telenga,1955 **BG Cc RU Da GG IL Pa DE TR KG UA**
454. **Cotihersiarches dirus (Wesmael,1853)** (Ichneumonidae) Synonym(s): *dirus* Wesmael,1853 **TR KG**
455. **Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae) Synonym(s): *nebulosa* Zetterstedt,1828 **TR KG RU Sb Sh Kmt Us US**
456. **Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918 **SY TR Cc RU Sb KG**
457. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis* Fabricius,1792; *smaragdina* Foundras,1860; *picicornis* Weise,1886; *jucunda* Weise,1886; *lapponica* Heikertinger,1950 **FI TR Cc IR KG RU Sb MN CN**
458. **Cryptocephalus astracanicus Suffrian,1847** (Chrysomelidae) Synonym(s): *astracanicus* Suffrian,1847 **Cc KG**
459. **Cryptocephalus atriplicis Lopatin,1967** (Chrysomelidae) Synonym(s): *atriplicis* Lopatin,1967 **Cc KG**
460. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799 **ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR**
461. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 **AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO**
462. **Cryptocephalus ergenensis Morawitz,1863** (Chrysomelidae) Synonym(s): *ergenensis* Morawitz,1863 **Cc RU Ur KG**
463. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781 **RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa**
464. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus* Germar,1824 **RU Sb Cc KG AZ AM GG UA IR TR**
465. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819 **AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR**
466. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891 **RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc**
467. **Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus* Müller,1776 **PL RU Sb Cc KG AZ IR TR**
468. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi* Suffrian,1848 **DE ES Cc KG RU BG PL TR**
469. **Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata* Gravenhorst,1829; *armenimator* Aubert,1977 **TR RU KG Cc**
470. **Ctenota coerulea (Becker,1913)** (Asilidae) Synonym(s): *coerulea* Becker,1913 **IR Kh IL Pa KG MN**
471. **Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873 **IR Ss Kz EG IL Pa SY KG**
472. **Culicoides asiaticus Gutsevich & Smatov,1966** (Ceratopogonidae) Synonym(s): *asiaticus* Gutsevich & Smatov,1966 **KG**
473. **Culicoides brevifrontis Smatov & Isimbekov,1971** (Ceratopogonidae) Synonym(s): *brevifrontis* Smatov & Isimbekov,1971 **KG**
474. **Culicoides chitinosus Gutsevich & Smatov,1966** (Ceratopogonidae) Synonym(s): *chitinosus* Gutsevich & Smatov,1966 **KG**

475. **Culicoides dispersus** Gutsevich & Smatov,1966 (Ceratopogonidae) Synonym(s): *dispersus* Gutsevich & Smatov,1966 **KG**
476. **Culicoides iliensis** Gutsevich & Smatov,1966 (Ceratopogonidae) Synonym(s): *iliensis* Gutsevich & Smatov,1966 **KG**
477. **Culicoides montanus** Shakirzjanova,1962 (Ceratopogonidae) Synonym(s): *montanus* Shakirzjanova,1962 **KG IL Pa**
478. **Culicoides oxianus** Smatov,1976 (Ceratopogonidae) Synonym(s): *oxianus* Smatov,1976 **KG**
479. **Culicoides pentamaculatus** Smatov,1976 (Ceratopogonidae) Synonym(s): *pentamaculatus* Smatov,1976 **KG**
480. **Culicoides punctatus** (Meigen,1804) (Ceratopogonidae) Synonym(s): *punctatus* Meigen,1804; *ocellaris* Kieffer,1921; *kasachstanicus* Shakirzjanova,1963 **FR LT RU KG TR IL Pa SA**
481. **Cylindera (Cicindina) sublacerata** (Solsky,1874) (Carabidae) Synonym(s): *sublacerata* Solsky,1874 **TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR**
482. **Cyriopertha (Cyrioperta) glabra** (Gebler,1841) (Scarabaeidae) Synonym(s): *glabra* Gebler,1841 **KG UZ TJ**
483. **Dasyopogon octonotatus** Loew,1869 (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869 **IR AZ Cc GR KG MN RO RU Sb TR**
484. **Dasysyrphus albostriatus** (Fallén,1817) (Syrphidae) Synonym(s): *albostriatus* Fallén,1817 **TR RU Ur Sb Cc KG MN JP**
485. **Dasytidius sequensi** (Reitter,1902) (Melyridae) Synonym(s): *sequensi* Reitter,1902 **AM Cc KG**
486. **Dasytiscus heydeni** Reitter,1891 (Melyridae) Synonym(s): *heydeni* Reitter,1891 **KG TJ UZ**
487. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935 **TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF**
488. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
489. **Deleproctophylla variegata** (Klug,1834) (Ascalaphidae) Synonym(s): *variegata* Klug,1834 **IL Pa TR Cc AM GG CY TM UZ KG**
490. **Delphax crassicornis** (Panzer,1796) (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 **AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU**
491. **Deporaus betulae** (Linnaeus,1758) (Atelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi* Scopoli,1763; *fagi* Scopoli,1763; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804 **DE DZ BG FR GB Cc TR KG MK MN RU Sb**
492. **Dermestes (Dermestinus) gyllenhali** Castelnau,1840 (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 *nec* Fabr.,1775; *gyllenhali* Castelnau,1840 **Cc TR RU Sb IR KG**
493. **Deronectes abnormicollis** Semenow,1900 (Dytiscidae) Synonym(s): *abnormicollis* Semenow,1900 **KG UZ**
494. **Diaphorus vitripennis** Loew,1859 (Dolichopodidae) Synonym(s): *vitripennis* Loew,1859 **RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ**
495. **Dibolia carpathica** Weise,1893 (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 **TR Cc AM RU KG BG HU RO SK UA IL Pa**
496. **Dibolia cryptocephala** (Koch,1803) (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803 **TR Cc RU Sb KG**
497. **Dibolia depressiuscula** (Letzner,1847) (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860 **TR Cc RU Sb MN KG**
498. **Dibolia schillingii** (Letzner,1847) (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847; *punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911 **TR Cc KG IT YU**
499. **Dicranotropis beckeri** Fieber,1866 (Delphacidae) Synonym(s): *beckeri* Fieber,1866 **Cc AM TR KG RU TJ UA UZ**
500. **Dicranotropis divergens** Kirschbaum,1868 (Delphacidae) Synonym(s): *divergens* Kirschbaum,1868; *carpathica* Horvath,1884 **AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA**
501. **Dicranotropis hamata** (Boheman,1847) (Delphacidae) Synonym(s): *hamata* Boheman,1847 **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**
502. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 **Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
503. **Dictyophara longirostris** Walker,1851 (Dictyopharidae) Synonym(s): *longirostris* Walker,1851 **Cc PT ES GG KG KK TM UZ**
504. **Dictyophara pannonica** (Germar,1830) (Dictyopharidae) Synonym(s): *pannonica* Germar,1830 **Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ**
505. **Dictyophara striata** Oshanin,1879 (Dictyopharidae) Synonym(s): *striata* Oshanin,1879 **DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ**

506. **Didysmachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
507. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850; agnatus Letherry,1850; lenensis Linnavuori,1953* AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
508. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804; falleni Meigen,1820; atrata Meigen,1820; geniculata Meigen,1820* AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
509. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius Fabricius,1798 Ichneumon alvearius Fabricius,1798, Suppl. ent. Syst.: 232.* TR DE CN GB FR AT IT CZ RU KG YU
510. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia Papp,1959 Microgaster claritibia Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405.* TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY
511. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx*
512. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata Desbrochers,1870 Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG*
513. **Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae) Synonym(s): *ochromelas Gmelin,1790; negatorius Fabricius,1793* TR Cc KG RU Sb MN
514. **Diphyus palliatorius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *palliatorius Gravenhorst,1829* TR RU Sb KG
515. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
516. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840; calceolatus Boheman,1845; tiaratus Fieber,1869* AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
517. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869; altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
518. **Diplocolenus nigrifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrifrons Kirschbaum,1868; ensatus Then,1897* AL AT BG IT KG UA
519. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes Signoret,1865; nitida Haupt,1866; dlabolai Vilbaste,1980* AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
520. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis Eversmann,1848; annulipes Türk,1862* CZ HU RO TR Cc IR RU Sb KG MN
521. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): *albicornis Eversmann,1848* RU KG IR TM AF PK
522. **Dociostaurus (Notostaurus) plotnikovi Uvarov,1921** (Acrididae) Synonym(s): *plotnikovi Uvarov,1921* IR AF TJ KG
523. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus Thunberg,1815; cruciatus Charpentier,1825; vastator Fischer von Waldheim,1833; oceanica Walker,1870; degeneratus Baranov,1925; xanthocnema Tarbinsky,1932; pendulus Steinmann,1965* Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZI). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
524. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa Sa IL Pa YE TM KG KK CN KP KR RU JP
525. **Dolichogenidea infimus (Haliday,1834)** (Braconidae) Synonym(s): *infimus Haliday,1834 Microgaster infimus Haliday,1834, Entomologist's mon. Mag. 2: 243.* TR Cc AZ LT KG RU Sb
526. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus Macquart,1827; macquarti Parent,1926; pseudocilifemoratus Stackelberg,1930* Cc AZ AM GG RO RU UA Cm TR KG At Us Sh
527. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema Haliday,1832; fraternus Staeger,1842* BG GR IL Pa RO RU UA TR KG CN
528. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859* AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG
529. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus Macquart,1827; vulgaris Stannius,1831* Cc AZ GG BG RO RU Ur UA TR KG MN UZ
530. **Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus Loew,1871* GG Cc AM IL Pa TR TJ KG
531. **Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes Meigen,1824; cysneus Meigen,1824; fastuosus Haliday,1832; plebejus Zetterstedt,1838* RO RU Cc TR At KG
532. **Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): *signatus Meigen,1824; argentifer Loew,1859* RO UA RU KG AF
533. **Dolichovespula norvegica (Fabricius,1781)** (Vespidae) Synonym(s): *norvegica Fabricius,1781* GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US

534. **Dolichovespula omissa (Bischoff,1931)** (Vespidae) Synonym(s): *omissa Bischoff,1931* **DK BG TR KG**
535. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* **AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU**
536. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
537. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* **AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU**
538. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
539. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* **CN Ui IR Cc AM GG TR KG RU TM UA UZ**
540. **Dorcadion (s.str.) absinthium Plavilstshikov,1937** (Cerambycidae) Synonym(s): *absinthium Plavilstshikov,1937* **KK KG**
541. **Dorcadion (s.str.) acutispinum Motschoulsky,1860** (Cerambycidae) Synonym(s): *acutispinum Motschoulsky,1860* **KG DsA**
542. **Dorcadion (s.str.) alakoliense Danilevsky,1988** (Cerambycidae) Synonym(s): *alakoliense Danilevsky,1988* **KG DsA**
543. **Dorcadion (s.str.) androsvi Suvorov,1909** (Cerambycidae) Synonym(s): *androsvi Suvorov,1909* **KG RU Sb**
544. **Dorcadion (s.str.) boroehense Breuning,1944** (Cerambycidae) Synonym(s): *boroehense Breuning,1944* **KG DsA**
545. **Dorcadion (s.str.) heptapotanicum Plavilstshikov,1951** (Cerambycidae) Synonym(s): *heptapotanicum Plavilstshikov,1951* **KG Tk CN Ui**
546. **Dorcadion (s.str.) lativittis Kraatz,1873** (Cerambycidae) Synonym(s): *lativittis Kraatz,1873; altaense Pic,1898* **RU KG Sb At**
547. **Dorcadion (s.str.) leopardinum Plavilstshikov,1937** (Cerambycidae) Synonym(s): *leopardinum Plavilstshikov,1937* **KG**
548. **Dorcadion (s.str.) mystacinum Ballion,1878** (Cerambycidae) Synonym(s): *mystacinum Ballion,1878; auliense Pic,1901; nubilum Breuning,1948* **CN Ui KG T-S**
549. **Dorcadion (s.str.) nivsum Suvorov,1913** (Cerambycidae) Synonym(s): *nivsum Suvorov,1913* **KG**
550. **Dorcadion (s.str.) phenax Jakovlev,1900** (Cerambycidae) Synonym(s): *phenax Jakovlev,1900* **CN Ui KG**
551. **Dorcadion (s.str.) pumilio Plavilstshikov,1951** (Cerambycidae) Synonym(s): *pumilio Plavilstshikov,1951* **KG**
552. **Dorcadion (s.str.) songaricum Ganglbauer,1883** (Cerambycidae) Synonym(s): *songaricum Ganglbauer,1883* **KG**
553. **Dorcadion (s.str.) suvorovi Jakovlev,1906** (Cerambycidae) Synonym(s): *suvorovi Jakovlev,1906; connexum Breuning,1947* **KG RU Sb**
554. **Dorcadion (s.str.) tenuelineatum Jakovlev,1895** (Cerambycidae) Synonym(s): *tenuelineatum Jakovlev,1895; separatum Pic,1897* **KG**
555. **Dorcadion (s.str.) urdzharicum Plavilstshikov,1937** (Cerambycidae) Synonym(s): *urdzharicum Plavilstshikov,1937* **KG**
556. **Dorcadion (s.str.) uvarovi Suvorov,1911** (Cerambycidae) Synonym(s): *uvarovi Suvorov,1911* **KG RU Ur**
557. **Dorcadion (s.str.) validipes Jakovlev,1906** (Cerambycidae) Synonym(s): *validipes Jakovlev,1906; chantengrii Breuning,1943* **CN Ui KG DsA**
558. **Dorcus parallelpipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelpipedus Linnaeus,1758* **TR Cc IR Gh Mz Elb Kh KG**
559. **Dufourea (Flavodufourea) ulkenkalkana Patiny,2003** (Halictidae) Synonym(s): *ulkenkalkana Patiny,2003* **KG**
560. **Duilius fasciata Howarth,1894** (Cixiidae) Synonym(s): *fasciata Howarth,1894* **AF Cc AM AZ KG RU Da TJ**
561. **Duilius tamaricis (Puton & Lethierry,1887)** (Cixiidae) Synonym(s): *tamaricis Puton & Lethierry,1887* **RU KG UZ TR**
562. **Durgula lycii Emeljanov,1964** (Cicadellidae) Synonym(s): *lycii Emeljanov,1964* **IR KG**
563. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus Loew,1854* **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
564. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820* **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
565. **Echthistius rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen,1820* **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**
566. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi Douglas,1876; australis Froggatt,1918; frogatti Baker,1925; oxyacanthae Ribaut,1925; cornuta Wagner,1947* **AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU**

567. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949 **AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU**
568. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
569. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 **AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At**
570. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 **AT FI DE GR FR HU IT MD KG ES SE CH TR RU**
571. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
572. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
573. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabola* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
574. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 *nec* Burm., 1838; *lindti* Otte,2004 **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY**
575. **Engelepogon cingulifer (Becker,1913)** (Asilidae) Synonym(s): *cingulifer* Becker,1913 **IR Ss Kd AZ Cc KG**
576. **Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957 **TR IR DZ MN KG RU At**
577. **Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858 **TR RU Sb KG**
578. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemi* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzoneriae* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
579. **Entedon biroi Erdös,1944** (Eulophidae) Synonym(s): *biroi* Erdös,1944 **TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ**
580. **Entedon marusiki Gumovsky,1999** (Eulophidae) Synonym(s): *marusiki* Gumovsky,1999 **HU KG RU Tv UA**
581. **Entedon pallicrus Erdös,1944** (Eulophidae) Synonym(s): *pallicrus* Erdös,1944 **TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ**
582. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878 **TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU**
583. **Entomocelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas,1771; *abdominalis* Netolitzki,1912 **TR SY UA RU Sb CN IR KG CA MN PK**
584. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 **TR HV FR GR IL Pa KG KK MK RU ES TM**
585. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syransensis* Radoszkowski,1888; *schmidtii* Priesner,1973; *#cinerata* Priesner,1973 **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
586. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea* Pallas,1773; *sirdariensis* Radoszkowski,1889 **AM Cc IR TM Kp TR KK KG Uk RU Da**
587. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
588. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 **AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU**
589. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840 **TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG**
590. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771 **BG TR Cc RU UZ KG CN Ui**
591. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina*

- Wiedemann,1830; *alternana* Macquart,1842 TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
592. **Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874 TR IQ IR Cc KG
593. **Epitrix caucasica (Heitertinger,1950)** (Chrysomelidae) Synonym(s): *caucasica* Heitertinger,1950 TR Cc IR RU KG IN
594. **Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903 Cc AZ Len TR KK Az KG IR RU Sb
595. **Erebunus farinosus (Becker,1913)** (Asilidae) Synonym(s): *farinosus* Becker,1913; *transcaspica* Lehr,1964; *pilosa* Lehr,1964 IR Kh KG
596. **Eremippus hemipterus Malkovkiy,1968** (Acrididae) Synonym(s): *hemipterus* Malkovkiy,1968 KG Aa TrA
597. **Eremippus pusillus Bei-Bienko,1948** (Acrididae) Synonym(s): *pusillus* Bei-Bienko,1948 KG
598. **Eriothrix inflatus Kolomiets,1967** (Tachinidae) Synonym(s): *inflatus* Kolomiets,1967; *chrysanthes* Kolomiets,1967 RU KG
599. **Eriothrix nasutus Kolomiets,1967** (Tachinidae) Synonym(s): *nasutus* Kolomiets,1967 KG
600. **Eriothrix rohdendorfi Kolomiets,1967** (Tachinidae) Synonym(s): *rohdendorfi* Kolomiets,1967 RU KG
601. **Esatanas shah (Rondani,1873)** (Asilidae) Synonym(s): *shah* Rondani,1873 IR KG
602. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
603. **Eucharis carinifera Gussakovsky,1940** (Eucharitidae) Synonym(s): *carinifera* Gussakovsky,1940 KG AM Cc UA UZ YU IR
604. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
605. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
606. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
607. **Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus* Linnaeus,1758; *lunulatus* Fabricius,1804 TR CY IL Pa KG
608. **Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae) Synonym(s): *disconotatus* Lichtenstein,1884 TR KG
609. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ
610. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
611. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae* Fabricius,1794 TR RU Ur Sb KG Cc IR MN CN DZ AU
612. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829 FR RU Ur Sb Cc KG SY AF MN US
613. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
614. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *epsilon* Cerutti,1939 AT BG CS FI DE HU PL RO SE SW KG
615. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
616. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 CY EG IL Pa GR Cr IR JO TR KG
617. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
618. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
619. **Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 AF KG KK TM UZ
620. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU

621. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
622. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
623. **Eurytoma abdita Zerova,1995** (Eurytomidae) Synonym(s): *abdita* Zerova,1995 IR Oru Ab KG RU UA
624. **Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): *acroptilae* Zerova,1986 IR Ab Ak KG TJ UA UZ
625. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
626. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
627. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
628. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 AF IR IL Pa JO GR Cr TR KG KK
629. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
630. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
631. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
632. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
633. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
634. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
635. **Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Fahringer,1921 TR KG RU Sb CN
636. **Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator* Desvignes,1856 TR KG MN RU Sb CN
637. **Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829 TR Cc KG RU Sb
638. **Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): *castaniventris* Brauns,1896 TR EG KG
639. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
640. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
641. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
642. **Forficula tomis (Kolenati,1846)** (Forficulidae) Synonym(s): *tomis* Kolenati,1846; *pomerantzevi* Semenov,1903 RU KG TR
643. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
644. **Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni* Linnaeus,1758 TR Cc IR CN KG KP KR RU Sb MN DZ CA
645. **Gastrophysa viridula (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951 RU KG Cc TR CA
646. **Geron emiliae Zaitzev,1964** (Bombyliidae) Synonym(s): *emiliae* Zaitzev,1964 KG UA
647. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972 AM AZ GG Cc CN IR KG KK TJ UZ TR

648. **Glaphyrus oxypterus (Pallas,1771)** (Glaphyridae) Synonym(s): *oxypterus* Pallas,1771; *acuminatus* Lepechin,1774; *uralensis* Gmelin,1788; *vittatus* Herbst,1790; *incertus* Pic,1947 **RU Sb TM KG**
649. **Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): *fulvipes* Haliday,1834 *Microgaster fulvipes* Haliday,1834, *Entomologist's mon. Mag. 2: 249.* **TR RU Sh Sb JP KG**
650. **Glyptomorpha exculpta Shestakov,1926** (Braconidae) Synonym(s): *exculpta* Shestakov,1926 **KG TM TR**
651. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis* Brullé,1832 **TR MY Bor ID PK IN CN Cc TR RU MN KG**
652. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951 **ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK**
653. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 **AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**
654. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
655. **Gonioctena linnaeana (Schrank,1781)** (Chrysomelidae) Synonym(s): *linnaeana* Schrank,1781 **TR KG**
656. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 **AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU**
657. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 **AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR**
658. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops* Gravenhorst,1829 **DZ KK KG MN RU Sb Ya TR**
659. **Gravenhorstia (Kokujewiella) vicaria Shestakov,1926** (Ichneumonidae) Synonym(s): *vicaria* Shestakov,1926 **TR KG**
660. **Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta* Boie,1836 **TR AZ Cc KG UZ TJ**
661. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870; *consanguinea* Scott,1873; *tshikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967 **CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA**
662. **Gryllomorpha (Gryllomorphella) miramae Medvedev,1933** (Gryllidae) Synonym(s): *miramae* Medvedev,1933 **GR BG UA KG**
663. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina* Saussure,1884 **TM UZ KG CN Mc IR Ss**
664. **Gymnomus asiaticus Woznica,2007** (Heleomyzidae) Synonym(s): *asiaticus* Woznica,2007 **KG**
665. **Gymnopleurus aciculatus Gebler,1845** (Scarabaeidae) Synonym(s): *aciculatus* Gebler,1845 **RU KG UZ TM TJ**
666. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**
667. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 **RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG**
668. **Gymnosoma maxima Dupuis,1966** (Tachinidae) Synonym(s): *maxima* Dupuis,1966 **KG**
669. **Habropogon montanus Lehr,1960** (Asilidae) Synonym(s): *montanus* Lehr,1960 **IR Kz KG TM**
670. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 **RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ**
671. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 **AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR**
672. **Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): *bejbienkoi* Dlabola,1959 **Cc GG KG RU UA**
673. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 **AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us**
674. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962 **AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR**
675. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 **AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU**
676. **Hardya turanica Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica* Zachvatkin,1946 **Cc AZ KG KK UZ**

677. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773 **Coccinella axyridis** Pallas,1773, *Reise Russia 2: 726*. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
678. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957 **TR Cc AM KG RU UA IR**
679. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 **AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
680. **Helladia circumdata (Kraatz,1882)** (Cerambycidae) Synonym(s): *circumdata* Kraatz,1882 **KG UZ AF**
681. **Helophorus kirgisticus Knisch,1914** (Helophoridae) Synonym(s): *kirgisticus* Knisch,1914 **RU KG Sb IR TR**
682. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis* Wollaston,1864 **DZ GB FR ES RU SE DE GR TR KG**
683. **Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syriacus* Kuwert,1885 **TR SY SA IR Cc TM KG**
684. **Hemictenius latitarsis (Reitter,1891)** (Scarabaeidae) Synonym(s): *latitarsis* Reitter,1891 **KG TM UZ**
685. **Hemictenius lebedevi Reitter,1908** (Scarabaeidae) Synonym(s): *lebedevi* Reitter,1908 **KG**
686. **Hemipenthes eversmanni Zaitzev,1966** (Bombyliidae) Synonym(s): *eversmanni* Zaitzev,1966 **KG RU UA MD**
687. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854 **RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR**
688. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 **AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU**
689. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 **IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui**
690. **Hemipenthes panfilovi Zaitzev,1981** (Bombyliidae) Synonym(s): *panfilovi* Zaitzev,1981 **KG**
691. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus* Zaitzev,1966 **Cc AM AZ GG CN KK KG TJ TM UZ**
692. **Hemipenthes splendidus Zaitzev,1962** (Bombyliidae) Synonym(s): *splendidus* Zaitzev,1962 **KK KG TJ TM**
693. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966 **TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN**
694. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi* Frauenfeld,1864 **TR CN KG KK MN MD UZ RU TJ TM UA**
695. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 **AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU**
696. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961 **RO TR Cc AM KG KK RU Da TM UA UZ**
697. **Heptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus* Germar,1824 **RU Ur KG**
698. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857 **Cc AZ BG GG RO RU Ur KG TJ**
699. **Heriades (Michenerella) alfkeni Benoist,1938** (Megachilidae) Synonym(s): *alfkeni* Benoist,1938 **KG**
700. **Heriades (Michenerella) hissaricus Popov,1955** (Megachilidae) Synonym(s): *hissaricus* Popov,1955 **KG TJ UZ TR**
701. **Heriades (Michenerella) latipes Popov,1960** (Megachilidae) Synonym(s): *latipes* Popov,1960 **KG**
702. **Heriades (Michenerella) longicornis Popov,1960** (Megachilidae) Synonym(s): *longicornis* Popov,1960 **KG**
703. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 **AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR**
704. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 **MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR**
705. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 **AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR**
706. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemma* Meigen,1826 **Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR**

707. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849
ES FR Co IT MK GR TR Cc KG NG SD SA LK
708. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820;
consanguinea Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888;
aegyptiacus Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM
Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
709. **Heteropogon lugubris Hermann,1906** (Asilidae) Synonym(s): *lugubris* Hermann,1906;
mesasiaticus Lehr,1970 IR AZ Cc KG
710. **Heteropogon pyrinus Hermann,1906** (Asilidae) Synonym(s): *pyrinus* Hermann,1906; *pyrrihinus*
Engel,1925 EG IL Pa IR Fa AZ Cc KG
711. **Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis* Loew,1873 KG
KK TJ TM UZ
712. **Heterotropus kazanovskyi Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskyi*
Paramonov,1925 AZ Cc EG KG TJ TM UZ
713. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus* Rossi,1792 Cn DZ LT SE RU
AF KG Sb TR
714. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ SK
DE HU IL Pa KG MD RO RU ES TR YU UA
715. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera*
Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU
Sb YU TR
716. **Holochelus (s.str.) aequinoctialis (Herbst,1790)** (Scarabaeidae) Synonym(s): *aequinoctialis*
Herbst,1790 RU UA KG
717. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 IR Kh
AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
718. **Hoplia (Decamera) hauseri Reitter,1904** (Scarabaeidae) Synonym(s): *hauseri* Reitter,1904 KG
KK
719. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
acuticornis Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes*
Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA
DZ Cn Md TN KG TJ TM CY IR JO SY TR
720. **Hoplitis (Alcidamea) capsulifer Popov,1960** (Megachilidae) Synonym(s): *capsulifer*
Popov,1960 TJ KG KK TJ UZ
721. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis*
Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896 RU UA KG KK CN
TM UZ SY TR
722. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta*
Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT
AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN
TR
723. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana*
Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc
BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
724. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis*
Nylander,1852; *montivaga* Morawitz,1872 AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
725. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans*
Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ
UZ IL Pa JO TR
726. **Hoplitis (Alcidamea) simplicicornis (Morawitz,1875)** (Megachilidae) Synonym(s):
simplicicornis Morawitz,1875 TM KG
727. **Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea*
Warncke,1991 *Osmia (Alcidamea) subbutea* Warncke,1991, *Linzer biol. Beitr.* 23: 733. Holotype ♂:
[Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). TR GR KG IL Pa SY
728. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
tridentata Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES
FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
729. **Hoplitis (Anthocopa) alatauensis (Tkalcu,1992)** (Megachilidae) Synonym(s): *alatauensis*
Tkalcu,1992 KG TrA Aa
730. **Hoplitis (Anthocopa) bipartita (Friese,1899)** (Megachilidae) Synonym(s): *bipartita*
Friese,1899 CN Ui KG TR
731. **Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula*
Morawitz,1875 KG AM Cc GR Cr TR
732. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s):
jakovlevi Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 Cc AM FR IT Si
DZ TN CN Ui Ku KG KK TJ TM IR TR

733. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
734. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
735. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 TM KG TJ AF IR TR
736. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 KG KK TJ TM UZ IL Pa TR
737. **Hoplitis (Formicapis) latifemoralis (Wu,1985)** (Megachilidae) Synonym(s): *latifemoralis* Wu,1985 CN KG
738. **Hoplitis (Jaxartinula) malyshevi (Popov,1963)** (Megachilidae) Synonym(s): *malyshevi* Popov,1963 UZ Tas KG
739. **Hoplitis (Kumobia) abbreviata (Morawitz,1875)** (Megachilidae) Synonym(s): *abbreviata* Morawitz,1875 KG KK MN CN UI
740. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Cc AZ HU RO RU Or KG MN CN JO SY TR
741. **Hoplitis (Megalosmia) laboriosa (Smith,1878)** (Megachilidae) Synonym(s): *laboriosa* Smith,1878; *maculata* Morawitz,1880; *magrettii* Ducke,1899 CN Ui Ku KG MN RU
742. **Hoplitis (Megalosmia) princeps (Morawitz,1872)** (Megachilidae) Synonym(s): *princeps* Morawitz,1872 KG MN CN RU UA HU
743. **Hoplitis (Pentadentosmia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888 AM Cc RU KG PK IR
744. **Hoplitis (Pentadentosmia) ruficrus (Morawitz,1875)** (Megachilidae) Synonym(s): *ruficrus* Morawitz,1875 KG TJ
745. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
746. **Hyalestes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
747. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 DZ GR TR Cc RU KG Sb TM SY
748. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 RU Cc TR SY IR KG
749. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
750. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum* Lethierry,1878 AF SY AZ Cc KG KK TM UZ
751. **Ichneumon albicollis Wesmael,1857** (Ichneumonidae) Synonym(s): *albicollis* Wesmael,1857 Cc TR RU Sb KG
752. **Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus* Wesmael,1844 Cc KG TR RU Sb
753. **Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): *albinervis* Tobias,1964 Apanteles albinervis Tobias,1964, Trudy. zool. Inst. Leningr. 34: 221. TR HU KG Cc AZ
754. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965 Apanteles lacteoides Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU
755. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus* Fabricius,1775; *aurulentus* Kirschbaum,1868; *cupreus* Kirschbaum,1868 (*praeocc.*); *decipiens* Kirschbaum,1868; *kirschbaumi* Baker,1924; *lineolata* Ribaut,1952 AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
756. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868 AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
757. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
758. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer,1835 BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
759. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
760. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer,1799; *simulans* Ribaut,1952 AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
761. **Itoplectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht,1914 DZ TR Cc IR KG RU At Tv MN

762. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
763. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Ce DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
764. **Kazachicesa venustula (Emeljanov,1964)** (Delphacidae) Synonym(s): *venustula* Emeljanov,1964 KG
765. **Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): *praecox* Haupt,1935 Ce BG CZ DE MN PL EE GG KG RU
766. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Ce AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
767. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (*praeocc.*); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Ce TR KG KK MD RU Us UA UZ YU
768. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
769. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Ce KG LV RU Sb At Sh TJ UA UZ YU
770. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
771. **Labia minor (Linnaeus,1758)** (Spongiphoridae) Synonym(s): *minor* Linnaeus,1758 ES FI KG UZ TR
772. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905 ES TR RU Sb IQ Ce AZ TM TJ UZ KG MN
773. **Laburrus abrotani Emelyanov,1962** (Cicadellidae) Synonym(s): *abrotani* Emelyanov,1962 MN RU TR UA KG
774. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae* Matsumura,1900 (*praeocc.*); *handlirschi* Matsumura,1908; *maculosus* Vilbaste,1965 AF CS HU MN TR Ce AM AZ GG KG KK MD RU UA UZ
775. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Ce GG TR KG LV MD RU Sb Us UA YU
776. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
777. **Lampyris caspica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854 GG Ce KG TM IR TR
778. **Lampyris olivieriana Heyden,1890** (Lampyridae) Synonym(s): *olivieriana* Heyden,1890; *afghana* Nakane,1966 KG AF CN Ui
779. **Lampyris turkestanica Heyden,1881** (Lampyridae) Synonym(s): *turkestanica* Heyden,1881 KG TJ TM UZ
780. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Ce AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
781. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
782. **Laphystia anatolica (Hermann,1920)** (Asilidae) Synonym(s): *anatolica* Hermann,1920 RU KG TR
783. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 IR Ss Kz Fa AZ Ce EG GR IL Pa IT KG MT ES TN RO TR
784. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
785. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiourgan* Ebner,1980 TR RU Ce Da GG IR TM UZ KG KK TJ AF PK Mre Pj
786. **Lasioglossum quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum* Kirby,1802 GB KG RU FI ES IR
787. **Lasiopsis (Brahmina) duchoni Reitter,1902** (Scarabaeidae) Synonym(s): *duchoni* Reitter,1902 RU KG
788. **Lasiopsis (Lasiexis) dilaticollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *dilaticollis* Ballion,1870 KK KG TM
789. **Lasiopsis (Lasiopsis) caninus Zoubkov,1829** (Scarabaeidae) Synonym(s): *caninus* Zoubkov,1829 RU Sb Us KG

790. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 **TN TR**
CY TJ UZ KG KK RU Am Cc
791. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus*
Morawitz,1867 **IL Pa IT YU UA RU Cc AM IR TR KG**
792. **Leptodes (Leptodopsis) insignis Haag** (Tenebrionidae) Synonym(s): **KG Tar DsA**
793. **Leptodes (Leptodopsis) suworowi Reitter** (Tenebrionidae) Synonym(s): **KG Tk**
794. **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis* Loew,1847 **RO RU KG IR IL**
Pa TR
795. **Leptogaster helvola Loew,1871** (Asilidae) Synonym(s): *helvola* Loew,1871 **RU KG TR**
796. **Leptogaster nartshukae Lehr,1961** (Asilidae) Synonym(s): *nartshukae* Lehr,1961 **IR KG MN**
RU Sb
797. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758;
unifasciata Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 **Cc AF AL DZ AT BE BG CS DK FI FR**
DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
798. **Levitinia tamarae Koshkimbaev & Ismagulov,1992** (Simuliidae) Synonym(s): *tamarae*
Koshkimbaev & Ismagulov,1992 **KG**
799. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius*
Fabricius,1805 **SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ**
800. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763
AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Uj
801. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus*
Germar,1821; *ferganensis* Dubovsky,1966 **AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP**
MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
802. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata*
Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata*
Cerutti,1939; *quadripunctata* Mitjaev,1963 **AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE**
SW TR KG RU Sb Us Krl UA YU CA
803. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s):
perspicillator Gravenhorst,1829 **TR DE AT ES HU IT YU MD KG**
804. **Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria* Linnaeus,1758 **TR**
IR RU KG
805. **Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii*
Kutschera,1862 **TR Cc TM KG MN RU**
806. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis*
Marsham,1802 *nec* Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis*
Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909 **TR AZ GG Cc AF IR KG RU**
807. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799;
punctatissimus Weise,1888 **TR Cc IR KG RU Sb**
808. **Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus* Weise,1887
TR KG TM UZ TJ
809. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 *nec*
Stph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 *nec* Marshm.,1802 **FR IT HV BG**
IL Pa TR Cc IR IQ AF TJ KG
810. **Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae*
Waterhouse,1858 **TR Cc RU Sb MN KK KG**
811. **Longitarsus longipennis Kutschera,1836** (Chrysomelidae) Synonym(s): *longipennis*
Kutschera,1836 **TR Cc RU Sb KG**
812. **Longitarsus luridus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *luridus* Scopoli,1763 **Cc TR RU**
Sb MN KG
813. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860 **Cc TR IR**
SA RU Sb KG YE
814. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus*
De Geer,1775 **Cc TR IR AF KG IL Pa RU Sb**
815. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777
TR Cc IR AF RU Sb KG DZ
816. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus*
Foudras,1860 **TR Cc IR AF RU MN KG**
817. **Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis* Weise,1900 **TR Cc IR**
AF KG RU
818. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794
TR Cc IR AF KG IL Pa DZ
819. **Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus*
Foudras,1860 **TR Cc IR AF DZ KG**
820. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus*
Foudras,1860 **TR Cc RU Sb KG DZ MN KP KR JP**
821. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus* Fabricius,1775 **TR**
Cc DE IR KG DZ MN

822. **Longitarsus violentus** Weise,1893 (Chrysomelidae) Synonym(s): *violentus* Weise,1893 TR Cc
IR AF KG RU Sb MN CN Ui
823. **Lopezus fedtschenkoi** (McLachan,1875) (Myrmeleonidae) Synonym(s): *fedtschenkoi*
McLachan,1875 AF KG SA IR
824. **Machimus rusticus** (Meigen,1820) (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus*
Meigen,1820; *genualis* Zeller,1840 IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL
TR GB
825. **Macquartia tenebricosa** (Meigen,1824) (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824;
tristis Meigen,1824; *nitida* Robineau-Desvoidy,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854;
umbrosa Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* Robineau-Desvoidy,1863; *laeta* Robineau-
Desvoidy,1863; *villica* Robineau-Desvoidy,1863; *clausicella* Rondani,1865 SE GB TR Cc IL Pa MN KG RU
826. **Macronychia** (Moschusa) **alpestris** Rondani,1865 (Sarcophagidae) Synonym(s): *alpestris*
Rondani,1865; *dumosum* Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
827. **Macronychia** (Moschusa) **griseola** (Fallén,1820) (Sarcophagidae) Synonym(s): *griseola*
Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ
UA Cm GB TW
828. **Macronychia** (s.str.) **striginervis** (Zetterstedt,1838) (Sarcophagidae) Synonym(s):
striginervis Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT
JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
829. **Macropsidius dispar** (Fieber,1868) (Cicadellidae) Synonym(s): *dispar* Fieber,1868 FR HU
IT ES TN Cc GG KG KK RU Sb AF UA YU
830. **Macropsis albae** Wagner,1950 (Cicadellidae) Synonym(s): *albae* Wagner,1950 TR BG CS FR
DE GB IT NL PL PT KG MD YU
831. **Macropsis fuscineris** (Boheman,1845) (Cicadellidae) Synonym(s): *fuscineris* Boheman,1845
AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
832. **Macropsis fuscata** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *fuscata* Zetterstedt,1828
AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
833. **Macropsis infuscata** (J.Sahlberg,1871) (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871
AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
834. **Macropsis megerlei** (Fieber,1868) (Cicadellidae) Synonym(s): *megerlei* Fieber,1868;
bipunctata Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR HU
NL PL RO ES TN TR Cc GG KG RU Sb YU
835. **Macropsis prasina** (Boheman,1852) (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ?
AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD?
RU Sb TJ? UA? UZ? YU?
836. **Macrorileyia inopinata** (Silvestri,1920) (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920
TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
837. **Macrocytus brunneus** (Fabricius,1803) (Cydnidae) Synonym(s): *brunneus* Fabricius,1803;
proximus Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc
TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT HI KG KE LB LY MK ML MT MA MZ NG PK
PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
838. **Macrosteles cristatus** (Ribaut,1927) (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT
BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
839. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 nec
Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA
YU
840. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi*
Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO
SE SW TR EE Cc GG KG KK LV MD UZ UA RU
841. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR
IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
842. **Macrosteles ramosus** Ribaut,1952 (Cicadellidae) Synonym(s): *ramosus* Ribaut,1952;
quadricornis Lindberg,1954; *orientalis* Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
843. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894;
submaculata Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md
MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
844. **Macrosteles variatus** (Fallén,1806) (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus*
Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU
UA YU
845. **Macustus grisescens** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *grisescens*
Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE
GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
846. **Malachius aeneus** (Linnaeus,1758) (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT
DE GR IT RO CZ RU UA AM Cc TR KK KG US
847. **Malachius bipustulatus** (Linnaeus,1758) (Melyridae) Synonym(s): *bipustulatus*
Linnaeus,1758 RU UA AT TR KG

848. **Maladera (Aserica) euphorbia (Burmeister,1895)** (Scarabaeidae) Synonym(s): *euphorbia Burmeister,1895* RU KG TM TJ
849. **Maladera (Cycloserica) arenicola (Solsky,1876)** (Scarabaeidae) Synonym(s): *arenicola Solsky,1876; diluta Reitter,1896* TM KG UZ
850. **Maladera (Cycloserica) caspia (Faldermann,1836)** (Scarabaeidae) Synonym(s): *caspia Faldermann,1836; caspica Reitter,1896* KG
851. **Maladera (s.str.) holosericea (Scopoli,1772)** (Scarabaeidae) Synonym(s): *holosericea Scopoli,1772* RU Cc Us KG
852. **Mantis macrocephala Lindt,1974** (Mantidae) Synonym(s): *macrocephala Lindt,1974* KG TJ
853. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
854. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte U.Aspöck & H.Aspöck,1994; #aphavexellte Dobosz,2007* Mantispa aphavexelte U.Aspöck & H.Aspöck,1994, Annln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
855. **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica Linnaeus,1767* TR Cc AF KG RU Sb MN CN
856. **Maracanda amoena McLachan,1875** (Myrmeleonidae) Synonym(s): *amoena McLachan,1875* KG
857. **Masaris carli Schulthess,1921** (Vespidae) Synonym(s): *carli Schulthess,1921; smirnovi Kostylev,1925* KG UZ IR
858. **Megachile (Eutricharaea) deceptoria Perez,1890** (Megachilidae) Synonym(s): *deceptoria Perez,1890* Cc KG TM TR
859. **Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) Synonym(s): *rotundata Fabricius,1787* Cc RU KG CA US NZ
860. **Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) Synonym(s): *maritima Kirby,1802* Cc KG RU Us TR
861. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula Germar,1830; truncatipennis Boheman,1847; brevifrons Reuter,1880; fuscus Metcalf,1943; pallidus Metcalf,1943* AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
862. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* IR Elb Th AM Cc At B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
863. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus Swederus,1795* IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
864. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae Boucek,1971; kondaricus Zerova & Seregina,1994* DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
865. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus Pallas,1771; melas Charpentier,1825; tristis Audinet-Serville,1838; agricola Rambur,1838; alata Ramme,1921* TR Cc RU ES FR AT PL RO IR KG MN
866. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus Sturm,1845* DZ FR TR Cc IR UZ KG
867. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis Panzer,1793* DZ ES IT Sa Si TR RU KG TJ MN TM
868. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
869. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus Linnaeus,1758* ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
870. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792; ruficornis Balbi,1897* Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
871. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae Rubtsov,1956* CN Ui TJ KG KK MN RU Sb At UZ
872. **Metacnephia pedipupalis (Rubtsov,1947)** (Simuliidae) Synonym(s): *pedipupalis Rubtsov,1947* KG
873. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica Rubtsov,1940; hirta Rubtsov & Terteryan,1954* IR AM Cc AZ KG RO TM UZ
874. **Metacnephia sedecimfistulata Rubtsov,1976** (Simuliidae) Synonym(s): *sedecimfistulata Rubtsov,1976; dzhungarica Yankovsky,1996* KG
875. **Metacnephia tetraginata (Rubtsov,1951)** (Simuliidae) Synonym(s): *tetraginata Rubtsov,1951* TM TJ KG
876. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM

877. **Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887 **DZ TR Cc KG IR**
878. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883 **TR DZ Cc TJ KG RU**
879. **Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859 **TR Cc KG RU Sb**
880. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 **AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU**
881. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feberi* Metcalf,1968 **DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At**
882. **Microchelonus basalis (Curtis,1837)** (Braconidae) Synonym(s): *basalis* Curtis,1837 **RU TR IR KG**
883. **Microchelonus contracta (Nees,1834)** (Braconidae) Synonym(s): *contracta* Nees,1834 **Cc KG RU Sb TR**
884. **Microchelonus nitens (Reinhard,1867)** (Braconidae) Synonym(s): *nitens* Reinhard,1867 **TR RU KG**
885. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces* Tobias,1964 **BE FI KP KR MA RU AT TR DE IT NL HU GB KG**
886. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator* Haliday,1834 **TR DK JP RU Sb Sh Cc KG LT ID Ja**
887. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua* Ruthe,1860 **Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU**
888. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA**
889. **Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): *amseli* Dlabola,1961 **AF KG KK TJ UZ**
890. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 **AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU**
891. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
892. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 **Gryllus frontalis** Fieber,1844, Ent. Monogr.: 127. **FR DE HU PL EE LT RO Cc IR AF RU KG MN TR**
893. **Mogangella straminea Dlabola,1957** (Cicadellidae) Synonym(s): *straminea* Dlabola,1957 **TR KG MD UA**
894. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 **IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US**
895. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834 **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
896. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
897. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
898. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 **Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU**
899. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSW QaU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fi Ny Tx UY UZ VE**
900. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
901. **Mutilla europaea Linnaeus,1758** (Mutillidae) Synonym(s): *europaea* Linnaeus,1758 **TR RU Ur Sb KG SE FI ES DZ**
902. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 **DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri**

903. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR SY BG DZ
904. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata Pallas,1781* TR RU KG MN IR SY BG DE ES HU DE
905. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata Petagna,1787 nec Fabr.,1781; fabricii Sumakov,1924* TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
906. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; grisescens Marseul,1872; impar Sumakov,1915* RU Cc TR TM IR KG TJ
907. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla Olivier,1811* TR Cc SY RU Sb KG KK UZ IR
908. **Mylabris variabilis (Pallas,1782)** (Meloidae) Synonym(s): *variabilis Pallas,1782* TR Cc RU DZ KG TM
909. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825* AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
910. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
911. **Myrmecaelurus crucifer Navas,1913** (Myrmeleonidae) Synonym(s): *crucifer Navas,1913* KG
912. **Myrmecaelurus maior McLachan,1875** (Myrmeleonidae) Synonym(s): *maior McLachan,1875* TJ KG AF TR
913. **Myrmecaelurus major McLachlan,1875** (Myrmeleonidae) Synonym(s): *major McLachlan,1875* TR AF KG RO
914. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842* TR TJ KG IR Elb
915. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842.* TR IR KG TJ
916. **Myrmecaelurus varians Navas,1913** (Myrmeleonidae) Synonym(s): *varians Navas,1913; aequans Navas,1913; nematicus Navas,1932.* KG AF IR
917. **Myrmeleon (s.str.) formicarius Linnaeus,1767** (Myrmeleonidae) Synonym(s): *formicarius Linnaeus,1767* IR TR TJ KG
918. **Myrmica koreana Elmes,2001** (Formicidae) Synonym(s): *koreana Elmes,2001* KP KR KG
919. **Myrmica lacustris Ruzsky,1905** (Formicidae) Synonym(s): *lacustris Ruzsky,1905* CZ UA TM KG AT
920. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki Viereck,1903; kutteri Finzi,1926; obscura Finzi,1926; subopaca Arnoldi,1934* SE DK ES FR CH CZ BG TR GG Cc KK KG
921. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata Fabricius,1775* TR KG UZ SY GR BG YU MK AT HU RO UA RU
922. **Myrmilla (s.str.) edentata Skorikov,1927** (Mutillidae) Synonym(s): *edentata Skorikov,1927; kumakana Skorikov,1935; medoides Skorikov,1935* KG UZ TJ Smk
923. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala Fabricius,1793 (praeooc.); atra Panzer,1801; nigra Latreille,1809, bicolor Baer,1848; melanaria Blanchard,1849; #rufomaculata Hoffer,1938; erythrocephala Yarrow,1954* SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
924. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
925. **Nemotelus (s.str.) brevis Meigen,1822** (Stratiomyidae) Synonym(s): *brevistris Meigen,1822; globuliceps Loew,1846; pseudoglobuliceps Pleske,1937; reichardt Pleske,1937* TR DE AT BG CZ KG HU MN PL RO RU SK YU GR
926. **Nealiturus alboflavovittatus (Lindberg,1954)** (Cicadellidae) Synonym(s): *alboflavovittatus Lindberg,1954* ES Cn IR KG
927. **Nealiturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954* IT FR LY MA RO ES EH TN TR RU KG TJ
928. **Nealiturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher Haupt,1927* IR IL Pa Cc TR GG KG TJ
929. **Nealiturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus Baker,1896; ignavus Matsumura,1908; egyptiacus Matsumura,1908; indivisus Haupt,1927; ambiguosus Young & Frazier,1954; zygophylli Lindberg,1954* DZ ES Cn EG FR IR IL IT Si LY ES TN KG
930. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni Kieffer,1899; barbara Benoist,1921; scutellata Boucek,1952* DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
931. **Neocrepidora crassicornis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *crassicornis Faldermann,1837* TR Cc KG
932. **Neophilaenus almaatensis Mitjaev,1971** (Cercopidae) Synonym(s): *almaatensis Mitjaev,1971* KG Aa
933. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis Thunberg,1784* AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA

934. **Neophilaenus haupti (Zachvatkin,1925)** (Cercopidae) Synonym(s): *haupti Zachvatkin,1925* KK KG TJ
935. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus Haupt,1917* AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)
936. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus Linnaeus,1758; abbreviata Fabricius,1787; capitata Fabricius,1794; aterrimus Sahlberg,1871; pulchellus Sahlberg,1871; fusca Haupt,1912; pallida Haupt,1917; danicus Wagner,1935; fulva Gyllensvard,1965* AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
937. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor Kirschbaum,1868* AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR
938. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
939. **Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata Fallén,1814; reticula Schrank,1803; brunica Robineau-Desvoidy,1830; lineata Macquart,1835* TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU
940. **Nohoveus punctulatus (Steven,1846)** (Myrmeleonidae) Synonym(s): HU RO KG MN
941. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
942. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi Fauvel,1863* AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
943. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis Zetterstedt,1828; orichalcea Dahlbom,1850; marginatus Sahlberg,1871; armata Buckton,1891; armata Haupt,1912 (praeocc.); haupti Oshanin,1912* DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
944. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
945. **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa Loew,1871* IR Ss Ke Kz AZ Cc IQ TR KG CN
946. **Oberca oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata Linnaeus,1758* PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
947. **Odontocolon dentipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): *dentipes Gmelin,1790* TR KG RU Kmt
948. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
949. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
950. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus Germar,1817* Acrydium decorus Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). TR RU Us Cc Da TM TJ KK KG
951. **Oedaleus infernalis Saussure,1884** (Acrididae) Synonym(s): *infernalis Saussure,1884; amurensis Ikonnikov,1911; montanus Bei-Bienko,1951; taeguensis Lee & Park,1992* JP KP R RU Am Sb CN TW KG
952. **Oedipoda caerulea (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulea Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873* MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
953. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata Pallas,1771; salinus Gmelin,1790; gratiosa Audinet-Serville,1838; perurbana Steinmann,1965* MA DZ TN TR TJ KG Aa RU
954. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor Fieber,1876* DZ GR TN Cc AZ KG KK RU Da TJ UA UZ
955. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suезiensis Matsumura,1910; modestus Haupt,1927* Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
956. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis Charpentier,1825; nebulosa Brunner von Wattenwyl,1882; montivagus Azam,1908; obscurus Schirmer,1913; viridis Schirmer,1913; robustior Zacher,1917; hyalosuperficies Voroncovsky,1928* ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
957. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus Brisout,1855; tesquorum Tarbinsky,1930; psamophilus Maran,1954; toscanus Schmidt,1967* FR ES IT CZ RO Cc TR RU KG Sb
958. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes Zetterstedt,1821; ventralis Zetterstedt,1821; cruentata Brullé,1832; geniculata Brullé,1832; miniata Stephens,1835; viridulum Wesmael,1838; zetterstedti Fieber,1852* Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG

959. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU
960. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
961. **Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): *humerosus* Pallas,1771 KG UZ TM TR
962. **Onthophagus (Alonthophagus) sibiricus Harold,1877** (Scarabaeidae) Synonym(s): *sibiricus* Harold,1877 RU Sb KG KK TJ
963. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
964. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790 RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
965. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis* Reitter,1892 TM TJ AF IR KG UZ KK TR
966. **Onthophagus (Palaeonthophagus) finschi Harold,1877** (Scarabaeidae) Synonym(s): *finschi* Harold,1877 KG KK TM
967. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis* Preyssler,1790 GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR
968. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
969. **Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): *haroldi* Ballion,1871 TM TJ UZ KK KG
970. **Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s): *leucostigma* Stevens,1811 RU Ur KG TM UZ TJ
971. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
972. **Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nuchicornis* Linnaeus,1758 RU Sb KG TR Cc MN CA US On Qb BCo Ny
973. **Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae) Synonym(s): *pygargus* Motschulsky,1845 TM UZ KK KG TJ
974. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
975. **Onthophagus (Palaeonthophagus) specularifer Solsky,1876** (Scarabaeidae) Synonym(s): *specularifer* Solsky,1876 KG KK TM Cc TR IR
976. **Onthophagus (Palaeonthophagus) vitulus (Fabricius,1776)** (Scarabaeidae) Synonym(s): *vitulus* Fabricius,1776 RU Sb KG BG
977. **Onthophagus (Palaeonthophagus) vlasovi Medvedev,1958** (Scarabaeidae) Synonym(s): *vlasovi* Medvedev,1958 KG TM
978. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
979. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus* Horvath,1911 AF IR Cc AZ KG KK RU TJ UZ
980. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 AF DZ EG IR IQ TR Cc AZ KG RU TJ
981. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
982. **Opsius tigris (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigris* Lethierry,1876 IR KG KK RU TJ UZ
983. **Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826 TR Cc KG RU Sb DZ
984. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK
985. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us
986. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
987. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758 PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui

988. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR Ca US IN
989. **Osmia (Helicosmia) cyanescens Morawitz,1875** (Megachilidae) Synonym(s): *cyanescens* Morawitz,1875 RU KK KG TJ
990. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris* Panzer,1798 CA Cc KG Cn Az UA Cm TR DZ CY
991. **Osmia (Helicosmia) kirgisiana Zanden,1994** (Megachilidae) Synonym(s): *kirgisiana* Zanden,1994 KK Ik KG UZ
992. **Osmia (Helicosmia) prasina Morawitz,1875** (Megachilidae) Synonym(s): *prasina* Morawitz,1875 KK KG TJ TM
993. **Osmia (Helicosmia) simplex Morawitz,1875** (Megachilidae) Synonym(s): *simplex* Morawitz,1875 KK KG TJ TM UZ
994. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 KK KG TJ TM UZ AF IL Pa SY TR
995. **Osmia (Hemosmia) difficilis Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 Osmia *difficilis* Morawitz,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. KK KG RU TJ UZ IL Pa TR IR
996. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
997. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
998. **Osmia (Orientosmia) maxillaris Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875 KG TJ TM UZ IR TR
999. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1000. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1001. **Osmia (s.str.) melanocephala Morawitz,1875** (Megachilidae) Synonym(s): *melanocephala* Morawitz,1875 TJ KK KG MN CN UZ Ui
1002. **Osmia (Tergosmia) agilis Morawitz,1875** (Megachilidae) Synonym(s): *agilis* Morawitz,1875 KK KG TJ TM UZ
1003. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
1004. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1005. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR
1006. **Oxyna guttatofasciata (Loew,1850)** (Tephritidae) Synonym(s): *guttatofasciata* Loew,1850 TR CN KG MN RU Sb
1007. **Oxyna lutulenta Loew,1869** (Tephritidae) Synonym(s): *lutulenta* Loew,1869 TR KG MN MD RU UA
1008. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
1009. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761 HV YU BG TR RU Cc Ur Sb Us KG
1010. **Pachybrachis (s.str.) absinthii Lopatin,1990** (Chrysomelidae) Synonym(s): *absinthii* Lopatin,1990 KG DsA
1011. **Pachybrachis (s.str.) arnoldi Lopatin,1967** (Chrysomelidae) Synonym(s): *arnoldi* Lopatin,1967 KG
1012. **Pachybrachis (s.str.) atraphaxidis Lopatin,1968** (Chrysomelidae) Synonym(s): *atraphaxidis* Lopatin,1968 KG Aa
1013. **Pachybrachis (s.str.) auliensis Breit,1921** (Chrysomelidae) Synonym(s): *auliensis* Breit,1921 KG

1014. **Pachybrachis (s.str.) caprea** Weise,1887 (Chrysomelidae) Synonym(s): *caprea* Weise,1887
KG
1015. **Pachybrachis (s.str.) cribricollis** Pic,1907 (Chrysomelidae) Synonym(s): *cribricollis* Pic,1907
KG
1016. **Pachybrachis (s.str.) fraudator** Lopatin,1991 (Chrysomelidae) Synonym(s): *fraudator*
Lopatin,1991 KG
1017. **Pachybrachis (s.str.) ghilarovi** Lopatin,1974 (Chrysomelidae) Synonym(s): *ghilarovi*
Lopatin,1974 KG
1018. **Pachybrachis (s.str.) heptapotamicus** Lopatin,1997 (Chrysomelidae) Synonym(s):
heptapotamicus Lopatin,1997 KG Tk
1019. **Pachybrachis (s.str.) instabilis** Weise,1887 (Chrysomelidae) Synonym(s): *instabilis*
Weise,1887 KG
1020. **Pachybrachis (s.str.) kazakhstanicus** Lopatin,1974 (Chrysomelidae) Synonym(s):
kazakhstanicus Lopatin,1974 KG
1021. **Pachybrachis (s.str.) koktumensis** Lopatin,1991 (Chrysomelidae) Synonym(s):
koktumensis Lopatin,1991 KG
1022. **Pachybrachis (s.str.) laevigatus** Breit,1921 (Chrysomelidae) Synonym(s): *laevigatus*
Breit,1921 KG
1023. **Pachybrachis (s.str.) merkensis** Lopatin,1968 (Chrysomelidae) Synonym(s): *merkensis*
Lopatin,1968 KG
1024. **Pachybrachis (s.str.) mitjaevi** Lopatin & Kulenova,1982 (Chrysomelidae) Synonym(s):
mitjaevi Lopatin & Kulenova,1982 KG Ssn
1025. **Pachybrachis (s.str.) paganus** Lopatin,1990 (Chrysomelidae) Synonym(s): *paganus*
Lopatin,1990 KG
1026. **Pachybrachis (s.str.) rufescens** Lopatin,1974 (Chrysomelidae) Synonym(s): *rufescens*
Lopatin,1974 KG
1027. **Pachybrachis (s.str.) semidesertus** Lopatin,1994 (Chrysomelidae) Synonym(s):
semidesertus Lopatin,1994 KG
1028. **Paharia putoni** (Distant,1892) (Cicadidae) Synonym(s): *putoni* Distant,1892 AF IR KG TJ TM
1029. **Paluda agropyri** Emelyanov,1962 (Cicadellidae) Synonym(s): *agropyri* Emelyanov,1962 KG
TR
1030. **Paluda preysleri** (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *preysleri* Herrich-
Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
1031. **Paluda vitripennis** (Flor,1861) (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis*
Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le
Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN
NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
1032. **Paradorydium paradoxum** (Herrich-Schäffer,1837) (Cicadellidae) Synonym(s):
paradoxum Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 DZ CS FR DE IT MA PT ES TR AM AZ GG
Cc KG KK TM UZ YU
1033. **Paralimnus picturatus** Haupt,1930 (Cicadellidae) Synonym(s): *picturatus* Haupt,1930;
lindneri Fahringer,1942; *subtilis* Linnavuori,1964 EG JO MN TR KG MD RU
1034. **Paramesus major** Haupt,1927 (Cicadellidae) Synonym(s): *major* Haupt,1927 CS IL Pa TR KG
UZ
1035. **Paraphamartania syriaca** (Schiner,1867) (Asilidae) Synonym(s): *syriaca* Schiner,1867 IR
Elb Th KG SY GR IL Pa TR
1036. **Paraphilaenus notatus** (Mulsant & Rey,1855) (Cercopidae) Synonym(s): *notatus* Mulsant &
Rey,1855; *centroasiaticus* Dlabola,1961 TR Cc GG RU At KG KK TJ UA UZ FR
1037. **Paussus (Cochliopaussus) turcicus** Frivaldszky,1835 (Carabidae) Synonym(s): *turcicus*
Frivaldszky,1835 AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
1038. **Pedestredorcadion conicolle** (Breuning,1946) (Cerambycidae) Synonym(s): *conicolle*
Breuning,1946 KG DsA
1039. **Pedestredorcadion jacobsoni** (Jakovlev,1899) (Cerambycidae) Synonym(s): *jacobsoni*
Jakovlev,1899; *sokolovi* Jakovlev,1900; *obtusicolle* Pic,1926;... KG DsA CN Ui
1040. **Pedestredorcadion lucae** (Pic,1898) (Cerambycidae) Synonym(s): *lucae* Pic,1898 KG DsA
CN Ui T-S
1041. **Pedestredorcadion semenovi** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *semenovi*
Ganglbauer,1883; *hauseri* Reitter,1885; *issykkulense* Pic,1906 CN Ui T-S KK Ik KG Tk Ktm
1042. **Peltonotellus punctifrons** Horvath,1895 (Caliscelidae) Synonym(s): *punctifrons*
Horvath,1895 KG UA RU YU TR
1043. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761;
pallidus Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES
SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1044. **Pentodon algerinum** Herbst,1789 (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ
MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
1045. **Pentodon bidens** (Pallas,1771) (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc
TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ

1046. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
KG MN TR AM Cc IR CY SY LB RU Am CN
1047. **Perlamantispia perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772 TR Cc KG
TM RU IR
1048. **Phaeodoretus comptus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *comptus*
Ménétriés,1849 RU KG TM UZ
1049. **Phaedon armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae*
Linnaeus,1758 TR KG RU Sb
1050. **Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae*
Fabricius,1792 GR TR Cc KG RU Sb
1051. **Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792 TR AF
Cc KG DZ
1052. **Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae)
Synonym(s): *areolator* Constantineanu & Constantineanu,1968 ES RO TR Cc AZ RU KG
1053. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761;
libellula Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis*
Uvarov,1933 *Gryllus falcata* Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc
KG CN KP KR JP
1054. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758;
leucophthalma Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG
CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE
GG KG KK MD RU UA UZ YU
1055. **Philodicus spectabilis Loew,1871** (Asilidae) Synonym(s): *spectabilis* Loew,1871 IR Ss Fa AF
KG
1056. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus*
Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT
RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1057. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus*
Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG
KK TM UA
1058. **Phratora vitellinae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758
CN KG Cc KP KR RU Sb CA TR
1059. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura*
Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1060. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra*
Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY
BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1061. **Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *horticola* Linnaeus,1758
IT RU Cc Sb Us Am KG CN
1062. **Phyllotreta astrachanica Lopatin,1977** (Chrysomelidae) Synonym(s): *astrachanica*
Lopatin,1977 TR Cc CY KG
1063. **Phyllotreta balcanica Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica*
Heikertinger,1909 TR Cc AF KG RU
1064. **Phyllotreta corrugata Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858 Cc
TR IR AF DZ KG
1065. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 TR
Cc IR AF KG MN DZ SD IN
1066. **Phyllotreta erysimi Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900 TR Cc IR
IL Pa KG RU MN
1067. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata*
Kutschera,1860 TR Cc GR IT MT IR AF KG RU CN
1068. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775
TR Cc IR AF DZ KG
1069. **Phyllotreta pallidipennis Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis*
Reitter,1891 TR Cc IR KG RU Sb MN CN Ti
1070. **Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 Cc TR
IR AF KG RU Sb MN CN IN
1071. **Phyllotreta undulata Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata*
Kutschera,1860 TR Cc RU Sb KG
1072. **Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula*
Redtenbacher,1849 Cc TR AF KG MN KP KR JP RU Sb
1073. **Phyllotreta wiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana* Jacobson,1901
TR Cc RU IR KG
1074. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica*
Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1075. **Phytoecia pustulata (Schrank,1776)** (Cerambycidae) Synonym(s): *pustulata* Schrank,1776
TR Cc KG SK

1076. **Phytoecia virgula (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula Charpentier,1825*
GR SK TR Cc RU KG
1077. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae Becker,1867* Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1078. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1079. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1080. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1081. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes Horvath,1888* ES IT DE AT CZ HU MK BY BG UA RU KG
1082. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1083. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1084. **Pimpla illecebrator (Villers,1799)** (Ichneumonidae) Synonym(s): *illecebrator Villers,1799*
TR Cc KG
1085. **Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria Gravenhorst,1829*
TR Cc KG RU At IR
1086. **Plagionotus detritus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *detritus Linnaeus,1758*
CZ RU Cc KG IR
1087. **Platyceis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
1088. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti Dlabola,1961* BG TR CS DE IT MN Cc GG KG RU YU
1089. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1090. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1091. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus Puton,1877; turkistanicus Kusnezov,1927* AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
1092. **Platymetopius kabulensis Dlabola,1957** (Cicadellidae) Synonym(s): *kabulensis Dlabola,1957*
AF KG UZ Fe
1093. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1094. **Platymetopius schaeuffelei Dlabola,1960** (Cicadellidae) Synonym(s): *schaeuffelei Dlabola,1960*
Cc AM KG RU TM
1095. **Platymetopius tessellatus Lindberg,1924** (Cicadellidae) Synonym(s): *tessellatus Lindberg,1924*
Cc AM KG RU TM
1096. **Pleurophorus apicipennis Reitter,1892** (Scarabaeidae) Synonym(s): *apicipennis Reitter,1892*
RU TM KG UZ
1097. **Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): *variolosus Kolenati,1846* RU UA KG TM TJ
1098. **Podagrica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi Faldermann,1837* Cc TR IQ KG RU CN
1099. **Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini Picard,1933* IR Ak Cn FR KG ES
1100. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis Kowarz,1867* AM Cc BG MD RO RU TR UA KG TJ
1101. **Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis Chaudoir,1871*
BE GR RU TR UA KG
1102. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus Dejean,1828* BE GR RO RU TR UA KG
1103. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis Linnaeus,1758; alpium Blüthgen,1957* IR Cc TR RU Ur Sb Am Us KG MN

1104. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
1105. **Polyphylla (Mesopolyphylla) irrorata (Gebler,1841)** (Scarabaeidae) Synonym(s): *irrorata* Gebler,1841 **KG RU**
1106. **Polyphylla (Xerasiobia) adpersa Motschulsky,1853** (Scarabaeidae) Synonym(s): *adpersa* Motschulsky,1853 **TM UZ TJ KG**
1107. **Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): *alba* Pallas,1773 **RU Cc Sb KG TM**
1108. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876 **Cc TR AF IR AM GG KG TM**
1109. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 **DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU**
1110. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 **AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR**
1111. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus* Wiedemann,1818 **IR Fa TR AF RU KG CN TW**
1112. **Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris* Herbst,1786; *aenea* Scriba,1790; *aeruginosa* Herbst,1790; *marmorata* Fabricius,1792; *punctatoundulata* Petagna,1819; *zoufali* Roubal,1929; *novaci* Miksic,1954 **DE RU Am HU CZ YU B-H KG UA TR**
1113. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790 **HU LT Cc AM TR TM KG RU Sb MN**
1114. **Protaetia (Netocia) karelini (Zoubkov,1829)** (Scarabaeidae) Synonym(s): *karelini* Zoubkov,1829 **RU Ur KG TM UZ**
1115. **Protaetia (Netocia) prototricha (Fischer,1842)** (Scarabaeidae) Synonym(s): *prototricha* Fischer,1842 **KG**
1116. **Protaetia (Potosia) marginicollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *marginicollis* Ballion,1870 **RU KG TM UZ TJ**
1117. **Protaetia (Potosia) metallica (Herbst,1782)** (Scarabaeidae) Synonym(s): *metallica* Herbst,1782 **RU Ur Sb FI LT UA KG**
1118. **Protaetia (Pseudonetocia) jacobsoni Kiseritzky,1910** (Scarabaeidae) Synonym(s): *jacobsoni* Kiseritzky,1910 **KG**
1119. **Psammodius (Rhyssemus) orientalis (Mulsant & Godart,1875)** (Scarabaeidae) Synonym(s): *orientalis* Mulsant & Godart,1875 **RU TM KG**
1120. **Psammotettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964 **KK KG UZ UA TR RU**
1121. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1122. **Psammotettix dubovskii Vilbaste,1960** (Cicadellidae) Synonym(s): *dubovskii* Vilbaste,1960 **AF KG KK UZ**
1123. **Psammotettix kaszabi Dlabola,1961** (Cicadellidae) Synonym(s): *kaszabi* Dlabola,1961 **Cc GG KG**
1124. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
1125. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 **AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ**
1126. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
1127. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU**
1128. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US**
1129. **Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): *transcaucasicus* Dlabola,1961 **Cc GG TR KG**
1130. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932 **DE FR GB Cc KG TM RU Sb TR**
1131. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 **TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb**

1132. **Pseudepipona tricolor** Gusenleitner,1976 (Vespidae) Synonym(s): *tricolor* Gusenleitner,1976
KG RU Cc Da
1133. **Pseudomyrmosa minuta** (Morawitz,1894) (Mutillidae) Synonym(s): *minuta* Morawitz,1894;
myrmosina Dalla Torre,1897; *gobicola* Lelej,1981 CN MN AF UZ KK KG Cc AM
1134. **Pseudophlepsius binotatus** (Signoret,1880) (Cicadellidae) Synonym(s): *binotatus*
Signoret,1880 AF IQ MN AM AZ KG KK MD RU UA TJ UZ
1135. **Pseudophotopsis binghami** (Bischoff,1920) (Mutillidae) Synonym(s): *binghami*
Bischoff,1920; *zarudnyi* Skorikov,1935 KG UZ TJ KK TM IR Kc AF IN Rj
1136. **Pseudophotopsis brunnescens** Lelej,1971 (Mutillidae) Synonym(s): *brunnescens* Lelej,1971
KG KK UZ
1137. **Pseudophotopsis kokpetica** (Radoszkowski,1885) (Mutillidae) Synonym(s): *kokpetica*
Radoszkowski,1885 TM Kp KK KG UZ TJ
1138. **Pseudophotopsis komarovii** (Radoszkowski,1885) (Mutillidae) Synonym(s): *komarovii*
Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935;
asiatica Suarez,1965 KG KK UZ TJ TM Kp IR CY EG DZ
1139. **Psilochalcis benoisti** (Steffan,1948) (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei*
Steffan,1948 CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
1140. **Psilochalcis mirabilis** (Boucek,1952) (Chalcididae) Synonym(s): *mirabilis* Boucek,1952 TR
CZ SK HU KG RU US
1141. **Psophus stridulus** (Linnaeus,1758) (Acrididae) Synonym(s): *stridulus* Linnaeus,1758;
samniticus Baccetti,1958 TR Cc RU BY UA KG
1142. **Psylliodes affinis** (Paykull,1799) (Chrysomelidae) Synonym(s): *affinis* Paykull,1799 Cc TR
KG MA RU Sb
1143. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807
TR Cc IR KG RU Sb CN
1144. **Psylliodes cupreus** (Koch,1803) (Chrysomelidae) Synonym(s): *cupreus* Koch,1803 Cc TR IR
KG RU Sb MN DZ
1145. **Psylliodes dulcamarae** (Koch,1803) (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803
Cc TR KG MN RU Sb
1146. **Psylliodes isatidis** Heikertinger,1912 (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912
TR Cc IR KG RU Sb MN
1147. **Psylliodes napi** (Fabricius,1792) (Chrysomelidae) Synonym(s): *napi* Fabricius,1792 TR Cc
RU Sb KG DZ
1148. **Psylliodes sauleyi** Allard,1867 (Chrysomelidae) Synonym(s): *sauleyi* Allard,1867 TR Cc KG
MN
1149. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae) Synonym(s): *heydenii*
Fischer,1853; *lateralis* Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV
B-H HU CZ AT IY DE FR
1150. **Ptetica cristulata** Saussure,1884 (Acrididae) Synonym(s): *cristulata* Saussure,1884 TM KG
UZ KK
1151. **Pycnopogon melanostomus** Loew,1874 (Asilidae) Synonym(s): *melanostomus* Loew,1874
IR Kz Mz Elb EG KG
1152. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae) Synonym(s): *armata* Fischer
von Waldheim,1820 *Acrydium armatum* Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia.
TR Cc RU KG AF TM IR KK
1153. **Ramburiella bolivari** (Kuthy,1907) (Acrididae) Synonym(s): *bolivari* Kuthy,1907; *elegans*
Uvarov,1910 *Stethophyma bolivari* Kuthy,1907, Annls Hist. nat. Mus. natn. Hung. 5: 431. Type(s):
Asia Minor (types lost!). TR Cc IR RU KG
1154. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae) Synonym(s):
turcomana Fischer von Waldheim,1833; *formosus* Becker,1864 BG GR Cc RU KG UA Cm TR
1155. **Raphidia (Alatauoraphidia) zhiltzovae** H.Aspöck & U.Aspöck,1970 (Raphidiidae)
Synonym(s): *zhiltzovae* H.Aspöck & U.Aspöck,1970 KG
1156. **Recilia horvathi** (Then,1896) (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS DE IT
MN RO TN GG Cc KG UA YU
1157. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1158. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae) Synonym(s): *melanochaetus*
Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1159. **Reptalus (s.str.) panzeri** (Loew,1883) (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT
BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1160. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus*
Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 Cc AT BE BG CN
CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1161. **Rhagoletis cerasi** (Linnaeus,1758) (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758 RU Sb
KG GG Cc IR Th Elb TR
1162. **Rhagoletis flavicineta** Enderlein,1934 (Tephritidae) Synonym(s): *flavicincta* Enderlein,1934
IR Th Elb RU Sr UA KG KK TJ UZ

1163. **Rhagoletis flavigenualis** M.Hering,1958 (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958 **KG KK TJ TM IR TR Cc CH**
1164. **Rhizotrogus (Amphimallon) altaicus (Mannerheim,1825)** (Scarabaeidae) Synonym(s): *altaicus* Mannerheim,1825 **RU Sb At Us KG**
1165. **Rhizotrogus (Amphimallon) irtishensis Nikolajev,1979** (Scarabaeidae) Synonym(s): *irtishensis* Nikolajev,1979 **RU KG**
1166. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758 **TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ**
1167. **Rhizotrogus (Amphimallon) volgensis (Fischer,1823)** (Scarabaeidae) Synonym(s): *volgensis* Fischer,1823 **RU KG**
1168. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869 **AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU**
1169. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR**
1170. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 **DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU**
1171. **Rhytidodus almasyi (Horvath,1904)** (Cicadellidae) Synonym(s): *almasyi* Horvath,1904 **AZ KG**
1172. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 **AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU**
1173. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868 **CN MN RU Cc KG KK TJ UA TR**
1174. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 **AT CZ SK IT MN KG TM RU UA TR**
1175. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 **AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR**
1176. **Rivetina nana Mishtshenko,1957** (Mantidae) Synonym(s): *nana* Mishtshenko,1957 **KG**
1177. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 **TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR**
1178. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosona* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrecus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 **Gryllus nitidulus** Scopoli,1786, *Delicidae florum & faunae insubricae* 1: 62. Syntypes: Italia. **FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA**
1179. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 **PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG**
1180. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 **AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA**
1181. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
1182. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; **CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU**
1183. **Saropogon dasynotus Loew,1871** (Asilidae) Synonym(s): *dasynotus* Loew,1871 **RU KG TR**
1184. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 **IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR**
1185. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 **RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR**
1186. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938 **UZ TM Kp AF IR IQ SY KG PK TJ TR**
1187. **Scirtophaca tianshanskyi (Oshanin,1913)** (Dictyopharidae) Synonym(s): *tianshanskyi* Oshanin,1913 **Cc AZ KG KK**
1188. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (*praeocc.*); *decumanus* Kontkanen,1949 **BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At**

1189. **Scleroracus transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1190. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970 IT Sa Si TR PT ES MT CY FR Co CY KG
1191. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
1192. **Selatosomus (s.str.) atratus (Ballion,1878)** (Elateridae) Synonym(s): *atratus* Ballion,1878 KK KG TR?
1193. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
1194. **Serica (s.str.) brunnea (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *brunnea* Linnaeus,1758 RU Ur Sb Us UA KG
1195. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1196. **Simulium (Byssodon) almae (Yankovsky & Koshkimbaev,1988)** (Simuliidae) Synonym(s): *almae* Yankovsky & Koshkimbaev,1988 KG Aa
1197. **Simulium (Byssodon) heptapotamicum Rubtsov,1940** (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov,1940 KG AZ Cc IR TJ TM
1198. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1199. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
1200. **Sinophorus sticticale Sanborne,1984** (Ichneumonidae) Synonym(s): *sticticale* Sanborne,1984 TR KG Aa UZ
1201. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885 RU Cc AZ KG UZ TM IR KK
1202. **Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881 Cc AM KK KG UZ TR?
1203. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant & Rey,1855 BG FR IT SW KG KK RU Sb UA YU
1204. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1205. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1206. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1207. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU KG MN
1208. **Stenobothrus (s.str.) miramae Dirsh,1931** (Acrididae) Synonym(s): *miramae* Dirsh,1931 UA Cm KG TR
1209. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1210. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1211. **Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae) Synonym(s): *angorensis* Zachvatkin,1946; *tesquorum* Emeljanov,1964 TR KG
1212. **Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus* Horvath,1904; *turkestanica* Linnavuori,1953 KG KK TM UZ TR
1213. **Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): *sigillatus* Haupt,1917 AF KG KK TJ UZ
1214. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus* Pallas,1818 IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
1215. **Stenopogon flavibarbis Enderlein,1934** (Asilidae) Synonym(s): *flavibarbis* Enderlein,1934; *fuscibarbis* Enderlein,1934 TR RU KG CN
1216. **Steyskaliella iliensis Korneyev,2001** (Platystomidae) Synonym(s): *iliensis* Korneyev,2001 KG

1217. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902 TR IR Kh Elb Th CY EG IL Pa KG LY MN
1218. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
1219. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 Ce AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
1220. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
1221. **Stratiomys bochariensis (Pleske,1899)** (Stratiomyidae) Synonym(s): *bochariensis* Pleske,1899; *turkestanica* Pleske,1922; *manchurensis* Ouchi,1940 CN Ui Mc UZ KG
1222. **Stratiomys nobilis Loew,1871** (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912 Ce AM IR CN KG UZ
1223. **Stratiomys singularior (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 GB DE SE NO RU Sb Us KG IR MN CN
1224. **Stratiomys wagneri (Pleske,1899)** (Stratiomyidae) Synonym(s): *wagneri* Pleske,1899; *connectens* Szilady,1941 RU At Sb KG Tk MN
1225. **Stratiomys zarudnyi (Pleske,1899)** (Stratiomyidae) Synonym(s): *zarudnyi* Pleske,1899; *sarudnyi* Pleske,1901 IR KG
1226. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Ce EE KG KK LV RU Sb At UA UZ YU
1227. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Ce HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1228. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
1229. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Ce AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU
1230. **Synapsis tmolus (Fischer,1821)** (Scarabaeidae) Synonym(s): *tmolus* Fischer,1821 KG KK TJ TM
1231. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Ce AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1232. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 TR GB DE NL SE NO HU RU Ur Sb Ce KG AF MN KP KR JP US
1233. **Systropha (s.str.) kazakhstaniensis Patiny,2004** (Halictidae) Synonym(s): *kazakhstaniensis* Patiny,2004; *heinzi* Dubitzky,2004 KG
1234. **Tabanus golovi Olsufjev,1936** (Tabanidae) Synonym(s): *golovi* Olsufjev,1936; *Pallidus* Olsufjev,1936; *mediaasiaticus* Olsufjev,1970 KG Aa TrA CN AF TR
1235. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Ce TR TM UZ KK KG RU AM IR SK BG ES IL Pa
1236. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta* Rondani,1859; *micado* Kirby,1884; *orientalis* Zimin,1935; *trigonata* Villeneuve,1936; *nigriventris* Zimin,1967; *mesnili* Zimin,1967; *turanica* Zimin,1980 IT FR DE CH Ce TR UZ MN CN JP KG RU
1237. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876 Ce AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
1238. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Ce AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1239. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 AZ AM Ce BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
1240. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Ce AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1241. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 GB SE AT IT BE FR GR HU SK RO BG UA Ce AM UZ KG TR

1242. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 **GB SE DE BE NL PL BY UA Cc KG CH AT HU TR**
1243. **Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): *jaxartensis* Oshanin,1871; *astrachanica* Zachvatkin,1953 **MN Cc AZ KG KK TJ UZ**
1244. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 **GR Cr TR IR KG RU UA YU AF PK**
1245. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
1246. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943 **ES IQ Cc KG UZ TM PK TR**
1247. **Tenthredo thompsoni Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni* Curtis,1839; *basanalis* Enslin,1912; *marginella sensu* Chevin,1983; *semifasciatus* Rudow,1872 **TR Cc RU KG**
1248. **Tentyria nomas (Pallas,1781)** (Tenebrionidae) Synonym(s): *nomas* Pallas,1781; *saisanensis* Motschoulsky,1845 **RU Sb Cc KG**
1249. **Tephritis hurvitz Freidberg,1981** (Tephritidae) Synonym(s): *hurvitz Freidberg,1981* **TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR**
1250. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 **Trypeta postica** Loew,1844, [in] Germar, Z. Ent. 5: 393. **ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ**
1251. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata* Rondani,1871 **TR IL Pa TJ RU Sb SY IQ KK KG**
1252. **Terellia ceratocera Hendel,1913** (Tephritidae) Synonym(s): *ceratocera* Hendel,1913 **TR RU Sb KG**
1253. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830 **TR ES IT GR LB IL TN EG Sn KG**
1254. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794 **TR KG CN KK Cc MN RU Sb Us**
1255. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 **TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us**
1256. **Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens* Loew,1846 **TR AF KG IL Pa IR CA**
1257. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 **ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK**
1258. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis* Signoret,1866 **AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU**
1259. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 **AF IR TR Cc AZ KG KK RU TJ TM UA UZ**
1260. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU**
1261. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932 **Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA**
1262. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 **Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU**
1263. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 **AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU**
1264. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948 **AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ**
1265. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 **DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU**
1266. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri* Horvath,1909 **DZ ES Cn MA ES TN TR KG UA Cm**
1267. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865 **Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU**
1268. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865 **BG JO AZ KG KK RU TJ TM UZ YU**
1269. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 **Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU**
1270. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinaeriae* Jannone,1937 **Gryllus (Tettigonia) viridissima** Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). **DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR**

1271. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
1272. **Thereva aureomaculata Kröber,1912** (Therevidae) Synonym(s): *aureomaculata* Kröber,1912; *asiatica* Kröber,1913 KG
1273. **Tibicina semenovi (Oshanin,1906)** (Cicadidae) Synonym(s): *semenovi* Oshanin,1906 TJ KG
1274. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa* Loew,1873 RU Or LB UA MD KG IR MN Cc TJ
1275. **Timia melanorrhina Loew,1866** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866 GR KG TM RU Sr
1276. **Tingis kerzhneri Golub,2006** (Tingidae) Synonym(s): *kerzhneri* Golub,2006 AM AZ Cc KG TJ IR TM
1277. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 *Tipula lateralis* Meigen,1804, *Klass. Besch.* 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1278. **Torymus arcella Graham & Gijswijt,1998** (Torymidae) Synonym(s): *arcella* Graham & Gijswijt,1998 *Torymus arcella* Graham & Gijswijt,1998, *Zool. Verh.* 317: 53-54. Holotype ♀: Turkey: [İğdir Prov.], Serdarbulak, 5000" [Ağrı Dağı] leg. Guichard & Harvey (BMNH). TR UA KG
1279. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1280. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
1281. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 *nec* Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1282. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1283. **Toya simulans (Dlabola,1958)** (Delphacidae) Synonym(s): *simulans* Dlabola,1958 Cc GG KG TJ UA
1284. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1285. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus* Wulp,1899; *albipila* Becker,1907 IR Kz MA DZ EG IL Pa YE KG MN
1286. **Trichardopsis richteri Oldroyd,1958** (Asilidae) Synonym(s): *richteri* Oldroyd,1958; *kasakh* Lehr,1958 IR Kz KG
1287. **Trichius fasciatus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758 RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR
1288. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844 AL GR TR SY IL Pa IR Cc AM TJ Pm KG
1289. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817 GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
1290. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856 TR AZ Cc IR FR GR IT RU KG IL Pa
1291. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1292. **Trieces tricarinatus (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856 TR Cc KG
1293. **Tromatobia ornata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829 Cc KG TR
1294. **Tropidopola turanica Uvarov,1926** (Acrididae) Synonym(s): *turanica* Uvarov,1926; *caspica* Uvarov,1933; *iliensis* Bei-Bienko,1948 TM KG Tk IR Gor
1295. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913 TR Cc IR SY JO KG KK TM
1296. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata* Fuesslin,1775 TR GB SE KG RU CN IN DZ IR
1297. **Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969 *Truxalis eximia* Eichwald,1830, *Zool. Spec.* 2: 239. TR Cc IR KG CY SA

1298. **Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus Holmgren,1855* Cc KG TR RU Sb
1299. **Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli Gregor,1939* HU BG TR Cc KG
1300. **Tryphon auricularis Thomson,1883** (Ichneumonidae) Synonym(s): *auricularis Thomson,1883* KG TR RU To
1301. **Turanoclytus asellus (Thieme,1881)** (Cerambycidae) Synonym(s): *asellus Thieme,1881; grumi Semenov,1889* KG
1302. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913* RU KG KK TR IQ IR MA TN EG
1303. **Turka nudus (Lehr,1996)** (Asilidae) Synonym(s): *nudus Lehr,1996* RU KG
1304. **Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): *tridentatus Loew,1871* RU KK KG TR
1305. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861; quadrivittatus Marshall,1866; inclusivalvis Kirschbaum,1868; quinquevittatus Kirschbaum,1868; flavinervis Kirschbaum,1868; onustus Fieber,1869; fugax Horvath,1897; sinuatus Matsumura,1908* DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
1306. **Tychius medicaginis Brisout,1862** (Curculionidae) Synonym(s): *medicaginis Brisout,1862* TR ES DZ KG
1307. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777; fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1308. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
1309. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii Frauenfeld,1867; wodzizkii Frauenfeld,1867; syriaca Hendel,1927; erichschmidti M.Hering,1953* TR AT KG MD UA RU IL Pa LB SY
1310. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
1311. **Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata Zaitzev,1945* TR AZ Cc AM TM UZ KG
1312. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata Meigen,1826* TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
1313. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907* TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
1314. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata Fabricius,1775; ciesii Schrank,1803; jacobaeae Panzer,1805* AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
1315. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior Hendel,1910* Urophora tenuior Hendel,1910, Wien. ent. Ztg. 29: 311. TR KG UZ TM TJ AF IR
1316. **Usia (s.str.) notata Loew,1873** (Bombyliidae) Synonym(s): *notata Loew,1873* DZ KG TJ UZ TM
1317. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* DZ TR Cc IR KG SK
1318. **Verdanus tianshanicus (Emeljanov,1966)** (Cicadellidae) Synonym(s): *tianshanicus Emeljanov,1966* T-S KK KG
1319. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro Linnaeus,1758* TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US
1320. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
1321. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris Linnaeus,1758* BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
1322. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera Zetterstedt,1845; claripennis Kowarz,1868* ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
1323. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804; trigonostigma Czerny,1901* MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
1324. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta Wiedemann,1820* AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
1325. **Villa orientalis Zaitzev,1966** (Bombyliidae) Synonym(s): *orientalis Zaitzev,1966* AM AZ Cc GG KG MN TM UZ
1326. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868* DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
1327. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni Schiner,1862* AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
1328. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga Zakhvatkin,1931* ML NE PK IQ KG OM SA TJ TM UZ

1329. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809
Tridactylus variegatus Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB
Brussels). FR ES CZ RO TR Cc RU KG IN
1330. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795 CZ
GR Cc DZ IR TR RU KG
1331. **Xylotrechus hircus (Gebler,1825)** (Cerambycidae) Synonym(s): *hircus* Gebler,1825 KG RU
1332. **Xylotrechus pantherinus (Savenius,1825)** (Cerambycidae) Synonym(s): *pantherinus*
Savenius,1825 RU KG Cc CZ
1333. **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria* Schrank,1781 TR KK
KG CN RU Us
1334. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 AZ AM Cc GG
TR AF IR KG PA SY TM UZ
1335. **Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani*
Holmgren,1854 TR Cc AM KG Aa TJ US
1336. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s):
hyperici Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA
UZ YU
1337. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897;
#discolor Lodos & Kalkandelen,1984 BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU
1338. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera*
Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
1339. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936;
pandellei Ribaut,1936; *variegata* Ribaut,1936 AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU
TR
1340. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula* Boheman,1845
AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU

Synonymic and distributional list of the pterygot insects of Kirgizistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

13

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Kirgizistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 13.
Priamus (suppl.) 18: 731-748.

In this study, totally 464 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Kirgizistan.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes
Planned expeditions	no
Further planned publications	yes

In this study, totally 464 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

- Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
- Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powellii* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
- Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
- Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 Cc RU TM UZ KK TJ PK
- Adoxomyia ruficornis (Loew,1873)** (Stratiomyidae) Synonym(s): *ruficornis* Loew,1873 KK IR TR
- Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
- Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata* Horvath,1894 RO AM AZ GG KG KK RU TM UZ
- Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
- Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cycanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
- Agonum chalconotum Ménétriés,1832** (Carabidae) Synonym(s): *chalconotum* Ménétriés,1832 GB LA TR AF KK KG TJ UZ CN MN

11. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua Ménériés,1832; bistrinata Putzeys,1866* AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
12. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
13. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis Motschoulsky,1844; badiola Bates,1878; latiuscula Poppius,1908; nigriventris Lutshnik,1927; chivensis Lutshnik,1928; tratnikovi Lutshnik,1928; pamiricola Lutshnik,1930; gisellae Csiki,1929* AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
14. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula Chaudoir,1850* AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
15. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica O.F.Müller,1776; bifrons Gyllenhal,1810; discrepans Stephens,1828; zimmermanni Heer,1837; longiceps Seidlitz,1887; kleini Schuler,1964* Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
16. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa Jo Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
17. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832; bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
18. **Amara (Zezea) chaudoiri Schaum,1858** (Carabidae) Synonym(s): *chaudoiri Schaum,1858; incognita Fassati,1946* AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
19. **Ammophila heydeni Dahlbom,1845** (Sphecidae) Synonym(s): *heydeni Dahlbom,1845* TR Cc AM KK RU
20. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi Ballion,1870; clypeata Solsky,1876; dubia Solsky,1876; auricollis Reitter,1890; viridicollis Reitter,1890; belia Reitter,1900* AF UZ KG TJ KK TM
21. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935; acuteangulata Zachvatkin,1946* AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
22. **Anaceratagallia tianshanica (Dubovsky,1970)** (Cicadellidae) Synonym(s): *tianshanica Dubovsky,1970* KK IR TR
23. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus Becker,1916; villosus Paramonov,1930; albulus Paramonov,1940* CN Ui KK KG MN RU UZ
24. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens Becker,1913; intermedius Becker,1916* AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
25. **Anastoechus montium Becker,1916** (Bombyliidae) Synonym(s): *montium Becker,1916* KK MN RU TJ
26. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
27. **Anastoechus stackelbergi Paramonov,1926** (Bombyliidae) Synonym(s): *stackelbergi Paramonov,1926* KK TJ TM UZ
28. **Aneomochtherus oschii Lehr,1996** (Asilidae) Synonym(s): *oschii Lehr,1996* RU KK
29. **Anomala (Psammoscaphaeus) metonidia Reitter,1903** (Scarabaeidae) Synonym(s): *metonidia Reitter,1903* KK
30. **Anthocoris angularis Reuter,1884** (Anthocoridae) Synonym(s): *angularis Reuter,1884* KK KG TJ MN UZ IR Th Elb
31. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes Reuter,1884* IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ
32. **Anthocoris poissoni Kiritshenko,1952** (Anthocoridae) Synonym(s): *poissoni Kiritshenko,1952* KK TJ IR Ab
33. **Anthocoris simillimus Poppius,1909** (Anthocoridae) Synonym(s): *simillimus Poppius,1909* KK TJ IR Gh
34. **Anthomalachius senyilia (Tshernytshev,2000)** (Melyridae) Synonym(s): *senyilia Tshernytshev,2000* UZ KK
35. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ

36. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
37. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
38. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
39. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
40. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus Solsky,1876; rufulus Solsky,1876* PL AF Cc CN KG KK TJ TM UZ
41. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus Solsky,1876* AF Cc TR IR KK KG TJ TM UZ
42. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus Fabricius,1775* RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ
43. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius Linnaeus,1758* RU Cc Ur Sb Us UA AM GG KG KK TM UZ
44. **Aphodius (Birus) menetriesi Ménétrés,1849** (Scarabaeidae) Synonym(s): *menetriesi Ménétrés,1849* KG KK TM UZ
45. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens Creutzer,1799* RU Ur Cc UA Cm KG KK TJ TM
46. **Aphodius (Chilothorax) auliensis Balthasar,1933** (Scarabaeidae) Synonym(s): *auliensis Balthasar,1933* KK
47. **Aphodius (Chilothorax) melanostictus W.Schmidt,1840** (Scarabaeidae) Synonym(s): *melanostictus W.Schmidt,1840* RU Sb UA KG KK TM
48. **Aphodius (Chilothorax) praenubilis Balthasar,1938** (Scarabaeidae) Synonym(s): *praenubilis Balthasar,1938* KK
49. **Aphodius (Nialus) kraatzi Harold,1868** (Scarabaeidae) Synonym(s): *kraatzi Harold,1868* KG KK TM
50. **Aphodius (Nimbus) turkestanicus Heyden,1881** (Scarabaeidae) Synonym(s): *turkestanicus Heyden,1881* KG KK
51. **Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): *pusillus Herbst,1789* RU Cc Ur Sb Us Am Krl GG KG KK TM UZ
52. **Aphodius (Pseudacrossus) grombczewskiyi D.Koshantschikov,1891** (Scarabaeidae) Synonym(s): *grombczewskiyi D.Koshantschikov,1891* KK KG
53. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
54. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
55. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus Lethierry,1876* CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
56. **Aphrodes nigritus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigritus Kirschbaum,1868; integer Wagner,1937* DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
57. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
58. **Apolysis zaitzevi Evenhuis,1990** (Bombyliidae) Synonym(s): *montana Zaitzev,1972 nec Meland.,1946; zaitzevi Evenhuis,1990* KK TJ
59. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821; diminutus Kirschbaum,1858* AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
60. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne Solsky,1874* AM Cc BG GR TR CY IR KK KG TJ UZ
61. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
62. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815; immaculata Konow,1884* RU TR IR UZ KK Cc Sb IN CN JP
63. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922; torgnyensis Goetghebuer,1949* AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
64. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR

65. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica Tyurebaev,1979* TR IR Ab Oru UA RU KG KK TM TJ UZ
66. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
67. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952* AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
68. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana Wagner,1939* AF AT BG CS FI DE IT NL KG KK UZ YU TR
69. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea Scott,1876; frontalis Ferrari,1882; flava Haupt,1927; pulchella Lindberg,1948; haupti Metcalf,1955* AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
70. **Barylpa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor Thunberg,1822* TR Cc KK KG TJ
71. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus Lewis,1834; microcephalus Herrich-Schäffer,1838; punctulatus Forel,1858; punctuosus Kirschbaum,1868; verrucosa Haupt,1917* AF AL AT BE BG CN U_i CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
72. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa Jo LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
73. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
74. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
75. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
76. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
77. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
78. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
79. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
80. **Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934* AM Cc TR IR KK TJ UZ
81. **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum Solsky,1874* TR AF IR KK TJ UZ
82. **Bembidion (Peryphus) persicum Ménétrés,1832** (Carabidae) Synonym(s): *persicum Ménétrés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
83. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
84. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
85. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
86. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
87. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analys Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN U_i CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau Sz TZ TG UG YE ZM ZW
88. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis*

- Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
89. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
90. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
91. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818; dispar Meigen,1820* [Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 \(2\): 21. Type\(s\): Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ](#)
92. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
93. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus Loew,1855* RU Sb CN IR MN KK ES TJ TM UZ
94. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis Loew,1873 nec Oliv.,1789; desertivagus Paramonov,1940* PK KG KK TJ TM UZ
95. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
96. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
97. **Bombylius (s.str.) kirgizorum Zaitsev,1990** (Bombyliidae) Synonym(s): *kirgizorum Zaitsev,1990* KK
98. **Bombylius (s.str.) kozlovi Paramonov,1926** (Bombyliidae) Synonym(s): *kozlovi Paramonov,1926* CN MN KK TJ
99. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax Paramonov,1926* UZ TJ KK TM CN Ui
100. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES CH SY TJ TN TR TM UA UZ YU
101. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
102. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
103. **Bombylius (s.str.) narynensis Zaitsev,1990** (Bombyliidae) Synonym(s): *narynensis Zaitsev,1990* KK
104. **Bombylius (s.str.) obscuripennis Paramonov,1929** (Bombyliidae) Synonym(s): *obscuripennis Paramonov,1929* KK UZ
105. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus Loew,1873* AF IR KG KK TJ TM UZ
106. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus Paramonov,1926 nec Wiedem.,1820; rossicus Evenhuis & Greathead,1999* CN KG KK TJ TM UZ
107. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
108. **Bombylius (s.str.) turanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turanicus Paramonov,1926* KK UZ TM
109. **Bombylius (s.str.) uzbekorum Paramonov,1926** (Bombyliidae) Synonym(s): *uzbekorum Paramonov,1926* CN Ti KG KK TJ UZ
110. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
111. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
112. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829; incertus Brullé,1834* AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ

113. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828* AZ AM Cc GG RU TR KK KG TJ TM UZ MN
114. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
115. **Brachydynerus magnificus (Morawitz,1867)** (Vespidae) Synonym(s): *magnificus Morawitz,1867* KK
116. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
117. **Bruchophagus nikolskayae Zerova,1975** (Eurytomidae) Synonym(s): *nikolskayae Zerova,1975* IR Kh KK
118. **Byctiscus populi (Linnaeus,1758)** (Atelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
119. **Caliscelis ferganensis Kusnezov,1930** (Caliscelidae) Synonym(s): *ferganensis Kusnezov,1930* UZ KK Fe
120. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
121. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784* AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
122. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
123. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis Hendel,1927; tessellata Zetterstedt,1847* TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
124. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
125. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
126. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
127. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
128. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranusi Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
129. **Cassida sanguinolenta Müller,1776** (Chrysomelidae) Synonym(s): *sanguinolenta Müller,1776* TR KK
130. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicoruscus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948* IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
131. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
132. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
133. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
134. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
135. **Chaetomalachus aeneus Schilksy,1900** (Melyridae) Synonym(s): *aeneus Schilksy,1900* KK TJ TM
136. **Chaetomalachus bactrianus Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): *bactrianus Jablokoff-Khnzorian,1966* KK TJ UZ
137. **Chaetomalachus dasytoides Kraatz,1882** (Melyridae) Synonym(s): *dasytoides Kraatz,1882* KK KG TJ TM UZ
138. **Chaetomalachus forticornis Schilksy,1896** (Melyridae) Synonym(s): *forticornis Schilksy,1896* KG KK UZ
139. **Chaetomalachus wittmeri Majer,1989** (Melyridae) Synonym(s): *wittmeri Majer,1989* IR KK TM
140. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US

141. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA
MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
142. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN
GG TR KG KK RU UA UZ YU MD AZ
143. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884 BG CS
GR IT RO TN TR AZ GG Cc KG KK RU UA
144. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 DZ AT BE BG CS
DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
145. **Chrysolina brevilata (Heyden,1886)** (Chrysomelidae) Synonym(s): *brevilata* Heyden,1886 KK
KG
146. **Chrysolina gypsophylae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophylae* Küster,1845;
lucidicollis Küster,1845 TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
147. **Chrysolina juldusana (Lopatin,1962)** (Chrysomelidae) Synonym(s): *juldusana* Lopatin,1962 KK
CN Üi KG
148. **Chrysolina koenigi (Jacobson,1895)** (Chrysomelidae) Synonym(s): *koenigi* Jacobson,1895;
katarinae Lopatin,1965 KK TJ
149. **Chrysolina oschanini (Lopatin,1965)** (Chrysomelidae) Synonym(s): *oschanini* Lopatin,1965 KK
KG
150. **Chrysolina verestschaginae Lopatin,1992** (Chrysomelidae) Synonym(s): *verestschaginae*
Lopatin,1992 KK KG
151. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes*
Zetterstedt,1838; *amplicornis* Lowarz,1874; *kowarzi* Lundbeck,1912 RO TR UA RU Cc Ya Am KK CN
152. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (*praeocc.*); *querula*
Pallas,1773; *paliuri* Kolenati,1857 Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
153. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis*
Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE
JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
154. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica*
Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES
TN KK MD RU Cc TR UA UZ
155. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794;
strigipes Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS
IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
156. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant
& Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis*
Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis*
Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis*
Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM
AZ GG Cc KG KK MD RU TM UA UZ YU
157. **Clanoptilus (s.str.) abbreviatus Tshernyshev,1998** (Melyridae) Synonym(s): *abbreviatus*
Tshernyshev,1998 KK
158. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832
RU IT UZ KK GR TR
159. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus*
Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
160. **Clanoptilus (s.str.) milkoi Tshernyshev,1998** (Melyridae) Synonym(s): *milkoi*
Tshernyshev,1998 KK KG
161. **Clanoptilus (s.str.) senylia Tshernyshev,2000** (Melyridae) Synonym(s): *senylia*
Tshernyshev,2000 UZ KK
162. **Clanoptilus (s.str.) strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s):
strangulatus Abeille de Perrin,1885 TR UA Cm KK KG
163. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841
TM KK UZ EG TN MA DZ RU GB TR
164. **Colletes issykkuli Kuhlmann,2003** (Colletidae) Synonym(s): *issykkuli* Kuhlmann,2003 KK Ik
165. **Colletes pauljohni Kuhlmann,2002** (Colletidae) Synonym(s): *pauljohni* Kuhlmann,2002 KK
166. **Conosimus oshanini Puton,1890** (Issidae) Synonym(s): *oshanini* Puton,1890 IR KK
167. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus*
Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842;
corniculatus Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus*
Gistel,1857 GB DE FR YU LT RU UA Cm Cc KK KG TM
168. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 RU Cc IQ
IL Pa KK UZ TJ CN Üi TM IR TR
169. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891
RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc
170. **Dasyhelea gluchovae Brodskaya,1996** (Ceratopogonidae) Synonym(s): *gluchovae* Brodskaya,1996
KK

171. **Dasytidius marsaleki Majer,1996** (Melyridae) Synonym(s): *marsaleki Majer,1996* **KK**
172. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
173. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis Panzer,1796; dubia Panzer,1796 (praeocc.); grisea Latreille,1804* **AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU**
174. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus Steven,1808* **PL AF TR Cc IN KK IR MN RU CN Ui**
175. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* **Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
176. **Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris Walker,1851* **Cc PT ES GG KG KK TM UZ**
177. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* **Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx**
178. **Diorhabda carinata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinata Desbrochers,1870* **Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG**
179. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* **DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU**
180. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869; altaicus Vilbaste,1965* **AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ**
181. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* **TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP**
182. **Dolichopus asiaticus Negrobov,1973** (Dolichopodidae) Synonym(s): *asiaticus Negrobov,1973* **UA RU MN KK**
183. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
184. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* **AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU**
185. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
186. **Dorcadion (s.str.) absinthium Plavilstshikov,1937** (Cerambycidae) Synonym(s): *absinthium Plavilstshikov,1937* **KK KG**
187. **Dorcadion (s.str.) darjae Danilevsky,2001** (Cerambycidae) Synonym(s): *darjae Danilevsky,2001* **KK KuA**
188. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi Douglas,1876; australis Froggatt,1918; frogatti Baker,1925; oxyacanthae Ribaut,1925; cornuta Wagner,1947* **AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU**
189. **Edwardsiana diversa (Edwards,1914)** (Cicadellidae) Synonym(s): *diversa Edwards,1914; tridentata Edwards,1928* **BG CS FR DE GB PL RO SW MD KK**
190. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* **AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
191. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praeocc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
192. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
193. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica Piesner,1973* **TR HV FR GR IL Pa KG KK MK RU ES TM**
194. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta Smith,1855; syraensis Radoszkowski,1888; schmidti Priesner,1973; #cinerata Priesner,1973* **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
195. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea Pallas,1773; sirdariensis Radoszkowski,1889* **AM Cc IR TM Kp TR KK KG Uk RU Da**
196. **Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens Koch,1803; ferruginea Weise,1886; suturalis Bedel,1897; lenkorana Pic,1903* **Cc AZ Len TR KK Az KG IR RU Sb**
197. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii Dufour,1861; bicolor Sichel,1866* **ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK**
198. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata Fabricius,1794 (praeocc.); lepidus Boheman,1847; tristis Boheman,1847* **Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU**

199. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
200. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ
201. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
202. **Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 AF KG KK TM UZ
203. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 AF IR IL Pa JO GR Cr TR KG KK
204. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
205. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
206. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
207. **Exoprosopa turkestanica Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1925 CN Ui Um Adu KK TJ MN AF IR
208. **Exyston montanus Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus* Kerrich,1975 ES CH TR Cc KK
209. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
210. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972 AM AZ GG Cc CN IR KG KK TJ UZ TR
211. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
212. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
213. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
214. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops* Gravenhorst,1829 DZ KK KG MN RU Sb Ya TR
215. **Gymnomus warchalowskii Woznica,2007** (Heleomyzidae) Synonym(s): *warchalowskii* Woznica,2007 RU Ur KK T-S
216. **Hardya turanica Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica* Zachvatkin,1946 Cc AZ KG KK UZ
217. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
218. **Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928 Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ
219. **Hemipenthes gaudanicus Paramonov,1927** (Bombyliidae) Synonym(s): *gaudanicus* Paramonov,1927 CN Ui KK TJ TM UZ MN IR
220. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
221. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
222. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
223. **Hemipenthes nitidofasciatus Portschinsky,1892** (Bombyliidae) Synonym(s): *nitidofasciatus* Portschinsky,1892 KK TJ RU
224. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus* Loew,1869 CN KK MN RU TJ TM UZ IL Pa

225. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus Zaitzev,1966* Cc
AM AZ GG CN KK KG TJ TM UZ
226. **Hemipenthes splendidus Zaitzev,1962** (Bombyliidae) Synonym(s): *splendidus Zaitzev,1962*
KK KG TJ TM
227. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus*
Zaitzev,1966 TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
228. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi*
Frauenfeld,1864 TR CN KG KK MN MD UZ RU TJ TM UA
229. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-*
Schäffer,1835; cretacea Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM
AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
230. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor Lindberg,1926;*
canus Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
231. **Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus*
Stackelberg,1933 Cc GG Abk AM RU TR KK
232. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus*
Loew,1857; papillifer Mik,1880 Cc AM GG RO RU DZ Cn KK TJ
233. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890;*
copetica Morawitz,1892; aurantifer Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK
KG TM CY IL Pa JO SY TR
234. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum*
Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI
NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
235. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820;*
consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888;
aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM
Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO Sa SS CH TJ TM UA AE UZ YU
236. **Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis Loew,1873*
KG KK TJ TM UZ
237. **Holochelus (Dasytrogus) kirgisticus (Semenov,1895)** (Scarabaeidae) Synonym(s):
kirgisticus Semenov,1895 KK
238. **Hoplia (Decamera) hauseri Reitter,1904** (Scarabaeidae) Synonym(s): *hauseri Reitter,1904*
KG KK
239. **Hoplitis (Alcidamea) capsulifer Popov,1960** (Megachilidae) Synonym(s): *capsulifer*
Popov,1960 TJ KG KK TJ UZ
240. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis*
Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896 RU UA KG KK CN
TM UZ SY TR
241. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana*
Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863 AT AL AM Cc
BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
242. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s):
jakovlevi Radoszkowski,1874; serrilabris Morawitz,1875; quadridentata Fonscolombe,1879 Cc AM FR IT Si
DZ TN CN Ui Ku KG KK TJ TM IR TR
243. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi Ferton,1895;*
convolvuli Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
244. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis*
Morawitz,1875 KG KK TJ TM UZ IL Pa TR
245. **Hoplitis (Kumobia) abbreviata (Morawitz,1875)** (Megachilidae) Synonym(s): *abbreviata*
Morawitz,1875 KG KK MN CN Ui
246. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s):
punctigera Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
247. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus Signoret,1865;*
albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO
PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
248. **Hydrophorus bipunctatus (Lehmann,1822)** (Dolichopodidae) Synonym(s): *bipunctatus*
Lehmann,1822; binotatus Fallén,1823 RO RU Cc KK
249. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum Lethierry,1878*
AF SY AZ Cc KG KK TM UZ
250. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis*
Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956 Limnobia *pulchripennis* Loew,1856,
Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR
AF GG AM AZ CY IL Pa IR TM TJ KK
251. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF
AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
252. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794;*
striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca

- Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894*
Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG
KK LV MD UA UZ YU
253. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti Wagner,1938* Cc AF AT CY
CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
254. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871;*
frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953 AT
CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
255. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae*
Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965 AF CS HU MN TR Cc
AM AZ GG KG KK MD RU UA UZ
256. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826;*
lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900;
nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis
Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943 Cc AF AL DZ
AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU
AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
257. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax Morawitz,1874;*
rhadiourgan Ebner,1980 TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
258. **Lasiopsis (Lasiexis) dilaticollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *dilaticollis*
Ballion,1870 KK KG TM
259. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus Rossi,1790* TN TR
CY TJ UZ KG KK RU Am Cc
260. **Lepyronia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata*
Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896 Cc AF AL DZ AT BE
BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
261. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius*
Fabricius,1805 SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
262. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763*
AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
263. **Listrognathus mactator (Thunberg,1824)** (Ichneumonidae) Synonym(s): *mactator*
Thunberg,1824 IR KK
264. **Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae*
Waterhouse,1858 TR Cc RU Sb MN KK KG
265. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola*
Fallén,1820; viatica Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ
UA Cm GB TW
266. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar Fieber,1868* FR HU
IT ES TN Cc GG KG KK RU Sb AF UA YU
267. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus Ribaut,1927* AT
BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
268. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis Fieber,1885 nec*
Sett.,1875; fieberi Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA
YU
269. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis Ribaut,1927; mannerheimi*
Kontkanen,1935; nubila Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO
SE SW TR EE Cc GG KG KK LV MD UZ UA RU
270. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; ramigera Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR
IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
271. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus Fallén,1806;*
devastans Guérin-Méneville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894;
submaculata Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md
MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
272. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus Fallén,1806; fumatus*
Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU
UA YU
273. **Madotrogus glabripennis (Ballion,1871)** (Scarabaeidae) Synonym(s): *glabripennis*
Ballion,1871 KK TM TJ UZ
274. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus Linnaeus,1758* SE AT
DE GR IT RO CZ RU UA AM Cc TR KK KG US
275. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875;*
?minuta Kozhantshikov,1949; ?caucasica Handschin,1959 GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
276. **Masaris longicornis (Kuznetzov,1923)** (Vespidae) Synonym(s): *longicornis Kuznetzov,1923*
AF UZ KK
277. **Melanotus (s.str.) turkestanus Schwarz,1902** (Elateridae) Synonym(s): *turkestanus*
Schwarz,1902 KK
278. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793; #varigatus*
Özbek & Szaloki,1998 ES IT TR IR RU KK CN Ui

279. **Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829 **AZ Cc TR IR MN KK**
280. **Metacnephia karakechensis Yankovsky,2000** (Simuliidae) Synonym(s): *karakechensis* Yankovsky,2000 **KK**
281. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae* Rubtsov,1956 **CN**
Ui TJ KG KK MN RU Sb At UZ
282. **Metacnephia multifilum (Rubtsov,1947)** (Simuliidae) Synonym(s): *multifilum* Rubtsov,1947 **TJ KK UZ**
283. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *fieberi* Metcalf,1968 **DZ AT CS DK FI MN NO PL SE SW**
GG Cc TR KG KK RU Sb At
284. **Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): *amseli* Dlabola,1961 **AF KG KK**
TJ UZ
285. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 **AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO**
ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
286. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR**
DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
287. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE**
CH TJ TN TM UA UZ YU AF Az Cn
288. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 **Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD**
TJ UA UZ YU
289. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa**
IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
290. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ**
AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP
KG KK MN UZ Sb TJ Az Md Cn
291. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811 **TR Cc SY RU Sb KG KK**
UZ IR
292. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki* Viereck,1903; *kutteri* Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 **SE DK ES FR CH CZ BG TR GG Cc KK KG**
293. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeoec.*); *atra* Panzer,1801; *nigra* Latreille,1809; *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 **SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT**
SL HV B-H YU RO RU Sb Ya TR KG KK IR?
294. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL**
DE AT HU RO CZ SK UA Ur At IT Sa Si MT FR ES
295. **Neophilaenus haupti (Zachvatkin,1925)** (Cercopidae) Synonym(s): *haupti* Zachvatkin,1925 **KK KG TJ**
296. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 **AL DZ AT BE BG CS DK FI**
FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
297. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
298. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeoec.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV**
RU At Sb UA UZ TR
299. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
300. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 **SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG**
Kmt Sh Krl
301. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus* Germar,1817 **Acrydium**
decorus Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). **TR RU Us Cc Da TM TJ KK KG**

302. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
303. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 DZ GR TN Cc AZ KG KK RU Da TJ UA UZ
304. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 AL CZ FR HU IT PT RO ES TR KK TM UA UZ
305. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
306. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU
307. **Onthophagus (Althonthophagus) sibiricus Harold,1877** (Scarabaeidae) Synonym(s): *sibiricus* Harold,1877 RU Sb KG KK TJ
308. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
309. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790 RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
310. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis* Reitter,1892 TM TJ AF IR KG UZ KK TR
311. **Onthophagus (Palaeonthophagus) finschi Harold,1877** (Scarabaeidae) Synonym(s): *finschi* Harold,1877 KG KK TM
312. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
313. **Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): *haroldi* Ballion,1871 TM TJ UZ KK KG
314. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
315. **Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae) Synonym(s): *pygargus* Motschulsky,1845 TM UZ KK KG TJ
316. **Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae) Synonym(s): *speculifer* Solsky,1876 KG KK TM Cc TR IR
317. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus* Horvath,1911 AF IR Cc AZ KG KK RU TJ UZ
318. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
319. **Opsius tigripes (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigripes* Lethierry,1876 IR KG KK RU TJ UZ
320. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK
321. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us
322. **Osmia (Erythrosmia) relicta (Popov,1954)** (Megachilidae) Synonym(s): *relicta* Popov,1954 KK
323. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
324. **Osmia (Helicosmia) carinoclypearis Wu,1985** (Megachilidae) Synonym(s): *carinoclypearis* Wu,1985 CN KK TJ TR
325. **Osmia (Helicosmia) concavoclypearis Wu,1985** (Megachilidae) Synonym(s): *concavoclypearis* Wu,1985 CN Ui KK
326. **Osmia (Helicosmia) cyanescens Morawitz,1875** (Megachilidae) Synonym(s): *cyanescens* Morawitz,1875 RU KK KG TJ
327. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR
328. **Osmia (Helicosmia) kirgisiana Zanden,1994** (Megachilidae) Synonym(s): *kirgisiana* Zanden,1994 KK Ik KG UZ
329. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkysi* Morawitz,1870; *bidens* Pérez,1879; *forsii*

- Alfken,1924; schachtli Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
330. **Osmia (Helicosmia) prasina** Morawitz,1875 (Megachilidae) Synonym(s): *prasina* Morawitz,1875 KK KG TJ TM
331. **Osmia (Helicosmia) simplex** Morawitz,1875 (Megachilidae) Synonym(s): *simplex* Morawitz,1875 KK KG TJ TM UZ
332. **Osmia (Helicosmia) sogdiana** Morawitz,1875 (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 KK KG TJ TM UZ AF IL Pa SY TR
333. **Osmia (Helicosmia) subcornuta** Morawitz,1875 (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
334. **Osmia (Hemosmia) difficilis** Morawitz,1875 (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 **Osmia difficilis** Morawitz,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. KK KG RU TJ UZ IL Pa TR IR
335. **Osmia (Hoplosmia) spinulosa** (Kirby,1802) (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreifformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
336. **Osmia (Metallinella) brevicornis** (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
337. **Osmia (Pyrosmia) viridana** Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
338. **Osmia (s.str.) bicornis** (Linnaeus,1758) (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
339. **Osmia (s.str.) melanocephala** Morawitz,1875 (Megachilidae) Synonym(s): *melanocephala* Morawitz,1875 TJ KK KG MN CN UZ U
340. **Osmia (Tergosmia) agilis** Morawitz,1875 (Megachilidae) Synonym(s): *agilis* Morawitz,1875 KK KG TJ TM UZ
341. **Oxyaciura tibialis** Robineau-Desvoidy,1830 (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
342. **Oxycera (Camptopelta) meigenii** Staeger,1844 (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
343. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
344. **Pachyanthrax telamon** (Loew,1869) (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU
345. **Pachybrachis (s.str.) additus** Lopatin,1991 (Chrysomelidae) Synonym(s): *additus* Lopatin,1991 KK Ik
346. **Pachybrachis (s.str.) altimontanus** Lopatin,1968 (Chrysomelidae) Synonym(s): *altimontanus* Lopatin,1968 KK
347. **Pachybrachis (s.str.) issykensis** Jacobson,1901 (Chrysomelidae) Synonym(s): *issykensis* Jacobson,1901; *gussakowskii* Lopatin,1968 KK Ik
348. **Pachybrachis (s.str.) kirghizicus** Lopatin,1974 (Chrysomelidae) Synonym(s): *kirghizicus* Lopatin,1974 KK Ik
349. **Panotrogus myschenkovi** (Ballion,1871) (Scarabaeidae) Synonym(s): *myschenkovi* Ballion,1871 KK TM TJ
350. **Paradorydium paradoxum** (Herrich-Schäffer,1837) (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
351. **Paraphilaenus notatus** (Mulsant & Rey,1855) (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961 TR Cc GG RU At KG KK TJ UA UZ FR
352. **Paussus (Cochliopaussus) turcicus** Frivaldszky,1835 (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
353. **Pedestredorcadion semenovi** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *semenovi* Ganglbauer,1883; *hauseri* Reitter,1885; *issykkulense* Pic,1906 CN U T-S KK Ik KG Tk Ktm
354. **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN

355. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
356. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
357. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
358. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
359. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura* Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
360. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
361. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
362. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
363. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
364. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
365. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
366. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
367. **Pimelia (Camphonota) capito Krynicky,1832** (Tenebrionidae) Synonym(s): *capito* Krynicky,1832 Cc AZ RU GG KK
368. **Pimelia verrucosa Fischer von Waldheim,1821** (Tenebrionidae) Synonym(s): *verrucosa* Fischer von Waldheim,1821 KK
369. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927 AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
370. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
371. **Polyphylla (Mesopolyphylla) tridentata Reitter,1890** (Scarabaeidae) Synonym(s): *tridentata* Reitter,1890 KK
372. **Protaetia (Netocia) bogdanovi (Solsky,1875)** (Scarabaeidae) Synonym(s): *bogdanovi* Solsky,1875 KK TJ
373. **Protaetia (Netocia) interruptocostata (Ballion,1870)** (Scarabaeidae) Synonym(s): *interruptocostata* Ballion,1870 KK TJ
374. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
375. **Psammotettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964 KK KG UZ UA TR RU
376. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
377. **Psammotettix dubovskii Vilbaste,1960** (Cicadellidae) Synonym(s): *dubovskii* Vilbaste,1960 AF KG KK UZ
378. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
379. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
380. **Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta* Morawitz,1894; *myrmosina* Dalla Torre,1897; *gobicola* Lelej,1981 CN MN AF UZ KK KG Cc AM

381. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus* Signoret,1880
AF IQ MN AM AZ KG KK MD RU UA TJ UZ
382. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami*
Bischoff,1920; *zarudnyi* Skorikov,1935 KG UZ TJ KK TM IR Kc AF IN Rj
383. **Pseudophotopsis brunnescens Lelej,1971** (Mutillidae) Synonym(s): *brunnescens* Lelej,1971
KG KK UZ
384. **Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caspica*
Radoszkowski,1885; *radoszkowskyi* Morawitz,1890; *selevkida* Skorikov,1935 TM Kp UZ KK IR AF
385. **Pseudophotopsis kokpetica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *kokpetica*
Radoszkowski,1885 TM Kp KK KG UZ TJ
386. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii*
Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935;
asiatica Suarez,1965 KG KK UZ TJ TM Kp IR CY EG DZ
387. **Pseudophotopsis orthophthalma (Skorikov,1935)** (Mutillidae) Synonym(s):
orthophthalma Skorikov,1935 KK UZ TN TJ TM
388. **Pseudophotopsis pavlovskiyi Skorikov,1935** (Mutillidae) Synonym(s): *pavlovskiyi*
Skorikov,1935; *melanocephala* Skorikov,1935 TM Kp IR KK UZ AF
389. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii*
Fischer,1853; *lateralis* Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV
B-H HU CZ AT IY DE FR
390. **Ptetica cristulata Saussure,1884** (Acrididae) Synonym(s): *cristulata* Saussure,1884 TM KG
UZ KK
391. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von
Waldheim,1820 *Acrydium armatum* Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia. TR
Cc RU KG AF TM IR KK
392. **Rhagoletis flavicincta Enderlein,1934** (Tephritidae) Synonym(s): *flavicincta* Enderlein,1934
IR Th Elb RU Sr UA KG KK TJ UZ
393. **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis*
M.Hering,1958 KG KK TJ TM IR TR Cc CH
394. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s):
solstitialis Linnaeus,1758 TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
395. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869
AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
396. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer*
Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929;
armeniacus Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU
GR TR
397. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus*
Kirschbaum,1868 CN MN RU Cc KG KK TJ UA TR
398. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus*
Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE
SW TN RU KG KK MD UA YU TR
399. **Scirtophaca tianshanskyi (Oshanin,1913)** (Dictyopharidae) Synonym(s): *tianshanskyi*
Oshanin,1913 Cc AZ KG KK
400. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis*
Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
401. **Selatosomus (s.str.) atratus (Ballion,1878)** (Elateridae) Synonym(s): *atratus* Ballion,1878
KK KG TR?
402. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander
& Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH
YU TR
403. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata*
Radoszkowski,1885 RU Cc AZ KG UZ TM IR KK
404. **Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881 Cc AM KK KG
UZ TR?
405. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant &
Rey,1855 BG FR IT SW KG KK RU Sb UA YU
406. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR
RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa Ch Cn KE KG KK LT EG MD UZ TJ TM UG UA
407. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787;
lineola Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ
DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
408. **Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus*
Horvath,1904; *turkestanica* Linnavuori,1953 KG KK TM UZ TR
409. **Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): *sigillatus* Haupt,1917
AF KG KK TJ UZ
410. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini* Vasiliev,1935 AF AZ
Cc GG AM IQ IR IL Pa KK UZ TJ TM TR

411. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
412. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
413. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
414. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970 CY BG GR Rd TR KK TJ UZ
415. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteor* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US CfYE YU
416. **Synapsis tmolus (Fischer,1821)** (Scarabaeidae) Synonym(s): *tmolus* Fischer,1821 KG KK TJ TM
417. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
418. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
419. **Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): *jaxartensis* Oshanin,1871; *astrachanica* Zachvatkin,1953 MN Cc AZ KG KK TJ UZ
420. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
421. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 *Trypeta postica* Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
422. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata* Rondani,1871 TR IL Pa TJ RU Sb SY IQ KK KG
423. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794 TR KG CN KK Cc MN RU Sb Us
424. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK
425. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
426. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA UZ
427. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
428. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865 BG JO AZ KG KK RU TJ TM UZ YU
429. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
430. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
431. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
432. **Thereva pilifrons Kröber,1912** (Therevidae) Synonym(s): *pilifrons* Kröber,1912 TR UZ TJ KK TM
433. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
434. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
435. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
436. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
437. **Toxophora psammophila Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933 AM AZ GG Cc KK TJ TM UZ

438. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Ch CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
439. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
440. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
441. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913 TR Cc IR SY JO KG KK TM
442. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoïn,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
443. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus* Loew,1856; *cretaceus* Becker,1913 RU KG KK TR IQ IR MA TN EG
444. **Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): *tridentatus* Loew,1871 RU KK KG TR
445. **Turka zaitzevi (Lehr,1996)** (Asilidae) Synonym(s): *zaitzevi* Lehr,1996 RU KK
446. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
447. **Urophora maura (Frauenfeld,1857)** (Tephritidae) Synonym(s): *maura* Frauenfeld,1857 TR CZ CN Ui KK RU UA MD FR Co
448. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
449. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
450. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
451. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 FR GR IT KK RU ES TJ TN TM
452. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855 B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
453. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 DZ FR ES MA TN IT Si KK TM TJ
454. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
455. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
456. **Verdanus tianshanicus (Emeljanov,1966)** (Cicadellidae) Synonym(s): *tianshanicus* Emeljanov,1966 T-S KK KG
457. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771 GR TR JO IR Cc AF KK MX
458. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
459. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
460. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
461. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
462. **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria* Schrank,1781 TR KK KG CN RU Us
463. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU
464. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU

Synonymic and distributional list of the pterygot insects of Lebanon

(Results of the Entomofauna of the World based upon info-system of the Cesa)

14

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Lebanon (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 14.

Priamus (suppl.) 18: 749-765.

In this study, totally 472 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Lebanon.

Brief explanatory information:

Previously published article	yes ³⁰
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 472 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
2. **Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 **IL Pa JO LB SY**
3. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926 **TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR**
4. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937 **Acrometopa syriaca Brunner von Wattenwyl,1878**, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). **GR CY EG IL Pa LB Bei SY Dms TR IQ**
5. **Acrorienus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 **TR GR CY SY LB IL Pa**
6. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866 **TR SY IL Pa Hf LB EG Sn LY Cy**
7. **Adelostoma (s.str.) hauseri Reitter,1895** (Tenebrionidae) Synonym(s): *hauseri* Reitter,1895 **LB**
8. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ**
9. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**

³⁰ Koçak,A.Ö., 1978, *Pseudochazara mamurra* Herrich-Schäffer aus dem Libanon mit Beschreibung einer neuen Unterart (Lep., Satyridae). *Atalanta* 9 (4a): 372-375, 4 Abb.

10. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884 **TR BG Cc GG MK UA IR LB SY**
11. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975 **TR IR IL Pa SY LB Cc AZ**
12. **Agapanthia pustulifera Pic,1905** (Cerambycidae) Synonym(s): *pustulifera* Pic,1905 **IL Pa SY LB**
13. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyancephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si Kk Kk KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**
14. **Agrilinus constans (Duftschmid,1805)** (Scarabaeidae) Synonym(s): *constans* Duftschmid,1805 **LB SY**
15. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 **TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU**
16. **Agriotes (s.str.) ganglbaueri Schwarz,1891** (Elateridae) Synonym(s): *ganglbaueri* Schwarz,1891 **TR? LB SY**
17. **Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): *radula* Desbrochers,1875; *brevicollis* Schwarz,1891 **TR? LB SY IL Pa**
18. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, *Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZC ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU*
19. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], *Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU*
20. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, *Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tvva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW*
21. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 **DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY**
22. **Alocoderus turbatus (Baudi,1870)** (Scarabaeidae) Synonym(s): *turbatus* Baudi,1870 **IL Pa LB EG Sn SY**
23. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928 **GR MK MT TR CY IR IL Pa JO LB SY**
24. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch Kk Kk LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
25. **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius* Brullé,1832 **IL Pa JO LB SY**
26. **Amidorus tarsensis (Petrovitz,1967)** (Scarabaeidae) Synonym(s): *tarsensis* Petrovitz,1967 **LB**
27. **Amphicoma (Eulasia) hyrax Truqui,1848** (Glaphyridae) Synonym(s): *hyrax* Truqui,1848; *truqui* Reitter,1890; *atripilis* Petrovitz,1971; *splendidula* Petrovitz,1971 **SY LB IL Pa TR**
28. **Amphicoma (Pygopleurus) anemoninus (Brullé,1832)** (Glaphyridae) Synonym(s): *anemoninus* Brullé,1832; *purpuricolle* Waltl,1838; *chrysonota* Brullé,1832; *albopilosa* Petrovitz,1957; *pseudopsilotrichia* Petrovitz,1957 **TR GR LB**
29. **Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957 **LB SY TR IL Pa**
30. **Amphicoma (Pygopleurus) orientalis Petrovitz,1957** (Glaphyridae) Synonym(s): *orientalis* Petrovitz,1957 **IL Pa LB**
31. **Amphicoma (Pygopleurus) samai Keith,2001** (Glaphyridae) Synonym(s): *samai* Keith,2001 **LB**
32. **Amphicoma (Rudeulasia) fastuosa Reitter,1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter,1890; *heydeni* Reitter,1890; *pretiosa* Reitter,1890; *semicyanea* Reitter,1890; *reitteri* Ganglbauer,1905; *cyanea* Petrovitz,1962 **TR SY LB IL Pa**
33. **Anarolius rufescens Theodor,1980** (Asilidae) Synonym(s): *rufescens* Theodor,1980 **LB**
34. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**

35. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
36. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
37. **Anax immaculifrons Rambur,1842** (Aeshnidae) Synonym(s): *immaculifrons* Rambur,1842 TR LB Bei IL Pa
38. **Aneomochtherus libanensis (Tsacas,1968)** (Asilidae) Synonym(s): *libanensis* Tsacas,1968 LB
39. **Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis* Laporte,1840 TM TR IQ IL Pa SY LB
40. **Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri,1954 TR IQ IL Pa LB SY
41. **Anisoplia (Brancoplia) pumila Petrovitz,1973** (Scarabaeidae) Synonym(s): *pumila* Petrovitz,1973 IL Pa JO LB
42. **Anisoplia (Chaetopteroptia) cuprina Machatschke,1961** (Scarabaeidae) Synonym(s): *cuprina* Machatschke,1961 LB
43. **Anisoplia (Chaetopteroptia) gracilis Machatschke,1961** (Scarabaeidae) Synonym(s): *gracilis* Machatschke,1961 LB
44. **Anisoplia (Chaetopteroptia) libanensis Machatschke,1961** (Scarabaeidae) Synonym(s): *libanensis* Machatschke,1961 LB
45. **Anisoplia (Chaetopteroptia) muelleri Pilleri,1954** (Scarabaeidae) Synonym(s): *muelleri* Pilleri,1954 TR SY LB
46. **Anisoplia (Chaetopteroptia) obenbergeri Vsetecka,1941** (Scarabaeidae) Synonym(s): *obenbergeri* Vsetecka,1941 IL Pa LB SY
47. **Anoplotettix eckerleini Dlabola,1965** (Cicadellidae) Synonym(s): *eckerleini* Dlabola,1965 LB TR
48. **Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): *cingulata* Marseul,1868 LB Bei IL Pa JO Amm
49. **Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae) Synonym(s): *orientalis* Krynicki,1832; *meridionalis* Reitter,1890 IL Pa Hf SY LB Bei TR
50. **Anoxia (s.str.) maculiventris Reitter,1890** (Scarabaeidae) Synonym(s): *maculiventris* Reitter,1890; *israelitica* Petrovitz,1971 IL Pa Hf SY Hal LB
51. **Anoxia (s.str.) naviauxi Baraud,1990** (Scarabaeidae) Synonym(s): *naviauxi* Baraud,1990 LB
52. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema* Fischer,1824 BG CY GR IL Pa SY LB TR UA
53. **Anthaxia (Haplantaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): *cylindrica* Abeille,1900 TR LB SY
54. **Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia* Reiche & Saulcy,1856 CY IL Pa LB SY TR
55. **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae) Synonym(s): *berytensis* Abeille,1895 IL Pa SY LB Bei TR
56. **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae) Synonym(s): *myrmidon* Abeille,1891 IL Pa SY LB TR
57. **Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882 IL Pa LB SY TR
58. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum* Pérez,1890; *troodicum* Mavromoustakis,1949 FR CY GR Rd LB IL Pa Js TR TN
59. **Anthidium (Anthidiellum) judaense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaense* Mavromoustakis,1945; *anale* Pasteels,1969 AM Cc IL Pa LB TR
60. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 IT Si AL SY LB IR GR Cc TR KG RU DZ
61. **Anthidium (Icteranthidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz,1875; *transcaspicum* Lebedev,1923; *reinigi* Alfken,1931; *tadzhicum* Popov,1935 UZ TM LB TJ Pm
62. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord
63. **Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae) Synonym(s): *lebanense* Mavromoustakis,1955; *nigratum* Pasteels,1969 LB IL Pa TR
64. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 TM SY TR Cc LB IL Pa IR EG
65. **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 nec Schrank,1802 SY LB TR

66. **Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s): *rotundum* Warncke,1980 **IR Elb Th LB Bsa TR**
67. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
68. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermanni* Mavromoustakis,1954 **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
69. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js**
70. **Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae) Synonym(s): *exsectum* Pasteels,1969 **TR LB**
71. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord**
72. **Anthidium (s.str.) christianseni Mavromoustakis,1956** (Megachilidae) Synonym(s): *christianseni* Mavromoustakis,1956 **LB IR Elb Th**
73. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915 **GR Rd TR SY LB IL Pa**
74. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 **RU Sb KG TR CY IL Pa Js LB TM Kp GR**
75. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre* Friese,1899; *melanopygum* Friese,1917 **IL Pa LB Cr TR Cc AZ Kir TM Rpt**
76. **Anthrax bezzianus Paramonov,1935** (Bombyliidae) Synonym(s): *bezzianus* Paramonov,1935 **LB SY**
77. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004, Acta zool. hung. 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex Quercus brantii leg.G.N.Stone (BMNH). JO SY LB IR Kd Km TR**
78. **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **IL Pa JO LB SY**
79. **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783 **IL Pa JO LB SY**
80. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964 **CL US Cf ES TR CY LB AR**
81. **Aphytis libanicus Traboulsi,1969** (Aphelinidae) Synonym(s): *libanicus* Traboulsi,1969 **LB TR**
82. **Aphytis mytilaspidis (Le Baron,1870)** (Aphelinidae) Synonym(s): *albidus* Westwood,1837; *mytilaspidis* Le Baron,1870; *variolosum* Alam,1956; *diaspidioti* Chumakova,1957; *ficus* Traboulsi,1969 **GB CY LB TR RU Us**
83. **Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882 **IL Pa Hf SY LB**
84. **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855 **TR IL Pa LB SY**
85. **Aplidia janczyki Baraud,1988** (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988 **IL Pa LB SY**
86. **Aplidia joannis Baraud,1988** (Scarabaeidae) Synonym(s): *joannis* Baraud,1988 **IL Pa LB SY**
87. **Aplidia pilicollis Petrovitz,1967** (Scarabaeidae) Synonym(s): *pilicollis* Petrovitz,1967 **TR LB**
88. **Aplidia villosicollis Kraatz,1882** (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882 **?IL Pa LB SY**
89. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 **AU NSW EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
90. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 **BG IL Pa CY LB GR TR**
91. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
92. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
93. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
94. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 **TR AF Cc IR IQ IL Pa LB SY TM**
95. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**

96. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe Kirkaldy,1906; hortensis Lindberg,1948; virescens Haupt,1927* **ES Cn EG IQ JO TR CY LB GR Cr**
97. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus Loew,1855* **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU**
98. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus Morice,1911* **MA DZ TR LB SY JO IR OM IL Pa ML MR TM**
99. **Bembecinus heinrichi Schmid-Egger,2004** (Crabronidae) Synonym(s): *heinrichi Schmid-Egger,2004* **TR LB**
100. **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis A.Costa,1859* **AL HV GR Rd IL Pa IT JO HV LB SY TR**
101. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
102. **Bembidion (Euperyphus) combustum Ménériés,1832** (Carabidae) Synonym(s): *combustum Ménériés,1832* **AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU**
103. **Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844* **AZ AM Cc B-H BG GG GR MK RU TR LB YU**
104. **Bembidion (Ocyturanus) culminicola Piochard,1876** (Carabidae) Synonym(s): *culminicola Piochard,1876* **TR LB SY**
105. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne Jacquelin du Val,1852* **B-H BG GR TR IL Pa LB SY**
106. **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne Schaum,1862* **TR IR IL Pa LB Cc GG**
107. **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum J.Sahlberg,1908* **GR TR IL Pa LB SY**
108. **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997* **CY IL Pa LB TR GR Cr**
109. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* **AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ**
110. **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus Faldermann,1835* **IL Pa JO LB SY**
111. **Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi Ménériés,1847* **IL Pa JO LB SY**
112. **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius Herbst,1789* **IL Pa JO LB SY**
113. **Blaps judaeorum Miller,1861** (Tenebrionidae) Synonym(s): *judaeorum Miller,1861; judaica Seidlitz,1893* **IL Pa LB SY**
114. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata Westwood,1842* **PT ES IT GR TR LB IR**
115. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* **AF EG DZ ET IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
116. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscula Medvedev* **Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY**
117. **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens Creutzer,1799* **IL Pa JO LB SY EG Sn**
118. **Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis Erichson,1848* **IL Pa LB SY EG Sn**
119. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW**
120. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* **AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE**
121. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* **AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU**
122. **Bombylella simulans (Austen,1937)** (Bombyliidae) Synonym(s): *simulans Austen,1937* **Bombylius simulans Austen,1937, Bombyliidae of Palestine: 20. Holotype: Palestine (BMNH). IL Pa LB JO**
123. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator Loew,1855* **IT TR HV GR IR MK SY LB YU**

124. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820*; *dimidiatus Wiedemann,1820*; *ventralis Loew,1855*; *debilis Loew,1855*; *expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
125. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus Loew,1857*; *nigropenicillatus Bigot,1892* AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
126. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758*; *punctatus De Geer,1776*; *concolor Mikan,1796*; *discolor Meigen,1804*; *tectus panzer,1804*; *intermedius Walker,1849*; *albomicans Loew,1855*; *pictipennis Loew,1855*; *pallipes Loew,1855*; *dalmatina Strobl,1902 nec Lw.,1855*; *poecilopterus Bezzi,1925*; *caucasicus Paramonov,1940*; *varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
127. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862*; *argentifrons Loew,1873*; *similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
128. **Bombylius (s.str.) polygogon Loew,1855** (Bombyliidae) Synonym(s): *polygogon Loew,1855* EG IL Pa LY SY LB
129. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
130. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818*; *fuliginosus Wiedemann,1820*; *brevirostris Meigen,1830 nec Oliv.,1789*; *rhodius Loew,1855*; *capillatus Palm,1876*; *tavrizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
131. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796*; *holosericeus Wiedemann,1820*; *longirostris Meigen,1820*; *pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
132. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857*; *nodulosus Reiche,1857*; *aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
133. **Brachycerus cribrarius Olivier,1807** (Brachyceridae) Synonym(s): *cribrarius Olivier,1807*; *ornatus Reiche,1857*; *fimbriatus Desbrochers,1871* TR LB IL Pa
134. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797*; *incertus Desbrochers,1871*; *olivieri Desbrochers,1871* GR Cr TR SY LB IL Pa EG
135. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834*; *intermedia Nees,1834*; *cingulata Walker,1834*; *distinguenda Walker,1834*; *rufofemorata Rosenhauer,1856*; *scirropoda Förster,1859*; *boops Thomson,1876*; *quettaensis Cameron,1906*; *turkestanica Masi,1951*; *Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte).* AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ
136. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
137. **Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale Fieber,1877* CY GR LB TR PT?
138. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache Aspöck, Aspöck & Hölzel,1979* TR IL Pa LB SY GR BG MK Cr Rd TM
139. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838* TR Cc SY IL Pa IQ JO LB
140. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus Horvath,1934* TN EG IL Pa LB JO TR
141. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* IL Pa JO LB Sn EG SY
142. **Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *hyxos Petrovitz,1962* IL Pa LB Sn EG SY
143. **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus Harold,1863* IL Pa JO LB SY
144. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma Schneider,1845* GR TR Cc GG LB IR CY IQ Dk
145. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893*; *carbonaria Uvarov,1914*; *angustus Uvarov,1934*; *anatolicus Maran,1951*; *hissarius Mishtchenko,1951*; *intricatus Mishtchenko,1951* DZ TR Cc LB SY GR BG TM KG
146. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930*; *aurantiacus Ramme,1930*; *iranicus Ramme,1930*; *persa Uvarov,1938*; *aurantipes Ramme,1951*; *syriacus Ramme,1951* TR IR Cc IQ RU LB SY
147. **Calopteryx syriaca Gén e,1842** (Calopterygidae) Synonym(s): *syriaca G en e,1842*; *pseudosyriaca Buchholtz,1955* *Calopteryx syriaca G en e,1842 [in] Rambur,1842, Hist. nat. Ins. Neuropt.: 223. Type(s): Liban (coll. Serville?).* TR LB IL Pa JO
148. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis Marseul,1864*; *#symrnensis Silkin,2008* TR AL BG GR LB SY IL Pa

149. **Canthyrus diophthalmus (Reiche & Sauley,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Sauley,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
150. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
151. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
152. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
153. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 **DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU**
154. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 **DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU**
155. **Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi* Dejean,1826 **TR IL Pa LB SY**
156. **Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985 **TR IL Pa LB SY**
157. **Carabus (Procerus) punctatus Castelnau,1835** (Carabidae) Synonym(s): *punctatus* Castelnau,1835; *antakyae* Korell,1985 **TR LB SY**
158. **Cardiophorus (s.str.) miniatcollis Candeze,1860** (Elateridae) Synonym(s): *miniatcollis* Candeze,1860 **TR GR SY LB IR**
159. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856 **EG IL Pa LB SY TR CY GR Rd**
160. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880 **AL RU IL Pa LB SY TR GR**
161. **Catoplatus hiliaris (Horvath,1906)** (Tingidae) Synonym(s): *hiliaris* Horvath,1906 **IL Pa LB SY TR**
162. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 **CY TR GR Rd IL Pa SY LB Cc AM IR**
163. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA**
164. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938 **TR Cc AM LB SY IL Pa NL SE**
165. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 **Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ**
166. **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903 **TR IL JO LB SY**
167. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896 **CY TR SY LB IL Pa EG**
168. **Ceutorhynchus anatolicus Schultze,1900** (Curculionidae) Synonym(s): *anatolicus* Schultze,1900 **TR LB SY**
169. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**
170. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
171. **Chaetomalachus cyanellus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *cyanellus* Kiesenwetter,1863 **TR SY LB**
172. **Cheironitis moeris (Pallas,1781)** (Scarabaeidae) Synonym(s): *moeris* Pallas,1781 **LB SY**
173. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875 **EG Sn IL Pa LB SY RU GR TM UZ**
174. **Chilothorax hieroglyphicus (Klug,1845)** (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845 **IL Pa JO LB SY**
175. **Chilothorax lineolatus (Illiger,1803)** (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803 **IL Pa JO LB SY**

176. **Chilothorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840 **IL Pa JO LB EG Sn SY**
177. **Chilothorax paykulli (Bedel,1907)** (Scarabaeidae) Synonym(s): *paykulli* Bedel,1907 **LB SY**
178. **Chilothorax xanthopterus (Balthasar,1938)** (Scarabaeidae) Synonym(s): *xanthopterus* Balthasar,1938 **LB SY**
179. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
180. **Chloriona ponticana Asche,1982** (Delphacidae) Synonym(s): *ponticana* Asche,1982 **Cr GR LB MA ES TR**
181. **Chlorops syriacus Becker,1910** (Chloropidae) Synonym(s): *syriacus* Becker,1910 **IL Pa LB**
182. **Chrysolina dohrnii (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *dohrnii* Fairmaire,1865; *libanicola* Marseul,1868; *peyroni* Ancey,1876 **LB**
183. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955 **EG JO IL PA SY LB TR IR IQ**
184. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884 **TR SY CY Cc LB IL Pa EG IR**
185. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
186. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (*praeocc.*); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 **AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU**
187. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876 **IL Pa JO LB SY TR MK**
188. **Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): *parvula* Fieber,1876; *fieberi* Oshanin,1908; *libanotica* Horvath,1911 **MA TR LB IL Pa**
189. **Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): *herbacea* Klug,1832; *persana* Dokhtourov,1885 **LB Bei TR IL Pa SY AM**
190. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
191. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 **TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU**
192. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853 **IR LB AM Cc TJ UZ RU Cc DZ TR**
193. **Coenagrion scitulum (Rambur,1842)** (Coenagrionidae) Synonym(s): *scitulum* Rambur,1842 **TR LB Bei**
194. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis* Desbrochers,1869 **RU GR Cr IT CY FR Co TR LB Sa**
195. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929 **FR GR Cr IT LB SY TR**
196. **Colobopterus erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758 **IL Pa JO LB SY**
197. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840 **HV GR CY SY LB BG TR**
198. **Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi* Harz,1967; *harzi* Willemse,1971 **TR AL BG GR SY LB**
199. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbek,2008 *Sphyxosoma flavicauda* Bigot,1880, *Annl. Soc. ent. Fr.* (5) 10: 149. Type ♀: Iran or Caucasus. **GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm**
200. **Cordicantharis wittmeri Svihla,1999** (Cantharidae) Synonym(s): *wittmeri* Svihla,1999 **LB**
201. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916 **BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR**
202. **Corynis orientalis (Konow,1898)** (Cimbicidae) Synonym(s): *orientalis* Konow,1898 **SY LB IL Pa IQ**
203. **Crobilocerus engeli Geller-Grimm & Hradski,1999** (Asilidae) Synonym(s): *engeli* Geller-Grimm & Hradski,1999 **LB TR**
204. **Cryptocephalus bidorsalis Marseul,1875** (Chrysomelidae) Synonym(s): *bidorsalis* Marseul,1875; *morfini* Pic,1914 **LB**
205. **Cryptocephalus dahdah Marseul,1869** (Chrysomelidae) Synonym(s): *dahdah* Marseul,1869 **LB IL Pa JO**

206. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
207. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794* DZ IT TR IL Pa LB IR Ha Lo Th Elb
208. **Dasyrhamphus umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus Meigen,1820* IT Si AT AL YU BG RO GR TR IL Pa LB RU
209. **Dasytidius syriacus (Reitter,1885)** (Melyridae) Synonym(s): *syriacus Reitter,1885* CY IL Pa JO LB SY TR
210. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
211. **Dendarus (Pandarinus) pauper Mulsant,1854** (Tenebrionidae) Synonym(s): *pauper Mulsant,1854; libanicus Baudi,1875* SY LB
212. **Dendarus (Pandarinus) subopacus Baudi,1881** (Tenebrionidae) Synonym(s): *subopacus Baudi,1881* LB
213. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia Allard,1866* TR HU Cc GG YU BG LB JO IL Pa
214. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker,1963* IT Si IL Pa CY FR Co LB SY TR
215. **Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida Loew,1856* SY LB IL Pa TR IR Es
216. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata Brullé,1832; costalis Mulsant & Wachanru,1852* DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
217. **Doclostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi Soltani,1978* DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
218. **Doclostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): *cephalotes Uvarov,1924* IL Pa SY LB
219. **Doclostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
220. **Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida Loew,1862* BG TR GR Cr FR UA LB Bei
221. **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *limbata Brunner von Wattenwyl,1882* GR SY LB TR
222. **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus Marseul,1868; orientalis Wittmer,1979* TR CY SY IL Pa LB
223. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
224. **Elathous syriacus (Schwarz,1903)** (Elateridae) Synonym(s): *syriacus Schwarz,1903* LB Bei SY Ltk
225. **Elodes akbesianus Pic,1898** (Scirtidae) Synonym(s): *akbesianus Pic,1898* TR LB SY
226. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci Fabricius,1803* GB IL Pa Cc C TR LB CN Ti Ui
227. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
228. **Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli Loew,1854* YU GR BG TR LB SY IL Pa
229. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
230. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
231. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata Thunberg,1815 nec Oliv.,1792; infelix Uvarov,1924* EG IL Pa JO LB SA SD
232. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
233. **Erodium (Dirosis) klugi Allard,1864** (Tenebrionidae) Synonym(s): *klugi Allard,1864* LB Bei
234. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia Macquart,1851* TR LB IL Pa JO IR SA YE EG
235. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius Saussure,1852* CY TR RU IL Pa LB SY IR
236. **Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis Fabricius,1781; turcicus Giordani Soika,1952* MT TR UA Cm LB TN

237. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
238. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
239. **Exoprosopa chalybaea Röder,1887** (Bombyliidae) Synonym(s): *chalybaea Röder,1887* Exoprosopa chalybaea Röder,1887, Berl. ent. Z. 31: 75-76. Type: [Lebanon]: "Beirut, Syria (Asia minor)". LB Bei
240. **Fedtschenkia libanoi Guiglia,1966** (Sapygidae) Synonym(s): *libanoi Guiglia,1966* LB
241. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900* ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
242. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis Audinet-Serville,1839* TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
243. **Geron griseus Zaitzev,1962** (Bombyliidae) Synonym(s): *griseus Zaitzev,1962* LB AZ AM GG Cc
244. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
245. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
246. **Geron syriacus Zaitzev,2002** (Bombyliidae) Synonym(s): *syriacus Zaitzev,2002* LB
247. **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus Harold,1869* IL Pa JO LB SY
248. **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi Selys,1887* TR IL Pa IQ SY Dms LB Bei
249. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
250. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
251. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus Ivanoff,1885; australis Haupt,1927* DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
252. **Helladia ferrugata (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *ferrugata Ganglbauer,1884* SY LB
253. **Helophorus abeillei Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei Guillebeau,1896* SY LB AM Cc IR TR
254. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis Bedel,1881* TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
255. **Helophorus difficilis Angus,1988** (Helophoridae) Synonym(s): *difficilis Angus,1988* IL Pa LB TR
256. **Helophorus hilaris Sharp,1916** (Helophoridae) Synonym(s): *hilaris Sharp,1916* Cc IR AZ TR LB
257. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854* DK SE FI RU ES Cc LB IL Pa IR TR
258. **Helophorus subcarinatus Angus,1985** (Helophoridae) Synonym(s): *subcarinatus Angus,1985* LB IL Pa TR
259. **Hemianax ephippiger (Burmeister,1839)** (Aeshnidae) Synonym(s): *ephippiger Burmeister,1839* TR CY LB Bei
260. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
261. **Hercostomus libanicola Parent,1933** (Dolichopodidae) Synonym(s): *libanicola Parent,1933* LB
262. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata Walker,1834; albomaculatus Lucas,1849; maculipennis Steffani,1887; modesta Silvestri,1907; erdoesi Boucek,1952; nipponica Habu,1960* DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
263. **Holochelus (Miltotrogus) syriacus (Brenske,1886)** (Scarabaeidae) Synonym(s): *syriacus Brenske,1886* LB SY
264. **Holochelus (s.str.) gigas (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *gigas Sabatinelli,1977* LB SY
265. **Holochelus (s.str.) setiventris (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris Reitter,1902* IL Pa SY LB
266. **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata Reitter,1890* BG GR TR CY LB
267. **Hoplitis (Bytinskia) erythrogastra (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra Mavromoustakis,1954* IL Pa JO LB

268. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 **GR Rd IL Pa JO SY LB TR**
269. **Hoplitis (Micreriades) lebanotica (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955 **JO LB TR**
270. **Hoplitis (s.str.) libanensis (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901 **LB IL Pa JO SY TR**
271. **Hyalesthes hani Hoch,1985** (Cixiidae) Synonym(s): *hani* Hoch,1985 **IL LB TR**
272. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 **TR IL Pa LB IQ SY GR BG**
273. **Iassus pseudocerris Abdul-Nour,1998** (Cicadellidae) Synonym(s): *pseudocerris* Abdul-Nour,1998 *Iassus pseudocerris* Abdul-Nour,1998, Mitt. schweiz. ent. Ges. 71 (3/4): 263-268. **LB TR**
274. **Imbecilla imbecilla (Linnavuori,1962)** (Cicadellidae) Synonym(s): *imbecilla* Linnavuori,1962; *libanotica* Dbalola,1965 **IL Pa LB TR**
275. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893 **LB SY JO IL Pa TR**
276. **Isophya triangularis Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *triangularis* Brunner von Wattenwyl,1891 **LB SY TR**
277. **Labidostomis diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876 **IL Pa LB SY TR**
278. **Labidostomis hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea* Lacordaire,1848 **TR IL Pa LB SY**
279. **Labidostomis maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis* Lefebvre,1870; *kindermannii* Kraatz,1872 **TR Cc LB RU**
280. **Laminacutus libanensis Abdul-Nour,2001** (Cicadellidae) Synonym(s): *libanensis* Abdul-Nour,2001 **LB TR**
281. **Lampyrus berytensis Fairmaire,1866** (Lampyridae) Synonym(s): *berytensis* Fairmaire,1866 *Lampyrus berytensis* Fairmaire,1866, Anns Soc. ent. Fr. 1866: 263. Type(s): [Lebanon]: Beirut. **LB Bei SY IL Pa**
282. **Lanelater judaicus (Reiche & Sauley,1856)** (Elateridae) Synonym(s): *judaicus* Reiche & Sauley,1856 **IL Pa TR LB SY**
283. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
284. **Leistus (Pogonophorus) hermonis Piochard,1875** (Carabidae) Synonym(s): *hermonis* Piochard,1875 **LB TR**
285. **Leptochilus tarsatellus Giordani Soika,1970** (Vespidae) Synonym(s): *tarsatellus* Giordani Soika,1970 **TR LB**
286. **Lertha sheppardi (Kirby,1904)** (Nemopteridae) Synonym(s): *sheppardi* Kirby,1904 **TR LB**
287. **Leuctra hippopus Kempny,1899** (Leuctridae) Synonym(s): *hippopus* Kempny,1899 **TR LB**
288. **Libanissum talhouki (Dlabola,1974)** (Issidae) Synonym(s): *talhouki* Dlabola,1974 **CY TR LB GR**
289. **Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967 **GR TR SY LB**
290. **Listrognathus orientalis Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989 **TR LB**
291. **Longitarsus eminus Furth,1979** (Chrysomelidae) Synonym(s): *eminus* Furth,1979 **IL Pa LB SY**
292. **Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845 **GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm**
293. **Luciola kervillei E.Olivier,1909** (Lampyridae) Synonym(s): *kervillei* E.Olivier,1909 **Luciola kervillei** E.Olivier,1909, Anns Soc. ent. Belg. 53: 398. **LB SY**
294. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31**
295. **Maladera (Macroserica) phoenicica Petrovitz,1969** (Scarabaeidae) Synonym(s): *phoenicica* Petrovitz,1969 **LB Bei**
296. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835 **TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM**
297. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter,1852 **TR IR IL Pa JO LB SY**

298. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* IT GR
Rd CY TR IR IQ AF SY LB LY TD CF SD ET
299. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* LY Cy
Rd GR TR CY IR IQ AF SY LB TD CF SD ET
300. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819*; *purpurascens Germar,1834*; *sardous Gené,1836*; *aeneus Laporte,1840*; *latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY
TN LB CY IQ IL Pa JO SY
301. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925* ES
FR GB TR HU HV IT Si LY YU LB IL Pa JO
302. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817*; *coriarius Brandt & Erichson,1832*; *reticulatus Brandt & Ratzeburg,1833*; *cyanicornis Escherich,1889* FR DE IT RU Cc
TR GR HU PL RO UA LB LY JO IQ AF
303. **Melolontha (s.str.) excisicauda Balthasar,1936** (Scarabaeidae) Synonym(s): *excisicauda Balthasar,1936* LB
304. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860*; *obscuripennis Palma,1863*; *knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
305. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790*; *spinipes Fabricius,1794*; *serrulatus Wiedemann,1822*; *italicus Rondani,1845*; *rufitibius Rondani,1845*; *graecus Walker,1852*; *aurifer Loew,1862*; *quadrilineatus Lioy,1864* DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH
IT Sa HU AT CY LB TR GR AL YU
306. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT
Si YU BG GR CY TR LB
307. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis Sack,1913*; *affinis Gil Collado,1930* MA DZ ES YU GR UA RU LB IL Pa SY TR
308. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons Horvath,1911*; *arcifer Horvath,1911*; *seminiger Horvath,1911*; *quinquemaculatus Horvath,1911*; *vestitus Horvath,1911*; *obscurus Lindberg,1923* EG IL Pa JO LB SY TR
309. **Microtelus careniceps Reiche & Sauley,1857** (Tenebrionidae) Synonym(s): *careniceps Reiche & Sauley,1857* LB Bei SY Hal EG IL Pa
310. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801*; *burdigalensis Latreille,1804*; *#bordigalensis Charpentier,1825*; *cerisyi Audinet-Serville,1838*; *geminus Audinet-Serville,1838*; *arvensis Rambur,1838*; *cinereus Costa,1852*; *marginatus Eversmann,1859*; *minusculus Walker,1869*; *pygmaeus Walker,1869*; *eversmanni Jakovlev,1871*; *ferdinandi Bolivar,1899*; *hygrophilus Krauss,1902*; *intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR
DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
311. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833*
TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
312. **Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): *astarte Ganglbauer,1885* TR
SY Dms LB
313. **Mycterodus (Aegaeum) phoenicicus Gnezdilov,2008** (Issidae) Synonym(s): *phoenicicus Gnezdilov,2008* LB
314. **Myrmeleon (Morter) hyalinus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *hyalinus Olivier,1811* AF IR LB IQ
315. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille,1792*; *latreillei Meyer,1794*; *cornuta Olivier,1811*; *megacephala Costa,1858*; *bison Costa,1887* AT CZ
SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
316. **Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): *syriacus Lindner,1933*; *aterrimus Szilady,1941* LB Bei IL Hf Pa TR
317. **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis Balthasar,1929* Cn DZ LY Cy EG IL Pa JO LB SY
318. **Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus Herbst,1783* IT TR SY LB IL Pa
319. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM
Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT
MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
320. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
321. **Nyctophila libani (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani Laporte de Castelnau,1833*; *insignis Ancey,1870* CY LB SY TR
322. **Nymphorgerius gemmatus Horvath,1929** (Dictyopharidae) Synonym(s): *gemmaus Horvath,1929* LB
323. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763*; *italicus Fabricius,1781*; *lutaria Petagna,1792*; *aquea Fabricius,1798*; *varia Fischer von Waldheim,1846*; *angustipennis Fitch,1856* DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
324. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas Steven,1806*; *laevigatus Olivier,1811*; *stevani Brullé,1832* Cc GG GR RU TR IR AM SY LB

325. **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae)
Synonym(s): *falzonii* Goidanich,1926 IL Pa SY LB TR IR
326. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s):
amyntas Olivier,1789 RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
327. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae)
Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792 AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
328. **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae)
Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982 SY Hal LB IL Pa TR JO IQ IR
329. **Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae)
Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927 SY LB TR IL Pa JO
330. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s):
ponticus Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894;
gorhami Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965 Cc GG TR RU SY LB IR AZ AM RO GR
331. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s):
truchmenus Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965 Cc AZ Nv TM
IR SY LB IL Pa TR
332. **Onthophagus (s.str.) circulator Reitter,1891** (Scarabaeidae) Synonym(s): *circulator*
Reitter,1891 SY LB
333. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei*
Rambur,1842 TR SY LB Bei IQ Dk Ama
334. **Onychogomphus macrodon (Selys,1887)** (Gomphidae) Synonym(s): *macrodon* Selys,1887
TR LB Bei IL Pa
335. **Orchamus yersini (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *raulinii*
Yersin,1860 nec Lucas,1854; *yersini* Brunner von Wattenwyl,1882 Rd GR LB Bei TR
336. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 DE AZ
AM GG Cc IR TR IL Pa LB JO
337. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 CY FR GR ES
TR IL Pa JO LB SY
338. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta*
Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT
MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
339. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata*
Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 AL BG ES FR GR Cr IT Sa Si MK RU UA Cc
TM CY IL Pa LB TR IR
340. **Osmia (Helicosmia) mirhiji Mavromoustakis,1957** (Megachilidae) Synonym(s): *mirhiji*
Mavromoustakis,1957 GR LB SY
341. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata*
Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris*
Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV
LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
342. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta*
Morawitz,1875 AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
343. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera*
Latreille,1811; *clavicula* Gerstaecker,1869 BG GR MK EG IL Pa JO LB SY TR
344. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874;
tetradonta Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
345. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899;
caelestina Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
346. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans*
Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957;
lanzarotae Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU
SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
347. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor*
Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
348. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina*
Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ
DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
349. **Oxycara laevigatum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *laevigatum* Reiche
& Saulcy,1857 LB Bei
350. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 RO GR CY RU
UA Cc AZ TR IL LB
351. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*);
cinctella Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK
RU PK AF

352. **Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *noemi Reiche & Saulcy,1856* **CY TR SY LB JO Pa IL**
353. **Pachybrachis (s.str.) libanicola Rey,1883** (Chrysomelidae) Synonym(s): *libanicola Rey,1883* **LB**
354. **Pachybrachis (s.str.) sidonius Pic,1914** (Chrysomelidae) Synonym(s): *sidonius Pic,1914* **LB Say**
355. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus Olivier,1791; tauricus Suffrian,1848; bisignatus Redtenbacher,1849; aethiops Weise,1882; picturatus Rey,1883; orientalis Weise,1894; syriacus Weise,1900; melanopygus Müller,1953* **TR Cc IL Pa LB SY TM**
356. **Pachyscelis chrysomeloides (Olivier,1795)** (Tenebrionidae) Synonym(s): *chrysomeloides Olivier,1795; coriacea Klug,1830; kraatzi Baudi,1875; piochardi Desbrochers,1881* **SY LB Bei**
357. **Parapholidoptera syriaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca Ramme,1930* **TR SY LB**
358. **Pedestredorcadion berytense (Breuning,1964)** (Cerambycidae) Synonym(s): *berytense Breuning,1964* **LB Bei**
359. **Pedestredorcadion brunoï (Breuning,1964)** (Cerambycidae) Synonym(s): *brunoï Breuning,1964* **LB Bei**
360. **Pedestredorcadion drusum (Chevrolat,1870)** (Cerambycidae) Synonym(s): *drusum Chevrolat,1870* **LB**
361. **Pedestredorcadion libanoticum (Kraatz,1873)** (Cerambycidae) Synonym(s): *libanoticum Kraatz,1873; apicale Chevrolat,1873; perrini Fairmaire,1881; tarabuliense Ganglbauer,1888; claresaturatum Breuning,1946* **LB**
362. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta Meigen,1830* **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
363. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota Herbst,1789* **RU Cc UA Cm IQ TR IR IQ CY LB IL Pa**
364. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens Gebler,1845* **KG MN TR AM Cc IR CY SY LB RU Am CN**
365. **Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): *concolor Desbrochers,1875* **LB IL Pa SY TR**
366. **Pezotettix cottoi Dirsh,1949** (Acrididae) Synonym(s): *cottoi Dirsh,1949* **LB Bsa**
367. **Phaenotherium steindachneri (Fivaldsky,1883)** (Anthribidae) Synonym(s): *steindachneri Fivaldsky,1883* **LB IL Pa TR**
368. **Phaenotherium villosum Frieser,1978** (Anthribidae) Synonym(s): *villosum Frieser,1978* **TR LB JO**
369. **Phaenotheriosoma besucheti Frieser,1978** (Anthribidae) Synonym(s): *besucheti Frieser,1978* **LB**
370. **Phaenotheriosoma loebli Frieser,1978** (Anthribidae) Synonym(s): *loebli Frieser,1978* **LB**
371. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
372. **Phantia ramana Dlabola,1965** (Flatidae) Synonym(s): *ramana Dlabola,1965* **JO LB**
373. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata Herrich-Schäffer,1838* **BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT**
374. **Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps Horvath,1903* **DZ LB TR CY GR**
375. **Phytoecia kabateki Sama,1996** (Cerambycidae) Synonym(s): *kabateki Sama,1996* **SY LB**
376. **Pittonotus theseus (Germar,1817)** (Elateridae) Synonym(s): *theseus Germar,1817* **GR LB EG TR**
377. **Plagiognathus raphani Wagner,1963** (Miridae) Synonym(s): *raphani Wagner,1963* **LB TR**
378. **Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata Selys,1863* **TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM**
379. **Platycnemis kervillei (Martin,1909)** (Platycnemidae) Synonym(s): *kervillei Martin,1909* **TR SY Hom LB IQ Dk Ama**
380. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* **AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR**
381. **Platypygus chrysanthemii Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemii Loew,1844* **TR GR YU LB SY EG**
382. **Platypygus chrysanthemii Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemii Loew,1844* **IT Si GR YU LB SY EG TR**
383. **Podisma syriaca (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *syriaca Brunner von Wattenwyl,1861; syriaca Stal,1876; syriaca Jacobson,1905* **LB Bei**

384. **Prionocyphon ornatus** Abeille,1881 (Scirtidae) Synonym(s): *ornatus* Abeille,1881 **TR AZ Cc LB SY**
385. **Prionosthenus (s.str.) baalbekianus** Werner,1939 (Pamphagidae) Synonym(s): *baalbekianus* Werner,1939 **LB**
386. **Prionosthenus (s.str.) lebanicus** Dirsh,1950 (Pamphagidae) Synonym(s): *lebanicus* Dirsh,1950 **LB**
387. **Promachus mustelus** Loew,1854 (Asilidae) Synonym(s): *mustela* Loew,1854 **SY LB IL Pa TR**
388. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781 **BG GR TR IR IL Pa SY LB**
389. **Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898 **TR CY SY LB IL Pa EG**
390. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
391. **Protonemura libanica** Aubert,1964 (Nemouridae) Synonym(s): *libanica* Aubert,1964 **LB**
392. **Protonemura libanocypria** Zwick,1967 (Nemouridae) Synonym(s): *libanocypria* Zwick,1967 **LB CY**
393. **Protonemura mattheyi (Aubert,1956)** (Nemouridae) Synonym(s): *mattheyi* Aubert,1956 **TR LB GR**
394. **Protonemura zernyi** Aubert,1964 (Nemouridae) Synonym(s): *zernyi* Aubert,1964 **IL Pa LB**
395. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928 **GR Cr TR IL Pa JO SY LB**
396. **Protosmia (Nanosmia) limbata (Benoist,1935)** (Megachilidae) Synonym(s): *limbata* Benoist,1935 **LB SY TR**
397. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
398. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
399. **Psylliodes pallidicolor** Pic,1903 (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 **ES BG GR TR SY IL Pa LB IQ**
400. **Psylliodes testaceoconcolor** Heikertinger,1926 (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926 **AZ Cc TR LB CY IL Pa**
401. **Raphidia adanana** Albarda,1891 (Raphidiidae) Synonym(s): *adanana* Albarda,1891; *anatolica* H.Aspöck & U.Aspöck,1964 **TR LB Bsa**
402. **Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965 **GR TR JO LB IL**
403. **Rhabdomastix (s.str.) filata** Stary,2004 (Limoniidae) Synonym(s): *filata* Stary,2004 **Rhabdomastix (s.str.) filata** Stary,2004, Eur. J. Ent. 101: 675-676, figs. Holotype ♂: Lebanon Becharre, leg. H.Zerny (NHMW). **BG GR RU Cc GG AM TR LB Bsa**
404. **Rhagio libanonicus** Szilady,1934 (Rhagionidae) Synonym(s): *libanonicus* Szilady,1934 **LB**
405. **Rhagonycha chtaurana** Svihla,1977 (Cantharidae) Synonym(s): *chtaurana* Svihla,1977 **LB**
406. **Rhizotrogus (Amphimallon) leuthneri** Reitter,1902 (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902 **?TR SY LB JO Amm**
407. **Rhynchites aereipennis** Desbrochers,1895 (Attelabidae) Synonym(s): *aereipennis* Desbrochers,1895 **LB SY TR**
408. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR**
409. **Ribautodelphax libanensis** Den Bieman,1987 (Delphacidae) Synonym(s): *libanensis* Den Bieman,1987 **LB**
410. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 *Iris syriaca* Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. **TR IQ Bgd LB SY Hal CY TJ TM**
411. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846 **Saga ephippigera** Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. **Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd**
412. **Saga ledereri** Saussure,1888 (Tettigoniidae) Synonym(s): *ornata* Krauss,1879 *nec* Burm.,1838; *ledereri* Saussure,1888; *kraussi* Kirby,1906 **Saga ledereri** Saussure,1888, Annl. Soc. ent. Fr. 1888: 134. Syntypes ♂♀: Syrie, leg. Lederer. **LB Bei TR**
413. **Saga ornata** Burmeister,1838 (Tettigoniidae) Synonym(s): *ornata* Burmeister,1838; *lucasi* Saussure,1888; *savignyi* Saussure,1888; *gracilipes* Uvarov,1923 **TR LB Bei EG**
414. **Saropogon ehrenbergii** Loew,1851 (Asilidae) Synonym(s): *ehrenbergii* Loew,1851 **GR SY LB IL Pa TR**
415. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 **RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR**

416. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria Fabricius,1794* DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
417. **Scolia sexmaculata (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata Müller,1766; biguttata Fabricius,1804; violacea Panzer,1799; syriaca Klug,1832; hispanica Betrem,1935; beirutii Betrem,1935; montana Steinberg,1962; dionysopolis Tkalcu,1988* IT LB Bei ES TR DE GB
418. **Scotodrymadusa ebneri Ramme,1939** (Tettigoniidae) Synonym(s): *ebneri Ramme,1939* LB Bsa
419. **Scotodrymadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca Pictet,1888; anatolica Werner,1901; rammei Uvarov,1929; turcica Ramme,1939; kozana Ramme,1951; amani Ramme,1951* TR SY LB IQ
420. **Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885* SY LB TR
421. **Semnosia imperatrix imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885* SY LB
422. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum Fabricius,1794; stigma Panzer,1798; cornuta Meigen,1826; ornata Meigen,1826; pectoralis Macquart,1835; rufocincta Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932* Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
423. **Siphonoperla libanica Alouf,1992** (Chloroperlidae) Synonym(s): *libanica Alouf,1992* LB
424. **Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris Lefebvre,1872* BG TR SY LB
425. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
426. **Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri Navas,1912* SY LB IR
427. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus Friese,1921; coelostoma Benoist,1935* Heriades asiaticus Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Airan". TR BG GR HV IL Pa JO LB SY
428. **Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis Pic,1891* GR TR LB
429. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus Linnaeus,1767* Cc IR FR HV TR SY LB JO IL Pa
430. **Stephanolasca chrysophlebia Navas,1913** (Ascalaphidae) Synonym(s): *chrysophlebia Navas,1913* LB
431. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis Macquart,1838; erythrocerca Egger,1859; pyrrocera Loew,1868* FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
432. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804* AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
433. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
434. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
435. **Tenthredo zonula Klug,1817** (Tenthredinidae) Synonym(s): *zonula Klug,1817; fasciata Scopoli,1763 nec Linn.,1758; bifasciata Geoffroy,1785; bicictaflava Christ,1791; similis Mocsary,1880; nazarensis André; serena Konow; calcaratus André,1881; scutellaris Konow,1898* TR RU UA IR MD Cc AM IL SY LB
436. **Tenthredopsis albonotata (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata Brullé,1832; propinqua Mocsary,1880 nec Klug,1817* TR LB SY IL
437. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii Freidberg,1981* TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
438. **Teratolytta flavipes (Mulsant & Rey,1858)** (Meloidae) Synonym(s): *flavipes Mulsant & Rey,1858; semividua Abeille de Perrin,1895; saphirina Abeille de Perrin,1895* TR LB
439. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma M.Hering,1936* TR CY Cc IL Pa LB IR
440. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola Wiedemann,1830* TR ES IT GR LB IL TN EG Sn KG
441. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula Loew,1869* TR Cc AM AZ IL Pa LB JO IR
442. **Tethina nigripes Czerny,1928** (Tethinidae) Synonym(s): *nigripes Czerny,1928* DE IT LB PL
443. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis Ebner,1946* Tettigonia acutipennis Ebner,1946, Eos 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF

444. **Thamnotettix seclusus** Linnavuori,1958 (Cicadellidae) Synonym(s): *seclusus* Linnavuori,1958 **IL Pa JO LB TR**
445. **Timia abstersa** Loew,1873 (Ulidiidae) Synonym(s): *abstersa* Loew,1873 **RU Or LB UA MD KG IR MN Cc TJ**
446. **Tingis valida** (Puton,1878) (Tingidae) Synonym(s): *valida* Puton,1878 **LB TR IR SY CN UI**
447. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983 **MK GR BG LB TR**
448. **Tipula (Lunatipula) pseudopeliostigma** Mannheims,1965 (Tipulidae) Synonym(s): *pseudopeliostigma* Mannheims,1965 **LB IL Pa TR**
449. **Tipula (Yamatotipula) lateralis** Meigen,1804 (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 **Tipula lateralis** Meigen,1804, *Klass. Besch.* 1: 67. **AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR**
450. **Toxophora fasciculata** (Villers,1789) (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
451. **Trechus (s.str.) crucifer** Piochard,1876 (Carabidae) Synonym(s): *crucifer* Piochard,1876 **BG GR TR CY IL Pa JO LB SY**
452. **Trechus (s.str.) quadristriatus** (Schrank,1781) (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
453. **Trechus (s.str.) saulcyanus** Csiki,1928 (Carabidae) Synonym(s): *saulcyanus* Csiki,1928 **TR CY IL Pa JO LB SY**
454. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae) Synonym(s): *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881 **TR Cc AM SY LB CY EG**
455. **Tricyphona (s.str.) immaculata** (Meigen,1804) (Pedicidae) Synonym(s): *immaculata* Meigen,1804 **AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK**
456. **Triecphorella geniculata** (Horvath,1881) (Cercopidae) Synonym(s): *geniculata* Horvath,1881; *fasciata* Kirschbaum,1868 **IL Pa LB SY TR YU HV**
457. **Trimium libani** Sahlberg,1908 (Staphylinidae) Synonym(s): *libani* Sahlberg,1908 **LB TR**
458. **Trithemis annulata** (P. de Beauvais,1807) (Libellulidae) Synonym(s): *annulata* P. de Beauvais,1807 **TR LB Bei**
459. **Tropidopola longicornis** (Fieber,1853) (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937 **TR GR Cr IN LY EG SY LB Bei**
460. **Tropidopola syriaca** Walker,1871 (Acrididae) Synonym(s): *syriaca* Walker,1871 **IL Pa LB**
461. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767 **AL TR SY LB IL Pa Cc YU RU UA Cm**
462. **Tropinota (s.str.) squalida** (Scopoli,1763) (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832 **GR SS LY SY LB IL Pa JO EG IQ TR**
463. **Tropinota (s.str.) vittula** Reiche & Saulcy,1856 (Scarabaeidae) Synonym(s): *vittula* Reiche & Saulcy,1856 **LB SY IL Pa**
464. **Tshurtshurnella hani** Gnezdilov,2002 (Issidae) Synonym(s): *hani* Gnezdilov,2002 **LB**
465. **Ulidia ruficeps** Becker,1913 (Ulidiidae) Synonym(s): *ruficeps* Becker,1913 **IR LB IT RU TM**
466. **Urophora dzieduszyckii** Frauenfeld,1867 (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzizkii* Frauenfeld,1867; *syriaca* Hendel,1927; *erichschmidti* M.Hering,1953 **TR AT KG MD UA RU IL Pa LB SY**
467. **Usia (s.str.) bicolor** Macquart,1855 (Bombyliidae) Synonym(s): *bicolor* Macquart,1855 **B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU**
468. **Villa abbadon** (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 **DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM**
469. **Viridicerus ustulatus** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
470. **Zophosis cognata** Miller,1861 (Tenebrionidae) Synonym(s): *cognata* Miller,1861 **LB Bei IL Pa SY**
471. **Zygina (s.str.) tithide** Ferrari,1882 (Cicadellidae) Synonym(s): *tithide* Ferrari,1882; *nudale* Ribaut,1936 (*praecoc.*); *nudior* Cerr.,1937; *decolorata* Cerr.,1939; *unipunctata* Cerr.,1939; *nudista* Knull,1944 **BG HU IT LB PL SW UA? YU TR**
472. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948 **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**

Synonymic and distributional list of the pterygot insects of Sri Lanka

(Results of the Entomofauna of the World based upon info-system of the Cesa)

15

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Sri Lanka (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 15.

Priamus (suppl.) 18: 766-769.

In this study, totally 96 species (except Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the lepidopteran records in the info-system of the Cesa total species number of the pterygot increased to 1730.

Key words: List, distribution, *pterygota*, *Insecta*, Sri Lanka.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 96 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Entomofauna, the Lepidoptera of this country totally 1634 lepidopteran species were recorded in the database of the Cesa [unpublished]. Together with this information, total number of the pterygots increased to 1730.

The study is still continuing, and the new results will be published within this Project.

1. **Adoretus bicaudatus Arrow,1914** (Scarabaeidae) Synonym(s): *bicaudatus Arrow,1914* **LK**
2. **Adoretus feminalis Arrow,1914** (Scarabaeidae) Synonym(s): *feminalis Arrow,1914* **LK**
3. **Amantis nawai (Shiraki,1908)** (Mantidae) Synonym(s): *nawai Shiraki,1908* **CN JP LK TW**
4. **Amorphoscelis annulicornis Stal,1871** (Amorphoscelidae) Synonym(s): *annulicornis Stal,1871; indica Giglio-Tos,1915; keiseri Beier,1956* **LK IN NP MY**
5. **Amorphoscelis brunneipennis Beier,1956** (Amorphoscelidae) Synonym(s): *brunneipennis Beier,1956* **LK IN**
6. **Amorphoscelis ceylonica Roy,1965** (Amorphoscelidae) Synonym(s): *ceylonica Roy,1965* **LK**
7. **Amorphoscelis pellucida Westwood,1889** (Amorphoscelidae) Synonym(s): *pellucida Westwood,1889* **AU ID Ja SG LK?**
8. **Amorphoscelis spinosa Beier,1942** (Amorphoscelidae) Synonym(s): *spinosa Beier,1942* **LK**
9. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica Fabricius,1775; macrans Fabricius,1781; oculatus Fabricius,1798 (praeocc.); argus Fabricius,1803; dystercoides Ellenreider,1862; nigripes Ellenreider,1862; rubrocincta Breddin,1899; rufus Azim & Shafee,1982* **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
10. **Anthrax ceylonica Zaitzev,1988** (Bombyliidae) Synonym(s): *ceylonica Zaitzev,1988* **LK**

11. **Anthrenus (Anthrenodes) ceylonicus Hava & Kadej,2006** (Dermestidae) Synonym(s): *ceylonicus Hava & Kadej,2006* LK
12. **Armeniola laevis Giglio-Tos,1915** (Mantidae) Synonym(s): *laevis Giglio-Tos,1915* LK
13. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
14. **Ascalaphus sinister Walker,1853** (Ascalaphidae) Synonym(s): *sinister Walker,1853* IN Bba Oi Ben LK
15. **Asiadodis squilla (Saussure,1869)** (Mantidae) Synonym(s): *squilla Saussure,1869* LK
16. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890* PK IN LK BD MM TH LA VN MU RE EG OM SA
17. **Bombomyia tricolor (Guérin-Ménéville,1835)** (Bombyliidae) Synonym(s): *tricolor Guérin-Ménéville,1835; orientalis Macquart,1840* BD IN Ben Up ID Ja PK LK
18. **Bombylisoma resplendens (Brunetti,1909)** (Bombyliidae) Synonym(s): *resplendens Brunetti,1909* IN Ass SI Up Hp NP LK TH
19. **Bombylius (s.str.) brunettii Senior-White,1922** (Bombyliidae) Synonym(s): *brunettii Senior-White,1922* LK
20. **Bombylius (s.str.) propinquus Brunetti,1909** (Bombyliidae) Synonym(s): *propinquus Brunetti,1909* IN LK
21. **Cantheconidea javana (Dallas,1851)** (Pentatomidae) Synonym(s): *javana Dallas,1851; cognata Distant,1882; insularis Kirby,1891* IN LK ID Ja Sum Clb
22. **Choeradodis cancellata (Fabricius,1775)** (Mantidae) Synonym(s): *cancellata Fabricius,1775* IN MM TH LK
23. **Clinteria 14-maculata (Fabricius,1792)** (Scarabaeidae) Synonym(s): *14-maculata Fabricius,1792* LK
24. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus Kerrich,1970; latipennis Khan & Shafee,1981* IN KE MW MZ OM PK LK AE ZA
25. **Compsomantis ceylonica Uvarov,1927** (Mantidae) Synonym(s): *ceylonica Uvarov,1927* LK
26. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
27. **Creobroter pictipennis (Wood-Mason,1878)** (Hymenopodidae) Synonym(s): *pictipennis Wood-Mason,1878* IN LK ID Clb
28. **Creobroter signifer (Walker,1859)** (Hymenopodidae) Synonym(s): *signifer Walker,1859* LK
29. **Culicoides bilobatus Kieffer,1912** (Ceratopogonidae) Synonym(s): *bilobatus Kieffer,1912* LK
30. **Culicoides ceylanicus Kieffer,1912** (Ceratopogonidae) Synonym(s): *ceylanicus Kieffer,1912* LK
31. **Deiphobe infuscata (Saussure,1870)** (Mantidae) Synonym(s): *infuscata Saussure,1870* IN NP LK
32. **Deiphobella laticeps (Wood-Mason,1876)** (Mantidae) Synonym(s): *laticeps Wood-Mason,1876* IN LK
33. **Didymocorypha lanceolata (Fabricius,1798)** (Irididae) Synonym(s): *lanceolata Fabricius,1798; ensifera Wood-Mason,1877; gracilipes Stal,1877* IN NP LK
34. **Diogena lanka Henry,1944** (Tettigoniidae) Synonym(s): *lanka Henry,1944* LK
35. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus Ashmead,1905* IN Up Ben LA MU PK PH LK TW TH VN
36. **Ducetia ceylanica Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *ceylanica Brunner von Wattenwyl,1878* LK
37. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica Thunberg,1815; quinquevenis Haan,1842; lanceolatum Walker,1859; neochlora Walker,1869; privata Walker,1869; adspersa Brunner von Wattenwyl,1878* IN LK CN KP KR JP TW PH
38. **Dysaules uvana Henry,1932** (Irididae) Synonym(s): *uvana Henry,1932* IN LK
39. **Elmantis lata Giglio-Tos,1915** (Mantidae) Synonym(s): *lata Giglio-Tos,1915* LK
40. **Elmantis trincomaliae (Saussure,1869)** (Mantidae) Synonym(s): *trincomaliae Saussure,1869; vicina Bolivar,1897* IN LK
41. **Empusa pauperata (Fabricius,1781)** (Empusidae) Synonym(s): *pauperata Fabricius,1781; humbertiana Saussure,1869; servillei Saussure,1871* IN LK IR
42. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollii Saussure,1871; attenuata Ramme,1951; mujuncumica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004* TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY
43. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata Wolff,1801; armigera Herrich-Schäffer,1844* PH IN LK MM ID Ja Mlc BD TW CN TH JP
44. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta Distant,1879* IN PG PH LK CN AU ID Ja Sum
45. **Eucolus polinieri Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *polinieri Mulsant & Rey,1853* IN LK

46. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus* Saussure,1888; *orientalis* Sjöstedt,1928; *zebrata* Sjöstedt,1928 **RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK**
47. **Geron argentifrons Brunetti,1909** (Bombyliidae) Synonym(s): *argentifrons* Brunetti,1909 **PK LK TH IN Up Hp**
48. **Glyptobasis nugax (Walker,1853)** (Ascalaphidae) Synonym(s): *nugax* Walker,1853 **LK IN**
49. **Gnamptogenys coxalis (Roger,1860)** (Formicidae) Synonym(s): *coxalis* Roger,1860 **LK**
50. **Gongylus gongylodes (Linnaeus,1758)** (Empusidae) Synonym(s): *gongylodes* Linnaeus,1758 **IN ID Ja LK MM TH**
51. **Gonypeta humbertiana Saussure,1869** (Mantidae) Synonym(s): *punctata* De Haan,1842 *nec* Stoll,1813; *humbertiana* Saussure,1869; *lateralis* Werner,1933 **LK IN MY ID Ja Sum**
52. **Halictus (Seladonia) lucidipennis Smith,1853** (Halictidae) Synonym(s): *lucidipennis* Smith,1853; *vernalis* Smith,1853 **IN Hp LK PK Mre Pj**
53. **Harmatelia bilineata Walker,1858** (Lampyridae) Synonym(s): *bilineata* Walker,1858 **LK**
54. **Helina evecta (Harris,1780)** (Muscidae) Synonym(s): *evecta* Harris,1780 **AM Ce Eri GG LK**
55. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 **ES FR Co IT MK GR TR Cc KG NG SD SA LK**
56. **Hierodula harpyia Westwood,1889** (Mantidae) Synonym(s): *harpyia* Westwood,1889 **LK**
57. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea* Burmeister,1838 **CN IN ID Ja TH NP LK**
58. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata* Olivier,1792; *notata* Stoll,1813 **CN IN LK MM VN ID Ja**
59. **Hierodula versicolor Henry,1932** (Mantidae) Synonym(s): *versicolor* Henry,1932 **LK**
60. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer* Wesmael,1837 **FR RU Sb LK MN Ce AZ AM TR JP**
61. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior* Stein,1909 **IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN**
62. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis* Malloch,1923 **MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW**
63. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons* Macquart,1851 **MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW**
64. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens* Walker,1856 **MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN**
65. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri* Emden,1965 **MM LK IN Ass Ben NP TH VN**
66. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis* Walker,1859 **MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK**
67. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica* Robineau-Desvoidy,1830 **IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw**
68. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta* Wiedemann,1830 **MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry**
69. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804 **TR AF CN IN JP LK ID Sum**
70. **Odontomantis micans (Saussure,1871)** (Hymenopodidae) Synonym(s): *micans* Saussure,1871 **IN LK TH MY Bor ID Sda**
71. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis* Selys,1891 **CN Hn IN LK MM MY TH PH SG Bor Sbh**
72. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 **CN ID IN JP LK MM MY TH PH VN TW Bor Sbh**
73. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
74. **Oxyophthalma engaea Wood-Mason,1889** (Irididae) Synonym(s): *engaea* Wood-Mason,1889 **IN NI LK**
75. **Oxyophthalma gracilis Saussure,1861** (Irididae) Synonym(s): *gracilis* Saussure,1861 **IN LK**
76. **Platypleura capitata (Olivier,1790)** (Cicadidae) Synonym(s): *capitata* Olivier,1790; *subrufa* Walker,1850 **IN LK**
77. **Platypleura octoguttata (Fabricius,1798)** (Cicadidae) Synonym(s): *octoguttata* Fabricius,1798; *sanguiflua* Walker,1850 **IN Pj Mus Mhw Bba NI LK Krc Sd PK**
78. **Platypleura westwoodi Stal,1863** (Cicadidae) Synonym(s): *westwoodi* Stal,1863 **LK**
79. **Pseudoxypilus hemerobius (Stoll,1788)** (Hymenopodidae) Synonym(s): *hemerobius* Stoll,1788; *neuroptera* Lichtenstein,1802; *fenestrata* Stoll,1813 **LK**
80. **Pterilia ceylonensis Stål,1859** (Caliscelidae) Synonym(s): **LK**
81. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
82. **Reminasus ephippium (Macquart,1855)** (Asilidae) Synonym(s): *ephippium* Macquart,1855; *pulcher* Ricardo,1922 **IR CN IN MN LK**

83. **Rhombodera taprobana (Wood-Mason,1878)** (Mantidae) Synonym(s): *taprobana* Wood-Mason,1878 LK
84. **Ricania speculum (Walker,1851)** (Ricanidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 Flatoides *speculum* Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz
85. **Schizocephala bicornis (Linnaeus,1758)** (Mantidae) Synonym(s): *bicornis* Linnaeus,1758; *oculata* Fabricius,1781; *stricta* Olivier,1792 IN NP LK ID Sda
86. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
87. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 TR Cc AZ IR PK IN LK SA SO TZ Cn
88. **Stalitia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG
89. **Suhalasca hermosa Banks,1913** (Ascalaphidae) Synonym(s): *hermosa* Banks,1913 LK
90. **Supholomitus brevis Kimmins,1949** (Ascalaphidae) Synonym(s): *brevis* Kimmins,1949 IN Ben LK
91. **Supholomitus verbosus (Walker,1853)** (Ascalaphidae) Synonym(s): *verbosus* Walker,1853 IN Ben LK
92. **Systropha (s.str.) tropicalis Cockerell,1911** (Halictidae) Synonym(s): *tropicalis* Cockerell,1911 LK
93. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH
94. **Trupanea amoena (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *#amonea* Giray,1979 TR ET IN LK AU
95. **Villa approximata Brunetti,1917** (Bombyliidae) Synonym(s): *approximata* Brunetti,1917 MM LK IN Ass Meg NP
96. **Villa fletcheri (Brunetti,1920)** (Bombyliidae) Synonym(s): *fletcheri* Brunetti,1920 IN LK

Synonymic and distributional list of the pterygot insects of Myanmar

(Results of the Entomofauna of the World based upon info-system of the Cesa)

16

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Myanmar (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 16. *Priamus* (suppl.) 18: 770-774.

In this study, totally 133 pterygot species (except Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Myanmar Lepidoptera recorded in info-system of the Cesa, total pterygot species of Myanmar increase to 2250.

Key words: List, distribution, *pterygota*, *Insecta*, Myanmar.

Brief explanatory information:

Previously published article	yes ³¹
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 133 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Lepidoptera of Indo-China (LIC) of the Cesa, the Lepidoptera of Indo-China has been previously published by the authors as a list of 11474 species group taxa. In info-system of the Cesa, totally 2117 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 2250.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetomalachius gorhami (Pic,1911)** (Melyridae) Synonym(s): *gorhami Pic,1911* **MM**
2. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
3. **Amantis aliena Beier,1930** (Mantidae) Synonym(s): *aliena Beier,1930* **MM**
4. **Amantis bolivarii Giglio-Tos,1915** (Mantidae) Synonym(s): *bolivarii Giglio-Tos,1915* **NP MM**
5. **Amantis irina (Saussure,1870)** (Mantidae) Synonym(s): *irina Saussure,1870* **IN Mlc Amb Sum MY MM**

³¹ **Kocak,A.O. & M.Kemal**, 2009, Report of the Project Lepidoptera of Indo-China (LIC) 1- Temporary index of the species group names of the Lepidoptera. Cent. ent. Stud., Priamus Suppl. 16: 1-330, 81 figs <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement161-330>

6. **Amantis muhabbet Koçak,2008** ³² (Mantidae) Synonym(s): *reticulata* De Haan,1842 nec Burm.,1838; *muhabbet Koçak,2008* **Amantis muhabbet Koçak,2008**, Cent. ent. Stud., Misc. Pap. 145: 8 (nomen novum pro *reticulata* De Haan,1842 nec Burm.,1838). MM MY ID Sum Ja Bor PH Pal
7. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica* Fabricius,1775; *macrans* Fabricius,1781; *oculatus* Fabricius,1798 (praeocc.); *argus* Fabricius,1803; *dystercoides* Ellenreider,1862; *nigripes* Ellenreider,1862; *rubrocincta* Breddin,1899; *rufus* Azim & Shafee,1982 **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
8. **Ascalohybris angulata (Westwood,1848)** (Ascalaphidae) Synonym(s): *angulata* Westwood,1848 **BD MM IN Ass Meg Ben MY**
9. **Astochia canis Bromley,1935** (Asilidae) Synonym(s): *canis* Bromley,1935 **IN MM**
10. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata* Saunders,1842; *magniferae* Cotes,1893; *persicae* Bigot,1890 **PK IN LK BD MM TH LA VN MU RE EG OM SA**
11. **Blachia ducalis Walker,1867** (Pentatomidae) Synonym(s): *ducalis* Walker,1867; *coccinelloides* Vollenhoven,1868; *manifesta* Distant,1887 **TH IN CN ID MM**
12. **Cantheconidea humeralis Distant,1908** (Pentatomidae) Synonym(s): *humeralis* Distant,1908 **IN MM CN TH**
13. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa* Westwood,1834; *verrucifer* Burmeister,1835 **CN TW MM IN BD TH KH VN ID Ja PH JP**
14. **Ceratomantis saussurii Wood-Mason,1876** (Hymenopodidae) Synonym(s): *saussurii* Wood-Mason,1876 **MM TH MY Bor**
15. **Cesandria spiniventris (Heinrich,1970)** (Ichneumonidae) Synonym(s): *spiniventris* Heinrich,1970 **MM**
16. **Cetonia (Indocetonia) rhododendri Gestro,1891** (Scarabaeidae) Synonym(s): *rhododendri* Gestro,1891; *purpurascens* Kraatz,1897; *assamica* Schoch,1898 **IN Ass MM TH**
17. **Charitovalgus longulus (Gestro,1891)** (Scarabaeidae) Synonym(s): *longulus* Gestro,1891 **MM TH**
18. **Chelostoma (Eochelostoma) aureocinctum (Bingham,1897)** (Megachilidae) Synonym(s): *aureocinctum* Bingham,1897 **IN SI MM Tns TH**
19. **Choeradodis cancellata (Fabricius,1775)** (Mantidae) Synonym(s): *cancellata* Fabricius,1775 **IN MM TH LK**
20. **Chremistica germana (Distant,1888)** (Cicadidae) Synonym(s): *germana* Distant,1888 **TH MM MY Pen**
21. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta* Fabricius,1801; *flavomaculata* Chevrolat,1845 **Cicindela aurulenta Fabricius,1801**, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
22. **Cicindela (Cosmodela) duponti (Dejean,1826)** (Carabidae) Synonym(s): *duponti* Dejean,1826 **MM LA**
23. **Creobroter geminatus (Stoll,1813)** (Hymenopodidae) Synonym(s): *geminatus* Stoll,1813 **MM VN CN IN ID Ja Sda**
24. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus* Fabricius,1775 **IN MM VN CN ID Sum Ja MY Bor PH**
25. **Dasyvalgus carbonarius Arrow,1910** (Scarabaeidae) Synonym(s): *carbonarius* Arrow,1910 **SI IN MM**
26. **Dasyvalgus fulvicauda Arrow,1910** (Scarabaeidae) Synonym(s): *fulvicauda* Arrow,1910 **BT MM**
27. **Dasyvalgus luctuosus (Gestro,1891)** (Scarabaeidae) Synonym(s): *luctuosus* Gestro,1891 **MM**
28. **Dasyvalgus minimus Arrow,1910** (Scarabaeidae) Synonym(s): *minimus* Arrow,1910 **MM**
29. **Dasyvalgus ovicollis Arrow,1910** (Scarabaeidae) Synonym(s): *ovicollis* Arrow,1910 **MM**
30. **Dasyvalgus pyrrhopygus (Kraatz,1883)** (Scarabaeidae) Synonym(s): *pyrrhopygus* Kraatz,1883 **MM**
31. **Dasyvalgus stictopygus (Gestro,1891)** (Scarabaeidae) Synonym(s): *stictopygus* Gestro,1891 **MM**
32. **Dasyvalgus trisinuatus (Gestro,1891)** (Scarabaeidae) Synonym(s): *trisinuatus* Gestro,1891 **MM TH**
33. **Dasyvalgus tristis (Gestro,1891)** (Scarabaeidae) Synonym(s): *tristis* Gestro,1891 **MM TH**
34. **Dasyvalgus viduatus Arrow,1910** (Scarabaeidae) Synonym(s): *viduatus* Arrow,1910 **MM**
35. **Deiphobe incisa Werner,1933** (Mantidae) Synonym(s): *incisa* Werner,1933 **IN MM NP?**
36. **Deroplatys angustata Westwood,1841** (Mantidae) Synonym(s): *angustata* Westwood,1841 **MM MY ID Sum Ja Bor**
37. **Dirhinus excavatus Dalman,1818** (Chalcididae) Synonym(s): *excavatus* Dalman,1818 **ER IN KE SN MM SL**
38. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata* Wolff,1801; *armigera* Herrich-Schäffer,1844 **PH IN LK MM ID Ja Mlc BD TW CN TH JP**
39. **Eocanthecona ornatula (Distant,1908)** (Pentatomidae) Synonym(s): *ornatula* Distant,1908 **IN MM**
40. **Eocanthecona parva (Distant,1902)** (Pentatomidae) Synonym(s): *parva* Distant,1902 **IN MM TW**

³² this species established by the author.

41. **Eocanthecona tibialis (Distant,1879)** (Pentatomidae) Synonym(s): *tibialis Distant,1879* **IN MM**
42. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* **ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG**
43. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928* **RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK**
44. **Gimantis authaemon (Wood-Mason,1882)** (Mantidae) Synonym(s): *authaemon Wood-Mason,1882; marmorata Brunner Wattenwyl,1893* **IN MM TH**
45. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s): *horsfieldi Hope,1831; marginicollis Gory & Percheron,1833* **IN Ass Meg MM NP CN TW LA TH BD Syl**
46. **Glycyphana (Glycyphaniola) quadricolor (Wiedemann,1823)** (Scarabaeidae) Synonym(s): *quadricolor Wiedemann,1823* **ID Sum Ja Bor MY LA VN MM Ass IN**
47. **Glyptobasis denticornis Kimmins,1949** (Ascalaphidae) Synonym(s): *denticornis Kimmins,1949* **MM**
48. **Glyptobasis fraseri Sziraki,1998** (Ascalaphidae) Synonym(s): *brunnea Fraser,1922 nec Esb.-Pet.,1913; fraseri Sziraki,1998* **MM**
49. **Glyptobasis spinicornis Van der Weele,1909** (Ascalaphidae) Synonym(s): *spinicornis Van der Weele,1909* **MM**
50. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889; bannana Xu & Zhang,1996* **MM TH CMa CDo Int Dst Tng Chi VN CN Hn ID Ja Bli IN Ass Meg**
51. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900; borneensis Emery,1900* **MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMa Dst Pbu ID Clb**
52. **Gnamptogenys costata (Emery,1889)** (Formicidae) Synonym(s): *costata Emery,1889; unicolor Forel,1901; parva Forel,1913; simalurensis Forel,1915; pinealis Wheeler,1929; wallacei Donisthorpe,1932* **MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMa CDo Tng Nrt MY Bor Sbh BN Swk**
53. **Gongylus gongyloides (Linnaeus,1758)** (Empusidae) Synonym(s): *gongyloides Linnaeus,1758* **IN ID Ja LK MM TH**
54. **Gonypeta brunneri Giglio-Tos,1915** (Mantidae) Synonym(s): *brunneri Giglio-Tos,1915* **MM MY**
55. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta Burmeister,1838; longipennis Haan,1842; grandis Walker,1869; siamensis Giebel,1878; sinensis Giebel,1878* **TH ID Ja PH MM Bor IN CN**
56. **Halictus (Seladonia) vicinus Vachal,1894** (Halictidae) Synonym(s): *vicinus Vachal,1894; obuensis Cameron,1908; silvatica Blüthgen,1926; daturae Cockerell,1929; laosina Cockerell,1929; umbrosus Cockerell,1929* **MM IN Tns TH Nan**
57. **Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica Meigen,1826* **AM Cc Eri TR MM CN**
58. **Hemipenthes referens (Walker,1852)** (Bombyliidae) Synonym(s): *referens Walker,1852; himalayensis Brunetti,1909; bidens Bigot,1909* **IN Hp Up Ass Meg PK MM**
59. **Heriades (s.str.) parvulus Bingham,1897** (Megachilidae) Synonym(s): *parvulus Bingham,1897; binghami Dover,1925* **MM**
60. **Hierodula bhamaana Giglio-Tos,1912** (Mantidae) Synonym(s): *bhamaana Giglio-Tos,1912* **MM**
61. **Hierodula grandis Saussure,1870** (Mantidae) Synonym(s): *grandis Saussure,1870* **IN BD MM**
62. **Hierodula latipennis Brunner von Wattenwyl,1892** (Mantidae) Synonym(s): *latipennis Brunner von Wattenwyl,1892* **MM**
63. **Hierodula multispinulosa Brunner von Wattenwyl,1892** (Mantidae) Synonym(s): *multispinulosa Brunner von Wattenwyl,1892* **MM**
64. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata Olivier,1792; notata Stoll,1813* **CN IN LK MM VN ID Ja**
65. **Hierodula venosa (Olivier,1792)** (Mantidae) Synonym(s): *venosa Olivier,1792; conspurcata Lichtenstein,1796; punctata Stoll,1813; vitrea Stoll,1813; hybrida Burmeister,1838; bankae Giebel,1861; similis Giebel,1861; daphne Stal,1877; athene Rehn,1909* **MY Bor IN Ja Sum PH MM**
66. **Hybovalgus sexdentatus Arrow,1944** (Scarabaeidae) Synonym(s): *sexdentatus Arrow,1944* **MM LA**
67. **Hydrotaea armipes (Fallén,1825)** (Muscidae) Synonym(s): *armipes Fallén,1825; occulta Meigen,1826* **TW MM IR GG AM Cc**
68. **Idiovalgus planicollis (Gestro,1891)** (Scarabaeidae) Synonym(s): *planicollis Gestro,1891* **MM**
69. **Lamellipalodes masatakai Kawashima,2007** (Lampyridae) Synonym(s): *masatakai Kawashima,2007* **MM**
70. **Lamellipalpus nigripennis (Pascoe,1887)** (Lampyridae) Synonym(s): *nigripennis Pascoe,1887* **MM**
71. **Lonchoptera birmanica Andersson,1971** (Lonchopteridae) Synonym(s): *birmanica Andersson,1971* **MM**
72. **Lonchoptera birmensis Andersson,1971** (Lonchopteridae) Synonym(s): *birmensis Andersson,1971* **MM**
73. **Lucanus (Pseudolucanus) denticulus (Boucher,1995)** (Lucanidae) Synonym(s): *denticulus Boucher,1995* **MM**

74. **Lucanus (Pseudolucanus) lesnei (Planet,1905)** (Lucanidae) Synonym(s): *lesnei Planet,1905* BT MM CN Yu
75. **Meimuna tavoyana (Distant,1888)** (Cicadidae) Synonym(s): *tavoyana Distant,1888* TH MM Tvy
76. **Memantis fuliginosa (Thunberg,1815)** (Mantidae) Synonym(s): *fuliginosa Thunberg,1815; femorata Saussure,1870; consobrina Saussure,1871* IN MM NP
77. **Mesopteryx platycephala (Stal,1877)** (Mantidae) Synonym(s): *platycephala Stal,1877* IN MM KH
78. **Mimothrix helferi Majer,1995** (Melyridae) Synonym(s): *helferi Majer,1995* MM Tns
79. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
80. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis Malloch,1923* MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW
81. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons Macquart,1851* MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW
82. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens Walker,1856* MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN
83. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri Emden,1965* MM LK IN Ass Ben NP TH VN
84. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis Walker,1859* MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK
85. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica Robineau-Desvoidy,1830* IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw
86. **Neomyia rufitarsis (Stein,1920)** (Muscidae) Synonym(s): *rufitarsis Stein,1920* MM ID Ja MY TH
87. **Oreoderus birmanicus Ricchiardi,2001** (Scarabaeidae) Synonym(s): *birmanicus Ricchiardi,2001* MM
88. **Oreoderus brevipennis Gestro,1891** (Scarabaeidae) Synonym(s): *brevipennis Gestro,1891* MM
89. **Oreoderus clypealis Arrow,1944** (Scarabaeidae) Synonym(s): *clypealis Arrow,1944* MM
90. **Oreoderus gestroi Ricchiardi,2001** (Scarabaeidae) Synonym(s): *gestroi Ricchiardi,2001* MM
91. **Oreoderus humeralis Gestro,1891** (Scarabaeidae) Synonym(s): *humeralis Gestro,1891* MM
92. **Oreoderus maculipennis Gestro,1891** (Scarabaeidae) Synonym(s): *maculipennis Gestro,1891* MM
93. **Oreoderus maritimus Arrow,1944** (Scarabaeidae) Synonym(s): *maritimus Arrow,1944* MM
94. **Oreoderus momeitensis Arrow,1910** (Scarabaeidae) Synonym(s): *momeitensis Arrow,1910* MM
95. **Oreoderus rufulus Gestro,1891** (Scarabaeidae) Synonym(s): *rufulus Gestro,1891* MM
96. **Oreoderus siamensis Ricchiardi,2001** (Scarabaeidae) Synonym(s): *siamensis Ricchiardi,2001* TH LA MM KH
97. **Oreoderus waterhousei Gestro,1891** (Scarabaeidae) Synonym(s): *waterhousei Gestro,1891* MM
98. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis Selys,1891* CN Hn IN LK MM MY TH PH SG Bor Sbh
99. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum Brauer,1865* CN ID IN JP LK MM MY TH PH VN TW Bor Sbh
100. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770* TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
101. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum Burmeister,1839* CN Hn MM MY TH PH TW VN Bor Sbh
102. **Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus Selys & Hagen,1850* TR IR IN NP MM
103. **Phyllothelys pardoxum Wood-Mason,1884** (Mantidae) Synonym(s): *pardoxum Wood-Mason,1884* MM
104. **Phyllothelys westwoodi (Wood-Mason,1876)** (Mantidae) Synonym(s): *westwoodi Wood-Mason,1876* IN MM
105. **Picromerus griseus (Dallas,1851)** (Pentatomidae) Synonym(s): *griseus Dallas,1851; obtusus Walker,1867; nigrivitta Walker,1867; sundanus Breddin,1902* BD MM CN IN PK ID Ja
106. **Platypleura badia Distant,1888** (Cicadidae) Synonym(s): *badia Distant,1888* MM Tns
107. **Platypleura insignis Distant,1879** (Cicadidae) Synonym(s): *insignis Distant,1879* MM Tns Krh
108. **Platypleura nobilis (Germar,1830)** (Cicadidae) Synonym(s): *nobilis Germar,1830; hemiptera Guérin-Ménéville,1834; semilucida Walker,1850; gemina Walker,1850* IN Ass Meg MM Tvy TH ID Sum Ja
109. **Platypleura repanda (Linnaeus,1767)** (Cicadidae) Synonym(s): *repanda Linnaeus,1767; phalaenoides Walker,1850; interna Walker,1852* IN SI Djl Ch Ass Mge Khs Nag MM
110. **Platypleura watsoni (Distant,1897)** (Cicadidae) Synonym(s): *watsoni Distant,1897* TH MM Chn
111. **Polyneura ducalis Westwood,1842** (Cicadidae) Synonym(s): *ducalis Westwood,1842* NP IN MM SI Ass Meg Djl Rgo CN Ti
112. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus Loew,1848* YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM
113. **Pseudempusa pavonina Giglio-Tos,1916** (Mantidae) Synonym(s): *pavonina Giglio-Tos,1916* MM TH
114. **Pseudempusa pinnapavonis Brunner von Wattenwyl,1892** (Mantidae) Synonym(s): *pinnapavonis Brunner von Wattenwyl,1892* MM TH

115. **Pycna repanda (Linnaeus,1767)** (Cicadidae) Synonym(s): *repanda* Linnaeus,1767; *phalaenoides* Walker,1850; *interna* Walker,1852 **Cicada repanda** Linnaeus,1767, Syst. Nat. (Ed.12): 707. **IN SI DjI Ch Ass Meg Khs Nag MM Syl BD**
116. **Rhombodera tectifomis (Saussure,1870)** (Mantidae) Synonym(s): *tectifomis* Saussure,1870 **IN MM NP**
117. **Rhombodera titania (Stal,1877)** (Mantidae) Synonym(s): *titania* Stal,1877; *dubia* Werner,1929 **MM ID Bch Kei Mlc**
118. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). **CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**
119. **Schizodactylus burmanus Uvarov,1935** (Schizodactylidae) Synonym(s): *burmanus* Uvarov,1935 **MM Rgo**
120. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
121. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 **IN VN CN KP KR JP MM MY Bor ID Sum Ja PH**
122. **Systropha (s.str.) difformis Smith,1879** (Halictidae) Synonym(s): *difformis* Smith,1879 **MM**
123. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 **IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno**
124. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 **IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH**
125. **Tosena melanoptera (White,1846)** (Cicadidae) Synonym(s): *melanoptera* White,1846 **TH IN SI DjI Ass Meg Khs Syl BD MM Bha**
126. **Tosena splendida Distant,1878** (Cicadidae) Synonym(s): *splendida* Distant,1878 **TH IN Ass Meg Nag MM**
127. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 **AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH**
128. **Unalianus heteracanthus (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *heteracanthus* Redtenbacher,1891 **TH VN KH ID Ja MM MY**
129. **Villa approximata Brunetti,1917** (Bombyliidae) Synonym(s): *approximata* Brunetti,1917 **MM LK IN Ass Meg NP**
130. **Villa clausa Brunetti,1909** (Bombyliidae) Synonym(s): *clausa* Brunetti,1909 **MM**
131. **Xenoreoderus humilis (Gestro,1891)** (Scarabaeidae) Synonym(s): *humilis* Gestro,1891 **MM**
132. **Xenoreoderus nanus Arrow,1944** (Scarabaeidae) Synonym(s): *nanus* Arrow,1944 **MM**
133. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**

Synonymic and distributional list of the pterygot insects of Malaysia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

17

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Malaysia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 17. *Priamus* (suppl.) 18: 775-783.

In this study, totally 258 pterygot species (except Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Malaysia recorded in info-sytem of the Cesa, total pterygot species of Malaysia increase to 4571.

Key words: List, distribution, *pterygota*, *Insecta*, Malaysia.

Brief explanatory information:

Previously published article	yes ³³
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 258 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Lepidoptera of Indo-China (LIC) of the Cesa, the Lepidoptera of Indo-China has been previously published by the authors as a list of 11474 species group taxa. In info-system of the Cesa, totally 4313 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 4571.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax malayensis Papp & Norrbom,1992** (Sphaeroceridae) Synonym(s): *malayensis Papp & Norrbom,1992* **MY**
2. **Amantis irina (Saussure,1870)** (Mantidae) Synonym(s): *irina Saussure,1870* **IN Mlc Amb Sum MY MM**
3. **Amantis muhabbet Koçak,2008** ³⁴ (Mantidae) Synonym(s): *reticulata De Haan,1842 nec Burm.,1838; muhabbet Koçak,2008* **Amantis muhabbet Koçak,2008, Cent. ent. Stud., Misc. Pap. 145: 8 (nomen novum pro reticulata De Haan,1842 nec Burm.,1838).** **MM MY ID Sum Ja Bor PH Pal**
4. **Amantis tristis Werner,1933** (Mantidae) Synonym(s): *tristis Werner,1933* **MY Bor**
5. **Amorphoscelis annulicornis Stal,1871** (Amorphoscelidae) Synonym(s): *annulicornis Stal,1871; indica Giglio-Tos,1915; keiseri Beier,1956* **LK IN NP MY**

³³ **Kocak,A.O. & M.Kemal**, 2009, Report of the Project Lepidoptera of Indo-China (LIC) 1- Temporary index of the species group names of the Lepidoptera. *Cent. ent. Stud., Priamus Suppl.* 16: 1-330, 81 figs
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement161-330>

³⁴ the species established by the author.

6. **Amorphoscelis borneana Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *borneana Giglio-Tos,1913* **MY Bor**
7. **Amorphoscelis reticulata Werner,1933** (Amorphoscelidae) Synonym(s): *reticulata Werner,1933; micans Beier,1937* **MY Bor Swk**
8. **Amorphoscelis siebersi Werner,1933** (Amorphoscelidae) Synonym(s): *siebersi Werner,1933* **Bor MY**
9. **Amorphoscelis singaporana Giglio-Tos,1915** (Amorphoscelidae) Synonym(s): *singaporana Giglio-Tos,1915* **Amorphoscelis singaporana Giglio-Tos,1915, Bull. Soc. ent. ital. 46 (1914): 32-33. Type ♂: Singapore (BMNH). SG MY IN Ass ID Sum TH**
10. **Amorphoscelis subnigra Werner,1933** (Amorphoscelidae) Synonym(s): *subnigra Werner,1933* **Bor MY**
11. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica Fabricius,1775; macrans Fabricius,1781; oculatus Fabricius,1798 (praeocc.); argus Fabricius,1803; dystercoides Ellenreider,1862; nigripes Ellenreider,1862; rubrocincta Breddin,1899; rufus Azim & Shafee,1982* **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
12. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus Myartseva,1979* **AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH**
13. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
14. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
15. **Anthrax carbo Rondani,1875** (Bombyliidae) Synonym(s): *carbo Rondani,1875* **MY Bor**
16. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* **Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz**
17. **Aphistina partita (Walker,1857)** (Asilidae) Synonym(s): *partita Walker,1857* **MY Bor**
18. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* **TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG**
19. **Ascalohybris angulata (Westwood,1848)** (Ascalaphidae) Synonym(s): *angulata Westwood,1848* **BD MM IN Ass Meg Ben MY**
20. **Ascalohybris borneensis (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *borneensis Van der Weele,1909* **MY Bor**
21. **Ascalohybris malaccensis (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *malaccensis Van der Weele,1909* **MY**
22. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplepsia Crawford,1910; jezoensis Matsumura,1918...* **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
23. **Camelomantis giraffa (Giglio-Tos,1912)** (Mantidae) Synonym(s): *giraffa Giglio-Tos,1912* **ID Sum MY Bor**
24. **Camelomantis moultoni Giglio-Tos,1917** (Mantidae) Synonym(s): *moultoni Giglio-Tos,1917* **MY Bor**
25. **Camelomantis parva Beier,1931** (Mantidae) Synonym(s): *parva Beier,1931* **MY**
26. **Camelomantis penangica Giglio-Tos,1917** (Mantidae) Synonym(s): *penangica Giglio-Tos,1917* **MY Bor**
27. **Caterus resiei Platia & Gundezi,2000** (Elateridae) Synonym(s): *resiei Platia & Gundezi,2000* **MY Prk**
28. **Cateus merkli Platia & Gundezi,2000** (Elateridae) Synonym(s): *merkli Platia & Gundezi,2000* **MY**
29. **Cateus nylanderi Platia & Gundezi,2000** (Elateridae) Synonym(s): *nylanderi Platia & Gundezi,2000* **MY Bor Swk**
30. **Cateus pendleburyi Platia & Gundezi,2000** (Elateridae) Synonym(s): *pendleburyi Platia & Gundezi,2000* **MY Sbh Bor KBa**
31. **Cazira chiroptera (Herrich-Schäffer,1840)** (Pentatomidae) Synonym(s): *chiroptera Herrich-Schäffer,1840* **PH ID Bor MY Sum Ja**
32. **Ceratocrania macra Westwood,1889** (Mantidae) Synonym(s): *macra Westwood,1889* **ID Ja MY Bor Sum**
33. **Ceratomantis gigliotosi Ruy,2007** (Hymenopodidae) Synonym(s): *gigliotosi Ruy,2007* **MY Bor**
34. **Ceratomantis kimberlae Svenson,2007W** (Hymenopodidae) Synonym(s): *kimberlae Svenson,2007* **MY Bor Sbh**
35. **Ceratomantis saussurii Wood-Mason,1876** (Hymenopodidae) Synonym(s): *saussurii Wood-Mason,1876* **MM TH MY Bor**

36. **Ceratothripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 **GH SL CI NG CM ET UG ZR AO ZA PR MY**
37. **Cetonia (Indocetonia) vetusta** (Scarabaeidae) Synonym(s): **MY**
38. **Cheirotonus peracanus Kriesche,1919** (Scarabaeidae) Synonym(s): *peracanus* Kriesche,1919; *arnaudi* Minet,1981 **MY Prk**
39. **Chremistica biloba Bregman,1985** (Cicadidae) Synonym(s): *biloba* Bregman,1985 **MY Bor Swk**
40. **Chremistica borneensis Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *borneensis* Yaakop & Duffels,2005 **MY Bor Sbh**
41. **Chremistica germana (Distant,1888)** (Cicadidae) Synonym(s): *germana* Distant,1888 **TH MM MY Pen**
42. **Chremistica guamusangensis Salmah & Zaidi,2002** (Cicadidae) Synonym(s): *guamusangensis* Salmah & Zaidi,2002 **TH MY Bor Swk ID Sum**
43. **Chremistica kecil Salmah & Zaidi,2002** (Cicadidae) Synonym(s): *kecil* Salmah & Zaidi,2002 **MY**
44. **Chremistica malayensis Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *malayensis* Yaakop & Duffels,2005 **TH Nst MY Prk**
45. **Chremistica minor Bregman,1985** (Cicadidae) Synonym(s): *minor* Bregman,1985 **MY Bor Swk**
46. **Chremistica nesiotis Breddin,1905** (Cicadidae) Synonym(s): *nesiotis* Breddin,1905 **TH MY Bor SG BN Swk ID**
47. **Chremistica pontianaka (Distant,1888)** (Cicadidae) Synonym(s): *pontianaka* Distant,1888 **TH MY Bor Swk PH Luz**
48. **Chremistica tridentigera (Breddin,1905)** (Cicadidae) Synonym(s): *tridentigera* Breddin,1905 **MY BN Bor Swk Sbh**
49. **Chremistica umbrosa (Distant,1904)** (Cicadidae) Synonym(s): *umbrosa* Distant,1904; *pisanga* Moulton,1923 **MY ID Sum**
50. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta* Fabricius,1801; *flavomaculata* Chevrolat,1845 **Cicindela aurulenta Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP**
51. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU**
52. **Compsomantis crassipes (De Haan,1842)** (Mantidae) Synonym(s): *crassipes* De Haan,1842 **MY Bor ID Ja**
53. **Compsomantis robusta Werner,1923** (Mantidae) Synonym(s): *robusta* Werner,1923 **MY Bor**
54. **Compsomantis semirufula (Westwood,1889)** (Mantidae) Synonym(s): *semirufula* Westwood,1889 **MY Bor Swk ID Sda**
55. **Conops annulosus Bigot,1887** (Conopidae) Synonym(s): *annulosus* Bigot,1887 **ID CN IN MY**
56. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
57. **Creobroter episcopalis Stal,1877** (Hymenopodidae) Synonym(s): *episcopalis* Stal,1877 **MY Bor**
58. **Creobroter granulicollis Saussure,1870** (Hymenopodidae) Synonym(s): *granulicollis* Saussure,1870 **MY Bor ID Sum Ja**
59. **Creobroter labuanae (Hebard,1920)** (Hymenopodidae) Synonym(s): *labuanae* Hebard,1920 **MY Bor BN**
60. **Creobroter sumatranus (De Haan,1842)** (Hymenopodidae) Synonym(s): *sumatranus* De Haan,1842 **ID Sum Ja MY Prk**
61. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus* Fabricius,1775 **IN MM VN CN ID Sum Ja MY Bor PH**
62. **Culicoides acanthostomus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *acanthostomus* Wirth & Hubert,1989 **MY**
63. **Culicoides albibasis Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *albibasis* Wirth & Hubert,1959 **MY**
64. **Culicoides allantothecus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *allantothecus* Wirth & Hubert,1989 **MY**
65. **Culicoides anophelis Edwards,1922** (Ceratopogonidae) Synonym(s): *anophelis* Edwards,1922 **IN MY**
66. **Culicoides barnetti Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *barnetti* Wirth & Hubert,1959 **MY**
67. **Culicoides bigeminus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *bigeminus* Wirth & Hubert,1989 **MY**
68. **Culicoides boophagus Macfie,1937** (Ceratopogonidae) Synonym(s): *boophagus* Macfie,1937 **MY**
69. **Culicoides boormani Giles & Wirth,1985** (Ceratopogonidae) Synonym(s): *boormani* Giles & Wirth,1985 **MY**
70. **Culicoides brinchangensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *brinchangensis* Wirth & Hubert,1989 **MY**

71. **Culicoides buckleyi Macfie,1937** (Ceratopogonidae) Synonym(s): *buckleyi Macfie,1937* MY
72. **Culicoides calcaratus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *calcaratus Wirth & Hubert,1989* MY
73. **Culicoides cameronensis Kitaoka,1983** (Ceratopogonidae) Synonym(s): *cameronensis Kitaoka,1983* MY
74. **Culicoides carpophilus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *carpophilus Wirth & Hubert,1989* MY
75. **Culicoides cheahi Kitaoka,1983** (Ceratopogonidae) Synonym(s): *cheahi Kitaoka,1983* MY
76. **Culicoides cordiger Macfie,1934** (Ceratopogonidae) Synonym(s): *cordiger Macfie,1934* MY
77. **Culicoides cylindripalpis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *cylindripalpis Wirth & Hubert,1989* MY
78. **Culicoides delfinadoe Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *delfinadoe Wirth & Hubert,1989* MY
79. **Culicoides divisus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *divisus Wirth & Hubert,1989* MY
80. **Culicoides dryadeus Wirth & Hubert,1972** (Ceratopogonidae) Synonym(s): *dryadeus Wirth & Hubert,1972* MY
81. **Culicoides dungunensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *dungunensis Wirth & Hubert,1989* MY
82. **Culicoides elbeli Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *elbeli Wirth & Hubert,1959* MY
83. **Culicoides fadzili Kitaoka,1983** (Ceratopogonidae) Synonym(s): *fadzili Kitaoka,1983* MY
84. **Culicoides flavescens Macfie,1937** (Ceratopogonidae) Synonym(s): *flavescens Macfie,1937* MY
85. **Culicoides flaviscutellaris Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *flaviscutellaris Wirth & Hubert,1989* MY
86. **Culicoides flumineus Macfie,1937** (Ceratopogonidae) Synonym(s): *flumineus Macfie,1937* MY
87. **Culicoides fordae Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *fordae Wirth & Hubert,1989* MY
88. **Culicoides garciai Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *garciai Wirth & Hubert,1989* MY
89. **Culicoides gemellus Macfie,1934** (Ceratopogonidae) Synonym(s): *gemellus Macfie,1934* MY
90. **Culicoides geminus Macfie,1937** (Ceratopogonidae) Synonym(s): *geminus Macfie,1937* MY
91. **Culicoides gentilis Macfie,1934** (Ceratopogonidae) Synonym(s): *gentilis Macfie,1934* MY
92. **Culicoides gouldi Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *gouldi Wirth & Hubert,1989* MY
93. **Culicoides gymnopterus Edwards,1926** (Ceratopogonidae) Synonym(s): *gymnopterus Edwards,1926* MY
94. **Culicoides hoffmanioides Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *hoffmanioides Wirth & Hubert,1989* MY
95. **Culicoides insignipennis Macfie,1937** (Ceratopogonidae) Synonym(s): *insignipennis Macfie,1937* MY
96. **Culicoides jefferyi Kitaoka,1983** (Ceratopogonidae) Synonym(s): *jefferyi Kitaoka,1983* MY
97. **Culicoides kelantanensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *kelantanensis Wirth & Hubert,1989* MY
98. **Culicoides kepongensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *kepongensis Wirth & Hubert,1989 nec Lee,1988* MY
99. **Culicoides klossi Edwards,1933** (Ceratopogonidae) Synonym(s): *klossi Edwards,1933* MY
100. **Culicoides luteolus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *luteolus Wirth & Hubert,1989* MY
101. **Culicoides maai Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *maai Wirth & Hubert,1989* MY
102. **Culicoides macclurei Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *macclurei Wirth & Hubert,1989* MY
103. **Culicoides malayae Macfie,1937** (Ceratopogonidae) Synonym(s): *malayae Macfie,1937* MY
104. **Culicoides manikumari Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *manikumari Wirth & Hubert,1989* MY
105. **Culicoides mellipes Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *mellipes Wirth & Hubert,1989* MY
106. **Culicoides minimus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *minimus Wirth & Hubert,1989* MY
107. **Culicoides minipalpis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *minipalpis Wirth & Hubert,1989* MY
108. **Culicoides nitens Edwards,1933** (Ceratopogonidae) Synonym(s): *nitens Edwards,1933* MY
109. **Culicoides orestes Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *orestes Wirth & Hubert,1989* MY

110. **Culicoides orientalis Macfie,1932** (Ceratopogonidae) Synonym(s): *orientalis Macfie,1932* **MY**
111. **Culicoides palpisimilis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *palpisimilis Wirth & Hubert,1989* **MY**
112. **Culicoides pangkorensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *pangkorensis Wirth & Hubert,1989* **MY**
113. **Culicoides parabarnetti Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *parabarnetti Wirth & Hubert,1989* **MY**
114. **Culicoides parabubalus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *parabubalus Wirth & Hubert,1989* **MY**
115. **Culicoides parahumeralis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *parahumeralis Wirth & Hubert,1989* **MY**
116. **Culicoides paramalayae Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *paramalayae Wirth & Hubert,1989* **MY**
117. **Culicoides pendleburyi Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *pendleburyi Wirth & Hubert,1989* **MY**
118. **Culicoides perakensis Kitaoka,1983** (Ceratopogonidae) Synonym(s): *perakensis Kitaoka,1983* **MY Prk**
119. **Culicoides pictilis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *pictilis Wirth & Hubert,1989* **MY**
120. **Culicoides prolixipalpis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *prolixipalpis Wirth & Hubert,1989* **MY**
121. **Culicoides pseudocordiger Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *pseudocordiger Wirth & Hubert,1989* **MY**
122. **Culicoides quatei Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *quatei Wirth & Hubert,1989* **MY**
123. **Culicoides rugulithecus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *rugulithecus Wirth & Hubert,1989* **MY**
124. **Culicoides sarawakensis Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *sarawakensis Wirth & Hubert,1959* **MY Bor Swk**
125. **Culicoides selangorensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *selangorensis Wirth & Hubert,1989* **MY**
126. **Culicoides subpalpifer Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *subpalpifer Wirth & Hubert,1989 nec Lee,1988* **MY**
127. **Culicoides sumatrae Macfie,1934** (Ceratopogonidae) Synonym(s): *sumatrae Macfie,1934* **MY ID Sum**
128. **Culicoides tawauensis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *tawauensis Wirth & Hubert,1989* **MY**
129. **Culicoides tenuifasciatus Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *tenuifasciatus Wirth & Hubert,1989* **MY**
130. **Culicoides trimaculipennis Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *trimaculipennis Wirth & Hubert,1989* **MY**
131. **Dasyhelea ampullariae Macfie,1934** (Ceratopogonidae) Synonym(s): *ampullariae Macfie,1934* **MY**
132. **Dasyhelea biseriata Wirth & Beaver,1979** (Ceratopogonidae) Synonym(s): *biseriata Wirth & Beaver,1979* **MY**
133. **Deroplatys angustata Westwood,1841** (Mantidae) Synonym(s): *angustata Westwood,1841* **MM MY ID Sum Ja Bor**
134. **Deroplatys desiccata Westwood,1839** (Mantidae) Synonym(s): *desiccata Westwood,1839* **MY Bor ID Sum Ja**
135. **Deroplatys lobata (Guérin-Méneville,1838)** (Mantidae) Synonym(s): *lobata Guérin-Méneville,1838* **TH MY Bor ID Ja**
136. **Deroplatys moultoni Giglio-Tos,1917** (Mantidae) Synonym(s): *moultoni Giglio-Tos,1917* **MY Bor**
137. **Deroplatys rhombica (De Haan,1842)** (Mantidae) Synonym(s): *rhombica De Haan,1842; palliata De Haan,1842* **MY Bor Ja Sum ID**
138. **Deroplatys sarawaca Westwood,1889** (Mantidae) Synonym(s): *sarawaca Westwood,1889* **MY Bor Swk**
139. **Deroplatys shelfordi Kirby,1903** (Mantidae) Synonym(s): *shelfordi Kirby,1903* **MY Bor Swk**
140. **Deroplatys trigonodera Westwood,1889** (Mantidae) Synonym(s): *trigonodera Westwood,1889* **MY ID Sum PG**
141. **Deroplatys truncata (Guérin-Méneville,1843)** (Mantidae) Synonym(s): *truncata Guérin-Méneville,1843; siccifolium Saussure,1870* **MY ID Sum Ja PG**
142. **Desmatoneura sarawaka Evenhuis,1982** (Bombyliidae) Synonym(s): *sarawaka Evenhuis,1982* **MY Bor Swk**
143. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus Hansson & LaSalle,1996* **IN Up ID Clb Ja MY ZA TW TZ VN**

144. **Dioctria flavipennis Meigen, 1820** (Asilidae) Synonym(s): *flavipennis* Meigen, 1820; *aurifrons* Meigen, 1820 **FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ**
145. **Ectatops notatus Stehlik & Jindra, 2006** (Pyrrhocoridae) Synonym(s): *notatus* Stehlik & Jindra, 2006 **MY Bor Swk**
146. **Empusa pennicornis (Pallas, 1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus, 1763; *pennicornis* Pallas, 1773; *pallasiana* Olivier, 1792; *marginatus* Thunberg, 1815; *orientalis* Burmeister, 1838; *stolli* Saussure, 1871; *attenuata* Ramme, 1951; *mujuncumica* Lindt, 1976; *hodshamuminica* Lindt, 1976; *brevidorsa* Lindt, 1977; *buharica* Lindt, 1977; *condarinica* Lindt, 1977; *copetdagica* Lindt, 1977; *iliense* Lindt, 1977; *longidorsa* Lindt, 1977; *angulata* Lindt, 1978; *baysunica* Lindt, 1978; *similis* Lindt, 1978; *longoapicale* Lindt, 1979; *luppovae* Lindt, 1979; *orientalis* Lindt, 1979 nec Burm., 1838; *lindti* Otte, 2004 **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY**
147. **Eocanthocon rufescens (Vollenhoven, 1868)** (Pentatomidae) Synonym(s): *rufescens* Vollenhoven, 1868; *similis* Jensen-Haarup, 1931 **Bor MY ID Ja Sum**
148. **Euchomenella heteroptera (De Haan, 1842)** (Mantidae) Synonym(s): *heteroptera* De Haan, 1842 **MY ID Sum Ja Bor Clb PH**
149. **Euchomenella matilei Roy, 2001** (Mantidae) Synonym(s): *matilei* Roy, 2001 **MY Bor**
150. **Eurytoma rosae Nees, 1834** (Eurytomidae) Synonym(s): *rosae* Nees, 1834; *pubicornis* Boheman, 1836 **TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU**
151. **Gimantis insulans Beier, 1937** (Mantidae) Synonym(s): *insulans* Beier, 1937 **MY Bor Swk**
152. **Glycyphana (Glycyphaniola) quadricolor (Wiedemann, 1823)** (Scarabaeidae) Synonym(s): *quadricolor* Wiedemann, 1823 **ID Sum Ja Bor MY LA VN MM Ass IN**
153. **Glycyphana pygmaea Mohnike** (Scarabaeidae) Synonym(s): **MY**
154. **Glyptomorpha pectoralis (Brullé, 1832)** (Braconidae) Synonym(s): *pectoralis* Brullé, 1832 **TR MY Bor ID PK IN CN Cc TR RU MN KG**
155. **Gnamptogenys biloba Latkke, 2004** (Formicidae) Synonym(s): *biloba* Latkke, 2004 **MY Bor**
156. **Gnamptogenys binghamii (Forel, 1900)** (Formicidae) Synonym(s): *binghamii* Forel, 1900; *borneensis* Emery, 1900 **MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMa Dst Pbu ID Clb**
157. **Gnamptogenys chapmani Brown, 1958** (Formicidae) Synonym(s): *chapmani* Brown, 1958 **ID Ja MY Bor Sbh PH Neg TH**
158. **Gnamptogenys costata (Emery, 1889)** (Formicidae) Synonym(s): *costata* Emery, 1889; *unicolor* Forel, 1901; *parva* Forel, 1913; *simalurensis* Forel, 1915; *pinealis* Wheeler, 1929; *wallacei* Donisthorpe, 1932 **MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMa CDo Tng Nrt MY Bor Sbh BN Swk**
159. **Gnamptogenys crassicornis (Forel, 1912)** (Formicidae) Synonym(s): *crassicornis* Forel, 1912; *spiralis* Karavaiev, 1925 **ID Sum Ja MY**
160. **Gnamptogenys cribrata (Emery, 1900)** (Formicidae) Synonym(s): *cribrata* Emery, 1900; *diehlii* Forel, 1901; *dammermani* Wheeler, 1924 **MY Bor Sbh KBa Swk PH Neg SG TH PG ID Ja**
161. **Gnamptogenys delta Latkke, 2004** (Formicidae) Synonym(s): *delta* Latkke, 2004 **MY**
162. **Gnamptogenys fontana Latkke, 2004** (Formicidae) Synonym(s): *fontana* Latkke, 2004 **MY Bor Sbh**
163. **Gnamptogenys gabata Latkke, 2004** (Formicidae) Synonym(s): *gabata* Latkke, 2004 **MY Bor Swk**
164. **Gnamptogenys helisa Latkke, 2004** (Formicidae) Synonym(s): *helisa* Latkke, 2004 **MY Bor**
165. **Gnamptogenys hyalina Latkke, 2004** (Formicidae) Synonym(s): *hyalina* Latkke, 2004 **SG MY**
166. **Gnamptogenys lacunosa Latkke, 2004** (Formicidae) Synonym(s): *lacunosa* Latkke, 2004 **MY Bor Sbh KBa**
167. **Gnamptogenys laevior (Forel, 1905)** (Formicidae) Synonym(s): *laevior* Forel, 1905; *avia* Forel, 1912; *kalabit* Brown, 1958 **MY Bor Swk Sbh ID Clb Ja PH Luz**
168. **Gnamptogenys leiolabia Latkke, 2004** (Formicidae) Synonym(s): *leiolabia* Latkke, 2004 **MY Bor Sbh**
169. **Gnamptogenys menadensis (Mayr, 1887)** (Formicidae) Synonym(s): *menadensis* Mayr, 1887; *stylata* Menozi, 1925; *obscura* Santschi, 1932 **ID Clb Sum MY Pah Bor Sbh Swk PH Luz Neg PG**
170. **Gnamptogenys ortostoma Latkke, 2004** (Formicidae) Synonym(s): *ortostoma* Latkke, 2004 **TH CMa MY SG Bor**
171. **Gnamptogenys palamala Latkke, 2004** (Formicidae) Synonym(s): *palamala* Latkke, 2004 **MY Swk Bor**
172. **Gnamptogenys paso Latkke, 2004** (Formicidae) Synonym(s): *paso* Latkke, 2004 **MY**
173. **Gnamptogenys polytretra Latkke, 2004** (Formicidae) Synonym(s): *polytretra* Latkke, 2004 **MY Pah**
174. **Gnamptogenys posteropsis (Gregg, 1951)** (Formicidae) Synonym(s): *posteropsis* Gregg, 1951 **ID Sum MY Bor Sbh Swk PH Luz Neg**
175. **Gnamptogenys rugodens Latkke, 2004** (Formicidae) Synonym(s): *rugodens* Latkke, 2004 **MY Bor Swk**
176. **Gnamptogenys sila Latkke, 2004** (Formicidae) Synonym(s): *sila* Latkke, 2004 **MY Bor Sbh**
177. **Gonypeta borneana Giglio-Tos, 1915** (Mantidae) Synonym(s): *borneana* Giglio-Tos, 1915 **MY Bor**
178. **Gonypeta brunneri Giglio-Tos, 1915** (Mantidae) Synonym(s): *brunneri* Giglio-Tos, 1915 **MM MY**
179. **Gonypeta humberiana Saussure, 1869** (Mantidae) Synonym(s): *punctata* De Haan, 1842 nec Stoll, 1813; *humberiana* Saussure, 1869; *lateralis* Werner, 1933 **LK IN MY ID Ja Sum**
180. **Gonypeta simplex Beier, 1930** (Mantidae) Synonym(s): *simplex* Beier, 1930 **SG MY**

181. **Gryllotalpa fulvipes Saussure,1877** (Gryllotalpidae) Synonym(s): *fulvipes Saussure,1877*; *nigripennis Chopard,1929* **MY SG**
182. **Gyranoidea flava Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *flava Shafee, Alam & Agarwal,1975* **IN Up ID Ja Bli KE MY PH**
183. **Gyranoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* **BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG**
184. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775*; *affinis Schrank,1781*; *bifoveolatus Kuster,1846*; *paganettii Flach,1907* **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY**
185. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812*; *sobrinus Dejean,1829*; *serdicanus Apfelbeck,1904* **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY**
186. **Hierodula borneana Werner,1933** (Mantidae) Synonym(s): *borneana Werner,1933* **MY Bor**
187. **Hierodula cuchingina Giglio-Tos,1917** (Mantidae) Synonym(s): *cuchingina Giglio-Tos,1917* **MY Bor**
188. **Hierodula dolichoptera Werner,1933** (Mantidae) Synonym(s): *dolichoptera Werner,1933* **MY Bor**
189. **Hierodula dubia (Giglio-Tos,1912)** (Mantidae) Synonym(s): *dubia Giglio-Tos,1912* **MY Bor**
190. **Hierodula dyaka Westwood,1889** (Mantidae) Synonym(s): *dyaka Westwood,1889* **IN ID Sum Ja MY Bor**
191. **Hierodula everetti Kirby,1904** (Mantidae) Synonym(s): *everetti Kirby,1904* **MY Bor ID Flo**
192. **Hierodula formosana Giglio-Tos,1912** (Mantidae) Synonym(s): *formosana Giglio-Tos,1912* **TW MY ID Sum Ja Sda**
193. **Hierodula gracilicollis Stal,1877** (Mantidae) Synonym(s): *gracilicollis Stal,1877* **TH MY Bor**
194. **Hierodula heteroptera (Werner,1906)** (Mantidae) Synonym(s): *heteroptera Werner,1906* **MY Bor ID Sda**
195. **Hierodula malaya Stal,1877** (Mantidae) Synonym(s): *malaya Stal,1877* **MY**
196. **Hierodula microdon Werner,1933** (Mantidae) Synonym(s): *microdon Werner,1933* **MY Bor**
197. **Hierodula modesta Brunner von Wattenwyl,1898** (Mantidae) Synonym(s): *modesta Brunner von Wattenwyl,1898*; *dentata Beier,1942* **MY Bor ID Clb**
198. **Hierodula prosternalis (Werner,1916)** (Mantidae) Synonym(s): *prosternalis Werner,1916* **MY**
199. **Hierodula quadripunctata Werner,1930** (Mantidae) Synonym(s): *quadripunctata Werner,1930* **MY Bor Swk**
200. **Hierodula striata Giglio-Tos,1917** (Mantidae) Synonym(s): *striata Giglio-Tos,1917* **MY**
201. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata Saussure,1869*; *heterodera Westwood,1889*; *westwoodi Kirby,1904* **IN NP MY Bor Sda TM Ui CN**
202. **Hierodula tenuis Giglio-Tos,1912** (Mantidae) Synonym(s): *tenuis Giglio-Tos,1912* **MY ID Sum**
203. **Hierodula venosa (Olivier,1792)** (Mantidae) Synonym(s): *venosa Olivier,1792*; *conspurcata Lichtenstein,1796*; *punctata Stoll,1813*; *vitrea Stoll,1813*; *hybrida Burmeister,1838*; *bankae Giebel,1861*; *similis Giebel,1861*; *daphne Stal,1877*; *athene Rehn,1909* **MY Bor IN Ja Sum PH MM**
204. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780* **Ch NP CN MY Cc AZ GG TR IR AM**
205. **Laloides auripes (Bromley,1930)** (Asilidae) Synonym(s): *auripes Bromley,1930* **MY**
206. **Laloides productus (Walker,1857)** (Asilidae) Synonym(s): *productus Walker,1857* **MY Bor**
207. **Liacos erythrosoma (Burmeister,1854)** (Scoliidae) Synonym(s): *erythrosoma Burmeister,1854*; *penangensis Saussure,1855*; *analis Saussure,1864* **MY Pen TH CMa Phu ID Sum**
208. **Macronychia (Thomaspapeia) malayana Kurahashi & Pape,1996** (Sarcophagidae) Synonym(s): *malayana Kurahashi & Pape,1996* **MY**
209. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* **Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
210. **Montrouzieriellus borneensis (Distant,1900)** (Pentatomidae) Synonym(s): *borneensis Distant,1900* **MY Bor**
211. **Montrouzieriellus laetus (Walker,1867)** (Pentatomidae) Synonym(s): *laetus Walker,1867*; *dotatus Walker,1867*; *semiscitus Walker,1867*; *decorata Vollenhoven,1868* **ID Clb MY PG Mlc**
212. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* **IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN**
213. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* **RU TR IN CN TH MY**
214. **Myrcinus tuberosus Stal,1877** (Mantidae) Synonym(s): *tuberosus Stal,1877* **MY Bor**
215. **Mythomantis confusa (Westwood,1889)** (Mantidae) Synonym(s): *heteroptera De Haan,1842*; *confusa Westwood,1889* **ID Clb Ja Bor MY**
216. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons Macquart,1851* **MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW**

217. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens* Walker,1856 **MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN**
218. **Neomyia gavisia (Walker,1859)** (Muscidae) Synonym(s): *gavisia* Walker,1859 **MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK**
219. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica* Robineau-Desvoidy,1830 **IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw**
220. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta* Wiedemann,1830 **MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry**
221. **Neomyia rufitarsis (Stein,1920)** (Muscidae) Synonym(s): *rufitarsis* Stein,1920 **MM ID Ja MY TH**
222. **Odontomantis micans (Saussure,1871)** (Hymenopodidae) Synonym(s): *micans* Saussure,1871 **IN LK TH MY Bor ID Sda**
223. **Odontomantis montana Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *montana* Giglio-Tos,1915 **IN MY ID Sum**
224. **Odontomantis planiceps (De Hahn,1842)** (Hymenopodidae) Synonym(s): *planiceps* De Hahn,1842; *javana* Giglio-Tos,1915 **ID Sum Mw Ja MY Bor**
225. **Odontomantis rhyssa Werner,1930** (Hymenopodidae) Synonym(s): *rhyssa* Werner,1930 **MY Bor**
226. **Oligomantis orientalis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *orientalis* Giglio-Tos,1915 **MY SG ID Sum**
227. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis* Selys,1891 **CN Hn IN LK MM MY TH PH SG Bor Sbh**
228. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 **CN ID IN JP LK MM MY TH PH VN TW Bor Sbh**
229. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
230. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum* Burmeister,1839 **CN Hn MM MY TH PH TW VN Bor Sbh**
231. **Pachymantis bicingulata De Haan,1842** (Hymenopodidae) Synonym(s): *bicingulata* De Haan,1842 **ID Sum Ja MY Bor**
232. **Pachymantis dohertii (Wood-Mason,1890)** (Hymenopodidae) Synonym(s): *dohertii* Wood-Mason,1890 **MY Prk**
233. **Palorus (Circomus) subdepressus Wollaston,1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864 **TR NG Bor Swk MY ZA ZR**
234. **Phyllothelys decipiens Giglio-Tos,1915** (Mantidae) Synonym(s): *decipiens* Giglio-Tos,1915 **IN MY Bor ID Ja**
235. **Platylomia saturata (Walker,1858)** (Cicadidae) Synonym(s): *saturata* Walker,1858 **TH MY Prk**
236. **Pliacanthopus (Malayamantis) flavus (Giglio-Tos,1915)** (Iridopterygidae) Synonym(s): *flava* Giglio-Tos,1915 **MY Bor Swk**
237. **Pliacanthopus (Malayamantis)³⁵ malayanus (Beier,1931)** (Iridopterygidae) Synonym(s): *malayana* Beier,1931 **MY**
238. **Pliacanthopus (Oligocanthopus) ornata (Beier,1931)** (Iridopterygidae) Synonym(s): *ornata* Beier,1931 **MY Bor**
239. **Pliacanthopus (s.str.) mantispoides (Hebard,1920)** (Iridopterygidae) Synonym(s): *mantispoides* Hebard,1920 **MY Bor Swk**
240. **Protidricerus irene Van der Weele,1909** (Ascalaphidae) Synonym(s): *irene* Van der Weele,1909 **MY Bor**
241. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
242. **Rhombodera basalis (De Haan,1842)** (Mantidae) Synonym(s): *basalis* De Haan,1842; *deflexa* Saussure,1871 **IN TH MY ID Ja Bor**
243. **Rhombodera fraticida (Wood-Mason,1878)** (Mantidae) Synonym(s): *fraticida* Wood-Mason,1878 **IN MY Bor Sda**
244. **Rhombodera laticollis (Burmeister,1838)** (Mantidae) Synonym(s): *laticollis* Burmeister,1838 **ID Ja MY**
245. **Rhombodera valida (Burmeister,1838)** (Mantidae) Synonym(s): *valida* Burmeister,1838; *rotunda* Giglio-Tos,1917 **CN IN JP MY ID Ja Mlc Tim**
246. **Rhombodera woodmasoni (Werner,1931)** (Mantidae) Synonym(s): *woodmasoni* Werner,1931 **IN NP MY**
247. **Ricania speculum (Walker,1851)** (Ricaniiidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, **List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**

³⁵ specific name established by the authors.

248. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
249. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG
250. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 IN VN CN KP KR JP MM MY Bor ID Sum Ja PH
251. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
252. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno
253. **Tenodera australasiae (Leach,1814)** (Mantidae) Synonym(s): *australasiae* Leach,1814; *darchii* Mac Leay,1827; *tessellata* Burmeister,1838; *intermedia* Saussure,1870 ZA GU MY Re PG Bsm NBr AU
254. **Tenodera blanchardi Giglio-Tos,1912** (Mantidae) Synonym(s): *?fusca* Blanchard,1853; *blanchardi* Giglio-Tos,1912; AU PG Bsm Bor MY IN ID Mlc Clb
255. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH
256. **Tenodera superstitiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
257. **Unalianus³⁶ heteracanthus (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *heteracanthus* Redtenbacher,1891 TH VN KH ID Ja MM MY
258. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US

³⁶ the genus established by the authors.

Synonymic and distributional list of the pterygot insects of Nepal

(Results of the Entomofauna of the World based upon info-system of the Cesa)

18

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Nepal (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 18.

Priamus (suppl.) 18: 784-787.

In this study, totally 82 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Nepal recorded in info-sytem of the Cesa, total pterygot species of Nepal increase to 1320.

Key words: List, distribution, *pterygota*, *Insecta*, Nepal.

Brief explanatory information:

Previously published articles	yes ³⁷
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 82 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1238 recorded species of Lepidoptera from Nepal are found. Taking this information into consideration, total number of the pterygots may increase to 1320.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetomalachius nepalensis Majer** (Melyridae) Synonym(s): **NP**
2. **Achaetomalachius tenuicornis Majer** (Melyridae) Synonym(s): **IN NP**
3. **Amantis bolivarii Giglio-Tos,1915** (Mantidae) Synonym(s): *bolivarii Giglio-Tos,1915* **NP MM**
4. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
5. **Amorphoscelis annulicornis Stal,1871** (Amorphoscelidae) Synonym(s): *annulicornis Stal,1871; indica Giglio-Tos,1915; keiseri Beier,1956* **LK IN NP MY**

³⁷ Koçak,A.Ö. & M.Kemal,2008, Nomenclatural notes on the genus-group names in the order Coleoptera. *Cent. ent. Stud., Misc. Pap.* 144: 5.- Koçak,A.Ö. & M.Kemal, 2010, Nomenclatural notes on the genus group names of the families Veliidae and Tingidae (Hemiptera). *Priamus* 12 (6): 151-152.

6. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans Noyes,2000* TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
7. **Aphelinus asychis Walker,1839** (Aphelinidae) Synonym(s): *asychis Walker,1839; euthria Walker,1839; affinis Förster,1841; brevicelear Thomson,1876; dubia Kurdjumov,1913; brachyptera Kurdjumov,1913* Aphelinus asychis Walker,1839, Monographia Chalciditum 1: 2-3. TR GB PK IN Hp Ass Ch Meg Up Ben NP
8. **Ascalaphus procax Walker,1853** (Ascalaphidae) Synonym(s): *procax Walker,1853* NP
9. **Bembecinus proximus Handlirsch,1892** (Crabronidae) Synonym(s): *proximus Handlirsch,1892* SA PK IN NP YE
10. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
11. **Bolivaria xanthoptera (Olivier,1792)** (Mantidae) Synonym(s): *xanthoptera Olivier,1792* TJ Ui CN IN NP
12. **Bombylisoma resplendens (Brunetti,1909)** (Bombyliidae) Synonym(s): *resplendens Brunetti,1909* IN Ass SI Up Hp NP LK TH
13. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
14. **Boriomyia amseli Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *amseli Aspöck & Aspöck,1966* Boriomyia amseli Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 77-78, figs. Holotype ♂: Afghanistan centr.: östl. Band-i-Amir, 3600m 29.7.1963 leg. E. & A. Vartian & Kasy (coll. Aspöck). AF NP
15. **Brachymeria albicus (Klug,1834)** (Chalcididae) Synonym(s): *albicus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
16. **Cazira frivaldskyi Horvath,1889** (Pentatomidae) Synonym(s): *frivaldskyi Horvath,1889* NP BT IN CN
17. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta Fabricius,1801; flavomaculata Chevrolat,1845* Cicindela aurulenta Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
18. **Creobroter apicalis Saussure,1869** (Hymenopodidae) Synonym(s): *apicalis Saussure,1869* IN NP BD CN ID Ja
19. **Dasyvalgus podicaris (Blanchard,1850)** (Scarabaeidae) Synonym(s): *podicaris Blanchard,1850* IN NP BT
20. **Dasyvalgus sabatinellii Ricchiardi,1994** (Scarabaeidae) Synonym(s): *sabatinellii Ricchiardi,1994* NP
21. **Dasyvalgus submontanus Ricchiardi,1994** (Scarabaeidae) Synonym(s): *submontanus Ricchiardi,1994* NP
22. **Deiphobe brunneri (Saussure,1871)** (Mantidae) Synonym(s): *brunneri Saussure,1871* IN NP
23. **Deiphobe incisa Werner,1933** (Mantidae) Synonym(s): *incisa Werner,1933* IN MM NP?
24. **Deiphobe infuscata (Saussure,1870)** (Mantidae) Synonym(s): *infuscata Saussure,1870* IN NP LK
25. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
26. **Didymocorypha lanceolata (Fabricius,1798)** (Irididae) Synonym(s): *lanceolata Fabricius,1798; ensifera Wood-Mason,1877; gracilipes Stal,1877* IN NP LK
27. **Dysaules himalayanus Wood-Mason,1889** (Irididae) Synonym(s): *himalayanus Wood-Mason,1889* IN Hp NP
28. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
29. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s): *horsfieldi Hope,1831; marginicollis Gory & Percheron,1833* IN Ass Meg MM NP CN TW LA TH BD Syl
30. **Glycyphana (Glycyphaniola) nepalensis Kraatz,1894** (Scarabaeidae) Synonym(s): *nepalensis Kraatz,1894; roquesi Bourgoin,1916* RU VN NP IN CN Yu
31. **Gonypetyllis semuncialis Wood-Mason,1891** (Mantidae) Synonym(s): *semuncialis Wood-Mason,1891; liliputana Beier,1930* NP IN
32. **Gryllotalpa obscura Chopard,1966** (Gryllotalpidae) Synonym(s): *obscura Chopard,1966* NP
33. **Gryllotalpa orientalis Burmeister,1838** (Gryllotalpidae) Synonym(s): *orientalis Burmeister,1838* NP BT
34. **Gryllotalpa pygmaea Ingrisch,1990** (Gryllotalpidae) Synonym(s): *pygmaea Ingrisch,1990* NP
35. **Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans Meigen,1824* AM Cc Eri GG TR IN NP

36. **Hierodula coarctata Saussure,1869** (Mantidae) Synonym(s): *coarctata Saussure,1869* IN ID Ja PK NP
37. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea Burmeister,1838* CN IN ID Ja TH NP LK
38. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata Saussure,1869; heterodera Westwood,1889; westwoodi Kirby,1904* IN NP MY Bor Sda TM Ui CN
39. **Hladilium molestum Majer,1996** (Melyridae) Synonym(s): *molestum Majer,1996* NP
40. **Hladilium obsitanum Majer,1996** (Melyridae) Synonym(s): *obsitanum Majer,1996* NP
41. **Hladilium perplexum Majer,1996** (Melyridae) Synonym(s): *perplexum Majer,1996* NP
42. **Hydrotaea dentipes (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes Fabricius,1805* Cc Eri AM TR GG IN NP CN
43. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780* Ch NP CN MY Cc AZ GG TR IR AM
44. **Iris orientalis Wood-Mason,1882** (Irididae) Synonym(s): *orientalis Wood-Mason,1882* IN Clc NP AF PK ID Ja
45. **Lamellipalodes montanus Wittmer,1995** (Lampyridae) Synonym(s): *montanus Wittmer,1995* NP
46. **Lamellipalodes nepalensis Wittmer,1995** (Lampyridae) Synonym(s): *nepalensis Wittmer,1995* NP
47. **Lamellipalpus longipalpis Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *longipalpis Brancucci & Geiser,2009* NP
48. **Lucanus (Pseudolucanus) atratus Hope,1831** (Lucanidae) Synonym(s): *atratus Hope,1831* IN SI Djl Ass NP
49. **Lucanus (Pseudolucanus) confusus (Boucher,1994)** (Lucanidae) Synonym(s): *confusus Boucher,1994* IN SI Djl NP BT
50. **Lucanus (Pseudolucanus) gracilis Albers,1889** (Lucanidae) Synonym(s): *gracilis Albers,1889* IN SI Ass NP BT CN Ti
51. **Lucanus (Pseudolucanus) groulti (Planet,1897)** (Lucanidae) Synonym(s): *groulti Planet,1897* PK Nwf IN Up NP
52. **Lucanus (Pseudolucanus) oberthuri (Planet,1896)** (Lucanidae) Synonym(s): *oberthuri Planet,1896* IN SI NP
53. **Melanogryllus chopardi Bei-Bienko,1968** (Gryllidae) Synonym(s): *chopardi Bei-Bienko,1968* NP
54. **Melanogryllus conscitus (Walker,1869)** (Gryllidae) Synonym(s): *conscitus Walker,1869; niger Saussure,1877* NP
55. **Memantis anomala Lombardo,1993** (Mantidae) Synonym(s): *anomala Lombardo,1993* NP
56. **Memantis fuliginosa (Thunberg,1815)** (Mantidae) Synonym(s): *fuliginosa Thunberg,1815; femorata Saussure,1870; consobrina Saussure,1871* IN MM NP
57. **Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius Panzer,1805* TR CN NP IN
58. **Mimothrix cyanea Majer,1995** (Melyridae) Synonym(s): *cyanea Majer,1995* NP
59. **Mimothrix matsumurai Majer,1995** (Melyridae) Synonym(s): *matsumurai Majer,1995* NP
60. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
61. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis Malloch,1923* MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW
62. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons Macquart,1851* MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW
63. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri Emden,1965* MM LK IN Ass Ben NP TH VN
64. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis Walker,1859* MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK
65. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta Wiedemann,1830* MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry
66. **Neovalgus pictus (Hope,1831)** (Scarabaeidae) Synonym(s): *pictus Hope,1831* NP
67. **Osmia (Helicosmia) adae Bingham,1897** (Megachilidae) Synonym(s): *adae Bingham,1897* PK IN NP
68. **Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus Selys & Hagen,1850* TR IR IN NP MM
69. **Platigundezia³⁸ unicus (Platia & Gundezi,2000)** (Elateridae) Synonym(s): *unicus Platia & Gundezi,2000* NP Kdu
70. **Platycoleis (Decorana) concinna (Walker,1869)** (Tettigoniidae) Synonym(s): *concinna Walker,1869* NP
71. **Polyneura ducalis Westwood,1842** (Cicadidae) Synonym(s): *ducalis Westwood,1842* NP IN MM SI Ass Meg Djl Rgo CN Ti

³⁸ genus name established by the authors.

72. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
73. **Rhombodera butleri (Wood-Mason,1878)** (Mantidae) Synonym(s): *butleri* Wood-Mason,1878 **IN NP**
74. **Rhombodera tectifformis (Saussure,1870)** (Mantidae) Synonym(s): *tectifformis* Saussure,1870 **IN MM NP**
75. **Rhombodera woodmasoni (Werner,1931)** (Mantidae) Synonym(s): *woodmasoni* Werner,1931 **IN NP MY**
76. **Scathophaga mellipes (Coquillet,1899)** (Scathophagidae) Synonym(s): *mellipes* Coquillet,1899; *chinensis* Malloch,1935 **KP KR JP CN TW NP IN RU**
77. **Schizocephala bicornis (Linnaeus,1758)** (Mantidae) Synonym(s): *bicornis* Linnaeus,1758; *oculata* Fabricius,1781; *stricta* Olivier,1792 **IN NP LK ID Sda**
78. **Schizodactylus brevinotus Ingrisch,2002** (Schizodactylidae) Synonym(s): *brevinotus* Ingrisch,2002 **NP**
79. **Schoenomyza litorella (Fallén,1823)** (Muscidae) Synonym(s): *litorella* Fallén,1823 **AM Cc GG TR PK NP**
80. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
81. **Velia (Cesavelia)³⁹ tomokunii Polhemus & Polhemus,2003** (Veliidae) Synonym(s): *tomokunii* Polhemus & Polhemus,2003 **NP**
82. **Villa approximata Brunetti,1917** (Bombyliidae) Synonym(s): *approximata* Brunetti,1917 **MM LK IN Ass Meg NP**

³⁹ subgenus name established by the authors.

Synonymic and distributional list of the pterygot insects of Pakistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

19

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Pakistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 19.

Priamus (suppl.) 18: 788-795.

In this study, totally 202 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Pakistan recorded in info-sytem of the Cesa, total pterygot species of Pakistan increase to 1236.

Key words: List, distribution, *pterygota*, *Insecta*, Pakistan.

Brief explanatory information:

Previously published articles	yes ⁴⁰
Previously published report	no
Expedition made by the Cesa	yes ⁴¹
Planned expeditions	no
Further planned publications	yes

In this study, totally 202 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1034 recorded species of Lepidoptera from Pakistan are found. Taking this information into consideration, total number of the pterygots may increase to 1236.

The study is still continuing, and the new results will be published within this Project.

1. **Abroni** **canescens** **Needham,1909** (Ascalaphidae) Synonym(s): *canescens* *Needham,1909* **PK BI**
2. **Acanthaclisis** **neozelandica** (**Navas,1912**) (Myrmeleonidae) Synonym(s): *neozelandica* *Navas,1912* **PK BI Qu**
3. **Acanthaclisis** **occitanica** (**Villers,1789**) (Myrmeleonidae) Synonym(s): *occitanica* *Villers,1789* **AF IR Elb Th PK TR IL Pa KG**
4. **Acanthaclisis** **occitanicum** **Villers,1789** (Myrmeleonidae) Synonym(s): *occitanicum* *Villers,1789*; *pisanus* *Rossi,1790*; *georgianum* *Fischer v. Waldheim,1846*. **TR IR PK AF KG IL**

⁴⁰ **Koçak,A.Ö. & Ş.Yücel**, 1989, *Tabanus laeteticinctus* Becker in Pakistan (Tabanidae, Diptera). *Cent. ent. Stud.*, *Priamus* 5 (1/2): 26-30, 3 figs., 1 map.- **Koçak,A.Ö.**, 1989, *Geometra purissima* Wiltshire in North Pakistan (Lepidoptera, Geometridae). *Cent. ent. Stud.*, *Priamus* 5 (3): 100-102, 2 figs. 1 map. - **Koçak,A.Ö.**, 1996, Belucistan'in (Pakistan) Papilionoidea ve Hesperioidea faunası üzerine arařtırmalar (Lepidoptera). *Cent. ent. Stud.*, *Priamus* 7 (4): 121-156.

⁴¹ **Koçak,A.Ö.**, 1989, Results of the Lepidopterological Expedition to North Pakistan in 1987, Part 1: Introduction. *Cent. ent. Stud.*, *Priamus* 4 (4): 129-140, 1 map.

5. **Acanthophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
6. **Achaetomalachius bengalensis (Pic,1907)** (Melyridae) Synonym(s): *bengalensis* Pic,1907 PK
7. **Achaetomalachius vagus Majer** (Melyridae) Synonym(s): PK
8. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 Gryllus *insubricus* Scopoli,1786, *Deliciae faunae et florum insubricae etc Ticini*: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
9. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870 MA GR TR IR Ss PK RU
10. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758 PK IN CN AU TR IT Sa
11. **Adesmia (Oteroscelis) sodalis Waterhouse,1889** (Tenebrionidae) Synonym(s): *sodalis* Waterhouse,1889 PK BI
12. **Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 Cc RU TM UZ KK TJ PK
13. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
14. **Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
15. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 Epacromia *simulatrix* Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
16. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acrydium *strepens* Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
17. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus *thalassinus* Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
18. **Amorphoscelis naumanni Kaltenbach,1983** (Amorphoscelidae) Synonym(s): *naumanni* Kaltenbach,1983 AF PK
19. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 Gryllus *aegyptium* Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZI Uppsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
20. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US CfTx UY UZ YU
21. **Anasida orientalis Distant,1910** (Pentatomidae) Synonym(s): *orientalis* Distant,1910 PK IN
22. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
23. **Aneomochtherus quettanus (Tsacas,1963)** (Asilidae) Synonym(s): *quettanus* Tsacas,1963 PK BI Qu
24. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969 OM TM PK Qu BI IR IL Pa Js SY TR
25. **Anthrax bipunctatus Fabricius,1805** (Bombyliidae) Synonym(s): *bipunctatus* Fabricius,1805; *carbonarius* Walker,1852 IN Ass Bi Mad Ben BD PK Sd
26. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
27. **Aphelinus asychis Walker,1839** (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913 Aphelinus *asychis* Walker,1839, Monographia Chalciditum 1: 2-3. TR GB PK IN Hp Ass Ch Meg Up Ben NP
28. **Apoclea pakistanicus Rahim,1976** (Asilidae) Synonym(s): *pakistanicus* Rahim,1976 PK

29. **Apolysis sedophila (Brunetti,1909)** (Bombyliidae) Synonym(s): *sedophila Brunetti,1909* PK IN Hp
30. **Ascalohybris javana (Burmeister,1839)** (Ascalaphidae) Synonym(s): *javana Burmeister,1839* PK Krc ID Ja
31. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
32. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR
33. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890* PK IN LK BD MM TH LA VN MU RE EG OM SA
34. **Bellardia kiyoshii (Kurahashi & Afzal,2002)** (Calliphoridae) Synonym(s): *kiyoshii Kurahashi & Afzal,2002* PK
35. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
36. **Bembecinus proximus Handlirsch,1892** (Crabronidae) Synonym(s): *proximus Handlirsch,1892* SA PK IN NP YE
37. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
38. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
39. **Bombomyia tricolor (Guérin-Ménéville,1835)** (Bombyliidae) Synonym(s): *tricolor Guérin-Ménéville,1835; orientalis Macquart,1840* BD IN Ben Up ID Ja PK LK
40. **Bombylius (s.str.) cirrhopus Evenhuis,1978** (Bombyliidae) Synonym(s): *fulvipes Bigot,1892; cirrhopus Evenhuis,1978* IN PK
41. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis Loew,1873 nec Oliv.,1789; desertivagus Paramonov,1940* PK KG KK TJ TM UZ
42. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
43. **Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): *mobilis Loew,1873* UZ TJ TM KG PK
44. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
45. **Bombylius (s.str.) terminalis Brunetti,1909** (Bombyliidae) Synonym(s): *terminalis Brunetti,1909* IN Up PK
46. **Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): *albicrus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
47. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
48. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu Bl UZ*
49. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sicutus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
50. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; misteriosa Obenberger,1917; nonfriedi Obenberger,1934* AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
51. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855* AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR
52. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranum Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK

53. **Cazira schwarzi Abbasi & Rishi,1974** (Pentatomidae) Synonym(s): *schwarzi Abbasi & Rishi,1974* PK
54. **Chrysolina coeruleans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coeruleans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
55. **Chrysolina kamali Abdullah & Qureshi,1969** (Chrysomelidae) Synonym(s): *kamali Abdullah & Qureshi,1969* PK
56. **Chrysolina karachia Maulik,1926** (Chrysomelidae) Synonym(s): *karachia Maulik,1926* PK Krc Sd
57. **Chrysolina punjabiensis Abdullah & Qureshi,1969** (Chrysomelidae) Synonym(s): *punjabiensis Abdullah & Qureshi,1969* PK Pj
58. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904; bipunctella Matsumura,1908; zaeae China,1926* DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
59. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
60. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus Kerrich,1970; latipennis Khan & Shafee,1981* IN KE MW MZ OM PK LK AE ZA
61. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis Leach,1818* Cn Az Md IN IR CY TR PK
62. **Croce schmidti (Navas,1927)** (Nemopteridae) Synonym(s): *schmidti Navas,1927* TR PK
63. **Croce zarudnyi Alexandrov-Martynov,1930** (Nemopteridae) Synonym(s): *zarudnyi Alexandrov-Martynov,1930* IR AF PK BI Qu
64. **Ctenagenia ozbeki Wahis,2002** (Pompilidae) Synonym(s): *ozbeki Wahis,2002* Ctenagenia ozbeki Wahis,2002, Notes faun. Gembloux 49: 116-117, figs. Holotype ♀: Turkey: Adana Prov. Karakuz 1410m leg. O.Kaftanoğlu (Gembloux). TR AF PK
65. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
66. **Deleproctophylla dusmeti Navas,1914** (Ascalaphidae) Synonym(s): *dusmeti Navas,1914* ES TR Cc AZ PK
67. **Dermestes (Dermestinus) maculatus DeGeer,1774** (Dermestidae) Synonym(s): *maculatus DeGeer,1774; marginatus Thunberg,1781; vulpinus Fabricius,1781; senex Germar,1824; elongatus Hope,1834; lupinus Mannerheim,1843; cinereus Redtenbacher,1867; sudanicus Gredler,1878; cyprius Pic,1951; pakistanicus Havelka,1951* TR SD CY PK
68. **Deronectes afghanicus Wewalka,1971** (Dytiscidae) Synonym(s): *afghanicus Wewalka,1971* AF PK
69. **Desmatoneura niveisquamis (Brunetti,1909)** (Bombyliidae) Synonym(s): *niveisquamis Brunetti,1909* PK
70. **Dictyophara pakistana Dlabola,1986** (Dictyopharidae) Synonym(s): *pakistana Dlabola,1986* PK
71. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias Walker,1838* BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
72. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
73. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
74. **Diorhabda meridionalis Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis Berti & Rapilly,1973* IR PK SY Hal
75. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus Ashmead,1905* IN Up Ben LA MU PK PH LK TW TH VN
76. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii Silvestri,1913* AU NSw QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
77. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): *albicornis Eversmann,1848* RU KG IR TM AF PK
78. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus Pantel,1886* CN Ui RU AF PK IR ES
79. **Elasmus orientalis Khokhar, Ahmed & Qadri,1971** (Eulophidae) Synonym(s): *orientalis Khokhar, Ahmed & Qadri,1971* PK
80. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
81. **Encarsia lahorensis (Howard,1911)** (Aphelinidae) Synonym(s): *lahorensis Howard,1911* PK Pj TR
82. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis Pallas,1771; abdominalis Netolitzki,1912* TR SY UA RU Sb CN IR KG CA MN PK

83. **Eocanthecona neotibialis (Ahmad & Rana,1988)** (Pentatomidae) Synonym(s): *neotibialis Ahmad & Rana,1988* PK
84. **Eocanthecona populusi (Ahmad & Rana,1988)** (Pentatomidae) Synonym(s): *populusi Ahmad & Rana,1988* PK
85. **Epacanthaclisis continentalis Esben-Petersen,1935** (Myrmeleonidae) Synonym(s): *continentalis Esben-Petersen,1935* PK Gg AF
86. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
87. **Ergenekonia⁴² sulcicollis (Majer,1996)** (Melyridae) Synonym(s): *sulcicollis Majer,1996* PK
88. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
89. **Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa Saussure,1880* TR IR TM UZ TJ PK
90. **Geron argentifrons Brunetti,1909** (Bombyliidae) Synonym(s): *argentifrons Brunetti,1909* PK LK TH IN Up Hp
91. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832* TR MY Bor ID PK IN CN Cc TR RU MN KG
92. **Gomphoceris sibiricus (Linnaeus,1767)** *sibiricus Linnaeus,1767; clavimanus Pallas,1772; graecus Uvarov,1931; helveticus Uvarov,1931; hispanicus Uvarov,1931; pyrenaicus Uvarov,1931; turcicus Mistshenko,1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
93. **Gryllodes supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans Walker,1859* GY US CU ET PK IN RU Us KP KR JP AU
94. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura Morawitz,1875; altera Peters,1974* TM UZ CN Ui AF PK
95. **Halictus (s.str.) aegyptiacus Friese,1916** (Halictidae) Synonym(s): *aegyptiacus Friese,1916* PK EG
96. **Halictus (Seladonia) lucidipennis Smith,1853** (Halictidae) Synonym(s): *lucidipennis Smith,1853; vernalis Smith,1853* IN Hp LK PK Mre Pj
97. **Halter halterata (Forskål,1775)** (Nemopteridae) Synonym(s): *halterata Forskål,1775; nutans Navas,1910.* IQ IR AF PK BI Qu
98. **Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans Falderman,1835* TR Cc GG IL Pa PK
99. **Hemipenthes referens (Walker,1852)** (Bombyliidae) Synonym(s): *referens Walker,1852; himalayensis Brunetti,1909; bidens Bigot,1909* IN Hp Up Ass Meg PK MM
100. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
101. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
102. **Heterotropus pallens Nurse,1922** (Bombyliidae) Synonym(s): *pallens Nurse,1922* PK
103. **Hierodula coarctata Saussure,1869** (Mantidae) Synonym(s): *coarctata Saussure,1869* IN ID Ja PK NP
104. **Hoplitis (Alcidamea) hoppferi Tkalcu,1977** (Megachilidae) Synonym(s): *hoppferi Tkalcu,1977* IL Pa JO OM PK Qu SY AE
105. **Hoplitis (Anthocopa) rubricrus (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus Friese,1899* DZ MA IL Pa PK IN
106. **Hoplitis (Anthocopa) saundersi (Vachal,1891)** (Megachilidae) Synonym(s): *saundersi Vachal,1891* MA DZ PK IN
107. **Hoplitis (Coloplitis) premordica Griswold,1998** (Megachilidae) Synonym(s): *prejordica Griswold,1998* PK BI Qu
108. **Hoplitis (Pentadentoscopia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons Morawitz,1872* AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
109. **Hoplitis (Pentadentoscopia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei Friese,1899; pustinia Warncke,1991* Cn DZ MA TN IL Pa JO PK AE IN
110. **Hoplitis (Pentadentoscopia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula Morawitz,1877; transcaspica Morawitz,1888* AM Cc RU KG PK IR
111. **Hoplitis (Pentadentoscopia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta Morawitz,1875; laeviscutum Alfken,1935* TJ TM UZ IL Pa IR JO PK TR
112. **Hoplitis (s.str.) quettensis Tkalcu,2000** (Megachilidae) Synonym(s): *quettensis Tkalcu,2000* PK BI Qu

⁴² genus name established by the authors.

113. **Hydrotaea meteorica (Linnaeus,1758)** (Muscidae) Synonym(s): *meteorica* Linnaeus,1758 Cc Eri AM IR TR PK GG
114. **Iranoleon vartianae Hölzel,1968** (Myrmeleonidae) Synonym(s): *vartianae* Hölzel,1968 PK IR
115. **Iris nana Uvarov,1930** (Irididae) Synonym(s): *nana* Uvarov,1930; *radians* Uvarov,1931 Iris nana Uvarov,1930, Ann. Mag. nat. Hist. (10) 5: 632. Type: Iraq: Bagdad (BMNH). AF IQ Bgd PK BI IN IR
116. **Iris orientalis Wood-Mason,1882** (Irididae) Synonym(s): *orientalis* Wood-Mason,1882 IN Cle NP AF PK ID Ja
117. **Iris splendida Uvarov,1922** (Irididae) Synonym(s): *splendida* Uvarov,1922 AF PK
118. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 TR UA RU SY IR PK CN Ui MN
119. **Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970 BG TR GR PK YU IR
120. **Laemostenus (Pristonychus) pakistanus (Jedlicka,1962)** (Carabidae) Synonym(s): *pakistanus* Jedlicka,1962 PK
121. **Lasioglossum (Evylaeus) araxanum (Blüthgen,1923)** (Halictidae) Synonym(s): *araxanum* Blüthgen,1923; *araxanellus* Blüthgen,1926 Cc AM TR PK
122. **Lasioglossum (Evylaeus) catipes (Blüthgen,1926)** (Halictidae) Synonym(s): *catipes* Blüthgen,1926 PK Pj Mre IN Hp Sml
123. **Lasioglossum (Evylaeus) cerambyx Ebmer,1980** (Halictidae) Synonym(s): *cerambyx* Ebmer,1980 PK
124. **Lasioglossum (Evylaeus) marginatum (Brullé,1832)** (Halictidae) Synonym(s): *marginatum* Brullé,1832 PK Pj Mre
125. **Lasioglossum (Evylaeus) tschibuklinum (Blüthgen,1931)** (Halictidae) Synonym(s): *tschibuklinum* Blüthgen,1931 PK
126. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiourgan* Ebner,1980 TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
127. **Lasioglossum (s.str.) leucozonium (Schrank,1781)** (Halictidae) Synonym(s): *leucozonium* Schrank,1781; *leucostoma* Schrank,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976 TR AF Kab PK
128. **Lasioglossum (s.str.) tardum (Cameron,1896)** (Halictidae) Synonym(s): *tardum* Cameron,1896; *reflexoides* Blüthgen,1926 Ld Ch PK IN
129. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817 AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK BI TJ AF OM
130. **Lucanus (Pseudolucanus) groulti (Planet,1897)** (Lucanidae) Synonym(s): *groulti* Planet,1897 PK Nwf IN Up NP
131. **Lucanus (Pseudolucanus) wittmeri (Lacroix,1983)** (Lucanidae) Synonym(s): *wittmeri* Lacroix,1983 PK
132. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
133. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
134. **Maracanda iranica Hölzel,1968** (Myrmeleonidae) Synonym(s): *iranica* Hölzel,1968 IR PK
135. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
136. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
137. **Metacantharis wittmeri Svihla,1992** (Cantharidae) Synonym(s): *wittmeri* Svihla,1992 PK
138. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
139. **Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): *wui* Lundblad,1933; *alkani* Hoberlandt,1948 IR PK TR IL Pa
140. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi* Werner,1908 ET YE IR IL Pa OM PK SO AE
141. **Microthespis evansi Uvarov,1931** (Mantidae) Synonym(s): *evansi* Uvarov,1931 PK
142. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
143. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781 Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
144. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830 IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
145. **Myriocheile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG

146. **Myrmeleon (s.str.) paghmanus Hölzel,1972** (Myrmeleonidae) Synonym(s): *paghmanus Hölzel,1972* AF PK
147. **Neomyia gavis (Walker,1859)** (Muscidae) Synonym(s): *gavis Walker,1859* MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj Si Up NP PK
148. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta Wiedemann,1830* MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry
149. **Ochrilidia ahmadi Wagan & Baloch,2001** (Acrididae) Synonym(s): *ahmadi Wagan & Baloch,2001* PK Pj Rw
150. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis Ferro,1983* TR IR AF IN PK
151. **Odonteus gandhara Carpaneto & Mignani,2005** (Geotrupidae) Synonym(s): *gandhara Carpaneto & Mignani,2005* PK
152. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis Krauss,1877; arenivolans Butler,1881; mlokoziewitzcki Bolivar,1884; mlokozewitchi Bolivar,1887; dimidiatus Bolivar,1899* Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV
153. **Ogcogaster tesselata Westwood,1848** (Ascalaphidae) Synonym(s): *tesselata Westwood,1848; xavierii Navas,1930* IN Hp PK
154. **Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): *turkestanicus Skriptshinsky,1929* UZ PK IQ IR Elb Th
155. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis Matsumura,1914; albicinctus Distant,1918; filigranus Haupt,1927* PT ES EG IQ IL Pa IR Md MA TR PK JP TW
156. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon Burmeister,1824* EG Sn IL Pa SD SO SA AF PK
157. **Osmia (Helicosmia) adae Bingham,1897** (Megachilidae) Synonym(s): *adae Bingham,1897* PK IN NP
158. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN
159. **Osmia (Helicosmia) sponsa Nurse,1904** (Megachilidae) Synonym(s): *sponsa Nurse,1904* PK Qu TM UZ IN
160. **Osmia (s.str.) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; balucha Nurse,1904; usbekistana Cockerell,1930* TJ TM UZ AF PK
161. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917* Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
162. **Pachyanthrax circe (Klug,1832)** (Bombyliidae) Synonym(s): *circe Klug,1832* PK EG SA AE
163. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
164. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
165. **Phlebotomus (Paraphlebotomus) nuri Lewis,1967** (Psychodidae) Synonym(s): *nuri Lewis,1967* PK Bl Qu Pj Rw AF
166. **Phradonoma jelineki Hava,2006** (Dermestidae) Synonym(s): *jelineki Hava,2006* IR AF PK Nwf
167. **Picromerus griseus (Dallas,1851)** (Pentatomidae) Synonym(s): *griseus Dallas,1851; obtusus Walker,1867; nigrivitta Walker,1867; sundanus Breddin,1902* BD MM CN IN PK ID Ja
168. **Picromerus orientalis Rishi & Abbasi,1973** (Pentatomidae) Synonym(s): *orientalis Rishi & Abbasi,1973* PK
169. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
170. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tesselata Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
171. **Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata Selys,1863* TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
172. **Platypleura octoguttata (Fabricius,1798)** (Cicadidae) Synonym(s): *octoguttata Fabricius,1798; sanguiflua Walker,1850* IN Pj Mus Mhw Bba NI LK Krc Sd PK
173. **Protaetia (Potosia) hieroglyphica (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *hieroglyphica Ménétriés,1832; pulverulenta Motschoulsky,1845; ganglbaueri Reitter,1891; depressiuncula Reitter,1891* Cc AZ TM IR PK
174. **Protosmia (Nanosmia) devia Tkalcu,1978** (Megachilidae) Synonym(s): *devia Tkalcu,1978* PK IN Ch
175. **Pseudanasida ikrami (Ahmad & Kamaluddin,1983)** (Pentatomidae) Synonym(s): *ikrami Ahmad & Kamaluddin,1983* PK
176. **Pyrellia vivida Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina auct.; vivida Robineau-Desvoidy,1830* Cc AM Eri AZ TR IR PK IN CN

177. **Rivetina dolichoptera (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): *dolichoptera Schulthess-Rechberg,1894* IR Ss PK BI SA YE AE
178. **Rivetina rhombicollis La Greca & Lombardo,1982** (Mantidae) Synonym(s): *rhombicollis La Greca & Lombardo,1982* IR AF PK
179. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri Stolfa,1938* UZ TM Kp AF IR IQ SY KG PK TJ TR
180. **Schoenomyza litorella (Fallén,1823)** (Muscidae) Synonym(s): *litorella Fallén,1823* AM Cc GG TR PK NP
181. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
182. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* TR Cc AZ IR PK IN LK SA SO TZ Cn
183. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata Becker,1907; chopardi Séguéy,1932; pamirensis Enderlein,1934* Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
184. **Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): *fissa Becker,1903* EG MT IT Si SK RO TR PK
185. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea Meigen,1826; fuscipes Roser,1840; uncta Becker,1913; ciliforceps Duda,1926; schineri Duda,1926* TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
186. **Shaoshia zhangii Wei, Zubair & Rizvi,2010** (Cicadidae) Synonym(s): *zhangii Wei, Zubair & Rizvi,2010* Shaoshia zhangii Wei, Zubair & Rizvi,2010, Zootaxa 2421: 29-32. Holotype ♂: Pakistan, Dera Ismail Khan, Pahar Pur, Sheikh Badin NP 1220m (NHMUK). PK Dik
187. **Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae Hölzel,1967* IQ IR AF PK IL
188. **Sphyracephala hearseiana (Westwood,1845)** (Diopsidae) Synonym(s): *hearseiana Westwood,1845* PK IN
189. **Statilia ocellata Uvarov,1923** (Mantidae) Synonym(s): *ocellata Uvarov,1923* AF PK SA
190. **Stylascalaphus fabiani Meszaros & Abraham,2005** (Ascalaphidae) Synonym(s): *fabiani Meszaros & Abraham,2005* TR PK
191. **Systropha (s.str.) popovi Ponomareva,1967** (Halictidae) Synonym(s): *popovi Ponomareva,1967* PK TM
192. **Tabanus laetinctus Becker,1913** (Tabanidae) Synonym(s): *laetinctus Becker,1913; sordes Bogatshev & Samedov,1949; assuetus Hauser,1960; cinereus Hauser,1960* TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU
193. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti Zachvatkin,1947* GR Cr TR IR KG RU UA YU AF PK
194. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus Saussure,1874; intermedius Chopard,1940; intercalatus Chopard,1943* ES IQ Cc KG UZ TM PK TR
195. **Trigonoscelis longipes Waterhouse,1889** (Tenebrionidae) Synonym(s): *longipes Waterhouse,1889* PK BI
196. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata Fabricius,1775; ciesii Schrank,1803; jacobaeae Panzer,1805* AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
197. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
198. **Villa baluchianus Brunetti,1920** (Bombyliidae) Synonym(s): *baluchianus Brunetti,1920* PK BI IN Ch
199. **Villa brunettii Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *brunettii Evenhuis & Greathead,1999* PK IN
200. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga Zakhvatkin,1931* ML NE PK IQ KG OM SA TJ TM UZ
201. **Xeramoeba semirufa (Sack,1903)** (Bombyliidae) Synonym(s): *semirufa Sack,1903* EG IR AF SA PK
202. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US

Synonymic and distributional list of the pterygot insects of Russia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

20

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Russia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 20.
Priamus (suppl.) 18: 796-892.

In this study, totally 2786 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Russia recorded in info-sytem of the Cesa, total pterygot species of Russia increase to 8844.

Key words: List, distribution, *pterygota*, *Insecta*, Russia.

Brief explanatory information:

Previously published articles	yes ⁴³
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 2786 pterygot species (except Lepidoptera) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Cesa projects, the Lepidoptera of this country has been previously published by the authors as a list of 5951 species.⁴⁴ However, in info-system of the Cesa, totally 6058 recorded species of Lepidoptera from Russia are found. Taking the last information into consideration, total number of the pterygots may increase to 8844.

The study is still continuing, and the new results will be published within this Project.

1. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea* Klug,1829; *bifida* Thomson,1871; *bigens* Kangas,1946 **ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA**

⁴³ Koçak,A.Ö. & M.Kemal, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Stud., Misc. Pap.* 74: 1-3. - Koçak,A.Ö. & M.Kemal, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Misc. Pap.* 75: 1-3. - Koçak,A.Ö. & M.Kemal, 2007, Replacement names for some Microlepidoptera (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 105: 5-7. - Koçak,A.Ö. & M.Kemal, 2007, Notes on the nomenclature of Asiatic Noctuidae (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 105: 7-8. - Koçak,A.Ö. & M.Kemal, 2008, Reports on the Temporary Results of the Lepidopteran Lists of the Asian Continent based upon the Info-system of the Cesa-I. Russia. *Cent. ent. Stud., Priamus Suppl.* 14: 1-466. - Koçak,A.Ö., 2008, Scientific Note: A Nomenclatural Note on the Preoccupied Geometrid Species in Far Eastern Russia (*Lepidoptera*). *Cent. ent. Stud., Misc. Pap.* 142: 7. - Koçak, A.Ö. & M. Kemal, 2008, Nomenclatural notes on some genus-group names in the order Diptera. *Cent. ent. Stud., Misc. Pap.* 144: 1-3. - Koçak, A.Ö. & M. Kemal, 2008, Nomenclatural notes on some species-group names in the family Asilidae (Diptera). *Cent. ent. Stud., Misc. Pap.* 145: 9-12. - Kemal,M. & A.Ö.Koçak, 2009, Nomenclatural notes on two Russian Insecta (*Lepidoptera*, *Coleoptera*). *Cent. ent. Stud., Misc. Pap.* 146: 1-2. - Koçak,A.Ö. & M.Kemal, 2009, On the nomenclature of a pre-occupied generic name in the family Ichneumonidae (*Hymenoptera*). *Cent. ent. Stud., Misc. Pap.* 150: 1.

⁴⁴ <http://www.archive.org/details/ReportsOnTheTemporaryResultsOfTheLepidopteranListsOfTheAsian>

2. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea* Linnaeus,1767 GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
3. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata* Fabricius,1775 AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
4. **Abraeomorphus minutissimus (Reitter,1884)** (Histeridae) Synonym(s): *minutissimus* Reitter,1884 RO RU
5. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
6. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
7. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
8. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 AT BE BG TR CZ DK DE FR IT NL PL RO RU
9. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
10. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus* Dejean,1829 AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
11. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
12. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
13. **Acnephalum olivieri Macquart,1838** (Asilidae) Synonym(s): *olivieri* Macquart,1838 RU GR
14. **Aconura jakowlefi Lethierry,1876** (Cicadellidae) Synonym(s): *jakowlefi* Lethierry,1876 RU IR TR
15. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876 AF IR IQ MN TR GG KG RU TJ TM UZ
16. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
17. **Acrida oxycephala (Pallas,1771)** (Acrididae) Synonym(s): *oxycephala* Pallas,1771; *deserti* Uvarov,1916; *caspica* Dirsh,1949; *persa* Dirsh,1949; *turca* Dirsh,1949 Gryllus *oxycephalus* Pallas,1771, Reise Russ. Reich. 1: 418, 423, 468. Type: South Russia: north coast of Caspian Sea (ZIN). RU IR TR
18. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
19. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
20. **Acrospilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger* Loew,1869; *perplexus* Becker,1917 BG RO RU DZ TN
21. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870 MA GR TR IR Ss PK RU
22. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
23. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea* Fallén,1814; *aestiva* Meigen,1826; *gnaphalii* Loew,1844 AZ AM GG TR Cc FR EE KG LT MD UA RU YU
24. **Adarrus bellevoeyi (Puton,1877)** (Cicadellidae) Synonym(s): *bellevoeyi* Puton,1877 BE BG FR IT PL KG RU Sb
25. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
26. **Adarrus niphanticus Logvinenko,1966** (Cicadellidae) Synonym(s): *niphanticus* Logvinenko,1966 RU Cc TR
27. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (praeocc.); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
28. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
29. **Adesmia (s.str.) maillei Solier,1835** (Tenebrionidae) Synonym(s): *maillei* Solier,1835 RU Cc TM IR
30. **Adesmia (s.str.) nodulosa Faldermann,1837** (Tenebrionidae) Synonym(s): *nodulosa* Faldermann,1837 Cc RU
31. **Adontomerus amygdali (Bouceck,1958)** (Torymidae) Synonym(s): *amygdali* Bouceck,1958 TR JO RU
32. **Adontomerus eriogasteris Nikol'skaya,1955** (Torymidae) Synonym(s): *eriogasteris* Nikol'skaya,1955 TJ RU
33. **Adoretus discolor (Faldermann,1835)** (Scarabaeidae) Synonym(s): *discolor* Faldermann,1835 RU AM Cc

34. **Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 Cc RU TM UZ KK TJ PK
35. **Adoretus pruinus Ballion,1870** (Scarabaeidae) Synonym(s): *pruinus* Ballion,1870 RU KG AF
36. **Adoretus rufifrons Reitter,1903** (Scarabaeidae) Synonym(s): *rufifrons* Reitter,1903 RU MN
37. **Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis* Loew,1873; *maschouk* Pleske,1925 TJ KG UZ RU TR
38. **Adrastus limbatus (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus* Fabricius,1776 DZ TR RU Sb GR
39. **Aegialia (Aegialia) comis (Levis,1895)** (Scarabaeidae) Synonym(s): *comis* Levis,1895 RU Am
40. **Aegialia (Psammoporus) abdita (Nikritin,1975)** (Scarabaeidae) Synonym(s): *abdita* Nikritin,1975 RU Us
41. **Aegialia (Psammoporus) friebi Balthasar,1935** (Scarabaeidae) Synonym(s): *friebi* Balthasar,1935 RU Sh
42. **Aegialia (Psammoporus) kamtschatica Motschulsky,1860** (Scarabaeidae) Synonym(s): *kamtschatica* Motschulsky,1860 RU Kmt Sh Am
43. **Aegialia (Psammoporus) sabuleti Panzer,1797** (Scarabaeidae) Synonym(s): *sabuleti* Panzer,1797 RU
44. **Aeoloderma crucifer (Rossi,1790)** (Elateridae) Synonym(s): *crucifer* Rossi,1790 DZ GR TR RU
45. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ
46. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
47. **Agabus (Acatodes) coxalis Sharp,1882** (Dytiscidae) Synonym(s): *coxalis* Sharp,1882; *splichali* Reitter,1899 Cc AM GG TR KG MN RU
48. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875 FI SE FR IT NO RU ES SZ TR MN
49. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedellii* A.Villa & G.B.Villa,1833; *fallax* Munster,1932 AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
50. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
51. **Agabus (Gaurodytes) glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908 Cc AZ AM GG TR RU IR
52. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitsev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
53. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni* Scholz,1920 BG GR RO RU UA TR
54. **Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata* Horvath,1894 RO AM AZ GG KG KK RU TM UZ
55. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
56. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
57. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
58. **Agapanthia dahli (Richter,1821)** (Cerambycidae) Synonym(s): *dahli* Richter,1821 RU Cc KG SK
59. **Agapanthia kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal,1817 SK HU Cc RU TR GR
60. **Agapanthia villosviridescens (De Geer,1775)** (Cerambycidae) Synonym(s): *villosviridescens* De Geer,1775 TR RU Cc KG
61. **Agapanthia violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): *violacea* Fabricius,1775 RU Cc TR KG GR
62. **Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): *leucaspis* Steven,1817 SK HU YU RU Cc TR GR
63. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanoccephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR

64. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
65. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae* Csiki,1931 AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
66. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
67. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
68. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
69. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
70. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
71. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum* Duftschmid,1812 AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
72. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
73. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum* Dejean,1828 AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
74. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846 AM Cc BG RO RU TR IR SY
75. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
76. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi* Dejean,1828 AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
77. **Agramma (s.str.) blandulum (Horvath,1905)** (Tingidae) Synonym(s): *blandulum* Horvath,1905 RU TR GR
78. **Agramma (s.str.) confusum (Puton,1879)** (Tingidae) Synonym(s): *confusum* Puton,1879 RU TR
79. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater* Linnaeus,1767 AT CZ FI FR RO RU UA LT TR
80. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
81. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
82. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
83. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
84. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
85. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
86. **Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): *lapicida* Falderann,1835 TR Cc AZ AM GG RU IR
87. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticolus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
88. **Agrypnus murinus (Linnaeus,1758)** (Elateridae) Synonym(s): *murinus* Linnaeus,1758 TR RU Sb Cc
89. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
90. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
91. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acridium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
92. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY ZM TG TN UG UZ YE ZM ZW
93. **Albicoma kaptshagaica Lehr,1987** (Asilidae) Synonym(s): *kaptshagaica* Lehr,1987 RU KG Aa

94. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufouri* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
95. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
96. **Allantus balteatus (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872 CY TR Cc RU Sb IR
97. **Allantus basalis (Klug,1818)** (Tenthredinidae) Synonym(s): *basalis* Klug,1818; *togatus* Stephens,1835 nec Panz.,1801; *caledonicus* Benson,1945 TR RU Sb MN CN JP CA
98. **Allantus cingulatus (Scopoli,1763)** (Tenthredinidae) Synonym(s): *cingulatus* Scopoli,1763; *tenuis* Audinet-Serville,1823; *elegans* Costa,1859 TR Cc RU Sb
99. **Allantus didymus (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus* Klug,1818; *testaceipes* Audinet-Seville,1823; *nigritarsis* Brullé,1832; *proximus* Costa,1859; *ruficrus* Mocsary,1880; *fumatus* André,1880 TR Cc IR KG RU
100. **Allantus togatus (Panzer,1801)** (Tenthredinidae) Synonym(s): *togatus* Panzer,1801; *succincta* Klug,1817; *steini* Schmiedeknecht,1881 RU Sb TR JP
101. **Allantus viennensis (Schrank,1781)** (Tenthredinidae) Synonym(s): *viennensis* Schrank,1781; *uberior* Enslin,1914; *nigricoxis* De Stefani,1883; *medinae* Konow,1894 TR Cc RU Sb
102. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
103. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes* Fieber,1836 AL BG CZ FR RU ES CH IT Si SK YU TR GR
104. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
105. **Alloplasta piceator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *piceator* Thunberg,1822 TR Cc RU At
106. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
107. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
108. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
109. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
110. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
111. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812 RU Ur Cc TR RO BG
112. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 *Meloe syriacus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
113. **Alosterna tabacicolor (De Geer,1775)** (Cerambycidae) Synonym(s): *tabacicolor* De Geer,1775 RU Cc KG IR SK CZ
114. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola* Weise,1889 TR RU KG Cc AF MN KP KR TW
115. **Amara ((Curtonotus) propinqua Ménériés,1832)** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
116. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG UZ CN Ui JP
117. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
118. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
119. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium*

- Schweiger,1966* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
120. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor Olivier,1795*; *iridipennis Heer,1837* AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
121. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
122. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
123. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablorkoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
124. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
125. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
126. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
127. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa Jo Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
128. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekichii* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
129. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
130. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
131. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
132. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
133. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
134. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
135. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythropha* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
136. **Amara (s.str.) morio Ménériés,1832** (Carabidae) Synonym(s): *morio* Ménériés,1832 AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
137. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *simulatooides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu

138. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indieriensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
139. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutschnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
140. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
141. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN UI TJ TM
142. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN UI TJ TM
143. **Amara (Zezea) chadoiri Schaum,1858** (Carabidae) Synonym(s): *chadoiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
144. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
145. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata* Fallén,1808; *fulvipes* Costa,1882; *agilis* Klug,1817; *rufipes* Audinet-Serville,1823; *nigrisoma* Norton,1862; *abnormis* Provancher,1885; *potulenta* MacGillivray,1923 RU Sb UA Cm TR Cc KG DZ MN CA
146. **Ametastegia pallipes (Spinola,1808)** (Tenthredinidae) Synonym(s): *pallipes* Spinola,1808; *grossulariae* Klug,1818; *lapponica* Zetterstedt,1838; *pallipes* Provancher,1878 nec Spin.,1808; *leucopodus* Audinet-Serville,1823; *canadense* Kirby,1882; *pallidipes* Dalla Torre,1894; *cavata* MacGillivray,1911; *cetaria* MacGillivray,1921 TR Cc IR RU Sb CA
147. **Ammophila heydeni Dahlbom,1845** (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845 TR Cc AM KK RU
148. **Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): *balteatus* Linnaeus,1758 TR Cc RU Sb
149. **Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz,1829; *atropilosus* Reitter,1918 TR GR Cc RU Sb DZ
150. **Ampedus sanguineus (Linnaeus,1758)** (Elateridae) Synonym(s): *sanguineus* Linnaeus,1758 DZ GR TR RU Sb
151. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopezias* Pallas,1781; *hirta* Fabricius,1781; *vulpes* Fabricius,1792; *vulpecula* Truqui,1848; *pyrrhothrix* Dohrn,1885; *griseovillosa* Reitter,1903; *obscurithorax* Miksic,1955; *bogoevskii* Miksic,1955 GR TR UA Cc RU KG
152. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 RU KG IL Pa IR Ss TR EG
153. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 Cc RU GR ES IL Pa TR IR Fa Kz AF
154. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
155. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
156. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
157. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
158. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
159. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU

160. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 **TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU**
161. **Anagyrus ussuriensis Sharkov,1984** (Encyrtidae) Synonym(s): *ussuriensis* Sharkov,1984 **RU Us**
162. **Anapleus raddei (Reitter,1878)** (Histeridae) Synonym(s): *raddei* Reitter,1878 **GR RO RU**
163. **Anarolius fronto Loew,1873** (Asilidae) Synonym(s): *fronto* Loew,1873 **RU KG TR**
164. **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus* Loew,1844 **Cc RU GR TR IR Th Elb AZ AM GG**
165. **Anarolius setitarsis Richter,1963** (Asilidae) Synonym(s): *setitarsis* Richter,1963 **Cc RU**
166. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus* Becker,1916; *villosus* Paramonov,1930; *albulus* Paramonov,1940 **CN Ui KK KG MN RU UZ**
167. **Anastoechus caucasicus Paramonov,1930** (Bombyliidae) Synonym(s): *caucasicus* Paramonov,1930 **AM AZ GG Cc MD RU UA**
168. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 **IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU**
169. **Anastoechus montium Becker,1916** (Bombyliidae) Synonym(s): *montium* Becker,1916 **KK MN RU TJ**
170. **Anastoechus mylabricida Zakhvatkin,1934** (Bombyliidae) Synonym(s): *mylabricida* Zakhvatkin,1934 **Cc AZ AM GG MD UA RU**
171. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 **IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR**
172. **Anastoechus setosus (Loew,1855)** (Bombyliidae) Synonym(s): *setosus* Loew,1855 **BY EE LT MD RU UA**
173. **Anastoechus sibiricus Becker,1916** (Bombyliidae) Synonym(s): *sibiricus* Becker,1916 **RU Sb MN**
174. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
175. **Andrena (Brachyandrena) limonii Osytshnjuk,1983** (Andrenidae) Synonym(s): *limonii* Osytshnjuk,1983 **RU KG**
176. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 **DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb**
177. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 **DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR**
178. **Andrenosoma otanegawana (Matsumura,1916)** (Asilidae) Synonym(s): *otanegawana* Matsumura,1916 **JP RU**
179. **Andrenosoma trigoniferum Hermann,1906** (Asilidae) Synonym(s): *trigoniferum* Hermann,1906 **RU KG**
180. **Andrenosoma valentinae Richter,1985** (Asilidae) Synonym(s): *valentinae* Richter,1985 **RU**
181. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 **PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR**
182. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 **PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR**
183. **Anechura bipunctata (Fabricius,1781)** (Forficulidae) Synonym(s): *bipunctata* Fabricius,1781; *asiatica* Semenov,1903; *fabricii* Fieber,1854 **ES TR RU FR SK AM KG UZ**
184. **Aneomochtherus baratovi Lehr,1996** (Asilidae) Synonym(s): *baratovi* Lehr,1996 **RU**
185. **Aneomochtherus darvasicus Lehr,1996** (Asilidae) Synonym(s): *darvasicus* Lehr,1996 **RU**
186. **Aneomochtherus desertorum (Lehr,1958)** (Asilidae) Synonym(s): *desertorum* Lehr,1958 **RU KG**
187. **Aneomochtherus difficilis Lehr,1996** (Asilidae) Synonym(s): *difficilis* Lehr,1996 **RU**
188. **Aneomochtherus farinosus (Loew,1871)** (Asilidae) Synonym(s): *farinosus* Loew,1871 **RU KG**
189. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 **AT DE CH FR HU GR RO RU KG**
190. **Aneomochtherus grisescens (Tsacas,1968)** (Asilidae) Synonym(s): *grisescens* Tsacas,1968 **Cc AM RU TR**
191. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Cc AM IR KG**
192. **Aneomochtherus kompancevae Lehr,1996** (Asilidae) Synonym(s): *kompancevae* Lehr,1996 **RU**
193. **Aneomochtherus leucophorus (Tsacas,1963)** (Asilidae) Synonym(s): *leucophorus* Tsacas,1963 **RU KG**

194. **Aneomochtherus marikovskii (Lehr,1958)** (Asilidae) Synonym(s): *marikovskii* Lehr,1958 MN
RU KG
195. **Aneomochtherus nairicus (Richter,1962)** (Asilidae) Synonym(s): *nairicus* Richter,1962 Cc AM
RU
196. **Aneomochtherus oschii Lehr,1996** (Asilidae) Synonym(s): *oschii* Lehr,1996 RU KK
197. **Aneomochtherus perplexus (Becker,1923)** (Asilidae) Synonym(s): *perplexus* Becker,1923;
repentinus Richter,1963 RU Cc TR IR
198. **Aneomochtherus petrishtshevae (Stackelberg,1937)** (Asilidae) Synonym(s):
petrishtshevae Stackelberg,1937 RU KG IR
199. **Aneomochtherus platypygus (Tsacas,1968)** (Asilidae) Synonym(s): *platypygus* Tsacas,1968;
promiscus Tsacas,1968 RU KG
200. **Aneomochtherus rubipygus (Lehr,1972)** (Asilidae) Synonym(s): *rubipygus* Lehr,1972;
arcanus Esipenko,1972 RU
201. **Aneomochtherus sinensis (Ricardo,1919)** (Asilidae) Synonym(s): *sinensis* Ricardo,1919;
agers Esipenko,1974 RU CN KP KR
202. **Aneomochtherus tricuspидatus (Engel,1927)** (Asilidae) Synonym(s): *tricuspидatus*
Engel,1927 RU KG
203. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius*
Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997 ES IT DE CZ TR Cc RU KG IR
204. **Anisolabis maritima (Géné,1832)** (Labiidae) Synonym(s): *maritima* Géné,1832; *singularis*
Shiraki,1905; *addita* Burr,1913; *quadrata* Liu,1946 ES RU TR
205. **Anisoplia (Ammanisoplia) deserticola Fischer,1823** (Scarabaeidae) Synonym(s):
deserticola Fischer,1823 RU
206. **Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): *austriaca*
Herbst,1783 AT UA RU TR
207. **Anisoplia (Chaetopteroptia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum*
Herbst,1783 TR BG RU KG
208. **Anisoplia (Chaetopteroptia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s):
syriaca Burmeister,1844 UA Cm RU SY IL Pa TR
209. **Anisoplia (Lasioplia) brenskii Reitter,1889** (Scarabaeidae) Synonym(s): *brenskii*
Reitter,1889 RU Cc GG
210. **Anisoplia (Lasioplia) campicola Ménétrés,1832** (Scarabaeidae) Synonym(s): *campicola*
Ménétrés,1832 RU Ur KG
211. **Anisoplia (Lasioplia) koenigi Reitter,1895** (Scarabaeidae) Synonym(s): *koenigi* Reitter,1895
TM RU
212. **Anisoplia (s.str.) agricola (Poda,1761)** (Scarabaeidae) Synonym(s): *agricola* Poda,1761 YU RU
Cc KG
213. **Anisoplia (s.str.) turcomana Zaitzev,1917** (Scarabaeidae) Synonym(s): *turcomana* Zaitzev,1917
TM RU
214. **Anisoplia (s.str.) zwicki Fischer,1823** (Scarabaeidae) Synonym(s): *zwicki* Fischer,1823 RU
215. **Anisopogon gracillimus Lehr,1970** (Asilidae) Synonym(s): *gracillimus* Lehr,1970 RU
216. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus*
Lehr,1964 RU Cc KG IL Pa TR IR Fa AM AZ GG
217. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-
Schäffer,1849 RU Cn FR Co TR SD IN CN Uj
218. **Anomala (Euchronomala) cuprea (Hope,1839)** (Scarabaeidae) Synonym(s): *cuprea* Hope,1839
RU Krl
219. **Anomala (Euchronomala) mongolica Faldermann,1835** (Scarabaeidae) Synonym(s):
mongolica Faldermann,1835 RU Am MN
220. **Anomala (Euchronomala) viridana Kolbe,1886** (Scarabaeidae) Synonym(s): *viridana*
Kolbe,1886 RU Am
221. **Anomala (Psammoscaphaeus) errans (Fabricius,1775)** (Scarabaeidae) Synonym(s): *errans*
Fabricius,1775 RU UA Cm
222. **Anomala (s.str.) abchasica Motschulsky,1853** (Scarabaeidae) Synonym(s): *abchasica*
Motschulsky,1853 RU Cc GG
223. **Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae) Synonym(s): *dubia* Scopoli,1763 RU
SS HV Cc LT TR
224. **Anomala (s.str.) lucens Ballion,1871** (Scarabaeidae) Synonym(s): *lucens* Ballion,1871 RU Us
Krl
225. **Anomala (s.str.) luculenta Erichson,1847** (Scarabaeidae) Synonym(s): *luculenta*
Erichson,1847 RU Us Am
226. **Anomala (s.str.) ogloblini Medvedev,1951** (Scarabaeidae) Synonym(s): *ogloblini*
Medvedev,1951 RU Am
227. **Anomala (s.str.) rufocuprea Motschulsky,1860** (Scarabaeidae) Synonym(s): *rufocuprea*
Motschulsky,1860 RU Krl JP

228. **Anomala (s.str.) vitis (Fabricius,1775)** (Scarabaeidae) Synonym(s): *vitis Fabricius,1775* **RU HU**
229. **Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum Geoffroy,1785* **TR IR KG RU Sb**
230. **Anomalon foliator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *foliator Fabricius,1798* **TR KG RU Sb**
231. **Anoplus samariensis (Pallas,1771)** (Pompilidae) Synonym(s): *samariensis Pallas,1771* **RU TR**
232. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905* **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY**
233. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
234. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
235. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi Lethierry,1876; fusca Ivanoff,1885; henschi Loew,1885* **IT RO TR KG MD RU UA YU**
236. **Anoxia pilosa (Fabricius,1792)** (Scarabaeidae) Synonym(s): *pilosa Fabricius,1792* **RU**
237. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* **DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR**
238. **Anthaxia (Melanthaxia) quadripunctata (Linnaeus,1758)** (Buprestidae) Synonym(s): *quadripunctata Linnaeus,1758; punctata Ponzani,1805; angulicollis Küster,1850; angulata Küster,1850; quadrioveolata Obenberger,1918* **TR AM Cc RU Sb**
239. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
240. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* **AT YU CZ FR DE HU IT RU SK ES CH UA TR**
241. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare Morawitz,1874; elongatum Friese,1897; hoplostomum Mavromoustakis,1945* **Cc RU Da GR Rd HV TR IL Pa SY**
242. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805* **TR Cc KG RU Sb Us DZ**
243. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevriér,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
244. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* **UA Cm RU HU GR TM TR Cc SY IL Pa ZA**
245. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme Smith,1854; bartholomei Radoszkowski,1862* **IT Si AL SY LB IR GR Cc TR KG RU DZ**
246. **Anthidium (Icteranthidium) croceum Morawitz,1878** (Megachilidae) Synonym(s): *croceum Morawitz,1878* **Cc RU**
247. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenk,1868; sexmaculatum Chevriér,1872; perrisii Dours,1873; ifranicum Cockerell,1931; confluens Alfken,1931* **MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM**
248. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele Morawitz,1876; controversum Radoszkowski,1886; malacopygum Gribodo,1894; konowi Friese,1897; zonulum Alfken,1935* **Cc RU TM TR IL Js Pa BG SY DZ ES**
249. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841; integrum Eversmann,1852; curvipes Smith,1872; melanostomum Costa, 1884; foliivolutor Ferton,1921* **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
250. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum Illiger,1806; oblongatum Latreille,1809; trochantericum Morawitz,1894; nigrum Friese,1897;*

- luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR
251. **Anthidium (Proanthidium) venustum Morawitz,1878** (Megachilidae) Synonym(s): *venustum* Morawitz,1878; *morawitzi* Dalla Torre,1896 Cc RU EG
252. **Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae) Synonym(s): *alpinum* Morawitz,1874 Cc RU Da RO HU TR
253. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
254. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum* Latreille,1809 RU Sb DZ Cc TR
255. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *causicum* Friese,1897 DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
256. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775 US RU Sb TR SY Cc
257. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 RU Sb KG TR CY IL Pa Js LB TM Kp GR
258. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus,1758 TR RU Sb Cc DZ BR UY AR
259. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevriert,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes* Friese,1897; *kohlii* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum* Friese,1917; *suecicum* Alfken,1927 SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
260. **Anthidium (s.str.) trispinosum Friese,1917** (Megachilidae) Synonym(s): *trispinosum* Friese,1917 Cc RU TR
261. **Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina* Panzer,1804; *resinana* Schilling,1829; *pyrenaica* Lepeletier,841; *rotundiventris* Perris,1852; *zeitzi* Cockerell,1925 DE ES FR RU TR Cc
262. **Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): *humeralis* Morawitz,1861 TR AT SK RU BG GR
263. **Anthocomus rufus (Herbst,1784)** (Melyridae) Synonym(s): *rufus* Herbst,1784; *coccineus* Schaller RU SE DK DE RO
264. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
265. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
266. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
267. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
268. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
269. **Anthomalachius foveatus (Medvedev,1964)** (Melyridae) Synonym(s): *foveatus* Medvedev,1964 KG RU MN
270. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
271. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
272. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris* Rondani,1866 C DK FI IT SE HU YU RU CN JP TR
273. **Anthophora pedata Eversmann,1852** (Apidae) Synonym(s): *pedata* Eversmann,1852 RU TR
274. **Anthophora retusa (Linnaeus,1758)** (Apidae) Synonym(s): *retusa* Linnaeus,1758; *monacha* Erichson,1849; *meridionalis* Pérez,1879; *baicalensis* Hedicke,1929; *rudolphae* Romankova,2003 RU TR

275. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
276. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
277. **Anthrax cascus Wiedemann,1818** (Bombyliidae) Synonym(s): *cascus Wiedemann,1818* RU
278. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
279. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
280. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
281. **Anthrax zonabripagus (Portschinsky,1895)** (Bombyliidae) Synonym(s): *zonabripagus Portschinsky,1895* BY EE KG LT MD RU Cc UA
282. **Anthribus albinus (Linnaeus,1758)** (Anthribidae) Synonym(s): *albinus Linnaeus,1758* RU Sb MN
283. **Antipalus sinuatus (Loew,1854)** (Asilidae) Synonym(s): *sinuatus Loew,1854* PL AT RU
284. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes Meigen,1820; tibialis Megerle,1820; macrurus Ruthe,1831; xanthopygus Ruthe,1831; aurifluus Zeller,1840; tenax Zeller,1840; mollis Loew,1871; flabellifer Pandellé,1905* AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
285. **Antiphrisson accessus Lehr,1986** (Asilidae) Synonym(s): *accessus Lehr,1986* RU
286. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus Loew,1849* Cc RU KG IL Pa TR IR Kz Fa EG TN
287. **Antiphrisson alaschanicus Lehr,1986** (Asilidae) Synonym(s): *alaskanicus Lehr,1986* RU
288. **Antiphrisson alpicola Lehr,1986** (Asilidae) Synonym(s): *alpicola Lehr,1986* RU
289. **Antiphrisson aspereum Lehr,1986** (Asilidae) Synonym(s): *aspereum Lehr,1986* RU
290. **Antiphrisson breviaristatus Lehr,1972** (Asilidae) Synonym(s): *breviaristatus Lehr,1972* MN RU
291. **Antiphrisson charanchoicus Lehr,1987** (Asilidae) Synonym(s): *charanchoicus Lehr,1987* RU
292. **Antiphrisson erenitus Lehr,1986** (Asilidae) Synonym(s): *erenitus Lehr,1986* RU
293. **Antiphrisson fossilis Lehr,1986** (Asilidae) Synonym(s): *fossilis Lehr,1986* RU
294. **Antiphrisson fuliginus Loew,1871** (Asilidae) Synonym(s): *fuliginus Loew,1871* RU
295. **Antiphrisson grunini Lehr,1970** (Asilidae) Synonym(s): *grunini Lehr,1970* RU Sb Us
296. **Antiphrisson koo Lehr,1986** (Asilidae) Synonym(s): *koo Lehr,1986* RU
297. **Antiphrisson malkovskii Lehr,1970** (Asilidae) Synonym(s): *malkovskii Lehr,1970* RU KG
298. **Antiphrisson mica Lehr,1986** (Asilidae) Synonym(s): *mica Lehr,1986* RU
299. **Antiphrisson minor Lehr,1970** (Asilidae) Synonym(s): *minor Lehr,1970* RU KG
300. **Antiphrisson mitjaevi Lehr,1964** (Asilidae) Synonym(s): *mitjaevi Lehr,1964* RU KG
301. **Antiphrisson monstrosus Lehr,1986** (Asilidae) Synonym(s): *monstrosus Lehr,1986* RU
302. **Antiphrisson mujuncumus Lehr,1986** (Asilidae) Synonym(s): *mujuncumus Lehr,1986* RU
303. **Antiphrisson pecinensis Lehr,1986** (Asilidae) Synonym(s): *pecinensis Lehr,1986* RU
304. **Antiphrisson schurovenkovi Lehr,1970** (Asilidae) Synonym(s): *schurovenkovi Lehr,1970* MN RU Sb Us
305. **Antiphrisson semivillosus Lehr,1986** (Asilidae) Synonym(s): *semivillosus Lehr,1986* RU
306. **Antiphrisson solex (Enderlein,1934)** (Asilidae) Synonym(s): *solex Enderlein,1934* RU
307. **Antiphrisson tenebrosus Lehr,1972** (Asilidae) Synonym(s): *tenebrosus Lehr,1972* MN RU CN
308. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
309. **Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): *bipunctatus Germar,1817; #bipunctatus Özbek & Szaloki,1998* TR RU Cc KG TJ
310. **Apalus necydalaeus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus Pallas,1782* TR Cc RU Sb GR HU TM
311. **Apanteles obscurus (Nees,1834)** (Braconidae) Synonym(s): *obscurus Nees,1834* Microgaster obscurus Nees,1834, Hym. Ichn. Affin. Mon. 1: 182. TR Cc RU Sb MN
312. **Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *compunctor Linnaeus,1758* TR RU Sb
313. **Apethymus apicalis (Klug,1818)** (Tenthredinidae) Synonym(s): *apicalis Klug,1818; serotinus Müller,1776; filiformis Klug,1818* TR RU Cc
314. **Aphalara maculipennis Loew,1886** (Psyllidae) Synonym(s): *maculipennis Loew,1886* TR Cc RU Sb Am IN
315. **Aphasganophora armeniaca (Boucek,1952)** (Chalcididae) Synonym(s): *armeniaca Boucek,1952; ensifera Nikolskaya,1952* AM Cc RU TR
316. **Aphodius (Acanthbodilus) immundus Creutzer,1799** (Scarabaeidae) Synonym(s): *immundus Creutzer,1799* RU Cc Ur Sb Us KG TM TJ

317. **Aphodius (Acrossus) arsenjevi Berlov,1989** (Scarabaeidae) Synonym(s): *arsenjevi Berlov,1989*
RU Am
318. **Aphodius (Acrossus) bimaculatus (Laxmann,1770)** (Scarabaeidae) Synonym(s): *bimaculatus Laxmann,1770* RU Sb Us KG
319. **Aphodius (Acrossus) depressus (Kugelann,1798)** (Scarabaeidae) Synonym(s): *depressus Kugelann,1798* RU Cc Ur Sb Us IT UA GG
320. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus Fabricius,1775* RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ
321. **Aphodius (Acrossus) planicollis Reitter,1890** (Scarabaeidae) Synonym(s): *planicollis Reitter,1890* Cc GG RU
322. **Aphodius (Acrossus) rufipes (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *rufipes Linnaeus,1758* RU Sb Us Am IT FI UA Cc GG KG
323. **Aphodius (Agoliinus) nasutus Reitter,1887** (Scarabaeidae) Synonym(s): *nasutus Reitter,1887* RU Us
324. **Aphodius (Agoliinus) nemoralis Erichson,1848** (Scarabaeidae) Synonym(s): *nemoralis Erichson,1848* RU BY
325. **Aphodius (Agoliinus) tenebricosus A.Schmidt,1816** (Scarabaeidae) Synonym(s): *tenebricosus A.Schmidt,1816* RU Sb Us
326. **Aphodius (Agrilinus) ater (De Geer,1774)** (Scarabaeidae) Synonym(s): *ater De Geer,1774*
RU Ur Sb Us Sh GG Cc KG
327. **Aphodius (Agrilinus) borealis Gyllenhal,1827** (Scarabaeidae) Synonym(s): *borealis Gyllenhal,1827* RU Sb Am FI KG
328. **Aphodius (Agrilinus) isajevi Kabakov,1994** (Scarabaeidae) Synonym(s): *isajevi Kabakov,1994* RU Ur
329. **Aphodius (Agrilinus) lapponum Gyllenhal,1806** (Scarabaeidae) Synonym(s): *lapponum Gyllenhal,1806* RU Us KG
330. **Aphodius (Agrilinus) piceus Gyllenhal,1808** (Scarabaeidae) Synonym(s): *piceus Gyllenhal,1808* RU Us KG
331. **Aphodius (Agrilinus) pratensis Nomura & Nakane** (Scarabaeidae) Synonym(s): *pratensis Nomura & Nakane* RU Krl
332. **Aphodius (Agrilinus) uliginosus (Hardy,1847)** (Scarabaeidae) Synonym(s): *uliginosus Hardy,1847* RU Sb Us BY KG
333. **Aphodius (Agrilinus) uniformis Waterhouse,1875** (Scarabaeidae) Synonym(s): *uniformis Waterhouse,1875* RU Krl
334. **Aphodius (Agrilinus) vittatus Say,1825** (Scarabaeidae) Synonym(s): *vittatus Say,1825* RU
335. **Aphodius (Amidorus) obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): *obscurus Fabricius,1792* RU Cc GG
336. **Aphodius (Amidorus) tomentosus (Müller,1776)** (Scarabaeidae) Synonym(s): *tomentosus Müller,1776* RU Sb Us KG
337. **Aphodius (Amidorus) zangi A.Schmidt,1906** (Scarabaeidae) Synonym(s): *zangi A.Schmidt,1906* RU Sb Us KG
338. **Aphodius (Ammoecius) brevis Erichson,1848** (Scarabaeidae) Synonym(s): *brevis Erichson,1848* RU Ur Sb KG
339. **Aphodius (Aphodaulacus) koltzei Reitter,1892** (Scarabaeidae) Synonym(s): *koltzei Reitter,1892* RU Am
340. **Aphodius (Aphodaulacus) variabilis Waterhouse,1875** (Scarabaeidae) Synonym(s): *variabilis Waterhouse,1875* RU Am
341. **Aphodius (Aphodiellus) impunctatus Waterhouse,1875** (Scarabaeidae) Synonym(s): *impunctatus Waterhouse,1875* RU Am
342. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius Linnaeus,1758* RU Cc Ur Sb Us UA AM GG KG KK TM UZ
343. **Aphodius (Aphodius) foetens (Fabricius,1787)** (Scarabaeidae) Synonym(s): *foetens Fabricius,1787* RU Ur Sb Us KG
344. **Aphodius (Biralus) satellitus (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitus Herbst,1789* RU KG
345. **Aphodius (Bodilus) gregarius Harold,1871** (Scarabaeidae) Synonym(s): *gregarius Harold,1871* RU KG MN
346. **Aphodius (Bodilus) hastatus Reitter,1892** (Scarabaeidae) Synonym(s): *hastatus Reitter,1892*
RU KG
347. **Aphodius (Bodilus) ictericus (Laicharting,1781)** (Scarabaeidae) Synonym(s): *ictericus Laicharting,1781* RU Cc Ur Sb HU UA Cm KG
348. **Aphodius (Bodilus) longeciliatus Reitter,1887** (Scarabaeidae) Synonym(s): *longeciliatus Reitter,1887* RU Us
349. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens Creutzer,1799*
RU Ur Cc UA Cm KG KK TJ TM

350. **Aphodius (Bodilus) nigriventris Reitter,1892** (Scarabaeidae) Synonym(s): *nigriventris Reitter,1892* RU KG
351. **Aphodius (Bodilus) punctipennis Erichson,1848** (Scarabaeidae) Synonym(s): *punctipennis Erichson,1848* RU Sb KG TM
352. **Aphodius (Bodilus) rufus (Moll,1782)** (Scarabaeidae) Synonym(s): *rufus Moll,1782* RU Ur KG HU
353. **Aphodius (Bodilus) sordescens Harold,1869** (Scarabaeidae) Synonym(s): *sordescens Harold,1869* RU Sb KG MN
354. **Aphodius (Bodilus) sordidus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *sordidus Fabricius,1775* RU Sb Us MN
355. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
356. **Aphodius (Calamosternus) lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): *lividus Olivier,1789* RU Am Cc GG KG TM TJ
357. **Aphodius (Calamosternus) sublimbatus Motschoulsky,1860** (Scarabaeidae) Synonym(s): *sublimbatus Motschoulsky,1860* RU Am
358. **Aphodius (Calamosternus) suturifer Reitter,1893** (Scarabaeidae) Synonym(s): *suturifer Reitter,1893* RU Us KG
359. **Aphodius (Chilothorax) altaicus Nikolajev,1984** (Scarabaeidae) Synonym(s): *altaicus Nikolajev,1984* CN RU At
360. **Aphodius (Chilothorax) comma Reitter,1892** (Scarabaeidae) Synonym(s): *comma Reitter,1892* RU Sb KG
361. **Aphodius (Chilothorax) distinctus (Müller,1776)** (Scarabaeidae) Synonym(s): *distinctus Müller,1776* DE RU Cc Ur Sb Us KG TM TJ
362. **Aphodius (Chilothorax) exilimanus Kabakov,1994** (Scarabaeidae) Synonym(s): *exilimanus Kabakov,1994* RU Ur
363. **Aphodius (Chilothorax) grafi Reitter,1901** (Scarabaeidae) Synonym(s): *grafi Reitter,1901* RU Us
364. **Aphodius (Chilothorax) jakobsoni W.Koshantshikov,1911** (Scarabaeidae) Synonym(s): *jakobsoni W.Koshantshikov,1911* RU Us KG
365. **Aphodius (Chilothorax) kerzhneri Nikolajev,1984** (Scarabaeidae) Synonym(s): *kerzhneri Nikolajev,1984* RU Sb Us KG
366. **Aphodius (Chilothorax) melanostictus W.Schmidt,1840** (Scarabaeidae) Synonym(s): *melanostictus W.Schmidt,1840* RU Sb UA KG KK TM
367. **Aphodius (Chilothorax) mongolaltaicus Nikolajev,1984** (Scarabaeidae) Synonym(s): *mongolaltaicus Nikolajev,1984* RU Us MN
368. **Aphodius (Chilothorax) sticticus (Panzer,1798)** (Scarabaeidae) Synonym(s): *sticticus Panzer,1798* RU BY Cc
369. **Aphodius (Chilothorax) tanhensis Frolov,2001** (Scarabaeidae) Synonym(s): *tanhensis Frolov,2001* RU Us
370. **Aphodius (Chilothorax) transvolgensis Semenov,1898** (Scarabaeidae) Synonym(s): *transvolgensis Semenov,1898* RU Sb KG
371. **Aphodius (Colobopterus) erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus Linnaeus,1758* RU Ur Sb Us UA KG TM UZ
372. **Aphodius (Colobopterus) propraetor Balthasar,1932** (Scarabaeidae) Synonym(s): *propraetor Balthasar,1932* RU Am
373. **Aphodius (Colobopterus) quadratus Reiche,1847** (Scarabaeidae) Synonym(s): *quadratus Reiche,1847* RU Krl
374. **Aphodius (Copriformus) scrutator (Herbst,1789)** (Scarabaeidae) Synonym(s): *scrutator Herbst,1789* HU IT UA Cm RU
375. **Aphodius (Esymus) merdarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): *merdarius Fabricius,1775* RU Cc TM
376. **Aphodius (Eudolus) quadriguttatus (Herbst,1783)** (Scarabaeidae) Synonym(s): *quadriguttatus Herbst,1783* RU Ur UA Cm TM UZ
377. **Aphodius (Eupleurus) antiquus Faldermann,1835** (Scarabaeidae) Synonym(s): *antiquus Faldermann,1835* RU Us MN
378. **Aphodius (Eupleurus) subterranius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *subterranius Linnaeus,1758* RU Cc Ur Sb Us KG TM
379. **Aphodius (Gonaphodius) scoparius Harold,1877** (Scarabaeidae) Synonym(s): *scoparius Harold,1877* RU Us
380. **Aphodius (Limarus) zenkeri (Germar,1813)** (Scarabaeidae) Synonym(s): *zenkeri Germar,1813* BY RU
381. **Aphodius (Loraspis) frater Mulsant & Rey,1870** (Scarabaeidae) Synonym(s): *frater Mulsant & Rey,1870* RU Ur Sb Us KG
382. **Aphodius (Mecynodes) kisilkumi Solsky,1876** (Scarabaeidae) Synonym(s): *kisilkumi Solsky,1876* RU Sb TM

383. **Aphodius (Melaphodius) caspicus Ménériés,1823** (Scarabaeidae) Synonym(s): *caspicus Ménériés,1823* RU Sb Us UA KG
384. **Aphodius (Melinopterus) circumcinctus W.Schmidt,1846** (Scarabaeidae) Synonym(s): *circumcinctus W.Schmidt,1846* RU Ur Sb
385. **Aphodius (Melinopterus) consputus Creutzer,1899** (Scarabaeidae) Synonym(s): *consputus Creutzer,1899* RU
386. **Aphodius (Melinopterus) prodromus (Brahm,1790)** (Scarabaeidae) Synonym(s): *prodromus Brahm,1790* UA RU Cc LT Ur Sb Us KG TM
387. **Aphodius (Melinopterus) punctatosulcatus Sturm,1805** (Scarabaeidae) Synonym(s): *punctatosulcatus Sturm,1805* RU Ur Sb Us KG
388. **Aphodius (Melinopterus) sphacelatus (Panzer,1798)** (Scarabaeidae) Synonym(s): *sphacelatus Panzer,1798* RU
389. **Aphodius (Mendidius) ivanovi Lebedev,1912** (Scarabaeidae) Synonym(s): *ivanovi Lebedev,1912* RU
390. **Aphodius (Mendidius) multiplex Reitter,1897** (Scarabaeidae) Synonym(s): *multiplex Reitter,1897* RU Sb KG TM MN
391. **Aphodius (Neagolius) falcispinus W.Koshantschikov,1912** (Scarabaeidae) Synonym(s): *falcispinus W.Koshantschikov,1912* RU Us
392. **Aphodius (Nialus) plagiatus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *plagiatus Linnaeus,1767* RU Sb Us LT KG
393. **Aphodius (Nialus) sturmi Harold,1870** (Scarabaeidae) Synonym(s): *sturmi Harold,1870* RU Sb KG TM
394. **Aphodius (Nialus) varians Duftschmid,1805** (Scarabaeidae) Synonym(s): *variens Duftschmid,1805* RU Sb UA AZ Cc KG TJ
395. **Aphodius (Nobius) korgaldzhensis Nikolajev,1987** (Scarabaeidae) Synonym(s): *korgaldzhensis Nikolajev,1987* RU Ur
396. **Aphodius (Nobius) serotinus (Panzer,1799)** (Scarabaeidae) Synonym(s): *serotinus Panzer,1799* RU Sb KG
397. **Aphodius (Orodaliscus) rotundangulus Reitter,1900** (Scarabaeidae) Synonym(s): *rotundangulus Reitter,1900* RU Sb KG
398. **Aphodius (Orodalus) coenosus (Panzer,1798)** (Scarabaeidae) Synonym(s): *coenosus Panzer,1798* RU Ur BY
399. **Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): *pusillus Herbst,1789* RU Cc Ur Sb Us Am Krl GG KG KK TM UZ
400. **Aphodius (Oromus) alpinus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *alpinus Scopoli,1763* RU UA
401. **Aphodius (Oromus) asphaltinus Kolenati,1846** (Scarabaeidae) Synonym(s): *asphaltinus Kolenati,1846* RU Cc GG
402. **Aphodius (Oromus) corvinus Erichson** (Scarabaeidae) Synonym(s): BY RU
403. **Aphodius (Otophorus) haemorrhoidalis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *haemorrhoidalis Linnaeus,1758* IT UA RU Ur Sb Us Am Sh Krl
404. **Aphodius (Phaeaphodius) costalis Gebler,1848** (Scarabaeidae) Synonym(s): *costalis Gebler,1848* RU Sb KG
405. **Aphodius (Phaeaphodius) dauricus Harold,1863** (Scarabaeidae) Synonym(s): *dauricus Harold,1863* RU Sb Us KG
406. **Aphodius (Phaeaphodius) rectus Motschoulsky,1866** (Scarabaeidae) Synonym(s): *rectus Motschoulsky,1866* RU Ur Sb Us Am Krl CN KG
407. **Aphodius (Phalacronotus) biguttatus Germar,1824** (Scarabaeidae) Synonym(s): *biguttatus Germar,1824* RU Ur Sb KG
408. **Aphodius (Phalacronotus) citellorum Semenov & Medvedev,1928** (Scarabaeidae) Synonym(s): *citellorum Semenov & Medvedev,1928* RU Sb KG
409. **Aphodius (Plagiogonus) putridus (Fourcroy,1785)** (Scarabaeidae) Synonym(s): *putridus Fourcroy,1785* RU Ur Sb Us KG
410. **Aphodius (Pseudacrossus) hahni Reitter,1907** (Scarabaeidae) Synonym(s): *hahni Reitter,1907* RU Ur KG
411. **Aphodius (Pseudacrossus) nasutus Reitter,1887** (Scarabaeidae) Synonym(s): *nasutus Reitter,1887* RU Us
412. **Aphodius (Teuchestes) brachysomus Solsky,1874** (Scarabaeidae) Synonym(s): *brachysomus Solsky,1874* RU Krl
413. **Aphodius (Teuchestes) fossor (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fossor Linnaeus,1758* RU Cc Ur Sb Us UA Cm KG
414. **Aphodius (Trichonotulus) scrofa (Fabricius,1787)** (Scarabaeidae) Synonym(s): *scrofa Fabricius,1787* RU MN KG
415. **Aphrodes albiger (Germar,1821)** (Cicadellidae) Synonym(s): *albiger Germar,1821; kirschbaumi Edwards,1920; nudus Wagner,1937; salinus Wagner,1937; deleta Ribaut,1952* AT CZ GB FR DE NL PL RU TR

416. **Aphrodes angulaticeps Emeljanov,1964** (Cicadellidae) Synonym(s): *angulaticeps Emeljanov,1964* RU TR
417. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
418. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
419. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus Lethierry,1876* CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
420. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan,1799; rivularis Germar,1821* AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
421. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius,1794; arenicola Marshall,1866* AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
422. **Aphrodes montanus Vilbaste,1965** (Cicadellidae) Synonym(s): *montanus Vilbaste,1965; caucasicus Vilbaste,1965* Cc AZ RU At
423. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
424. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
425. **Aphthona euphorbiae (Schrank,1781)** (Chrysomelidae) Synonym(s): *euphorbiae Schrank,1781* Cc TR RU Sb KG
426. **Aphthona gracilis Faldermann,1837** (Chrysomelidae) Synonym(s): *gracilis Faldermann,1837* TR Cc RU KG
427. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens Gyllenhal,1808* TR Cc RU Sb KG MN YE
428. **Aphthona maculata Allard,1876** (Chrysomelidae) Synonym(s): *maculata Allard,1876* TR Cc RU KG
429. **Aphthona nigriscutis Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis Foudras,1860* TR Cc RU IR KG
430. **Aphthona rugipennis Ogloblin,1926** (Chrysomelidae) Synonym(s): *rugipennis Ogloblin,1926* RU Cc TR
431. **Aphthona semicyanea Allard,1859** (Chrysomelidae) Synonym(s): *semicyanea Allard,1859* TR Cc KG RU
432. **Aphytis mytilaspidis (Le Baron,1870)** (Aphelinidae) Synonym(s): *albidus Westwood,1837; mytilaspidis Le Baron,1870; variolosum Alam,1956; diaspidioti Chumakova,1957; ficus Traboulsi,1969* GB CY LB TR RU Us
433. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
434. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus Kiesenwetter,1858* TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
435. **Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes Loew,1873* RU KG DZ IR TR
436. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873* RU KG DZ TN LY IR TR
437. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790* DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
438. **Apogonia nigroolivaceae Heyden,1886** (Scarabaeidae) Synonym(s): *nigroolivaceae Heyden,1886* RU Am
439. **Apolysis pusilla (Paramonov,1929)** (Bombyliidae) Synonym(s): *pusilla Paramonov,1929* Cc AZ Da RU
440. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax Pecchioli,1837* AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
441. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus Dejean,1825* AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
442. **Aprosthema melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc

443. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb**
444. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *conii* Erdős,1954; *rugosus* Erdős,1954 **CZ FR GR HU GB IE NL RU Us SK SE TR**
445. **Aprostocetus catus (Walker,1839)** (Eulophidae) Synonym(s): *catus* Walker,1839 **CZ IE GB SE RU Us TR**
446. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 **AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR**
447. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 **AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR**
448. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976 **DE KG MD NL RO RU At Us SE TJ GB UZ TR SE**
449. **Aprostocetus zerovae (Kostjukov & Fursov,1987)** (Eulophidae) Synonym(s): *zerovae* Kostjukov & Fursov,1987 **UA RU**
450. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) **AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU**
451. **Arboridia potentillae (Moravskaja,1948)** (Cicadellidae) Synonym(s): *potentillae* Moravskaja,1948 **BG PL RU UA**
452. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata* Ribaut,1952 **BG CS FR DE HU NL PL RO SW MD RU UA YU**
453. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta* Melichar,1897; *spathulata* Ribaut,1931 **FR DE IT CH RU Sb UA YU TR**
454. **Arge caucasica Tournier,1889** (Argidae) Synonym(s): *caucasica* Tournier,1889 **Cc SK RU UA B-H**
455. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 **FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt**
456. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *seljuki* Benson,1968; *fuscineris* Lindqvist,1974 **ES FR SE DE PL RU Sb DZ TR CA**
457. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
458. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 **ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP**
459. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 **ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP**
460. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 **ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc**
461. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
462. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 **GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP**
463. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata* Zaddach,1859 **FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP**
464. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 **FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN**
465. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 **ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa**
466. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 **PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR**
467. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 *nec* Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 **GG RO GR RU Cc UA IR MA**
468. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 **GR Cr MD RO RU UA Cc Cm MA Cn**
469. **Argyra diaphana (Fabricius,1775)** (Dolichopodidae) Synonym(s): *diaphana* Fabricius,1775; *ludea* Harris,1776; *pellucens* Fallén,1823; *versicolor* Meigen,1824; *hirtipes* Curtis,1835 **MD RU RO UA IR**
470. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 **AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ**
471. **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata* Kowarz,1879 **GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ**

472. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794*; *#scutellaris Stichel,1961*; *neocustos Ahmad & Onder,1990*; *neoinsperata Ahmad & Onder,1990* **DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE**
473. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus Flor,1861*; *pallipes Kirschbaum,1868*; *pusillus Kirschbaum,1868*; *productus Thomson,1869*; *haupti Lindberg,1924*; *ocellatus Cerutti,1939* **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA**
474. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum Flor,1861*; *paucinervis Sahlberg,1871* **AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU**
475. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons Kirschbaum,1868* **AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU**
476. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821*; *diminutus Kirschbaum,1858* **AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU**
477. **Ascogaster instabilis Wesmael,1835** (Braconidae) Synonym(s): *instabilis Wesmael,1835* **RU TR**
478. **Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): *barbarus Linnaeus,1758*; *sinis Séguay,1930*; *flavipes Esipenko,1970* **IR Kz DZ MA TN RU**
479. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis Linnaeus,1758* **IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB**
480. **Asilus lucidus Pallas,1818** (Asilidae) Synonym(s): *lucidus Pallas,1818* **IR Kd RU**
481. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794*; *divisa Rey,1891* **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
482. **Aspoeckina uralensis Hölzel** (Myrmeleonidae) Synonym(s): **RU Ur TR IR**
483. **Astochia caspica Hermann,1917** (Asilidae) Synonym(s): *caspica Hermann,1917*; *sareptana Becker,1923* **IR AF RU KG AZ Cc**
484. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *bicolor Audinet-Serville,1823* **UA Cm TR Cc DZ RU**
485. **Athalia circularis (Klug,1815)** (Tenthredinidae) Synonym(s): *circularis Klug,1815*; *lineolata Audinet-Serville,1823*; *bolivari Dusmet,1896*; *libertoides Priesner,1928*; *longifoliae Kontuniemi,1951*; *alpina Chevin,1969* **UA Cm TR RU MN CA CN JP**
486. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata Audinet-Serville,1823*; *suessionensis Audinet-Serville,1823*; *blanchardi Brullé,1846* **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
487. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815*; *immaculata Konow,1884* **RU TR IR UZ KK Cc Sb IN CN JP**
488. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus Linnaeus,1758* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
489. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus Germar,1817* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
490. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus Schrank,1781* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
491. **Atronus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis Gautier des Cottés,1858* **BG FR GR HU IT RU SK SL TR**
492. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763*; *curculionoides Linnaeus,1767*; *coryli Müller,1776*; *maculipes Rondani,1833* **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
493. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858*; *cyprianus Ricardo,1911*; *karybenthinus Szilady,1915* **TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ**
494. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica Tyurebaev,1979* **TR IR Ab Oru UA RU KG KK TM TJ UZ**
495. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros Ratzeburg,1844*; *skianeurus Ratzeburg,1848* **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
496. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855*; *quadrisignata Flor,1861*; *homeyeri Kirschbaum,1868*; *feberi Vismara,1878*; *laevis Bergevin,1934* (*praeoc.*); *zachvatkini Vilbaste,1961*; *nasti Dlabola,1964*; *deserticola Dlabola,1964* **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
497. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata Lethierry,1884*; *artemisiae Haupt,1924* **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU**
498. **Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): *gracilis Krynicky,1832* **RU Cc CZ GR**
499. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius Fabricius,1775* **MT DK SE PT RU Cc MA DZ IT Sa Si**
500. **Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): *femoralis Förster,1848* **Cc TR RU Sb Am**
501. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus Schrank,1798* **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**

502. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891
CY IT JO YU UA RU TR IR
503. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775;
tricolor Gmelin,1790; *clypeata* Curtis,1837; *spreta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus*
Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944;
sagittaria Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR
Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
504. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella*
Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 CN BG
CS EG FR DE HU IL IT JP RO SW YU RU TR
505. **Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): *crassicornis*
Rudow,1886 TR RU Cc
506. **Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *volutatorius*
Linnaeus,1758 TR KG Aa RU Ya
507. **Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata*
Gravenhorst,1829 TR Cc AM IR AF RU Sb Us
508. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis*
Thomson,1878 TR BG CZ FR DE HU IT RU SE GB YU
509. **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus*
Schmiedeknecht,1913 *Barytarbes superbus* Schmiedeknecht,1913, Opusc. Ichneum. 5: 2911. TR BG RU
IL Pa
510. **Batracomorphus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794
(*praeocc.*); *allionii* Turton,1802; *fabricii* Metcalf,1955 AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb
511. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834;
microcephalus Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa*
Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
512. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 IT TR
AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
513. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis*
Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
514. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 US
Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
515. **Bellardia grunini Schumann,1974** (Calliphoridae) Synonym(s): *grunini* Schumann,1974 RU Or
Ur Cc UA
516. **Bellardia kisha (Grunin,1970)** (Calliphoridae) Synonym(s): *kisha* Grunin,1970 Cc GG RU Da
517. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia*
Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES
SE CH UA GB
518. **Bellardia pubicornis (Zetterstedt,1838)** (Calliphoridae) Synonym(s): *pubicornis* Zetterstedt,1838;
puberula Zetterstedt,1838; *dolens* Zetterstedt,1838; *curvipes* Zetterstedt,1838 AT FI HU NO RU SE CH GB
519. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata*
Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN
Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
520. **Bellardia tatraca (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatraca* Enderlein,1933 IL Pa
GR PL RU Cc Kr Y JO
521. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-
Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti*
Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU
At SK ES SE UA GB
522. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris*
Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT
NL NO PL RO RU SK YU ES SE CH UA GB
523. **Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus*
Frivaldsky,1876 HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA
524. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum*
Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
525. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile*
Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES
SE CH TR UA MA NL JP
526. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s):
fumigatum Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE
CH TR UA KG NL
527. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum*
Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG
NL YU
528. **Bembidion (Euperyphus) combustum Ménétriés,1832** (Carabidae) Synonym(s):
combustum Ménétriés,1832 AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU

529. **Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne Chaudoir,1850* AZ AM Cc GG RU TR IR
530. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
531. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
532. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
533. **Bembidion (Nepa) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
534. **Bembidion (Nepa) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844* AZ AM Cc B-H BG GG GR MK RU TR LB YU
535. **Bembidion (Nepa) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
536. **Bembidion (Nepa) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): *pinkeri Netolitzky,1935* GG RU TR Cc
537. **Bembidion (Nepa) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846* AZ AM Cc GG RU TR UA IR
538. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
539. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
540. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
541. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
542. **Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799* BG GR MK AZ AM Cc GG RU TR
543. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
544. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum Fabricius,1792* AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
545. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831* AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
546. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
547. **Bembidion (Peryphiolus) monticola Sturm,1825** (Carabidae) Synonym(s): *monticola Sturm,1825* AM Cc GG RU TR
548. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
549. **Bembidion (Peryphus) persicum Ménétrés,1832** (Carabidae) Synonym(s): *persicum Ménétrés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
550. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
551. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
552. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
553. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
554. **Bembidion (Talanus) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir,1850* BG HV CZ GR IT MD RO RU TR UA
555. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ

556. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
557. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
558. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale* Duftschmid,1812 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
559. **Benjaminia horstmanni Wahl,1989** (Ichneumonidae) Synonym(s): *horstmanni* Wahl,1989 TR RU
560. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805 AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
561. **Beris kovalevi Rozkosny & Nartshuk,1980** (Stratiomyidae) Synonym(s): *kovalevi* Rozkosny & Nartshuk,1980 RU Cc AM GG
562. **Beris schaposchnikowi Pleske,1926** (Stratiomyidae) Synonym(s): *schaposchnikowi* Pleske,1926 Cc RU GG Lag AZ
563. **Berytinus nigrolineatus (Jakovlev,1904)** (Berytidae) Synonym(s): *nigrolineatus* Jakovlev,1904 RU TR
564. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia* Meigen,1824 TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
565. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes* Meigen,1818; *dorsalis* Meigen,1818; *flavicollis* Meigen,1818; *ephippium* Zetterstedt,1838; *tancrei* Duda,1930 ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
566. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis* Linnaeus,1767; *marginalis* Geoffroy,1785; *pyri* Fabricius,1794; *hyalinus* Meigen,1804; *praecox* Meigen,1804; *nigrifemus* Strobl,1900; *jacobi* Villeneuve,1924 ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
567. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus* Wiedemann,1818; *vernalis* Meigen,1818 ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
568. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci* Linnaeus,1758; *brevicornis* Linnaeus,1758; *crassipes* Harris,1776; *funerosus* Harris,1776; *pusillus* Macquart,1846 PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
569. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae* Fabricius,1775; *funestus* Harris,1776; *marcifulvipes* De Geer,1776 GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
570. **Bibio reticulatus Loew,1846** (Bibionidae) Synonym(s): *?villosus* Meigen,1818; *reticulatus* Loew,1846 ES FR GB BE NL DE PL RU HU CZ SK CH AT
571. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaealveariformis* Anthoine,1794; *gallaeacerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* Hartig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
572. **Bithia modesta (Meigen,1824)** (Tachinidae) Synonym(s): *modesta* Meigen,1824; *invaria* Walker,1849; *grisea* Perris,1852; *vetusa* Pandelle,1896 TR IL Pa RU
573. **Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *mortisaga* Linnaeus,1758 RU Sb Cc
574. **Blaps orbicollis Motschoulsky,1845** (Tenebrionidae) Synonym(s): *orbicollis* Motschoulsky,1845 RU Cc AZ Bak
575. **Blaps putrida Motschoulsky,1845** (Tenebrionidae) Synonym(s): *putrida* Motschoulsky,1845 RU Cc AZ
576. **Blitopertha (Exomala) pallidipennis Reitter,1903** (Scarabaeidae) Synonym(s): *pallidipennis* Reitter,1903 RU Am
577. **Blitopertha (s.str.) conspurcata Harold,1878** (Scarabaeidae) Synonym(s): *conspurcata* Harold,1878 RU Am
578. **Blitopertha (s.str.) lineata Fabricius,1798** (Scarabaeidae) Synonym(s): *lineata* Fabricius,1798 RU Cc AZ AM TM
579. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdita* Petrovitz,1959; *majuscola* Medvedev Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
580. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina* Horvath,1903; *teratocera* Kusnezov,1929 ; *turanica* Hovarth,1936; *ornata* Emeljanov,1962 *Anoterostemma corvina* Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476. AT SE HU RU At Sb KG TM UA MN TR
581. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
582. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG

- KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta
Mpu Fs Gau SZ TZ TG UG YE ZM ZW
583. **Bombus vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794
nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis*
Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR
HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
584. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum*
Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975 TR GB ES GR Cc PL DK NO SE FI RU YU
585. **Bombylisma atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus*
Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE
B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY
TJ TR TM UA AE UZ YU
586. **Bombylisma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *brevisculum*
Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM
UA UZ
587. **Bombylisma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 *nec*
Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb
SK SS ES CH UA YU
588. **Bombylisma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855;
brevirostratus Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN
UA YU
589. **Bombylisma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s):
melanocephalum Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb
SK ES CH TN TR UA
590. **Bombylisma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771;
minimus Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL
PT RO RU Sb SK SS ES CH SY TR UA YU
591. **Bombylisma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862;
nigricephalus Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
592. **Bombylisma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ
AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
593. **Bombylius (s.str.) altaicus Paramonov,1940** (Bombyliidae) Synonym(s): *altaicus*
Paramonov,1940 RU At
594. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s):
ambustus Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas &**
Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ
EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
595. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789;
undatus Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT
RU SK ES CH TJ TR TM UA UZ
596. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855
RU Sb CN IR MN KK ES TJ TM UZ
597. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
598. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796;
cinereus Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR
IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
599. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s):
cinerarius Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD
MN RO RU SK SS ES SY TR TM UA UZ YU
600. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens*
Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD
PL RO RU SA SK SS ES CH TR UA YU
601. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL
AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
602. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796
DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB
UA YU
603. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus*
Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF
AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK
ES SY TJ TN TR TM UA UZ YU
604. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens*
Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT
Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
605. **Bombylius (s.str.) koreanus Paramonov,1926** (Bombyliidae) Synonym(s): *koreanus*
Paramonov,1926 RU Us KP KR CN Sz
606. **Bombylius (s.str.) kutshurganicus Paramonov,1926** (Bombyliidae) Synonym(s):
kutshurganicus Paramonov,1926 UA GR MD KG PL RU

607. **Bombylius (s.str.) lejustomus Loew,1855** (Bombyliidae) Synonym(s): *lejustomus Loew,1855* CN KP KR RU MN
608. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liou,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
609. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
610. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
611. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
612. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus Mikan,1796; pilirostris Loew,1855; monticola Paramonov,1926; algericus Villeneuve,1932* DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
613. **Bombylius (s.str.) podagricus Paramonov,1940** (Bombyliidae) Synonym(s): *podagricus Paramonov,1940* RU
614. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
615. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
616. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; breviostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
617. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
618. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
619. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
620. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus Duda,1923* BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU
621. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
622. **Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae) Synonym(s): *rufimana Ménétriés,1832* TR AZ Cc GG AM RU
623. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
624. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
625. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
626. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829; incertus Brullé,1834* AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
627. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828* AZ AM Cc GG RU TR KK KG TJ TM UZ MN
628. **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus Jablonkoff & Khnזורian,1973 nec Reiche,868; alexandri F.Battoni,1984* AZ AL AM Cc BG GR RU TR UA
629. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR

630. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
631. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
632. **Brachyceraea brevicornis (Loew,1847)** (Conopidae) Synonym(s): *brevicornis Loew,1847* TR Cc RU Da GR IR Fa
633. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
634. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psiferus Thunberg,1799; sinuatus Olivier,1807; lutulentus Gyllenhal,1833* RU RO YU IT Si GR TR CY
635. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi Schmidt-Göbl,1836; longispina Reitter,1884* ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
636. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
637. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplesia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
638. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
639. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria Ruschka,1922; tauriensis Masi,1929* AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
640. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ*
641. **Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus Marshall,1888* AL RU YU HU AT TR
642. **Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis Telenga,1936* RU KG Cc GG Tbl TR
643. **Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris Tobias,1957* TM KG Cc AZ RU TR
644. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
645. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator Nees,1834* RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
646. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
647. **Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis Thomson,1892* RU YU HU PL SE FI AT FR GB TR
648. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* JP RU TJ TM RO HU AT BE IT FR TR
649. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator Nees,1812* CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
650. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator Nees,1812* MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
651. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger Wesmael,1838* TR JP KG Cc RU RO CZ HU AT IT BE FR GB
652. **Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): *popovi Telenga,1936* KG RU TR
653. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella Wesmael,1838* RU RO AL YU HU IT CH BE FI SE GB TR
654. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini Kokoujev,1904* TR Cc AZ KG RU TM KG RO HU
655. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator Nees,1812* CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB

656. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator Fabricius,1798* TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
657. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali Fedoseeva,1954* IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
658. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
659. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
660. **Bubastia (s.str.) transcaucasica (Melichar,1914)** (Issidae) Synonym(s): *transcaucasica Melichar,1914* RU Cc TR
661. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi Hummel,1827* ES SS IT HU RO BG GR MK UA TR RU Ao
662. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
663. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
664. **Caccobius (Caccophilus) christophi Harold,1879** (Scarabaeidae) Synonym(s): *christophi Harold,1879* RU Am
665. **Caccobius (Caccophilus) kelleri (Olsoufieff,1907)** (Scarabaeidae) Synonym(s): *kelleri Olsoufieff,1907* RU Am
666. **Caccobius (Caccophilus) sordidus Harold,1886** (Scarabaeidae) Synonym(s): *sordidus Harold,1886* RU Am
667. **Caccobius (s.str.) brevis Waterhouse,1875** (Scarabaeidae) Synonym(s): *brevis Waterhouse,1875* RU Am
668. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858* RU Cc UA Cm TR TM AM SY IL Pa
669. **Caccobius (s.str.) jessoensis Harold,1867** (Scarabaeidae) Synonym(s): *jessoensis Harold,1867* RU Krl
670. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
671. **Cacopsylla pruni (Scopoli,1763)** (Psyllidae) Synonym(s): *pruni Scopoli,1763* YU Cc RU Sb
672. **Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi Steven,1830* GR TR IR RU
673. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni Stål,1863* CN FR GR TR HU IT RO RU
674. **Calliopyga reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi Fieber,1866; longipes Kirschbaum,1868; Sahlberg,1871; sahlbergiana Ishihara,1949* AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
675. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sicutus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
676. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952 Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF*
677. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951* TR IR Cc IQ RU LB SY
678. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
679. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla Hagen,1983* DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
680. **Calopteryx taurica Selys-Longchamps,1853** (Calopterygidae) Synonym(s): *taurica Selys-Longchamps,1853* Calopteryx splendens var. taurica Selys-Longchamps,1853, Synopsis des Calopterygines: 13. Type(s): Ukraine: Crimée. UA Cm Cc AM AZ RU Da TR
681. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colchicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU

682. **Calosoma auropunctatum** Herbst,1784 (Carabidae) Synonym(s): *auropunctatum* Herbst,1784
AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
683. **Calosoma inquisitor** (Linnaeus,1758) (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758;
punctiventre Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG HV
CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
684. **Calosoma maderae** Fabricius,1775 (Carabidae) Synonym(s): *maderae* Fabricius,1775 AZ AM
Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
685. **Campiglossa absinthii** (Fabricius,1805) (Tephritidae) Synonym(s): *absinthii* Fabricius,1805;
maculata Robineau-Desvoidy,1830; *elongatula* Loew,1862; *parvula* Loew,1862; *cilicornis* M.Hering,1941 TR
GB RU Sb
686. **Campiglossa difficilis** Hendel,1927 (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata*
Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
687. **Campiglossa grandinata** (Rondani,1870) (Tephritidae) Synonym(s): *grandinata*
Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschinsky,1875; *beckeri* Rübсаamen,1910;
effingendea Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971; IR Ab Oru Cc RU Sb BY CN EE IT KG
LT MN UA
688. **Campiglossa tesellata** (Loew,1844) (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta*
Loew,1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
689. **Cantacader quadricornis** (Le Peletier & Serville,1828) (Tingidae) Synonym(s):
quadricornis *Le Peletier & Serville*,1828; *nubilus* *Horvath*,1906 RU EG TR
690. **Cantharis annularis** Ménétrés,1836 (Cantharidae) Synonym(s): *annularis* Ménétrés,1836
TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
691. **Cantharis lateralis** Linnaeus,1758 (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE
B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
692. **Cantharis livida** Linnaeus,1758 (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM
GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU
MA IL Pa US
693. **Cantharis nigra** De Geer,1774 (Cantharidae) Synonym(s): *nigra* *De Geer*,1774 TR AT BE BY
HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
694. **Cantharis rufa** Linnaeus,1758 (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG
BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
695. **Cantharis rustica** Fallén,1807 (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H
BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
696. **Capnia nigra** (Pictet,1833) (Capniidae) Synonym(s): *nigra* *Pictet*,1833; *conic* *Klapalek*,1909;
maynari *Navas*,1917 TR Cc RU Kmt
697. **Capnodis cariosa** (Pallas,1776) (Buprestidae) Synonym(s): *cariosa* *Pallas*,1776; *bruttia*
Petagna,1787 HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
698. **Capnodis miliaris** (Klug,1829) (Buprestidae) Synonym(s): *miliaris* *Klug*,1829; *daedalea*
Stephens,1830; *albisparsa* *Faldermann*,1830; *aurata* *Abeille*,1914; *mysteriosa* *Obenberger*,1917; *nonfriedi*
Obenberger,1934 AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
699. **Capnodis porosa** (Klug,1829) (Buprestidae) Synonym(s): *porosa* *Klug*,1829; *hypocrita*
Géhin,1855 AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR
700. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae) Synonym(s): *tenebricosa* *Olivier*,1790;
dorsata *Voet*,1806; *lugens* *Küster*,1846; *semisuturalis* *Marseul*,1865; *aurosparsa* *Abeille*,1891; *anomala*
Fairmaire,1895; *simulatrix* *Obenberger*,1916; *atronida* *Obenberger*,1945; *persica* *Obenberger*,1945; *olcese*
Obenberger,1945; *morio* *Obenberger*,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa
SY CY KG KK UZ Tj LB MD RO UA Cm RU
701. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae) Synonym(s): *tenebrionis* *Linnaeus*,1761;
variegata *Goeze*,1777; *tenebrioides* *Pallas*,1782; *naevia* *Gmelin*,1788; *moluccensis* *Voet*,1806; *moerens*
Mannerheim,1837; *aerea* *Castelnau & Gory*,1836; *aequicollis* *Obenberger*,1917; *deglabrata* *Obenberger*,1917;
undulata *Fleischer*,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK
HU MD RO PT UZ TJ TM UA YU GR SK RU
702. **Carabus (Cechenochilus) boeberi** Adams,1817 (Carabidae) Synonym(s): *boeberi*
Adams,1817 AZ GG RU TR Cc
703. **Carabus (Procrustes) clypeatus** Adams,1817 (Carabidae) Synonym(s): *clypeatus* *Adams*,1817
AM Cc GG RU TR IR
704. **Carabus (Procrustes) coriaceus** Linnaeus,1758 (Carabidae) Synonym(s): *coriaceus*
Linnaeus,1758 AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU
SL CH TR UA SY NL
705. **Carabus (s.str.) granulatus** Linnaeus,1758 (Carabidae) Synonym(s): *granulatus*
Linnaeus,1758 AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL
RO RU SK SL ES SE CH TR UA KK KG NL JP
706. **Carabus (Sphodristocarus) varians** Fischer von Waldheim,1827 (Carabidae)
Synonym(s): *varians* *Fischer von Waldheim*,1827 AM Cc GG RU TR
707. **Carabus intricatus** Linnaeus,1761 (Carabidae) Synonym(s): *intricatus* *Linnaeus*,1761 AL AT
BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
708. **Cardiophorus (s.str.) discicollis** (Herbst,1806) (Elateridae) Synonym(s): *discicollis*
Herbst,1806 GR Cc TR SK MN RU Sb

709. **Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): *nigerrimus Erichson,1840* CZ TR Cc RU Sb
710. **Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): *annulosus Fieber,1859* TR DE RU CY FR Co
711. **Carinatodorcadion carinatum (Pallas,1771)** (Cerambycidae) Synonym(s): *carinatum Pallas,1771; pigra Schönherr,1817; cinereopubescens Breuning,1946* RU Ur Cc UA Cm KG TR
712. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranans Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
713. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856* TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
714. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus Reuter,1880* AL RU IL Pa LB SY TR GR
715. **Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): *carthusianus Goeze,1778* RU TR DZ IR
716. **Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes Fieber,1861* CY SY RU TR YU
717. **Catoplatus distinctus Montandon,1895** (Tingidae) Synonym(s): *distinctus Montandon,1895* RU RO TR
718. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): *fulvicornis Jakovlev,1890* TR AF RU TM
719. **Catoplatus horvathi (Puton,1879)** (Tingidae) Synonym(s): *horvathi Puton,1879* RU TR
720. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905* TR DE AT CZ RU IT JP HU SK TN
721. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis Pallas,1771; rhodoptilus Charpentier,1825; subcoerulipennis Charpentier,1825; #arbonarius Uvarov,1917* TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG
722. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955* AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
723. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola Faldermann,1836* TR MN CN Ui AF IR RU Ur Cc
724. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis Westwood,1833; anebus Walker,1837; platicera Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876* Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
725. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata Fieber,1844; haupti Priesner,1923; pallida Mancini,1934* AT BG CS DE GR HU IT Si RO RU YU
726. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; obliterated Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
727. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763; mactata Germar,1821; panzeri Peletier & Serville,1825; distinguenda Kirschbaum,1868; basalis Dominique,1892; basalis Melichar,1896 (praeocc.); quadripunctata Sabransky,1912; reducta Melichar,1913; egestosa Haupt,1917* Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
728. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807; helvetica Melichar,1896; nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
729. **Cerdistus lehri Koçak & Kemal,2008** (Asilidae) Synonym(s): *australis Lehrer,1967 nec Macq.,1847; lehri Koçak & Kemal,2008* Cerditus [sic] lehri Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro australis Lehrer,1967 nec Macq.,1847). RU
730. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi Gyllenhal,1817* HU BG TR IQ IR Cc CY RU
731. **Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) Synonym(s): *schaefferi Linnaeus,1758* FR BG TR RU
732. **Cerocoma schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi Fabricius,1781* BG RU Sb TR Ui MN
733. **Ceroxys cinifera Loew,1846** (Ulidiidae) Synonym(s): *cinifera Loew,1846* RU Sr UA
734. **Ceroxys munda (Loew,1868)** (Ulidiidae) Synonym(s): *munda Loew,1868* UA KG CN Ui RU
735. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae Linnaeus,1758; ?baneai Gheorghiu,1994* RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
736. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum Linnaeus,1767; ruficollis Fabricius,1787* PT ES FR IT MT GR Cr Cc TR UA Cm RU
737. **Cetonia (Eucetonia) magnifica Ballion,1870** (Scarabaeidae) Synonym(s): *magnifica Ballion,1870* RU Us Am CN
738. **Cetonia (Eucetonia) viridiopaca (Motschoulsky,1860)** (Scarabaeidae) Synonym(s): *viridiopaca Motschoulsky,1860* RU Us Am

739. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *anea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preysss.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 **IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui**
740. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
741. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 **AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR**
742. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis* Schultze,1898 **AZ RU Da IR TR TM UZ UA**
743. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
744. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 **AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM**
745. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 **AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR**
746. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**
747. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 **DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR**
748. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
749. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 **DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR**
750. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 **AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA**
751. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 **DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA**
752. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 **DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR**
753. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 **AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR**
754. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 **DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR**
755. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 **AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR**
756. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827 **TR Cc KG RU Sb DZ**
757. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae) Synonym(s): *breviuscula* Faldermann,1884 **TR Cc KG RU Sb KP KR**
758. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna* Marsham,1802 **TR Cc KG RU Sb MN KP KR TW MA**
759. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): *conducta* Motschoulsky,1838 **TR Cc RU KG ZR**
760. **Chaetocnema hortensis (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *hortensis* Geoffroy,1785 **Az RU Us TR SD**
761. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866 **TR Cc IR KG RU Sb MN CN Mc KP KR**
762. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852 **TR Cc IR KG RU**
763. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827 **TR Cc RU Sb KG**
764. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 **TR Cc IQ KG CN Ti DZ MN RU Sb**
765. **Chaetocnema sahlbergi (Gyllenhal,1859)** (Chrysomelidae) Synonym(s): *sahlbergi* Gyllenhal,1859 **TR Cc RU Sb MN**
766. **Chaetocnema semicoerulea (Koch,1803)** (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803 **TR Cc KG RU Sb**
767. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807 **TR Cc IR AF KG DZ RU Sb**

768. **Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): *parietina Geoffroy,1785* **DZ RU Cc TR**
769. **Cheilotoma erythrostroma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostroma Faldermann,1837* **IT BG RO UA Cm Cc RU**
770. **Cheironitis eumenes (Motschulsky,1859)** (Scarabaeidae) Synonym(s): *eumenes Motschulsky,1859* **UA KG RU**
771. **Cheironitis moeris Pallas,1781** (Scarabaeidae) Synonym(s): *moeris Pallas,1781* **RU KG**
772. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus Ménétriés,1849; eumenes Motschoulsky,1859; ponticus Lansberge,1875* **EG Sn IL Pa LB SY RU GR TM UZ**
773. **Chelonus erythrogaster Lucas,1846** (Braconidae) Synonym(s): *erythrogaster Lucas,1846* **DZ RU TR**
774. **Chelonus gravenhorstii (Nees,1813)** (Braconidae) Synonym(s): *gravenhorstii Nees,1813* **RU TR**
775. **Chelonus inanitus (Linnaeus,1767)** (Braconidae) Synonym(s): *inanitus Linnaeus,1767* **DZ RU TR**
776. **Chelonus mucronatus Thomson,1874** (Braconidae) Synonym(s): *mucronatus Thomson,1874* **SE CZ RU TR**
777. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
778. **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckert,1929* **AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM**
779. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum Morawitz,1868* **AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR**
780. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum Schletterer,1889* **AZ GG Cc RU UA TM IR TR**
781. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* **AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US**
782. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepeletier,1841; parumcrinitus Alfken,1932* **AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR**
783. **Chioneosoma (Aleucolomus) vulpinum (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *vulpinum Gyllenhal,1817* **RU**
784. **Chioneosoma (Chionotrogus) pulvereum (Koch,1801)** (Scarabaeidae) Synonym(s): *pulvereum Koch,1801* **RU**
785. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL**
786. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus Schrank,1781* **AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL**
787. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ**
788. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ**
789. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
790. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
791. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* **AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ**
792. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* **AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG**
793. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* **AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ**
794. **Chlaenius viridis Ménétriés,1832** (Carabidae) Synonym(s): *viridis Ménétriés,1832* **AZ AM Cc B-H GG RU TR IR KG UZ**
795. **Chloriona canariensis Lindberg,1954** (Delphacidae) Synonym(s): *canariensis Lindberg,1954* **Cn TR RU**
796. **Chloriona clavata Dlabola,1960** (Delphacidae) Synonym(s): *clavata Dlabola,1960* **MD RU Da Cc TR UZ KG**
797. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola Lindberg,1948* **CY EG IL Pa MA TR RU**
798. **Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens Dlabola,1961* **BG MN RO RU Cc Da**

799. **Chloriona sachalinensis** Matsumura,1935 (Delphacidae) Synonym(s): *sachalinensis* Matsumura,1935 RU Sh
800. **Chloriona unicolor** (Herrich-Schäffer,1835) (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
801. **Chlorita akdzhusani** (Zachvatkin,1953) (Cicadellidae) Synonym(s): *akdzhusani* Zachvatkin,1953; *afghanistanica* Dlabola,1957 AF Cc AZ KG RU
802. **Chlorita alticola** Logvinenko,1966 (Cicadellidae) Synonym(s): *alticola* Logvinenko,1966 RU Cc
803. **Chlorita caspica** Dlabola,1961 (Cicadellidae) Synonym(s): *caspica* Dlabola,1961 RU Cc Da
804. **Chlorita orientalis** (Dlabola,1961) (Cicadellidae) Synonym(s): *orientalis* Dlabola,1961 BG TJ RU Da Cc UZ
805. **Chlorita paolii** (Ossiannilsson,1939) (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939 AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
806. **Chlorita tessellata** Lethierry,1884 (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884 BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
807. **Chlorita viridula** (Fallén,1806) (Cicadellidae) Synonym(s): *viridula* Fallén,1806 DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
808. **Chloromyia speciosa** (Macquart,1834) (Stratiomyidae) Synonym(s): *speciosa* Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926 HU AT RU At TR IL CN
809. **Chlorophorus figuratus** (Scopoli,1763) (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
810. **Chlorops strigulus** (Fabricius,1794) (Chloropidae) Synonym(s): *strigulus* Fabricius,1794; *cingulata* Meigen,1830; *albisetus* Macquart,1835; *taeniatus* Macquart,1835 DE RU
811. **Choerades fimbriata** (Meigen,1820) (Asilidae) Synonym(s): *fimbriata* Meigen,1820 IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
812. **Choerades gilva** (Linnaeus,1758) (Asilidae) Synonym(s): *gilva* Linnaeus,1758; *rufa* De Geer,1776; *bilineata* Walker,1849 IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
813. **Choerades ursula** (Loew,1851) (Asilidae) Synonym(s): *ursula* Loew,1851 AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
814. **Choeras dorsalis** (Spinola,1808) (Braconidae) Synonym(s): *dorsalis* Spinola,1808 *Hypomicrogaster dorsalis* Spinola,1808, *Insect. Liguriae* 2: 151. TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
815. **Chorisops nagatomii** Rozkosny,1979 (Stratiomyidae) Synonym(s): *nagatomii* Rozkosny,1979 CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
816. **Chorthippus** (**Chorthippus**) **dorsatus** (Zetterstedt,1821) (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
817. **Chorthippus** (**Chorthippus**) **parallelus** (Zetterstedt,1821) (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschignig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
818. **Chorthippus** (**Glyptobothrus**) **vagans** (Eversmann,1848) (Acrididae) Synonym(s): *vagans* Eversmann,1848 TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
819. **Chorthippus** (**s.str.**) **albomarginatus** (De Geer,1773) (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
820. **Chorthippus** (**s.str.**) **dichrous** (Eversmann,1859) (Acrididae) Synonym(s): *dichrous* Eversmann,1859; *australia* Predtechenskii,1928 TR Cc RO IR RU KG Sb
821. **Chorthippus** (**s.str.**) **loratus** (Fischer von Waldheim,1846) (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936 TR RU Cc RO IR KG Sb CN KP KR JP
822. **Chovela** (**s.str.**) **elongata** Paykull,1798 (Leiodidae) Synonym(s): *elongata* Paykull,1798 RU Cc
823. **Chovela** (**s.str.**) **obcuripes** Reitter,1888 (Leiodidae) Synonym(s): *obcuripes* Reitter,1888 Cc RU
824. **Chovela** (**s.str.**) **rousi** Ruzicka,1993 (Leiodidae) Synonym(s): *rousi* Ruzicka,1993 RU Cc Kc
825. **Chovela** (**s.str.**) **sagittaria** Ruzicka,1993 (Leiodidae) Synonym(s): *sagittaria* Ruzicka,1993 RU Cc Kb
826. **Chovela** (**s.str.**) **zolutarevi** Reitter,1909 (Leiodidae) Synonym(s): *zolutarevi* Reitter,1909 Cc RU Kb
827. **Chroocacus psittaceus** Emeljanov,1962 (Cicadellidae) Synonym(s): *psittaceus* Emeljanov,1962 RU Cc

828. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; congener *Paykull*,1799; *tetragramma* Ménétrés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
829. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
830. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
831. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
832. **Chrysogaster tumescens (Loew,1854)** (Syrphidae) Synonym(s): *tumescens* Loew,1854 RU TR
833. **Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis* Linnaeus,1767 Cc TR KG RU Sb MN
834. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménétrés,1832 EG IL Pa Cc RU Da IR GR Rd CY SY AF
835. **Chrysolina coeruleans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coeruleans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967 FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
836. **Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa* Scopoli,1763 Cc TR AF RU Sb
837. **Chrysolina graminis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *graminis* Linnaeus,1758 TR RU Sb Us CN
838. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmidt,1825; *alacris* Bechyne,1950 TR Cc RU Sb IN KG
839. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771 Cc TR IR RU Sb UZ IT Si
840. **Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata* Fabricius,1775 Cc TR RU Sb KG
841. **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida* Linnaeus,1767; *diluta* Joakimov,1904 RU Sb Cc TR
842. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950 TR Cc IR AF RU Sb MN CN DZ KG
843. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758 TR IL Pa SY RU Sb Cc
844. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
845. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta* Linnaeus,1758; *marginalis* Duftschmidt,1825 TR Cn FI KG RU Sb MN
846. **Chrysolina varians (Schaller,1783)** (Chrysomelidae) Synonym(s): *variens* Schaller,1783 DZ TR RU Sb
847. **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris* Linnaeus,1758 TR Cc KG MN RU Sb CN
848. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti* Weise,1884; *#salceti* Arslan & Özbek,1999 GR TR IR KG RU Sb MN
849. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli,1763 TR Cc UA Cm RU Sb CN MN JP KP KR
850. **Chrysopa altaica Hölzel,1967** (Chrysopidae) Synonym(s): *altaica* Hölzel,1967 RU At
851. **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758 RU Sb JP TR HU GB NL DE
852. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857 EG GR TR DZ ES Cn FR IT RU Am
853. **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl,1893; *nigerrimus* Becker,1918 RU Cc TR AT CH HU
854. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR

855. **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes Meigen,1824; subfemoratus Frey,1839; callidus Parent,1944* **GG Cc AM AZ RO RU TR UA**
856. **Chrysotus collini Parent,1923** (Dolichopodidae) Synonym(s): *collini Parent,1923* **AM AZ GG Cc UA RU TM**
857. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes Zetterstedt,1838; amplicornis Lowarz,1874; kowarzi Lundbeck,1912* **RO TR UA RU Cc Ya Am KK CN**
858. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus Lichtwardt,1902* **AM BG GR RO RU Cc TR HV HU DE IT**
859. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis Loew,1857* **AM BG EG GG GR Cc IQ IL Pa RO RU TR UA**
860. **Chunrocercus pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): *pruni Ribaut,1952* **BG FR IT RU Cc Da**
861. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
862. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina Fabricius,1798; geodesma Kolenati,1857; taurica Fieber,1876; virens Fieber,1876; burriana Horvath,1912; viridis Haupt,1917; discrepans Schumacher,1923; rossica Schumacher,1923* **Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA**
863. **Cicadatra pallasii Schumacher,1923** (Cicadidae) Synonym(s): *pallasii Schumacher,1923* **RU Sb**
864. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *stevani Stal,1854 (praeocc.); querula Pallas,1773; paliuri Kolenati,1857* **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
865. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912* **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**
866. **Cicadetta caucasica (Kolenati,1857)** (Cicadidae) Synonym(s): *caucasica Kolenati,1857; imbecillis Eversmann,1859; sareptana Fieber,1876* **AZ Cc RU**
867. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa Hagen,1856* **MK AL CN UI Ku GR IT TR Cc AZ AM KG RU Sb YU**
868. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876* **Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU**
869. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suoedicola Bergevin,1913* **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
870. **Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): *prasina Pallas,1773* **CN MN MA? PT? Cc AM KG RU Sb**
871. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961* **MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ**
872. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952* **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
873. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori Sahlberg,1871; danensis Linnavuori,1962* **CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR**
874. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis Edwards,1920* **AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU**
875. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida Horvath,1897* **BG CS FR HU IT RO MD RU YU TR**
876. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilitocephala Hardy,1850* **AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA**
877. **Cicindela desertorum Dejean,1825** (Carabidae) Synonym(s): *desertorum Dejean,1825* **TR RU Ur GG AZ AM**
878. **Cionus olivieri Rosenschöld,1838** (Curculionidae) Synonym(s): *olivieri Rosenschöld,1838* **TR RU**
879. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
880. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878* **TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU**

881. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
882. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
883. **Cixidia ussuriensis (Kusnezov,1928)** (Achilidae) Synonym(s): *ussuriensis* Kusnezov,1928 RU Us
884. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
885. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distinguendus* Lodos & Kalkandelen,1980 AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
886. **Cixius hispidus Logvinenko,1967** (Cixiidae) Synonym(s): *hispidus* Logvinenko,1967 AZ Cc UA RU
887. **Cixius logvinenkoae Emeljanov,1979** (Cixiidae) Synonym(s): *logvinenkoae* Emeljanov,1979 Cixius (Ceratocixius) logvinenkoae Emeljanov,1979, Ent. Obozr. 58 (2): 322-332. RU
888. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
889. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (praeocc.); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
890. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832 RU IT UZ KK GR TR
891. **Clanoptilus (s.str.) ambiguus (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus* Peyron,1877 HU RU GR TR
892. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 FR RU UA TM AT BG DE ES CH GR TR
893. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
894. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826 AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
895. **Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787 RU AM Cc TR DZ
896. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
897. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
898. **Cleptes semicyaneus Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus* Tournier,1879 FR NL HU AT RU IT
899. **Closterocerus arvensis (Graham,1963)** (Eulophidae) Synonym(s): *arvensis* Graham,1963 CZ DK FI GR RU SE GB YU TR
900. **Closterocerus cuprifrons (Erdős,1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdős,1954 HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
901. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
902. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae* Ferrière,1952; *fimbriata* Erdős,1956 HV FI DE HU IT JP ES SE CH UA RU YU TR
903. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus* Nees,1834 CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
904. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773; *deficiens* Weise,1900 ES HU RU Sb GR TR IR MN KP KR
905. **Clytra laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata* Ratzeburg,1837 nec Fabr.,1801; *laeviuscula* Ratzeburg,1837 FR RU At Sb TR JP
906. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 IT Si RO UA BG TR Cc SY IQ IR RU
907. **Clytra quadripunctata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *quadripunctata* Linnaeus,1758 ES MN RU TR

908. **Clytra valeriana Ménériés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménériés,1832*; *tetrastigma Schmidt,1841*; #*valerianae Aydın & Kismali,1990* YU GR BG TR Cc UA Cm IT Si RU IR
909. **Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis Linnaeus,1758* Cc TR IR RU
910. **Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni Germar,1817* RU Cc IR TR GR
911. **Coccophagus aterrimus Vikberg,1966** (Aphelinidae) Synonym(s): *aterrimus Vikberg,1966*; *stepanovi Sugonjaev & Pilipyuk,1972* FI TR RU Sh
912. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra Lepeletier,1841* TM KK UZ EG TN MA DZ RU GB TR
913. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata Förster,1853* IR LB AM Cc TJ UZ RU Cc DZ TR
914. **Coelodera penicillata (Hope,1831)** (Scarabaeidae) Synonym(s): *penicillata Hope,1831* RU
915. **Coelostoma orbiculare (Fabricius,1775)** (Hydrophilidae) Synonym(s): *orbiculare Fabricius,1775* RU TR
916. **Coenagrion lunulatum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *lunulatum Charpentier,1840* TR RU Sb
917. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis Desbrochers,1869* RU GR Cr IT CY FR Co TR LB Sa
918. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus Herbst,1797*; *rugipennis Stephens,1831*; *minutus C.G.Thomson,1865 nec Herbst.*; *fauconetti Pic,1926* DE BG FR GB KG MN RU Sb YU TR
919. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus Stephens,1831*; *alliariae Gyllenhal,1821* DE BE BG DZ FR SE Cc KG RU Sb IT Si
920. **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita Rondani,1866* DE PL CZ SK CH AT HU TR RU Cc AM Eri
921. **Colaphus hoefti (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *hoefti Ménériés,1832* TR Cc RU KG
922. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus Zetterstedt,1828*; *oxalidis Fieber,1875* AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR
923. **Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator Villers,1789*; *calcitrator Gravenhorst,1829* TR Cc RU US
924. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus Schoenherr,1834*; *melanographus Fahreus,1840* ES FR TR EG RU Cc UA Cm IT SY DZ
925. **Coniosternum obscurum (Fallén,1819)** (Scathophagidae) Synonym(s): *obscurum Fallén,1819*; *minuta Malloch,1935* CA AL AT BE CZ EE FI FR DE GB MN NL NO PL RU Sb Us SK SE CH
926. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis Latreille,1804*; *brevicaudatum Uvarov,1910*; *hungaricus Cziki,1923* FR GB EE LT DE AT HU RO Cc RU KG TR
927. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus Fabricius,1793*; *discolor Thunberg,1815*; *thoracicus Fischer von Waldheim,1846*; *concolor Bolivar,1878*; *ponticus Nedelkov,1907*; *turanicus Semenov,1916*; *dilatatus Ramme,1951* PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR
928. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps Germar,1821*; *pictipennis Curtis,1837*; *signifera Boheman,1845*; *palliatu Boheman,1849* Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
929. **Conophorus caucasicus Zaitzev,1960** (Bombyliidae) Synonym(s): *caucasicus Zaitzev,1960* RU Cc
930. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens Loew,1863*; #*glaucescens Hasbenli & Aktaş,1995* IT BG YU AL RU MD UA TR Cc GG AZ AM
931. **Conophorus rjabovi Paramonov,1929** (Bombyliidae) Synonym(s): *rjabovi Paramonov,1929* RU Da Cc AZ AM GG
932. **Conophorus rossicus Paramonov,1929** (Bombyliidae) Synonym(s): *rossicus Paramonov,1929* RU TR IT
933. **Conophorus ussuriensis Paramonov,1940** (Bombyliidae) Synonym(s): *ussuriensis Paramonov,1940* RU Us
934. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
935. **Conosimus kobachidzei Dlabola,1958** (Issidae) Synonym(s): *kobachidzei Dlabola,1958* GG RU Da Cc
936. **Copium adumbratum (Horvath,1891)** (Tingidae) Synonym(s): *adumbratum Horvath,1891* RU SY TR
937. **Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): *clavicorne Linnaeus,1758* RU TR IL Pa
938. **Copris felschei Reitter,1893** (Scarabaeidae) Synonym(s): *felschei Reitter,1893* TR Cc AM RU

939. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **ES RU UA UZ TM TJ IR TR EG**
940. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 **GB DE FR YU LT RU UA Cm Cc KK KG TM**
941. **Copris ochus Motschulsky,1860** (Scarabaeidae) Synonym(s): *ochus* Motschulsky,1860 **RU Am**
942. **Copris pecuarius Lewis,1884** (Scarabaeidae) Synonym(s): *pecuarius* Lewis,1884 **RU Am**
943. **Coptocephala chalybaea (Germar,1824)** (Chrysomelidae) Synonym(s): *chalybaea* Germar,1824; *apicalis* Lacordaire,1848 **SK UA Cm Cc RU KG**
944. **Coptocephala gebleri Gebler,1841** (Chrysomelidae) Synonym(s): *quadrifasciatus* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 **BG TR Cc RU KG**
945. **Coptocephala rubicunda (Laicharting,1781)** (Chrysomelidae) Synonym(s): *rubicunda* Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926; *rossica* Medvedev,1977 **GR TR SK HV RU**
946. **Cordilura aberrans Becker,1894** (Scathophagidae) Synonym(s): *aberrans* Becker,1894 **FI MN NO RU Ur Sb SE**
947. **Cordilura amurensis Ozerov,2007** (Scathophagidae) Synonym(s): *amurensis* Ozerov,2007 **RU Am**
948. **Cordilura apicata Hendel,1930** (Scathophagidae) Synonym(s): *apicata* Hendel,1930 **RU Kmt**
949. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata* Zetterstedt,1846; *nigra* Robineau-Desvoidy,1830; *beringensis* Malloch,1923 **NO SE FR US AT CZ DE FI HU RU Sb SK SE**
950. **Cordilura bicoloripes Ozerov,1997** (Scathophagidae) Synonym(s): *bicoloripes* Ozerov,1997 **RU Us**
951. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 **RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE**
952. **Cordilura flavovenosa Becker,1894** (Scathophagidae) Synonym(s): *flavovenosa* Becker,1894 **PL RU**
953. **Cordilura kakaberrans Ozerov,1997** (Scathophagidae) Synonym(s): *kakaberrans* Ozerov,1997 **RU Us**
954. **Cordilura krocha Ozerov,2007** (Scathophagidae) Synonym(s): *krocha* Ozerov,2007 **RU Am**
955. **Cordilura latigennis Hendel,1930** (Scathophagidae) Synonym(s): *latigennis* Hendel,1930 **RU Kmt**
956. **Cordilura nigrithorax Hendel,1930** (Scathophagidae) Synonym(s): *nigrithorax* Hendel,1930 **RU Kmt**
957. **Cordilura ochracea Hendel,1930** (Scathophagidae) Synonym(s): *ochracea* Hendel,1930 **RU Kmt**
958. **Cordilura picipes Meigen,1826** (Scathophagidae) Synonym(s): *picipes* Meigen,1826; *biseta* Loew,1864 **DK IT Si RU BE CZ EE DE GB FI MN HU NO NL PL SK SE CH**
959. **Cordilura picticornis Loew,1864** (Scathophagidae) Synonym(s): *picticornis* Loew,1864; *vierecki* Cresson,1918 **US NMx RU Sb Us SE FI GB**
960. **Cordilura proboscoidea Zetterstedt,1838** (Scathophagidae) Synonym(s): *proboscoidea* Zetterstedt,1838 **NO RU Sb SE US**
961. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): **AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH**
962. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica* Meigen,1826; *geniculata* Zetterstedt,1846; *alberta* Curran,1929 **AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA**
963. **Cordilura remora Ozerov,1997** (Scathophagidae) Synonym(s): *remora* Ozerov,1997 **RU Am**
964. **Cordilura rufimana Meigen,1826** (Scathophagidae) Synonym(s): *rufimana* Meigen,1826; *incerta* Zetterstedt,1838; *tibialis* Zetterstedt,1838 **RU Ur Sb AT CZ DK EE FI FR DE GB IE NL NO PL SE CA**
965. **Cordilura sagittifera Gorodkov,1974** (Scathophagidae) Synonym(s): *sagittifera* Gorodkov,1974 **MN RU Sb**
966. **Cordilura shatalkini Ozerov,1997** (Scathophagidae) Synonym(s): *shatalkini* Ozerov,1997 **RU Us**
967. **Cordilura sibirica Gorodkov,1974** (Scathophagidae) Synonym(s): *sibirica* Gorodkov,1974 **RU Us**
968. **Cordilura sifneri Ozerov,2007** (Scathophagidae) Synonym(s): *sifneri* Ozerov,2007 **RU Us**
969. **Cordilura tartariana Ozerov,2007** (Scathophagidae) Synonym(s): *tartariana* Ozerov,2007 **RU Am**
970. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa* Loew,1873 **SK AT BE CZ FR DE HU KG NL PL RO RU**
971. **Cordilura zaitzevi Gorodkov,1974** (Scathophagidae) Synonym(s): *zaitzevi* Gorodkov,1974 **KG MN RU Sb**

972. **Cordyla brevicornis (Staeger,1840)** (Mycetophilidae) Synonym(s): *brevicornis* Staeger,1840
EE LT RU MN Sb TR
973. **Cordyla fusca Meigen,1804** (Mycetophilidae) Synonym(s): *fusca* Meigen,1804 EE LT LV RU
Sb TR
974. **Corixa dentipes Thomson,1869** (Corixidae) Synonym(s): *dentipes* Thomson,1869 RU Cc IR
TR
975. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 RU Cc IQ
IL Pa KK UZ TJ CN Ui TM IR TR
976. **Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *fenestella* Horvath,1917 GR TR Cc
RU IQ IR Th Elb Kdv Gh
977. **Corynis lateralis (Brullé,1832)** (Cimbicidae) Synonym(s): *lateralis* Brullé,1832 GR TR RU Ur Cc
978. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi*
Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
979. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 AT
FI DE NO PL SE Cc AZ EE KG LV RU UA
980. **Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator*
Fabricius,1775 TR Cc RU At Sb KG Aa
981. **Cotesia brevicollis (Wesmael,1837)** (Braconidae) Synonym(s): *brevicollis* Wesmael,1837 RU
Cc AZ TR
982. **Cotesia calodetta (Nixon,1974)** (Braconidae) Synonym(s): *calodetta* Nixon,1974 RU At CH TR
983. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 DE BG
GB IT SE RU Sb HU TR
984. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus* Telenga,1955 BG Cc
RU Da GG IL Pa DE TR KG UA
985. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae* Riley,1887 MX CA US
GB DE YU TR CZ NL HU MD UA RU JP
986. **Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi* Telenga,1955 BG
DE GB RU TR
987. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 TR BG DE GB
IT YU HU RU
988. **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974 DE BE GB FI NL ES
IT HU RU
989. **Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes* Nixon,1974 DE FI RU TR IT
GB
990. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM
AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP
KR TW AU
991. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 DE GB FI
TR AT RU HU CN AU
992. **Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae) Synonym(s): *nebulosa*
Zetterstedt,1828 TR KG RU Sb Sh Kmt Us US
993. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839;
aquisgranensis Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK
ES SE GB US UZ
994. **Creightonella (Metamegachile) albisecta (Klug,1817)** (Megachilidae) Synonym(s):
albisecta Klug,1817 RU DZ Cc TR
995. **Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) Synonym(s): *lugdunensis* Villers,1789;
lineatus Latreille,1807; *plumbeus* Olivier,1811; *murinus* Klug,1834; *pictus* Burmeister,1839; *tabidus*
Eversmann,1841; *pallidipennis* Rambur,1842; *conspurcatus* Kolenati,1856; *plumbea* Hagen,1860 RU TR AF
IR IL Pa
996. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae) Synonym(s): *aurata* Marsham,1802;
pulchella Stephens,1834; *versicolor* Kutschera,1860; *unicolor* Wetshoff,1881; *subunicolor* Pic,1918 MA TR KP
KR RU
997. **Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785;
cyanea Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens*
Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918 SY TR Cc RU Sb KG
998. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis*
Fabricius,1792; *smaragdina* Foundras,1860; *picicornis* Weise,1886; *jucunda* Weise,1886; *lapponica*
Heikertinger,1950 FI TR Cc IR KG RU Sb MN CN
999. **Crepidodera nitidula (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *nitidula* Linnaeus,1758
TR RU Sb Sj
1000. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847
RO Cc AZ IR Fa Th Elb RU GR TR
1001. **Cryptocephalus androgyne Marseul,1875** (Chrysomelidae) Synonym(s): *caerulescens*
Sahlberg,1839 nec Gmel.,1790; *androgyne* Marseul,1875 RU DE
1002. **Cryptocephalus apicalis Gebler,1830** (Chrysomelidae) Synonym(s): *apicalis* Gebler,1830;
flavoguttatus Suffrian,1847 AT HU SK YU UA RU Sb

1003. **Cryptocephalus bameuli Duhadelborde,1999** (Chrysomelidae) Synonym(s): *bameuli Duhadelborde,1999* **FR RU Sb**
1004. **Cryptocephalus bilineatus (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *bilineatus Linnaeus,1767; armeniacus Faldermann,1837; moestus Weise,1882; partitus Jacobson,1885; bisbilineatus Pic,1904* **GB AM Cc RU JP**
1005. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus Linnaeus,1758; dispar Paykull,1799* **ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR**
1006. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor Suffrian,1847* **Cc RU TR BG TM AZ IR**
1007. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus Olivier,1808* **AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO**
1008. **Cryptocephalus ergenensis Morawitz,1863** (Chrysomelidae) Synonym(s): *ergenensis Morawitz,1863* **Cc RU Ur KG**
1009. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes Fabricius,1781* **RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa**
1010. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus Goeze,1777* **RU Sb AL BG PL YU TR JO IL Pa DZ SA UA**
1011. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis Linnaeus,1758; similis Stephens,1834; rugulipennis Suffrian,1853* **AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc**
1012. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus Germar,1824* **RU Sb Cc KG AZ AM GG UA IR TR**
1013. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei Linnaeus,1758* **RU Sb AL BG PL UA Cm YU Cc IR TR JO**
1014. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus Drapiez,1819* **AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR**
1015. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus Bedel,1891* **RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc**
1016. **Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus Müller,1776* **PL RU Sb Cc KG AZ IR TR**
1017. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi Suffrian,1848* **DE ES Cc KG RU BG PL TR**
1018. **Cryptochironomus (Chironozorina) dilatatus (Zorina,2000)** (Chironomidae) Synonym(s): *dilatatus Zorina,2000* **RU**
1019. **Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata Gravenhorst,1829; armeniator Aubert,1977* **TR RU KG Cc**
1020. **Ctenicera pectinicornis (Linnaeus,1758)** (Elateridae) Synonym(s): *pectinicornis Linnaeus,1758* **TR RU Sb**
1021. **Culicoides altaicus Remm,1972** (Ceratopogonidae) Synonym(s): *altaicus Remm,1972* **RU At**
1022. **Culicoides amosovae Remm,1971** (Ceratopogonidae) Synonym(s): *amosovae Remm,1971* **RU**
1023. **Culicoides arboreus Gutsevich,1952** (Ceratopogonidae) Synonym(s): *arboreus Gutsevich,1952* **RU**
1024. **Culicoides caucasicus Sergejev,1959** (Ceratopogonidae) Synonym(s): *caucasicus Sergejev,1959* **Cc RU**
1025. **Culicoides chaetophthalmus Amosova,1957** (Ceratopogonidae) Synonym(s): *chaetophthalmus Amosova,1957* **RU**
1026. **Culicoides dendrophilus Amosova,1957** (Ceratopogonidae) Synonym(s): *dendrophilus Amosova,1957* **RU**
1027. **Culicoides dukinensis Mirzaeva,1985** (Ceratopogonidae) Synonym(s): *dukinensis Mirzaeva,1985* **RU**
1028. **Culicoides filicinus Gornostaeva & Gachegova,1972** (Ceratopogonidae) Synonym(s): *filicinus Gornostaeva & Gachegova,1972* **RU**
1029. **Culicoides flavidorsum Shevchenko & Lisetsky,1969** (Ceratopogonidae) Synonym(s): *flavidorsum Shevchenko & Lisetsky,1969* **RU**
1030. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris Linnaeus,1758; setosinervis Kieffer,1913; pullatus Kieffer,1915; stephensi Carter,1916; cinerellus Kieffer,1919; quinquepunctatus Goetghebuer,1921; flaviplumus Kieffer,1924; sawamotoi Kono & Takahasi,1940* **DE UA BE EG RU SE LT TR IL Pa TW**
1031. **Culicoides punctatus (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus Meigen,1804; ocellaris Kieffer,1921; kasachstanicus Shakirzjanova,1963* **FR LT RU KG TR IL Pa SA**
1032. **Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae) Synonym(s): *lateralimarginalis De Geer,1774* **TR Cc RU**
1033. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria Fuessli,1775* **DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG**
1034. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata Solsky,1874* **TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR**

1035. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
1036. **Cylindromyia brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius,1775; *boscii* Robineau-Desvoidy,1830; *trinacrina* Bigot,1878; *sapporensis* Matsumura,1916 GB FR TR Md Cn RU MN JP
1037. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
1038. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
1039. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
1040. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
1041. **Cyriopertha (Cyrioperta) arcuata (Gebler,1832)** (Scarabaeidae) Synonym(s): *arcuata* Gebler,1832 RU Us
1042. **Cyrtiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
1043. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838 TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
1044. **Dalopius marginatus (Linnaeus,1758)** (Elateridae) Synonym(s): *marginatus* Linnaeus,1758 TR GR RU Sb
1045. **Danasoma fasciata (Linnaeus,1758)** (Elateridae) Synonym(s): *fasciata* Linnaeus,1758 TR SK RU Sb Tv Us JP
1046. **Dasyhelea aithalodes Remm,1971** (Ceratopogonidae) Synonym(s): *aithalodes* Remm,1971 RU
1047. **Dasyhelea bicornis Remm,1993** (Ceratopogonidae) Synonym(s): *bicornis* Remm,1993 RU
1048. **Dasyhelea biunguis Kieffer,1925** (Ceratopogonidae) Synonym(s): *biunguis* Kieffer,1925 RU
1049. **Dasyhelea caesia Remm,1993** (Ceratopogonidae) Synonym(s): *caesia* Remm,1993 RU
1050. **Dasyhelea calycata Remm,1972** (Ceratopogonidae) Synonym(s): *calycata* Remm,1972 RU
1051. **Dasyhelea cornuta Remm,1972** (Ceratopogonidae) Synonym(s): *cornuta* Remm,1972 RU
1052. **Dasyhelea cuneata Remm,1979** (Ceratopogonidae) Synonym(s): *cuneata* Remm,1979 RU
1053. **Dasyhelea dimota Remm,1972** (Ceratopogonidae) Synonym(s): *dimota* Remm,1972 RU
1054. **Dasyhelea fungivora Krivosheina & Remm,1974** (Ceratopogonidae) Synonym(s): *fungivora* Krivosheina & Remm,1974 RU
1055. **Dasyhelea furva Remm,1967** (Ceratopogonidae) Synonym(s): *furva* Remm,1967 RU
1056. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata* Egger,1865 MA DE PL CZ SK CH AT HU Cc AM RU TR
1057. **Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyßler,1790; *analis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
1058. **Dasypogon irinelae Weinberg,1986** (Asilidae) Synonym(s): *irinelae* Weinberg,1986 Cc RU TR AZ IR
1059. **Dasypogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869 IR AZ Cc GR KG MN RO RU Sb TR
1060. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820 IT Si AT AL YU BG RO GR TR IL Pa LB RU
1061. **Dasysyrphus albostratus (Fallén,1817)** (Syrphidae) Synonym(s): *albostratus* Fallén,1817 TR RU Ur Sb Cc KG MN JP
1062. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
1063. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis* Morawitz,1861 AF AL BG HV GR MK RU UA YU
1064. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935 TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
1065. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
1066. **Deferunda lineola (Matsumura,1914)** (Achilidae) Synonym(s): *lineola* Matsumura,1914 RU Cc

1067. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (praecoc.); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
1068. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR
1069. **Dendarus (Pandarinus) punctatus Audinet-Serville,1825** (Tenebrionidae) Synonym(s): *punctatus* Audinet-Serville,1825 TR Cc AM RU
1070. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
1071. **Deporaus betulae (Linnaeus,1758)** (Atelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi Scopoli,1763*; *fagi Scopoli,1763*; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804 DE DZ BG FR GB Cc TR KG MK MN RU Sb
1072. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808 PL AF TR Cc IN KK IR MN RU CN Ui
1073. **Dermestes (Dermestinus) gyllenhali Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 nec Fabr.,1775; *gyllenhali* Castelnau,1840 Cc TR RU Sb IR KG
1074. **Dermestes (Dermestinus) leopardinus Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855 BG HV TR YU Cc UA RU
1075. **Dermestes (Dermestinus) sibiricus Erichson,1846** (Dermestidae) Synonym(s): *sibiricus* Erichson,1846 RU Sb TR MN
1076. **Derocrepis caucasica Weise,1886** (Chrysomelidae) Synonym(s): *caucasica* Weise,1886 Cc GG Tbl RU Da
1077. **Derocrepis ossetica Heikertinger,1922** (Chrysomelidae) Synonym(s): *ossetica* Heikertinger,1922 GG Cc RU
1078. **Derocrepis rufipes (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes* Linnaeus,1758; *ruficornis* Fabricius,1792; *obscura* Weise,1886; *latithorax* Pic,1911 IT TR Cc RU Sb Sj
1079. **Diaphorus disjunctus Loew,1857** (Dolichopodidae) Synonym(s): *disjunctus* Loew,1857 GR RO RU Cc
1080. **Diaphorus hoffmannseggi Meigen,1830** (Dolichopodidae) Synonym(s): *hoffmannseggi* Meigen,1830; *tripilus* Loew,1857 RU Cc IL Pa RO
1081. **Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824; *obscuripes* Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937 GG Cc GR IL Pa RO RU IN Ch
1082. **Diaphorus parenti Stackelberg,1928** (Dolichopodidae) Synonym(s): *parenti* Stackelberg,1928 RU Cc Us
1083. **Diaphorus pilitibius Negrobov & Maslova,2005** (Dolichopodidae) Synonym(s): *pilitibius* Negrobov & Maslova,2005 RU Cc
1084. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis* Loew,1859 RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
1085. **Diaphorus winthemi Meigen,1824** (Dolichopodidae) Synonym(s): *winthemi* Meigen,1824 RO UA RU Or Mo
1086. **Diastictus vulneratus Sturm,1805** (Scarabaeidae) Synonym(s): *vulneratus* Sturm,1805 RU Sb Us
1087. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
1088. **Dibolia cryptocephala (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803 TR Cc RU Sb KG
1089. **Dibolia depressiuscula (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860 TR Cc RU Sb MN KG
1090. **Dibolia russica Weise,1893** (Chrysomelidae) Synonym(s): *russica* Weise,1893 BY RU UA Cm SS HV
1091. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988 IT Si PT ES RU Cc GG AM AZ TR IR
1092. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae) Synonym(s): *robusta* Lundstrom,1912 HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR
1093. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri* Fieber,1866 Cc AM TR KG RU TJ UA UZ
1094. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens* Kirschbaum,1868; *carpathica* Horvath,1884 AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
1095. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
1096. **Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784 GR TR Cc RU At
1097. **Dictyla lupuli (Herrich-Schäffer,1837)** (Tingidae) Synonym(s): *lupuli* Herrich-Schäffer,1837 DZ RU Sb TR
1098. **Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): *platyoma* Fieber,1861 TR CN Ui RU Sb

1099. **Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): *rotundata* Herrich-Schäffer,1835 RU TR CN Ui
1100. **Dictyla triconula (Seidenstücker,1954)** (Tingidae) Synonym(s): *triconula* Seidenstücker,1954 BG RU TR
1101. **Dictyonota aridula (Jakovlev,1902)** (Tingidae) Synonym(s): *aridula* Jakovlev,1902 CY HU RU TR
1102. **Dictyonota strichnocera Fieber,1844** (Tingidae) Synonym(s): *strichnocera* Fieber,1844 RU TR
1103. **Dictyonota tricornis (Schrank,1801)** (Tingidae) Synonym(s): *tricornis* Schrank,1801 US CV CA DZ IR TR RU Sb CN Ui
1104. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
1105. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica* Germar,1830 Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
1106. **Dictyophara patruelis (Stal,1859)** (Dictyopharidae) Synonym(s): *patruelis* Stal,1859 CN JP RU AZ
1107. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879 DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
1108. **Didismachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
1109. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias* Walker,1838 BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
1110. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
1111. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus* Graham,1963 HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR
1112. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus* Letherry,1850; *lenensis* Linnavuori,1953 AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
1113. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus* Meigen,1804; *albipennis* Meigen,1830 PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
1114. **Dinorhynchus dybowskyi Jakovlev,1876** (Pentatomidae) Synonym(s): *dybowskyi* Jakovlev,1876 RU Sb JP CN KP KR
1115. **Dioctria arcana Richter,1966** (Asilidae) Synonym(s): *arcana* Richter,1966 TR Cc AM RU
1116. **Dioctria arthritica Loew,1871** (Asilidae) Synonym(s): *arthritica* Loew,1871 RU BG TR?
1117. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
1118. **Dioctria dispar Loew,1871** (Asilidae) Synonym(s): *dispar* Loew,1871 IR RU
1119. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820 FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
1120. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
1121. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata* Zetterstedt,1849 IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
1122. **Dioctria meyeri Nowicki,1867** (Asilidae) Synonym(s): *meyeri* Nowicki,1867 ES PL RU Sb AL TR
1123. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius* Fabricius,1798 *Ichneumon alvearius* Fabricius,1798, Suppl. ent. Syst.: 232. TR DE CN GB FR AT IT CZ RU KG YU
1124. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959 *Microgaster claritibia* Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY
1125. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata* Desbrochers,1870 Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
1126. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
1127. **Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae) Synonym(s): *ochromelas* Gmelin,1790; *negatorius* Fabricius,1793 TR Cc KG RU Sb MN
1128. **Diphyus palliatorius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *palliatorius* Gravenhorst,1829 TR RU Sb KG

1129. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 **DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU**
1130. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani* Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869 **AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU**
1131. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 **AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ**
1132. **Diplocolenus parcanicus Dlabola,1948** (Cicadellidae) Synonym(s): *parcanicus* Dlabola,1948 **CS BG HU Cc GG RU YU**
1133. **Dirhinus gussakovskii Nikolskaya,1952** (Chalcididae) Synonym(s): *gussakovskii* Nikolskaya,1952 **CY RU**
1134. **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921 **RU AZ Kir Cc AM IR IS Mos SY TR**
1135. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980 **AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA**
1136. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis* Eversmann,1848; *annulipes* Türk,1862 **CZ HU RO TR Cc IR RU Sb KG MN**
1137. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): *albicornis* Eversmann,1848 **RU KG IR TM AF PK**
1138. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatum* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 **Gryllus maroccanus** Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU). **MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU**
1139. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus* Pantel,1886 **CN Uj RU AF PK IR ES**
1140. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893 **TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP**
1141. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 **ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR**
1142. **Dolichogenidea breviventris (Ratzeburg,1848)** (Braconidae) Synonym(s): *breviventris* Ratzeburg,1848 **Microgaster breviventris** Ratzeburg,1848, Ichn. D. Forstins. 2: 51. **TR EG RU KP KR**
1143. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938 **Apanteles coleophorae** Wilkinson,1938, Proc. ent. Soc. Lond. (B) 7: 225. **TR Cc AZ AT RU FI SE CZ GB**
1144. **Dolichogenidea infimus (Haliday,1834)** (Braconidae) Synonym(s): *infimus* Haliday,1834 **Microgaster infimus** Haliday,1834, Entomologist's mon. Mag. 2: 243. **TR Cc AZ LT KG RU Sb**
1145. **Dolichogenidea longicauda (Wesmael,1837)** (Braconidae) Synonym(s): *longicauda* Wesmael,1837 **Microgaster longicauda** Wesmael,1837, Nouv. Mem. Acad. Brux. 10: 54. **TR RU**
1146. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis* Reinhard,1880 **Apanteles longipalpis** Reinhard,1880, Dt. ent. Z. 24: 365. **TR DE CN Cc AM RU TJ**
1147. **Dolichopus annulipes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *annulipes* Zetterstedt,1838; *stenhammari* Zetterstedt,1843 **RU Cc Ya Us**
1148. **Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): *arbustorum* Stannius,1831 **RO Cc GG RU UA**
1149. **Dolichopus asiaticus Negrobov,1973** (Dolichopodidae) Synonym(s): *asiaticus* Negrobov,1973 **UA RU MN KK**
1150. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus* Macquart,1827; *macquarti* Parent,1926; *pseudocilifemoratus* Stackelberg,1930 **Cc AZ AM GG RO RU UA Cm TR KG At Us Sh**
1151. **Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae) Synonym(s): *cinctipes* Wahlberg,1850 **TR FI NO SE RU Ur Am Ya Us**
1152. **Dolichopus ciscaucasicus Stackelberg,1927** (Dolichopodidae) Synonym(s): *ciscaucasicus* Stackelberg,1927 **RU Cc**
1153. **Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): *claviger* Stannius,1831 **RO RU Cc At Us UA Cm To**
1154. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842 **BG GR IL Pa RO RU UA TR KG CN**
1155. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859 **Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ**
1156. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**
1157. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831 **Cc AZ GG BG RO RU Ur UA TR KG MN UZ**

1158. **Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes Meigen,1824; cynus Meigen,1824; fastuosus Haliday,1832; plebejus Zetterstedt,1838* **RO RU Cc TR At KG**
1159. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824* **Cc GG BG GR RO RU UA TR CN MX**
1160. **Dolichopus plumitarsis Fallén,1823** (Dolichopodidae) Synonym(s): *plumitarsis Fallén,1823* **Cc RU Sb Als CA On**
1161. **Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis Wiedemann,1817* **BG GG Cc RO UA RU**
1162. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus Haliday,1838; pictus Staeger,1842* **Cc GG BG GR Cr IL Pa RO RU TR TZ**
1163. **Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): *signatus Meigen,1824; argentifer Loew,1859* **RO UA RU KG AF**
1164. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* **Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ**
1165. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica Fabricius,1781* **GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US**
1166. **Doratura concors Horvath,1903** (Cicadellidae) Synonym(s): *concors Horvath,1903; semenovi Kusnezov,1952; dzungarica Mitjavev,1971* **CZ HU IT PL RU YU TR**
1167. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* **AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU**
1168. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
1169. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
1170. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* **CN Ui IR Cc AM GG TR KG RU TM UA UZ**
1171. **Dorcadion (Cribridorcadion) elegans Kraatz,1873** (Cerambycidae) Synonym(s): *elegans Kraatz,1873; crimeense Breuning,1946; kirghisicum Breuning,1946* **RU Ur UA Cm**
1172. **Dorcadion (s.str.) androvi Suvorov,1909** (Cerambycidae) Synonym(s): *androvi Suvorov,1909* **KG RU Sb**
1173. **Dorcadion (s.str.) glycyrrhizae (Pallas,1773)** (Cerambycidae) Synonym(s): *glycyrrhizae Pallas,1773* **RU**
1174. **Dorcadion (s.str.) lativittis Kraatz,1873** (Cerambycidae) Synonym(s): *lativittis Kraatz,1873; altaense Pic,1898* **RU KG Sb At**
1175. **Dorcadion (s.str.) suvorovi Jakovlev,1906** (Cerambycidae) Synonym(s): *suvorovi Jakovlev,1906; connexum Breuning,1947* **KG RU Sb**
1176. **Dorcadion (s.str.) uvarovi Suvorov,1911** (Cerambycidae) Synonym(s): *uvarovi Suvorov,1911* **KG RU Ur**
1177. **Dorycephalus baeri Kuschakewisch,1866** (Cicadellidae) Synonym(s): *baeri Kuschakewisch,1866* **AT CZ HU RU TR**
1178. **Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa Fallén,1823* **RO BG TR UA RU**
1179. **Drymeia caucasica (Schnabl & Dziedzicki,1911)** (Muscidae) Synonym(s): *caucasica Schnabl & Dziedzicki,1911* **Cc RU MN**
1180. **Dryodurgades dlabolai Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai Wagner,1963* **HU IT RU MD UA YU BG FR TR**
1181. **Duilius fasciata Howarth,1894** (Cixiidae) Synonym(s): *fasciata Howarth,1894* **AF Cc AM AZ KG RU Da TJ**
1182. **Duilius tamaricis (Puton & Lethierry,1887)** (Cixiidae) Synonym(s): *tamaricis Puton & Lethierry,1887* **RU KG UZ TR**
1183. **Dysmachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus Loew,1871* **YU RO Cc RU BG TR IR UA AZ AM GG**
1184. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus Loew,1854* **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
1185. **Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus Loew,1871* **YU RU GR BG AL TR IR Fa**
1186. **Dysmachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus Loew,1871* **RO Cc RU GR TR IR Es AZ GG AM**
1187. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820* **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
1188. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer Loew,1854* **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR**
1189. **Dysmachus transcaucasicus Richter,1962** (Asilidae) Synonym(s): *transcaucasicus Richter,1962* **Cc AM RU TR**

1190. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen,1820* **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**
1191. **Ectinohoplia rufipes (Motschoulsky,1860)** (Scarabaeidae) Synonym(s): *rufipes Motschoulsky,1860* **RU Am Sh Krl**
1192. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae Edwards,1888; bidentata Edwards,1914; #avellana Lodos & Kalkandelen,1984* **AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR**
1193. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936* **AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA**
1194. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata Scopoli,1763 (praeocc.); marginella Gmelin,1790 (praeocc.); geometrica Schrank,1801; lineatella Fallén,1806; plagiata Hardy,1850* **AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA**
1195. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja Edwards,1914; divergens Ribaut,1931; orientalis Zachvatkin,1949* **AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU**
1196. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola Edwards,1914; barbata Ribaut,1931* **AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA**
1197. **Edwardsiana pseudoplatani Logvinenko,1966** (Cicadellidae) Synonym(s): *pseudoplatani Logvinenko,1966* **RU Cc**
1198. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* **AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
1199. **Edwardsiana ruthenica Zachvatkin,1929** (Cicadellidae) Synonym(s): *ruthenica Zachvatkin,1929* **BG RU**
1200. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola Edwards,1885* **AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At**
1201. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa Edwards,1914* **CS DK FR DE GB NL PL SE TR RU At**
1202. **Edwardsiana trigonometrica Logvinenko,1966** (Cicadellidae) Synonym(s): *trigonometrica Logvinenko,1966* **RU Cc**
1203. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**
1204. **Elachertus pilosiscuta Boucek,1971** (Eulophidae) Synonym(s): *pilosiscuta Boucek,1971* **BG CZ DE RU SK SE GB YU**
1205. **Elachertus pulcher (Erdös,1961)** (Eulophidae) Synonym(s): *pulcher Erdös,1961* **TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU**
1206. **Elampus bidens (Förster,1853)** (Chrysididae) Synonym(s): *bidens Förster,1853* **PL IT RU Sb TR Cc**
1207. **Elampus constrictus (Förster,1853)** (Chrysididae) Synonym(s): *constrictus Förster,1853* **IT PL CN Mc RU**
1208. **Elampus panzeri (Fabricius,1804)** (Chrysididae) Synonym(s): *panzeri Fabricius,1804* **DE HU RU IT**
1209. **Elampus rufitarsis (Tournier,1879)** (Chrysididae) Synonym(s): *rufitarsis Tournier,1879* **IT RU**
1210. **Elampus sanzii Gogorza,1887** (Chrysididae) Synonym(s): *sanzii Gogorza,1887* **ES TR SY IT RU**
1211. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* **TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU**
1212. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* **TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU**
1213. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi Giraud,1856* **AT FI DE GR FR HU IT MD KG ES SE CH TR RU**
1214. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus Linnaeus,1758* **TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA**
1215. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praeocc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
1216. **Embolemus thaurus Rasnitsyn & Matveev,1989** (Embolemidae) Synonym(s): *thaurus Rasnitsyn & Matveev,1989* **RU**
1217. **Emelyanodelphax molestus (Emelyanov,1976)** (Delphacidae) Synonym(s): *molestus Emelyanov,1976* **RU Us**
1218. **Emelyanogramma sp.** (Cicadellidae) Synonym(s): **RU**
1219. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula Boheman,1845; fascialis Flor,1861; florii Kirschbaum,1868; albicans Lethierry,1876* **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**

1220. **Empis (s.str.) acinerea Chavala,1985** (Empididae) Synonym(s): *acinerea Chavala,1985* TR CZ DK FI DE NL SK SE CH RU
1221. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes Fabricius,1794; obscurella Zetterstedt,1842* TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
1222. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
1223. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960* AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
1224. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis Göthe,1875; aurantiaca Lethierry,1880; viticola Targioni-Tozzetti,1888; subvaria Rey,1894; vitium Paoli,1931; punctata Kato,1933; petiolata Cerutti,1939* DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
1225. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus auct. nec Scop.,1763; hirtus Linnaeus,1767; ater Fabricius,1787* FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR
1226. **Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator Victorov,1957* TR IR DZ MN KG RU At
1227. **Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus Linnaeus,1758; merdarius Gravenhorst,1829* TR Cc RU Sb Us Sh
1228. **Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus Holmgren,1858* TR RU Sb KG
1229. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis Thomson,1884* AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
1230. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus Olivier,1792* DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
1231. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemii Robineau-Desvoidy,1830; doronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
1232. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera Walker,1839; punctatus Thomson,1878; nigritarsis Erdös,1944* TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
1233. **Entedon amethysteus Gumovsky,1996** (Eulophidae) Synonym(s): *amethysteus Gumovsky,1996* RU Us
1234. **Entedon biroi Erdös,1944** (Eulophidae) Synonym(s): *biroi Erdös,1944* TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ
1235. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius Walker,1846; montanus Erdös,1951* TR BG HU MN RU ES SE GB
1236. **Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna Walker,1839; elongatus Thomson,1878; aselli Erdös,1954* TR BG CZ HU NL NO RU SK SE GB
1237. **Entedon marusiki Gumovsky,1999** (Eulophidae) Synonym(s): *marusiki Gumovsky,1999* HU KG RU Tv UA
1238. **Entedon palliocrus Erdös,1944** (Eulophidae) Synonym(s): *palliocrus Erdös,1944* TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
1239. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar Thomson,1878; subovatus Thomson,1878* TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
1240. **Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): *procioni Erdös,1944; molybdaenus Erdös,1944; urticarii Erdös,1951; meliloti Askew,1992* TR BG CZ FR DE HU NL RU SK ES SE UA GB
1241. **Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus Erdös,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
1242. **Entedon zerovae Gumovsky,1995** (Eulophidae) Synonym(s): *zerovae Gumovsky,1995* RU Us TJ TM UZ
1243. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis Pallas,1771; abdominalis Netolitzki,1912* TR SY UA RU Sb CN IR KG CA MN PK
1244. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica Piesner,1973* TR HV FR GR IL Pa KG KK MK RU ES TM
1245. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea Pallas,1773; sirdariensis Radoszkowski,1889* AM Cc IR TM Kp TR KK KG Uk RU Da
1246. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
1247. **Eotrichia titanis (Reitter,1902)** (Scarabaeidae) Synonym(s): *titanis Reitter,1902* RU Am

1248. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
1249. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771
BG TR Cc RU UZ KG CN Ui
1250. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763;
balteatus De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina*
Wiedemann,1830; *alternana* Macquart,1842 TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP
DZ Cn
1251. **Epitrix caucasica (Heitertinger,1950)** (Chrysomelidae) Synonym(s): *caucasica*
Heitertinger,1950 TR Cc IR RU KG IN
1252. **Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803;
ferruginea Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903 Cc AZ Len TR KK Az KG IR RU Sb
1253. **Eremazus cribratus Semenov,1893** (Scarabaeidae) Synonym(s): *cribratus* Semenov,1893
RU TM
1254. **Eremazus unistriatus Mulsant,1851** (Scarabaeidae) Synonym(s): *unistriatus* Mulsant,1851
RU TM
1255. **Eremippus beybienkoi Mishtchenko,1951** (Acrididae) Synonym(s): *beybienkoi*
Mishtchenko,1951 RU
1256. **Eremippus costatus Tarbinsky,1927** (Acrididae) Synonym(s): *costatus* Tarbinsky,1927 RU
Cc
1257. **Eremippus mirami Tarbinsky,1927** (Acrididae) Synonym(s): *mirami* Tarbinsky,1927;
miramae Bei-Bienko & Mishtchenko,1951 Cc RU
1258. **Eremippus sobolevi Sergeev & Bugrov,1990** (Acrididae) Synonym(s): *sobolevi* Sergeev &
Bugrov,1990 RU
1259. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus*
Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 ES MA DZ EG TR SD ZR SL SN
ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
1260. **Eriothrix accolus Kolomiets,1967** (Tachinidae) Synonym(s): *accolus* Kolomiets,1967 RU
1261. **Eriothrix apenninus (Rondani,1862)** (Tachinidae) Synonym(s): *apenninus* Rondani,1862;
latifrons Brauer,1898 RU IL Pa MA TR
1262. **Eriothrix argyreatus (Meigen,1824)** (Tachinidae) Synonym(s): *argyreatus* Meigen,1824;
aperta Egger,1855; *apennina* Stein,1924 nec Rond.,1862; *paramonovi* Belanovsky,1929 RU MN
1263. **Eriothrix inflatus Kolomiets,1967** (Tachinidae) Synonym(s): *inflatus* Kolomiets,1967;
chrysanthus Kolomiets,1967 RU KG
1264. **Eriothrix nitidus Kolomiets,1967** (Tachinidae) Synonym(s): *nitidus* Kolomiets,1967 RU
1265. **Eriothrix prolixa (Meigen,1824)** (Tachinidae) Synonym(s): *prolixa* Meigen,1824 GB FI RU
MN
1266. **Eriothrix rohdendorfi Kolomiets,1967** (Tachinidae) Synonym(s): *rohdendorfi* Kolomiets,1967
RU KG
1267. **Eriothrix rufomaculatus (De Geer,1776)** (Tachinidae) Synonym(s): *lateralis* Fabricius,1775;
rufomaculatus De Geer,1776; *demano* Harris,1780; *tachinaria* Fallén,1815 IE GB FI RU TR
1268. **Eriothrix umbrinervis Mesnil,1957** (Tachinidae) Synonym(s): *umbrinervis* Mesnil,1957;
mesnii Kolomiets,1967; *tragicus* Kolomiets,1967 RU MN JP
1269. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris*
Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbororum* Schrank,1781; *silvaticus* Meigen,1822;
vulpinus Meigen,1822 Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
1270. **Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicans*
Gravenhorst,1829 TR RU
1271. **Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata* Villeneuve,1924;
hierosolymitana Kugler,1963 TR IL Pa AT CH YU RU Sb
1272. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806;
chlorophana Herrich-Schäffer,1843; *luteipes* Prohaska,1923 AT BE CZ DK GB FI FR DE IT NL NO PL RO SE
ES CH RU YU IR TR
1273. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830;
tenera Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR
AU ZA
1274. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens*
Fabricius,1787; *kollari* Föster,1859 AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR
IR Ak Mrd
1275. **Eucharis rugulosa Gussakovsky,1940** (Eucharitidae) Synonym(s): *rugulosa*
Gussakovsky,1940 IR Elb Th UA Cm RU
1276. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794
(*praEOcc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL
NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
1277. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus*
Taschenberg,1865 ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU

1278. **Euides caspiana (Dlabola,1961)** (Delphacidae) Synonym(s): *caspiana Dlabola,1961* **RU Da Cc TR**
1279. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa Boheman,1845; asiracoides Forel,1858; obscura Metcalf,1943* **AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU**
1280. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803* **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
1281. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius Saussure,1852* **CY TR RU IL Pa LB SY IR**
1282. **Eumenes sareptanus André,1884** (Vespidae) Synonym(s): *sareptanus André,1884; insolanus Müller,1923* **RU Sr TR**
1283. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus Goeze,1777* **RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ**
1284. **Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): *pallipes Fabricius,1781* **RU Cc IL Pa TM TJ**
1285. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
1286. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae Fabricius,1794* **TR RU Ur Sb KG Cc IR MN CN DZ AU**
1287. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus Macquart,1829* **FR RU Ur Sb Cc KG SY AF MN US**
1288. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa Herrich-Schäffer,1838; gallica Wagner,1939* **AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA**
1289. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola Ribaut,1936; bilobata Cerutti,1939; unita Cerutti,1939* **AF AT CS FI FR DE IT IQ RO SW TR RU MD**
1290. **Eupteryx assectator Logvinenko,1966** (Cicadellidae) Synonym(s): *assectator Logvinenko,1966* **RU Cc**
1291. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939* **AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU**
1292. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata Linnaeus,1758; festiva Fabricius,1794; fulva Herrich-Schäffer,1836; interpuncta Cerutti,1939; nigerrima Cerutti,1939* **AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU**
1293. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina Flor,1861; florida Ribaut,1936* **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA**
1294. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops Matsumura,1906; nigrifrons Haupt,1912; britteni Edwards,1924; affinis Ossiannilsson,1936; mendax Ribaut,1936; trilobata Ribaut,1936* **AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA**
1295. **Eupteryx formaster Logvinenko,1966** (Cicadellidae) Synonym(s): *formaster Logvinenko,1966* **RU Cc**
1296. **Eupteryx lelievrei (Lethierry,1874)** (Cicadellidae) Synonym(s): *lelievrei Lethierry,1874* **BE BG FR RU**
1297. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata Curtis,1837; wallengreni Stal,1853; dimiunta Kirschbaum,1868* **AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU**
1298. **Eupteryx praestabilis Logvinenko,1966** (Cicadellidae) Synonym(s): *praestabilis Logvinenko,1966* **RU Cc**
1299. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939* **DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU**
1300. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella Fallén,1806; pulchella Herrich-Schäffer,1834* **AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA**
1301. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae Fabricius,1803; tarsalis Curtis,1837; jucunda Hardy,1850 (praeocc.); octonotata Hardy,1850; basalis Rey,1894; conjuncta Rey,1894; haupti Wagner,1935; deficiens Ribaut,1936; glomerata Ribaut,1936* **AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU**
1302. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata Linnaeus,1758* **DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU**
1303. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna Germar,1831* **DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU**
1304. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi Wagner,1937; oshanini Zachvatkin,1948* **AT BG CS FI FR DE HU NL PL RU**

1305. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 **DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU**
1306. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 **AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR**
1307. **Eurytoma abdita Zerova,1995** (Eurytomidae) Synonym(s): *abdita* Zerova,1995 **IR Oru Ab KG RU UA**
1308. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz**
1309. **Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): *arctica* Thomson,1875 **IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB**
1310. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 **TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU**
1311. **Eurytoma blastophagi Hedqvist,1963** (Eurytomidae) Synonym(s): *blastophagi* Hedqvist,1963 **IR Ak DE NO CN RU SE**
1312. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 **IR Kd Km II Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
1313. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 **TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU**
1314. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi* Boucek,1970 **IR HV CZ DE IT MD MK RU SK UA TM YU**
1315. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**
1316. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 **TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB**
1317. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 **TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru**
1318. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 **TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU**
1319. **Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri* Schreiner,1908 **TR AM GG Cc GR MD RO RU Ao Da UA**
1320. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 **TR AT BG CZ FR DE HU IT MD MA NL SE GB RU**
1321. **Eusapromyza multipunctata (Fallén,1820)** (Leuxaniidae) Synonym(s): *multipunctata* Fallén,1820 **LT IR Km RU**
1322. **Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides* Pallas,1818; *pallasii* Wiedemann,1818; *pubiceps* Loew,1871 **GR TR IR RU**
1323. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 **AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU**
1324. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
1325. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 **AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU**
1326. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
1327. **Eutolmus calopus (Loew,1848)** (Asilidae) Synonym(s): *calopus* Loew,1848 **YU RU GR TR**
1328. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848 **TR IR Fa GR Rd RO RU TN**
1329. **Euzonitis fluvipennis (Fabricius,1792)** (Meloidae) Synonym(s): *fluvipennis* Fabricius,1792 **IT TR RU HU**
1330. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 **ES IT Sa Si TR RU MN CY IR**
1331. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminatus* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 **AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU**
1332. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 **AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU**

1333. **Exechia separata** Lundström,1912 (Mycetophilidae) Synonym(s): *separata* Lundström,1912 DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
1334. **Exenterus ictericus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *ictericus* Gravenhorst,1829 TR RU Ur
1335. **Exetastes adpressorius** (Thunberg,1822) (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Fahringer,1921 TR KG RU Sb CN
1336. **Exetastes femorator** Desvignes,1856 (Ichneumonidae) Synonym(s): *femorator* Desvignes,1856 TR KG MN RU Sb CN
1337. **Exetastes illusor** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829 TR Cc KG RU Sb
1338. **Exetastes laevigator** (Villers,1789) (Ichneumonidae) Synonym(s): *laevigator* Villers,1789 TR RU At Cc CN
1339. **Exopristus trigonomerus** (Masi,1916) (Torymidae) Synonym(s): *trigonomerus* Masi,1916 B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
1340. **Exyston subnitidus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *subnitidus* Gravenhorst,1829; *phaeorrhæus* Haliday,1838 TR RU Da Cc
1341. **Falcidius apterus** (Fabricius,1794) (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 DZ ES Cn FR GR IT MA IL ES SW TN RU
1342. **Falcotoya minuscula** (Horvath,1897) (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
1343. **Fieberiella lugubris** Emeljanov,1964 (Cicadellidae) Synonym(s): *lugubris* Emeljanov,1964 Cc RU
1344. **Fieberiella macchiaie** Linnavuori,1962 (Cicadellidae) Synonym(s): *macchiaie* Linnavuori,1962 IL Pa TR Cc GG CN Mc DE PL RO RU
1345. **Fieberiella septentrionalis** Wagner,1963 (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
1346. **Filiptschenkia sargoides** Pleske,1926 (Stratiomyidae) Synonym(s): *sargoides* Pleske,1926 Cc GG RU
1347. **Florodelphax leptosoma** (Flor,1861) (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
1348. **Forficula auricularia** Linnaeus,1758 (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
1349. **Forficula kaznakovi** Semenov,1908 (Forficulidae) Synonym(s): *kaznakovi* Semenov,1908 GG RU
1350. **Forficula tomis** (Kolenati,1846) (Forficulidae) Synonym(s): *tomis* Kolenati,1846; *pomerantzevi* Semenov,1903 RU KG TR
1351. **Galeatus cellularis** Jakovlev,1884 (Tingidae) Synonym(s): *cellularis* Jakovlev,1884 RU UA TR
1352. **Gargara genistae** (Fabricius,1775) (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
1353. **Gastrophysa polygoni** (Linnaeus,1758) (Chrysomelidae) Synonym(s): *polygoni* Linnaeus,1758 TR Cc IR CN KG KP KR RU Sb MN DZ CA
1354. **Gastrophysa viridula** (DeGeer,1775) (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951 RU KG Cc TR CA
1355. **Gelis instabilis** (Förster,1851) (Ichneumonidae) Synonym(s): *instabilis* Förster,1851 TR Cc RU Sb
1356. **Geomyza tripunctata** Fallén,1823 (Opomyzidae) Synonym(s): *tripunctata* Fallén,1823 SE FI RU CA DK PT TR
1357. **Geotrupes spiniger** (Marsham,1802) (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
1358. **Geotrupes stercorarius** (Linnaeus,1758) (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
1359. **Geron olivierii** Macquart,1840 (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
1360. **Gerris caucasicus** Kanyukova,1982 (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982 AM GG Cc IQ IR TR RU AZ
1361. **Glaphyrus oxypterus** (Pallas,1771) (Glaphyridae) Synonym(s): *oxypterus* Pallas,1771; *acuminatus* Lepechin,1774; *uralensis* Gmelin,1788; *vittatus* Herbst,1790; *incertus* Pic,1947 RU Sb TM KG
1362. **Glycyphana (Caloglycyphana) fulvistemma** (Motschulsky,1860) (Scarabaeidae) Synonym(s): *fulvistemma* Motschulsky,1860 CN JP RU Am TW
1363. **Glycyphana (Glycyphaniola) nepalensis** Kraatz,1894 (Scarabaeidae) Synonym(s): *nepalensis* Kraatz,1894; *roquesi* Bourgoin,1916 RU VN NP IN CN Yu
1364. **Glyphomerus stigma** (Fabricius,1793) (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US

1365. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis Förster,1856* AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
1366. **Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): *fulvipes Haliday,1834* *Microgaster fulvipes Haliday,1834*, *Entomologist's mon. Mag. 2: 249.* TR RU Sh Sb JP KG
1367. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor Thunberg,1822* TR Cc UA Cm RO RU
1368. **Glyptomorpha dispar Tobias,1986** (Braconidae) Synonym(s): *dispar Tobias,1986* RU
1369. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832* TR MY Bor ID PK IN CN Cc TR RU MN KG
1370. **Gnorimus nobilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nobilis Linnaeus,1758* MK FR RO YU RU
1371. **Gnorimus subopacus Motschoulsky,1860** (Scarabaeidae) Synonym(s): *subopacus Motschoulsky,1860* RU Am Us Sb JP
1372. **Gnorimus variabilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *variabilis Linnaeus,1758*; *octopunctatus Fabricius,1775* RU TR
1373. **Gnorimus viridiopacus (Lewis,1887)** (Scarabaeidae) Synonym(s): *viridiopacus Lewis,1887* RU Krl
1374. **Gomphocerus dispar Fischer von Waldheim,1846** (Acrididae) Synonym(s): *dispar Fischer von Waldheim,1846* RU Cc
1375. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus Linnaeus,1767*; *clavimanus Pallas,1772*; *graecus Uvarov,1931*; *helveticus Uvarov,1931*; *hispanicus Uvarov,1931*; *pyrenaicus Uvarov,1931*; *turcicus Mistshenko,1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
1376. **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825* TR SY Hom Dms Cc IR RU Sb
1377. **Gomphus schneideri Selys,1850** (Gomphidae) Synonym(s): *schneideri Selys,1850* TR Cc GG RU
1378. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835*; *annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
1379. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868*; *putoni Lethierry,1874*; *laminatus Ivanoff,1885*; *ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
1380. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887* DZ EG IL Pa TR LY MA AZ Cc RU Da
1381. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata Brüggemann,1873*; *sexpunctata Joakomov,1904* TR SY RO PL YU UA RU Cc
1382. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis Fallén,1806*; *punctifrons Germar,1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
1383. **Graphosoma rubrolineatum (Westwood,1837)** (Pentatomidae) Synonym(s): *rubrolineatum Westwood,1837*; *crassa Motschoulsky,1861* CN Gn Hbe Mc Hun She Sha Sz Yu RU Us Kp KR JP
1384. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835*; *nigritarsis Sahlberg,1882*; *hopffgarteni Schilsky,1892*; *pervasus Gozis,1914*; *narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
1385. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops Gravenhorst,1829* DZ KK KG MN RU Sb Ya TR
1386. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi Scott,1870*; *consanguinea Scott,1873*; *tshikoica Kusnezov,1929*; *bicolor Lindberg,1948*; *rubricarina Mitjaev,1967* CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
1387. **Grylloides supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans Walker,1859* GY US CU ET PK IN RU Us KP KR JP AU
1388. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758*; *talpa Olivier,1791*; *vulgaris Latreille,1804* *Gryllus gryllotalpa Linnaeus,1758*, *Syst. Nat. (Edn. 10) 1: 428.* Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
1389. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis Czerny,1924* AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
1390. **Gymnomus caucasicus Woznica,2006** (Heleomyzidae) Synonym(s): *caucasicus Woznica,2006* Cc RU Kc Teb
1391. **Gymnomus warchalowskii Woznica,2007** (Heleomyzidae) Synonym(s): *warchalowskii Woznica,2007* RU Ur KK T-S
1392. **Gymnopleurus aciculatus Gebler,1845** (Scarabaeidae) Synonym(s): *aciculatus Gebler,1845* RU KG UZ TM TJ
1393. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787*; *coriarius Herbst,1789*; *serratus Fischer von Waldheim,1821*; *asperatus Mulsant,1842*; *caliginosus Balthasar,1934* RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR

1394. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785*; *cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
1395. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
1396. **Gymnopleurus sturmi MacLeay,1821** (Scarabaeidae) Synonym(s): *sturmi MacLeay,1821* BG RU
1397. **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf,1947*; *verbekei Mesnil,1952* RU Cc CY IL Pa TR
1398. **Gymnosoma desertorum (Rohdendorf,1947)** (Tachinidae) Synonym(s): *desertorum Rohdendorf,1947*; *plesiomorpha Zimin,1966* RU Cc PL MN
1399. **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris Loew,1847* FR RU GR IR Elb Th Ss IL Pa TR
1400. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens Loew,1871*; *obscura Bigot,1880*; *obscurata Bigot,1891*; *caucasica Kröber,1922*; *araxis Szilady,1923* RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ
1401. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes Olivier,1791*; *armata Panzer,1801*; *bispinosa Fabricius,1804*; *quadriens Kieffer,1905* AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
1402. **Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): *bejbienkoi Dlabola,1959* Cc GG KG RU UA
1403. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus Melichar,1896* AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
1404. **Handianus modestus (Melichar,1896)** (Cicadellidae) Synonym(s): *modestus Melichar,1896* RO YU RU Sb TR UA
1405. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835*; *palaestinis Linnavuori,1962* AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
1406. **Hardya ribauti Linnavuori,1953** (Cicadellidae) Synonym(s): *ribauti Linnavuori,1953* RU Cc TM
1407. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis Germar,1821*; *badiellus Kirschbaum,1868*; *fulvopicta Sahlberg,1871*; *confusa Rey,1894* AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
1408. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
1409. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775*; *affinis Schrank,1781*; *bifoveolatus Kuster,1846*; *paganettii Flach,1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
1410. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812*; *sobrinus Dejean,1829*; *serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
1411. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea Moravskaja,1948*; *furcata Dlabola,1957* TR Cc AM KG RU UA IR
1412. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866*; *sulcatus Fieber,1866*; *aegyptiacus Signoret,1879*; *arenarius Horvath,1897* AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
1413. **Heinrichiola⁴⁵ hildegardae (Treshkin,1996)** (Ichneumonidae) Synonym(s): *hildegardae Treshkin,1996* RU Us
1414. **Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): *decipiens Mihalyi,1974* DE CZ SK AT HU TR RU
1415. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis Ringdahl,1924* FR Co DE PL CZ SK CH AT HU TR Cc AM RU
1416. **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens Stein,1893* DE PL CH AT HU TR? RU
1417. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris Ringdahl,1924* AD DE PL CZ SK CH AT HU TR Ui RU
1418. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata Puton,1874* DZ RU ES LY TN Cc IR TR
1419. **Heliophilus continuus (Loew,1844)** (Syrphidae) Synonym(s): *continuus Loew,1844* RU Sb TR
1420. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758* TR Cc GG ES DE DK GB SE FI RU IR
1421. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus Mulsant,1846* DK FI SE NO RU ES IT AT FR GB TR
1422. **Helophorus barbarae Angus,1985** (Helophoridae) Synonym(s): *barbarae Angus,1985* RU Us Sb

⁴⁵ generic name established by the authors.

1423. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis Bedel,1881* TR
Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
1424. **Helophorus croaticus Kuwert,1886** (Helophoridae) Synonym(s): *croaticus Kuwert,1886* BE
SE FI DE RU TR
1425. **Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans Rey,1885* Cc RU
FI IR TR DE PL GR
1426. **Helophorus flavipes Fabricius,1792** (Helophoridae) Synonym(s): *flavipes Fabricius,1792* SE
GB RU TR
1427. **Helophorus kirgisticus Knisch,1914** (Helophoridae) Synonym(s): *kirgisticus Knisch,1914* RU
KG Sb IR TR
1428. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854* DK SE FI RU ES Cc LB IL Pa IR TR
1429. **Helophorus lewisi Angus,1985** (Helophoridae) Synonym(s): *lewisi Angus,1985* RU IL Pa TR
1430. **Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus Angus,1970* PL AT
FR RU IT YU GR TR
1431. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
1432. **Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus Fabricius,1775*
SE DK FI RU DZ TR
1433. **Helophorus nanus Sturm,1836** (Helophoridae) Synonym(s): *nanus Sturm,1836* RU Sb Cc TR
1434. **Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus Fabricius,1776* RU
SE FI IT ES DK IR TR
1435. **Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus Mulsant,1844*
DK GB SE RU IT TR GR
1436. **Helophorus paraminutus Angus,1986** (Helophoridae) Synonym(s): *paraminutus Angus,1986*
RU Sb YU AT DE TR
1437. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis Kuwert,1887* DZ GB
DK FR DE IT MA NL PT RU ES SE TN TR
1438. **Helophorus terminassianae Angus,1984** (Helophoridae) Synonym(s): *terminassianae Angus,1984* RU AM Cc TR
1439. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger Linnaeus,1758* TR AL
AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK
1440. **Hemipenthes eversmanni Zaitzev,1966** (Bombyliidae) Synonym(s): *eversmanni Zaitzev,1966*
KG RU UA MD
1441. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera Loew,1854* RU
Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
1442. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758*;
denigrata Linnaeus,1767; *hirsuta Villers,1789*; *daemon Panzer,1797*; *bifasciata Meigen,1804*; *relata Walker,1852*;
uncinus Loew,1869; *flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN Ui
HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
1443. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758*;
semiatra Meigen,1820; *morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY
GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
1444. **Hemipenthes nitidofasciatus Portschinsky,1892** (Bombyliidae) Synonym(s):
nitidofasciatus Portschinsky,1892 KK TJ RU
1445. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus Loew,1869* CN
KK MN RU TJ TM UZ IL Pa
1446. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820*;
bicincta Wiedemann,1820; *nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA
TN SY IT Si Sa TR CN Ui PK TM YU EG
1447. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi Frauenfeld,1864* TR CN KG KK MN MD UZ RU TJ TM UA
1448. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-Schäffer,1835*;
cretacea Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM
AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
1449. **Hephaulacus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor Lindberg,1926*;
canus Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
1450. **Heptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus Germar,1824*
RU Ur KG
1451. **Heptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus Herbst,1783* RU HU Sb Cc
AM
1452. **Heptaulacus villosus (Gyllenhal,1806)** (Scarabaeidae) Synonym(s): *villosus Gyllenhal,1806*
RU
1453. **Hercostomus armeniorum Stackelberg,1933** (Dolichopodidae) Synonym(s): *armeniorum Stackelberg,1933* AM RU Cc
1454. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus Loew,1871*
Cc GG Abk RO RU TJ TM UZ

1455. **Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus Stackelberg,1933* Cc GG Abk AM RU TR KK
1456. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer Walker,1849; chetifera Walker,1849; alutifer Haliday,1851; cretifer Walker,1856; cretifera Walker,1856* GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
1457. **Hercostomus conformis (Loew,1857)** (Dolichopodidae) Synonym(s): *conformis Loew,1857; chalybeus Wiedemann,1817* Cc RU GG Os
1458. **Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens Loew,1857* AZ Cc IL Pa RO RU UA
1459. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus Loew,1857; papillifer Mik,1880* Cc AM GG RO RU DZ Cn KK TJ
1460. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax Loew,1857* Cc AZ BG GG RO RU Ur KG TJ
1461. **Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus Wiedemann,1817; chaerophylli Meigen,1824* AZ AM GG Cc RO RU Da Ur UA MA
1462. **Hercostomus leptocercus Stackelberg,1949** (Dolichopodidae) Synonym(s): *leptocercus Stackelberg,1949* RU Cc IR TJ
1463. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris Loew,1857; forcipatus A.Müller,1923* BG GG Cc GR IL Pa TR RO RU MA TJ
1464. **Hercostomus nigriplantis (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis Stannius,1831; subsimplicipes Verrall,1912* AM Cc GG MD RO RU UA Cm
1465. **Hercostomus varicoloris Becker,1917** (Dolichopodidae) Synonym(s): *varicoloris Becker,1917* Cc Abk GG AM RU TR
1466. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
1467. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
1468. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata Fallén,1814; gemmata Meigen,1826* Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR
1469. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata Fallén,1806 (praeocc.); domino Reuter,1880; hyomelas Csiki,1940; falleni Metcalf,1955* AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
1470. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela Fieber,1860* AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
1471. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
1472. **Heteromyza atricornis Meigen,1830** (Heleomyzidae) Synonym(s): *atricornis Meigen,1830* Cc RU Kr Soc
1473. **Heteropogon lehri Richter,1968** (Asilidae) Synonym(s): *lehri Richter,1968* Cc RU TR IR Elb Mz AM
1474. **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes Loew,1851* RU YU GR BG AL IL Pa TR
1475. **Heteropogon scoparius Loew,1847** (Asilidae) Synonym(s): *scoparius Loew,1847* RU AL TR IR
1476. **Hilytrogus bicolorus Heyden,1887** (Scarabaeidae) Synonym(s): *bicolorus Heyden,1887* RU Am
1477. **Himacerus dauricus (Kiritschenko,1911)** (Nabidae) Synonym(s): *dauricus Kiritschenko,1911* RU Sb TR
1478. **Hippuriphila modeeri (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *modeeri Linnaeus,1761; chrysopygis Beck,1817; mancula Leconte,1861; bimaculata Weise,1886; chalybaea Weise,1886; praescutellaris Pic,1909; laevicollis Hellen,1933* TR MN RU Sb
1479. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus Rossi,1792* Cn DZ LT SE RU AF KG Sb TR
1480. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna Boucek,1952* HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
1481. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
1482. **Holochelus (s.str.) aequinoctialis (Herbst,1790)** (Scarabaeidae) Synonym(s): *aequinoctialis Herbst,1790* RU UA KG
1483. **Holochelus (s.str.) tauricus (Blanchard,1850)** (Scarabaeidae) Synonym(s): *tauricus Blanchard,1850* UA RU

1484. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus Meigen,1820*; *dimidipennis Megerle,1820*; *fuscipennis Meigen,1820*; *timidus Loew,1847* AT FR GR HU IT PL RO RU YU IR
1485. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis Meigen,1820* IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
1486. **Holotrichia diomphalia (Batten,1895)** (Scarabaeidae) Synonym(s): *diomphalia Batten,1895* RU Am CN Mc
1487. **Holotrichia sichotana (Brenske,1896)** (Scarabaeidae) Synonym(s): *sichotana Brenske,1896* RU Am
1488. **Homalocephala albitarsis Zetterstedt,1838** (Ulidiidae) Synonym(s): *albitarsis Zetterstedt,1838*; *diopsides Walker,1849*; *costalis Walker,1849* CA On DE PL RU SE Am Us Sb Sh FI NO IT
1489. **Hoplia (Decamera) cincticollis (Faldermann,1833)** (Scarabaeidae) Synonym(s): *cincticollis Faldermann,1833* RU Us MN
1490. **Hoplia (Decamera) djukini Jacobson,1914** (Scarabaeidae) Synonym(s): *djukini Jacobson,1914* RU Am
1491. **Hoplia (Euchromoplia) aureola (Pallas,1781)** (Scarabaeidae) Synonym(s): *aureola Pallas,1781* Us RU
1492. **Hoplia (Hoplia) brevipes Medvedev,1951** (Scarabaeidae) Synonym(s): *brevipes Medvedev,1951* Cc RU
1493. **Hoplia (Hoplia) detrita Solsky,1876** (Scarabaeidae) Synonym(s): *detrita Solsky,1876* RU
1494. **Hoplia (Hoplia) graminicola Fabricius,1792** (Scarabaeidae) Synonym(s): *graminicola Fabricius,1792* Cc GG RU
1495. **Hoplia (Hoplia) pallinosa Krynický,1832** (Scarabaeidae) Synonym(s): *pallinosa Krynický,1832* GG Cc RU Am
1496. **Hoplia (Hoplia) parvula Krynický,1832** (Scarabaeidae) Synonym(s): *parvula Krynický,1832* RU
1497. **Hoplia (Hoplia) zaitzevi Jacobson,1914** (Scarabaeidae) Synonym(s): *zaitzevi Jacobson,1914* RU
1498. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840*; *dentiventris Morawitz,1877*; *hispanica Schmiedeknecht,1886*; *brunneipes Peters,1975*; *gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
1499. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis Morawitz,1875*; *proxima Morawitz,1875 nec Cress.,1864*; *turcestanica Dalla Torre,1896* RU UA KG KK CN TM UZ SY TR
1500. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta Schenck,1861 nec Latr.,1811*; *claviventris Thomson,1872*; *foveolata Schenck,1873*; *columba Warncke,1991* AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
1501. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana Kirby,1802*; *caulicola Schrank,1802*; *parvula Dufour & Perris,1840*; *bidenticulatus Costa,1863* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
1502. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis Nylander,1852*; *montivaga Morawitz,1872* AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
1503. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans Morawitz,1894*; *lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
1504. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata Dufour & Perris,1840*; *melanoleuca Benoist,1934*; *asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
1505. **Hoplitis (Anthocopa) daurica (Radoszowski,1887)** (Megachilidae) Synonym(s): *daurica Radoszowski,1887* RU
1506. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi Friese,1895*; *linophila Westrich,2006* AT AM Cc ES FR Co GR HU RU SK TR
1507. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris Latreille,1799*; *hyalinipennis Lepeletier,1841* AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
1508. **Hoplitis (Anthocopa) saxialis (Zanden,1994)** (Megachilidae) Synonym(s): *saxialis Zanden,1994* Cc RU
1509. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa Schenck,1853*; *platycera Gerstaecker,1869* AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
1510. **Hoplitis (Formicapis) maritima (Romankova,1985)** (Megachilidae) Synonym(s): *maritima Romankova,1985* RU Us MN UA
1511. **Hoplitis (Formicapis) robusta (Nylander,1848)** (Megachilidae) Synonym(s): *robusta Nylander,1848* AT CH FR FI IT RU MN CN CA US
1512. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva Eversmann,1852*; *grandis Morawitz,1872* AM Cc AZ HU RO RU Or KG MN CN JO SY TR

1513. **Hoplitis (Megalosmia) laboriosa (Smith,1878)** (Megachilidae) Synonym(s): *laboriosa* Smith,1878; *maculata* Morawitz,1880; *magrettii* Ducke,1899 **CN Ui Ku KG MN RU**
1514. **Hoplitis (Megalosmia) princeps (Morawitz,1872)** (Megachilidae) Synonym(s): *princeps* Morawitz,1872 **KG MN CN RU UA HU**
1515. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s): *tuberculata* Nylander,1848; *hamata* Eversmann,1852; *cylindrica* Giraud,1857; *signatum* Eversmann,1852; *macrodonta* Cockerell,1924; *amaguensis* Cockerell,1924 **AT CH DE FR FI HV IT LT PL RU MN CN**
1516. **Hoplitis (Pentadentosmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 **AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN**
1517. **Hoplitis (Pentadentosmia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888 **AM Cc RU KG PK IR**
1518. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
1519. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
1520. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 **AT CH DE ES FR HU IT RU SS**
1521. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 **AT CH CZ? DE ES FR HU HV IT RU SS**
1522. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 **AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS**
1523. **Hoplosternus incanus Motschulsky,1853** (Scarabaeidae) Synonym(s): *incanus* Motschulsky,1853 **RU Am**
1524. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879 **Cc CY IR TR AM AZ GG RU TM UZ IQ**
1525. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
1526. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata* Loew,1858 **FR YU AT RU RO TR IR MN**
1527. **Hybomitra ciureai (Seguy,1937)** (Tabanidae) Synonym(s): *ciureai* Seguy,1937; *shineri* Lyneborg,1959 **TR RU MN**
1528. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 **PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm**
1529. **Hybosorus illigeri Reiche,1853** (Scarabaeidae) Synonym(s): *illigeri* Reiche,1853 **RU TM TJ**
1530. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 **DZ GR TR Cc RU KG Sb TM SY**
1531. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 **RU Cc TR SY IR KG**
1532. **Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus* Olivier,1811 **TR SY IR Cc RU**
1533. **Hydrobius arcticus Kuwert,1890** (Hydrophilidae) Synonym(s): *arcticus* Kuwert,1890 **FI NO RU SE TR**
1534. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU**
1535. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
1536. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU**
1537. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 **TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH**
1538. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 **TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH**
1539. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky,1860 **AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc**
1540. **Hydrocyphon finitimus Nyholm,1977** (Scirtidae) Synonym(s): *finitimus* Nyholm,1977 **TR Cc RU**
1541. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 **ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR**
1542. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840 **BG CY TR Cc GG GR IL Pa RO RU UA Cm**

1543. **Hydrophorus bipunctatus (Lehmann,1822)** (Dolichopodidae) Synonym(s): *bipunctatus* Lehmann,1822; *binotatus* Fallén,1823 RO RU Cc KK
1544. **Hydrophorus callostomus Loew,1857** (Dolichopodidae) Synonym(s): *callostomus* Loew,1857 Cc AM RU Da Sb RO UA Cm
1545. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
1546. **Hydrotaea meridionalis Portschinsky,1882** (Muscidae) Synonym(s): *meridionalis* Portschinsky,1882 IT Si DE PL CZ SK CH AT HU TR RU
1547. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
1548. **Ichneumon albicollis Wesmael,1857** (Ichneumonidae) Synonym(s): *albicollis* Wesmael,1857 Cc TR RU Sb KG
1549. **Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus* Wesmael,1844 Cc KG TR RU Sb
1550. **Ichneumon extensorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *extensorius* Linnaeus,1758 TR Cc RU Sb
1551. **Ichneumon gracilentus Wesmael,1844** (Ichneumonidae) Synonym(s): *gracilentus* Wesmael,1844 TR RU Sb
1552. **Ichneumon gracilicornis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829 TR Cc RU Sb
1553. **Ichneumon veressi (Kiss,1915)** (Ichneumonidae) Synonym(s): *veressi* Kiss,1915 TR RU Sb CN
1554. **Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella* Papp,1972 Apanteles laspeyresiella Papp,1972, Ann. Hist. Nat. Mus. Hung. 64: 338-340. AT BG HU RU TR
1555. **Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia* Nixon,1965 Apanteles vindicia Nixon,1965, Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR
1556. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?filicina* Santos Abreu,1923; *similior* Alexander,1956 Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
1557. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868 AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
1558. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
1559. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer,1835 BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
1560. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
1561. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
1562. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868 AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
1563. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer,1799; *simulans* Ribaut,1952 AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
1564. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus* Gahan,1914 IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
1565. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916 IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
1566. **Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): *naso* Marshall,1888 Apanteles naso Marshall,1888, Trans. ent. Soc. Lond.: 203. TR GB BG Cr YU MN RU CH HU
1567. **Illidops vipio (Reihard,1880)** (Braconidae) Synonym(s): *vipio* Reinhard,1880 Apanteles vipio Reinhard,1880, Mem. ent. Soc. Canada 115: 56-57. TR DE GB FR YU RU
1568. **Ilybius satunini (Zaitzev,1913)** (Dytiscidae) Synonym(s): *satunini* Zaitzev,1913 Cc RU GG TR
1569. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 Mantis oratoria polystictica Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui
1570. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 TR UA RU SY IR PK CN Ui MN
1571. **Islamcantharis (s.str.) auroraensis Kazantsev,1989** (Cantharidae) Synonym(s): *auroraensis* Kazantsev,1989 RU
1572. **Isophya schneideri Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *schneideri* Brunner von Wattenwyl,1878; *caucasica* Uvarov,1921 TR Cc AZ Bak Nv AM GG RU

1573. **Itopectis alternans (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *alternans* Gravenhorts,1829 TR Cc RU At
1574. **Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht,1914 DZ TR Cc IR KG RU At Tv MN
1575. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1576. **Jalla subcalcarata Jakovlev,1885** (Pentatomidae) Synonym(s): *subcalcarata* Jakovlev,1885 CN MN RU TR
1577. **Jassargus caucasicus Logvinenko,1966** (Cicadellidae) Synonym(s): *caucasicus* Logvinenko,1966 RU Cc
1578. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus* Flor,1861; *pseudocellaris* Flor,1861; *mattiacellus* Kirschbaum,1868; *parallelus* Fieber,1869; *falleni* Fieber,1869; *paleaceus* Sahlberg,1871; *longiceps* Rey,1894; *confinis* Rey,1894; *kemneri* Ossiannilsson,1935; *gallicus* Metcalf,1955; *reyi* Metcalf,1955 AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
1579. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
1580. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU AT EE KG LT MD UA UZ
1581. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
1582. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
1583. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *juncea* Haupt,1935 CZ DE MN PL SE TR RU At EE BG HU
1584. **Karshomyia (Hiastatus) alata Fedotova,2004** (Cecidomyiidae) Synonym(s): *alata* Fedotova,2004 RU Us
1585. **Karshomyia (Hiastatus) galeriformis Fedotova,2004** (Cecidomyiidae) Synonym(s): *galeriformis* Fedotova,2004 RU Us
1586. **Karshomyia (Hiastatus) mamaevi Fedotova & Sidorenko,2004** (Cecidomyiidae) Synonym(s): *mamaevi* Fedotova & Sidorenko,2004 RU Us
1587. **Karshomyia (Hiastatus) obstructa Fedotova,2004** (Cecidomyiidae) Synonym(s): *obstructa* Fedotova,2004 RU Us
1588. **Karshomyia (Hiastatus) striatella Fedotova & Sidorenko,2004** (Cecidomyiidae) Synonym(s): *striatella* Fedotova & Sidorenko,2004 RU Us
1589. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 AL CY CZ FR GR TR HU IL IT RU YU
1590. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
1591. **Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): *praecox* Haupt,1935 Cc BG CZ DE MN PL EE GG KG RU
1592. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
1593. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreata* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU
1594. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952 HV CY IQ IL Pa Cc UA RU TR
1595. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 GR BG TR HV YU MK RO SK UA RU Cc
1596. **Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi* Invrea,1963 YU BG UA TR RU AZ GG Cc
1597. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (*praeocc.*); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
1598. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
1599. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU

1600. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
1601. **Labidostomis beckeri Weise,1881** (Chrysomelidae) Synonym(s): *beckeri* Weise,1881 UA RU At
1602. **Labidostomis cyanicornis Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar,1822 RO YU BG UA RU
1603. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843 CY TR Cc SY IR RU
1604. **Labidostomis humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): *humeralis* Schneider,1792 FR SE TR RU
1605. **Labidostomis kaszabi Medvedev,1962** (Chrysomelidae) Synonym(s): *kaszabi* Medvedev,1962 Cc RU
1606. **Labidostomis lepida Lefebvre,1872** (Chrysomelidae) Synonym(s): *lepida* Lefebvre,1872 BY SK UA RU
1607. **Labidostomis longimana (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *longimana* Linnaeus,1761; *pallida* Fourcroy,1785; *tridentata* Panzer,1793; *dalmatina* Lacordaire,1848; *uralensis* Lacordaire,1848; *glycyrrhizae* Becher,1880 ES MN RU Sb
1608. **Labidostomis lucida (Germar,1824)** (Chrysomelidae) Synonym(s): *lucida* Germar,1824; *fulgida* Lacordaire,1848; *axillaris* Lacordaire,1848 ES SK RU
1609. **Labidostomis maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis* Lefebvre,1870; *kindermanni* Kraatz,1872 TR Cc LB RU
1610. **Labidostomis metallica Lefebvre,1872** (Chrysomelidae) Synonym(s): *metallica* Lefebvre,1872 TR Cc RU MN
1611. **Labidostomis pallidipennis (Gebier,1830)** (Chrysomelidae) Synonym(s): *pallidipennis* Gebier,1830; *chalybeicornis* Brullé,1832; *longipennis* Gebier,1848 ES CN RU
1612. **Labidostomis peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina* Weise,1900 UA Cm Cc RU TM TR
1613. **Labidostomis subfasciata Weise,1885** (Chrysomelidae) Synonym(s): *subfasciata* Weise,1885 TR Cc IR RU
1614. **Labidostomis tridentata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *tridentata* Linnaeus,1758; *kluczyckii* Nowicki,1872; *leithneri* Redtenbacher,1874 FR RU MN GB SE
1615. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905 ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
1616. **Laburrus abrotani Emelyanov,1962** (Cicadellidae) Synonym(s): *abrotani* Emelyanov,1962 MN RU TR UA KG
1617. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae* Matsumura,1900 (*praeocc.*); *handlirschi* Matsumura,1908; *maculosus* Vilbaste,1965 AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
1618. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
1619. **Laburrus pictipennis Vilbaste,1965** (Cicadellidae) Synonym(s): *pictipennis* Vilbaste,1965 AZ? RU At
1620. **Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus* Panzer,1801; *urosquamosus* Jagemann,1939 RU Sb ES FR CZ Cc TR
1621. **Laemostenus (Pristonychus) pretiosus (Faldermann,1837)** (Carabidae) Synonym(s): *pretiosus* Faldermann,1837; *amoenus* Fischer von Waldheim,1844 AM RU Cc TR
1622. **Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae) Synonym(s): *sericeus* Fischer von Waldheim,1824; *tauricus* Dejean,1828; *hepaticus* Faldermann,1836 UA RU Da AM Cc TR GG
1623. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
1624. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
1625. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
1626. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
1627. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847 Cc RU GR IQ IR Fa IL Pa TR

1628. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 **DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN**
1629. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 **IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR**
1630. **Laphria varia Loew,1865** (Asilidae) Synonym(s): *varia* Loew,1865 **Cc RU TR**
1631. **Laphystia anatolica (Hermann,1920)** (Asilidae) Synonym(s): *anatolica* Hermann,1920 **RU KG TR**
1632. **Laphystia latiuscula Loew,1871** (Asilidae) Synonym(s): *latiuscula* Loew,1871; *metallescens* Hermann,1906 **IR Fa AF RU**
1633. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 **IT AT RU KG GR TR IR Fa TN UZ TJ TM CN**
1634. **Lasiambia albidipennis (Strobl,1893)** (Chloropidae) Synonym(s): *albidipennis* Strobl,1893 **TR HV FR IT RU CZ**
1635. **Lasiocalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 **DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR**
1636. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 **ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF**
1637. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *rhadiourgan* Ebner,1980 **TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj**
1638. **Lasioglossum laevigatum (Kirby,1802)** (Halictidae) Synonym(s): *laevigatum* Kirby,1802; *lugubris* Kirby,1802; *semicinctus* Förster,1860 **GB RU Ur ES IR**
1639. **Lasioglossum quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum* Kirby,1802 **GB KG RU FI ES IR**
1640. **Lasioglossum zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum* Smith,1848 **GB RU Sb TR AZ Cc IR CN Yu Sz**
1641. **Lasiopa caucasica (Pleske,1901)** (Stratiomyidae) Synonym(s): *caucasica* Pleske,1901; *koenigi* Lichtwardt,1901 **AZ GG Cc Bjo Tbl AM TR Pja RU**
1642. **Lasiopsis (Brahmina) agnellus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *agnellus* Faldermann,1835 **RU Us**
1643. **Lasiopsis (Brahmina) duchoni Reitter,1902** (Scarabaeidae) Synonym(s): *duchoni* Reitter,1902 **RU KG**
1644. **Lasiopsis (Brahmina) faldermanni Kraatz,1892** (Scarabaeidae) Synonym(s): *faldermanni* Kraatz,1892 **RU Us**
1645. **Lasiopsis (Brahmina) sedakovi (Mannerheim,1849)** (Scarabaeidae) Synonym(s): *sedakovi* Mannerheim,1849 **RU Us Am**
1646. **Lasiopsis (Lachnota) henningi (Fischer,1889)** (Scarabaeidae) Synonym(s): *henningi* Fischer,1889 **RU**
1647. **Lasiopsis (Lasiopsis) caninus Zoubkov,1829** (Scarabaeidae) Synonym(s): *caninus* Zoubkov,1829 **RU Sb Us KG**
1648. **Lasiopsis (Lasiopsis) golovjankoi Medvedev,1951** (Scarabaeidae) Synonym(s): *golovjankoi* Medvedev,1951 **RU Us Am**
1649. **Lasiopsis (Lasiopsis) sahlbergi Mannerheim,1849** (Scarabaeidae) Synonym(s): *sahlbergi* Mannerheim,1849 **RU Us**
1650. **Lasiotrichius succinctus (Pallas,1781)** (Scarabaeidae) Synonym(s): *succinctus* Pallas,1781 **RU Am Us CN**
1651. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 **TN TR CY TJ UZ KG KK RU Am Cc**
1652. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 **AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR**
1653. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 **IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR**
1654. **Leptochilus membranaceus (Morawitz,1867)** (Vespididae) Synonym(s): *membranaceus* Morawitz,1867 **IL Pa IT YU UA RU Cc AM IR TR KG**
1655. **Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): *calceata* Engel,1925 **Cc RU TR IR Kd AZ GG AM**
1656. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica* De Geer,1776; *tipuloides* Fabricius,1775; *livida* Geoffroy,1785; *fusca* Meigen,1804; *hispanica* Meigen,1838; *nigricornis* Loew,1847; *dorsalis* Dahlbom,1851 **MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc**
1657. **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis* Loew,1847 **RO RU KG IR IL Pa TR**
1658. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica sensu* Meigen,1820 **IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL**
1659. **Leptogaster helvola Loew,1871** (Asilidae) Synonym(s): *helvola* Loew,1871 **RU KG TR**

1660. **Leptogaster nartshukae** Lehr,1961 (Asilidae) Synonym(s): *nartshukae* Lehr,1961 IR KG MN RU Sb
1661. **Leptogaster pubicornis** Loew,1847 (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaennicke,1867 IR BG CZ FR DE GR HU IT RU CH TR
1662. **Leptomastidea abnormis** (Girault,1915) (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
1663. **Lepyronia coleoprata** (Linnaeus,1758) (Cercopidae) Synonym(s): *coleoprata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
1664. **Lestes macrostigma** (Eversmann,1836) (Lestidae) Synonym(s): *macrostigma* Eversmann,1836 TR RU CY Cc AM
1665. **Leucophenga maculata** (Dufour,1839) (Drosophilidae) Synonym(s): *maculata* Dufour,1839 LT B-H Cc RU TR GG Soc
1666. **Leucostoma tetraptera** (Meigen,1824) (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
1667. **Liancalus virens** (Scopoli,1763) (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
1668. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763 AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
1669. **Libelloides sibiricus** (Eversmann,1845) (Ascalaphidae) Synonym(s): *sibiricus* Eversmann,1845 RU Sb Us CN Pkn KP KR
1670. **Libellula fulva** O.F.Müller,1764 (Libellulidae) Synonym(s): *fulva* O.F.Müller,1764 TR RU
1671. **Limnophora exuta** (Kowarz,1893) (Muscidae) Synonym(s): *exuta* Kowarz,1893 IT Si DE PL CZ AT HU LY? Cc? RU
1672. **Limonium minutus** (Linnaeus,1758) (Elateridae) Synonym(s): *minutus* Linnaeus,1758 IT Si GR TR Cc AM RU Sb Am
1673. **Limotettix aviger** Emeljanov,1964 (Cicadellidae) Synonym(s): *aviger* Emeljanov,1964 Cc AZ RU
1674. **Limotettix striola** (Fallén,1806) (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
1675. **Linnaemya comta** (Fallén,1810) (Tachinidae) Synonym(s): *comta* Fallén,1810; *compta* Meigen,1824; *fulgeus* Meigen,1824; *heraclei* Robineau-Desvoidy,1830; *aestivalis* Robineau-Desvoidy,1830; *borealis* Robineau-Desvoidy,1830; *longipes* Robineau-Desvoidy,1830; *oenanthis* Robineau-Desvoidy,1830; *humeralis* Robineau-Desvoidy,1863 CA US MX TR SE Cc MN GB RU Ur
1676. **Linnaemya impudica** (Rondani,1859) (Tachinidae) Synonym(s): *nublia* Meigen,1824; *impudica* Rondani,1859 RU TR
1677. **Linnavuoriana sexmaculata** (Hardy,1850) (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjavev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
1678. **Liposthenes kernerii** (Wachtl,1891) (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES IT AT HU RO UA RU TR
1679. **Lispe caesia** Meigen,1826 (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
1680. **Lissonota (Loxonota) flavovariegata** (Lucas,1849) (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1681. **Lissonota (s.str.) compar** Fonscolombe,1854 (Ichneumonidae) Synonym(s): *compar* Fonscolombe,1854 FR TR RU
1682. **Lissonota (s.str.) fundator** (Thunberg,1822) (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822 Cc RU Sb TR
1683. **Lithodusa daghestanica** Bei-Bienko,1951 (Tettigoniidae) Synonym(s): *daghestanica* Bei-Bienko,1951 RU Cc Da
1684. **Locusta migratoria** (Linnaeus,1758) (Acrididae) Synonym(s): *migratoria* Linnaeus,1758 TR IR RU KG
1685. **Loewinella virescens** (Loew,1871) (Asilidae) Synonym(s): *virescens* Loew,1871 IR Kz RU CN
1686. **Lomatia belzebul** (Fabricius,1794) (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794 ES MD UA RU Cc IT DZ TR
1687. **Lonchoptera alexeji** Kuznetsov & Kuznetzova,1995 (Lonchopteridae) Synonym(s): *alexexji* Kuznetsov & Kuznetzova,1995 RU Us
1688. **Lonchoptera hasanica** Kuznetsov & Kuznetzova,1995 (Lonchopteridae) Synonym(s): *hasanica* Kuznetsov & Kuznetzova,1995 RU
1689. **Lonchoptera kamtschatkana** (Czerny,1934) (Lonchopteridae) Synonym(s): *kamtschatkana* Czerny,1934 RU Kmt
1690. **Longitarsus absynthii** Kutschera,1862 (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862 TR Cc TM KG MN RU

1691. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 nec Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909 **TR AZ GG Cc AF IR KG RU**
1692. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888 **TR Cc IR KG RU Sb**
1693. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti* Heikertinger,1912 **DE BE IT SK YU BG RU TR**
1694. **Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): *foudrasi* Weise,1893 **TR RU Sb Cc DZ**
1695. **Longitarsus ganglbaueri Haikertinger,1912** (Chrysomelidae) Synonym(s): *ganglbaueri* Haikertinger,1912 **TR RU Sb MN Cc**
1696. **Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae* Waterhouse,1858 **TR Cc RU Sb MN KK KG**
1697. **Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscherae* Rey,1892 **DZ TR Cc RU Sb KP KR CN**
1698. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly,1874 **Cc TR IR AF RU Sb MN CN VN JP**
1699. **Longitarsus longipennis Kutschera,1836** (Chrysomelidae) Synonym(s): *longipennis* Kutschera,1836 **TR Cc RU Sb KG**
1700. **Longitarsus luridus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *luridus* Scopoli,1763 **Cc TR RU Sb MN KG**
1701. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860 **Cc TR IR SA RU Sb KG YE**
1702. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus* De Geer,1775 **Cc TR IR AF KG IL Pa RU Sb**
1703. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777 **TR Cc IR AF RU Sb KG DZ**
1704. **Longitarsus parvulus (Paykull,1799)** (Chrysomelidae) Synonym(s): *parvulus* Paykull,1799 **TR Cc RU Sb DZ**
1705. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus* Foudras,1860 **TR Cc IR AF RU MN KG**
1706. **Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis* Weise,1900 **TR Cc IR AF KG RU**
1707. **Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis* Weise,1888 **TR Cc DE SY RU**
1708. **Longitarsus salviae Gruev,1975** (Chrysomelidae) Synonym(s): *salviae* Gruev,1975 **RU Cc TR**
1709. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus* Foudras,1860 **TR Cc RU Sb KG DZ MN KP KR JP**
1710. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus* Weise,1893 **TR Cc IR AF KG RU Sb MN CN Ui**
1711. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824 **RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE**
1712. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845 **GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm**
1713. **Lycoriella solani (Winnertz,1871)** (Sciaridae) Synonym(s): *solani* Winnertz,1871 **BE FI GB PL RU UA MN UZ Sb TR**
1714. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955 **Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU**
1715. **Machimus lehri Koçak & Kemal,2008⁴⁶** (Asilidae) Synonym(s): *asiaticus* Lehr,1999 nec Beck.,1925; *lehri* Koçak & Kemal,2008 **Machimus lehri Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 12 (nomen novum pro asiaticus Lehr,1999 nec Becker,1925). RU**
1716. **Machimus sareptanus Becker,1923** (Asilidae) Synonym(s): *sareptanus* Becker,1923 **RU TR**
1717. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 **IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa**
1718. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* Robineau-Desvoidy,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscicularis* Pandelle,1895; *#praefica* Kara,1999 **BE DE Cc IL Pa UA GB BG ES RU TR**
1719. **Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* Robineau-Desvoidy,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* Robineau-Desvoidy,1863; *laeta* Robineau-Desvoidy,1863; *villica* Robineau-Desvoidy,1863; *clausicella* Rondani,1865 **SE GB TR Cc IL Pa MN KG RU**

⁴⁶ specific name established by the authors.

1720. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis* Fallén,1810 HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
1721. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris* Rondani,1865; *dumosum* Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
1722. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola* Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
1723. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
1724. **Macronychia (Moschusa) richterae Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *richterae* Verves & Khrokalo,2006 RU Sb
1725. **Macronychia (s.str.) dolini Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *dolini* Verves & Khrokalo,2006 UA CZ RU Sj TM Kp
1726. **Macronychia (s.str.) kanoi Kurahashi,1972** (Sarcophagidae) Synonym(s): *kanoi* Kurahashi,1972 RU Us Sh
1727. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
1728. **Macronychia (s.str.) substriginervis Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *substriginervis* Verves & Khrokalo,2006 UA RU Sb TM UZ
1729. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
1730. **Macropsis acrotica Dlabola,1967** (Cicadellidae) Synonym(s): *acrotica* Dlabola,1967 CY RU Cc Da
1731. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
1732. **Macropsis fuscinervis (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscinervis* Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
1733. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828 AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
1734. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
1735. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
1736. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
1737. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injuconda* Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
1738. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
1739. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi* Scott,1873 AT CZ GB FR DE IT RO RU TR
1740. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
1741. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
1742. **Macropsis vicina (Horvath,1897)** (Cicadellidae) Synonym(s): *vicina* Horvath,1897 AT FR HU PL RU YU CZ SK TR
1743. **Macrorileya femorata (Boucek,1952)** (Eurytomidae) Synonym(s): *femorata* Boucek,1952 TR HU RU
1744. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
1745. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
1746. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
1747. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
1748. **Macrosteles lividus (Edwards,1894)** (Cicadellidae) Synonym(s): *lividus* Edwards,1894 DK GB FI DE MN NL PL SE RU TR

1749. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Ménéville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 **DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU**
1750. **Macrosteles sordidipennis (Stal,1858)** (Cicadellidae) Synonym(s): *sordidipennis* Stal,1858; *salina* Reitter,1886 **AT CZ DK GB FI HU MN NL NO PL SE RU TR**
1751. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 **AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU**
1752. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 **AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA**
1753. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 **AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA**
1754. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 **SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US**
1755. **Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): *bipustulatus* Linnaeus,1758 **RU UA AT TR KG**
1756. **Maladera (Aserica) castanea Arrow,1913** (Scarabaeidae) Synonym(s): *castanea* Arrow,1913 **RU Cc GG Am Us**
1757. **Maladera (Aserica) euphorbia (Burmeister,1895)** (Scarabaeidae) Synonym(s): *euphorbia* Burmeister,1895 **RU KG TM TJ**
1758. **Maladera (Aserica) lukjanovitschi (Medvedev,1966)** (Scarabaeidae) Synonym(s): *lukjanovitschi* Medvedev,1966 **RU Us**
1759. **Maladera (Aserica) orientalis (Motschulsky,1857)** (Scarabaeidae) Synonym(s): *orientalis* Motschulsky,1857 **RU Am**
1760. **Maladera (Aserica) spissigrada (Brenske,1897)** (Scarabaeidae) Synonym(s): *spissigrada* Brenske,1897 **RU Am**
1761. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835 **TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM**
1762. **Maladera (s.str.) holosericea (Scopoli,1772)** (Scarabaeidae) Synonym(s): *holosericea* Scopoli,1772 **RU Cc Us KG**
1763. **Maladera (s.str.) renardi (Ballion,1870)** (Scarabaeidae) Synonym(s): *renardi* Ballion,1870 **RU Sb Us**
1764. **Malenia sarmatica Anufriev,1966** (Derbidae) Synonym(s): *sarmatica* Anufriev,1966 **Cc AZ GG UA Cm RU**
1765. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
1766. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; *#aphavexelte* Dobosz,2007 **Mantispa aphavexelte** U.Aspöck & H.Aspöck,1994, Annln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). **TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur**
1767. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 **AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA**
1768. **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica* Linnaeus,1767 **TR Cc AF KG RU Sb MN CN**
1769. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 **AD AT BY CZ FR DE HU IT PL RU SS ES CH TR**
1770. **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 **CY GR IL Pa IT JO TR RU Cc YU IQ**
1771. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 **FR IT AT HU TR IR RU Cc ES PL**
1772. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus* Radoszkowski,1877; *scythes* Skorikov,1925 **TR Cc AM IR RU RO GR YU BG PL**
1773. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus* Smith,1854 **BG RO HU GR Cc IR RU TR**
1774. **Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) Synonym(s): *rotundata* Fabricius,1787 **Cc RU KG CA US NZ**
1775. **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus* Morawitz,1878 **UA HU DE Cc RU TR**
1776. **Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s): *lagopoda* (Linnaeus,1761) **TR Cc RU Sb Us JP DZ**
1777. **Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) Synonym(s): *maritima* Kirby,1802 **Cc KG RU Us TR**

1778. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 **DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU**
1779. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 **AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU**
1780. **Megamelus olorinus Dlabola,1961** (Delphacidae) Synonym(s): *olorinus* Dlabola,1961 **RO RU Da UZ**
1781. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
1782. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum* Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 **FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV**
1783. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 **IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ**
1784. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 **FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU**
1785. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 **DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM**
1786. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 **IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB**
1787. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 **DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU**
1788. **Melanagromyza heracleana Zlobin,2005** (Agromyzidae) Synonym(s): *heracleana* Zlobin,2005 *Melanagromyza heracleana* Zlobin,2005, *Zoosyst. ross. 14 (1): 173-177, figs. Holotype ♂: Russia, Caucasus, Krasnodar near Arkhyz 1000-1700m (ZIP). TR Cc Kr RU*
1789. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921 **TR Cc RU ES FR AT PL RO IR KG MN**
1790. **Melanotus (s.str.) castanipes (Paykull,1800)** (Elateridae) Synonym(s): *castanipes* Paykull,1800 **TR GR RU Sb US**
1791. **Melanotus (s.str.) punctolineatus (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 **GR SY TR RU Sb**
1792. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 **TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH**
1793. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 **IT Si UA HU AT Wn HV PL RO RU Sr**
1794. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 **LT IT GR MD RO RU ES UA**
1795. **Melieria crassipennis (Fabricius,1794)** (Ulidiidae) Synonym(s): *crassipennis* Fabricius,1794 **UA BY RU Sr**
1796. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826 **AT HV BG DE MD RO RU UA CA Als UA**
1797. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 **DZ ES IT Sa Si TR RU KG TJ MN TM**
1798. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus* Leach,1815 **ES TR Cc IR AF RU GB**
1799. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 **DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF**
1800. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910 **TR Cc RU AF TM IR UA Cm**
1801. **Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus* Schrank,1776 **HU TR IL Pa Cc RU**
1802. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758 **ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG**
1803. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 **FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF**
1804. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus* Marsham,1802 **ES IT RU DZ Cc TR TM**
1805. **Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus* Brandt & Erichson,1832 **RU Cc IT Si TR TM**
1806. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus* Rossi,1792; *ruficornis* Balbi,1897 **Cn ES IT Sa Si AT HU TR Cc RU TM KG AF**

1807. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus* Donovan,1793; *#varigatus* Özbek & Szaloki,1998 ES IT TR IR RU KK CN UI
1808. **Meloe violaceus Marsham,1802** (Meloidae) Synonym(s): *violaceus* Marsham,1802 ES TR FI RU
1809. **Melolontha (s.str.) hippocastani Fabricius,1801** (Scarabaeidae) Synonym(s): *hippocastani* Fabricius,1801 RU Sb
1810. **Melolontha (s.str.) melolontha Linnaeus,1758** (Scarabaeidae) Synonym(s): *melolontha* Linnaeus,1758 TR LT RU
1811. **Melolontha (s.str.) pectoralis Germar,1824** (Scarabaeidae) Synonym(s): *pectoralis* Germar,1824 RU Cc GG
1812. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916 SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
1813. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
1814. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Lioy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
1815. **Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): *distinctus* Palma,1863; *dimorpha* Szilady,1940 FR IT YU GR RU TR
1816. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR
1817. **Merodon tener Sack,1913** (Syrphidae) Synonym(s): *tener* Sack,1913 RU
1818. **Mesoptylus petrovi (Grigoriev,1910)** (Cercopidae) Synonym(s): *petrovi* Grigoriev,1910 TR AM AZ GG RU Cc Da
1819. **Mesostenus albinotatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus* Gravenhorst,1829; *notatus* Gravenhorst,1829 TR RU Sb
1820. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798 TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1821. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae* Rubtsov,1956 CN UI TJ KG KK MN RU Sb At UZ
1822. **Metacnephia nigra (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra* Rubtsov,1940; *saxicola* Rubtsov,1956 Cc AZ Nv RU RO TM
1823. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus* Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
1824. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
1825. **Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): *dentatus* Fabricius,1779 TR NO RU Sb Cc
1826. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883 TR DZ Cc TJ KG RU
1827. **Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859 TR Cc KG RU Sb
1828. **Metopius (Tylopius) pinatorius Brullé,1846** (Ichneumonidae) Synonym(s): *pinatorius* Brullé,1846 TR RU
1829. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1830. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feberi* Metcalf,1968 DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At
1831. **Microchelonus basalis (Curtis,1837)** (Braconidae) Synonym(s): *basalis* Curtis,1837 RU TR IR KG
1832. **Microchelonus contracta (Nees,1834)** (Braconidae) Synonym(s): *contracta* Nees,1834 Cc KG RU Sb TR
1833. **Microchelonus nitens (Reinhard,1867)** (Braconidae) Synonym(s): *nitens* Reinhard,1867 TR RU KG
1834. **Microchelonus sulcata (Jurine,1807)** (Braconidae) Synonym(s): *sulcata* Jurine,1807 Cc RU Sb TR
1835. **Microgaster fulvicornis Wesmael,1837** (Braconidae) Synonym(s): *fulvicornis* Wesmael,1837 *Microgaster fulvicornis* Wesmael,1837, *Vouv. Mem. Acad. Brux. 10: 44.* TR Cc RU
1836. **Microhoria terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata* Schmidt,1842 TR RU UA Cc TM
1837. **Micronecta griseola (Linnaeus,1758)** (Corixidae) Synonym(s): *griseola* Linnaeus,1758 RU TR

1838. **Micronecta perplexa Horvath,1899** (Corixidae) Synonym(s): *perplexa Horvath,1899* HU RU RO TR
1839. **Micronecta pusilla (Horvath,1895)** (Corixidae) Synonym(s): *pusilla Horvath,1895* HU RO RU TR
1840. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* BE FI KP KR MA RU AT TR DE IT NL HU GB KG
1841. **Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator Fabricius,1798* TR CY IR MN GR RU
1842. **Microptilis docilis (Telenga,1964)** (Braconidae) Synonym(s): *docilis Telenga,1964* BG RU HU CH FI TR
1843. **Microptilis heterocera Ruthe,1860** (Braconidae) Synonym(s): *heterocera Ruthe,1860* DE YU TR RU CZ HU
1844. **Microptilis marshallii Kokujev,1897** (Braconidae) Synonym(s): *marshallii Kokujev,1897* Cc AZ AM GG HU TR RO RU
1845. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator Haliday,1834* TR DK JP RU Sb Sh Cc KG LT ID Ja
1846. **Microptilis naenia Nixon,1970** (Braconidae) Synonym(s): *naenia Nixon,1970* CZ HU RU TR
1847. **Microptilis spinolae Nees,1834** (Braconidae) Synonym(s): *spinolae Nees,1834* TR Cc AZ AM RU Sb ID Ja
1848. **Microptilis strenua Reinhard,1880** (Braconidae) Synonym(s): *strenua Reinhard,1880* TR AM NL PL HU GB CH CN RU Sb
1849. **Microptilis tristis (Nees,1834)** (Braconidae) Synonym(s): *tristis Nees,1834* RU KP KR TR
1850. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer Wesmael,1837* FR RU Sb LK MN Cc AZ AM TR JP
1851. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* Cc AZ DE FR YU TR AT PL RU MN Sb SE HU
1852. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU
1853. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847; palposa Zetterstedt,1848* SE FI RU DK DE PL SK CZHU AT IT GB GR EG
1854. **Milichiella argyrogaster (Perris,1876)** (Milichiidae) Synonym(s): *argyrogaster Perris,1876; tiefii Mik,1887* ES FR AT CZ SK HU RU Us
1855. **Mimela flavilabris Waterhouse,1875** (Scarabaeidae) Synonym(s): *flavilabris Waterhouse,1875* RU Krl JP
1856. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
1857. **Mixocrdylura longifacies Hendel,1909** (Scathophagidae) Synonym(s): *longifacies Hendel,1909* MN RU Sb
1858. **Mniophila caucasica Nadein,2009** (Chrysomelidae) Synonym(s): *caucasica Nadein,2009* Cc Abk GG AZ RU
1859. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803* AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
1860. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850; aridellus Boheman,1850; lateralis Sahlberg,1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
1861. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus Curtis,1835 (praecoc.); crocea Herrich-Schäffer,1837; oxypterus Kirschbaum,1868* AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1862. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola Remane,1961* IQ AT FR GR HU RU TR
1863. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IRAF TM UZ KK KG CN MN KP KR JP
1864. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis Fieber,1844; hemsdorfensis Zeller,1856; pubescens Eversmann,1859; caudatus Singer,1869; fasciatus Walker,1871; alata Jacobson,1904; turanicus Bei-Bienko,1933* Gryllus frontalis Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR
1865. **Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria Dlabola,1958* Cc GG TR IR RU UA
1866. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius Linnaeus,1767; marmoratus Geoffroy,1785; teuton Macquart,1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
1867. **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniidae) Synonym(s): *propinquus Egger,1863* TR DZ RU Sb

1868. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
1869. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
1870. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae Walker,1847* IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
1871. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera Reuter,1888* TR IL Pa IR EG RU SY GR
1872. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
1873. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
1874. **Musaria affinis (Harrer,1784)** (Cerambycidae) Synonym(s): *affinis Harrer,1784; nigripes Voet,1778* GR RU Cc
1875. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
1876. **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens Wiedemann,1830* SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
1877. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
1878. **Mutilla europaea Linnaeus,1758** (Mutillidae) Synonym(s): *europaea Linnaeus,1758* TR RU Ur Sb KG SE FI ES DZ
1879. **Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris Fabricius,1787* TR MK GR BG RU Cc
1880. **Mycetophila alea Laffoon,1965** (Mycetophilidae) Synonym(s): *alea Laffoon,1965* EE LT LV RU Sb TR IR CA
1881. **Mycetophila blanda Winnertz,1863** (Mycetophilidae) Synonym(s): *blanda Winnertz,1863* EE LT RU MN TR
1882. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* RU TR IN CN TH MY
1883. **Mycomya (Cesamya) pectinifera Edwards,1924** (Mycetophilidae) Synonym(s): *pectinifera Edwards,1924; nava Plassmann,1977* GB DE NO FI RU PL SK SS CH EE LT
1884. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata Staeger,1840* ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
1885. **Mycterodus (s.str.) rostratulus Emeljanov,1964** (Issidae) Synonym(s): *rostratulus Emeljanov,1964* Cc RU TR
1886. **Mycterodus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus Dlabola,1958* TR AM AZ GG Cc RU
1887. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus Herrich-Schäffer,1835* FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1888. **Mycterodus ovifrons (Puton,1890)** (Issidae) Synonym(s): *ovifrons Puton,1890* RU Cc TR
1889. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata Coquebert,1798* DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1890. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR SY BG DZ
1891. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata Pallas,1781* TR RU KG MN IR SY BG DE ES HU DE
1892. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata Petagna,1787 nec Fabr.,1781; fabricii Sumakov,1924* TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1893. **Mylabris festiva (Pallas,1773)** (Meloidae) Synonym(s): *festiva Pallas,1773* TR BG RU At Sb MN
1894. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca Olivier,1811* TR Cc RU TM IR SY
1895. **Mylabris geminata Fabricius,1798** (Meloidae) Synonym(s): *geminata Fabricius,1798* TR RU Cc IR
1896. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; grisescens Marseul,1872; impar Sumakov,1915* RU Cc TR TM IR KG TJ
1897. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla Olivier,1811* TR Cc SY RU Sb KG KK UZ IR
1898. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata Linnaeus,1767* FR TR Cc RU IR AF MN
1899. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* TR SY Cc RU IQ IR MN AF
1900. **Mylabris sexmaculata (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculata Olivier,1811* TR SY RU Cc IR

1901. **Mylabris variabilis (Pallas,1782)** (Meloidae) Synonym(s): *variabilis* Pallas,1782 **TR Cc RU DZ KG TM**
1902. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 **AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU**
1903. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825 **TR SY IQ IR AM AZ RU Da TM TJ**
1904. **Myrmecaelurus spectabilis Navas,1912** (Myrmeleonidae) Synonym(s): *spectabilis* Navas,1912 **RU GG**
1905. **Myrmeleonostenus italicus (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *italicus* Gravenhorts,1829 **Cryptus italicus** Gravenhorts,1829, **Ichn. Eur. 2: 559. IT TR RU Sb**
1906. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 **TR KG UZ SY GR BG YU MK AT HU RO UA RU**
1907. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927 **GR BG TR Cc RU Da GG AM AZ IR UA Cm**
1908. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 **GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa**
1909. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 **SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?**
1910. **Myxexoristops bicolor (Villeneuve,1908)** (Tachinidae) Synonym(s): *bicolor* Villeneuve,1908 **DE CZ RU CN Yu**
1911. **Nabis limbatus Duda,1851** (Nabidae) Synonym(s): *limbatus* Duda,1851 **DZ TR RU Sb**
1912. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus* Costa,1847 **CZ BG ES FR PT IT RO RU SK GR YU TR**
1913. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus* Dohrn,1862 **RU TR RO BG IR CN Ui**
1914. **Nebria (s.str.) bonellii M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii* M.F. Adams,1817 **GG RU Cc TR**
1915. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES**
1916. **Nemoraea pellucida (Meigen,1824)** (Tachinidae) Synonym(s): *pellucida* Meigen,1824; *neglecta* Meigen,1824; *rubrica* Meigen,1824; *affinis* Robineau-Desvoidy,1830; *bombylans* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *conjuncta* Macquart,1848; *vicina* Macquart,1848; *vulnerata* Zetterstedt,1849; *nupta* Rondani,1859; *discreta* Robineau-Desvoidy,1863; *sponsa* Rondani,1865 **DZ TR RU JP**
1917. **Nemotelus (s.str.) anchora Loew,1846** (Stratiomyidae) Synonym(s): *anchora* Loew,1846; *siculus* Jaenicke,1866; *persicus* Pleske,1937 **IT Si MT RU IL IR DZ TN**
1918. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859 **TR IT Si CY ES YU BG GR RU Cc AM IL IR**
1919. **Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae) Synonym(s): *armeniacus* Pleske,1937 **Nemotelus (s.str.) armeniacus** Pleske,1937, [in] Lindner, Fliegen pal. Reg. 4 (1): 119. **Type: [Turkey: Iğdır Prov.]: "Kasikoparan". TR RU Cc AF**
1920. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
1921. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937 **TR DE AT BG CZ KG HU MN PL RO RU SK YU GR**
1922. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871 **GR IT YU RO BG AL RU UA Cc TR IL IR**
1923. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
1924. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus* Frivaldsky,1855; *varius* Loew,1871 **HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN**
1925. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *buresschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA**
1926. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscionensis* Ribaut,1952; *infirmus* Young & Frazier,1954 **IT FR LY MA RO ES EH TN TR RU KG TJ**

1927. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
1928. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
1929. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
1930. **Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963 Cc RU IR TR UA MD GG AZ AM
1931. **Neomyia laveifrons (Loew,1858)** (Muscidae) Synonym(s): *laveifrons* Loew,1858 RU KP KR CN JP
1932. **Neomyia viridescens (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *viridescens* Robineau-Desvoidy,1830 RU GB FR Co MN KP KR CN MA
1933. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
1934. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
1935. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
1936. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)
1937. **Neophilaenus inversus Dlabola,1958** (Cercopidae) Synonym(s): *inversus* Dlabola,1958 RU Cc
1938. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
1939. **Neotypus melanocephalus (Gmelin,1790)** (Ichneumonidae) Synonym(s): *melanocephalus* Gmelin,1790 Ichneumon melanocephalus Gmelin,1790, Syst. Nat. 13: 2687. TR RU Sb
1940. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
1941. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899 Cc BG RO UA RU PL DE AT FR
1942. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
1943. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
1944. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali* Tolkanitz,1971 BG UA RU TR SY IR Cc
1945. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
1946. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
1947. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
1948. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
1949. **Nocarodes femoralis Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): *femoralis* Fischer von Waldheim,1846 Cc RU
1950. **Nocarodes geniculatus Uvarov,1928** (Pamphagidae) Synonym(s): *geniculatus* Uvarov,1928 RU Cc Da
1951. **Nocarodes variegatus Fischer von Waldheim,1846** (Pamphagidae) Synonym(s): *variegatus* Fischer von Waldheim,1846 Cc RU

1952. **Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicosa* Robineau-Desvoidy,1830; *lineata* Macquart,1835 **TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU**
1953. **Nomia (Nomiapis) femoralis Pallas,1773** (Halictidae) Synonym(s): *femoralis* Pallas,1773; *valga* Gerstaecker,1872 **RU IR Fa Shr AF**
1954. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
1955. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU**
1956. **Nothodes parvulus (Panzer,1799)** (Elateridae) Synonym(s): *parvulus* Panzer,1799 **GR TR RU**
1957. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
1958. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 **AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL**
1959. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 **AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA**
1960. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 **AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL**
1961. **Notonecta marmorea Fabricius,1803** (Notonectidae) Synonym(s): *marmorea* Fabricius,1803 **RU Cc TR IR TM**
1962. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR**
1963. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera* Loew,1851; *stenura* Loew,1858; *ruficornis* Wulp,1899 **IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU**
1964. **Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis* Linnaeus,1761 **CZ GR TR Cc RU**
1965. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1966. **Odeles armilabris (Nyholm,1974)** (Scirtidae) Synonym(s): *armilabris* Nyholm,1974 **RU Cc TR**
1967. **Odontocolon dentipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): *dentipes* Gmelin,1790 **TR KG RU Kmt**
1968. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 **SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl**
1969. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922 **GR IT Si BG GR TR UA RU Cc AZ IL IR**
1970. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaenicke,1866 **CH DE RU TR IL AF CN MN**
1971. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 **SE ES IT BG LT TR SY IL Pa RU Mo**
1972. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
1973. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus* Germar,1817 **Acrydium decorus** Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). **TR RU Us Cc Da TM TJ KK KG**
1974. **Oedaleus infernalis Saussure,1884** (Acrididae) Synonym(s): *infernalis* Saussure,1884; *amurensis* Ikonnikov,1911; *montanus* Bei-Bienko,1951; *taeguensis* Lee & Park,1992 **JP KP R RU Am Sb CN TW KG**
1975. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
1976. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus* Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965 **MA DZ TN TR TJ KG Aa RU**
1977. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**
1978. **Oliarus dagestanicus Kusnezov,1937** (Cixiidae) Synonym(s): *dagestanicus* Kusnezov,1937 **RU Cc Da**
1979. **Oliarus obscurus (Signoret,1865)** (Cixiidae) Synonym(s): *obscurus* Signoret,1865; *signatus* Fieber,1876 **EG FR IT Sa Cc AM AZ RU UA**

1980. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
1981. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU**
1982. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus* Fieber,1876; *maculatus* Fieber,1876 **AF BG CZ GR RO SY TR RU Cc AZ**
1983. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis* Fallén,1806 **AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR**
1984. **Ommatidiotus inconspicuus Stål,1863** (Caliscelidae) Synonym(s): *inconspicuus* Stål,1863 **CZ HU RU TR**
1985. **Ommatius stackelbergi (Richter,1960)** (Asilidae) Synonym(s): *stackelbergi* Richter,1960 **Cc RU TR AM IR Se**
1986. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb**
1987. **Omocestus (s.str.) minutus (Brullé,1832)** (Acrididae) Synonym(s): *minutus* Brullé,1832; *moreanus* Ramme,1926; *chersonensis* Pustovojt,1927 **TR GR RU**
1988. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 **FR ES IT CZ RO Cc TR RU KG Sb**
1989. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
1990. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU**
1991. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
1992. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
1993. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus* Olivier,1811; *steveni* Brullé,1832 **Cc GG GR RU TR IR AM SY LB**
1994. **Onthophagus (Alonthophagus) marmotae Kabakov,1990** (Scarabaeidae) Synonym(s): *marmotae* Kabakov,1990 **RU TJ**
1995. **Onthophagus (Alonthophagus) sibiricus Harold,1877** (Scarabaeidae) Synonym(s): *sibiricus* Harold,1877 **RU Sb KG KK TJ**
1996. **Onthophagus (Alonthophagus) uniformis Heyden,1886** (Scarabaeidae) Synonym(s): *uniformis* Heyden,1886 **RU Am**
1997. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
1998. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790 **RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR**
1999. **Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781 **RU Cc AM AZ GG TM SY TR IQ SA MA**
2000. **Onthophagus (Gibbonthophagus) atripennis Waterhouse,1875** (Scarabaeidae) Synonym(s): *atripennis* Waterhouse,1875 **RU Am**
2001. **Onthophagus (Gibbonthophagus) fodiens Waterhouse,1875** (Scarabaeidae) Synonym(s): *fodiens* Waterhouse,1875 **RU Am**
2002. **Onthophagus (Palaeonthophagus) clitellifer Reitter,1894** (Scarabaeidae) Synonym(s): *clitellifer* Reitter,1894 **RU Us**
2003. **Onthophagus (Palaeonthophagus) coenobita (Herbst,1783)** (Scarabaeidae) Synonym(s): *coenobita* Herbst,1783 **MD RU Cc GG TM TR**
2004. **Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis* Steven,1809 **RU Cc AM AZ TM SY IQ TR IR UA Cm**
2005. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis* Preyssler,1790 **GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR**

2006. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas,1781* RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
2007. **Onthophagus (Palaeonthophagus) laticornis Gebler,1823** (Scarabaeidae) Synonym(s): *laticornis Gebler,1823* RU
2008. **Onthophagus (Palaeonthophagus) lemur (Fabricius,1781)** (Scarabaeidae) Synonym(s): *lemur Fabricius,1781* RU MD Cc TM TR
2009. **Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s): *leucostigma Stevens,1811* RU Ur KG TM UZ TJ
2010. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
2011. **Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nuchicornis Linnaeus,1758* RU Sb KG TR Cc MN CA US On Qb BCo Ny
2012. **Onthophagus (Palaeonthophagus) olsoufieffi Boucomont,1924** (Scarabaeidae) Synonym(s): *olsoufieffi Boucomont,1924* RU Sb Am
2013. **Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s): *ovatus Linnaeus,1762* RU MD UA Cm Cc BG TR Cc TM
2014. **Onthophagus (Palaeonthophagus) parmatum Reitter,1892** (Scarabaeidae) Synonym(s): *parmatum Reitter,1892* Cc AZ Nv AM RU IR TR RO SY
2015. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus Harold,1883; furcicornis Reitter,1893; granulifer Reitter,1893; granulosus Kozhantschikov,1894; gorhami Shipp,1895; krali Balthasar,1963; citellorum Medvedev,1965* Cc GG TR RU SY LB IR AZ AM RO GR
2016. **Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae) Synonym(s): *sacharovskii Olsoufieff,1918* Cc AM GG RU TR
2017. **Onthophagus (Palaeonthophagus) scabriusculus Harold,1873** (Scarabaeidae) Synonym(s): *scabriusculus Harold,1873* RU Sb Us Am
2018. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis Panzer,1798* RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
2019. **Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s): *suturellus Brullé,1832; trochiscobius Kolenati,1846* RU Cc AZ GR TR SY IR
2020. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767* RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
2021. **Onthophagus (Palaeonthophagus) vitulus (Fabricius,1776)** (Scarabaeidae) Synonym(s): *vitulus Fabricius,1776* RU Sb KG BG
2022. **Onthophagus (Phanaeomorphus) japonicus Harold,1874** (Scarabaeidae) Synonym(s): *japonicus Harold,1874* RU Am JP
2023. **Onthophagus (Relictonthophagus) punctator Reitter,1893** (Scarabaeidae) Synonym(s): *punctator Reitter,1893* RU Am
2024. **Onthophagus (s.str.) bivertex Heyden,1887** (Scarabaeidae) Synonym(s): *bivertex Heyden,1887* RU Am
2025. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763* YU UA Cm Cc AZ RU TR IR IQ AF TM
2026. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
2027. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis A.Villa & GB.Villa,1833* AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
2028. **Opanthribus tessellatus (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus Boheman,1829; fallax Perris,1875; brunneipennis Reitter,1916* DE TR RU JP
2029. **Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus Brullé,1832; parvulus Faldermann,1837* TR Cc RU Sb ET SO
2030. **Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus Dlabola,1960* IR RU Da Cc TR
2031. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus Horvath,1911* AF IR Cc AZ KG KK RU TJ UZ
2032. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871* AF DZ EG IR IQ TR Cc AZ KG RU TJ
2033. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi Lethierry,1874* DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
2034. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
2035. **Opsius tigris (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigris Lethierry,1876* IR KG KK RU TJ UZ
2036. **Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon Meigen,1826* TR Cc KG RU Sb DZ

2037. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847 **DE BY CZ FR IT LT HU RU UA TR**
2038. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 **DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK**
2039. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
2040. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
2041. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758 **PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui**
2042. **Osmia (Allosmia) decorata Morawitz,1886** (Megachilidae) Synonym(s): *decorata* Morawitz,1886 **RU Cc**
2043. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
2044. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
2045. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
2046. **Osmia (Helicosmia) caerulescens (Linneus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linneus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
2047. **Osmia (Helicosmia) cyanescens Morawitz,1875** (Megachilidae) Synonym(s): *cyanescens* Morawitz,1875 **RU KK KG TJ**
2048. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**
2049. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
2050. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
2051. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
2052. **Osmia (Helicosmia) orientalis Benoist,1929** (Megachilidae) Synonym(s): *orientalis* Benoist,1929 **JP RU**
2053. **Osmia (Hemiosmia) difficilis Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 **Osmia difficilis** Morawitz,1875, [in] Fedtschenko, *Reise nach Turkestan 1: 91. Usbekistan*. **KK KG RU TJ UZ IL Pa TR IR**
2054. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
2055. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
2056. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreifformis* Radoszkowski,1882 **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR**
2057. **Osmia (Melanosmia) ephippiata Smith,1879** (Megachilidae) Synonym(s): *ephippiata* Smith,1879 **RU Sb**
2058. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 **AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US**
2059. **Osmia (Melanosmia) laticeps Thomson,1872** (Megachilidae) Synonym(s): *laticeps* Thomson,1872; *hyperborea* Tkalcu,1983 **DE FI LT RU SE**
2060. **Osmia (Melanosmia) maritima Friese,1885** (Megachilidae) Synonym(s): *maritima* Friese,1885 **DE DK FI NO NL PL RU SE MN**

2061. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
2062. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
2063. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN
2064. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA
2065. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
2066. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
2067. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
2068. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
2069. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
2070. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
2071. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
2072. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
2073. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
2074. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
2075. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
2076. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
2077. **Osmia (s.str.) cornifrons (Radoszkowski,1887)** (Megachilidae) Synonym(s): *cornifrons* Radoszkowski,1887 JP CN KP KR RU Us
2078. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
2079. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
2080. **Osmia (s.str.) opima Romankova,1985** (Megachilidae) Synonym(s): *opima* Romankova,1985 RU Us
2081. **Osmia (s.str.) pedicornis Cockerell,1919** (Megachilidae) Synonym(s): *pedicornis* Cockerell,1919 JP CN RU Us
2082. **Osmia (s.str.) taurus Smith,1873** (Megachilidae) Synonym(s): *taurus* Smith,1873 JP CN RU Us
2083. **Osmoderma barnabita Motschoulsky,1860** (Scarabaeidae) Synonym(s): *barnabita* Motschoulsky,1860 RU Am CN
2084. **Osmoderma eremita (Scopoli,1763)** (Scarabaeidae) Synonym(s): *eremita* Scopoli,1763 RU YU

2085. **Osmylus elegantissimus Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus Kozhantshikov,1951* TR? Cc UA RU AM AZ GG
2086. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus Scopoli,1763* AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
2087. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
2088. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii Staeger,1844; fraterna Loew,1873; caucasica Kertesz,1916; turkestanica Kertesz,1916; sinica Pleske,1925; transcaspia Pleske,1925; pallidipes Pleske,1925* DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
2089. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus Fallén,1817; carnea Walker,1849; unicolor Loew,1863; carbonarius Loew,1869* SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA
2090. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis Meigen,1822* GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
2091. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata Loew,1862* RO GR CY RU UA Cc AZ TR IL LB
2092. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina Meigen,1822; amoena Loew,1857; engadinica Jaennicke,1866; calceata Loew,1871; sahunica Séguy,1934; oldenbergi Lindner,1938; nigrifrons Szilady,1941; bohémica Hrbacek,1945; armata Vaillant,1950* DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
2093. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata Linnaeus,1767; graeca Pontoppidan,1763; hypoleon Linnaeus,1767; fasciata Geoffroy,1785; proxima Loew,1873; collaris Brunetti,1889; transfasciata Pleske,1925; ferganensis Pleske,1925; ucrainica Paramonov,1926; bucheti Seguy,1930; angustistomata Lindner,1938* SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
2094. **Oxycetonia jucunda (Faldermann,1835)** (Scarabaeidae) Synonym(s): *jucunda Faldermann,1835* RU Am CH
2095. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis Loew,1844; flavescens Robineau-Desvoidy,1830; laticauda Walker,1836; parietina Zetterstedt,1847* TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR
2096. **Oxyna guttatofasciata (Loew,1850)** (Tephritidae) Synonym(s): *guttatofasciata Loew,1850* TR CN KG MN RU Sb
2097. **Oxyna lutulenta Loew,1869** (Tephritidae) Synonym(s): *lutulenta Loew,1869* TR KG MN MD RU UA
2098. **Oxyna nebulosa (Wiedemann,1817)** (Tephritidae) Synonym(s): *nebulosa Wiedemann,1817; femoralis Robineau-Desvoidy,1830; nigrofemorata Meigen,1838; proboscidea Loew,1844; parietina Zetterstedt,1855; cinarae Rondani,1870* TR BY CZ EE IL Pa LT MD RU UA
2099. **Oxyomus silvestris (Scopoli,1763)** (Scarabaeidae) Synonym(s): *silvestris Scopoli,1763* RU YU Cc GG
2100. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi Fieber,1876 nec Fairm.; tarandus Haput,1927; capaneri Izzard,1953* EG IL Pa JO IT MA SY TN TR RU YU TM
2101. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella Illiger,1802 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917* Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
2102. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta Poda,1761* HV YU BG TR RU Cc Ur Sb Us KG
2103. **Pachybrachis (s.str.) albicans Weise,1882** (Chrysomelidae) Synonym(s): *albicans Weise,1882* RU Cc
2104. **Pachybrachis (s.str.) amurensis Medvedev,1973** (Chrysomelidae) Synonym(s): *amurensis Medvedev,1973; mohri Lopatin,1974* RU Am Us
2105. **Pachybrachis (s.str.) distictopygus Jacobson,1901** (Chrysomelidae) Synonym(s): *distictopygus Jacobson,1901* CN RU Am Daur
2106. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis Olivier,1808 nec Laich.,1781; fimbriolatus Suffrian,1848; mulsanti Perris,1852* ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb
2107. **Pachybrachis (s.str.) hieroglyphicus (Laicharting,1781)** (Chrysomelidae) Synonym(s): *hieroglyphicus Laicharting,1781; tristis Laicharting,1781; histrio Fabricius,1781; apicalis Rey,1883; pseudoscriptus Wagner,1927; ictericus Weise,1882; italicus Weise,1882...* AT IT ES RU Sb
2108. **Pachybrachis (s.str.) korotjaevi Lopatin,1995** (Chrysomelidae) Synonym(s): *korotjaevi Lopatin,1995* RU Tv
2109. **Pachybrachis (s.str.) laetificus Marseul,1875** (Chrysomelidae) Synonym(s): *laetificus Marseul,1875* RU
2110. **Pachybrachis (s.str.) mendax Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax Suffrian,1860; probus Weise,1882; dissecticeps Roubal,1916; sibiricus Lopatin,1962* Cc RU Sb TR UA
2111. **Pachybrachis (s.str.) ochropygus Solsky,1872** (Chrysomelidae) Synonym(s): *ochropygus Solsky,1872* RU Us Vv

- 2112. Pachybrachis (s.str.) scriptidorsum Marseul,1875** (Chrysomelidae) Synonym(s): *piceus Suffrian,1848; scriptidorsum Marseul,1875; lugubris Weise,1882; thoracicus Weise,1889; beckeri Pic,1910; chinensis Weise,1913* **BG RO UA CN RU Ur Cc Sb KP KR**
- 2113. Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus Mulsant & Rey,1859; haliciensis Miller,1868; rufimanus Weise,1882* **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
- 2114. Pachybrachis (s.str.) transbaicalicus Medvedev,1974** (Chrysomelidae) Synonym(s): *transbaicalicus Medvedev,1974* **RU Sb**
- 2115. Pachybrachis (s.str.) tuvensis Medvedev,1974** (Chrysomelidae) Synonym(s): *tuvensis Medvedev,1974* **RU Tv**
- 2116. Pachybrachis (s.str.) vermicularis Suffrian,1854** (Chrysomelidae) Synonym(s): *vermicularis Suffrian,1854; astragali Stierlin,1863; pallidiventris Jacobson,1894* **RU Sb Ur Cc IR**
- 2117. Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva Ménétriés,1832; depressa Solier,1836; ordinata Solier,1836; gastridula Faldermann,1837; mammillata Faldermann,1837; euphratica Kraatz,1865; divisa Reitter,1893* **IQ TR Cc AM SY TM RU IR**
- 2118. Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri Herrich-Schäffer,1838* **AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA**
- 2119. Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis Flor,1861; andropoginis Haupt,1924; graminis Haupt,1935; monticola Ribaut,1939; parvispinus Wagner,1947; hibernica Le Quesne,1964; orientalis Vilbaste,1965; lalahani Kalkandelen,1972* **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
- 2120. Pandivirilia amurensis Lyneborg,1986** (Therevidae) Synonym(s): *amurensis Lyneborg,1986* **RU Am**
- 2121. Panorpa cognata Rambur,1842** (Panorpidae) Synonym(s): *cognata Rambur,1842* **SS HV AL RO GB BE DK DE NL RU ES IT**
- 2122. Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis Linnaeus,1758; vulgaris Imhoff & Labram,1845* **YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES**
- 2123. Panorpa hybrida McLachlan,1882** (Panorpidae) Synonym(s): *hybrida McLachlan,1882; romanica Bechet,1955* **YU BG RO FI DE RU**
- 2124. Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus Erichson,1840* **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
- 2125. Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina Fallén,1820* **AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU**
- 2126. Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): *concinna Fieber,1848* **TR Cc RU Sb MN CN Ui**
- 2127. Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons Fallén,1817; Pipiza albifrons Fallén,1817, Syrphici Svecicae (6): 60.* **ES DE AT SE SS YU TR GB DK RU IR**
- 2128. Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus Dlabola,1961* **IL Pa TR MN RO RU TJ UZ**
- 2129. Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis Boheman,1847; lugens Horvath,1897* **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
- 2130. Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus Haupt,1930; lindneri Fahringer,1942; subtilis Linnavuori,1964* **EG JO MN TR KG MD RU**
- 2131. Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): *pulchellus Rey,1891* **BE FR Cc AZ RU UA UZ**
- 2132. Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps Lethierry,1885* **AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU**
- 2133. Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes Fallén,1819; #ochroleuca Stephens,1829; filipes Robineau-Desvoidy,1830; fulva Robineau-Desvoidy,1830; bilineata Meigen,1838; hispanica Czerny,1909* **AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH**
- 2134. Parallelloma fuscipes (Zetterstedt,1838)** (Scathophagidae) Synonym(s): *fuscipes Zetterstedt,1838; dispar Zetterstedt,1846; fuscitibia Rondani,1867* **SE IT AT CH FI FR NO PL RU Ur Us**
- 2135. Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis Distant,1908; lucaniae Dlabola,1959* **IT IL Pa UZ RU TR IR**
- 2136. Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa Fallén,1806 (praeocc.); obtusifrons Stal,1853; verrallii Scott,1875; caucasicus Melichar,1913* **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA**
- 2137. Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes Lepeletier,1845; cognata Costa,1858* **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR**
- 2138. Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961* **TR Cc GG RU At KG KK TJ UA UZ FR**
- 2139. Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus Hovarth,1897* **CZ DE HU PL RO RU TR**
- 2140. Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): *festivus Steven,1809* **TR Cc RU TM**

2141. **Pedestredorcadion beckeri (Kraatz,1873)** (Cerambycidae) Synonym(s): *beckeri* Kraatz,1873
Cc AZ RU AM TR
2142. **Pedestredorcadion ciscaucasicum (Jakovlev,1900)** (Cerambycidae) Synonym(s):
ciscaucasicum Jakovlev,1900; *borodini* Suvorov,1915 Cc RU
2143. **Pedestredorcadion decipiens (Germar,1824)** (Cerambycidae) Synonym(s): *decipiens*
Germar,1824 UA Cm HU RO RU YU SK
2144. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre*
Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale*
Jurecek,1933;... MK BG UA Cm GR RO RU YU
2145. **Pedestredorcadion kubanicum (Plavilstshikov,1934)** (Cerambycidae) Synonym(s):
kubanicum Plavilstshikov,1934 Cc GG RU
2146. **Pedestredorcadion pusillum (Küster,1847)** (Cerambycidae) Synonym(s): *pusillum*
Küster,1847 RU RO
2147. **Pedestredorcadion sareptanum (Kraatz,1873)** (Cerambycidae) Synonym(s): *sareptanum*
Kraatz,1873 RU Sr
2148. **Pedestredorcadion scopolii (Herbst,1784)** (Cerambycidae) Synonym(s): *scopolii*
Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... RU Sb HU BG AT CZ GR
SK UA YU
2149. **Pedicia (s.str.) savchenkoi Paramonov,2009** (Pediidae) Synonym(s): *savchenkoi*
Paramonov,2009 RU Cc
2150. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha*
Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL
NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
2151. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817;
mitis Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa*
Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO
PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hk CN
2152. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia*
Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 Cn CZ FI HU IT GR NO MT RU SE DZ
2153. **Peltonotellus punctifrons Horvath,1895** (Caliscelidae) Synonym(s): *punctifrons*
Horvath,1895 KG UA RU YU TR
2154. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 AF AZ
BG Cc GR HU RO RU SL SY TR UA YU
2155. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus*
Fieber,1876 TR AF BG CZ GR RO SY RU
2156. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761;
pallidus Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES
SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
2157. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc
TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
2158. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 RU Cc UA Cm
IQ TR IR IQ CY LB IL Pa
2159. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
KG MN TR AM Cc IR CY SY LB RU AM CN
2160. **Perasis sareptana Hermann,1906** (Asilidae) Synonym(s): *sareptana* Hermann,1906 RU
2161. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ
AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA
IR IL Pa SA SY
2162. **Perilissus filicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filicornis*
Gravenhorst,1829 TR RU Sb
2163. **Perilissus rufoniger (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufoniger*
Gravenhorst,1829 TR RU At
2164. **Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *bioculatus* Fabricius,1775;
clanda Say,1825 US CZ FR DE RU YU
2165. **Perlamantispia perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772 TR Cc KG
TM RU IR
2166. **Peru dichra (Desutter-Grandcolas,1993)** (Gryllidae) Synonym(s): *dichra* Desutter-
Grandcolas,1993 RU
2167. **Phaeadoretus comptus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *comptus*
Ménétriés,1849 RU KG TM UZ
2168. **Phaedon armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae*
Linnaeus,1758 TR KG RU Sb
2169. **Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae*
Fabricius,1792 GR TR Cc KG RU Sb
2170. **Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae)
Synonym(s): *areolator* Constantineanu & Constantineanu,1968 ES RO TR Cc AZ RU KG

2171. **Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis Berthoumieu,1901* BG TR GR Cc RU
2172. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata Poda,1761; libellula Stoll,1787; lilifolia Audinet-Serville,1831; phyllopteroides Fischer von Waldheim,1846; sinensis Uvarov,1933* Gryllus *falcata Poda,1761, Ins. Mus. Graec.: 52.* ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
2173. **Phanerotoma (Bracotritoma) parva Kokujev,1903** (Braconidae) Synonym(s): *parva Kokujev,1903; aberrans Shestakov,1930; gussakovskii Shestakov,1930* CY GR MN RU
2174. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta Kokujev,1903* AT CZ FR GR HU IR IT MN ES RU Sb US Cf
2175. **Phanerotoma kozlovi Shestakov,1930** (Braconidae) Synonym(s): *kozlovi Shestakov,1930* RU Cc MN
2176. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia Kohl,1906; rjabovi Vojnovskaja-Krieger,1929; media Shestakov,1930; desertorum Hedwig,1957; flavitestacea Fischer,1959* BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
2177. **Phaonia pura (Loew,1873)** (Muscidae) Synonym(s): *pura Loew,1873* SK CH AT Cc RO RU
2178. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris Scopoli,1763; populi Meigen,1826* ES Md FR Co DE PL CZ SK CH AT HU SY RU
2179. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla Meigen,1824* PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
2180. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans Meigen,1824* FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
2181. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera Fabricius,1794* ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
2182. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa Fabricius,1798* ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
2183. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata Linnaeus,1767* ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
2184. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons Girschner,1887* ES FR GB BE NL DE PL RU CZ SK HU AT CH IT
2185. **Phasia girschneri Draber-Monko,1965** (Tachinidae) Synonym(s): *girschneri Draber-Monko,1965* RU
2186. **Phasia karczewskii Draber-Monko,1965** (Tachinidae) Synonym(s): *karczewskii Draber-Monko,1965* DK DE CZ PL RU
2187. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili Draber-Monko,1965; theodori Draber-Monko,1965* PT ES FR IT Co Si HU UA RU Cr CY
2188. **Pherbellia lutheri Rozkosny,1982** (Sciomyzidae) Synonym(s): *lutheri Rozkosny,1982* RU Kr Cc TR
2189. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
2190. **Philipomyia aprica (Meigen,1820)** (Tabanidae) Synonym(s): *aprica Meigen,1820* TR RU IR
2191. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus Bigot,1880; bimaculatus Becker,1913* IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
2192. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps Meigen,1820; canescens Wiedemann,1820; nudus Loew,1840; eletus Loew,1871; domesticus Ricardo,1920; pulcher Becker,1923; marinus Becker,1923; orientalis Esipenko,1969* IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
2193. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus Donovan,1813; scopulorum Stephens,1836; charpentieri Zetterstedt,1840; tigrinus Brauer,1857* NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
2194. **Philopotamus tenuis Martynov,1913** (Philopotamidae) Synonym(s): *tenuis Martynov,1913* TR Cc GG RU
2195. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
2196. **Phratora vitellinae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae Linnaeus,1758* CN KG Cc KP KR RU Sb CA TR
2197. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris Fabricius,1805; scirpi Robineau-Desvoidy,1830; albofasciata Gimmerthal,1846* AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
2198. **Phrosia remmi (Elberg,1972)** (Scathophagidae) Synonym(s): *remmi Elberg,1972* RU Sh
2199. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846; convergens Loew,1846* IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU

- 2200. Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedei* Engel,1933 **IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA**
- 2201. Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 **AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB**
- 2202. Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 **TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV**
- 2203. Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 **FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU**
- 2204. Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 **AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU**
- 2205. Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 **PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF**
- 2206. Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *horticola* Linnaeus,1758 **IT RU Cc Sb Us Am KG CN**
- 2207. Phyllopertha intermixta (Arrow,1913)** (Scarabaeidae) Synonym(s): *intermixta* Arrow,1913 **JP RU Krl**
- 2208. Phyllotreta balcanica Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909 **TR Cc AF KG RU**
- 2209. Phyllotreta diademata Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860 **TR Cc IR IQ AF IN RU**
- 2210. Phyllotreta erysimi Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900 **TR Cc IR IL Pa KG RU MN**
- 2211. Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 **TR Cc GR IT MT IR AF KG RU CN**
- 2212. Phyllotreta ochripes (Curtis,1837)** (Chrysomelidae) Synonym(s): *ochripes* Curtis,1837 **Cc TR IR RU Sb**
- 2213. Phyllotreta pallidipennis Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891 **TR Cc IR KG RU Sb MN CN Ti**
- 2214. Phyllotreta praticola Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887 **Cc TR IR AF KG RU Sb MN CN IN**
- 2215. Phyllotreta sisymbrii Weise,1888** (Chrysomelidae) Synonym(s): *sisymbrii* Weise,1888 **RU Cc TR IR**
- 2216. Phyllotreta tetrastigma (Comolli,1837)** (Chrysomelidae) Synonym(s): *tetrastigma* Comolli,1837 **TR Cc RU Sb**
- 2217. Phyllotreta undulata Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata* Kutschera,1860 **TR Cc RU Sb KG**
- 2218. Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher,1849 **Cc TR AF KG MN KP KR JP RU Sb**
- 2219. Phyllotreta wiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana* Jacobson,1901 **TR Cc RU IR KG**
- 2220. Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 **TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si**
- 2221. Physiphora alcae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alcae* Preyßler,1791 **AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO**
- 2222. Phytoecia icterica (Schaller,1783)** (Cerambycidae) Synonym(s): *icterica* Schaller,1783 **TR Cc RU SK**
- 2223. Phytoecia nigricornis (Fabricius,1781)** (Cerambycidae) Synonym(s): *nigricornis* Fabricius,1781 **RU Cc CZ**
- 2224. Phytoecia virgula (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula* Charpentier,1825 **GR SK TR Cc RU KG**
- 2225. Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 **AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU**
- 2226. Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis* Herrich-Schäffer,1841 **AL AZ Cc BG CZ FI HU IT TR CH RU YU**
- 2227. Picromerus lewisi Scott,1874** (Pentatomidae) Synonym(s): *lewisi* Scott,1874; *angusticeps* Jakovlev,1880; *vicinus* Signoret,1880; *similis* Distant,1883 **CN Pkn RU Sb Am JP KP KR**
- 2228. Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 **Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN**
- 2229. Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**
- 2230. Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata*

- Peneau*,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
2231. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
2232. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes* Horvath,1888 ES IT DE AT CZ HU MK BY BG UA RU KG
2233. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888 PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
2234. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
2235. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN UI MN
2236. **Pimelia (Camphonota) capito Krynicky,1832** (Tenebrionidae) Synonym(s): *capito* Krynicky,1832 Cc AZ RU GG KK
2237. **Pimelia (Eurypimelia) subglobosa (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781 GR TR UA RU
2238. **Pimelia tuberculata Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *tuberculata* Fischer von Waldheim,1832 Cc RU Sb IR
2239. **Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829 TR Cc KG RU At IR
2240. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
2241. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris* Kriechbaumer,1888 RO BG TR RU Cc
2242. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806; *proteus* Herrich-Schäfer,1834; *pinastri* Fieber,1885 DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
2243. **Plagiodera versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora* Laicharting,1781 TR DZ RU Sb IN JP TW CA
2244. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864 AT Cc HU RO RU CN Ui TR
2245. **Plagionotus detritus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *detritus* Linnaeus,1758 CZ RU Cc KG IR
2246. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
2247. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
2248. **Platyceis (Montana) daghestanica Uvarov,1917** (Tettigoniidae) Synonym(s): *daghestanica* Uvarov,1917 Cc Da RU
2249. **Platyceis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
2250. **Platycnemis pennipes (Pallas,1771)** (Platycnemidae) Synonym(s): *pennipes* Pallas,1771 TR Rd GR RU Da Cc GG
2251. **Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis* Signoret,1880 nec Kbm.,1868; *signoreti* Wagner,1959 RU Cc BG CZ HU TR YU
2252. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti* Dlabola,1961 BG TR CS DE IT MN Cc GG KG RU YU
2253. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880 EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
2254. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
2255. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927 AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
2256. **Platymetopius dagestanicus Dlabola,1967** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1967 RU Da Cc

2257. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 **AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR**
2258. **Platymetopius ponticus Emeljanov,1964** (Cicadellidae) Synonym(s): *ponticus* Emeljanov,1964 **BG RU**
2259. **Platypleura kaempferi (Fabricius,1794)** (Cicadidae) Synonym(s): *kaempferi* Fabricius,1794; *fuscangulis* Butler,1874; *takasogona* Kato,1930 (*praeocc.*); *kyotonis* Kato,1932; *tsuchidai* Kato,1932 **CN Hkk JP KP KR RU Krl**
2260. **Platyproctus schaeuffelei Dlabola,1960** (Cicadellidae) Synonym(s): *schaeuffelei* Dlabola,1960 **Cc AM KG RU TM**
2261. **Platyproctus tessellatus Lindberg,1924** (Cicadellidae) Synonym(s): *tessellatus* Lindberg,1924 **Cc AM KG RU TM**
2262. **Platypygus bellus Loew,1869** (Mythicomyiidae) Synonym(s): *bellus* Loew,1869 **RU AM AZ GG Cc TR EG**
2263. **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863 **ES IT Si BG TR RU UA MD Cc AZ AM GG EG**
2264. **Platypygus ridibundus (Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* Costa,1863 **ES BG TR RU UA MD GG AZ AM Cc EG**
2265. **Platyrhinus resinosus (Scopoli,1763)** (Anthribidae) Synonym(s): *resinosus* Scopoli,1763; *flavifrons* Fuessly,1775; *oblongus* Sulzer,1776; *latirostris* Fabricius,1792; *costirostris* Clairville,1798 **FR SS HV RU**
2266. **Platystoma aenescens Loew,1868** (Platystomidae) Synonym(s): *aenescens* Loew,1868 **RO RU TR**
2267. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum* Loew,1856 **FR GR Cr TR SY IL Pa RO RU**
2268. **Platystoma rufipes Meigen,1826** (Platystomidae) Synonym(s): *rufipes* Meigen,1826 **FR UA TR RU**
2269. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869; **ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR**
2270. **Pleurophorus apicipennis Reitter,1892** (Scarabaeidae) Synonym(s): *apicipennis* Reitter,1892 **RU TM KG UZ**
2271. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796 **MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR**
2272. **Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): *variolosus* Kolenati,1846 **RU UA KG TM TJ**
2273. **Pochazia umbrata Melichar,1896** (Ricaniidae) Synonym(s): *umbrata* Melichar,1896 **IR TM RU Sb**
2274. **Podagrica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837 **Cc TR IQ KG RU CN**
2275. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 **Gryllus (Locusta) pedestris** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). **AT DE GR TR BG RU IT FR Cc**
2276. **Podisma satunini Uvarov,1916** (Acrididae) Synonym(s): *satunini* Uvarov,1916 **Cc GG Sok RU**
2277. **Podisma teberdina Ramme,1951** (Acrididae) Synonym(s): *teberdina* Ramme,1951 **Cc GG RU**
2278. **Podisma tyatiensis Bugrov & Sergeev,1997** (Acrididae) Synonym(s): *tyatiensis* Bugrov & Sergeev,1997 **RU Krl**
2279. **Podisma uvarovi Ramme,1926** (Acrididae) Synonym(s): *uvarovi* Ramme,1926 **Cc RU**
2280. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis* Kowarz,1867 **AM Cc BG MD RO RU TR UA KG TJ**
2281. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824 **BG Cc GG GR RO RU TR UA Cm IR UZ**
2282. **Poecilophilides rusticola (Burmeister,1842)** (Scarabaeidae) Synonym(s): *rusticola* Burmeister,1842 **RU Am JP**
2283. **Poemenia hectica (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *hectica* Gravenhorst,1829 **TR Cc RU**
2284. **Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis* Chaudoir,1871 **BE GR RU TR UA KG**
2285. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828 **BE GR RO RU TR UA KG**
2286. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 **IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT**
2287. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis* Linnaeus,1758; *alpium* Blüthgen,1957 **IR Cc TR RU Ur Sb Am Us KG MN**
2288. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**

2289. **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *labialis Robineau-Desvoidy,1863* TR DK FI DE UA SU RU US
2290. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus Loew,1848* AZ Cc RU GR AL IR IL Pa TR SY
2291. **Polyphylla (Mesopolyphylla) irrorata (Gebler,1841)** (Scarabaeidae) Synonym(s): *irrorata Gebler,1841* KG RU
2292. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
2293. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri Laporte de Castelnau,1840* RU Cc AM GG AL GR TR IR SY IL Pa
2294. **Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): *alba Pallas,1773* RU Cc Sb KG TM
2295. **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea Schiner,1867* TN Cc RU DZ TR
2296. **Pontoperla teberdinica (Balinsky,1950)** (Chloroperlidae) Synonym(s): *teberdinica Balinsky,1950* TR Cc RU GG
2297. **Popillia atrocoerulea Bates,1888** (Scarabaeidae) Synonym(s): *atrocoerulea Bates,1888* RU Am
2298. **Popillia indigonacea Motschulsky,1853** (Scarabaeidae) Synonym(s): *indigonacea Motschulsky,1853* RU Am CN KR
2299. **Popillia quadriguttata (Fabricius,1787)** (Scarabaeidae) Synonym(s): *quadriguttata Fabricius,1787* RU Am Krl JP US
2300. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans Kirschbaum,1868; fuscocoerulea Edwards,1914* AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
2301. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
2302. **Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci Brahm,1790; beccabungae Küster,1846; minutus Markovic,1909* RU Sb Cc TR
2303. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus Kieffer,1900* Cc RU Da DE RO HU MK BG ES
2304. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator Fabricius,1804; flagellatus Nees,1834; erichsoni Westwood,1841; fasciatus Kriechebaumer,1883* DE RO AT CZ HU RU Sb YU IT TR
2305. **Proagopertha lucidula (Faldermann,1835)** (Scarabaeidae) Synonym(s): *lucidula Faldermann,1835* RU Am
2306. **Probes (Euporizon) rufipes (Holmgren,1860)** (Ichneumonidae) Synonym(s): *rufipes Holmgren,1860* TR RU Sb
2307. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis Mulsant & Rey,1855; albolimbatus Kirschbaum,1868* FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
2308. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929* AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
2309. **Procaerus tibialis (Lacordaire,1835)** (Elateryidae) Synonym(s): *tibialis Lacordaire,1835* TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
2310. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus Wiedemann,1818* IR Fa TR AF RU KG CN TW
2311. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus Loew,1848* YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM
2312. **Prosimulium (s.str.) gigas Rubtsov,1956** (Simuliidae) Synonym(s): *gigas Rubtsov,1956* RU Cc
2313. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense Djafarov,1954; pronevitschae Rubtsov,1955* AZ AM Cc RU TR GR Rd BG RO
2314. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle Stein,1857* DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
2315. **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi Stein,1878* RU IL Pa SY TR Cc GR
2316. **Prosternon tessellatum (Linnaeus,1758)** (Elateryidae) Synonym(s): *tessellatum Linnaeus,1758* GR TR Cc RU Sb US
2317. **Protaetia (Calopotisia) brevitarsis (Lewis,1879)** (Scarabaeidae) Synonym(s): *brevitarsis Lewis,1879* RU Am
2318. **Protaetia (Calopotisia) mandschuriensis Smurhoff,1933** (Scarabaeidae) Synonym(s): *mandschuriensis Smurhoff,1933* RU Am CN Mc
2319. **Protaetia (Cetonischema) aeruginosa (Drury,1770)** (Scarabaeidae) Synonym(s): *aeruginosa Drury,1770; auratus Fuessly,1782; fastuosa Fabricius,1792; frischi Schrank,1798;...* RU BG YU
2320. **Protaetia (Liocola) insperata (Lewis,1879)** (Scarabaeidae) Synonym(s): *insperata Lewis,1879* RU

- 2321. *Protaetia (Liocola) lugubris* (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris* Herbst,1786; *aenea* Scriba,1790; *aeruginosa* Herbst,1790; *marmorata* Fabricius,1792; *punctatoundulata* Petagna,1819; *zoufali* Roubal,1929; *novaci* Miksic,1954 **DE RU Am HU CZ YU B-H KG UA TR**
- 2322. *Protaetia (Netocia) asiatica* (Faldermann,1835)** (Scarabaeidae) Synonym(s): *asiatica* Faldermann,1835 **Cc AZ RU**
- 2323. *Protaetia (Netocia) hungarica* (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790 **HU LT Cc AM TR TM KG RU Sb MN**
- 2324. *Protaetia (Netocia) karelini* (Zoubkov,1829)** (Scarabaeidae) Synonym(s): *karelini* Zoubkov,1829 **RU Ur KG TM UZ**
- 2325. *Protaetia (Netocia) sibirica* (Gebler,1829)** (Scarabaeidae) Synonym(s): *sibirica* Gebler,1829; *setulosa* Reitter,1891 **TR RU Sb MN**
- 2326. *Protaetia (Potosia) cuprea* (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
- 2327. *Protaetia (Potosia) cuprina* (Motschulsky,1849)** (Scarabaeidae) Synonym(s): *rubrocuprea* Mulsant & Rey,1842; *cuprina* Motschulsky,1849 **RU Cc TR UA Cm**
- 2328. *Protaetia (Potosia) fieberi* Kraatz,1831** (Scarabaeidae) Synonym(s): *fieberi* Kraatz,1831; *aenea* Fieber,1831 **YU RU**
- 2329. *Protaetia (Potosia) funebris* (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationlis* Faldermann,1835; *funesta* Ménétrés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv**
- 2330. *Protaetia (Potosia) marginicollis* (Ballion,1870)** (Scarabaeidae) Synonym(s): *marginicollis* Ballion,1870 **RU KG TM UZ TJ**
- 2331. *Protaetia (Potosia) metallica* (Herbst,1782)** (Scarabaeidae) Synonym(s): *metallica* Herbst,1782 **RU Ur Sb FI LT UA KG**
- 2332. *Protonemura teberdensis* Zhiltzova,1958** (Nemouridae) Synonym(s): *teberdensis* Zhiltzova,1958 **Cc GG RU TR**
- 2333. *Protosmia (s.str.) tauricola* Popov,1961** (Megachilidae) Synonym(s): *tauricola* Popov,1961 **UA Cm TR BG RU**
- 2334. *Protosmia (s.str.) tiflensis* (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890 **BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR**
- 2335. *Psallus atomosus* Reuter,1878** (Miridae) Synonym(s): *atomosus* Reuter,1878 **FR YU BG RU Cc TR**
- 2336. *Psammodius (Pararhyssemus) coluber* Mayet,1787** (Scarabaeidae) Synonym(s): *coluber* Mayet,1787 **RU TM AF**
- 2337. *Psammodius (Rhyssenus) germanus* (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *germanus* Linnaeus,1767 **RU Cc GG TM TJ**
- 2338. *Psammodius (Rhyssenus) laevipennis* Costa,1844** (Scarabaeidae) Synonym(s): *laevipennis* Costa,1844 **RU UA**
- 2339. *Psammodius (Rhyssenus) orientalis* (Mulsant & Godart,1875)** (Scarabaeidae) Synonym(s): *orientalis* Mulsant & Godart,1875 **RU TM KG**
- 2340. *Psammodius asper* (Fabricius,1775)** (Scarabaeidae) Synonym(s): *asper* Fabricius,1775 **RU Us**
- 2341. *Psammotettix alienus* (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
- 2342. *Psammotettix cephalotes* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
- 2343. *Psammotettix comitans* Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964 **KK KG UZ UA TR RU**
- 2344. *Psammotettix confinis* (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
- 2345. *Psammotettix helvolus* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombrifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
- 2346. *Psammotettix kolosvarensis* (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
- 2347. *Psammotettix ornaticeps* (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897 **AT BG TR CS DE HU RO LV MD RU TJ UA**
- 2348. *Psammotettix pallidinervis* (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 **AT BG CS FI DE HU NL NO PL RO SE LV RU Sb**
- 2349. *Psammotettix pictipennis* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 **AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ**

2350. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
2351. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU
2352. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
2353. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932 DE FR GB Cc KG TM RU Sb TR
2354. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
2355. **Pseudepipona tricolor Gusenleitner,1976** (Vespidae) Synonym(s): *tricolor* Gusenleitner,1976 KG RU Cc Da
2356. **Pseudoadoretus dilutellus Semenov,1889** (Scarabaeidae) Synonym(s): *dilutellus* Semenov,1889 RU TM
2357. **Pseudoadoretus phthisicus Dohrn,1882** (Scarabaeidae) Synonym(s): *phthisicus* Dohrn,1882 RU UZ
2358. **Pseudoadoretus validus Semenov,1889** (Scarabaeidae) Synonym(s): *validus* Semenov,1889 RU TM
2359. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbricidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
2360. **Pseudoliarius fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954 EG IR LY TN Cc AM TR RU TJ TM YE
2361. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus* Signoret,1880 AF IQ MN AM AZ KG KK MD RU UA TJ UZ
2362. **Pseudovadonia livida (Fabricius,1776)** (Cerambycidae) Synonym(s): *livida* Fabricius,1776 RU Cc TR IR DE CZ
2363. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
2364. **Psilochalcis mirabilis (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis* Boucek,1952 TR CZ SK HU KG RU US
2365. **Psophus stridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus* Linnaeus,1758; *samniticus* Baccetti,1958 TR Cc RU BY UA KG
2366. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *specularis* Fischer von Waldheim,1839; *inermis* Ramme,1951 TR UA Cm Cc GG AZ RU AM Eri
2367. **Psorodonotus venosus (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *venosus* Fischer von Waldheim,1839 TR AZ Kir GG AM Cc RU Sb
2368. **Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799 Cc TR KG MA RU Sb
2369. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807 TR Cc IR KG RU Sb CN
2370. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803 Cc TR IR KG RU Sb MN DZ
2371. **Psylliodes dulcamarae (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803 Cc TR KG MN RU Sb
2372. **Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912 TR Cc IR KG RU Sb MN
2373. **Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792 TR Cc RU Sb KG DZ
2374. **Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus* Weise,1889 RU Cc Da GG TR
2375. **Pterogenia ussurica Korneyev,2001** (Platystomidae) Synonym(s): *ussurica* Korneyev,2001 RU Us
2376. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 ES PT RU Cc AM TR IL Pa MA DZ TN
2377. **Pycnopogon leucostomus Engel,1930** (Asilidae) Synonym(s): *leucostomus* Engel,1930 FR Cc RU TR IR Elb Mz AM
2378. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim,1820 *Acrydium armatum* Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia. TR Cc RU KG AF TM IR KK
2379. **Pyrrhocris apterus (Linnaeus,1758)** (Pyrrhocridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
2380. **Pyrrhocris marginatus (Kolenati,1845)** (Pyrrhocridae) Synonym(s): *marginatus* Kolenati,1845 AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU

2381. **Pyrrhocoris niger** Reuter,1888 (Pyrrhocoridae) Synonym(s): *niger* Reuter,1888 **Cr RU TR**
2382. **Rabdophaga clavifex** (Kieffer,1891) (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891 **PT**
FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
2383. **Rabdophaga gemmicola** (Kieffer,1896) (Cecidomyiidae) Synonym(s): *gemmicola* Kieffer,1896 **FR GB BE NL DE CZ HU RO RU SE FI EE**
2384. **Rabdophaga heterobia** (Loew,1850) (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850 **ES**
FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
2385. **Rabdophaga iteobia** (Kieffer,1890) (Cecidomyiidae) Synonym(s): *iteobia* Kieffer,1890 **GB**
FR CH AT CZ DE PL HU YU RO RU SE FI EE
2386. **Rabdophaga jaapi** Rübсаamen,1916 (Cecidomyiidae) Synonym(s): *jaapi* Rübсаamen,1916
GB NL DE DK SE EE RU RO BG
2387. **Rabdophaga pulvini** (Kieffer,1891) (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891;
rosariella Kieffer,1896 **FR GB DE AT CZ YU RO UA RU EE SE**
2388. **Rabdophaga salicis** (Schrank,1803) (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 **PT**
ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
2389. **Rabdophaga strobilina** (Bremi,1847) (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847;
rosaria Loew,1850 **PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR**
2390. **Rabdophaga terminalis** (Loew,1850) (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850
ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
2391. **Ramburiella bolivari** (Kuthy,1907) (Acrididae) Synonym(s): *bolivari* Kuthy,1907; *elegans*
Uvarov,1910 *Stethophyma bolivari* Kuthy,1907, *Annls Hist. nat. Mus. natn. Hung.* 5: 431. Type(s):
Asia Minor (types lost!). **TR Cc IR RU KG**
2392. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae) Synonym(s):
turcomana Fischer von Waldheim,1833; *formosus* Becker,1864 **BG GR Cc RU KG UA Cm TR**
2393. **Raphidia** (Navasana) **notata** Fabricius,1781 (Raphidiidae) Synonym(s): *notata*
Fabricius,1781 **Cc RU Teb AZ**
2394. **Raphidia** (s.str.) **grusinica** H.Aspöck, U.Aspöck & Martynova,1968 (Raphidiidae)
Synonym(s): *grusinica* H.Aspöck, U.Aspöck & Martynova,1968 **Cc GG RU**
2395. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
2396. **Reptalus** (s.str.) **melanochaetus** (Fieber,1876) (Cixiidae) Synonym(s): *melanochaetus*
Fieber,1876; *fasciatus* Kusnezov,1928 **Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU**
2397. **Reptalus** (s.str.) **panzeri** (Loew,1883) (Cixiidae) Synonym(s): *panzeri* Loew,1883 **Cc DZ AT**
BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
2398. **Reptalus** (s.str.) **quinquecostatus** (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus*
Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 **Cc AT BE BG CN**
CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
2399. **Reptalus** (Trepalus) **rufocarinatus** (Kusnezov,1937) (Cixiidae) Synonym(s): *rufocarinatus*
Kusnezov,1937; *bitinctus* Dlabola,1961 **TR RU UA**
2400. **Reptalus dagestanica** (Kusnezov,1937) (Cixiidae) Synonym(s): *dagestanica* Kusnezov,1937
Cc RU Da
2401. **Rhabdomastix** (s.str.) **filata** Stary,2004 (Limoniidae) Synonym(s): *filata* Stary,2004
Rhabdomastix (s.str.) *filata* Stary,2004, *Eur. J. Ent.* 101: 675-676, figs. Holotype ♂: Lebanon Becharre,
leg. H.Zerny (NHMW). **BG GR RU Cc GG AM TR LB Bsa**
2402. **Rhacognathus callosus** Horvath,1903 (Pentatomidae) Synonym(s): *callosus* Horvath,1903
MN RU Sb
2403. **Rhacognathus punctatus** (Linnaeus,1758) (Pentatomidae) Synonym(s): *punctatus*
Linnaeus,1758; *annularis* Geoffroy,1785 **AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN**
NL RU Sb SE ES YU
2404. **Rhagoletis berberidis** Jermy,1961 (Tephritidae) Synonym(s): *berberidis* Jermy,1961 **TR AT**
HU Cc RU SK CH UA
2405. **Rhagoletis caucasica** Kandybina & Richter,1976 (Tephritidae) Synonym(s): *caucasica*
Kandybina & Richter,1976 **Cc RU**
2406. **Rhagoletis cerasi** (Linnaeus,1758) (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758 **RU Sb**
KG GG Cc IR Th Elb TR
2407. **Rhagoletis flavicincta** Enderlein,1934 (Tephritidae) Synonym(s): *flavicincta* Enderlein,1934
IR Th Elb RU Sr UA KG KK TJ UZ
2408. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae) Synonym(s): *fulva* Scopoli,1763 **TR AZ AL**
BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA
SY IR TM
2409. **Rhizotrogus** (Amphimallon) **altaicus** (Mannerheim,1825) (Scarabaeidae) Synonym(s):
altaicus Mannerheim,1825 **RU Sb At Us KG**
2410. **Rhizotrogus** (Amphimallon) **irtishensis** Nikolajev,1979 (Scarabaeidae) Synonym(s):
irtishensis Nikolajev,1979 **RU KG**
2411. **Rhizotrogus** (Amphimallon) **ruficornis** (Fabricius,1775) (Scarabaeidae) Synonym(s):
ruficornis Fabricius,1775 **RU Us**

2412. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758 TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
2413. **Rhizotrogus (Amphimallon) volgensis (Fischer,1823)** (Scarabaeidae) Synonym(s): *volgensis* Fischer,1823 RU KG
2414. **Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789 RU UA Cm TM Cc TR
2415. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869 AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
2416. **Rhombonyx holosericea (Fabricius,1787)** (Scarabaeidae) Synonym(s): *holosericea* Fabricius,1787 RU Sb Us Sh
2417. **Rhombonyx ussuriensis Medvedev,1951** (Scarabaeidae) Synonym(s): *ussuriensis* Medvedev,1951 RU Am
2418. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
2419. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
2420. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaris* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
2421. **Rhynchites giganteus Krynicky,1832** (Attelabidae) Synonym(s): *giganteus* Krynicky,1832 BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
2422. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916 BG AM Cc HU IR MK RU Sb SY TR GR
2423. **Rhynchites trojanus Gyllenhal,1839** (Attelabidae) Synonym(s): *trojanus* Gyllenhal,1839; *maximus* Debrochers,1869; *minor* Schilsky,1903 RU TR GR
2424. **Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889 RU Cc IR TR
2425. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778 GB SE Cc RU TR IR CN Ui
2426. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
2427. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868 CN MN RU Cc KG KK TJ UA TR
2428. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 AT CZ SK IT MN KG TM RU UA TR
2429. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR DE GR IT Sa SW Cc TR GG RU
2430. **Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948; *horvathiana* Dlabola,1954 AT BG CS HU RO TR RU
2431. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
2432. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
2433. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
2434. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
2435. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrcus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 Gryllus nitidulus Scopoli,1786, Delicidae florum & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
2436. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
2437. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA

- 2438. *Saltella nigripes* Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
- 2439. *Saltella sphondylii* (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; **CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU**
- 2440. *Saperda octopunctata* (Scopoli,1772)** (Cerambycidae) Synonym(s): *octopunctata* Scopoli,1772 **RU UA Cm CZ**
- 2441. *Sapyga* (s.str.) *similis* (Fabricius,1793)** (Sapygidae) Synonym(s): *similis* Fabricius,1793; *variegata* Dahlbom,1844; *exornata* Gerstraecker,1861; *pedestris* Gerstraecker,1861; *rufipes* A.Costa,1864 **RU MN CN TR**
- 2442. *Sargus cuprarius* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 **ES IT BG RU Cc TR IL Pa MN YU AT SE TJ**
- 2443. *Saropogon dasynotus* Loew,1871** (Asilidae) Synonym(s): *dasynotus* Loew,1871 **RU KG TR**
- 2444. *Satanas gigas* (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 **IR Ss Kc Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR**
- 2445. *Savchenkoiana mokrzhitskae* (Savchenko,1977)** (Pediidae) Synonym(s): *mokrzhitskae* Savchenko,1977 **RU Us**
- 2446. *Scambus* (Atelophadnus) *rufator* Aubert,1963** (Ichneumonidae) Synonym(s): *rufator* Aubert,1963 **FR YU BG TR RU**
- 2447. *Scambus* (s.str.) *calobatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calobatus* Gravenhorst,1829 **TN TR RU Ur TR**
- 2448. *Scantius aegyptius* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 **AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU**
- 2449. *Scaptomyza* (s.str.) *graminum* (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 **YU RO BG TR EG US TW RU UZ GB DK Hw IN**
- 2450. *Scarabaeus armeniacus* Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849 **RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG**
- 2451. *Scarabaeus carinatus* Gebler,1841** (Scarabaeidae) Synonym(s): *carinatus* Gebler,1841 **RU UZ TM TJ**
- 2452. *Scarabaeus pius* (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 **RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF**
- 2453. *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758 **RU Cc AZ TM**
- 2454. *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 **ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR**
- 2455. *Scarabaeus typhon* (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 **RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR**
- 2456. *Scathophaga lutaria* (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 **DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR**
- 2457. *Scathophaga mellipes* (Coquillett,1899)** (Scathophagidae) Synonym(s): *mellipes* Coquillett,1899; *chinensis* Malloch,1935 **KP KR JP CN TW NP IN RU**
- 2458. *Scathophaga stercoraria* (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 **MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US**
- 2459. *Schizoprymnus brevicornis* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *brevicornis* Herrich-Schäffer,1838 **DE RU TR**
- 2460. *Schizoprymnus obscurus* (Nees,1813)** (Braconidae) Synonym(s): *obscurus* Nees,1813 **RU UA Cm IR TR**
- 2461. *Scleroracus corniculus* (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 **AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA**
- 2462. *Scleroracus decumanus* (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (*praeocc.*); *decumanus* Kontkanen,1949 **BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At**
- 2463. *Scleroracus transversus* (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 **AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA**
- 2464. *Scolia insubrica* (Scopoli,1786)** (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849 **IT YU EG TR RU**
- 2465. *Scorlupella montana* (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 **Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ**

2466. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA
Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
2467. **Selatosomus (s.str.) aeneus (Linnaeus,1758)** (Elateridae) Synonym(s): *aeneus*
Linnaeus,1758 TR Cc RU Sb
2468. **Selatosomus (s.str.) latus (Fabricius,1801)** (Elateridae) Synonym(s): *latus* Fabricius,1801;
saginata Ménétrés,1832; *gravidus* Germar,1843 TR Cc RU Sb
2469. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus*
Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos &
Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
2470. **Sepedon spegea (Fabricius,1781)** (Sciomyzidae) Synonym(s): *spegea* Fabricius,1781 RO
TR RU
2471. **Sepedon spinipes (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763 YU TR
RU
2472. **Sepsis alanica Ozerov,1999** (Sepsidae) Synonym(s): *alanica* Ozerov,1999 RU Cc
2473. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes*
Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
2474. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826 SE
FI NO RU Us AF TR
2475. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander
& Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH
YU TR
2476. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima*
Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
2477. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes*
Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU
Sb Us MN JP PK TR IR Kh
2478. **Serica (Ophthalmoserica) karafutoensis Nijima & Kinoshita** (Scarabaeidae)
Synonym(s): RU Sh Krl
2479. **Serica (Ophthalmoserica) rosina Pic,1904** (Scarabaeidae) Synonym(s): *rosina* Pic,1904
RU Am
2480. **Serica (s.str.) brunnea (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *brunnea* Linnaeus,1758
RU Ur Sb Us UA KG
2481. **Serica (s.str.) koltzei Reitter,1897** (Scarabaeidae) Synonym(s): *koltzei* Reitter,1897 RU Am
2482. **Serica (s.str.) ussuriensis Medvedev,1952** (Scarabaeidae) Synonym(s): *ussuriensis*
Medvedev,1952 RU Am
2483. **Serica (Trichoserica) polita (Gebler,1832)** (Scarabaeidae) Synonym(s): *polita* Gebler,1832
RU Us Am Krl
2484. **Sericania fuscolineata Motschoulsky,1860** (Scarabaeidae) Synonym(s): *fuscolineata*
Motschoulsky,1860 RU Am Sh
2485. **Sericania sachalinensis Matsumura,1911** (Scarabaeidae) Synonym(s): *sachalinensis*
Matsumura,1911 RU Sh Krl
2486. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 AF CY IR
IQ IL TR RU Da Cc AZ UZ
2487. **Sharovella caucasica (Sharov,1968)** (Gryllidae) Synonym(s): *caucasica* Sharov,1968 RU Cc
2488. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
2489. **Sicus nigratarsis Zimina,1975** (Conopidae) Synonym(s): *nigratarsis* Zimina,1975 RU TR
2490. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV
IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
2491. **Sigara daghestanica Jansson,1983** (Corixidae) Synonym(s): *daghestanica* Jansson,1983;
#daghestanica Önder et al.,2006 *Sigara (Subsigara) daghestanica* Jansson,1983, Ann. ent. fenn. 49 (3):
65-70. Cc RU Da AZ AM TR GB
2492. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s):
erythrocephalum De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934;
mihalyii Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE
IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
2493. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes*
Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola*
Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO
RU YU SK ES SE CH TN UA
2494. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s):
petricolum Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
2495. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus*
Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
2496. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum*
Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE
FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN UI

2497. **Sinophorus pleuralis** (Thomson,1887) (Ichneumonidae) Synonym(s): *pleuralis* Thomson,1887 TR RU Sb
2498. **Sisypus schaefferi** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758 TR RU Am BG UA Cm Cc AM GG TM KP KR
2499. **Skorikovia elongata** (Radoszkowski,1885) (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885 RU Cc AZ KG UZ TM IR KK
2500. **Skorikovia radoszkowskii** (Skorikov,1935) (Mutillidae) Synonym(s): *radoszkowskii* Skorikov,1935 AZ GG Cc RU Da TR
2501. **Solva marginata** (Meigen,1820) (Xylomyidae) Synonym(s): *marginata* Meigen,1820 FR RU Tv ES DK GB UA Cm CN MN TR
2502. **Sophrops heydeni** Brenske,1892 (Scarabaeidae) Synonym(s): *heydeni* Brenske,1892 RU Am
2503. **Sorhoanus medius** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *medius* Mulsant & Rey,1855 BG FR IT SW KG KK RU Sb UA YU
2504. **Speudotettix subfuscus** (Fallén,1806) (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
2505. **Sphaeridium substriatum** Faldermann,1838 (Hydrophilidae) Synonym(s): *substriatum* Faldermann,1838 TR RU
2506. **Sphaerophoria scripta** (Linnaeus,1758) (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
2507. **Sphenella marginata** (Fallén,1814) (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
2508. **Spilogona carbonella** (Zetterstedt,1845) (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 FR Co DE PL CZ SK CH AT HU TR RU
2509. **Stalia major** Costa,1840 (Nabidae) Synonym(s): *major* Costa,1840 Cn CY TR RU
2510. **Stenagostus rosti** (Schwarz,1897) (Elateridae) Synonym(s): *rosti* Schwarz,1897 TR Cc GG AZ RU
2511. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU KG MN
2512. **Stenocranus fuscovittatus** (Stal,1858) (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
2513. **Stenocranus minutus** (Fabricius,1787) (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
2514. **Stenodera caucasica** (Pallas,1781) (Meloidae) Synonym(s): *caucasica* Pallas,1781 TR Cc SY IL Pa IR RU Sb
2515. **Stenodynerus orenburgensis** (André,1884) (Vespidae) Synonym(s): *orenburgensis* André,1884 RU Or TR
2516. **Stenopogon callosus** (Pallas,1818) (Asilidae) Synonym(s): *callosus* Pallas,1818 IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
2517. **Stenopogon elongatus** (Meigen,1804) (Asilidae) Synonym(s): *elongatus* Meigen,1804 TR IR EG GR FR HU IL Pa RO RU TN
2518. **Stenopogon flavibarbis** Enderlein,1934 (Asilidae) Synonym(s): *flavibarbis* Enderlein,1934; *fuscibarbis* Enderlein,1934 TR RU KG CN
2519. **Stenopogon junceus** (Wiedemann,1820) (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861 IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
2520. **Stenopogon laevigatus** (Loew,1851) (Asilidae) Synonym(s): *laevigatus* Loew,1851; *bicolor* Bigot,1878 TR Cc RU AF CN IR Fa AZ
2521. **Stenopogon mollis** Loew,1868 (Asilidae) Synonym(s): *mollis* Loew,1868 Cc RU TR IR Elb Dam AM
2522. **Stenopogon nataliae** Richter,1963 (Asilidae) Synonym(s): *nataliae* Richter,1963 Cc RU TR IR Mz Elb AM
2523. **Stenopogon nigriventris** Loew,1868 (Asilidae) Synonym(s): *nigriventris* Loew,1868 Cc RU GR TR IR AZ
2524. **Stenopogon roederii** Bezzi,1895 (Asilidae) Synonym(s): *roederii* Bezzi,1895 IT Cc RU TR
2525. **Stenopogon sabaudus** (Fabricius,1794) (Asilidae) Synonym(s): *sabaudus* Fabricius,1794; *fulvus* Pallas,1818 Cc RU TR IR Kd
2526. **Stenurella bifasciata** (O.F.Müller,1776) (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller,1776 RU Cc TR IR DE
2527. **Stenurella melanura** (Fabricius,1792) (Cerambycidae) Synonym(s): *melanura* Fabricius,1792 RU Cc TR IR DE CZ
2528. **Stephanitis caucasica** Kiritschenko,1939 (Tingidae) Synonym(s): *caucasica* Kiritschenko,1939 RU Cc TR
2529. **Sterictiphora furcata** (Villers,1789) (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR

2530. **Stichopogon caucasicus Bezzi,1910** (Asilidae) Synonym(s): *caucasicus* Bezzi,1910 IR Ss Ab Ak Cc RU
2531. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
2532. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis* Loew,1847 IT FR Co YU PT AT RO RU BG TR
2533. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856 IT FR RO GR CZ BG SK TR RU IR AZ Ss Kc
2534. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
2535. **Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti* Royer,1923 RU Cc TR IL Pa CY DZ
2536. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
2537. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
2538. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 FR CY RU TR Cc AM IL SY IR EG MA DZ TN
2539. **Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922 *Musca chamaeleon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 589. Type(s): Europa. CH YU FR RU TR Cc GG AM CN At LT
2540. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
2541. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythropera* Egger,1859; *pyrrhocera* Loew,1868 FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
2542. **Stratiomys singularior (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 GB DE SE NO RU Sb Us KG IR MN CN
2543. **Stratiomys wagneri (Pleske,1899)** (Stratiomyidae) Synonym(s): *wagneri* Pleske,1899; *connectens* Szilady,1941 RU At Sb KG Tk MN
2544. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si Jp KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
2545. **Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 BG HU RO RU Cc TR
2546. **Stylosomus flavus Marseul,1875** (Chrysomelidae) Synonym(s): *flavus* Marseul,1875 TR YU UA RU
2547. **Suillia variegata (Loew,1862)** (Heleomyzidae) Synonym(s): *variegata* Loew,1862 ES TR AZ RU Cc Kr Soc
2548. **Sybistroma discipes (Germar,1821)** (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824 GR RO RU IR
2549. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843 BG EG GR IL Pa IQ RO RU
2550. **Sybistroma obscurella (Fallén,1823)** (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827 Cc Abk GG GR RO RU UA Cm
2551. **Sybistroma transcaucasica Stackelberg,1941** (Dolichopodidae) Synonym(s): *transcaucasica* Stackelberg,1941 Cc Abk GG RU
2552. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
2553. **Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 IR Ak Ab BG HV FR IT ES RU
2554. **Sympherta fuscicornis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 NL DE SE PL RU TR
2555. **Symplesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913;

- meteori Girault,1916* TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US CfYE YU
2556. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
2557. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
2558. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
2559. **Synaptus filiformis (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis* Fabricius,1781 TR Cc GR RU Sb
2560. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926 GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
2561. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
2562. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
2563. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis* Meigen,1822 TR RU Ur Sb Cc IR MN AF KP KR JP US
2564. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
2565. **Systropha (s.str.) curvicornis (Scopoli,1770)** (Halictidae) Synonym(s): *curvicornis* Scopoli,1770; *convolvuli* Pallas,1773; *labrosa* Eversmann,1852 SK RU Ur
2566. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
2567. **Tabanus indrae Hauser,1939** (Tabanidae) Synonym(s): *indrae* Hauser,1939; *vappa* Bogatchev & Samedov,1949; *montivagus* Olsfjev,1970 TR Cc AM AZ Nv GG IR RU
2568. **Tabanus laetinctus Becker,1913** (Tabanidae) Synonym(s): *laetinctus* Becker,1913; *sordes* Bogatshev & Samedov,1949; *assuetus* Hauser,1960; *cinereus* Hauser,1960 TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU
2569. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
2570. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 nec Scop.,1763; *#regluaris* Kihç,1999 DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
2571. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 nec Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
2572. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
2573. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761 TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
2574. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta* Rondani,1859; *micado* Kirby,1884; *orientalis* Zimin,1935; *trigonata* Villeneuve,1936; *nigriventris* Zimin,1967; *mesnili* Zimin,1967; *turanica* Zimin,1980 IT FR DE CH Cc TR UZ MN CN JP KG RU
2575. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
2576. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876 Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
2577. **Tachycixius tigrinus Logvinenko,1971** (Cixiidae) Synonym(s): *tigrinus* Logvinenko,1971 Cc AZ GG RU UA TM
2578. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
2579. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
2580. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP

2581. **Tachytrechus genualis Loew,1857** (Dolichopodidae) Synonym(s): *genualis Loew,1857* AM Cc
BG RO RU JP TW
2582. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus Stannius,1831*;
litoreus Haliday,1833; *obscuripes Gertaeker,1864*; *beckeri Müller,1923* Cc Abk GG TR AM BG GR RO IL Pa
RU SY UA Cm Cn
2583. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti Zachvatkin,1947*
GR Cr TR IR KG RU UA YU AF PK
2584. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872*;
subpunctata Vilbaste,1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
2585. **Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): *univittatus Rossi,1792* ES IT
LY RU KP KR Cc AM Sb MN...
2586. **Tenodera angustipennis Saussure,1869** (Mantidae) Synonym(s): *angustipennis*
Saussure,1869 CN Hw IN JP ID Ja KP KR RU Sb
2587. **Tenthredo maculata Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata Geoffroy,1785*;
unifasciata Geoffroy,1785; *zonta Christ,1791*; *equestris Panzer,1809*; *latizona Audinet-Serville,1823*; *andréi*
Mocsary,1883; *maculata Enslin,1912* TR Cc RU Sb JP
2588. **Tenthredo omissa Förster,1844** (Tenthredinidae) Synonym(s): *omissa Förster,1844*; *vienensis*
sensu Panzer,1799; *marginella sensu Thomson,1871*; *melanoceraea Enslin,1912* TR Cc RU Sb
2589. **Tenthredo propinqua Klug,1817** (Tenthredinidae) Synonym(s): *propinqua Klug,1817* TR RU
UA Cc
2590. **Tenthredo scrophulariae Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae*
Linnaeus,1758 TR RU Cc
2591. **Tenthredo thompsoni Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni Curtis,1839*;
basanalis Enslin,1912; *marginella sensu Chevin,1983*; *semifasciatus Rudow,1872* TR Cc RU KG
2592. **Tenthredo vespa Retzius,1783** (Tenthredinidae) Synonym(s): *vespa Retzius,1783*; *multifasciata*
Geoffroy,1785; *sexannulata Schrank,1802*; *tricineta Fabricius,1804 nec Christ,1791*; *quadracineta Fallén,1808*;
vespiformis Audinet-Serville,1823; *multicinctus Rudow,1872*; *nigrilabris Frivaldszky,1877* TR RU Cc Sb CN
MN
2593. **Tenthredo vespiformis Schrank,1781** (Tenthredinidae) Synonym(s): *vespiformis*
Schrank,1781 TR RU UA
2594. **Tenthredo zonula Klug,1817** (Tenthredinidae) Synonym(s): *zonula Klug,1817*; *fasciata*
Scopoli,1763 nec Linn.,1758; *bifasciata Geoffroy,1785*; *bicictaflava Christ,1791*; *similis Mocsary,1880*;
nazarensis André; *serena Konow*; *calcaratus André,1881*; *scutellaris Konow,1898* TR RU UA IR MD Cc AM
IL SY LB
2595. **Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata Klug,1817*;
alboplagiata Konow,1890; *ischiadica Eversmann,1847*; *cylindrica Rudow,1871* TR RU Cc Sb MN CN IR
2596. **Tentyria nomas (Pallas,1781)** (Tenebrionidae) Synonym(s): *nomas Pallas,1781*; *saisanensis*
Motschoulsky,1845 RU Sb Cc KG
2597. **Tentyria taurica Tauscher,1812** (Tenebrionidae) Synonym(s): *taurica Tauscher,1812*; *fischeri*
Solier,1835 UA Cm TR RU
2598. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa Loew,1856* TR RU Sb CN Ui
AF IR Cc AM GG
2599. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea Loew,1856* TR AT EE
DE FR HU LT LV MD CH SE UA GG Cc AM RU
2600. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata Rondani,1871* TR IL Pa
TJ RU Sb SY IQ KK KG
2601. **Tephritis vespertina (Loew,1844)** (Tephritidae) Synonym(s): *vespertina Loew,1844*; *apicalis*
Becker,1907 *Trypeta vespertina Loew,1844, Z. Ent., Leipzig 5: 387.* CH RU AT DE DZ TR
2602. **Teratolytta optabilis (Faldermann,1832)** (Meloidae) Synonym(s): *optabilis Faldermann,1832*
AZ Cc Len Nv AM RU Da Bak IR
2603. **Terellia ceratocera Hendel,1913** (Tephritidae) Synonym(s): *ceratocera Hendel,1913* TR RU
Sb KG
2604. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda Fabricius,1794* TR
KG CN KK Cc MN RU Sb Us
2605. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae Linnaeus,1758* TR
KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
2606. **Tetanops laticeps Loew,1868** (Ulidiidae) Synonym(s): *laticeps Loew,1868* RU Sr IR Kh TM Kp
2607. **Tetanops myopina Fallén,1820** (Ulidiidae) Synonym(s): *myopina Fallén,1820* UA RU EE UA
LT
2608. **Tetanops sintenisi Becker,1909** (Ulidiidae) Synonym(s): *sintenisi Becker,1909* RU Us UA CN
NL DE
2609. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus*
Kirschbaum,1868; *pellucidus Wagner,1951 nec Melichar,1896* AL AT CZ HU IT RO RU YU GR TR
2610. **Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici Fitch,1859* IR Th Elb CA BR
RU ES US
2611. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari Saulcy,1901* ES FR CZ YU SS
B-H HV RO BG TR Cc RU KG TM UZ KK

2612. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866* Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
2613. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii Signoret,1866* AL BG CS FR GR IL IT RO ES TR RU TJ YU
2614. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis Signoret,1866* AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
2615. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi Lindberg,1948* AF IR TR Cc AZ KG KK RU TJ TM UA UZ
2616. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
2617. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932* Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
2618. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagialis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932* AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
2619. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903* Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
2620. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
2621. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata Lindberg,1948* AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
2622. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra Hagenbach,1825* DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
2623. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata Fieber,1872* AT FR DE IT TR EE RU YU
2624. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865* DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
2625. **Tettigometra peliotaenia Fieber,1865** (Tettigometridae) Synonym(s): *peliotaenia Fieber,1865* DZ GR IT RU
2626. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida Fieber,1865* Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
2627. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia Fieber,1865* BG JO AZ KG KK RU TJ TM UZ YU
2628. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina Fieber,1865* Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
2629. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940* DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
2630. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima Linnaeus,1758; cantatrix De Geer,1773; flava Nedelkov,1907; meridionalis Shugurov,1912; paoli Capra,1936; intermedia Jannone,1937; trinaeriae Jannone,1937* Gryllus (Tettigonia) *viridissima Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR*
2631. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäfer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tinctoria Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
2632. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
2633. **Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): *formicarius Linnaeus,1758* RU UA Cm Cc TR
2634. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
2635. **Thereva albibarba Kröber,1912** (Therevidae) Synonym(s): *albibarba Kröber,1912* RU
2636. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis Wiedemann,1821; bivittata Loew,1840* AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR

2637. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata* Loew,1847 IT MT MA TN
RU TR UA
2638. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita*
Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 AT AL CH CZ DE DK FR GR HU IT PL RO
YU UA RU TR LT SY IL Pa
2639. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris*
Meigen,1820 AT CZ DE ES FR GB PL RU HU IT RO YU TR
2640. **Thereva fulvibarba Kröber,1912** (Therevidae) Synonym(s): *fulvibarba* Kröber,1912 TR UA
RU
2641. **Thereva lanata Zetterstedt,1838** (Therevidae) Synonym(s): *lanata* Zetterstedt,1838; *vetula*
Zetterstedt,1838; *amoena* Kowarz,1883 TR CZ DE NO NL PL CH FI RU
2642. **Thereva nitidifrons Kröber,1913** (Therevidae) Synonym(s): *nitidifrons* Kröber,1913 TR UA
RU MN
2643. **Thereva pallipes (Loew,1869)** (Therevidae) Synonym(s): *pallipes* Loew,1869 RU EG
2644. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus*
De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB
HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
2645. **Thereva rossica Becker,1922** (Therevidae) Synonym(s): *rossica* Becker,1922 RU
2646. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794;
latistrigata Kröber,1913; *thermophila* Trojan,1970 AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA
MA
2647. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata*
Meigen,1820 TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
2648. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis*
Schummel,1839; *ursina* Wahlberg,1854 TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
2649. **Theriopectes tricolor Zeller,1842** (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda*
Enderlein,1925; *kirchbergi* Moucha & Chvala,1959 TR BG RU RO
2650. **Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964
TR Cc RU
2651. **Thricops aculeipes (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes* Zetterstedt,1838
DE PL SK CH AT TR RU
2652. **Thricops nigrifrons (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *nigrifrons*
Robineau-Desvoidy,1830 RU Ur Cc IR GG AM Eri TR
2653. **Thricops nigrifrons (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigrifrons* Zetterstedt,1838
DE PL CZ SK CH AT HU TR RU Ur
2654. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus* Schnabl,1888 FR Co
DE PL CZ SK CH AT HU TR RU
2655. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763;
sanguinea Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes*
Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA
MK YU
2656. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa* Loew,1873 RU Or LB UA MD KG
IR MN Cc TJ
2657. **Timia melanorrhina Loew,1866** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866 GR KG
TM RU Sr
2658. **Timia xanthaspis Loew,1868** (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868 RU Sr TM GR
2659. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847 US DZ RU IL Pa
SY TR CN Ui
2660. **Tingis caucasica (Jakovlev,1880)** (Tingidae) Synonym(s): *caucasica* Jakovlev,1880 Cc TR AL
RU HU YU
2661. **Tingis geniculata (Fieber,1844)** (Tingidae) Synonym(s): *geniculata* Fieber,1844 DZ RU TR
2662. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877 RU Cc TR CY SY
GR
2663. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata* Puton,1879 MA RU Cc TR
CN Ui
2664. **Tingis pilosa Hummel,1825** (Tingidae) Synonym(s): *pilosa* Hummel,1825 MA TR CN Ui RU Sb
2665. **Tingis pusilla (Jakovlev,1874)** (Tingidae) Synonym(s): *pusilla* Jakovlev,1874 RU Cc TR
2666. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 AL
BG RU IT CY RO TR YU GR
2667. **Tingis sideritis Stusak,1973** (Tingidae) Synonym(s): *sideritis* Stusak,1973 BG RU TR
2668. **Tingis stepposa Golub,1977** (Tingidae) Synonym(s): *stepposa* Golub,1977 RU TR
2669. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis*
Meigen,1804; *itermedia* Eiroa,1990 *Tipula lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE
B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU
CY SY LB IL Pa TM KG Cc GG AM TR
2670. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800 TN
ES AT AL TR Cc SY IR RU

2671. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781; striatus Meigen,1820; annulatus Macquart,1826; pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
2672. **Tolmerus muhabbet Koçak,2008** (Asilidae) Synonym(s): *fuscus Macquart,1839 nec Wied.,1828; muhabbet Koçak,2008* Tolmerus muhabbet Koçak,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro fuscus Macquart,1839 nec Wiedemann,1828) Cn RU TR
2673. **Tolmerus paganus Becker,1923** (Asilidae) Synonym(s): *paganus Becker,1923* RU TR
2674. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929* Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
2675. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
2676. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii Walker,1833* IR Lo AZ Cc BE HV FR DE JP KR NL CN PL PT RU YU SK SE UA GB
2677. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus Walker,1833; pallidicornis Boheman,1834; nanulus Walker,1874* CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
2678. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781; macropterum Walker,1833; splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
2679. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
2680. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
2681. **Trapezonotus desertus Seidenstücker,1951** (Lygaeidae) Synonym(s): *desertus Seidenstücker,1951; inglorius Vinokurov,1990* RU
2682. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar Stal,1872; breviceps Jakovlev,1882; seductor Horvath,1883* MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
2683. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
2684. **Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus Kolenati,1845* AZ AM Cc RU TR IR
2685. **Trematodes tenebrioides (Pallas,1781)** (Scarabaeidae) Synonym(s): *tenebrioides Pallas,1781* RU Us
2686. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
2687. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803; auronitens Kirschbaum,1868; halbum Fieber,1868* AT BE CZ DK GB FR DE IT NL RU CY IR TR
2688. **Trichius fasciatus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus Linnaeus,1758* RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR
2689. **Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius Linnaeus,1758* DE BG RU TR Cc AM GG
2690. **Trichodes inermis Reitter,1893** (Cleridae) Synonym(s): *inermis Reitter,1893* TR Cc RU IL Pa IR Ak Ab
2691. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851; halictivorus Rondani,1856* TR AZ Cc IR FR GR IT RU KG IL Pa
2692. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
2693. **Tricyphona (s.str.) zwicki Mendl,1973** (Pedicidae) Synonym(s): *zwicki Mendl,1973; acuspica Alexander,1975; elburzensis Alexander,1975* TR IR AZ Cc GG RU BG IT
2694. **Trigonophorus rothschildi Fairmaire,1891** (Scarabaeidae) Synonym(s): *rothschildi Fairmaire,1891* RU
2695. **Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): *manteroi Kieffer,1909* MD AM Cc RU TR TM
2696. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis Rjachovsky,1959; rossicus Rjachovsky,1959* MD RO BG IR MN UA SS LT EE RU TR
2697. **Trogoderma inclusum LeConte,1854** (Dermestidae) Synonym(s): *inclusum LeConte,1854; tarsale Riley,1894; advena Casey,1900; obsolescens Casey,1900; frosti Casey,1916; nigrescans Casey,1916; brunnescens Casey,1916* TR US RU RG IN
2698. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus Fabricius,1775; serrulatus Müller,1776; dentatus Schrank,1781; beryllinus Gmelin,1788; elector Fabricius,1794; angusta Reuter,1881* AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH

2699. **Tropideres naevulus Faust,1887** (Anthribidae) Synonym(s): *naevulus Faust,1887* RU Sb
2700. **Tropidopola daurica Uvarov,1926** (Acrididae) Synonym(s): *daurica Uvarov,1926* RU Sb
2701. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG
AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
2702. **Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana André,1901* TR Cc
AZ AM GR MK RU
2703. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta Poda,1761*;
hirtellus Linnaeus,1767 AL TR SY LB IL Pa Cc YU RU UA Cm
2704. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata Fuesslin,1775* TR GB SE
KG RU CN IN DZ IR
2705. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s):
fenestrata auct. nec A.Costa,1862; occidentalis Huang & Bourgoïn,1993 AT BG CY CS FR HU IL IT RO TR Cc
AM KK MD RU UA YU
2706. **Tryphon (s.str.) signator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *signator*
Gravenhorst,1829 TR RU Sb Ya
2707. **Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s):
trochanteratus Holmgren,1855 Cc KG TR RU Sb
2708. **Tryphon auricularis Thomson,1883** (Ichneumonidae) Synonym(s): *auricularis Thomson,1883*
KG TR RU To
2709. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913*
RU KG KK TR IQ IR MA TN EG
2710. **Turka nudus (Lehr,1996)** (Asilidae) Synonym(s): *nudus Lehr,1996* RU KG
2711. **Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): *tridentatus Loew,1871* RU KK KG TR
2712. **Turka zaitzevi (Lehr,1996)** (Asilidae) Synonym(s): *zaitzevi Lehr,1996* RU KK
2713. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861; quadrivittatus*
Marshall,1866; inclusivalvis Kirschbaum,1868; quinquevittatus Kirschbaum,1868; flavinervis
Kirschbaum,1868; onustus Fieber,1869; fugax Horvath,1897; sinuatus Matsumura,1908 DZ BE BG CN CS
DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
2714. **Tychius flavus Becker,1864** (Curculionidae) Synonym(s): *flavus Becker,1864* TR RU Sb
2715. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula Fabricius,1794*
(praeocc.); bifasciata Boheman,1851; norqueti Lethierry,1874; fenestrata Melichar,1896; atrata
Melichar,1896; perrieri Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ
UA
2716. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777*;
fasciata Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG
LV MD RU UA YU CA
2717. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima Haliday,1833*;
inconclusa Walker,1856; crassicauda Agrell,1945 Ula *mollissima Haliday,1833, Ent. Mag. 1: 153.* AT BE
BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
2718. **Ulidia ruficeps Becker,1913** (Uliidae) Synonym(s): *ruficeps Becker,1913* IR LB IT RU TM
2719. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* AF
DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
2720. **Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica Fallén,1820; centauriae*
Robineau-Desvoidy,1830; scutellata Rondani,1870 DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
2721. **Urophora cuspidata (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata Meigen,1826*;
solstitialis Zettstedt,1847 nec Linn.,1758 TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
2722. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii*
Frauenfeld,1867; wodzizkii Frauenfeld,1867; syriaca Hendel,1927; erichschmidtii M.Hering,1953 TR AT KG
MD UA RU IL Pa LB SY
2723. **Urophora eriolepidis (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis Loew,1856*;
terebrans Frauenfeld,1857 TR DE AZ Cc AM GG LT MD RU UA
2724. **Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana M.Hering,1935* TR
GB FR NO RU FI FR Py ES Cc Ur US
2725. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura Loew,1855; lejura*
Rondani,1870 Trypeta *macrura Loew,1855, Stettin ent. Ztg. 16: 40.* TR Cc AZ AM GG IL Pa EG DZ LT RU
MD UA GR
2726. **Urophora maura (Frauenfeld,1857)** (Tephritidae) Synonym(s): *maura Frauenfeld,1857* TR
CZ CN Ui KK RU UA MD FR Co
2727. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica*
Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
2728. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata*
Meigen,1826 TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
2729. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758*;
dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii
Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907 TR Cc AM AZ KG KK CN Ui RU Us
Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA

2730. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805 AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
2731. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 **Trypeta terebrans** Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
2732. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 FR GR IT KK RU ES TJ TN TM
2733. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
2734. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
2735. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
2736. **Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829 TR Cc RU
2737. **Verdanus caucasicus (Emeljanov,1962)** (Cicadellidae) Synonym(s): *caucasicus* Emeljanov,1962 Cc RU
2738. **Verdanus ciscaucasicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *ciscaucasicus* Emeljanov,1964 RU Cc
2739. **Verdanus daghestanicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *daghestanicus* Emeljanov,1964 Cc RU Da
2740. **Verdanus evansi (Ashmead,1904)** (Cicadellidae) Synonym(s): *evansi* Ashmead,1904 RU Krl Kmt CA
2741. **Verdanus intermedius (Emeljanov,1964)** (Cicadellidae) Synonym(s): *intermedius* Emeljanov,1964 RU Cc
2742. **Verdanus oseticus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *oseticus* Emeljanov,1964 RU Cc
2743. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US
2744. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
2745. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
2746. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916 ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
2747. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
2748. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
2749. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 ES FR GR CY HU IT Si MD RU UA
2750. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
2751. **Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914 FR ES IT RO MD RU YU UA
2752. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
2753. **Villa mouchai François,1969** (Bombyliidae) Synonym(s): *mouchai* François,1969 RU Sb
2754. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
2755. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
2756. **Villa ovata (Loew,1869)** (Bombyliidae) Synonym(s): *ovata* Loew,1869 MN RU CN
2757. **Villa satanas Becker,1916** (Bombyliidae) Synonym(s): *satanas* Becker,1916 RU Sb
2758. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU
2759. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
2760. **Wiedemannia zetterstedti (Fallén,1826)** (Empididae) Synonym(s): *zetterstedti* Fallén,1826 Cc RU Soc
2761. **Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822 Cc Da RU TR BG
2762. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809 *Tridactylus variegatus* Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB Brussels). FR ES CZ RO TR Cc RU KG IN

2763. **Xylomya ciscaucasica (Pleske,1928)** (Xylomyidae) Synonym(s): *ciscaucasica Pleske,1928* Cc
RU
2764. **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata Meigen,1804* FR GB
PL RO ES DK RU TR
2765. **Xylophagus caucasicus Krivosheina & Mamaev,1982** (Xylophagidae) Synonym(s):
caucasicus Krivosheina & Mamaev,1982 RU Cc
2766. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola Olivier,1795* CZ
GR Cc DZ IR TR RU KG
2767. **Xylotrechus capricornus (Gebler,1830)** (Cerambycidae) Synonym(s): *capricornus*
Gebler,1830 SK UA RU CZ
2768. **Xylotrechus hircus (Gebler,1825)** (Cerambycidae) Synonym(s): *hircus Gebler,1825* KG RU
2769. **Xylotrechus ibex (Gebler,1825)** (Cerambycidae) Synonym(s): *ibex Gebler,1825* DE PL RU Sb
2770. **Xylotrechus pantherinus (Savenius,1825)** (Cerambycidae) Synonym(s): *pantherinus*
Savenius,1825 RU KG Cc CZ
2771. **Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus Linnaeus,1758*
Cc TR IR CZ RU
2772. **Xyphosia conspicua (Loew,1869)** (Tephritidae) Synonym(s): *conspicua Loew,1869* RU Cc TR
2773. **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria Schrank,1781* TR KK
KG CN RU Us
2774. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea Fabricius,1805*
TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
2775. **Zabrachypus tenuiabdominalis (Uchida,19141)** (Ichneumonidae) Synonym(s):
tenuiabdominalis Uchida,19141 RU Cc TR JP
2776. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM
Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR
UA CY IR
2777. **Zeuxia zejana Kolomiets,1971** (Tachinidae) Synonym(s): *zejana Kolomiets,1971* IT RU Sb Us
TR
2778. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758*;
concinna Westwood,1837; *violacea Westwood,1837*; *illustris Amyot & Serville,1843*; *cuprea Dallas,1851* AF
DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID
Ja Sum Bor IR BG YU US
2779. **Zyгина (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s):
hyperici Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA
UZ YU
2780. **Zyгина (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874*
AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
2781. **Zyгина (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera*
Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
2782. **Zyгина (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata*
Lethierry,1869 AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
2783. **Zyгина (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG
CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
2784. **Zyginidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): *eremita*
Zachvatkin,1953; *caucasica Zachvatkin,1953* Cc TR GG RU UZ
2785. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s):
scutellaris Herrich-Schäffer,1838 AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc
MD RU Sb UZ YU
2786. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab*
Zachvatkin,1947; *coacta Ribaut,1948* AF CY IR IL JO LB SY TR RU Cc GG Da UZ

Synonymic and distributional list of the pterygot insects of Saudi Arabia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

21

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Saudi Arabia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 21. Priamus (suppl.) 18: 892-901.

In this study, totally 248 species (except Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Saudi Arabia.

Brief explanatory information:

Previously published article	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 248 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* AZ Cc TR EG SA SY YE
2. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus *insubricus Scopoli,1786, Deliciae faunae et florae insubricae etc Ticini: 64.* DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
3. **Adelostoma (Zarudnyomus) batesi Haag-Rutenberg,1875** (Tenebrionidae) Synonym(s): *batesi Haag-Rutenberg,1875* SA YE OM
4. **Adesmia (Oteroscelis) lacunosa Klug,1830** (Tenebrionidae) Synonym(s): *lacunosa Klug,1830* SY IR SA EG
5. **Adesmia (s.str.) montana Klug,1830** (Tenebrionidae) Synonym(s): *montana Klug,1830; parallela Miller,1861* SA EG Sn IR
6. **Adesmia (s.str.) reticulata Klug,1830** (Tenebrionidae) Synonym(s): *reticulata Klug,1830* SA ET
7. **Aethiessa inhumata Gory & Percheson,1833** (Scarabaeidae) Synonym(s): *inhumata Gory & Percheson,1833; leucospila Burmeister,1842* SA
8. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica Burmeister,1842; bagdadensis Burmeister,1842; inhumata Brasavola,1939* DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ

9. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
10. **Agriotes (s.str.) meticolosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
11. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
12. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
13. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
14. **Ameles arabica Uvarov,1939** (Mantidae) Synonym(s): *arabica* Uvarov,1939 SA
15. **Ameles wadisirhani Kaltenbach,1982** (Mantidae) Synonym(s): *wadisirhani* Kaltenbach,1982 SA
16. **Amphicoma (Pygopleurus) cirrius Petrovitz,1957** (Glaphyridae) Synonym(s): *cirrius* Petrovitz,1957 IQ SA
17. **Anagyrs pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
18. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 TN EG KE SD DZ IL Pa LY SA ES SY
19. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
20. **Anastoechus miscens (Walker,1871)** (Bombyliidae) Synonym(s): *miscens* Walker,1871 ER SD YE SA
21. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
22. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 IT DZ EG FR IL Pa LY PT ES TN TM SA SD
23. **Anastoechus trisignatus Portschnsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschnsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
24. **Ancistrocerus biphaleratus Saussure,1852** (Vespidae) Synonym(s): *biphaleratus* Saussure,1852; *palaestinus* Giordani Soika,1952 PT EG Sn JO Pet IL Pa SA YE
25. **Aneomochtherus arabicus (Macquart,1838)** (Asilidae) Synonym(s): *arabicus* Macquart,1838 SA
26. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 ES EG SA TM MR SY TRIL Pa CY
27. **Anthidium (Mesanthidium) alternans Klug,1832** (Megachilidae) Synonym(s): *alternans* Klug,1832; *karschi* Friese,1899; *doederlini* Friese,1917; *dusmeti* Mavromoustakis,1947; *lividum* Benoist,1950; *flavissimum* Pasteels,1969 DZ MA SA EG IL Pa
28. **Anthidium (Proanthidium) pulchellum Klug,1832** (Megachilidae) Synonym(s): *pulchellum* Klug,1832; *nitidicolle* Friese,1897; *asniense* Cockerell,1931 EG Sn MA SA
29. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
30. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 DZ TN LY IL Pa SY IQ SA
31. **Aphytis riyadhi DeBach (1)** (Aphelinidae) Synonym(s): SA
32. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fusca* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871 MA DZ LY TN EG NG TR SA IL Pa IR
33. **Apoclea autumnalis Becker,1909** (Asilidae) Synonym(s): *autumnalis* Becker,1909 YE SA
34. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis* Wiedemann,1828; *helva* Wiedemann,1828; *illustris* Schiner,1867; *aperta* Becker,1909 EG SA IL Pa IR Fa Ss Ke Kh YE SD
35. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910 EG TN LY MA IL Pa YE SA IR

36. **Arabistania⁴⁷ philbyi (Uvarov,1936)** (Hymenopodidae) Synonym(s): *philbyi Uvarov,1936* SA YE
37. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
38. **Ascalaphus festivus (Rambur,1842)** (Ascalaphidae) Synonym(s): *festivus Rambur,1842* IL Pa SA MG
39. **Asiothrix minuta (Wittmer,1954)** (Melyridae) Synonym(s): *minuta Wittmer,1954* SA
40. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890* PK IN LK BD MM TH LA VN MU RE EG OM SA
41. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum Mayr,1853* AF BG IQ IR HU EG RP SD SY SA TR
42. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
43. **Bembecinus bytinskii De Beaumont,1954** (Crabronidae) Synonym(s): *bytinskii De Beaumont,1954* SA IL Pa JO AE YE
44. **Bembecinus proximus Handlirsch,1892** (Crabronidae) Synonym(s): *proximus Handlirsch,1892* SA PK IN NP YE
45. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
46. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
47. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
48. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
49. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924* AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
50. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis oew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
51. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis Loew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
52. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum Macquart,1840; trigonus Bezzi,1925; pulchellus Austen,1937* EG IL Pa IR SA
53. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum Macquart,1840; trigonus Bezzi,1925; pulchellus Austen,1937* SD EG IL Pa SA
54. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
55. **Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *elbayensis Efflatoun,1945; cinereipilus Greathead,1967* ER KE SD TZ EG SA
56. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
57. **Bombylius (s.str.) marebensis Greathead,1967** (Bombyliidae) Synonym(s): *marebensis Greathead,1967* ET YE SA
58. **Bombylius (s.str.) massaurensis Greathead,1967** (Bombyliidae) Synonym(s): *massaurensis Greathead,1967* ER ML YE SA
59. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
60. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
61. **Bombylius (s.str.) pallidipilus Greathead,1967** (Bombyliidae) Synonym(s): *pallidipilus Greathead,1967* TD ER SO YE SA OM
62. **Bombylius (s.str.) phaeopterus Bezzi,1924** (Bombyliidae) Synonym(s): *phaeopterus Bezzi,1924; phaeopteroideus Greathead,1967* ER ET YE OM SA
63. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
64. **Bombylius (s.str.) saudiensis Greathead,1980** (Bombyliidae) Synonym(s): *saudiensis Greathead,1980* SA
65. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevirostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus*

⁴⁷ genus name established by the authors.

- Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
66. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
67. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY Cy IL Pa SY SA IQ
68. **Celonites pictus Richards,1962** (Vespidae) Synonym(s): *pictus Richards,1962* IR SN MA SA OM
69. **Centroclisis cervina Gersträcker,1863** (Myrmeleonidae) Synonym(s): *cervina Gersträcker,1863* EG SA
70. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK).* TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
71. **Ceratothripoides cameroni (Priesner,1934)** (Thripidae) Synonym(s): *cameroni Priesner,1934* SD NG SA IN TH
72. **Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): *thoracicum Sharp,1880* IR Ab Ak IQ SA
73. **Cicadatra flavicollis Horvath,1911** (Cicadidae) Synonym(s): *flavicollis Horvath,1911* EG IL Pa SA
74. **Coelostoma transcaspicum Reitter,1906** (Hydrophilidae) Synonym(s): *transcaspicum Reitter,1906* TR OM SA TJ
75. **Colletes arabicus Kuhlmann,2002** (Colletidae) Synonym(s): *arabicus Kuhlmann,2002* SA
76. **Colletes guichardi Kuhlmann,2003** (Colletidae) Synonym(s): *guichardi Kuhlmann,2003* SA
77. **Conops tomentosus Kröber,1916** (Conopidae) Synonym(s): *tomentosus Kröber,1916* TR TM TJ SA
78. **Corynis citrina (Pérez,1895)** (Cimbicidae) Synonym(s): *citrina Pérez,1895* BH DZ LY TN Gf SA
79. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus Goeze,1777* RU Sb AL BG PL YU TR JO IL Pa DZ SA UA
80. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
81. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa Rambur,1842; morosus Walker,1853; ulianini Mc Lachan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915; albanica Capra.* SD EG AF IR SA TR IQ IL CY AM GG AL
82. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus Rambur,1842; morosus Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915* AF IR TR SA IQ IL Pa Cc CY SD
83. **Cueta pallens (Klug,1834)** (Myrmeleonidae) Synonym(s): *pallens Klug,1834* SA IL Pa
84. **Cueta striata Kimmins,1943** (Myrmeleonidae) Synonym(s): *striata Kimmins,1943* AF IR SA
85. **Cueta variegata (Klug,1834)** (Myrmeleonidae) Synonym(s): *variegata Klug,1834* SA
86. **Cueta virgata (Klug,1834)** (Myrmeleonidae) Synonym(s): *virgata Klug,1834* SA SD
87. **Culicoides imicola Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola Kieffer,1913; pallidipennis Carter,Ingram & Macfie,1920* KE SA GH IL Pa
88. **Culicoides navaiae Lane,1983** (Ceratopogonidae) Synonym(s): *navaiae Lane,1983* SA
89. **Culicoides punctatus (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus Meigen,1804; ocellaris Kieffer,1921; kasachstanicus Shakirzhanova,1963* FR LT RU KG TR IL Pa SA
90. **Dasytidius addillaensis (Wittmer,1979)** (Melyridae) Synonym(s): *addillaensis Wittmer,1979* SA
91. **Dasytidius wittmeri Majer,1991** (Melyridae) Synonym(s): *wittmeri Majer,1991* SA
92. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
93. **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus Saussure,1852; elegans Saussure,1852* SA JO Pet IL Pa EG Sn IR
94. **Desmatoneura frontalis (Wiedemann,1828)** (Bombyliidae) Synonym(s): *frontalis Wiedemann,1828; impar Zetterstedt,1845* ET SD OM SA
95. **Dielocroce baudii (Griffini,1895)** (Nemopteridae) Synonym(s): *baudii Griffini,1895* TR SA IR AF
96. **Dielocroce withycombei (Navas,1926)** (Nemopteridae) Synonym(s): *withycombei Navas,1926* IR SA
97. **Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae Ferrière,1935* CY EG IL Pa SA SO SD YE
98. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
99. **Elachiptera bimaculata (Loew,1845)** (Chloropidae) Synonym(s): *bimaculata Loew,1845* TR SA
100. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi Capra,1929; pallida Chopard,1941* EG ET LY SO MA YE SA
101. **Elaea wittmeri Kaltenbach,1982** (Mantidae) Synonym(s): *wittmeri Kaltenbach,1982* YE SA


102. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii Stal,1877* EG ET IR YE
SO SA SD AE
103. **Empusa spinosa Krauss,1902** (Empusidae) Synonym(s): *spinosa Krauss,1902* OM SA
104. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni Mohr,1968* TR
IL Pa JO IR SA TM
105. **Epitrix priesneri (Heikertinger,1950)** (Chrysomelidae) Synonym(s): *priesneri Heikertinger,1950*
EG SA OM YE IR
106. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata Thunberg,1815 nec*
Oliv.,1792; infelix Uvarov,1924 EG IL Pa JO LB SA SD
107. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus*
Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus
Wollaston,1861; subdiaphanus Wollaston,1861 DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG
MX NA PR ZW SA ZA SD AE VE
108. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia*
Macquart,1851 TR LB IL Pa JO IR SA YE EG
109. **Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): *diversus Walker,1871* JO Amm
EG IL Pa SA
110. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN
LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
111. **Eurycorypha arabica Uvarov,1936** (Tettigoniidae) Synonym(s): *arabica Uvarov,1936* SA YE
112. **Exoprosopa asiris Greathead,1980** (Bombyliidae) Synonym(s): *asiris Greathead,1980* SA YE
113. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900*
ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
114. **Gepus curvatus Navas,1914** (Myrmeleonidae) Synonym(s): *curvatus Navas,1914* SA IR
115. **Gepus invisus Navas,1912** (Myrmeleonidae) Synonym(s): *invisus Navas,1912; scutellatus*
Klapalek,1914; tersus Navas,1936. LY SD TN SA IR
116. **Geron efflatouni Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni Greathead,1999* EG IL
Pa SA TN
117. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ
GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
118. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758;*
talpa Olivier,1791; vulgaris Latreille,1804 Gryllus *gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428.*
Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA
SY LB IL Pa RE
119. **Gryllotalpa stepposa Zhantiev,1991** (Gryllotalpidae) Synonym(s): *stepposa Zhantiev,1991* SA
120. **Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis Semenov,1900*
TM IR SA TR AF
121. **Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syriacus Kuwert,1885* TR SY SA
IR Cc TM KG
122. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis Lucas,1849* ES
FR Co IT MK GR TR Cc KG NG SD SA LK
123. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820;*
consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888;
aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si Ru KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM
Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
124. **Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): *pantherina Saussure,1872*
EG AO GN YE MR NE SO SA SD TD
125. **Heterotropus aegyptiacus Paramonov,1929** (Bombyliidae) Synonym(s): *aegyptiacus*
Paramonov,1929 SD EG SA
126. **Hoplitis (Alcidamea) contracta (Walker,1871)** (Megachilidae) Synonym(s): *contracta*
Walker,1871 SA ER
127. **Hymenalia denticulata (Muche,1982)** (Tenebrionidae) Synonym(s): *denticulata Muche,1982* AE
OM SA
128. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis Burmeister,1838;*
longifrons Saussure,1870; juliae Krauss,1892; guichardi La Greca,1952 Cn TN EG DZ LY SA SO NE OM
129. **Iris coeca Uvarov,1931** (Irididae) Synonym(s): *coeca Uvarov,1931* EG YE SA SD
130. **Iris pitcheri Kaltenbach,1982** (Irididae) Synonym(s): *pitcheri Kaltenbach,1982* SA
131. **Isoleon arabicus Esben-Petersen,1930** (Myrmeleonidae) Synonym(s): *arabicus Esben-*
Petersen,1930 SA
132. **Jugurtia jemenensis Kostylev,1935** (Vespidae) Synonym(s): *jemenensis Kostylev,1935; hoggarica*
Giordani Soika,1954 DZ IL Pa SA OM AE
133. **Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera Laporte &*
Gory,1835 IL Pa TR SY IQ SA
134. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi Foudras,1860* Cc TR IR
SA RU Sb KG YE

135. **Lopezus fedtschenkoi (McLachan,1875)** (Myrmeleonidae) Synonym(s): *fedtschenkoi* McLachan,1875 AF KG SA IR
136. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
137. **Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894 IR OM SA IL Pa JO LY
138. **Maracanda lineata Navas,1913** (Myrmeleonidae) Synonym(s): *lineata* Navas,1913 SA
139. **Masaris aegytiacus Meade-Waldo,1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo,1911 EG IL Pa JO SA
140. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 BW MZ NG SA SO ZA SD ZW
141. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
142. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835 TR JO SA SY IR IQ EG
143. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922 TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
144. **Miomantis arabica Kaltenbach,1982** (Mantidae) Synonym(s): *arabica* Kaltenbach,1982 YE SA
145. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
146. **Mylabris cingulata Faldermann,1837** (Meloidae) Synonym(s): *cingulata* Faldermann,1837 SA SY IR TR
147. **Myriochole (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
148. **Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) Synonym(s): *acerbus* Walker,1853; *atrox* Walker,1853; *iners* Walker,1853; *nigellus* Navas,1930. TR AF IN SA IQ
149. **Myrmecaelurus laetus (Klug,1834)** (Myrmeleonidae) Synonym(s): *laetus* Klug,1834 IR SA
150. **Myrmecaelurus peterseni Kimmins,1943** (Myrmeleonidae) Synonym(s): *peterseni* Kimmins,1943 SA
151. **Myrmeleon (Morter) fasciatus Navas,1912** (Myrmeleonidae) Synonym(s): *fasciatus* Navas,1912 SA
152. **Neoaliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
153. **Neoplatybrachys orientalis Lallemand,1950** (Eurybrachidae) Synonym(s): *orientalis* Lallemand,1950 ER DJ YE Ad SO SA As
154. **Nilomantis floweri Werner,1907** (Iridopterygidae) Synonym(s): *floweri* Werner,1907; *tenella* Giglio-Tos,1915; *arabica* Beier,1930 ET IR YE MR NE OM SA SD TD
155. **Nohoveus lepidus (Klug,1834)** (Myrmeleonidae) Synonym(s): SA
156. **Nohoveus palpalis (Klapalek,1914)** (Myrmeleonidae) Synonym(s): *palpalis* Klapalek,1914 DZ SA IR
157. **Nohoveus philbyi (Kimmins,1943)** (Myrmeleonidae) Synonym(s): *philbyi* Kimmins,1943 SA
158. **Nophis flava Hölzel,1972** (Myrmeleonidae) Synonym(s): *flava* Hölzel,1972 SA
159. **Nophis lutea Hölzel,1972** (Myrmeleonidae) Synonym(s): *lutea* Hölzel,1972 SA
160. **Nophis teillardi Navas,1912** (Myrmeleonidae) Synonym(s): *teillardi* Navas,1912; *macrurus* Klapalek,1914. SA
161. **Ochrilidia obsoleta (Uvarov,1936)** (Acrididae) Synonym(s): *obsoleta* Uvarov,1936 SA
162. **Ochrilidia popovi Jago,1977** (Acrididae) Synonym(s): *popovi* Jago,1977 SA
163. **Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus* Saussure,1853; *cauponalis* Giordani Soika,1977 SA EG IL Pa JO Amm Pet
164. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
165. **Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781 RU Cc AM AZ GG TM SY TR IQ SA MA
166. **Onthophagus (Palaeonthophagus) nebulosus Reiche,1864** (Scarabaeidae) Synonym(s): *nebulosus* Reiche,1864 IL Pa SA LY Cy
167. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon* Burmeister,1824 EG Sn IL Pa SD SO SA AF PK

168. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
169. **Oxycara subcostatum Guérin-Méneville,1861** (Tenebrionidae) Synonym(s): *subcostatum Guérin-Méneville,1861* **SA**
170. **Oxyothespis apostata Kaltenbach,1984** (Mantidae) Synonym(s): *apostata Kaltenbach,1984* **SA**
171. **Oxyothespis bifurcata Kaltenbach,1982** (Mantidae) Synonym(s): *bifurcata Kaltenbach,1982* **SA**
172. **Oxyothespis nilotica Giglio-Tos,1916** (Mantidae) Synonym(s): *nilotica Giglio-Tos,1916* **DZ MA SD TD YE SA**
173. **Oxyothespis philbyi Kaltenbach,1982** (Mantidae) Synonym(s): *philbyi Kaltenbach,1982* **YE SA**
174. **Pachyanthrax albosegmentatus (Engel,1936)** (Bombyliidae) Synonym(s): *albosegmentatus Engel,1936* **EG SA**
175. **Pachyanthrax circe (Klug,1832)** (Bombyliidae) Synonym(s): *circe Klug,1832* **PK EG SA AE**
176. **Pachyanthrax velleris Greathead,1980** (Bombyliidae) Synonym(s): *veleris Greathead,1980* **IN SA**
177. **Pachybrachis (s.str.) saudicus Lopatin,1979** (Chrysomelidae) Synonym(s): *saudicus Lopatin,1979* **SA**
178. **Palpares cephalotes (Klug,1834)** (Myrmeleonidae) Synonym(s): *cephalotes Klug,1834; subducens Walker,1853; sollicitus Walker,1853.* **EG SA AF**
179. **Palpares dispar Navas,1912** (Myrmeleonidae) Synonym(s): *dispar Navas,1912* **SA EG**
180. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni Harold,1862* **Cn MA DZ TN LY Cy EG SA**
181. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* **DZ PT ES SA As TR MG SD ET TZ ZR**
182. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
183. **Pentodon variolopunctatus Fairmaire,1879** (Scarabaeidae) Synonym(s): *variolopunctatus Fairmaire,1879* **LY EG Sn IL Pa SA**
184. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus Creutzer,1799* **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
185. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia Kohl,1906; rjabovi Vojnovskaja-Krieger,1929; media Shestakov,1930; desertorum Hedwig,1957; flavitestacea Fischer,1959* **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
186. **Pheidole jordanaica Saulcy,1874** (Formicidae) Synonym(s): *jordanaica Saulcy,1874; schmitzi Forel,1911* **EG JO SA IL Pa**
187. **Pheidole orientalis Emery,1915** (Formicidae) Synonym(s): *orientalis Emery,1915* **IL Pa SA**
188. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens Sykes,1835; indica Mayr,1879; himalayana Forel,1902* **Cn EG IL Pa IR SA IN**
189. **Philbyella arabica China,1938** (Nogodinidae) Synonym(s): *arabica China,1938* **SA**
190. **Phradonoma hirsutulum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutulum Reiche,1868* **ER ET IL Pa SA SY TM**
191. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
192. **Phradonoma tricolor (Arrow,1915)** (Dermestidae) Synonym(s): *tricolor Arrow,1915* **IN SA OM YE**
193. **Piesma (Parapiesma) tenellum Horvath,1906** (Piesmatidae) Synonym(s): *tenellum Horvath,1906* **SA IQ Bgd TM UZ**
194. **Pimelia arabica Klug,1830** (Tenebrionidae) Synonym(s): *arabica Klug,1830* **SA**
195. **Pimelia hierichontica Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica Reiche & Saulcy,1857; arabica Solier,1836* **SA SY EG TR**
196. **Platycleis (Decorana) arabica Popov,1981** (Tettigoniidae) Synonym(s): *arabica Popov,1981* **SA**
197. **Pterocheilus fausti Morawitz,1873** (Vespidae) Synonym(s): *fausti Morawitz,1873; aurantiopictus Giordani Soika,1970* **TR SA**
198. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853; lateralis Costa,1855* **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
199. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877* **TR SN LY SD TD IR SA**
200. **Rivetina buettikeri Kaltenbach,1982** (Mantidae) Synonym(s): *buettikeri Kaltenbach,1982* **SA**
201. **Rivetina dolichoptera (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): *dolichoptera Schulthess-Rechberg,1894* **IR Ss PK Bl SA YE AE**
202. **Rivetina gigantea Kaltenbach,1991** (Mantidae) Synonym(s): *gigantea Kaltenbach,1991* **SA**
203. **Rivetina inermis (Uvarov,1923)** (Mantidae) Synonym(s): *inermis Uvarov,1923* **YE SA IR BH**
204. **Rivetina pallida Kaltenbach,1984** (Mantidae) Synonym(s): *pallida Kaltenbach,1984* **SA**

205. **Rivetinula fraterna (Saussure,1871)** (Mantidae) Synonym(s): *trifasciata* De Haan,1842; *fraterna* Saussure,1871 **IN SA**
206. **Sarcophaga (s.str.) lasiostyla Macquart,1843** (Sarcophagidae) Synonym(s): *lasiostyla* Macquart,1843 **TR SA**
207. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 **MA**
DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
208. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **MA Cn**
MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
209. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **TR Cc**
AZ IR PK IN LK SA SO TZ Cn
210. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
211. **Severinia nigrofasciata Kaltenbach,1982** (Mantidae) Synonym(s): *nigrofasciata* Kaltenbach,1982 **SA**
212. **Severinia popovi Kaltenbach,1982** (Mantidae) Synonym(s): *popovi* Kaltenbach,1982 **YE SA**
213. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 **AF AT CN HV IQ IR**
IT Cc HU MN MD UZ RO RU SA TR YU
214. **Sinaiella nebulosa Uvarov,1924** (Mantidae) Synonym(s): *nebulosa* Uvarov,1924 **EG OM SA**
215. **Sinaiella raggei Kaltenbach,1991** (Mantidae) Synonym(s): *raggei* Kaltenbach,1991 **SA**
216. **Sinaiella sabulosa Uvarov,1939** (Mantidae) Synonym(s): *sabulosa* Uvarov,1939 **SA**
217. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829 **DZ TR CY IL Pa JO Cc AM IR SA**
218. **Sphodromantis trimacula (Saussure,1870)** (Mantidae) Synonym(s): *trimacula* Saussure,1870; *arabica* Wood-Mason,1882; *dhufarica* Uvarov,1933 **IQ IR SA OM YE**
219. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 **DZ MA MR**
NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
220. **Statilia ocellata Uvarov,1923** (Mantidae) Synonym(s): *ocellata* Uvarov,1923 **AF PK SA**
221. **Stegastopsis arabica Allard,1883** (Tenebrionidae) Synonym(s): *arabica* Allard,1883 **SA**
222. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 **AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ**
EG Az Md Cn
223. **Syngenes arabicus Kimmins,1943** (Myrmeleonidae) Synonym(s): *arabicus* Kimmins,1943 **SA**
224. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907
EG IL Pa SY DZ Cn ET IR SA TN TM
225. **Tarachodes (Chiropacha) arabicus Uvarov,1923** (Irididae) Synonym(s): *arabicus* Uvarov,1923 **YE OM SA**
226. **Tarachodes (Chiropacha) gilvus Charpentier,1841** (Irididae) Synonym(s): *gilvus* Charpentier,1841 **SD CM ZR UG TD SA**
227. **Tentyria giraffa Allard,1883** (Tenebrionidae) Synonym(s): *giraffa* Allard,1883 **SA**
228. **Tentyria palmeri Crotch,1872** (Tenebrionidae) Synonym(s): *palmeri* Crotch,1872 **EG Sn SA**
229. **Tituboea arabica (Olivier,1808)** (Chrysomelidae) Synonym(s): *arabica* Olivier,1808 **EG SA**
230. **Tmesibasis larseni Hölzel,1983** (Ascalaphidae) Synonym(s): *larseni* Hölzel,1983 **OM SA**
231. **Tomatarella markli Kimmins,1952** (Myrmeleonidae) Synonym(s): *markli* Kimmins,1952 **SA**
232. **Toxophora aegyptiaca Efflatoun,1945** (Bombyliidae) Synonym(s): *aegyptiaca* Efflatoun,1945
SD EG OM SA
233. **Trachyderma hispida (Forskal,1775)** (Tenebrionidae) Synonym(s): *hispida* Forskal,1775; *latreillei* Solier,1836; *major* Baudi,1875 **IT Si SY SA IR SN**
234. **Trixoscelis puncticornis (Becker,1907)** (Trixoscelidae) Synonym(s): *puncticornis* Becker,1907; *phylacis* Seguy,1953 **AE Az Cn MR TN SA**
235. **Truxalis arabica Uvarov,1933** (Acrididae) Synonym(s): *arabica* Uvarov,1933 **SA**
236. **Truxalis conspurcata Klug,1840** (Acrididae) Synonym(s): *conspurcata* Klug,1840 **SA OM SO**
237. **Truxalis eximia Eichwald,1830** (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969 **Truxalis eximia** Eichwald,1830, *Zool. Spec.* 2: 239. **TR Cc IR KG CY**
SA
238. **Truxalis longicornis (Krauss,1902)** (Acrididae) Synonym(s): *longicornis* Krauss,1902 **SA**
239. **Truxalis procera Klug,1830** (Acrididae) Synonym(s): *procera* Klug,1830 **SA YE**
240. **Valgus arabicus Nonfried,1895** (Scarabaeidae) Synonym(s): *arabicus* Nonfried,1895 **SA**
241. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis* Meigen,1826; *bivirgata* Austen,1937 **EG YE IL Pa JO SY SA**
242. **Villa galla Greathead,1967** (Bombyliidae) Synonym(s): *galla* Greathead,1967 **TD ER ET KE NE**
SA
243. **Villa micrargyra (Walker,1871)** (Bombyliidae) Synonym(s): *micrargyra* Walker,1871 **EG SA**
244. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides* Bezzi,1912 **ER ET KE**
MW SO UG YE EG SA OM

245. **Villa venus** **Greathead,1967** (Bombyliidae) Synonym(s): *venus* *Greathead,1967* **ER NG SA**
246. **Xeramoeba arabica** **Greathead,1980** (Bombyliidae) Synonym(s): *arabica* *Greathead,1980*
SA
247. **Xeramoeba oophaga** (**Zakhvatkin,1931**) (Bombyliidae) Synonym(s): *oophaga*
Zakhvatkin,1931 **ML NE PK IQ KG OM SA TJ TM UZ**
248. **Xeramoeba semirufa** (**Sack,1903**) (Bombyliidae) Synonym(s): *semirufa* *Sack,1903* **EG IR AF**
SA PK



Synonymic and distributional list of the pterygot insects of Syria (Results of the Entomofauna of the World based upon info-system of the Cesa)

22

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Syria (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 22.

Priamus (suppl.) 18: 902-941.

In this study, totally 1204 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Syria.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 1204 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* AZ Cc TR EG SA SY YE
2. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926* TR GR Cr CY IL Pa IQ IR Cc JO LB SY
3. **Acanthophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
4. **Acanthophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844* DZ Cn FR CY IT Si EG SY TR
5. **Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): *immundus Creutzer,1799* IL Pa JO LB SY
6. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
7. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
8. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata Laporte & Gory,1835; dorsalis Spinola,1838; sturalis Gory,1840; bivitis Frivaldsky,1912; krueperi Obenberger,1926* TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR
9. **Acrochordomerus aeneus Hermann,1920** (Asilidae) Synonym(s): *aeneus Hermann,1920* SY TR

10. **Acromalachus clavicornis (Peyron,1877)** (Melyridae) Synonym(s): *clavicornis* Peyron,1877 **TR SY IL Pa**
11. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937 **Acrometopa syriaca Brunner von Wattenwyl,1878**, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). **GR CY EG IL Pa LB Bei SY Dms TR IQ**
12. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883 **TR GR CY SY LB IL Pa**
13. **Acrossus luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 **IL Pa SY**
14. **Actenodia perfuga (Dvorak,1993)** (Meloidae) Synonym(s): *perfuga* Dvorak,1993 **SY**
15. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866 **TR SY IL Pa Hf LB EG Sn LY Cy**
16. **Adelostoma (s.str.) subtilis Reitter,1900** (Tenebrionidae) Synonym(s): *subtilis* Reitter,1900 **TR SY**
17. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel,1827 **TR ES MA DZ CY SY EG**
18. **Adesmia (Oteroscelis) elevata Solier,1835** (Tenebrionidae) Synonym(s): *elevata* Solier,1835 **SY EG**
19. **Adesmia (Oteroscelis) lacunosa Klug,1830** (Tenebrionidae) Synonym(s): *lacunosa* Klug,1830 **SY IR SA EG**
20. **Adesmia (s.str.) abbreviata Klug,1830** (Tenebrionidae) Synonym(s): *abbreviata* Klug,1830; *arca* Reiche & Saulcy,1857 **SY IL Pa**
21. **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) Synonym(s): *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857 **TR SY IL Pa**
22. **Adesmia (s.str.) devechii Osculati,1844** (Tenebrionidae) Synonym(s): *devechii* Osculati,1844 **SY IR**
23. **Adesmia (s.str.) metallica Klug,1830** (Tenebrionidae) Synonym(s): *metallica* Klug,1830; *syriaca* Baudi,1874 **EG SY IR**
24. **Adesmia (s.str.) monilis Klug,1830** (Tenebrionidae) Synonym(s): *monilis* Klug,1830 **SY EG**
25. **Adesmia (s.str.) procera Miller,1861** (Tenebrionidae) Synonym(s): *procera* Miller,1861 **Adesmia procera Miller,1861, Wien. ent. Monatschr. 5: 170, pl.5 figs.10,11. **TR SY****
26. **Adesmia (s.str.) ulcerosa Klug,1830** (Tenebrionidae) Synonym(s): *ulcerosa* Klug,1830; *reticulata* Solier,1835; *perplexa* Schaum,1863 **SY**
27. **Aeoloderma obliterated (Candeze,1859)** (Elateridae) Synonym(s): *obliterated* Candeze,1859 **SY TR**
28. **Aeoloides atricapillus (Germar,1824)** (Elateridae) Synonym(s): *atricapillus* Germar,1824 **SY**
29. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889 **DZ TR TM SY IR IQ TM TJ**
30. **Aeoloides grisescens (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891 **TR Cc SY IR TM**
31. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ**
32. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
33. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884 **TR BG Cc GG MK UA IR LB SY**
34. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975 **TR IR IL Pa SY LB Cc AZ**
35. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877 **FR GR IL IT Sa ES SY TN TR UA Cm**
36. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufour* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 **AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU**
37. **Agapanthia coeruleipennis Frivaldsky,1878** (Cerambycidae) Synonym(s): *coeruleipennis* Frivaldsky,1878 **TR IR SY**
38. **Agapanthia frivaldskyi Ganglbauer,1884** (Cerambycidae) Synonym(s): *frivaldskyi* Ganglbauer,1884 **TR SY**
39. **Agapanthia lais Reiche,1858** (Cerambycidae) Synonym(s): *lais* Reiche,1858 **SY TR GR**
40. **Agapanthia lateralis Ganglbauer,1884** (Cerambycidae) Synonym(s): *lateralis* Ganglbauer,1884 **TR AM Cc SY**
41. **Agapanthia osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche & Saulcy,1858 **RO BG HU TR SY**
42. **Agapanthia pustulifera Pic,1905** (Cerambycidae) Synonym(s): *pustulifera* Pic,1905 **IL Pa SY LB**

43. **Agapanthia simplicicornis** Reitter,1898 (Cerambycidae) Synonym(s): *simplicicornis* Reitter,1898 TR SY IL Pa
44. **Agenioideus ciliatus** (Lepeletier,1845) (Pompilidae) Synonym(s): *ciliatus* Lepeletier,1845; *acrobates* Ferton,1911 TR SY JO
45. **Agenioideus dichrous** (Brullé,1840) (Pompilidae) Synonym(s): *dichrous* Brullé,1840 TR SY JO
46. **Agenioideus oasis** (Haupt,1962) (Pompilidae) Synonym(s): *oasis* Haupt,1962 TR LY TN IL Pa ES Cn SY Hms
47. **Agenioideus rytiphorus** (Kohl,1886) (Pompilidae) Synonym(s): *rytiphorus* Kohl,1886 TR SY Hms TM
48. **Agenioideus vesanus** (Kohl,1907) (Pompilidae) Synonym(s): *vesanus* Kohl,1907 TR SY Dms Hms JO YE
49. **Agolius bonvoulori** (Harold,1860) (Scarabaeidae) Synonym(s): *bonvoulori* Harold,1860 SY
50. **Agonum rugicolle** Chaudoir,1846 (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846 AM Cc BG RO RU TR IR SY
51. **Agonum sordidum** Dejean,1828 (Carabidae) Synonym(s): *sordidum* Dejean,1828 BE HV GR IT SL TR UA LY SY
52. **Agrilinus constans** (Duftschmid,1805) (Scarabaeidae) Synonym(s): *constans* Duftschmid,1805 LB SY
53. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
54. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
55. **Agriotes (s.str.) ganglbaueri** Schwarz,1891 (Elateridae) Synonym(s): *ganglbaueri* Schwarz,1891 TR? LB SY
56. **Agriotes (s.str.) meticulosus** Candeze,1863 (Elateridae) Synonym(s): *meticulosus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
57. **Agriotes (s.str.) paludum** Kiesenwetter,1859 (Elateridae) Synonym(s): *paludum* Kiesenwetter,1859 GR AL HU SY TR
58. **Agriotes (s.str.) radula** Desbrochers,1875 (Elateridae) Synonym(s): *radula* Desbrochers,1875; *brevicollis* Schwarz,1891 TR? LB SY IL Pa
59. **Aiolopus simulatrix** (Walker,1870) (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
60. **Aiolopus strepens** (Latreille,[1802]) (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
61. **Akis latreillei** Solier,1836 (Tenebrionidae) Synonym(s): *latreillei* Solier,1836 TR SY CY EG
62. **Alebra albostriella** (Fallén,1826) (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
63. **Alocoderus hydrochaeris** (Fabricius,1798) (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
64. **Alocoderus machatschkei** (Balthasar,1960) (Scarabaeidae) Synonym(s): *machatschkei* Balthasar,1960 SY
65. **Alocoderus turbatus** (Baudi,1870) (Scarabaeidae) Synonym(s): *turbatus* Baudi,1870 IL Pa LB EG Sn SY
66. **Alosimus armeniacus** (Faldermann,1837) (Meloidae) Synonym(s): *armeniacus* Faldermann,1837 TR SY Cc GR
67. **Alosimus castaneus** Escherich,1896 (Meloidae) Synonym(s): *castaneus* Escherich,1896 SY TR Cc
68. **Alosimus gracilis** (Abeille de Perrin,1880) (Meloidae) Synonym(s): *gracilis* Abeille de Perrin,1880 TR SY Cc AM IR IL Pa
69. **Alosimus luteus** (Waltl,1838) (Meloidae) Synonym(s): *luteus* Waltl,1838 TR SY IL Pa IR
70. **Alosimus pallidicollis** (Gyllenhal,1806) (Meloidae) Synonym(s): *pallidicollis* Gyllenhal,1806 SY TR AM
71. **Alosimus syriacus** (Linnaeus,1758) (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 **Meloe syriacus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
72. **Amara (Celia) aberrans** Baudi di Selva,1864 (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928 GR MK MT TR CY IR IL Pa JO LB SY

73. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana Dejean,1828; distincta Rambur,1838; corsica Putzeys,1866; collina Putzeys,1867; burdigalenis Schuler,1964* **AL HV FR Co GR IT MA SL ES TR DZ CY SY**
74. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia A.Villa & G.B.Villa,1833; krekichi Schtzmair,1919* **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**
75. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota Panzer,1796; acuminata Paykull,1898; aerata Stephens,1828; exculpta Hassmann,1866; raymondi Putzeys,1870* **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
76. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata Fabricius,1792; trivialis Duftschmid,1812; pratensis Sturm,1825; incisa Germar,1841; adamantina Kolenati,1845; audax Gistel,1857; sarsi Munster,1927; melanochlora Lutshnik,1933; similatoides Jedlicka,1934; aequatorialis Baliani,1939* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu**
77. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca Dejean,1828; complanata Dejean,1828; mesatlantica Antoine,1853; theryi Antoine,1853* **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
78. **Ameles kervillei Bolivar,1911** (Mantidae) Synonym(s): *kervillei Bolivar,1911* **SY JO**
79. **Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): *syriensis Giglio-Tos,1915* **Ameles syriensis Giglio-Tos,1915, Bull. Soc. ent. ital. 46: 150. Type ♀: "Siria" (Mus. Torino). SY JO TR**
80. **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius Brullé,1832* **IL Pa JO LB SY**
81. **Amidorus obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): *obscurus Fabricius,1792* **IL Pa SY**
82. **Amidorus thermicola (Sturm,1800)** (Scarabaeidae) Synonym(s): *thermicola Sturm,1800* **SY**
83. **Ammoecius naviauxi (Baraud,1971)** (Scarabaeidae) Synonym(s): *naviauxi Baraud,1971* **SY**
84. **Amnodeis giganteus Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *giganteus Reiche & Saulcy,1857* **SY**
85. **Amphicoma (Eulasia) hyrax Truqui,1848** (Glaphyridae) Synonym(s): *hyrax Truqui,1848; truqui Reitter,1890; atripilis Petrovitz,1971; splendidula Petrovitz,1971* **SY LB IL Pa TR**
86. **Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata Reitter,1890; nitidicollis Reiche,1962; simplicipennis Petrovitz,1964* **SY IL Pa JO TR**
87. **Amphicoma (Pygopleurus) akbesianus Petrovitz,1957** (Glaphyridae) Synonym(s): *akbesianus Petrovitz,1957; cuprea Petrovitz,1957; coerulea Petrovitz,1962* **SY TR IL Pa**
88. **Amphicoma (Pygopleurus) aleppensis Petrovitz,1957** (Glaphyridae) Synonym(s): *aleppensis Petrovitz,1957; violacea Petrovitz,1957; palaestinensis Petrovitz,1963* **SY Hal TR IL Pa**
89. **Amphicoma (Pygopleurus) angulatus Fairmaire,1884** (Glaphyridae) Synonym(s): *angulatus Fairmaire,1884* **SY TR**
90. **Amphicoma (Pygopleurus) bimaculatus Redtenbacher,1850** (Glaphyridae) Synonym(s): *bimaculatus Redtenbacher,1850* **SY**
91. **Amphicoma (Pygopleurus) cyanescens (Reitter,1890)** (Glaphyridae) Synonym(s): *cyanescens Reitter,1890; bicolor Petrovitz,1968 nec Wtl.,1838; brunneipennis Petrovitz,1968* **SY TR Cc**
92. **Amphicoma (Pygopleurus) keithi Sabatinelli & Uliana,2009** (Glaphyridae) Synonym(s): *keithi Sabatinelli & Uliana,2009* **Pygopleurus keithi Sabatinelli & Uliana,2009, Boll. Mus. civ. Stor. nat. Venezia 60: 33-38, figs. Holotype ♂: Syria 27km NW Aleppo Qala'at Samaan, 525m 21.iii.2009 leg. G. Sabatinelli (MHNG). SY Hal**
93. **Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis Petrovitz,1957* **LB SY TR IL Pa**
94. **Amphicoma (Pygopleurus) ponticus Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus Petrovitz,1957* **TR SY IL Pa**
95. **Amphicoma (Pygopleurus) rufovillosus Reitter,1907** (Glaphyridae) Synonym(s): *rufovillosus Reitter,1907; nigropubescens Petrovitz,1963; pompa Petrovitz,1963* **TR SY IQ**
96. **Amphicoma (Pygopleurus) syriacus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *syriaca Linnaeus,1758; piesbergeni Trappen,1906; carinata Muehe,1963; nabataensis Mitter,1996* **SY JO**
97. **Amphicoma (Pygopleurus) weilli (Keith,2008)** (Glaphyridae) Synonym(s): *weilli Keith,2008* **Pygopleurus weilli Keith,2008, Biocosme Mesogeen 25 (1): 39-42. SY**
98. **Amphicoma (Rudeulasia) carinata (Baraud,1990)** (Glaphyridae) Synonym(s): *carinata Baraud,1990* **IR SY**
99. **Amphicoma (Rudeulasia) dilutipennis (Reitter,1890)** (Glaphyridae) Synonym(s): *dilutipennis Reitter,1890* **SY**
100. **Amphicoma (Rudeulasia) fastuosa Reitter,1890** (Glaphyridae) Synonym(s): *fastuosa Reitter,1890; heydeni Reitter,1890; pretiosa Reitter,1890; semicyanea Reitter,1890; reitteri Ganglbauer,1905; cyanea Petrovitz,1962* **TR SY LB IL Pa**
101. **Amphicoma (Rudeulasia) genei Truqui,1848** (Glaphyridae) Synonym(s): *genei Truqui,1848; pretiosa Truqui,1848; chaifensis Reitter,1890; nobilissima Balthasar,1929* **SY JO IR Fa**

102. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter,1890; *agricola* Reitter,1890; *ithae* Reitter,1903 **AM Cc TR SY**
103. **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896 **JO TR SY IL Pa**
104. **Amphicoma (Rudeulasia) rapillyi (Baraud,1988)** (Glaphyridae) Synonym(s): *rapillyi* Baraud,1988 **IL Pa SY**
105. **Amphicoma (Rudeulasia) speciosa Champenois,1900** (Glaphyridae) Synonym(s): *speciosa* Champenois,1900 **TR IR SY**
106. **Amphicoma (Vittateulasia) palmyrensis (Mitter,1996)** (Glaphyridae) Synonym(s): *palmyrensis* Mitter,1996 **Eulasia (Vittateulasia) palmyrensis** Mitter,1996, *Linzer biol. Beitr.* 28 (2): 933-936. Holotype ♂: Syria, Palmyra 1.5.1995 leg. K.Denes. **SY JO**
107. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Waltl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysur* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysur* Miksic,1960; *persica* Petrovitz,1963 **SY BG GR Rd TR IR**
108. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *fieberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
109. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 **TN EG KE SD DZ IL Pa LY SA ES SY**
110. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**
111. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 **SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE**
112. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
113. **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey,1863 **SY TR GR Cr**
114. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
115. **Aneomochtherus hermonensis (Theodor,1980)** (Asilidae) Synonym(s): *hermonensis* Theodor,1980 **JO IL Pa SY**
116. **Aneomochtherus illustris (Schiner,1867)** (Asilidae) Synonym(s): *illustris* Schiner,1867 **IL Pa JO SY TR**
117. **Aneomochtherus ochriventris (Loew,1854)** (Asilidae) Synonym(s): *ochriventris* Loew,1854; *tenellus* Becker,1923 **MA TN ES SY**
118. **Aneomochtherus rhogmopygus (Tsacas,1965)** (Asilidae) Synonym(s): *rhogmopygus* Tsacas,1965 **GR SY**
119. **Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis* Laporte,1840 **TM TR IQ IL Pa SY LB**
120. **Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri,1954 **TR IQ IL Pa LB SY**
121. **Anisoplia (Chaetopteropia) bidens Pilleri,1948** (Scarabaeidae) Synonym(s): *bidens* Pilleri,1948 **SY**
122. **Anisoplia (Chaetopteropia) inculta Erichson,1847** (Scarabaeidae) Synonym(s): *inculta* Erichson,1847 **SY**
123. **Anisoplia (Chaetopteropia) muelleri Pilleri,1954** (Scarabaeidae) Synonym(s): *muelleri* Pilleri,1954 **TR SY LB**
124. **Anisoplia (Chaetopteropia) obenbergeri Vsetecka,1941** (Scarabaeidae) Synonym(s): *obenbergeri* Vsetecka,1941 **IL Pa LB SY**
125. **Anisoplia (Chaetopteropia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca* Burmeister,1844 **UA Cm RU SY IL Pa TR**
126. **Anisoplia (s.str.) phoenissa Zaitzev,1977** (Scarabaeidae) Synonym(s): *phoenissa* Zaitzev,1977 **SY**
127. **Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata* Faldermann,1835 **TR SY JO IL Pa**
128. **Anisoplia (s.str.) tenebralis Burmeister,1844** (Scarabaeidae) Synonym(s): *tenebralis* Burmeister,1844 **TR SY**
129. **Anomala osmanlis Blanchard,1851** (Scarabaeidae) Synonym(s): *osmanlis* Blanchard,1851 **TR SY**
130. **Anoxia (Protanoxia) orientalis Krynicky,1832** (Scarabaeidae) Synonym(s): *orientalis* Krynicky,1832; *meridionalis* Reitter,1890 **IL Pa Hf SY LB Bei TR**

131. **Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae) Synonym(s): *asiatica Desbrochers,1872; syriaca Brenske,1894* RO TR AM Cc IQ SY
132. **Anoxia (s.str.) maculiventris Reitter,1890** (Scarabaeidae) Synonym(s): *maculiventris Reitter,1890; israelitica Petrovitz,1971* IL Pa Hf SY Hal LB
133. **Antepipona dentella Gusenleitner,1991** (Vespidae) Synonym(s): *dentella Gusenleitner,1991* SY Dms JO
134. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema Fischer,1824* BG CY GR IL Pa SY LB TR UA
135. **Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae) Synonym(s): *nupta Kiesenwetter,1857* AM GG Cc TR SY
136. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa Kiesenwetter,1857* AM AZ Cc GG TR BG GR IL Pa SY
137. **Anthaxia (Haplanthaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): *cylindrica Abeille,1900* TR LB SY
138. **Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri Marseul,1865* BG GR GG Cc IL Pa SY TR
139. **Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps Abeille,1900; minerva Obenberger,1913; navratili Bily,1984* TR Cr GR CY SY
140. **Anthaxia (Haplanthaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* DZ GR IL Pa IT PT ES SY TR
141. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
142. **Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia Reiche & Saulcy,1856* CY IL Pa LB SY TR
143. **Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae) Synonym(s): *masculina Bily,1984* SY TR
144. **Anthaxia (Melanthaxia) negrei Cobos,1953** (Buprestidae) Synonym(s): *negrei Cobos,1953* SY TR
145. **Anthaxia (Melanthaxia) pinguis Kiesenwetter,1880** (Buprestidae) Synonym(s): *pinguis Kiesenwetter,1880* IL Pa SY TR
146. **Anthaxia (Melanthaxia) truncata Abeille,1900** (Buprestidae) Synonym(s): *truncata Abeille,1900* SY TR
147. **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae) Synonym(s): *berytensis Abeille,1895* IL Pa SY LB Bei TR
148. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor Faldermann,1835* AM AZ GG Cc TR IR IQ IL Pa SY TM UA
149. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis Gory & Laporte,1839* Cr GR TR CY IL Pa SY UA
150. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis Gory & Laporte,1839; kanaanita Obenberger,1912* AM AZ GG Cc TR BG MK GR SY
151. **Anthaxia (s.str.) ghazi Obenberger,1938** (Buprestidae) Synonym(s): *ghazi Obenberger,1938* IL Pa SY TR
152. **Anthaxia (s.str.) irregularis Abeille,1909** (Buprestidae) Synonym(s): *irregularis Abeille,1909* SY TR
153. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae) Synonym(s): *lucens Küster,1852; phoenica Ganglbauer,1882* Cr GR TR IT SY
154. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae) Synonym(s): *muliebris Obenberger,1918* AZ AM Cc TR IR IL Pa SY
155. **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae) Synonym(s): *myrmidon Abeille,1891* IL Pa SY LB TR
156. **Anthaxia (s.str.) novickii Obenberger,1938** (Buprestidae) Synonym(s): *novickii Obenberger,1938* SY TR
157. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis Krynicky,1832; vandykeana Obenberger,1936* YU HU SK SY TR UA
158. **Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata Abeille,1882* IL Pa LB SY TR
159. **Anthaxia (s.str.) winckleri Obenberger,1914** (Buprestidae) Synonym(s): *winckleri Obenberger,1914* SY TR
160. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare Morawitz,1874; elongatum Friese,1897; hoplostomum Mavromoustakis,1945* Cc RU Da GR Rd HV TR IL Pa SY
161. **Anthidium (Anthidiellum) nasicum Friese,1917** (Megachilidae) Synonym(s): *nasicum Friese,1917; nasiculum Pasteels,1969* IL Pa SY TR
162. **Anthidium (Archianthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* UA Cm RU HU GR TM TR Cc SY IL Pa ZA

163. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 **IT Si AL SY LB IR GR Cc TR KG RU DZ**
164. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 **ES EG SA TM MR SY TRIL Pa CY**
165. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (*praeocc.*); *obscurum* Dusmet,1908 (*praeocc.*); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
166. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 **Cc RU TM TR IL Js Pa BG SY DZ ES**
167. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 **TM SY TR Cc LB IL Pa IR EG**
168. **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 *nec* Schrank,1802 **SY LB TR**
169. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969 **OM TM PK Qu BI IR IL Pa Js SY TR**
170. **Anthidium (Proanthidium) eremicum Alfken,1938** (Megachilidae) Synonym(s): *eremicum* Alfken,1938; *aleppense* Mavromoustakis,1954 **SY Hal IL Pa**
171. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
172. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
173. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915 **GR Rd TR SY LB IL Pa**
174. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775 **US RU Sb TR SY Cc**
175. **Anthophora syriaca Friese,1922** (Apidae) Synonym(s): *syriaca* Friese,1922 **SY**
176. **Anthrax bezzianus Paramonov,1935** (Bombyliidae) Synonym(s): *bezzianus* Paramonov,1935 **LB SY**
177. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
178. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 **IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD**
179. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
180. **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000 **IL Pa SY TR**
181. **Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae) Synonym(s): *pubifer* Reitter,1899 **IR SY TR**
182. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851 **TR EG DZ TN MA IR SY Cc**
183. **Anthrenus (s.str.) mesopotamicus Hava,2001** (Dermestidae) Synonym(s): *mesopotamicus* Hava,2001 **IR IQ SY**
184. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881 **TR AU Cc SY UZ**
185. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881 **TR TN IL Pa SY IR**
186. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN**
187. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004**, Acta zool. hung. 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex *Quercus brantii* leg.G.N.Stone (BMNH). **JO SY LB IR Kd Km TR**
188. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 **DZ TN LY IL Pa SY IQ SA**
189. **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **IL Pa JO LB SY**
190. **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783 **IL Pa JO LB SY**

191. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
192. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876 **CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU**
193. **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960 **IL JO SY**
194. **Aphrophora exoleta Horvath,1901** (Cercopidae) Synonym(s): *exoleta* Horvath,1901 **TR SY**
195. **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944 **Cc TR SY IL Pa**
196. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Uİ T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
197. **Aplidia caesarina Reitter,1902** (Scarabaeidae) Synonym(s): *caesarina* Reitter,1902 **TR SY**
198. **Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882 **IL Pa Hf SY LB**
199. **Aplidia dilatata Reitter,1902** (Scarabaeidae) Synonym(s): *dilatata* Reitter,1902 **TR SY**
200. **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855 **TR IL Pa LB SY**
201. **Aplidia janczyki Baraud,1988** (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988 **IL Pa LB SY**
202. **Aplidia joannis Baraud,1988** (Scarabaeidae) Synonym(s): *joannis* Baraud,1988 **IL Pa LB SY**
203. **Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri* Keith,2000 **TR SY IL Pa?**
204. **Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882 **TR SY IL Pa**
205. **Aplidia petrovitzi Baraud,1988** (Scarabaeidae) Synonym(s): *petrovitzi* Baraud,1988 **?IL Pa SY**
206. **Aplidia tarsensis Kraatz,1882** (Scarabaeidae) Synonym(s): *tarsensis* Kraatz,1882 **TR SY Dms**
207. **Aplidia villosicollis Kraatz,1882** (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882 **?IL Pa LB SY**
208. **Aplidia weneri Keith,2000** (Scarabaeidae) Synonym(s): *weneri* Keith,2000 **TR SY**
209. **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891 **B-H RO Cc SY TR**
210. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
211. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
212. **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 **BG GR SY TR Cc**
213. **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata* Kowarz,1879 **GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ**
214. **Ascalaphodes canifrons (Westwood,1848)** (Ascalaphidae) Synonym(s): *canifrons* Westwood,1848 **IN SY**
215. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853 **TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG**
216. **Ascalaphus krueperi (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *krueperi* Van der Weele,1909 **SY EG Sn**
217. **Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii* Kurzenko,1994 *Asmisapyga warnckeii* Kurzenko,1994, *Linzer biol. Beitr.* 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). **TR SY Bld IL Pa JO TN**
218. **Atherix dispar Bezzi,1909** (Athericidae) Synonym(s): *dispar* Bezzi,1909 **SY**
219. **Atherix erythrapsis Bezzi,1909** (Athericidae) Synonym(s): *erythrapsis* Bezzi,1909 **EG SY**
220. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790 **TR AF Cc IR IQ IL Pa LB SY TM**
221. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878 **TR TN Cc IQ IR SY**
222. **Attelabus suturalis Jekel,1860** (Attelabidae) Synonym(s): *suturalis* Jekel,1860 **TR SY?**
223. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
224. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberti* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**

225. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
226. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
227. **Bellardia nova Rognes,2002** (Calliphoridae) Synonym(s): *nova* Rognes,2002 IL Pa SY
228. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853
AF BG IQ IR HU EG RP SD SY SA TR
229. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911 MA DZ TR LB SY JO IR OM IL Pa ML MR TM
230. **Bembecinus gynandromorphus (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892 SY TR IL Pa JO Js
231. **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
AL HV GR Rd IL Pa IT JO HV LB SY TR
232. **Bembecinus niehuisi Schmid-Egger,2004** (Crabronidae) Synonym(s): *niehuisi* Schmid-Egger,2004 SY IL Pa
233. **Bembecinus revindicatus Schulz,1911** (Crabronidae) Synonym(s): *schmiedeknechti* Handlirsch,1900 nec Handl.,1898; *revindicatus* Schulz,1911; *houskai* Balthasar,1954 IL Pa SY Dms JO
234. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
235. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
236. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850 AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
237. **Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): *sporadicum* Sahlberg,1903 GR TR SY
238. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne* J.Müller,1918 BG GR MK TR IR LY SY YU
239. **Bembidion (Ocyturanus) culminicola Piochard,1876** (Carabidae) Synonym(s): *culminicola* Piochard,1876 TR LB SY
240. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val,1852 B-H BG GR TR IL Pa LB SY
241. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum* Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
242. **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum* J.Sahlberg,1908 GR TR IL Pa LB SY
243. **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus* Faldermann,1835
IL Pa JO LB SY
244. **Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi* Ménétriés,1847
IL Pa JO LB SY
245. **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius* Herbst,1789 IL Pa
JO LB SY
246. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958 FR ES IT GR CY SY MA DZ TN
247. **Blaps judaeorum Miller,1861** (Tenebrionidae) Synonym(s): *judaeorum* Miller,1861; *judaica* Seidlitz,1893 IL Pa LB SY
248. **Blaps longula Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *longula* Reiche & Saulcy,1857 SY
249. **Blaps rotundata Solier,1848** (Tenebrionidae) Synonym(s): *rotundata* Solier,1848; *sodalis* Reiche & Saulcy,1857; *laticollis* Allard,1880 (*praeocc.*) TR SY IL Pa
250. **Blitopertha (Asiopertha) ganglbaueri (Reitter,1885)** (Scarabaeidae) Synonym(s): *ganglbaueri* Reitter,1885 SY TR
251. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdita* Petrovitz,1959; *majuscola* Medvedev Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
252. **Bodilopsis sordida (Fabricius,1775)** (Scarabaeidae) Synonym(s): *sordida* Fabricius,1775 IL Pa SY
253. **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 IL Pa JO
LB SY EG Sn
254. **Bodilus nigriventris (Reitter,1892)** (Scarabaeidae) Synonym(s): *nigriventris* Reitter,1892
SY
255. **Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848 IL Pa LB SY EG Sn
256. **Bodilus vartiani (Petrovitz,1965)** (Scarabaeidae) Synonym(s): *vartiani* Petrovitz,1965 SY
257. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis*

- Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
258. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
259. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
260. **Bombylisoma algrim (Macquart,1840)** (Bombyliidae) Synonym(s): *algrim Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913* MA DZ ES TN SY
261. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855; brevirostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
262. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator Loew,1855* IT YU TR SY MK IR HU GR AL
263. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
264. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator Loew,1855* IT TR HV GR IR MK SY LB YU
265. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus Loew,1855* AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
266. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
267. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
268. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
269. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus Loew,1857; nigropenicillatus Bigot,1892* AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
270. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
271. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
272. **Bombylius (s.str.) polyogon Loew,1855** (Bombyliidae) Synonym(s): *polyogon Loew,1855* EG IL Pa LY SY LB
273. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
274. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
275. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevirostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
276. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
277. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
278. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
279. **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis Reiche & Saulcy,1855* AZ AM Cc BG TR IL Pa SY

280. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
281. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
282. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
283. **Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): *foveifrons Bedel,1874* TR SY IL Pa
284. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797; incertus Desbrochers,1871; olivieri Desbrochers,1871* GR Cr TR SY LB IL Pa EG
285. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
286. **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): *quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837* TR SY Cc AM
287. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis Fonscolombe,1840; punctulata Förster,1859; carbonaria Masi,1951* FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
288. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplesia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
289. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte).* AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ
290. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
291. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator Fabricius,1798* TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
292. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
293. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache Aspöck, Aspöck & Hölzel,1979* TR IL Pa LB SY GR BG MK Cr Rd TM
294. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
295. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KR MK RU Sb TR SY TM KG
296. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858* RU Cc UA Cm TR TM AM SY IL Pa
297. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838* TR Cc SY IL Pa IQ JO LB
298. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
299. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY Cy IL Pa SY SA IQ
300. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* IL Pa JO LB Sn EG SY
301. **Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *hyxos Petrovitz,1962* IL Pa LB Sn EG SY
302. **Calamosternus pseudounicolor (Balthasar,1960)** (Scarabaeidae) Synonym(s): *pseudounicolor Balthasar,1960* IL Pa SY
303. **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus Harold,1863* IL Pa JO LB SY
304. **Callimus akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): *akbesianus Pic,1892* TR SY IL Pa
305. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissarius Mishtchenko,1951; intricatus Mishtchenko,1951* DZ TR Cc LB SY GR BG TM KG
306. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951* TR IR Cc IQ RU LB SY

307. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
308. **Calopteryx hyalina Martin,1909** (Calopterygidae) Synonym(s): *hyalina Martin,1909* SY TR
309. **Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): *intermedia Selys,1887* SY TR IR Cc
310. **Calosoma evermanni Chaudoir,1850** (Carabidae) Synonym(s): *evermanni Chaudoir,1850* TR SY
311. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventre Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922* AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
312. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
313. **Calyptopsis lineimargo Reitter,1896** (Tenebrionidae) Synonym(s): *lineimargo Reitter,1896* SY
314. **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides Reitter,1896* TR GR SY Hal Cc
315. **Calyptopsis solieri Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *solieri Reiche & Saulcy,1857* TR SY
316. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis Hendel,1927; tessellata Zetterstedt,1847* TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Uı Evı
317. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta Loew,1844* TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO
318. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
319. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis Marseul,1864; #symrnensis Silkin,2008* TR AL BG GR LB SY IL Pa
320. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; sículus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
321. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849* TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU
322. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926* YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR
323. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
324. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; mysteriosa Obenberger,1917; nonfriedi Obenberger,1934* AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
325. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855* AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR
326. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
327. **Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi Dejean,1826* TR IL Pa LB SY
328. **Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus Kollar,1843; daphnensis Korell,1985* TR IL Pa LB SY
329. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758* AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
330. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus Klug,1832* TR EG IQ IL Pa JO LY SY
331. **Carabus (Procrustes) mulsantianus Morawitz,1886** (Carabidae) Synonym(s): *mulsantianus Morawitz,1886* TR SY
332. **Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): *piochardi Géhin,1883* TR IL Pa LY SY
333. **Carabus (Procrustes) punctatus Castelnau,1835** (Carabidae) Synonym(s): *punctatus Castelnau,1835; antakyaee Korell,1985* TR LB SY
334. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* AM Cc GG TR CY IR IQ IL Pa LY SY TM
335. **Cardiophorus (s.str.) alepensis Pic,1914** (Elateridae) Synonym(s): *alepensis Pic,1914* SY Hal TR?
336. **Cardiophorus (s.str.) eliasi Pic,1904** (Elateridae) Synonym(s): *eliasi Pic,1904* SY TR

337. **Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis* Descrochers,1875 **IL Pa SY TR**
338. **Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae) Synonym(s): *kinzelbachi* Chassain,1979 **SY TR**
339. **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860 **TR GR SY LB IR**
340. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus* Buysson,1891 **SY TR Cc AM TM**
341. **Cardiophorus (s.str.) reitteri (Schwarz,1891)** (Elateridae) Synonym(s): *reitteri* Schwarz,1891 **SY**
342. **Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891 **TR SY Cr GR**
343. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913 **SY CY TR Cc AZ AM IQ IR**
344. **Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus,1758 **TR Cc SY IR**
345. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856 **EG IL Pa LB SY TR CY GR Rd**
346. **Cardiophorus (s.str.) turgidus Erichson,1840** (Elateridae) Synonym(s): *turgidus* Erichson,1840 **TR IQ SY**
347. **Carlandrea syriaca (Pic,1891)** (Cerambycidae) Synonym(s): *syriaca* Pic,1891 **SY TR**
348. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851 **TR AF IL Pa Cc IQ SY TJ**
349. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulatus* Goeze,1778 **IR TR Cc SY TM**
350. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761 **TR AF IL Pa IR Cc EG SY**
351. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880 **AL RU IL Pa LB SY TR GR**
352. **Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes* Fieber,1861 **CY SY RU TR YU**
353. **Catoplatus hilaris (Horvath,1906)** (Tingidae) Synonym(s): *hilaris* Horvath,1906 **IL Pa LB SY TR**
354. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 **CY TR GR Rd IL Pa SY LB Cc AM IR**
355. **Celonites hamanni Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni* Gusenleitner,1973 **SY JO TR**
356. **Cephalochilus draco Giordani & Soika,1970** (Vespidae) Synonym(s): *draco* Giordani & Soika,1970 **TR SY**
357. **Cephalostenus orbicollis Ménétriés,1836** (Tenebrionidae) Synonym(s): *orbicollis* Ménétriés,1836; *elegans* Solier,1838; *dejeani* Reiche & Saulcy,1857 *nec Sol.*,1838 **TR SY GR**
358. **Ceramius palaestinensis Giordani Soika,1957** (Vespidae) Synonym(s): *palaestinensis* Giordani Soika,1957; *#palaestinensis* Yildirim & Özbek,1997 **IL Pa SY TR**
359. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
360. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938 **TR Cc AM LB SY IL Pa NL SE**
361. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 **Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ**
362. **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903 **TR IL JO LB SY**
363. **Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli* Kraatz,1863 **TR SY Cc RO**
364. **Cerocoma gloriosa Mulsant,1857** (Meloidae) Synonym(s): *gloriosa* Mulsant,1857 **Cc SY TR**
365. **Cerocoma kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835 **SY TR Cc IL Pa IR BG**
366. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880 **TR IL Pa SY IR Cc AZ Bak BG**
367. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896 **CY TR SY LB IL Pa EG**
368. **Cetonia (s.str.) viridescens Reitter,1891** (Scarabaeidae) Synonym(s): *viridescens* Reitter,1891 **SY**

369. **Ceutorhynchus aenescens** Schultze,1895 (Curculionidae) Synonym(s): *aenescens* Schultze,1895 TR AF AZ Cc GG IR KG SY TJ TM UZ
370. **Ceutorhynchus anatolicus** Schultze,1900 (Curculionidae) Synonym(s): *anatolicus* Schultze,1900 TR LB SY
371. **Ceutorhynchus assimilis** (Paykull,1792) (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
372. **Ceutorhynchus erysimi** (Fabricius,1787) (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
373. **Ceutorhynchus fallax** Boheman,1845 (Curculionidae) Synonym(s): *fallax* Boheman,1845 AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
374. **Ceutorhynchus pallidactylus** (Marsham,1802) (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
375. **Ceutorhynchus sulcatus** Brisoth,1869 (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
376. **Ceutorhynchus sulcicollis** (Paykull,1800) (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
377. **Ceutorhynchus turbatus** Schultze,1903 (Curculionidae) Synonym(s): *turbatus* Schultze,1903 AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
378. **Chaetocnema chlorophana** (Duftschmid,1825) (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825 TR Cc IQ IL Pa SY DZ
379. **Chaetomalachius cyanellus** (Kiesenwetter,1863) (Melyridae) Synonym(s): *cyanellus* Kiesenwetter,1863 TR SY LB
380. **Chaetomalachius dispar** Schilsky,1896 (Melyridae) Synonym(s): *dispar* Schilsky,1896; *bodemeyeri* Majer,1988 IR SY
381. **Cheilotoma fulvicollis** Sahlberg,1913 (Chrysomelidae) Synonym(s): *fulvicollis* Sahlberg,1913 SY
382. **Cheironitis furcifer** (Rossi,1792) (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil* Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondou,1907 IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY
383. **Cheironitis irroratus** (Rossi,1790) (Scarabaeidae) Synonym(s): *irroratus* Rossi,1790 IT Co Sa Si EG Sn IL Pa SY
384. **Cheironitis moeris** (Pallas,1781) (Scarabaeidae) Synonym(s): *moeris* Pallas,1781 LB SY
385. **Cheironitis pamphilus** (Ménétriés,1849) (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875 EG Sn IL Pa LB SY RU GR TM UZ
386. **Cheirosia acuminata** (Ménétriés,1832) (Tenebrionidae) Synonym(s): *acuminata* Ménétriés,1832; *ovata* Faldermann,1837 SY Cc
387. **Chelostoma (s.str.) diodon** Schletterer,1889 (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypricum* Mavromoustakis,1951 TR CY IL Pa JO SY
388. **Chelostoma (subgen?) ventrale** Schletterer,1889 (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
389. **Chilothorax equitis** (W.Koshantischikov,1912) (Scarabaeidae) Synonym(s): *equitis* W.Koshantischikov,1912 SY
390. **Chilothorax hieroglyphicus** (Klug,1845) (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845 IL Pa JO LB SY
391. **Chilothorax lineolatus** (Illiger,1803) (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803 IL Pa JO LB SY
392. **Chilothorax melanostictus** (W.Schmidt,1840) (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840 IL Pa JO LB EG Sn SY
393. **Chilothorax paykulli** (Bedel,1907) (Scarabaeidae) Synonym(s): *paykulli* Bedel,1907 LB SY
394. **Chilothorax xanthopterus** (Balthasar,1938) (Scarabaeidae) Synonym(s): *xanthopterus* Balthasar,1938 LB SY
395. **Chionotopus humeralis** (Reiche,1857) (Melyridae) Synonym(s): *humeralis* Reiche,1857 TR SY IL Pa
396. **Chlaenius (Chlaeniellus) differens** Peyron,1858 (Carabidae) Synonym(s): *differens* Peyron,1858 TR SY
397. **Chlaenius (Chlaenites) spoliatus** (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
398. **Chlaenius aeneocephalus** Dejean,1826 (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826 AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
399. **Chlaenius cruralis** Fischer von Waldheim,1829 (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
400. **Chlaenius festivus** (Panzer,1796) (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ

401. **Chlorophorus dinae Rapuzzi & Sama,1999** (Cerambycidae) Synonym(s): *dinae Rapuzzi & Sama,1999* TR SY
402. **Chlorophorus gratosus Marseul,1868** (Cerambycidae) Synonym(s): *gratosus Marseul,1868* SY TR
403. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
404. **Chromovalgus peyroni (Mulsant & Wachanru,1852)** (Scarabaeidae) Synonym(s): *peyroni Mulsant & Wachanru,1852* Valgus peyroni Mulsant & Wachanru,1852, Mém. Acad. Lyon 2: 7. Type: Asie minéure. TR SY
405. **Chrysolina aeneipennis (Reiche,1858)** (Chrysomelidae) Synonym(s): *aeneipennis Reiche,1858* EG IL Pa SY TR
406. **Chrysolina anceyi (Marseul,1868)** (Chrysomelidae) Synonym(s): *anceyi Marseul,1868; winkleri Breit,1919; pluscula Bechyne,1950* IL Pa IQ SY
407. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824; festiva Ménériés,1832* EG IL Pa Cc RU Da IR GR Rd CY SY AF
408. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
409. **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta Weise,1898* TR CY SY IL Pa
410. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae) Synonym(s): *didymata Scriba,1791; syriaca Weise,1884* SY TR IL Pa IR TM
411. **Chrysolina gypsophylae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophylae Küster,1845; lucidicollis Küster,1845* TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
412. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950* TR SY IL Pa GR Rd CY Cc IR IQ TN
413. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis Bechyne,1955; assurensis Bechyne,1955* EG JO IL PA SY LB TR IR IQ
414. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita Linnaeus,1758* TR IL Pa SY RU Sb Cc
415. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménériés,1832; cupreopunctata Reiche,1858; venefica Weise,1884* TR SY CY Cc LB IL Pa EG IR
416. **Cicadatra abdominalis Schumacher,1923** (Cicadidae) Synonym(s): *abdominalis Schumacher,1923* SY
417. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemii Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954* AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
418. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina Fabricius,1798; geodesma Kolenati,1857; taurica Fieber,1876; virens Fieber,1876; burriana Horvath,1912; viridis Haupt,1917; discrepans Schumacher,1923; rossica Schumacher,1923* Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
419. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola Hagen,1856 (praeocc.); persica Kirkaldy,1909* Cicadatra persica Kirkaldy,1909, Canad. ent. 41: 391, nr.110 (nomen novum pro lineola Hagen,1856). MK Cc IR IL Pa IT SY TR AM AZ GG
420. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera Fieber,1876* IL Pa JO LB SY TR MK
421. **Cicadetta hageni Fieber,1872** (Cicadidae) Synonym(s): *hageni Fieber,1872* CY GR SY
422. **Cicadetta sibilatrix Horvath,1901** (Cicadidae) Synonym(s): *sibilatrix Horvath,1901* Cicadetta sibilatrix Horvath,1901, Termes Füzetek 24: 483. Type: Asia minor. IL Pa SY TR
423. **Cicadetta tumidifrons Horvath,1911** (Cicadidae) Synonym(s): *tumidifrons Horvath,1911* SY
424. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952; Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
425. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952* AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
426. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica Audouin & Brullé,1839* TR SY IR Qz AM AZ Nv Ord Cc TM Kp
427. **Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): *herbacea Klug,1832; persana Dokhtouroff,1885* LB Bei TR IL Pa SY AM
428. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948;*

- interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
429. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
430. **Clanoptilus (s.str.) flabellicornis (Solsky,1880)** (Melyridae) Synonym(s): *flabellicornis* Solsky,1880 SY UZ TJ
431. **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864 IL Pa TR CY SY
432. **Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): *mutillaeformis* Reitter,1895 TR SY
433. **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848 TR SY IA Cc IR
434. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 IT Si RO UA BG TR Cc SY IQ IR RU
435. **Clytus kabateki Sama,1997** (Cerambycidae) Synonym(s): *kabateki* Sama,1997 SY
436. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 DE BG FR GB IR Cc KG UA Cm MK SY TR TM
437. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929 FR GR Cr IT LB SY TR
438. **Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849 TR SY IL Pa IR KG
439. **Colletes arztbergi Kuhlmann,2003** (Colletidae) Synonym(s): *arztbergi* Kuhlmann,2003 SY Pmy
440. **Colobopterus erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758 IL Pa JO LB SY
441. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
442. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840 HV GR CY SY LB BG TR
443. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus* Schoenherr,1834; *melanographus* Fahreus,1840 ES FR TR EG RU Cc UA Cm IT SY DZ
444. **Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi* Harz,1967; *harzi* Willemse,1971 TR AL BG GR SY LB
445. **Copium adumbratum (Horvath,1891)** (Tingidae) Synonym(s): *adumbratum* Horvath,1891 RU SY TR
446. **Copium teucarii (Host,1788)** (Tingidae) Synonym(s): *teucarii* Host,1788 DZ IL Pa IR SY TR
447. **Coptosia sancta Sama,2001** (Cerambycidae) Synonym(s): *sancta* Sama,2001 SY Ltk
448. **Corynis orientalis (Konow,1898)** (Cimbicidae) Synonym(s): *orientalis* Konow,1898 SY LB IL Pa IQ
449. **Corynis similis (Mocsary,1880)** (Cimbicidae) Synonym(s): *similis* Mocsary,1880 GR Cr CY SY IL Pa
450. **Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurasecens* Pic,1918; *syriaca* Pic,1918 SY TR Cc RU Sb KG
451. **Cryptocephalus augustalisi Pic,1913** (Chrysomelidae) Synonym(s): *augustalisi* Pic,1913 SY IQ
452. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884 TR GR AL CY JO SY
453. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853 TR BG GR AZ AM Cc JO SY YU
454. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853 HV FR Co GR TR AL BG GR SY JO
455. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
456. **Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873 IR Ss Kz EG IL Pa SY KG
457. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879 TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
458. **Ctesias syriaca Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca* Ganglbauer,1904 TR SY IL Pa
459. **Cueta kasyi Hölzel,1969** (Myrmeleonidae) Synonym(s): *kasyi* Hölzel,1969 SY
460. **Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae) Synonym(s): *pygmaea* Dejean,1825 TR SY IR Ss IQ
461. **Dailognatha caraboides Solier,1835** (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881 TR Cc BG SY IR
462. **Dailognatha crenata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857 TR SY Cc

463. **Dailognatha planata** Miller,1861 (Tenebrionidae) Synonym(s): *planata* Miller,1861 **SY TR**
464. **Dailognatha quadricollis** Brullé,1832 (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 **TR GR SY**
465. **Dasyrhamphis nigritus** (Fabricius,1794) (Tabanidae) Synonym(s): *nigritus* Fabricius,1794; *alexandrinus* Wiedemann,1830 **DZ ES FR IT TR IL Pa SY**
466. **Dasytes vulpinus** Redtenbacher,1843 (Melyridae) Synonym(s): *vulpinus* Redtenbacher,1843 **SY**
467. **Dasytidius alferii** (Wittmer,1935) (Melyridae) Synonym(s): *alferii* Wittmer,1935 **EG Sn IQ IL Pa JO SY**
468. **Dasytidius aurescens** Majer,1991 (Melyridae) Synonym(s): *aurescens* Majer,1991 **SY**
469. **Dasytidius crassicornis** Majer,1996 (Melyridae) Synonym(s): *crassicornis* Majer,1996 **SY**
470. **Dasytidius fulvipes** (Reitter,1885) (Melyridae) Synonym(s): *fulvipes* Reitter,1885 **SY TR**
471. **Dasytidius infinitus** Majer,1991 (Melyridae) Synonym(s): *infinitus* Majer,1991 **TR SY**
472. **Dasytidius nigripes** (Pic,1894) (Melyridae) Synonym(s): *nigripes* Pic,1894 **GR SY TR IR AZ Cc**
473. **Dasytidius recticollis** Majer,1996 (Melyridae) Synonym(s): *recticollis* Majer,1996 **SY**
474. **Dasytidius subnudus** Majer,1991 (Melyridae) Synonym(s): *subnudus* Majer,1991 **IQ IL Pa JO SY**
475. **Dasytidius subsyriacus** Majer,1991 (Melyridae) Synonym(s): *subsyriacus* Majer,1991 **JO SY**
476. **Dasytidius syriacus** (Reitter,1885) (Melyridae) Synonym(s): *syriacus* Reitter,1885 **CY IL Pa JO LB SY TR**
477. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
478. **Dendarus (Pandarinus) impressus** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *impressus* Reiche & Saulcy,1857 **SY**
479. **Dendarus (Pandarinus) orientalis** Seidlitz,1893 (Tenebrionidae) Synonym(s): *orientalis* Seidlitz,1893 **SY**
480. **Dendarus (Pandarinus) pauper** Mulsant,1854 (Tenebrionidae) Synonym(s): *pauper* Mulsant,1854; *libanicus* Baudi,1875 **SY LB**
481. **Dendarus (Pandarinus) piceus** (Olivier,1811) (Tenebrionidae) Synonym(s): *piceus* Olivier,1811 **SY EG**
482. **Dendarus (Pandarinus) reitteri** Siedlitz,1893 (Tenebrionidae) Synonym(s): *reitteri* Siedlitz,1893 **SY**
483. **Dendarus (Pandarinus) simplex** Seidlitz,1893 (Tenebrionidae) Synonym(s): *simplex* Seidlitz,1893 **Cc AM SY**
484. **Dendarus (Pandarinus) syriacus** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *syriacus* Reiche & Saulcy,1857; *nitidulus* Seidlitz,1893 **SY**
485. **Dendarus (Pandarinus) vagans** Siedlitz,1893 (Tenebrionidae) Synonym(s): *vagans* Siedlitz,1893 **SY**
486. **Dentilla curtiventris** (André,1901) (Mutillidae) Synonym(s): *curtiventris* André,1901 **TR AM AZ Cc SY GR YU MK AL IT Si**
487. **Dermestes (Dermestinus) sardous** Küster,1846 (Dermestidae) Synonym(s): *sardous* Küster,1846; *asiatica* Hava,2002 **FR Co PT ES IT Sa DZ IR JO SY TR**
488. **Dermestes (Montandonia) olivieri** Lepesme,1939 (Dermestidae) Synonym(s): *olivieri* Lepesme,1939 **Cc IR TR SY TM**
489. **Deronectes syriacus** Wewalka,1971 (Dytiscidae) Synonym(s): *syriacus* Wewalka,1971 **TR SY**
490. **Dibolia chevrolati** Allard,1861 (Chrysomelidae) Synonym(s): *chevrolati* Allard,1861 **IT Si ES An GR Rd SY IL Pa EG TN DZ**
491. **Dibolia rufofemorata** Reitter,1896 (Chrysomelidae) Synonym(s): *rufofemorata* Reitter,1896 **TR CY SY IL Pa JO**
492. **Dichillus (Dichilocerus) damascenus** Reitter,1916 (Tenebrionidae) Synonym(s): *damascenus* Reitter,1916 **SY Dms**
493. **Dicronychus variatus** Desbrochers,1875 (Elateridae) Synonym(s): *variatus* Desbrochers,1875 **SY TR**
494. **Dictyonota phoenicea** Seidenstücker,1963 (Tingidae) Synonym(s): *phoenicea* Seidenstücker,1963 **IT Si IL Pa CY FR Co LB SY TR**
495. **Dielocroce elegans** (Alexandrov-Martynov,1930) (Nemopteridae) Synonym(s): *elegans* Alexandrov-Martynov,1930 **SY IR AF**
496. **Diglyphus isaea** (Walker,1838) (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
497. **Dioctria valida** Loew,1856 (Asilidae) Synonym(s): *valida* Loew,1856 **SY LB IL Pa TR IR Es**

498. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959
Microgaster claritibia Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG
FI Cn YU AT TN SY
499. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata*
Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US
Tx
500. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832;
costalis Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc
AZ Da RU MN
501. **Diorhabda meridionalis Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis* Berti &
Rapilly,1973 IR PK SY Hal
502. **Diorhabda octocostata Gahan,1896** (Chrysomelidae) Synonym(s): *octocostata* Gahan,1896
SY IQ
503. **Diorhabda persica (Faldermann,1837)** (Chrysomelidae) Synonym(s): *persica*
Faldermann,1837 SY IR
504. **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus*
Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914;
mesmini Navas,1921 RU AZ Kir Cc AM IR IS Mos SY TR
505. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978 DZ
ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
506. **Dociostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): *cephalotes*
Uvarov,1924 IL Pa SY LB
507. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s):
hauensteini Bolivar,1893 TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
508. **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *limbata*
Brunner von Wattenwyl,1882 GR SY LB TR
509. **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868;
orientalis Wittmer,1979 TR CY SY IL Pa LB
510. **Elampus sanzii Gogorza,1887** (Chrysididae) Synonym(s): *sanzii* Gogorza,1887 ES TR SY IT RU
511. **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii* Steffan,1962; *steffani* Viggiani,1967
TR HV FR R IL Pa IT ES SY AE
512. **Elathous syriacus (Schwarz,1903)** (Elateridae) Synonym(s): *syriacus* Schwarz,1903 LB Bei SY
Ltk
513. **Elodes akbesianus Pic,1898** (Scirtidae) Synonym(s): *akbesianus* Pic,1898 TR LB SY
514. **Emblethis griseus (Wolff,1802)** (Lygaeidae) Synonym(s): *griseus* Wolff,1802 IL Pa TR Cc SY
515. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis*
Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli*
Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa*
Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa*
Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae*
Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004 TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN
LK CN MY
516. **Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854 YU GR BG TR LB SY
IL Pa
517. **Entomogonus (Eutelogonus) davidis (Fairmaire,1884)** (Tenebrionidae) Synonym(s): *davidis*
Fairmaire,1884 TR SY
518. **Entomogonus (s.str.) angulicollis Mulsant & Wacherau,1852** (Tenebrionidae) Synonym(s):
angulicollis Mulsant & Wacherau,1852 SY Hal TR
519. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas,1771;
abdominalis Netolitzki,1912 TR SY UA RU Sb CN IR KG CA MN PK
520. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syraensis*
Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 DZ IT KG KK UZ TR EG Cr GR Rd AL
IR Kz SY
521. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus*
Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans*
Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895;
claripennis Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB
SY Cc Da AZ IR TM Kp UZ
522. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
523. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops*
Wiedemann,1818 PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK
IN
524. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830;
tenera Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR
AU ZA
525. **Euheptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus* Herbst,1783 BG SY

526. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius Saussure,1852* **CY TR RU IL Pa LB SY IR**
527. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR***
528. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus Macquart,1829* **FR RU Ur Sb Cc KG SY AF MN US**
529. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
530. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata Perris,1857; vittata Fieber,1866; quadrivittata Kirschbaum,1868; livens Rey,1894; syriaca Dlabola,1965* **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
531. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz**
532. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* **TR EG FR Co GR IT Sa Si DZ ES SY**
533. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata Olivier,1790* **Apalus sexmaculatus Olivier,1790, Encycl. méthod. 4: 166. DZ ES IT Si CY TR TJ SY**
534. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900* **ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA**
535. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis Audinet-Serville,1839* **TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU**
536. **Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis Kugler,1980* **IL Pa TR SY**
537. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* **UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU**
538. **Geron mystacinus Bezzi,1924** (Bombyliidae) Synonym(s): *mystacinus Bezzi,1924* **ES IL Pa SY**
539. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* **TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA**
540. **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper Fieber,1860* **DZ MA IL Pa SY TR**
541. **Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae Herrich-Schäffer,1850; fieberi Stichel,1938* **IL Pa SY TR**
542. **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus Tamanini,1946* **AZ AM Cc GG IR TR IL Pa SY**
543. **Glabellula nobilis Kertész,1912** (Mythicomyiidae) Synonym(s): *nobilis Kertész,1912* **SY TR IL Pa**
544. **Glaphyrus aulicus Chevrolat,1854** (Glaphyridae) Synonym(s): *aulicus Chevrolat,1854; syriacus Harold,1869* **SY**
545. **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus Harold,1869* **IL Pa JO LB SY**
546. **Glaphyrus varians Ménétris,1836** (Glaphyridae) Synonym(s): *variens Ménétris,1836; globulicollis Ménétris,1836; sequensi Reitter,1903; variabilis Reitter,1903; turcius Mitter,1990* **SY TR**
547. **Glossocratus syriacus (Horvath,1911)** (Cicadellidae) Synonym(s): *syriacus Horvath,1911* **SY**
548. **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi Selys,1887* **TR IL Pa IQ SY Dms LB Bei**
549. **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825* **TR SY Hom Dms Cc IR RU Sb**
550. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata Brüggemann,1873; sexpunctata Joakimov,1904* **TR SY RO PL YU UA RU Cc**
551. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960* **EG IR IL SY TR**
552. **Greniera dobyi Beaucournu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): *dobyi Beaucournu-Saguez & Braverman,1987* **IL Pa Gol SY**
553. **Gryllomorpha (s.str.) syriaca Harz,1979** (Gryllidae) Synonym(s): *syriaca Harz,1979* **Gryllomorpha syriaca Harz,1979, Articulata 1 (11): 103-106, figs. Holotype ♂: Syrien: 64km östl. von Homs nach palmyra 12.iii.1977 R. Kinzelbach leg. SY**
554. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* **Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE**
555. **Grypocoris fieberi Douglas & Scott,1868** (Miridae) Synonym(s): *fieberi Douglas & Scott,1868* **IL Pa SY JO TR**
556. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**

557. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
558. **Habropogon theodori Hradsky & Geller-Grimm,2005** (Asilidae) Synonym(s): *theodori Hradsky & Geller-Grimm,2005* IL Pa SY TN
559. **Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): *abdominalis Zetterstedt,1846* DK FR Co DE PL AT HU SY
560. **Helladia ferrugata (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *ferrugata Ganglbauer,1884* SY LB
561. **Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata Steven,1817* BG RO TR UA Cm Cc AM SY
562. **Helophorus abeillei Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei Guillebeau,1896* SY LB AM Cc IR TR
563. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis Bedel,1881* TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
564. **Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syracus Kuwert,1885* TR SY SA IR Cc TM KG
565. **Hemicrepidius corvinus (Reitter,1905)** (Elateridae) Synonym(s): *corvinus Reitter,1905* SY TR
566. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
567. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-Schäffer,1835; cretacea Fieber,1868* AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
568. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus Maidl,1922; troodicus Mavromoustakis,1951* HV BG GR IT Si MT CY IL Pa SY TR
569. **Heriades (Michenerella) punctuliferus Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus Schletterer,1889; syriaca Benoist,1928* TR CY SY
570. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis Morawitz,1875; armeniacus Popov,1956* Cc AM TM CY IL Pa SY TR GR TJ
571. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
572. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
573. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti Schletterer,1889; tumida Benoist,1928; gibba Benoist,1928* BG GR MK RO TR IL Pa SY JO
574. **Holochelus (Miltotrogus) angustifrons (Nonveiller,1965)** (Scarabaeidae) Synonym(s): *angustifrons Nonveiller,1965* SY
575. **Holochelus (Miltotrogus) fallax Marseul,1879** (Scarabaeidae) Synonym(s): *fallax Marseul,1879* TM TR SY
576. **Holochelus (Miltotrogus) mimicus (Reitter,1902)** (Scarabaeidae) Synonym(s): *mimicus Reitter,1902* TR SY
577. **Holochelus (Miltotrogus) rapuzzii Keith,2004** (Scarabaeidae) Synonym(s): *rapuzzii Keith,2004* SY
578. **Holochelus (Miltotrogus) syriacus (Brenske,1886)** (Scarabaeidae) Synonym(s): *syracus Brenske,1886* LB SY
579. **Holochelus (s.str.) gigas (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *gigas Sabatinelli,1977* LB SY
580. **Holochelus (s.str.) pilicollis (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *pilicollis Gyllenhal,1817* TR SY
581. **Holochelus (s.str.) setiventris (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris Reitter,1902* IL Pa SY LB
582. **Hoplia (Decamera) bezdeki Keith,2002** (Scarabaeidae) Synonym(s): *bezdeki Keith,2002* SY
583. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
584. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896* RU UA KG KK CN TM UZ SY TR
585. **Hoplitis (Alcidamea) hoppferi Tkalcu,1977** (Megachilidae) Synonym(s): *hoppferi Tkalcu,1977* IL Pa JO OM PK Qu SY AE

586. **Hoplitis (Alcidamea) mollis Tkalcu,2000** (Megachilidae) Synonym(s): *mollis Tkalcu,2000*
Hoplitis (Liosmia) mollis Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 316. Holotype ♂: [Turkey]:
Erzurum, Tkalcu coll. (Praha). TR JO SY
587. **Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris*
Warncke,1991 *Osmia (Alcidamea) stellaris Warncke,1991*, Linzer biol. Beitr. 23: 731. Holotype ♂:
[Turkey]: Van, Başkale 30km S 1700m (OLML Linz). JO SY TR GR
588. **Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea*
Warncke,1991 *Osmia (Alcidamea) subbutea Warncke,1991*, Linzer biol. Beitr. 23: 733. Holotype ♂:
[Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). TR GR KG IL Pa SY
589. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
tridentata Dufour & Perris,1840; *melanoleuca Benoist,1934*; *asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES
FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
590. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata*
Latreille,1811; *crenulata Morawitz,1871*; *pruinosa Destefani,1887*; *corsaria Warncke,1991*; *cretica*
Warncke,1991 AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
591. **Hoplitis (Annosmia) eremophila (Warncke,1991)** (Megachilidae) Synonym(s): *eremophila*
Warncke,1991 *Osmia (Annosmia) eremophila Warncke,1991*, Linzer biol. Beitr. 23: 317. Holotype ♀:
[Turkey]: Hakkari Prov., nördl. Gavaruk Mt. 2900m (Sat Gebirge) (OLML Linz). TR SY
592. **Hoplitis (Annosmia) uncaticornis (Stanek,1969)** (Megachilidae) Synonym(s): *uncaticornis*
Stanek,1969; *cursoria Warncke,1991* TR SY
593. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta*
Alfken,1935 GR Cr CY IL Pa JO SY TR
594. **Hoplitis (Anthocopa) bifoveolata (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata*
Alfken,1935 IL Pa JO SY TR
595. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca*
Gerstaecker,1869; *lanosa Pérez,1879* ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
596. **Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938)** (Megachilidae) Synonym(s):
cypriaca Mavromoustakis,1938; *bayburtensis Tkalcu,1980* CY IL Pa JO SY TR
597. **Hoplitis (Anthocopa) duckeana (Kohl,1905)** (Megachilidae) Synonym(s): *duckeana*
Kohl,1905 SY TR
598. **Hoplitis (Anthocopa) hemisphaerica (Alfken,1935)** (Megachilidae) Synonym(s):
hemisphaerica Alfken,1935 IL Pa JO SY
599. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia*
Mavromoustakis,1948 GR Cr CY JO SY TR
600. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa Friese,1899*
TR AL GR Cr HV? IL Pa SY JO
601. **Hoplitis (Anthocopa) semirubra (Friese,1899)** (Megachilidae) Synonym(s): *semirubra*
Friese,1899 IL Pa JO SY
602. **Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina*
Alfken,1935 GR? IL Pa JO SY TR
603. **Hoplitis (Anthocopa) urfensis (Zanden,1984)** (Megachilidae) Synonym(s): *urfensis*
Zanden,1984 SY TR
604. **Hoplitis (Anthocopa) yermasoyiae (Mavromoustakis,1938)** (Megachilidae) Synonym(s):
yermasoyiae Mavromoustakis,1938; *asiae Tkalcu,1979*; *corcyraea Tkalcu,1979* AL AM Cc GR CY YU SY TR
605. **Hoplitis (Chlidoplitis) heinrichi Zanden,1980** (Megachilidae) Synonym(s): *heinrichi*
Zanden,1980 TR SY IR
606. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi*
Friese,1899 GR Rd IL Pa JO SY LB TR
607. **Hoplitis (Chlidoplitis) onychophora (Mavromoustakis,1939)** (Megachilidae)
Synonym(s): *onychophora Mavromoustakis,1939* IL Pa JO SY TR
608. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina*
Morawitz,1871; *tricuspidata Sichel,1873*; *deserti Benoist,1934* DZ MA GR TR SY IR
609. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva*
Eversmann,1852; *grandis Morawitz,1872* AM Cc AZ HU RO RU Or KG MN CN JO SY TR
610. **Hoplitis (Pentadentosmia) gallinula (Warncke,1991)** (Megachilidae) Synonym(s):
gallinula Warncke,1991 *Osmia (Pentadentosmia) gallinula Warncke,1991*, Entomofauna 9: 19.
Holotype ♂: Türkei: Urfa, Ceylanpınar 20km N 500m (OLML Linz). TR JO SY
611. **Hoplitis (Pentadentosmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor*
Morawitz,1877 AM Cc IL Pa JO SY CN U
612. **Hoplitis (Prionhoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s):
brachypogon Pérez,1879; *carsophila Ducke,1899*; *seyrigi Benoist,1934* AL BG ES FR GR Cr HV IT PT SY TR
613. **Hoplitis (Prionhoplitis) eburnea (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea*
Warncke,1991 TR IL Pa SY
614. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata Stanek,1969* AM
Cc BG GR MK JO TR SY

615. **Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935 **IL Pa JO SY TR AM Cc**
616. **Hoplitis (s.str.) libanensis (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901 **LB IL Pa JO SY TR**
617. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 **AL GR Cr HV IT MK SS IL Pa JO SY TR**
618. **Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899 **GR Cr HV RO SY TR**
619. **Hoplitis (Stenosmia) aravensis (Zanden,1992)** (Megachilidae) Synonym(s): *aravensis* Zanden,1992 **IL Pa SY**
620. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
621. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 **TR IL Pa LB IQ SY GR BG**
622. **Hycleus novemdecimpunctatus (Olivier,1811)** (Meloidae) Synonym(s): *novemdecimpunctatus* Olivier,1811 **SY TR**
623. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 **DZ GR TR Cc RU KG Sb TM SY**
624. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811 **RU Cc TR SY IR KG**
625. **Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus* Olivier,1811 **TR SY IR Cc RU**
626. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
627. **Hyperaspis syriaca (Weise,1885)** (Coccinellidae) Synonym(s): *syriaca* Weise,1885 **SY TR**
628. **Hypoganus inunctus (Panzer,1795)** (Elateridae) Synonym(s): *inunctus* Panzer,1795; *cinctus* Paykull,1800 **TR Cc SY GR**
629. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum* Lethierry,1878 **AF SY AZ Cc KG KK TM UZ**
630. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
631. **Hysteropterum laminatum Horvath,1911** (Issidae) Synonym(s): *laminatum* Horvath,1911 **SY**
632. **Hysteropterum syriacum Melichar,1906** (Issidae) Synonym(s): *syriacum* Melichar,1906 **IL SY**
633. **Ilybius hulae Wewalka,1984** (Dytiscidae) Synonym(s): *hulae* Wewalka,1984 **TR IL Pa SY**
634. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 **TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY**
635. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 **AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR**
636. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 **TR UA RU SY IR PK CN Ui MN**
637. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893 **LB SY JO IL Pa TR**
638. **Isophya triangularis Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *triangularis* Brunner von Wattenwyl,1891 **LB SY TR**
639. **Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus* Mannerheim,1825 **UA Cm Cc TR SY IR**
640. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 **AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU**
641. **Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae* Olivier,1790 **TR IL Pa SY IR**
642. **Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca* Marseul,1865 **AM CY SY Cc TR IR GG AZ**
643. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835 **GR AL BG CY TR SY IL Pa EG**
644. **Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera* Laporte & Gory,1835 **IL Pa TR SY IQ SA**
645. **Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca* Olivier,1790 **SY IL Pa JO EG**
646. **Kervillea syriaca (Melichar,1906)** (Issidae) Synonym(s): *syriaca* Melichar,1906 **SY GR**
647. **Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis* Reitter,1894 **SY GR Cr IL Pa**
648. **Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea* Suarez,1963 **IL Js Pa SY TR IR**
649. **Labidostomis asiatica Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica* Faldermann,1837 **TR Cc IR SY**

650. **Labidostomis basanica Sahlberg,1913** (Chrysomelidae) Synonym(s): *basanica Sahlberg,1913* SY
651. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens Faldermann,1837; lineola Redtenbacher,1843* CY TR Cc SY IR RU
652. **Labidostomis diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons Lefebvre,1876* IL Pa LB SY TR
653. **Labidostomis hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea Lacordaire,1848* TR IL Pa LB SY
654. **Labidostomis karamanica Weise,1900** (Chrysomelidae) Synonym(s): *karamanica Weise,1900* CY TR SY
655. **Labidostomis mesopotamica Heyden,1886** (Chrysomelidae) Synonym(s): *mesopotamica Heyden,1886; escherichi Weise,1897; frontalis Weise,1900; iconiensis Weise,1900* TR SY
656. **Labidostomis testaceipes Pic,1904** (Chrysomelidae) Synonym(s): *testaceipes Pic,1904* TR Cc AM SY
657. **Lachnaia cerealis (Olivier,1808)** (Chrysomelidae) Synonym(s): *cerealis Olivier,1808* DZ IL Pa SY
658. **Lampyris berytensis Fairmaire,1866** (Lampyridae) Synonym(s): *berytensis Fairmaire,1866* Lampyris berytensis Fairmaire,1866, Anns Soc. ent. Fr. 1866: 263. Type(s): [Lebanon]: Beirut. LB Bei SY IL Pa
659. **Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa Olivier,1883; barbara Olivier,1884* DZ IL Pa Js Hf JO Amm TR SY
660. **Lampyroidea lucifer (Reiche & Saulcy,1857)** (Lampyridae) Synonym(s): *lucifer Reiche & Saulcy,1857; lucifera E.Olivier,1884* Luciola lucifer Reiche & Saulcy,1857, Anns Soc. ent. Fr. (3) 5: 169. CY SY
661. **Lampyroidea maculicollis (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis Mulsant & Wachanru,1852; maculithorax Gemminger,1870* CY SY TR
662. **Lampyroidea nigrescens E.Olivier,1884** (Lampyridae) Synonym(s): *Lampyroidea nigrescens E.Olivier,1884, Ab. 22: 45, pl.2 fig.13.* SY
663. **Lampyroidea syriaca A.Costa,1875** (Lampyridae) Synonym(s): *syriaca A.Costa,1875; innotaticollis Pic,1914* Lampyroidea syriaca A.Costa,1875, Bull. Soc. ent. Fr. (5) 5: 169. Type(s): Syria. IL Pa SY TR
664. **Lanelater judaicus (Reiche & Saulcy,1856)** (Elateridae) Synonym(s): *judaicus Reiche & Saulcy,1856* IL Pa TR LB SY
665. **Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi Stal,1873; #hedenbergii Önder et al.,2006* IL Pa CY SY TR
666. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
667. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum Morawitz,1873; emesianus Pérez,1911* AF TM IL Pa SY TR AM Cc IR
668. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus Boheman,1845; kindermannii Desbrochers,1845; syriacus Desbrochers,1868* AT BG HV DZ FR IT Si RO GR TR SY JO
669. **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus Chaudoir,1867* UA Cm TN CY IL Pa TR SY
670. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
671. **Leptogaster hermonensis Theodor,1980** (Asilidae) Synonym(s): *hermonensis Theodor,1980* SY IL Pa
672. **Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): *palparis Loew,1847* GR SY TR
673. **Leptophyes karanae Naskrecki & Ünal,1995** (Tettigoniidae) Synonym(s): *karanae Naskrecki & Ünal,1995* SY TR
674. **Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa Olivier,1811* TR IQ IR Cc SY JO
675. **Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): *parvidens Artobolevski,1929* ES SY DZ DK TR Rd CY
676. **Lestes virens (Charpentier,1825)** (Lestidae) Synonym(s): *virens Charpentier,1825* TR SY Cc
677. **Levitinia freidbergi Beaucounu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): *freidbergi Beaucounu-Saguez & Braverman,1987* SY IL Pa Gol
678. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
679. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae) Synonym(s): *rhomboideus Schneider,1845* AL GR TR SY IL Pa
680. **Libelloides syriacus (McLachan,1871)** (Ascalaphidae) Synonym(s): *syriacus McLachan,1871* IL Pa SY TR

681. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
682. **Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator Aubert,1967* GR TR SY LB
683. **Longitarsus eminus Furth,1979** (Chrysomelidae) Synonym(s): *eminus Furth,1979* IL Pa LB SY
684. **Longitarsus exsoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus Linnaeus,1758; femoralis Marsham,1802; boppardiensis Bach,1856; rufula Foudras,1860; megaloleuca Allard,1860; lividus Fauvel,1888; arctulus Weise,1893* TR TJ Cc CY SY
685. **Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis Weise,1888* TR Cc DE SY RU
686. **Lophyridia aphrodisia (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia Baudi,1864* CY SY IT Si TR
687. **Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817* Cc AM IQ TR SY IR Ab Ak
688. **Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor Dejean,1822* TR Cr Rd GR SY
689. **Luciola judaica E.Olivier,1884** (Lampyridae) Synonym(s): *judaica E.Olivier,1884* Luciola judaica E.Olivier,1884, Ab. 22: 48, pl.2 fig.19. Type(s): Syria. SY
690. **Luciola kervillei E.Olivier,1909** (Lampyridae) Synonym(s): *kervillei E.Olivier,1909* Luciola kervillei E.Olivier,1909, Anns Soc. ent. Belg. 53: 398. LB SY
691. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854; mehadiensis Motschoulsky,1854; mingrelica Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969* AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
692. **Lydus pilicollis Fairmaire,1892** (Meloidae) Synonym(s): *pilicollis Fairmaire,1892* TR SY
693. **Lydus turcicus Kaszab,1952** (Meloidae) Synonym(s): *turcicus Kaszab,1952* TR SY
694. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* AF IR IL Pa IT SY TR GR Cr
695. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris Linnaeus,1758* IL Pa CY Cc IQ SY TM TR
696. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
697. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
698. **Macrocytus brunneus (Fabricius,1803)** (Cydnididae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
699. **Malachius alepensis (Melyridae)** Synonym(s): SY Hal
700. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus Erichson,1840; carnifex Erichson,1840; fallax Strübing,1854; sublateralis Pic,1912; valesiacus Pic,1929* AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR
701. **Maladera (Eusericula) modesta (Fairmaire,1881)** (Scarabaeidae) Synonym(s): *modesta Fairmaire,1881* IL Pa Jf EG Sn SY
702. **Maladera (Macroserica) armeniaca Reitter,1896** (Scarabaeidae) Synonym(s): *armeniaca Reitter,1896* TR SY
703. **Maladera (Macroserica) fusconitens (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *fusconitens Fairmaire,1892; villiersi Petrovitz,1969* SY TR
704. **Maladera (Macroserica) syriaca Petrovitz,1969** (Scarabaeidae) Synonym(s): *syriaca Petrovitz,1969; jeraschiensis Baraud,1990* SY Dms IL Pa JO
705. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus Kiesenwetter,1852* TR IR IL Pa JO LB SY
706. **Malthinus frantiseki Svihla,2002** (Cantharidae) Synonym(s): *frantiseki Svihla,2002* SY
707. **Malthinus kadleci Svihla,2002** (Cantharidae) Synonym(s): *kadleci Svihla,2002* SY
708. **Malthinus libenae Svihla,2002** (Cantharidae) Synonym(s): *libenae Svihla,2002* SY
709. **Malthinus muehlei Svihla,1990** (Cantharidae) Synonym(s): *muehlei Svihla,1990* SY
710. **Malthodes halabensis Svihla,2002** (Cantharidae) Synonym(s): *halabensis Svihla,2002* SY Hal
711. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca Poda,1761; pagana Fabricius,1775; hauseri Poivre,1982* AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
712. **Marthamea vitripennis (Burmeister,1839)** (Perlidae) Synonym(s): *vitripennis Burmeister,1839; bicolor Burmeister,1839; angustata Rambur,1842; terminalis Walker,1852; beraudi Navas,1909* TR IL Pa SY

713. **Medecticus assimilis (Fieber,1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853 TR Cc GG Tbl SY JO
714. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
715. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
716. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
717. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
718. **Melanotus (s.str.) aemulus (Erichson,1841)** (Elateridae) Synonym(s): *aemulus* Erichson,1841 GR SY TR
719. **Melanotus (s.str.) mutatus Harold,1869** (Elateridae) Synonym(s): *mutatus* Harold,1869 IR SY TR?
720. **Melanotus (s.str.) punctolineatus (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 GR SY TR RU Sb
721. **Meliboeus adlbaueri Niehuis,1997** (Buprestidae) Synonym(s): *adlbaueri* Niehuis,1997 IL Pa SY TR
722. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
723. **Meloe deflexus Reitter,1889** (Meloidae) Synonym(s): *deflexus* Reitter,1889 TR SY
724. **Meloe olivieri Chevrolat,1833** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833 TR SY IR IQ Mos
725. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758 ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
726. **Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida* Frivaldsky,1835 GR SY TR IL Pa
727. **Melolontha (s.str.) anita Reitter,1902** (Scarabaeidae) Synonym(s): *anita* Reitter,1902 SY TR
728. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916 SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
729. **Merodon hirsutus Sack,1913** (Syrphidae) Synonym(s): *hirsutus* Sack,1913 IL Pa SY JO
730. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR
731. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscinervis* Röder,1887; *obscurus* Gil Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
732. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923 EG IL Pa JO LB SY TR
733. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835 TR JO SA SY IR IQ EG
734. **Metacantharis taurigrada Bourgeois,1900** (Cantharidae) Synonym(s): *taurigrada* Bourgeois,1900 SY TR
735. **Microdynerus latro Blüthgen,1955** (Vespidae) Synonym(s): *latro* Blüthgen,1955 SY Dms IL Pa
736. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922 TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
737. **Microtelus careniceps Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *careniceps* Reiche & Saulcy,1857 LB Bei SY Hal EG IL Pa
738. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
739. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera* Reuter,1888 TR IL Pa IR EG RU SY GR
740. **Mulsanteus guillebeui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeui* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853 IT SY IR TR
741. **Mulsanteus schaumii (Candeze,1881)** (Elateridae) Synonym(s): *schaumii* Candeze,1881 GR SY TR
742. **Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): *astarte* Ganglbauer,1885 TR SY Dms LB
743. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn

744. **Mustha serrata (Fabricius,1803)** (Pentatomidae) Synonym(s): *serrata Fabricius,1803* Halys serrata Fabricius,1803, Systema Rhyngotorum: 181. Type: "Guinea" [?Patria falsa]. SY?
745. **Mutilla quinque maculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinque maculata Cyrillo,1787* TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
746. **Muzimes strebai (Maran,1940)** (Meloidae) Synonym(s): *strebai Maran,1940* SY TR
747. **Mycterodus (Aegaeum) syriacus Gnezdilov,2008** (Issidae) Synonym(s): *syriacus Gnezdilov,2008* SY
748. **Mycterodus (s.str.) anaticeps Puton,1895** (Issidae) Synonym(s): *anaticeps Puton,1895* SY
749. **Mylabris bimaculata Klug,1845** (Meloidae) Synonym(s): *bimaculata Klug,1845* TR SY IR Cc
750. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR SY BG DZ
751. **Mylabris cincta Olivier,1811** (Meloidae) Synonym(s): *cincta Olivier,1811*; #cincat Kaszab,1968 TR AF Cc GR SY IR DZ
752. **Mylabris cingulata Faldermann,1837** (Meloidae) Synonym(s): *cingulata Faldermann,1837* SA SY IR TR
753. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata Pallas,1781* TR RU KG MN IR SY BG DE ES HU DE
754. **Mylabris emiliae (Escherich,1899)** (Meloidae) Synonym(s): *emiliae Escherich,1899* TR SY Cc
755. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca Olivier,1811* TR Cc RU TM IR SY
756. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa Escherich,1899* TR Cc TM UZ GR SY
757. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla Olivier,1811* TR Cc SY RU Sb KG KK UZ IR
758. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* TR SY Cc RU IQ IR MN AF
759. **Mylabris sexmaculata (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculata Olivier,1811* TR SY RU Cc IR
760. **Mylabris sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata Klug,1845* LY CY SY TR
761. **Mylabris suturalis Pic,1898** (Meloidae) Synonym(s): *suturalis Pic,1898* SY TR
762. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca Klug,1845* TR IR SY IL Pa EG GR SD
763. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis Dejean,1825* TR SY IQ IR AM AZ RU Da TM TJ
764. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
765. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata Fabricius,1775* TR KG UZ SY GR BG YU MK AT HU RO UA RU
766. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi Skorikov,1927* TR SY GR BG AT RO UA
767. **Myrmilla (s.str.) corniculata (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): #corniculata Gerstaecker,1862; *corniculata Sichel & Radoszkowski,1869* FR GR SY Cc UA Cm TR IL Pa IR
768. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
769. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer Seidenstücker,1954* TR CY UZ TM SY AF
770. **Nanomutilla vaucheri (Tournier,1895)** (Mutillidae) Synonym(s): *vaucheri Tournier,1895* ES SY MA DZ
771. **Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi Klug,1832* TR IR IL Pa SY
772. **Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum Waltl,1835* ES PT MA DZ TN SY IL Pa
773. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773*; *bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
774. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775*; #chrysomelira Özbek & Szaloki,1998 ES IT Si Sa TR GR SY TM TJ
775. **Nemoptera aegyptiaca Rambur,1842** (Nemopteridae) Synonym(s): *aegyptiaca Rambur,1842*; *hebraica Westwood,1874* IL Pa SY TR EG
776. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* YU RO GR BG TR SY Cc IR
777. **Neoaliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis Puton,1881*; *fasciata Ferrari,1885* IL IT SY TR Cc AZ
778. **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis Balthasar,1929* Cn DZ LY Cy EG IL Pa JO LB SY
779. **Neomusaria waltli Sama,1991** (Cerambycidae) Synonym(s): *waltli Sama,1991* SY TR
780. **Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus Herbst,1783* IT TR SY LB IL Pa

781. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkanitz,1971* BG UA RU TR SY IR Cc
782. **Neuroleon assimilis (Navas,1914)** (Myrmeleonidae) Synonym(s): *assimilis Navas,1914* TR SY
783. **Neuroterus gyulaigaraiae Melika,2006** (Cynipidae) Synonym(s): *gyulaigaraiae Melika,2006* Neuroterus gyulaigaraiae Melika,2006, Folia ent. hung. 67: 200-202, figs. 1-10. Holotype ♀ (asexual): Syria, Al Ladhqiyyah Prov.i Jabal an Nusayriyah, Slinfah on Quercus sp. 2004.x.08 leg.P.Gyulai & A.Garai (HNHM). SY
784. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus Giraud,1859* GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY
785. **Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus Linnaeus,1758* TR Cc SY CN Ui
786. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc Hv CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
787. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans Dejean,1826* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
788. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli Reitter,1897* B-H BG HV GR MK TR IR IL Pa SY
789. **Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis Reitter,1889* BG GR MD TR UA SY
790. **Nyctophila incognita Geisthardt,1982** (Lampyridae) Synonym(s): *incognita Geisthardt,1982* SY
791. **Nyctophila invenusta Geisthardt,1983** (Lampyridae) Synonym(s): *invenusta Geisthardt,1983* SY
792. **Nyctophila libani (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani Laporte de Castelnau,1833; insignis Ancey,1870* CY LB SY TR
793. **Nyctophila maculicollis (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis Fairmaire,1866* MK TR SY IR
794. **Nyctophila syriaca (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca Baudi di Selve,1871* Lampyris syriaca Baudi di Selve,1871, Berl. ent. Z. 1871: 58. SY IL Pa TR
795. **Ochreriades fasciatus (Friese,1899)** (Megachilidae) Synonym(s): *fasciatus Friese,1899* IL Pa JO SY
796. **Odontomyia damascena Villeneuve,1912** (Stratiomyidae) Synonym(s): *damascena Villeneuve,1912* SY Dms IL
797. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909* MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
798. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata Meigen,1822; signaticornis Loew,1846* SE ES IT BG LT TR SY IL Pa RU Mo
799. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
800. **Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuicornis Abeille de Perrin,1880; #tenuitarsis Kaszab,1968* TR Cc AM Eri SY
801. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus Fieber,1876; maculatus Fieber,1876* AF BG CZ GR RO SY TR RU Cc AZ
802. **Oligopogon nitidus Efflatoun,1937** (Asilidae) Synonym(s): *nitidus Efflatoun,1937* SY EG
803. **Omaloplia (s.str.) diabolica (Reitter,1887)** (Scarabaeidae) Synonym(s): *diabolica Reitter,1887; ursina Fairmaire,1892* SY TR
804. **Ommatidiotus viduus Horvath,1905** (Caliscelidae) Synonym(s): *viduus Horvath,1905* SY UZ
805. **Omophlus (Odontomophlus) syriacus Mulsant,1856** (Tenebrionidae) Synonym(s): *syriacus Mulsant,1856* IL Pa SY TR
806. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscata Gravenhorst,1807; nigritulus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837; pulchellus Curtis,1837; reticulatus Curtis,1837; frontalis Curtis,1837; capucinus Zetterstedt,1840; dubius Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944* DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU
807. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas Steven,1806; laevigatus Olivier,1811; steveni Brullé,1832* Cc GG GR RU TR IR AM SY LB
808. **Onitis ezechias Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *ezechias Reiche & Saulcy,1856* EG SY Dms IL Pa
809. **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii Goidanich,1926* IL Pa SY LB TR IR

- 810. Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
- 811. Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
- 812. Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832* Ce SY CY IR TR BG GR IL Pa EG
- 813. Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli Reitter,1891* DZ LY Cy SY IR AF
- 814. Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
- 815. Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* RU Ce AZ KK KG TJ UZ TM HU SY AF CN Ti TR
- 816. Onthophagus (Euonthophagus) tissoni Reitter,1906** (Scarabaeidae) Synonym(s): *tissoni Reitter,1906; hannas Sahlberg,1908* SY Dms IL Pa JO
- 817. Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus Fabricius,1781* RU Ce AM AZ GG TM SY TR IQ SA MA
- 818. Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis Redtenbacher,1843; hircanicus Kabakov,1982* SY Hal LB IL Pa TR JO IQ IR
- 819. Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis Petrovitz,1963* TR IL Pa SY IR MK GR BG
- 820. Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés,1832* TM Ce AM TR SY IQ IL Pa CY GR Rd
- 821. Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis Steven,1809* RU Ce AM AZ TM SY IQ TR IR UA Cm
- 822. Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae) Synonym(s): *fissinasus Fairmaire,1895* SY IR IQ TR
- 823. Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790* GB HU RU Ce Ur Sb MD UA GG AM KG TM SY TR IR
- 824. Onthophagus (Palaeonthophagus) hermonensis Baraud,1892** (Scarabaeidae) Synonym(s): *hermonensis Baraud,1892* IL Pa SY
- 825. Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae) Synonym(s): *lemuroides D'Orbigny,1898* IQ IR TR SY Ce MN
- 826. Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus Sturm,1800* HU SK UA Cm TR SY Ce IQ Ce
- 827. Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
- 828. Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri Novak,1921; novaki Boucomont & Gillet,1927* SY LB TR IL Pa JO
- 829. Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis Reitter,1893* BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
- 830. Onthophagus (Palaeonthophagus) osellai Pittino,1982** (Scarabaeidae) Synonym(s): *osellai Pittino,1982* TR SY IR
- 831. Onthophagus (Palaeonthophagus) parmatus Reitter,1892** (Scarabaeidae) Synonym(s): *parmatus Reitter,1892* Ce AZ Nv AM RU IR TR RO SY
- 832. Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus Harold,1883; furcicornis Reitter,1893; granulifer Reitter,1893; granulosis Kozhantschikov,1894; gorhami Shipp,1895; krali Balthasar,1963; citellorum Medvedev,1965* Ce GG TR RU SY LB IR AZ AM RO GR
- 833. Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s): *ruficapillus Brullé,1832* Ce AZ AM SY HU TR AT SK IL Pa
- 834. Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s): *sericatus Reitter,1893* HV AL TR Ce SY IR
- 835. Onthophagus (Palaeonthophagus) strabo Reitter,1893** (Scarabaeidae) Synonym(s): *strabo Reitter,1893* SY TR
- 836. Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s): *suturellus Brullé,1832; trochiscobius Kolenati,1846* RU Ce AZ GR TR SY IR
- 837. Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus Kolenati,1846; araxicola Reitter,1893; latiplage Reitter,1897; xerces Petrovitz,1965* Ce AZ Nv TM IR SY LB IL Pa TR
- 838. Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767* RU MD Ur AZ Ce TM TR SY IR MA Az GR Cr
- 839. Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis Laicharting,1781* AZ Ce TR SY TM
- 840. Onthophagus (s.str.) circulator Reitter,1891** (Scarabaeidae) Synonym(s): *circulator Reitter,1891* SY LB

841. **Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae) Synonym(s): *pictus* Reitter,1893
EG SY ZR SD
842. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845 EG
LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
843. **Onthophagus (s.str.) simius Reitter,1893** (Scarabaeidae) Synonym(s): *simius* Reitter,1893
SY
844. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus*
Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
845. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei*
Rambur,1842 TR SY LB Bei IQ Dk Ama
846. **Onychopterocheilus hellenicus (Morawitz,1885)** (Vespidae) Synonym(s): *hellenicus*
Morawitz,1885; *syriacus* Blüthgen,1952 GR TR SY
847. **Opatroides angulatus Baudi,1875** (Tenebrionidae) Synonym(s): *angulatus* Baudi,1875 IR SY
848. **Opatroides curtulus Fairmaire,1892** (Tenebrionidae) Synonym(s): *curtulus* Fairmaire,1892;
asiaticus Desbrochers,1881 TR SY
849. **Opatroides judaicus Baudi,1881** (Tenebrionidae) Synonym(s): *judaicus* Baudi,1881 SY
850. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 AT CZ YU AT Cc Cr
GR Rd LY Cy SY TR IL Pa
851. **Opilo tilloides Chevrolat,1876** (Cleridae) Synonym(s): *tilloides* Chevrolat,1876 IL Pa SY
852. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ
DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us
853. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 CY FR GR ES
TR IL Pa JO LB SY
854. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN
Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
855. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei* Pérez,1887
DZ EG MA LY TN IL Pa JO SY
856. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta*
Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT
Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
857. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853;
ruficollis Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 AL GR Cr DZ EG TN CY IL Pa JO SY TR
858. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s):
caerulescens Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea*
Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG
CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK
KG CN TJ TM UZ CY IR JO SY TR CA US IN
859. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis*
Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 MK BG ES GR IL Pa JO SY Cc TR
860. **Osmia (Helicosmia) damascena Pérez,1911** (Megachilidae) Synonym(s): *damascena*
Pérez,1911 SY Dms
861. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877;
medanae Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 GR Cr HU EG? KK UZ CY IL Pa
Js JO SY TR
862. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata*
Latreille,1811; *atroalba* Morawitz,1875; *kuznetsovi* Cockerell,1930 TJ TM UZ CN Ui AF IL Pa JO OM PK SY
SA IN
863. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s):
melanogaster Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowki,1876;
subaenea Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN
CY JO SY TR IR
864. **Osmia (Helicosmia) mirhiji Mavromoustakis,1957** (Megachilidae) Synonym(s): *mirhiji*
Mavromoustakis,1957 GR LB SY
865. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata*
Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris*
Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV
LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
866. **Osmia (Helicosmia) palmyrae Zanden,1998** (Megachilidae) Synonym(s): *palmyrae*
Zanden,1998 **Osmia (Helicosmia) palmyrae Zanden,1998**, Linzer biol. Beitr. 30: 525. Holotype ♂:
Syria: Palmyra 400m (RMNH Leiden). SY Pmy
867. **Osmia (Helicosmia) saxatilis Warncke,1988** (Megachilidae) Synonym(s): *saxatilis*
Warncke,1988 **Osmia (Helicosmia) saxatilis Warncke,1988**, Entomofauna 9: 5. Holotype ♀: Türkei,
Kars Prov., 20km W Karakurt 1600m (OLML Linz). TR SY JO
868. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata*
Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874;
laticincta Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA
Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR

869. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 **KK KG TJ TM UZ AF IL Pa SY TR**
870. **Osmia (Hoplosmia) algae (Tkalcu,1978)** (Megachilidae) Synonym(s): *algae* Tkalcu,1978 **BG TR SY**
871. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
872. **Osmia (Hoplosmia) hermonensis (Tkalcu,1992)** (Megachilidae) Synonym(s): *hermonensis* Tkalcu,1992 **IL Pa SY He**
873. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
874. **Osmia (Hoplosmia) padri (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri* Tkalcu,1974 **BG GR HV MK SY TR**
875. **Osmia (Hoplosmia) pinguis Pérez,1895** (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994 **DZ MA TN IL Pa JO SY**
876. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
877. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 **BG GR MK EG IL Pa JO LB SY TR**
878. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroGLOSSa* Gerstaecker,1869 **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR**
879. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 **GR CY IT Si IL Pa JO SY TR**
880. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
881. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
882. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
883. **Osmia (Pyrosmia) hermona Warncke,1992** (Megachilidae) Synonym(s): *hermona* Warncke,1992 **TJ IL Pa SY TR**
884. **Osmia (Pyrosmia) moreensis Zanden,1984** (Megachilidae) Synonym(s): *moreensis* Zanden,1984 **GR Rd IL Pa SY TR**
885. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
886. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 **ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR**
887. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lazarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
888. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981 **GR HV IT CY IL Pa JO SY TR**
889. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR**
890. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
891. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
892. **Osphranteria coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher,[1849] **IR TR SY IQ**
893. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
894. **Oxycera trispila Bezzi,1909** (Stratiomyidae) Synonym(s): *trispila* Bezzi,1909 **SY**
895. **Oxyilia argentata (Ménétriés,1832)** (Cerambycidae) Synonym(s): *argentata* Ménétriés,1832 **AZ Cc TR SY**

896. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 *nec Fairm.*; *tarandus* Haput,1927; *capaneri* Izzard,1953 **EG IL Pa JO IT MA SY TN TR RU YU TM**
897. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 **EG IL Pa IT JO MA SY TN TR CN Ui YU**
898. **Oxythyrea abigail Reiche,1856** (Scarabaeidae) Synonym(s): *abigail* Reiche,1856 **SY**
899. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845 **MK SY TR Cc AM UZ TM**
900. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
901. **Oxythyrea cinctelloides Reitter,1898** (Scarabaeidae) Synonym(s): *cinctelloides* Reitter,1898 **SY**
902. **Oxythyrea dulcis Reitter,1898** (Scarabaeidae) Synonym(s): *dulcis* Reitter,1898 **SY**
903. **Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856 **CY TR SY LB JO Pa IL**
904. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
905. **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003 **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003, Senckenberg. biol. 82 (1/2): 144. TR SY JO**
906. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 **GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd**
907. **Pachybrachis (s.str.) peyroni Pic,1914** (Chrysomelidae) Synonym(s): *peyroni* Pic,1914 **SY**
908. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953 **TR Cc IL Pa LB SY TM**
909. **Pachyscelis chrysomeloides (Olivier,1795)** (Tenebrionidae) Synonym(s): *chrysomeloides* Olivier,1795; *coriacea* Klug,1830; *kraatzii* Baudi,1875; *piochardi* Desbrochers,1881 **SY LB Bei**
910. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893 **IQ TR Cc AM SY TM RU IR**
911. **Pachyscelis rotundata Kraatz,1865** (Tenebrionidae) Synonym(s): *rotundata* Kraatz,1865 **SY**
912. **Pachyscelis villosa (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836 **TR GR SY Cc**
913. **Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764 **TR SY IR**
914. **Paracorymbia sambucicola (Holzschuh,1982)** (Cerambycidae) Synonym(s): *sambucicola* Holzschuh,1982 **SY TR**
915. **Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846 **TR GR IL Pa IT SY**
916. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
917. **Paraphamartania syriaca (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867 **IR Elb Th KG SY GR IL Pa TR**
918. **Parapholidoptera punctifrons (Burmeister,1839)** (Tettigoniidae) Synonym(s): *punctifrons* Burmeister,1839; *ehrenbergii* Fieber,1853 **SY TR**
919. **Parapholidoptera syriaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca* Ramme,1930 **TR SY LB**
920. **Parathrix facunda Majer,1990** (Melyridae) Synonym(s): *facunda* Majer,1990 **SY**
921. **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 **AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ**
922. **Pedestredorcadion boucardi (Pic,1942)** (Cerambycidae) Synonym(s): *boucardi* Pic,1942 **Dorcadion boucardi Pic,1942, L'Echange 58, 488: 6. SY**
923. **Pedestredorcadion carinipenne (Pic,1900)** (Cerambycidae) Synonym(s): *carinipenne* Pic,1900 **SY**
924. **Pedestredorcadion glabricolle (Breuning,1943)** (Cerambycidae) Synonym(s): *glabricolle* Breuning,1943 **SY**
925. **Pedestredorcadion halepense (Kraatz,1873)** (Cerambycidae) Synonym(s): *halepense* Kraatz,1873; *pseudomardinense* Breuning,1946; *akbesianum* Breuning,1946;... **SY Hal TR**
926. **Pedestredorcadion impressicolle (Kraatz,1873)** (Cerambycidae) Synonym(s): *impressicolle* Kraatz,1873; *tokatense* Pic,1901; *diversipes* Breuning,1946 **TR SY**
927. **Pedestredorcadion parallelum (Küster,1847)** (Cerambycidae) Synonym(s): *parallelum* Küster,1847 **SY**
928. **Pedestredorcadion pseudinfernale (Breuning,1943)** (Cerambycidae) Synonym(s): *pseudinfernale* Breuning,1943 **SY**

929. **Pedostrangalia riccardoi Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984 **IL Pa SY JO Dms TR**
930. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN**
931. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 **Ce AL CY HU IQ IL JO RO SY TR AM GG UA**
932. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 **AF AZ BG Cc GR HU RO RU SL SY TR UA YU**
933. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876 **TR AF BG CZ GR RO SY RU**
934. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhhoa* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
935. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
936. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 **IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ**
937. **Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835 **TR IQ IR SY Cc AZ**
938. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845 **KG MN TR AM Cc IR CY SY LB RU Am CN**
939. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
940. **Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): *concolor* Desbrochers,1875 **LB IL Pa SY TR**
941. **Peripontius jagemanni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *jagemanni* Platia & Gudenzi,2000 **SY TR**
942. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
943. **Phanerotoma (Bracotritoma) permixtellae Fischer,1968** (Braconidae) Synonym(s): *permixtellae* Fischer,1968; *olearia* Fischer,1968 **SY Lat**
944. **Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846 **MA? DE PL CZ AT HU SY TR**
945. **Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823 **US Oh CA On DE PL CZ SK AT HU SY**
946. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *populi* Meigen,1826 **ES Md FR Co DE PL CZ SK CH AT HU SY RU**
947. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
948. **Phlebotomus (Adlerius) halepensis Theodor,1958** (Psychodidae) Synonym(s): *halepensis* Theodor,1958 **TR SY Hal IR**
949. **Phlebotomus (Larrousius) syriacus Adler & Theodor,1930** (Psychodidae) Synonym(s): *syriacus* Adler & Theodor,1930 **IL Pa SY TR**
950. **Phloiocopus andresi Schenkling,1912** (Cleridae) Synonym(s): *andresi* Schenkling,1912 **EG SY IL Pa**
951. **Phorticus velutinus Puton,1895** (Nabidae) Synonym(s): *velutinus* Puton,1895 **CZ MA ES SY TR**
952. **Phradonoma hirsutulum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutulum* Reiche,1868 **ER ET IL Pa SA SY TM**
953. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
954. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 **FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU**
955. **Phyllotreta maculicornis Pic,1906** (Chrysomelidae) Synonym(s): *maculicornis* Pic,1906 **TR SY**
956. **Phytoecia kabateki Sama,1996** (Cerambycidae) Synonym(s): *kabateki* Sama,1996 **SY LB**
957. **Phytoecia nepheloides Sama,1997** (Cerambycidae) Synonym(s): *nepheloides* Sama,1997 **SY TR**

958. **Phytoecia rufipes (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes* Olivier,1795 **FR AT DZ TR SY**
959. **Pimelia (Eurypimelia) akbesiana Fairmaire,1884** (Tenebrionidae) Synonym(s): *akbesiana* Fairmaire,1884 *Pimelia akbesiana* Fairmaire,1884, *Anns Soc. ent. Fr. (6) 4: 170*. Type: [Turkey]: Haut-Syrié, Akbes. **TR SY Hal**
960. **Pimelia (Melanostola) bajula Klug,1830** (Tenebrionidae) Synonym(s): *bajula* Klug,1830 **TR SY IL Pa**
961. **Pimelia angulata Fabricius,1775** (Tenebrionidae) Synonym(s): *angulata* Fabricius,1775; *spinosa* Forskall,1775; *asperrima* Pallas,1781 **EG SY**
962. **Pimelia damasei Sén.,1880** (Tenebrionidae) Synonym(s): *damasei* Sén.,1880 **SY**
963. **Pimelia derasa Klug,1830** (Tenebrionidae) Synonym(s): *derasa* Klug,1830 **EG SY**
964. **Pimelia errans Miller,1861** (Tenebrionidae) Synonym(s): *errans* Miller,1861 **SY**
965. **Pimelia hierichontica Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica* Reiche & Saulcy,1857; *arabica* Solier,1836 **SA SY EG TR**
966. **Pimelia parallela Solier,1836** (Tenebrionidae) Synonym(s): *parallela* Solier,1836; *borrei* Haag,1878 **SY IQ**
967. **Pimelia prolongata Miller,1861** (Tenebrionidae) Synonym(s): *prolongata* Miller,1861 **SY IL Pa**
968. **Pimelia puberula Chevrolat,1873** (Tenebrionidae) Synonym(s): *puberula* Chevrolat,1873 **SY**
969. **Pinthaeus sanguipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguipes* Fabricius,1781; *genei* Costa,1841 **AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU**
970. **Pittonotus simoni (Stierlin,1879)** (Elateridae) Synonym(s): *simoni* Stierlin,1879 **TR? SY**
971. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 **SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun**
972. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *incerta* Brunner von Wattenwyl,1882 **TR GR Cr SY**
973. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
974. **Platynemis kervillei (Martin,1909)** (Platynemidae) Synonym(s): *kervillei* Martin,1909 **TR SY Hom LB IQ Dk Ama**
975. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 **AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR**
976. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811 **TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD**
977. **Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 **TR GR YU LB SY EG**
978. **Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 **IT Si GR YU LB SY EG TR**
979. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum* Loew,1856 **FR GR Cr TR SY IL Pa RO RU**
980. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 **IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA**
981. **Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985 **TR AF IR IQ SY IL Pa GR**
982. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848 **AZ Cc RU GR AL IR IL Pa TR SY**
983. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840 **RU Cc AM GG AL GR TR IR SY IL Pa**
984. **Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): *ornatus* Abeille,1881 **TR AZ Cc LB SY**
985. **Prionosthenus (s.str.) syriacus (Brisout de Barneville,1855)** (Pamphagidae) Synonym(s): *syriacus* Brisout de Barneville,1855 **SY**
986. **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis* Loew,1857 **CY SY TR IR Es**
987. **Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela* Loew,1854 **SY LB IL Pa TR**
988. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781 **BG GR TR IR IL Pa SY LB**
989. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 **DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc**
990. **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878 **RU IL Pa SY TR Cc GR**

991. **Prosternon syriacum (Buysson,1891)** (Elateridae) Synonym(s): *syriacum* Buysson,1891; *anatolicum* Reitter,1901 **SY TR**
992. **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa* Adams,1817; *psittacina* Ménériés,1832 **TR IT TM SY IR Fa**
993. **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis* Andersch,1797 **FR IT Sa Co SY TR IR**
994. **Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *miriffica* Mulsant & Rey,1840 **FR ES IT YU SY TR IL Pa**
995. **Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898 **TR CY SY LB IL Pa EG**
996. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica* Latreille,1807 (praeocc.); *angustata* Germar,1817; *muelleri* Reitter,1897; *angustula* Reitter,1898; *eibesensis* Reitter,1902; *orientalis* Alexis & Delpont,1996 nec Gory & Percheron,1833 **HU HV TR SY IR**
997. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
998. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménériés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delphont,2000 **RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv**
999. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928 **GR Cr TR IL Pa JO SY LB**
1000. **Protosmia (Nanosmia) limbata (Benoist,1935)** (Megachilidae) Synonym(s): *limbata* Benoist,1935 **LB SY TR**
1001. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
1002. **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895 **ES DZ IL Pa JO SY TR**
1003. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
1004. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
1005. **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica sensu* Özbek et al.,1999 nec Radoszkowski,1885 **SY IL Pa TR GR**
1006. **Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): *adnexus* Gusenleitner,1969 **SY TR**
1007. **Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970 **SY JO IL Pa TR**
1008. **Pseudotrematodes frivaldskyi (Ménétriés,1836)** (Scarabaeidae) Synonym(s): *frivaldskyi* Ménériés,1836 **TR SY**
1009. **Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861 **TR IL Pa SY JO**
1010. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 **ES BG GR TR SY IL Pa LB IQ**
1011. **Purpuricenius budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783 **GR SK HU Cc TR SY IR**
1012. **Purpuricenius dalmatinus Sturm,1843** (Cerambycidae) Synonym(s): *dalmatinus* Sturm,1843 **HV TR SY**
1013. **Purpuricenius longevittatus Pic,1941** (Cerambycidae) Synonym(s): *longevittatus* Pic,1941 **TR SY**
1014. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
1015. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtetshenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961 **TR IR TM IL Pa SY IR ZM**
1016. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
1017. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845 **AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU**
1018. **Quartinia separata Gusenleitner,1997** (Vespidae) Synonym(s): *separata* Gusenleitner,1997 **SY Hms TR**
1019. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856 **IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY**
1020. **Rhagonycha benedikti Svihla,2002** (Cantharidae) Synonym(s): *benedikti* Svihla,2002 **SY**
1021. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 **TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM**
1022. **Rhagonycha syriaca Dahlgren,1968** (Cantharidae) Synonym(s): *syriaca* Dahlgren,1968 **SY**

1023. **Rhagonycha vartiani Svihla,1993** (Cantharidae) Synonym(s): *vartiani Svihla,1993* SY
1024. **Rhizotrogus (Amphimallon) jedlickai Balthasar,1936** (Scarabaeidae) Synonym(s): *jedlickai Balthasar,1936* SY
1025. **Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri Reitter,1902* ?TR SY LB JO Amm
1026. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis Linnaeus,1758* TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
1027. **Rhizotrogus (s.str.) schaufussi Brenske,1891** (Scarabaeidae) Synonym(s): *schaufussi Brenske,1891* SY
1028. **Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius Houard,1919; oriundus Quinlan,1968; kezivi Melika,2003* GR Cr Rd SY CY IL Pa
1029. **Rhynchites aereipennis Desbrochers,1895** (Attelabidae) Synonym(s): *aereipennis Desbrochers,1895* LB SY TR
1030. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus Scopoli,1763; aurifer Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferganensis Newskij,1929; armeniacus Zaitzev,1937* AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
1031. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus Herbst,1784; marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903; maculicollis Reitter,1916; suturifer Reitter,1916* BG AM Cc HU IR MK RU Sb SY TR GR
1032. **Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus Faust,1891; asiaticus Desbrochers,1908; subviolaceus Pic,1926* BG AM Cc MK GR TR SY IL Pa
1033. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis Desbrochers,1869* AM Cc TR IR TM JO SY
1034. **Rhyarochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus Rossi,1794* IL Pa Cc TR SY CY
1035. **Rivetina byblica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *byblica La Greca & Lombardo,1982* Rivetina byblica La Greca & Lombardo,1982, Animalia 9 (1/3): 368-369. Holotype ♂: Giordania, Wadi Shu'elb (A.R.Waterston). JO IL Pa SY Hal TR
1036. **Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica Saussure,1871; ragnari Harz,1988* TR Cc IR SY
1037. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca Saussure,1869; festae Giglio-Tos,1916* Iris syriaca Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. TR IQ Bgd LB SY Hal CY TJ TM
1038. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana Olivier,1811* TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
1039. **Saga beieri Kaltenbach,1967** (Tettigoniidae) Synonym(s): *lucasi Ramme,1951 nec Sauss.,1888; beieri Kaltenbach,1967* Saga beieri Kaltenbach,1967, Beitr. Ent. 17: 78. Holotype ♂: S.O.Anatolien Ersin bei Dörtyol 20-22.6.1937 leg. Ramme. TR SY
1040. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera Fischer von Waldheim,1846* Saga ephippigera Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd
1041. **Saga natoliae Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos Stoll,1787 nec Pall.,1772; synophrys Charpentier,1841; natoliae Audinet-Serville,1839; brunneri Saussure,1888* Saga natoliae Audinet-Serville,1839, Hist. nat. Ins. Orthopteres: 541-542. Syntypes: "Smyrne" (coll. M.A.Lefebvre). AL MK BG TR SY IL Pa
1042. **Saperda quercus Charpentier,1825** (Cerambycidae) Synonym(s): *quercus Charpentier,1825; ocellata Abeille de Perrin,1895* SY TR
1043. **Sapyga (s.str.) mutica Kurzenko,1994** (Sapygidae) Synonym(s): *mutica Kurzenko,1994* TR SY
1044. **Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima Morawitz,1894* TR SY TM UZ
1045. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata Fabricius,1781* TR SY Bld CY IL Pa JO MT GR MA TN MA
1046. **Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): *ehrenbergii Loew,1851* GR SY LB IL Pa TR
1047. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus Wiedemann,1828; aegypticus Macquart,1838; confluens Loew,1851* TR IR Ss IL Pa EG SY LY CH
1048. **Scarabaeus armeniacus Ménétrés,1832** (Scarabaeidae) Synonym(s): *armeniacus Ménétrés,1832; nigrociliatus Motschoulsky,1849* RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
1049. **Scarabaeus irakensis Stolfa,1938** (Scarabaeidae) Synonym(s): *irakensis Stolfa,1938* JO SY IQ
1050. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius Illiger,1803* RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
1051. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus*

- Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG
MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1052. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim,1822* RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1053. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri Stolfa,1938* UZ TM Kp AF IR IQ SY KG PK TJ TR
1054. **Scarabaeus zagrosensis Montreuil,2006** (Scarabaeidae) Synonym(s): *zagrosensis Montreuil,2006* IR Fa SY
1055. **Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus Fabricius,1775* IT Sa Si FR SY EG DZ GR
1056. **Scaurus barbarus Solier,1836** (Tenebrionidae) Synonym(s): *barbarus Solier,1836; rugicollis Reiche & Saulcy,1857; interruptus Baudi,1875* LY TN SY
1057. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
1058. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus Fieber,1861; #ochraseus Önder et al.,2006* IQ IL Pa CY SY TM TR
1059. **Scotodryadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi Uvarov,1927; palaestina Uvarov,1939* IL Pa JO SY TR IQ IR AF
1060. **Scotodryadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca Pictet,1888; anatolica Werner,1901; rammei Uvarov,1929; turcica Ramme,1939; kozana Ramme,1951; amani Ramme,1951* TR SY LB IQ
1061. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis Germar,1843* GR TR Cc SY
1062. **Semnasia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885* SY LB TR
1063. **Semnasia imperatrix imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885* SY LB
1064. **Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris Horvath,1911* TR IQ IL Pa Cc SY
1065. **Smaragdina djebellina (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *djebellina Lefebvre,1872* SY
1066. **Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica Lefebvre,1872* TR IL Pa SY
1067. **Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris Lefebvre,1872* BG TR SY LB
1068. **Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis Brullé,1832* BG GR TR SY IL Pa
1069. **Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata Olivier,1808* TR Cc SY IQ EG
1070. **Smaragdina vaulogeri (Pic,1894)** (Chrysomelidae) Synonym(s): *vaulogeri Pic,1894* TR SY
1071. **Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana Lacordaire,1848* TR SY IQ IL Pa JO
1072. **Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri Navas,1912* SY LB IR
1073. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776* TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1074. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis Forskal,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
1075. **Stenagostus zuercheri Reitter,1909** (Elateridae) Synonym(s): *zuercheri Reitter,1909* GR SY TR
1076. **Stenodera anatolica Frivaldsky,1884** (Meloidae) Synonym(s): *anatolica Frivaldsky,1884* TR SY
1077. **Stenodera caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica Pallas,1781* TR Cc SY IL Pa IR RU Sb
1078. **Stenodera puncticollis (Chevrolat,1829)** (Meloidae) Synonym(s): *puncticollis Chevrolat,1829* TR SY
1079. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus Friese,1921; coelostoma Benoist,1935* Heriades asiaticus Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Aïran". TR BG GR HV IL Pa JO LB SY
1080. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus Linnaeus,1767* Cc IR FR HV TR SY LB JO IL Pa
1081. **Stenosis comata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *comata Reiche & Saulcy,1857* TR SY Cc AM
1082. **Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes Reitter,1887; reitteri Mars,1887* TR SY EG Cc AM

1083. **Stenosis orientalis** Brullé,1832 (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832; *graeca* Solier,1838 **GR TR SY**
1084. **Sterictiphora furcata** (Villers,1789) (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic **DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR**
1085. **Stictoleptura tripartita** (Heyden,1889) (Cerambycidae) Synonym(s): *tripartita* Heyden,1889 **SY TR IR**
1086. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
1087. **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythrocer* Egger,1859; *pyrrhocera* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
1088. **Sympecma annulata** (Selys,1887) (Lestidae) Synonym(s): *paedisca* Brauer,1882 *nec* Eversm.,1836; *annulata* Selys,1887; *braueri* Jacobson & Bianchi,1905 **TR SY NL JP**
1089. **Syriolytta vulneratus** (Fairmaire,1892) (Meloidae) Synonym(s): *vulneratus* Fairmaire,1892; *suturifera* Pic,1899; *fairmairei* Borchmann,1917 **TR SY IQ**
1090. **Systropus (s.str.) annulatus** Engel,1932 (Bombyliidae) Synonym(s): *annulatus* Engel,1932 **SY**
1091. **Tachina (Eudoromyia) magnicornis** Zetterstedt,1844 (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* Robineau-Desvoidy; *satanas* Zimin,1935 **ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP**
1092. **Tachys (Eotachys) bistriatus** (Duftschmid,1812) (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
1093. **Tachys (Eotachys) fulvicollis** (Dejean,1831) (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 **AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ**
1094. **Tachytrechus notatus** (Stannius,1831) (Dolichopodidae) Synonym(s): *notatus* Stannius,1831; *litoreus* Haliday,1833; *obscuripes* Gertaecker,1864; *beckeri* Müller,1923 **Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn**
1095. **Tachytrechus planitarsis** Becker,1907 (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 **EG IL Pa SY DZ Cn ET IR SA TN TM**
1096. **Taphoxenus (Lychnifugus) cellarum** Adams,1817 (Carabidae) Synonym(s): *cellarum* Adams,1817 **AZ AM Cc GG IR IQ JO SY TR**
1097. **Tenebrio syriacus** Zoufal,1892 (Tenebrionidae) Synonym(s): *syriacus* Zoufal,1892 **EG SY TR**
1098. **Tenthredo zonula** Klug,1817 (Tenthredinidae) Synonym(s): *zonula* Klug,1817; *fasciata* Scopoli,1763 *nec* Linn.,1758; *bifasciata* Geoffroy,1785; *bicictaflava* Christ,1791; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 **TR RU UA IR MD Cc AM IL SY LB**
1099. **Tenthredopsis albonotata** (Brullé,1832) (Tenthredinidae) Synonym(s): *albonotata* Brullé,1832; *propinqua* Mocsary,1880 *nec* Klug,1817 **TR LB SY IL**
1100. **Tentyria collatina** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *collatina* Reiche & Saulcy,1857; *latiuscula* Kraatz,1865 **SY IL Pa**
1101. **Tentyria cylindrica** Solier,1835 (Tenebrionidae) Synonym(s): *cylindrica* Solier,1835; *acuminata* Reiche & Saulcy,1857; *lata* Baudi,1874 **CY TR SY**
1102. **Tentyria discicollis** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *discicollis* Reiche & Saulcy,1857 **SY IL Pa**
1103. **Tentyria herculeana** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *herculeana* Reiche & Saulcy,1857; *solieri* Reiche & Saulcy,1857; *saulcyi* Reiche,1861 **SY**
1104. **Tentyria laticollis** Kraatz,1865 (Tenebrionidae) Synonym(s): *laticollis* Kraatz,1865 **SY**
1105. **Tentyria puncticeps** Miller,1861 (Tenebrionidae) Synonym(s): *puncticeps* Miller,1861; *persica* Baudi,1874 **SY CY IR**
1106. **Tephritis hurvitz** Freidberg,1981 (Tephritidae) Synonym(s): *hurvitz* Freidberg,1981 **TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR**
1107. **Tephritis separata** Rondani,1871 (Tephritidae) Synonym(s): *separata* Rondani,1871 **TR IL Pa TJ RU Sb SY IQ KK KG**
1108. **Teratolytta dives** (Brullé,1832) (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 **TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal**
1109. **Terellia serratulae** (Linnaeus,1758) (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 **TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us**
1110. **Tethina incisuralis** (Macquart,1851) (Tethinidae) Synonym(s): *incisuralis* Macquart,1851; *pictipes* Becker,1903 **Cn CV EG ES FR SY GB**
1111. **Tetrigus cyprius** Baudi,1871 (Elateridae) Synonym(s): *cyprius* Baudi,1871; *akbesianus* Fairmaire,1893 **TR CY SY GR**
1112. **Tettigometra (Mitricephalus) leucophaea** (Preyssler,1792) (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 **Cc**

- AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA
UZ YU
1113. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
1114. **Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum,1868 DZ IL ES SY TN
1115. **Tettigometra helferi Fieber,1865** (Tettigometridae) Synonym(s): *helferi* Fieber,1865 GR ES SY
1116. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876 DZ BE FR GR TR IT Si JO MA ES SY TN
1117. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946 Tettigonia acutipennis Ebner,1946, Eos 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
1118. **Thamnotettix (s.str.) klapperichi Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi* Dlabola,1965 TR JO SY
1119. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868 CY FR IL Pa IT Si SY GR TR YU
1120. **Thamnotettix affinis Fieber,1885** (Cicadellidae) Synonym(s): *affinis* Fieber,1885 SY
1121. **Thamnotettix loratus Horvath,1911** (Cicadellidae) Synonym(s): *loratus* Horvath,1911 SY
1122. **Thamnotettix thrax Dlabola,1965** (Cicadellidae) Synonym(s): *thrax* Dlabola,1965 BG SY GR TR YU
1123. **Thanatophilus sinuatus (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus* Fabricius,1775 TR UA Cm SY IR TM
1124. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1125. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847 US DZ RU IL Pa SY TR CN Ui
1126. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877 RU Cc TR CY SY GR
1127. **Tingis stupidula Horvath,1906** (Tingidae) Synonym(s): *stupidula* Horvath,1906 SY TR
1128. **Tingis valida (Puton,1878)** (Tingidae) Synonym(s): *valida* Puton,1878 LB TR IR SY CN Ui
1129. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 Tipula lateralis Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1130. **Tituboea decemguttata (Walker,1871)** (Chrysomelidae) Synonym(s): *decemguttata* Walker,1871 JO SY
1131. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800 TN ES AT AL TR Cc SY IR RU
1132. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata* Fabricius,1781 DZ ES FR TR SY IR
1133. **Tituboea testaceiventris (Pic,1913)** (Chrysomelidae) Synonym(s): *testaceiventris* Pic,1913 SY
1134. **Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex* Wiedemann,1820 PT ES TR SY TN
1135. **Trachyderma hispida (Forsk.,1775)** (Tenebrionidae) Synonym(s): *hispida* Forsk.,1775; *latreillei* Solier,1836; *major* Baudi,1875 IT Si SY SA IR SN
1136. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883 MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
1137. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876 BG GR TR CY IL Pa JO LB SY
1138. **Trechus (s.str.) quadristriatus (Schr.,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1139. **Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus* Csiki,1928 TR CY IL Pa JO LB SY
1140. **Trichius orientalis Reitter,1894** (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894 TR UA Cm SY GR
1141. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900 GR Cr TR JO EG SY IL Pa Js
1142. **Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787 ES IT Si YU AL Cr GR BG HV TR SY
1143. **Trichodes dilatipennis Reitter,1893** (Cleridae) Synonym(s): *dilatipennis* Reitter,1893 TR SY JO IL Pa
1144. **Trichodes ephippiger Chevrolat,1874** (Cleridae) Synonym(s): *ephippiger* Chevrolat,1874 TR SY IQ IR

1145. **Trichodes heydeni Escherich** (Cleridae) Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893
Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos
1146. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843 GR
TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
1147. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus* Abeille
de Perrin,1881; *angustifrons* Abeille de Perrin,1881 TR Cc AM SY LB CY EG
1148. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus*
Spinola,1844 AL GR TR SY IL Pa IR Cc AM TJ Pm KG
1149. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
1150. **Trichodes reichei Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863;
conjunctus Escherich,1892 TR SY Hal Ltk IL Pa IR Cc AM
1151. **Trichodes rubrolimbatus Chevrolat,1876** (Cleridae) Synonym(s): *rubrolimbatus*
Chevrolat,1876; *difficilis* Escherich,1893 TR SY IL Pa
1152. **Trichodes sexpustulatus Chevrolat,1874** (Cleridae) Synonym(s): *sexpustulatus*
Chevrolat,1874; *erratus* Champenois,1898 TR AM Cc Eri SY IR
1153. **Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus*
Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915 TR GR EG IL Pa SY Cc AM Eri IR
1154. **Trichodes suspectus Escherich,1892** (Cleridae) Synonym(s): *suspectus* Escherich,1892 SY
TR
1155. **Trichodes syriacus Spinola,1844** (Cleridae) Synonym(s): *syriacus* Spinola,1844 TR SY IL Pa
JO
1156. **Triecphorella geniculata (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata*
Horvath,1881; *fasciata* Kirschbaum,1868 IL Pa LB SY TR YU HV
1157. **Triglena virescens Fieber,1876** (Cicadidae) Synonym(s): *virescens* Fieber,1876 Triglena
virescens Fieber,1876, *Revue Mag. Zool.* 3 (4): 25. Type: Smyrna [=İzmir]. SY TR
1158. **Triodontella difformipes (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *difformipes*
Fairmaire,1892; *brignolii* Sabatinelli,1977 SY TR
1159. **Triodontella flavimana (Burmeister,1855)** (Scarabaeidae) Synonym(s): *flavimana*
Burmeister,1855; *sieversi* Reitter,1889 Cc GG Smt Bjo TR SY
1160. **Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris*
Masner,1958; *vassilievi* sensu Viktorov,1960; *reticulatus* Delucchi,1961 MA SY TR Cc AZ GG
1161. **Trithemis arteriosa (Burmeister,1839)** (Libellulidae) Synonym(s): *arteriosa* Burmeister,1839
TR SY
1162. **Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): *graeca* Uvarov,1926 Tropidopola
longicornis ssp. *graeca* Uvarov,1926, *Eos* 2: 173-174, figs. Holotype: Macedonia: Vardar plain, Tekeli
to Kenlike (BMNH). IT MK GR TR SY Dms
1163. **Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853;
syrica Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937 TR GR Cr IN LY EG SY LB Bei
1164. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG
AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1165. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta* Poda,1761;
hirtellus Linnaeus,1767 AL TR SY LB IL Pa Cc YU RU UA Cm
1166. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis*
Reitter,1913 TR Cc IR SY JO KG KK TM
1167. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida*
Scopoli,1763; *pilosa* Brullé,1832 GR SS LY SY LB IL Pa JO EG IQ TR
1168. **Tropinota (s.str.) vittula Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *vittula* Reiche
& Saulcy,1856 LB SY IL Pa
1169. **Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus* Tournier,1873 TR GR
Cr IL Pa SY
1170. **Tychius striatulus Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus* Gyllenhal,1836
TR SY IL Pa
1171. **Ulidia megacephala Loew,1845** (Ulidiidae) Synonym(s): *megacephala* Loew,1845 ES GR Rd
TR SY MA
1172. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii*
Frauenfeld,1867; *wodzizkii* Frauenfeld,1867; *syriaca* Hendel,1927; *erichschmidtii* M.Hering,1953 TR AT KG
MD UA RU IL Pa LB SY
1173. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961
TR AF IL EG SY JO
1174. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata*
Meigen,1826 TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
1175. **Usia (Micrusia) sicula Egger,1859** (Bombyliidae) Synonym(s): *sicula* Egger,1859 HV GR IT
Si MK SS SY TR YU
1176. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855 B-H
HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
1177. **Usia (s.str.) calva Loew,1869** (Bombyliidae) Synonym(s): *calva* Loew,1869 TR IL Pa SY

1178. **Usia (s.str.) carmelitensis Becker,1906** (Bombyliidae) Synonym(s): *carmelitensis* Becker,1906 **IL Pa Hf SY**
1179. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata* Becker,1906 **DZ SD EG IL Pa MA ES TN SY**
1180. **Usia (s.str.) syriaca Paramonov,1950** (Bombyliidae) Synonym(s): *syriaca* Paramonov,1950 **SY**
1181. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758 *Musca vermileo* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. **AT BG FR IT YU SY EG DZ Cn**
1182. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 **DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM**
1183. **Villa atricauda (Austen,1937)** (Bombyliidae) Synonym(s): *jugorum* Stein,1916; *atricauda* Austen,1937 **IL Pa SY**
1184. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis* Meigen,1826; *bivirgata* Austen,1937 **EG YE IL Pa JO SY SA**
1185. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866 **Cc AM AZ GG BG CY IL Pa IT Si SY LY YU**
1186. **Villa fallax Austen,1937** (Bombyliidae) Synonym(s): *anthracina* Zetterstedt,1860; *fallax* Austen,1937 **IL Pa SY**
1187. **Villa insignis Austen,1937** (Bombyliidae) Synonym(s): *humeralis* Robineau-Desvoidy,1830; *insignis* Austen,1937 **IL Pa SY**
1188. **Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana* Mavromoustakis,1949 **EG TN? IL Pa JO SY**
1189. **Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella* Macquart,1839 **TR SY IL Pa EG Sn**
1190. **Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869 **TR GR Rd IR SY**
1191. **Xerohippus syriacus (Bolivar,1911)** (Acrididae) Synonym(s): *syriacus* Bolivar,1911 **SY Hms**
1192. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 **AZ AM Cc GG TR AF IR KG PA SY TM UZ**
1193. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
1194. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840 **DZ ES IT Si Sa TR SY IR TM**
1195. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891 **FR HU AT CZ IT Si GR TR IL Pa SY**
1196. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877 **DZ MA LY Cy SY IL Pa Cr TR**
1197. **Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata* Deyrolle,1867 **TR SY EG GR Rd**
1198. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata* Brullé,1832 **TR IL Pa SY Cc AM EG IR TM**
1199. **Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica* Miller,1861 **TR SY IL Pa IR**
1200. **Zophosis cognata Miller,1861** (Tenebrionidae) Synonym(s): *cognata* Miller,1861 **LB Bei IL Pa SY**
1201. **Zophosis orientalis Deyrolle,1867** (Tenebrionidae) Synonym(s): *orientalis* Deyrolle,1867 **IL Pa SY**
1202. **Zophosis osmanlis Deyrolle,1872** (Tenebrionidae) Synonym(s): *osmanlis* Deyrolle,1872 **TR SY IL Pa**
1203. **Zophosis pygmaea Solier,1834** (Tenebrionidae) Synonym(s): *pygmaea* Solier,1834 **LY TN EG SY Dms**
1204. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948 **AF CY IR IL JO LB SY TR RU Cc GG Da UZ**

Synonymic and distributional list of the pterygot insects of Thailand

(Results of the Entomofauna of the World based upon info-system of the Cesa)

23

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Thailand (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 23.

Priamus (suppl.) 18: 942-950.

In this study, totally 275 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Thailand.

Brief explanatory information:

Previously published article	yes ⁴⁸
Previously published report	no
Expedition made by the Cesa	yes ⁴⁹
Planned expeditions	no
Further planned publications	yes

⁴⁸ **Kemal, M. & A.Ö.Koçak, 2005**, Nomenclatural notes on the Papilionidae (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 10-11 - **Kemal, M. & A.Ö.Koçak, 2005**, Nomenclatural notes on various taxa of the moths (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 11-14. - **Kemal, M. & A.Ö.Koçak, 2006**, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) - IV. *Cent. ent. Stud., Misc. Pap.* 97: 6-7 - **Kemal, M. & A.Ö.Koçak, 2004**, Corrections and Additions to the work entitled "Geometrid Moths of the World", edited by M. J. Scoble (Lepidoptera) - III. *Cent. ent. Stud., Misc. Pap.* 90: 1-5. - **Kemal, M., Leksawasdi, P. & A.Ö.Koçak, 2006**, Ascalaphidae species in Chiang Mai (North Thailand) (Planipennia). *Cent. ent. Stud., Misc. Pap.* 98: 6-8, 4 figs. - **Kemal, M., Leksawasdi, P. & A.Ö.Koçak, 2006**, *Wittstrota flavannamica* Behounek & Speidel in Thailand (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 99: 5-6. - **Koçak, A.Ö. & M.Kemal, 2006**, Notes on the nomenclature of some species group taxa in the family Geometridae (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 102-103: 15-16. - **Koçak, A.Ö. & M.Kemal, 2006**, Checklist of the family Notodontidae in Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 104: 1-8. - **Koçak, A.Ö. & M.Kemal, 2000**, Şerqi Asiye ve Pasipiktiki bezi taksonlar heqqide nomenklatur hatiriliri (Papilionidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 71: 1-7 [in Uighur language]. - **Koçak, A.Ö. & M.Kemal, 2006**, Corrections on the publication entitled "Moths of Thailand, vol. Two, Sphingidae" published in 1997 by H. Inoue, R.D.Kennett and I.J.Kitching (Lepidoptera). *Cent. Ent. Stud., Misc. Pap.* 94: 1-2, 1 Tab. - **Koçak, A.Ö. & M.Kemal, 2006**, Corrections on the publication entitled "Moths of Thailand vol. Three, Noctuidae, Part I" published in 2005 by V.S.Kononenko & B.A.Pinratana (Noctuidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 93: 1-8, 1 Tab. **Koçak, A.Ö., Kemal, M. & P.Leksawasdi, 2006**, Annotated checklist of the Tortricidae of Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 102-103: 1-13. - **Leksawasdi, P., Kemal, M. & A.Ö. Koçak, 2006**, List of the Species in the Insect Collection of the Chiang Mai University (Thailand) Lepidoptera: *Sphingidae*. *Cent. ent. Stud. Misc. Pap.* 95: 1-7. - **Koçak, A.Ö. & M.Kemal, 2007**, Notes on the nomenclature of Asiatic butterflies (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 5-6. - **Koçak, A.Ö. & M.Kemal, 2007**, Replacement names for some Microlepidoptera (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 5-7. - **Koçak, A.Ö. & M.Kemal, 2007**, Notes on the nomenclature of Asiatic Noctuidae (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 7-8. - **Kemal, M., Koçak, A.Ö. & P.Leksawasdi, 2007**, On the occurrence of *Psychothoe duvauceli* (Bsd.) in North Thailand (Ctenuchidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 105: 1-3, 3 figs. - **Kemal, M., Leksawasdi, P. & A.Ö.Koçak, 2007**, On the Pieridae fauna of Chiang Mai Province in North Thailand (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 134: 1-8, 21 figs. - **Kemal, M. Watanasit, S. & A.Ö.Koçak, 2007**, Annotated List of the species of Lepidoptera recorded in Southernmost Provinces of Thailand. *Priamus* 12 (3): 63-93, 1 map, 3 Pls (22 figs). <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamus123>
⁴⁹ <http://www.members.tripod.com/entcesa/Intent.pdf>

In this study, totally 275 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Project Entomofauna, the Lepidoptera of this country has been previously published by the authors as a list of xx species. By this way, total number of the pterygots increased to xxx.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
2. **Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux* Walker,1853 BT BD CN Hun IN TH CMa JP TW
3. **Adoretus compressus (Weber,1801)** (Scarabaeidae) Synonym(s): *compressus* Weber,1801 ID Ja TH
4. **Afzeliada badia (Distant,1888)** (Cicadidae) Synonym(s): *badia* Distant,1888 TH
5. **Agrionosoma pendleburyi Fraser,1927** (Ascalaphidae) Synonym(s): *pendleburyi* Fraser,1927 TH
6. **Ambragaean ambra Chou & Yao,1985** (Cicadidae) Synonym(s): *ambra* Chou & Yao,1985 TH
7. **Ambragaean stellata (Walker,1858)** (Cicadidae) Synonym(s): *stellata* Walker,1858 TH
8. **Ammophilomima areekuli Martin,1975** (Asilidae) Synonym(s): *areekuli* Martin,1975 TH
9. **Ammophilomima bifida Martin,1975** (Asilidae) Synonym(s): *bifida* Martin,1975 TH
10. **Ammophilomima flava Martin,1975** (Asilidae) Synonym(s): *flava* Martin,1975 TH
11. **Ammophilomima pimolae Martin,1975** (Asilidae) Synonym(s): *pimolae* Martin,1975 TH
12. **Ammophilomima siamae Martin,1973** (Asilidae) Synonym(s): *siamae* Martin,1973 TH
13. **Ammophilomima thailandae Martin,1973** (Asilidae) Synonym(s): *thailandae* Martin,1973 TH
14. **Amorphoscelis singaporana Giglio-Tos,1915** (Amorphoscelidae) Synonym(s): *singaporana* Giglio-Tos,1915 *Amorphoscelis singaporana* Giglio-Tos,1915, Bull. Soc. ent. ital. 46 (1914): 32-33. Type ♂: Singapore (BMNH). SG MY IN Ass ID Sum TH
15. **Amphicoma (s.str.) pacholatkoii Nikodym,2007** (Glaphyridae) Synonym(s): *pacholatkoii* Nikodym,2007 TH
16. **Anacinaces nahaeoensis Tomosovic & Grootaert,2003** (Asilidae) Synonym(s): *nahaeoensis* Tomosovic & Grootaert,2003 TH
17. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
18. **Ancyra vicina Lallemand,1928** (Eurybrachidae) Synonym(s): *vicina* Lallemand,1928 TH CMa Cu07 Cz11
19. **Angamiana floridula Distant,1904** (Cicadidae) Synonym(s): *floridula* Distant,1904 TH
20. **Angamiana melanoptera Boulard,2005** (Cicadidae) Synonym(s): *melanoptera* Boulard,2005 TH
21. **Ascalaphus prothoracicus (Kimmins,1949)** (Ascalaphidae) Synonym(s): *prothoracicus* Kimmins,1949 IN Ass SI Ben TH
22. **Ascalohybris oberthuri (Navas,1923)** (Ascalaphidae) Synonym(s): *oberthuri* Navas,1923 VN TH CMa
23. **Ayuthia spectabile Distant,1919** (Cicadidae) Synonym(s): *spectabile* Distant,1919 TH
24. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata* Saunders,1842; *magniferae* Cotes,1893; *persicae* Bigot,1890 PK IN LK BD MM TH LA VN MU RE EG OM SA
25. **Balinta tenebricosa (Distant,1888)** (Cicadidae) Synonym(s): *tenebricosa* Distant,1888 TH
26. **Becquartina bleuzeni Boulard,2005** (Cicadidae) Synonym(s): *bleuzeni* Boulard,2005 TH
27. **Becquartina electa (Jacobi,1902)** (Cicadidae) Synonym(s): *electa* Jacobi,1902 TH
28. **Becquartina versicolor Boulard,2005** (Cicadidae) Synonym(s): *versicolor* Boulard,2005; *#chantrainei* Boulard,2005; *#flammea* Boulard,2005; *#fuscalae* Boulard,2005; *#obscura* Boulard,2005 TH
29. **Bimantis malaccana (Rehn,1903)** (Mantidae) Synonym(s): *malaccana* (Rehn,1903 TH
30. **Blachia ducalis Walker,1867** (Pentatomidae) Synonym(s): *ducalis* Walker,1867; *coccinelloides* Vollenhoven,1868; *manifesta* Distant,1887 TH IN CN ID MM
31. **Bombylisoma resplendens (Brunetti,1909)** (Bombyliidae) Synonym(s): *resplendens* Brunetti,1909 IN Ass SI Up Hp NP LK TH
32. **Bombylisoma resplendens (Brunetti,1909)** (Bombyliidae) Synonym(s): *resplendens* Brunetti,1909 IN Hp Up Ass SI NP LK TH
33. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikán,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennoreus* Lioy,1864; *notialis* Evenhuis,1978 CA

- Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
34. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
35. **Cantheconidea humeralis Distant,1908** (Pentatomidae) Synonym(s): *humeralis* Distant,1908 IN MM CN TH
36. **Cazira ulcerata (Burmeister,1835)** (Pentatomidae) Synonym(s): *ulcerata* Burmeister,1835; *strumosa* Stal,1870 IN TH CN ID Ja Sum
37. **Cazira vegeta Kirkaldy,1909** (Pentatomidae) Synonym(s): *ulcerata* Herrich-Schäffer,1839 nec Burm.,1835; *vegeta* Kirkaldy,1909 JP CN VN TH IN
38. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa* Westwood,1834; *verrucifer* Burmeister,1835 CN TW MM IN BD TH KH VN ID Ja PH JP
39. **Ceratantennia saussurii Wood-Mason,1876** (Hymenopodidae) Synonym(s): *saussurii* Wood-Mason,1876 MM TH MY Bor
40. **Ceratothripoides cameroni (Priesner,1934)** (Thripidae) Synonym(s): *cameroni* Priesner,1934 SD NG SA IN TH
41. **Cetonia (Indocetonia) rhododendri Gestro,1891** (Scarabaeidae) Synonym(s): *rhododendri* Gestro,1891; *purpurascens* Kraatz,1897; *assamica* Schoch,1898 IN Ass MM TH
42. **Cetonia (Indocetonia) siamensis Antoine,2000** (Scarabaeidae) Synonym(s): *siamensis* Antoine,2000 TH
43. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
44. **Charitovalgus longulus (Gestro,1891)** (Scarabaeidae) Synonym(s): *longulus* Gestro,1891 MM TH
45. **Cheirotonus gestroi Pouillaude,1913** (Scarabaeidae) Synonym(s): *gestroi* Pouillaude,1913 TH
46. **Chelostoma (Eochelostoma) aureocinctum (Bingham,1897)** (Megachilidae) Synonym(s): *aureocinctum* Bingham,1897 IN SI MM Tns TH
47. **Choeradodis cancellata (Fabricius,1775)** (Mantidae) Synonym(s): *cancellata* Fabricius,1775 IN MM TH LK
48. **Chremistica chueatae Boulard,2004** (Cicadidae) Synonym(s): *chueatae* Boulard,2004 TH
49. **Chremistica echinaria Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *echinaria* Yaakop & Duffels,2005 TH
50. **Chremistica germana (Distant,1888)** (Cicadidae) Synonym(s): *germana* Distant,1888 TH MM MY Pen
51. **Chremistica guamusangensis Salmah & Zaidi,2002** (Cicadidae) Synonym(s): *guamusangensis* Salmah & Zaidi,2002 TH MY Bor Swk ID Sum
52. **Chremistica malayensis Yaakop & Duffels,2005** (Cicadidae) Synonym(s): *malayensis* Yaakop & Duffels,2005 TH Nst MY Prk
53. **Chremistica moultoni Boulard,2002** (Cicadidae) Synonym(s): *moultoni* Boulard,2002 TH
54. **Chremistica mussarens Boulard,2005** (Cicadidae) Synonym(s): *mussarens* Boulard,2005 TH
55. **Chremistica nesiotis Breddin,1905** (Cicadidae) Synonym(s): *nesiotis* Breddin,1905 TH MY Bor SG BN Swk ID
56. **Chremistica numida (Distant,1911)** (Cicadidae) Synonym(s): *numida* Distant,1911 TH
57. **Chremistica ochracea (Walker,1850)** (Cicadidae) Synonym(s): *ochracea* Walker,1850 TH
58. **Chremistica pontianaka (Distant,1888)** (Cicadidae) Synonym(s): *pontianaka* Distant,1888 TH MY Bor Swk PH Luz
59. **Chremistica siamensis Bregman,1985** (Cicadidae) Synonym(s): *siamensis* Bregman,1985 TH
60. **Chremistica viridis (Fabricius,1803)** (Cicadidae) Synonym(s): *viridis* Fabricius,1803 TH
61. **Cicindela (Cosmodela) aurulenta Fabricius,1801** (Carabidae) Synonym(s): *aurulenta* Fabricius,1801; *flavomaculata* Chevrolat,1845 *Cicindela aurulenta* Fabricius,1801, Syst. Eleuth. 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
62. **Creobroter fuscoareata Saussure,1870** (Hymenopodidae) Synonym(s): *fuscoareata* Saussure,1870 TH
63. **Cryptotympana aquila (Walker,1850)** (Cicadidae) Synonym(s): *aquila* Walker,1850 TH
64. **Cryptotympana facialis (Walker,1858)** (Cicadidae) Synonym(s): *facialis* Walker,1858 TH
65. **Cryptotympana fumipennis (Walker,1858)** (Cicadidae) Synonym(s): *fumipennis* Walker,1858 TH
66. **Cryptotympana gracilis Hayashi,1987** (Cicadidae) Synonym(s): *gracilis* Hayashi,1987 TH
67. **Cryptotympana mandarina Distant,1891** (Cicadidae) Synonym(s): *mandarina* Distant,1891 TH
68. **Cryptotympana recta (Walker,1850)** (Cicadidae) Synonym(s): *recta* Walker,1850 TH
69. **Culicoides andrewsi Causey,1938** (Ceratopogonidae) Synonym(s): *andrewsi* Causey,1938 TH

70. **Culicoides angkaensis** Kitaoka, Takaoka & Choochote, 2005 (Ceratopogonidae) Synonym(s): *angkaensis* Kitaoka, Takaoka & Choochote, 2005 TH
71. **Culicoides choochotei** Kitaoka & Takaoka, 2005 (Ceratopogonidae) Synonym(s): *choochotei* Kitaoka & Takaoka, 2005 TH
72. **Culicoides corti** Causey, 1938 (Ceratopogonidae) Synonym(s): *corti* Causey, 1938 TH
73. **Culicoides denmeadi** Causey, 1938 (Ceratopogonidae) Synonym(s): *denmeadi* Causey, 1938 TH
74. **Culicoides gewertzi** Causey, 1938 (Ceratopogonidae) Synonym(s): *gewertzi* Causey, 1938 TH
75. **Culicoides griffithi** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *griffithi* Wirth & Hubert, 1989 TH
76. **Culicoides halonostictus** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *halonostictus* Wirth & Hubert, 1989 TH
77. **Culicoides hegneri** Causey, 1938 (Ceratopogonidae) Synonym(s): *hegneri* Causey, 1938 TH
78. **Culicoides hewitti** Causey, 1938 (Ceratopogonidae) Synonym(s): *hewitti* Causey, 1938 TH
79. **Culicoides housei** Causey, 1938 (Ceratopogonidae) Synonym(s): *housei* Causey, 1938 TH
80. **Culicoides huffi** Causey, 1938 (Ceratopogonidae) Synonym(s): *huffi* Causey, 1938 TH
81. **Culicoides inthanonensis** Kitaoka, Takaoka & Choochote, 2005 (Ceratopogonidae) Synonym(s): *inthanonensis* Kitaoka, Takaoka & Choochote, 2005 TH CMA Int
82. **Culicoides macfieii** Causey, 1938 (Ceratopogonidae) Synonym(s): *macfieii* Causey, 1938 TH
83. **Culicoides nigripes** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *nigripes* Wirth & Hubert, 1989 TH
84. **Culicoides niphanae** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *niphanae* Wirth & Hubert, 1989 TH
85. **Culicoides shermani** Causey, 1938 (Ceratopogonidae) Synonym(s): *shermani* Causey, 1938 TH
86. **Culicoides siamensis** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *siamensis* Wirth & Hubert, 1989 TH
87. **Culicoides thurmanae** Wirth & Hubert, 1989 (Ceratopogonidae) Synonym(s): *thurmanae* Wirth & Hubert, 1989 TH
88. **Culicoides tuamsombooni** Kitaoka, Takaoka & Choochote, 2005 (Ceratopogonidae) Synonym(s): *tuamsombooni* Kitaoka, Takaoka & Choochote, 2005 TH
89. **Damalis albatu**s Scarbrough, 2005 (Asilidae) Synonym(s): *albatu*s Scarbrough, 2005 TH
90. **Dasyvalgus trisinuatus** (Gestro, 1891) (Scarabaeidae) Synonym(s): *trisinuatus* Gestro, 1891 MM TH
91. **Dasyvalgus tristis** (Gestro, 1891) (Scarabaeidae) Synonym(s): *tristis* Gestro, 1891 MM TH
92. **Deroplatys lobata** (Guérin-Méneville, 1838) (Mantidae) Synonym(s): *lobata* Guérin-Méneville, 1838 TH MY Bor ID Ja
93. **Dirhinus auratus** Ashmead, 1905 (Chalcididae) Synonym(s): *auratus* Ashmead, 1905 IN Up Ben LA MU PK PH LK TW TH VN
94. **Ducetia triramosa** Ingrisch, 1990 (Tettigoniidae) Synonym(s): *triramosa* Ingrisch, 1990 TH Fn
95. **Dundubia ayutthaya** Beuk, 1996 (Cicadidae) Synonym(s): *ayutthaya* Beuk, 1996 TH
96. **Dundubia crepitans** Boulard, 2005 (Cicadidae) Synonym(s): *crepitans* Boulard, 2005 TH
97. **Dundubia feae** (Distant, 1892) (Cicadidae) Synonym(s): *feae* Distant, 1892 TH
98. **Dundubia hastata** (Moulton, 1923) (Cicadidae) Synonym(s): *hastata* Moulton, 1923 TH
99. **Dundubia intemerata** Walker, 1857 (Cicadidae) Synonym(s): *intemerata* Walker, 1857 TH
100. **Dundubia kebuna** Moulton, 1923 (Cicadidae) Synonym(s): *kebuna* Moulton, 1923 TH
101. **Dundubia nagarasingha** Distant, 1881 (Cicadidae) Synonym(s): *nagarasingha* Distant, 1881 TH
102. **Dundubia nigripes** (Moulton, 1923) (Cicadidae) Synonym(s): *nigripes* Moulton, 1923 TH
103. **Dundubia oopaga** (Distant, 1881) (Cicadidae) Synonym(s): *oopaga* Distant, 1881 TH
104. **Dundubia rufivena** Walker, 1850 (Cicadidae) Synonym(s): *rufivena* Walker, 1850 TH
105. **Dundubia sinbyudaw** Beuk, 1996 (Cicadidae) Synonym(s): *sinbyudaw* Beuk, 1996 TH
106. **Dundubia somraji** Boulard, 2003 (Cicadidae) Synonym(s): *somraji* Boulard, 2003 TH
107. **Dundubia spiculata** Noualhier, 1896 (Cicadidae) Synonym(s): *spiculata* Noualhier, 1896 TH
108. **Dundubia terpsichore** (Walker, 1850) (Cicadidae) Synonym(s): *terpsichore* Walker, 1850 TH
109. **Dundubia vaginata** (Fabricius, 1787) (Cicadidae) Synonym(s): *vaginata* Fabricius, 1787 TH
110. **Eocanthecona furcellata** (Wolff, 1801) (Pentatomidae) Synonym(s): *furcellata* Wolff, 1801; *armigera* Herrich-Schäffer, 1844 PH IN LK MM ID Ja Mlc BD TW CN TH JP
111. **Eretes griseus** (Fabricius, 1781) (Dytiscidae) Synonym(s): *griseus* Fabricius, 1781; *succintus* Klug, 1834; *plicipennis* Motschoulsky, 1845; *moroderi* Baguena Corella, 1935 ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
112. **Eristalinus (Lathyrrophthalmus) quinquestriatus** (Fabricius, 1794) (Syrphidae) Synonym(s): *quinquestriatus* Fabricius, 1794 JP TH CMA TR
113. **Euterpnosia chibensis** (Cicadidae) Synonym(s): TH
114. **Formotosena montivaga** (Distant, 1889) (Cicadidae) Synonym(s): *montivaga* Distant, 1889 TH IN Ass Meg Nag
115. **Gaeana cheni** Chou & Yao, 1985 (Cicadidae) Synonym(s): *cheni* Chou & Yao, 1985 TH

116. **Gaeana festiva (Fabricius,1803)** (Cicadidae) Synonym(s): *festiva Fabricius,1803* TH
117. **Gaeana maculata** (Cicadidae) Synonym(s): *maculata* ; *consors Atkinson,1884* TH
118. **Geron argentifrons Brunetti,1909** (Bombyliidae) Synonym(s): *argentifrons Brunetti,1909* PK LK TH IN Up Hp
119. **Gimantis authaemon (Wood-Mason,1882)** (Mantidae) Synonym(s): *authaemon Wood-Mason,1882*; *marmorata Brunner Wattenwyl,1893* IN MM TH
120. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s): *horsfieldi Hope,1831*; *marginicollis Gory & Percheron,1833* IN Ass Meg MM NP CN TW LA TH BD Syl
121. **Glycyphana (Glycyphaniola) chamnongi Antoine,1991** (Scarabaeidae) Synonym(s): *chamnongi Antoine,1991* TH
122. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889*; *bannana Xu & Zhang,1996* MM TH CMA CDo Int Dst Tng Cbi VN CN Hn ID Ja Bli IN Ass Meg
123. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900*; *borneensis Emery,1900* MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMA Dst Pbu ID Clb
124. **Gnamptogenys chapmani Brown,1958** (Formicidae) Synonym(s): *chapmani Brown,1958* ID Ja MY Bor Sbh PH Neg TH
125. **Gnamptogenys costata (Emery,1889)** (Formicidae) Synonym(s): *costata Emery,1889*; *unicolor Forel,1901*; *parva Forel,1913*; *simalurensis Forel,1915*; *pinealis Wheeler,1929*; *wallacei Donisthorpe,1932* MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMA CDo Tng Nrt MY Bor Sbh BN Swk
126. **Gnamptogenys cribrata (Emery,1900)** (Formicidae) Synonym(s): *cribrata Emery,1900*; *diehlii Forel,1901*; *dammermani Wheeler,1924* MY Bor Sbh KBA Swk PH Neg SG TH PG ID Ja
127. **Gnamptogenys ortostoma Latke,2004** (Formicidae) Synonym(s): *ortostoma Latke,2004* TH CMA MY SG Bor
128. **Gongylus gongylodes (Linnaeus,1758)** (Empusidae) Synonym(s): *gongylodes Linnaeus,1758* IN ID Ja LK MM TH
129. **Gonypeta brigittae Kaltenbach,1994** (Mantidae) Synonym(s): *brigittae Kaltenbach,1994* TH
130. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta Burmeister,1838*; *longipennis Haan,1842*; *grandis Walker,1869*; *siamensis Giebel,1878*; *sinensis Giebel,1878* TH ID Ja PH MM Bor IN CN
131. **Halictus (Seladonia) vicinus Vachal,1894** (Halictidae) Synonym(s): *vicinus Vachal,1894*; *obuensis Cameron,1908*; *silvatica Blüthgen,1926*; *daturae Cockerell,1929*; *laosina Cockerell,1929*; *umbrosus Cockerell,1929* MM IN Tns TH Nan
132. **Haphsa bindusara (Distant,1905)** (Cicadidae) Synonym(s): *bindusara Distant,1905* TH VN
133. **Haphsa scitula (Distant,1888)** (Cicadidae) Synonym(s): *scitula Distant,1888* TH VN
134. **Haphsa sulaiyai (Boulard,2005)** (Cicadidae) Synonym(s): *sulaiyai Boulard,2005* TH
135. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758*; *semiatra Meigen,1820*; *morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
136. **Hierodula gracilicollis Stal,1877** (Mantidae) Synonym(s): *gracilicollis Stal,1877* TH MY Bor
137. **Hierodula membranacea (Burmeister,1838)** (Mantidae) Synonym(s): *membranacea Burmeister,1838* CN IN ID Ja TH NP LK
138. **Huechys beata Distant,1892** (Cicadidae) Synonym(s): *beata Distant,1892* TH
139. **Huechys sanguinea (De Geer,1773)** (Cicadidae) Synonym(s): *sanguinea De Geer,1773* TH
140. **Ischnura senegalensis (Rambur,1842)** (Coenagrionidae) Synonym(s): *senegalensis Rambur,1842* TR? IQ Cc AZ Kir TH
141. **Laloides tigris Tomosovic & Grootaert,2003** (Asilidae) Synonym(s): *tigris Tomosovic & Grootaert,2003* TH
142. **Lamellipalodes tsurui Kawashima,2007** (Lampyridae) Synonym(s): *tsurui Kawashima,2007* TH
143. **Lamellipalpus brendelli Wittmer,1995** (Lampyridae) Synonym(s): *brendelli Wittmer,1995* TH Tak Chy
144. **Lamellipalpus kubani Brancucci & Geiser,2009** (Lampyridae) Synonym(s): *kubani Brancucci & Geiser,2009* TH Tak Mae
145. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
146. **Leptopsaltria draluobi Boulard,2003** (Cicadidae) Synonym(s): *draluobi Boulard,2003* TH
147. **Lethocerus grandis (Linnaeus,1758)** (Belostomatidae) Synonym(s): *grandis Linnaeus,1758* MW TH
148. **Liacos erythrosona (Burmeister,1854)** (Scoliidae) Synonym(s): *erythrosona Burmeister,1854*; *penangensis Saussure,1855*; *analisis Saussure,1864* MY Pen TH CMA Phu ID Sum
149. **Macrosemia chantrainei Boulard,2003** (Cicadidae) Synonym(s): *chantrainei Boulard,2003* TH
150. **Macrosemia giovannae Boulard,2005** (Cicadidae) Synonym(s): *giovannae Boulard,2005* TH
151. **Macrosemia khuanai Boulard,2001** (Cicadidae) Synonym(s): *khuanai Boulard,2001* TH
152. **Macrosemia longiterebra Boulard,2003** (Cicadidae) Synonym(s): *longiterebra Boulard,2003* TH

153. **Macrosemia tonkiniana (Jacobi,1905)** (Cicadidae) Synonym(s): *tonkiniana Jacobi,1905* TH VN
Ton
154. **Macrosemia umbrata (Distant,1888)** (Cicadidae) Synonym(s): *umbrata Distant,1888* TH
155. **Malthodes malickyi Wittmer,1997** **homonym!** (Cantharidae) Synonym(s): *malickyi Wittmer,1997 nec Witt.,1980* TH CMa
156. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus
*religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF
GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb
KP KR CN VN*
157. **Martiniana carinata Schimmel,1996** (Elateridae) Synonym(s): *carinata Schimmel,1996* ID Sum
TH
158. **Maua quadrituberculata (Signoret,1847)** (Cicadidae) Synonym(s): *quadrituberculata Signoret,1847* TH
159. **Megapomponia clamorigravis Boulard,2005** (Cicadidae) Synonym(s): *clamorigravis Boulard,2005* TH
160. **Megapomponia imperatoria (Westwood,1842)** (Cicadidae) Synonym(s): *imperatoria Westwood,1842* TH
161. **Megapomponia intermedia (Distant,1905)** (Cicadidae) Synonym(s): *intermedia Distant,1905* TH
162. **Megapomponia pendleburyi (Boulard,2001)** (Cicadidae) Synonym(s): *pendleburyi Boulard,2001* TH
163. **Meimuna duffelsi Boulard,2005** (Cicadidae) Synonym(s): *duffelsi Boulard,2005* TH
164. **Meimuna durga (Distant,1881)** (Cicadidae) Synonym(s): *durga Distant,1881* TH
165. **Meimuna jsguillotsi Boulard,2005** (Cicadidae) Synonym(s): *jsguillotsi Boulard,2005* TH
166. **Meimuna nauhkae Boulard,2005** (Cicadidae) Synonym(s): *nauhkae Boulard,2005* TH
167. **Meimuna tavoyana (Distant,1888)** (Cicadidae) Synonym(s): *tavoyana Distant,1888* TH MM Tv
168. **Milichiella smithi Aldrich,1931** (Milichiidae) Synonym(s): *smithi Aldrich,1931* TH
169. **Mogannia caesar Jacobi,1902** (Cicadidae) Synonym(s): *caesar Jacobi,1902* TH
170. **Mogannia conica (Germar,1830)** (Cicadidae) Synonym(s): *conica Germar,1830* TH
171. **Mogannia cyanea Walker,1858** (Cicadidae) Synonym(s): *cyanea Walker,1858* TH
172. **Mogannia saucia Noualhier,1896** (Cicadidae) Synonym(s): *saucia Noualhier,1896* TH
173. **Muda sp.n.** (Cicadidae) Synonym(s): TH
174. **Muda sp.n.** (Cicadidae) Synonym(s): TH
175. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica Linnaeus,1758* PT DK DE IT
Si Sa PL CZ SK CH AT HU TR TH AU NF
176. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* RU TR IN CN TH MY
177. **Neomyia cuprea Shinonaga & Tumrasvin,1977** (Muscidae) Synonym(s): *cuprea Shinonaga & Tumrasvin,1977* TH
178. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens Walker,1856* MY Bor MM ID
Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN
179. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri Emden,1965* MM LK IN Ass
Ben NP TH VN
180. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica Robineau-Desvoidy,1830* IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw
181. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta Wiedemann,1830* MY Bor LK
CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry
182. **Neomyia rufitarsis (Stein,1920)** (Muscidae) Synonym(s): *rufitarsis Stein,1920* MM ID Ja MY TH
183. **Neovalgus bufo (Arrow,1944)** (Scarabaeidae) Synonym(s): *bufo Arrow,1944* LA TH
184. **Nousera gibba Navas,1923** (Ascalaphidae) Synonym(s): *gibba Navas,1923* TH
185. **Odontomantis micans (Saussure,1871)** (Hymenopodidae) Synonym(s): *micans Saussure,1871* IN LK TH MY Bor ID Sda
186. **Onitis falcatus (Wulfen,1789)** (Scarabaeidae) Synonym(s): *falcatus Wulfen,1789* TH
187. **Oreoderus ahrensi Ricchiardi,2001** (Scarabaeidae) Synonym(s): *ahrensi Ricchiardi,2001* TH
188. **Oreoderus quadricarinatus Arrow,1944** (Scarabaeidae) Synonym(s): *quadricarinatus Arrow,1944* VN Ton LA TH
189. **Oreoderus siamensis Ricchiardi,2001** (Scarabaeidae) Synonym(s): *siamensis Ricchiardi,2001* TH LA MM KH
190. **Orientopsaltria beaudouini Boulard,2003** (Cicadidae) Synonym(s): *beaudouini Boulard,2003* TH
191. **Orientopsaltria cantavis Boulard,2003** (Cicadidae) Synonym(s): *cantavis Boulard,2003* TH
192. **Orientopsaltria fangrayae Boulard,2001** (Cicadidae) Synonym(s): *fangrayae Boulard,2001* TH
193. **Orientopsaltria guttigera (Walker,1856)** (Cicadidae) Synonym(s): *guttigera Walker,1856* TH
194. **Orientopsaltria lucieni Boulard,2005** (Cicadidae) Synonym(s): *lucieni Boulard,2005* TH
195. **Orientopsaltria musicus Boulard,2005** (Cicadidae) Synonym(s): *musicus Boulard,2005* TH
196. **Orientopsaltria padda (Distant,1887)** (Cicadidae) Synonym(s): *padda Distant,1887* TH

197. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis Selys,1891* CN Hn IN LK MM MY TH PH SG Bor Sbh
198. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum Brauer,1865* CN ID IN JP LK MM MY TH PH VN TW Bor Sbh
199. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770* TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
200. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum Burmeister,1839* CN Hn MM MY TH PH TW VN Bor Sbh
201. **Oxycetonia histrio (Olivier)** (Scarabaeidae) Synonym(s): TH
202. **Phyllothelys mitratum Rehn,1903** (Mantidae) Synonym(s): *mitratum Rehn,1903* TH
203. **Platylomia andamansidensis Boulard,2001** (Cicadidae) Synonym(s): *andamansidensis Boulard,2001* TH IN Adm
204. **Platylomia bocki (Distant,1882)** (Cicadidae) Synonym(s): *bocki Distant,1882* TH
205. **Platylomia malickyi Beuk,1998** (Cicadidae) Synonym(s): *malickyi Beuk,1998* TH
206. **Platylomia operculata Distant,1913** (Cicadidae) Synonym(s): *operculata Distant,1913* TH
207. **Platylomia operculata Distant,1913** (Cicadidae) Synonym(s): *operculata Distant,1913* TH
208. **Platylomia pendleburyi Moulton,1923** (Cicadidae) Synonym(s): *pendleburyi Moulton,1923* TH
209. **Platylomia saturata (Walker,1858)** (Cicadidae) Synonym(s): *saturata Walker,1858* TH MY Prk
210. **Platylomia similis (Distant,1888)** (Cicadidae) Synonym(s): *similis Distant,1888* TH
211. **Platylomia stasserae Boulard,2005** (Cicadidae) Synonym(s): *stasserae Boulard,2005* TH
212. **Platyleura arminops Noualhier,1896** (Cicadidae) Synonym(s): *arminops Noualhier,1896* TH
213. **Platyleura auropilosa Kato,1940** (Cicadidae) Synonym(s): *auropilosa Kato,1940* TH
214. **Platyleura mira Distant,1904** (Cicadidae) Synonym(s): *mira Distant,1904* TH
215. **Platyleura nobilis (Germar,1830)** (Cicadidae) Synonym(s): *nobilis Germar,1830; hemiptera Guérin-Ménéville,1834; semilucida Walker,1850; gemina Walker,1850* IN Ass Meg MM Tvy TH ID Sum Ja
216. **Platyleura watsoni (Distant,1897)** (Cicadidae) Synonym(s): *watsoni Distant,1897* TH MM Chn
217. **Plistospilota nova Beier,1930** (Mantidae) Synonym(s): *nova Beier,1930* IN TH
218. **Pomponia dolosa Boulard,2001** (Cicadidae) Synonym(s): *dolosa Boulard,2001* TH
219. **Pomponia fusacuminis Boulard,2005** (Cicadidae) Synonym(s): *fusacuminis Boulard,2005* TH
220. **Pomponia fusca (Olivier,1790)** (Cicadidae) Synonym(s): *fusca Olivier,1790* TH
221. **Pomponia fuscoides Boulard,2002** (Cicadidae) Synonym(s): *fuscoides Boulard,2002* TH
222. **Pomponia gemella Boulard,2005** (Cicadidae) Synonym(s): *gemella Boulard,2005* TH
223. **Pomponia lactea (Distant,1887)** (Cicadidae) Synonym(s): *lactea Distant,1887* TH
224. **Pomponia linearis (Walker,1850)** (Cicadidae) Synonym(s): *linearis Walker,1850* TH
225. **Pomponia littldollae Boulard,2002** (Cicadidae) Synonym(s): *littldollae Boulard,2002* TH
226. **Pomponia namtokola Boulard,2005** (Cicadidae) Synonym(s): *namtokola Boulard,2005* TH
227. **Pomponia nasanensis Boulard,2005** (Cicadidae) Synonym(s): *nasanensis Boulard,2005* TH
228. **Pomponia noualhierii Boulard,2005** (Cicadidae) Synonym(s): *noualhierii Boulard,2005* TH
229. **Pomponia quadrispinae Boulard,2002** (Cicadidae) Synonym(s): *quadrispinae Boulard,2002* TH
230. **Pseudempusa pavonina Giglio-Tos,1916** (Mantidae) Synonym(s): *pavonina Giglio-Tos,1916* MM TH
231. **Pseudempusa pinnapavonis Brunner von Wattenwyl,1892** (Mantidae) Synonym(s): *pinnapavonis Brunner von Wattenwyl,1892* MM TH
232. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis Macquart,1839; maura Bigot,1885* Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
233. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853; lateralis Costa,1855* TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR
234. **Purana atroclunes Boulard,2002** (Cicadidae) Synonym(s): *atroclunes Boulard,2002* TH
235. **Purana doiluangensis Boulard,2005** (Cicadidae) Synonym(s): *doiluangensis Boulard,2005* TH
236. **Purana guttularis (Walker,1858)** (Cicadidae) Synonym(s): *guttularis Walker,1858* TH
237. **Purana idmoorei Boulard,2005** (Cicadidae) Synonym(s): *idmoorei Boulard,2005* TH
238. **Purana johanae Boulard,2005** (Cicadidae) Synonym(s): *johanae Boulard,2005* TH
239. **Purana khuanae Boulard,2002** (Cicadidae) Synonym(s): *khuanae Boulard,2002* TH
240. **Purana khuniensis Boulard,2005** (Cicadidae) Synonym(s): *khuniensis Boulard,2005* TH
241. **Purana pigmentata Distant,1905** (Cicadidae) Synonym(s): *pigmentata Distant,1905* TH
242. **Purana tigrina (Walker,1850)** (Cicadidae) Synonym(s): *tigrina Walker,1850* TH
243. **Purana ubina Moulton,1923** (Cicadidae) Synonym(s): *ubina Moulton,1923* TH
244. **Puranoides klossi Moulton,1917** (Cicadidae) Synonym(s): *klossi Moulton,1917* TH
245. **Pycna concinna Boulard,2005** (Cicadidae) Synonym(s): *concinna Boulard,2005* TH

246. **Rhombodera basalis (De Haan,1842)** (Mantidae) Synonym(s): *basalis* De Haan,1842; *deflexa* Saussure,1871 **IN TH MY ID Ja Bor**
247. **Rhombodera fusca Lombardo,1992** (Mantidae) Synonym(s): *fusca* Lombardo,1992 **TH**
248. **Rhombodera megaera Rehn,1903** (Mantidae) Synonym(s): *megaera* Rehn,1903 **TH**
249. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum** Walker,1851, **List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz**
250. **Rustia dentivitta (Walker,1862)** (Cicadidae) Synonym(s): *dentivitta* Walker,1862 **TH**
251. **Salvazana mirabilis Distant,1913** (Cicadidae) Synonym(s): *mirabilis* Distant,1913 **TH**
252. **Scieroptera splendidula (Fabricius,1775)** (Cicadidae) Synonym(s): *splendidula* Fabricius,1775; *cuprea* Walker,1870 **TH**
253. **Sepedon plumbella Wiedemann,1830** (Sciomyzidae) Synonym(s): *plumbella* Wiedemann,1830 **IN TH CMa AU**
254. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
255. **Supholomitus serratus Fraser,1922** (Ascalaphidae) Synonym(s): *serratus* Fraser,1922 **TH**
256. **Systropha (s.str.) inexpectata Ebmer,1994** (Halictidae) Synonym(s): *inexpectata* Ebmer,1994 **TH Nan**
257. **Systropus (s.str.) flavipectus (Enderlein,1926)** (Bombyliidae) Synonym(s): *flavipectus* Enderlein,1926 **IN SI TH**
258. **Systropus (s.str.) polistoides Westwood,1876** (Bombyliidae) Synonym(s): *polistoides* Westwood,1876 **CN MN TH**
259. **Talainga binghami Distant,1890** (Cicadidae) Synonym(s): *binghami* Distant,1890 **TH**
260. **Tanna ventriroseus Boulard,2003** (Cicadidae) Synonym(s): *ventriroseus* Boulard,2003 **TH**
261. **Tanna yanni Boulard,2003** (Cicadidae) Synonym(s): *yanni* Boulard,2003 **TH**
262. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 **IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH**
263. **Tenodera sinensis Saussure,1871** (Mantidae) Synonym(s): *sinensis* Saussure,1871; *mandarinea* Saussure,1871 **CN JP TH**
264. **Terpnosia abdullah Distant,1904** (Cicadidae) Synonym(s): *abdullah* Distant,1904 **TH**
265. **Terpnosia neocollina Liu,1940** (Cicadidae) Synonym(s): *neocollina* Liu,1940 **TH**
266. **Terpnosia nonusaprilis Boulard,2003** (Cicadidae) Synonym(s): *nonusaprilis* Boulard,2003 **TH**
267. **Terpnosia psecas (Walker,1850)** (Cicadidae) Synonym(s): *psecas* Walker,1850 **TH**
268. **Terpnosia viridissima Boulard,2005** (Cicadidae) Synonym(s): *viridissima* Boulard,2005 **TH**
269. **Tosena albata (Distant,1878)** (Cicadidae) Synonym(s): *albata* Distant,1878 **TH**
270. **Tosena melanoptera (White,1846)** (Cicadidae) Synonym(s): *melanoptera* White,1846 **TH IN SI Djl Ass Meg Khs Syl BD MM Bha**
271. **Tosena paviei (Noualhier,1896)** (Cicadidae) Synonym(s): *paviei* Noualhier,1896 **TH**
272. **Tosena splendida Distant,1878** (Cicadidae) Synonym(s): *splendida* Distant,1878 **TH IN Ass Meg Nag MM**
273. **Truxalis siamensis Dirsh,1951** (Acrididae) Synonym(s): *siamensis* Dirsh,1951 **TH**
274. **Unalianus harmandi (Brongniart,1897)** (Tettigoniidae) Synonym(s): *harmandi* Brongniart,1897 **TH**
275. **Unalianus heteracanthus (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *heteracanthus* Redtenbacher, 1891 **TH VN KH ID Ja MM MY**

Synonymic and distributional list of the pterygot insects of Tadjikistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

24

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Tadjikistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 24.

Priamus (suppl.) 18: 950-973.

In this study, totally 629 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Tadjikistan.

In this study, totally 629 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

- Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
- Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
- Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
- Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876 AF IR IQ? MN TR GG KG RU TJ TM UZ
- Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
- Adontomerus eriogasteris Nikol'skaya,1955** (Torymidae) Synonym(s): *eriogasteris* Nikol'skaya,1955 TJ RU
- Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 Cc RU TM UZ KK TJ PK
- Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis* Loew,1873; *maschouk* Pleske,1925 TJ KG UZ RU TR
- Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candèze,1889 DZ TR TM SY IR IQ TM TJ
- Aethiessa szekessyi Brasavola,1939** (Scarabaeidae) Synonym(s): *szekessyi* Brasavola,1939; *crinita* Nilcolajev,1975 TJ TM

11. **Agonum chalconotum Ménériés,1832** (Carabidae) Synonym(s): *chalconotum Ménériés,1832* GB LA TR AF KK KG TJ UZ CN MN
12. **Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus Candeze,1863* TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
13. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH).** LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
14. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua Ménériés,1832; bistriata Putzeys,1866* AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
15. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis Motschoulsky,1844; badiola Bates,1878; laticosta Poppius,1908; nigri-ventris Lutshnik,1927; chivensis Lutshnik,1928; tratnikovi Lutshnik,1928; pamiricola Lutshnik,1930; gisellae Csiki,1929* AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
16. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria Paykull,1790; analis Fabricius,1792; petri Hummel,1825; rhaetica Heer,1837; armena Motschoulsky,1844; parallela Chaudoir,1842; putzeysi Horn,1875; baschkirica Schweiger,1966; paphlagoniensis Schweiger,1966; uludagensis Schweiger,1966* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
17. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceia O.F.Müller,1776; bifrons Gyllenhal,1810; discrepans Stephens,1828; zimmermanni Heer,1837; longiceps Seidlitz,1887; kleini Schuler,1964* Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
18. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica Panzer,1796; caucasica Motschoulsky,1844; lithuanica Motschoulsky,1844; abruzzensis Schaubberger,1923* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
19. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
20. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota Panzer,1796; acuminata Paykull,1898; aerata Stephens,1828; exculpta Hassmann,1866; raymondi Putzeys,1870* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
21. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris Duftschmid,1812; cursor Sturm,1825; levis Sturm,1825; perplexa Dejean,1828; elegans Rylands,1841; humilis Casey,1918* AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
22. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia Motschoulsky,1844; ovata Motschoulsky,1844; littorea Thomson,1857; motschoulskyi Heyden,1880; wuki Matcha,1922; bogatshevi Lutshnik,1934; kodymi Jedlicka,1936; tockoensis Jedlicka,1936* AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
23. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata Fabricius,1792; trivialis Duftschmid,1812; pratensis Sturm,1825; incisa Germar,1841; adamantina Kolenati,1845; audax Gistel,1857; sarsi Munster,1927; melanochlora Lutshnik,1933; similatoides Jedlicka,1934; aequatorialis Baliani,1939* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
24. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans C.Zimmermann,1832; inderiensis Motschoulsky,1850; dagestana Jedlicka,1962* AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
25. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena Hieke,1999* TR IR KG TJ TM UZ CN Ui
26. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua Duftschmid,1812; liberta Duftschmid,1812; subaenea Sturm,1825; ruficornis Dejean,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
27. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis Duftschmid,1812* AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
28. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi Ballion,1870; clypeata Solsky,1876; dubia Solsky,1876; auricollis Reitter,1890; viridicollis Reitter,1890; belia Reitter,1900* AF UZ KG TJ KK TM
29. **Amphicoma (Pygopleurus) banghaasi Reitter,1895** (Glaphyridae) Synonym(s): *banghaasi Reitter,1895; mita Brancsik,1899; coeruleipennis Petrovitz,1957* IR Kh TM TJ

30. **Amphicoma (Solskiola) analis Solsky,1876** (Glaphyridae) Synonym(s): *analis Solsky,1876* **TM UZ TJ**
31. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935; acuteangulata Zachvatkin,1946* **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
32. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis Mercet,1921; orbitalis Ruschka,1923* **AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU**
33. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
34. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens Becker,1913; intermedius Becker,1916* **AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ**
35. **Anastoechus montium Becker,1916** (Bombyliidae) Synonym(s): *montium Becker,1916* **KK MN RU TJ**
36. **Anastoechus niveicollis Enderlein,1934** (Bombyliidae) Synonym(s): *niveicollis Enderlein,1934* **TJ**
37. **Anastoechus stackelbergi Paramonov,1926** (Bombyliidae) Synonym(s): *stackelbergi Paramonov,1926* **KK TJ TM UZ**
38. **Anomala (Psammoscaphaeus) oxiana Semenov,1891** (Scarabaeidae) Synonym(s): *oxiana Semenov,1891* **TJ**
39. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae) Synonym(s): *insulare Morawitz,1873; persicolum Mavromoustakis,1937; lemesium Mavromoustakis,1937* **GR Rd IR TR CY TJ**
40. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
41. **Anthidium (Archanthidium) forcipatum Morawitz,1875** (Megachilidae) Synonym(s): *forcipatum Morawitz,1875; edentatum riese,1931* **TJ**
42. **Anthidium (Icteranthidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; transcasicum Lebedev,1923; reinigi Alfken,1931; tadzhicum Popov,1935* **UZ TM LB TJ Pm**
43. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum Dours,1873; littorale Morawitz,1874; holozonicum Mavromoustakis,1939; kvakium Mavromoustakis,1939; wahrmanni Mavromoustakis,1948* **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
44. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852; floripetum Eversmann,1852; stigmaticorne Dours,1873; cribratum Morawitz,1875; petechiale Morawitz,1875; nanum Mocsary,1879; leucostoma Costa,1883; peregrinum Costa,1884; eversmanni Radoszkowski,1886; fraternum Perez,1895; astilleroi Dusmet,1915; grandi Alfken,1937; karakalense Popov,1952; canariense Mavromoustakis,1954* **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
45. **Anthidium (Pseudoanthidium) obscuratum Morawitz,1875** (Megachilidae) Synonym(s): *obscuratum Morawitz,1875; ivanovi Mavromoustakis,1954* **TJ Pm**
46. **Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae) Synonym(s): *gussakowskiji Mavromoustakis,1939; neosyriacum Mavromoustakis,1956* **TJ TR**
47. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigritudum Friese,1917; suecicum Alfken,1927* **SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR**
48. **Anthidium (s.str.) thomsoni Morawitz,1894** (Megachilidae) Synonym(s): *thomsoni Morawitz,1894* **TJ**
49. **Anthocoris angularis Reuter,1884** (Anthocoridae) Synonym(s): *angularis Reuter,1884* **KK KG TJ MN UZ IR Th Elb**
50. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes Reuter,1884* **IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ**
51. **Anthocoris poissoni Kiritshenko,1952** (Anthocoridae) Synonym(s): *poissoni Kiritshenko,1952* **KK TJ IR Ab**
52. **Anthocoris simillimus Poppius,1909** (Anthocoridae) Synonym(s): *simillimus Poppius,1909* **KK TJ IR Gh**
53. **Anthophora robusta (Klug,1817)** (Apidae) Synonym(s): *robusta Klug,1817; pamirica Hedicke,1931* **TR TJ Pm**
54. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**

55. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
56. **Anthrax jazykovi Zakhvatkin,1934** (Bombyliidae) Synonym(s): *jazykovi* Zakhvatkin,1934; *jazykovi* Paramonov,1935 Cc AZ AM GG MN TJ UZ
57. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
58. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
59. **Anthrax tajikistanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *tajikistanus* Evenhuis & Greathead,1999 AM AZ GG Cc KG TJ UZ
60. **Anthrax tajikistanus Yeates & Lambkin,1999** (Bombyliidae) Synonym(s): *tajikistanus* Yeates & Lambkin,1999 TJ
61. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876 PL AF Cc CN KG KK TJ TM UZ
62. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus* Solsky,1876 AF Cc TR IR KK KG TJ TM UZ
63. **Anthrenus (Solskinus) tadhicus Mroczkowski,1961** (Dermestidae) Synonym(s): *tadhicus* Mroczkowski,1961 TJ
64. **Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özbek & Szaloki,1998 TR RU Cc KG TJ
65. **Aphodius (Acanthbodilus) immundus Creutzer,1799** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 RU Cc Ur Sb Us KG TM TJ
66. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ
67. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 RU Ur Cc UA Cm KG KK TJ TM
68. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767 RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
69. **Aphodius (Calamosternus) lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): *lividus* Olivier,1789 RU Am Cc GG KG TM TJ
70. **Aphodius (Chilothorax) distinctus (Müller,1776)** (Scarabaeidae) Synonym(s): *distinctus* Müller,1776 DE RU Cc Ur Sb Us KG TM TJ
71. **Aphodius (Chilothorax) scuticollis Semenov,1898** (Scarabaeidae) Synonym(s): *scuticollis* Semenov,1898 KG TJ
72. **Aphodius (Esymus) alaiensis Reitter,1892** (Scarabaeidae) Synonym(s): *alaiensis* Reitter,1892 KG TM TJ
73. **Aphodius (Lunaphodius) lunifer Solsky,1876** (Scarabaeidae) Synonym(s): *lunifer* Solsky,1876 TM TJ
74. **Aphodius (Melinopterus) scuticollis Semenov,1898** (Scarabaeidae) Synonym(s): *scuticollis* Semenov,1898 KG TJ
75. **Aphodius (Nialus) varians Duftschmid,1805** (Scarabaeidae) Synonym(s): *variens* Duftschmid,1805 RU Sb UA AZ Cc KG TJ
76. **Aphodius (Pseudacrossus) edgardi Solsky,1876** (Scarabaeidae) Synonym(s): *edgardi* Solsky,1876 TM TJ
77. **Apolysis zaitzevi Evenhuis,1990** (Bombyliidae) Synonym(s): *montana* Zaitzev,1972 *nec* Meland.,1946; *zaitzevi* Evenhuis,1990 KK TJ
78. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825 AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
79. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976 DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
80. **Arachnospila pamira (Haupt,1930)** (Pompilidae) Synonym(s): *pamira* Haupt,1930 TR TJ Pm
81. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
82. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
83. **Armene breviptera Lindt,1963** (Mantidae) Synonym(s): *breviptera* Lindt,1963 TJ
84. **Armene fanica Lindt,1973** (Mantidae) Synonym(s): *fanica* Lindt,1973 TJ
85. **Armene griseolata Lindt,1973** (Mantidae) Synonym(s): *griseolata* Lindt,1973 TJ
86. **Armene hissarica Lindt,1973** (Mantidae) Synonym(s): *hissarica* Lindt,1973 TJ
87. **Armene macroalata Lindt,1973** (Mantidae) Synonym(s): *macroalata* Lindt,1973 TJ
88. **Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): *pusilla* Eversmann,1859 AF MN TJ TM CN Ui
89. **Armene robusta Mistshenko,1956** (Mantidae) Synonym(s): *robusta* Mistshenko,1956 AF TJ
90. **Armene seravshanica Lindt,1974** (Mantidae) Synonym(s): *seravshanica* Lindt,1974 TJ
91. **Armene silvicola Lindt,1976** (Mantidae) Synonym(s): *silvicola* Lindt,1976 TJ

92. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
93. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 AM Cc BG GR TR CY IR KK KG TJ UZ
94. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
95. **Asyndetus izius Negrobov,1973** (Dolichopodidae) Synonym(s): *izius* Negrobov,1973 IQ MN TJ
96. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979 TR IR Ab Oru UA RU KG KK TM TJ UZ
97. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisingnata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
98. **Balcanocerus alkani (Wagner,1958)** (Cicadellidae) Synonym(s): *alkani* Wagner,1958 TR TJ IR
99. **Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): *chloris* Horvath,1894 Cc AM GG KG TJ UZ
100. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
101. **Banchus pictus Fabricius,1798** (Ichneumonidae) Synonym(s): *pictus* Fabricius,1798 TR TJ Pm
102. **Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor* Thunberg,1822 TR Cc KK KG TJ
103. **Batracomorpha irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
104. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
105. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus* Gussakowski,1935 AF UZ TR IR TJ KG UZ
106. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus* Schmid-Egger,2004 IR Kh Ss TJ KG UZ TR SA IQ Mos PK
107. **Bembecinus gracilicornis (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892 IR Ke Cc AZ AM TR TJ TM
108. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
109. **Bembecinus validior Gussakowski,1952** (Crabronidae) Synonym(s): *validior* Gussakowski,1952; *diacanthus* De Beaumont,1967 TJ TR IL Pa EG OM TM
110. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
111. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
112. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844 AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
113. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum* Netolitzky,1918 AM Cc TR IR IQ TJ TM
114. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854 AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
115. **Bembidion (Ocytaranus) porsorum Natolitzky,1934** (Carabidae) Synonym(s): *porsorum* Natolitzky,1934 AM Cc TR IR KK TJ UZ
116. **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum* Solsky,1874 TR AF IR KK TJ UZ
117. **Bembidion (Peryphus) persicum Ménétriés,1832** (Carabidae) Synonym(s): *persicum* Ménétriés,1832 AZ AM Cc GG MD RU TR IR KK TJ UZ
118. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
119. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum* Chaudoir,1846; *glabricolle* Motschoulsky,1846; *olympicum* De Monte,1946; *coiffaiti* De Wailly,1954; *colasi* Schuler,1961; *davatchii* Morvan,1971; *damavandense* Marggi & Huber,1999 AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
120. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ

121. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
122. **Blaps stoliczkana Bates,1879** (Tenebrionidae) Synonym(s): *stoliczkana* Bates,1879 TJ Pm
123. **Blitopertha (s.str.) variabilis Ballion,1870** (Scarabaeidae) Synonym(s): *variabilis* Ballion,1870 KG TM UZ TJ
124. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
125. **Bolivaria xanthoptera (Olivier,1792)** (Mantidae) Synonym(s): *xanthoptera* Olivier,1792 TJ Ui CN IN NP
126. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
127. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
128. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
129. **Bombylioma breviusculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
130. **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum* Paramonov,1926; *flavisetis* Paramonov,1940 TR IR TJ UZ TM
131. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 [Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 \(2\): 21. Type\(s\): Kazakhstan](#) IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
132. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analisis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
133. **Bombylius (s.str.) antennipilosus Paramonov,1926** (Bombyliidae) Synonym(s): *antennipilosus* Paramonov,1926 KG TJ UZ
134. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855 RU Sb CN IR MN KK ES TJ TM UZ
135. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis* Loew,1873 nec Oliv.,1789; *desertivagus* Paramonov,1940 PK KG KK TJ TM UZ
136. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
137. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
138. **Bombylius (s.str.) kozlovi Paramonov,1926** (Bombyliidae) Synonym(s): *kozlovi* Paramonov,1926 CN MN KK TJ
139. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax* Paramonov,1926 UZ TJ KK TM CN Ui
140. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
141. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
142. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU

143. **Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): *mobilis Loew,1873* UZ TJ TM KG PK
144. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
145. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
146. **Bombylius (s.str.) pamiricus Zaitsev,1990** (Bombyliidae) Synonym(s): *pamiricus Zaitsev,1990* TJ Pm
147. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus Loew,1873* AF IR KG KK TJ TM UZ
148. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
149. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus Paramonov,1926 nec Wiedem.,1820; rossicus Evenhuis & Greathead,1999* CN KG KK TJ TM UZ
150. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
151. **Bombylius (s.str.) uzbekorum Paramonov,1926** (Bombyliidae) Synonym(s): *uzbekorum Paramonov,1926* CN Ti KG KK TJ UZ
152. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
153. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
154. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
155. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829; incertus Brullé,1834* AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
156. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828* AZ AM Cc GG RU TR KK KG TJ TM UZ MN
157. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
158. **Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae) Synonym(s): *oculatus Tobias,1957* TJ TR
159. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* JP RU TJ TM RO HU AT BE IT FR TR
160. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator Fabricius,1798* TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
161. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi Fieber,1866; longipes Kirschbaum,1868; Sahlberg,1871; sahlbergiana Ishihara,1949* AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
162. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
163. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
164. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
165. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
166. **Cardiophorus (s.str.) picticollis (Kraatz,1882)** (Elateridae) Synonym(s): *picticollis Kraatz,1882* TR TJ UZ
167. **Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): *syriacoides Platia & Cate,2001* IR Cc AZ AM GG TM Kp TJ
168. **Carinomyrmosa gussakovskiji Lelej,1981** (Mutillidae) Synonym(s): *gussakovskiji Lelej,1981* TJ

169. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899*; *iranus Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
170. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus Boheman,1851* TR AF IL Pa Cc IQ SY TJ
171. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens Schultze,1895* TR AF AZ Cc GG IR KG SY TJ TM UZ
172. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
173. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
174. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
175. **Chaetomalachus acutipennis Majer,1989** (Melyridae) Synonym(s): *acutipennis Majer,1989* TJ
176. **Chaetomalachus aeneolus Majer,1989** (Melyridae) Synonym(s): *aeneolus Majer,1989* AF IR TJ TM
177. **Chaetomalachus aeneus Schilksy,1900** (Melyridae) Synonym(s): *aeneus Schilksy,1900* KK TJ TM
178. **Chaetomalachus bactrianus Jablokoff-Khnzorian,1966** (Melyridae) Synonym(s): *bactrianus Jablokoff-Khnzorian,1966* KK TJ UZ
179. **Chaetomalachus bilyi Majer,1989** (Melyridae) Synonym(s): *bilyi Majer,1989* TJ
180. **Chaetomalachus dasytoides Kraatz,1882** (Melyridae) Synonym(s): *dasytoides Kraatz,1882* KK KG TJ TM UZ
181. **Chaetomalachus hauseri (Schilsky,1894)** (Melyridae) Synonym(s): *hauseri Schilsky,1894* KG TJ UZ
182. **Chaetomalachus staudingeri Schilsky,1900** (Melyridae) Synonym(s): *staudingeri Schilsky,1900* TJ UZ
183. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857*; *laboulbenii Perris,1857*; *gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
184. **Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): *kindermanni Chaudoir,1856* ST UA TJ UZ AZ AM Cc GG KG ST KG TR
185. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
186. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
187. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
188. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
189. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
190. **Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): *orientalis Dlabola,1961* BG TJ RU Da Cc UZ
191. **Chrysolina koenigi (Jacobson,1895)** (Chrysomelidae) Synonym(s): *koenigi Jacobson,1895*; *katarinae Lopatin,1965* KK TJ
192. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni Stal,1854 (praeocc.)*; *querula Pallas,1773*; *paliuri Kolenati,1857* Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
193. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola Brullé,1832* TR Cc DZ GR IT MA PT ES GG KG TJ TM
194. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772*; *flavofenestrata Goeze,1778*; *schafferi Gmelin,1780*; *pygmaea Olivier,1790*; *dimidiata Fabricius,1803*; *anglica Samouelle,1819*; *parvula Walker,1850 (praeocc.)*; *saxonica Hartwig,1857*; *megerlei Fieber,1876*; *longipennis Fieber,1876* Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
195. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes Fieber,1876*; *notaticollis Rey,1894*; *fumipennis Horvath,1897* Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
196. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata Schrank,1776 (praeocc.)*; *simplex Herrich-Schäffer,1835*; *minor Kirschbaum,1868*; *vitripennis Kirschbaum,1868*; *scotti Edwards,1888* Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
197. **Clanoptilus (s.str.) flabellicornis (Solsky,1880)** (Melyridae) Synonym(s): *flabellicornis Solsky,1880* SY UZ TJ
198. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata Förster,1853* IR LB AM Cc TJ UZ RU Cc DZ TR
199. **Coelostoma transcaspicum Reitter,1906** (Hydrophilidae) Synonym(s): *transcaspicum Reitter,1906* TR OM SA TJ
200. **Colletes desertorum Kuhlmann,2002** (Colletidae) Synonym(s): *desertorum Kuhlmann,2002* UZ TJ
201. **Colotes dushambicus Wittmer,1979** (Melyridae) Synonym(s): *dushambicus Wittmer,1979* TJ

202. **Concavifer marmoratus Dlabola,1960** (Cicadellidae) Synonym(s): *marmoratus Dlabola,1960* IR IL KG TJ
203. **Conophorus pamirorum Zaitzev,1969** (Bombyliidae) Synonym(s): *pamirorum Zaitzev,1969* TJ Pm
204. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus Bigot,1880; euzonatus Bigot,1887; superbus Röder,1899; cypris Janssens,1955; #falvicaudus Stucke, Hayat & Özbek,2008 Sphyxosoma flavicauda Bigot,1880, Anns Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus.* GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm
205. **Conops tomentosus Kröber,1916** (Conopidae) Synonym(s): *tomentosus Kröber,1916* TR TM TJ SA
206. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus Linnaeus,1764; cavolini Petagna,1792; retusus Mulsant,1842; sinuatus Mulsant,1842; tridens Mulsant,1842; persianus Miksic,1958* ES RU UA UZ TM TJ IR TR EG
207. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi Horvath,1879* RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR
208. **Cryptus leucocheir (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *leucocheir Ratzeburg,1844* TR TJ
209. **Cryptus tuberculatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus Gravenhorst,1829* Cn MA TR TJ
210. **Culicoides burylovae Glukhova & Khabirov,1977** (Ceratopogonidae) Synonym(s): *burylovae Glukhova & Khabirov,1977* TJ
211. **Cyriopertha (Cyriopertha) glabra (Gebler,1841)** (Scarabaeidae) Synonym(s): *glabra Gebler,1841* KG UZ TJ
212. **Cyriopertha (Megapertha) massageta Kirsch,1881** (Scarabaeidae) Synonym(s): *massageta Kirsch,1881* TM TJ
213. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
214. **Dasyhelea eremita Remm & Nazarmukhamedov,1969** (Ceratopogonidae) Synonym(s): *eremita Remm & Nazarmukhamedov,1969* TJ
215. **Dasytidius margelanus Majer,1991** (Melyridae) Synonym(s): *margelanus Majer,1991* TJ UZ Fe
216. **Dasytidius rufimanus (Bourgeois,1885)** (Melyridae) Synonym(s): *rufimanus Bourgeois,1885* UZ TJ
217. **Dasytidius tajikistanus Majer,1991** (Melyridae) Synonym(s): *tajikistanus Majer,1991* TJ
218. **Dasytiscus heydeni Reitter,1891** (Melyridae) Synonym(s): *heydeni Reitter,1891* KG TJ UZ
219. **Dasytiscus hissarus Majer,1988** (Melyridae) Synonym(s): *hissarus Majer,1988* TJ
220. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis Panzer,1796; dubia Panzer,1796 (praeocc.); grisea Latreille,1804* AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
221. **Deronectes persicus Peschet,1914** (Dytiscidae) Synonym(s): *persicus Peschet,1914* IR Fa Lo TJ
222. **Desmatoneura stackelbergi Zaitzev,1999** (Bombyliidae) Synonym(s): *stackelbergi Zaitzev,1999* TJ
223. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri Fieber,1866* Cc AM TR KG RU TJ UA UZ
224. **Dictyophara avocetta Oshanin,1879** (Dictyopharidae) Synonym(s): *avocetta Oshanin,1879* IR Cc AZ TJ
225. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
226. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820; aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
227. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
228. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata Desbrochers,1870* Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
229. **Doclostaurus (Notostaurus) plotnikovi Uvarov,1921** (Acrididae) Synonym(s): *plotnikovi Uvarov,1921* IR AF TJ KG
230. **Doclostaurus (Notostaurus) popovi Miram,1935** (Acrididae) Synonym(s): *popovi Miram,1935* TJ
231. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis Reinhard,1880 Apanteles longipalpis Reinhard,1880, Dt. ent. Z. 24: 365.* TR DE CN Cc AM RU TJ
232. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus Loew,1859* Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ
233. **Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus Loew,1871* GG Cc AM IL Pa TR TJ KG
234. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ

235. **Duilius fasciata Howarth,1894** (Cixiidae) Synonym(s): *fasciata* Howarth,1894 AF Cc AM AZ
KG RU Da TJ
236. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata*
A.Costa,1882; *punctata* Lallemand,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
237. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758;
laetifica Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT SI
JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
238. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa*
Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885;
viridaeneus Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL
CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
239. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis*
Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
240. **Elodes eberti Klausnitzer,1970** (Scirtidae) Synonym(s): *eberti* Klausnitzer,1970 TJ IR Cc TR
241. **Emblethis denticollis Hovarth,1878** (Lygaeidae) Synonym(s): *denticollis* Hovarth,1878 TR Cc TJ
242. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata*
Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa
IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
243. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca*
Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933;
petiolata Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE
SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
244. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763;
pennicornis Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli*
Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa*
Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa*
Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae*
Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004 TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN
LK CN MY
245. **Empusa romboidae Lindt,1976** (Empusidae) Synonym(s): *romboidae* Lindt,1976 TJ
246. **Empusa romboidae nana Lindt,1976** (Empusidae) Synonym(s): *nana* Lindt,1976 TJ
247. **Empusa romboidae romboidae Lindt,1976** (Empusidae) Synonym(s): *romboidae* Lindt,1976
TJ
248. **Entedon zerovae Gumovsky,1995** (Eulophidae) Synonym(s): *zerovae* Gumovsky,1995 RU Us
TJ TM UZ
249. **Eriothrix stackelbergi Kolomiets,1967** (Tachinidae) Synonym(s): *stackelbergi* Kolomiets,1967
TJ
250. **Euborellia annulipes (Lucas,1837)** (Labiduridae) Synonym(s): *annulipes* Lucas,1837 ES TJ
TR
251. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis*
Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 TR IR Ab AF AZ
EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
252. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 RU Cc Ur
Sb MD UA Cm GG KG KK TM UZ TJ
253. **Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): *pallipes* Fabricius,1781
RU Cc IL Pa TM TJ
254. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775;
porrecta Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838;
producta Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ
AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ
EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
255. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936
AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
256. **Eurythyrea oxiana Semenov,1885** (Buprestidae) Synonym(s): *oxiana* Semenov,1885 TM TJ
257. **Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): *acroptilae* Zerova,1986 IR Ab Ak
KG TJ UA UZ
258. **Eurytoma collina Zerova,1984** (Eurytomidae) Synonym(s): *collina* Zerova,1984 IR Ak Th Elb
TM TJ UZ
259. **Eurytoma deserticola Zerova,2002** (Eurytomidae) Synonym(s): *deserticola* Zerova,2002
TM TJ
260. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus*
Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 DZ AT
Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
261. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790 Apalus
sexmaculatus Olivier,1790, *Encycl. method.* 4: 166. DZ ES IT Si CY TR TJ SY
262. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps*
Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT
JO Md TR MA TN PT ES TJ ZA

263. **Exoprosopa turkestanica** Paramonov,1925 (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1925 CN Ui Um Adu KK TJ MN AF IR
264. **Exorista rossica** Mesnil,1960 (Tachinidae) Synonym(s): *rossica* Mesnil,1960 TJ TR
265. **Falcotoya minuscula** (Horvath,1897) (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
266. **Fedtschenkia grossa** Saussure,1880 (Sapygidae) Synonym(s): *grossa* Saussure,1880 TR IR TM UZ TJ PK
267. **Gambrus inferus** Thomson,1896 (Ichneumonidae) Synonym(s): *inferus* Thomson,1896 TR TJ
268. **Geron asiaticus** Zaitzev,1967 (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967; *paramonovi* Greathead,2001 AM Cc UA TJ UZ
269. **Geron kaszabi** Zaitzev,1972 (Bombyliidae) Synonym(s): *kaszabi* Zaitzev,1972 MN CN TJ UZ
270. **Geron kozlovi** Zaitzev,1972 (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972 AM AZ GG Cc CN IR KG KK TJ UZ TR
271. **Geron krymensis** Paramonov,1929 (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
272. **Geron longiventris** Efflatoun,1945 (Bombyliidae) Synonym(s): *longiventris* Efflatoun,1945; *roborovskii* Zaitzev,1996 CN EG IL Pa TJ UZ
273. **Geron smirnovi** Zaitzev,1978 (Bombyliidae) Synonym(s): *smirnovi* Zaitzev,1978 TJ GR Rd TM TR
274. **Glaphyrus turkestanicus** Semenov,1889 (Glaphyridae) Synonym(s): *turkestanicus* Semenov,1889 TM TJ
275. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
276. **Gravenhorstia (s.str.) picta** Boie,1836 (Ichneumonidae) Synonym(s): *picta* Boie,1836 TR AZ Cc KG UZ TJ
277. **Gymnopleurus aciculatus** Gebler,1845 (Scarabaeidae) Synonym(s): *aciculatus* Gebler,1845 RU KG UZ TM TJ
278. **Handianus ignoscus** (Melichar,1896) (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
279. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
280. **Handianus sarekandinus** Dlabola,1959 (Cicadellidae) Synonym(s): *sarekandinus* Dlabola,1959 AF TJ UZ
281. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
282. **Hemictenius bactrianus** Medvedev,1952 (Scarabaeidae) Synonym(s): *bactrianus* Medvedev,1952 TJ
283. **Hemictenius comatus** Nikolajev,1975 (Scarabaeidae) Synonym(s): *comatus* Nikolajev,1975 TJ
284. **Hemictenius elongatus** Medvedev,1962 (Scarabaeidae) Synonym(s): *elongatus* Medvedev,1962 TJ
285. **Hemictenius kryzhanovskii** Nikolaev & Shukronajev,1977 (Scarabaeidae) Synonym(s): *kryzhanovskii* Nikolaev & Shukronajev,1977 TJ
286. **Hemictenius lopatini** Medvedev,1959 (Scarabaeidae) Synonym(s): *lopatini* Medvedev,1959 TJ
287. **Hemictenius nigrociliatus** Reitter,1897 (Scarabaeidae) Synonym(s): *nigrociliatus* Reitter,1897 TJ
288. **Hemictenius ochripennis** Reitter,1902 (Scarabaeidae) Synonym(s): *ochripennis* Reitter,1902 TJ
289. **Hemictenius pygmaeus** Medvedev,1962 (Scarabaeidae) Synonym(s): *pygmaeus* Medvedev,1962 TJ
290. **Hemictenius simplicitarsis** Reitter,1897 (Scarabaeidae) Synonym(s): *simplicitarsis* Reitter,1897 TJ
291. **Hemipenthes exoprosopoides** Paramonov,1928 (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928 Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ
292. **Hemipenthes gaudanicus** Paramonov,1927 (Bombyliidae) Synonym(s): *gaudanicus* Paramonov,1927 CN Ui KK TJ TM UZ MN IR
293. **Hemipenthes gussakovskiy** Zaitzev,1966 (Bombyliidae) Synonym(s): *gussakovskiy* Zaitzev,1966 TJ TM
294. **Hemipenthes hamifera** (Loew,1854) (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
295. **Hemipenthes maurus** (Linnaeus,1758) (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata*

- Walker,1852; uncinus Loew,1869; flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN UI HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
296. **Hemipenthes mesasiatica Zaitzev,1962** (Bombyliidae) Synonym(s): *mesasiatica Zaitzev,1962* TJ TM UZ
297. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
298. **Hemipenthes nitidofasciatus Portschinsky,1892** (Bombyliidae) Synonym(s): *nitidofasciatus Portschinsky,1892* KK TJ RU
299. **Hemipenthes pamirensis Zaitzev,1962** (Bombyliidae) Synonym(s): *pamirensis Zaitzev,1962* MN TJ Pm UZ TM
300. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus Loew,1869* CN KK MN RU TJ TM UZ IL Pa
301. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus Zaitzev,1966* Cc AM AZ GG CN KK KG TJ TM UZ
302. **Hemipenthes splendidus Zaitzev,1962** (Bombyliidae) Synonym(s): *splendidus Zaitzev,1962* KK KG TJ TM
303. **Hemipenthes subarcuatus (Loew,1871)** (Bombyliidae) Synonym(s): *subarcuatus Loew,1871* TN TJ
304. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus Zaitzev,1966* TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
305. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi Frauenfeld,1864* TR CN KG KK MN MD UZ RU TJ TM UA
306. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus Loew,1871* Cc GG Abk RO RU TJ TM UZ
307. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus Loew,1857; papillifer Mik,1880* Cc AM GG RO RU DZ Cn KK TJ
308. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax Loew,1857* Cc AZ BG GG RO RU Ur KG TJ
309. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis Stannius,1831; bohemani Wahlberg,1851* AM Cc BG GR TR UA RO TJ TM
310. **Hercostomus leptocercus Stackelberg,1949** (Dolichopodidae) Synonym(s): *leptocercus Stackelberg,1949* RU Cc IR TJ
311. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris Loew,1857; forcipatus A.Müller,1923* BG GG Cc GR IL Pa TR RO RU MA TJ
312. **Heriades (Michenerella) hissaricus Popov,1955** (Megachilidae) Synonym(s): *hissaricus Popov,1955* KG TJ UZ TR
313. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis Morawitz,1875; armeniacus Popov,1956* Cc AM TM CY IL Pa SY TR GR TJ
314. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
315. **Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis Loew,1873* KG KK TJ TM UZ
316. **Heterotropus ammophilus Paramonov,1929** (Bombyliidae) Synonym(s): *ammophilus Paramonov,1929* TJ TM UZ
317. **Heterotropus arenivagus Paramonov,1929** (Bombyliidae) Synonym(s): *arenivagus Paramonov,1929; flavoscutellata Paramonov,1929* TJ TM UZ
318. **Heterotropus kazanovskiy Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskiy Paramonov,1925* AZ Cc EG KG TJ TM UZ
319. **Hoplitis (Alcidamea) acanthophora (Morawitz,1875)** (Megachilidae) Synonym(s): *acanthophora Morawitz,1875* TJ TR
320. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KC TJ TM CY IR JO SY TR
321. **Hoplitis (Alcidamea) capsulifer Popov,1960** (Megachilidae) Synonym(s): *capsulifer Popov,1960* TJ KG KK TJ UZ
322. **Hoplitis (Alcidamea) laminifera Popov,1960** (Megachilidae) Synonym(s): *laminifera Popov,1960* TJ
323. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
324. **Hoplitis (Alcidamea) morinella (Warncke,1991)** (Megachilidae) Synonym(s): *morinella Warncke,1991* TJ

325. **Hoplitis (Alcidamea) pinkeunia (Warncke,1991)** (Megachilidae) Synonym(s): *pinkeunia* Warncke,1991 TJ
326. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
327. **Hoplitis (Alcidamea) simplicata (Warncke,1991)** (Megachilidae) Synonym(s): *simplicata* Warncke,1991 TJ
328. **Hoplitis (Anthocopa) glasunovi (Morawitz,1894)** (Megachilidae) Synonym(s): *glasunovi* Morawitz,1894 TJ
329. **Hoplitis (Anthocopa) grumi (Morawitz,1894)** (Megachilidae) Synonym(s): *grumi* Morawitz,1894 TJ TR
330. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata Fonscolombe,1879* Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
331. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
332. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 TM KG TJ AF IR TR
333. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 KG KK TJ TM UZ IL Pa TR
334. **Hoplitis (Pentadentoscia) jejuna Popov,1952** (Megachilidae) Synonym(s): *jejuna* Popov,1952; *argentea Zanden,1998* TJ UZ IR
335. **Hoplitis (Pentadentoscia) ruficornis (Morawitz,1875)** (Megachilidae) Synonym(s): *ruficornis* Morawitz,1875 TJ UZ
336. **Hoplitis (Pentadentoscia) ruficrus (Morawitz,1875)** (Megachilidae) Synonym(s): *ruficrus* Morawitz,1875 KG TJ
337. **Hoplitis (Pentadentoscia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum Alfken,1935* TJ TM UZ IL Pa IR JO PK TR
338. **Hoplitis (s.str.) rufimana (Morawitz,1875)** (Megachilidae) Synonym(s): *rufimana* Morawitz,1875 TJ
339. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
340. **Hyaletshes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus Kirschbaum,1868*; *flavovarius Kusnezov,1935* Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
341. **Hybosorus illigeri Reiche,1853** (Scarabaeidae) Synonym(s): *illigeri* Reiche,1853 RU TM TJ
342. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
343. **Hysteropterum pictifrons Horvath,1899** (Issidae) Synonym(s): *pictifrons* Horvath,1899 AM TJ TM
344. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina Santos Abreu,1923*; *similior Alexander,1956* Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
345. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868 AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
346. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
347. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868 AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
348. **Iris insolita Mistchenko,1956** (Irididae) Synonym(s): *insolita* Mistchenko,1956 TJ
349. **Iris narzykulovi Lindt,1961** (Irididae) Synonym(s): *narzykulovi* Lindt,1961 TJ
350. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina Giglio-Tos,1915*; *caucasica* Lindt,1983 Mantis oratoria polystictica Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui
351. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta Metcalf,1943*; *fulva Metcalf,1943* AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
352. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
353. **Kervillea placophorum (Horvath,1905)** (Issidae) Synonym(s): *placophorum* Horvath,1905 IL Pa TR TJ
354. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
355. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905 ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN

356. **Lampyrus turkestanica Heyden,1881** (Lampyridae) Synonym(s): *turkestanica Heyden,1881* KG TJ TM UZ
357. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
358. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola Loew,1847* IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
359. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
360. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax Morawitz,1874; rhadiourgan Ebner,1980* TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
361. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus Rossi,1790* TN TR CY TJ UZ KG KK RU Am Cc
362. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
363. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896* Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
364. **Levitinia tacobi Chubareva & Petrova,1981** (Simuliidae) Synonym(s): *tacobi Chubareva & Petrova,1981* TJ
365. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
366. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
367. **Libelloides tadjicus (Luppova,1973)** (Ascalaphidae) Synonym(s): *tadjicus Luppova,1973* TJ
368. **Linnophora maculosa (Meigen,1826)** (Muscidae) Synonym(s): *maculosa Meigen,1826* AM Cc Eri TJ
369. **Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus Weise,1887* TR KG TM UZ TJ
370. **Longitarsus exoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exoletus Linnaeus,1758; femoralis Marsham,1802; boppardiensis Bach,1856; rufula Foudras,1860; megaloleuca Allard,1860; lividus Fauvel,1888; arctulus Weise,1893* TR TJ Cc CY SY
371. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
372. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bi TJ AF OM
373. **Macquartia tessellum Meigen,1824** (Tachinidae) Synonym(s): *tessellum Meigen,1824; brevicornis Macquart,1839; oclusa Rondani,1859; brunusquamis Robineau-Desvoidy,1863; microcera Robineau-Desvoidy,1863; olivaceomaculata Porthinsky,1881; genistae Pandelle,1895* FR CH SK Cn IL Pa Cc TJ TR
374. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris Rondani,1865; dumosum Pandellé,1895* AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
375. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola Fallén,1820; viatica Meigen,1824* AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
376. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris Rondani,1865* AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
377. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina Boheman,1852* DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
378. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus Kirschbaum,1868; ramigera Zachvatkin,1933* AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
379. **Madotrogus glabripennis (Ballion,1871)** (Scarabaeidae) Synonym(s): *glabripennis Ballion,1871* KK TM TJ UZ
380. **Maladera (Aserica) euphorbia (Burmeister,1895)** (Scarabaeidae) Synonym(s): *euphorbia Burmeister,1895* RU KG TM TJ
381. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica Horvath,1907; turanica Anufriev,1966* AF? CY TR IT RO Cc AZ? UA YU TJ UZ
382. **Mallosiola regina (Heyden,1887)** (Cerambycidae) Synonym(s): *regina Heyden,1887* TJ

383. **Mantis macrocephala Lindt,1974** (Mantidae) Synonym(s): *macrocephala Lindt,1974* **KG TJ**
384. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* **Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
385. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875; ?minuta Kozhantshikov,1949; ?caucasica Handschin,1959* **GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui**
386. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
387. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae Boucek,1971; kondaricus Zerova & Seregina,1994* **DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM**
388. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis Panzer,1793* **DZ ES IT Sa Si TR RU KG TJ MN TM**
389. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* **DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF**
390. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus Linnaeus,1758* **ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG**
391. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus Tschek,1872* **Cryptus pseudonymphus Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR TJ JO IL Pa**
392. **Merodon rufitarsis Sack,1913** (Syrphidae) Synonym(s): *rufitarsis Sack,1913* **TJ**
393. **Merodon tarsatus Sack,1913** (Syrphidae) Synonym(s): *tarsatus Sack,1913; smirnovi Paramonov,1926* **TJ Pm UZ Tas**
394. **Merodon turkestanicus Paramonov,1926** (Syrphidae) Synonym(s): *turkestanicus Paramonov,1926* **IR Ke TJ**
395. **Metacnephia gorodkovi (Rubtsov,1964)** (Simuliidae) Synonym(s): *gorodkovi Rubtsov,1964* **TJ**
396. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae Rubtsov,1956* **CN Ui TJ KG KK MN RU Sb At UZ**
397. **Metacnephia multifilum (Rubtsov,1947)** (Simuliidae) Synonym(s): *multifilum Rubtsov,1947* **TJ KK UZ**
398. **Metacnephia pamiriensis Petrova,1977** (Simuliidae) Synonym(s): *pamiriensis Petrova,1977* **TJ Pm**
399. **Metacnephia paraskevae Petrova, Chubareva & Kachoryan,1995** (Simuliidae) Synonym(s): *paraskevae Petrova, Chubareva & Kachoryan,1995* **TJ**
400. **Metacnephia sorkulensis Rubtsov,1971** (Simuliidae) Synonym(s): *sorkulensis Rubtsov,1971* **AF TJ**
401. **Metacnephia tetraginata (Rubtsov,1951)** (Simuliidae) Synonym(s): *tetraginata Rubtsov,1951* **TM TJ KG**
402. **Methocha articulata (Latreille,1792)** (Tiphiidae) Synonym(s): *articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792* **DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM**
403. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus Mocsary,1883* **TR DZ Cc TJ KG RU**
404. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* **TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN**
405. **Mimothrix pamirensis Majer** (Melyridae) Synonym(s): **TJ Pm**
406. **Mimothrix roshtkalensis Majer,1995** (Melyridae) Synonym(s): *roshtkalensis Majer,1995* **TJ Pm**
407. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA**
408. **Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): *amseli Dlabola,1961* **AF KG KK TJ UZ**
409. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
410. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* **Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU**
411. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
412. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; grisescens Marseul,1872; impar Sumakov,1915* **RU Cc TR TM IR KG TJ**

413. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis Dejean,1825* TR SY IQ IR AM AZ RU Da TM TJ
414. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
415. **Myrmecaelurus maior McLachan,1875** (Myrmeleonidae) Synonym(s): *maior McLachan,1875* TJ KG AF TR
416. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842* TR TJ KG IR EIB
417. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus Pallas,1781; pictum Fabricius,1798; flavus Rambur,1842.* TR IR KG TJ
418. **Myrmeleon (s.str.) formicarius Linnaeus,1767** (Myrmeleonidae) Synonym(s): *formicarius Linnaeus,1767* IR TR TJ KG
419. **Myrmilla (Eurygnathilla) ephutommatina Skorikov,1927** (Mutillidae) Synonym(s): *ephotommatina Skorikov,1927* TM UZ TJ
420. **Myrmilla (s.str.) edentata Skorikov,1927** (Mutillidae) Synonym(s): *edentata Skorikov,1927; kumakana Skorikov,1935; medoides Skorikov,1935* KG UZ TJ Smk
421. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelira Özbek & Szaloki,1998* ES IT Si Sa TR GR SY TM TJ
422. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954* IT FR LY MA RO ES EH TN TR RU KG TJ
423. **Neoliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher Haupt,1927* IR IL Pa Cc TR GG KG TJ
424. **Neophilaenus haupti (Zachvatkin,1925)** (Cercopidae) Synonym(s): *haupti Zachvatkin,1925* KK KG TJ
425. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii Leach,1817* MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
426. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
427. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus Germar,1817* Acrydium decorus Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). TR RU Us Cc Da TM TJ KK KG
428. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata Pallas,1771; salinus Gmelin,1790; gratiosa Audinet-Serville,1838; perurbana Steinmann,1965* MA DZ TN TR TJ KG Aa RU
429. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor Fieber,1876* DZ GR TN Cc AZ KG KK RU Da TJ UA UZ
430. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suezensis Matsumura,1910; modestus Haupt,1927* Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
431. **Onthophagus (Altonthophagus) marmotae Kabakov,1990** (Scarabaeidae) Synonym(s): *marmotae Kabakov,1990* RU TJ
432. **Onthophagus (Altonthophagus) sibiricus Harold,1877** (Scarabaeidae) Synonym(s): *sibiricus Harold,1877* RU Sb KG KK TJ
433. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
434. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
435. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892* TM TJ AF IR KG UZ KK TR
436. **Onthophagus (Palaeonthophagus) afghanus Petrovitz,1961** (Scarabaeidae) Synonym(s): *afghanus Petrovitz,1961* TJ AF
437. **Onthophagus (Palaeonthophagus) glasunovi Koshantschikov,1894** (Scarabaeidae) Synonym(s): *glasunovi Koshantschikov,1894* TJ
438. **Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): *haroldi Ballion,1871* TM TJ UZ KK KG
439. **Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s): *leucostigma Stevens,1811* RU Ur KG TM UZ TJ
440. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
441. **Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae) Synonym(s): *pygargus Motschulsky,1845* TM UZ KK KG TJ
442. **Onthophagus (Palaeonthophagus) trispinus Reitter,1892** (Scarabaeidae) Synonym(s): *trispinus Reitter,1892* TM TJ

443. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides Fabricius,1792* AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
444. **Opsius discensus (Horvath,1911)** (Cicadellidae) Synonym(s): *discensus Horvath,1911* AF IR Cc AZ KG KK RU TJ UZ
445. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871* AF DZ EG IR IQ TR Cc AZ KG RU TJ
446. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi Lethierry,1874* DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
447. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
448. **Opsius tigripes (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigripes Lethierry,1876* IR KG KK RU TJ UZ
449. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis Linnaeus,1758* PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
450. **Osmia (Helicosmia) alaiensis Zanden,1994** (Megachilidae) Synonym(s): *alaiensis Zanden,1994* TJ Pm
451. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
452. **Osmia (Helicosmia) carinoclypearis Wu,1985** (Megachilidae) Synonym(s): *carinoclypearis Wu,1985* CN KK TJ TR
453. **Osmia (Helicosmia) cyanescens Morawitz,1875** (Megachilidae) Synonym(s): *cyanescens Morawitz,1875* RU KK KG TJ
454. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN
455. **Osmia (Helicosmia) prasina Morawitz,1875** (Megachilidae) Synonym(s): *prasina Morawitz,1875* KK KG TJ TM
456. **Osmia (Helicosmia) simplex Morawitz,1875** (Megachilidae) Synonym(s): *simplex Morawitz,1875* KK KG TJ TM UZ
457. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana Morawitz,1875; nassonowi Pérez,1902* KK KG TJ TM UZ AF IL Pa SY TR
458. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta Morawitz,1875* AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
459. **Osmia (Hemiosmia) difficilis Morawitz,1875** (Megachilidae) Synonym(s): *difficilis Morawitz,1875; falcata Morawitz,1875; alborufa Alfken,1935* *Osmia difficilis Morawitz,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan.* KK KG RU TJ UZ IL Pa TR IR
460. **Osmia (Melanosmia) pamirensis Gussakowsky,1930** (Megachilidae) Synonym(s): *pamirensis Gussakowsky,1930* TJ Pm CN Ui
461. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935* AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
462. **Osmia (Orientosmia) maxillaris Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris Morawitz,1875* KG TJ TM UZ IR TR
463. **Osmia (Pyrosmia) dilaticornis Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis Morawitz,1875* TJ UZ Tas IL Pa JO TR
464. **Osmia (Pyrosmia) hermona Warncke,1992** (Megachilidae) Synonym(s): *hermona Warncke,1992* TJ IL Pa SY TR
465. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola Ducke,1899; caelestina Benoist,1929; cypricola Mavromoustakis,1937; posti Mavromoustakis,1956; riemanni Warncke,1992* ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
466. **Osmia (Pyrosmia) tadjika Warncke,1992** (Megachilidae) Synonym(s): *tadjika Warncke,1992* TJ
467. **Osmia (Pyrosmia) tawildara Warncke,1992** (Megachilidae) Synonym(s): *tawildara Warncke,1992* TJ TR
468. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984* AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
469. **Osmia (s.str.) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; balucha Nurse,1904; usbekistana Cockerell,1930* TJ TM UZ AF PK

470. **Osmia (s.str.) melanocephala Morawitz,1875** (Megachilidae) Synonym(s): *melanocephala Morawitz,1875* TJ KK KG MN CN UZ Ui
471. **Osmia (Tergosmia) agilis Morawitz,1875** (Megachilidae) Synonym(s): *agilis Morawitz,1875* KK KG TJ TM UZ
472. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
473. **Oxythespis wagneri (Kittary,1849)** (Mantidae) Synonym(s): *wagneri Kittary,1849; tadzhicus Lindt,1967* TJ AF IR
474. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella Illiger,1806 (praeocc.); cinctella Schaum,1841; natalia Olsufiev,1917* Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
475. **Pachybrachis (s.str.) kuramensis Lopatin,1974** (Chrysomelidae) Synonym(s): *kuramensis Lopatin,1974* TJ
476. **Pachybrachis (s.str.) marki Lopatin,1997** (Chrysomelidae) Synonym(s): *marki Lopatin,1997* TJ
477. **Pachybrachis (s.str.) mogol Lopatin,1986** (Chrysomelidae) Synonym(s): *mogol Lopatin,1986* TJ
478. **Paharia putoni (Distant,1892)** (Cicadidae) Synonym(s): *putoni Distant,1892* AF IR KG TJ TM
479. **Paharia zeyara (Kusnezov,1931)** (Cicadidae) Synonym(s): *zeyara Kusnezov,1931* TJ AF
480. **Pamirocesa ariadnae (Shilova,2001)** (Chironomidae) Synonym(s): *ariadnae Shilova,2001* TJ Pm
481. **Panotrogus myschenkovi (Ballion,1871)** (Scarabaeidae) Synonym(s): *myschenkovi Ballion,1871* KK TM TJ
482. **Parageron modestus (Loew,1873)** (Bombyliidae) Synonym(s): *modestus Loew,1873* UZ TJ
483. **Paralimnellus cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): *cingulatus Dlabola,1960* IQ TR IR TJ UZ
484. **Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus Dlabola,1961* IL Pa TR MN RO RU TJ UZ
485. **Paramyrmosa myrmillicephala (Skorikov,1935)** (Mutillidae) Synonym(s): *myrmillicephala Skorikov,1935* TM Kp UZ TJ MN
486. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961* TR Cc GG RU At KG KK TJ UA UZ FR
487. **Paussus (Cochliopaussus) turcius Frivaldszky,1835** (Carabidae) Synonym(s): *turcius Frivaldszky,1835* AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
488. **Pectinichelus (Cryphaeobius) brunneus (Kraatz,1882)** (Scarabaeidae) Synonym(s): *brunneus Kraatz,1882* TJ
489. **Pectinichelus (Cryphaeobius) lopatini Medvedev,1959** (Scarabaeidae) Synonym(s): *lopatini Medvedev,1959* TJ
490. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii Westwood,1835* MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
491. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
492. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens Pallas,1771* IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
493. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
494. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
495. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta Fabricius,1805; maura Wiedemann,1820* AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
496. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796; nigra Meigen,1804; pygmaea Fabricius,1805; campestris Fallén,1815; major Strobl,1909* AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
497. **Phthiria quadrinotata Loew,1873** (Bombyliidae) Synonym(s): *quadrinotata Loew,1873* UZ TJ TM Cc AM AZ GG
498. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans Loew,1846; pallescens Engel,1933* AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
499. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum Hermann,1804* PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
500. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus Forster,1771; hauseri Reitter,1894* SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
501. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae Becker,1867* Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN

502. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**
503. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* **MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN**
504. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus Fieber,1869* **AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU**
505. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus Puton,1877; turkistanicus Kusnezov,1927* **AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ**
506. **Platypsectus roseovittatus Dlabola,1960** (Cicadellidae) Synonym(s): *roseovittatus Dlabola,1960* **IR TJ**
507. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus Creutzer,1796* **MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR**
508. **Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): *variolosus Kolenati,1846* **RU UA KG TM TJ**
509. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis Kowarz,1867* **AM Cc BG MD RO RU TR UA KG TJ**
510. **Polyphylla (Xerasiobia) adpersa Motschulsky,1853** (Scarabaeidae) Synonym(s): *adpersa Motschulsky,1853* **TM UZ TJ KG**
511. **Protaetia (Netocia) bogdanovi (Solsky,1875)** (Scarabaeidae) Synonym(s): *bogdanovi Solsky,1875* **KK TJ**
512. **Protaetia (Netocia) interruptocostata (Ballion,1870)** (Scarabaeidae) Synonym(s): *interruptocostata Ballion,1870* **KK TJ**
513. **Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *turkestanica Kraatz,1886* **CN Ui TM UZ TJ**
514. **Protaetia (Potosia) marginicollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *marginicollis Ballion,1870* **RU KG TM UZ TJ**
515. **Protaetia (Pseudonetocia) kulabensis Reitter,1893** (Scarabaeidae) Synonym(s): *kulabensis Reitter,1893* **TJ**
516. **Psammodius (Rhyssemus) germanus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *germanus Linnaeus,1767* **RU Cc GG TM TJ**
517. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis Matsumura,1908; claudiopolitanus Matsumura,1910; similis Wagner,1947* **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
518. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps Horvath,1897* **AT BG TR CS DE HU RO LV MD RU TJ UA**
519. **Pseudoliarus fuscifasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscifasciatus Melichar,1902; obliteratus Kusnezov,1937; aegyptiacus Wagner,1954* **EG IR LY TN Cc AM TR RU TJ TM YE**
520. **Pseudomyrmosa sogdiana Suarez,1981** (Mutillidae) Synonym(s): *sogdiana Suarez,1981* **TJ**
521. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus Signoret,1880* **AF IQ MN AM AZ KG KK MD RU UA TJ UZ**
522. **Pseudophotopsis baktriana (Skorikov,1935)** (Mutillidae) Synonym(s): *baktriana Skorikov,1935* **TM TJ**
523. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami Bischoff,1920; zarudnyi Skorikov,1935* **KG UZ TJ KK TM IR Ke AF IN Rj**
524. **Pseudophotopsis brachythorax (Skorikov,1935)** (Mutillidae) Synonym(s): *brachythorax Skorikov,1935* **IR Kh AF TM TJ**
525. **Pseudophotopsis kokpetica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *kokpetica Radoszkowski,1885* **TM Kp KK KG UZ TJ**
526. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii Radoszkowski,1885; askhabadensis Radoszkowski,1885; oculosa Skorikov,1935; inductrix Skorikov,1935; asiatica Suarez,1965* **KG KK UZ TJ TM Kp IR CY EG DZ**
527. **Pseudophotopsis orthophthalma (Skorikov,1935)** (Mutillidae) Synonym(s): *orthophthalma Skorikov,1935* **KK UZ TN TJ TM**
528. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
529. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
530. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarinatus Kusnezov,1937* **Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU**
531. **Rhagoletis flavicincta Enderlein,1934** (Tephritidae) Synonym(s): *flavicincta Enderlein,1934* **IR Th Elb RU Sr UA KG KK TJ UZ**

532. **Rhagoletis flavigenualis** M.Hering,1958 (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958 **KG KK TJ TM IR TR Cc CH**
533. **Rhizotrogus (Amphimallon) solstitialis** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758 **TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ**
534. **Rhoananus hypochlorus** (Fieber,1869) (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869 **AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU**
535. **Rhynchites auratus** (Scopoli,1763) (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR**
536. **Rhynchites hajastanicus** Ter-Minacian,1965 (Attelabidae) Synonym(s): *hajastanicus* Ter-Minacian,1965 **TR AM Cc TJ**
537. **Rhytidodus nobilis** (Fieber,1868) (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868 **CN MN RU Cc KG KK TJ UA TR**
538. **Rivetina beybienkoi** Lindt,1961 (Mantidae) Synonym(s): *beybienkoi* Lindt,1961 **TJ**
539. **Rivetina compacta** Lindt,1980 (Mantidae) Synonym(s): *compacta* Lindt,1980 **TJ**
540. **Rivetina crassa** Mishtshenko,1949 (Mantidae) Synonym(s): *crassa* Mishtshenko,1949 **TJ**
541. **Rivetina karadumi** Lindt,1961 (Mantidae) Synonym(s): *karadumi* Lindt,1961 **TJ**
542. **Rivetina karateginica** Lindt,1961 (Mantidae) Synonym(s): *karateginica* Lindt,1961 **TJ**
543. **Rivetina monticola** Mishtshenko,1956 (Mantidae) Synonym(s): *monticola* Mishtshenko,1956 **TJ**
544. **Rivetina parva** Lindt,1980 (Mantidae) Synonym(s): *parva* Lindt,1980 **TJ**
545. **Rivetina pulisangini** Lindt,1968 (Mantidae) Synonym(s): *pulisangini* Lindt,1968 **TJ**
546. **Rivetina similis** Lindt,1980 (Mantidae) Synonym(s): *similis* Lindt,1980 **TJ**
547. **Rivetina syriaca** (Saussure,1869) (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 *Iris syriaca* Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. **TR IQ Bgd LB SY Hal CY TJ TM**
548. **Rivetina tarda** Lindt,1980 (Mantidae) Synonym(s): *tarda* Lindt,1980 **TJ**
549. **Rivetina varsobica** (Lindt,1968) (Mantidae) Synonym(s): *varsobica* Lindt,1968 **TJ**
550. **Saltella nigripes** Robineau-Desvoidy,1830 (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
551. **Saltella sphondylii** (Schränk,1803) (Sepsidae) Synonym(s): *sphondylii* Schränk,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; **CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU**
552. **Sargus cuprarius** (Linnaeus,1758) (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 **ES IT BG RU Cc TR IL Pa MN YU AT SE TJ**
553. **Scarabaeus acuticollis** Motschulsky,1849 (Scarabaeidae) Synonym(s): *acuticollis* Motschulsky,1849 **TM TJ**
554. **Scarabaeus carinatus** Gebler,1841 (Scarabaeidae) Synonym(s): *carinatus* Gebler,1841 **RU UZ TM TJ**
555. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae) Synonym(s): *pius* Illiger,1803 **RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF**
556. **Scarabaeus winkleri** Stolfa,1938 (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938 **UZ TM Kp AF IR IQ SY KG PK TJ TR**
557. **Scorlupella montana** (Becker,1865) (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 **Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ**
558. **Sepsis barbata** Becker,1907 (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 **Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW**
559. **Sepsis neocynipsea** Melander & Spuler,1917 (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 **CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR**
560. **Severinia mistshenkoi** Lindt,1953 (Mantidae) Synonym(s): *mistshenkoi* Lindt,1953 **TM TJ**
561. **Severinia obscurus** Lindt,1968 (Mantidae) Synonym(s): *obscurus* Lindt,1968 **TJ**
562. **Simulium (Byssodon) heptapotamicum** Rubtsov,1940 (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov,1940 **KG AZ Cc IR TJ TM**
563. **Simulium (Eusimulium) brachyantherum** Rubtsov,1947 (Simuliidae) Synonym(s): *brachyantherum* Rubtsov,1947 **TJ AM Cc RO UZ**
564. **Simulium (Eusimulium) nigrofusipes** Rubtsov,1947 (Simuliidae) Synonym(s): *nigrofusipes* Rubtsov,1947 **TJ AM Cc**
565. **Simulium (Eusimulium) paucispis** Rubtsov,1947 (Simuliidae) Synonym(s): *paucispis* Rubtsov,1947 **TJ TM UZ IR IQ AM Cc**

566. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR
RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
567. **Stalagmopygus albella (Pallas,1781)** (Scarabaeidae) Synonym(s): *albella* Pallas,1781 TM TJ
AF
568. **Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): *sigillatus* Haupt,1917
AF KG KK TJ UZ
569. **Stephanitis oschanini Vasilliev,1935** (Tingidae) Synonym(s): *oschanini* Vasilliev,1935 AF AZ
Cc GG AM IQ IR IL Pa KK UZ TJ TM TR
570. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor*
Melichar,1896; *toktogulensis* Dubovsky,1970 CY BG GR Rd TR KK TJ UZ
571. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus*
Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913;
meteori Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE
CH TJ TM UA GB US Cf YE YU
572. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834;
upupaenellae Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis*
Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888;
massasoit Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr
HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS
ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
573. **Synapsis tmolus (Fischer,1821)** (Scarabaeidae) Synonym(s): *tmolus* Fischer,1821 KG KK TJ TM
574. **Systropha (s.str.) tadjika Warncke,1992** (Halictidae) Synonym(s): *tadjika* Warncke,1992
TJ
575. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761 TR
Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
576. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus*
Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK
ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
577. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831
AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
578. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s):
micros Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT
RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
579. **Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri*
Lichtwardt,1917; *gussakowskii* Stackelberg,1941 TR TJ FR IT CN
580. **Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): *jaxartensis*
Oshanin,1871; *astrachanica* Zachvatkin,1953 MN Cc AZ KG KK TJ UZ
581. **Tanyproctus bucharicus Reitter,1897** (Scarabaeidae) Synonym(s): *bucharicus* Reitter,1897 TJ
UZ
582. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata* Rondani,1871 TR IL Pa
TJ RU Sb SY IQ KK KG
583. **Terellia zerovae Korneyev,1985** (Tephritidae) Synonym(s): *zerovae* Korneyev,1985 TR GR Cr
TJ RO
584. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii*
Signoret,1866 AL BG CS FR GR IL IT RO ES TR RU TJ YU
585. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s):
longicornis Signoret,1866 AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
586. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi*
Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
587. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 Cc
AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA
UZ YU
588. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata*
Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata*
Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ
YU
589. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata*
Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
590. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865 BG JO AZ
KG KK RU TJ TM UZ YU
591. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc AF IR
IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
592. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821;
bivittata Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
593. **Thereva pilifrons Kröber,1912** (Therevidae) Synonym(s): *pilifrons* Kröber,1912 TR UZ TJ KK
TM

594. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
595. **Tibicina semenovi (Oshanin,1906)** (Cicadidae) Synonym(s): *semenovi* Oshanin,1906 TJ KG
596. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa* Loew,1873 RU Or LB UA MD KG IR MN Cc TJ
597. **Tingis afemeljanovi Golub,2006** (Tingidae) Synonym(s): *afemeljanovi* Golub,2006 UZ TJ AF
598. **Tingis kerzhneri Golub,2006** (Tingidae) Synonym(s): *kerzhneri* Golub,2006 AM AZ Cc KG TJ IR TM
599. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
600. **Toxophora angusta Paramonov,1933** (Bombyliidae) Synonym(s): *angusta* Paramonov,1933 TJ TM UZ
601. **Toxophora deserta Paramonov,1933** (Bombyliidae) Synonym(s): *deserta* Paramonov,1933; *tadzhikorum* Paramonov,1933 IR TJ TM UZ
602. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907 TR SD AM AZ GG Cc EG TJ TM UZ
603. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
604. **Toxophora psammophila Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933 AM AZ GG Cc KK TJ TM UZ
605. **Toxophora turkestanica Paramonov,1933** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1933 TJ TM UZ
606. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
607. **Toya simulans (Dlabola,1958)** (Delphacidae) Synonym(s): *simulans* Dlabola,1958 Cc GG KG TJ UA
608. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
609. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844 AL GR TR SY IL Pa IR Cc AM TJ Pm KG
610. **Trigonocnemis (Ammogenia) varentzovi Semenov,1895** (Scarabaeidae) Synonym(s): *varentzovi* Semenov,1895 TJ
611. **Trychosis legator (Thunberg,1824)** (Ichneumonidae) Synonym(s): *legator* Thunberg,1824 TR TJ
612. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
613. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
614. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910 *Urophora tenuior* Hendel,1910, Wien. ent. Ztg. 29: 311. TR KG UZ TM TJ AF IR
615. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
616. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 FR GR IT KK RU ES TJ TN TM
617. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855 B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
618. **Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes* Becker,1906 Cc AZ AM GG IR TJ TM UZ
619. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 DZ FR ES MA TN IT Si KK TM TJ
620. **Usia (s.str.) notata Loew,1873** (Bombyliidae) Synonym(s): *notata* Loew,1873 DZ KG TJ UZ TM
621. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
622. **Villa belanovskyi Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *belanovskyi* Evenhuis & Greathead,1999 TJ
623. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU

624. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta Loew,1869; nana Becker,1916* **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
625. **Villa tashkentica Paramonov,1925** (Bombyliidae) Synonym(s): *tashkentica Paramonov,1925* **TJ UZ Tas**
626. **Villa turcomanus (Paramonov,1927)** (Bombyliidae) Synonym(s): *turcomanus Paramonov,1927* **IR TJ TM UZ**
627. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta Meigen,1820; margaritifera Dufour,1833; dolosa Jaennicke,1867; turbidus Loew,1869* **IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU**
628. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga Zakhvatkin,1931* **ML NE PK IQ KG OM SA TJ TM UZ**
629. **Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani Holmgren,1854* **TR Cc AM KG Aa TJ US**

Synonymic and distributional list of the pterygot insects of Turkmenistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

25

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Turkmenistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 25.

Priamus (suppl.) 18: 973-1004.

In this study, totally 887 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Turkmenistan.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	Yes
Planned expeditions	No
Further planned publications	Yes

In this study, totally 887 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* **AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU**
2. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* **TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH**
3. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* **TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU**
4. **Achrus flavovirens Lindberg,1924** (Cicadellidae) Synonym(s): *flavovirens Lindberg,1924* **Cc GG TM UZ**
5. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* **AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM**
6. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**
7. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* **AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR**
8. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina Melichar,1902; inustus Haupt,1927* **EG IR IL AZ Cc TM UZ**
9. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis Lethierry,1876* **AF IR IQ? MN TR GG KG RU TJ TM UZ**

10. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
11. **Adesmia (s.str.) fischeri Faldermann,1837** (Tenebrionidae) Synonym(s): *fischeri* Faldermann,1837 **TR TM**
12. **Adesmia (s.str.) maillei Solier,1835** (Tenebrionidae) Synonym(s): *maillei* Solier,1835 **RU Cc TM IR**
13. **Adontomerus nesterovi Zerova,1985** (Torymidae) Synonym(s): *nesterovi* Zerova,1985 **TM**
14. **Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 **Cc RU TM UZ KK TJ PK**
15. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889 **DZ TR TM SY IR IQ TM TJ**
16. **Aeoloides grisescens (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891 **TR Cc SY IR TM**
17. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ**
18. **Aethiessa szekessyi Brasavola,1939** (Scarabaeidae) Synonym(s): *szekessyi* Brasavola,1939; *crinita* Nilcolajev,1975 **TJ TM**
19. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
20. **Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata* Horvath,1894 **RO AM AZ GG KG KK RU TM UZ**
21. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**
22. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyclocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**
23. **Agenioideus rytiphorus (Kohl,1886)** (Pompilidae) Synonym(s): *rytiphorus* Kohl,1886 **TR SY Hms TM**
24. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum* Dejean,1828 **AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL**
25. **Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 **TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY**
26. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). **LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
27. **Alastor ardens Kostylev,1935** (Vespididae) Synonym(s): *ardens* Kostylev,1935 **TM TR**
28. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 **AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN**
29. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *laticuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 **AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN**
30. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
31. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
32. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
33. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
34. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU**

- IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN
NL NP SE CH TJ TM TR TN UA UZ
35. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
36. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
37. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
38. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
39. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 TR IR KG TJ TM UZ CN Ui
40. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
41. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
42. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudiroi* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
43. **Ameles crassinervis Dirsch,1927** (Mantidae) Synonym(s): *crassinervis* Dirsch,1927 AF IR Cc TM
44. **Amphicoma (Eulasia) bombylififormis (Pallas,1781)** (Glaphyridae) Synonym(s): *bombylififormis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980 GR TR Cc AM Eri TM KG
45. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi* Ballion,1870; *clypeata* Solsky,1876; *dubia* Solsky,1876; *auricollis* Reitter,1890; *viridicollis* Reitter,1890; *belia* Reitter,1900 AF UZ KG TJ KK TM
46. **Amphicoma (Pygopleurus) banghaasi Reitter,1895** (Glaphyridae) Synonym(s): *banghaasi* Reitter,1895; *mita* Brancsik,1899; *coeruleipennis* Petrovitz,1957 IR Kh TM TJ
47. **Amphicoma (Rudeulasia) regeli (Ballion,1878)** (Glaphyridae) Synonym(s): *regeli* Ballion,1878; *iris* Reitter,1897; *bucharica* Reitter,1903; *theana* Reitter,1903 TM UZ
48. **Amphicoma (Solskiola) analis Solsky,1876** (Glaphyridae) Synonym(s): *analis* Solsky,1876 TM UZ TJ
49. **Amphicoma bombylius (Fabricius,1787)** (Glaphyridae) Synonym(s): *bombylius* Fabricius,1787 TM
50. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
51. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
52. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si Ke MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
53. **Anagyrus turkmenicus (Myartseva,1978)** (Encyrtidae) Synonym(s): *turkmenicus* Myartseva,1978 TM
54. **Anastoechus angustifrons Paramonov,1930** (Bombyliidae) Synonym(s): *angustifrons* Paramonov,1930 TM
55. **Anastoechus elegans Paramonov,1930** (Bombyliidae) Synonym(s): *elegans* Paramonov,1930 TM
56. **Anastoechus firjuzanus Paramonov,1930** (Bombyliidae) Synonym(s): *firjuzanus* Paramonov,1930 TM UZ
57. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
58. **Anastoechus monticola Paramonov,1930** (Bombyliidae) Synonym(s): *monticola* Paramonov,1930 TM UZ
59. **Anastoechus nomas Paramonov,1930** (Bombyliidae) Synonym(s): *nomas* Paramonov,1930 TM UZ
60. **Anastoechus pulcher Paramonov,1930** (Bombyliidae) Synonym(s): *pulcher* Paramonov,1930 IQ IR TM UZ

61. **Anastoechus retardatus Bezzi,1924** (Bombyliidae) Synonym(s): *retardatus Bezzi,1924* IR TM
62. **Anastoechus rubriventris Paramonov,1930** (Bombyliidae) Synonym(s): *rubriventris Paramonov,1930* TM
63. **Anastoechus stackelbergi Paramonov,1926** (Bombyliidae) Synonym(s): *stackelbergi Paramonov,1926* KK TJ TM UZ
64. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus Wiedemann,1820; acuticornis Macquart,1840* IT DZ EG FR IL Pa LY PT ES TN TM SA SD
65. **Anastoechus syrdarjensis Paramonov,1926** (Bombyliidae) Synonym(s): *syrdarjensis Paramonov,1926* KG TM UZ
66. **Anastoechus turkmenorum Paramonov,1930** (Bombyliidae) Synonym(s): *turkmenorum Paramonov,1930* AF IR TM UZ
67. **Anastoechus vlasovi Paramonov,1930** (Bombyliidae) Synonym(s): *vlasovi Paramonov,1930; albicans Paramonov,1930* KG TM UZ
68. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis Morawitz,1874* PL SS MK GR BG IT Sa CY TR TM AM Cc
69. **Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis Laporte,1840* TM TR IQ IL Pa SY LB
70. **Anisoplia (Lasioplia) koenigi Reitter,1895** (Scarabaeidae) Synonym(s): *koenigi Reitter,1895* TM RU
71. **Anisoplia (s.str.) turcomana Zaitzev,1917** (Scarabaeidae) Synonym(s): *turcomana Zaitzev,1917* TM RU
72. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor Faldermann,1835* AM AZ GG Cc TR IR IQ IL Pa SY TM UA
73. **Anthaxia (s.str.) passerini (Pecchioli,1837)** (Buprestidae) Synonym(s): *passerini Pecchioli,1837* AM AZ Cc TR TM
74. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ
75. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* UA Cm RU HU GR TM TR Cc SY IL Pa ZA
76. **Anthidium (Icteranthidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; transcaspicum Lebedev,1923; reinigi Alfken,1931; tadzhicum Popov,1935* UZ TM LB TJ Pm
77. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum Fabricius,1787* ES EG SA TM MR SY TRIL Pa CY
78. **Anthidium (Icteranthidium) hauseri Warncke,1980** (Megachilidae) Synonym(s): *hauseri Warncke,1980* TM
79. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenck,1868; sexmaculatum Chevrier,1872; perrisii Dours,1873; ifranicum Cockerell,1931; confluens Alfken,1931* MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
80. **Anthidium (Icteranthidium) nitens Morawitz,1896** (Megachilidae) Synonym(s): *nitens Morawitz,1896* TM
81. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele Morawitz,1876; controversum Radoszkowski,1886; malacopygum Gribodo,1894; konowi Friese,1897; zonulum Alfken,1935* Cc RU TM TR IL Js Pa BG SY DZ ES
82. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum Morawitz,1895; mochii Mavromoustakis,1956* TM SY TR Cc LB IL Pa IR EG
83. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre Morawitz,1888; arabicum Pasteels,1969; intermedium Pasteels,1969* OM TM PK Qu BI IR IL Pa Js SY TR
84. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum Illiger,1806; oblongatum Latreille,1809; trochantericum Morawitz,1894; nigrum Friese,1897; luteum Dusmet,1915 nec Fr.,1897; xanthurum Cockerell,1925; australe Alfken,1937; flavens Moczar,1956; tornense Tkalcu,1966; berberum Warncke,1980* MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR
85. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852; floripetum Eversmann,1852; stigmaticorne Dours,1873; cribratum Morawitz,1875; petechiale Morawitz,1875; nanum Moczar,1879; leucostoma Costa,1883; peregrinum Costa,1884; eversmanni Radoszkowski,1886; fraternum Perez,1895; astilleroi Dusmet,1915; grandi Alfken,1937; karakalense Popov,1952; canariense Mavromoustakis,1954* FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
86. **Anthidium (Pseudoanthidium) puncticolle Morawitz,1888** (Megachilidae) Synonym(s): *puncticolle Morawitz,1888* TM

87. **Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): *caspicum* Morawitz,1880; *germabicum* Radoszkowski,1893; *labrosum* Pasteels,1969 **TR TM IR Elb**
88. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
89. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 **RU Sb KG TR CY IL Pa Js LB TM Kp GR**
90. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre* Friese,1899; *melanopygum* Friese,1917 **IL Pa LB Cr TR Cc AZ Kir TM Rpt**
91. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum* Latreille,1809; *fasciatum* Latreille,1809; *sulphureum* Lepeletier,1841; *affine* Morawitz,1873; *monile* Friese,1897; *nostrum* Radoszkowski,1893 **FR ES IT Si TM MA DZ HV GR Rd TR IL Pa**
92. **Anthidium (Turkanthidium) gratum Morawitz,1896** (Megachilidae) Synonym(s): *gratum* Morawitz,1896 **TM**
93. **Anthidium (Turkanthidium) incertum Morawitz,1895** (Megachilidae) Synonym(s): *incertum* Morawitz,1895 **TM**
94. **Anthidium (Turkanthidium) politum Morawitz,1895** (Megachilidae) Synonym(s): *politum* Morawitz,1895 **TM**
95. **Anthrax actuosus Paramonov,1935** (Bombyliidae) Synonym(s): *actuosus* Paramonov,1935 **TM UZ**
96. **Anthrax arenophilus Paramonov,1935** (Bombyliidae) Synonym(s): *arenophilus* Paramonov,1935 **TM**
97. **Anthrax bucharensis Paramonov,1935** (Bombyliidae) Synonym(s): *bucharensis* Paramonov,1935 **UZ Br TM**
98. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 **IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU**
99. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 **IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU**
100. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
101. **Anthrax transcaspicus Paramonov,1935** (Bombyliidae) Synonym(s): *transcaspicus* Paramonov,1935 **KG TM UZ**
102. **Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae) Synonym(s): *caucasicus* Reitter,1881 **Cc AM AT GG PL IR TM**
103. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876 **PL AF Cc CN KG KK TJ TM UZ**
104. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus* Solsky,1876 **AF Cc TR IR KK KG TJ TM UZ**
105. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): *rotundulus* Reitter,1889 **TR AF Cc IR TM**
106. **Anthrenus (Solskinus) bucharicus Zhantiev,1976** (Dermestidae) Synonym(s): *bucharicus* Zhantiev,1976 **UZ TM**
107. **Apalus necydalaeus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus* Pallas,1782 **TR Cc RU Sb GR HU TM**
108. **Aphodius (Acanthbodilus) immundus Creutzer,1799** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799 **RU Cc Ur Sb Us KG TM TJ**
109. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 **RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ**
110. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **RU Cc Ur Sb Us UA AM GG KG KK TM UZ**
111. **Aphodius (Apsteiniella) georgii (W.Koshantschikov,1912)** (Scarabaeidae) Synonym(s): *georgii* W.Koshantschikov,1912 **TM**
112. **Aphodius (Biralus) menetriesi Ménétrés,1849** (Scarabaeidae) Synonym(s): *menetriesi* Ménétrés,1849 **KG KK TM UZ**
113. **Aphodius (Bodilus) digitalis D.Koshantschikov,1894** (Scarabaeidae) Synonym(s): *digitalis* D.Koshantschikov,1894 **TM**
114. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 **RU Ur Cc UA Cm KG KK TJ TM**
115. **Aphodius (Bodilus) punctipennis Erichson,1848** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848 **RU Sb KG TM**
116. **Aphodius (Bodilus) strigimargo Reitter,1892** (Scarabaeidae) Synonym(s): *strigimargo* Reitter,1892 **TM**
117. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767 **RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy**

118. **Aphodius (Calamosternus) lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): *lividus* Olivier,1789 **RU Am Cc GG KG TM TJ**
119. **Aphodius (Chilothorax) clathratus Reitter,1892** (Scarabaeidae) Synonym(s): *clathratus* Reitter,1892 **TM**
120. **Aphodius (Chilothorax) distinctus (Müller,1776)** (Scarabaeidae) Synonym(s): *distinctus* Müller,1776 **DE RU Cc Ur Sb Us KG TM TJ**
121. **Aphodius (Chilothorax) flavimargo Reitter,1901** (Scarabaeidae) Synonym(s): *flavimargo* Reitter,1901 **TM KG**
122. **Aphodius (Chilothorax) melanostictus W.Schmidt,1840** (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840 **RU Sb UA KG KK TM**
123. **Aphodius (Colobopterus) erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758 **RU Ur Sb Us UA KG TM UZ**
124. **Aphodius (Erytus) aequalis A.Schmidt,1907** (Scarabaeidae) Synonym(s): *aequalis* A.Schmidt,1907 **TM**
125. **Aphodius (Erytus) bucharicus Petrovitz,1961** (Scarabaeidae) Synonym(s): *bucharicus* Petrovitz,1961 **TM**
126. **Aphodius (Erytus) klugi A.Schmidt,1910** (Scarabaeidae) Synonym(s): *klugi* A.Schmidt,1910 **TM**
127. **Aphodius (Erytus) pruinosus Reitter,1892** (Scarabaeidae) Synonym(s): *pruinosus* Reitter,1892 **TM**
128. **Aphodius (Esymus) alaiensis Reitter,1892** (Scarabaeidae) Synonym(s): *alaiensis* Reitter,1892 **KG TM TJ**
129. **Aphodius (Esymus) merdarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): *merdarius* Fabricius,1775 **RU Cc TM**
130. **Aphodius (Esymus) stereotypus D.Koshantschikov,1894** (Scarabaeidae) Synonym(s): *stereotypus* D.Koshantschikov,1894 **TM**
131. **Aphodius (Eudolus) quadriguttatus (Herbst,1783)** (Scarabaeidae) Synonym(s): *quadriguttatus* Herbst,1783 **RU Ur UA Cm TM UZ**
132. **Aphodius (Eupleurus) subterranius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *subterranius* Linnaeus,1758 **RU Cc Ur Sb Us KG TM**
133. **Aphodius (Lunaphodius) lunifer Solsky,1876** (Scarabaeidae) Synonym(s): *lunifer* Solsky,1876 **TM TJ**
134. **Aphodius (Mecynodes) kisilkumi Solsky,1876** (Scarabaeidae) Synonym(s): *kisilkumi* Solsky,1876 **RU Sb TM**
135. **Aphodius (Melinopterus) prodromus (Brahm,1790)** (Scarabaeidae) Synonym(s): *prodromus* Brahm,1790 **UA RU Cc LT Ur Sb Us KG TM**
136. **Aphodius (Mendidaphodius) brancsiki Reitter,1899** (Scarabaeidae) Synonym(s): *brancsiki* Reitter,1899 **TM**
137. **Aphodius (Mendidius) bidens Solsky,1876** (Scarabaeidae) Synonym(s): *bidens* Solsky,1876 **KG TM**
138. **Aphodius (Mendidius) multiplex Reitter,1897** (Scarabaeidae) Synonym(s): *multiplex* Reitter,1897 **RU Sb KG TM MN**
139. **Aphodius (Mendidius) repetekensis (Nikritin,1971)** (Scarabaeidae) Synonym(s): *repetekensis* Nikritin,1971 **TM**
140. **Aphodius (Nialus) kraatzi Harold,1868** (Scarabaeidae) Synonym(s): *kraatzi* Harold,1868 **KG KK TM**
141. **Aphodius (Nialus) sturmi Harold,1870** (Scarabaeidae) Synonym(s): *sturmi* Harold,1870 **RU Sb KG TM**
142. **Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): *pusillus* Herbst,1789 **RU Cc Ur Sb Us Am Krl GG KG KK TM UZ**
143. **Aphodius (Phalacronotus) quadrimaculatus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *quadrimaculatus* Linnaeus,1767 **TM**
144. **Aphodius (Plagiogonus) praeustus Ballion,1871** (Scarabaeidae) Synonym(s): *praeustus* Ballion,1871 **KG TM**
145. **Aphodius (Pseudacrossus) edgardi Solsky,1876** (Scarabaeidae) Synonym(s): *edgardi* Solsky,1876 **TM TJ**
146. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU**
147. **Aphytis neuter Yasnosh & Myartseva,1971** (Aphelinidae) Synonym(s): *neuter* Yasnosh & Myartseva,1971 **TM TR**
148. **Apolysis dolichorostris Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Meland.,1946; *dolichorostris* Evenhuis & Greathead,1999 **Cc AZ AM GG TM**
149. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 **IT ES TN Cn HV HU EG AF IL Pa IR TM UZ**
150. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825 **AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN**

151. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
152. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
153. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita Mocsary,1880; proxima André,1881; debilis Konow; zarudnyi Gussakowskii,1935* BG GR Cr CY TR LB IL Pa SY IR TM
154. **Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): *pusilla Eversmann,1859* AF MN TJ TM CN Ui
155. **Asiactenius tekkensis (Reitter,1888)** (Scarabaeidae) Synonym(s): *tekkensis Reitter,1888* TM Kp
156. **Asiactenius tokgajevi Medvedev,1962** (Scarabaeidae) Synonym(s): *tokgajevi Medvedev,1962* TM
157. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
158. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus Olivier,1790* TR AF Cc IR IQ IL Pa LB SY TM
159. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR
160. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM
161. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica Tyurebaev,1979* TR IR Ab Oru UA RU KG KK TM TJ UZ
162. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi Trotter,1913; spirorhynchusii Diakontshuk,1990* Aulax hypecoi Trotter,1913, Marcellia 11: 214. DZ LY BG GR TR Cc AM TM
163. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura Masi,1916; meridionalis Steffan,1951* AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
164. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus Morice,1911* MA DZ TR LB SY JO IR OM IL Pa ML MR TM
165. **Bembecinus gracilicornis (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis Handlirsch,1892* IR Ke Cc AZ AM TR TJ TM
166. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
167. **Bembecinus validior Gussakowski,1952** (Crabronidae) Synonym(s): *validior Gussakowski,1952; diacanthus De Beaumont,1967* TJ TR IL Pa EG OM TM
168. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
169. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
170. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918* AM Cc TR IR IQ TJ TM
171. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
172. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
173. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
174. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
175. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
176. **Blaps titanus Ménétrés,1849** (Tenebrionidae) Synonym(s): *titanus Ménétrés,1849* TM UZ AZ Cc Bak
177. **Blaps turcomanorum Seidlitz,1893** (Tenebrionidae) Synonym(s): *turcomanorum Seidlitz,1893* TM
178. **Blitopertha (s.str.) lineata Fabricius,1798** (Scarabaeidae) Synonym(s): *lineata Fabricius,1798* RU Cc AZ AM TM
179. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis Burmeister,1855; abdita Petrovitz,1959; majuscola Medvedev* Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY
180. **Blitopertha (s.str.) variabilis Ballion,1870** (Scarabaeidae) Synonym(s): *variabilis Ballion,1870* KG TM UZ TJ

181. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina* Horvath,1903; *teratocera* Kusnezov,1929 ; *turanica* Hovarth,1936; *ornata* Emeljanov,1962 [Anoterostemma corvina Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476.](#) AT SE HU RU At Sb KG TM UA MN TR
182. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
183. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
184. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
185. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
186. **Bombylella firjuzana (Paramonov,1929)** (Bombyliidae) Synonym(s): *firjuzana* Paramonov,1929 IR TM
187. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
188. **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum* Paramonov,1926; *flavisetis* Paramonov,1940 TR IR TJ UZ TM
189. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 [Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 \(2\): 21. Type\(s\): Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ](#)
190. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
191. **Bombylius (s.str.) arenosus Paramonov,1940** (Bombyliidae) Synonym(s): *arenosus* Paramonov,1940 UZ KG TM
192. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855 RU Sb CN IR MN KK ES TJ TM UZ
193. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
194. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
195. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis* Loew,1873 nec Oliv.,1789; *desertivagus* Paramonov,1940 PK KG KK TJ TM UZ
196. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
197. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
198. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
199. **Bombylius (s.str.) hololeucus Loew,1873** (Bombyliidae) Synonym(s): *hololeucus* Loew,1873 TM UZ
200. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax* Paramonov,1926 UZ TJ KK TM CN UI
201. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NmX BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
202. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU

203. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* **AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU**
204. **Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): *mobilis Loew,1873* **UZ TJ TM KG PK**
205. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* **ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU**
206. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* **AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU**
207. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus Loew,1873* **AF IR KG KK TJ TM UZ**
208. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* **AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA**
209. **Bombylius (s.str.) repeteki Paramonov,1940** (Bombyliidae) Synonym(s): *repeteki Paramonov,1940; submodestus Paramonov,1940* **TM UZ IL Pa**
210. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus Paramonov,1926 nec Wiedem.,1820; rossicus Evenhuis & Greathead,1999* **CN KG KK TJ TM UZ**
211. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* **AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ**
212. **Bombylius (s.str.) shelkovnikovi Paramonov,1926** (Bombyliidae) Synonym(s): *shelkovnikovi Paramonov,1926* **IT AM AZ Cc GR GR TM**
213. **Bombylius (s.str.) testaceiventris Paramonov,1925** (Bombyliidae) Synonym(s): *testaceiventris Paramonov,1925; bergi Paramonov,1926* **UZ TM Cc AM AZ GG KG**
214. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; breviostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* **YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA**
215. **Bombylius (s.str.) turanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turanicus Paramonov,1926* **KK UZ TM**
216. **Bombylius (s.str.) turemenicus Paramonov,1926** (Bombyliidae) Synonym(s): *turemenicus Paramonov,1926; turkmenicus Paramonov,1940* **TM**
217. **Bombylius (s.str.) ushinskii Paramonov,1940** (Bombyliidae) Synonym(s): *ushinskii Paramonov,1940* **TM**
218. **Bombylius (s.str.) vlasovi Paramonov,1940** (Bombyliidae) Synonym(s): *vlasovi Paramonov,1940* **AM AZ GG Cc TM UZ**
219. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* **AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU**
220. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* **AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ**
221. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* **AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ**
222. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828* **AZ AM Cc GG RU TR KK KG TJ TM UZ MN**
223. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* **AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ**
224. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis Fonscolombe,1840; punctulata Förster,1859; carbonaria Masi,1951* **FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM**
225. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
226. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa Förster,1859* **DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR**
227. **Brachydynerus kopetdagicus (Kostylev,1940)** (Vespidae) Synonym(s): *kopetdagicus Kostylev,1940* **TM Kp TR**
228. **Brachytarsina flavipennis Macquart,1851** (Streblidae) Synonym(s): *flavipennis Macquart,1851* **MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF**

229. **Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris Tobias,1957* TM KG Cc AZ RU TR
230. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
231. **Bracon (Glabrobracon) delusorius Telenga,1936** (Braconidae) Synonym(s): *delusorius Telenga,1936* TM TR
232. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
233. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* JP RU TJ TM RO HU AT BE IT FR TR
234. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini Kokoujev,1904* TR Cc AZ KG RU TM KG RO HU
235. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali Fedoseeva,1954* IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
236. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache Aspöck, Aspöck & Hölzel,1979* TR IL Pa LB SY GR BG MK Cr Rd TM
237. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
238. **Bubopsis tancrei Van der Weele,1909** (Ascalaphidae) Synonym(s): *tancrei Van der Weele,1909* TM UZ KG
239. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
240. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858* RU Cc UA Cm TR TM AM SY IL Pa
241. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
242. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951* DZ TR Cc LB SY GR BG TM KG
243. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
244. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla Hagen,1983* DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
245. **Calopteryx transcaspica Bartenev,1912** (Calopterygidae) Synonym(s): *transcaspica Bartenev,1912* TM Kp
246. **Calyptopsis clypeata Faust,1875** (Tenebrionidae) Synonym(s): *clypeata Faust,1875* IR TM
247. **Calyptopsis incerta Faust,1875** (Tenebrionidae) Synonym(s): *incerta Faust,1875* TM
248. **Calyptopsis nitescens Reitter,1896** (Tenebrionidae) Synonym(s): *nitescens Reitter,1896* Cc AM TM
249. **Calyptopsis pulchella Faldermann,1837** (Tenebrionidae) Synonym(s): *pulchella Faldermann,1837; rugipennis Faldermann,1837* Cc TM
250. **Calyptopsis punctiventris Baudi,1874** (Tenebrionidae) Synonym(s): *punctiventris Baudi,1874* TM IR
251. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
252. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* AM Cc GG TR CY IR IQ IL Pa LY SY TM
253. **Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): *ebeninus Germar,1824* TR Cc TM
254. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus Buysson,1891* SY TR Cc AM TM
255. **Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): *syriacoides Platia & Cate,2001* IR Cc AZ AM GG TM Kp TJ
256. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus Distant,1899; iranum Tamanini,1958* IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
257. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulatus Goeze,1778* IR TR Cc SY TM
258. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): *fulvicornis Jakovlev,1890* TR AF RU TM

259. **Celonites foveolatus Kostylev,1935** (Vespidae) Synonym(s): *foveolatus Kostylev,1935* TR IL Pa TM
260. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; oblitterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
261. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae Linnaeus,1758; ?baneai Gheorghiu,1994* RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
262. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicorus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948* IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
263. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens Schultze,1895* TR AF AZ Cc GG IR KG SY TJ TM UZ
264. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus Gyllenhal,1837* AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
265. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis Schultze,1898* AZ RU Da IR TR TM UZ UA
266. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
267. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus Schultze,1902* DZ AM Cc GG KG UZ UA TR TM
268. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus Gyllenhal,1837* DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
269. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
270. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
271. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
272. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
273. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
274. **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis Bauduer,1874* TR Cc IR TM
275. **Chaetomalachus aeneolus Majer,1989** (Melyridae) Synonym(s): *aeneolus Majer,1989* AF IR TJ TM
276. **Chaetomalachus aeneus Schilksy,1900** (Melyridae) Synonym(s): *aeneus Schilksy,1900* KK TJ TM
277. **Chaetomalachus dasytoides Kraatz,1882** (Melyridae) Synonym(s): *dasytoides Kraatz,1882* KK KG TJ TM UZ
278. **Chaetomalachus longipilis (Reitter,1889)** (Melyridae) Synonym(s): *longipilis Reitter,1889* TM
279. **Chaetomalachus marginicollis (Reitter,1891)** (Melyridae) Synonym(s): *marginicollis Reitter,1891* AZ Cc TM Kp
280. **Chaetomalachus wittmeri Majer,1989** (Melyridae) Synonym(s): *wittmeri Majer,1989* IR KK TM
281. **Cheironitis haroldi Ballion,1870** (Scarabaeidae) Synonym(s): *haroldi Ballion,1870* KG UZ TM
282. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus Ménétriés,1849; eumenes Motschoulsky,1859; ponticus Lansberge,1875* EG Sn IL Pa LB SY RU GR TM UZ
283. **Cheironitis sterculius Ballion,1870** (Scarabaeidae) Synonym(s): *sterculius Ballion,1870* UZ TM
284. **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckert,1929* AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
285. **Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s): *handlirschi Schletterer,1889* IT HU TR RO TM
286. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum Schletterer,1889* AZ GG Cc RU UA TM IR TR
287. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepelletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
288. **Chioneosoma (Aleucolomus) porosum (Fischer,1824)** (Scarabaeidae) Synonym(s): *porosum Fischer,1824* KG TM

289. **Chioneosoma (Aleucolomus) tedschenense** **Semenov,1895** (Scarabaeidae) Synonym(s): *tedschenense* *Semenov,1895* **TM**
290. **Chioneosoma (Chioneosoma) komarovi** (**Brenske,1866**) (Scarabaeidae) Synonym(s): *komarovi* *Brenske,1866* **TM**
291. **Chioneosoma (Chionotrogus) candidum** (**Semenov,1902**) (Scarabaeidae) Synonym(s): *candidum* *Semenov,1902* **TM**
292. **Chioneosoma (Chionotrogus) gorilla** **Brenske,1886** (Scarabaeidae) Synonym(s): *gorilla* *Brenske,1886* **TM**
293. **Chioneosoma (Chionotrogus) kizilkumenze** **Semenov,1895** (Scarabaeidae) Synonym(s): *kizilkumenze* *Semenov,1895* **KG TM**
294. **Chioneosoma (Chionotrogus) peetzi** **Semenov,1898** (Scarabaeidae) Synonym(s): *peetzi* *Semenov,1898* **TM**
295. **Chioneosoma (Chionotrogus) turcomanum** **Brenske,1888** (Scarabaeidae) Synonym(s): *turcomanum* *Brenske,1888* **TM**
296. **Chioneosoma (Leucolasium) baadeni** **Brenske,1886** (Scarabaeidae) Synonym(s): *baadeni* *Brenske,1886* **TM**
297. **Chioneosoma (Leucolasium) rostovtzeni** **Semenov,1898** (Scarabaeidae) Synonym(s): *rostovtzeni* *Semenov,1898* **TM**
298. **Chioneosoma (Leucolasium) tschitscherini** **Semenov,1895** (Scarabaeidae) Synonym(s): *tschitscherini* *Semenov,1895* **TM**
299. **Chlaenius (Chlaeniellus) tristis** (**Schaller,1783**) (Carabidae) Synonym(s): *tristis* *Schaller,1783* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ**
300. **Chlaenius (Chlaenites) spoliatus** (**P.Rossi,1792**) (Carabidae) Synonym(s): *spoliatus* *P.Rossi,1792* **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
301. **Chlaenius aeneocephalus** **Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus* *Dejean,1826* **AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ**
302. **Chlaenius circumscriptus** **Duftschnid,1812** (Carabidae) Synonym(s): *circumscriptus* *Duftschnid,1812* **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
303. **Chlaenius cruralis** **Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* *Fischer von Waldheim,1829* **AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ**
304. **Chloropsalta viridiflava** (**Distant,1914**) (Cicadidae) Synonym(s): *viridiflava* *Distant,1914* **TM**
305. **Chorthippus (s.str.) albomarginatus** (**De Geer,1773**) (Acrididae) Synonym(s): *albomarginatus* *De Geer,1773*; *elegans* *Charpentier,1825*; *tricarinata* *Stephens,1835*; *blandus* *Fischer von Waldheim,1846*; *hyalosuperficies* *Voroncovsky,1928*; *nigrofasciatus* *Voroncovsky,1928*; *porphyricus* *Voroncovsky,1928* **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
306. **Chrysolina armeniaca** (**Faldermann,1837**) (Chrysomelidae) Synonym(s): *armeniaca* *Faldermann,1837*; *persica* *Jakob,1960 nec Jolivet,1951*; *iranica* *Medvedev,1975 nec Jacob,1954* **Cc IR AM TM AF**
307. **Chrysolina bodemeyeri** (**Weise,1910**) (Chrysomelidae) Synonym(s): *bodemeyeri* *Weise,1910* **IR TR TM**
308. **Chrysolina coerulans** (**Scriba,1791**) (Chrysomelidae) Synonym(s): *coerulans* *Scriba,1791*; *angelica* *Reiche & Saulcy,1858*; *splendorifera* *Motschoulsky,1860*; *subfastuosa* *Motschoulsky,1860*; *bella* *Jacoby,1890*; *uzbekorum* *Bechyne,1950*; *iranica* *Jakob,1954*; *piffli* *Lopatini,1967* **FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ**
309. **Chrysolina didymata** (**Scriba,1791**) (Chrysomelidae) Synonym(s): *didymata* *Scriba,1791*; *syriaca* *Weise,1884* **SY TR IL Pa IR TM**
310. **Chrysolina gypsophila** (**Küster,1845**) (Chrysomelidae) Synonym(s): *gypsophila* *Küster,1845*; *lucidicollis* *Küster,1845* **TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ**
311. **Chrysolina imperfecta** (**Breit,1920**) (Chrysomelidae) Synonym(s): *imperfecta* *Breit,1920*; *kaltenbachi* *Jakob,1954* **Cc IR TM AF**
312. **Chrysotus collini** **Parent,1923** (Dolichopodidae) Synonym(s): *collini* *Parent,1923* **AM AZ GG Cc UA RU TM**
313. **Cicada orni** **Linnaeus,1758** (Cicadidae) Synonym(s): *orni* *Linnaeus,1758*; *punctata* *Fabricius,1798*; *oleae* *A.Costa,1877* **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
314. **Cicadatra hyalina** (**Fabricius,1798**) (Cicadidae) Synonym(s): *hyalina* *Fabricius,1798*; *geodesma* *Kolenati,1857*; *taurica* *Fieber,1876*; *virens* *Fieber,1876*; *burriana* *Horvath,1912*; *viridis* *Haupt,1917*; *discrepans* *Schumacher,1923*; *rossica* *Schumacher,1923* **Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA**
315. **Cicadatra querula** (**Pallas,1773**) (Cicadidae) Synonym(s): *steveni* *Stal,1854 (praeocc.)*; *querula* *Pallas,1773*; *paliuri* *Kolenati,1857* **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
316. **Cicadetta flaveola** (**Brullé,1832**) (Cicadidae) Synonym(s): *flaveola* *Brullé,1832* **TR Cc DZ GR IT MA PT ES GG KG TJ TM**

317. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
318. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839 **TR SY IR Qz AM AZ Nv Ord Cc TM Kp**
319. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
320. **Cirropsilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 **TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU**
321. **Clanoptilus (s.str.) dubatolovi Tshernyshev,1998** (Melyridae) Synonym(s): *dubatolovi* Tshernyshev,1998 **TM**
322. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 **FR RU UA TM AT BG DE ES CH GR TR**
323. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 **RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD**
324. **Clanoptilus (s.str.) imperialis (Morawitz,1861)** (Melyridae) Synonym(s): *imperialis* Morawitz,1861 **TM UZ**
325. **Clanoptilus (s.str.) pseudoturanicus (Wittmer,1979)** (Melyridae) Synonym(s): *pseudoturanicus* Wittmer,1979 **TM**
326. **Clanoptilus (s.str.) turanicus (Reitter,1888)** (Melyridae) Synonym(s): *turanicus* Reitter,1888 **TM**
327. **Claviger caspicus Reitter,1882** (Staphylinidae) Synonym(s): *caspicus* Reitter,1882 **TM TR**
328. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU**
329. **Closterocerus turkmenicus (Myartseva & Kurashev,1991)** (Eulophidae) Synonym(s): *turkmenicus* Myartseva & Kurashev,1991 **TM**
330. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841 **TM KK UZ EG TN MA DZ RU GB TR**
331. **Coenorhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 **DE BG FR GB IR Cc KG UA Cm MK SY TR TM**
332. **Colletes minutissimus Kuhlmann,2002** (Colletidae) Synonym(s): *minutissimus* Kuhlmann,2002 **TM**
333. **Colletes schwarzi Kuhlmann,2002** (Colletidae) Synonym(s): *schwarzi* Kuhlmann,2002 **TM**
334. **Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): *fluviale* Rondani,1867 **AT AF IT ES TM**
335. **Conophorus nobilis (Loew,1873)** (Bombyliidae) Synonym(s): *nobilis* Loew,1873 **Cc AM AZ GG TR JO IR TM**
336. **Conops tomentosus Kröber,1916** (Conopidae) Synonym(s): *tomentosus* Kröber,1916 **TR TM TJ SA**
337. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **ES RU UA UZ TM TJ IR TR EG**
338. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 **GB DE FR YU LT RU UA Cm Cc KK KG TM**
339. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR**
340. **Cryptobium iranoturkestanicum Scheerpeltz,1956** (Staphylinidae) Synonym(s): *iranoturkestanicum* Scheerpeltz,1956 **IR TM UZ**
341. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847 **Cc RU TR BG TM AZ IR**
342. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 **AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO**
343. **Culicoides desertorum Gutsevich,1959** (Ceratopogonidae) Synonym(s): *desertorum* Gutsevich,1959 **TM UZ**
344. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata* Solsky,1874 **TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR**

345. **Cyriopertha (Megapertha) massageta Kirsch,1881** (Scarabaeidae) Synonym(s): *massageta Kirsch,1881* TM TJ
346. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
347. **Dasyhelea ferruginosa Remm & Nazarmukhamedov,1969** (Ceratopogonidae) Synonym(s): *ferruginosa Remm & Nazarmukhamedov,1969* TM
348. **Dasyphora meridionalis Zimin,1951** (Muscidae) Synonym(s): *meridionalis Zimin,1951* AM Cc TM
349. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata Klug,1834* IL Pa TR Cc AM GG CY TM UZ KG
350. **Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus Baudi,1876* TR IR TM Cc
351. **Dendarus (Pandarinus) transcaspicus Brancsik,1899** (Tenebrionidae) Synonym(s): *transcaspicus Brancsik,1899* TM Kp
352. **Dendarus (Pandarinus) vagabundus Reitter,1904** (Tenebrionidae) Synonym(s): *vagabundus Reitter,1904* TM
353. **Dermestes (Montandonia) olivieri Lepesme,1939** (Dermestidae) Synonym(s): *olivieri Lepesme,1939* Cc IR TR SY TM
354. **Desmatoneura turkmenica Zaitzev,2002** (Bombyliidae) Synonym(s): *turkmenica Zaitzev,2002* TM
355. **Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris Walker,1851* Cc PT ES GG KG KK TM UZ
356. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
357. **Diglyphus turcomanica Kurashev,1990** (Eulophidae) Synonym(s): *turcomanica Kurashev,1990* TM
358. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820; aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
359. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
360. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata Desbrochers,1870* Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
361. **Dociostaurus (Notostaurus) albicornis (Eversmann,1848)** (Acrididae) Synonym(s): *albicornis Eversmann,1848* RU KG IR TM AF PK
362. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini Bolivar,1893* TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
363. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus Loew,1859* Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ
364. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
365. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
366. **Dorysarthus sumakovi Oshanin,1908** (Dictyopharidae) Synonym(s): *sumakovi Oshanin,1908* IR TM
367. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
368. **Elachertus kopetdagensis Efremova & Myartseva,1994** (Eulophidae) Synonym(s): *kopetdagensis Efremova & Myartseva,1994* TM Kp
369. **Elachertus pulcher (Erdös,1961)** (Eulophidae) Synonym(s): *pulcher Erdös,1961* TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
370. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
371. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
372. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollii Saussure,1871; attenuata Ramme,1951; mujuncmica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004* TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY
373. **Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus Erdös,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA

374. **Entedon zerovae Gumovsky,1995** (Eulophidae) Synonym(s): *zerovae* Gumovsky,1995 **RU Us TJ TM UZ**
375. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 **TR HV FR GR IL Pa KG KK MK RU ES TM**
376. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea* Pallas,1773; *sirdariensis* Radoszkowski,1889 **AM Cc IR TM Kp TR KK KG Uk RU Da**
377. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
378. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968 **TR IL Pa JO IR SA TM**
379. **Eremazus cribratus Semenov,1893** (Scarabaeidae) Synonym(s): *cribratus* Semenov,1893 **RU TM**
380. **Eremazus unistriatus Mulsant,1851** (Scarabaeidae) Synonym(s): *unistriatus* Mulsant,1851 **RU TM**
381. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
382. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
383. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 **RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ**
384. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
385. **Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): *pallipes* Fabricius,1781 **RU Cc IL Pa TM TJ**
386. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum* Newman,1853; *laureti* Lindberg,1936 **Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM**
387. **Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 **AF KG KK TM UZ**
388. **Eurychila pantherina (Horvath,1891)** (Tettigometridae) Synonym(s): *pantherina* Horvath,1891 **AF AZ TM UZ**
389. **Eurythyrea oxiana Semenov,1885** (Buprestidae) Synonym(s): *oxiana* Semenov,1885 **TM TJ**
390. **Eurytoma collina Zerova,1984** (Eurytomidae) Synonym(s): *collina* Zerova,1984 **IR Ak Th Elb TM TJ UZ**
391. **Eurytoma deserticola Zerova,2002** (Eurytomidae) Synonym(s): *deserticola* Zerova,2002 **TM TJ**
392. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi* Boucek,1970 **IR HV CZ DE IT MD MK RU SK UA TM YU**
393. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**
394. **Eutyctus deserti Semenov,1890** (Scarabaeidae) Synonym(s): *deserti* Semenov,1890 **TM**
395. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 **HU UA US BG GR Cc TM IL Pa**
396. **Euzonitis rubida (Ménétriés,1832)** (Meloidae) Synonym(s): *rubida* Ménétriés,1832 **TR Cc GR TM**
397. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 **AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ**
398. **Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa* Saussure,1880 **TR IR TM UZ TJ PK**
399. **Fedtschenkia indigotea Radoszkowski,1886** (Sapygidae) Synonym(s): *indigotea* Radoszkowski,1886 **TM**
400. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 **ES FR SK HU BG UA BY RU KG TR TM CA US**
401. **Gampsocoris punctipes (Germar,1822)** (Berytidae) Synonym(s): *punctipes* Germar,1822 **TR IQ GB TM**
402. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 **AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM**
403. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 **UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU**
404. **Geron michaili Zaitzev,1972** (Bombyliidae) Synonym(s): *michaili* Zaitzev,1972 **DZ AM UA EG MN TN TM**

405. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc
AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
406. **Geron smirnovi Zaitzev,1978** (Bombyliidae) Synonym(s): *smirnovi Zaitzev,1978* TJ GR Rd TM
TR
407. **Glaphyrus oxypterus (Pallas,1771)** (Glaphyridae) Synonym(s): *oxypterus Pallas,1771*;
acuminatus Lepechin,1774; *uralensis Gmelin,1788*; *vittatus Herbst,1790*; *incertus Pic,1947* RU Sb TM KG
408. **Glaphyrus superbus Champenois,1898** (Glaphyridae) Synonym(s): *superbus*
Champenois,1898; *straussi Reitter,1903* TM IR
409. **Glaphyrus turkestanicus Semenov,1889** (Glaphyridae) Synonym(s): *turkestanicus*
Semenov,1889 TM TJ
410. **Glyptomorpha exculpta Shestakov,1926** (Braconidae) Synonym(s): *exculpta Shestakov,1926*
KG TM TR
411. **Gnorimus armeniacus Reitter,1887** (Scarabaeidae) Synonym(s): *armeniacus Reitter,1887* TM Cc
TR IL Pa
412. **Gnorimus bartelsi Faldermann,1836** (Scarabaeidae) Synonym(s): *bartelsi Faldermann,1836* TM
Cc AM
413. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis Egger,1862* **Gonia**
maculipennis Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". ES
HU UA CY TR IL Pa TM
414. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina Saussure,1884* TM
UZ KG CN Mc IR Ss
415. **Gymnopleurus aciculatus Gebler,1845** (Scarabaeidae) Synonym(s): *aciculatus Gebler,1845* RU
KG UZ TM TJ
416. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU UA
KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
417. **Habropogon montanus Lehr,1960** (Asilidae) Synonym(s): *montanus Lehr,1960* IR Kz KG TM
418. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura*
Morawitz,1875; *altera Peters,1974* TM UZ CN Ui AF PK
419. **Hardya ribauti Linnavuori,1953** (Cicadellidae) Synonym(s): *ribauti Linnavuori,1953* RU Cc TM
420. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866*;
sulcatus Fieber,1866; *aegyptiacus Signoret,1879*; *arenarius Horvath,1897* AF BG CY CS EG HU IR IQ IL IT Si
JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
421. **Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis Semenov,1900*
TM IR SA TR AF
422. **Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syriacus Kuwert,1885* TR
SY SA IR Cc TM KG
423. **Hemictenius badkhyzicus Nikolaev,2000** (Scarabaeidae) Synonym(s): *badkhyzicus*
Nikolaev,2000 TM
424. **Hemictenius latitarsis (Reitter,1891)** (Scarabaeidae) Synonym(s): *latitarsis Reitter,1891* KG
TM UZ
425. **Hemictenius medvedevi Nikolajev,1976** (Scarabaeidae) Synonym(s): *medvedevi*
Nikolajev,1976 TM
426. **Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s):
exoprosopoides Paramonov,1928 Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ
427. **Hemipenthes gaudanicus Paramonov,1927** (Bombyliidae) Synonym(s): *gaudanicus*
Paramonov,1927 CN Ui KK TJ TM UZ MN IR
428. **Hemipenthes gussakovskiy Zaitzev,1966** (Bombyliidae) Synonym(s): *gussakovskiy*
Zaitzev,1966 TJ TM
429. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera Loew,1854* RU
Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
430. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758*;
denigrata Linnaeus,1767; *hirsuta Villers,1789*; *daemon Panzer,1797*; *bifasciata Meigen,1804*; *relata*
Walker,1852; *uncinus Loew,1869*; *flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN Ui
HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
431. **Hemipenthes mesasiatica Zaitzev,1962** (Bombyliidae) Synonym(s): *mesasiatica Zaitzev,1962*
TJ TM UZ
432. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758*;
semiatra Meigen,1820; *morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY
GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
433. **Hemipenthes pamirensis Zaitzev,1962** (Bombyliidae) Synonym(s): *pamirensis Zaitzev,1962*
MN TJ Pm UZ TM
434. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus Loew,1869* CN
KK MN RU TJ TM UZ IL Pa
435. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus Zaitzev,1966* Cc
AM AZ GG CN KK KG TJ TM UZ
436. **Hemipenthes splendidus Zaitzev,1962** (Bombyliidae) Synonym(s): *splendidus Zaitzev,1962*
KK KG TJ TM

437. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus Zaitzev,1966* TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
438. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
439. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi Frauenfeld,1864* TR CN KG KK MN MD UZ RU TJ TM UA
440. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor Lindberg,1926; canus Dlabola,1961* RO TR Cc AM KG KK RU Da TM UA UZ
441. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus Loew,1871* Cc GG Abk RO RU TJ TM UZ
442. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis Stannius,1831; bohemani Wahlberg,1851* AM Cc BG GR TR UA RO TJ TM
443. **Heriades (Michenerella) ammodendri Popov,1960** (Megachilidae) Synonym(s): *ammodendri Popov,1960* TM
444. **Heriades (Michenerella) shestakovi Popov,1960** (Megachilidae) Synonym(s): *shestakovi Popov,1960* TM
445. **Heriades (Michenerella) turcomanicus Popov,1955** (Megachilidae) Synonym(s): *turcomanicus Popov,1955* TM
446. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis Morawitz,1875; armeniacus Popov,1956* Cc AM TM CY IL Pa SY TR GR TJ
447. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
448. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
449. **Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis Loew,1873* KG KK TJ TM UZ
450. **Heterotropus ammophilus Paramonov,1929** (Bombyliidae) Synonym(s): *ammophilus Paramonov,1929* TJ TM UZ
451. **Heterotropus arenivagus Paramonov,1929** (Bombyliidae) Synonym(s): *arenivagus Paramonov,1929; flavoscutellata Paramonov,1929* TJ TM UZ
452. **Heterotropus gussakovsiji Paramonov,1929** (Bombyliidae) Synonym(s): *gussakovsiji Paramonov,1929* TM UZ
453. **Heterotropus hohlbecki Paramonov,1947** (Bombyliidae) Synonym(s): *hohlbecki Paramonov,1947* TM
454. **Heterotropus kazanovskyi Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskyi Paramonov,1925* AZ Cc EG KG TJ TM UZ
455. **Heterotropus monticola Paramonov,1929** (Bombyliidae) Synonym(s): *monticola Paramonov,1929* TM UZ
456. **Heterotropus normalipes Paramonov,1929** (Bombyliidae) Synonym(s): *normalipes Paramonov,1929* TM
457. **Heterotropus repeteki Paramonov,1929** (Bombyliidae) Synonym(s): *repeteki Paramonov,1929* TM
458. **Heterotropus sabulosus Paramonov,1929** (Bombyliidae) Synonym(s): *sabulosus Paramonov,1929* EG TM UZ
459. **Heterotropus sulphureus Paramonov,1929** (Bombyliidae) Synonym(s): *sulphureus Paramonov,1929* TM UZ
460. **Heterotropus zimini Paramonov,1929** (Bombyliidae) Synonym(s): *zimini Paramonov,1929* TM UZ
461. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata Saussure,1869; heterodera Westwood,1889; westwoodi Kirby,1904* IN NP MY Bor Sda TM Ui CN
462. **Holochelus (Dasytrogus) glabricollis (Reitter,1888)** (Scarabaeidae) Synonym(s): *glabricollis Reitter,1888* TM
463. **Holochelus (Dasytrogus) kuhitangicus Nikolajev,1976** (Scarabaeidae) Synonym(s): *kuhitangicus Nikolajev,1976* TM
464. **Holochelus (Miltotrogus) fallax Marseul,1879** (Scarabaeidae) Synonym(s): *fallax Marseul,1879* TM TR SY
465. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR

466. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896 **RU UA KG KK CN TM UZ SY TR**
467. **Hoplitis (Alcidamea) simplicicornis (Morawitz,1875)** (Megachilidae) Synonym(s): *simplicicornis* Morawitz,1875 **TM KG**
468. **Hoplitis (Anthocopa) askhabadensis (Radoszkowski,1886)** (Megachilidae) Synonym(s): *askhabadensis* Radoszkowski,1886 **TM Kp**
469. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 **Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR**
470. **Hoplitis (Anthocopa) murina (Tkalcu,1992)** (Megachilidae) Synonym(s): *murina* Tkalcu,1992 **TM**
471. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 **AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR**
472. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 **TM KG TJ AF IR TR**
473. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 **KG KK TJ TM UZ IL Pa TR**
474. **Hoplitis (Kumobia) ahrensi (Popov,1962)** (Megachilidae) Synonym(s): *ahrensi* Popov,1962 **TM**
475. **Hoplitis (Kumobia) farabensis (Popov,1962)** (Megachilidae) Synonym(s): *farabensis* Popov,1962 **TM**
476. **Hoplitis (Kumobia) tenuicornis (Morawitz,1875)** (Megachilidae) Synonym(s): *tenuicornis* Morawitz,1875 **TM**
477. **Hoplitis (Pentadentoscia) fascicularia (Radoszkowski,1886)** (Megachilidae) Synonym(s): *fascicularia* Radoszkowski,1886 **TM Kp**
478. **Hoplitis (Pentadentoscia) karakalensis (Popov,1936)** (Megachilidae) Synonym(s): *karakalensis* Popov,1936 **TM IR**
479. **Hoplitis (Pentadentoscia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935 **TJ TM UZ IL Pa IR JO PK TR**
480. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
481. **Hoplitis (s.str.) brevicornis (Morawitz,1880)** (Megachilidae) Synonym(s): *brevicornis* Morawitz,1880 **TM Krn**
482. **Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 **AM Cc CN Ui TM JO**
483. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 **TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK**
484. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM**
485. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879 **Cc CY IR TR AM AZ GG RU TM UZ IQ**
486. **Hybosorus illigeri Reiche,1853** (Scarabaeidae) Synonym(s): *illigeri* Reiche,1853 **RU TM TJ**
487. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 **DZ GR TR Cc RU KG Sb TM SY**
488. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
489. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU**
490. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum* Lethierry,1878 **AF SY AZ Cc KG KK TM UZ**
491. **Hysteropterum pictifrons Horvath,1899** (Issidae) Synonym(s): *pictifrons* Horvath,1899 **AM TJ TM**
492. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, *Progr. K. Realschule Meseritz 1856: 23.* **AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK**
493. **Idricerus decrepitus (Walker,1859)** (Ascalaphidae) Synonym(s): *decrepitus* Walker,1859 **IN Ass Ch Meg Up TM**
494. **Idricerus sogdianus McLachan,1875** (Ascalaphidae) Synonym(s): *sogdianus* McLachan,1875 **IN TM**
495. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 **Mantis oratoria polystictica** Fischer v. Waldheim,1846, *Orth. Ross.: 102.* **RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui**
496. **Ischnogasteroides picteti (Saussure,1852)** (Vespidae) Synonym(s): *picteti* Saussure,1852; *tenuis* Morawitz,1888 **TR TM**

497. **Katamenes sichelii (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852; *tauriae* Giordani-Soika,1960 GR TR TM
498. **Labidostomis peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina* Weise,1900 UA Cm Cc RU TM TR
499. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905 ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
500. **Lampyris caspica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854 GG Cc KG TM IR TR
501. **Lampyris turkestanica Heyden,1881** (Lampyridae) Synonym(s): *turkestanica* Heyden,1881 KG TJ TM UZ
502. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
503. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
504. **Lasioglossum (Evylaeus) skorikovi (Blüthgen,1929)** (Halictidae) Synonym(s): *skorikovi* Blüthgen,1929 TM TR US Smk
505. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911 AF TM IL Pa SY TR AM Cc IR
506. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax* Morawitz,1874; *radiourgan* Ebner,1980 TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
507. **Lasiopsis (Lasiexis) dilaticollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *dilaticollis* Ballion,1870 KK KG TM
508. **Lasiopsis (Lasiexis) primaeveris (Semenov & Medvedev,1936)** (Scarabaeidae) Synonym(s): *primaeveris* Semenov & Medvedev,1936 TM
509. **Leptochilus alpestris (Saussure,1855)** (Vespidae) Synonym(s): *alpestris* Saussure,1855 TR TM JO
510. **Leptodes (s.str.) boisduali Zubkoff** (Tenebrionidae) Synonym(s): TM
511. **Leptodes (s.str.) heydeni Reitter** (Tenebrionidae) Synonym(s): TM
512. **Leptodes (s.str.) zubkovi Semenov** (Tenebrionidae) Synonym(s): TM
513. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
514. **Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862 TR Cc TM KG MN RU
515. **Longitarsus apicalis (Beck,1817)** (Chrysomelidae) Synonym(s): *apicalis* Beck,1817; *analisis* Duftschmidt,1825; *praticola* Sahlberg,1834; *fischeri* Zetterstedt,1838; *quadrimaculatus* Weise,1888 FR GR TM
516. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893 DZ TN TR Cc IR TM
517. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi,1973 TR Cc IR TM T HU AT
518. **Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus* Weise,1887 TR KG TM UZ TJ
519. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817 AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bi TJ AF OM
520. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758 IL Pa CY Cc IQ SY TM TR
521. **Macronychia (s.str.) dolini Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *dolini* Verves & Khrokalo,2006 UA CZ RU Sj TM Kp
522. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
523. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
524. **Macronychia (s.str.) substriginervis Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *substriginervis* Verves & Khrokalo,2006 UA RU Sb TM UZ
525. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
526. **Macrosteles oculus Dlabola,1952** (Cicadellidae) Synonym(s): *oculus* Dlabola,1952; *angorensis* Dubovsky,1970 IR IQ TM UZ
527. **Madotrogus glabripennis (Ballion,1871)** (Scarabaeidae) Synonym(s): *glabripennis* Ballion,1871 KK TM TJ UZ
528. **Malachius extensicornis Tshernyshev,1998** (Melyridae) Synonym(s): *extensicornis* Tshernyshev,1998 TM

529. **Maladera (Aserica) euphorbia (Burmeister,1895)** (Scarabaeidae) Synonym(s): *euphorbia Burmeister,1895* RU KG TM TJ
530. **Maladera (Cycloserica) arenicola (Solsky,1876)** (Scarabaeidae) Synonym(s): *arenicola Solsky,1876; diluta Reitter,1896* TM KG UZ
531. **Maladera (Cycloserica) excisipes (Reitter,1896)** (Scarabaeidae) Synonym(s): *excisipes Reitter,1896; deserta Medvedev,1956* TM UZ
532. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
533. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
534. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875; ?minuta Kozhantshikov,1949; ?caucasica Handschin,1959* GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
535. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca Poda,1761; pagana Fabricius,1775; hauseri Poivre,1982* AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
536. **Megachile (Eutricharaea) deceptoria Perez,1890** (Megachilidae) Synonym(s): *deceptoria Perez,1890* Cc KG TM TR
537. **Megalocoleus dissimilis (Reuter,1876)** (Miridae) Synonym(s): *dissimilis Reuter,1876* IT HU TM TR
538. **Megascolia maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata Drury,1773; flavifrons Fabricius,1775; haemorrhoidalis Fabricius,1787; insignis Saussure,1858; versicolor Saussure,1859* FR IT Sa Si GR Cr TR TM
539. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
540. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballesrerii Rondani,1877* ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
541. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae Boucek,1971; kondaricus Zerova & Seregina,1994* DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
542. **Melanotus (s.str.) fulvus Reitter,1891** (Elateridae) Synonym(s): *fulvus Reitter,1891* TR TM IR IQ
543. **Melanotus (s.str.) sobrinus (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus Ménétriés,1832* Cc TR? IR TM
544. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis Panzer,1793* DZ ES IT Sa Si TR RU KG TJ MN TM
545. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
546. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi Pliginski,1910* TR Cc RU AF TM IR UA Cm
547. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus Marsham,1802* ES IT RU DZ Cc TR TM
548. **Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus Brandt & Erichson,1832* RU Cc IT Si TR TM
549. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792; ruficornis Balbi,1897* Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
550. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator Linnaeus,1758; orientalis Szepliget,1916* SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
551. **Metacnephia nigra (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra Rubtsov,1940; saxicola Rubtsov,1956* Cc AZ Nv RU RO TM
552. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica Rubtsov,1940; hirta Rubtsov & Terteryan,1954* IR AM Cc AZ KG RO TM UZ
553. **Metacnephia slepjani (Rubtsov,1967)** (Simuliidae) Synonym(s): *slepjani Rubtsov,1967* TM
554. **Metacnephia tetraginata (Rubtsov,1951)** (Simuliidae) Synonym(s): *tetraginata Rubtsov,1951* TM TJ KG
555. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
556. **Microhoria terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata Schmidt,1842* TR RU UA Cc TM
557. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
558. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi*

- Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
559. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
560. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
561. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca Olivier,1811* TR Cc RU TM IR SY
562. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa Escherich,1899* TR Cc TM UZ GR SY
563. **Mylabris laevicollis Marseul,1870** (Meloidae) Synonym(s): *laevicollis Marseul,1870* TR Cc TM GR
564. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; grisescens Marseul,1872; impar Sumakov,1915* RU Cc TR TM IR KG TJ
565. **Mylabris variabilis (Pallas,1782)** (Meloidae) Synonym(s): *variabilis Pallas,1782* TR Cc RU DZ KG TM
566. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis Dejean,1825* TR SY IQ IR AM AZ RU Da TM TJ
567. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
568. **Myrmica lacustris Ruzsky,1905** (Formicidae) Synonym(s): *lacustris Ruzsky,1905* CZ UA TM KG AT
569. **Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps Radoszkowski,1888 nec Blake,1871; emiliae Dalla Torre,1897; chusistana Skorikov,1927* TR IQ IR Cc AZ AM TM
570. **Myrmilla (Eurygnathilla) ephutommatina Skorikov,1927** (Mutillidae) Synonym(s): *ephutommatina Skorikov,1927* TM UZ TJ
571. **Myrmilla (s.str.) bilobicornis Skorikov,1927** (Mutillidae) Synonym(s): *bilobicornis Skorikov,1927* IR Gor TM
572. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
573. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer Seidenstücker,1954* TR CY UZ TM SY AF
574. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
575. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelina Özbek & Szaloki,1998* ES IT Si Sa TR GR SY TM TJ
576. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
577. **Notonecta marmorea Fabricius,1803** (Notonectidae) Synonym(s): *marmorea Fabricius,1803* RU Cc TR IR TM
578. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus Krekich & Strassoldo,1919* Cc AM AZ GR TR IR TM
579. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata Westwood,1835* MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
580. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii Leach,1817* MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
581. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
582. **Ochrilidia turanica (Bei-Bienko,1936)** (Acrididae) Synonym(s): *turanica Bei-Bienko,1936* TM
583. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
584. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus Germar,1817* Acrydium decorus Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). TR RU Us Cc Da TM TJ KK KG
585. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis Krauss,1877; arenivolans Butler,1881; mlokoziowitztcki Bolivar,1884; mlokozewitchi Bolivar,1887; dimidiatus Bolivar,1899* Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV

586. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus Fieber,1876* AL CZ FR HU IT PT RO ES TR KK TM UA UZ
587. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus Signoret,1884; fumatus Melichar,1902* AF IR IQ Cc AZ CN Ui UZ TM
588. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suezensis Matsumura,1910; modestus Haupt,1927* Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
589. **Oligodranes flavus Paramonov,1929** (Bombyliidae) Synonym(s): *flavus Paramonov,1929* TM UZ AZ Cc
590. **Omocestus (s.str.) heymonsi (Ramme,1926)** (Acrididae) Synonym(s): *heymonsi Ramme,1926; tarbinskii Uvarov,1926* TM UZ
591. **Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): *humerosus Pallas,1771* KG UZ TM TR
592. **Onthophagus (Colobonthophagus) transcaspicus Koenig,1888** (Scarabaeidae) Synonym(s): *transcaspicus Koenig,1888* TM
593. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
594. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
595. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR
596. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892* TM TJ AF IR KG UZ KK TR
597. **Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus Fabricius,1781* RU Cc AM AZ GG TM SY TR IQ SA MA
598. **Onthophagus (Palaeonthophagus) basipustulatus Heyden,1889** (Scarabaeidae) Synonym(s): *basipustulatus Heyden,1889* TM
599. **Onthophagus (Palaeonthophagus) coenobita (Herbst,1783)** (Scarabaeidae) Synonym(s): *coenobita Herbst,1783* MD RU Cc GG TM TR
600. **Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés,1832* TM Cc AM TR SY IQ IL Pa CY GR Rd
601. **Onthophagus (Palaeonthophagus) finschi Harold,1877** (Scarabaeidae) Synonym(s): *finschi Harold,1877* KG KK TM
602. **Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis Steven,1809* RU Cc AM AZ TM SY IQ TR IR UA Cm
603. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790* GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR
604. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas,1781* RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP
605. **Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): *haroldi Ballion,1871* TM TJ UZ KK KG
606. **Onthophagus (Palaeonthophagus) lemur (Fabricius,1781)** (Scarabaeidae) Synonym(s): *lemur Fabricius,1781* RU MD Cc TM TR
607. **Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s): *leucostigma Stevens,1811* RU Ur KG TM UZ TJ
608. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
609. **Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s): *ovatus Linnaeus,1762* RU MD UA Cm Cc BG TR Cc TM
610. **Onthophagus (Palaeonthophagus) pseudocaccobius Reitter,1889** (Scarabaeidae) Synonym(s): *pseudocaccobius Reitter,1889* TM
611. **Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae) Synonym(s): *pygargus Motschulsky,1845* TM UZ KK KG TJ
612. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis Panzer,1798* RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
613. **Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae) Synonym(s): *speculifer Solsky,1876* KG KK TM Cc TR IR
614. **Onthophagus (Palaeonthophagus) trispinus Reitter,1892** (Scarabaeidae) Synonym(s): *trispinus Reitter,1892* TM TJ
615. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus Kolenati,1846; araxicola Reitter,1893; latiplage Reitter,1897; xerces Petrovitz,1965* Cc AZ Nv TM IR SY LB IL Pa TR
616. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767* RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
617. **Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis Laicharting,1781* AZ Cc TR SY TM

618. **Onthophagus (Palaeonthophagus) vlasovi Medvedev,1958** (Scarabaeidae) Synonym(s): *vlasovi Medvedev,1958* **KG TM**
619. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763* **YU UA Cm Cc AZ RU TR IR IQ AF TM**
620. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**
621. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis A.Villa & GB.Villa,1833* **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
622. **Oryctes (Eremoryctes) ata Semenov & Medvedev,1932** (Scarabaeidae) Synonym(s): *ata Semenov & Medvedev,1932* **TM**
623. **Osmia (Allosmia) imitatrix (Tkalcu,1992)** (Megachilidae) Synonym(s): *imitatrix Tkalcu,1992* **TM**
624. **Osmia (Helicosmia) caerulescens (Linneus,1758)** (Megachilidae) Synonym(s): *caerulescens Linneus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
625. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899* **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**
626. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
627. **Osmia (Helicosmia) prasina Morawitz,1875** (Megachilidae) Synonym(s): *prasina Morawitz,1875* **KK KG TJ TM**
628. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895* **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
629. **Osmia (Helicosmia) simplex Morawitz,1875** (Megachilidae) Synonym(s): *simplex Morawitz,1875* **KK KG TJ TM UZ**
630. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana Morawitz,1875; nassonowi Pérez,1902* **KK KG TJ TM UZ AF IL Pa SY TR**
631. **Osmia (Helicosmia) sponsa Nurse,1904** (Megachilidae) Synonym(s): *sponsa Nurse,1904* **PK Qu TM UZ IN**
632. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935* **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
633. **Osmia (Orientosmia) maxillaris Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris Morawitz,1875* **KG TJ TM UZ IR TR**
634. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes Morawitz,1870; bacillus Pérez,1879; pulsata Buysson,1899; longiceps Morawitz,1876* **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
635. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984* **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
636. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis Linnaeus,1758; rufa Linnaeus,1758; globosa Scopoli,1763; agino Harris,1776; cornigera Rossi,1790; fronticornis Panzer,1799; hederata Smith,1844; fracticornis Pérez,1895; borealis Ducke,1899* **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
637. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta Latreille,1805; divergens Friese,1920; neoregaena Mavromoustakis,1938; quasirufa Peters,1978* **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
638. **Osmia (s.str.) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875; balucha Nurse,1904; usbekistana Cockerell,1930* **TJ TM UZ AF PK**
639. **Osmia (Tergosmia) agilis Morawitz,1875** (Megachilidae) Synonym(s): *agilis Morawitz,1875* **KK KG TJ TM UZ**
640. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
641. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi Fieber,1876 nec Fairm.; tarandus Haput,1927; capaneri Izzard,1953* **EG IL Pa JO IT MA SY TN TR RU YU TM**
642. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta Motschulsky,1845* **MK SY TR Cc AM UZ TM**

643. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella Illiger,1802* (*praeocc.*); *cinctella Schaum,1841*; *natalia Olsufiev,1917* Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
644. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon Loew,1869*; *loevi Paramonov,1928*; *loewi Zaitzev,1989* IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU
645. **Pachybrachis (s.str.) curtippennis Breit,1921** (Chrysomelidae) Synonym(s): *curtippennis Breit,1921* TM
646. **Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae Olivier,1808*; *transcaspicus Breit,1921* IQ Bgd TM IR Cc TR
647. **Pachybrachis (s.str.) kaplini Lopatin,1986** (Chrysomelidae) Synonym(s): *kaplini Lopatin,1986* TM
648. **Pachybrachis (s.str.) nitidicollis Weise,1894** (Chrysomelidae) Synonym(s): *nitidicollis Weise,1894* TM TR
649. **Pachybrachis (s.str.) pistor Breit,1921** (Chrysomelidae) Synonym(s): *pistor Breit,1921* TM
650. **Pachybrachis (s.str.) tekensis Lopatin,1983** (Chrysomelidae) Synonym(s): *tekensis Lopatin,1983* TM
651. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus Olivier,1791*; *tauricus Suffrian,1848*; *bisignatus Redtenbacher,1849*; *aethiops Weise,1882*; *picturatus Rey,1883*; *orientalis Weise,1894*; *syriacus Weise,1900*; *melanopygus Müller,1953* TR Cc IL Pa LB SY TM
652. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva Ménétriés,1832*; *depressa Solier,1836*; *ordinata Solier,1836*; *gastridula Faldermann,1837*; *mammillata Faldermann,1837*; *euphratica Kraatz,1865*; *divisa Reitter,1893* IQ TR Cc AM SY TM RU IR
653. **Pachyscelis pygmaea Ménétriés,1849** (Tenebrionidae) Synonym(s): *pygmaea Ménétriés,1849* TM
654. **Paharia putoni (Distant,1892)** (Cicadidae) Synonym(s): *putoni Distant,1892* AF IR KG TJ TM
655. **Palesisa nudioculata Villeneuve,1929** (Tachinidae) Synonym(s): *nudioculata Villeneuve,1929* TR TM
656. **Panotrogus myschenkovi (Ballion,1871)** (Scarabaeidae) Synonym(s): *myschenkovi Ballion,1871* KK TM TJ
657. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum Herrich-Schäffer,1837*; *lanceolatum Burmeister,1839* DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
658. **Parageron griseus Paramonov,1947** (Bombyliidae) Synonym(s): *griseus Paramonov,1947*; *glauca Evenhuis,1978* TM UZ Cc AZ AM GG
659. **Parageron lutescens (Bezzi,1925)** (Bombyliidae) Synonym(s): *lutescens Bezzi,1925*; *orientalis Paramonov,1929*; *minor Efflatoun,1945* EG TM UZ
660. **Parageron turkmenicus Paramonov,1947** (Bombyliidae) Synonym(s): *turkmenicus Paramonov,1947* TM UZ
661. **Parageron zimini Paramonov,1947** (Bombyliidae) Synonym(s): *zimini Paramonov,1947* UZ TM
662. **Paramyrmosa myrmillicephala (Skorikov,1935)** (Mutillidae) Synonym(s): *myrmillicephala Skorikov,1935* TM Kp UZ TJ MN
663. **Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): *festivus Steven,1809* TR Cc RU TM
664. **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus Frivaldszky,1835* AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
665. **Pedestredorcadion caspiense (Breuning,1956)** (Cerambycidae) Synonym(s): *caspiense Breuning,1956* TM
666. **Pedestredorcadion janczyki (Breuning,1963)** (Cerambycidae) Synonym(s): *janczyki Breuning,1963* TM
667. **Pedestredorcadion komarovi (Jakovlev,1887)** (Cerambycidae) Synonym(s): *komarovi Jakovlev,1887* TM
668. **Pedestredorcadion kryzhanovskii (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): *kryzhanovskii Plavilstshikov,1958* TM
669. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua Speiser,1901* MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
670. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii Westwood,1835* MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
671. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus Linnaeus,1761*; *pallidus Herrich-Schäffer,1835* AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
672. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
673. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens Pallas,1771* IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
674. **Pentodon minutum Reitter,1887** (Scarabaeidae) Synonym(s): *minutum Reitter,1887* TM

675. **Perasis transcaspica Paramonov,1930** (Asilidae) Synonym(s): *transcaspica* Paramonov,1930
TM
676. **Perlamantispa perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772 TR Cc KG
TM RU IR
677. **Phaeadoretus comptus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *comptus* Ménétriés,1849
RU KG TM UZ
678. **Phantia christophii Rusiecka,1902** (Flatidae) Synonym(s): *christophii* Rusiecka,1902 AF IR
TM
679. **Phantia cylindricornis Melichar,1902** (Flatidae) Synonym(s): *cylindricornis* Melichar,1902
AF IR TM
680. **Pharaonus lederi Reitter,1888** (Scarabaeidae) Synonym(s): *lederi* Reitter,1888 TM
681. **Pharaonus semenovi Reitter,1887** (Scarabaeidae) Synonym(s): *semenovi* Reitter,1887 TM
682. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus*
Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG
KK TM UA
683. **Phradonoma hirsutululum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutululum* Reiche,1868
ER ET IL Pa SA SY TM
684. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 IR IQ CY
GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
685. **Phradonoma parthicum Zhantiev,1976** (Dermestidae) Synonym(s): *parthicum* Zhantiev,1976
TM
686. **Phradonoma turcomanica Mroczkowski,1960** (Dermestidae) Synonym(s): *turcomanica*
Mroczkowski,1960 TM
687. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura*
Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
688. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra*
Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY
BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
689. **Phthiria quadrinotata Loew,1873** (Bombyliidae) Synonym(s): *quadrinotata* Loew,1873 UZ
TJ TM Cc AM AZ GG
690. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens*
Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ
YU
691. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum*
Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM
TJ KK AF
692. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster,1771;
hauseri Reitter,1894 SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
693. **Physocephala zaitsevi Zimina,1979** (Conopidae) Synonym(s): *zaitsevi* Zimina,1979
Physocephala zaitsevi Zimina,1979, *Trudy Vses. Ent. Obshch. 61: 196-197. TM IR Elb Th TR*
694. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae*
Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
695. **Piesma (Parapiesma) tenellum Horvath,1906** (Piesmatidae) Synonym(s): *tenellum*
Horvath,1906 SA IQ Bgd TM UZ
696. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804;
collaris Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862;
declivis Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc
GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
697. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829;
maculatum Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK
SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui
MN
698. **Pimelia plinthota Fischer von Waldheim,1837** (Tenebrionidae) Synonym(s): *plinthota*
Fischer von Waldheim,1837 TM
699. **Pimelia sericata Zoubkoff,1833** (Tenebrionidae) Synonym(s): *sericata* Zoubkoff,1833 TM
700. **Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): *primigenius* Weise,1960 TR
Cc AZ IR Elb TM Kp
701. **Platymetopus chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877;
turkistanicus Kusnezov,1927 AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
702. **Platyproctus schaeuffelei Dlabola,1960** (Cicadellidae) Synonym(s): *schaeuffelei* Dlabola,1960
Cc AM KG RU TM
703. **Platyproctus tessellatus Lindberg,1924** (Cicadellidae) Synonym(s): *tessellatus* Lindberg,1924
Cc AM KG RU TM
704. **Pleurophorus apicipennis Reitter,1892** (Scarabaeidae) Synonym(s): *apicipennis* Reitter,1892
RU TM KG UZ
705. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796
MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR

706. **Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): *variolosus Kolenati,1846* RU UA KG TM TJ
707. **Pochazia umbrata Melichar,1896** (Ricaniidae) Synonym(s): *umbrata Melichar,1896* IR TM RU Sb
708. **Podalgus cuniculus Burmeister,1847** (Scarabaeidae) Synonym(s): *cuniculus Burmeister,1847* TM
709. **Polyphylla (Xerasiobia) adpersa Motschulsky,1853** (Scarabaeidae) Synonym(s): *adpersa Motschulsky,1853* TM UZ TJ KG
710. **Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): *alba Pallas,1773* RU Cc Sb KG TM
711. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus Lethierry,1876* Cc TR AF IR AM GG KG TM
712. **Proleptomastidea enigmatica (Trjapitzin,1971)** (Encyrtidae) Synonym(s): *enigmatica Trjapitzin,1971* TM
713. **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa Adams,1817; psittacina Ménériés,1832* TR IT TM SY IR Fa
714. **Protaetia (Netocia) excavata (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *excavata Gory & Percheron,1833* TM
715. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica Herbst,1790* HU LT Cc AM TR TM KG RU Sb MN
716. **Protaetia (Netocia) karelini (Zoubkov,1829)** (Scarabaeidae) Synonym(s): *karelini Zoubkov,1829* RU Ur KG TM UZ
717. **Protaetia (Netocia) persica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *persica Kraatz,1886* IR TM
718. **Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *turkestanica Kraatz,1886* CN Ui TM UZ TJ
719. **Protaetia (Potosia) caucasica Kolenati,1845** (Scarabaeidae) Synonym(s): *caucasica Kolenati,1845* Cc TM
720. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris Gory & Percheron,1833; exclamtionlis Faldermann,1835; funesta Ménériés,1836; aethiessoides Reitter,1898; lambillionea Alexis & Delphont,2000* RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv
721. **Protaetia (Potosia) hieroglyphica (Ménériés,1832)** (Scarabaeidae) Synonym(s): *hieroglyphica Ménériés,1832; pulverulenta Motschoulsky,1845; ganglbaueri Reitter,1891; depressiuncula Reitter,1891* Cc AZ TM IR PK
722. **Protaetia (Potosia) marginicollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *marginicollis Ballion,1870* RU KG TM UZ TJ
723. **Protaetia (Potosia) splendidula (Faldermann,1835)** (Scarabaeidae) Synonym(s): *splendidula Faldermann,1835* TM TR Cc AM Eri
724. **Protaetia (Pseudonetocia) cyanescens Kraatz,1883** (Scarabaeidae) Synonym(s): *cyanescens Kraatz,1883* TM
725. **Protaetia (Pseudonetocia) kulabensis Reitter,1893** (Scarabaeidae) Synonym(s): *kulabensis Reitter,1893; bucharica Curti,1915* TM AF UZ
726. **Psallus pumilus (Jakovlev,1876)** (Miridae) Synonym(s): *pumilus Jakovlev,1876* TR Cc TM
727. **Psammodius (Pararhyssemus) coluber Mayet,1787** (Scarabaeidae) Synonym(s): *coluber Mayet,1787* RU TM AF
728. **Psammodius (Rhysssemus) germanus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *germanus Linnaeus,1767* RU Cc GG TM TJ
729. **Psammodius (Rhysssemus) orientalis (Mulsant & Godart,1875)** (Scarabaeidae) Synonym(s): *orientalis Mulsant & Godart,1875* RU TM KG
730. **Psammotettix orientalis Zachvatkin,1945** (Cicadellidae) Synonym(s): *orientalis Zachvatkin,1945; badghyzicus Zachvatkin,1945* Cc AZ TM UA
731. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus Paykull,1792; planirostris Fabricius,1801; cylindricus Stephens,131; angustifrons Voss,1932* DE FR GB Cc KG TM RU Sb TR
732. **Pseudoadoretus dilutellus Semenov,1889** (Scarabaeidae) Synonym(s): *dilutellus Semenov,1889* RU TM
733. **Pseudoadoretus validus Semenov,1889** (Scarabaeidae) Synonym(s): *validus Semenov,1889* RU TM
734. **Pseudoliarus fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus Melichar,1902; obliteratedus Kusnezov,1937; aegyptiacus Wagner,1954* EG IR LY TN Cc AM TR RU TJ TM YE
735. **Pseudomyrmosa schlettereri (Morawitz,1890)** (Mutillidae) Synonym(s): *schlettereri Morawitz,1890* TM
736. **Pseudophotopsis baktriana (Skorikov,1935)** (Mutillidae) Synonym(s): *baktriana Skorikov,1935* TM TJ
737. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami Bischoff,1920; zarudnyi Skorikov,1935* KG UZ TJ KK TM IR Ke AF IN Rj

738. **Pseudophotopsis brachythorax (Skorikov,1935)** (Mutillidae) Synonym(s): *brachythorax* Skorikov,1935 IR Kh AF TM TJ
739. **Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caspica* Radoszkowski,1885; *radoszkowskyi* Morawitz,1890; *selevkida* Skorikov,1935 TM Kp UZ KK IR AF
740. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasicola* Dalla Torre,1897; Cc GG AM AZ TR IR Elb AF TM CY
741. **Pseudophotopsis kokpetica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *kokpetica* Radoszkowski,1885 TM Kp KK KG UZ TJ
742. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965 KG KK UZ TJ TM Kp IR CY EG DZ
743. **Pseudophotopsis orthophthalma (Skorikov,1935)** (Mutillidae) Synonym(s): *orthophthalma* Skorikov,1935 KK UZ TN TJ TM
744. **Pseudophotopsis pavlovskiyi Skorikov,1935** (Mutillidae) Synonym(s): *pavlovskiyi* Skorikov,1935; *melanocephala* Skorikov,1935 TM Kp IR KK UZ AF
745. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct. TM IR TR CY AM Cc IL Pa
746. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR
747. **Pteticia cristulata Saussure,1884** (Acrididae) Synonym(s): *cristulata* Saussure,1884 TM KG UZ KK
748. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim,1820 *Acrydium armatum* Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia. TR Cc RU KG AF TM IR KK
749. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtetshenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961 TR IR TM IL Pa SY IR ZM
750. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
751. **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958 KG KK TJ TM IR TR Cc CH
752. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
753. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758 TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
754. **Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789 RU UA Cm TM Cc TR
755. **Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
756. **Rhynchites smyrnensis Desbrochers,1869** (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869 AM Cc TR IR TM JO SY
757. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 AT CZ SK IT MN KG TM RU UA TR
758. **Rivetina dentata Mishtshenko,1967** (Mantidae) Synonym(s): *dentata* Mishtshenko,1967 TM
759. **Rivetina deserta Mishtshenko,1967** (Mantidae) Synonym(s): *deserta* Mishtshenko,1967 TM
760. **Rivetina elegans Mishtshenko,1967** (Mantidae) Synonym(s): *elegans* Mishtshenko,1967 TM
761. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 Iris syriaca Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. TR IQ Bgd LB SY Hal CY TJ TM
762. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
763. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
764. **Saltella sphondylii (Schränk,1803)** (Sepsidae) Synonym(s): *sphondylii* Schränk,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
765. **Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima* Morawitz,1894 TR SY TM UZ

766. **Scarabaeus acuticollis Motschulsky,1849** (Scarabaeidae) Synonym(s): *acuticollis Motschulsky,1849* TM TJ
767. **Scarabaeus babori Balthasar,1934** (Scarabaeidae) Synonym(s): *babori Balthasar,1934* UZ TM
768. **Scarabaeus carinatus Gebler,1841** (Scarabaeidae) Synonym(s): *carinatus Gebler,1841* RU UZ TM TJ
769. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius Illiger,1803* RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
770. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758* RU Cc AZ TM
771. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
772. **Scarabaeus transcaspicus Stolfa,1938** (Scarabaeidae) Synonym(s): *transcaspicus Stolfa,1938* TM
773. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim,1822* RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
774. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri Stolfa,1938* UZ TM Kp AF IR IQ SY KG PK TJ TR
775. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus Fieber,1861; #ochraseus Önder et al.,2006* IQ IL Pa CY SY TM TR
776. **Scolia fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax Eversmann,1849* ES FR IT GR TR TM
777. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum Becker,1865; arundidis Becker,1865* Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
778. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa Strobl,1893; flavipes Goetghebuer & Bastin,1925; desultor Séguy,1932* BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
779. **Sepsis pseudomonostigma Ursu,1969** (Sepsidae) Synonym(s): *pseudomonostigma Ursu,1969* LT CZ IT Sa Si RO TR TM
780. **Severinia mistshenkoi Lindt,1953** (Mantidae) Synonym(s): *mistshenkoi Lindt,1953* TM TJ
781. **Severinia turcomaniae amphalata Lindt,1977** (Mantidae) Synonym(s): *amphalata Lindt,1977* TM
782. **Severinia turcomaniae cairaccumi Lindt,1977** (Mantidae) Synonym(s): *cairaccumi Lindt,1977* TM
783. **Severinia turcomaniae denticulata Lindt,1977** (Mantidae) Synonym(s): *denticulata Lindt,1977* TM
784. **Severinia turcomaniae murgabica Lindt,1977** (Mantidae) Synonym(s): *murgabica Lindt,1977* TM
785. **Severinia turcomaniae plurisegmentatus Lindt,1977** (Mantidae) Synonym(s): *plurisegmentatus Lindt,1977* TM
786. **Severinia turcomaniae septemfluviatilis Lindt,1977** (Mantidae) Synonym(s): *septemfluviatilis Lindt,1977* TM
787. **Simulium (Byssodon) heptapotamicum Rubtsov,1940** (Simuliidae) Synonym(s): *heptapotamicum Rubtsov,1940* KG AZ Cc IR TJ TM
788. **Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): *paucispis Rubtsov,1947* TJ TM UZ IR IQ AM Cc
789. **Simulium (Obuchovia) transcaspicum Enderlein,1921** (Simuliidae) Synonym(s): *transcaspicum Enderlein,1921* TR TM
790. **Sinodendron persicum Reitter,1902** (Lucanidae) Synonym(s): *persicum Reitter,1902* IR Elb Gh Mz TM Kp Cc AZ
791. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi Linnaeus,1758* TR RU Am BG UA Cm Cc AM GG TM KP KR
792. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata Radoszkowski,1885* RU Cc AZ KG UZ TM IR KK
793. **Sphaerophoria turkmenica Bankowska,1964** (Syrphidae) Synonym(s): *turkmenica Bankowska,1964; #turkmenika Hayat & Alaoğlu,1990* TR TM
794. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata Fallén,1814* DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
795. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus Scopoli,1763* Cc TR IR CY IQ TM YU GR
796. **Stalagmopygus albella (Pallas,1781)** (Scarabaeidae) Synonym(s): *albella Pallas,1781* TM TJ AF
797. **Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus Horvath,1904; turkestanica Linnavuori,1953* KG KK TM UZ TR
798. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini Vasiliev,1935* AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR

799. **Symphypyga melichari** Kusnezov,1929 (Cicadellidae) Synonym(s): *melichari* Kusnezov,1929
IR TM
800. **Sympiesis acalle** (Walker,1848) (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteor* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US CfYE YU
801. **Synapsis tmolus** (Fischer,1821) (Scarabaeidae) Synonym(s): *tmolus* Fischer,1821 KG KK TJ TM
802. **Systropha** (s.str.) **popovi** Ponomareva,1967 (Halictidae) Synonym(s): *popovi* Ponomareva,1967 PK TM
803. **Systropha** (s.str.) **ruficornis** Morawitz,1880 (Halictidae) Synonym(s): *ruficornis* Morawitz,1880 TM
804. **Tachina** (Echinogaster) **praeceps** Meigen,1824 (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
805. **Tachyancistrocerus komarowi** (Morawitz,1885) (Vespidae) Synonym(s): *komarowi* Morawitz,1885 TR TM AF IR
806. **Tachycixius tigrinus** Logvinenko,1971 (Cixiidae) Synonym(s): *tigrinus* Logvinenko,1971 Cc AZ GG RU UA TM
807. **Tachys** (Eotachys) **bistriatus** (Duftschmid,1812) (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
808. **Tachys** (Eotachys) **fulvicollis** (Dejean,1831) (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
809. **Tachys** (Eotachys) **micros** (Fischer von Waldheim,1828) (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
810. **Tachytrechus planitarsis** Becker,1907 (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 EG IL Pa SY DZ Cn ET IR SA TN TM
811. **Tanyproctus turanicus** Reitter,1900 (Scarabaeidae) Synonym(s): *turanicus* Reitter,1900 TM
812. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943 ES IQ Cc KG UZ TM PK TR
813. **Tentyria robustoides** Reitter,1900 (Tenebrionidae) Synonym(s): *robustoides* Reitter,1900 TM
814. **Tetanops laticeps** Loew,1868 (Ulidiidae) Synonym(s): *laticeps* Loew,1868 RU Sr IR Kh TM Kp
815. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK
816. **Tettigometra** (Metroplaca) **longicornis** (Signoret,1866) (Tettigometridae) Synonym(s): *longicornis* Signoret,1866 AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
817. **Tettigometra** (Mitricephalus) **eremi** Lindberg,1948 (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
818. **Tettigometra** (s.str.) **sulphurea** Mulsant-Rey,1855 (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
819. **Tettigometra** (Stirometra) **costulata** Fieber,1865 (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
820. **Tettigometra** **angulata** Lindberg,1948 (Tettigometridae) Synonym(s): *angulata* Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
821. **Tettigometra varia** Fieber,1865 (Tettigometridae) Synonym(s): *varia* Fieber,1865 BG JO AZ KG KK RU TJ TM UZ YU
822. **Tettigometra vitellina** Fieber,1865 (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
823. **Thanatophilus sinuatus** (Fabricius,1775) (Silphidae) Synonym(s): *sinuatus* Fabricius,1775 TR UA Cm SY IR TM
824. **Thereva apicalis** Wiedemann,1821 (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
825. **Thereva pilifrons** Kröber,1912 (Therevidae) Synonym(s): *pilifrons* Kröber,1912 TR UZ TJ KK TM
826. **Thereva plebeja** (Linnaeus,1758) (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
827. **Theronia atalantae** (Poda,1761) (Ichneumonidae) Synonym(s): *atalantae* Poda,1761 TR Cc TM
828. **Thinorycter chlamydatus** Semenov & Reichardt,1925 (Scarabaeidae) Synonym(s): *chlamydatus* Semenov & Reichardt,1925 TM

829. **Tibicina lacteipennis Puton,1883** (Cicadidae) Synonym(s): *lacteipennis* Puton,1883; *putoni Distant,1892* TM Kp
830. **Timia melanorrhina Loew,1866** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866 GR KG TM RU Sr
831. **Timia xanthaspis Loew,1868** (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868 RU Sr TM GR
832. **Tingis kerzhneri Golub,2006** (Tingidae) Synonym(s): *kerzhneri* Golub,2006 AM AZ Cc KG TJ IR TM
833. **Tingis reuteri Horvath,1906** (Tingidae) Synonym(s): *reuteri* Horvath,1906 TM TR
834. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia Eiroa,1990* Tipula *lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
835. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis Geoffroy,1785*; *aurata Christ,1791*; *elegans Boheman,1834*; *forsteri Ratzeburg,1844*; *divisus Walker,1871*; *rosarum Hoffmeyer,1929* Ichneumon *bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
836. **Toxophora angusta Paramonov,1933** (Bombyliidae) Synonym(s): *angusta* Paramonov,1933 TJ TM UZ
837. **Toxophora deserta Paramonov,1933** (Bombyliidae) Synonym(s): *deserta* Paramonov,1933; *tadzhikorum Paramonov,1933* IR TJ TM UZ
838. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907 TR SD AM AZ GG Cc EG TJ TM UZ
839. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata Rossi,1790 nec Müll.,1764*; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
840. **Toxophora lebedevi Paramonov,1925** (Bombyliidae) Synonym(s): *lebedevi* Paramonov,1925 KH TM UZ
841. **Toxophora psammophila Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933 AM AZ GG Cc KK TJ TM UZ
842. **Toxophora turkestanica Paramonov,1933** (Bombyliidae) Synonym(s): *turkestanica* Paramonov,1933 TJ TM UZ
843. **Trachyderma menetriesi Kraatz,1865** (Tenebrionidae) Synonym(s): *menetriesi* Kraatz,1865 TM
844. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
845. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817 GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
846. **Trigonoscelis grandis Geblen,1859** (Tenebrionidae) Synonym(s): *grandis* Geblen,1859 TM
847. **Trigonoscelis hauseri Semenov,1903** (Tenebrionidae) Synonym(s): *hauseri* Semenov,1903 TM
848. **Trigonoscelis zoufali Reitter,1893** (Tenebrionidae) Synonym(s): *zoufali* Reitter,1893 TM CN Ui UZ Smk
849. **Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): *manteroi* Kieffer,1909 MD AM Cc RU TR TM
850. **Trogoderma bactrianum Zhantiev,1976** (Dermestidae) Synonym(s): *bactrianum* Zhantiev,1976 TM
851. **Tropidopola turanica Uvarov,1926** (Acrididae) Synonym(s): *turanica* Uvarov,1926; *caspica Uvarov,1933*; *iliensis Bei-Bienko,1948* TM KG Tk IR Gor
852. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
853. **Tropinota (Epicometis) spinifrons (Reitter,1889)** (Scarabaeidae) Synonym(s): *spinifrons* Reitter,1889 TM
854. **Tropinota (Epicometis) spinifrons Reitter,1889** (Scarabaeidae) Synonym(s): *spinifrons* Reitter,1889 TM AF
855. **Tropinota (Epicometis) turanica (Reitter,1888)** (Scarabaeidae) Synonym(s): *turanica* Reitter,1888 TM
856. **Tropinota (Epicometis) turanica Reitter,1888** (Scarabaeidae) Synonym(s): *turanica* Reitter,1888 TM AF
857. **Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913 TR Cc IR SY JO KG KK TM
858. **Turanella latevittis (Reitter,1887)** (Scarabaeidae) Synonym(s): *latevittis* Reitter,1887 TM
859. **Ulidia ruficeps Becker,1913** (Ulidiidae) Synonym(s): *ruficeps* Becker,1913 IR LB IT RU TM
860. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR

861. **Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945 TR AZ Cc AM TM UZ KG
862. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910 **Urophora tenuior Hendel,1910, Wien. ent. Ztg. 29: 311.** TR KG UZ TM TJ AF IR
863. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
864. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 FR GR IT KK RU ES TJ TN TM
865. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855 B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
866. **Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes* Becker,1906 Cc AZ AM GG IR TJ TM UZ
867. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 DZ FR ES MA TN IT Si KK TM TJ
868. **Usia (s.str.) incognita Paramonov,1950** (Bombyliidae) Synonym(s): *incognita* Paramonov,1950 IR TM
869. **Usia (s.str.) notata Loew,1873** (Bombyliidae) Synonym(s): *notata* Loew,1873 DZ KG TJ UZ TM
870. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
871. **Usia (s.str.) transcaspica Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1950 AM AZ Cc MK TM UZ
872. **Usia (s.str.) unicolor Loew,1873** (Bombyliidae) Synonym(s): *unicolor* Loew,1873; *subaeneiventris* Malloch,1926 TM UZ
873. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US
874. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM
875. **Villa chorassani (Becker & Stein,1913)** (Bombyliidae) Synonym(s): *medisecta* Pandelle,1899; *chorassani* Becker & Stein,1913 AM Cc AZ GG TM IR Kh AF
876. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
877. **Villa merlei François,1969** (Bombyliidae) Synonym(s): *merlei* François,1969 TR IR TM
878. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
879. **Villa orientalis Zaitzev,1966** (Bombyliidae) Synonym(s): *orientalis* Zaitzev,1966 AM AZ Cc GG KG MN TM UZ
880. **Villa turcomanus (Paramonov,1927)** (Bombyliidae) Synonym(s): *turcomanus* Paramonov,1927 IR TJ TM UZ
881. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifera* Dufour,1833; *dolosa* Jaennicke,1867; *turbidus* Loew,1869 IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
882. **Xanthotrogus sieversi Reitter,1896** (Scarabaeidae) Synonym(s): *sieversi* Reitter,1896 TM
883. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga* Zakhvatkin,1931 ML NE PK IQ KG OM SA TJ TM UZ
884. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 AZ AM Cc GG TR AF IR KG PA SY TM UZ
885. **Zarudnya fusca Melichar,1902** (Flatidae) Synonym(s): *fusca* Melichar,1902 IR TM
886. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840 DZ ES IT Si Sa TR SY IR TM
887. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata* Brullé,1832 TR IL Pa SY Cc AM EG IR TM

Synonymic and distributional list of the pterygot insects of Turkey

(Results of the Entomofauna of the World based upon info-system of the Cesa)

26

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Turkey (Results of the Entomofauna of the World based upon info-system of the Cesa) – 26. *Cent. Ent. Stud., Priamus Suppl.* 18: 1004-1724.

In this study, the species lists of the pterygot (except *Lepidoptera*) fauna of Turkey are given. The lists presented are divided into two parts. In the first part, a general list of 11224 pterygot species (except *Lepidoptera*) is given with the synonymous scientific names arranged chronologically and the world range of the species in codes. Together with the information on *Lepidoptera* of Turkey recorded in info-system of the Cesa, total pterygot species of Turkey increase to 16429. In the present study, sporadically, the original references to the species are also mentioned. In the second part, the provincial faunal lists are mentioned. Totally 81 provinces with the number of the known pterygot species are given for the first time. These are as follows; Adana Province (983), Adıyaman Province (242), Afyonkarahisar Province (250), Ağrı Province (201), Amasya Province (372), Ankara Province (1565), Antalya Province (1212), Artvin Province (598), Aydın Province (395), Balıkesir Province (383), Bilecik Province (364), Bingöl Province (157), Bitlis Province (273), Bolu Province (422), Burdur Province (296), Bursa Province (732), Çanakkale Province (317), Çankırı Province (240), Çorum Province (217), Denizli Province (280), Diyarbakır Province (374), Edirne Province (321), Elazığ Province (250), Erzincan Province (420), Erzurum Province (1210), Eskişehir Province (368), Gaziantep Province (275), Giresun Province (115), Gümüşhane Province (205), Hakkari Province (364), Hatay Province (635), Isparta Province (540), İçel Province (1122), İstanbul Province (652), İzmir Province (1186), Kars Province (481), Kastamonu Province (281), Kayseri Province (574), Kırklareli Province (273), Kırşehir Province (133), Kocaeli Province (213), Konya Province (888), Kütahya Province (260), Malatya Province (282), Manisa Province (423), Kahramanmaraş Province (455), Mardin Province (284), Muğla Province (572), Muş Province (145), Nevşehir Province (431), Niğde Province (372), Ordu Province (137), Rize Province (253), Sakarya Province (176), Samsun Province (318), Siirt Province (193), Sinop Province (199), Sivas Province (374), Tekirdağ Province (188), Tokat Province (334), Trabzon Province (286), Tunceli Province (158), Şanlıurfa Province (366), Uşak Province (102), Van Province (588), Yozgat Province (178), Zonguldak Province (148), Aksaray Province (96), Bayburt Province (150), Karaman Province (179), Kırıkkale Province (109), Batman Province (30), Şırnak Province (191), Bartın Province (51), Ardahan Province (111), Iğdır Province (179), Yalova Province (57), Karabük Province (89), Kilis Province (16), Osmaniye Province (224), Düzce Province (61).

Brief explanatory information:

Previously published article	Yes
Previously published report	Yes
Expedition made by the Cesa	Yes
Planned expeditions	Yes
Further planned publications	Yes

In this study, totally 11224 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Within the frame of the Cesa projects, numerous articles regarding Lepidoptera of Turkey were published by the authors. More comprehensive ones are the checklists of Turkey.⁵⁰ Separately, the current number of species recorded in database of the Cesa is 5205. By this way, total number of the pterygots for Turkey increase to 16429.

The study is still continuing, and the new results will be published within this Project.

General List

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* AZ Cc TR EG SA SY YE
2. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
3. **Abgrallaspis cyanophylli (Signoret)** (Diaspididae) Synonym(s): *cyanophylli Signoret* TR
4. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
5. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
6. **Abiskomyia paravirgo Goetghebuer,1936** (Chironomidae) Synonym(s): *paravirgo Goetghebuer,1936* TR
7. **Ablabemyia monilis (Linnaeus,1758)** (Chironomidae) Synonym(s): *monilis Linnaeus,1758* TR
8. **Ablabemyia phatta (Egger,1896)** (Chironomidae) Synonym(s): *phatta Egger,1896* TR
9. **Ablabemyia sp.** (Chironomidae) Synonym(s): TR
10. **Ablabesmyia longistyla Fittkau,1962** (Chironomidae) Synonym(s): *longistyla Fittkau,1962* TR
11. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926* TR GR Cr CY IL Pa IQ IR Cc JO LB SY
12. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
13. **Ablerus atomon (Walker,1847)** (Aphelinidae) Synonym(s): *atomon Walker,1847* TR
14. **Ablerus celsus (Walker,1839)** (Aphelinidae) Synonym(s): *celsus Walker,1839; britannicus Alam,1956* Pteroptrix *celsus* Walker,1839, Monographia chalciditum 1: 16-17. Lectotype ♀: France: near Paris (BMNH). TR GB FR
15. **Ablerus perspiciosus Girault,1916** (Aphelinidae) Synonym(s): *perspiciosus Girault,1916; kashmirensis Narayanan,1961; bimaculatus Khan & Shafee,1976* Ablerus *perspiciosus* Girault,1916, Anns ent. Soc. America 9 (3): 292. Syntypes 4♀: Japan: Nishigahara. TR IN Up JP
16. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
17. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
18. **Abraeus roubali Olexa,1958** (Histeridae) Synonym(s): *roubali Olexa,1958* FR SK CZ HU TR
19. **Acalcarella nucus (Pankratova,1950)** (Chironomidae) Synonym(s): *nucus Pankratova,1950* TR
20. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae) Synonym(s): *occitanica Villers,1789* AF IR Elb Th PK TR IL Pa KG
21. **Acanthaclisis occitanicum Villers,1789** (Myrmeleonidae) Synonym(s): *occitanicum Villers,1789; pisanus Rossi,1790; georgianum Fischer v. Waldheim,1846.* TR IR PK AF KG IL
22. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826* TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
23. **Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844* DZ Cn FR CY IT Si EG SY TR
24. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa Fieber,1866; ferruginea Kirschbaum,1868* AT BE BG TR CZ DK DE FR IT NL PL RO RU
25. **Acanthodynerus giordanii Gusenleitner,1969** (Vespidae) Synonym(s): *giordanii Gusenleitner,1969* TR
26. **Acantholepis frauenfeldi (Mayr,1855)** (Formicidae) Synonym(s): *frauenfeldi Mayr,1855* TR

⁵⁰ Koçak,A.Ö. & M.Kemal, 2006, Checklist of the Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 1: 1-196. - Koçak,A.Ö. & M.Kemal, 2007, Revised and Annotated Checklist of the Lepidoptera of Turkey. *Cent. Ent. Stud., Priamus Suppl.* 8: 1-150, 2 Tables. - Koçak,A.Ö. & M.Kemal, 2008, Checklist of the Diurnal Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 15: 1-41. <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement151-42> - Koçak,A.Ö. & M.Kemal, 2009, Revised Checklist of the Lepidoptera of Turkey. *Cent. ent. Stud., Priamus Suppl.* 17: 1-253. - <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement171-253>

27. **Acanthomytilus cedricola Balachowsky & Alkan** (Diaspididae) Synonym(s): *cedricola Balachowsky & Alkan* TR
28. **Acanthopulvinaria orientalis (Nasonov)** (Coccidae) Synonym(s): *orientalis (Nasonov)* TR
29. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis Piller & Mitterpacher,1783; dentipes Rossi,1790* IT GR TR YU AL BG RO CH FR HU
30. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis Meigen,1824* TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
31. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons Kirschbaum,1868* AT FR DE IT RO GG Cc TR UA YU
32. **Achaeta algericus (Saussure,1877)** (Gryllidae) Synonym(s): *algericus Saussure,1877* TR
33. **Achaeta burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *burdigalensis Latreille,1804* TR
34. **Achaeta deserta (Pallas,1771)** (Gryllidae) Synonym(s): *deserta Pallas,1771* TR
35. **Achaeta domestica (Linnaeus,1758)** (Gryllidae) Synonym(s): *domestica Linnaeus,1758* TR
36. **Achaeta gossypii Costa,1855** (Gryllidae) Synonym(s): *gossypii Costa,1855* TR
37. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
38. **Acidota brevis Assing,2004** (Staphylinidae) Synonym(s): *brevis Assing,2004* TR
39. **Acidota crenata (Fabricius,1793)** (Staphylinidae) Synonym(s): *crenata Fabricius,1793* TR
40. **Acilius sulcatus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *sulcatus Linnaeus,1758* TR
41. **Acinipe davisii (Uvarov,1949)** (Pamphagidae) Synonym(s): *davisii Uvarov,1949* TR
42. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
43. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
44. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
45. **Aclypea undata (O.F.Müller,1776)** (Silphidae) Synonym(s): *undata O.F.Müller,1776* TR
46. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata Laporte & Gory,1835; dorsalis Spinola,1838; sturalis Gory,1840; bivitis Frivaldsky,1912; krueperi Obenberger,1926* TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR
47. **Acmaeodera (s.str.) transcaucasica Semenov,1895** (Buprestidae) Synonym(s): *transcaucasica Semenov,1895* AZ AM GG Cc TR
48. **Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783)** (Buprestidae) Synonym(s): *flavofasciata Piller & Mitterpacher,1783* TR
49. **Acmaeoderella (Euacmaeoderella) vetusta (Ménétriés,1832)** (Buprestidae) Synonym(s): *vetusta Ménétriés,1832* TR
50. **Acmaeoderella (Euacmaeoderella) villosula (Steven,1830)** (Buprestidae) Synonym(s): *villosula Steven,1830* TR
51. **Acompocoris pygmaeus (Fallén,1807)** (Anthocoridae) Synonym(s): *pygmaeus Fallén,1807* TR
52. **Aconosimus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus Dlabola,1958* Cc AM AZ GG TR
53. **Aconura impicta (Linnavuori,1962)** (Cicadellidae) Synonym(s): *impicta Linnavuori,1962* IL Pa TR
54. **Aconura jakowlefi Lethierry,1876** (Cicadellidae) Synonym(s): *jakowlefi Lethierry,1876* RU IR TR
55. **Aconura oculata (Lindberg,1948)** (Cicadellidae) Synonym(s): *oculata Lindberg,1948* CY TR
56. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis Lethierry,1876* AF IR IQ? MN TR GG KG RU TJ TM UZ
57. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
58. **Acricotopus lucens (Zetterstedt,1850)** (Chironomidae) Synonym(s): *lucens Zetterstedt,1850* TR
59. **Acrida anatolica Dirsh,1949** (Acrididae) Synonym(s): *anatolica Dirsh,1949; caucasica Dirsh,1949; #anatolia Weidner,1969* *Acrida anatolica Dirsh,1949, Eos 25: 34. Type: [Turkey]: Angora [Ankara].* TR Cc
60. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosporica Dirsh,1949; lombardica Dirsh,1949* *Truxalis bicolor Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZI).* SL BF ZA ZR ET DZ EG FR SE TR BF IT
61. **Acrida oxycephala (Pallas,1771)** (Acrididae) Synonym(s): *oxycephala Pallas,1771; deserti Uvarov,1916; caspica Dirsh,1949; persa Dirsh,1949; turca Dirsh,1949* *Gryllus oxycephalus Pallas,1771, Reise Russ. Reich. 1: 418, 423, 468. Type: South Russia: north coast of Caspian Sea (ZIN).* RU IR TR
62. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU

63. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
64. **Acrochordomerus aeneus Hermann,1920** (Asilidae) Synonym(s): *aeneus Hermann,1920* SY TR
65. **Acrochordomerus mediterraneus Kovár & Hradski,1995** (Asilidae) Synonym(s): *mediterraneus Kovár & Hradski,1995* TR
66. **Acrodactyla quadrisculpta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadrisculpta Gravenhorst,1829* AU TR
67. **Acrolocha amabilis (Heer,1841)** (Staphylinidae) Synonym(s): *amabilis Heer,1841* TR
68. **Acromalachus clavicornis (Peyron,1877)** (Melyridae) Synonym(s): *clavicornis Peyron,1877* TR SY IL Pa
69. **Acromalachus flexicornis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *flexicornis Baudi di Selve,1873* TR IL Pa
70. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea Brullé,1832* Phaneroptera *servillea Brullé,1832*, [in] Bory de St.-Vicent et al., Expédition scientifique de Morée 4: 3 (1) 2: 86. Neotype : Greece: Morea. IT Si SS HV B-H RO BG GR TR
71. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca Brunner von Wattenwyl,1878; festae Giglio-Tos,1893; elsae Werner,1937* Acrometopa *syriaca Brunner von Wattenwyl,1878*, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). GR CY EG IL Pa LB Bei SY Dms TR IQ
72. **Acropimpla didyma (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *didyma Gravenhorst,1829* TR
73. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor Scopoli,1786; syriacus Mocsary,1883* TR GR CY SY LB IL Pa
74. **Acroricnus stylator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *stylator Thunberg,1822* TR
75. **Acrorrhinium conspersum Noualhier,1895** (Miridae) Synonym(s): *conspersum Noualhier,1895* IQ TR
76. **Acrosternum heegeri Fieber,1861** (Pentatomidae) Synonym(s): *heegeri Fieber,1861* TR
77. **Acrosternum millierei (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *millierei Mulsant & Rey,1866* TR
78. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus *insubricus Scopoli,1786*, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
79. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes Charpentier,1845; aurifera Walker,1870; collecta Walker,1870* MA GR TR IR Ss PK RU
80. **Acrotylus patruelis (Herrich-Schäffer,1838)** (Acrididae) Synonym(s): *patruelis Herrich-Schäffer,1838* ZA DE TR
81. **Actenodia confluens (Reiche,1866)** (Meloidae) Synonym(s): *confluens Reiche,1866; picta Baudi di Selve,1878; caudanigra Abeille de Perrin,1880; ottomana Escherich,1899; mediopartita Mader,1929; mediodisjuncta Pic,1930* TR BG
82. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni Reiche,1866; #peyronis Reiche,1866* TR SY IL Pa Hf LB EG Sn LY Cy
83. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844* AZ AM GG TR Cc FR EE KG LT MD UA RU YU
84. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata Linnaeus,1758* PK IN CN AU TR IT Sa
85. **Adalia (s.str.) decempunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *decempunctata Linnaeus,1758* IT Sa Si TR
86. **Adalia (s.str.) fasciatopunctata Mulsant,1866** (Coccinellidae) Synonym(s): *fasciatopunctata Mulsant,1866* TR
87. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869* DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
88. **Adarrus niphanticus Logvinenko,1966** (Cicadellidae) Synonym(s): *niphanticus Logvinenko,1966* RU Cc TR
89. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
90. **Adelina turcica (Reitter,1877)** (Tenebrionidae) Synonym(s): *turcica Reitter,1877* TR
91. **Adelocera pygmaea (Baudi,1871)** (Elateridae) Synonym(s): *pygmaea Baudi,1871; adanensis Jagemann,1944* TR
92. **Adelocera schuberti Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schuberti Platia & Gudenzi,2002* TR
93. **Adelostoma (s.str.) ovalipenne Chevrolat,1877** (Tenebrionidae) Synonym(s): *ovalipenne Chevrolat,1877* TR

94. **Adelostoma (s.str.) subtilis Reitter,1900** (Tenebrionidae) Synonym(s): *subtilis* Reitter,1900 TR SY
95. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel,1827 TR ES MA DZ CY SY EG
96. **Adelphocoris lineolatus (Goeze,1778)** (Miridae) Synonym(s): *lineolatus* Goeze,1778 TR
97. **Adesmia (Macradesmia) servillei Solier,1835** (Tenebrionidae) Synonym(s): *servillei* Solier,1835 TR
98. **Adesmia (Oteroscelis) audouini Solier,1835** (Tenebrionidae) Synonym(s): *audouini* Solier,1835 TR
99. **Adesmia (Oteroscelis) carinata Miller,1861** (Tenebrionidae) Synonym(s): *carinata* Miller,1861 TR IR
100. **Adesmia (s.str.) anatolica Ganglbauer,1906** (Tenebrionidae) Synonym(s): *anatolica* Ganglbauer,1906 TR
101. **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) Synonym(s): *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857 TR SY IL Pa
102. **Adesmia (s.str.) fischeri Faldermann,1837** (Tenebrionidae) Synonym(s): *fischeri* Faldermann,1837 TR TM
103. **Adesmia (s.str.) gibbula Reitter,1916** (Tenebrionidae) Synonym(s): *gibbula* Reitter,1916 TR
104. **Adesmia (s.str.) procera Miller,1861** (Tenebrionidae) Synonym(s): *procera* Miller,1861 *Adesmia procera* Miller,1861, Wien. ent. Monatschr. 5: 170, pl.5 figs.10,11. TR SY
105. **Adontomerus amygdali (Boucek,1958)** (Torymidae) Synonym(s): *amygdali* Boucek,1958 TR JO RU
106. **Adontomerus impolitus (Askew & Nieves-Aldrey,1988)** (Torymidae) Synonym(s): *impolitus* Askew & Nieves-Aldrey,1988 ES TR UZ IR Ak
107. **Adoretus sterbae Reitter,1909** (Scarabaeidae) Synonym(s): *sterbae* Reitter,1909 TR IL Pa
108. **Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis* Loew,1873; *maschouk* Pleske,1925 TJ KG UZ RU TR
109. **Adoxomyia ruficornis (Loew,1873)** (Stratiomyidae) Synonym(s): *ruficornis* Loew,1873 KK IR TR
110. **Adrastus anatolicus Platia & Schimmel,1991** (Elateridae) Synonym(s): *anatolicus* Platia & Schimmel,1991 TR
111. **Adrastus circassicus Reitter,1896** (Elateridae) Synonym(s): *circassicus* Reitter,1896 TR Cc
112. **Adrastus dolini Welschmied,1978** (Elateridae) Synonym(s): *dolini* Welschmied,1978 TR
113. **Adrastus limbatus (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus* Fabricius,1776 DZ TR RU Sb GR
114. **Adrastus longicornis Gurjeva,1976** (Elateridae) Synonym(s): *longicornis* Gurjeva,1976 TR
115. **Adrastus montanus (Scopoli,1763)** (Elateridae) Synonym(s): *montanus* Scopoli,1763 TR
116. **Adrastus pallens (Fabricius,1792)** (Elateridae) Synonym(s): *pallens* Fabricius,1792 TR
117. **Adrastus protractus Roubal,1924** (Elateridae) Synonym(s): *protractus* Roubal,1924 Cc TR
118. **Adrastus rachifer (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer* Fourcroy,1785 GR Cc TR
119. **Adrastus samedovi Dolin & Agajev,1974** (Elateridae) Synonym(s): *samedovi* Dolin & Agajev,1974 TR Cc AZ IR
120. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
121. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876 BG GR IT YU AT PL RO SK CZ TR UA HU
122. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758 TR
123. **Aelia albovittata Fieber,1868** (Pentatomidae) Synonym(s): *albovittata* Fieber,1868 TR
124. **Aelia alticola Kiritshenko,1914** (Pentatomidae) Synonym(s): *alticola* Kiritshenko,1914 TR
125. **Aelia rostrata Boheman,1852** (Pentatomidae) Synonym(s): *rostrata* Boheman,1852 TR
126. **Aelia virgata (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841 TR
127. **Aeoloderma crucifer (Rossi,1790)** (Elateridae) Synonym(s): *crucifer* Rossi,1790 DZ GR TR RU
128. **Aeoloderma obliterated (Candeze,1859)** (Elateridae) Synonym(s): *obliterated* Candeze,1859 SY TR
129. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889 DZ TR TM SY IR IQ TM TJ
130. **Aeoloides grisescens (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891 TR Cc SY IR TM
131. **Aeoloides sarmaticus (Motschoulsky,1860)** (Elateridae) Synonym(s): *sarmaticus* Motschoulsky,1860 TR AM Cc
132. **Aeolosomus rossi (Germar,1844)** (Elateridae) Synonym(s): *rossi* Germar,1844 TR IR KG
133. **Aeropedellus turcicus Karabağ,1959** (Acrididae) Synonym(s): *turcicus* Karabağ,1959 TR
134. **Aeropus sibiricus (Linnaeus,1767)** (Acrididae) Synonym(s): *sibiricus* Linnaeus,1767 TR
135. **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820 TR Cc AM CY IL Pa IR

136. **Aeshna cyanea (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *cyanea* O.F.Müller,1764 TR? Cc GG
Aj Btm AM
137. **Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *isosceles* O.F.Müller,1764 TR Cc
GG AM IR Elb Th
138. **Aeshna juncea (Linnaeus,1758)** (Aeshnidae) Synonym(s): *juncea* Linnaeus,1758 TR
139. **Aeshna mixta Latreille,1805** (Aeshnidae) Synonym(s): *mixta* Latreille,1805 TR Cc AM IR
140. **Aeshna serrata (Hagen,1856)** (Aeshnidae) Synonym(s): *serrata* Hagen,1856 TR Cc AM
141. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica*
Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939 DZ SA TR Cc AM IR RU TM IL Pa
LB SY IQ
142. **Agabus (Acatodes) bergi Zaitzev,1913** (Dytiscidae) Synonym(s): *bergi* Zaitzev,1913 TR AM GG Cc
143. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener*
Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus*
Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN
JA
144. **Agabus (Acatodes) coxalis Sharp,1882** (Dytiscidae) Synonym(s): *coxalis* Sharp,1882; *splichali*
Reitter,1899 Cc AM GG TR KG MN RU
145. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus*
Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875 FI SE FR IT NO RU ES SZ TR MN
146. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808;
goedellii A.Villa & G.B.Villa,1833; *fallax* Munster,1932 AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT
NL NO PL RU SK SL ES UA KG RU TR
147. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG
LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
148. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *bipustulatus*
Linnaeus,1767 TR
149. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882;
merkli Régimbart,1884 TR BG Cc GG MK UA IR LB SY
150. **Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae) Synonym(s): *conspersus*
Marsham,1802 TR
151. **Agabus (Gaurodytes) didymus (Olivier,1795)** (Dytiscidae) Synonym(s): *didymus* Olivier,1795
TR
152. **Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae) Synonym(s): *dilatatus* Brullé,1832
TR
153. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni*
Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975 TR IR IL Pa SY LB Cc AZ
154. **Agabus (Gaurodytes) glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis*
Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908 Cc AZ AM GG TR RU IR
155. **Agabus (Gaurodytes) guttatus (Paykull,1798)** (Dytiscidae) Synonym(s): *guttatus* Paykull,1798
TR
156. **Agabus (Gaurodytes) nebulosus (Forster,1771)** (Dytiscidae) Synonym(s): *nebulosus* Forster,1771
TR 01 03 07 09 15 16 20 32 34 35 48 57 61
157. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis*
Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitzev,1908; *transcaucasicus*
Zaitzev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU
SK SL SZ UA YU KG TR
158. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni* Scholz,1920
BG GR RO RU UA TR
159. **Agabus glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846 TR
160. **Agabus paludosus (Fabricius,1801)** (Dytiscidae) Synonym(s): *paludosus* Fabricius,1801 TR
161. **Agallia bispinata (Dlabola,1957)** (Cicadellidae) Synonym(s): *bispinata* Dlabola,1957 TR Gk
162. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG CS
FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
163. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911 ES Cn
EG IR IQ IT MA Cc AM TR
164. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896 CY GR IL Pa TR
JO RO Cc GG YU
165. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877 FR GR IL IT Sa
ES SY TN TR UA Cm
166. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides*
Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii*
Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT
ES RO CH SY TN TR YU RU
167. **Agapanthia amicula Holzschuh,1989** (Cerambycidae) Synonym(s): *amicula* Holzschuh,1989 TR
168. **Agapanthia coeruleipennis Frivaldsky,1878** (Cerambycidae) Synonym(s): *coeruleipennis*
Frivaldsky,1878 TR IR SY
169. **Agapanthia fallax Holzschuh,1974** (Cerambycidae) Synonym(s): *fallax* Holzschuh,1974 TR

170. **Agapanthia frivaldskyi Ganglbauer,1884** (Cerambycidae) Synonym(s): *frivaldskyi Ganglbauer,1884* TR SY
171. **Agapanthia kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi Gyllenhal,1817* SK HU Cc RU TR GR
172. **Agapanthia lais Reiche,1858** (Cerambycidae) Synonym(s): *lais Reiche,1858* SY TR GR
173. **Agapanthia lateralis Ganglbauer,1884** (Cerambycidae) Synonym(s): *lateralis Ganglbauer,1884* TR AM Cc SY
174. **Agapanthia osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *osmanlis Reiche & Saulcy,1858* RO BG HU TR SY
175. **Agapanthia simplicicornis Reitter,1898** (Cerambycidae) Synonym(s): *simplicicornis Reitter,1898* TR SY IL Pa
176. **Agapanthia suturalis (Fabricius,1787)** (Cerambycidae) Synonym(s): *suturalis Fabricius,1787* ES LY IT Sa TR
177. **Agapanthia villosoviridescens (De Geer,1775)** (Cerambycidae) Synonym(s): *villosoviridescens De Geer,1775* TR RU Cc KG
178. **Agapanthia violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): *violacea Fabricius,1775* RU Cc TR KG GR
179. **Agapanthia walteri Reitter,1898** (Cerambycidae) Synonym(s): *walteri Reitter,1898* TR AM Cc
180. **Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): *leucaspis Steven,1817* SK HU YU RU Cc TR GR
181. **Agathidium (s.str.) namrunense Angelini,1998** (Leiodidae) Synonym(s): *namrunense Angelini,1998* TR
182. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
183. **Agenioideus apicalis (Van der Linden,1827)** (Pompilidae) Synonym(s): *apicalis Van der Linden,1827* TR
184. **Agenioideus ciliatus (Lepelletier,1845)** (Pompilidae) Synonym(s): *ciliatus Lepelletier,1845; acrobates Ferton,1911* TR SY JO
185. **Agenioideus cinctellus (Spinola,1808)** (Pompilidae) Synonym(s): *cinctellus Spinola,1808* TR
186. **Agenioideus dichrous (Brullé,1840)** (Pompilidae) Synonym(s): *dichrous Brullé,1840* TR SY JO
187. **Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus Morawitz,1890; emarginatus Haupt* TR JO IQ IR
188. **Agenioideus nubecula (Costa,1874)** (Pompilidae) Synonym(s): *nubecula Costa,1874; tristis Priesner,1965* TR
189. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis Haupt,1962* TR LY TN IL Pa ES Cn SY Hms
190. **Agenioideus rhodosoma (Kohl,1886)** (Pompilidae) Synonym(s): *rhodosoma Kohl,1886* TR
191. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae) Synonym(s): *ruficeps Eversmann,1849* TR
192. **Agenioideus rytiphorus (Kohl,1886)** (Pompilidae) Synonym(s): *rytiphorus Kohl,1886* TR SY Hms TM
193. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae) Synonym(s): *sericeus Van der Linden,1827* TR JO
194. **Agenioideus usurarius (Tournier,1889)** (Pompilidae) Synonym(s): *usurarius Tournier,1889* TR
195. **Agenioideus vesanus (Kohl,1907)** (Pompilidae) Synonym(s): *vesanus Kohl,1907* TR SY Dms Hms JO YE
196. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838; pallida Walker,1851 (praeocc.); ornatala Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
197. **Agnetina weneri (Kempny,1908)** (Perlidae) Synonym(s): *weneri Kempny,1908* Perla *weneri* Kempny,1908, Verh. zool.-bot. Ges. Wien 58: 264-268. TR
198. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium Duftschmid,1812* AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
199. **Agonum chalconotum Ménétriés,1832** (Carabidae) Synonym(s): *chalconotum Ménétriés,1832* GB LA TR AF KK KG TJ UZ CN MN
200. **Agonum extensum Ménétriés,1849** (Carabidae) Synonym(s): *extensum Ménétriés,1849* GR IT MD TR UA KG
201. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
202. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
203. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
204. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA

205. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
206. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
207. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
208. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
209. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
210. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle Chaudoir,1846* AM Cc BG RO RU TR IR SY
211. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
212. **Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): *sordidum Dejean,1828* BE HV GR IT SL TR UA LY SY
213. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
214. **Agonum viridicupreum (Goeze,1777)** (Carabidae) Synonym(s): *viridicupreum Goeze,1777* TR
215. **Agramma (s.str.) atricapillum (Spinola,1837)** (Tingidae) Synonym(s): *atricapillum Spinola,1837* GR TR
216. **Agramma (s.str.) blandulum (Horvath,1905)** (Tingidae) Synonym(s): *blandulum Horvath,1905* RU TR GR
217. **Agramma (s.str.) confusum (Puton,1879)** (Tingidae) Synonym(s): *confusum Puton,1879* RU TR
218. **Agramma (s.str.) intermedium (Wagner,1941)** (Tingidae) Synonym(s): *intermedium Wagner,1941* TR
219. **Agria affinis (Fallén,1817)** (Sarcophagidae) Synonym(s): *affinis Fallén,1817* TR
220. **Agria mamillata (Pandellé,1896)** (Sarcophagidae) Synonym(s): *mamillata Pandellé,1896* TR
221. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater Linnaeus,1767* AT CZ FI FR RO RU UA LT TR
222. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
223. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
224. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
225. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
226. **Agrilus (Anambus) sericans Kiesenwetter,1857** (Buprestidae) Synonym(s): *sericans Kiesenwetter,1857* TR
227. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
228. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici Creutzer,1799* AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
229. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
230. **Agrilus kutahyanus Krolík,2002** (Buprestidae) Synonym(s): *kutahyanus Krolík,2002* TR
231. **Agrilus rhoos Krolík & Niehuis,2003** (Buprestidae) Synonym(s): *rhoos Krolík & Niehuis,2003* TR
232. **Agriocnemis sania Nielsen,1959** (Coenagrionidae) Synonym(s): *sania Nielsen,1959* TR
233. **Agriotes (s.str.) acuminatus (Stephens,1830)** (Elateridae) Synonym(s): *acuminatus Stephens,1830* TR Cc
234. **Agriotes (s.str.) adanensis Pic,1900** (Elateridae) Synonym(s): *adanensis Pic,1900* TR
235. **Agriotes (s.str.) adlbaueri Platia & Schimmel,1992** (Elateridae) Synonym(s): *adlbaueri Platia & Schimmel,1992* TR
236. **Agriotes (s.str.) anatolicus Platia,2003** (Elateridae) Synonym(s): *anatolicus Platia,2003* TR
237. **Agriotes (s.str.) aquilus Platia,2003** (Elateridae) Synonym(s): *aquilus Platia,2003* TR
238. **Agriotes (s.str.) audisioi Platia & Schimmel,1992** (Elateridae) Synonym(s): *audisioi Platia & Schimmel,1992* TR
239. **Agriotes (s.str.) barriesi Cate & Platia,1997** (Elateridae) Synonym(s): *barriesi Cate & Platia,1997* TR

240. **Agriotes (s.str.) brevis Candeze,1863** (Elateridae) Synonym(s): *brevis Candeze,1863* GR Cc TR IR
241. **Agriotes (s.str.) cilicensis Platia & Gundezi,1998** (Elateridae) Synonym(s): *cilicensis Platia & Gundezi,1998* TR
242. **Agriotes (s.str.) colonnelli Guglielmi & Platia,1985** (Elateridae) Synonym(s): *colonnelli Guglielmi & Platia,1985* TR
243. **Agriotes (s.str.) conspicuus Schwarz,1891** (Elateridae) Synonym(s): *conspicuus Schwarz,1891* TR
244. **Agriotes (s.str.) constrictus Reitter,1900** (Elateridae) Synonym(s): *constrictus Reitter,1900* TR
245. **Agriotes (s.str.) crassiusculus Platia & Gudenzi,1998** (Elateridae) Synonym(s): *crassiusculus Platia & Gudenzi,1998* TR
246. **Agriotes (s.str.) cribrithorax Pic,1910** (Elateridae) Synonym(s): *cribrithorax Pic,1910* TR
247. **Agriotes (s.str.) defreinae Platia & Gudenzi,1998** (Elateridae) Synonym(s): *defreinae Platia & Gudenzi,1998* TR
248. **Agriotes (s.str.) depressus Schwarz,1891** (Elateridae) Synonym(s): *depressus Schwarz,1891* TR
249. **Agriotes (s.str.) dusaneki Platia & Gudenzi,1998** (Elateridae) Synonym(s): *dusaneki Platia & Gudenzi,1998* TR
250. **Agriotes (s.str.) furlani Platia,2003** (Elateridae) Synonym(s): *furlani Platia,2003* TR
251. **Agriotes (s.str.) ganglbaueri Schwarz,1891** (Elateridae) Synonym(s): *ganglbaueri Schwarz,1891* TR? LB SY
252. **Agriotes (s.str.) goksunensis Platia,2004** (Elateridae) Synonym(s): *goksunensis Platia,2004* TR
253. **Agriotes (s.str.) graecus Franz,1967** (Elateridae) Synonym(s): *graecus Franz,1967* GR TR
254. **Agriotes (s.str.) granulosus Platia & Gudenzi,1992** (Elateridae) Synonym(s): *granulosus Platia & Gudenzi,1992* TR
255. **Agriotes (s.str.) gurgistanus (Faldermann,1835)** (Elateridae) Synonym(s): *gurgistanus Faldermann,1835* GR TR
256. **Agriotes (s.str.) heydeni Schwarz,1891** (Elateridae) Synonym(s): *heydeni Schwarz,1891* TR
257. **Agriotes (s.str.) informis Schwarz,1891** (Elateridae) Synonym(s): *informis Schwarz,1891* TR
258. **Agriotes (s.str.) infuscatus Desbrochers,1870** (Elateridae) Synonym(s): *infuscatus Desbrochers,1870* TR Cc
259. **Agriotes (s.str.) integricollis Reitter,1911** (Elateridae) Synonym(s): *integricollis Reitter,1911* TR
260. **Agriotes (s.str.) izmirensis Cate & Platia,1997** (Elateridae) Synonym(s): *izmirensis Cate & Platia,1997* TR
261. **Agriotes (s.str.) karsantianus Pic,1910** (Elateridae) Synonym(s): *karsantianus Pic,1910* TR
262. **Agriotes (s.str.) kraatzi Schwarz,1891** (Elateridae) Synonym(s): *kraatzi Schwarz,1891* TR
263. **Agriotes (s.str.) lapicida (Faldermann,1835)** (Elateridae) Synonym(s): *lapicida Faldermann,1835* TR Cc AZ AM GG RU IR
264. **Agriotes (s.str.) leinfesti Platia & Gudenzi,1998** (Elateridae) Synonym(s): *leinfesti Platia & Gudenzi,1998* TR
265. **Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): *lineatus Linnaeus,1767* GR TR US NZ
266. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus Rossi,1792* AT BG FR Co IT GR MK SL CH ES TR?
267. **Agriotes (s.str.) lizleri Platia,2003** (Elateridae) Synonym(s): *lizleri Platia,2003* TR
268. **Agriotes (s.str.) lundbergi Platia,1989** (Elateridae) Synonym(s): *lundbergi Platia,1989* TR
269. **Agriotes (s.str.) mertliki Platia,2003** (Elateridae) Synonym(s): *mertliki Platia,2003* TR
270. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticulosus Candeze,1863* TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
271. **Agriotes (s.str.) modestus Kiesenwetter,1858** (Elateridae) Synonym(s): *modestus Kiesenwetter,1858; incognitus Schwarz,1891; ponticus Stepanov,1935* TR?
272. **Agriotes (s.str.) nigropubens Reitter,1904** (Elateridae) Synonym(s): *nigropubens Reitter,1904* TR
273. **Agriotes (s.str.) nigror Platia,2003** (Elateridae) Synonym(s): *nigror Platia,2003* TR
274. **Agriotes (s.str.) nuceus Fairmaire,1866** (Elateridae) Synonym(s): *nuceus Fairmaire,1866* TR
275. **Agriotes (s.str.) obscurus (Linnaeus,1758)** (Elateridae) Synonym(s): *obscurus Linnaeus,1758* TR
276. **Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): *paludum Kiesenwetter,1859* GR AL HU SY TR
277. **Agriotes (s.str.) petterssoni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *petterssoni Platia & Gudenzi,2000* TR

278. **Agriotes (s.str.) pilosellus (Schönherr,1817)** (Elateridae) Synonym(s): *pilosellus Schönherr,1817* GR TR
279. **Agriotes (s.str.) propleuralis Platia & Gudenzi,1998** (Elateridae) Synonym(s): *propleuralis Platia & Gudenzi,1998* TR
280. **Agriotes (s.str.) proximus Schwarz,1891** (Elateridae) Synonym(s): *proximus Schwarz,1891; lineatoides Reitter,1911* MA TR
281. **Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): *radula Desbrochers,1875; brevicollis Schwarz,1891* TR? LB SY IL Pa
282. **Agriotes (s.str.) reitteri Schwarz,1891** (Elateridae) Synonym(s): *reitteri Schwarz,1891* TR
283. **Agriotes (s.str.) riesei Platia,2004** (Elateridae) Synonym(s): *riesei Platia,2004* TR
284. **Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): *rufipalpis Brullé,1832; rubiginosus Candeze,1863* MK YU GR TR
285. **Agriotes (s.str.) sameki Platia,2003** (Elateridae) Synonym(s): *sameki Platia,2003* TR
286. **Agriotes (s.str.) schuberti Platia,2004** (Elateridae) Synonym(s): *schuberti Platia,2004* TR
287. **Agriotes (s.str.) schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni Platia & Gudenzi,1998* TR
288. **Agriotes (s.str.) sexualis Platia,2004** (Elateridae) Synonym(s): *sexualis Platia,2004* TR
289. **Agriotes (s.str.) solai Platia,2004** (Elateridae) Synonym(s): *solai Platia,2004* TR
290. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator Linnaeus,1758* GR TR DZ MN US
291. **Agriotes (s.str.) starcki Schwarz,1891** (Elateridae) Synonym(s): *starcki Schwarz,1891* TR
292. **Agriotes (s.str.) strigosus Kiesenwetter,1859** (Elateridae) Synonym(s): *strigosus Kiesenwetter,1859* TR
293. **Agriotes (s.str.) subsulcatus Pic,1913** (Elateridae) Synonym(s): *subsulcatus Pic,1913* TR
294. **Agriotes (s.str.) sylviae Cate & Platia,1997** (Elateridae) Synonym(s): *sylviae Cate & Platia,1997* TR
295. **Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) Synonym(s): *tauricus Heyden,1882* TR Cc UA Cm
296. **Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae) Synonym(s): *tristiculus Reitter,1906* TR
297. **Agriotes (s.str.) turcicus Candeze,1863** (Elateridae) Synonym(s): *turcicus Candeze,1863* TR
298. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus Schaller,1783* SK GR TR DZ Cc BR
299. **Agriotes (s.str.) weneri Platia,2003** (Elateridae) Synonym(s): *weneri Platia,2003* TR
300. **Agriotes (s.str.) witzgalli Platia & Schimmel,1993** (Elateridae) Synonym(s): *witzgalli Platia & Schimmel,1993* TR
301. **Agromyza abiens Zetterstedt,1848** (Agromyzidae) Synonym(s): *abiens Zetterstedt,1848* TR
302. **Agromyza albipennis Meigen,1830** (Agromyzidae) Synonym(s): *albipennis Meigen,1830* TR
303. **Agromyza albitarsis Meigen,1830** (Agromyzidae) Synonym(s): *albitarsis Meigen,1830* TR
304. **Agromyza ambigua Fallén,1823** (Agromyzidae) Synonym(s): *ambigua Fallén,1823* TR
305. **Agromyza anderssoni Spencer,1976** (Agromyzidae) Synonym(s): *anderssoni Spencer,1976* TR
306. **Agromyza anthracina Meigen,1830** (Agromyzidae) Synonym(s): *anthracina Meigen,1830* TR
307. **Agromyza apfelbecki Strobl,1902** (Agromyzidae) Synonym(s): *apfelbecki Strobl,1902* TR
308. **Agromyza bromi Spencer,1966** (Agromyzidae) Synonym(s): *bromi Spencer,1966* TR
309. **Agromyza felleri M.Hering,1941** (Agromyzidae) Synonym(s): *felleri M.Hering,1941* TR
310. **Agromyza flavipennis Hendel,1920** (Agromyzidae) Synonym(s): *flavipennis Hendel,1920* TR
311. **Agromyza frontella (Rondani,1875)** (Agromyzidae) Synonym(s): *frontella Rondani,1875* TR
312. **Agromyza graminicola Hendel,1931** (Agromyzidae) Synonym(s): *graminicola Hendel,1931* TR
313. **Agromyza hiemalis Becker,1908** (Agromyzidae) Synonym(s): *hiemalis Becker,1908* TR
314. **Agromyza idaeiana Hardy,1853** (Agromyzidae) Synonym(s): *idaeiana Hardy,1853* TR
315. **Agromyza intermittens Becker,1907** (Agromyzidae) Synonym(s): *intermittens Becker,1907* TR
316. **Agromyza marionae Griffiths,1963** (Agromyzidae) Synonym(s): *marionae Griffiths,1963* TR
317. **Agromyza megalopis M.Hering,1933** (Agromyzidae) Synonym(s): *megalopis M.Hering,1933* TR
318. **Agromyza myosotidis Kaltenbach,1864** (Agromyzidae) Synonym(s): *myosotidis Kaltenbach,1864* TR
319. **Agromyza nana Meigen,1830** (Agromyzidae) Synonym(s): *nana Meigen,1830* TR
320. **Agromyza nigrescens Hendel,1920** (Agromyzidae) Synonym(s): *nigrescens Hendel,1920* TR
321. **Agromyza nigripes Meigen,1830** (Agromyzidae) Synonym(s): *nigripes Meigen,1830* TR
322. **Agromyza phylloposthia Sasakawa,2008** (Agromyzidae) Synonym(s): *phylloposthia Sasakawa,2008* TR
323. **Agromyza pittodes Hendel,1931** (Agromyzidae) Synonym(s): *pittodes Hendel,1931* TR
324. **Agromyza prespana Spencer,1957** (Agromyzidae) Synonym(s): *prespana Spencer,1957* TR
325. **Agromyza reptans Fallén,1823** (Agromyzidae) Synonym(s): *reptans Fallén,1823* TR

326. **Agromyza rondensis Strobl,1900** (Agromyzidae) Synonym(s): *rondensis Strobl,1900* TR
327. **Agromyza trebinjensis Strobl,1900** (Agromyzidae) Synonym(s): *trebinjensis Strobl,1900* TR
328. **Agrothereutes abbreviator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *abbreviator Fabricius,1793; incubitor Gravenhorst,1829* TR
329. **Agrothereutes abbreviatus (Fabricius,1794)** (Ichneumonidae) Synonym(s): *abbreviatus Fabricius,1794* TR
330. **Agrothereutes fumipennis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fumipennis Gravenhorst,1829* TR
331. **Agrothereutes hospes (Tschek,1871)** (Ichneumonidae) Synonym(s): *hospes Tschek,1871* TR
332. **Agrothereutes parvulus (Habermehl,1926)** (Ichneumonidae) Synonym(s): *parvulus Habermehl,1926* TR FR BG
333. **Agrothereutes tiloidalis Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): *tiloidalis Kolarov & Beyarslan,1994* TR
334. **Agrypnus crenicollis (Ménétriés,1832)** (Elateridae) Synonym(s): *crenicollis Ménétriés,1832* TR IT
335. **Agrypnus murinus (Linnaeus,1758)** (Elateridae) Synonym(s): *murinus Linnaeus,1758* TR RU Sb Cc
336. **Agrypnus sarikamisensis Platia, Yıldırım & Kesdek,2007** (Elateridae) Synonym(s): *sarikamisensis Platia, Yıldırım & Kesdek,2007* TR
337. **Agrypon debilis (Wesmael,1849)** (Ichneumonidae) Synonym(s): *debilis Wesmael,1849* TR
338. **Agrypon flaveolatum (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *flaveolatum Gravenhorst,1807* TR
339. **Agrypon flexorium (Thunberg,1822)** (Ichneumonidae) Synonym(s): *flexorium Thunberg,1822* TR
340. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari Zetterstedt,1840* DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
341. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH).** LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
342. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* **Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH).** LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
343. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH).** LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
344. **Akis elongata Brullé,1832** (Tenebrionidae) Synonym(s): *elongata Brullé,1832; deplanata Waltl,1838* TR GR
345. **Akis latreillei Solier,1836** (Tenebrionidae) Synonym(s): *latreillei Solier,1836* TR SY CY EG
346. **Akis opaca Heyden,1897** (Tenebrionidae) Synonym(s): *opaca Heyden,1897; anatolica Reitter,1904* TR GR
347. **Akis otoes Fischer von Waldheim,1837** (Tenebrionidae) Synonym(s): *otoes Fischer von Waldheim,1837* TR
348. **Akis spinosa (Linnaeus,1764)** (Tenebrionidae) Synonym(s): *spinosa Linnaeus,1764* IT Sa Si DZ TR
349. **Akotropis quercicola Linnavuori,1962** (Achilidae) Synonym(s): *quercicola Linnavuori,1962* IL Pa TR BG GR
350. **Alastor ardens Kostylev,1935** (Vespidae) Synonym(s): *ardens Kostylev,1935* TM TR
351. **Alastor esfandiarrii Giordani Soika,1970** (Vespidae) Synonym(s): *esfandiarrii Giordani Soika,1970* TR IR
352. **Alastor mediomaculatus Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus Giordani Soika,1952; iconius Blüthgen,1955* IL Pa JO TR GR
353. **Alastor mocsaryi (André,1884)** (Vespidae) Synonym(s): *mocsaryi André,1884* TR
354. **Alastor pentheri Kohl,1905** (Vespidae) Synonym(s): *pentheri Kohl,1905* TR
355. **Alastor ruficornis Gusenleitner,2001** (Vespidae) Synonym(s): *ruficornis Gusenleitner,2001* TR
356. **Alastor schwarzi Gusenleitner,1967** (Vespidae) Synonym(s): *schwarzi Gusenleitner,1967* TR
357. **Alastor thymbrinus Blüthgen,1956** (Vespidae) Synonym(s): *thymbrinus Blüthgen,1956* TR
358. **Alatades trilineatus Dlabola,1957** (Delphacidae) Synonym(s): *trilineatus Dlabola,1957* IL Pa TR

359. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufouri* Ribaut,1936 **DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU**
360. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 **DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU**
361. **Allantus balteatus (Klug,1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872 **CY TR Cc RU Sb IR**
362. **Allantus basalis (Klug,1818)** (Tenthredinidae) Synonym(s): *basalis* Klug,1818; *togatus* Stephens,1835 nec Panz.,1801; *caledonicus* Benson,1945 **TR RU Sb MN CN JP CA**
363. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus* Linnaeus,1758; *cordigera* Geoffroy,1785; *togata* Zetterstedt,1840; *varipes* Audinet-Serville,1840; *neglectus* Zaddach,1859 **Cc TR UA Cm IR KG MN CA**
364. **Allantus cingulatus (Scopoli,1763)** (Tenthredinidae) Synonym(s): *cingulatus* Scopoli,1763; *tenuis* Audinet-Serville,1823; *elegans* Costa,1859 **TR Cc RU Sb**
365. **Allantus didymus (Klug,1818)** (Tenthredinidae) Synonym(s): *didymus* Klug,1818; *testaceipes* Audinet-Seville,1823; *nigritarsis* Brullé,1832; *proximus* Costa,1859; *ruficrus* Mocsary,1880; *fumatus* André,1880 **TR Cc IR KG RU**
366. **Allantus togatus (Panzer,1801)** (Tenthredinidae) Synonym(s): *togatus* Panzer,1801; *succincta* Klug,1817; *steini* Schmiedeknecht,1881 **RU Sb TR JP**
367. **Allantus viennensis (Schrank,1781)** (Tenthredinidae) Synonym(s): *viennensis* Schrank,1781; *uberius* Enslin,1914; *nigricoxis* De Stefani,1883; *medinae* Konow,1894 **TR Cc RU Sb**
368. **Allodia (Brachycampta) pistillata (Lundström,1911)** (Mycetophilidae) Synonym(s): *pistillata* Lundström,1911 **TR**
369. **Allodiopsis rustica (Edwards,1941)** (Mycetophilidae) Synonym(s): *rustica* Edwards,1941 **TR**
370. **Allodynerus delphinalis (Giraud,1866)** (Vespidae) Synonym(s): *delphinalis* Giraud,1866 **TR**
371. **Allodynerus floricola (Saussure,1853)** (Vespidae) Synonym(s): *floricola* Saussure,1853 **TR**
372. **Allodynerus nigricornis (Morawitz,1885)** (Vespidae) Synonym(s): *nigricornis* Morawitz,1885 **TR**
373. **Allodynerus rossii (Lepelletier,1841)** (Vespidae) Synonym(s): *rossii* Lepelletier,1841 **TR**
374. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes* Fieber,1836 **AL BG CZ FR RU ES CH IT Si SK YU TR GR**
375. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 **TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA**
376. **Alloplasta piceator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *piceator* Thunberg,1822 **TR Cc RU At**
377. **Alloterra claviger (Kieffer)** (Pteromalidae) Synonym(s): **TR**
378. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 **AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU**
379. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 **AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU**
380. **Allygidius ectabanicus Logvinenko,1979** (Cicadellidae) Synonym(s): *ectabanicus* Logvinenko,1979 **IR TR**
381. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA**
382. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 **AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR**
383. **Alomya debellator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *debellator* Fabricius,1775; *ovator* Fabricius,1793 **TR**
384. **Alosimus abeillei (Escherich,1896)** (Meloidae) Synonym(s): *abeillei* Escherich,1896 **TR Cc**
385. **Alosimus armeniacus (Faldermann,1837)** (Meloidae) Synonym(s): *armeniacus* Faldermann,1837 **TR SY Cc GR**
386. **Alosimus castaneus Escherich,1896** (Meloidae) Synonym(s): *castaneus* Escherich,1896 **SY TR Cc**
387. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812 **RU Ur Cc TR RO BG**
388. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *decolor* Abeille de Perrin,1880 **TR Cc GR AM**
389. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *gracilis* Abeille de Perrin,1880 **TR SY Cc AM IR IL Pa**
390. **Alosimus luteus (Waltl,1838)** (Meloidae) Synonym(s): *luteus* Waltl,1838 **TR SY IL Pa IR**

391. **Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae) Synonym(s): *marginicollis* Haag-Rutenberg,1880 **TR**
392. **Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae) Synonym(s): *pallidicollis* Gyllenhal,1806 **SY TR AM**
393. **Alosimus reittedianus (Semenov,1990)** (Meloidae) Synonym(s): *reittedianus* Semenov,1990 **Cc TR**
394. **Alosimus smyrnensis (Maran,1942)** (Meloidae) Synonym(s): *smyrnensis* Maran,1942 **GR TR Rd IR**
395. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 **Meloe syriacus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". **LY EG Sn IL Pa TR Cc SY RU RO BG AT**
396. **Alosterna anatolica Adlbauer,1992** (Cerambycidae) Synonym(s): *anatolica* Adlbauer,1992 **TR**
397. **Alosterna scapularis (Heyden,1878)** (Cerambycidae) Synonym(s): *scapularis* Heyden,1878 **AZ Cc TR IR**
398. **Alphitobius diaperinus (Panzer,1797)** (Tenebrionidae) Synonym(s): *diaperinus* Panzer,1797 **TR**
399. **Alphitobius laevigatus (Fabricius,1781)** (Tenebrionidae) Synonym(s): *laevigatus* Fabricius,1781 **TR**
400. **Alphitophagus bifasciatus (Say,1823)** (Tenebrionidae) Synonym(s): *bifasciatus* Say,1823 **TR**
401. **Alphitophagus convexcollis Reitter,1911** (Tenebrionidae) Synonym(s): *convexcollis* Reitter,1911 **TR**
402. **Altica ancycensis (Weise,1897)** (Chrysomelidae) Synonym(s): *ancycensis* Weise,1897 **TR AM Cc IL Pa**
403. **Altica bicarinata (Kutschera,1860)** (Chrysomelidae) Synonym(s): *bicarinata* Kutschera,1860; *ciliciensis* Weise,1897 **TR IR EG**
404. **Altica brevicollis Foudras,1860** (Chrysomelidae) Synonym(s): *brevicollis* Foudras,1860 **TR Cc IR KG**
405. **Altica bulgharensis Kral,1969** (Chrysomelidae) Synonym(s): *bulgharensis* Kral,1969 **TR**
406. **Altica carduorum (Guérin-Ménéville,1858)** (Chrysomelidae) Synonym(s): *carduorum* Guérin-Ménéville,1858 **TR Cc KG**
407. **Altica cornivorax Kral,1969** (Chrysomelidae) Synonym(s): *cornivorax* Kral,1969 **TR**
408. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola* Weise,1889 **TR RU KG Cc AF MN KP KR TW**
409. **Altica globicollis (Weise,1889)** (Chrysomelidae) Synonym(s): *globicollis* Weise,1889 **Haltica globicollis** Weise,1889, Horae Soc. ent. ross. 23: 635. Type: **Erzurum**. **TR Cc IR**
410. **Altica graeca Kral,1966** (Chrysomelidae) Synonym(s): *graeca* Kral,1966 **GR TR**
411. **Altica hamperi (Allard,1867)** (Chrysomelidae) Synonym(s): *hamperi* Allard,1867; *khnozoriani* Kral,1969 **Cc TR**
412. **Altica impressicollis (Reiche,1862)** (Chrysomelidae) Synonym(s): *impressicollis* Reiche,1862; *#impressicoilis* Aslan et al,1999 **TR Cc**
413. **Altica jarmilae Kral,1979** (Chrysomelidae) Synonym(s): *jarmilae* Kral,1979 **TR GR G IL Pa Cc GG**
414. **Altica lythri Aubé,1843** (Chrysomelidae) Synonym(s): *lythri* Aubé,1843 **TR**
415. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *oleracea* Linnaeus,1758 **TR Cc KG KP KR JP**
416. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris* Weise,1888 **TR Cc IR AF KG DZ**
417. **Altica pontica (Ogloblin,1925)** (Chrysomelidae) Synonym(s): *pontica* Ogloblin,1925 **TR**
418. **Altica quercetorum Foudras,1860** (Chrysomelidae) Synonym(s): *quercetorum* Foudras,1860 **TR Cc**
419. **Altica tamaricis Schrank,1785** (Chrysomelidae) Synonym(s): *tamaricis* Schrank,1785 **TR**
420. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 **AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN**
421. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutshnik,1935 **AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP**
422. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 **AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN**
423. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeyi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966;

- uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
424. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
425. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
426. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
427. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans Baudi di Selva*,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928 GR MK MT TR CY IR IL Pa JO LB SY
428. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
429. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
430. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalensis* Schuler,1964 AL HV FR Co GR IT MA SL ES TR DZ CY SY
431. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jabllokoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
432. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubergger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
433. **Amara (Curtonotus) muchei Jedlicka,1962** (Carabidae) Synonym(s): *muchei* Jedlicka,1962 TR
434. **Amara (Euderocycla) abnormis Tschitscherine,1894** (Carabidae) Synonym(s): *abnormis* Tschitscherine,1894; *fleischeri* Tschitscherine,1897; *harpaloides* Fleischer,1897 TR
435. **Amara (Paracelia) cyrenaica Baliani,1928** (Carabidae) Synonym(s): *cyrenaica* Baliani,1928 LY Cy TR
436. **Amara (Paracelia) monochroa Hieke,2004** (Carabidae) Synonym(s): *monochroa* Hieke,2004 TR
437. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
438. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
439. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
440. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
441. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
442. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
443. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui

444. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
445. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
446. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoenis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
447. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythrope* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
448. **Amara (s.str.) lukasi Hejkal,2002** (Carabidae) Synonym(s): *lukasi* Hejkal,2002 Amara (s.str.) lukasi Hejkal,2002, Klapalekiana 38: 27-35, figs. Holotype ♂: Turkey: Anatolia centr., Gölbaşı, südl. Ankara 1100m 25.iv.1973 Heinz leg. (coll. W.Heinz). TR
449. **Amara (s.str.) morio Ménériés,1832** (Carabidae) Synonym(s): *morio* Ménériés,1832 AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
450. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Me She Sz Ti Ui Yu
451. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indertiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
452. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
453. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
454. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 TR IR KG TJ TM UZ CN Ui
455. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
456. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
457. **Amara (Zezea) chaudoiri Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
458. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
459. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
460. **Amauromyza (Cephalomyza) flavifrons (Meigen,1830)** (Agromyzidae) Synonym(s): *flavifrons* Meigen,1830 TR
461. **Amauromyza (Cephalomyza) luteiceps (Hendel,1920)** (Agromyzidae) Synonym(s): *luteiceps* Hendel,1920 TR
462. **Amauromyza (s.str.) morionella (Zetterstedt,1848)** (Agromyzidae) Synonym(s): *morionella* Zetterstedt,1848 TR
463. **Amblyellus hasdrubal (Kohl,1894)** (Pompilidae) Synonym(s): *hasdrubal* Kohl,1894 TR
464. **Amblyopone denticulatum (Roger,1859)** (Formicidae) Synonym(s): *denticulatum* Roger,1859 TR
465. **Amblytylus concolor Jakovlev,1877** (Miridae) Synonym(s): *concolor* Jakovlev,1877 TR
466. **Amblytylus luridus Hoberlandt,1961** (Miridae) Synonym(s): *luridus* Hoberlandt,1961 TR
467. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): *heldreichi* Brunner von Wattenwyl,1882 TR GR IL Pa LY CY

468. **Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): *syriensis Giglio-Tos,1915* **Ameles syriensis Giglio-Tos,1915**, Bull. Soc. ent. ital. 46: 150. Type ♀: "Siria" (Mus. Torino). **SY JO TR**
469. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata Fallén,1808*; *fulvipes Costa,1882*; *agilis Klug,1817*; *rufipes Audinet-Serville,1823*; *nigrisoma Norton,1862*; *abnormis Provancher,1885*; *potulenta MacGillivray,1923* **RU Sb UA Cm TR Cc KG DZ MN CA**
470. **Ametastegia pallipes (Spinola,1808)** (Tenthredinidae) Synonym(s): *pallipes Spinola,1808*; *grossulariae Klug,1818*; *lapponica Zetterstedt,1838*; *pallipes Provancher,1878 nec Spin.,1808*; *leucopodus Audinet-Serville,1823*; *canadense Kirby,1882*; *pallidipes Dalla Torre,1894*; *cavata MacGillivray,1911*; *cetaria MacGillivray,1921* **TR Cc IR RU Sb CA**
471. **Amiota (Phortica) goetzi Maca,1987** (Drosophilidae) Synonym(s): *goetzi Maca,1987* **Amiota (Phortica) goetzi Maca,1987**, Acta ent. Mus. natn. Pragae 42: 313-315, 4 figs. Holotype ♂: Turkey: Bursa, W.Götz leg (ZMZ). **TR**
472. **Amiota (Phortica) semivirgo Maca,1977** (Drosophilidae) Synonym(s): *semivirgo Maca,1977* **B-H TR**
473. **Amiota (Phortica) variegata (Fallén,1823)** (Drosophilidae) Synonym(s): *variegata Fallén,1823* **B-H TR**
474. **Ammobius rufus Lucas,1849** (Tenebrionidae) Synonym(s): *rufus Lucas,1849* **TR**
475. **Ammophila heydeni Dahlbom,1845** (Sphecidae) Synonym(s): *heydeni Dahlbom,1845* **TR Cc AM KK RU**
476. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae) Synonym(s): *sabulosa Linnaeus,1758* **TR**
477. **Ammothereva splendida (Kröber,1912)** (Therevidae) Synonym(s): *splendida Kröber,1912*; *caucasica Zaitzev,1973* **AM Eri Cc TR**
478. **Amnodeis asiaticus Miller,1858** (Tenebrionidae) Synonym(s): *asiaticus Miller,1858*; *wagneri Chevrolat,1877* **TR**
479. **Amnodeis grandis Miller,1858** (Tenebrionidae) Synonym(s): *grandis Miller,1858* **Amnodeis grandis Miller,1858**, Wien. ent. Monatschr. 2: 120. **TR**
480. **Amnodeis intermedius Reitter,1914** (Tenebrionidae) Synonym(s): *intermedius Reitter,1914* **TR**
481. **Amnodeis milleri Reitter,1914** (Tenebrionidae) Synonym(s): *milleri Reitter,1914* **TR**
482. **Amobia oculata (Zetterstedt,1844)** (Sarcophagidae) Synonym(s): *oculata Zetterstedt,1844* **TR**
483. **Amobia signata (Meigen,1824)** (Sarcophagidae) Synonym(s): *signata Meigen,1824* **TR**
484. **Amorphoscelis pantherina Roy,1966** (Amorphoscelidae) Synonym(s): *pantherina Roy,1966* **Amorphoscelis pantherina Roy,1966**, Ent. News 77: 268-270, 3 fig. Holotype ♂: Iraq: Arbil Liwa, Aug. (USNM). **IQ Er IR Fa TR**
485. **Ampedus adlbaueri Schimmel,1990** (Elateridae) Synonym(s): *adlbaueri Schimmel,1990* **TR**
486. **Ampedus aethiops (Lacordaire,1835)** (Elateridae) Synonym(s): *aethiops Lacordaire,1835* **TR**
487. **Ampedus agajewi Dolin,1970** (Elateridae) Synonym(s): *agajewi Dolin,1970* **TR**
488. **Ampedus agilis Platia,2001** (Elateridae) Synonym(s): *agilis Platia,2001* **TR**
489. **Ampedus anatolicus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *anatolicus Platia & Gudenzi,2002* **TR**
490. **Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): *balteatus Linnaeus,1758* **TR Cc RU Sb**
491. **Ampedus canaliculatus (Reitter,1918)** (Elateridae) Synonym(s): *canaliculatus Reitter,1918* **TR**
492. **Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus Eschscholtz,1829*; *atropilosus Reitter,1918* **TR GR Cc RU Sb DZ**
493. **Ampedus circassicus (Reitter,1887)** (Elateridae) Synonym(s): *circassicus Reitter,1887* **TR**
494. **Ampedus decumanus Gurjewa,1977** (Elateridae) Synonym(s): *decumanus Gurjewa,1977* **TR**
495. **Ampedus demaisonii (Buysson,1898)** (Elateridae) Synonym(s): *demaisonii Buysson,1898* **TR**
496. **Ampedus elegantulus (Schönherr,1817)** (Elateridae) Synonym(s): *elegantulus Schönherr,1817* **TR**
497. **Ampedus elongatulus (Fabricius,1787)** (Elateridae) Synonym(s): *elongatulus Fabricius,1787*; *glycereus Herbst,1784*; *bodemeyeri Winkler,1924* **TR**
498. **Ampedus erythrogonus (P.W.Müller,1821)** (Elateridae) Synonym(s): *erythrogonus P.W.Müller,1821* **TR**
499. **Ampedus ganglbaueri (Reitter,1889)** (Elateridae) Synonym(s): *ganglbaueri Reitter,1889* **TR**
500. **Ampedus hirticollis (Semenov,1891)** (Elateridae) Synonym(s): *hirticollis Semenov,1891* **TR**
501. **Ampedus lubricus (Buysson,1891)** (Elateridae) Synonym(s): *lubricus Buysson,1891* **TR**
502. **Ampedus nigerrimus (Lacordaire,1835)** (Elateridae) Synonym(s): *nigerrimus Lacordaire,1835* **TR GR Cc**
503. **Ampedus nigrinus (Herbst,1784)** (Elateridae) Synonym(s): *nigrinus Herbst,1784* **TR**
504. **Ampedus nigroflavus (Goeze,1777)** (Elateridae) Synonym(s): *nigroflavus Goeze,1777* **TR**
505. **Ampedus ocellatus (Buysson,1891)** (Elateridae) Synonym(s): *ocellatus Buysson,1891*; *fragarinus Wurst,1995* **TR**

506. **Ampedus ochropterus** Germar,1844 (Elateridae) Synonym(s): *ochropterus* Germar,1844 TR
507. **Ampedus platiai** Schimmel,1990 (Elateridae) Synonym(s): *platiai* Schimmel,1990 TR
508. **Ampedus pomonae** (Stephens,1830) (Elateridae) Synonym(s): *pomonae* Stephens,1830 TR
509. **Ampedus pomorum** (Herbst,1784) (Elateridae) Synonym(s): *pomorum* Herbst,1784; *robustus* Bouwer,1980 DE TR
510. **Ampedus praeustus** (Fabricius,1792) (Elateridae) Synonym(s): *praeustus* Fabricius,1792 TR
511. **Ampedus pulcher** (Baudi,1871) (Elateridae) Synonym(s): *pulcher* Baudi,1871 TR
512. **Ampedus punctatus** Schwarz,1893 (Elateridae) Synonym(s): *punctatus* Schwarz,1893 TR
513. **Ampedus resslii** Platia & Gudenzi,1999 (Elateridae) Synonym(s): *resslii* Platia & Gudenzi,1999 TR
514. **Ampedus rufipennis** (Stephens,1830) (Elateridae) Synonym(s): *rufipennis* Stephens,1830 TR
515. **Ampedus samedovi** Dolin & Ajajew,1983 (Elateridae) Synonym(s): *samedovi* Dolin & Ajajew,1983 TR
516. **Ampedus sanguineus** (Linnaeus,1758) (Elateridae) Synonym(s): *sanguineus* Linnaeus,1758 DZ GR TR RU Sb
517. **Ampedus sanguinolentus** (Schrank,1776) (Elateridae) Synonym(s): *sanguinolentus* Schrank,1776 TR
518. **Ampedus schoettlei** Zeising & Brunne,2003 (Elateridae) Synonym(s): *schoettlei* Zeising & Brunne,2003 TR
519. **Ampedus sinuatus** Germar,1844 (Elateridae) Synonym(s): *sinuatus* Germar,1844 GR Cc TR
520. **Ampedus turcicus** Platia & Kabalak, Sert,2007 (Elateridae) Synonym(s): *turcicus* Platia & Kabalak, Sert,2007 TR
521. **Ampedus wachtangi** Dolin,1970 (Elateridae) Synonym(s): *wachtangi* Dolin,1970 TR
522. **Amphicoma (Eulasia) arctos** (Pallas,1781) (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903 BG TR GG AM Cc
523. **Amphicoma (Eulasia) aurantiaca** (Reitter,1890) (Glaphyridae) Synonym(s): *aurantiaca* Reitter,1890 TR IR
524. **Amphicoma (Eulasia) bicolor** Walth,1838 (Glaphyridae) Synonym(s): *bicolor* Walth,1838; *limbipennis* Reitter,1899; *dichroa* Reitter,1890 GR TR
525. **Amphicoma (Eulasia) bombylifformis** (Pallas,1781) (Glaphyridae) Synonym(s): *bombylifformis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980 GR TR Cc AM Eri TM KG
526. **Amphicoma (Eulasia) chrysopyga** Faldermann,1835 (Glaphyridae) Synonym(s): *chrysopyga* Faldermann,1835; *pallidopilosa* Motschoulsky,1859 Cc TR
527. **Amphicoma (Eulasia) corniculata** Reitter,1903 (Glaphyridae) Synonym(s): *corniculata* Reitter,1903 TR
528. **Amphicoma (Eulasia) diadema** Reitter,1890 (Glaphyridae) Synonym(s): *diadema* Reitter,1890; *diademata* Reitter,1903; *cuprea* Petrovitz,1962; *coerulea* Petrovitz,1967; *nigripilis* Petrovitz,1967 TR IR
529. **Amphicoma (Eulasia) ernae** Petrovitz,1962 (Glaphyridae) Synonym(s): *ernae* Petrovitz,1962 TR
530. **Amphicoma (Eulasia) hyrax** Truqui,1848 (Glaphyridae) Synonym(s): *hyrax* Truqui,1848; *truqui* Reitter,1890; *atripilis* Petrovitz,1971; *splendidula* Petrovitz,1971 SY LB IL Pa TR
531. **Amphicoma (Eulasia) montana** (Reitter,1890) (Glaphyridae) Synonym(s): *montana* Reitter,1890 TR
532. **Amphicoma (Eulasia) nitidicollis** (Reiche,1962) (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964 SY IL Pa JO TR
533. **Amphicoma (Eulasia) praeusta** (Champenois,1896) (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972 TR IR AZ Cc
534. **Amphicoma (Pygopleurus) akbesianus** Petrovitz,1957 (Glaphyridae) Synonym(s): *akbesianus* Petrovitz,1957; *cuprea* Petrovitz,1957; *coerulea* Petrovitz,1962 SY TR IL Pa
535. **Amphicoma (Pygopleurus) aleppensis** Petrovitz,1957 (Glaphyridae) Synonym(s): *aleppensis* Petrovitz,1957; *violacea* Petrovitz,1957; *palaestinensis* Petrovitz,1963 SY Hal TR IL Pa
536. **Amphicoma (Pygopleurus) anemoninus** (Brullé,1832) (Glaphyridae) Synonym(s): *anemoninus* Brullé,1832; *purpuricolle* Walth,1838; *chrysonota* Brullé,1832; *albopilosa* Petrovitz,1957; *pseudopsilotrichia* Petrovitz,1957 TR GR LB
537. **Amphicoma (Pygopleurus) angulatus** Fairmaire,1884 (Glaphyridae) Synonym(s): *angulatus* Fairmaire,1884 SY TR
538. **Amphicoma (Pygopleurus) basalis** Reitter,1890 (Glaphyridae) Synonym(s): *basalis* Reitter,1890; *purpurea* Petrovitz,1957 TR IQ IR
539. **Amphicoma (Pygopleurus) costatus** Petrovitz,1957 (Glaphyridae) Synonym(s): *costatus* Petrovitz,1957 TR
540. **Amphicoma (Pygopleurus) cyaneoviolaceus** Motschoulsky,1859 (Glaphyridae) Synonym(s): *psilotrichia* Walth,1838 *nec* Fald.,1835; *cyaneoviolaceus* Motschoulsky,1859; *versicolor* Baraud,1989 Cc TR

541. **Amphicoma (Pygopleurus) cyanescens (Reitter,1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter,1890; *bicolor* Petrovitz,1968 nec Wtl.,1838; *brunneipennis* Petrovitz,1968 **SY TR Cc**
542. **Amphicoma (Pygopleurus) demelti Petrovitz,1967** (Glaphyridae) Synonym(s): *demelti* Petrovitz,1967 **Amphicoma (Pygopleurus) demelti Petrovitz,1967, Annln naturh. Mus. Wien 70: 330-331. Holotype ♂: Türkiye, [Ankara Prov.]: Kızılcahamam lwg. Demelt (coll. Petrovitz). TR**
543. **Amphicoma (Pygopleurus) despectus Petrovitz,1957** (Glaphyridae) Synonym(s): *despectus* Petrovitz,1957; *orichalcia* Petrovitz,1962 **TR**
544. **Amphicoma (Pygopleurus) diffusus Petrovitz,1957** (Glaphyridae) Synonym(s): *diffusus* Petrovitz,1957 **BG TR**
545. **Amphicoma (Pygopleurus) distinctus Faldermann,1835** (Glaphyridae) Synonym(s): *distinctus* Faldermann,1835; *persica* Ganglbauer,1905 **TR IR**
546. **Amphicoma (Pygopleurus) foina (Reitter,1890)** (Glaphyridae) Synonym(s): *foina* Reitter,1890; *albopilosa* Petrovitz,1957; *atriplicis* Petrovitz,1957; *chalybeipennis* Petrovitz,1962 **GR Rd Cr TR**
547. **Amphicoma (Pygopleurus) gordyenensis Petrovitz,1971** (Glaphyridae) Synonym(s): *gordyenensis* Petrovitz,1971 **Amphicoma (Pygopleurus) gordyenensis Petrovitz,1971, Annln naturh. Mus. Wien 75: 571, fig. Holotype ♂: Hakkari, zw. Yüksekova u. Şemdinli, 24.5.1966, leg. Petrovitz. TR**
548. **Amphicoma (Pygopleurus) hirsutus (Brullé,1832)** (Glaphyridae) Synonym(s): *hirsutus* Brullé,1832; *suturangula* Reitter,1890 **YU GR TR**
549. **Amphicoma (Pygopleurus) humeralis (Brullé,1832)** (Glaphyridae) Synonym(s): *humeralis* Brullé,1832; *apicale* Wtl.,1838; *viridisuturata* Reitter,1903; *elegans* Balthasar,1931; *bogoevskii* Miksic,1955; *nigroapicalis* Petrovitz,1957; *obscurithotax* Miksic,1959; *petrovitzi* Miksic,1959; *isikdagensis* Petrovitz,1962; *rufa* Petrovitz,1972; *uniformis* Petrovitz,1972 **YU GR TR**
550. **Amphicoma (Pygopleurus) immundus (Reitter,1903)** (Glaphyridae) Synonym(s): *immundus* Reitter,1903; *distinguenda* Mucha,1963 **TR IR**
551. **Amphicoma (Pygopleurus) kareli Petrovitz,1962** (Glaphyridae) Synonym(s): *kareli* Petrovitz,1962 **TR**
552. **Amphicoma (Pygopleurus) koniae Petrovitz,1957** (Glaphyridae) Synonym(s): *koniae* Petrovitz,1957; *vulpoides* Petrovitz,1968 **TR**
553. **Amphicoma (Pygopleurus) labaumei Petrovitz,1971** (Glaphyridae) Synonym(s): *labaumei* Petrovitz,1971 **Amphicoma (Pygopleurus) [sic!] labaumei Petrovitz,1971, Annln naturh. Mus. Wien 75: 572-573, Abb. Holotype ♂: Türkiye, Seydiköy, İzmir iv.1917 (leg. La Baume). TR**
554. **Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957 **LB SY TR IL Pa**
555. **Amphicoma (Pygopleurus) lyciensis Petrovitz,1971** (Glaphyridae) Synonym(s): *lyciensis* Petrovitz,1971 **Amphicoma (Pygopleurus) lyciensis Petrovitz,1971, Annln naturh. Mus. Wien 75: 570, fig. Holotype ♂: Finike, leg. Petrovitz. TR**
556. **Amphicoma (Pygopleurus) madenensis Petrovitz,1968** (Glaphyridae) Synonym(s): *madenensis* Petrovitz,1968 **Amphicoma (Pygopleurus) madenensis Petrovitz,1968, Annln naturh. Mus. Wien 72: 471-472, Abb. Holotype ♂: Türkiye: Bulgarmaden Madenköy, 12-16.v.1965 leg. Petrovitz. TR**
557. **Amphicoma (Pygopleurus) medius Petrovitz,1957** (Glaphyridae) Synonym(s): *medius* Petrovitz,1957; *nigroapicalis* Petrovitz,1962 **TR**
558. **Amphicoma (Pygopleurus) mithridates Petrovitz,1962** (Glaphyridae) Synonym(s): *mithridates* Petrovitz,1962 **TR**
559. **Amphicoma (Pygopleurus) ottomanus Baraud,1989** (Glaphyridae) Synonym(s): *ottomanus* Baraud,1989 **TR**
560. **Amphicoma (Pygopleurus) ponticus Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz,1957 **TR SY IL Pa**
561. **Amphicoma (Pygopleurus) pseudomediis (Miksic,1964)** (Glaphyridae) Synonym(s): *pseudomediis* Miksic,1964 **TR**
562. **Amphicoma (Pygopleurus) psilotrichius Faldermann,1835** (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992 **TR Cc AZ AM IR**
563. **Amphicoma (Pygopleurus) resslı Petrovitz,1963** (Glaphyridae) Synonym(s): *ressli* Petrovitz,1963 **TR**
564. **Amphicoma (Pygopleurus) rufovillosus Reitter,1907** (Glaphyridae) Synonym(s): *rufovillosus* Reitter,1907; *nigropubescens* Petrovitz,1963; *pompa* Petrovitz,1963 **TR SY IQ**
565. **Amphicoma (Pygopleurus) sexualis Petrovitz,1968** (Glaphyridae) Synonym(s): *sexualis* Petrovitz,1968; *muliebris* Petrovitz,1968 **Amphicoma (Pygopleurus) sexualis Petrovitz,1968, Annln naturh. Mus. Wien 72: 472-473, figs. Holotype ♂: Türkiye: Van Prov. Kuscunkran 2265m 29.v.1966. TR**
566. **Amphicoma (Pygopleurus) simplex Petrovitz,1963** (Glaphyridae) Synonym(s): *simplex* Petrovitz,1963 **BG TR**
567. **Amphicoma (Pygopleurus) tristis Petrovitz,1968** (Glaphyridae) Synonym(s): *tristis* Petrovitz,1968 **Amphicoma (Pygopleurus) tristis Petrovitz,1968, Annln naturh. Mus. Wien 72: 469-470, Abb. Holotype ♂: Türkiye: Hakkari, Yüksekova 24.v.1966 leg. Petrovitz. TR IR**

568. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopezias* Pallas,1781; *hirta* Fabricius,1781; *vulpes* Fabricius,1792; *vulpecula* Truqui,1848; *pyrrhothrix* Dohrn,1885; *griseovillosa* Reitter,1903; *obscurithorax* Miksic,1955; *bogoevskii* Miksic,1955 **GR TR UA Cc RU KG**
569. **Amphicoma (Rudeulasia) anemurensis Petrovitz,1964** (Glaphyridae) Synonym(s): *anemurensis* Petrovitz,1964 **TR**
570. **Amphicoma (Rudeulasia) chalybaea Faldermann,1835** (Glaphyridae) Synonym(s): *chalybaea* Faldermann,1835; *adusta* Ganglbauer,1905; *brenskei* Reitter,1890; *apicipennis* Petrovitz,1968; *brunneipennis* Petrovitz,1968; *coeruleipennis* Petrovitz,1968 **Cc IR TR**
571. **Amphicoma (Rudeulasia) eiselti Petrovitz,1967** (Glaphyridae) Synonym(s): *eiselti* Petrovitz,1967 **Amphicoma (Eulasia) eiselti Petrovitz,1967, Annl. naturh. Mus. Wien 70: 331-332. Holotype ♂: Türkiye: Fethiye, Kestep (in coll. mus. vindob). TR**
572. **Amphicoma (Rudeulasia) fastuosa Reitter,1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter,1890; *heydeni* Reitter,1890; *pretiosa* Reitter,1890; *semicyanea* Reitter,1890; *reitteri* Ganglbauer,1905; *cyanea* Petrovitz,1962 **TR SY LB IL Pa**
573. **Amphicoma (Rudeulasia) harmonia (Petrovitz,1968)** (Glaphyridae) Synonym(s): *#harmonia* Petrovitz,1962; *#maculata* Petrovitz,1962; *harmonia* Petrovitz,1968; *purpurea* Petrovitz,1968 **Amphicoma (Eulasia) harmonia Petrovitz,1968, Annl. naturh. Mus. Wien 72: 474-475, Abb. Holotype ♂: Türkiye, Hatay, Amanusgebirge, Topboğazi u. Nurdağ tepesi. TR JO**
574. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter,1890; *agricola* Reitter,1890; *ithae* Reitter,1903 **AM Cc TR SY**
575. **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896 **JO TR SY IL Pa**
576. **Amphicoma (Rudeulasia) pulchra (Reitter,1890)** (Glaphyridae) Synonym(s): *pulchra* Reitter,1890; *kurdistan* Petrovitz,1968 **AM Cc TR IR**
577. **Amphicoma (Rudeulasia) speciosa Champenois,1900** (Glaphyridae) Synonym(s): *speciosa* Champenois,1900 **TR IR SY**
578. **Amphicoma (Rudeulasia) straussi Ganglbauer,1905** (Glaphyridae) Synonym(s): *straussi* Ganglbauer,1905; *#viridis* Petrovitz,1968 **IR IQ TR**
579. **Amphicoma (Vittateulasia) pareyssei (Brullé,1832)** (Glaphyridae) Synonym(s): *pareyssei* Brullé,1832; *lasserei* Germar,1834 **GR YU TR**
580. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Waltl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysur* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysur* Miksic,1960; *persica* Petrovitz,1963 **SY BG GR Rd TR IR**
581. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae) Synonym(s): *mirabilis* Martynov,1928 **Cc TR IR AF Ch**
582. **Amphinemura standfussi (Ris,1902)** (Nemouridae) Synonym(s): *standfussi* Ris,1902; *palmeni* Kpopen,1917; *osorioi* Navas,1929; *vicina* Navas,1932 **TR**
583. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae) Synonym(s): *trialectica* Zhiltzova,1957 **TR Cc**
584. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 **RU KG IL Pa IR Ss TR EG**
585. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus* Loew,1856 **Cc RU GR ES IL Pa TR IR Fa Kz AF**
586. **Anacaena limbata (Fabricius,1792)** (Hydrophilidae) Synonym(s): *limbata* Fabricius,1792 **TR**
587. **Anacaena rufipes (Guillebeau,1896)** (Hydrophilidae) Synonym(s): *rufipes* Guillebeau,1896 **TR**
588. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
589. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 **AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU**
590. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *fieberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
591. **Anaceratagallia tianshanica (Dubovsky,1970)** (Cicadellidae) Synonym(s): *tianshanica* Dubovsky,1970 **KK IR TR**
592. **Anachalcis major Boucek,1952** (Chalcididae) Synonym(s): *major* Boucek,1952 **Anachalcis major Boucek,1952, Sbor. Ent. Odd. Nar. Mus. Praze 27 (suppl.1): 205. Type: Turkey. TR**
593. **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951 **BG Cc GR MK YU TR**
594. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 **Gryllus aegyptium**

- Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
595. **Anadolua burri Karabağ,1952** (Tettigoniidae) Synonym(s): *burri Karabağ,1952* TR
596. **Anadolua davisii Karabağ,1952** (Tettigoniidae) Synonym(s): *davisii Karabağ,1952* TR
597. **Anadolua rammei Karabağ,1952** (Tettigoniidae) Synonym(s): *rammei Karabağ,1952* TR
598. **Anadolua schwarzi Ramme,1939** (Tettigoniidae) Synonym(s): *schwarzi Ramme,1939* TR
599. **Anadrymadusa adzharica (Uvarov,1934)** (Tettigoniidae) Synonym(s): *adzharica Uvarov,1934* TR
600. **Anadrymadusa albomaculata (Karabağ,1956)** (Tettigoniidae) Synonym(s): *albomaculata Karabağ,1956* TR
601. **Anadrymadusa brevipennis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *brevipennis Brunner von Wattenwyl,1882* TR
602. **Anadrymadusa curvicercis (Uvarov,1916)** (Tettigoniidae) Synonym(s): *curvicercis Uvarov,1916* TR
603. **Anadrymadusa kosswigi Karabağ,1975** (Tettigoniidae) Synonym(s): *#kosswigi Karabağ,1975* TR
604. **Anadrymadusa ornatipennis (Ramme,1926)** (Tettigoniidae) Synonym(s): *ornatipennis Ramme,1926* TR
605. **Anadrymadusa recticauda (Werner,1903)** (Tettigoniidae) Synonym(s): *recticauda Werner,1903* TR
606. **Anadrymadusa spinicercis (Karabağ,1956)** (Tettigoniidae) Synonym(s): *spinicercis Karabağ,1956* TR
607. **Anaglyptus arabicus (Küster,1847)** (Cerambycidae) Synonym(s): *arabicus Küster,1847* Cc GG AZ AM TR IR
608. **Anaglyptus ganglbaueri Reitter,1886** (Cerambycidae) Synonym(s): *ganglbaueri Reitter,1886* Cc AZ TR IR
609. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus Linnaeus,1758* DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
610. **Anagrus atomus (Linnaeus)** (Mymaridae) Synonym(s): TR
611. **Anagrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans Noyes,2000* TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
612. **Anagrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis Mercet,1921; orbitalis Ruschka,1923* AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
613. **Anagrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
614. **Anagrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928* TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
615. **Anaphes diana (Girault)** (Mymaridae) Synonym(s): TR
616. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus Ratzeburg,1848* TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
617. **Anaprostocetus ankarensis Gençer,2009** (Eulophidae) Synonym(s): *ankarensis Gençer,2009* **Anaprostocetus ankarensis Gençer,2009, Ent. fenn. 20 (4): 225-227.** TR
618. **Anapulvinaria pistaciae (Bodenheimer)** (Coccidae) Synonym(s): *pistaciae Bodenheimer* TR
619. **Anarolius fronto Loew,1873** (Asilidae) Synonym(s): *fronto Loew,1873* RU KG TR
620. **Anarolius jamshidi Abbassian-Lintzen,1964** (Asilidae) Synonym(s): *jamshidi Abbassian-Lintzen,1964* IR Elb Th TR
621. **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus Loew,1844* Cc RU GR TR IR Th Elb AZ AM GG
622. **Anastatus bifasciatus (Geoffroy)** (Eupelmidae) Synonym(s): TR
623. **Anastoechus araxis Paramonov,1926** (Bombyliidae) Synonym(s): *araxis Paramonov,1926; nigrisetosus Paramonov,1926* TR Cc AM IR
624. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
625. **Anastrangalia Casey,1924** (Cerambycidae) Synonym(s): *Anastrangalia Casey,1924* TR
626. **Anastrangalia dubia (Scopoli,1763)** (Cerambycidae) Synonym(s): *dubia Scopoli,1763* Cc IR TR DZ CZ SK
627. **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *montana Mulsant & Rey,1863* SY TR GR Cr
628. **Anastrangalia sanguinolenta (Linnaeus,1761)** (Cerambycidae) Synonym(s): *sanguinolenta Linnaeus,1761* TR Cc

629. **Anatella concava Plassmann,1990** (Mycetophilidae) Synonym(s): *concava Plassmann,1990*; *longiflagellata Caspers,1991* TR
630. **Anatolodus ignavus (Dlabola,1981)** (Issidae) Synonym(s): *ignavus Dlabola,1981* TR
631. **Anatolodus musivus Dlabola,1982** (Issidae) Synonym(s): *musivus Dlabola,1982* TR
632. **Anax immaculifrons Rambur,1842** (Aeshnidae) Synonym(s): *immaculifrons Rambur,1842* TR LB Bei IL Pa
633. **Anax imperator Leach,1815** (Aeshnidae) Synonym(s): *imperator Leach,1815* TR GR
634. **Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): *parthenope Selys,1839*; *#partenope Demirsoy,1982* TR IT Cc AZ Len CY
635. **Ancistrocerus antelope (Panzer,1789)** (Vespidae) Synonym(s): *antelope Panzer,1789* TR
636. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae) Synonym(s): *auctus Fabricius,1793* FR IQ IL Pa JO Pet Amm TR
637. **Ancistrocerus claripennis Thomson,1874** (Vespidae) Synonym(s): *claripennis Thomson,1874*; *ponticus Giordani & Soika,1970* TR
638. **Ancistrocerus dusmetiolus (Strand,1914)** (Vespidae) Synonym(s): *dusmetiolus Strand,1914* TR
639. **Ancistrocerus gazella (Panzer,1798)** (Vespidae) Synonym(s): *gazella Panzer,1798* DE TR
640. **Ancistrocerus nigricornis (Curtis,1826)** (Vespidae) Synonym(s): *nigricornis Curtis,1826* TR
641. **Ancistrocerus oviventris (Wesmael,1836)** (Vespidae) Synonym(s): *oviventris Wesmael,1836* TR
642. **Ancistrocerus parietinus (Linnaeus,1761)** (Vespidae) Synonym(s): *parietinus Linnaeus,1761* TR
643. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae) Synonym(s): *parietum Linnaeus,1758* TR
644. **Ancistrocerus scoticus (Curtis,1826)** (Vespidae) Synonym(s): *scoticus Curtis,1826* GB TR
645. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni Bach,1852* TR AT CZ FR DE HU IT PL RO SK SS CH UA
646. **Ancistrura nigrovittata (Brunner von Wattenwyl,1878)** (Tettigoniidae) Synonym(s): *nigrovittata Brunner von Wattenwyl,1878*; *truncata Uvarov,1921*; *kinzelbachi Harz,1975* YU MK TR
647. **Ancylorhynchus brussensis (Schiner,1867)** (Asilidae) Synonym(s): *brussensis Schiner,1867* GR TR
648. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius Rossi,1790*; *variegatus Wiedemann,1818*; *pictus Wiedemann,1821* AT AL FR GR IT RO TR YU KG SR IL Pa
649. **Ancylorhynchus longicornis (Schiner,1867)** (Asilidae) Synonym(s): *longicornis Schiner,1867* IT GR TR
650. **Ancyrosoma leucogrammes (Gmelin,1790)** (Pentatomidae) Synonym(s): *leucogrammes Gmelin,1790* TR
651. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787*; *geometricus Burmeister,1835*; *aliena Westwood,1837*; *cinctum Montrouzer,1858*; *aculeata Ellenreider,1862*; *ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
652. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis Morawitz,1874* PL SS MK GR BG IT Sa CY TR TM AM Cc
653. **Andrena (Brachyandrena) pinguis Ariana et al.,2009** (Andrenidae) Synonym(s): *pinguis Ariana et al.,2009* TR
654. **Andrena (Notandrena) selcuki Schechl & Hazır,2008** (Andrenidae) Synonym(s): *selcuki Schechl & Hazır,2008* **Andrena (Notandrena) selcuki Schechl & Hazır,2008, Zootaxa 1763: 63-66.** TR
655. **Andrena abbreviata Warncke,1972** (Andrenidae) Synonym(s): *abbreviata Warncke,1972* TR
656. **Andrena acerba Warncke,1967** (Andrenidae) Synonym(s): *acerba Warncke,1967* TR
657. **Andrena aciculata Morawitz,1886** (Andrenidae) Synonym(s): *aciculata Morawitz,1886* TR
658. **Andrena acrana Warncke,1967** (Andrenidae) Synonym(s): *acrana Warncke,1967* TR
659. **Andrena aeneiventris Morawitz,1872** (Andrenidae) Synonym(s): *aeneiventris Morawitz,1872* TR
660. **Andrena albopicta Radoszkowski,1874** (Andrenidae) Synonym(s): *albopicta Radoszkowski,1874* TR
661. **Andrena alfenella Perkins,1914** (Andrenidae) Synonym(s): *alfenella Perkins,1914* TR
662. **Andrena alfenelloides Warncke,1965** (Andrenidae) Synonym(s): *alfenelloides Warncke,1965* TR
663. **Andrena allosa** (Andrenidae) Synonym(s): TR
664. **Andrena anatolica Alfken,1935** (Andrenidae) Synonym(s): *anatolica Alfken,1935* TR
665. **Andrena apiformis Kriechbaumer,1873** (Andrenidae) Synonym(s): *apiformis Kriechbaumer,1873* TR
666. **Andrena argentata Smith,1844** (Andrenidae) Synonym(s): *argentata Smith,1844* TR
667. **Andrena asiatica Friese,1921** (Andrenidae) Synonym(s): *asiatica Friese,1921* TR

668. **Andrena assimilis Radoszkowski,1876** (Andrenidae) Synonym(s): *assimilis Radoszkowski,1876* TR
669. **Andrena astica Warncke,1967** (Andrenidae) Synonym(s): *astica Warncke,1967* TR
670. **Andrena athenensis Warncke,1965** (Andrenidae) Synonym(s): *athenensis Warncke,1965* TR
671. **Andrena atrotegularis Hedicke,1923** (Andrenidae) Synonym(s): *atrotegularis Hedicke,1923* TR
672. **Andrena barbilabris (Kirby,1802)** (Andrenidae) Synonym(s): TR
673. **Andrena biarmica Warncke,1975** (Andrenidae) Synonym(s): TR
674. **Andrena bicolor Fabricius,1775** (Andrenidae) Synonym(s): TR
675. **Andrena bicolorata (Rossi,1790)** (Andrenidae) Synonym(s): TR
676. **Andrena biguttata Friese,1922** (Andrenidae) Synonym(s): TR
677. **Andrena bimaculata (Kirby,1802)** (Andrenidae) Synonym(s): TR
678. **Andrena bisulcata Morawitz,1878** (Andrenidae) Synonym(s): TR
679. **Andrena bonasia Warncke,1969** (Andrenidae) Synonym(s): TR
680. **Andrena butea Warncke,1966** (Andrenidae) Synonym(s): TR
681. **Andrena calandra Warncke,1975** (Andrenidae) Synonym(s): *calandra Warncke,1975* TR
682. **Andrena caneae Strand,1915** (Andrenidae) Synonym(s): *caneae Strand,1915* TR
683. **Andrena canohirta (Friese,1922)** (Andrenidae) Synonym(s): *canohirta Friese,1922* TR
684. **Andrena cantiaca Warncke,1975** (Andrenidae) Synonym(s): *cantiaca Warncke,1975* TR
685. **Andrena canuta Warncke,1975** (Andrenidae) Synonym(s): *canuta Warncke,1975* TR
686. **Andrena caprimulga Warncke,1975** (Andrenidae) Synonym(s): *caprimulga Warncke,1975* TR
687. **Andrena cara** (Andrenidae) Synonym(s): TR
688. **Andrena carbonaria (Linnaeus,1767)** (Andrenidae) Synonym(s): *carbonaria Linnaeus,1767* TR
689. **Andrena castanea Warncke,1975** (Andrenidae) Synonym(s): *castanea Warncke,1975* TR
690. **Andrena caudata Warncke,1966** (Andrenidae) Synonym(s): TR
691. **Andrena chrysopus Perez,1903** (Andrenidae) Synonym(s): TR
692. **Andrena chrysopyga Schenck,1853** (Andrenidae) Synonym(s): TR
693. **Andrena ciconia Warncke,1975** (Andrenidae) Synonym(s): TR
694. **Andrena cinerea Brulle,1832** (Andrenidae) Synonym(s): TR
695. **Andrena cinereophila Warncke,1965** (Andrenidae) Synonym(s): TR
696. **Andrena cinnamomea Warncke,1975** (Andrenidae) Synonym(s): TR
697. **Andrena citrinella Warncke,1967** (Andrenidae) Synonym(s): TR
698. **Andrena clusia Warncke,1966** (Andrenidae) Synonym(s): TR
699. **Andrena clypeata Brulle,1832** (Andrenidae) Synonym(s): TR
700. **Andrena coitana** (Andrenidae) Synonym(s): TR
701. **Andrena combaella Warncke,1966** (Andrenidae) Synonym(s): TR
702. **Andrena combinata** (Andrenidae) Synonym(s): TR
703. **Andrena concinna** (Andrenidae) Synonym(s): TR
704. **Andrena congruens Schmiedeknecht,1883** (Andrenidae) Synonym(s): TR
705. **Andrena cordialis Morawitz,1878** (Andrenidae) Synonym(s): TR
706. **Andrena coromanda Warncke,1975** (Andrenidae) Synonym(s): TR
707. **Andrena crassana Warncke,1965** (Andrenidae) Synonym(s): TR
708. **Andrena crispa Warncke,1975** (Andrenidae) Synonym(s): TR
709. **Andrena crypta Warncke,1975** (Andrenidae) Synonym(s): TR
710. **Andrena cubiceps Friese,1914** (Andrenidae) Synonym(s): TR
711. **Andrena cubicepsella Warncke,1975** (Andrenidae) Synonym(s): TR
712. **Andrena curiosa (Morawitz,1878)** (Andrenidae) Synonym(s): TR
713. **Andrena curvungula Thomson,1870** (Andrenidae) Synonym(s): TR
714. **Andrena cussariensis Morawitz,1886** (Andrenidae) Synonym(s): TR
715. **Andrena cypria Pittioni,1950** (Andrenidae) Synonym(s): TR
716. **Andrena dauma Warncke,1969** (Andrenidae) Synonym(s): TR
717. **Andrena decipiens Schenck,1859** (Andrenidae) Synonym(s): TR
718. **Andrena dentiventris Morawitz,1873** (Andrenidae) Synonym(s): TR
719. **Andrena derbentina Morawitz,1886** (Andrenidae) Synonym(s): TR
720. **Andrena dorsalis Brulle,1832** (Andrenidae) Synonym(s): TR
721. **Andrena dorsata (Kirby,1802)** (Andrenidae) Synonym(s): TR
722. **Andrena dubiosa Kohl,1905** (Andrenidae) Synonym(s): TR
723. **Andrena elegans Giraund,1863** (Andrenidae) Synonym(s): TR
724. **Andrena enslinella Stöckhert,1924** (Andrenidae) Synonym(s): TR
725. **Andrena erberi Morawitz,1872** (Andrenidae) Synonym(s): TR

726. *Andrena erythrocnemis* Morawitz,1870 (Andrenidae) Synonym(s): TR
727. *Andrena exquisita* Warncke,1975 (Andrenidae) Synonym(s): TR
728. *Andrena fabalis* Warncke,1966 (Andrenidae) Synonym(s): TR
729. *Andrena falcinella* Warncke,1969 (Andrenidae) Synonym(s): TR
730. *Andrena ferox* Smith,1847 (Andrenidae) Synonym(s): TR
731. *Andrena figurata* Morawitz,1866 (Andrenidae) Synonym(s): TR
732. *Andrena flavipes* Panzer,1799 (Andrenidae) Synonym(s): TR
733. *Andrena flavobila* Warncke,1975 (Andrenidae) Synonym(s): TR
734. *Andrena florea* (Andrenidae) Synonym(s): TR
735. *Andrena floricola* Eversmann,1852 (Andrenidae) Synonym(s): TR
736. *Andrena florivaga* Eversmann,1852 (Andrenidae) Synonym(s): TR
737. *Andrena forsterella* Osytshnjuk,1978 (Andrenidae) Synonym(s): TR
738. *Andrena fratercula* Warncke,1975 (Andrenidae) Synonym(s): TR
739. *Andrena fucata* Smith,1847 (Andrenidae) Synonym(s): TR
740. *Andrena fuligula* Warncke,1966 (Andrenidae) Synonym(s): TR
741. *Andrena fulvago* (Christ,1791) (Andrenidae) Synonym(s): TR
742. *Andrena fulvitaris* Brulle,1832 (Andrenidae) Synonym(s): TR
743. *Andrena fuscolcarata* Morawitz,1878 (Andrenidae) Synonym(s): TR
744. *Andrena fuscata* Erichson,1835 (Andrenidae) Synonym(s): TR
745. *Andrena galbula* Warncke,1975 (Andrenidae) Synonym(s): TR
746. *Andrena gallinula* Warncke,1975 (Andrenidae) Synonym(s): TR
747. *Andrena garrula* Warncke,1965 (Andrenidae) Synonym(s): TR
748. *Andrena garzetta* Warncke,1975 (Andrenidae) Synonym(s): TR
749. *Andrena gazella* Friese,1922 (Andrenidae) Synonym(s): TR
750. *Andrena gelriae* vd Vecht,1927 (Andrenidae) Synonym(s): TR
751. *Andrena glabriventris* Alfken,1935 (Andrenidae) Synonym(s): TR
752. *Andrena glandaria* Warncke,1975 (Andrenidae) Synonym(s): TR
753. *Andrena glareola* Warncke,1969 (Andrenidae) Synonym(s): TR
754. *Andrena glidia* Warncke,1965 (Andrenidae) Synonym(s): TR
755. *Andrena gordia* Warncke,1975 (Andrenidae) Synonym(s): TR
756. *Andrena grandilabris* Perez,1903 (Andrenidae) Synonym(s): TR
757. *Andrena gravida* Imhoff,1832 (Andrenidae) Synonym(s): TR
758. *Andrena griseigena* Warncke,1975 (Andrenidae) Synonym(s): TR
759. *Andrena gunaca* Warncke,1975 (Andrenidae) Synonym(s): TR
760. *Andrena haemorrhoea* (Fabricius,1781) (Andrenidae) Synonym(s): *haemorrhoea*
Fabricius,1781 TR
761. *Andrena helvola* (Linnaeus,1758) (Andrenidae) Synonym(s): *helvola* Linnaeus,1758 TR
762. *Andrena henotica* Warncke,1975 (Andrenidae) Synonym(s): *henotica* Warncke,1975 TR
763. *Andrena hesperia* Smith,1853 (Andrenidae) Synonym(s): *hesperia* Smith,1853 TR
764. *Andrena hibernica* Warncke,1975 (Andrenidae) Synonym(s): *hibernica* Warncke,1975 TR
765. *Andrena hova* Warncke,1975 (Andrenidae) Synonym(s): *hova* Warncke,1975 TR
766. *Andrena humabilis* Warncke,1965 (Andrenidae) Synonym(s): *humabilis* Warncke,1965 TR
767. *Andrena hybrida* Warncke,1975 (Andrenidae) Synonym(s): *hybrida* Warncke,1975 TR
768. *Andrena hyemala* Warncke,1973 (Andrenidae) Synonym(s): *hyemala* Warncke,1973 TR
769. *Andrena hystrix* (Andrenidae) Synonym(s): TR
770. *Andrena immaculata* Warncke,1975 (Andrenidae) Synonym(s): TR
771. *Andrena impunctata* Perez,1895 (Andrenidae) Synonym(s): TR
772. *Andrena incisa* Eversmann,1852 (Andrenidae) Synonym(s): TR
773. *Andrena incognita* Warncke,1975 (Andrenidae) Synonym(s): TR
774. *Andrena induta* Morawitz,1895 (Andrenidae) Synonym(s): TR
775. *Andrena intermedia* Thomson,1870 (Andrenidae) Synonym(s): TR
776. *Andrena isabellina* Warncke,1969 (Andrenidae) Synonym(s): TR
777. *Andrena ispida* Warncke,1966 (Andrenidae) Synonym(s): TR
778. *Andrena janthina* Warncke,1975 (Andrenidae) Synonym(s): TR
779. *Andrena kilikiae* Warncke,1969 (Andrenidae) Synonym(s): TR
780. *Andrena konyella* Warncke,1975 (Andrenidae) Synonym(s): TR
781. *Andrena kurda* Warncke,1975 (Andrenidae) Synonym(s): TR
782. *Andrena labialis* (Kirby,1802) (Andrenidae) Synonym(s): *labialis* Kirby,1802; *megala*
Warncke,1975 TR
783. *Andrena labiata* Fabricius,1781 (Andrenidae) Synonym(s): TR
784. *Andrena lamiana* Warncke,1965 (Andrenidae) Synonym(s): TR
785. *Andrena lateralis* Morawitz,1876 (Andrenidae) Synonym(s): TR
786. *Andrena lathyri* Alfken,1899 (Andrenidae) Synonym(s): TR

787. *Andrena laticeps* Morawitz,1876 (Andrenidae) Synonym(s): TR
788. *Andrena lepida* Schenck,1861 (Andrenidae) Synonym(s): TR
789. *Andrena limata* Smith,1853 (Andrenidae) Synonym(s): TR
790. *Andrena limbata* Eversmann,1852 (Andrenidae) Synonym(s): TR
791. *Andrena lunata* Warncke,1975 (Andrenidae) Synonym(s): TR
792. *Andrena luscini*a Warncke,1975 (Andrenidae) Synonym(s): TR
793. *Andrena magna* Warncke,1965 (Andrenidae) Synonym(s): TR
794. *Andrena magunta* Warncke,1965 (Andrenidae) Synonym(s): TR
795. *Andrena marginata* Fabricius,1776 (Andrenidae) Synonym(s): TR
796. *Andrena medeninensis* Warncke,1965 (Andrenidae) Synonym(s): TR
797. *Andrena melanota* Warncke,1975 (Andrenidae) Synonym(s): TR
798. *Andrena melba* Warncke,1966 (Andrenidae) Synonym(s): TR
799. *Andrena melittoides* Friese,1899 (Andrenidae) Synonym(s): TR
800. *Andrena merula* Warncke,1969 (Andrenidae) Synonym(s): TR
801. *Andrena minutula* (Kirby,1802) (Andrenidae) Synonym(s): TR
802. *Andrena minutuloides* Perkins,1914 (Andrenidae) Synonym(s): TR
803. *Andrena mitis* Schmiedeknecht,1883 (Andrenidae) Synonym(s): TR
804. *Andrena mollissima* Warncke,1975 (Andrenidae) Synonym(s): TR
805. *Andrena monacha* Warncke,1965 (Andrenidae) Synonym(s): TR
806. *Andrena mongolica* Morawitz,1880 (Andrenidae) Synonym(s): TR
807. *Andrena monilia* Warncke,1967 (Andrenidae) Synonym(s): TR
808. *Andrena morinella* Warncke,1975 (Andrenidae) Synonym(s): TR
809. *Andrena morio* Brullé,1832 (Andrenidae) Synonym(s): TR
810. *Andrena mucida* Kriechbaumer,1873 (Andrenidae) Synonym(s): TR
811. *Andrena najadana* Warncke,1975 (Andrenidae) Synonym(s): TR
812. *Andrena nasuta* Giraud,1863 (Andrenidae) Synonym(s): TR
813. *Andrena nisor*a Warncke,1969 (Andrenidae) Synonym(s): TR
814. *Andrena nitida* (Müller,1776) (Andrenidae) Synonym(s): TR
815. *Andrena nitidiuscula* Schenck,1853 (Andrenidae) Synonym(s): TR
816. *Andrena niveata* (Friese,1887) (Andrenidae) Synonym(s): TR
817. *Andrena nobilis* Morawitz,1873 (Andrenidae) Synonym(s): TR
818. *Andrena nubica* Warncke,1975 (Andrenidae) Synonym(s): TR
819. *Andrena nucleola* Warncke,1972 (Andrenidae) Synonym(s): TR
820. *Andrena ocreata* (Christ,1791) (Andrenidae) Synonym(s): TR
821. *Andrena oedicnema* Warncke,1975 (Andrenidae) Synonym(s): TR
822. *Andrena oenas* Warncke,1975 (Andrenidae) Synonym(s): TR
823. *Andrena oralis* Morawitz,1876 (Andrenidae) Synonym(s): TR
824. *Andrena oulskii* Radoszkowski,1867 (Andrenidae) Synonym(s): TR
825. *Andrena ovatula* (Kirby,1802) (Andrenidae) Synonym(s): TR
826. *Andrena oxyura* Warncke,1975 (Andrenidae) Synonym(s): TR
827. *Andrena paganettina* Warncke,1965 (Andrenidae) Synonym(s): TR
828. *Andrena pagophila* Warncke,1975 (Andrenidae) Synonym(s): TR
829. *Andrena pallidicincta* Brullé,1832 (Andrenidae) Synonym(s): TR
830. *Andrena paradisaea* Warncke,1975 (Andrenidae) Synonym(s): TR
831. *Andrena parviceps* Kriechbaumer,1873 (Andrenidae) Synonym(s): TR
832. *Andrena phoenicura* Warncke,1975 (Andrenidae) Synonym(s): TR
833. *Andrena platalea* Warncke,1975 (Andrenidae) Synonym(s): TR
834. *Andrena polita* Smith,1847 (Andrenidae) Synonym(s): TR
835. *Andrena pontica* Warncke,1972 (Andrenidae) Synonym(s): TR
836. *Andrena probata* Warncke,1972 (Andrenidae) Synonym(s): TR
837. *Andrena proxima* (Kirby,1802) (Andrenidae) Synonym(s): TR
838. *Andrena puffina* Warncke,1975 (Andrenidae) Synonym(s): TR
839. *Andrena pulicaria* Warncke,1975 (Andrenidae) Synonym(s): TR
840. *Andrena punctatissima* Morawitz,186 (Andrenidae) Synonym(s): TR
841. *Andrena purpureomicans* Alfken,1935 (Andrenidae) Synonym(s): TR
842. *Andrena pyropygia* Kriechbaumer,1873 (Andrenidae) Synonym(s): TR
843. *Andrena pyrozonata* Friese,1921 (Andrenidae) Synonym(s): TR
844. *Andrena quadrimaculata* Friese,1921 (Andrenidae) Synonym(s): TR
845. *Andrena querquedula* Warncke,1975 (Andrenidae) Synonym(s): TR
846. *Andrena ramlehiana* Perez,1903 (Andrenidae) Synonym(s): TR
847. *Andrena ranunculorum* Morawitz,1878 (Andrenidae) Synonym(s): TR
848. *Andrena recurvirostra* Warncke,1975 (Andrenidae) Synonym(s): TR

849. *Andrena rosae* Panzer,1801 (Andrenidae) Synonym(s): TR
850. *Andrena rotundiabris* Morawitz,1878 (Andrenidae) Synonym(s): TR
851. *Andrena rufomacula* Friese,1921 (Andrenidae) Synonym(s): TR
852. *Andrena rufula* Schmiedeknecht,1883 (Andrenidae) Synonym(s): TR
853. *Andrena rugothorace* Warncke,1965 (Andrenidae) Synonym(s): TR
854. *Andrena rugulosa* Stöckhert,1935 (Andrenidae) Synonym(s): TR
855. *Andrena rusticola* Warncke,1975 (Andrenidae) Synonym(s): TR
856. *Andrena saettana* Warncke,1975 (Andrenidae) Synonym(s): TR
857. *Andrena saturata* Warncke,1975 (Andrenidae) Synonym(s): TR
858. *Andrena saxonica* Stöckhert,1935 (Andrenidae) Synonym(s): TR
859. *Andrena schencki* Morawitz,1866 (Andrenidae) Synonym(s): TR
860. *Andrena schlettereri* Friese,1896 (Andrenidae) Synonym(s): TR
861. *Andrena schwarzi* Warncke,1975 (Andrenidae) Synonym(s): TR
862. *Andrena scita* Eversmann,1852 (Andrenidae) Synonym(s): TR
863. *Andrena sedentaria* Warncke,1975 (Andrenidae) Synonym(s): TR
864. *Andrena seitzii* Alfken,1935 (Andrenidae) Synonym(s): TR
865. *Andrena seminuda* Friese,1896 (Andrenidae) Synonym(s): TR
866. *Andrena semirubra* Morawitz,1876 (Andrenidae) Synonym(s): TR
867. *Andrena sericata* Imhoff,1866 (Andrenidae) Synonym(s): TR
868. *Andrena serraticornis* Warncke,1965 (Andrenidae) Synonym(s): TR
869. *Andrena sexguttata* Morawitz,1878 (Andrenidae) Synonym(s): TR
870. *Andrena sillata* Warncke,1975 (Andrenidae) Synonym(s): TR
871. *Andrena sobrina* Warncke,1975 (Andrenidae) Synonym(s): TR
872. *Andrena solitaria* Warncke,1975 (Andrenidae) Synonym(s): TR
873. *Andrena soror* Dours,1872 (Andrenidae) Synonym(s): TR
874. *Andrena stellaris* Warncke,1966 (Andrenidae) Synonym(s): TR
875. *Andrena stolidata* Warncke,1975 (Andrenidae) Synonym(s): TR
876. *Andrena stöckhertella* Pittioni,1948 (Andrenidae) Synonym(s): TR
877. *Andrena strepera* Warncke,1975 (Andrenidae) Synonym(s): TR
878. *Andrena symphyti* Schmiedeknecht,1883 (Andrenidae) Synonym(s): TR
879. *Andrena synadelpha* Perkins,1914 (Andrenidae) Synonym(s): TR
880. *Andrena taprobana* Warncke,1975 (Andrenidae) Synonym(s): TR
881. *Andrena taraxaci* Giraud,1861 (Andrenidae) Synonym(s): TR
882. *Andrena tenuiformis* Pittioni,1950 (Andrenidae) Synonym(s): TR
883. *Andrena tenuis* Morawitz,1878 (Andrenidae) Synonym(s): TR
884. *Andrena testacea* Warncke,1975 (Andrenidae) Synonym(s): TR
885. *Andrena thomsoni* Ducke,1898 (Andrenidae) Synonym(s): TR
886. *Andrena tibialis* (Kirby,1802) (Andrenidae) Synonym(s): TR
887. *Andrena toelgiana* Friese,1921 (Andrenidae) Synonym(s): TR
888. *Andrena tomora* Warncke,1975 (Andrenidae) Synonym(s): TR
889. *Andrena torda* Warncke,1966 (Andrenidae) Synonym(s): TR
890. *Andrena transitoria* Morawitz,1872 (Andrenidae) Synonym(s): TR
891. *Andrena trimmerana* (Kirby,1802) (Andrenidae) Synonym(s): TR
892. *Andrena tringa* Warncke,1973 (Andrenidae) Synonym(s): TR
893. *Andrena trodica* Warncke,1975 (Andrenidae) Synonym(s): TR
894. *Andrena tscheki* Morawitz,1872 (Andrenidae) Synonym(s): TR
895. *Andrena ulula* Warncke,1969 (Andrenidae) Synonym(s): TR
896. *Andrena ungeri* Mavromoustakis,1952 (Andrenidae) Synonym(s): TR
897. *Andrena variabilis* Smith,1853 (Andrenidae) Synonym(s): *variabilis* Smith,1853 TR
898. *Andrena venerabilis* Alfken,1935 (Andrenidae) Synonym(s): *venerabilis* Alfken,1935 TR
899. *Andrena ventralis* Imhoff,1832 (Andrenidae) Synonym(s): *ventralis* Imhoff,1832 TR
900. *Andrena ventricosa* Dours,1873 (Andrenidae) Synonym(s): *ventricosa* Dours,1873 TR
901. *Andrena vetula* Lepeletier,1841 (Andrenidae) Synonym(s): TR
902. *Andrena virgata* Warncke,1975 (Andrenidae) Synonym(s): TR
903. *Andrena volka* Warncke,1969 (Andrenidae) Synonym(s): TR
904. *Andrena wilhelmi* Schuberth,1995 (Andrenidae) Synonym(s): TR
905. *Andrena wilkella* (Kirby,1802) (Andrenidae) Synonym(s): TR
906. *Andrena yelkouan* Warncke,1975 (Andrenidae) Synonym(s): TR
907. *Andrena zosterata* Warncke,1975 (Andrenidae) Synonym(s): TR
908. *Andrenosoma albibarbe* (Meigen,1820) (Asilidae) Synonym(s): *albibarbe* Meigen,1820;
adustiventris Costa,1863; *erythrurum* Loew,1847 DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
909. *Andrenosoma atrum* (Linnaeus,1758) (Asilidae) Synonym(s): *atrum* Linnaeus,1758;
prostratum Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR

910. **Andrenosoma cornuta Oldroyd,1972** (Asilidae) Synonym(s): *cornuta Oldroyd,1972* GR TR
911. **Andrenosoma serratum Hermann,1906** (Asilidae) Synonym(s): *serratum Hermann,1906* TR IR Elb Se
912. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus Giraud,1859* IT SI AT SK CZ HU UA MD RO BG GR TR
913. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti Giraud,1859; giraudianus Dalla Torre & Kieffer,1910* *Andricus amenti Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361.* ES GB FR DE AT HU IT MD BG GR TR
914. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries Giraud,1859* GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
915. **Andricus askewi Melika & Stone,2001** (Cynipidae) Synonym(s): *askewi Melika & Stone,2001* *Andricus askewi Melika & Stone,2001, Folia ent. hung. 62: 127-130, 6 figs. Holotype ♀: Turkey, 75km S of Trabzon, Kalkanlı dağları (BMNH).* TR
916. **Andricus bulgaricus Vassileva & Samnalieva,1977** (Cynipidae) Synonym(s): *bulgaricus Vassileva & Samnalieva,1977* BG TR
917. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis Giraud,1859* IT AT B-H HU YU TR RO MD UA BG
918. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma Hartig,1841; cirratus Adler,1881; giraudi Wachtl,1882* PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
919. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae Hartig,1843; gallaecristatae Henschel,1876* ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
920. **Andricus ceconii Kieffer,1901** (Cynipidae) Synonym(s): *ceconii Kieffer,1901* ES IT GR TR AZ Cc IL Pa IR
921. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus Giraud,1859; cincta Hartig,1879* FR IT SI DE PL UA MD HU SK CZ AT B-H BG GR TR
922. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus Hartig,1843; longipes Kieffer,1901; longispinae Kieffer,1901* IT AT HU YU RO BG UA PL TR GR IR
923. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius Hartig,1843; lusitanicus Kieffer,1900* PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
924. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus Giraud,1859; coronaria Stefani,1898* FR IT AT B-H HU GR BG RO UA TR
925. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix Schlechtendal,1870; ambiguus Trotter,1899* GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
926. **Andricus curtisii (Müller,1870)** (Cynipidae) Synonym(s): *curtisii Müller,1870; mediterraneae Trotter,1901* IT GR TR IR
927. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator Hartig,1840; axillaris Hartig,1840; collaris Hartig,1840; curvata Förster,1869; dimidiatus Schenck,1863; fasciatus Schenck,1863; perfoliatus Schenck,1863; tegmentorum Schlechtendal,1870; lusitanicus Kieffer,1901* PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
928. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae Giraud,1859* *Andricus cydoniae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357.* GB IT SI B-H AT HU RO BG TR
929. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus Rejto,1887; mayri Kieffer,1897 nec Wachtl.,1879; gallaeviscosus Benson,1953; viscosus Nieves-Aldrey,1986; floridus Melika & Csoka,1998* PT ES FR IT B-H AT HU MD RO UA BG GR TR
930. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix Hartig,1840; gemmarum Lacaze-Duthiers,1853; gemmae Schenck,1863; foecundator Tavares,1918* PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
931. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus Giraud,1859* IT AT B-H YU GR BG RO HU UA TR
932. **Andricus gallaeurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaeurnaeformis Fonscolombe,1832; urnaeformis Giraud,1859; sufflator Mayr,1882* PT ES FR GB AT IT YU HU UA RO BG GR TR
933. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus Giraud,1859; kirchbergi Wachtl,1876* PT ES FR DE PL AT HU IT SI B-H MD RO BG GR TR
934. **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus Giraud,1859; tergestenssis Kieffer,1905* AT CZ B-H HU UA BG TR
935. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae Giraud,1859; mayri Wachtl,1879; panteli Kieffer,1897; fructuum Trotter,1899; intermedius Tavares,1922; gemellus Belizin & Maisuradze,1961* *Andricus grossulariae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359.* PT ES FR GB DE PL UA CZ AT IT SI HU MD RO YU BG GR TR
936. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi Hartig,1843* IT SI AT CZ SK PL UA HU MD RO BG GR TR
937. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus Hartig,1943* IT AT CZ B-H HU UA RO BG TR
938. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix Kieffer,1897* IT HU MD RO BG GR TR

939. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostris* Trotter,1903 **FR IT SI AT CZ SK PL HU RO YU GR TR BY**
940. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 **PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR**
941. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 **IT AL GR TR IL Pa AZ Cc IR**
942. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 **PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR**
943. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuuwen & Deukhuijzen-Maasland,1958 **PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR**
944. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR**
945. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 **ES FR GB IE BE NL DE DK HU IT BG TR**
946. **Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004**, Acta zool. hung 50: 141-143, figs. Holotype ♀: Turkey; Tefenni [Burdur Prov.] (BMNH). **TR IR Kd Ak Lo**
947. **Andricus megatruncicolus Melika,2008** (Cynipidae) Synonym(s): *megatruncicolus* Melika,2008 **IR Kd Lo TR**
948. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 **IT AT PL UA HU RO BG GR TR**
949. **Andricus moreae (Graeffe,1905)** (Cynipidae) Synonym(s): *moreae* Graeffe,1905 **GR TR IR**
950. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 **Andricus multiplicatus** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360. **IT SI AT CZ SK HU RO YU GR TR**
951. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 **IT AT DE PL CZ SK HU RO BG GR TR**
952. **Andricus pseudoaries Melika, Stone, Sadeghi,2008** (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone, Sadeghi,2008 **IR TR**
953. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyrerinck,1895; *beyrerincki* Trotter,1899 **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR**
954. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901 **PT ES FR GB IE DE DK SE PL UA MD RO HU TR**
955. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902 **PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR**
956. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 **PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR**
957. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
958. **Andricus schroeckingeri Wachtl,1876** (Cynipidae) Synonym(s): *schroeckingeri* Wachtl,1876 **AT HU RO TR**
959. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 **HU AT IT GR TR IR**
960. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ**
961. **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953 **PT ES IT BG GR TR**
962. **Andricus sternlichti Bellido, Pujade-Villar & Melika,2003** (Cynipidae) Synonym(s): *sternlichti* Bellido, Pujade-Villar & Melika,2003 **TR**
963. **Andricus theophrasteus Trotter,1866** (Cynipidae) Synonym(s): *theophrasteus* Trotter,1866 **IT YU TR**
964. **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901 **HU RO YU BG GR TR**
965. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 **IT AT HU B-H YU BG RO UA PL TR**

966. **Anechura bipunctata (Fabricius,1781)** (Forficulidae) Synonym(s): *bipunctata Fabricius,1781*; *asiatica Semenov,1903*; *fabricii Fieber,1854* **ES TR RU FR SK AM KG UZ**
967. **Anechura zubovskii (Semenov,1901)** (Forficulidae) Synonym(s): *zubovskii Semenov,1901* **TR**
968. **Aneomochtherus acratu (Tsacas,1968)** (Asilidae) Synonym(s): *acratu Tsacas,1968* **GR TR**
969. **Aneomochtherus aerifacies (Tsacas,1968)** (Asilidae) Synonym(s): *aerifacies Tsacas,1968*; *celanophanes Janssens,1968* **TR**
970. **Aneomochtherus grisescens (Tsacas,1968)** (Asilidae) Synonym(s): *grisescens Tsacas,1968* **Cc AM RU TR**
971. **Aneomochtherus illustris (Schiner,1867)** (Asilidae) Synonym(s): *illustris Schiner,1867* **IL Pa JO SY TR**
972. **Aneomochtherus micrasiaticus (Tsacas,1968)** (Asilidae) Synonym(s): *micrasiaticus Tsacas,1968* **TR**
973. **Aneomochtherus mundus (Loew,1849)** (Asilidae) Synonym(s): *mundus Loew,1849*; *rhodius Tsacas,1963* **GR Rd TR Cc AM IR**
974. **Aneomochtherus perplexus (Becker,1923)** (Asilidae) Synonym(s): *perplexus Becker,1923*; *repentinus Richter,1963* **RU Cc TR IR**
975. **Aneomochtherus soleus (Tsacas,1968)** (Asilidae) Synonym(s): *soleus Tsacas,1968* **TR**
976. **Aneucelis incidens (Thomson,1889)** (Ichneumonidae) Synonym(s): *incidens Thomson,1889* **MD TR**
977. **Aneucelis melanarius (Holmgren,1860)** (Ichneumonidae) Synonym(s): *melanarius Holmgren,1860* **MD TN TR**
978. **Aneurus avenius (Dufour,1833)** (Aradidae) Synonym(s): *avenius Dufour,1833* **IT TR**
979. **Aneurus laevis (Fabricius,1775)** (Aradidae) Synonym(s): *laevis Fabricius,1775* **IT Sa TR**
980. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus Masi,1917*; *brevicaudatus Subba-Rao,1965* **AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW**
981. **Anillidius (s.str.) byzantinus Casale, M.Elonti & Giachino,1992** (Carabidae) Synonym(s): *byzantinus Casale, M.Elonti & Giachino,1992* **TR**
982. **Anillidius (s.str.) coiffaiti Jeannel,1955** (Carabidae) Synonym(s): *coiffaiti Jeannel,1955* **TR**
983. **Anillidius (s.str.) hobhousae Jaannel,1930** (Carabidae) Synonym(s): *hobhousae Jaannel,1930* **TR**
984. **Anillidius (s.str.) pisidicus Jeannel,1937** (Carabidae) Synonym(s): *pisidicus Jeannel,1937* **TR**
985. **Anillidius (s.str.) tauricus Jeannel,1930** (Carabidae) Synonym(s): *tauricus Jeannel,1930* **TR**
986. **Anillidius (s.str.) turcicus J.Frivaldszky,1880** (Carabidae) Synonym(s): *turcicus J.Frivaldszky,1880* **TR**
987. **Anillidius (s.str.) uludagensis Schweiger,1965** (Carabidae) Synonym(s): *uludagensis Schweiger,1965* **TR**
988. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius Gravenhorst,1820 (praeocc.)*; *cingulatellus Horstmann,1997* **ES IT DE CZ TR Cc RU KG IR**
989. **Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): *seyrigi Heinrich,1933* **Anisobas seyrigi Heinrich,1933, Mitt. zool. Mus. Berlin 19: 158. ES IT SI GR TR**
990. **Anisochrya (Chrysoperla) carnea (Stephens,1836)** (Chrysopidae) Synonym(s): *carnea Stephens,1836* **TR**
991. **Anisochrya (Chrysoperla) iranica (Hölzel,1967)** (Chrysopidae) Synonym(s): *iranica Hölzel,1967* **IR TR**
992. **Anisochrya (Cunctochrysa) albolineata (Killington,1935)** (Chrysopidae) Synonym(s): *albolineata Killington,1935* **TR**
993. **Anisochrya (Cunctochrysa) baetica Hölzel,1972** (Chrysopidae) Synonym(s): *baetica Hölzel,1972* **ES TR**
994. **Anisochrya (s.str.) clathrata (Schneider,1845)** (Chrysopidae) Synonym(s): *clathrata Schneider,1845* **TR**
995. **Anisochrya (s.str.) flavifrons (Brauer,1850)** (Chrysopidae) Synonym(s): *flavifrons Brauer,1850* **TR**
996. **Anisochrya (s.str.) genei (Rambur,1842)** (Chrysopidae) Synonym(s): *genei Rambur,1842* **TR**
997. **Anisochrya (s.str.) subflavifrons (Tjeder,1949)** (Chrysopidae) Synonym(s): *subflavifrons Tjeder,1949* **TR**
998. **Anisochrya (s.str.) sybaritica (McLachlan,1875)** (Chrysopidae) Synonym(s): *sybaritica McLachlan,1875* **Chrysopa sybaritica McLachlan,1875, [in] Fedtschenko's Reise in Turkestan, Neuroptera, Zool.: 7. TR**
999. **Anisochrya (s.str.) venosa (Rambur,1842)** (Chrysopidae) Synonym(s): *venosa Rambur,1842* **TR**

1000. **Anisochrya (s.str.) zelleri (Schneider,1851)** (Chrysopidae) Synonym(s): *zelleri Schneider,1851* **TR**
1001. **Anisolabis maritima (Géné,1832)** (Labiduridae) Synonym(s): *maritima Géné,1832; singularis Shiraki,1905; addita Burr,1913; quadrata Liu,1946* **ES RU TR**
1002. **Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): *austriaca Herbst,1783* **AT UA RU TR**
1003. **Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis Laporte,1840* **TM TR IQ IL Pa SY LB**
1004. **Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): *mesopotamica Pilleri,1954* **TR IQ IL Pa LB SY**
1005. **Anisoplia (Chaetopteroptia) muelleri Pilleri,1954** (Scarabaeidae) Synonym(s): *muelleri Pilleri,1954* **TR SY LB**
1006. **Anisoplia (Chaetopteroptia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum Herbst,1783* **TR BG RU KG**
1007. **Anisoplia (Chaetopteroptia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca Burmeister,1844* **UA Cm RU SY IL Pa TR**
1008. **Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata Faldermann,1835* **TR SY JO IL Pa**
1009. **Anisoplia (s.str.) tenebralis Burmeister,1844** (Scarabaeidae) Synonym(s): *tenebralis Burmeister,1844* **TR SY**
1010. **Anisoplia imitatrix Apfelbeck,1909** (Scarabaeidae) Synonym(s): *imitatrix Apfelbeck,1909* **TR**
1011. **Anisoplia noahi Petrovitz,1973** (Scarabaeidae) Synonym(s): *noahi Petrovitz,1973; #nohai Sabatinelli,1977* **Anisoplia noahi Petrovitz,1973, Fragm. ent. 9: 11-14, figs. Holotype ♂: Türkiye: Vilajet Agri, Mte. Ararat 2000-2500m, 31.vii- 15.viii.1970 leg. V.Sbordoni (IZR).** **TR**
1012. **Anisopogon hermanni (Engel,1930)** (Asilidae) Synonym(s): *hermanni Engel,1930; modestus Lehr,1964* **RU Cc KG IL Pa TR IR Fa AM AZ GG**
1013. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus Herrich-Schäffer,1849* **RU Cn FR Co TR SD IN CN Ui**
1014. **Anisopteromalus calandrae (Howard)** (Pteromalidae) Synonym(s): **TR**
1015. **Anogcodes difformis (Marseul,1857)** (Oedemeridae) Synonym(s): *difformis Marseul,1857* **TR**
1016. **Anogcodes ferrugineus (Schrank,1776)** (Oedemeridae) Synonym(s): *ferrugineus Schrank,1776* **TR**
1017. **Anogcodes fulvicollis (Scopoli,1763)** (Oedemeridae) Synonym(s): *fulvicollis Scopoli,1763* **TR**
1018. **Anogcodes geniculatus (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *geniculatus W.Schmidt,1846* **TR**
1019. **Anogcodes paradoxus (Faldermann,1837)** (Oedemeridae) Synonym(s): *paradoxus Faldermann,1837* **TR**
1020. **Anogcodes ruficollis (Fabricius,1781)** (Oedemeridae) Synonym(s): *ruficollis Fabricius,1781* **TR**
1021. **Anogcodes rufiventris (Scopoli,1763)** (Oedemeridae) Synonym(s): *rufiventris Scopoli,1763* **TR**
1022. **Anogcodes seladonius (Fabricius,1792)** (Oedemeridae) Synonym(s): *seladonius Fabricius,1792* **TR**
1023. **Anogcodes ustulatus (Scopoli,1763)** (Oedemeridae) Synonym(s): *ustulatus Scopoli,1763* **TR**
1024. **Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae) Synonym(s): *dubia Scopoli,1763* **RU SS HV Cc LT TR**
1025. **Anomala osmanlis Blanchard,1851** (Scarabaeidae) Synonym(s): *osmanlis Blanchard,1851* **TR SY**
1026. **Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum Geoffroy,1785* **TR IR KG RU Sb**
1027. **Anomalon foliator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *foliator Fabricius,1798* **TR KG RU Sb**
1028. **Anoplius aeruginosus (Tournier,1890)** (Pompilidae) Synonym(s): *aeruginosus Tournier,1890* **TR**
1029. **Anoplius caviventris (Aurivillius,1907)** (Pompilidae) Synonym(s): *caviventris Aurivillius,1907* **TR**
1030. **Anoplius concinnus (Dahlbom,1845)** (Pompilidae) Synonym(s): *concinnus Dahlbom,1845* **TR**
1031. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae) Synonym(s): *infuscatus Van der Linden,1827; meticulosus Costa,1882* **TR**
1032. **Anoplius nigerrimus (Scopoli,1763)** (Pompilidae) Synonym(s): *nigerrimus Scopoli,1763* **TR AT SS HV**
1033. **Anoplius piliventris (Morawitz,1889)** (Pompilidae) Synonym(s): *piliventris Morawitz,1889; pannonicus sensu Priesner,1967* **TR**

1034. **Anoplius samariensis (Pallas,1771)** (Pompilidae) Synonym(s): *samariensis Pallas,1771* **RU TR**
1035. **Anoplius schlettereri (Radoszkowski,1888)** (Pompilidae) Synonym(s): *schlettereri Radoszkowski,1888; niger Priesner,1967* **TR**
1036. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905* **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY**
1037. **Anoplodera Mulsant,1839** (Cerambycidae) Synonym(s): *Anoplodera Mulsant,1839* **TR**
1038. **Anoplodera rufipes (Schaller,1783)** (Cerambycidae) Synonym(s): *rufipes Schaller,1783* **Cc TR IR CZ**
1039. **Anoplotettix eckerleini Dlabola,1965** (Cicadellidae) Synonym(s): *eckerleini Dlabola,1965* **LB TR**
1040. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus Ferrari,1882; bipunctata Ferrari,1882* **AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU**
1041. **Anoplotettix kalkandeleni Dlabola,1971** (Cicadellidae) Synonym(s): *kalkandeleni Dlabola,1971* **TR**
1042. **Anoplotettix lodosianus Dlabola,1987** (Cicadellidae) Synonym(s): *lodosianus Dlabola,1987* **TR**
1043. **Anoplotettix loewi (Horvath,1884)** (Cicadellidae) Synonym(s): *loewi Horvath,1884* **UA Cm TR**
1044. **Anoplotettix novaki Wagner,1959** (Cicadellidae) Synonym(s): *novaki Wagner,1959* **TR**
1045. **Anoplotettix rodosicus Dlabola,1974** (Cicadellidae) Synonym(s): *rodosicus Dlabola,1974* **GR Rd TR**
1046. **Anoplotettix sahtyiancii Dlabola,1970** (Cicadellidae) Synonym(s): *sahtyiancii Dlabola,1970* **TR**
1047. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
1048. **Anormogomphus kiritshenkoi Bartenev,1913** (Gomphidae) Synonym(s): *kiritshenkoi Bartenev,1913* **TR IQ Dk Ama IN**
1049. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
1050. **Anospilus orbitalis (Costa,1863)** (Pompilidae) Synonym(s): *orbitalis Costa,1863* **TR**
1051. **Anostirus alexandri Wurst,1995** (Elateridae) Synonym(s): *alexandri Wurst,1995* **TR**
1052. **Anostirus ataturki Platia & Gudenzi,2000** (Elateridae) Synonym(s): *ataturki Platia & Gudenzi,2000* **TR**
1053. **Anostirus eschscholtzi (Faldermann,1835)** (Elateridae) Synonym(s): *eschscholtzi Faldermann,1835* **TR**
1054. **Anostirus gracilicollis (Stierlin,1896)** (Elateridae) Synonym(s): *gracilicollis Stierlin,1896* **TR**
1055. **Anostirus holtzi (Schwarz,1902)** (Elateridae) Synonym(s): *holtzi Schwarz,1902* **TR**
1056. **Anostirus incostatus (Pic,1905)** (Elateridae) Synonym(s): *incostatus Pic,1905* **TR**
1057. **Anostirus lederi (Heyden,1878)** (Elateridae) Synonym(s): *lederi Heyden,1878* **TR**
1058. **Anostirus nubilosus Wurst & Schimmel,1995** (Elateridae) Synonym(s): *nubilosus Wurst & Schimmel,1995* **TR**
1059. **Anostirus purpureus (Poda,1761)** (Elateridae) Synonym(s): *purpureus Poda,1761* **TR**
1060. **Anostirus saltinii Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *saltinii Cate, Platia & Schimmel,2002* **TR**
1061. **Anostirus trivialis Gurjeva,1988** (Elateridae) Synonym(s): *trivialis Gurjeva,1988* **TR**
1062. **Anostirus turcicus Platia & Mertlik,1996** (Elateridae) Synonym(s): *turcicus Platia & Mertlik,1996* **TR**
1063. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi Lethierry,1876; fusca Ivanoff,1885; henschi Loew,1885* **IT RO TR KG MD RU UA YU**
1064. **Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae) Synonym(s): *orientalis Krynicki,1832; meridionalis Reitter,1890* **IL Pa Hf SY LB Bei TR**
1065. **Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae) Synonym(s): *asiatica Desbrochers,1872; syriaca Brenske,1894* **RO TR AM Cc IQ SY**
1066. **Antepipona albosignata Gusenleitner,1986** (Vespidae) Synonym(s): *albosignata Gusenleitner,1986* **TR**

1067. **Antepipona deflenda (Saunders,1853)** (Vespidae) Synonym(s): *deflenda Saunders,1853* TR
1068. **Antepipona iconia (Blüthgen,1951)** (Vespidae) Synonym(s): *iconia Blüthgen,1951* TR
1069. **Antepipona insana (Giordani Soika,1943)** (Vespidae) Synonym(s): *insana Giordani Soika,1943; calva Gusenleitner,1988* TR
1070. **Antepipona laevigata (Blüthgen,1951)** (Vespidae) Synonym(s): *laevigata Blüthgen,1951* TR
1071. **Antepipona orbitalis (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *orbitalis Herrich-Schäffer,1839; ballioni Morawitz,1867* TR
1072. **Antepipona osmanica Gusenleitner,1986** (Vespidae) Synonym(s): *osmanica Gusenleitner,1986* TR
1073. **Antepipona tenuis Gusenleitner,1988** (Vespidae) Synonym(s): *tenuis Gusenleitner,1988*
Antepipona tenuis Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 726-728, Abb.5. Holotype ♀: [Türkei]: [Ankara Prov.]: Tuzgözü 900m, 11.6.1987, leg. & coll. K.M.Guichard. TR
1074. **Anterastes akdaghensis Ramme,1951** (Tettigoniidae) Synonym(s): *akdaghensis Ramme,1951* TR
1075. **Anterastes anatolicus Uvarov,1934** (Tettigoniidae) Synonym(s): *anatolicus Uvarov,1934* TR
1076. **Anterastes antitauricus Çıplak,2004** (Tettigoniidae) Synonym(s): *antitauricus Çıplak,2004* TR
1077. **Anterastes babadaghi Uvarov,1939** (Tettigoniidae) Synonym(s): *babadaghi Uvarov,1939* TR
1078. **Anterastes burri Karabağ,1951** (Tettigoniidae) Synonym(s): *burri Karabağ,1951* TR
1079. **Anterastes niger Ünal,2000** (Tettigoniidae) Synonym(s): *niger Ünal,2000* TR
1080. **Anterastes serbicus Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *serbicus Brunner von Wattenwyl,1882* TR
1081. **Anterastes tolunayi Karabağ,1951** (Tettigoniidae) Synonym(s): *tolunayi Karabağ,1951* TR
1082. **Anterastes turcicus Karabağ,1951** (Tettigoniidae) Synonym(s): *turcicus Karabağ,1951* TR
1083. **Anterastes ucari Çıplak,2004** (Tettigoniidae) Synonym(s): *ucari Çıplak,2004* TR
1084. **Anterastes uludaghensis Karabağ,1950** (Tettigoniidae) Synonym(s): *uludaghensis Karabağ,1950* TR
1085. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema Fischer,1824* BG CY GR IL Pa SY LB TR UA
1086. **Anthaxia (Cratomerus) eugeniae Ganglbauer,1885** (Buprestidae) Synonym(s): *eugeniae Ganglbauer,1885* GR TR
1087. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
1088. **Anthaxia (Cratomerus) krueperi Ganglbauer,1885** (Buprestidae) Synonym(s): *krueperi Ganglbauer,1885* AM GG Cc TR
1089. **Anthaxia (Cratomerus) mirabilis Zicharev,1918** (Buprestidae) Synonym(s): *mirabilis Zicharev,1918* AM AZ Cc TR
1090. **Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae) Synonym(s): *nupta Kiesenwetter,1857* AM GG Cc TR SY
1091. **Anthaxia (Cratomerus) scorzonerae (Fivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae Fivaldski,1838; euphrosyne Ganglbauer,1885; artemis Daniel,1905* BG Cr GR TR
1092. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa Kiesenwetter,1857* AM AZ Cc GG TR BG GR IL Pa SY
1093. **Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae) Synonym(s): *anatolica Chevrolat,1837* TR AM AZ Cc GG BG GR
1094. **Anthaxia (Haplanthaxia) armeniaca Obenberger,1929** (Buprestidae) Synonym(s): *armeniaca Obenberger,1929* AM AZ Cc TR IQ IR
1095. **Anthaxia (Haplanthaxia) bettagi Niehuis,1983** (Buprestidae) Synonym(s): *bettagi Niehuis,1983* GR TR
1096. **Anthaxia (Haplanthaxia) bosdaghensis Obenberger,1938** (Buprestidae) Synonym(s): *bosdaghensis Obenberger,1938* TR
1097. **Anthaxia (Haplanthaxia) cavazzutii Bily,1980** (Buprestidae) Synonym(s): *cavazzutii Bily,1980* TR
1098. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
1099. **Anthaxia (Haplanthaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): *cylindrica Abeille,1900* TR LB SY
1100. **Anthaxia (Haplanthaxia) flavicomis Abeille,1900** (Buprestidae) Synonym(s): *flavicomis Abeille,1900; erivana Obenberger,1913; #flavicomis Ulay & Tezcan,1998* AM Eri Cc TR IR IQ
1101. **Anthaxia (Haplanthaxia) karsanthiana Pic,1917** (Buprestidae) Synonym(s): *karsanthiana Pic,1917* TR CY
1102. **Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri Marseul,1865* BG GR GG Cc IL Pa SY TR
1103. **Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps Abeille,1900; minerva Obenberger,1913; navratili Bily,1984* TR Cr GR CY SY

1104. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii Fabricius,1801* AT YU CY BG CZ HU IT SK TR UA
1105. **Anthaxia (Haplantaxia) mundula Kiesenwetter,1857** (Buprestidae) Synonym(s): *mundula Kiesenwetter,1857* TR
1106. **Anthaxia (Haplantaxia) niehuisi Brandl,1987** (Buprestidae) Synonym(s): *niehuisi Brandl,1987* TR
1107. **Anthaxia (Haplantaxia) olympica Kiesenwetter,1880** (Buprestidae) Synonym(s): *olympica Kiesenwetter,1880* AM CZ GG HU TR UA
1108. **Anthaxia (Haplantaxia) ovaciki Nocak,1994** (Buprestidae) Synonym(s): *ovaciki Nocak,1994* TR
1109. **Anthaxia (Haplantaxia) parapleurialis Obenberger,1929** (Buprestidae) Synonym(s): *parapleurialis Obenberger,1929* TR
1110. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* DZ GR IL Pa IT PT ES SY TR
1111. **Anthaxia (Haplantaxia) puella Bily,1980** (Buprestidae) Synonym(s): *puella Bily,1980* IQ TR
1112. **Anthaxia (Haplantaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica Daniel,1903; horvathi Kaszab,1940* BG GR HU RO TR UA
1113. **Anthaxia (Haplantaxia) serena Daniel,1903** (Buprestidae) Synonym(s): *serena Daniel,1903* TR
1114. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
1115. **Anthaxia (Haplantaxia) ursulae Niehuis,1989** (Buprestidae) Synonym(s): *ursulae Niehuis,1989* TR IR
1116. **Anthaxia (Melanthaxia) bilyi Curletti,1984** (Buprestidae) Synonym(s): *bilyi Curletti,1984* TR
1117. **Anthaxia (Melanthaxia) caucasica Abeille,1900** (Buprestidae) Synonym(s): *caucasica Abeille,1900* Cc AM AZ GG TR
1118. **Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia Reiche & Saulcy,1856* CY IL Pa LB SY TR
1119. **Anthaxia (Melanthaxia) godeti Gory & Laporte,1839** (Buprestidae) Synonym(s): *godeti Gory & Laporte,1839; granulata Küster,1850; cupricolor Abeille,1909; frankenbergeri Obenberger,1914; submontana Obenberger,1930; balcanica Obenberger,1938; spaethi Obenberger,1938; scheerpeltzi Obenberger,1938; raclinae Baudon,1959* AM AZ GG Cc TR
1120. **Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae) Synonym(s): *masculina Bily,1984* SY TR
1121. **Anthaxia (Melanthaxia) meregallii Curletti & Magnali,1985** (Buprestidae) Synonym(s): *meregallii Curletti & Magnali,1985* TR
1122. **Anthaxia (Melanthaxia) misteriosa Obenberger,1917** (Buprestidae) Synonym(s): *misteriosa Obenberger,1917* GR Cr TR
1123. **Anthaxia (Melanthaxia) negrei Cobos,1953** (Buprestidae) Synonym(s): *negrei Cobos,1953* SY TR
1124. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata Roubal,1913; incognita Bily,1974* AT YU CZ FR DE IT SK ES CH TR UA
1125. **Anthaxia (Melanthaxia) obesa Abeille,1900** (Buprestidae) Synonym(s): *obesa Abeille,1900* TR GR
1126. **Anthaxia (Melanthaxia) pinguis Kiesenwetter,1880** (Buprestidae) Synonym(s): *pinguis Kiesenwetter,1880* IL Pa SY TR
1127. **Anthaxia (Melanthaxia) quadripunctata (Linnaeus,1758)** (Buprestidae) Synonym(s): *quadripunctata Linnaeus,1758; punctata Ponza,1805; angulicollis Küster,1850; angulata Küster,1850; quadrifoveolata Obenberger,1918* TR AM Cc RU SB
1128. **Anthaxia (Melanthaxia) rugicollis Lucas,1846** (Buprestidae) Synonym(s): *rugicollis Lucas,1846; tassii Herman,1966* TR GR
1129. **Anthaxia (Melanthaxia) scurra Bily & Brodsky,1982** (Buprestidae) Synonym(s): *scurra Bily & Brodsky,1982* TR
1130. **Anthaxia (Melanthaxia) sternalis (Abeille,1895)** (Buprestidae) Synonym(s): *sternalis Abeille,1895* TR
1131. **Anthaxia (Melanthaxia) tenella Kiesenwetter,1858** (Buprestidae) Synonym(s): *tenella Kiesenwetter,1858; insularis Obenberger,1914; virgo Bily,1980* TR
1132. **Anthaxia (Melanthaxia) truncata Abeille,1900** (Buprestidae) Synonym(s): *truncata Abeille,1900* SY TR
1133. **Anthaxia (s.str.) adiyamana Svoboda,1994** (Buprestidae) Synonym(s): *adiyamana Svoboda,1994* TR IL Pa
1134. **Anthaxia (s.str.) amasina Daniel,1903** (Buprestidae) Synonym(s): *amasina Daniel,1903* TR Cc GR IR IQ YU

1135. **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae) Synonym(s): *berytensis* Abeille,1895
IL Pa SY LB Bei TR
1136. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor*
Faldermann,1835 AM AZ GG Cc TR IR IQ IL Pa SY TM UA
1137. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis* Gory &
Laporte,1839 Cr GR TR CY IL Pa SY UA
1138. **Anthaxia (s.str.) deaurata (Gmelin,1788)** (Buprestidae) Synonym(s): *deaurata* Gmelin,1788;
senicula Schrank,1789 Cc TR YU
1139. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis*
Gory & Laporte,1839; *kanaanita* Obenberger,1912 AM AZ GG Cc TR BG MK GR SY
1140. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans*
Schrank,1789 AM AT CZ Cc DE HU IT SK ES CH UA TR
1141. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula* Illiger,1803
AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
1142. **Anthaxia (s.str.) ghazi Obenberger,1938** (Buprestidae) Synonym(s): *ghazi* Obenberger,1938
IL Pa SY TR
1143. **Anthaxia (s.str.) hackeri Frivalsky,1884** (Buprestidae) Synonym(s): *hackeri* Frivalsky,1884
AT BG TR CZ HU RO SK
1144. **Anthaxia (s.str.) herbertschmidti Novak,1992** (Buprestidae) Synonym(s): *herbertschmidti*
Novak,1992 CY TR
1145. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena*
Illiger,1803 DZ YU GR Cr FR IT MA PT ES RU Cc TR
1146. **Anthaxia (s.str.) irregularis Abeille,1909** (Buprestidae) Synonym(s): *irregularis* Abeille,1909
SY TR
1147. **Anthaxia (s.str.) kervillei Thery,1939** (Buprestidae) Synonym(s): *kervillei* Thery,1939 TR
1148. **Anthaxia (s.str.) kurdistana Obenberger,1912** (Buprestidae) Synonym(s): *kurdistana*
Obenberger,1912; *adanensis* Obenberger,1913 IQ TR
1149. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae) Synonym(s): *lucens* Küster,1852; *phoenica*
Ganglbauer,1882 Cr GR TR IT SY
1150. **Anthaxia (s.str.) manca (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca* Linnaeus,1767
DZ MA SE Cc AM TR
1151. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae) Synonym(s): *muliebris*
Obenberger,1918 AZ AM Cc TR IR IL Pa SY
1152. **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae) Synonym(s): *myrmidon* Abeille,1891
IL Pa SY LB TR
1153. **Anthaxia (s.str.) nigricollis Abeille,1904** (Buprestidae) Synonym(s): *nigricollis* Abeille,1904
TR
1154. **Anthaxia (s.str.) novickii Obenberger,1938** (Buprestidae) Synonym(s): *novickii*
Obenberger,1938 SY TR
1155. **Anthaxia (s.str.) olivieri Gory & Laporte,1839** (Buprestidae) Synonym(s): *olivieri* Gory &
Laporte,1839 TR GR Rd
1156. **Anthaxia (s.str.) passerini (Pecchioli,1837)** (Buprestidae) Synonym(s): *passerini*
Pecchioli,1837 AM AZ Cc TR TM
1157. **Anthaxia (s.str.) perrini Obenberger,1918** (Buprestidae) Synonym(s): *perrini*
Obenberger,1918 CY TR?
1158. **Anthaxia (s.str.) platysoma Abeille,1891** (Buprestidae) Synonym(s): *platysoma* Abeille,1891
TR
1159. **Anthaxia (s.str.) plicata Kiesenwetter,1859** (Buprestidae) Synonym(s): *plicata*
Kiesenwetter,1859 YU SK UA TR
1160. **Anthaxia (s.str.) rutilipennis Abeille,1891** (Buprestidae) Synonym(s): *rutilipennis*
Abeille,1891 TR
1161. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis* Fabricius,1776
DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
1162. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea*
Küster,1851 AT YU CZ FR DE HU IT RU SK ES CH UA TR
1163. **Anthaxia (s.str.) shirasensis Obenberger,1940** (Buprestidae) Synonym(s): *shirasensis*
Obenberger,1940 IR TR Fa
1164. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis*
Krynicky,1832; *vandykeana* Obenberger,1936 YU HU SK SY TR UA
1165. **Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882 IL Pa
LB SY TR
1166. **Anthaxia (s.str.) turcica Svoboda,1994** (Buprestidae) Synonym(s): *turcica* Svoboda,1994
TR
1167. **Anthaxia (s.str.) turcomanica Obenberger,1937** (Buprestidae) Synonym(s): *turcomanica*
Obenberger,1937 TR
1168. **Anthaxia (s.str.) winckleri Obenberger,1914** (Buprestidae) Synonym(s): *winckleri*
Obenberger,1914 SY TR

1169. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *brevisculum* Pérez,1890; *troodicum* Mavromoustakis,1949 **FR CY GR Rd LB IL Pa Js TR TN**
1170. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare* Morawitz,1874; *elongatum* Friese,1897; *hoplostomum* Mavromoustakis,1945 **Cc RU Da GR Rd HV TR IL Pa SY**
1171. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae) Synonym(s): *insulare* Morawitz,1873; *persicolum* Mavromoustakis,1937; *lemesium* Mavromoustakis,1937 **GR Rd IR TR CY TJ**
1172. **Anthidium (Anthidiellum) judaeense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaense* Mavromoustakis,1945; *anale* Pasteels,1969 **AM Cc IL Pa LB TR**
1173. **Anthidium (Anthidiellum) nasicum Friese,1917** (Megachilidae) Synonym(s): *nasicum* Friese,1917; *nasiculum* Pasteels,1969 **IL Pa SY TR**
1174. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805 **TR Cc KG RU Sb Us DZ**
1175. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerale* Alfken,1936 **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
1176. **Anthidium (Archianthidium) laticeps Morawitz,1873** (Megachilidae) Synonym(s): *laticeps* Morawitz,1873; *fasciatellum* Friese,1917; *anatolicum* Mavromoustakis,1939 **GR TR AL DZ YU**
1177. **Anthidium (Archianthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens* Morawitz,1872; *maximum* Friese,1931; *verhoeffi* Mavromoustakis,1955 **UA Cm RU HU GR TM TR Cc SY IL Pa ZA**
1178. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884 **FR IT ES BG Cc AM Eri TR**
1179. **Anthidium (Icteranthidium) aequabile Morawitz,1896** (Megachilidae) Synonym(s): *aequabile* Morawitz,1896 **Cc AZ Nv Ord TR**
1180. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862 **IT Si AL SY LB IR GR Cc TR KG RU DZ**
1181. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 **ES EG SA TM MR SY TRIL Pa CY**
1182. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
1183. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadriolum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931 **MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM**
1184. **Anthidium (Icteranthidium) limbiferum Morawitz,1875** (Megachilidae) Synonym(s): *limbiferum* Morawitz,1875 **UZ TR Cc**
1185. **Anthidium (Icteranthidium) ovasi Warncke,1980** (Megachilidae) Synonym(s): *ovasi* Warncke,1980 **Anthidium (Icteranthidium) ovasi Warncke,1980, Entomofauna 1 (10): 176-177. Holotype ♀: Türkiye, Kayseri, Yeşilhisar 3.viii.1979 leg. & coll. Warncke. TR**
1186. **Anthidium (Icteranthidium) urfanum Warncke,1980** (Megachilidae) Synonym(s): *urfanum* Warncke,1980 **Anthidium (Icteranthidium) urfanum Warncke,1980, Entomofauna 1 (10): 179. Holotype ♀: Türkiye, Urfa 14-17.vi.1977 leg. Heinrich (coll. Warncke). TR IR Kz Fa Ke**
1187. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 **Cc RU TM TR IL Js Pa BG SY DZ ES**
1188. **Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae) Synonym(s): *lebanense* Mavromoustakis,1955; *nigratum* Pasteels,1969 **LB IL Pa TR**
1189. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 **TM SY TR Cc LB IL Pa IR EG**
1190. **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 nec Schrank,1802 **SY LB TR**
1191. **Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae) Synonym(s): *dumerlei* Warncke,1980 **Anthidium (Paraanthidium) dumerlei Warncke,1980, Entomofauna 1 (10): 158. Holotype ♀: Griechenland: Stavros leg. & coll. Warncke. GR TR**
1192. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 nec Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolutor* Fertton,1921 **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**

- 1193. Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969 **OM TM PK Qu BI IR IL Pa Js SY TR**
- 1194. Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 **MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR**
- 1195. Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s): *rotundum* Warncke,1980 **IR Elb Th LB Bsa TR**
- 1196. Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae) Synonym(s): *undulatifforme* Friese,1917 **TR AM Cc ES IL Pa Js GR**
- 1197. Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
- 1198. Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae) Synonym(s): *alpinum* Morawitz,1874 **Cc RU Da RO HU TR**
- 1199. Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
- 1200. Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
- 1201. Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermannii* Mavromoustakis,1954 **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
- 1202. Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae) Synonym(s): *acuminatum* Mocsary,1884 **GR TR**
- 1203. Anthidium (Rhodanthidium) buteum Warncke,1980** (Megachilidae) Synonym(s): *buteum* Warncke,1980 **Anthidium (Rhodanthidium) buteum Warncke,1980, Entomofauna 1 (10): 156-157. Holotype ♂: Türkiye: östl. Şırnak / Siirt, 4.vi.77, leg. & coll. Warncke TR**
- 1204. Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js**
- 1205. Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae) Synonym(s): *exsectum* Pasteels,1969 **TR LB**
- 1206. Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord**
- 1207. Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae) Synonym(s): *superbum* Radoszkowski,1876; *christophi* Morawitz,1884; *grande* Friese,1897 **TR**
- 1208. Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): *caspicum* Morawitz,1880; *germabicum* Radoszkowski,1893; *labrosum* Pasteels,1969 **TR TM IR Elb**
- 1209. Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum* Latreille,1809 **RU Sb DZ Cc TR**
- 1210. Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915 **GR Rd TR SY LB IL Pa**
- 1211. Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
- 1212. Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775 **US RU Sb TR SY Cc**
- 1213. Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae) Synonym(s): *gussakowskiji* Mavromoustakis,1939; *neosyriacum* Mavromoustakis,1956 **TJ TR**
- 1214. Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 **RU Sb KG TR CY IL Pa Js LB TM Kp GR**
- 1215. Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus,1758 **TR RU Sb Cc DZ BR UY AR**
- 1216. Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevrier,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum*

- Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigritulum Friese,1917; suecicum Alfken,1927 SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR*
1217. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre Friese,1899; melanopygum Friese,1917 IL Pa LB Cr TR Cc AZ Kir TM Rpt*
1218. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum Latreille,1809; fasciatum Latreille,1809; sulphureum Lepeletier,1841; affine Morawitz,1873; monile Friese,1897; nostrum Radoszowski,1893 FR ES IT Si TM MA DZ HV GR Rd TR IL Pa*
1219. **Anthidium (s.str.) trispinosum Friese,1917** (Megachilidae) Synonym(s): *trispinosum Friese,1917 Cc RU TR*
1220. **Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina Panzer,1804; resinana Schilling,1829; pyrenaica Lepeletier,841; rotundiventris Perris,1852; zeitzi Cockerell,1925 DE ES FR RU TR Cc*
1221. **Anthobiodes turcicus (Medvedev,1975)** (Chrysomelidae) Synonym(s): *turcicus Medvedev,1975 GR Rd TR*
1222. **Anthobium abantense (Fagel,1968)** (Staphylinidae) Synonym(s): *abantense Fagel,1968 TR*
1223. **Anthobium anatolicum (Fagel,1968)** (Staphylinidae) Synonym(s): *anatolicum Fagel,1968 TR*
1224. **Anthobium atrocephalum (Gyllenhal,1827)** (Staphylinidae) Synonym(s): *atrocephalum Gyllenhal,1827 TR*
1225. **Anthobium fuscum (Erichson,1839)** (Staphylinidae) Synonym(s): *fuscum Erichson,1839 TR*
1226. **Anthobium melanocephalum (Illiger,1794)** (Staphylinidae) Synonym(s): *melanocephalum Illiger,1794 TR*
1227. **Anthocomus equestris (Fabricius,1781)** (Melyridae) Synonym(s): *equestris Fabricius,1781 HU RO TR*
1228. **Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): *fasciatus Linnaeus,1758 SE AT EE GE GR IT RO YU TR*
1229. **Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): *humeralis Morawitz,1861 TR AT SK RU BG GR*
1230. **Anthocomus infasciatus Pic,1901** (Melyridae) Synonym(s): *infasciatus Pic,1901 TR*
1231. **Anthocomus miniatus (Kolenati,1846)** (Melyridae) Synonym(s): *miniatus Kolenati,1846 TR*
1232. **Anthocomus pupillatus Abeille de Perrin,1890** (Melyridae) Synonym(s): *pupillatus Abeille de Perrin,1890 TR*
1233. **Anthocomus smyrnensis Wittmer,1971** (Melyridae) Synonym(s): *smyrnensis Wittmer,1971 TR*
1234. **Anthocomus thalassinus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): *thalassinus Abeille de Perrin,1883 TR*
1235. **Anthocomus tricoloripennis Evers,1949** (Melyridae) Synonym(s): *tricoloripennis Evers,1949 TR*
1236. **Anthocoris confusus Reuter,1884** (Anthocoridae) Synonym(s): *confusus Reuter,1884 TR IR Ha Mz Elb Gh Gor*
1237. **Anthocoris gallarumulmi (DeGeer,1773)** (Anthocoridae) Synonym(s): *gallarumulmi DeGeer,1773 TR IR Se Kh Gor*
1238. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak*
1239. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma*
1240. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761 ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN*
1241. **Anthocoris sibiricus Reuter,1875** (Anthocoridae) Synonym(s): *sibiricus Reuter,1875 TR*
1242. **Anthocoris visci Douglas,1889** (Anthocoridae) Synonym(s): *visci Douglas,1889 ES FR GB BE NL DE CZ YU MK TR IR Kd*
1243. **Anthomalachius pseudospinosus (Medvedev,1964)** (Melyridae) Synonym(s): *pseudospinosus Medvedev,1964 TR KG*
1244. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891 FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ*
1245. **Anthomyia Meigen,1803** (Anthomyiidae) Synonym(s): *Anthomyia Meigen,1803; Anthomyia Rafinesque,1815; Craspedochaeta Macquart,1851; Chelisia Rondani,1856 TR*
1246. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris Rondani,1866 C DK FI IT SE HU YU RU CN JP TR*
1247. **Anthophagus ilgazicus Coiffait,1981** (Staphylinidae) Synonym(s): *ilgazicus Coiffait,1981 TR*

1248. **Anthophagus schatzmayri Koch,1933** (Staphylinidae) Synonym(s): *schatzmayri* Koch,1933 TR
1249. **Anthophora aestivalis (Panzer,1801)** (Apidae) Synonym(s): *aestivalis* Panzer,1801; *intermedia* Lepeletier,1841 TR
1250. **Anthophora agama Radoszkowski,1869** (Apidae) Synonym(s): *agama* Radoszkowski,1869; *kessleri* Fedtschenko,1875 TR UZ
1251. **Anthophora albigena Lepeletier,1841** (Apidae) Synonym(s): *albigena* Lepeletier,1841 TR
1252. **Anthophora atroalba Lepeletier,1841** (Apidae) Synonym(s): *atroalba* Lepeletier,1841; *antiopa* Bingham,1898; *vedettus* Nurse,1904 TR
1253. **Anthophora biciliata Lepeletier,1841** (Apidae) Synonym(s): *biciliata* Lepeletier,1841; *litrata* Lepeletier,1841; *mucida* Gribodo,1873 TR
1254. **Anthophora borealis Morawitz,1864** (Apidae) Synonym(s): *borealis* Morawitz,1864 TR
1255. **Anthophora caucasicus Radoszkowski** (Apidae) Synonym(s): *caucasicus* Radoszkowski Cc TR
1256. **Anthophora crassipes Lepeletier,1841** (Apidae) Synonym(s): *crassipes* Lepeletier,1841; *quadristrigata* Dours,1869; *denticus* Morawitz,1872; *perplexa* Radoszkowski,1884 TR
1257. **Anthophora crinipes Smith,1854** (Apidae) Synonym(s): *crinipes* Smith,1854 IT TR
1258. **Anthophora fulvitaris Brullé,1832** (Apidae) Synonym(s): *fulvitaris* Brullé,1832 GR TR
1259. **Anthophora furcata (Panzer,1798)** (Apidae) Synonym(s): *furcata* Panzer,1798; *dumetorum* Panzer,1798; *norvegica* Nylander,1852; *caucasicola* Hedicke,1929; *obscurilla* Alfken,1926 TR Cc NO
1260. **Anthophora mucida Gribodo,1873** (Apidae) Synonym(s): *mucida* Gribodo,1873 TR
1261. **Anthophora orientalis Morawitz,1877** (Apidae) Synonym(s): *orientalis* Morawitz,1877 TR
1262. **Anthophora parietina (Fabricius,1793)** (Apidae) Synonym(s): *parietina* Fabricius,1793 TR SS
1263. **Anthophora pedata Eversmann,1852** (Apidae) Synonym(s): *pedata* Eversmann,1852 RU TR
1264. **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957 PT ES IT Si CY IL Pa TR
1265. **Anthophora retusa (Linnaeus,1758)** (Apidae) Synonym(s): *retusa* Linnaeus,1758; *monacha* Erichson,1849; *meridionalis* Pérez,1879; *baicalensis* Hedicke,1929; *rudolphae* Romankova,2003 RU TR
1266. **Anthophora robusta (Klug,1817)** (Apidae) Synonym(s): *robusta* Klug,1817; *pamirica* Hedicke,1931 TR TJ Pm
1267. **Anthophora rogenhoferi Morawitz,1872** (Apidae) Synonym(s): *rogenhoferi* Morawitz,1872 TR
1268. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
1269. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
1270. **Anthrax flavipes (Röder,1896)** (Bombyliidae) Synonym(s): *flavipes* Röder,1896 IR TR
1271. **Anthrax flavus (Sack,1909)** (Bombyliidae) Synonym(s): *flavus* Sack,1909 TR IR
1272. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
1273. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
1274. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
1275. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
1276. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
1277. **Anthrenus (Florilinus) museorum (Linnaeus,1761)** (Dermestidae) Synonym(s): *museorum* Linnaeus,1761; *verbasci* Fabricius,1775; *vagus* Gmelin,1790; *pellio* Thunberg,1815; *varius* Stephens,1830 TR
1278. **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000 IL Pa SY TR
1279. **Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae) Synonym(s): *pubifer* Reitter,1899 IR SY TR
1280. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae) Synonym(s): *verbasci* Linnaeus,1767 TR US AU
1281. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851 TR EG DZ TN MA IR SY Cc
1282. **Anthrenus (s.str.) flavipes LeConte,1854** (Dermestidae) Synonym(s): *flavipes* LeConte,1854 TR US AU
1283. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): *munroi* Hinton,1943 TR BG FR Co CY ES IT

1284. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus Solsky,1876* AF Cc TR IR KK KG TJ TM UZ
1285. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae) Synonym(s): *rotundulus Reitter,1889* TR AF Cc IR TM
1286. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae Linnaeus,1758; albidus Brullé,1832; signatus Reitter,1881; senex Reitter,1881* TR AU Cc SY UZ
1287. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis Reitter,1881* TR TN IL Pa SY IR
1288. **Anthrenus akbesianus Reitter,1899** (Dermestidae) Synonym(s): *akbesianus Reitter,1899* TR
1289. **Anthrenus araraticus Zhantiev,1976** (Dermestidae) Synonym(s): *araraticus Zhantiev,1976* Cc TR
1290. **Anthypna ciliata (Ménétriés,1836)** (Glaphyridae) Synonym(s): *ciliata Ménétriés,1836; mustela Waltl,1838* TR
1291. **Antipalus truncatus (Loew,1849)** (Asilidae) Synonym(s): *truncatus Loew,1849* TR IR Fa
1292. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus Loew,1849* Cc RU KG IL Pa TR IR Kz Fa EG TN
1293. **Antiphrisson angustifrons Loew,1849** (Asilidae) Synonym(s): *angustifrons Loew,1849* TR
1294. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
1295. **Antocha (Orimargula) alpigena (Mik,1883)** (Limoniidae) Synonym(s): *alpigena Mik,1883* TR
1296. **Antocha vitripennis (Meigen,1830)** (Limoniidae) Synonym(s): *vitripennis Meigen,1830* TR AF
1297. **Antodynerus incomparabilis Giordani Soika,1970** (Vespidae) Synonym(s): *incomparabilis Giordani Soika,1970* TR IR Kh
1298. **Antonina graminis (Maskell)** (Pseudococcidae) Synonym(s): *graminis Maskell* TR
1299. **Anuraphis subterranea (Walker,1852)** (Aphididae) Synonym(s): *subterranea Walker,1852* TR
1300. **Aonidia lauri (Bouche)** (Diaspididae) Synonym(s): *lauri Bouche* TR
1301. **Aonidiella aurantii (Maskell)** (Diaspididae) Synonym(s): *aurantii Maskell* TR
1302. **Aonidiella citrina (Coquillett)** (Diaspididae) Synonym(s): *citrina Coquillett* TR
1303. **Apalus apicalis Latreille,1804** (Meloidae) Synonym(s): *apicalis Latreille,1804* TR
1304. **Apalus bimaculatus (Linnaeus,1761)** (Meloidae) Synonym(s): *bimaculatus Linnaeus,1761* TR
1305. **Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): *bipunctatus Germar,1817; #bipunctatus Özbek & Szaloki,1998* TR RU Cc KG TJ
1306. **Apalus montanus Escherich,1897** (Meloidae) Synonym(s): *montanus Escherich,1897* TR
1307. **Apalus necydalaeus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus Pallas,1782* TR Cc RU Sb GR HU TM
1308. **Apalus spectabilis Schaum,1859** (Meloidae) Synonym(s): *spectabilis Schaum,1859* HU GR MK TR
1309. **Apanteles aragatzi Tobias,1976** (Braconidae) Synonym(s): *aragatzi Tobias,1976* Apanteles aragatzi Tobias,1976, Trudy zool. Inst.: 244-245. TR Cc AM CH
1310. **Apanteles ater (Ratzeburg,1852)** (Braconidae) Synonym(s): *ater Ratzeburg,1852; Microgaster ater Ratzeburg,1852, Ichn. D. Forstins. 3: 56.* TR Cc AZ
1311. **Apanteles atreus Nixon,1973** (Braconidae) Synonym(s): *atreus Nixon,1973* Apanteles atreus Nixon,1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
1312. **Apanteles brunnistigma Abdinbekova,1969** (Braconidae) Synonym(s): *brunnistigma Abdinbekova,1969* Apanteles brunnistigma Abdinbekova,1969, Azerb. Sci. Acad. Zool. Enst. ELM. TR Cc AZ GB IT HU
1313. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
1314. **Apanteles evanidus Papp,1975** (Braconidae) Synonym(s): *evanidus Papp,1975* Apanteles evanidus Papp,1975, Ann. Hist. nat. Mus. Nat. Hung.: 243. TR CH HU
1315. **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie Wilkinson,1932* Apanteles gallerie Wilkinson,1932, Stylops 1: 139. TR US AR MU IN FR HU IL Pa
1316. **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara Nixon,1965* Apanteles hemara Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
1317. **Apanteles ingenuoides Papp,1971** (Braconidae) Synonym(s): *ingenuoides Papp,1971* Apanteles ingenuoides Papp,1971, Annls. Hist. Nat. Mus. Natn. Hung. 63: 307-363. TR FR BG HU MN
1318. **Apanteles kubensis Abdinbekova,1975** (Braconidae) Synonym(s): *kubensis Abdinbekova,1975* Apanteles kubensis Abdinbekova,1975, Azerb. Sci. Acad. Zool. Enst. ELM. 26. TR HU Cc AZ
1319. **Apanteles myron Nixon,1973** (Braconidae) Synonym(s): *myron Nixon,1973* Apanteles myron Nixon,1973, Bull. ent. Res. 63: 169-228. TR GB GR AT

1320. **Apanteles obscurus (Nees,1834)** (Braconidae) Synonym(s): *obscurus* Nees,1834 **Microgaster obscurus** Nees,1834, *Hym. Ichn. Affin. Mon. 1: 182. TR Cc RU Sb MN*
1321. **Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *compunctor* Linnaeus,1758 **TR RU Sb**
1322. **Apechthis quadridentata (Thomson,1877)** (Ichneumonidae) Synonym(s): *quadridentata* Thomson,1877 **TR**
1323. **Apethymus apicalis (Klug,1818)** (Tenthredinidae) Synonym(s): *apicalis* Klug,1818; *serotinus* Müller,1776; *filiformis* Klug,1818 **TR RU Cc**
1324. **Aphaenogaster holtzi Emery,1898** (Formicidae) Synonym(s): *holtzi* Emery,1898 **TR**
1325. **Aphaenogaster kervillei Forel,1910** (Formicidae) Synonym(s): *kervillei* Forel,1910 **TR**
1326. **Aphaenogaster simonelli Emery,1894** (Formicidae) Synonym(s): *simonelli* Emery,1894 **TR**
1327. **Aphaenogaster subterranea (Latreille,1798)** (Formicidae) Synonym(s): *subterranea* Latreille,1798 **TR**
1328. **Aphalara maculipennis Loew,1886** (Psyllidae) Synonym(s): *maculipennis* Loew,1886 **TR Cc RU Sb Am IN**
1329. **Aphanistes armatus (Wesmael,1849)** (Ichneumonidae) Synonym(s): *armatus* Wesmael,1849 **TR**
1330. **Aphanistes bellicosus (Wesmael,1849)** (Ichneumonidae) Synonym(s): *bellicosus* Wesmael,1849 **TR**
1331. **Aphasganophora armeniaca (Boucek,1952)** (Chalcididae) Synonym(s): *armeniaca* Boucek,1952; *ensifera* Nikolskaya,1952 **AM Cc RU TR**
1332. **Aphelinoidea anatolica Novicki,1936** (Trichogrammatidae) Synonym(s): *anatolica* Novicki,1936 **TR**
1333. **Aphelinus asychis Walker,1839** (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913 **Aphelinus asychis** Walker,1839, *Monographia Chalciditum 1: 2-3. TR GB PK IN Hp Ass Ch Meg Up Ben NP*
1334. **Aphelinus chaonia Walker,1839** (Aphelinidae) Synonym(s): *chaonia* Walker,1839; *flavicornis* Förster,1841; *transversus* Thomson,1876 **Aphelinus chaonia** Walker,1839, *Monographia Chalciditum 1: 4. Lectotype ♀: England: near London, Belfast, July to October. TR GB*
1335. **Aphelinus mali (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocidolomiae* Risbec,1951 **TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up**
1336. **Aphelinus semiflavus Howard,1908** (Aphelinidae) Synonym(s): *semiflavus* Howard,1908; *brevipennis* Girault,1917 **US Oh Col TR**
1337. **Aphelinus varipes (Förster,1841)** (Aphelinidae) Synonym(s): *varipes* Förster,1841; *nigritus* Howard,1908; *toxopteraphidis* Kurdjumov,1913 **TR UA**
1338. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794 **FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR**
1339. **Aphelocheirus kolenati Kiritshenko,1925** (Aphelocheiridae) Synonym(s): *kolenati* Kiritshenko,1925 **AZ AM Cc TR**
1340. **Aphelonema melichari (Horvath,1897)** (Caliscelidae) Synonym(s): *melichari* Horvath,1897 **IT TR YU**
1341. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola* Giraud,1859 **GB IT AT HU YU RO BG GR TR**
1342. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 **Aphelonyx persica** Melika, Stone, Sadeghi & Pujade-Villar,2004, *Acta zool. hung. 50: 146-150, figs. 15-23, 31. Holotype ♀: Iran, Tatineh north of Kermanshah, 2002.x.26 ex Quercus brantii leg.G.N.Stone (BMNH). JO SY LB IR Kd Km TR*
1343. **Aphidoletes aphidimyza (Rondani,1847)** (Cecidomyiidae) Synonym(s): *aphidimyza* Rondani,1847 **TR**
1344. **Aphis fabae Scopoli,1763** (Aphididae) Synonym(s): *fabae* Scopoli,1763 **TR**
1345. **Aphodius (Pseudacrossus) zuercheri Reitter,1908** (Scarabaeidae) Synonym(s): *zuercheri* Reitter,1908 **TR**
1346. **Apholidoptera kurda (Uvarov,1916)** (Tettigoniidae) Synonym(s): *kurda* Uvarov,1916 **TR**
1347. **Apholidoptera pietschmanni (Ebner,1912)** (Tettigoniidae) Synonym(s): *pietschmanni* Ebner,1912 **TR**
1348. **Aphrodes albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758 **TR**
1349. **Aphrodes albiger (Germar,1821)** (Cicadellidae) Synonym(s): *albiger* Germar,1821; *kirschbaumi* Edwards,1920; *nudus* Wagner,1937; *salinus* Wagner,1937; *deleta* Ribaut,1952 **AT CZ GB FR DE NL PL RU TR**
1350. **Aphrodes angulaticeps Emeljanov,1964** (Cicadellidae) Synonym(s): *angulaticeps* Emeljanov,1964 **RU TR**
1351. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata*

- Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; minutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU*
1352. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR*
1353. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus Lethierry,1876 CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU*
1354. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan,1799; rivularis Germar,1821 AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU*
1355. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius,1794; arenicola Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU*
1356. **Aphrodes makarovi Zachvatkin,1948** (Cicadellidae) Synonym(s): *makarovi Zachvatkin,1948 TR*
1357. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus Kirschbaum,1868; integer Wagner,1937 DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU*
1358. **Aphrodes trifasciatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *trifasciatus Hovarth,1897 TR*
1359. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950 Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU*
1360. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea Germar,1821 AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR*
1361. **Aphrophora exoleta Horvath,1901** (Cercopidae) Synonym(s): *exoleta Horvath,1901 TR SY*
1362. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778 AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU*
1363. **Aphrosylus Haliday,1851** (Dolichopodidae) Synonym(s): *Aphrosylus Haliday,1851 TR*
1364. **Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcearmatus Parent,1925 EG Sn IL Pa TR*
1365. **Aphthona abdominalis (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis Duftschmid,1825; finitima Ogloblin,1927 TR Cc IR AF KG*
1366. **Aphthona alanyensis Fritzlär,2004** (Chrysomelidae) Synonym(s): *alanyensis Fritzlär,2004 TR*
1367. **Aphthona atrovirens (Förster,1849)** (Chrysomelidae) Synonym(s): *atrovirens Förster,1849 TR Cc*
1368. **Aphthona bergealoides Fritzlär,2004** (Chrysomelidae) Synonym(s): *bergealoides Fritzlär,2004 TR*
1369. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri Allard,1861; tauricola Pic,1910 IT GR Rd CY TR BG EG IR*
1370. **Aphthona crassicornis Lopatin,1990** (Chrysomelidae) Synonym(s): *crassicornis Lopatin,1990 TR*
1371. **Aphthona euphorbiae (Schränk,1781)** (Chrysomelidae) Synonym(s): *euphorbiae Schränk,1781 Cc TR RU Sb KG*
1372. **Aphthona flava Guillebeau,1894** (Chrysomelidae) Synonym(s): *flava Guillebeau,1894 TR*
1373. **Aphthona flaviceps Allard,1859** (Chrysomelidae) Synonym(s): *flaviceps Allard,1859 Cc TR DZ KG*
1374. **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi Heikertinger,1944 Cc TR SY IL Pa*
1375. **Aphthona fuentei Reitter,1901** (Chrysomelidae) Synonym(s): *fuatei Reitter,1901 TR IL Pa IR DZ ZR*
1376. **Aphthona gracilis Faldermann,1837** (Chrysomelidae) Synonym(s): *gracilis Faldermann,1837 TR Cc RU KG*
1377. **Aphthona kuntzei Roubal,1931** (Chrysomelidae) Synonym(s): *kuntzei Roubal,1931 TR*
1378. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens Gyllenhal,1808 TR Cc RU Sb KG MN YE*
1379. **Aphthona maculata Allard,1876** (Chrysomelidae) Synonym(s): *maculata Allard,1876 TR Cc RU KG*
1380. **Aphthona nigriceps (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *nigriceps Redtenbacher,1842 DZ TR Cc*

1381. **Aphthona nigriscutis Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis Foudras,1860* TR Cc RU IR KG
1382. **Aphthona nonstriata (Goeze,1777)** (Chrysomelidae) Synonym(s): *nonstriata Goeze,1777* TR Cc IR KG
1383. **Aphthona ovata Foudras,1860** (Chrysomelidae) Synonym(s): *ovata Foudras,1860* Cc TR
1384. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae) Synonym(s): *pygmaea Kutschera,1861* TR Cc EG LY YE
1385. **Aphthona rugipennis Ogloblin,1926** (Chrysomelidae) Synonym(s): *rugipennis Ogloblin,1926* RU Cc TR
1386. **Aphthona semicyanea Allard,1859** (Chrysomelidae) Synonym(s): *semicyanea Allard,1859* TR Cc KG RU
1387. **Aphthona syriaca Heikertinger,1944** (Chrysomelidae) Synonym(s): *syriaca Heikertinger,1944* TR
1388. **Aphthona valachica Heikertinger,1944** (Chrysomelidae) Synonym(s): *valachica Heikertinger,1944* RO TR
1389. **Aphthona venustula Kutschera,1861** (Chrysomelidae) Synonym(s): *venustula Kutschera,1861* TR Cc
1390. **Aphycoides clavellatus (Dalman)** (Encyrtidae) Synonym(s): TR
1391. **Aphycus primus (Mercet)** (Encyrtidae) Synonym(s): TR
1392. **Aphytis abnormis (Howard,1881)** (Aphelinidae) Synonym(s): *abnormis Howard,1881* US TR
1393. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae Mercet,1911; dubius De Santis,1948; intermedius De Santis,1948; citrinus Compere,1955* ES CY TR GG JP AR
1394. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis Howard,1900; longiclavae Mercet,1910; capitis Rust,1915; signiphoroides Brèthes,1916; riadi Delucchi,1964* CL US Cf ES TR CY LB AR
1395. **Aphytis chrysomphali (Mercet,1912)** (Aphelinidae) Synonym(s): *chrysomphali Mercet,1912; silvestrii De Gregorio,1914; quaylei Rust,1915; mazandaranica Kiriukhin,1946* CY TR IR Elb Mz
1396. **Aphytis diaspidis (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis Howard,1881; fuscipennis Howard,1881; ovidii Girault,1919; opuntiae Risbec,1952; madagascariensis Risbec,1952; risbeci Annecke & Insley,1971* US FI CY TR MG AU QAU
1397. **Aphytis hispanicus (Mercet,1912)** (Aphelinidae) Synonym(s): *hispanicus Mercet,1912; argentinus Brèthes,1916; bovelli Malenotti,1918* AR ES TR
1398. **Aphytis lepidosaphes Compere,1955** (Aphelinidae) Synonym(s): *lepidosaphes Compere,1955* CN CY TR
1399. **Aphytis libanicus Traboulsi,1969** (Aphelinidae) Synonym(s): *libanicus Traboulsi,1969* LB TR
1400. **Aphytis lingnanensis Compere,1955** (Aphelinidae) Synonym(s): *lingnanensis Compere,1955* CN CY TR
1401. **Aphytis maculicornis (Masi,1911)** (Aphelinidae) Synonym(s): *maculicornis Masi,1911* IT TR
1402. **Aphytis melinus DeBach,1959** (Aphelinidae) Synonym(s): *melinus DeBach,1959* CY TR
1403. **Aphytis mytilaspidis (Le Baron,1870)** (Aphelinidae) Synonym(s): *albidus Westwood,1837; mytilaspidis Le Baron,1870; variolosum Alam,1956; diaspidioti Chumakova,1957; ficus Traboulsi,1969* GB CY LB TR RU Us
1404. **Aphytis neuter Yasnosh & Myartseva,1971** (Aphelinidae) Synonym(s): *neuter Yasnosh & Myartseva,1971* TM TR
1405. **Aphytis proclia (Walker,1839)** (Aphelinidae) Synonym(s): *proclia Walker,1839; zonatus Alam,1956; sugonjaevi Yasnoch,1972; chowdhurii Kaul,1974* Aphelinus proclia Walker,1839, Monographia Chalciditum 1: 9. Lectotype ♀: England (BMNH). GB GG Cc CY TR IN Hp
1406. **Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): *bergenstammi Wachtl,1882* TR
1407. **Apion tauricum Schubert,1963** (Apionidae) Synonym(s): *tauricum Schubert,1963* Apion tauricum Schubert,1963, Koleopt. Rdsch. 40/41: 81-82. Type♂: Türkei: [İçel Prov.]: Namrun, May 1960 (coll. Schubert). TR
1408. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
1409. **Apistomyia aphrodite Zwick,1988** (Blephariceridae) Synonym(s): *aphrodite Zwick,1988* TR CY
1410. **Apistomyia sp.** (Blephariceridae) Synonym(s): TR
1411. **Aplidia akbesiana Petrovitz,1971** (Scarabaeidae) Synonym(s): *akbesiana Petrovitz,1971* TR
1412. **Aplidia caesarina Reitter,1902** (Scarabaeidae) Synonym(s): *caesarina Reitter,1902* TR SY
1413. **Aplidia dilatata Reitter,1902** (Scarabaeidae) Synonym(s): *dilatata Reitter,1902* TR SY
1414. **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa Burmeister,1855* TR IL Pa LB SY
1415. **Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri Keith,2000* TR SY IL Pa?
1416. **Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula Kraatz,1882* TR SY IL Pa
1417. **Aplidia pilicollis Petrovitz,1967** (Scarabaeidae) Synonym(s): *pilicollis Petrovitz,1967* TR LB

1418. **Aplidia tarsensis Kraatz,1882** (Scarabaeidae) Synonym(s): *tarsensis Kraatz,1882* TR SY Dms
1419. **Aplidia wernerii Keith,2000** (Scarabaeidae) Synonym(s): *wernerii Keith,2000* TR SY
1420. **Aplidia wewalkai Petrovitz,1971** (Scarabaeidae) Synonym(s): *wewalkai Petrovitz,1971* TR
1421. **Aplocnemus pertusus (Kiesenwetter,1859)** (Melyridae) Synonym(s): *pertusus Kiesenwetter,1859* GR TR
1422. **Aplocnemus reitteri (Schilsky,1894)** (Melyridae) Synonym(s): *reitteri Schilsky,1894* TR
1423. **Aplocnemus syriacus (Schilsky,1894)** (Melyridae) Synonym(s): *syriacus Schilsky,1894* CY TR
1424. **Apotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus Kiesenwetter,1858* TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
1425. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871* MA DZ LY TN EG NG TR SA IL Pa IR
1426. **Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes Loew,1873* RU KG DZ IR TR
1427. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873* RU KG DZ TN LY IR TR
1428. **Apoderus coryli (Linnaeus,1758)** (Atelabidae) Synonym(s): *coryli Linnaeus,1758; collaris Scopoli,1863; avellanae Linnaeus,1767; dauricus Laxmann,1770; excoriatoruber De Geer,1775; denigratus Gmelin,1790* DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
1429. **Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali Germar,1817* TR
1430. **Apolysis fumipennis (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis Loew,1844* GR TR
1431. **Apophua bipunctaria (Thunberg,1822)** (Ichneumonidae) Synonym(s): *bipunctaria Thunberg,1822* TR
1432. **Apoplymus Fieber,1859** (Berytidae) Synonym(s): *Apoplymus Fieber,1859* TR
1433. **Apoplymus pectoralis Fieber,1859** (Berytidae) Synonym(s): *pectoralis Fieber,1859* TR
1434. **Aporinellus moestus (Klug,1834)** (Pompilidae) Synonym(s): *moestus Klug,1834; sericeomaculatus Kohl,1888* TR
1435. **Aporinellus sexmaculatus (Spinola,1805)** (Pompilidae) Synonym(s): *sexmaculatus Spinola,1805; asiaticus Gussakovskii,1935* TR
1436. **Aporus bicolor Spinola,1808** (Pompilidae) Synonym(s): *bicolor Spinola,1808* TR
1437. **Aporus pollux (Kohl,1888)** (Pompilidae) Synonym(s): *pollux Kohl,1888* TR
1438. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens J.Müller,1943* AZ BG FR GG IT ES TR MA TN IL Pa
1439. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax Pecchioli,1837* AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
1440. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus Dejean,1825* AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
1441. **Aprosthemata bifurcum (Klug,1834)** (Argidae) Synonym(s): *bifurcum Klug,1834* AT SK UA FI TR
1442. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
1443. **Aprosthemata syrmienne (Mocsary,1897)** (Argidae) Synonym(s): *syrmienne Mocsary,1897* TR B-H RO
1444. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum Klug,1814; cylindricorne Thomson,1871; carpentieri Konow,1902* FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
1445. **Aprostocetus agevilleae Graham,1987** (Eulophidae) Synonym(s): *agevilleae Graham,1987* CZ SK IT TR
1446. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus Walker,1839; amynus Walker,1839; conii Erdős,1954; rugosus Erdős,1954* CZ FR GR HU GB IE NL RU Us SK SE TR
1447. **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus Kostjukov,1978* AM Cc IR IL Pa TR
1448. **Aprostocetus catus (Walker,1839)** (Eulophidae) Synonym(s): *catus Walker,1839* CZ IE GB SE RU Us TR
1449. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus Westwood,1833; tristis Nees,1834; phalis Walker,1839; trabea Walker,1839; mutilia Walker,1839; crassicauda Thomson,1878* AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
1450. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae Girault,1916* AU NSW EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA ÜG US FI TR
1451. **Aprostocetus coelarchus (Graham,1991)** (Eulophidae) Synonym(s): *coelarchus Graham,1991* TR CZ CN Yu SE GB YU
1452. **Aprostocetus cracens Graham,1987** (Eulophidae) Synonym(s): *cracens Graham,1987* TR IT GR
1453. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino Walker,1838; dispar Silvestri,1920; oecanthivorus Gahan,1932; compar Gahan,1932; dubius Bakkendorf,1955* AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR

1454. **Aprostocetus decrescens (Graham,1991)** (Eulophidae) Synonym(s): *decrescens* Graham,1991
TR FR GB SE CN Kwa
1455. **Aprostocetus eriophyes (Taylor,1909)** (Eulophidae) Synonym(s): *eriophyes* Taylor,1909
TR
1456. **Aprostocetus eurytomae (Nees,1834)** (Eulophidae) Synonym(s): *eurytomae* Nees,1834 TR
1457. **Aprostocetus forsteri (Walker,1847)** (Eulophidae) Synonym(s): *forsteri* Walker,1847 TR
1458. **Aprostocetus holoxanthus Graham,1991** (Eulophidae) Synonym(s): *holoxanthus*
Graham,1991 TR
1459. **Aprostocetus levadiensis Graham,1987** (Eulophidae) Synonym(s): *levadiensis* Graham,1987
GR TR
1460. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda*
Thomson,1878 GB FR DE CZ SK HU IT GR SE TR
1461. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 GR FR
NL DE DK SE FI PL CZ SK IT YU TR
1462. **Aprostocetus melasomae (Graham,1991)** (Eulophidae) Synonym(s): *melasomae*
Graham,1991 SE CZ TR
1463. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus*
Domenichini,1957 FR DE IT CZ AT HU MD GR TR
1464. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 TR
PT ES FR GB NO SE DK DE CZ HU GR
1465. **Aprostocetus productus Graham,1987** (Eulophidae) Synonym(s): *productus* Graham,1987
TR FR
1466. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus*
Zetterstedt,1838 TR FR GB DK DE NO SE FI UA CZ HU IT GR
1467. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839;
agathocles Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE
UA GB US Ny YU
1468. **Aprostocetus terebrans Erdös,1954** (Eulophidae) Synonym(s): *terebrans* Erdös,1954 TR GB
FR NO SE DE CZ SK HU
1469. **Aprostocetus toddaliae (Risbec,1958)** (Eulophidae) Synonym(s): *toddaliae* Risbec,1958 TR
1470. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini*
Kostjukov,1976 DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
1471. **Aprostocetus tymber (Walker,1839)** (Eulophidae) Synonym(s): *tymber* Walker,1839 TR GB
FR NL SE PL CZ SK YU IT
1472. **Apsectrotamypus trifascipennis (Zetterstedt,1850)** (Chironomidae) Synonym(s):
trifascipennis Zetterstedt,1850 TR
1473. **Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843;
ponticus Apfelbeck,1904 BG TR GR Cr
1474. **Aptus mirmicoides Costa,1834** (Nabidae) Synonym(s): *mirmicoides* Costa,1834 TR
1475. **Aquarius paludum (Fabricius,1794)** (Gerridae) Synonym(s): *paludum* Fabricius,1794 TR
1476. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 BG IL Pa CY
LB GR TR
1477. **Arachnocephalus vestitus A.Costa,1855** (Mogoplistidae) Synonym(s): *vestitus* A.Costa,1855
TR
1478. **Arachnospila anceps (Wesmael,1851)** (Pompilidae) Synonym(s): *anceps* Wesmael,1851;
peninsulana Wolf,1966 TR
1479. **Arachnospila angorana (Wolf,1990)** (Pompilidae) Synonym(s): *angorana* Wolf,1990 TR
1480. **Arachnospila ausa (Tournier,1890)** (Pompilidae) Synonym(s): *ausa* Tournier,1890 TR
1481. **Arachnospila clericalis (Morawitz,1889)** (Pompilidae) Synonym(s): *clericalis* Morawitz,1889
TR
1482. **Arachnospila colpostoma (Kohl,1886)** (Pompilidae) Synonym(s): *colpostoma* Kohl,1886 TR
1483. **Arachnospila conjungens (Kohl,1898)** (Pompilidae) Synonym(s): *conjungens* Kohl,1898 TR
1484. **Arachnospila consobrina (Dahlbom,1843)** (Pompilidae) Synonym(s): *consobrina*
Dahlbom,1843; *continentalis* Wolf,1966 TR
1485. **Arachnospila esau (Kohl,1886)** (Pompilidae) Synonym(s): *esau* Kohl,1886; *vaucheri*
Tournier,1890; *rufocincta* Haupt,1933 TR
1486. **Arachnospila fumipennis (Zetterstedt,1838)** (Pompilidae) Synonym(s): *fumipennis*
Zetterstedt,1838 TR
1487. **Arachnospila fuscomarginata (Thomson,1870)** (Pompilidae) Synonym(s): *fuscomarginata*
Thomson,1870 TR
1488. **Arachnospila gibbomima (Haupt,1929)** (Pompilidae) Synonym(s): *gibbomima* Haupt,1929
TR
1489. **Arachnospila hedickei (Haupt,1929)** (Pompilidae) Synonym(s): *hedickei* Haupt,1929 TR
1490. **Arachnospila holomelas (Costa,1882)** (Pompilidae) Synonym(s): *holomelas* Costa,1882;
gymnesiae Dalla Torre,1897; *dissona* Wahis,1974 TR
1491. **Arachnospila ionica (Wolf,1964)** (Pompilidae) Synonym(s): *ionica* Wolf,1964 TR

1492. **Arachnospila minutula (Dahlbom,1843)** (Pompilidae) Synonym(s): *minutula* Dahlbom,1843; *appeninusurata* Wolf,1970 **TR**
1493. **Arachnospila osmana (Wolf,1999)** (Pompilidae) Synonym(s): *osmana* Wolf,1999 **TR**
1494. **Arachnospila pamira (Haupt,1930)** (Pompilidae) Synonym(s): *pamira* Haupt,1930 **TR TJ Pm**
1495. **Arachnospila rufa (Haupt,1927)** (Pompilidae) Synonym(s): *rufa* Haupt,1927 **TR**
1496. **Arachnospila silvana (Kohl,1886)** (Pompilidae) Synonym(s): *silvana* Kohl,1886 **TR**
1497. **Arachnospila sogdiana (Morawitz,1893)** (Pompilidae) Synonym(s): *sogdiana* Morawitz,1893; *anatolica* Wolf,1966 **TR**
1498. **Arachnospila spissa (Schioedte,1837)** (Pompilidae) Synonym(s): *spissa* Schioedte,1837 **TR**
1499. **Arachnospila trivialis (Dahlbom,1843)** (Pompilidae) Synonym(s): *trivialis* Dahlbom,1843; *insubrica* Wolf,1965 **TR**
1500. **Arachnospila valesabnormis (Wolf,1965)** (Pompilidae) Synonym(s): *valesabnormis* Wolf,1965; *?anatolica* Wolf,1966 **TR**
1501. **Arachnotheutes leucurus (Morawitz,1891)** (Pompilidae) Synonym(s): *leucurus* Morawitz,1891 **TR**
1502. **Arachnotheutes minor (Priesner,1955)** (Pompilidae) Synonym(s): *minor* Priesner,1955 **TR**
1503. **Arachnotheutes rufithorax (Costa,1887)** (Pompilidae) Synonym(s): *rufithorax* Costa,1887 **TR**
1504. **Arachnotheutes signatipennis (Klug,1834)** (Pompilidae) Synonym(s): *signatipennis* Klug,1834 **TR**
1505. **Arachnotheutes squalidus (Haupt,1962)** (Pompilidae) Synonym(s): *squalidus* Haupt,1962 **TR**
1506. **Aradus betulae (Linnaeus,1758)** (Aradidae) Synonym(s): *betulae* Linnaeus,1758 **IT Sa Si TR**
1507. **Aradus brenskei Reuter,1884** (Aradidae) Synonym(s): *brenskei* Reuter,1884 **IT Sa Si TR**
1508. **Aradus caucasicus Kolenati,1856** (Aradidae) Synonym(s): *caucasicus* Kolenati,1856 **Cc TR**
1509. **Aradus cilicicum Heiss,1990** (Aradidae) Synonym(s): *cilicicum* Heiss,1990 **TR**
1510. **Aradus cinnamomeus Panzer,1806** (Aradidae) Synonym(s): *cinnamomeus* Panzer,1806; *leptopterus* Germar,1834; *perrisi* Dufour,1845; *albopunctatus* Scholtz,1846; *antennalis* Parshley,1922 **IT TR US Tx CA BCo**
1511. **Aradus conspicuus Herrich-Schäffer,1835** (Aradidae) Synonym(s): *conspicuus* Herrich-Schäffer,1835 **IT Si TR**
1512. **Aradus corticalis (Linnaeus,1758)** (Aradidae) Synonym(s): *corticalis* Linnaeus,1758; *annulicornis* Fabricius,1803 **IT TR**
1513. **Aradus crenatus Say,1832** (Aradidae) Synonym(s): *crenatus* Say,1832 **TR**
1514. **Aradus depressus (Fabricius,1794)** (Aradidae) Synonym(s): *depressus* Fabricius,1794 **IT Si TR**
1515. **Aradus flavicornis Dalman,1823** (Aradidae) Synonym(s): *flavicornis* Dalman,1823 **IT Sa Si TR**
1516. **Aradus inopinus Kirschbaum,1955** (Aradidae) Synonym(s): *inopinus* Kirschbaum,1955 **TR**
1517. **Aradus krueperi Reitter,1884** (Aradidae) Synonym(s): *krueperi* Reitter,1884 **IT TR**
1518. **Aradus muricatus Hummel,1827** (Aradidae) Synonym(s): *muricatus* Hummel,1827 **TR**
1519. **Aradus seidenstueckeri Heiss,1989** (Aradidae) Synonym(s): *seidenstueckeri* Heiss,1989 **TR**
1520. **Aradus versicolor Herrich-Schäffer,1835** (Aradidae) Synonym(s): *versicolor* Herrich-Schäffer,1835 **IT TR**
1521. **Arboridia adanae (Dlabola,1957)** (Cicadellidae) Synonym(s): *adanae* Dlabola,1957 **IL Pa TR**
1522. **Arboridia cantoreanica Dworakowska,1970** (Cicadellidae) Synonym(s): *cantoreanica* Dworakowska,1970 **BG TR**
1523. **Arboridia expansa (Zachvatkin,1946)** (Cicadellidae) Synonym(s): *expansa* Zachvatkin,1946 **BG TR**
1524. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) **AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU**
1525. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta* Melichar,1897; *spathulata* Ribaut,1931 **FR DE IT CH RU Sb UA YU TR**
1526. **Arctoclavelia soikai Wolf,1966** (Pompilidae) Synonym(s): *soikai* Wolf,1966 **TR**
1527. **Arctoconopa melampodia (Loew,1873)** (Limoniidae) Synonym(s): *melampodia* Loew,1873 **TR**
1528. **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae) Synonym(s): *labiata* Brullé,1832 **TR**
1529. **Arcyptera (Pararcyptera) microptera (Fischer de Waldheim,1833)** (Acrididae) Synonym(s): *microptera* Fischer de Waldheim,1833 **TR**
1530. **Arcyptera (s.str.) fusca (Pallas,1773)** (Acrididae) Synonym(s): *fusca* Pallas,1773 **TR**
1531. **Arenivaga cerverae (Bolivar,1886)** (Polyphagidae) Synonym(s): *cerverae* Bolivar,1886 **TR**
1532. **Arenivaga ebneri (Chopard,1929)** (Polyphagidae) Synonym(s): *ebneri* Chopard,1929 **TR**

1533. **Arenivaga livida (Brunner von Wattenwyl,1865)** (Polyphagidae) Synonym(s): *livida* Brunner von Wattenwyl,1865 TR
1534. **Arge aurata (Zaddach,1864)** (Argidae) Synonym(s): *aurata* Zaddach,1864 TR
1535. **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891 B-H RO Cc SY TR
1536. **Arge beckeri Tournier,1889** (Argidae) Synonym(s): *beckeri* Tournier,1889 B-H YU MK HU UA TR
1537. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
1538. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
1539. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *seljuki* Benson,1968; *fuscinervis* Lindqvist,1974 ES FR SE DE PL RU Sb DZ TR CA
1540. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
1541. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
1542. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 SK HU UA RO BG MK GR AL TR Cc
1543. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
1544. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
1545. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
1546. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
1547. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
1548. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 B-H HU SK UA RO MK BG TR Cc CN Ui
1549. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata* Zaddach,1859 FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
1550. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
1551. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
1552. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 BG GR Cr CY TR LB IL Pa SY IR TM
1553. **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 BG GR SY TR Cc
1554. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
1555. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ
1556. **Aritranis buccatus (Tschek,1872)** (Ichneumonidae) Synonym(s): *buccatus* Tschek,1872 TR
1557. **Aritranis claviventris (Kriechbaumer,1894)** (Ichneumonidae) Synonym(s): *claviventris* Kriechbaumer,1894 TR
1558. **Aritranis confector (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confecto* Gravenhorst,1829 TR
1559. **Aritranis director (Thunberg,1824)** (Ichneumonidae) Synonym(s): *director* Thunberg,1824 TR
1560. **Aritranis fugitivus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugitivus* Gravenhorst,1829 TR
1561. **Aritranis graeffei (Thomson,1896)** (Ichneumonidae) Synonym(s): *graeffei* Thomson,1896 BG TR
1562. **Aritranis longicauda (Kriechbaumer,1873)** (Ichneumonidae) Synonym(s): *longicauda* Kriechbaumer,1873 DZ TR
1563. **Aritranis nigrifemur (Szepligeti,1916)** (Ichneumonidae) Synonym(s): *nigrifemur* Szepligeti,1916 TR
1564. **Aritranis nigripes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nigripes* Gravenhorst,1829; *gracilis* Taschenberg,1865 TR

1565. **Aritranis occisor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *occisor* Gravenhorst,1829 TR
1566. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840 ES FR DE IT AT BG TR
1567. **Aritranis quadriguttatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadriguttatus* Gravenhorst,1829 TR
1568. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
1569. **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899 BG GR TR RO HU
1570. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
1571. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
1572. **Aromia moschata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758 Cc TR IR CZ SE
1573. **Arotos albicinctus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albicinctus* Gravenhorst,1829 TR
1574. **Arrhenopeplus turcicus (Coiffait,1958)** (Staphylinidae) Synonym(s): *turcicus* Coiffait,1958 TR
1575. **Arthrocnodax coryligallarum (Targioni-Tozzetti,1887)** (Cecidomyiidae) Synonym(s): *coryligallarum* Targioni-Tozzetti,1887 TR
1576. **Arthrolytus discoideus (Nees)** (Pteromalidae) Synonym(s): TR
1577. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
1578. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 BG CS HU IT RO TR Cc AM GG MD UA YU
1579. **Artvinia tschorochensis (Adelung,1907)** (Tettigoniidae) Synonym(s): *tschorochensis* Adelung,1907 TR
1580. **Asaphes suspensus (Nees,1834)** (Pteromalidae) Synonym(s): *suspensus* Nees,1834 TR
1581. **Asaphes vulgaris Walker,1834** (Pteromalidae) Synonym(s): *vulgaris* Walker,1834 TR
1582. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 AM Cc BG GR TR CY IR KK KG TJ UZ
1583. **Asaphidion (Asaphidion) ganglbaueri J.Müller,1921** (Carabidae) Synonym(s): *ganglbaueri* J.Müller,1921 TR
1584. **Asaphidion (Asaphidion) nebulosum (P.Rossi,1792)** (Carabidae) Synonym(s): *nebulosum* P.Rossi,1792 TR
1585. **Asaphidion (Asaphidion) weiratheri Netolitzky,1935** (Carabidae) Synonym(s): *weiratheri* Netolitzky,1935 TR
1586. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853 TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
1587. **Aschitus annulatus Erdös** (Encyrtidae) Synonym(s): TR
1588. **Ascogaster armatus Wesmael,1835** (Braconidae) Synonym(s): *armatus* Wesmael,1835 TR
1589. **Ascogaster instabilis Wesmael,1835** (Braconidae) Synonym(s): *instabilis* Wesmael,1835 RU TR
1590. **Ascogaster rufipes (Latreille,1809)** (Braconidae) Synonym(s): *rufipes* Latreille,1809 TR
1591. **Asiloephesus excisus (Loew,1848)** (Asilidae) Synonym(s): *excisus* Loew,1848 IR Kh TR
1592. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
1593. **Asiotmethis limbatus (Charpentier,1845)** (Pamphagidae) Synonym(s): *limbatus* Charpentier,1845 TR
1594. **Asiotmethis turritus (Fischer von Waldheim,1833)** (Pamphagidae) Synonym(s): *turritus* Fischer von Waldheim,1833 Cc AM Eri TR
1595. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
1596. **Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii* Kurzenko,1994 *Asmisapyga warnckeii* Kurzenko,1994, *Linzer biol. Beitr.* 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). TR SY Bld IL Pa JO TN
1597. **Asphingoderus elazigi Demirsoy,1977** (Acrididae) Synonym(s): *elazigi* Demirsoy,1977 TR
1598. **Asphingoderus uvarovites (Mishtshenko,1936)** (Acrididae) Synonym(s): *uvarovites* Mishtshenko,1936 TR

1599. **Asphondylia anatolica** Skuhrava & Çam,1998 (Cecidomyiidae) Synonym(s): *anatolica* Skuhrava & Çam,1998 TR
1600. **Asphondylia gennadii** (Marchal,1904) (Cecidomyiidae) Synonym(s): *gennadii* Marchal,1904; *caspici* Barnes,1932 TR
1601. **Asphondylia verbasci** (Vallot,1827) (Cecidomyiidae) Synonym(s): *verbasci* Vallot,1827 TR
1602. **Aspidiotus hedericola** Leonardi (Diaspididae) Synonym(s): *hedericola* Leonardi TR
1603. **Aspidiotus nerii** Bouche (Diaspididae) Synonym(s): *nerii* Bouche TR
1604. **Aspilaspis viridis** (Brullé,1835) (Nabidae) Synonym(s): *viridis* Brullé,1835 Cn GR TR CY
1605. **Aspoeckina glaseri** Hölzel,1972 (Myrmeleonidae) Synonym(s): *glaseri* Hölzel,1972 TR
1606. **Aspoeckina uralensis** Hölzel (Myrmeleonidae) Synonym(s): RU Ur TR IR
1607. **Aspoeckina glaseri** Hölzel,1972 (Myrmeleonidae) Synonym(s): *glaseri* Hölzel,1972 TR
1608. **Asterodiaspis ilicicola** (Targioni Tozzetti) (Asterolecaniidae) Synonym(s): *ilicicola* (Targioni Tozzetti) TR
1609. **Asterodiaspis quercicola** (Bouche) (Asterolecaniidae) Synonym(s): *quercicola* (Bouche) TR
1610. **Asterodiaspis variolasa** (Ratzeburg) (Asterolecaniidae) Synonym(s): *variolasa* (Ratzeburg) TR
1611. **Asymmetrasca decedens** (Paoli,1932) (Cicadellidae) Synonym(s): *decedens* Paoli,1932 TR
CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
1612. **Asynapta strobi** (Kieffer,1920) (Cecidomyiidae) Synonym(s): *strobi* Kieffer,1920 TR
1613. **Athalia bicolor** Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville,1823 UA Cm TR Cc DZ RU
1614. **Athalia circularis** (Klug,1815) (Tenthredinidae) Synonym(s): *circularis* Klug,1815; *lineolata* Audinet-Serville,1823; *bolivari* Dusmet,1896; *libertoides* Priesner,1928; *longifoliae* Kontuniemi,1951; *alpina* Chevin,1969 UA Cm TR RU MN CA CN JP
1615. **Athalia cordata** Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 UA Cm TR GR Cr CY RU BY MD
Cc GG AM AZ Cn DZ IL Pa
1616. **Athalia liberta** (Klug,1815) (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884 RU TR IR UZ KK Cc Sb IN CN JP
1617. **Atholus bimaculatus** (Linnaeus,1758) (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
1618. **Atholus corvinus** (Germar,1817) (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
1619. **Atholus duodecimstriatus** (Schränk,1781) (Histeridae) Synonym(s): *duodecimstriatus* Schränk,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
1620. **Athous (Euplathous) proximus** (Hampe,1864) (Elateridae) Synonym(s): *proximus* Hampe,1864 BG GR RO TR?
1621. **Athous (Haplathous) carpathicus** Reitter,1889 (Elateridae) Synonym(s): *carpathicus* Reitter,1889 RO TR?
1622. **Athous (Haplathous) marginicollis** Reitter,1890 (Elateridae) Synonym(s): *marginicollis* Reitter,1890 GR TR Cc
1623. **Athous (Haplathous) subfuscus** (O.F.Müller,1764) (Elateridae) Synonym(s): *subfuscus* O.F.Müller,1764 TR
1624. **Athous (Haplathous) turcicus** Reitter,1905 (Elateridae) Synonym(s): *turcicus* Reitter,1905 BG TR
1625. **Athous (Orthathous) acutangulus** Fairmaire,1866 (Elateridae) Synonym(s): *acutangulus* Fairmaire,1866; *thessalonicus* Reiche,1869 GR TR MK
1626. **Athous (Orthathous) anatolicus** Platia,1989 (Elateridae) Synonym(s): *anatolicus* Platia,1989 TR
1627. **Athous (Orthathous) apfelbecki** Reitter,1905 (Elateridae) Synonym(s): *apfelbecki* Reitter,1905 TR
1628. **Athous (Orthathous) artvinensis** Platia, Yıldırım & Kesdek,2007 (Elateridae) Synonym(s): *artvinensis* Platia, Yıldırım & Kesdek,2007 TR
1629. **Athous (Orthathous) audisioi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *audisioi* Guglielmi & Platia,1985 TR
1630. **Athous (Orthathous) barriesi** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *barriesi* Platia & Gudenzi,1996 BG TR
1631. **Athous (Orthathous) benedikti** Platia,2003 (Elateridae) Synonym(s): *benedikti* Platia,2003 TR
1632. **Athous (Orthathous) cavazzutii** Platia,2003 (Elateridae) Synonym(s): *cavazzutii* Platia,2003 TR
1633. **Athous (Orthathous) daccordii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *daccordii* Guglielmi & Platia,1985 TR
1634. **Athous (Orthathous) dasycerus** Buysson,1890 (Elateridae) Synonym(s): *dasycerus* Buysson,1890 BG TR

1635. **Athous (Orthathous) demirsoyi** Platia, Kabalak & Sert,2007 (Elateridae) Synonym(s): *demirsoyi* Platia, Kabalak & Sert,2007 TR
1636. **Athous (Orthathous) dusaneki** Platia,2003 (Elateridae) Synonym(s): *dusaneki* Platia,2003 TR
1637. **Athous (Orthathous) edirnensis** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *edirnensis* Platia & Gudenzi,2000 TR
1638. **Athous (Orthathous) epirus** Stierlin,1875 (Elateridae) Synonym(s): *epirus* Stierlin,1875 AL GR TR
1639. **Athous (Orthathous) fragariae** Platia & Kovanci,2005 (Elateridae) Synonym(s): *fragariae* Platia & Kovanci,2005 TR
1640. **Athous (Orthathous) freudei** Platia,1989 (Elateridae) Synonym(s): *freudei* Platia,1989 TR
1641. **Athous (Orthathous) frontalis** Platia & Schimmel,1991 (Elateridae) Synonym(s): *frontalis* Platia & Schimmel,1991 TR
1642. **Athous (Orthathous) gianassoi** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *gianassoi* Platia & Gudenzi,1996 TR
1643. **Athous (Orthathous) graecus** Platia,1989 (Elateridae) Synonym(s): *graecus* Platia,1989 GR TR
1644. **Athous (Orthathous) gudenzi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *gudenzi* Guglielmi & Platia,1985 TR
1645. **Athous (Orthathous) hajeki** Platia & Gudenzi,2005 (Elateridae) Synonym(s): *hajeki* Platia & Gudenzi,2005 TR
1646. **Athous (Orthathous) hetzeli** Platia,2004 (Elateridae) Synonym(s): *hetzeli* Platia,2004 TR
1647. **Athous (Orthathous) kovancii** Platia,2003 (Elateridae) Synonym(s): *kovancii* Platia,2003 TR
1648. **Athous (Orthathous) lassallei** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *lassallei* Platia & Gudenzi,1996 TR
1649. **Athous (Orthathous) malmusii** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *malmusii* Platia & Gudenzi,2000 TR
1650. **Athous (Orthathous) margheritae** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *margheritae* Guglielmi & Platia,1985 TR
1651. **Athous (Orthathous) mertliki** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *mertliki* Platia & Gudenzi,2002 TR
1652. **Athous (Orthathous) paflagonensis** Platia & Gudenzi,1998 (Elateridae) Synonym(s): *paflagonensis* Platia & Gudenzi,1998 TR
1653. **Athous (Orthathous) ponticus** Platia & Gudenzi,2007 (Elateridae) Synonym(s): *ponticus* Platia & Gudenzi,2007 TR
1654. **Athous (Orthathous) propinquus** Buysson,1889 (Elateridae) Synonym(s): *propinquus* Buysson,1889 TR BG
1655. **Athous (Orthathous) ruffoi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *ruffoi* Guglielmi & Platia,1985 TR
1656. **Athous (Orthathous) sabatinellii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *sabatinellii* Guglielmi & Platia,1985 TR
1657. **Athous (Orthathous) sameki** Platia,2003 (Elateridae) Synonym(s): *sameki* Platia,2003 TR
1658. **Athous (Orthathous) senaci** Buysson,1889 (Elateridae) Synonym(s): *senaci* Buysson,1889; *ottomanus* Reitter,1905 TR
1659. **Athous (Orthathous) snizeki** Platia,2004 (Elateridae) Synonym(s): *snizeki* Platia,2004 TR
1660. **Athous (Orthathous) svihlai** Platia & Gudenzi,1998 (Elateridae) Synonym(s): *svihlai* Platia & Gudenzi,1998 TR
1661. **Athous (Orthathous) tekkirazicus** Platia,2003 (Elateridae) Synonym(s): *tekkirazicus* Platia,2003 TR
1662. **Athous (Orthathous) tribertii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *tribertii* Guglielmi & Platia,1985 TR
1663. **Athous (Orthathous) warchalowskii** Platia & Tarnawski,1998 (Elateridae) Synonym(s): *warchalowskii* Platia & Tarnawski,1998 TR
1664. **Athous (Orthathous) wewalkai** Platia,1989 (Elateridae) Synonym(s): *wewalkai* Platia,1989 TR
1665. **Athous (Orthathous) zanettii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *zanettii* Guglielmi & Platia,1985 TR
1666. **Athous (Orthathous) zbuzeki** Platia & Gudenzi,2007 (Elateridae) Synonym(s): *zbuzeki* Platia & Gudenzi,2007 TR
1667. **Athous (s.str.) haemorrhoidalis** (Fabricius,1801) (Elateridae) Synonym(s): *haemorrhoidalis* Fabricius,1801 TR
1668. **Athous (s.str.) nadoraz** Mertlik & Dusanek,2006 (Elateridae) Synonym(s): *nadoraz* Mertlik & Dusanek,2006 TR
1669. **Athous (s.str.) vittatus** (Fabricius,1792) (Elateridae) Synonym(s): *vittatus* Gmelin,1790; *vittatus* Fabricius,1792 GR TR Cc

1670. **Athrycia impressa (van der Wulp,1869)** (Tachinidae) Synonym(s): *impressa van der Wulp,1869* TR DE MN
1671. **Atomoscelis roubali Hoberlandt,1961** (Miridae) Synonym(s): *roubali Hoberlandt,1961* TR
1672. **Atranopsis bolognai Casale & Vigna Taglianti,1984** (Carabidae) Synonym(s): *bolognai Casale & Vigna Taglianti,1984* TR
1673. **Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis Gautier des Cottés,1858* BG FR GR HU IT RU SK SL TR
1674. **Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus Strobl,1880; trifasciatus Kieffer,1918* TR GR HU SK RO AT
1675. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus Winnertz,1852; transversalis Kieffer,1918; ventralis Kieffer,1918; homopterus Kieffer,1919; coracellus Kieffer,1919; nigriventris Kieffer,1919; putredinis Kieffer,1922* PL HU SK RO IT UA TR GR DE
1676. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922; torgnyensis Goetghebuer,1949* AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
1677. **Atricops apollinis Lindler,1923** (Athericidae) Synonym(s): *apollinis Lindler,1923* GR TR
1678. **Atrococcus achilleae (Kiritchenko)** (Pseudococcidae) Synonym(s): *achilleae Kiritchenko* TR
1679. **Atrococcus indigenus (Borchsenius)** (Pseudococcidae) Synonym(s): *indigenus Borchsenius* TR
1680. **Atrococcus paludinus (Green)** (Pseudococcidae) Synonym(s): *paludinus Green* TR
1681. **Atrococcus parvulus (Borchsenius)** (Pseudococcidae) Synonym(s): *parvulus Borchsenius* TR
1682. **Atrococcus saxatilis (Ter-Grigorian)** (Pseudococcidae) Synonym(s): *saxatilis Ter-Grigorian* TR
1683. **Atrometoides winkleri Fahringer,1922** (Ichneumonidae) Synonym(s): *winkleri Fahringer,1922* TR
1684. **Attaephilus rydhi Ruzicka,1997** (Leiodidae) Synonym(s): *rydhi Ruzicka,1997* TR
1685. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus Olivier,1790* TR AF Cc IR IQ IL Pa LB SY TM
1686. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR
1687. **Attagenus (s.str.) ionicus Zhantiev,2005** (Dermestidae) Synonym(s): *ionicus Zhantiev,2005* TR
1688. **Attagenus (s.str.) jelineki Hava,2004** (Dermestidae) Synonym(s): *jelineki Hava,2004* TR
1689. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis Reitter,1878* TR TN Cc IQ IR SY
1690. **Attagenus (s.str.) pantherinus (Ahrens,1814)** (Dermestidae) Synonym(s): *pantherinus Ahrens,1814* Cc TR
1691. **Attagenus (s.str.) quadrimaculatus Kraatz,1858** (Dermestidae) Synonym(s): *quadrimaculatus Kraatz,1858* FR YU Cc TR
1692. **Attagenus (s.str.) unicolor (Brahm,1791)** (Dermestidae) Synonym(s): *unicolor Brahm,1791* TR US AU
1693. **Attalus analis (Panzer,1796)** (Melyridae) Synonym(s): *analis Panzer,1796* TR
1694. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus Erichson,1840; testaceipes Pic,1903* P MT TN DZ Sa Si IT AT HV GR TR
1695. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM
1696. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* DE BG GG Cc TR IQ MK GR
1697. **Attelabus suturalis Jekel,1860** (Attelabidae) Synonym(s): *suturalis Jekel,1860* TR SY?
1698. **Atylotus agricola (Wiedemann,1826)** (Tabanidae) Synonym(s): *agricola Wiedemann,1826* MA EG TR
1699. **Atylotus austeni (Szilady,1915)** (Tabanidae) Synonym(s): *austeni Szilady,1915; trifasciatus Szilady,1915* TR
1700. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus Szilady,1915* DZ RO AT FR TR
1701. **Atylotus fulvus (Meigen,1820)** (Tabanidae) Synonym(s): *fulvus Meigen,1820* TR
1702. **Atylotus hendrxi Leclercq,1967** (Tabanidae) Synonym(s): *hendrxi Leclercq,1967* TR
1703. **Atylotus kerteszi (Szilady,1915)** (Tabanidae) Synonym(s): *kerteszi Szilady,1915* TR
1704. **Atylotus latistriatus Brauer,1879** (Tabanidae) Synonym(s): *latistriatus Brauer,1879* TR
1705. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae) Synonym(s): *loewianus Villeneuve,1920* TR
1706. **Atylotus plebeius (Fallén,1817)** (Tabanidae) Synonym(s): *plebeius Fallén,1817* TR
1707. **Atylotus protidor (Bogatshev & Samedov,1949)** (Tabanidae) Synonym(s): *protidor Bogatshev & Samedov,1949* TR
1708. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915* TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ

1709. **Atylotus quadrifarius (Loew,1874)** (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *agrestis* Wiedemann,1828 **TR**
1710. **Atylotus rusticus (Linnaeus,1767)** (Tabanidae) Synonym(s): *rusticus* Linnaeus,1767 **TR**
1711. **Atylotus venturii Leclercq,1966** (Tabanidae) Synonym(s): *venturii* Leclercq,1966 **TR**
1712. **Aulacaspis rosae (Bouche)** (Diaspididae) Synonym(s): *rosae* Bouche **TR**
1713. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979 **TR IR Ab Oru UA RU KG KK TM TJ UZ**
1714. **Aulagromyza buhri (De Meijere,1938)** (Agromyzidae) Synonym(s): *buhri* De Meijere,1938 **TR**
1715. **Aulagromyza hamata (Hendel,1932)** (Agromyzidae) Synonym(s): *hamata* Hendel,1932 **TR**
1716. **Aulagromyza heringii (Hendel,1920)** (Agromyzidae) Synonym(s): *heringii* Hendel,1920 **TR**
1717. **Aulagromyza orphana (Hendel,1920)** (Agromyzidae) Synonym(s): *orphana* Hendel,1920 **TR**
1718. **Aulagromyza populi (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *populi* Kaltenbach,1864 **TR**
1719. **Aulagromyza trivittata (Loew,1873)** (Agromyzidae) Synonym(s): *trivittata* Loew,1873 **TR**
1720. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
1721. **Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860 **DZ FR ES Co PT IT Sa GR TR**
1722. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
1723. **Aulonogyrus concinnus (Klug,1834)** (Gyrinidae) Synonym(s): *concinnus* Klug,1834 **TR**
1724. **Aulonogyrus striatus (Fabricius,1792)** (Gyrinidae) Synonym(s): *striatus* Fabricius,1792 **TR**
1725. **Auplopus albifrons (Dalman,1823)** (Pompilidae) Synonym(s): *albifrons* Dalman,1823; *obscurus* Priesner,1967 **TR**
1726. **Auplopus carbonarius (Scopoli,1763)** (Pompilidae) Synonym(s): *carbonarius* Scopoli,1763 **TR HV SS**
1727. **Auplopus rectus (Haupt,1927)** (Pompilidae) Synonym(s): *rectus* Haupt,1927; *ater* Haupt,1930 **TR**
1728. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
1729. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry,1884; *artemisiae* Haupt,1924 **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU**
1730. **Austrolimnophila (s.str.) brevicellula Stary,1977** (Limoniidae) Synonym(s): *brevicellula* Stary,1977 **GR TR**
1731. **Axinotarsus anaticus Evers,1961** (Melyridae) Synonym(s): *anaticus* Evers,1961 **TR**
1732. **Aylax hypyci Trotter,1913** (Cynipidae) Synonym(s): *hypyci* Trotter,1913; *spirorhynchusii* Diakontshuk,1990 **Aulax hypyci** Trotter,1913, **Marcellia 11: 214. DZ LY BG GR TR Cc AM TM**
1733. **Azelia gibbera (Meigen,1826)** (Muscidae) Synonym(s): *gibbera* Meigen,1826 **US CA Als Qb DE PL CZ SK CH AT HU TR**
1734. **Baccha elongata (Fabricius,1775)** (Syrphidae) Synonym(s): *elongata* Fabricius,1775 **TR**
1735. **Bacillus sp.** (Phasmidae) Synonym(s): **TR**
1736. **Bactericera albiventris (Förster)** (Triozidae) Synonym(s): **TR**
1737. **Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): *femoralis* Förster,1848 **Cc TR RU Sb Am**
1738. **Bactericera nigricornis (Förster)** (Triozidae) Synonym(s): **TR**
1739. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**
1740. **Baeoura alexanderi Mendl & Tjeder,1974** (Limoniidae) Synonym(s): *alexanderi* Mendl & Tjeder,1974 **TR GR**
1741. **Baeoura schachti Mendl,1986** (Limoniidae) Synonym(s): *schachti* Mendl,1986 **TR**
1742. **Bagrada stolidata (Herrich-Schäffer,1839)** (Pentatomidae) Synonym(s): *stolidata* Herrich-Schäffer,1839 **TR**
1743. **Balcanocerus alkani (Wagner,1958)** (Cicadellidae) Synonym(s): *alkani* Wagner,1958 **TR TJ IR**
1744. **Balcanocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903 **BG RO YU TR**
1745. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891 **CY IT JO YU UA RU TR IR**
1746. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (*praeocc.*); *notata* Fabricius,1803 (*praeocc.*); *larvatus* Herrich-Schäffer,1835 **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**

1747. **Balcanocerus ramallahicus (Dlabola,1965)** (Cicadellidae) Synonym(s): *ramallahicus Dlabola,1965* **JO TR**
1748. **Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella Linnavuori,1962* **IL Pa IR TR**
1749. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe Kirkaldy,1906; hortensis Lindberg,1948; virescens Haupt,1927* **ES Cn EG IQ JO TR CY LB GR Cr**
1750. **Balclutha pellucens Horvath,1909** (Cicadellidae) Synonym(s): *pellucens Horvath,1909; viridella Lindberg,1941* **Az Cn Md TR**
1751. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952* **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
1752. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana Wagner,1939* **AF AT BG CS FI DE IT NL KG KK UZ YU TR**
1753. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea Scott,1876; frontalis Ferrari,1882; flava Haupt,1927; pulchella Lindberg,1948; haupti Metcalf,1955* **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
1754. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella Kirschbaum,1868; angustus Then,1886; incisus Matsumura,1902; quadriguttatus Matsumura,1908* **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
1755. **Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): *crassicornis Rudow,1886* **TR RU Cc**
1756. **Banchus crefeldensis Ulbricht,1916** (Ichneumonidae) Synonym(s): *crefeldensis Ulbricht,1916* **TR TN**
1757. **Banchus falcatorius (Fabricius,1775)** (Ichneumonidae) Synonym(s): *falcatorius Fabricius,1775* **TR**
1758. **Banchus palpalis Ruthe,1859** (Ichneumonidae) Synonym(s): *palpalis Ruthe,1859* **TR**
1759. **Banchus pictus Fabricius,1798** (Ichneumonidae) Synonym(s): *pictus Fabricius,1798* **TR TJ Pm**
1760. **Banchus turcator Aubert,1984** (Ichneumonidae) Synonym(s): *turcator Aubert,1984* **TR**
1761. **Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *volutatorius Linnaeus,1758* **TR KG Aa RU Ya**
1762. **Bangasternus fausti (Reitter,1890)** (Curculionidae) Synonym(s): *fausti Reitter,1890* **TR**
1763. **Bangasternus orientalis (Capiomont,1873)** (Curculionidae) Synonym(s): *orientalis Capiomont,1873* **TR**
1764. **Bangasternus planifrons (Brullé,1832)** (Curculionidae) Synonym(s): *planifrons Brullé,1832* **TR**
1765. **Barbitistes sp.n.** (Tettigoniidae) Synonym(s): **TR**
1766. **Barichneumon manni (Kriechbaumer,1888)** (Ichneumonidae) Synonym(s): *manni Kriechbaumer,1888* **TR**
1767. **Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor Thunberg,1822* **TR Cc KK KG TJ**
1768. **Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata Gravenhorst,1829* **TR Cc AM IR AF RU Sb Us**
1769. **Baryphora speciosa Loew,1844** (Therevidae) Synonym(s): *speciosa Loew,1844* **GR TR**
1770. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia Walker,1839; crassinervis Thomson,1878* **TR BG CZ FR DE HU IT RU SE GB YU**
1771. **Baryscapus babiysi Doğanlar,1993** (Eulophidae) Synonym(s): *babiysi Doğanlar,1993* **Baryscapus babiysi Doğanlar,1993, Entomofauna 14 (23): 382. Holotype ♀: Turkey (ZSMM). TR**
1772. **Baryscapus bruchidii (Erdös)** (Eulophidae) Synonym(s): **TR**
1773. **Baryscapus bruchivorus (Gahan)** (Eulophidae) Synonym(s): **TR**
1774. **Baryscapus bruchophagi (Gahan)** (Eulophidae) Synonym(s): **TR**
1775. **Baryscapus ceroplastophilus (Domenichini)** (Eulophidae) Synonym(s): **TR**
1776. **Baryscapus cirsiicola Graham** (Eulophidae) Synonym(s): **TR**
1777. **Baryscapus crassicornis (Erdös)** (Eulophidae) Synonym(s): **TR**
1778. **Baryscapus दौरا (Walker)** (Eulophidae) Synonym(s): **TR**
1779. **Baryscapus endemus (Walker)** (Eulophidae) Synonym(s): **TR**
1780. **Baryscapus euphorbiae Graham** (Eulophidae) Synonym(s): **TR**
1781. **Baryscapus evonymellae Bouché** (Eulophidae) Synonym(s): **TR**
1782. **Baryscapus fossarum Graham** (Eulophidae) Synonym(s): **TR**
1783. **Baryscapus galactopus (Ratzeburg)** (Eulophidae) Synonym(s): **TR**
1784. **Baryscapus garganus (Domenichini)** (Eulophidae) Synonym(s): **TR**
1785. **Baryscapus gaziantepensis Doğanlar,1993** (Eulophidae) Synonym(s): *gaziantepensis Doğanlar,1993* **Baryscapus gaziantepensis Doğanlar,1993, Entomofauna 14 (23): 384. Holotype ♀: Turkey (ZSMM). TR**

1786. **Baryscapus impeditus (Nees)** (Eulophidae) Synonym(s): **TR**
1787. **Baryscapus nigroviolaceus (Nees)** (Eulophidae) Synonym(s): **TR**
1788. **Baryscapus pallidae Graham** (Eulophidae) Synonym(s): **TR**
1789. **Baryscapus protasis Graham** (Eulophidae) Synonym(s): **TR**
1790. **Baryscapus servadeii (Domenichini)** (Eulophidae) Synonym(s): **TR**
1791. **Baryscapus spartifoliellae Graham** (Eulophidae) Synonym(s): **TR**
1792. **Baryscapus turionum (Hartig)** (Eulophidae) Synonym(s): **TR**
1793. **Barytarbes segmentarius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *segmentarius* Gravenhorst,1829; *sultanator* Aubert,1989 **Tryphon segmentarius** Gravenhorst,1829, *Ichneumon. Eur.* 2: 209. **TR**
1794. **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913 **Barytarbes superbus** Schmiedeknecht,1913, *Opusc. Ichneum.* 5: 2911. **TR BG RU IL Pa**
1795. **Basilia mongolensis Theodor,1966** (Nycteribiidae) Synonym(s): *mongolensis* Theodor,1966 **BG GR YU AT TR MN**
1796. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
1797. **Bathyplectes algerica (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913 **DZ TR IT**
1798. **Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974 **DE HU YU BG TR**
1799. **Bathyplectes carthaginensis (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *carthaginensis* Smit van Burgst,1913 **TN TR**
1800. **Bathyplectes curculionis (Thomson,1887)** (Ichneumonidae) Synonym(s): *curculionis* Thomson,1887 **TR**
1801. **Bathyplectes exiguus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *exiguus* Gravenhorst,1829 **TR**
1802. **Bathyplectes rufipes Horstmann,1974** (Ichneumonidae) Synonym(s): *rufipes* Horstmann,1974 **TR**
1803. **Bathyplectes rufiventrorator (Aubert,1979)** (Ichneumonidae) Synonym(s): *rufiventrorator* Aubert,1979 **TR**
1804. **Bathythrix claviger (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *claviger* Taschenberg,1865 **TR**
1805. **Bathythrix decipiens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decipiens* Gravenhorst,1829 **TR**
1806. **Bathythrix lamina (Thomson,1884)** (Ichneumonidae) Synonym(s): *lamina* Thomson,1884 **TR**
1807. **Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax* Weise,1888 **Cc TR IR**
1808. **Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai* Kral,1964 **GR BG GG Cc TR**
1809. **Batozonellus lacerticida (Pallas,1771)** (Pompilidae) Synonym(s): *lacerticida* Pallas,1771 **TR**
1810. **Batracomorphus glaber Haupt,1927** (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948 **CY IL TR**
1811. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 **AF AL AT BE BG CN Uj CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU**
1812. **Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923 **EG IL Pa LY TR IR**
1813. **Batrisodes buqueti (Aubé,1833)** (Staphylinidae) Synonym(s): *buqueti* Aubé,1833 **TR**
1814. **Batrisodes clypeatus Besuchet,1981** (Staphylinidae) Synonym(s): *clypeatus* Besuchet,1981 **TR**
1815. **Batrisodes insularis (Baudi di Selve,1870)** (Staphylinidae) Synonym(s): *insularis* Baudi di Selve,1870 **TR**
1816. **Batrisodes oculatus (Aubé,1833)** (Staphylinidae) Synonym(s): *oculatus* Aubé,1833 **TR**
1817. **Batrisus taurus Besuchet,1979** (Staphylinidae) Synonym(s): *tauricus* Besuchet,1979 (*praeocc.*); *taurus* Besuchet,1979 **TR**
1818. **Bazarella subneglecta (Tonnoir,1922)** (Psychodidae) Synonym(s): *subneglecta* Tonnoir,1922 **TR**
1819. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU**
1820. **Beckidia zabolotzkii (Goetghebuer,1938)** (Chironomidae) Synonym(s): *zabolotzkii* Goetghebuer,1938 **TR**
1821. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 **AT AZ Cc BE CZ FR HU MD ES CH TN TR**
1822. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 **AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR**

- 1823. *Belopus (Centorus) procerus* Mulsant,1854** (Tenebrionidae) Synonym(s): *procerus Mulsant,1854* TR MD UA Cm KG
- 1824. *Belopus (Centorus) turcicus* (Kaszab,1959)** (Tenebrionidae) Synonym(s): *turcicus Kaszab,1959* TR
- 1825. *Belostoma cordofanum* Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum Mayr,1853* AF BG IQ IR HU EG RP SD SY SA TR
- 1826. *Bembecinus acanthomerus* (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus Morice,1911* MA DZ TR LB SY JO IR OM IL Pa ML MR TM
- 1827. *Bembecinus anatolicus* De Beaumont,1968** (Crabronidae) Synonym(s): *anatolicus De Beaumont,1968* TR
- 1828. *Bembecinus asiaticus* (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus Gussakowski,1935* AF UZ TR IR TJ KG UZ
- 1829. *Bembecinus asiaticus iranicus* Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
- 1830. *Bembecinus birecikensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): *birecikensis Schmid-Egger,2004* TR
- 1831. *Bembecinus cyprius* De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius De Beaumont,1954* GR CY IL Pa TR
- 1832. *Bembecinus gracilicornis* (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis Handlirsch,1892* IR Ke Cc AZ AM TR TJ TM
- 1833. *Bembecinus guichardi* Schmid-Egger,2004** (Crabronidae) Synonym(s): *guichardi Schmid-Egger,2004* TR IR
- 1834. *Bembecinus gusenleitneri* De Beaumont,1967** (Crabronidae) Synonym(s): *gusenleitneri De Beaumont,1967* TR
- 1835. *Bembecinus gynandromorphus* (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus Handlirsch,1892* SY TR IL Pa JO Js
- 1836. *Bembecinus heinrichi* Schmid-Egger,2004** (Crabronidae) Synonym(s): *heinrichi Schmid-Egger,2004* TR LB
- 1837. *Bembecinus henseni* Schmid-Egger,2004** (Crabronidae) Synonym(s): *henseni Schmid-Egger,2004* TR
- 1838. *Bembecinus hungaricus* (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus Frivaldsky,1876* HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA
- 1839. *Bembecinus innocens* De Beaumont,1967** (Crabronidae) Synonym(s): *innocens De Beaumont,1967* TR
- 1840. *Bembecinus meridionalis* A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis A.Costa,1859* AL HV GR Rd IL Pa IT JO HV LB SY TR
- 1841. *Bembecinus nigrolabrum* Schmid-Egger,2004** (Crabronidae) Synonym(s): *nigrolabrum Schmid-Egger,2004* TR Cc
- 1842. *Bembecinus peregrinus* (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus Smith,1856; erberi Mocsary,1881; biarmatus Mocsary,1883* AL MK BG TR AM AZ Cc IL Pa JO
- 1843. *Bembecinus rhodius* De Beaumont,1960** (Crabronidae) Synonym(s): *rhodius De Beaumont,1960; creticus De Beaumont,1961* GR Rd Cr TR
- 1844. *Bembecinus schwarzi* De Beaumont,1967** (Crabronidae) Synonym(s): *schwarzi De Beaumont,1967* TR IQ Mos?
- 1845. *Bembecinus tridens* (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
- 1846. *Bembecinus urfanensis* Schmid-Egger,2004** (Crabronidae) Synonym(s): *urfanensis Schmid-Egger,2004* TR
- 1847. *Bembecinus validior* Gussakowski,1952** (Crabronidae) Synonym(s): *validior Gussakowski,1952; diacanthus De Beaumont,1967* TJ TR IL Pa EG OM TM
- 1848. *Bembidion (Chlorodium) splendidum* Sturm,1825** (Carabidae) Synonym(s): *splendidum Sturm,1825* AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
- 1849. *Bembidion (Diplocampa) assimile* Gyllenhal,1810** (Carabidae) Synonym(s): *assimile Gyllenhal,1810* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
- 1850. *Bembidion (Diplocampa) fumigatum* (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812* AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
- 1851. *Bembidion (Diplocampa) skoraszewskyi* Korge,1971** (Carabidae) Synonym(s): *skoraszewskyi Korge,1971* TR
- 1852. *Bembidion (Emphanes) tenellum* Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU

1853. **Bembidion (Euperyphus) combustum Ménériés,1832** (Carabidae) Synonym(s): *combustum Ménériés,1832* AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
1854. **Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile Dejean,1831* TR MA TN AF IQ
1855. **Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne Chaudoir,1850* AZ AM Cc GG RU TR IR
1856. **Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): *bodenheimeri Netolitzky,1935* TR IL Pa
1857. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
1858. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
1859. **Bembidion (Microserrullula) apicale Ménériés,1832** (Carabidae) Synonym(s): *apicale Ménériés,1832* AZ AM Cc GG TR IR
1860. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
1861. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
1862. **Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): *sporadicum Sahlberg,1903* GR TR SY
1863. **Bembidion (Neja) torosum Marggi & Huber,1999** (Carabidae) Synonym(s): *torosum Marggi & Huber,1999* TR
1864. **Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844* AZ AM Cc B-H BG GG GR MK RU TR LB YU
1865. **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918* AM Cc TR IR IQ TJ TM
1866. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
1867. **Bembidion (Nepha) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): *pinkerii Netolitzky,1935* GG RU TR Cc
1868. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918* BG GR MK TR IR LY SY YU
1869. **Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918* AZ BG GR MK TR IR YU
1870. **Bembidion (Nepha) staneki Maran,1932** (Carabidae) Synonym(s): *staneki Maran,1932* TR
1871. **Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846* AZ AM Cc GG RU TR UA IR
1872. **Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): *versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891* AZ AM Cc GR TR
1873. **Bembidion (Nepha) vseteckai Maran,1936** (Carabidae) Synonym(s): *vseteckai Maran,1936* GR TR
1874. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
1875. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
1876. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
1877. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
1878. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
1879. **Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): *cordicolle Jacquelin du Val,1852; veldkampii Kirschenhofer,1994* BG GR Cr TR
1880. **Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799* BG GR MK AZ AM Cc GG RU TR
1881. **Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): *ispartanum Netolitzky,1930* AM Cc TR IR
1882. **Bembidion (Ocydromus) nemrutdagi Toledano & Rébl,2006** (Carabidae) Synonym(s): *nemrutdagi Toledano & Rébl,2006* **Bembidion (Ocydromus) nemrutdagi Toledano & Rébl,2006**, Koleopt. Rdsch. 76: 11-12. Holotype ♂: Turkey: Adiyaman Prov., Karadut, Nemrut Dağı Milli Parkı 1000m 14.5.1997 leg. J.Basta (CR). TR

1883. **Bembidion (Ocydromus) siculum Dejean,1831** (Carabidae) Synonym(s): *siculum Dejean,1831* TR
1884. **Bembidion (Ocyturanus) argaeicola Ganglbauer,1905** (Carabidae) Synonym(s): *argaeicola Ganglbauer,1905* TR
1885. **Bembidion (Ocyturanus) balcanicum Apfelbeck,1899** (Carabidae) Synonym(s): *balcanicum Apfelbeck,1899* TR IR
1886. **Bembidion (Ocyturanus) culminicola Piochard,1876** (Carabidae) Synonym(s): *culminicola Piochard,1876* TR LB SY
1887. **Bembidion (Ocyturanus) heinzi Korge,1971** (Carabidae) Synonym(s): *heinzi Korge,1971* TR
1888. **Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934* AM Cc TR IR KK TJ UZ
1889. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
1890. **Bembidion (Ocyturanus) signatipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *signatipenne Jacquelin du Val,1852* BG GR MK TR
1891. **Bembidion (Ocyturanus) tauricum J.Müller,1918** (Carabidae) Synonym(s): *tauricum J.Müller,1918* TR
1892. **Bembidion (Ocyturanus) viduum Netolitzky,1910** (Carabidae) Synonym(s): *viduum Netolitzky,1910* TR IR
1893. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum Fabricius,1792* AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
1894. **Bembidion (Omoperypus) caricum Sahlberg,1908** (Carabidae) Synonym(s): *caricum Sahlberg,1908* TR CY IL Pa
1895. **Bembidion (Omoperypus) semibraccatum Netolitzky,1911** (Carabidae) Synonym(s): *semibraccatum Netolitzky,1911* B-H BG HV TR YU
1896. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne Jacquelin du Val,1852* B-H BG GR TR IL Pa LB SY
1897. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831* AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
1898. **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne Schaum,1862* TR IR IL Pa LB Cc GG
1899. **Bembidion (Peryphanes) kulzeri Netolitzky,1935** (Carabidae) Synonym(s): *kulzeri Netolitzky,1935* TR
1900. **Bembidion (Peryphanes) lacrimans Netolitzky,1935** (Carabidae) Synonym(s): *lacrimans Netolitzky,1935* TR IR
1901. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
1902. **Bembidion (Peryphanes) weiratherianum Netolitzky,1932** (Carabidae) Synonym(s): *weiratherianum Netolitzky,1932* TR
1903. **Bembidion (Peryphiolus) monticola Sturm,1825** (Carabidae) Synonym(s): *monticola Sturm,1825* AM Cc GG RU TR
1904. **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum Solsky,1874* TR AF IR KK TJ UZ
1905. **Bembidion (Peryphus) distinguendum Jacquelin du Val,1852** (Carabidae) Synonym(s): *distinguendum Jacquelin du Val,1852* AZ AM Cc GG TR IR
1906. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
1907. **Bembidion (Peryphus) persicum Ménétrés,1832** (Carabidae) Synonym(s): *persicum Ménétrés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
1908. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
1909. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
1910. **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum J.Sahlberg,1908* GR TR IL Pa LB SY
1911. **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997* CY IL Pa LB TR GR Cr
1912. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
1913. **Bembidion (s.str.) humerale Sturm,1825** (Carabidae) Synonym(s): *humerale Sturm,1825* TR

1914. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
1915. **Bembidion (Talanis) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir,1850* BG HV CZ GR IT MD RO RU TR UA
1916. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999* AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
1917. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
1918. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
1919. **Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943* AL B-H BG HV GR IT MK RO TR YU
1920. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
1921. **Benjaminia horstmanni Wahl,1989** (Ichneumonidae) Synonym(s): *horstmanni Wahl,1989* TR RU
1922. **Beraea alihosi Sipahiler,2008** (Beraeidae) Synonym(s): *alihosi Sipahiler,2008* TR
1923. **Bergrothia saulcyi (Reitter,1877)** (Staphylinidae) Synonym(s): *saulcyi Reitter,1877; tibialis Hlavac,1999* TR
1924. **Bergrothia solodovnikovi Hlavac,2004** (Staphylinidae) Synonym(s): *solodovnikovi Hlavac,2004* TR
1925. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigritarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
1926. **Berosus (Enoplurus) hispinus Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *hispinus Reiche & Saulcy,1856* TR
1927. **Berosus (Enoplurus) frontifoveatus Kuwert,1888** (Hydrophilidae) Synonym(s): *frontifoveatus Kuwert,1888* TR
1928. **Berosus (Enoplurus) fulvus Kuwert,1888** (Hydrophilidae) Synonym(s): *fulvus Kuwert,1888* TR
1929. **Berosus (Enoplurus) jaechi Schödl,1991** (Hydrophilidae) Synonym(s): *jaechi Schödl,1991* TR
1930. **Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae) Synonym(s): *spinosus Steven,1808* TR
1931. **Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae) Synonym(s): *affinis Brullé,1835; hispanicus Kuster,1847* ES TR
1932. **Berosus (s.str.) byzantinus Ganglbauer,1904** (Hydrophilidae) Synonym(s): *byzantinus Ganglbauer,1904* TR
1933. **Berosus (s.str.) dispar Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *dispar Reiche & Saulcy,1856* TR
1934. **Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae) Synonym(s): *luridus Linnaeus,1761* TR
1935. **Berosus (s.str.) signaticollis (Charpentier,1825)** (Hydrophilidae) Synonym(s): *signaticollis Charpentier,1825* TR
1936. **Berytinus consimilis (Horvath,1885)** (Berytidae) Synonym(s): *consimilis Horvath,1885* TR
1937. **Berytinus distinguendus (Ferrari,1874)** (Berytidae) Synonym(s): *distinguendus Ferrari,1874* FR IT TR YU
1938. **Berytinus geniculatus (Horvath,1885)** (Berytidae) Synonym(s): *geniculatus Horvath,1885* TR
1939. **Berytinus minor (Herrich-Schäffer,1835)** (Berytidae) Synonym(s): *minor Herrich-Schäffer,1835* TR
1940. **Berytinus montivagus (Meyer-Dür,1841)** (Berytidae) Synonym(s): *montivagus Meyer-Dür,1841* CY TR
1941. **Berytinus nigrolineatus (Jakovlev,1904)** (Berytidae) Synonym(s): *nigrolineatus Jakovlev,1904* RU TR
1942. **Berytinus signoreti (Fieber,1859)** (Berytidae) Synonym(s): *signoreti Fieber,1859* TR
1943. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
1944. **Betarmon bisbimaculatus (Fabricius,1803)** (Elateridae) Synonym(s): *bisbimaculatus Fabricius,1803* GR TR

1945. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930 **PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR**
1946. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci* Linnaeus,1758; *brevicornis* Linnaeus,1758; *crassipes* Harris,1776; *funerosus* Harris,1776; *pusillus* Macquart,1846 **PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR**
1947. **Biblopectus boveyi Besuchet,1975** (Staphylinidae) Synonym(s): *boveyi* Besuchet,1975 **TR**
1948. **Biblopectus delhermi Guillebeau,1888** (Staphylinidae) Synonym(s): *delhermi* Guillebeau,1888 **TR**
1949. **Biblopectus hellenicus Besuchet,1955** (Staphylinidae) Synonym(s): *hellenicus* Besuchet,1955 **GR TR**
1950. **Biblopectus hungaricus Besuchet,1955** (Staphylinidae) Synonym(s): *hungaricus* Besuchet,1955 **HU TR**
1951. **Biblopectus jeanneli Besuchet,1955** (Staphylinidae) Synonym(s): *jeanneli* Besuchet,1955 **TR**
1952. **Biblopectus limatus Normand,1939** (Staphylinidae) Synonym(s): *limatus* Normand,1939 **TR**
1953. **Biblopectus parvulus Besuchet,1975** (Staphylinidae) Synonym(s): *parvulus* Besuchet,1975 **TR**
1954. **Biblopectus pauxillus Besuchet,1975** (Staphylinidae) Synonym(s): *pauxillus* Besuchet,1975 **TR**
1955. **Biblopectus pusillus (Denny,1825)** (Staphylinidae) Synonym(s): *pusillus* Denny,1825 **TR**
1956. **Biblopectus spinosus Raffray,1914** (Staphylinidae) Synonym(s): *spinosus* Raffray,1914 **TR**
1957. **Biblopectus subtilis Besuchet,1975** (Staphylinidae) Synonym(s): *subtilis* Besuchet,1975 **TR**
1958. **Biblopectus tantulus Besuchet,1975** (Staphylinidae) Synonym(s): *tantulus* Besuchet,1975 **TR**
1959. **Biblopectus tener Besuchet,1975** (Staphylinidae) Synonym(s): *tener* Besuchet,1975 **TR**
1960. **Bibloporus variicolor Reitter,1882** (Staphylinidae) Synonym(s): *variicolor* Reitter,1882 **TR**
1961. **Bidessus anatolicus Wewalka,1972** (Dytiscidae) Synonym(s): *anatolicus* Wewalka,1972 **TR**
1962. **Bidessus calabricus Guignot,1957** (Dytiscidae) Synonym(s): *calabricus* Guignot,1957 **TR IT**
1963. **Bidessus delicatulus (Schaum,1844)** (Dytiscidae) Synonym(s): *delicatulus* Schaum,1844 **TR**
1964. **Bidessus nasutus Sharp,1887** (Dytiscidae) Synonym(s): *nasutus* Sharp,1887 **TR**
1965. **Bidessus unistriatus (Goeze,1777)** (Dytiscidae) Synonym(s): *unistriatus* Goeze,1777 **TR**
1966. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaalveariformis* Anthoine,1794; *gallaecerebriiformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* HArtig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 **PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR**
1967. **Bithia immaculata (Herting,1971)** (Tachinidae) Synonym(s): *immaculata* Herting,1971 **TR**
1968. **Bithia maculifacies Tschorsnig & Kara,2002** (Tachinidae) Synonym(s): *maculifacies* Tschorsnig & Kara,2002 **Bithia maculifacies** Tschorsnig & Kara,2002, *Stuttg. Beitr. Naturk. (A)* 644: 1-4. **Holotype ♂: Turkey: Tokat Prov. Çamlıbel 1200m 3.4.1994 K.Kara leg. (NMS).** **TR**
1969. **Bithia modesta (Meigen,1824)** (Tachinidae) Synonym(s): *modesta* Meigen,1824; *invaria* Walker,1849; *grisea* Perris,1852; *vetusa* Pandelle,1896 **TR IL Pa RU**
1970. **Blaesoxipha calliste Pape,1994** (Sarcophagidae) Synonym(s): *calliste* Pape,1994 **TR**
1971. **Blaesoxipha cochlearis (Pandellé,1894)** (Sarcophagidae) Synonym(s): *cochlearis* Pandellé,1894 **TR**
1972. **Blaesoxipha lapidosa Pape,1994** (Sarcophagidae) Synonym(s): *lapidosa* Pape,1994 **TR**
1973. **Blaesoxipha laticornis (Meigen,1826)** (Sarcophagidae) Synonym(s): *laticornis* Meigen,1826 **TR**
1974. **Blaesoxipha lautaretensis (Villeneuve,1928)** (Sarcophagidae) Synonym(s): *lautaretensis* Villeneuve,1928 **TR**
1975. **Blaesoxipha lindneri Rohdendorf,1937** (Sarcophagidae) Synonym(s): *lindneri* Rohdendorf,1937 **TR**
1976. **Blaesoxipha litoralis (Villeneuve,1911)** (Sarcophagidae) Synonym(s): *litoralis* Villeneuve,1911 **TR**
1977. **Blaesoxipha plumicornis (Zetterstedt,1859)** (Sarcophagidae) Synonym(s): *plumicornis* Zetterstedt,1859 **TR**
1978. **Blaesoxipha pygmaea (Zetterstedt,1845)** (Sarcophagidae) Synonym(s): *pygmaea* Zetterstedt,1845 **TR**
1979. **Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839 **TR**
1980. **Blaesoxipha ungulata (Pandellé,1896)** (Sarcophagidae) Synonym(s): *ungulata* Pandellé,1896 **TR**
1981. **Blaps abbreviata Ménétris,1836** (Tenebrionidae) Synonym(s): *abbreviata* Ménétris,1836 **TR HU AT BG**

- 1982. Blaps adela** Soldati & Soldati,1999 (Tenebrionidae) Synonym(s): *adela* Soldati & Soldati,1999 **TR**
- 1983. Blaps ecaudata** Seidlitz,1893 (Tenebrionidae) Synonym(s): *ecaudata* Seidlitz,1893 **TR**
- 1984. Blaps femoralis** Fischer,1844 (Tenebrionidae) Synonym(s): *femoralis* Fischer,1844 **TR**
- 1985. Blaps gigas** (Linnaeus,1767) (Tenebrionidae) Synonym(s): *gigas* Linnaeus,1767 **TR**
- 1986. Blaps graeca** Solier,1848 (Tenebrionidae) Synonym(s): *graeca* Solier,1848 **TR GR**
- 1987. Blaps jeanneli** Ferrer & Soldati,1999 (Tenebrionidae) Synonym(s): *jeanneli* Ferrer & Soldati,1999 **TR**
- 1988. Blaps koenigi** Seidlitz,1893 (Tenebrionidae) Synonym(s): *koenigi* Seidlitz,1893 **TR Cc**
- 1989. Blaps lata** Seidlitz,1893 (Tenebrionidae) Synonym(s): *miliaria* Allard,1882 *nec* Fisch.; *lata* Seidlitz,1893; *miliaria* Allard,1882 **TR Cc AM**
- 1990. Blaps lethifera** Marsham,1802 (Tenebrionidae) Synonym(s): *lethifera* Marsham,1802 **TR Cc**
- 1991. Blaps lindbergi** Kaszab,1959 (Tenebrionidae) Synonym(s): *lindbergi* Kaszab,1959 **TR**
- 1992. Blaps mortisaga** (Linnaeus,1758) (Tenebrionidae) Synonym(s): *mortisaga* Linnaeus,1758 **TR**
- 1993. Blaps mucronata** Latreille,1804 (Tenebrionidae) Synonym(s): *mucronata* Latreille,1804 **TR**
- 1994. Blaps ocreata** Allard,1880 (Tenebrionidae) Synonym(s): *ocreata* Allard,1880 **TR**
- 1995. Blaps pterostapha** Ménétriés,1832 (Tenebrionidae) Synonym(s): *pterostapha* Ménétriés,1832 **TR**
- 1996. Blaps rotundata** Solier,1848 (Tenebrionidae) Synonym(s): *rotundata* Solier,1848; *sodalis* Reiche & Saulcy,1857; *laticollis* Allard,1880 (*praeocc.*) **TR SY IL Pa**
- 1997. Blaps splichali** Gebien,1913 (Tenebrionidae) Synonym(s): *splichali* Gebien,1913 **TR**
- 1998. Blaps taeniolata** Ménétriés,1832 (Tenebrionidae) Synonym(s): *taeniolata* Ménétriés,1832 **TR**
- 1999. Blaps tenuicollis** Solier,1848 (Tenebrionidae) Synonym(s): *tenuicollis* Solier,1848 **TR**
- 2000. Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *tibialis* Reiche & Saulcy,1857 **TR**
- 2001. Blaps tibiella** Seidlitz,1893 (Tenebrionidae) Synonym(s): *tibiella* Seidlitz,1893 **TR**
- 2002. Blapsidotes vicinus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *vicinus* Gravenhorst,1829 **TR**
- 2003. Blastophaga psenes** (Linnaeus,1758) (Agaonidae) Synonym(s): *psenes* Linnaeus,1758; *grossorum* Gravenhorst,1827; *vaidi* Joseph,1954 **Cynips psenes** Linnaeus,1758, Syst. Nat. (Edn.10): 554. **TR IN Up**
- 2004. Blastothrix erythrostetha** (Walker) (Encyrtidae) Synonym(s): **TR**
- 2005. Blastothrix gurselae** Japoshvili & Karaca,2003 (Encyrtidae) Synonym(s): *gurselae* Japoshvili & Karaca,2003 **Blastothrix gurselae** Japoshvili & Karaca,2003, Ent. News 114 (4): 188-189, figs 1-7. Holotype ♀: Turkey, Isparta, Sütçüler 10 vii 2002 (ex *Kermes palestiniensis* on *Quercus coccifera*) (ZIN). **TR**
- 2006. Blastothrix hungarica** Erdős (Encyrtidae) Synonym(s): **HU TR**
- 2007. Blastothrix longipennis** Howard (Encyrtidae) Synonym(s): **TR**
- 2008. Blastothrix sericea** (Dalman) (Encyrtidae) Synonym(s): **TR**
- 2009. Blastothrix turanica** Sugonjaev (Encyrtidae) Synonym(s): **TR**
- 2010. Blatta orientalis** Linnaeus,1758 (Blattidae) Synonym(s): *orientalis* Linnaeus,1758 **TR**
- 2011. Blattella germanica** (Linnaeus,1767) (Blattidae) Synonym(s): *germanica* Linnaeus,1767 **TR**
- 2012. Blepharicera fasciata** (Westwood,1842) (Blephariceridae) Synonym(s): *fasciata* Westwood,1842 **PT ES IT GR TR LB IR**
- 2013. Blepharidopterus angulatus** (Fallén,1807) (Miridae) Synonym(s): *angulatus* Fallén,1807 **TR**
- 2014. Blepharipa scutellata** (Robineau-Desvoidy,1830) (Tachinidae) Synonym(s): *scutellata* Robineau-Desvoidy,1830 **US TR**
- 2015. Blepharopsis mendica** (Fabricius,1775) (Empusidae) Synonym(s): *mendica* Fabricius,1775 **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
- 2016. Blepisanis vittipennis** (Reich,1877) (Cerambycidae) Synonym(s): *vittipennis* Reich,1877 **TR BG Cc**
- 2017. Blitopertha (Asiopertha) arenicola** Mulsant,1870 (Scarabaeidae) Synonym(s): *arenicola* Mulsant,1870 **Cc TR**
- 2018. Blitopertha (Asiopertha) fulvicornis** (Burmeister,1855) (Scarabaeidae) Synonym(s): *fulvicornis* Burmeister,1855 **TR?**
- 2019. Blitopertha (Asiopertha) ganglbaueri** (Reitter,1885) (Scarabaeidae) Synonym(s): *ganglbaueri* Reitter,1885 **SY TR**
- 2020. Blitopertha (Asiopertha) nazarena** (Marseul,1878) (Scarabaeidae) Synonym(s): *nazarena* Marseul,1878 **TR IL Pa**
- 2021. Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdita* Petrovitz,1959; *majuscola* Medvedev **Cc AM AZ GG RU CY IR TM TR IL Pa JO LB SY**
- 2022. Blitopertha (Trichopertha) hirtella** (Brullé,1832) (Scarabaeidae) Synonym(s): *hirtella* Brullé,1832 **TR BG GR**

2023. **Blondelia nigripes (Fallén,1810)** (Tachinidae) Synonym(s): *nigripes Fallén,1810* SE TR JP
2024. **Bloodiella andalusica Nowicki** (Trichogrammatidae) Synonym(s): TR
2025. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina Horvath,1903*; *teratocera Kusnezov,1929*; *turanica Hovarth,1936*; *ornata Emeljanov,1962* **Anoterostemma corvina Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476.** AT SE HU RU At Sb KG TM UA MN TR
2026. **Bodenheimera rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae Bodenheimer,1924* TR CY IR IQ IL Pa
2027. **Bolitophagus reticulatus (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *reticulatus Linnaeus,1767* TR
2028. **Bolitophila saundersi (Curtis,1836)** (Bolitophilidae) Synonym(s): *saundersi Curtis,1836* TR
2029. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera Pallas,1773* TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
2030. **Bolivaria kurda Ramme,1951** (Mantidae) Synonym(s): *kurda Ramme,1951* TR
2031. **Bolua turkiyae Ünal,1999** (Tettigoniidae) Synonym(s): *turkiyae Ünal,1999* **Bolua turkiyae Ünal,1999, J. Orth. Res. 8: 246, figs. 17-24. Holotype ♂: Turkey, Bolu Prov. Gerede, Aktaş 1200m 21.8.1996 leg.M.Ünal (AIBUEM Bolu).** TR
2032. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789*; *discoidea Fabricius,1794*; *charopus Lichtenstein,1796*; *thoracicus Fabricius,1805*; *analisis Thunberg,1827*; *trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
2033. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776*; *#perlatus Pallas,1818*; *#maximus Wiedemann,1818*; *#hemipterus Pallas,1818*; *vertebralis Dufour,1833*; *sticticus Boisduval,1835*; *subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
2034. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum Linnaeus,1761*; *cryptarum Fabricius,1775*; *lucocryptarum Ball,1914*; *magnus Alford,1975* TR GB ES GR Cc PL DK NO SE FI RU YU
2035. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris Linnaeus,1758*; *cullumanus Kirby,1802*; *audax Harris,1870*; *silantjewei Morawitz,1892*; *holsaticus Krüger,1954* GB IT ES PT DZ GR Cc PL DK CZ RO TR
2036. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763*; *#quartus Schaeffer,1768*; *uralensis Gmelin,1790*; *barbulus Pallas,1818*; *lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
2037. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
2038. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula Loew,1855 nec Pall.,1818*; *croaticum Kertész,1901* AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
2039. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855*; *brevirostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
2040. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator Loew,1855* IT YU TR SY MK IR HU GR AL
2041. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum Fabricius,1794*; *argyropyga Macquart,1846* DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
2042. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771*; *minimus Schrank,1781*; *flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
2043. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps Loew,1862*; *nigricephalus Séguy,1926* AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
2044. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator Loew,1855* IT TR HV GR IR MK SY LB YU
2045. **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum Paramonov,1926*; *flavisetis Paramonov,1940* TR IR TJ UZ TM
2046. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
2047. **Bombylius (s.str.) aksarayensis Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): *aksarayensis Hasbenli & Zaitzev,2000* **Bombylius aksarayensis Hasbenli & Zaitzev,2000, Dt. ent. Z. (N.F.) 47 (1): 105-108.** TR
2048. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818*; *dispar Meigen,1820* **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan** IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ

2049. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
2050. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855 AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
2051. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
2052. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
2053. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
2054. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
2055. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
2056. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
2057. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes* Wiedemann,1828 EG IR IT LY MA ES YU TR
2058. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
2059. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
2060. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennoreus* Lioy,1864; *notialis* Evenhuis,1978 CA Alb BC On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
2061. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES CH SY TJ TN TR TM UA UZ YU
2062. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
2063. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
2064. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
2065. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
2066. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis* Loew,1855 GR IR MK ES TN TR YU
2067. **Bombylius (s.str.) spinulosus Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): *spinulosus* Hasbenli & Zaitzev,2000 *Bombylius spinulosus* Hasbenli & Zaitzev,2000, Dt. ent. Z. (N.F.) 47 (1): 105-108 [classified by Evenhuis (2003) as "Afrotropical"]. TR
2068. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec* Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
2069. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
2070. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU

2071. **Boreaphilus velox (Heer,1839)** (Staphylinidae) Synonym(s): *velox Heer,1839* TR
2072. **Boriomyia arenata Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *arenata Aspöck & Aspöck,1966* Boriomyia arenata Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 78-79, figs. Holotype ♂: Türkei: [Bitlis Prov.: Tatvan]: "Kurdistan" leg. Noack (coll. Ohm). TR
2073. **Bothriomyrmex communista (Santschi,1920)** (Formicidae) Synonym(s): *communista Santschi,1920* TR
2074. **Bothriothorax clavicornis (Dalman)** (Encyrtidae) Synonym(s): TR
2075. **Bothriothorax serratellus (Dalman)** (Encyrtidae) Synonym(s): TR
2076. **Bothynoderes carinatus (Zoubkoff,1829)** (Curculionidae) Synonym(s): *carinatus Zoubkoff,1829* TR
2077. **Bothynoderes carinicollis Gyllenhal,1834** (Curculionidae) Synonym(s): *carinicollis Gyllenhal,1834* TR
2078. **Bothynoderes punctiventris (Germar,1794)** (Curculionidae) Synonym(s): *punctiventris Germar,1794* TR
2079. **Boveycantharis akschehirensis Wittmer,1969** (Cantharidae) Synonym(s): *akschehirensis Wittmer,1969* TR
2080. **Boveycantharis hetitica Wittmer,1969** (Cantharidae) Synonym(s): *hetitica Wittmer,1969* TR
2081. **Boveycantharis holzschuhi Svihla,1999** (Cantharidae) Synonym(s): *holzschuhi Svihla,1999* TR
2082. **Boveycantharis mersinensis Svihla,1999** (Cantharidae) Synonym(s): *mersinensis Svihla,1999* TR
2083. **Boveycantharis phoeniciensis Wittmer,1969** (Cantharidae) Synonym(s): *phoeniciensis Wittmer,1969* TR
2084. **Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae) Synonym(s): *rufimana Ménétriés,1832* TR AZ Cc GG AM RU
2085. **Boveycantharis rufimanoides Wittmer,1969** (Cantharidae) Synonym(s): *rufimanoides Wittmer,1969* TR
2086. **Boveycantharis tatvanensis Wittmer,1997** (Cantharidae) Synonym(s): *tatvanensis Wittmer,1997* TR
2087. **Boveycantharis tauricola Svihla,1999** (Cantharidae) Synonym(s): *tauricola Svihla,1999* TR
2088. **Boveycantharis tokatensis (Pic,1898)** (Cantharidae) Synonym(s): *tokatensis Pic,1898* TR
2089. **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis Laporte de Castelnau,1836* TR ES FR IT Sa Co BG GR
2090. **Brachemys heydeni Flach,1895** (Melyridae) Synonym(s): *heydeni Flach,1895* TR
2091. **Brachineura squamigera (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *squamigera Winnertz,1853* TR
2092. **Brachinus (Aploa) nobilis (Dejean,1831)** (Carabidae) Synonym(s): *nobilis Dejean,1831* TR
2093. **Brachinus (Brachynidius) ankarensis Jedlicka,1962** (Carabidae) Synonym(s): *ankarensis Jedlicka,1962* TR
2094. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904; fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
2095. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
2096. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
2097. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829; incertus Brullé,1834* AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
2098. **Brachinus (Brachynidius) sclopeta (Fabricius,1792)** (Carabidae) Synonym(s): *sclopeta Fabricius,1792* TR
2099. **Brachinus (Cnecostolus) bayardi Dejean,1831** (Carabidae) Synonym(s): *bayardi Dejean,1831* TR
2100. **Brachinus (Cnecostolus) bipustulatus (Quensel,1806)** (Carabidae) Synonym(s): *bipustulatus Quensel,1806* TR
2101. **Brachinus (Cnecostolus) cruciatus (Quensel,1806)** (Carabidae) Synonym(s): *cruciatus Quensel,1806* TR
2102. **Brachinus (Cnecostolus) exhalans (Rossi,1792)** (Carabidae) Synonym(s): *exhalans Rossi,1792* TR
2103. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828* AZ AM Cc GG RU TR KK KG TJ TM UZ MN
2104. **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus Jablonkoff & Khnzorian,1973 nec Reiche,868; alexandri F.Battoni,1984* AZ AL AM Cc BG GR RU TR UA

2105. **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis Reiche & Saulcy,1855* AZ AM Cc BG TR IL Pa SY
2106. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
2107. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
2108. **Brachinus (s.str.) ganglbaueri Apfelbeck,1904** (Carabidae) Synonym(s): *ganglbaueri Apfelbeck,1904* TR
2109. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
2110. **Brachinus (subg.) bagdatensis Pic,1902** (Carabidae) Synonym(s): *bagdatensis Pic,1902; richteri Jedlicka,1961* IQ Bgd TR
2111. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
2112. **Brachycarenum tigrinus (Schilling,1829)** (Rhopalidae) Synonym(s): *tigrinus Schilling,1829* TR
2113. **Brachycephalus exiguus (Horvath,1901)** (Tettigometridae) Synonym(s): *exiguus Horvath,1901* TR
2114. **Brachyceraea brevicornis (Loew,1847)** (Conopidae) Synonym(s): *brevicornis Loew,1847* TR Cc RU Da GR IR Fa
2115. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus Latreille,1807; muricatus Olivier,1790; planirostris Gyllenhal,1833; sulcifrons Gyllenhal,1833; cirrosus Gyllenhal,1840; perodiosus Gyllenhal,1840; semiaeneus Desbrochers,1871; carinula Rey,1894; exemptus Rey,1894; attenuatus Vit.,1903* DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
2116. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
2117. **Brachycerus cribrarius Olivier,1807** (Brachyceridae) Synonym(s): *cribrarius Olivier,1807; ornatus Reiche,1857; fimbriatus Desbrochers,1871* TR LB IL Pa
2118. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis Gyllenhal,1833* AT HU RO BG GR TR
2119. **Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): *foveifrons Bedel,1874* TR SY IL Pa
2120. **Brachycerus freyi Zumpt,1937** (Brachyceridae) Synonym(s): *freyi Zumpt,1937* TR
2121. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797; incertus Desbrochers,1871; olivieri Desbrochers,1871* GR Cr TR SY LB IL Pa EG
2122. **Brachycerus lutosus Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus Gyllenhal,1833; cinereus Bedel,1874; graecus Zumpt,1937* FR IT YU GR TR
2123. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
2124. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
2125. **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): *quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837* TR SY Cc AM
2126. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psifernus Thunberg,1799; sinuatus Olivier,1807; lutulentus Gyllenhal,1833* RU RO YU IT Si GR TR CY
2127. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus Fabricius,1798* DZ ES FR IT Si Sa Co YU GR Cr TR
2128. **Brachycoleus decolor Reuter,1887** (Miridae) Synonym(s): *decolor Reuter,1887* TR
2129. **Brachycoleus scriptus (Fabricius,1803)** (Miridae) Synonym(s): *scriptus Fabricius,1803* TR
2130. **Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): *ornatus Kriechbaumer,1880* TR MX
2131. **Brachyesthes chrysomelina Costa,1875** (Tenebrionidae) Synonym(s): *chrysomelina Costa,1875* TR
2132. **Brachygluta abrupta Doderò,1919** (Staphylinidae) Synonym(s): *abrupta Doderò,1919* TR
2133. **Brachygluta antalyana Brachet,2004** (Staphylinidae) Synonym(s): *antalyana Brachet,2004* TR
2134. **Brachygluta balcanica (Saulcy,1878)** (Staphylinidae) Synonym(s): *balcanica Saulcy,1878* TR
2135. **Brachygluta cavernosa (Saulcy,1876)** (Staphylinidae) Synonym(s): *cavernosa Saulcy,1876* TR
2136. **Brachygluta fossulata (Reichenbach,1816)** (Staphylinidae) Synonym(s): *fossulata Reichenbach,1816* TR
2137. **Brachygluta foveola (Motschoulsky,1840)** (Staphylinidae) Synonym(s): *foveola Motschoulsky,1840; symmetrica Bückle & Brachet,2007* TR

2138. **Brachygluta furcata (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *furcata* Motschoulsky,1835 TR
2139. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
2140. **Brachygluta jessica Brachat,2004** (Staphylinidae) Synonym(s): *jessica* Brachat,2004 TR
2141. **Brachygluta kurdica Besuchet,2004** (Staphylinidae) Synonym(s): *kurdica* Besuchet,2004 TR
2142. **Brachygluta nodosa (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *nodosa* Motschoulsky,1835 TR
2143. **Brachygluta paludosa (Peyron,1858)** (Staphylinidae) Synonym(s): *paludosa* Peyron,1858 TR
2144. **Brachygluta pamphylica Brachat,2004** (Staphylinidae) Synonym(s): *pamphylica* Brachat,2004 TR
2145. **Brachygluta presli (Schmidt-Göbl,1838)** (Staphylinidae) Synonym(s): *presli* Schmidt-Göbl,1838 TR
2146. **Brachygluta retowskii (Simon,1883)** (Staphylinidae) Synonym(s): *retowskii* Simon,1883 TR
2147. **Brachygluta spinicoxis (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *spinicoxis* Motschoulsky,1835; *fuchsi* Paganetti-Hummeler,1899 TR
2148. **Brachygluta sursicauda (Ganglbauer,1900)** (Staphylinidae) Synonym(s): *sursicauda* Ganglbauer,1900 TR
2149. **Brachygluta transversalis (Schaum,1859)** (Staphylinidae) Synonym(s): *transversalis* Schaum,1859 TR
2150. **Brachygluta xanthoptera (Reichenbach,1816)** (Staphylinidae) Synonym(s): *xanthoptera* Reichenbach,1816 TR
2151. **Brachygnathellus loebli Zerche,1991** (Staphylinidae) Synonym(s): *loebli* Zerche,1991 TR
2152. **Brachygonus frater Wurst,1995** (Elateridae) Synonym(s): *frater* Wurst,1995 TR
2153. **Brachygonus graciosus Platia & Schimmel,1991** (Elateridae) Synonym(s): *graciosus* Platia & Schimmel,1991 TR
2154. **Brachygonus hadullanus Wurst,1995** (Elateridae) Synonym(s): *hadullanus* Wurst,1995 TR
2155. **Brachygonus megerlei (Lacordaire,1835)** (Elateridae) Synonym(s): *megerlei* Lacordaire,1835 TR
2156. **Brachygonus ruficepsoides Platia & Gudenzi,2002** (Elateridae) Synonym(s): *ruficepsoides* Platia & Gudenzi,2002 TR
2157. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
2158. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
2159. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
2160. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
2161. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
2162. **Brachymeria pseudorugosa Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951 ES IT CH TR
2163. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
2164. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
2165. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ
2166. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
2167. **Brachynema virens (Klug,1845)** (Pentatomidae) Synonym(s): *virens* Klug,1845 TR

2168. **Brachydynerus kopetdagicus (Kostylev,1940)** (Vespidae) Synonym(s): *kopetdagicus Kostylev,1940* TM Kp TR
2169. **Brachydynerus kUSDasi Gusenleitner,1967** (Vespidae) Synonym(s): *kUSDasi Gusenleitner,1967* TR
2170. **Brachydynerus quadrimaculatus (André,1884)** (Vespidae) Synonym(s): *quadrimaculatus André,1884* TR
2171. **Brachytipona schmidti (Gusenleitner,1967)** (Vespidae) Synonym(s): *schmidti Gusenleitner,1967* TR
2172. **Brachyptera ankara Kazanci,2000** (Taeniopterygidae) Synonym(s): *ankara Kazanci,2000* Brachyptera ankara Kazanci,2000, Aquatic Insects 22 (3): 171-173, figs.1-5. Holotype ♂: Turkey: Ankara Prov., Çamkoru 21.4.1981, leg. & coll. N.Kazanci. TR
2173. **Brachyptera berkii Kazanci,2000** (Taeniopterygidae) Synonym(s): *berkii Kazanci,2000* Brachyptera berkii Kazanci,2000, Aquatic Insects 23 (4): 283-287, 8 figs. Holotype ♂: Turkey, Bursa Prov., Uludağ 1800m 21.5.2000 leg. & coll. N.Kazanci. TR
2174. **Brachyptera demirsoyi Kazanci,1983** (Taeniopterygidae) Synonym(s): *demirsoyi Kazanci,1983* Brachyptera demirsoyi Kazanci,1983, Aquatic Insects 5 (3): 141. TR
2175. **Brachyptera sislii Kazanci,1983** (Taeniopterygidae) Synonym(s): *sislii Kazanci,1983* Brachyptera sislii Kazanci,1983, Ent. Mitt. 7 (115): 195. TR
2176. **Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): *transcaucasica Zhiltzova,1956* Brachyptera transcaucasica Zhiltzova,1956, Ent. Obozr. 35: 659-670. TR GR Cc
2177. **Brachyptera zwicki Braasch & Joost,1971** (Taeniopterygidae) Synonym(s): *zwicki Braasch & Joost,1971* Brachyptera zwicki Braasch & Joost,1971, Ent. Nachr. 15 (9/10): 106-109. BG TR
2178. **Brachytarsina flavipennis Macquart,1851** (Streblidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
2179. **Brachythemis leucosticta (Burmeister,1839)** (Libellulidae) Synonym(s): *leucosticta Burmeister,1839; #leucosticta Demirsoy,1982* TR
2180. **Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *pratense O.F.Müller,1764; #partense Demirsoy,1982* GR TR Cc GG
2181. **Bracon (Asiabracon) amaculatus Beyarslan,1988** (Braconidae) Synonym(s): *amaculatus Beyarslan,1988* TR
2182. **Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus Marshall,1888* AL RU YU HU AT TR
2183. **Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae) Synonym(s): *oculatus Tobias,1957* TJ TR
2184. **Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis Telenga,1936* RU KG Cc GG Tbl TR
2185. **Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris Tobias,1957* TM KG Cc AZ RU TR
2186. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
2187. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator Nees,1834* RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
2188. **Bracon (Glabrobracon) delusorius Telenga,1936** (Braconidae) Synonym(s): *delusorius Telenga,1936* TM TR
2189. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
2190. **Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis Thomson,1892* RU YU HU PL SE FI AT FR GB TR
2191. **Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida Wesmael,1838* TR RO YU HU AT BE IT FR GB
2192. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* JP RU TJ TM RO HU AT BE IT FR TR
2193. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator Nees,1812* CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
2194. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator Nees,1812* MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
2195. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger Wesmael,1838* TR JP KG Cc RU RO CZ HU AT IT BE FR GB
2196. **Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): *popovi Telenga,1936* KG RU TR
2197. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella Wesmael,1838* RU RO AL YU HU IT CH BE FI SE GB TR
2198. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini Kokoujev,1904* TR Cc AZ KG RU TM KG RO HU

2199. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812
CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
2200. **Bracon (Rostrobracon) Tobias,1957** (Braconidae) Synonym(s): *Rostrobracon* Tobias,1957
TR
2201. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urinator*
Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
2202. **Bradyporus dasypus (Illiger,1800)** (Tettigoniidae) Synonym(s): *dasypus* Illiger,1800; *rex*
Illiger,1801; *armadillo* Thunberg,1815; *mocsaryi* Kuthy,1910 TR
2203. **Bradysia neoreflex Mohrig & Roschmann,1996** (Sciaridae) Synonym(s): *neoreflex* Mohrig &
Roschmann,1996 GR TR
2204. **Brevicornu griseicolle (Staeger,1840)** (Mycetophilidae) Synonym(s): *griseicolle* Staeger,1840
TR
2205. **Brevicornu verralli (Edwards,1925)** (Mycetophilidae) Synonym(s): *verralli* Edwards,1925
TR
2206. **Brillia modesta (Meigen,1804)** (Chironomidae) Synonym(s): *modesta* Meigen,1804 TR
2207. **Brinckochrysa amseli (Hölzel,1967)** (Chrysopidae) Synonym(s): *amseli* Hölzel,1967 TR
2208. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi*
Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD
NL NZ PL PE RO RU SK TR UA US UZ YU
2209. **Brucoscelis peculiaris (Horvath,1904)** (Caliscelidae) Synonym(s): *peculiaris* Horvath,1904
TR BG?
2210. **Brumus octosignatus (Gebler,1830)** (Coccinellidae) Synonym(s): *octosignatus* Gebler,1830
IT TR
2211. **Brunnerella mirabilis Saussure,1888** (Acrididae) Synonym(s): *mirabilis* Saussure,1888 TR
Cc AM IR Kh
2212. **Bruntridactylus irremipes (Uvarov,1934)** (Tridactylidae) Synonym(s): *irremipes*
Uvarov,1934 TR
2213. **Bryaxis abastumanus (Reitter,1890)** (Staphylinidae) Synonym(s): *abastumanus* Reitter,1890
GG Cc TR
2214. **Bryaxis amasiae (Reitter,1890)** (Staphylinidae) Synonym(s): *amasiae* Reitter,1890 TR
2215. **Bryaxis anatolicus (Saulcy,1878)** (Staphylinidae) Synonym(s): *anatolicus* Saulcy,1878 TR
2216. **Bryaxis artvinensis Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *artvinensis*
Besuchet & Kurbatov,2007 TR
2217. **Bryaxis assingi Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *assingi* Besuchet &
Kurbatov,2007 TR
2218. **Bryaxis balabanus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *balabanus*
Besuchet & Kurbatov,2007 TR
2219. **Bryaxis bodemeyeri (Reitter,1903)** (Staphylinidae) Synonym(s): *bodemeyeri* Reitter,1903
TR
2220. **Bryaxis borckensis Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *borckensis*
Besuchet & Kurbatov,2007 TR
2221. **Bryaxis bulbifer (Reichenbach,1816)** (Staphylinidae) Synonym(s): *bulbifer* Reichenbach,1816
TR
2222. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis*
Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
2223. **Bryaxis emendatus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *emendatus*
Besuchet & Kurbatov,2007 TR
2224. **Bryaxis euryscapus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *euryscapus*
Besuchet & Kurbatov,2007 TR
2225. **Bryaxis immodicus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *immodicus*
Besuchet & Kurbatov,2007 TR
2226. **Bryaxis khnzoriani Besuchet,1964** (Staphylinidae) Synonym(s): *khnzoriani* Besuchet,1964
TR
2227. **Bryaxis lazistanicus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *lazistanicus*
Besuchet & Kurbatov,2007 TR
2228. **Bryaxis longipalpis (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *longipalpis*
Motschoulsky,1835 TR
2229. **Bryaxis meskischesianus Meggiolaro,1966** (Staphylinidae) Synonym(s): *meskischesianus*
Meggiolaro,1966 TR
2230. **Bryaxis mohamedis (Reitter,1903)** (Staphylinidae) Synonym(s): *mohamedis* Reitter,1903
TR
2231. **Bryaxis multiplex Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *multiplex*
Besuchet & Kurbatov,2007 TR
2232. **Bryaxis nivarius Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *nivarius* Besuchet
& Kurbatov,2007 TR
2233. **Bryaxis orcinus Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *orcinus* Besuchet &
Kurbatov,2007 TR

2234. **Bryaxis osellai** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *osellai* Besuchet & Kurbatov,2007 TR
2235. **Bryaxis pachyscelis** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *pachyscelis* Besuchet & Kurbatov,2007 TR
2236. **Bryaxis polemon** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *polemon* Besuchet & Kurbatov,2007 TR
2237. **Bryaxis ponticus** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *ponticus* Besuchet & Kurbatov,2007 TR
2238. **Bryaxis pulchrotibialis** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *pulchrotibialis* Besuchet & Kurbatov,2007 TR
2239. **Bryaxis schuelkei** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *schuelkei* Besuchet & Kurbatov,2007 TR
2240. **Bryaxis schusteri** Neuhäuser-Happe,1999 (Staphylinidae) Synonym(s): *schusteri* Neuhäuser-Happe,1999 TR
2241. **Bryaxis silvicola** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *silvicola* Besuchet & Kurbatov,2007 TR
2242. **Bryaxis steindachneri** (Reitter,1881) (Staphylinidae) Synonym(s): *steindachneri* Reitter,1881 TR
2243. **Bryaxis temporalis** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *temporalis* Besuchet & Kurbatov,2007 TR
2244. **Bryaxis tenuicornis** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *tenuicornis* Besuchet & Kurbatov,2007 TR
2245. **Bryaxis theanus** (Reitter,1894) (Staphylinidae) Synonym(s): *theanus* Reitter,1894 TR
2246. **Bryaxis transitorius** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *transitorius* Besuchet & Kurbatov,2007 TR
2247. **Bryaxis viti** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *viti* Besuchet & Kurbatov,2007 TR
2248. **Bryaxis ypsilon** Besuchet & Kurbatov,2007 (Staphylinidae) Synonym(s): *ypsilon* Besuchet & Kurbatov,2007 TR
2249. **Bryophaenocladus aff. brincki** (Freeman,1955) (Chironomidae) Synonym(s): *brincki* Freeman,1955 TR
2250. **Bryophaenocladus rotundilobus** Caspers & Reiss,1989 (Chironomidae) Synonym(s): *rotundilobus* Caspers & Reiss,1989 **Bryophaenocladus rotundilobus** Caspers & Reiss,1989, Entomofauna 10 (8-1): 114-117, Abb.2. Holotype ♂: Südtürkei: Prov. Mersin [Içel]: Taşucu, W. Silifke 10m, leg. N. Caspers. TR
2251. **Bryophaenocladus virgo** (Thienemann,1941) (Chironomidae) Synonym(s): *virgo* Thienemann,1941 TR
2252. **Buathra laborator** (Thunberg,1824) (Ichneumonidae) Synonym(s): *laborator* Thunberg,1824 TR
2253. **Buathra tarsoleuca** (Schrank,1781) (Ichneumonidae) Synonym(s): *tarsoleuca* Schrank,1781 **Ichneumon tarsoleucus** Schrank,1781, Enum. Insect. Austr.: 359. TR
2254. **Bubas bubaloides** Janssens,1938 (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938 MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
2255. **Bubas bubalus** (Olivier,1811) (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus* Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842 ES IL Pa TR IQ FR ES PT
2256. **Bubastia (Acrestia) ephialtes** (Linnavuori,1971) (Issidae) Synonym(s): *ephialtes* Linnavuori,1971 CY TR
2257. **Bubastia (s.str.) suturale** (Fieber,1877) (Issidae) Synonym(s): *suturale* Fieber,1877 CY GR LB TR PT?
2258. **Bubastia (s.str.) transcaucasica** (Melichar,1914) (Issidae) Synonym(s): *transcaucasica* Melichar,1914 RU Cc TR
2259. **Bubastia jatagana Dlabola,1982** (Issidae) Synonym(s): *jatagana* Dlabola,1982 TR
2260. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 TR IL Pa LB SY GR BG MK Cr Rd TM
2261. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae) Synonym(s): *hamatus* Klug,1834 DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
2262. **Bubopsis zarudnyi** Alexandrov-Martynov,1926 (Ascalaphidae) Synonym(s): *zarudnyi* Alexandrov-Martynov,1926 IR TR
2263. **Bucephaloptera bolivari** Karabağ,1950 (Tettigoniidae) Synonym(s): *bolivari* Karabağ,1950 TR
2264. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939 **Thamnotrizon bucephalus** Brunner von Wattenwyl,1882, Prodr. eur. Orthopteren: 338. Syntypes: Türkei, Ephesus (NHMW). IT YU GR BG RO AL TR

2265. **Bucephaloptera convergens Karabağ,1950** (Tettigoniidae) Synonym(s): *convergens Karabağ,1950* TR
2266. **Bucephaloptera robusta Karabağ,1956** (Tettigoniidae) Synonym(s): *robusta Karabağ,1956* TR
2267. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
2268. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi Hummel,1827* ES SS IT HU RO BG GR MK UA TR RU Ao
2269. **Burriola sp.?** (Forficulidae) Synonym(s): TR
2270. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758; violaceus Poda,1761; unispinosus Müller,1776; inermis Müller,1776; unispinus Müller,1776; bispinus Müller,1776; alni Müller,1776; viridis Geoffroy,1785; betuleti Fabricius,1792; populi Paykull,1792; violacea Donovan,1794* BG CN FI FR GB Cc HU KR MK RU Sb TR SY TM KG
2271. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
2272. **Bythinus balkanicus Reitter,1885** (Staphylinidae) Synonym(s): *balkanicus Reitter,1885* TR
2273. **Bythinus gracilis Motschoulsky,1851** (Staphylinidae) Synonym(s): *gracilis Motschoulsky,1851* TR
2274. **Bythinus parvipenis Meggiolaro,1966** (Staphylinidae) Synonym(s): *parvipenis Meggiolaro,1966* TR
2275. **Bythinus securiger (Reichenbach,1816)** (Staphylinidae) Synonym(s): *securiger Reichenbach,1816* TR
2276. **Bythinus vicinus Besuchet,1960** (Staphylinidae) Synonym(s): *vicinus Besuchet,1960* TR
2277. **Cabirutus cavimanus (Sahlberg,1907)** (Tenebrionidae) Synonym(s): *cavimanus Sahlberg,1907* TR
2278. **Cabirutus cilicicus (Sahlberg,1907)** (Tenebrionidae) Synonym(s): *cilicicus Sahlberg,1907* TR
2279. **Cabirutus cribricollis (Baudi,1875)** (Tenebrionidae) Synonym(s): *cribricollis Baudi,1875* TR CY
2280. **Cabirutus gracilis (Reitter,1904)** (Tenebrionidae) Synonym(s): *gracilis Reitter,1904* TR
2281. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides Ménétriés,1832; anthracinus Faldermann,1835; nigellus Kiesenwetter,1858* RU Cc UA Cm TR TM AM SY IL Pa
2282. **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838* TR Cc SY IL Pa IQ JO LB
2283. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
2284. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus Horvath,1934* TN EG IL Pa LB JO TR
2285. **Cacopsylla hippophaes (Förster,1848)** (Psyllidae) Synonym(s): *hippophaes Förster,1848* SE Cc TR
2286. **Cacopsylla mali (Schmidberger)** (Psyllidae) Synonym(s): TR
2287. **Cacopsylla mariannae (Beava)** (Psyllidae) Synonym(s): TR
2288. **Cacopsylla peregrina (Förster)** (Psyllidae) Synonym(s): TR
2289. **Cacopsylla pyri (Linnaeus)** (Psyllidae) Synonym(s): TR
2290. **Caenoblaps kulzeri Schuster,1928** (Tenebrionidae) Synonym(s): *kulzeri Schuster,1928* TR
2291. **Caenoblaps nitida Schuster,1920** (Tenebrionidae) Synonym(s): *nitida Schuster,1920* TR
2292. **Caenocrepis arenicola (Thomson)** (Pteromalidae) Synonym(s): TR
2293. **Caenocrepis bothynoderi Gromakov** (Pteromalidae) Synonym(s): TR
2294. **Caenocryptus rufiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufiventris Gravenhorst,1829* TR
2295. **Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi Steven,1830* GR TR IR RU
2296. **Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): *filum Rossi,1790* GR Cc TR SK CZ FR
2297. **Calandrea Sama & Rapuzzi,1999** (Cerambycidae) Synonym(s): *Calandrea Sama & Rapuzzi,1999* TR
2298. **Calchaenesthes oblongomaculatus (Guérin,1844)** (Cerambycidae) Synonym(s): *oblongomaculatus Guérin,1844* GR TR
2299. **Cales noacki Howard,1907** (Aphelinidae) Synonym(s): *noacki Howard,1907; pallidus Brèthes,1914* BR AR TR
2300. **Caliadurgus fasciatellus (Spinola,1808)** (Pompilidae) Synonym(s): *fasciatellus Spinola,1808* TR
2301. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma Schneider,1845* GR TR Cc GG LB IR CY IQ Dk
2302. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni Stål,1863* CN FR GR TR HU IT RO RU

2303. **Calisius salicis Horvath,1913** (Aradidae) Synonym(s): *salicis Horvath,1913* **TR YU**
2304. **Callicorixa raddei (Kiritshenko & Jaczewski,1960)** (Corixidae) Synonym(s): *raddei Kiritshenko & Jaczewski,1960* **GG AM Cc TR**
2305. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi Fieber,1866; longipes Kirschbaum,1868; Sahlberg,1871; sahlbergiana Ishihara,1949* **AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR**
2306. **Callimenus dilatatus (Stal,1876)** (Tettigoniidae) Synonym(s): *dilatatus Stal,1876* **TR**
2307. **Callimenus macrogaster (Lefebvre,1831)** (Tettigoniidae) Synonym(s): *macrogaster Lefebvre,1831; brachynotus Fieber,1853; longicollis Fieber,1853; intermedius Werner,1901; dobrogensis Müller,1933; skopjensis Karaman,1961* **MK TR**
2308. **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis Brullé,1832* **Cc TR IR GR SK HU**
2309. **Callimus abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): *abdominalis Olivier,1795* **ES FR Co IT Si B-H HV TR?**
2310. **Callimus akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): *akbesianus Pic,1892* **TR SY IL Pa**
2311. **Callimus angulatus (Schränk,1789)** (Cerambycidae) Synonym(s): *angulatus Schränk,1789* **Cc GR Cc TR IR CZ**
2312. **Calliphora vicina Robineau-Desvoidy,1830** (Calliphoridae) Synonym(s): *vicina Robineau-Desvoidy,1830; monspeliaca Robineau-Desvoidy,1830; musca Robineau-Desvoidy,1830; nana Robineau-Desvoidy,1830; spitzbergensis Robineau-Desvoidy,1830; thuscia Walker,1849; rufifacies Macquart,1851; acuta Walker,1852; insidiosa Robineau-Desvoidy,1863* **US TR ZA**
2313. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sicularis Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
2314. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951* **DZ TR Cc LB SY GR BG TM KG**
2315. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952 Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF*
2316. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951* **TR IR Cc IQ RU LB SY**
2317. **Callipteroma sexguttata Motschulsky** (Encyrtidae) Synonym(s): **TR**
2318. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium Giraud,1859; girardi Tavares,1902; aestivalis Nieves-Aldrey,1992* **PT ES FR GB IT AT B-H HU RO PL UA TR**
2319. **Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens Mayr,1882; villarrubiae Tavares,1930; glandulosa Weld,1930* **PT ES FR HU GR TR**
2320. **Callisthenes (s.str.) brevisculus (Mannerheim,1830)** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830; araraticus Chaudoir,1846* **TR**
2321. **Callisthenes (s.str.) ewersmanni (Chaudoir,1850)** (Carabidae) Synonym(s): *ewersmanni Chaudoir,1850* **TR**
2322. **Callisthenes (s.str.) peksi (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *peksi Heinz & Pavesi,1994* **TR**
2323. **Callisthenes (s.str.) persicus (Géhin,1885)** (Carabidae) Synonym(s): *persicus Géhin,1885; adehinotus Lassale,1992* **TR IR**
2324. **Callisthenes (s.str.) pesarinii (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *pesarinii Heinz & Pavesi,1994* **TR**
2325. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ**
2326. **Calodictya krueperi (Fieber,1876)** (Dictyopharidae) Synonym(s): *krueperi Fieber,1876* **GR TR YU BG**
2327. **Callostoma oezbeki Dils & Özbek,2006** (Bombyliidae) Synonym(s): *oezbeki Dils & Özbek,2006* **Callostoma oezbeki Dils & Özbek,2006, Phegea 34 (4): 157-159, figs. Holotype ♂: Turkey: Hakkari [Şirnak Prov.]: Suvarihalil geçidi 1800-2400m, 11.7.2004 leg. Dils & Faes (ZMA). TR**
2328. **Calopteryx hyalina Martin,1909** (Calopterygidae) Synonym(s): *hyalina Martin,1909* **SY TR**
2329. **Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): *intermedia Selys,1887* **SY TR IR Cc**

2330. **Calopteryx mingrelia Selys,1869** (Calopterygidae) Synonym(s): *mingrelia Selys,1869* Cc
GG TR Rd CY
2331. **Calopteryx splendens (Harris,1776)** (Calopterygidae) Synonym(s): *splendens Harris,1776*
TR DZ
2332. **Calopteryx syriaca Gén ,1842** (Calopterygidae) Synonym(s): *syriaca G n ,1842*; *pseudosyriaca*
Buchholtz,1955 **Calopteryx syriaca G n ,1842** [in] Rambur,1842, *Hist. nat. Ins. Neuropt.*: 223.
Type(s): Liban (coll. Serville?). TR LB IL Pa JO
2333. **Calopteryx taurica Selys-Longchamps,1853** (Calopterygidae) Synonym(s): *taurica Selys-*
Longchamps,1853 **Calopteryx splendens var. taurica Selys-Longchamps,1853**, *Synopsis des*
Calopterygines: 13. Type(s): Ukraine: Crim e. UA Cm Cc AM AZ RU Da TR
2334. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758*;
colchicus Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
2335. **Calopteryx waterstoni Schneider,1984** (Calopterygidae) Synonym(s): *waterstoni*
Schneider,1984 GG Cc TR
2336. **Calosoma adihinotus Lassale,1992** (Carabidae) Synonym(s): *adihinotus Lassale,1992* TR
2337. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784*
AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
2338. **Calosoma brevisculus Mannerheim,1830** (Carabidae) Synonym(s): *breviusculus*
Mannerheim,1830 AM Cc TR
2339. **Calosoma evermanni Chaudoir,1850** (Carabidae) Synonym(s): *evermanni Chaudoir,1850*
TR SY
2340. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758*;
punctiventre Reiche & Saulcy,1855; *viridulum Kraatz,1877*; *cupreofulgens Chapman,1922* AL BE B-H BG HV
CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
2341. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM
Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
2342. **Calosoma peksi Heinz & Pavesi,1995** (Carabidae) Synonym(s): *peksi Heinz & Pavesi,1995*
TR
2343. **Calosoma persicus Gehin,1885** (Carabidae) Synonym(s): *persicus Gehin,1885* TR
2344. **Calosoma pesarinii Heinz & Pavesi,1995** (Carabidae) Synonym(s): *pesarinii Heinz &*
Pavesi,1995 TR
2345. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758*;
severum Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT
RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
2346. **Calosota aestivalis Curtis** (Eupelmidae) Synonym(s): TR
2347. **Calvia quatuordecimguttata (Linnaeus,1758)** (Coccinellidae) Synonym(s):
quatuordecimguttata Linnaeus,1758 TR IT Sa
2348. **Calycomyza humeralis (von Roser,1840)** (Agromyzidae) Synonym(s): *humeralis von*
Roser,1840 TR
2349. **Calydus escherichi Reitter,1898** (Meloidae) Synonym(s): *escherichi Reitter,1898* TR
2350. **Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae) Synonym(s): *capnisiformis*
Reitter,1903 TR
2351. **Calyptopsis capnisioides Reitter,1896** (Tenebrionidae) Synonym(s): *capnisioides*
Reitter,1896 GR TR
2352. **Calyptopsis deplanata Faust,1875** (Tenebrionidae) Synonym(s): *deplanata Faust,1875* TR
2353. **Calyptopsis escherichi Reitter,1896** (Tenebrionidae) Synonym(s): *escherichi Reitter,1896*
TR
2354. **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides*
Reitter,1896 TR GR SY Hal Cc
2355. **Calyptopsis solieri Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *solieri Reiche &*
Saulcy,1857 TR SY
2356. **Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae) Synonym(s): *capnisiformis*
Reitter,1903 TR
2357. **Calyptopsis emarginata Reitter,1889** (Tenebrionidae) Synonym(s): *emarginata Reitter,1889*
TR
2358. **Caminara olivieri (Dejean,1831)** (Carabidae) Synonym(s): *olivieri Dejean,1831* TR
2359. **Campalita auropunctatum (Herbst,1782)** (Carabidae) Synonym(s): *auropunctatum*
Herbst,1782 TR
2360. **Campiglossa absinthii (Fabricius,1805)** (Tephritidae) Synonym(s): *absinthii Fabricius,1805*;
maculata Robineau-Desvoidy,1830; *elongatula Loew,1862*; *parvula Loew,1862*; *cilicornis M.Hering,1941* TR
GB RU Sb
2361. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis Hendel,1927*; *tessellata*
Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
2362. **Campiglossa lederi (Hendel,1927)** (Tephritidae) Synonym(s): *lederi Hendel,1927* TR MN
2363. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta Loew,1844* TR AF CZ
CN FI NL IQ GB IL Pa Cn DZ SY JO

2364. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta* Loew,1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
2365. **Camponotus aethiops (Latreille,1798)** (Formicidae) Synonym(s): *aethiops* Latreille,1798 TR
2366. **Camponotus compressus (Fabricius,1787)** (Formicidae) Synonym(s): *compressus* Fabricius,1787 TR
2367. **Camponotus dalmaticus (Nylander,1848)** (Formicidae) Synonym(s): *dalmaticus* Nylander,1848 TR
2368. **Camponotus festai Emery,1894** (Formicidae) Synonym(s): *festai* Emery,1894 TR
2369. **Camponotus gestroi Emery,1878** (Formicidae) Synonym(s): *gestroi* Emery,1878 GR Cr TR
2370. **Camponotus herculeanus (Linnaeus,1758)** (Formicidae) Synonym(s): *herculeanus* Linnaeus,1758 TR
2371. **Camponotus ionius Emery,1901** (Formicidae) Synonym(s): *ionius* Emery,1901 TR
2372. **Camponotus jaliensis Dalla Torre,1893** (Formicidae) Synonym(s): *jaliensis* Dalla Torre,1893 IQ TR
2373. **Camponotus kiesenwetteri Roger,1859** (Formicidae) Synonym(s): *kiesenwetteri* Roger,1859 TR
2374. **Camponotus samius Forel,1888** (Formicidae) Synonym(s): *samius* Forel,1888 TR
2375. **Camponotus sylvaticus (Olivier,1792)** (Formicidae) Synonym(s): *sylvaticus* Olivier,1792 TR
2376. **Campoplex difformis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *difformis* Gmelin,1790 TR
2377. **Campoplex granditor Aubert,1972** (Ichneumonidae) Synonym(s): *granditor* Aubert,1972 TR
2378. **Campoplex melanostictus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *melanostictus* Gravenhorst,1829 TR
2379. **Campoplex ramidulus (Brischke,1880)** (Ichneumonidae) Synonym(s): *ramidulus* Brischke,1880 TR
2380. **Campoplex tridentator Aubert,1972** (Ichneumonidae) Synonym(s): *tridentator* Aubert,1972 TR
2381. **Camptocera glaberrima (Walker,1872)** (Lygaeidae) Synonym(s): *glaberrima* Walker,1872 TR
2382. **Camptomyia pinicola Mamaev,1961** (Cecidomyiidae) Synonym(s): *pinicola* Mamaev,1961 TR
2383. **Camptopus illustris Horvarth,1899** (Alydidae) Synonym(s): *illustris* Horvarth,1899 TR
2384. **Camptopus lateralis (Germar,1817)** (Alydidae) Synonym(s): *lateralis* Germar,1817 TR
2385. **Camptopus tragacanthae Kolenati,1845** (Alydidae) Synonym(s): *tragacanthae* Kolenati,1845 TR
2386. **Campylomma nicolasi Puton & Reuter,1883** (Miridae) Synonym(s): *nicolasi* Puton & Reuter,1883 TR
2387. **Campylosteira bosnica Horvath,1892** (Tingidae) Synonym(s): *bosnica* Horvath,1892 B-H YU TR
2388. **Campylosteira ciliata Fieber,1844** (Tingidae) Synonym(s): *ciliata* Fieber,1844 CZ GR SK TR
2389. **Cantacader quadricornis (Le Peletier & Serville,1828)** (Tingidae) Synonym(s): *quadricornis* Le Peletier & Serville,1828; *nubilus* Horvath,1906 RU EG TR
2390. **Cantharis akbesiana Pic,1906** (Cantharidae) Synonym(s): *akbesiana* Pic,1906 TR
2391. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis* Ménétrés,1836 TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
2392. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
2393. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
2394. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
2395. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 AT SK SS UA HU PL RO HV MK IT AL GR TR
2396. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
2397. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
2398. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Uí Mc TJ UZ
2399. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
2400. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#symrnensis* Silkin,2008 TR AL BG GR LB SY IL Pa
2401. **Cantharis ziganadagensis Wittmer,1971** (Cantharidae) Synonym(s): *ziganadagensis* Wittmer,1971 TR

- 2402. Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
- 2403. Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
- 2404. Capnia arensi Zhiltzova,1964** (Capniidae) Synonym(s): *arensi* Zhiltzova,1964 **TR**
- 2405. Capnia nigra (Pictet,1833)** (Capniidae) Synonym(s): *nigra* Pictet,1833; *conic* Klapalek,1909; *maynari* Navas,1917 **TR Cc RU Kmt**
- 2406. Capnia sevanica Zhiltzova,1964** (Capniidae) Synonym(s): *sevanica* Zhiltzova,1964 **AM Cc TR**
- 2407. Capnia tuberculata Zhiltzova,1964** (Capniidae) Synonym(s): *tuberculata* Zhiltzova,1964 **TR**
- 2408. Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
- 2409. Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**
- 2410. Capnodis excisa Ménétríés,1849** (Buprestidae) Synonym(s): *excisa* Ménétríés,1849 **TR Cc**
- 2411. Capnodis henningii (Faldermann,1835)** (Buprestidae) Synonym(s): *henningii* Faldermann,1835 **TR**
- 2412. Capnodis marquardtii Reitter,1913** (Buprestidae) Synonym(s): *marquardtii* Reitter,1913 **TR**
- 2413. Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
- 2414. Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
- 2415. Capnodis semisuturalis Marseul,1865** (Buprestidae) Synonym(s): *semisuturalis* Marseul,1865; *perrini* Thery,1936 **TR**
- 2416. Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olceseii* Obenberger,1945; *morio* Obenberger,1945 **DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU**
- 2417. Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrionides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 **DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU**
- 2418. Carabus (Archicarabus) gotschii Chaudoir,1846** (Carabidae) Synonym(s): *gotschii* Chaudoir,1846 **TR**
- 2419. Carabus (Archicarabus) victor Fischer von Waldheim,1836** (Carabidae) Synonym(s): *victor* Fischer von Waldheim,1836 **TR**
- 2420. Carabus (Archicarabus) wiedemanni Ménétríés,1836** (Carabidae) Synonym(s): *wiedemanni* Ménétríés,1836; *bythinus* Lapouge,1908; *winklerianus* Breuning,1933 **TR**
- 2421. Carabus (Cechenochilus) boeberi Adams,1817** (Carabidae) Synonym(s): *boeberi* Adams,1817 **AZ GG RU TR Cc**
- 2422. Carabus (Cechenochilus) lazorum Belousov & Zamotajlov,1999** (Carabidae) Synonym(s): *lazorum* Belousov & Zamotajlov,1999 **TR**
- 2423. Carabus (Heterocarabus) marietti De Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti* De Cristoforis & Jan,1837; *ativsengueni* Schweiger,1962; *petrovitzi* Mandl,1964; *pseudomariettii* Schweiger,1962; *charetianus* Auvray,1992 **TR**
- 2424. Carabus (Ischnocarabus) cychropalpus Peyron,1858** (Carabidae) Synonym(s): *cychropalpus* Peyron,1858; *cychropalpus* Mandl,1955 **TR**
- 2425. Carabus (Ischnocarabus) tenuitarsis Kraatz,1877** (Carabidae) Synonym(s): *tenuitarsis* Kraatz,1877 **TR**
- 2426. Carabus (Lamprostus) calleyi Fischer von Waldheim,1823** (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823 **AZ AM Cc GG TR IR**
- 2427. Carabus (Lamprostus) erenleriensis Schweiger,1966** (Carabidae) Synonym(s): *erenleriensis* Schweiger,1966; *kaynasliensis* Machard,1975 **TR**
- 2428. Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi* Dejean,1826 **TR IL Pa LB SY**
- 2429. Carabus (Lamprostus) rabaroni Breuning,1964** (Carabidae) Synonym(s): *rabaroni* Breuning,1964 **TR**
- 2430. Carabus (Lamprostus) robustus Deyrolle,1869** (Carabidae) Synonym(s): *robustus* Deyrolle,1869 **TR**
- 2431. Carabus (Lamprostus) spinolai Cristoforis & Jan,1837** (Carabidae) Synonym(s): *spinolai* Cristoforis & Jan,1837 **TR**

2432. **Carabus (Lamprostus) torosus** Frivaldsky,1835 (Carabidae) Synonym(s): *torosus* Frivaldsky,1835 **BG TR**
2433. **Carabus (Limnocarabus) clatratus** Linnaeus,1761 (Carabidae) Synonym(s): *clatratus* Linnaeus,1761 **TR**
2434. **Carabus (Lipaster) gorgus** Reitter,1898 (Carabidae) Synonym(s): *gorgus* Reitter,1898 **TR**
2435. **Carabus (Lipaster) stjernvalli** Mannerheim,1830 (Carabidae) Synonym(s): *stjernvalli* Mannerheim,1830 **TR**
2436. **Carabus (Mimocarabus) maurus** Adams,1817 (Carabidae) Synonym(s): *maurus* Adams,1817 **TR**
2437. **Carabus (Mimocarabus) pumilio** Küster,1846 (Carabidae) Synonym(s): *pumilio* Küster,1846; *araratensis* Kraatz,1896 **TR**
2438. **Carabus (Morphocarabus) scabriusculus** Olivier,1795 (Carabidae) Synonym(s): *scabriusculus* Olivier,1795 **TR BG**
2439. **Carabus (Oreocarabus) cribratus** Quensel,1806 (Carabidae) Synonym(s): *cribratus* Quensel,1806 **TR**
2440. **Carabus (Oreocarabus) porrectangulus** Géhin,1885 (Carabidae) Synonym(s): *porrectangulus* Géhin,1885; ? *farineli* Machard,1975 **TR**
2441. **Carabus (Oxycarabus) saphyrinus** De Cristofis & Jan,1837 (Carabidae) Synonym(s): *saphyrinus* De Cristofis & Jan,1837 **TR**
2442. **Carabus (Pachycarabus) roseri** Faldermann,1835 (Carabidae) Synonym(s): *roseri* Faldermann,1835 **TR**
2443. **Carabus (Pachystus) ganymed** Heinz,1975 (Carabidae) Synonym(s): *ganymed* Heinz,1975 **TR**
2444. **Carabus (Pachystus) graecus** Dejean,1826 (Carabidae) Synonym(s): *graecus* Dejean,1826 **GR TR**
2445. **Carabus (Pachystus) irmasanus** Heinz & Korge,1967 (Carabidae) Synonym(s): *felix* Heinz & Korge,1967 *nec* Semen. & Znojko,1931; *irmasanus* Heinz & Korge,1967 **TR**
2446. **Carabus (Pachystus) pisidicus** Peyron,1854 (Carabidae) Synonym(s): *pisidicus* Peyron,1854 **TR**
2447. **Carabus (Procerus) caucasicus** Adams,1817 (Carabidae) Synonym(s): *caucasicus* Adams,1817 **Cc TR**
2448. **Carabus (Procerus) scabrosus** Olivier,1795 (Carabidae) Synonym(s): *scabrosus* Olivier,1795 **TR**
2449. **Carabus (Procerus) sommeri** Mannerheim,1844 (Carabidae) Synonym(s): *sommeri* Mannerheim,1844; *breviusculus* Kraatz,1876; *uludagensis* Schweiger,1964; *basoglu* Schweiger,1964 **TR**
2450. **Carabus (Procerus) syriacus** Kollar,1843 (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985 **TR IL Pa LB SY**
2451. **Carabus (Procerus) transversalis** Csiki,1927 (Carabidae) Synonym(s): *transversalis* Csiki,1927; *laticollis* Kraatz,1876 **TR**
2452. **Carabus (Procrustes) anatolicus** Chaudoir,1857 (Carabidae) Synonym(s): *anatolicus* Chaudoir,1857; *cypricus* Roeschke,1915 **TR CY**
2453. **Carabus (Procrustes) chevrolati** Cristoforis & Jan,1837 (Carabidae) Synonym(s): *chevrolati* Cristoforis & Jan,1837; *assimilis* Cristoforis & Jan,1837; *persimilis* Csiki,1927 **GG TR Cc**
2454. **Carabus (Procrustes) clypeatus** Adams,1817 (Carabidae) Synonym(s): *clypeatus* Adams,1817 **AM Cc GG RU TR IR**
2455. **Carabus (Procrustes) coriaceus** Linnaeus,1758 (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 **AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL**
2456. **Carabus (Procrustes) impressus** Klug,1832 (Carabidae) Synonym(s): *impressus* Klug,1832 **TR EG IQ IL Pa JO LY SY**
2457. **Carabus (Procrustes) mulsantianus** Morawitz,1886 (Carabidae) Synonym(s): *mulsantianus* Morawitz,1886 **TR SY**
2458. **Carabus (Procrustes) payapha** White,1845 (Carabidae) Synonym(s): *payapha* White,1845; *pseudoacuticollis* Catlos & Moravec,1999 **TR**
2459. **Carabus (Procrustes) piochardi** Géhin,1883 (Carabidae) Synonym(s): *piochardi* Géhin,1883 **TR IL Pa LY SY**
2460. **Carabus (Procrustes) punctatus** Castelnau,1835 (Carabidae) Synonym(s): *punctatus* Castelnau,1835; *antakyae* Korell,1985 **TR LB SY**
2461. **Carabus (s.str.) granulatus** Linnaeus,1758 (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 **AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP**
2462. **Carabus (Sphodristocarabus) biroi** Csiki,1927 (Carabidae) Synonym(s): *biroi* Csiki,1927 **TR**
2463. **Carabus (Sphodristocarabus) coruhnehriensis** Cavazzuti,1990 (Carabidae) Synonym(s): *coruhnehriensis* Cavazzuti,1990 **TR**
2464. **Carabus (Sphodristocarabus) enigmaticus** Heinz,1980 (Carabidae) Synonym(s): *enigmaticus* Heinz,1980 **TR**

2465. **Carabus (Sphodristocarabus) georgia Cavazzuti,1984** (Carabidae) Synonym(s): *georgia Cavazzuti,1984* TR
2466. **Carabus (Sphodristocarabus) giachinoi Cavazzuti,1991** (Carabidae) Synonym(s): *giachinoi Cavazzuti,1991* TR
2467. **Carabus (Sphodristocarabus) gilnickii Deyrolle,1869** (Carabidae) Synonym(s): *gilnickii Deyrolle,1869* TR
2468. **Carabus (Sphodristocarabus) heinzi Breuning,1964** (Carabidae) Synonym(s): *heinzi Breuning,1964* TR
2469. **Carabus (Sphodristocarabus) kurdicus Heinz,1975** (Carabidae) Synonym(s): *kurdicus Heinz,1975* TR
2470. **Carabus (Sphodristocarabus) macrogonus Chaudoir,1847** (Carabidae) Synonym(s): *macrogonus Chaudoir,1847* TR
2471. **Carabus (Sphodristocarabus) pavesii Cavazzuti,1992** (Carabidae) Synonym(s): *pavesii Cavazzuti,1992* TR
2472. **Carabus (Sphodristocarabus) scovitzi Faldermann,1835** (Carabidae) Synonym(s): *scovitzi Faldermann,1835* GG TR Cc
2473. **Carabus (Sphodristocarabus) tokatensis Roeschke,1898** (Carabidae) Synonym(s): *tokatensis Roeschke,1898* TR
2474. **Carabus (Sphodristocarabus) varians Fischer von Waldheim,1827** (Carabidae) Synonym(s): *varians Fischer von Waldheim,1827* AM Cc GG RU TR
2475. **Carabus (Tomocarabus) convexus Fabricius,1775** (Carabidae) Synonym(s): *convexus Fabricius,1775* TR
2476. **Carabus (Tomocarabus) decolor Fischer von Waldheim,1823** (Carabidae) Synonym(s): *decolor Fischer von Waldheim,1823* TR
2477. **Carabus (Tomocarabus) rumelicus Chaudoir,1867** (Carabidae) Synonym(s): *rumelicus Chaudoir,1867* TR
2478. **Carabus (Tomocarabus) scabripennis Chaudoir,1867** (Carabidae) Synonym(s): *scabripennis Chaudoir,1867* TR
2479. **Carabus (Tomocarabus) simardianus Deuve,1990** (Carabidae) Synonym(s): *simardianus Deuve,1990* TR
2480. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
2481. **Carabus legrandi Deuve,1991** (Carabidae) Synonym(s): *legrandi Deuve,1991* TR
2482. **Carabus marietti Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti Cristoforis & Jan,1837* BG TR
2483. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* AM Cc GG TR CY IR IQ IL Pa LY SY TM
2484. **Carabus merdeniki Cavazzuti & Korell,1992** (Carabidae) Synonym(s): *merdeniki Cavazzuti & Korell,1992* TR
2485. **Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus Palliardi,1825* AL B-H BG HV GR MK RO SK TR
2486. **Carabus omphreodes Reitter,1898** (Carabidae) Synonym(s): *omphreodes Reitter,1898* TR
2487. **Carabus pisidicus Peyron,1854** (Carabidae) Synonym(s): *pisidicus Peyron,1854* TR
2488. **Carabus pseudodepressus Machard,1988** (Carabidae) Synonym(s): *pseudodepressus Machard,1988* TR
2489. **Carabus pumilio Kuster,1846** (Carabidae) Synonym(s): *pumilio Kuster,1846* AM Cc GG TR
2490. **Carabus puschkini Adams,1817** (Carabidae) Synonym(s): *puschkini Adams,1817* AZ AM Cc GG TR
2491. **Carabus roseri Faldermann,1835** (Carabidae) Synonym(s): *roseri Faldermann,1835* GG Cc TR
2492. **Carabus saphyrinus Cristoforis & Jan,1837** (Carabidae) Synonym(s): *saphyrinus Cristoforis & Jan,1837* TR
2493. **Cardiastethus nazarenus Reuter,1884** (Anthocoridae) Synonym(s): *nazarenus Reuter,1884* TR
2494. **Cardiocladius capucinus (Zetterstedt,1850)** (Chironomidae) Synonym(s): *capucinus Zetterstedt,1850* TR
2495. **Cardiocondyla elegans Emery,1869** (Formicidae) Synonym(s): *elegans Emery,1869* TR
2496. **Cardiophorus (s.str.) acuminatus Platia & Gundezi,2002** (Elateridae) Synonym(s): *acuminatus Platia & Gundezi,2002* TR
2497. **Cardiophorus (s.str.) aemulus Platia & Gundezi,2002** (Elateridae) Synonym(s): *aemulus Platia & Gundezi,2002* TR
2498. **Cardiophorus (s.str.) agilis Platia & Gundezi,2002** (Elateridae) Synonym(s): *agilis Platia & Gundezi,2002* TR
2499. **Cardiophorus (s.str.) akbesianus (Pic,1899)** (Elateridae) Synonym(s): *akbesianus Pic,1899* TR

2500. **Cardiophorus (s.str.) alepensis Pic,1914** (Elateridae) Synonym(s): *alepensis Pic,1914* SY
Hal TR?
2501. **Cardiophorus (s.str.) analis Schwarz,1892** (Elateridae) Synonym(s): *analis Schwarz,1892*
TR
2502. **Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae) Synonym(s): *anticus*
Erichson,1840 FR TR
2503. **Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae) Synonym(s): *apterus*
Platia & Gundezi,2002 TR
2504. **Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae) Synonym(s):
araxicola Jablokoff & Khnzorian,1970 TR Cc
2505. **Cardiophorus (s.str.) bellus Platia & Gundezi,2000** (Elateridae) Synonym(s): *bellus Platia*
& Gundezi,2000 TR
2506. **Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae) Synonym(s): *carnosus*
Platia & Gundezi,2002 TR IR Fa
2507. **Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae) Synonym(s):
cyanipennis Mulsant & Wachanru,1852 TR
2508. **Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis*
Herbst,1806 GR Cc TR SK MN RU Sb
2509. **Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini*
Mardjanian,1985 TR GR MK UA Cm
2510. **Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): *ebeninus*
Germar,1824 TR Cc TM
2511. **Cardiophorus (s.str.) eliasi Pic,1904** (Elateridae) Synonym(s): *eliasi Pic,1904* SY TR
2512. **Cardiophorus (s.str.) fossulatus Platia & Gundenzi,2002** (Elateridae) Synonym(s):
fossulatus Platia & Gundenzi,2002 TR
2513. **Cardiophorus (s.str.) frequens Platia & Gundenzi,2002** (Elateridae) Synonym(s): *frequens*
Platia & Gundenzi,2002 TR
2514. **Cardiophorus (s.str.) gramineus (Scopoli,1763)** (Elateridae) Synonym(s): *gramineus*
Scopoli,1763 TR
2515. **Cardiophorus (s.str.) hayekae Platia & Gundenzi,2002** (Elateridae) Synonym(s): *hayekae*
Platia & Gundenzi,2002 TR
2516. **Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei*
Frivaldsky,1837 TR GR BG Cc AM
2517. **Cardiophorus (s.str.) imitator Platia & Gundenzi,2002** (Elateridae) Synonym(s): *imitator*
Platia & Gundenzi,2002 TR
2518. **Cardiophorus (s.str.) impressiventris Schwarz,1900** (Elateridae) Synonym(s):
impressiventris Schwarz,1900; boyadjiani Pic,1908 TR
2519. **Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis*
Descrochers,1875 IL Pa SY TR
2520. **Cardiophorus (s.str.) kindermanni Candeze,1860** (Elateridae) Synonym(s): *kindermanni*
Candeze,1860 TR
2521. **Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae) Synonym(s): *kinzelbachi*
Chassain,1979 SY TR
2522. **Cardiophorus (s.str.) laevis Platia & Gundenzi,2002** (Elateridae) Synonym(s): *laevis Platia*
& Gundenzi,2002 TR
2523. **Cardiophorus (s.str.) lundbergi Platia & Gundenzi,2000** (Elateridae) Synonym(s):
lundbergi Platia & Gundenzi,2000 TR
2524. **Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae) Synonym(s):
maculicollis Reiche & Saulcy,1856 TR
2525. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s):
megathorax Faldermann,1835; antennalis Desbrochers,1875 TR GR IL Pa AM Cc
2526. **Cardiophorus (s.str.) mertliki (Platia & Gundezi,1999)** (Elateridae) Synonym(s): *mertliki*
Platia & Gundenzi,1999 TR
2527. **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis*
Candeze,1860 TR GR SY LB IR
2528. **Cardiophorus (s.str.) neuberti Platia & Gundenzi,2002** (Elateridae) Synonym(s): *neuberti*
Platia & Gundenzi,2002 TR
2529. **Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): *nigerrimus*
Erichson,1840 CZ TR Cc RU Sb
2530. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus*
Buysson,1891 SY TR Cc AM TM
2531. **Cardiophorus (s.str.) parvulus Platia & Gundenzi,2000** (Elateridae) Synonym(s): *parvulus*
Platia & Gundenzi,2000 TR GR Rd
2532. **Cardiophorus (s.str.) pavesii Platia & Gundenzi,2000** (Elateridae) Synonym(s): *pavesii*
Platia & Gundenzi,2000 TR

2533. **Cardiophorus (s.str.) picinus** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *picinus* Platia & Gudenzi,2002 TR
2534. **Cardiophorus (s.str.) picticollis** (Kraatz,1882) (Elateridae) Synonym(s): *picticollis* Kraatz,1882 TR TJ UZ
2535. **Cardiophorus (s.str.) plurimus** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *plurimus* Platia & Gudenzi,2002 TR
2536. **Cardiophorus (s.str.) procerus** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *procerus* Platia & Gudenzi,2002 TR
2537. **Cardiophorus (s.str.) proprius** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *proprius* Platia & Gudenzi,2002 TR
2538. **Cardiophorus (s.str.) ressl** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *ressli* Platia & Gudenzi,2002 TR
2539. **Cardiophorus (s.str.) rotundicollis** Frivaldsky,1845 (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891 TR SY Cr GR
2540. **Cardiophorus (s.str.) ruficollis** (Linnaeus,1758) (Elateridae) Synonym(s): *ruficollis* Linnaeus,1758 CZ TR?
2541. **Cardiophorus (s.str.) ruficruris** (Linnaeus,1758) (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840 IT GR TR Cc AM
2542. **Cardiophorus (s.str.) sacratus** Erichson,1840 (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913 SY CY TR Cc AZ AM IQ IR
2543. **Cardiophorus (s.str.) samai** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *samai* Platia & Gudenzi,2000 TR
2544. **Cardiophorus (s.str.) schuberti** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *schuberti* Platia & Gudenzi,2002 TR
2545. **Cardiophorus (s.str.) schurmanni** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,2002 TR
2546. **Cardiophorus (s.str.) somcheticus** Schwarz,1896 (Elateridae) Synonym(s): *somcheticus* Schwarz,1896 Cc TR
2547. **Cardiophorus (s.str.) strussineri** Buysson,1913 (Elateridae) Synonym(s): *strussineri* Buysson,1913 TR GR Rd MK Cc AZ Bak
2548. **Cardiophorus (s.str.) syriacus** (Linnaeus,1758) (Elateridae) Synonym(s): *syriacus* Linnaeus,1758 TR Cc SY IR
2549. **Cardiophorus (s.str.) tenellus** Reiche,1856 (Elateridae) Synonym(s): *tenellus* Reiche,1856 EG IL Pa LB SY TR CY GR Rd
2550. **Cardiophorus (s.str.) turgidus** Erichson,1840 (Elateridae) Synonym(s): *turgidus* Erichson,1840 TR IQ SY
2551. **Cardiophorus (s.str.) uncinatus** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *uncinatus* Platia & Gudenzi,2002 TR
2552. **Cardiophorus (s.str.) varius** Cate, Platia & Schimmel,2002 (Elateridae) Synonym(s): *varius* Cate, Platia & Schimmel,2002 TR AF IR
2553. **Cardiophorus (s.str.) vestigialis** Erichson,1840 (Elateridae) Synonym(s): *vestigialis* Erichson,1840; *atramentarius* Erichson,1840; *erichsoni* Buysson,1901; *maritimus* Dolin,1971; *nijazi* Dolin & Agajew,1983 GR TR
2554. **Cardiophorus (s.str.) winkleri** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *winkleri* Platia & Gudenzi,2002 TR
2555. **Cardiophorus (s.str.) witzgalli** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *witzgalli* Platia & Gudenzi,2002 TR
2556. **Cardiophorus (s.str.) zeisingi** Platia,2004 (Elateridae) Synonym(s): *zeisingi* Platia,2004 TR
2557. **Cardopostethus annulosus** Fieber,1859 (Berytidae) Synonym(s): *annulosus* Fieber,1859 TR DE RU CY FR Co
2558. **Cardoria scutellata** (Fabricius,1792) (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792 SK CZ AT HU RO TR Cc AM
2559. **Carinatodorcadion aethiops** (Scopoli,1763) (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951 AT CZ HU RO BG TR SS SK UA
2560. **Carinatodorcadion boluense** Breuning,1962 (Cerambycidae) Synonym(s): *boluense* Breuning,1962; *nigrobasisipenne* Breuning,1962 TR
2561. **Carinatodorcadion carinatum** (Pallas,1771) (Cerambycidae) Synonym(s): *carinatum* Pallas,1771; *pigra* Schönherr,1817; *cinereopubescens* Breuning,1946 RU Ur Cc UA Cm KG TR
2562. **Carinatodorcadion ingeae** (Peks,1993) (Cerambycidae) Synonym(s): *ingeae* Peks,1993 TR
2563. **Carlandrea syriaca** (Pic,1891) (Cerambycidae) Synonym(s): *syriaca* Pic,1891 SY TR
2564. **Carpocoris absinthi** Wagner,1952 (Pentatomidae) Synonym(s): *absinthi* Wagner,1952; *orientalis* Hoberlandt,1955 TR
2565. **Carpocoris coreanus** Distant,1899 (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958 IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK

2566. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus Boheman,1851* TR AF IL Pa Cc IQ SY TJ
2567. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulatus Goeze,1778* IR TR Cc SY TM
2568. **Carpocoris mediterraneus Tamanini,1958** (Pentatomidae) Synonym(s): *mediterraneus Tamanini,1958* TR
2569. **Carpocoris melanocerus Mulsant,1852** (Pentatomidae) Synonym(s): *melanocerus Mulsant,1852* Cc TR
2570. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus Poda,1761* TR AF IL Pa IR Cc EG SY
2571. **Carpocoris purpureipennis (DeGeer,1773)** (Pentatomidae) Synonym(s): *purpureipennis DeGeer,1773* TR
2572. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856* TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
2573. **Carulaspis juniperi (Bouche)** (Diaspididae) Synonym(s): *juniperi Bouche* TR
2574. **Carulaspis minima (Signoret)** (Diaspididae) Synonym(s): *minima Signoret* TR
2575. **Casiniaria tenuiventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tenuiventris Gravenhorst,1829* TR
2576. **Cassida atrata Fabricius,1787** (Chrysomelidae) Synonym(s): *atrata Fabricius,1787* TR Cc IT
2577. **Cassida bella Faldermann,1837** (Chrysomelidae) Synonym(s): *bella Faldermann,1837* TR Cc
2578. **Cassida brevis Weise,1834** (Chrysomelidae) Synonym(s): *brevis Weise,1834* TR GR AF
2579. **Cassida hablitziae Motschoulsky,1838** (Chrysomelidae) Synonym(s): *hablitziae Motschoulsky,1838* TR Cc KG
2580. **Cassida margaritacea Schaller,1783** (Chrysomelidae) Synonym(s): *margaritacea Schaller,1783* TR Cc
2581. **Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina Reiche,1858* TR IL Pa Cc
2582. **Cassida pannonica Suffrian,1844** (Chrysomelidae) Synonym(s): *pannonica Suffrian,1844* TR
2583. **Cassida prasina Illiger,1798** (Chrysomelidae) Synonym(s): *prasina Illiger,1798* TR
2584. **Cassida rubiginosa Müller,1776** (Chrysomelidae) Synonym(s): *rubiginosa Müller,1776* TR CA
2585. **Cassida sanguinolenta Müller,1776** (Chrysomelidae) Synonym(s): *sanguinolenta Müller,1776* TR KK
2586. **Cassida saucia Weise,1889** (Chrysomelidae) Synonym(s): *saucia Weise,1889* TR AM AZ Cc IR
2587. **Cassida seraphina Ménétériés,1836** (Chrysomelidae) Synonym(s): *seraphina Ménétériés,1836* TR Cc GR
2588. **Cassida vibex Linnaeus,1767** (Chrysomelidae) Synonym(s): *vibex Linnaeus,1767* TR
2589. **Cassida viridis Linnaeus,1758** (Chrysomelidae) Synonym(s): *viridis Linnaeus,1758* TR
2590. **Cataglyphis kurdistanicus Pisarski,1965** (Formicidae) Synonym(s): *kurdistanicus Pisarski,1965* TR
2591. **Cataglyphis livida André,1881** (Formicidae) Synonym(s): *livida André,1881* TR
2592. **Cataglyphis nodus (Brullé,1832)** (Formicidae) Synonym(s): *nodus Brullé,1832* TR
2593. **Cataglyphis viaticoides André,1881** (Formicidae) Synonym(s): *viaticoides André,1881* TR
2594. **Cataphronetis reitteri Seidlitz,1893** (Tenebrionidae) Synonym(s): *reitteri Seidlitz,1893* TR
2595. **Catolaccus ater (Ratzeburg)** (Pteromalidae) Synonym(s): TR
2596. **Catomus (s.str.) consentaneus (Küster,1851)** (Tenebrionidae) Synonym(s): *consentaneus Küster,1851* TR
2597. **Catomus (s.str.) frivaldszkyi (Seidlitz,1893)** (Tenebrionidae) Synonym(s): *frivaldszkyi Seidlitz,1893* TR
2598. **Catomus (Stenomacidius) anatolicus Kaszab,1961** (Tenebrionidae) Synonym(s): *anatolicus Kaszab,1961* TR
2599. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus Reuter,1880* AL RU IL Pa LB SY TR GR
2600. **Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae) Synonym(s): *brevicornis Akramovskaya & Golub,1973* Cc TR
2601. **Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): *carthusianus Goeze,1778* RU TR DZ IR
2602. **Catoplatus citrinus Horvath,1897** (Tingidae) Synonym(s): *citrinus Horvath,1897* TR
2603. **Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes Fieber,1861* CY SY RU TR YU
2604. **Catoplatus distinctus Montandon,1895** (Tingidae) Synonym(s): *distinctus Montandon,1895* RU RO TR
2605. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): *fulvicornis Jakovlev,1890* TR AF RU TM
2606. **Catoplatus hilaris (Horvath,1906)** (Tingidae) Synonym(s): *hilaris Horvath,1906* IL Pa LB SY TR

2607. **Catoplatus horvathi (Puton,1879)** (Tingidae) Synonym(s): *horvathi* Puton,1879 **RU TR**
2608. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps* Horvath,1905 **TR DE AT CZ RU IT JP HU SK TN**
2609. **Catopomorphus (s.str.) cappadocianus Ruzicka,1994** (Leiodidae) Synonym(s): *cappadocianus* Ruzicka,1994 **Catopomorphus (s.str.) cappadocianus Ruzicka,1994**, *Fragm. ent. Roma* 26 (1): 133-137, figs. Holotype ♀: Turcia centr. Cappadocia, Nevsehir env., Göreme 26-28.viii.1988 leg. J.Ruzicka (NMPC). **TR**
2610. **Cea pulicaris Walker,1837** (Pteromalidae) Synonym(s): *pulicaris* Walker,1837 **DE TR**
2611. **Cebrio nigricollis Laporte,1838** (Cebriionidae) Synonym(s): *nigricollis* Laporte,1838 **TR**
2612. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arbonarius* Uvarov,1917 **TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG**
2613. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 **CY TR GR Rd IL Pa SY LB Cc AM IR**
2614. **Celonites foveolatus Kostylev,1935** (Vespidae) Synonym(s): *foveolatus* Kostylev,1935 **TR IL Pa TM**
2615. **Celonites hamanni Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni* Gusenleitner,1973 **SY JO TR**
2616. **Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps* Bischoff,1928 **HV YU BG GR Cr CY TR**
2617. **Celonites spinosus Gusenleitner,1966** (Vespidae) Synonym(s): *spinosus* Gusenleitner,1966; *invitus* Gusenleitner,1973 **TR Cc AM**
2618. **Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): *spiniger* Fabricius,1781 **TR**
2619. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 **AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU**
2620. **Cephalochilus draco Giordani & Soika,1970** (Vespidae) Synonym(s): *draco* Giordani & Soika,1970 **TR SY**
2621. **Cephaloncus albozonatus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): *albozonatus* Abeille de Perrin,1883; *tauricus* Wittmer,1988 **TR**
2622. **Cephaloncus karsensis Wittmer,1995** (Melyridae) Synonym(s): *karsensis* Wittmer,1995 **TR**
2623. **Cephaloncus rhinocerus (Marseul,1868)** (Melyridae) Synonym(s): *rhinocerus* Marseul,1868 **TR**
2624. **Cephalostenus demaisoni Reitter,1903** (Tenebrionidae) Synonym(s): *demaisoni* Reitter,1903 **TR**
2625. **Cephalostenus elegans Brullé,1832** (Tenebrionidae) Synonym(s): *elegans* Brullé,1832; *dejeani* Solier,1838 **TR GR**
2626. **Cephalostenus orbicollis Ménériés,1836** (Tenebrionidae) Synonym(s): *orbicollis* Ménériés,1836; *elegans* Solier,1838; *dejeani* Reiche & Saulcy,1857 *nec Sol.*,1838 **TR SY GR**
2627. **Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica* Schaum,1859 **MK GR TR BG**
2628. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822 **ES DZ TN IT Sa Si FR TR GR Cr BG**
2629. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836 **TR MN CN Ui AF IR RU Ur Cc**
2630. **Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae) Synonym(s): *eiselti* Mandl,1967 **TR**
2631. **Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): *bureschi* Atanassov,1938; *lycaonius* Blüthgen,1952 **BG TR GR**
2632. **Ceramius caucasicus André,1884** (Vespidae) Synonym(s): *caucasicus* André,1884 **Cc AM IR TR**
2633. **Ceramius palaestinensis Giordani Soika,1957** (Vespidae) Synonym(s): *palaestinensis* Giordani Soika,1957; *#palaestinensis* Yıldırım & Özbek,1997 **IL Pa SY TR**
2634. **Ceraninus antalyacus Triapitsyn,2004** (Eulophidae) Synonym(s): *antalyacus* Triapitsyn,2004 **TR**
2635. **Ceraninus bozovaensis (Doğanlar,2003)** (Eulophidae) Synonym(s): *bozovaensis* Doğanlar,2003 **Urfacus bozovaensis Doğanlar,2003**, *Turk. J. zool.* 27: 181-185, figs. Holotype ♀: Turkey, Urfa, Bozova 15.vi.2002 (MKU). **TR**
2636. **Ceraninus hirsutus Doğanlar & Triapitsyn,2007** (Eulophidae) Synonym(s): *hirsutus* Doğanlar & Triapitsyn,2007 **Ceraninus hirsutus Doğanlar & Triapitsyn,2007**, *Eur. J. Ent.* 104 (1): 106-107. Holotype ♀: Turkey, Şanlıurfa Prov., Bozova (MKU). **TR**
2637. **Ceraninus menes (Walker,1839)** (Eulophidae) Synonym(s): *menes* Walker,1839 **TR**
2638. **Ceraninus pacuvius (Walker,1841)** (Eulophidae) Synonym(s): *pacuvius* Walker,1841 **GB TR**
2639. **Cerapheles terminatus (Ménétriés,1832)** (Melyridae) Synonym(s): *terminatus* Ménétriés,1832 **TR**

2640. **Cerapheles zoelleri Flach,1895** (Melyridae) Synonym(s): *zoelleri Flach,1895* TR
2641. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis Westwood,1833; anebus Walker,1837; platicera Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876* **Cerapterocerus mirabilis Westwood,1833**, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
2642. **Ceratanisus funebris (Reitter,1898)** (Tenebrionidae) Synonym(s): *funebris Reitter,1898* TR
2643. **Ceratanisus tristis (Faldermann,1837)** (Tenebrionidae) Synonym(s): *tristis Faldermann,1837* TR Cc
2644. **Ceratistes dilaticornis (Germar,1824)** (Melyridae) Synonym(s): *dilaticornis Germar,1824* TR
2645. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824**, **Analecta entomologica: 55**. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
2646. **Ceratitis (s.str.) Mac Leay,1829** (Tephritidae) Synonym(s): *Ceratitis Mac Leay,1829; Pinacochaeta Munro,1933* TR
2647. **Ceratophygadeuon anurus (Thomson,1884)** (Ichneumonidae) Synonym(s): *anurus Thomson,1884* TR
2648. **Ceratopogon koniae Kieffer,1918** (Ceratopogonidae) Synonym(s): *koniae Kieffer,1918* TR
2649. **Cerchysiella planiscutellum (Mercet)** (Encyrtidae) Synonym(s): TR
2650. **Cerchysius subplanus (Dalman)** (Encyrtidae) Synonym(s): TR
2651. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii Selys,1840; zernyi Schmidt,1938* TR Cc AM LB SY IL Pa NL SE
2652. **Cercopis distincta (Melichar,1896)** (Cercopidae) Synonym(s): *distincta Melichar,1896* TR
2653. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; obliterated Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
2654. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763; mactata Germar,1821; panzeri Peletier & Serville,1825; distinguenda Kirschbaum,1868; basalis Dominique,1892; basalis Melichar,1896 (praeocc.); quadripunctata Sabransky,1912; reducta Melichar,1913; egestosa Haupt,1917* Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
2655. **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata Melichar,1903* TR IL JO LB SY
2656. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807; helvetica Melichar,1896; nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
2657. **Cercyon haemorrhoidalis (Fabricius,1775)** (Hydrophilidae) Synonym(s): *haemorrhoidalis Fabricius,1775* TR
2658. **Cercyon marinus Thomson,1853** (Hydrophilidae) Synonym(s): *marinus Thomson,1853* TR
2659. **Cercyon putricola Wollaston,1867** (Hydrophilidae) Synonym(s): *putricola Wollaston,1867* TR
2660. **Cerdistus dactylopygus Janssens,1968** (Asilidae) Synonym(s): *dactylopygus Janssens,1968* TR
2661. **Cerdistus debilis Becker,1923** (Asilidae) Synonym(s): *debilis Becker,1923* IT GR TR
2662. **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus Loew,1849* TR IR Es BG GR AZ AM GG Cc
2663. **Cerdistus erythruroides Theodor,1980** (Asilidae) Synonym(s): *erythruroides Theodor,1980* MT IL Pa TR
2664. **Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii Schiner,1867* TN TR IR Elb Mz Cc AZ AM GG
2665. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus Fabricius,1794* AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
2666. **Ceriagrion tenellum (De Villers,1789)** (Coenagrionidae) Synonym(s): *tenellum De Villers,1789* TR JO
2667. **Cerococcus perowskiae Archangelskaya** (Cerococcidae) Synonym(s): *perowskiae Archangelskaya* TR
2668. **Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): *adamovichiana Piller & Mitterpacher,1783* SK HU YU HV BG TR
2669. **Cerocoma albopilosa Dvorak,1993** (Meloidae) Synonym(s): *albopilosa Dvorak,1993* TR
2670. **Cerocoma bodemeyeri Reitter,1913** (Meloidae) Synonym(s): *bodemeyeri Reitter,1913* TR
2671. **Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli Kraatz,1863* TR SY Cc RO
2672. **Cerocoma ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica Reitter,1885* TR EG IR BG
2673. **Cerocoma festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva Faldermann,1837* Cc TR IR AM
2674. **Cerocoma gloriosa Mulsant,1857** (Meloidae) Synonym(s): *gloriosa Mulsant,1857* Cc SY TR

2675. **Cerocoma kunzei** Frivaldsky,1835 (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835 SY TR Cc
IL Pa IR BG
2676. **Cerocoma macedonica** Maran,1944 (Meloidae) Synonym(s): *macedonica* Maran,1944 MK
TR
2677. **Cerocoma malatyensis** Kaszab,1941 (Meloidae) Synonym(s): *malatyensis* Kaszab,1941 TR
2678. **Cerocoma marginiventris** Reitter,1889 (Meloidae) Synonym(s): *marginiventris* Reitter,1889
TR
2679. **Cerocoma muehlfeldi** Gyllenhal,1817 (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817 HU
BG TR IQ IR Cc CY RU
2680. **Cerocoma schaefferi** (Linnaeus,1758) (Meloidae) Synonym(s): *schaefferi* Linnaeus,1758 FR
BG TR RU
2681. **Cerocoma schreberi** Fabricius,1781 (Meloidae) Synonym(s): *schreberi* Fabricius,1781 BG RU
Sb TR Ui MN
2682. **Cerocoma scovitzi** Faldermann,1837 (Meloidae) Synonym(s): *scovitzi* Faldermann,1837 AM
TR Cc IR
2683. **Cerocoma syriaca** Abeille de Perrin,1880 (Meloidae) Synonym(s): *syriaca* Abeille de
Perrin,1880 TR IL Pa SY IR Cc AZ Bak BG
2684. **Cerocoma turcica** Pardo Alcaide,1977 (Meloidae) Synonym(s): *turcica* Pardo Alcaide,1977
TR
2685. **Cerodontha (Butomyza) angulata** (Loew,1869) (Agromyzidae) Synonym(s): *angulata*
Loew,1869 TR
2686. **Cerodontha (Butomyza) pseuderrans** (Hendel,1931) (Agromyzidae) Synonym(s):
pseuderrans Hendel,1931 TR
2687. **Cerodontha (Butomyza) scutellaris** (von Roser,1840) (Agromyzidae) Synonym(s):
scutellaris von Roser,1840 TR
2688. **Cerodontha (Dizygomyza) bimaculata** (Meigen,1830) (Agromyzidae) Synonym(s):
bimaculata Meigen,1830 TR
2689. **Cerodontha (Poemyza) imbuta** (Meigen,1838) (Agromyzidae) Synonym(s): *imbuta*
Meigen,1838 TR
2690. **Cerodontha (Poemyza) incisa** (Meigen,1830) (Agromyzidae) Synonym(s): *incisa*
Meigen,1830 TR
2691. **Cerodontha (Poemyza) lateralis** (Macquart,1835) (Agromyzidae) Synonym(s): *lateralis*
Macquart,1835 TR
2692. **Cerodontha (Poemyza) pygmaea** (Meigen,1830) (Agromyzidae) Synonym(s): *pygmaea*
Meigen,1830 TR
2693. **Cerodontha (s.str.) denticornis** (Panzer,1806) (Agromyzidae) Synonym(s): *denticornis*
Panzer,1806 TR
2694. **Cerodontha (s.str.) fulvipes** (Meigen,1830) (Agromyzidae) Synonym(s): *fulvipes*
Meigen,1830 TR
2695. **Cerodontha (s.str.) Rondani**,1861 (Agromyzidae) Synonym(s): *Cerodontha Rondani*,1861 TR
2696. **Ceropales albicincta** (Rossi,1790) (Pompilidae) Synonym(s): *albicincta* Rossi,1790; *wolffi*
Moczar,1978 TR IT
2697. **Ceropales bipartita** Haupt,1962 (Pompilidae) Synonym(s): *bipartita* Haupt,1962; *flava*
Moczar,1987 TR
2698. **Ceropales bogdanovi** Radoszkowski,1877 (Pompilidae) Synonym(s): *bogdanovi*
Radoszkowski,1877 TR
2699. **Ceropales cribrata** Costa,1881 (Pompilidae) Synonym(s): *cribrata* Costa,1881 TR
2700. **Ceropales helvetica** Tournier,1889 (Pompilidae) Synonym(s): *helvetica* Tournier,1889 TR
2701. **Ceropales maculata** (Fabricius,1775) (Pompilidae) Synonym(s): *maculata* Fabricius,1775 TR
2702. **Ceropales maroccana** Beaumont,1947 (Pompilidae) Synonym(s): *maroccana* Beaumont,1947
MA TR
2703. **Ceropales ruficornis** Gussakowskii,1931 (Pompilidae) Synonym(s): *ruficornis*
Gussakowskii,1931 TR
2704. **Ceropales seraxensis** Radoszkowski,1893 (Pompilidae) Synonym(s): *seraxensis*
Radoszkowski,1893 TR
2705. **Ceropales tectigera** Moczar,1987 (Pompilidae) Synonym(s): *tectigera* Moczar,1987 TR
2706. **Ceropales variegata** (Fabricius,1798) (Pompilidae) Synonym(s): *variegata* Fabricius,1798
TR
2707. **Ceroplastes floridensis** Comstock (Coccidae) Synonym(s): *floridensis* Comstock TR
2708. **Ceroplastes rusci** (Linnaeus) (Coccidae) Synonym(s): *rusci* Linnaeus TR
2709. **Ceroplastes sinensis** Del Guercio (Coccidae) Synonym(s): *sinensis* Del Guercio TR
2710. **Certallum ebulinum** (Linnaeus,1767) (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767;
ruficollis Fabricius,1787 PT ES FR IT MT GR Cr Cc TR UA Cm RU
2711. **Cetonia (s.str.) asiatica** Gory & Percheron,1833 (Scarabaeidae) Synonym(s): *asiatica* Gory
& Percheron,1833; *oertzeni* Reitter,1885 TR

2712. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 IT LT BY UA Cm SS BG Ce GG AM TR RU Ur Sb KG KK TM IR UZ CN UI
2713. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chryosoma* Reitter,1896 CY TR SY LB IL Pa EG
2714. **Cetonia (s.str.) kemali Delpont,1995** (Scarabaeidae) Synonym(s): *kemali* Delpont,1995
Cetonia (s.str.) kemali Delpont,1995, *Lambillionea* 95 (3): 340-344. TR
2715. **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895 TR AF AZ Ce GG IR KG SY TJ TM UZ
2716. **Ceutorhynchus anatolicus Schultze,1900** (Curculionidae) Synonym(s): *anatolicus* Schultze,1900 TR LB SY
2717. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Ce DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
2718. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Ce GG FR ES CH KG HU MD PL RO YU TM UA GR TR
2719. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis* Schultze,1898 AZ RU Da IR TR TM UZ UA
2720. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Ce GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
2721. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887 AF AZ CN GG Ce IR TR KG KK MN UZ RU Sb TJ TN TM
2722. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 AZ BG Ce DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
2723. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902 DZ AM Ce GG KG UZ UA TR TM
2724. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 DE AT BG CZ RU Da AM Ce GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
2725. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
2726. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Ce Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
2727. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 DE AZ BY BE BG DZ CZ Da Ce RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
2728. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 AF DE AT BY BE BG Da Ce RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
2729. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 DE US BY BE B-H BG CZ CN Da Ce DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
2730. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 DE AZ Ce AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
2731. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus* Brisoth,1869 AT BG CZ AM Ce EE MA FR GG IT MD RO SK TR UA YU
2732. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
2733. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Ce AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
2734. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 AF DE AZ Ce AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
2735. **Chaetarhria seminulum (Herbst,1797)** (Hydrophilidae) Synonym(s): *seminulum* Herbst,1797 AT TR
2736. **Chaetocladius Kieffer,1911** (Chironomidae) Synonym(s): *Chaetocladius* Kieffer,1911 TR
2737. **Chaetocladius piger (Goetghebuer,1913)** (Chironomidae) Synonym(s): *piger* Goetghebuer,1913 TR
2738. **Chaetocladius setosipennis (Kieffer,1913)** (Chironomidae) Synonym(s): *setosipennis* Kieffer,1913 TR
2739. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae) Synonym(s): *arenacea* Allard,1860 TR DZ Ce
2740. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827 TR Ce KG RU Sb DZ
2741. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae) Synonym(s): *breviscula* Faldermann,1884 TR Ce KG RU Sb KP KR

2742. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana Duftschmid,1825* TR Cc IQ IL Pa SY DZ
2743. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna Marsham,1802* TR Cc KG RU Sb MN KP KR TW MA
2744. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): *conducta Motschoulsky,1838* TR Cc RU KG ZR
2745. **Chaetocnema confusa (Boheman,1851)** (Chrysomelidae) Synonym(s): *confusa Boheman,1851* TR Cc
2746. **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei Allard,1863* TR Cc IQ IR
2747. **Chaetocnema hortensis (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *hortensis Geoffroy,1785* Az RU Us TR SD
2748. **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis Thomson,1866* TR Cc IR KG RU Sb MN CN Mc KP KR
2749. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major Jaquelin du Val,1852* TR Cc IR KG RU
2750. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *mannerheimi Gyllenhal,1827* TR Cc RU Sb KG
2751. **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae) Synonym(s): *montenegrina Heikertinger,1912* YU TR IR AF
2752. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa Boieldieu,1859* TR Cc IQ KG CN Ti DZ MN RU Sb
2753. **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis Bauduer,1874* TR Cc IR TM
2754. **Chaetocnema procerula (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *procerula Rosenhauer,1856* TR DZ
2755. **Chaetocnema sahlbergi (Gyllenhal,1859)** (Chrysomelidae) Synonym(s): *sahlbergi Gyllenhal,1859* TR Cc RU Sb MN
2756. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri Kutschera,1864* TR Cc IQ IR IL Pa DZ
2757. **Chaetocnema semicoerulea (Koch,1803)** (Chrysomelidae) Synonym(s): *semicoerulea Koch,1803* TR Cc KG RU Sb
2758. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis Illiger,1807* TR Cc IR AF KG DZ RU Sb
2759. **Chaetocnema turhalus Iyriboz,1934 (?)** (Chrysomelidae) Synonym(s): *turhalus Iyriboz,1934* TR
2760. **Chaetococcus bambusae (Maskell)** (Pseudococcidae) Synonym(s): *bambusae Maskell* TR
2761. **Chaetococcus phragmitis (Marchal)** (Pseudococcidae) Synonym(s): *phragmitis Marchal* TR
2762. **Chaetomalachius cyanellus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *cyanellus Kiesenwetter,1863* TR SY LB
2763. **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami Stackelberg,1929* TR CY IL Pa IQ UZ
2764. **Chaetorellia loricata (Rondani,1870)** (Tephritidae) Synonym(s): *loricata Rondani,1870* TR
2765. **Chaetostomella cylindrica (Robineau-Desvoidy,1830)** (Tephritidae) Synonym(s): *cylindrica Robineau-Desvoidy,1830* TR
2766. **Chaetostricha steineri (Nowicki)** (Trichogrammatidae) Synonym(s): TR
2767. **Chalcophorella stigmatica (Schoenherr,1817)** (Buprestidae) Synonym(s): *stigmatica Schoenherr,1817* TR
2768. **Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841)** (Megachilidae) Synonym(s): *ericetorum Lepeletier,1841* DZ Cc TR
2769. **Chalicodoma (Pseudomegachile) flavipes (Spinola,1838)** (Megachilidae) Synonym(s): *flavipes Spinola,1838; meridionalis Pasteels,1970* TR EG MR ML NE
2770. **Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): *parietina Geoffroy,1785* DZ RU Cc TR
2771. **Charopus fulviventris Förster** (Encyrtidae) Synonym(s): TR
2772. **Charopus crassicornis Wittmer,1975** (Melyridae) Synonym(s): *crassicornis Wittmer,1975* TR
2773. **Charopus diversipennis Pic,1906** (Melyridae) Synonym(s): *diversipennis Pic,1906* TR
2774. **Charopus madidus Kiesenwetter,1863** (Melyridae) Synonym(s): *madidus Kiesenwetter,1863* TR
2775. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes Abeille de Perrin,1885* TR IT HU Cc MK GG IR
2776. **Charora pentagrammica Bolivar,1899** (Acrididae) Synonym(s): *pentagrammica Bolivar,1899* TR
2777. **Chartocerus novitzkyi (Domenichini)** (Signiphoridae) Synonym(s): TR
2778. **Chartocerus subaeneus (Förster)** (Signiphoridae) Synonym(s): TR

2779. **Cheiloneurus claviger Thomson** (Encyrtidae) Synonym(s): **TR**
2780. **Cheiloneurus paralia (Walker)** (Encyrtidae) Synonym(s): **TR**
2781. **Cheiloneurus quercus Mayr,1876** (Encyrtidae) Synonym(s): *quercus Mayr,1876* **IT HU TR**
2782. **Cheilosia aerea Dufour,1848** (Syrphidae) Synonym(s): *aerea Dufour,1848* **TR**
2783. **Cheilosia albitarsis (Meigen,1822)** (Syrphidae) Synonym(s): *albitarsis Meigen,1822* **TR**
2784. **Cheilosia canicularis (Panzer,1801)** (Syrphidae) Synonym(s): *canicularis Panzer,1801* **TR**
2785. **Cheilosia illustrata (Harris,1776)** (Syrphidae) Synonym(s): *illustrata Harris,1776* **TR**
2786. **Cheilosia proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): *proxima Zetterstedt,1843*
TR SE
2787. **Cheilosia rufipes (Preysslner,1793)** (Syrphidae) Synonym(s): *rufipes Preysslner,1793* **TR**
2788. **Cheilosia scutellata (Fallén,1817)** (Syrphidae) Synonym(s): *scutellata Fallén,1817* **TR**
2789. **Cheilosia soror (Zetterstedt,1843)** (Syrphidae) Synonym(s): *soror Zetterstedt,1843* **SE TR**
2790. **Cheilosia urbana (Meigen,1822)** (Syrphidae) Synonym(s): *urbana Meigen,1822* **TR**
2791. **Cheilosia variabilis (Panzer,1798)** (Syrphidae) Synonym(s): *variabilis Panzer,1798* **DE TR**
2792. **Cheilotoma beldei Kasap,1984** (Chrysomelidae) Synonym(s): *beldei Kasap,1984* **TR JO**
2793. **Cheilotoma voriseki Medvedev & Kantner,2003** (Chrysomelidae) Synonym(s): *voriseki Medvedev & Kantner,2003* **TR**
2794. **Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): *cinerascens Meigen,1804* **TR**
2795. **Cheirodes (Anemia) sardous Gén ,1839** (Tenebrionidae) Synonym(s): *sardous G n ,1839*
TR
2796. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer Rossi,1792; pugil Costa,1853; syphax Fairmaire,1875; metasternalis Reitter,1894; theryi Tondu,1907* **IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY**
2797. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus Herbst,1789; clinias Fabricius,1792; amyntas Steven,1806; alexis Mulsant,1842; tityrus Mulsant,1842* **PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR**
2798. **Cheiropachus quadrum (Fabricius)** (Pteromalidae) Synonym(s): **TR**
2799. **Chelidura specifica Steinmann,1989** (Labiduridae) Synonym(s): *specifica Steinmann,1989*
TR
2800. **Chelonus beyarslani Aydođdu,2008** (Braconidae) Synonym(s): *beyarslani Aydođdu,2008*
TR
2801. **Chelonus carbonator Marshall,1885** (Braconidae) Synonym(s): *carbonator Marshall,1885*
TR
2802. **Chelonus erythrogaster Lucas,1846** (Braconidae) Synonym(s): *erythrogaster Lucas,1846*
DZ RU TR
2803. **Chelonus gravenhorstii (Nees,1813)** (Braconidae) Synonym(s): *gravenhorstii Nees,1813* **RU TR**
2804. **Chelonus inanitus (Linnaeus,1767)** (Braconidae) Synonym(s): *inanitus Linnaeus,1767* **DZ RU TR**
2805. **Chelonus mucronatus Thomson,1874** (Braconidae) Synonym(s): *mucronatus Thomson,1874*
SE CZ RU TR
2806. **Chelonus obscurator Herrich-Sch ffer,1838** (Braconidae) Synonym(s): *obscurator Herrich-Sch ffer,1838* **DE TR**
2807. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
2808. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum Morawitz,1868* **AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR**
2809. **Chelostoma (Foveosmia) garrulum (Warncke,1991)** (Megachilidae) Synonym(s): *garrulum Warncke,1991* **Osmia (Foveosmia) garrula Warncke,1991, Linzer biol. Beitr. 23: 270. Holotype ♀: T rkei: Kars, 20km W Sarkamiř 2200m (OLML Linz). TR AM Cc**
2810. **Chelostoma (Foveosmia) isabellinum (Warncke,1991)** (Megachilidae) Synonym(s): *isabellinum Warncke,1991* **Osmia (Foveosmia) isabellina Warncke,1991, Linzer biol. Beitr. 23: 272. Holotype ♀: T rkei: [řırnak Prov.]: 10km W Uludere (OLML Linz). TR**
2811. **Chelostoma (Foveosmia) josefi Schwarz & Gusenleitner,2000** (Megachilidae) Synonym(s): *josefi Schwarz & Gusenleitner,2000* **Chelostoma josefi Schwarz & Gusenleitner,2000, Entomofauna 21: 160. Holotype ♂: T rkei: [řırnak Prov.]: 22km S Beyt řebap 1300m (coll.Schwarz). TR**
2812. **Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum Schwarz & Gusenleitner,1999* **AT BG GR RO SS TR**
2813. **Chelostoma (Foveosmia) torquillum Warncke,1991** (Megachilidae) Synonym(s): *torquillum Warncke,1991* **Osmia (Foveosmia) torquilla Warncke,1991, Linzer biol. Beitr. 23: 271. Holotype ♀: T rkei: [řırnak Prov.]: Suvari Halil Pass 2300m (OLML Linz). TR**
2814. **Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s): *handlirschi Schletterer,1889* **IT HU TR RO TM**

2815. **Chelostoma (Gyrodromella) hebraeum (Benoist,1935)** (Megachilidae) Synonym(s): *hebraeum* Benoist,1935 **IL Pa Js TR**
2816. **Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897 **DZ BG ES FR GR TR?**
2817. **Chelostoma (Gyrodromella) orientale Schletterer,1890** (Megachilidae) Synonym(s): *orientale* Schletterer,1890 **Cc AM TR**
2818. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum* Schletterer,1889 **AZ GG Cc RU UA TM IR TR**
2819. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepeletier,1841; *nigricornis* Nylander,1848; *inerme* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 **AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US**
2820. **Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypricum* Mavromoustakis,1951 **TR CY IL Pa JO SY**
2821. **Chelostoma (s.str.) dolosum (Benoist,1935)** (Megachilidae) Synonym(s): *dolosum* Benoist,1935 *Heriades dolosum* Benoist,1935, Bull. Soc. ent. Fr. 40: 279. Lectotype ♀: [Turkey]: *Aie mineure*, Brousse" (MNHN Paris). **TR**
2822. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 **AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR**
2823. **Chelostoma (s.str.) florisomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florisomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepeletier,1841; *parumcrinitus* Alfken,1932 **AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR**
2824. **Chelostoma (s.str.) lucens (Benoist,1928)** (Megachilidae) Synonym(s): *lucens* Benoist,1928 *Heriades lucens* Benoist,1928, Anns Soc. ent. Fr. 97: 418. Lectotype ♀: [Turkey]: "*Taurus*" (MNHN Paris). **TR GR Rd JO**
2825. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 **BG HV FR GR IT Si UA Cc TR IL Pa**
2826. **Chelostoma (s.str.) transversum (Friese,1897)** (Megachilidae) Synonym(s): *transversum* Friese,1897 **BG GR TR?**
2827. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 **HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR**
2828. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 **AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU**
2829. **Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901 *Dryocosmus mayri* Müllner,1901, Verh. zool.- bot. Ges. Wien 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). **AT GR HU IL Pa TR**
2830. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida* Giraud,1859; *loewii* Wachtl,1882 **AT DE RO HU BG TR**
2831. **Chilocorus bipustulatus (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipustulatus* Linnaeus,1758 **TR IT Si Sa**
2832. **Chilocorus renipustulatus (Scriba,1790)** (Coccinellidae) Synonym(s): *renipustulatus* Scriba,1790 **IT TR**
2833. **Chionaspis etrusca Leonardi** (Diaspididae) Synonym(s): *etrusca* Leonardi **TR**
2834. **Chionaspis salicis (Linnaeus)** (Diaspididae) Synonym(s): *salicis* Linnaeus **TR**
2835. **Chionotopus humeralis (Reiche,1857)** (Melyridae) Synonym(s): *humeralis* Reiche,1857 **TR SY IL Pa**
2836. **Chironomus anthracinus (Zetterstedt,1855)** (Chironomidae) Synonym(s): *anthracinus* Zetterstedt,1855 **TR**
2837. **Chironomus plumosus (Linnaeus,1758)** (Chironomidae) Synonym(s): *plumosus* Linnaeus,1758 **TR**
2838. **Chironomus thummi Kieffer,1911** (Chironomidae) Synonym(s): *thummi* Kieffer,1911 **TR**
2839. **Chironomus viridicollis Wulp,1877** (Chironomidae) Synonym(s): *viridicollis* Wulp,1877 **TR**
2840. **Chiotica decorator (Villers,1789)** (Ichneumonidae) Synonym(s): *decorator* Villers,1789 **TR UA**
2841. **Chiotica orientalis Horstmann,1983** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1983 **TR**
2842. **Chiotica ruficeps Horstmann,1983** (Ichneumonidae) Synonym(s): *ruficeps* Horstmann,1983 **TR IR**
2843. **Chiotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 **FR IT Si DZ TR IL Pa IR**
2844. **Chitona cretica Fairmaire,1863** (Oedemeridae) Synonym(s): *cretica* Fairmaire,1863; *acuminata* Reitter,1890; *balcanica* Pic,1913 **Cr TR**

2845. **Chitona fucata (Faldermann,1837)** (Oedemeridae) Synonym(s): *fucata Faldermann,1837* TR
2846. **Chitona incana (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *incana W.Schmidt,1846* TR
2847. **Chlaenius (Chlaeniellus) differens Peyron,1858** (Carabidae) Synonym(s): *differens Peyron,1858* TR SY
2848. **Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): *kindermanni Chaudoir,1856* ST UA TJ UZ AZ AM Cc GG KG ST KG TR
2849. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
2850. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus Schrank,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
2851. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
2852. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
2853. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
2854. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
2855. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
2856. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
2857. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
2858. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
2859. **Chlaenius viridis Ménétrés,1832** (Carabidae) Synonym(s): *viridis Ménétrés,1832* AZ AM Cc B-H GG RU TR IR KG UZ
2860. **Chlidaspis asiatica (Archangelskaya)** (Diaspididae) Synonym(s): *asiatica Archangelskaya* TR
2861. **Chloriona canariensis Lindberg,1954** (Delphacidae) Synonym(s): *canariensis Lindberg,1954* Cn TR RU
2862. **Chloriona clavata Dlabola,1960** (Delphacidae) Synonym(s): *clavata Dlabola,1960* MD RU Da Cc TR UZ KG
2863. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola Lindberg,1948* CY EG IL Pa MA TR RU
2864. **Chloriona ponticana Asche,1982** (Delphacidae) Synonym(s): *ponticana Asche,1982* Cr GR LB MA ES TR
2865. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* ES FR DE IT Si AT BG CY TR EG IL MA TR KG
2866. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
2867. **Chlorita brevispina Linnavuori,1965** (Cicadellidae) Synonym(s): *brevispina Linnavuori,1965* TR
2868. **Chlorita moganica (Dlabola,1957)** (Cicadellidae) Synonym(s): *moganica Dlabola,1957* TR
2869. **Chlorita osmanica Dlabola,1971** (Cicadellidae) Synonym(s): *osmanica Dlabola,1971* TR
2870. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939* AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
2871. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
2872. **Chlorita uvaroviana Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvaroviana Zachvatkin,1946; azerbeidzhanica Zachvatkin,1946* TR Cc AZ
2873. **Chlorita vana Dlabola,1971** (Cicadellidae) Synonym(s): *vana Dlabola,1971* IR TR
2874. **Chlorocythus diversus (Walker)** (Pteromalidae) Synonym(s): TR
2875. **Chlorocythus phalaridis Graham** (Pteromalidae) Synonym(s): TR
2876. **Chlorocythus ultonicus Graham** (Pteromalidae) Synonym(s): TR
2877. **Chlorodynerus ypsilon (Kostylev,1929)** (Vespidae) Synonym(s): *ypsilon Kostylev,1929; rhodius Blüthgen,1954* TR
2878. **Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926* HU AT RU At TR IL CN
2879. **Chloroperla zhiltzovae Zwick,1967** (Chloroperlidae) Synonym(s): *zhiltzovae Zwick,1967* Cc TR

2880. **Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus Fabricius,1775; nigripes Brullé,1832* GR Cr TR BG MK
2881. **Chlorophorus dinae Rapuzzi & Sama,1999** (Cerambycidae) Synonym(s): *dinae Rapuzzi & Sama,1999* TR SY
2882. **Chlorophorus dominici Sama,1996** (Cerambycidae) Synonym(s): *dominici Sama,1996* TR
2883. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
2884. **Chlorophorus gratosus Marseul,1868** (Cerambycidae) Synonym(s): *gratosus Marseul,1868* SY TR
2885. **Chlorophorus nivipictus Kraatz,1879** (Cerambycidae) Synonym(s): *nivipictus Kraatz,1879* TR
2886. **Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *sartor O.F.Müller,1766* Cc TR IR IT
2887. **Chlorophorus trifasciatus (Fabricius,1781)** (Cerambycidae) Synonym(s): *trifasciatus Fabricius,1781* TR DZ
2888. **Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *varius O.F.Müller,1766* Cc TR IR SK HV
2889. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820* IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
2890. **Choerades fuliginosa (Panzer,1798)** (Asilidae) Synonym(s): *fuliginosa Panzer,1798* TR
2891. **Choerades loewi Lehr,1991** (Asilidae) Synonym(s): *loewi Lehr,1991* GR TR IR Yz
2892. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
2893. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808; Hypomicrogaster dorsalis Spinola,1808, Insect. Liguriae 2: 151.* TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
2894. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
2895. **Choragus sheppardi Kirby,1818** (Anthribidae) Synonym(s): *sheppardi Kirby,1818; bostrichoides Müller,1821; niger Stephens,1830; pygmaeus Robert,1832; galeazzii Villa,1833; caucasicus Motschoulsky,1873; nitidipennis Gerhard,1901* TR Cc
2896. **Choragus vittatus Reitter,1885** (Anthribidae) Synonym(s): *vittatus Reitter,1885* TR Cc
2897. **Choreia maculata (Hoffer)** (Encyrtidae) Synonym(s): TR
2898. **Chorosoma schillingi Schummel,1829** (Rhopalidae) Synonym(s): *schillingi Schummel,1829* TR
2899. **Chorthippus (Chorthippus) brauneri Znojko,1928** (Acrididae) Synonym(s): *brauneri Znojko,1928* TR
2900. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
2901. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
2902. **Chorthippus (Glyptobothrus) apricarius (Linnaeus,1758)** (Acrididae) Synonym(s): *apricarius Linnaeus,1758* TR
2903. **Chorthippus (Glyptobothrus) biguttulus (Linnaeus,1758)** (Acrididae) Synonym(s): *biguttulus Linnaeus,1758* TR
2904. **Chorthippus (Glyptobothrus) binotatus (Charpentier,1825)** (Acrididae) Synonym(s): *binotatus Charpentier,1825* TR
2905. **Chorthippus (Glyptobothrus) bozdaghi Uvarov,1934** (Acrididae) Synonym(s): *bozdaghi Uvarov,1934* TR
2906. **Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) Synonym(s): *brunneus Thunberg,1815* TR
2907. **Chorthippus (Glyptobothrus) helverseni Mol,2003** (Acrididae) Synonym(s): *helverseni Mol,2003* TR
2908. **Chorthippus (Glyptobothrus) ilkazi Uvarov,1934** (Acrididae) Synonym(s): *ilkazi Uvarov,1934* TR
2909. **Chorthippus (Glyptobothrus) kazdaghensis Mol & Çiplak,2005** (Acrididae) Synonym(s): *kazdaghensis Mol & Çiplak,2005* TR
2910. **Chorthippus (Glyptobothrus) labaumei Ramme,1926** (Acrididae) Synonym(s): *labaumei Ramme,1926* TR
2911. **Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae) Synonym(s): *longicornis Latreille,1804* TR

- 2912. Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *macrocerus* Fischer von Waldheim,1846 TR
- 2913. Chorthippus (Glyptobothrus) mollis (Charpentier,1825)** (Acrididae) Synonym(s): *mollis* Charpentier,1825 TR
- 2914. Chorthippus (Glyptobothrus) satunini Mistshenko,1951** (Acrididae) Synonym(s): *satunini* Mistshenko,1951 TR
- 2915. Chorthippus (Glyptobothrus) taurensis Şirin & Çıplak,2005** (Acrididae) Synonym(s): *taurensis* Şirin & Çıplak,2005 TR
- 2916. Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848 TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
- 2917. Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
- 2918. Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous* Eversmann,1859; *australia* Predtechenskii,1928 TR Cc RO IR RU KG Sb
- 2919. Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936 TR RU Cc RO IR KG Sb CN KP KR JP
- 2920. Chorthippus (Stauroderus) scalaris (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846 TR
- 2921. Chortinaspis subterranea (Lindinger)** (Diaspididae) Synonym(s): *subterranea* Lindinger TR
- 2922. Chovela (s.str.) fencli Ruzicka,1993** (Leioididae) Synonym(s): *fencli* Ruzicka,1993 Cc GG TR
- 2923. Chromatomyia ciliata (Hendel,1935)** (Agromyzidae) Synonym(s): *ciliata* Hendel,1935 TR
- 2924. Chromatomyia fuscua (Zetterstedt,1838)** (Agromyzidae) Synonym(s): *fuscua* Zetterstedt,1838 TR
- 2925. Chromatomyia horticola (Goureau,1851)** (Agromyzidae) Synonym(s): *horticola* Goureau,1851 TR
- 2926. Chromatomyia luzulae (M.Hering,1924)** (Agromyzidae) Synonym(s): *luzulae* M.Hering,1924 TR
- 2927. Chromatomyia milii (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *milii* Kaltenbach,1864 TR
- 2928. Chromatomyia nigra (Meigen,1830)** (Agromyzidae) Synonym(s): *nigra* Meigen,1830 TR
- 2929. Chromatomyia scolopendri (Robineau-Desvoidy,1851)** (Agromyzidae) Synonym(s): *scolopendri* Robineau-Desvoidy,1851 TR
- 2930. Chromatomyia succisae (M.Hering,1922)** (Agromyzidae) Synonym(s): *succisae* M.Hering,1922 TR
- 2931. Chromoderus fasciatus (O.F.Müller,1776)** (Curculionidae) Synonym(s): *fasciatus* O.F.Müller,1776 TR
- 2932. Chromovalgus peyroni (Mulsant & Wachanru,1852)** (Scarabaeidae) Synonym(s): *peyroni* Mulsant & Wachanru,1852 *Valgus peyroni* Mulsant & Wachanru,1852, *Mém. Acad. Lyon 2: 7. Type: Asie minéure.* TR SY
- 2933. Chrysanthia chalcocroa Fairmaire,1892** (Oedemeridae) Synonym(s): *chalcocroa* Fairmaire,1892 TR
- 2934. Chrysanthia distinctithorax Pic,1904** (Oedemeridae) Synonym(s): *distinctithorax* Pic,1904 TR
- 2935. Chrysanthia flavipes Reitter,1889** (Oedemeridae) Synonym(s): *flavipes* Reitter,1889 TR
- 2936. Chrysanthia varipes Kiesenwetter,1861** (Oedemeridae) Synonym(s): *varipes* Kiesenwetter,1861 TR
- 2937. Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétrés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
- 2938. Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
- 2939. Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
- 2940. Chrysocharis amanus (Walker)** (Eulophidae) Synonym(s): TR
- 2941. Chrysocharis debussyi Hansson** (Eulophidae) Synonym(s): TR

2942. **Chrysocharis gemma (Walker)** (Eulophidae) Synonym(s): **TR**
2943. **Chrysocharis idyia (Walker)** (Eulophidae) Synonym(s): **TR**
2944. **Chrysocharis laomedon (Walker)** (Eulophidae) Synonym(s): **TR**
2945. **Chrysocharis latifossa Hansson** (Eulophidae) Synonym(s): **TR**
2946. **Chrysocharis liriomyzae Delucchi** (Eulophidae) Synonym(s): **TR**
2947. **Chrysocharis mediana Förster** (Eulophidae) Synonym(s): **TR**
2948. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 **TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU**
2949. **Chrysocharis pentheus (Walker)** (Eulophidae) Synonym(s): **TR**
2950. **Chrysocharis phryne (Walker)** (Eulophidae) Synonym(s): **TR**
2951. **Chrysocharis polyzo (Walker)** (Eulophidae) Synonym(s): **TR**
2952. **Chrysocharis pubicornis (Zetterstedt)** (Eulophidae) Synonym(s): **TR**
2953. **Chrysogaster chalybeata Meigen,1822** (Syrphidae) Synonym(s): *chalybeata* Meigen,1822 **TR**
2954. **Chrysogaster coemiteriorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *coemiteriorum* Linnaeus,1758 **TR**
2955. **Chrysogaster tumescens (Loew,1854)** (Syrphidae) Synonym(s): *tumescens* Loew,1854 **RU TR**
2956. **Chrysolampus thenae (Walker)** (Perilampidae) Synonym(s): **TR**
2957. **Chrysolina adzharica Lopatin,1988** (Chrysomelidae) Synonym(s): *adzharica* Lopatin,1988 **Cc GG TR**
2958. **Chrysolina aeneipennis (Reiche,1858)** (Chrysomelidae) Synonym(s): *aeneipennis* Reiche,1858 **EG IL Pa SY TR**
2959. **Chrysolina amasiensis (Weise,1894)** (Chrysomelidae) Synonym(s): *amasiensis* Weise,1894 **TR**
2960. **Chrysolina americana (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *americana* Linnaeus,1758 **BE Md TR**
2961. **Chrysolina anatolica (Dahlgren,1984)** (Chrysomelidae) Synonym(s): *anatolica* Dahlgren,1984 **TR BG**
2962. **Chrysolina bodemeyeri (Weise,1910)** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1910 **IR TR TM**
2963. **Chrysolina brunneli (Demaisson,1896)** (Chrysomelidae) Synonym(s): *brunneli* Demaisson,1896 **TR**
2964. **Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis* Linnaeus,1767 **Cc TR KG RU Sb MN**
2965. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967 **FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ**
2966. **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta* Weise,1898 **TR CY SY IL Pa**
2967. **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; *staneki* Bechyne,1949 **DE AT HU PL RO HV TR**
2968. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae) Synonym(s): *didymata* Scriba,1791; *syriaca* Weise,1884 **SY TR IL Pa IR TM**
2969. **Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa* Scopoli,1763 **Cc TR AF RU Sb**
2970. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799 **DE BG CZ FR IT NO RO YU Cc TR**
2971. **Chrysolina graminis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *graminis* Linnaeus,1758 **TR RU Sb Us CN**
2972. **Chrysolina gypsophila (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophila* Küster,1845; *lucidicollis* Küster,1845 **TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ**
2973. **Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera* Linnaeus,1758 **FR Cc TR IR**
2974. **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950 **TR CY Cc IR IQ AZ**
2975. **Chrysolina herbacea (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmid,1825; *alacris* Bechyne,1950 **TR Cc RU Sb IN KG**
2976. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771 **Cc TR IR RU Sb UZ IT Si**
2977. **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884 **Cc TR IR AF KG**

2978. **Chrysolina kataevi Lopatin,2000** (Chrysomelidae) Synonym(s): *kataevi Lopatin,2000* **TR**
2979. **Chrysolina kulzeri Bechyne,1950** (Chrysomelidae) Synonym(s): *kulzeri Bechyne,1950* **TR Cc**
2980. **Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata Fabricius,1775* **Cc TR RU Sb KG**
2981. **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida Linnaeus,1767; diluta Joakimov,1904* **RU Sb Cc TR**
2982. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata Linnaeus,1758; unificans Bechyne,1950* **TR Cc IR AF RU Sb MN CN DZ KG**
2983. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950* **TR SY IL Pa GR Rd CY Cc IR IQ TN**
2984. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis Bechyne,1955; assurensis Bechyne,1955* **EG JO IL PA SY LB TR IR IQ**
2985. **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina Herrich-Schäffer,1839; erythromera Lucas,1849; oberndorferi Brenske,1890; schotti Suffrian,1851; impavida Bechyne,1949* **IL Pa JO TR GR Rd**
2986. **Chrysolina planicollis (Breit,1919)** (Chrysomelidae) Synonym(s): *planicollis Breit,1919* **TR CY**
2987. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita Linnaeus,1758* **TR IL Pa SY RU Sb Cc**
2988. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri Weise,1884; pseudolurida Roubal,1917; bakuensis Bechyne,1952; jailensis Bechyne,1952* **FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak**
2989. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménétriés,1832; cupreopunctata Reiche,1858; venefica Weise,1884* **TR SY CY Cc LB IL Pa EG IR**
2990. **Chrysolina salviae (Germar,1824)** (Chrysomelidae) Synonym(s): *salviae Germar,1824; sculptipennis Faldermann,1837* **HU Cc TR**
2991. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta Linnaeus,1758; marginalis Duftschmidt,1825* **TR Cn FI KG RU Sb MN**
2992. **Chrysolina sellata (Weise,1894)** (Chrysomelidae) Synonym(s): *sellata Weise,1894; cilissa Jacobson,1924* **IQ TR**
2993. **Chrysolina staphylea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea Linnaeus,1758* **TR Cc KG CN MN KP KR**
2994. **Chrysolina trapezicollis Bechyné,1952** (Chrysomelidae) Synonym(s): *trapezicollis Bechyné,1952* **TR Cc**
2995. **Chrysolina turca (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *turca Fairmaire,1865* **BG TR**
2996. **Chrysolina varians (Schaller,1783)** (Chrysomelidae) Synonym(s): *variens Schaller,1783* **DZ TR RU Sb**
2997. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis Brullé,1836; ottomana Weise,1906* **ES B-H HV AL TR IR Cc BG MK GR**
2998. **Chrysolina wittmeri Medvedev,1975** (Chrysomelidae) Synonym(s): *wittmeri Medvedev,1975; guichardi Gruev,1976* **TR**
2999. **Chrysomalla roseri Förster** (Perilampidae) Synonym(s): **TR**
3000. **Chrysomalla stigmatica Boucek** (Perilampidae) Synonym(s): **TR**
3001. **Chrysomalla turcica Boucek** (Perilampidae) Synonym(s): **TR**
3002. **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris Linnaeus,1758* **TR Cc KG MN RU Sb CN**
3003. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi Linnaeus,1758* **GR TR Cc IN CN JP**
3004. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti Weise,1884; #salceti Arslan & Özbek,1999* **GR TR IR KG RU Sb MN**
3005. **Chrysomela tremulae Fabricius,1787** (Chrysomelidae) Synonym(s): *tremulae Fabricius,1787* **TR JP**
3006. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata Scopoli,1763* **TR Cc UA Cm RU Sb CN MN JP KP KR**
3007. **Chrysomphalus aonidum (Linnaeus)** (Diaspididae) Synonym(s): *aonidum Linnaeus* **TR**
3008. **Chrysomphalus dictyospermi (Morgan)** (Diaspididae) Synonym(s): *dictyospermi Morgan* **TR**
3009. **Chrysomphalus pinnulifer (Maskell)** (Diaspididae) Synonym(s): *pinnulifer Maskell* **TR**
3010. **Chrysopa astarte Hölzel,1967** (Chrysopidae) Synonym(s): *astarte Hölzel,1967* **TR**
3011. **Chrysopa curdica Hölzel,1967** (Chrysopidae) Synonym(s): *curdica Hölzel,1967* **Chrysopa (Chrysopa) curdica Hölzel,1967, NachrBl. bayer. Ent. 16 (9/10): 92-93, figs. Holotype ♂: [Türkei]: Ostanatolien, Van Gölü ca.1800m [Bitlis Prov., Tatvan], leg. Noack (coll.Ohm, Kiel). **TR****
3012. **Chrysopa dorsalis Burmeister,1839** (Chrysopidae) Synonym(s): *dorsalis Burmeister,1839* **TR**

3013. **Chrysopa dubitans McLachan,1887** (Chrysopidae) Synonym(s): *dubitans McLachan,1887* TR
3014. **Chrysopa formosa Brauer,1850** (Chrysopidae) Synonym(s): *formosa Brauer,1850* TR
3015. **Chrysopa hungarica Klapalek,1899** (Chrysopidae) Synonym(s): *hungarica Klapalek,1899* HU TR
3016. **Chrysopa nigricostata Brauer,1850** (Chrysopidae) Synonym(s): *nigricostata Brauer,1850* TR
3017. **Chrysopa perla (Linnaeus,1758)** (Chrysopidae) Synonym(s): *perla Linnaeus,1758* TR
3018. **Chrysopa septempunctata Wesmael,1841** (Chrysopidae) Synonym(s): *septempunctata Wesmael,1841* TR
3019. **Chrysopa viridana Schneider,1845** (Chrysopidae) Synonym(s): *viridana Schneider,1845*
Chrysopa viridana Schneider,1845, Stettin ent. Ztg. 6: 338. TR
3020. **Chrysopa walkeri McLachan,1893** (Chrysopidae) Synonym(s): *walkeri McLachan,1893* TR
3021. **Chrysopilus pallipes (Loew,1869)** (Rhagionidae) Synonym(s): *pallipes Loew,1869* GR TR IR
3022. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni Austen,1922* IL Pa IQ TR Cc AM
3023. **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae) Synonym(s): *compactus Austen,1924* TR IL Pa IQ
3024. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae) Synonym(s): *hamatus Loew,1858* BG GR Rd TR
3025. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae) Synonym(s): *caecutiens Linnaeus,1761; ludens Loew,1858* TR
3026. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae) Synonym(s): *flavipes Meigen,1804; punctifer Loew,1858; #favipes Kılıç,1999* TR
3027. **Chrysops (s.str.) italicus Meigen,1804** (Tabanidae) Synonym(s): *italicus Meigen,1804; nigriventris Loew,1856* TR
3028. **Chrysops (s.str.) relictus Meigen,1820** (Tabanidae) Synonym(s): *relictus Meigen,1820* TR
3029. **Chrysops (s.str.) sejunctus Szilady,1917** (Tabanidae) Synonym(s): *sejunctus Szilady,1917* TR
3030. **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae) Synonym(s): *viduatus Fabricius,1794; pictus Meigen,1820* TR
3031. **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum Linnaeus,1758* RU Sb JP TR HU GB NL DE
3032. **Chrysotoxum intermedium Meigen,1822** (Syrphidae) Synonym(s): *intermedium Meigen,1822* TR
3033. **Chrysotoxum parmense Rondani,1845** (Syrphidae) Synonym(s): *parmense Rondani,1845* TR
3034. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus Loew,1857* EG GR TR DZ ES Cn FR IT RU Am
3035. **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola Strobl,1893; nigerrimus Becker,1918* RU Cc TR AT CH HU
3036. **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes Meigen,1824; subfemoratus Frey,1839; callidus Parent,1944* GG Cc AM AZ RO RU TR UA
3037. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes Zetterstedt,1838; amplicornis Lowarz,1874; kowarzi Lundbeck,1912* RO TR UA RU Cc Ya Am KK CN
3038. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus Lichtwardt,1902* AM BG GR RO RU Cc TR HV HU DE IT
3039. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis Loew,1857* AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
3040. **Chunrocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus Horvath,1903* BG RO TR YU
3041. **Cicada lodosi Boulard,1979** (Cicadidae) Synonym(s): *lodosi Boulard,1979* *Cicada lodosi Boulard,1979, Türk. Bitk. Kor. Derg. 3 (2): 68.* TR
3042. **Cicada mordoganensis Boulard,1979** (Cicadidae) Synonym(s): *mordoganensis Boulard,1979*
Cicada mordoganensis Boulard,1979, Türk. Bitk. Kor. Derg. 3 (2): 69-70. Type: Turkey: Izmir Prov., Mordoğan. GR Rd TR
3043. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
3044. **Cicada permagna (Haupt,1917)** (Cicadidae) Synonym(s): *permagna Haupt,1917* TR
3045. **Cicadatra adanai Kartal,1980** (Cicadidae) Synonym(s): *adanai Kartal,1980* TR
3046. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemi Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954* AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU

3047. **Cicadatra hagenica Dlabola,1987** (Cicadidae) Synonym(s): *virens* Hagen,1856; *hagenica* Dlabola,1987 TR
3048. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
3049. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (*praeocc.*); *persica* Kirkaldy,1909 Cicadatra persica Kirkaldy,1909, Canad. ent. 41: 391, nr.110 (nomen novum pro *lineola* Hagen,1856). MK Cc IR IL Pa IT SY TR AM AZ GG
3050. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876 IL Pa JO LB SY TR MK
3051. **Cicadatra tenebrosa Fieber,1876** (Cicadidae) Synonym(s): *tenebrosa* Fieber,1876 Cicadatra tenebrosa Fieber,1876, Revue Mag. Zool. 3 (4): 50. TR
3052. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
3053. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
3054. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 TR Cc DZ GR IT MA PT ES GG KG TJ TM
3055. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
3056. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ
3057. **Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): *parvula* Fieber,1876; *feberi* Oshanin,1908; *libanotica* Horvath,1911 MA TR LB IL Pa
3058. **Cicadetta pilosa Horvath,1901** (Cicadidae) Synonym(s): *pilosa* Horvath,1901 Cicadetta pilosa Horvath,1901, Termes Füzetek 24: 482. Type: Asia minor. TR
3059. **Cicadetta sibilatrix Horvath,1901** (Cicadidae) Synonym(s): *sibilatrix* Horvath,1901 Cicadetta sibilatrix Horvath,1901, Termes Füzetek 24: 483. Type: Asia minor. IL Pa SY TR
3060. **Cicadetta turcica (Schedl,2001)** (Cicadidae) Synonym(s): *turcica* Schedl,2001 Tettigetia turcica Schedl,2001, Linzer biol. Beitr. 33 (2): 1287-1290, figs. Holotype ♂: Turkey: Gaziantep, 800m 29.5.1989 M.Znizek leg (OÖLM Linz). TR
3061. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
3062. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
3063. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962 CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
3064. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
3065. **Cicadula mesasiatica (Dubovsky,1966)** (Cicadellidae) Synonym(s): *mesasiatica* Dubovsky,1966 IR TR
3066. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 BG CS FR HU IT RO MD RU YU TR
3067. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
3068. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
3069. **Cicadulina zeae China,1926** (Cicadellidae) Synonym(s): *zeae* China,1926 Cn Md CY TR AU
3070. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839 TR SY IR Qz AM AZ Nv Ord Cc TM Kp
3071. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758 SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
3072. **Cicindela desertorum Dejean,1825** (Carabidae) Synonym(s): *desertorum* Dejean,1825 TR RU Ur GG AZ AM
3073. **Cicindela herbacea Klug,1832** (Carabidae) Synonym(s): *herbacea* Klug,1832; *persana* Dokhtoureff,1885 LB Bei TR IL Pa SY AM
3074. **Cicindela sylvatica Linnaeus,1758** (Carabidae) Synonym(s): *sylvatica* Linnaeus,1758 TR

3075. **Cicindela turkestanicoides** W.Horn,1938 (Carabidae) Synonym(s): *turkestanicoides* W.Horn,1938 TR IR Elb Th Mz
3076. **Cidnopus crassipes** (Schwarz,1900) (Elateridae) Synonym(s): *crassipes* Schwarz,1900 TR
3077. **Cidnopus pilosus** (Leske,1785) (Elateridae) Synonym(s): *pilosus* Leske,1785 GR TR Cc
3078. **Cidnopus schurmanni** Platia & Gudenzi,1998 (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,1998 TR GR
3079. **Cidnopus turcicus** Platia,2004 (Elateridae) Synonym(s): *turcicus* Platia,2004 TR
3080. **Cimbex quadrimaculatus** (O.F.Müller,1766) (Cimbicidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
3081. **Cimex lectularius** Linnaeus,1758 (Cimicidae) Synonym(s): *lectularius* Linnaeus,1758 TR
3082. **Cionus caucasicus** Reitter,1888 (Curculionidae) Synonym(s): *caucasicus* Reitter,1888 Cc AM GG TR
3083. **Cionus distinctus** Desbrochers,1869 (Curculionidae) Synonym(s): *distinctus* Desbrochers,1869 TR
3084. **Cionus donckieri** Pic,1898 (Curculionidae) Synonym(s): *donckieri* Pic,1898 TR
3085. **Cionus hortulanus** (Geoffroy,1785) (Curculionidae) Synonym(s): *hortulanus* Geoffroy,1785 TR
3086. **Cionus merkli** Stierlich,1867 (Curculionidae) Synonym(s): *merkli* Stierlich,1867 TR
3087. **Cionus olens** (Fabricius,1792) (Curculionidae) Synonym(s): *olens* Fabricius,1792 TR
3088. **Cionus olivieri** Rosenschöld,1838 (Curculionidae) Synonym(s): *olivieri* Rosenschöld,1838 TR RU
3089. **Cionus ponticus** Bialooki,2006 (Curculionidae) Synonym(s): *ponticus* Bialooki,2006 TR
3090. **Cionus pulverosus** Gyllenhal,1838 (Curculionidae) Synonym(s): *pulverosus* Gyllenhal,1838 TR
3091. **Cionus schultzei** Reitter,1904 (Curculionidae) Synonym(s): *schultzei* Reitter,1904 TR
3092. **Cionus thapsus** (Fabricius,1792) (Curculionidae) Synonym(s): *thapsus* Fabricius,1792 TR
3093. **Cionus tuberculatus** (Scopoli,1763) (Curculionidae) Synonym(s): *tuberculatus* Scopoli,1763 TR
3094. **Cionus unguatus** Germar,1821 (Curculionidae) Synonym(s): *unguatus* Germar,1821 TR
3095. **Cionus wanati** Bialooki,2006 (Curculionidae) Synonym(s): *wanati* Bialooki,2006 TR
3096. **Cionus wittei** Kiesenwetter,1851 (Curculionidae) Synonym(s): *wittei* Kiesenwetter,1851 TR
3097. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
3098. **Cirrospilus lyncus** Walker,1838 (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
3099. **Cirrospilus staryi** Boucek,1959 (Eulophidae) Synonym(s): *staryi* Boucek,1959 TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
3100. **Cirrospilus variegatus** (Masi,1907) (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
3101. **Cirrospilus vittatus** Walker,1838 (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
3102. **Cixidia marginicollis** (Spinola,1839) (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
3103. **Cixidia mersinica** (Dlabola,1987) (Achilidae) Synonym(s): *mersinica* Dlabola,1987 TR
3104. **Cixidia parnassia** (Stal,1859) (Achilidae) Synonym(s): *parnassia* Stal,1859 AF BG TR CZ FR GR HU RO YU
3105. **Cixidia pilatoi** D'Urso & Guglielmino,1995 (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995 AT B-H BG CZ DE IT RO UA YU TR
3106. **Cixius distinguendus** Kirschbaum,1868 (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distinguendus* Lodos & Kalkandelen,1980 AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
3107. **Cixius pallipes** Fieber,1876 (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897 Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
3108. **Cixius remotus** Edwards,1888 (Cixiidae) Synonym(s): *remotus* Edwards,1888 BG FR GB YU GR TR
3109. **Cixius simplex** (Herrich-Schäffer,1835) (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (*praeocc.*); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU

3110. **Cladotanytarsus mancus (Walker,1856)** (Chironomidae) Synonym(s): *mancus* Walker,1856
TR
3111. **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s):
assimilis Baudi di Selve,1873 IL Pa BG CY TR
3112. **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae) Synonym(s):
erythroptilus Erichson,1840 TR IR Kz IQ Bgd
3113. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832
RU IT UZ KK GR TR
3114. **Clanoptilus (s.str.) amanicola (Abeille de Perrin,1900)** (Melyridae) Synonym(s):
amanicola Abeille de Perrin,1900 TR
3115. **Clanoptilus (s.str.) ambiguus (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus*
Peyron,1877 HU RU GR TR
3116. **Clanoptilus (s.str.) anatolicus (Wittmer,1986)** (Melyridae) Synonym(s): *anatolicus*
Wittmer,1986 TR
3117. **Clanoptilus (s.str.) colasi (Wittmer,1967)** (Melyridae) Synonym(s): *colasi* Wittmer,1967
TR
3118. **Clanoptilus (s.str.) danieli (Abeille de Perrin,1893)** (Melyridae) Synonym(s): *danieli*
Abeille de Perrin,1893 TR
3119. **Clanoptilus (s.str.) durandi (Pardo,1970)** (Melyridae) Synonym(s): *durandi* Pardo,1970
TR RO BG GR
3120. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790
FR RU UA TM AT BG DE ES CH GR TR
3121. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus*
Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
3122. **Clanoptilus (s.str.) heliophilus (Peyron,1877)** (Melyridae) Synonym(s): *heliophilus*
Peyron,1877 TR
3123. **Clanoptilus (s.str.) malatyensis Wittmer,1988** (Melyridae) Synonym(s): *malatyensis*
Wittmer,1988 TR
3124. **Clanoptilus (s.str.) marginellus (Olivier,1790)** (Melyridae) Synonym(s): *marginellus*
Olivier,1790 TR
3125. **Clanoptilus (s.str.) pherecles (Reitter,1898)** (Melyridae) Synonym(s): *pherecles*
Reitter,1898 TR
3126. **Clanoptilus (s.str.) piceoterminalis (Pic,1911)** (Melyridae) Synonym(s): *piceoterminalis*
Pic,1911 TR
3127. **Clanoptilus (s.str.) politus Wittmer,1988** (Melyridae) Synonym(s): *politus* Wittmer,1988
TR
3128. **Clanoptilus (s.str.) spinipennis (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis*
Erichson,1840 BG HV GR IT YU TR
3129. **Clanoptilus (s.str.) strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s):
strangulatus Abeille de Perrin,1885 TR UA Cm KK KG
3130. **Clanoptilus (s.str.) viridanus (Mulsant,1852)** (Melyridae) Synonym(s): *viridanus*
Mulsant,1852 TR
3131. **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris*
Chevrolat,1864 IL Pa TR CY SY
3132. **Claviger caspicus Reitter,1882** (Staphylinidae) Synonym(s): *caspicus* Reitter,1882 TM TR
3133. **Claviger ciscaucasicus Reitter,1910** (Staphylinidae) Synonym(s): *ciscaucasicus* Reitter,1910
Cc TR
3134. **Claviger colchicus Motschoulsky,1837** (Staphylinidae) Synonym(s): *colchicus*
Motschoulsky,1837 TR
3135. **Claviger katharinae Escherich,1897** (Staphylinidae) Synonym(s): *katharinae* Escherich,1897
TR
3136. **Claviger lederi Reitter,1877** (Staphylinidae) Synonym(s): *lederi* Reitter,1877 TR
3137. **Claviger merkli Reitter,1885** (Staphylinidae) Synonym(s): *merkli* Reitter,1885 TR
3138. **Claviger olympicus Escherich,1897** (Staphylinidae) Synonym(s): *olympicus* Escherich,1897
TR
3139. **Claviger ottomanus Escherich,1897** (Staphylinidae) Synonym(s): *ottomanus* Escherich,1897
TR
3140. **Claviger testaceus Preyssler,1790** (Staphylinidae) Synonym(s): *testaceus* Preyssler,1790 TR
3141. **Cleonus piger (Scopoli,1763)** (Curculionidae) Synonym(s): *piger* Scopoli,1763 TR
3142. **Cleptes anatolensis Moczar,2001** (Chrysididae) Synonym(s): *anatolensis* Moczar,2001
Cleptes anatolensis Moczar,2001, Linzer biol. Beitr. 33 (1): 913-914, figs. Holotype ♂: Turkey: Burdur,
NW Bucak 900m 31.v. 1961 leg. F.Rossi (HNHM). TR
3143. **Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787 RU AM Cc
TR DZ
3144. **Cleptes jordanicus Linsenmeier,1968** (Chrysididae) Synonym(s): *jordanicus*
Linsenmeier,1968 JO TR ES

3145. **Cleptes nitidulus (Fabricius,1793)** (Chrysididae) Synonym(s): *nitidulus Fabricius,1793* IT TR
CN Mc
3146. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
3147. **Cleptes putoni Buysson,1886** (Chrysididae) Synonym(s): *putoni Buysson,1886* FR CH TR IT
Si
3148. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761*
US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
3149. **Cleptes turceyanus Linsenmeier,1968** (Chrysididae) Synonym(s): *turceyanus Linsenmeier,1968* TR
3150. **Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): *mutillaeformis Reitter,1895* TR
SY
3151. **Clerus mutillaroides Reitter,1893** (Cleridae) Synonym(s): *mutillaroides Reitter,1893* TR Cc
3152. **Clinodiplosis botularia (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *botularia Winnertz,1853* TR
3153. **Clinotanypus nervosus (Meigen,1804)** (Chironomidae) Synonym(s): *nervosus Meigen,1804*
TR
3154. **Clitobius ovatus (Erichson,1843)** (Tenebrionidae) Synonym(s): *ovatus Erichson,1843* TR
3155. **Closterocerus arvensis (Graham,1963)** (Eulophidae) Synonym(s): *arvensis Graham,1963*
CZ DK FI GR RU SE GB YU TR
3156. **Closterocerus chlorogaster (Erdős,1966)** (Eulophidae) Synonym(s): *chlorogaster Erdős,1966*
HV CZ DK DE HU MD NL SE GB YUTR
3157. **Closterocerus cuprifrons (Erdős,1954)** (Eulophidae) Synonym(s): *cuprifrons Erdős,1954*
HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
3158. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn
CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu
PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
3159. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae Ferrière,1952; fimbriata Erdős,1956* HV FI DE HU IT JP ES SE CH UA RU YU TR
3160. **Clypeocampulum tibiale Gauld,1976** (Ichneumonidae) Synonym(s): *tibiale Gauld,1976* TR
3161. **Clytra aliena Weise,1897** (Chrysomelidae) Synonym(s): *aliena Weise,1897* Clytra aliena
Weise,1897, Stettin ent. Ztg. 58: 64. Type: Kleinasien: Angora. TR
3162. **Clytra appendicina Lacordaire,1848** (Chrysomelidae) Synonym(s): *appendicina Lacordaire,1848* FR IT TR
3163. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis Pallas,1773; deficiens Weise,1900* ES HU RU Sb GR TR IR MN KP KR
3164. **Clytra binominata Monros,1953** (Chrysomelidae) Synonym(s): *binominata Monros,1953* GR
Rd TR
3165. **Clytra bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri Weise,1900* TR IQ
CY
3166. **Clytra cingulata Weise,1898** (Chrysomelidae) Synonym(s): *cingulata Weise,1898* TR
3167. **Clytra laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata Ratzeburg,1837*
nec Fabr.,1801; laeviuscula Ratzeburg,1837 FR RU At Sb TR JP
3168. **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta Lacordaire,1848* TR SY IA Cc IR
3169. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata Olivier,1808; elata Weise,1881; persica Pic,1920* IT Si RO UA BG TR Cc SY IQ IR RU
3170. **Clytra ovata (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *ovata Lacordaire,1848* CY TR
3171. **Clytra quadripunctata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *quadripunctata Linnaeus,1758* ES MN RU TR
3172. **Clytra valeriana Ménétrés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménétrés,1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kismah,1990* YU GR BG TR Cc UA Cm IT Si RU IR
3173. **Clytus arietis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis Linnaeus,1758* Cc TR IR
RU
3174. **Clytus arietis lederi Ganglbauer,1881** (Cerambycidae) Synonym(s): *lederi Ganglbauer,1881*
TR IR Cc
3175. **Clytus ciliciensis Chevrolat,1863** (Cerambycidae) Synonym(s): *ciliciensis Chevrolat,1863* TR
3176. **Clytus gulekanus Pic,1904** (Cerambycidae) Synonym(s): *gulekanus Pic,1904* TR
3177. **Clytus kumalariensis Johanides,2001** (Cerambycidae) Synonym(s): *kumalariensis Johanides,2001* TR
3178. **Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni Germar,1817* RU Cc IR TR
GR
3179. **Clytus schneideri Kiesenwetter,1879** (Cerambycidae) Synonym(s): *schneideri Kiesenwetter,1879* TR Cc
3180. **Clytus taurusiensis (Pic,1903)** (Cerambycidae) Synonym(s): *taurusiensis Pic,1903* TR

3181. **Cnemeplatia atropos Costa,1847** (Tenebrionidae) Synonym(s): *atropos Costa,1847* **TR**
3182. **Coccidohystrix artemisiae (Kiritchenko,1937)** (Pseudococcidae) Synonym(s): *artemisiae Kiritchenko,1937* **TR**
3183. **Coccinella (Neococcinella) undecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *undecimpunctata Linnaeus,1758* **IT Si Sa TR**
3184. **Coccinella (s.str.) distincta Falderman** (Coccinellidae) Synonym(s): *distincta Falderman; #distinctu Özbek & Çetin,1991* **TR**
3185. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae) Synonym(s): *septempunctata Linnaeus,1758; brucki Mulsant,1866* **IT TR**
3186. **Coccinula quatuordecimpustulata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quatuordecimpustulata Linnaeus,1758* **IT Si Sa TR**
3187. **Coccinula sinuatomarginata (Faldermann,1837)** (Coccinellidae) Synonym(s): *sinuatomarginata Faldermann,1837* **IT Si Sa TR**
3188. **Coccobius testaceus (Masi,1909)** (Aphelinidae) Synonym(s): *testaceus Masi,1909* **IT TR**
3189. **Coccophagoides moeris (Walker,1839)** (Aphelinidae) Synonym(s): *moeris Walker,1839; janius Walker,1839; similis Masi,1908; ilicis Mercet,1921; parvipennis Ferriere,1955; silwoodensis Alam,1956* **TR**
3190. **Coccophagus aterrimus Vikberg,1966** (Aphelinidae) Synonym(s): *aterrimus Vikberg,1966; stepanovi Sugonjaev & Pilipiyuk,1972* **FI TR RU Sh**
3191. **Coccophagus differens Yasnosh,1966** (Aphelinidae) Synonym(s): *differens Yasnosh,1966* **MD TR**
3192. **Coccophagus insidiator (Dalman,1826)** (Aphelinidae) Synonym(s): *insidiator Dalman,1826* **SE TR**
3193. **Coccophagus kvavadze Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *kvavadze Japoshvili & Karaca,2002; kvavadzei Japoshvili & Karaca,2004* **Coccophagus scutellaris ssp. kvavadze Japoshvili & Karaca,2002, Bu.. Georg. Acad. Sci. 166 (1):140-142. Holotype ♀: Turkey: Eymir (Ankara) (IZTG). TR**
3194. **Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia Walker,1839; lecanii Fitch,1859; ater Howard,1881; cognatus Haword,1881; vividus Howard,1885; californicus Howard,1889; coccidis Girault,1917; corni Alam,1956; taxi Alam,1956* **Aphelinus lycimnia Walker,1839, Monographia Chaciditum 1: 11. Type: Ireland. US Cf DE GB TR CY**
3195. **Coccophagus palaeolecanii Yasnosh,1957** (Aphelinidae) Synonym(s): *palaeolecanii Yasnosh,1957* **GG TR**
3196. **Coccophagus piceae Erdös,1956** (Aphelinidae) Synonym(s): *piceae Erdös,1956* **HU TR**
3197. **Coccophagus proximus Yasnosh,1956** (Aphelinidae) Synonym(s): *proximus Yasnosh,1956* **MD TR**
3198. **Coccophagus scutellaris (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris Dalman,1826; australiensis Girault,1917* **SE TR AU**
3199. **Coccophagus spartanus Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *spartanus Japoshvili & Karaca,2002* **TR**
3200. **Coccus hesperidum Linnaeus** (Coccidae) Synonym(s): *hesperidum Linnaeus* **TR**
3201. **Coccus pseudomagnoliarum (Kuwana)** (Coccidae) Synonym(s): *pseudomagnoliarum Kuwana* **TR**
3202. **Codophila varia (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia Fabricius,1787* **TR**
3203. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra Lepeletier,1841* **TM KK UZ EG TN MA DZ RU GB TR**
3204. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata Förster,1853* **IR LB AM Cc TJ UZ RU Cc DZ TR**
3205. **Coelopenyrtus callidii (Jansson)** (Encyrtidae) Synonym(s): **TR**
3206. **Coelopisthia caledonica Askew** (Pteromalidae) Synonym(s): **TR**
3207. **Coelosia fusca Bezzi,1892** (Mycetophilidae) Synonym(s): *fusca Bezzi,1892* **IT Sa Cn IL Pa TR**
3208. **Coelostoma orbiculare (Fabricius,1775)** (Hydrophilidae) Synonym(s): *orbiculare Fabricius,1775* **RU TR**
3209. **Coelostoma transcasicum Reitter,1906** (Hydrophilidae) Synonym(s): *transcasicum Reitter,1906* **TR OM SA TJ**
3210. **Coenagrion hastulatum (Charpentier,1825)** (Coenagrionidae) Synonym(s): *hastulatum Charpentier,1825* **TR**
3211. **Coenagrion lunulatum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *lunulatum Charpentier,1840* **TR RU Sb**
3212. **Coenagrion ornatum (Selys,1850)** (Coenagrionidae) Synonym(s): *ornatum Selys,1850* **TR**
3213. **Coenagrion persicum Lohmann,1993** (Coenagrionidae) Synonym(s): *persicum Lohmann,1993* **TR IR**
3214. **Coenagrion ponticum (Bartenev,1929)** (Coenagrionidae) Synonym(s): *ponticum Bartenev,1929* **TR**

- 3215. Coenagrion puellum (Linnaeus,1758)** (Coenagrionidae) Synonym(s): *puellum* Linnaeus,1758
TR DZ IR
- 3216. Coenagrion pulchellum (Van Der Linden,1825)** (Coenagrionidae) Synonym(s): *pulchellum*
Van Der Linden,1825 TR GR
- 3217. Coenagrion scitulum (Rambur,1842)** (Coenagrionidae) Synonym(s): *scitulum* Rambur,1842
TR LB Bei
- 3218. Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum* Morton,1924;
ponticum Bartenev,1929 TR BG Cc GG
- 3219. Coenagrion vanbrinkae Lohmann,1993** (Coenagrionidae) Synonym(s): *vanbrinkae*
Lohmann,1993 TR
- 3220. Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus*
Herbst,1797; *aeneovirens* Marsham,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833 DE BG DZ FR GB
JP Cc MK TR
- 3221. Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767;
purpureus Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859;
paykulli Schilsky,1903 DE BG FR GB IR Cc KG UA Cm MK SY TR TM
- 3222. Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis*
Desbrochers,1869 RU GR Cr IT CY FR Co TR LB Sa
- 3223. Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum*
Desbrochers,1875; *italicus* Voss,1929 FR GR Cr IT LB SY TR
- 3224. Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus*
Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 nec Herbst.; *fauconetti* Pic,1926 DE BG
FR GB KG MN RU Sb YU TR
- 3225. Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824;
persicus Gyllenhal,1839; *pauculus* Voss,1933 DE BG FR IN IR SE UA Cm Cc TR KG
- 3226. Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825 FR Co
DE PL CZ SK CH AT HU Cc TR AM Eri
- 3227. Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866 DE
PL CZ SK CH AT HU TR RU Cc AM Eri
- 3228. Coenosia testacea (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *testacea* Robineau-
Desvoidy,1830 AM Cc Eri TR
- 3229. Coenosia tigrina (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina* Fabricius,1775 AM Cc TR
IR
- 3230. Colaphus apicalis (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849
TR SY IL Pa IR KG
- 3231. Colaphus hoefti (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *hoefti* Ménétriés,1832 TR
Cc RU KG
- 3232. Colaphus sophiae (Schaller,1783)** (Chrysomelidae) Synonym(s): *sophiae* Schaller,1783;
amasiae Machatschke,1954 TR
- 3233. Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus*
Zetterstedt,1828; *oxalidis* Fieber,1875 AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN
RU TR
- 3234. Colletes anatolicus Noskiewicz,1959** (Colletidae) Synonym(s): *anatolicus* Noskiewicz,1959
TR
- 3235. Colletes ankarae Warncke,1978** (Colletidae) Synonym(s): *ankarae* Warncke,1978 TR
- 3236. Colletes asiaticus Kuhlmann,1999** (Colletidae) Synonym(s): *grisescens* Noskiewicz,1936 nec
Cock.,1930; *asiaticus* Kuhlmann,1999 TR
- 3237. Colletes cunicularius (Linnaeus,1761)** (Colletidae) Synonym(s): *cunicularius* Linnaeus,1761;
cinerea Geoffroy,1785; *hirtus* Lepeletier,1841; *pilosus* Spinola,1838; *tauricus* Warncke,1978; *khasanensis*
Osytsnjuk,1995 EG TR
- 3238. Colletes edentulus Noskiewicz,1936** (Colletidae) Synonym(s): *edentulus* Noskiewicz,1936 Cc
AM TR
- 3239. Colletes glaber Warncke,1978** (Colletidae) Synonym(s): *glaber* Warncke,1978 TR
- 3240. Colletes hakkari Kuhlmann,2002** (Colletidae) Synonym(s): *hakkari* Kuhlmann,2002
Colletes hakkari Kuhlmann,2002, Linzer biol. Beitr. 34 (1): 753-755. Holotype ♂: Turkey: Hakkari
Suvari Halil Pass 2500m leg.& coll. Max Schwarz TR IR Elb Ar Mz GG Soc Cc AM Eri
- 3241. Colletes hethiticus Warncke,1978** (Colletidae) Synonym(s): *hethiticus* Warncke,1978 TR
- 3242. Colletes hiekeseniori Kuhlmann,2003** (Colletidae) Synonym(s): *hiekeseniori* Kuhlmann,2003
Colletes hiekeseniori Kuhlmann,2003, Linzer biol. Beitr. 35: 730-731. Holotype ♀: Turkey [Van Prov.]:
Muradiye 3.7.2000 leg. M., [1850m], (coll.Kuhlmann). TR
- 3243. Colletes iranicus Noskiewicz,1962** (Colletidae) Synonym(s): *iranicus* Noskiewicz,1962 TR IR
- 3244. Colletes ottomanus Noskiewicz,1958** (Colletidae) Synonym(s): *ottomanus* Noskiewicz,1958
TR
- 3245. Colletes rubellus Noskiewicz,1936** (Colletidae) Synonym(s): *rubellus* Noskiewicz,1936 AM Cc
TR
- 3246. Colletes transitorius Noskiewicz,1936** (Colletidae) Synonym(s): *transitorius* Noskiewicz,1936
TR

3247. **Colletes warnckeii Kuhlmann,2002** (Colletidae) Synonym(s): *warnckeii Kuhlmann,2002* TR
IR Elb Mz
3248. **Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator Villers,1789; calcitrator
Gravenhorst,1829* TR Cc RU US
3249. **Colobaea punctata (Lundbeck,1923)** (Sciomyzidae) Synonym(s): *punctata Lundbeck,1923*
TR
3250. **Colotes flavicinctus Marseul,1868** (Melyridae) Synonym(s): *flavicinctus Marseul,1868* TR IL
Pa BG
3251. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus
Castelnau du Laporte,1836* LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
3252. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus Erichson,1840* HV GR
CY SY LB BG TR
3253. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus Erichson,1840* MT
TN DZ MA PT ES FR Co Sa IT Si HV GR TR
3254. **Colotrechnus viridis (Masi)** (Pteromalidae) Synonym(s): TR
3255. **Colpa (s.str.) sexmaculata (Fabricius,1782)** (Scoliidae) Synonym(s): *sexmaculata
Fabricius,1782; interrupta Fabricius,1782; sareptana Eversmann,1849* TR DZ
3256. **Colpa interrupta (Fabricius,1781)** (Scoliidae) Synonym(s): *interrupta Fabricius,1781* TR
3257. **Colpa klugii (Van der Linden,1827)** (Scoliidae) Synonym(s): *klugii Van der Linden,1827* TR
3258. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae) Synonym(s): *villosa Fabricius,1775;
quinquecincta Fabricius,1775; abdominalis Spinola,1806; continua Leeletier,1845* IT Sa Si TR
3259. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus Walker,1839; silvestrii
Lucchese,1941* TR AM AZ Cc BG CA On CZ FR DE HU
3260. **Colpotrichia triclitor (Aubert,1979)** (Ichneumonidae) Synonym(s): *triclitor Aubert,1979*
TR
3261. **Colpotus byzantinicus (Waltl,1838)** (Tenebrionidae) Synonym(s): *byzantinicus Waltl,1838*
TR
3262. **Colpotus dentatus Grimm & Schawaller,2000** (Tenebrionidae) Synonym(s): *dentatus
Grimm & Schawaller,2000* TR
3263. **Colpotus lassallei Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): *lassallei Ferrer &
Soldati,1999* TR
3264. **Colpotus punctipleuris Reitter,1904** (Tenebrionidae) Synonym(s): *punctipleuris Reitter,1904*
TR
3265. **Colpotus reitteri Zürcher,1911** (Tenebrionidae) Synonym(s): *reitteri Zürcher,1911* TR
3266. **Colpotus sulcatus Ménétrés,1838** (Tenebrionidae) Synonym(s): *sulcatus Ménétrés,1838* TR
3267. **Colpotus vogti Koch,1944** (Tenebrionidae) Synonym(s): *vogti Koch,1944* TR
3268. **Colymbetes fuscus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *fuscus Linnaeus,1758* TR
3269. **Comperiella bifasciata Howard** (Encyrtidae) Synonym(s): TR
3270. **Compsilura concinnata (Meigen,1824)** (Tachinidae) Synonym(s): *concinnata Meigen,1824*
TR
3271. **Concavifer bolkarensis Kartal,1981** (Cicadellidae) Synonym(s): *bolkarensis Kartal,1981* TR
3272. **Conchapelopia sp.** (Chironomidae) Synonym(s): TR
3273. **Coniatus repandus (Fabricius,1792)** (Curculionidae) Synonym(s): *repandus Fabricius,1792*
TR
3274. **Coniatus tamarisci (Fabricius,1787)** (Curculionidae) Synonym(s): *tamarisci Fabricius,1787*
TR
3275. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus
Schoenherr,1834; melanographus Fahreus,1840* ES FR TR EG RU Cc UA Cm IT SY DZ
3276. **Coniocleonus nigrosuturatus (Goeze,1777)** (Curculionidae) Synonym(s): *nigrosuturatus
Goeze,1777* TR
3277. **Coniosternum moceki Sifner,2004** (Scathophagidae) Synonym(s): *moceki Sifner,2004* TR
3278. **Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s):
concolor Burmeister,1838 ES EG IL Pa IQ Amara TR
3279. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s):
dorsalis Latreille,1804; brevicaudatum Uvarov,1910; hungaricus Cziki,1923 FR GB EE LT DE AT HU RO Cc
RU KG TR
3280. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus
Fabricius,1793; discolor Thunberg,1815; thoracicus Fischer von Waldheim,1846; concolor Bolivar,1878;
ponticus Nedelkov,1907; turanicus Semenov,1916; dilatatus Ramme,1951* PL DE FR ES GB IT Sa SE YU HV B-
H BG RO RU Cc AZ AM GG KG MN TR
3281. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815 ES IT Sa MG DZ MA TN
LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
3282. **Conocephalus (s.str.) hastatus (Charpentier,1825)** (Tettigoniidae) Synonym(s): *hastatus
Charpentier,1825* TR
3283. **Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi Harz,1967; harzi
Willemse,1971* TR AL BG GR SY LB

3284. **Conogaster pruinosa (Meigen,1824)** (Tachinidae) Synonym(s): *pruinosa* Meigen,1824 **TR**
3285. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
3286. **Conomelus odryssi Dlabola,1965** (Delphacidae) Synonym(s): *odryssi* Dlabola,1965; *clavifer* Remane & Asche,1979 **BG TR**
3287. **Conomorium patulum (Walker)** (Pteromalidae) Synonym(s): **TR**
3288. **Conomorium pityocampae Graham** (Pteromalidae) Synonym(s): **TR**
3289. **Conophorus aktashi Hasbenli, Koç & Zaitzev,1998** (Bombyliidae) Synonym(s): *aktashi* Hasbenli, Koç & Zaitzev,1998 **TR**
3290. **Conophorus anatolicus Zaitzev,1981** (Bombyliidae) Synonym(s): *anatolicus* Zaitzev,1981 **TR**
3291. **Conophorus asiaticus Paramonov,1929** (Bombyliidae) Synonym(s): *asiaticus* Paramonov,1929 **TR IR**
3292. **Conophorus bivittatus (Loew,1862)** (Bombyliidae) Synonym(s): *bivittatus* Loew,1862 **TR IT**
3293. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucescens* Hasbenli & Aktaş,1995 **IT BG YU AL RU MD UA TR Cc GG AZ AM**
3294. **Conophorus gracilis Dils & Özbeğ,2006** (Bombyliidae) Synonym(s): *gracilis* Dils & Özbeğ,2006 **Conophorus gracilis Dils & Özbeğ,2006**, Phegea 34 (3): 107-109, fig. Holotype ♂: Turkey: Konya Prov., Bayafşar 1190m 20.5.2005 leg. Dils & Faes (ZMAN). **TR GR**
3295. **Conophorus nobilis (Loew,1873)** (Bombyliidae) Synonym(s): *nobilis* Loew,1873 **Cc AM AZ GG TR JO IR TM**
3296. **Conophorus rossicus Paramonov,1929** (Bombyliidae) Synonym(s): *rossicus* Paramonov,1929 **RU TR IT**
3297. **Conophorus simplex Loew,1869** (Bombyliidae) Synonym(s): *simplex* Loew,1869 **TR**
3298. **Conophorus syriacus Paramonov,1929** (Bombyliidae) Synonym(s): *syriacus* Paramonov,1929 **TR**
3299. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens* Fabricius,1787 **DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN**
3300. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbeğ,2008 **Sphyxosoma flavicauda Bigot,1880**, Annl. Soc. ent. Fr. (5) 10: 149. Type ♀: Iran or Caucasus. **GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm**
3301. **Conops flavifrons Meigen,1824** (Conopidae) Synonym(s): *flavifrons* Meigen,1824 **TR**
3302. **Conops flavipes Linnaeus,1758** (Conopidae) Synonym(s): *flavipes* Linnaeus,1758 **TR Cc**
3303. **Conops insignis Loew,1848** (Conopidae) Synonym(s): *insignis* Loew,1848 **TR**
3304. **Conops quadrifasciatus De Geer,1776** (Conopidae) Synonym(s): *quadrifasciatus* De Geer,1776 **TR**
3305. **Conops silaceus Wiedemann,1824** (Conopidae) Synonym(s): *silaceus* Wiedemann,1824 **TR**
3306. **Conops tomentosus Kröber,1916** (Conopidae) Synonym(s): *tomentosus* Kröber,1916 **TR TM TJ SA**
3307. **Conops vesicularis Linnaeus,1761** (Conopidae) Synonym(s): *vesicularis* Linnaeus,1761 **TR**
3308. **Conorhynchus nigrivittis (Pallas,1781)** (Curculionidae) Synonym(s): *nigrivittis* Pallas,1781 **TR**
3309. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**
3310. **Contarinia citri Barnes,1944** (Cecidomyiidae) Synonym(s): *citri* Barnes,1944 **TR**
3311. **Contarinia coryli (Kaltenbach,1859)** (Cecidomyiidae) Synonym(s): *coryli* Kaltenbach,1859; *corylina* Loew,1878 **TR**
3312. **Contarinia nasturtii (Kieffer,1888)** (Cecidomyiidae) Synonym(s): *nasturtii* Kieffer,1888 **TR**
3313. **Contarinia populi (Rübsaamen,1917)** (Cecidomyiidae) Synonym(s): *populi* Rübsaamen,1917 **TR**
3314. **Contarinia pyrivora (Riley,1886)** (Cecidomyiidae) Synonym(s): *pyrivora* Riley,1886 **TR**
3315. **Contigaspis zillae (Hall)** (Diaspididae) Synonym(s): *zillae* Hall **TR**
3316. **Copidosoma agrotis (Fonscolombe)** (Encyrtidae) Synonym(s): **TR**
3317. **Copidosoma aithya (Walker)** (Encyrtidae) Synonym(s): **TR**
3318. **Copidosoma boucheanum Ratzeburg** (Encyrtidae) Synonym(s): **TR**
3319. **Copidosoma breviclava Hoffer** (Encyrtidae) Synonym(s): **TR**
3320. **Copidosoma floridanum (Ashmead)** (Encyrtidae) Synonym(s): **TR**
3321. **Copidosoma hispanicum (Mercet)** (Encyrtidae) Synonym(s): **TR**
3322. **Copidosoma primulum (Mercet)** (Encyrtidae) Synonym(s): **TR**
3323. **Copidosoma truncatellum (Dalman)** (Encyrtidae) Synonym(s): **TR**
3324. **Copidosoma varicome (Nees)** (Encyrtidae) Synonym(s): **TR**
3325. **Copium adumbratum (Horvath,1891)** (Tingidae) Synonym(s): *adumbratum* Horvath,1891 **RU SY TR**

3326. **Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): *clavicorne* Linnaeus,1758 **RU TR IL Pa**
3327. **Copium teucarii (Host,1788)** (Tingidae) Synonym(s): *teucarii* Host,1788 **DZ IL Pa IR SY TR**
3328. **Copris felschei Reitter,1893** (Scarabaeidae) Synonym(s): *felschei* Reitter,1893 **TR Cc AM RU**
3329. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **ES RU UA UZ TM TJ IR TR EG**
3330. **Coptocephala gebleri Gebler,1841** (Chrysomelidae) Synonym(s): *quadrimaculatus* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 **BG TR Cc RU KG**
3331. **Coptocephala rubicunda (Laicharting,1781)** (Chrysomelidae) Synonym(s): *rubicunda* Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926; *rossica* Medvedev,1977 **GR TR SK HV RU**
3332. **Coptocephala simillima Lodewyckx,1995** (Chrysomelidae) Synonym(s): *simillima* Lodewyckx,1995 **TR**
3333. **Coptosia bithynensis Pic,1900** (Cerambycidae) Synonym(s): *bithynensis* Pic,1900 **TR Cc**
3334. **Coptosia ganglbaueri (Pic,1951)** (Cerambycidae) Synonym(s): *ganglbaueri* Pic,1951 **CY TR**
3335. **Coptosoma scutellatum (Geoffroy,1785)** (Plataspidae) Synonym(s): *scutellatum* Geoffroy,1785 **TR UA Cm**
3336. **Coraeus elatus (Fabricius,1787)** (Buprestidae) Synonym(s): *elatus* Fabricius,1787 **TR**
3337. **Coraeus rubi (Linnaeus,1767)** (Buprestidae) Synonym(s): *rubi* Linnaeus,1767 **TR**
3338. **Cordicantharis iliaca (Marseul,1864)** (Cantharidae) Synonym(s): *iliaca* Marseul,1864 **TR**
3339. **Cordicantharis similis Svihla,1999** (Cantharidae) Synonym(s): *similis* Svihla,1999 **TR**
3340. **Cordulegaster bidentata Selys,1843** (Cordulegasteridae) Synonym(s): *bidentata* Selys,1843 **TR**
3341. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916 **BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR**
3342. **Cordulegaster picta Selys,1854** (Cordulegasteridae) Synonym(s): *picta* Selys,1854 **YU TR Cc AZ Kir Lag GG**
3343. **Cordulia aenea (Linnaeus,1758)** (Corduliidae) Synonym(s): *aenea* Linnaeus,1758 **TR**
3344. **Cordyla brevicornis (Staeger,1840)** (Mycetophilidae) Synonym(s): *brevicornis* Staeger,1840 **EE LT RU MN Sb TR**
3345. **Cordyla fusca Meigen,1804** (Mycetophilidae) Synonym(s): *fusca* Meigen,1804 **EE LT LV RU Sb TR**
3346. **Cordylepherus koenigi (Abeille de Perrin,1900)** (Melyridae) Synonym(s): *koenigi* Abeille de Perrin,1900 **TR AM Cc**
3347. **Coremacera amoena (Loew,1853)** (Sciomyzidae) Synonym(s): *amoena* Loew,1853 **TR**
3348. **Coremacera catenata (Loew,1847)** (Sciomyzidae) Synonym(s): *catenata* Loew,1847 **TR**
3349. **Coremacera marginata (Fabricius,1781)** (Sciomyzidae) Synonym(s): *marginata* Fabricius,1781 **TR**
3350. **Coremacera obscuripennis (Loew,1845)** (Sciomyzidae) Synonym(s): *obscuripennis* Loew,1845 **TR**
3351. **Coremacera trivittata (Loew,1860)** (Sciomyzidae) Synonym(s): *trivittata* Loew,1860 **TR**
3352. **Coriomeris affinis (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): *affinis* Herrich-Schäffer,1839 **TR**
3353. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis* Leach,1818 **Cn Az Md IN IR CY TR PK**
3354. **Corixa dentipes Thomson,1869** (Corixidae) Synonym(s): *dentipes* Thomson,1869 **RU Cc IR TR**
3355. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR**
3356. **Corixa panzeri (Fieber,1848)** (Corixidae) Synonym(s): *panzeri* Fieber,1848 **TR**
3357. **Corixa punctata (Illiger,1807)** (Corixidae) Synonym(s): *punctata* Illiger,1807 **Cn TR**
3358. **Corizus brevicornis Horvath,1917** (Rhopalidae) Synonym(s): *brevicornis* Horvath,1917 **TR**
3359. **Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *fenestella* Horvath,1917 **GR TR Cc RU IQ IR Th Elb Kdv Gh**
3360. **Corizus hyoscyami (Linnaeus,1758)** (Rhopalidae) Synonym(s): *hyoscyami* Linnaeus,1758; *hyosciami* Kuyak et al.,2004 **TR IR Elb Th Se Gh**
3361. **Corynis caucasica (Mocsary,1886)** (Cimbicidae) Synonym(s): *caucasica* Mocsary,1886 **YU BG TR Cc IR**
3362. **Corynis concinna (Stein,1876)** (Cimbicidae) Synonym(s): *concinna* Stein,1876; *sarta* Kuznetsov-Ugamskii; *bleyli* Muche,1964 **TR Cc**
3363. **Corynis frontina (Konow,1905)** (Cimbicidae) Synonym(s): *frontina* Konow,1905 **TR Cc**
3364. **Corynis italica (Lepeletier,1823)** (Cimbicidae) Synonym(s): *italica* Lepeletier,1823 **ES FR HV YU CH UA IT TR**

3365. **Corynis krueperi (Stein,1876)** (Cimbicidae) Synonym(s): *krueperi* Stein,1876; *enslini* Maidl,1923 **MK AL LY Cy TR**
3366. **Corynis lateralis (Brullé,1832)** (Cimbicidae) Synonym(s): *lateralis* Brullé,1832 **GR TR RU Ur Cc**
3367. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
3368. **Corynis reticulata Benson,1954** (Cimbicidae) Synonym(s): *reticulata* Benson,1954 **TR IL Pa**
3369. **Corynoneura scutellata Thienemann,1944** (Chironomidae) Synonym(s): *scutellata* Thienemann,1944; *celeripes* Thienemann,1944; *lacustris* Cranston,1982 **TR**
3370. **Corynoneura validicornis Kieffer,1911** (Chironomidae) Synonym(s): *validicornis* Kieffer,1911 **TR**
3371. **Coryphiodes anaticum (Fagel,1971)** (Staphylinidae) Synonym(s): *anaticum* Fagel,1971 **TR**
3372. **Coryphium turcicum Zerche,1993** (Staphylinidae) Synonym(s): *turcicum* Zerche,1993 **TR**
3373. **Coryphium uludaghense Fagel,1971** (Staphylinidae) Synonym(s): *uludaghense* Fagel,1971 **TR**
3374. **Corythucha arcuata (Say,1832)** (Tingidae) Synonym(s): *arcuata* Say,1832 **CH IT TR**
3375. **Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775 **TR Cc RU At Sb KG Aa**
3376. **Cossyphus tauricus Steven,1882** (Tenebrionidae) Synonym(s): *tauricus* Steven,1882 **TR**
3377. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 **Apanteles ancilla** Nixon,1974, *Bull. ent. Res.* 64: 453-525. **TR BG DE IT IL Pa NL JP AT ES CH CZ YU**
3378. **Cotesia brevicollis (Wesmael,1837)** (Braconidae) Synonym(s): *brevicollis* Wesmael,1837 **RU Cc AZ TR**
3379. **Cotesia calodetta (Nixon,1974)** (Braconidae) Synonym(s): *calodetta* Nixon,1974 **RU At CH TR**
3380. **Cotesia cupresus (Lylé,1925)** (Braconidae) Synonym(s): *cupresus* Lylé,1925 **DE FI GB FR ES NL LT HU TR**
3381. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 **DE BG GB IT SE RU Sb HU TR**
3382. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus* Telenga,1955 **BG Cc RU Da GG IL Pa DE TR KG UA**
3383. **Cotesia hypantriæ (Riley,1887)** (Braconidae) Synonym(s): *hypantriæ* Riley,1887 **MX CA US GB DE YU TR CZ NL HU MD UA RU JP**
3384. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885 **DE Cc AM AT MD CZ FR GB IC SE TR**
3385. **Cotesia kazak (Telenga,1949)** (Braconidae) Synonym(s): *kazak* Telenga,1949 **TR**
3386. **Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi* Telenga,1955 **BG DE GB RU TR**
3387. **Cotesia lineola (Curtis,1830)** (Braconidae) Synonym(s): *lineola* Curtis,1830 **TR**
3388. **Cotesia melanoscela (Ratzeburg,1844)** (Braconidae) Synonym(s): *melanoscela* Ratzeburg,1844 **TR CN DK MN CA**
3389. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 **TR BG DE GB IT YU HU RU**
3390. **Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): *numen* Nixon,1974 **DK GB FR CZ HU TR**
3391. **Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes* Nixon,1974 **DE FI RU TR IT GB**
3392. **Cotesia pappi İnanç,2002** (Braconidae) Synonym(s): *pappi İnanç,2002* **Cotesia pappi İnanç,2002**, *Acta zool. hung.* 48: 158-160. Holotype ♀: Turkey: Edirne Prov., Gullapoğlu Arboretum Trakya University 20.v.2001 leg. A.Aladağ (TU). **TR**
3393. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
3394. **Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): *saltatoria* Balevski,1980 **BG YU TR HU MN**
3395. **Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974 **BG CZ HU TR CH SE**
3396. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 **DZ DE BG GB TR IR Cc NL PL HU MA**
3397. **Cotesia tenebrosa (Papp,1976)** (Braconidae) Synonym(s): *tenebrosa* Papp,1976 **TR**
3398. **Cotesia tetricus (Reinhard,1880)** (Braconidae) Synonym(s): *tetricus* Reinhard,1880 **TR**
3399. **Cotesia tibialis (Curtis,1830)** (Braconidae) Synonym(s): *tibialis* Curtis,1830 **TR**
3400. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 **DE GB FI TR AT RU HU CN AU**
3401. **Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus* Reinhard,1880 **DE GB FR FI TR MN HU**

3402. **Cotiheresiarches dirus (Wesmael,1853)** (Ichneumonidae) Synonym(s): *dirus* Wesmael,1853
TR KG
3403. **Cowperia areolata (Walker)** (Encyrtidae) Synonym(s): TR
3404. **Cranocapsus turcicus Kiyak,1990** (Miridae) Synonym(s): *turcicus* Kiyak,1990 TR
3405. **Craspedolepta malachitica (Dahlbom)** (Psyllidae) Synonym(s): TR
3406. **Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae) Synonym(s): *nebulosa*
Zetterstedt,1828 TR KG RU Sb Sh Kmt Us US
3407. **Craspedolepta pontica (Dobreanu & Manolache)** (Psyllidae) Synonym(s): TR
3408. **Crastina myricariae Loginova** (Psyllidae) Synonym(s): TR
3409. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839;
aquisgranensis Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK
ES SE GB US UZ
3410. **Craticheumon coruscator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *coruscator*
Linnaeus,1758; *luridus* Gravenhorst,1829 TR Cc IR
3411. **Craticheumon fabricator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *fabricator*
Fabricius,1793 TR
3412. **Craticheumon viator (Scopoli,1763)** (Ichneumonidae) Synonym(s): *viator* Scopoli,1763;
nigritarius Gravenhorst,1820 TR
3413. **Craticulina tabaniformis (Fabricius,1805)** (Sarcophagidae) Synonym(s): *tabaniformis*
Fabricius,1805 PT RO TR
3414. **Creightonella (Metamegachile) albisecta (Klug,1817)** (Megachilidae) Synonym(s):
albisecta Klug,1817 RU DZ Cc TR
3415. **Cremastus crassicornis Thomson,1880** (Ichneumonidae) Synonym(s): *crassicornis*
Thomson,1880; *dalmatinus* Strobl,1903 YU TR
3416. **Cremastus tristator Aubert,1970** (Ichneumonidae) Synonym(s): *tristator* Aubert,1970 TR
3417. **Crematogaster laestrygon Emery,1869** (Formicidae) Synonym(s): *laestrygon* Emery,1869
TR
3418. **Crematogaster scutellaris (Olivier,1791)** (Formicidae) Synonym(s): *scutellaris* Olivier,1791
TR
3419. **Crematogaster sordidula (Nylander,1849)** (Formicidae) Synonym(s): *sordidula*
Nylander,1849 TR
3420. **Creoleon lugdunensis (Villers,1789)** (Myrmeleonidae) Synonym(s): *lugdunensis* Villers,1789;
lineatus Latreille,1807; *plumbeus* Olivier,1811; *murinus* Klug,1834; *pictus* Burmeister,1839; *tabidus*
Eversmann,1841; *pallidipennis* Rambur,1842; *conspurcatus* Kolenati,1856; *plumbea* Hagen,1860 RU TR AF
IR IL Pa
3421. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae) Synonym(s): *aurata* Marsham,1802;
pulchella Stephens,1834; *versicolor* Kutschera,1860; *unicolor* Wetshoff,1881; *subunicolor* Pic,1918 MA TR KP
KR RU
3422. **Crepidodera aurea (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785;
cyanea Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens*
Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918 SY TR Cc RU Sb KG
3423. **Crepidodera fulvicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis*
Fabricius,1792; *smaragdina* Foundras,1860; *pivicornis* Weise,1886; *jucunda* Weise,1886; *lapponica*
Heikertinger,1950 FI TR Cc IR KG RU Sb MN CN
3424. **Crepidodera lamina (Bedel,1901)** (Chrysomelidae) Synonym(s): *lamina* Bedel,1901;
sapphirina Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886 IT TR Cc GG
3425. **Crepidodera nitidula (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *nitidula* Linnaeus,1758
TR RU Sb Sj
3426. **Crepidodera plutus (Latreille,1804)** (Chrysomelidae) Synonym(s): *plutus* Latreille,1804;
chloris Foundras,1860; *foundrasi* Weise,1886; *punctatithorax* Pic,1918; *melanocera* Everts,1919 TR KP KR
3427. **Cricotopus annulator Goetghebuer,1927** (Chironomidae) Synonym(s): *annulator*
Goetghebuer,1927 TR
3428. **Cricotopus bicinctus (Meigen,1818)** (Chironomidae) Synonym(s): *bicinctus* Meigen,1818 TR
3429. **Cricotopus flavocinctus (Kieffer,1924)** (Chironomidae) Synonym(s): *flavocinctus*
Kieffer,1924 TR
3430. **Cricotopus fuscus (Kieffer,1909)** (Chironomidae) Synonym(s): *fuscus* Kieffer,1909 TR
3431. **Cricotopus sylvestris (Fabricius,1794)** (Chironomidae) Synonym(s): *sylvestris* Fabricius,1794
TR
3432. **Cricotopus triannulatus (Macquart,1826)** (Chironomidae) Synonym(s): *triannulatus*
Macquart,1826 TR
3433. **Cricotopus tricinctus (Meigen,1828)** (Chironomidae) Synonym(s): *tricinctus* Meigen,1828
TR
3434. **Cricotopus vieriensis Goetghebuer,1935** (Chironomidae) Synonym(s): *vieriensis*
Goetghebuer,1935 TR
3435. **Crobilocerus engeli Geller-Grimm & Hradski,1999** (Asilidae) Synonym(s): *engeli* Geller-
Grimm & Hradski,1999 LB TR

3436. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847
RO Cc AZ IR Fa Th Elb RU GR TR
3437. **Croce schmidti (Navas,1927)** (Nemopteridae) Synonym(s): *schmidti* Navas,1927 TR PK
3438. **Crocothemis erythraea (Brullé,1832)** (Libellulidae) Synonym(s): *erythraea* Brullé,1832 TR
IN
3439. **Crocothemis servilia (Drury,1770)** (Libellulidae) Synonym(s): *servilia* Drury,1770 TR
3440. **Cryphaeus cornutus Fischer von Waldheim,1823** (Tenebrionidae) Synonym(s): *cornutus*
Fischer von Waldheim,1823 TR
3441. **Crypticus (Platycrypticus) castaneus Baudi,1876** (Tenebrionidae) Synonym(s): *castaneus*
Baudi,1876 TR
3442. **Crypticus (s.str.) gibbulus (Quensel,1806)** (Tenebrionidae) Synonym(s): *gibbulus*
Quensel,1806 TR
3443. **Crypticus (s.str.) pentheri Reitter,1906** (Tenebrionidae) Synonym(s): *pentheri* Reitter,1906
TR
3444. **Crypticus (s.str.) pettersoni Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s):
pettersoni Ferrer & Soldati,1999 TR
3445. **Crypticus (s.str.) quisquilius (Linnaeus,1761)** (Tenebrionidae) Synonym(s): *quisquilius*
Linnaeus,1761 TR
3446. **Crypticus (s.str.) tauri Pic,1907** (Tenebrionidae) Synonym(s): *tauri* Pic,1907 TR
3447. **Cryptobium chaudiroi Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudiroi*
Hochhuth,1851; adanense Rambousek,1906 GR TR Cc AM
3448. **Cryptobium fracticorne (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne*
Paykull,1800; jaquelini Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884 DE AT Cc TR
3449. **Cryptocephalus amasiensis Weise,1894** (Chrysomelidae) Synonym(s): *amasiensis*
Weise,1894 TR Cc
3450. **Cryptocephalus angorensis Pic,1908** (Chrysomelidae) Synonym(s): *angorensis* Pic,1908 TR
3451. **Cryptocephalus araxidis Weise,1898** (Chrysomelidae) Synonym(s): *araxidis* Weise,1898 Cc
AM TR
3452. **Cryptocephalus aureolus Suffrian,1847** (Chrysomelidae) Synonym(s): *aureolus*
Suffrian,1847; illyricus Franz,1949 ES TR
3453. **Cryptocephalus ayvazi Gök & Sassi,2002** (Chrysomelidae) Synonym(s): *ayvazi* Gök &
Sassi,2002 TR
3454. **Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor*
Eschscholtz,1818; concinnus Suffrian,1853 UA Cm BG TR Cc IR FR
3455. **Cryptocephalus biguttatus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *biguttatus*
Scopoli,1763 FR IT RO TR
3456. **Cryptocephalus biledjekensis Pic,1909** (Chrysomelidae) Synonym(s): *biledjekensis* Pic,1909
TR BG
3457. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus*
Linnaeus,1758; dispar Paykull,1799 ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR
3458. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
Cc RU TR BG TM AZ IR
3459. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
3460. **Cryptocephalus curda Jacobson,1897** (Chrysomelidae) Synonym(s): *curda* Jacobson,1897
TR Cc
3461. **Cryptocephalus elegantulus Gravenhorst,1807** (Chrysomelidae) Synonym(s): *elegantulus*
Gravenhorst,1807... FR KP KR TR
3462. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
3463. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777 RU Sb
AL BG PL YU TR JO IL Pa DZ SA UA
3464. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s):
hypochoeridis Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR
DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
3465. **Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis*
Laicharting,1781 AL BG YU GR Cc IR TR
3466. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus*
Germar,1824 RU Sb Cc KG AZ AM GG UA IR TR
3467. **Cryptocephalus labiatus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *labiatus*
Linnaeus,1761; exilis Stephens,1834; *diagrammus* Suffrian,1848; *ocularis* Heyden,1863 GB TR
3468. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
TR GR AL CY JO SY
3469. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei*
Linnaeus,1758 RU Sb AL BG PL UA Cm YU Cc IR TR JO
3470. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR

3471. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus Bedel,1891* RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc
3472. **Cryptocephalus octomaculatus Rossi,1790** (Chrysomelidae) Synonym(s): *octomaculatus Rossi,1790* FR UA TR
3473. **Cryptocephalus paphlagonius Sassi & Kismali,2000** (Chrysomelidae) Synonym(s): *paphlagonius Sassi & Kismali,2000* TR
3474. **Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus Müller,1776* PL RU Sb Cc KG AZ IR TR
3475. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi Suffrian,1848* DE ES Cc KG RU BG PL TR
3476. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias Suffrian,1853* TR BG GR AZ AM Cc JO SY YU
3477. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus Fabricius,1792* DE ES BG PL Cc TR
3478. **Cryptocephalus sultani Pic,1920** (Chrysomelidae) Synonym(s): *sultani Pic,1920* TR
3479. **Cryptocephalus trimaculatus (Rossi,1790)** (Chrysomelidae) Synonym(s): *trimaculatus Rossi,1790* FR BG HU TR
3480. **Cryptocephalus tshorumae Tomov,1984** (Chrysomelidae) Synonym(s): *tshorumae Tomov,1984* TR
3481. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus Suffrian,1847; pistaciae Suffrian,1853* HV FR Co GR TR AL BG GR SY JO
3482. **Cryptocephalus variceps Weise,1884** (Chrysomelidae) Synonym(s): *variceps Weise,1884* BG TR Cc
3483. **Cryptocheilus albosignatus Suster,1924** (Pompilidae) Synonym(s): *albosignatus Suster,1924* TR
3484. **Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae) Synonym(s): *alternatus Lepeletier,1845; caspius Gussakovskii,1952* TR
3485. **Cryptocheilus bequaerti Suster,1924** (Pompilidae) Synonym(s): *bequaerti Suster,1924* TR
3486. **Cryptocheilus confinis Haupt,1926** (Pompilidae) Synonym(s): *confinis Haupt,1926* TR
3487. **Cryptocheilus discolor (Fabricius,1793)** (Pompilidae) Synonym(s): *discolor Fabricius,1793* TR
3488. **Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae) Synonym(s): *egregius Lepeletier,1845* TR
3489. **Cryptocheilus elegans (Spinola,1806)** (Pompilidae) Synonym(s): *elegans Spinola,1806* TR
3490. **Cryptocheilus exiguus Suster,1924** (Pompilidae) Synonym(s): *exiguus Suster,1924* TR
3491. **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae) Synonym(s): *fabricii Van der Linden,1827; meridionalis Junco,1943* TR
3492. **Cryptocheilus fischeri (Spinola,1855)** (Pompilidae) Synonym(s): *fischeri Spinola,1855* TR
3493. **Cryptocheilus freygessneri (Kohl,1883)** (Pompilidae) Synonym(s): *freygessneri Kohl,1883; differens Priesner,1967* TR
3494. **Cryptocheilus gazella Haupt,1962** (Pompilidae) Synonym(s): *gazella Haupt,1962* TR
3495. **Cryptocheilus guttulatus (Costa,1887)** (Pompilidae) Synonym(s): *guttulatus Costa,1887* TR
3496. **Cryptocheilus hebraeus Suster,1924** (Pompilidae) Synonym(s): *hebraeus Suster,1924* TR
3497. **Cryptocheilus ichneumonoides (Costa,1874)** (Pompilidae) Synonym(s): *ichneumonoides Costa,1874* TR
3498. **Cryptocheilus infumatus (Palma,1869)** (Pompilidae) Synonym(s): *infumatus Palma,1869* TR
3499. **Cryptocheilus manchurianus Yasumatsu,1935** (Pompilidae) Synonym(s): *manchurianus Yasumatsu,1935* TR
3500. **Cryptocheilus nigroferrugineus (Suster,1924)** (Pompilidae) Synonym(s): *nigroferrugineus Suster,1924* TR
3501. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae) Synonym(s): *notatus Rossi,1792; affinis Van der Linden,1827; melanius Lepeletier,1845* TR IT
3502. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae) Synonym(s): *octomaculatus Rossi,1790; eatoni Saunders,1901* TR
3503. **Cryptocheilus postscutellabus Wolf,1998** (Pompilidae) Synonym(s): *postscutellabus Wolf,1998* TR
3504. **Cryptocheilus propodeonitens Wolf,1998** (Pompilidae) Synonym(s): *propodeonitens Wolf,1998* TR
3505. **Cryptocheilus pseudonotatus Suster,1913** (Pompilidae) Synonym(s): *pseudonotatus Suster,1913* TR
3506. **Cryptocheilus richardsi Moczar,1953** (Pompilidae) Synonym(s): *richardsi Moczar,1953* TR
3507. **Cryptocheilus rubellus (Eversmann,1846)** (Pompilidae) Synonym(s): *rubellus Eversmann,1846* TR
3508. **Cryptocheilus rufatus Priesner,1967** (Pompilidae) Synonym(s): *rufatus Priesner,1967* TR

3509. **Cryptocheilus stygium Priesner,1967** (Pompilidae) Synonym(s): *stygium Priesner,1967* TR
3510. **Cryptocheilus susterai (Haupt,1930)** (Pompilidae) Synonym(s): *susterai Haupt,1930* TR
3511. **Cryptocheilus tredecimmaculatus Haupt,1962** (Pompilidae) Synonym(s): *tredecimmaculatus Haupt,1962* TR
3512. **Cryptocheilus variabilis (Rossi,1790)** (Pompilidae) Synonym(s): *variabilis Rossi,1790; nigripes Priesner,1967* TR
3513. **Cryptocheilus variipennis Suster,1924** (Pompilidae) Synonym(s): *variipennis Suster,1924* TR
3514. **Cryptocheilus versicolor (Scopoli,1763)** (Pompilidae) Synonym(s): *versicolor Scopoli,1763* TR
3515. **Cryptochironomus defectus Kieffer,1921** (Chironomidae) Synonym(s): *defectus Kieffer,1921* TR
3516. **Cryptocladopelma laccophila (Kieffer,1922)** (Chironomidae) Synonym(s): *laccophila Kieffer,1922* TR
3517. **Cryptococcus fagisuga Lindinger** (Eriococcidae) Synonym(s): *fagisuga Lindinger* TR
3518. **Cryptolaemus montrouzieri Mulsant,1853** (Coccinellidae) Synonym(s): *montrouzieri Mulsant,1853* IT Sa Si TR
3519. **Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata Gravenhorst,1829; armeniator Aubert,1977* TR RU KG Cc
3520. **Cryptotendipes holsatus Lenz,1941** (Chironomidae) Synonym(s): *holsatus Lenz,1941* TR
3521. **Cryptotrogus niveus (Hampe,1852)** (Scarabaeidae) Synonym(s): *niveus Hampe,1852* IR TR
3522. **Cryptus armator Fabricius,1804** (Ichneumonidae) Synonym(s): *armator Fabricius,1804; albatorius Tschek,1870* TR
3523. **Cryptus diana Gravenhorst,1829** (Ichneumonidae) Synonym(s): *diana Gravenhorst,1829* TR
3524. **Cryptus leucocheir (Ratzeburg,1844)** (Ichneumonidae) Synonym(s): *leucocheir Ratzeburg,1844* TR TJ
3525. **Cryptus minator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *minator Gravenhorst,1829* TR
3526. **Cryptus spinosus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *armatorius Fabricius,1804; spinosus Gravenhorst,1829* TR
3527. **Cryptus spiralis (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *spiralis Geoffroy,1785* TR
3528. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913* TN DZ TR ES FR IT BG IL Pa
3529. **Cryptus tuberculatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus Gravenhorst,1829* Cn MA TR TJ
3530. **Cryptus viduatorius Fabricius,1804** (Ichneumonidae) Synonym(s): *viduatorius Fabricius,1804* TR
3531. **Cryptoptyx latipes (Rondani)** (Pteromalidae) Synonym(s): TR
3532. **Cryptoptyx robustus (Masi)** (Pteromalidae) Synonym(s): TR
3533. **Ctenagenia ozbeki Wahis,2002** (Pompilidae) Synonym(s): *ozbeki Wahis,2002* Ctenagenia ozbeki Wahis,2002, Notes faun. Gembloux 49: 116-117, figs. Holotype ♀: Turkey: Adana Prov. Karakuz 1410m leg. O.Kaftanoğlu (Gembloux). TR AF PK
3534. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
3535. **Ctenicera pectinicornis (Linnaeus,1758)** (Elateridae) Synonym(s): *pectinicornis Linnaeus,1758* TR RU Sb
3536. **Ctenophora (s.str.) guttata Meigen,1818** (Tipulidae) Synonym(s): *guttata Meigen,1818* TR
3537. **Ctenopus sp.** (Meloidae) Synonym(s): TR
3538. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca Radoszkowski,1879* TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
3539. **Ctesias syriaca Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca Ganglbauer,1904* TR SY IL Pa
3540. **Cueta beieri Hölzel,1969** (Myrmeleonidae) Synonym(s): *beieri Hölzel,1969* TR
3541. **Cueta beieri Hölzel,1969** (Myrmeleonidae) Synonym(s): *beieri Hölzel,1969* TR
3542. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa Rambur,1842; morosus Walker,1853; ulianini Mc Lachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915; albanica Capra.* SD EG AF IR SA TR IQ IL CY AM GG AL
3543. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus Rambur,1842; morosus Walker,1853; ulianini McLachlan,1875; trilineata Navas,1911; grammaticus Navas,1912; syriaca Navas,1914; natti Navas,1914; anomala Navas,1915* AF IR TR SA IQ IL Pa Cc CY SD
3544. **Culicoides achrayi Kettle & Lawson,1955** (Ceratopogonidae) Synonym(s): *achrayi Kettle & Lawson,1955* GB TR
3545. **Culicoides albonotatus Kieffer,1918** (Ceratopogonidae) Synonym(s): *albonotatus Kieffer,1918* TR

3546. **Culicoides cataneii Clastrier,1957** (Ceratopogonidae) Synonym(s): *cataneii Clastrier,1957* **DZ IL Pa TR**
3547. **Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus Kieffer,1918; nadayanus Kieffer,1918; edwardsi Goetghebuer,1921; algarum Kieffer,1924; salicola Kieffer,1924; pictidorsum Kieffer,1924; albonotatus Vimmer,1932 nec Kieff.,1918; albosignatus Vimmer,1932; polymaculatus Vimmer,1932; kirovabadicus Dzhafarov,1964* **BG TR TN BE NO DE IL Pa Cc AZ Kir**
3548. **Culicoides dzhafarovi Remm,1967** (Ceratopogonidae) Synonym(s): *dzhafarovi Remm,1967; dzhafarovi Callot,Kremer,Molet & Bach,1968* **Cc AZ FR TR**
3549. **Culicoides fascipennis (Staeger,1839)** (Ceratopogonidae) Synonym(s): *fascipennis Staeger,1839; distinctus Kieffer,1916; albonotatus Kieffer,1918; turficola Kieffer,1925* **DK EE SE TR**
3550. **Culicoides festivipennis Kieffer,1914** (Ceratopogonidae) Synonym(s): *festivipennis Kieffer,1914; odibilis Austen,1921; winnertzi Edwards,1926* **DE IL Pa TR**
3551. **Culicoides flavipulicaris Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *flavipulicaris Dzhafarov,1964* **Cc AZ TR**
3552. **Culicoides gejelensis Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *gejelensis Dzhafarov,1964* **Cc AZ IL Pa TR**
3553. **Culicoides kibunensis Tokunaga,1937** (Ceratopogonidae) Synonym(s): *kibunensis Tokunaga,1937; cubitalis Edwards,1939; ponkikiri Kono & Takahasi,1940; sitinohensis Okada,1941* **GB TR JP**
3554. **Culicoides longipennis Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis Khalaf,1957; flavisimilis Dzhafarov,1964* **Cc AZ IL Pa IQ TR**
3555. **Culicoides maritimus Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus Kieffer,1924; submaritimus Dzhafarov,1962* **DE TR DE Cc AZ IL Pa**
3556. **Culicoides newsteadi Austen,1921** (Ceratopogonidae) Synonym(s): *newsteadi Austen,1921; biclavatus Kieffer,1924; halophilus Kieffer,1924; edwardsi Goetghebuer,1933; edwardsianus Goetghebuer,1933* **IL Pa DE NO GB TR**
3557. **Culicoides nubeculosus (Meigen,1830)** (Ceratopogonidae) Synonym(s): *nubeculosus Meigen,1830* **TR**
3558. **Culicoides obsoletus (Meigen,1818)** (Ceratopogonidae) Synonym(s): *obsoletus Meigen,1818* **TR IL Pa**
3559. **Culicoides odiatus Austen,1921** (Ceratopogonidae) Synonym(s): *odiatus Austen,1921* **IL Pa TR**
3560. **Culicoides picturatus Kremer & Deduit,1961** (Ceratopogonidae) Synonym(s): *picturatus Kremer & Deduit,1961* **TR IL Pa FR**
3561. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris Linnaeus,1758; setosinervis Kieffer,1913; pullatus Kieffer,1915; stephensi Carter,1916; cinerellus Kieffer,1919; quinquepunctatus Goetghebuer,1921; flaviplumus Kieffer,1924; sawamotoi Kono & Takahasi,1940* **DE UA BE EG RU SE LT TR IL Pa TW**
3562. **Culicoides pumilus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *pumilus Winnertz,1852* **DE TR**
3563. **Culicoides punctatus (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus Meigen,1804; ocellaris Kieffer,1921; kasachstanicus Shakirzjanova,1963* **FR LT RU KG TR IL Pa SA**
3564. **Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis Becker,1903; impressus Kieffer,1918; distigma Kieffer,1922; donatieni Kieffer,1922; sciniphes Kieffer,1925; bipunctatus Vimmer,1932; tripunctatus Vimmer,1932; wenigi Vimmer,1932; flavitarsis Vimmer,1932; griseovittatus Vimmer,1932; vavrai Vimmer,1932* **ES TR TN DZ EG IL Pa**
3565. **Culicoides riethi Kieffer,1914** (Ceratopogonidae) Synonym(s): *riethi Kieffer,1914; cordatus Kieffer,1921; crassiforceps Kieffer,1924* **DE LT TR**
3566. **Culicoides riouxi Callot & Kremer,1961** (Ceratopogonidae) Synonym(s): *riouxi Callot & Kremer,1961* **FR TR**
3567. **Culicoides salinarius Kieffer,1914** (Ceratopogonidae) Synonym(s): *salinarius Kieffer,1914* **DE TR**
3568. **Culicoides shaklawensis Khalaf,1957** (Ceratopogonidae) Synonym(s): *shaklawensis Khalaf,1957* **IQ Sqw IL Pa TR**
3569. **Culicoides simulator Edwards,1939** (Ceratopogonidae) Synonym(s): *simulator Edwards,1939* **GB TR**
3570. **Culicoides subneglectus Vimmer,1932** (Ceratopogonidae) Synonym(s): *subneglectus Vimmer,1932* **IL Pa TR**
3571. **Culicoides truncorum Edwards,1939** (Ceratopogonidae) Synonym(s): *truncorum Edwards,1939* **GB TR**
3572. **Culicoides vexans (Staeger,1839)** (Ceratopogonidae) Synonym(s): *vexans Staeger,1839* **DK TR**
3573. **Cuneala amasiensis (Kriechbaumer,1869)** (Tenthredinidae) Synonym(s): *amasiensis Kriechbaumer,1869* **TR**
3574. **Cuneala confinis (Konow,1886)** (Tenthredinidae) Synonym(s): *confinis Konow,1886; koehleri sensu Puls,1870 nec Klug,1817; atratus André,1883; confinis Konow,1886; parviceps Konow,1898.* **TR**
3575. **Cuneala koehleri Klug,1817** (Tenthredinidae) Synonym(s): *koehleri Klug,1817* **TR**

3576. **Curculio crux** Fabricius,1776 (Curculionidae) Synonym(s): *crux Fabricius,1776* TR
3577. **Curculio elephas** Gyllenhal,1836 (Curculionidae) Synonym(s): *elephas Gyllenhal,1836* TR
3578. **Curculio excellans** Khnzorian,1953 (Curculionidae) Synonym(s): *excellans Khnzorian,1953* TR
3579. **Curculio glandium** Marsham,1802 (Curculionidae) Synonym(s): *glandium Marsham,1802* TR
3580. **Curculio nucum** Linnaeus,1758 (Curculionidae) Synonym(s): *nucum Linnaeus,1758* TR
3581. **Curculio pellitus** Boheman,1843 (Curculionidae) Synonym(s): *pellitus Boheman,1843* TR
3582. **Curculio pyrrhoceras** Marsham,1802 (Curculionidae) Synonym(s): *pyrrhoceras Marsham,1802* TR
3583. **Curculio salicivorus** Paykull,1792 (Curculionidae) Synonym(s): *salicivorus Paykull,1792* TR
3584. **Curculio venosus** (Gravenhorst,1807) (Curculionidae) Synonym(s): *venosus Gravenhorst,1807* TR
3585. **Cyamophila astragalicola** (Gegechkori,1977) (Psyllidae) Synonym(s): *astragalicola Gegechkori,1977* Cc TR IR
3586. **Cyamophila glycyrrhizae** (Becker) (Psyllidae) Synonym(s): TR
3587. **Cyamophila stocklosai** Klimaszewski & Lodos (Psyllidae) Synonym(s): TR
3588. **Cybister (s.str.) tripunctatus** (Olivier,1795) (Dytiscidae) Synonym(s): *tripunctatus Olivier,1795; lateralis Fabricius,1798; gotschii Hochhuth,1846; asiaticus Sharp,1882; similis Regimbart,1899; orientalis Gschwendtner,1931* TR UZ
3589. **Cybister (Scaphinectes) lateralmarginalis** (De Geer,1774) (Dytiscidae) Synonym(s): *lateralmarginalis De Geer,1774* TR Cc RU
3590. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae) Synonym(s): *arenaria Fuessli,1775* DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
3591. **Cylindera (Cicindina) pygmaea** (Dejean,1825) (Carabidae) Synonym(s): *pygmaea Dejean,1825* TR SY IR Ss IQ
3592. **Cylindera (Cicindina) sublacerata** (Solsky,1874) (Carabidae) Synonym(s): *sublacerata Solsky,1874* TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
3593. **Cylindera (Cicindina) trisignata** (Dejean,1822) (Carabidae) Synonym(s): *trisignata Dejean,1822* MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
3594. **Cylindera (s.str.) germanica** (Linnaeus,1758) (Carabidae) Synonym(s): *germanica Linnaeus,1758* TR
3595. **Cylindromyia brassicaria** (Fabricius,1775) (Tachinidae) Synonym(s): *brassicaria Fabricius,1775; boscii Robineau-Desvoidy,1830; trinacrina Bigot,1878; sapporensis Matsumura,1916* GB FR TR Md Cn RU MN JP
3596. **Cylindromyia intermedia** (Meigen,1824) (Tachinidae) Synonym(s): *intermedia Meigen,1824* TR
3597. **Cylindromyia interrupta** (Meigen,1824) (Tachinidae) Synonym(s): *interrupta Meigen,1824* TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
3598. **Cylindromyia montana** Kugler,1974 (Tachinidae) Synonym(s): *montana Kugler,1974* TR IL Pa
3599. **Cylindronotus (Helopelius) aeneipennis** (Allard,1876) (Tenebrionidae) Synonym(s): *aeneipennis Allard,1876* TR
3600. **Cylindronotus (Odocnemis) anatolicus** Pic,1899 (Tenebrionidae) Synonym(s): *anatolicus Pic,1899* TR
3601. **Cylindronotus (Odocnemis) caudatus** Allard,1876 (Tenebrionidae) Synonym(s): *caudatus Allard,1876* TR
3602. **Cylindronotus (Odocnemis) dasypus** Seidlitz,1893 (Tenebrionidae) Synonym(s): *dasypus Seidlitz,1893* TR
3603. **Cylindronotus (Odocnemis) exararatus** (Germar,1817) (Tenebrionidae) Synonym(s): *exararatus Germar,1817* TR
3604. **Cylindronotus (Odocnemis) incultus** Allard,1877 (Tenebrionidae) Synonym(s): *incultus Allard,1877* TR
3605. **Cylindronotus (Odocnemis) korbi** Reitter,1901 (Tenebrionidae) Synonym(s): *korbi Reitter,1901* TR
3606. **Cylindronotus (Odocnemis) nitidus** Seidlitz,1893 (Tenebrionidae) Synonym(s): *nitidus Seidlitz,1893* TR
3607. **Cylindronotus (Odocnemis) opertus** Reitter,1922 (Tenebrionidae) Synonym(s): *opertus Reitter,1922* TR
3608. **Cylindronotus (Odocnemis) protinus** Reitter,1900 (Tenebrionidae) Synonym(s): *protinus Reitter,1900* TR
3609. **Cylindronotus (Odocnemis) seriegranatus** Seidlitz,1893 (Tenebrionidae) Synonym(s): *seriegranatus Seidlitz,1893* TR
3610. **Cylindronotus (Odocnemis) tuberculiger** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *tuberculiger Reiche & Saulcy,1857* TR

3611. **Cylindronotus (Omaleis) amasiae Seidlitz,1896** (Tenebrionidae) Synonym(s): *amasiae Seidlitz,1896* TR
3612. **Cylindronotus (Omaleis) crenatostriatus Allard,1877** (Tenebrionidae) Synonym(s): *crenatostriatus Allard,1877* TR
3613. **Cylindronotus (Omaleis) fundator Reitter,1908** (Tenebrionidae) Synonym(s): *fundator Reitter,1908* TR
3614. **Cylindronotus (Omaleis) kurdistanus Reitter,1901** (Tenebrionidae) Synonym(s): *kurdistanus Reitter,1901* TR
3615. **Cylindronotus (Omaleis) scutellatus Reitter,1901** (Tenebrionidae) Synonym(s): *scutellatus Reitter,1901* TR
3616. **Cylindronotus (s.str.) funestoides Reitter,1900** (Tenebrionidae) Synonym(s): *funestoides Reitter,1900* TR
3617. **Cylindronotus (s.str.) hoberlandti Kaszab,1960** (Tenebrionidae) Synonym(s): *hoberlandti Kaszab,1960* TR
3618. **Cylindronotus (Stenomax) aeneus (Scopoli,1763)** (Tenebrionidae) Synonym(s): *aeneus Scopoli,1763* TR
3619. **Cyllenia rustica (Rossi,1790)** (Bombyliidae) Synonym(s): *rustica Rossi,1790* IT TR
3620. **Cymatia coleoprata (Fabricius,1777)** (Corixidae) Synonym(s): *coleoprata Fabricius,1777* TR Cc
3621. **Cymatia rogenhoferi (Fieber,1864)** (Corixidae) Synonym(s): *rogenhoferi Fieber,1864* TR Cc
3622. **Cymodusa (s.str.) propodeata Kolarov & Yurtcan,2008** (Ichneumonidae) Synonym(s): *propodeata Kolarov & Yurtcan,2008* Cymodusa (s.str.) propodeata Kolarov & Yurtcan,2008, Biologia 63 (4): 548-549, 4 figs. Holotype ♀: Turkey: Bursa, Suleymaniye 19.9.1992 M.Yurtcan leg. (coll. Univ. Plovdiv,BG). TR
3623. **Cyenetis impunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *impunctata Linnaeus,1758* TR IT
3624. **Cyenetis syriaca (Mader)** (Coccinellidae) Synonym(s): *syriaca Mader ; rapillyi* IR TR
3625. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama Hartig,1840; mailleti Folliot,1964* ES FR GB IE BE DE AT PL UA HU B-H BG TR
3626. **Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex Hartig,1843* IT AT SS HU RO BG GR TR
3627. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa Hartig,1840; verrucosus Schlechtendal,1870* PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
3628. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus Fourcroy,1785; pubescentis Mayr,1881; ilicis Kieffer,1896; geminus Belizin & Maisuradze,1962; rusanovae Belizin & Maisuradze,1962* PT ES FR DE UA MD RO YU GR IT AT HU TR MK
3629. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii Linnaeus,1758; scutellaris Olivier,1791; gallaecerasiformis Anthoine,1794; gallaeunidoniformis Anthoine,1794; folii Hartig,1840; flosculi Giraud,1868; giraudi Tschek,1869; taschenbergi Schlechtendal,1870* ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
3630. **Cyphogenia (Lechriomus) lucifuga (Adams,1817)** (Tenebrionidae) Synonym(s): *lucifuga Adams,1817* TR
3631. **Cyphon abeillei Bourgeois,1884** (Scirtidae) Synonym(s): *abeillei Bourgeois,1884* FR IL Pa TR
3632. **Cyphon arietizans Nyholm,1970** (Scirtidae) Synonym(s): *arietizans Nyholm,1970* TR IR Cc
3633. **Cyphon buceros Nyholm,1949** (Scirtidae) Synonym(s): *buceros Nyholm,1949* Cc TR
3634. **Cyphon dinolabis Nyholm,1970** (Scirtidae) Synonym(s): *dinolabis Nyholm,1970* TR
3635. **Cyphon euoplus Nyholm,1970** (Scirtidae) Synonym(s): *euoplus Nyholm,1970* TR
3636. **Cyphon laevipennis Tournier,1868** (Scirtidae) Synonym(s): *laevipennis Tournier,1868* TR
3637. **Cyphon longispinus Nyholm,1968** (Scirtidae) Synonym(s): *longispinus Nyholm,1968* TR
3638. **Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus Nyholm,1970* TR GR Rd Cc IR IL Pa
3639. **Cyphon ochraceus Stephens,1830** (Scirtidae) Synonym(s): *ochraceus Stephens,1830* TR
3640. **Cyphon osellai Klausnitzer,1989** (Scirtidae) Synonym(s): *osellai Klausnitzer,1989* TR
3641. **Cyphon padi (Linnaeus,1758)** (Scirtidae) Synonym(s): *padi Linnaeus,1758* TR
3642. **Cyphon palustris Thomson,1855** (Scirtidae) Synonym(s): *palustris Thomson,1855* TR
3643. **Cyphon ponticus Nyholm,1976** (Scirtidae) Synonym(s): *ponticus Nyholm,1976* TR
3644. **Cyphon pubescens Fabricius,1792** (Scirtidae) Synonym(s): *pubescens Fabricius,1792* TR
3645. **Cyphon scurrula Nyholm,1970** (Scirtidae) Synonym(s): *scurrula Nyholm,1970* TR
3646. **Cyphon wittmeri Nyholm,1970** (Scirtidae) Synonym(s): *wittmeri Nyholm,1970* TR Cc
3647. **Cyphononyx flavicornis (Fabricius,1793)** (Pompilidae) Synonym(s): *flavicornis Fabricius,1793; bretonii Guérin-Meneville,1843* TR
3648. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
3649. **Cyrtogaster vulgaris Walker** (Pteromalidae) Synonym(s): TR

3650. **Cyrtolabulus iranus (Giordani Soika,1968)** (Vespidae) Synonym(s): *iranus Giordani Soika,1968* TR IR
3651. **Cyrtolabulus zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi Kostylev,1939* IR TR
3652. **Cyrtanastes confusus Berti & Daccordi,1974** (Chrysomelidae) Synonym(s): *confusus Berti & Daccordi,1974* *Cyrtanastes confusus Berti & Daccordi,1974, Annl. Soc. ent. Fr. (n.s.) 10 (3): 607-608.* TR
3653. **Cyrtosus anceyi Abeille de Perrin,1869** (Melyridae) Synonym(s): *anceyi Abeille de Perrin,1869* AM Cc TR
3654. **Cyrtosus corniculatus (Kraatz & Kiesenwetter,1864)** (Melyridae) Synonym(s): *corniculatus Kraatz & Kiesenwetter,1864* TR
3655. **Cyrtosus nitidicollis (Chevrolat,1873)** (Melyridae) Synonym(s): *nitidicollis Chevrolat,1873* TR
3656. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794* DZ IT TR IL Pa LB IR Ha Lo Th Elb
3657. **Cytherea pallidipennis (Abbasian-Lintzen,1968)** (Bombyliidae) Synonym(s): *pallidipennis Abbasian-Lintzen,1968* IR IL Pa TR
3658. **Cytherea speciosa Loew,1844** (Bombyliidae) Synonym(s): *speciosa Loew,1844* TR IR Th Elb
3659. **Dactylolabis (Dactylolabis) jonica Lackschewitz,1940** (Limoniidae) Synonym(s): *jonica Lackschewitz,1940* GR TR
3660. **Dactylopius coccus Costa** (Dactylopiidae) Synonym(s): *coccus Costa* TR
3661. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis Zetterstedt,1838* TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
3662. **Dailognatha caraboides Solier,1835** (Tenebrionidae) Synonym(s): *caraboides Solier,1835; audouini Solier,1835; caucasica Desbrochers,1881* TR Cc BG SY IR
3663. **Dailognatha carceli Solier,1835** (Tenebrionidae) Synonym(s): *carceli Solier,1835* TR GR Cc Cr
3664. **Dailognatha crenata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata Reiche & Saulcy,1857* TR SY Cc
3665. **Dailognatha impressicollis Solier,1835** (Tenebrionidae) Synonym(s): *impressicollis Solier,1835* TR
3666. **Dailognatha minuscula Desbrochers,1881** (Tenebrionidae) Synonym(s): *minuscula Desbrochers,1881* TR
3667. **Dailognatha planata Miller,1861** (Tenebrionidae) Synonym(s): *planata Miller,1861* SY TR
3668. **Dailognatha pumila Baudi,1874** (Tenebrionidae) Synonym(s): *pumila Baudi,1874; humeralis Desbrochers,1881* TR Cc AM
3669. **Dailognatha quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis Brullé,1832* TR GR SY
3670. **Dailognatha rugipleuris Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris Reitter,1896* TR
3671. **Dallognatha crenata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata Reiche & Saulcy,1857* TR
3672. **Dallognatha pumila Baudi,1874** (Tenebrionidae) Synonym(s): *pumila Baudi,1874* TR
3673. **Dallognatha quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis Brullé,1832* TR
3674. **Dallognatha rugipleuris Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris Reitter,1896* TR
3675. **Dalmanina marginata (Meigen,1824)** (Conopidae) Synonym(s): *marginata Meigen,1824* TR
3676. **Dalmanina punctata (Fabricius,1794)** (Conopidae) Synonym(s): *punctata Fabricius,1794* TR
3677. **Dalopius marginatus (Linnaeus,1758)** (Elateridae) Synonym(s): *marginatus Linnaeus,1758* TR GR RU Sb
3678. **Dalopius radiculosus Gurjeva,1964** (Elateridae) Synonym(s): *radiculosus Gurjeva,1964* TR
3679. **Danacaea marginata (Küster,1851)** (Melyridae) Synonym(s): *marginata Küster,1851* RO GR CY TR
3680. **Danacaea taurica Baudi di Selve,1873** (Melyridae) Synonym(s): *taurica Baudi di Selve,1873* TR
3681. **Danasoma fasciata (Linnaeus,1758)** (Elateridae) Synonym(s): *fasciata Linnaeus,1758* TR SK RU Sb Tv Us JP
3682. **Dasineura affinis (Kieffer,1886)** (Cecidomyiidae) Synonym(s): *affinis Kieffer,1886* TR
3683. **Dasineura crataegi (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *crataegi Winnertz,1853* TR
3684. **Dasineura oleae (Loew,1885)** (Cecidomyiidae) Synonym(s): *oleae Loew,1885* TR
3685. **Dasineura refescens (Stefani,1896)** (Cecidomyiidae) Synonym(s): *refescens Stefani,1896* TR
3686. **Dasineura rosae (Bremi,1847)** (Cecidomyiidae) Synonym(s): *rosae Bremi,1847; rosarum Hardy,1850* TR

3687. **Dasineura viciae (Kieffer,1888)** (Cecidomyiidae) Synonym(s): *viciae* Kieffer,1888 **TR**
3688. **Dasycerus crenatus Motschoulsky,1839** (Staphylinidae) Synonym(s): *crenatus* Motschoulsky,1839 **TR**
3689. **Dasyhelea distalis Kieffer,1918** (Ceratopogonidae) Synonym(s): *distalis* Kieffer,1918 **TR**
3690. **Dasyhelea flaviscapula Kieffer,1918** (Ceratopogonidae) Synonym(s): *flaviscapula* Kieffer,1918 **TR**
3691. **Dasyhelea scutellaris Kieffer,1918** (Ceratopogonidae) Synonym(s): *scutellaris* Kieffer,1918 **TR**
3692. **Dasyhelea trifasciata Kieffer,1918** (Ceratopogonidae) Synonym(s): *trifasciata* Kieffer,1918 **TR**
3693. **Dasyhippus escalerae (Bolivar,1899)** (Acrididae) Synonym(s): *escalerae* Bolivar,1899 **TR**
3694. **Dasyhippus uvarovi Karabağ,1953** (Acrididae) Synonym(s): *uvarovi* Karabağ,1953 **TR**
3695. **Dasyphora albofasciata (Macquart,1839)** (Muscidae) Synonym(s): *albofasciata* Macquart,1839; *aeneomicans* Portschinsky,1881 **Cc AM Eri GG AZ TR**
3696. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata* Egger,1865 **MA DE PL CZ SK CH AT HU Cc AM RU TR**
3697. **Dasyphora pratorum (Meigen,1826)** (Muscidae) Synonym(s): *pratorum* Meigen,1826 **TR GG AZ AM Cc**
3698. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preysslner,1790; *analis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 **IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB**
3699. **Dasyopogon geradi Weinberg,1987** (Asilidae) Synonym(s): *geradi* Weinberg,1987 **GR TR**
3700. **Dasyopogon irinelae Weinberg,1986** (Asilidae) Synonym(s): *irinelae* Weinberg,1986 **Cc RU TR AZ IR**
3701. **Dasyopogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869 **IR AZ Cc GR KG MN RO RU Sb TR**
3702. **Dasyrhamphis anthracinus (Meigen,1820)** (Tabanidae) Synonym(s): *anthracinus* Meigen,1820 **TR**
3703. **Dasyrhamphis ater (Austen,1925)** (Tabanidae) Synonym(s): *ater* Austen,1925 **TR**
3704. **Dasyrhamphis carbonarius (Meigen,1820)** (Tabanidae) Synonym(s): *carbonarius* Meigen,1820; *gagates* Loew,1858 **TR**
3705. **Dasyrhamphis insecutor (Austen,1920)** (Tabanidae) Synonym(s): *insecutor* Austen,1920 **TR**
3706. **Dasyrhamphis nigritus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigritus* Fabricius,1794; *alexandrinus* Wiedemann,1830 **DZ ES FR IT TR IL Pa SY**
3707. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820 **IT Si AT AL YU BG RO GR TR IL Pa LB RU**
3708. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoskovsky,1890; *fastuosa* Gribodo,1893 **MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si**
3709. **Dasysyrphus albostriatus (Fallén,1817)** (Syrphidae) Synonym(s): *albostriatus* Fallén,1817 **TR RU Ur Sb Cc KG MN JP**
3710. **Dasysyrphus lunulatus (Meigen,1822)** (Syrphidae) Synonym(s): *lunulatus* Meigen,1822 **TR**
3711. **Dasysyrphus pinastri (De Geer,1776)** (Syrphidae) Synonym(s): *pinastri* De Geer,1776 **TR**
3712. **Dasytes akbesianus Pic,1894** (Melyridae) Synonym(s): *akbesianus* Pic,1894 **TR**
3713. **Dasytes laevicollis Schilsky,1897** (Melyridae) Synonym(s): *laevicollis* Schilsky,1897 **TR**
3714. **Dasytes moniliatus Kiesenwetter,1863** (Melyridae) Synonym(s): *moniliatus* Kiesenwetter,1863 **GR BG TR**
3715. **Dasytes murinus Schilsky,1894** (Melyridae) Synonym(s): *murinus* Schilsky,1894 **GR TR**
3716. **Dasytes orientalis Schilsky,1894** (Melyridae) Synonym(s): *orientalis* Schilsky,1894 **TR BG GR**
3717. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776 **SE DK AT BG CZ FR DE GR IT RO ES CH TR YU**
3718. **Dasytes tardus Schaufuss,1876** (Melyridae) Synonym(s): *tardus* Schaufuss,1876 **B-H GR YU TR**
3719. **Dasytes torretassoi Pic,1934** (Melyridae) Synonym(s): *torretassoi* Pic,1934 **TR**
3720. **Dasytes virens (Marsham,1802)** (Melyridae) Synonym(s): *virens* Marsham,1802 **AT FR DE GR TR**
3721. **Dasytidius brevicornis Majer,1996** (Melyridae) Synonym(s): *brevicornis* Majer,1996 **TR**
3722. **Dasytidius congruens Majer,1989** (Melyridae) Synonym(s): *congruens* Majer,1989 **TR GR Rd**
3723. **Dasytidius fulvipes (Reitter,1885)** (Melyridae) Synonym(s): *fulvipes* Reitter,1885 **SY TR**
3724. **Dasytidius funebris Majer,1989** (Melyridae) Synonym(s): *funebris* Majer,1989 **TR**
3725. **Dasytidius impar Majer,1996** (Melyridae) Synonym(s): *impar* Majer,1996 **TR**
3726. **Dasytidius indutus Kiesenwetter,1859** (Melyridae) Synonym(s): *indutus* Kiesenwetter,1859 **HV GR Cr TR CY**

3727. **Dasytidius infinitus Majer,1991** (Melyridae) Synonym(s): *infinitus* Majer,1991 **TR SY**
3728. **Dasytidius kalalovae Majer,1991** (Melyridae) Synonym(s): *kalalovae* Majer,1991 **IR IQ TR**
3729. **Dasytidius latissimus Majer,1989** (Melyridae) Synonym(s): *latissimus* Majer,1989 **TR**
3730. **Dasytidius malkini Majer,1996** (Melyridae) Synonym(s): *malkini* Majer,1996 **TR**
3731. **Dasytidius mantici Majer** (Melyridae) Synonym(s): **TR**
3732. **Dasytidius nigripes (Pic,1894)** (Melyridae) Synonym(s): *nigripes* Pic,1894 **GR SY TR IR AZ Cc**
3733. **Dasytidius optivus Majer,1989** (Melyridae) Synonym(s): *optivus* Majer,1989 **TR**
3734. **Dasytidius prosperus Majer,1989** (Melyridae) Synonym(s): *prosperus* Majer,1989 **TR**
3735. **Dasytidius syriacus (Reitter,1885)** (Melyridae) Synonym(s): *syriacus* Reitter,1885 **CY IL Pa**
JO LB SY TR
3736. **Dasytiscus amasyanus Majer,1996** (Melyridae) Synonym(s): *amasyanus* Majer,1996 **TR JO**
3737. **Dasytiscus flaveolus Reitter,1889** (Melyridae) Synonym(s): *flaveolus* Reitter,1889 **GR Rd TR**
3738. **Dasytiscus hladili Majer,1988** (Melyridae) Synonym(s): *hladili* Majer,1988 **TR**
3739. **Dasytiscus praecox (Küster,1851)** (Melyridae) Synonym(s): *praecox* Küster,1851 **GR TR**
3740. **Dasytiscus rufipennis Majer,1996** (Melyridae) Synonym(s): *rufipennis* Majer,1996 **TR**
3741. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793;
aeolicus Guarino,1935 **TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF**
3742. **Decticus mithati Ramme,1939** (Tettigoniidae) Synonym(s): *mithati* Ramme,1939 **TR**
3743. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus*
Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von
Waldheim,1846 **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG**
KK MN KP KR JP AF IQ SY LB IL Pa SA CN
3744. **Delenda carthago Croissandeau,1891** (Staphylinidae) Synonym(s): *carthago*
Croissandeau,1891 **TR**
3745. **Deleproctophylla dusmeti Navas,1914** (Ascalaphidae) Synonym(s): *dusmeti* Navas,1914 **ES**
TR Cc AZ PK
3746. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata* Klug,1834
IL Pa TR Cc AM GG CY TM UZ KG
3747. **Delia radicum (Linnaeus,1758)** (Anthomyiidae) Synonym(s): *radicum* Linnaeus,1758 **TR**
3748. **Deliphrosoma freudeorum Zerche,1996** (Staphylinidae) Synonym(s): *freudeorum*
Zerche,1996 **Deliphrosoma freudeorum Zerche,1996, Reichenbachia 31: 175-177. TR**
3749. **Deliphrosoma kopdagense Bordoni,1999** (Staphylinidae) Synonym(s): *kopdagense*
Bordoni,1999 **Deliphrosoma kopdagense Bordoni,1999, Fragm. ent. 31 (2): 196-200, figs. Holotype ♂:**
Turchia: Erzurum: Kopdagi gecidi 2390m, 18 vi.1968 V.Sbordoni leg. (CB). TR
3750. **Deliphrosoma lindbergi (Scheerpeltz,1958)** (Staphylinidae) Synonym(s): *lindbergi*
Scheerpeltz,1958 **TR**
3751. **Deliphrosoma lothari Bordoni,2000** (Staphylinidae) Synonym(s): *lothari* Bordoni,2000 **TR**
3752. **Deliphrosoma mandli (Scheerpeltz,1937)** (Staphylinidae) Synonym(s): *mandli*
Scheerpeltz,1937 **TR**
3753. **Deliphrosoma turcicum Zerche,1997** (Staphylinidae) Synonym(s): *turcicum* Zerche,1997 **TR**
3754. **Deliphrosoma weiratheri (Scheerpeltz,1938)** (Staphylinidae) Synonym(s): *weiratheri*
Scheerpeltz,1938 **TR**
3755. **Deliphrosoma wunderlei Zerche,1998** (Staphylinidae) Synonym(s): *wunderlei* Zerche,1998
TR
3756. **Delomerista pfankuchi Brauns,1905** (Ichneumonidae) Synonym(s): *pfankuchi* Brauns,1905;
unicolor Hedwig,1959 **TR**
3757. **Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): *audrasi* Ribaut,1954;
linnavuorii LeQuesne,1960 **AL BG CZ FR IL RO TR YU**
3758. **Delphacodes nastasi Asche & Remane,1983** (Delphacidae) Synonym(s): *nastasi* Asche &
Remane,1983 **TR**
3759. **Delphacodoides anaxarchi (Muir,1926)** (Delphacidae) Synonym(s): *anaxarchi* Muir,1926;
ornata Muir,1929; *trilineus* Dlabola,1957; *#trilineatus* Nast,1972 **IL TR**
3760. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis* Ribaut,1934 **AF DZ CY TR**
FR IL IT MA ES TN
3761. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852
Cn ES DZ EG JO Pet SO YE TR AF NP IN
3762. **Delta Saussure,[1855]** (Vespidae) Synonym(s): *Delta Saussure,[1855]*; *Phi Saussure,[1855]*;
Erinys Zirmgiebl,1953 nec Rye,1876 **Delta Saussure,[1855], Etud. Fam. Vesp. 3: 130,143. Type-species:**
Vespa maxillosa De Geur,1773, designated by Bequaert,1925, Bull. Brook. ent. Soc. 20: 137. TR
3763. **Delta unguiculatum (Villers,1789)** (Vespidae) Synonym(s): *unguiculatum* Villers,1789 **TR DZ**
3764. **Delta viatrix (Nurse,1903)** (Vespidae) Synonym(s): *viatrix* Nurse,1903 **TR Ch**
3765. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806;
convexus Rey,1894; *fumigatus* Rey,1894 **DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE**
CH RU YU CA TR

3766. **Demirsoyus salmani Şirin & Çıplak,2004** (Acrididae) Synonym(s): *salmani Şirin & Çıplak,2004*; #*demirsoyi auct.* **Demirsoyus salmani Şirin & Çıplak,2004**, *Trans. am. Ent. Soc.* **130** (4): 427. Holotype ♂: Turkey: Antalya Prov. Serik, Karaday (AÜ). **TR**
3767. **Dendarus (Pandarinus) alleonis Seidlitz,1893** (Tenebrionidae) Synonym(s): *alleonis Seidlitz,1893* **TR**
3768. **Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus Baudi,1876* **TR IR TM Cc**
3769. **Dendarus (Pandarinus) caelatus Brullé,1832** (Tenebrionidae) Synonym(s): *caelatus Brullé,1832* **TR**
3770. **Dendarus (Pandarinus) crenulatus (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *crenulatus Ménétriés,1832*; *dardanus Faldermann,1837*; *cribratus Waltl,1838* **TR Cc AM**
3771. **Dendarus (Pandarinus) dalmatinus Germar,1824** (Tenebrionidae) Synonym(s): *dalmatinus Germar,1824* **TR**
3772. **Dendarus (Pandarinus) foveolatus Seidlitz,1893** (Tenebrionidae) Synonym(s): *foveolatus Seidlitz,1893* **TR**
3773. **Dendarus (Pandarinus) messenius Brullé,1832** (Tenebrionidae) Synonym(s): *messenius Brullé,1832*; *gravidus Brullé,1832*; *tentyrioides Brullé,1832*; *ottomanus Mulsant,1854* **TR GR**
3774. **Dendarus (Pandarinus) moesiacus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *moesiacus Mulsant & Rey,1854* **TR GR**
3775. **Dendarus (Pandarinus) punctatus Audinet-Serville,1825** (Tenebrionidae) Synonym(s): *punctatus Audinet-Serville,1825* **TR Cc AM RU**
3776. **Dendarus (Pandarinus) scrobiculatus Seidlitz,1893** (Tenebrionidae) Synonym(s): *scrobiculatus Seidlitz,1893* **TR**
3777. **Dendarus (Pandarinus) tenellus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *tenellus Mulsant & Rey,1854* **TR GR IQ**
3778. **Dendarus (Pandarinus) tibialis Seidlitz,1893** (Tenebrionidae) Synonym(s): *tibialis Seidlitz,1893* **GR TR**
3779. **Dendarus (Pandarinus) torpidus Mulsant,1854** (Tenebrionidae) Synonym(s): *torpidus Mulsant,1854* **TR**
3780. **Dendarus (Pandarinus) sinuatus Mulsant,1854** (Tenebrionidae) Synonym(s): *sinuatus Mulsant,1854* **TR**
3781. **Dendarus (Pandarinus) stygius Waltl,1838** (Tenebrionidae) Synonym(s): *stygius Waltl,1838* **GR TR**
3782. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): *pantherinus Fabricius,1787* **CN TR**
3783. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): *pantherinus Fabricius,1787* **CN Ui TR**
3784. **Dendroxena quadrimaculata (Scopoli,1772)** (Silphidae) Synonym(s): *quadrimaculata Scopoli,1772* **TR**
3785. **Denops albofasciatus (Charpentier,1825)** (Cleridae) Synonym(s): *albofasciatus Charpentier,1825* **PT ES LY TR IL Pa**
3786. **Denticollis linearis (Linnaeus,1758)** (Elateridae) Synonym(s): *linearis Linnaeus,1758* **TR**
3787. **Denticollis parallelicollis Aubé,1850** (Elateridae) Synonym(s): *parallelicollis Aubé,1850* **TR Cc GG RO**
3788. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens Piller & Mitterpacher,1783* **AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR**
3789. **Dentilla curtiventris (André,1901)** (Mutillidae) Synonym(s): *curtiventris André,1901* **TR AM AZ Cc SY GR YU MK AL IT Si**
3790. **Dentilla erronea (André,1902)** (Mutillidae) Synonym(s): *erronea André,1902* **TR GR BG AL IT DZ**
3791. **Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica Sichel & Radoszkowski,1869* **IR TR AZ AM Cc IL Pa GR**
3792. **Dentilla ursina (Nagy,1972)** (Mutillidae) Synonym(s): *ursina Nagy,1972* **TR AZ Cc**
3793. **Deporaus betulae (Linnaeus,1758)** (Atelabidae) Synonym(s): *betulae Linnaeus,1758*; *populi Scopoli,1763*; *fagi Scopoli,1763*; *femoratus Olivier,1789*; *populneus Gmelin,1790*; *femoralis Latreille,1804* **DE DZ BG FR GB Cc TR KG MK MN RU Sb**
3794. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa Brisout,1848*; *acuminata Brisout,1850*; *charpentieri Fieber,1853*; *elevata Fieber,1853*; *rudis Walker,1971*; *turcicus Demirsoy,1977* **TR ES FR GR BG RO IR Cc**
3795. **Deraeocoris punctulatus (Fallén,1807)** (Miridae) Synonym(s): *punctulatus Fallén,1807* **TR**
3796. **Deraeocoris rutilus (Herrich-Schäffer,1838)** (Miridae) Synonym(s): *rutilus Herrich-Schäffer,1838* **TR**
3797. **Derephysia foliacea (Fallén,1807)** (Tingidae) Synonym(s): *foliacea Fallén,1807* **TR**
3798. **Dericorys tibialis (Pallas,1773)** (Acrididae) Synonym(s): *tibialis Pallas,1773* **TR**
3799. **Dericorys uvarovi Ramme,1930** (Acrididae) Synonym(s): *uvarovi Ramme,1930* **TR Cc AM**

- 3800. Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus Steven,1808* **PL AF TR Cc IN KK IR MN RU CN UI**
- 3801. Dermestes (Dermestinus) frischii Kugelan,1792** (Dermestidae) Synonym(s): *frischii Kugelan,1792; vulpinus Herbst,1792; pollinctus Hope,1834; heyrovskyi Obenberger,1917; rufimembris Pic,1951; sternimaculatus Marcu,1957* **TR**
- 3802. Dermestes (Dermestinus) gyllenhali Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus Gyllenhal,1808 nec Fabr.,1775; gyllenhali Castelnau,1840* **Cc TR RU Sb IR KG**
- 3803. Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius Kalik,1951* **AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR**
- 3804. Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi Kalik,1950* **AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR**
- 3805. Dermestes (Dermestinus) lanarius Illiger,1801** (Dermestidae) Synonym(s): *lanarius Illiger,1801; affinis Gyllenhal,1808; catta Dultschmid,1825; liniarius Stephens,1829* **TR**
- 3806. Dermestes (Dermestinus) leopardinus Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus Mulsant & Godart,1855* **BG HV TR YU Cc UA RU**
- 3807. Dermestes (Dermestinus) maculatus DeGeer,1774** (Dermestidae) Synonym(s): *maculatus DeGeer,1774; marginatus Thunberg,1781; vulpinus Fabricius,1781; senex Germar,1824; elongatus Hope,1834; lupinus Mannerheim,1843; cinereus Redtenbacher,1867; sudanicus Gredler,1878; cyprius Pic,1951; pakistanicus Havelka,1951* **TR SD CY PK**
- 3808. Dermestes (Dermestinus) murinus Linnaeus,1758** (Dermestidae) Synonym(s): *murinus Linnaeus,1758; nebulosus DeGeer,1774; roseiventris Laporte,1840* **TR**
- 3809. Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous Küster,1846; asiatica Hava,2002* **FR Co PT ES IT Sa DZ IR JO SY TR**
- 3810. Dermestes (Dermestinus) sibiricus Erichson,1846** (Dermestidae) Synonym(s): *sibiricus Erichson,1846* **RU Sb TR MN**
- 3811. Dermestes (Dermestinus) undulatus Brahm,1790** (Dermestidae) Synonym(s): *undulatus Brahm,1790* **TR**
- 3812. Dermestes (Montandonia) fuliginosus Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus Rossi,1792* **TR Cc IR**
- 3813. Dermestes (Montandonia) olivieri Lepesme,1939** (Dermestidae) Synonym(s): *olivieri Lepesme,1939* **Cc IR TR SY TM**
- 3814. Dermestes (s.str.) ater DeGeer,1774** (Dermestidae) Synonym(s): *ater DeGeer,1774; cadaverinus Fabricius,1775; piceus Thunberg,1781; felinus Fabricius,1787; domesticus Germar,1824; hispidulus Montrouzier,1860; chinensis Motschoulsky,1866; subcostatus Murray,1867; noxius Mulsant & Rey,1868; favarqui Godard,1883* **TR**
- 3815. Dermestes (s.str.) bicolor Fabricius,1781** (Dermestidae) Synonym(s): *bicolor Fabricius,1781; striatus Kolenati,1846* **TR**
- 3816. Dermestes (s.str.) lardarius Linnaeus,1758** (Dermestidae) Synonym(s): *lardarius Linnaeus,1758* **TR**
- 3817. Dermestes (s.str.) Linnaeus,1758** (Dermestidae) Synonym(s): *Dermestes Linnaeus,1758* **TR**
- 3818. Derocrepis anatolica Heikertinger,1922** (Chrysomelidae) Synonym(s): *anatolica Heikertinger,1922* **TR**
- 3819. Derocrepis delangrei Pic,1903** (Chrysomelidae) Synonym(s): *delangrei Pic,1903* **TR**
- 3820. Derocrepis laterufa Pic,1909** (Chrysomelidae) Synonym(s): *laterufa Pic,1909; obscuricolor Pic,1911* **Cc TR GG**
- 3821. Derocrepis rufipes (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes Linnaeus,1758; ruficornis Fabricius,1792; obscura Weise,1886; latithorax Pic,1911* **IT TR Cc RU Sb Sj**
- 3822. Derocrepis serbica (Kutschera,1860)** (Chrysomelidae) Synonym(s): *serbica Kutschera,1860; strangulata Allard,1860; bicolor Weise,1886* **HV YU RO BG GR UA Cm TR**
- 3823. Derocrepis whiteheadi Warchalowski,1998** (Chrysomelidae) Synonym(s): *whiteheadi Warchalowski,1998* **Derocrepis whiteheadi Warchalowski,1998, Genus 9 (3): 361-365, figs. Holotype** ♂: **Türkei: Lycien [Antalya Prov., 70km E Fethiye]: das Bergmassiv Eren Dag, 2500m 20 v 1997 leg. P.F.Whitehead (BMNH).** **TR**
- 3824. Deronectes doriae Sharp,1882** (Dytiscidae) Synonym(s): *doriae Sharp,1882* **TR Cc**
- 3825. Deronectes evelynae Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *evelynae Fery & Hosseinie,1998* **TR**
- 3826. Deronectes hakkariensis Wewalka,1989** (Dytiscidae) Synonym(s): *hakkariensis Wewalka,1989* **TR**
- 3827. Deronectes jaechi Wewalka,1989** (Dytiscidae) Synonym(s): *jaechi Wewalka,1989* **TR**
- 3828. Deronectes kinzelbachi Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *kinzelbachi Fery & Hosseinie,1998* **TR**
- 3829. Deronectes longipes Sharp,1882** (Dytiscidae) Synonym(s): *longipes Sharp,1882* **IR Fa Lo TR**
- 3830. Deronectes parvicollis (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis Schaum,1864* **TR IR Zj BG GR IL Pa**

3831. **Deronectes sahlbergi Zimmermann,1932** (Dytiscidae) Synonym(s): *sahlbergi Zimmermann,1932* TR Rd GR
3832. **Deronectes syriacus Wewalka,1971** (Dytiscidae) Synonym(s): *syriacus Wewalka,1971* TR SY
3833. **Deronectes toledoï Fery, Köksal & Hosseinie,2001** (Dytiscidae) Synonym(s): *toledoï Fery, Köksal & Hosseinie,2001* TR
3834. **Deronectes wittmeri Wewalka,1971** (Dytiscidae) Synonym(s): *wittmeri Wewalka,1971* TR
3835. **Diaclina fagi (Panzer,1799)** (Tenebrionidae) Synonym(s): *fagi Panzer,1799* TR
3836. **Diadegma apostata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *apostata Gravenhorst,1829* Cc AM TR
3837. **Diadegma armilata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *armilata Gravenhorst,1829; turcica Fahringer,1944* TR
3838. **Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): *chrysostictos Gmelin,1790* TR IL Pa EG
3839. **Diadegma claripennis (Thomson,1887)** (Ichneumonidae) Synonym(s): *claripennis Thomson,1887* TR
3840. **Diadegma crassicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *crassicornis Gravenhorst,1829* TR
3841. **Diadegma crataegellae (Thomson,1877)** (Ichneumonidae) Synonym(s): *crataegellae Thomson,1877* TR
3842. **Diadegma fenestralis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fenestralis Holmgren,1860* TR
3843. **Diadegma grisescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *grisescens Gravenhorst,1829; hydropota Holmgren,1858* TR
3844. **Diadegma maculata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *maculata Gravenhorst,1829* TR
3845. **Diadegma pulchripes (Kokujev,1915)** (Ichneumonidae) Synonym(s): *pulchripes Kokujev,1915* TR GR Cr AF MN
3846. **Diadegma semiclausum (Hellén,1949)** (Ichneumonidae) Synonym(s): *semiclausum Hellén,1949* TR
3847. **Diadegma velox (Holmgren,1860)** (Ichneumonidae) Synonym(s): *velox Holmgren,1860* TR
3848. **Diaglyptellana punctata (Holmgren,1857)** (Ichneumonidae) Synonym(s): *punctata Holmgren,1857; sisyphii Verhoeff,1891* TR
3849. **Dialycera bimaculata Luze,1906** (Staphylinidae) Synonym(s): *bimaculata Luze,1906* TR
3850. **Diamesa coronarunguis Şahin,1991** (Chironomidae) Synonym(s): *coronarunguis Şahin,1991* TR
3851. **Diamesa discoloriventris Şahin,1991** (Chironomidae) Synonym(s): *discoloriventris Şahin,1991* TR
3852. **Diamesa hozati Şahin,1991** (Chironomidae) Synonym(s): *hozati Şahin,1991* TR
3853. **Diamesa steinboeckii (Goetghbuer,1933)** (Chironomidae) Synonym(s): *steinboeckii Goetghbuer,1933* TR
3854. **Diamesa stylata Tchernovskii,1949** (Chironomidae) Synonym(s): *stylata Tchernovskii,1949* TR
3855. **Diamesa thienemanni Kieffer,1911** (Chironomidae) Synonym(s): *thienemanni Kieffer,1911* TR
3856. **Diaparsis (Nanodiaparsis) apertus (Thomson,1889)** (Ichneumonidae) Synonym(s): *apertus Thomson,1889* TR
3857. **Diaperis boleti (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *boleti Linnaeus,1758* TR
3858. **Diaphorus varifrons Becker,1918** (Dolichopodidae) Synonym(s): *varifrons Becker,1918* IL Pa TR TN
3859. **Diaspidiotus anatolicus (Bodenheimer)** (Diaspididae) Synonym(s): *anatolicus Bodenheimer* TR
3860. **Diaspidiotus armenicus (Borchsenius)** (Diaspididae) Synonym(s): *armenicus Borchsenius* TR
3861. **Diaspidiotus caucasicus (Borchsenius)** (Diaspididae) Synonym(s): *caucasicus Borchsenius* TR
3862. **Diaspidiotus distinctus (Leonardi)** (Diaspididae) Synonym(s): *distinctus Leonardi* TR
3863. **Diaspidiotus elaeagni (Borchsenius)** (Diaspididae) Synonym(s): *elaeagni Borchsenius* TR
3864. **Diaspidiotus gigas (Thiem & Gerneck)** (Diaspididae) Synonym(s): *gigas Thiem & Gerneck* TR
3865. **Diaspidiotus kaussarii Balachowsy** (Diaspididae) Synonym(s): *kaussarii Balachowsy* TR
3866. **Diaspidiotus lenticularis (Lindinger)** (Diaspididae) Synonym(s): *lenticularis Lindinger* TR
3867. **Diaspidiotus marani (Zahradnik)** (Diaspididae) Synonym(s): *marani Zahradnik* TR
3868. **Diaspidiotus osborni (Newell & Cockerell)** (Diaspididae) Synonym(s): *osborni Newell & Cockerell* TR
3869. **Diaspidiotus ostreaeformis (Curtis)** (Diaspididae) Synonym(s): *ostreaeformis Curtis* TR
3870. **Diaspidiotus perniciosus (Comstock)** (Diaspididae) Synonym(s): *perniciosus Comstock* TR

3871. **Diapridiotus prunorum (Laing)** (Diaspididae) Synonym(s): *prunorum Laing* TR
3872. **Diapridiotus pyri (Lichtenstein)** (Diaspididae) Synonym(s): *pyri Lichtenstein* TR
3873. **Diapridiotus sulci (Balachowsky)** (Diaspididae) Synonym(s): *sulci Balachowsky* TR
3874. **Diapridiotus wuenni (Lindinger)** (Diaspididae) Synonym(s): *wuenni Lindinger* TR
3875. **Diapridiotus zonatus (Frauenfeld)** (Diaspididae) Synonym(s): *zonatus Frauenfeld* TR
3876. **Diaspis boisduvalii Signoret** (Diaspididae) Synonym(s): *boisduvalii Signoret* TR
3877. **Diaspis bromeliae (Kerner)** (Diaspididae) Synonym(s): *bromeliae Kerner* TR
3878. **Diaspis echinocacti (Bouche)** (Diaspididae) Synonym(s): *echinocacti Bouche* TR
3879. **Diaspis syriaca Lindinger** (Diaspididae) Synonym(s): *syriaca Lindinger* TR
3880. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica Weise,1893; transcaucasica Khnzorian,1968* TR Cc AM RU KG BG HU RO SK UA IL Pa
3881. **Dibolia cryptocephala (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala Koch,1803* TR Cc RU Sb KG
3882. **Dibolia cynoglossi (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi Koch,1803; paludina Foudras,1860; marrubii Hering,1924* TR Cc AM
3883. **Dibolia depressiuscula (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula Letzner,1847; laevicollis Foudras,1860* TR Cc RU Sb MN KG
3884. **Dibolia femoralis Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis Redtenbacher,1849; aurichalcea Förster,1849; erythrogaster Allard,1861; theresae Pic,1909* TR Cc GR Rd
3885. **Dibolia kralii Mohr,1981** (Chrysomelidae) Synonym(s): *kralii Mohr,1981* TR IR
3886. **Dibolia numidica Doguet,1971** (Chrysomelidae) Synonym(s): *numidica Doguet,1971* DZ TN TR
3887. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans Koch,1803; menthae Hering,1924* TR Cc IR DZ MA Cn
3888. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia Allard,1866* TR HU Cc GG YU BG LB JO IL Pa
3889. **Dibolia rufofemorata Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata Reitter,1896* TR CY SY IL Pa JO
3890. **Dibolia rugulosa Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa Redtenbacher,1849* AT TR Cc
3891. **Dibolia schillingii (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii Letzner,1847; punctillata Foudras,1860; ciliciensis Heikertinger,1911* TR Cc KG IT YU
3892. **Dibolia timida (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida Illiger,1807; eryngii Bach,1859; oranensis Pic,1909* DZ ES TR
3893. **Dibolia tricolor Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor Reitter,1899* TR Cc AM
3894. **Dibolia zangezurica Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica Khnzorian,1968* TR Cc AM IR
3895. **Dibrachoides dynastes (Förster)** (Pteromalidae) Synonym(s): TR
3896. **Dibrachys affinis Masi** (Pteromalidae) Synonym(s): TR
3897. **Dibrachys boarmiae (Walker)** (Pteromalidae) Synonym(s): TR
3898. **Dibrachys cavus (Walker)** (Pteromalidae) Synonym(s): TR
3899. **Dibrachys palandoekenus Doğanlar,1987** (Pteromalidae) Synonym(s): *palandoekenus Doğanlar,1987* TR
3900. **Dicaelotus montanus (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus Destefani,1886* IT Si Cc TR
3901. **Dicaelotus morosator Aubert,1969** (Ichneumonidae) Synonym(s): *morosator Aubert,1969* TR
3902. **Dicaelotus rufilimbatus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *rufilimbatus Gravenhorst,1820* TR
3903. **Dicarnosis hemiptera (Dalman)** (Encyrtidae) Synonym(s): TR
3904. **Dicarnosis sugonjaevi Myartseva** (Encyrtidae) Synonym(s): TR
3905. **Dicarnosis superba Mercet** (Encyrtidae) Synonym(s): TR
3906. **Dichetophora obliterated (Fabricius,1805)** (Sciomyzidae) Synonym(s): *obliterated Fabricius,1805* TR
3907. **Dichillus (Dichillinus) cylindricus Baudi,1874** (Tenebrionidae) Synonym(s): *cylindricus Baudi,1874* TR
3908. **Dichillus (Dichillinus) duricornis Reitter,1886** (Tenebrionidae) Synonym(s): *duricornis Reitter,1886* TR
3909. **Dichillus (Dichillocerus) araxidis Reitter,1916** (Tenebrionidae) Synonym(s): *araxidis Reitter,1916* TR Cc
3910. **Dichillus (Dichillocerus) crassicornis Allard,1869** (Tenebrionidae) Synonym(s): *crassicornis Allard,1869* TR IQ IL Pa Hf
3911. **Dichillus (Dichillocerus) pertusus Kiesenwetter,1861** (Tenebrionidae) Synonym(s): *pertusus Kiesenwetter,1861* TR IT Si GR

3912. **Dichillus (s.str.) carinatus Küster,1848** (Tenebrionidae) Synonym(s): *carinatus Küster,1848*
TR RO HV GR B-H
3913. **Dichillus (s.str.) iranicus Kaszab,1963** (Tenebrionidae) Synonym(s): *iranicus Kaszab,1963*
IR TR
3914. **Dichillus (s.str.) subsetulosus Reitter,1886** (Tenebrionidae) Synonym(s): *subsetulosus Reitter,1886* TR CY
3915. **Dichomma dardanum (Steven,1829)** (Tenebrionidae) Synonym(s): *dardanum Steven,1829*
Cr GR TR
3916. **Dichrogaster diatropus Townes,1983** (Ichneumonidae) Synonym(s): *diatropus Townes,1983*
TR
3917. **Dichrogaster liostylus (Thomson,1884)** (Ichneumonidae) Synonym(s): *liostylus Thomson,1884* TR
3918. **Dichrogaster modesta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *modesta Gravenhorst,1829* TR IL Pa
3919. **Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae) Synonym(s): *sericata Meigen,1830* TR Cc
3920. **Dicranomyia (Glochina) transsilvanica Lackschewitz,1928** (Limoniidae) Synonym(s): *transsilvanica Lackschewitz,1928* TR
3921. **Dicranomyia (Melanolimonia) hamata Becker,1908** (Limoniidae) Synonym(s): *hamata Becker,1908* TR
3922. **Dicranomyia (Melanolimonia) morio (Fabricius,1787)** (Limoniidae) Synonym(s): *morio Fabricius,1787* TR
3923. **Dicranomyia (Melanolimonia) rufiventris (Strobl,1900)** (Limoniidae) Synonym(s): *rufiventris Strobl,1900* TR
3924. **Dicranomyia (Numantia) fusca (Meigen,1804)** (Limoniidae) Synonym(s): *fusca Meigen,1804* TR
3925. **Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): *chorea Meigen,1818*
TR DZ Cc
3926. **Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): *goritiensis Mik,1864*
TR DZ UA Cm
3927. **Dicranomyia (s.str.) kamakensis Stary,1993** (Limoniidae) Synonym(s): *kamakensis Stary,1993* TR BG
3928. **Dicranomyia (s.str.) livornica Lackschewitz,1928** (Limoniidae) Synonym(s): *livornica Lackschewitz,1928* TR
3929. **Dicranomyia (s.str.) lucida De Meijere,1918** (Limoniidae) Synonym(s): *lucida De Meijere,1918* TR
3930. **Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae) Synonym(s): *mitis Meigen,1830*
TR DZ Cc
3931. **Dicranomyia (s.str.) modesta (Meigen,1818)** (Limoniidae) Synonym(s): *modesta Meigen,1818* TR
3932. **Dicranomyia (s.str.) ornata (Meigen,1818)** (Limoniidae) Synonym(s): *ornata Meigen,1818*
TR
3933. **Dicranomyia (s.str.) sera (Walker,1848)** (Limoniidae) Synonym(s): *sera Walker,1848* TR
3934. **Dicranomyia (s.str.) signata Lackschewitz & Pagast,1941** (Limoniidae) Synonym(s): *modesta Lackschewitz & Pagast,1941 nec Meig.,1818; signata Lackschewitz & Pagast,1941* TR
3935. **Dicranomyia (s.str.) signatella Stary & Freidberg,2007** (Limoniidae) Synonym(s): *signatella Stary & Freidberg,2007* TR
3936. **Dicranomyia (s.str.) ventralis (Schummel,1829)** (Limoniidae) Synonym(s): *ventralis Schummel,1829* TR
3937. **Dicranophragma (Brachylimnophila) adjunctum (Walker,1848)** (Limoniidae)
Synonym(s): *adjunctum Walker,1848* TR
3938. **Dicranophragma (Brachylimnophila) nemorale (Meigen,1818)** (Limoniidae)
Synonym(s): *nemorale Meigen,1818* TR
3939. **Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens Schummel,1829* TR Cc IR
3940. **Dicranoptycha (Ulugbekia) savtshenkoi Mendl,1976** (Limoniidae) Synonym(s): *savtshenkoi Mendl,1976* GR TR
3941. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis Alexander,1975; meridiana Mendl,1988* IT Si PT ES RU Cc GG AM AZ TR IR
3942. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae) Synonym(s): *lucidipennis Edwards,1921; luteicolor Alexander,1975* AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR
3943. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae) Synonym(s): *robusta Lundstrom,1912* HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR
3944. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri Fieber,1866* Cc AM
TR KG RU TJ UA UZ

3945. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847
Ce TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
3946. **Dicrodiplosis pseudococci (Felt,1914)** (Cecidomyiidae) Synonym(s): *pseudococci* Felt,1914
TR
3947. **Dicronychus adanensis (Pic,1908)** (Elateridae) Synonym(s): *adanensis* Pic,1908 TR
3948. **Dicronychus apteriformis Platia & Gudenzi,2004** (Elateridae) Synonym(s): *apteriformis*
Platia & Gudenzi,2004 TR
3949. **Dicronychus bicolor Platia & Gudenzi,2004** (Elateridae) Synonym(s): *bicolor* Platia &
Gudenzi,2004 TR
3950. **Dicronychus bozdaghensis Platia & Gudenzi,2004** (Elateridae) Synonym(s): *bozdaghensis*
Platia & Gudenzi,2004 TR
3951. **Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784 GR TR
Ce RU At
3952. **Dicronychus decorus (Faldermann,1835)** (Elateridae) Synonym(s): *decorus*
Faldermann,1835 TR Cc AM AZ GG
3953. **Dicronychus deminutus Platia & Gudenzi,2004** (Elateridae) Synonym(s): *deminutus* Platia
& Gudenzi,2004 TR
3954. **Dicronychus desbrochersi Platia & Gudenzi,2004** (Elateridae) Synonym(s): *desbrochersi*
Platia & Gudenzi,2004 TR
3955. **Dicronychus drureri (Pic,1908)** (Elateridae) Synonym(s): *drureri* Pic,1908 IQ Bgd TR?
3956. **Dicronychus equiseti (Herbst,1784)** (Elateridae) Synonym(s): *equiseti* Herbst,1784 GR TR
Ce
3957. **Dicronychus euxinus** (Elateridae) Synonym(s): TR
3958. **Dicronychus exstinctus (Erichson,1840)** (Elateridae) Synonym(s): *exstinctus* Erichson,1840
EG IQ TR?
3959. **Dicronychus freudei Platia & Gudenzi,2007** (Elateridae) Synonym(s): *freudei* Platia &
Gudenzi,2007 TR
3960. **Dicronychus gillerforsi Platia & Gudenzi,2004** (Elateridae) Synonym(s): *gillerforsi* Platia &
Gudenzi,2004 TR
3961. **Dicronychus iconiensis (Pic,1908)** (Elateridae) Synonym(s): *iconiensis* Pic,1908 TR
3962. **Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): *incanus* Erichson,1840 PT
ES FR IT BG TR
3963. **Dicronychus merkli (Pic,1910)** (Elateridae) Synonym(s): *merkli* Pic,1910 TR
3964. **Dicronychus mutilus Platia & Gudenzi,2004** (Elateridae) Synonym(s): *mutilus* Platia &
Gudenzi,2004 TR
3965. **Dicronychus obscuripennis (Pic,1899)** (Elateridae) Synonym(s): *obscuripennis* Pic,1899 TR
3966. **Dicronychus pici Platia & Gudenzi,2004** (Elateridae) Synonym(s): *pici* Platia &
Gudenzi,2004 TR
3967. **Dicronychus rubripes (Germar,1824)** (Elateridae) Synonym(s): *rubripes* Germar,1824 SK
GR TR
3968. **Dicronychus senaci Desbrochers,1870** (Elateridae) Synonym(s): *senaci* Desbrochers,1870
TR
3969. **Dicronychus turcicus Platia & Gudenzi,2004** (Elateridae) Synonym(s): *turcicus* Platia &
Gudenzi,2004 TR
3970. **Dicronychus variatus Desbrochers,1875** (Elateridae) Synonym(s): *variatus* Desbrochers,1875
SY TR
3971. **Dicronychus versicolor (Mulsant & Guillebeau,1856)** (Elateridae) Synonym(s): *versicolor*
Mulsant & Guillebeau,1856 FR IT SL GR TR?
3972. **Dicrotendipes tritonus (Kieffer,1916)** (Chironomidae) Synonym(s): *tritonus* Kieffer,1916
TR
3973. **Dictenidia bimaculata (Linnaeus,1760)** (Tipulidae) Synonym(s): *bimaculata* Linnaeus,1760
TR
3974. **Dictyla echii (Schrank,1782)** (Tingidae) Synonym(s): *echii* Schrank,1782 DE GR TR
3975. **Dictyla lupuli (Herrich-Schäffer,1837)** (Tingidae) Synonym(s): *lupuli* Herrich-Schäffer,1837
DZ RU Sb TR
3976. **Dictyla nassata (Puton,1874)** (Tingidae) Synonym(s): *nassata* Puton,1874 TR
3977. **Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): *platyoma* Fieber,1861 TR CN Uı RU
Sb
3978. **Dictyla putoni (Montandon,1895)** (Tingidae) Synonym(s): *putoni* Montandon,1895 TR
3979. **Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): *rotundata* Herrich-
Schäffer,1835 RU TR CN Uı
3980. **Dictyla sima Seidenstücker,1975** (Tingidae) Synonym(s): *sima* Seidenstücker,1975 TR
3981. **Dictyla triconula (Seidenstücker,1954)** (Tingidae) Synonym(s): *triconula* Seidenstücker,1954
BG RU TR
3982. **Dictyonota aridula (Jakovlev,1902)** (Tingidae) Synonym(s): *aridula* Jakovlev,1902 CY HU
RU TR

3983. **Dictyonota astragali Stusak & Önder,1982** (Tingidae) Synonym(s): *astragali Stusak & Önder,1982* TR
3984. **Dictyonota lugubris (Fieber,1861)** (Tingidae) Synonym(s): *lugubris Fieber,1861* YU TR
3985. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker,1963* IT SI IL Pa CY FR Co LB SY TR
3986. **Dictyonota strichnocera Fieber,1844** (Tingidae) Synonym(s): *strichnocera Fieber,1844* RU TR
3987. **Dictyonota tricornis (Schrank,1801)** (Tingidae) Synonym(s): *tricornis Schrank,1801* US CV CA DZ IR TR RU Sb CN Ui
3988. **Dictyophara asiatica Melichar,1912** (Dictyopharidae) Synonym(s): *asiatica Melichar,1912* CY IL Pa TR
3989. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
3990. **Dictyophara exoptata Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): *exoptata Dlabola & Heller,1962* TR IR
3991. **Dictyophara iranica Linnavuori,1962** (Dictyopharidae) Synonym(s): *iranica Linnavuori,1962* IR TR
3992. **Dictyophara lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): *acuminata Lindberg,1948; lindbergi Metcalf,1955* BG CY IT ES TR
3993. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensensis Matsumura,1910; oertzeni Matsumura,1910* AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
3994. **Dictyophara nizipa Dlabola,1986** (Dictyopharidae) Synonym(s): *nizipa Dlabola,1986* TR
3995. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica Germar,1830* Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
3996. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
3997. **Dictyophara xiphias Puton,1884** (Dictyopharidae) Synonym(s): *xiphias Puton,1884; compacta Linnavuori,1962* IL Pa JO TR
3998. **Dicyphus alkannae Seidenstücker,1956** (Miridae) Synonym(s): *alkannae Seidenstücker,1956* TR
3999. **Dicyrtomellus argenteus Wahis,1982** (Pompilidae) Synonym(s): *argenteus Wahis,1982* TR
4000. **Dicyrtomellus dubitabilis (Saunders,1901)** (Pompilidae) Synonym(s): *dubitabilis Saunders,1901* TR
4001. **Dicyrtomellus tomentosus (Priesner,1955)** (Pompilidae) Synonym(s): *tomentosus Priesner,1955* TR
4002. **Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
4003. **Dielocroce baudii (Griffini,1895)** (Nemopteridae) Synonym(s): *baudii Griffini,1895* TR SA IR AF
4004. **Dielocroce ephemera (Gersträcker,1893)** (Nemopteridae) Synonym(s): *ephemera Gersträcker,1893* TR IQ IR Fa
4005. **Dielocroce modesta Hölzel,1975** (Nemopteridae) Synonym(s): *modesta Hölzel,1975* TR IR OM
4006. **Diglyphus anadolucus Doğanlar,1982** (Eulophidae) Synonym(s): *anadolucus Doğanlar,1982* Diglyphus anadolucus Doğanlar,1982, Bitki koruma derg. 6: 75-78. Holotype ♀: Turkey: Erzurum, H.Özbek leg. (Medicago sativa fields) (AUET). TR
4007. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias Walker,1838* BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
4008. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis Erdős,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
4009. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
4010. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus Graham,1963* HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR
4011. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850; agnatus Letherry,1850; lenensis Linnavuori,1953* AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
4012. **Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus Lundström,1913* ES FR GB CH IT SS HU YU RO BG TR
4013. **Dinarmus acutus (Thomson)** (Pteromalidae) Synonym(s): TR
4014. **Dinarmus italicus (Masi,1922)** (Pteromalidae) Synonym(s): *italicus Masi,1922* IT TR

4015. **Dinocistus eupterus (Walker,1836)** (Pteromalidae) Synonym(s): *eupterus* Walker,1836; *dimidiatus* Walker,1836; *capitatus* Förster,1841; *lanceolatus* Ratzeburg,1848; *clypealis* Thomson,1878; *acutus* Provancher,1887; *polygraphi* Ashmead,1894; *ashmeadi* Crawford,1912; *pityogenis* Ishii,1938 **GB SE DE TR JP**
4016. **Dioctria abdominalis Becker,1923** (Asilidae) Synonym(s): *abdominalis* Becker,1923 **TR IR Es**
4017. **Dioctria arcana Richter,1966** (Asilidae) Synonym(s): *arcana* Richter,1966 **TR Cc AM RU**
4018. **Dioctria arthritica Loew,1871** (Asilidae) Synonym(s): *arthritica* Loew,1871 **RU BG TR?**
4019. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 **AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR**
4020. **Dioctria bithynica Janssens,1968** (Asilidae) Synonym(s): *bithynica* Janssens,1968 **TR**
4021. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820 **FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ**
4022. **Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis* sensu Meigen,1830; *concinna* Costa,1883 **DZ FR DE CH IT TR IR Kh Ss**
4023. **Dioctria lenta Becker,1923** (Asilidae) Synonym(s): *lenta* Becker,1923 **TR**
4024. **Dioctria lugens Loew,1873** (Asilidae) Synonym(s): *lugens* Loew,1873 **IR TR**
4025. **Dioctria meyeri Nowicki,1867** (Asilidae) Synonym(s): *meyeri* Nowicki,1867 **ES PL RU Sb AL TR**
4026. **Dioctria rufonigra Theodor,1980** (Asilidae) Synonym(s): *rufonigra* Theodor,1980 **IL Pa TR IR Elb Mz**
4027. **Dioctria striata Theodor,1980** (Asilidae) Synonym(s): *striata* Theodor,1980 **IL Pa TR IR Fa**
4028. **Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856 **SY LB IL Pa TR IR Es**
4029. **Diogma dmitrii Paramonov,2005** (Cylindrotomidae) Synonym(s): *dmitrii* Paramonov,2005 **TR**
4030. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius* Fabricius,1798 *Ichneumon alvearius* Fabricius,1798, *Suppl. ent. Syst.: 232.* **TR DE CN GB FR AT IT CZ RU KG YU**
4031. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959 *Microgaster claritibia* Papp,1959, *Ann. Hist.-nat. Mus. Nat. Hung. 51: 405.* **TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY**
4032. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837 **Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx**
4033. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 **DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN**
4034. **Diorhabda fischeri (Faldermann,1837)** (Chrysomelidae) Synonym(s): *fischeri* Faldermann,1837 **TR Cc**
4035. **Diphyus luctatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *luctatorius* Linnaeus,1758; *culpatorius* Linnaeus,1758 **TR**
4036. **Diphyus mercatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *mercatorius* Fabricius,1793; *ponticus* Heinrich,1978 **TR Cc AM IR**
4037. **Diphyus montivagans (Berthoumieu,1896)** (Ichneumonidae) Synonym(s): *montivagans* Berthoumieu,1896 **TR**
4038. **Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae) Synonym(s): *ochromelas* Gmelin,1790; *negatorius* Fabricius,1793 **TR Cc KG RU Sb MN**
4039. **Diphyus palliatorius (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *palliatorius* Gravenhorst,1829 **TR RU Sb KG**
4040. **Diphyus pseudomercator** (Ichneumonidae) Synonym(s): *hexaleucus* Heinrich,1978; *#caucasicus* Heinrich,1978 **TR Cc AM**
4041. **Diphyus quadripunctorius (Müller,1776)** (Ichneumonidae) Synonym(s): *quadripunctorius* Müller,1776 **TR**
4042. **Diphyus quinquecinctus (Kriechbaumer,1892)** (Ichneumonidae) Synonym(s): *quinquecinctus* Kriechbaumer,1892 **TR CN Ui**
4043. **Diplacodes lefebvrei (Rambur,1842)** (Libellulidae) Synonym(s): *lefebvrei* Rambur,1842 **TR**
4044. **Diplazon laetatorius (Fabricius,1781)** (Ichneumonidae) Synonym(s): *laetatorius* Fabricius,1781 **TR**
4045. **Diplazon pectoratorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *pectoratorius* Thunberg,1822 **TR**
4046. **Diplazon schachtii Diller,1986** (Ichneumonidae) Synonym(s): *schachtii* Diller,1986 **TR**
4047. **Diplazon tetragonus Thunberg,1822** (Ichneumonidae) Synonym(s): *tetragonus* Thunberg,1822 **TR**
4048. **Diplazon tibiatorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *tibiatorius* Thunberg,1822; *albosignatus* Gravenhorst,1829 **TR**
4049. **Diplocladius cultriger Kieffer,1908** (Chironomidae) Synonym(s): *cultriger* Kieffer,1908 **TR**

4050. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
4051. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
4052. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 PT ES FR GB NL DE SE PL AT HU RO IT TR
4053. **Diplolepis fructuum (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum* Rübsaamen,1895 TR GG Tbl Cc UA Cm
4054. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
4055. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 PT ES GB NL DE PL SE AT HU RO IT TR
4056. **Diplolepis spinosissimae (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 ES FR GB NL DE AT HU PL SE IT TR
4057. **Diplorhoptum fugax (Latreille,1798)** (Formicidae) Synonym(s): *fugax* Latreille,1798 TR
4058. **Dipogon (Deuteragenia) variegatus (Linnaeus,1758)** (Pompilidae) Synonym(s): *variegatus* Linnaeus,1758; *erythropus* Kohl,1888 TR
4059. **Dipogon sinan Wolf,1998** (Pompilidae) Synonym(s): *sinan* Wolf,1998 TR
4060. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863 AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
4061. **Discodes aeneus (Dalman)** (Encyrtidae) Synonym(s): TR
4062. **Discodes coccophagus (Ratzeburg)** (Encyrtidae) Synonym(s): TR
4063. **Discodes obscuriclavus Myartseva** (Encyrtidae) Synonym(s): TR
4064. **Discodes trjapitzini Herthetvian** (Encyrtidae) Synonym(s): TR
4065. **Discoelius dufourii Lepeletier,1841** (Vespidae) Synonym(s): *dufourii* Lepeletier,1841 TR IR
4066. **Discoptila beroni Popov,1974** (Gryllidae) Synonym(s): *beroni* Popov,1974 TR
4067. **Discoptila brevis Bey-Bienko,1964** (Gryllidae) Synonym(s): *brevis* Bey-Bienko,1964 TR
4068. **Discoptila fragosoi (Bolivar,1855)** (Gryllidae) Synonym(s): *fragosoi* Bolivar,1855 TR
4069. **Dissonomus politus Koch,1968** (Tenebrionidae) Synonym(s): *politus* Koch,1968 TR
4070. **Dissonomus substriatus Reitter,1898** (Tenebrionidae) Synonym(s): *substriatus* Reitter,1898 TR
4071. **Distoleon curdicus Hölzel,1972** (Myrmeleonidae) Synonym(s): *curdicus* Hölzel,1972 TR Arr
4072. **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921 RU AZ Kir Cc AM IR IS Mos SY TR
4073. **Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis* Spinola,1839 Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
4074. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980 AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
4075. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis* Eversmann,1848; *annulipes* Türk,1862 CZ HU RO TR Cc IR RU Sb KG MN
4076. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978 DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
4077. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905 Dociostaurus anatolicus Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa IR Elb Th
4078. **Dociostaurus (s.str.) genei (Ocskay,1832)** (Acrididae) Synonym(s): *genei* Ocskay,1832 TR
4079. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatus* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZI). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
4080. **Dociostaurus (s.str.) salmani Demirsoy,1977** (Acrididae) Synonym(s): *salmani* Demirsoy,1977; *salmani* Demirsoy,1979 Dociostaurus salmani Demirsoy,1977, Türkiye Caelifera faunası: 195. Holotype ♀: Turkey: Erzurum, Tortum. TR
4081. **Dociostaurus (Stauronotulus) cappadocicus (Azam,1913)** (Acrididae) Synonym(s): *cappadocicus* Azam,1913; *iranicus* Ramme,1951 TR IR
4082. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893 TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
4083. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
4084. **Docotettix cornutus Ribaut,1948** (Cicadellidae) Synonym(s): *cornutus* Ribaut,1948 CY GR TR

4085. **Dolichogenidea anarsiae (Faure & Alabouvetle,1924)** (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle,1924 [Apanteles anarsiae](#) Faure & Alabouvetle,1924, *Revue Zool. Agri. Appl.* 23: 283. **TR Cc AZ GG FR IT RO HU**
4086. **Dolichogenidea breviventris (Ratzeburg,1848)** (Braconidae) Synonym(s): *breviventris* Ratzeburg,1848 [Microgaster breviventris](#) Ratzeburg,1848, *Ichn. D. Forstins.* 2: 51. **TR EG RU KP KR**
4087. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938 [Apanteles coleophorae](#) Wilkinson,1938, *Proc. ent. Soc. Lond. (B)* 7: 225. **TR Cc AZ AT RU FI SE CZ GB**
4088. **Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla* Nixon,1972 [Apanteles drusilla](#) Nixon,1972, *Bull. ent. Res.* 61: 701-743. **TR DE UA BG HU MN IT GB**
4089. **Dolichogenidea immissus (Papp,1977)** (Braconidae) Synonym(s): *immissus* Papp,1977 [Apanteles immissus](#) Papp,1977, *Ann. Hist. Nat. Mus. Nat. Hung.* 69: 201-217. **DE HU TR**
4090. **Dolichogenidea infimus (Haliday,1834)** (Braconidae) Synonym(s): *infimus* Haliday,1834 [Microgaster infimus](#) Haliday,1834, *Entomologist's mon. Mag.* 2: 243. **TR Cc AZ LT KG RU Sb**
4091. **Dolichogenidea lacteicolor (Viereck,1911)** (Braconidae) Synonym(s): *lacteicolor* Viereck,1911 [Apanteles lacteicolor](#) Viereck,1911, *Proc. U. S. Natn. Mus.* 40: 475. **TR US**
4092. **Dolichogenidea litae (Nixon,1972)** (Braconidae) Synonym(s): *litae* Nixon,1972 [Apanteles litae](#) Nixon,1972, *Bull. ent. Res.* 61: 701-743. **TR**
4093. **Dolichogenidea longicauda (Wesmael,1837)** (Braconidae) Synonym(s): *longicauda* Wesmael,1837 [Microgaster longicauda](#) Wesmael,1837, *Nouv. Mem. Acad. Brux.* 10: 54. **TR RU**
4094. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis* Reinhard,1880 [Apanteles longipalpis](#) Reinhard,1880, *Dt. ent. Z.* 24: 365. **TR DE CN Cc AM RU TJ**
4095. **Dolichogenidea mycale (Nixon,1972)** (Braconidae) Synonym(s): *mycale* Nixon,1972 [Apanteles mycale](#) Nixon,1972, *Bull. ent. Res.* 61: 727. **TR BG CH HU**
4096. **Dolichogenidea sicarius (Marshall,1885)** (Braconidae) Synonym(s): *sicarius* Marshall,1885 [Apanteles sicarius](#) Marshall,1885, *Trans. ent. Soc. Lond.* 1885: 209. **TR US RO**
4097. **Dolichogenidea soikai (Nixon,1972)** (Braconidae) Synonym(s): *soikai* Nixon,1972 [Apanteles soikai](#) Nixon,1972, *Bull. ent. Res.* 61: 701-743. **TR BG IT HU**
4098. **Dolichomitus mesocentrus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mesocentrus* Gravenhorst,1829 **TR**
4099. **Dolichomitus messor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *messor* Gravenhorst,1829 **TR**
4100. **Dolichomitus sericeus (Hartig,1847)** (Ichneumonidae) Synonym(s): *sericeus* Hartig,1847 **TR**
4101. **Dolichomitus subglabratus (Perkins,1843)** (Ichneumonidae) Synonym(s): *subglabratus* Perkins,1843 **TR**
4102. **Dolichopeza (s.str.) graeca Mannheims,1954** (Tipulidae) Synonym(s): *graeca* Mannheims,1954 **YU BG GR TR**
4103. **Dolichopoda (s.str.) lycia (Galvagni,2006)** (Raphidophoridae) Synonym(s): *lycia* Galvagni,2006 [Hellerina lycia](#) Galvagni,2006, *Atti Acc. Rov. Agiati* 8 (6): 75-83. **TR**
4104. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus* Macquart,1827; *macquarti* Parent,1926; *pseudocilifemoratus* Stackelberg,1930 **Cc AZ AM GG RO RU UA Cm TR KG At Us Sh**
4105. **Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae) Synonym(s): *cinctipes* Wahlberg,1850 **TR FI NO SE RU Ur Am Ya Us**
4106. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842 **BG GR IL Pa RO RU UA TR KG CN**
4107. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859 **Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ**
4108. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**
4109. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831 **Cc AZ GG BG RO RU Ur UA TR KG MN UZ**
4110. **Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus* Loew,1871 **GG Cc AM IL Pa TR TJ KG**
4111. **Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes* Meigen,1824; *cysneus* Meigen,1824; *fastuosus* Haliday,1832; *plebejus* Zetterstedt,1838 **RO RU Cc TR At KG**
4112. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824 **Cc GG BG GR RO RU UA TR CN MX**
4113. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842 **Cc GG BG GR Cr IL Pa RO RU TR TZ**
4114. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851 **Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ**

4115. **Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes Verrall,1875; aratriformis Becker,1890* BG GR TR RO UA
4116. **Dolichopus thalhammeri Knezy,1929** (Dolichopodidae) Synonym(s): *thalhammeri Knezy,1929* Dolichopus thalhammeri Knezy,1929, Folia Soc. ent. Hung. 2 (1): 19. Type: Hungary, Dabas. HU BG FR TR
4117. **Dolichovespula media (Retzius,1783)** (Vespidae) Synonym(s): *media Retzius,1783* TR
4118. **Dolichovespula norvegica (Fabricius,1781)** (Vespidae) Synonym(s): *norvegica Fabricius,1781* GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
4119. **Dolichovespula omissa (Bischoff,1931)** (Vespidae) Synonym(s): *omissa Bischoff,1931* DK BG TR KG
4120. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris Scopoli,1763* ES Md DZ TN TR EG IL Pa IR GB CN MN
4121. **Dolicopoda (s.str.) aranea Bolivar,1899** (Raphidophoridae) Synonym(s): *aranea Bolivar,1899* Dolicopoda aranea Bolivar,1899, Anns Soc. ent. Beg. 43: 605. Syntypes: Turquie: Jenidje [Yenicekale] (MNMS). TR
4122. **Dolicopoda (s.str.) euxina Semenov,1901** (Raphidophoridae) Synonym(s): *euxina Semenov,1901* TR Cc
4123. **Dolicopoda (s.str.) noctivaga Di Russo & Rampini,2007** (Raphidophoridae) Synonym(s): *noctivaga Di Russo & Rampini,2007* Dolicopoda noctivaga Di Russo & Rampini,2007, J. Orth. Res. 16 (1): 68-69, figs. 4-10 Holotype ♂: Turkey: Artvin Prov. Kafkasor (MZUL Rome). TR
4124. **Dolicopoda (s.str.) pusilla Bolivar,1899** (Raphidophoridae) Synonym(s): *pusilla Bolivar,1899* Dolicopoda pusilla Bolivar,1899, Anns Soc. ent. Belg. 43: 605. Syntypes: Akbes (MNMS). TR
4125. **Dolicopoda (s.str.) sbordonii Di Russo & Rampini,2006** (Raphidophoridae) Synonym(s): *sbordonii Di Russo & Rampini,2006* Dolicopoda sbordonii Di Russo & Rampini,2006, Fragm. ent. 38: 9. Holotype: Turkey: Antalya Prov., caves located North of Antalya. TR
4126. **Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum Linnaeus,1758* TR
4127. **Donus audax Faust,1887** (Curculionidae) Synonym(s): *audax Faust,1887* TR
4128. **Donus comatus (Boheman,1842)** (Curculionidae) Synonym(s): *comatus Boheman,1842* TR
4129. **Donus zoilus (Scopoli,1763)** (Curculionidae) Synonym(s): *zoilus Scopoli,1763* TR
4130. **Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps Ribaut,1948* CY IL Pa TR GR YU IR
4131. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis Ribaut,1948* AF CY EG GR IL Pa IT LY TR
4132. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897; margaritacea Horvath,1897* CY HU IQ JO RO YU TR
4133. **Doratura concors Horvath,1903** (Cicadellidae) Synonym(s): *concors Horvath,1903; semenovi Kusnezov,1952; dzungarica Mitjaev,1971* CZ HU IT PL RU YU TR
4134. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
4135. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla Horvath,1903* AT BG GR IT RO TR MD UA UZ YU
4136. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
4137. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
4138. **Doratura salina Horvath,1903** (Cicadellidae) Synonym(s): *salina Horvath,1903* TR
4139. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
4140. **Doratura veneta Dlabola,1969** (Cicadellidae) Synonym(s): *veneta Dlabola,1969* IT TR
4141. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
4142. **Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae) Synonym(s): *divisum Germar,1839* GR TR
4143. **Dorcadion (Cribridorcadion) janatai Kadlec,2006** (Cerambycidae) Synonym(s): *janatai Kadlec,2006* TR
4144. **Dorcadion (Maculatodorcadion) triste Frivaldsky,1845** (Cerambycidae) Synonym(s): *triste Frivaldsky,1845* TR
4145. **Dorcadion (s.str.) apicale Thomson,1865** (Cerambycidae) Synonym(s): *apicale Thomson,1865; rufoapicale Pic,1942* TR
4146. **Dorcadion (s.str.) nodicorne Tournier,1872** (Cerambycidae) Synonym(s): *nodicorne Tournier,1872* Dorcadion nodicorne Tournier,1872, Revue Zool. 2 (23): 287. Type: Taurus. TR GR
4147. **Dorcadion (s.str.) quadrimaculatum Küster,1848** (Cerambycidae) Synonym(s): *quadrimaculatum Küster,1848* TR GR

4148. **Dorcadion (s.str.) serotinum Thomson,1865** (Cerambycidae) Synonym(s): *serotinum Thomson,1865* **Dorcadion serotinum Thomson,1865**, *Mém. Soc. R. Sci. Liege* 19: 549. Type: Smyrna. TR
4149. **Dorcus parallelopipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelopipedus Linnaeus,1758* TR Cc IR Gh Mz Elb Kh KG
4150. **Dorcus vavrai Nonfried,1905** (Lucanidae) Synonym(s): *vavrai Nonfried,1905*; ? *peyroni Petrovitz,1980* IR By Fa Lo Kd Kz TR
4151. **Dorycephalus baeri Kuschakewisch,1866** (Cicadellidae) Synonym(s): *baeri Kuschakewisch,1866* AT CZ HU RU TR
4152. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum Fabricius,1794*; *thamnicola Robineau-Desvoidy,1830*; *scalaris Loew,1868* AT DE HU FR Co ES HV PT GB IT PL CZ TR
4153. **Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida Loew,1862* BG TR GR Cr FR UA LB Bei
4154. **Drasterius bimaculatus (Rossi,1790)** (Elateridae) Synonym(s): *bimaculatus Rossi,1790*; *#levantinus Roubal,1924* DZ TR
4155. **Drino gilva (Hartig,1838)** (Tachinidae) Synonym(s): *gilva Hartig,1838* TR
4156. **Drino imberbis (Wiedemann,1830)** (Tachinidae) Synonym(s): *imberbis Wiedemann,1830* TR
4157. **Drino inconspicua (Meigen,1830)** (Tachinidae) Synonym(s): *inconspicua Meigen,1830* TR
4158. **Drino vicina (Zetterstedt,1849)** (Tachinidae) Synonym(s): *vicina Zetterstedt,1849* SE TR
4159. **Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae) Synonym(s): *cameraria Haliday,1833* BG LT TR
4160. **Drosophila (Hirtodrosophila) confusa Staeger,1844** (Drosophilidae) Synonym(s): *confusa Staeger,1844* RO TR
4161. **Drosophila (s.str.) immigrans Sturtevant,1921** (Drosophilidae) Synonym(s): *immigrans Sturtevant,1921* B-H RO TR
4162. **Drosophila (s.str.) kuntzei Duda,1924** (Drosophilidae) Synonym(s): *kuntzei Duda,1924* RO TR
4163. **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata Meigen,1830* YU BG RO TR
4164. **Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea Roser,1840* RO BG TR
4165. **Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa Fallén,1823* RO BG TR UA RU
4166. **Drosophila (Scaptodrosophila) deflexa Duda,1924** (Drosophilidae) Synonym(s): *deflexa Duda,1924* LT RO BG TR
4167. **Drosophila (Scaptodrosophila) rufifrons Loew,1873** (Drosophilidae) Synonym(s): *rufifrons Loew,1873* RO TR
4168. **Drosophila (Sophophora) ambigua Pomini,1940** (Drosophilidae) Synonym(s): *ambigua Pomini,1940* RO TR
4169. **Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster Meigen,1830*; *fasciata Meigen,1830* RO B-H BG TR
4170. **Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae) Synonym(s): *obscura Fallén,1823* RO BG TR
4171. **Drosophila (Sophophora) simulans Sturtevant,1919** (Drosophilidae) Synonym(s): *simulans Sturtevant,1919* TR
4172. **Drosophila (Sophophora) simulans Sturtevant,1921** (Drosophilidae) Synonym(s): *simulans Sturtevant,1921* B-H RO TR
4173. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura Collin,1936* B-H RO BG TR GG Cc Soc
4174. **Drosophila (Sophophora) tristis Fallén,1823** (Drosophilidae) Synonym(s): *tristis Fallén,1823* RO TR
4175. **Drosophila adusta Loew,1862** (Drosophilidae) Synonym(s): *adusta Loew,1862* TR
4176. **Drosophila amoena Loew,1862** (Drosophilidae) Synonym(s): *amoena Loew,1862* TR
4177. **Drosophila ampelophila Loew,1862** (Drosophilidae) Synonym(s): *ampelophila Loew,1862* TR
4178. **Drosophila andalusiaca Strobl,1906** (Drosophilidae) Synonym(s): *andalusiaca Strobl,1906* ES TR
4179. **Drosophila busckii Coquillett,1901** (Drosophilidae) Synonym(s): *busckii Coquillett,1901* LT TR
4180. **Drosophila buzzatii Patterson & Wheeler,1942** (Drosophilidae) Synonym(s): *buzzatii Patterson & Wheeler,1942* AU TR
4181. **Drosophila flavicauda Toda,1991** (Drosophilidae) Synonym(s): *flavicauda Toda,1991* TR
4182. **Drosophila funebris (Fabricius,1787)** (Drosophilidae) Synonym(s): *funebris Fabricius,1787* TR

4183. **Drosophila repleta** Wollaston,1858 (Drosophilidae) Synonym(s): *repleta* Wollaston,1858
TR
4184. **Drymadusa dorsalis** (Brullé,1832) (Tettigoniidae) Synonym(s): *dorsalis* Brullé,1832 TR GR
4185. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae) Synonym(s): *limbata*
Brunner von Wattenwyl,1882 GR SY LB TR
4186. **Drymeia alpicola** (Rondani,1871) (Muscidae) Synonym(s): *alpicola* Rondani,1871 CA US
NMx DE PL SK CH AT TR CN
4187. **Drymeia fasciculata** (Stein,1916) (Muscidae) Synonym(s): *fasciculata* Stein,1916 Cc AM Eri
AT IT BG TR GG
4188. **Dryocosmus cerriphilus** Giraud,1859 (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859 IT
AT HU RO TR
4189. **Dryodurgades anatolicus** Dlabola,1957 (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957
BG GR TR
4190. **Dryodurgades dlabolai** Wagner,1963 (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963 HU
IT RU MD UA YU BG FR TR
4191. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): *reticulatus*
Herrich-Schäffer,1834 AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
4192. **Dryomyia circinans** (Giraud,1861) (Cecidomyiidae) Synonym(s): *circinans* Giraud,1861 TR
4193. **Dufourea (Cyprorhaphites) armenia** Ebmer,1987 (Halictidae) Synonym(s): *armenia*
Ebmer,1987 *Dufourea (Cyprorhaphites) armenia* Ebmer,1987, Linzer biol. Beitr. 19 (1): 50-52, Abb. 13-
18. Holotype ♂: Türkiye, Tortum/Narman Kireçli Pass Westseite 1900m 14 Juli 1984 an Campanula leg.
& coll.Ebmer. TR
4194. **Dufourea (Halictoides) graeca** Ebmer,1976 (Halictidae) Synonym(s): *graeca* Ebmer,1976
GR TR BG
4195. **Dufourea (Halictoides) pontica** (Warncke,1979) (Halictidae) Synonym(s): *pontica*
Warncke,1979 TR
4196. **Dufourea (Halictoides) schmiedeknechtii** (Kohl,1905) (Halictidae) Synonym(s):
schmiedeknechtii Kohl,1905 TR
4197. **Dufourea (s.str.) caelestis** Ebmer,1987 (Halictidae) Synonym(s): *caelestis* Ebmer,1987 TR
4198. **Dufourea (s.str.) wolfi** Ebmer,1989 (Halictidae) Synonym(s): *wolfi* Ebmer,1989 GR TR
4199. **Dufouriellus ater** (Dufour,1883) (Anthocoridae) Synonym(s): *ater* Dufour,1883 TR
4200. **Duilius seticulosa** (Lethierry,1874) (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata*
A.Costa,1882; *punctata* Lallemand,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
4201. **Duilius tamaricis** (Puton & Lethierry,1887) (Cixiidae) Synonym(s): *tamaricis* Puton &
Lethierry,1887 RU KG UZ TR
4202. **Duplachionaspis berlesii** (Leonardi) (Diaspididae) Synonym(s): *berlesii* Leonardi TR
4203. **Duplachionaspis natalensis** (Maskell) (Diaspididae) Synonym(s): *natalensis* Maskell TR
4204. **Duplachionaspis noaeae** (Hall) (Diaspididae) Synonym(s): *noaeae* Hall TR
4205. **Duroniella fracta** (Krauss,1890) (Acrididae) Synonym(s): *fracta* Krauss,1890 TR
4206. **Duroniella laticornis** (Krauss,1909) (Acrididae) Synonym(s): *laticornis* Krauss,1909
Duronia laticornis Krauss,1909, Verh. naturw. Ver. Karlsruhe 21: 118-119. Syntypes. IL Pa JO TR BG
4207. **Dusona falcator** (Fabricius,1775) (Ichneumonidae) Synonym(s): *falcator* Fabricius,1775 TR
4208. **Dusona inermis** (Förster,1868) (Ichneumonidae) Synonym(s): *inermis* Förster,1868 TR
4209. **Dusona inteligator** Aubert,1966 (Ichneumonidae) Synonym(s): *inteligator* Aubert,1966 TR
4210. **Dusona oxyacanthae** (Boie,1855) (Ichneumonidae) Synonym(s): *oxyacanthae* Boie,1855 TR
IL Pa
4211. **Dusona stragifex** (Förster,1868) (Ichneumonidae) Synonym(s): *stragifex* Förster,1868 TR
4212. **Dusona tricolorator** Aubert,1970 (Ichneumonidae) Synonym(s): *tricolorator* Aubert,1970
TR
4213. **Dynaspidiotus abieticola** (Koroneos) (Diaspididae) Synonym(s): *abieticola* Koroneos TR
4214. **Dynaspidiotus abietis** (Schrank) (Diaspididae) Synonym(s): *abietis* Schrank TR
4215. **Dynaspidiotus atlanticus** (Balachowsky) (Diaspididae) Synonym(s): *atlanticus* Balachowsky
TR
4216. **Dynaspidiotus britannicus** (Newstead) (Diaspididae) Synonym(s): *britannicus* Newstead
TR
4217. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae) Synonym(s): *umbraculatus*
Fabricius,1775 TR
4218. **Dysepicritus rufescens** (Costa,1847) (Anthocoridae) Synonym(s): *rufescens* Costa,1847 TR
4219. **Dysmachus antipai** Weinberg,1968 (Asilidae) Synonym(s): *antipai* Weinberg,1968 RO TR
4220. **Dysmachus appendiculatus** Schiner,1867 (Asilidae) Synonym(s): *appendiculatus*
Schiner,1867 TR
4221. **Dysmachus bifurcus** (Loew,1848) (Asilidae) Synonym(s): *bifurcus* Loew,1848 IR Elb Mz AT
CZ DE DK FR GB HU RO CH PL TR
4222. **Dysmachus bilobus** Loew,1871 (Asilidae) Synonym(s): *bilobus* Loew,1871 YU RO Cc RU BG TR
IR UA AZ AM GG

4223. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854
IR AT BG CZ DE FR IT HU RO YU UA RU TR KG
4224. **Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus* Loew,1871 YU RU GR
BG AL TR IR Fa
4225. **Dysmachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus* Loew,1871 RO Cc
RU GR TR IR Es AZ GG AM
4226. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 TR
IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG
4227. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 AT AL
BG DE FR HU PL RO UA TR IR Fa
4228. **Dysmachus safranboluticus Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s):
safranboluticus Hasbenli & Geller-Grimm,1999 **Dysmachus safranboluticus Hasbenli & Geller-
Grimm,1999, J. ent. Res. Soc. 1 (1): 13-19. TR**
4229. **Dysmachus setiger (Loew,1848)** (Asilidae) Synonym(s): *setiger* Loew,1848 TR
4230. **Dysmachus setipyga Becker,1923** (Asilidae) Synonym(s): *setipyga* Becker,1923 TR IR Elb Th
4231. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 AT AL BG CZ DE
FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
4232. **Dysmachus suludereae Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s):
suludereae Hasbenli & Geller-Grimm,1999 **Dysmachus suludereae Hasbenli & Geller-Grimm,1999, J.
ent. Res. Soc. 1 (1): 13-19. TR**
4233. **Dysmachus transcausicus Richter,1962** (Asilidae) Synonym(s): *transcausicus*
Richter,1962 Cc AM RU TR
4234. **Dysmachus tricuspis (Loew,1848)** (Asilidae) Synonym(s): *tricuspis* Loew,1848 TR IR Es AL
GR RO TN
4235. **Dysmachus zaitzevi Lehr,1996** (Asilidae) Synonym(s): *zaitzevi* Lehr,1996 IL Pa TR
4236. **Dytiscus circumflexus Fabricius,1781** (Dytiscidae) Synonym(s): *circumflexus* Fabricius,1781
TR
4237. **Dytiscus dimidiatus Bergsträßer,1778** (Dytiscidae) Synonym(s): *dimidiatus* Bergsträßer,1778
TR
4238. **Dytiscus marginalis Linnaeus,1758** (Dytiscidae) Synonym(s): *marginalis* Linnaeus,1758 TR
4239. **Dytiscus semisulcatus O.F.Müller,1776** (Dytiscidae) Synonym(s): *semisulcatus*
O.F.Müller,1776 TR
4240. **Ebaeus anatolicus Wittmer,1986** (Melyridae) Synonym(s): *anatolicus* Wittmer,1986 TR
4241. **Ebaeus appendiculatus Erichson,1840** (Melyridae) Synonym(s): *appendiculatus*
Erichson,1840 TR IT Si AT CZ RO BG UA Cm
4242. **Ebaeus baudueri Peyron,1877** (Melyridae) Synonym(s): *baudueri* Peyron,1877 TR
4243. **Ebaeus bleusei Abeille de Perrin,1900** (Melyridae) Synonym(s): *bleusei* Abeille de
Perrin,1900 TR
4244. **Ebaeus caspius Peyron,1877** (Melyridae) Synonym(s): *caspius* Peyron,1877 TR
4245. **Ebaeus coerulescens Erichson,1840** (Melyridae) Synonym(s): *coerulescens* Erichson,1840
TR
4246. **Ebaeus flavicornis Erichson,1840** (Melyridae) Synonym(s): *flavicornis* Erichson,1840 TR
4247. **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868;
orientalis Wittmer,1979 TR CY SY IL Pa LB
4248. **Ebaeus medvedevi Wittmer,1970** (Melyridae) Synonym(s): *medvedevi* Wittmer,1970 TR IR
4249. **Ebaeus rosinae Pic,1902** (Melyridae) Synonym(s): *rosinae* Pic,1902 TR
4250. **Ebaeus rubetorum Peyron,1877** (Melyridae) Synonym(s): *rubetorum* Peyron,1877 TR
4251. **Ebaeus turcicus Wittmer,1968** (Melyridae) Synonym(s): *turcicus* Wittmer,1968 TR
4252. **Ebaeus vesiculiger (Marseul,1868)** (Melyridae) Synonym(s): *vesiculiger* Marseul,1868 TR
4253. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 AL AT BG
S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
4254. **Ebnerodes toelgi (Ebner,1919)** (Pamphagidae) Synonym(s): *toelgi* Ebner,1919 TR
4255. **Eccoptomera microps (Meigen,1830)** (Heleomyzidae) Synonym(s): *microps* Meigen,1830
TR
4256. **Echthistus cognatus Loew,1849** (Asilidae) Synonym(s): *cognatus* Loew,1849 TR
4257. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 IL Pa
TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
4258. **Echthromyrmex sehitlerolmez Koçak & Kemal,2008** (Myrmeleonidae) Synonym(s):
sehitlerolmez Koçak & Kemal,2008 **Echthromyrmex sehitlerolmez Koçak & Kemal,2008, Cent. ent.
Stud., Misc. Pap. 138: 4-5. Holotype ♀: Turkey: Hakkari Prov., Yüksekova, Dağlıca, Yeşiltaş Gorge
1500m, 27 8 2003, A.Koçak leg. (Cesa). TR**
4259. **Echthronomas tricincta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tricincta*
Gravenhorst,1829 FR PL TR
4260. **Echthroplexiella aeneiventris Mercet** (Encyrtidae) Synonym(s): TR
4261. **Echthrus reluctator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *reluctator* Linnaeus,1758
TR

4262. **Ectamenogonus montandoni (Buysson,1888)** (Elateridae) Synonym(s): *montandoni Buysson,1888* TR
4263. **Ectinus aterrimus (Linnaeus,1761)** (Elateridae) Synonym(s): *aterrimus Linnaeus,1761* TR
4264. **Ectobius balcani Rammer,1923** (Blattidae) Synonym(s): *balcani Rammer,1923* TR
4265. **Ectobius vittiventris Costa,1847** (Blattidae) Synonym(s): *vittiventris Costa,1847* TR
4266. **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans Rossi,1790* PT ES Co Sa Si IT AL Cr CY TR
4267. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae Edwards,1888; bidentata Edwards,1914; #avellana Lodos & Kalkandelen,1984* AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR
4268. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936* AT BG CS FR DE GB HU NL PL RO SE Ce GG TR MD RU UA
4269. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi Edwards,1881; chromata Rey,1894; plurispinosa Wagner,1935* DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
4270. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
4271. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola Edwards,1885* AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At
4272. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera Edwards,1924* AT BG CS FR DE GB NL PL TR GG Cc YU
4273. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa Edwards,1914* CS DK FR DE GB NL PL SE TR RU At
4274. **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari Zachvatkin,1947* IL Pa Cc CY TR GG MD UZ
4275. **Einfeldia carbonaria (Meigen,1804)** (Chironomidae) Synonym(s): *carbonaria Meigen,1804* TR
4276. **Einfeldia dissidens (Walker,1856)** (Chironomidae) Synonym(s): *dissidens Walker,1856* TR
4277. **Einfeldia sp.** (Chironomidae) Synonym(s): TR
4278. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
4279. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher Erdős,1961* TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
4280. **Elachiptera bimaculata (Loew,1845)** (Chloropidae) Synonym(s): *bimaculata Loew,1845* TR SA
4281. **Elampus bidens (Förster,1853)** (Chrysididae) Synonym(s): *bidens Förster,1853* PL IT RU Sb TR Cc
4282. **Elampus sanzii Gogorza,1887** (Chrysididae) Synonym(s): *sanzii Gogorza,1887* ES TR SY IT RU
4283. **Elaphrosyron heinrichi Haupt,1930** (Pompilidae) Synonym(s): *heinrichi Haupt,1930* TR
4284. **Elaphrosyron paglianoi Wolf,1999** (Pompilidae) Synonym(s): *paglianoi Wolf,1999* TR
4285. **Elasmotropis testacea (Herrich-Schäffer,1830)** (Tingidae) Synonym(s): *testacea Herrich-Schäffer,1830* TR
4286. **Elasmus cyprianus Ferrière,1947** (Eulophidae) Synonym(s): *cyprianus Ferrière,1947* TR ES CY
4287. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
4288. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
4289. **Elasmus phthorimaeae Ferrière,1947** (Eulophidae) Synonym(s): *phthorimaeae Ferrière,1947* TR CY ES TR AE YE
4290. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae Ferrière,1935; elongatus Ferrière,1947* TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
4291. **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii Steffan,1962; steffani Viggiani,1967* TR HV FR R IL Pa IT ES SY AE
4292. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor Rondani,1877; fumipennis Thomson,1878; vibicellae Ferrière,1947* TR Cc BG CZ DE HU IT MD SK ES SE
4293. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi Giraud,1856* AT FI DE GR FR HU IT MD KG ES SE CH TR RU
4294. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus Linnaeus,1758* TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
4295. **Elater tauricus (Schwarz,1897)** (Elateridae) Synonym(s): *tauricus Schwarz,1897* TR

4296. **Elathous buyssoni** Reitter,1890 (Elateridae) Synonym(s): *buyssoni* Reitter,1890 TR Az Len
Cc
4297. **Elathous depressus** Platia & Schimmel,1991 (Elateridae) Synonym(s): *depressus* Platia &
Schimmel,1991 TR
4298. **Elathous lizlerweneri** Mertlik & Dusanek,2006 (Elateridae) Synonym(s): *lizlerweneri*
Mertlik & Dusanek,2006 TR
4299. **Elathous mertliki** Platia & Schimmel,1992 (Elateridae) Synonym(s): *mertliki* Platia &
Schimmel,1992 TR
4300. **Elathous nigricans** Platia & Schimmel,1991 (Elateridae) Synonym(s): *nigricans* Platia &
Schimmel,1991 TR
4301. **Elathous pavesii** Platia & Schimmel,1992 (Elateridae) Synonym(s): *pavesii* Platia &
Schimmel,1992 TR
4302. **Elathous rufobasalis** Wurst,1994 (Elateridae) Synonym(s): *rufobasalis* Wurst,1994 TR
4303. **Elathous schwarzi** Reitter,1905 (Elateridae) Synonym(s): *schwarzi* Reitter,1905 TR
4304. **Elathous smyrnensis** Reitter,1905 (Elateridae) Synonym(s): *smyrnensis* Reitter,1905 TR
4305. **Elathous turcicus** Platia & Gudenzi,2005 (Elateridae) Synonym(s): *turcicus* Platia &
Gudenzi,2005 TR
4306. **Elatophilus nigricornis** (Zetterstedt,1838) (Anthocoridae) Synonym(s): *nigricornis*
Zetterstedt,1838 TR
4307. **Elatophilus pachynemis** Horvath,1907 (Anthocoridae) Synonym(s): *pachynemis*
Horvath,1907 TR
4308. **Eledona agaricola** (Herbst,1784) (Tenebrionidae) Synonym(s): *agaricola* Herbst,1784 TR
4309. **Elinora asiatica** Enslin,1910 (Tenthredinidae) Synonym(s): *asiatica* Enslin,1910 TR
4310. **Elinora baetica** Spinola,1843 (Tenthredinidae) Synonym(s): *baetica* Spinola,1843; *fulviventris*
Mocsary,1880; *dusmeti* Konow,1894; *antigae* Zirngiebl,1937 TR
4311. **Elinora ornata** André,1881 (Tenthredinidae) Synonym(s): *ornata* André,1881; *discolor*
Konow,1890; *ornata* André,1881; *mocsaryi* Enslin,1910; *baja* Enslin,1912; *camilla* Enslin,1912 TR
4312. **Eliozeta helluo** (Fabricius,1805) (Tachinidae) Synonym(s): *helluo* Fabricius,1805 TR
4313. **Ellipteroides (Protogonomyia) quadridens** (Limoniidae) Synonym(s): TR
4314. **Ellipteroides (s.str.) bifastigatus** Mendl,1987 (Limoniidae) Synonym(s): *bifastigatus*
Mendl,1987 TR
4315. **Elodes akbesianus** Pic,1898 (Scirtidae) Synonym(s): *akbesianus* Pic,1898 TR LB SY
4316. **Elodes eberti** Klausnitzer,1970 (Scirtidae) Synonym(s): *eberti* Klausnitzer,1970 TJ IR Cc TR
4317. **Elodes flavoangularis** Klausnitzer,1990 (Scirtidae) Synonym(s): *flavoangularis*
Klausnitzer,1990 TR
4318. **Elodes luteata** Klausnitzer,1979 (Scirtidae) Synonym(s): *luteata* Klausnitzer,1979 TR
4319. **Elodes megalopus** Klausnitzer,2002 (Scirtidae) Synonym(s): *megalopus* Klausnitzer,2002
TR
4320. **Elodes microps** Klausnitzer,2002 (Scirtidae) Synonym(s): *microps* Klausnitzer,2002 TR
4321. **Elodes minuta** (Linnaeus,1767) (Scirtidae) Synonym(s): *minuta* Linnaeus,1767 TR
4322. **Elodes persimilis** Klausnitzer,2002 (Scirtidae) Synonym(s): *persimilis* Klausnitzer,2002 TR
4323. **Elodes pseudominuta** Klausnitzer,1971 (Scirtidae) Synonym(s): *pseudominuta*
Klausnitzer,1971 TR
4324. **Elodes sieberi** Klausnitzer,1973 (Scirtidae) Synonym(s): *sieberi* Klausnitzer,1973 TR GR
4325. **Elodes venustula** Klausnitzer,2002 (Scirtidae) Synonym(s): *venustula* Klausnitzer,2002 TR
4326. **Eloeophila maculata** (Meigen,1804) (Limoniidae) Synonym(s): *maculata* Meigen,1804 TR
Cc
4327. **Eloeophila miliaria** (Egger,1863) (Limoniidae) Synonym(s): *miliaria* Egger,1863 TR
4328. **Elymana sulphurella** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *virescens* Fabricius,1794
(*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN
CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
4329. **Emblethis angustus** Montandon,1890 (Lygaeidae) Synonym(s): *angustus* Montandon,1890
TR
4330. **Emblethis brachynotus** Horvath,1907 (Lygaeidae) Synonym(s): *brachynotus* Horvath,1907
HU TR
4331. **Emblethis bullatus** Fieber,1861 (Lygaeidae) Synonym(s): *bullatus* Fieber,1861 TR Cc
4332. **Emblethis ciliatus** Horvath,1875 (Lygaeidae) Synonym(s): *ciliatus* Horvath,1875 TR
4333. **Emblethis denticollis** Hovarth,1878 (Lygaeidae) Synonym(s): *denticollis* Hovarth,1878 TR
Cc TJ
4334. **Emblethis duplicatus** Seidenstücker,1963 (Lygaeidae) Synonym(s): *duplicatus*
Seidenstücker,1963 TR
4335. **Emblethis griseus** (Wolff,1802) (Lygaeidae) Synonym(s): *griseus* Wolff,1802 IL Pa TR Cc SY
4336. **Emblethis karamanus** Seidenstücker,1963 (Lygaeidae) Synonym(s): *karamanus*
Seidenstücker,1963 TR
4337. **Emblethis kareli** Hoberlandt,1955 (Lygaeidae) Synonym(s): *kareli* Hoberlandt,1955 TR

4338. **Emblethis major Montandon,1890** (Lygaeidae) Synonym(s): *major Montandon,1890* TR
4339. **Emblethis osmanus Seidenstücker,1962** (Lygaeidae) Synonym(s): *osmanus Seidenstücker,1962* TR
4340. **Emblethis sabulosus Seidenstücker,1963** (Lygaeidae) Synonym(s): *sabulosus Seidenstücker,1963* TR
4341. **Emblethis setifer Seidenstücker,1966** (Lygaeidae) Synonym(s): *setifer Seidenstücker,1966* TR
4342. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci Fabricius,1803* GB
IL Pa Cc C TR LB CN Ti Ui
4343. **Embrocus turcicus (Wittmer,1964)** (Melyridae) Synonym(s): *turcicus Wittmer,1964* TR
4344. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula Boheman,1845; fascialis Flor,1861; florii Kirschbaum,1868; albicans Lethierry,1876* AL AT BE BG CS DK FI
FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
4345. **Empis (Empis) tessellata Fabricius,1794** (Empididae) Synonym(s): *tessellata Fabricius,1794* TR
4346. **Empis (Pachymeria) contigua (Loew,1864)** (Empididae) Synonym(s): *contigua Loew,1864* TR
4347. **Empis (Pachymeria) mediterranea (Loew,1864)** (Empididae) Synonym(s): *mediterranea Loew,1864* TR
4348. **Empis (Polyblepharis) haemorrhoea Loew,1869** (Empididae) Synonym(s): *haemorrhoea Loew,1869; concisa Loew,1869* TR
4349. **Empis (Polyblepharis) lugubris Loew,1869** (Empididae) Synonym(s): *lugubris Loew,1869; decoripes Röder,1894* TR
4350. **Empis (s.str.) acinerea Chavala,1985** (Empididae) Synonym(s): *acinerea Chavala,1985* TR
CZ DK FI DE NL SK SE CH RU
4351. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula Loew,1867* TR AT
CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
4352. **Empis (s.str.) curticornis Collin,1960** (Empididae) Synonym(s): *curticornis Collin,1960* TR IL
Pa
4353. **Empis (s.str.) discrepans Collin,1960** (Empididae) Synonym(s): *discrepans Collin,1960* TR
IL Pa
4354. **Empis (s.str.) inopinata Collin,1960** (Empididae) Synonym(s): *inopinata Collin,1960* IL Pa
TR
4355. **Empis (s.str.) insulata Collin,1960** (Empididae) Synonym(s): *insulata Collin,1960* TR IL Pa
4356. **Empis (s.str.) lepidopus Meigen,1822** (Empididae) Synonym(s): *lepidopus Meigen,1822* TR
DE IT HU NL CH ES
4357. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes Fabricius,1794; obscurella Zetterstedt,1842* TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA
RU
4358. **Empis (s.str.) pexata Collin,1960** (Empididae) Synonym(s): *pexata Collin,1960* JO TR
4359. **Empis (s.str.) tristis Loew,1867** (Empididae) Synonym(s): *tristis Loew,1867* TR GR
4360. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa
IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
4361. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960* AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD
RU UA YU
4362. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis Göthe,1875; aurantiaca Lethierry,1880; viticola Targioni-Tozzetti,1888; subvaria Rey,1894; vitium Paoli,1931; punctata Kato,1933; petiolata Cerutti,1939* DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE
SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
4363. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata Brullé,1836* RO YU CY TR IQ
Mos EG DZ GR HV B-H Cr IL Pa IR JO
4364. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis Linnaeus,1763; pennicornis Pallas,1773; pallasiana Olivier,1792; marginatus Thunberg,1815; orientalis Burmeister,1838; stollii Saussure,1871; attenuata Ramme,1951; mujuncumica Lindt,1976; hodshamuminica Lindt,1976; brevidorsa Lindt,1977; buharica Lindt,1977; condarinica Lindt,1977; copetdagica Lindt,1977; iliense Lindt,1977; longidorsa Lindt,1977; angulata Lindt,1978; baysunica Lindt,1978; similis Lindt,1978; longoapicale Lindt,1979; luppovae Lindt,1979; orientalis Lindt,1979 nec Burm., 1838; lindti Otte,2004* TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN
LK CN MY
4365. **Enallagma cyathigerum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *cyathigerum Charpentier,1840* TR
4366. **Encarsia aspidiocola (Mercet,1929)** (Aphelinidae) Synonym(s): *aspidiocola Mercet,1929* TR
4367. **Encarsia berlesei (Howard,1906)** (Aphelinidae) Synonym(s): *berlesei Howard,1906* US TR

4368. **Encarsia citrina (Craw,1891)** (Aphelinidae) Synonym(s): *citrina* Craw,1891; *howardi* Brèthes,1914; *shooversi* Smits van Burgst,1915; *agilior* Berlese,1917; *severiniellus* Ghesquière,1933; *cyanophilli* Alam,1956; *silwoodensis* Alam,1956 **TR**
4369. **Encarsia formosa Gahan,1924** (Aphelinidae) Synonym(s): *formosa* Gahan,1924 **US TR**
4370. **Encarsia inaron (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodus* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulden,1986 **ES IT TR**
4371. **Encarsia lahorensis (Howard,1911)** (Aphelinidae) Synonym(s): *lahorensis* Howard,1911 **PK Pj TR**
4372. **Encarsia leucaspidis (Mercet,1912)** (Aphelinidae) Synonym(s): *leucaspidis* Mercet,1912; *coniferarum* Ghesquière,1948 **ES SE TR**
4373. **Encarsia lounsburyi (Berlese & Paoli,1916)** (Aphelinidae) Synonym(s): *lounsburyi* Berlese & Paoli,1916 **ES Md TR**
4374. **Encarsia perniciosi (Tower,1913)** (Aphelinidae) Synonym(s): *perniciosi* Tower,1913; *argentina* De Santis,1948 **TR**
4375. **Encarsia sophia (Girault & Dodd,1915)** (Aphelinidae) Synonym(s): *sophia* Girault & Dodd,1915; *transversana* Timberlake,1926; *sublutea* Silvestri,1931; *bemisiae* Ishii,1938; *flava* Shafee,1973; *shafeei* Hayat,1986 **TR**
4376. **Encarsia tricolor Förster,1878** (Aphelinidae) Synonym(s): *tricolor* Förster,1878; *coniugata* Masi,1908 **IT TR**
4377. **Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885 **DE DK FR IT AT PL YU TR**
4378. **Encyrtus aurantii (Geoffroy)** (Encyrtidae) Synonym(s): **TR**
4379. **Encyrtus infelix (Embleton)** (Encyrtidae) Synonym(s): **TR**
4380. **Encyrtus infidus (Rossi)** (Encyrtidae) Synonym(s): **TR**
4381. **Endasys brevis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brevis* Gravenhorst,1829 **TR**
4382. **Endasys erythrogaster (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *erythrogaster* Gravenhorst,1829 **TR**
4383. **Endasys parviventris (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *parviventris* Gravenhorst,1829 **TR**
4384. **Endasys plagiator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *plagiator* Gravenhorst,1829 **TR**
4385. **Endasys rubricator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *rubricator* Thunberg,1822 **TR**
4386. **Endochironomus tendens (Fabricius,1794)** (Chironomidae) Synonym(s): *tendens* Fabricius,1794 **TR**
4387. **Endomia concolor (Desbrochers,1875)** (Anthicidae) Synonym(s): *concolor* Desbrochers,1875 **TR IR**
4388. **Engelepogon antiochienensis (Tsacas,1964)** (Asilidae) Synonym(s): *antiochienensis* Tsacas,1964 **TR IR Elb Mz**
4389. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes* Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867 **IR Kd DZ GR MA TN TR YU**
4390. **Engelepogon chrysophora (Tsacas,1964)** (Asilidae) Synonym(s): *chrysophora* Tsacas,1964 **TR**
4391. **Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854 **YU GR BG TR LB SY IL Pa**
4392. **Engelepogon ravus (Loew,1871)** (Asilidae) Synonym(s): *ravus* Loew,1871 **TN YU GR TR**
4393. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 **FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR**
4394. **Enicospilus cerebrator Aubert,1966** (Ichneumonidae) Synonym(s): *cerebrator* Aubert,1966 **TR**
4395. **Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957 **TR IR DZ MN KG RU At**
4396. **Enicospilus incognitus Izquierdo,1983** (Ichneumonidae) Synonym(s): *incognitus* Izquierdo,1983 **ES YU TR**
4397. **Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus,1758; *merdarius* Gravenhorst,1829 **TR Cc RU Sb Us Sh**
4398. **Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858 **TR RU Sb KG**
4399. **Enicospilus tournieri (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): *tournieri* Snellen van Vollenhoven,1879 **TR**
4400. **Enochrus (Lumetus) ater (Kuwert,1888)** (Hydrophilidae) Synonym(s): *ater* Kuwert,1888 **TR**
4401. **Enochrus (Lumetus) bicolor (Fabricius,1792)** (Hydrophilidae) Synonym(s): *bicolor* Fabricius,1792 **TR**

4402. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 **AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR**
4403. **Enochrus (Lumetus) salmonis (Sahlberg,1900)** (Hydrophilidae) Synonym(s): *salmonis* Sahlberg,1900 **TR**
4404. **Enochrus (Lumetus) segmentinotatus (Kuvert,1888)** (Hydrophilidae) Synonym(s): *segmentinotatus* Kuvert,1888 **TR**
4405. **Enochrus (Methydrus) nigrinus (Sharp,1872)** (Hydrophilidae) Synonym(s): *nigrinus* Sharp,1872 **TR**
4406. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 **DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR**
4407. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemi* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzoneriae* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
4408. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigratarsis* Erdős,1944 **TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB**
4409. **Entedon angorensis Gumovsky,1999** (Eulophidae) Synonym(s): *angorensis* Gumovsky,1999 *Entedon angorensis* Gumovsky,1999, Ann. hist. nat. Mus. natn. Hung. 91: 156, 167-168. Holotype ♀: Turkey: Ankara (HNHM). **TR**
4410. **Entedon biroii Erdős,1944** (Eulophidae) Synonym(s): *biroii* Erdős,1944 **TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ**
4411. **Entedon calcicola Graham,1971** (Eulophidae) Synonym(s): *calcicola* Graham,1971 **TR DE SK SE GB YU**
4412. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdős,1961; *fructicola* Gumowsky,1996 **TR BG Cn HV FR DE HU NL ES SE UA GB YU**
4413. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdős,1951 **TR BG HU MN RU ES SE GB**
4414. **Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna* Walker,1839; *elongatus* Thomson,1878; *aselli* Erdős,1954 **TR BG CZ HU NL NO RU SK SE GB**
4415. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdős,1944; *longus* Boucek,1968 **TR BG DE HU IL Pa SE GB**
4416. **Entedon palligerus Erdős,1944** (Eulophidae) Synonym(s): *palligerus* Erdős,1944 **TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ**
4417. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878 **TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU**
4418. **Entedon pinetorum Ratzeburg,1852** (Eulophidae) Synonym(s): *pinetorum* Ratzeburg,1852 **TR DE HU**
4419. **Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni* Erdős,1944; *molybdaenus* Erdős,1944; *urticarii* Erdős,1951; *meliloti* Askew,1992 **TR BG CZ FR DE HU NL RU SK ES SE UA GB**
4420. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdős,1944; *lixi* Erdős,1951; *mecini* Askew,1992 **TR AT BG HV CZ FR GG Cc DE GR HU**
4421. **Entedon subpunctatus [n.n.]** (Eulophidae) Synonym(s): *#subpunctatus* Doğanlar,1985 **TR**
4422. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944 **TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA**
4423. **Entomobora crassitarsis (Costa,1887)** (Pompilidae) Synonym(s): *crassitarsis* Costa,1887 **TR**
4424. **Entomobora fuscipennis (Van der Linden,1827)** (Pompilidae) Synonym(s): *fuscipennis* Van der Linden,1827 **TR**
4425. **Entomobora vomeriventrtris (Costa,1863)** (Pompilidae) Synonym(s): *vomeriventrtris* Costa,1863 **TR**
4426. **Entomogonus (Delonurops) duchoni Reitter,1903** (Tenebrionidae) Synonym(s): *duchoni* Reitter,1903 **TR**
4427. **Entomogonus (Delonurops) egregius Seidlitz,1893** (Tenebrionidae) Synonym(s): *egregius* Seidlitz,1893 **TR**
4428. **Entomogonus (Delonurops) obtusus Seidlitz,1893** (Tenebrionidae) Synonym(s): *obtus* Seidlitz,1893 **TR**
4429. **Entomogonus (Delonurops) peyroni (Reiche,1861)** (Tenebrionidae) Synonym(s): *peyroni* Reiche,1861 **TR**
4430. **Entomogonus (Delonurops) saphyrinus Allard,1876** (Tenebrionidae) Synonym(s): *saphyrinus* Allard,1876 **TR**
4431. **Entomogonus (Eutelogonus) davidis (Fairmaire,1884)** (Tenebrionidae) Synonym(s): *davidis* Fairmaire,1884 **TR SY**
4432. **Entomogonus (Eutelogonus) nylanderii Ferrer & Soldati,1999** (Tenebrionidae) Synonym(s): *nylanderii* Ferrer & Soldati,1999 **TR**

4433. **Entomogonus (s.str.) angulicollis Mulsant & Wacherau,1852** (Tenebrionidae) Synonym(s): *angulicollis Mulsant & Wacherau,1852* SY Hal TR
4434. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis Pallas,1771; abdominalis Netolitzki,1912* TR SY UA RU Sb CN IR KG CA MN PK
4435. **Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis Weise,1882* BG AZ Cc TR GG IQ IR CN
4436. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica Piesner,1973* TR HV FR GR IL Pa KG KK MK RU ES TM
4437. **Eoferreola anomala (Piesner,1955)** (Pompilidae) Synonym(s): *anomala Piesner,1955* TR
4438. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta Smith,1855; syraensis Radoszkowski,1888; schmidti Priesner,1973; #cinerata Priesner,1973* DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY
4439. **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea Pallas,1773; sirdariensis Radoszkowski,1889* AM Cc IR TM Kp TR KK KG Uk RU Da
4440. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
4441. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica Christ,1791; coccineus Fabricius,1804* CH ES IT DE FR AT HU GR Cc TR
4442. **Eoferreola thoracica (Rossi,1794)** (Pompilidae) Synonym(s): *thoracica Rossi,1794* TR
4443. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus Horvath,1903; imitatus Haupt,1924; byzantina Zachvatkin,1946; mira Zachvatkin,1946; insularis Lindberg,1948* AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
4444. **Eoperla ochracea (Kolbe,1885)** (Perlidae) Synonym(s): *ochracea Kolbe,1885; pauvi Navas,1909; latisulcata Klapalek,1921; nigritarisis Despax,1931; theryana Navas,1935* Perla ochracea Kolbe,1885, Berl. ent. Z. 29: 156. GR TR
4445. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
4446. **Ephippiger ephippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ephippiger Fiebig,1784; vitium Serville,1831; rossii Fieber,1853; fibigii Fieber,1853; fabricii Fieber,1853; moguntiacus Schuster,1906* Gryllus ephippiger Fiebig,1784, Berlin. Ges. naturf. Freunde 5: 260. Type(s): Austria: Wien (NMWM). AT Wn HU YU BG TR
4447. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala Pallas,1771* BG TR Cc RU UZ KG CN Ui
4448. **Epiclerus alahanensis Doğanlar,2003** (Tetracampidae) Synonym(s): *alahanensis Doğanlar,2003* TR
4449. **Epiclerus guemenekus Doğanlar,2003** (Tetracampidae) Synonym(s): *guemenekus Doğanlar,2003* TR
4450. **Epiclerus panyas (Walker)** (Tetracampidae) Synonym(s): TR
4451. **Epiclerus tokatus Doğanlar,2003** (Tetracampidae) Synonym(s): *tokatus Doğanlar,2003* TR
4452. **Epidiaspis gennadii (Leonardi)** (Diaspididae) Synonym(s): *gennadii Leonardi* TR
4453. **Epidiaspis leperii (Signoret)** (Diaspididae) Synonym(s): *leperii Signoret* TR
4454. **Epiphragma (Epiphragma) ocellare (Linnaeus,1761)** (Limoniidae) Synonym(s): *ocellare Linnaeus,1761* TR
4455. **Epistrophe elegans (Harris,1780)** (Syrphidae) Synonym(s): *elegans Harris,1780; #eligans Sarbiyik & Aktas,1996* TR
4456. **Epistrophe grossulariae (Meigen,1822)** (Syrphidae) Synonym(s): *grossulariae Meigen,1822* TR
4457. **Episyron albonotatum (Van der Linden,1827)** (Pompilidae) Synonym(s): *albonotatum Van der Linden,1827* TR
4458. **Episyron arrogans (Smith,1873)** (Pompilidae) Synonym(s): *arrogans Smith,1873* TR
4459. **Episyron candiotum Wahis,1966** (Pompilidae) Synonym(s): *candiotum Wahis,1966* TR
4460. **Episyron coccineipes (Saunders,1904)** (Pompilidae) Synonym(s): *coccineipes Saunders,1904* TR
4461. **Episyron funerarium (Tournier,1889)** (Pompilidae) Synonym(s): *funerarium Tournier,1889* TR
4462. **Episyron gallicum (Tournier,1889)** (Pompilidae) Synonym(s): *gallicum Tournier,1889; intermedium Haupt,1930* TR
4463. **Episyron rufipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *rufipes Linnaeus,1758* TR
4464. **Episyrrhus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842* TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
4465. **Epitetracnemus intersectus (Fonscolombe)** (Encyrtidae) Synonym(s): TR

4466. **Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei Bauduer,1874* **TR IQ**
IR Cc KG
4467. **Epitrix atropae Foudras,1860** (Chrysomelidae) Synonym(s): *atropae Foudras,1860* **DZ TR Cc**
4468. **Epitrix caucasica (Heitertinger,1950)** (Chrysomelidae) Synonym(s): *caucasica Heitertinger,1950* **TR Cc IR RU KG IN**
4469. **Epitrix dieckmanni (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni Mohr,1968* **TR**
IL Pa JO IR SA TM
4470. **Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis Melsheimer,1847* **TR GR BG IT US**
4471. **Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia Foudras,1860* **TR ES IT SK UA HU YU Cc**
4472. **Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens Koch,1803; ferruginea Weise,1886; suturalis Bedel,1897; lenkorana Pic,1903* **Cc AZ Len TR KK Az KG IR RU Sb**
4473. **Erax hayati Tomasovic,2002** (Asilidae) Synonym(s): *hayati Tomasovic,2002* **TR**
4474. **Erax nigrosetosus Theodor,1980** (Asilidae) Synonym(s): *nigrosetosus Theodor,1980* **IL Pa**
TR
4475. **Erax nubeculus (Loew,1848)** (Asilidae) Synonym(s): *nubeculus Loew,1848* **TR**
4476. **Erax punctipennis (Meigen,1820)** (Asilidae) Synonym(s): *punctipennis Meigen,1820* **TR**
4477. **Erax tenuicornis (Loew,1848)** (Asilidae) Synonym(s): *tenuicornis Loew,1848* **GR TR**
4478. **Erdoesina albuannulata (Ratzeburg)** (Pteromalidae) Synonym(s): **TR**
4479. **Eremiaphila dagi Doğanlar,2007** (Mantidae) Synonym(s): *dagi Doğanlar,2007* **Eremiaphila**
dagi Doğanlar,2007, Austr. J. Basic Appl. Sci. Res. 1 (1): 1-6. Holotype ♀: Turkey: Antakya, Amanos
Mountains, 14.7.2006, leg. M.Doğanlar (MPPDMKU). **TR**
4480. **Eremiaphila genei Lefebvre,1835** (Mantidae) Synonym(s): *genei Lefebvre,1835* **TR**
4481. **Eremiaphila hauensteini Werner,1905** (Mantidae) Synonym(s): *hauensteini Werner,1905*
TR
4482. **Eremippus angulatus Uvarov,1934** (Acrididae) Synonym(s): *angulatus Uvarov,1934*
Eremippus angulatus Uvarov,1934, Eos 10: 93. Syntypes: Turkey: Tuz Goel. **TR**
4483. **Eremippus gracilis Uvarov,1934** (Acrididae) Synonym(s): *gracilis Uvarov,1934* **TR**
4484. **Eremippus simplex (Eversmann,1859)** (Acrididae) Synonym(s): *simplex Eversmann,1859*
TR
4485. **Eremippus turcicus Ramme,1951** (Acrididae) Synonym(s): *turcicus Ramme,1951* **TR**
4486. **Eremippus weidneri Demirsoy,1977** (Acrididae) Synonym(s): *weidneri Demirsoy,1977;*
weidneri Demirsoy,1979 **TR**
4487. **Eremocampe choresmiana Sugonjaev** (Tetracampidae) Synonym(s): **TR**
4488. **Eremopeza festiva (Saussure,1884)** (Pamphagidae) Synonym(s): *festiva Saussure,1884* **TR**
4489. **Eremopeza gibbera (Stal,1874)** (Pamphagidae) Synonym(s): *gibbera Stal,1874* **TR IR Bu Es**
Hz Ke Kz Lo Fa Il Km Ss
4490. **Eremopeza saussurei (Uvarov,1918)** (Pamphagidae) Synonym(s): *saussurei Uvarov,1918*
Tmethis saussurei Uvarov,1918, Bull. Mus. Caucas. 12: 49, fig.3. **TR IR Bk Kh Ab Ak Es Fa Ha By Kd Ke**
Kh Lo Ma Ss Th
4491. **Eremotylus marginatus (Jurine,1807)** (Ichneumonidae) Synonym(s): *marginatus*
Jurine,1807 **Cc TR**
4492. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus*
Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935 **ES MA DZ EG TR SD ZR SL SN**
ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
4493. **Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae) Synonym(s): *debachi Rose &*
Rosen,1992 **US Cf TR**
4494. **Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae) Synonym(s): *diversiciliatus*
Silvestri,1915 **NG TR**
4495. **Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus Mercet,1931; longipilus*
Khan & Shafee,1980 **ES CY TR IN Up**
4496. **Eriborus terebrans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *terebrans*
Gravenhorst,1829 **TR**
4497. **Ericydnus aeneus Nikol'skaya** (Encyrtidae) Synonym(s): **TR**
4498. **Ericydnus robustior Mercet** (Encyrtidae) Synonym(s): **TR**
4499. **Eriococcus agropyri (Borchsenius)** (Eriococcidae) Synonym(s): *agropyri Borchsenius* **TR**
4500. **Eriococcus araucariae Maskell** (Eriococcidae) Synonym(s): *araucariae Maskell* **TR**
4501. **Eriococcus buxi (Boyer de Fonscolombe)** (Eriococcidae) Synonym(s): *buxi Boyer de*
Fonscolombe **TR**
4502. **Eriococcus cingulatus Kiritchenko** (Eriococcidae) Synonym(s): *cingulatus Kiritchenko* **TR**
4503. **Eriococcus cynodontis Kiritchenko** (Eriococcidae) Synonym(s): *cynodontis Kiritchenko* **TR**
4504. **Eriococcus devoniensis (Green)** (Eriococcidae) Synonym(s): *devoniensis Green* **TR**
4505. **Eriococcus greeni Newstead** (Eriococcidae) Synonym(s): *greeni Newstead* **TR**
4506. **Eriococcus herbaceus (Danzig)** (Eriococcidae) Synonym(s): *herbaceus Danzig* **TR**

4507. **Eriococcus laingi (Bodenheimer)** (Eriococcidae) Synonym(s): *laingi Bodenheimer* TR
4508. **Eriococcus micracanthus (Danzig)** (Eriococcidae) Synonym(s): *micracanthus Danzig* TR
4509. **Eriococcus munroi (Boratynski)** (Eriococcidae) Synonym(s): *munroi Boratynski* TR
4510. **Eriococcus pseudinsignis Green** (Eriococcidae) Synonym(s): *pseudinsignis Green* TR
4511. **Eriococcus roboris Goux** (Eriococcidae) Synonym(s): *roboris Goux* TR
4512. **Eriococcus spurius (Modeer)** (Eriococcidae) Synonym(s): *spurius Modeer* TR
4513. **Eriococcus tavnani Goux** (Eriococcidae) Synonym(s): *tavnani Goux* TR
4514. **Eriococcus thymi (Schrank)** (Eriococcidae) Synonym(s): *thymi Schrank* TR
4515. **Eriococcus variabilis Goux** (Eriococcidae) Synonym(s): *variabilis Goux* TR
4516. **Eriococcus zernae (Tereznikova)** (Eriococcidae) Synonym(s): *zernae Tereznikova* TR
4517. **Eriocnopa symplectoides (Kuntze,1914)** (Limoniidae) Synonym(s): *symplectoides Kuntze,1914* TR
4518. **Eriocnopa trivialis (Meigen,1818)** (Limoniidae) Synonym(s): *trivialis Meigen,1818* TR
4519. **Eriopeltis festucae (Boyer de Fonscolombe)** (Coccidae) Synonym(s): *festucae Boyer de Fonscolombe* TR
4520. **Erioptera (Erioptera) fusculeta Edwards,1938** (Limoniidae) Synonym(s): *fusculeta Edwards,1938* TR
4521. **Erioptera (Erioptera) lutea Meigen,1804** (Limoniidae) Synonym(s): *lutea Meigen,1804* TR
4522. **Erioptera (Mesocyphona) bivittata (Loew,1873)** (Limoniidae) Synonym(s): *bivittata Loew,1873* TR
4523. **Eriothrix apenninus (Rondani,1862)** (Tachinidae) Synonym(s): *apenninus Rondani,1862; latifrons Brauer,1898* RU IL Pa MA TR
4524. **Eriothrix rufomaculatus (De Geer,1776)** (Tachinidae) Synonym(s): *lateralis Fabricius,1775; rufomaculatus De Geer,1776; demano Harris,1780; tachinaria Fallén,1815* IE GB FI RU TR
4525. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
4526. **Eristalinus (Lathrophthalmus) aeneus (Scopoli,1763)** (Syrphidae) Synonym(s): *aeneus Scopoli,1763* TR
4527. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus Rossi,1792* ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
4528. **Eristalinus (Lathrophthalmus) quinquestriatus (Fabricius,1794)** (Syrphidae) Synonym(s): *quinquestriatus Fabricius,1794* JP TH CMa TR
4529. **Eristalinus (s.str.) sepulchralis (Linnaeus,1758)** (Syrphidae) Synonym(s): *sepulchralis Linnaeus,1758* TR
4530. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum Linnaeus,1758; lineole Harris,1776* GB HU NL DE NO GR Cr TR
4531. **Eristalis (Eoseritalis) jugorum Egger,1858** (Syrphidae) Synonym(s): *jugorum Egger,1858* TR
4532. **Eristalis pertinax (Scopoli,1763)** (Syrphidae) Synonym(s): *pertinax Scopoli,1763* TR
4533. **Eristalis similis (Fallén,1817)** (Syrphidae) Synonym(s): *similis Fallén,1817* TR
4534. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax Linnaeus,1758; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822* Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
4535. **Ernodes abanticus Çakın,1983** (Beraeidae) Synonym(s): *abanticus Çakın,1983* TR
4536. **Ernodes anatolicus Çakın,1983** (Beraeidae) Synonym(s): *anatolicus Çakın,1983* TR
4537. **Ernodes orduensis Sipahiler,2008** (Beraeidae) Synonym(s): *orduensis Sipahiler,2008* TR
4538. **Erodium fabricii Solier,1834** (Tenebrionidae) Synonym(s): *fabricii Solier,1834* TR
4539. **Erodium orientalis Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis Brullé,1832* TR
4540. **Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicans Gravenhorst,1829* TR RU
4541. **Erromenus melanotus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanotus Gravenhorst,1829; cavigena Thomson,1883* TR
4542. **Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata Villeneuve,1924; hierosolymitana Kugler,1963* TR IL Pa AT CH YU RU Sb
4543. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola Fallén,1806; chlorophana Herrich-Schäffer,1843; luteipes Prohaska,1923* AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
4544. **Erythromma najas (Hansemann,1823)** (Coenagrionidae) Synonym(s): *najas Hansemann,1823* TR
4545. **Erythromma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *viridulum Charpentier,1840* TR IR JO
4546. **Etorofus Matsushita,1933** (Cerambycidae) Synonym(s): *Etorofus Matsushita,1933* TR
4547. **Etorofus pubescens (Fabricius,1787)** (Cerambycidae) Synonym(s): *pubescens Fabricius,1787* SK TR

4548. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
4549. **Euboecus mimonti (Boieldieu,1865)** (Tenebrionidae) Synonym(s): *mimonti* Boieldieu,1865 TR
4550. **Euborellia annulipes (Lucas,1837)** (Labiduridae) Synonym(s): *annulipes* Lucas,1837 ES TJ TR
4551. **Euborellia moesta (Géné,1839)** (Labiduridae) Synonym(s): *moesta* Géné,1839 TR
4552. **Eucalymnatus tessellatus (Signoret)** (Coccidae) Synonym(s): *tessellatus* Signoret TR
4553. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851 TR LB IL Pa JO IR SA YE EG
4554. **Eucera longicornis (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758; *linguaria* Fabricius,1775; *dealbator* Christ,1791; *difficilis* Pérez,1879 TR
4555. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
4556. **Euchalcis unicolor (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952 DZ AM Cc ES IL Pa TR
4557. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
4558. **Eucharis anatolica Boucek,1952** (Eucharitidae) Synonym(s): *anatolica* Boucek,1952 Eucharis anatolica Boucek,1952, Acta ent. Mus. Nat. Pragae 27: 52. Holotype ♂: Turkey (NMP). TR
4559. **Eucharis punctata Förster,1859** (Eucharitidae) Synonym(s): *punctata* Förster,1859 TR
4560. **Eucharis reticulata Ruschka,1924** (Eucharitidae) Synonym(s): *reticulata* Ruschka,1924 Cc TR RO HU
4561. **Eucharis turca Nikol'skaya,1952** (Eucharitidae) Synonym(s): *turca* Nikol'skaya,1952 Eucharis turca Nikol'skaya,1952, Chalcids of the fauna of the USSR 44: 204. Syntypes: [Turkey]: Asia minor (ZISP). TR
4562. **Euchorthippus declivus (Brisout de Barneville,1849)** (Acrididae) Synonym(s): *declivus* Brisout de Barneville,1849 TR
4563. **Euchorthippus pulvinatus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *pulvinatus* Fischer von Waldheim,1846 TR
4564. **Euchorthippus transcaucasicus Tarbinski,1930** (Acrididae) Synonym(s): *transcaucasicus* Tarbinski,1930 TR
4565. **Eucremastoides angelovi Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi* Kolarov,1980 BG TR
4566. **Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871 DZ ES GR TR
4567. **Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): *cyanella* Meigen,1826 CZ SE GR UA TR
4568. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
4569. **Euderus agrili Boucek** (Eulophidae) Synonym(s): TR
4570. **Euderus brevicornis Boucek** (Eulophidae) Synonym(s): TR
4571. **Euderus palustris Erdös** (Eulophidae) Synonym(s): TR
4572. **Eugahania fumipennis (Ratzeburg)** (Encyrtidae) Synonym(s): TR
4573. **Eugalta cinctipes (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): *cinctipes* Kriechbaumer,1899 UA Cm TR
4574. **Euides caspiana (Dlabola,1961)** (Delphacidae) Synonym(s): *caspiana* Dlabola,1961 RU Da Cc TR
4575. **Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): *truncata* Ribaut,1948 CY GR IT TR
4576. **Eukiefferiella alpestris Goetghebuer,1935** (Chironomidae) Synonym(s): *alpestris* Goetghebuer,1935 TR
4577. **Eukiefferiella brevicar Kieffer,1929** (Chironomidae) Synonym(s): *brevicar* Kieffer,1929 TR
4578. **Eukiefferiella calvescens Edw.,1929** (Chironomidae) Synonym(s): *calvescens* Edw.,1929 TR
4579. **Eukiefferiella claripennis (Lundbeck,1898)** (Chironomidae) Synonym(s): *claripennis* Lundbeck,1898 TR
4580. **Eukiefferiella clypeata Kieffer,1929** (Chironomidae) Synonym(s): *clypeata* Kieffer,1929 TR
4581. **Eukiefferiella discoloripes Kieffer,1929** (Chironomidae) Synonym(s): *discoloripes* Kieffer,1929 TR
4582. **Eulecanium ciliatum (Douglas)** (Coccidae) Synonym(s): *ciliatum* Douglas TR
4583. **Eulecanium pistaciae Borchsenius** (Coccidae) Synonym(s): *pistaciae* Borchsenius TR
4584. **Eulecanium rugulosum (Archangelskaya)** (Coccidae) Synonym(s): *rugulosum* Archangelskaya TR

4585. **Eulecanium takachioi (Kuwana)** (Coccidae) Synonym(s): *takachioi Kuwana* **TR**
4586. **Eulecanium tiliae (Linnaeus)** (Coccidae) Synonym(s): *tiliae Linnaeus* **TR**
4587. **Eulecanium transvittatum (Green)** (Coccidae) Synonym(s): *transvittatum Green* **TR**
4588. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803* **TR**
IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
4589. **Eulophus larvarum (Linnaeus)** (Eulophidae) Synonym(s): **TR**
4590. **Eumecurus bourouensis (Linnavuori,1965)** (Cixiidae) Synonym(s): *bourouensis Linnavuori,1965* **GR BG TR**
4591. **Eumecurus gyaurus (Dlabola,1957)** (Cixiidae) Synonym(s): *gyaurus Dlabola,1957* **TR**
4592. **Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus Linnaeus,1758; lunulatus Fabricius,1804* **TR CY IL Pa KG**
4593. **Eumenes coronatus (Panzer,1799)** (Vespidae) Synonym(s): *coronatus Panzer,1799; detonsus Blüthgen,1943* **TR**
4594. **Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius Saussure,1852* **CY TR RU IL Pa LB SY IR**
4595. **Eumenes jarkandensis Blüthgen,1938** (Vespidae) Synonym(s): *jarkandensis Blüthgen,1938; turanicus Blüthgen,1943* **TR CN Ui MN**
4596. **Eumenes lunulatus (Fabricius,1804)** (Vespidae) Synonym(s): *lunulatus Fabricius,1804* **TR**
4597. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus Kriechbaumer,1879; housaki Giordani Soika,1952; anatolicus Giordani Soika,1952* **TR JO IL Pa MN**
4598. **Eumenes papillarius (Christ,1791)** (Vespidae) Synonym(s): *papillarius Christ,1791* **TR MN**
4599. **Eumenes pedunculatus (Panzer,1799)** (Vespidae) Synonym(s): *pedunculatus Panzer,1799* **TR**
4600. **Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis Fabricius,1781; turcicus Giordani Soika,1952* **MT TR UA Cm LB TN**
4601. **Eumenes punctaticlypeus Giordani Soika,1943** (Vespidae) Synonym(s): *punctaticlypeus Giordani Soika,1943; kostylevi Kurzenko,1976* **TR**
4602. **Eumenes sareptanus André,1884** (Vespidae) Synonym(s): *sareptanus André,1884; insolanus Müller,1923* **RU Sr TR**
4603. **Eumenes subpomiformis Blüthgen,1938** (Vespidae) Synonym(s): *subpomiformis Blüthgen,1938* **TR**
4604. **Eumerus hissaricus (Stackelberg,1949)** (Syrphidae) Synonym(s): *hissaricus Stackelberg,1949* **TR**
4605. **Eumerus funeralis Meigen,1822** (Syrphidae) Synonym(s): *funeralis Meigen,1822* **TR**
4606. **Eumerus strigatus (Fallén,1817)** (Syrphidae) Synonym(s): *strigatus Fallén,1817* **TR**
4607. **Eumerus tricolor (Fabricius,1798)** (Syrphidae) Synonym(s): *tricolor Fabricius,1798* **TR**
4608. **Eunothrotes derjugini Adelung,1907** (Pamphagidae) Synonym(s): *derjugini Adelung,1907* **TR**
4609. **Eunotus arcolatus (Ratzeburg)** (Pteromalidae) Synonym(s): **TR**
4610. **Euodynerus (Pareuodynerus) notatus (Jurine,1807)** (Vespidae) Synonym(s): *notatus Jurine,1807* **TR**
4611. **Euodynerus (Pareuodynerus) posticus (Herrich-Schäffer,1841)** (Vespidae) Synonym(s): *posticus Herrich-Schäffer,1841* **TR**
4612. **Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae) Synonym(s): *quadrifasciatus Fabricius,1793; rufipes Gusenleitner,1984; rubrosignatus Gusenleitner,1984* **TR LY Cy**
4613. **Euodynerus (s.str.) clathratus Blüthgen,1951** (Vespidae) Synonym(s): *clathratus Blüthgen,1951* **TR**
4614. **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis Blüthgen,1940* **TR JO Pet IR**
4615. **Euodynerus (s.str.) dantici (Rossi,1790)** (Vespidae) Synonym(s): *dantici Rossi,1790* **IT TR**
4616. **Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae) Synonym(s): *disconotatus Lichtenstein,1884* **TR KG**
4617. **Euodynerus (s.str.) fastidiosus (Saussure,1853)** (Vespidae) Synonym(s): *fastidiosus Saussure,1853* **TR**
4618. **Euodynerus (s.str.) maxmillianus Gusenleitner,1998** (Vespidae) Synonym(s): *maxmillianus Gusenleitner,1998* **Euodynerus (s.str.) maxmillianus Gusenleitner,1998, Linzer biol. Beitr. 30 (2): 506-507. Holotype ♂: Türkei: [Batman Prov.]: "Sirt [sic!], 20km E Batman, 700m [Ikiköprü], 6.6.1960 leg. Max. Schwarz (coll. Gusenleitner). TR**
4619. **Euodynerus (s.str.) semisaecularis Dalla Torre,1889** (Vespidae) Synonym(s): *semisaecularis Dalla Torre,1889* **TR**
4620. **Euodynerus (s.str.) velutinus Blüthgen,1951** (Vespidae) Synonym(s): *velutinus Blüthgen,1951* **TR**
4621. **Euodynerus hellenicus Blüthgen,1942** (Vespidae) Synonym(s): *hellenicus Blüthgen,1942* **GR TR**

4622. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR*
4623. **Eupelmus annulatus Nees** (Eupelmidae) Synonym(s): TR
4624. **Eupelmus microzonus Förster** (Eupelmidae) Synonym(s): TR
4625. **Eupelmus seculatus (Ferrière)** (Eupelmidae) Synonym(s): TR
4626. **Eupelmus urozonus Dalman** (Eupelmidae) Synonym(s): TR
4627. **Eupelmus vesicularis (Retzius)** (Eupelmidae) Synonym(s): TR
4628. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae Fabricius,1794* TR RU Ur Sb KG Cc IR MN CN DZ AU
4629. **Eupeodes luniger (Meigen,1822)** (Syrphidae) Synonym(s): *luniger Meigen,1822* TR
4630. **Eupholidoptera akdeniz Ünal & Naskrecki,2002** (Tettigoniidae) Synonym(s): *akdeniz Ünal & Naskrecki,2002* TR
4631. **Eupholidoptera anatolica (Ramme,1930)** (Tettigoniidae) Synonym(s): *anatolica Ramme,1930* TR
4632. **Eupholidoptera annulipes (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *annulipes Brunner von Wattenwyl,1882* TR
4633. **Eupholidoptera cypria Ramme,1951** (Tettigoniidae) Synonym(s): *cypria Ramme,1951* CY TR
4634. **Eupholidoptera demirsoyi Salman,1983** (Tettigoniidae) Synonym(s): *demirsoyi Salman,1983* TR
4635. **Eupholidoptera excisa (Karabağ,1952)** (Tettigoniidae) Synonym(s): *excisa Karabağ,1952* TR
4636. **Eupholidoptera femorata Çıplak,1999** (Tettigoniidae) Synonym(s): *femorata Çıplak,1999* TR
4637. **Eupholidoptera karabagi Salman,1983** (Tettigoniidae) Synonym(s): *karabagi Salman,1983* TR
4638. **Eupholidoptera krueperi (Ramme,1930)** (Tettigoniidae) Synonym(s): *krueperi Ramme,1930* TR
4639. **Eupholidoptera maraschensis Salman,1983** (Tettigoniidae) Synonym(s): *maraschensis Salman,1983* TR
4640. **Eupholidoptera mersinensis Salman,1983** (Tettigoniidae) Synonym(s): *mersinensis Salman,1983* TR
4641. **Eupholidoptera prasina (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *prasina Brunner von Wattenwyl,1882* TR
4642. **Eupholidoptera raggei Salman,1983** (Tettigoniidae) Synonym(s): *raggei Salman,1983* TR
4643. **Eupholidoptera sevketi (Ramme,1933)** (Tettigoniidae) Synonym(s): *sevketi Ramme,1933* TR
4644. **Eupholidoptera smyrnensis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *smyrnensis Brunner-Wattenwyl,1882; chabrieri sensu Karabağ nec Charpentier,1825.* TR
4645. **Eupholidoptera tahtalica (Uvarov,1949)** (Tettigoniidae) Synonym(s): *tahtalica Uvarov,1949* TR
4646. **Eupholidoptera tasheliensis Çıplak,1999** (Tettigoniidae) Synonym(s): *tasheliensis Çıplak,1999* TR
4647. **Eupholidoptera tauricola (Ramme,1930)** (Tettigoniidae) Synonym(s): *tauricola Ramme,1930* TR
4648. **Eupholidoptera tucherti Harz,1988** (Tettigoniidae) Synonym(s): *tucherti Harz,1988* TR
4649. **Eupholidoptera unimacula Karabağ,1956** (Tettigoniidae) Synonym(s): *unimacula Karabağ,1956* TR
4650. **Eupholidoptera wernerii Ramme,1951** (Tettigoniidae) Synonym(s): *wernerii Ramme,1951* TR
4651. **Euphyllidorea dispar (Meigen,1818)** (Limoniidae) Synonym(s): *dispar Meigen,1818* TR
4652. **Euphyllidorea lineola (Meigen,1804)** (Limoniidae) Synonym(s): *lineola Meigen,1804* TR
4653. **Euphyllura phillyreae Förster** (Psyllidae) Synonym(s): TR
4654. **Euplectrus bicolor (Swederus)** (Eulophidae) Synonym(s): TR
4655. **Euplectrus ceresensis Ferrière** (Eulophidae) Synonym(s): TR
4656. **Euplectrus flavipes (Fonscolombe)** (Eulophidae) Synonym(s): TR
4657. **Euplectrus phthorimaeae Ferrière** (Eulophidae) Synonym(s): TR
4658. **Euplectrus corcyreus Meggiolaro,1966** (Staphylinidae) Synonym(s): *corcyreus Meggiolaro,1966; jonicus Meggiolaro,1966* TR GR
4659. **Euplectus frater Besuchet,1964** (Staphylinidae) Synonym(s): *frater Besuchet,1964* TR
4660. **Euplectus karstenii (Reichenbach,1816)** (Staphylinidae) Synonym(s): *karstenii Reichenbach,1816* TR

4661. **Euplectus kirbii Denny,1825** (Staphylinidae) Synonym(s): *kirbii Denny,1825; revelierei Reitter,1884* TR
4662. **Euplectus piceus Motschoulsky,1835** (Staphylinidae) Synonym(s): *piceus Motschoulsky,1835* TR
4663. **Euplectus sanguineus Denny,1825** (Staphylinidae) Synonym(s): *sanguineus Denny,1825* TR
4664. **Euplectus verticalis Reitter,1884** (Staphylinidae) Synonym(s): *verticalis Reitter,1884; tenenbaumi Roubal,1926; balcanicus Karaman,1962* TR IT YU
4665. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda Herrich-Schäffer,1837; zetterstedti Boheman,1845* AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
4666. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa Herrich-Schäffer,1838; gallica Wagner,1939* AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
4667. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola Ribaut,1936; bilobata Cerutti,1939; unita Cerutti,1939* AF AT CS FI FR DE IT IQ RO SW TR RU MD
4668. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939* AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
4669. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata Linnaeus,1758; festiva Fabricius,1794; fulva Herrich-Schäffer,1836; interpuncta Cerutti,1939; nigerrima Cerutti,1939* AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
4670. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina Flor,1861; florida Ribaut,1936* AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
4671. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG IL Pa GR Cr IR JO TR KG
4672. **Eupteryx fahringeri Melichar,1911** (Cicadellidae) Synonym(s): *fahringeri Melichar,1911* TR
4673. **Eupteryx falculata Ribaut,1936** (Cicadellidae) Synonym(s): *falculata Ribaut,1936* TR
4674. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum Newman,1853; laureti Lindberg,1936* Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM
4675. **Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae) Synonym(s): *gyaurdagicus Dlabola,1957* GR Cr TR
4676. **Eupteryx insulana (Ribaut,1948)** (Cicadellidae) Synonym(s): *insulana Ribaut,1948* CY IL TR
4677. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
4678. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata Curtis,1837; wallengreni Stal,1853; dimiunta Kirschbaum,1868* AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
4679. **Eupteryx pavlovskii Zachvatkin,1947** (Cicadellidae) Synonym(s): *pavlovskii Zachvatkin,1947; tochalica Dlabola,1974* IR TR
4680. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939* DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
4681. **Eupteryx taborskyi Dlabola,1957** (Cicadellidae) Synonym(s): *taborskyi Dlabola,1957* AF IR TR
4682. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella Fallén,1806; pulchella Herrich-Schäffer,1834* AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
4683. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi Edwards,1926* AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
4684. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae Fabricius,1803; tarsalis Curtis,1837; jucunda Hardy,1850 (praeocc.); octonotata Hardy,1850; basalis Rey,1894; conjuncta Rey,1894; haupti Wagner,1935; deficiens Ribaut,1936; glomerata Ribaut,1936* AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
4685. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868; putoni Lethierry,1876; hipposideros Horvath,1892; decussata Ribaut,1936* AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
4686. **Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti Wagner,1935; umbrata Ribaut,1936* CY TR FI FR DE NL SE
4687. **Eurhadina untica Dlabola,1967** (Cicadellidae) Synonym(s): *untica Dlabola,1967* TR
4688. **Euripersia amnicola Borchsenius** (Pseudococcidae) Synonym(s): *amnicola Borchsenius* TR
4689. **Euroleon nostras (Fourcroy,1785)** (Myrmeleonidae) Synonym(s): *nostras Fourcroy,1785; europaeus MacLachlan,1873* TR
4690. **Euroleon nostras (Fourcroy,1785)** (Myrmeleonidae) Synonym(s): *nostras Fourcroy,1785* TR
4691. **Eurybregma dlabolai Kalkandelen,1980** (Delphacidae) Synonym(s): *dlabolai Kalkandelen,1980* TR
4692. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata Scott,1875* AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
4693. **Eurydema blanda Horvath,1803** (Pentatomidae) Synonym(s): *blanda Horvath,1803* TR

4694. **Eurydema fieberi Schummel,1836** (Pentatomidae) Synonym(s): *fieberi Schummel,1836* TR
4695. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *oleracea Linnaeus,1758* TR
4696. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *ornatum Linnaeus,1758* TR CY
4697. **Eurydema rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa Dohrn,1860* TR
4698. **Eurydema spectabilis Horvath,1882** (Pentatomidae) Synonym(s): *spectabilis Horvath,1882* TR
4699. **Eurydema ventralis Kolenati,1846** (Pentatomidae) Synonym(s): *ventralis Kolenati,1846* TR
4700. **Eurygaster integriceps Puton,1881** (Scutellaridae) Synonym(s): *integriceps Puton,1881* TR IR Kh
4701. **Eurygaster maurus (Linnaeus,1758)** (Scutellaridae) Synonym(s): *maurus Linnaeus,1758* TR IR Kh
4702. **Euryproctus mundus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mundus Gravenhorst,1829* TR
4703. **Euryproctus numidicus Schmiedeknecht** (Ichneumonidae) Synonym(s): *numidicus Schmiedeknecht; tunetanus Habermehl,1925; turcator Aubert,1979* DZ TN IL Pa TR
4704. **Euryrsa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata Perris,1857; vittata Fieber,1866; quadrivittata Kirschbaum,1868; livens Rey,1894; syriaca Dlabola,1965* Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
4705. **Eurythrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): *austriaca Linnaeus,1767* AT HV GR TR PL
4706. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
4707. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila Walker,1836* TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
4708. **Eurytoma brevicoxa Zerova & Çam,2003** (Eurytomidae) Synonym(s): *brevicoxa Zerova & Çam,2003* TR
4709. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum Mayr,1878* TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
4710. **Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): *curta Walker,1832* TR AT FR DE HU MD NL SE GB
4711. **Eurytoma kemalpasensis Narendran, Tezcan & Civelek,1995** (Eurytomidae) Synonym(s): *kemalpasensis Narendran, Tezcan & Civelek,1995* TR
4712. **Eurytoma lobopterae Erdös,1964** (Eurytomidae) Synonym(s): *lobopterae Erdös,1964* TR HV FR ES
4713. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
4714. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
4715. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
4716. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
4717. **Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri Schreiner,1908* TR AM GG Cc GR MD RO RU Ao Da UA
4718. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae Fabricius,1798; tristis Mayr,1878* TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
4719. **Eurytoma tokatensis Doğanlar & Çam,1991** (Eurytomidae) Synonym(s): *tokatensis Doğanlar & Çam,1991* *Eurytoma tokatensis Doğanlar & Çam,1991, Türk. ent. derg. 15 (3): 144-146, fig. Holotype ♀: Turkey (CUTT). TR*
4720. **Eurytoma turkezia Zerova & Çam,2003** (Eurytomidae) Synonym(s): *turkezia Zerova & Çam,2003* *Eurytoma turkezia Zerova & Çam,2003, Zool. Meded. 77 (1/4): 261-262, figs. Holotype ♀: Turkey (ZIKU). TR*
4721. **Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides Pallas,1818; pallasii Wiedemann,1818; pubiceps Loew,1871* GR TR IR RU
4722. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus Haupt,1927; orientalis Dlabola,1957* AF IR IL Pa JO GR Cr TR KG KK
4723. **Euscelidius obenbergeri Dlabola,1957** (Cicadellidae) Synonym(s): *obenbergeri Dlabola,1957* TR
4724. **Euscelis alsioides Remane,1967** (Cicadellidae) Synonym(s): *alsioides Remane,1967* IQ IR TR
4725. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
4726. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus Kirschbaum,1858* AL AT BG CS FI FR DE GR IQ IT SI NL NO PL PT RO SE TN TR EE RU UA YU

4727. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
4728. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 **AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU**
4729. **Eusphalerum amplipenne Coiffait,1976** (Staphylinidae) Synonym(s): *amplipenne* Coiffait,1976 **TR**
4730. **Eusphalerum anatolicum Coiffait,1976** (Staphylinidae) Synonym(s): *anatolicum* Coiffait,1976 **TR**
4731. **Eusphalerum caucasicum (Bernhauer,1908)** (Staphylinidae) Synonym(s): *caucasicum* Bernhauer,1908; *loebli* Zanetti,1993 **TR**
4732. **Eusphalerum celsum (Luze,1910)** (Staphylinidae) Synonym(s): *celsum* Luze,1910 **TR**
4733. **Eusphalerum densicolle (Bernhauer,1915)** (Staphylinidae) Synonym(s): *densicolle* Bernhauer,1915 **TR**
4734. **Eusphalerum densipenne (Fauvel,1900)** (Staphylinidae) Synonym(s): *densipenne* Fauvel,1900 **TR**
4735. **Eusphalerum foveolatum (Luze,1910)** (Staphylinidae) Synonym(s): *foveolatum* Luze,1910; *paramerum* Coiffait,1976 **TR**
4736. **Eusphalerum korbi (Bernhauer,1903)** (Staphylinidae) Synonym(s): *korbi* Bernhauer,1903; *anatolicum* Coiffait,1978 **TR**
4737. **Eusphalerum osellai Zanetti,1993** (Staphylinidae) Synonym(s): *osellai* Zanetti,1993 **TR**
4738. **Eusphalerum primulae (Stephens,1834)** (Staphylinidae) Synonym(s): *primulae* Stephens,1834 **TR**
4739. **Eusphalerum rectanguloides (Smetana,1967)** (Staphylinidae) Synonym(s): *rectanguloides* Smetana,1967 **TR**
4740. **Eusphalerum rufotestaceum (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *rufotestaceum* Motschoulsky,1860 **TR**
4741. **Eusphalerum sareptanum (Eppelsheim,1878)** (Staphylinidae) Synonym(s): *sareptanum* Eppelsheim,1878 **TR**
4742. **Eusphalerum sorbi (Gyllenhal,1810)** (Staphylinidae) Synonym(s): *sorbi* Gyllenhal,1810 **TR**
4743. **Eusphalerum transcaucasicum (Bernhauer,1902)** (Staphylinidae) Synonym(s): *transcaucasicum* Bernhauer,1902 **TR**
4744. **Eustenancistrocerus amadanensis (Saussure,1855)** (Vespidae) Synonym(s): *amadanensis* Saussure,1855 **TR**
4745. **Eustenancistrocerus israelensis Giordani Soika,1938** (Vespidae) Synonym(s): *israelensis* Giordani Soika,1938; *#israelensis* Bağrıaçık & Tüzün,2005 **IL Pa TR**
4746. **Eustenancistrocerus jerichoensis Bytinski-Salz,1956** (Vespidae) Synonym(s): *jerichoensis* Bytinski-Salz,1956; *iconius* Blüthgen,1957 **IL Pa TR**
4747. **Eustenopus villosus (Boheman,1843)** (Curculionidae) Synonym(s): *villosus* Boheman,1843 **TR**
4748. **Eutagenia smyrnensis Solier,1838** (Tenebrionidae) Synonym(s): *smyrnensis* Solier,1838 **GR TR**
4749. **Euthycera chaerophylli (Fabricius,1798)** (Sciomyzidae) Synonym(s): *chaerophylli* Fabricius,1798 **TR**
4750. **Euthycera flavostriata (Villeneuve,1911)** (Sciomyzidae) Synonym(s): *flavostriata* Villeneuve,1911 **TR**
4751. **Euthycera stictica (Fabricius,1805)** (Sciomyzidae) Synonym(s): *stictica* Fabricius,1805 **TR**
4752. **Euthystira brachyptera (Ocskay,1826)** (Acrididae) Synonym(s): *brachyptera* Ocskay,1826 **TR**
4753. **Eutolmus apiculatus (Loew,1848)** (Asilidae) Synonym(s): *apiculatus* Loew,1848 **TR**
4754. **Eutolmus calopus (Loew,1848)** (Asilidae) Synonym(s): *calopus* Loew,1848 **YU RU GR TR**
4755. **Eutolmus excisus (Loew,1848)** (Asilidae) Synonym(s): *excisus* Loew,1848 **TR**
4756. **Eutolmus facialis (Loew,1848)** (Asilidae) Synonym(s): *facialis* Loew,1848 **YU IL Pa TR IR Elb Dam**
4757. **Eutolmus kiesenwetteri Loew,1854** (Asilidae) Synonym(s): *kiesenwetteri* Loew,1854; *implacidus* Loew,1870 **ES TR**
4758. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848 **TR IR Fa GR Rd RO RU TN**
4759. **Eutolmus palestinensis Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980 **JO IL Pa TR**
4760. **Eutolmus parricida (Loew,1848)** (Asilidae) Synonym(s): *parricida* Loew,1848 **TR AF IR Elb Mz Cc GG AM AZ**
4761. **Eutolmus polypogon (Loew,1848)** (Asilidae) Synonym(s): *polypogon* Loew,1848 **TR**

4762. **Eutolmus rufibarbis (Meigen,1820)** (Asilidae) Synonym(s): *rufibarbis* Meigen,1820 **TR**
4763. **Euzonitis bifasciata Swarts,1808** (Meloidae) Synonym(s): *bifasciata* Swarts,1808 **TR**
4764. **Euzonitis fluvipennis (Fabricius,1792)** (Meloidae) Synonym(s): *fluvipennis* Fabricius,1792 **IT TR RU HU**
4765. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 **ES IT Sa Si TR RU MN CY IR**
4766. **Euzonitis rubida (Ménétriés,1832)** (Meloidae) Synonym(s): *rubida* Ménétriés,1832 **TR Cc GR TM**
4767. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790 **Apalus sexmaculatus** Olivier,1790, *Encycl. méthod. 4: 166. DZ ES IT Si CY TR TJ SY*
4768. **Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891 **IT Si TR**
4769. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 **AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU**
4770. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 **AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU**
4771. **Evagetes dubius (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970 **TR**
4772. **Evagetes elongatus Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus* Lepeletier,1845; *infernalis* Wolf,1970 **TR**
4773. **Evagetes gibbulus Lepeletier,1845** (Pompilidae) Synonym(s): *gibbulus* Lepeletier,1845 **TR**
4774. **Evagetes gusenleitneri Wolf,1988** (Pompilidae) Synonym(s): *gusenleitneri* Wolf,1988 **TR**
4775. **Evagetes iconionus Wolf,1970** (Pompilidae) Synonym(s): *iconionus* Wolf,1970 **TR**
4776. **Evagetes pauli Haupt,1941** (Pompilidae) Synonym(s): *pauli* Haupt,1941 **TR**
4777. **Evagetes paulinus Wolf,1970** (Pompilidae) Synonym(s): *paulinus* Wolf,1970 **TR**
4778. **Evagetes pectinipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes* Linnaeus,1758; *mediterraneus* Wolf,1970 **TR**
4779. **Evagetes pontomoravicus (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938 **TR**
4780. **Evagetes proximus (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843 **TR**
4781. **Evagetes schwarzi (Priesner,1965)** (Pompilidae) Synonym(s): *schwarzi* Priesner,1965 **TR**
4782. **Evagetes sculus (Lepeletier,1845)** (Pompilidae) Synonym(s): *sculus* Lepeletier,1845 **TR**
4783. **Evagetes trispinosus (Kohl,1886)** (Pompilidae) Synonym(s): *trispinosus* Kohl,1886 **TR**
4784. **Evagetes tumidosus (Tournier,1890)** (Pompilidae) Synonym(s): *tumidosus* Tournier,1890 **TR**
4785. **Exaeretopus agropyri (Hadzibejli)** (Coccidae) Synonym(s): *agropyri* Hadzibejli **TR**
4786. **Exaeretopus formiceticola Newstead** (Coccidae) Synonym(s): *formiceticola* Newstead **TR**
4787. **Exaeretopus tritici Williams** (Coccidae) Synonym(s): *tritici* Williams **TR**
4788. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguy,1941; *peyerimhoffi* Burghelle-Balacesco,1966 **Cn PT ES FR Co DE GR BG CY TR**
4789. **Exechia fusca (Meigen,1804)** (Mycetophilidae) Synonym(s): *fusca* Meigen,1804 **TR**
4790. **Exechia separata Lundström,1912** (Mycetophilidae) Synonym(s): *separata* Lundström,1912 **DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR**
4791. **Exenterus ictericus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ictericus* Gravenhorst,1829 **TR RU Ur**
4792. **Exeristes roborator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *roborator* Fabricius,1793 **TR**
4793. **Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Fahringer,1921 **TR KG RU Sb CN**
4794. **Exetastes curator Aubert,1977** (Ichneumonidae) Synonym(s): *curator* Aubert,1977 **TR**
4795. **Exetastes femorator Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator* Desvignes,1856 **TR KG MN RU Sb CN**
4796. **Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829 **TR Cc KG RU Sb**
4797. **Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): *laevigator* Villers,1789 **TR RU At Cc CN**
4798. **Exeurytoma anatolica Çam,1998** (Eurytomidae) Synonym(s): *anatolica* Çam,1998 **Exeurytoma anatolica** Çam,1998, *Tr. J. Zool. 22: 191-193, figs. Holotype ♀: Turkey: Tokat Prov., Taşlıçiftlik 630m 17.vii.1992 (coll.Çam). **TR***

4799. **Exeurytoma kebanensis Doğanlar,2005** (Eurytomidae) Synonym(s): *kebanensis Doğanlar,2005* *Exeurytoma kebanensis Doğanlar,2005*, Tr. J. Zool. 29 (3): 244-246, figs. Holotype ♀: Turkey: Elazığ Prov.,Keban, 24.vi.2002 leg. H.Bolu (MKUT). TR
4800. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855*; *taeniaticeps Kirschbaum,1868*; *ragusai Haupt,1924*; *albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
4801. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911*; *vulneratus Bergevin,1925*; *unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
4802. **Exochomus nigromaculatus (Goeze,1777)** (Coccinellidae) Synonym(s): *nigromaculatus Goeze,1777* TR IT
4803. **Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quadripustulatus Linnaeus,1758* IT TR
4804. **Exochostoma nitidum Macquart,1842** (Stratiomyidae) Synonym(s): *nitidum Macquart,1842* FR TR
4805. **Exochostoma osellai Mason,1995** (Stratiomyidae) Synonym(s): *osellai Mason,1995* TR
4806. **Exochus albicinctus Holmgren,1873** (Ichneumonidae) Synonym(s): *albicinctus Holmgren,1873* TR Cc AM MN
4807. **Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): *castaniventris Brauns,1896* TR EG KG
4808. **Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): *elegantissimus Schmiedeknecht,1925*; *#clesantissimus Öncüler,1991* DE BG UA MD TR
4809. **Exochus erkini Kolarov,1986** (Ichneumonidae) Synonym(s): *erkini Kolarov,1986* **Exochus erkini Kolarov,1986**, Türk. bitki kor.derg. 10: 98. Type: Turkey, Manisa, Alaşehir. TR
4810. **Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *erythronotus Gravenhorst,1820* TR
4811. **Exochus mitratus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *mitratus Gravenhorst,1829* TR
4812. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis Schmiedeknecht,1924* FR DE HU RO BG LT MD UA TR
4813. **Exopholidoptera brevifemora Ünal,1998** (Tettigoniidae) Synonym(s): *brevifemora Ünal,1998* TR
4814. **Exopristoides dentatus Boucek,1982** (Torymidae) Synonym(s): *dentatus Boucek,1982* *Exopristoides dentatus Boucek,1982*, Entomologist's Gaz. 33: 186. Holotype ♂: Turkey: Ankara, 23.v.1934 (leg. Novitzky) (BMNH). TR TN Gf
4815. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
4816. **Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): *baccha Loew,1869* IT Si TR
4817. **Exoprosopa dedecor Loew,1871** (Bombyliidae) Synonym(s): *dedecor Loew,1871* TR IR
4818. **Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis Wiedemann,1820* IT Sa Si TR
4819. **Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus Fabricius,1805* IT Si TR
4820. **Exoprosopa maenas Loew,1869** (Bombyliidae) Synonym(s): *maenas Loew,1869* TR
4821. **Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois Loew,1869* IT TR
4822. **Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos Meigen,1804* IT Sa Si TR
4823. **Exoprosopa normalis Loew,1869** (Bombyliidae) Synonym(s): *normalis Loew,1869* IT TR
4824. **Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta Walker,1852* TR
4825. **Exoprosopa pandora (Fabricius,1805)** (Bombyliidae) Synonym(s): *pandora Fabricius,1805* TR
4826. **Exoprosopa pleskei Paramonov,1928** (Bombyliidae) Synonym(s): *pleskei Paramonov,1928* TR
4827. **Exoprosopa rutila (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila Wiedemann,1818* IT TR
4828. **Exoprosopa subfasciata Engel,1936** (Bombyliidae) Synonym(s): *subfasciata Engel,1936* TR
4829. **Exorista larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum Linnaeus,1758* EG TR
4830. **Exorista rossica Mesnil,1960** (Tachinidae) Synonym(s): *rossica Mesnil,1960* TJ TR
4831. **Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata Rondani,1859* IT TR
4832. **Exyston montanus Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus Kerrich,1975* ES CH TR Cc KK
4833. **Exyston subnitidus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subnitidus Gravenhorst,1829*; *phaeorrhæus Haliday,1838* TR RU Da Cc
4834. **Eyprepocnemis plorans (Charpentier,1825)** (Acrididae) Synonym(s): *plorans Charpentier,1825* TR

4835. **Eysarcoris aeneus (Scopoli,1763)** (Pentatomidae) Synonym(s): *aeneus Scopoli,1763* TR
4836. **Eysarcoris ventralis (Westwood,1837)** (Pentatomidae) Synonym(s): *ventralis Westwood,1837* TR
4837. **Eysarcoris venutissimus (Schrank,1776)** (Pentatomidae) Synonym(s): *venutissimus Schrank,1776* TR
4838. **Falcidiopsis meridionalis Dlabola,1983** (Issidae) Synonym(s): *meridionalis Dlabola,1983* TR
4839. **Falcidius anatolicus Dlabola,1979** (Issidae) Synonym(s): *anatolicus Dlabola,1979* TR
4840. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula Horvath,1897* AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
4841. **Fallacia elegans (Faldermann,1837)** (Cerambycidae) Synonym(s): *elegans Faldermann,1837* Cc AM AZ TR IR
4842. **Fallacia Mulsant & Rey,1863** (Cerambycidae) Synonym(s): *Fallacia Mulsant & Rey,1863* TR
4843. **Fannia brinae Albuquerque,1951** (Fanniidae) Synonym(s): *brinae Albuquerque,1951* TR
4844. **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis Linnaeus,1761* Cc TR AM GG IR
4845. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris Fabricius,1794* UA CH AT ES FI IT YU AL BG GR TR
4846. **Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): *serena Fallén,1825* YU BG AM Cc Eri GG TR
4847. **Faronus depressus Besuchet,1960** (Staphylinidae) Synonym(s): *depressus Besuchet,1960* TR
4848. **Faronus distinctus Besuchet,1999** (Staphylinidae) Synonym(s): *distinctus Besuchet,1999* TR
4849. **Faronus parallelus Besuchet,1958** (Staphylinidae) Synonym(s): *parallelus Besuchet,1958* TR
4850. **Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa Saussure,1880* TR IR TM UZ TJ PK
4851. **Feltiella acarisuga (Vallot,1827)** (Cecidomyiidae) Synonym(s): *acarisuga Vallot,1827; persicae Kieffer,1912* TR
4852. **Ferreola diffinis (Lepelletier,1845)** (Pompilidae) Synonym(s): *diffinis Lepelletier,1845* TR
4853. **Ferreola dimidiata (Van der Linden,1827)** (Pompilidae) Synonym(s): *dimidiata Van der Linden,1827* TR
4854. **Ferreola sagax (Kohl,1886)** (Pompilidae) Synonym(s): *sagax Kohl,1886* TR
4855. **Festella rammei Çıplak,2000** (Tettigoniidae) Synonym(s): *rammei Çıplak,2000* Festella rammei Çıplak,2000, Ent. News 111 (4): 301-304, figs. Holotype ♂: Turkey, Adana Prov., Kozan 400m leg. W.Ramme (ZMB). TR
4856. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria Horvath,1897* BG TR FR IL Pa IT Sa MA ES YU
4857. **Fieberiella aschei Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *aschei Meyer-Arndt,1988* TR
4858. **Fieberiella chioscola Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *chioscola Meyer-Arndt,1988* GR TR
4859. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii Stal,1864* AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
4860. **Fieberiella gemelina Dlabola,1965** (Cicadellidae) Synonym(s): *gemelina Dlabola,1965* IQ TR
4861. **Fieberiella lindbergi Wagner,1963** (Cicadellidae) Synonym(s): *lindbergi Wagner,1963* TR CY
4862. **Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai Linnavuori,1962* IL Pa TR Cc GG CN Mc DE PL RO RU
4863. **Fieberiella oenderi Dlabola,1985** (Cicadellidae) Synonym(s): *oenderi Dlabola,1985* Fieberiella oenderi Dlabola,1985, Turki kor. derg. 9: 75-78, figs. Holotype ♂: Turkey: Antalya Prov. Merkez, 28.8.1984 leg. Lodos & Onder (EÜ). TR
4864. **Fieberiella pallida Melichar,1896** (Cicadellidae) Synonym(s): *pallida Melichar,1896* TR
4865. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis Wagner,1963* BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
4866. **Fiorinia fioriniae (Targioni Tozzetti)** (Diaspididae) Synonym(s): *fioriniae Targioni Tozzetti* TR
4867. **Flabellomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus Frivaldsky,1835* IL Pa BG TR
4868. **Flabellotilloidea palaestina (Pic,1900)** (Cleridae) Synonym(s): *palaestina Pic,1900* IL Pa TR
4869. **Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata Lindberg,1948* BG CY GR TR
4870. **Flastena fumipennis (Fieber,1866)** (Delphacidae) Synonym(s): *fumipennis Fieber,1866* TR
4871. **Fleuria lacustris Kieffer,1924** (Chironomidae) Synonym(s): *lacustris Kieffer,1924* TR
4872. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma Flor,1861; albofimbriata Fieber,1866; albolimbata Kirschbaum,1868* AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU

4873. **Foersterella seyhanensis Doğanlar,2003** (Tetracampidae) Synonym(s): *seyhanensis Doğanlar,2003* TR
4874. **Forficula aetolica Brunner von Wattenwyl,1882** (Forficulidae) Synonym(s): *aetolica Brunner von Wattenwyl,1882* CY TR
4875. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia Linnaeus,1758; dentata Fabricius,1775* ES FR SK HU BG UA BY RU KG TR TM CA US
4876. **Forficula decipiens Gén ,1832** (Forficulidae) Synonym(s): *decipiens G n ,1832; pallidicollis Brull ,1832; laminigera Costa,1881; brevis Rambur,1838* ES TR
4877. **Forficula lucasi Dohrn,1865** (Forficulidae) Synonym(s): *lucasi Dohrn,1865; barroisi Bolivar,1893* TR
4878. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900* ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
4879. **Forficula senegalensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *senegalensis Audinet-Serville,1839* TR SN
4880. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis Audinet-Serville,1839* TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
4881. **Forficula tomis (Kolenati,1846)** (Forficulidae) Synonym(s): *tomis Kolenati,1846; pomerantzevi Semenov,1903* RU KG TR
4882. **Formica cinereofusca Karawajew,1919** (Formicidae) Synonym(s): *cinereofusca Karawajew,1919* TR
4883. **Formica cunicularia Latreille,1798** (Formicidae) Synonym(s): *cunicularia Latreille,1798* TR
4884. **Formica fusca Linnaeus,1758** (Formicidae) Synonym(s): *fusca Linnaeus,1758* TR
4885. **Formica sanguinea Latreille,1798** (Formicidae) Synonym(s): *sanguinea Latreille,1798* TR
4886. **Formicomus ionicus LaFert  & S nectere,1847** (Anthicidae) Synonym(s): *ionicus LaFert  & S nectere,1847* DZ BG GR IT CY TR IR
4887. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947* AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
4888. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa Rey,1891; picta Melichar,1896* FR IT LY TR Cc GG YU IR
4889. **Furchadaspis zamiae (Morgan)** (Diaspididae) Synonym(s): *zamiae Morgan* TR
4890. **Galeatus cellularis Jakovlev,1884** (Tingidae) Synonym(s): *cellularis Jakovlev,1884* RU UA TR
4891. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus Saunders,1876* CV Cn SN ES GR CY TR
4892. **Galiomyza violiphaga (Hendel,1932)** (Agromyzidae) Synonym(s): *violiphaga Hendel,1932* TR
4893. **Gambrus incubitor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *incubitor Linnaeus,1758* TR
4894. **Gambrus inferus Thomson,1896** (Ichneumonidae) Synonym(s): *inferus Thomson,1896* TR TJ
4895. **Gambrus opacus Szepliget ,1916** (Ichneumonidae) Synonym(s): *opacus Szepliget ,1916* TR
4896. **Gambrus tricolor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tricolor Gravenhorst,1829* TR
4897. **Gampsocleis acutipennis Karabaĝ,1956** (Tettigoniidae) Synonym(s): *acutipennis Karabaĝ,1956* TR
4898. **Gampsocleis recticauda Werner,1901** (Tettigoniidae) Synonym(s): *recticauda Werner,1901* TR
4899. **Gampsocleis schelkovnikovae Adelung,1916** (Tettigoniidae) Synonym(s): *schelkovnikovae Adelung,1916* TR
4900. **Gampsocoris culicinus Seidenst cker,1948** (Berytidae) Synonym(s): *culicinus Seidenst cker,1948* DE CZ UA Cm SK TR
4901. **Gampsocoris enslini Seidenst cker,1953** (Berytidae) Synonym(s): *enslini Seidenst cker,1953* TR
4902. **Gampsocoris punctipes (Germar,1822)** (Berytidae) Synonym(s): *punctipes Germar,1822* TR IQ GB TM
4903. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
4904. **Gastrancistrus glabellus (Nees)** (Pteromalidae) Synonym(s): TR
4905. **Gastrancistrus hirtulus Graham** (Pteromalidae) Synonym(s): TR
4906. **Gastrancistrus latifrons (Thomson)** (Pteromalidae) Synonym(s): TR
4907. **Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni Linnaeus,1758* TR Cc IR CN KG KP KR RU Sb MN DZ CA
4908. **Gastrophysa viridula (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula DeGeer,1775; caucasica Jolivet,1951* RU KG Cc TR CA
4909. **Gelis cyanurus (F rster,1851)** (Ichneumonidae) Synonym(s): *cyanurus F rster,1851* TR

4910. **Geelis exareolatus (Förster,1851)** (Ichneumonidae) Synonym(s): *exareolatus* Förster,1851 TR
4911. **Geelis instabilis (Förster,1851)** (Ichneumonidae) Synonym(s): *instabilis* Förster,1851 TR Cc
RU Sb
4912. **Geelis sculpturator Aubert,1977** (Ichneumonidae) Synonym(s): *sculpturator* Aubert,1977 TN
EG GR TR
4913. **Genistaspis zelihae Bodenheimer** (Diaspididae) Synonym(s): *zelihae* Bodenheimer TR
4914. **Geocoris arenarius (Jakovlev,1867)** (Lygaeidae) Synonym(s): *arenarius* Jakovlev,1867 TR
4915. **Geocoris atra (Fabricius,1787)** (Lygaeidae) Synonym(s): *atra* Fabricius,1787; *nigra*
Walckenaer,1802; *unistria* Latreille,1804 TR
4916. **Geocoris chloroticus Puton,1888** (Lygaeidae) Synonym(s): *chloroticus* Puton,1888 TR
4917. **Geocoris grylloides (Linnaeus,1761)** (Lygaeidae) Synonym(s): *grylloides* Linnaeus,1761 TR
4918. **Geocoris lineolus (Rambur,1839)** (Lygaeidae) Synonym(s): *lineolus* Rambur,1839 TR
4919. **Geocoris megacephalus (Rossi,1790)** (Lygaeidae) Synonym(s): *megacephalus* Rossi,1790;
phaeopterus Germar,1837 DE ET CA TR
4920. **Geocoris pallidipennis (Costa,1843)** (Lygaeidae) Synonym(s): *pallidipennis* Costa,1843;
angularis Fieber,1844; *colon* Fieber,1844 TR ET PH
4921. **Geodromicus anatolicus Fagel,1976** (Staphylinidae) Synonym(s): *anatolicus* Fagel,1976 TR
4922. **Geodromicus asiaticus Bernhauer,1902** (Staphylinidae) Synonym(s): *asiaticus*
Bernhauer,1902 TR
4923. **Geodromicus dubiosus Fagel,1976** (Staphylinidae) Synonym(s): *dubiosus* Fagel,1976 TR
4924. **Geodromicus jarrigeanus Fagel,1976** (Staphylinidae) Synonym(s): *jarrigeanus* Fagel,1976
TR
4925. **Geodromicus laticollis Fagel,1976** (Staphylinidae) Synonym(s): *laticollis* Fagel,1976 TR
4926. **Geodromicus major (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *major*
Motschoulsky,1860 TR
4927. **Geodromicus ponticus Fagel,1976** (Staphylinidae) Synonym(s): *ponticus* Fagel,1976 TR
4928. **Geodromicus zwickianus Fagel,1976** (Staphylinidae) Synonym(s): *zwickianus* Fagel,1976
TR
4929. **Geomantis larvoides Pantel,1896** (Mantidae) Synonym(s): *larvoides* Pantel,1896 TR DZ
4930. **Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): *tripunctata* Fallén,1823 SE FI
RU CA DK PT TR
4931. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
4932. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius*
Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA
CA
4933. **Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980 IL
Pa TR SY
4934. **Germaria obscuripennis Tschorsnig,2000** (Tachinidae) Synonym(s): *obscuripennis*
Tschorsnig,2000 *Germaria obscuripennis* Tschorsnig,2000, Stuttg. Beitr. Naturk. (A) 603: 1-4, 4 figs.
Holotype ♂: Turkey: Çankırı Prov., Ilgaz 800m leg. M.Petersen (SMNS). TR
4935. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus*
Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936 FR Co IT Si GR Rd ES? IL Pa TR
4936. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972 AM AZ GG Cc CN
IR KG KK TJ UZ TR
4937. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ
YU
4938. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti* Greathead,1999
GR IT MT MA TN TR EG
4939. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc
AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
4940. **Geron smirnovi Zaitzev,1978** (Bombyliidae) Synonym(s): *smirnovi* Zaitzev,1978 TJ GR Rd TM
TR
4941. **Gerris argentatus Schummel,1832** (Gerridae) Synonym(s): *argentatus* Schummel,1832 TR
4942. **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860 DZ MA IL Pa SY TR
4943. **Gerris caucasicus Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982 AM
GG Cc IQ IR TR RU AZ
4944. **Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Schäffer,1850;
fieberi Stichel,1938 IL Pa SY TR
4945. **Gerris gibbifer Schummel,1832** (Gerridae) Synonym(s): *gibbifer* Schummel,1832 TR
4946. **Gerris lacustris (Linnaeus,1758)** (Gerridae) Synonym(s): *lacustris* Linnaeus,1758 TR
4947. **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946 AZ AM
Cc GG IR TR IL Pa SY
4948. **Gerris palludum Fabricius,1794** (Gerridae) Synonym(s): *palludum* Fabricius,1794 TR
4949. **Gerris thoracicus Schummel,1832** (Gerridae) Synonym(s): *thoracicus* Schummel,1832 TR

4950. **Gerris ventralis Fieber,1860** (Gerridae) Synonym(s): *ventralis Fieber,1860* **TR GR**
4951. **Gillotia alboviridis (Malloch,1915)** (Chironomidae) Synonym(s): *alboviridis Malloch,1915*
TR
4952. **Ginsiana carpetana (Mercet)** (Encyrtidae) Synonym(s): **TR**
4953. **Giraudia gyratoria (Thunberg,1824)** (Ichneumonidae) Synonym(s): *gyratoria Thunberg,1824; congruens Gravenhorst,1829* **TR Cc**
4954. **Gitona distigma Meigen,1830** (Drosophilidae) Synonym(s): *distigma Meigen,1830* **UA LT TR**
4955. **Glabellula nobilis Kertész,1912** (Mythicomyiidae) Synonym(s): *nobilis Kertész,1912* **SY TR IL**
Pa
4956. **Glandulosa harzi Gorochov,1996** (Gryllidae) Synonym(s): *harzi Gorochov,1996* **Glandulosa harzi Gorochov,1996, Zoosyst. Ross. 4 (1): 85. Holotype ♂: Turkey, Antalya Prov., Alanya 30km NWW (ZIN Petersburg). TR**
4957. **Glandulosa kinzelbachi Harz,1979** (Gryllidae) Synonym(s): *kinzelbachi Harz,1979 Glandulosa kinzelbachi Harz,1979, Articulata 1 (11): 107. Holotype ♂: Türkiye, Antakya südl. Topraksu (Dafni Quelle) R.Kinzelbach leg. TR*
4958. **Glandulosa willemsei Harz,1979** (Gryllidae) Synonym(s): *willemsei Harz,1979 Glandulosa willemsei Harz,1979, Articulata 1 (11): 107. Holotype ♂: Türkiye, İçel Prov. Silifke, Cennet 9.iii.1977 leg. R.Kinzelbach (coll.Harz). TR*
4959. **Glaphyrus festivus Ménétériés,1836** (Glaphyridae) Synonym(s): *festivus Ménétériés,1836; rufipennis Gory,1844; equestris Champenois,1898* **TR IR**
4960. **Glaphyrus micans Faldermann,1835** (Glaphyridae) Synonym(s): *micans Faldermann,1835; persicus Pic,1947; purpureus Pic,1947; euphraticus Mitter,1990* **Cc AM TR IR**
4961. **Glaphyrus varians Ménétériés,1836** (Glaphyridae) Synonym(s): *variens Ménétériés,1836; globulicollis Ménétériés,1836; sequensi Reitter,1903; variabilis Reitter,1903; turcicus Mitter,1990* **SY TR**
4962. **Glaucops hakkariensis Schacht,1983** (Tabanidae) Synonym(s): *hakkariensis Schacht,1983*
TR
4963. **Globicornis picta (Küster,1851)** (Dermestidae) Synonym(s): *picta Küster,1851* **TR YU CY IT**
Sa Si SK
4964. **Glyphicnemis profligator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *profligator Fabricius,1775* **TR**
4965. **Glyphicnemis vagabunda (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *vagabunda Gravenhorst,1829* **TR**
4966. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* **TR**
IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
4967. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis Förster,1856* **AT HV CZ**
FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
4968. **Glyphotmethis adaliae (Uvarov,1928)** (Pamphagidae) Synonym(s): *adaliae Uvarov,1928*
TR
4969. **Glyphotmethis dimorphus (Uvarov,1934)** (Pamphagidae) Synonym(s): *dimorphus Uvarov,1934* **TR**
4970. **Glyphotmethis efe Ünal,2007** (Pamphagidae) Synonym(s): *efe Ünal,2007* **TR**
4971. **Glyphotmethis escherichi (Krauss,1896)** (Pamphagidae) Synonym(s): *escherichi Krauss,1896* **TR**
4972. **Glyphotmethis holtzi (Werner,1901)** (Pamphagidae) Synonym(s): *holtzi Werner,1901* **TR**
4973. **Glyphotmethis inermis (Uvarov,1934)** (Pamphagidae) Synonym(s): *inermis Uvarov,1934*
TR
4974. **Glyphotmethis ovipennis (Uvarov,1934)** (Pamphagidae) Synonym(s): *ovipennis Uvarov,1934*
TR
4975. **Glyphotmethis sevketi (Ramme,1951)** (Pamphagidae) Synonym(s): *sevketi Ramme,1951* **TR**
4976. **Glyptapanteles antione (Nixon,1973)** (Braconidae) Synonym(s): *antione Nixon,1973 Apanteles antione Nixon,1973, Bull. ent. Res. 63: 176. AT TR*
4977. **Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus Haliday,1834 Microgaster callidus Haliday,1834, Entomologist's mon. Mag. 2: 248. DE AT GB Cc AM GG HU TR*
4978. **Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni Papp,1972 Apanteles eugeni Papp,1972, Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338. DE BG GB FI LT NL AT CH HU TR*
4979. **Glyptapanteles fulvipes (Haliday,1834)** (Braconidae) Synonym(s): *fulvipes Haliday,1834 Microgaster fulvipes Haliday,1834, Entomologist's mon. Mag. 2: 249. TR RU Sh JP KG*
4980. **Glyptomorpha baetica (Spinola,1843)** (Braconidae) Synonym(s): *baetica Spinola,1843 Bracon baeticus Spinola,1843, Annls Soc. ent. Fr. 1 (2): 125. TR MA PT ES GR*
4981. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor Thunberg,1822*
TR Cc UA Cm RO RU
4982. **Glyptomorpha exculpta Shestakov,1926** (Braconidae) Synonym(s): *exculpta Shestakov,1926*
KG TM TR
4983. **Glyptomorpha gracilis (Szepliget,1901)** (Braconidae) Synonym(s): *gracilis Szepliget,1901*
TR PG HU

4984. **Glyptomorpha kasparyani Tobias,1976** (Braconidae) Synonym(s): *kasparyani Tobias,1976* TR Cc AZ
4985. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae) Synonym(s): *pectoralis Brullé,1832* TR MY Bor ID PK IN CN Cc TR RU MN KG
4986. **Gnaptor prolixus Fairmaire,1866** (Tenebrionidae) Synonym(s): *prolixus Fairmaire,1866* Gnaptor prolixus Fairmaire,1866, Anns Soc. ent. Fr. (4) 6: 264. TR
4987. **Gnaptor spinimanus (Pallas,1781)** (Tenebrionidae) Synonym(s): *spinimanus Pallas,1781; glabratus Fabricius,1792; laevigatus Fabricius,1792; graecus Küster,1848* TR GR
4988. **Gnathocerus cornutus (Fabricius,1798)** (Tenebrionidae) Synonym(s): *cornutus Fabricius,1798* TR
4989. **Gnorimus armeniacus Reitter,1887** (Scarabaeidae) Synonym(s): *armeniacus Reitter,1887* TM Cc TR IL Pa
4990. **Gnorimus variabilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *variabilis Linnaeus,1758; octopunctatus Fabricius,1775* RU TR
4991. **Goidanichium atrum Boucek** (Pteromalidae) Synonym(s): TR
4992. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus Linnaeus,1767; clavimanus Pallas,1772; graecus Uvarov,1931; helveticus Uvarov,1931; hispanicus Uvarov,1931; pyrenaicus Uvarov,1931; turcicus Mistshenko,1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
4993. **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi Selys,1887* TR IL Pa IQ SY Dms LB Bei
4994. **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825* TR SY Hom Dms Cc IR RU Sb
4995. **Gomphus schneideri Selys,1850** (Gomphidae) Synonym(s): *schneideri Selys,1850* TR Cc GG RU
4996. **Gonaspidotus seurati (Marchal)** (Diaspididae) Synonym(s): *seurati Marchal* TR
4997. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis Egger,1862* Gonia maculipennis Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". ES HU UA CY TR IL Pa TM
4998. **Gonia ornata Meigen,1826** (Tachinidae) Synonym(s): *ornata Meigen,1826* TR IL Pa
4999. **Goniagnathus bolivari (Melichar,1907)** (Cicadellidae) Synonym(s): *bolivari Melichar,1907; hoberlandti Dlabola,1957* IL Pa ES TR IR BG
5000. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
5001. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
5002. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887* DZ EG IL Pa TR LY MA AZ Cc RU Da
5003. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata Brüggemann,1873; sexpunctata Joakomov,1904* TR SY RO PL YU UA RU Cc
5004. **Gonioctena linnaeana (Schrank,1781)** (Chrysomelidae) Synonym(s): *linnaeana Schrank,1781* TR KG
5005. **Gonocephalum costatum Brullé,1832** (Tenebrionidae) Synonym(s): *costatum Brullé,1832* TR
5006. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae) Synonym(s): *granulatum Fabricius,1791* TR AF
5007. **Gonocephalum rusticum (Olivier,1811)** (Tenebrionidae) Synonym(s): *rusticum Olivier,1811* TR
5008. **Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae) Synonym(s): *setulosum Faldermann,1837* TR
5009. **Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniidae) Synonym(s): *conoviensis Barnes,1924* TR DZ Cc
5010. **Gonomyia (s.str.) copulata (Becker,1908)** (Limoniidae) Synonym(s): *copulata Becker,1908* TR
5011. **Gonomyia (s.str.) sicula Lackschewitz,1940** (Limoniidae) Synonym(s): *sicula Lackschewitz,1940* TR IT Si
5012. **Graecopachys quadricollis (Brullé,1832)** (Tenebrionidae) Synonym(s): *quadricollis Brullé,1832* TR
5013. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960* EG IR IL SY TR
5014. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis Fallén,1806; punctifrons Germar,1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
5015. **Graphoderus cinereus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *cinereus Linnaeus,1758* TR

5016. **Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita Rondani,1868* TR BG HV GR IT SI ES UA
5017. **Graphosoma lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatus Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955* CN UI TR IT
5018. **Graphosoma semipunctatum (Fabricius,1775)** (Pentatomidae) Synonym(s): *semipunctatum Fabricius,1775* TR
5019. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigratarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
5020. **Graptodytes veterator (Zimmermann,1918)** (Dytiscidae) Synonym(s): *veterator Zimmermann,1918* TR
5021. **Grasseiteles ciliator Aubert,1968** (Ichneumonidae) Synonym(s): *ciliator Aubert,1968* TR FR
5022. **Gratidia kurda Uvarov,1944** (Phasmidae) Synonym(s): *kurda Uvarov,1944* TR
5023. **Gratidia turca Karabağ,1955** (Phasmidae) Synonym(s): *turca Karabağ,1955* TR
5024. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops Gravenhorst,1829* DZ KK KG MN RU Sb Ya TR
5025. **Gravenhorstia (Kokujewiella) ibera (Ceballos,1957)** (Ichneumonidae) Synonym(s): *ibera Ceballos,1957* ES IL Pa TR
5026. **Gravenhorstia (Kokujewiella) vicaria Shestakov,1926** (Ichneumonidae) Synonym(s): *vicaria Shestakov,1926* TR KG
5027. **Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta Boie,1836* TR AZ Cc KG UZ TJ
5028. **Gryllomorpha (Gryllomorphella) antalya Gorochoy,2009** (Gryllidae) Synonym(s): *antalya Gorochoy,2009* Gryllomorpha (Gryllomorphella) antalya Gorochoy,2009, Zoosyst. Ross. 18 (1): 39. Holotype ♀: Turkey, Antalya Prov., Antalya Bay (ZIN Petersburg). TR
5029. **Gryllomorpha (s.str.) dalmatina (Ocskay,1832)** (Gryllidae) Synonym(s): *dalmatina Ocskay,1832* TR
5030. **Gryllomorpha (s.str.) pieperi Harz,1979** (Gryllidae) Synonym(s): *pieperi Harz,1979* Gryllomorpha pieperi Harz,1979, Articulata 1 (11): 106, fig.10. Holotype ♀: Griechenland: Kols 30.x.1972 leg. H.Pieper. GR Kos TR?
5031. **Gryllomorpha (s.str.) willemsei Uvarov,1934** (Gryllidae) Synonym(s): *willemsei Uvarov,1934* Gryllomorpha willemsei Uvarov,1934, Eos 10: 41. TR
5032. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
5033. **Gryllus (s.str.) bimaculatus (De Geer,1773)** (Gryllidae) Synonym(s): *bimaculatus De Geer,1773* TR
5034. **Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae) Synonym(s): *campestris Linnaeus,1758* TR
5035. **Gryllus (s.str.) urfaensis Gümüşsuyu,1978** (Gryllidae) Synonym(s): *urfaensis Gümüşsuyu,1978* TR
5036. **Grypocoris fieberi Douglas & Scott,1868** (Miridae) Synonym(s): *fieberi Douglas & Scott,1868* IL Pa SY JO TR
5037. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis Herrich-Schäffer,1834; pinetellus Zetterstedt,1840; fallax Kirschbaum,1868* DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU
5038. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus Ivanoff,1885; australis Haupt,1927* DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
5039. **Guanchia hincksi (Burr,1947)** (Forficulidae) Synonym(s): *hincksi Burr,1947* TR
5040. **Guanchia pubescens (Géné,1837)** (Forficulidae) Synonym(s): *pubescens Géné,1837; setulosa Fieber,1853* TR
5041. **Gueriniella serratulae (Fabricius)** (Margarodidae) Synonym(s): *serratulae Fabricius* TR
5042. **Gugolzia bademia Doğanlar,2004** (Pteromalidae) Synonym(s): *bademia Doğanlar,2004* Gugolzia bademia Doğanlar,2004, Zool. Middle East 32: 76-78. Holotype ♀: Turkey (MKUT). TR
5043. **Gunarus lapidicola Küster,1850** (Tenebrionidae) Synonym(s): *lapidicola Küster,1850* TR
5044. **Gunarus nodicornis Reitter,1922** (Tenebrionidae) Synonym(s): *nodicornis Reitter,1922* TR
5045. **Gymnomerus laevipes (Shuckard,1837)** (Vespidae) Synonym(s): *laevipes Shuckard,1837* TR
5046. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
5047. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR

5048. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU
UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
5049. **Gymnosoma clavata (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf,1947*;
verbekei Mesnil,1952 RU Cc CY IL Pa TR
5050. **Gyrinus caspius Ménétrié,1832** (Gyrinidae) Synonym(s): *caspius Ménétrié,1832* DK NO FI
GB DE FR NL ES GR TR
5051. **Gyrinus dejeani Brullé,1832** (Gyrinidae) Synonym(s): *dejeani Brullé,1832* TR
5052. **Gyrinus distinctus Aubé,1836** (Gyrinidae) Synonym(s): *distinctus Aubé,1836* TR
5053. **Gyrinus suffriani Scriba,1855** (Gyrinidae) Synonym(s): *suffriani Scriba,1855* TR
5054. **Habrolepis dalmanni (Westwood)** (Encyrtidae) Synonym(s): TR
5055. **Habrolepis italicus Delucchi,1965** (Encyrtidae) Synonym(s): *italicus Delucchi,1965* IT TR
5056. **Habronyx heros (Wesmael,1849)** (Ichneumonidae) Synonym(s): *heros Wesmael,1849* TR
5057. **Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens Theodor,1980* JO IL
Pa TR IR Fa
5058. **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris Loew,1847* FR RU
GR IR Elb Th Ss IL Pa TR
5059. **Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): *similimus Theodor,1980* IL
Pa TR IR Gor
5060. **Habropogon spissipes Hermann,1909** (Asilidae) Synonym(s): *spissipes Hermann,1909* TR
EG MA
5061. **Habropogon verticalis Becker,1913** (Asilidae) Synonym(s): *verticalis Becker,1913* IR Ss TR
5062. **Hadradactylus femoralis (Holmgren,1855)** (Ichneumonidae) Synonym(s): *femoralis*
Holmgren,1855 TR
5063. **Hadradactylus fugax (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugax*
Gravenhorst,1829 TR
5064. **Hadradactylus typhae (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *typhae Geoffroy,1785*
FR TR
5065. **Haematobosca atripalpis (Bezzi,1895)** (Muscidae) Synonym(s): *atripalpis Bezzi,1895* TR
AM Cc
5066. **Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans Meigen,1824*
AM Cc Eri GG TR IN NP
5067. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum Ahrens,1812*;
quinquemaculata Germar,1821; *lugens Horvath,1882* DZ BE FR DE GR IT NL PT ES SW TR YU
5068. **Haematopota bigoti Gobert,1881** (Tabanidae) Synonym(s): *bigoti Gobert,1881* TR
5069. **Haematopota caenofrons Kröber,1922** (Tabanidae) Synonym(s): *caenofrons Kröber,1922*
TR
5070. **Haematopota coolsi Leclercq,1966** (Tabanidae) Synonym(s): *coolsi Leclercq,1966* TR
5071. **Haematopota crassicornis Wahlberg,1848** (Tabanidae) Synonym(s): *crassicornis*
Wahlberg,1848 TR
5072. **Haematopota delozi Leclercq,1966** (Tabanidae) Synonym(s): *delozi Leclercq,1966* TR
5073. **Haematopota gallica Szilady,1923** (Tabanidae) Synonym(s): *gallica Szilady,1923* TR
5074. **Haematopota grandis Macquart,1834** (Tabanidae) Synonym(s): *grandis Macquart,1834*;
fraseri Austen,1925 TR
5075. **Haematopota hennauxi Leclercq,1967** (Tabanidae) Synonym(s): *hennauxi Leclercq,1967* TR
5076. **Haematopota italica Meigen,1804** (Tabanidae) Synonym(s): *italica Meigen,1804*; *gallica*
Szilady,1923 TR
5077. **Haematopota kemali Szilady,1923** (Tabanidae) Synonym(s): *kemali Szilady,1923*
Haematopota kemali Szilady,1923, Biol. hung. 1 (1): 32. Syntypes: Asia Minor: "Akgöl, Sille,
Ulukishla". TR
5078. **Haematopota lambi Willeneuve,1921** (Tabanidae) Synonym(s): *lambi Willeneuve,1921* TR
5079. **Haematopota latebricola Austen,1925** (Tabanidae) Synonym(s): *latebricola Austen,1925* TR
5080. **Haematopota longantennata Olsufjev,1937** (Tabanidae) Synonym(s): *longantennata*
Olsufjev,1937 TR
5081. **Haematopota nubilis Hauser,1960** (Tabanidae) Synonym(s): *nubilis Hauser,1960* TR
5082. **Haematopota ocelligera Kröber,1922** (Tabanidae) Synonym(s): *ocelligera Kröber,1922*;
hispanica Szilady,1923; *belligera Austen,1925* TR
5083. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens Loew,1871*; *obscura*
Bigot,1880; *obscurata Bigot,1891*; *caucasica Kröber,1922*; *araxis Szilady,1923* RO RU MD UA TR Cc GG AM
AZ KG IQ IR AF UZ
5084. **Haematopota pandazisi Kröber,1936** (Tabanidae) Synonym(s): *variegata auct.*; *pandazisi*
Kröber,1936 TR
5085. **Haematopota pavlovskii Hauser,1960** (Tabanidae) Synonym(s): *pavlovskii Hauser,1960* TR
5086. **Haematopota pluvialis (Linnaeus,1761)** (Tabanidae) Synonym(s): *pluvialis Linnaeus,1761*
TR
5087. **Haematopota scutellata (Olsufjev, Moucha & Chvala,1964)** (Tabanidae) Synonym(s):
scutellata Olsufjev, Moucha & Chvala,1964 TR

5088. **Haematopota sewelli Austen,1920** (Tabanidae) Synonym(s): *sewelli Austen,1920* TR
5089. **Haematopota sobrina Kröber,1922** (Tabanidae) Synonym(s): *sobrina Kröber,1922* TR
5090. **Haematopota subcylindrica Pandelle,1883** (Tabanidae) Synonym(s): *subcylindrica Pandelle,1883* TR
5091. **Haematopota sumelae Timmer,1984** (Tabanidae) Synonym(s): *sumelae Timmer,1984* TR
5092. **Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti Peters,1974* IR Elb Th TR
IL Pa GR
5093. **Haliplus variegatus Sturm,1834** (Halipilidae) Synonym(s): *variegatus Sturm,1834* TR
5094. **Halocladus fucicola (Edwards,1926)** (Chironomidae) Synonym(s): *fucicola Edwards,1926* TR
5095. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes Olivier,1791; armata Panzer,1801; bispinosa Fabricius,1804; quadriens Kieffer,1905* AT Ce HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
5096. **Halticoptera adanacus Doğanlar,2006** (Pteromalidae) Synonym(s): *adanacus Doğanlar,2006* **Halticoptera adanacus Doğanlar,2006**, J. Appl. Sci. Res. 2 (3): 170, 178-180. Holotype ♂: Turkey (ZSMM). TR
5097. **Halticoptera aenea (Walker)** (Pteromalidae) Synonym(s): TR
5098. **Halticoptera circulus (Walker)** (Pteromalidae) Synonym(s): TR
5099. **Halticoptera crius (Walker)** (Pteromalidae) Synonym(s): TR
5100. **Halticoptera dimidiata (Förster)** (Pteromalidae) Synonym(s): TR
5101. **Halticoptera kemaliyensis Doğanlar,2006** (Pteromalidae) Synonym(s): *kemaliyensis Doğanlar,2006* TR
5102. **Halticoptera laevigata Thomson** (Pteromalidae) Synonym(s): TR
5103. **Halticoptera longipetiolus Hedqvist** (Pteromalidae) Synonym(s): TR
5104. **Halticoptera patellana (Dalman)** (Pteromalidae) Synonym(s): TR
5105. **Halticoptera polita (Walker)** (Pteromalidae) Synonym(s): TR
5106. **Halticoptera poreia (Walker)** (Pteromalidae) Synonym(s): TR
5107. **Halticoptera sakipagai Doğanlar,2006** (Pteromalidae) Synonym(s): *sakipagai Doğanlar,2006* TR
5108. **Halticoptera yoncacus Doğanlar,2006** (Pteromalidae) Synonym(s): *yoncacus Doğanlar,2006* TR
5109. **Halticopterina moczari Erdös** (Pteromalidae) Synonym(s): TR
5110. **Halticopterina triannulata Erdös** (Pteromalidae) Synonym(s): TR
5111. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus Melichar,1896* AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
5112. **Handianus modestus (Melichar,1896)** (Cicadellidae) Synonym(s): *modestus Melichar,1896* RO YU RU Sb TR UA
5113. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835; palaestinis Linnavuori,1962* AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
5114. **Haplomalachius akbesianus (Pic,1898)** (Melyridae) Synonym(s): *akbesianus Pic,1898* **Malachius akbesianus Pic,1898**, Misc. Ent. 6: 138. Type ♀: Turkey: Akbes. TR
5115. **Haplomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus Frivaldsky,1835* TR
5116. **Haplomalachius karsensis Wittmer,1988** (Melyridae) Synonym(s): *karsensis Wittmer,1988* TR
5117. **Haplothrix captiosa Majer,1989** (Melyridae) Synonym(s): *captiosa Majer,1989* TR
5118. **Haplothrix mera Majer,1989** (Melyridae) Synonym(s): *mera Majer,1989* TR
5119. **Haplothrix prudeki Majer,1996** (Melyridae) Synonym(s): *prudeki Majer,1996* TR
5120. **Haplothrix pusilla (Schilsky,1896)** (Melyridae) Synonym(s): *pusilla Schilsky,1896* TR
5121. **Haplothrix sp.** (Melyridae) Synonym(s): TR
5122. **Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): *alpina Wagner,1955* AF RO TR Cc AM GG
5123. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica Zachvatkin,1946* AF BG RO TR Cc AM GG YU IR
5124. **Hardya iranica Zachvatkin,1946** (Cicadellidae) Synonym(s): *iranica Zachvatkin,1946* IR TR
5125. **Harmandiola cavernosa (Rübsaamen,1899)** (Cecidomyiidae) Synonym(s): *cavernosa Rübsaamen,1899* TR
5126. **Harmandiola globuli (Rübsaamen,1889)** (Cecidomyiidae) Synonym(s): *globuli Rübsaamen,1889* TR
5127. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* **Coccinella axyridis Pallas,1773**, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
5128. **Harmonia quadripunctata (Pontoppidan,1763)** (Coccinellidae) Synonym(s): *quadripunctata Pontoppidan,1763* IT Sa TR

5129. **Harmonia quattuordecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quattuordecimpunctata* Linnaeus,1758 **Coccinella quattuordecimpunctata** Linnaeus,1758, *Syst. Nat. (Edn.10) 1: 366. TR*
5130. **Harnischia fuscimana Kieffer,1921** (Chironomidae) Synonym(s): *fuscimana* Kieffer,1921 **TR**
5131. **Harnischia sp.** (Chironomidae) Synonym(s): **TR**
5132. **Harpalus (Artabas) kadleci (Kataev & Wrase,1995)** (Carabidae) Synonym(s): *kadleci* Kataev & Wrase,1995) **TR**
5133. **Harpalus (Artabas) petri (Tschitschérine,1902)** (Carabidae) Synonym(s): *petri* Tschitschérine,1902 **TR**
5134. **Harpalus (Artabas) punctatostriatus (Dejean,1829)** (Carabidae) Synonym(s): *punctatostriatus* Dejean,1829 **TR**
5135. **Harpalus (Artabas) suturangulus (Reitter,1887)** (Carabidae) Synonym(s): *suturangulus* Reitter,1887 **TR**
5136. **Harpalus (Artabas) szalliesi (Kataev & Wrase,1995)** (Carabidae) Synonym(s): *szalliesi* Kataev & Wrase,1995 **TR**
5137. **Harpalus (Harpalophonus) circumpunctatus (Chaudoir,1846)** (Carabidae) Synonym(s): *circumpunctatus* Chaudoir,1846; *anatolicus* K.Daniel,1904 (*praeocc.*) **TR**
5138. **Harpalus (Harpalophonus) hospes (Sturm,1818)** (Carabidae) Synonym(s): *hospes* Sturm,1818; *sturmi* Dejean,1829 **TR**
5139. **Harpalus (Harpalophonus) kagyzmanicus Kataev,1984** (Carabidae) Synonym(s): *kagyzmanicus* Kataev,1984 **TR**
5140. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY**
5141. **Harpalus (s.str.) albanicus Reitter,1900** (Carabidae) Synonym(s): *albanicus* Reitter,1900 **AL TR**
5142. **Harpalus (s.str.) anatolicus Tschitschérine,1898** (Carabidae) Synonym(s): *anatolicus* Tschitschérine,1898 **TR**
5143. **Harpalus (s.str.) angulatus Putzeys,1878** (Carabidae) Synonym(s): *angulatus* Putzeys,1878; *polychromus* Apfelbeck,1904 **TR**
5144. **Harpalus (s.str.) anxioides Kataev,1991** (Carabidae) Synonym(s): *anxioides* Kataev,1991 **TR**
5145. **Harpalus (s.str.) anxius (Duftschmid,1812)** (Carabidae) Synonym(s): *anxius* Duftschmid,1812; *pumilus* Dejean,1829 *nec* Sturm,1818 **TR**
5146. **Harpalus (s.str.) araraticus Mlynar,1979** (Carabidae) Synonym(s): *araraticus* Mlynar,1979 **TR**
5147. **Harpalus (s.str.) atratus Latreille,1804** (Carabidae) Synonym(s): *atratus* Latreille,1804 **TR**
5148. **Harpalus (s.str.) attenuatus Stephens,1828** (Carabidae) Synonym(s): *attenuatus* Stephens,1828 **TR**
5149. **Harpalus (s.str.) autumnalis (Duftschmid,1812)** (Carabidae) Synonym(s): *autumnalis* Duftschmid,1812 **TR**
5150. **Harpalus (s.str.) brachypterus Tschitschérine,1908** (Carabidae) Synonym(s): *brachypterus* Tschitschérine,1908 **TR**
5151. **Harpalus (s.str.) caspius Steven,1806** (Carabidae) Synonym(s): *caspius* Steven,1806 **TR**
5152. **Harpalus (s.str.) compressus Motschoulsky,1844** (Carabidae) Synonym(s): *compressus* Motschoulsky,1844; *amator* Reitter,1900 **TR**
5153. **Harpalus (s.str.) cupreus Dejean,1829** (Carabidae) Synonym(s): *cupreus* Dejean,1829; *fastuosus* Faldermann,1835 **TR**
5154. **Harpalus (s.str.) dimidiatus (Rossi,1790)** (Carabidae) Synonym(s): *dimidiatus* Rossi,1790 **TR**
5155. **Harpalus (s.str.) distinguendus (Duftschmid,1812)** (Carabidae) Synonym(s): *distinguendus* Duftschmid,1812; *psittacinus* Reitter,1900 **TR**
5156. **Harpalus (s.str.) euchlorus Ménétrés,1836** (Carabidae) Synonym(s): *euchlorus* Ménétrés,1836 **TR**
5157. **Harpalus (s.str.) flavicornis Dejean,1829** (Carabidae) Synonym(s): *flavicornis* Dejean,1829 **TR**
5158. **Harpalus (s.str.) fuscicornis Ménétrés,1832** (Carabidae) Synonym(s): *fuscicornis* Ménétrés,1832 **TR**
5159. **Harpalus (s.str.) fuscipalpis Sturm,1818** (Carabidae) Synonym(s): *fuscipalpis* Sturm,1818 **TR**
5160. **Harpalus (s.str.) honestus (Duftschmid,1812)** (Carabidae) Synonym(s): *honestus* Duftschmid,1812; *demelti* Korge,1962 **TR**
5161. **Harpalus (s.str.) kazanensis Jedlicka,1958** (Carabidae) Synonym(s): *kazanensis* Jedlicka,1958 **TR**
5162. **Harpalus (s.str.) latus (Linnaeus,1758)** (Carabidae) Synonym(s): *latus* Linnaeus,1758 **TR**

5163. **Harpalus (s.str.) metallinus Ménériés,1836** (Carabidae) Synonym(s): *metallinus Ménériés,1836* TR
5164. **Harpalus (s.str.) oblitus Dejean,1829** (Carabidae) Synonym(s): *oblitus Dejean,1829* TR
5165. **Harpalus (s.str.) pulvinatus Ménériés,1848** (Carabidae) Synonym(s): *pulvinatus Ménériés,1848; lubricus Reitter,1900* TR
5166. **Harpalus (s.str.) pygmaeus Dejean,1829** (Carabidae) Synonym(s): *pygmaeus Dejean,1829* TR
5167. **Harpalus (s.str.) quadratus Chaudoir,1846** (Carabidae) Synonym(s): *quadratus Chaudoir,1846; polychromus Tschitschérine,1897* TR
5168. **Harpalus (s.str.) quadripunctatus Dejean,1829** (Carabidae) Synonym(s): *quadripunctatus Dejean,1829* TR
5169. **Harpalus (s.str.) quasianxius Kataev,1989** (Carabidae) Synonym(s): *quasianxius Kataev,1989* TR
5170. **Harpalus (s.str.) reflexus Putzeys,1878** (Carabidae) Synonym(s): *reflexus Putzeys,1878; ciliciensis Mlynar,1979; anadoluensis Kataev,1993* TR
5171. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
5172. **Harpalus (s.str.) rufipalpis Sturm,1818** (Carabidae) Synonym(s): *rufitarsis Duftschmid,1812 nec Ill.,1802; rufipalpis Sturm,1818* TR
5173. **Harpalus (s.str.) saxicola Dejean,1829** (Carabidae) Synonym(s): *saxicola Dejean,1829* TR
5174. **Harpalus (s.str.) serripes (Quensel,1806)** (Carabidae) Synonym(s): *serripes Quensel,1806* TR
5175. **Harpalus (s.str.) smaragdinus (Duftschmid,1812)** (Carabidae) Synonym(s): *smaragdinus Duftschmid,1812* TR
5176. **Harpalus (s.str.) smyrnensis Heyden,1888** (Carabidae) Synonym(s): *smyrnensis Heyden,1888; bulgharensis Jedlicka,1958; boluensis Jedlicka,1962; dagliari Jedlicka,1962; ilgadsensis Jedlicka,1962* TR
5177. **Harpalus (s.str.) subcylindricus Dejean,1829** (Carabidae) Synonym(s): *subcylindricus Dejean,1829* TR
5178. **Harpalus (s.str.) subtruncatus Chaudoir,1846** (Carabidae) Synonym(s): *subtruncatus Chaudoir,1846* TR
5179. **Harpalus (s.str.) sulphuripes Germar,1824** (Carabidae) Synonym(s): *sulphuripes Germar,1824* TR
5180. **Harpalus (s.str.) taciturnus Dejean,1829** (Carabidae) Synonym(s): *taciturnus Dejean,1829* TR
5181. **Harpalus (s.str.) tardus (Panzer,1797)** (Carabidae) Synonym(s): *tardus Panzer,1797* TR
5182. **Harpalus (s.str.) torosensis Jedlicka,1961** (Carabidae) Synonym(s): *torosensis Jedlicka,1961* TR
5183. **Harpalus (s.str.) trichophorus Tschitschérine,1897** (Carabidae) Synonym(s): *trichophorus Tschitschérine,1897* TR
5184. **Harpalus (s.str.) tristis Tschitschérine,1898** (Carabidae) Synonym(s): *tristis Tschitschérine,1898* TR
5185. **Harpalus (s.str.) xanthopus Gemminger & Harold,1868** (Carabidae) Synonym(s): *xanthopus Gemminger & Harold,1868; ?winckleri Schaubberger,1923* TR
5186. **Harpalus (s.str.) zabroides Dejean,1829** (Carabidae) Synonym(s): *zabroides Dejean,1829* TR
5187. **Hartigiola annulipes (Hartig,1839)** (Cecidomyiidae) Synonym(s): *annulipes Hartig,1839; tornatella Bremi,1847* TR
5188. **Haterumelater fulvago (Marseul,1868)** (Elateridae) Synonym(s): *fulvago Marseul,1868; picinus Buysson,1891; julianum Penev,1987; preissi Schimmel,1995* TR
5189. **Haterumelater languidus (Buysson,1891)** (Elateridae) Synonym(s): *languidus Buysson,1891* TR
5190. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea Moravskaja,1948; furcata Dlabola,1957* TR Cc AM KG RU UA IR
5191. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda Kirschbaum,1868; fasciaticollis Rey,1891; ecbalii Linnavuori,1962* AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
5192. **Hauptidia (s.str.) rivularis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *rivularis Linnavuori,1962* TR IL Pa
5193. **Hauptidia (s.str.) stellata (Ribaut,1948)** (Cicadellidae) Synonym(s): *stellata Ribaut,1948* CY TR
5194. **Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): *fumosa Meigen,1826* TR AM Cc Eri
5195. **Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica Meigen,1826* AM Cc Eri TR MM CN

5196. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866; sulcatus Fieber,1866; aegyptiacus Signoret,1879; arenarius Horvath,1897* **AF BG CY CS EG HU IR IQ IL IT SI JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
5197. **Hedyphanes elongatus Allard,1876** (Tenebrionidae) Synonym(s): *elongatus Allard,1876* **TR**
5198. **Hedyphanes upioides (Faldermann,1837)** (Tenebrionidae) Synonym(s): *upioides Faldermann,1837* **TR**
5199. **Helcostizus restaurator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *restaurator Fabricius,1775; turcicus Fahringer,1944* **TR**
5200. **Heleomyza modesta (Meigen,1838)** (Heleomyzidae) Synonym(s): *modesta Meigen,1838* **TR Cc**
5201. **Helicoconis sengonca Rausch, H.Aspöck & U.Aspöck,1978** (Coniopterygidae) Synonym(s): *sengonca Rausch, H.Aspöck & U.Aspöck,1978* **Helicoconis sengonca Rausch, H.Aspöck & U.Aspöck,1978, Z. ArbGem. Öst. Ent. 30: 25-27, figs. Holotype ♂: Türkiye, Anatolien, Burdur Prov. Çeltikçi geçidi 1250-1300m leg. & coll. Aspöck & Rausch. TR**
5202. **Helina atricolor (Fallén,1825)** (Muscidae) Synonym(s): *atricolor Fallén,1825; denudata Zetterstedt,1845* **DE PL CZ SK CH AT TR**
5203. **Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): *decipiens Mihalyi,1974* **DE CZ SK AT HU TR RU**
5204. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis Ringdahl,1924* **FR Co DE PL CZ SK CH AT HU TR Cc AM RU**
5205. **Helina obtusipennis (Fallén,1823)** (Muscidae) Synonym(s): *obtusipennis Fallén,1823* **DE SK CH AT TR**
5206. **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens Stein,1893* **DE PL CH AT HU TR? RU**
5207. **Helina reversio (Harris,1780)** (Muscidae) Synonym(s): *reversio Harris,1780* **AM Cc Eri AZ TR**
5208. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris Ringdahl,1924* **AD DE PL CZ SK CH AT HU TR Uİ RU**
5209. **Helina tetrastigma (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma Meigen,1826* **IL Pa AM Cc TR**
5210. **Heliococcus bohemicus Sulc** (Pseudococcidae) Synonym(s): *bohemicus Sulc* **TR**
5211. **Heliococcus radicola Goux** (Pseudococcidae) Synonym(s): *radicola Goux* **TR**
5212. **Heliococcus saxatilis Borchsenius** (Pseudococcidae) Synonym(s): *saxatilis Borchsenius* **TR**
5213. **Heliococcus sulcii Goux** (Pseudococcidae) Synonym(s): *sulcii Goux* **TR**
5214. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata Puton,1874* **DZ RU ES LY TN Cc IR TR**
5215. **Helionidia himyarita Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita Zachvatkin,1946; acutistyla Dlabola,1952; desmanthi Lindberg,1958* **IR IQ IL Pa TR**
5216. **Heliophilus continuus (Loew,1844)** (Syrphidae) Synonym(s): *continuus Loew,1844* **RU Sb TR**
5217. **Heliophilus hybridus Loew,1846** (Syrphidae) Synonym(s): *hybridus Loew,1846* **TR**
5218. **Heliophilus parallelus (Harris,[1776])** (Syrphidae) Synonym(s): *parallelus Harris,[1776]* **TR**
5219. **Heliophilus trivittatus (Fabricius,1805)** (Syrphidae) Synonym(s): *trivittatus Fabricius,1805* **TR GB NL US**
5220. **Heliopteryx humeralis (Kuthy,1907)** (Acrididae) Synonym(s): *humeralis Kuthy,1907* **TR**
5221. **Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus Lackschewitz,1928* **TR ES GB GG Cc AM AZ IR**
5222. **Helladia adelpha (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *adelpha Ganglbauer,1884* **TR**
5223. **Helladia armeniaca Frivaldsky,1878** (Cerambycidae) Synonym(s): *armeniaca Frivaldsky,1878* **TR AM Cc**
5224. **Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata Faldermann,1837* **AM Cc IR TR**
5225. **Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis Waltl,1828* **TR IR CY**
5226. **Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii Adams,1817* **UA Cm Cc TR IR CY**
5227. **Helladia plasoni Ganglbauer,1884** (Cerambycidae) Synonym(s): *plasoni Ganglbauer,1884* **TR Cc IR**
5228. **Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata Steven,1817* **BG RO TR UA Cm Cc AM SY**
5229. **Helladia pretiosa (Faldermann,1837)** (Cerambycidae) Synonym(s): *pretiosa Faldermann,1837* **AM Cc AZ IR TR**
5230. **Hellerina lycia Galvagni,2006** (Raphidophoridae) Synonym(s): *lycia Galvagni,2006* **TR**
5231. **Hellwigiella nigripennis Szepligeti,1905** (Ichneumonidae) Synonym(s): *nigripennis Szepligeti,1905* **DZ TR**

5232. **Helophorus (Orphelophorus) turca İncekara,2008** (Helophoridae) Synonym(s): *turca İncekara,2008* **Helophorus (Orphelophorus) turca İncekara,2008**, Ent. News 119 (4): 420-424, figs. TR
5233. **Helophorus abeillei Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei Guillebeau,1896* SY LB AM Cc IR TR
5234. **Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans Gené,1836* GB ES IT FR TN GR TR
5235. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758* TR Cc GG ES DE DK GB SE FI RU IR
5236. **Helophorus armeniacus Ganglbauer,1901** (Helophoridae) Synonym(s): *armeniacus Ganglbauer,1901* AM Cc TR
5237. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus Mulsant,1846* DK FI SE NO RU ES IT AT FR GB TR
5238. **Helophorus brevialipis Bedel,1881** (Helophoridae) Synonym(s): *brevialipis Bedel,1881* TR
5239. **Helophorus brevialipis Bedel,1881** (Helophoridae) Synonym(s): *brevialipis Bedel,1881* TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
5240. **Helophorus croaticus Kuwert,1886** (Helophoridae) Synonym(s): *croaticus Kuwert,1886* BE SE FI DE RU TR
5241. **Helophorus daedalus Orchymont,1932** (Helophoridae) Synonym(s): *daedalus Orchymont,1932* TR IR
5242. **Helophorus difficilis Angus,1988** (Helophoridae) Synonym(s): *difficilis Angus,1988* IL Pa LB TR
5243. **Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans Rey,1885* Cc RU FI IR TR DE PL GR
5244. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis Marsham,1802* GB FR DE AT UA Cc SE GB TR
5245. **Helophorus erzurumicus İncekara, Mart & Erman,2005** (Helophoridae) Synonym(s): *erzurumicus İncekara, Mart & Erman,2005* TR
5246. **Helophorus faustianus Sharp,1916** (Helophoridae) Synonym(s): *faustianus Sharp,1916* TR Cc
5247. **Helophorus flavipes Fabricius,1792** (Helophoridae) Synonym(s): *flavipes Fabricius,1792* SE GB RU TR
5248. **Helophorus frater Orchymont,1926** (Helophoridae) Synonym(s): *frater Orchymont,1926* IN CN IR TR
5249. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis Motschoulsky,1860* TR DZ GB DK FR DE IT MA PT ES SE TN
5250. **Helophorus glacialis Villa,1883** (Helophoridae) Synonym(s): *glacialis Villa,1883* Cc SE FI DK ES TR
5251. **Helophorus griseus Herbst,1793** (Helophoridae) Synonym(s): *griseus Herbst,1793* GB FR ES SE FI DK Cc TR
5252. **Helophorus guttulus Motschoulsky,1860** (Helophoridae) Synonym(s): *guttulus Motschoulsky,1860* Cc TR
5253. **Helophorus hilaris Sharp,1916** (Helophoridae) Synonym(s): *hilaris Sharp,1916* Cc IR AZ TR LB
5254. **Helophorus hirsutiventris Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris Angus,1984* YU AL GR TR
5255. **Helophorus illustris Sharp,1916** (Helophoridae) Synonym(s): *illustris Sharp,1916* FR IL Pa TR
5256. **Helophorus kirgisticus Knisch,1914** (Helophoridae) Synonym(s): *kirgisticus Knisch,1914* RU KG Sb IR TR
5257. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854* DK SE FI RU ES Cc LB IL Pa IR TR
5258. **Helophorus lewisi Angus,1985** (Helophoridae) Synonym(s): *lewisi Angus,1985* RU IL Pa TR
5259. **Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus Angus,1970* PL AT FR RU IT YU GR TR
5260. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* TR
5261. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
5262. **Helophorus maculatus Motschoulsky,1860** (Helophoridae) Synonym(s): *maculatus Motschoulsky,1860* AM AZ Cc IR TR
5263. **Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis Semenov,1900* TM IR SA TR AF
5264. **Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans Falderman,1835* TR Cc GG IL Pa PK
5265. **Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus Fabricius,1775* SE DK FI RU DZ TR

5266. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae) Synonym(s): *montenegrinus* Kuwert,1885 YU Cc AT IT TR
5267. **Helophorus nanus** Sturm,1836 (Helophoridae) Synonym(s): *nanus* Sturm,1836 RU Sb Cc TR
5268. **Helophorus nubilus** Fabricius,1776 (Helophoridae) Synonym(s): *nubilus* Fabricius,1776 RU SE FI IT ES DK IR TR
5269. **Helophorus obscurus** Mulsant,1844 (Helophoridae) Synonym(s): *obscurus* Mulsant,1844 DK GB SE RU IT TR GR
5270. **Helophorus pallidipennis** Mulsant & Wachanru,1852 (Helophoridae) Synonym(s): *pallidipennis* Mulsant & Wachanru,1852 TR CY GR
5271. **Helophorus paraminutus** Angus,1986 (Helophoridae) Synonym(s): *paraminutus* Angus,1986 RU Sb YU AT DE TR
5272. **Helophorus ponticus** Angus,1988 (Helophoridae) Synonym(s): *ponticus* Angus,1988 TR
5273. **Helophorus porculus** Bedel,1881 (Helophoridae) Synonym(s): *porculus* Bedel,1881 DZ NL ES FR DE TR
5274. **Helophorus similis** Kuwert,1887 (Helophoridae) Synonym(s): *similis* Kuwert,1887 DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
5275. **Helophorus subarcuatus** Rey,1885 (Helophoridae) Synonym(s): *subarcuatus* Rey,1885 FR IT TR
5276. **Helophorus subcarinatus** Angus,1985 (Helophoridae) Synonym(s): *subcarinatus* Angus,1985 LB IL Pa TR
5277. **Helophorus syriacus** Kuwert,1885 (Helophoridae) Synonym(s): *syriacus* Kuwert,1885 TR SY SA IR Cc TM KG
5278. **Helophorus terminassianae** Angus,1984 (Helophoridae) Synonym(s): *terminassianae* Angus,1984 RU AM Cc TR
5279. **Helophorus zagrosicus** Angus,1988 (Helophoridae) Synonym(s): *zagrosicus* Angus,1988 IR Fa TR
5280. **Helops (Mesohelops) cyanipes** Allard,1877 (Tenebrionidae) Synonym(s): *cyanipes* Allard,1877 TR
5281. **Helops (s.str.) coeruleus** (Linnaeus,1758) (Tenebrionidae) Synonym(s): *coeruleus* Linnaeus,1758 TR
5282. **Helops (s.str.) glabriventris** Reitter,1885 (Tenebrionidae) Synonym(s): *glabriventris* Reitter,1885 TR
5283. **Helops (s.str.) rossii** Germar,1817 (Tenebrionidae) Synonym(s): *rossii* Germar,1817 TR
5284. **Hemerobius friedeli** Aspöck & Aspöck,1966 (Hemerobiidae) Synonym(s): *friedeli* Aspöck & Aspöck,1966 Hemerobius friedeli Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 74-75, figs. Holotype ♂: [Türkei]: Asia Minor: Kizilcahamam, 10.6.1966 leg. G. Friedel (coll. Aspöck). TR
5285. **Hemianax ephippiger** (Burmeister,1839) (Aeshnidae) Synonym(s): *ephippiger* Burmeister,1839 TR CY LB Bei
5286. **Hemiberlesia lataniae** (Signoret) (Diaspididae) Synonym(s): *lataniae* Signoret TR
5287. **Hemiberlesia rapax** (Comstock) (Diaspididae) Synonym(s): *rapax* Comstock TR
5288. **Hemicrepidius corvinus** (Reitter,1905) (Elateridae) Synonym(s): *corvinus* Reitter,1905 SY TR
5289. **Hemicrepidius hirtus** (Herbst,1784) (Elateridae) Synonym(s): *hirtus* Herbst,1784 SK TR Cc
5290. **Hemicrepidius koenigi** Schwarz,1897 (Elateridae) Synonym(s): *koenigi* Schwarz,1897 AM TR?
5291. **Hemicrepidius niger** (Linnaeus,1758) (Elateridae) Synonym(s): *niger* Linnaeus,1758 TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK
5292. **Hemicrepidius nigrutilus** (Reitter,1890) (Elateridae) Synonym(s): *nigrutilus* Reitter,1890 TR Cc AZ
5293. **Hemicrepidius schneideri** (Kiesenwetter,1877) (Elateridae) Synonym(s): *schneideri* Kiesenwetter,1877 TR Cc AM
5294. **Hemicrepidius vulpeculus** (Reitter,1890) (Elateridae) Synonym(s): *vulpeculus* Reitter,1890 TR Cc GG AM
5295. **Hemidendroides daglariensis** (Young,2004) (Pyrochroidae) Synonym(s): *cyanipennis*; *daglariensis* Young,2004 TR
5296. **Hemipenthes hamifera** (Loew,1854) (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
5297. **Hemipenthes maurus** (Linnaeus,1758) (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
5298. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
5299. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966 TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN

5300. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
5301. **Hemipepsis brunnea (Klug,1834)** (Pompilidae) Synonym(s): *brunnea* Klug,1834 TR
5302. **Hemipepsis mauritanica (Linnaeus,1767)** (Pompilidae) Synonym(s): *mauritanica* Linnaeus,1767; *barbara* Lepeletier,1845 TR
5303. **Hemiptarsenus varicornis (Grault)** (Eulophidae) Synonym(s): TR
5304. **Hemiptarsenus zilahisebessi Erdös** (Eulophidae) Synonym(s): TR
5305. **Hemipterochilus aberrans (Morawitz,1885)** (Vespidae) Synonym(s): *aberrans* Morawitz,1885 TR
5306. **Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis* Giordani Soika,1952 IL Pa JO Amm TR
5307. **Hemitropis seticlosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticlosa* Lethierry,1874 TR
5308. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi* Frauenfeld,1864 TR CN KG KK MN MD UZ RU TJ TM UA
5309. **Henosepilachna argus (Geoffroy,1762)** (Coccinellidae) Synonym(s): *argus* Geoffroy,1762 IT Sa Si TR
5310. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
5311. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
5312. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
5313. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869 AM Cc TR GR IQ UA Cm TN
5314. **Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus* Stackelberg,1933 Cc GG Abk AM RU TR KK
5315. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856 GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
5316. **Hercostomus costatus (Loew,1857)** (Dolichopodidae) Synonym(s): *costatus* Loew,1857 TR
5317. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851 AM Cc BG GR TR UA RO TJ TM
5318. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 BG GG Cc GR IL Pa TR RO RU MA TJ
5319. **Hercostomus nanus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minimus* Zetterstedt,1849; *angustus* Loew,1857 SE BG TR UA MD
5320. **Hercostomus phoebus Parent,1927** (Dolichopodidae) Synonym(s): *phoebus* Parent,1927 *Hercostomus phoebus* Parent,1927, *Annls Soc. ent. Fr.* 96: 230. AM Cc TR
5321. **Hercostomus varicoloris Becker,1917** (Dolichopodidae) Synonym(s): *varicoloris* Becker,1917 Cc Abk GG AM RU TR
5322. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 HV BG GR IT Si MT CY IL Pa SY TR
5323. **Heriades (Michenerella) hissaricus Popov,1955** (Megachilidae) Synonym(s): *hissaricus* Popov,1955 KG TJ UZ TR
5324. **Heriades (Michenerella) punctuliferus Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928 TR CY SY
5325. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956 Cc AM TM CY IL Pa SY TR GR TJ
5326. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
5327. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
5328. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
5329. **Heringia brevidens (Egger,1865)** (Syrphidae) Synonym(s): *brevidens* Egger,1865 TR
5330. **Heringina Aczel,1940** (Tephritidae) Synonym(s): *Heringina* Aczel,1940 TR
5331. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826 Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR
5332. **Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792 TR Cc JO
5333. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 ES FR Co IT MK GR TR Cc KG NG SD SA LK

5334. **Hermetia illucens (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens Linnaeus,1758* PT
Cn ES FR CH IT MT HV AL TR
5335. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis Linnaeus,1767* FR Co
IT CH AT SS MK AL GR Cr BG TR RO HU
5336. **Herpestomus brunnicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
brunnicornis Gravenhorst,1829 TR
5337. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata Fallén,1806 (praeocc.);*
domino Reuter,1880; hyomelas Csiki,1940; falleni Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO
PL RO SE Cc AM GG LV MD RU UA
5338. **Hesperocorixa castanea (Thomson,1869)** (Corixidae) Synonym(s): *castanea Thomson,1869*
TR
5339. **Hesperocorixa linnaei (Fieber,1848)** (Corixidae) Synonym(s): *linnaei Fieber,1848* TR
5340. **Hesperocorixa occulta (Lundblad,1929)** (Corixidae) Synonym(s): *occulta Lundblad,1929*
TR AF IN
5341. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela Fieber,1860* AT
BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
5342. **Heteracris adpersa (Redtenbacher,1889)** (Acrididae) Synonym(s): *adpersa*
Redtenbacher,1889 TR
5343. **Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis Rambur,1838* TR
5344. **Heteracris pterostichus (Fischer von Waldheim,1833)** (Acrididae) Synonym(s):
pterostichus Fischer von Waldheim,1833 TR
5345. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820;*
consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888;
aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM
Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
5346. **Heterischnus truncator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *truncator*
Fabricius,1798 *Ichneumon truncator Fabricius,1798, Suppl. Ent. Syst.: 222.* Cn TR
5347. **Heterococcopsis opertus Borkhsenius** (Pseudococcidae) Synonym(s): *opertus Borchsenius*
TR
5348. **Heterococcus mudus (Green)** (Pseudococcidae) Synonym(s): *mudus Green* TR
5349. **Heterococcus tritici (Kiritshenko)** (Pseudococcidae) Synonym(s): *tritici Kiritshenko* TR
5350. **Heterogaster affinis Herrich-Schäffer,1835** (Lygaeidae) Synonym(s): *affinis Herrich-*
Schäffer,1835 TR
5351. **Heteropogon lehri Richter,1968** (Asilidae) Synonym(s): *lehri Richter,1968* Cc RU TR IR Elb
Mz AM
5352. **Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): *manicatus Meigen,1820*
MA DZ FR Co ES TR
5353. **Heteropogon manni Loew,1854** (Asilidae) Synonym(s): *manni Loew,1854* GR DZ TR
5354. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus Wiedemann,1820*
IR Fa ES PT JO IL Pa MA DZ TN TR
5355. **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes Loew,1851* RU YU GR
BG AL IL Pa TR
5356. **Heteropogon scoparius Loew,1847** (Asilidae) Synonym(s): *scoparius Loew,1847* RU AL TR
IR
5357. **Heteropogon succinctus Loew,1847** (Asilidae) Synonym(s): *succinctus Loew,1847* TR IR Es
5358. **Heterotropus pyrus Bowden,1967** (Bombyliidae) Synonym(s): *pyrus Bowden,1967* TR
5359. **Heterotropus taurus Bowden,1967** (Bombyliidae) Synonym(s): *taurus Bowden,1967* TR
5360. **Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): *simplex Loew,1865*
TR AL BG GR RO
5361. **Hexatoma (Eriocera) chirothecata (Scopoli,1763)** (Limoniidae) Synonym(s): *chirothecata*
Scopoli,1763 TR YU
5362. **Hexatoma (s.str.) bicolor (Meigen,1818)** (Limoniidae) Synonym(s): *bicolor Meigen,1818*
TR GB
5363. **Hexatoma (s.str.) fuscipennis (Curtis,1836)** (Limoniidae) Synonym(s): *fuscipennis*
Curtis,1836 TR
5364. **Hexomyza simplex (Loew,1869)** (Agromyzidae) Synonym(s): *simplex Loew,1869* TR
5365. **Hidryta sordida (Tschek,1871)** (Ichneumonidae) Synonym(s): *sordida Tschek,1871* TR
5366. **Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s):
transcaucasica Brunner von Wattenwyl,1878 TR IQ Cc IR AF Ui
5367. **Hilara bolkarensis Çiftçi, Parvu & Hasbenli,2008** (Empididae) Synonym(s): *bolkarensis*
Çiftçi, Parvu & Hasbenli,2008 TR
5368. **Himacerus apterus (Fabricius,1798)** (Nabidae) Synonym(s): *apterus Fabricius,1798* TR
5369. **Himacerus dauricus (Kiritschenko,1911)** (Nabidae) Synonym(s): *dauricus Kiritschenko,1911*
RU Sb TR
5370. **Himacerus maracandicus (Reuter,1890)** (Nabidae) Synonym(s): *maracandicus Reuter,1890*
TR CN Ui

5371. **Himerta anatolica (Schmiedeknecht,1913)** (Ichneumonidae) Synonym(s): *anatolica Schmiedeknecht,1913* **Himerta anatolica Schmiedeknecht,1913, Opusc. Ichneumon. 5: 2749. TR**
5372. **Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae) Synonym(s): *variegata Goeze,1777* **FR IT Sa Si TR**
5373. **Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *tredecimpunctata Linnaeus,1758* **IT Si TR**
5374. **Hippodamia (Semiadalia) undecimnotata (Schneider,1792)** (Coccinellidae) Synonym(s): *undecimnotata Schneider,1792* **IT Sa Si TR**
5375. **Hippuriphila modeeri (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *modeeri Linnaeus,1761; chrysopygis Beck,1817; mancula Leconte,1861; bimaculata Weise,1886; chalybaea Weise,1886; praescutellaris Pic,1909; laevicollis Hellen,1933* **TR MN RU Sb**
5376. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus Rossi,1792* **Cn DZ LT SE RU AF KG Sb TR**
5377. **Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus Linnaeus,1758; gagates Illiger,1807; aethiops Heer,1841* **GB IT GR TR**
5378. **Hobhya stenonota (Ratzeburg)** (Pteromalidae) Synonym(s): **TR**
5379. **Hockeria apani Doğanlar,1990** (Chalcididae) Synonym(s): *apani Doğanlar,1990* **Hockeria apani Doğanlar,1990, Turk. J. Ent. 14 (3): 150-153. Holotype ♀: Turkey. TR**
5380. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata Walker,1834; albomaculatus Lucas,1849; maculipennis Steffani,1887; modesta Silvestri,1907; erdoesi Boucek,1952; nipponica Habu,1960* **DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP**
5381. **Hockeria brachygaster Boucek,1956** (Chalcididae) Synonym(s): *brachygaster Boucek,1956* **Hockeria brachygaster Boucek,1956, Bull. Res. Coun. Israel 5B: 234. Syntypes: Israel (BMNH). LY TR IL Pa IN Up**
5382. **Hockeria karatasensis Boucek,1952** (Chalcididae) Synonym(s): *karatasensis Boucek,1952* **TR**
5383. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna Boucek,1952* **HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA**
5384. **Hockeria menginillarum (Silvestri,1943)** (Chalcididae) Synonym(s): *menginillarum Silvestri,1943* **IT TR**
5385. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
5386. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti Schletterer,1889; tumida Benoist,1928; gibba Benoist,1928* **BG GR MK RO TR IL Pa SY JO**
5387. **Holcostethus vernalis (Wolff,1804)** (Pentatomidae) Synonym(s): *vernalis Wolff,1804* **TR**
5388. **Holochelus (Miltotrogus) escherichi Brenske,1897** (Scarabaeidae) Synonym(s): *escherichi Brenske,1897* **TR**
5389. **Holochelus (Miltotrogus) fallax Marseul,1879** (Scarabaeidae) Synonym(s): *fallax Marseul,1879* **TM TR SY**
5390. **Holochelus (Miltotrogus) mimicus (Reitter,1902)** (Scarabaeidae) Synonym(s): *mimicus Reitter,1902* **TR SY**
5391. **Holochelus (s.str.) pilicollis (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *pilicollis Gyllenhal,1817* **TR SY**
5392. **Holopogon albosetosus Schiner,1867** (Asilidae) Synonym(s): *albosetosus Schiner,1867* **TR**
5393. **Holopogon fumipennis (Meigen,1820)** (Asilidae) Synonym(s): *fumipennis Meigen,1820* **TR**
5394. **Holopogon hasbenlii Tomasovic, Weyer & Dils,2009** (Asilidae) Synonym(s): *hasbenlii Tomasovic, Weyer & Dils,2009* **TR**
5395. **Holopogon nigropilosus Theodor,1980** (Asilidae) Synonym(s): *nigropilosus Theodor,1980* **IL Pa TR IR**
5396. **Holopogon priscus (Meigen,1820)** (Asilidae) Synonym(s): *priscus Meigen,1820* **TR**
5397. **Homalotylus flaminus (Dalman)** (Encyrtidae) Synonym(s): **TR**
5398. **Homalotylus nigricornis Mercet** (Encyrtidae) Synonym(s): **TR**
5399. **Homalotylus quaylei Timberlake** (Encyrtidae) Synonym(s): **TR**
5400. **Homodela ismenia (Gory,1833)** (Carabidae) Synonym(s): *ismenia Gory,1833* **GR TR**
5401. **Homonotus sanguinolentus (Fabricius,1793)** (Pompilidae) Synonym(s): *sanguinolentus Fabricius,1793* **TR**
5402. **Homoporus arestor (Walker)** (Pteromalidae) Synonym(s): **TR**
5403. **Homoporus fulviventris (Walker)** (Pteromalidae) Synonym(s): **TR**
5404. **Homoporus subniger (Walker)** (Pteromalidae) Synonym(s): **TR**
5405. **Homorocoryphus nitidulus (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidulus Scopoli,1786* **TR**
5406. **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata Reitter,1890* **BG GR TR CY LB**
5407. **Hoplitis (Aldidamea) acanthophora (Morawitz,1875)** (Megachilidae) Synonym(s): *acanthophora Morawitz,1875* **TJ TR**

5408. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md Tn Kg Tj Tm Cy Ir Jo Sy TR
5409. **Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae) Synonym(s): *antennata* Morawitz,1876 *Osmia antennata* Morawitz,1876, *Horae Soc. ent. ross. 12: 43. Lectotype* ♂: [Armenia] "auf dem Berge Schaffnabadell", designated by Warncke,1991 (ZIN) AM Cc TR
5410. **Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876 Gg Bjo Cc GR TR
5411. **Hoplitis (Alcidamea) bispinosa Zanden,1992** (Megachilidae) Synonym(s): *bispinosa* Zanden,1992 *Hoplitis (Liosmia) bispinosa* Zanden,1992, *Linzer biol. Beitr. 24: 820. Holotype* ♂: [Turkey]: Hakkari Prov., Yüksekova 2250m (RMNH). TR GR
5412. **Hoplitis (Alcidamea) caucasica (Friese,1920)** (Megachilidae) Synonym(s): *caucasica* Friese,1920 Cc TR
5413. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896 RU UA KG KK CN TM UZ SY TR
5414. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902 FR GR HV MK SS IL Pa TR
5415. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
5416. **Hoplitis (Alcidamea) decaocta (Warncke,1991)** (Megachilidae) Synonym(s): *decaocta* Warncke,1991 *Osmia (Alcidamea) decaocta* Warncke,1991, *Linzer biol. Beitr. 23: 732. Holotype* ♀: [Turkey]: Van, Erçek (OLML Linz). TR
5417. **Hoplitis (Alcidamea) galbula (Warncke,1991)** (Megachilidae) Synonym(s): *galbula* Warncke,1991 GR TR
5418. **Hoplitis (Alcidamea) garzetta (Warncke,1991)** (Megachilidae) Synonym(s): *garzetta* Warncke,1991 TR
5419. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN Tj TR
5420. **Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica* Mavromoustakis,1937 CY IL Pa Jo TR
5421. **Hoplitis (Alcidamea) mollis Tkalcu,2000** (Megachilidae) Synonym(s): *mollis* Tkalcu,2000 *Hoplitis (Liosmia) mollis* Tkalcu,2000, *Acta Soc. zool. bohemosl. 64: 316. Holotype* ♂: [Turkey]: Erzurum, Tkalcu coll. (Praha). TR JO SY
5422. **Hoplitis (Alcidamea) ozbeki Tkalcu,2000** (Megachilidae) Synonym(s): *ozbeki* Tkalcu,2000 *Hoplitis (Liosmia) ozbeki* Tkalcu,2000, *Acta Soc. zool. bohemosl. 64: 313. Holotype* ♂: [Turkey]: Erzurum Serceme (EMET). Cc TR
5423. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG Tj UZ IL Pa Jo TR
5424. **Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris* Warncke,1991 *Osmia (Alcidamea) stellaris* Warncke,1991, *Linzer biol. Beitr. 23: 731. Holotype* ♂: [Turkey]: Van, Başkale 30km S 1700m (OLML Linz). JO SY TR GR
5425. **Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea* Warncke,1991 *Osmia (Alcidamea) subbutea* Warncke,1991, *Linzer biol. Beitr. 23: 733. Holotype* ♂: [Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). TR GR KG IL Pa SY
5426. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
5427. **Hoplitis (Alcidamea) verruciventris (Morawitz,1886)** (Megachilidae) Synonym(s): *verruciventris* Morawitz,1886 Cc AZ TR
5428. **Hoplitis (Alcidamea) xanthoprymna (Warncke,1991)** (Megachilidae) Synonym(s): *xanthoprymna* Warncke,1991 TR
5429. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
5430. **Hoplitis (Annosmia) chukar (Warncke,1991)** (Megachilidae) Synonym(s): *chukar* Warncke,1991 *Osmia (Annosmia) chukar* Warncke,1991, *Linzer biol. Beitr. 23: 316. Holotype* ♂: [Turkey]: Hakkari Prov., W. Serpil 1800m Mt. Cilo (OLML Linz). TR
5431. **Hoplitis (Annosmia) elaziga (Warncke,1991)** (Megachilidae) Synonym(s): *elaziga* Warncke,1991 TR

5432. **Hoplitis (Annosmia) eremophila (Warncke,1991)** (Megachilidae) Synonym(s): *eremophila* Warncke,1991 *Osmia (Annosmia) eremophila* Warncke,1991, Linzer biol. Beitr. 23: 317. Holotype ♀: [Turkey]: Hakkari Prov., nördl. Gavaruk Mt. 2900m (Sat Gebirge) (OLML Linz). TR SY
5433. **Hoplitis (Annosmia) fulica (Warncke,1991)** (Megachilidae) Synonym(s): *fulica* Warncke,1991 *Osmia (Annosmia) fulica* Warncke,1991, Linzer biol. Beitr. 23: 312. Holotype ♀: [Turkey]: Van Prov., Erciş 1650m (OLML Linz). TR
5434. **Hoplitis (Annosmia) gentilis (Warncke,1991)** (Megachilidae) Synonym(s): *gentilis* Warncke,1991 TR
5435. **Hoplitis (Annosmia) idaensis (Warncke,1991)** (Megachilidae) Synonym(s): *idaensis* Warncke,1991 GR Cr TR
5436. **Hoplitis (Annosmia) mutica (Warncke,1991)** (Megachilidae) Synonym(s): *mutica* Warncke,1991 TR
5437. **Hoplitis (Annosmia) uncaticornis (Stanek,1969)** (Megachilidae) Synonym(s): *uncaticornis* Stanek,1969; *cursoria* Warncke,1991 TR SY
5438. **Hoplitis (Anthocopa) agis (Benoist,1929)** (Megachilidae) Synonym(s): *agis* Benoist,1929 TR IR
5439. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935 GR Cr CY IL Pa JO SY TR
5440. **Hoplitis (Anthocopa) bifoveolata (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935 IL Pa JO SY TR
5441. **Hoplitis (Anthocopa) bipartita (Friese,1899)** (Megachilidae) Synonym(s): *bipartita* Friese,1899 CN Ui KG TR
5442. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
5443. **Hoplitis (Anthocopa) brevispina (Tkalcu,2000)** (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000 *Anthocopa (Arctosmia) brevispina* Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 305. Holotype ♂: [Turkey]: Erzurum (EMET). TR Cc
5444. **Hoplitis (Anthocopa) cypriaca (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980 CY IL Pa JO SY TR
5445. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 AL AD CH ES FR GR HU HV IT Sa MK SS TR
5446. **Hoplitis (Anthocopa) duckeana (Kohl,1905)** (Megachilidae) Synonym(s): *duckeana* Kohl,1905 SY TR
5447. **Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875 KG AM Cc GR Cr TR
5448. **Hoplitis (Anthocopa) graeca (Tkalcu,2000)** (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000 GR TR
5449. **Hoplitis (Anthocopa) grumi (Morawitz,1894)** (Megachilidae) Synonym(s): *grumi* Morawitz,1894 TJ TR
5450. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 GR Cr CY JO SY TR
5451. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
5452. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 AT AM Cc ES FR Co GR HU RU SK TR
5453. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899 TR AL GR Cr HV? IL Pa SY JO
5454. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
5455. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
5456. **Hoplitis (Anthocopa) picicornis (Morawitz,1895)** (Megachilidae) Synonym(s): *picicornis* Morawitz,1895 TM KG TJ AF IR TR
5457. **Hoplitis (Anthocopa) rugidorsis (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 IT Sa DZ MA TR?
5458. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875 KG KK TJ TM UZ IL Pa TR
5459. **Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935 GR? IL Pa JO SY TR
5460. **Hoplitis (Anthocopa) urfensis (Zanden,1984)** (Megachilidae) Synonym(s): *urfensis* Zanden,1984 SY TR
5461. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?

5462. **Hoplitis (Anthocopa) wadicola (Alfken,1935)** (Megachilidae) Synonym(s): *wadicola* Alfken,1935 **IL Pa TR**
5463. **Hoplitis (Anthocopa) yermasoyiae (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *corcyraea* Tkalcu,1979 **AL AM Cc GR CY YU SY TR**
5464. **Hoplitis (Bytinskia) parasitica (Warncke,1991)** (Megachilidae) Synonym(s): *parasitica* Warncke,1991 *Bytinskia parasitica* Warncke,1991, Linzer biol. Beitr. 23: 486. Holotype ♀: [Turkey]: Hakkari, Sat Gebirge Tal südl. des Gevria Pass, 3000m (OLML Linz). **TR**
5465. **Hoplitis (Chlidoplitis) heinrichi Zanden,1980** (Megachilidae) Synonym(s): *heinrichi* Zanden,1980 **TR SY IR**
5466. **Hoplitis (Chlidoplitis) illustris Zanden,1992** (Megachilidae) Synonym(s): *illustris* Zanden,1992 *Hoplitis illustris* Zanden,1992, Linzer biol. Beitr. 24: 817. Holotype ♂: Turkey: Nevşehir Prov., Ürgüp (RMNH Leiden). **TR**
5467. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 **GR Rd IL Pa JO SY LB TR**
5468. **Hoplitis (Chlidoplitis) onychophora (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939 **IL Pa JO SY TR**
5469. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 **DZ MA GR TR SY IR**
5470. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 **AM Cc AZ HU RO RU Or KG MN CN JO SY TR**
5471. **Hoplitis (Micreriades) antalyae Tkalcu,2000** (Megachilidae) Synonym(s): *antalyae* Tkalcu,2000 **TR**
5472. **Hoplitis (Micreriades) lebanotica (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955 **JO LB TR**
5473. **Hoplitis (Micreriades) mazzuccoi (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005 **AT BG HU SK TR**
5474. **Hoplitis (Micreriades) pisidiae Tkalcu,2000** (Megachilidae) Synonym(s): *pisidiae* Tkalcu,2000 **TR**
5475. **Hoplitis (Pentadentosmia) gallinula (Warncke,1991)** (Megachilidae) Synonym(s): *gallinula* Warncke,1991 *Osmia (Pentadentosmia) gallinula* Warncke,1991, Entomofauna 9: 19. Holotype ♂: Türkei: Urfa, Ceylanpınar 20km N 500m (OLML Linz). **TR JO SY**
5476. **Hoplitis (Pentadentosmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 **AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN**
5477. **Hoplitis (Pentadentosmia) pomarina (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991 *Osmia (Pentadentosmia) pomarina* Warncke,1991, Entomofauna 12: 22. Holotype ♂: Türkei: Van Prov., Erciş 1650m (OLML Linz). **GR MK TR IR**
5478. **Hoplitis (Pentadentosmia) ridibunda (Warncke,1991)** (Megachilidae) Synonym(s): *ridibunda* Warncke,1991 **TR**
5479. **Hoplitis (Pentadentosmia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935 **TJ TM UZ IL Pa IR JO PK TR**
5480. **Hoplitis (Pentadentosmia) tringa (Warncke,1991)** (Megachilidae) Synonym(s): *tringa* Warncke,1991 **TR**
5481. **Hoplitis (Platosmia) alchata (Warncke,1990)** (Megachilidae) Synonym(s): *alchata* Warncke,1990 **TR**
5482. **Hoplitis (Platosmia) reticauda (Stanek,1969)** (Megachilidae) Synonym(s): *reticauda* Stanek,1969 **TR**
5483. **Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934 **AL BG ES FR GR Cr HV IT PT SY TR**
5484. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 **AL BG Cc GG GR IT SS MA DZ TR**
5485. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 **GR AZ Cc BG ES FR IT Si TR**
5486. **Hoplitis (Prionohoplitis) eburnea (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea* Warncke,1991 **TR IL Pa SY**
5487. **Hoplitis (Prionohoplitis) grossepunctata (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905 *Osmia grossepunctata* Kohl,1905, Annln naturh. Mus. Wien 20: 242. Holotype ♂: Türkei, [Kayseri Prov.], Erdschias (Wwlije-Dagh" (NHMW). **GR AM Cc TR**
5488. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lapeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
5489. **Hoplitis (s.str.) bombiformis Zanden,1991** (Megachilidae) Synonym(s): *bombiformis* Zanden,1991 *Hoplitis (s.str.) bombiformis* Zanden,1991, Reichenbachia 28: 167. Holotype ♀: Turkey: Hakkari Prov., 20km E Yüksekova 2200m (RMNH Leiden). **TR**

5490. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata Stanek,1969*
AM Cc BG GR MK JO TR SY
5491. **Hoplitis (s.str.) erzurumensis Tkalcu,2000** (Megachilidae) Synonym(s): *erzurumensis Tkalcu,2000* TR
5492. **Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera Morice,1901; conjuncta Alfken,1935; stichi Alfken,1935* IL Pa JO SY TR AM Cc
5493. **Hoplitis (s.str.) lapidaria (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria Morawitz,1877* AM Eri Cc TR
5494. **Hoplitis (s.str.) libanensis (Morice,1901)** (Megachilidae) Synonym(s): *libanensis Morice,1901* LB IL Pa JO SY TR
5495. **Hoplitis (s.str.) linguaria (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria Morawitz,1876* Cc TR
5496. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata Morice,1901*
AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
5497. **Hoplitis (s.str.) monstrabilis Tkalcu,2000** (Megachilidae) Synonym(s): *monstrabilis Tkalcu,2000* [Hoplitis \(s.str.\) monstrabilis Tkalcu,2000, Acta Soc. zool. bohemosl. 64: 323. Holotype](#)
♂: Turkey: Erzurum (EMET). TR JO
5498. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis Friese,1895*
AL GR Cr HV IT MK SS IL Pa JO SY TR
5499. **Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici Friese,1899* GR Cr HV
RO SY TR
5500. **Hoplitis (s.str.) strymonia Tkalcu,1999** (Megachilidae) Synonym(s): *strymonia Tkalcu,1999*
BG TR
5501. **Hoplitis (Stenosmia) kotschisa (Warncke,1991)** (Megachilidae) Synonym(s): *kotschisa Warncke,1991* [Osmia \(Stenosmia\) kotschisa Warncke,1991, Entomofauna 12: 404. Holotype](#) ♂: Türki,
Ankara Prov., Şereflikoçhisar (OLML Linz). TR
5502. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera Lackschewitz,1940* TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
5503. **Hoplopsis minuta (Fabricius)** (Encyrtidae) Synonym(s): TR
5504. **Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps Horvath,1897*
AT BG GR HU RO IT YU TR HV CZ
5505. **Hyalesthes askalensis Hoch,1985** (Cixiidae) Synonym(s): *askalensis Hoch,1985; erzurumica Dlabola,1986* TR
5506. **Hyalesthes hani Hoch,1985** (Cixiidae) Synonym(s): *hani Hoch,1985* IL LB TR
5507. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes Fieber,1876* Cc AT BG FR Co
Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
5508. **Hyalesthes mavromoustakisi Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi Dlabola,1959* CY TR GR Rd JO
5509. **Hyalesthes mlokosiewiczzi Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi Signoret,1879*
Cc CY IR TR AM AZ GG RU TM UZ IQ
5510. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus Signoret,1865; albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935* Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO
PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
5511. **Hyalesthes philesakis Hoch & Remane,1985** (Cixiidae) Synonym(s): *philesakis Hoch & Remane,1985* TR
5512. **Hyalesthes ponticorum Hoch & Remane,1985** (Cixiidae) Synonym(s): *ponticorum Hoch & Remane,1985* TR
5513. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti Ferrari,1882* AL AT BG TR CZ
FR HU IL IT RO ES YU
5514. **Hyalesthes thracicus Hoch,1985** (Cixiidae) Synonym(s): *thracicus Hoch,1985* TR GR
5515. **Hyalesthes veyseli Hoch,1985** (Cixiidae) Synonym(s): *veyseli Hoch,1985* TR
5516. **Hyalesthes yozgaticus Hoch & Remane,1985** (Cixiidae) Synonym(s): *yozgatica Hoch & Remane,1985* TR
5517. **Hyalochiton komaroffii (Jakovlev,1880)** (Tingidae) Synonym(s): *komaroffii Jakovlev,1880*
TR
5518. **Hyalochiton multiseriatus (Reuter,1888)** (Tingidae) Synonym(s): *multiseriatus Reuter,1888*
TR
5519. **Hybometopia starcki Ganglbauer,1889** (Cerambycidae) Synonym(s): *starcki Ganglbauer,1889* Cc TR
5520. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata Loew,1858* FR YU
AT RU RO TR IR MN
5521. **Hybomitra bimaculata (Macquart,1826)** (Tabanidae) Synonym(s): *bimaculata Macquart,1826* TR
5522. **Hybomitra caucasi (Szilady,1923)** (Tabanidae) Synonym(s): *caucasi Szilady,1923* TR
5523. **Hybomitra caucasica (Enderlein,1925)** (Tabanidae) Synonym(s): *caucasica Enderlein,1925*
TR

5524. **Hybomitra ciureai (Seguy,1937)** (Tabanidae) Synonym(s): *ciureai Seguy,1937; shineri Lyneborg,1959* TR RU MN
5525. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora Loew,1858; amani Szilady,1926* TR IL Pa LB IQ SY GR BG
5526. **Hybomitra distinguenda (Verrall,1909)** (Tabanidae) Synonym(s): *distinguenda Verrall,1909* TR
5527. **Hybomitra erberi (Brauer,1880)** (Tabanidae) Synonym(s): *erberi Brauer,1880* TR
5528. **Hybomitra expollicata (Pandelle,1883)** (Tabanidae) Synonym(s): *expollicata Pandelle,1883* TR CN Mc MN
5529. **Hybomitra mendica (Villeneuve,1912)** (Tabanidae) Synonym(s): *mendica Villeneuve,1912* TR
5530. **Hybomitra micans (Meigen,1804)** (Tabanidae) Synonym(s): *micans Meigen,1804* TR
5531. **Hybomitra muehlfeldi (Brauer,1880)** (Tabanidae) Synonym(s): *muehlfeldi Brauer,1880* TR
5532. **Hybomitra okayi Leclercq,1967** (Tabanidae) Synonym(s): *okayi Leclercq,1967* TR
5533. **Hybomitra peculiaris (Szilady,1914)** (Tabanidae) Synonym(s): *peculiaris Szilady,1914* TR
5534. **Hybomitra pilosa (Loew,1858)** (Tabanidae) Synonym(s): *pilosa Loew,1858* TR
5535. **Hybomitra popovi (Olsufjev,1937)** (Tabanidae) Synonym(s): *popovi Olsufjev,1937* TR
5536. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina Linnaeus,1758* PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
5537. **Hybomitra tropica (Linnaeus,1758)** (Tabanidae) Synonym(s): *tropica Linnaeus,1758* TR
5538. **Hybomitra tuerkmendagensis Kılıç & Schacht,1995** (Tabanidae) Synonym(s): *tuerkmendagensis Kılıç & Schacht,1995* TR
5539. **Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae) Synonym(s): *ukrainica Olsufjev,1952* RO TR UA
5540. **Hycleus novemdecimpunctatus (Olivier,1811)** (Meloidae) Synonym(s): *novemdecimpunctatus Olivier,1811* SY TR
5541. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus Pallas,1771* DZ GR TR Cc RU KG Sb TM SY
5542. **Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* RU Cc TR SY IR KG
5543. **Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus Olivier,1811* TR SY IR Cc RU
5544. **Hydaticus (Guignotites) ponticus Sharp,1882** (Dytiscidae) Synonym(s): *ponticus Sharp,1882* TR
5545. **Hydaticus (s.str.) transversalis (Pontopoddian,1763)** (Dytiscidae) Synonym(s): *transversalis Pontopoddian,1763* TR
5546. **Hydrellia griseola (Fallén,1813)** (Ephydridae) Synonym(s): *griseola Fallén,1813* TR
5547. **Hydrobius arcticus Kuwert,1890** (Hydrophilidae) Synonym(s): *arcticus Kuwert,1890* FI NO RU SE TR
5548. **Hydrobius rufipes (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *rufipes Linnaeus,1758* TR?
5549. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides Linnaeus,1758* AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
5550. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama Fairmaire,1829* BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
5551. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
5552. **Hydrochara major İncekara, Mart, Polat & Karaca,2009** (Hydrophilidae) Synonym(s): *major İncekara, Mart, Polat & Karaca,2009* **Hydrochara major İncekara, Mart, Polat & Karaca,2009**, Turk. J. Zool. 33: 4-5. Holotype ♂: Turkey: Samsun, Ondokuzmayıs Fish lake, leg. İncekara (ZMAÜ). TR
5553. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis Herbst,1793* TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH
5554. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus Schaller,1783; cicindeloides Marsham,1802; crenulatus Motschoulsky,1860; sibiricus Motschoulsky,1860* TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH
5555. **Hydrochus flavipennis Küster,1852** (Hydrochidae) Synonym(s): *flavipennis Küster,1852; foveostriatus Fairmaire,1859; obtusicollis Fairmaire,1877; filiformis Kuwert,1887; fuscipennis Kuwert,1887; testaceipennis Kuwert,1887* TR HV UA Cc AZ IL Pa
5556. **Hydrochus ibericus Valladares,1999** (Hydrochidae) Synonym(s): *ibericus Valladares,1999* ES TR
5557. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis Motschoulsky,1860* AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc
5558. **Hydrochus megaphallus Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus Berge Henegouwen,1988* TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE

5559. **Hydrochus nodulifer Reitter,1897** (Hydrochidae) Synonym(s): *nodulifer Reitter,1897* TR Cc
AZ
5560. **Hydrocyphon australis Linder,1864** (Scirtidae) Synonym(s): *australis Linder,1864* TR
5561. **Hydrocyphon deflexicollis Müller,1821** (Scirtidae) Synonym(s): *deflexicollis Müller,1821* TR
5562. **Hydrocyphon finitimus Nyholm,1977** (Scirtidae) Synonym(s): *finitimus Nyholm,1977* TR Cc
RU
5563. **Hydrocyphon Redtenbacher,[1857]** (Scirtidae) Synonym(s): *Hydrocyphon Redtenbacher,[1857]* TR
5564. **Hydrocyphon rivulorum Nyholm,1977** (Scirtidae) Synonym(s): *rivulorum Nyholm,1977* TR
5565. **Hydrocyphon segrex Nyholm,1972** (Scirtidae) Synonym(s): *segrex Nyholm,1972* GR TR Cc
AZ IR
5566. **Hydrocyphon vicinans Nyholm,1972** (Scirtidae) Synonym(s): *vicinans Nyholm,1972* TR IL
Pa
5567. **Hydroglyphus geminus (Fabricius,1792)** (Dytiscidae) Synonym(s): *geminus Fabricius,1792*
TR
5568. **Hydroglyphus pubescens Gyllenhal,1808** (Dytiscidae) Synonym(s): *pubescens Gyllenhal,1808* TR
5569. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775* ES
FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG
Cr CY TR
5570. **Hydrophilus atterimus Eschscholtz,1822** (Hydrophilidae) Synonym(s): *atterimus Eschscholtz,1822* TR
5571. **Hydrophilus piceus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *piceus Linnaeus,1758*
TR
5572. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus Meigen,1824;*
chloropus Von Roser,1840 BG CY TR Cc GG GR IL Pa RO RU UA Cm
5573. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822;*
inaequalipes Macquart,1834; *schoenherri Zetterstedt,1843;* *cinereus Perris,1847;* *vagus Hutton,1901;*
breviventris Becker,1902 BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
5574. **Hydroporus artvinensis Fery & Erman,2009** (Dytiscidae) Synonym(s): *artvinensis Fery & Erman,2009* TR Cc
5575. **Hydroporus bodemeyeri Ganglbauer,1900** (Dytiscidae) Synonym(s): *bodemeyeri Ganglbauer,1900* TR
5576. **Hydroporus cagrankaya Fery & Erman,2009** (Dytiscidae) Synonym(s): *cagrankaya Fery & Erman,2009* TR
5577. **Hydroporus discretus Fairmaire & Brisout,1859** (Dytiscidae) Synonym(s): *discretus Fairmaire & Brisout,1859* TR
5578. **Hydroporus erzurumensis Erman & Fery,2000** (Dytiscidae) Synonym(s): *erzurumensis Erman & Fery,2000* TR
5579. **Hydroporus kozlovskii Zaitzev,1927** (Dytiscidae) Synonym(s): *kozlovskii Zaitzev,1927* TR
5580. **Hydroporus lundbergi Fery & Erman,2009** (Dytiscidae) Synonym(s): *lundbergi Fery & Erman,2009* TR
5581. **Hydroporus marginatus (Duftschmid,1805)** (Dytiscidae) Synonym(s): *marginatus Duftschmid,1805* TR
5582. **Hydroporus nigellus Mannerheim,1853** (Dytiscidae) Synonym(s): *nigellus Mannerheim,1853*
TR
5583. **Hydroporus palustris (Linnaeus,1761)** (Dytiscidae) Synonym(s): *palustris Linnaeus,1761*
TR
5584. **Hydroporus planus (Fabricius,1781)** (Dytiscidae) Synonym(s): *planus Fabricius,1781* TR
5585. **Hydroporus pubescens (Gyllenhal,1808)** (Dytiscidae) Synonym(s): *pubescens Gyllenhal,1808* TR
5586. **Hydroporus sivrikaya Fery & Erman,2009** (Dytiscidae) Synonym(s): *sivrikaya Fery & Erman,2009* TR
5587. **Hydroporus thracicus Guéorguiev,1966** (Dytiscidae) Synonym(s): *thracicus Guéorguiev,1966*
TR Cc
5588. **Hydroporus toledoï Fery & Erman,2009** (Dytiscidae) Synonym(s): *toledoï Fery & Erman,2009* TR
5589. **Hydrotaea albipuncta (Zetterstedt,1845)** (Muscidae) Synonym(s): *albipuncta Zetterstedt,1845* GG TR AM Cc Eri
5590. **Hydrotaea cyrtoneurina (Zetterstedt,1845)** (Muscidae) Synonym(s): *cyrtoneurina Zetterstedt,1845* AM Cc TR
5591. **Hydrotaea dentipes (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes Fabricius,1805* Cc
Eri AM TR GG IN NP CN
5592. **Hydrotaea floccosa Macquart,1835** (Muscidae) Synonym(s): *floccosa Macquart,1835* Cc Eri
AM AZ IR TR Ch
5593. **Hydrotaea ignava (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780* Ch NP CN MY
Cc AZ GG TR IR AM

5594. **Hydrotaea meridionalis** Portschinsky,1882 (Muscidae) Synonym(s): *meridionalis* Portschinsky,1882 IT Si DE PL CZ SK CH AT HU TR RU
5595. **Hydrotaea meteorica** (Linnaeus,1758) (Muscidae) Synonym(s): *meteorica* Linnaeus,1758 Ce Eri AM IR TR PK GG
5596. **Hydrotaea penicillata** (Rondani,1866) (Muscidae) Synonym(s): *penicillata* Rondani,1866 FR Co PL CZ SK CH HU TR GR Cr
5597. **Hydrovatus cuspidatus** (Kunze,1818) (Dytiscidae) Synonym(s): *cuspidatus* Kunze,1818 TR
5598. **Hygrobia hermanni** (Fabricius,1775) (Hygrobiidae) Synonym(s): *hermanni* Fabricius,1775 DZ MA TN TR UA
5599. **Hygrotus (Coelambus) ahmeti** Hajek, Fery & Erman,2005 (Dytiscidae) Synonym(s): *ahmeti* Hajek, Fery & Erman,2005 TR
5600. **Hygrotus (Coelambus) armeniacus** (Zaitzev,1927) (Dytiscidae) Synonym(s): *armeniacus* Zaitzev,1927 AM Ce TR GG
5601. **Hygrotus (Coelambus) confluens** (Fabricius,1787) (Dytiscidae) Synonym(s): *confluens* Fabricius,1787 TR
5602. **Hygrotus (Coelambus) enneagrammus** (Ahrens,1833) (Dytiscidae) Synonym(s): *enneagrammus* Ahrens,1833 TR
5603. **Hygrotus (Coelambus) impressopunctatus** (Schaller,1783) (Dytiscidae) Synonym(s): *impressopunctatus* Schaller,1783 TR
5604. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae) Synonym(s): *lernaeus* Schaum,1857 TR
5605. **Hygrotus (Coelambus) marklini** (Gyllenhal,1813) (Dytiscidae) Synonym(s): *marklini* Gyllenhal,1813 TR
5606. **Hygrotus (Coelambus) pallidulus** (Aubé,1850) (Dytiscidae) Synonym(s): *pallidulus* Aubé,1850 TR
5607. **Hygrotus (Coelambus) parallellogrammus** (Ahrens,1812) (Dytiscidae) Synonym(s): *parallellogrammus* Ahrens,1812 TR
5608. **Hygrotus (Coelambus) saginatus** (Schaum,1857) (Dytiscidae) Synonym(s): *saginat* Schaum,1857 TR
5609. **Hygrotus (s.str.) inaequalis** (Fabricius,1777) (Dytiscidae) Synonym(s): *inaequalis* Fabricius,1777 TR
5610. **Hymenalia brignolii** (Muche,1974) (Tenebrionidae) Synonym(s): *brignolii* Muche,1974 TR
5611. **Hypebaeus flavicollis** (Erichson,1840) (Melyridae) Synonym(s): *flavicollis* Erichson,1840 MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
5612. **Hypera constans** (Boheman,1834) (Curculionidae) Synonym(s): *constans* Boheman,1834 TR
5613. **Hypera contaminata** (Herbst,1795) (Curculionidae) Synonym(s): *contaminata* Herbst,1795 TR
5614. **Hypera crinata** (Boheman,1834) (Curculionidae) Synonym(s): *crinata* Boheman,1834 TR
5615. **Hypera cumanus** Petri,1901 (Curculionidae) Synonym(s): *cumanus* Petri,1901 TR
5616. **Hypera farinosa** Boheman,1842 (Curculionidae) Synonym(s): *farinosa* Boheman,1842 TR
5617. **Hypera fasciculata** (Herbst,1795) (Curculionidae) Synonym(s): *fasciculata* Herbst,1795 TR
5618. **Hypera jucundus** Capiomont,1868 (Curculionidae) Synonym(s): *jucundus* Capiomont,1868 TR
5619. **Hypera maculipennis** Fairmaire,1859 (Curculionidae) Synonym(s): *maculipennis* Fairmaire,1859 TR
5620. **Hypera meles** (Fabricius,1792) (Curculionidae) Synonym(s): *meles* Fabricius,1792 TR
5621. **Hypera orientalis** Capiomont,1867 (Curculionidae) Synonym(s): *orientalis* Capiomont,1867 TR
5622. **Hypera pastinacae** (Rossi,1790) (Curculionidae) Synonym(s): *pastinacae* Rossi,1790 TR
5623. **Hypera plantaginis** (De Geer,1775) (Curculionidae) Synonym(s): *plantaginis* De Geer,1775 TR
5624. **Hypera punctata** (Fabricius,1775) (Curculionidae) Synonym(s): *punctata* Fabricius,1775 TR
5625. **Hypera rumicis** (Linnaeus,1758) (Curculionidae) Synonym(s): *rumicis* Linnaeus,1758 TR
5626. **Hypera striata** (Boheman,1834) (Curculionidae) Synonym(s): *striata* Boheman,1834 TR
5627. **Hypera trilineata** (Marsham,1802) (Curculionidae) Synonym(s): *trilineata* Marsham,1802 TR
5628. **Hypera variabilis** (Herbst,1795) (Curculionidae) Synonym(s): *variabilis* Herbst,1795 TR
5629. **Hypera viciae** (Gyllenhal,1813) (Curculionidae) Synonym(s): *viciae* Gyllenhal,1813 TR
5630. **Hyperaspis campestris** (Herbst,1783) (Coccinellidae) Synonym(s): *campestris* Herbst,1783 IT TR
5631. **Hyperaspis campestris** (Herbst,1783) (Coccinellidae) Synonym(s): *campestris* Herbst,1783 TR IT
5632. **Hyperaspis collaris** Fleischer,1900 (Coccinellidae) Synonym(s): *collaris* Fleischer,1900 TR
5633. **Hyperaspis femorata** (Motschoulsky,1837) (Coccinellidae) Synonym(s): *femorata* Motschoulsky,1837 TR

5634. **Hyperaspis kansui** Uygun & Fürsch,1981 (Coccinellidae) Synonym(s): *kansui Uygun & Fürsch,1981* TR
5635. **Hyperaspis polita** Weise,1885 (Coccinellidae) Synonym(s): *polita Weise,1885* TR
5636. **Hyperaspis pseudopustulata** Mulsant,1853 (Coccinellidae) Synonym(s): *pseudopustulata Mulsant,1853* TR
5637. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae) Synonym(s): *quadrimaculata Redtenbacher,1843* TR
5638. **Hyperaspis reppensis** (Herbst,1783) (Coccinellidae) Synonym(s): *reppensis Herbst,1783* IT TR
5639. **Hyperaspis syriaca** (Weise,1885) (Coccinellidae) Synonym(s): *syriaca Weise,1885* SY TR
5640. **Hyperaspis weisei** Jablonkoff & Khnorian,1971 (Coccinellidae) Synonym(s): *weisei Jablonkoff & Khnorian,1971* TR
5641. **Hyperaspis wellschmiedi** Fürsch,1987 (Coccinellidae) Synonym(s): *wellschmiedi Fürsch,1987* TR
5642. **Hypnoidus anatolicus** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *anatolicus Platia & Gudenzi,2000* TR
5643. **Hypocaccus (s.str.) brasiliensis** (Paykull,1811) (Histeridae) Synonym(s): *brasiliensis Paykull,1811* IT Sa Si GR TR
5644. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae) Synonym(s): *subferruginea Schrank,1776* TR CN
5645. **Hypochrysa pernobilis** Tjeder,1967 (Chrysopidae) Synonym(s): *pernobilis Tjeder,1967* TR
5646. **Hypoganus inunctus** (Panzer,1795) (Elateridae) Synonym(s): *inunctus Panzer,1795; cinctus Paykull,1800* TR Cc SY GR
5647. **Hypoganus stepanovi** Denisova,1948 (Elateridae) Synonym(s): *stepanovi Denisova,1948* TR
5648. **Hypolixus nubilus** (Boheman,1836) (Curculionidae) Synonym(s): *nubilus Boheman,1836* TR
5649. **Hyposoter didymator** (Thunberg,1822) (Ichneumonidae) Synonym(s): *didymator Thunberg,1822* TR
5650. **Hyposoter discedens** (Schmiedeknecht,1911) (Ichneumonidae) Synonym(s): *discedens Schmiedeknecht,1911* TR
5651. **Hyposoter ebeninus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *ebeninus Gravenhorst,1829; ruficinctus Gravenhorst,1829* TR
5652. **Hyposoter ebenitor** Aubert,1972 (Ichneumonidae) Synonym(s): *ebenitor Aubert,1972* FR TR IL Pa
5653. **Hyposoter notatus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *notatus Gravenhorst,1829* TR
5654. **Hyposoter vulgaris** (Tschek,1871) (Ichneumonidae) Synonym(s): *vulgaris Tschek,1871* TR
5655. **Hypsicera anglicus** (Schmiedeknecht,1925) (Ichneumonidae) Synonym(s): *anglicus Schmiedeknecht,1925* GB FR BE CH IT RO TR
5656. **Hypsicera femoralis** (Geoffroy,1785) (Ichneumonidae) Synonym(s): *femoralis Geoffroy,1785* TR AU TW US Hw
5657. **Hyssopus geniculatus** (Hartig) (Eulophidae) Synonym(s): TR
5658. **Hyssopus nigrifolius** (Zetterstedt) (Eulophidae) Synonym(s): TR
5659. **Hysteropterus despectum** Linnavuori,1965 (Issidae) Synonym(s): *despectum Linnavuori,1965* TR
5660. **Hysteropterus grylloides** (Fabricius,1794) (Issidae) Synonym(s): *grylloides Fabricius,1794* AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
5661. **Hysteropterus lesbicum** Dlabola,1980 (Issidae) Synonym(s): *lesbicum Dlabola,1980* GR TR
5662. **Hysteropterus parvissimum** Dlabola,1957 (Issidae) Synonym(s): *parvissimum Dlabola,1957* TR
5663. **Hysteropterus transcaasicum** Melichar,1914 (Issidae) Synonym(s): *transcaasicum Melichar,1914* Cc TR AZ AM
5664. **Hysteropterus trifasciatum** Linnavuori,1965 (Issidae) Synonym(s): *trifasciatum Linnavuori,1965* TR
5665. **Iassus lanio** (Linnaeus,1761) (Cicadellidae) Synonym(s): *lanio Linnaeus,1761; brunnea Fabricius,1794* AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
5666. **Iassus pseudocerris** Abdul-Nour,1998 (Cicadellidae) Synonym(s): *pseudocerris Abdul-Nour,1998* Iassus pseudocerris Abdul-Nour,1998, Mitt. schweiz. ent. Ges. 71 (3/4): 263-268. LB TR
5667. **Iassus scutellaris** (Fieber,1868) (Cicadellidae) Synonym(s): *scutellaris Fieber,1868* AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
5668. **Ibalia leucospoides** (Hochenwarth,1785) (Ibaliidae) Synonym(s): *leucospoides Hochenwarth,1785* BG TR
5669. **Icerya purchasi** Hempel (Margarodidae) Synonym(s): TR
5670. **Ichneumon albicollis** Wesmael,1857 (Ichneumonidae) Synonym(s): *albicollis Wesmael,1857* Cc TR RU Sb KG

5671. **Ichneumon alius Tischbein,1879** (Ichneumonidae) Synonym(s): *alius Tischbein,1879*
Ichneumon alius Tischbein,1879, Stettin ent. Ztg. 1879: 28. TR
5672. **Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus*
Wesmael,1844 Cc KG TR RU Sb
5673. **Ichneumon extensorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *extensorius*
Linnaeus,1758 TR Cc RU Sb
5674. **Ichneumon gracilentus Wesmael,1844** (Ichneumonidae) Synonym(s): *gracilentus*
Wesmael,1844 TR RU Sb
5675. **Ichneumon gracilicornis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *gracilicornis*
Gravenhorst,1829 TR Cc RU Sb
5676. **Ichneumon haematofemur Heinrich,1980** (Ichneumonidae) Synonym(s): *haematofemur*
Heinrich,1980 GR TR YU
5677. **Ichneumon ligatorius Thunberg,1822** (Ichneumonidae) Synonym(s): *ligatorius*
Thunberg,1822 TR
5678. **Ichneumon minutorius Desvignes,1856** (Ichneumonidae) Synonym(s): *minutorius*
Desvignes,1856 Cc TR
5679. **Ichneumon ostentator Heinrich,1978** (Ichneumonidae) Synonym(s): *ostentator*
Heinrich,1978 TR GR YU
5680. **Ichneumon proletarius Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius*
Wesmael,1848 TR Cc IR
5681. **Ichneumon sarcitorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *sarcitorius*
Linnaeus,1758; caucasicus Meyer,1926 Cc TR CY IR
5682. **Ichneumon simulans Tischbein,1873** (Ichneumonidae) Synonym(s): *simulans Tischbein,1873*
TR
5683. **Ichneumon stramentarius Gravenhorst,1820** (Ichneumonidae) Synonym(s): *stramentarius*
Gravenhorst,1820 TR
5684. **Ichneumon stramentor Rasnitsin,1984** (Ichneumonidae) Synonym(s): *stramentor*
Rasnitsin,1984 TR
5685. **Ichneumon terminatorius Gravenhorst,1820** (Ichneumonidae) Synonym(s): *terminatorius*
Gravenhorst,1820 TR Cc
5686. **Ichneumon veressi (Kiss,1915)** (Ichneumonidae) Synonym(s): *veressi Kiss,1915 TR RU Sb CN*
5687. **Ichneumon xanthorius Forster,1771** (Ichneumonidae) Synonym(s): *xanthorius Forster,1771*
TR
5688. **Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): *albinervis Tobias,1964*
Apanteles albinervis Tobias,1964, Trudy. zool. Inst. Leningr. 34: 221. TR HU KG Cc AZ
5689. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides Nixon,1965 Apanteles*
lacteoides Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE
GB FI AT HU
5690. **Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella Papp,1972*
Apanteles laspeyresiella Papp,1972, Ann. Hist. Nat. Mus. Hung. 64: 338-340. AT BG HU RU TR
5691. **Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia Nixon,1965 Apanteles*
vindicia Nixon,1965, Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR
5692. **Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum Lucas,1854 DZ*
FR IT Sa GR TR
5693. **Idastrandrella mucoreus (Waltl,1838)** (Tenebrionidae) Synonym(s): *mucoreus Waltl,1838*
TR
5694. **Idiocera (s.str.) laterospina (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina*
Alexander,1975 GR TR Cc AM IR
5695. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis*
Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956 Limnobia pulchripennis Loew,1856,
Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR
AF GG AM AZ CY IL Pa IR TM TJ KK
5696. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868*
AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
5697. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806; dorsiger*
Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis Curtis,1839;
rubrifrons Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc
AM AZ EE KG LV MD RU Sb UA YU
5698. **Idiocerus stigmaticalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmaticalis Lewis,1834;*
adustus Herrich-Schäffer,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
5699. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898 AF AT FR*
DE GR Cr IT RU Da Cc ES TR IL Pa IR
5700. **Idiolispa analis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *analis Gravenhorst,1829*
TR
5701. **Idiomacromerus pannonicus (Ruschka,1923)** (Torymidae) Synonym(s): *pannonicus*
Ruschka,1923 TR

5702. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus Doğanlar,1989* TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
5703. **Idolus adrastoides (Reitter,1888)** (Elateridae) Synonym(s): *adrastoides Reitter,1888* Cc TR
5704. **Idotarmonides anaticus (Candeze,1881)** (Elateridae) Synonym(s): *anaticus Candeze,1881* TR
5705. **Idotarmonides rydhi Platia & Schimmel,1992** (Elateridae) Synonym(s): *rydhi Platia & Schimmel,1992* TR
5706. **Ilisia maculata (Meigen,1804)** (Limoniidae) Synonym(s): *maculata Meigen,1804* TR
5707. **Illidops butalidis (Marshall,1888)** (Braconidae) Synonym(s): *butalidis Marshall,1888* Apanteles butalidis Marshall,1888, Spec. Hym. Eur. Alg. 4: 45. TR DE CH GB BG CZ YU HU TN
5708. **Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): *naso Marshall,1888* Apanteles naso Marshall,1888, Trans. ent. Soc. Lond.: 203. TR GB BG Cr YU MN RU CH HU
5709. **Illidops szaboi (Papp,1974)** (Braconidae) Synonym(s): *szaboi Papp,1974* Apanteles szaboi Papp,1974, Ann. Hist.-nat. Mus. Nat. Hung. 64: 341-343. TR HU BG
5710. **Illidops urgo (Nixon,1965)** (Braconidae) Synonym(s): *urgo Nixon,1965* Apanteles urgo Nixon,1965, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 2: 182. TR Cr Cc AZ MN HU
5711. **Illidops vipio (Reinhard,1880)** (Braconidae) Synonym(s): *vipio Reinhard,1880* Apanteles vipio Reinhard,1880, Mem. ent. Soc. Canada 115: 56-57. TR DE GB FR YU RU
5712. **Ilybius chalconatus (Panzer,1796)** (Dytiscidae) Synonym(s): *chalconatus Panzer,1796* TR
5713. **Ilybius fuliginosus (Fabricius,1792)** (Dytiscidae) Synonym(s): *fuliginosus Fabricius,1792* TR
5714. **Ilybius hulae Wewalka,1984** (Dytiscidae) Synonym(s): *hulae Wewalka,1984* TR IL Pa SY
5715. **Ilybius jaechi (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *jaechi Fery & Nilsson,1993* TR
5716. **Ilybius quadriguttatus (Lacordaire,1835)** (Dytiscidae) Synonym(s): *obscurus Marsham,1802; quadriguttatus Lacordaire,1835; sexdentatus Schiodte,1841* TR
5717. **Ilybius satunini (Zaitzev,1913)** (Dytiscidae) Synonym(s): *satunini Zaitzev,1913* Cc RU GG TR
5718. **Ilybius wewalkai (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *wewalkai Fery & Nilsson,1993* TR
5719. **Ilyocoris cimicoides (Linnaeus,1758)** (Naucoridae) Synonym(s): *cimicoides Linnaeus,1758* TR
5720. **Imbecilla imbecilla (Linnavuori,1962)** (Cicadellidae) Synonym(s): *imbecilla Linnavuori,1962; libanotica Dbalola,1965* IL Pa LB TR
5721. **Iphthimulus truquii (Marseul,1869)** (Tenebrionidae) Synonym(s): *truquii Marseul,1869* TR
5722. **Iranoidricerus iranensis (Kimmings,1938)** (Ascalaphidae) Synonym(s): *iranensis Kimmings,1938* IR Ha TR
5723. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832* Gryllus (Mantis) oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
5724. **Ischnodes kadleci Mertlik,2005** (Elateridae) Synonym(s): *kadleci Mertlik,2005* TR
5725. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793* TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
5726. **Ischnogasteroides picteti (Saussure,1852)** (Vespidae) Synonym(s): *picteti Saussure,1852; tenuis Morawitz,1888* TR TM
5727. **Ischnogasteroides zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi Kostylev,1939* IR TR
5728. **Ischnomera auripennis (Reitter,1903)** (Oedemeridae) Synonym(s): *auripennis Reitter,1903* TR
5729. **Ischnomera caerulea (Linnaeus,1758)** (Oedemeridae) Synonym(s): *caerulea Linnaeus,1758* TR
5730. **Ischnomera cinerascens (Pandellé,1867)** (Oedemeridae) Synonym(s): *cinerascens Pandellé,1867* TR
5731. **Ischnomera cyanea (Fabricius,1792)** (Oedemeridae) Synonym(s): *cyanea Fabricius,1792* TR
5732. **Ischnomera erdemliensis Svihla,1998** (Oedemeridae) Synonym(s): *erdemliensis Svihla,1998* TR
5733. **Ischnomera fulvicollis (Reitter,1897)** (Oedemeridae) Synonym(s): *fulvicollis Reitter,1897* TR
5734. **Ischnomera fuscipennis Svihla,1988** (Oedemeridae) Synonym(s): *fuscipennis Svihla,1988* TR
5735. **Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *haemorrhoidalis W.Schmidt,1846* TR
5736. **Ischnomera lutescens (Abeille de Perrin,1892)** (Oedemeridae) Synonym(s): *lutescens Abeille de Perrin,1892* TR
5737. **Ischnomera maceki Svihla,1988** (Oedemeridae) Synonym(s): *maceki Svihla,1988* TR

5738. **Ischnomera partitipennis (Fairmaire,1892)** (Oedemeridae) Synonym(s): *partitipennis* Fairmaire,1892 TR
5739. **Ischnomera sanguinicollis (Fabricius,1787)** (Oedemeridae) Synonym(s): *sanguinicollis* Fabricius,1787 TR
5740. **Ischnomera similis (Svihla,1982)** (Oedemeridae) Synonym(s): *similis* Svihla,1982 TR
5741. **Ischnomera sveci (Svihla,2004)** (Oedemeridae) Synonym(s): *sveci* Svihla,2004 TR
5742. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
5743. **Ischnura evansi Morton,1919** (Coenagrionidae) Synonym(s): *evansi* Morton,1919 **Ischnura evansi** Morton,1919, Entomologist's mon. Mag. 3: 146-148. Syntypes: Iraq: Amara, Tigris, Qurnah, Hamar lake, Basrah, etc. TR IQ Dk Ama
5744. **Ischnura fountainei (Morton,1905)** (Coenagrionidae) Synonym(s): *fountainei* Morton,1905 TR EG Sn IQ Cc AZ
5745. **Ischnura intermedia Dumont,1974** (Coenagrionidae) Synonym(s): *intermedia* Dumont,1974 TR
5746. **Ischnura pumilio (Charpentier,1825)** (Coenagrionidae) Synonym(s): *pumilio* Charpentier,1825 TR? CY Cc AM IR AF
5747. **Ischnura senegalensis (Rambur,1842)** (Coenagrionidae) Synonym(s): *senegalensis* Rambur,1842 TR? IQ Cc AZ Kir TH
5748. **Ischnus agitator (Olivier,1792)** (Ichneumonidae) Synonym(s): *agitator* Olivier,1792 TN TR
5749. **Ischnus inquisitorius (Müller,1776)** (Ichneumonidae) Synonym(s): *inquisitorius* Müller,1776 MX TR
5750. **Ischnus migrator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *migrator* Fabricius,1775 *Cryptus migrator* Fabricius,1775, Syst. ent.: 334. TR
5751. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 TR UA RU SY IR PK CN Ui MN
5752. **Isidus letourneuxi Pic,1902** (Elateridae) Synonym(s): *letourneuxi* Pic,1902 TR
5753. **Isidus moreli Mulsant & Rey,1874** (Elateridae) Synonym(s): *moreli* Mulsant & Rey,1874 TR
5754. **Islamocantharis (s.str.) johanidesi Svihla,2004** (Cantharidae) Synonym(s): *johanidesi* Svihla,2004 TR
5755. **Islamocantharis (s.str.) orientalis Wittmer & Magis,1978** (Cantharidae) Synonym(s): *orientalis* Wittmer & Magis,1978 TR
5756. **Islamocantharis (Uricantharis) cilicia (Pic,1904)** (Cantharidae) Synonym(s): *cilicia* Pic,1904 TR
5757. **Isodromus flaviscutum Hoffer & Trjapitzin** (Encyrtidae) Synonym(s): TR
5758. **Isodromus niger Ashmead** (Encyrtidae) Synonym(s): TR
5759. **Isolabella graeca (Verhoeff,1901)** (Spongiphoridae) Synonym(s): *graeca* Verhoeff,1901 GR TR
5760. **Isolaboides kosswigi (Burr,1947)** (Spongiphoridae) Synonym(s): *kosswigi* Burr,1947 TR
5761. **Isoperla armeniaca Zhiltzova,1961** (Perlodidae) Synonym(s): *armeniaca* Zhiltzova,1961 AM Cc TR
5762. **Isoperla bithynica (Kempny,1908)** (Perlodidae) Synonym(s): *bithynica* Kempny,1908; *caucasica* Balinsky,1950; *pulchra* Balinsky,1950 Cc TR
5763. **Isoperla rhododendri Zhiltzova,1956** (Perlodidae) Synonym(s): *rhododendri* Zhiltzova,1956 Cc TR
5764. **Isophya acuminata Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *acuminata* Brunner von Wattenwyl,1878 RO TR
5765. **Isophya amplipennis Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *amplipennis* Brunner von Wattenwyl,1878 TR
5766. **Isophya anatolica Ramme,1951** (Tettigoniidae) Synonym(s): *anatolica* Ramme,1951 TR
5767. **Isophya autumnalis Karabağ,1962** (Tettigoniidae) Synonym(s): *autumnalis* Karabağ,1962 TR
5768. **Isophya bicarinata Karabağ,1957** (Tettigoniidae) Synonym(s): *bicarinata* Karabağ,1957 TR
5769. **Isophya cania Karabağ,1975** (Tettigoniidae) Synonym(s): *cania* Karabağ,1975 **Isophya cania** Karabağ,1975, J. nat. Hist. 9: 341-342, figs. Holotype ♂: Turkey: Balıkesir Prov., Gönen, 25.vi.1959 leg. E.Can (BMNH). TR
5770. **Isophya hakkarica Karabağ,1962** (Tettigoniidae) Synonym(s): *hakkarica* Karabağ,1962 TR IQ Su
5771. **Isophya hemiptera Bei-Bienko,1954** (Tettigoniidae) Synonym(s): *hemiptera* Bei-Bienko,1954 TR
5772. **Isophya hospodar (Saussure & Pictet,1898)** (Tettigoniidae) Synonym(s): *hospodar* Saussure & Pictet,1898; *burmevi* Nedelkov,1907; *tschirpanensis* Nedelkov,1907 RO BG TR
5773. **Isophya ilkazi Ramme,1951** (Tettigoniidae) Synonym(s): *ilkazi* Ramme,1951 TR
5774. **Isophya karabagi Uvarov,1940** (Tettigoniidae) Synonym(s): *karabagi* Uvarov,1940; *#karabaghi* Ünal,2005 TR

5775. **Isophya karadenizensis Ünal,2005** (Tettigoniidae) Synonym(s): *karadenizensis Ünal,2005* *Isophya karadenizensis Ünal,2005*, Ent. News 116 (4): 210-215, 8 figs. Holotype ♂: Turkey: Bayburt Prov., Soğanly [Soğanlı] geçidi 2000-2500m 25 July 1960 (BMNH). TR
5776. **Isophya kosswigi Demirsoy,1974** (Tettigoniidae) Synonym(s): *kosswigi Demirsoy,1974* TR
5777. **Isophya major Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *major Brunner von Wattenwyl,1878* TR
5778. **Isophya mersinensis Sevgili & Çıplak,2006** (Tettigoniidae) Synonym(s): *mersinensis Sevgili & Çıplak,2006* TR
5779. **Isophya nervosa Ramme,1951** (Tettigoniidae) Synonym(s): *nervosa Ramme,1951*; *obtusidens Ramme,1951* TR
5780. **Isophya obenbergeri Maran,1958** (Tettigoniidae) Synonym(s): *obenbergeri Maran,1958* TR
5781. **Isophya pavelii Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *pavelii Brunner von Wattenwyl,1878* TR
5782. **Isophya pentheri Ramme,1951** (Tettigoniidae) Synonym(s): *pentheri Ramme,1951* TR
5783. **Isophya rectipennis Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *rectipennis Brunner von Wattenwyl,1878* TR
5784. **Isophya redtenbacheri Adelung,1907** (Tettigoniidae) Synonym(s): *redtenbacheri Adelung,1907*; *nigrosignata Miram,1938* TR Cc GG Bjo
5785. **Isophya reticulata Ramme,1951** (Tettigoniidae) Synonym(s): *reticulata Ramme,1951* TR
5786. **Isophya rizeensis Sevgili,2003** (Tettigoniidae) Synonym(s): *rizeensis Sevgili,2003* *Isophya rizeensis Sevgili,2003*, Ent. News 114 (3): 130-136, figs. Holotype ♂: Turkey, Rize Prov., Çamlıhemşin Meydan 900m 23 July 2002 leg. H.Sevgili (HUZOM). TR
5787. **Isophya rodsjankoi Bolivar,1899** (Tettigoniidae) Synonym(s): *rodsjankoi Bolivar,1899* TR
5788. **Isophya salmani Sevgili & Heller,2006** (Tettigoniidae) Synonym(s): *salmani Sevgili & Heller,2006* *Isophya salmani Sevgili & Heller,2006*, Eur. J. Ent. 103 (3): 665. Holotype ♂: Turkey: Mersin Prov., Anamur, Uçarı köyü, Yelkara. TR
5789. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi Brunner von Wattenwyl,1878*; *festae Griffini,1893* LB SY JO IL Pa TR
5790. **Isophya schneideri Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *schneideri Brunner von Wattenwyl,1878*; *caucasica Uvarov,1921* TR Cc AZ Bak Nv AM GG RU
5791. **Isophya sikorai Ramme,1951** (Tettigoniidae) Synonym(s): *sikorai Ramme,1951* TR
5792. **Isophya speciosa (Frivaldsky,1867)** (Tettigoniidae) Synonym(s): *speciosa Frivaldsky,1867*; *tenuicerca Ramme,1951* RO TR
5793. **Isophya splendida Naskrecki & Ünal,1995** (Tettigoniidae) Synonym(s): *splendida Naskrecki & Ünal,1995* TR
5794. **Isophya staneki Maran,1958** (Tettigoniidae) Synonym(s): *staneki Maran,1958* TR
5795. **Isophya stenocauda Ramme,1951** (Tettigoniidae) Synonym(s): *stenocauda Ramme,1951* TR
5796. **Isophya straubei (Fieber,1853)** (Tettigoniidae) Synonym(s): *straubei Fieber,1853* TR
5797. **Isophya sureyai Ramme,1951** (Tettigoniidae) Synonym(s): *sureyai Ramme,1951* TR
5798. **Isophya thracica Karabağ,1962** (Tettigoniidae) Synonym(s): *thracica Karabağ,1962* TR
5799. **Isophya triangularis Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *triangularis Brunner von Wattenwyl,1891* LB SY TR
5800. **Isophya uludaghensis Sevgili & Heller,2003** (Tettigoniidae) Synonym(s): *uludaghensis Sevgili & Heller,2003* *Isophya uludaghensis Sevgili & Heller,2003*, Tijdschr. Ent. 146: 39-44, figs. Holotype ♂: Türkiye, Prov. Bursa Uludagh-Gebirge, 1500-1700m 23/24.7.1983 leg. K.-G.Heller (MNHU). TR
5801. **Isophya yaraligozi Ünal,2003** (Tettigoniidae) Synonym(s): *yaraligozi Ünal,2003* TR
5802. **Isophya zernovi Miram,1938** (Tettigoniidae) Synonym(s): *zernovi Miram,1938* Cc GG TR
5803. **Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus Mannerheim,1825* UA Cm Cc TR SY IR
5804. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
5805. **Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus Fourcroy,1785; luteus Fieber,1876* AL FR GR IT ES TR YU
5806. **Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri Ahrens,1814; climacus Fieber,1876* TR AL FR GR IT PT ES YU
5807. **Italochrysa italica (Rossi,1790)** (Chrysopidae) Synonym(s): *italica Rossi,1790* IT TR
5808. **Italochrysa vartianorum Hölzel,1967** (Chrysopidae) Synonym(s): *vartianorum Hölzel,1967* TR
5809. **Iteomyia capreae (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *capreae Winnertz,1853* TR
5810. **Itopectis alternans (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *alternans Gravenhorts,1829* TR Cc RU At
5811. **Itopectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator Fabricius,1775* TR DZ Cc Cn

5812. **Itopectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana Schmiedeknecht,1914* DZ TR Cc IR KG RU At Tv MN
5813. **Itopectis viduata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *viduata Gravenhorst,1829* TR
5814. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica Melichar,1897; strigosa Matsumura,1910; duffelsi Dlabola,1974* IT SI HV YU CY FR GR ES TR
5815. **Jaapiella chondrillae Skuhrava,2005** (Cecidomyiidae) Synonym(s): *chondrillae Skuhrava,2005* Jaapiella chondrillae Skuhrava,2005, Acta Soc. zool. Bohemosl. 68: 236-239, figs. Holotype ♂: Turkey: [İzmir]: near Selçuk, 100m (NM Prague). TR
5816. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758; nigriventris Fieber,1861; anthracina Jakovlev,1885; vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
5817. **Jalla subcalcarata Jakovlev,1885** (Pentatomidae) Synonym(s): *subcalcarata Jakovlev,1885* CN MN RU TR
5818. **Janetia cerris (Kollar,1850)** (Cecidomyiidae) Synonym(s): *cerris Kollar,1850* TR
5819. **Janetia szepligetii Kieffer,1896** (Cecidomyiidae) Synonym(s): *szepligetii Kieffer,1896* TR
5820. **Janetiella lemeei (Kieffer,1904)** (Cecidomyiidae) Synonym(s): *lemeei Kieffer,1904* TR
5821. **Janetiella oenephila (Haimhoffen,1875)** (Cecidomyiidae) Synonym(s): *oenephila Haimhoffen,1875* TR
5822. **Japanagromyza salicifolii (Collin,1911)** (Agromyzidae) Synonym(s): *salicifolii Collin,1911* TR
5823. **Jassargus kurdicus Remane & Schultz,1976** (Cicadellidae) Synonym(s): *kurdicus Remane & Schultz,1976* IQ Mos TR
5824. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis Kirschbaum,1868; picturatus Fieber,1869* AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
5825. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888* AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
5826. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
5827. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; varicollis Rey,1894* Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
5828. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina Haupt,1924; juncea Haupt,1935* CZ DE MN PL SE TR RU At EE BG HU
5829. **Joostiella caucasica Vaillant,1983** (Psychodidae) Synonym(s): *caucasica Vaillant,1983* TR Cc AM
5830. **Jothopogon leucomallus (Loew,1871)** (Asilidae) Synonym(s): *leucomallus Loew,1871* IR Ss JO IL Pa TR
5831. **Jucancistrocerus citreodecoratus Giordani Soika,1970** (Vespidae) Synonym(s): *citreodecoratus Giordani Soika,1970* TR IR
5832. **Jucancistrocerus jucundus (Mocsary,1883)** (Vespidae) Synonym(s): *jucundus Mocsary,1883* TR
5833. **Jugurtia escalerae Meade-Waldo,1910** (Vespidae) Synonym(s): *escalerae Meade-Waldo,1910* IR TR
5834. **Jugurtia eurycara Kostylev,1935** (Vespidae) Synonym(s): *eurycara Kostylev,1935* TR Cc AM Eri IR
5835. **Julodella globithorax (Steven,1830)** (Buprestidae) Synonym(s): *globithorax Steven,1830* TR
5836. **Julodis abeillei (Thery,1893)** (Buprestidae) Synonym(s): *abeillei Thery,1893* TR
5837. **Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae Olivier,1790* TR IL Pa SY IR
5838. **Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca Marseul,1865* AM CY SY Cc TR IR GG AZ
5839. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi Laporte,1835* GR AL BG CY TR SY IL Pa EG
5840. **Julodis faldermanni Mannerheim,1837** (Buprestidae) Synonym(s): *faldermanni Mannerheim,1837* Cc TR
5841. **Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera Laporte & Gory,1835* IL Pa TR SY IQ SA
5842. **Katamenes dimidiatus (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus Brullé,1832* TR GR
5843. **Katamenes flavigularis (Blüthgen,1951)** (Vespidae) Synonym(s): *flavigularis Blüthgen,1951* TR

5844. **Katamenes sichelii (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852; *tauriae* Giordani-Soika,1960 GR TR TM
5845. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 AL CY CZ FR GR TR HU IL IT RU YU
5846. **Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878 CZ FR HU IT RO TR YU
5847. **Kelisia monoceros Ribaut,1934** (Delphacidae) Synonym(s): *monoceros* Ribaut,1934 TR
5848. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
5849. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962 IL AT BG CY GR YU TR
5850. **Kermes bekiri Bodenheimer,1953** (Kermesidae) Synonym(s): *bekiri* Bodenheimer,1953 TR
5851. **Kermes muhlisi Bodenheimer,1941** (Kermesidae) Synonym(s): *muhlisi* Bodenheimer,1941 TR
5852. **Kermes palestiniensis Balachowsky,1953** (Kermesidae) Synonym(s): *palestiniensis* Balachowsky,1953 IL Pa TR
5853. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
5854. **Kermes sadrii Bodenheimer,1953** (Kermesidae) Synonym(s): *sadrii* Bodenheimer,1953 TR
5855. **Kermes safinazae Özkök,1941** (Kermesidae) Synonym(s): *safinazae* Özkök,1941 TR
5856. **Kermes vermilio Planchon,1864** (Kermesidae) Synonym(s): *vermilio* Planchon,1864 TR
5857. **Kervillea ancyrana Bergevin,1918** (Issidae) Synonym(s): *ancyrana* Bergevin,1918 TR
5858. **Kervillea gaziantepica Dlabola,1984** (Issidae) Synonym(s): *gaziantepica* Dlabola,1984 TR
5859. **Kervillea parvissima (Dlabola,1957)** (Issidae) Synonym(s): *parvissima* Dlabola,1957 TR
5860. **Kervillea parvissima (Dlabola,1957)** (Issidae) Synonym(s): *parvissima* Dlabola,1957 TR
5861. **Kervillea placophorum (Horvath,1905)** (Issidae) Synonym(s): *placophorum* Horvath,1905 IL Pa TR TJ
5862. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreata* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU
5863. **Knemodynerus euodyneroides Gusenleitner,1997** (Vespidae) Synonym(s): *euodyneroides* Gusenleitner,1997 TR
5864. **Knutsonia truqui (Rondani,1868)** (Sciomyzidae) Synonym(s): *truqui* Rondani,1868 TR
5865. **Knutsonia turcestanica (Hendel,1903)** (Sciomyzidae) Synonym(s): *turcestanica* Hendel,1903 TR
5866. **Knutsonia unipunctata (Macquart,1849)** (Sciomyzidae) Synonym(s): *unipunctata* Macquart,1849 TR
5867. **Kokujewia clementi Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949; *taschevi* Vassilev,1978 GR BG TR
5868. **Kokujewia ectrapela Konow,1902** (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina* Benson TR IR Oru Cc IL Pa
5869. **Koroglus disparalatus Ünal,2002** (Tettigoniidae) Synonym(s): *disparalatus* Ünal,2002 Koroglus disparalatus Ünal,2002, Ent. News 113 (4): 279-280, figs. Holotype ♂: Turkey, Bolu Prov., Koroğlu Dağı, Kartaltepe 1950-2050m, 4 Aug. 2000 (Cesa). TR
5870. **Kreacpelopia binotata (Wiedemann,1817)** (Chironomidae) Synonym(s): *binotata* Wiedemann,1817 TR
5871. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952 HV CY IQ IL Pa Cc UA RU TR
5872. **Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea* Suarez,1963 IL Js Pa SY TR IR
5873. **Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea,1953 TR RO IT Si ES PT MA
5874. **Krombeinella gaullei (Invrea,1952)** (Mutillidae) Synonym(s): *nigriceps* auct. nec Saunders,1850; *gaullei* Invrea,1952 BG TR
5875. **Krombeinella hebraea (Suarez,1963)** (Mutillidae) Synonym(s): *hebraea* Suarez,1963 IL Pa Hf TR
5876. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 GR BG TR HV YU MK RO SK UA RU Cc
5877. **Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi* Invrea,1963 YU BG UA TR RU AZ GG Cc
5878. **Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970 BG TR GR PK YU IR
5879. **Ksenoplata quadrata Boucek** (Pteromalidae) Synonym(s): TR
5880. **Kurdia uvarovi Karabağ,1975** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1975 Kurdia uvarovi Karabağ,1975, J. nat. Hist. 9: 337-339, figs. Holotype ♂: Turkey: Hakkari Prov., Şemdinli, Haruna deresi 1500m 26.vi.1965 (BMNH). TR

5881. **Kuwanaspis pseudoleucaspis (Kuwana)** (Diaspididae) Synonym(s): *pseudoleucaspis Kuwana* TR
5882. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
5883. **Kybos candelabricus Dlabola,1958** (Cicadellidae) Synonym(s): *candelabricus Dlabola,1958* TR Cc GG BG
5884. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi Edwards,1908; tremulae Zachvatkin,1953; zaizanensis Mitjaev,1963* BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
5885. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator Ribaut,1933; saageri Wagner,1935* AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
5886. **Labia minor (Linnaeus,1758)** (Spongiphoridae) Synonym(s): *minor Linnaeus,1758* ES FI KG UZ TR
5887. **Labidostomis asiatica Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica Faldermann,1837* TR Cc IR SY
5888. **Labidostomis brevipennis Faldermann,1837** (Chrysomelidae) Synonym(s): *brevipennis Faldermann,1837* TR Cc IR
5889. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens Faldermann,1837; lineola Redtenbacher,1843* CY TR Cc SY IR RU
5890. **Labidostomis diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons Lefebvre,1876* IL Pa LB SY TR
5891. **Labidostomis hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea Lacordaire,1848* TR IL Pa LB SY
5892. **Labidostomis humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): *humeralis Schneider,1792* FR SE TR RU
5893. **Labidostomis karamanica Weise,1900** (Chrysomelidae) Synonym(s): *karamanica Weise,1900* CY TR SY
5894. **Labidostomis korbi Weise,1901** (Chrysomelidae) Synonym(s): *korbi Weise,1901* Labidostomis korbi Weise,1901, Dt. ent. Z. 1901: 203. Type: Kleinasien: Ak-Chehir. TR
5895. **Labidostomis maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis Lefebvre,1870; kindermanni Kraatz,1872* TR Cc LB RU
5896. **Labidostomis mesopotamica Heyden,1886** (Chrysomelidae) Synonym(s): *mesopotamica Heyden,1886; escherichi Weise,1897; frontalis Weise,1900; iconiensis Weise,1900* TR SY
5897. **Labidostomis metallica Lefebvre,1872** (Chrysomelidae) Synonym(s): *metallica Lefebvre,1872* TR Cc RU MN
5898. **Labidostomis oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni Weise,1889* BG GR TR MK
5899. **Labidostomis peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina Weise,1900* UA Cm Cc RU TM TR
5900. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua Faldermann,1837; binotata Waltl,1838; steveni Waltl,1848; arnoldii Medvedev,1962* RO BG GR TR Cc IR
5901. **Labidostomis rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): *rufa Waltl,1838* YU BG GR TR
5902. **Labidostomis subfasciata Weise,1885** (Chrysomelidae) Synonym(s): *subfasciata Weise,1885* TR Cc IR RU
5903. **Labidostomis sulcicollis Lacordaire,1848** (Chrysomelidae) Synonym(s): *sulcicollis Lacordaire,1848* TR Cc
5904. **Labidostomis testaceipes Pic,1904** (Chrysomelidae) Synonym(s): *testaceipes Pic,1904* TR Cc AM SY
5905. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia Pallas,1773; mongolica Rehn,1905* ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
5906. **Laburris abrotani Emelyanov,1962** (Cicadellidae) Synonym(s): *abrotani Emelyanov,1962* MN RU TR UA KG
5907. **Laburris handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965* AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
5908. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons Boheman,1852; sulphureus Kirschbaum,1858; thiogaster Kirschbaum,1858; anomalus Uhler,1896; vittatipes Uhler,1896* AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
5909. **Laccobius (Compsolaccobius) decorus (Gyllenhal,1827)** (Hydrophilidae) Synonym(s): *decorus Gyllenhal,1827* TR
5910. **Laccobius (Dimorpholaccobius) bipunctatus (Fabricius,1775)** (Hydrophilidae) Synonym(s): *bipunctatus Fabricius,1775* TR
5911. **Laccobius (Dimorpholaccobius) chiesai Gentili,1982** (Hydrophilidae) Synonym(s): *chiesai Gentili,1982* TR

5912. **Laccobius (Dimorpholaccobius) halophilus Gentili,1982** (Hydrophilidae) Synonym(s): *halophilus Gentili,1982* TR
5913. **Laccobius (Dimorpholaccobius) hauserianus Knisch,1914** (Hydrophilidae) Synonym(s): *hauserianus Knisch,1914* TR
5914. **Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae) Synonym(s): *hindukuschi Chiesa,1966* TR
5915. **Laccobius (Dimorpholaccobius) hoberlandti Gentili,1982** (Hydrophilidae) Synonym(s): *hoberlandti Gentili,1982* IR AZ Cc TR
5916. **Laccobius (Dimorpholaccobius) hopaensis Mart, İncekara & Erman,2003** (Hydrophilidae) Synonym(s): *hopaensis Mart, İncekara & Erman,2003* Laccobius (Dimorpholaccobius) *hopaensis Mart, İncekara & Erman,2003*, Aquatic Insects 25 (1): 77-79, figs. Holotype ♂: Turkey: Artvin Prov. 4km W Kemalpaşa (ZMAÜ). TR
5917. **Laccobius (Dimorpholaccobius) lycius Gentili & Whitehead,2000** (Hydrophilidae) Synonym(s): *lycius Gentili & Whitehead,2000* TR
5918. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae) Synonym(s): *obscuratus Rottenberg,1874* TR
5919. **Laccobius (Dimorpholaccobius) sculptus Orchymont,1936** (Hydrophilidae) Synonym(s): *sculptus Orchymont,1936* TR
5920. **Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae) Synonym(s): *scutellaris Motschoulsky,1855* TR
5921. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae) Synonym(s): *simulatrix Orchymont,1932* TR
5922. **Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae) Synonym(s): *sipylus Orchymont,1939* TR
5923. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae) Synonym(s): *striatulus Fabricius,1801* TR
5924. **Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae) Synonym(s): *sulcatulus Reitter,1909* TR
5925. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae) Synonym(s): *syriacus Guillebeau,1896* TR
5926. **Laccobius (Microlaccobius) alternus Motschoulsky,1855** (Hydrophilidae) Synonym(s): *alternus Motschoulsky,1855* TR
5927. **Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae) Synonym(s): *exilis Gentili,1974* TR
5928. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae) Synonym(s): *gracilis Motschoulsky,1855* TR
5929. **Laccobius (Microlaccobius) orientalis Knisch,1924** (Hydrophilidae) Synonym(s): *orientalis Knisch,1924* TR
5930. **Laccobius (Microlaccobius) quaesitus Gentili,1988** (Hydrophilidae) Synonym(s): *quaesitus Gentili,1988* TR
5931. **Laccobius (s.str.) albipes Kuwert,1890** (Hydrophilidae) Synonym(s): *albipes Kuwert,1890* TR
5932. **Laccobius (s.str.) minutus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *minutus Linnaeus,1758* TR
5933. **Laccophilus hyalinus (De Geer,1774)** (Dytiscidae) Synonym(s): *hyalinus De Geer,1774* TR
5934. **Laccophilus minutus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *minutus Linnaeus,1758*; *cimicoides O.F.Müller,1776*; *gilvus O.F.Müller,1776*; *variolosus Herbst,1784*; *melanophthalmos Geoffroy,1785*; *gibbus Gmelin,1790*; *virescens Brahm,1791*; *obscurus Panzer,1795*; *striatus Depoli,1930* TR
5935. **Laccophilus poecilus Klug,1834** (Dytiscidae) Synonym(s): *poecilus Klug,1834* TR
5936. **Lachnaia sexpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *sexpunctata Scopoli,1763*; *longipes Fabricius,1775* FR TR DE SK
5937. **Lacon candezei Desbrochers,1875** (Elateridae) Synonym(s): *candezei Desbrochers des Loges,1875* TR
5938. **Lacon delagrangei Buysson,1891** (Elateridae) Synonym(s): *delagrangei Buysson,1891* TR
5939. **Lacon gillerforsi Platia & Schimmel,1994** (Elateridae) Synonym(s): *gillerforsi Platia & Schimmel,1994* TR
5940. **Lacon graecus Candeze,1857** (Elateridae) Synonym(s): *graecus Candeze,1857* GR TR
5941. **Lacon ladae Mertlik & Dusanek,2006** (Elateridae) Synonym(s): *ladae Mertlik & Dusanek,2006* TR
5942. **Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus Panzer,1801*; *aurosquamosus Jagemann,1939* RU Sb ES FR CZ Cc TR
5943. **Lacon punctatus (Herbst,1779)** (Elateridae) Synonym(s): *punctatus Herbst,1779* DZ GR TR
5944. **Lacon solai Platia & Gudenzi,2000** (Elateridae) Synonym(s): *solai Platia & Gudenzi,2000* TR
5945. **Lacon unicolor (Candeze,1874)** (Elateridae) Synonym(s): *unicolor Candeze,1874* IR Fa TR

5946. **Laemostenus (Pristonychus) amasiae Semenov,1891** (Carabidae) Synonym(s): *amasiae Semenov,1891* TR
5947. **Laemostenus (Pristonychus) asiaminoris Casale,1988** (Carabidae) Synonym(s): *asiaminoris Casale,1988* TR
5948. **Laemostenus (Pristonychus) capitatus Chaudoir,1854** (Carabidae) Synonym(s): *capitatus Chaudoir,1854* TR
5949. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim,1823; weiratheiri J.Müller,1932* AL AM Cc TR GR BG IT IL Pa
5950. **Laemostenus (Pristonychus) conspicuus (Waltl,1838)** (Carabidae) Synonym(s): *conspicuus Waltl,1838; grandicollis Sturm,1843; grandis Motschoulsky,1950; nitidus Motschoulsky,1865* CY GR TR Rd
5951. **Laemostenus (Pristonychus) lederi (Reitter,1885)** (Carabidae) Synonym(s): *lederi Reitter,1885* Cc GG TR AM
5952. **Laemostenus (Pristonychus) mannerheimi (Kolenati,1845)** (Carabidae) Synonym(s): *mannerheimi Kolenati,1845; armeniacus Casale,1988; transcaucasicus Casale,1988; araratensis Casale,1988* TR Cc AM
5953. **Laemostenus (Pristonychus) pisidicus J.Müller,1932** (Carabidae) Synonym(s): *pisidicus J.Müller,1932* TR
5954. **Laemostenus (Pristonychus) ponticus Casale,1988** (Carabidae) Synonym(s): *ponticus Casale,1988; kurdistanus Casale,1988; subponticus Casale,1988; caesareae Casale,1988* TR
5955. **Laemostenus (Pristonychus) pretiosus (Faldermann,1837)** (Carabidae) Synonym(s): *pretiosus Faldermann,1837; amoenus Fischer von Waldheim,1844* AM RU Cc TR
5956. **Laemostenus (Pristonychus) sciakyi Casale & Vigna Taglianti,1999** (Carabidae) Synonym(s): *sciakyi Casale & Vigna Taglianti,1999* TR
5957. **Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae) Synonym(s): *sericeus Fischer von Waldheim,1824; tauricus Dejean,1828; hepaticus Faldermann,1836* UA RU Da AM Cc TR GG
5958. **Laena angorensis Reitter,1899** (Tenebrionidae) Synonym(s): *angorensis Reitter,1899* TR
5959. **Laena appfelbecki Schuster,1915** (Tenebrionidae) Synonym(s): *appfelbecki Schuster,1915* TR
5960. **Laena byzantina Apfelbeck,1901** (Tenebrionidae) Synonym(s): *byzantina Apfelbeck,1901* TR
5961. **Laena deplanata Weise,1878** (Tenebrionidae) Synonym(s): *deplanata Weise,1878* TR
5962. **Laena ferruginea Küster,1846** (Tenebrionidae) Synonym(s): *ferruginea Küster,1846* TR
5963. **Laena ganglbaueri Reitter,1906** (Tenebrionidae) Synonym(s): *ganglbaueri Reitter,1906* TR
5964. **Laena graeca Weise,1878** (Tenebrionidae) Synonym(s): *graeca Weise,1878* GR TR
5965. **Laena hopffgarteni Weise,1878** (Tenebrionidae) Synonym(s): *hopffgarteni Weise,1878* TR
5966. **Laena kaufmanni Reitter,1881** (Tenebrionidae) Synonym(s): *kaufmanni Reitter,1881* TR
5967. **Laena korbi Heyden,1890** (Tenebrionidae) Synonym(s): *korbi Heyden,1890* TR
5968. **Laena kraatzi Weise,1878** (Tenebrionidae) Synonym(s): *kraatzi Weise,1878* TR
5969. **Laena liliputana Kaszab,1968** (Tenebrionidae) Synonym(s): *liliputana Kaszab,1968* TR
5970. **Laena lindbergi Kaszab,1959** (Tenebrionidae) Synonym(s): *lindbergi Kaszab,1959* TR
5971. **Laena merkli Weise,1883** (Tenebrionidae) Synonym(s): *merkli Weise,1883* TR
5972. **Laena obscuricornis Reitter,1899** (Tenebrionidae) Synonym(s): *obscuricornis Reitter,1899* TR
5973. **Laena osmanlis Reitter,1906** (Tenebrionidae) Synonym(s): *osmanlis Reitter,1906* TR
5974. **Laena parvidens Reitter,1899** (Tenebrionidae) Synonym(s): *parvidens Reitter,1899* TR
5975. **Laena pulchella (Fischer,1824)** (Tenebrionidae) Synonym(s): *pulchella Fischer,1824* TR
5976. **Laena striolata Reitter,1899** (Tenebrionidae) Synonym(s): *striolata Reitter,1899* TR
5977. **Laena syriaca Baudi,1876** (Tenebrionidae) Synonym(s): *syriaca Baudi,1876* TR
5978. **Laena theana Reitter,1906** (Tenebrionidae) Synonym(s): *theana Reitter,1906* TR
5979. **Laena weisei Reitter,1878** (Tenebrionidae) Synonym(s): *weisei Reitter,1878* TR
5980. **Lamachus splendor Aubert,1989** (Ichneumonidae) Synonym(s): *splendor Aubert,1989* TR
5981. **Lamennaisia ambigua (Nees)** (Encyrtidae) Synonym(s): TR
5982. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor Linnaeus,1758* ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
5983. **Laminacutus libanensis Abdul-Nour,2001** (Cicadellidae) Synonym(s): *libanensis Abdul-Nour,2001* LB TR
5984. **Lampoterma viride (Thomson,1876)** (Pteromalidae) Synonym(s): *viride Thomson,1876* Metastenus viride Thomson,1876, Hym. Scand. 4: 206. Lectotype ♀: Sweden: Lund (LUSN). SE TR
5985. **Lampropterus femoratus (Germar,1824)** (Cerambycidae) Synonym(s): *femoratus Germar,1824* Cc TR IR
5986. **Lamprotatus truncatus (Fonscolombe)** (Pteromalidae) Synonym(s): TR

5987. **Lampyris angustula Fairmaire,1895** (Lampyridae) Synonym(s): *angustula* Fairmaire,1895; *iraqi* Geisthardt,1999 **Lampyris angustula Fairmaire,1895, Annl. Soc. ent. Fr. 64: 110. Type(s): [Turquie]: Akbes. TR IQ**
5988. **Lampyris caspica (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854 **GG Cc KG TM IR TR**
5989. **Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884 **DZ IL Pa Js Hf JO Amm TR SY**
5990. **Lampyris pseudozenkeri Geisthardt,1999** (Lampyridae) Synonym(s): *pseudozenkeri* Geisthardt,1999 **TR**
5991. **Lampyroidea dispar (Fairmaire,1857)** (Lampyridae) Synonym(s): *dispar* Fairmaire,1857 **Luciola dispar** Fairmaire,1857, **Annl. Soc. ent. Fr. (3) 5: 739. TR**
5992. **Lampyroidea graeca (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *graeca* Laporte de Castelnau,1833; *euboica* Pic,1914 **Luciola graeca** Laporte de Castelnau,1833, **Annl. Soc. ent. Fr. 2: 147. GR TR**
5993. **Lampyroidea maculicollis (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870 **CY SY TR**
5994. **Lampyroidea syriaca A.Costa,1875** (Lampyridae) Synonym(s): *syriaca* A.Costa,1875; *innotaticollis* Pic,1914 **Lampyroidea syriaca** A.Costa,1875, **Bull. Soc. ent. Fr. (5) 5: 169. Type(s): Syria. IL Pa SY TR**
5995. **Lanelater judaicus (Reiche & Saulcy,1856)** (Elateridae) Synonym(s): *judaicus* Reiche & Saulcy,1856 **IL Pa TR LB SY**
5996. **Lanelater persicus (Candeze,1874)** (Elateridae) Synonym(s): *persicus* Candeze,1874 **IR TR**
5997. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
5998. **Laphria aurea (Fabricius,1794)** (Asilidae) Synonym(s): *aurea* Fabricius,1794 **TR**
5999. **Laphria dimidiata Macquart,1846** (Asilidae) Synonym(s): *dimidiata* Macquart,1846 **TR**
6000. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847 **Cc RU GR IQ IR Fa IL Pa TR**
6001. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 **DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN**
6002. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 **IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR**
6003. **Laphria varia Loew,1865** (Asilidae) Synonym(s): *varia* Loew,1865 **Cc RU TR**
6004. **Laphystia anatolica (Hermann,1920)** (Asilidae) Synonym(s): *anatolica* Hermann,1920 **RU KG TR**
6005. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 **IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR**
6006. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 **IT AT RU KG GR TR IR Fa TN UZ TJ TM CN**
6007. **Lapposmittia parvibarba Edwards,1939** (Chironomidae) Synonym(s): *parvibarba* Edwards,1939 **TR**
6008. **Lapposyrphus lapponicus (Zetterstedt,1838)** (Syrphidae) Synonym(s): *lapponicus* Zetterstedt,1838 **SE TR**
6009. **Larinus aeruginosus Hochhuth,1851** (Curculionidae) Synonym(s): *aeruginosus* Hochhuth,1851 **TR**
6010. **Larinus brenskei Faust,1900** (Curculionidae) Synonym(s): *brenskei* Faust,1900 **TR**
6011. **Larinus brevis (Herbst,1795)** (Curculionidae) Synonym(s): *brevis* Herbst,1795 **TR**
6012. **Larinus carinirostris Gyllenhal,1836** (Curculionidae) Synonym(s): *carinirostris* Gyllenhal,1836 **TR**
6013. **Larinus centaureae (Olivier,1807)** (Curculionidae) Synonym(s): *centaureae* Olivier,1807 **TR**
6014. **Larinus curtus Hochhuth,1851** (Curculionidae) Synonym(s): *curtus* Hochhuth,1851 **TR**
6015. **Larinus cynarae (Fabricius,1787)** (Curculionidae) Synonym(s): *cynarae* Fabricius,1787 **TR**
6016. **Larinus filiformis Petri,1907** (Curculionidae) Synonym(s): *filiformis* Petri,1907 **TR**
6017. **Larinus flavescens Germar,1824** (Curculionidae) Synonym(s): *flavescens* Germar,1824 **TR**
6018. **Larinus grisescens Gyllenhal,1836** (Curculionidae) Synonym(s): *grisescens* Gyllenhal,1836 **TR**
6019. **Larinus jaceae (Fabricius,1775)** (Curculionidae) Synonym(s): *jaceae* Fabricius,1775 **TR**
6020. **Larinus latus (Herbst,1784)** (Curculionidae) Synonym(s): *latus* Herbst,1784 **TR**
6021. **Larinus minutus Gyllenhal,1836** (Curculionidae) Synonym(s): *minutus* Gyllenhal,1836 **TR**
6022. **Larinus obtusus Gyllenhal,1836** (Curculionidae) Synonym(s): *obtusus* Gyllenhal,1836 **TR**

6023. **Larinus onopordi (Fabricius,1787)** (Curculionidae) Synonym(s): *onopordi Fabricius,1787*
TR
6024. **Larinus orientalis Capiomont,1874** (Curculionidae) Synonym(s): *orientalis Capiomont,1874*
TR
6025. **Larinus ovaliformis Capiomont,1874** (Curculionidae) Synonym(s): *ovaliformis Capiomont,1874* TR
6026. **Larinus planus (Fabricius,1792)** (Curculionidae) Synonym(s): *planus Fabricius,1792* TR
6027. **Larinus rudicollis Petri,1907** (Curculionidae) Synonym(s): *rudicollis Petri,1907* TR
6028. **Larinus rusticanus Gyllenhal,1836** (Curculionidae) Synonym(s): *rusticanus Gyllenhal,1836*
TR
6029. **Larinus sturnus (Schaller,1878)** (Curculionidae) Synonym(s): *sturnus Schaller,1878* TR
6030. **Larinus syriacus Gyllenhal,1836** (Curculionidae) Synonym(s): *syriacus Gyllenhal,1836* TR
6031. **Larinus turbinatus Gyllenhal,1836** (Curculionidae) Synonym(s): *turbinatus Gyllenhal,1836*
TR
6032. **Larinus ursus (Fabricius,1792)** (Curculionidae) Synonym(s): *ursus Fabricius,1792* TR
6033. **Lariophagus distinguendus (Förster)** (Pteromalidae) Synonym(s): TR
6034. **Larsia curticalcar (Kieffer,1918)** (Chironomidae) Synonym(s): *curticalcar Kieffer,1918* TR
6035. **Lasiacantha capucina (Germar,1836)** (Tingidae) Synonym(s): *capucina Germar,1836* TR
6036. **Lasiacantha gracilis (Herrich-Schäffer,1830)** (Tingidae) Synonym(s): *gracilis Herrich-Schäffer,1830* TR
6037. **Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi Stal,1873;*
#hedenbergii Önder et al.,2006 IL Pa CY SY TR
6038. **Lasiambia albidipennis (Strobl,1893)** (Chloropidae) Synonym(s): *albidipennis Strobl,1893*
TR HV FR IT RU CZ
6039. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii Latreille,1805;*
denticornis Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
6040. **Lasioglossum (Evylaeus) araxanum (Blüthgen,1923)** (Halictidae) Synonym(s): *araxanum Blüthgen,1923;*
araxanellus Blüthgen,1926 Cc AM TR PK
6041. **Lasioglossum (Evylaeus) imbecillum Ebmer,1974** (Halictidae) Synonym(s): *imbecillum Ebmer,1974* TR
6042. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903;*
rhodosianus Strand,1909;
balneorum Ebmer,1974;
bubulcus Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
6043. **Lasioglossum (Evylaeus) skorikovi (Blüthgen,1929)** (Halictidae) Synonym(s): *skorikovi Blüthgen,1929* TM TR US Smk
6044. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum Morawitz,1873;*
emesianus Pérez,1911 AF TM IL Pa SY TR AM Cc IR
6045. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax Morawitz,1874;*
rhadiourgan Ebner,1980 TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
6046. **Lasioglossum (s.str.) leucozonium (Schrank,1781)** (Halictidae) Synonym(s): *leucozonium Schrank,1781;*
leucostoma Schrank,1781;
similis Smith,1853;
bifasciatellus Schenck,1875;
nigrotibialis Dalla Torre,1877;
deiphobus Bingham,1908;
clusium Warncke,1975;
cedri Ebmer,1976 TR AF Kab PK
6047. **Lasioglossum acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): *acephaloides Blüthgen,1931* IT TR Cc
6048. **Lasioglossum aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum Strand,1909;*
orontis Cockerell,1918;
dalmaticum Ebmer,1970 YU TR IQ IR EG IL Pa
6049. **Lasioglossum argaeum (Blüthgen,1931)** (Halictidae) Synonym(s): *argaeum Blüthgen,1931*
Cc TR
6050. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum Morawitz,1873;*
dmitrijewi Morawitz,1892 Cc UA GR TR IL Pa IR
6051. **Lasioglossum bischoffi (Blüthgen,1931)** (Halictidae) Synonym(s): *bischoffi Blüthgen,1931*
YU TR GR CY
6052. **Lasioglossum cilicium Ebmer,1972** (Halictidae) Synonym(s): *cilicium Ebmer,1972* TR IR
6053. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum Kriechbaumer,1873;*
alpestris Morawitz,1877 MA FR DK ES PT Co DE PL MK IL Pa TR IR
6054. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum Pérez,1895;*
mesoleus Cockerell,1938;
donatum Warncke,1975 MA DZ IT YU GR AL TR IL Pa Cc IR
6055. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum Smith,1853;*
morbillosus Kriechbaumer,1873;
glasunovi Cockerell,1924;
FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
6056. **Lasioglossum eurasicum Ebmer,1972** (Halictidae) Synonym(s): *eurasicum Ebmer,1972* YU GR TR
6057. **Lasioglossum fahringeri Friese,1921** (Halictidae) Synonym(s): *fahringeri Friese,1921* TR IR
6058. **Lasioglossum lateralis (Brullé,1832)** (Halictidae) Synonym(s): *lateralis Brullé,1832;*
bifasciatus Brullé,1832;
ticinensis Frey-Gessner,1903 ES FR CH HU TR GR

6059. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes Blüthgen,1934* IT Si Co GR ES MA DZ TR
6060. **Lasioglossum prunellum Warncke,1975** (Halictidae) Synonym(s): *prunellum Warncke,1975* TR
6061. **Lasioglossum pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudocaspicum Blüthgen,1923* IT HU TR
6062. **Lasioglossum sexnotatum Kirby,1802** (Halictidae) Synonym(s): *sexnotatum Kirby,1802* TR
6063. **Lasioglossum solitarium Warncke,1975** (Halictidae) Synonym(s): *solitarium Warncke,1975* TR
6064. **Lasioglossum subfasciatum Imhoff,1832** (Halictidae) Synonym(s): *subfasciatum Imhoff,1832* TR
6065. **Lasioglossum tinnunculum Warncke,1982** (Halictidae) Synonym(s): *tinnunculum Warncke,1982* TR
6066. **Lasioglossum xanthopum Kirby,1802** (Halictidae) Synonym(s): *xanthopum Kirby,1802* TR
6067. **Lasioglossum zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum Smith,1848* GB RU Sb TR AZ Cc IR CN Yu Sz
6068. **Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius Walker,1849; tenuirostris Loew,1854; bertonii Seguy,1932* GR AL FR RO YU BG TR
6069. **Lasiopa benoisti Séguy,1930** (Stratiomyidae) Synonym(s): *benoisti Séguy,1930* TR DZ MA
6070. **Lasiopa calva (Meigen,1822)** (Stratiomyidae) Synonym(s): *calva Meigen,1822* TR
6071. **Lasiopa caucasica (Pleske,1901)** (Stratiomyidae) Synonym(s): *caucasica Pleske,1901; koenigi Lichtwardt,1901* AZ GG Cc Bjo Tbl AM TR Pja RU
6072. **Lasiopa mannii Mik,1882** (Stratiomyidae) Synonym(s): *mannii Mik,1882* IT TN TR
6073. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa Fabricius,1794* HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
6074. **Lasiopogon pilosellus Loew,1847** (Asilidae) Synonym(s): *pilosellus Loew,1847* PL AT CH TR
6075. **Lasiopogon tarsalis Loew,1847** (Asilidae) Synonym(s): *tarsalis Loew,1847* IT TR
6076. **Lasioptera berlesiana Paoli,1907** (Cecidomyiidae) Synonym(s): *berlesiana Paoli,1907* TR
6077. **Lasioptera carophila Loew,1874** (Cecidomyiidae) Synonym(s): *carophila Loew,1874* TR
6078. **Lasioptera eryngii (Vallot,1829)** (Cecidomyiidae) Synonym(s): *eryngii Vallot,1829* TR
6079. **Lasioptera populnea Wachtl,1883** (Cecidomyiidae) Synonym(s): *populnea Wachtl,1883* TR
6080. **Lasioptera rubi (Schrank,1803)** (Cecidomyiidae) Synonym(s): *rubi Schrank,1803* TR
6081. **Lasioptera turcica Möhn,1968** (Cecidomyiidae) Synonym(s): *turcica Möhn,1968* TR
6082. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons Gyllenhal,1833* DE BG DZ DK FR GB ES IT Cc HU MK TR
6083. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus Boheman,1845; kindermannii Desbrochers,1845; syriacus Desbrochers,1868* AT BG HV DZ FR IT Si RO GR TR SY JO
6084. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus Herbst,1797; ophthalmicus Stephens,1831; similis Curtis,1837; splendidulus Kiesenwetter,1861* DE BG DZ DK AM Cc TR FR GB
6085. **Lasius alienus (Förster,1850)** (Formicidae) Synonym(s): *alienus Förster,1850* TR
6086. **Lasius flavus (Fabricius,1781)** (Formicidae) Synonym(s): *flavus Fabricius,1781* TR
6087. **Latematium cingulatum Dlabola,1983** (Issidae) Synonym(s): *cingulatum Dlabola,1983* TR
6088. **Latheticus oryzae Waterhouse,1880** (Tenebrionidae) Synonym(s): *oryzae Waterhouse,1880* TR
6089. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus Rossi,1790* TN TR CY TJ UZ KG KK RU Am Cc
6090. **Latilica antalyica (Dlabola,1986)** (Issidae) Synonym(s): *antalyica Dlabola,1986* TR
6091. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum Lethierry,1877; maculipes Melichar,1906; oertzeni Matsumura,1910* MA FR IT ES CY GR IL IT TR YU
6092. **Latilica pictifrons (Melichar,1906)** (Issidae) Synonym(s): *pictifrons Melichar,1906* TR
6093. **Latilica quercus (Lindberg,1948)** (Issidae) Synonym(s): *quercus Lindberg,1948* TR CY
6094. **Latilica retamae (Linnavuori,1962)** (Issidae) Synonym(s): *retamae Linnavuori,1962* TR IL Pa
6095. **Lecanodiaspis sardoa Targioni Tozzetti** (Lecanodiaspididae) Synonym(s): *sardoa Targioni Tozzetti* TR
6096. **Lecanopsis turcica (Bodenheimer)** (Coccidae) Synonym(s): *turcica Bodenheimer* TR
6097. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita Linnaeus,1758; cristata Schreber,1759; secunda Schaeffer,1767* AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
6098. **Leia bimaculata (Meigen,1804)** (Mycetophilidae) Synonym(s): *bimaculata Meigen,1804; fasciola Meigen,1818; octomaculata Curtis,1837* GB DE TR
6099. **Leichenum mucronatum Küster,1849** (Tenebrionidae) Synonym(s): *mucronatum Küster,1849* TR

6100. **Leistus (Pogonophorus) hermonis Piochard,1875** (Carabidae) Synonym(s): *hermonis Piochard,1875* **LB TR**
6101. **Leistus (Pogonophorus) montanus Stephens,1828** (Carabidae) Synonym(s): *montanus Stephens,1828; adanensis Maran,1941; richteri Shilenkov,1999* **TR**
6102. **Leistus (Pogonophorus) noesskei Banninger,1932** (Carabidae) Synonym(s): *noesskei Banninger,1932* **TR**
6103. **Leistus (Pogonophorus) parvicollis Chaudoir,1869** (Carabidae) Synonym(s): *parvicollis Chaudoir,1869* **TR**
6104. **Leistus (Pogonophorus) rufomarginatus (Duftschmid,1812)** (Carabidae) Synonym(s): *rufomarginatus Duftschmid,1812; ottomanus Schweiger,1970* **TR**
6105. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis Fabricius,1775* **TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU**
6106. **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus Chaudoir,1867* **UA Cm TN CY IL Pa TR SY**
6107. **Leistus (s.str.) chadoiri Perrault,1986** (Carabidae) Synonym(s): *chadoiri Perrault,1986* **TR**
6108. **Leistus (s.str.) femoralis Chaudoir,1846** (Carabidae) Synonym(s): *femoralis Chaudoir,1846* **TR**
6109. **Leistus (s.str.) fulvibarbis Dejean,1826** (Carabidae) Synonym(s): *fulvibarbis Dejean,1826* **TR**
6110. **Leistus (s.str.) fulvus Chaudoir,1846** (Carabidae) Synonym(s): *fulvus Chaudoir,1846* **TR**
6111. **Leistus (s.str.) ledouxi Perrault,1986** (Carabidae) Synonym(s): *ledouxi Perrault,1986* **TR**
6112. **Leistus (s.str.) oivitensis Perrault,1974** (Carabidae) Synonym(s): *oivitensis Perrault,1974* **TR**
6113. **Lejogaster splendida (Meigen,1822)** (Syrphidae) Synonym(s): *splendida Meigen,1822* **TR**
6114. **Lejogaster tarsata (Megerle,1822)** (Syrphidae) Synonym(s): *tarsata Megerle,1822* **TR**
6115. **Lejops vittatus (Meigen,1822)** (Syrphidae) Synonym(s): *vittatus Meigen,1822* **TR**
6116. **Leopoldius coronatus (Rondani,1857)** (Conopidae) Synonym(s): *coronatus Rondani,1857* **TR**
6117. **Lepidosaphes beckii (Newman)** (Diaspididae) Synonym(s): *beckii Newman* **TR**
6118. **Lepidosaphes conchiformis (Gmelin)** (Diaspididae) Synonym(s): *conchiformis Gmelin* **TR**
6119. **Lepidosaphes gloverii (Packard)** (Diaspididae) Synonym(s): *gloverii Packard* **TR**
6120. **Lepidosaphes granati Koroneos** (Diaspididae) Synonym(s): *granati Koroneos* **TR**
6121. **Lepidosaphes juniperi Lindinger** (Diaspididae) Synonym(s): *juniperi Lindinger* **TR**
6122. **Lepidosaphes malicola Borchsenius** (Diaspididae) Synonym(s): *malicola Borchsenius* **TR**
6123. **Lepidosaphes newsteadi (Sulc)** (Diaspididae) Synonym(s): *newsteadi Sulc* **TR**
6124. **Lepidosaphes pinnaeformis (Bouche)** (Diaspididae) Synonym(s): *pinnaeformis Bouche* **TR**
6125. **Lepidosaphes pistaciae Archangelskaya** (Diaspididae) Synonym(s): *pistaciae Archangelskaya* **TR**
6126. **Lepidosaphes serrifrons (Leonardi)** (Diaspididae) Synonym(s): *serrifrons Leonardi* **TR**
6127. **Lepidosaphes ulmi (Linnaeus)** (Diaspididae) Synonym(s): *ulmi Linnaeus* **TR**
6128. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris Meigen,1804* **IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR**
6129. **Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata Say,1824* **DE TR BG**
6130. **Leptochilus aegineticus Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus Gusenleitner,1970* **TR GR**
6131. **Leptochilus alpestris (Saussure,1855)** (Vespidae) Synonym(s): *alpestris Saussure,1855* **TR TM JO**
6132. **Leptochilus fuscipes Gusenleitner,1985** (Vespidae) Synonym(s): *fuscipes Gusenleitner,1985* **IR Qz TR**
6133. **Leptochilus gusenleitneri Yildirim & Özbek,1995** (Vespidae) Synonym(s): *gusenleitneri Yildirim & Özbek,1995* **TR**
6134. **Leptochilus hethiticus Gusenleitner,1985** (Vespidae) Synonym(s): *hethiticus Gusenleitner,1985* **TR**
6135. **Leptochilus kemali Gusenleitner,1977** (Vespidae) Synonym(s): *kemali Gusenleitner,1977* **TR**
6136. **Leptochilus limbiferus (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus Morawitz,1867; anatolicus Blüthgen,1955* **TR**
6137. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus Morawitz,1867* **IL Pa IT YU UA RU Cc AM IR TR KG**
6138. **Leptochilus mimulus Gusenleitner,1970** (Vespidae) Synonym(s): *mimulus Gusenleitner,1970; turcicus Gusenleitner,1971* **TR**
6139. **Leptochilus neutraliformis Gusenleitner,1977** (Vespidae) Synonym(s): *neutraliformis Gusenleitner,1977* **TR**
6140. **Leptochilus neutralis (Giordani Soika,1943)** (Vespidae) Synonym(s): *neutralis Giordani Soika,1943* **TR**

6141. **Leptochilus nigroclypeus** Gusenleitner,1985 (Vespidae) Synonym(s): *nigroclypeus* Gusenleitner,1985 TR
6142. **Leptochilus ornatulus** Gusenleitner,1977 (Vespidae) Synonym(s): *ornatulus* Gusenleitner,1977 TR JO
6143. **Leptochilus osmanicus** Gusenleitner,1988 (Vespidae) Synonym(s): *osmanicus* Gusenleitner,1988 **Leptochilus (Lionotulus) osmanicus** Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 721-723. Holotype ♀: Türkiye: Hakkari Prov. [Şırnak] Habur deresi S. Beytüşşebap 1100m 10.8.1983 leg. W.Schacht (coll. Gusenleitner). TR
6144. **Leptochilus palandokenicus** Yıldırım & Özbek,1995 (Vespidae) Synonym(s): *palandokenicus* Yıldırım & Özbek,1995 TR
6145. **Leptochilus regulus** Saussure,1855 (Vespidae) Synonym(s): *regulus* Saussure,1855 TR
6146. **Leptochilus ressl** Gusenleitner,1985 (Vespidae) Synonym(s): *ressli* Gusenleitner,1985 IR TR
6147. **Leptochilus tarsatellus** Giordani Soika,1970 (Vespidae) Synonym(s): *tarsatellus* Giordani Soika,1970 TR LB
6148. **Leptochilus tarsatiformis** (Giordani Soika,1943) (Vespidae) Synonym(s): *tarsatiformis* Giordani Soika,1943 TR
6149. **Leptocybe invasa** Fisher & La Salle,2004 (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
6150. **Leptodelphax cyclops** Haupt,1927 (Delphacidae) Synonym(s): *cyclops* Haupt,1927 CY IT Si TR EG IL
6151. **Leptodes (s.str.) lederi** Reitter (Tenebrionidae) Synonym(s): Cc AM TR?
6152. **Leptodes (s.str.) semenowi** Reitter (Tenebrionidae) Synonym(s): Cc AM TR?
6153. **Leptodiplosis polypori** (Loew,1850) (Cecidomyiidae) Synonym(s): *polypori* Loew,1850 TR
6154. **Leptodusa demirsoyi** (Karabağ,1975) (Tettigoniidae) Synonym(s): *demirsoyi* Karabağ,1975 *Phytodrymadusa demirsoyi* Karabağ,1975, J. nat. Hist. 9: 347-348, figs. Holotype ♂: Turkey: Erzincan Prov. 18.viii.1967 leg.A.Demirsoy (BMNH). TR
6155. **Leptodusa expugnata** (Uvarov,1916) (Tettigoniidae) Synonym(s): *expugnata* Uvarov,1916 TR
6156. **Leptodusa harzi** (Karabağ,1975) (Tettigoniidae) Synonym(s): *harzi* Karabağ,1975 *Phytodrymadusa harzi* Karabağ,1975, J. nat. Hist. 9: 348-349, figs. Holotype ♂:Turkey: Hatay Prov., Belen, Hortum 900m 18.ix.1961 leg.T.Karabağ (BMNH). TR
6157. **Leptogaster calceata** Engel,1925 (Asilidae) Synonym(s): *calceata* Engel,1925 Cc RU TR IR Kd AZ GG AM
6158. **Leptogaster gracilis** Loew,1847 (Asilidae) Synonym(s): *gracilis* Loew,1847 RO RU KG IR IL Pa TR
6159. **Leptogaster helvola** Loew,1871 (Asilidae) Synonym(s): *helvola* Loew,1871 RU KG TR
6160. **Leptogaster palparis** Loew,1847 (Asilidae) Synonym(s): *palparis* Loew,1847 GR SY TR
6161. **Leptogaster pubicornis** Loew,1847 (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaennicke,1867 IR BG CZ FR DE GR HU IT RU CH TR
6162. **Leptogaster suleymani** Hasbenli, Candan & Alpay,2006 (Asilidae) Synonym(s): *suleymani* Hasbenli, Candan & Alpay,2006 TR
6163. **Leptomastidea abnormis** (Girault,1915) (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
6164. **Leptomastix algirica** Trjapitzin (Encyrtidae) Synonym(s): DZ TR
6165. **Leptomastix dactylopii** Howard (Encyrtidae) Synonym(s): TR
6166. **Leptomastix flava** Mercet (Encyrtidae) Synonym(s): TR
6167. **Leptophyes albiovittata** (Kollar,1833) (Tettigoniidae) Synonym(s): *albiovittata* Kollar,1833 TR
6168. **Leptophyes bolivari** (Kirby,1906) (Tettigoniidae) Synonym(s): *bolivari* Kirby,1906 TR
6169. **Leptophyes helleri** Sevgili,2004 (Tettigoniidae) Synonym(s): *helleri* Sevgili,2004 TR
6170. **Leptophyes karanae** Naskrecki & Ünal,1995 (Tettigoniidae) Synonym(s): *karanae* Naskrecki & Ünal,1995 SY TR
6171. **Leptopternis gracilis** (Eversmann,1848) (Acrididae) Synonym(s): *gracilis* Eversmann,1848 TR
6172. **Leptothorax muscorum** (Nylander,1846) (Formicidae) Synonym(s): *muscorum* Nylander,1846 TR
6173. **Leptura quadrifasciata** Linnaeus,1758 (Cerambycidae) Synonym(s): *quadrifasciata* Linnaeus,1758 SK TR Cc IR
6174. **Lepyronia coleoprata** (Linnaeus,1758) (Cercopidae) Synonym(s): *coleoprata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
6175. **Lertha extensa** (Olivier,1811) (Nemopteridae) Synonym(s): *extensa* Olivier,1811 TR IQ IR Cc SY JO

6176. **Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae) Synonym(s): *ledereri Selys-Longchamps,1866* TR Cc IR
6177. **Lertha palmonii Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii Tjeder,1970* Lertha palmonii Tjeder,1970, Ent. scand. 1: 219-222, figs. Holotype ♂: Israel: Sussita (Hippos), SE shore of the Lake Tiberias (ZIL). IL Pa TR Cc AM IR
6178. **Lertha schmidti (H.Aspöck, U.Aspöck & Hölzel,1984)** (Nemopteridae) Synonym(s): *schmidti H.Aspöck, U.Aspöck & Hölzel,1984* TR
6179. **Lertha sheppardi (Kirby,1904)** (Nemopteridae) Synonym(s): *sheppardi Kirby,1904* TR LB
6180. **Leskia erevanica Richter,1974** (Tachinidae) Synonym(s): *erevanica Richter,1974* Cc AM Eri TR
6181. **Lestes barbarus (Fabricius,1798)** (Lestidae) Synonym(s): *barbarus Fabricius,1798* TR SE CN Ui
6182. **Lestes dryas Kirby,1890** (Lestidae) Synonym(s): *dryas Kirby,1890* TR
6183. **Lestes macrostigma (Eversmann,1836)** (Lestidae) Synonym(s): *macrostigma Eversmann,1836* TR RU CY Cc AM
6184. **Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): *parvidens Artobolevski,1929* ES SY DZ DK TR Rd CY
6185. **Lestes spona (Hansemann,1823)** (Lestidae) Synonym(s): *spona Hansemann,1823* TR Cc JP
6186. **Lestes virens (Charpentier,1825)** (Lestidae) Synonym(s): *virens Charpentier,1825* TR SY Cc
6187. **Lestes viridis (Van Der Linden,1825)** (Lestidae) Synonym(s): *viridis Van Der Linden,1825* TR
6188. **Lesteva binotata Reitter,1901** (Staphylinidae) Synonym(s): *binotata Reitter,1901* TR
6189. **Lesteva junio Smetana,1967** (Staphylinidae) Synonym(s): *juno Smetana,1967* TR
6190. **Lesteva longoelytrata (Goeze,1777)** (Staphylinidae) Synonym(s): *longoelytrata Goeze,1777* TR
6191. **Lesteva maculipennis Luze,1903** (Staphylinidae) Synonym(s): *maculipennis Luze,1903* TR
6192. **Lesteva monticola Kiesenwetter,1847** (Staphylinidae) Synonym(s): *monticola Kiesenwetter,1847; nivicola Fauvel,1872* TR
6193. **Lesteva punctata Erichson,1839** (Staphylinidae) Synonym(s): *punctata Erichson,1839* TR
6194. **Lesteva soror Smetana,1967** (Staphylinidae) Synonym(s): *soror Smetana,1967* TR
6195. **Lesteva turcica Smetana,1967** (Staphylinidae) Synonym(s): *turcica Smetana,1967* TR
6196. **Lethocerus patruelis (Stal,1854)** (Belostomatidae) Synonym(s): *patruelis Stal,1854* TR
6197. **Leucaspis knemion Hoke** (Diaspididae) Synonym(s): *knemion Hoke* TR
6198. **Leucaspis lowi Colvee** (Diaspididae) Synonym(s): *lowi Colvee* TR
6199. **Leucaspis pini (Hartig)** (Diaspididae) Synonym(s): *pini Hartig* TR
6200. **Leucaspis pusilla Löw** (Diaspididae) Synonym(s): *pusilla Löw* TR
6201. **Leucaspis riccae Targioni Tozzetti** (Diaspididae) Synonym(s): *riccae Targioni Tozzetti* TR
6202. **Leucophenga maculata (Dufour,1839)** (Drosophilidae) Synonym(s): *maculata Dufour,1839* LT B-H Cc RU TR GG Soc
6203. **Leucopis silesiaca Egger,1862** (Chamaemyiidae) Synonym(s): *silesiaca Egger,1862; annulipes Oldenberg,1924* TR
6204. **Leucorrhinia caudalis (Charpentier,1840)** (Libellulidae) Synonym(s): *caudalis Charpentier,1840* TR
6205. **Leucorrhinia pectoralis (Charpentier,1825)** (Libellulidae) Synonym(s): *pectoralis Charpentier,1825* TR
6206. **Leucospis bifasciata Klug** (Leucopsidae) Synonym(s): TR
6207. **Leucospis biguetina Jurine** (Leucopsidae) Synonym(s): TR
6208. **Leucospis brevicauda Fabricius** (Leucopsidae) Synonym(s): TR
6209. **Leucospis dorsigera Fabricius** (Leucopsidae) Synonym(s): TR
6210. **Leucospis gigas Fabricius** (Leucopsidae) Synonym(s): TR
6211. **Leucospis intermedia Illiger** (Leucopsidae) Synonym(s): TR
6212. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera Meigen,1824* TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
6213. **Leuctra aculeata Zwick,1982** (Leuctridae) Synonym(s): *aculeata Zwick,1982* TR
6214. **Leuctra anatolica Kazancı,1986** (Leuctridae) Synonym(s): *anatolica Kazancı,1986* TR
6215. **Leuctra antalyana Vincon & Sivec,2001** (Leuctridae) Synonym(s): *antalyana Vincon & Sivec,2001* TR
6216. **Leuctra artvinensis Vincon & Sivec,2001** (Leuctridae) Synonym(s): *artvinensis Vincon & Sivec,2001* TR
6217. **Leuctra aspoecorum Theischinger,1976** (Leuctridae) Synonym(s): *aspoecorum Theischinger,1976* TR
6218. **Leuctra boluensis Kazancı,1999** (Leuctridae) Synonym(s): *boluensis Kazancı,1999* TR
6219. **Leuctra bozi Vincon & Sivec,2001** (Leuctridae) Synonym(s): *bozi Vincon & Sivec,2001* TR
6220. **Leuctra brachyptera Kazancı,1985** (Leuctridae) Synonym(s): *brachyptera Kazancı,1985* TR

6221. **Leuctra collaris Martynov,1928** (Leuctridae) Synonym(s): *collaris Martynov,1928* TR
6222. **Leuctra delamellata Zhiltzova,1960** (Leuctridae) Synonym(s): *delamellata Zhiltzova,1960* TR
6223. **Leuctra furcatella Martynov,1928** (Leuctridae) Synonym(s): *furcatella Martynov,1928* TR
6224. **Leuctra fusca (Linnaeus,1758)** (Leuctridae) Synonym(s): *fusca Linnaeus,1758*; *cylindrica DeGeer,1775*; *abdominalis Stephens,1836*; *fusciventris Stephens,1836*; *klapaleki Kempny,1898*; *carpenteri Despax,1945* TR
6225. **Leuctra hippopus Kempny,1899** (Leuctridae) Synonym(s): *hippopus Kempny,1899* TR LB
6226. **Leuctra karcali Vincon & Sivec,2001** (Leuctridae) Synonym(s): *karcali Vincon & Sivec,2001* TR
6227. **Leuctra kurui Kazanci,1983** (Leuctridae) Synonym(s): *kurui Kazanci,1983* TR
6228. **Leuctra marilouae Vincon & Sivec,2001** (Leuctridae) Synonym(s): *marilouae Vincon & Sivec,2001* TR
6229. **Leuctra martynovi Zhiltzova,1960** (Leuctridae) Synonym(s): *martynovi Zhiltzova,1960* TR
6230. **Leuctra minuta Zhiltzova,1960** (Leuctridae) Synonym(s): *minuta Zhiltzova,1960*; *bursaensis Vincon & Sivec,2001*; *kastamonui Vincon & Sivec,2001* Cc TR
6231. **Leuctra sanainica Zhiltzova,1960** (Leuctridae) Synonym(s): *sanainica Zhiltzova,1960* TR
6232. **Leuctra schistocerca Zwick,1971** (Leuctridae) Synonym(s): *schistocerca Zwick,1971* Leuctra *schistocerca Zwick,1971*, Mitt. schweiz. ent. Ges. 44 (3/4): 251-252. Holotype ♂: [Turkey]: [Adana Prov.]: Taurus, 24km nördl. Kozan, 5.v.1967 leg. Besuchet (MHNG). TR
6233. **Leuctra sipahilerae Vincon & Sivec,2001** (Leuctridae) Synonym(s): *sipahilerae Vincon & Sivec,2001* TR
6234. **Leuctra theischingeri Vincon & Sivec,2001** (Leuctridae) Synonym(s): *theischingeri Vincon & Sivec,2001* TR
6235. **Leuctra zangezurica Zhiltzova,1960** (Leuctridae) Synonym(s): *zangezurica Zhiltzova,1960* AZ Cc TR
6236. **Leuctra zhiltzovae Theischinger,1976** (Leuctridae) Synonym(s): *zhiltzovae Theischinger,1976* TR
6237. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763*; *regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
6238. **Libanissum talhouki (Dlabola,1974)** (Issidae) Synonym(s): *talhouki Dlabola,1974* CY TR LB GR
6239. **Libelloides jungei Aistleitner,1982** (Ascalaphidae) Synonym(s): *jungei Aistleitner,1982* TR
6240. **Libelloides lacteus (Brullé,1832)** (Ascalaphidae) Synonym(s): *lacteus Brullé,1832* FR IT RO TR
6241. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Uj
6242. **Libelloides ottomanus (Germar,1817)** (Ascalaphidae) Synonym(s): *ottomanus Germar,1817* TR
6243. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae) Synonym(s): *rhomboideus Schneider,1845* AL GR TR SY IL Pa
6244. **Libelloides syriacus (McLachan,1871)** (Ascalaphidae) Synonym(s): *syriacus McLachan,1871* IL Pa SY TR
6245. **Libelloides ustulatus (Eversmann,1850)** (Ascalaphidae) Synonym(s): *ustulatus Eversmann,1850* TR Cc GG AZ AM IR
6246. **Libellula depressa Linnaeus,1758** (Libellulidae) Synonym(s): *depressa Linnaeus,1758* TR
6247. **Libellula fulva O.F.Müller,1764** (Libellulidae) Synonym(s): *fulva O.F.Müller,1764* TR RU
6248. **Libellula pontica Selys,1887** (Libellulidae) Synonym(s): *pontica Selys,1887* TR
6249. **Libellula quadrimaculata Linnaeus,1758** (Libellulidae) Synonym(s): *quadrimaculata Linnaeus,1758* TR Cc AM
6250. **Lichtensia viburni Signoret** (Coccidae) Synonym(s): *viburni Signoret* TR
6251. **Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi Lethierry,1876*; *menozii Haupt,1930* DZ CY FR IT Sa Si TN TR YU
6252. **Limnia unguicornis (Scopoli,1763)** (Sciomyzidae) Synonym(s): *unguicornis Scopoli,1763* TR
6253. **Limnophora pandellei Séguy,1923** (Muscidae) Synonym(s): *pandellei Séguy,1923* AM Cc Eri GG TR
6254. **Limnophora pulchriceps (Loew,1860)** (Muscidae) Synonym(s): *pulchriceps Loew,1860* CZ AT IL? TR?
6255. **Limnophyes prolongatus Kieffer,1929** (Chironomidae) Synonym(s): *prolongatus Kieffer,1929* TR
6256. **Limnophyes pusillus Eat.,1875** (Chironomidae) Synonym(s): *pusillus Eat.,1875* TR
6257. **Limnophyes transcausicus Tchern.1949** (Chironomidae) Synonym(s): *transcausicus Tchern.1949* TR Cc
6258. **Limnoxenus niger (Gmelin,1790)** (Hydrophilidae) Synonym(s): *niger Gmelin,1790* TR
6259. **Limobius borealis (Paykull,1792)** (Curculionidae) Synonym(s): *borealis Paykull,1792* TR

6260. **Limonia eos Stary & Savchenko,1976** (Limoniidae) Synonym(s): *eos Stary & Savchenko,1976* TR
6261. **Limonia hercegovinae (Strobl,1898)** (Limoniidae) Synonym(s): *hercegovinae Strobl,1898* TR B-H
6262. **Limonia macrostigma (Schummel,1829)** (Limoniidae) Synonym(s): *macrostigma Schummel,1829* TR
6263. **Limonia nubeculosa Meigen,1804** (Limoniidae) Synonym(s): *nubeculosa Meigen,1804* TR
6264. **Limonia nussbaumi Stary & Freidberg,2007** (Limoniidae) Synonym(s): *nussbaumi Stary & Freidberg,2007* TR
6265. **Limonia pannonica (Kowarz,1868)** (Limoniidae) Synonym(s): *pannonica Kowarz,1868* TR
6266. **Limonia phragmitidis (Schränk,1781)** (Limoniidae) Synonym(s): *phragmitidis Schränk,1781* TR
6267. **Limonia subaequalis Savchenko,1979** (Limoniidae) Synonym(s): *subaequalis Savchenko,1979* TR
6268. **Limonia taurica (Strobl,1895)** (Limoniidae) Synonym(s): *taurica Strobl,1895* TR
6269. **Limonia trivittata (Schummel,1829)** (Limoniidae) Synonym(s): *trivittata Schummel,1829* TR
6270. **Limoniscus elegans (Buysson,1891)** (Elateridae) Synonym(s): *elegans Buysson,1891* TR
6271. **Limoniscus violaceus (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus P.Müller,1843* SK DE FR IT TR
6272. **Limonius araratensis (Faldermann,1835)** (Elateridae) Synonym(s): *araratensis Faldermann,1835* TR Cc Arr
6273. **Limonius minutus (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus Linnaeus,1758* IT Si GR TR Cc AM RU Sb Am
6274. **Limonius poneli Leseigneur & Mertlik,2007** (Elateridae) Synonym(s): *poneli Leseigneur & Mertlik,2007* TR
6275. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
6276. **Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei Lethierry,1878; spoliata Horvath,1907* BG TR FR GB IT ES YU
6277. **Lindbergina tarsalis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *tarsalis Linnavuori,1962* TR IL Pa
6278. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkitii Bartenev,1929* TR DZ EG Cc AM GR YU IQ IL Pa
6279. **Lineaspis striata (Newstead)** (Diaspididae) Synonym(s): *striata Newstead* TR
6280. **Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): *compta Fallén,1810; compta Meigen,1824; fulgeus Meigen,1824; heraclei Robineau-Desvoidy,1830; aestivalis Robineau-Desvoidy,1830; borealis Robineau-Desvoidy,1830; longipes Robineau-Desvoidy,1830; oenanthis Robineau-Desvoidy,1830; humeralis Robineau-Desvoidy,1863* CA US MX TR SE Cc MN GB RU Ur
6281. **Linnaemya impudica (Rondani,1859)** (Tachinidae) Synonym(s): *nublia Meigen,1824; impudica Rondani,1859* RU TR
6282. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata Fallén,1828 (praeocc.); sexmaculata Hardy,1850; agathina Snellen van Vollenhoven,1862; bipunctata Cerutti,1939; quadripunctata Mitjaev,1963* AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
6283. **Linyacus exhortator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *exhortator Fabricius,1793; dimidiatus Gravenhorst,1829* TR
6284. **Liometopum microcephalum (Panzer,1798)** (Formicidae) Synonym(s): *microcephalum Panzer,1798* TR
6285. **Liorhysus hyalinus (Fabricius,1794)** (Rhopalidae) Synonym(s): *hyalinus Fabricius,1794* TR
6286. **Liotryphon caudatus (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *caudatus Ratzeburg,1848* TR Cc MN
6287. **Liponeura bithynica Zwick,1988** (Blephariceridae) Synonym(s): *bithynica Zwick,1988* TR
6288. **Liponeura cinerascens Loew,1844** (Blephariceridae) Synonym(s): *cinerascens Loew,1844* TR
6289. **Liponeura euryfrons Bischoff,1935** (Blephariceridae) Synonym(s): *euryfrons Bischoff,1935* Cc TR
6290. **Liponeura heidae Zwick,1972** (Blephariceridae) Synonym(s): *heidae Zwick,1972* TR
6291. **Liponeura lindneri Zwick,1972** (Blephariceridae) Synonym(s): *lindneri Zwick,1972* TR
6292. **Liponeura mannheimsi Zwick,1972** (Blephariceridae) Synonym(s): *mannheimsi Zwick,1972* TR
6293. **Liponeura osmanica Koç & Zwick,2006** (Blephariceridae) Synonym(s): *osmanica Koç & Zwick,2006* TR
6294. **Liponeura tarnogradskyi Bischoff,1930** (Blephariceridae) Synonym(s): *tarnogradskyi Bischoff,1930* TR

6295. **Liponeura vinconi** Zwick,2006 (Blephariceridae) Synonym(s): *vinconi* Zwick,2006 TR
6296. **Liposthenes kernerii** (Wachtl,1891) (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES IT AT HU RO UA RU TR
6297. **Lipsothrix nobilis** Loew,1873 (Limoniidae) Synonym(s): *nobilis* Loew,1873 TR
6298. **Liriomyza alyssi** (M.Hering,1960) (Agromyzidae) Synonym(s): *alyssi* M.Hering,1960 TR
6299. **Liriomyza amarellae** M.Hering,1963 (Agromyzidae) Synonym(s): *amarellae* M.Hering,1963 TR
6300. **Liriomyza amoena** (Meigen,1830) (Agromyzidae) Synonym(s): *amoena* Meigen,1830 TR
6301. **Liriomyza balcanica** (Strobl,1900) (Agromyzidae) Synonym(s): *balcanica* Strobl,1900 TR
6302. **Liriomyza brassicae** (Riley,1884) (Agromyzidae) Synonym(s): *brassicae* Riley,1884 TR
6303. **Liriomyza bryoniae** (Kaltenbach,1858) (Agromyzidae) Synonym(s): *bryoniae* Kaltenbach,1858 TR
6304. **Liriomyza buhri** M.Hering,1937 (Agromyzidae) Synonym(s): *buhri* M.Hering,1937 TR
6305. **Liriomyza cannabis** Hendel,1931 (Agromyzidae) Synonym(s): *cannabis* Hendel,1931 TR
6306. **Liriomyza cardariae** Sasakawa,2008 (Agromyzidae) Synonym(s): *cardariae* Sasakawa,2008 TR
6307. **Liriomyza centaureae** M.Hering,1927 (Agromyzidae) Synonym(s): *centaureae* M.Hering,1927 TR
6308. **Liriomyza cepae** (M.Hering,1927) (Agromyzidae) Synonym(s): *cepae* M.Hering,1927 TR
6309. **Liriomyza cicerina** (Rondani,1875) (Agromyzidae) Synonym(s): *cicerina* Rondani,1875 TR
6310. **Liriomyza congesta** (Becker,1903) (Agromyzidae) Synonym(s): *congesta* Becker,1903 TR
6311. **Liriomyza dracunculi** M.Hering,1932 (Agromyzidae) Synonym(s): *dracunculi* M.Hering,1932 TR
6312. **Liriomyza eupatorii** (Kaltenbach,1873) (Agromyzidae) Synonym(s): *eupatorii* Kaltenbach,1873 TR
6313. **Liriomyza euphorbiae** Martinez,1999 (Agromyzidae) Synonym(s): *euphorbiae* Martinez,1999 TR
6314. **Liriomyza flaveola** (Fallén,1823) (Agromyzidae) Synonym(s): *flaveola* Fallén,1823 TR
6315. **Liriomyza freyella** Spencer,1976 (Agromyzidae) Synonym(s): *freyella* Spencer,1976 TR
6316. **Liriomyza hieracivora** Spencer,1971 (Agromyzidae) Synonym(s): *hieracivora* Spencer,1971 TR
6317. **Liriomyza huidobrensis** (Blanchard,1926) (Agromyzidae) Synonym(s): *huidobrensis* Blanchard,1926 TR
6318. **Liriomyza orbona** (Meigen,1830) (Agromyzidae) Synonym(s): *orbona* Meigen,1830 TR
6319. **Liriomyza pascuum** (Meigen,1838) (Agromyzidae) Synonym(s): *pascuum* Meigen,1838 TR
6320. **Liriomyza pedestris** Hendel,1931 (Agromyzidae) Synonym(s): *pedestris* Hendel,1931 TR
6321. **Liriomyza pusilla** (Meigen,1830) (Agromyzidae) Synonym(s): *pusilla* Meigen,1830 TR
6322. **Liriomyza sativae** Blanchard,1938 (Agromyzidae) Synonym(s): *sativae* Blanchard,1938 TR
6323. **Liriomyza strigata** (Meigen,1830) (Agromyzidae) Synonym(s): *strigata* Meigen,1830 TR
6324. **Liriomyza trifolii** (Burgess,1880) (Agromyzidae) Synonym(s): *trifolii* Burgess,1880 TR
6325. **Liriomyza virgula** Frey,1946 (Agromyzidae) Synonym(s): *virgula* Frey,1946 TR
6326. **Lispe apicalis** Mik,1869 (Muscidae) Synonym(s): *apicalis* Mik,1869 MA DZ AT HU TR IR
6327. **Lispe caesia** Meigen,1826 (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
6328. **Lispe elkantarae** Becker,1907 (Muscidae) Synonym(s): *elkantarae* Becker,1907 DZ TR?
6329. **Lispe longicollis** Meigen,1826 (Muscidae) Synonym(s): *longicollis* Meigen,1826 Ch AM Cc TR
6330. **Lispe nana** Macquart,1835 (Muscidae) Synonym(s): *nana* Macquart,1835 AM Cc Eri IR TR IN
6331. **Lispe tentaculata** (De Geer,1776) (Muscidae) Synonym(s): *tentaculata* De Geer,1776 AM Cc IR TR Ch
6332. **Lissonota (Loxonota) flavovariegata** (Lucas,1849) (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
6333. **Lissonota (Loxonota) histrio** (Fabricius,1798) (Ichneumonidae) Synonym(s): *histrio* Fabricius,1798 TR
6334. **Lissonota (s.str.) barbator** Aubert,1972 (Ichneumonidae) Synonym(s): *barbator* Aubert,1972 TR
6335. **Lissonota (s.str.) clypeator** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *clypeator* Gravenhorst,1829 TR
6336. **Lissonota (s.str.) compar** Fonscolombe,1854 (Ichneumonidae) Synonym(s): *compar* Fonscolombe,1854 FR TR RU
6337. **Lissonota (s.str.) cruentator** (Panzer,1809) (Ichneumonidae) Synonym(s): *cruentator* Panzer,1809; *insignita* Gravenhorst,1829 BG TR
6338. **Lissonota (s.str.) culiciformis** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *culiciformis* Gravenhorst,1829 TR
6339. **Lissonota (s.str.) fundator** (Thunberg,1822) (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822 Cc RU Sb TR

6340. **Lissonota (s.str.) mutator Aubert,1969** (Ichneumonidae) Synonym(s): *mutator Aubert,1969* BG TR
6341. **Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis Habermehl,1918; orientalis Hedwig,1959* DE RO TR
6342. **Lissonota (s.str.) parallela Gravenhorst,1829** (Ichneumonidae) Synonym(s): *parallela Gravenhorst,1829* TR
6343. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator Gravenhorst,1829* TR DE AT ES HU IT YU MD KG
6344. **Lissonota (s.str.) rufitarsis Szepligeti,1899** (Ichneumonidae) Synonym(s): *rufitarsis Szepligeti,1899* TR
6345. **Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator Aubert,1967* GR TR SY LB
6346. **Listrognathus (s.str.) furax (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax Tschek,1871* TR IR Elb Th
6347. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator Gravenhorst,1829* AM Cc GB FR CH AT IT YU TR
6348. **Listrognathus orientalis Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis Horstmann,1989* TR LB
6349. **Lithodusa helverseni Heller,2009** (Tettigoniidae) Synonym(s): *helverseni Heller,2009* Lithodusa helverseni Heller,2009, J. Orth. Res. 18 (1): 7-8, figs. Holotype ♂: Turkey, Erzurum Çoruh Valley, 35km ne of Ispir 900m leg. K.G.Heller (ZMB). TR
6350. **Litus cynipseus Haliday** (Mymaridae) Synonym(s): TR
6351. **Livia juncorum (Latreille)** (Psyllidae) Synonym(s): TR
6352. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea Loginova,1974* Cc UA Cm TR BG IL Pa DZ
6353. **Livilla horvathi (Scott)** (Psyllidae) Synonym(s): TR
6354. **Lixus anguinus (Linnaeus,1767)** (Curculionidae) Synonym(s): *anguinus Linnaeus,1767* TR
6355. **Lixus angustatus (Fabricius,1775)** (Curculionidae) Synonym(s): *angustatus Fabricius,1775* TR
6356. **Lixus ascanii (Linnaeus,1767)** (Curculionidae) Synonym(s): *ascanii Linnaeus,1767* TR
6357. **Lixus bardanae (Fabricius,1787)** (Curculionidae) Synonym(s): *bardanae Fabricius,1787* TR
6358. **Lixus cardui Olivier,1807** (Curculionidae) Synonym(s): *cardui Olivier,1807* TR
6359. **Lixus circumcinctus Boheman,1836** (Curculionidae) Synonym(s): *circumcinctus Boheman,1836* TR
6360. **Lixus cylindrus (Fabricius,1781)** (Curculionidae) Synonym(s): *cylindrus Fabricius,1781* TR
6361. **Lixus elegantulus Boheman,1843** (Curculionidae) Synonym(s): *elegantulus Boheman,1843* TR
6362. **Lixus furcatus Olivier,1807** (Curculionidae) Synonym(s): *furcatus Olivier,1807* TR
6363. **Lixus incanescens Boheman,1836** (Curculionidae) Synonym(s): *incanescens Boheman,1836* TR
6364. **Lixus iridis Olivier,1807** (Curculionidae) Synonym(s): *iridis Olivier,1807* TR
6365. **Lixus junci Boheman,1836** (Curculionidae) Synonym(s): *junci Boheman,1836* TR
6366. **Lixus myagri Olivier,1807** (Curculionidae) Synonym(s): *myagri Olivier,1807* TR
6367. **Lixus nordmanni Hochhuht,1847** (Curculionidae) Synonym(s): *nordmanni Hochhuht,1847* Cc TR
6368. **Lixus obesus Petri,1904** (Curculionidae) Synonym(s): *obesus Petri,1904* TR
6369. **Lixus punctiventris Boheman,1836** (Curculionidae) Synonym(s): *punctiventris Boheman,1836* TR
6370. **Lixus rubicundus Zoubkoff,1833** (Curculionidae) Synonym(s): *rubicundus Zoubkoff,1833* TR
6371. **Lixus scabricollis Boheman,1843** (Curculionidae) Synonym(s): *scabricollis Boheman,1843* TR
6372. **Lixus scolapax Boheman,1836** (Curculionidae) Synonym(s): *scolapax Boheman,1836* TR
6373. **Lixus speciosus Miller,1861** (Curculionidae) Synonym(s): *speciosus Miller,1861* TR
6374. **Lixus subtilis Boheman,1836** (Curculionidae) Synonym(s): *subtilis Boheman,1836* TR
6375. **Lixus vilis (Rossi,1790)** (Curculionidae) Synonym(s): *vilis Rossi,1790* TR
6376. **Lobodera (Penthomagus) iners Ménétrés,1832** (Tenebrionidae) Synonym(s): *iners Ménétrés,1832* TR
6377. **Loboptera decipiens (Germar,1817)** (Blattidae) Synonym(s): *decipiens Germar,1817* TR
6378. **Lobosmittia invaginata (Caspers & Reiss,1989)** *invaginata Caspers & Reiss,1989* TR
6379. **Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria Linnaeus,1758* TR IR RU KG
6380. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul Fabricius,1794* ES MD UA RU Cc IT DZ TR
6381. **Lonchoptera nerana Vaillant,1989** (Lonchopteridae) Synonym(s): *nerana Vaillant,1989* TR
6382. **Longicoccus affinis (Ter-Grigorian)** (Pseudococcidae) Synonym(s): *affinis Ter-Grigorian* TR

6383. **Longicoccus clarus (Borkhsenius)** (Pseudococcidae) Synonym(s): *clarus Borkhsenius* TR
6384. **Longicoccus festucae (Koteja)** (Pseudococcidae) Synonym(s): *festucae Koteja* TR
6385. **Longicoccus psammophilus (Koteja)** (Pseudococcidae) Synonym(s): *psammophilus Koteja* TR
6386. **Longicoccus tongiventris (Borkhsenius)** (Pseudococcidae) Synonym(s): *tongiventris Borkhsenius* TR
6387. **Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii Kutschera,1862* TR Cc TM KG MN RU
6388. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis Marsham,1802 nec Fabr.,1775; aeneicollis Faldermann,1837; nigricollis Foudras,1860; rubenticollis Allard,1860; similis Weise,1893; cribripennis Abeille,1909* TR AZ GG Cc AF IR KG RU
6389. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus Foudras,1860* TR Cc AZ JO IR AF
6390. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
6391. **Longitarsus anatolicus Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus Weise,1900* TR IL Pa Cc AZ R
6392. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae Paykull,1799; punctatissimus Weise,1888* TR Cc IR KG RU Sb
6393. **Longitarsus angelikae Fritzlär,2001** (Chrysomelidae) Synonym(s): *angelikae Fritzlär,2001* TR
6394. **Longitarsus angorensis Gruev & Kasap,1985** (Chrysomelidae) Synonym(s): *angorensis Gruev & Kasap,1985* TR
6395. **Longitarsus aramaicus Leonardi,1979** (Chrysomelidae) Synonym(s): *aramaicus Leonardi,1979* TR IL Pa JO
6396. **Longitarsus artvinus Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *artvinus Gruev & Aslan,1998* TR
6397. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus Linnaeus,1761; declivis Weise,1893* DZ TN TR Cc IR TM
6398. **Longitarsus aubozaorum Biondi,1997** (Chrysomelidae) Synonym(s): *aubozaorum Biondi,1997* Longitarsus aubozaorum Biondi,1997, *Fragm. Ent. 29 (2): 383-386, figs. Holotype ♂: Turkey, vil. Ankara, 5km NE of Temelli 750m 10.v.1991 P.Audisio, M.Biondi & M.Bologna leg. (coll.Biondi).* TR
6399. **Longitarsus audisioi Biondi,1992** (Chrysomelidae) Synonym(s): *audisioi Biondi,1992* Longitarsus audisioi Biondi,1992, *Fragm. Ent. 23 (2): 342-345, figs. Holotype ♂: Turchia, vil. Trabzon, Soumela 1000-1500m 10/11.vii.1987 P.Audisio & M.Biondi leg. (coll. Biondi).* TR
6400. **Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae Marsham,1802; canescens Foudras,1860; septorum Buysson,1908; #caligans Kral,1945* TR Cc IR MN YE
6401. **Longitarsus barbarae Doguet & Bergeal,2002** (Chrysomelidae) Synonym(s): *barbarae Doguet & Bergeal,2002* GR TR
6402. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii Leonhardi,1973* TR Cc IR TM T HU AT
6403. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti Heikertinger,1912* DE BE IT SK YU BG RU TR
6404. **Longitarsus bytinskii Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii Furth,1979* AM Cc IL Pa TR
6405. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus Warchalowski,1967* Cc AZ TR FR IT AT HU PL CZ SK IR TN
6406. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus Leonhardi,1975* AT MA ES FR CH IT DE CZ SK YU UA TR
6407. **Longitarsus cerinthes (Schrank,1798)** (Chrysomelidae) Synonym(s): *cerinthes Schrank,1798; nervosa Wollaston,1854; pectoralis Foudras,1860* GR TR Cn
6408. **Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus Weise,1887* TR KG TM UZ TJ
6409. **Longitarsus echii (Koch,1803)** (Chrysomelidae) Synonym(s): *echii Koch,1803; tibialis Duftschmidt,1825; excurvus Wollaston,1854; flavipes Allard,1860; coerulescens Weise,1888; nigrescens Weise,1888; peregrinus Weise,1888; kulikovskii Jacobson,1895* PL AF Cn TR
6410. **Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus Warchalowski,1967* IL Pa TR IQ IR AF
6411. **Longitarsus exsoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus Linnaeus,1758; femoralis Marsham,1802; boppardiensis Bach,1856; rufula Foudras,1860; megaloleuca Allard,1860; lividus Fauvel,1888; arctulus Weise,1893* TR TJ Cc CY SY
6412. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG

6413. **Longitarsus foudrasi** Weise,1893 (Chrysomelidae) Synonym(s): *foudrasi* Weise,1893 TR RU Sb Cc DZ
6414. **Longitarsus fuscoaeus** Redtenbacher,1859 (Chrysomelidae) Synonym(s): *fuscoaeus* Redtenbacher,1859 TR Cc
6415. **Longitarsus ganglbaueri** Haikertinger,1912 (Chrysomelidae) Synonym(s): *ganglbaueri* Haikertinger,1912 TR RU Sb MN Cc
6416. **Longitarsus hittita** Biondi,1995 (Chrysomelidae) Synonym(s): *hittita* Biondi,1995 TR
6417. **Longitarsus iconiensis** Weise,1900 (Chrysomelidae) Synonym(s): *iconiensis* Weise,1900; *angorensis* Gruev & Kasap,1985 TR
6418. **Longitarsus jacobaeae** (Waterhouse,1858) (Chrysomelidae) Synonym(s): *jacobaeae* Waterhouse,1858 TR Cc RU Sb MN KK KG
6419. **Longitarsus jailensis** Heikertinger,1913 (Chrysomelidae) Synonym(s): *jailensis* Heikertinger,1913 UA Cm BG TR
6420. **Longitarsus juncicola** (Foudras,1860) (Chrysomelidae) Synonym(s): *juncicola* Foudras,1860 DZ TR Cc
6421. **Longitarsus karlheinzi** Warchalowski,1972 (Chrysomelidae) Synonym(s): *karlheinzi* Warchalowski,1972 TR IL Pa IR UA Cm
6422. **Longitarsus kopdagiensis** Gruev & Aslan,1998 (Chrysomelidae) Synonym(s): *kopdagiensis* Gruev & Aslan,1998 TR
6423. **Longitarsus kutscherae** (Rey,1892) (Chrysomelidae) Synonym(s): *kutscherae* Rey,1892 DZ TR Cc RU Sb KP KR CN
6424. **Longitarsus lateripunctatus** Rosenhauer,1856 (Chrysomelidae) Synonym(s): *lateripunctatus* Rosenhauer,1856; *personatus* Weise,1893 Cc TR
6425. **Longitarsus ledouxi** Doguet,1979 (Chrysomelidae) Synonym(s): *ledouxi* Doguet,1979 Cc TR
6426. **Longitarsus lewisii** (Baly,1874) (Chrysomelidae) Synonym(s): *lewisii* Baly,1874 Cc TR IR AF RU Sb MN CN VN JP
6427. **Longitarsus linnaei** (Duftschmid,1825) (Chrysomelidae) Synonym(s): *linnaei* Duftschmid,1825 TR Cc IR
6428. **Longitarsus longipennis** Kutschera,1836 (Chrysomelidae) Synonym(s): *longipennis* Kutschera,1836 TR Cc RU Sb KG
6429. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae) Synonym(s): *luridus* Scopoli,1763 Cc TR RU Sb MN KG
6430. **Longitarsus lycopi** (Foudras,1860) (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860 Cc TR IR SA RU Sb KG YE
6431. **Longitarsus melanocephalus** (De Geer,1775) (Chrysomelidae) Synonym(s): *melanocephalus* De Geer,1775 Cc TR IR AF KG IL Pa RU Sb
6432. **Longitarsus membranaceus** (Foudras,1860) (Chrysomelidae) Synonym(s): *membranaceus* Foudras,1860 TR Cc IR
6433. **Longitarsus minusculus** (Foudras,1860) (Chrysomelidae) Synonym(s): *minusculus* Foudras,1860 Cc TR DZ
6434. **Longitarsus niger** (Koch,1803) (Chrysomelidae) Synonym(s): *niger* Koch,1803 TR Cc
6435. **Longitarsus nigrofasciatus** (Goeze,1777) (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777 TR Cc IR AF RU Sb KG DZ
6436. **Longitarsus nimrodi** Furth,1979 (Chrysomelidae) Synonym(s): *nimrodi* Furth,1979 TR AT IT BG SS IL Pa
6437. **Longitarsus obliteratus** (Rosenhauer,1847) (Chrysomelidae) Synonym(s): *obliteratus* Rosenhauer,1847; *meridionalis* Cziki & Heikertinger,1940 TR Cc IR
6438. **Longitarsus ochroleucus** (Marsham,1802) (Chrysomelidae) Synonym(s): *ochroleucus* Marsham,1802 TR Cc DZ
6439. **Longitarsus parvulus** (Paykull,1799) (Chrysomelidae) Synonym(s): *parvulus* Paykull,1799 TR Cc RU Sb DZ
6440. **Longitarsus pellucidus** (Foudras,1860) (Chrysomelidae) Synonym(s): *pellucidus* Foudras,1860 TR Cc IR AF RU MN KG
6441. **Longitarsus picicollis** Weise,1900 (Chrysomelidae) Synonym(s): *picicollis* Weise,1900 TR Cc IR AF KG RU
6442. **Longitarsus pinguis** Weise,1888 (Chrysomelidae) Synonym(s): *pinguis* Weise,1888 TR Cc DE SY RU
6443. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794 TR Cc IR AF KG IL Pa DZ
6444. **Longitarsus quadriguttatus** (Pontoppidan,1765) (Chrysomelidae) Synonym(s): *quadriguttatus* Pontoppidan,1765 TR Cc
6445. **Longitarsus rectilineatus** (Foudras,1860) (Chrysomelidae) Synonym(s): *rectilineatus* Foudras,1860 TR Cc IR AF DZ KG
6446. **Longitarsus reichei** (Allard,1860) (Chrysomelidae) Synonym(s): *reichei* Allard,1860 TR Cc IR
6447. **Longitarsus salviae** Gruev,1975 (Chrysomelidae) Synonym(s): *salviae* Gruev,1975 RU Cc TR
6448. **Longitarsus scutellaris** (Rey,1874) (Chrysomelidae) Synonym(s): *scutellaris* Rey,1874 TR Cc

6449. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus Foudras,1860* TR Cc RU Sb KG DZ MN KP KR JP
6450. **Longitarsus suturellus (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *suturellus Duftschmid,1825* TR
6451. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus Fabricius,1775* TR Cc DE IR KG DZ MN
6452. **Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus Warchalowski,1973* TR IR Cc AF
6453. **Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus Weise,1890* TR GR JO IL Pa
6454. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus Weise,1893* TR Cc IR AF KG RU Sb MN CN Ui
6455. **Lopholeucaspis japonica (Cockerell)** (Diaspididae) Synonym(s): *japonica Cockerell* TR
6456. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata Meigen,1824* RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
6457. **Lophyridia aphrodisia (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia Baudi,1864* CY SY IT Si TR
6458. **Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica Adams,1817* Cc AM IQ TR SY IR Ab Ak
6459. **Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor Dejean,1822* TR Cr Rd GR SY
6460. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bi TJ AF OM
6461. **Lophyridia hilariola (Bates,1874)** (Carabidae) Synonym(s): *hilariola Bates,1874* TR IQ IR Mos Bgd
6462. **Lophyridia littoralis (Fabricius,1787)** (Carabidae) Synonym(s): *littoralis Fabricius,1787* TR
6463. **Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
6464. **Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923; #hibericus Sabatinelli,1977* Lucanus ibericus Motschoulsky,1845, Bull. Soc. nat. Moscou 18: 60. AL GR Cc GG Tbl Akh Smt AZ Len TR IR Elb Mz Gh
6465. **Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica Linnaeus,1758* Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401. Type(s): Italia. HV GR MK IT SL RO SZ YU TR
6466. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854; mehadiensis Motschoulsky,1854; mingrelica Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969* AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
6467. **Ludita fulvipennis (Smith,1879)** (Tiphidae) Synonym(s): *fulvipennis Smith,1879* TR
6468. **Ludita villosa (Fabricius,1793)** (Tiphidae) Synonym(s): *villosa Fabricius,1793* TR
6469. **Lycoriella solani (Winnertz,1871)** (Sciaridae) Synonym(s): *solani Winnertz,1871* BE FI GB PL RU UA MN UZ Sb TR
6470. **Lycocoris campestris (Fabricius,1794)** (Anthocoridae) Synonym(s): *campestris Fabricius,1794* TR
6471. **Lycocoris dimidiatus (Spinola,1837)** (Anthocoridae) Synonym(s): *dimidiatus Spinola,1837* TR
6472. **Lydus anatolicus Muche,1962** (Meloidae) Synonym(s): *anatolicus Muche,1962* TR
6473. **Lydus europaeus Escherich,1897** (Meloidae) Synonym(s): *europaeus Escherich,1897* HV TR
6474. **Lydus gibbifer Escherich,1896** (Meloidae) Synonym(s): *gibbifer Escherich,1896* TR
6475. **Lydus humeralis Gyllenhal,1817** (Meloidae) Synonym(s): *humeralis Gyllenhal,1817* TR
6476. **Lydus pilicollis Fairmaire,1892** (Meloidae) Synonym(s): *pilicollis Fairmaire,1892* TR SY
6477. **Lydus tarsalis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tarsalis Abeille de Perrin,1880* TR
6478. **Lydus tenuitarsis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuitarsis Abeille de Perrin,1880* TR
6479. **Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): *trimaculatus Fabricius,1775* TR HU RO IT
6480. **Lydus turcicus Kaszab,1952** (Meloidae) Synonym(s): *turcicus Kaszab,1952* TR SY
6481. **Lydus unicolor Reitter,1887** (Meloidae) Synonym(s): *unicolor Reitter,1887; halbhuberi Escherich,1896* TR Cc AM IR Ha
6482. **Lygaeosoma anatolicum Seidenstücker,1960** (Lygaeidae) Synonym(s): *anatolicum Seidenstücker,1960* TR

6483. **Lygaeosoma erythropterum (Puton,1876)** (Lygaeidae) Synonym(s): *erythropterum Puton,1876* TR FR
6484. **Lygaeosoma reticulatum (Herrich-Schäffer,1838)** (Lygaeidae) Synonym(s): *reticulatum Herrich-Schäffer,1838* Cn CY GR TR
6485. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* AF IR IL Pa IT SY TR GR Cr
6486. **Lygaeus equestris (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris Linnaeus,1758* IL Pa CY Cc IQ SY TM TR
6487. **Lygus gemellatus (Herrich-Schäffer,1835)** (Miridae) Synonym(s): *gemellatus Herrich-Schäffer,1835* TR
6488. **Lymantrichneumon disparis (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis Poda,1761* AT SS TR
6489. **Lyphia tetraphylla Fairmaire,1856** (Tenebrionidae) Synonym(s): *tetraphylla Fairmaire,1856* TR
6490. **Lyristes gemellus Boulard,1988** (Cicadidae) Synonym(s): *gemellus Boulard,1988* Lyristes gemellus Boulard,1988, Le Ent. 44 (3): 153-167. TR
6491. **Lyristes isodol Boulard,1988** (Cicadidae) Synonym(s): *isodol Boulard,1988* TR
6492. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
6493. **Lysibia nana (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nana Gravenhorst,1829; fulvipes Gravenhorst,1829;* TR
6494. **Lytta vesicatoria (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria Linnaeus,1758* ES IT Sa Si Cc TR
6495. **Maccevethus lutheri Wagner,1953** (Rhopalidae) Synonym(s): *lutheri Wagner,1953* TR
6496. **Machimus albicapillus Janssens,1968** (Asilidae) Synonym(s): *albicapillus Janssens,1968* TR
6497. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes Brullé,1832; basalis Loew,1849; cerdo Gerstaecker,1861* IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
6498. **Machimus atripes Loew,1854** (Asilidae) Synonym(s): *atripes Loew,1854* TR
6499. **Machimus caliginosus (Meigen,1820)** (Asilidae) Synonym(s): *caliginosus Meigen,1820* TR
6500. **Machimus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781* Cc TR
6501. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus Loew,1849* IT HU AT YU RO GR BG AL TR
6502. **Machimus elegans (Loew,1849)** (Asilidae) Synonym(s): *elegans Loew,1849* TR IR Es ES
6503. **Machimus fimbriatus (Meigen,1804)** (Asilidae) Synonym(s): *fimbriatus Meigen,1804* TR
6504. **Machimus fuscus (Macquart,1839)** (Asilidae) Synonym(s): *fuscus Macquart,1839* TR
6505. **Machimus graciosus Loew,1871** (Asilidae) Synonym(s): *graciosus Loew,1871* TR IR
6506. **Machimus leucocephalus Janssens,1968** (Asilidae) Synonym(s): *leucocephalus Janssens,1968* GR Cr TR
6507. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus Loew,1849* HU YU RO GR BG TR IR Gor
6508. **Machimus mystacinus Becker,1923** (Asilidae) Synonym(s): *mystacinus Becker,1923* TR
6509. **Machimus planifacies Becker,1923** (Asilidae) Synonym(s): *planifacies Becker,1923* TR
6510. **Machimus rudis Becker,1923** (Asilidae) Synonym(s): *rudis Becker,1923* TR IR Fa
6511. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
6512. **Machimus sareptanus Becker,1923** (Asilidae) Synonym(s): *sareptanus Becker,1923* RU TR
6513. **Machimus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex Wiedemann,1820* TR
6514. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
6515. **Machimus tessellatus Loew,1849** (Asilidae) Synonym(s): *tessellatus Loew,1849* TR
6516. **Machimus thoracius (Loew,1849)** (Asilidae) Synonym(s): *thoracius Loew,1849* IR Ss Ke HU TR
6517. **Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota Meigen,1824; germanica Robineau-Desvoidy,1830; major Schiner,1862* TR AT DE HU SE
6518. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica Meigen,1824; microcera Robineau-Desvoidy,1830; olizon Walker,1849; torta Walker,1853; celebs Rondani,1859; atra Robineau-Desvoidy,1863; spinicincta Meade,1891; echinalis Pandelle,1895; fuscicularis Pandelle,1895; #preafica Kara,1999* BE DE Cc IL Pa UA GB BG ES RU TR
6519. **Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa Meigen,1824; tristis Meigen,1824; nitida Robineau-Desvoidy,1830; fumata Zetterstedt,1844; rufipalpis Macquart,1854; umbrosa Zetterstedt,1859; affinis Schiner,1862; carbonaria Robineau-Desvoidy,1863; laeta Robineau-Desvoidy,1863; villica Robineau-Desvoidy,1863; clausicella Rondani,1865* SE GB TR Cc IL Pa MN KG RU

- 6520. *Macquartia tessellum* Meigen,1824** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* Robineau-Desvoidy,1863; *microcera* Robineau-Desvoidy,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895 **FR CH SK Cn IL Pa Cc TJ TR**
- 6521. *Macrocera fasciata* Meigen,1804** (Keroplastidae) Synonym(s): *fasciata* Meigen,1804 **TR**
- 6522. *Macrocera lutea* Meigen,1804** (Keroplastidae) Synonym(s): *lutea* Meigen,1804 **TR**
- 6523. *Macrocera phalerata* Meigen,1818** (Keroplastidae) Synonym(s): *phalerata* Meigen,1818 **TR**
- 6524. *Macrocoma doboszi* Borowiec,2005** (Chrysomelidae) Synonym(s): *doboszi* Borowiec,2005 **TR**
- 6525. *Macrodiplosis pustularis* (Bremi,1847)** (Cecidomyiidae) Synonym(s): *pustularis* Bremi,1847; *dryobia* Loew,1877 **TR**
- 6526. *Macrodiplosis roboris* (Hardy,1854)** (Cecidomyiidae) Synonym(s): *roboris* Hardy,1854; *volvans* Kieffer,1895 **TR**
- 6527. *Macrogenes varicornis* (Haliday)** (Pteromalidae) Synonym(s): **TR**
- 6528. *Macrolenes dentipes* (Olivier,1808)** (Chrysomelidae) Synonym(s): *bimaculatus* Rossi,1790 nec Fabr.,1781; *ruficollis* Fabricius,1792 nec Fabr.,1775; *dentipes* Olivier,1808 **IT Si TR FR DZ**
- 6529. *Macrolophus caliginosus* Wagner,1950** (Miridae) Synonym(s): *caliginosus* Wagner,1950 **Cn Md TR**
- 6530. *Macrolophus melanotoma* (Costa,1852)** (Miridae) Synonym(s): *melanotoma* Costa,1852 **IT Sa HU TR**
- 6531. *Macrolophus nubilus* (Herrich-Schäffer,1835)** (Miridae) Synonym(s): *nubilus* Herrich-Schäffer,1835 **TR**
- 6532. *Macromyrme binotata* (Radoszkowski,1879)** (Mutillidae) Synonym(s): *binotata* Radoszkowski,1879; *araratica* Radoszkowski,1890 *Mutilla binotata* Radoszkowski,1879, *Horae Soc. ent. ross.* 14: 150 Type ♀: "Caucasus". **TR IR Cc AM GG AZ**
- 6533. *Macronemurus bilineatus* Brauer,1868** (Myrmeleonidae) Synonym(s): *bilineatus* Brauer,1868 **TR**
- 6534. *Macronychia* (s.str.) *lemariei* Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941 **IL Pa Jf GR CZ TR UA CN HU SK TM UZ**
- 6535. *Macrophya albicincta* (Schrank,1776)** (Tenthredinidae) Synonym(s): *albicincta* Schrank,1776; *leucopoda* Palma,1861; *melasoma* Rudow,1871; *albipes* Geoffroy,1785; *fera* Fallen,1808 nec Scop.,1786; *lugubris* Audinet-Serville,1823; *luctuosa* Audinet-Serville,1823 nec Schr.,1802 **TR**
- 6536. *Macrophya annulata* Geoffroy,1785** (Tenthredinidae) Synonym(s): *annulata* Geoffroy,1785; *ligata* Müller,1776; *similis* Spinola,1808; *neglecta* Klug,1817; *abietis* Audinet-Serville,1823 nec Linn.,1758 **TR**
- 6537. *Macrophya blanda* Fabricius,1775** (Tenthredinidae) Synonym(s): *blanda* Fabricius,1775; *solitaria* Schrank,1781 nec Scop.,1763; *ligustrina* Geoffroy,1785; *cylindrica* Fabricius,1804; *lacrymosa* Audinet-Serville,1823; *cognata* Fallén,1829; *nyctea* Fischer de Waldheim,1843 **TR**
- 6538. *Macrophya crassula* (Klug,1817)** (Tenthredinidae) Synonym(s): *crassula* Klug,1817; *maculosa* Audinet-Serville,1823; *klugii* Snellen van Vollenhoven,1869; *cora* Kirby,1886 **TR**
- 6539. *Macrophya cyrus* Benson,1954** (Tenthredinidae) Synonym(s): *cyrus* Benson,1954 **TR**
- 6540. *Macrophya diversipes* (Schrank,1782)** (Tenthredinidae) Synonym(s): *diversipes* Schrank,1782; *flavipes* Tischbein,1852; *haematopus* Costa,1866; *eximia* Moscardy,1877; *caucasica* André,1881; *rubripes* André,1881; *saundersi* Kirby,1886; *sanguinipes* Moscardy,1891; *dalmatina* Gasparini,1891; *haematopus* Villers,1789; *ochreatea* Panzer, **TR**
- 6541. *Macrophya duodecimpunctata* (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *duodecimpunctata* Linnaeus,1758; *signata* Scopoli,1763; *fera* Scopoli,1786; *melanoleuca* Gmelin,1789; *albamacula* Audinet-Serville,1823; *idriensis* Lepeletier,1823; *dolens* Eversmann,1847; *curvipes* Gimmerthal,184 novemguttata Costa,1859; *luridicarpa* Costa,1894; **TR**
- 6542. *Macrophya erythrocnema* A.Costa,1859** (Tenthredinidae) Synonym(s): *erythrocnema* A.Costa,1859; *femoralis* Kawall,1864 nec Stephens,1835 **TR**
- 6543. *Macrophya militaris* Klug,1817** (Tenthredinidae) Synonym(s): *militaris* Klug,1817; *lepeletieri* Costa,1859; *analis* Spinola,1808 nec Fabr.,1793; *schaefferi* Audinet-Serville,1823 nec Klug,1817 **TR**
- 6544. *Macrophya montana* (Scopoli,1763)** (Tenthredinidae) Synonym(s): *montana* Scopoli,1763 **TR**
- 6545. *Macrophya postica* Brullé,1832** (Tenthredinidae) Synonym(s): *postica* Brullé,1832; *ratzeburgii* Tischbein,1852; *histrionica* Snellen,1878 **TR**
- 6546. *Macrophya rufipes* Linnaeus,1758** (Tenthredinidae) Synonym(s): *rufipes* Linnaeus,1758; *pavida* Fabricius,1775; *dumetorum* Geoffroy,1785; *strigosa* Fabricius,1798; *citreipes* Audinet-Serville,1823 **TR**
- 6547. *Macrophya suberba* Tischbein,1852** (Tenthredinidae) Synonym(s): *erythropus* Brullé,1832; *suberba* Tischbein,1852; *flavipennis* Kriechbaumer,1891 **TR**
- 6548. *Macrophya teutonia* Panzer,1799** (Tenthredinidae) Synonym(s): *teutonia* Panzer,1799; *marginata* Moscardy,1881; *aureatensis* Schrank,1802 **TR**
- 6549. *Macropsidius ioculator* Dlabola,1963** (Cicadellidae) Synonym(s): *ioculator* Dlabola,1963 **TR**
- 6550. *Macropsidius sahlbergi* (Flor,1861)** (Cicadellidae) Synonym(s): *sahlbergi* Flor,1861 **TR**

6551. **Macropsis albae** Wagner,1950 (Cicadellidae) Synonym(s): *albae* Wagner,1950 TR BG CS FR DE GB IT NL PL PT KG MD YU
6552. **Macropsis cerea** (Germar,1837) (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
6553. **Macropsis glandacea** (Fieber,1868) (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
6554. **Macropsis graminea** (Fabricius,1798) (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
6555. **Macropsis marginata** (Herrich-Schäffer,1836) (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda* Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
6556. **Macropsis megerlei** (Fieber,1868) (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
6557. **Macropsis mendax** (Fieber,1868) (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi* Scott,1873 AT CZ GB FR DE IT RO RU TR
6558. **Macropsis scutellata** (Boheman,1845) (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
6559. **Macropsis vicina** (Horvath,1897) (Cicadellidae) Synonym(s): *vicina* Horvath,1897 AT FR HU PL RU YU CZ SK TR
6560. **Macrorchis meditata** (Fallén,1825) (Muscidae) Synonym(s): *meditata* Fallén,1825 AM Cc Eri GG TR
6561. **Macrorileya femorata** (Boucek,1952) (Eurytomidae) Synonym(s): *femorata* Boucek,1952 TR HU RU
6562. **Macrorileya inopinata** (Silvestri,1920) (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
6563. **Macroscyotus brunneus** (Fabricius,1803) (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
6564. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
6565. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec* Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
6566. **Macrosteles forficula** (Ribaut,1927) (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 AF BG GR FR IT PT ES TR
6567. **Macrosteles frontalis** (Scott,1875) (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
6568. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
6569. **Macrosteles lividus** (Edwards,1894) (Cicadellidae) Synonym(s): *lividus* Edwards,1894 DK GB FI DE MN NL PL SE RU TR
6570. **Macrosteles ossiannilssoni** Lindberg,1954 (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg,1954; *ossiannilssoni* Le Quense,1968 Cn CZ DK GB FI DE Md SE IR EG GR Cc TR
6571. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
6572. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Ménéville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
6573. **Macrosteles sordidipennis** (Stal,1858) (Cicadellidae) Synonym(s): *sordidipennis* Stal,1858; *salina* Reitter,1886 AT CZ DK GB FI HU MN NL NO PL SE RU TR
6574. **Macrosteles viridigriseus** (Edwards,1922) (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
6575. **Macrostylus anatolicus** Hoberlandt,1961 (Miridae) Synonym(s): *anatolicus* Hoberlandt,1961 TR
6576. **Magwengiella flavescens** Bachmaier & Diller,1985 (Ichneumonidae) Synonym(s): *flavescens* Bachmaier & Diller,1985 *Magwengiella flavescens* Bachmaier & Diller,1985, *Entomofauna* 6: 495-498, Abb. 6-10. Holotype ♀: Turkey: Prov. Hakkari, Sat Dag Vargös SW Yükkseova 1700m 4-8.8.1983 leg. W. Schacht (ZSM). TR
6577. **Malachiomimus laticeps** (Pic,1910) (Melyridae) Synonym(s): *laticeps* Pic,1910 TR
6578. **Malachius aeneus** (Linnaeus,1758) (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US

6579. **Malachius anatolicus Wittmer,1974** (Melyridae) Synonym(s): *anatolicus Wittmer,1974*
Malachius cavifrons ssp. anatolicus Wittmer,1974, *Fragm. ent. 10 (1): 14-15*. Holotype: Türkiye, Prov.
Muş, Buğlan geçidi 1600m 21-23.vi.1972 leg.C.Holzschuh (NHMB). TR
6580. **Malachius armeniacus Ménétrié,1832** (Melyridae) Synonym(s): *armeniacus Ménétrié,1832*
Malachius armeniacus Ménétrié,1832, *Catalogue raisonne obj. zool.: 163, nr.660*. Type(s): l'Arménie
russe. AM Cc TR
6581. **Malachius artvinensis Wittmer,1974** (Melyridae) Synonym(s): *artvinensis Wittmer,1974*
Malachius artvinensis Wittmer,1974, *Fragm. ent. 10 (1): 15, fig.18*. Holotype: Turkey: Artvin Prov.
Şavşat, 3-11.vi.1972 leg.C.Holzschuh (NHMB). TR
6582. **Malachius bingoelensis Wittmer,1999** (Melyridae) Synonym(s): *bingoelensis Wittmer,1999*
TR
6583. **Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): *bipustulatus*
Linnaeus,1758 RU UA AT TR KG
6584. **Malachius caramanicus (Pic,1912)** (Melyridae) Synonym(s): *caramanicus Pic,1912* TR UA
6585. **Malachius carnifex Erichson,1840** (Melyridae) Synonym(s): *carnifex Erichson,1840* GR TR
6586. **Malachius coccineus Waltl,1838** (Melyridae) Synonym(s): *coccineus Waltl,1838* GR TR
6587. **Malachius conformis Erichson,1840** (Melyridae) Synonym(s): *conformis Erichson,1840* TR
6588. **Malachius dama Abeille,1888** (Melyridae) Synonym(s): *dama Abeille,1888* TR
6589. **Malachius demaisonii Abeille de Perrin,1900** (Melyridae) Synonym(s): *demaisonii Abeille de*
Perrin,1900 TR
6590. **Malachius ephippiger Redtenbacher,1843** (Melyridae) Synonym(s): *ephippiger*
Redtenbacher,1843 TR IR
6591. **Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): *faldermanni*
Faldermann,1836 TR AZ Cc AM GG IR
6592. **Malachius fucatus Peyron,1877** (Melyridae) Synonym(s): *fucatus Peyron,1877* BG TR
6593. **Malachius heydeni Abeille de Perrin,1882** (Melyridae) Synonym(s): *heydeni Abeille de*
Perrin,1882 TR
6594. **Malachius kraussi Reitter,1902** (Melyridae) Synonym(s): *kraussi Reitter,1902* TR
6595. **Malachius mariae Abeille de Perrin,1885** (Melyridae) Synonym(s): *mariae Abeille de*
Perrin,1885 TR
6596. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus Erichson,1840*; *carnifex*
Erichson,1840; *fallax Strübing,1854*; *sublateralis Pic,1912*; *valesiacus Pic,1929* AL B-H BG CZ FR HU IT LT
MK PL SK SY AT CH DE YU TR
6597. **Malachius securiclatus Baudi,1873** (Melyridae) Synonym(s): *securiclatus Baudi,1873* TR
6598. **Malachius semiaeneus Abeille de Perrin,1891** (Melyridae) Synonym(s): *semiaeneus Abeille*
de Perrin,1891 TR
6599. **Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant &*
Godart,1855; *suturellus Kiesenwetter,1859*; *fallaciosus Baudi di Selve,1871*; *latenotatus Pic,1914*; *naxosensis*
Pic,1923; *bilyi Svihla,1987* GR Cr CY TR IT LY
6600. **Malachius suturalis Motschoulsky,1854** (Melyridae) Synonym(s): *suturalis*
Motschoulsky,1854 TR
6601. **Malachius truncaticornis Abeille,1890** (Melyridae) Synonym(s): *truncaticornis Abeille,1890*
GR TR
6602. **Maladera (Macroserica) allemandi Keith,1998** (Scarabaeidae) Synonym(s): *allemandi*
Keith,1998 TR
6603. **Maladera (Macroserica) angusta Baraud,1990** (Scarabaeidae) Synonym(s): *angusta*
Baraud,1990 TR
6604. **Maladera (Macroserica) armeniaca Reitter,1896** (Scarabaeidae) Synonym(s): *armeniaca*
Reitter,1896 TR SY
6605. **Maladera (Macroserica) attaliensis Petrovitz,1969** (Scarabaeidae) Synonym(s): *attaliensis*
Petrovitz,1969 TR
6606. **Maladera (Macroserica) besucheti Baraud,1990** (Scarabaeidae) Synonym(s): *besucheti*
Baraud,1990 TR
6607. **Maladera (Macroserica) bruschi Sabatinelli,1977** (Scarabaeidae) Synonym(s): *bruschi*
Sabatinelli,1977 TR
6608. **Maladera (Macroserica) fusconitens (Fairmaire,1892)** (Scarabaeidae) Synonym(s):
fusconitens Fairmaire,1892; *villiersi Petrovitz,1969* SY TR
6609. **Maladera (Macroserica) lodosi Baraud,1975** (Scarabaeidae) Synonym(s): *lodosi*
Baraud,1975 TR
6610. **Maladera (Macroserica) loebli Baraud,1990** (Scarabaeidae) Synonym(s): *loebli*
Baraud,1990 TR
6611. **Maladera (Macroserica) lyciensis Petrovitz,1969** (Scarabaeidae) Synonym(s): *lyciensis*
Petrovitz,1969 TR
6612. **Maladera (Macroserica) olivieri Keith,1998** (Scarabaeidae) Synonym(s): *olivieri Keith,1998*
TR

6613. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
6614. **Maladera (Macroserica) seleuciensis Petrovitz,1969** (Scarabaeidae) Synonym(s): *seleuciensis Petrovitz,1969* TR
6615. **Maladera (Macroserica) taurica Petrovitz,1969** (Scarabaeidae) Synonym(s): *taurica Petrovitz,1969* TR
6616. **Maladera (Macroserica) vignai Sabatinelli,1977** (Scarabaeidae) Synonym(s): *vignai Sabatinelli,1977* TR
6617. **Maladera (Macroserica) wewalkai Petrovitz,1969** (Scarabaeidae) Synonym(s): *wewalkai Petrovitz,1969* TR
6618. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica Horvath,1907; turanica Anufriev,1966* AF? CY TR IT RO Cc AZ? UA YU TJ UZ
6619. **Malenia kilisica Dlabola,1986** (Derbidae) Synonym(s): *kilisica Dlabola,1986* TR
6620. **Malenia licea Dlabola,1979** (Derbidae) Synonym(s): *licea Dlabola,1979* TR
6621. **Malenia mesasiatica Dubowsky,1965** (Derbidae) Synonym(s): *mesasiatica Dubowsky,1965* TR
6622. **Malthinus alemdagensis Wittmer,1974** (Cantharidae) Synonym(s): *alemdagensis Wittmer,1974* TR
6623. **Malthinus anatolicus Wittmer,1974** (Cantharidae) Synonym(s): *anatolicus Wittmer,1974* TR
6624. **Malthinus artvinensis Wittmer,1978** (Cantharidae) Synonym(s): *artvinensis Wittmer,1978* TR
6625. **Malthinus bezdeki Svihla,2002** (Cantharidae) Synonym(s): *bezdeki Svihla,2002* TR
6626. **Malthinus brancuccii Wittmer,1978** (Cantharidae) Synonym(s): *brancuccii Wittmer,1978* TR
6627. **Malthinus byzantinus Wittmer,1974** (Cantharidae) Synonym(s): *byzantinus Wittmer,1974* TR
6628. **Malthinus ciraliensis Svihla,2009** (Cantharidae) Synonym(s): *ciraliensis Svihla,2009* TR
6629. **Malthinus complexus Wittmer,1993** (Cantharidae) Synonym(s): *complexus Wittmer,1993* TR
6630. **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus Kiesenwetter,1852* TR IR IL Pa JO LB SY
6631. **Malthinus cornutus Wittmer,1974** (Cantharidae) Synonym(s): *cornutus Wittmer,1974* TR
6632. **Malthinus corylicus Wittmer,1974** (Cantharidae) Synonym(s): *corylicus Wittmer,1974* TR
6633. **Malthinus crenaticeps Wittmer,1974** (Cantharidae) Synonym(s): *crenaticeps Wittmer,1974* TR
6634. **Malthinus freyi Wittmer,1974** (Cantharidae) Synonym(s): *freyi Wittmer,1974* TR
6635. **Malthinus furcatus Wittmer,1974** (Cantharidae) Synonym(s): *furcatus Wittmer,1974* TR
6636. **Malthinus hetiticus Wittmer,1974** (Cantharidae) Synonym(s): *hetiticus Wittmer,1974* TR
6637. **Malthinus hulai Svihla,2009** (Cantharidae) Synonym(s): *hulai Svihla,2009* TR
6638. **Malthinus interruptus Wittmer,1974** (Cantharidae) Synonym(s): *interruptus Wittmer,1974* TR
6639. **Malthinus kaszabi Wittmer,1974** (Cantharidae) Synonym(s): *kaszabi Wittmer,1974* TR
6640. **Malthinus lasistanus Wittmer,1974** (Cantharidae) Synonym(s): *lasistanus Wittmer,1974* TR
6641. **Malthinus lundbergi Svihla,1994** (Cantharidae) Synonym(s): *lundbergi Svihla,1994* TR
6642. **Malthinus magisi Wittmer,1974** (Cantharidae) Synonym(s): *magisi Wittmer,1974* TR
6643. **Malthinus malinkai Svihla,2009** (Cantharidae) Synonym(s): *malinkai Svihla,2009* TR
6644. **Malthinus marashensis Wittmer,1974** (Cantharidae) Synonym(s): *marashensis Wittmer,1974* TR
6645. **Malthinus medianus Wittmer,1974** (Cantharidae) Synonym(s): *medianus Wittmer,1974* TR
6646. **Malthinus mediterraneus Wittmer,1974** (Cantharidae) Synonym(s): *mediterraneus Wittmer,1974* TR
6647. **Malthinus mesopotamicus Wittmer,1974** (Cantharidae) Synonym(s): *mesopotamicus Wittmer,1974* TR
6648. **Malthinus pamphylicus Wittmer,1974** (Cantharidae) Synonym(s): *pamphylicus Wittmer,1974* TR
6649. **Malthinus prudeki Svihla,2002** (Cantharidae) Synonym(s): *prudeki Svihla,2002* TR
6650. **Malthinus pseudoflaveolus Wittmer,1974** (Cantharidae) Synonym(s): *pseudoflaveolus Wittmer,1974* TR
6651. **Malthinus pseudointerruptus Wittmer,1974** (Cantharidae) Synonym(s): *pseudointerruptus Wittmer,1974* TR
6652. **Malthinus resslis Wittmer,1978** (Cantharidae) Synonym(s): *ressli Wittmer,1978* TR
6653. **Malthinus rydhi Wittmer,1993** (Cantharidae) Synonym(s): *rydhi Wittmer,1993* TR
6654. **Malthinus samsunicus Wittmer,1974** (Cantharidae) Synonym(s): *samsunicus Wittmer,1974* TR
6655. **Malthinus stanislavi Svihla,2004** (Cantharidae) Synonym(s): *stanislavi Svihla,2004* TR

6656. **Malthinus strangulatus Wittmer,1974** (Cantharidae) Synonym(s): *strangulatus Wittmer,1974* TR
6657. **Malthinus walteri Svihla,2002** (Cantharidae) Synonym(s): *walteri Svihla,2002* TR
6658. **Malthinus wittmeri Svihla,1998** (Cantharidae) Synonym(s): *wittmeri Svihla,1998* TR
6659. **Malthinus zahradni Sviha,2002** (Cantharidae) Synonym(s): *zahradni Svihla,2002* TR
6660. **Malthodes akbesianus Pic,1901** (Cantharidae) Synonym(s): *akbesianus Pic,1901* TR
6661. **Malthodes amasiae Wittmer,1971** (Cantharidae) Synonym(s): *amasiae Wittmer,1971* TR
6662. **Malthodes andreasi Svihla,2009** (Cantharidae) Synonym(s): *andreasi Svihla,2009* TR
6663. **Malthodes besucheti Wittmer,1970** (Cantharidae) Synonym(s): *besucheti Wittmer,1970* TR
6664. **Malthodes bucakensis Wittmer,1970** (Cantharidae) Synonym(s): *bucakensis Wittmer,1970* TR
6665. **Malthodes denizlianus Wittmer,1970** (Cantharidae) Synonym(s): *denizlianus Wittmer,1970* TR GR
6666. **Malthodes flagellatus Svihla,2009** (Cantharidae) Synonym(s): *flagellatus Svihla,2009* TR
6667. **Malthodes gillerforsi Wittmer,1993** (Cantharidae) Synonym(s): *gillerforsi Wittmer,1993* TR
6668. **Malthodes heinertzi Wittmer,1979** (Cantharidae) Synonym(s): *heinertzi Wittmer,1979* TR
6669. **Malthodes kirisensis Svihla,2004** (Cantharidae) Synonym(s): *kirisensis Svihla,2004* TR
6670. **Malthodes kopeckyi Svihla,2002** (Cantharidae) Synonym(s): *kopeckyi Svihla,2002* TR
6671. **Malthodes kopetzi Svihla,2002** (Cantharidae) Synonym(s): *kopetzi Svihla,2002* TR
6672. **Malthodes lycicus Svihla,2009** (Cantharidae) Synonym(s): *lycicus Svihla,2009* TR
6673. **Malthodes malinkorum Svihla,2009** (Cantharidae) Synonym(s): *malinkorum Svihla,2009* TR
6674. **Malthodes mushensis Wittmer,1997** (Cantharidae) Synonym(s): *mushensis Wittmer,1997* TR
6675. **Malthodes olympicus Svihla,2004** (Cantharidae) Synonym(s): *olympicus Svihla,2004* TR
6676. **Malthodes pergensis Wittmer,1993** (Cantharidae) Synonym(s): *pergensis Wittmer,1993* TR
6677. **Malthodes rauschorum Wittmer,1997** (Cantharidae) Synonym(s): *rauschorum Wittmer,1997* TR
6678. **Malthodes rolciki Svihla,1998** (Cantharidae) Synonym(s): *rolciki Svihla,1998* TR
6679. **Malthodes ruziclai Svihla,2002** (Cantharidae) Synonym(s): *ruziclai Svihla,2002* TR
6680. **Malthodes rydhi Svihla,1994** (Cantharidae) Synonym(s): *rydhi Svihla,1994* TR
6681. **Malthodes turcicus Kiesenwetter,1872** (Cantharidae) Synonym(s): *turcicus Kiesenwetter,1872* **Malthodes turcicus Kiesenwetter,1872**, Berl. ent. Z. 16: 375, Taf.iv fig.6. Type ♂: [Türkei]: [Istanbul] "Constantinopel". TR
6682. **Malthodes vavrai Svihla,1998** (Cantharidae) Synonym(s): *vavrai Svihla,1998* TR
6683. **Malthodes walteri Svihla,2002** (Cantharidae) Synonym(s): *walteri Svihla,2002* TR
6684. **Malthodes weigeli Svihla,2004** (Cantharidae) Synonym(s): *weigeli Svihla,2004* TR
6685. **Malthodes zahradni Svihla,1998** (Cantharidae) Synonym(s): *zahradni Svihla,1998* TR
6686. **Malthodes zdeneki Svihla,2009** (Cantharidae) Synonym(s): *zdeneki Svihla,2009* TR
6687. **Manica rubida (Latreille,1802)** (Formicidae) Synonym(s): *rubida Latreille,1802* TR
6688. **Mannerheimia brevipennis (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *brevipennis Motschoulsky,1860* TR
6689. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* **Gryllus religiosus Linnaeus,1758**, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
6690. **Mantispa adelungi Navas,1912** (Mantispidae) Synonym(s): *adelungi Navas,1912* Cc AM TR
6691. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte U.Aspöck & H.Aspöck,1994*; #*aphavexelte Dobosz,2007* **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994**, Anln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
6692. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875*; ?*minuta Kozhantshikov,1949*; ?*caucasica Handschin,1959* GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui
6693. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca Poda,1761*; *pagana Fabricius,1775*; *hauseri Poivre,1982* AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
6694. **Mantura chrysanthemii (Koch,1803)** (Chrysomelidae) Synonym(s): *chrysanthemii Koch,1803* DZ TR
6695. **Mantura cylindrica Miller,1880** (Chrysomelidae) Synonym(s): *cylindrica Miller,1880* IT TR
6696. **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica Linnaeus,1767* TR Cc AF KG RU Sb MN CN
6697. **Marchalina hellenica (Gennadius)** (Margarodidae) Synonym(s): *hellenica Gennadius* TR
6698. **Margarinotus (Paralister) purpurascens (Herbst,1792)** (Histeridae) Synonym(s): *purpurascens Herbst,1792* GB TR

6699. **Marietta leopardina** Motschoulsky,1863 (Aphelinidae) Synonym(s): *leopardina* Motschoulsky,1863; *javensis* Howard,1907; *indi* Girault,1932; *exitiosa* Compere,1936; *cheriani* Mani,1939; *habrolepidis* Ghesquière,1960 **TR**
6700. **Marietta picta** (André,1878) (Aphelinidae) Synonym(s): *picta* André,1878; *zebra* Kurdjumov,1912; *zebrata* Mercet,1916; *anglicus* Blood,1929 **TR**
6701. **Marthamea vitripennis** (Burmeister,1839) (Perlidae) Synonym(s): *vitripennis* Burmeister,1839; *bicolor* Burmeister,1839; *angustata* Rambur,1842; *terminalis* Walker,1852; *beraudi* Navas,1909 **TR IL Pa SY**
6702. **Masicera cuculliae** (Robineau-Desvoidy,1830) (Tachinidae) Synonym(s): *cuculliae* Robineau-Desvoidy,1830 **TR**
6703. **Matsucoccus josephi** Bodenheimer & Harpaz (Margarodidae) Synonym(s): *josephi* Bodenheimer & Harpaz **TR**
6704. **Matsucoccus pini** Green (Margarodidae) Synonym(s): *pini* Green **TR**
6705. **Mayetiola destructor** (Say,1817) (Cecidomyiidae) Synonym(s): *destructor* Say,1817; *orientalis* Bollow,1955 **TR**
6706. **Mayetiola hordei** Kieffer,1909 (Cecidomyiidae) Synonym(s): *hordei* Kieffer,1909; *mimeuri* Mesnil,1934 **TR**
6707. **Mayridia formusula** Mercet (Encyrtidae) Synonym(s): **TR**
6708. **Mayridia merceti** Trjapitzin (Encyrtidae) Synonym(s): **TR**
6709. **Mayridia pulchra** Mercet (Encyrtidae) Synonym(s): **TR**
6710. **Meconema thalassinum** (De Geer,1773) (Tettigoniidae) Synonym(s): *thalassinum* De Geer,1773 **TR**
6711. **Mecostethus alliaceus** (Germar,1817) (Acrididae) Synonym(s): *alliaceus* Germar,1817; *parapleurus* Hagenbach,1822; *typus* Fischer,1853; *fastigiatus* Rehn,1902 **TR**
6712. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853 **TR Cc GG Tbl SY JO**
6713. **Medina melania** (Meigen,1824) (Tachinidae) Synonym(s): *melania* Meigen,1824 **AD AT BY CZ FR DE HU IT PL RU SS ES CH TR**
6714. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 **CY GR IL Pa IT JO TR RU Cc YU IQ**
6715. **Megabombus argillaceus** (Scopoli,1763) (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 **FR IT AT HU TR IR RU Cc ES PL**
6716. **Megabombus armeniacus** (Radoszkowski,1877) (Apidae) Synonym(s): *armeniacus* Radoszkowski,1877; *scythes* Skorikov,1925 **TR Cc AM IR RU RO GR YU BG PL**
6717. **Megabombus humilis** (Illiger,1806) (Apidae) Synonym(s): *humilis* Illiger,1806; *solstitialis* Jurine,1807; *helferanus* Seidl,1837; *variabilis* Schmiedeknecht,1978 **FR TR Cc PL**
6718. **Megabombus mesomelas** (Gerstaecker,1869) (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837 **BG Cc TR IR PL**
6719. **Megabombus pascuorum** (Scopoli,1763) (Apidae) Synonym(s): *pascuorum* Scopoli,1763; *agrorum* Fabricius,1787 **GB IT FR CH Sa BE TR Cc GR BG IR**
6720. **Megabombus zonatus** (Smith,1854) (Apidae) Synonym(s): *zonatus* Smith,1854 **BG RO HU GR Cc IR RU TR**
6721. **Megacephala euphratica** Dejean,1822 (Carabidae) Synonym(s): *euphratica* Dejean,1822 **IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY**
6722. **Megachile (Eutricharaea) apicalis** Spinola,1808 (Megachilidae) Synonym(s): *apicalis* Spinola,1808 **CA DZ Cc TR**
6723. **Megachile (Eutricharaea) deceptoria** Perez,1890 (Megachilidae) Synonym(s): *deceptoria* Perez,1890 **Cc KG TM TR**
6724. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae) Synonym(s): *pilidens* Alfken,1924 **Cc TR DZ**
6725. **Megachile (s.str.) pilicrus** Morawitz,1878 (Megachilidae) Synonym(s): *pilicrus* Morawitz,1878 **UA HU DE Cc RU TR**
6726. **Megachile (s.str.) pyrenaea** Perez,1890 (Megachilidae) Synonym(s): *pyrenaea* Perez,1890 **FI SE Cc TR**
6727. **Megachile (Xanthosarus) giraudi** Gerstaecker,1869 (Megachilidae) Synonym(s): *giraudi* Gerstaecker,1869 **HU UA DE SK TR**
6728. **Megachile (Xanthosarus) lagopoda** (Linnaeus,1761) (Megachilidae) Synonym(s): *lagopoda* (Linnaeus,1761) **TR Cc RU Sb Us JP DZ**
6729. **Megachile (Xanthosarus) maritima** (Kirby,1802) (Megachilidae) Synonym(s): *maritima* Kirby,1802 **Cc KG RU Us TR**
6730. **Megadelphus sordidula** (Stål,1853) (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 **DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU**
6731. **Megalocoleus dissimilis** (Reuter,1876) (Miridae) Synonym(s): *dissimilis* Reuter,1876 **IT HU TM TR**
6732. **Megalocoleus exsanguis** (Herrich-Schäffer,1835) (Miridae) Synonym(s): *exsanguis* Herrich-Schäffer,1835 **TR**

6733. **Megalomerium meridionale (Costa,1838)** (Berytidae) Synonym(s): *meridionale* Costa,1838
TR
6734. **Megalonotus concors (Hovarth,1878)** (Lygaeidae) Synonym(s): *concors* Hovarth,1878 TR
6735. **Megalonotus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775 TR
6736. **Megapenthes lugens (Redtenbacher,1842)** (Elateridae) Synonym(s): *lugens*
Redtenbacher,1842 TR
6737. **Megapenthes rutilipennis Candeze,1859** (Elateridae) Synonym(s): *rutilipennis* Candeze,1859
TR
6738. **Megarthus bellevoeyi Saulcy,1862** (Staphylinidae) Synonym(s): *affinis* Miller,1853
(*praeocc.*); *bellevoeyi* Saulcy,1862 TR
6739. **Megarthus denticollis (Beck,1817)** (Staphylinidae) Synonym(s): *denticollis* Beck,1817 TR
6740. **Megascolia maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons*
Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859 FR IT Sa
Si GR Cr TR TM
6741. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT
BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
6742. **Megaselia coaetanea Schmitz,1929** (Phoridae) Synonym(s): *coaetanea* Schmitz,1929 TR AT
FI ES
6743. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT CZ
DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
6744. **Megaselia onis Mostovski & Disney,2002** (Phoridae) Synonym(s): *onis* Mostovski &
Disney,2002 *Megaselia onis* Mostovski & Disney,2002, *Entomologist's mon. Mag.* 138: 135-137, figs.
Holotype ♂: Turkey: [Antly Prov., Elmal]: bw. Göltarla and Çatallar 850m (BMNH). TR
6745. **Megaselia plurispinulosa (Zetterstedt,1860)** (Phoridae) Synonym(s): *plurispinulosa*
Zetterstedt,1860 TR
6746. **Megastigmus almusiensis Doğanlar,1989** (Torymidae) Synonym(s): *almusiensis*
Doğanlar,1989 TR IR
6747. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798;
bohemani Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK
Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
6748. **Megastigmus juniperi Nikol'skaya,1952** (Torymidae) Synonym(s): *juniperi* Nikol'skaya,1952
TR
6749. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871;
ballestrerii Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU
BG HV IL Pa MA MX CN PT TN TM UA UZ US
6750. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus*
Zerova & Seregina,1994 DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
6751. **Megastigmus schimitscheki Novicky,1954** (Torymidae) Synonym(s): *schimitscheki*
Novicky,1954 TR
6752. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895;
piceae Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
6753. **Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli* Seitner,1916 PT DZ FR
IT SS B-H GR Cr TR
6754. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 IT GR
Rd CY TR IR IQ AF SY LB LY TD CF SD ET
6755. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845 LY Cy
Rd GR TR CY IR IQ AF SY LB TD CF SD ET
6756. **Megischina adeliae (Reitter,1890)** (Tenebrionidae) Synonym(s): *adeliae* Reitter,1890 TR
6757. **Megischina armillata (Brullé,1832)** (Tenebrionidae) Synonym(s): *armillata* Brullé,1832 BG
TR IT
6758. **Megischina bozdaglariensis Novak,2006** (Tenebrionidae) Synonym(s): *bozdaglariensis*
Novak,2006 TR
6759. **Megistopus flavicornis (Rossi,1807)** (Myrmeleonidae) Synonym(s): *flavicornis* Rossi,1807;
bisignatus Rambur,1842 SK AT TR IR Elb Th
6760. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis*
Edwards,1915 AL BG FR GB GR IL IT TR GG Cc YU IR
6761. **Meigenia mutabilis (Fallén,1810)** (Tachinidae) Synonym(s): *mutabilis* Fallén,1810 TR
6762. **Melanagromyza aeneoventris (Fallén,1823)** (Agromyzidae) Synonym(s): *aeneoventris*
Fallén,1823 TR
6763. **Melanagromyza cunctans (Meigen,1830)** (Agromyzidae) Synonym(s): *cunctans* Meigen,1830
TR
6764. **Melanagromyza heracleana Zlobin,2005** (Agromyzidae) Synonym(s): *heracleana*
Zlobin,2005 *Melanagromyza heracleana* Zlobin,2005, *Zoosyst. ross.* 14 (1): 173-177, figs. Holotype ♂:
Russia, Caucasus, Krasnodar near Arkhyz 1000-1700m (ZIP). TR Cc Kr RU
6765. **Melanagromyza pubescens Hendel,1923** (Agromyzidae) Synonym(s): *pubescens* Hendel,1923
TR
6766. **Melanagromyza tripolii Spencer,1957** (Agromyzidae) Synonym(s): *tripolii* Spencer,1957 TR

6767. **Melanagromyza vignalis** Spencer,1959 (Agromyzidae) Synonym(s): *vignalis* Spencer,1959 TR
6768. **Melanaspis inopinata** (Leonardi) (Diaspididae) Synonym(s): *inopinata* (Leonardi) TR
6769. **Melanimon kiritshenkoi** Reichart,1936 (Tenebrionidae) Synonym(s): *kiritshenkoi* Reichart,1936 TR
6770. **Melanogryllus desertus** (Pallas,1771) (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921 TR Cc RU ES FR AT PL RO IR KG MN
6771. **Melanosoma bicolor** (Meigen,1824) (Conopidae) Synonym(s): *bicolor* Meigen,1824 TR
6772. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinatum* Bigot,1884; *nigricorne* Stroble,1893 DZ US GB HU NL DE SE NO GR Cr TR
6773. **Melanostoma scalare** (Fabricius,1794) (Syrphidae) Synonym(s): *scalare* Fabricius,1794 TR
6774. **Melanotus (s.str.) aemulus** (Erichson,1841) (Elateridae) Synonym(s): *aemulus* Erichson,1841 GR SY TR
6775. **Melanotus (s.str.) armeniacus** Schwarz,1891 (Elateridae) Synonym(s): *armeniacus* Schwarz,1891 TR
6776. **Melanotus (s.str.) atricapillus** Reitter,1891 (Elateridae) Synonym(s): *atricapillus* Reitter,1891 TR
6777. **Melanotus (s.str.) bajulus** (Erichson,1841) (Elateridae) Synonym(s): *bajulus* Erichson,1841 TR
6778. **Melanotus (s.str.) brignolii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *brignolii* Guglielmi & Platia,1985 TR GR
6779. **Melanotus (s.str.) brunripes** (Germar,1824) (Elateridae) Synonym(s): *brunripes* Germar,1824 GR Cc TR
6780. **Melanotus (s.str.) castanipes** (Paykull,1800) (Elateridae) Synonym(s): *castanipes* Paykull,1800 TR GR RU Sb US
6781. **Melanotus (s.str.) crassicollis** (Erichson,1841) (Elateridae) Synonym(s): *crassicollis* Erichson,1841 TR GR
6782. **Melanotus (s.str.) dichrous** (Erichson,1841) (Elateridae) Synonym(s): *dichrous* Erichson,1841 TR GR
6783. **Melanotus (s.str.) fraseri** Platia & Schimmel,1993 (Elateridae) Synonym(s): *fraseri* Platia & Schimmel,1993 TR
6784. **Melanotus (s.str.) fulvus** Reitter,1891 (Elateridae) Synonym(s): *fulvus* Reitter,1891 TR TM IR IQ
6785. **Melanotus (s.str.) fusciceps** (Gyllenhal,1817) (Elateridae) Synonym(s): *fusciceps* Gyllenhal,1817; *robustus* Erichson,1841 HV GR TR
6786. **Melanotus (s.str.) monticola** (Ménétriés,1832) (Elateridae) Synonym(s): *monticola* Ménétriés,1832 TR BG Cc AM IR
6787. **Melanotus (s.str.) mutatus** Harold,1869 (Elateridae) Synonym(s): *mutatus* Harold,1869 IR SY TR?
6788. **Melanotus (s.str.) osellai** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *osellai* Guglielmi & Platia,1985 TR
6789. **Melanotus (s.str.) punctolineatus** (Pélerin,1829) (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 GR SY TR RU Sb
6790. **Melanotus (s.str.) sobrinus** (Ménétriés,1832) (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832 Cc TR? IR TM
6791. **Melanotus (s.str.) tenebrosus** (Erichson,1841) (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
6792. **Melanotus (s.str.) turcicus** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2002 TR
6793. **Melanotus (s.str.) villosus** (Fourcroy,1785) (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785 GR DZ TR
6794. **Melanotus (Spheniscosomus) cuneiformis** (Baudi,1871) (Elateridae) Synonym(s): *cuneiformis* Baudi,1871 TR
6795. **Meliboeus adlbaueri** Niehuis,1997 (Buprestidae) Synonym(s): *adlbaueri* Niehuis,1997 IL Pa SY TR
6796. **Meliboeus amethystinus** (Olivier,1790) (Buprestidae) Synonym(s): *amethystinus* Olivier,1790 TR
6797. **Meligethes ater** Brisout,1868 (Nitidulidae) Synonym(s): *ater* Brisout,1868 BG TR
6798. **Meligethes devillei** Grouvelle,1912 (Nitidulidae) Synonym(s): *devillei* Grouvelle,1912 FR IT TR
6799. **Meligethes holzschuhi** Jelinek & Spornraft,1979 (Nitidulidae) Synonym(s): *holzschuhi* Jelinek & Spornraft,1979 *Meligethes holzschuhi* Jelinek & Spornraft,1979, Mitt. münch. ent. Ges. 68:

- 9-10, fig. Holotype ♂: S-Türkei, Kilikischer Taurus [İçel Prov.]: Namrun [Çamliyayla], 1200m, Holzschuh leg. (NMP). TR
6800. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus Sturm,1845* DZ FR TR Cc IR UZ KG
6801. **Meligethes interjectus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *interjectus Jelinek & Spornraft,1979* *Meligethes interjectus Jelinek & Spornraft,1979*, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Türkei (Erzincan) [Erzurum Prov., Aşkale]: Kopdagi gecedi [geçidi], 2300m 11.vii.1971 Osela leg. (MCSNV). TR
6802. **Meligethes maurus Sturm,1845** (Nitidulidae) Synonym(s): *maurus Sturm,1845* Cc TR
6803. **Meligethes tauricus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *tauricus Jelinek & Spornraft,1979* *Meligethes tauricus Jelinek & Spornraft,1979*, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Iran, leg. Waehner, (Mus. Frey). TR IR UA Cm
6804. **Meligethes umbrosus Sturm,1845** (Nitidulidae) Synonym(s): *umbrosus Sturm,1845* Cc TR
6805. **Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer Kirejtschuk,1978* Cc GG BG UA Cm TR
6806. **Meliscaeva auricollis (Meigen,1822)** (Syrphidae) Synonym(s): *auricollis Meigen,1822* TR
6807. **Meloboris collector (Thunberg,1822)** (Ichneumonidae) Synonym(s): *collector Thunberg,1822* TR
6808. **Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis Olivier,1792* ES IT Si Sa TR DZ Cc
6809. **Meloe bodemeyeri Ganglbauer,1900** (Meloidae) Synonym(s): *bodemeyeri Ganglbauer,1900* TR
6810. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis Panzer,1793* DZ ES IT Sa Si TR RU KG TJ MN TM
6811. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819*; *purpurascens Germar,1834*; *sardous Gené,1836*; *aeneus Laporte,1840*; *latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
6812. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus Leach,1815* ES TR Cc IR AF RU GB
6813. **Meloe deflexus Reitter,1889** (Meloidae) Synonym(s): *deflexus Reitter,1889* TR SY
6814. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus Pallas,1782* DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
6815. **Meloe ganglbaueri Apfelbeck,1907** (Meloidae) Synonym(s): *ganglbaueri Apfelbeck,1907* ES IT Sa Si TR HV
6816. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi Pliginski,1910* TR Cc RU AF TM IR UA Cm
6817. **Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus Schrank,1776* HU TR IL Pa Cc RU
6818. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925* ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
6819. **Meloe olivieri Chevrolat,1833** (Meloidae) Synonym(s): *olivieri Chevrolat,1833* TR SY IR IQ Mos
6820. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus Linnaeus,1758* ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
6821. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817*; *coriarius Brandt & Erichson,1832*; *reticulatus Brandt & Ratzeburg,1833*; *cyanicornis Escherich,1889* FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
6822. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus Marsham,1802* ES IT RU DZ Cc TR TM
6823. **Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus Brandt & Erichson,1832* RU Cc IT Si TR TM
6824. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792*; *ruficornis Balbi,1897* Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
6825. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793*; *#variegatus Özbek & Szaloki,1998* ES IT TR IR RU KK CN Ui
6826. **Meloe violaceus Marsham,1802** (Meloidae) Synonym(s): *violaceus Marsham,1802* ES TR FI RU
6827. **Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida Frivaldsky,1835* GR SY TR IL Pa
6828. **Melolontha (s.str.) anita Reitter,1902** (Scarabaeidae) Synonym(s): *anita Reitter,1902* SY TR
6829. **Melolontha (s.str.) melolontha Linnaeus,1758** (Scarabaeidae) Synonym(s): *melolontha Linnaeus,1758* TR LT RU
6830. **Menophilus cylindricus (Herbst,1784)** (Tenebrionidae) Synonym(s): *cylindricus Herbst,1784* TR
6831. **Mercetaspis halli (Green)** (Diaspididae) Synonym(s): *halli Green* TR

6832. **Mercetaspis sureyanus (Bodenheimer)** (Diaspididae) Synonym(s): *sureyanus Bodenheimer* TR
6833. **Meria tripunctata (Rossi,1790)** (Tiphiiidae) Synonym(s): *tripunctata Rossi,1790; sexfasciata Rossi,1792* AT IT FR ES Md HU AL TR IL Pa EG MA DZ
6834. **Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens Gravenhorst,1829* AZ Cc TR IR MN KK
6835. **Meringopus cyanator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cyanator Gravenhorst,1829* TR
6836. **Meringopus nigerrimus (Fonscolombe,1850)** (Ichneumonidae) Synonym(s): *nigerrimus Fonscolombe,1850* TR
6837. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus Tschek,1872* Cryptus pseudonymphus Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR TJ JO IL Pa
6838. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator Linnaeus,1758; orientalis Szepliget,1916* SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
6839. **Meris splendens Walker** (Pteromalidae) Synonym(s): TR
6840. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860; obscuripennis Palma,1863; knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
6841. **Merodon alagoezicus Paramonov,1925** (Syrphidae) Synonym(s): *alagoezicus Paramonov,1925* Cc AM Eri TR GR
6842. **Merodon altinosus Hurkmans,1993** (Syrphidae) Synonym(s): *altinosus Hurkmans,1993* Merodon altinosus Hurkmans,1993, Tijdschr. Ent. 136: 164, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil, near Habur deresi 1250m 13.vi.1984 leg. J.A.W.Lucas (ZMAN). TR
6843. **Merodon aureotibia Hurkmans,1993** (Syrphidae) Synonym(s): *aureotibia Hurkmans,1993* TR
6844. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790; spinipes Fabricius,1794; serrulatus Wiedemann,1822; italicus Rondani,1845; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864* DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
6845. **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus Curran,1939* MA FR IT GR TR
6846. **Merodon caudatus Sack,1913** (Syrphidae) Synonym(s): *caudatus Sack,1913* IL Pa Js TR
6847. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes Fabricius,1781; clauda Villers,1789; gravipes Rossi,1790; canipilus Rondani,1865; senilis Meigen,1822; albus Paramonov,1927; ater Paramonov,1927; niger Paramonov,1927; sacki Paramonov,1937* MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
6848. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT Si YU BG GR CY TR LB
6849. **Merodon crassifemoris Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris Paramonov,1925* UA Cm FR GR TR YU
6850. **Merodon cupreus Hurkmans,1993** (Syrphidae) Synonym(s): *cupreus Hurkmans,1993* Merodon cupreus Hurkmans,1993, Tijdschr. Ent. 136: 179-180, figs. Holotype ♂: Turkey: Kars Prov., Handere 2100-2200m 20m W of Sankamış 1.viii.1983, leg. J.A.W.Lucas (ZMAN). TR
6851. **Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): *distinctus Palma,1863; dimorpha Szilady,1940* FR IT YU GR RU TR
6852. **Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus Paramonov,1925* MK GR IL Pa TR Cc Eri AM
6853. **Merodon femoratoides Paramonov,1925** (Syrphidae) Synonym(s): *femoratoides Paramonov,1925* DZ GR UA Cm TR
6854. **Merodon femoratus Sack,1913** (Syrphidae) Synonym(s): *femoratus Sack,1913* FR Co GR TR IT
6855. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES FR IT Si YU AL TR BG RO PL IL Pa LY
6856. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909* PT ES FR Co IT YU BG TR IL Pa DZ MA MT
6857. **Merodon hamifer Sack,1913** (Syrphidae) Synonym(s): *hamifer Sack,1913* GR TR
6858. **Merodon hypochrysos Hurkmans,1993** (Syrphidae) Synonym(s): *hypochrysos Hurkmans,1993* TR
6859. **Merodon kaloceros Hurkmans,1993** (Syrphidae) Synonym(s): *kaloceros Hurkmans,1993* Merodon kaloceros Hurkmans,1993, Tijdschr. Ent. 136: 187-188, figs. Holotype ♂: Turkey: Antalya Prov., N. Akseki Irmasan gediği 1600m. 24.vii.1981 (ZMAN). MK GR TR
6860. **Merodon loewi Van der Gott,1964** (Syrphidae) Synonym(s): *loewi Van der Gott,1964* TR
6861. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis Sack,1913; affinis Gil Collado,1930* MA DZ ES YU GR UA RU LB IL Pa SY TR

6862. **Merodon lucasi Hurkmans,1993** (Syrphidae) Synonym(s): *lucasi Hurkmans,1993* **Merodon lucasi Hurkmans,1993**, Tijdschr. Ent. 136: 198-199, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil Pass 2300-2400m 11.viii.1983 leg.Lucas (ZMAN). **TR**
6863. **Merodon nanus (Sack,1913)** (Syrphidae) Synonym(s): *nanus Sack,1913* **TR**
6864. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845* **ES FR AT GR HU IT YU PL CH TR**
6865. **Merodon nitidifrons Hurkmans,1993** (Syrphidae) Synonym(s): *nitidifrons Hurkmans,1993* **Merodon nitidifrons Hurkmans,1993**, Tijdschr. Ent. 136: 199-200, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil Pass 2300m 13.vi.1983 leg.Lucas (ZMAN). **TR**
6866. **Merodon obscuratarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuratarsis Strobl,1909; fuerteventurensis Barkemeyer,2002* **ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa**
6867. **Merodon oidipous Hurkmans,1993** (Syrphidae) Synonym(s): *oidipous Hurkmans,1993* **Merodon oidipous Hurkmans,1993**, Tijdschr. Ent. 136: 171, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil Pass 2100m, 4.vi.1984, leg. J.A.W.Lucas (ZMAN). **TR**
6868. **Merodon ottomanus Hurkmans,1993** (Syrphidae) Synonym(s): *ottomanus Hurkmans,1993* **Merodon ottomanus Hurkmans,1993**, Tijdschr. Ent. 136: 161-162, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Tanintanin Pass [E. of Uludere] 2200m 12.vi.1984 leg.J.A.W.Lucas (ZMAN). **ES TR**
6869. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790; fulvus Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscineris Röder,1887; obscurus Gil Collado,1929* **MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK**
6870. **Merodon quadrinotatus (Sack,1931)** (Syrphidae) Synonym(s): *quadrinotatus Sack,1931* **Lampetia quadrinotata Sack,1931; Fliegen palearkt. Reg. 4 (6): 324. Holotype ♀: [Iraq]: Mesopotamia (lost (Hurkmans,1993:182)). IQ TR**
6871. **Merodon satdagensis Hurkmans,1993** (Syrphidae) Synonym(s): *satdagensis Hurkmans,1993* **Merodon satdagensis Hurkmans,1993**, Tijdschr. Ent. 136: 199-200, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil Pass 2300m 2.viii.1982 leg. W.Schacht (ZMAN). **TR**
6872. **Merodon schahti Hurkmans,1993** (Syrphidae) Synonym(s): *schahti Hurkmans,1993* **Merodon schahti Hurkmans,1993**, Tijdschr. Ent. 136: 201, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Suvari Halil Pass 2300m 2.viii.1982 leg. W.Schacht (ZMAN). **TR**
6873. **Merodon taniniensis Hurkmans,1993** (Syrphidae) Synonym(s): *taniniensis Hurkmans,1993* **Merodon taniniensis Hurkmans,1993**, Tijdschr. Ent. 136: 201, figs. Holotype ♂: Turkey: [Şirnak Prov.]: Tanintanin Pass W., 1700m 12.vi.1984 leg. Lucas (ZMAN). **TR**
6874. **Merodon telmateia Hurkmans,1987** (Syrphidae) Synonym(s): *telmateia Hurkmans,1987* **Merodon telmateia Hurkmans,1987**, Ent. Ber., Amst. 47: 119-121. **TR**
6875. **Merodon testaceus Sack,1913** (Syrphidae) Synonym(s): *testaceus Sack,1913* **Merodon testaceus Sack,1913**, Abh. Senckenberg. Ges. Naturf. 31: 445. Lectotype ♂: Türkei, "Mann, Brussa", designated by Hurkmans (1993: 197) (NHMW). **TR**
6876. **Merodon vandergooti Hurkmans,1993** (Syrphidae) Synonym(s): *vandergooti Hurkmans,1993* **Merodon vandergooti Hurkmans,1993**, Tijdschr. Ent. 136: 188-189, figs. Holotype ♂: Turkey: [Şirnak Prov.]: W. of Suvari Halil Pass near Habur deresi 1250m, 13.vi.1984 (ZMAN). **TR**
6877. **Merodon velox Loew,1869** (Syrphidae) Synonym(s): *velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925* **Merodon velox Loew,1869**, Besch. eur. Dipt.: 253. Lectotype ♂: "Rhodus" (NHMW), designated by Hurkmans (1993: 183). **MK GR Rd TR Cc AM Eri AZ Nv Ord**
6878. **Merodon warnckeii Hurkmans,1993** (Syrphidae) Synonym(s): *warnckeii Hurkmans,1993* **Merodon warnckeii Hurkmans,1993**, Tijdschr. Ent. 136: 184-185, figs. Holotype ♂: Turkey: Hakkari Prov., Sat Mt., Gavaruk lake 2900m 5.viii.1983, leg.Warncke (ZMAN). **TR**
6879. **Mesagallia georgii Zachvatkin,1946** (Cicadellidae) Synonym(s): *georgii Zachvatkin,1946* **TR**
6880. **Mesochorus nigripes Ratzeburg,1852** (Ichneumonidae) Synonym(s): *nigripes Ratzeburg,1852* **TR**
6881. **Mesochorus vittator (Zetterstedt,1839)** (Ichneumonidae) Synonym(s): *vittator Zetterstedt,1839* **TR**
6882. **Mesoleptogaster cappadocia Hasbenli & Çağlar,2009** (Asilidae) Synonym(s): *cappadocia Hasbenli & Çağlar,2009* **Mesoleptogaster cappadocia Hasbenli & Çağlar,2009**, Ent. News 120 (2): 201-205, figs. Holotype ♀: Turkey: Niğde Prov., Özyurt 1627m (ZMGU). **TR**
6883. **Mesoleptus filicornis (Thomson,1884)** (Ichneumonidae) Synonym(s): *filicornis Thomson,1884* **TR**
6884. **Mesoleptus marginatus (Thomson,1884)** (Ichneumonidae) Synonym(s): *marginatus Thomson,1884* **TR**
6885. **Mesomorpha longulus (Reiche,1847)** (Tenebrionidae) Synonym(s): *longulus Reiche,1847* **TR**
6886. **Mesonemurus steineri Hölzel,1972** (Myrmeleonidae) Synonym(s): *steineri Hölzel,1972* **TR**
6887. **Mesopolobus diffinis (Walker,1834)** (Pteromalidae) Synonym(s): *diffinis Walker,1834* **TR**

6888. **Mesopolobus graminum (Hardh,1950)** (Pteromalidae) Synonym(s): *graminum Hardh,1950* TR
6889. **Mesopolobus incultus (Walker,1874)** (Pteromalidae) Synonym(s): *incultus Walker,1874* TR
6890. **Mesopolobus laticornis (Walker,1834)** (Pteromalidae) Synonym(s): *laticornis Walker,1834* TR
6891. **Mesopolobus mediterraneus (Mayr,1903)** (Pteromalidae) Synonym(s): *mediterraneus Mayr,1903* TR
6892. **Mesopolobus morys (Walker,1848)** (Pteromalidae) Synonym(s): *morys Walker,1848* TR
6893. **Mesopolobus nobilis (Walker,1834)** (Pteromalidae) Synonym(s): *nobilis Walker,1834* TR
6894. **Mesopolobus sericeus (Forster,1770)** (Pteromalidae) Synonym(s): *sericeus Forster,1770* TR
6895. **Mesopolobus teliformis (Walker,1834)** (Pteromalidae) Synonym(s): *teliformis Walker,1834* TR
6896. **Mesoptyelus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons Horvath,1911; arcifer Horvath,1911; seminiger Horvath,1911; quinquemaculatus Horvath,1911; vestitus Horvath,1911; obscurus Lindberg,1923* EG IL Pa JO LB SY TR
6897. **Mesoptyelus petrovi (Grigoriev,1910)** (Cercopidae) Synonym(s): *petrovi Grigoriev,1910* TR AM AZ GG RU Cc Da
6898. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis Solier,1835* TR JO SA SY IR IQ EG
6899. **Mesostenus albinotatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus Gravenhorst,1829; notatus Gravenhorst,1829* TR RU Sb
6900. **Mesostenus grammicus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *grammicus Gravenhorst,1829* TR
6901. **Mesostenus transfuga Gravenhorst,1829** (Ichneumonidae) Synonym(s): *transfuga Gravenhorst,1829* TR
6902. **Messor semirufus (André,1881)** (Formicidae) Synonym(s): *semirufus André,1881* TR
6903. **Messor structor (Latreille,1798)** (Formicidae) Synonym(s): *structor Latreille,1798* TR
6904. **Metacantharis araxicola Reitter,1891** (Cantharidae) Synonym(s): *araxicola Reitter,1891* TR AM Cc IR
6905. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
6906. **Metacantharis kostali Wittmer,1997** (Cantharidae) Synonym(s): *kostali Wittmer,1997* TR
6907. **Metacantharis taurigrada Bourgeois,1900** (Cantharidae) Synonym(s): *taurigrada Bourgeois,1900* SY TR
6908. **Metacantharis torosensis Svihla,1999** (Cantharidae) Synonym(s): *torosensis Svihla,1999* TR
6909. **Metacantharis walteri Svihla,1999** (Cantharidae) Synonym(s): *walteri Svihla,1999* TR
6910. **Metaclisa azurea (Waltl,1838)** (Tenebrionidae) Synonym(s): *azurea Waltl,1838* TR
6911. **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae) Synonym(s): *subalpina Rubtsov,1956* TR
6912. **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae) Synonym(s): *subalpina Rubtsov,1956* AM AZ Cc GG TR
6913. **Metacnephia terterjani (Rubtsov,1955)** (Simuliidae) Synonym(s): *terterjani Rubtsov,1955* TR?
6914. **Metadenopus ankaranus (Bodenheimer)** (Pseudococcidae) Synonym(s): *ankaranus Bodenheimer* TR
6915. **Metalimnobia (s.str.) bifasciata (Schrank,1781)** (Limoniidae) Synonym(s): *bifasciata Schrank,1781* TR
6916. **Metalimnobia (s.str.) quadrimaculata (Linnaeus,1761)** (Limoniidae) Synonym(s): *quadrinaculata Linnaeus,1761* TR
6917. **Metanotalia maderensis (Walker)** (Encyrtidae) Synonym(s): Md TR
6918. **Metaphycus asterolecanii (Mercet)** (Encyrtidae) Synonym(s): TR
6919. **Metaphycus bellae Trjapitzin** (Encyrtidae) Synonym(s): TR
6920. **Metaphycus delos Guerrieri & Noyes** (Encyrtidae) Synonym(s): TR
6921. **Metaphycus dispar (Mercet)** (Encyrtidae) Synonym(s): TR
6922. **Metaphycus flavus (Howard)** (Encyrtidae) Synonym(s): TR
6923. **Metaphycus garmon Guerrieri & Noyes** (Encyrtidae) Synonym(s): TR
6924. **Metaphycus gennaroi Guerrieri & Noyes** (Encyrtidae) Synonym(s): TR
6925. **Metaphycus helvolus (Compere)** (Encyrtidae) Synonym(s): TR
6926. **Metaphycus ibericus (Mercet)** (Encyrtidae) Synonym(s): ES TR
6927. **Metaphycus insidiosus (Mercet)** (Encyrtidae) Synonym(s): TR
6928. **Metaphycus melanostomatus (Timberlake)** (Encyrtidae) Synonym(s): TR
6929. **Metaphycus petitus (Walker)** (Encyrtidae) Synonym(s): TR
6930. **Metaphycus piceus Hoffer** (Encyrtidae) Synonym(s): TR
6931. **Metaphycus silvestrii Sugonjaev** (Encyrtidae) Synonym(s): TR
6932. **Metaphycus stagnarum Hoffer** (Encyrtidae) Synonym(s): TR

6933. **Metasyrphus corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776; *corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons* Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus* Macquart,1850; *toparius* Walker,1851; *berber* Bigot,1884 **DZ GB HU NL DE SE NO TR**
6934. **Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): *pruinosa* Say,1830 **US IT FR Co CH AT SL HV B-H CZ TR**
6935. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 **DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM**
6936. **Metopia argyrocephala (Meigen,1824)** (Sarcophagidae) Synonym(s): *argyrocephala* Meigen,1824 **TR**
6937. **Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius* Panzer,1805 **TR CN NP IN**
6938. **Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894 **HU TR AT YU**
6939. **Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887 **DZ TR Cc KG IR**
6940. **Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): *dentatus* Fabricius,1779 **TR NO RU Sb Cc**
6941. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883 **TR DZ Cc TJ KG RU**
6942. **Metopius (s.str.) fulvicornis Mocsary,1883** (Ichneumonidae) Synonym(s): *fulvicornis* Mocsary,1883 **TR**
6943. **Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus* Thomson,1887 **SE DE FR AT HU TR**
6944. **Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859 **TR Cc KG RU Sb**
6945. **Metopius (Tylopius) pinatorius Brullé,1846** (Ichneumonidae) Synonym(s): *pinatorius* Brullé,1846 **TR RU**
6946. **Metopodia pilicornis (Pandellé,1895)** (Sarcophagidae) Synonym(s): *pilicornis* Pandellé,1895 **TR**
6947. **Metopomyza scutellata (Fallén,1823)** (Agromyzidae) Synonym(s): *scutellata* Fallén,1823 **TR**
6948. **Metopomyza xanthaspis (Loew,1858)** (Agromyzidae) Synonym(s): *xanthaspis* Loew,1858 **TR**
6949. **Metopsia assingi Zerche,1998** (Staphylinidae) Synonym(s): *assingi* Zerche,1998 **TR**
6950. **Metopsia similis Zerche,1998** (Staphylinidae) Synonym(s): *similis* Zerche,1998 **TR**
6951. **Metriocnemus cubitalis Kieffer,1911** (Chironomidae) Synonym(s): *cubitalis* Kieffer,1911 **TR**
6952. **Metrioptera (Bicolorana) bicolor (Philippi,1830)** (Tettigoniidae) Synonym(s): *bicolor* Philippi,1830 **TR**
6953. **Metrioptera (Bicolorana) burri Uvarov,1921** (Tettigoniidae) Synonym(s): *burri* Uvarov,1921 **TR**
6954. **Metrioptera (Broughtonia) arnoldi Ramme,1933** (Tettigoniidae) Synonym(s): *arnoldi* Ramme,1933 **TR**
6955. **Metrioptera (Roeseliana) bispina (Bolivar,1899)** (Tettigoniidae) Synonym(s): *bispina* Bolivar,1899 *Platycleis roeselii* var. *bispina* Bolivar,1899, *Annls Soc. ent. Belg.* 43: 602. Syntypes: **Marash. TR**
6956. **Metrioptera (Roeseliana) fedschenkoi (Saussure,1874)** (Tettigoniidae) Synonym(s): *fedschenkoi* Saussure,1874 **TR**
6957. **Metrioptera (Roeseliana) pynovi Uvarov,1924** (Tettigoniidae) Synonym(s): *pynovi* Uvarov,1924 **TR**
6958. **Metrioptera (Vichetia) oblongicollis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *oblongicollis* Brunner von Wattenwyl,1882 **TR**
6959. **Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962 **CY IL Pa TR IR**
6960. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 **AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU**
6961. **Micantulina (Mulsantina) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucarii* Cerutti,1938; *impunctata* Cerutti,1938; *incompleta* Cerutti,1938 **AT BG GR TR IT SW UA YU**
6962. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feberi* Metcalf,1968 **DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At**
6963. **Microcara caspica Reitter,1889** (Scirtidae) Synonym(s): *caspica* Reitter,1889 **TR Cc AZ**
6964. **Microcara Thomson,1859** (Scirtidae) Synonym(s): *Microcara* Thomson,1859 **TR**

6965. **Microchelonus basalis (Curtis,1837)** (Braconidae) Synonym(s): *basalis* Curtis,1837 **RU TR**
IR KG
6966. **Microchelonus contracta (Nees,1834)** (Braconidae) Synonym(s): *contracta* Nees,1834 **Cc**
KG RU Sb TR
6967. **Microchelonus hungarica (Szepligeti,1896)** (Braconidae) Synonym(s): *hungarica*
Szepligeti,1896 **TR**
6968. **Microchelonus nitens (Reinhard,1867)** (Braconidae) Synonym(s): *nitens* Reinhard,1867 **TR**
RU KG
6969. **Microchelonus sulcata (Jurine,1807)** (Braconidae) Synonym(s): *sulcata* Jurine,1807 **Cc RU**
Sb TR
6970. **Micrococcopsis elongatus Borchsenius** (Pseudococcidae) Synonym(s): *elongatus*
Borchsenius **TR**
6971. **Micrococcopsis stipae Borchsenius** (Pseudococcidae) Synonym(s): *stipae* Borchsenius **TR**
6972. **Micrococcus inermis (Hall)** (Pseudococcidae) Synonym(s): *inermis* Hall **TR**
6973. **Micrococcus similis Leonardi** (Micrococcidae) Synonym(s): *similis* Leonardi **TR**
6974. **Microcricotopus bicolor (Zetterstedt,1850)** (Chironomidae) Synonym(s): *bicolor*
Zetterstedt,1850 **TR**
6975. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus*
Spinola,1808 **IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB**
6976. **Microdynerus anatolicus (Blüthgen,1938)** (Vespidae) Synonym(s): *anatolicus* Blüthgen,1938
IL Pa **TR**
6977. **Microdynerus appenninicus Giordani Soika,1960** (Vespidae) Synonym(s): *appenninicus*
Giordani Soika,1960 **IT JO TR**
6978. **Microdynerus confinis Gusenleitner,1979** (Vespidae) Synonym(s): *confinis*
Gusenleitner,1979 **TR**
6979. **Microdynerus curdistanicus Gusenleitner,1988** (Vespidae) Synonym(s): *curdistanicus*
Gusenleitner,1988 **Microdynerus curdistanicus Gusenleitner,1988, Linzer biol. Beitr. 20 (2): 716-719,**
fig. Holotype ♀: Turkey: Hakkari Prov., Yüksekova, Sat Dağ, Vargöz 1700m 4-8.8.1983 leg.
W.Schacht (coll. Gusenleitner). TR
6980. **Microdynerus erzincanensis Yıldırım & Özbek,1995** (Vespidae) Synonym(s):
erzincanensis Yıldırım & Özbek,1995 **TR**
6981. **Microdynerus eurasius Blüthgen,1938** (Vespidae) Synonym(s): *eurasius* Blüthgen,1938 **TR**
6982. **Microdynerus microdynerus (Dalla Torre,1889)** (Vespidae) Synonym(s): *microdynerus*
Dalla Torre,1889 **TR**
6983. **Microdynerus mirandus (Giordani Soika,1947)** (Vespidae) Synonym(s): *mirandus*
Giordani Soika,1947 **TR IT Si**
6984. **Microdynerus parvulus (Herrich-Schäffer,1838)** (Vespidae) Synonym(s): *parvulus*
Herrich-Schäffer,1838 **TR**
6985. **Microgaster alebion Nixon,1968** (Braconidae) Synonym(s): *alebion* Nixon,1968 **Microgaster**
alebion Nixon,1968, Bull. Br. Mus. Nat. Hist. (Ent.) 22 (2): 60 TR GB
6986. **Microgaster fischeri Papp,1960** (Braconidae) Synonym(s): *fischeri* Papp,1960 **Microgaster**
fischeri Papp,1960, Folia ent. Hung. (N.S) 13: 529-535. TR AT CZ GB MN
6987. **Microgaster fulvicornis Wesmael,1837** (Braconidae) Synonym(s): *fulvicornis* Wesmael,1837
Microgaster fulvicornis Wesmael,1837, *Vouv. Mem. Acad. Brux. 10: 44. TR Cc RU*
6988. **Microgaster opheltes Nixon,1968** (Braconidae) Synonym(s): *opheltes* Nixon,1968
Microgaster opheltes Nixon,1968, *Bull. Br. Nat. Hist. (Ent.) 22 (2): 48. YU TR*
6989. **Microgaster subcompleta Nees,1834** (Braconidae) Synonym(s): *subcompleta* Nees,1834
Microgaster subcompleta Nees,1834, *Hym. Ichn. Affin. Mon. 1: 165. US Cc TR*
6990. **Microrhonia terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata* Schmidt,1842
TR RU UA Cc TM
6991. **Microlarinus lareynii (Jacquilin du Val,1852)** (Curculionidae) Synonym(s): *lareynii*
Jacquilin du Val,1852 **TR**
6992. **Microlycus erdoesi Boucek** (Eulophidae) Synonym(s): **TR**
6993. **Micromallosia heinzorum Holzschuh,1991** (Cerambycidae) Synonym(s): *heinzorum*
Holzschuh,1991 **TR**
6994. **Micromallosia heydeni (Ganglbauer,1888)** (Cerambycidae) Synonym(s): *heydeni*
Ganglbauer,1888 **TR**
6995. **Micromallosia theresae Pic,1900** (Cerambycidae) Synonym(s): *theresae* Pic,1900 **TR**
6996. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922 **TR**
IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
6997. **Micronecta griseola (Linnaeus,1758)** (Corixidae) Synonym(s): *griseola* Linnaeus,1758 **RU**
TR
6998. **Micronecta minutissima (Linnaeus,1758)** (Corixidae) Synonym(s): *minutissima*
Linnaeus,1758 **TR**
6999. **Micronecta perplexa Horvath,1899** (Corixidae) Synonym(s): *perplexa* Horvath,1899 **HU RU**
RO TR

7000. **Micronecta pusilla (Horvath,1895)** (Corixidae) Synonym(s): *pusilla Horvath,1895* HU RO
RU TR
7001. **Micronecta vitticeps (Horvath,1895)** (Corixidae) Synonym(s): *vitticeps Horvath,1895* BG TR
YU GR
7002. **Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): *wui Lundblad,1933; alkani
Hoberlandt,1948* IR PK TR IL Pa
7003. **Micropeplus fulvus Erichson,1840** (Staphylinidae) Synonym(s): *fulvus Erichson,1840* TR
7004. **Micropeplus tesserula Curtis,1828** (Staphylinidae) Synonym(s): *tesserula Curtis,1828* TR
7005. **Microphadnus insperatus Priesner,1967** (Pompilidae) Synonym(s): *insperatus Priesner,1967*
TR
7006. **Microphadnus pumilus (Costa,1882)** (Pompilidae) Synonym(s): *pumilus Costa,1882* TR
7007. **Micropodisma koenigi (Burr,1913)** (Acrididae) Synonym(s): *koenigi Burr,1913* TR
7008. **Micropsectra curvicornis (Tchernovskii,1949)** (Chironomidae) Synonym(s): *curvicornis
Tchernovskii,1949* TR
7009. **Micropsectra notescens (Walker,1856)** (Chironomidae) Synonym(s): *notescens Walker,1856*
TR
7010. **Microptilis cebes Nixon,1970** (Braconidae) Synonym(s): *cebes Nixon,1970* GR TR YU AT SE
CZ TR MN
7011. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* BE FI KP KR MA
RU AT TR DE IT NL HU GB KG
7012. **Microptilis decipiens Prell,1925** (Braconidae) Synonym(s): *decipiens Prell,1925* DE PL HU
TR
7013. **Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator
Fabricius,1798* TR CY IR MN GR RU
7014. **Microptilis docilis (Telenga,1964)** (Braconidae) Synonym(s): *docilis Telenga,1964* BG RU
HU CH FI TR
7015. **Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* TR BG
DE GB FI FR KP KR HU MN TN
7016. **Microptilis fordi Nixon,1970** (Braconidae) Synonym(s): *fordi Nixon,1970* TR IL Pa TN MN
7017. **Microptilis heterocera Ruthe,1860** (Braconidae) Synonym(s): *heterocera Ruthe,1860* DE YU
TR RU CZ HU
7018. **Microptilis idia Nixon,1970** (Braconidae) Synonym(s): *idia Nixon,1970* DE SE CH TR
7019. **Microptilis mandibularis Thomson,1895** (Braconidae) Synonym(s): *mandibularis
Thomson,1895* DE TR MN
7020. **Microptilis marshallii Kokujev,1897** (Braconidae) Synonym(s): *marshallii Kokujev,1897* Cc
AZ AM GG HU TR RO RU
7021. **Microptilis mediator (Haliday,1834)** (Braconidae) Synonym(s): *mediator Haliday,1834* TR
DK JP RU Sb Sh Cc KG LT ID Ja
7022. **Microptilis naenia Nixon,1970** (Braconidae) Synonym(s): *naenia Nixon,1970* CZ HU RU TR
7023. **Microptilis scrophulariae Szepligeti,1898** (Braconidae) Synonym(s): *scrophulariae
Szepligeti,1898* Cc AZ GG FR RO CH HU CZ MN TR
7024. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH Cc
AZ DK BG FR GR HU NL TR
7025. **Microptilis spinolae Nees,1834** (Braconidae) Synonym(s): *spinolae Nees,1834* TR Cc AZ AM
RU Sb ID Ja
7026. **Microptilis strenua Reinhard,1880** (Braconidae) Synonym(s): *strenua Reinhard,1880* TR
AM NL PL HU GB CH CN RU Sb
7027. **Microptilis tristis (Nees,1834)** (Braconidae) Synonym(s): *tristis Nees,1834* RU KP KR TR
7028. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer
Wesmael,1837* FR RU Sb LK MN Cc AZ AM TR JP
7029. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* Cc AZ DE FR
YU TR AT PL RU MN Sb SE HU
7030. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* Cc AZ RU Da CY
DE GR GB TR KG ES CH SE HU YU
7031. **Micrositus opacus Reitter,1904** (Tenebrionidae) Synonym(s): *opacus Reitter,1904* TR
7032. **Microtendipes chloris (Meigen,1804)** (Chironomidae) Synonym(s): *chloris Meigen,1804*
TR
7033. **Microtendipes tarsalis (Walker,1856)** (Chironomidae) Synonym(s): *tarsalis Walker,1856*
TR
7034. **Microterys bellae Trjapitzin** (Encyrtidae) Synonym(s): TR
7035. **Microterys cneus Trjapitzin & Sugonjaev** (Encyrtidae) Synonym(s): TR
7036. **Microterys darevskii Trjapitzin** (Encyrtidae) Synonym(s): TR
7037. **Microterys hortulanus Erdös** (Encyrtidae) Synonym(s): TR
7038. **Microterys lunatus (Dalman)** (Encyrtidae) Synonym(s): TR
7039. **Microterys masii Silvestri** (Encyrtidae) Synonym(s): TR
7040. **Microterys nietneri (Motschulsky)** (Encyrtidae) Synonym(s): TR
7041. **Microterys tricoloricornis (De Stefani)** (Encyrtidae) Synonym(s): TR

7042. **Mikiola fagi (Hartig,1839)** (Cecidomyiidae) Synonym(s): *fagi* Hartig,1839 **TR**
7043. **Mikiola orientalis Kieffer,1908** (Cecidomyiidae) Synonym(s): *orientalis* Kieffer,1908 **TR**
7044. **Mikomya coryli (Kieffer,1901)** (Cecidomyiidae) Synonym(s): *coryli* Kieffer,1901 **TR**
7045. **Milesia crabroniformis (Fabricius,1775)** (Syrphidae) Synonym(s): *crabroniformis* Fabricius,1775 **TR**
7046. **Milesia semiluctifera (Villers,1789)** (Syrphidae) Synonym(s): *semiluctifera* Villers,1789 **TR**
7047. **Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa* Meigen,1830 **Cn PT FR IT Sa GR YU TR**
7048. **Milichiella sp.** (Milichiidae) Synonym(s): **TR**
7049. **Miltogramma germari Meigen,1824** (Sarcophagidae) Synonym(s): *germari* Meigen,1824 **TR**
7050. **Miltogramma oestracea (Fallén,1820)** (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820 **TR**
7051. **Miltogramma taeniata Meigen,1824** (Sarcophagidae) Synonym(s): *taeniata* Meigen,1824 **TR**
7052. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FIEE LT BY UA**
7053. **Miscogaster elegans Walker** (Pteromalidae) Synonym(s): **TR**
7054. **Miscogaster hortensis Walker** (Pteromalidae) Synonym(s): **TR**
7055. **Miscogaster rufipes Walker** (Pteromalidae) Synonym(s): **TR**
7056. **Mistshenkotetrix brachyptera (Lucas,1849)** (Tetrigidae) Synonym(s): *brachyptera* Lucas,1849 **TR**
7057. **Mniophila turcica Medvedev,1970** (Chrysomelidae) Synonym(s): *turcica* Medvedev,1970 **TR**
7058. **Mocuellus deminutus Dlabola,1981** (Cicadellidae) Synonym(s): *deminutus* Dlabola,1981 **TR**
7059. **Mocuellus dlabolai Kalkandelen,1972** (Cicadellidae) Synonym(s): *dlabolai* Kalkandelen,1972 **TR**
7060. **Mocuellus foxi Kalkandelen,1972** (Cicadellidae) Synonym(s): *foxi* Kalkandelen,1972 **TR**
7061. **Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): *quadricornis* Dlabola,1949 **AT CS HU PL RO TR MD UA**
7062. **Mocuellus zelihae Kalkandelen,1972** (Cicadellidae) Synonym(s): *zelihae* Kalkandelen,1972 **TR**
7063. **Mocydia aegae Abdul-Nour,1988** (Cicadellidae) Synonym(s): *aegae* Abdul-Nour,1988 **TR**
7064. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 **AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR**
7065. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola* Remane,1961 **IQ AT FR GR HU RU TR**
7066. **Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda* Ribaut,1939 **AT BE BG TR CS FR DE GB IT NL SE**
7067. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
7068. **Modicogryllus (Promodicogryllus) bucharicus (Bei-Bienko,1933)** (Gryllidae) Synonym(s): *bucharicus* Bei-Bienko,1933 **UZ TR**
7069. **Modicogryllus (s.str.) algirius (Saussure,1877)** (Gryllidae) Synonym(s): *algirius* Saussure,1877 **DZ TR**
7070. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 **Gryllus frontalis** Fieber,1844, **Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR**
7071. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae) Synonym(s): *truncatus* Tarbinski,1940 **RO Cc TR**
7072. **Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria* Dlabola,1958 **Cc GG TR IR RU UA**
7073. **Mogangella straminea Dlabola,1957** (Cicadellidae) Synonym(s): *straminea* Dlabola,1957 **TR KG MD UA**
7074. **Mogoplistes brunneus Audinet-Serville,1839** (Mogoplistidae) Synonym(s): *brunneus* Audinet-Serville,1839 **TR**
7075. **Mohelnaspis massiliensis (Goux)** (Diaspididae) Synonym(s): *massiliensis* Goux **TR**
7076. **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia* Loew,1869 **TR IR Fa RO Cc GG AM AZ**
7077. **Molobratia teutonus (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonus* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834 **ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es**

7078. **Molophilus (s.str.) aduncus Stary,1978** (Limoniidae) Synonym(s): *aduncus Stary,1978* TR
7079. **Molophilus (s.str.) griseus (Meigen,1804)** (Limoniidae) Synonym(s): *griseus Meigen,1804* TR
7080. **Molophilus (s.str.) obscurus (Meigen,1818)** (Limoniidae) Synonym(s): *obscurus Meigen,1818* TR
7081. **Molophilus (s.str.) ochraceus (Meigen,1818)** (Limoniidae) Synonym(s): *ochraceus Meigen,1818* TR
7082. **Molophilus (s.str.) pleuralis De Meijere,1920** (Limoniidae) Synonym(s): *pleuralis De Meijere,1920* TR
7083. **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniidae) Synonym(s): *propinquus Egger,1863* TR DZ RU Sb
7084. **Monarthropalpus flavus (Schrank,1776)** (Cecidomyiidae) Synonym(s): *flavus Schrank,1776; buxi Laboulbene,1873* TR
7085. **Monodiscodes dimorphus (Mercet)** (Encyrtidae) Synonym(s): TR
7086. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
7087. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
7088. **Monomorium dentigerum (Roger,1862)** (Formicidae) Synonym(s): *dentigerum Roger,1862* TR
7089. **Monomorium kusnezowi Santschi,1928** (Formicidae) Synonym(s): *kusnezowi Santschi,1928* TR
7090. **Monomorium minutum Mayr,1855** (Formicidae) Synonym(s): *minutum Mayr,1855* TR
7091. **Monopelopia tenuicalcar (Kieffer,1918)** (Chironomidae) Synonym(s): *tenuicalcar Kieffer,1918* TR
7092. **Monorthochaeta adanaensis Doğanlar,2002** (Trichogrammatidae) Synonym(s): *adanaensis Doğanlar,2002* TR
7093. **Monorthochaeta galatica Nowicki,1935** (Trichogrammatidae) Synonym(s): *galatica Nowicki,1935* TR
7094. **Monosapyga clavicornis (Linnaeus,1758)** (Sapygidae) Synonym(s): *clavicornis Linnaeus,1758; prisma Fabricius,1787; ininterrupta Pic,1920; triinterrupta Pic,1920; theresae Pic,1920* DZ Cc TR
7095. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera Reuter,1888* TR IL Pa IR EG RU SY GR
7096. **Monosteira pardoii E.Wagner,1961** (Tingidae) Synonym(s): *pardoii E.Wagner,1961* TR
7097. **Monosteira unicastata (Mulsant & Rey,1852)** (Tingidae) Synonym(s): *unicastata Mulsant & Rey,1852* IT Sa Si TR
7098. **Monticorixa armeniaca (Stys,1975)** (Corixidae) Synonym(s): *armeniaca Stys,1975* AM Cc TR DZ
7099. **Monticorixa Stys,1975** (Corixidae) Synonym(s): *Monticorixa Stys,1975* TR
7100. **Morellia hortorum (Fallén,1817)** (Muscidae) Synonym(s): *hortorum Fallén,1817* Cc GG TR AM
7101. **Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus Faldermann,1836* UA Cm TR Cc IR
7102. **Mormia revisenda (Eaton,1896)** (Psychodidae) Synonym(s): *revisenda Eaton,1896* TR
7103. **Morphacris fasciata (Thunberg,1915)** (Acrididae) Synonym(s): *fasciata Thunberg,1915* TR
7104. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
7105. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
7106. **Mulsanteus guillebeaui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeaui Mulsant & Godart,1853; guillebelli Mulsant & Godart,1853* IT SY IR TR
7107. **Mulsanteus manuelae Platia & Gudenzi,1998** (Elateridae) Synonym(s): *manuelae Platia & Gudenzi,1998* TR
7108. **Mulsanteus schaumii (Candeze,1881)** (Elateridae) Synonym(s): *schaumii Candeze,1881* GR SY TR
7109. **Musaria anatolica (Fuchs & Breuning,1971)** (Cerambycidae) Synonym(s): *anatolica Fuchs & Breuning,1971* TR
7110. **Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): *astarte Ganglbauer,1885* TR SY Dms LB
7111. **Musaria kurdistanica (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *kurdistanica Ganglbauer,1884* AM Cc TR IR

7112. **Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): *puncticollis Faldermann,1837* TR IR Ab AM Cc
7113. **Musaria volgensis (Kraatz,1883)** (Cerambycidae) Synonym(s): *volgensis Kraatz,1883* Cc TR
7114. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
7115. **Musca calleva Walker,1849** (Muscidae) Synonym(s): *calleva Walker,1849; mimetica Malloch,1941* SC ZW ZA MG Sk Cn EG TR
7116. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica Linnaeus,1758* PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF
7117. **Musca larvipara Portschinsky,1910** (Muscidae) Synonym(s): *larvipara Portschinsky,1910* Cc AM TR AZ
7118. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
7119. **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens Wiedemann,1830* SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
7120. **Muscidifurax adanacus Doğanlar,2007** (Pteromalidae) Synonym(s): *adanacus Doğanlar,2007* Muscidifurax adanacus Doğanlar,2007, Türk. ent. derg. 31 (4): 245-246. Holotype ♀: Turkey (MKUT) TR
7121. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
7122. **Muscina stabulans (Fallén,1817)** (Muscidae) Synonym(s): *stabulans Fallén,1817* Cc AM TR
7123. **Mustha izmirensis Memon & Ahmad,2008** (Pentatomidae) Synonym(s): *izmirensis Memon & Ahmad,2008* Mustha izmirensis Memon & Ahmad,2008, Pakistan J. Zool. 40 (6): 436-438, figs. Holotype ♂: Turkey: Izmir prov., Bornova, 29 June 1978 (NHMUK). TR
7124. **Mustha longispinis Reuter,1890** (Pentatomidae) Synonym(s): *longispinis Reuter,1890* Mustha longispinis Reuter,1890, Revue d'Ent. 9: 263-264. Type ♂: Turquie: Amasia. TR
7125. **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula Lefebvre,1831* Halys spinosula Lefebvre,1831, [in] Guérin-Ménéville, Magas. Zool. 1: page & tab.21. GR TR IR Kh Cc AZ Kir Nv Ord EG YU B-H
7126. **Mutilla europaea Linnaeus,1758** (Mutillidae) Synonym(s): *europaea Linnaeus,1758* TR RU Ur Sb KG SE FI ES DZ
7127. **Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata Cyrillo,1787* TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
7128. **Mutilla richterae Lelej,1984** (Mutillidae) Synonym(s): *richterae Lelej,1984* AM Cc IQ TR
7129. **Muzimes bitlisiensis (Kaszab,1958)** (Meloidae) Synonym(s): *bitlisiensis Kaszab,1958* TR
7130. **Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris Fabricius,1787* TR MK GR BG RU Cc
7131. **Muzimes dersimensis (Kaszab,1968)** (Meloidae) Synonym(s): *dersimensis Kaszab,1968; #dersinemsis Özbek & Szaloki,1998* Micromerus dersimensis Kaszab,1968, Annln naturh. Mus. Wien 72: 444, 447-448. Holotype ♂: [Türkei]: Klein-Asien: 20-25km südwestlich von Tunceli, 20.vi.1967 (NHMW). TR
7132. **Muzimes erivanicus (Kaszab,1958)** (Meloidae) Synonym(s): *erivanicus Kaszab,1958* Micromerus erivanicus Kaszab,1958, Acta ent. Mus. nat. Pragae 32: 5-18. AM TR Cc Eri
7133. **Muzimes obenbergeri (Kaszab,1958)** (Meloidae) Synonym(s): *obenbergeri Kaszab,1958* TR
7134. **Muzimes semiobscurus (Pic,1898)** (Meloidae) Synonym(s): *semiobscurus Pic,1898* TR
7135. **Muzimes strebai (Maran,1940)** (Meloidae) Synonym(s): *strebai Maran,1940* SY TR
7136. **Muzimes tauricus (Maran,1940)** (Meloidae) Synonym(s): *tauricus Maran,1940* TR
7137. **Myathropa florea (Linnaeus,1758)** (Syrphidae) Synonym(s): *florea Linnaeus,1758* TR
7138. **Mycetophila alea Laffoon,1965** (Mycetophilidae) Synonym(s): *alea Laffoon,1965* EE LT LV RU Sb TR IR CA
7139. **Mycetophila blanda Winnertz,1863** (Mycetophilidae) Synonym(s): *blanda Winnertz,1863* EE LT RU MN TR
7140. **Mycetophila fungorum (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum DeGeer,1776* RU TR IN CN TH MY
7141. **Mycetophila ocellus Walker,1848** (Mycetophilidae) Synonym(s): *ocellus Walker,1848* TR
7142. **Mycetophila pictula Meigen,1830** (Mycetophilidae) Synonym(s): *pictula Meigen,1830* TR
7143. **Mycetophila spectabilis Winnertz,1863** (Mycetophilidae) Synonym(s): *spectabilis Winnertz,1863* TR
7144. **Mycetophila strigatoides (Landrock,1927)** (Mycetophilidae) Synonym(s): *strigatoides Landrock,1927* TR
7145. **Mycetophila trinotata Staeger,1840** (Mycetophilidae) Synonym(s): *trinotata Staeger,1840* TR
7146. **Mycetophila unicolor Stannius,1831** (Mycetophilidae) Synonym(s): *unicolor Stannius,1831* TR

7147. **Mycterodus (Aconosimus) marki Gnezdilov,2008** (Issidae) Synonym(s): *marki Gnezdilov,2008* TR
7148. **Mycterodus (Comporodus) spinicordatus Dlabola,1983** (Issidae) Synonym(s): *spinicordatus Dlabola,1983* TR
7149. **Mycterodus (Comporodus) tekneticus (Dlabola,1982)** (Issidae) Synonym(s): *tekneticus Dlabola,1982* TR
7150. **Mycterodus (s.str.) alatus Logvinenko,1968** (Issidae) Synonym(s): *alatus Logvinenko,1968* Ce GG TR
7151. **Mycterodus (s.str.) bicornutus Dlabola,1986** (Issidae) Synonym(s): *bicornutus Dlabola,1986* TR
7152. **Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): *confusus Stal,1861* Ce CS HU RO TR AZ GG UA YU
7153. **Mycterodus (s.str.) denticulatus Lindberg,1948** (Issidae) Synonym(s): *denticulatus Lindberg,1948* CY TR
7154. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794* Ce AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
7155. **Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): *intricatus Stal,1861; jaltaicus Dlabola,1958* Ce CY TR AZ GG UA
7156. **Mycterodus (s.str.) lodosicus Dlabola,1980** (Issidae) Synonym(s): *lodosicus Dlabola,1980* TR
7157. **Mycterodus (s.str.) muticus Dlabola,1986** (Issidae) Synonym(s): *muticus Dlabola,1986* TR
7158. **Mycterodus (s.str.) osmanicus Dlabola,1971** (Issidae) Synonym(s): *osmanicus Dlabola,1971* TR
7159. **Mycterodus (s.str.) pozanticus Kartal,1983** (Issidae) Synonym(s): *pozanticus Kartal,1983* TR
7160. **Mycterodus (s.str.) rostratulus Emeljanov,1964** (Issidae) Synonym(s): *rostratulus Emeljanov,1964* Ce RU TR
7161. **Mycterodus (Semirodus) ionus Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *ionus Gnezdilov & Drosopoulos,2004* GR TR
7162. **Mycterodus (Semirodus) johannes Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *johannes Gnezdilov & Drosopoulos,2004* TR GR
7163. **Mycterodus (Semirodus) pallens Stal,1861** (Issidae) Synonym(s): *pallens Stal,1861* GR TR Gk YU
7164. **Mycterodus anatolicus Dlabola,1981** (Issidae) Synonym(s): *anatolicus Dlabola,1981* TR
7165. **Mycterodus anatoloriens Dlabola,1979** (Issidae) Synonym(s): *anatoloriens Dlabola,1979* TR
7166. **Mycterodus arpadi Dlabola,1977** (Issidae) Synonym(s): *arpadi Dlabola,1977* TR
7167. **Mycterodus balikesiricus Dlabola,1979** (Issidae) Synonym(s): *balikesiricus Dlabola,1979* TR
7168. **Mycterodus capitatus Dlabola,1982** (Issidae) Synonym(s): *capitatus Dlabola,1982* TR
7169. **Mycterodus carpathicus Logvinenko,1974** (Issidae) Synonym(s): *carpathicus Logvinenko,1974* TR RO
7170. **Mycterodus caucasicus (Melichar,1906)** (Issidae) Synonym(s): *caucasicus Melichar,1906* Ce TR AZ AM GG
7171. **Mycterodus drosopouloسی Dlabola,1982** (Issidae) Synonym(s): *drosopouloسی Dlabola,1982* TR
7172. **Mycterodus efesicus Dlabola,1971** (Issidae) Synonym(s): *efesicus Dlabola,1971* TR GR
7173. **Mycterodus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus Dlabola,1958* TR AM AZ GG Ce RU
7174. **Mycterodus hakkaricus Dlabola,1980** (Issidae) Synonym(s): *hakkaricus Dlabola,1980* TR
7175. **Mycterodus hamatus Dlabola,1971** (Issidae) Synonym(s): *hamatus Dlabola,1971* TR
7176. **Mycterodus izmiticus Dlabola,1979** (Issidae) Synonym(s): *izmiticus Dlabola,1979* TR
7177. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus Herrich-Schäffer,1835* FR Sa IT AT RO GR SK HU PL TR DE HV RU Ce BG AM
7178. **Mycterodus osellai Dlabola,1977** (Issidae) Synonym(s): *osellai Dlabola,1977* TR
7179. **Mycterodus ovifrons (Puton,1890)** (Issidae) Synonym(s): *ovifrons Puton,1890* RU Ce TR
7180. **Mycterodus serbicus Dlabola,1980** (Issidae) Synonym(s): *serbicus Dlabola,1980* YU TR
7181. **Mycterodus spinicordatus Dlabola,1982** (Issidae) Synonym(s): *spinicordatus Dlabola,1982* TR
7182. **Mycterodus tekneticus Dlabola,1982** (Issidae) Synonym(s): *tekneticus Dlabola,1982* TR
7183. **Mycterodus torosicus Dlabola,1980** (Issidae) Synonym(s): *torosicus Dlabola,1980* TR
7184. **Mycterodus ulukislanus Dlabola,1983** (Issidae) Synonym(s): *ulukislanus Dlabola,1983* TR
7185. **Mydaea urbana (Meigen,1826)** (Muscidae) Synonym(s): *urbana Meigen,1826* AM Ce Eri GG TR
7186. **Myennis octopunctata (Coquebert,1798)** (Uliidiidae) Synonym(s): *octopunctata Coquebert,1798* DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Ce AM Eri

7187. **Mylabris apicenigra Sumacov,1924** (Meloidae) Synonym(s): *apicenigra Sumacov,1924* TR
IR Lo
7188. **Mylabris bimaculata Klug,1845** (Meloidae) Synonym(s): *bimaculata Klug,1845* TR SY IR Cc
7189. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR
SY BG DZ
7190. **Mylabris ciliciensis Escherich,1899** (Meloidae) Synonym(s): *ciliciensis Escherich,1899* TR
7191. **Mylabris cincta Olivier,1811** (Meloidae) Synonym(s): *cincta Olivier,1811*; *#cincat Kaszab,1968*
TR AF Cc GR SY IR DZ
7192. **Mylabris cingulata Faldermann,1837** (Meloidae) Synonym(s): *cingulata Faldermann,1837*
SA SY IR TR
7193. **Mylabris concolor Marseul,1870** (Meloidae) Synonym(s): *concolor Marseul,1870* **Mylabris
concolor Marseul,1870, Abeille 1870: 112.** TR Cc IR
7194. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata Pallas,1781* TR RU KG MN IR
SY BG DE ES HU DE
7195. **Mylabris decempunctata Fabricius,1781** (Meloidae) Synonym(s): *decempunctata
Fabricius,1781* TR
7196. **Mylabris decore Frivaldsky,1835** (Meloidae) Synonym(s): *decore Frivaldsky,1835* TR
7197. **Mylabris emiliae (Escherich,1899)** (Meloidae) Synonym(s): *emiliae Escherich,1899* TR SY Cc
7198. **Mylabris externepunctata Faldermann,1832** (Meloidae) Synonym(s): *externepunctata
Faldermann,1832* TR Cc AZ IR
7199. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata Petagna,1787 nec
Fabr.,1781; fabricii Sumakov,1924* TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
7200. **Mylabris festiva (Pallas,1773)** (Meloidae) Synonym(s): *festiva Pallas,1773* TR BG RU At Sb MN
7201. **Mylabris flavipennis Motschulsky,1872** (Meloidae) Synonym(s): *flavipennis
Motschulsky,1872* TR
7202. **Mylabris formosa Welman,1910** (Meloidae) Synonym(s): *formosa Welman,1910* TR BG
7203. **Mylabris furcimakula Sumakov,1915** (Meloidae) Synonym(s): *furcimakula Sumakov,1915* Cc
TR
7204. **Mylabris fusca (Olivier,1811)** (Meloidae) Synonym(s): *fusca Olivier,1811* TR Cc RU TM IR SY
7205. **Mylabris geminata Fabricius,1798** (Meloidae) Synonym(s): *geminata Fabricius,1798* TR RU
Cc IR
7206. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa Escherich,1899* TR
Cc TM UZ GR SY
7207. **Mylabris laevicollis Marseul,1870** (Meloidae) Synonym(s): *laevicollis Marseul,1870* TR Cc
TM GR
7208. **Mylabris ledereri Marseul,1870** (Meloidae) Synonym(s): *ledereri Marseul,1870* TR
7209. **Mylabris munda Escherich,1897** (Meloidae) Synonym(s): *munda Escherich,1897* TR
7210. **Mylabris olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; grisescens
Marseul,1872; impar Sumakov,1915* RU Cc TR TM IR KG TJ
7211. **Mylabris pentheri Ganglbauer,1905** (Meloidae) Synonym(s): *pentheri Ganglbauer,1905* TR
7212. **Mylabris polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus Pallas,1771;
floralis Pallas,1773* IT TR
7213. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla Olivier,1811* TR Cc SY RU Sb KG
KK UZ IR
7214. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata
Linnaeus,1767* FR TR Cc RU IR AF MN
7215. **Mylabris scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811* TR SY Cc
RU IQ IR MN AF
7216. **Mylabris serana (Escherich,1897)** (Meloidae) Synonym(s): *serana Escherich,1897* AM TR Cc
7217. **Mylabris sericea Pallas,1782** (Meloidae) Synonym(s): *sericea Pallas,1782* TR
7218. **Mylabris sexmaculata (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculata Olivier,1811* TR
SY RU Cc IR
7219. **Mylabris sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata Klug,1845* LY CY SY TR
7220. **Mylabris steppensis Dokhtoureff,1889** (Meloidae) Synonym(s): *steppensis Dokhtoureff,1889*
TR
7221. **Mylabris suturalis Pic,1898** (Meloidae) Synonym(s): *suturalis Pic,1898* SY TR
7222. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca Klug,1845* TR IR SY IL Pa EG GR
SD
7223. **Mylabris variabilis (Pallas,1782)** (Meloidae) Synonym(s): *variabilis Pallas,1782* TR Cc RU DZ
KG TM
7224. **Mylabris zebraea (Marseul,1870)** (Meloidae) Synonym(s): *zebraea Marseul,1870* TR Cc IR
GR
7225. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825* AF BL BG CZ
FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
7226. **Myoleja korneyevi Han & Kütük,2006** (Tephritidae) Synonym(s): *korneyevi Han &
Kütük,2006* **Myoleja korneyevi Han & Kütük,2006, Zootaxa 1155: 25-33, figs.** TR

7227. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 **ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR**
7228. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 **ES FR BE NL DE DK PL SK CH IT AT HU RO AL BG TR**
7229. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta* Wiedemann,1824 **GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR**
7230. **Myopa pallida Kröber,1916** (Conopidae) Synonym(s): *pallida* Kröber,1916 **TR Cc**
7231. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 **ES FR BE DE PL SK CZ AT IT HU RO BG TR**
7232. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata* Meigen,1804 **FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR**
7233. **Myophila meditabunda (Fabricius,1781)** (Muscidae) Synonym(s): *meditabunda* Fabricius,1781 **AM Cc Eri AZ IR TR GG**
7234. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979 **Myopites apicatus** Freidberg,1979, Israel J. ent. 13: 16. **TR IL Pa IT HU GR Gr AT FR CZ**
7235. **Myopites cypriacus M.Hering,1938** (Tephritidae) Synonym(s): *cypriacus* M.Hering,1938; *shiakidesi* Dirlbek,1974 **Myopites cypriacus** M.Hering,1938, Dt. ent. Z. 1938 (2): 399. **CY Cn TR**
7236. **Myopotta rubripes (Villeneuve,1909)** (Conopidae) Synonym(s): *rubripes* Villeneuve,1909 **TR**
7237. **Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825 **TR SY IQ IR AM AZ RU Da TM TJ**
7238. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 **MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG**
7239. **Myrmecaelurus acerbus (Walker,1853)** (Myrmeleonidae) Synonym(s): *acerbus* Walker,1853; *atrox* Walker,1853; *iners* Walker,1853; *nigellus* Navas,1930. **TR AF IN SA IQ**
7240. **Myrmecaelurus maior McLachan,1875** (Myrmeleonidae) Synonym(s): *maior* McLachan,1875 **TJ KG AF TR**
7241. **Myrmecaelurus major McLachlan,1875** (Myrmeleonidae) Synonym(s): *major* McLachlan,1875 **TR AF KG RO**
7242. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus* Pallas,1781; *pictum* Fabricius,1798; *flavus* Rambur,1842 **TR TJ KG IR Elb**
7243. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae) Synonym(s): *trigrammus* Pallas,1781; *pictum* Fabricius,1798; *flavus* Rambur,1842. **TR IR KG TJ**
7244. **Myrmecophilus (s.str.) acervorum (Panzer,1799)** (Myrmecophilidae) Synonym(s): *acervorum* Panzer,1799 **TR**
7245. **Myrmecophilus (s.str.) ochraceus Fischer von Waldheim,1853** (Myrmecophilidae) Synonym(s): *ochraceus* Fischer von Waldheim,1853 **TR**
7246. **Myrmecophilus (s.str.) termitophilus Maran,1959** (Myrmecophilidae) Synonym(s): *termitophilus* Maran,1959 **TR**
7247. **Myrmeleon (Morter) inconspicuus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur,1842 **ES GR IR TR**
7248. **Myrmeleon (s.str.) formicarius Linnaeus,1767** (Myrmeleonidae) Synonym(s): *formicarius* Linnaeus,1767 **IR TR TJ KG**
7249. **Myrmeleon (s.str.) noacki Ohm,1965** (Myrmeleonidae) Synonym(s): *noacki* Ohm,1965 **TR**
7250. **Myrmeleon (s.str.) noacki Ohm,1965** (Myrmeleonidae) Synonym(s): *noacki* Ohm,1965 **TR**
7251. **Myrmeleonostenus italicus (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *italicus* Gravenhorts,1829 **Cryptus italicus** Gravenhorts,1829, Ichn. Eur. 2: 559. **IT TR RU Sb**
7252. **Myrmeleotettix maculatus (Thunberg,1815)** (Acrididae) Synonym(s): *maculatus* Thunberg,1815 **TR**
7253. **Myrmica bergi Ruzsky,1902** (Formicidae) Synonym(s): *bergi* Ruzsky,1902 **TR**
7254. **Myrmica lobicornis Nylander,1846** (Formicidae) Synonym(s): *lobicornis* Nylander,1846 **TR**
7255. **Myrmica ravasini Finzi,1923** (Formicidae) Synonym(s): *ravasini* Finzi,1923 **AL GR BTR Cc GG Bjo**
7256. **Myrmica ruginodis Nylander,1846** (Formicidae) Synonym(s): *ruginodis* Nylander,1846 **TR**
7257. **Myrmica scabrinodis Nylander,1846** (Formicidae) Synonym(s): *scabrinodis* Nylander,1846 **TR**
7258. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki* Viereck,1903; *kutteri* Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 **SE DK ES FR CH CZ BG TR GG Cc KK KG**
7259. **Myrmica sulcinodis Nylander,1846** (Formicidae) Synonym(s): *sulcinodis* Nylander,1846 **TR**
7260. **Myrmilla (Eurygnathilla) emiliae (Dalla Torre,1897)** (Mutillidae) Synonym(s): *laticeps* Radoszowski,1888 *nec* Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927 **TR IQ IR Cc AZ AM TM**
7261. **Myrmilla (Pseudomutilla) atalanta Nagy,1967** (Mutillidae) Synonym(s): *atalanta* Nagy,1967 **RO TR**
7262. **Myrmilla (Pseudomutilla) filippovi Lelej,1985** (Mutillidae) Synonym(s): *filippovi* Lelej,1985 **TR**

7263. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata Fabricius,1775* TR KG UZ SY GR BG YU MK AT HU RO UA RU
7264. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi Skorikov,1927* TR SY GR BG AT RO UA
7265. **Myrmilla (s.str.) anopla Skorikov,1927** (Mutillidae) Synonym(s): *anopla Skorikov,1927* YU TR
7266. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
7267. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica Kolenati,1846; jasonia Skorikov,1927; kiritschenkoi Skorikov,1927* GR BG TR Cc RU Da GG AM AZ IR UA Cm
7268. **Myrmilla (s.str.) corniculata (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *#corniculata Gerstaecker,1862; corniculata Sichel & Radoszkowski,1869* FR GR SY Cc UA Cm TR IL Pa IR
7269. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
7270. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala Fabricius,1793 (praeooc.); atra Panzer,1801; nigra Latreille,1809, bicolor Baer,1848; melanaria Blanchard,1849; #rufomaculata Hoffer,1938; erythrocephala Yarrow,1954* SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
7271. **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *blondeli Robineau-Desvoidy,1830* TR FR CN Pkn Mc Sz Ui Yu
7272. **Nabis brevis Scholtz,1846** (Nabidae) Synonym(s): *brevis Scholtz,1846* TR
7273. **Nabis capsiformis Germar,1837** (Nabidae) Synonym(s): *capsiformis Germar,1837* TR
7274. **Nabis feroides Remane,1953** (Nabidae) Synonym(s): *feroides Remane,1953* TR
7275. **Nabis ferus (Linnaeus,1758)** (Nabidae) Synonym(s): *ferus Linnaeus,1758* TR
7276. **Nabis limbatus Duda,1851** (Nabidae) Synonym(s): *limbatus Duda,1851* DZ TR RU Sb
7277. **Nabis meridionalis Kerzhner,1963** (Nabidae) Synonym(s): *meridionalis Kerzhner,1963* TR
7278. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer Seidenstücker,1954* TR CY UZ TM SY AF
7279. **Nabis provencalis Remane,1953** (Nabidae) Synonym(s): *provencalis Remane,1953* TR
7280. **Nabis pseudoferus Remane,1949** (Nabidae) Synonym(s): *pseudoferus Remane,1949* Az TR CY IR
7281. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus Costa,1847* CZ BG ES FR PT IT RO RU SK GR YU TR
7282. **Nabis rugosus (Linnaeus,1758)** (Nabidae) Synonym(s): *rugosus Linnaeus,1758* TR
7283. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus Dohrn,1862* RU TR RO BG IR CN Ui
7284. **Nacerdes (s.str.) melanura (Linnaeus,1758)** (Oedemeridae) Synonym(s): *melanura Linnaeus,1758* TR
7285. **Nacerdes (Xanthochroa) carniolica (Gistel,1832)** (Oedemeridae) Synonym(s): *carniolica Gistel,1832* TR
7286. **Nacerdes (Xanthochroa) raymondi (Mulsant & Godart,1860)** (Oedemeridae) Synonym(s): *raymondi Mulsant & Godart,1860* TR
7287. **Nala lividipes (Dufour,1828)** (Labiduridae) Synonym(s): *lividipes Dufour,1828* TR
7288. **Nalassus dryadophilus (Mustant,1854)** (Tenebrionidae) Synonym(s): *dryadophilus Mustant,1854* TR
7289. **Nalassus plebejus (Küster,1850)** (Tenebrionidae) Synonym(s): *plebejus Küster,1850* TR
7290. **Namunia lapidicola Besuchet,1978** (Staphylinidae) Synonym(s): *lapidicola Besuchet,1978* TR
7291. **Namunia myrmecophila Reitter,1884** (Staphylinidae) Synonym(s): *myrmecophila Reitter,1884* TR
7292. **Nanoclavelia leucoptera (Dahlbom,1845)** (Pompilidae) Synonym(s): *leucoptera Dahlbom,1845* TR
7293. **Napomyza bellidis Griffiths,1967** (Agromyzidae) Synonym(s): *bellidis Griffiths,1967* TR
7294. **Napomyza carotae Spencer,1966** (Agromyzidae) Synonym(s): *carotae Spencer,1966* TR
7295. **Napomyza cichorii Spencer,1966** (Agromyzidae) Synonym(s): *cichorii Spencer,1966* TR
7296. **Napomyza elegans (Meigen,1830)** (Agromyzidae) Synonym(s): *elegans Meigen,1830* TR
7297. **Napomyza lateralis (Fallén,1823)** (Agromyzidae) Synonym(s): *lateralis Fallén,1823* TR
7298. **Nasonia vitripennis (Walker)** (Pteromalidae) Synonym(s): TR
7299. **Naucoris maculatus Fabricius,1798** (Naucoridae) Synonym(s): *maculatus Fabricius,1798* BE GB NL TR
7300. **Neatus subaequalis Reitter,1920** (Tenebrionidae) Synonym(s): *subaequalis Reitter,1920* TR
7301. **Nebria (Eunebria) jarrigei Ledoux & Roux,1991** (Carabidae) Synonym(s): *jarrigei Ledoux & Roux,1991* GG TR Cc

7302. **Nebria (Eunebria) merkliana Apfelbeck,1904** (Carabidae) Synonym(s): *merkliana Apfelbeck,1904* **BG TR**
7303. **Nebria (Eunebria) nigerrima Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima Chaudoir,1846* **AZ AM Cc TR IR**
7304. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis Fabricius,1801* **AT BE CZ FR DE IT PL SK ES CH TR UA IR**
7305. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata Linnaeus,1767* **FR GB IT PT ES TR DZ MA TN IR**
7306. **Nebria (s.str.) adjarica Shilenkov,1983** (Carabidae) Synonym(s): *adjarica Shilenkov,1983* **TR Cc GG**
7307. **Nebria (s.str.) alpicola Motschoulsky,1865** (Carabidae) Synonym(s): *alpicola Motschoulsky,1865* **TR**
7308. **Nebria (s.str.) araschinica Reitter,1892** (Carabidae) Synonym(s): *araschinica Reitter,1892* **AM Cc TR**
7309. **Nebria (s.str.) arcensis Ledoux & Roux,1990** (Carabidae) Synonym(s): *arcensis Ledoux & Roux,1990* **TR**
7310. **Nebria (s.str.) bonellii M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii M.F. Adams,1817* **GG RU Cc TR**
7311. **Nebria (s.str.) defreinai Kirschenhofer,1981** (Carabidae) Synonym(s): *defreinai Kirschenhofer,1981* **TR**
7312. **Nebria (s.str.) deveiana Ledoux & Roux,1990** (Carabidae) Synonym(s): *deveiana Ledoux & Roux,1990* **TR**
7313. **Nebria (s.str.) elliptipennis Bates,1874** (Carabidae) Synonym(s): *elliptipennis Bates,1874* **TR**
7314. **Nebria (s.str.) finissima Ledoux & Roux,1990** (Carabidae) Synonym(s): *finissima Ledoux & Roux,1990* **TR**
7315. **Nebria (s.str.) fischeri Faldermann,1836** (Carabidae) Synonym(s): *fischeri Faldermann,1836* **GG Cc TR**
7316. **Nebria (s.str.) glacialis Ledoux & Roux,1999** (Carabidae) Synonym(s): *glacialis Ledoux & Roux,1999* **TR**
7317. **Nebria (s.str.) glacialicola Ledoux & Roux,2001** (Carabidae) Synonym(s): *glacialicola Ledoux & Roux,2001* **TR**
7318. **Nebria (s.str.) gotschii Chaudoir,1846** (Carabidae) Synonym(s): *gotschii Chaudoir,1846* **AM Cc TR**
7319. **Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi Klug,1832* **TR IR IL Pa SY**
7320. **Nebria (s.str.) irregularis Jedlicka,1965** (Carabidae) Synonym(s): *irregularis Jedlicka,1965* **TR**
7321. **Nebria (s.str.) korgei Jedlicka,1965** (Carabidae) Synonym(s): *korgei Jedlicka,1965* **TR**
7322. **Nebria (s.str.) mandibularis Bates,1872** (Carabidae) Synonym(s): *mandibularis Bates,1872* **TR**
7323. **Nebria (s.str.) mirabilis Ledoux & Roux,1990** (Carabidae) Synonym(s): *mirabilis Ledoux & Roux,1990* **TR**
7324. **Nebria (s.str.) pontica Ledoux & Roux,1990** (Carabidae) Synonym(s): *pontica Ledoux & Roux,1990* **TR**
7325. **Nebria (s.str.) sinuosa Ledoux & Roux,1990** (Carabidae) Synonym(s): *sinuosa Ledoux & Roux,1990* **TR**
7326. **Nebria (s.str.) thonitida Ledoux & Roux,1990** (Carabidae) Synonym(s): *thonitida Ledoux & Roux,1990* **TR**
7327. **Nebria (s.str.) turcica Chaudoir,1843** (Carabidae) Synonym(s): *turcica Chaudoir,1843* **TR**
7328. **Nebria (s.str.) walterheinzi Ledoux & Roux,1990** (Carabidae) Synonym(s): *walterheinzi Ledoux & Roux,1990* **TR**
7329. **Nebria (s.str.) wiedemanni Fischer von Waldheim,1844** (Carabidae) Synonym(s): *wiedemanni Fischer von Waldheim,1844* **TR**
7330. **Nebria (Tyrrhenia) coiffaiti Ledoux,1983** (Carabidae) Synonym(s): *coiffaiti Ledoux,1983* **TR**
7331. **Nebria (Tyrrhenia) oramarensis Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *oramarensis Shilenkov & Heinz,1984* **TR**
7332. **Nebria (Tyrrhenia) testacea Olivier,1811** (Carabidae) Synonym(s): *testacea Olivier,1811* **GR TR**
7333. **Nebria (Tyrrhenia) uluderensis Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *uluderensis Shilenkov & Heinz,1984* **TR**
7334. **Nebrioporus airumulus (Kolenati,1845)** (Dytiscidae) Synonym(s): *airumulus Kolenati,1845* **TR**
7335. **Nebrioporus suavis (Sharp,1882)** (Dytiscidae) Synonym(s): *suavis Sharp,1882* **TR**
7336. **Nebrioporus turca (Seidlitz,1887)** (Dytiscidae) Synonym(s): *turca Seidlitz,1887* **TR**
7337. **Necremnus artynes (Walker)** (Eulophidae) Synonym(s): **TR**

7338. **Necremnus croton (Walker)** (Eulophidae) Synonym(s): **TR**
7339. **Necremnus leucarthros (Nees)** (Eulophidae) Synonym(s): **TR**
7340. **Necremnus tidius (Walker)** (Eulophidae) Synonym(s): **TR**
7341. **Necrodes littoralis (Linnaeus,1758)** (Silphidae) Synonym(s): *littoralis Linnaeus,1758* **TR**
7342. **Nedroledon anatolicus Navas,1914** (Myrmeleonidae) Synonym(s): *anatolicus Navas,1914; longiventris Navas,1932; lineatus Kis,1964* **RO TR**
7343. **Negastris sabulicola (Boheman,1851)** (Elateridae) Synonym(s): *sabulicola Boheman,1851* **TR**
7344. **Neides aduncus Fieber,1859** (Berytidae) Synonym(s): *aduncus Fieber,1859* **TR CY**
7345. **Neides brevipennis Puton,1895** (Berytidae) Synonym(s): *brevipennis Puton,1895* **TR**
7346. **Neides tipularius (Linnaeus,1758)** (Berytidae) Synonym(s): *tipularius Linnaeus,1758* **TR**
7347. **Nemeritis specularis Horstmann,1975** (Ichneumonidae) Synonym(s): *specularis Horstmann,1975* **TR**
7348. **Nemeritis tuitor Aubert,1986** (Ichneumonidae) Synonym(s): *tuitor Aubert,1986* **TR**
7349. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA UR At IT Sa Si MT FR ES**
7350. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelira Özbek & Szaloki,1998* **ES IT Si Sa TR GR SY TM TJ**
7351. **Nemolecanium aptii (Bodenheimer)** (Coccidae) Synonym(s): *aptii Bodenheimer* **TR**
7352. **Nemopoda nitidula (Fallén,1820)** (Sepsidae) Synonym(s): *nitidula Fallén,1820* **TR**
7353. **Nemoptera aegyptiaca Rambur,1842** (Nemopteridae) Synonym(s): *aegyptiaca Rambur,1842; hebraica Westwood,1874* **IL Pa SY TR EG**
7354. **Nemoptera coa (Linnaeus,1758)** (Nemopteridae) Synonym(s): *coa Linnaeus,1758; petiveri Westwood,1841* **GR TR Cc**
7355. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* **YU RO GR BG TR SY Cc IR**
7356. **Nemoraea pellucida (Meigen,1824)** (Tachinidae) Synonym(s): *pellucida Meigen,1824; neglecta Meigen,1824; rubrica Meigen,1824; affinis Robineau-Desvoidy,1830; bombylans Robineau-Desvoidy,1830; fulva Robineau-Desvoidy,1830; conjuncta Macquart,1848; vicina Macquart,1848; vulnerata Zetterstedt,1849; nupta Rondani,1859; discreta Robineau-Desvoidy,1863; sponsa Rondani,1865* **DZ TR RU JP**
7357. **Nemorilla maculosa (Meigen,1824)** (Tachinidae) Synonym(s): *maculosa Meigen,1824* **TR**
7358. **Nemorius caucasicus (Olsuffjev,1937)** (Tabanidae) Synonym(s): *caucasicus Olsuffjev,1937* **TR**
7359. **Nemorius irritans (Ricardo,1901)** (Tabanidae) Synonym(s): *irritans Ricardo,1901* **TR**
7360. **Nemorius oenderi (Jezek,1990)** (Tabanidae) Synonym(s): *oenderi Jezek,1990* **TR**
7361. **Nemorius vitripennis (Meigen,1820)** (Tabanidae) Synonym(s): *vitripennis Meigen,1820; fallotii Kriechbaumer,1873; horvathi Szilady,1925* **TR**
7362. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* **TR IT Si CY ES YU BG GR RU Cc AM IL IR**
7363. **Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae) Synonym(s): *armeniacus Pleske,1937* **Nemotelus (s.str.) armeniacus Pleske,1937, [in] Lindner, Fliegen pal. Reg. 4 (1): 119. Type: [Turkey: Iğdır Prov.]: "Kasikoparan".** **TR RU Cc AF**
7364. **Nemotelus (s.str.) atriceps Loew,1856** (Stratiomyidae) Synonym(s): *atriceps Loew,1856; longicornis Lindner,1937* **DZ FR PT ES TN TR**
7365. **Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus Loew,1846* **RO BG UA TR**
7366. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969* **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
7367. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris Meigen,1822; globuliceps Loew,1846; pseudoglobuliceps Pleske,1937; reichardti Pleske,1937* **TR DE AT BG CZ KG HU MN PL RO RU SK YU GR**
7368. **Nemotelus (s.str.) curdistanus Szilady,1941** (Stratiomyidae) Synonym(s): *curdistanus Szilady,1941* **Nemotelus curdistanus Szilady,1941, Annls hist.-nat. Mus. natn. hung. 34: 98. Type: [Turkey]: "Kasikoparan".** **TR**
7369. **Nemotelus (s.str.) mersinae Becker,1915** (Stratiomyidae) Synonym(s): *mersinae Becker,1915* **TR**
7370. **Nemotelus (s.str.) notatus Zetterstedt,1842** (Stratiomyidae) Synonym(s): *notatus Zetterstedt,1842* **TR**
7371. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* **GR IT YU RO BG AL RU UA Cc TR IL IR**
7372. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus Linnaeus,1758; marginatus Fabricius,1775; marginellus Gmelin,1790; muticus Schrank,1803; nigrinus Meigen,1804; fraternus Loew,1846; gracilis Loew,1846; satunini Pleske,1937; zelleri Pleske,1937; albirostris Szilady,1941; caucasicus Nartshuk,1969; punctirostris Lindner,1974* **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**

7373. **Nemotelus (s.str.) rudifraci (Berezovsky & Nartshuk,1993)** (Stratiomyidae) Synonym(s): *rudifraci Berezovsky & Nartshuk,1993* **Geitonomyia rudifraci Berezovsky & Nartshuk,1993, Zoosyst. ross. 1: 97-101. AZ Cc TR**
7374. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* **HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN**
7375. **Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): *syriacus Lindner,1933; aterrimus Szilady,1941* **LB Bei IL Hf Pa TR**
7376. **Nemoura brevipennis Martynov,1928** (Nemouridae) Synonym(s): *brevipennis Martynov,1928* **TR**
7377. **Nemoura carpathica Illies,1963** (Nemouridae) Synonym(s): *carpathica Illies,1963* **CZ SK RO TR UA**
7378. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; Bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA**
7379. **Nemoura flexuosa Aubert,1949** (Nemouridae) Synonym(s): *flexuosa Aubert,1949* **TR**
7380. **Nemoura martynovia Claassen,1936** (Nemouridae) Synonym(s): *martynovia Claassen,1936* **Cc TR**
7381. **Nemoura subtilis Klapalek,1895** (Nemouridae) Synonym(s): *subtilis Klapalek,1895; carpathica Illies,1963* **TR**
7382. **Nemoura taurica Zhiltzova,1967** (Nemouridae) Synonym(s): *taurica Zhiltzova,1967* **TR Cc UA Cm**
7383. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954* **IT FR LY MA RO ES EH TN TR RU KG TJ**
7384. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus Herrich-Schäffer,1834* **AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU**
7385. **Neoliturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus Kirschbaum,1868* **CZ FR DE GR HU IT UA TR**
7386. **Neoliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher Haupt,1927* **IR IL Pa Cc TR GG KG TJ**
7387. **Neoliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis Puton,1881; fasciata Ferrari,1885* **IL IT SY TR Cc AZ**
7388. **Neoascia pavlovski Stackelberg,1955** (Syrphidae) Synonym(s): *pavlovski Stackelberg,1955* **TR**
7389. **Neoascia podagrica (Fabricius,1775)** (Syrphidae) Synonym(s): *podagrica Fabricius,1775* **TR**
7390. **Neoblemus (s.str.) gillerforsi Jeannel,1996** (Carabidae) Synonym(s): *gillerforsi Jeannel,1996* **TR**
7391. **Neobrachyglossum punctatum Kröber,1915** (Conopidae) Synonym(s): *punctatum Kröber,1915* **TR**
7392. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni Kieffer,1899; barbara Benoist,1921; scutellata Boucek,1952* **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
7393. **Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides Masi,1916* **HU IT IL Pa ES TR**
7394. **Neocrepidodera crassicornis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *crassicornis Faldermann,1837* **TR Cc KG**
7395. **Neocrepidodera ferruginea (Scopoli,1763)** (Chrysomelidae) Synonym(s): *ferruginea Scopoli,1763* **TR Cc IR**
7396. **Neocrepidodera impressa (Fabricius,1801)** (Chrysomelidae) Synonym(s): *impressa Fabricius,1801* **TR GB**
7397. **Neocrepidodera motschulskyi Konstantinov,1991** (Chrysomelidae) Synonym(s): *motschulskyi Konstantinov,1991* **TR Cc**
7398. **Neocrepidodera nigrigula (Gyllenhal,1813)** (Chrysomelidae) Synonym(s): *nigrigula Gyllenhal,1813* **TR**
7399. **Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa Marsham,1802* **TR Cc CY IR**
7400. **Neodorcadion bilineatum (Germar,1824)** (Cerambycidae) Synonym(s): *bilineatum Germar,1824* **GR TR**
7401. **Neodorcadion exornatoides Breuning,1962** (Cerambycidae) Synonym(s): *exornatoides Breuning,1962* **Neodorcadion exornatoides Breuning,1962, Ent. Abh. Staatl. Mus. Tierk. 27: 68. TR**
7402. **Neodorcadion exornatum (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum Frivaldsky,1835; labyrinthicum Thomson,1865; balcanicum Tournier,1872;...* **BG UA Cm TR**
7403. **Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;...* **BG GR TR**

7404. **Neodorcadion orientale** Ganglbauer,1883 (Cerambycidae) Synonym(s): *orientale* Ganglbauer,1883; *flaschneri* Pic,1889; *merkli* Pic,1892; *dispar* Pic,1892; *eduardi* Pic,1900 **TR**
7405. **Neodorcadion pelleti** (Mulsant & Rey,1863) (Cerambycidae) Synonym(s): *pelleti* Mulsant & Rey,1863; *segne* Mulsant & Rey,1863; *disjunctum* Pic,1907; *credulum* Pic,1917 **GR TR**
7406. **Neoitamus cyanurus** (Loew,1849) (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 **IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW**
7407. **Neoitamus senectus** Richter,1963 (Asilidae) Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963 **Cc RU IR TR UA MD GG AZ AM**
7408. **Neoleria flavicornis** (Loew,1862) (Heleomyzidae) Synonym(s): *flavicornis* Loew,1862 **TR**
7409. **Neoleria pusilla** Loew,1862 (Heleomyzidae) Synonym(s): *pusilla* Loew,1862 **TR GR**
7410. **Neomargarodes festucae** Archangelskaya (Margarodidae) Synonym(s): *festucae* Archangelskaya **TR**
7411. **Neomochtherus albicans** (Loew,1849) (Asilidae) Synonym(s): *albicans* Loew,1849 **TR**
7412. **Neomochtherus auratus** Janssens,1968 (Asilidae) Synonym(s): *auratus* Janssens,1968 **TR**
7413. **Neomochtherus leclerqi** Janssens,1968 (Asilidae) Synonym(s): *leclerqi* Janssens,1968 **TR**
7414. **Neomusaria balcanica** (Frigalsky,1835) (Cerambycidae) Synonym(s): *balcanica* Frivaldsky,1835 **BG TR**
7415. **Neomusaria merkli** (Ganglbauer,1884) (Cerambycidae) Synonym(s): *merkli* Ganglbauer,1884 **TR**
7416. **Neomusaria salvicola** Holzschuh,1989 (Cerambycidae) Synonym(s): *salvicola* Holzschuh,1989 **TR**
7417. **Neomusaria suworovi** (Pic,1906) (Cerambycidae) Synonym(s): *suworovi* Pic,1906 **Cc TR**
7418. **Neomusaria waltli** Sama,1991 (Cerambycidae) Synonym(s): *waltli* Sama,1991 **SY TR**
7419. **Neomyia cornicina** (Fabricius,1781) (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *caesarion* Meigen,1826 **AM Cc Eri AZ TR IR Hw**
7420. **Neophilaenus albipennis** (Fabricius,1798) (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
7421. **Neophilaenus campestris** (Fallén,1805) (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
7422. **Neophilaenus lineatus** (Linnaeus,1758) (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
7423. **Neophilaenus minor** (Kirschbaum,1868) (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
7424. **Neoplacionotus bobelayei** (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobelayei* Brullé,1832 **BG TR**
7425. **Neopristilpophus insitivus** (Germar,1824) (Elateridae) Synonym(s): *depressus* Germar,1822; *insitivus* Germar,1824 **TR?**
7426. **Neotournieria szypulai** Bialooki,2006 (Curculionidae) Synonym(s): *szypulai* Bialooki,2006 **TR**
7427. **Neotrichoporoides beyarslani** Doğanlar,1993 (Eulophidae) Synonym(s): *beyarslani* Doğanlar,1993 **Neotrichoporoides beyarslani** Doğanlar,1993, *Entomofauna* 14 (23): 374. Holotype ♀: Turkey (ZSMM). **TR**
7428. **Neotrichoporoides biogradensis** Graham (Eulophidae) Synonym(s): **TR**
7429. **Neotrichoporoides cavigena** Graham (Eulophidae) Synonym(s): **TR**
7430. **Neotrichoporoides cynodontis** (Domenichini) (Eulophidae) Synonym(s): **TR**
7431. **Neotrichoporoides mediterraneus** Graham (Eulophidae) Synonym(s): **TR**
7432. **Neotrichoporoides szelenyii** (Erdős) (Eulophidae) Synonym(s): **TR**
7433. **Neotrichoporoides tokatensis** Doğanlar,1993 (Eulophidae) Synonym(s): *tokatensis* Doğanlar,1993 **TR**
7434. **Neotrichoporoides viridimaculatus** (Fullaway) (Eulophidae) Synonym(s): **TR**
7435. **Neotrichonymus monstatus** Borchsenius (Pseudococcidae) Synonym(s): *monstatus* Borchsenius **TR**
7436. **Neottiglossa bifida** (Costa,1847) (Pentatomidae) Synonym(s): *bifida* Costa,1847 **TR**
7437. **Neottiglossa leporina** (Herrich-Schäffer,1830) (Pentatomidae) Synonym(s): *leporina* Herrich-Schäffer,1830 **TR**
7438. **Neotypus melanocephalus** (Gmelin,1790) (Ichneumonidae) Synonym(s): *melanocephalus* Gmelin,1790 **Ichneumon melanocephalus** Gmelin,1790, *Syst. Nat.* 13: 2687. **TR RU Sb**
7439. **Neoxorides nitens** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829 **TR UA**
7440. **Nepa cinerea** Linnaeus,1758 (Nepidae) Synonym(s): *cinerea* Linnaeus,1758 **TR**

7441. **Nepa rubra Linnaeus,1758** (Nepidae) Synonym(s): *rubra Linnaeus,1758* TR
7442. **Nepachys amaenus (Peyron,1877)** (Melyridae) Synonym(s): *amaenus Peyron,1877* TR
7443. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
7444. **Nephrotoma analis (Schummel,1833)** (Tipulidae) Synonym(s): *analis Schummel,1833* TR
7445. **Nephrotoma appendiculata (Pierre,1919)** (Tipulidae) Synonym(s): *appendiculata Pierre,1919* TR Cc
7446. **Nephrotoma beckeri (Mannheims,1951)** (Tipulidae) Synonym(s): *beckeri Mannheims,1951* TR
7447. **Nephrotoma cornicina (Linnaeus,1758)** (Tipulidae) Synonym(s): *cornicina Linnaeus,1758* TR
7448. **Nephrotoma croceiventris (Strobl,1909)** (Tipulidae) Synonym(s): *croceiventris Strobl,1909* TR
7449. **Nephrotoma guestfalica (Westhoff,1879)** (Tipulidae) Synonym(s): *guestfalica Westhoff,1879* TR
7450. **Nephrotoma minuscula (Mannheims,1951)** (Tipulidae) Synonym(s): *minuscula Mannheims,1951* TR
7451. **Nephrotoma nasuta Oosterbroek,1975** (Tipulidae) Synonym(s): *nasuta Oosterbroek,1975* TR
7452. **Nephrotoma nox (Riedel,1910)** (Tipulidae) Synonym(s): *nox Riedel,1910* TR
7453. **Nephrotoma pratensis (Linnaeus,1758)** (Tipulidae) Synonym(s): *pratensis Linnaeus,1758* TR
7454. **Nephrotoma quadrifaria (Meigen,1804)** (Tipulidae) Synonym(s): *quadrifaria Meigen,1804* TR
7455. **Nephrotoma scalaris (Meigen,1818)** (Tipulidae) Synonym(s): *scalaris Meigen,1818* TR Cc
7456. **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae) Synonym(s): *theowaldi Oosterbroek,1978* GR TR
7457. **Nephus caneparii Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): *caneparii Fürsch & Uygun,1980* TR IR
7458. **Nephus hieki (Fürsch,1965)** (Coccinellidae) Synonym(s): *hieki Fürsch,1965* TR IT
7459. **Nephus includens (Kirsch,1870)** (Coccinellidae) Synonym(s): *includens Kirsch,1870* TR IT
7460. **Nephus kreissli Fürsch & Uygun,1980** (Coccinellidae) Synonym(s): *kreissli Fürsch & Uygun,1980* TR
7461. **Nephus ludyi Weise,1879** (Coccinellidae) Synonym(s): *ludyi Weise,1879* TR
7462. **Nephus nigricans Weise,1879** (Coccinellidae) Synonym(s): *nigricans Weise,1879* IT Sa Si TR
7463. **Nephus pallidus (Fürsch,1980)** (Coccinellidae) Synonym(s): *pallidus Fürsch,1980* TR
7464. **Nephus pandicus Khnzorian,1970** (Coccinellidae) Synonym(s): *pandicus Khnzorian,1970* TR
7465. **Nephus ponticus Khnzorian,1970** (Coccinellidae) Synonym(s): *ponticus Khnzorian,1970* TR
7466. **Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus Herbst,1783* IT TR SY LB IL Pa
7467. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala Ferrari,1882; flaveolus Matsumura,1908; wagneri Lindberg,1954* ES Cn Md FR IR IT JP TR GR Cr YU IR
7468. **Netelia (Bessobates) latungula (Thomson,1888)** (Ichneumonidae) Synonym(s): *latungula Thomson,1888* TR
7469. **Netelia (Bessobates) virgata (Fourcroy,1785)** (Ichneumonidae) Synonym(s): *virgata Fourcroy,1785* TR IN
7470. **Netelia (Paropheltes) beschkovi Kolarov,1994** (Ichneumonidae) Synonym(s): *beschkovi Kolarov,1994* TR
7471. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis Holmgren,1860; gracilipes Thomson,1888* ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
7472. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea Gravenhorst,1829; opacula Thomson,1888; melanurus Thomson,1888; fuscicarpus Kokujev,1899* ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
7473. **Netelia (s.str.) valvator Aubert,1968** (Ichneumonidae) Synonym(s): *valvator Aubert,1968* TR
7474. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkanitz,1971* BG UA RU TR SY IR Cc
7475. **Neuroleon assimilis (Navas,1914)** (Myrmeleonidae) Synonym(s): *assimilis Navas,1914* TR SY
7476. **Neuroleon egenus (Navas,1914)** (Myrmeleonidae) Synonym(s): *egenus Navas,1914; cyprius Navas,1940* TR CY
7477. **Neuroleon occultus (Navas,1914)** (Myrmeleonidae) Synonym(s): *occultus Navas,1914* IR Elb Th TR

7478. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 **PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR**
7479. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
7480. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
7481. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 **IT AT HU RO BG TR**
7482. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
7483. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventr* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
7484. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
7485. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
7486. **Nezara viridula (Linnaeus,1758)** (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758 **TR**
7487. **Nicrophorus antennatus (Reitter,1885)** (Silphidae) Synonym(s): *antennatus* Reitter,1885 **TR Cc MN CN Ui Mc**
7488. **Nicrophorus confusus Portevin,1924** (Silphidae) Synonym(s): *confusus* Portevin,1924 **TR Cc T-S**
7489. **Nicrophorus fossor Erichson,1837** (Silphidae) Synonym(s): *fossor* Erichson,1837 **TR**
7490. **Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus* Linnaeus,1758 **TR Cc SY CN Ui**
7491. **Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): *humator* Gleditsch,1767 **DZ TR Cc IR CN Ui**
7492. **Nicrophorus investigator Zetterstedt,1824** (Silphidae) Synonym(s): *investigator* Zetterstedt,1824 **TR**
7493. **Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): *nigricornis* Faldermann,1835 **TR FR AT SS BG Cc CH**
7494. **Nicrophorus vespillo (Linnaeus,1758)** (Silphidae) Synonym(s): *vespillo* Linnaeus,1758 **TR**
7495. **Nicrophorus vespilloides Herbst,1784** (Silphidae) Synonym(s): *vespilloides* Herbst,1784 **TR**
7496. **Nicrophorus vestigator Herschel,1807** (Silphidae) Synonym(s): *vestigator* Herschel,1807 **TR**
7497. **Nicticoris wagneri Hoberlandt,1961** (Miridae) Synonym(s): *wagneri* Hoberlandt,1961 **TR**
7498. **Nidularia balachowskii Bodenheimer** (Kermesidae) Synonym(s): *balachowskii* Bodenheimer **TR**
7499. **Nidularia pulvinata (Planchon)** (Kermesidae) Synonym(s): *pulvinata* Planchon **TR**
7500. **Nigrotipula nigra (Linnaeus,1758)** (Tipulidae) Synonym(s): *nigra* Linnaeus,1758 **TR**
7501. **Nilea anatolica Mesnil,1954** (Tachinidae) Synonym(s): *anatolica* Mesnil,1954 **TR**
7502. **Nimboa kasyi Rausch & H.Aspöck,1978** (Coniopterygidae) Synonym(s): *kasyi* Rausch & H.Aspöck,1978 **TR**
7503. **Nineta carinthiaca (Hölzel,1965)** (Chrysopidae) Synonym(s): *carinthiaca* Hölzel,1965 **TR**
7504. **Nineta flava (Scopoli,1763)** (Chrysopidae) Synonym(s): *flava* Scopoli,1763 **TR**
7505. **Nipaecoccus filamentosus (Cockerell)** (Pseudococcidae) Synonym(s): *filamentosus* Cockerell **TR**
7506. **Nipaecoccus nipae (Maskell)** (Pseudococcidae) Synonym(s): *nipae* Maskell **TR**
7507. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosa* Lethierry,1888 **GR TR EG IL CN JP KP KR MA**
7508. **Nocaracris cyanipes (Fischer von Waldheim,1846)** (Pamphagidae) Synonym(s): *cyanipes* Fischer von Waldheim,1846 *Nocarodes cyanipes* Fischer von Waldheim,1846, *Nouv. Mem. Soc. imp. Nat. Moscou* 8: 269. Type(s): *Caucasus*. **TR Cc GG**
7509. **Nocaracris tecticollis Ramme,1951** (Pamphagidae) Synonym(s): *tecticollis* Ramme,1951 **TR**

7510. **Nocarodes aserbus Mistshenko,1951** (Pamphagidae) Synonym(s): *aserbus Mistshenko,1951* *Nocarodes aserbus Mistshenko,1951*, [in] Bei-Bienko & Mistshenko, *Locusts and Grasshoppers of the U.S.S.R. and adjacent countries 1*: 358. Holotype ♀: [Turkey]: Van (ZIN). TR
7511. **Nocarodes bicoloripes Uvarov,1949** (Pamphagidae) Synonym(s): *bicoloripes Uvarov,1949*; *#marani Demirsoy,1973* *Nocarodes bicoloripes Uvarov,1949*, *Bull. Soc. Fouad I Ent.* 33: 1-9. TR
7512. **Noeeta bisetosa Merz,1992** (Tephritidae) Synonym(s): *bisetosa Merz,1992* CH TR
7513. **Noeeta crepidis (Hering,1936)** (Tephritidae) Synonym(s): *crepidis Hering,1936* DE CH CZ HU TR
7514. **Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata Fallén,1814*; *reticula Schrank,1803*; *brunicosa Robineau-Desvoidy,1830*; *lineata Macquart,1835* TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU
7515. **Nohoveus atrifrons Hölzel,1970** (Myrmeleonidae) Synonym(s): *atrifrons Hölzel,1970* MN TR IR
7516. **Nohoveus atrifrons Hölzel,1970** (Myrmeleonidae) Synonym(s): *atrifrons Hölzel,1970* MN IR TR
7517. **Nomia (Lobonomia) lobata Olivier,1811** (Halictidae) Synonym(s): *lobata Olivier,1811* TR IR Ha Th Elb Es Fa Shr
7518. **Nomia (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): *equestris Gerstaecker,1872* TR IR Fa Shr
7519. **Nomia (Nomiapis) unidentata Olivier,1811** (Halictidae) Synonym(s): *unidentata Olivier,1811* TR IR Ak Ha Yz Th Ss
7520. **Nomia (Nomiapis) urfana Warncke,1980** (Halictidae) Synonym(s): *urfana Warncke,1980* *Nomia (Nomiapis) urfana Warncke,1980*, *Linzer biol. Beitr.* 12: 370-372. Holotype ♂: Türkei, Urfa, Halfeti 29.v.1978 leg. Schwarz (coll. Warncke). TR
7521. **Nomia anatolica Warncke,1976** (Halictidae) Synonym(s): *anatolica Warncke,1976* TR
7522. **Nomia bytinski Warncke,1976** (Halictidae) Synonym(s): *bytinski Warncke,1976* TR AZ Cc
7523. **Nomia diversipes Latreille,1806** (Halictidae) Synonym(s): *diversipes Latreille,1806* TR
7524. **Nomia monstrosa Costa,1861** (Halictidae) Synonym(s): *monstrosa Costa,1861* IT TR
7525. **Norbanus calabrus (Masi)** (Pteromalidae) Synonym(s): TR
7526. **Norbanus cerasiops (Masi)** (Pteromalidae) Synonym(s): TR
7527. **Norbanus opscurus (Masi)** (Pteromalidae) Synonym(s): TR
7528. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR
7529. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
7530. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis O.F.Müller,1776* TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
7531. **Nothochrysa turcicus Kovancı & Canbulat,2007** (Chrysopidae) Synonym(s): *turcicus Kovancı & Canbulat,2007* *Nothochrysa turcicus Kovancı & Canbulat,2007*, *Annls Soc. ent. Fr. (n.s.)* 43 (2): 165-168, figs. Holotype ♂: Turkey: Bursa Prov., Orhaneli, Sadağı 450m. TR
7532. **Nothodes parvulus (Panzer,1799)** (Elateridae) Synonym(s): *parvulus Panzer,1799* GR TR RU
7533. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans Dejean,1826* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
7534. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus Fabricius,1779* AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
7535. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli Reitter,1897* B-H BG HV GR MK TR IR IL Pa SY
7536. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi Fauvel,1863* AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
7537. **Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis Reitter,1889* BG GR MD TR UA SY
7538. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis Chaudoir,1850* AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
7539. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes Curtis,1829* AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
7540. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus C.R.Waterhouse,1833* AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
7541. **Notonecta glauca Linnaeus,1758** (Notonectidae) Synonym(s): *glauca Linnaeus,1758*; *kervillei Poisson,1933*; *poissoni Hungerford,1934*; *hybrida Poisson,1953* TR IR AM GG AZ Cc
7542. **Notonecta maculata Fabricius,1794** (Notonectidae) Synonym(s): *maculata Fabricius,1794* TR
7543. **Notonecta marmorea Fabricius,1803** (Notonectidae) Synonym(s): *marmorea Fabricius,1803* RU Cc TR IR TM

7544. **Notonecta meridionalis Poisson,1926** (Notonectidae) Synonym(s): *meridionalis* Poisson,1926
TR
7545. **Notonecta obliqua Gallen,1787** (Notonectidae) Synonym(s): *obliqua* Gallen,1787 TR
7546. **Notonecta viridis Delcourt,1909** (Notonectidae) Synonym(s): *viridis* Delcourt,1909;
mediterranea Hutchinson,1928 TR
7547. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus*
Krekich & Strassoldo,1919 Cc AM AZ GR TR IR TM
7548. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828;
orichalcea Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (praeocc.);
haupti Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV
RU At Sb UA UZ TR
7549. **Novadrymadusa karabagi Demirsoy, Salman & Sevgili,2002** (Tettigoniidae)
Synonym(s): *karabagi* Demirsoy, Salman & Sevgili,2002 **Novadrymadusa karabagi Demirsoy, Salman
& Sevgili,2002**, J. Orth. Res. 11 (2): 178-181, figs. Holotype ♂: Turkey, Hakkari Prov., Şemdinli Derecik
road 10km 21 7 1979 leg.S.Salman. TR
7550. **Noxius curtirostris (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861 AT
IT ES FR TR
7551. **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa* Loew,1871 IR Ss Ke Kz AZ Cc IQ
TR KG CN
7552. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata*
Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA
TM IQ IR
7553. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s):
kolenatii Theodor & Moscona,1954 IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
7554. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817
MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
7555. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia*
Latreille,1805 DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
7556. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii*
Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
7557. **Nyctia halterata (Panzer,1798)** (Sarcophagidae) Synonym(s): *halterata* Panzer,1798 TR
7558. **Nyctia lugubris (Macquart,1843)** (Sarcophagidae) Synonym(s): *lugubris* Macquart,1843 TR
7559. **Nyctophila anatolica Geisthardt,1982** (Lampyridae) Synonym(s): *anatolica* Geisthardt,1982
TR
7560. **Nyctophila libani (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte
de Castelnau,1833; *insignis* Ancey,1870 CY LB SY TR
7561. **Nyctophila maculicollis (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis*
Fairmaire,1866 MK TR SY IR
7562. **Nyctophila reichii (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du
Val,1860 ES FR PT YU TR
7563. **Nyctophila scabripennis E.Olivier,1907** (Lampyridae) Synonym(s): *scabripennis*
E.Olivier,1907 **Nyctophila scabripennis E.Olivier,1907**, Gen. Ins. Lampyr. 1907: 45. TR
7564. **Nyctophila syriaca (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca* Baudi di
Selve,1871 **Lampyrus syriaca Baudi di Selve,1871**, Berl. ent. Z. 1871: 58. SY IL Pa TR
7565. **Nymphorgerius curticeps (Linnavuori,1965)** (Dictyopharidae) Synonym(s): *curticeps*
Linnavuori,1965 TR
7566. **Nyrma kervillea Navas,1933** (Hemerobiidae) Synonym(s): *kervillea* Navas,1933 TR
7567. **Nysius cymoides (Spinola,1834)** (Lygaeidae) Synonym(s): *cymoides* Spinola,1834 TR
7568. **Nysius ericae (Schilling,1829)** (Lygaeidae) Synonym(s): *ericae* Schilling,1829 TR
7569. **Oberea erythrocephala (Schrank,1776)** (Cerambycidae) Synonym(s): *erythrocephala*
(Schrank,1776 TR
7570. **Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis* Linnaeus,1761 CZ GR
TR Cc RU
7571. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES
FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
7572. **Occathemus tarsalis Svihla,1999** (Cantharidae) Synonym(s): *tarsalis* Svihla,1999 TR
7573. **Oceanaspidiotus spinosus (Comstock)** (Diaspididae) Synonym(s): *spinosus* Comstock TR
7574. **Ochrilidia acuta (Bolivar,1905)** (Acrididae) Synonym(s): *acuta* Bolivar,1905 TR IQ IL Pa IR
7575. **Ochrilidia obtusa (Salfi,1931)** (Acrididae) Synonym(s): *obtusa* Salfi,1931 TR Cc AM IR
7576. **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa*
Brunner von Wattenwyl,1882 TR Rd GR CY
7577. **Ochrilidia tibialis (Fieber,1853)** (Acrididae) Synonym(s): *tibialis* Fieber,1853 TR Cr GR
7578. **Ochrosis ventralis (Illiger,1807)** (Chrysomelidae) Synonym(s): *ventralis* Illiger,1807 TR Cc
IR DZ
7579. **Ochterus marginatus (Latreille,1804)** (Ochteridae) Synonym(s): *marginatus* Latreille,1804
TR AF CN IN JP LK ID Sum

7580. **Ochthebius (Asiabates) akbuluti Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
Synonym(s): *akbuluti Jäch, Kasapoğlu & Erman,2003* TR
7581. **Ochthebius (Asiabates) oezkani Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
Synonym(s): *oezkani Jäch, Kasapoğlu & Erman,2003* TR
7582. **Ochthebius (s.str.) erzerumi Kuwert,1887** (Hydraenidae) Synonym(s): *erzerumi Kuwert,1887* TR
7583. **Ochthebius (s.str.) lividipennis Peyron,1885** (Hydraenidae) Synonym(s): *lividipennis Peyron,1885* TR
7584. **Ochthebius (s.str.) meridionalis Rey,1885** (Hydraenidae) Synonym(s): *meridionalis Rey,1885* TR
7585. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis Ferro,1983* TR IR AF IN PK
7586. **Ochthebius (s.str.) peisonis Ganglbauer,1901** (Hydraenidae) Synonym(s): *peisonis Ganglbauer,1901* TR
7587. **Ochthebius (s.str.) pusillus Stephens,1835** (Hydraenidae) Synonym(s): *pusillus Stephens,1835* TR
7588. **Ochthebius (s.str.) virens Jäch,1992** (Hydraenidae) Synonym(s): *virens Jäch,1992* TR
7589. **Ochthebius (s.str.) viridis Peyron,1885** (Hydraenidae) Synonym(s): *viridis Peyron,1885* TR
7590. **Odeles armilabris (Nyholm,1974)** (Scirtidae) Synonym(s): *armilabris Nyholm,1974* RU Cc TR
7591. **Odinadiplosis amygdali (Anagnostopoulos,1929)** (Cecidomyiidae) Synonym(s): *amygdali Anagnostopoulos,1929* TR
7592. **Odontocolon dentipes (Gmelin,1790)** (Ichneumonidae) Synonym(s): *dentipes Gmelin,1790* TR KG RU Kmt
7593. **Odontomesa fulva (Kieffer,1921)** (Chironomidae) Synonym(s): *fulva Kieffer,1921* TR
7594. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
7595. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922* GR IT Si BG GR TR UA RU Cc AZ IL IR
7596. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor Loew,1846; limbata Macquart,1849 nec Meig.,1822* MA DZ FR Co RO ES IT GR TR IL AF
7597. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909* MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
7598. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon Linnaeus,1758; felina Panzer,[1798]; alpina Jaenicke,1866* CH DE RU TR IL AF CN MN
7599. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata Meigen,1822; signaticornis Loew,1846* SE ES IT BG LT TR SY IL Pa RU Mo
7600. **Odontotarsus plicatulus Hovarth,1906** (Scutellaridae) Synonym(s): *plicatulus Hovarth,1906* TR
7601. **Odynerus melanocephalus (Gmelin,1790)** (Vespidae) Synonym(s): *melanocephalus Gmelin,1790; armeniacus Morawitz,1885* TR
7602. **Odynerus poecilus Saussure,1856** (Vespidae) Synonym(s): *poecilus Saussure,1856* TR
7603. **Odynerus spinipes (Linnaeus,1758)** (Vespidae) Synonym(s): *spinipes Linnaeus,1758* TR
7604. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
7605. **Oecothea fenestralis (Fallén,1820)** (Heleomyzidae) Synonym(s): *fenestralis Fallén,1820* TR
7606. **Oedaleus decorus (Germar,1817)** (Acrididae) Synonym(s): *decorus Germar,1817* Acrydium decorus Germar,1817, Faun. Ins. Eur. asc. 15: pl. 10, 12, tab.17. Neotype ♂: [Russia]: Dagestan (BMNH). TR RU Us Cc Da TM TJ KK KG
7607. **Oedemera (Oncomera) femoralis (Fabricius,1792)** (Oedemeridae) Synonym(s): *femoralis Fabricius,1792* TR
7608. **Oedemera (Oncomera) flavicans (Fairmaire,1860)** (Oedemeridae) Synonym(s): *flavicans Fairmaire,1860* TR
7609. **Oedemera (Oncomera) natolica (Reiche,1862)** (Oedemeridae) Synonym(s): *naticola Reiche,1862* TR
7610. **Oedemera (s.str.) artvinensis Svihla,1999** (Oedemeridae) Synonym(s): *artvinensis Svihla,1999* TR
7611. **Oedemera (s.str.) atrata W.Schmidt,1846** (Oedemeridae) Synonym(s): *atrata W.Schmidt,1846* TR
7612. **Oedemera (s.str.) barbara (Fabricius,1792)** (Oedemeridae) Synonym(s): *barbara Fabricius,1792* TR

7613. **Oedemera (s.str.) brevipennis Ganglbauer,1881** (Oedemeridae) Synonym(s): *brevipennis Ganglbauer,1881* **TR**
7614. **Oedemera (s.str.) crassipes Ganglbauer,1881** (Oedemeridae) Synonym(s): *crassipes Ganglbauer,1881* **TR**
7615. **Oedemera (s.str.) femorata (Scopoli,1763)** (Oedemeridae) Synonym(s): *femorata Scopoli,1763* **TR**
7616. **Oedemera (s.str.) flavipennis W.Schmidt,1846** (Oedemeridae) Synonym(s): *flavipennis W.Schmidt,1846* **TR**
7617. **Oedemera (s.str.) flavipes (Fabricius,1792)** (Oedemeridae) Synonym(s): *flavipes Fabricius,1792* **TR**
7618. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae) Synonym(s): *lurida Marsham,1802* **TR**
7619. **Oedemera (s.str.) merkli Seidlitz,1899** (Oedemeridae) Synonym(s): *merkli Seidlitz,1899* **TR**
7620. **Oedemera (s.str.) penicillata W.Schmidt,1846** (Oedemeridae) Synonym(s): *penicillata W.Schmidt,1846* **TR**
7621. **Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae) Synonym(s): *podagrariae Linnaeus,1767* **TR**
7622. **Oedemera (s.str.) pthysica (Scopoli,1763)** (Oedemeridae) Synonym(s): *pthysica Scopoli,1763* **TR**
7623. **Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae) Synonym(s): *rufofemorata Germar,1824* **TR**
7624. **Oedemera (s.str.) subrobusta (Nakane,1954)** (Oedemeridae) Synonym(s): *subrobusta Nakane,1954* **TR**
7625. **Oedemera (s.str.) vilis Roubal,1917** (Oedemeridae) Synonym(s): *vilis Roubal,1917* **TR**
7626. **Oedemera (s.str.) virescens (Linnaeus,1767)** (Oedemeridae) Synonym(s): *virescens Linnaeus,1767* **TR**
7627. **Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): *aurea Uvarov,1923* **Oedipoda germanica aurea Uvarov,1923, Entomologist's mon. Mag. 3 (9): 32. Holotype ♂: Palestina (BNMH).** **TR**
JO Amm IL Pa
7628. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873* **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
7629. **Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): *germanica Latreille,1804; intermedia Ramme,1913* **ES FR DE AT TR YU HV**
7630. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata Pallas,1771; salinus Gmelin,1790; gratiosa Audinet-Serville,1838; perurbana Steinmann,1965* **MA DZ TN TR TJ KG Aa RU**
7631. **Oedipoda schochi Saussure,1884** (Acrididae) Synonym(s): *schochi Saussure,1884* **TR**
7632. **Oenas afer (Linnaeus,1767)** (Meloidae) Synonym(s): *afer Linnaeus,1767; atrata Fabricius,1775* **Meloe afer Linnaeus,1767, Syst. Nat. (Edn. 12) 1 (2): 680. Type(s): Barbaria. DZ TR**
7633. **Oenas armeniacus Kaszab,1951** (Meloidae) Synonym(s): *armeniacus Kaszab,1951* **TR**
7634. **Oenas crassicornis (Illiger,1800)** (Meloidae) Synonym(s): *crassicornis Illiger,1800* **TR RO BG HV YU**
7635. **Oenas tarsensis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tarsensis Abeille de Perrin,1880* **TR**
7636. **Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuicornis Abeille de Perrin,1880; #tenuitarsis Kaszab,1968* **TR Cc AM Eri SY**
7637. **Oenopia conglobata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *conglobata Linnaeus,1758* **TR IT**
7638. **Oenopia oncina (Olivier,1808)** (Coccinellidae) Synonym(s): *oncina Olivier,1808* **TR**
7639. **Oiceoptoma thoracica (Linnaeus,1758)** (Silphidae) Synonym(s): *thoracica Linnaeus,1758* **TR**
7640. **Olesicampe macellator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *macellator Thunberg,1822* **TR**
7641. **Oliarus angustiformis Linnavuori,1953** (Cixiidae) Synonym(s): *angustiformis Linnavuori,1953* **IL Pa TR**
7642. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus Fieber,1876* **AL CZ FR HU IT PT RO ES TR KK TM UA UZ**
7643. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suezensis Matsumura,1910; modestus Haupt,1927* **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
7644. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU**
7645. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus Fieber,1876; maculatus Fieber,1876* **AF BG CZ GR RO SY TR RU Cc AZ**
7646. **Oliarus torossicus Dlabola,1957** (Cixiidae) Synonym(s): *torossicus Dlabola,1957* **TR**

7647. **Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis Loew,1844* TR GR IT IR
7648. **Oligopogon anatolicus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *anatolicus Geller-Grimm & Hradsky,2003* TR
7649. **Oligopogon hybotinus (Loew,1847)** (Asilidae) Synonym(s): *hybotinus Loew,1847* GR Rd TR
7650. **Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *londti Geller-Grimm & Hradsky,2003* TR GR
7651. **Oligopogon rufus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *rufus Geller-Grimm & Hradsky,2003* TR
7652. **Oligosita collina Walker** (Trichogrammatidae) Synonym(s): TR
7653. **Oligosita foersteri Girault** (Trichogrammatidae) Synonym(s): TR
7654. **Oligosita pallida Kryger** (Trichogrammatidae) Synonym(s): TR
7655. **Oligotrophus juniperinus (Linnaeus,1758)** (Cecidomyiidae) Synonym(s): *juniperinus Linnaeus,1758* TR
7656. **Oligotrophus panteli Kieffer,1898** (Cecidomyiidae) Synonym(s): *panteli Kieffer,1898* TR
7657. **Olophrum paphlagonicum Coiffait,1978** (Staphylinidae) Synonym(s): *paphlagonicum Coiffait,1978* TR
7658. **Olophrum puncticolle Eppelsheim,1880** (Staphylinidae) Synonym(s): *puncticolle Eppelsheim,1880* TR
7659. **Omalium allardii Fairmaire & Bristout de Barneville,1859** (Staphylinidae) Synonym(s): *allardii Fairmaire & Bristout de Barneville,1859; antennarium Reitter,1911* TR
7660. **Omalium assingi Zanetti,2002** (Staphylinidae) Synonym(s): *assingi Zanetti,2002* TR
7661. **Omalium caesum Gravenhorst,1806** (Staphylinidae) Synonym(s): *caesum Gravenhorst,1806* TR
7662. **Omalium cinnamomeum Kraatz,1857** (Staphylinidae) Synonym(s): *cinnamomeum Kraatz,1857* TR
7663. **Omalium cribriceps Fauvel,1900** (Staphylinidae) Synonym(s): *cribriceps Fauvel,1900* TR
7664. **Omalium falsum Eppelsheim,1889** (Staphylinidae) Synonym(s): *falsum Eppelsheim,1889* TR
7665. **Omalium henroti Coiffait,1976** (Staphylinidae) Synonym(s): *henroti Coiffait,1976* TR
7666. **Omalium littorale Kraatz,1857** (Staphylinidae) Synonym(s): *littorale Kraatz,1857* TR
7667. **Omalium oxyacanthae Gravenhorst,1806** (Staphylinidae) Synonym(s): *oxyacanthae Gravenhorst,1806* TR
7668. **Omalium rivulare (Paykull,1789)** (Staphylinidae) Synonym(s): *rivulare Paykull,1789* TR
7669. **Omalium rugatum Mulsant & Rey,1880** (Staphylinidae) Synonym(s): *rugatum Mulsant & Rey,1880* TR
7670. **Omalium saulcyi Fauvel,1875** (Staphylinidae) Synonym(s): *saulcyi Fauvel,1875* TR
7671. **Omalium schuberti Zanetti,2002** (Staphylinidae) Synonym(s): *schuberti Zanetti,2002* TR
7672. **Omalium turcicum Smetana,1967** (Staphylinidae) Synonym(s): *turcicum Smetana,1967* TR
7673. **Omalium wunderlei Zanetti,2002** (Staphylinidae) Synonym(s): *wunderlei Zanetti,2002* TR
7674. **Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi Galante,1985* BG GR MK RO TR
7675. **Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *cerrutii Sabatinelli,1977* AL BG GR TR
7676. **Omaloplia (s.str.) diabolica (Reitter,1887)** (Scarabaeidae) Synonym(s): *diabolica Reitter,1887; ursina Fairmaire,1892* SY TR
7677. **Omaloplia (s.str.) erebea (Baraud,1965)** (Scarabaeidae) Synonym(s): *erebea Baraud,1965* TR
7678. **Omaloplia (s.str.) erythroptera (Fivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Fivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* AL BG Cr GR HU MK MD RO UA YU TR
7679. **Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) Synonym(s): *gibbosa Baraud,1965; macedoniae Baraud,1965* AL GR MK YU TR
7680. **Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994* BG FR GR RO TR
7681. **Omaloplia (s.str.) mutilata (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *mutilata Fairmaire,1892; corpulenta Sahlberg,1908* TR
7682. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis Fallén,1806* AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR
7683. **Ommatidiotus inconspicuus Stål,1863** (Caliscelidae) Synonym(s): *inconspicuus Stål,1863* CZ HU RU TR
7684. **Ommatidiotus iranicus Horvath,1905** (Caliscelidae) Synonym(s): *iranicus Horvath,1905* IR TR
7685. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni Bolivar & Chicote,1879; longiceps Puton,1896; alternans Horvath,1916; longicipiti Horvath,1916* AL GR CY IQ IL IT PT ES TR

7686. **Ommatius stackelbergi (Richter,1960)** (Asilidae) Synonym(s): *stackelbergi* Richter,1960 **Ce RU TR AM IR Se**
7687. **Omocestus (s.str.) demokidovi Ramme,1930** (Acrididae) Synonym(s): *demokidovi* Ramme,1930 **Ce AZ AM TR**
7688. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Ce TR KG CN Gn KP KR Sb**
7689. **Omocestus (s.str.) minutus (Brullé,1832)** (Acrididae) Synonym(s): *minutus* Brullé,1832; *moreanus* Ramme,1926; *chersonensis* Pustovojt,1927 **TR GR RU**
7690. **Omocestus (s.str.) nanus Uvarov,1934** (Acrididae) Synonym(s): *nanus* Uvarov,1934 *Omocestus nanus* Uvarov,1934, *Eos* 10: 82. Syntypes: Turkey, Ankara Tuz gölü, Chesme Keupri on river Kyzyl-Irmak [Köprüköy] (BMNH). **TR**
7691. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 **FR ES IT CZ RO Ce TR RU KG Sb**
7692. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **Gryllus rufipes** Zetterstedt,1821, **Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
7693. **Omocestus (s.str.) ventralis (Zetterstedt,1821)** (Acrididae) Synonym(s): *ventralis* Zetterstedt,1821 **TR**
7694. **Omocestus (s.str.) viridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *viridulus* Linnaeus,1758 **TR**
7695. **Omophlus (Odontomophlus) lepturoides (Fabricius,1787)** (Tenebrionidae) Synonym(s): *lepturoides* Fabricius,1787 **IT GR TR**
7696. **Omophlus (Odontomophlus) syriacus Mulsant,1856** (Tenebrionidae) Synonym(s): *syriacus* Mulsant,1856 **IL Pa SY TR**
7697. **Omophlus (s.str.) caucasicus Kirsch,1869** (Tenebrionidae) Synonym(s): *caucasicus* Kirsch,1869 **TR Ce**
7698. **Omophlus (s.str.) turcicus Kirsch,1869** (Tenebrionidae) Synonym(s): *turcicus* Kirsch,1869 **GR TR**
7699. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Ce TR LV RU Sb UA YU**
7700. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
7701. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
7702. **Oncotylus setulosus (Herrich-Schäffer,1837)** (Miridae) Synonym(s): *setulosus* Herrich-Schäffer,1837 **TR**
7703. **Oncotylus viridiflavus (Goeze,1778)** (Miridae) Synonym(s): *viridiflavus* Goeze,1778 **TR**
7704. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 **MA DZ TN LY Cy EG Co FR ES TR IL Pa**
7705. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus* Olivier,1811; *steveni* Brullé,1832 **Ce GG GR RU TR IR AM SY LB**
7706. **Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): *humerosus* Pallas,1771 **KG UZ TM TR**
7707. **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii* Goidanich,1926 **IL Pa SY LB TR IR**
7708. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
7709. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792 **AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
7710. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832 **Ce SY CY IR TR BG GR IL Pa EG**
7711. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900 **ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM**
7712. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790 **RU Ce AZ KK KG TJ UZ TM HU SY AF CN Ti TR**

7713. **Onthophagus (Euonthophagus) sulcicollis** Reitter,1892 (Scarabaeidae) Synonym(s): *sulcicollis* Reitter,1892 **TM TJ AF IR KG UZ KK TR**
7714. **Onthophagus (Furconthophagus) furcatus** (Fabricius,1781) (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781 **RU Cc AM AZ GG TM SY TR IQ SA MA**
7715. **Onthophagus (Palaeonthophagus) aleppensis** Redtenbacher,1843 (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982 **SY Hal LB IL Pa TR JO IQ IR**
7716. **Onthophagus (Palaeonthophagus) anatolicus** Petrovitz,1962 (Scarabaeidae) Synonym(s): *anatolicus* Petrovitz,1962 **TR**
7717. **Onthophagus (Palaeonthophagus) angorensis** Petrovitz,1963 (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1963 **TR IL Pa SY IR MK GR BG**
7718. **Onthophagus (Palaeonthophagus) carpanetoi** Pittino,1982 (Scarabaeidae) Synonym(s): *carpanetoi* Pittino,1982 **TR JO**
7719. **Onthophagus (Palaeonthophagus) coenobita** (Herbst,1783) (Scarabaeidae) Synonym(s): *coenobita* Herbst,1783 **MD RU Cc GG TM TR**
7720. **Onthophagus (Palaeonthophagus) cruciatus** (Ménétriés,1832) (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés,1832 **TM Cc AM TR SY IQ IL Pa CY GR Rd**
7721. **Onthophagus (Palaeonthophagus) dacatrai** Pittino,2004 (Scarabaeidae) Synonym(s): *dacatrai* Pittino,2004 **TR**
7722. **Onthophagus (Palaeonthophagus) dorsosignatus** D'Orbigny,1898 (Scarabaeidae) Synonym(s): *dorsosignatus* D'Orbigny,1898 **TR Cc AM IQ IR**
7723. **Onthophagus (Palaeonthophagus) fissicornis** Steven,1809 (Scarabaeidae) Synonym(s): *fissicornis* Steven,1809 **RU Cc AM AZ TM SY IQ TR IR UA Cm**
7724. **Onthophagus (Palaeonthophagus) fissinasus** Fairmaire,1895 (Scarabaeidae) Synonym(s): *fissinasus* Fairmaire,1895 **SY IR IQ TR**
7725. **Onthophagus (Palaeonthophagus) formaneki** Reitter,1897 (Scarabaeidae) Synonym(s): *formaneki* Reitter,1897 **TR Cc AZ Nv**
7726. **Onthophagus (Palaeonthophagus) fracticornis** (Preyssler,1790) (Scarabaeidae) Synonym(s): *fracticornis* Preyssler,1790 **GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR**
7727. **Onthophagus (Palaeonthophagus) gibbulus** (Pallas,1781) (Scarabaeidae) Synonym(s): *gibbulus* Pallas,1781 **RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP**
7728. **Onthophagus (Palaeonthophagus) isikdaghensis** Pittino,2004 (Scarabaeidae) Synonym(s): *isikdaghensis* Pittino,2004 **TR**
7729. **Onthophagus (Palaeonthophagus) kindermanni** Harold,1877 (Scarabaeidae) Synonym(s): *kindermanni* Harold,1877 **TR BG MK GR RO UA HU**
7730. **Onthophagus (Palaeonthophagus) lemur** (Fabricius,1781) (Scarabaeidae) Synonym(s): *lemur* Fabricius,1781 **RU MD Cc TM TR**
7731. **Onthophagus (Palaeonthophagus) lemuroides** D'Orbigny,1898 (Scarabaeidae) Synonym(s): *lemuroides* D'Orbigny,1898 **IQ IR TR SY Cc MN**
7732. **Onthophagus (Palaeonthophagus) lucidus** (Sturm,1800) (Scarabaeidae) Synonym(s): *lucidus* Sturm,1800 **HU SK UA Cm TR SY Cc IQ Cc**
7733. **Onthophagus (Palaeonthophagus) marginalis** Gebler,1817 (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 **RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN**
7734. **Onthophagus (Palaeonthophagus) novaki** Boucomont & Gillet,1927 (Scarabaeidae) Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927 **SY LB TR IL Pa JO**
7735. **Onthophagus (Palaeonthophagus) nuchicornis** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *nuchicornis* Linnaeus,1758 **RU Sb KG TR Cc MN CA US On Qb BCo Ny**
7736. **Onthophagus (Palaeonthophagus) opacicollis** Reitter,1893 (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 **BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si**
7737. **Onthophagus (Palaeonthophagus) osellai** Pittino,1982 (Scarabaeidae) Synonym(s): *osellai* Pittino,1982 **TR SY IR**
7738. **Onthophagus (Palaeonthophagus) ovatus** (Linnaeus,1762) (Scarabaeidae) Synonym(s): *ovatus* Linnaeus,1762 **RU MD UA Cm Cc BG TR Cc TM**
7739. **Onthophagus (Palaeonthophagus) parmatus** Reitter,1892 (Scarabaeidae) Synonym(s): *parmatus* Reitter,1892 **Cc AZ Nv AM RU IR TR RO SY**
7740. **Onthophagus (Palaeonthophagus) petrovitzianus** Pittino,2006 (Scarabaeidae) Synonym(s): *petrovitzi* Pittino,2004; *petrovitzianus* Pittino,2006 **TR**
7741. **Onthophagus (Palaeonthophagus) ponticus** Harold,1883 (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965 **Cc GG TR RU SY LB IR AZ AM RO GR**
7742. **Onthophagus (Palaeonthophagus) rakovici** Pittino,2004 (Scarabaeidae) Synonym(s): *rakovici* Pittino,2004 **TR**
7743. **Onthophagus (Palaeonthophagus) ruficapillus** Brullé,1832 (Scarabaeidae) Synonym(s): *ruficapillus* Brullé,1832 **Cc AZ AM SY HU TR AT SK IL Pa**

7744. **Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae)
Synonym(s): *sacharovskii Olsoufieff,1918* Cc AM GG RU TR
7745. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae)
Synonym(s): *semicornis Panzer,1798* RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO
BG UA GR
7746. **Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s):
sericatus Reitter,1893 HV AL TR Cc SY IR
7747. **Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae) Synonym(s):
speculifer Solsky,1876 KG KK TM Cc TR IR
7748. **Onthophagus (Palaeonthophagus) strabo Reitter,1893** (Scarabaeidae) Synonym(s):
strabo Reitter,1893 SY TR
7749. **Onthophagus (Palaeonthophagus) suermelii Petrovitz,1963** (Scarabaeidae) Synonym(s):
suermelii Petrovitz,1963 TR
7750. **Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s):
suturellus Brullé,1832; trochiscobius Kolenati,1846 RU Cc AZ GR TR SY IR
7751. **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae)
Synonym(s): *truchmenus Kolenati,1846; araxicola Reitter,1893; latiplage Reitter,1897; xerces Petrovitz,1965*
Cc AZ Nv TM IR SY LB IL Pa TR
7752. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s):
vacca Linnaeus,1767 RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
7753. **Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae)
Synonym(s): *verticicornis Laicharting,1781* AZ Cc TR SY TM
7754. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus*
Scopoli,1763 YU UA Cm Cc AZ RU TR IR IQ AF TM
7755. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus*
Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
7756. **Onychogomphus assimilis (Schneider,1845)** (Gomphidae) Synonym(s): *assimilis*
Schneider,1845; fulvipennis Bartenev,1912 TR Cc AM
7757. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus*
Schneider,1845 TR Cc AZ Kir IQ IR AM IL Pa
7758. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus*
Linnaeus,1758 TR CY Cc AM YU
7759. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei*
Rambur,1842 TR SY LB Bei IQ Dk Ama
7760. **Onychogomphus macrodon (Selys,1887)** (Gomphidae) Synonym(s): *macrodon Selys,1887*
TR LB Bei IL Pa
7761. **Onychopterocheilus hellenicus (Morawitz,1885)** (Vespididae) Synonym(s): *hellenicus*
Morawitz,1885; syriacus Blüthgen,1952 GR TR SY
7762. **Oochrotus glaber Demaison,1904** (Tenebrionidae) Synonym(s): *glaber Demaison,1904* TR
7763. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis A.Villa &*
GB.Villa,1833 AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
7764. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides*
Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE
CH TR MA KG TJ NL UZ JP
7765. **Ooencyrtus kucundus Ferrière & Voegelé** (Encyrtidae) Synonym(s): TR
7766. **Ooencyrtus fuvanae (Howard)** (Encyrtidae) Synonym(s): TR
7767. **Ooencyrtus masii (Mercet)** (Encyrtidae) Synonym(s): TR
7768. **Ooencyrtus pityocampae (Mercet)** (Encyrtidae) Synonym(s): TR
7769. **Ooencyrtus tardus (Ratzeburg)** (Encyrtidae) Synonym(s): TR
7770. **Ooencyrtus telenomicida (Vassiliev)** (Encyrtidae) Synonym(s): TR
7771. **Oomyzus scaposus (Thomson)** (Eulophidae) Synonym(s): TR
7772. **Oomyzus sempronius (Erdös)** (Eulophidae) Synonym(s): TR
7773. **Opanthribus tessellatus (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus*
Boheman,1829; fallax Perris,1875; brunneipennis Reitter,1916 DE TR RU JP
7774. **Opatroides curtulus Fairmaire,1892** (Tenebrionidae) Synonym(s): *curtulus Fairmaire,1892;*
?asiaticus Desbrochers,1881 TR SY
7775. **Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus Brullé,1832;*
parvulus Faldermann,1837 TR Cc RU Sb ET SO
7776. **Opatrum alternatum Küster,1849** (Tenebrionidae) Synonym(s): *alternatum Küster,1849* TR
7777. **Opatrum geminatum Brullé,1832** (Tenebrionidae) Synonym(s): *geminatum Brullé,1832* TR
7778. **Opatrum obesum Olivier,1811** (Tenebrionidae) Synonym(s): *obesum Olivier,1811* TR
7779. **Opatrum sabulosum (Linnaeus,1761)** (Tenebrionidae) Synonym(s): *sabulosum Linnaeus,1761*
TR
7780. **Opatrum verrucosum Germar,1817** (Tenebrionidae) Synonym(s): *verrucosum Germar,1817*
TR

7781. **Opheltes glaucopterus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *glaucopterus* Linnaeus,1758 TR
7782. **Ophiogomphus cecilia (Fourcroy,1785)** (Gomphidae) Synonym(s): *cecilia* Fourcroy,1785; *serpentinus* Charpentier,1825 TR GR
7783. **Ophiomyia beckeri (Hendel,1923)** (Agromyzidae) Synonym(s): *beckeri* Hendel,1923 TR
7784. **Ophiomyia cunctata (Hendel,1920)** (Agromyzidae) Synonym(s): *cunctata* Hendel,1920 TR
7785. **Ophiomyia curvipalpis (Zetterstedt,1848)** (Agromyzidae) Synonym(s): *curvipalpis* Zetterstedt,1848 TR
7786. **Ophiomyia delphinii Hendel,1928** (Agromyzidae) Synonym(s): *delphinii* Hendel,1928 TR
7787. **Ophiomyia galii M.Hering,1937** (Agromyzidae) Synonym(s): *galii* M.Hering,1937 TR
7788. **Ophiomyia inaequabilis (Hendel,1931)** (Agromyzidae) Synonym(s): *inaequabilis* Hendel,1931 TR
7789. **Ophiomyia labiatarum M.Hering,1937** (Agromyzidae) Synonym(s): *labiatarum* M.Hering,1937 TR
7790. **Ophiomyia maura (Meigen,1838)** (Agromyzidae) Synonym(s): *maura* Meigen,1838 TR
7791. **Ophiomyia memorabilis Spencer,1974** (Agromyzidae) Synonym(s): *memorabilis* Spencer,1974 TR
7792. **Ophiomyia orbiculata (Hendel,1931)** (Agromyzidae) Synonym(s): *orbiculata* Hendel,1931 TR
7793. **Ophiomyia phaseoli (Tryon,1895)** (Agromyzidae) Synonym(s): *phaseoli* Tryon,1895 TR
7794. **Ophiomyia pinguis (Fallén,1820)** (Agromyzidae) Synonym(s): *pinguis* Fallén,1820 TR
7795. **Ophiomyia pulicaria (Meigen,1830)** (Agromyzidae) Synonym(s): *pulicaria* Meigen,1830 TR
7796. **Ophiomyia submaura M.Hering,1926** (Agromyzidae) Synonym(s): *submaura* M.Hering,1926 TR
7797. **Ophion bipictor Aubert,1980** (Ichneumonidae) Synonym(s): *bipictor* Aubert,1980 TR IL Pa
7798. **Ophion longigena Thomson,1888** (Ichneumonidae) Synonym(s): *longigena* Thomson,1888 TR
7799. **Ophion luteus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *luteus* Linnaeus,1758 TR
7800. **Ophion minutus Kriechbaumer,1879** (Ichneumonidae) Synonym(s): *minutus* Kriechbaumer,1879 TR
7801. **Ophion mirsa (Shestakov,1926)** (Ichneumonidae) Synonym(s): *mirsa* Shestakov,1926 TR
7802. **Ophion mocsaryi Brauns,1889** (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1889 BG TR IR
7803. **Ophion obscuratus Fabricius,1798** (Ichneumonidae) Synonym(s): *obscuratus* Fabricius,1798; *obscurus* Fabricius,1804 TR
7804. **Ophion similis (Szepliget,1905)** (Ichneumonidae) Synonym(s): *similis* Szepliget,1905 DZ TR
7805. **Ophion ventricosus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *ventricosus* Gravenhorst,1829 TR
7806. **Ophonus (Hesperophonus) azureus (Fabricius,1775)** (Carabidae) Synonym(s): *azureus* Fabricius,1775; *koniensis* Schaubberger,1927 TR
7807. **Ophonus (s.str.) sabulicola (Panzer,1796)** (Carabidae) Synonym(s): *sabulicola* Panzer,1796 ES TR
7808. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa
7809. **Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata* Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846; *heydeni* Jaennicke,1866 DZ CH YU HV DE TR IL MN CN
7810. **Opsilia coerulescens (Scopoli,1763)** (Cerambycidae) Synonym(s): *coerulescens* Scopoli,1763 DZ FR SS HV GR TR
7811. **Opsimea ventralis Miller,1880** (Oedemeridae) Synonym(s): *ventralis* Miller,1880 TR
7812. **Opsius cypriacus Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus* Lindberg,1958 CY TR IR UA Cm
7813. **Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1960 IR RU Da Cc TR
7814. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 AF DZ EG IR IQ TR Cc AZ KG RU TJ
7815. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (praeocc.); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
7816. **Opsius smaragdinus Emeljanov,1964** (Cicadellidae) Synonym(s): *smaragdinus* Emeljanov,1964 UA Cm TR
7817. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
7818. **Orchamus davisi (Uvarov,1949)** (Pamphagidae) Synonym(s): *davisi* Uvarov,1949 TR

7819. **Orchamus yersini (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *raulinii* Yersin,1860 nec Lucas,1854; *yersini* Brunner von Wattenwyl,1882 **Rd GR LB Bei TR**
7820. **Orectochilus villosus (Müller,1776)** (Gyrinidae) Synonym(s): *villosus* Müller,1776 **TR**
7821. **Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826 **TR Cc KG RU Sb DZ**
7822. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847 **DE BY CZ FR IT LT HU RU UA TR**
7823. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 **DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK**
7824. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781; *flavicans* Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 **TR DE BG CZ FR SE CH HU UA**
7825. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 **DE AZ AM GG Cc IR TR IL Pa LB JO**
7826. **Orellia steropea (Rondani,1870)** (Tephritidae) Synonym(s): *steropea* Rondani,1870 **IT TR IR**
7827. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
7828. **Oreodytes davisii (Curtis,1831)** (Dytiscidae) Synonym(s): *davisii* Curtis,1831 **TR**
7829. **Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) Synonym(s): *septentrionalis* Gyllenhal,1826 **TR**
7830. **Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) Synonym(s): *septentrionalis* Gyllenhal,1826 **TR**
7831. **Orestia loebli Biondi,1992** (Chrysomelidae) Synonym(s): *loebli* Biondi,1992 **TR**
7832. **Orestia olympica Frivaldsky,1884** (Chrysomelidae) Synonym(s): *olympica* Frivaldsky,1884 **TR**
7833. **Orestia oselliana Leonardi,1977** (Chrysomelidae) Synonym(s): *oselliana* Leonardi,1977 **TR**
7834. **Orius horvathi (Reuter,1884)** (Anthocoridae) Synonym(s): *horvathi* Reuter,1884 **TR**
7835. **Orius laevigatus (Fieber,1860)** (Anthocoridae) Synonym(s): *laevigatus* Fieber,1860 **TR**
7836. **Orius minutus (Linnaeus,1758)** (Anthocoridae) Synonym(s): *minutus* Linnaeus,1758 **TR**
7837. **Orius niger (Wolff,1811)** (Anthocoridae) Synonym(s): *niger* Wolff,1811 **TR**
7838. **Orius pallidicornis (Reuter,1884)** (Anthocoridae) Synonym(s): *pallidicornis* Reuter,1884 **TR**
7839. **Orius vicinus (Ribaut,1923)** (Anthocoridae) Synonym(s): *vicinus* Ribaut,1923 **TR**
7840. **Ormosia (s.str.) hederæ (Curtis,1835)** (Limoniidae) Synonym(s): *hederæ* Curtis,1835 **TR**
7841. **Ormyrus ardahanensis (Doğanlar,1991)** (Ormyridae) Synonym(s): *ardahanensis* Doğanlar,1991 **TR**
7842. **Ormyrus bingoeliensis Doğanlar,1991** (Ormyridae) Synonym(s): *bingoeliensis* Doğanlar,1991 **TR**
7843. **Ormyrus diffinis (Fonscolombe)** (Ormyridae) Synonym(s): **TR**
7844. **Ormyrus graciosus (Förster)** (Ormyridae) Synonym(s): **TR**
7845. **Ormyrus kazovaensis (Doğanlar,1991)** (Ormyridae) Synonym(s): *kazovaensis* Doğanlar,1991 **TR**
7846. **Ormyrus nitidulus (Fabricius)** (Ormyridae) Synonym(s): **TR**
7847. **Ormyrus orientalis Walker** (Ormyridae) Synonym(s): **TR**
7848. **Ormyrus tschami (Doğanlar,1991)** (Ormyridae) Synonym(s): *tschami* Doğanlar,1991 **TR**
7849. **Ormyrus wachtlei Mayr** (Ormyridae) Synonym(s): **TR**
7850. **Ormyrus yeschilirmaka (Doğanlar,1991)** (Ormyridae) Synonym(s): *yeschilirmaka* Doğanlar,1991 **TR**
7851. **Oronothrotes furvus Mistshenko,1951** (Pamphagidae) Synonym(s): *furvus* Mistshenko,1951 **TR**
7852. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 **PT ES EG IQ IL Pa IR Md MA TR PK JP TW**
7853. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 **CY FR GR ES TR IL Pa JO LB SY**
7854. **Orthetrum albistylum (Selys,1848)** (Libellulidae) Synonym(s): *albistylum* Selys,1848 **TR**
7855. **Orthetrum anceps (Schneider,1845)** (Libellulidae) Synonym(s): *anceps* Schneider,1845 **TR**
7856. **Orthetrum brunneum (Fonscolombe,1837)** (Libellulidae) Synonym(s): *brunneum* Fonscolombe,1837 **TR**
7857. **Orthetrum cancellatum (Linnaeus,1758)** (Libellulidae) Synonym(s): *cancellatum* Linnaeus,1758; *#cancenlatum* Demirsoy,1982 **TR**
7858. **Orthetrum chrysostigmum (Burmeister,1839)** (Libellulidae) Synonym(s): *chrysostigmum* Burmeister,1839 **TR**
7859. **Orthetrum coerulescens (Fabricius,1798)** (Libellulidae) Synonym(s): *coerulescens* Fabricius,1798 **TR**
7860. **Orthetrum ransonnetti (Brauer,1865)** (Libellulidae) Synonym(s): *ransonnetti* Brauer,1865 **TR**

7861. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770* TR SY Cc CN
Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
7862. **Orthetrum taeniolatum (Schneider,1845)** (Libellulidae) Synonym(s): *taeniolatum Schneider,1845* TR CY
7863. **Orthetrum trinacrium (Selys,1841)** (Libellulidae) Synonym(s): *trinacria Selys,1841* TR
7864. **Orthezia urticae (Linnaeus)** (Ortheziidae) Synonym(s): *urticae Linnaeus* TR
7865. **Orthocentrus radialis Thomson,1897** (Ichneumonidae) Synonym(s): *radialis Thomson,1897*
TR
7866. **Orthocladius luteipes Goetghebuer,1921** (Chironomidae) Synonym(s): *luteipes Goetghebuer,1921* TR
7867. **Orthocladius oblidens (Walker,1856)** (Chironomidae) Synonym(s): *oblidens Walker,1856*
TR
7868. **Orthocladius rivulorum (Kieffer,1911)** (Chironomidae) Synonym(s): *rivulorum Kieffer,1911*
TR
7869. **Orthocladius thienemanni (Kieffer,1918)** (Chironomidae) Synonym(s): *thienemanni Kieffer,1918* TR
7870. **Orthonevra frontalis (Loew,1843)** (Syrphidae) Synonym(s): *frontalis Loew,1843* TR
7871. **Orthopelma luteolator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *luteolator Gravenhorst,1829* TR Cc
7872. **Orthops basalis (Costa,1852)** (Miridae) Synonym(s): *basalis Costa,1852* TR IT FR AT YU CZ
SE
7873. **Orthotylus minutus Jakovlev,1877** (Miridae) Synonym(s): *minutus Jakovlev,1877* TR
7874. **Orthotylus nassatus (Fabricius,1787)** (Miridae) Synonym(s): *nassatus Fabricius,1787* TR
7875. **Orthotylus virescens (Douglas & Scott,1865)** (Miridae) Synonym(s): *virescens Douglas & Scott,1865* TR
7876. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea Latreille,1809; nigrocoerulescens Staeger,1842; coerulea Zetterstedt,1843; walkeri Rondani,1859; unicolor Loew,1850; italica Rondani,1859* BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
7877. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis Linnaeus,1758* PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
7878. **Osbornellus macchiae (Lindberg,1948)** (Cicadellidae) Synonym(s): *macchiae Lindberg,1948; consanguineus Dlabola,1967* CY TR GR
7879. **Oscinella nartshukiana Beschovski,1978** (Chloropidae) Synonym(s): *nartshukiana Beschovski,1978* TR BG
7880. **Osmanius bathasari (Petrovitz,1963)** (Scarabaeidae) Synonym(s): *bathasari Petrovitz,1963*
GR TR
7881. **Osmia (Allosmia) bischoffi Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi Atanassov,1938* BG GR RO TR
7882. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura Morawitz,1871* AM Cc BG FR GR IT Si MK UA TR
7883. **Osmia (Allosmia) nuda Friese,1899** (Megachilidae) Synonym(s): *nuda Friese,1899* BG TR
7884. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta Latreille,1811; spiniventris Giraud,1857; soror Pérez,1896* AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT
Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
7885. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita Smith,1853; ruficollis Sichel,1873; fossoria Pérez,1890; duckei Friese,1899* AL GR Cr DZ EG TN CY IL Pa JO SY TR
7886. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides Spinola,1808* AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL
Pa TR
7887. **Osmia (Erythrosmia) erythrogastra Fertton,1905** (Megachilidae) Synonym(s): *erythrogastra Fertton,1905* FR Co GR IT Sa CY TR
7888. **Osmia (Helicosmia) aeruginosa Warncke,1988** (Megachilidae) Synonym(s): *aeruginosa Warncke,1988* Osmia (Helicosmia) aeruginosa Warncke,1988, Entomofauna 9: 26. Holotype ♀: Türkiye, Hakkari Prov., südl. Vargös im Mt.Sat 1700m (OLML Linz). TR
7889. **Osmia (Helicosmia) aquila Warncke,1988** (Megachilidae) Synonym(s): *aquila Warncke,1988* TR IL Pa JO
7890. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta Panzer,1799; haematoda Panzer,1801* AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT
MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
7891. **Osmia (Helicosmia) breviata Warncke,1988** (Megachilidae) Synonym(s): *breviata Warncke,1988* TR
7892. **Osmia (Helicosmia) brevipes Zanden,1994** (Megachilidae) Synonym(s): *brevipes Zanden,1994* TR
7893. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG

- CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK
KG CN TJ TM UZ CY IR JO SY TR CA US IN
7894. **Osmia (Helicosmia) carinoclypearis Wu,1985** (Megachilidae) Synonym(s): *carinoclypearis Wu,1985* CN KK TJ TR
7895. **Osmia (Helicosmia) chrysaetos Warncke,1988** (Megachilidae) Synonym(s): *chrysaetos Warncke,1988* TR
7896. **Osmia (Helicosmia) cinerea Warncke,1988** (Megachilidae) Synonym(s): *cinerea Warncke,1988* TR
7897. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis Morawitz,1871; macedonica Tkalcu,1979; acuta Warncke,1988* MK BG ES GR IL Pa JO SY Cc TR
7898. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899* AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
7899. **Osmia (Helicosmia) diomedia Warncke,1988** (Megachilidae) Synonym(s): *diomedia Warncke,1988* TR
7900. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR
7901. **Osmia (Helicosmia) dlabolae Tkalcu,1978** (Megachilidae) Synonym(s): *dlabolae Tkalcu,1978* TR
7902. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris Panzer,1798* CA Cc KG Cn Az UA Cm TR DZ CY
7903. **Osmia (Helicosmia) gutturalis Warncke,1988** (Megachilidae) Synonym(s): *gutturalis Warncke,1988* TR IL Pa IR
7904. **Osmia (Helicosmia) heliaca Warncke,1988** (Megachilidae) Synonym(s): *heliaca Warncke,1988* TR
7905. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberoafricana Peters,1975* CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
7906. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta Geoffroy,1785 nec Schr.,1781; leaiana Kirby,1802; confusa Morawitz,1869; solkyi Morawitz,1870; bidens Pérez,1879; forsi Alfken,1924; schachtli Warncke,1988* AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
7907. **Osmia (Helicosmia) livida Tkalcu,1978** (Megachilidae) Synonym(s): *livida Tkalcu,1978*
Osmia (Chalcosmia) livida Tkalcu,1978, Casopis Slezskeho Muzea Opava (A) 27: 163. Holotype ♀: Turkey: Bayburt (EMET). TR
7908. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895* AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
7909. **Osmia (Helicosmia) milenae Tkalcu,1992** (Megachilidae) Synonym(s): *milenae Tkalcu,1992*
Osmia (Chalcosmia) milenae Tkalcu,1992, Acta Soc. zool. bohemosl. 56: 225. Holotype ♂: Turkey: Muş (EMET). TR
7910. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
7911. **Osmia (Helicosmia) ocularis Warncke,1988** (Megachilidae) Synonym(s): *ocularis Warncke,1988*
Osmia (Helicosmia) ocularis Warncke,1988, Entomofauna 9: 7. Holotype ♀: Türkiye, [Şırnak Prov.]: Altın Dağları, Suvari Halil Pas 2600-3000m (OLML Linz). TR
7912. **Osmia (Helicosmia) onocrotala Warncke,1988** (Megachilidae) Synonym(s): *onocrotala Warncke,1988*
Osmia (Helicosmia) onocrotala Warncke,1988, Entomofauna 9: 32. Holotype ♀: Türkiye, Kars Prov., 20km W Sarıkamış 2200m (OLML Linz). TR
7913. **Osmia (Helicosmia) pennata Warncke,1988** (Megachilidae) Synonym(s): *pennata Warncke,1988*
Osmia (Helicosmia) pennata Warncke,1988, Entomofauna 9: 13. Holotype ♂: Türkiye, Içel Prov., Sertavul 1400m (OLML Linz). TR
7914. **Osmia (Helicosmia) peregrina Warncke,1988** (Megachilidae) Synonym(s): *peregrina Warncke,1988*
Osmia (Helicosmia) peregrina Warncke,1988, Entomofauna 9: 12. Holotype ♂: Türkiye, Urfa Prov., Birecik (OLML Linz). TR
7915. **Osmia (Helicosmia) saxatilis Warncke,1988** (Megachilidae) Synonym(s): *saxatilis Warncke,1988*
Osmia (Helicosmia) saxatilis Warncke,1988, Entomofauna 9: 5. Holotype ♀: Türkiye, Kars Prov., 20km W Karakurt 1600m (OLML Linz). TR SY JO
7916. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895* AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Uj TM CY IL Pa IR JO SY TR

7917. **Osmia (Helicosmia) sogdiana** Morawitz,1875 (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902 **KK KG TJ TM UZ AF IL Pa SY TR**
7918. **Osmia (Helicosmia) subcornuta** Morawitz,1875 (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR**
7919. **Osmia (Helicosmia) torquata** Warncke,1988 (Megachilidae) Synonym(s): *torquata* Warncke,1988 *Osmia (Helicosmia) torquata* Warncke,1988, *Entomofauna* 9: 8. Holotype ♀: Türkiye, [Şırnak Prov.]: Suvari Halil Pass 2800m (OLML Linz). **TR**
7920. **Osmia (Hemiosmia) difficilis** Morawitz,1875 (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 *Osmia difficilis* Morawitz,1875, [in] Fedtschenko, *Reise nach Turkestan* 1: 91. **Uzbekistan. KK KG RU TJ UZ IL Pa TR IR**
7921. **Osmia (Hoplosmia) algae** (Tkalcu,1978) (Megachilidae) Synonym(s): *algae* Tkalcu,1978 **BG TR SY**
7922. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
7923. **Osmia (Hoplosmia) croatica** Friese,1893 (Megachilidae) Synonym(s): *croatica* Friese,1893 **BG GR HV IT SS TR**
7924. **Osmia (Hoplosmia) distinguenda** (Tkalcu,1974) (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974 **IL Pa Js AM GR Cc JO TR**
7925. **Osmia (Hoplosmia) elegans** (Tkalcu,1992) (Megachilidae) Synonym(s): *elegans* Tkalcu,1992 **GR TR JO**
7926. **Osmia (Hoplosmia) ligurica** Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
7927. **Osmia (Hoplosmia) padri** (Tkalcu,1974) (Megachilidae) Synonym(s): *padri* Tkalcu,1974 **BG GR HV MK SY TR**
7928. **Osmia (Hoplosmia) scutellaris** Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
7929. **Osmia (Hoplosmia) spinigera** Latreille,1811 (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 **BG GR MK EG IL Pa JO LB SY TR**
7930. **Osmia (Hoplosmia) spinulosa** (Kirby,1802) (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR**
7931. **Osmia (Melanosmia) parietina** Curtis,1828 (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR**
7932. **Osmia (Melanosmia) thoracica** Radoszkowsky,1874 (Megachilidae) Synonym(s): *thoracica* Radoszkowsky,1874; *pentheri* Kohl,1905 **Cc AM Eri TR**
7933. **Osmia (Metallinella) brevicornis** (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
7934. **Osmia (Monosmia) apicata** Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroGLOSSa* Gerstaecker,1869 **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR**
7935. **Osmia (Orientosmia) maxillaris** Morawitz,1875 (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875 **KG TJ TM UZ IR TR**
7936. **Osmia (Ozbekosmia) avosetta** Warncke,1988 (Megachilidae) Synonym(s): *avosetta* Warncke,1988 *Osmia (Tergosmia) avosetta* Warncke,1988, *Entomofauna* 9: 394. Holotype ♀: Türkiye, Van Prov., Erçek (OLML Linz). **TR**
7937. **Osmia (Pyrosmia) amathusica** Mavromoustakis,1937 (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 **GR CY IT Si IL Pa JO SY TR**
7938. **Osmia (Pyrosmia) cephalotes** Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
7939. **Osmia (Pyrosmia) cyanoxantha** Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
7940. **Osmia (Pyrosmia) dilaticornis** Morawitz,1875 (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875 **TJ UZ Tas IL Pa JO TR**
7941. **Osmia (Pyrosmia) forticornis** Zanden,1989 (Megachilidae) Synonym(s): *forticornis* Zanden,1989 **AM Cc GR TR**
7942. **Osmia (Pyrosmia) gallarum** Spinola,1808 (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR**
7943. **Osmia (Pyrosmia) hellados** Zanden,1984 (Megachilidae) Synonym(s): *hellados* Zanden,1984 **AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR**

7944. **Osmia (Pyrosmia) hermona Warncke,1992** (Megachilidae) Synonym(s): *hermona* Warncke,1992 **TJ IL Pa SY TR**
7945. **Osmia (Pyrosmia) laticauda Stanek,1969** (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992 **GR MK TR**
7946. **Osmia (Pyrosmia) moreensis Zanden,1984** (Megachilidae) Synonym(s): *moreensis* Zanden,1984 **GR Rd IL Pa SY TR**
7947. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
7948. **Osmia (Pyrosmia) nigricollis Warncke,1992** (Megachilidae) Synonym(s): *nigricollis* Warncke,1992 *Osmia (Pyrosmia) nigricollis* Warncke,1992, Linzer biol. Beitr. 24: 900. Holotype ♀: Türkiye, Hakkari Prov., Şemdinli 1700m (OLML Linz). **TR**
7949. **Osmia (Pyrosmia) oramara Warncke,1992** (Megachilidae) Synonym(s): *oramara* Warncke,1992 *Osmia (Pyrosmia) oramara* Warncke,1992, Linzer biol. Beitr. 24: 908. Holotype ♀: Türkiye, Hakkari Prov., Yüksekova, Oramar [Dağlıca] 1500m (OLML Linz). **TR IR**
7950. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 **ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR**
7951. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
7952. **Osmia (Pyrosmia) tawildara Warncke,1992** (Megachilidae) Synonym(s): *tawildara* Warncke,1992 **TJ TR**
7953. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981 **GR HV IT CY IL Pa JO SY TR**
7954. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR**
7955. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
7956. **Osmia (s.str.) ariadne Peters,1978** (Megachilidae) Synonym(s): *ariadne* Peters,1978 **GR Cr TR**
7957. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
7958. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 **AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR**
7959. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
7960. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 **AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR**
7961. **Osmia (s.str.) mutensis Peters,1978** (Megachilidae) Synonym(s): *mutensis* Peters,1978 **TR**
7962. **Osmia (Tergosmia) avosetta Warncke,1988** (Megachilidae) Synonym(s): *avosetta* Warncke,1988 *Osmia avosetta* Warncke,1988, Entomofauna 9 (20): 394-396. Holotype ♀: Türkiye: Van Prov., Erçek. **TR**
7963. **Osmia (Tergosmia) glareola Warncke,1988** (Megachilidae) Synonym(s): *glareola* Warncke,1988 *Osmia glareola* Warncke,1988, Entomofauna 9 (20): 392-394. Holotype ♀: Türkiye: Van Prov., Erçek. **TR**
7964. **Osmia (Tergosmia) glareola Warncke,1988** (Megachilidae) Synonym(s): *glareola* Warncke,1988 *Osmia (Tergosmia) glareola* Warncke,1988, Entomofauna 9: 393. Holotype ♀: Türkiye, Van Prov., Erçek (OLML Linz). **TR**
7965. **Osmia (Tergosmia) pratincola Warncke,1988** (Megachilidae) Synonym(s): *pratincola* Warncke,1988 *Osmia pratincola* Warncke,1988, Entomofauna 9 (20): 393. Type: Türkiye: Ağrı Prov., Patnos N. 20km. **TR**
7966. **Osmia (Tergosmia) pratincola Warncke,1988** (Megachilidae) Synonym(s): *pratincola* Warncke,1988 *Osmia (Tergosmia) pratincola* Warncke,1988, Entomofauna 9: 392. Holotype ♀: Türkiye, Ağrı Prov., Patnos 1650m (OLML Linz). **TR**
7967. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983 *Anthocopa rhodensis* Zanden,1983, Faun. Abh. Mus. Tierk. Dresden 10: 126-129. Griechenland: Rhodos. **GR Rd TR**

7968. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988 **AM Cc GR Rd JO TR**
7969. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis* Duce,1897; *wolynica* Noskiewicz,1922 **Osmia tergestensis Duce,1897, Ent. Nachr. 23: 41-42. Triest/Italien. MA IT UA TR**
7970. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis* Duce,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 **AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR**
7971. **Osmoderma brevipennis Pic,1904** (Scarabaeidae) Synonym(s): *brevipennis* Pic,1904 **TR**
7972. **Osmylus cilicicus Krüger,1913** (Osmylidae) Synonym(s): *cilicicus* Krüger,1913 **TR**
7973. **Osmylus elegantissimus Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951 **TR? Cc UA RU AM AZ GG**
7974. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 **AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR**
7975. **Osmylus multiguttatus McLachlan,1870** (Osmylidae) Synonym(s): *multiguttatus* McLachlan,1870 **TR UA**
7976. **Ospiranthera coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher,[1849] **IR TR SY IQ**
7977. **Otlophorus inflammator Aubert,1970** (Ichneumonidae) Synonym(s): *inflammator* Aubert,1970 **FR TR**
7978. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
7979. **Oxycarenus pallens (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850 **TR**
7980. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 **DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT**
7981. **Oxycera (Camptopelta) nigricornis Olivier,1812** (Stratiomyidae) Synonym(s): *nigricornis* Olivier,1812 **TR**
7982. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869 **SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA**
7983. **Oxycera galeata (Lindner,1975)** (Stratiomyidae) Synonym(s): *galeata* Lindner,1975 **IL Pa TR**
7984. **Oxycera grata Loew,1869** (Stratiomyidae) Synonym(s): *grata* Loew,1869 **GR TR**
7985. **Oxycera insolata Kühbandner,1984** (Stratiomyidae) Synonym(s): *insolata* Kühbandner,1984 **Oxycera insolata Kühbandner,1984, Entomofauna 5 (34): 471-479, figs. Holotype ♂: Türkiye, [Şirnak Prov.] Hakkari Habur deresi Beytüşşebap 1100m 1-3.8.1982 leg. Kühbandner (ZSM). TR**
7986. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 **RO GR CY RU UA Cc AZ TR IL LB**
7987. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohemia* Hrbacek,1945; *armata* Vaillant,1950 **DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR**
7988. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 **DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR**
7989. **Oxycera quadrilineata Üstüner & Hasbenli,2007** (Stratiomyidae) Synonym(s): *quadrilineata* Üstüner & Hasbenli,2007 **TR**
7990. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
7991. **Oxycera turcica Üstüner & Hasbenli,2004** (Stratiomyidae) Synonym(s): *turcica* Üstüner & Hasbenli,2004 **Oxycera turcica Üstüner & Hasbenli,2004, Ent. News 115 (3): 163-166, figs. Holotype ♂: Turkey, Sivas Prov. Sarkışla Karacaören vill. 1710m, June 23 2003 leg. Üstüner (SÜDB). TR**
7992. **Oxyglypta rugosa Ruschka** (Pteromalidae) Synonym(s): **TR**
7993. **Oxyilia argentata (Ménétriés,1832)** (Cerambycidae) Synonym(s): *argentata* Ménétriés,1832 **AZ Cc TR SY**
7994. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 **TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR**
7995. **Oxyna guttatofasciata (Loew,1850)** (Tephritidae) Synonym(s): *guttatofasciata* Loew,1850 **TR CN KG MN RU Sb**
7996. **Oxyna lutulenta Loew,1869** (Tephritidae) Synonym(s): *lutulenta* Loew,1869 **TR KG MN MD RU UA**

7997. **Oxya nebulosa (Wiedemann,1817)** (Tephritidae) Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* Robineau-Desvoidy,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870 **TR BY CZ EE IL Pa LT MD RU UA**
7998. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 *nec* Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 **EG IL Pa JO IT MA SY TN TR RU YU TM**
7999. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 **EG IL Pa IT JO MA SY TN TR CN Ui YU**
8000. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845 **MK SY TR Cc AM UZ TM**
8001. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeoec.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
8002. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761 **HV YU BG TR RU Cc Ur Sb Us KG**
8003. **Oxythyrea noemi Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Sauley,1856 **CY TR SY LB JO Pa IL**
8004. **Ozirhincus anthemidis Rübsaamen,1915** (Cecidomyiidae) Synonym(s): *anthemidis* Rübsaamen,1915; *anatolicus* Möhn,1968 **TR**
8005. **Ozirhincus longicollis Rondani,1840** (Cecidomyiidae) Synonym(s): *longicollis* Rondani,1840 **TR**
8006. **Ozirhincus millefolii (Wachtl,1884)** (Cecidomyiidae) Synonym(s): *millefolii* Wachtl,1884 **TR**
8007. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
8008. **Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): *unctus* Loew,1869 **IT GR Rd TR**
8009. **Pachybrachis (s.str.) adaliensis Weise,1886** (Chrysomelidae) Synonym(s): *adaliensis* Weise,1886 **TR**
8010. **Pachybrachis (s.str.) akbesianus Pic,1907** (Chrysomelidae) Synonym(s): *akbesianus* Pic,1907 **TR**
8011. **Pachybrachis (s.str.) anatolicus Lopatin,1985** (Chrysomelidae) Synonym(s): *anatolicus* Lopatin,1985 **Pachybrachis (s.str.) anatolicus Lopatin,1985, Ent. Obozr. 64 (4): 768. TR**
8012. **Pachybrachis (s.str.) bodemeyeri Weise,1906** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1906; *#humeralis* Burlini,1968; *#anteconnexus* Burlini,1968 **TR**
8013. **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003 **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003, Senckenberg. biol. 82 (1/2): 144. TR SY JO**
8014. **Pachybrachis (s.str.) excisus Weise,1897** (Chrysomelidae) Synonym(s): *excisus* Weise,1897 **Pachybrachis excisus Weise,1897, Stettin ent. Ztg. 58 (1): 66. TR**
8015. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 *nec* Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
8016. **Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921 **IQ Bgd TM IR Cc TR**
8017. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 **GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd**
8018. **Pachybrachis (s.str.) mardinensis Weise,1900** (Chrysomelidae) Synonym(s): *mardinensis* Weise,1900; *seidenstueckeri* Kippenberg,1974 **TR**
8019. **Pachybrachis (s.str.) mendax Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962 **Cc RU Sb TR UA**
8020. **Pachybrachis (s.str.) nitidicollis Weise,1894** (Chrysomelidae) Synonym(s): *nitidicollis* Weise,1894 **TM TR**
8021. **Pachybrachis (s.str.) scripticollis Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905 **Cc TR IL Pa**
8022. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
8023. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953 **TR Cc IL Pa LB SY TM**
8024. **Pachybrachis (s.str.) velarum Warchalowski,1998** (Chrysomelidae) Synonym(s): *velarum* Warchalowski,1998 **TR**
8025. **Pachycerus cordiger (Germar,1819)** (Curculionidae) Synonym(s): *cordiger* Germar,1819 **TR**
8026. **Pachycrepoideus vindemmiae (Rondani)** (Pteromalidae) Synonym(s): **TR**

8027. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 SE PT ES BG UA Cc GG TR IL
8028. **Pachygaster maura Lindner,1939** (Stratiomyidae) Synonym(s): *maura* Lindner,1939 MA ES PT TR
8029. **Pachyneuron ahlaense Mani & Saraswat** (Pteromalidae) Synonym(s): TR
8030. **Pachyneuron aphidis (Bouché)** (Pteromalidae) Synonym(s): TR
8031. **Pachyneuron erzurumicum Doğanlar,1986** (Pteromalidae) Synonym(s): *erzurumicum* Doğanlar,1986 TR
8032. **Pachyneuron formosum Walker** (Pteromalidae) Synonym(s): TR
8033. **Pachyneuron gibbiscuta Thomson** (Pteromalidae) Synonym(s): TR
8034. **Pachyneuron groenlandicum (Holmgren)** (Pteromalidae) Synonym(s): TR
8035. **Pachyneuron leucopiscida Mani** (Pteromalidae) Synonym(s): TR
8036. **Pachyneuron muscarum (Linnaeus)** (Pteromalidae) Synonym(s): TR
8037. **Pachyneuron nelsoni Girault** (Pteromalidae) Synonym(s): TR
8038. **Pachyprotasis rapae Linne,1767** (Tenthredinidae) Synonym(s): *rapae* Linne,1767; *scripta* Gmelin,1790; *luctuosa* Schrank,1802; *floricola* Gravenhorst,1807; *nigrofasciata* Eschscholtz,1822; *ornega* Norton,1867; *sayi* Rohwer,1908 TR
8039. **Pachyscelis musiva (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893 IQ TR Cc AM SY TM RU IR
8040. **Pachyscelis quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 GR Cr TR
8041. **Pachyscelis villosa (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836 TR GR SY Cc
8042. **Pachytodes cerambyciformis (Schrank,1781)** (Cerambycidae) Synonym(s): *cerambyciformis* Schrank,1781 Cc TR CZ
8043. **Pachytodes erraticus (Dalman,1817)** (Cerambycidae) Synonym(s): *erraticus* Dalman,1817 CZ Cc TR IR
8044. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 TR IT AT UA YU RO AL MK GR BG
8045. **Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832 AL DZ BG CS GR TN TR YU
8046. **Pagiphora aschei Kartal,1978** (Cicadidae) Synonym(s): *aschei* Kartal,1978 Pagiphora aschei Kartal,1978, Ent. Z., Frankf. a. M. 88 (16): 179-185. TR GR Cr
8047. **Pagiphora yanni Boulard,1993** (Cicadidae) Synonym(s): *yanni* Boulard,1993 Pagiphora yanni Boulard,1993, Turk. J. Ent. 17 (1): 1-9, figs. Holotype ♂: Turquie: Adana Prov., Sarçam (MNHN). TR
8048. **Pakabsidia heinzi Wittmer,1978** (Cantharidae) Synonym(s): *heinzi* Wittmer,1978 TR
8049. **Palaeococcus fuscipennis (Burmeister)** (Margarodidae) Synonym(s): *fuscipennis* Burmeister TR
8050. **Palaeolecanium bituberculatum (Signoret)** (Coccidae) Synonym(s): *bituberculatum* Signoret TR
8051. **Palaeolecanium kosswigi Bodenheimer** (Coccidae) Synonym(s): *kosswigi* Bodenheimer TR
8052. **Pales pavida (Meigen,1824)** (Tachinidae) Synonym(s): *pavida* Meigen,1824 TR
8053. **Palesisa nudioculata Villeneuve,1929** (Tachinidae) Synonym(s): *nudioculata* Villeneuve,1929 TR TM
8054. **Palorus (Circomus) subdepressus Wollaston,1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864 TR NG Bor Swk MY ZA ZR
8055. **Palorus (s.str.) depressus (Fabricius,1790)** (Tenebrionidae) Synonym(s): *depressus* Fabricius,1790 TR
8056. **Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764 TR SY IR
8057. **Palpares solidus Gerstaecker,1893** (Myrmeleonidae) Synonym(s): *solidus* Gerstaecker,1893; *zugmayeri* Navas,1912; *klapaleki* Navas,1912; *validus* Navas,1927 AF IR Elb Th Es TR IQ
8058. **Palpares turcicus Koçak,1976** (Myrmeleonidae) Synonym(s): *turcicus* Koçak,1976 Palpares hispanus ssp. turcicus Koçak,1976, NachrBl. bayer. Ent. 22 (5): 97-100, figs. Holotype ♂: Turkey: Hakkari Prov., Hakkari, Zap karakolu (Coll. Cesa). IR TR
8059. **Paluda agropyri Emelyanov,1962** (Cicadellidae) Synonym(s): *agropyri* Emelyanov,1962 KG TR
8060. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
8061. **Panaphantus atomus Kiesenwetter,1858** (Staphylinidae) Synonym(s): *atomus* Kiesenwetter,1858 TR

- 8062. Pangonius (Melanopangonius) funebris Macquart,1845** (Tabanidae) Synonym(s): *funebris Macquart,1845* TR
- 8063. Pangonius (Melanopangonius) haustellatus (Fabricius,1781)** (Tabanidae) Synonym(s): *haustellatus Fabricius,1781; marginata Fabricius,1805* TR
- 8064. Pangonius (s. str.) obscuratus Loew,1859** (Tabanidae) Synonym(s): *obscuratus Loew,1859* TR
- 8065. Pangonius (s.str.) argentatus Szilady,1923** (Tabanidae) Synonym(s): *argentatus Szilady,1923* TR
- 8066. Pangonius (s.str.) flavocinctus Szilady,1923** (Tabanidae) Synonym(s): *flavocinctus Szilady,1923* TR
- 8067. Pangonius (s.str.) fulvipes Loew,1859** (Tabanidae) Synonym(s): *fulvipes Loew,1859* TR
- 8068. Pangonius (s.str.) lucidus Szilady,1923** (Tabanidae) Synonym(s): *lucidus Szilady,1923* TR
- 8069. Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae) Synonym(s): *pyritosus Loew,1859; decipiens Kröber,1921* TR
- 8070. Pangonius (s.str.) rhynchocephalus Kröber,1921** (Tabanidae) Synonym(s): *rhynchocephalus Kröber,1921* TR
- 8071. Pangonius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus Fabricius,1805* TR
- 8072. Panorpa aspoecki Willmann,1973** (Panorpidae) Synonym(s): *aspoecki Willmann,1973* TR
- 8073. Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis Linnaeus,1758; vulgaris Imhoff & Labram,1845* YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
- 8074. Panorpa connexa McLachlan,1869** (Panorpidae) Synonym(s): *connexa McLachlan,1869* Cc Soc GG TR
- 8075. Panorpa germanica Linnaeus,1758** (Panorpidae) Synonym(s): *germanica Linnaeus,1758; affinis Leach,1815; apicalis Stephens,1835; montana Brauer,1857; gibberosa McLachlan,1869; ruizi Navas,1926; pirion, Navas,1929* DE TR GR BE FR IT GB NO
- 8076. Panorpa hageniana Willmann,1975** (Panorpidae) Synonym(s): *hageniana Willmann,1975* TR
- 8077. Panorpa nigrirostris McLachlan,1882** (Panorpidae) Synonym(s): *nigrirostris McLachlan,1882; selysi Esben-Petersen,1915* Cc AZ Kir IR GG TR?
- 8078. Panorpa picta Hagen,1863** (Panorpidae) Synonym(s): *picta Hagen,1863* TR RO
- 8079. Panorpa pieperi Willmann,1975** (Panorpidae) Synonym(s): *pieperi Willmann,1975* TR
- 8080. Panorpa schweigeri Willmann,1975** (Panorpidae) Synonym(s): *schweigeri Willmann,1975* TR
- 8081. Panorpa tatvana Willmann,1974** (Panorpidae) Synonym(s): *tatvana Willmann,1974* TR
- 8082. Panorpa thrakica Willmann,1976** (Panorpidae) Synonym(s): *thrakica Willmann,1976* TR
- 8083. Panorpa turcica Willmann,1975** (Panorpidae) Synonym(s): *turcica Willmann,1975* TR
- 8084. Pantala flavescens (Fabricius,1798)** (Libellulidae) Synonym(s): *flavescens Fabricius,1798* TR
- 8085. Pantorhaestes xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst,1829* TR
- 8086. Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides Brunner von Wattenwyl,1861; brunneri Stal,1876; typus Bolivar,1878* Platyphyma caloptenoides Brunner von Wattenwyl,1861, Verh. zool.- bot. Ges. Wien 11: 226. Lectotype ♂: [Serbia]: Brdjane (BMNH). TR GR YU MD SK BG HU AT
- 8087. Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus Erichson,1840* AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
- 8088. Parachironomus arcuatus (Goethebuer,1919)** (Chironomidae) Synonym(s): *arcuatus Goethebuer,1919* TR
- 8089. Parachironomus longiforceps Kruseman,1933** (Chironomidae) Synonym(s): *longiforceps Kruseman,1933; pectinatellae Dendy & Sublette,1959; frequens Lehmann,1970* TR
- 8090. Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* DZ PT ES SA As TR MG SD ET TZ ZR
- 8091. Paracladius conversus (Walker,1856)** (Chironomidae) Synonym(s): *conversus Walker,1856* TR
- 8092. Paracladopelma nigrigula Goetghebuer,1942** (Chironomidae) Synonym(s): *nigrigula Goetghebuer,1942* TR
- 8093. Paraclytus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): *sexguttatus Adams,1817* Cc AZ TR IR BG
- 8094. Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): *concinna Fieber,1848* TR Cc RU Sb MN CN Ui
- 8095. Paracorymbia excisipes (Ménétriés,1832)** (Cerambycidae) Synonym(s): *excisipes Ménétriés,1832* TR
- 8096. Paracorymbia fulva (De Geer,1775)** (Cerambycidae) Synonym(s): *fulva De Geer,1775* HV TR

- 8097. Paracorymbia sambucicola (Holzschuh,1982)** (Cerambycidae) Synonym(s): *sambucicola* Holzschuh,1982 **SY TR**
- 8098. Paracorymbia tonsa (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *tonsa* K.Daniel & J.Daniel,1891 **Cc TR IR**
- 8099. Paracymus aeneus (Germar,1824)** (Hydrophilidae) Synonym(s): *aeneus* Germar,1824 **TR**
- 8100. Paradelphomyia (Oxyrhiza) senilis (Haliday,1833)** (Limoniidae) Synonym(s): *senilis* Haliday,1833 **Cc TR**
- 8101. Paradorydium mustafai Demir,2005** (Cicadellidae) Synonym(s): *mustafai* Demir,2005 **TR**
- 8102. Paradorydium occidentale Lindberg,1954** (Cicadellidae) Synonym(s): *occidentale* Lindberg,1954 **TR Cn**
- 8103. Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU**
- 8104. Paradrymadusa aksirayi Karabağ,1952** (Tettigoniidae) Synonym(s): *aksirayi* Karabağ,1952 **TR**
- 8105. Paradrymadusa brevicerca Karabağ,1956** (Tettigoniidae) Synonym(s): *brevicerca* Karabağ,1956 **TR**
- 8106. Paradrymadusa sordida Herman,1874** (Tettigoniidae) Synonym(s): *sordida* Herman,1874 **TR**
- 8107. Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846 **TR GR IL Pa IT SY**
- 8108. Paragnetina transoxanica (Klapalek,1921)** (Perlidae) Synonym(s): *transoxanica* Klapalek,1921; *spinulifera* Zhiltzova,1967 *Tylopyge transoxanica* Klapalek,1921, *Annl. Soc. ent. belg.* 61: 61. Type ♂: [Uighur Ili]: "westl. v. Kuldscha, bei Ili-Thal". **TR Uj Ku**
- 8109. Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
- 8110. Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus* Selys & Hagen,1850 **TR IR IN NP MM**
- 8111. Paragus (Pandasyophtalmus) abrogans Goeldlin,1971** (Syrphidae) Synonym(s): *abrogans* Goeldlin,1971 **TR**
- 8112. Paragus (Pandasyophtalmus) coadunatus Rondani,1847** (Syrphidae) Synonym(s): *coadunatus* Rondani,1847 **TR**
- 8113. Paragus (Pandasyophtalmus) constrictus Simic,1986** (Syrphidae) Synonym(s): *constrictus* Simic,1986 **TR**
- 8114. Paragus (Pandasyophtalmus) haemorrhous Meigen,1822** (Syrphidae) Synonym(s): *haemorrhous* Meigen,1822 **TR**
- 8115. Paragus (Pandasyophtalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schmmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 **TR DZ GB HU NL DE GR Cr**
- 8116. Paragus (s.str.) absidatus Goeldlin,1971** (Syrphidae) Synonym(s): *absidatus* Goeldlin,1971 **TR**
- 8117. Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817 *Pipiza albifrons* Fallén,1817, *Syrphici Svecicae* (6): 60. **ES DE AT SE SS YU TR GB DK RU IR**
- 8118. Paragus (s.str.) altomontanus Weyer,2010** (Syrphidae) Synonym(s): *altomontanus* Weyer,2010 **TR**
- 8119. Paragus (s.str.) azureus Hull,1949** (Syrphidae) Synonym(s): *azureus* Hull,1949 **TR**
- 8120. Paragus (s.str.) bicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 **TR DZ GB HU GR Cr**
- 8121. Paragus (s.str.) bradescui Stanescu,1981** (Syrphidae) Synonym(s): *bradescui* Stanescu,1981; *antoinettae* Goeldlin & Lucas,1981 **TR**
- 8122. Paragus (s.str.) cinctus Schiner & Egger,1853** (Syrphidae) Synonym(s): *cinctus* Schiner & Egger,1853 **TR**
- 8123. Paragus (s.str.) compeditus Wiedemann,1830** (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857 **EG TR**
- 8124. Paragus (s.str.) faesi De Weyer,2000** (Syrphidae) Synonym(s): *faesi* De Weyer,2000 *Paragus faesi* De Weyer,2000, *Phegea* 28 (4): 150-152, fgs. Holotype ♂: Turkey Antalya Prov., Güzelbağ 700m 10 ix 1999 J.Dils & J.Faes leg. (ISPBZMA). **TR**
- 8125. Paragus (s.str.) kopdagensis Hayat & Claussen,1997** (Syrphidae) Synonym(s): *kopdagensis* Hayat & Claussen,1997 **TR**
- 8126. Paragus (s.str.) oltenicus Stanescu,1977** (Syrphidae) Synonym(s): *oltenicus* Stanescu,1977 **TR**
- 8127. Paragus (s.str.) peccioli Rondani,1857** (Syrphidae) Synonym(s): *peccioli* Rondani,1857; *majoranae* Rondani,1857 **TR**

8128. **Paragus (s.str.) quadrifasciatus Meigen,1822** (Syrphidae) Synonym(s): *quadrifasciatus Meigen,1822* TR
8129. **Paragus (s.str.) romanicus Stanescu,1992** (Syrphidae) Synonym(s): *romanicus Stanescu,1992* TR
8130. **Paragymnomerus amitinorum Blüthgen,1938** (Vespidae) Synonym(s): *amitinorum Blüthgen,1938* TR
8131. **Parakiefferiella coronata (Edwards,1929)** (Chironomidae) Synonym(s): *coronata Edwards,1929* TR
8132. **Parakiefferiella tenuilobata Caspers & Reiss,1989** (Chironomidae) Synonym(s): *tenuilobata Caspers & Reiss,1989* [Parakiefferiella tenuilobata Caspers & Reiss,1989, Entomofauna 10 \(8-1\): 118-120, Abb.6. Holotype ♂: Osttürkei: Kars Prov. Aras Tal, Karakurt W, 1300m leg. W.Schacht.](#) TR
8133. **Paralauterboniella nigrohalteralis (Malloch,1915)** (Chironomidae) Synonym(s): *nigrohalteralis Malloch,1915* TR
8134. **Paralimnellius cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): *cingulatus Dlabola,1960* IQ TR IR TJ UZ
8135. **Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus Dlabola,1961* IL Pa TR MN RO RU TJ UZ
8136. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis Boheman,1847; lugens Horvath,1897* AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
8137. **Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus Haupt,1930; lindneri Fahringer,1942; subtilis Linnavuori,1964* EG JO MN TR KG MD RU
8138. **Paramerina cingulata (Walker,1856)** (Chironomidae) Synonym(s): *cingulata Walker,1856* TR
8139. **Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis Distant,1908; lucaniae Dlabola,1959* IT IL Pa UZ RU TR IR
8140. **Paramesus major Haupt,1927** (Cicadellidae) Synonym(s): *major Haupt,1927* CS IL Pa TR KG UZ
8141. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa Fallén,1806 (praeocc.); obtusifrons Stal,1853; verrallii Scott,1875; caucasicus Melichar,1913* AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
8142. **Parametriocnemus sp.** (Chironomidae) Synonym(s): TR
8143. **Parametriocnemus stylatus (Kieffer,1924)** (Chironomidae) Synonym(s): *stylatus Kieffer,1924* TR
8144. **Paramyrmosa brunnipes (Lepelletier,1845)** (Mutillidae) Synonym(s): *brunnipes Lepelletier,1845; cognata Costa,1858* DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
8145. **Paramyrmosa radoszkowskyi (Saussure,1880)** (Mutillidae) Synonym(s): *radoszkowskyi Saussure,1880* Cc GG AM AZ TR
8146. **Paramyrmosa Saussure,1880** (Mutillidae) Synonym(s): *Paramyrmosa Saussure,1880; Morysmula Suarez,1963* TR
8147. **Paranocaracris bulgaricus (Ebner & Drenowsky,1930)** (Pamphagidae) Synonym(s): *bulgaricus Ebner & Drenowsky,1930* BG TR
8148. **Paranocaracris citripes (Uvarov,1949)** (Pamphagidae) Synonym(s): *citripes Uvarov,1949* TR
8149. **Paranocaracris elegans Mistshenko,1951** (Pamphagidae) Synonym(s): *elegans Mistshenko,1951* TR
8150. **Paranocaracris rimansonae (Uvarov,1918)** (Pamphagidae) Synonym(s): *rimansonae Uvarov,1918* [Nocarodes rimansonae Uvarov,1918, Bull. Mus. Caucase Tiflis 12: 58. Type: \[Georgia\]: Tiflis.](#) TR Cc GG Tbl
8151. **Paranocaracris rubripes (Fischer von Waldheim,1846)** (Pamphagidae) Synonym(s): *rubripes Fischer von Waldheim,1846* TR
8152. **Paranocarodes atympanicus Ramme,1951** (Pamphagidae) Synonym(s): *atympanicus Ramme,1951* TR
8153. **Paranocarodes beieri (Ramme,1951)** (Pamphagidae) Synonym(s): *beieri Ramme,1951* TR
8154. **Paranocarodes fieberi (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *fieberi Brunner von Wattenwyl,1882* TR GR
8155. **Paranocarodes pahlagonicus Ramme,1951** (Pamphagidae) Synonym(s): *pahlagonicus Ramme,1951* TR
8156. **Paranocarodes straubei (Fieber,1853)** (Pamphagidae) Synonym(s): *straubei Fieber,1853* TR GR
8157. **Paranothrotres asulcatus Demirsoy,1973** (Pamphagidae) Synonym(s): *asulcatus Demirsoy,1973* TR
8158. **Paranothrotres eximius Mistshenko,1951** (Pamphagidae) Synonym(s): *eximius Mistshenko,1951* TR

8159. **Paranothrotres gotvendicus (Bolivar,1912)** (Pamphagidae) Synonym(s): *gotvendicus Bolivar,1912* TR IR Lo
8160. **Paranothrotres kosswigi Demirsoy,1973** (Pamphagidae) Synonym(s): *kosswigi Demirsoy,1973* TR
8161. **Paranothrotres levis Mistshenko,1951** (Pamphagidae) Synonym(s): *levis Mistshenko,1951* TR
8162. **Paranothrotres opacus (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *opacus Brunner von Wattenwyl,1882* TR UZ
8163. **Paraphamartania syriaca (Schiner,1867)** (Asilidae) Synonym(s): *syriaca Schiner,1867* IR Elb Th KG SY GR IL Pa TR
8164. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961* TR Cc GG RU At KG KK TJ UA UZ FR
8165. **Parapholidoptera antaliae Nadig,1991** (Tettigoniidae) Synonym(s): *#antalaee Nadig,1991; #antalyae Nadig,1991; antaliae Nadig,1991* Parapholidoptera antaliae Nadig,1991, Mitt. Schweiz. ent. Ges. 64 (1/2): 127. Holotype ♂: Turkey, Anamur (MHNG Geneva). TR
8166. **Parapholidoptera belen Ünal,2006** (Tettigoniidae) Synonym(s): *belen Ünal,2006* TR
8167. **Parapholidoptera bolkarensis Çıplak,2000** (Tettigoniidae) Synonym(s): *bolkarensis Çıplak,2000* Parapholidoptera bolkarensis Çıplak,2000, Syst. Ent. 25: 417. Type ♂: Turkey, Niğde Prov., Ulukışla, Karagöl yaylası (BMNH). TR
8168. **Parapholidoptera castaneoviridis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *castaneoviridis Brunner von Wattenwyl,1882; ornata Nedelkov,1907* GR BG TR
8169. **Parapholidoptera distincta (Uvarov,1921)** (Tettigoniidae) Synonym(s): *distincta Uvarov,1921* TR
8170. **Parapholidoptera flexuosa Karabağ,1961** (Tettigoniidae) Synonym(s): *flexuosa Karabağ,1961* TR
8171. **Parapholidoptera grandis (Karabağ,1952)** (Tettigoniidae) Synonym(s): *grandis (Karabağ,1952* TR
8172. **Parapholidoptera intermixta Karabağ,1961** (Tettigoniidae) Synonym(s): *intermixta Karabağ,1961* TR
8173. **Parapholidoptera karabagi Demirsoy,1974** (Tettigoniidae) Synonym(s): *karabagi Demirsoy,1974* TR
8174. **Parapholidoptera kosswigi (Karabağ,1950)** (Tettigoniidae) Synonym(s): *kosswigi Karabağ,1950* TR
8175. **Parapholidoptera noxia (Ramme,1930)** (Tettigoniidae) Synonym(s): *noxia Ramme,1930* TR
8176. **Parapholidoptera punctifrons (Burmeister,1839)** (Tettigoniidae) Synonym(s): *punctifrons Burmeister,1839; ehrenbergii Fieber,1853* SY TR
8177. **Parapholidoptera salmani Çıplak,2000** (Tettigoniidae) Synonym(s): *salmani Çıplak,2000* Parapholidoptera salmani Çıplak,2000, Syst. Ent. 25: 423. Holotype ♂: Turkey: Tokat Prov., Çamlıbel (BMNH). TR
8178. **Parapholidoptera signata (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *signata Brunner von Wattenwyl,1861; indistincta Bolivar,1899* TR
8179. **Parapholidoptera spinulosa Karabağ,1956** (Tettigoniidae) Synonym(s): *spinulosa Karabağ,1956* TR
8180. **Parapholidoptera syriaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca Ramme,1930* TR SY LB
8181. **Parapholidoptera yoruka Çıplak,2000** (Tettigoniidae) Synonym(s): *yoruka Çıplak,2000* Parapholidoptera yoruka Çıplak,2000, Syst. Ent. 25: 416. Holotype ♂: Turkey, Sertavul geçidi (BMNH). TR
8182. **Parapholidoptera ziganensis Karabağ,1964** (Tettigoniidae) Synonym(s): *ziganensis Karabağ,1964* TR
8183. **Paraplacionotus floralis (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis Pallas,1773* TR Cc IR SK
8184. **Parapoecilimon antalyaensis Karabağ,1975** (Tettigoniidae) Synonym(s): *antalyaensis Karabağ,1975* Parapoecilimon antalyaensis Karabağ,1975, J. nat. Hist. 9: 340-341, figs. Holotype ♂: Turkey: Antalya Prov., Side 12.vi.1970 A.Koçak leg. (BMNH). TR
8185. **Parapolybia escalarae Meade-Waldo,1911** (Vespididae) Synonym(s): *escalarae Meade-Waldo,1911* IR TR
8186. **Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus Hovarth,1897* CZ DE HU PL RO RU TR
8187. **Parasaissetia nigra (Nietner)** (Coccidae) Synonym(s): *nigra Nietner* TR
8188. **Parasauleia trjapitzini Hoffer** (Encyrtidae) Synonym(s): TR
8189. **Parasyrphus punctulatus (Verrall,1873)** (Syrphidae) Synonym(s): *punctulatus Verrall,1873* TR
8190. **Paratanytarsus lauterborni Kieffer,1918** (Chironomidae) Synonym(s): *lauterborni Kieffer,1918* TR

- 8191. Paratendipes albimanus (Meigen,1818)** (Chironomidae) Synonym(s): *albimanus Meigen,1818* TR
- 8192. Paratendipes demirsoyus Şahin,1976** (Chironomidae) Synonym(s): *demirsoyus Şahin,1976* TR
- 8193. Paratendipes intermedius Tchern.,1949** (Chironomidae) Synonym(s): *intermedius Tchern.,1949* TR
- 8194. Paratettix iranica Uvarov,1952** (Tetrigidae) Synonym(s): *iranica Uvarov,1952* TR IR
- 8195. Paratettix meridionalis (Rambur,1838)** (Tetrigidae) Synonym(s): *meridionalis Rambur,1838* TR
- 8196. Parathrix anaticus (Reitter,1902)** (Melyridae) Synonym(s): *anaticus Reitter,1902* TR
- 8197. Paratinus femoralis (Erichson,1840)** (Melyridae) Synonym(s): *femoralis Erichson,1840* TR
- 8198. Paratrichocladus rufiventris (Meigen,1830)** (Chironomidae) Synonym(s): *rufiventris Meigen,1830* TR
- 8199. Paravespa mimetica (Schulthess,1924)** (Vespidae) Synonym(s): *mimetica Schulthess,1924* TR
- 8200. Pareumenes laminatus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *laminatus Kriechbaumer,1879* TR
- 8201. Parlatoresopsis longispina (Newstead)** (Diaspididae) Synonym(s): *longispina Newstead* TR
- 8202. Parlatoria crotonis Douglas** (Diaspididae) Synonym(s): *crotonis Douglas* TR
- 8203. Parlatoria oleae (Colvee)** (Diaspididae) Synonym(s): *oleae Colvee* TR
- 8204. Parlatoria parlatoriae (Sulc)** (Diaspididae) Synonym(s): *parlatoriae Sulc* TR
- 8205. Parlatoria pergandii Comstock** (Diaspididae) Synonym(s): *pergandii Comstock* TR
- 8206. Parlatoria ziziphi (Lucas)** (Diaspididae) Synonym(s): *ziziphi Lucas* TR
- 8207. Parodontodynerus ephippium (Klug,1817)** (Vespidae) Synonym(s): *ephippium Klug,1817* TR
- 8208. Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): *festivus Steven,1809* TR
Cc RU TM
- 8209. Parthenolecanium tamaricis (Bodenheimer)** (Coccidae) Synonym(s): *tamaricis Bodenheimer* TR
- 8210. Parthenolecanium corni (Bouche)** (Coccidae) Synonym(s): *corni Bouche* TR
- 8211. Parthenolecanium persicae (Fabricius)** (Coccidae) Synonym(s): *persicae Fabricius* TR
- 8212. Parthenolecanium pomeranicum (Kawecki)** (Coccidae) Synonym(s): *pomeranicum Kawecki* TR
- 8213. Parthenolecanium pruinosum (Coquillett)** (Coccidae) Synonym(s): *pruinosum Coquillett* TR
- 8214. Parthenolecanium rufulum (Cockerell)** (Coccidae) Synonym(s): *rufulum Cockerell* TR
- 8215. Parvoaecus (Parvoaecus) anaticus (Coiffait,1956)** (Carabidae) Synonym(s): *anaticus Coiffait,1956* TR
- 8216. Parvoaecus (Parvoaecus) tokatensis (Vigna Taglianti,1976)** (Carabidae) Synonym(s): *tokatensis Vigna Taglianti,1976* TR
- 8217. Parvoaecus (Parvoaecus) turcicus (Coiffait,1956)** (Carabidae) Synonym(s): *turcicus Coiffait,1956* TR
- 8218. Patroclodes sputator (Fabricius,1793)** (Ichneumonidae) Synonym(s): *sputator Fabricius,1793* TR
- 8219. Pausias martini (Puton,1890)** (Pentatomidae) Synonym(s): *martini Puton,1890* TR
- 8220. Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus Frivaldszky,1835* AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
- 8221. Pedestredorcadion accola (Heyden,1894)** (Cerambycidae) Synonym(s): *accola Heyden,1894; delagrangi Pic,1894; mardinense Pic,1900; fuscopubescens Pic,1900* Dorcadion accola Heyden,1894, Dt. ent. Z. 1: 87. Type: Mardin. TR
- 8222. Pedestredorcadion albolineatum (Küster,1847)** (Cerambycidae) Synonym(s): *albolineatum Küster,1847; byzantinum Kraatz,1869; abbreviatolineatum Breuning,1946* TR
- 8223. Pedestredorcadion albonotatum (Pic,1895)** (Cerambycidae) Synonym(s): *albonotatum Pic,1895* Dorcarion albonotatum Pic,1895, L'Echange 11, 124: 39. [Turquie]: "Armenie: Bitlis". TR
- 8224. Pedestredorcadion amanense (Breuning,1943)** (Cerambycidae) Synonym(s): *amanense Breuning,1943* Dorcadion amanense Breuning,1943, Misc. Ent. 40: 94. TR
- 8225. Pedestredorcadion anaticum (Pic,1900)** (Cerambycidae) Synonym(s): *anaticum Pic,1900; mediointerruptum Pic,1901; brevipenne Pic,1902; chehirensis Pic,1902; subuniforme Pic,1902;...* Dorcadion anaticum Pic,1900, Mat. Etud. Longic. 3 (1): 12. TR
- 8226. Pedestredorcadion arcivagum (Thomson,1868)** (Cerambycidae) Synonym(s): *arcivagum Thomson,1868; cilicium Pic,1904* Dorcadion arcivagum Thomson,1868, Physis Rec. Hist. nat. 2 (6): 121. TR
- 8227. Pedestredorcadion ardashense (Breuning,1975)** (Cerambycidae) Synonym(s): *ardashense Breuning,1975* Dorcadion ardashense Breuning,1975, Bull. Soc. ent. Mulhouse 1975: 10. TR

- 8228. Pedestredorcadion bangi (Heyden,1894)** (Cerambycidae) Synonym(s): *bangi Heyden,1894; sanguinimembre Breuning,1946; heinzorum Braun,1975* **Dorcadion bangi Heyden,1894, Dt. ent. Z. 1: 89. TR**
- 8229. Pedestredorcadion banjkovskyi (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): *banjkovskyi Plavilstshikov,1958* **TR**
- 8230. Pedestredorcadion beckeri (Kraatz,1873)** (Cerambycidae) Synonym(s): *beckeri Kraatz,1873* **Cc AZ RU AM TR**
- 8231. Pedestredorcadion bithyniense (Chevrolat,1856)** (Cerambycidae) Synonym(s): *bithyniense Chevrolat,1856; dorsoplaiatum Breuning,1946* **TR**
- 8232. Pedestredorcadion bodemeyeri (Daniel,1900)** (Cerambycidae) Synonym(s): *bodemeyeri Daniel,1900; rubricolle Breuning,1946* **Dorcadion bodemeyeri Daniel,1900, Societas Ent. 15: 140. Type: Bozdagh. TR**
- 8233. Pedestredorcadion bouilloni (Breuning & Ruspoli,1975)** (Cerambycidae) Synonym(s): *bouilloni Breuning & Ruspoli,1975* **TR**
- 8234. Pedestredorcadion bozdaghense (Fairmaire,1866)** (Cerambycidae) Synonym(s): *bozdaghense Fairmaire,1866* **TR**
- 8235. Pedestredorcadion bremeri (Breuning,1981)** (Cerambycidae) Synonym(s): *bremeri Breuning,1981* **TR**
- 8236. Pedestredorcadion breuningi (Heyrovsky,1943)** (Cerambycidae) Synonym(s): *breuningi Heyrovsky,1943* **GR TR**
- 8237. Pedestredorcadion bulgharmaadense (Breuning,1946)** (Cerambycidae) Synonym(s): *bulgharmaadense Breuning,1946* **TR**
- 8238. Pedestredorcadion carolisturani (Breuning & Ruspoli,1971)** (Cerambycidae) Synonym(s): *carolisturani Breuning & Ruspoli,1971; baiburtense Breuning,1975* **TR**
- 8239. Pedestredorcadion cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): *cinerarium Fabricius,1787; tricolor Fischer von Waldheim,1806; caucasicum Küster,1847; micans Thomson,1867; sericatum Kraatz,1873; amasinum Pic,1898; corallicorne Pic,1904; macropoides Plavilstshikov,1932; perroudi Pic,1942; paracinerarium Breuning,1974* **AZ Cc IR Ak TR UA Cm**
- 8240. Pedestredorcadion coiffaiti (Breuning,1962)** (Cerambycidae) Synonym(s): *coiffaiti Breuning,1962* **TR**
- 8241. Pedestredorcadion condensatum (Küster,1852)** (Cerambycidae) Synonym(s): *condensatum Küster,1852; punctatissimum Ganglbauer,1883; adamolum Pic,1917* **BG TR**
- 8242. Pedestredorcadion culminicola (Thomson,1868)** (Cerambycidae) Synonym(s): *culminicola Thomson,1868* **TR**
- 8243. Pedestredorcadion deyrollei (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *deyrollei Ganglbauer,1883* **TR**
- 8244. Pedestredorcadion drusoides (Breuning,1962)** (Cerambycidae) Synonym(s): *drusoides Breuning,1962* **TR**
- 8245. Pedestredorcadion enricisturani (Breuning & Ruspoli,1971)** (Cerambycidae) Synonym(s): *enricisturani Breuning & Ruspoli,1971* **TR**
- 8246. Pedestredorcadion escherichi (Ganglbauer,1897)** (Cerambycidae) Synonym(s): *escherichi Ganglbauer,1897; angorensis Ganglbauer,1897; cappadocium Breuning,1946* **TR**
- 8247. Pedestredorcadion ferruginipes (Ménétriés,1836)** (Cerambycidae) Synonym(s): *ferruginipes Ménétriés,1836; thracicum Küster,1846* **TR**
- 8248. Pedestredorcadion gallipolitanum (Thomson,1867)** (Cerambycidae) Synonym(s): *gallipolitanum Thomson,1867* **TR**
- 8249. Pedestredorcadion gebzeense (Breuning,1974)** (Cerambycidae) Synonym(s): *gebzeense Breuning,1974* **TR**
- 8250. Pedestredorcadion haemorrhoidale (Hampe,1852)** (Cerambycidae) Synonym(s): *haemorrhoidale Hampe,1852* **Cc AM Eri TR**
- 8251. Pedestredorcadion halepense (Kraatz,1873)** (Cerambycidae) Synonym(s): *halepense Kraatz,1873; pseudomardinense Breuning,1946; akbesianum Breuning,1946;...* **SY Hal TR**
- 8252. Pedestredorcadion heinzi (Breuning,1964)** (Cerambycidae) Synonym(s): *heinzi Breuning,1964* **TR**
- 8253. Pedestredorcadion holtzi (Pic,1905)** (Cerambycidae) Synonym(s): *holtzi Pic,1905* **TR**
- 8254. Pedestredorcadion holzschuhi (Breuning,1974)** (Cerambycidae) Synonym(s): *holzschuhi Breuning,1974* **TR**
- 8255. Pedestredorcadion iconiense (Dan.,1901)** (Cerambycidae) Synonym(s): *iconiense Dan.,1901; muchei Breuning,1962; parescherichi Breuning,1966* **TR**
- 8256. Pedestredorcadion impressicollis (Kraatz,1873)** (Cerambycidae) Synonym(s): *impressicollis Kraatz,1873; tokatense Pic,1901; diversipes Breuning,1946* **TR SY**
- 8257. Pedestredorcadion impressicorne (Tournier,1872)** (Cerambycidae) Synonym(s): *impressicorne Tournier,1872; kurda Suworov,1913;...* **AM Cc TR**
- 8258. Pedestredorcadion infernale (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *infernale Mulsant & Rey,1863* **TR**

- 8259. Pedestredorcadion ispartense (Breuning,1962)** (Cerambycidae) Synonym(s): *ispartense Breuning,1962* TR
- 8260. Pedestredorcadion kagyzmanicum (Suvorov,1915)** (Cerambycidae) Synonym(s): *kagyzmanicum Suvorov,1915* TR Cc
- 8261. Pedestredorcadion karsense (Suvorov,1915)** (Cerambycidae) Synonym(s): *karsense Suvorov,1915* Cc TR
- 8262. Pedestredorcadion kasikoparanum (Pic,1902)** (Cerambycidae) Synonym(s): *kasikoparanum Pic,1902* Cc TR
- 8263. Pedestredorcadion kollari (Kraatz,1873)** (Cerambycidae) Synonym(s): *lindieri Tournier,1872; kollari Kraatz,1873; henrici Pic,1905; dorsoimmaculipenne Breuning,1966* TR
- 8264. Pedestredorcadion kurdistanum (Breuning,1944)** (Cerambycidae) Synonym(s): *kurdistanum Breuning,1944; rufulipes Breuning,1963* TR
- 8265. Pedestredorcadion lameeri (Thery,1896)** (Cerambycidae) Synonym(s): *lameeri Thery,1896* TR
- 8266. Pedestredorcadion ledereri (Thomson,1865)** (Cerambycidae) Synonym(s): *ledereri Thomson,1865* TR
- 8267. Pedestredorcadion ledouxi (Breuning,1974)** (Cerambycidae) Synonym(s): *ledouxi Breuning,1974* TR
- 8268. Pedestredorcadion lodosi (Sabbadini & Pesarini,1992)** (Cerambycidae) Synonym(s): *lodosi Sabbadini & Pesarini,1992* TR
- 8269. Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre Kraatz,1873* BG GR MK TR
- 8270. Pedestredorcadion mesopotamicum (Breuning,1944)** (Cerambycidae) Synonym(s): *mesopotamicum Breuning,1944; submardinense Breuning,1946* TR
- 8271. Pedestredorcadion nigrostriatum (Adlbauer,1982)** (Cerambycidae) Synonym(s): *nigrostriatum Adlbauer,1982* Dorcadion (Pedestredorcadion) *nigrostriatum Adlbauer,1982, NachrBl. bayer. Ent. 31 (6): 104-106, 2 Abb. Holotype ♂: Anatolien, N Tunceli 2500-3000m 22-27 5 1980 leg. J. Kacherl (coll. Adelbauer).* TR
- 8272. Pedestredorcadion nitidum (Motschoulsky,1838)** (Cerambycidae) Synonym(s): *nitidum Motschoulsky,1838* Cc AM TR
- 8273. Pedestredorcadion obsoletum (Kraatz,1873)** (Cerambycidae) Synonym(s): *obsoletum Kraatz,1873; obsoletoides Breuning,1946* GR TR
- 8274. Pedestredorcadion olympicum (Ganglbauer,1882)** (Cerambycidae) Synonym(s): *subalpinum Kraatz,1873; olympicum Ganglbauer,1882; oreophilum Ganglbauer,1883; beieri Pic,1932; brussense Breuning,1946* Dorcadion *olympicum Ganglbauer,1882, Wien. ent. Ztg. 1: 228.* TR
- 8275. Pedestredorcadion paraladikense (Breuning,1977)** (Cerambycidae) Synonym(s): *paraladikense Breuning,1977* TR
- 8276. Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre Poda,1761; suturalis Voet,1778; rufipes Fabricius,1792;...* AL AT BG CZ HU IT RO Ur SK UA YU TR
- 8277. Pedestredorcadion piochardi (Kraatz,1873)** (Cerambycidae) Synonym(s): *piochardi Kraatz,1873; pelops Jakovlev,1901* TR
- 8278. Pedestredorcadion pluto (Thomson,1867)** (Cerambycidae) Synonym(s): *pluto Thomson,1867* TR
- 8279. Pedestredorcadion preissi (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi Heyden,1894* TR
- 8280. Pedestredorcadion pseudobithyniense (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudobithyniense Breuning,1962* TR
- 8281. Pedestredorcadion pseudoholosericeum (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudoholosericeum Breuning,1962* TR
- 8282. Pedestredorcadion pseudopreissi (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudopreissi Breuning,1962* TR
- 8283. Pedestredorcadion punctipenne (Küster,1852)** (Cerambycidae) Synonym(s): *punctipenne Küster,1852; distinguendum Pic,1931* TR
- 8284. Pedestredorcadion pygmaeum (Breuning,1947)** (Cerambycidae) Synonym(s): *pygmaeum Breuning,1947* TR
- 8285. Pedestredorcadion regulare (Pic,1931)** (Cerambycidae) Synonym(s): *regulare Pic,1931* GR TR BG
- 8286. Pedestredorcadion rigattii (Breuning,1966)** (Cerambycidae) Synonym(s): *rigattii Breuning,1966* TR
- 8287. Pedestredorcadion rizeanum (Breuning & Villers,1967)** (Cerambycidae) Synonym(s): *rizeanum Breuning & Villers,1967* TR
- 8288. Pedestredorcadion saucyi (Thomson,1865)** (Cerambycidae) Synonym(s): *saucyi Thomson,1865; mersinense Breuning,1946* TR
- 8289. Pedestredorcadion scabricolle (Dalman,1817)** (Cerambycidae) Synonym(s): *scabricolle Dalman,1817* TR

- 8290. Pedestredorcadion sinopense (Breuning,1962)** (Cerambycidae) Synonym(s): *sinopense* Breuning,1962 TR
- 8291. Pedestredorcadion smyrnensis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *smyrnensis* Linnaeus,1758; *crux* Billberg,1817; *graecum* Waltl,1838; *cruciator* Gistel,1848; *bifidum* Chevrolat,1882;... TR GR
- 8292. Pedestredorcadion sodale (Hampe,1852)** (Cerambycidae) Synonym(s): *sodale* Hampe,1852; *rosti* Pic,1900 Cc TR
- 8293. Pedestredorcadion spinense (Breuning,1962)** (Cerambycidae) Synonym(s): *spinense* Breuning,1962 TR
- 8294. Pedestredorcadion subatritarse (Breuning,1966)** (Cerambycidae) Synonym(s): *subatritarse* Breuning,1966 TR
- 8295. Pedestredorcadion subcinctellum (Breuning,1962)** (Cerambycidae) Synonym(s): *subcinctellum* Breuning,1962 TR
- 8296. Pedestredorcadion subsericatum (Pic,1901)** (Cerambycidae) Synonym(s): *subsericatum* Pic,1901; *paphlagoniense* Breuning,1944 TR
- 8297. Pedestredorcadion subvestitum (Daniel,1900)** (Cerambycidae) Synonym(s): *subvestitum* Daniel,1900 Dorcadion *subvestitum* Daniel,1900, *Societas Ent.* 15: 140. Type: **Bozdagh TR**
- 8298. Pedestredorcadion syriense (Breuning,1943)** (Cerambycidae) Synonym(s): *syriense* Breuning,1943 TR
- 8299. Pedestredorcadion turcicum (Breuning,1963)** (Cerambycidae) Synonym(s): *turcicum* Breuning,1963 Dorcadion *turcicum* Breuning,1963, *Z. ArbGem. öst. Ent.* 15: 35. TR
- 8300. Pedestredorcadion wagneri (Küster,1846)** (Cerambycidae) Synonym(s): *wagneri* Küster,1846 Cc TR
- 8301. Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
- 8302. Pedicia (Crunobia) littoralis (Meigen,1804)** (Pedicidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
- 8303. Pedicia (Crunobia) tjederi Mendl,1974** (Pedicidae) Synonym(s): *tjederi* Mendl,1974 CH IT TR
- 8304. Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pedicidae) Synonym(s): *zernyi* Lackschewitz,1940 AL AT HV GR RO TR
- 8305. Pedinpompilus atatuerki (Wolf,1960)** (Pompilidae) Synonym(s): *atatuerki* Wolf,1960 TR
- 8306. Pedinpompilus obscurus (Haupt,1962)** (Pompilidae) Synonym(s): *obscurus* Haupt,1962 TR
- 8307. Pedinpompilus orbitalis (Haupt,1962)** (Pompilidae) Synonym(s): *orbitalis* Haupt,1962 TR
- 8308. Pedinpompilus paulinus (Wolf,1960)** (Pompilidae) Synonym(s): *paulinus* Wolf,1960 TR
- 8309. Pedinpompilus wolffi (Priesner,1965)** (Pompilidae) Synonym(s): *wolffi* Priesner,1965 TR
- 8310. Pedinus (s.str.) anatolicus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *anatolicus* Mulsant & Rey,1853 TR
- 8311. Pedinus (s.str.) bodemeyeri Reitter,1904** (Tenebrionidae) Synonym(s): *bodemeyeri* Reitter,1904 TR
- 8312. Pedinus (s.str.) curvipes Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *curvipes* Mulsant & Rey,1853 TR
- 8313. Pedinus (s.str.) fallax Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *fallax* Mulsant & Rey,1853 TR
- 8314. Pedinus (s.str.) femoralis (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *femoralis* Linnaeus,1767 TR
- 8315. Pedinus (s.str.) helopoides Ahrens,1814** (Tenebrionidae) Synonym(s): *helopoides* Ahrens,1814 TR
- 8316. Pedinus (s.str.) kiesenwetteri Seidlitz,1893** (Tenebrionidae) Synonym(s): *kiesenwetteri* Seidlitz,1893 TR
- 8317. Pedinus (s.str.) marani Kaszab,1960** (Tenebrionidae) Synonym(s): *marani* Kaszab,1960 TR
- 8318. Pedinus (s.str.) podager Seidlitz,1893** (Tenebrionidae) Synonym(s): *podager* Seidlitz,1893 TR
- 8319. Pedinus (s.str.) quadratus Brullé,1832** (Tenebrionidae) Synonym(s): *quadratus* Brullé,1832 TR
- 8320. Pedinus (s.str.) reitteri Seidlitz,1893** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1893 TR
- 8321. Pedinus (s.str.) schaumii Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *schaumii* Mulsant & Rey,1853 TR
- 8322. Pedinus (s.str.) strabonis Seidlitz,1893** (Tenebrionidae) Synonym(s): *strabonis* Seidlitz,1893 TR
- 8323. Pedinus (s.str.) subdepressus Brullé,1832** (Tenebrionidae) Synonym(s): *subdepressus* Brullé,1832 TR
- 8324. Pedinus (s.str.) tauricus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *tauricus* Mulsant & Rey,1853 TR

8325. **Pedinus (Vadulus) punctulatus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *punctulatus Mulsant & Rey,1853* TR
8326. **Pediobius bruchicida (Rondani,1872)** (Eulophidae) Synonym(s): *bruchicida Rondani,1872* TR
8327. **Pediobius cassidae Erdös,1958** (Eulophidae) Synonym(s): *cassidae Erdös,1958* TR
8328. **Pediobius epigonus (Walker,1839)** (Eulophidae) Synonym(s): *epigonus Walker,1839* TR
8329. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
8330. **Pediobius nigratarsis (Thomson,1878)** (Eulophidae) Synonym(s): *nigratarsis Thomson,1878* TR
8331. **Pediobius pyrgo (Walker,1839)** (Eulophidae) Synonym(s): *pyrgo Walker,1839* TR
8332. **Pediobius saulius (Walker,1839)** (Eulophidae) Synonym(s): *saulius Walker,1839* TR
8333. **Pedostrangalia emmipoda (Mulsant,1863)** (Cerambycidae) Synonym(s): *emmipoda Mulsant,1863* GR TR AM Cc
8334. **Pedostrangalia kurda Sama,1996** (Cerambycidae) Synonym(s): *kurda Sama,1996* TR
8335. **Pedostrangalia revestita (Linnaeus,1767)** (Cerambycidae) Synonym(s): *revestita Linnaeus,1767* Cc CZ TR
8336. **Pedostrangalia riccardoi Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi Holzschuh,1984* IL Pa SY JO Dms TR
8337. **Pedostrangalia tokatensis Sama,1996** (Cerambycidae) Synonym(s): *tokatensis Sama,1996* TR
8338. **Pedostrangalia verticenigra (Pic,1892)** (Cerambycidae) Synonym(s): *verticenigra Pic,1892; erinnys Daniel,1904* TR
8339. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea De Geer,1776* SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
8340. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans Rambur,1839* PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
8341. **Pelecocera scaevoides (Fallén,1817)** (Syrphidae) Synonym(s): *scaevoides Fallén,1817* TR
8342. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens Robineau-Desvoidy,1830; nigricornis Meigen,1838; pulverulanata Robineau-Desvoidy,1863* GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
8343. **Peliococcopsis priesneri (Laing)** (Pseudococcidae) Synonym(s): *priesneri Laing* TR
8344. **Peliococcus chersonensis (Kiritshenko)** (Pseudococcidae) Synonym(s): *chersonensis Kiritshenko* TR
8345. **Peliococcus kimmericus (Kiritshenko)** (Pseudococcidae) Synonym(s): *kimmericus Kiritshenko* TR
8346. **Peliococcus manifactus Borchsenius** (Pseudococcidae) Synonym(s): *manifactus Borchsenius* TR
8347. **Peliococcus salviae Hadzibejli** (Pseudococcidae) Synonym(s): *salviae Hadzibejli* TR
8348. **Peliococcus tritubulatus (Kiritshenko)** (Pseudococcidae) Synonym(s): *tritubulatus Kiritshenko* TR
8349. **Peliococcus turanicus (Kiritshenko)** (Pseudococcidae) Synonym(s): *turanicus Kiritshenko* TR
8350. **Peltodytes caesus (Duftschmid,1805)** (Halipilidae) Synonym(s): *caesus Duftschmid,1805* TR
8351. **Peltonotellus punctifrons Horvath,1895** (Caliscelidae) Synonym(s): *punctifrons Horvath,1895* KG UA RU YU TR
8352. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua Speiser,1901* MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
8353. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii Westwood,1835* MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
8354. **Pentacladia hatayensis Doğanlar,2003** (Eupelmidae) Synonym(s): *hatayensis Doğanlar,2003* TR
8355. **Pentacladocerus araraticus (Trjapitzin)** (Encyrtidae) Synonym(s): Cc TR
8356. **Pentaphyllus chrysoloides (Rossi,1792)** (Tenebrionidae) Synonym(s): *chrysoloides Rossi,1792* TR
8357. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* Cc AL CY HU IQ IL JO RO SY TR AM GG UA
8358. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista Emeljanov,1978* AF AZ BG Cc GR HU RO RU SL SY TR UA YU
8359. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida Fieber,1876; maculatus Fieber,1876* TR AF BG CZ GR RO SY RU
8360. **Pentastira torossica (Dlabola,1957)** (Cixiidae) Synonym(s): *torossicus Dlabola,1957* TR

8361. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
8362. **Pentastiridius nanus (Ivanoff,1885)** (Cixiidae) Synonym(s): *nanus* Ivanoff,1885 UA TR
8363. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (praeocc.); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
8364. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
8365. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
8366. **Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835 TR IQ IR SY Cc AZ
8367. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 RU Cc UA Cm IQ TR IR IQ CY LB IL Pa
8368. **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845 KG MN TR AM Cc IR CY SY LB RU Am CN
8369. **Pericoma blandula Eaton,1893** (Psychodidae) Synonym(s): *blandula* Eaton,1893 TR Cc
8370. **Pericoma hakkariae R.Wagner,1986** (Psychodidae) Synonym(s): *hakkariae* R.Wagner,1986 *Pericoma hakkariae* R.Wagner,1986, Entomofauna 7 (6): 83-84, figs. Holotype ♂: Türkiye: Prov. [Şırnak]: Habur deresi, S. Beytüşşebap 1100m 10.8.1983 leg. Schacht. TR
8371. **Pericoma kariana Vaillant,1978** (Psychodidae) Synonym(s): *kariana* Vaillant,1978 TR
8372. **Pericoma orientalis R.Wagner,1986** (Psychodidae) Synonym(s): *orientalis* R.Wagner,1986 *Pericoma orientalis* R.Wagner,1986, Entomofauna 7 (6): 84, fig.3. Holotype ♂: Türkiye: Prov. [Şırnak]: Habur deresi, S. Beytüşşebap 1100m 10.8.1983 leg. Schacht. TR
8373. **Pericoma platystyla R.Wagner,1986** (Psychodidae) Synonym(s): *platystyla* R.Wagner,1986 *Pericoma platystyla* R.Wagner,1986, Entomofauna 7 (6): 84-85, fig.4. Holotype ♂: Türkiye: Prov. Hakkari, Sat Dag, Varegös, SW Yükksekova, 1700m, 4-8.8.1983 leg. Schacht. GR TR
8374. **Pericoma tenuistylis Vaillant,1978** (Psychodidae) Synonym(s): *tenuistylis* Vaillant,1978 TR
8375. **Perilampus aeneus (Rossius)** (Perilampidae) Synonym(s): TR
8376. **Perilampus atilus (Argaman)** (Perilampidae) Synonym(s): TR
8377. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
8378. **Perilissus dissimilitor Aubert,1987** (Ichneumonidae) Synonym(s): *dissimilitor* Aubert,1987 TR
8379. **Perilissus filicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filicornis* Gravenhorst,1829 TR RU Sb
8380. **Perilissus lutescens Holmgren,1855** (Ichneumonidae) Synonym(s): *lutescens* Holmgren,1855 TR
8381. **Perilissus rufoniger (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufoniger* Gravenhorst,1829 TR RU At
8382. **Perilissus spilonotus (Stephens,1835)** (Ichneumonidae) Synonym(s): *spilonotus* Stephens,1835; *dissimilis* Woldstedt,1877 TR
8383. **Perilissus tenebrator Aubert,1987** (Ichneumonidae) Synonym(s): *tenebrator* Aubert,1987 TR
8384. **Periplaneta americana (Linnaeus,1758)** (Blattidae) Synonym(s): *americana* Linnaeus,1758 TR
8385. **Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): *concolor* Desbrochers,1875 LB IL Pa SY TR
8386. **Peripontius crassus (Buysson,1906)** (Elateridae) Synonym(s): *crassus* Buysson,1906; *schimmeli* Zeising & Brunne,2003 TR
8387. **Peripontius dentatus Platia & Schimmel,1991** (Elateridae) Synonym(s): *dentatus* Platia & Schimmel,1991 TR
8388. **Peripontius elegantulus Platia,2003** (Elateridae) Synonym(s): *elegantulus* Platia,2003 TR
8389. **Peripontius jagemanni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *jagemanni* Platia & Gudenzi,2000 SY TR
8390. **Peripontius omissus (Buysson,1889)** (Elateridae) Synonym(s): *omissus* Buysson,1889 TR
8391. **Peripontius saroveci Platia,2003** (Elateridae) Synonym(s): *saroveci* Platia,2003 TR
8392. **Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): *terminatus* Erichson,1842 GR RO TR
8393. **Peripontius turcicus Platia & Tarnawski,1998** (Elateridae) Synonym(s): *turcicus* Platia & Tarnawski,1998 TR
8394. **Perithous divinator (Rossi,1790)** (Ichneumonidae) Synonym(s): *divinator* Rossi,1790 TR

- 8395. Perithous scurra (Panzer,1804)** (Ichneumonidae) Synonym(s): *scurra* Panzer,1804; *mediator* Fabricius,1804 **TR**
- 8396. Perkiensiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948 **AF CY IQ IL Pa TR**
- 8397. Perla illiesi Braasch & Joost,1971** (Perlidae) Synonym(s): *illiesi* Braasch & Joost,1971 **BG TR**
- 8398. Perla kiritschenkoi Zhiltzova,1961** (Perlidae) Synonym(s): *kiritschenkoi* Zhiltzova,1961 **TR?**
Cc IR Elb
- 8399. Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921; *barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 **ES FR NL DE PL CH AT HU SS HV YU MK IT TR**
- 8400. Perla pallida Guérin-Ménéville,1838** (Perlidae) Synonym(s): *pallida* Guérin-Ménéville,1838; *dacica* Klapalek,1907; *buresschi* Schoenemund,1926 **TR**
- 8401. Perlamantispia perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772 **TR Cc KG TM RU IR**
- 8402. Perlodes microcephala (Pictet,1833)** (Perlodidae) Synonym(s): *microcephala* Pictet,1833; *cymodoce* Newman,1839; *rectangula* Pictet,1841; *hispanica* Rambur,1842; *mortoni* Klapalek,1906; *cadevalli* Navas,1922; *festai* Navas,1932 **TR**
- 8403. Pezodrymadusa affinis (Bolivar,1899)** (Tettigoniidae) Synonym(s): *affinis* Bolivar,1899 **TR**
- 8404. Pezodrymadusa angorensis (Uvarov,1930)** (Tettigoniidae) Synonym(s): *angorensis* Uvarov,1930 *Drymadusa angorensis* Uvarov,1930, *Eos* 6: 353. **Holotype** ♂: Turkey: Angora Prov. Beypazari 1930 leg. Sureya Bey (BMNH). **TR**
- 8405. Pezodrymadusa diffusa (Ramme,1951)** (Tettigoniidae) Synonym(s): *diffusa* Ramme,1951 **TR**
- 8406. Pezodrymadusa indivisa Karabağ,1961** (Tettigoniidae) Synonym(s): *indivisa* Karabağ,1961 **TR**
- 8407. Pezodrymadusa konovi (Bolivar,1899)** (Tettigoniidae) Synonym(s): *konowi* Bolivar,1899 **TR**
- 8408. Pezodrymadusa kurmana (Ramme,1939)** (Tettigoniidae) Synonym(s): *kurmana* Ramme,1939 **TR**
- 8409. Pezodrymadusa lata Karabağ,1961** (Tettigoniidae) Synonym(s): *lata* Karabağ,1961 **TR**
- 8410. Pezodrymadusa magnifica (Werner,1901)** (Tettigoniidae) Synonym(s): *magnifica* Werner,1901 **TR**
- 8411. Pezodrymadusa sinuata (Ramme,1951)** (Tettigoniidae) Synonym(s): *sinuata* Ramme,1951 **TR**
- 8412. Pezodrymadusa striolata (Ramme,1951)** (Tettigoniidae) Synonym(s): *striolata* Ramme,1951 **TR**
- 8413. Pezodrymadusa subinermis Karabağ,1961** (Tettigoniidae) Synonym(s): *subinermis* Karabağ,1961 **TR**
- 8414. Pezodrymadusa uvarovi Karabağ,1961** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1961 **TR**
- 8415. Pezotettix anatolica Uvarov,1934** (Acrididae) Synonym(s): *platycerca* sensu Werner,1901; *anatolica* Uvarov,1934 **TR**
- 8416. Pezotettix giornae (Rossi,1794)** (Acrididae) Synonym(s): *giornae* Rossi,1794; *communis* Costa,1836; *rufipes* Brunner von Wattenwyl,1882; *rufitarsis* Navas,1909 **TR**
- 8417. Pezotettix platycerca Stal,1876** (Acrididae) Synonym(s): *platycerca* Stal,1876 **TR**
- 8418. Phaedon armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae* Linnaeus,1758 **TR KG RU Sb**
- 8419. Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae* Fabricius,1792 **GR TR Cc KG RU Sb**
- 8420. Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792 **TR AF Cc KG DZ**
- 8421. Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): *areolator* Constantineanu & Constantineanu,1968 **ES RO TR Cc AZ RU KG**
- 8422. Phaenolobus fulvicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvicornis* Gravenhorst,1829 **TR DZ**
- 8423. Phaenolobus major Szepliget,1914** (Ichneumonidae) Synonym(s): *major* Szepliget,1914 **HU TR**
- 8424. Phaenolobus terebrator (Scopoli,1763)** (Ichneumonidae) Synonym(s): *terebrator* Scopoli,1763 **TR**
- 8425. Phaenotheriolum hispidum Frieser,1978** (Anthribidae) Synonym(s): *hispidum* Frieser,1978 **TR**
- 8426. Phaenotheriolum steindachneri (Fivaldsky,1883)** (Anthribidae) Synonym(s): *steindachneri* Fivaldsky,1883 **LB IL Pa TR**
- 8427. Phaenotheriolum villosum Frieser,1978** (Anthribidae) Synonym(s): *villosum* Frieser,1978 **TR LB JO**

8428. **Phaenotherion bodemeyeri Wolfrum,1956** (Anthribidae) Synonym(s): *bodemeyeri Wolfrum,1956* TR Cc
8429. **Phaenotheriosoma adducta Frieser,1980** (Anthribidae) Synonym(s): *adducta Frieser,1980* TR
8430. **Phaenotheriosoma complanata Frieser,1980** (Anthribidae) Synonym(s): *complanata Frieser,1980* TR
8431. **Phaenotheriosoma latifolia Frieser,1980** (Anthribidae) Synonym(s): *latifolia Frieser,1980* TR
8432. **Phaenotheriosoma pselaphoides Frieser,1980** (Anthribidae) Synonym(s): *pselaphoides Frieser,1980* TR
8433. **Phaeogenes aff. rusticatus Wesmael,1844** (Ichneumonidae) Synonym(s): *rusticatus Wesmael,1844* TR
8434. **Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis Berthoumieu,1901* BG TR GR Cc RU
8435. **Phaeogenes nigridens Wesmael,1844** (Ichneumonidae) Synonym(s): *nigridens Wesmael,1844* TR
8436. **Phaeogenes planifrons Wesmael,1844** (Ichneumonidae) Synonym(s): *planifrons Wesmael,1844* TR
8437. **Phaestacoenitus bidentator Aubert,1979** (Ichneumonidae) Synonym(s): *bidentator Aubert,1979* TR
8438. **Phalacrotophora fasciata (Fallén,1823)** (Phoridae) Synonym(s): *fasciata Fallén,1823* TR
8439. **Phaleria acuminata Küster,1852** (Tenebrionidae) Synonym(s): *acuminata Küster,1852; tunisia Reitter,1916* TN LY TR
8440. **Phaleria bimaculata (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *bimaculata Linnaeus,1767* TR
8441. **Phaneroptera (Erdemia) erdemi Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *erdemi Koçak & Kemal,2009* Phaneroptera (Erdemia) erdemi Koçak & Kemal,2009, Cent. ent. Stud., Misc. Pap. 149: 6, fig.2. Holotype ♀: Turkey: Siirt Prov., Şirvan 1020m, 2.8.2009, leg. E.Seven (coll.Cesa). TR
8442. **Phaneroptera (Erdemia) hackeri Harz,1988** (Tettigoniidae) Synonym(s): *hackeri Harz,1988* Phaneroptera hackeri Harz,1988, Articulata 3 (4): 137. Holotype ♂: Turkey: Hakkari Prov., Hakkari 12km w, 1500m 12.9.1985 leg. Hacker (MHNG). TR
8443. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata Poda,1761; libellula Stoll,1787; lilifolia Audinet-Serville,1831; phyllopteroides Fischer von Waldheim,1846; sinensis Uvarov,1933 Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP*
8444. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana Fieber,1853; quadripunctata Brunner von Wattenwyl,1878* Phaneroptera nana Fieber,1853, Lotos 3: 173. Type ♂: Portugal. PT ES FR IT Sa RO TR
8445. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
8446. **Phanerotoma (Bracotritoma) capeki Achtelberg,1990** (Braconidae) Synonym(s): *capeki Achtelberg,1990* CZ TR
8447. **Phanerotoma (Bracotritoma) intermedia Achtelberg,1990** (Braconidae) Synonym(s): *intermedia Achtelberg,1990* TR
8448. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia Kohl,1906; rjabovi Vojnovskaja-Krieger,1929; media Shestakov,1930; desertorum Hedwig,1957; flavitestacea Fischer,1959* BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
8449. **Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa Marshall,1898; kerteszi Szepliget,1900; graeffei Fischer,1959* AT GR HU IT TR MD YU
8450. **Phantia ferganensis Dubovskii,1966** (Flatidae) Synonym(s): *ferganensis Dubovskii,1966* UZ TR
8451. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata Herrich-Schäffer,1838* BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
8452. **Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta Zetterstedt,1846* MA? DE PL CZ AT HU SY TR
8453. **Phaonia kobica Schnabl,1911** (Muscidae) Synonym(s): *kobica Schnabl,1911* AM Eri Cc GG AZ TR
8454. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa Harris,1780* DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
8455. **Phaonia tersa Villeneuve,1936** (Muscidae) Synonym(s): *tersa Villeneuve,1936* TR

8456. **Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicoloreus Burmeister,1844* TR IR IQ IL Pa
8457. **Pharoscymnus beritensis Weise,1884** (Coccinellidae) Synonym(s): *beritensis Weise,1884* TR
8458. **Pharoscymnus ovoideus Sicard,1929** (Coccinellidae) Synonym(s): *ovoides Sicard,1929* TR
8459. **Pharoscymnus pharoides Marseul,1868** (Coccinellidae) Synonym(s): *pharoides Marseul,1868* TR
8460. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei Dupuis,1957* TR PT ES FR DE HU SK B-H CH IT BG GR
8461. **Pheidole arenarum Ruzsky,1905** (Formicidae) Synonym(s): *arenarum Ruzsky,1905; koshewnikovi Ruzsky,1905* EG TR
8462. **Pheidole pallidula (Nylander,1848)** (Formicidae) Synonym(s): *pallidula Nylander,1848* EG TR
8463. **Phenacoccus aceris (Signoret)** (Pseudococcidae) Synonym(s): *aceris Signoret* TR
8464. **Phenacoccus asphodeli Goux** (Pseudococcidae) Synonym(s): *asphodeli Goux* TR
8465. **Phenacoccus avenae Borchsenius** (Pseudococcidae) Synonym(s): *avenae Borchsenius* TR
8466. **Phenacoccus bicerarius Borchsenius** (Pseudococcidae) Synonym(s): *bicerarius Borchsenius* TR
8467. **Phenacoccus evelinae (Tereznikova)** (Pseudococcidae) Synonym(s): *evelinae Tereznikova* TR
8468. **Phenacoccus ferulae Borchsenius** (Pseudococcidae) Synonym(s): *ferulae Borchsenius* TR
8469. **Phenacoccus graminicola Leonardi** (Pseudococcidae) Synonym(s): *graminicola Leonardi* TR
8470. **Phenacoccus hordei (Lindeman)** (Pseudococcidae) Synonym(s): *hordei Lindeman* TR
8471. **Phenacoccus interruptus Green** (Pseudococcidae) Synonym(s): *interruptus Green* TR
8472. **Phenacoccus karaberdi Borchsenius & Ter-Grigorian** (Pseudococcidae) Synonym(s): *karaberdi Borchsenius & Ter-Grigorian* TR
8473. **Phenacoccus loiki Danzig** (Pseudococcidae) Synonym(s): *loiki Danzig* TR
8474. **Phenacoccus phenacoccoides (Kiritshenko)** (Pseudococcidae) Synonym(s): *phenacoccoides Kiritshenko* TR
8475. **Phenacoccus pumilus Kiritshenko** (Pseudococcidae) Synonym(s): *pumilus Kiritshenko* TR
8476. **Phenacoccus tergrigorianae Borchsenius** (Pseudococcidae) Synonym(s): *tergrigorianae Borchsenius* TR
8477. **Phenacoccus transcaucasicus Hadzibejli** (Pseudococcidae) Synonym(s): *transcaucasicus Hadzibejli* Cc TR
8478. **Phenacoccus yerushalmi Ben-Dov** (Pseudococcidae) Synonym(s): *yerushalmi Ben-Dov* TR
8479. **Pherbellia cinerella (Fallén,1820)** (Sciomyzidae) Synonym(s): *cinerella Fallén,1820* TR
8480. **Pherbellia dorsata (Zetterstedt,1846)** (Sciomyzidae) Synonym(s): *dorsata Zetterstedt,1846* TR
8481. **Pherbellia griseola (Fallén,1820)** (Sciomyzidae) Synonym(s): *griseola Fallén,1820* TR
8482. **Pherbellia grisescens (Meigen,1830)** (Sciomyzidae) Synonym(s): *grisescens Meigen,1830* TR
8483. **Pherbellia lutheri Rozkosny,1982** (Sciomyzidae) Synonym(s): *lutheri Rozkosny,1982* RU Kr Cc TR
8484. **Pherbellia nana (Fallén,1820)** (Sciomyzidae) Synonym(s): *nana Fallén,1820* TR
8485. **Pherbellia schoenherri (Fallén,1826)** (Sciomyzidae) Synonym(s): *schoenherri Fallén,1826* TR
8486. **Pherbellia ventralis (Fallén,1820)** (Sciomyzidae) Synonym(s): *ventralis Fallén,1820* TR
8487. **Pherbina coryleti (Scopoli,1763)** (Sciomyzidae) Synonym(s): *coryleti Scopoli,1763* TR
8488. **Pherbina intermedia Verbeke,1948** (Sciomyzidae) Synonym(s): *intermedia Verbeke,1948* TR
8489. **Pherbina mediterranea Mayer,1953** (Sciomyzidae) Synonym(s): *mediterranea Mayer,1953* TR
8490. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus Melichar,1896* AF AL CY GR IQ IT MA ES TR YU
8491. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
8492. **Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *triangulum Fabricius,1775* PT ES DE TR
8493. **Philipomyia aprica (Meigen,1820)** (Tabanidae) Synonym(s): *aprica Meigen,1820* TR RU IR
8494. **Philipomyia graeca (Fabricius,1794)** (Tabanidae) Synonym(s): *graeca Fabricius,1794* TR
8495. **Philipomyia rohdendorfi (Olsufjev,1937)** (Tabanidae) Synonym(s): *rohdendorfi Olsufjev,1937* TR
8496. **Philipomyia zizaniae (Leclercq,1966)** (Tabanidae) Synonym(s): *zizaniae Leclercq,1966* TR

8497. **Philippia follicularis (Targioni Tozetti)** (Coccidae) Synonym(s): *follicularis* Targioni Tozetti TR
8498. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913 IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
8499. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
8500. **Philopotamus achemenus Schmid,1959** (Philopotamidae) Synonym(s): *achemenus* Schmid,1959 **Philopotamus achemenus Schmid,1959, Beitr. Ent. 9: 210. GR BG TR IR**
8501. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813 ES FR GB TR UA
8502. **Philopotamus Stephens,1829** (Philopotamidae) Synonym(s): *Philopotamus Stephens,1829* TR
8503. **Philopotamus tenuis Martynov,1913** (Philopotamidae) Synonym(s): *tenuis* Martynov,1913 TR Cc GG RU
8504. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763 ES PT TR SS B-H UA
8505. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR
8506. **Philorirum sordidum (Stephens,1834)** (Staphylinidae) Synonym(s): *sordidum* Stephens,1834 TR
8507. **Philosepedon symmetricus R.Wagner,1986** (Psychodidae) Synonym(s): *symmetricus* R.Wagner,1986 **Philosepedon symmetricus R.Wagner,1986, Entomofauna 7 (6): 88-89, fig.13. Holotype ♂: Türkiye: Prov. Hakkari, Sat Dag, Vargös, SW Yüksekova, 1700m, 4-8.8.1983 leg. Schacht. TR**
8508. **Philotheria lodosi Dlabola,1979** (Dictyopharidae) Synonym(s): *lodosi* Dlabola,1979 TR
8509. **Phlebotomus (Adlerius) balcanicus Theodor,1958** (Psychodidae) Synonym(s): *balcanicus* Theodor,1958 TR IR
8510. **Phlebotomus (Adlerius) halepensis Theodor,1958** (Psychodidae) Synonym(s): *halepensis* Theodor,1958 TR SY Hal IR
8511. **Phlebotomus (Adlerius) simici Nitzulescu,1931** (Psychodidae) Synonym(s): *simici* Nitzulescu,1931 TR
8512. **Phlebotomus (Larrousius) neglectus Tonnoir,1921** (Psychodidae) Synonym(s): *neglectus* Tonnoir,1921 TR GR
8513. **Phlebotomus (Larrousius) perfilewi Parrot,1930** (Psychodidae) Synonym(s): *perfilewi* Parrot,1930 IR TR
8514. **Phlebotomus (Larrousius) syriacus Adler & Theodor,1930** (Psychodidae) Synonym(s): *syriacus* Adler & Theodor,1930 IL Pa SY TR
8515. **Phlebotomus (Larrousius) tobbi Adler & Theodor,1930** (Psychodidae) Synonym(s): *tobbi* Adler & Theodor,1930 IR TR
8516. **Phlebotomus (Paraphlebotomus) papatasi (Scopoli,1786)** (Psychodidae) Synonym(s): *papatasi* Scopoli,1786 TR IR
8517. **Phlebotomus jacusieli Theodor,1947** (Psychodidae) Synonym(s): *jacusieli* Theodor,1947 TR
8518. **Phlebotomus transcaucasicus Perfilew,1937** (Psychodidae) Synonym(s): *transcaucasicus* Perfilew,1937 TR Cc
8519. **Phlepsioides intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
8520. **Phlepsioides ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
8521. **Phlepsioides spinulosus Wagner,1963** (Cicadellidae) Synonym(s): *spinulosus* Wagner,1963 FR IT Sa Si MA TN TR IR
8522. **Phloeostiba lapponica (Zetterstedt,1838)** (Staphylinidae) Synonym(s): *lapponica* Zetterstedt,1838 TR
8523. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
8524. **Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis* Klug,1842 EG Sn IL Pa CY TR
8525. **Pholidoptera aptera (Fabricius,1793)** (Tettigoniidae) Synonym(s): *aptera* Fabricius,1793 TR
8526. **Pholidoptera brevipes Ramme,1939** (Tettigoniidae) Synonym(s): *brevipes* Ramme,1939 TR
8527. **Pholidoptera fallax (Fischer,1853)** (Tettigoniidae) Synonym(s): *fallax* Fischer,1853 TR
8528. **Pholidoptera femorata (Fieber,1853)** (Tettigoniidae) Synonym(s): *femorata* Fieber,1853 TR
8529. **Pholidoptera grandis Karabağ,1952** (Tettigoniidae) Synonym(s): *grandis* Karabağ,1952 TR

8530. **Pholidoptera griseoptera (De Geer,1773)** (Tettigoniidae) Synonym(s): *griseoptera* De Geer,1773 TR
8531. **Pholidoptera guichardi Karabağ,1961** (Tettigoniidae) Synonym(s): *guichardi* Karabağ,1961 TR
8532. **Pholidoptera kosswigi Karabağ,1950** (Tettigoniidae) Synonym(s): *kosswigi* Karabağ,1950 TR
8533. **Phonochorion artvinensis Bei-Bienko,1954** (Tettigoniidae) Synonym(s): *artvinensis* Bei-Bienko,1954 TR
8534. **Phonochorion satunini Uvarov,1916** (Tettigoniidae) Synonym(s): *satunini* Uvarov,1916 TR
8535. **Phonochorion uvarovi Karabağ,1956** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1956 TR
8536. **Phorbia securis Tiensuu,1935** (Anthomyiidae) Synonym(s): *securis* Tiensuu,1935 TR
8537. **Phorticus velutinus Puton,1895** (Nabidae) Synonym(s): *velutinus* Puton,1895 CZ MA ES SY TR
8538. **Phosphuga atrata (Linnaeus,1758)** (Silphidae) Synonym(s): *atrata* Linnaeus,1758 TR
8539. **Phradis morionellus (Holmgren,1860)** (Ichneumonidae) Synonym(s): *morionellus* Holmgren,1860 TN MD Cc TR
8540. **Phradonoma alium Hava,2006** (Dermestidae) Synonym(s): *alium* Hava,2006 TR
8541. **Phradonoma nigrum Hava,2006** (Dermestidae) Synonym(s): *nigrum* Hava,2006 TR
8542. **Phradonoma villosulum (Duftschmid,1825)** (Dermestidae) Synonym(s): *villosulum* Duftschmid,1825 Cc TR
8543. **Phratora tibialis (Suffrian,1851)** (Chrysomelidae) Synonym(s): *tibialis* Suffrian,1851 TR
8544. **Phratora vitellinae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758 CN KG Cc KP KR RU Sb CA TR
8545. **Phronia basalis Winnertz,1863** (Mycetophilidae) Synonym(s): *basalis* Winnertz,1863 TR
8546. **Phronia biarcuata (Becker,1908)** (Mycetophilidae) Synonym(s): *biarcuata* Becker,1908 TR
8547. **Phronia tenuis Winnertz,1863** (Mycetophilidae) Synonym(s): *tenuis* Winnertz,1863 TR
8548. **Phronia willistoni Dziedzicki,1889** (Mycetophilidae) Synonym(s): *willistoni* Dziedzicki,1889; *incisa* Caspers,1991 TR
8549. **Phrosinella nasuta (Meigen,1824)** (Sarcophagidae) Synonym(s): *nasuta* Meigen,1824 TR
8550. **Phrosinella tadhika (Rodhendorf,1935)** (Sarcophagidae) Synonym(s): *tadhika* Rodhendorf,1935 TR
8551. **Phryno vetula (Meigen,1824)** (Tachinidae) Synonym(s): *vetula* Meigen,1824 TR CZ
8552. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846 IT TR B-H HV FR GR IR IL Pa MK SS ES YU
8553. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
8554. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
8555. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846 IT TR
8556. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
8557. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
8558. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
8559. **Phtora reitteri (Seidlitz,1894)** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1894 TR
8560. **Phycus insignis (Loew,1874)** (Therevidae) Synonym(s): *insignis* Loew,1874 TR CY IR
8561. **Phylidorea (s.str.) ferruginea (Meigen,1818)** (Limoniidae) Synonym(s): *ferruginea* Meigen,1818 TR
8562. **Phyllobrotica binotata Ogloblin,1936** (Chrysomelidae) Synonym(s): *binotata* Ogloblin,1936; *aslani* Warchalowski,1998 TR
8563. **Phyllodrepa caucasica (Kolenati,1846)** (Staphylinidae) Synonym(s): *caucasica* Kolenati,1846 Cc TR
8564. **Phyllodrepa floralis (Paykull,1789)** (Staphylinidae) Synonym(s): *floralis* Paykull,1789 TR
8565. **Phyllodrepa vilis (Erichson,1840)** (Staphylinidae) Synonym(s): *vilis* Erichson,1840 TR
8566. **Phyllodromica beybienkoi Maran,1957** (Blattidae) Synonym(s): *beybienkoi* Maran,1957 *Phyllodromica bey-bienkoi* Maran,1957, Acta ent. Mus. Nat. Pragae 31: 165. TR
8567. **Phyllodromica brevipennis (Fischer,1853)** (Blattidae) Synonym(s): *brevipennis* Fischer,1853 TR
8568. **Phyllodromica graeca (Brunner von Wattenwyl,1882)** (Blattidae) Synonym(s): *graeca* Brunner von Wattenwyl,1882 TR

8569. *Phyllodromica larrinuai* (Bolivar,1881) (Blattidae) Synonym(s): *larrinuai* Bolivar,1881 TR
8570. *Phyllodromica marginata* (Schreber,1781) (Blattidae) Synonym(s): *marginata* Schreber,1781 TR
8571. *Phyllodromica pallida* (Brunner von Wattenwyl,1882) (Blattidae) Synonym(s): *pallida* Brunner von Wattenwyl,1882 TR
8572. *Phyllodromica polita* (Krauss,1888) (Blattidae) Synonym(s): *polita* Krauss,1888 TR
8573. *Phyllodromica znoikoi* Bei-Bienko,1938 (Blattidae) Synonym(s): *znoikoi* Bei-Bienko,1938 TR
8574. *Phyllolabis kocmani* Koç,2004 (Limoniidae) Synonym(s): *kocmani* Koç,2004 TR
8575. *Phyllomorpha laciniatus* (Villers,1789) (Coreidae) Synonym(s): *laciniatus* Villers,1789 ES FR IT Si Sa TR
8576. *Phylloteles pictipennis* Loew,1844 (Sarcophagidae) Synonym(s): *pictipennis* Loew,1844 TR
8577. *Phyllotreta acutecarinata* Heikertinger,1941 (Chrysomelidae) Synonym(s): *acutecarinata* Heikertinger,1941 TR AF
8578. *Phyllotreta astrachanica* Lopatin,1977 (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977 TR Cc CY KG
8579. *Phyllotreta atra* (Fabricius,1775) (Chrysomelidae) Synonym(s): *atra* Fabricius,1775 TR MA
8580. *Phyllotreta balcanica* Heikertinger,1909 (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909 TR Cc AF KG RU
8581. *Phyllotreta bolognai* Biondi,1992 (Chrysomelidae) Synonym(s): *bolognai* Biondi,1992 TR
8582. *Phyllotreta caucasicola* Heikertinger,1941 (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger,1941 TR Cc IQ
8583. *Phyllotreta corrugata* Reiche,1858 (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858 Cc TR IR AF DZ KG
8584. *Phyllotreta cruciferae* (Goeze,1777) (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 TR Cc IR AF KG MN DZ SD IN
8585. *Phyllotreta dacica* Heikertinger,1941 (Chrysomelidae) Synonym(s): *dacica* Heikertinger,1941 TR Cc AZ
8586. *Phyllotreta diademata* Foudras,1860 (Chrysomelidae) Synonym(s): *diademata* Foudras,1860 TR Cc IR IQ AF IN RU
8587. *Phyllotreta egridirensis* Gruev & Kasap,1985 (Chrysomelidae) Synonym(s): *egridirensis* Gruev & Kasap,1985 TR IR
8588. *Phyllotreta erysimi* Weise,1900 (Chrysomelidae) Synonym(s): *erysimi* Weise,1900 TR Cc IR IL Pa KG RU MN
8589. *Phyllotreta fallaciosa* Heikertinger,1941 (Chrysomelidae) Synonym(s): *fallaciosa* Heikertinger,1941 TR
8590. *Phyllotreta judaea* Pic,1901 (Chrysomelidae) Synonym(s): *judaea* Pic,1901 BG TR AM IL Pa IR JO Cc
8591. *Phyllotreta latevittata* Kutschera,1860 (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 TR Cc GR IT MT IR AF KG RU CN
8592. *Phyllotreta maculicornis* Pic,1906 (Chrysomelidae) Synonym(s): *maculicornis* Pic,1906 TR SY
8593. *Phyllotreta nemorum* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *nemorum* Linnaeus,1758 TR
8594. *Phyllotreta nigripes* (Fabricius,1775) (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775 TR Cc IR AF DZ KG
8595. *Phyllotreta nodicornis* (Marsham,1802) (Chrysomelidae) Synonym(s): *nodicornis* Marsham,1802 Cc TR IN
8596. *Phyllotreta ochripes* (Curtis,1837) (Chrysomelidae) Synonym(s): *ochripes* Curtis,1837 Cc TR IR RU Sb
8597. *Phyllotreta oltuensis* Gruev & Aslan,1998 (Chrysomelidae) Synonym(s): *oltuensis* Gruev & Aslan,1998 TR
8598. *Phyllotreta ozbeki* Gruev & Aslan,1998 (Chrysomelidae) Synonym(s): *ozbeki* Gruev & Aslan,1998 TR
8599. *Phyllotreta pallidipennis* Reitter,1891 (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891 TR Cc IR KG RU Sb MN CN Ti
8600. *Phyllotreta pontoaegica* Gruev,1982 (Chrysomelidae) Synonym(s): *pontoaegica* Gruev,1982 TR GR BG
8601. *Phyllotreta praticola* Weise,1887 (Chrysomelidae) Synonym(s): *praticola* Weise,1887 Cc TR IR AF KG RU Sb MN CN IN
8602. *Phyllotreta procera* (Redtenbacher,1849) (Chrysomelidae) Synonym(s): *procera* Redtenbacher,1849 TR Cc IR
8603. *Phyllotreta punctulata* (Marsham,1802) (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802 Cc TR IL Pa MA
8604. *Phyllotreta sisymbrii* Weise,1888 (Chrysomelidae) Synonym(s): *sisymbrii* Weise,1888 RU Cc TR IR

8605. **Phyllotreta striolata (Fabricius,1803)** (Chrysomelidae) Synonym(s): *striolata Fabricius,1803*
TR ID Sum
8606. **Phyllotreta tetrastigma (Comolli,1837)** (Chrysomelidae) Synonym(s): *tetrastigma Comolli,1837* TR Cc RU Sb
8607. **Phyllotreta toelgi Heikertinger,1941** (Chrysomelidae) Synonym(s): *toelgi Heikertinger,1941*
TR
8608. **Phyllotreta undulata Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata Kutschera,1860* TR Cc RU Sb KG
8609. **Phyllotreta variipennis (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *variipennis Boieldieu,1859* TR IR DZ
8610. **Phyllotreta vilis Weise,1888** (Chrysomelidae) Synonym(s): *vilis Weise,1888* IT TR
8611. **Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula Redtenbacher,1849* Cc TR AF KG MN KP KR JP RU Sb
8612. **Phyllotreta wiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana Jacobson,1901*
TR Cc RU IR KG
8613. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis Horvath,1905* PT ES
FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
8614. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum Herrich-Schäffer,1838* ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
8615. **Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps Horvath,1903* DZ
LB TR CY GR
8616. **Physetocecis hartigi (Liebel,1892)** (Cecidomyiidae) Synonym(s): *hartigi Liebel,1892* TR
8617. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica Radoszkowski,1885* TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
8618. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata Latreille,1792*
HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
8619. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris Latreille,1792*
Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
8620. **Physetopoda similis (Lelej,1984)** (Mutillidae) Synonym(s): *similis Lelej,1984* TR AM AZ UA
Cm Cc
8621. **Physiphora demandata (Fabricius,1798)** (Ulidiidae) Synonym(s): *demandata Fabricius,1798*
TR
8622. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea Meigen,1824* ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
8623. **Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta Brullé,1832* ES
FR CH AT CZ HU PL IT TR
8624. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra De Geer,1776* GB FR BE
NL DE DK SE FI PL CZ AT HU IT TR
8625. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes Fabricius,1781* ES
FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
8626. **Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis Rondani,1865*
ES IT Si GR Cr TR
8627. **Physocephala zaitsevi Zimina,1979** (Conopidae) Synonym(s): *zaitsevi Zimina,1979*
Physocephala zaitsevi Zimina,1979, Trudy Vses. Ent. Obshch. 61: 196-197. TM IR Elb Th TR
8628. **Physokermes piceae (Schrank)** (Coccidae) Synonym(s): *piceae Schrank* TR
8629. **Phytodrymadusa armeniaca Ramme,1939** (Tettigoniidae) Synonym(s): *armeniaca Ramme,1939* TR
8630. **Phytodrymadusa expugnata (Uvarov,1916)** (Tettigoniidae) Synonym(s): *expugnata Uvarov,1916* TR
8631. **Phytodrymadusa hakkarica Karabağ,1956** (Tettigoniidae) Synonym(s): *hakkarica Karabağ,1956* TR
8632. **Phytodrymadusa longipes (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *longipes Brunner von Wattenwyl,1882* TR
8633. **Phytodrymadusa miramae (Uvarov,1929)** (Tettigoniidae) Synonym(s): *miramae Uvarov,1929* TR
8634. **Phytoecia achilleae Holzschuh,1971** (Cerambycidae) Synonym(s): *achilleae Holzschuh,1971*
TR Cc
8635. **Phytoecia behen Sama & Rejzek,1999** (Cerambycidae) Synonym(s): *behen Sama & Rejzek,1999* TR
8636. **Phytoecia caerulea (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea Scopoli,1772* TR Cc
IR GR
8637. **Phytoecia geniculata Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata Mulsant,1863*
GR BG CY TR
8638. **Phytoecia icterica (Schaller,1783)** (Cerambycidae) Synonym(s): *icterica Schaller,1783* TR Cc
RU SK
8639. **Phytoecia katarinae Holzschuh,1974** (Cerambycidae) Synonym(s): *katarinae Holzschuh,1974*
TR

8640. **Phytoecia nepheloides Sama,1997** (Cerambycidae) Synonym(s): *nepheloides Sama,1997* SY
TR
8641. **Phytoecia pustulata (Schrank,1776)** (Cerambycidae) Synonym(s): *pustulata Schrank,1776*
TR Cc KG SK
8642. **Phytoecia rufipes (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes Olivier,1795* FR AT DZ
TR SY
8643. **Phytoecia virgula (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula Charpentier,1825*
GR SK TR Cc RU KG
8644. **Phytoliriomyza arctica (Lundbeck,1901)** (Agromyzidae) Synonym(s): *arctica Lundbeck,1901*
TR
8645. **Phytoliriomyza dorsata (Siebke,1863)** (Agromyzidae) Synonym(s): *dorsata Siebke,1863* TR
8646. **Phytoliriomyza oasis (Becker,1907)** (Agromyzidae) Synonym(s): *oasis Becker,1907* TR
8647. **Phytoliriomyza perpusilla (Meigen,1830)** (Agromyzidae) Synonym(s): *perpusilla Meigen,1830* TR
8648. **Phytomyza aconitophila Hendel,1927** (Agromyzidae) Synonym(s): *aconitophila Hendel,1927*
TR
8649. **Phytomyza affinis Fallén,1823** (Agromyzidae) Synonym(s): *affinis Fallén,1823* TR
8650. **Phytomyza albipennis (Fallén,1823)** (Agromyzidae) Synonym(s): *albipennis Fallén,1823* TR
8651. **Phytomyza angelicae Kaltenbach,1872** (Agromyzidae) Synonym(s): *angelicae Kaltenbach,1872* TR
8652. **Phytomyza aquilonia Frey,1946** (Agromyzidae) Synonym(s): *aquilonia Frey,1946* TR
8653. **Phytomyza astrantiae Hendel,1924** (Agromyzidae) Synonym(s): *astrantiae Hendel,1924* TR
8654. **Phytomyza aurei M.Hering,1931** (Agromyzidae) Synonym(s): *aurei M.Hering,1931* TR
8655. **Phytomyza brevifacies Hendel,1934** (Agromyzidae) Synonym(s): *brevifacies Hendel,1934*
TR
8656. **Phytomyza cecidonomia M.Hering,1937** (Agromyzidae) Synonym(s): *cecidonomia M.Hering,1937* TR
8657. **Phytomyza chelonei Spencer,1969** (Agromyzidae) Synonym(s): *chelonei Spencer,1969* TR
8658. **Phytomyza cirsii Hendel,1923** (Agromyzidae) Synonym(s): *cirsii Hendel,1923* TR
8659. **Phytomyza clematidis Kaltenbach,1859** (Agromyzidae) Synonym(s): *clematidis Kaltenbach,1859* TR
8660. **Phytomyza continua Hendel,1920** (Agromyzidae) Synonym(s): *continua Hendel,1920* TR
8661. **Phytomyza conyzae M.Hering,1920** (Agromyzidae) Synonym(s): *conyzae M.Hering,1920* TR
8662. **Phytomyza crassisetata Zetterstedt,1860** (Agromyzidae) Synonym(s): *crassisetata Zetterstedt,1860* TR
8663. **Phytomyza fallaciosa Brischke,1880** (Agromyzidae) Synonym(s): *fallaciosa Brischke,1880*
TR
8664. **Phytomyza ferulae M.Hering,1927** (Agromyzidae) Synonym(s): *ferulae M.Hering,1927* TR
8665. **Phytomyza flavicornis Fallén,1823** (Agromyzidae) Synonym(s): *flavicornis Fallén,1823* TR
8666. **Phytomyza geminata Sasakawa,2008** (Agromyzidae) Synonym(s): *geminata Sasakawa,2008*
TR
8667. **Phytomyza glabra Hendel,1935** (Agromyzidae) Synonym(s): *glabra Hendel,1935* TR
8668. **Phytomyza gymnostoma Loew,1858** (Agromyzidae) Synonym(s): *gymnostoma Loew,1858*
TR
8669. **Phytomyza kaltenbachi Hendel,1922** (Agromyzidae) Synonym(s): *kaltenbachi Hendel,1922*
TR
8670. **Phytomyza lappae Goureau,1851** (Agromyzidae) Synonym(s): *lappae Goureau,1851* TR
8671. **Phytomyza nigrifulva Zetterstedt,1838** (Agromyzidae) Synonym(s): *nigrifulva Zetterstedt,1838*
TR
8672. **Phytomyza origani M.Hering,1931** (Agromyzidae) Synonym(s): *origani M.Hering,1931* TR
8673. **Phytomyza orobanchiae Kaltenbach,1864** (Agromyzidae) Synonym(s): *orobanchiae Kaltenbach,1864* TR
8674. **Phytomyza petoei M.Hering,1924** (Agromyzidae) Synonym(s): *petoei M.Hering,1924* TR
8675. **Phytomyza phillyreae M.Hering,1930** (Agromyzidae) Synonym(s): *phillyreae M.Hering,1930*
TR
8676. **Phytomyza plantaginis Robineau-Desvoidy,1851** (Agromyzidae) Synonym(s): *plantaginis Robineau-Desvoidy,1851* TR
8677. **Phytomyza podagrariae M.Hering,1954** (Agromyzidae) Synonym(s): *podagrariae M.Hering,1954* TR
8678. **Phytomyza pubicornis Hendel,1920** (Agromyzidae) Synonym(s): *pubicornis Hendel,1920*
TR
8679. **Phytomyza ranunculi (Schrank,1803)** (Agromyzidae) Synonym(s): *ranunculi Schrank,1803*
TR
8680. **Phytomyza rostrata M.Hering,1934** (Agromyzidae) Synonym(s): *rostrata M.Hering,1934* TR
8681. **Phytomyza rufescens von Roser,1840** (Agromyzidae) Synonym(s): *rufescens von Roser,1840*
TR

8682. **Phytomyza rufipes Meigen,1830** (Agromyzidae) Synonym(s): *rufipes Meigen,1830* TR
8683. **Phytomyza sii M.Hering,1930** (Agromyzidae) Synonym(s): *sii M.Hering,1930* TR
8684. **Phytomyza socia Brischke,1880** (Agromyzidae) Synonym(s): *socia Brischke,1880* TR
8685. **Phytomyza spoliata Strobl,1906** (Agromyzidae) Synonym(s): *spoliata Strobl,1906* TR
8686. **Phytomyza tenella Meigen,1830** (Agromyzidae) Synonym(s): *tenella Meigen,1830* TR
8687. **Phytomyza tetrasticha Hendel,1927** (Agromyzidae) Synonym(s): *tetrasticha Hendel,1927* TR
8688. **Phytomyza thysselinivora M.Hering,1924** (Agromyzidae) Synonym(s): *thysselinivora M.Hering,1924* TR
8689. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
8690. **Picromerus brachypterus Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *brachypterus Ahmad & Önder,1990* TR
8691. **Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis Herrich-Schäffer,1841* AL AZ Cc BG CZ FI HU IT TR CH RU YU
8692. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens Fabricius,1803; maculicornis Mulsant,1852* AL DZ AT GR Cr FR IT MA PT ES TR YU
8693. **Picromerus pseudobidens Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *pseudobidens Ahmad & Önder,1990* TR
8694. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
8695. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc Ru Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
8696. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
8697. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
8698. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
8699. **Piezodorus lituratus (Fabricius,1794)** (Pentatomidae) Synonym(s): *lituratus Fabricius,1794* TR
8700. **Pignatellus friedeli Hölzel,1972** (Myrmeleonidae) Synonym(s): *friedeli Hölzel,1972* TR
8701. **Pignatellus irroratus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *irroratus Olivier,1811; imbecillus Stein,1863; extorris Navas,1913; clarus Navas,1914; sobrius Navas,1914* YU MK GR TR
8702. **Pilaria discicollis (Meigen,1818)** (Limoniidae) Synonym(s): *discicollis Meigen,1818* TR
8703. **Pimelia (Camphonota) repleta Reitter,1915** (Tenebrionidae) Synonym(s): *repleta Reitter,1915* Pimelia (Eurypimelia) *repleta Reitter,1915, Wien. ent. Ztg. 34: 50. Syntypes: "Türkisch-Armenien".* TR
8704. **Pimelia (Eurypimelia) akbesiana Fairmaire,1884** (Tenebrionidae) Synonym(s): *akbesiana Fairmaire,1884* Pimelia *akbesiana Fairmaire,1884, Anns Soc. ent. Fr. (6) 4: 170. Type: [Turkey]: Haut-Syrié, Akbes.* TR SY Hal
8705. **Pimelia (Eurypimelia) anatolica Reitter,1915** (Tenebrionidae) Synonym(s): *anatolica Reitter,1915* TR
8706. **Pimelia (Eurypimelia) lendli Kaszab,1938** (Tenebrionidae) Synonym(s): *lendli Kaszab,1938* TR
8707. **Pimelia (Eurypimelia) subglobosa (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa Pallas,1781* GR TR UA RU
8708. **Pimelia (Eurypimelia) subglobosa polita Solier,1836** (Tenebrionidae) Synonym(s): *polita Solier,1836; euboica Boield.,1865* TR GR
8709. **Pimelia (Eurypimelia) subglobosa salaria Reitter,1915** (Tenebrionidae) Synonym(s): *salaria Reitter,1915* TR
8710. **Pimelia (Eurypimelia) subglobosa verruculifera Solier,1836** (Tenebrionidae) Synonym(s): *verruculifera Solier,1836* TR GR
8711. **Pimelia (Eurypimelia) testudo Kraatz,1865** (Tenebrionidae) Synonym(s): *testudo Kraatz,1865* TR
8712. **Pimelia (Eurypimelia) timarchoides Ménétriés,1836** (Tenebrionidae) Synonym(s): *timarchoides Ménétriés,1836; interstincta Fischer von Waldheim,1837; testudo Kraatz,1865* TR

8713. **Pimelia (Gedeon) weneri Ganglbauer,1905** (Tenebrionidae) Synonym(s): *weneri* Ganglbauer,1905 TR
8714. **Pimelia (Melanostola) bajula Klug,1830** (Tenebrionidae) Synonym(s): *bajula* Klug,1830 TR SY IL Pa
8715. **Pimelia (s.str.) robusta Kraatz,1865** (Tenebrionidae) Synonym(s): *robusta* Kraatz,1865 TR
8716. **Pimelia hierichontica Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica* Reiche & Saulcy,1857; *arabica* Solier,1836 SA SY EG TR
8717. **Pimelia sericella Solier,1836** (Tenebrionidae) Synonym(s): *sericella* Solier,1836 GR TR Cr
8718. **Pimpla hypochondriaca (Retzius,1783)** (Ichneumonidae) Synonym(s): *hypochondriaca* Retzius,1783 TR
8719. **Pimpla illecebrator (Villers,1799)** (Ichneumonidae) Synonym(s): *illecebrator* Villers,1799 TR Cc KG
8720. **Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829 TR Cc KG RU At IR
8721. **Pimpla turionellae (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *turionellae* Linnaeus,1758; *examinator* Fabricius,1804 TR
8722. **Pinnaspis pentagona (Targioni-Tozzetti)** (Diaspididae) Synonym(s): *pentagona* Targioni-Tozzetti TR
8723. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *geni* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
8724. **Piocoris erythrocephalus (P. & S.,1825)** (Lygaeidae) Synonym(s): *erythrocephalus* P. & S.,1825 TR
8725. **Piocoris luridus (Fieber,1844)** (Lygaeidae) Synonym(s): *luridus* Fieber,1844; *erythropros* Fieber,1861; *obesus* Stal,1887 TR
8726. **Pion crassipes Holmgren,1857** (Ichneumonidae) Synonym(s): *crassipes* Holmgren,1857 TR
8727. **Pion fortipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fortipes* Gravenhorst,1829 TR
8728. **Pionosomus engizekicus Kiyak,1995** (Lygaeidae) Synonym(s): *engizekicus* Kiyak,1995 *Pionosomus engizekicus* Kiyak,1995, Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 47-50, figs. Holotype ♀: Türkiye: Kahramanmaraş Prov., Engizek Geb., 2700m 17.7.1987 (leg. & coll. S.Kiyak). TR
8729. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata* Macquart,1829 FI HU YU AT CH DE NL BE FR ES TR
8730. **Pipizella elegantissima Lucas,1976** (Syrphidae) Synonym(s): *elegantissima* Lucas,1976 IT TR
8731. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris* Kriechbaumer,1888 RO BG TR RU Cc
8732. **Pittonotus simoni (Stierlin,1879)** (Elateridae) Synonym(s): *simoni* Stierlin,1879 TR? SY
8733. **Pittonotus theseus (Germar,1817)** (Elateridae) Synonym(s): *theseus* Germar,1817 GR LB EG TR
8734. **Plagiodera versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora* Laicharting,1781 TR DZ RU Sb IN JP TW CA
8735. **Plagiognathus albipennis (Fallén,1829)** (Miridae) Synonym(s): *albipennis* Fallén,1829 TR
8736. **Plagiognathus amygdali Linnavuori,1965** (Miridae) Synonym(s): *amygdali* Linnavuori,1965 TR
8737. **Plagiognathus arbustorum (Fabricius,1794)** (Miridae) Synonym(s): *arbustorum* Fabricius,1794 Cn TR
8738. **Plagiognathus bipunctatus Reuter,1883** (Miridae) Synonym(s): *bipunctatus* Reuter,1883 TR
8739. **Plagiognathus chrysanthemi (Wolff,1804)** (Miridae) Synonym(s): *chrysanthemi* Wolff,1804 TR
8740. **Plagiognathus flavipes (Provancher,1872)** (Miridae) Synonym(s): *flavipes* Provancher,1872; *elongatus* Knight,1923; *nigricornis elongatus* Knight,1923 US CA TR
8741. **Plagiognathus fulvipennis (Kirschbaum,1856)** (Miridae) Synonym(s): *fulvipennis* Kirschbaum,1856 TR
8742. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864 AT Cc HU RO RU CN Ui TR
8743. **Plagiognathus raphani Wagner,1963** (Miridae) Synonym(s): *raphani* Wagner,1963 LB TR
8744. **Plagiognathus vitellinus (Scholtz,1847)** (Miridae) Synonym(s): *vitellinus* Scholtz,1847 TR
8745. **Plagiolepis pallescens Forel,1888** (Formicidae) Synonym(s): *pallescens* Forel,1888 TR
8746. **Plagiolepis pygmaea (Latreille,1798)** (Formicidae) Synonym(s): *pygmaea* Latreille,1798 TR
8747. **Pligionotus arcuatus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arcuatus* Linnaeus,1758 CZ DZ Cc TR IR
8748. **Pligionotus lugubris (Ménétriés,1832)** (Cerambycidae) Synonym(s): *lugubris* Ménétriés,1832 Cc IR Kh TR
8749. **Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis* Fabricius,1798; *cocciferae* Lichtenstein,1877; *ilicis* Lichtenstein,1877; *emereyi* Mayr,1882; *fusifex* Mayr,1882;

- kiefferi* Dalla & Torre & Kieffer,1910; *niger* Dalla & Torre & Kieffer,1910; *lichtensteini* Dalla & Torre & Kieffer,1910; *lusitanicus* Tavares,1926 **PT ES FR IT TR**
- 8750. Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 **AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR**
- 8751. Planchonia arabis Signoret** (Asterolecaniidae) Synonym(s): *arabis* Signoret **TR**
- 8752. Planchonia zanthenes (Russel)** (Asterolecaniidae) Synonym(s): *zanthenes* (Russel) **TR**
- 8753. Planococcus citri (Risso)** (Pseudococcidae) Synonym(s): *citri* Risso **TR**
- 8754. Planococcus ficus (Signoret)** (Pseudococcidae) Synonym(s): *ficus* Signoret **TR**
- 8755. Planococcus vovae (Nasonov)** (Pseudococcidae) Synonym(s): *vovae* Nasonov **TR**
- 8756. Plastocerus angulosus (Germar,1845)** (Elateridae) Synonym(s): *angulosus* Germar,1845 **TR**
- 8757. Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae) Synonym(s): *lunulatus* Fischer von Waldheim,1829 **CZ DK TR**
- 8758. Platambus maculatus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *maculatus* Linnaeus,1758 **TR**
- 8759. Platneptis laeta (Walker)** (Pteromalidae) Synonym(s): **TR**
- 8760. Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 **SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun**
- 8761. Platycerus caucasicus Parry,1864** (Lucanidae) Synonym(s): *caucasicus* Parry,1864 **TR Cc AZ AM**
- 8762. Platycerus delangrangei Fairmaire,1892** (Lucanidae) Synonym(s): *delangrangei* Fairmaire,1892 **TR**
- 8763. Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): *primigenius* Weise,1960 **TR Cc AZ IR Elb TM Kp**
- 8764. Platycerus senguni Schweiger,1966** (Lucanidae) Synonym(s): *senguni* Schweiger,1966 **TR**
- 8765. Platycheirus albimanus (Fabricius,1781)** (Syrphidae) Synonym(s): *albimanus* Fabricius,1781 **TR**
- 8766. Platycheirus ambiguus (Fallén,1817)** (Syrphidae) Synonym(s): *ambiguus* Fallén,1817 **TR**
- 8767. Platycheirus angustatus (Zetterstedt,1843)** (Syrphidae) Synonym(s): *angustatus* Zetterstedt,1843 **TR**
- 8768. Platycheirus aurolateralis Stubbs,2002** (Syrphidae) Synonym(s): *aurolateralis* Stubbs,2002 **TR**
- 8769. Platycheirus immaculatus Ohara,1980** (Syrphidae) Synonym(s): *immaculatus* Ohara,1980 **TR**
- 8770. Platycheirus manicatus (Meigen,1822)** (Syrphidae) Synonym(s): *manicatus* Meigen,1822 **TR**
- 8771. Platycheirus nielseni Vockeroth,1990** (Syrphidae) Synonym(s): *nielseni* Vockeroth,1990 **TR**
- 8772. Platycheirus occultus Goeldlin, Maibach & Speight,1990** (Syrphidae) Synonym(s): *occultus* Goeldlin, Maibach & Speight,1990 **TR**
- 8773. Platycheirus peltatus (Meigen,1822)** (Syrphidae) Synonym(s): *peltatus* Meigen,1822 **TR**
- 8774. Platycheirus scutatus (Meigen,1822)** (Syrphidae) Synonym(s): *scutatus* Meigen,1822 **TR**
- 8775. Platycheirus tarsalis (Schummel,1836)** (Syrphidae) Synonym(s): *tarsalis* Schummel,1836 **TR**
- 8776. Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *incerta* Brunner von Wattenwyl,1882 **TR GR Cr SY**
- 8777. Platycleis (Incertana) persica Uvarov,1917** (Tettigoniidae) Synonym(s): *persica* Uvarov,1917 **Cc IR Elb Th TR**
- 8778. Platycleis (Montana) ankarensis (Karabağ,1950)** (Tettigoniidae) Synonym(s): *ankarensis* Karabağ,1950 **Montana ankarensis** Karabağ,1950, Proc. R. ent. Soc. London (B) 19: 159. Holotype ♂: Turkey: Ankara Prov., Aydos 1800m 8.ix.947, T.Karabağ leg. (BMNH). **TR**
- 8779. Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *armeniaca* Ramme,1930 **TR AM Cc**
- 8780. Platycleis (Montana) bifoveolata (Karabağ,1950)** (Tettigoniidae) Synonym(s): *bifoveolata* Karabağ,1950 **TR**
- 8781. Platycleis (Montana) elegans (Uvarov,1934)** (Tettigoniidae) Synonym(s): *elegans* Uvarov,1934 **TR**
- 8782. Platycleis (Montana) helleri Çıplak & Taylan,2006** (Tettigoniidae) Synonym(s): *helleri* Çıplak & Taylan,2006 **TR**
- 8783. Platycleis (Montana) kure Ünal,2006** (Tettigoniidae) Synonym(s): *kure* Ünal,2006 **TR**
- 8784. Platycleis (Montana) schereri Werner,1905** (Tettigoniidae) Synonym(s): *schereri* Werner,1905; *bifoveolata* Karabağ,1950 **TR**
- 8785. Platycleis (Montana) taurica Bolivar,1899** (Tettigoniidae) Synonym(s): *taurica* Bolivar,1899 **TR**

- 8786. Platycleis (Montana) uvarovi (Karabağ,1950)** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1950 *Montana uvarovi* Karabağ,1950, Proc. R. ent. Soc. London (B) 19: 159. Holotype ♂: Turkey: Erzurum, Pasinler 25.vii.944 T.Karabağ leg. (BMNH). TR
- 8787. Platycleis (s.str.) affinis Fieber,1853** (Tettigoniidae) Synonym(s): *affinis* Fieber,1853; *boscae* Bolivar,1873 TR GR Rd
- 8788. Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata* Goeze,1778; *denticulata* Panzer,1796; *falcata* Zetterstedt,1821; *biedermanni* Wolff,1911; *occidentalis* Zeuner,1930; *jerseyana* Zeuner,1940 ES TR DE GR Cr
- 8789. Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): *escalerae* Bolivar,1899; *iphigeniae* Adelung,1907; *graeca* Harz,1966 TR Cc AZ Nv Ord IR Ak Ab Elb IL Pa
- 8790. Platycleis (s.str.) grisea (Fabricius,1781)** (Tettigoniidae) Synonym(s): *grisea* Fabricius,1781 TR
- 8791. Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
- 8792. Platycleis (Sepiana) sepium (Yersin,1854)** (Tettigoniidae) Synonym(s): *sepium* Yersin,1854 FR TR
- 8793. Platycleis (Sporadiana) sporadarum Werner,1933** (Tettigoniidae) Synonym(s): *sporadarum* Werner,1933; *brevipes* Uvarov,1934 GR TR
- 8794. Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae) Synonym(s): *irritans* Ramme,1951 TR Cc AM
- 8795. Platycleis (Squamiana) kurmana (Ramme,1951)** (Tettigoniidae) Synonym(s): *kurmana* Ramme,1951 TR
- 8796. Platycleis (Squamiana) melendisensis Çıplak,2002** (Tettigoniidae) Synonym(s): *melendisensis* Çıplak,2002 *Platycleis (Squamiana) melendisensis* Çıplak,2002, J. nat. Hist. 36 (2): 222, figs. Holotype ♂: Turkey, Niğde Çiftlik (Melendiz) 1800m 17 vii 1997 leg.B.Çıplak (ZMB) TR
- 8797. Platycleis (Squamiana) salmani Çıplak,2002** (Tettigoniidae) Synonym(s): *salmani* Çıplak,2002 *Platycleis (Squamiana) salmani* Çıplak,2002, J. nat. Hist. 36 (2): 225, figs. Holotype ♂: Turkey, Adana Prov. Tufanbeyli, Kan geçidi 1600m 15 vii 1997 leg. B.Çıplak (ZMB) TR
- 8798. Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae) Synonym(s): *sinuata* Ramme,1951 TR
- 8799. Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae) Synonym(s): *sinuata* Ramme,1951 TR
- 8800. Platycleis (Squamiana) weidneri Demirsoy,1974** (Tettigoniidae) Synonym(s): *weidneri* Demirsoy,1974 *Platycleis weidneri* Demirsoy,1974, Ent. Mitt. zool. Mus. Hamburg 4: 529. Syntypes: Turkey: Erzurum-Erzincan (EMET). TR
- 8801. Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae) Synonym(s): *nigrosignata* Costa,1863 IT TR
- 8802. Platycleis (Tessellana) tessellata (Charpentier,1825)** (Tettigoniidae) Synonym(s): *tessellata* Charpentier,1825; *emrahi* Koçak,1984 TR
- 8803. Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae) Synonym(s): *vittata* Charpentier,1825 (*praeocc.*); *veyseli* Koçak,1984 *Platycleis veyseli* Koçak,1984, Priamus 3 (4): 169 (nomen novum pro *vittata* Charpentier,1825 nec Thunberg,1789). HU TR
- 8804. Platycleis (Yalvaciana) yalvacı (Demirsoy,1974)** (Tettigoniidae) Synonym(s): *yalvacı* Demirsoy,1974 TR
- 8805. Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata* Selys,1863 TR LB Bei IL Pa IR AF Ch PK IN IQ Dk Ama Cc AM
- 8806. Platycnemis kervillei (Martin,1909)** (Platycnemidae) Synonym(s): *kervillei* Martin,1909 TR SY Hom LB IQ Dk Ama
- 8807. Platycnemis pennipes (Pallas,1771)** (Platycnemidae) Synonym(s): *pennipes* Pallas,1771 TR Rd GR RU Da Cc GG
- 8808. Platydema europaeum Laporte & Brullé,1831** (Tenebrionidae) Synonym(s): *europaeum* Laporte & Brullé,1831 TR
- 8809. Platymetopius (Quernus) curvatus Dlabola,1974** (Cicadellidae) Synonym(s): *curvatus* Dlabola,1974 FR YU TR
- 8810. Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974 IR TR
- 8811. Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis* Signoret,1880 nec Kbm.,1868; *signoreti* Wagner,1959 RU Cc BG CZ HU TR YU
- 8812. Platymetopius (s.str.) enatus Dlabola,1974 (?)** (Cicadellidae) Synonym(s): *enatus* Dlabola,1974 TR
- 8813. Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus* Scott,1876 AT CS FR HU IT ES BG TR YU
- 8814. Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU

8815. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti Dlabola,1961* BG TR CS DE IT MN Cc GG KG RU YU
8816. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
8817. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
8818. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus Puton,1877; turkistanicus Kusnezov,1927* AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
8819. **Platymetopius complicatus Nast,1972** (Cicadellidae) Synonym(s): *signoreti Metcalf,1967 (praeocc.); complicatus Nast,1972* AT GR TR YU
8820. **Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus Haupt,1927* IR IQ IL Pa JO TR
8821. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
8822. **Platymetopius quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus Dlabola,1974* TR IR
8823. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
8824. **Platymetopius safavii Dlabola,1971** (Cicadellidae) Synonym(s): *safavii Dlabola,1971* IR TR
8825. **Platymetopius shirazicus Dlabola,1974** (Cicadellidae) Synonym(s): *shirazicus Dlabola,1974* IR TR
8826. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata Olivier,1811* TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
8827. **Platynaspis luteorubra (Goeze,1777)** (Coccinellidae) Synonym(s): *luteorubra Goeze,1777* IT Si Sa TR
8828. **Platynocheilus cuprifrons (Nees)** (Tetracampidae) Synonym(s): TR
8829. **Platynocheilus karsensis Doğanlar,2003** (Tetracampidae) Synonym(s): *karsensis Doğanlar,2003* TR
8830. **Platyplectrus bouceki (Erdös)** (Eulophidae) Synonym(s): TR
8831. **Platypygus bellus Loew,1869** (Mythicomyiidae) Synonym(s): *bellus Loew,1869* RU AM AZ GG Cc TR EG
8832. **Platypygus chrysanthemii Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemii Loew,1844* TR GR YU LB SY EG
8833. **Platypygus chrysanthemii Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemii Loew,1844* IT Si GR YU LB SY EG TR
8834. **Platypygus kurdorum Paramonov,1929** (Mythicomyiidae) Synonym(s): *kurdorum Paramonov,1929; persicus Paramonov,1934* TR IR Cc AZ AM GG
8835. **Platypygus melleus Loew,1856** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* IT Si Sa TR
8836. **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus A.Costa,1863* ES IT Si BG TR RU UA MD Cc AZ AM GG EG
8837. **Platypygus ridibundus (Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus Costa,1863* ES BG TR RU UA MD GG AZ AM Cc EG
8838. **Platystoma aenescens Loew,1868** (Platystomidae) Synonym(s): *aenescens Loew,1868* RO RU TR
8839. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum Loew,1856* FR GR Cr TR SY IL Pa RO RU
8840. **Platystoma chrysotoxum Hendel,1913** (Platystomidae) Synonym(s): *chrysotoxum Hendel,1913* TR
8841. **Platystoma rufipes Meigen,1826** (Platystomidae) Synonym(s): *rufipes Meigen,1826* FR UA TR RU
8842. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869;* ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
8843. **Platyura marginata Meigen,1804** (Keroplataidae) Synonym(s): *marginata Meigen,1804* TR
8844. **Plea atomaria (Pallas,1771)** (Pleidae) Synonym(s): *atomaria Pallas,1771* TR
8845. **Plea leachi Mc Gregor,1899** (Pleidae) Synonym(s): *leachi Mc Gregor,1899* TR
8846. **Plea minutissima Leach,1817** (Pleidae) Synonym(s): *minutissima Leach,1817* TR
8847. **Plectophloeus erichsoni Machulka,1929** (Staphylinidae) Synonym(s): *erichsoni Machulka,1929; orientalis Besuchet,1969* CZ TR
8848. **Plectophloeus nitidus (Fairmaire,1858)** (Staphylinidae) Synonym(s): *nitidus Fairmaire,1858* TR
8849. **Plectophloeus nubigenus (Reitter,1877)** (Staphylinidae) Synonym(s): *nubigenus Reitter,1877; bosnicus Besuchet,1964* B-H TR

- 8850. Pleolophus brachypterus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brachypterus* Gravenhorst,1829 TR
- 8851. Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796 MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR
- 8852. Pnigalio agraulus (Walker)** (Eulophidae) Synonym(s): TR
- 8853. Pnigalio longulus (Zetterstedt)** (Eulophidae) Synonym(s): TR
- 8854. Pnigalio pectinicornis (Linnaeus)** (Eulophidae) Synonym(s): TR
- 8855. Pnigalio soemius (Walker)** (Eulophidae) Synonym(s): TR
- 8856. Podagenia crassipes Priesner,1973** (Pompilidae) Synonym(s): *crassipes* Priesner,1973 Podagenia crassipes Priesner,1973, NachrBl. bayer. Ent. 22 (6): 106-108. Holotype ♂: Anatolien: Urfa, 1 6 1968 leg. Gusenleitner. TR
- 8857. Podagenia Priesner,1973** (Pompilidae) Synonym(s): *Podagenia Priesner,1973* Podagenia Priesner,1973, NachrBl. bayer. Ent. 22 (6): 106. Type-species: *Podagenia crassipes* Priesner,1973, by monotypy. TR
- 8858. Podagrica fuscicornis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *fuscicornis* Linnaeus,1767 TR Cc
- 8859. Podagrica malvae (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807 Cc TR IR
- 8860. Podagrica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837 Cc TR IQ KG RU CN
- 8861. Podagrion splendens Spinola,1811** (Torymidae) Synonym(s): *splendens* Spinola,1811 TR
- 8862. Podagrionella eremiaphilae O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): *eremiaphilae* O.Doğanlar & M.Doğanlar,2009 TR
- 8863. Podagrionella konyaensis O.Doğanlar & M.Doğanlar,2009** (Torymidae) Synonym(s): *konyaensis* O.Doğanlar & M.Doğanlar,2009 TR
- 8864. Podeonius acuticornis (Germar,1824)** (Elateridae) Synonym(s): *acuticornis* Germar,1824 TR
- 8865. Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Gryllus (Locusta) pedestris Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc
- 8866. Poecilagenia Haupt,1926** (Pompilidae) Synonym(s): *Poecilagenia Haupt,1926* TR
- 8867. Poecilagenia sculpturata (Kohl,1898)** (Pompilidae) Synonym(s): *sculpturata* Kohl,1898 TR
- 8868. Poecilimon adentatus Ramme,1933** (Tettigoniidae) Synonym(s): *adentatus* Ramme,1933 TR
- 8869. Poecilimon amissus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *amissus* Brunner von Wattenwyl,1878 TR
- 8870. Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985 TR AF IR IQ SY IL Pa GR
- 8871. Poecilimon angulatus Uvarov,1939** (Tettigoniidae) Synonym(s): *angulatus* Uvarov,1939 TR
- 8872. Poecilimon ataturki Ünal,1999** (Tettigoniidae) Synonym(s): *ataturki* Ünal,1999 Poecilimon ataturki Ünal,1999, J. Orth. Res. 8: 243. Holotype ♂: Turkey: Bolu Prov., Mengen (AIBUEM). TR
- 8873. Poecilimon azdavayi Ünal,2003** (Tettigoniidae) Synonym(s): *azdavayi* Ünal,2003 TR
- 8874. Poecilimon bidens Retowski,1889** (Tettigoniidae) Synonym(s): *bidens* Retowski,1889 TR
- 8875. Poecilimon bilgeri Karabağ,1953** (Tettigoniidae) Synonym(s): *bilgeri* Karabağ,1953 Poecilimon bilgeri Karabağ,1953, Eos 29: 181-183, figs.23-28. Holotype ♂: Turkey, Antalya Prov. Gündoğdu (Termessus) 19.vii.1949 K.Bilger leg. (BMNH). TR
- 8876. Poecilimon birandi Karabağ,1950** (Tettigoniidae) Synonym(s): *birandi* Karabağ,1950 TR
- 8877. Poecilimon bischoffi Ramme,1933** (Tettigoniidae) Synonym(s): *bischoffi* Ramme,1933 TR
- 8878. Poecilimon bosphoricus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *bosphoricus* Brunner von Wattenwyl,1878 TR
- 8879. Poecilimon brunneri (Frivaldsky,1867)** (Tettigoniidae) Synonym(s): *brunneri* Frivaldsky,1867 TR
- 8880. Poecilimon celebi Karabağ,1953** (Tettigoniidae) Synonym(s): *celebi* Karabağ,1953 Poecilimon celebi Karabağ,1953, Eos 29: 177-178, figs. 1-4. Holotype ♂: Turkey, [Karabük Prov.]: Safranbolu 22.vii.1948 leg.T.Karabağ (BMNH). TR
- 8881. Poecilimon cervoides Karabağ,1964** (Tettigoniidae) Synonym(s): *cervoides* Karabağ,1964 TR
- 8882. Poecilimon cervus Karabağ,1950** (Tettigoniidae) Synonym(s): *cervus* Karabağ,1950 TR
- 8883. Poecilimon concinnus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *concinnus* Brunner von Wattenwyl,1878 TR
- 8884. Poecilimon davisii Karabağ,1953** (Tettigoniidae) Synonym(s): *davisii* Karabağ,1953 Poecilimon davisii Karabağ,1953, Eos 29: 183-184, figs. 29-34. Holotype ♂: Turkey, Antalya Prov., Bozburun dağı 1700m 27.vii.1949, P.H.Davis leg. (BMNH). TR
- 8885. Poecilimon demirsoyi Sevgili,2001** (Tettigoniidae) Synonym(s): *demirsoyi* Sevgili,2001 TR
- 8886. Poecilimon djakonovi Miram,1938** (Tettigoniidae) Synonym(s): *djakonovi* Miram,1938 TR

8887. **Poecilimon doga Ünal,2004** (Tettigoniidae) Synonym(s): *doga Ünal,2004* TR
8888. **Poecilimon ege Ünal,2005** (Tettigoniidae) Synonym(s): *ege Ünal,2005* **Poecilimon ege Ünal,2005**, Trans. am. ent. Soc. 131 (3/4): 435-436, figs. Holotype ♂: Turkey: Aydın Prov. Söke, Güllübahçe 18.v.2004 (AIBÜEM). TR
8889. **Poecilimon ersisi Salman,1978** (Tettigoniidae) Synonym(s): *ersisi Salman,1978* TR
8890. **Poecilimon eskishehirensis Ünal,2003** (Tettigoniidae) Synonym(s): *eskishehirensis Ünal,2003* TR
8891. **Poecilimon excisus Karabağ,1950** (Tettigoniidae) Synonym(s): *excisus Karabağ,1950* TR
8892. **Poecilimon glandifer Karabağ,1950** (Tettigoniidae) Synonym(s): *glandifer Karabağ,1950* **Poecilimon glandifer Karabağ,1950**, Proc. R. Ent. Soc. London (B) 19: 150. Holotype ♂: Turkey: Ankara 6.vi.947 leg.T.Karabag (BMNH). TR
8893. **Poecilimon guichardi Karabağ,1964** (Tettigoniidae) Synonym(s): *guichardi Karabağ,1964* TR
8894. **Poecilimon hamatus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *hamatus Brunner von Wattenwyl,1878* TR
8895. **Poecilimon harveyi Karabağ,1964** (Tettigoniidae) Synonym(s): *harveyi Karabağ,1964* TR
8896. **Poecilimon hatti Ünal,2004** (Tettigoniidae) Synonym(s): *hatti Ünal,2004* TR
8897. **Poecilimon haydari Ramme,1951** (Tettigoniidae) Synonym(s): *haydari Ramme,1951* TR
8898. **Poecilimon heinrichi Ramme,1951** (Tettigoniidae) Synonym(s): *heinrichi Ramme,1951* TR
8899. **Poecilimon inflatus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *inflatus Brunner von Wattenwyl,1891* TR
8900. **Poecilimon iucundus Ünal,2003** (Tettigoniidae) Synonym(s): *iucundus Ünal,2003* TR
8901. **Poecilimon izmirnensis Ramme,1933** (Tettigoniidae) Synonym(s): *izmirnensis Ramme,1933* TR
8902. **Poecilimon karabagi (Ramme,1942)** (Tettigoniidae) Synonym(s): *karabagi Ramme,1942* TR
8903. **Poecilimon karabukensis Ünal,2003** (Tettigoniidae) Synonym(s): *karabukensis Ünal,2003* TR
8904. **Poecilimon karakushi Ünal,2003** (Tettigoniidae) Synonym(s): *karakushi Ünal,2003* TR
8905. **Poecilimon kocaki Ünal,1999** (Tettigoniidae) Synonym(s): *kocaki Ünal,1999* **Poecilimon kocaki Ünal,1999**, J. Orth. Res. 8: 244-245, figs.10-16. Holotype ♂: Turkey, Sakarya Prov., Geyve, Şerefiye 100m 16.7.1993 leg. M.Ünal (AIBUEM Bolu). TR
8906. **Poecilimon kutahiensis Werner,1901** (Tettigoniidae) Synonym(s): *kutahiensis Werner,1901; rammeanus Karabağ,1953* TR
8907. **Poecilimon ledereri Ramme,1933** (Tettigoniidae) Synonym(s): *ledereri Ramme,1933; tuncayi Karabağ,1953* TR
8908. **Poecilimon lodosi Harz,1975** (Tettigoniidae) Synonym(s): *lodosi Harz,1975* TR
8909. **Poecilimon luschani Ramme,1933** (Tettigoniidae) Synonym(s): *luschani Ramme,1931* TR
8910. **Poecilimon marmaraensis Naskrecki,1992** (Tettigoniidae) Synonym(s): *marmaraensis Naskrecki,1992* TR
8911. **Poecilimon martinae Heller,2004** (Tettigoniidae) Synonym(s): *martinae Heller,2004* TR
8912. **Poecilimon minutus Karabağ,1975** (Tettigoniidae) Synonym(s): *minutus Karabağ,1975* **Poecilimon minutus Karabağ,1975**, J. nat. Hist. 9: 342-343, figs. Holotype ♂: Turkey: Manisa Prov., Kürkcü, 4.vii.1940 (BMNH). TR
8913. **Poecilimon miramae Ramme,1933** (Tettigoniidae) Synonym(s): *miramae Ramme,1933* TR
8914. **Poecilimon mytilenensis Werner,1932** (Tettigoniidae) Synonym(s): *mytilenensis Werner,1932; brevicauda Werner,1932* GR Les TR
8915. **Poecilimon naskrecki Ünal,2001** (Tettigoniidae) Synonym(s): *naskrecki Ünal,2001* TR
8916. **Poecilimon neglectus Ramme,1931** (Tettigoniidae) Synonym(s): *neglectus Ramme,1931* TR
8917. **Poecilimon obtusicercus Heller, Sevgili & Reinhold,2008** (Tettigoniidae) Synonym(s): *obtusercus Heller, Sevgili & Reinhold,2008* **Poecilimon obtusicercus Heller, Sevgili & Reinhold,2008**, Insect Syst. Evol. 39: 370. Holotype ♂: Turkey, Denizli Prov., 15-20km SE Denizli (ZFMK Bonn). TR
8918. **Poecilimon pergamicus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *pergamicus Brunner von Wattenwyl,1891* TR
8919. **Poecilimon pulcher Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *pulcher Brunner von Wattenwyl,1891* TR
8920. **Poecilimon rammei Miram,1938** (Tettigoniidae) Synonym(s): *rammei Miram,1938* TR
8921. **Poecilimon sanctipauli Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *sanctipauli Brunner von Wattenwyl,1878* TR
8922. **Poecilimon schmidti (Fieber,1853)** (Tettigoniidae) Synonym(s): *schmidti Fieber,1853* TR
8923. **Poecilimon serratus Karabağ,1962** (Tettigoniidae) Synonym(s): *serratus Karabağ,1962* TR
8924. **Poecilimon similis Retowski,1889** (Tettigoniidae) Synonym(s): *similis Retowski,1889* TR
8925. **Poecilimon sureyanus Uvarov,1930** (Tettigoniidae) Synonym(s): *sureyanus Uvarov,1930* TR

8926. **Poecilimon syriacus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *syriacus* Brunner von Wattenwyl,1891; *raggei* Karabağ,1975 **TR**
8927. **Poecilimon tauricola Ramme,1951** (Tettigoniidae) Synonym(s): *tauricola* Ramme,1951 **TR**
8928. **Poecilimon tevfikarabagi Ünal,2005** (Tettigoniidae) Synonym(s): *karabagi* Ünal,2003 nec Rme.,1942; *tevfikarabagi* Ünal,2005 **Poecilimon tevfikarabagi Ünal,2005**, Trans. am. Ent. Soc. 131 (3/4): 437 (nomen novum pro *karabagi* Ünal,2003 nec Rme.,1942). **TR**
8929. **Poecilimon thoracicus (Fieber,1853)** (Tettigoniidae) Synonym(s): *thoracicus* Fieber,1853 **TR**
8930. **Poecilimon toros Ünal,2003** (Tettigoniidae) Synonym(s): *toros* Ünal,2003 **TR**
8931. **Poecilimon tricuspis Miram,1926** (Tettigoniidae) Synonym(s): *tricuspis* Miram,1926 **TR**
8932. **Poecilimon tschorochensis Adelung,1907** (Tettigoniidae) Synonym(s): *tschorochensis* Adelung,1907 **TR**
8933. **Poecilimon turciae (Ramme,1951)** (Tettigoniidae) Synonym(s): *turciae* Ramme,1951 **TR**
8934. **Poecilimon turcicus Karabağ,1950** (Tettigoniidae) Synonym(s): *turcicus* Karabağ,1950 **TR**
8935. **Poecilimon unispinosus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *unispinosus* Brunner von Wattenwyl,1878 **TR**
8936. **Poecilimon uvarovi Ramme,1933** (Tettigoniidae) Synonym(s): *uvarovi* Ramme,1933 **Poecilimon uvarovi** Ramme,1933, Mitt. zool. Mus. Berlin 19: 544. Holotype ♂: Ankara, Kavakhdere (ZMB). **TR**
8937. **Poecilimon variicercis Miram,1938** (Tettigoniidae) Synonym(s): *variicercis* Miram,1938 **TR**
8938. **Poecilimon xenocercus Karabağ,1956** (Tettigoniidae) Synonym(s): *xenocercus* Karabağ,1956 **TR**
8939. **Poecilimon zimmeri Ramme,1933** (Tettigoniidae) Synonym(s): *zimmeri* Ramme,1933 **TR**
8940. **Poecilimon zonatus Bolivar,1899** (Tettigoniidae) Synonym(s): *zonatus* Bolivar,1899 **TR**
8941. **Poecilimonella armeniaca Uvarov,1921** (Tettigoniidae) Synonym(s): *armeniaca* Uvarov,1921 **Poecilimonella armeniaca** Uvarov,1921, Entomologist's mon. Mag. (3) 7: 45. Type ♂: [Turkey: Kars Prov.]: Sarukamış (leg. Poltaratski) (GPPT, Tiflis). **TR**
8942. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis* Kowarz,1867 **AM Cc BG MD RO RU TR UA KG TJ**
8943. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824 **BG Cc GG GR RO RU TR UA Cm IR UZ**
8944. **Poemenia hectica (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *hectica* Gravenhorst,1829 **TR Cc RU**
8945. **Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis* Chaudoir,1871 **BE GR RU TR UA KG**
8946. **Pogonistes liliputanus Apfelbeck,1904** (Carabidae) Synonym(s): *liliputanus* Apfelbeck,1904 **GR TR**
8947. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828 **BE GR RO RU TR UA KG**
8948. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 **IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT**
8949. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus* Kohl,1898 **IT FR GR YU TR Cc AZ IL IN CN**
8950. **Polistes (s.str.) atrimandibularis (Zimmermann,1930)** (Vespidae) Synonym(s): *atrimandibularis* Zimmermann,1930 **TR**
8951. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis* Linnaeus,1758; *alpium* Blüthgen,1957 **IR Cc TR RU Ur Sb Am Us KG MN**
8952. **Polistes (s.str.) bischoffi (Weyrauch,1937)** (Vespidae) Synonym(s): *bischoffi* Weyrauch,1937 **TR**
8953. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
8954. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 **ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF**
8955. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 **DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa**
8956. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930 **Md ES TR DZ EG IL IR**
8957. **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *labialis* Robineau-Desvoidy,1863 **TR DK FI DE UA SU RU US**
8958. **Pollinia pollini (A.Costa)** (Asterolecaniidae) Synonym(s): *pollini* (A.Costa) **TR**
8959. **Polycoelogastridion sexcostatum (Motschoulsky,1858)** (Tenebrionidae) Synonym(s): *sexcostatum* Motschoulsky,1858 **TR**
8960. **Polymerus cognatus (Fieber,1858)** (Miridae) Synonym(s): *cognatus* Fieber,1858 **TR**
8961. **Polymerus vulneratus (Wolff,1801)** (Miridae) Synonym(s): *vulneratus* Wolff,1801 **TR**

8962. **Polypedilum aberrans (Tchernovskii,1949)** (Chironomidae) Synonym(s): *aberrans Tchernovskii,1949* TR
8963. **Polypedilum bicrenatum Kieffer,1911** (Chironomidae) Synonym(s): *bicrenatum Kieffer,1911* TR
8964. **Polypedilum breviantennatum Tchern.,1949** (Chironomidae) Synonym(s): *breviantennatum Tchern.,1949* TR
8965. **Polypedilum convictum (Walker,1856)** (Chironomidae) Synonym(s): *convictum Walker,1856* TR
8966. **Polypedilum laetum (Meigen,1818)** (Chironomidae) Synonym(s): *laetum Meigen,1818* TR
8967. **Polypedilum pedestre (Meigen,1818)** (Chironomidae) Synonym(s): *pedestre Meigen,1818* TR
8968. **Polyphaga aegyptiaca (Linnaeus,1758)** (Polyphagidae) Synonym(s): *aegyptiaca Linnaeus,1758* TR
8969. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus Loew,1848* AZ Cc RU GR AL IR IL Pa TR SY
8970. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
8971. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri Laporte de Castelnau,1840* RU Cc AM GG AL GR TR IR SY IL Pa
8972. **Polysarca ungulata (Wiedemann,1818)** (Asilidae) Synonym(s): *ungulata Wiedemann,1818* TR
8973. **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea Schiner,1867* TN Cc RU DZ TR
8974. **Polysarcus denticaudus (Charpentier,1825)** (Tettigoniidae) Synonym(s): *denticaudus Charpentier,1825; lixoniensis Saulcy,1887* FR ES HU TR
8975. **Polysarcus zacharovi (Stschelkanovcev,1909)** (Tettigoniidae) Synonym(s): *zacharovi Stschelkanovcev,1909* [Orphania zacharovi Stschelkanovcev,1909, Varsava Izv. Univ. 1909 \(6/8\): 47.](#) Type: [Georgia]: Manglisi. TR Cc GG
8976. **Polytribax rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes Gravenhorst,1829; curvus Gravenhorst,1829* TR
8977. **Pompilus cinereus (Fabricius,1787)** (Pompilidae) Synonym(s): *cinereus Fabricius,1787* TR
8978. **Pontoperla teberdinica (Balinsky,1950)** (Chloroperlidae) Synonym(s): *teberdinica Balinsky,1950* TR Cc RU GG
8979. **Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus Lethierry,1876* Cc TR AF IR AM GG KG TM
8980. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans Kirschbaum,1868; fuscocoerulea Edwards,1914* AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
8981. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
8982. **Populicerus sharifi Dlabola,1977** (Cicadellidae) Synonym(s): *sharifi Dlabola,1977* IR TR
8983. **Porphyrophora hamelii Brandt** (Margarodidae) Synonym(s): *hamelii Brandt* TR
8984. **Porphyrophora minuta Borchsenius** (Margarodidae) Synonym(s): *minuta Borchsenius* TR
8985. **Porphyrophora polonica (Linnaeus)** (Margarodidae) Synonym(s): *polonica Linnaeus* TR
8986. **Porphyrophora tritici (Bodenheimer)** (Margarodidae) Synonym(s): *tritici Bodenheimer* TR
8987. **Porthmidius austriacus (Schränk,1781)** (Elateridae) Synonym(s): *austriacus Schränk,1781* TR
8988. **Potamaurops dentatithorax (Pic,1900)** (Staphylinidae) Synonym(s): *dentatithorax Pic,1900; uludagensis Löbl,1967* TR
8989. **Pothastia gaedii (Meigen,1818)** (Chironomidae) Synonym(s): *gaedii Meigen,1818* TR
8990. **Pothastia sp.** (Chironomidae) Synonym(s): TR
8991. **Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci Brahm,1790; beccabungae Küster,1846; minutus Markovic,1909* RU Sb Cc TR
8992. **Priocnemis agilis (Shuckard,1837)** (Pompilidae) Synonym(s): *agilis Shuckard,1837* TR
8993. **Priocnemis coriacea Dahlbom,1843** (Pompilidae) Synonym(s): *coriacea Dahlbom,1843* TR
8994. **Priocnemis costai Costa,1887** (Pompilidae) Synonym(s): *costai Costa,1887* TR
8995. **Priocnemis diversa Junco,1946** (Pompilidae) Synonym(s): *iversa Junco,1946* TR
8996. **Priocnemis enslini** (Pompilidae) Synonym(s): *anatolica Wolf,1963* TR
8997. **Priocnemis exaltata (Fabricius,1775)** (Pompilidae) Synonym(s): *exaltata Fabricius,1775* TR
8998. **Priocnemis fahringeri Wolf,1963** (Pompilidae) Synonym(s): *fahringeri Wolf,1963* TR
8999. **Priocnemis fallax Verhoeff,1892** (Pompilidae) Synonym(s): *fallax Verhoeff,1892* TR
9000. **Priocnemis fastigiata Haupt,1934** (Pompilidae) Synonym(s): *fastigiata Haupt,1934* TR
9001. **Priocnemis fennica Haupt,1927** (Pompilidae) Synonym(s): *fennica Haupt,1927* TR
9002. **Priocnemis gracilis Haupt,1927** (Pompilidae) Synonym(s): *gracilis Haupt,1927* TR
9003. **Priocnemis hankoi Moczar,1944** (Pompilidae) Synonym(s): *hankoi Moczar,1944* TR

9004. **Prionemis hyalinata Fabricius,1793** (Pompilidae) Synonym(s): *hyalinata Fabricius,1793* TR
9005. **Prionemis massaliensis Soyer,1945** (Pompilidae) Synonym(s): *massaliensis Soyer,1945* TR
9006. **Prionemis minuta (Van der Linden,1827)** (Pompilidae) Synonym(s): *minuta Van der Linden,1827; italica Haupt,1934* TR
9007. **Prionemis parvula Dahlbom,1845** (Pompilidae) Synonym(s): *parvula Dahlbom,1845* TR
9008. **Prionemis perturbator (Harris,1776)** (Pompilidae) Synonym(s): *perturbator Harris,1776; galatica Wolf,1963* TR
9009. **Prionemis pillichi Priesner,1960** (Pompilidae) Synonym(s): *pillichi Priesner,1960; maura Wolf & Diniz,1970* TR
9010. **Prionemis propinqua (Lepeletier,1847)** (Pompilidae) Synonym(s): *propinqua Lepeletier,1847* TR
9011. **Prionemis pusilla (Schioedte,1837)** (Pompilidae) Synonym(s): *pusilla Schioedte,1837* TR
9012. **Prionemis rugosa Suster,1922** (Pompilidae) Synonym(s): *rugosa Suster,1922* TR
9013. **Prionemis schioedtei Haupt,1926** (Pompilidae) Synonym(s): *schioedtei Haupt,1926* TR
9014. **Prionemis sulci Balthasar,1943** (Pompilidae) Synonym(s): *sulci Balthasar,1943; cirrata Haupt,1962* TR
9015. **Prionemis vulgaris (Dufour,1841)** (Pompilidae) Synonym(s): *vulgaris Dufour,1841* TR
9016. **Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): *ornatus Abeille,1881* TR AZ Cc LB SY
9017. **Prionocyphon Redtenbacher,1858** (Scirtidae) Synonym(s): *Prionocyphon Redtenbacher,1858* TR
9018. **Prionosthenus (s.str.) gueleni Karabağ,1956** (Pamphagidae) Synonym(s): *gueleni Karabağ,1956* Prionosthenus gueleni Karabağ,1956, Eos 32: 128. Holotype ♂: Turkey: Hatay Prov., Yayladağı, Hisarcik (BMNH). TR
9019. **Prionotropis maculinervis (Stal,1878)** (Pamphagidae) Synonym(s): *maculinervis Stal,1878* Cuculligera maculinervis Stal,1878, Bihang. Svensk. Vet. Akad. Handl. 5 (4): 28. Syntypes: Amasia (ZMB). TR
9020. **Priopoda stictica (Fabricius,1799)** (Ichneumonidae) Synonym(s): *stictica Fabricius,1799* TR DZ
9021. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator Fabricius,1804; flagellatus Nees,1834; erichsoni Westwood,1841; fasciatus Kriechbaumer,1883* DE RO AT CZ HU RU Sb YU IT TR
9022. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis Westwood,1841; schlettereri Kieffer,1904* PL DE HU RO BG YU AT CH IT TR
9023. **Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): *armatus Lucas,1849* DZ TR
9024. **Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): *vulnerator Panzer,1799* TR IN CN
9025. **Probaticus (Pelorinus) adimonius (Allard,1876)** (Tenebrionidae) Synonym(s): *adimonius Allard,1876* TR
9026. **Probaticus (Pelorinus) bodemeyeri Reitter,1900** (Tenebrionidae) Synonym(s): *bodemeyeri Reitter,1900* TR
9027. **Probaticus (Pelorinus) corrugatus Seidlitz,1893** (Tenebrionidae) Synonym(s): *corrugatus Seidlitz,1893* TR
9028. **Probaticus (Pelorinus) corrugosus Seidlitz,1896** (Tenebrionidae) Synonym(s): *corrugosus Seidlitz,1896* TR
9029. **Probaticus (Pelorinus) dorsalis (Allard,1877)** (Tenebrionidae) Synonym(s): *dorsalis Allard,1877* TR
9030. **Probaticus (Pelorinus) granicollis Seidlitz,1896** (Tenebrionidae) Synonym(s): *granicollis Seidlitz,1896* TR
9031. **Probaticus (Pelorinus) granipennis (Allard,1876)** (Tenebrionidae) Synonym(s): *granipennis Allard,1876* TR
9032. **Probaticus (Pelorinus) granosus Seidlitz,1896** (Tenebrionidae) Synonym(s): *granosus Seidlitz,1896* TR
9033. **Probaticus (Pelorinus) maurus (Waltl,1838)** (Tenebrionidae) Synonym(s): *maurus Waltl,1838* TR
9034. **Probaticus (Pelorinus) pentheri Reitter,1905** (Tenebrionidae) Synonym(s): *pentheri Reitter,1905* TR
9035. **Probaticus (Pelorinus) peropacus Reitter,1901** (Tenebrionidae) Synonym(s): *peropacus Reitter,1901* TR
9036. **Probaticus (Pelorinus) picianus Reitter,1907** (Tenebrionidae) Synonym(s): *picianus Reitter,1907* TR
9037. **Probaticus (Pelorinus) priapus Seidlitz,1896** (Tenebrionidae) Synonym(s): *priapus Seidlitz,1896* TR

9038. **Probaticus (Pelorinus) tarsatus (Küster,1850)** (Tenebrionidae) Synonym(s): *tarsatus Küster,1850* TR
9039. **Probaticus (Pelorinus) tenebricosus (Brullé,1832)** (Tenebrionidae) Synonym(s): *tenebricosus Brullé,1832* TR
9040. **Probaticus (Pelorinus) theanus Reitter,1901** (Tenebrionidae) Synonym(s): *theanus Reitter,1901* TR
9041. **Probaticus (s.str.) tentyrioides (Küster,1851)** (Tenebrionidae) Synonym(s): *tentyrioides Küster,1851* TR
9042. **Probles (Euporizon) exilis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *exilis Holmgren,1860* TR
9043. **Probles (Euporizon) rufipes (Holmgren,1860)** (Ichneumonidae) Synonym(s): *rufipes Holmgren,1860* TR RU Sb
9044. **Probruggmanniella phillyreae (Tavares,1907)** (Cecidomyiidae) Synonym(s): *phillyreae Tavares,1907* TR
9045. **Procallimus egregius (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *egregius Mulsant & Rey,1863* TR GR UA Cm
9046. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis Mulsant & Rey,1855; albolimbatus Kirschbaum,1868* FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
9047. **Procladius sp.** (Chironomidae) Synonym(s): TR
9048. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929* AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
9049. **Procaerus bicolor Platia & Gudenzi,2002** (Elateridae) Synonym(s): *bicolor Platia & Gudenzi,2002* TR
9050. **Procaerus carinifrons (Desbrochers,1875)** (Elateridae) Synonym(s): *carinifrons Desbrochers,1875* TR
9051. **Procaerus levantinus Platia & Gudenzi,2007** (Elateridae) Synonym(s): *levantinus Platia & Gudenzi,2007* TR
9052. **Procaerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis Lacordaire,1835* TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
9053. **Prodiamesa olivacea (Meigen,1818)** (Chironomidae) Synonym(s): *olivacea Meigen,1818* TR
9054. **Prodiaspis tamaricicola (Malenotti)** (Diaspididae) Synonym(s): *tamaricicola Malenotti* TR
9055. **Proformica kobachidzei Arnoldi,1968** (Formicidae) Synonym(s): *kobachidzei Arnoldi,1968* TR
9056. **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus Wiedemann,1818* IR Fa TR AF RU KG CN TW
9057. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus Loew,1848* YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM
9058. **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis Loew,1857* CY SY TR IR Es
9059. **Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela Loew,1854* SY LB IL Pa TR
9060. **Promethes sulcator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *sulcator Gravenhorst,1829* TR
9061. **Pronotalia carlinarum (Szelényi & Erdös)** (Eulophidae) Synonym(s): TR
9062. **Pronotalia erzurumica Doğanlar,1993** (Eulophidae) Synonym(s): *erzurumica Doğanlar,1993* TR
9063. **Pronotalia fiorii (Domenichini)** (Eulophidae) Synonym(s): TR
9064. **Pronotalia hungarica (Erdös)** (Eulophidae) Synonym(s): TR
9065. **Pronotalia tortumensis Doğanlar,1993** (Eulophidae) Synonym(s): *tortumensis Doğanlar,1993* TR
9066. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus Pallas,1781* BG GR TR IR IL Pa SY LB
9067. **Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quatuordecimpunctata Linnaeus,1758* IT Sa Si TR
9068. **Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes Edwards,1921; subrufipes Knoz,1980* BG CZ HU IT SK TR
9069. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense Djafarov,1954; pronevitschae Rubtsov,1955* AZ AM Cc RU TR GR Rd BG RO
9070. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes Roser,1840 (praeocc.); tomosvaryi Enderlein,1921; nigripes Enderlein,1925; balcanicum Enderlein,1929; canbalicum Smart,1944; pseudohirtipes Smart,1944; arvernense Grenier,1947; duodecimfilium Rubtsov,1955; maruashvili Machavariani,1966* TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
9071. **Prosodes (Meropersina) amica G.Medvedev,2001** (Tenebrionidae) Synonym(s): *amica G.Medvedev,2001* TR

9072. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle Stein,1857* DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
9073. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor Rambur,1842* DZ MA FR ES IT PT TR
9074. **Prostemma guttula (Fabricius,1787)** (Nabidae) Synonym(s): *guttula Fabricius,1787* Cn CY TR
9075. **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi Stein,1878* RU IL Pa SY TR Cc GR
9076. **Prostemma sanguineum Rossi,1790** (Nabidae) Synonym(s): *sanguineum Rossi,1790* TR
9077. **Prosternon syriacum (Buysson,1891)** (Elateridae) Synonym(s): *syriacum Buysson,1891; anatolicum Reitter,1901* SY TR
9078. **Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): *tessellatum Linnaeus,1758* GR TR Cc RU Sb US
9079. **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa Adams,1817; psittacina Ménétriés,1832* TR IT TM SY IR Fa
9080. **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis Andersch,1797* FR IT Sa Co SY TR IR
9081. **Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *miriffica Mulsant & Rey,1840* FR ES IT YU SY TR IL Pa
9082. **Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith Reiche,1871; foveicauda Reitter,1898* TR CY SY LB IL Pa EG
9083. **Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris Herbst,1786; aenea Scriba,1790; aeruginosa Herbst,1790; marmorata Fabricius,1792; punctatoundulata Petagna,1819; zoufali Roubal,1929; novaci Miksic,1954* DE RU Am HU CZ YU B-H KG UA TR
9084. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica Herbst,1790* HU LT Cc AM TR TM KG RU Sb MN
9085. **Protaetia (Netocia) sibirica (Gebler,1829)** (Scarabaeidae) Synonym(s): *sibirica Gebler,1829; setulosa Reitter,1891* TR RU Sb MN
9086. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana Gory & Percheron,1833* Cc AM GG GR BG TR AZ IR LY Cy DZ
9087. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica Latreille,1807 (praeocc.); angustata Germar,1817; muelleri Reitter,1897; angustula Reitter,1898; eibesensis Reitter,1902; orientalis Alexis & Delpont,1996 nec Gory & Percheron,1833* HU HV TR SY IR
9088. **Protaetia (Potosia) besucheti Alexis & Delpont,1996** (Scarabaeidae) Synonym(s): *besucheti Alexis & Delpont,1996* TR
9089. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea Fabricius,1775* ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
9090. **Protaetia (Potosia) cuprina (Motschulsky,1849)** (Scarabaeidae) Synonym(s): *rubrocuprea Mulsant & Rey,1842; cuprina Motschulsky,1849* RU Cc TR UA Cm
9091. **Protaetia (Potosia) fausti Kraatz,1891** (Scarabaeidae) Synonym(s): *fausti Kraatz,1891* Cc TR
9092. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris Gory & Percheron,1833; exclamatiolis Faldermann,1835; funesta Ménétriés,1836; aethioides Reitter,1898; lambillionea Alexis & Delphont,2000* RU TR IR Elb IQ SY IL Pa JO TM Kp AF Cc GG AM AZ Nv
9093. **Protaetia (Potosia) jelineki Petrovitz,1981** (Scarabaeidae) Synonym(s): *jelineki Petrovitz,1981* TR
9094. **Protaetia (Potosia) splendidula (Faldermann,1835)** (Scarabaeidae) Synonym(s): *splendidula Faldermann,1835* TM TR Cc AM Eri
9095. **Protaetia (Potosia) vidua (Gory & Percherson,1833)** (Scarabaeidae) Synonym(s): *vidua Gory & Percherson,1833* BG GR TR
9096. **Protapalochrus flavolimbatus (Mulsant & Rey,1853)** (Melyridae) Synonym(s): *flavolimbatus Mulsant & Rey,1853* TR
9097. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades Nixon,1973* Apanteles anchiades Nixon,1973, Bull. ent. Res. 63: 169-228. TR DE GB SE BG MN IT HU FI NL CH CZ
9098. **Proteinus atomarius Erichson,1840** (Staphylinidae) Synonym(s): *atomarius Erichson,1840* TR
9099. **Proteinus brachypterus (Fabricius,1792)** (Staphylinidae) Synonym(s): *brachypterus Fabricius,1792* TR
9100. **Proteinus creticus Assing,2004** (Staphylinidae) Synonym(s): *creticus Assing,2004* TR GR Cr
9101. **Proteinus meuseli Dauphin,1999** (Staphylinidae) Synonym(s): *meuseli Dauphin,1999* TR
9102. **Proteinus ovalis Stephens,1834** (Staphylinidae) Synonym(s): *ovalis Stephens,1834* TR
9103. **Proteinus utrarius Assing,2004** (Staphylinidae) Synonym(s): *utrarius Assing,2004* TR
9104. **Proteinus zanettii Dauphin,1999** (Staphylinidae) Synonym(s): *zanettii Dauphin,1999* TR
9105. **Protomiltogramma fasciata (Meigen,1824)** (Sarcophagidae) Synonym(s): *fasciata Meigen,1824* TR

9106. **Protonemura bacuriana Zhiltzova,1957** (Nemouridae) Synonym(s): *bacuriana Zhiltzova,1957* TR Cc GG
9107. **Protonemura besucheti Zwick,1971** (Nemouridae) Synonym(s): *besucheti Zwick,1971* *Protonemura besucheti Zwick,1971*, Mitt. schweiz. ent. Ges. 44 (3/4): 246-247. Holotype ♀: Umg. Antakya, Nur Dağ-Massiv zw. Zorhun u. Yailasi (!), 1500m 7.v.1967 leg. Besuchet (MHNG). TR
9108. **Protonemura bifida Martynov,1928** (Nemouridae) Synonym(s): *bifida Martynov,1928*; *breviuscula Martynov,1928*; *falciformis Martynov,1928* TR
9109. **Protonemura bithynica Aubert,1964** (Nemouridae) Synonym(s): *bithynica Aubert,1964* TR
9110. **Protonemura capitata Martynov,1928** (Nemouridae) Synonym(s): *capitata Martynov,1928* TR
9111. **Protonemura dilatata Martynov,1928** (Nemouridae) Synonym(s): *dilatata Martynov,1928* TR
9112. **Protonemura eumontana Zhiltzova,1957** (Nemouridae) Synonym(s): *eumontana Zhiltzova,1957* TR
9113. **Protonemura fusunae Vinçon & Ravizza,1999** (Nemouridae) Synonym(s): *fusunae Vinçon & Ravizza,1999* TR
9114. **Protonemura gladifera Balinsky,1950** (Nemouridae) Synonym(s): *gladifera Balinsky,1950* TR
9115. **Protonemura intricata (Ris,1902)** (Nemouridae) Synonym(s): *intricata Ris,1902* ES GR TR
9116. **Protonemura izmiriana Vinçon & Zhiltzova,2004** (Nemouridae) Synonym(s): *izmiriana Vinçon & Zhiltzova,2004* TR
9117. **Protonemura mattheyi (Aubert,1956)** (Nemouridae) Synonym(s): *mattheyi Aubert,1956* TR LB GR
9118. **Protonemura microstyla Martynov,1928** (Nemouridae) Synonym(s): *microstyla Martynov,1928* TR
9119. **Protonemura oreas Martynov,1928** (Nemouridae) Synonym(s): *oreas Martynov,1928*; *longispinosa Martynov,1928* TR
9120. **Protonemura praecox (Morton,1894)** (Nemouridae) Synonym(s): *praecox Morton,1894* *Nemoura praecox Morton,1894*, Trans. ent. Soc. London 1894: 566-567. Syntypes: Great Britain. GB GR TR
9121. **Protonemura resslı Zwick,1971** (Nemouridae) Synonym(s): *resslı Zwick,1971* *Protonemura resslı Zwick,1971*, Mitt. schweiz. ent. Ges. 44 (3/4): 251-252. Holotype ♂: [Turkey]: Sivas Pr., Zara, 1600-1700m leg. Ressler (coll. Zwick). TR
9122. **Protonemura teberdensis Zhiltzova,1958** (Nemouridae) Synonym(s): *teberdensis Zhiltzova,1958* Cc GG RU TR
9123. **Protonemura triangulata Martynov,1928** (Nemouridae) Synonym(s): *triangulata Martynov,1928*; *karabagi Kazancı,1982* TR
9124. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps Friese,1899*; *depauperata Benoist,1928* GR Cr TR IL Pa JO SY LB
9125. **Protosmia (Nanosmia) limbata (Benoist,1935)** (Megachilidae) Synonym(s): *limbata Benoist,1935* LB SY TR
9126. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata Pérez,1895* ES FR IT Si PT DZ MA TN TR?
9127. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa Giraud,1871* BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR
9128. **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis Pérez,1895* ES DZ IL Pa JO SY TR
9129. **Protosmia (s.str.) magnicapitis (Stanek,1969)** (Megachilidae) Synonym(s): *magnicapitis Stanek,1969* TR
9130. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa Pérez,1895*; *mirabilis Friese,1899* GR DZ CY IL Pa JO LB SY TR
9131. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa Friese,1899* GR CY IL Pa JO LB SY TR
9132. **Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis Tkalcu,1978* BG GR MK TR
9133. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica Pérez,1895* ES FR GR MA DZ TR
9134. **Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): *tauricola Popov,1961* UA Cm TR BG RU
9135. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis Morawitz,1876*; *graffei Schmiedeknecht,1890* BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
9136. **Psacadina verbekei Rozkosny,1975** (Sciomyzidae) Synonym(s): *verbekei Rozkosny,1975* TR
9137. **Psacasta marmottani Puton,1887** (Scutellaridae) Synonym(s): *marmottani Puton,1887* TR
9138. **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus Reuter,1878* FR YU BG RU Cc TR
9139. **Psallus carduelus Horvath,1888** (Miridae) Synonym(s): *carduelus Horvath,1888* TR

9140. **Psallus pumilus (Jakovlev,1876)** (Miridae) Synonym(s): *pumilus Jakovlev,1876* TR Cc TM
9141. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914* AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
9142. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes Herrich-Schäffer,1834; citrinellus Kirschbaum,1868; sulphurellus Kirschbaum,1868; tristis Kirschbaum,1868; normani Scott,1881* AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
9143. **Psammotettix cerinus (Lindberg,1948)** (Cicadellidae) Synonym(s): *cerinus Lindberg,1948* CY TR
9144. **Psammotettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans Emelyanov,1964* KK KG UZ UA TR RU
9145. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis Dahlbom,1850; eurylobus Kirschbaum,1868; heydeni Fieber,1872; thenii Edwards,1915; spathifer Ribaut,1925* AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
9146. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus Kirschbaum,1868; obtusiceps Kirschbaum,1868; rhombifer Fieber,1869; substriatus Then,1902* AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
9147. **Psammotettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus Linnavuori,1951* CY EG IL Pa TR Cc GG
9148. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus Ribaut,1925* AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA
9149. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps Horvath,1897* AT BG TR CS DE HU RO LV MD RU TJ UA
9150. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869* AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
9151. **Psammotettix prolongatus Dlabola,1979** (Cicadellidae) Synonym(s): *prolongatus Dlabola,1979* TR
9152. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
9153. **Psammotettix salsuginosus Logvinenko,1961** (Cicadellidae) Synonym(s): *salsuginosus Logvinenko,1961* MD UA TR
9154. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus Linnaeus,1758; striata Fabricius,1794 (praeocc.); strigatus Germar,1821; varipennis Herrich-Schäffer,1838; pallidus Flor,1861; flavipennis Scott,1876; amyoti Vismara,1878; divergens Rey,1894; capitatus Matsumura,1908; immundus Matsumura,1908* BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
9155. **Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): *transcaucasicus Dlabola,1961* Cc GG TR KG
9156. **Psectrocladius calcaratus (Edwards,1929)** (Chironomidae) Synonym(s): *calcaratus Edwards,1929* TR
9157. **Psectrocladius dilatatus (Wulp,1877)** (Chironomidae) Synonym(s): *dilatatus Wulp,1877* TR
9158. **Psectrocladius ishemicus Tchern.,1949** (Chironomidae) Synonym(s): *ishemicus Tchern.,1949* TR
9159. **Psectrocladius psilopterus Kieffer,1906** (Chironomidae) Synonym(s): *psilopterus Kieffer,1906* TR
9160. **Psectrocladius serpentrionalis Tchern.,1949** (Chironomidae) Synonym(s): *serpentrionalis Tchern.,1949* TR
9161. **Psectrocladius stratiotis Kieffer,1911** (Chironomidae) Synonym(s): *stratiotis Kieffer,1911* TR
9162. **Psectrocladius ventricosus Kieffer,1911** (Chironomidae) Synonym(s): *ventricosus Kieffer,1911* TR
9163. **Psectrotanypus varius (Fabricius,1787)** (Chironomidae) Synonym(s): *varius Fabricius,1787* TR
9164. **Pselaphorhynchites nanus (Paykull,1792)** (Atelabidae) Synonym(s): *nanus Paykull,1792; planirostris Fabricius,1801; cylindricus Stephens,131; angustifrons Voss,1932* DE FR GB Cc KG TM RU Sb TR
9165. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus Gyllenhal,1839; coeruleus Fabricius,1798* TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
9166. **Pseudagrion syriacum (Selys,1887)** (Coenagrionidae) Synonym(s): *syriacum Selys,1887* TR
9167. **Pseudagriotes holtzi Schwarz,1896** (Elateridae) Synonym(s): *holtzi Schwarz,1896* TR
9168. **Pseudanostirus jasoni Dolin & Chantladze,1987** (Elateridae) Synonym(s): *jasoni Dolin & Chantladze,1987* TR
9169. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi Mulsant & Rey,1879; ribauti Lallemand,1921* ES Cn CY FR IL YU GR Cr IT Si TR
9170. **Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae) Synonym(s): *ankarensis Giordani Soika,1970* TR

9171. **Pseudepipona (Deuterepipona) ionia (Saussure,1855)** (Vespidae) Synonym(s): *ionia Saussure,1855* TR
9172. **Pseudepipona (s.str.) lativentris (Saussure,1855)** (Vespidae) Synonym(s): *lativentris Saussure,1855* TR
9173. **Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta Gusenleitner,1972* IL Pa JO Amm TR
9174. **Pseudepipona herrichii (Saussure,[1856])** (Vespidae) Synonym(s): *herrichii Saussure,[1856]* TR
9175. **Pseudexechia trisignata (Edwards,1913)** (Mycetophilidae) Synonym(s): *trisignata Edwards,1913* TR
9176. **Pseudocatolaccus nitescens (Walker)** (Pteromalidae) Synonym(s): TR
9177. **Pseudococeles karadagi Demirsoy,1977** (Acrididae) Synonym(s): *karadagi Demirsoy,1977* TR
9178. **Pseudococeles ledereri (Saussure,1884)** (Acrididae) Synonym(s): *ledereri Saussure,1884* TR
9179. **Pseudococeles obscurus (Uvarov,1927)** (Acrididae) Synonym(s): *obscurus Uvarov,1927* TR Cc
9180. **Pseudococeles oedipoides Bolivar,1899** (Acrididae) Synonym(s): *oedipoides Bolivar,1899; arpatchai Dirsh,1949; uvarovi Dirsh,1949; krahmeri Harz,1978* TR Cc AM
9181. **Pseudochermes fraxini (Kaltenbach)** (Eriococcidae) Synonym(s): *fraxini Kaltenbach* TR
9182. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae Linnaeus,1758* Tenthredo amerinae Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
9183. **Pseudococcobius obenbergeri (Novickii)** (Encyrtidae) Synonym(s): TR
9184. **Pseudococcus laingi Bodenheimer** (Pseudococcidae) Synonym(s): *laingi Bodenheimer* TR
9185. **Pseudococcus longispinus (Targioni Tozzetti)** (Pseudococcidae) Synonym(s): *longispinus Targioni Tozzetti* TR
9186. **Pseudococcus viburni (Signoret)** (Pseudococcidae) Synonym(s): *viburni Signoret* TR
9187. **Pseudocrepidophorus concavifrons Wurst,1994** (Elateridae) Synonym(s): *concavifrons Wurst,1994* TR
9188. **Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae) Synonym(s): *flavescens Eschscholtz,1818* TR Cc
9189. **Pseudodiamesa nivosa (Goetghebuer,1932)** (Chironomidae) Synonym(s): *nivosa Goetghebuer,1932* TR
9190. **Pseudodiamesa orientalis Chern.,1949** (Chironomidae) Synonym(s): *orientalis Chern.,1949* TR
9191. **Pseudoleria pectinata (Loew,1872)** (Heleomyzidae) Synonym(s): *pectinata Loew,1872* TR EG AE
9192. **Pseudoliarus fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus Melichar,1902; obliterated Kusnezov,1937; aegyptiacus Wagner,1954* EG IR LY TN Cc AM TR RU TJ TM YE
9193. **Pseudoliarus palaestinensis Linnavuori,1962** (Cixiidae) Synonym(s): *palaestinensis Linnavuori,1962* IL Pa TR
9194. **Pseudoligosita gracilior (Nowicki,1935)** (Trichogrammatidae) Synonym(s): *gracilior Nowicki,1935* TR
9195. **Pseudoligosita paphlagonica (Nowicki,1935)** (Trichogrammatidae) Synonym(s): *paphlagonica Nowicki,1935* TR
9196. **Pseudolimnophila (s.str.) sepium (Verrall,1886)** (Limoniidae) Synonym(s): *sepium Verrall,1886* TR Cc AF
9197. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis Macquart,1839; maura Bigot,1885* Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
9198. **Pseudomogoplistes squamiger (Fischer von Waldheim,1853)** (Mogoplistidae) Synonym(s): *squamiger Fischer von Waldheim,1853* TR
9199. **Pseudomogoplistes turcicus Gorochoy,1995** (Mogoplistidae) Synonym(s): *turcicus Gorochoy,1995* TR
9200. **Pseudonapomyza atra (Meigen,1830)** (Agromyzidae) Synonym(s): *atra Meigen,1830* TR
9201. **Pseudonapomyza europaea Spencer,1973** (Agromyzidae) Synonym(s): *europaea Spencer,1973* TR
9202. **Pseudonapomyza hispanica Spencer,1973** (Agromyzidae) Synonym(s): *hispanica Spencer,1973* TR
9203. **Pseudonapomyza pyriformis Sasakawa,2008** (Agromyzidae) Synonym(s): *pyriformis Sasakawa,2008* TR
9204. **Pseudonapomyza spicata (Malloch,1914)** (Agromyzidae) Synonym(s): *spicata Malloch,1914* TR
9205. **Pseudonapomyza spinosa Spencer,1973** (Agromyzidae) Synonym(s): *spinosa Spencer,1973* TR
9206. **Pseudonapomyza strobliana Spencer,1973** (Agromyzidae) Synonym(s): *strobliana Spencer,1973* TR
9207. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus Hartig,1843* IT AT B-H HU RO BG GR TR

9208. **Pseudophonus rufipes (DeGeer,1774)** (Carabidae) Synonym(s): *rufipes* DeGeer,1774; *pubescens* O.F.Müller,1776 **TR**
9209. **Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *causicola* Dalla Torre,1897; **Cc GG AM AZ TR IR Elb AF TM CY**
9210. **Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct. **TM IR TR CY AM Cc IL Pa**
9211. **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica* sensu Özbek et al.,1999 nec Radoszkowski,1885 **SY IL Pa TR GR**
9212. **Pseudoplectus perplexus (Jacquelin du Val,1854)** (Staphylinidae) Synonym(s): *perplexus* Jacquelin du Val,1854 **TR**
9213. **Pseudopompilus humboldti (Dahlbom,1845)** (Pompilidae) Synonym(s): *humboldti* Dahlbom,1845 **TR**
9214. **Pseudosavalania karabagi Demirsoy,1973** (Pamphagidae) Synonym(s): *karabagi* Demirsoy,1973 **TR**
9215. **Pseudosmittia gracilis (Goetghebuer,1929)** (Chironomidae) Synonym(s): *gracilis* Goetghebuer,1929 **TR**
9216. **Pseudosphegthes longitarsus Holzschuh,1974** (Cerambycidae) Synonym(s): *longitarsus* Holzschuh,1974 **TR**
9217. **Pseudosphegthes samai Danilevsky,2000** (Cerambycidae) Synonym(s): *samai* Danilevsky,2000 **TR**
9218. **Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): *adnexus* Gusenleitner,1969 **SY TR**
9219. **Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970 **SY JO IL Pa TR**
9220. **Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris* Boheman,1834; *parellinus* Boheman,1834 **DE SE CZ UA TR IR Ab Oru**
9221. **Pseudotorymus pannonicus (Mayr,1874)** (Torymidae) Synonym(s): *pannonicus* Mayr,1874 **HU UA TR**
9222. **Pseudotorymus sapphyrinus (Fonscolombe,1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe,1832; *mongolicus* Szelenyi,1973 **FR DE CZ SK HU B-H YU MD TR MN**
9223. **Pseudotrematodes frivaldskyi (Ménétriés,1836)** (Scarabaeidae) Synonym(s): *frivaldskyi* Ménétriés,1836 **TR SY**
9224. **Pseudovadonia livida (Fabricius,1776)** (Cerambycidae) Synonym(s): *livida* Fabricius,1776 **RU Cc TR IR DE CZ**
9225. **Psiliglossa anatolica Giordani Soika,1979** (Vespidae) Synonym(s): *anatolica* Giordani Soika,1979 **TR**
9226. **Psiliglossa odyneroides (Saunders,1872)** (Vespidae) Synonym(s): *odyneroides* Saunders,1872 **TR**
9227. **Psilocera obscura Walker** (Pteromalidae) Synonym(s): **TR**
9228. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
9229. **Psilochalcis mirabilis (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis* Boucek,1952 **TR CZ SK HU KG RU US**
9230. **Psilochalcis nigerrima (Masi)** (Chalcididae) Synonym(s): **TR**
9231. **Psilochalcis nitida (Boucek)** (Chalcididae) Synonym(s): **TR**
9232. **Psilochalcis rufitarsis (Lliger)** (Chalcididae) Synonym(s): **TR**
9233. **Psilochalcis subaenea (Masi)** (Chalcididae) Synonym(s): **TR**
9234. **Psilochalcis subarmata (Förster)** (Chalcididae) Synonym(s): **TR**
9235. **Psilodamesa spitzbergensis Kieffer & Thienemann,1919** (Chironomidae) Synonym(s): *spitzbergensis* Kieffer & Thienemann,1919 **TR**
9236. **Psilonotus achaeus Walker** (Pteromalidae) Synonym(s): **TR**
9237. **Psilonotus adamas Walker** (Pteromalidae) Synonym(s): **TR**
9238. **Psilonotus hortensia Walker** (Pteromalidae) Synonym(s): **TR**
9239. **Psilophrys bella Japoshvili & Noyes,2006** (Encyrtidae) Synonym(s): *bella* Japoshvili & Noyes,2006 *Psilophrys bella* Japoshvili & Noyes,2006, J. Nat. Hist. 40: 1798-1799, figs. Holotype ♀: Turkey, Isparta, Cire (ex Kermes palestiniensis on Quercus coccifera) (G.Japoshvili) (IZGAS). **TR**
9240. **Psilophrys ghilarovi Japoshvili,2005** (Encyrtidae) Synonym(s): *ghilarovi* Japoshvili,2005 *Psilophrys ghilarovi* Japoshvili,2005, Zool. Zh. 84: 524-526. **TR**
9241. **Psilophrys tenuicornis Graham,1969** (Encyrtidae) Synonym(s): *longicornis* Walker,1847 nec Dalm.,1820; *tenuicornis* Graham,1969 *Psilophrys tenuicornis* Graham,1969, Polski pismo Ent. 39: 235. **GB AT TR**
9242. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 **SE DK DE Cn GR IT PT ES NL TR TN**

9243. **Psophus stridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus* Linnaeus,1758;
sanniticus Baccetti,1958 TR Cc RU BY UA KG
9244. **Psorodonotus anatolicus Karabağ,1952** (Tettigoniidae) Synonym(s): *anatolicus*
Karabağ,1952 TR
9245. **Psorodonotus caucasicus (Fischer von Waldheim,1846)** (Tettigoniidae) Synonym(s):
caucasicus Fischer von Waldheim,1846 TR
9246. **Psorodonotus davisi Karabağ,1956** (Tettigoniidae) Synonym(s): *davisi* Karabağ,1956 TR
9247. **Psorodonotus ebneri Karabağ,1952** (Tettigoniidae) Synonym(s): *ebneri* Karabağ,1952 TR
9248. **Psorodonotus rugulosus Karabağ,1952** (Tettigoniidae) Synonym(s): *rugulosus* Karabağ,1952
TR
9249. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s):
specularis Fischer von Waldheim,1839; *inermis* Ramme,1951 TR UA Cm Cc GG AZ RU AM Eri
9250. **Psorodonotus venosus (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s):
venosus Fischer von Waldheim,1839 TR AZ Kir GG AM Cc RU Sb
9251. **Psychoda cinerea Banks,1834** (Psychodidae) Synonym(s): *cinerea* Banks,1834 TR
9252. **Psychophagus omnivorus (Walker)** (Pteromalidae) Synonym(s): TR
9253. **Psyllaephagus caillardiae Sugonjaev** (Encyrtidae) Synonym(s): TR
9254. **Psyllaephagus elaeagni Trjapitzin** (Encyrtidae) Synonym(s): TR
9255. **Psyllaephagus euphyllurae (Masi)** (Encyrtidae) Synonym(s): TR
9256. **Psyllaephagus pistaciae Ferrière** (Encyrtidae) Synonym(s): TR
9257. **Psyllaephagus procerus (Mercet)** (Encyrtidae) Synonym(s): TR
9258. **Psyllaephagus pulchellus (Mercet)** (Encyrtidae) Synonym(s): TR
9259. **Psyllaephagus tokgaevi Myartseva** (Encyrtidae) Synonym(s): TR
9260. **Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799 Cc TR
KG MA RU Sb
9261. **Psylliodes aristus Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus*
Jablokoff-Khnzorian,1962 TR Cc AM GG IR
9262. **Psylliodes attenuatus (Koch,1803)** (Chrysomelidae) Synonym(s): *attenuatus* Koch,1803 TR
Cc
9263. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807
TR Cc IR KG RU Sb CN
9264. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus*
Linnaeus,1758 TR Cc DZ IR
9265. **Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus*
Redtenbacher,1842 TR Cc IR
9266. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803 Cc TR IR
KG RU Sb MN DZ
9267. **Psylliodes dulcamarae (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803
Cc TR KG MN RU Sb
9268. **Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861 TR IL
Pa SY JO
9269. **Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hyoscyami*
Linnaeus,1758 TR JP SE
9270. **Psylliodes illyricus Leonardi & Gruev,1993** (Chrysomelidae) Synonym(s): *illyricus* Leonardi
& Gruev,1993 TR
9271. **Psylliodes inflatus Reiche,1856** (Chrysomelidae) Synonym(s): *inflatus* Reiche,1856 TR IR
9272. **Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis* Foudras,1860
DZ Cc TR
9273. **Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912
TR Cc IR KG RU Sb MN
9274. **Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri*
Kutschera,1867 AT IT TR
9275. **Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus* O.F.Müller,1776
TR IR Cc
9276. **Psylliodes marcidus (Illiger,1807)** (Chrysomelidae) Synonym(s): *marcidus* Illiger,1807 Az
TR
9277. **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 ES
IT GR CY TR
9278. **Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792 TR Cc
RU Sb KG DZ
9279. **Psylliodes ozisiki Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki* Leonardi &
Arnold,1995 TR Cc AM
9280. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 ES BG
GR TR SY IL Pa LB IQ
9281. **Psylliodes saulcyi Allard,1867** (Chrysomelidae) Synonym(s): *saulcyi* Allard,1867 TR Cc KG
MN

9282. **Psylliodes sophiae Heikertinger,1914** (Chrysomelidae) Synonym(s): *sophiae*
Heikertinger,1914 TR MA JP
9283. **Psylliodes tauricus Leonardi,1971** (Chrysomelidae) Synonym(s): *tauricus Leonardi,1971* TR
9284. **Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s):
testaceoconcolor Heikertinger,1926 AZ Cc TR LB CY IL Pa
9285. **Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus Weise,1889* RU Cc Da
GG TR
9286. **Psylliodes vindobonensis Heikertinger,1914** (Chrysomelidae) Synonym(s): *vindobonensis*
Heikertinger,1914 TR
9287. **Psyllobora vigintiduopunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s):
vigintiduopunctata Linnaeus,1758 IT Si Sa TR
9288. **Psyllopsis fraxinicola (Förster)** (Psyllidae) Synonym(s): TR
9289. **Pterandrophysalis levantina Nowicki,1935** (Trichogrammatidae) Synonym(s): *levantina*
Nowicki,1935 TR
9290. **Pterella grisea (Meigen,1824)** (Sarcophagidae) Synonym(s): *grisea Meigen,1824* TR
9291. **Pterocheilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): *atrohirtus Morawitz,1885*
TR Cc
9292. **Pterocheilus fausti Morawitz,1873** (Vespidae) Synonym(s): *fausti Morawitz,1873;*
aurantiopictus Giordani Soika,1970 TR SA
9293. **Pterocheilus mavromoustakisi Giordani Soika,1979** (Vespidae) Synonym(s):
mavromoustakisi Giordani Soika,1979 TR
9294. **Pteromalus albipennis Walker** (Pteromalidae) Synonym(s): TR
9295. **Pteromalus apum (Retzius)** (Pteromalidae) Synonym(s): TR
9296. **Pteromalus bedeguaris (Thomson)** (Pteromalidae) Synonym(s): TR
9297. **Pteromalus bifoveolatus Förster** (Pteromalidae) Synonym(s): TR
9298. **Pteromalus chrysos Walker** (Pteromalidae) Synonym(s): TR
9299. **Pteromalus cionobius (Erdös)** (Pteromalidae) Synonym(s): TR
9300. **Pteromalus elevatus (Walker)** (Pteromalidae) Synonym(s): TR
9301. **Pteromalus intermedius (Walker)** (Pteromalidae) Synonym(s): TR
9302. **Pteromalus platyphilus Walker** (Pteromalidae) Synonym(s): TR
9303. **Pteromalus puparum (Linnaeus)** (Pteromalidae) Synonym(s): TR
9304. **Pteromalus semotus (Walker)** (Pteromalidae) Synonym(s): TR
9305. **Pteromalus sequester Walker** (Pteromalidae) Synonym(s): TR
9306. **Pteronemobius (s.str.) heydeni (Fischer,1853)** (Gryllidae) Synonym(s): *heydeni*
Fischer,1853 TR
9307. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii*
Fischer,1853; lateralis Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV
B-H HU CZ AT IY DE FR
9308. **Pteronemobius gracilis Jakovleff,1871** (Gryllidae) Synonym(s): *gracilis Jakovleff,1871* TR
9309. **Pteroptrix bicolor (Howard,1898)** (Aphelinidae) Synonym(s): *bicolor Howard,1898;*
caucasicus Yasnosh,1955; callunae Alam,1956; zonatus Alam,1956 FR GB GG TR
9310. **Pteroptrix lauri (Mercet,1911)** (Aphelinidae) Synonym(s): *lauri Mercet,1911* TR
9311. **Ptygippus brachypterus Mistshenko,1951** (Acrididae) Synonym(s): *brachypterus*
Mistshenko,1951 TR
9312. **Ptyngidricerus albardanus (McLachan,1891)** (Ascalaphidae) Synonym(s): *albardanus*
McLachan,1891 TR IR
9313. **Ptyngidricerus albardanus albardanus (McLachan,1891)** (Ascalaphidae) Synonym(s):
albardanus McLachan,1891 TR
9314. **Puklina gelincika Doğanlar,1993** (Eulophidae) Synonym(s): *gelincika Doğanlar,1993* TR
9315. **Pulvinaria floccifera (Westwood)** (Coccidae) Synonym(s): *floccifera Westwood* TR
9316. **Pulvinaria terrestris Borchsenius** (Coccidae) Synonym(s): *terrestris Borchsenius* TR
9317. **Pulviniella mesembryanthemi (Vallot)** (Coccidae) Synonym(s): *mesembryanthemi Vallot*
TR
9318. **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis Götz,1783* GR
SK HU Cc TR SY IR
9319. **Purpuricenens caucasicus Pic,1902** (Cerambycidae) Synonym(s): *caucasicus Pic,1902* Cc TR?
9320. **Purpuricenens cornifrons Sabbadini & Pesarini,1992** (Cerambycidae) Synonym(s):
cornifrons Sabbadini & Pesarini,1992 TR
9321. **Purpuricenens dalmatinus Sturm,1843** (Cerambycidae) Synonym(s): *dalmatinus Sturm,1843*
HV TR SY
9322. **Purpuricenens desfontainei (Fabricius,1792)** (Cerambycidae) Synonym(s): *desfontainei*
Fabricius,1792 GR TR
9323. **Purpuricenens kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri Linnaeus,1758*
GR Cc TR IR

9324. **Purpuricenus longevittatus Pic,1941** (Cerambycidae) Synonym(s): *longevittatus Pic,1941* TR SY
9325. **Purpuricenus nigronotatus Pic,1907** (Cerambycidae) Synonym(s): *nigronotatus Pic,1907; konradi Bernhauer,1976* TR
9326. **Purpuricenus nudicollis Demelt,1968** (Cerambycidae) Synonym(s): *nudicollis Demelt,1968* CY TR
9327. **Purpuricenus tommasoii Sama,2001** (Cerambycidae) Synonym(s): *tommasoii Sama,2001* TR IR Fa IQ
9328. **Purpuricenus wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui Levrat,1858* Cc AM TR IR
9329. **Puto palinuri Marotta & Tranfaglia** (Pseudococcidae) Synonym(s): *palinuri Marotta & Tranfaglia* TR
9330. **Puto pilosellae (Sulc)** (Pseudococcidae) Synonym(s): *pilosellae Sulc* TR
9331. **Puto superbus (Leonardi)** (Pseudococcidae) Synonym(s): *superbus Leonardi* TR
9332. **Pycnocyrtodes reticulator Aubert,1971** (Ichneumonidae) Synonym(s): *reticulator Aubert,1971* CY TR
9333. **Pycnocyrtus claviventris Kriechbaumer,1894** (Ichneumonidae) Synonym(s): *claviventris Kriechbaumer,1894* TR
9334. **Pycnocyrtus rarus (Habermehl,1920)** (Ichneumonidae) Synonym(s): *rarus Habermehl,1920* TR
9335. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens Fabricius,1787; rufitarsis Macquart,1838; jordanica Lindner,1974* ES PT RU Cc AM TR IL Pa MA DZ TN
9336. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus Loew,1847* TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
9337. **Pycnopogon leucostomus Engel,1930** (Asilidae) Synonym(s): *leucostomus Engel,1930* FR Cc RU TR IR Elb Mz AM
9338. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus Loew,1847; anthophorinus Loew,1847* TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG
9339. **Pycnopogon pallidipennis (Brullé,1833)** (Asilidae) Synonym(s): *pallidipennis Brullé,1833* TR
9340. **Pygmaeolus turcicus Kolarov,1993** (Ichneumonidae) Synonym(s): *turcicus Kolarov,1993; #turcicus Kolarov,1993 Pygmaeolus turcicus Kolarov,1993, Linzer biol. Beitr. 25 (2): 1095-1095. Holotype ♀: Türkiye, Angora 13.6.1925 leg. Biro (HNHM Budapest).* TR
9341. **Pyracmon nactor Aubert,1986** (Ichneumonidae) Synonym(s): *nactor Aubert,1986* TR
9342. **Pyrellia vivida Robineau-Desvoidy,1830** (Muscidae) Synonym(s): *cadaverina auct.; vivida Robineau-Desvoidy,1830* Cc AM Eri AZ TR IR PK IN CN
9343. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata Fischer von Waldheim,1820 Acrydium armatum Fischer von Waldheim,1820, Ent. ross. 1: 37. Type(s): Russia.* TR Cc RU KG AF TM IR KK
9344. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877* TR SN LY SD TD IR SA
9345. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica Olivier,1791; grylloides Latreille,1804; linearis Charpentier,1825; rosea Charpentier,1825; rhodoptila Herrich-Schäffer,1838; discrepans Fieber,1853; mideltica Werner,1931* MA Cn ES FR LY CY YE GH TR
9346. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri Burr,1899; brevipennis Bolivar,1904; predtetschenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961* TR IR TM IL Pa SY IR ZM
9347. **Pyrobombus niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus Kriechbaumer,1870* TR Cc IR
9348. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
9349. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus Kolenati,1845* AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU
9350. **Pyrrhocoris niger Reuter,1888** (Pyrrhocoridae) Synonym(s): *niger Reuter,1888* Cr RU TR
9351. **Pyrrhosoma nymphula (Sulzer,1776)** (Coenagrionidae) Synonym(s): *nymphula Sulzer,1776* TR
9352. **Quadrastylum aylae Dlabola,1987** (Issidae) Synonym(s): *aylae Dlabola,1987* TR
9353. **Quadrastylum basiniger Dlabola,1987** (Issidae) Synonym(s): *basiniger Dlabola,1987* TR
9354. **Quadrastylum beysehiricum Dlabola,1983** (Issidae) Synonym(s): *beysehiricum Dlabola,1983* TR
9355. **Quadrastylum campanuliforme Dlabola,1979** (Issidae) Synonym(s): *campanuliforme Dlabola,1979* TR
9356. **Quadrastylum coronatum (Loginenkova,1977)** (Issidae) Synonym(s): *coronatum Loginenkova,1977* TR
9357. **Quadrastylum insulanum Dlabola,1983** (Issidae) Synonym(s): *insulanum Dlabola,1983* TR
9358. **Quadrastylum jahjai Dlabola,1983** (Issidae) Synonym(s): *jahjai Dlabola,1983* TR

9359. **Quadrastylum kulaicum Dlabola,1983** (Issidae) Synonym(s): *kulaicum Dlabola,1983* TR
9360. **Quadrastylum lodosicum Dlabola,1983** (Issidae) Synonym(s): *lodosicum Dlabola,1983* TR
9361. **Quadrastylum scoleogramma (Fieber,1877)** (Issidae) Synonym(s): *scoleogramma Fieber,1877* GR TR
9362. **Quadrastylum tarsusanum Dlabola,1989** (Issidae) Synonym(s): *tarsusanum Dlabola,1989* TR
9363. **Quadrastylum tekirdagicum Dlabola,1982** (Issidae) Synonym(s): *tekirdagicum Dlabola,1982* TR
9364. **Quartinia separata Gusenleitner,1997** (Vespidae) Synonym(s): *separata Gusenleitner,1997* SY Hms TR
9365. **Quartinia soikai Richards,1962** (Vespidae) Synonym(s): *soikai Richards,1962* TR GR
9366. **Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): *minutissimus Germar,1817* AT TR IR
9367. **Quilnus parvicollis Stal,1873** (Aradidae) Synonym(s): *parvicollis Stal,1873; anatolicus Heiss,1974* TR
9368. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia Loew,1850* ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
9369. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda Dufour,1841* FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
9370. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis Schrank,1803* PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
9371. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina Bremi,1847; rosaria Loew,1850* PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
9372. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis Loew,1850* ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
9373. **Raiboscelis azureus (Brullé,1832)** (Tenebrionidae) Synonym(s): *azureus Brullé,1832* TR
9374. **Raiboscelis coelestinus (Waltl,1838)** (Tenebrionidae) Synonym(s): *coelestinus Waltl,1838* TR
9375. **Raiboscelis eleodinus (Reiche,1861)** (Tenebrionidae) Synonym(s): *eleodinus Reiche,1861* TR
9376. **Raiboscelis latimargo Seidlitz,1896** (Tenebrionidae) Synonym(s): *latimargo Seidlitz,1896* TR
9377. **Raiboscelis syriacus (Reiche,1861)** (Tenebrionidae) Synonym(s): *syriacus Reiche,1861* TR
9378. **Ramburiella bolivari (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari Kuthy,1907; elegans Uvarov,1910* *Stethophyma bolivari Kuthy,1907, Annls Hist. nat. Mus. natn. Hung. 5: 431. Type(s): Asia Minor (types lost!).* TR Cc IR RU KG
9379. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana Fischer von Waldheim,1833; formosus Becker,1864* BG GR Cc RU KG UA Cm TR
9380. **Rammeihippus turcicus (Ramme,1939)** (Acrididae) Synonym(s): *turcicus Ramme,1939* TR
9381. **Rammeihippus turcicus (Ramme,1939)** (Acrididae) Synonym(s): *turcicus Ramme,1939* TR
9382. **Rammeola anatolica Uvarov,1934** (Tettigoniidae) Synonym(s): *anatolica Uvarov,1934* TR
9383. **Rammepodisma natoliae (Ramme,1939)** (Acrididae) Synonym(s): *natoliae Ramme,1939* TR
9384. **Ranatra linearis (Linnaeus,1758)** (Nepidae) Synonym(s): *linearis Linnaeus,1758* TR
9385. **Ranissus anatolicus Kartal,1987** (Dictyopharidae) Synonym(s): *anatolicus Kartal,1987* TR
9386. **Ranissus leptopus Fieber,1866** (Dictyopharidae) Synonym(s): *leptopus Fieber,1866; edirneus Dlabola,1957* BG GR TR
9387. **Ranissus punctiger (Horvath,1905)** (Dictyopharidae) Synonym(s): *punctiger Horvath,1905* TR
9388. **Rantus suturalis (Macleay,1825)** (Dytiscidae) Synonym(s): *suturalis Macleay,1825* TR
9389. **Raphidia (Caucasoraphidia) caucasica Esben-Petersen,1913** (Raphidiidae) Synonym(s): *caucasica Esben-Petersen,1913* Cc TR AM
9390. **Raphidia (Magnoraphidia) robusta Aspöck & Aspöck,1966** (Raphidiidae) Synonym(s): *robusta Aspöck & Aspöck,1966* *Raphidia robusta Aspöck & Aspöck,1966, Ent. NachrBl. 13 (7): 69-70. Holotype ♂: Türkei: Ankara Pr., Kizilcahamam, 23.6.1966 von Pinus sp. leg. Demelt (coll. Aspöck).* TR
9391. **Raphidia (Parvoraphidia) microstigma Stein,1863** (Raphidiidae) Synonym(s): *microstigma Stein,1863* TR
9392. **Raphidia (Phidiara) noane H.Aspöck & U.Aspöck,1966** (Raphidiidae) Synonym(s): *noane H.Aspöck & U.Aspöck,1966* TR
9393. **Raphidia (Phidiara) prophetica H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *prophetica H.Aspöck & U.Aspöck,1964* GR Rd TR
9394. **Raphidia (Phidiara) raddai U.Aspöck & H.Aspöck,1969** (Raphidiidae) Synonym(s): *raddai U.Aspöck & H.Aspöck,1969* TR
9395. **Raphidia (Phidiara) remane H.Aspöck, U.Aspöck & Şengonca,1976** (Raphidiidae) Synonym(s): *remane H.Aspöck, U.Aspöck & Şengonca,1976* *Raphidia (Phidiara) remane H.Aspöck, U.Aspöck & Şengonca,1976, Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs. Holotype ♂: Türkei,*

- Südostanatolien, Hakkari Prov., Çukurca 1300m 14 Juni 1976 von Juglans [paratypes from Quercus],
Ç.Şengoca leg. (coll. Aspöck). IQ Mos TR
9396. **Raphidia (Phidiara) ressl** H.Aspöck & U.Aspöck,1964 (Raphidiidae) Synonym(s): *ressli*
H.Aspöck & U.Aspöck,1964 TR
9397. **Raphidia (Phidiara) vartianorum** H.Aspöck & U.Aspöck,1968 (Raphidiidae)
Synonym(s): *vartianorum* H.Aspöck & U.Aspöck,1968 TR
9398. **Raphidia (Pontoraphidia) pontica** Albarda,1891 (Raphidiidae) Synonym(s): *pontica*
Albarda,1891 AM Cc TR
9399. **Raphidia (s.str.) beieri** H.Aspöck & U.Aspöck,1964 (Raphidiidae) Synonym(s): *beieri*
H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965 MD MK BG TR
9400. **Raphidia (Turcoraphidia) acerba** H.Aspöck & U.Aspöck,1966 (Raphidiidae)
Synonym(s): *acerba* H.Aspöck & U.Aspöck,1966 TR Cc AZ Nv AM
9401. **Raphidia (Turcoraphidia) amara** H.Aspöck & U.Aspöck,1964 (Raphidiidae)
Synonym(s): *amara* H.Aspöck & U.Aspöck,1964 AL MK BG UA Cm TR
9402. **Raphidia (Turcoraphidia) fuscinata** H.Aspöck & U.Aspöck,1964 (Raphidiidae)
Synonym(s): *fuscinata* H.Aspöck & U.Aspöck,1964 TR
9403. **Raphidia (Turcoraphidia) hethitica** H.Aspöck, U.Aspöck & Rausch,1984 (Raphidiidae)
Synonym(s): *hethitica* H.Aspöck, U.Aspöck & Rausch,1984 TR
9404. **Raphidia adanana** Albarda,1891 (Raphidiidae) Synonym(s): *adanana* Albarda,1891; *anatolica*
H.Aspöck & U.Aspöck,1964 TR LB Bsa
9405. **Raphidia cypria** Navas,1931 (Raphidiidae) Synonym(s): *cypria* Navas,1931; *phoenicia* H.Aspöck
& U.Aspöck,1964; *#cypria* H.Aspöck & U.Aspöck,1967 CY TR
9406. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae) Synonym(s): *nebulosa* Poda,1761 TR
9407. **Raphiglossa eumenoides** Saunders,1850 (Vespidae) Synonym(s): *eumenoides*
Saunders,1850; *caucasica* Giordani Soika,1970 Cc TR
9408. **Ratzeburgiola cristatus** (Ratzeburg) (Eulophidae) Synonym(s): TR
9409. **Ratzeburgiola incompleta** Boucek (Eulophidae) Synonym(s): TR
9410. **Ravinia pernix** (Harris,1780) (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT BY
BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
9411. **Recilia coronifera** (Marshall,1866) (Cicadellidae) Synonym(s): *coronifera* Marshall,1866;
coroniceps Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ
YU
9412. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
9413. **Reduvius pallipes** (Klug,1839) (Reduviidae) Synonym(s): *pallipes* Klug,1839 TR
9414. **Reichenbachia chevrieri** (Aubé,1844) (Staphylinidae) Synonym(s): *chevrieri* Aubé,1844 TR
9415. **Reitterelater dubius** Platia & Cate,1990 (Elateridae) Synonym(s): *dubius* Platia & Cate,1990
TR
9416. **Reptalus (s.str.) horridus** (Linnavuori,1962) (Cixiidae) Synonym(s): *horridus*
Linnavuori,1962; *zercanus* Dlabola,1965 GR TR JO LB IL
9417. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae) Synonym(s): *melanochaetus*
Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
9418. **Reptalus (s.str.) oleae** Dlabola,1987 (Cixiidae) Synonym(s): *oleae* Dlabola,1987 TR
9419. **Reptalus (s.str.) panzeri** (Loew,1883) (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT
BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
9420. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus*
Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 Cc AT BE BG CN
CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
9421. **Reptalus (Trepalus) rufocarinatus** (Kusnezov,1937) (Cixiidae) Synonym(s): *rufocarinatus*
Kusnezov,1937; *bitinctus* Dlabola,1961 TR RU UA
9422. **Resseliella oleisuga** (Targioni-Tozzetti,1886) (Cecidomyiidae) Synonym(s): *oleisuga*
Targioni-Tozzetti,1886 TR
9423. **Resseliella piceae** Seitner,1906 (Cecidomyiidae) Synonym(s): *piceae* Seitner,1906 TR
9424. **Resseliella theobaldi** (Barnes,1927) (Cecidomyiidae) Synonym(s): *theobaldi* Barnes,1927 TR
9425. **Rexa raddai** (Hölzel,1966) (Chrysopidae) Synonym(s): *raddai* Hölzel,1966 TR
9426. **Rhabdiopteryx doiranensis** Ikomonov,1983 (Taeniopterygidae) Synonym(s): *doiranensis*
Ikomonov,1983 *Rhabdiopteryx doiranensis* Ikomonov,1983, *Fragm. balc. 11 (18): 178.* MK TR
9427. **Rhabdomastix (s.str.) filata** Stary,2004 (Limoniidae) Synonym(s): *filata* Stary,2004
Rhabdomastix (s.str.) filata Stary,2004, *Eur. J. Ent. 101: 675-676, figs.* Holotype ♂: Lebanon Becharre,
leg. H.Zerny (NHMW). BG GR RU Cc GG AM TR LB Bsa
9428. **Rhacocleis acutangula** Karabağ,1957 (Tettigoniidae) Synonym(s): *acutangula* Karabağ,1957
TR
9429. **Rhacocleis anatolica** Werner,1933 (Tettigoniidae) Synonym(s): *anatolica* Werner,1933 TR
9430. **Rhacocleis germanica** (Herrich-Schäffer,1840) (Tettigoniidae) Synonym(s): *germanica*
Herrich-Schäffer,1840 TR

9431. **Rhacocleis tuberculata Karabağ,1978** (Tettigoniidae) Synonym(s): *tuberculata Karabağ,1978* TR
9432. **Rhacocleis turcica (Uvarov,1930)** (Tettigoniidae) Synonym(s): *turcica Uvarov,1930* Scirtobaenus turcius Uvarov,1930, Eos 6: 354. Holotype ♂: Turkey: Angora, leg. Sureya Bey 1930 (BMNH). TR
9433. **Rhagio albipilosus Becker,1821** (Rhagionidae) Synonym(s): *albipilosus Becker,1821* Rhagio albipilosus Becker,1821, Z. wiss. InsektenBiol. 2: 47. Type: Kleinasien: Zilizien. TR
9434. **Rhagio maculipennis (Loew,1854)** (Rhagionidae) Synonym(s): *maculipennis Loew,1854* TR
9435. **Rhagio notatus Meigen,1820** (Rhagionidae) Synonym(s): *notatus Meigen,1820* GB TR
9436. **Rhagio sordidus (Loew,1862)** (Rhagionidae) Synonym(s): *sordidus Loew,1862; pilosus Loew,1865* Leptis sordidus Loew,1862, Berl. ent. Z. 6: 74. Type: Kutais, Amassia. TR Cc GG Kta Im
9437. **Rhagio turcicus Lindler,1930** (Rhagionidae) Synonym(s): *turcicus Lindler,1930* Rhagio turcicus Lindler,1930, Konowia 9: 87. Type: Asia minor, Brussa. TR
9438. **Rhagoletis berberidis Jermy,1961** (Tephritidae) Synonym(s): *berberidis Jermy,1961* TR AT HU Cc RU SK CH UA
9439. **Rhagoletis cerasi (Linnaeus,1758)** (Tephritidae) Synonym(s): *cerasi Linnaeus,1758* RU Sb KG GG Cc IR Th Elb TR
9440. **Rhagoletis flavigenualis M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis M.Hering,1958* KG KK TJ TM IR TR Cc CH
9441. **Rhagonycha adanensis Dahlgren,1968** (Cantharidae) Synonym(s): *adanensis Dahlgren,1968* TR
9442. **Rhagonycha anatolica Dahlgren,1968** (Cantharidae) Synonym(s): *anatolica Dahlgren,1968* TR
9443. **Rhagonycha antennata Svihla,2004** (Cantharidae) Synonym(s): *antennata Svihla,2004* TR
9444. **Rhagonycha brancuccii Svihla,1993** (Cantharidae) Synonym(s): *brancuccii Svihla,1993* TR
9445. **Rhagonycha carolusi Svihla,1993** (Cantharidae) Synonym(s): *carolusi Svihla,1993* TR
9446. **Rhagonycha catei Svihla,1993** (Cantharidae) Synonym(s): *catei Svihla,1993* TR
9447. **Rhagonycha curvipes Svihla,2005** (Cantharidae) Synonym(s): *curvipes Svihla,2005* TR
9448. **Rhagonycha duplicata Dahlgren,1968** (Cantharidae) Synonym(s): *duplicata Dahlgren,1968* TR
9449. **Rhagonycha dvoraki Svihla,1995** (Cantharidae) Synonym(s): *dvoraki Svihla,1995* TR
9450. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763* TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
9451. **Rhagonycha fulvaliena Svihla,1995** (Cantharidae) Synonym(s): *fulvaliena Svihla,1995* TR
9452. **Rhagonycha icelica Svihla,1995** (Cantharidae) Synonym(s): *icelica Svihla,1995* TR
9453. **Rhagonycha kadleci Svihla,2002** (Cantharidae) Synonym(s): *kadleci Svihla,2002* TR
9454. **Rhagonycha karsensis Svihla,1995** (Cantharidae) Synonym(s): *karsensis Svihla,1995* TR
9455. **Rhagonycha kiesewetteri Marseul,1864** (Cantharidae) Synonym(s): *kiesewetteri Marseul,1864* TR GR CY
9456. **Rhagonycha kronbladi Svihla,1993** (Cantharidae) Synonym(s): *kronbladi Svihla,1993* TR
9457. **Rhagonycha lundbergi Svihla,1993** (Cantharidae) Synonym(s): *lundbergi Svihla,1993* TR
9458. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764* TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
9459. **Rhagonycha nurdagensis Wittmer,1972** (Cantharidae) Synonym(s): *nurdagensis Wittmer,1972* TR
9460. **Rhagonycha osellai Svihla,1993** (Cantharidae) Synonym(s): *osellai Svihla,1993* TR
9461. **Rhagonycha paflagonica Svihla,2004** (Cantharidae) Synonym(s): *paflagonica Svihla,2004* TR
9462. **Rhagonycha pamphylica Wittmer,1972** (Cantharidae) Synonym(s): *pamphylica Wittmer,1972* TR
9463. **Rhagonycha pseudorossica Kazantsev,1992** (Cantharidae) Synonym(s): *pseudorossica Kazantsev,1992* TR
9464. **Rhagonycha ruzickai Svihla,1993** (Cantharidae) Synonym(s): *ruzickai Svihla,1993* TR
9465. **Rhagonycha rydhi Svihla,1993** (Cantharidae) Synonym(s): *rydhi Svihla,1993* TR
9466. **Rhagonycha schneideri Svihla,2006** (Cantharidae) Synonym(s): *schneideri Svihla,2006* TR
9467. **Rhagonycha stanislavi Svihla,2002** (Cantharidae) Synonym(s): *stanislavi Svihla,2002* TR
9468. **Rhagonycha turcica Wittmer,1972** (Cantharidae) Synonym(s): *turcica Wittmer,1972* TR
9469. **Rhagonycha walteri Svihla,1993** (Cantharidae) Synonym(s): *walteri Svihla,1993* TR
9470. **Rhamphomyia (Lundstroemiella) cimrmani Bartak,2006** (Empididae) Synonym(s): *cimrmani Bartak,2006* TR
9471. **Rhamphomyia (s.str.) karamanensis Bartak, Çiftçi & Hasbenli,2007** (Empididae) Synonym(s): *karamanensis Bartak, Çiftçi & Hasbenli,2007* TR IL Pa
9472. **Rhaphitelus maculatus Walker** (Pteromalidae) Synonym(s): TR

9473. **Rheocricotopus gouini (Goetghebuer,1927)** (Chironomidae) Synonym(s): *gouini*
Goetghebuer,1927 TR
9474. **Rheotanytarsus exiguus Joh.,1937** (Chironomidae) Synonym(s): *exiguus Joh.,1937* TR
9475. **Rhicnopelte crassicornis (Nees)** (Eulophidae) Synonym(s): TR
9476. **Rhingia campestris Meigen,1822** (Syrphidae) Synonym(s): *campestris Meigen,1822* TR
9477. **Rhinocyllus conicus (Frölich,1792)** (Curculionidae) Synonym(s): *conicus Frölich,1792* TR
9478. **Rhissolepus aspinosus Dlabola,1982** (Issidae) Synonym(s): *aspinosus Dlabola,1982* TR
9479. **Rhizaspidotus canariensis (Lindinger)** (Diaspididae) Synonym(s): *canariensis Lindinger*
TR
9480. **Rhizaspidotus donacis (Leonardi)** (Diaspididae) Synonym(s): *donacis Leonardi* TR
9481. **Rhizopulvinaria artemisiae (Signoret)** (Coccidae) Synonym(s): *artemisiae Signoret* TR
9482. **Rhizopulvinaria halli Borchsenius** (Coccidae) Synonym(s): *halli Borchsenius* TR
9483. **Rhizopulvinaria pyrethri Borchsenius** (Coccidae) Synonym(s): *pyrethri Borchsenius* TR
9484. **Rhizopulvinaria spinifera Borchsenius** (Coccidae) Synonym(s): *spinifera Borchsenius* TR
9485. **Rhizopulvinaria turkestanica (Archangelskaya)** (Coccidae) Synonym(s): *turkestanica*
Archangelskaya TR
9486. **Rhizopulvinaria viridis Borchsenius** (Coccidae) Synonym(s): *viridis Borchsenius* TR
9487. **Rhizotrogus (Amphimallon) caucasicum (Gyllenhal,1817)** (Scarabaeidae) Synonym(s):
caucasicum Gyllenhal,1817 TR Cc
9488. **Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri*
Reitter,1902 ?TR SY LB JO Amm
9489. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s):
solstitialis Linnaeus,1758 TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
9490. **Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus*
Olivier,1789 RU UA Cm TM Cc TR
9491. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus Fieber,1869*
AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
9492. **Rhodococcus perornatus (Cockerell & Parrott)** (Coccidae) Synonym(s): *perornatus*
Cockerell & Parrott TR
9493. **Rhogogaster chlorosoma Benson,1943** (Tenthredinidae) Synonym(s): *chlorosoma*
Benson,1943; scalaris Klug,1817 TR
9494. **Rhopalicus guttatus (Ratzeburg)** (Pteromalidae) Synonym(s): TR
9495. **Rhopalicus tutella (Walker)** (Pteromalidae) Synonym(s): TR
9496. **Rhopalomyia artemisiae (Bouche,1834)** (Cecidomyiidae) Synonym(s): *artemisiae*
Bouche,1834 TR
9497. **Rhopalomyia baccarum (Wachtl,1883)** (Cecidomyiidae) Synonym(s): *baccarum Wachtl,1883*
TR
9498. **Rhopalomyia saissanica Fedotova,1999** (Cecidomyiidae) Synonym(s): *saissanica*
Fedotova,1999 TR
9499. **Rhopalus rufus Schilling,1829** (Rhopalidae) Synonym(s): *rufus Schilling,1829* TR
9500. **Rhopus flavidus (Mercet)** (Encyrtidae) Synonym(s): TR
9501. **Rhynchites aereipennis Desbrochers,1895** (Attelabidae) Synonym(s): *aereipennis*
Desbrochers,1895 LB SY TR
9502. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus Scopoli,1763; aurifer*
Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferganensis Newskij,1929;
armeniacus Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU
GR TR
9503. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus Linnaeus,1758;*
laetus Germar,1824; circassicus Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb
IT Si TM YU
9504. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus De Geer,1775;*
alliaria Fabricius,1775; pubescens Rossi,1790; nanus Marshall,1802; conicus Illiger,1807; ussuriensis
Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
9505. **Rhynchites giganteus Krynicky,1832** (Attelabidae) Synonym(s): *giganteus Krynicky,1832*
BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
9506. **Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae) Synonym(s): *hajastanicus Ter-*
Minacian,1965 TR AM Cc TJ
9507. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus Herbst,1784;*
marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903;
maculicollis Reitter,1916; suturifer Reitter,1916 BG AM Cc HU IR MK RU Sb SY TR GR
9508. **Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus Faust,1891; asiaticus*
Desbrochers,1908; subviolaceus Pic,1926 BG AM Cc MK GR TR SY IL Pa
9509. **Rhynchites lodosi Voss,1973** (Attelabidae) Synonym(s): *lodosi Voss,1973* TR
9510. **Rhynchites purpureipennis Voss,1973** (Attelabidae) Synonym(s): *purpureipennis Voss,1973*
TR

9511. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis*
Desbrochers,1869 AM Cc TR IR TM JO SY
9512. **Rhynchites trojanus Gyllenhal,1839** (Attelabidae) Synonym(s): *trojanus* Gyllenhal,1839;
maximus Desbrochers,1869; *minor* Schilsky,1903 RU TR GR
9513. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781;
hebraeum Giordani & Soika,1952 Cn ES IT Si GR Cr TR OM IR EG JO
9514. **Rhynocoris annulatus (Linnaeus,1758)** (Reduviidae) Synonym(s): *annulatus* Linnaeus,1758
TR
9515. **Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus*
Jakovlev,1889 RU Cc IR TR
9516. **Rhynocoris iracundus (Poda,1761)** (Reduviidae) Synonym(s): *iracundus* Poda,1761; *pictus*
Kolenati,1856 TR
9517. **Rhynocoris punctiventris Herrich-Schäffer,1846** (Reduviidae) Synonym(s): *punctiventris*
Herrich-Schäffer,1846 TR
9518. **Rhynocoris rubrogularis (Horvath,1880)** (Reduviidae) Synonym(s): *rubrogularis*
Horvath,1880 TR Cc AZ GG
9519. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus*
Goeze,1778 GB SE Cc RU TR IR CN Ui
9520. **Rhyparochromus confusus (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886
Cc IQ TR
9521. **Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878
TR Cc IR
9522. **Rhyparochromus immaculatus (Rey,1920)** (Lygaeidae) Synonym(s): *immaculatus* Rey,1920
TR
9523. **Rhyparochromus inarimensis (Costa,1860)** (Lygaeidae) Synonym(s): *inarimensis*
Costa,1860 TR
9524. **Rhyparochromus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775
DK GB SE NO Cc TR
9525. **Rhyparochromus minusculatus (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus*
Reuter,1885 GR Cr FR IT Co Si TR YU
9526. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794
IL Pa Cc TR SY CY
9527. **Rhyparochromus pineti (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): *pineti* Herrich-
Schäffer,1839 TR
9528. **Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758 Cc TR
IR CN Ui Ti
9529. **Rhyparochromus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus*
Fabricius,1798 GB SE Cc CN Ui TR
9530. **Rhyparochromus reuteri (Horvath,1885)** (Lygaeidae) Synonym(s): *reuteri* Horvath,1885
TR
9531. **Rhyparochromus saturnius (Rossi,1790)** (Lygaeidae) Synonym(s): *saturnius* Rossi,1790
TR Cc 01 07 23 27 31 33 35 46
9532. **Rhyparochromus tristis Fieber,1861** (Lygaeidae) Synonym(s): *tristis* Fieber,1861 TR
9533. **Rhyparochromus validus (Horvath,1875)** (Lygaeidae) Synonym(s): *validus* Horvath,1875
Cc TR
9534. **Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829
Cc TR CY
9535. **Rhyparochromus zarudnyi (Jakovlev,1905)** (Lygaeidae) Synonym(s): *zarudnyi*
Jakovlev,1905 TR IR
9536. **Rhyssa persuasoria (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *persuasoria*
Linnaeus,1758 TR
9537. **Rhytidodus boluicus Dlabola,1970** (Cicadellidae) Synonym(s): *boluicus* Dlabola,1970 TR
9538. **Rhytidodus decimusquartus (Schränk,1776)** (Cicadellidae) Synonym(s): *decimusquartus*
Schränk,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG
CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
9539. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus*
Kirschbaum,1868 CN MN RU Cc KG KK TJ UA TR
9540. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 AT CZ
SK IT MN KG TM RU UA TR
9541. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR
DE GR IT Sa SW Cc TR GG RU
9542. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931 TR BG
FR GB IT PT SE AZ Cc
9543. **Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948;
horvathiana Dlabola,1954 AT BG CS HU RO TR RU

9544. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 **AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA**
9545. **Ribautodelphax albostratus (Fieber,1866)** (Delphacidae) Synonym(s): *albostratus* Fieber,1866; *distinguenda* Kirschbaum,1868 **AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR**
9546. **Ribautodelphax collinus (Boheman,1847)** (Delphacidae) Synonym(s): *collinus* Boheman,1847 **TR**
9547. **Ribautodelphax pallens (Stål,1854)** (Delphacidae) Synonym(s): *pallens* Stål,1854 **TR**
9548. **Ribautodelphax pungens (Ribaut,1953)** (Delphacidae) Synonym(s): *pungens* Ribaut,1953 **TR**
9549. **Ricania aylae Dlabola,1983** (Ricaniidae) Synonym(s): *aylae* Dlabola,1983 **TR**
9550. **Ricania hedenborgi Stal,1865** (Ricaniidae) Synonym(s): *hedenborgi* Stal,1865 **Ricania hedenborgi** Stal,1865, Öftver.Kongl. Vetensk. Akad. 22: Type: Rhodus. **GR Rd Cr TR AM Cc**
9551. **Ricania japonica Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898 **JP KP KR TR CN Cc GG UA**
9552. **Rileyia doganlari Çam,2003** (Eurytomidae) Synonym(s): *doganlari* Çam,2003 **Rileyia (s.str.) doganlari** Çam,2003, Ann. ent. Soc. Am. 96 (1): 40-43. Holotype ♀: Turkey: Tokat (DAGU). **TR**
9553. **Ripersiella Kaydani Konczne Benedicty & Kozar** (Pseudococcidae) Synonym(s): *Kaydani* Konczne Benedicty & Kozar **TR**
9554. **Ripersiella periolana Goux** (Pseudococcidae) Synonym(s): *periolana* Goux **TR**
9555. **Rivetina asiatica Mistchenko,1967** (Mantidae) Synonym(s): *asiatica* Mistchenko,1967; *kinzelbachi* Harz,1988 **TR**
9556. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 **MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa**
9557. **Rivetina balcanica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *#balcanica* Kaltenbach,1963; *balcanica* La Greca & Lombardo,1982 **Rivetina balcanica** La Greca & Lombardo,1982, Animalia 9 (1/3): 356 [raised to specific level!]. **TR GR Rd Cr**
9558. **Rivetina byblica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982 **Rivetina byblica** La Greca & Lombardo,1982, Animalia 9 (1/3): 368-369. Holotype ♂: Giordania, Wadi Shu'elb (A.R.Waterston). **JO IL Pa SY Hal TR**
9559. **Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988 **TR Cc IR SY**
9560. **Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916 *Iris syriaca* Saussure,1869, Mitt. schweiz. ent. Ges. 3 (2): 65. Type: Syria. **TR IQ Bgd LB SY Hal CY TJ TM**
9561. **Robackia demeijerei (Kruseman,1933)** (Chironomidae) Synonym(s): *demeijerei* Tshernovskii,1949; *demeijerei* Kruseman,1933 **TR**
9562. **Rodolia cardinalis Mulsant,1850** (Coccinellidae) Synonym(s): *cardinalis* Mulsant,1850 **TR IT Sa Si**
9563. **Rondania cucullata Robineau-Desvoidy,1850** (Tachinidae) Synonym(s): *cucullata* Robineau-Desvoidy,1850; *notata* Robineau-Desvoidy,1863; *rufitibia* Strobl,1894; *notiventris* Pandelle,1896 **FR TR**
9564. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 **TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR**
9565. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 **TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG**
9566. **Roptrocerus xylophagorum (Ratzeburg)** (Pteromalidae) Synonym(s): **TR**
9567. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrcus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 **Gryllus nitidulus** Scopoli,1786, Delicidae florae & faunae insubricae 1: 62. Syntypes: Italia. **FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA**
9568. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 **PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG**
9569. **Rybaxis diabolica Reitter,1884** (Staphylinidae) Synonym(s): *diabolica* Reitter,1884 **TR**
9570. **Rybaxis gigas (Baudi di Delve,1870)** (Staphylinidae) Synonym(s): *gigas* Baudi di Delve,1870 **TR**
9571. **Rybaxis longicornis (Leach,1817)** (Staphylinidae) Synonym(s): *longicornis* Leach,1817 **TR**
9572. **Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911 **TR Cr CY IT DE**
9573. **Rymosia pseudocretensis Burgehele-Balacesco,1966** (Mycetophilidae) Synonym(s): *pseudocretensis* Burgehele-Balacesco,1966 **TR**

9574. **Ryukyucardiophorus mertliki** **Platia & Gudenzi,1999** (Elateridae) Synonym(s): *mertliki* **Platia & Gudenzi,1999 TR**
9575. **Saga beieri** **Kaltenbach,1967** (Tettigoniidae) Synonym(s): *lucasi* **Ramme,1951 nec Sauss.,1888; beieri** **Kaltenbach,1967 Saga beieri** **Kaltenbach,1967, Beitr. Ent. 17: 78. Holotype ♂: S.O.Anatolien Ersin bei Dörtüol 20-22.6.1937 leg. Ramme. TR SY**
9576. **Saga campbelli** **Uvarov,1921** (Tettigoniidae) Synonym(s): *campbelli* **Uvarov,1921 Saga campbelli** **Uvarov,1921, Entomologist's Rec. J. Var. 33: 155-159. Holotype ♀: Greece: Langaza plain, Saloniki (BMNH). GR RO TR**
9577. **Saga cappadocica** **Werner,1903** (Tettigoniidae) Synonym(s): *cappadocica* **Werner,1903 Saga cappadocica** **Werner,1903, Zool. Anz. 26: 528. TR**
9578. **Saga ephippigera** **Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* **Fischer von Waldheim,1846 Saga ephippigera** **Fischer von Waldheim,1846, Orth Ross.: 185, pl.30. Type(s): Caucasus. Cc AM Eri AZ Kir Nv Ord GG Aj Btm TR SY Hal LB IL Js Pa JO IR Elb Th IQ Mos Bgd**
9579. **Saga ledereri** **Saussure,1888** (Tettigoniidae) Synonym(s): *ornata* **Krauss,1879 nec Burm.,1838; ledereri** **Saussure,1888; kraussi** **Kirby,1906 Saga ledereri** **Saussure,1888, Annl's Soc. ent. Fr. 1888: 134. Syntypes ♂♀: Syrie, leg. Lederer. LB Bei TR**
9580. **Saga longicaudata** **Krauss,1879** (Tettigoniidae) Synonym(s): *longicaudata* **Krauss,1879 Saga longicaudata** **Krauss,1879, Orth. fauna Istr.: 58-60. Type(s): Kleinasien: "Cilic. Taurus". TR**
9581. **Saga natoliae** **Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos* **Stoll,1787 nec Pall.,1772; synophrys** **Charpentier,1841; natoliae** **Audinet-Serville,1839; brunneri** **Saussure,1888 Saga natoliae** **Audinet-Serville,1839, Hist. nat. Ins. Orthopteres: 541-542. Syntypes: "Smyrne" (coll. M.A.Lefebvre). AL MK BG TR SY IL Pa**
9582. **Saga ornata** **Burmeister,1838** (Tettigoniidae) Synonym(s): *ornata* **Burmeister,1838; lucasi** **Saussure,1888; savignyi** **Saussure,1888; gracilipes** **Uvarov,1923 TR LB Bei EG**
9583. **Saga puella** **Werner,1901** (Tettigoniidae) Synonym(s): *puella* **Werner,1901 Saga puella** **Werner,1901, Sitz. öst. Akad. Wiss. Math.-naturw. Kl. Abt. 1 110: 259-306, Taf. Syntypes: Ephesus (NHMW). TR**
9584. **Saga rhodiensis** **Salfi,1929** (Tettigoniidae) Synonym(s): *rhodiensis* **Salfi,1929 GR Rd TR**
9585. **Sagatus punctifrons** (**Fallén,1826**) (Cicadellidae) Synonym(s): *punctifrons* **Fallén,1826; repleta** **Fieber,1855; addita** **Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA**
9586. **Saissetia coffeae** (**Walker**) (Coccidae) Synonym(s): *coffeae* **Walker TR**
9587. **Saissetia oleae** (**Olivier**) (Coccidae) Synonym(s): *oleae* **Olivier TR**
9588. **Salentia fuscipennis** **A.Costa,1857** (Therevidae) Synonym(s): *fuscipennis* **A.Costa,1857 TR IT IR**
9589. **Salentia nigripes** (**Kröber,1912**) (Therevidae) Synonym(s): *nigripes* **Kröber,1912 GR TR**
9590. **Salicicola archangelskyae** (**Lindinger**) (Diaspididae) Synonym(s): *archangelskyae* **Lindinger TR**
9591. **Salicicola kermanensis** (**Lindinger**) (Diaspididae) Synonym(s): *kermanensis* **Lindinger TR**
9592. **Salicicola pistaciae** (**Lindinger**) (Diaspididae) Synonym(s): *pistaciae* **Lindinger TR**
9593. **Saltella nigripes** **Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* **Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
9594. **Saltella sphondylii** (**Schrank,1803**) (Sepsidae) Synonym(s): *sphondylii* **Schrank,1803; scutellaris** **Fallén,1820; melanocephala** **Drapiez,1820; analis** **Meigen,1826; varia** **Meigen,1826; hemorrhoidalis** **Meigen,1826; longipes** **Robineau-Desvoidy,1830; nana** **Robineau-Desvoidy,1830; basal** **Haliday,1833; scutellata** **Macquart,1835; ruficoxa** **Macquart,1835; albipennis** **Macquart,1835; sellata** **Haliday,1838; distincta** **Meigen,1838; analis** **Roser,1840; humeralis** **Roser,1840; parmensis** **Rondani,1874; nigerrima** **Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU**
9595. **Salticella fasciata** (**Meigen,1830**) (Sciomyzidae) Synonym(s): *fasciata* **Meigen,1830 TR**
9596. **Saperda quercus** **Charpentier,1825** (Cerambycidae) Synonym(s): *quercus* **Charpentier,1825; ocellata** **Abeille de Perrin,1895 SY TR**
9597. **Saperda scalaris** (**Linnaeus,1758**) (Cerambycidae) Synonym(s): *scalaris* **Linnaeus,1758 DZ TR CZ**
9598. **Saprinus calatravensis** **Fuente,1899** (Histeridae) Synonym(s): *calatravensis* **Fuente,1899 TR**
9599. **Saprinus maculatus** (**Rossi,1792**) (Histeridae) Synonym(s): *maculatus* **Rossi,1792 IT TR**
9600. **Saprinus subnitescens** **Bickhardt,1909** (Histeridae) Synonym(s): *subnitescens* **Bickhardt,1909 GB TR**
9601. **Sapromyza gozmanyi** **Papp,1981** (Leuxaniidae) Synonym(s): *gozmanyi* **Papp,1981 DZ CY IL Pa TR**
9602. **Sapromyza intonsa** **Loew,1847** (Leuxaniidae) Synonym(s): *intonsa* **Loew,1847 IT CH TR**
9603. **Sapromyza intonsina** **Yarom,1990** (Leuxaniidae) Synonym(s): *intonsina* **Yarom,1990 IL Pa TR**
9604. **Sapromyza laszlopappi** **Merz,2000** (Leuxaniidae) Synonym(s): *laszlopappi* **Merz,2000 TR CY**

9605. **Sapyga (Polosapyga) singla Kurzenko,1994** (Sapygidae) Synonym(s): *singla Kurzenko,1994* TR
9606. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica Radoszkowski,1880* IR TR Ce
9607. **Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae) Synonym(s): *gusenleitneri Kurzenko,1994* TR IL Pa JO
9608. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): *morawitzi Turner,1911; gussakovskii Kurzenko,1986* *Sapyga morawitzi Turner,1911, Ann. Mag. nat. Hist. (8) 7: 309-310. Holotype: Iran: SW Persia (Escalera leg.) (BMNH).* TR GR Cr IR
9609. **Sapyga (s.str.) mutica Kurzenko,1994** (Sapygidae) Synonym(s): *mutica Kurzenko,1994* TR SY
9610. **Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima Morawitz,1894* TR SY TM UZ
9611. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata Fabricius,1781* TR SY Bld CY IL Pa JO MT GR MA TN MA
9612. **Sapyga (s.str.) similis (Fabricius,1793)** (Sapygidae) Synonym(s): *similis Fabricius,1793; variegata Dahlbom,1844; exornata Gerstraecker,1861; pedestris Gerstraecker,1861; rufipes A.Costa,1864* RU MN CN TR
9613. **Sapygina decemguttata (Jurine,1807)** (Sapygidae) Synonym(s): *decemguttata Jurine,1807; millefolii Lepeletier,1825; chelostomae Robineau,1836; panzeri Guérin,1837; cylindricum Schenk,1857; nigra Tournier,1889* TR IL Pa GR Le
9614. **Sapygina maloasiatica Kurzenko,1994** (Sapygidae) Synonym(s): *maloasiatica Kurzenko,1994* TR
9615. **Sapygina schwarzi Kurzenko,1994** (Sapygidae) Synonym(s): *schwarzi Kurzenko,1994* TR
9616. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa Wiedemann,1819* AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
9617. **Sarcophaga (Discachaeta) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans Pandellé,1896* TR
9618. **Sarcophaga (Helicophagella) bellae Lehrer,2000** (Sarcophagidae) Synonym(s): *bellae Lehrer,2000* TR
9619. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo Pandellé,1896* AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
9620. **Sarcophaga (Helicophagella) dreyfusi (Lehrer,1994)** (Sarcophagidae) Synonym(s): *dreyfusi Lehrer,1994* TR
9621. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura Meigen,1826* AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
9622. **Sarcophaga (Helicophagella) novercoides Böttcher,1913** (Sarcophagidae) Synonym(s): *novercoides Böttcher,1913* TR
9623. **Sarcophaga (Heteronychia) bezziana Böttcher,1913** (Sarcophagidae) Synonym(s): *bezziana Böttcher,1913* TR
9624. **Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea Rondani,1860; portschinskyana Rohdendorf,1937* BG FR GR IT Si UA YU TR
9625. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia Rondani,1860* AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
9626. **Sarcophaga (Heteronychia) haemorrhoea Meigen,1826** (Sarcophagidae) Synonym(s): *haemorrhoea Meigen,1826* TR
9627. **Sarcophaga (Heteronychia) haemorrhoides Böttcher,1913** (Sarcophagidae) Synonym(s): *haemorrhoides Böttcher,1913* TR
9628. **Sarcophaga (Heteronychia) kerteszi Villeneuve,1912** (Sarcophagidae) Synonym(s): *kerteszi Villeneuve,1912* TR
9629. **Sarcophaga (Heteronychia) minima Rondani,1860** (Sarcophagidae) Synonym(s): *minima Rondani,1860; fertoni Villeneuve,1916; graeca Rohdendorf,1937* GR TR
9630. **Sarcophaga (Heteronychia) mutila Villeneuve,1912** (Sarcophagidae) Synonym(s): *mutila Villeneuve,1912* TR
9631. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana Rohdendorf,1937* AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
9632. **Sarcophaga (Heteronychia) schineri Bezzi,1891** (Sarcophagidae) Synonym(s): *schineri Bezzi,1891* TR
9633. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis Rondani,1860* TR CY BG GR FR IT HU RO MK
9634. **Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae) Synonym(s): *siciliensis Böttcher,1913* IT Si TR

9635. **Sarcophaga (Heteronychia) taurica (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *taurica Rohdendorf,1937* TR
9636. **Sarcophaga (Heteronychia) thirionae (Lehrer,1976)** (Sarcophagidae) Synonym(s): *thirionae Lehrer,1976* TR
9637. **Sarcophaga (Heteronychia) vagans Meigen,1826** (Sarcophagidae) Synonym(s): *vagans Meigen,1826* TR
9638. **Sarcophaga (Heteronychia) zhelochovtzevi (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): *zhelochovtzevi Rohdendorf,1925* TR
9639. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces Walker,1849* TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
9640. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma Robineau-Desvoidy,1830* TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
9641. **Sarcophaga (Liopygia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis Macquart,1839* TR
9642. **Sarcophaga (Liosarcophaga) emdeni (Rohdendorf,1969)** (Sarcophagidae) Synonym(s): *emdeni Rohdendorf,1969* TR
9643. **Sarcophaga (Liosarcophaga) portschinskyi (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *portschinskyi Rohdendorf,1937* TR
9644. **Sarcophaga (Mehria) sexpunctata (Fabricius,1794)** (Sarcophagidae) Synonym(s): *sexpunctata Fabricius,1794* TR
9645. **Sarcophaga (Myorhina) nigriventris Meigen,1826** (Sarcophagidae) Synonym(s): *nigriventris Meigen,1826* TR
9646. **Sarcophaga (Myorhina) soror Rondani,1860** (Sarcophagidae) Synonym(s): *soror Rondani,1860* TR
9647. **Sarcophaga (Pandelleisca) similis Meade,1876** (Sarcophagidae) Synonym(s): *similis Meade,1876* TR
9648. **Sarcophaga (Parasarcophaga) albiceps Meigen,1826** (Sarcophagidae) Synonym(s): *albiceps Meigen,1826* TR
9649. **Sarcophaga (Parasarcophaga) hirtipes Wiedemann,1830** (Sarcophagidae) Synonym(s): *hirtipes Wiedemann,1830* TR
9650. **Sarcophaga (Phytosarcophaga) destructor Malloch,1929** (Sarcophagidae) Synonym(s): *destructor Malloch,1929* TR
9651. **Sarcophaga (Pseudothyrsocnema) spinosa Villeneuve,1912** (Sarcophagidae) Synonym(s): *spinosa Villeneuve,1912* TR
9652. **Sarcophaga (Rosellea) aratrix Pandellé,1896** (Sarcophagidae) Synonym(s): *aratrix Pandellé,1896* TR
9653. **Sarcophaga (s.str.) bergi Rohdendorf,1937** (Sarcophagidae) Synonym(s): *bergi Rohdendorf,1937* TR
9654. **Sarcophaga (s.str.) lasiostyla Macquart,1843** (Sarcophagidae) Synonym(s): *lasiostyla Macquart,1843* TR SA
9655. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni Müller,1922* AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
9656. **Sarcophaga (s.str.) variegata (Scopoli,1763)** (Sarcophagidae) Synonym(s): *variegata Scopoli,1763* TR
9657. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata Meigen,1826* TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
9658. **Sarcophaga (Thyrsoconema) incisilobata Pandellé,1896** (Sarcophagidae) Synonym(s): *incisilobata Pandellé,1896* TR
9659. **Sarcophila latifrons (Fallén,1817)** (Sarcophagidae) Synonym(s): *latifrons Fallén,1817* TR IL Pa
9660. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius Linnaeus,1758; violaceus Scopoli,1763; caeruleicollis Meigen,1822; coeruleicollis Loew,1855; nubeculosus Zetterstedt,1842; minimus Zetterstedt,1849* ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
9661. **Saropogon dasynotus Loew,1871** (Asilidae) Synonym(s): *dasynotus Loew,1871* RU KG TR
9662. **Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): *ehrenbergii Loew,1851* GR SY LB IL Pa TR
9663. **Saropogon eucerus (Loew,1847)** (Asilidae) Synonym(s): *eucerus Loew,1847* GR IL Pa TR
9664. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum Loew,1847; brachyterus Loew,1869; micropterus Loew,1869* TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
9665. **Saropogon leucocephalus (Meigen,1820)** (Asilidae) Synonym(s): *leucocephalus Meigen,1820* TR
9666. **Saropogon melampygi (Loew,1851)** (Asilidae) Synonym(s): *melampygi Loew,1851* TR
9667. **Saropogon platynotus (Loew,1847)** (Asilidae) Synonym(s): *platynotus Loew,1847* TR IR Elb Mz

9668. **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus Loew,1869* TN EG ES TR
IR Es
9669. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus Wiedemann,1828*;
aegypticus Macquart,1838; *confluens Loew,1851* TR IR Ss IL Pa EG SY LY CH
9670. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas Eversmann,1855* IR Ss Ke Kh
Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
9671. **Satchelliella canescens (Meigen,1804)** (Psychodidae) Synonym(s): *canescens Meigen,1804*
TR
9672. **Satchelliella malickyi Vaillant,1981** (Psychodidae) Synonym(s): *malickyi Vaillant,1981* TR
9673. **Satchelliella schachtii R.Wagner,1986** (Psychodidae) Synonym(s): *schachtii R.Wagner,1986*
TR
9674. **Sathon falcatus (Nees,1834)** (Braconidae) Synonym(s): *falcatus Nees,1834* **Microgaster**
falcatus Nees, 1834, Hym. Ichn. Affin. Mon. 1: 175. TR ID Ja
9675. **Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata*
Macquart,1842 TR ES IR GB HU GR Cr
9676. **Scaeva dignota (Rondani,1857)** (Syrphidae) Synonym(s): *dignota Rondani,1857* GR Cr TR
9677. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris Linnaeus,1758*; *melinus*
Harris,1776; *rosae De Geer,1776*; *transfugus Fabricius,1794*; *affinis Say,1823* TR US GB HU DE SE NO GR Cr
9678. **Scaeva selenitica (Meigen,1822)** (Syrphidae) Synonym(s): *selenitica Meigen,1822* TR
9679. **Scambus (Atelophadnus) rufator Aubert,1963** (Ichneumonidae) Synonym(s): *rufator*
Aubert,1963 FR YU BG TR RU
9680. **Scambus (Endromopoda) detritus (Holmgren,1960)** (Ichneumonidae) Synonym(s):
detritus Holmgren,1960 TR
9681. **Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
brevicornis Gravenhorst,1829 TR TN US MN
9682. **Scambus (s.str.) calobatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calobatus*
Gravenhorst,1829 TN TR RU Ur TR
9683. **Scambus (s.str.) elegans (Woldstedt,1877)** (Ichneumonidae) Synonym(s): *elegans*
Woldstedt,1877 TR Cc UA Cm
9684. **Scambus (s.str.) pomorum (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *pomorum*
Ratzeburg,1848 TR Cc
9685. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758*
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
9686. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s):
pallida Zetterstedt,1847; *disticha Duda,1921* YU AL RO BG UA Cm GG Cc Soc GB TR
9687. **Scaptomyza (s.str.) flava (Fallén,1823)** (Drosophilidae) Synonym(s): *flava Fallén,1823* BG
TR
9688. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum*
Fallén,1823 YU RO BG TR EG US TW RU UZ GB DK Hw IN
9689. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae) Synonym(s): *armeniacus*
Ménériés,1832; *nigrociliatus Motschoulsky,1849* RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
9690. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius Illiger,1803* RU Cc AM TM
TJ TR HU IT YU AL GR SY IL Pa JO AF
9691. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis*
Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
9692. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758*; *crenatus*
De Geer,1778; *impius Fabricius,1801*; *platychilus Fischer von Waldheim,1823*; *retusus Brullé,1832*; *europaeus*
Motschoulsky,1849; *confluidens Fleis.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG
MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
9693. **Scarabaeus semipunctatus Fabricius,1792** (Scarabaeidae) Synonym(s): *semipunctatus*
Fabricius,1792; *substriatus Mulsant,1842*; *subinermis Mulsant,1842* ES TR
9694. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon*
Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB
IL Pa CN MN KP KR
9695. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus Fabricius,1787*
IT Si Sa MT YU BG GR TR MA DZ TN
9696. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri Stolfa,1938* UZ TM Kp
AF IR IQ SY KG PK TJ TR
9697. **Scarodytes halensis (Fabricius,1787)** (Dytiscidae) Synonym(s): *halensis Fabricius,1787* TR
9698. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria Fabricius,1794*
DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
9699. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria*
Linnaeus,1758; *merdaria Fabricius,1794*; *asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG EE FR
FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
9700. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA
DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa

9701. **Sceptonia cryptocauda Chandler,1991** (Mycetophilidae) Synonym(s): *cryptocauda Chandler,1991* TR
9702. **Sceptonia flavipuncta Edwards,1925** (Mycetophilidae) Synonym(s): *flavipuncta Edwards,1925* TR
9703. **Sceptonia intestata Plassmann & Schacht,1990** (Mycetophilidae) Synonym(s): *intestata Plassmann & Schacht,1990* TR
9704. **Sceptonia membranacea Edwards,1925** (Mycetophilidae) Synonym(s): *membranacea Edwards,1925* TR
9705. **Schistocerca gregaria (Forskal,1775)** (Acrididae) Synonym(s): *gregaria Forskal,1775* TR
9706. **Schistonyx modestus Priesner,1967** (Pompilidae) Synonym(s): *modestus Priesner,1967* TR
9707. **Schizodactylus inexpectatus (Werner,1901)** (Schizodactylidae) Synonym(s): *inexpectatus Werner,1901* [Comicus inexpectatus Werner,1901, Sitz. öst. Akad. Wiss. Math.-naturw. Kl. Abt 1 110: 302. Type ♂: Cilicien, Gülek \(NHMW\)](#). TR
9708. **Schizonotus sieboldi (Ratzeburg)** (Pteromalidae) Synonym(s): TR
9709. **Schizoprymnus brevicornis (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *brevicornis Herrich-Schäffer,1838* DE RU TR
9710. **Schizoprymnus obscurus (Nees,1813)** (Braconidae) Synonym(s): *obscurus Nees,1813* RU UA Cm IR TR
9711. **Schizoprymnus ozlemae Beyarslan,1988** (Braconidae) Synonym(s): *ozlemae Beyarslan,1988* TR
9712. **Schoenomyza litorella (Fallén,1823)** (Muscidae) Synonym(s): *litorella Fallén,1823* AM Cc GG TR PK NP
9713. **Schoutedenomyia superba (Kröber,1912)** (Therevidae) Synonym(s): *superba Kröber,1912* GR TR
9714. **Schulmeisteri schulmeisteri Harz,1992** (Tettigoniidae) Synonym(s): *schulmeisteri Harz,1992* TR
9715. **Sciapteryx circassica Dovnar-Zapolski,1930** (Tenthredinidae) Synonym(s): *circassica Dovnar-Zapolski,1930* TR
9716. **Sciapteryx laeta Konow,1891** (Tenthredinidae) Synonym(s): *laeta Konow,1891; laeta Muche,1973* TR
9717. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* TR Cc AZ IR PK IN LK SA SO TZ Cn
9718. **Sciocoris deltocephalus Fieber,1861** (Pentatomidae) Synonym(s): *deltocephalus Fieber,1861* TR
9719. **Sciocoris hoberlandi Wagner,1954** (Pentatomidae) Synonym(s): *hoberlandi Wagner,1954* TR
9720. **Sciocoris luteolus Fieber,1861** (Pentatomidae) Synonym(s): *luteolus Fieber,1861* TR
9721. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae) Synonym(s): *macrocephalus Fieber,1851* TR
9722. **Sciocoris maculatus Fieber,1851** (Pentatomidae) Synonym(s): *maculatus Fieber,1851* TR
9723. **Sciocoris microphthalmus Flor,1860** (Pentatomidae) Synonym(s): *microphthalmus Flor,1860* TR
9724. **Sciocoris ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus Fieber,1861; #ochraseus Önder et al.,2006* IQ IL Pa CY SY TM TR
9725. **Sciomyza testacea Macquart,1835** (Sciomyzidae) Synonym(s): *testacea Macquart,1835* TR
9726. **Sciophila delphis Chandler,2001** (Mycetophilidae) Synonym(s): *delphis Chandler,2001* TR
9727. **Sciophila muglolutea Bechev & Koç,2006** (Mycetophilidae) Synonym(s): *muglolutea Bechev & Koç,2006* TR
9728. **Sciophila sp.** (Mycetophilidae) Synonym(s): TR
9729. **Sciophila turcolutea Bechev & Koç,2006** (Mycetophilidae) Synonym(s): *turcolutea Bechev & Koç,2006* TR
9730. **Scirtes haemisphaericus (Linnaeus,1767)** (Scirtidae) Synonym(s): *haemisphaericus Linnaeus,1767* TR
9731. **Scirtes Illiger,1807** (Scirtidae) Synonym(s): *Scirtes Illiger,1807* TR
9732. **Scirtes orbicularis (Panzer,1793)** (Scirtidae) Synonym(s): *orbicularis Panzer,1793* TR
9733. **Scleron carinatum Baudi,1875** (Tenebrionidae) Synonym(s): *carinatum Baudi,1875* TR
9734. **Scleron fossulatum Mulsant & Wachenrau,1852** (Tenebrionidae) Synonym(s): *fossulatum Mulsant & Wachenrau,1852* TR
9735. **Scleron multistriatum (Forskall,1775)** (Tenebrionidae) Synonym(s): *multistriatum Forskall,1775* TR
9736. **Scleroprocta balcanica Stary,1976** (Limoniidae) Synonym(s): *balcanica Stary,1976* TR
9737. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula Fallén,1806 (praeocc.); decumanus Kontkanen,1949* BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
9738. **Scolia anatoliae Osten,2004** (Scoliidae) Synonym(s): *anatoliae Osten,2004* TR
9739. **Scolia asiella Betrem,1935** (Scoliidae) Synonym(s): *asiella Betrem,1935* TR

9740. **Scolia erivanensis (Radoszkowski,1876)** (Scoliidae) Synonym(s): *erivanensis* Radoszkowski,1876 TR Cc AM Eri
9741. **Scolia fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849 ES FR IT GR TR TM
9742. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Mucho,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
9743. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970 IT Sa Si TR PT ES MT CY FR Co CY KG
9744. **Scolia insubrica (Scopoli,1786)** (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849 IT YU EG TR RU
9745. **Scolia sexmaculata (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *dionysopolis* Tkalcu,1988 IT LB Bei ES TR DE GB
9746. **Scolia turkestanica Betrem,1935** (Scoliidae) Synonym(s): *turkestanica* Betrem,1935 TR
9747. **Scoliophthalmus civeleki Deeming,2006** (Chloropidae) Synonym(s): *civeleki* Deeming,2006 Scoliophthalmus civeleki Deeming,2006, Türk. ent. Derg. 30 (2): 83-88. Holotype ♂: Turkey: Muğla Prov., Közceğiz (National Museum Wales,UK). TR
9748. **Scolobates nigripennis Sichel,1860** (Ichneumonidae) Synonym(s): *nigripennis* Sichel,1860 TR UA Cm Cc
9749. **Scorlupella amica Dlabola,1984** (Issidae) Synonym(s): *amica* Dlabola,1984 TR
9750. **Scorlupella assimile (Horvath,1905)** (Issidae) Synonym(s): *assimile* Horvath,1905 TR
9751. **Scorlupella bouvardi Dlabola,1984** (Issidae) Synonym(s): *bouvardi* Dlabola,1984 TR
9752. **Scorlupella corumica Dlabola,1982** (Issidae) Synonym(s): *corumica* Dlabola,1982 TR
9753. **Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): *discolor* Germar,1821 Cc BG IT RO TR GG UA
9754. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
9755. **Scorlupella pontica Dlabola,1982** (Issidae) Synonym(s): *pontica* Dlabola,1982 TR
9756. **Scotodryadusa maculata (Ebner,1912)** (Tettigoniidae) Synonym(s): *maculata* Ebner,1912 TR
9757. **Scotodryadusa ozkani Erman & Salman,1990** (Tettigoniidae) Synonym(s): *ozkani* Erman & Salman,1990 TR
9758. **Scotodryadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939 IL Pa JO SY TR IQ IR AF
9759. **Scotodryadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca* Pictet,1888; *anatolica* Werner,1901; *rammei* Uvarov,1929; *turcica* Ramme,1939; *kozana* Ramme,1951; *amani* Ramme,1951 TR SY LB IQ
9760. **Scotoplectus ponticus Besuchet,1975** (Staphylinidae) Synonym(s): *ponticus* Besuchet,1975 TR
9761. **Scutellista caerulea (Fonscolombe)** (Pteromalidae) Synonym(s): TR
9762. **Scymnus apetzi Mulsant,1846** (Coccinellidae) Synonym(s): *apetzi* Mulsant,1846 IT Sa Si TR
9763. **Scymnus araraticus Jablakov & Khnzorian,1969** (Coccinellidae) Synonym(s): *araraticus* Jablakov & Khnzorian,1969 TR IT Sa Si
9764. **Scymnus auritus (Thunberg,1795)** (Coccinellidae) Synonym(s): *auritus* Thunberg,1795 IT TR
9765. **Scymnus levaillanti Mulsant,1850** (Coccinellidae) Synonym(s): *levaillanti* Mulsant,1850 TR IT Si Sa
9766. **Scymnus pallipediformis Günther,1958** (Coccinellidae) Synonym(s): *pallipediformis* Günther,1958 TR IT Si
9767. **Scymnus quadriguttatus Capra,1924** (Coccinellidae) Synonym(s): *quadriguttatus* Capra,1924 IT TR
9768. **Scymnus rubromaculatus (Goeze,1778)** (Coccinellidae) Synonym(s): *rubromaculatus* Goeze,1778 IT Si Sa TR
9769. **Scymnus subvillosus (Goeze,1777)** (Coccinellidae) Synonym(s): *subvillosus* Goeze,1777 TR IT Si Sa
9770. **Scymnus suturalis (Thunberg,1795)** (Coccinellidae) Synonym(s): *suturalis* Thunberg,1795 TR IT Sa Si
9771. **Scythia craniumequinum Kiritchenko** (Coccidae) Synonym(s): *craniumequinum* Kiritchenko TR
9772. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882 FR GR MA DZ TN BG TR IR Ab Mak
9773. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
9774. **Selatosomus (Pristilophus) melancholicus** (Elateridae) Synonym(s): TR
9775. **Selatosomus (s.str.) aeneus (Linnaeus,1758)** (Elateridae) Synonym(s): *aeneus* Linnaeus,1758 TR Cc RU Sb

9776. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis* Germar,1843 GR TR Cc SY
9777. **Selatosomus (s.str.) armeniacus Dolin,1982** (Elateridae) Synonym(s): *armeniacus* Dolin,1982 AM TR
9778. **Selatosomus (s.str.) atratus (Ballion,1878)** (Elateridae) Synonym(s): *atratus* Ballion,1878 KK KG TR?
9779. **Selatosomus (s.str.) beysehiricus Mertlik,2000** (Elateridae) Synonym(s): *beysehiricus* Mertlik,2000 TR
9780. **Selatosomus (s.str.) caucasicus (Ménétriés,1879)** (Elateridae) Synonym(s): *caucasicus* Ménétriés,1879 Cc TR
9781. **Selatosomus (s.str.) latissimus Reitter,1910** (Elateridae) Synonym(s): *latissimus* Reitter,1910 TR
9782. **Selatosomus (s.str.) latus (Fabricius,1801)** (Elateridae) Synonym(s): *latus* Fabricius,1801; *saginata* Ménétriés,1832; *gravidus* Germar,1843 TR Cc RU Sb
9783. **Selatosomus (s.str.) pecirkanus Reitter,1910** (Elateridae) Synonym(s): *pecirkanus* Reitter,1910 TR
9784. **Selatosomus (s.str.) punctipennis Reitter,1910** (Elateridae) Synonym(s): *punctipennis* Reitter,1910 TR
9785. **Selatosomus (s.str.) sameki Mertlik,2000** (Elateridae) Synonym(s): *sameki* Mertlik,2000 TR
9786. **Selatosomus (Warchalowskianus) ampliformis Reitter,1910** (Elateridae) Synonym(s): *ampliformis* Reitter,1910 TR
9787. **Selatosomus (Warchalowskianus) barlaensis Mertlik,2000** (Elateridae) Synonym(s): *barlaensis* Mertlik,2000 TR
9788. **Selenocephalus amasyicus Dlabola,1977** (Cicadellidae) Synonym(s): *amasyicus* Dlabola,1977 TR
9789. **Selenocephalus anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957 TR IR
9790. **Selenocephalus ankaræ Dlabola,1957** (Cicadellidae) Synonym(s): *ankaræ* Dlabola,1957 TR
9791. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae) Synonym(s): *armeniacus* Lindberg,1960 Cc AM TR
9792. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
9793. **Selenocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens* Lindberg,1948; *obscurus* Lindberg,1953 CY IL Pa MA TN TR
9794. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
9795. **Selenocephalus planus (Turton,1802)** (Cicadellidae) Synonym(s): *planus* Turton,1802 TR
9796. **Selenocephalus sirvadi Dlabola,1965** (Cicadellidae) Synonym(s): *sirvadi* Dlabola,1965 JO TR
9797. **Selenocephalus stenopterus Signoret,1880** (Cicadellidae) Synonym(s): *stenopterus* Signoret,1880 TR
9798. **Selenocephalus tapan Dlabola,1981** (Cicadellidae) Synonym(s): *tapan* Dlabola,1981 TR
9799. **Selenocephalus uvarovi Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvarovi* Zachvatkin,1946 TR
9800. **Selysiothemis nigra (Van Der Linden,1825)** (Libellulidae) Synonym(s): *nigra* Van Der Linden,1825 TR? IQ
9801. **Semiela cher petiolata (Grault)** (Eulophidae) Synonym(s): TR
9802. **Semnosia caucasica (Pic,1898)** (Cerambycidae) Synonym(s): *caucasica* Pic,1898 Cc AM TR
9803. **Semnosia herminæ (Reitter,1890)** (Cerambycidae) Synonym(s): *herminæ* Reitter,1890; *gobustanica* Danilevsky,1990 AZ AM Cc TR IR
9804. **Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix* Abeille de Perrin,1885 SY LB TR
9805. **Semnosia interrupta (Pic,1905)** (Cerambycidae) Synonym(s): *interrupta* Pic,1905 TR
9806. **Semnosia mirabilis (Faldermann,1837)** (Cerambycidae) Synonym(s): *mirabilis* Faldermann,1837 TR IR Mz Elb Fa
9807. **Semnosia scovitzii (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzii* Faldermann,1837 TR AM Cc AZ IR
9808. **Senometopia separata (Rondani,1859)** (Tachinidae) Synonym(s): *separata* Rondani,1859 TR IT
9809. **Senotainia albifrons (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860 TR
9810. **Senotainia conica (Fallén,1810)** (Sarcophagidae) Synonym(s): *conica* Fallén,1810 TR

9811. **Senotainia tricuspis (Meigen,1838)** (Sarcophagidae) Synonym(s): *tricuspis* Meigen,1838 TR
9812. **Sepedon spegea (Fabricius,1781)** (Sciomyzidae) Synonym(s): *spegea* Fabricius,1781 RO
TR RU
9813. **Sepedon spinipes (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763 YU TR
RU
9814. **Sepiana sepia (Yersin,1854)** (Tettigoniidae) Synonym(s): *sepia* Yersin,1854 TR
9815. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932;
pamirensis Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
9816. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes*
Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
9817. **Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): *fissa* Becker,1903 EG MT IT Si SK RO TR PK
9818. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826 SE
FI NO RU Us AF TR
9819. **Sepsis lateralis Wiedemann,1830** (Sepsidae) Synonym(s): *lateralis* Wiedemann,1830;
complicata Wiedemann,1830; *inpunctata* Macquart,1839; *hyalipennis* Macquart,1851; *melitensis*
Rondani,1874; *schembrii* Rondani,1874; *fragilis* Becker,1903 Cn DZ PT MT EG TR
9820. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander
& Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH
YU TR
9821. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima*
Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
9822. **Sepsis pseudomonostigma Ursu,1969** (Sepsidae) Synonym(s): *pseudomonostigma* Ursu,1969
LT CZ IT Sa Si RO TR TM
9823. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma*
Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta*
Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosus* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932
Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
9824. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae) Synonym(s): *thoracica* Robineau-
Desvoidy,1830; *tridens* Becker,1903; *consanguinea* Villeneuve,1920; *goetghebueri* Frey,1925; *idmais*
Séguy,1932; *ino* Séguy,1932 FR GB BE EG TR
9825. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes*
Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU
Sb Us MN JP PK TR IR Kh
9826. **Sericomyia silentis (Harris,1776)** (Syrphidae) Synonym(s): *silentis* Harris,1776 TR
9827. **Setapius barajus (Dlabola,1957)** (Cixiidae) Synonym(s): *barajus* Dlabola,1957 Cc AF TR AM
GG
9828. **Setapius brinki Dlabola,1988** (Cixiidae) Synonym(s): *brinki* Dlabola,1988 TR
9829. **Setapius klapperichianus Dlabola,1988** (Cixiidae) Synonym(s): *klapperichianus* Dlabola,1988
TR JO
9830. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 AF CY IR
IQ IL TR RU Da Cc AZ UZ
9831. **Setapius niyazicus (Dlabola,1985)** (Cixiidae) Synonym(s): *niyazicus* Dlabola,1985 TR
9832. **Shelfordella tartara (Saussure,1874)** (Blattidae) Synonym(s): *tartara* Saussure,1874 TR
9833. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
9834. **Sialis morio Klingstedt,1932** (Sialidae) Synonym(s): *morio* Klingstedt,1932 TR
9835. **Sialis nigripes Pictet,1865** (Sialidae) Synonym(s): *nigripes* Pictet,1865 TR
9836. **Sicus caucasicus Zimina,1963** (Conopidae) Synonym(s): *caucasicus* Zimina,1963 TR Cc
9837. **Sicus ferrugineus (Linnaeus,1761)** (Conopidae) Synonym(s): *ferrugineus* Linnaeus,1761 TR
9838. **Sicus nigratarsis Zimina,1975** (Conopidae) Synonym(s): *nigratarsis* Zimina,1975 RU TR
9839. **Sigalphus irrorator (Fabricius,1775)** (Braconidae) Synonym(s): *irrorator* Fabricius,1775 TR
9840. **Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris* Horvath,1911 TR IQ IL
Pa Cc SY
9841. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV
IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
9842. **Sigara daghestanica Jansson,1983** (Corixidae) Synonym(s): *daghestanica* Jansson,1983;
#daghestanica Önder et al.,2006 **Sigara (Subsigara) daghestanica Jansson,1983, Ann. ent. fenn. 49 (3):**
65-70. Cc RU Da AZ AM TR GB
9843. **Sigara falleni (Fieber,1848)** (Corixidae) Synonym(s): *falleni* Fieber,1848 TR
9844. **Sigara iactans Jansson,1983** (Corixidae) Synonym(s): *iactans* Jansson,1983 NL TR
9845. **Sigara kervillei (Poisson,1927)** (Corixidae) Synonym(s): *kervillei* Poisson,1927 **Arctocoris**
kervillei Poisson,1927, Bull. Soc. ent. Fr. 1927: 164-166. Type: Ankara. TR
9846. **Sigara lateralis Leach,1818** (Corixidae) Synonym(s): *lateralis* Leach,1818 TR
9847. **Sigara limitata (Fieber,1848)** (Corixidae) Synonym(s): *limitata* Fieber,1848 TR
9848. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY EG
RO GR TR

9849. **Sigara nigrolineata (Fieber,1848)** (Corixidae) Synonym(s): *nigrolineata Fieber,1848* TR
9850. **Sigara samani Hoberlandt,1948** (Corixidae) Synonym(s): *samani Hoberlandt,1948; tigranes Jansson,1986* TR
9851. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta Rambur,1840* AL BG DZ MA HV IQ IT ES TN TR
9852. **Sigara striata (Linnaeus,1758)** (Corixidae) Synonym(s): *striata Linnaeus,1758* TR
9853. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata Fabricius,1798* IT Sa FR Co ES MA DZ TN EG TR
9854. **Sigmophora brevicornis (Panzer)** (Eulophidae) Synonym(s): TR
9855. **Silifka fatima Argaman & Özbek,1992** (Tiphidae) Synonym(s): *fatima Argaman & Özbek,1992* TR
9856. **Silpha obscura Linnaeus,1758** (Silphidae) Synonym(s): *obscura Linnaeus,1758* TR
9857. **Silpha tristis Illiger,1798** (Silphidae) Synonym(s): *tristis Illiger,1798* TR Cc IR
9858. **Silvius (Heterosilvius) peculiaris Olsuljev,1971** (Tabanidae) Synonym(s): *peculiaris Olsuljev,1971* TR
9859. **Silvius (s.str.) algirus Meigen,1930** (Tabanidae) Synonym(s): *algirus Meigen,1930* TR
9860. **Silvius (s.str.) alpinus (Scopoli,1763)** (Tabanidae) Synonym(s): *alpinus Scopoli,1763; vituli Fabricius,1805* TR
9861. **Silvius (s.str.) inflaticornis Austen,1925** (Tabanidae) Synonym(s): *inflaticornis Austen,1925* TR
9862. **Silvius (s.str.) latifrons Olsuljev,1937** (Tabanidae) Synonym(s): *latifrons Olsuljev,1937; graeca Chvala, Moucha & Lyneborg,1972* TR
9863. **Silvius (s.str.) ochraceus Loew,1858** (Tabanidae) Synonym(s): *ochraceus Loew,1858* TR
9864. **Silvius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus Fabricius,1805* TR
9865. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum De Geer,1776; sericatum Meigen,1830; tenuifrons Enderlein,1921; sinense Enderlein,1934; mihalyii Rubtsov,1967; chelevini Ivashchenko,1968* SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
9866. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivoecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
9867. **Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): *reginae Terteryan,1949* TR? AM AZ Cc GG CN Ui
9868. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
9869. **Simulium (Montisimulium) alizadei (Djafarov,1954)** (Simuliidae) Synonym(s): *alizadei Djafarov,1954* TR
9870. **Simulium (Nevermannia) angustitarse (Lundström,1911)** (Simuliidae) Synonym(s): *angustitarse Lundström,1911* TR
9871. **Simulium (Nevermannia) costatum Friederichs,1920** (Simuliidae) Synonym(s): *costatum Friederichs,1920* TR
9872. **Simulium (Nevermannia) cryophilum (Rubtsov,1959)** (Simuliidae) Synonym(s): *cryophilum Rubtsov,1959* TR
9873. **Simulium (Nevermannia) djafarovi (Rubtsov,1962)** (Simuliidae) Synonym(s): *djafarovi Rubtsov,1962* TR
9874. **Simulium (Nevermannia) florum (Djafarov,1954)** (Simuliidae) Synonym(s): *florum Djafarov,1954* TR
9875. **Simulium (Nevermannia) lundstromi (Enderlein,1921)** (Simuliidae) Synonym(s): *lundstromi Enderlein,1921; latigonium Rubtsov,1956* TR
9876. **Simulium (Nevermannia) vernum Macquart,1826** (Simuliidae) Synonym(s): *vernum Macquart,1826; aestivale Rubtsov,1962* TR
9877. **Simulium (Obuchovia) auricoma Meigen,1818** (Simuliidae) Synonym(s): *auricoma Meigen,1818* TR
9878. **Simulium (Obuchovia) margaritae (Rubtsov,1956)** (Simuliidae) Synonym(s): *margaritae Rubtsov,1956* TR
9879. **Simulium (Obuchovia) popovae Rubtsov,1940** (Simuliidae) Synonym(s): *popovae Rubtsov,1940* TR?
9880. **Simulium (Obuchovia) transcasicum Enderlein,1921** (Simuliidae) Synonym(s): *transcasicum Enderlein,1921* TR TM
9881. **Simulium (s.str.) alajense (Rubtsov,1956)** (Simuliidae) Synonym(s): *alajense Rubtsov,1956* TR

9882. **Simulium (s.str.) aureofulgens Terteryan,1949** (Simuliidae) Synonym(s): *aureofulgens Terteryan,1949* TR
9883. **Simulium (s.str.) baracorne Smart,1944** (Simuliidae) Synonym(s): *baracorne Smart,1944* TR
9884. **Simulium (s.str.) bergi Rubtsov,1956** (Simuliidae) Synonym(s): *bergi Rubtsov,1956* TR
9885. **Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) Synonym(s): *bezzii Corti,1914* TR
9886. **Simulium (s.str.) bukowskii Rubtsov,1940** (Simuliidae) Synonym(s): *bukowskii Rubtsov,1940* TR
9887. **Simulium (s.str.) debacli Terteryan,1952** (Simuliidae) Synonym(s): *debacli Terteryan,1952* TR
9888. **Simulium (s.str.) fontanum Terteryan,1952** (Simuliidae) Synonym(s): *fontanum Terteryan,1952* TR
9889. **Simulium (s.str.) kerisorum (Rubtsov,1956)** (Simuliidae) Synonym(s): *kerisorum Rubtsov,1956* TR
9890. **Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): *kiritshenkoi Rubtsov,1940; caucasicum Rubtsov,1940* TR Cc
9891. **Simulium (s.str.) monticoloides (Rubtsov,1956)** (Simuliidae) Synonym(s): *monticoloides Rubtsov,1956* TR
9892. **Simulium (s.str.) morsitans Edwards,1915** (Simuliidae) Synonym(s): *morsitans Edwards,1915* TR
9893. **Simulium (s.str.) niha Guidicelli & Dia,1986** (Simuliidae) Synonym(s): *niha Guidicelli & Dia,1986* TR
9894. **Simulium (s.str.) noelleri Friederichs,1920** (Simuliidae) Synonym(s): *noelleri Friederichs,1920* TR
9895. **Simulium (s.str.) ornatum Meigen,1818** (Simuliidae) Synonym(s): *ornatum Meigen,1818* TR
9896. **Simulium (s.str.) pulchripes Austen,1925** (Simuliidae) Synonym(s): *pulchripes Austen,1925* TR
9897. **Simulium (s.str.) variegatum Meigen,1818** (Simuliidae) Synonym(s): *variegatum Meigen,1818* TR
9898. **Simulium (Wilhelmia) balcanicum (Enderlein,1924)** (Simuliidae) Synonym(s): *balcanicum Enderlein,1924* TR
9899. **Simulium (Wilhelmia) equinum (Linnaeus,1758)** (Simuliidae) Synonym(s): *equinum Linnaeus,1758* TR
9900. **Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae) Synonym(s): *lineatum Meigen,1804; turgaicum Rubtsov,1940* TR
9901. **Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae) Synonym(s): *paraequinum Puri,1933* TR
9902. **Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae) Synonym(s): *pseudequinum Seguy,1921; mediterraneum Puri,1925* TR
9903. **Sinarachna anomala (Holmgren,1860)** (Ichneumonidae) Synonym(s): *anomala Holmgren,1860* TR
9904. **Sinechostictus (s.str.) effluviurus (Peyron,1858)** (Carabidae) Synonym(s): *effluviurus Peyron,1858* TR
9905. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus Dejean,1831* AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
9906. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938* NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Uj
9907. **Sinometa besucheti Wittmer,1969** (Cantharidae) Synonym(s): *Sinometa besucheti Wittmer,1969* TR
9908. **Sinophorus nigritellus (Thomson,1887)** (Ichneumonidae) Synonym(s): *nigritellus Thomson,1887* TR
9909. **Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae) Synonym(s): *pleuralis Thomson,1887* TR RU Sb
9910. **Sinophorus sticticale Sanborne,1984** (Ichneumonidae) Synonym(s): *sticticale Sanborne,1984* TR KG Aa UZ
9911. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst,1829* DZ TR CY IL Pa JO Cc AM IR SA
9912. **Siphonoperla burmeisteri (Pictet,1841)** (Chloroperlidae) Synonym(s): *burmeisteri Pictet,1841; rufeola Rambur,1842* DE TR
9913. **Siphonoperla hajastanica (Zhiltzova,1961)** (Chloroperlidae) Synonym(s): *hajastanica Zhiltzova,1961* TR
9914. **Siphonoperla taurica (Pictet,1841)** (Chloroperlidae) Synonym(s): *taurica Pictet,1841; acuminata Zhiltzova,1964* TR

9915. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758
TR RU Am BG UA Cm Cc AM GG TM KP KR
9916. **Sitophagus hololeptooides Laporte,1840** (Tenebrionidae) Synonym(s): *hololeptooides*
Laporte,1840 TR
9917. **Skorikovia anatolica Lelej,2009** (Mutillidae) Synonym(s): *anatolica* Lelej,2009 TR
9918. **Skorikovia radoszkowskii (Skorikov,1935)** (Mutillidae) Synonym(s): *radoszkowskii*
Skorikov,1935 AZ GG Cc RU Da TR
9919. **Skorikovia transcaucasica (Lelej,1985)** (Mutillidae) Synonym(s): *transcaucasica* Lelej,1985
AZ AM Cc TR
9920. **Smaragdina amasina (Pic,1897)** (Chrysomelidae) Synonym(s): *amasina* Pic,1897 TR
9921. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris*
Lacordaire,1848; *biornata* Lefebvre,1872 BG TR IQ IR Cc
9922. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor*
Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 ES FR IT BG RO UA Cm TR
9923. **Smaragdina flavicollis (Charpentier,1825)** (Chrysomelidae) Synonym(s): *flavicollis*
Charpentier,1825 TR Cc
9924. **Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica* Lefebvre,1872
TR IL Pa SY
9925. **Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806;
dorsalis Olivier,1808 BG GR TR Cc IR
9926. **Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris*
Lefebvre,1872 BG TR SY LB
9927. **Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832 BG GR
TR SY IL Pa
9928. **Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata*
Olivier,1808 TR Cc SY IQ EG
9929. **Smaragdina vaulogeri (Pic,1894)** (Chrysomelidae) Synonym(s): *vaulogeri* Pic,1894 TR SY
9930. **Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana*
Lacordaire,1848 TR SY IQ IL Pa JO
9931. **Smaragdina xanthaspis (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis*
Germar,1824 IT RO UA TR
9932. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix*
Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949;
dogensis Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 ES
Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
9933. **Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881 Cc AM KK KG
UZ TR?
9934. **Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata* Meigen,1820 FR RU
Tv ES DK GB UA Cm CN MN TR
9935. **Somatochlora borisi Marinov,2001** (Corduliidae) Synonym(s): *borisi* Marinov,2001
Somatochlora borisi Marinov,2001, IDF Report 3 (1/2): 9-16. BG TR
9936. **Somatochlora flavomaculata (Van Der Linden,1825)** (Corduliidae) Synonym(s):
flavomaculata Van Der Linden,1825 TR
9937. **Somatochlora meridionalis Nielsen,1935** (Corduliidae) Synonym(s): *meridionalis*
Nielsen,1935 TR
9938. **Spalangia fuscipes Nees,1834** (Pteromalidae) Synonym(s): *fuscipes* Nees,1834 TR
9939. **Spalangia subpunctata Förster,1850** (Pteromalidae) Synonym(s): *subpunctata* Förster,1850
TR
9940. **Spallanzania hebes (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820 SE TR
9941. **Sparedrus testaceus (Andersch,1797)** (Oedemeridae) Synonym(s): *testaceus* Andersch,1797
TR
9942. **Spathulina sicula Rondani,1856** (Tephritidae) Synonym(s): *sicula* Rondani,1856; *tristis*
Loew,1869; *luisieri* Tavares,1901; *sepia* Becker,1908 TR Cn IL Pa
9943. **Spazigaster ambulans (Fabricius,1798)** (Syrphidae) Synonym(s): *ambulans* Fabricius,1798
TR
9944. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806;
pectoralis Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT
RO SE SW TN KG LV MD RU Kmt Krl At UA YU
9945. **Sphaeridium substriatum Faldermann,1838** (Hydrophilidae) Synonym(s): *substriatum*
Faldermann,1838 TR RU
9946. **Sphaeroderma rubidum (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells,1858
TR Cc DZ Md
9947. **Sphaerolecanium prunastri (Boyer de Fonscolombe)** (Coccidae) Synonym(s): *prunastri*
Boyer de Fonscolombe TR
9948. **Sphaerophoria loewi Zetterstedt,1843** (Syrphidae) Synonym(s): *loewi* Zetterstedt,1843 TR
9949. **Sphaerophoria rueppelli Wiedemann,1830** (Syrphidae) Synonym(s): *rueppelli*
Wiedemann,1830 TR

9950. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostris* De Geer,1776 **TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md**
9951. **Sphaerophoria turkmenica Bankowska,1964** (Syrphidae) Synonym(s): *turkmenica* Bankowska,1964; *#turkmenika* Hayat & Alaoğlu,1990 **TR TM**
9952. **Sphegigaster aculeata (Walker,1833)** (Pteromalidae) Synonym(s): *aculeata* Walker,1833 **TR**
9953. **Sphegigaster brevicornis (Walker,1833)** (Pteromalidae) Synonym(s): *brevicornis* Walker,1833 **TR**
9954. **Sphegigaster pallicornis (Spinola,1808)** (Pteromalidae) Synonym(s): *pallicornis* Spinola,1808 **TR**
9955. **Sphegigaster pedunculiventris (Spinola,1808)** (Pteromalidae) Synonym(s): *pedunculiventris* Spinola,1808 **TR CZ**
9956. **Sphegina clunipes (Fallén,1816)** (Syrphidae) Synonym(s): *clunipes* Fallén,1816 **TR**
9957. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 **DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA**
9958. **Sphenometopa bifasciata (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *bifasciata* Brauer & Bergenstamm,1891 **TR**
9959. **Sphenometopa claripennis Villeneuve,1933** (Sarcophagidae) Synonym(s): *claripennis* Villeneuve,1933 **TR**
9960. **Sphenometopa mannii (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *mannii* Brauer & Bergenstamm,1891 **TR**
9961. **Sphenometopa steinii (Schiner,1862)** (Sarcophagidae) Synonym(s): *steinii* Schiner,1862 **TR AT**
9962. **Sphenophyma rugulosa (Stal,1876)** (Acrididae) Synonym(s): *rugulosa* Stal,1876 **TR**
9963. **Sphex flavipennis Fabricius,1793** (Sphecidae) Synonym(s): *flavipennis* Fabricius,1793 **TR**
9964. **Sphingonotus (s.str.) coerulipes Uvarov,1922** (Acrididae) Synonym(s): *coerulipes* Uvarov,1922 **TR**
9965. **Sphingonotus (s.str.) nebulosus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *nebulosus* Fischer von Waldheim,1846 **TR**
9966. **Sphingonotus (s.str.) octofasciata Audinet-Serville,1839** (Acrididae) Synonym(s): *octofasciata* Audinet-Serville,1839 **TR**
9967. **Sphingonotus (s.str.) pilosus Saussure,1884** (Acrididae) Synonym(s): *pilosus* Saussure,1884 **TR**
9968. **Sphingonotus (s.str.) rubescens (Walker,1870)** (Acrididae) Synonym(s): *rubescens* Walker,1870 **TR**
9969. **Sphingonotus (s.str.) theodori Uvarov,1923** (Acrididae) Synonym(s): *theodori* Uvarov,1923 **TR**
9970. **Sphingonotus (s.str.) turcicus Uvarov,1930** (Acrididae) Synonym(s): *turcicus* Uvarov,1930 **TR**
9971. **Sphingonotus (Sphingoderus) carinatus (Saussure,1888)** (Acrididae) Synonym(s): *carinatus* Saussure,1888 **TR**
9972. **Sphingonotus (Sphingonotus) coerulans** (Acrididae) Synonym(s): **TR**
9973. **Sphingonotus caerulans (Linnaeus,1767)** (Acrididae) Synonym(s): *caerulans* Linnaeus,1767 **TR**
9974. **Sphingonotus coerulipes Uvarov,1922** (Acrididae) Synonym(s): *coerulipes* Uvarov,1922 **TR**
9975. **Sphingonotus pilosus Saussure,1884** (Acrididae) Synonym(s): *pilosus* Saussure,1884 **TR**
9976. **Sphingonotus rubescens (Walker,1870)** (Acrididae) Synonym(s): *rubescens* Walker,1870 **TR**
9977. **Spilococcus mamillariae (Bouche)** (Pseudococcidae) Synonym(s): *mamillariae* Bouche **TR**
9978. **Spilogona biseriata (Stein,1916)** (Muscidae) Synonym(s): *biseriata* Stein,1916 **DE TR**
9979. **Spilogona carbonella (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 **FR Co DE PL CZ SK CH AT HU TR RU**
9980. **Spilogona dispar (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 **SE DE PL CZ SK CH AT HU TR Cc**
9981. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763 **Cc TR IR CY IQ TM YU GR**
9982. **Spilostethus saxatilis (Scopoli,1763)** (Lygaeidae) Synonym(s): *saxatilis* Scopoli,1763 **YU CY TR**
9983. **Spinococcus morrisoni (Kiritshenko)** (Pseudococcidae) Synonym(s): *morrisoni* Kiritshenko **TR**
9984. **Spintherus dubius (Nees)** (Pteromalidae) Synonym(s): **TR**
9985. **Spogostylum isis (Meigen,1820)** (Bombyliidae) Synonym(s): *isis* Meigen,1820 **IT TR**
9986. **Sporadiana brevipes (Uvarov,1934)** (Tettigoniidae) Synonym(s): *brevipes* Uvarov,1934 **TR**
9987. **Squamiana kurmana Ramme,1951** (Tettigoniidae) Synonym(s): *kurmana* Ramme,1951 **TR**
9988. **Sryphophagus aphidivorus (Mayr)** (Encyrtidae) Synonym(s): **TR**

9989. **Stagonomus amoenus (Brullé,1832)** (Pentatomidae) Synonym(s): *amoenus* Brullé,1832 **SS GR TR**
9990. **Stagonomus bipunctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bipunctatus* Linnaeus,1758 **TR**
9991. **Stalia major Costa,1840** (Nabidae) Synonym(s): *major* Costa,1840 **Cn CY TR RU**
9992. **Stauroderus scalaris (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846 **TR**
9993. **Stegastopsis microderoides Reitter,1898** (Tenebrionidae) Synonym(s): *microderoides* Reitter,1898 **TR**
9994. **Stegelytra putoni Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *putoni* Mulsant & Rey,1855 **PT FR ES YU TR**
9995. **Stegelytra sororcula Dlabola,1974** (Cicadellidae) Synonym(s): *sororcula* Dlabola,1974 **IR TR**
9996. **Stempellina bausei (Kieffer,1911)** (Chironomidae) Synonym(s): *bausei* Kieffer,1911 **TR**
9997. **Stenagostus rhombeus (Olivier,1790)** (Elateridae) Synonym(s): *rhombeus* Olivier,1790 **IT Si CZ TR**
9998. **Stenagostus rosti (Schwarz,1897)** (Elateridae) Synonym(s): *rosti* Schwarz,1897 **TR Cc GG AZ RU**
9999. **Stenagostus zuercheri Reitter,1909** (Elateridae) Synonym(s): *zuercheri* Reitter,1909 **GR SY TR**
10000. **Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761; *gladiator* Fahringer,1922 **TR CY**
10001. **Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761 **TR**
10002. **Stenobothrus (Crotalacris) bozcuki Çıplak,1994** (Acrididae) Synonym(s): *bozcuki* Çıplak,1994 *Stenobothrus* (s.str.) *bozcuki* Çıplak,1994, Türk. ent. Derg. 18 (1): 8-9, figs. 1-7. Syntypes: Turkey: Malatya: Pütürge, Kubbe dağı; Arguvan, Hekimhan, Yazıhan, Arapkir, Akçadağ Karahan (leg. B.Çıplak). **TR**
10003. **Stenobothrus (Crotalacris) selmae Ünal,1999** (Acrididae) Synonym(s): *selmae* Ünal,1999 *Stenobothrus* (Crotalacris) *selmae* Ünal,1999, J. Orth. Res. 8: 248-249. Holotype ♂: Turkey, Çankırı Prov., Ilgaz dağı 1950m 19.8.1993 leg. S.Ünal (AIBUEM Bolu) **TR**
10004. **Stenobothrus (s.str.) burri Karabağ,1953** (Acrididae) Synonym(s): *burri* Karabağ,1953 *Stenobothrus* *burri* Karabağ,1953, Eos 29: 185-186, figs.35-36. Holotype ♂: Turkey, Bursa Prov., Uludağ 1700-2000m M.Burr leg. (BMNH). **TR**
10005. **Stenobothrus (s.str.) derrai Harz,1988** (Acrididae) Synonym(s): *derrai* Harz,1988 *Stenobothrus* *derrai* Harz,1988, Articulata 3 (3): 120. Holotype ♂: Turkey: Sivas Prov., Gürün (coll. Harz). **TR**
10006. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 **ES TR YU B-H HV BG Cc UA RU KG MN**
10007. **Stenobothrus (s.str.) graecus Ramme,1926** (Acrididae) Synonym(s): *graecus* Ramme,1926 **GR TR**
10008. **Stenobothrus (s.str.) lineatus (Panzer,1796)** (Acrididae) Synonym(s): *lineatus* Panzer,1796 **TR**
10009. **Stenobothrus (s.str.) miramae Dirsh,1931** (Acrididae) Synonym(s): *miramae* Dirsh,1931 **UA Cm KG TR**
10010. **Stenobothrus (s.str.) nigromaculatus (Herrich-Schäffer,1840)** (Acrididae) Synonym(s): *nigromaculatus* Herrich-Schäffer,1840 **TR**
10011. **Stenobothrus (s.str.) stigmaticus (Rambur,1839)** (Acrididae) Synonym(s): *stigmaticus* Rambur,1839 **TR**
10012. **Stenobothrus (s.str.) zubovskii Bolivar,1899** (Acrididae) Synonym(s): *zubovskii* Bolivar,1899 **Cc TR**
10013. **Stenobothrus (Stenobothrodes) sviridenkoi Ramme,1930** (Acrididae) Synonym(s): *sviridenkoi* Ramme,1930 **TR**
10014. **Stenobothrus (Stenobothrodes) weneri Adelung,1907** (Acrididae) Synonym(s): *weneri* Adelung,1907 **Cc TR IR**
10015. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 **DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU**
10016. **Stenodema trispinosum Reuter,1904** (Miridae) Synonym(s): *trispinosum* Reuter,1904 **TR**
10017. **Stenodera anatolica Frivaldsky,1884** (Meloidae) Synonym(s): *anatolica* Frivaldsky,1884 **TR SY**
10018. **Stenodera caucasica (Pallas,1781)** (Meloidae) Synonym(s): *caucasica* Pallas,1781 **TR Cc SY IL Pa IR RU Sb**
10019. **Stenodera coeruleiceps Fairmaire,1892** (Meloidae) Synonym(s): *coeruleiceps* Fairmaire,1892 **TR**
10020. **Stenodera oculifera Abeille de Perrin,1880** (Meloidae) Synonym(s): *oculifera* Abeille de Perrin,1880 **TR**

- 10021. Stenodera puncticollis (Chevrolat,1829)** (Meloidae) Synonym(s): *puncticollis Chevrolat,1829* TR SY
- 10022. Stenodynerus aequisculptus (Kostylev,1940)** (Vespidae) Synonym(s): *aequisculptus Kostylev,1940* TR
- 10023. Stenodynerus bluethgeni Van der Vecht,1971** (Vespidae) Synonym(s): *bluethgeni Van der Vecht,1971* TR
- 10024. Stenodynerus chevrieranus (Saussure,1855)** (Vespidae) Synonym(s): *chevrieranus Saussure,1855* TR
- 10025. Stenodynerus chitgarensis Giordani Soika** (Vespidae) Synonym(s): TR
- 10026. Stenodynerus claviger Gusenleitner,1981** (Vespidae) Synonym(s): *claviger Gusenleitner,1981* TR
- 10027. Stenodynerus fastidiosissimus (Saussure,1855)** (Vespidae) Synonym(s): *fastidiosissimus Saussure,1855; difficilis Morawitz,1867* TR
- 10028. Stenodynerus orenburgensis (André,1884)** (Vespidae) Synonym(s): *orenburgensis André,1884* RU Or TR
- 10029. Stenodynerus pannosus Gusenleitner,1985** (Vespidae) Synonym(s): *pannosus Gusenleitner,1985* TR
- 10030. Stenodynerus simulatus Gusenleitner,1981** (Vespidae) Synonym(s): *simulatus Gusenleitner,1981* TR
- 10031. Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus Friese,1921; coelostoma Benoist,1935* Heriades asiaticus Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkiye, "Airan". TR BG GR HV IL Pa JO LB SY
- 10032. Stenoheriades hofferi (Tkalcu,1984)** (Megachilidae) Synonym(s): *hofferi Tkalcu,1984* BG TR
- 10033. Stenomalina communis (Nees)** (Pteromalidae) Synonym(s): TR
- 10034. Stenomalina favorinus (Walker)** (Pteromalidae) Synonym(s): TR
- 10035. Stenomalina laticeps (Walker)** (Pteromalidae) Synonym(s): TR
- 10036. Stenomarcus affinitor Aubert,1981** (Ichneumonidae) Synonym(s): *affinitor Aubert,1981* TR
- 10037. Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae) Synonym(s): *angorensis Zachvatkin,1946; tesquorum Emeljanov,1964* TR KG
- 10038. Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus Horvath,1904; turkestanica Linnavuori,1953* KG KK TM UZ TR
- 10039. Stenonemobius (s.str.) gracilis (Jakovleff,1871)** (Gryllidae) Synonym(s): *gracilis Jakovleff,1871* TR
- 10040. Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus Pallas,1818* IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
- 10041. Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus Loew,1847* IT FR HU RO GR BG TR IR
- 10042. Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus Meigen,1804* TR IR EG GR FR HU IL Pa RO RU TN
- 10043. Stenopogon flavibarbis Enderlein,1934** (Asilidae) Synonym(s): *flavibarbis Enderlein,1934; fuscibarbis Enderlein,1934* TR RU KG CN
- 10044. Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
- 10045. Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus Loew,1851; bicolor Bigot,1878* TR Cc RU AF CN IR Fa AZ
- 10046. Stenopogon milvus (Loew,1847)** (Asilidae) Synonym(s): *milvus Loew,1847* GR BG TR
- 10047. Stenopogon mollis Loew,1868** (Asilidae) Synonym(s): *mollis Loew,1868* Cc RU TR IR Elb Dam AM
- 10048. Stenopogon nataliae Richter,1963** (Asilidae) Synonym(s): *nataliae Richter,1963* Cc RU TR IR Mz Elb AM
- 10049. Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): *nigriventris Loew,1868* Cc RU GR TR IR AZ
- 10050. Stenopogon roederii Bezzi,1895** (Asilidae) Synonym(s): *roederii Bezzi,1895* IT Cc RU TR
- 10051. Stenopogon rufescens Theodor,1980** (Asilidae) Synonym(s): *rufescens Theodor,1980* IL Pa TR
- 10052. Stenopogon rufipilus (Loew,1873)** (Asilidae) Synonym(s): *rufipilus Loew,1873* TR IR Kh
- 10053. Stenopogon sabaudus (Fabricius,1794)** (Asilidae) Synonym(s): *sabaudus Fabricius,1794; fulvus Pallas,1818* Cc RU TR IR Kd
- 10054. Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron Loew,1873; theseus Loew,1873* TR IR Fa Ss Ke AF AZ Cc EG CN
- 10055. Stenopogon strataegus Gerstaecker,1862** (Asilidae) Synonym(s): *strataegus Gerstaecker,1862; antar Schiner,1867* GR TR
- 10056. Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus Brullé,1832* TR IR Es AL GR RO
- 10057. Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis Pic,1891* GR TR LB

10058. **Stenopterus kraatzi (Pic,1892)** (Cerambycidae) Synonym(s): *kraatzi* Pic,1892 **TR**
10059. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767 **Cc IR FR HV TR SY LB JO IL Pa**
10060. **Stenoria analis Schaum,1859** (Meloidae) Synonym(s): *analis* Schaum,1859 **IR TR**
10061. **Stenosis comata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *comata* Reiche & Saulcy,1857 **TR SY Cc AM**
10062. **Stenosis diana Sahlberg,1908** (Tenebrionidae) Synonym(s): *diana* Sahlberg,1908 **TR**
10063. **Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes* Reitter,1887; *reitteri* Mars,1887 **TR SY EG Cc AM**
10064. **Stenosis esau Sahlberg,1908** (Tenebrionidae) Synonym(s): *esau* Sahlberg,1908 **TR**
10065. **Stenosis intermedia (Solier,1838)** (Tenebrionidae) Synonym(s): *intermedia* Solier,1838 **IT Si TR**
10066. **Stenosis orientalis Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832; *graeca* Solier,1838 **GR TR SY**
10067. **Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris* Eschscholtz,1831 **TR UA Cm ES DZ MA**
10068. **Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae) Synonym(s): *quadraticollis* Desbrochers,1881 **TR UA Cm**
10069. **Stenosis sardoa (Küster,1848)** (Tenebrionidae) Synonym(s): *sardoa* Küster,1848 **TR IT Si Sa**
10070. **Stenosis silvestrii Koch,1935** (Tenebrionidae) Synonym(s): *silvestrii* Koch,1935 **TR**
10071. **Stenosis sulcata Miller,1861** (Tenebrionidae) Synonym(s): *sulcata* Miller,1861 **TR**
10072. **Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller,1776 **RU Cc TR IR DE**
10073. **Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura* Fabricius,1792 **RU Cc TR IR DE CZ**
10074. **Stephanitis caucasica Kiritschenko,1939** (Tingidae) Synonym(s): *caucasica* Kiritschenko,1939 **RU Cc TR**
10075. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini* Vasiliev,1935 **AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR**
10076. **Stephanitis pyri (Fabricius,1775)** (Tingidae) Synonym(s): *pyri* Fabricius,1775 **TR**
10077. **Stephanitis Stal,1873** (Tingidae) Synonym(s): *Stephanitis* Stal,1873 **TR**
10078. **Stephanodes similis (Förster)** (Mymaridae) Synonym(s): **TR**
10079. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic **DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU UR SY IR**
10080. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 **ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR**
10081. **Sternoplax (Pachysternoplax) nicomedia (Reitter,1832)** (Tenebrionidae) Synonym(s): *nicomedia* Reitter,1832 **TR**
10082. **Stethophyma grossum (Linnaeus,1758)** (Acrididae) Synonym(s): *grossum* Linnaeus,1758 **TR**
10083. **Stethorus gilvifrons (Mulsant,1850)** (Coccinellidae) Synonym(s): *gilvifrons* Mulsant,1850 **TR IT Si Sa**
10084. **Stethorus punctillum Weise,1891** (Coccinellidae) Synonym(s): *punctillum* Weise,1891 **TR IT Si Sa**
10085. **Stibula cyniformis (Rossi)** (Eucharitidae) Synonym(s): **TR**
10086. **Stibula vitripennis Masi** (Eucharitidae) Synonym(s): **TR**
10087. **Stichopogon albofasciatus (Meigen,1820)** (Asilidae) Synonym(s): *albofasciatus* Meigen,1820 **TR**
10088. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902 **TR IR Kh Elb Th CY EG IL Pa KG LY MN**
10089. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**
10090. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis* Loew,1847 **IT FR Co YU PT AT RO RU BG TR**
10091. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856 **IT FR RO GR CZ BG SK TR RU IR AZ Ss Kc**
10092. **Stictocephala alta (Walker,1851)** (Membracidae) Synonym(s): *alta* Walker,1851; *constans* Walker,1851; *bisonia* Kopp & Yonke,1977; *bubalus* auct. nec Fabricius,1794 **TR**
10093. **Stictochironomus sp.1** (Chironomidae) Synonym(s): **TR**
10094. **Stictochironomus sp.2** (Chironomidae) Synonym(s): **TR**
10095. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praecoc.*); *picturatus* Sahlberg,1842 **AL AT CN Ur CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU**
10096. **Stictoleptura cordigera (Fuesslin,1775)** (Cerambycidae) Synonym(s): *cordigera* Fuesslin,1775 **HV TR Cc IR**

10097. **Stictoleptura deyrollei (Pic,1895)** (Cerambycidae) Synonym(s): *deyrollei* Pic,1895 **GG Cc TR IR**
10098. **Stictoleptura erythroptera (Hagenbach,1822)** (Cerambycidae) Synonym(s): *erythroptera* Hagenbach,1822 **TR Cc IR CZ**
10099. **Stictoleptura heydeni (Ganglbauer,1889)** (Cerambycidae) Synonym(s): *ustulata Ménériés,1832; heydeni Ganglbauer,1889* **TR Cc AZ IR**
10100. **Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata J.Daniel,1891* **IT GR TR Cc IR Lo**
10101. **Stictoleptura tesserula (Charpentier,1825)** (Cerambycidae) Synonym(s): *tesserula Charpentier,1825* **CZ SK PL YU TR Cc**
10102. **Stictoleptura tripartita (Heyden,1889)** (Cerambycidae) Synonym(s): *tripartita Heyden,1889* **SY TR IR**
10103. **Stictopleurus pictus (Fieber,1861)** (Rhopalidae) Synonym(s): *pictus* Fieber,1861 **TR**
10104. **Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti* Royer,1923 **RU Cc TR IL Pa CY DZ**
10105. **Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae) Synonym(s): *griseostriatus* De Geer,1774 **TR**
10106. **Stilpnus adanensis Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): *adanensis Kolarov & Beyarslan,1994* **TR**
10107. **Stiphrolamyra pleskei (Becker,1913)** (Asilidae) Synonym(s): *pleskei* Becker,1913 **IR Ss Ke AF TR**
10108. **Stomina iners (Meigen,1838)** (Tachinidae) Synonym(s): *iners* Meigen,1838 **TR**
10109. **Stomorhina lunata (Fabricius,1805)** (Calliphoridae) Synonym(s): *lunata* Fabricius,1805; *selgae* Lehrer,1979 **TR PT**
10110. **Stomoxys calcitrans (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758 **AM Cc TR AZ IR**
10111. **Stonemyia caucasia (Kröber,1921)** (Tabanidae) Synonym(s): *caucasia* Kröber,1921 **TR**
10112. **Stonemyia tigris (Bigot,1880)** (Tabanidae) Synonym(s): *tigris* Bigot,1880 **TR**
10113. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 **ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG**
10114. **Stratiomys armeniaca Bigot,1879** (Stratiomyidae) Synonym(s): *armeniaca* Bigot,1879; *herzi* Pleske,1901; *potschinskii* Pleske,1901; *#armaniaca Üstüner,2005* **Cc AZ AM GG TR**
10115. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
10116. **Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922 **Musca chamaeleon** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 589. Type(s): **Europa. CH YU FR RU TR Cc GG AM CN At LT**
10117. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 **IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG**
10118. **Stratiomys nigerrima (Szilady,1941)** (Stratiomyidae) Synonym(s): *nigerrima* Szilady,1941 **TR**
10119. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythropera* Egger,1859; *pyrrhocera* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
10120. **Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus* Horvath,1916; *josifovi* Dlabola,1957 **CY AL BG BG IT TR**
10121. **Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 **BG HU RO RU Cc TR**
10122. **Stylascalaphus fabiani Meszaros & Abraham,2005** (Ascalaphidae) Synonym(s): *fabiani* Meszaros & Abraham,2005 **TR PK**
10123. **Stylosomus flavus Marseul,1875** (Chrysomelidae) Synonym(s): *flavus* Marseul,1875 **TR YU UA RU**
10124. **Stylosomus Lacordaire,1845** (Chrysomelidae) Synonym(s): *Stylosomus Lacordaire,1845* **TR**
10125. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 **AL BG CY IL Pa IR IT JP KP AZ Cc TR**
10126. **Suarius nanus (McLachan,1893)** (Chrysopidae) Synonym(s): *nanus* McLachan,1893 **TR**
10127. **Suarius vanensis (Hölzel,1967)** (Chrysopidae) Synonym(s): *vanensis* Hölzel,1967 **Chrysopa (Suarius) vanensis** Hölzel,1967, NachrBl. bayer. Ent. 16 (9/10): 94. Holotype ♂: [Türkei]: Ostanatolien, Van Gölü ca.1800m [Bitlis Prov., Tatvan], leg. Noack (coll.Ohm, Kiel). **TR**

10128. **Subcoccinella vigintiquatuorpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *vigintiquatuorpunctata* Linnaeus,1758 **IT Sa Si TR**
10129. **Suillia affinis (Meigen,1830)** (Heleomyzidae) Synonym(s): *affinis* Meigen,1830 **TR**
10130. **Suillia bistrigata (Loew,1862)** (Heleomyzidae) Synonym(s): *bistrigata* Loew,1862 **TR**
10131. **Suillia humilis (Meigen,1830)** (Heleomyzidae) Synonym(s): *humilis* Meigen,1830 **TR**
10132. **Suillia pallida (Fallén,1820)** (Heleomyzidae) Synonym(s): *pallida* Fallén,1820 **TR**
10133. **Suillia variegata (Loew,1862)** (Heleomyzidae) Synonym(s): *variegata* Loew,1862 **ES TR AZ RU Cc Kr Soc**
10134. **Suillia villeneuvei Czerny,1927** (Heleomyzidae) Synonym(s): *villeneuvei* Czerny,1927 **TR**
10135. **Sulamicerus ancorarius (Dlabola,1964)** (Cicadellidae) Synonym(s): *ancorarius* Dlabola,1964 **AF TR IR YU**
10136. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970 **CY BG GR Rd TR KK TJ UZ**
10137. **Sulcinephya znoikoi (Rubtsov,1940)** (Simuliidae) Synonym(s): *znoikoi* Rubtsov,1940 **TR**
10138. **Sureyaella bella Uvarov,1934** (Tettigoniidae) Synonym(s): *bella* Uvarov,1934 **TR**
10139. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843 **BG GR IL RO HU IT TR**
10140. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
10141. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
10142. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
10143. **Symmorphus bifasciatus (Linnaeus,1761)** (Vespidae) Synonym(s): *bifasciatus* Linnaeus,1761 **TR**
10144. **Symmorphus connexus (Curtis,1826)** (Vespidae) Synonym(s): *connexus* Curtis,1826 **GB TR**
10145. **Symmorphus crassicornis (Panzer,1798)** (Vespidae) Synonym(s): *crassicornis* Panzer,1798 **TR DE**
10146. **Symmorphus gracilis (Brullé,1832)** (Vespidae) Synonym(s): *gracilis* Brullé,1832 **TR**
10147. **Symmorphus murarius (Linnaeus,1758)** (Vespidae) Synonym(s): *murarius* Linnaeus,1758; *nidulator* Saussure,1856 **TR**
10148. **Sympecma annulata (Selys,1887)** (Lestidae) Synonym(s): *paedisca* Brauer,1882 *nec* Eversm.,1836; *annulata* Selys,1887; *braueri* Jacobson & Bianchi,1905 **TR SY NL JP**
10149. **Sympecma fusca (Van Der Linden,1820)** (Lestidae) Synonym(s): *fusca* Van Der Linden,1820 **TR Rd CY GR**
10150. **Sympetrum arenicolor Jödicke,1994** (Libellulidae) Synonym(s): *arenicolor* Jödicke,1994 **TR**
10151. **Sympetrum danae (Sulzer,1776)** (Libellulidae) Synonym(s): *danae* Sulzer,1776 **TR**
10152. **Sympetrum depressiusculum (Selys,1841)** (Libellulidae) Synonym(s): *depressiusculum* Selys,1841 **TR**
10153. **Sympetrum flaveolum (Linnaeus,1758)** (Libellulidae) Synonym(s): *flaveolum* Linnaeus,1758 **TR**
10154. **Sympetrum fonscolombii (Selys,1840)** (Libellulidae) Synonym(s): *fonscolombii* Selys,1840 **TR Ch**
10155. **Sympetrum haritonovi Borisov,1983** (Libellulidae) Synonym(s): *haritonovi* Borisov,1983 **TR**
10156. **Sympetrum meridionale (Selys,1841)** (Libellulidae) Synonym(s): *meridionale* Selys,1841 **TR**
10157. **Sympetrum pedemontanum (Allioni,1766)** (Libellulidae) Synonym(s): *pedemontanum* Allioni,1766 **TR**
10158. **Sympetrum sanguineum (O.F.Müller,1764)** (Libellulidae) Synonym(s): *sanguineum* O.F.Müller,1764 **TR**
10159. **Sympetrum striolatum (Charpentier,1840)** (Libellulidae) Synonym(s): *striolatum* Charpentier,1840 **TR MN**
10160. **Sympetrum vulgatum (Linnaeus,1758)** (Libellulidae) Synonym(s): *vulgatum* Linnaeus,1758 **TR**
10161. **Sympherta fuscicornis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 **NL DE SE PL RU TR**
10162. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916 **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US CfYE YU**
10163. **Sympiesis albiflava Fahringer,1944** (Eulophidae) Synonym(s): *albiflava* Fahringer,1944 **TR**
10164. **Sympiesis euspilapterygis (Erdős,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdős,1958 **TR AT BG CZ DE HU PL SE YU**
10165. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis*

- Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massassoit Crawford,1913; fulvipes Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
10166. **Sympiesis turcica Fahringer,1938** (Eulophidae) Synonym(s): *turcica Fahringer,1938* *Sympiesis turcica Fahringer,1938*, [in] Schmitscheck, Z. angew. Ent. 25 (2): 307-308. Syntypes: Türkiye, [Istanbul]: Bahçeköy bei Büyükdere. Raupenparasiten von Lithocolletis platani (Lep.). TR
10167. **Symplecta (Psiloconopa) stictica (Meigen,1818)** (Limoniidae) Synonym(s): *stictica Meigen,1818* TR IR AF
10168. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804* AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
10169. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes Fabricius,1787* AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
10170. **Synaptus filiformis (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis Fabricius,1781* TR Cc GR RU Sb
10171. **Syndiamesa magnifipedis Şahin,1991** (Chironomidae) Synonym(s): *magnifipedis Şahin,1991* TR
10172. **Synechocryptus mactator (Tschek,1870)** (Ichneumonidae) Synonym(s): *mactator Tschek,1870* TR Cc
10173. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis Hartig,1841*; *pallidicornis Dalla Torre,1893* PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
10174. **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespididae) Synonym(s): *egregius Herrich-Schäffer,1839* TR JO Amm IL Pa
10175. **Syneuodynerus erichi Gusenleitner,1967** (Vespididae) Synonym(s): *erichi Gusenleitner,1967* TR
10176. **Syneuodynerus sigberti (Gusenleitner,1967)** (Vespididae) Synonym(s): *sigberti Gusenleitner,1967* TR
10177. **Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes Gravenhorst,1829* SE FI GB DE FR IT BG TR
10178. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus Hartig,1843* PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR
10179. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897*; *wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
10180. **Syntomopus incisus Thomson** (Pteromalidae) Synonym(s): TR
10181. **Syntomopus incurvus Walker** (Pteromalidae) Synonym(s): TR
10182. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis Illiger,1798* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
10183. **Syriolytta vulneratus (Fairmaire,1892)** (Meloidae) Synonym(s): *vulneratus Fairmaire,1892*; *suturifera Pic,1899*; *fairmairei Borchmann,1917* TR SY IQ
10184. **Syricta flaviventris Macquart,1842** (Syrphidae) Synonym(s): *flaviventris Macquart,1842* TR
10185. **Syricta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens Linnaeus,1758*; *proxima Say,1824* TR US NL DE NO HU GR Cr
10186. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
10187. **Syrphoctonus bifoveolatus (Kriechbaumer,1895)** (Ichneumonidae) Synonym(s): *bifoveolatus Kriechbaumer,1895* TR
10188. **Syrphoctonus signatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *signatus Gravenhorst,1829* TR
10189. **Syrphoctonus tarsatorius (Panzer,1809)** (Ichneumonidae) Synonym(s): *tarsatorius Panzer,1809* TR
10190. **Syrphophilus bizonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bizonatus Gravenhorst,1829* TR
10191. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii Linnaeus,1758*; *blanda Harris,1780* TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
10192. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis Meigen,1822* TR RU Ur Sb Cc IR MN AF KP KR JP US
10193. **Systasis encyrtoides Walker** (Pteromalidae) Synonym(s): TR
10194. **Systoechus gradatus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *gradatus Wiedemann,1820* IT TR
10195. **Systole brunnicornis Zerova & Çam,2003** (Eurytomidae) Synonym(s): *brunnicornis Zerova & Çam,2003* *Systole (s.str.) brunnicornis Zerova & Çam,2003*, Zool. Meded. 77 (1/4): 266. Holotype ♀: Turkey: Tokat. TR
10196. **Systole minima Zerova & Çam,2003** (Eurytomidae) Synonym(s): *minima Zerova & Çam,2003* *Systole minima Zerova & Çam,2003*, Zool. Meded. 77 (1/4): 263-265. Holotype ♀: Turkey: Tokat. TR

10197. **Systole plana** Zerova & Çam,2004 (Eurytomidae) Synonym(s): *plana* Zerova & Çam,2004 TR
10198. **Systole tokata** Zerova & Çam,2004 (Eurytomidae) Synonym(s): *tokata* Zerova & Çam,2004 TR
10199. **Systropha (s.str.) planidens** Giraud,1861 (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysur*a Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977 ES FR AT TR
10200. **Syzeuctus tenuifasciatus** Schmiedeknecht,1900 (Ichneumonidae) Synonym(s): *tenuifasciatus* Schmiedeknecht,1900 TR
10201. **Syzeuctus turcator** Aubert,1984 (Ichneumonidae) Synonym(s): *turcator* Aubert,1984 TR
10202. **Tabanus accensus** Austen,1927 (Tabanidae) Synonym(s): *accensus* Austen,1927 TR
10203. **Tabanus aidini** Kröber,1928 (Tabanidae) Synonym(s): *aidini* Kröber,1928 TR
10204. **Tabanus alvarengia** Schacht,1987 (Tabanidae) Synonym(s): *alvarengia* Schacht,1987 TR
10205. **Tabanus anatolicus** Osufjev, Moucha & Chvala,1967 (Tabanidae) Synonym(s): *anatolicus* Osufjev, Moucha & Chvala,1967 TR
10206. **Tabanus anthrax** Olsufjev,1937 (Tabanidae) Synonym(s): *anthrax* Olsufjev,1937 TR
10207. **Tabanus arabicus** Macquart,1839 (Tabanidae) Synonym(s): *arabicus* Macquart,1839 TR
10208. **Tabanus armeniacus** (Kröber,1928) (Tabanidae) Synonym(s): *armeniacus* Kröber,1928 TR
10209. **Tabanus atropathenicus** Olsufjev,1937 (Tabanidae) Synonym(s): *atropathenicus* Olsufjev,1937 TR
10210. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae) Synonym(s): *autumnalis* Linnaeus,1761 TR
10211. **Tabanus bifarius** Loew,1858 (Tabanidae) Synonym(s): *bifarius* Loew,1858; *longicornis* Enderlein,1932; *tauricus* Enderlein,1932; *simovae* Leclercq,1959 TR
10212. **Tabanus bovinus** Linnaeus,1758 (Tabanidae) Synonym(s): *bovinus* Linnaeus,1758 TR
10213. **Tabanus briani** Leclercq,1962 (Tabanidae) Synonym(s): *briani* Leclercq,1962 TR
10214. **Tabanus bromiolus** Szilady,1923 (Tabanidae) Synonym(s): *bromiolus* Szilady,1923 TR
10215. **Tabanus bromius** Linnaeus,1758 (Tabanidae) Synonym(s): *bromius* Linnaeus,1758; *antophilus* Loew,1858 TR
10216. **Tabanus brunnescens** Szilady,1917 (Tabanidae) Synonym(s): *brunnescens* Szilady,1917 TR
10217. **Tabanus canipalpis** Bigot,1892 (Tabanidae) Synonym(s): *canipalpis* Bigot,1892 TR
10218. **Tabanus caucasicus** Kröber,1925 (Tabanidae) Synonym(s): *caucasicus* Kröber,1925 TR Cc
10219. **Tabanus cordiger** Meigen,1820 (Tabanidae) Synonym(s): *cordiger* Meigen,1820 TR
10220. **Tabanus cuculus** Szilady,1923 (Tabanidae) Synonym(s): *cuculus* Szilady,1923 TR
10221. **Tabanus darimonti** Leclercq,1964 (Tabanidae) Synonym(s): *darimonti* Leclercq,1964 TR
10222. **Tabanus decipiens** Kröber,1928 (Tabanidae) Synonym(s): *decipiens* Kröber,1928 TR
10223. **Tabanus eggeri** Schiner,1868 (Tabanidae) Synonym(s): *eggeri* Schiner,1868 TR
10224. **Tabanus exclusus** Pandella,1883 (Tabanidae) Synonym(s): *exclusus* Pandella,1883 TR
10225. **Tabanus fraseri** Austen,1925 (Tabanidae) Synonym(s): *fraseri* Austen,1925 TR
10226. **Tabanus glaucopsis** Meigen,1820 (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopsis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
10227. **Tabanus golovi** Olsufjev,1936 (Tabanidae) Synonym(s): *golovi* Olsufjev,1936; *Pallidus* Olsufjev,1936; *mediaasiaticus* Olsufjev,1970 KG Aa TrA CN AF TR
10228. **Tabanus grandis** Szilady,1923 (Tabanidae) Synonym(s): *grandis* Szilady,1923 TR
10229. **Tabanus ilchanii** Jezek,1981 (Tabanidae) Synonym(s): *ilchanii* Jezek,1981 TR IR
10230. **Tabanus indrae** Hauser,1939 (Tabanidae) Synonym(s): *indrae* Hauser,1939; *vappa* Bogatchev & Samedov,1949; *montivagus* Olsufjev,1970 TR Cc AM AZ Nv GG IR RU
10231. **Tabanus karaosus** Timmer,1984 (Tabanidae) Synonym(s): *karaosus* Timmer,1984 TR
10232. **Tabanus laetinctus** Becker,1913 (Tabanidae) Synonym(s): *laetinctus* Becker,1913; *sordes* Bogatshev & Samedov,1949; *assuetus* Hauser,1960; *cinereus* Hauser,1960 TR Cc AZ Nv Ord IR Ss Ke PK BI IQ AF RU
10233. **Tabanus leleani** Austen,1920 (Tabanidae) Synonym(s): *laetinctus* Austen,1920 nec Beck.,1913; *leleani* Austen,1920 TR
10234. **Tabanus lunatus** Fabricius,1794 (Tabanidae) Synonym(s): *lunatus* Fabricius,1794 TR
10235. **Tabanus maculicornis** Zetterstedt,1842 (Tabanidae) Synonym(s): *maculicornis* Zetterstedt,1842 TR
10236. **Tabanus martinii** Kröber,1928 (Tabanidae) Synonym(s): *martinii* Kröber,1928 TR
10237. **Tabanus mianjagalensis** Jezek,1981 (Tabanidae) Synonym(s): *mianjagalensis* Jezek,1981 TR
10238. **Tabanus miki** Brauer,1880 (Tabanidae) Synonym(s): *miki* Brauer,1880 TR
10239. **Tabanus mouchai** Leclercq,1962 (Tabanidae) Synonym(s): *mouchai* Leclercq,1962 TR
10240. **Tabanus nemoralis** Meigen,1820 (Tabanidae) Synonym(s): *nemoralis* Meigen,1820 TR
10241. **Tabanus obsolescens** Pandelle,1883 (Tabanidae) Synonym(s): *obsolescens* Pandelle,1883 TR
10242. **Tabanus olsufjevi** Hauser,1960 (Tabanidae) Synonym(s): *olsufjevi* Hauser,1960 TR
10243. **Tabanus oppugnator** Austen,1925 (Tabanidae) Synonym(s): *oppugnator* Austen,1925 TR

10244. **Tabanus paradoxus Jaennicke,1866** (Tabanidae) Synonym(s): *paradoxus Jaennicke,1866* TR
10245. **Tabanus portschinskii Olsufjev,1937** (Tabanidae) Synonym(s): *portschinskii Olsufjev,1937* TR
10246. **Tabanus prometheus Szilady,1923** (Tabanidae) Synonym(s): *prometheus Szilady,1923* TR
10247. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labaumeanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
10248. **Tabanus rectus Loew,1858** (Tabanidae) Synonym(s): *rectus Loew,1858; ornatus Jaennicke,1866* ES PT FR IT YU CH TR
10249. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
10250. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjinicolaoui Kröber,1936; loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
10251. **Tabanus semiargenteus Olsufjev,1937** (Tabanidae) Synonym(s): *semiargenteus Olsufjev,1937* TR
10252. **Tabanus shannonellus Kröber,1936** (Tabanidae) Synonym(s): *shannonellus Kröber,1936* TR
10253. **Tabanus shekovnikovi Paramanov,1934** (Tabanidae) Synonym(s): *shekovnikovi Paramanov,1934* TR
10254. **Tabanus spectabilis Loew,1858** (Tabanidae) Synonym(s): *spectabilis Loew,1858* TR
10255. **Tabanus spodopteroideus Olsufjev, Moucha & Chvala,1969** (Tabanidae) Synonym(s): *spodopteroideus Olsufjev, Moucha & Chvala,1969* TR
10256. **Tabanus spodopterus Meigen,1820** (Tabanidae) Synonym(s): *spodopterus Meigen,1820; ponticus Olsufjev, Moucha & Chvala,1967* TR
10257. **Tabanus subparadoxus Olsufjev,1937** (Tabanidae) Synonym(s): *subparadoxus Olsufjev,1937* TR
10258. **Tabanus sudeticus Zeller,1842** (Tabanidae) Synonym(s): *sudeticus Zeller,1842* TR
10259. **Tabanus swiridowi Portschiński,1882** (Tabanidae) Synonym(s): *swiridowi Portschiński,1882* TR Cc
10260. **Tabanus tergestinus Egger,1859** (Tabanidae) Synonym(s): *tergestinus Egger,1859* TR
10261. **Tabanus tinctus Walker,1850** (Tabanidae) Synonym(s): *tinctus Walker,1850; mixtus Szilady,1914* TR
10262. **Tabanus unifasciatus Loew,1858** (Tabanidae) Synonym(s): *unifasciatus Loew,1858; albescens Kröber,1928* TR
10263. **Tabanus yasujensis Bogatshev & Samedov,1949** (Tabanidae) Synonym(s): *yasujensis Bogatshev & Samedov,1949* TR
10264. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps Meigen,1824; argentifrons Macquart,1835; pusilla Macquart,1845; fuscipennis Macquart,1845; alpicola Rondani,1861; tricondyla Rondani,1868; roederi Giglio-Tos,1891; similis Giglio-Tos,1891* RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
10265. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera Linnaeus,1761* TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
10266. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Giglio-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
10267. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
10268. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida Fabricius,1781* PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
10269. **Tachina grossa (Linnaeus,1758)** (Tachinidae) Synonym(s): *grossa Linnaeus,1758* TR
10270. **Tachyagetes aegyptiacus (Priesner,1955)** (Pompilidae) Synonym(s): *aegyptiacus Priesner,1955* TR
10271. **Tachyagetes alicantus Wolf,1987** (Pompilidae) Synonym(s): *alicantus Wolf,1987* TR
10272. **Tachyagetes bytinskii Haupt,1962** (Pompilidae) Synonym(s): *bytinskii Haupt,1962* TR
10273. **Tachyagetes exortivus Wolf,1987** (Pompilidae) Synonym(s): *exortivus Wolf,1987* TR
10274. **Tachyagetes filicornis (Tornier,1890)** (Pompilidae) Synonym(s): *filicornis Tornier,1890; rubescens Haupt,1929; funebris Priesner,1965; graecus Priesner,1965* TR
10275. **Tachyagetes furvescens Wahis,1970** (Pompilidae) Synonym(s): *furvescens Wahis,1970* TR
10276. **Tachyagetes gusenleitneri (Priesner,1973)** (Pompilidae) Synonym(s): *gusenleitneri Priesner,1973* Epagetes gusenleitneri Priesner,1973, NachrBl. bayer. Ent. 22 (6): 108-109. Holotype ♂: Anatolien: Mut, 6 Juni 1968, leg. Gusenleitner. TR
10277. **Tachyagetes kebdanus Wolf,1987** (Pompilidae) Synonym(s): *kebdanus Wolf,1987* TR

10278. **Tachyagetes konyanus Wolf,1987** (Pompilidae) Synonym(s): *konyanus* Wolf,1987 **TR**
10279. **Tachyagetes kusdasi Priesner,1965** (Pompilidae) Synonym(s): *kusdasi* Priesner,1965 **TR**
10280. **Tachyagetes leucocnemis Haupt,1930** (Pompilidae) Synonym(s): *leucocnemis* Haupt,1930 **TR**
10281. **Tachyagetes navalperalus Wolf,1987** (Pompilidae) Synonym(s): *navalperalus* Wolf,1987 **TR**
10282. **Tachyagetes nomadaschwarzi Wolf,1987** (Pompilidae) Synonym(s): *nomadaschwarzi* Wolf,1987 **TR**
10283. **Tachyagetes turcoturanicus Wolf,1986** (Pompilidae) Synonym(s): *turcoturanicus* Wolf,1986 **TR**
10284. **Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae) Synonym(s): *komarowi* Morawitz,1885 **TR TM AF IR**
10285. **Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae) Synonym(s): *rhodensis* Saussure,1855 **TR**
10286. **Tachyancistrocerus schmidti (Kokujev,1912)** (Vespidae) Synonym(s): *schmidti* Kokujev,1912 **TR**
10287. **Tachyancistrocerus syriacus Giordani & Soika,1970** (Vespidae) Synonym(s): *syriacus* Giordani & Soika,1970 **TR**
10288. **Tachycixius bidentifer Dlabola,1971** (Cixiidae) Synonym(s): *bidentifer* Dlabola,1971 **TR**
10289. **Tachycixius creticus Dlabola,1974** (Cixiidae) Synonym(s): *creticus* Dlabola,1974 **GR Cr TR**
10290. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876 **Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU**
10291. **Tachycixius logvinenkovae Dlabola,1974** (Cixiidae) Synonym(s): *logvinenkovae* Dlabola,1974 **TR**
10292. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 **AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU**
10293. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
10294. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 **AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ**
10295. **Tachys (Eotachys) jeannei Coulon,2004** (Carabidae) Synonym(s): *jeannei* Coulon,2004 **TR**
10296. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 **AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP**
10297. **Tachys (Eotachys) transcaucasicus Coulon,2004** (Carabidae) Synonym(s): *transcaucasicus* Coulon,2004 **GG Cc TR IQ**
10298. **Tachys (Eotachys) trechoderus Coulon,2004** (Carabidae) Synonym(s): *trechoderus* Coulon,2004 **TR**
10299. **Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri* Lichtwardt,1917; *gussakowskii* Stackelberg,1941 **TR TJ FR IT CN**
10300. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) Synonym(s): *insignis* Stannius,1831 **BG RO TR UA MA**
10301. **Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi* Mik,1864 **AM Cc TR AT CZ HU IT**
10302. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius,1831; *litoreus* Haliday,1833; *obscuripes* Gertaeker,1864; *beckeri* Müller,1923 **Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn**
10303. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 **GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR**
10304. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 **GB SE DE BE NL PL BY UA Cc KG CH AT HU TR**
10305. **Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 **CY EG IL Pa TR**
10306. **Tamaricella remanei Dworakowska,1971** (Cicadellidae) Synonym(s): *remanei* Dworakowska,1971 **GR TR YU**
10307. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 **GR Cr TR IR KG RU UA YU AF PK**
10308. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Villbaste,1961 **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
10309. **Tanypoctus carbonarius Faldermann,1835** (Scarabaeidae) Synonym(s): *carbonarius* Faldermann,1835 **Cc Nv AZ TR IR**
10310. **Tanypus kraatzi Kieffer,1913** (Chironomidae) Synonym(s): *kraatzi* Kieffer,1913 **TR**
10311. **Tanypus punctipennis Meigen,1818** (Chironomidae) Synonym(s): *punctipennis* Meigen,1818 **TR**
10312. **Tanypus vilipennis (Kieffer,1918)** (Chironomidae) Synonym(s): *vilipennis* Kieffer,1918 **TR**

10313. **Tanytarsus arduennensis** Goetghebuer,1913 (Chironomidae) Synonym(s): *arduennensis* Goetghebuer,1913 TR
10314. **Tanytarsus gregarius** Kieffer,1911 (Chironomidae) Synonym(s): *gregarius* Kieffer,1911 TR
10315. **Taphoxenus (Lychnifugus) cellarum** Adams,1817 (Carabidae) Synonym(s): *cellarum* Adams,1817 AZ AM Cc GG IR IQ JO SY TR
10316. **Taphoxenus (Lychnifugus) cerberus** Ganglbauer,1905 (Carabidae) Synonym(s): *cerberus* Ganglbauer,1905 TR
10317. **Tapinoma erraticum** (Latreille,1798) (Formicidae) Synonym(s): *erraticum* Latreille,1798 TR
10318. **Targionia nigra** Signoret (Diaspididae) Synonym(s): *nigra* Signoret TR
10319. **Targionia vitis** (Signoret) (Diaspididae) Synonym(s): *vitis* Signoret TR
10320. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943 ES IQ Cc KG UZ TM PK TR
10321. **Taxigramma elegantula** (Zetterstedt,1844) (Sarcophagidae) Synonym(s): *elegantula* Zetterstedt,1844 TR
10322. **Taxigramma heteroneura** (Meigen,1830) (Sarcophagidae) Synonym(s): *heteroneura* Meigen,1830 TR
10323. **Taxomyia taxi** (Inchbald,1861) (Cecidomyiidae) Synonym(s): *taxi* Inchbald,1861 TR
10324. **Tbilisica anatolica** Kartal,1983 (Cicadellidae) Synonym(s): *anatolica* Kartal,1983 Tbilisica anatolica Kartal,1983, Marb. ent. Publ. 1 (8): 235-248. Holotype: Türkiye: Niğde Prov. Demirkazık 1700m. TR
10325. **Teles eutymi** Mulsant & Godart,1876 (Tenebrionidae) Synonym(s): *eutymi* Mulsant & Godart,1876 TR
10326. **Telostegus cretensis** Priesner,1965 (Pompilidae) Synonym(s): *cretensis* Priesner,1965 Gr Cr TR
10327. **Telostegus excisus** (Haupt,1930) (Pompilidae) Synonym(s): *excisus* Haupt,1930 TR
10328. **Telostegus fumigatus** (Klug,1834) (Pompilidae) Synonym(s): *fumigatus* Klug,1834 TR
10329. **Telostegus imitator** Priesner,1955 (Pompilidae) Synonym(s): *imitator* Priesner,1955 TR
10330. **Telostegus inermis** (Brullé,1832) (Pompilidae) Synonym(s): *inermis* Brullé,1832; *ater* Haupt,1930 TR
10331. **Temelucha anatolica** (Sedivy,1959) (Ichneumonidae) Synonym(s): *anatolica* Sedivy,1959 TN TR
10332. **Temelucha confluens** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *confluens* Gravenhorst,1829 TR MD
10333. **Temelucha decorata** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *decorata* Gravenhorst,1829; *ornatus* Szepliget,1900 TR AZ Cc MD DK
10334. **Temelucha meridionellator** Aubert,1981 (Ichneumonidae) Synonym(s): *meridionellator* Aubert,1981 MT TR IL Pa
10335. **Temelucha observator** Aubert,1966 (Ichneumonidae) Synonym(s): *observator* Aubert,1966 TN RO TR IL Pa EG
10336. **Temelucha tricolorata** (Sedivy,1968) (Ichneumonidae) Synonym(s): *tricolorata* Sedivy,1968 TR AF
10337. **Temnostethus dacicus** (Puton,1888) (Anthocoridae) Synonym(s): *dacicus* Puton,1888 TR
10338. **Temnostethus longirostris** (Horvath,1907) (Anthocoridae) Synonym(s): *longirostris* Horvath,1907 TR
10339. **Temnostethus pusillus** (Herrich-Schäffer,1835) (Anthocoridae) Synonym(s): *pusillus* Herrich-Schäffer,1835 TR
10340. **Temnostethus reduvinus** (Herrich-Schäffer,1835) (Anthocoridae) Synonym(s): *reduvinus* Herrich-Schäffer,1835 TR
10341. **Temnostethus tibialis** Reuter,1888 (Anthocoridae) Synonym(s): *tibialis* Reuter,1888 TR
10342. **Temnostethus wichmanni** E.Wagner,1961 (Anthocoridae) Synonym(s): *wichmanni* E.Wagner,1961 TR
10343. **Tenebrio molitor** Linnaeus,1758 (Tenebrionidae) Synonym(s): *molitor* Linnaeus,1758 TR
10344. **Tenebrio obscurus** Fabricius,1792 (Tenebrionidae) Synonym(s): *obscurus* Fabricius,1792 TR
10345. **Tenebrio syriacus** Zoufal,1892 (Tenebrionidae) Synonym(s): *syriacus* Zoufal,1892 EG SY TR
10346. **Tenthredo acerrima** Benson,1952 (Tenthredinidae) Synonym(s): *acerrima* Benson,1952; *nitidior* (Konow,1888); *marginella* Panzer,1804, *nec* Fabricius,1793; *aegra* Enslin,1912; *sulphuripes* (Kriechbaumer,1869); *arcuatus* Zirngiebl,1937 TR
10347. **Tenthredo albiventris** Moscard,1880 (Tenthredinidae) Synonym(s): *albiventris* Moscard,1880; *trivittata* André,1881; *lederi* Konow,1890; *albiventris* Enslin,1912; *pallidula* Benson,1930; *kerketa* Dounar-Zapolskij,1930 TR
10348. **Tenthredo albopicta** Puls,1870 (Tenthredinidae) Synonym(s): *albopicta* Puls,1870; *nigroclypeata* Moscard,1909 TR
10349. **Tenthredo arcuata** Forster,1771 (Tenthredinidae) Synonym(s): *arcuata* Forster,1771; *labiata* Geoffroy,1785; *virgata* Geoffroy,1785; *viminalis* Schrank,1796; *marginella* Panzer,1804, *nec* Fabricius,1793,p.p.; *melanotus* Rudow,1872; *dispar* Rudow,1872, *nec* Klug,1817; *clpealis* Konow,1888 TR

- 10350. *Tenthredo caligator* Eversmann,1847** (Tenthredinidae) Synonym(s): *caligator* Eversmann,1847; *nigritarsis* Puls,1870; *morawitzi* Jakovlev,1888 **TR**
- 10351. *Tenthredo caucasica* Eversmann,1847** (Tenthredinidae) Synonym(s): *caucasica* Eversmann,1847; *moestus* Mocsary,1883 **TR**
- 10352. *Tenthredo colon* Klug,1817** (Tenthredinidae) Synonym(s): *colon* Klug,1817; *obscura* Panzer,1805 nec Gmel.,1790; *rudowi* André,1881; *nigricollis* Kirby,1882; *jocosa* Provancher,1882; *punctulata* Konow,1887; *nigriventris* Enslin,1912 **TR**
- 10353. *Tenthredo costata* Klug,1817** (Tenthredinidae) Synonym(s): *costata* Klug,1817; *sareptana* Eversmann,1847; *subcostatus* Jakovlev,1888; *graecus* Konow,1888; *parnasius* Konow,1888; *violaceipennis* Costa,1890 **TR**
- 10354. *Tenthredo discophora* Konow,1896** (Tenthredinidae) Synonym(s): *discophora* Konow,1896; *pullata* Konow,1898; *bigemmis* Konow,1903 **TR**
- 10355. *Tenthredo excellens* Konow,1886** (Tenthredinidae) Synonym(s): *annulata* Klug,1817 nec Geoffr.,1785; *excellens* Konow,1888; *mandibularis* Enslin,1910; *caja* Enslin,1912 **TR**
- 10356. *Tenthredo flavipennis* (Brullé,1832)** (Tenthredinidae) Synonym(s): *flavipennis* Brullé,1832; *frivaldszkyi* Mocsary,1879; *lautus* Konow,1891 **TR**
- 10357. *Tenthredo frauenfeldii* Giraud,1857** (Tenthredinidae) Synonym(s): *frauenfeldii* Giraud,1857; *helveticus* Konow,1898; *merceti* Konow; *montanus* Enslin; *dilleri* Taeger,1991 **TR**
- 10358. *Tenthredo hyrcana* Benson,1968** (Tenthredinidae) Synonym(s): *hyrcana* Benson,1968 **AM TR**
- 10359. *Tenthredo liturata* (Mocsary,1886)** (Tenthredinidae) Synonym(s): *liturata* Mocsary,1886; *egregia* Enslin,1914; *reitteri* Konow,1886 **TR**
- 10360. *Tenthredo livida* Linnaeus,1758** (Tenthredinidae) Synonym(s): *livida* Linnaeus,1758; *dubia* Ström,1768; *lurida* Müller,1775; *pellucida* Müller,1776; *bipunctata* Müller,1776; *annularis* Schrank,1776; *albicornis* Geoffroy,1785; *maura* Fabricius,1793; *carpini* Panzer,1799; *aterrimus* Stephens,1835 **TR**
- 10361. *Tenthredo luteipennis* Eversmann,1847** (Tenthredinidae) Synonym(s): *luteipennis* Eversmann,1847; *fallax* Mocsary,1880 nec Smith,1878 nec Audinet-Serville,1823; *mocsaryi* André,1882; *menetriesi* Kirby,1882; *obscuraria* Enslin,1913 **TR Cc Pm**
- 10362. *Tenthredo maculata* Geoffroy,1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy,1785; *unifasciata* Geoffroy,1785; *zonta* Christ,1791; *equestris* Panzer,1809; *latizona* Audinet-Serville,1823; *andréi* Mocsary,1883; *maculata* Enslin,1912 **TR Cc RU Sb JP**
- 10363. *Tenthredo mesomelas* Linnaeus,1758** (Tenthredinidae) Synonym(s): *mesomelas* Linnaeus,1758; *viridis* Klug,1817 nec Linn.,1758; *bernardi* Konow,1888; *mesomelaena* Konow,1905; *montana* Pasteels,1946; *mesopleuralis* Enslin,1912; *atramentaria* Enslin,1912 **TR**
- 10364. *Tenthredo notha* Klug,1817** (Tenthredinidae) Synonym(s): *notha* Klug,1817; *perkinsi* Morice,1919; *niger* Zirngiebl,1937 **TR**
- 10365. *Tenthredo omissa* Förster,1844** (Tenthredinidae) Synonym(s): *omissa* Förster,1844; *vienensis* sensu Panzer,1799; *marginella* sensu Thomson,1871; *melanoceraea* Enslin,1912 **TR Cc RU Sb**
- 10366. *Tenthredo propinqua* Klug,1817** (Tenthredinidae) Synonym(s): *propinqua* Klug,1817 **TR RU UA Cc**
- 10367. *Tenthredo scrophulariae* Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae* Linnaeus,1758 **TR RU Cc**
- 10368. *Tenthredo thompsoni* Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni* Curtis,1839; *basanalis* Enslin,1912; *marginella* sensu Chevin,1983; *semifasciatus* Rudow,1872 **TR Cc RU KG**
- 10369. *Tenthredo vespa* Retzius,1783** (Tenthredinidae) Synonym(s): *vespa* Retzius,1783; *multifasciata* Geoffroy,1785; *sexannulata* Schrank,1802; *tricincta* Fabricius,1804 nec Christ,1791; *quadricincta* Fallén,1808; *vespiformis* Audinet-Serville,1823; *multicinctus* Rudow,1872; *nigrilabris* Frivaldszky,1877 **TR RU Cc Sb CN MN**
- 10370. *Tenthredo vespiformis* Schrank,1781** (Tenthredinidae) Synonym(s): *vespiformis* Schrank,1781 **TR RU UA**
- 10371. *Tenthredo zonula* Klug,1817** (Tenthredinidae) Synonym(s): *zonula* Klug,1817; *fasciata* Scopoli,1763 nec Linn.,1758; *bifasciata* Geoffroy,1785; *bicictaflava* Christ,1791; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 **TR RU UA IR MD Cc AM IL SY LB**
- 10372. *Tenthredopsis albonotata* (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata* Brullé,1832; *propinqua* Mocsary,1880 nec Klug,1817 **TR LB SY IL**
- 10373. *Tenthredopsis festiva* Konow,1890** (Tenthredinidae) Synonym(s): *festiva* Konow,1890 **TR Cc**
- 10374. *Tenthredopsis harveyi* Benson,1968** (Tenthredinidae) Synonym(s): *harveyi* Benson,1968 **TR**
- 10375. *Tenthredopsis nassata* Linnaeus,1767** (Tenthredinidae) Synonym(s): *nassata* Linnaeus,1767; *albomaculatus* Cameron,1881; *dorsivittatus* Cameron,1881; *lividiventris* Cameron,1881; *alneti* Schrank,1781; *palmata* Geoffroy,1785; *perlata* Geoffroy,1785; *apicaris* Geoffroy,1785; *subulata* Gmelin,1790; *melanorrhoea* Gmelin,1790; **TR**
- 10376. *Tenthredopsis nigella* Konow,1891** (Tenthredinidae) Synonym(s): *nigella* Konow,1891 **TR**
- 10377. *Tenthredopsis sordida* Klug,1817** (Tenthredinidae) Synonym(s): *sordida* Klug,1817 **TR**

10378. **Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata Klug,1817; alboplagiata Konow,1890; ischiadica Eversmann,1847; cylindrica Rudow,1871* **TR RU Cc Sb MN CN IR**
10379. **Tentyria cylindrica Solier,1835** (Tenebrionidae) Synonym(s): *cylindrica Solier,1835; acuminata Reiche & Sauley,1857; lata Baudi,1874* **CY TR SY**
10380. **Tentyria cypria Kraatz,1865** (Tenebrionidae) Synonym(s): *cypria Kraatz,1865* **CY TR**
10381. **Tentyria rotundata Brullé,1832** (Tenebrionidae) Synonym(s): *rotundata Brullé,1832; angulata Brullé,1832; mittrei Solier,1835; winkleri Koch,1936; jonica Koch,1944; dahestris Koch,1944* **GR TR**
10382. **Tentyria taurica Tauscher,1812** (Tenebrionidae) Synonym(s): *taurica Tauscher,1812; fischeri Solier,1835* **UA Cm TR RU**
10383. **Tentyria tessulata Tauscher,1812** (Tenebrionidae) Synonym(s): *tessulata Tauscher,1812* **TR Cc IR**
10384. **Tentyria wiedemanni Ménétrés,1838** (Tenebrionidae) Synonym(s): *wiedemanni Ménétrés,1838; #wiedemanni Ferrer & Soldati,1999* **TR**
10385. **Tephritis acanthiophilopsis Hering,1938** (Tephritidae) Synonym(s): *acanthiophilopsis Hering,1938* **TR**
10386. **Tephritis brachyurus (Loew)** (Tephritidae) Synonym(s): **TR**
10387. **Tephritis carmen Hering,1937** (Tephritidae) Synonym(s): *carmen Hering,1937* **TR**
10388. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa Loew,1856* **TR RU Sb CN UI AF IR Cc AM GG**
10389. **Tephritis conjuncta (Loew,1844)** (Tephritidae) Synonym(s): *conjuncta Loew,1844* **TR**
10390. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea Loew,1856* **TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU**
10391. **Tephritis divisa Rondani,1871** (Tephritidae) Synonym(s): *divisa Rondani,1871* **TR**
10392. **Tephritis erdemlii Kütük,2008** (Tephritidae) Synonym(s): *erdemlii Kütük,2008* **Tephritis erdemlii Kütük,2008, Belg. J. Zool. 138 (2): 132-134, figs. Holotype ♀: Turkey: Isparta Prov., Yalvaç, Sultandağları 1520m on Cirsium vulgare, leg.M.Kütük (GUBD).** **TR**
10393. **Tephritis fallax (Loew,1844)** (Tephritidae) Synonym(s): *fallax Loew,1844* **TR**
10394. **Tephritis formosa (Loew,1844)** (Tephritidae) Synonym(s): *formosa Loew,1844* **TR Cc IL Pa GB IR CN**
10395. **Tephritis frauenfeldi Hendel,1927** (Tephritidae) Synonym(s): *frauenfeldi Hendel,1927* **TR**
10396. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii Freidberg,1981* **TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR**
10397. **Tephritis hyoscyami (Linnaeus,1758)** (Tephritidae) Synonym(s): *hyoscyami Linnaeus,1758* **TR**
10398. **Tephritis mariannae Merz,1992** (Tephritidae) Synonym(s): *mariannae Merz,1992* **TR**
10399. **Tephritis matricariae (Loew,1844)** (Tephritidae) Synonym(s): *matricariae Loew,1844* **TR**
10400. **Tephritis merzi Freidberg & Kütük,2002** (Tephritidae) Synonym(s): *merzi Freidberg & Kütük,2002* **TR**
10401. **Tephritis nigricauda (Loew,1856)** (Tephritidae) Synonym(s): *nigricauda Loew,1856* **TR**
10402. **Tephritis poecilura Loew,1869** (Tephritidae) Synonym(s): *poecilura Loew,1869* **TR**
10403. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844* **Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393.** **ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN UI DZ**
10404. **Tephritis praecox (Loew,1844)** (Tephritidae) Synonym(s): *praecox Loew,1844* **Trypeta praecox Loew,1844, [in] Germar, Z. Ent. 5: 391.** **TR**
10405. **Tephritis pulchra (Loew,1844)** (Tephritidae) Synonym(s): *pulchra Loew,1844* **Trypeta pulchra Loew,1844, [in] Germar, Z. Ent. 5: 406.** **TR DZ**
10406. **Tephritis recurrens Loew,1869** (Tephritidae) Synonym(s): *recurrens Loew,1869* **TR**
10407. **Tephritis sauteri Merz,1992** (Tephritidae) Synonym(s): *sauteri Merz,1992* **TR**
10408. **Tephritis separata Rondani,1871** (Tephritidae) Synonym(s): *separata Rondani,1871* **TR IL Pa TJ RU Sb SY IQ KK KG**
10409. **Tephritis simplex (Loew,1844)** (Tephritidae) Synonym(s): *simplex Loew,1844* **TR**
10410. **Tephritis valida (Loew,1858)** (Tephritidae) Synonym(s): *valida Loew,1858* **TR**
10411. **Tephritis vespertina (Loew,1844)** (Tephritidae) Synonym(s): *vespertina Loew,1844; apicalis Becker,1907* **Trypeta vespertina Loew,1844, Z. Ent., Leipzig 5: 387.** **CH RU AT DE DZ TR**
10412. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta Loew,1869* **TR GR Cr IL Pa IR EG**
10413. **Tephrochlamys laeta (Meigen,1830)** (Heleomyzidae) Synonym(s): *laeta Meigen,1830* **TR**
10414. **Tephrochlamys rufiventris (Meigen,1830)** (Heleomyzidae) Synonym(s): *rufiventris Meigen,1830* **TR**
10415. **Teratolytta carlae Bologna,2006** (Meloidae) Synonym(s): *carlae Bologna,2006* **Teratolytta carlae Bologna,2006, Eur. J. ent. 103: 145-146, figs. Holotype ♂: Turkey: Malatya Prov., Tecde (MNHNP).** **TR**
10416. **Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): *dives Brullé,1832; phalerata Frivaldsky,1837; vittata Kiesenwetter,1861; excellens Escherich,1894* **TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal**

10417. **Teratolytta dvoraki Bologna,2006** (Meloidae) Synonym(s): *dvoraki Bologna,2006* Teratolytta dvoraki Bologna,2006, Eur. J. ent. 103: 154-155, figs. Holotype ♂: [Turkey]: Anatol. Or., Bugleu [Buğlan] Pass, Solhau [Solhan] 1500-1600m, 30.iv.1989 W.Heinz leg. **TR**
10418. **Teratolytta flavipes (Mulsant & Rey,1858)** (Meloidae) Synonym(s): *flavipes Mulsant & Rey,1858*; *semividua Abeille de Perrin,1895*; *saphirina Abeille de Perrin,1895* **TR LB**
10419. **Teratolytta gentilis (Fivaldsky,1877)** (Meloidae) Synonym(s): *gentilis Frivaldsky,1877*; *violaceipennis Beaugregard,1890*; *#coeruleipennis Escherich,1894*; *coonensis G.Müller,1936* **GR TR**
10420. **Teratolytta kulzeri Kaszab,1958** (Meloidae) Synonym(s): *kulzeri Kaszab,1958* **TR**
10421. **Teratolytta monticola Bologna,2006** (Meloidae) Synonym(s): *monticola Bologna,2006* **TR**
10422. **Teratolytta senilis (Abeille de Perrin,1895)** (Meloidae) Synonym(s): *senilis Abeille de Perrin,1895*; *bytinskii Kaszab,1957* **TR IL Pa**
10423. **Teratolytta taurica Bologna,2006** (Meloidae) Synonym(s): *taurica Bologna,2006* **TR**
10424. **Teratolytta vanensis Kaszab,1968** (Meloidae) Synonym(s): *vanensis Kaszab,1968* Teratolytta vanensis Kaszab,1968, Annln naturh. Mus. Wien 72: 448-450. Holotype ♂: [Türkei]: Klein-Asien: Kusunkiran [Kusgunkiran], östlich [westlich] von Van, 2265m 29 v 1966 (NHMW). **TR**
10425. **Terellia (Cerajocera) yukseli Kütük,2009** (Tephritidae) Synonym(s): *yukseli Kütük,2009* **TR**
10426. **Terellia ceratocera Hendel,1913** (Tephritidae) Synonym(s): *ceratocera Hendel,1913* **TR RU Sb KG**
10427. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis Loew,1844*; *#fuscicornis Giray,1979* **TR ES FR CY GR IL Pa**
10428. **Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma M.Hering,1936* **TR CY Cc IL Pa LB IR**
10429. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola Wiedemann,1830* **TR ES IT GR LB IL TN EG Sn KG**
10430. **Terellia nigripalpis Hendel,1927** (Tephritidae) Synonym(s): *nigripalpis Hendel,1927* **TR**
10431. **Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula Loew,1869* **TR Cc AM AZ IL Pa LB JO IR**
10432. **Terellia ruficauda (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda Fabricius,1794* **TR KG CN KK Cc MN RU Sb Us**
10433. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae Linnaeus,1758* **TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us**
10434. **Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens Loew,1846* **TR AF KG IL Pa IR CA**
10435. **Terellia zerovae Korneyev,1985** (Tephritidae) Synonym(s): *zerovae Korneyev,1985* **TR GR Cr TJ RO**
10436. **Tetanocera arrogans Meigen,1830** (Sciomyzidae) Synonym(s): *arrogans Meigen,1830* **TR**
10437. **Tetanocera elata (Fabricius,1781)** (Sciomyzidae) Synonym(s): *elata Fabricius,1781* **TR**
10438. **Tetanocera ferruginea Fallén,1820** (Sciomyzidae) Synonym(s): *ferruginea Fallén,1820* **TR**
10439. **Tetanocera montana Day,1881** (Sciomyzidae) Synonym(s): *montana Day,1881* **TR**
10440. **Tetanocera punctifrons Rondani,1868** (Sciomyzidae) Synonym(s): *punctifrons Rondani,1868* **TR**
10441. **Tetartopeus adanensis Assing,2004** (Staphylinidae) Synonym(s): *adanensis Assing,2004* **TR**
10442. **Tetartopeus czwalinai (Jakobson,1909)** (Staphylinidae) Synonym(s): *czwalinai Jakobson,1909* **TR**
10443. **Tetartopeus persicus Coiffait** (Staphylinidae) Synonym(s): **TR IR**
10444. **Tetartopeus rufonitidus (Reitter,1909)** (Staphylinidae) Synonym(s): *rufonitidus Reitter,1909* **TR**
10445. **Tetartopeus stylifer (Reitter,1909)** (Staphylinidae) Synonym(s): *stylifer Reitter,1909* **TR**
10446. **Tetartopeus tezcani Anlaş,2009** (Staphylinidae) Synonym(s): *tezcani Anlaş,2009* **TR**
10447. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus Kirschbaum,1868*; *pellucidus Wagner,1951 nec Melichar,1896* **AL AT CZ HU IT RO RU YU GR TR**
10448. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi Hendel,1934* **BG TR DE HU MN ES Cc**
10449. **Tethina karatasensis Munari,1981** (Tethinidae) Synonym(s): *karatasensis Munari,1981* **TR**
10450. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea Hendel,1913*; *canzonerii Munari,1981* **SN SC ZA TW BG EG ES IT TR BG**
10451. **Tetracnemus heydeni (Mayr)** (Encyrtidae) Synonym(s): **TR**
10452. **Tetracnemus terminassianae Herthveztzian** (Encyrtidae) Synonym(s): **TR**
10453. **Tetramesa anatolica Zerova & Çam** (Eurytomidae) Synonym(s): **TR**
10454. **Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae Walker,1849* **TR CA IT Md MX UA US IR Th Fa**
10455. **Tetramorium caespitum (Linnaeus,1758)** (Formicidae) Synonym(s): *caespitum Linnaeus,1758* **TR**
10456. **Tetramorium lucidula Emery,1909** (Formicidae) Synonym(s): *lucidula Emery,1909* **TR**

10457. **Tetramorium schmidti Forel,1904** (Formicidae) Synonym(s): *schmidti Forel,1904* TR
10458. **Tetramorium sculptum Poldi,1975** (Formicidae) Synonym(s): *sculptum Poldi,1975* TR
10459. **Tetramorium semilaeve André,1883** (Formicidae) Synonym(s): *semilaeve André,1883* TR
10460. **Tetratetrix nutans (Hagenbach,1822)** (Tetrigidae) Synonym(s): *nutans Hagenbach,1822* TR
10461. **Tetrigus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius Baudi,1871; akbesianus Fairmaire,1893* TR CY SY GR
10462. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari Saulcy,1901* ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK
10463. **Tetrix ceperoi (Bolivar,1887)** (Tetrigidae) Synonym(s): *ceperoi Bolivar,1887* TR
10464. **Tetrix subulata (Linnaeus,1758)** (Tetrigidae) Synonym(s): *subulata Linnaeus,1758* TR
10465. **Tetrix tenuicornis Sahlberg,1893** (Tetrigidae) Synonym(s): *tenuicornis Sahlberg,1893* TR
10466. **Tetrix tuerki (Krauss,1876)** (Tetrigidae) Synonym(s): *tuerki Krauss,1876* TR
10467. **Tetrops warnckeii Holzschuh,1977** (Cerambycidae) Synonym(s): *warnckeii Holzschuh,1977* TR
10468. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866* Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
10469. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii Signoret,1866* AL BG CS FR GR IL IT RO ES TR RU TJ YU
10470. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis Signoret,1866* AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
10471. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi Lindberg,1948* AF IR TR Cc AZ KG KK RU TJ TM UA UZ
10472. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophaea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
10473. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932* Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
10474. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagialis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932* AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
10475. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903* Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
10476. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799; dorsalis Latreille,1804* DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
10477. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
10478. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata Lindberg,1948* AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
10479. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra Hagenbach,1825* DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
10480. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata Fieber,1872* AT FR DE IT TR EE RU YU
10481. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri Horvath,1909* DZ ES Cn MA ES TN TR KG UA Cm
10482. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865* DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
10483. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons Mulsant-Rey,1855; marginata Fieber,1876* DZ BE FR GR TR IT Si JO MA ES SY TN
10484. **Tettigometra lyncea Horvath,1903** (Tettigometridae) Synonym(s): *lyncea Horvath,1903* FR TR YU
10485. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida Fieber,1865* Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
10486. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina Fieber,1865* Cc AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
10487. **Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis Ebner,1946* Tettigonia acutipennis Ebner,1946, Eos 22 (1/2): 25-26, figs.3-5. Holotype ♂: Kleinasien: Marasch, leg. F.Tölg (coll. Ebner). TR SY LB IL Pa IQ IR AF
10488. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940* DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE

10489. **Tettigonia turcica Ramme,1951** (Tettigoniidae) Synonym(s): *turcica Ramme,1951* **Tettigonia turcica Ramme,1951**, Mitt. zool. Mus. Berlin 27: 350. Holotype ♂: S.-Anatolien: Melendis Dag, Niğde 1500m, 19.u.20.7.1937, Ramme leg. (ZMB). **TR**
10490. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima Linnaeus,1758*; *cantatrix De Geer,1773*; *flava Nedelkov,1907*; *meridionalis Shugurov,1912*; *paoli Capra,1936*; *intermedia Jannone,1937*; *trinaeriae Jannone,1937* **Gryllus (Tettigonia) viridissima Linnaeus,1758**, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). **DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR**
10491. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus Melichar,1896* **AL AT BG CS HU IT Si RO GG Cc TR MD YU**
10492. **Thamnotettix (Loepotettix) lutfi Demir,2006** (Cicadellidae) Synonym(s): *lutfi Demir,2006* **Thamnotettix lutfi Demir,2006**, J. Kansas ent. Soc. 79 (3): 283-287, figs. Holotype ♂: Turkey: Ankara Province, Kızılcahamam, Soğuksu 1100m, 30 08 1997 (Cesa). **TR**
10493. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828*; *simplex Herrich-Schäfer,1834*; *sulphurea Curtis,1837*; *stupidula Zetterstedt,1840*; *tincta Zetterstedt,1840*; *prominulus Reuter,1880*; *rufescentipes Strand,1913*; *hoashii Matsumura,1915*; *schlueteri Haupt,1917* **AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU**
10494. **Thamnotettix (s.str.) creticus Dlabola,1974** (Cicadellidae) Synonym(s): *creticus Dlabola,1974* **GR Cr TR**
10495. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868*; *erythrostickus Lethierry,1880* **AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR**
10496. **Thamnotettix (s.str.) klapperichi Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi Dlabola,1965* **TR JO SY**
10497. **Thamnotettix (s.str.) wittmeri Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri Dlabola,1971* **TR**
10498. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868* **CY FR IL Pa IT Si SY GR TR YU**
10499. **Thamnotettix minoidis Dlabola,1974** (Cicadellidae) Synonym(s): *minoidis Dlabola,1974* **TR**
10500. **Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus Linnavuori,1958* **IL Pa JO LB TR**
10501. **Thamnotettix thrax Dlabola,1965** (Cicadellidae) Synonym(s): *thrax Dlabola,1965* **BG SY GR TR YU**
10502. **Thamnotettix wittmeri Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri Dlabola,1971* **TR**
10503. **Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): *formicarius Linnaeus,1758* **RU UA Cm Cc TR**
10504. **Thanatophilus rugosus (Linnaeus,1758)** (Silphidae) Synonym(s): *rugosus Linnaeus,1758* **TR**
10505. **Thanatophilus sinuatus (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus Fabricius,1775* **TR UA Cm SY IR TM**
10506. **Thecodiplosis sp.** (Cecidomyiidae) Synonym(s): **TR**
10507. **Thecophora atra (Fabricius,1775)** (Conopidae) Synonym(s): *atra Fabricius,1775* **TR**
10508. **Thecophora distincta (Wiedemann,1824)** (Conopidae) Synonym(s): *distincta Wiedemann,1824* **TR**
10509. **Thecophora fulvipes (Robineau-Desvoidy,1830)** (Conopidae) Synonym(s): *fulvipes Robineau-Desvoidy,1830* **TR**
10510. **Thecophora pusilla (Meigen,1824)** (Conopidae) Synonym(s): *pusilla Meigen,1824* **TR**
10511. **Thelymorpha marmorata (Fabricius,1805)** (Tachinidae) Synonym(s): *marmorata Fabricius,1805* **TR**
10512. **Themira annulipes (Meigen,1826)** (Sepsidae) Synonym(s): *annulipes Meigen,1826* **TR**
10513. **Themira minor (Haliday,1833)** (Sepsidae) Synonym(s): *minor Haliday,1833* **TR**
10514. **Theocolax elegans (Westwood,1874)** (Pteromalidae) Synonym(s): *elegans Westwood,1874* **TR**
10515. **Theophilea cylindricollis Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis Pic,1895* **TR AM Cc IR**
10516. **Thereva affinis Kröber,1913** (Therevidae) Synonym(s): *affinis Kröber,1913* **Cc AZ AM GG TR**
10517. **Thereva albohirta Kröber,1912** (Therevidae) Synonym(s): *albohirta Kröber,1912*; *helvetica Kröber,1937* **CH TR**
10518. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis Wiedemann,1821*; *bivittata Loew,1840* **AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR**
10519. **Thereva aurata (Loew,1854)** (Therevidae) Synonym(s): *aurata Loew,1854*; *auricincta Egger,1859*; *corrinea Gosseries,1991* **AT CZ GR HU IT RO TR YU**
10520. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata Loew,1847* **IT MT MA TN RU TR UA**

10521. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
10522. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera Meigen,1830; subfasciata Schummel,1839; modesta Becker,1922* GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP
10523. **Thereva claripennis (Loew,1847)** (Therevidae) Synonym(s): *claripennis Loew,1847* TR
10524. **Thereva flavescens (Loew,1847)** (Therevidae) Synonym(s): *flavescens Loew,1847* TR
10525. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva Meigen,1804; flavilabris Meigen,1820* AT CZ DE ES FR GB PL RU HU IT RO YU TR
10526. **Thereva fulvibarba Kröber,1912** (Therevidae) Synonym(s): *fulvibarba Kröber,1912* TR UA RU
10527. **Thereva glaucescens Kröber,1912** (Therevidae) Synonym(s): *glaucescens Kröber,1912* GR TR
10528. **Thereva handlirschi Kröber,1912** (Therevidae) Synonym(s): *handlirschi Kröber,1912; zonata Kröber,1912; angustifrons Kröber,1912; praestans Collin,1948* AT BE CH CZ DE DK FR GB NO NL FI TR
10529. **Thereva hirta Kröber,1913** (Therevidae) Synonym(s): *hirta Kröber,1913* TR
10530. **Thereva lanata Zetterstedt,1838** (Therevidae) Synonym(s): *lanata Zetterstedt,1838; vetula Zetterstedt,1838; amoena Kowarz,1883* TR CZ DE NO NL PL CH FI RU
10531. **Thereva neglecta Kröber,1912** (Therevidae) Synonym(s): *neglecta Kröber,1912* GR TR Cc AM
10532. **Thereva nitidifrons Kröber,1913** (Therevidae) Synonym(s): *nitidifrons Kröber,1913* TR UA RU MN
10533. **Thereva pilifrons Kröber,1912** (Therevidae) Synonym(s): *pilifrons Kröber,1912* TR UZ TJ KK TM
10534. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja Linnaeus,1758; fasciatus De Geer,1776; monos Haris,1780; lugens Loew,1847; lichtwardti Kröber,1913* AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
10535. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970* AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
10536. **Thereva tristis (Loew,1847)** (Therevidae) Synonym(s): *tristis Loew,1847* TR ES PT IT
10537. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata Loew,1847; subtilis Loew,1847; algerica Kröber,1913* MA DZ TR ES FR IT MT RO
10538. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica Harris,1780; bipunctata Meigen,1820* TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
10539. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida Loew,1847; frontalis Schummel,1839; ursina Wahlberg,1854* TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
10540. **Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *circumflexum Linnaeus,1758* TR IN CN
10541. **Theriopectes carabaghensis (Potschinsky,1877)** (Tabanidae) Synonym(s): *carabaghensis Potschinsky,1877* TR
10542. **Theriopectes gigas (Herbst,1787)** (Tabanidae) Synonym(s): *gigas Herbst,1787; tunicatus Szilady,1927; rufula Szilady,1927* TR
10543. **Theriopectes tricolor Zeller,1842** (Tabanidae) Synonym(s): *tricolor Zeller,1842; ruficauda Enderlein,1925; kirchbergi Moucha & Chvala,1959* TR BG RU RO
10544. **Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): *atalantae Poda,1761* TR Cc TM
10545. **Theroscopus hemipterus (Fabricius,1793)** (Ichneumonidae) Synonym(s): *hemipterus Fabricius,1793* TR
10546. **Theroscopus subzonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subzonatus Gravenhorst,1829* TR
10547. **Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus Victorov,1964* TR Cc RU
10548. **Thienemanniella clavicornis Kieffer,1911** (Chironomidae) Synonym(s): *clavicornis Kieffer,1911* TR
10549. **Thienemanniella sp.** (Chironomidae) Synonym(s): TR
10550. **Thienemanniella vittata Edwards,1929** (Chironomidae) Synonym(s): *vittata Edwards,1929* TR
10551. **Thienemannimyia lentiginosa (Fries,1830)** (Chironomidae) Synonym(s): *lentiginosa Fries,1830* TR
10552. **Thinodytes cyzicus (Walker)** (Pteromalidae) Synonym(s): TR
10553. **Thornburghiella quezeli (Vaillant,1956)** (Psychodidae) Synonym(s): *quezeli Vaillant,1956* TR
10554. **Thricops aculeipes (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes Zetterstedt,1838* DE PL SK CH AT TR RU
10555. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus Wiedemann,1817* US Cf Als DE PL CZ SK CH AT HU TR JP
10556. **Thricops nigrifrons (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *nigrifrons Robineau-Desvoidy,1830* RU Ur Cc IR GG AM Eri TR

10557. **Thricops nigritellus (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigritellus Zetterstedt,1838*
DE PL CZ SK CH AT HU TR RU Ur
10558. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus Schnabl,1888* FR Co
DE PL CZ SK CH AT HU TR RU
10559. **Thrybius praedator (Rossi,1792)** (Ichneumonidae) Synonym(s): *praedator Rossi,1792;*
drewseni Thomson,1873 TR
10560. **Thyridanthrax incanus (Klug,1832)** (Bombyliidae) Synonym(s): *incanus Klug,1832* IT Si TR
10561. **Thyridanthrax lotus (Loew,1869)** (Bombyliidae) Synonym(s): *lotus Loew,1869* IT TR
10562. **Thyridanthrax mutilus (Loew,1869)** (Bombyliidae) Synonym(s): *mutilus Loew,1869* IT TR
10563. **Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris*
Loew,1869 IT Si TR
10564. **Thyridanthrax polyphemus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus*
Wiedemann,1820 IT TR
10565. **Thysanus ater Walker** (Signiphoridae) Synonym(s): TR
10566. **Tibicina fieberi Puissant & Sueur,2002** (Cicadidae) Synonym(s): *fieberi Puissant &*
Sueur,2002 *Tibicina fieberi Puissant & Sueur,2002, Revue fr. Ent. (N.S.) 24 (4): 197-200, figs.*
Holotype ♂: Turkey: [İçel Prov.]: "Taurus Cilic." (DEI). TR
10567. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes Scopoli,1763;*
sanguinea Fabricius,1803; helveola Germar,1821; viridinervis Fieber,1876 Cicada *haematodes*
Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA
MK YU
10568. **Tibicina nigronervosa Fieber,1876** (Cicadidae) Synonym(s): *nigronervosa Fieber,1876* FR
Co PT ES CH Cc TR
10569. **Tibicina serhadensis Koçak & Kemal,2010** (Cicadidae) Synonym(s): *serhadensis Koçak &*
Kemal,2010 *Tibicina serhadensis Koçak & Kemal,2010, Priamus 12 (5): 148. Holotype ♂: Turkey: Van*
Prov., Çatak, Yapılı mezrası 2180m 17 2009, M.Kemal leg. (Cesa). TR
10570. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveni Krynicky,1837* CH FR PT
BG MK TR Cc GG UA Cm
10571. **Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus Rossi,1790;*
transversalis Charpentier,1825 IT Sa Si LY Cy GR SK TR
10572. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis Bielz,1850* FR AT IT HU
HV YU RO BG GR TR
10573. **Tillus pectinicornis Abeille de Perrin,1892** (Cleridae) Synonym(s): *pectinicornis Abeille de*
Perrin,1892 *Tillus pectinicornis Abeille de Perrin,1892, Bull. Soc. ent. Fr. 1892: cxxxxvi-cxxxxvii. Type*
♂: [Turquie]: "Syrie: monts Amanus" (M.C.Delangrange). TR
10574. **Tillus pectinicornis Abeille,1892** (Cleridae) Synonym(s): *pectinicornis Abeille,1892; holtzi*
Hintz,1902 GR Cr TR
10575. **Timarcha hummeli Faldermann,1837** (Chrysomelidae) Synonym(s): *hummeli*
Faldermann,1837 GG AM Cc TR
10576. **Tingis angustata (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *angustata Herrich-*
Schäffer,1838 TR
10577. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata Costa,1847* US DZ RU IL Pa
SY TR CN Ui
10578. **Tingis ballotae Seidenstücker,1970** (Tingidae) Synonym(s): *ballotae Seidenstücker,1970* TR
10579. **Tingis cappadocica Horvath,1906** (Tingidae) Synonym(s): *cappadocica Horvath,1906* TR
10580. **Tingis cardui (Linnaeus,1758)** (Tingidae) Synonym(s): *cardui Linnaeus,1758* Cn TR
10581. **Tingis caucasica (Jakovlev,1880)** (Tingidae) Synonym(s): *caucasica Jakovlev,1880* Cc TR AL
RU HU YU
10582. **Tingis ciliaris (Puton,1879)** (Tingidae) Synonym(s): *ciliaris Puton,1879* TR
10583. **Tingis demissa Horvath,1906** (Tingidae) Synonym(s): *demissa Horvath,1906* TR IQ IR
10584. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata Fieber,1861* DZ MA TN ES CY
EG JO TR YU
10585. **Tingis geniculata (Fieber,1844)** (Tingidae) Synonym(s): *geniculata Fieber,1844* DZ RU TR
10586. **Tingis grisea Germar,1835** (Tingidae) Synonym(s): *grisea Germar,1835* TR
10587. **Tingis griseola (Puton,1879)** (Tingidae) Synonym(s): *griseola Puton,1879* TR
10588. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica Puton,1877* RU Cc TR CY SY
GR
10589. **Tingis ottomana Péricart & Önder,1982** (Tingidae) Synonym(s): *ottomana Péricart &*
Önder,1982 TR
10590. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata Puton,1879* MA RU Cc TR
CN Ui
10591. **Tingis pilosa Hummel,1825** (Tingidae) Synonym(s): *pilosa Hummel,1825* MA TR CN Ui RU Sb
10592. **Tingis pusilla (Jakovlev,1874)** (Tingidae) Synonym(s): *pusilla Jakovlev,1874* RU Cc TR
10593. **Tingis ragusana (Fieber,1861)** (Tingidae) Synonym(s): *ragusana Fieber,1861* IT TR

10594. **Tingis reticulata** Herrich-Schäffer,1835 (Tingidae) Synonym(s): *reticulata* Herrich-Schäffer,1835 TR
10595. **Tingis reuteri** Horvath,1906 (Tingidae) Synonym(s): *reuteri* Horvath,1906 TM TR
10596. **Tingis rotundicollis** (Jakovlev,1883) (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 AL BG RU IT CY RO TR YU GR
10597. **Tingis sideritis** Stusak,1973 (Tingidae) Synonym(s): *sideritis* Stusak,1973 BG RU TR
10598. **Tingis stepposa** Golub,1977 (Tingidae) Synonym(s): *stepposa* Golub,1977 RU TR
10599. **Tingis stupidula** Horvath,1906 (Tingidae) Synonym(s): *stupidula* Horvath,1906 SY TR
10600. **Tingis torpida** (Horvath,1906) (Tingidae) Synonym(s): *torpida* Horvath,1906 FR ES DZ TR
10601. **Tingis valida** (Puton,1878) (Tingidae) Synonym(s): *valida* Puton,1878 LB TR IR SY CN UI
10602. **Tiphia minuta** Van der Linden,1827 (Tiphidae) Synonym(s): *minuta* Van der Linden,1827 TR
10603. **Tipula (Acutipula) aktashi** Koç, Hasbenli & De Jong,1998 (Tipulidae) Synonym(s): *aktashi* Koç, Hasbenli & De Jong,1998 TR
10604. **Tipula (Acutipula) fulvipennis** De Geer,1776 (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776 TR
10605. **Tipula (Acutipula) isparta** Vermoolen,1983 (Tipulidae) Synonym(s): *isparta* Vermoolen,1983 TR CY
10606. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983 MK GR BG LB TR
10607. **Tipula (Acutipula) nigroantennata** Savchenko,1961 (Tipulidae) Synonym(s): *nigroantennata* Savchenko,1961 TR
10608. **Tipula (Beringotipula) unca** Wiedemann,1817 (Tipulidae) Synonym(s): *unca* Wiedemann,1817 TR
10609. **Tipula (Dendrotipula) flavolineata** Meigen,1804 TR
10610. **Tipula (Emdotipula) obscuriventris** Strobl,1900 TR
10611. **Tipula (Lunatipula) acudens** Theischinger,1977 (Tipulidae) Synonym(s): *acudens* Theischinger,1977 TR
10612. **Tipula (Lunatipula) adapazariensis** Theischinger,1987 (Tipulidae) Synonym(s): *adapazariensis* Theischinger,1987 TR
10613. **Tipula (Lunatipula) adusta** Savchenko,1954 (Tipulidae) Synonym(s): *adusta* Savchenko,1954 TR
10614. **Tipula (Lunatipula) anthe** Mannheims,1968 (Tipulidae) Synonym(s): *anthe* Mannheims,1968 TR
10615. **Tipula (Lunatipula) antilope** Theischinger,1977 (Tipulidae) Synonym(s): *antilope* Theischinger,1977 TR
10616. **Tipula (Lunatipula) arnoldii** Savchenko,1957 (Tipulidae) Synonym(s): *arnoldii* Savchenko,1957 TR
10617. **Tipula (Lunatipula) artemis** Theischinger,1977 (Tipulidae) Synonym(s): *artemis* Theischinger,1977 TR
10618. **Tipula (Lunatipula) astigma** Savchenko,1968 (Tipulidae) Synonym(s): *astigma* Savchenko,1968 TR
10619. **Tipula (Lunatipula) auriculata** Mannheims,1963 (Tipulidae) Synonym(s): *auriculata* Mannheims,1963 TR
10620. **Tipula (Lunatipula) bimacula** Theowald,1980 (Tipulidae) Synonym(s): *bimacula* Theowald,1980 AL GR ES IT IR TR
10621. **Tipula (Lunatipula) borysthenica** Savchenko,1954 (Tipulidae) Synonym(s): *borysthenica* Savchenko,1954 TR
10622. **Tipula (Lunatipula) brinki** Theischinger,1987 (Tipulidae) Synonym(s): *brinki* Theischinger,1987 TR
10623. **Tipula (Lunatipula) canakkalensis** Theischinger,1987 (Tipulidae) Synonym(s): *canakkalensis* Theischinger,1987 TR
10624. **Tipula (Lunatipula) carens** Theischinger,1987 (Tipulidae) Synonym(s): *carens* Theischinger,1987 TR
10625. **Tipula (Lunatipula) cedrophila** Mannheims,1963 (Tipulidae) Synonym(s): *cedrophila* Mannheims,1963 TR
10626. **Tipula (Lunatipula) chelifera** Savchenko,1964 (Tipulidae) Synonym(s): *chelifera* Savchenko,1964 TR
10627. **Tipula (Lunatipula) christophi** Theischinger,1982 (Tipulidae) Synonym(s): *christophi* Theischinger,1982 TR
10628. **Tipula (Lunatipula) cillibema** Koç,2004 (Tipulidae) Synonym(s): *cillibema* Koç,2004 TR
10629. **Tipula (Lunatipula) cinerella** Pierre,1919 (Tipulidae) Synonym(s): *cinerella* Pierre,1919 TR

- 10630. Tipula (Lunatipula) cirratula Oosterbroek,1997** (Tipulidae) Synonym(s): *cirratula*
Oosterbroek,1997 TR
- 10631. Tipula (Lunatipula) curvata Theischinger,1977** (Tipulidae) Synonym(s): *curvata*
Theischinger,1977 TR
- 10632. Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae) Synonym(s): *decolor*
Mannheims,1963 RO TR
- 10633. Tipula (Lunatipula) dedecor Loew,1873** (Tipulidae) Synonym(s): *dedecor Loew,1873* GR
TR
- 10634. Tipula (Lunatipula) didymotes Theischinger,1977** (Tipulidae) Synonym(s): *didymotes*
Theischinger,1977 TR
- 10635. Tipula (Lunatipula) dracula Theischinger,1977** (Tipulidae) Synonym(s): *dracula*
Theischinger,1977 GR TR
- 10636. Tipula (Lunatipula) emmahelene Theischinger,1980** (Tipulidae) Synonym(s):
emmahelene Theischinger,1980 TR
- 10637. Tipula (Lunatipula) franzressli Theischinger,1982** (Tipulidae) Synonym(s): *franzressli*
Theischinger,1982 TR
- 10638. Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae) Synonym(s): *furcula*
Mannheims,1954 MK YU GR TR
- 10639. Tipula (Lunatipula) gebze Koç, Hasbenli & Vogtenhuber,2007** (Tipulidae) Synonym(s):
gebze Koç, Hasbenli & Vogtenhuber,2007 TR
- 10640. Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola Loew,1873* GR BG
TR UA IL Pa
- 10641. Tipula (Lunatipula) horsti Theischinger,1982** (Tipulidae) Synonym(s): *horsti*
Theischinger,1982 TR
- 10642. Tipula (Lunatipula) huberti Theischinger,1982** (Tipulidae) Synonym(s): *huberti*
Theischinger,1982 TR
- 10643. Tipula (Lunatipula) iliensis Mannheims,1965** (Tipulidae) Synonym(s): *iliensis*
Mannheims,1965 TR
- 10644. Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana*
Erhan & Theowald,1961 GR RO BG TR
- 10645. Tipula (Lunatipula) jaroslavi Koç,2007** (Tipulidae) Synonym(s): *jaroslavi Koç,2007* TR
- 10646. Tipula (Lunatipula) kerkis Theischinger,1977** (Tipulidae) Synonym(s): *kerkis*
Theischinger,1977 TR
- 10647. Tipula (Lunatipula) kreissli Theischinger,1987** (Tipulidae) Synonym(s): *kreissli*
Theischinger,1987 TR
- 10648. Tipula (Lunatipula) kumerloevei Mannheims,1968** (Tipulidae) Synonym(s): *kumerloevei*
Mannheims,1968 TR
- 10649. Tipula (Lunatipula) kybele Mannheims,1968** (Tipulidae) Synonym(s): *kybele*
Mannheims,1968 TR
- 10650. Tipula (Lunatipula) lucasi Theischinger,1987** (Tipulidae) Synonym(s): *lucasi*
Theischinger,1987 TR
- 10651. Tipula (Lunatipula) mendli Martinovsky,1976** (Tipulidae) Synonym(s): *mendli*
Martinovsky,1976 TR
- 10652. Tipula (Lunatipula) micropeliostigma Mannheims,1965** (Tipulidae) Synonym(s):
micropeliostigma Mannheims,1965 TR
- 10653. Tipula (Lunatipula) montifer Theischinger,1977** (Tipulidae) Synonym(s): *montifer*
Theischinger,1977 TR
- 10654. Tipula (Lunatipula) murati Koç,2004** (Tipulidae) Synonym(s): *murati Koç,2004* TR
- 10655. Tipula (Lunatipula) musensis Theischinger,1987** (Tipulidae) Synonym(s): *musensis*
Theischinger,1987 TR
- 10656. Tipula (Lunatipula) neutra Theischinger,1982** (Tipulidae) Synonym(s): *neutra*
Theischinger,1982 TR
- 10657. Tipula (Lunatipula) nigdeensis Bischof,1905** (Tipulidae) Synonym(s): *nigdeensis*
Bischof,1905 TR
- 10658. Tipula (Lunatipula) oorschotorum Theischinger,1987** (Tipulidae) Synonym(s):
oorschotorum Theischinger,1987 TR
- 10659. Tipula (Lunatipula) oosterbroeki Koç,2007** (Tipulidae) Synonym(s): *oosterbroeki Koç,2007*
TR
- 10660. Tipula (Lunatipula) ornithogona Theischinger,1982** (Tipulidae) Synonym(s): *ornithogona*
Theischinger,1982 TR
- 10661. Tipula (Lunatipula) osmana Mannheims,1963** (Tipulidae) Synonym(s): *osmana*
Mannheims,1963 TR
- 10662. Tipula (Lunatipula) palifera Mannheims,1965** (Tipulidae) Synonym(s): *palifera*
Mannheims,1965 TR
- 10663. Tipula (Lunatipula) paravelox Theischinger,1987** (Tipulidae) Synonym(s): *paravelox*
Theischinger,1987 TR

10664. **Tipula (Lunatipula) peliostigma Schummel,1833** (Tipulidae) Synonym(s): *peliostigma Schummel,1833* TR
10665. **Tipula (Lunatipula) peteri Theischinger,1979** (Tipulidae) Synonym(s): *peteri Theischinger,1979* TR
10666. **Tipula (Lunatipula) pseudolunata Theischinger,1980** (Tipulidae) Synonym(s): *pseudolunata Theischinger,1980* TR
10667. **Tipula (Lunatipula) pseudopeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *pseudopeliostigma Mannheims,1965* LB IL Pa TR
10668. **Tipula (Lunatipula) pseudowolffi Theischinger,1979** (Tipulidae) Synonym(s): *pseudowolffi Theischinger,1979* GR TR
10669. **Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae) Synonym(s): *quinquespinis Theischinger,1980* TR
10670. **Tipula (Lunatipula) renate Theischinger,1982** (Tipulidae) Synonym(s): *renate Theischinger,1982* TR
10671. **Tipula (Lunatipula) rhodolivida Theowald,1972** (Tipulidae) Synonym(s): *rhodolivida Theowald,1972* TR
10672. **Tipula (Lunatipula) rhynchos Theischinger,1977** (Tipulidae) Synonym(s): *rhynchos Theischinger,1977* TR
10673. **Tipula (Lunatipula) russula Theischinger,1977** (Tipulidae) Synonym(s): *russula Theischinger,1977* TR
10674. **Tipula (Lunatipula) rutila Savchenko,1952** (Tipulidae) Synonym(s): *rutila Savchenko,1952* TR
10675. **Tipula (Lunatipula) sciurus Theischinger,1977** (Tipulidae) Synonym(s): *sciurus Theischinger,1977* TR
10676. **Tipula (Lunatipula) selenis Loew,1873** (Tipulidae) Synonym(s): *selenis Loew,1873* TR
10677. **Tipula (Lunatipula) semipeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *semipeliostigma Mannheims,1965* TR
10678. **Tipula (Lunatipula) sepiaformis Vogtenhuber,2002** (Tipulidae) Synonym(s): *sepiaformis Vogtenhuber,2002* TR
10679. **Tipula (Lunatipula) soosi Mannheims,1954** (Tipulidae) Synonym(s): *soosi Mannheims,1954* TR
10680. **Tipula (Lunatipula) sternalis Theischinger,1977** (Tipulidae) Synonym(s): *sternalis Theischinger,1977* TR
10681. **Tipula (Lunatipula) strigosa Savchenko,1952** (Tipulidae) Synonym(s): *strigosa Savchenko,1952* TR
10682. **Tipula (Lunatipula) subacuminata Mannheims,1963** (Tipulidae) Synonym(s): *subacuminata Mannheims,1963* TR
10683. **Tipula (Lunatipula) substernalis Oosterbroek,1997** (Tipulidae) Synonym(s): *substernalis Oosterbroek,1997* TR
10684. **Tipula (Lunatipula) subvelox Savchenko,1968** (Tipulidae) Synonym(s): *subvelox Savchenko,1968* TR
10685. **Tipula (Lunatipula) teunissenii Theischinger,1979** (Tipulidae) Synonym(s): *teunissenii Theischinger,1979* GR TR
10686. **Tipula (Lunatipula) theia Mannheims,1963** (Tipulidae) Synonym(s): *theia Mannheims,1963* TR
10687. **Tipula (Lunatipula) tibonella Theischinger,1977** (Tipulidae) Synonym(s): *tibonella Theischinger,1977* TR
10688. **Tipula (Lunatipula) transmarmarensis Koç, Aktaş & Oosterbroek,1996** (Tipulidae) Synonym(s): *transmarmarensis Koç, Aktaş & Oosterbroek,1996* TR
10689. **Tipula (Lunatipula) trapeza Theischinger,1982** (Tipulidae) Synonym(s): *trapeza Theischinger,1982* TR
10690. **Tipula (Lunatipula) truncata Loew,1873** (Tipulidae) Synonym(s): *truncata Loew,1873* TR
10691. **Tipula (Lunatipula) turca Mannheims,1963** (Tipulidae) Synonym(s): *turca Mannheims,1963* TR
10692. **Tipula (Lunatipula) turcolivida Mannheims,1968** (Tipulidae) Synonym(s): *turcolivida Mannheims,1968* TR
10693. **Tipula (Lunatipula) turgida Oosterbroek,1997** (Tipulidae) Synonym(s): *turgida Oosterbroek,1997* TR
10694. **Tipula (Lunatipula) ulrike Theischinger,1982** (Tipulidae) Synonym(s): *ulrike Theischinger,1982* TR
10695. **Tipula (Lunatipula) unicornis Theischinger,1977** (Tipulidae) Synonym(s): *unicornis Theischinger,1977* TR
10696. **Tipula (Lunatipula) ursulae Mannheims,1965** (Tipulidae) Synonym(s): *ursulae Mannheims,1965* TR
10697. **Tipula (Lunatipula) vermooleni Theischinger,1987** (Tipulidae) Synonym(s): *vermooleni Theischinger,1987* GR TR

10698. **Tipula (Lunatipula) verrucosa Pierre,1919** (Tipulidae) Synonym(s): *verrucosa Pierre,1919* TR
10699. **Tipula (Lunatipula) vogtenhuberi Theischinger,1979** (Tipulidae) Synonym(s): *vogtenhuberi Theischinger,1979* TR
10700. **Tipula (Lunatipula) vulpecula Theischinger,1979** (Tipulidae) Synonym(s): *vulpecula Theischinger,1979* TR
10701. **Tipula (Lunatipula) zaitzevi Savchenko,1952** (Tipulidae) Synonym(s): *zaitzevi Savchenko,1952* TR
10702. **Tipula (Mediotipula) anatoliensis Theowald,1978** (Tipulidae) Synonym(s): *anatoliensis Theowald,1978* TR
10703. **Tipula (Mediotipula) stigmatella Schummel,1833** (Tipulidae) Synonym(s): *stigmatella Schummel,1833* TR
10704. **Tipula (Pterelachisus) aspoecki Vogtenhuber,2004** (Tipulidae) Synonym(s): *aspoecki Vogtenhuber,2004* TR
10705. **Tipula (Pterelachisus) luteobasalis Savchenko,1964** (Tipulidae) Synonym(s): *luteobasalis Savchenko,1964* TR
10706. **Tipula (Pterelachisus) varipennis Meigen,1818** (Tipulidae) Synonym(s): *varipennis Meigen,1818* TR
10707. **Tipula (Savtshenkia) obsoleta Meigen,1818** (Tipulidae) Synonym(s): *obsoleta Meigen,1818* TR
10708. **Tipula (Savtshenkia) rufina Meigen,1818** (Tipulidae) Synonym(s): *rufina Meigen,1818* DZ Cc TR
10709. **Tipula (Savtshenkia) serrulifera Alexander,1942** (Tipulidae) Synonym(s): *serrulifera Alexander,1942* TR
10710. **Tipula (Schummelia) ahrensi Savchenko,1957** (Tipulidae) Synonym(s): *ahrensi Savchenko,1957* TR
10711. **Tipula (Schummelia) variicornis Schummel,1833** (Tipulidae) Synonym(s): *variicornis Schummel,1833* TR
10712. **Tipula (Tipula) italica Lackschewitz,1930** (Tipulidae) Synonym(s): *italica Lackschewitz,1930* TR IT
10713. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis Lackschewitz,1930* TR
10714. **Tipula (Vestiplex) kosswigi Mannheims,1953** (Tipulidae) Synonym(s): *kosswigi Mannheims,1953* TR
10715. **Tipula (Vestiplex) pallidicosta Pierre,1924** (Tipulidae) Synonym(s): *pallidicosta Pierre,1924* TR
10716. **Tipula (Vestiplex) semivittata Savchenko,1960** (Tipulidae) Synonym(s): *semivittata Savchenko,1960* TR
10717. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae) Synonym(s): *caesia Schummel,1833* Cc TR
10718. **Tipula (Yamatotipula) caucasimontana Savchenko,1955** (Tipulidae) Synonym(s): *caucasimontana Savchenko,1955* Cc TR
10719. **Tipula (Yamatotipula) guentheri Oosterbroek,1994** (Tipulidae) Synonym(s): *guentheri Oosterbroek,1994* Tipula (Yamatotipula) guentheri Oosterbroek,1994, Eur. J. Ent. 91: 430-431, figs. Holotype ♂: Türkiye Hakkari, Suvarihalil geçidi 1900-2250m 14.vi.1985 (ZMAN). TR
10720. **Tipula (Yamatotipula) iranensis Theowald,1978** (Tipulidae) Synonym(s): *iranensis Theowald,1978* IR TR
10721. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis Meigen,1804; itermedia Eiroa,1990* Tipula lateralis Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
10722. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium Theowald & Oosterbroek,1981* AD FR CH AT CZ SK SS YU AL GR TR IR Elb Mz
10723. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus Illiger,1800* TN ES AT AL TR Cc SY IR RU
10724. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata Fabricius,1781* DZ ES FR TR SY IR
10725. **Tmethis pulchripennis Audinet-Serville,1839** (Pamphagidae) Synonym(s): *pulchripennis Audinet-Serville,1839* TR IR Hz Il Km Kh
10726. **Tolmerus angustifrons (Loew,1849)** (Asilidae) Synonym(s): *angustifrons Loew,1849* TR
10727. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781; striatus Meigen,1820; annulatus Macquart,1826; pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
10728. **Tolmerus muhabbet Koçak,2008** (Asilidae) Synonym(s): *fuscus Macquart,1839 nec Wied.,1828; muhabbet Koçak,2008* Tolmerus muhabbet Koçak,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro fuscus Macquart,1839 nec Wiedemann,1828) Cn RU TR

10729. **Tolmerus paganus Becker,1923** (Asilidae) Synonym(s): *paganus Becker,1923* **RU TR**
10730. **Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex Wiedemann,1820* **PT ES TR SY TN**
10731. **Tolmerus tivonensis Theodor,1980** (Asilidae) Synonym(s): *tivonensis Theodor,1980* **IL Pa TR IR**
10732. **Tolmerus turcicus Koçak & Kemal,2008** (Asilidae) Synonym(s): *tesselatus Loew,1849 nec Brull.,1832; turcicus Koçak & Kemal,2008* **IT RO TR**
10733. **Tolphorea kurdistanicus Platia & Gudenzi,1996** (Elateridae) Synonym(s): *kurdistanicus Platia & Gudenzi,1996* **TR**
10734. **Tolphorea pallida Platia,2004** (Elateridae) Synonym(s): *pallida Platia,2004* **TR**
10735. **Tolphorea turcica Platia & Gudenzi,2000** (Elateridae) Synonym(s): *turcica Platia & Gudenzi,2000* **TR**
10736. **Tomicobia promulus (Walker)** (Pteromalidae) Synonym(s): **TR**
10737. **Tonnoiriella turcica R.Wagner,1986** (Psychodidae) Synonym(s): *turcica R.Wagner,1986* **TR**
10738. **Torymoides dispar (Masi,1916)** (Torymidae) Synonym(s): *dispar Masi,1916* **TR IT SK HU B-H YU AL MK**
10739. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri Mayr,1874; longicauda Masi,1916* **ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR**
10740. **Torymoides yumurtalikiensis (Doğanlar,1989)** (Torymidae) Synonym(s): *#yumurtalikiensis Doğanlar,1989; yumurtalikiensis Doğanlar,1989; #yamurtalikiensis Noyes,2010 Ameromicrus yumurtalikiensis Doğanlar,1989, Türk. ent. derg. 13 (3): 142-144, figs.1-2. Holotype ♀: Turkey: Adana Prov. Yumurtalık (MDCO).* **TR**
10741. **Torymus arcella Graham & Gijswijt,1998** (Torymidae) Synonym(s): *arcella Graham & Gijswijt,1998 Torymus arcella Graham & Gijswijt,1998, Zool. Verh. 317: 53-54. Holotype ♀: Turkey: [İğdir Prov.], Serdarbulak, 5000" [Ağrı Dağı] leg. Guichard & Harvey (BMNH).* **TR UA KG**
10742. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929 Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU*
10743. **Torymus cultratus Graham & Gijswijt,1998** (Torymidae) Synonym(s): *cultratus Graham & Gijswijt,1998 Torymus cultratus Graham & Gijswijt,1998, Zool. Verh. 317: 79-80. Holotype ♀: Turkey: Kütahya Prov., Murat Dağı 1700m 31.vii.1962, Guichard & Harvey leg. (BMNH).* **UA TR**
10744. **Torymus cultriventris Ratzeburg,1844** (Torymidae) Synonym(s): *cultriventris Ratzeburg,1844* **BE HV CZ DE HU NL PL SK TR UA GB YU**
10745. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus Walker,1833; pallidicornis Boheman,1834; nanulus Walker,1874* **CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon**
10746. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781; macropterum Walker,1833; splendidus Förster,1841* **AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK**
10747. **Townsendiellomyia nidicola (Townsend,1908)** (Tachinidae) Synonym(s): *nidicola Townsend,1908* **TR**
10748. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra Hermann,1907* **TR SD AM AZ GG Cc EG TJ TM UZ**
10749. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
10750. **Toya ibiturca Asche,1980** (Delphacidae) Synonym(s): *ibiturca Asche,1980* **ES GR TR**
10751. **Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula Linnavuori,1957* **Co FR CY IT ES TR**
10752. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
10753. **Trabutina crassispinosa Borchsenius** (Pseudococcidae) Synonym(s): *crassispinosa Borchsenius* **TR**
10754. **Trabutina mannipara (Hemprich & Ehrenberg)** (Pseudococcidae) Synonym(s): *mannipara Hemprich & Ehrenberg* **TR**
10755. **Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima Petagna,1819; angustata Solier,1836* **TR EG GR IT Si**
10756. **Trachyderma philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s): *philistina Reich & Saulcy,1857; gomorrhana Reiche & Saulcy,1857; perseae Baudi,1875; ovalipennis Baudi,1875* **TR GR IL Pa IR**
10757. **Trachyderma setosa (Fischer,1819)** (Tenebrionidae) Synonym(s): *setosa Fischer,1819* **TR Cc**
10758. **Trachyscelis aphodioides Latreille,1809** (Tenebrionidae) Synonym(s): *aphodioides Latreille,1809* **TR**

10759. **Trapezonotus arenarius (Linnaeus,1758)** (Lygaeidae) Synonym(s): *arenarius Linnaeus,1758* TR
10760. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar Stal,1872; breviceps Jakovlev,1882; seductor Horvath,1883* MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
10761. **Trapezonotus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus Fabricius,1798* TR
10762. **Trapezonotus ullrichi (Fieber,1836)** (Lygaeidae) Synonym(s): *ullrichi Fieber,1836* DE TR CN Ui
10763. **Trechnites flavipes (Mercet)** (Encyrtidae) Synonym(s): TR
10764. **Trechnites psyllae (Ruschka)** (Encyrtidae) Synonym(s): TR
10765. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
10766. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer Piochard,1876* BG GR TR CY IL Pa JO LB SY
10767. **Trechus (s.str.) ilgazicus Pawlowski,1976** (Carabidae) Synonym(s): *ilgazicus Pawlowski,1976* TR
10768. **Trechus (s.str.) kackardagi Pawlowski,1978** (Carabidae) Synonym(s): *kackardagi Pawlowski,1978* TR
10769. **Trechus (s.str.) machardi Jeanne,1976** (Carabidae) Synonym(s): *machardi Jeanne,1976* TR
10770. **Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus Kolenati,1845* AZ AM Cc RU TR IR
10771. **Trechus (s.str.) michaeli Pawlowski,1978** (Carabidae) Synonym(s): *michaeli Pawlowski,1978* TR
10772. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
10773. **Trechus (s.str.) osmanilis K.Daniel & J.Daniel,1902** (Carabidae) Synonym(s): *osmanilis K.Daniel & J.Daniel,1902* TR
10774. **Trechus (s.str.) pamphylicus Jeanne,1996** (Carabidae) Synonym(s): *pamphylicus Jeanne,1996* TR
10775. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus Schränk,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
10776. **Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus Csiki,1928* TR CY IL Pa JO LB SY
10777. **Trechus (s.str.) ulrichi Pawlowski,1976** (Carabidae) Synonym(s): *ulrichi Pawlowski,1976* TR
10778. **Trechus (s.str.) urartaeus Pavesi & Sciaky,1994** (Carabidae) Synonym(s): *urartaeus Pavesi & Sciaky,1994* TR
10779. **Trechus (s.str.) witkowskii Pawlowski,1978** (Carabidae) Synonym(s): *witkowskii Pawlowski,1978* TR
10780. **Trechus (s.str.) ziganensis Jeanne,1976** (Carabidae) Synonym(s): *ziganensis Jeanne,1976* TR
10781. **Trematopygus triangulator Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator Aubert,1981* IL Pa TR
10782. **Tremissus Besuchet,1981** (Staphylinidae) Synonym(s): *Tremissus Besuchet,1981* TR
10783. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952* AF FR GR Cr IT MA PT ES CH UA YU TR
10784. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
10785. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803; auronitens Kirschbaum,1868; halbum Fieber,1868* AT BE CZ DK GB FR DE IT NL RU CY IR TR
10786. **Triaspis caudatus (Nees,1813)** (Braconidae) Synonym(s): *caudatus Nees,1813* TR
10787. **Triaspis flavipalpis Wesmael,1835** (Braconidae) Synonym(s): *flavipalpis Wesmael,1835* TR
10788. **Tribalus anatolicus Olexa,1980** (Histeridae) Synonym(s): *anatolicus Olexa,1980* TN CY TR GR
10789. **Tribalus olexai Lackner,2004** (Histeridae) Synonym(s): *olexai Lackner,2004* **Tribalus olexai** Lackner,2004, Ent. Problems 34 (1/2): 47-48, figs. Holotype ♂: Turcia mer., Avsallar Incekum 22km W Alanya 9-23.5.1995 leg. A. Pütz (ZMAN). TR
10790. **Tribatus creticus Reitter,1884** (Staphylinidae) Synonym(s): *creticus Reitter,1884* TR GR Cr
10791. **Tribolium castaneum (Herbst,1797)** (Tenebrionidae) Synonym(s): *castaneum Herbst,1797* TR
10792. **Tribolium confusum Jacquelin du Val,1868** (Tenebrionidae) Synonym(s): *confusum Jacquelin du Val,1868* TR
10793. **Tribolium destructor Uyttenboogaart,1933** (Tenebrionidae) Synonym(s): *destructor Uyttenboogaart,1933* TR

10794. **Tribolium madens** Charpentier,1825 (Tenebrionidae) Synonym(s): *madens* Charpentier,1825 TR
10795. **Trichius fasciatus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758 RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR
10796. **Trichius orientalis** Reitter,1894 (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894 TR UA Cm SY GR
10797. **Trichius sexualis** Bedel,1906 (Scarabaeidae) Synonym(s): *sexualis* Bedel,1906 BG RO TR
10798. **Trichodes affinis** Chevrolat,1843 (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900 GR Cr TR JO EG SY IL Pa Js
10799. **Trichodes alberti** Escherich,1893 (Cleridae) Synonym(s): *alberti* Escherich,1893; *korbianus* Ganglbauer,1905 TR AM Cc IQ
10800. **Trichodes apiarius** (Linnaeus,1758) (Cleridae) Synonym(s): *apiarius* Linnaeus,1758 DE BG RU TR Cc AM GG
10801. **Trichodes crabroniformis** Fabricius,1787 (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787 ES IT Si YU AL Cr GR BG HV TR SY
10802. **Trichodes dilatipennis** Reitter,1893 (Cleridae) Synonym(s): *dilatipennis* Reitter,1893 TR SY JO IL Pa
10803. **Trichodes ephippiger** Chevrolat,1874 (Cleridae) Synonym(s): *ephippiger* Chevrolat,1874 TR SY IQ IR
10804. **Trichodes ganglbaueri** Escherich,1893 (Cleridae) Synonym(s): *ganglbaueri* Escherich,1893; *israelicus* Winkler,1963 GR CY TR IL Pa IR
10805. **Trichodes heydeni** Escherich (Cleridae) Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893 Cc AZ Nv Ord TR SY IR Ab Ak IQ Mos
10806. **Trichodes inermis** Reitter,1893 (Cleridae) Synonym(s): *inermis* Reitter,1893 TR Cc RU IL Pa IR Ak Ab
10807. **Trichodes insignis** Fischer,1829 (Cleridae) Synonym(s): *insignis* Fischer,1829; *armeniacus* Baudi,1873 TR Cc GG AM
10808. **Trichodes laminatus** Chevrolat,1843 (Cleridae) Synonym(s): *laminatus* Chevrolat,1843 GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
10809. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae) Synonym(s): *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881 TR Cc AM SY LB CY EG
10810. **Trichodes nobilis** Klug,1842 (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844 AL GR TR SY IL Pa IR Cc AM TJ Pm KG
10811. **Trichodes oberthueri** Champenois,1900 (Cleridae) Synonym(s): *oberthueri* Champenois,1900 TR
10812. **Trichodes olivieri** (Chevrolat,1843) (Cleridae) Synonym(s): *olivieri* Chevrolat,1843 IQ Mos IR CY TR?
10813. **Trichodes pulcherrimus** Escherich,1892 (Cleridae) Synonym(s): *pulcherrimus* Escherich,1892 TR IR Cc AM
10814. **Trichodes punctatus** Fischer,1829 (Cleridae) Synonym(s): *punctatus* Fischer,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843 TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
10815. **Trichodes quadriguttatus** Adams,1817 (Cleridae) Synonym(s): *quadriguttatus* Adams,1817 GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
10816. **Trichodes reichei** Mulsant & Rey,1863 (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863; *conjunctus* Escherich,1892 TR SY Hal Lik IL Pa IR Cc AM
10817. **Trichodes rubrolimbatus** Chevrolat,1876 (Cleridae) Synonym(s): *rubrolimbatus* Chevrolat,1876; *difficilis* Escherich,1893 TR SY IL Pa
10818. **Trichodes sexpustulatus** Chevrolat,1874 (Cleridae) Synonym(s): *sexpustulatus* Chevrolat,1874; *erratus* Champenois,1898 TR AM Cc Eri SY IR
10819. **Trichodes sipylus** (Linnaeus,1758) (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915 TR GR EG IL Pa SY Cc AM Eri IR
10820. **Trichodes suspectus** Escherich,1892 (Cleridae) Synonym(s): *suspectus* Escherich,1892 SY TR
10821. **Trichodes syriacus** Spinola,1844 (Cleridae) Synonym(s): *syriacus* Spinola,1844 TR SY IL Pa JO
10822. **Trichodes tauricus** Zimmermann,1971 (Cleridae) Synonym(s): *tauricus* Zimmermann,1971
Trichodes tauricus Zimmermann,1971, *Annl n naturh. Mus. Wien* 75: 604-605. Holotype ♂: Türkei: [Mersin Prov.]: Namrun b. Tarsus (coll.Zimmermann). TR
10823. **Trichogramma brassicae** Bezdenko (Trichogrammatidae) Synonym(s): TR
10824. **Trichogramma buluti** Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *buluti* Bulut & Kılınçer,1991 TR
10825. **Trichogramma cacaeciae** Marchal,1927 (Trichogrammatidae) Synonym(s): *cacaeciae* Marchal,1927 TR
10826. **Trichogramma dendrolimi** Matsumura,1926 (Trichogrammatidae) Synonym(s): *dendrolimi* Matsumura,1926 TR
10827. **Trichogramma embryophagum** (Hartig,1838) (Trichogrammatidae) Synonym(s): *embryophagum* Hartig,1838 TR

10828. **Trichogramma evanescens Westwood,1833** (Trichogrammatidae) Synonym(s): *evanescens Westwood,1833* TR
10829. **Trichogramma kilinceri Bulut & Kılınçer,1991** (Trichogrammatidae) Synonym(s): *kilinceri Bulut & Kılınçer,1991* TR
10830. **Trichogramma pintoii Voegelé,1982** (Trichogrammatidae) Synonym(s): *pintoii Voegelé,1982* TR
10831. **Trichogramma turkeiensis Bulut & Kılınçer,1991** (Trichogrammatidae) Synonym(s): *turkeiensis Bulut & Kılınçer,1991* **Trichogramma turkeiensis Bulut & Kılınçer,1991**, Bitki Koruma Bült. 29 (1): 31-33. TR
10832. **Trichogramma turkestanicum Meyer,1940** (Trichogrammatidae) Synonym(s): *turkestanicum Meyer,1940* TR
10833. **Trichomalopsis hemiptera (Walker)** (Pteromalidae) Synonym(s): TR
10834. **Trichomalopsis littoralis (Graham)** (Pteromalidae) Synonym(s): TR
10835. **Trichomalopsis peregrina (Graham)** (Pteromalidae) Synonym(s): TR
10836. **Trichomalus apertus (Walker)** (Pteromalidae) Synonym(s): TR
10837. **Trichomalus campestris (Walker)** (Pteromalidae) Synonym(s): TR
10838. **Trichomalus elongatus Delucchi & Graham** (Pteromalidae) Synonym(s): TR
10839. **Trichomalus fulvipes (Walker)** (Pteromalidae) Synonym(s): TR
10840. **Trichomalus helvipes (Walker)** (Pteromalidae) Synonym(s): TR
10841. **Trichomalus nanus (Walker)** (Pteromalidae) Synonym(s): TR
10842. **Trichomalus posticus (Walker)** (Pteromalidae) Synonym(s): TR
10843. **Trichomalus rufinus (Walker)** (Pteromalidae) Synonym(s): TR
10844. **Trichomasthus albimanus Thomson** (Encyrtidae) Synonym(s): TR
10845. **Trichomeloe conicicollis (Reitter,1907)** (Meloidae) Synonym(s): *conicicollis Reitter,1907* TR
10846. **Trichomeloe sericellus (Reiche & Saulcy,1857)** (Meloidae) Synonym(s): *sericellus Reiche & Saulcy,1857* TR
10847. **Trichomma enecator (Rossi,1790)** (Ichneumonidae) Synonym(s): *enecator Rossi,1790* TR
10848. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851; halictivorus Rondani,1856* TR AZ Cc IR FR GR IT RU KG IL Pa
10849. **Triclistus lativentris Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris Thomson,1887* TR Cc
10850. **Triclistus podagricus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *podagricus Gravenhorst,1829* TR
10851. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
10852. **Tricyphona (s.str.) zwicki Mendl,1973** (Pediidae) Synonym(s): *zwicki Mendl,1973; acuspica Alexander,1975; elburzensis Alexander,1975* TR IR AZ Cc GG RU BG IT
10853. **Tridactylus fasciatus Guérin,1829** (Tridactylidae) Synonym(s): *fasciatus Guérin,1829* TR
10854. **Tridactylus irremipes Uvarov,1934** (Tridactylidae) Synonym(s): *irremipes Uvarov,1934* TR
10855. **Trieces tricarinatus (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus Holmgren,1856* TR Cc KG
10856. **Triecphorella geniculata (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata Horvath,1881; fasciata Kirschbaum,1868* IL Pa LB SY TR YU HV
10857. **Triglena virescens Fieber,1876** (Cicadidae) Synonym(s): *virescens Fieber,1876* **Triglena virescens Fieber,1876**, Revue Mag. Zool. 3 (4): 25. Type: Smyrna [=İzmir]. SY TR
10858. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841; megapteropsis Wriese,1900* PT ES DE PL UA MD RO HU AT IT TR
10859. **Trigonidium (s.str.) cicindeloides Rambur,1839** (Gryllidae) Synonym(s): *cicindeloides Rambur,1839* TR
10860. **Trigonotylus pallidicornis Reuter,1899** (Miridae) Synonym(s): *pallidicornis Reuter,1899* TR
10861. **Trimium caucasicum Kolenati,1846** (Staphylinidae) Synonym(s): *caucasicum Kolenati,1846; merkli Reitter,1894; diana Sahlberg,1908* Cc TR
10862. **Trimium libani Sahlberg,1908** (Staphylinidae) Synonym(s): *libani Sahlberg,1908* LB TR
10863. **Triodontella asiatica (Brenske,1890)** (Scarabaeidae) Synonym(s): *asiatica Brenske,1890* TR
10864. **Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis Sahlberg,1908* TR IT FR YU B-H HV GR BG
10865. **Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica Baraud,1962; bulgarica Bunalski,2001* HV YU AL BG GR MK RO TR
10866. **Triodontella demelti Petrovitz,1962** (Scarabaeidae) Synonym(s): *demelti Petrovitz,1962* TR
10867. **Triodontella difformipes (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *difformipes Fairmaire,1892; brignolii Sabatinelli,1977* SY TR

10868. **Triodontella dispar (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *dispar* Fairmaire,1892; *delagrangei* Pic,1898 TR
10869. **Triodontella eggeri (Rey,1999)** (Scarabaeidae) Synonym(s): *eggeri* Rey,1999 TR
10870. **Triodontella flavimana (Burmeister,1855)** (Scarabaeidae) Synonym(s): *flavimana* Burmeister,1855; *sieversi* Reitter,1889 Cc GG Smt Bjo TR SY
10871. **Triodontella lateristria (Reitter,1889)** (Scarabaeidae) Synonym(s): *lateristria* Reitter,1889 TR
10872. **Triodontella preissi Keith,2001** (Scarabaeidae) Synonym(s): *preissi* Keith,2001 TR
10873. **Trionymus aberrans Goux** (Pseudococcidae) Synonym(s): *aberrans* Goux TR
10874. **Trionymus cressae (Hall)** (Pseudococcidae) Synonym(s): *cressae* Hall TR
10875. **Trionymus multivorus (Kiritshenko)** (Pseudococcidae) Synonym(s): *multivorus* Kiritshenko TR
10876. **Trionymus perrisii (Signoret)** (Pseudococcidae) Synonym(s): *perrisii* Signoret TR
10877. **Triozia urticae (Linnaeus)** (Triozidae) Synonym(s): TR
10878. **Trissemus antennatus (Aubé,1833)** (Staphylinidae) Synonym(s): *antennatus* Aubé,1833; *serricornis* Schmidt-Göbl,1838 TR
10879. **Trissemus dentipes (Baudi di Selve,1870)** (Staphylinidae) Synonym(s): *dentipes* Baudi di Selve,1870 TR
10880. **Trissemus montanus (Saulcy,1876)** (Staphylinidae) Synonym(s): *montanus* Saulcy,1876 TR
10881. **Trissemus mundicornis (Pic,1904)** (Staphylinidae) Synonym(s): *mundicornis* Pic,1904 TR
10882. **Trissemus munganasti (Reitter,1905)** (Staphylinidae) Synonym(s): *munganasti* Reitter,1905 TR
10883. **Trissolcus djadetshko (Rjachovsky,1959)** (Scelionidae) Synonym(s): *djadetshko* Rjachovsky,1959 TR
10884. **Trissolcus grandis (Thomson,1860)** (Scelionidae) Synonym(s): *grandis* Thomson,1860; *frontalis* Thomson,1860; *nigripes* Thomson,1860; *nigritus* Thomson,1860; *nixomartini* Javahery,1968; *silwoodensis* Javahery,1968 TR
10885. **Trissolcus manteroi (Kieffer,1909)** (Scelionidae) Synonym(s): *manteroi* Kieffer,1909 MD AM Cc RU TR TM
10886. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis* Rjachovsky,1959; *rossicus* Rjachovsky,1959 MD RO BG IR MN UA SS LT EE RU TR
10887. **Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris* Mayr,1908; *stshepetilnikova* Pubstov,1944; *rubriventris* Szabo,1959 MD IR Cc UA TR AZ AM GG DZ
10888. **Trissolcus semistriatus (Nees,1834)** (Scelionidae) Synonym(s): *semistriatus* Nees,1834; *grandis sensu* Mayr,1897 TR
10889. **Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi sensu* Viktorov,1960; *reticulatus* Delucchi,1961 MA SY TR Cc AZ GG
10890. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958 MD Cc AZ AM GG IR MN UA TR
10891. **Trissopelopia flavida Kieffer,1923** (Chironomidae) Synonym(s): *flavida* Kieffer,1923 TR
10892. **Trithemis annulata (P. de Beauvais,1807)** (Libellulidae) Synonym(s): *annulata* P. de Beauvais,1807 TR LB Bei
10893. **Trithemis arteriosa (Burmeister,1839)** (Libellulidae) Synonym(s): *arteriosa* Burmeister,1839 TR SY
10894. **Trithemis festiva (Rambur,1842)** (Libellulidae) Synonym(s): *festiva* Rambur,1842 TR CY
10895. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata* Loew,1865 TR HU MK FR IT SI ES TN
10896. **Trixoscelis frontalis (Fallén,1830)** (Trixoscelidae) Synonym(s): *frontalis* Fallén,1830 TR
10897. **Trixoscelis obscurella (Meigen,1830)** (Trixoscelidae) Synonym(s): *obscurella* Meigen,1830 TR
10898. **Trixoscelis pedestris (Loew,1865)** (Trixoscelidae) Synonym(s): *pedestris* Loew,1865 TR
10899. **Trixoscelis vikhrevi Woznica,2007** (Trixoscelidae) Synonym(s): *vikhrevi* Woznica,2007 *Trixoscelis vikhrevi* Woznica,2007, Ann. Upper Sil. Mus. (Ent.) 14-15: 61-64, figs. Holotype ♂: "Turk. Side, sand dunes 31 mar 07, N. Vikraev" (MNHUW). TR
10900. **Trjapitzinia leucomae Dzhankmen** (Pteromalidae) Synonym(s): TR
10901. **Trochiscocoris rotundatus Horvath,1895** (Pentatomidae) Synonym(s): *rotundatus* Horvath,1895 TR
10902. **Troglocimmerites (s.str.) pasquinii Vigna Taglianti,1977** (Carabidae) Synonym(s): *pasquinii* Vigna Taglianti,1977 GG TR Cc
10903. **Troglophilus (s.str.) adamovici Us,1974** (Raphidophoridae) Synonym(s): *adamovici* Us,1974 *Troglophilus* (s.str.) *gajaci* Us,1974, Entomologist's mon. Mag. 110: 181. Type: Turkey: Zindan mağarası. TR
10904. **Troglophilus (s.str.) bicakcii Rampini & Di Russo,2003** (Raphidophoridae) Synonym(s): *bicakcii* Rampini & Di Russo,2003; *#biçakçii* Di Russo et al.,2007; *#biçaçkii* Di Russo et al.,2007

- Troglophilus bicakcii* Rampini & Di Russo, 2003, *Fragm. ent.* 34 (2): 237. Holotype: Turkey: Konya Prov.: Beyşehir. TR
10905. **Troglophilus (s.str.) escalerae Bolivar, 1899** (Raphidophoridae) Synonym(s): *escalerae Bolivar, 1899* *Troglophilus escalerae Bolivar, 1899*, *Annls Soc. ent. Belg.* 43: 604. Syntypes: [Turkey]: Yenicekele (MNMS Madrid). TR
10906. **Troglophilus (s.str.) gajaci Us, 1974** (Raphidophoridae) Synonym(s): *gajaci Us, 1974* *Troglophilus (s.str.) gajaci Us, 1974*, *Entomologist's mon. Mag.* 110: 186. Type: Turkey: Mersin. TR
10907. **Troglophilus (s.str.) tatyanae Di Russo & Rampini, 2007** (Raphidophoridae) Synonym(s): *tatyanae Di Russo & Rampini, 2007* TR
10908. **Troglops colasi Wittmer, 1968** (Melyridae) Synonym(s): *colasi Wittmer, 1968* TR
10909. **Troglops hatayensis Wittmer, 1974** (Melyridae) Synonym(s): *hatayensis Wittmer, 1974* TR
10910. **Troglops orientalis Abeille de Perrin, 1881** (Melyridae) Synonym(s): *orientalis Abeille de Perrin, 1881* TR
10911. **Troglops semiinervis Wittmer, 1970** (Melyridae) Synonym(s): *semiinervis Wittmer, 1970* TR
10912. **Trogoderma granarium Everts, 1898** (Dermestidae) Synonym(s): *granarium Everts, 1898* US AU TR
10913. **Trogoderma inclusum LeConte, 1854** (Dermestidae) Synonym(s): *inclusum LeConte, 1854*; *tarsale Riley, 1894*; *advena Casey, 1900*; *obsolescens Casey, 1900*; *frosti Casey, 1916*; *nigrescans Casey, 1916*; *brunnescens Casey, 1916* TR US RU RG IN
10914. **Trogoderma versicolor (Creutzer, 1799)** (Dermestidae) Synonym(s): *versicolor Creutzer, 1799*; *grandis Thunberg, 1815*; *elongatulus Duftschmid, 1825*; *costae Mulsant & Rey, 1868* TR
10915. **Tromatobia ornata (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *ornata Gravenhorst, 1829* Cc KG TR
10916. **Tromatobia variabilis (Holmgren, 1856)** (Ichneumonidae) Synonym(s): *variabilis Holmgren, 1856* TR
10917. **Tropiderinus interruptus (Reitter, 1889)** (Anthribidae) Synonym(s): *interruptus Reitter, 1889* Cc TR AM JO
10918. **Tropidocephala andropogonis Horvath, 1895** (Delphacidae) Synonym(s): *andropogonis Horvath, 1895* BG CZ GR HU SL YU TR
10919. **Tropidocephala tuberipennis (Mulsant & Rey, 1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey, 1855*; *elegans O. Costa, 1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
10920. **Tropidodryinus interruptus (Brullé, 1832)** (Vespidae) Synonym(s): *interruptus Brullé, 1832* GR TR
10921. **Tropidomyia aureifacies Kröber, 1915** (Conopidae) Synonym(s): *aureifacies Kröber, 1915* TR
10922. **Tropidopola graeca Uvarov, 1926** (Acrididae) Synonym(s): *graeca Uvarov, 1926* **Tropidopola longicornis ssp. graeca Uvarov, 1926**, *Eos* 2: 173-174, figs. Holotype: Macedonia: Vardar plain, Tekeli to Kenlike (BMNH). IT MK GR TR SY Dms
10923. **Tropidopola longicornis (Fieber, 1853)** (Acrididae) Synonym(s): *longicornis Fieber, 1853*; *syrica Walker, 1871*; *cylindrica Giglio-Tos, 1893*; *indica Uvarov, 1937* TR GR Cr IN LY EG SY LB Bei
10924. **Tropidotilla grisescens (Lepeletier, 1845)** (Mutillidae) Synonym(s): *grisescens Lepeletier, 1845*; *litoralis sensu Özbek et al., 1999 nec Petagna, 1787* TR GR BG HV YU MK UA Cm IT Si FR DZ
10925. **Tropidotilla litoralis (Petagna, 1787)** (Mutillidae) Synonym(s): *litoralis Petagna, 1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
10926. **Tropidotilla sareptana (André, 1901)** (Mutillidae) Synonym(s): *sareptana André, 1901* TR Cc AZ AM GR MK RU
10927. **Tropidotilla semirufa (André, 1893)** (Mutillidae) Synonym(s): *semirufa André, 1893* AM AZ Cc IR TR
10928. **Tropinota (Epicometis) hirta (Poda, 1761)** (Scarabaeidae) Synonym(s): *hirta Poda, 1761*; *hirtellus Linnaeus, 1767* AL TR SY LB IL Pa Cc YU RU UA Cm
10929. **Tropinota (s.str.) hirtiformis Reitter, 1913** (Scarabaeidae) Synonym(s): *hirtiformis Reitter, 1913* TR Cc IR SY JO KG KK TM
10930. **Tropinota (s.str.) squalida (Scopoli, 1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli, 1763*; *pilosa Brullé, 1832* GR SS LY SY LB IL Pa JO EG IQ TR
10931. **Tropistethus fasciatus Ferrari, 1874** (Lygaeidae) Synonym(s): *fasciatus Ferrari, 1874* TR
10932. **Tropistethus majusculus Horvath, 1881** (Lygaeidae) Synonym(s): *majusculus Horvath, 1881* TR
10933. **Trupanea amoena (Frauenfeld, 1857)** (Tephritidae) Synonym(s): *amoena Frauenfeld, 1857*; *#amonea Giray, 1979* TR ET IN LK AU
10934. **Trupanea stellata (Fuesslin, 1775)** (Tephritidae) Synonym(s): *stellata Fuesslin, 1775* TR GB SE KG RU CN IN DZ IR
10935. **Truxalis eximia Eichwald, 1830** (Acrididae) Synonym(s): *eximia Eichwald, 1830*; *cypria Dirsh, [1951]*; *#examia Weidner, 1969* **Truxalis eximia Eichwald, 1830**, *Zool. Spec.* 2: 239. TR Cc IR KG CY SA
10936. **Truxalis nasuta (Linnaeus, 1758)** (Acrididae) Synonym(s): *nasuta Linnaeus, 1758*; *annulatus Thunberg, 1815*; *bilineatus Thunberg, 1815*; *nebulosus Thunberg, 1815*; *miniata Klug, 1830*; *obsoleta Klug, 1830*;

- scalaris* Klug,1830; *variabilis* Klug,1830; *unguiculata* Rambur,1839;*isabellina* Fischer-Waldheim,1846;*klugii* Fieber,1853 **Cn MA DZ TN TR**
10937. **Truxalis robusta (Uvarov,1916)** (Acrididae) Synonym(s): *robusta* Uvarov,1916 **Acrida robusta** Uvarov,1916, *Revue russk. ent.* 16: 8, 11.Type: [Azerbaijan]: Elisabethpol [Gence], Shach-Tshinar (GPPT Tiflis). **TR Cc AZ Kir IR**
10938. **Trychosis atripes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1829 **TR**
10939. **Trychosis legator (Thunberg,1824)** (Ichneumonidae) Synonym(s): *legator* Thunberg,1824 **TR TJ**
10940. **Trychosis neglecta (Tschek,1870)** (Ichneumonidae) Synonym(s): *neglecta* Tschek,1870 **TR**
10941. **Trychosis pauper (Tschek,1871)** (Ichneumonidae) Synonym(s): *pauper* Tschek,1871 **TR**
10942. **Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971 **Trychosis priesneri** Rossem,1971, *Tijdschr. Ent.* 114: 215. Holotype: Turkey: Konya. **TR FR CH AT PL YU GR**
10943. **Trychosis trisator (Tschek,1871)** (Ichneumonidae) Synonym(s): *trisator* Tschek,1871 **TR**
10944. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoïn,1993 **AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU**
10945. **Trypetoptera punctulata (Scopoli,1763)** (Sciomyzidae) Synonym(s): *punctulata* Scopoli,1763 **TR**
10946. **Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761 **TR IR Cc**
10947. **Tryphon (s.str.) signator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *signator* Gravenhorst,1829 **TR RU Sb Ya**
10948. **Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855 **Cc KG TR RU Sb**
10949. **Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939 **HU BG TR Cc KG**
10950. **Tryphon auricularis Thomson,1883** (Ichneumonidae) Synonym(s): *auricularis* Thomson,1883 **KG TR RU To**
10951. **Tshurtshurnella acuta (Linnavuori,1965)** (Issidae) Synonym(s): *acuta* Linnavuori,1965 **TR**
10952. **Tshurtshurnella adana Dlabola,1986** (Issidae) Synonym(s): *adana* Dlabola,1986 **TR**
10953. **Tshurtshurnella alanyana Dlabola,1982** (Issidae) Synonym(s): *alanyana* Dlabola,1982 **TR**
10954. **Tshurtshurnella aschei Kartal,1985** (Issidae) Synonym(s): *aschei* Kartal,1985 **TR**
10955. **Tshurtshurnella bicornuta Dlabola,1983** (Issidae) Synonym(s): *bicornuta* Dlabola,1983 **TR**
10956. **Tshurtshurnella bozarmutica Kartal,1985** (Issidae) Synonym(s): *bozarmutica* Kartal,1985 **TR**
10957. **Tshurtshurnella campestre (Lindberg,1948)** (Issidae) Synonym(s): *campestre* Lindberg,1948; *bidens* Linnavuori,1965 **CY TR IL Pa**
10958. **Tshurtshurnella cappodocica (Dlabola,1981)** (Issidae) Synonym(s): *cappodocica* Dlabola,1981; *acigoelica* Dlabola,1983 **TR**
10959. **Tshurtshurnella carica Gnezdilov,2002** (Issidae) Synonym(s): *carica* Gnezdilov,2002 **TR**
10960. **Tshurtshurnella despecta (Linnavuori,1965)** (Issidae) Synonym(s): *despecta* Linnavuori,1965 **IT TR**
10961. **Tshurtshurnella diyarbakira Dlabola,1980** (Issidae) Synonym(s): *diyarbakira* Dlabola,1980 **TR**
10962. **Tshurtshurnella edremetica Dlabola,1982** (Issidae) Synonym(s): *edremetica* Dlabola,1982 **TR**
10963. **Tshurtshurnella elmalica Kartal,1985** (Issidae) Synonym(s): *elmalica* Kartal,1985 **TR**
10964. **Tshurtshurnella extrema Dlabola,1980** (Issidae) Synonym(s): *extrema* Dlabola,1980 **TR**
10965. **Tshurtshurnella kalkandelenica Dlabola,1982** (Issidae) Synonym(s): *kalkandelenica* Dlabola,1982 **TR**
10966. **Tshurtshurnella linnavuorii Dlabola,1982** (Issidae) Synonym(s): *linnavuorii* Dlabola,1982 **TR**
10967. **Tshurtshurnella lodosi Dlabola,1979** (Issidae) Synonym(s): *lodosi* Dlabola,1979 **TR**
10968. **Tshurtshurnella longispinosa (Linnavuori,1962)** (Issidae) Synonym(s): *longispinosa* Linnavuori,1962 **CY IL TR**
10969. **Tshurtshurnella mysica Gnezdilov,2002** (Issidae) Synonym(s): *mysica* Gnezdilov,2002 **TR**
10970. **Tshurtshurnella peloponica Dlabola,1979** (Issidae) Synonym(s): *peloponica* Dlabola,1979 **GR TR**
10971. **Tshurtshurnella ramosa Dlabola,1982** (Issidae) Synonym(s): *ramosa* Dlabola,1982 **TR**
10972. **Tshurtshurnella rhombica Dlabola,1982** (Issidae) Synonym(s): *rhombica* Dlabola,1982 **TR**
10973. **Tshurtshurnella serapae Kartal,1985** (Issidae) Synonym(s): *serapae* Kartal,1985 **TR**
10974. **Tshurtshurnella trifasciata (Linnavuori,1965)** (Issidae) Synonym(s): *trifasciata* Linnavuori,1965 **TR**

10975. **Tshurtshurnella uvarovi Gnezdilov,2002** (Issidae) Synonym(s): *uvarovi Gnezdilov,2002* TR
10976. **Tshurtshurnella ventricornis Dlabola,1986** (Issidae) Synonym(s): *ventricornis Dlabola,1986* TR
10977. **Tshurtshurnella verbasci Dlabola,1983** (Issidae) Synonym(s): *verbasci Dlabola,1983* TR
10978. **Tshurtshurnella yozgatica Kartal,1985** (Issidae) Synonym(s): *yozgatica Kartal,1985* TR
10979. **Tshurtshurnella zebrina Dlabola,1985** (Issidae) Synonym(s): *zebrina Dlabola,1985* TR
10980. **Tuponia eckerleini Wagner,1955** (Miridae) Synonym(s): *eckerleini Wagner,1955* FR YU TR
10981. **Tuponia hippophaes (Fieber,1861)** (Miridae) Synonym(s): *hippophaes Fieber,1861* TR
10982. **Turanogryllus aelleni (Chopard,1954)** (Gryllidae) Synonym(s): *aelleni Chopard,1954* TR
10983. **Turcicornis kopecky Hava,2000** (Dermeestidae) Synonym(s): *kopecky Hava,2000* TR
10984. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913* RU KG KK TR IQ IR MA TN EG
10985. **Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): *tridentatus Loew,1871* RU KK KG TR
10986. **Turkanillus (Turkanillus) strinatii Coiffait,1956** (Carabidae) Synonym(s): *strinatii Coiffait,1956* TR
10987. **Tychius argentatus Chevrolat,1859** (Curculionidae) Synonym(s): *argentatus Chevrolat,1859* TR
10988. **Tychius aurarius Boheman,1843** (Curculionidae) Synonym(s): *aurarius Boheman,1843* GR TR
10989. **Tychius aureolus Kiesenwetter,1851** (Curculionidae) Synonym(s): *aureolus Kiesenwetter,1851* TR
10990. **Tychius balcanicus (Penecke,1922)** (Curculionidae) Synonym(s): *balcanicus Penecke,1922* TR
10991. **Tychius bicolor Brisout,1862** (Curculionidae) Synonym(s): *bicolor Brisout,1862* DZ TN TR
10992. **Tychius brevisculus Desbrochers,1873** (Curculionidae) Synonym(s): *breviusculus Desbrochers,1873* TR
10993. **Tychius caldarai Dieckmann,1986** (Curculionidae) Synonym(s): *caldarai Dieckmann,1986* TR
10994. **Tychius consputus Kiesenwetter,1864** (Curculionidae) Synonym(s): *consputus Kiesenwetter,1864* TR
10995. **Tychius cuprifer (Panzer,1799)** (Curculionidae) Synonym(s): *cuprifer Panzer,1799* TR
10996. **Tychius eldae Caldara,1990** (Curculionidae) Synonym(s): *eldae Caldara,1990* TR
10997. **Tychius festivus (Faust,1884)** (Curculionidae) Synonym(s): *festivus Faust,1884* TR
10998. **Tychius flavus Becker,1864** (Curculionidae) Synonym(s): *flavus Becker,1864* TR RU SB
10999. **Tychius graecus Kiesenwetter,1864** (Curculionidae) Synonym(s): *graecus Kiesenwetter,1864* GR TR
11000. **Tychius grenieri Brisout,1861** (Curculionidae) Synonym(s): *grenieri Brisout,1861* TR
11001. **Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus Tournier,1873* TR GR Cr IL Pa SY
11002. **Tychius medicaginis Brisout,1862** (Curculionidae) Synonym(s): *medicaginis Brisout,1862* TR ES DZ KG
11003. **Tychius meliloti Stephens,1831** (Curculionidae) Synonym(s): *meliloti Stephens,1831* TR
11004. **Tychius ochraceus Tournier,1873** (Curculionidae) Synonym(s): *ochraceus Tournier,1873* TR DZ
11005. **Tychius picirostris (Fabricius,1787)** (Curculionidae) Synonym(s): *picirostris Fabricius,1787* TR
11006. **Tychius polylineatus (Germar,1824)** (Curculionidae) Synonym(s): *polylineatus Germar,1824* TR DZ
11007. **Tychius ruscicus Desbrochers,1908** (Curculionidae) Synonym(s): *ruscicus Desbrochers,1908* TR Cc IR
11008. **Tychius squamulatus Gyllenhal,1836** (Curculionidae) Synonym(s): *squamulatus Gyllenhal,1836* TR DZ GB IR Cc
11009. **Tychius stephensi Schoenherr,1836** (Curculionidae) Synonym(s): *stephensi Schoenherr,1836* TR
11010. **Tychius striatulus Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus Gyllenhal,1836* TR SY IL Pa
11011. **Tychius thoracicus Boheman,1843** (Curculionidae) Synonym(s): *thoracicus Boheman,1843* TR Cc
11012. **Tychobythinus vignai Besuchet,1978** (Staphylinidae) Synonym(s): *vignai Besuchet,1978* TR
11013. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia Fabricius,1793; thymifolia Petagna,1792; gracilis Germar,1817; marginepunctata Audinet-Serville,1838; praeusta Fischer von Waldheim,1846; spinosus Fischer von Waldheim,1846; #lilifolia Bolivar,1877* Locusta *lilifolia* Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm

11014. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777; fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
11015. **Tytthaspis sedecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *sedecimpunctata Linnaeus,1758* IT TR
11016. **Ufens similis (Kryger)** (Trichogrammatidae) Synonym(s): TR
11017. **Ufensia foersteri (Kryger)** (Trichogrammatidae) Synonym(s): TR
11018. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima Haliday,1833; inconclusa Walker,1856; crassicauda Agrell,1945* Ula *mollissima Haliday,1833, Ent. Mag. 1: 153.* AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
11019. **Ulidia megacephala Loew,1845** (Uliidiidae) Synonym(s): *megacephala Loew,1845* ES GR Rd TR SY MA
11020. **Ulidiopsis mirabilis Hennig,1939** (Uliidiidae) Synonym(s): *mirabilis Hennig,1939* GR TR
11021. **Uloma cypreaea Kraatz,1873** (Tenebrionidae) Synonym(s): *cypreaea Kraatz,1873* TR
11022. **Unaspis euonymi (Comstock)** (Diaspididae) Synonym(s): *euonymi Comstock* TR
11023. **Unkanodes latespinosa (Dlabola,1957)** (Delphacidae) Synonym(s): *latespinosa Dlabola,1957* AF MN TR
11024. **Urentius chobauti Horvath,1907** (Tingidae) Synonym(s): *chobauti Horvath,1907* TR
11025. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
11026. **Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica Fallén,1820; centauriae Robineau-Desvoidy,1830; scutellata Rondani,1870* DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
11027. **Urophora cuspidata (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata Meigen,1826; solstitialis Zettstedt,1847 nec Linn.,1758* TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
11028. **Urophora doganlari Kütük,2006** (Tephritidae) Synonym(s): *doganlari Kütük,2006* TR
11029. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii Frauenfeld,1867; wodzizkii Frauenfeld,1867; syriaca Hendel,1927; erichschmidtii M.Hering,1953* TR AT KG MD UA RU IL Pa LB SY
11030. **Urophora eriolepidis (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis Loew,1856; terebrans Frauenfeld,1857* TR DE AZ Cc AM GG LT MD RU UA
11031. **Urophora hani Kütük,2009** (Tephritidae) Synonym(s): *hani Kütük,2009* Urophora *hani Kütük,2009, Ent. News 120 (1): 101-105, figs.* TR
11032. **Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana M.Hering,1935* TR GB FR NO RU FI FR Py ES Cc Ur US
11033. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata Rondani,1870* TR IR Ak IT GR AF CN Ui MN AZ AM
11034. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura Loew,1855; lejura Rondani,1870* Trypeta *macrura Loew,1855, Stettin ent. Ztg. 16: 40.* TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR
11035. **Urophora maura (Frauenfeld,1857)** (Tephritidae) Synonym(s): *maura Frauenfeld,1857* TR CZ CN Ui KK RU UA MD FR Co
11036. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
11037. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae) Synonym(s): *neuenschwanderi Freidberg,1982* TR GR Cr IT CN
11038. **Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata Zaitzev,1945* TR AZ Cc AM TM UZ KG
11039. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera M.Hering,1961* TR AF IL EG SY JO
11040. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata Meigen,1826* TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
11041. **Urophora sirunaseva (Hering,1938)** (Tephritidae) Synonym(s): *sirunaseva Hering,1938* GR Cr TR MD UA HU
11042. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907* TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
11043. **Urophora sp.** (Tephritidae) Synonym(s): TR
11044. **Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata Fabricius,1775; ciesii Schrank,1803; jacobaeae Panzer,1805* AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
11045. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior Hendel,1910; tenuis Hendel,1910* Urophora *tenuior Hendel,1910, Wien. ent. Ztg. 29: 311.* TR KG UZ TM TJ AF IR
11046. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans Loew,1850* Trypeta *terebrans Loew,1850, Stettin ent. Ztg. 11: 53.* TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
11047. **Urytalpa chandleri Bechev & Koç,2008** (Keroplastidae) Synonym(s): *chandleri Bechev & Koç,2008* TR

11048. **Uscana johnstoni (Waterston)** (Trichogrammatidae) Synonym(s): **TR**
11049. **Usia (Micrusia) sicula Egger,1859** (Bombyliidae) Synonym(s): *sicula Egger,1859* **HV GR IT Si MK SS SY TR YU**
11050. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* **DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU**
11051. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794; dubia Kertész,1900* **DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR**
11052. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor Macquart,1855* **B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU**
11053. **Usia (s.str.) calva Loew,1869** (Bombyliidae) Synonym(s): *calva Loew,1869* **TR IL Pa SY**
11054. **Usia (s.str.) lata Loew,1846** (Bombyliidae) Synonym(s): *lata Loew,1846; bicoloripes Malloch,1926* **GR Rd MK IT YU TR**
11055. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872* **AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU**
11056. **Uvarovistia (s.str.) satunini (Uvarov,1916)** (Tettigoniidae) Synonym(s): *satunini Uvarov,1916* **TR**
11057. **Uvarovistia (s.str.) zebra (Uvarov,1916)** (Tettigoniidae) Synonym(s): *zebra Uvarov,1916* **TR**
11058. **Vachiria deserta (Becker,1867)** (Reduviidae) Synonym(s): *deserta Becker,1867* **ET TR**
11059. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica Stal,1859* **PT ES LY EG TN TR IR**
11060. **Vadonia bisignata (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata Brullé,1832* **GR BG TR**
11061. **Vadonia instigmata (Pic,1889)** (Cerambycidae) Synonym(s): *instigmata Pic,1889* **TR**
11062. **Vadonia moesiaca (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *moesiaca K.Daniel & J.Daniel,1891* **BG TR**
11063. **Vadonia soror Holzschuh,1981** (Cerambycidae) Synonym(s): *soror Holzschuh,1981* **TR**
11064. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* **ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU**
11065. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* **DZ TR Cc IR KG SK**
11066. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus,1758; variegatus Scopoli,1763* **DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc**
11067. **Ventocoris trigonus (Krynicky,1871)** (Pentatomidae) Synonym(s): *trigonus Krynicky,1871* **TR**
11068. **Venturia anatolica Horstmann,1986** (Ichneumonidae) Synonym(s): *anatolica Horstmann,1986* **TR**
11069. **Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens Gravenhorst,1829* **TR Cc RU**
11070. **Verdanus artvinensis Güçlü,2009** (Cicadellidae) Synonym(s): *artvinensis Güçlü,2009* **Verdanus artvinensis Güçlü,2009, Turk. J. Zool. 33. Holotype ♂: NE Turkey, Artvin, Zeytinlik 270m, 6 July 1994 leg. Ş.Güçlü (EMET). TR**
11071. **Verdanus bekiri (Kalkandelen,1972)** (Cicadellidae) Synonym(s): *bekiri Kalkandelen,1972* **TR**
11072. **Verdanus gazelicornis (Dlabola,1980)** (Cicadellidae) Synonym(s): *gazelicornis Dlabola,1980* **TR**
11073. **Verdanus hardei (Dlabola,1980)** (Cicadellidae) Synonym(s): *hardei Dlabola,1980* **AT FR TR**
11074. **Verdanus melichari (Dlabola,1951)** (Cicadellidae) Synonym(s): *melichari Dlabola,1951* **AZ Cc GG TR**
11075. **Verdanus pazoukii (Dlabola,1980)** (Cicadellidae) Synonym(s): *pazoukii Dlabola,1980* **IR TR**
11076. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro Linnaeus,1758* **TR Cc IR TM KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US**
11077. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771* **GR TR JO IR Cc AF KK MX**
11078. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* **Cn AZ DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
11079. **Vespula rufa (Linnaeus,1758)** (Vespidae) Synonym(s): *rufa Linnaeus,1758* **TR**
11080. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris Linnaeus,1758* **BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl**
11081. **Vibidia duodecimguttata (Poda,1761)** (Coccinellidae) Synonym(s): *duodecimguttata Poda,1761* **IT Sa Si TR**
11082. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869; gracilis Ringdahl,1915* **Cc AM AZ BG CY EG GR GG IR IT TR**
11083. **Villa bizonata Becker,1916** (Bombyliidae) Synonym(s): *nigripes Schnabl,1888; bizonata Becker,1916* **TR**

11084. **Villa bombiformis Becker,1916** (Bombyliidae) Synonym(s): *bombiformis* Becker,1916; *laetabilis* Collin,1951 **TR**
11085. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916 **ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR**
11086. **Villa circumdata (Meigen,1820)** (Bombyliidae) Synonym(s): *circumdata* Meigen,1820 **IT Si Sa TR**
11087. **Villa deludens François,1966** (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976 **CZ FR GR IT SK YU TR**
11088. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916 **AM AZ GG Cc EG IT GR IR TR**
11089. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
11090. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 **ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU**
11091. **Villa merlei François,1969** (Bombyliidae) Synonym(s): *merlei* François,1969 **TR IR TM**
11092. **Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936 **IT TR GR CY**
11093. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
11094. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868 **IT BG CY GR MK TR**
11095. **Villa quinquefasciata (Wiedemann,1820)** (Bombyliidae) Synonym(s): *quinquefasciata* Wiedemann,1820 **IT Si TR**
11096. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869 **IT TR GR EG LY IL Pa YU**
11097. **Villa stenozona (Loew,1869)** (Bombyliidae) Synonym(s): *stenozona* Loew,1869; *disjuncta* Becker,1916 **IT Si TR US Iln**
11098. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 **IT Si TR AF AM AZ GG Cc GR IR MK YU**
11099. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
11100. **Volucella inanis (Linnaeus,1758)** (Syrphidae) Synonym(s): *inanis* Linnaeus,1758 **TR**
11101. **Volucella pellucens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pellucens* Linnaeus,1758 **TR**
11102. **Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *inanis* Fabricius,1794; *fasciata* Verral,1900 **GB HU GR Cr TR**
11103. **Wachtliella ericina (Loew,1885)** (Cecidomyiidae) Synonym(s): *ericina* Loew,1885 **TR**
11104. **Webbsianus ochreicolor Dlabola,1983** (Issidae) Synonym(s): *ochreicolor* Dlabola,1983 **TR**
11105. **Wichmannia decorata Ruschka,1916** (Eulophidae) Synonym(s): *decorata* Ruschka,1916 **TR DZ HV FR Co SS YU**
11106. **Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella* Macquart,1839 **TR SY IL Pa EG Sn**
11107. **Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862 **TR IL Pa EG**
11108. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
11109. **Xanthochroina auberti (Abeille de Perrin,1876)** (Oedemeridae) Synonym(s): *auberti* Abeille de Perrin,1876 **TR**
11110. **Xanthogramma pedisequum (Harris,1776)** (Syrphidae) Synonym(s): *pedisequum* Harris,1776 **TR**
11111. **Xenaporus schmidti Priesner,1967** (Pompilidae) Synonym(s): *schmidti* Priesner,1967 **TR**
11112. **Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875 **BG MK RO TR**
11113. **Xenoschesis (s.str.) fulvipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvipes* Gravenhorst,1829 **TR**
11114. **Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): *lepida* Hermann,1907 **TR IL Pa IR AF**
11115. **Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869 **TR GR Rd IR SY**
11116. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906 **SD DZ EG GR MK IL Pa YU TN TR**
11117. **Xerohippus alkani Karabağ,1953** (Acrididae) Synonym(s): *alkani* Karabağ,1953 **TR**
11118. **Xerohippus anatolicus Ramme,1951** (Acrididae) Synonym(s): *anatolicus* Ramme,1951 **TR**
11119. **Xerohippus azami (Bolivar,1901)** (Acrididae) Synonym(s): *azami* Bolivar,1901 **TR CY**
11120. **Xestocephalus guttulatus (Motschulsky,1859)** (Cicadellidae) Synonym(s): *guttulatus* Motschulsky,1859 **TR**

11121. **Xorides (Gonophonus) annulator (Fabricius,1804)** (Ichneumonidae) Synonym(s): *annulator Fabricius,1804* UA Cm TR
11122. **Xorides (Moerophora) rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes Gravenhorst,1829* TR Cc
11123. **Xorides (s.str.) filiformis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filiformis Gravenhorst,1829* TR
11124. **Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator Thunberg,1822* Cc Da RU TR BG
11125. **Xorides (s.str.) gracilicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *gracilicornis Gravenhorst,1829* TR
11126. **Xorides (s.str.) gravenhorstii (Curtis,1831)** (Ichneumonidae) Synonym(s): *gravenhorstii Curtis,1831; securicornis Holmgren,1860; seticornis Strobl,1902* Cc TR
11127. **Xorides (s.str.) praecatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *praecatorius Fabricius,1793* CN TR
11128. **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri Harz,1970; indisticta Harz,1979; musicus Harz,1979* Tridactylus *pfaendleri Harz,1970, NachrBl. bayer. Ent. 19 (3): 56, 59. Holotype ♀: Austria: Neusiedler See. TR IL Pa JO ES AT CZ SK*
11129. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata Latreille,1809* Tridactylus *variegatus Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB Brussels). FR ES CZ RO TR Cc RU KG IN*
11130. **Xylocopa iris (Christ,1791)** (Apidae) Synonym(s): *iris Christ,1791; nasuta Christ,1791; cyanescens Brullé,1832; taurica Erichson,1841; minuta Lepeletier,1841; canuta Rondani,1874; virescentis Strand,1917; aliciae Cockerell,1931* TR
11131. **Xylocopa valga Gerstaecker,1872** (Apidae) Synonym(s): *valga Gerstaecker,1872; ramulorum Rondani,1874; convexa Smith,1878* TR
11132. **Xylocopa violacea (Linnaeus,1758)** (Apidae) Synonym(s): *violacea Linnaeus,1758; insubrica Müller,1766; femorata Fabricius,1804* TR
11133. **Xylocoris cursitans (Fallén,1807)** (Anthocoridae) Synonym(s): *cursitans Fallén,1807* TR
11134. **Xylocoris flavipes (Reuter,1875)** (Anthocoridae) Synonym(s): *flavipes Reuter,1875* TR
11135. **Xylocoris galactinus (Fieber,1836)** (Anthocoridae) Synonym(s): *galactinus Fieber,1836* TR
11136. **Xylocoris maculipennis Baerensprung,1858** (Anthocoridae) Synonym(s): *maculipennis Baerensprung,1858* TR
11137. **Xylocoris obliquus Costa,1852** (Anthocoridae) Synonym(s): *obliquus Costa,1852* TR
11138. **Xylodromus testaceus (Erichson,1840)** (Staphylinidae) Synonym(s): *testaceus Erichson,1840* TR
11139. **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata Meigen,1804* FR GB PL RO ES DK RU TR
11140. **Xylota segnis (Linnaeus,1758)** (Syrphidae) Synonym(s): *segnis Linnaeus,1758* TR
11141. **Xylota sylvorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *sylvorum Linnaeus,1758* TR
11142. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola Olivier,1795* CZ GR Cc DZ IR TR RU KG
11143. **Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus Linnaeus,1758* Cc TR IR CZ RU
11144. **Xylotrechus sieversi Ganglbauer,1890** (Cerambycidae) Synonym(s): *sieversi Ganglbauer,1890* TR Cc
11145. **Xyphosia conspicua (Loew,1869)** (Tephritidae) Synonym(s): *conspicua Loew,1869* RU Cc TR
11146. **Xyphosia miliaria (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria Schrank,1781* TR KK KG CN RU Us
11147. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea Fabricius,1805* TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
11148. **Zabrachypus tenuiabdominalis (Uchida,19141)** (Ichneumonidae) Synonym(s): *tenuiabdominalis Uchida,19141* RU Cc TR JP
11149. **Zabrus aciculatus Schaum,1864** (Carabidae) Synonym(s): *aciculatus Schaum,1864* AM Cc TR
11150. **Zabrus aurichalceus M.F.Adams,1817** (Carabidae) Synonym(s): *aurichalceus M.F.Adams,1817* Cc GG TR AM
11151. **Zabrus chalceus Faldermann,1836** (Carabidae) Synonym(s): *chalceus Faldermann,1836* AM Cc TR
11152. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio Mandrias,1832* AZ AM Cc GG TR AF IR KG PA SY TM UZ
11153. **Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes Fabricius,1798* AT BE CZ GR HU PL SK SE TR YU
11154. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
11155. **Zaglyptus varipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varipes Gravenhorst,1829* TR

11156. **Zaira cinerea (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea Fallén,1810* **TR SE JP**
11157. **Zalutschia korosienis (Tchern.,1949)** (Chironomidae) Synonym(s): *korosienis Tchern.,1949* **TR**
11158. **Zalutschia megastylus (Shil.,1971)** (Chironomidae) Synonym(s): *megastylus Shil.,1971* **TR**
11159. **Zaomma lambinus (Walker)** (Encyrtidae) Synonym(s): **TR**
11160. **Zaplethocornia procurator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *procurator Gravenhorst,1829; asiaminor Aubert,1989* **TR**
11161. **Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani Holmgren,1854* **TR Cc AM KG Aa TJ US**
11162. **Zatypota percontatoria (Müller,1776)** (Ichneumonidae) Synonym(s): *percontatoria Müller,1776* **TR**
11163. **Zavrelia pentatoma Kieffer & Bause,1914** (Chironomidae) Synonym(s): *pentatoma Kieffer & Bause,1914; atrofasciata Kieffer,1921; nigrifulva Goethebuer,1921; paludosa Goethebuer,1931* **BE DE CZ PL AT TR CN**
11164. **Zavrelimyia melanura (Meigen,1818)** (Chironomidae) Synonym(s): *melanura Meigen,1818* **TR**
11165. **Zercanus rubroocellatus Dlabola,1965** (Cicadellidae) Synonym(s): *rubroocellatus Dlabola,1965* **TR JO**
11166. **Zeuxia zejana Kolomiets,1971** (Tachinidae) Synonym(s): *zejana Kolomiets,1971* **IT RU Sb Us TR**
11167. **Zibus leicocephalus (Aubé,1833)** (Staphylinidae) Synonym(s): *leicocephalus Aubé,1833* **TR**
11168. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
11169. **Zodion cinereum (Fabricius,1794)** (Conopidae) Synonym(s): *cinereum Fabricius,1794* **TR**
11170. **Zodion erythrurum Rondani,1865** (Conopidae) Synonym(s): *erythrurum Rondani,1865* **TR**
11171. **Zodion notatum (Meigen,1804)** (Conopidae) Synonym(s): *notatum Meigen,1804* **TR**
11172. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava Fabricius,1775; praeusta Fabricius,1792; thoracica Laporte,1840* **DZ ES IT Si Sa TR SY IR TM**
11173. **Zonitis gibbicollis Abeille de Perrin,1880** (Meloidae) Synonym(s): *gibbicollis Abeille de Perrin,1880* **TR GR**
11174. **Zonitis immaculata (Olivier,1790)** (Meloidae) Synonym(s): *immaculata Olivier,1790; mutica Scriba,1790; gibbicollis Abeille de Perrin,1880* **TR ES IT Sa Si GR**
11175. **Zonitis microcephala Escherich,1889** (Meloidae) Synonym(s): *microcephala Escherich,1889* **TR**
11176. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana Ragusa,1882; laevicollis Escherich,1891* **FR HU AT CZ IT Si GR TR IL Pa SY**
11177. **Zonitis nigriventris Motschulsky,1845** (Meloidae) Synonym(s): *nigriventris Motschulsky,1845* **TR Cc AM**
11178. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis Frivaldsky,1877* **DZ MA LY Cy SY IL Pa Cr TR**
11179. **Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata Deyrolle,1867* **TR SY EG GR Rd**
11180. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata Brullé,1832* **TR IL Pa SY Cc AM EG IR TM**
11181. **Zophosis (Septentriophosis) oblonga Solier,1834** (Tenebrionidae) Synonym(s): *oblonga Solier,1834* **TR**
11182. **Zophosis (Septentriophosis) rugosa Faldermann,1837** (Tenebrionidae) Synonym(s): *rugosa Faldermann,1837* **TR Cc AM IR**
11183. **Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica Miller,1861* **TR SY IL Pa IR**
11184. **Zophosis hydrobiiformis Reitter,1916** (Tenebrionidae) Synonym(s): *hydrobiiformis Reitter,1916* **TR**
11185. **Zophosis osmanlis Deyrolle,1872** (Tenebrionidae) Synonym(s): *osmanlis Deyrolle,1872* **TR SY IL Pa**
11186. **Zorochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus Kiesenwetter,1858* **GR Cr TR CY**
11187. **Zorochros anatolicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *anatolicus Dolin & Mertlik,2002* **TR**
11188. **Zorochros araxicola (Reitter,1895)** (Elateridae) Synonym(s): *araxicola Reitter,1895* **TR**
11189. **Zorochros caucasicus Jagemann,1939** (Elateridae) Synonym(s): *caucasicus Jagemann,1939* **Cc TR**
11190. **Zorochros georgicus Dolin & Tschatlandze,1980** (Elateridae) Synonym(s): *georgicus Dolin & Tschatlandze,1980* **Cc GG TR**
11191. **Zorochros heyrovskyi Roubal,1940** (Elateridae) Synonym(s): *heyrovskyi Roubal,1940* **TR**

11192. **Zorochros kopeckyi Platia & Gudenzi,1998** (Elateridae) Synonym(s): *kopeckyi Platia & Gudenzi,1998* TR
11193. **Zorochros kurdicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *kurdicus Dolin & Mertlik,2002* TR
11194. **Zorochros meridionalis (Laporte,1840)** (Elateridae) Synonym(s): *meridionalis Laporte,1840* Cc TR
11195. **Zorochros minimus (Lacordaire,1835)** (Elateridae) Synonym(s): *dermestoides Herbst,1806 nec Linn.,1767; minimus Lacordaire,1835* LV TR
11196. **Zorochros murinus (Reitter,1895)** (Elateridae) Synonym(s): *murinus Reitter,1895* TR
11197. **Zorochros nanus (Gurjeva,1963)** (Elateridae) Synonym(s): *nanus Gurjeva,1963* TR AF
11198. **Zorochros pallicrus (Desbrochers,1875)** (Elateridae) Synonym(s): *pallicrus Desbrochers,1875; delicatulus Schwarz,1897* TR
11199. **Zorochros pilosellus (Reitter,1895)** (Elateridae) Synonym(s): *pilosellus Reitter,1895* TR
11200. **Zorochros quadriguttatus (Laporte,1840)** (Elateridae) Synonym(s): *quadriguttatus Laporte,1840* TR
11201. **Zorochros recellentus Dolin,1995** (Elateridae) Synonym(s): *recellentus Dolin,1995* TR
11202. **Zorochros stibicki (Leseigneur,1970)** (Elateridae) Synonym(s): *stibicki Leseigneur,1970* TR SL
11203. **Zygina (Hypericiella) nebulosa (Ribaut,1948)** (Cicadellidae) Synonym(s): *nebulosa Ribaut,1948* CY IL Pa TR
11204. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor Horvath,1897; #discolor Lodos & Kalkandelen,1984* BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU
11205. **Zygina (s.str.) karatasa (Dlabola,1957)** (Cicadellidae) Synonym(s): *karatasa Dlabola,1957* AF JO TR
11206. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936* DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU
11207. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria Ribaut,1936; pandellei Ribaut,1936; variegata Ribaut,1936* AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR
11208. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* AT BG CY CS FR DE IL IT SW TR UZ
11209. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
11210. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
11211. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944* BG HU IT LB PL SW UA? YU TR
11212. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
11213. **Zyginidia (Anatolidia) obesa Zachvatkin,1937** (Cicadellidae) Synonym(s): *obesa Zachvatkin,1937* TR
11214. **Zyginidia (Anatolidia) rostrata Zachvatkin,1937** (Cicadellidae) Synonym(s): *rostrata Zachvatkin,1937* TR
11215. **Zyginidia (s.str.) artvinicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *artvinicus Kalkandelen,1985* Zyginidia (s.str.) artvinicus Kalkandelen,1985, Türk. bitki kor. derg. 9: 15-18, figs. Holotype ♂: Turkey: Artvin Prov., Artvin, 30.8.1975. TR
11216. **Zyginidia (s.str.) bafranicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *bafranicus Kalkandelen,1985; #bafrae Lodos & Kalkandelen,1988* Zyginidia (s.str.) bafranicus Kalkandelen,1985, Türk. bitki kor. derg. 9: 21-22, figs. Holotype ♂: Turkey: Samsun Prov., Bafra, Karaköy. TR
11217. **Zyginidia (s.str.) emrea Kalkandelen,1985** (Cicadellidae) Synonym(s): *emrea Kalkandelen,1985* Zyginidia (s.str.) emrea Kalkandelen,1985, Türk. bitki kor. derg. 9: 22-23, figs. Holotype ♂: Turkey: Çankırı Prov., Çatalalma. TR
11218. **Zyginidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): *eremita Zachvatkin,1953; caucasica Zachvatkin,1953* Cc TR GG RU UZ
11219. **Zyginidia (s.str.) karadenizicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *karadenizicus Kalkandelen,1985* Zyginidia (s.str.) karadenizicus Kalkandelen,1985, Türk. bitki kor. derg. 9: 18-20, figs. Holotype ♂: Turkey: Samsun Prov., Gelemen 19.8.1975. TR
11220. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845* AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU
11221. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab Zachvatkin,1947; coacta Ribaut,1948* AF CY IR IL JO LB SY TR RU Cc GG Da UZ
11222. **Zygiobia carpini (Loew,1874)** (Cecidomyiidae) Synonym(s): *carpini Loew,1874* TR

- 11223.** *Zygomia valida* Winnertz,1863 (Mycetophilidae) Synonym(s): *valida* Winnertz,1863 TR
11224. *Zygonyx torridus* (Kirby,1889) (Libellulidae) Synonym(s): *torridus* Kirby,1889 TR

Provincial List of the Pterygot Insects

Adana Province (01)

(983 species, stand 30 April 2010)

1. *Acanthiophilus helianthi* (Rossi,1790) (Tephritidae)
2. *Achaeta domestica* (Linnaeus,1758) (Gryllidae)
3. *Acinipe davisii* (Uvarov,1949) (Pamphagidae)
4. *Aciura coryli* (Rossi,1790) (Tephritidae)
5. *Aconurella prolixa* (Lethierry,1885) (Cicadellidae)
6. *Acrida anatolica* Dirsh,1949 (Acrididae)
7. *Acrida bicolor* (Thunberg,1815) (Acrididae)
8. *Acromalachus clavicornis* (Peyron,1877) (Melyridae)
9. *Acrosternum heegeri* Fieber,1861 (Pentatomidae)
10. *Acrosternum millierei* (Mulsant & Rey,1866) (Pentatomidae)
11. *Acrotylus insubricus* (Scopoli,1786) (Acrididae)
12. *Acrotylus patruelis* (Herrich-Schäffer,1838) (Acrididae)
13. *Adelocera pygmaea* (Baudi,1871) (Elateridae)
14. *Adontomerus amygdali* (Boucek,1958) (Torymidae)
15. *Adoxomyia obscuripennis* (Loew,1873) (Stratiomyidae)
16. *Aelia acuminata* (Linnaeus,1758) (Pentatomidae)
17. *Aelia albivittata* Fieber,1868 (Pentatomidae)
18. *Aelia alticola* Kiritschenko,1914 (Pentatomidae)
19. *Agabus (Gaurodytes) biguttatus* (Olivier,1795) (Dytiscidae)
20. *Agabus (Gaurodytes) bipustulatus* (Linnaeus,1767) (Dytiscidae)
21. *Agabus (Gaurodytes) conspersus* (Marsham,1802) (Dytiscidae)
22. *Agabus (Gaurodytes) dilatatus* (Brullé,1832) (Dytiscidae)
23. *Agalmatium bilobum* (Fieber,1877) (Issidae)
24. *Agenioideus excisus* (Morawitz,1890) (Pompilidae)
25. *Agrilus (Anambus) derasofasciatus* Lacordaire,1835 (Buprestidae)
26. *Agrilus (Anambus) roscidus* Kiesenwetter,1857 (Buprestidae)
27. *Aagriotes (s.str.) adanensis* Pic,1900 (Elateridae)
28. *Aagriotes (s.str.) nigror* Platia,2003 (Elateridae)
29. *Aagriotes (s.str.) paludum* Kiesenwetter,1859 (Elateridae)
30. *Agromyza hiemalis* Becker,1908 (Agromyzidae)
31. *Aiolopus strepens* (Latreille,[1802]) (Acrididae)
32. *Alebra albostriella* (Fallén,1826) (Cicadellidae)
33. *Alebra wahlbergi* (Boheman,1845) (Cicadellidae)
34. *Allantus didymus* (Klug,1818) (Tenthredinidae)
35. *Allodynerus delphinalis* (Giraud,1866) (Vespidae)
36. *Alloerhynchus flavipes* (Fieber,1836) (Nabidae)
37. *Allygus mixtus* (Fabricius,1794) (Cicadellidae)
38. *Alosimus chalybaeus* (Tauscher,1812) (Meloidae)
39. *Altica bicarinata* (Kutschera,1860) (Chrysomelidae)
40. *Ammotherewa splendida* (Kröber,1912) (Therevidae)
41. *Anaceratagallia laevis* (Ribaut,1935) (Cicadellidae)
42. *Anaceratagallia ribauti* (Ossiannilsson,1938) (Cicadellidae)
43. *Anaceratagallia sinuata* (Mulsant & Rey,1855) (Cicadellidae)
44. *Anacridium aegyptium* (Linnaeus,1764) (Acrididae)
45. *Anadolua burri* Karabağ,1952 (Tettigoniidae)
46. *Anadrymadusa recticauda* (Werner,1903) (Tettigoniidae)
47. *Anax immaculifrons* Rambur,1842 (Aeshnidae)
48. *Ancistrocerus auctus* (Fabricius,1793) (Vespidae)
49. *Ancistronycha erichsoni* Bach,1852 (Cantharidae)
50. *Aneuclis incidens* (Thomson,1889) (Ichneumonidae)
51. *Anisobas cingulatellus* Horstmann,1997 (Ichneumonidae)
52. *Anisochrya (s.str.) flavifrons* (Brauer,1850) (Chrysopidae)
53. *Anisops sardeus* Herrich-Schäffer,1849 (Notonectidae)
54. *Anoplus infuscatus* (Van der Linden,1827) (Pompilidae)
55. *Anoplus samariensis* (Pallas,1771) (Pompilidae)
56. *Anoplottetix novaki* Wagner,1959 (Cicadellidae)
57. *Anthaxia (Cratomerus) diadema* Fischer,1824 (Buprestidae)

58. **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae)
59. **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae)
60. **Anthaxia (Haplanthaxia) karsanthiana** Pic,1917 (Buprestidae)
61. **Anthaxia (Haplanthaxia) kiesenwetteri** Marseul,1865 (Buprestidae)
62. **Anthaxia (Haplanthaxia) laticeps** Abeille,1900 (Buprestidae)
63. **Anthaxia (Haplanthaxia) millefolii** (Fabricius,1801) (Buprestidae)
64. **Anthaxia (Haplanthaxia) mundula** Kiesenwetter,1857 (Buprestidae)
65. **Anthaxia (Haplanthaxia) praeclara** Mannerheim,1837 (Buprestidae)
66. **Anthaxia (Melanthaxia) corinthia** Reiche & Saulcy,1856 (Buprestidae)
67. **Anthaxia (Melanthaxia) masculina** Bily,1984 (Buprestidae)
68. **Anthaxia (Melanthaxia) meregallii** Curletti & Magnali,1985 (Buprestidae)
69. **Anthaxia (Melanthaxia) negrei** Cobos,1953 (Buprestidae)
70. **Anthaxia (Melanthaxia) quadripunctata** (Linnaeus,1758) (Buprestidae)
71. **Anthaxia (Melanthaxia) tenella** Kiesenwetter,1858 (Buprestidae)
72. **Anthaxia (s.str.) berytensis** Abeille,1895 (Buprestidae)
73. **Anthaxia (s.str.) bicolor** Faldermann,1835 (Buprestidae)
74. **Anthaxia (s.str.) brevis** Gory & Laporte,1839 (Buprestidae)
75. **Anthaxia (s.str.) discicollis** Gory & Laporte,1839 (Buprestidae)
76. **Anthaxia (s.str.) ghazi** Obenberger,1938 (Buprestidae)
77. **Anthaxia (s.str.) irregularis** Abeille,1909 (Buprestidae)
78. **Anthaxia (s.str.) kurdistanica** Obenberger,1912 (Buprestidae)
79. **Anthaxia (s.str.) myrmidon** Abeille,1891 (Buprestidae)
80. **Anthaxia (s.str.) nigricollis** Abeille,1904 (Buprestidae)
81. **Anthaxia (s.str.) passerini** (Pecchioli,1837) (Buprestidae)
82. **Anthaxia (s.str.) rutilipennis** Abeille,1891 (Buprestidae)
83. **Anthobium anatolicum** (Fagel,1968) (Staphylinidae)
84. **Anthobium atrocephalum** (Gyllenhal,1827) (Staphylinidae)
85. **Anthobium fuscum** (Erichson,1839) (Staphylinidae)
86. **Anthobium melanocephalum** (Illiger,1794) (Staphylinidae)
87. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
88. **Anthrenus (s.str.) delicatus** Kiesenwetter,1851 (Dermestidae)
89. **Apanteles obscurus** (Nees,1834) (Braconidae)
90. **Aphidoletes aphidimyza** (Rondani,1847) (Cecidomyiidae)
91. **Aphodius (Pseudacrossus) zuercheri** Reitter,1908 (Scarabaeidae)
92. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
93. **Aphrodes makarovi** Zachvatkin,1948 (Cicadellidae)
94. **Aphthona bonvouloiri** Allard,1861 (Chrysomelidae)
95. **Aphthona euphorbiae** (Schrank,1781) (Chrysomelidae)
96. **Aphthona flaviceps** Allard,1859 (Chrysomelidae)
97. **Aphthona fuentei** Reitter,1901 (Chrysomelidae)
98. **Aphthona maculata** Allard,1876 (Chrysomelidae)
99. **Aphthona pygmaea** Kutschera,1861 (Chrysomelidae)
100. **Aphytis melinus** DeBach,1959 (Aphelinidae)
101. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
102. **Apotomus ctypeonitens** J.Müller,1943 (Carabidae)
103. **Aprostocetus bucculentus** (Kostjukov,1978) (Eulophidae)
104. **Aquarius paludum** (Fabricius,1794) (Gerridae)
105. **Aquarius ventralis** (Fieber,1860) (Gerridae)
106. **Arachnospila holomelas** (Costa,1882) (Pompilidae)
107. **Aradus flavicornis** Dalman,1823 (Aradidae)
108. **Aradus inopinus** Kirschbaum,1955 (Aradidae)
109. **Aradus seidenstueckeri** Heiss,1989 (Aradidae)
110. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
111. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
112. **Arge ochropus** (Gmelin,1790) (Argidae)
113. **Asaphes suspensus** (Nees,1834) (Pteromalidae)
114. **Asaphes vulgaris** Walker,1834 (Pteromalidae)
115. **Asymmetrasca decedens** (Paoli,1932) (Cicadellidae)
116. **Atrometoides winkleri** Fahringer,1922 (Ichneumonidae)
117. **Attelabus nitens** (Scopoli,1763) (Attelabidae)
118. **Atylotus hendrixi** Leclercq,1967 (Tabanidae)
119. **Atylotus kerteszi** (Szilady,1915) (Tabanidae)
120. **Atylotus pulchellus** (Loew,1858) (Tabanidae)
121. **Auletobius politus** Voss,1934 (Attelabidae)
122. **Aulonogyrus concinnus** (Klug,1834) (Gyrinidae)
123. **Aulonogyrus striatus** (Fabricius,1792) (Gyrinidae)
124. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
125. **Balcanocerus balcanicus** (Horvath,1903) (Cicadellidae)
126. **Balcanocerus brusinae** (Horvath,1891) (Cicadellidae)
127. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
128. **Balclutha rosea** (Scott,1876) (Cicadellidae)
129. **Batracomorphus glaber** Haupt,1927 (Cicadellidae)
130. **Batracomorphus irroratus** Lewis,1834 (Cicadellidae)
131. **Batracomorphus signatus** Lindberg,1923 (Cicadellidae)
132. **Batrisus taurus** Besuchet,1979 (Staphylinidae)
133. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
134. **Bembidion (Nepha) vseteckai** Maran,1936 (Carabidae)
135. **Berosus (Enoplurus) bispinus** Reiche & Saulcy,1856 (Hydrophilidae)

136. *Berosus (Enoplurus) jaechi* Schödl, 1991 (Hydrophilidae)
 137. *Berosus (Enoplurus) spinosus* (Steven, 1808) (Hydrophilidae)
 138. *Berosus (s.str.) affinis* Brullé, 1835 (Hydrophilidae)
 139. *Berosus (s.str.) dispar* Reiche & Saulcy, 1856 (Hydrophilidae)
 140. *Bidessus anatolicus* Wewalka, 1972 (Dytiscidae)
 141. *Blaps ocreata* Allard, 1880 (Tenebrionidae)
 142. *Blitopertha (s.str.) nigripennis* (Burmeister, 1855) (Scarabaeidae)
 143. *Bombus terrestris* Linnaeus, 1758 (Apidae)
 144. *Brachycerus argillaceus* Reiche, 1857 (Brachyceridae)
 145. *Brachycerus sinuatus* Olivier, 1807 (Brachyceridae)
 146. *Brachygluta transversalis* (Schaum, 1859) (Staphylinidae)
 147. *Brachytarsina flavipennis* Macquart, 1851 (Strebliidae)
 148. *Bracon (Asiabracon) amaculatus* Beyarslan, 1988 (Braconidae)
 149. *Bracon (Cyanopterobracon) illyricus* (Marshall, 1888) (Braconidae)
 150. *Bracon (Cyanopterobracon) oculatus* Tobias, 1957 (Braconidae)
 151. *Bracon (Cyanopterobracon) spectabilis* (Telenga, 1936) (Braconidae)
 152. *Bracon (Glabrobracon) angustiventris* Tobias, 1957 (Braconidae)
 153. *Bracon (Glabrobracon) anthracinus* (Nees, 1834) (Braconidae)
 154. *Bracon (Glabrobracon) atrator* (Nees, 1834) (Braconidae)
 155. *Bracon (Glabrobracon) discoideus* (Wesmael, 1838) (Braconidae)
 156. *Bracon (Glabrobracon) fumipennis* (Thomson, 1892) (Braconidae)
 157. *Bracon (Glabrobracon) maculiger* (Wesmael, 1838) (Braconidae)
 158. *Bracon (Glabrobracon) obscurator* (Nees, 1812) (Braconidae)
 159. *Bracon (Glabrobracon) piger* (Wesmael, 1838) (Braconidae)
 160. *Bracon (Glabrobracon) variator* (Nees, 1812) (Braconidae)
 161. *Bracon (Rostrobracon) urinator* (Fabricius, 1798) (Braconidae)
 162. *Brinckochrysa amseli* (Hölzel, 1967) (Chrysopidae)
 163. *Brumus octosignatus* (Gebler, 1830) (Coccinellidae)
 164. *Bubastia (s.str.) suturale* (Fieber, 1877) (Issidae)
 165. *Bubopsis andromache* Aspöck, Aspöck & Hölzel, 1979 (Ascalaphidae)
 166. *Bubopsis hamatus* (Klug, 1834) (Ascalaphidae)
 167. *Bucephaloptera bucephala* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 168. *Cacodmus vicinus* Horvath, 1934 (Cimicidae)
 169. *Calliptamus barbarus* (Costa, 1836) (Acrididae)
 170. *Calliptamus coelesyriensis* (Giglio-Tos, 1893) (Acrididae)
 171. *Calliptamus italicus* (Linnaeus, 1758) (Acrididae)
 172. *Calliptamus tenuicercis* Tarbinsky, 1930 (Acrididae)
 173. *Calopteryx intermedia* Selys, 1887 (Calopterygidae)
 174. *Calopteryx mingrelica* Selys, 1869 (Calopterygidae)
 175. *Campiglossa producta* Loew, 1844 (Tephritidae)
 176. *Campylosteira ciliata* Fieber, 1844 (Tingidae)
 177. *Cantacader quadricornis* (Le Peletier & Serville, 1828) (Tingidae)
 178. *Cantharis annularis* Ménétrés, 1836 (Cantharidae)
 179. *Cantharis flavilabris* Fallén, 1807 (Cantharidae)
 180. *Cantharis lateralis* Linnaeus, 1758 (Cantharidae)
 181. *Cantharis livida* Linnaeus, 1758 (Cantharidae)
 182. *Capnodis cariosa* (Pallas, 1776) (Buprestidae)
 183. *Capnodis miliaris* (Klug, 1829) (Buprestidae)
 184. *Capnodis porosa* (Klug, 1829) (Buprestidae)
 185. *Capnodis tenebricosa* (Olivier, 1790) (Buprestidae)
 186. *Capnodis tenebrionis* (Linnaeus, 1761) (Buprestidae)
 187. *Cardiophorus (s.str.) aemulus* Platia & Gundezi, 2002 (Elateridae)
 188. *Cardiophorus (s.str.) cyanipennis* Mulsant & Wachanru, 1852 (Elateridae)
 189. *Cardiophorus (s.str.) insignis* Descrochers, 1875 (Elateridae)
 190. *Cardiophorus (s.str.) nigratissimus* Buysson, 1891 (Elateridae)
 191. *Cardiophorus (s.str.) sacratus* Erichson, 1840 (Elateridae)
 192. *Carpocoris mediterraneus* Tamanini, 1958 (Pentatomidae)
 193. *Carpocoris melanocerus* Mulsant, 1852 (Pentatomidae)
 194. *Carpomya schieneri* (Loew, 1856) (Tephritidae)
 195. *Cassida margaritacea* Schaller, 1783 (Chrysomelidae)
 196. *Cassida palaestina* Reiche, 1858 (Chrysomelidae)
 197. *Cassida rubiginosa* Müller, 1776 (Chrysomelidae)
 198. *Catoplatus brevicornis* Akramovskaya & Golub, 1973 (Tingidae)
 199. *Catoplatus fulvicornis* (Jakovlev, 1890) (Tingidae)
 200. *Catoplatus horvathi* (Puton, 1879) (Tingidae)
 201. *Celes variabilis* (Pallas, 1771) (Acrididae)
 202. *Cercion lindenii* (Selys, 1840) (Coenagrionidae)
 203. *Cercopis septemmaculata* (Melichar, 1903) (Cercopidae)
 204. *Cerocoma dahli* Kraatz, 1863 (Meloidae)
 205. *Ceropales albicincta* (Rossi, 1790) (Pompilidae)
 206. *Cetonia (s.str.) aurata* (Linnaeus, 1761) (Scarabaeidae)
 207. *Ceutorhynchus erysimi* (Fabricius, 1787) (Curculionidae)
 208. *Ceutorhynchus picitarsis* Gyllenhal, 1837 (Curculionidae)
 209. *Chaetocnema arenacea* (Allard, 1860) (Chrysomelidae)
 210. *Chaetocnema breviscula* (Faldermann, 1884) (Chrysomelidae)
 211. *Chaetocnema chlorophana* (Duftschmid, 1825) (Chrysomelidae)

212. **Chaetocnema conducta** (Motschoulsky,1838) (Chrysomelidae)
213. **Chaetocnema coyei** (Allard,1863) (Chrysomelidae)
214. **Chaetocnema hortensis** (Geoffroy,1785) (Chrysomelidae)
215. **Chaetocnema major** (Jaquelin du Val,1852) (Chrysomelidae)
216. **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae)
217. **Chaetocnema orientalis** (Bauduer,1874) (Chrysomelidae)
218. **Chelonus carbonator** Marshall,1885 (Braconidae)
219. **Chelonus mucronatus** Thomson,1874 (Braconidae)
220. **Chelonus obscurator Herrich-Schäffer,1838** (Braconidae)
221. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae)
222. **Chironomus plumosus** (Linnaeus,1758) (Chironomidae)
223. **Chironomus thummi** Kieffer,1911 (Chironomidae)
224. **Chironomus viridicollis** Wulp,1877 (Chironomidae)
225. **Chloriona flaveola** Lindberg,1948 (Delphacidae)
226. **Chloriona sicula** Matsumura,1910 (Delphacidae)
227. **Chlorita paolii** (Ossiannilsson,1939) (Cicadellidae)
228. **Chloroperla zhiltzovae** Zwick,1967 (Chloroperlidae)
229. **Choeras dorsalis** (Spinola,1808) (Braconidae)
230. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
231. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
232. **Chromatomyia horticola** (Goureau,1851) (Agromyzidae)
233. **Chrysanthia flavipes** Reitter,1889 (Oedemeridae)
234. **Chrysolina didymata** (Scriba,1791) (Chrysomelidae)
235. **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae)
236. **Chrysolina sellata** (Weise,1894) (Chrysomelidae)
237. **Chrysopa formosa** Brauer,1850 (Chrysopidae)
238. **Chrysopa septempunctata** Wesmael,1841 (Chrysopidae)
239. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
240. **Chrysops (s.str.) sejunctus** Szilady,1917 (Tabanidae)
241. **Cicada orni** Linnaeus,1758 (Cicadidae)
242. **Cicadatra adanai** Kartal,1980 (Cicadidae)
243. **Cicadatra atra** (Oliver,1790) (Cicadidae)
244. **Cicadatra persica** Kirkaldy,1909 (Cicadidae)
245. **Cicadetta montana** (Scopoli,1772) (Cicadidae)
246. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
247. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
248. **Cicadulina bipunctata** (Melichar,1904) (Cicadellidae)
249. **Cicadulina zeae** China,1926 (Cicadellidae)
250. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
251. **Cicindela herbacea** Klug,1832 (Carabidae)
252. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae)
253. **Cixidia marginicollis** (Spinola,1839) (Achilidae)
254. **Cixidia mersinica** (Dlabola,1987) (Achilidae)
255. **Cixidia pilatoi** D'Urso & Guglielmino,1995 (Achilidae)
256. **Cixius pallipes** Fieber,1876 (Cixiidae)
257. **Cixius remotus** Edwards,1888 (Cixiidae)
258. **Cladotanytarsus mancus** (Walker,1856) (Chironomidae)
259. **Clerus mutillaroides** Reitter,1893 (Cleridae)
260. **Clypeocampulum tibiale** Gauld,1976 (Ichneumonidae)
261. **Coenagrion ornatum** (Selys,1850) (Coenagrionidae)
262. **Coenagrion scitulum** (Rambur,1842) (Coenagrionidae)
263. **Colotes obsoletus** Erichson,1840 (Melyridae)
264. **Colpa (s.str.) sexmaculata** (Fabricius,1782) (Scoliidae)
265. **Coniocleonus nigrosuturatus** (Goeze,1777) (Curculionidae)
266. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
267. **Conocephalus (s.str.) conocephalus** (Linnaeus,1767) (Tettigoniidae)
268. **Conosanus obsoletus** (Kirschbaum,1858) (Cicadellidae)
269. **Corixa affinis** Leach,1818 (Corixidae)
270. **Corixa jakowleffi** Horvath,1879 (Corixidae)
271. **Corixa punctata** (Illiger,1807) (Corixidae)
272. **Cotesia ancilla** (Nixon,1974) (Braconidae)
273. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
274. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
275. **Cotesia telengai** (Tobias,1972) (Braconidae)
276. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
277. **Cremastus crassicornis** Thomson,1880 (Ichneumonidae)
278. **Cryptobium chaudiroi** Hochhuth,1851 (Staphylinidae)
279. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
280. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
281. **Cryptocephalus prusias** Suffrian,1853 (Chrysomelidae)
282. **Cryptocheilus ichneumonoides** (Costa,1874) (Pompilidae)
283. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
284. **Cryptocheilus variabilis** (Rossi,1790) (Pompilidae)
285. **Cryptocheilus variipennis** Sustera,1924 (Pompilidae)
286. **Cryptochironomus defectus** Kieffer,1921 (Chironomidae)

287. **Cryptus spinosus** Gravenhorst,1829 (Ichneumonidae)
288. **Ctenagenia ozbeki** Wahis,2002 (Pompilidae)
289. **Ctenotilla caeca** (Radoszkowski,1879) (Mutillidae)
290. **Curculio pellitus** Boheman,1843 (Curculionidae)
291. **Cybister (s.str.) tripunctatus** (Olivier,1795) (Dytiscidae)
292. **Cybister (Scaphinectes) lateralimarginalis** (De Geer,1774) (Dytiscidae)
293. **Cylindera (Cicindina) pygmaea** (Dejean,1825) (Carabidae)
294. **Cylindera (Cicindina) trisignata** (Dejean,1822) (Carabidae)
295. **Cyllenia rustica** (Rossi,1790) (Bombyliidae)
296. **Cyphon arietizans** Nyholm,1970 (Scirtidae)
297. **Cyphon palustris** Thomson,1855 (Scirtidae)
298. **Dailognatha impressicollis** Solier,1835 (Tenebrionidae)
299. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
300. **Dasyrhaphis nigritus** (Fabricius,1794) (Tabanidae)
301. **Dasyrhaphis umbrinus** (Meigen,1820) (Tabanidae)
302. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
303. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
304. **Delta unguiculatum** (Villers,1789) (Vespidae)
305. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
306. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
307. **Dericorys tibialis** (Pallas,1773) (Acrididae)
308. **Deronectes parvicollis** (Schaum,1864) (Dytiscidae)
309. **Diadegma griseescens** (Gravenhorst,1829) (Ichneumonidae)
310. **Diadegma velox** (Holmgren,1860) (Ichneumonidae)
311. **Dibolia carpathica** Weise,1893 (Chrysomelidae)
312. **Dibolia occultans** (Koch,1803) (Chrysomelidae)
313. **Dibolia schillingii** (Letzner,1847) (Chrysomelidae)
314. **Dicronychus adanensis** (Pic,1908) (Elateridae)
315. **Dicronychus merkli** (Pic,1910) (Elateridae)
316. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
317. **Dictyophara lindbergi** Metcalf,1955 (Dictyopharidae)
318. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
319. **Dioctria flavipennis** Meigen,1820 (Asilidae)
320. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
321. **Doclostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
322. **Doclostaurus (Kazakia) jagoi** Soltani,1978 (Acrididae)
323. **Doclostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
324. **Doclostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
325. **Doclostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
326. **Dolichogenidea sicarius** (Marshall,1885) (Braconidae)
327. **Dolichovespula sylvestris** (Scopoli,1763) (Vespidae)
328. **Doratura heterophyla** Horvath,1903 (Cicadellidae)
329. **Doratura homophyla** (Flor,1861) (Cicadellidae)
330. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
331. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
332. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
333. **Dryodurgades anatolicus** Dlabola,1957 (Cicadellidae)
334. **Duroniella laticornis** (Krauss,1909) (Acrididae)
335. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
336. **Dytiscus circumflexus** Fabricius,1781 (Dytiscidae)
337. **Ectomocoris ululans** (Rossi,1790) (Reduviidae)
338. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae)
339. **Einfeldia carbonaria** (Meigen,1804) (Chironomidae)
340. **Elathous nigricans** Platia & Schimmel,1991 (Elateridae)
341. **Elathous schwarzi** Reitter,1905 (Elateridae)
342. **Emblethis angustus** Montandon,1890 (Lygaeidae)
343. **Emblethis duplicatus** Seidenstücker,1963 (Lygaeidae)
344. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
345. **Emblethis karamanus** Seidenstücker,1963 (Lygaeidae)
346. **Emblethis setifer** Seidenstücker,1966 (Lygaeidae)
347. **Empis (s.str.) caudatula** Loew,1867 (Empididae)
348. **Empis (s.str.) lepidopus** Meigen,1822 (Empididae)
349. **Empoasca decipiens** Paoli,1930 (Cicadellidae)
350. **Empoasca solani** (Curtis,1846) (Cicadellidae)
351. **Endochironomus tendens** (Fabricius,1794) (Chironomidae)
352. **Enochrus (Lumetus) segmentinotatus** (Kuwert,1888) (Hydrophilidae)
353. **Ensina sonchi** (Linnaeus,1767) (Tephritidae)
354. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
355. **Episyrphus balteatus** (De Geer,1776) (Syrphidae)
356. **Epitrix abeillei** (Bauduer,1874) (Chrysomelidae)
357. **Eristalinus (Eristalodes) taeniops** (Wiedemann,1818) (Syrphidae)
358. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae)
359. **Eristalis tenax** (Linnaeus,1758) (Syrphidae)

360. **Erodus orientalis** **Brullé,1832**
(Tenebrionidae)
361. **Euaresta bullans** (**Wiedemann,1830**)
(Tephritidae)
362. **Euleia heraclei** (**Linnaeus,1758**)
(Tephritidae)
363. **Eumecurus gyaurus** (**Dlabola,1957**)
(Cixiidae)
364. **Eumenes dubius** **Saussure,1852** (Vespidae)
365. **Eumenes jarkandensis** **Blüthgen,1938**
(Vespidae)
366. **Eumenes mediterraneus**
(**Kriechbaumer,1879**) (Vespidae)
367. **Eupelix cuspidata** (**Fabricius,1775**)
(Cicadellidae)
368. **Eupholidoptera anatolica** (**Ramme,1930**)
(Tettigoniidae)
369. **Eupholidoptera annulipes** (**Brunner von Wattenwyl,1882**) (Tettigoniidae)
370. **Eupteryx cypria** (**Ribaut,1948**)
(Cicadellidae)
371. **Eupteryx gyaurdagicus** **Dlabola,1957**
(Cicadellidae)
372. **Eurhadina ribauti** **Wagner,1935** (Cicadellidae)
373. **Eurydema blanda** **Horvath,1803**
(Pentatomidae)
374. **Eurydema fieberi** **Schummel,1836**
(Pentatomidae)
375. **Eurydema oleracea** (**Linnaeus,1758**)
(Pentatomidae)
376. **Eurydema ornatum** (**Linnaeus,1758**)
(Pentatomidae)
377. **Eurydema rugulosa** (**Dohrn,1860**)
(Pentatomidae)
378. **Eurydema spectabilis** **Horvath,1882**
(Pentatomidae)
379. **Eurydema ventralis** **Kolenati,1846**
(Pentatomidae)
380. **Eurytoma amygdali** **Enderlein,1907**
(Eurytomidae)
381. **Euscelidius mundus** (**Haupt,1927**)
(Cicadellidae)
382. **Euscelidius schenkii** (**Kirschbaum,1868**)
(Cicadellidae)
383. **Euscelis alsius** **Ribaut,1952** (Cicadellidae)
384. **Euscelis incisus** (**Kirschbaum,1858**)
(Cicadellidae)
385. **Eusphalerum densicolle**
(**Bernhauer,1915**) (Staphylinidae)
386. **Exitianus capicola** (**Stal,1855**)
(Cicadellidae)
387. **Exitianus fasciolatus** (**Melichar,1911**)
(Cicadellidae)
388. **Exochomus nigromaculatus** (**Goeze,1777**)
(Coccinellidae)
389. **Exochostoma nitidum** **Macquart,1842**
(Stratiomyidae)
390. **Exochus castaniventris** **Brauns,1896**
(Ichneumonidae)
391. **Exoprosopa pandora** (**Fabricius,1805**)
(Bombyliidae)
392. **Eyprepocnemis plorans**
(**Charpentier,1825**) (Acrididae)
393. **Eysarcoris aeneus** (**Scopoli,1763**)
(Pentatomidae)
394. **Eysarcoris ventralis** (**Westwood,1837**)
(Pentatomidae)
395. **Falcotoya minuscula** (**Horvath,1897**)
(Delphacidae)
396. **Festella rammei** **Çıplak,2000**
(Tettigoniidae)
397. **Fieberiella gemelina** **Dlabola,1965**
(Cicadellidae)
398. **Fieberiella lindbergi** **Wagner,1963**
(Cicadellidae)
399. **Fieberiella macchiai** **Linnavuori,1962**
(Cicadellidae)
400. **Foersterella seyhanensis** **Doğanlar,2003**
(Tetracampidae)
401. **Frutioidia (s.str.) bisignata** (**Mulsant & Rey,1855**) (Cicadellidae)
402. **Frutioidia (s.str.) sanguinosa** (**Rey,1891**)
(Cicadellidae)
403. **Galeatus cellularis** **Jakovlev,1884**
(Tingidae)
404. **Gampsocoris enslini** **Seidenstücker,1953**
(Berytidae)
405. **Gampsocoris punctipes** (**Germar,1822**)
(Berytidae)
406. **Geocoris megacephalus** (**Rossi,1790**)
(Lygaeidae)
407. **Geocoris pallidipennis** (**Costa,1843**)
(Lygaeidae)
408. **Gerris argentatus** **Schummel,1832**
(Gerridae)
409. **Gerris asper** (**Fieber,1860**) (Gerridae)
410. **Gerris thoracicus** **Schummel,1832** (Gerridae)
411. **Glyphotmethis dimorphus** (**Uvarov,1934**)
(Pamphagidae)
412. **Glyptomorpha baetica** (**Spinola,1843**)
(Braconidae)
413. **Glyptomorpha pectoralis** (**Brullé,1832**)
(Braconidae)
414. **Gomphus davidi** **Selys,1887** (Gomphidae)
415. **Gomphus flavipes** (**Charpentier,1825**)
(Gomphidae)
416. **Gomphus schneideri** **Selys,1850** (Gomphidae)
417. **Goniagnathus bolivari** (**Melichar,1907**)
(Cicadellidae)
418. **Goniagnathus brevis** (**Herrich-Schäffer,1835**)
(Cicadellidae)
419. **Gonioctena fornicata** (**Brüggemann,1873**)
(Chrysomelidae)
420. **Gonocephalum costatum** **Brullé,1832**
(Tenebrionidae)
421. **Gonocephalum rusticum** (**Olivier,1811**)
(Tenebrionidae)
422. **Grammacephalus pugio** (**Noualhier,1895**)
(Cicadellidae)
423. **Grasseiteles ciliator** **Aubert,1968**
(Ichneumonidae)
424. **Gryllotalpa gryllotalpa** (**Linnaeus,1758**)
(Gryllotalpidae)
425. **Gryllus (s.str.) campestris** **Linnaeus,1758**
(Gryllidae)
426. **Grypotes staurus** **Ivanoff,1885**
(Cicadellidae)
427. **Gymnopleurus flagellatus**
(**Fabricius,1787**) (Scarabaeidae)
428. **Gymnopleurus geoffroyi** **Fuessly,1785**
(Scarabaeidae)
429. **Gymnopleurus mopsus** (**Pallas,1781**)
(Scarabaeidae)
430. **Gyrinus caspius** **Ménétriés,1832**
(Gyrinidae)
431. **Gyrinus dejeani** **Brullé,1832** (Gyrinidae)
432. **Gyrinus distinctus** **Aubé,1836** (Gyrinidae)

433. **Haematopota crassicornis**
Wahlberg,1848 (Tabanidae)
434. **Haematopota grandis** Macquart,1834
(Tabanidae)
435. **Haliplus variegatus** Sturm,1834
(Haliplidae)
436. **Halticoptera adanacus** Doğanlar,2006
(Pteromalidae)
437. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
438. **Harnischia** sp. (Chironomidae)
439. **Hauptidia (s.str.) cretacea**
(Moravskaja,1948) (Cicadellidae)
440. **Hecalus glaucescens** (Fieber,1866)
(Cicadellidae)
441. **Helionidia himyarita** Zachvatkin,1946
(Cicadellidae)
442. **Heliophilus trivittatus** (Fabricius,1805)
(Syrphidae)
443. **Heliopteryx humeralis** (Kuthy,1907)
(Acrididae)
444. **Helophorus syriacus** Kuwert,1885
(Helophoridae)
445. **Hemipepsis brunnea** (Klug,1834)
(Pompilidae)
446. **Hephathus freyi** (Fieber,1868)
(Cicadellidae)
447. **Hephathus unicolor** (Lindberg,1926)
(Cicadellidae)
448. **Hermacophaga ruficollis** (Lucas,1849)
(Chrysomelidae)
449. **Hesperocorixa linnaei** (Fieber,1848)
(Corixidae)
450. **Hesperocorixa parallela** (Fieber,1860)
(Corixidae)
451. **Heteracris pterostichus** (Fischer von
Waldheim,1833) (Acrididae)
452. **Himacerus maracandicus** (Reuter,1890)
(Nabidae)
453. **Hirticomus hispidus** (Rossi,1792)
(Anthicidae)
454. **Holopogon nigropilosus** Theodor,1980
(Asilidae)
455. **Homodela ismenia** (Gory,1833)
(Carabidae)
456. **Horvathianella palliceps** (Horvath,1897)
(Delphacidae)
457. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
458. **Hyalesthes obsoletus** Signoret,1865
(Cixiidae)
459. **Hyalesthes thracicus** Hoch,1985 (Cixiidae)
460. **Hycleus sexmaculatus** (Olivier,1811)
(Meloidae)
461. **Hydaticus (s.str.) transversalis**
(Pontopoddian,1763) (Dytiscidae)
462. **Hydrochara dichorama** (Fairmaire,1829)
(Hydrophilidae)
463. **Hydrochara flavipes** (Steven,1808)
(Hydrophilidae)
464. **Hydrocyphon segrex** Nyholm,1972
(Scirtidae)
465. **Hydroglyphus geminus** (Fabricius,1792)
(Dytiscidae)
466. **Hydroglyphus pubescens** Gyllenhal,1808
(Dytiscidae)
467. **Hydroporus bodemeyeri**
Ganglbauer,1900 (Dytiscidae)
468. **Hydroporus planus** (Fabricius,1781)
(Dytiscidae)
469. **Hydroporus pubescens** (Gyllenhal,1808)
(Dytiscidae)
470. **Hydrovatus cuspidatus** (Kunze,1818)
(Dytiscidae)
471. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
472. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
473. **Hyperaspis quadrimaculata**
Redtenbacher,1843 (Coccinellidae)
474. **Hypocassida subferruginea**
(Schrank,1776) (Chrysomelidae)
475. **Hypolixus nubilosus** (Boheman,1836)
(Curculionidae)
476. **Hyposoter ebeninus** (Gravenhorst,1829)
(Ichneumonidae)
477. **Hyposoter notatus** (Gravenhorst,1829)
(Ichneumonidae)
478. **Idiocerus vicinus** Melichar,1898
(Cicadellidae)
479. **Idiomacromerus papaveris**
(Förster,1856) (Torymidae)
480. **Ilybius fuliginosus** (Fabricius,1792)
(Dytiscidae)
481. **Ilyocoris cimicoides** (Linnaeus,1758)
(Naucoridae)
482. **Ischnomera fulvicollis** (Reitter,1897)
(Oedemeridae)
483. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
484. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
485. **Isoperla rhododendri** Zhiltzova,1956
(Perlodidae)
486. **Isophya amplipennis** Brunner von
Wattenwyl,1878 (Tettigoniidae)
487. **Janetiella oenephila** (Haimhoffen,1875)
(Cecidomyiidae)
488. **Javesella salina** (Haupt,1924)
(Delphacidae)
489. **Labidostomis decipiens**
Faldermann,1837 (Chrysomelidae)
490. **Labidostomis propinqua**
Faldermann,1837 (Chrysomelidae)
491. **Laccobius (Dimorpholaccobius) obscuratus**
Rottenberg,1874 (Hydrophilidae)
492. **Laccobius (Dimorpholaccobius)**
scutellaris Motschoulsky,1855 (Hydrophilidae)
493. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
494. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
495. **Laccobius (Microlaccobius) quaesitus**
Gentili,1988 (Hydrophilidae)
496. **Laccophilus hyalinus** (De Geer,1774)
(Dytiscidae)
497. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
498. **Laccophilus poecilus** Klug,1834
(Dytiscidae)
499. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
500. **Larinus curtus** Hochhuth,1851
(Curculionidae)
501. **Larinus onopordi** (Fabricius,1787)
(Curculionidae)

502. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
503. **Lasiopa caucasica** (Pleske,1901) (Stratiomyidae)
504. **Leistus (Pogonophorus) montanus** Stephens,1828 (Carabidae)
505. **Leptocybe invasa** Fisher & La Salle,2004 (Eulophidae)
506. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
507. **Lestes macrostigma** (Eversmann,1836) (Lestidae)
508. **Lesteva binotata** Reitter,1901 (Staphylinidae)
509. **Lethocerus patruelis** (Stal,1854) (Belostomatidae)
510. **Leuctra schistocerca** Zwick,1971 (Leuctridae)
511. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
512. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)
513. **Libellula depressa** Linnaeus,1758 (Libellulidae)
514. **Liguropia juniperi** (Lethierry,1876) (Cicadellidae)
515. **Limnophyes pusillus** Eat.,1875 (Chironomidae)
516. **Limnophyes transcausicus** Tchern.1949 (Chironomidae)
517. **Liriomyza bryoniae** (Kaltenbach,1858) (Agromyzidae)
518. **Liriomyza cicerina** (Rondani,1875) (Agromyzidae)
519. **Liriomyza huidobrensis** (Blanchard,1926) (Agromyzidae)
520. **Liriomyza strigata** (Meigen,1830) (Agromyzidae)
521. **Liriomyza trifolii** (Burgess,1880) (Agromyzidae)
522. **Lissonota (s.str.) barbator** Aubert,1972 (Ichneumonidae)
523. **Lixus cylindrus** (Fabricius,1781) (Curculionidae)
524. **Lixus speciosus** Miller,1861 (Curculionidae)
525. **Locusta migratoria** (Linnaeus,1758) (Acrididae)
526. **Longitarsus aeneicollis** (Faldermann,1837) (Chrysomelidae)
527. **Longitarsus anchusae** (Paykull,1799) (Chrysomelidae)
528. **Longitarsus fuscoaeneus** Redtenbacher,1859 (Chrysomelidae)
529. **Longitarsus linnaei** (Duftschmid,1825) (Chrysomelidae)
530. **Longitarsus lycopi** (Foudras,1860) (Chrysomelidae)
531. **Longitarsus obliteratus** (Rosenhauer,1847) (Chrysomelidae)
532. **Longitarsus pellucidus** (Foudras,1860) (Chrysomelidae)
533. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
534. **Lophyridia aphrodisia** (Baudi,1864) (Carabidae)
535. **Lophyridia caucasica** (Adams,1817) (Carabidae)
536. **Lophyridia concolor** (Dejean,1822) (Carabidae)
537. **Lophyridia fischeri** (Adams,1817) (Carabidae)
538. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
539. **Lucanus (.s.str.) cervus** (Linnaeus,1758) (Lucanidae)
540. **Lycocoris campestris** (Fabricius,1794) (Anthocoridae)
541. **Lydus pilicollis** Fairmaire,1892 (Meloidae)
542. **Lydus trimaculatus** (Fabricius,1775) (Meloidae)
543. **Lydus turcicus** Kaszab,1952 (Meloidae)
544. **Lydus unicolor** Reitter,1887 (Meloidae)
545. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
546. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
547. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
548. **Macrolophus caliginosus** Wagner,1950 (Miridae)
549. **Macrophya postica** Brullé,1832 (Tenthredinidae)
550. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
551. **Macrosteles forcicula** (Ribaut,1927) (Cicadellidae)
552. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
553. **Malthinus conspiciuus** Kiesenwetter,1852 (Cantharidae)
554. **Malthinus magisi** Wittmer,1974 (Cantharidae)
555. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
556. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
557. **Megischina bozdaglariensis** Novak,2006 (Tenebrionidae)
558. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae)
559. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
560. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae)
561. **Mesostenus albinotatus** Gravenhorst,1829 (Ichneumonidae)
562. **Metacantharis taurigrada** Bourgeois,1900 (Cantharidae)
563. **Metasyrphus corollae** (Fabricius,1794) (Syrphidae)
564. **Microchelonus basalis** (Curtis,1837) (Braconidae)
565. **Micronecta griseola** (Linnaeus,1758) (Corixidae)
566. **Micronecta perplexa** Horvath,1899 (Corixidae)
567. **Micronecta pusilla** (Horvath,1895) (Corixidae)
568. **Micropsectra notescens** (Walker,1856) (Chironomidae)
569. **Microptilis mediator** (Haliday,1834) (Braconidae)
570. **Microtendipes tarsalis** (Walker,1856) (Chironomidae)
571. **Mocydiopsis monticola** Remane,1961 (Cicadellidae)
572. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
573. **Modicogryllus (s.str.) frontalis** (Fieber,1844) (Gryllidae)
574. **Monorthochaeta adanaensis** Doğanlar,2002 (Trichogrammatidae)
575. **Monosteira lobulifera** Reuter,1888 (Tingidae)
576. **Monosteira pardoi** E. Wagner,1961 (Tingidae)

577. **Mosillus subsultans** (Fabricius,1794) (Ephydriidae)
578. **Muscidifurax adanacus** Doğanlar,2007 (Pteromalidae)
579. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
580. **Mutilla quinquemaculata** Cyrillo,1787 (Mutillidae)
581. **Muzimes strebai** (Maran,1940) (Meloidae)
582. **Mycterodus (s.str.) bicornutus** Dlabola,1986 (Issidae)
583. **Mycterodus (s.str.) pozanticus** Kartal,1983 (Issidae)
584. **Mylabris calida** (Pallas,1781) (Meloidae)
585. **Mylabris cincta** Olivier,1811 (Meloidae)
586. **Mylabris crocata** (Pallas,1781) (Meloidae)
587. **Mylabris fabricii** Sumakov,1924 (Meloidae)
588. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
589. **Mylabris syriaca** Klug,1845 (Meloidae)
590. **Mylabris variabilis** (Pallas,1782) (Meloidae)
591. **Myriochile (s.str.) melancholica** (Fabricius,1798) (Carabidae)
592. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
593. **Nebrioporus turca** (Seidlitz,1887) (Dytiscidae)
594. **Nemognatha chrysomelina** (Fabricius,1775) (Meloidae)
595. **Nemoptera coa** (Linnaeus,1758) (Nemopteridae)
596. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
597. **Nemorius vitripennis** (Meigen,1820) (Tabanidae)
598. **Nemotelus (s.str.) atriceps** Loew,1856 (Stratiomyidae)
599. **Nemotelus (s.str.) pantherinus** (Linnaeus,1758) (Stratiomyidae)
600. **Nemotelus (s.str.) syriacus** Lindner,1933 (Stratiomyidae)
601. **Nemoura taurica** Zhiltzova,1967 (Nemouridae)
602. **Nealiturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
603. **Nealiturus guttulatus** (Kirschbaum,1868) (Cicadellidae)
604. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
605. **Neophilaenus minor** (Kirschbaum,1868) (Cercopidae)
606. **Nephus caneparii** Fürsch & Uygun,1980 (Coccinellidae)
607. **Nesoclutha erythrocephala** (Ferrari,1882) (Cicadellidae)
608. **Noterus crassicornis** (O.F.Müller,1776) (Noteridae)
609. **Notonecta glauca** Linnaeus,1758 (Notonectidae)
610. **Notonecta meridionalis** Poisson,1926 (Notonectidae)
611. **Notonecta obliqua** Gallen,1787 (Notonectidae)
612. **Nycteribia (Acrocholidia) vexata** Westwood,1835 (Nycteribiidae)
613. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae)
614. **Ochrilidia acuta** (Bolivar,1905) (Acrididae)
615. **Ochterus marginatus** (Latreille,1804) (Ochteridae)
616. **Odontomyia cephalonica** Strobl,1898 (Stratiomyidae)
617. **Odontomyia flavissima** (Rossi,1790) (Stratiomyidae)
618. **Odontomyia hydroleon** (Linnaeus,1758) (Stratiomyidae)
619. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
620. **Oedaleus decorus** (Germar,1817) (Acrididae)
621. **Oedemera (s.str.) crassipes** Ganglbauer,1881 (Oedemeridae)
622. **Oedemera (s.str.) femorata** (Scopoli,1763) (Oedemeridae)
623. **Oedemera (s.str.) flavipennis** W.Schmidt,1846 (Oedemeridae)
624. **Oedipoda aurea** Uvarov,1923 (Acrididae)
625. **Oenas crassicornis** (Illiger,1800) (Meloidae)
626. **Oenas tarsensis** Abeille de Perrin,1880 (Meloidae)
627. **Oenas tenuicornis** Abeille de Perrin,1880 (Meloidae)
628. **Oenopia conglobata** (Linnaeus,1758) (Coccinellidae)
629. **Oliarus torossicus** Dlabola,1957 (Cixiidae)
630. **Oligopogon rufus** Geller-Grimm & Hradsky,2003 (Asilidae)
631. **Omalius schuberti** Zanetti,2002 (Staphylinidae)
632. **Omocestus (s.str.) rufipes** (Zetterstedt,1821) (Acrididae)
633. **Omocestus (s.str.) ventralis** (Zetterstedt,1821) (Acrididae)
634. **Onthophagus (Palaeonthophagus) strabo** Reitter,1893 (Scarabaeidae)
635. **Onychogomphus assimilis** (Schneider,1845) (Gomphidae)
636. **Onychogomphus flexuosus** (Schneider,1845) (Gomphidae)
637. **Onychogomphus lefebvrei** (Rambur,1842) (Gomphidae)
638. **Onychogomphus macrodon** (Selys,1887) (Gomphidae)
639. **Ophiomyia phaseoli** (Tryon,1895) (Agromyzidae)
640. **Opilo taeniatus** (Klug,1842) (Cleridae)
641. **Oplodontha viridula** (Fabricius,1775) (Stratiomyidae)
642. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
643. **Orellia falcata** (Scopoli,1763) (Tephritidae)
644. **Orellia punctata** (Schrank,1781) (Tephritidae)
645. **Orellia steropea** (Rondani,1870) (Tephritidae)
646. **Orosius orientalis** (Matsumura,1914) (Cicadellidae)
647. **Osmia (Helicosmia) fulviventris** (Panzer,1798) (Megachilidae)
648. **Oxycera (Camptopelta) nigrinus** Fallén,1817 (Stratiomyidae)
649. **Oxycera galeata** (Lindner,1975) (Stratiomyidae)
650. **Oxycera trilineata** (Linnaeus,1767) (Stratiomyidae)
651. **Oxyna flavipennis** (Loew,1844) (Tephritidae)

652. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
653. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
654. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
655. **Pachygaster maura** Lindner,1939
(Stratiomyidae)
656. **Pagiphora yanni** Boulard,1993 (Cicadidae)
657. **Paracinema tricolor** (Thunberg,1815)
(Acrididae)
658. **Paracladius conversus** (Walker,1856)
(Chironomidae)
659. **Paracladopelma nigrifulva**
Goetghebuer,1942 (Chironomidae)
660. **Paragus (Pandasyophtalmus) tibialis**
(Fallén,1817) (Syrphidae)
661. **Parapholidoptera spinulosa** Karabağ,1956
(Tettigoniidae)
662. **Parodontodynerus ephippium**
(Klug,1817) (Vespididae)
663. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
664. **Peltodytes caesus** (Duftschmid,1805)
(Haliplidae)
665. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
666. **Pentastira megista** Emeljanov,1978
(Cixiidae)
667. **Pentastira torossica** (Dlabola,1957)
(Cixiidae)
668. **Pentastiridius leporinus** (Linnaeus,1761)
(Cixiidae)
669. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)
670. **Perilissus dissimilitor** Aubert,1987
(Ichneumonidae)
671. **Periplaneta americana** (Linnaeus,1758)
(Blattidae)
672. **Peripontius crassus** (Buysson,1906)
(Elateridae)
673. **Peripontius turcicus** Platia &
Tarnawski,1998 (Elateridae)
674. **Perkinsiella dorsata** Melichar,1905
(Delphacidae)
675. **Perla marginata** (Panzer,1799) (Perlidae)
676. **Perla pallida** Guérin-Ménéville,1838
(Perlidae)
677. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
678. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
679. **Philaenus signatus** Melichar,1896
(Cercopidae)
680. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
681. **Philipomyia zizaniae** (Leclercq,1966)
(Tabanidae)
682. **Phlepsius ornatus** (Perris,1857)
(Cicadellidae)
683. **Phthiridium biarticulatum**
Hermann,1804 (Nycteribiidae)
684. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
685. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
686. **Phyllotreta diademata** Foudras,1860
(Chrysomelidae)
687. **Phyllotreta egridirensis** Gruev &
Kasap,1985 (Chrysomelidae)
688. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
689. **Phyllotreta procera** (Redtenbacher,1849)
(Chrysomelidae)
690. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
691. **Phytoecia nepheloides** Sama,1997
(Cerambycidae)
692. **Phytomyza kaltenbachi** Hendel,1922
(Agromyzidae)
693. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
694. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
695. **Piocoris erythrocephalus** (P. & S.,1825)
(Lygaeidae)
696. **Pittonotus theseus** (Germar,1817)
(Elateridae)
697. **Plagiognathus albipennis** (Fallén,1829)
(Miridae)
698. **Plagiognathus chrysanthemi**
(Wolff,1804) (Miridae)
699. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
700. **Plagiognathus raphani** Wagner,1963
(Miridae)
701. **Plastocerus angulosus** (Germar,1845)
(Elateridae)
702. **Platambus maculatus** (Linnaeus,1758)
(Dytiscidae)
703. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
704. **Platycleis (s.str.) escalerae** Bolivar,1899
(Tettigoniidae)
705. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
706. **Platycleis (Squamiana) salmani**
Çıplak,2002 (Tettigoniidae)
707. **Platycnemis kervillei** (Martin,1909)
(Platycnemidae)
708. **Platymetopius (s.str.) filigranus**
(Scott,1876) (Cicadellidae)
709. **Platymetopius (s.str.) guttatus**
Fieber,1869 (Cicadellidae)
710. **Platymetopius cruentatus** Haupt,1927
(Cicadellidae)
711. **Platynaspis luteorubra** (Goeze,1777)
(Coccinellidae)
712. **Plea minutissima** Leach,1817 (Pleidae)
713. **Poecilimon zonatus** Bolivar,1899
(Tettigoniidae)
714. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespididae)
715. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespididae)
716. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespididae)
717. **Polypedilum bicrenatum** Kieffer,1911
(Chironomidae)
718. **Polypedilum breviantennatum** Tchern.,1949
(Chironomidae)
719. **Polyphaga aegyptiaca** (Linnaeus,1758)
(Polyphagidae)
720. **Polyphylla (s.str.) fullo** (Linnaeus,1758)
(Scarabaeidae)
721. **Pontoperla teberdinica** (Balinsky,1950)
(Chloroperlidae)

722. **Prionemnis fahringeri** Wolf,1963 (Pompilidae)
723. **Prionemnis vulgaris** (Dufour,1841) (Pompilidae)
724. **Prionocyphon ornatus** Abeille,1881 (Scirtidae)
725. **Probaticus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
726. **Probles (Euporizon) exilis** (Holmgren,1860) (Ichneumonidae)
727. **Promachus mustelus** Loew,1854 (Asilidae)
728. **Prosimulium (s.str.) rachiliense** Djafarov,1954 (Simuliidae)
729. **Prostemma guttula** (Fabricius,1787) (Nabidae)
730. **Prostemma krueperi** Stein,1878 (Nabidae)
731. **Prostemma sanguineum** Rossi,1790 (Nabidae)
732. **Protaetia (Potosia) angustata** (Germar,1817) (Scarabaeidae)
733. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
734. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
735. **Proteinus utrius** Assing,2004 (Staphylinidae)
736. **Protonemura bithynica** Aubert,1964 (Nemouridae)
737. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
738. **Psammotettix cerinus** (Lindberg,1948) (Cicadellidae)
739. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
740. **Psammotettix majusculus** Linnavuori,1951 (Cicadellidae)
741. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
742. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
743. **Psammotettix striatus** (Linnaeus,1758) (Cicadellidae)
744. **Psectrocladius calcaratus** (Edwards,1929) (Chironomidae)
745. **Pseudophotopsis schachruda** (Skorikov,1935) (Mullitidae)
746. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
747. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
748. **Psylliodes cupreus** (Koch,1803) (Chrysomelidae)
749. **Psylliodes inflatus** Reiche,1856 (Chrysomelidae)
750. **Psyllobora vigintiduopunctata** (Linnaeus,1758) (Coccinellidae)
751. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
752. **Pycnomalla splendens** (Fabricius,1787) (Stratiomyidae)
753. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
754. **Pyrgomorpha cognata** Krauss,1877 (Pyrgomorphidae)
755. **Pyrgomorpha conica** (Olivier,1791) (Pyrgomorphidae)
756. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
757. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
758. **Raphidia adanana** Albarda,1891 (Raphidiidae)
759. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
760. **Ravinia pernix** (Harris,1780) (Sarcophagidae)
761. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae)
762. **Reptalus (s.str.) horridus** (Linnavuori,1962) (Cixiidae)
763. **Reptalus (Trepalus) rufocarinatus** (Kusnezov,1937) (Cixiidae)
764. **Rhagonycha adanensis** Dahlgren,1968 (Cantharidae)
765. **Rhagonycha duplicata** Dahlgren,1968 (Cantharidae)
766. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
767. **Rhagonycha kiesenwetteri** Marseul,1864 (Cantharidae)
768. **Rhagonycha lutea** (O.F.Müller,1764) (Cantharidae)
769. **Rheotanytarsus exiguus** Joh.,1937 (Chironomidae)
770. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
771. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
772. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
773. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
774. **Rhynocoris flavolimbatus** (Jakovlev,1889) (Reduviidae)
775. **Rhyparochromus lynceus** (Fabricius,1775) (Lygaeidae)
776. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
777. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
778. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
779. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
780. **Rhytidodus wagneri** Dlabola,1965 (Cicadellidae)
781. **Rivetina baetica** (Rambur,1838) (Mantidae)
782. **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae)
783. **Saga cappadocica** Werner,1903 (Tettigoniidae)
784. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
785. **Saga longicaudata** Krauss,1879 (Tettigoniidae)
786. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
787. **Saga ornata** Burmeister,1838 (Tettigoniidae)
788. **Salentia fuscipennis** A.Costa,1857 (Therevidae)
789. **Sarcophaga (Heteronychia) consanguinea** Rondani,1860 (Sarcophagidae)
790. **Sarcophaga (Pseudothyrsocnema) spinosa** Villeneuve,1912 (Sarcophagidae)
791. **Sarcophila latifrons** (Fallén,1817) (Sarcophagidae)
792. **Scaeva albomaculata** (Macquart,1842) (Syrphidae)
793. **Scaeva pyrastris** (Linnaeus,1758) (Syrphidae)

794. **Scarabaeus armeniacus Ménétriés,1832**
(Scarabaeidae)
795. **Schizoprymnus brevicornis (Herrich-Schäffer,1838)** (Braconidae)
796. **Schizoprymnus obscurus (Nees,1813)**
(Braconidae)
797. **Sciocoris macrocephalus Fieber,1851**
(Pentatomidae)
798. **Sciocoris microphthalmus Flor,1860**
(Pentatomidae)
799. **Sciocoris ochraceus Fieber,1861**
(Pentatomidae)
800. **Scolia fallax Eversmann,1849** (Scoliidae)
801. **Scolia sexmaculata (Müller,1766)**
(Scoliidae)
802. **Scotodrymadusa syriaca (Pictet,1888)**
(Tettigoniidae)
803. **Scymnus apetzi Mulsant,1846**
(Coccinellidae)
804. **Scymnus pallipediformis Günther,1958**
(Coccinellidae)
805. **Scymnus rubromaculatus (Goeze,1778)**
(Coccinellidae)
806. **Selenocephalus obsoletus (Germar,1817)**
(Cicadellidae)
807. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae)
808. **Selenocephalus sirvadi Dlabola,1965**
(Cicadellidae)
809. **Selenocephalus stenopterus Signoret,1880** (Cicadellidae)
810. **Selenocephalus tapan Dlabola,1981**
(Cicadellidae)
811. **Setapius barajus (Dlabola,1957)** (Cixiidae)
812. **Setapius lindbergi (Dlabola,1957)** (Cixiidae)
813. **Sigara albiventris (Horvath,1911)** (Corixidae)
814. **Sigara kervillei (Poisson,1927)** (Corixidae)
815. **Sigara lateralis Leach,1818** (Corixidae)
816. **Sigara mayri (Fieber,1860)** (Corixidae)
817. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
818. **Sigara samani Hoberlandt,1948**
(Corixidae)
819. **Silvius (s.str.) algirus Meigen,1930**
(Tabanidae)
820. **Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae)
821. **Simulium (s.str.) variegatum Meigen,1818**
(Simuliidae)
822. **Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae)
823. **Siphonoperla burmeisteri (Pictet,1841)**
(Chloroperlidae)
824. **Sisyphus schaefferi (Linnaeus,1758)**
(Scarabaeidae)
825. **Sphaerophoria rueppelli Wiedemann,1830** (Syrphidae)
826. **Sphaerophoria scripta (Linnaeus,1758)**
(Syrphidae)
827. **Sphegigaster pallicornis (Spinola,1808)**
(Pteromalidae)
828. **Sphenella marginata (Fallén,1814)**
(Tephritidae)
829. **Sphenophyma rugulosa (Stal,1876)**
(Acrididae)
830. **Sphex flavipennis Fabricius,1793**
(Sphecidae)
831. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
832. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
833. **Stagonomus bipunctatus (Linnaeus,1758)**
(Pentatomidae)
834. **Stalia major Costa,1840** (Nabidae)
835. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
836. **Stenobothrus (s.str.) miramae Dirsh,1931**
(Acrididae)
837. **Stenodera anatolica Frivaldsky,1884**
(Meloidae)
838. **Stenodera puncticollis (Chevrolat,1829)**
(Meloidae)
839. **Stethorus punctillum Weise,1891**
(Coccinellidae)
840. **Stictochironomus sp.1** (Chironomidae)
841. **Stictopleurus riveti Royer,1923** (Rhopalidae)
842. **Stilpnus adanensis Kolarov & Beyarslan,1994** (Ichneumonidae)
843. **Streptanus albanicus (Horvath,1916)**
(Cicadellidae)
844. **Stymphalus rubrolineatus (Stal,1855)**
(Cicadellidae)
845. **Suarius nanus (McLachan,1893)**
(Chrysopidae)
846. **Sulamicerus stali (Fieber,1868)**
(Cicadellidae)
847. **Sympecma fusca (Van Der Linden,1820)**
(Lestidae)
848. **Syritta pipiens (Linnaeus,1758)**
(Syrphidae)
849. **Syromastus rhombeus (Linnaeus,1767)**
(Coreidae)
850. **Syrphoctonus bifoveolatus (Kriechbaumer,1895)** (Ichneumonidae)
851. **Tabanus anatolicus Osufjev, Moucha & Chvala,1967** (Tabanidae)
852. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
853. **Tabanus bifarius Loew,1858** (Tabanidae)
854. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
855. **Tabanus brunnescens Szilady,1917**
(Tabanidae)
856. **Tabanus cordiger Meigen,1820**
(Tabanidae)
857. **Tabanus eggeri Schiner,1868** (Tabanidae)
858. **Tabanus exclusus Pandella,1883**
(Tabanidae)
859. **Tabanus fraseri Austen,1925** (Tabanidae)
860. **Tabanus grandis Szilady,1923** (Tabanidae)
861. **Tabanus laetinctus Becker,1913** (Tabanidae)
862. **Tabanus leleani Austen,1920** (Tabanidae)
863. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
864. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
865. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
866. **Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae)
867. **Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae)
868. **Tachycixius bidentifer Dlabola,1971**
(Cixiidae)
869. **Tachycixius pilosus (Olivier,1791)**
(Cixiidae)
870. **Tamaricella tamaricis (Puton,1872)**
(Cicadellidae)

871. **Temelucha decorata** (Gravenhorst,1829) (Ichneumonidae)
872. **Tentyria cylindrica** Solier,1835 (Tenebrionidae)
873. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
874. **Tephritis carmen** Hering,1937 (Tephritidae)
875. **Tephritis dioscurea** (Loew,1856) (Tephritidae)
876. **Tephritis fallax** (Loew,1844) (Tephritidae)
877. **Tephritis formosa** (Loew,1844) (Tephritidae)
878. **Tephritis frauenfeldi** Hendel,1927 (Tephritidae)
879. **Tephritis hurvitzii** Freidberg,1981 (Tephritidae)
880. **Tephritis hyoscyami** (Linnaeus,1758) (Tephritidae)
881. **Tephritis mariannae** Merz,1992 (Tephritidae)
882. **Tephritis matricariae** (Loew,1844) (Tephritidae)
883. **Tephritis postica** (Loew,1844) (Tephritidae)
884. **Tephritis praecox** (Loew,1844) (Tephritidae)
885. **Tephritis pulchra** (Loew,1844) (Tephritidae)
886. **Tephritis separata** Rondani,1871 (Tephritidae)
887. **Tephritis vespertina** (Loew,1844) (Tephritidae)
888. **Teratolytta dives** (Brullé,1832) (Meloidae)
889. **Teratolytta flavipes** (Mulsant & Rey,1858) (Meloidae)
890. **Teratolytta vanensis** Kaszab,1968 (Meloidae)
891. **Tetartopeus adanensis** Assing,2004 (Staphylinidae)
892. **Tethina karatasensis** Munari,1981 (Tethinidae)
893. **Tethina ochracea** (Hendel,1913) (Tethinidae)
894. **Tettigometra (Mitricephalus) leucophaea** (Preysslér,1792) (Tettigometridae)
895. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
896. **Tettigometra (s.str.) virescens** (Panzer,1799) (Tettigometridae)
897. **Tettigometra (Stirometra) costulata** Fieber,1865 (Tettigometridae)
898. **Tettigometra angulata** Lindberg,1948 (Tettigometridae)
899. **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae)
900. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
901. **Thamnotettix (s.str.) creticus** Dlabola,1974 (Cicadellidae)
902. **Thamnotettix (s.str.) zelleri** (Kirschbaum,1868) (Cicadellidae)
903. **Thanatophilus rugosus** (Linnaeus,1758) (Silphidae)
904. **Thereva apicalis** Wiedemann,1821 (Therevidae)
905. **Thereva aurata** (Loew,1854) (Therevidae)
906. **Thereva cinifera** Meigen,1830 (Therevidae)
907. **Thereva fulva** (Meigen,1804) (Therevidae)
908. **Thereva handlirschi** Kröber,1912 (Therevidae)
909. **Thereva tuberculata** (Loew,1847) (Therevidae)
910. **Tillus pectinicornis** Abeille,1892 (Cleridae)
911. **Tingis geniculata** (Fieber,1844) (Tingidae)
912. **Tingis rotundicollis** (Jakovlev,1883) (Tingidae)
913. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae)
914. **Tipula (Lunatipula) sciurus** Theischinger,1977 (Tipulidae)
915. **Tipula (Yamatotipula) lateralis** Meigen,1804 (Tipulidae)
916. **Tipula (Yamatotipula) submontium** Theowald & Oosterbroek,1981 (Tipulidae)
917. **Torymoides yumurtalikiensis** (Doğanlar,1989) (Torymidae)
918. **Toya propinqua** (Fieber,1866) (Delphacidae)
919. **Tremulicerus mesopyrrhus** (Kirschbaum,1868) (Cicadellidae)
920. **Triaspis caudatus** (Nees,1813) (Braconidae)
921. **Trichodes affinis** Chevrolat,1843 (Cleridae)
922. **Trichodes crabroniformis** Fabricius,1787 (Cleridae)
923. **Trichodes dilatipennis** Reitter,1893 (Cleridae)
924. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
925. **Trichodes inermis** Reitter,1893 (Cleridae)
926. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
927. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
928. **Trichodes oberthueri** Champenois,1900 (Cleridae)
929. **Trichodes punctatus** Fischer,1829 (Cleridae)
930. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
931. **Trichodes reichei** Mulsant & Rey,1863 (Cleridae)
932. **Trichodes sexpustulatus** Chevrolat,1874 (Cleridae)
933. **Trichodes suspectus** Escherich,1892 (Cleridae)
934. **Trichodes tauricus** Zimmermann,1971 (Cleridae)
935. **Triecphorella geniculata** (Horvath,1881) (Cercopidae)
936. **Triodontella lateristria** (Reitter,1889) (Scarabaeidae)
937. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
938. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
939. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
940. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
941. **Tropidocephala tuberipennis** (Mulsant & Rey,1855) (Delphacidae)
942. **Tropidopola graeca** Uvarov,1926 (Acrididae)
943. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
944. **Trychosis neglecta** (Tschek,1870) (Ichneumonidae)
945. **Tshurtshurnella adana** Dlabola,1986 (Issidae)

946. **Tshurtshurnella aschei** Kartal,1985 (Issidae)
947. **Tshurtshurnella bozarmutica** Kartal,1985 (Issidae)
948. **Tshurtshurnella campestre** (Lindberg,1948) (Issidae)
949. **Tshurtshurnella longispinosa** (Linnavuori,1962) (Issidae)
950. **Tychius bicolor** Brisout,1862 (Curculionidae)
951. **Tychius hirtellus** Tournier,1873 (Curculionidae)
952. **Tychius ochraceus** Tournier,1873 (Curculionidae)
953. **Tychius picirostris** (Fabricius,1787) (Curculionidae)
954. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
955. **Ulidiopsis mirabilis** Hennig,1939 (Ulidiidae)
956. **Uloma cypreaea** Kraatz,1873 (Tenebrionidae)
957. **Urentius chobauti** Horvath,1907 (Tingidae)
958. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
959. **Urophora aprica** (Fallén,1820) (Tephritidae)
960. **Urophora cuspidata** (Meigen,1826) (Tephritidae)
961. **Urophora dzieduszyckii** Frauenfeld,1867 (Tephritidae)
962. **Urophora eriolepidis** (Loew,1856) (Tephritidae)
963. **Urophora macrura** (Loew,1855) (Tephritidae)
964. **Urophora phaeocera** (M.Hering,1961) (Tephritidae)
965. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
966. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
967. **Urophora stylata** (Fabricius,1775) (Tephritidae)
968. **Urophora terebrans** (Loew,1850) (Tephritidae)
969. **Venturia canescens** (Gravenhorst,1829) (Ichneumonidae)
970. **Vespa orientalis** Linnaeus,1771 (Vespidae)
971. **Vibidia duodecimguttata** (Poda,1761) (Coccinellidae)
972. **Volucella zonaria** (Poda,1761) (Syrphidae)
973. **Xestocephalus guttulatus** (Motschulsky,1859) (Cicadellidae)
974. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
975. **Xylocoris galactinus** (Fieber,1836) (Anthocoridae)
976. **Xylocoris obliquus** Costa,1852 (Anthocoridae)
977. **Zercanus rubroocellatus** Dlabola,1965 (Cicadellidae)
978. **Zorochros anatolicus** Dolin & Mertlik,2002 (Elateridae)
979. **Zorochros heyrovskyi** Roubal,1940 (Elateridae)
980. **Zorochros kopecky** Platia & Gudenzi,1998 (Elateridae)
981. **Zygina (s.str.) karatasa** (Dlabola,1957) (Cicadellidae)
982. **Zygina (s.str.) ordinaria** (Ribaut,1936) (Cicadellidae)
983. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Adiyaman Province (02)

(242 species, stand 30 April 2010)

1. **Aclypea undata** (O.F.Müller,1776) (Silphidae)
2. **Adesmia (s.str.) anthracina** Klug,1830 (Tenebrionidae)
3. **Agalmatium bilobum** (Fieber,1877) (Issidae)
4. **Agapanthia coeruleipennis** Fivaldsky,1878 (Cerambycidae)
5. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
6. **Agromyza phylloposthia** Sasakawa,2008 (Agromyzidae)
7. **Alosimus luteus** (Waltl,1838) (Meloidae)
8. **Altica brevicollis** Foudras,1860 (Chrysomelidae)
9. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
10. **Anax immaculifrons** Rambur,1842 (Aeshnidae)
11. **Anogcodes ruficollis** (Fabricius,1781) (Oedemeridae)
12. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
13. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
14. **Anthaxia (Haplanthaxia) armeniaca** Obenberger,1929 (Buprestidae)
15. **Anthaxia (Haplanthaxia) mundula** Kiesenwetter,1857 (Buprestidae)
16. **Anthaxia (s.str.) discicollis** Gory & Laporte,1839 (Buprestidae)
17. **Anthaxia (s.str.) lucens** Küster,1852 (Buprestidae)
18. **Anthaxia (s.str.) winckleri** Obenberger,1914 (Buprestidae)
19. **Anthobium atrocephalum** (Gyllenhal,1827) (Staphylinidae)
20. **Anthobium fuscum** (Erichson,1839) (Staphylinidae)
21. **Anthobium melanocephalum** (Illiger,1794) (Staphylinidae)
22. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
23. **Aromia moschata** (Linnaeus,1758) (Cerambycidae)
24. **Balcanocerus alkani** (Wagner,1958) (Cicadellidae)
25. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
26. **Balclutha pellucens** Horvath,1909 (Cicadellidae)

27. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
28. **Batracomorphus irroratus Lewis,1834** (Cicadellidae)
29. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae)
30. **Bembecinus anatolicus De Beaumont,1968** (Crabronidae)
31. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae)
32. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae)
33. **Bembecinus cyprius De Beaumont,1954** (Crabronidae)
34. **Bembecinus peregrinus (Smith,1856)** (Crabronidae)
35. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
36. **Bembidion (Ocydromus) nemrutdagi Toledano & Rébl,2006** (Carabidae)
37. **Biblopectus pauxillus Besuchet,1975** (Staphylinidae)
38. **Biblopectus subtilis Besuchet,1975** (Staphylinidae)
39. **Biblopectus tener Besuchet,1975** (Staphylinidae)
40. **Blepisanis vittipennis (Reich,1877)** (Cerambycidae)
41. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae)
42. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae)
43. **Calopteryx intermedia Selys,1887** (Calopterygidae)
44. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
45. **Capnodis porosa (Klug,1829)** (Buprestidae)
46. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae)
47. **Cardiophorus (s.str.) laevis Platia & Gudenzi,2002** (Elateridae)
48. **Carpocoris coreanus Distant,1899** (Pentatomidae)
49. **Cassida brevis Weise,1834** (Chrysomelidae)
50. **Ceranisis menes (Walker,1839)** (Eulophidae)
51. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
52. **Cerocoma dahli Kraatz,1863** (Meloidae)
53. **Chaetocnema coyeyi (Allard,1863)** (Chrysomelidae)
54. **Chalcophorella stigmatica (Schoenherr,1817)** (Buprestidae)
55. **Cheilotoma voriseki Medvedev & Kantner,2003** (Chrysomelidae)
56. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
57. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae)
58. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
59. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
60. **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae)
61. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
62. **Cixius pallipes Fieber,1876** (Cixiidae)
63. **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae)
64. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae)
65. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
66. **Coptosia bithynensis Pic,1900** (Cerambycidae)
67. **Coptosia ganglbaueri (Pic,1951)** (Cerambycidae)
68. **Coremacera catenata (Loew,1847)** (Sciomyzidae)
69. **Croce schmidti (Navas,1927)** (Nemopteridae)
70. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
71. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
72. **Cryptocheilus exiguus Sustera,1924** (Pompilidae)
73. **Cyphon wittmeri Nyholm,1970** (Scirtidae)
74. **Dallognatha quadricollis Brullé,1832** (Tenebrionidae)
75. **Dendarus (Pandarinus) tenellus Mulsant & Rey,1854** (Tenebrionidae)
76. **Deronectes evelynae Fery & Hosseinie,1998** (Dytiscidae)
77. **Dibolia cynoglossi (Koch,1803)** (Chrysomelidae)
78. **Dibolia femoralis Redtenbacher,1849** (Chrysomelidae)
79. **Dicronychus bicolor Platia & Gudenzi,2004** (Elateridae)
80. **Dielocroce baudii (Griffini,1895)** (Nemopteridae)
81. **Dielocroce ephemera (Gersträcker,1893)** (Nemopteridae)
82. **Dielocroce modesta Hölzel,1975** (Nemopteridae)
83. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
84. **Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae)
85. **Drosophila flavicauda Toda,1991** (Drosophilidae)
86. **Ebaeus flavobullatus Marseul,1868** (Melyridae)
87. **Eumenes dubius Saussure,1852** (Vespidae)
88. **Eumenes lunulatus (Fabricius,1804)** (Vespidae)
89. **Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae)
90. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae)
91. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae)
92. **Euthycera stictica (Fabricius,1805)** (Sciomyzidae)
93. **Exochomus nigromaculatus (Goeze,1777)** (Coccinellidae)
94. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae)
95. **Glyptomorpha pectoralis (Brullé,1832)** (Braconidae)
96. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae)
97. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae)
98. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae)
99. **Haematopota bigoti Gobert,1881** (Tabanidae)
100. **Hardya anatolica Zachvatkin,1946** (Cicadellidae)
101. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae)

102. **Helladia humeralis** (Waltl,1828)
(Cerambycidae)
103. **Helladia millefolii** (Adams,1817)
(Cerambycidae)
104. **Hoplitis (Alcidamea) subbutea**
(Warncke,1991) (Megachilidae)
105. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
106. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
107. **Hybomitra acuminata** (Loew,1858)
(Tabanidae)
108. **Hybomitra caucasi** (Szilady,1923)
(Tabanidae)
109. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
110. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
111. **Ischnomera fulvicollis** (Reitter,1897)
(Oedemeridae)
112. **Ischnomera partitipennis** (Fairmaire,1892)
(Oedemeridae)
113. **Ischnura intermedia** Dumont,1974
(Coenagrionidae)
114. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
115. **Kervillea ancyrana** Bergevin,1918 (Issidae)
116. **Knutsonia unipunctata** (Macquart,1849)
(Sciomyzidae)
117. **Laccobius (Dimorpholaccobius) hindukuschi**
Chiesa,1966 (Hydrophilidae)
118. **Laccobius (Dimorpholaccobius) obscuratus**
Rottenberg,1874 (Hydrophilidae)
119. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
120. **Lanelater persicus** (Candeze,1874) (Elateridae)
121. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
122. **Larinus latus** (Herbst,1784) (Curculionidae)
123. **Larinus minutus** Gyllenhal,1836
(Curculionidae)
124. **Larinus onopordi** (Fabricius,1787)
(Curculionidae)
125. **Lasioglossum (Evyllaesus) mesosclerum**
(Pérez,1903) (Halictidae)
126. **Leptochilus fuscipes** Gusenleitner,1985
(Vespidae)
127. **Leptochilus regulus** Saussure,1855 (Vespidae)
128. **Lertha extensa** (Olivier,1811) (Nemopteridae)
129. **Lertha palmonii** Tjeder,1970 (Nemopteridae)
130. **Limnia unguicornis** (Scopoli,1763)
(Sciomyzidae)
131. **Lindenia tetraphylla** (Van Der Linden,1825)
(Gomphidae)
132. **Liriomyza cardariae** Sasakawa,2008
(Agromyzidae)
133. **Lophyridia fischeri** (Adams,1817) (Carabidae)
134. **Lydus gibbifer** Escherich,1896 (Meloidae)
135. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
136. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
137. **Macrosteles ossiannilssoni** Lindberg,1954
(Cicadellidae)
138. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
139. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
140. **Mannerheimia brevipennis**
(Motschoulsky,1860) (Staphylinidae)
141. **Mantispa scabricollis** McLachlan,1875
(Mantispidae)
142. **Meenoplus albosignatus** Fieber,1866
(Meenoplidae)
143. **Melanagromyza aeneoventris** (Fallén,1823)
(Agromyzidae)
144. **Melanagromyza pubescens** Hendel,1923
(Agromyzidae)
145. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
146. **Meloe deflexus** Reitter,1889 (Meloidae)
147. **Merodon aureotibia** Hurkmans,1993
(Syrphidae)
148. **Merodon hypochrysos** Hurkmans,1993
(Syrphidae)
149. **Micromallosia heydeni** (Ganglbauer,1888)
(Cerambycidae)
150. **Musaria astarte** (Ganglbauer,1885)
(Cerambycidae)
151. **Mylabris apicenigra** Sumacov,1924 (Meloidae)
152. **Mylabris fusca** (Olivier,1811) (Meloidae)
153. **Mylabris zebraea** (Marseul,1870) (Meloidae)
154. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
155. **Nemoura taurica** Zhiltzova,1967 (Nemouridae)
156. **Neobrachyglossum punctatum** Kröber,1915
(Conopidae)
157. **Neomusaria merkli** (Ganglbauer,1884)
(Cerambycidae)
158. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
159. **Nicrophorus antennatus** (Reitter,1885)
(Silphidae)
160. **Nicrophorus humator** (Gleditsch,1767)
(Silphidae)
161. **Nicrophorus vespilloides** Herbst,1784
(Silphidae)
162. **Oedemera (s.str.) flavipennis**
W.Schmidt,1846 (Oedemeridae)
163. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
164. **Oedemera (s.str.) pthysica** (Scopoli,1763)
(Oedemeridae)
165. **Oliarus cuspidatus** Fieber,1876 (Cixiidae)
166. **Oligopogon londti** Geller-Grimm &
Hradsky,2003 (Asilidae)
167. **Omalium assingi** Zanetti,2002 (Staphylinidae)
168. **Onychogomphus lefebvrei** (Rambur,1842)
(Gomphidae)
169. **Orthetrum brunneum** (Fonscolombe,1837)
(Libellulidae)
170. **Oxyilia argentata** (Ménétriés,1832)
(Cerambycidae)
171. **Paragomphus lineatus** (Selys & Hagen,1850)
(Gomphidae)
172. **Pedostrangalia emmipoda** (Mulsant,1863)
(Cerambycidae)
173. **Pherbellia cinerella** (Fallén,1820)
(Sciomyzidae)
174. **Pherbellia schoenherri** (Fallén,1826)
(Sciomyzidae)
175. **Pherbina mediterranea** Mayer,1953
(Sciomyzidae)
176. **Phorticus velutinus** Puton,1895 (Nabidae)
177. **Phytomyza geminata** Sasakawa,2008
(Agromyzidae)
178. **Pimelia (s.str.) robusta** Kraatz,1865
(Tenebrionidae)
179. **Piocoris luridus** (Fieber,1844) (Lygaeidae)
180. **Platycnemis dealbata** Selys,1863
(Platycnemidae)

181. **Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae)
182. **Platymetopius quercinus Dlabola,1974** (Cicadellidae)
183. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
184. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
185. **Prionocyphon ornatus Abeille,1881** (Scirtidae)
186. **Protonemura bithynica Aubert,1964** (Nemouridae)
187. **Psacadina verbekei Rozkosny,1975** (Sciomyzidae)
188. **Pseudoceles oedipoides Bolivar,1899** (Acrididae)
189. **Pseudonapomyza pyriformis Sasakawa,2008** (Agromyzidae)
190. **Pseudosphegthes longitarsus Holzschuh,1974** (Cerambycidae)
191. **Ptyngidricerus albardanus (McLachan,1891)** (Ascalaphidae)
192. **Ptyngidricerus albardanus albardanus (McLachan,1891)** (Ascalaphidae)
193. **Purpuricenens dalmatinus Sturm,1843** (Cerambycidae)
194. **Purpuricenens wachanrui Levrat,1858** (Cerambycidae)
195. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
196. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
197. **Rhinocyllus conicus (Frölich,1792)** (Curculionidae)
198. **Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae)
199. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae)
200. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
201. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
202. **Sapygina decemguttata (Jurine,1807)** (Sapygidae)
203. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
204. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
205. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
206. **Selatosomus (s.str.) latissimus Reitter,1910** (Elateridae)
207. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae)
208. **Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae)
209. **Silvius (s.str.) algirus Meigen,1930** (Tabanidae)
210. **Sogatella vibix (Haupt,1927)** (Delphacidae)
211. **Stenodera puncticollis (Chevrolat,1829)** (Meloidae)
212. **Stenopterus kraatzii (Pic,1892)** (Cerambycidae)
213. **Stictoleptura cordigera (Fuesslin,1775)** (Cerambycidae)
214. **Stictoleptura tripartita (Heyden,1889)** (Cerambycidae)
215. **Stylascalaphus fabiani Meszaros & Abraham,2005** (Ascalaphidae)
216. **Sulamicerus stali (Fieber,1868)** (Cicadellidae)
217. **Tabanus anaticus Osufjev, Moucha & Chvala,1967** (Tabanidae)
218. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
219. **Tabanus bromius Linnaeus,1758** (Tabanidae)
220. **Tabanus regularis Jaenicke,1866** (Tabanidae)
221. **Tabanus spectabilis Loew,1858** (Tabanidae)
222. **Tachycixius desertorum (Fieber,1876)** (Cixiidae)
223. **Tenthredo flavipennis (Brullé,1832)** (Tenthredinidae)
224. **Tenthredo zonula Klug,1817** (Tenthredinidae)
225. **Tentyria rotundata Brullé,1832** (Tenebrionidae)
226. **Tentyria tessulata Tauscher,1812** (Tenebrionidae)
227. **Teratolytta carlae Bologna,2006** (Meloidae)
228. **Tettigometra (Mitricephalus) leucophaea (Preysslér,1792)** (Tettigometridae)
229. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
230. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
231. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae)
232. **Thanatophilus rugosus (Linnaeus,1758)** (Silphidae)
233. **Thanatophilus sinuatus (Fabricius,1775)** (Silphidae)
234. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
235. **Trissolcus grandis (Thomson,1860)** (Scelionidae)
236. **Trissolcus semistriatus (Nees,1834)** (Scelionidae)
237. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae)
238. **Trochiscocoris rotundatus Horvath,1895** (Pentatomidae)
239. **Tshurtshurnella trifasciata (Linnavuori,1965)** (Issidae)
240. **Vadonia instigmata (Pic,1889)** (Cerambycidae)
241. **Vespula vulgaris (Linnaeus,1758)** (Vespidae)
242. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae)

AfyonkarahisarProvince (03)

(250 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)
2. **Acrida anatolica Dirsh,1949** (Acrididae)
3. **Acrida bicolor (Thunberg,1815)** (Acrididae)
4. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae)
5. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
6. **Aelia rostrata Boheman,1852** (Pentatomidae)
7. **Aelia virgata (Herrich-Schäffer,1841)** (Pentatomidae)
8. **Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae)
9. **Agabus (Gaurodytes) didymus (Olivier,1795)** (Dytiscidae)
10. **Agalmatium bilobum (Fieber,1877)** (Issidae)
11. **Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae)
12. **Allantus balteatus (Klug,1818)** (Tenthredinidae)
13. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)
14. **Anadrymadusa recticauda (Werner,1903)** (Tettigoniidae)
15. **Anthaxia (s.str.) plicata Kiesenwetter,1859** (Buprestidae)
16. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae)
17. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
18. **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae)
19. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae)
20. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae)
21. **Aphrophora alni (Fallén,1805)** (Cercopidae)
22. **Aphrophora corticea Germar,1821** (Cercopidae)
23. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae)
24. **Atylotus fulvus (Meigen,1820)** (Tabanidae)
25. **Atylotus hendrixi Leclercq,1967** (Tabanidae)
26. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
27. **Atylotus quadrifarius (Loew,1874)** (Tabanidae)
28. **Berosus (Enoplurus) bispinus Reiche & Saulcy,1856** (Hydrophilidae)
29. **Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae)
30. **Bombus terrestris Linnaeus,1758** (Apidae)
31. **Brachycerus sinuatus Olivier,1807** (Brachyceridae)
32. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
33. **Byctiscus betulae (Linnaeus,1758)** (Atelabidae)
34. **Calliptamus barbarus (Costa,1836)** (Acrididae)
35. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
36. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
37. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
38. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae)
39. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae)
40. **Cassida brevis Weise,1834** (Chrysomelidae)
41. **Cassida rubiginosa Müller,1776** (Chrysomelidae)
42. **Catoplatus anticus (Reuter,1880)** (Tingidae)
43. **Cerocoma ephesica Reitter,1885** (Meloidae)
44. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
45. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
46. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae)
47. **Chrysolina salviae (Germar,1824)** (Chrysomelidae)
48. **Chrysopa hungarica Klapalek,1899** (Chrysopidae)
49. **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae)
50. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae)
51. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
52. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
53. **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae)
54. **Cixius pallipes Fieber,1876** (Cixiidae)
55. **Clytus kumalariensis Johanides,2001** (Cerambycidae)
56. **Coenagrion ornatum (Selys,1850)** (Coenagrionidae)
57. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae)
58. **Colymbetes fuscus (Linnaeus,1758)** (Dytiscidae)
59. **Corixa affinis Leach,1818** (Corixidae)
60. **Corixa punctata (Illiger,1807)** (Corixidae)
61. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
62. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae)
63. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
64. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
65. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae)
66. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
67. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
68. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae)
69. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae)
70. **Dyrodere umbraculatus (Fabricius,1775)** (Pentatomidae)
71. **Echthistus cognatus Loew,1849** (Asilidae)
72. **Emblethis griseus (Wolff,1802)** (Lygaeidae)
73. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae)
74. **Engelepogon goedli (Loew,1854)** (Asilidae)
75. **Enicopus hirtus (Linnaeus,1767)** (Melyridae)
76. **Ensina sonchi (Linnaeus,1767)** (Tephritidae)
77. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae)
78. **Epallage fatime (Charpentier,1840)** (Calopterygidae)

79. **Euaresta bullans** (Wiedemann,1830)
(Tephritidae)
80. **Euboeus mimonti** (Boieldieu,1865)
(Tenebrionidae)
81. **Eupelix cuspidata** (Fabricius,1775)
(Cicadellidae)
82. **Eupteryx gyaurdagicus** Dlabola,1957
(Cicadellidae)
83. **Eurydema blanda** Horvath,1803
(Pentatomidae)
84. **Eurydema olracea** (Linnaeus,1758)
(Pentatomidae)
85. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
86. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)
87. **Falcidius anaticus** Dlabola,1979 (Issidae)
88. **Geocoris atra** (Fabricius,1787) (Lygaeidae)
89. **Glyphotmethis dimorphus** (Uvarov,1934)
(Pamphagidae)
90. **Gonocephalum granulatum** (Fabricius,1791)
(Tenebrionidae)
91. **Graphoderus cinereus** (Linnaeus,1758)
(Dytiscidae)
92. **Graptodytes veterator** (Zimmermann,1918)
(Dytiscidae)
93. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
94. **Gyrinus caspius** Ménériés,1832 (Gyrinidae)
95. **Haematopota bigoti** Gobert,1881 (Tabanidae)
96. **Haematopota grandis** Macquart,1834
(Tabanidae)
97. **Haematopota hennauxi** Leclercq,1967
(Tabanidae)
98. **Haematopota kemali** Szilady,1923 (Tabanidae)
99. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
100. **Haematopota pallens** Loew,1871
(Tabanidae)
101. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
102. **Handianus procerus** (Herrich-Schäffer,1835)
(Cicadellidae)
103. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
104. **Heringina guttata** (Fallén,1814) (Tephritidae)
105. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
106. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
107. **Hybomitra acuminata** (Loew,1858)
(Tabanidae)
108. **Hybomitra ciureai** (Seguy,1937)
(Tabanidae)
109. **Hybomitra expollicata** (Pandelle,1883)
(Tabanidae)
110. **Hybomitra ukrainica** (Olsuffjev,1952)
(Tabanidae)
111. **Hydrochus elongatus** (Schaller,1783)
(Hydrochidae)
112. **Hydrochus flavipennis** Küster,1852
(Hydrochidae)
113. **Hydrovatus cuspidatus** (Kunze,1818)
(Dytiscidae)
114. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
115. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
116. **Ilyocoris cimicoides** (Linnaeus,1758)
(Naucoridae)
117. **Ischnomera cinerascens** (Pandellé,1867)
(Oedemeridae)
118. **Ischnomera haemorrhoidalis**
(W.Schmidt,1846) (Oedemeridae)
119. **Jaapiella chondrillae** Skuhrava,2005
(Cecidomyiidae)
120. **Klapperichicen viridissima** (Walker,1858)
(Cicadidae)
121. **Labidostomis rufa** (Waltl,1838)
(Chrysomelidae)
122. **Laccobius (Dimorpholaccobius) bipunctatus**
(Fabricius,1775) (Hydrophilidae)
123. **Laccophilus hyalinus** (De Geer,1774)
(Dytiscidae)
124. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
125. **Lepyronia coleoprata** (Linnaeus,1758)
(Cercopidae)
126. **Lestes barbarus** (Fabricius,1798) (Lestidae)
127. **Lestes dryas** Kirby,1890 (Lestidae)
128. **Lesteva junio** Smetana,1967 (Staphylinidae)
129. **Lesteva monticola** Kiesenwetter,1847
(Staphylinidae)
130. **Macrophya cyrus** Benson,1954
(Tenthredinidae)
131. **Macrophya montana** (Scopoli,1763)
(Tenthredinidae)
132. **Macrophya postica** Brullé,1832
(Tenthredinidae)
133. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
134. **Macropsidius ioculator** Dlabola,1963
(Cicadellidae)
135. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
136. **Megabombus armeniacus**
(Radoszkowski,1877) (Apidae)
137. **Megabombus zonatus** (Smith,1854) (Apidae)
138. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
139. **Mycterodus balikisiricus** Dlabola,1979
(Issidae)
140. **Mylabris crocata** (Pallas,1781) (Meloidae)
141. **Mylabris zebraea** (Marseul,1870) (Meloidae)
142. **Neobrachyglossum punctatum** Kröber,1915
(Conopidae)
143. **Neophilaenus lineatus** (Linnaeus,1758)
(Cercopidae)
144. **Nephrotoma appendiculata** (Pierre,1919)
(Tipulidae)
145. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
146. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
147. **Notonecta glauca** Linnaeus,1758
(Notonectidae)
148. **Notonecta viridis** Delcourt,1909
(Notonectidae)
149. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
150. **Oedipoda aurea** Uvarov,1923 (Acrididae)
151. **Omalius littorale** Kraatz,1857 (Staphylinidae)
152. **Omocestus (s.str.) nanus** Uvarov,1934
(Acrididae)
153. **Omocestus (s.str.) petraeus** (Brisout,1855)
(Acrididae)
154. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
155. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)

156. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
157. **Paracoryxa concinna** (Fieber,1848) (Corixidae)
158. **Peltodytes caesus** (Duftschmid,1805) (Halipilidae)
159. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
160. **Philipomyia graeca** (Fabricius,1794) (Tabanidae)
161. **Phlebotomus (Adlerius) balcanicus** Theodor,1958 (Psychodidae)
162. **Phlebotomus (Adlerius) halepensis** Theodor,1958 (Psychodidae)
163. **Phlebotomus (Adlerius) simici** Nitzulescu,1931 (Psychodidae)
164. **Phlebotomus (Larroussius) neglectus** Tonnoir,1921 (Psychodidae)
165. **Phlebotomus (Larroussius) perfiliewi** Parrot,1930 (Psychodidae)
166. **Phlebotomus (Larroussius) syriacus** Adler & Theodor,1930 (Psychodidae)
167. **Phlebotomus (Larroussius) tobbi** Adler & Theodor,1930 (Psychodidae)
168. **Phlebotomus (Paraphlebotomus) papatasi** (Scopoli,1786) (Psychodidae)
169. **Piesma (s.str.) capitatum** (Wolff,1804) (Piesmatidae)
170. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
171. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
172. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
173. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
174. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
175. **Plea leachi** Mc Gregor,1899 (Pleidae)
176. **Plea minutissima** Leach,1817 (Pleidae)
177. **Podagricola menetriesi** (Faldermann,1837) (Chrysomelidae)
178. **Poecilimon eskishehirensis** Ünal,2003 (Tettigoniidae)
179. **Poecilimon haydari** Ramme,1951 (Tettigoniidae)
180. **Populicerus albicans** (Kirschbaum,1868) (Cicadellidae)
181. **Prasocuris junci** (Brahm,1790) (Chrysomelidae)
182. **Protaetia (Potosia) angustata** (Germar,1817) (Scarabaeidae)
183. **Quadrastylum campanuliforme** Dlabola,1979 (Issidae)
184. **Rabdophaga saliciperda** (Dufour,1841) (Cecidomyiidae)
185. **Ranissus punctiger** (Horvath,1905) (Dictyopharidae)
186. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
187. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
188. **Rhynchites hungaricus** (Herbst,1784) (Atelabidae)
189. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
190. **Ronisia brutia** (Petagna,1787) (Mutillidae)
191. **Saga cappadocica** Werner,1903 (Tettigoniidae)
192. **Sarcophaga (Heteronychia) zhelochovtzevi** (Rohdendorf,1925) (Sarcophagidae)
193. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
194. **Scarodytes halensis** (Fabricius,1787) (Dytiscidae)
195. **Scymnus rubromaculatus** (Goeze,1778) (Coccinellidae)
196. **Selenocephalus pallens** Lindberg,1948 (Cicadellidae)
197. **Sigara albiventris** (Horvath,1911) (Corixidae)
198. **Sigara lateralis** Leach,1818 (Corixidae)
199. **Sigara mayri** (Fieber,1860) (Corixidae)
200. **Sigara striata** (Linnaeus,1758) (Corixidae)
201. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
202. **Sphecx flavipennis** Fabricius,1793 (Sphecidae)
203. **Sphingonotus (s.str.) turcicus** Uvarov,1930 (Acrididae)
204. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
205. **Sureyaella bella** Uvarov,1934 (Tettigoniidae)
206. **Tabanus anthrax** Olsufjev,1937 (Tabanidae)
207. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
208. **Tabanus bifarius** Loew,1858 (Tabanidae)
209. **Tabanus briani** Leclercq,1962 (Tabanidae)
210. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
211. **Tabanus brunnescens** Szilady,1917 (Tabanidae)
212. **Tabanus cordiger** Meigen,1820 (Tabanidae)
213. **Tabanus cuculus** Szilady,1923 (Tabanidae)
214. **Tabanus eggeri** Schiner,1868 (Tabanidae)
215. **Tabanus exclusus** Pandella,1883 (Tabanidae)
216. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
217. **Tabanus maculicornis** Zetterstedt,1842 (Tabanidae)
218. **Tabanus martinii** Kröber,1928 (Tabanidae)
219. **Tabanus miki** Brauer,1880 (Tabanidae)
220. **Tabanus prometheus** Szilady,1923 (Tabanidae)
221. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
222. **Tabanus spectabilis** Loew,1858 (Tabanidae)
223. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
224. **Tabanus sudeticus** Zeller,1842 (Tabanidae)
225. **Tabanus tergestinus** Egger,1859 (Tabanidae)
226. **Tabanus tinctus** Walker,1850 (Tabanidae)
227. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
228. **Tenthredo zonula** Klug,1817 (Tenthredinidae)
229. **Tetramorium semilaeve** André,1883 (Formicidae)
230. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
231. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae)
232. **Tipula (Lunatipula) dracula** Theischinger,1977 (Tipulidae)
233. **Tipula (Lunatipula) furcula** Mannheims,1954 (Tipulidae)
234. **Tipula (Lunatipula) istriana** Erhan & Theowald,1961 (Tipulidae)
235. **Tipula (Lunatipula) mendli** Martinovsky,1976 (Tipulidae)

- | | |
|---|--|
| <p>236. Tipula (Lunatipula) micropeliostigma
Mannheims,1965 (Tipulidae)</p> <p>237. Tipula (Lunatipula) peliostigma
Schummel,1833 (Tipulidae)</p> <p>238. Tipula (Tipula) orientalis
Lackschewitz,1930 (Tipulidae)</p> <p>239. Tipula (Yamatotipula) caesia
Schummel,1833 (Tipulidae)</p> <p>240. Tipula (Yamatotipula) lateralis
Meigen,1804 (Tipulidae)</p> <p>241. Toya propinqua (Fieber,1866) (Delphacidae)</p> <p>242. Trissolcus grandis (Thomson,1860)
(Scelionidae)</p> <p>243. Trissolcus pseudoturesis
(Rjachovsky,1959) (Scelionidae)</p> | <p>244. Trissolcus semistriatus (Nees,1834)
(Scelionidae)</p> <p>245. Trissolcus simoni (Mayr,1897)
(Scelionidae)</p> <p>246. Tropinota (Epicometis) hirta (Poda,1761)
(Scarabaeidae)</p> <p>247. Tylopsis lilifolia (Fabricius,1793)
(Tettigoniidae)</p> <p>248. Ulidiopsis mirabilis Hennig,1939
(Ulidiidae)</p> <p>249. Urophora affinis (Frauenfeld,1857)
(Tephritidae)</p> <p>250. Urophora quadrifasciata (Meigen,1826)
(Tephritidae)</p> |
|---|--|

Ağrı Province (04)

(201 species, stand 30 April 2010)

- | | |
|--|--|
| <p>1. Acrida bicolor (Thunberg,1815) (Acrididae)</p> <p>2. Aeshna juncea (Linnaeus,1758) (Aeshnidae)</p> <p>3. Agenioideus excisus (Morawitz,1890)
(Pompilidae)</p> <p>4. Agenioideus ruficeps (Eversmann,1849)
(Pompilidae)</p> <p>5. Agriotes (s.str.) sputator (Linnaeus,1758)
(Elateridae)</p> <p>6. Alosimus armeniacus (Faldermann,1837)
(Meloidae)</p> <p>7. Anaceratagallia laevis (Ribaut,1935)
(Cicadellidae)</p> <p>8. Anoplius samariensis (Pallas,1771)
(Pompilidae)</p> <p>9. Anoplius schlettereri (Radoszkowski,1888)
(Pompilidae)</p> <p>10. Anthidium (Icteranthidium) cimbiciforme
(Smith,1854) (Megachilidae)</p> <p>11. Anthidium (Mesanthidium) cardueae
Morawitz,1876 (Megachilidae)</p> <p>12. Anthidium (Pseudoanthidium) lituratum
(Panzer,1801) (Megachilidae)</p> <p>13. Anthidium (s.str.) cingulatum Latreille,1809
(Megachilidae)</p> <p>14. Anthidium (s.str.) diadema Latreille,1809
(Megachilidae)</p> <p>15. Anthrenus (s.str.) picturatus Solsky,1876
(Dermestidae)</p> <p>16. Anthrenus (s.str.) scrophulariae
(Linnaeus,1758) (Dermestidae)</p> <p>17. Arachnotheutes rufithorax (Costa,1887)
(Pompilidae)</p> <p>18. Arachnotheutes squalidus (Haupt,1962)
(Pompilidae)</p> <p>19. Artianus manderstjernii (Kirschbaum,1868)
(Cicadellidae)</p> <p>20. Aspoeckina uralensis Hölzel (Myrmeleonidae)</p> <p>21. Atylotus flavoguttatus (Szilady,1915)
(Tabanidae)</p> <p>22. Auplopus albifrons (Dalman,1823)
(Pompilidae)</p> <p>23. Auplopus carbonarius (Scopoli,1763)
(Pompilidae)</p> <p>24. Balclutha flavella Linnavuori,1962
(Cicadellidae)</p> | <p>25. Balclutha pellucens Horvath,1909
(Cicadellidae)</p> <p>26. Bembecinus nigrolabrum Schmid-
Egger,2004 (Crabronidae)</p> <p>27. Bembecinus peregrinus (Smith,1856)
(Crabronidae)</p> <p>28. Blaps tibialis Reiche & Saulcy,1857
(Tenebrionidae)</p> <p>29. Brachycerus sinuatus Olivier,1807
(Brachyceridae)</p> <p>30. Calliptamus barbarus (Costa,1836) (Acrididae)</p> <p>31. Calliptamus tenuicercis Tarbinsky,1930
(Acrididae)</p> <p>32. Campiglossa tesellata (Loew,1844)
(Tephritidae)</p> <p>33. Capnodis tenebricosa (Olivier,1790)
(Buprestidae)</p> <p>34. Cardiophorus (s.str.) araxicola Jablokov &
Khnzorian,1970 (Elateridae)</p> <p>35. Carpocoris fuscispinus (Boheman,1851)
(Pentatomidae)</p> <p>36. Carpocoris lunulatus (Goeze,1778)
(Pentatomidae)</p> <p>37. Catoplatus citrinus Horvath,1897 (Tingidae)</p> <p>38. Ceropales albicincta (Rossi,1790) (Pompilidae)</p> <p>39. Chalicodoma (Pseudomegachile) ericetorum
(Lepelletier,1841) (Megachilidae)</p> <p>40. Chorthippus (Chorthippus) parallelus
(Zetterstedt,1821) (Acrididae)</p> <p>41. Chorthippus (s.str.) dichrous
(Eversmann,1859) (Acrididae)</p> <p>42. Chrysolina marginata (Linnaeus,1758)
(Chrysomelidae)</p> <p>43. Chrysops (s.str.) flavipes Meigen,1804
(Tabanidae)</p> <p>44. Chrysops (s.str.) sejunctus Szilady,1917
(Tabanidae)</p> <p>45. Cicadatra hyalina (Fabricius,1798) (Cicadidae)</p> <p>46. Cicadatra persica Kirkaldy,1909 (Cicadidae)</p> <p>47. Circulifer haematoceps (Mulsant &
Rey,1855) (Cicadellidae)</p> <p>48. Coremacera catenata (Loew,1847)
(Sciomyzidae)</p> <p>49. Corixa punctata (Illiger,1807) (Corixidae)</p> <p>50. Cryptocephalus trimaculatus (Rossi,1790)
(Chrysomelidae)</p> |
|--|--|

51. **Cryptocheilus ichneumonoides (Costa,1874)** (Pompilidae)
52. **Cryptocheilus nigroferrugineus (Sustera,1924)** (Pompilidae)
53. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae)
54. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
55. **Cryptocheilus rufatus Priesner,1967** (Pompilidae)
56. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae)
57. **Dailognatha caraboides Solier,1835** (Tenebrionidae)
58. **Dallognatha quadricollis Brullé,1832** (Tenebrionidae)
59. **Dasy scolia ciliata (Fabricius,1787)** (Scoliidae)
60. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae)
61. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae)
62. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae)
63. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
64. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae)
65. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
66. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
67. **Dociostaurus (s.str.) salmani Demirsoy,1977** (Acrididae)
68. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae)
69. **Ectomocoris ululans (Rossi,1790)** (Reduviidae)
70. **Eoferreola rhombica (Christ,1791)** (Pompilidae)
71. **Epallage fatime (Charpentier,1840)** (Calopterygidae)
72. **Episyron gallicum (Tournier,1889)** (Pompilidae)
73. **Eurydema ventralis Kolenati,1846** (Pentatomidae)
74. **Evagetes dubius (Van der Linden,1827)** (Pompilidae)
75. **Eysarcoris ventralis (Westwood,1837)** (Pentatomidae)
76. **Gonocephalum costatum Brullé,1832** (Tenebrionidae)
77. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae)
78. **Gonocephalum rusticum (Olivier,1811)** (Tenebrionidae)
79. **Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae)
80. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae)
81. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae)
82. **Harpalus (s.str.) araraticus Mlynar,1979** (Carabidae)
83. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae)
84. **Hesperocorixa linnaei (Fieber,1848)** (Corixidae)
85. **Hesperocorixa parallela (Fieber,1860)** (Corixidae)
86. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)
87. **Hybomitra acuminata (Loew,1858)** (Tabanidae)
88. **Hybomitra caucasi (Szilady,1923)** (Tabanidae)
89. **Hybomitra erberi (Brauer,1880)** (Tabanidae)
90. **Hybomitra expollicata (Pandelle,1883)** (Tabanidae)
91. **Hycleus scabiosae (Olivier,1811)** (Meloidae)
92. **Hypera farinosa Boheman,1842** (Curculionidae)
93. **Hypera variabilis (Herbst,1795)** (Curculionidae)
94. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae)
95. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae)
96. **Isophya schneideri Brunner von Wattenwyl,1878** (Tettigoniidae)
97. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae)
98. **Laburru abrotani Emelyanov,1962** (Cicadellidae)
99. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
100. **Laemostenus (Pristonychus) mannerheimi (Kolenati,1845)** (Carabidae)
101. **Larinus minutus Gyllenhal,1836** (Curculionidae)
102. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae)
103. **Lasioglossum cilicium Ebmer,1972** (Halictidae)
104. **Lasioptera carophila Loew,1874** (Cecidomyiidae)
105. **Lertha palmonii Tjeder,1970** (Nemopteridae)
106. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
107. **Libellula quadrimaculata Linnaeus,1758** (Libellulidae)
108. **Limotettix striola (Fallén,1806)** (Cicadellidae)
109. **Lixus elegantulus Boheman,1843** (Curculionidae)
110. **Lixus incanescens Boheman,1836** (Curculionidae)
111. **Lixus subtilis Boheman,1836** (Curculionidae)
112. **Macropsis graminea (Fabricius,1798)** (Cicadellidae)
113. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae)
114. **Macrosteles lividus (Edwards,1894)** (Cicadellidae)
115. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae)
116. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
117. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae)
118. **Medecticus assimilis (Fieber,1853)** (Tettigoniidae)
119. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae)
120. **Megabombus mesomelas (Gerstaecker,1869)** (Apidae)
121. **Melanogryllus desertus (Pallas,1771)** (Gryllidae)
122. **Melanotus (s.str.) brunnipes (Germar,1824)** (Elateridae)
123. **Meloe mediterraneus Müller,1925** (Meloidae)

124. **Meloe proscarabaeus** Linnaeus, 1758 (Meloidae)
125. **Meloe violaceus** Marsham, 1802 (Meloidae)
126. **Mesonemurus steineri** Hölzel, 1972 (Myrmeleonidae)
127. **Metrioptera (Roeseliana) bispina** (Bolivar, 1899) (Tettigoniidae)
128. **Modicogryllus (s.str.) frontalis** (Fieber, 1844) (Gryllidae)
129. **Modicogryllus (s.str.) truncatus** (Tarbinski, 1940) (Gryllidae)
130. **Nemorius caucasicus** (Olsufjev, 1937) (Tabanidae)
131. **Neoaliturus fenestratus** (Herrich-Schäffer, 1834) (Cicadellidae)
132. **Nephrotoma croceiventris** (Strobl, 1909) (Tipulidae)
133. **Nohoveus atrifrons** Hölzel, 1970 (Myrmeleonidae)
134. **Nohoveus atrifrons** Hölzel, 1970 (Myrmeleonidae)
135. **Oecanthus pellucens** (Scopoli, 1763) (Gryllidae)
136. **Omocestus (s.str.) demokidovi** Ramme, 1930 (Acrididae)
137. **Omocestus (s.str.) nanus** Uvarov, 1934 (Acrididae)
138. **Opatrum geminatum** Brullé, 1832 (Tenebrionidae)
139. **Orellia falcata** (Scopoli, 1763) (Tephritidae)
140. **Orphilus beali** Zhantiev, 2001 (Dermestidae)
141. **Osmia (Hoplosmia) bidentata** Morawitz, 1876 (Megachilidae)
142. **Osmia (Tergosmia) avosetta** Warncke, 1988 (Megachilidae)
143. **Osmia (Tergosmia) pratincola** Warncke, 1988 (Megachilidae)
144. **Osmia (Tergosmia) pratincola** Warncke, 1988 (Megachilidae)
145. **Pachybrachis (s.str.) tessellatus** (Olivier, 1791) (Chrysomelidae)
146. **Paracorixa concinna** (Fieber, 1848) (Corixidae)
147. **Pedinus (s.str.) strabonis** Seidlitz, 1893 (Tenebrionidae)
148. **Pentastiridius leporinus** (Linnaeus, 1761) (Cixiidae)
149. **Philaenus spumarius** (Linnaeus, 1758) (Cercopidae)
150. **Piesma (Parapiesma) kolenatii** (Fieber, 1861) (Piesmatidae)
151. **Pimelia (s.str.) robusta** Kraatz, 1865 (Tenebrionidae)
152. **Platycleis (Montana) armeniaca** (Ramme, 1930) (Tettigoniidae)
153. **Platycleis (Montana) uvarovi** (Karabağ, 1950) (Tettigoniidae)
154. **Platycleis (s.str.) intermedia** (Audinet-Serville, [1839]) (Tettigoniidae)
155. **Platycleis (Tessellana) veyseli** Koçak, 1984 (Tettigoniidae)
156. **Platystoma chrysotoxum** Hendel, 1913 (Platystomidae)
157. **Podagricra menetriesi** (Faldermann, 1837) (Chrysomelidae)
158. **Probaticus (Pelorinus) tenebricosus** (Brullé, 1832) (Tenebrionidae)
159. **Protaetia (Potosia) funebris** (Gory & Percheron, 1833) (Scarabaeidae)
160. **Psammotettix confinis** (Dahlbom, 1850) (Cicadellidae)
161. **Pseudoophonus rufipes** (DeGeer, 1774) (Carabidae)
162. **Psiliglossa anatolica** Giordani Soika, 1979 (Vespidae)
163. **Pterocheilus fausti** Morawitz, 1873 (Vespidae)
164. **Pyrgodera armata** (Fischer von Waldheim, 1820) (Acrididae)
165. **Pyrrhocoris apterus** (Linnaeus, 1758) (Pyrrhocoridae)
166. **Raphigaster nebulosa** (Poda, 1761) (Pentatomidae)
167. **Reptalus (s.str.) quinquecostatus** (Dufour, 1833) (Cixiidae)
168. **Sagatus punctifrons** (Fallén, 1826) (Cicadellidae)
169. **Scaptomyza (Parascaptomyza) pallida** (Zetterstedt, 1847) (Drosophilidae)
170. **Scolia galbula** (Pallas, 1771) (Scoliidae)
171. **Scolia sexmaculata** (Müller, 1766) (Scoliidae)
172. **Scotodrymadusa syriaca** (Pictet, 1888) (Tettigoniidae)
173. **Selenocephalus armeniacus** Lindberg, 1960 (Cicadellidae)
174. **Selenocephalus sirvadi** Dlabola, 1965 (Cicadellidae)
175. **Semnosia scovitzi** (Faldermann, 1837) (Cerambycidae)
176. **Setapius barajus** (Dlabola, 1957) (Cixiidae)
177. **Sigara lateralis** Leach, 1818 (Corixidae)
178. **Sigara limitata** (Fieber, 1848) (Corixidae)
179. **Sigara nigrolineata** (Fieber, 1848) (Corixidae)
180. **Sigara striata** (Linnaeus, 1758) (Corixidae)
181. **Sphex flavipennis** Fabricius, 1793 (Sphecidae)
182. **Stenobothrus (s.str.) fischeri** (Eversmann, 1848) (Acrididae)
183. **Stenobothrus (s.str.) zubovskii** Bolivar, 1899 (Acrididae)
184. **Stenodynerus claviger** Gusenleitner, 1981 (Vespidae)
185. **Stenometopiellus angorensis** Zachvatkin, 1946 (Cicadellidae)
186. **Stenometopiellus macilentus** (Horvath, 1904) (Cicadellidae)
187. **Tabanus bromius** Linnaeus, 1758 (Tabanidae)
188. **Tabanus miki** Brauer, 1880 (Tabanidae)
189. **Tabanus unifasciatus** Loew, 1858 (Tabanidae)
190. **Tachyagetes filicornis** (Tornier, 1890) (Pompilidae)
191. **Telostegus inermis** (Brullé, 1832) (Pompilidae)
192. **Tetrix bolivari** (Saulcy, 1901) (Tetrigidae)
193. **Tettigometra (Hystrigonia) hexaspina** Kolenati, 1857 (Tettigometridae)
194. **Tettigometra (Mitricephalus) leucophaea** (Preyssler, 1792) (Tettigometridae)
195. **Tettigonia caudata** (Charpentier, 1845) (Tettigoniidae)
196. **Theriopectes tricolor** Zeller, 1842 (Tabanidae)
197. **Trupanea amoena** (Frauenfeld, 1857) (Tephritidae)
198. **Urophora solstitialis** (Linnaeus, 1758) (Tephritidae)
199. **Utecha trivialis** (Germar, 1821) (Cicadellidae)
200. **Vachiria deserta** (Becker, 1867) (Reduviidae)
201. **Xya variegata** (Latreille, 1809) (Tridactylidae)

Amasya Province (05)

(372 species, stand 30 April 2010)

1. **Achaeta algericus** (Saussure,1877) (Gryllidae)
2. **Achaeta deserta** (Pallas,1771) (Gryllidae)
3. **Acrida bicolor** (Thunberg,1815) (Acrididae)
4. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
5. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
6. **Aelia albovittata** Fieber,1868 (Pentatomidae)
7. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
8. **Aelia rostrata** Boheman,1852 (Pentatomidae)
9. **Aelia virgata** (Herrich-Schäffer,1841) (Pentatomidae)
10. **Aeshna mixta** Latreille,1805 (Aeshnidae)
11. **Agenioideus ciliatus** (Lepeletier,1845) (Pompilidae)
12. **Agenioideus cinctellus** (Spinola,1808) (Pompilidae)
13. **Aguriahana germari** (Zetterstedt,1840) (Cicadellidae)
14. **Aiolopus strepens** (Latreille,[1802]) (Acrididae)
15. **Alastor petheri** Kohl,1905 (Vespidae)
16. **Allantus cinctus** (Linnaeus,1758) (Tenthredinidae)
17. **Allantus didymus** (Klug,1818) (Tenthredinidae)
18. **Allodynerus delphinalis** (Giraud,1866) (Vespidae)
19. **Allodynerus rossii** (Lepeletier,1841) (Vespidae)
20. **Alosimus abeillei** (Escherich,1896) (Meloidae)
21. **Altica deserticola** (Weise,1889) (Chrysomelidae)
22. **Altica hamperi** (Allard,1867) (Chrysomelidae)
23. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
24. **Ampedus demaisonii** (Buysson,1898) (Elateridae)
25. **Amphicoma (Eulasia) arctos** (Pallas,1781) (Glaphyridae)
26. **Amphicoma (Pygopleurus) psilotrichius** Faldermann,1835 (Glaphyridae)
27. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
28. **Ancistrocerus oviventris** (Wesmael,1836) (Vespidae)
29. **Ancistrocerus parietinus** (Linnaeus,1761) (Vespidae)
30. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
31. **Aneomochtherus griseus** (Tsacas,1968) (Asilidae)
32. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
33. **Anthaxia (Cratomerus) eugeniae** Ganglbauer,1885 (Buprestidae)
34. **Anthaxia (s.str.) amasina** Daniel,1903 (Buprestidae)
35. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
36. **Anthidium (Icterantheidium) grohmanni** Spinola,1838 (Megachilidae)
37. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
38. **Anthidium (Rhodanthidium) superbum** Radoszkowski,1876 (Megachilidae)
39. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae)
40. **Anthidium (s.str.) loti** Perris,1852 (Megachilidae)
41. **Anthidium (s.str.) manicatum** (Linnaeus,1758) (Megachilidae)
42. **Anthidium (s.str.) taeniatum** Latreille,1809 (Megachilidae)
43. **Aphthona euphorbiae** (Schrank,1781) (Chrysomelidae)
44. **Aphthona franzi** Heikertinger,1944 (Chrysomelidae)
45. **Arge cyanocrocea** (Forster,1771) (Argidae)
46. **Arge frivaldskyi** (Tischbein,1852) (Argidae)
47. **Arge melanochra** (Gmelin,1790) (Argidae)
48. **Arge ochropus** (Gmelin,1790) (Argidae)
49. **Arge pleuritica** (Klug,1834) (Argidae)
50. **Arge rustica** (Linnaeus,1758) (Argidae)
51. **Arge scita** (Mocsary,1880) (Argidae)
52. **Arge simulatrix** Konow,1887 (Argidae)
53. **Arocephalus longiceps** (Kirschbaum,1868) (Cicadellidae)
54. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
55. **Athalia circularis** (Klug,1815) (Tenthredinidae)
56. **Athalia liberta** (Klug,1815) (Tenthredinidae)
57. **Bagrada stolidia** (Herrich-Schäffer,1839) (Pentatomidae)
58. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
59. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
60. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
61. **Berosus (s.str.) signaticollis** (Charpentier,1825) (Hydrophilidae)
62. **Blaesoxipha cochlearis** (Pandellé,1894) (Sarcophagidae)
63. **Blitopertha (Trichopertha) hirtella** (Brullé,1832) (Scarabaeidae)
64. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
65. **Bombus terrestris** Linnaeus,1758 (Apidae)
66. **Brachycerus sinuatus** Olivier,1807 (Brachyceridae)
67. **Bryaxis amasiae** (Reitter,1890) (Staphylinidae)
68. **Bryaxis khnזורiani** Besuchet,1964 (Staphylinidae)
69. **Bryaxis ponticus** Besuchet & Kurbatov,2007 (Staphylinidae)
70. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
71. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
72. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
73. **Callimenus dilatatus** (Stal,1876) (Tettigoniidae)
74. **Calliptamus barbarus** (Costa,1836) (Acrididae)
75. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
76. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
77. **Carabus (Procerus) sommeri** Mannerheim,1844 (Carabidae)

78. **Cardiophorus (s.str.) nigratissimus**
Buysson,1891 (Elateridae)
79. **Carinatodorcadion carinatum (Pallas,1771)**
(Cerambycidae)
80. **Cassida brevis Weise,1834** (Chrysomelidae)
81. **Cassida saucia Weise,1889** (Chrysomelidae)
82. **Cassida seraphina Ménétriés,1836**
(Chrysomelidae)
83. **Cercopis intermedia Kirschbaum,1868**
(Cercopidae)
84. **Cerocoma muehlfeldi Gyllenhal,1817**
(Meloidae)
85. **Cetonia (s.str.) aurata (Linnaeus,1761)**
(Scarabaeidae)
86. **Chaetocnema concinna (Marsham,1802)**
(Chrysomelidae)
87. **Chaetocnema semicoerulea (Koch,1803)**
(Chrysomelidae)
88. **Chelostoma (Gyrodromella) rapunculi**
(Lepeletier,1841) (Megachilidae)
89. **Chelostoma (s.str.) diodon Schletterer,1889**
(Megachilidae)
90. **Chelostoma (s.str.) mocsaryi**
Schletterer,1889 (Megachilidae)
91. **Chiasmus conspurcatus (Perris,1857)**
(Cicadellidae)
92. **Chorthippus (Glyptobothrus) brunneus**
(Thunberg,1815) (Acrididae)
93. **Chorthippus (s.str.) loratus (Fischer von**
Waldheim,1846) (Acrididae)
94. **Chrysolina aeneipennis (Reiche,1858)**
(Chrysomelidae)
95. **Chrysolina amasiensis (Weise,1894)**
(Chrysomelidae)
96. **Chrysolina anatolica (Dahlgren,1984)**
(Chrysomelidae)
97. **Chrysolina chalcites (Germar,1824)**
(Chrysomelidae)
98. **Chrysolina didymata (Scriba,1791)**
(Chrysomelidae)
99. **Chrysolina hyperici (Forster,1771)**
(Chrysomelidae)
100. **Chrysolina polita (Linnaeus,1758)**
(Chrysomelidae)
101. **Chrysolina reitteri (Weise,1884)**
(Chrysomelidae)
102. **Chrysolina sahlbergi (Ménétriés,1832)**
(Chrysomelidae)
103. **Chrysolina salviae (Germar,1824)**
(Chrysomelidae)
104. **Chrysolina sellata (Weise,1894)**
(Chrysomelidae)
105. **Chrysomela populi Linnaeus,1758**
(Chrysomelidae)
106. **Chrysopa formosa Brauer,1850** (Chrysopidae)
107. **Cicadatra atra (Oliver,1790)** (Cicadidae)
108. **Cicadetta musiva (Germar,1830)**
(Cicadidae)
109. **Cicadetta parvula Fieber,1876** (Cicadidae)
110. **Cicadula placida (Horvath,1897)** (Cicadellidae)
111. **Cicindela campestris Linnaeus,1758**
(Carabidae)
112. **Cicindela herbacea Klug,1832** (Carabidae)
113. **Colaphus sophiae (Schaller,1783)**
(Chrysomelidae)
114. **Conocephalus (Anisoptera) fuscus**
(Fabricius,1793) (Tettigoniidae)
115. **Conorhynchus nigrivittis (Pallas,1781)**
(Curculionidae)
116. **Coptocephala gebleri Gebler,1841**
(Chrysomelidae)
117. **Cordulegaster insignis Schneider,1845**
(Cordulegasteridae)
118. **Corynis caucasica (Mocsary,1886)**
(Cimbicidae)
119. **Corynis concinna (Stein,1876)** (Cimbicidae)
120. **Corynis frontina (Konow,1905)** (Cimbicidae)
121. **Corynis italica (Lepeletier,1823)** (Cimbicidae)
122. **Corynis krueperi (Stein,1876)** (Cimbicidae)
123. **Corynis lateralis (Brullé,1832)** (Cimbicidae)
124. **Crepidodera aurata (Marsham,1802)**
(Chrysomelidae)
125. **Cryptocephalus amasiensis Weise,1894**
(Chrysomelidae)
126. **Cryptocephalus bipunctatus (Linnaeus,1758)**
(Chrysomelidae)
127. **Cryptocephalus concolor Suffrian,1847**
(Chrysomelidae)
128. **Cryptocephalus flavipes Fabricius,1781**
(Chrysomelidae)
129. **Cryptocephalus imperialis Laicharting,1781**
(Chrysomelidae)
130. **Cryptocephalus moehringi Weise,1884**
(Chrysomelidae)
131. **Cryptocephalus ocellatus Drapiez,1819**
(Chrysomelidae)
132. **Cryptocephalus prusias Suffrian,1853**
(Chrysomelidae)
133. **Cuneala amasiensis (Kriechbaumer,1869)**
(Tenthredinidae)
134. **Cylindronotus (Odocnemis) dasypus**
Seidlitz,1893 (Tenebrionidae)
135. **Cylindronotus (Omaleis) amasiae**
Seidlitz,1896 (Tenebrionidae)
136. **Dasyrhamphis carbonarius (Meigen,1820)**
(Tabanidae)
137. **Dasytiscus amasyanus Majer,1996** (Melyridae)
138. **Dictyophara asiatica Melichar,1912**
(Dictyopharidae)
139. **Dociostaurus (Kazakia) brevicollis**
(Eversmann,1848) (Acrididae)
140. **Dociostaurus (Notostaurus) anatolicus**
Krauss,1896 (Acrididae)
141. **Dociostaurus (s.str.) maroccanus**
(Thunberg,1815) (Acrididae)
142. **Doratura homophyla (Flor,1861)** (Cicadellidae)
143. **Doratura stylata (Boheman,1847)**
(Cicadellidae)
144. **Drasterius bimaculatus (Rossi,1790)**
(Elateridae)
145. **Dyroderes umbraculatus (Fabricius,1775)**
(Pentatomidae)
146. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae)
147. **Empis (Polyblepharis) lugubris Loew,1869**
(Empididae)
148. **Empusa fasciata Brullé,1836** (Empusidae)
149. **Ensina sonchi (Linnaeus,1767)** (Tephritidae)
150. **Entomogonus (s.str.) angulicollis Mulsant &**
Wacherau,1852 (Tenebrionidae)
151. **Entomoscelis adonidis (Pallas,1771)**
(Chrysomelidae)
152. **Entomoscelis suturalis Weise,1882**
(Chrysomelidae)
153. **Epallage fatime (Charpentier,1840)**
(Calopterygidae)
154. **Euaresta bullans (Wiedemann,1830)**
(Tephritidae)

155. **Eucremastoides angelovi Kolarov,1980**
(Ichneumonidae)
156. **Eumenes coronatus (Panzer,1799)** (Vespidae)
157. **Eumenes dubius Saussure,1852** (Vespidae)
158. **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae)
159. **Eurydema blanda Horvath,1803**
(Pentatomidae)
160. **Eurydema fieberi Schummel,1836**
(Pentatomidae)
161. **Eurydema olracea (Linnaeus,1758)**
(Pentatomidae)
162. **Eurydema ornatum (Linnaeus,1758)**
(Pentatomidae)
163. **Eurydema rugulosa (Dohrn,1860)**
(Pentatomidae)
164. **Eurydema ventralis Kolenati,1846**
(Pentatomidae)
165. **Eusphalerum densipenne (Fauvel,1900)**
(Staphylinidae)
166. **Euzonitis quadrimaculata (Pallas,1782)**
(Meloidae)
167. **Euzonitis sexmaculata (Olivier,1790)**
(Meloidae)
168. **Eysarcoris ventralis (Westwood,1837)**
(Pentatomidae)
169. **Eysarcoris venutissimus (Schrank,1776)**
(Pentatomidae)
170. **Gomphus schneideri Selys,1850** (Gomphidae)
171. **Goniagnathus brevis (Herrich-Schäffer,1835)**
(Cicadellidae)
172. **Gryllus (s.str.) campestris Linnaeus,1758**
(Gryllidae)
173. **Haematopota grandis Macquart,1834**
(Tabanidae)
174. **Harpalus (s.str.) taciturnus Dejean,1829**
(Carabidae)
175. **Hemianax ephippiger (Burmeister,1839)**
(Aeshnidae)
176. **Heriades (s.str.) crenulatus Nylander,1856**
(Megachilidae)
177. **Holopogon albosetosus Schiner,1867**
(Asilidae)
178. **Homodela ismenia (Gory,1833)** (Carabidae)
179. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae)
180. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae)
181. **Hoplitis (s.str.) manicata (Morice,1901)**
(Megachilidae)
182. **Hydrochara dichorama (Fairmaire,1829)**
(Hydrophilidae)
183. **Hypera variabilis (Herbst,1795)**
(Curculionidae)
184. **Hypocassida subferruginea (Schrank,1776)**
(Chrysomelidae)
185. **Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae)
186. **Isophya acuminata Brunner von Wattenwyl,1878** (Tettigoniidae)
187. **Isophya amplipennis Brunner von Wattenwyl,1878** (Tettigoniidae)
188. **Isophya schneideri Brunner von Wattenwyl,1878** (Tettigoniidae)
189. **Kyboasca bipunctata (Oshanin,1871)**
(Cicadellidae)
190. **Labidostomis asiatica Faldermann,1837**
(Chrysomelidae)
191. **Labidostomis decipiens Faldermann,1837**
(Chrysomelidae)
192. **Labidostomis maculipennis Lefebvre,1870**
(Chrysomelidae)
193. **Labidostomis oertzeni Weise,1889**
(Chrysomelidae)
194. **Labidostomis rufa (Waltl,1838)**
(Chrysomelidae)
195. **Laccobius (Dimorpholaccobius) sulcatus Reitter,1909** (Hydrophilidae)
196. **Laemostenus (Pristonychus) amasiae Semenov,1891** (Carabidae)
197. **Larinus latus (Herbst,1784)** (Curculionidae)
198. **Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae)
199. **Lasioglossum cristulum (Pérez,1895)**
(Halictidae)
200. **Latibulus argiolus (Rossi,1790)**
(Ichneumonidae)
201. **Leptophyes albovittata (Kollar,1833)**
(Tettigoniidae)
202. **Libelloides macaronius (Scopoli,1763)**
(Ascalaphidae)
203. **Libelloides ustulatus (Eversmann,1850)**
(Ascalaphidae)
204. **Libellula depressa Linnaeus,1758**
(Libellulidae)
205. **Lixus angustatus (Fabricius,1775)**
(Curculionidae)
206. **Lixus cardui Olivier,1807** (Curculionidae)
207. **Longitarsus pellucidus (Foudras,1860)**
(Chrysomelidae)
208. **Lophyridia caucasica (Adams,1817)**
(Carabidae)
209. **Macquartia chalconota (Meigen,1824)**
(Tachinidae)
210. **Macrophya blanda Fabricius,1775**
(Tenthredinidae)
211. **Macrophya cyrus Benson,1954**
(Tenthredinidae)
212. **Macrophya montana (Scopoli,1763)**
(Tenthredinidae)
213. **Macrophya postica Brullé,1832**
(Tenthredinidae)
214. **Macrophya suberba Tischbein,1852**
(Tenthredinidae)
215. **Macrosteles forficula (Ribaut,1927)**
(Cicadellidae)
216. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae)
217. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
218. **Macrosteles sexnotatus (Fallén,1806)**
(Cicadellidae)
219. **Maladera (Macroserica) armeniaca Reitter,1896** (Scarabaeidae)
220. **Malthodes amasiae Wittmer,1971**
(Cantharidae)
221. **Mantura cylindrica Miller,1880**
(Chrysomelidae)
222. **Megascolia maculata (Drury,1773)**
(Scolidae)
223. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
224. **Microdynerus eurasius Blüthgen,1938**
(Vespidae)
225. **Mustha longispinis Reuter,1890**
(Pentatomidae)
226. **Mustha spinosula (Lefebvre,1831)**
(Pentatomidae)

227. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
228. **Nemeritis specularis** Horstmann,1975 (Ichneumonidae)
229. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
230. **Neoaliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
231. **Neottiglossa bifida** (Costa,1847) (Pentatomidae)
232. **Neottiglossa leporina** (Herrich-Schäffer,1830) (Pentatomidae)
233. **Nephrotoma aculeata** (Loew,1871) (Tipulidae)
234. **Nesoclutha erythrocephala** (Ferrari,1882) (Cicadellidae)
235. **Nezara viridula** (Linnaeus,1758) (Pentatomidae)
236. **Nocaracris cyanipes** (Fischer von Waldheim,1846) (Pamphagidae)
237. **Nyctia halterata** (Panzer,1798) (Sarcophagidae)
238. **Oedemera (s.str.) crassipes** Ganglbauer,1881 (Oedemeridae)
239. **Oedemera (s.str.) femorata** (Scopoli,1763) (Oedemeridae)
240. **Oedemera (s.str.) lurida** (Marsham,1802) (Oedemeridae)
241. **Oedemera (s.str.) penicillata** W.Schmidt,1846 (Oedemeridae)
242. **Oedipoda caerulea** (Linnaeus,1758) (Acrididae)
243. **Omalium rugatum** Mulsant & Rey,1880 (Staphylinidae)
244. **Omalium turcicum** Smetana,1967 (Staphylinidae)
245. **Onychogomphus flexuosus** (Schneider,1845) (Gomphidae)
246. **Onychogomphus forcipatus** (Linnaeus,1758) (Gomphidae)
247. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
248. **Osbornellus macchiai** (Lindberg,1948) (Cicadellidae)
249. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae)
250. **Oxycera trilineata** (Linnaeus,1767) (Stratiomyidae)
251. **Oxyrhachis capaneri** Izzard,1953 (Membracidae)
252. **Ozirhincus anthemidis** Rübsaamen,1915 (Cecidomyiidae)
253. **Pachybrachis (s.str.) cordatus** Sassi & Schöller,2003 (Chrysomelidae)
254. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
255. **Pangonius (s.str.) argentatus** Szilady,1923 (Tabanidae)
256. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
257. **Panorpa picta** Hagen,1863 (Panorpidae)
258. **Paranocaracris rubripes** (Fischer von Waldheim,1846) (Pamphagidae)
259. **Paranocarodes fieberi** (Brunner von Wattenwyl,1882) (Pamphagidae)
260. **Pausias martini** (Puton,1890) (Pentatomidae)
261. **Pedestredorcadion beckeri** (Kraatz,1873) (Cerambycidae)
262. **Pedestredorcadion bodemeyeri** (Daniel,1900) (Cerambycidae)
263. **Pedestredorcadion cinerarium** (Fabricius,1787) (Cerambycidae)
264. **Pedestredorcadion infernale** (Mulsant & Rey,1863) (Cerambycidae)
265. **Pedestredorcadion lugubre** (Kraatz,1873) (Cerambycidae)
266. **Pedestredorcadion piochardi** (Kraatz,1873) (Cerambycidae)
267. **Pedestredorcadion pluto** (Thomson,1867) (Cerambycidae)
268. **Pedestredorcadion subvestitum** (Daniel,1900) (Cerambycidae)
269. **Pedinus (s.str.) strabonis** Seidlitz,1893 (Tenebrionidae)
270. **Phaedon pyritosus** (Rossi,1792) (Chrysomelidae)
271. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
272. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
273. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
274. **Phyllodromica graeca** (Brunner von Wattenwyl,1882) (Blattidae)
275. **Phyllodromica pallida** (Brunner von Wattenwyl,1882) (Blattidae)
276. **Phyllodromica polita** (Krauss,1888) (Blattidae)
277. **Phyllotreta cruciferae** (Goeze,1777) (Chrysomelidae)
278. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
279. **Pimelia (Eurypimelia) testudo** Kraatz,1865 (Tenebrionidae)
280. **Pimelia (Eurypimelia) timarchoides** Ménériés,1836 (Tenebrionidae)
281. **Pimelia (s.str.) robusta** Kraatz,1865 (Tenebrionidae)
282. **Piocoris erythrocephalus** (P. & S.,1825) (Lygaeidae)
283. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
284. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
285. **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae)
286. **Poecilimon concinnus** Brunner von Wattenwyl,1878 (Tettigoniidae)
287. **Poecilimon neglectus** Ramme,1931 (Tettigoniidae)
288. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
289. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
290. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae)
291. **Priocnemis hyalinata** Fabricius,1793 (Pompilidae)
292. **Priocnemis sulci** Balthasar,1943 (Pompilidae)
293. **Prionotropis maculinervis** (Stal,1878) (Pamphagidae)
294. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
295. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
296. **Psammotettix striatus** (Linnaeus,1758) (Cicadellidae)

297. **Psylliodes circumdatus** (Redtenbacher,1842) (Chrysomelidae)
298. **Psylliodes instabilis** Foudras,1860 (Chrysomelidae)
299. **Psylliodes isatidis** Heikertinger,1912 (Chrysomelidae)
300. **Psylliodes pallidicolor** Pic,1903 (Chrysomelidae)
301. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
302. **Pyrgomorpha conica** (Olivier,1791) (Pyrgomorphidae)
303. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
304. **Raphidia (Turcoraphidia) fuscinata** H.Aspöck & U.Aspöck,1964 (Raphidiidae)
305. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
306. **Rhagio sordidus** (Loew,1862) (Rhagionidae)
307. **Rhizotrogus (Amphimallon) caucasicum** (Gyllenhal,1817) (Scarabaeidae)
308. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
309. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
310. **Sarcophaga (Helicophagella) crassimargo** Pandellé,1896 (Sarcophagidae)
311. **Sarcophaga (Heteronychia) filia** Rondani,1860 (Sarcophagidae)
312. **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,1937) (Sarcophagidae)
313. **Sarcophaga (Heteronychia) schineri** Bezzi,1891 (Sarcophagidae)
314. **Sarcophaga (Krameromyia) anaces** Walker,1849 (Sarcophagidae)
315. **Sarcophaga (Liosarcophaga) emdeni** (Rohdendorf,1969) (Sarcophagidae)
316. **Sarcophaga (Myorhina) nigriventris** Meigen,1826 (Sarcophagidae)
317. **Sarcophaga (Myorhina) soror** Rondani,1860 (Sarcophagidae)
318. **Sarcophaga (Sarcotachinella) sinuata** Meigen,1826 (Sarcophagidae)
319. **Sarcophaga (Thyrsocnema) incisilobata** Pandellé,1896 (Sarcophagidae)
320. **Selatosomus (s.str.) latissimus** Reitter,1910 (Elateridae)
321. **Selenocephalus amasyicus** Dlabola,1977 (Cicadellidae)
322. **Selenocephalus ankarae** Dlabola,1957 (Cicadellidae)
323. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
324. **Smaragdina amasina** (Pic,1897) (Chrysomelidae)
325. **Sogatella vibix** (Haupt,1927) (Delphacidae)
326. **Sphingonotus (s.str.) nebulosus** (Fischer von Waldheim,1846) (Acrididae)
327. **Stagonomus amoenus** (Brullé,1832) (Pentatomidae)
328. **Stagonomus bipunctatus** (Linnaeus,1758) (Pentatomidae)
329. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
330. **Stenobothrus (s.str.) nigromaculatus** (Herrich-Schäffer,1840) (Acrididae)
331. **Stenodynerus chevrieranus** (Saussure,1855) (Vespidae)
332. **Sterictiphora furcata** (Villers,1789) (Argidae)
333. **Sympeema fusca** (Van Der Linden,1820) (Lestidae)
334. **Sympetrum meridionale** (Selys,1841) (Libellulidae)
335. **Sympetrum striolatum** (Charpentier,1840) (Libellulidae)
336. **Sympetrum vulgatum** (Linnaeus,1758) (Libellulidae)
337. **Synophropsis lauri** (Horvath,1897) (Cicadellidae)
338. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
339. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
340. **Tabanus brunnescens** Szilady,1917 (Tabanidae)
341. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
342. **Tabanus spectabilis** Loew,1858 (Tabanidae)
343. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
344. **Tenthredo costata** Klug,1817 (Tenthredinidae)
345. **Tenthredo excellens** Konow,1886 (Tenthredinidae)
346. **Tenthredo hyrcana** Benson,1968 (Tenthredinidae)
347. **Tenthredo zonula** Klug,1817 (Tenthredinidae)
348. **Tenthredopsis nassata** Linnaeus,1767 (Tenthredinidae)
349. **Tephritis cometa** (Loew,1856) (Tephritidae)
350. **Tephritis dioscurea** (Loew,1856) (Tephritidae)
351. **Tephritis divisa** Rondani,1871 (Tephritidae)
352. **Tephritis postica** (Loew,1844) (Tephritidae)
353. **Thamnotettix (Loepotettix) exemtus** Melichar,1896 (Cicadellidae)
354. **Thamnotettix (s.str.) creticus** Dlabola,1974 (Cicadellidae)
355. **Thamnotettix (s.str.) dilutior** (Kirschbaum,1868) (Cicadellidae)
356. **Thamnotettix thrax** Dlabola,1965 (Cicadellidae)
357. **Theriopectes tricolor** Zeller,1842 (Tabanidae)
358. **Toya propinqua** (Fieber,1866) (Delphacidae)
359. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
360. **Trichodes punctatus** Fischer,1829 (Cleridae)
361. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
362. **Trochiscocoris rotundatus** Horvath,1895 (Pentatomidae)
363. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
364. **Truxalis eximia** Eichwald,1830 (Acrididae)
365. **Truxalis nasuta** (Linnaeus,1758) (Acrididae)
366. **Truxalis robusta** (Uvarov,1916) (Acrididae)
367. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
368. **Vespula germanica** (Fabricius,1793) (Vespidae)

369. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
370. **Zonitis immaculata (Olivier,1790)**
(Meloidae)

371. **Zophosis osmanlis Deyrolle,1872**
(Tenebrionidae)
372. **Zyginidia (s.str.) pullula (Boheman,1845)**
(Cicadellidae)

Ankara Province (06)

(1565 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Achaeta deserta (Pallas,1771)** (Gryllidae)
3. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
4. **Aconurella prolixa (Lethierry,1885)**
(Cicadellidae)
5. **Acrida anatolica Dirsh,1949** (Acrididae)
6. **Acrida bicolor (Thunberg,1815)** (Acrididae)
7. **Acrorrhinium conspersum Noulhier,1895**
(Miridae)
8. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
9. **Actenodia confluens (Reiche,1866)** (Meloidae)
10. **Adalia (s.str.) bipunctata (Linnaeus,1758)**
(Coccinellidae)
11. **Adelphocoris lineolatus (Goeze,1778)**
(Miridae)
12. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
13. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
14. **Aelia rostrata Boheman,1852** (Pentatomidae)
15. **Aelia virgata (Herrich-Schäffer,1841)**
(Pentatomidae)
16. **Aeshna mixta Latreille,1805** (Aeshnidae)
17. **Agabus (Gaurodytes) biguttatus**
(Olivier,1795) (Dytiscidae)
18. **Agabus (Gaurodytes) bipustulatus**
(Linnaeus,1767) (Dytiscidae)
19. **Agabus (Gaurodytes) dilatatus (Brullé,1832)**
(Dytiscidae)
20. **Agabus paludosus (Fabricius,1801)**
(Dytiscidae)
21. **Agallia bispinata (Dlabola,1957)** (Cicadellidae)
22. **Agalmatium bilobum (Fieber,1877)** (Issidae)
23. **Agapanthia kirbyi (Gyllenhal,1817)**
(Cerambycidae)
24. **Agenioideus excisus (Morawitz,1890)**
(Pompilidae)
25. **Agenioideus nubecula (Costa,1874)**
(Pompilidae)
26. **Agenioideus oasis (Haupt,1962)** (Pompilidae)
27. **Agenioideus ruficeps (Eversmann,1849)**
(Pompilidae)
28. **Agenioideus sericeus (Van der Linden,1827)**
(Pompilidae)
29. **Agenioideus usurarius (Tournier,1889)**
(Pompilidae)
30. **Agonum marginatum (Linnaeus,1758)**
(Carabidae)
31. **Agonum viridicupreum (Goeze,1777)**
(Carabidae)
32. **Agramma (s.str.) atricapillum (Spinola,1837)**
(Tingidae)
33. **Agramma (s.str.) blandulum (Horvath,1905)**
(Tingidae)
34. **Agramma (s.str.) confusum (Puton,1879)**
(Tingidae)
35. **Agramma (s.str.) intermedium**
(Wagner,1941) (Tingidae)
36. **Agria mamillata (Pandellé,1896)**
(Sarcophagidae)
37. **Agrius (Anambus) derasofasciatus**
Lacordaire,1835 (Buprestidae)
38. **Agrius (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
39. **Agrypon debilis (Wesmael,1849)**
(Ichneumonidae)
40. **Agrypon flaveolatum (Gravenhorst,1807)**
(Ichneumonidae)
41. **Aiolopus strepens (Latreille,[1802])**
(Acrididae)
42. **Alastor mediomaculatus Giordani Soika,1952**
(Vespidae)
43. **Alastor mocsaryi (André,1884)** (Vespidae)
44. **Alastor thymbrinus Blüthgen,1956** (Vespidae)
45. **Alebra albostriella (Fallén,1826)** (Cicadellidae)
46. **Allantus didymus (Klug,1818)** (Tenthredinidae)
47. **Allodynerus delphinalis (Giraud,1866)**
(Vespidae)
48. **Allodynerus nigricornis (Morawitz,1885)**
(Vespidae)
49. **Allodynerus rossii (Lepelletier,1841)**
(Vespidae)
50. **Allygidius ectabanicus Logvinenko,1979**
(Cicadellidae)
51. **Allygus mixtus (Fabricius,1794)** (Cicadellidae)
52. **Alosimus armeniacus (Faldermann,1837)**
(Meloidae)
53. **Altica ancycensis (Weise,1897)**
(Chrysomelidae)
54. **Altica carduorum (Guérin-Méneville,1858)**
(Chrysomelidae)
55. **Altica hamperi (Allard,1867)** (Chrysomelidae)
56. **Altica jarmilae Kral,1979** (Chrysomelidae)
57. **Altica oleracea (Linnaeus,1758)**
(Chrysomelidae)
58. **Amara (Curtonotus) muchei Jedlicka,1962**
(Carabidae)
59. **Amara (s.str.) lukasi Hejkal,2002** (Carabidae)
60. **Amblytylus concolor Jakovlev,1877** (Miridae)
61. **Amblytylus luridus Hoberlandt,1961** (Miridae)
62. **Ameles heldreichi Brunner von**
Wattenwyl,1882 (Mantidae)
63. **Ammophila sabulosa (Linnaeus,1758)**
(Sphecidae)
64. **Amphicoma (Eulasia) ernae Petrovitz,1962**
(Glaphyridae)
65. **Amphicoma (Pygopleurus) demelti**
Petrovitz,1967 (Glaphyridae)
66. **Amphicoma (Pygopleurus) humeralis**
(Brullé,1832) (Glaphyridae)

67. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae)
68. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
69. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae)
70. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
71. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae)
72. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
73. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
74. **Anaprostocetus ankarensis Gençer,2009** (Eulophidae)
75. **Anax imperator Leach,1815** (Aeshnidae)
76. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
77. **Ancistrocerus dusmetiolus (Strand,1914)** (Vespidae)
78. **Ancistrocerus gazella (Panzer,1798)** (Vespidae)
79. **Ancistrocerus nigricornis (Curtis,1826)** (Vespidae)
80. **Ancistrocerus oviventris (Wesmael,1836)** (Vespidae)
81. **Ancistrocerus parietinus (Linnaeus,1761)** (Vespidae)
82. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae)
83. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae)
84. **Andrena (Brachyandrena) pinguis Ariana et al.,2009** (Andrenidae)
85. **Anisochrya (Cunctochrysa) albolineata (Killington,1935)** (Chrysopidae)
86. **Anisochrya (Cunctochrysa) baetica Hölzel,1972** (Chrysopidae)
87. **Anisochrya (s.str.) flavifrons (Brauer,1850)** (Chrysopidae)
88. **Anisochrya (s.str.) zelleri (Schneider,1851)** (Chrysopidae)
89. **Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae)
90. **Anogcodes ruficollis (Fabricius,1781)** (Oedemeridae)
91. **Anomalon foliator (Fabricius,1798)** (Ichneumonidae)
92. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
93. **Anoplius samariensis (Pallas,1771)** (Pompilidae)
94. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
95. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)
96. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae)
97. **Antepipona albosignata Gusenleitner,1986** (Vespidae)
98. **Antepipona deflenda (Saunders,1853)** (Vespidae)
99. **Antepipona iconia (Blüthgen,1951)** (Vespidae)
100. **Antepipona insana (Giordani Soika,1943)** (Vespidae)
101. **Antepipona laevigata (Blüthgen,1951)** (Vespidae)
102. **Antepipona orbitalis (Herrich-Schäffer,1839)** (Vespidae)
103. **Antepipona tenuis Gusenleitner,1988** (Vespidae)
104. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae)
105. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae)
106. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae)
107. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae)
108. **Anthaxia (Haplantaxia) mundula Kiesenwetter,1857** (Buprestidae)
109. **Anthaxia (Melanthaxia) godeti Gory & Laporte,1839** (Buprestidae)
110. **Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae)
111. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae)
112. **Anthaxia (s.str.) deaurata (Gmelin,1788)** (Buprestidae)
113. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae)
114. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae)
115. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae)
116. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
117. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
118. **Anthidium (Archanthidium) laticeps Morawitz,1873** (Megachilidae)
119. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae)
120. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae)
121. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae)
122. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae)
123. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
124. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae)
125. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae)
126. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae)
127. **Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae)
128. **Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae)
129. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae)
130. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae)
131. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
132. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
133. **Anthidium (s.str.) loti Perris,1852** (Megachilidae)
134. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
135. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae)

136. **Anthidium (s.str.) taeniatum** Latreille, 1809 (Megachilidae)
137. **Anthidium (s.str.) trispinosum** Friese, 1917 (Megachilidae)
138. **Anthomyia procellaris** Rondani, 1866 (Anthomyiidae)
139. **Anthrenus (s.str.) picturatus** Solsky, 1876 (Dermestidae)
140. **Anthrenus (s.str.) scrophulariae (Linnaeus, 1758)** (Dermestidae)
141. **Anuraphis subterranea** (Walker, 1852) (Aphididae)
142. **Aphelonema melichari** (Horvath, 1897) (Caliscelidae)
143. **Aphrodes albiger** (Germar, 1821) (Cicadellidae)
144. **Aphrodes angulaticeps** Emeljanov, 1964 (Cicadellidae)
145. **Aphrodes bicinctus** (Schrank, 1776) (Cicadellidae)
146. **Aphrodes bifasciatus** (Linnaeus, 1758) (Cicadellidae)
147. **Aphrodes makarovi** Zachvatkin, 1948 (Cicadellidae)
148. **Aphrophora alni** (Fallén, 1805) (Cercopidae)
149. **Aphrophora corticea** Germar, 1821 (Cercopidae)
150. **Aphrophora salicina** (Goeze, 1778) (Cercopidae)
151. **Aphthona euphorbiae** (Schrank, 1781) (Chrysomelidae)
152. **Aphthona flaviceps** Allard, 1859 (Chrysomelidae)
153. **Aphthona franzi** Heikertinger, 1944 (Chrysomelidae)
154. **Aphthona kuntzei** Roubal, 1931 (Chrysomelidae)
155. **Aphthona nigricutis** Foudras, 1860 (Chrysomelidae)
156. **Aphthona semicyanea** Allard, 1859 (Chrysomelidae)
157. **Apis mellifera** Linnaeus, 1758 (Apidae)
158. **Apodiphus amygdali** (Germar, 1817) (Pentatomidae)
159. **Aporinellus moestus** (Klug, 1834) (Pompilidae)
160. **Arachnospila angorana** (Wolf, 1990) (Pompilidae)
161. **Arachnospila esau** (Kohl, 1886) (Pompilidae)
162. **Arachnospila rufa** (Haupt, 1927) (Pompilidae)
163. **Arachnospila sogdiana** (Morawitz, 1893) (Pompilidae)
164. **Arachnospila spissa** (Schioedte, 1837) (Pompilidae)
165. **Arachnospila valesabnormis** (Wolf, 1965) (Pompilidae)
166. **Arachnotheutes rufithorax** (Costa, 1887) (Pompilidae)
167. **Arachnotheutes signatipennis** (Klug, 1834) (Pompilidae)
168. **Aradus cinnamomeus** Panzer, 1806 (Aradidae)
169. **Arboridia adanae** (Dlabola, 1957) (Cicadellidae)
170. **Arboridia expansa** (Zachvatkin, 1946) (Cicadellidae)
171. **Arboridia parvula** (Boheman, 1845) (Cicadellidae)
172. **Arctoclavelia soikai** Wolf, 1966 (Pompilidae)
173. **Arge berberidis** (Schrank, 1802) (Argidae)
174. **Arge enodis** (Linnaeus, 1767) (Argidae)
175. **Arge frivaldskyi** (Tischbein, 1852) (Argidae)
176. **Arge melanochra** (Gmelin, 1790) (Argidae)
177. **Arge nigripes** (Retzius, 1783) (Argidae)
178. **Arge ochropus** (Gmelin, 1790) (Argidae)
179. **Arge rustica** (Linnaeus, 1758) (Argidae)
180. **Arge scita** (Mocsary, 1880) (Argidae)
181. **Arge simulatrix** Konow, 1887 (Argidae)
182. **Arocephalus languidus** (Flor, 1861) (Cicadellidae)
183. **Arocephalus longiceps** (Kirschbaum, 1868) (Cicadellidae)
184. **Artianus manderstjernii** (Kirschbaum, 1868) (Cicadellidae)
185. **Asaphes vulgaris** Walker, 1834 (Pteromalidae)
186. **Asiraca clavicornis** (Fabricius, 1794) (Delphacidae)
187. **Asphingoderus uvarovites (Mishtshenko, 1936)** (Acrididae)
188. **Aspoeckina glaseri** Hölzel, 1972 (Myrmeleonidae)
189. **Aspoeckina glaseri** Hölzel, 1972 (Myrmeleonidae)
190. **Atomoscelis roubali** Hoberlandt, 1961 (Miridae)
191. **Attelabus suturalis** Jekel, 1860 (Atteblidae)
192. **Atylotus flavoguttatus** (Szilady, 1915) (Tabanidae)
193. **Atylotus hendrxi** Leclercq, 1967 (Tabanidae)
194. **Atylotus rusticus** (Linnaeus, 1767) (Tabanidae)
195. **Auplopus albifrons** (Dalman, 1823) (Pompilidae)
196. **Auplopus rectus** (Haupt, 1927) (Pompilidae)
197. **Austroagallia sinuata** (Mulsant & Rey, 1855) (Cicadellidae)
198. **Austroasca (s.str.) vittata** (Lethierry, 1884) (Cicadellidae)
199. **Balcanocerus ramallahicus** (Dlabola, 1965) (Cicadellidae)
200. **Balclutha hebe** (Kirkaldy, 1906) (Cicadellidae)
201. **Balclutha pellucens** Horvath, 1909 (Cicadellidae)
202. **Balclutha punctata** (Fabricius, 1775) (Cicadellidae)
203. **Banchopsis crassicornis** Rudow, 1886 (Ichneumonidae)
204. **Banchus turtator** Aubert, 1984 (Ichneumonidae)
205. **Bangasternus planifrons** (Brullé, 1832) (Curculionidae)
206. **Bathyplectes carthaginensis** (Smit van Burgst, 1913) (Ichneumonidae)
207. **Bathyplectes curculionis (Thomson, 1887)** (Ichneumonidae)
208. **Batracomorpha irroratus** Lewis, 1834 (Cicadellidae)
209. **Bembecinus innocens** De Beaumont, 1967 (Crabronidae)
210. **Benjaminia horstmanni** Wahl, 1989 (Ichneumonidae)
211. **Berosus (Enoplurus) spinosus** (Steven, 1808) (Hydrophilidae)
212. **Berytinus consimilis** (Horvath, 1885) (Berytidae)
213. **Berytinus montivagus** (Meyer-Dür, 1841) (Berytidae)
214. **Berytinus signoreti** (Fieber, 1859) (Berytidae)
215. **Bidessus calabricus** Guignot, 1957 (Dytiscidae)
216. **Bidessus delicatulus** (Schaum, 1844) (Dytiscidae)

217. **Blaps tibialis** Reiche & Saulcy,1857
(Tenebrionidae)
218. **Blatta orientalis** Linnaeus,1758 (Blattidae)
219. **Blattella germanica** (Linnaeus,1767)
(Blattidae)
220. **Blepharidopterus angulatus**
(Fallén,1807) (Miridae)
221. **Bobacella corvina** (Horvath,1903)
(Cicadellidae)
222. **Bolivaria brachyptera** (Pallas,1773)
(Mantidae)
223. **Bombus lucorum** Linnaeus,1761 (Apidae)
224. **Bombus terrestris** Linnaeus,1758 (Apidae)
225. **Boriomyia arenata** Aspöck &
Aspöck,1966 (Hemerobiidae)
226. **Bothynoderes carinatus** (Zoubkoff,1829)
(Curculionidae)
227. **Boveycantharis rufimanoides**
Wittmer,1969 (Cantharidae)
228. **Brachineura squamigera**
(Winnertz,1853) (Cecidomyiidae)
229. **Brachinus** (Brachynidius) ankarensis
Jedlicka,1962 (Carabidae)
230. **Brachycerus argillaceus** Reiche,1857
(Brachyceridae)
231. **Brachycerus foveicollis** Gyllenhal,1833
(Brachyceridae)
232. **Brachycerus orbipennis** Reiche,1857
(Brachyceridae)
233. **Brachycoleus scriptus** (Fabricius,1803)
(Miridae)
234. **Brachygluta furcata** (Motschoulsky,1835)
(Staphylinidae)
235. **Brachygluta retowskii** (Simon,1883)
(Staphylinidae)
236. **Brachynema virens** (Klug,1845)
(Pentatomidae)
237. **Brachydynerus kudsasi** Gusenleitner,1967
(Vespidae)
238. **Brachydynerus quadrimaculatus**
(André,1884) (Vespidae)
239. **Brachyptera ankara** Kazancı,2000
(Taeniopterygidae)
240. **Brachyptera transcaucasica**
Zhiltzova,1956 (Taeniopterygidae)
241. **Bradysia neoreflex** Mohrig &
Roschmann,1996 (Sciaridae)
242. **Brucoscelis peculiaris** (Horvath,1904)
(Caliscelidae)
243. **Brumus octosignatus** (Gebler,1830)
(Coccinellidae)
244. **Brunnerella mirabilis** Saussure,1888
(Acrididae)
245. **Bucephaloptera bucephala** (Brunner von
Wattenwyl,1882) (Tettigoniidae)
246. **Bulaea lichatschovi** (Hummel,1827)
(Coccinellidae)
247. **Callimenus dilatatus** (Stal,1876)
(Tettigoniidae)
248. **Calliptamus barbarus** (Costa,1836)
(Acrididae)
249. **Calliptamus coelesyriensis** (Giglio-
Tos,1893) (Acrididae)
250. **Calliptamus italicus** (Linnaeus,1758)
(Acrididae)
251. **Calliptamus tenuicercis** Tarbinsky,1930
(Acrididae)
252. **Calopteryx splendens** (Harris,1776)
(Calopterygidae)
253. **Calosoma sycophanta** (Linnaeus,1758)
(Carabidae)
254. **Calyptopsis capnisiformis** Reitter,1903
(Tenebrionidae)
255. **Campiglossa producta** Loew,1844
(Tephritidae)
256. **Camponotus aethiops** (Latreille,1798)
(Formicidae)
257. **Camponotus compressus** (Fabricius,1787)
(Formicidae)
258. **Campoplex ramidulus** (Brischke,1880)
(Ichneumonidae)
259. **Camptocera glaberrima** (Walker,1872)
(Lygaeidae)
260. **Campylomma nicolasi** Puton &
Reuter,1883 (Miridae)
261. **Cantharis annularis** Ménétré,1836
(Cantharidae)
262. **Cantharis lateralis** Linnaeus,1758
(Cantharidae)
263. **Cantharis livida** Linnaeus,1758
(Cantharidae)
264. **Cantharis smyrnensis** Marseul,1864
(Cantharidae)
265. **Capnia arenis** Zhiltzova,1964 (Capniidae)
266. **Capnia sevanica** Zhiltzova,1964
(Capniidae)
267. **Capnia tuberculata** Zhiltzova,1964
(Capniidae)
268. **Capnodis miliaris** (Klug,1829)
(Buprestidae)
269. **Capnodis porosa** (Klug,1829)
(Buprestidae)
270. **Capnodis tenebricosa** (Olivier,1790)
(Buprestidae)
271. **Capnodis tenebrionis** (Linnaeus,1761)
(Buprestidae)
272. **Carabus (Ichnocarabus) tenuitarsis**
Kraatz,1877 (Carabidae)
273. **Cardiocondyla elegans** Emery,1869
(Formicidae)
274. **Cardiophorus (s.str.) nigratissimus**
Buysson,1891 (Elateridae)
275. **Cardiophorus (s.str.) vestigialis**
Erichson,1840 (Elateridae)
276. **Carpocoris absinthi** Wagner,1952
(Pentatomidae)
277. **Carpocoris fuscispinus** (Boheman,1851)
(Pentatomidae)
278. **Carpocoris lunulatus** (Goeze,1778)
(Pentatomidae)
279. **Carpocoris mediterraneus**
Tamanini,1958 (Pentatomidae)
280. **Carpocoris melanocerus** Mulsant,1852
(Pentatomidae)
281. **Cassida atrata** Fabricius,1787 (Chrysomelidae)
282. **Cassida pannonica** Suffrian,1844
(Chrysomelidae)
283. **Cassida rubiginosa** Müller,1776
(Chrysomelidae)
284. **Cassida saucia** Weise,1889
(Chrysomelidae)
285. **Cassida seraphina** Ménétré,1836
(Chrysomelidae)
286. **Cassida viridis** Linnaeus,1758
(Chrysomelidae)
287. **Catoplatus distinctus** Montandon,1895
(Tingidae)

288. **Catoplatus nigriceps** Horvath,1905
(Tingidae)
289. **Celes variabilis** (Pallas,1771) (Acrididae)
290. **Centrotus cornutus** (Linnaeus,1758)
(Membracidae)
291. **Cephalochilus draco** Giordani & Soika,1970
(Vespidae)
292. **Cephalota (Taenidia) circumdata**
(Dejean,1822) (Carabidae)
293. **Cephalota (Taenidia) eiselti**
(Mandl,1967) (Carabidae)
294. **Ceratanisus tristis** (Faldermann,1837)
(Tenebrionidae)
295. **Cercopis intermedia** Kirschbaum,1868
(Cercopidae)
296. **Ceresa bubalus** (Fabricius,1794)
(Membracidae)
297. **Cerocoma muehlfeldi** Gyllenhal,1817
(Meloidae)
298. **Cerocoma schaefferi** (Linnaeus,1758)
(Meloidae)
299. **Ceropales albicincta** (Rossi,1790)
(Pompilidae)
300. **Ceropales helvetica** Tournier,1889
(Pompilidae)
301. **Ceropales ruficornis** Gussakovskii,1931
(Pompilidae)
302. **Ceutorhynchus aenescens** Schultze,1895
(Curculionidae)
303. **Ceutorhynchus assimilis** (Paykull,1792)
(Curculionidae)
304. **Ceutorhynchus coarctatus**
Gyllenhal,1837 (Curculionidae)
305. **Ceutorhynchus difficilis** Schultze,1898
(Curculionidae)
306. **Ceutorhynchus erysimi** (Fabricius,1787)
(Curculionidae)
307. **Ceutorhynchus fallax** Boheman,1845
(Curculionidae)
308. **Ceutorhynchus languidus** Schultze,1902
(Curculionidae)
309. **Ceutorhynchus sophiae** Gyllenhal,1837
(Curculionidae)
310. **Ceutorhynchus subpilosus** Brisoth,1869
(Curculionidae)
311. **Ceutorhynchus sulcatus** Brisoth,1869
(Curculionidae)
312. **Ceutorhynchus turbatus** Schultze,1903
(Curculionidae)
313. **Chaetocnema arenacea** (Allard,1860)
(Chrysomelidae)
314. **Chaetocnema aridula** (Gyllenhal,1827)
(Chrysomelidae)
315. **Chaetocnema concinna** (Marshall,1802)
(Chrysomelidae)
316. **Chaetocnema conducta** (Motschoulsky,1838)
(Chrysomelidae)
317. **Chaetocnema confusa** (Boheman,1851)
(Chrysomelidae)
318. **Chaetocnema coyeyi** (Allard,1863)
(Chrysomelidae)
319. **Chaetocnema hortensis** (Geoffroy,1785)
(Chrysomelidae)
320. **Chaetocnema major** (Jaquelin du
Val,1852) (Chrysomelidae)
321. **Chaetocnema mannerheimi** (Gyllenhal,1827)
(Chrysomelidae)
322. **Chaetocnema montenegrina**
Heikertinger,1912 (Chrysomelidae)
323. **Chaetocnema obesa** (Boieldieu,1859)
(Chrysomelidae)
324. **Chaetocnema procerula**
(Rosenhauer,1856) (Chrysomelidae)
325. **Chaetocnema sahlbergi** (Gyllenhal,1859)
(Chrysomelidae)
326. **Chaetocnema scheffleri**
(Kutschera,1864) (Chrysomelidae)
327. **Chaetocnema semicoerulea** (Koch,1803)
(Chrysomelidae)
328. **Chaetocnema tibialis** (Illiger,1807)
(Chrysomelidae)
329. **Chalicodoma (Pseudomegachile)**
ericetorum (Lepeletier,1841) (Megachilidae)
330. **Charora pentagrammica** Bolivar,1899
(Acrididae)
331. **Chelostoma (Gyrodromella) rapunculi**
(Lepeletier,1841) (Megachilidae)
332. **Chelostoma (s.str.) florissomnis**
(Linnaeus,1758) (Megachilidae)
333. **Chiasmus conspurcatus** (Perris,1857)
(Cicadellidae)
334. **Chloriona canariensis** Lindberg,1954
(Delphacidae)
335. **Chloriona clavata** Dlabola,1960
(Delphacidae)
336. **Chloriona sicula** Matsumura,1910
(Delphacidae)
337. **Chloriona unicolor** (Herrich-Schäffer,1835)
(Delphacidae)
338. **Chlorita moganica** (Dlabola,1957)
(Cicadellidae)
339. **Chlorita osmanica** Dlabola,1971
(Cicadellidae)
340. **Chlorita tessellata** Lethierry,1884
(Cicadellidae)
341. **Chlorodynerus ypsilon** (Kostylev,1929)
(Vespidae)
342. **Choeras dorsalis** (Spinola,1808)
(Braconidae)
343. **Chorthippus (Chorthippus) parallelus**
(Zetterstedt,1821) (Acrididae)
344. **Chorthippus (Glyptobothrus) biguttulus**
(Linnaeus,1758) (Acrididae)
345. **Chorthippus (Glyptobothrus) brunneus**
(Thunberg,1815) (Acrididae)
346. **Chorthippus (Glyptobothrus) ilkazi**
Uvarov,1934 (Acrididae)
347. **Chorthippus (Glyptobothrus) longicornis**
(Latreille,1804) (Acrididae)
348. **Chorthippus (Glyptobothrus) vagans**
(Eversmann,1848) (Acrididae)
349. **Chorthippus (s.str.) dichrous**
(Eversmann,1859) (Acrididae)
350. **Chorthippus (s.str.) loratus** (Fischer von
Waldheim,1846) (Acrididae)
351. **Chromatomyia horticola** (Goureaux,1851)
(Agromyzidae)
352. **Chrysolina amasiensis** (Weise,1894)
(Chrysomelidae)
353. **Chrysolina coerulans** (Scriba,1791)
(Chrysomelidae)
354. **Chrysolina didymata** (Scriba,1791)
(Chrysomelidae)
355. **Chrysolina gypsophilae** (Küster,1845)
(Chrysomelidae)
356. **Chrysolina herbacea** (Duftschmidt,1825)
(Chrysomelidae)

357. **Chrysolina lurida** (Linnaeus,1767)
(Chrysomelidae)
358. **Chrysolina reitteri** (Weise,1884)
(Chrysomelidae)
359. **Chrysolina sahlbergi** (Ménétriés,1832)
(Chrysomelidae)
360. **Chrysolina salviae** (Germar,1824)
(Chrysomelidae)
361. **Chrysolina staphylea** (Linnaeus,1758)
(Chrysomelidae)
362. **Chrysomela populi** Linnaeus,1758
(Chrysomelidae)
363. **Chrysomela saliceti** (Weise,1884)
(Chrysomelidae)
364. **Chrysomela tremulae** Fabricius,1787
(Chrysomelidae)
365. **Chrysopa dorsalis** Burmeister,1839
(Chrysopidae)
366. **Chrysopa formosa** Brauer,1850
(Chrysopidae)
367. **Chrysopa hungarica** Klapalek,1899
(Chrysopidae)
368. **Chrysopa perla** (Linnaeus,1758)
(Chrysopidae)
369. **Chrysopa septempunctata** Wesmael,1841
(Chrysopidae)
370. **Chrysopa viridana** Schneider,1845
(Chrysopidae)
371. **Chrysops (Petersenichrysops) buxtoni**
Austen,1922 (Tabanidae)
372. **Chrysops (Petersenichrysops) hamatus**
Loew,1858 (Tabanidae)
373. **Chrysops (s.str.) caecutiens** (Linnaeus,1761)
(Tabanidae)
374. **Chrysops (s.str.) flavipes** Meigen,1804
(Tabanidae)
375. **Chrysops (s.str.) italicus** Meigen,1804
(Tabanidae)
376. **Cicadatra atra** (Oliver,1790) (Cicadidae)
377. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
378. **Cicadatra persica** Kirkaldy,1909
(Cicadidae)
379. **Cicadivetta tibialis** (Panzer,1798)
(Cicadidae)
380. **Cicadula divaricata** Ribaut,1952
(Cicadellidae)
381. **Cicadula lineatopunctata** (Matsumura,1908)
(Cicadellidae)
382. **Cicadula quadrinotata** (Fabricius,1794)
(Cicadellidae)
383. **Cicindela campestris** Linnaeus,1758
(Carabidae)
384. **Circulifer haematoceps** (Mulsant &
Rey,1855) (Cicadellidae)
385. **Cixius distinguendus** Kirschbaum,1868
(Cixiidae)
386. **Cixius pallipes** Fieber,1876 (Cixiidae)
387. **Cixius remotus** Edwards,1888 (Cixiidae)
388. **Cleonis piger** (Scopoli,1763)
(Curculionidae)
389. **Closterocerus arvensis** (Graham,1963)
(Eulophidae)
390. **Closterocerus formosus** Westwood,1833
(Eulophidae)
391. **Clytra aliena** Weise,1897 (Chrysomelidae)
392. **Clytra atraphaxidis** (Pallas,1773)
(Chrysomelidae)
393. **Clytra laeviuscula** (Ratzeburg,1837)
(Chrysomelidae)
394. **Clytra novempunctata** Olivier,1808
(Chrysomelidae)
395. **Clytra valeriana** Ménétriés,1832
(Chrysomelidae)
396. **Coccinula sinuatomarginata**
(Faldermann,1837) (Coccinellidae)
397. **Coccophagus kvavadze** Japoshvili &
Karaca,2002 (Aphelinidae)
398. **Coelioxys (Allocoelioxys) afra**
Lepeletier,1841 (Megachilidae)
399. **Coelioxys (s.str.) aurolimbata**
Förster,1853 (Megachilidae)
400. **Coenorrhinus aequatus** (Linnaeus,1767)
(Atteblabidae)
401. **Coenorrhinus pauxillus** (Germar,1824)
(Atteblabidae)
402. **Colaphus sophiae** (Schaller,1783)
(Chrysomelidae)
403. **Colletes ankarae** Warncke,1978
(Colletidae)
404. **Collyria coxator** (Villers,1789)
(Ichneumonidae)
405. **Colpa (s.str.) sexmaculata**
(Fabricius,1782) (Scoliidae)
406. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
407. **Coniatus repandus** (Fabricius,1792)
(Curculionidae)
408. **Coniocleonus excoriatus**
(Schoenherr,1834) (Curculionidae)
409. **Coniocleonus nigrosuturatus**
(Goeze,1777) (Curculionidae)
410. **Conocephalus (Anisoptera) fuscus**
(Fabricius,1793) (Tettigoniidae)
411. **Conomelus anceps** (Germar,1821)
(Delphacidae)
412. **Conophorus glaucescens** (Loew,1863)
(Bombyliidae)
413. **Conophorus nobilis** (Loew,1873) (Bombyliidae)
414. **Conophorus virescens** (Fabricius,1787)
(Bombyliidae)
415. **Conops quadrifasciatus** De Geer,1776
(Conopidae)
416. **Conops silaceus** Wiedemann,1824 (Conopidae)
417. **Conosanus obsoletus** (Kirschbaum,1858)
(Cicadellidae)
418. **Contarinia pyrivora** (Riley,1886)
(Cecidomyiidae)
419. **Cordyla brevicornis** (Staeger,1840)
(Mycetophilidae)
420. **Cordyla fusca** Meigen,1804
(Mycetophilidae)
421. **Coremacera amoena** (Loew,1853)
(Sciomyzidae)
422. **Corixa affinis** Leach,1818 (Corixidae)
423. **Corixa panzeri** (Fieber,1848) (Corixidae)
424. **Corixa punctata** (Illiger,1807) (Corixidae)
425. **Corynis frontina** (Konow,1905)
(Cimbicidae)
426. **Corynis lateralis** (Brullé,1832)
(Cimbicidae)
427. **Corythucha arcuata** (Say,1832) (Tingidae)
428. **Crepidodera aurata** (Marsham,1802)
(Chrysomelidae)
429. **Crepidodera aurea** (Geoffroy,1785)
(Chrysomelidae)
430. **Crepidodera lamina** (Bedel,1901)
(Chrysomelidae)

431. **Cryptocephalus angorensis** Pic,1908
(Chrysomelidae)
432. **Cryptocephalus biledjekensis** Pic,1909
(Chrysomelidae)
433. **Cryptocephalus bipunctatus**
(Linnaeus,1758) (Chrysomelidae)
434. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
435. **Cryptocephalus connexus** Olivier,1808
(Chrysomelidae)
436. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)
437. **Cryptocephalus fulvus** (Goeze,1777)
(Chrysomelidae)
438. **Cryptocephalus moehringi** Weise,1884
(Chrysomelidae)
439. **Cryptocephalus moraei** (Linnaeus,1758)
(Chrysomelidae)
440. **Cryptocephalus ocellatus** Drapiez,1819
(Chrysomelidae)
441. **Cryptocephalus octacasmus** Bedel,1891
(Chrysomelidae)
442. **Cryptocephalus prusias** Suffrian,1853
(Chrysomelidae)
443. **Cryptocephalus turcicus** Suffrian,1847
(Chrysomelidae)
444. **Cryptocheilus alternatus**
(Lepeletier,1845) (Pompilidae)
445. **Cryptocheilus confinis** Haupt,1926
(Pompilidae)
446. **Cryptocheilus discolor** (Fabricius,1793)
(Pompilidae)
447. **Cryptocheilus egregius** (Lepeletier,1845)
(Pompilidae)
448. **Cryptocheilus fabricii** (Van der
Linden,1827) (Pompilidae)
449. **Cryptocheilus ichneumonoides**
(Costa,1874) (Pompilidae)
450. **Cryptocheilus notatus** (Rossi,1792)
(Pompilidae)
451. **Cryptocheilus octomaculatus** (Rossi,1790)
(Pompilidae)
452. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
453. **Culicoides achrayi** Kettle & Lawson,1955
(Ceratopogonidae)
454. **Culicoides cataneii** Clastrier,1957
(Ceratopogonidae)
455. **Culicoides circumscriptus** Kieffer,1918
(Ceratopogonidae)
456. **Culicoides dzhafarovi** Remm,1967
(Ceratopogonidae)
457. **Culicoides festivipennis** Kieffer,1914
(Ceratopogonidae)
458. **Culicoides gejjelensis** Dz hafarov,1964
(Ceratopogonidae)
459. **Culicoides kibunensis** Tokunaga,1937
(Ceratopogonidae)
460. **Culicoides longipennis** Khalaf,1957
(Ceratopogonidae)
461. **Culicoides newsteadi** Austen,1921
(Ceratopogonidae)
462. **Culicoides obsoletus** (Meigen,1818)
(Ceratopogonidae)
463. **Culicoides odiatus** Austen,1921
(Ceratopogonidae)
464. **Culicoides pulicaris** (Linnaeus,1758)
(Ceratopogonidae)
465. **Culicoides punctatus** (Meigen,1804)
(Ceratopogonidae)
466. **Culicoides puncticollis** (Becker,1903)
(Ceratopogonidae)
467. **Culicoides riethi** Kieffer,1914
(Ceratopogonidae)
468. **Culicoides riouxi** Callot & Kremer,1961
(Ceratopogonidae)
469. **Culicoides shaklawensis** Khalaf,1957
(Ceratopogonidae)
470. **Culicoides simulator** Edwards,1939
(Ceratopogonidae)
471. **Culicoides truncorum** Edwards,1939
(Ceratopogonidae)
472. **Cuneala amasiensis**
(Kriechbaumer,1869) (Tenthredinidae)
473. **Curculio glandium** Marsham,1802
(Curculionidae)
474. **Curculio salicivorus** Paykull,1792
(Curculionidae)
475. **Cymatia rogenhoferi** (Fieber,1864) (Corixidae)
476. **Cyphon longispinus** Nyholm,1968
(Scirtidae)
477. **Cyphon longiusculus** Nyholm,1970 (Scirtidae)
478. **Dasineura affinis** (Kieffer,1886)
(Cecidomyiidae)
479. **Dasineura crataegi** (Winnertz,1853)
(Cecidomyiidae)
480. **Dasineura rosae** (Bremer,1847)
(Cecidomyiidae)
481. **Dasyhippus escalerae** (Bolivar,1899)
(Acrididae)
482. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
483. **Decticus albifrons** (Fabricius,1793)
(Tettigoniidae)
484. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
485. **Delphacodes audrasi** Ribaut,1954
(Delphacidae)
486. **Delta unguiculatum** (Villers,1789)
(Vespidae)
487. **Dendarus (Pandarinus) crenulatus**
(Ménétriés,1832) (Tenebrionidae)
488. **Dentilla curtiventris** (André,1901)
(Mutillidae)
489. **Dentilla ursina** (Nagy,1972) (Mutillidae)
490. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
491. **Deraeocoris punctulatus** (Fallén,1807)
(Miridae)
492. **Dericorys tibialis** (Pallas,1773) (Acrididae)
493. **Deronectes doriae** Sharp,1882 (Dytiscidae)
494. **Diadegma armilata** (Gravenhorst,1829)
(Ichneumonidae)
495. **Diadegma claripennis** (Thomson,1887)
(Ichneumonidae)
496. **Diadegma crassicornis**
(Gravenhorst,1829) (Ichneumonidae)
497. **Diadegma crataegellae** (Thomson,1877)
(Ichneumonidae)
498. **Diadegma semiclausum** (Hellén,1949)
(Ichneumonidae)
499. **Diadegma velox** (Holmgren,1860)
(Ichneumonidae)
500. **Diaglyptellana punctata**
(Holmgren,1857) (Ichneumonidae)
501. **Dibolia depressiuscula** (Letzner,1847)
(Chrysomelidae)

502. **Dictyla lupuli (Herrich-Schäffer,1837)**
(Tingidae)
503. **Dictyla sima Seidenstücker,1975**
(Tingidae)
504. **Dictyophara asiatica Melichar,1912**
(Dictyopharidae)
505. **Dictyophara europaea (Linnaeus,1767)**
(Dictyopharidae)
506. **Dictyophara multireticulata Mulsant & Rey,1855 (Dictyopharidae)**
507. **Dictyophara pannonica (Germar,1830)**
(Dictyopharidae)
508. **Dicyrtomellus argenteus Wahis,1982**
(Pompilidae)
509. **Diglyphus chabrias (Walker,1838)**
(Eulophidae)
510. **Diglyphus isaea (Walker,1838) (Eulophidae)**
511. **Dioctria flavipennis Meigen,1820 (Asilidae)**
512. **Diplazon laetatorius (Fabricius,1781)**
(Ichneumonidae)
513. **Diplazon pectoratorius (Thunberg,1822)**
(Ichneumonidae)
514. **Diplazon tibiatorius (Thunberg,1822)**
(Ichneumonidae)
515. **Diplocolenus frauenfeldi (Fieber,1869)**
(Cicadellidae)
516. **Ditropsis flavipes (Signoret,1865)**
(Delphacidae)
517. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848) (Acrididae)**
518. **Dociostaurus (Notostaurus) anatolicus Krauss,1896 (Acrididae)**
519. **Dociostaurus (s.str.) maroccanus (Thunberg,1815) (Acrididae)**
520. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893) (Acrididae)**
521. **Docosia gilvipes (Haliday,1856)**
(Mycetophilidae)
522. **Dolichomitus sericeus (Hartig,1847)**
(Ichneumonidae)
523. **Dolichovespula sylvestris (Scopoli,1763)**
(Vespidae)
524. **Donus zoilus (Scopoli,1763)**
(Curculionidae)
525. **Doratulina instabilis (Ribaut,1948)**
(Cicadellidae)
526. **Doratura concors Horvath,1903**
(Cicadellidae)
527. **Doratura exilis Horvath,1903 (Cicadellidae)**
528. **Doratura homophyla (Flor,1861)**
(Cicadellidae)
529. **Doratura impudica Horvath,1897**
(Cicadellidae)
530. **Doratura salina Horvath,1903**
(Cicadellidae)
531. **Doratura stylata (Boheman,1847)**
(Cicadellidae)
532. **Dorcadion (Cribridorcadion) divisum Germar,1839 (Cerambycidae)**
533. **Dorycephalus baeri Kuschakewisch,1866**
(Cicadellidae)
534. **Drosophila repleta Wollaston,1858**
(Drosophilidae)
535. **Dryodurgades anatolicus Dlabola,1957**
(Cicadellidae)
536. **Dryodurgades dlabolai Wagner,1963**
(Cicadellidae)
537. **Dryodurgades reticulatus (Herrich-Schäffer,1834) (Cicadellidae)**
538. **Duroniella fracta (Krauss,1890)**
(Acrididae)
539. **Duroniella laticornis (Krauss,1909)**
(Acrididae)
540. **Dyroderes umbraculatus (Fabricius,1775) (Pentatomidae)**
541. **Dysepicritus rufescens (Costa,1847)**
(Anthocoridae)
542. **Dytiscus marginalis Linnaeus,1758**
(Dytiscidae)
543. **Ebarrius cognatus (Fieber,1869)**
(Cicadellidae)
544. **Echthronomas tricincta (Gravenhorst,1829) (Ichneumonidae)**
545. **Edwardsiana flavescens (Fabricius,1794)**
(Cicadellidae)
546. **Edwardsiana rosae (Linnaeus,1758)**
(Cicadellidae)
547. **Edwardsiana salicicola (Edwards,1885)**
(Cicadellidae)
548. **Elodes pseudominuta Klausnitzer,1971**
(Scirtidae)
549. **Emblethis brachynotus Horvath,1907**
(Lygaeidae)
550. **Emblethis denticollis Hovarth,1878**
(Lygaeidae)
551. **Emblethis griseus (Wolff,1802) (Lygaeidae)**
552. **Emblethis karamanus Seidenstücker,1963**
(Lygaeidae)
553. **Emblethis kareli Hoberlandt,1955 (Lygaeidae)**
554. **Emblethis verbasci (Fabricius,1803)**
(Lygaeidae)
555. **Emelyanoviana mollicula (Boheman,1845)**
(Cicadellidae)
556. **Empis (s.str.) lepidopus Meigen,1822**
(Empididae)
557. **Empoasca solani (Curtis,1846) (Cicadellidae)**
558. **Empusa fasciata Brullé,1836 (Empusidae)**
559. **Enallagma cyathigerum (Charpentier,1840) (Coenagrionidae)**
560. **Endasys erythrogaster (Gravenhorst,1829) (Ichneumonidae)**
561. **Endasys rubricator (Thunberg,1822)**
(Ichneumonidae)
562. **Enochrus (Lumetus) bicolor (Fabricius,1792) (Hydrophilidae)**
563. **Entedon angorensis Gumovsky,1999**
(Eulophidae)
564. **Entomogonus (Delonurops) saphyrinus Allard,1876 (Tenebrionidae)**
565. **Entomogonus (s.str.) angulicollis Mulsant & Wacherau,1852 (Tenebrionidae)**
566. **Entomoscelis adonidis (Pallas,1771)**
(Chrysomelidae)
567. **Entomoscelis suturalis Weise,1882**
(Chrysomelidae)
568. **Eoferreola rhombica (Christ,1791)**
(Pompilidae)
569. **Eohardya fraudulentus (Horvath,1903)**
(Cicadellidae)
570. **Episyron albonotatum (Van der Linden,1827) (Pompilidae)**
571. **Episyrrhus balteatus (De Geer,1776)**
(Syrphidae)
572. **Eremippus angulatus Uvarov,1934 (Acrididae)**
573. **Eremippus gracilis Uvarov,1934 (Acrididae)**
574. **Eremippus turcicus Ramme,1951 (Acrididae)**
575. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818) (Syrphidae)**

576. *Eristalis (Eoseritalis) arbustorum* (Linnaeus,1758) (Syrphidae)
577. *Eristalis pertinax* (Scopoli,1763) (Syrphidae)
578. *Eristalis similis* (Fallén,1817) (Syrphidae)
579. *Eristalis tenax* (Linnaeus,1758) (Syrphidae)
580. *Ernodes anatolicus* Çakın,1983 (Beraeidae)
581. *Erycia fasciata* Villeneuve,1924 (Tachinidae)
582. *Erythria (s.str.) aureola* (Fallén,1806) (Cicadellidae)
583. *Euaresta bullans* (Wiedemann,1830) (Tephritidae)
584. *Euchorthippus pulvinatus* (Fischer von Waldheim,1846) (Acrididae)
585. *Eudelus simillimus* (Taschenberg,1865) (Ichneumonidae)
586. *Eumenes coarctatus* (Linnaeus,1758) (Vespidae)
587. *Eumenes coronatus* (Panzer,1799) (Vespidae)
588. *Eumenes dubius* Saussure,1852 (Vespidae)
589. *Eumenes jarkandensis* Blüthgen,1938 (Vespidae)
590. *Eumenes mediterraneus* (Kriechbaumer,1879) (Vespidae)
591. *Eumenes papillarius* (Christ,1791) (Vespidae)
592. *Eumenes pomiformis* (Fabricius,1781) (Vespidae)
593. *Eumenes punctaticlypeus* Giordani Soika,1943 (Vespidae)
594. *Eumenes sareptanus* André,1884 (Vespidae)
595. *Eumenes subpomiformis* Blüthgen,1938 (Vespidae)
596. *Euodynerus (Pareuodynerus) notatus* (Jurine,1807) (Vespidae)
597. *Euodynerus (s.str.) curictensis* Blüthgen,1940 (Vespidae)
598. *Euodynerus (s.str.) dantici* (Rossi,1790) (Vespidae)
599. *Euodynerus (s.str.) disconotatus* (Lichtenstein,1884) (Vespidae)
600. *Euodynerus (s.str.) fastidiosus* (Saussure,1853) (Vespidae)
601. *Euodynerus (s.str.) semisaecularis* Dalla Torre,1889 (Vespidae)
602. *Euodynerus (s.str.) velutinus* Blüthgen,1951 (Vespidae)
603. *Eupelix cuspidata* (Fabricius,1775) (Cicadellidae)
604. *Eupteryx atropunctata* (Goeze,1778) (Cicadellidae)
605. *Eupteryx gyaurdagicus* Dlabola,1957 (Cicadellidae)
606. *Eupteryx melissae* Curtis,1837 (Cicadellidae)
607. *Eupteryx stachydearum* (Hardy,1850) (Cicadellidae)
608. *Eupteryx taborskyi* Dlabola,1957 (Cicadellidae)
609. *Euroleon nostras* (Fourcroy,1785) (Myrmeleonidae)
610. *Euroleon nostras* (Fourcroy,1785) (Myrmeleonidae)
611. *Eurybregma nigrolineata* Scott,1875 (Delphacidae)
612. *Eurydema blanda* Horvath,1803 (Pentatomidae)
613. *Eurydema fieberi* Schummel,1836 (Pentatomidae)
614. *Eurydema oleracea* (Linnaeus,1758) (Pentatomidae)
615. *Eurydema ornatum* (Linnaeus,1758) (Pentatomidae)
616. *Eurydema rugulosa* (Dohrn,1860) (Pentatomidae)
617. *Eurydema ventralis* Kolenati,1846 (Pentatomidae)
618. *Euscelidius mundus* (Haupt,1927) (Cicadellidae)
619. *Euscelidius obenbergeri* Dlabola,1957 (Cicadellidae)
620. *Euscelidius schenkii* (Kirschbaum,1868) (Cicadellidae)
621. *Euscelis alsius* Ribaut,1952 (Cicadellidae)
622. *Euscelis incisus* (Kirschbaum,1858) (Cicadellidae)
623. *Euscelis lineolatus* Brullé,1832 (Cicadellidae)
624. *Eusphalerum anatolicum* Coiffait,1976 (Staphylinidae)
625. *Eusphalerum celsum* (Luze,1910) (Staphylinidae)
626. *Eustenancistrocerus amadanensis* (Saussure,1855) (Vespidae)
627. *Eustenancistrocerus israelensis* Giordani Soika,1938 (Vespidae)
628. *Eustenancistrocerus jerichoensis* Bytinski-Salz,1956 (Vespidae)
629. *Euzonitis quadrimaculata* (Pallas,1782) (Meloidea)
630. *Euzonitis sexmaculata* (Olivier,1790) (Meloidea)
631. *Evacanthus interruptus* (Linnaeus,1758) (Cicadellidae)
632. *Evagetes pauli* Haupt,1941 (Pompilidae)
633. *Evagetes pectinipes* (Linnaeus,1758) (Pompilidae)
634. *Evagetes proximus* (Dahlbom,1843) (Pompilidae)
635. *Evagetes siculus* (Lepelletier,1845) (Pompilidae)
636. *Evagetes tumidosus* (Tournier,1890) (Pompilidae)
637. *Exechia fulva* Santos Abreu,1920 (Mycetophilidae)
638. *Exechia separata* Lundström,1912 (Mycetophilidae)
639. *Exeristes roborator* (Fabricius,1793) (Ichneumonidae)
640. *Exochomus nigromaculatus* (Goeze,1777) (Coccinellidae)
641. *Exochomus quadripustulatus* (Linnaeus,1758) (Coccinellidae)
642. *Exochus mitratus* Gravenhorst,1829 (Ichneumonidae)
643. *Exopristoides dentatus* Bouček,1982 (Torymidae)
644. *Eysarcoris ventralis* (Westwood,1837) (Pentatomidae)
645. *Falcotoya minuscula* (Horvath,1897) (Delphacidae)
646. *Fieberiella florii* (Stal,1864) (Cicadellidae)
647. *Fieberiella septentrionalis* Wagner,1963 (Cicadellidae)
648. *Florodelphax leptosoma* (Flor,1861) (Delphacidae)

649. **Forficula auricularia** Linnaeus,1758 (Forficulidae)
650. **Galeatus cellularis** Jakovlev,1884 (Tingidae)
651. **Gampsocoris punctipes** (Germar,1822) (Berytidae)
652. **Gargara genistae** (Fabricius,1775) (Membracidae)
653. **Gastrophysa polygona** (Linnaeus,1758) (Chrysomelidae)
654. **Gelis exareolatus** (Förster,1851) (Ichneumonidae)
655. **Gelis sculpturator** Aubert,1977 (Ichneumonidae)
656. **Geocoris lineolus** (Rambur,1839) (Lygaeidae)
657. **Gerris costae** (Herrich-Schäffer,1850) (Gerridae)
658. **Gerris gibbifer** Schummel,1832 (Gerridae)
659. **Gerris thoracicus** Schummel,1832 (Gerridae)
660. **Glyphotmethis adaliae** (Uvarov,1928) (Pamphagidae)
661. **Glyphotmethis escherichi** (Krauss,1896) (Pamphagidae)
662. **Glyphotmethis holtzi** (Werner,1901) (Pamphagidae)
663. **Glyphotmethis inermis** (Uvarov,1934) (Pamphagidae)
664. **Glyphotmethis ovipennis** (Uvarov,1934) (Pamphagidae)
665. **Gomphus schneideri** Selys,1850 (Gomphidae)
666. **Goniagnathus bolivari** (Melichar,1907) (Cicadellidae)
667. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
668. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
669. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
670. **Graphosoma lineatum** (Linnaeus,1758) (Pentatomidae)
671. **Graphosoma semipunctatum** (Fabricius,1775) (Pentatomidae)
672. **Graptodytes veterator** (Zimmermann,1918) (Dytiscidae)
673. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
674. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
675. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
676. **Grypotes puncticollis** (Herrich-Schäffer,1834) (Cicadellidae)
677. **Guanchia hincksi** (Burr,1947) (Forficulidae)
678. **Gymnomerus laevipes** (Shuckard,1837) (Vespidae)
679. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
680. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
681. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
682. **Haematopota bigoti** Gobert,1881 (Tabanidae)
683. **Haematopota hennauxi** Leclercq,1967 (Tabanidae)
684. **Haematopota italica** Meigen,1804 (Tabanidae)
685. **Haematopota kemali** Szilady,1923 (Tabanidae)
686. **Haematopota pallens** Loew,1871 (Tabanidae)
687. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
688. **Haematopota sewelli** Austen,1920 (Tabanidae)
689. **Handianus ignoscus** (Melichar,1896) (Cicadellidae)
690. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
691. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
692. **Harmonia quadripunctata** (Pontoppidan,1763) (Coccinellidae)
693. **Harpalus (s.str.) kasanensis** Jedlicka,1958 (Carabidae)
694. **Hauptidia (s.str.) cretacea** (Moravskaja,1948) (Cicadellidae)
695. **Hauptidia (s.str.) distinguenda** (Kirschbaum,1868) (Cicadellidae)
696. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae)
697. **Heliapteryx humeralis** (Kuthy,1907) (Acrididae)
698. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
699. **Helophorus brevialipis** Bedel,1881 (Helophoridae)
700. **Helophorus brevialpis** Bedel,1881 (Helophoridae)
701. **Helophorus liguricus** Angus,1970 (Helophoridae)
702. **Helophorus longitarsis** Wollaston,1864 (Helophoridae)
703. **Helophorus micans** Falderman,1835 (Helophoridae)
704. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
705. **Helophorus nubilus** Fabricius,1776 (Helophoridae)
706. **Helophorus pallidipennis** Mulsant & Wahanru,1852 (Helophoridae)
707. **Hemerobius friedeli** Aspöck & Aspöck,1966 (Hemerobiidae)
708. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
709. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae)
710. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
711. **Hemipterochilus aberrans** (Morawitz,1885) (Vespidae)
712. **Hendrella winnertzi** (Frauenfeld,1864) (Tephritidae)
713. **Hephathus freyi** (Fieber,1868) (Cicadellidae)
714. **Hephathus nanus** (Herrich-Schäffer,1835) (Cicadellidae)
715. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
716. **Herpestomus brunnicornis** (Gravenhorst,1829) (Ichneumonidae)
717. **Hesperocorixa linnaei** (Fieber,1848) (Corixidae)
718. **Heteracris pterostichus** (Fischer von Waldheim,1833) (Acrididae)

719. **Hippodamia (Semiadalia) undecimnotata** (Schneider,1792) (Coccinellidae)
720. **Homodela ismenia** (Gory,1833) (Carabidae)
721. **Hoplitis (Alcidamea) acuticornis** (Dufour & Perris,1840) (Megachilidae)
722. **Hoplitis (Alcidamea) leucomelana** (Kirby,1802) (Megachilidae)
723. **Hoplitis (Alcidamea) tridentata** (Dufour & Perris,1840) (Megachilidae)
724. **Hoplitis (Megalosmia) fulva** (Eversmann,1852) (Megachilidae)
725. **Hoplitis (s.str.) adunca** (Panzer,1798) (Megachilidae)
726. **Hoplitis (s.str.) manicata** (Morice,1901) (Megachilidae)
727. **Hoplitis (Stenosmia) kotschisa** (Warncke,1991) (Megachilidae)
728. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
729. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
730. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
731. **Hyalesthes philesakis** Hoch & Remane,1985 (Cixiidae)
732. **Hyalesthes ponticorum** Hoch & Remane,1985 (Cixiidae)
733. **Hyalesthes yozgaticus** Hoch & Remane,1985 (Cixiidae)
734. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
735. **Hycleus scabiosae** (Olivier,1811) (Meloidea)
736. **Hydrochara dichorama** (Fairmaire,1829) (Hydrophilidae)
737. **Hydrochara flavipes** (Steven,1808) (Hydrophilidae)
738. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
739. **Hydroporus bodemeyeri** Ganglbauer,1900 (Dytiscidae)
740. **Hydroporus marginatus** (Duftschmid,1805) (Dytiscidae)
741. **Hydroporus thracicus** Guéorguiev,1966 (Dytiscidae)
742. **Hygrotus (Coelambus) confluens** (Fabricius,1787) (Dytiscidae)
743. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
744. **Hypera farinosa** Boheman,1842 (Curculionidae)
745. **Hypera pastinacae** (Rossi,1790) (Curculionidae)
746. **Hypera variabilis** (Herbst,1795) (Curculionidae)
747. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
748. **Hypocassida subferruginea** (Schränk,1776) (Chrysomelidae)
749. **Hyposoter didymator** (Thunberg,1822) (Ichneumonidae)
750. **Hyposoter ebeninus** (Gravenhorst,1829) (Ichneumonidae)
751. **Hysteropterum parvissimum** Dlabola,1957 (Issidae)
752. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
753. **Idiocerus herrichii** Kirschbaum,1868 (Cicadellidae)
754. **Idiocerus lituratus** (Fallén,1806) (Cicadellidae)
755. **Idiocerus stigmatalis** Lewis,1834 (Cicadellidae)
756. **Idiocerus vicinus** Melichar,1898 (Cicadellidae)
757. **Ilyocoris cimicoides** (Linnaeus,1758) (Naucoridae)
758. **Iris oratoria** (Linnaeus,1758) (Irididae)
759. **Ischnogasteroides picteti** (Saussure,1852) (Vespidae)
760. **Ischnomera haemorrhoidalis** (W.Schmidt,1846) (Oedemeridae)
761. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
762. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
763. **Isoperla bithynica** (Kempny,1908) (Perlodidae)
764. **Isophya ilkazi** Ramme,1951 (Tettigoniidae)
765. **Isophya karabagi** Uvarov,1940 (Tettigoniidae)
766. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
767. **Isophya pavelii** Brunner von Wattenwyl,1878 (Tettigoniidae)
768. **Isophya rectipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
769. **Isophya stenocauda** Ramme,1951 (Tettigoniidae)
770. **Italochrysa italica** (Rossi,1790) (Chrysopidae)
771. **Itopectis maculator** (Fabricius,1775) (Ichneumonidae)
772. **Itopectis tunetana** (Schmiedeknecht,1914) (Ichneumonidae)
773. **Janetiella lemeci** (Kieffer,1904) (Cecidomyiidae)
774. **Javesella dubia** (Kirschbaum,1868) (Delphacidae)
775. **Javesella obscurella** (Boheman,1847) (Delphacidae)
776. **Javesella pellucida** (Fabricius,1794) (Delphacidae)
777. **Javesella salina** (Haupt,1924) (Delphacidae)
778. **Jucancistrocerus jucundus** (Mocsary,1883) (Vespidae)
779. **Katamenes dimidiatus** (Brullé,1832) (Vespidae)
780. **Katamenes flavigularis** (Blüthgen,1951) (Vespidae)
781. **Katamenes sichelii** (Saussure,1852) (Vespidae)
782. **Kelisia melanops** Fieber,1878 (Delphacidae)
783. **Kelisia monoceros** Ribaut,1934 (Delphacidae)
784. **Kelisia ribauti** Wagner,1938 (Delphacidae)
785. **Kervillea ancyrana** Bergevin,1918 (Issidae)
786. **Kervillea parvissima** (Dlabola,1957) (Issidae)
787. **Kokujewia ectrapela** Konow,1902 (Argidae)
788. **Kropka unipunctata** (Dlabola,1957) (Cicadellidae)
789. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
790. **Kybos candelabricus** Dlabola,1958 (Cicadellidae)
791. **Kybos virgator** (Ribaut,1933) (Cicadellidae)
792. **Labidostomis decipiens** Faldermann,1837 (Chrysomelidae)
793. **Labidostomis longimana** (Linnaeus,1761) (Chrysomelidae)
794. **Labidostomis maculipennis** Lefebvre,1870 (Chrysomelidae)

795. **Labidostomis mesopotamica** Heyden, 1886 (Chrysomelidae)
796. **Labidostomis rufa** (Waltl, 1838) (Chrysomelidae)
797. **Laburrus handlirschi** (Matsumura, 1908) (Cicadellidae)
798. **Laccobius (Dimorpholaccobius) chiesai Gentili, 1982** (Hydrophilidae)
799. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa, 1966 (Hydrophilidae)
800. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg, 1874 (Hydrophilidae)
801. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont, 1932 (Hydrophilidae)
802. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius, 1801) (Hydrophilidae)
803. **Laccobius (Dimorpholaccobius) sulcatulus** Reitter, 1909 (Hydrophilidae)
804. **Laccobius (Dimorpholaccobius) syriacus Guillebeau, 1896** (Hydrophilidae)
805. **Laccobius (s.str.) albipes** Kuwert, 1890 (Hydrophilidae)
806. **Laccophilus minutus** (Linnaeus, 1758) (Dytiscidae)
807. **Laena angorensis** Reitter, 1899 (Tenebrionidae)
808. **Lamachus splendor** Aubert, 1989 (Ichneumonidae)
809. **Laodelphax striatellus** (Fallén, 1826) (Delphacidae)
810. **Larinus jaceae** (Fabricius, 1775) (Curculionidae)
811. **Lasiambia albidipennis** (Strobl, 1893) (Chloropidae)
812. **Lasioglossum (Evyllaesus) mesosclerum (Pérez, 1903)** (Halictidae)
813. **Lasioglossum (s.str.) caspicum (Morawitz, 1873)** (Halictidae)
814. **Lasioglossum cristulum** (Pérez, 1895) (Halictidae)
815. **Lasioglossum fahringeri** Friese, 1921 (Halictidae)
816. **Lasius alienus** (Förster, 1850) (Formicidae)
817. **Latibulus argiolus** (Rossi, 1790) (Ichneumonidae)
818. **Leptochilus limbiferus** (Morawitz, 1867) (Vespidae)
819. **Leptochilus membranaceus** (Morawitz, 1867) (Vespidae)
820. **Leptochilus mimulus** Gusenleitner, 1970 (Vespidae)
821. **Leptochilus neutralis** (Giordani Soika, 1943) (Vespidae)
822. **Leptochilus regulus** Saussure, 1855 (Vespidae)
823. **Leptochilus tarsatiformis** (Giordani Soika, 1943) (Vespidae)
824. **Leptodiplosis polypori** (Loew, 1850) (Cecidomyiidae)
825. **Lepyronia coleoptrata** (Linnaeus, 1758) (Cercopidae)
826. **Lertha ledereri** (Selys-Longchamps, 1866) (Nemopteridae)
827. **Lertha schmidti** (H. Aspöck, U. Aspöck & Hölzel, 1984) (Nemopteridae)
828. **Lestes barbarus** (Fabricius, 1798) (Lestidae)
829. **Lestes dryas** Kirby, 1890 (Lestidae)
830. **Lestes macrostigma** (Eversmann, 1836) (Lestidae)
831. **Lestes parvidens** Artobolevski, 1929 (Lestidae)
832. **Lestes sponsa** (Hansemann, 1823) (Lestidae)
833. **Lestes virens** (Charpentier, 1825) (Lestidae)
834. **Leucopis silesiaca** Egger, 1862 (Chamaemyiidae)
835. **Leuctra hippopus** Kempny, 1899 (Leuctridae)
836. **Libelloides lacteus** (Brullé, 1832) (Ascalaphidae)
837. **Libelloides macaronius** (Scopoli, 1763) (Ascalaphidae)
838. **Libelloides ottomanus** (Germar, 1817) (Ascalaphidae)
839. **Libelloides rhomboideus (Schneider, 1845)** (Ascalaphidae)
840. **Libellula depressa** Linnaeus, 1758 (Libellulidae)
841. **Limonius minutus** (Linnaeus, 1758) (Elateridae)
842. **Limotettix striola** (Fallén, 1806) (Cicadellidae)
843. **Linnavuoriana sexmaculata (Hardy, 1850)** (Cicadellidae)
844. **Liriomyza trifolii** (Burgess, 1880) (Agromyzidae)
845. **Lissonota (s.str.) mutator** Aubert, 1969 (Ichneumonidae)
846. **Livia mediterranea** Loginova, 1974 (Psyllidae)
847. **Lixus elegantulus** Boheman, 1843 (Curculionidae)
848. **Lixus iridis** Olivier, 1807 (Curculionidae)
849. **Lixus nordmanni** Hochhuht, 1847 (Curculionidae)
850. **Lixus subtilis** Boheman, 1836 (Curculionidae)
851. **Lixus vilis** (Rossi, 1790) (Curculionidae)
852. **Loboptera decipiens** (Germar, 1817) (Blattidae)
853. **Locusta migratoria** (Linnaeus, 1758) (Acrididae)
854. **Longitarsus absynthii** Kutschera, 1862 (Chrysomelidae)
855. **Longitarsus anatolicus** Weise, 1900 (Chrysomelidae)
856. **Longitarsus angorensis** Gruev & Kasap, 1985 (Chrysomelidae)
857. **Longitarsus aramaicus** Leonardi, 1979 (Chrysomelidae)
858. **Longitarsus aubozaorum** Biondi, 1997 (Chrysomelidae)
859. **Longitarsus exsoletus** (Linnaeus, 1758) (Chrysomelidae)
860. **Longitarsus fallax** Weise, 1888 (Chrysomelidae)
861. **Longitarsus fuscoaeneus** Redtenbacher, 1859 (Chrysomelidae)
862. **Longitarsus hittita** Biondi, 1995 (Chrysomelidae)
863. **Longitarsus iconiensis** Weise, 1900 (Chrysomelidae)
864. **Longitarsus luridus** (Scopoli, 1763) (Chrysomelidae)
865. **Longitarsus lycopi** (Foudras, 1860) (Chrysomelidae)

866. **Longitarsus melanocephalus** (De Geer,1775) (Chrysomelidae)
867. **Longitarsus nigrofasciatus** (Goeze,1777) (Chrysomelidae)
868. **Longitarsus picicollis** Weise,1900 (Chrysomelidae)
869. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae)
870. **Longitarsus rectilineatus** (Foudras,1860) (Chrysomelidae)
871. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
872. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
873. **Lycoriella solani** (Winnertz,1871) (Sciaridae)
874. **Lycocoris campestris** (Fabricius,1794) (Anthocoridae)
875. **Lydus trimaculatus** (Fabricius,1775) (Meloidae)
876. **Lydus turcicus** Kaszab,1952 (Meloidae)
877. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
878. **Lygus gemellatus** (Herrich-Schäffer,1835) (Miridae)
879. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
880. **Macrolophus melanotoma** (Costa,1852) (Miridae)
881. **Macrolophus nubilus** (Herrich-Schäffer,1835) (Miridae)
882. **Macronemurus bilineatus** Brauer,1868 (Myrmeleonidae)
883. **Macronychia (s.str.) lemariei** Jacentkovsky,1941 (Sarcophagidae)
884. **Macrophya annulata** Geoffroy,1785 (Tenthredinidae)
885. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
886. **Macrophya cyrus** Benson,1954 (Tenthredinidae)
887. **Macrophya postica** Brullé,1832 (Tenthredinidae)
888. **Macrophya suberba** Tischbein,1852 (Tenthredinidae)
889. **Macropsidius ioculator** Dlabola,1963 (Cicadellidae)
890. **Macropsis cerea** (Germar,1837) (Cicadellidae)
891. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
892. **Macropsis megerlei** (Fieber,1868) (Cicadellidae)
893. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae)
894. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
895. **Macrosteles forficula** (Ribaut,1927) (Cicadellidae)
896. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
897. **Macrosteles lividus** (Edwards,1894) (Cicadellidae)
898. **Macrosteles ossiannilssoni** Lindberg,1954 (Cicadellidae)
899. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
900. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
901. **Macrosteles sordidipennis** (Stal,1858) (Cicadellidae)
902. **Macrosteles viridigriseus** (Edwards,1922) (Cicadellidae)
903. **Macrostylus anaticus** Hoberlandt,1961 (Miridae)
904. **Maladera (Macroserica) armeniaca** Reitter,1896 (Scarabaeidae)
905. **Malenia bosnica** (Horvath,1907) (Derbidae)
906. **Mannerheimia brevipennis** (Motschoulsky,1860) (Staphylinidae)
907. **Mantis religiosa** (Linnaeus,1758) (Mantidae)
908. **Mantispa styriaca** (Poda,1761) (Mantispidae)
909. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
910. **Mayetiola destructor** (Say,1817) (Cecidomyiidae)
911. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
912. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae)
913. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
914. **Megabombus armeniacus** (Radoszkowski,1877) (Apidae)
915. **Megabombus humilis** (Illiger,1806) (Apidae)
916. **Megabombus mesomelas** (Gerstaecker,1869) (Apidae)
917. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
918. **Megabombus zonatus** (Smith,1854) (Apidae)
919. **Megachile (Eutricharaea) apicalis** Spinola,1808 (Megachilidae)
920. **Megachile (Eutricharaea) deceptor** Perez,1890 (Megachilidae)
921. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
922. **Megachile (Eutricharaea) rotundata** (Fabricius,1787) (Megachilidae)
923. **Megachile (s.str.) pilicrus** Morawitz,1878 (Megachilidae)
924. **Megachile (s.str.) pyrenaea** Perez,1890 (Megachilidae)
925. **Megachile (Xanthosarus) giraudi** Gerstaecker,1869 (Megachilidae)
926. **Megachile (Xanthosarus) lagopoda** (Linnaeus,1761) (Megachilidae)
927. **Megachile (Xanthosarus) maritima** (Kirby,1802) (Megachilidae)
928. **Megadelphax sordidula** (Stål,1853) (Delphacidae)
929. **Megalocoleus dissimilis** (Reuter,1876) (Miridae)
930. **Megalocoleus exsanguis** (Herrich-Schäffer,1835) (Miridae)
931. **Megascolia maculata** (Drury,1773) (Scoliidae)
932. **Megaselia berndseni** (Schmitz,1919) (Phoridae)
933. **Megaselia coetanea** Schmitz,1929 (Phoridae)
934. **Megaselia flavicans** Schmitz,1935 (Phoridae)
935. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae)
936. **Melanagromyza heracleana** Zlobin,2005 (Agromyzidae)

937. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
938. **Meligethes tauricus** Jelinek &
Spornraft,1979 (Nitidulidae)
939. **Meloboris collector** (Thunberg,1822)
(Ichneumonidae)
940. **Meloe erythrocnemus** Pallas,1782
(Meloidae)
941. **Meloe proscarabaeus** Linnaeus,1758
(Meloidae)
942. **Meloe rugosus** Marsham,1802 (Meloidae)
943. **Merodon aureotibia** Hurkmans,1993
(Syrphidae)
944. **Merodon vandergooti** Hurkmans,1993
(Syrphidae)
945. **Mesagallia georgii** Zachvatkin,1946
(Cicadellidae)
946. **Metacantharis clypeata** (Illiger,1798)
(Cantharidae)
947. **Metacnephia subalpina** (Rubtsov,1956)
(Simuliidae)
948. **Metasyrphus corollae** (Fabricius,1794)
(Syrphidae)
949. **Metrioptera (Roeseliana) bispina**
(Bolivar,1899) (Tettigoniidae)
950. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
951. **Micantulina (Mulsantina) teucarii**
(Cerutti,1938) (Cicadellidae)
952. **Microdynerus confinis**
Gusenleitner,1979 (Vespidae)
953. **Microdynerus eurasius** Blüthgen,1938
(Vespidae)
954. **Microdynerus microdynerus** (Dalla
Torre,1889) (Vespidae)
955. **Microdynerus mirandus** (Giordani
Soika,1947) (Vespidae)
956. **Micronecta griseola** (Linnaeus,1758)
(Corixidae)
957. **Microptilis strenua** Reinhard,1880
(Braconidae)
958. **Mocuellus dlabolai** Kalkandelen,1972
(Cicadellidae)
959. **Mocuellus foxi** Kalkandelen,1972
(Cicadellidae)
960. **Mocuellus quadricornis** Dlabola,1949
(Cicadellidae)
961. **Mocuellus zelihae** Kalkandelen,1972
(Cicadellidae)
962. **Mocydia aegae** Abdul-Nour,1988
(Cicadellidae)
963. **Mocydia crocea** (Herrich-Schäffer,1837)
(Cicadellidae)
964. **Mocydiopsis parvicauda** Ribaut,1939
(Cicadellidae)
965. **Modicogryllus (Eumodicogryllus)**
burdigalensis (Latreille,1804) (Gryllidae)
966. **Modicogryllus (s.str.) frontalis**
(Fieber,1844) (Gryllidae)
967. **Modicogryllus (s.str.) truncatus**
(Tarbinski,1940) (Gryllidae)
968. **Mogangella straminea** Dlabola,1957
(Cicadellidae)
969. **Monosteira pardoi** E.Wagner,1961
(Tingidae)
970. **Muirodelphax aubei** (Perris,1857)
(Delphacidae)
971. **Muscina levida** (Harris,1780) (Muscidae)
972. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
973. **Mycetophila alea** Laffoon,1965
(Mycetophilidae)
974. **Mycetophila blanda** Winnertz,1863
(Mycetophilidae)
975. **Mycetophila fungorum** (DeGeer,1776)
(Mycetophilidae)
976. **Mycterodus (s.str.) denticulatus**
Lindberg,1948 (Issidae)
977. **Mycterodus (s.str.) rostratulus**
Emeljanov,1964 (Issidae)
978. **Mylabris cingulata** Faldermann,1837
(Meloidae)
979. **Mylabris fabricii** Sumakov,1924
(Meloidae)
980. **Mylabris geminata** Fabricius,1798
(Meloidae)
981. **Mylabris olivieri** Billberg,1813 (Meloidae)
982. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
983. **Mylabris scabiosae** (Olivier,1811)
(Meloidae)
984. **Mylabris variabilis** (Pallas,1782)
(Meloidae)
985. **Mylabris zebraea** (Marseul,1870)
(Meloidae)
986. **Myndus musivus** (Germar,1825) (Cixiidae)
987. **Myriochile (s.str.) melancholica**
(Fabricius,1798) (Carabidae)
988. **Myrmecaelurus trigrammus**
(Pallas,1781) (Myrmeleionidae)
989. **Myrmecaelurus trigrammus**
(Pallas,1781) (Myrmeleionidae)
990. **Myrmica scabrinodis** Nylander,1846
(Formicidae)
991. **Myrmilla (Pseudomutilla) vutshetitshi**
Skorikov,1927 (Mutillidae)
992. **Myrmilla (s.str.) calva** (Villers,1789)
(Mutillidae)
993. **Nabis limbatus** Duda,1851 (Nabidae)
994. **Nabis palifer** Seidenstücker,1954
(Nabidae)
995. **Nabrioporus suavis** (Sharp,1882)
(Dytiscidae)
996. **Neides tipularius** (Linnaeus,1758)
(Berytidae)
997. **Nemeritis specularis** Horstmann,1975
(Ichneumonidae)
998. **Nemka viduata** (Pallas,1773) (Mutillidae)
999. **Nemognatha chrysomelina**
(Fabricius,1775) (Meloidae)
1000. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
1001. **Nemoura cinerea** (Retzius,1783)
(Nemouridae)
1002. **Nemoura flexuosa** Aubert,1949
(Nemouridae)
1003. **Nemoura taurica** Zhiltzova,1967
(Nemouridae)
1004. **Neoliturus dubiosus** (Matsumura,1908)
(Cicadellidae)
1005. **Neoliturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
1006. **Neoliturus guttulatus**
(Kirschbaum,1868) (Cicadellidae)
1007. **Neocrepidodera ferruginea**
(Scopoli,1763) (Chrysomelidae)

1008. **Neocrepidodera transversa** (Marshall,1802) (Chrysomelidae)
1009. **Neophilaenus albipennis** (Fabricius,1798) (Cercopidae)
1010. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
1011. **Neophilaenus lineatus** (Linnaeus,1758) (Cercopidae)
1012. **Neophilaenus minor** (Kirschbaum,1868) (Cercopidae)
1013. **Nephrotoma appendiculata** (Pierre,1919) (Tipulidae)
1014. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
1015. **Nephus quadrimaculatus** (Herbst,1783) (Coccinellidae)
1016. **Neuroleon occultus** (Navas,1914) (Myrmeleonidae)
1017. **Nicticoris wagneri** Hoberlandt,1961 (Miridae)
1018. **Nineta carinthiaca** (Hölzel,1965) (Chrysopidae)
1019. **Noterus clavicornis** (De Geer,1774) (Noteridae)
1020. **Noterus clavicornis** (De Geer,1774) (Noteridae)
1021. **Notonecta glauca** Linnaeus,1758 (Notonectidae)
1022. **Notonecta meridionalis** Poisson,1926 (Notonectidae)
1023. **Notonecta viridis** Delcourt,1909 (Notonectidae)
1024. **Nymphorgerius curticeps** (Linnavuori,1965) (Dictyopharidae)
1025. **Nysius cymoides** (Spinola,1834) (Lygaeidae)
1026. **Ochrosis ventralis** (Illiger,1807) (Chrysomelidae)
1027. **Odinadiplosis amygdali** (Anagnostopoulos,1929) (Cecidomyiidae)
1028. **Odynerus melanocephalus** (Gmelin,1790) (Vespidae)
1029. **Odynerus poecilus** Saussure,1856 (Vespidae)
1030. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
1031. **Oedaleus decorus** (Germar,1817) (Acrididae)
1032. **Oedemera (s.str.) crassipes** Ganglbauer,1881 (Oedemeridae)
1033. **Oedemera (s.str.) flavipes** (Fabricius,1792) (Oedemeridae)
1034. **Oedemera (s.str.) lurida** (Marshall,1802) (Oedemeridae)
1035. **Oedemera (s.str.) pthysica** (Scopoli,1763) (Oedemeridae)
1036. **Oedipoda aurea** Uvarov,1923 (Acrididae)
1037. **Oedipoda caerulescens** (Linnaeus,1758) (Acrididae)
1038. **Oedipoda germanica** (Latreille,1804) (Acrididae)
1039. **Oedipoda miniata** (Pallas,1771) (Acrididae)
1040. **Oedipoda schochi** Saussure,1884 (Acrididae)
1041. **Oenas crassicornis** (Illiger,1800) (Meloidae)
1042. **Oenopia conglobata** (Linnaeus,1758) (Coccinellidae)
1043. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
1044. **Olesicampe macellator** (Thunberg,1822) (Ichneumonidae)
1045. **Oliarus panzeri** (Loew,1883) (Cixiidae)
1046. **Omalius cinnamomeum** Kraatz,1857 (Staphylinidae)
1047. **Omalius cribriceps** Fauvel,1900 (Staphylinidae)
1048. **Ommatidiotus dissimilis** (Fallén,1806) (Caliscelidae)
1049. **Ommatidiotus inconspicuus** Stål,1863 (Caliscelidae)
1050. **Omocestus (s.str.) haemorrhoidalis** (Charpentier,1825) (Acrididae)
1051. **Omocestus (s.str.) nanus** Uvarov,1934 (Acrididae)
1052. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)
1053. **Oncotylus setulosus** (Herrich-Schäffer,1837) (Miridae)
1054. **Oncotylus viridiflavus** (Goeze,1778) (Miridae)
1055. **Onthophagus (Palaeonthophagus) angorensis** Petrovitz,1963 (Scarabaeidae)
1056. **Onthophagus (Palaeonthophagus) isikdaghensis** Pittino,2004 (Scarabaeidae)
1057. **Onthophagus (Palaeonthophagus) rakovici** Pittino,2004 (Scarabaeidae)
1058. **Onychogomphus flexuosus** (Schneider,1845) (Gomphidae)
1059. **Onychopterocheilus hellenicus** (Morawitz,1885) (Vespidae)
1060. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
1061. **Ophion minutus** Kriechbaumer,1879 (Ichneumonidae)
1062. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
1063. **Opsius lethierryi** Wagner,1942 (Cicadellidae)
1064. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
1065. **Orellia falcata** (Scopoli,1763) (Tephritidae)
1066. **Orellia quadratula** (Loew,1869) (Tephritidae)
1067. **Orellia steropea** (Rondani,1870) (Tephritidae)
1068. **Orthetrum chrysostigmum** (Burmeister,1839) (Libellulidae)
1069. **Orthops basalus** (Costa,1852) (Miridae)
1070. **Orthotylus minutus** Jakovlev,1877 (Miridae)
1071. **Orthotylus nassatus** (Fabricius,1787) (Miridae)
1072. **Orthotylus virescens** (Douglas & Scott,1865) (Miridae)
1073. **Osmia (Helicosmia) aurulenta** (Panzer,1799) (Megachilidae)
1074. **Osmia (Helicosmia) caerulescens** (Linnaeus,1758) (Megachilidae)
1075. **Osmia (Helicosmia) dimidiata** Morawitz,1870 (Megachilidae)
1076. **Osmia (Hemiosmia) difficilis** Morawitz,1875 (Megachilidae)
1077. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae)
1078. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae)

1079. **Osmia (Tergosmia) pratincola**
Warncke,1988 (Megachilidae)
1080. **Osmia (Tergosmia) tergestensis**
Ducke,1897 (Megachilidae)
1081. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
1082. **Oxythyrea funesta (Poda,1761)**
(Scarabaeidae)
1083. **Pachybrachis (s.str.) excisus Weise,1897**
(Chrysomelidae)
1084. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
1085. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
1086. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae)
1087. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
1088. **Pachyscelis villosa (Drapiez,1820)**
(Tenebrionidae)
1089. **Palpares libelluloides (Linnaeus,1764)**
(Myrmeleonidae)
1090. **Paluda vitripennis (Flor,1861)**
(Cicadellidae)
1091. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
1092. **Panorpa picta Hagen,1863** (Panorpidae)
1093. **Pantorhaestes xanthostomus**
(Gravenhorst,1829) (Ichneumonidae)
1094. **Paracinema tricolor (Thunberg,1815)**
(Acrididae)
1095. **Paracorixa concinna (Fieber,1848)**
(Corixidae)
1096. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae)
1097. **Paragus (Pandasyophtalmus) tibialis**
(Fallén,1817) (Syrphidae)
1098. **Paragus (s.str.) albifrons (Fallén,1817)**
(Syrphidae)
1099. **Paragymnomerus amitinorum**
Blüthgen,1938 (Vespidae)
1100. **Paramesus major Haupt,1927**
(Cicadellidae)
1101. **Paramesus obtusifrons (Stal,1853)**
(Cicadellidae)
1102. **Paranocaracris citripes (Uvarov,1949)**
(Pamphagidae)
1103. **Paranocaracris rubripes (Fischer von Waldheim,1846)** (Pamphagidae)
1104. **Paranocarodes atympanicus**
Ramme,1951 (Pamphagidae)
1105. **Paranocarodes fieberi (Brunner von Wattenwyl,1882)** (Pamphagidae)
1106. **Paratettix meridionalis (Rambur,1838)**
(Tetrigidae)
1107. **Pareumenes laminatus**
(Kriechbaumer,1879) (Vespidae)
1108. **Parodontodynerus ephippium**
(Klug,1817) (Vespidae)
1109. **Pausias martini (Puton,1890)**
(Pentatomidae)
1110. **Pedestredorcadion bodemeyeri**
(Daniel,1900) (Cerambycidae)
1111. **Pedestredorcadion bremeri**
(Breuning,1981) (Cerambycidae)
1112. **Pedestredorcadion cinerarium**
(Fabricius,1787) (Cerambycidae)
1113. **Pedestredorcadion escherichi**
(Ganglbauer,1897) (Cerambycidae)
1114. **Pedestredorcadion haemorrhoidale**
(Hampe,1852) (Cerambycidae)
1115. **Pedestredorcadion infernale (Mulsant & Rey,1863)** (Cerambycidae)
1116. **Pedestredorcadion subvestitum**
(Daniel,1900) (Cerambycidae)
1117. **Pedicia (Crunobia) zernyi**
(Lackschewitz,1940) (Pediidae)
1118. **Pedinpompilus orbitalis (Haupt,1962)**
(Pompilidae)
1119. **Pedinus (s.str.) kiesenwetteri**
Seidlitz,1893 (Tenebrionidae)
1120. **Pedinus (s.str.) strabonis Seidlitz,1893**
(Tenebrionidae)
1121. **Pediobius metallicus (Nees,1834)**
(Eulophidae)
1122. **Peirates hybridus (Scopoli,1763)**
(Reduviidae)
1123. **Peirates strepitans (Rambur,1839)**
(Reduviidae)
1124. **Peltonotellus punctifrons Horvath,1895**
(Caliscelidae)
1125. **Pentastira major (Kirschbaum,1868)**
(Cixiidae)
1126. **Pentastira megista Emeljanov,1978**
(Cixiidae)
1127. **Pentastiridius leporinus (Linnaeus,1761)**
(Cixiidae)
1128. **Pentastiridius nanus (Ivanoff,1885)**
(Cixiidae)
1129. **Penthimia nigra (Goeze,1778)**
(Cicadellidae)
1130. **Pentodon idiota (Herbst,1789)**
(Scarabaeidae)
1131. **Perithous scurra (Panzer,1804)**
(Ichneumonidae)
1132. **Perla marginata (Panzer,1799)** (Perlidae)
1133. **Perlamantisa perla (Pallas,1772)**
(Mantispidae)
1134. **Perlodes microcephala (Pictet,1833)**
(Perlodidae)
1135. **Pezodrymadusa angorensis**
(Uvarov,1930) (Tettigoniidae)
1136. **Pezotettix anatolica Uvarov,1934**
(Acrididae)
1137. **Phaedon cochleariae (Fabricius,1792)**
(Chrysomelidae)
1138. **Phaedon pyritosus (Rossi,1792)**
(Chrysomelidae)
1139. **Phaenolobus major Szepligeti,1914**
(Ichneumonidae)
1140. **Phalacrotophora fasciata (Fallén,1823)**
(Phoridae)
1141. **Phaneroptera (s.str.) nana Fieber,1853**
(Tettigoniidae)
1142. **Phanerotoma (Bracotritoma) capeki**
Achtelberg,1990 (Braconidae)
1143. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae)
1144. **Phaonia subventa (Harris,1780)**
(Muscidae)
1145. **Pheidole pallidula (Nylander,1848)**
(Formicidae)
1146. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)
1147. **Philipomyia aprica (Meigen,1820)**
(Tabanidae)
1148. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae)

1149. **Phlepsius ornatus** (Perris,1857)
(Cicadellidae)
1150. **Phratora tibialis** (Suffrian,1851)
(Chrysomelidae)
1151. **Phratora vitellinae** (Linnaeus,1758)
(Chrysomelidae)
1152. **Phyllotreta astrachanica** Lopatin,1977
(Chrysomelidae)
1153. **Phyllotreta atra** (Fabricius,1775)
(Chrysomelidae)
1154. **Phyllotreta caucasicola**
Heikertinger,1941 (Chrysomelidae)
1155. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
1156. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
1157. **Phyllotreta diademata** Foudras,1860
(Chrysomelidae)
1158. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
1159. **Phyllotreta nemorum** (Linnaeus,1758)
(Chrysomelidae)
1160. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
1161. **Phyllotreta nodicornis** (Marsham,1802)
(Chrysomelidae)
1162. **Phyllotreta procera** (Redtenbacher,1849)
(Chrysomelidae)
1163. **Phyllotreta sisymbrii** Weise,1888
(Chrysomelidae)
1164. **Phyllotreta variipennis** (Boieldieu,1859)
(Chrysomelidae)
1165. **Phyllotreta vittula** (Redtenbacher,1849)
(Chrysomelidae)
1166. **Phyllotreta wiseana** Jacobson,1901
(Chrysomelidae)
1167. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
1168. **Physocephala zaitsevi** Zimina,1979
(Conopidae)
1169. **Phytomyza lappae** Goureau,1851
(Agromyzidae)
1170. **Piesma (Parapiesma) salsolae**
(Becker,1867) (Piesmatidae)
1171. **Piesma (s.str.) capitatum** (Wolff,1804)
(Piesmatidae)
1172. **Pignatellus irroratus** (Olivier,1811)
(Myrmeleonidae)
1173. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
1174. **Pimelia (Eurypimelia) subglobosa**
(Pallas,1781) (Tenebrionidae)
1175. **Pimelia (Eurypimelia) timarchoides**
Ménétriés,1836 (Tenebrionidae)
1176. **Pimelia (Gedeon) wernerii**
Ganglbauer,1905 (Tenebrionidae)
1177. **Pimpla hypochondriaca** (Retzius,1783)
(Ichneumonidae)
1178. **Pimpla illecebrator** (Villers,1799)
(Ichneumonidae)
1179. **Pimpla turionellae** (Linnaeus,1758)
(Ichneumonidae)
1180. **Piocoris erythrocephalus** (P. & S.,1825)
(Lygaeidae)
1181. **Piocoris luridus** (Fieber,1844) (Lygaeidae)
1182. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
1183. **Platycheirus angustatus**
(Zetterstedt,1843) (Syrphidae)
1184. **Platycleis (Montana) ankarensis**
(Karabağ,1950) (Tettigoniidae)
1185. **Platycleis (Montana) elegans**
(Uvarov,1934) (Tettigoniidae)
1186. **Platycleis (Montana) schereri**
Werner,1905 (Tettigoniidae)
1187. **Platycleis (Montana) taurica**
Bolivar,1899 (Tettigoniidae)
1188. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
1189. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
1190. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
1191. **Platymetopius (Quernus) curvatus**
Dlabola,1974 (Cicadellidae)
1192. **Platymetopius (s.str.) filigranus**
(Scott,1876) (Cicadellidae)
1193. **Platymetopius (s.str.) henribauti**
Dlabola,1961 (Cicadellidae)
1194. **Platymetopius (s.str.) undatus** (De
Geer,1773) (Cicadellidae)
1195. **Platymetopius cruentatus** Haupt,1927
(Cicadellidae)
1196. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
1197. **Platymetopius rostratus** (Herrich-
Schäffer,1834) (Cicadellidae)
1198. **Platynaspis luteorubra** (Goeze,1777)
(Coccinellidae)
1199. **Plea leachi** Mc Gregor,1899 (Pleidae)
1200. **Plea minutissima** Leach,1817 (Pleidae)
1201. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
1202. **Poecilimon adentatus** Ramme,1933
(Tettigoniidae)
1203. **Poecilimon cervus** Karabağ,1950
(Tettigoniidae)
1204. **Poecilimon excisus** Karabağ,1950
(Tettigoniidae)
1205. **Poecilimon glandifer** Karabağ,1950
(Tettigoniidae)
1206. **Poecilimon inflatus** Brunner von
Wattenwyl,1891 (Tettigoniidae)
1207. **Poecilimon karabagi** (Ramme,1942)
(Tettigoniidae)
1208. **Poecilimon uvarovi** Ramme,1933
(Tettigoniidae)
1209. **Poecilimon zonatus** Bolivar,1899
(Tettigoniidae)
1210. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
1211. **Polistes (s.str.) biglumis** (Linnaeus,1758)
(Vespidae)
1212. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
1213. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
1214. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
1215. **Polistes (s.str.) sulcifer**
(Zimmermann,1930) (Vespidae)
1216. **Polymerus cognatus** (Fieber,1858)
(Miridae)
1217. **Polymerus vulneratus** (Wolff,1801)
(Miridae)
1218. **Polyphaga aegyptiaca** (Linnaeus,1758)
(Polyphagidae)

1219. **Pontoperla teberdinica** (Balinsky,1950)
(Chloroperlidae)
1220. **Populicerus populi** (Linnaeus,1761)
(Cicadellidae)
1221. **Populicerus sharifi** Dlabola,1977
(Cicadellidae)
1222. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
1223. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
1224. **Priocnemis massaliensis** Soyer,1945
(Pompilidae)
1225. **Priocnemis propinqua** (Lepeletier,1847)
(Pompilidae)
1226. **Priopoda stictica** (Fabricius,1799)
(Ichneumonidae)
1227. **Proceps acicularis** Mulsant & Rey,1855
(Cicadellidae)
1228. **Promethes sulcator** (Gravenhorst,1829)
(Ichneumonidae)
1229. **Prosimulium (s.str.) rachiliense**
Djafarov,1954 (Simuliidae)
1230. **Prosternon syriacum** (Buysson,1891)
(Elateridae)
1231. **Protaetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
1232. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
1233. **Protonemura bacuriana** Zhiltzova,1957
(Nemouridae)
1234. **Protonemura bithynica** Aubert,1964
(Nemouridae)
1235. **Protonemura praecox** (Morton,1894)
(Nemouridae)
1236. **Psallus atomosus** Reuter,1878 (Miridae)
1237. **Psallus carduelus** Horvath,1888 (Miridae)
1238. **Psallus pumilus** (Jakovlev,1876) (Miridae)
1239. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
1240. **Psammotettix cephalotes** (Herrich-
Schäffer,1834) (Cicadellidae)
1241. **Psammotettix comitans** Emelyanov,1964
(Cicadellidae)
1242. **Psammotettix confinis** (Dahlbom,1850)
(Cicadellidae)
1243. **Psammotettix helvolus**
(Kirschbaum,1868) (Cicadellidae)
1244. **Psammotettix ornaticeps** (Horvath,1897)
(Cicadellidae)
1245. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
1246. **Psammotettix provincialis** (Ribaut,1925)
(Cicadellidae)
1247. **Psammotettix striatus** (Linnaeus,1758)
(Cicadellidae)
1248. **Pseudepipona (Deuterepipona)**
ankarensis Giordani Soika,1970 (Vespidae)
1249. **Pseudepipona (Deuterepipona) ionia**
(Saussure,1855) (Vespidae)
1250. **Pseudepipona (s.str.) lativentris**
(Saussure,1855) (Vespidae)
1251. **Pseudepipona herrichii**
(Saussure,[1856]) (Vespidae)
1252. **Psiliglossa odyneroides** (Saunders,1872)
(Vespidae)
1253. **Psylliodes chalcomerus** (Illiger,1807)
(Chrysomelidae)
1254. **Psylliodes chrysocephalus**
(Linnaeus,1758) (Chrysomelidae)
1255. **Psylliodes dulcamarae** (Koch,1803)
(Chrysomelidae)
1256. **Psylliodes instabilis** Foudras,1860
(Chrysomelidae)
1257. **Psylliodes luteolus** (O.F.Müller,1776)
(Chrysomelidae)
1258. **Psylliodes napi** (Fabricius,1792)
(Chrysomelidae)
1259. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
1260. **Psyllobora vigintiduopunctata**
(Linnaeus,1758) (Coccinellidae)
1261. **Pteronemobius (s.str.) heydeni**
(Fischer,1853) (Gryllidae)
1262. **Pteronemobius (s.str.) heydenii**
(Fischer,1853) (Gryllidae)
1263. **Pygmaeolus turcicus** Kolarov,1993
(Ichneumonidae)
1264. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
1265. **Pyrgomorpha cognata** Krauss,1877
(Pyrgomorphidae)
1266. **Pyrgomorpha conica** (Olivier,1791)
(Pyrgomorphidae)
1267. **Pyrobombus niveatus**
(Kriechbaumer,1870) (Apidae)
1268. **Pyrrhocoris apterus** (Linnaeus,1758)
(Pyrrhocoridae)
1269. **Pyrrhocoris marginatus** (Kolenati,1845)
(Pyrrhocoridae)
1270. **Rabdophaga heterobia** (Loew,1850)
(Cecidomyiidae)
1271. **Rabdophaga saliciperda** (Dufour,1841)
(Cecidomyiidae)
1272. **Rabdophaga salicis** (Schränk,1803)
(Cecidomyiidae)
1273. **Rabdophaga strobilina** (Bremi,1847)
(Cecidomyiidae)
1274. **Raiboscelis syriacus** (Reiche,1861)
(Tenebrionidae)
1275. **Ramburiella bolivari** (Kuthy,1907)
(Acrididae)
1276. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
1277. **Rammehippus turcicus** (Ramme,1939)
(Acrididae)
1278. **Ranissus punctiger** (Horvath,1905)
(Dictyopharidae)
1279. **Raphidia (Magnoraphidia) robusta**
Aspöck & Aspöck,1966 (Raphidiidae)
1280. **Raphidia (Pontoraphidia) pontica**
Albarda,1891 (Raphidiidae)
1281. **Raphidia (Turcoraphidia) acerba**
H.Aspöck & U.Aspöck,1966 (Raphidiidae)
1282. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
1283. **Raphiglossa eumenoides** Saunders,1850
(Vespidae)
1284. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
1285. **Reptalus (s.str.) horridus**
(Linnavuori,1962) (Cixiidae)
1286. **Reptalus (s.str.) melanochaetus**
(Fieber,1876) (Cixiidae)
1287. **Reptalus (s.str.) panzeri** (Loew,1883)
(Cixiidae)
1288. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)

1289. **Reptalus (Trepalus) rufocarinatus** (Kusnezov,1937) (Cixiidae)
1290. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
1291. **Rhoananus hypochlorus** (Fieber,1869) (Cicadellidae)
1292. **Rhogogaster chlorosoma** Benson,1943 (Tenthredinidae)
1293. **Rhynchites aereipennis** Desbrochers,1895 (Attelabidae)
1294. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
1295. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
1296. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
1297. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
1298. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
1299. **Rhyparochromus alboacuminatus** (Goeze,1778) (Lygaeidae)
1300. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
1301. **Rhyparochromus minusculatus** (Reuter,1885) (Lygaeidae)
1302. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
1303. **Rhyparochromus pini** (Linnaeus,1758) (Lygaeidae)
1304. **Rhyparochromus quadratus** (Fabricius,1798) (Lygaeidae)
1305. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
1306. **Rhyparochromus validus** (Horvath,1875) (Lygaeidae)
1307. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
1308. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
1309. **Ribautiana alces** (Ribaut,1931) (Cicadellidae)
1310. **Ribautiana ognevi** (Zachvatkin,1948) (Cicadellidae)
1311. **Ribautodelphax albostriatus** (Fieber,1866) (Delphacidae)
1312. **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae)
1313. **Saga cappadocica** Werner,1903 (Tettigoniidae)
1314. **Saga puella** Werner,1901 (Tettigoniidae)
1315. **Sapyga (s.str.) pulcherrima** Morawitz,1894 (Sapygidae)
1316. **Sarcophaga (Heteronychia) vagans** Meigen,1826 (Sarcophagidae)
1317. **Scaeva albomaculata** (Macquart,1842) (Syrphidae)
1318. **Scaeva pyrastris** (Linnaeus,1758) (Syrphidae)
1319. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
1320. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae)
1321. **Scarabaeus semipunctatus** Fabricius,1792 (Scarabaeidae)
1322. **Scarodytes halensis** (Fabricius,1787) (Dytiscidae)
1323. **Sciocoris deltocephalus** Fieber,1861 (Pentatomidae)
1324. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
1325. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
1326. **Sciophila sp.** (Mycetophilidae)
1327. **Scolia galbula** (Pallas,1771) (Scoliidae)
1328. **Scolia hirta** (Schrank,1781) (Scoliidae)
1329. **Scolia insubrica** (Scopoli,1786) (Scoliidae)
1330. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
1331. **Scorlupella discolor** (Germar,1821) (Issidae)
1332. **Scorlupella montana** (Becker,1865) (Issidae)
1333. **Scotodryadusa syriaca** (Pictet,1888) (Tettigoniidae)
1334. **Scymnus quadriguttatus** Capra,1924 (Coccinellidae)
1335. **Scymnus rubromaculatus** (Goeze,1778) (Coccinellidae)
1336. **Selenocephalus anatolicus** Dlabola,1957 (Cicadellidae)
1337. **Selenocephalus ankarae** Dlabola,1957 (Cicadellidae)
1338. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
1339. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
1340. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
1341. **Sepsis punctum** (Fabricius,1794) (Sepsidae)
1342. **Setapius barajus** (Dlabola,1957) (Cixiidae)
1343. **Sigara kervillei** (Poisson,1927) (Corixidae)
1344. **Sigara lateralis** Leach,1818 (Corixidae)
1345. **Sigara nigrolineata** (Fieber,1848) (Corixidae)
1346. **Sigara striata** (Linnaeus,1758) (Corixidae)
1347. **Simulium (s.str.) bergi** Rubtsov,1956 (Simuliidae)
1348. **Simulium (s.str.) bukowskii** Rubtsov,1940 (Simuliidae)
1349. **Simulium (Wilhelmia) balcanicum** (Enderlein,1924) (Simuliidae)
1350. **Simulium (Wilhelmia) equinum** (Linnaeus,1758) (Simuliidae)
1351. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
1352. **Skorikovia anatolica** Lelej,2009 (Mutillidae)
1353. **Sogatella vibix** (Haupt,1927) (Delphacidae)
1354. **Sphaerophoria rueppelli** Wiedemann,1830 (Syrphidae)
1355. **Sphaerophoria scripta** (Linnaeus,1758) (Syrphidae)
1356. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
1357. **Sphingonotus (s.str.) nebulosus** (Fischer von Waldheim,1846) (Acrididae)
1358. **Sphingonotus (s.str.) theodori** Uvarov,1923 (Acrididae)
1359. **Sphingonotus (s.str.) turcicus** Uvarov,1930 (Acrididae)
1360. **Sphingonotus (Sphingoderus) carinatus** (Saussure,1888) (Acrididae)
1361. **Sphingonotus caeruleus** (Linnaeus,1767) (Acrididae)
1362. **Sphingonotus pilosus** Saussure,1884 (Acrididae)

1363. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
1364. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
1365. **Stenobothrus (s.str.) fischeri**
(Eversmann,1848) (Acrididae)
1366. **Stenobothrus (s.str.) miramae**
Dirsh,1931 (Acrididae)
1367. **Stenobothrus (s.str.) zubovskii**
Bolivar,1899 (Acrididae)
1368. **Stenocranus minutus** (Fabricius,1787)
(Delphacidae)
1369. **Stenodema trispinosum** Reuter,1904
(Miridae)
1370. **Stenodynerus aequisculptus**
(Kostylev,1940) (Vespidae)
1371. **Stenodynerus bluethgeni** Van der
Vecht,1971 (Vespidae)
1372. **Stenodynerus chevrieanus**
(Saussure,1855) (Vespidae)
1373. **Stenodynerus fastidiosissimus**
(Saussure,1855) (Vespidae)
1374. **Stenodynerus simulatus**
Gusenleitner,1981 (Vespidae)
1375. **Stenomarcus affinitor** Aubert,1981
(Ichneumonidae)
1376. **Stenometopiellus angorensis**
Zachvatkin,1946 (Cicadellidae)
1377. **Stenosis quadraticollis** Desbrochers,1881
(Tenebrionidae)
1378. **Sterictiphora furcata** (Villers,1789)
(Argidae)
1379. **Stethorus punctillum** Weise,1891
(Coccinellidae)
1380. **Stictocoris picturatus** (Sahlberg,1842)
(Cicadellidae)
1381. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
1382. **Streptanus albanicus** (Horvath,1916)
(Cicadellidae)
1383. **Suaris nanus** (McLachan,1893)
(Chrysopidae)
1384. **Subcoccinella vigintiquatuorpunctata**
(Linnaeus,1758) (Coccinellidae)
1385. **Sureyaella bella** Uvarov,1934
(Tettigoniidae)
1386. **Symmorphus bifasciatus** (Linnaeus,1761)
(Vespidae)
1387. **Symmorphus crassicornis** (Panzer,1798)
(Vespidae)
1388. **Symmorphus gracilis** (Brullé,1832)
(Vespidae)
1389. **Sympecma fusca** (Van Der Linden,1820)
(Lestidae)
1390. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
1391. **Symplecta (Psiloconopa) stictica**
(Meigen,1818) (Limoniidae)
1392. **Syneodynerus egregius** (Herrich-
Schäffer,1839) (Vespidae)
1393. **Synophyropsis lauri** (Horvath,1897)
(Cicadellidae)
1394. **Syrirta pipiens** (Linnaeus,1758)
(Syrphidae)
1395. **Syromastus rhombeus** (Linnaeus,1767)
(Coreidae)
1396. **Syrphoctonus signatus**
(Gravenhorst,1829) (Ichneumonidae)
1397. **Syrphoctonus tarsatorius** (Panzer,1809)
(Ichneumonidae)
1398. **Syrphophilus bizonatus**
(Gravenhorst,1829) (Ichneumonidae)
1399. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
1400. **Tabanus bifarius** Loew,1858 (Tabanidae)
1401. **Tabanus briani** Leclercq,1962 (Tabanidae)
1402. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
1403. **Tabanus cordiger** Meigen,1820
(Tabanidae)
1404. **Tabanus eggeri** Schiner,1868 (Tabanidae)
1405. **Tabanus exclusus** Pandella,1883
(Tabanidae)
1406. **Tabanus fraseri** Austen,1925 (Tabanidae)
1407. **Tabanus glaucopsis** Meigen,1820
(Tabanidae)
1408. **Tabanus laetinctus** Becker,1913
(Tabanidae)
1409. **Tabanus leleani** Austen,1920 (Tabanidae)
1410. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
1411. **Tabanus martinii** Kröber,1928
(Tabanidae)
1412. **Tabanus miki** Brauer,1880 (Tabanidae)
1413. **Tabanus quatuornatatus** Meigen,1820
(Tabanidae)
1414. **Tabanus regularis** Jaenicke,1866
(Tabanidae)
1415. **Tabanus spectabilis** Loew,1858
(Tabanidae)
1416. **Tabanus spodopterus** Meigen,1820
(Tabanidae)
1417. **Tabanus tergestinus** Egger,1859
(Tabanidae)
1418. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
1419. **Tabanus yasujensis** Bogatshev &
Samedov,1949 (Tabanidae)
1420. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
1421. **Tachyagetes leucoenemis** Haupt,1930
(Pompilidae)
1422. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
1423. **Tachycixius desertorum** (Fieber,1876)
(Cixiidae)
1424. **Tachycixius logvinenkovae** Dlabola,1974
(Cixiidae)
1425. **Tachycixius pilosus** (Olivier,1791)
(Cixiidae)
1426. **Tamaricella cypria** (Ribaut,1948)
(Cicadellidae)
1427. **Tamaricella remanei** Dworakowska,1971
(Cicadellidae)
1428. **Tamaricella tamaricis** (Puton,1872)
(Cicadellidae)
1429. **Tapinoma erraticum** (Latreille,1798)
(Formicidae)
1430. **Tartarogryllus tartarus** (Saussure,1874)
(Gryllidae)
1431. **Telostegus inermis** (Brullé,1832)
(Pompilidae)
1432. **Tenthredo costata** Klug,1817
(Tenthredinidae)
1433. **Tenthredo excellens** Konow,1886
(Tenthredinidae)

1434. **Tenthredo hyrcana Benson,1968**
(Tenthredinidae)
1435. **Tenthredo zonula Klug,1817**
(Tenthredinidae)
1436. **Tenthredopsis nassata Linnaeus,1767**
(Tenthredinidae)
1437. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
1438. **Tephritis brachyurus (Loew) (Tephritidae)**
1439. **Tephritis nigricauda (Loew,1856)**
(Tephritidae)
1440. **Tephritis praecox (Loew,1844)**
(Tephritidae)
1441. **Tephritis pulchra (Loew,1844)**
(Tephritidae)
1442. **Tephritis recurrens Loew,1869**
(Tephritidae)
1443. **Terellia serratae (Linnaeus,1758)**
(Tephritidae)
1444. **Tetartostylus illyricus**
(Kirschbaum,1868) (Cicadellidae)
1445. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
1446. **Tetramorium lucidula Emery,1909**
(Formicidae)
1447. **Tetrix bolivari (Saulcy,1901) (Tetrigidae)**
1448. **Tetrix subulata (Linnaeus,1758)**
(Tetrigidae)
1449. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
1450. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae)
1451. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae)
1452. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)
1453. **Tettigometra (Mitricephalus) leucophaea (Preysslér,1792)** (Tettigometridae)
1454. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae)
1455. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae)
1456. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
1457. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
1458. **Tettigometra atra Hagenbach,1825**
(Tettigometridae)
1459. **Tettigometra sordida Fieber,1865**
(Tettigometridae)
1460. **Tettigometra vitellina Fieber,1865**
(Tettigometridae)
1461. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
1462. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
1463. **Thamnotettix (Loepotettix) lutfi Demir,2006** (Cicadellidae)
1464. **Thecophora distincta (Wiedemann,1824)**
(Conopidae)
1465. **Thereva fulva (Meigen,1804) (Therevidae)**
1466. **Thereva plebeja (Linnaeus,1758)**
(Therevidae)
1467. **Thereva strigata (Fabricius,1794)**
(Therevidae)
1468. **Thereva valida (Loew,1847) (Therevidae)**
1469. **Therion circumflexum (Linnaeus,1758)**
(Ichneumonidae)
1470. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
1471. **Theronia atalantae (Poda,1761)**
(Ichneumonidae)
1472. **Theroscopus subzonatus (Gravenhorst,1829)** (Ichneumonidae)
1473. **Tillus pectinicornis Abeille,1892** (Cleridae)
1474. **Tingis ballotae Seidenstücker,1970**
(Tingidae)
1475. **Tingis grisea Germar,1835** (Tingidae)
1476. **Tingis griseola (Puton,1879)** (Tingidae)
1477. **Tingis rotundicollis (Jakovlev,1883)**
(Tingidae)
1478. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae)
1479. **Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae)
1480. **Tipula (Lunatipula) dedecor Loew,1873**
(Tipulidae)
1481. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae)
1482. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae)
1483. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
1484. **Toya propinqua (Fieber,1866)**
(Delphacidae)
1485. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae)
1486. **Tremulicerus vitreus (Fabricius,1803)**
(Cicadellidae)
1487. **Trichodes affinis Chevrolat,1843**
(Cleridae)
1488. **Trichodes alberti Escherich,1893** (Cleridae)
1489. **Trichodes apiarius (Linnaeus,1758)**
(Cleridae)
1490. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
1491. **Trichodes inermis Reitter,1893** (Cleridae)
1492. **Trichodes laminatus Chevrolat,1843**
(Cleridae)
1493. **Trichodes punctatus Fischer,1829**
(Cleridae)
1494. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
1495. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
1496. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
1497. **Trichodes suspectus Escherich,1892**
(Cleridae)
1498. **Trichogramma buluti Bulut & Kılınçer,1991** (Trichogrammatidae)
1499. **Trichogramma dendrolimi Matsumura,1926** (Trichogrammatidae)
1500. **Trichogramma embryophagum (Hartig,1838)** (Trichogrammatidae)
1501. **Trichogramma kilinceri Bulut & Kılınçer,1991** (Trichogrammatidae)
1502. **Trichogramma turkeiensis Bulut & Kılınçer,1991** (Trichogrammatidae)
1503. **Trichomma enecator (Rossi,1790)**
(Ichneumonidae)
1504. **Tricyphona (s.str.) zwicki Mendl,1973**
(Pediidae)
1505. **Trigonotylus pallidicornis Reuter,1899**
(Miridae)
1506. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)

1507. **Trissolcus simoni** (Mayr,1897)
(Scelionidae)
1508. **Trochiscocoris rotundatus** Horvath,1895
(Pentatomidae)
1509. **Tromatobia variabilis** (Holmgren,1856)
(Ichneumonidae)
1510. **Tropidodrynerus interruptus**
(Brullé,1832) (Vespidae)
1511. **Tropinota (Epicometis) hirta** (Poda,1761)
(Scarabaeidae)
1512. **Tropistethus fasciatus** Ferrari,1874
(Lygaeidae)
1513. **Tropistethus majusculus** Horvath,1881
(Lygaeidae)
1514. **Trupanea stellata** (Fuesslin,1775)
(Tephritidae)
1515. **Truxalis eximia** Eichwald,1830 (Acrididae)
1516. **Truxalis nasuta** (Linnaeus,1758)
(Acrididae)
1517. **Trypetimorpha occidentalis** Huang &
Bourgoin,1993 (Tropiduchidae)
1518. **Tryphon (s.str.) zavreli** Gregor,1939
(Ichneumonidae)
1519. **Tshurtshurnella despecta**
(Linnavuori,1965) (Issidae)
1520. **Tshurtshurnella peloponica** Dlabola,1979
(Issidae)
1521. **Tshurtshurnella rhombica** Dlabola,1982
(Issidae)
1522. **Tuponia eckerleini** Wagner,1955 (Miridae)
1523. **Tuponia hippophaes** (Fieber,1861)
(Miridae)
1524. **Tychius argentatus** Chevrolat,1859
(Curculionidae)
1525. **Tychius aurarius** Boheman,1843
(Curculionidae)
1526. **Tychius aureolus** Kiesenwetter,1851
(Curculionidae)
1527. **Tychius balcanicus** (Penecke,1922)
(Curculionidae)
1528. **Tychius bicolor** Brisout,1862
(Curculionidae)
1529. **Tychius cuprifer** (Panzer,1799)
(Curculionidae)
1530. **Tychius eldae** Caldara,1990
(Curculionidae)
1531. **Tychius festivus** (Faust,1884)
(Curculionidae)
1532. **Tychius flavus** Becker,1864 (Curculionidae)
1533. **Tychius graecus** Kiesenwetter,1864
(Curculionidae)
1534. **Tychius grenieri** Brisout,1861
(Curculionidae)
1535. **Tychius hirtellus** Tournier,1873
(Curculionidae)
1536. **Tychius medicaginis** Brisout,1862
(Curculionidae)
1537. **Tychius picirostris** (Fabricius,1787)
(Curculionidae)
1538. **Tychius ruscicus** Desbrochers,1908
(Curculionidae)
1539. **Tylopsis lilifolia** (Fabricius,1793)
(Tettigoniidae)
1540. **Ula (s.str.) mollissima** Haliday,1833
(Pedicidae)
1541. **Unkanodes latespinosa** (Dlabola,1957)
(Delphacidae)
1542. **Urophora affinis** (Frauenfeld,1857)
(Tephritidae)
1543. **Urophora eriolepidis** (Loew,1856)
(Tephritidae)
1544. **Urophora macrura** (Loew,1855)
(Tephritidae)
1545. **Urophora solstitialis** (Linnaeus,1758)
(Tephritidae)
1546. **Urophora stylata** (Fabricius,1775)
(Tephritidae)
1547. **Utecha trivialis** (Germar,1821) (Cicadellidae)
1548. **Verdanus bekiri** (Kalkandelen,1972)
(Cicadellidae)
1549. **Vespa crabro** Linnaeus,1758 (Vespidae)
1550. **Vespa orientalis** Linnaeus,1771 (Vespidae)
1551. **Vespula germanica** (Fabricius,1793)
(Vespidae)
1552. **Vespula vulgaris** (Linnaeus,1758)
(Vespidae)
1553. **Vibidia duodecimguttata** (Poda,1761)
(Coccinellidae)
1554. **Volucella zonaria** (Poda,1761) (Syrphidae)
1555. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
1556. **Xya variegata** (Latreille,1809)
(Tridactylidae)
1557. **Xylocoris cursitans** (Fallén,1807)
(Anthocoridae)
1558. **Xylocoris obliquus** Costa,1852
(Anthocoridae)
1559. **Zaglyptus varipes** (Gravenhorst,1829)
(Ichneumonidae)
1560. **Zonitis immaculata** (Olivier,1790)
(Meloidae)
1561. **Zophosis (Oculosis) punctata** Brullé,1832
(Tenebrionidae)
1562. **Zygina (s.str.) discolor** Horvath,1897
(Cicadellidae)
1563. **Zyginidia (Anatolidia) obesa**
Zachvatkin,1937 (Cicadellidae)
1564. **Zyginidia (Anatolidia) rostrata**
Zachvatkin,1937 (Cicadellidae)
1565. **Zyginidia (s.str.) pullula**
(Boheman,1845) (Cicadellidae)

Antalya Province (07)

(1212 species, stand 30 April 2010)

1. **Ablattaria arenaria** (Kraatz,1876) (Silphidae)
2. **Acanthophilus helianthi** (Rossi,1790)
(Tephritidae)
3. **Acanthodynerus giordanii** Gusenleitner,1969
(Vespidae)
4. **Acinipe davisii** (Uvarov,1949) (Pamphagidae)

5. **Aciura coryli** (Rossi,1790) (Tephritidae)
6. **Acmaeodera (s.str.) flavolineata** Laporte & Gory,1835 (Buprestidae)
7. **Aconurella proluxa** (Lethierry,1885) (Cicadellidae)
8. **Acrida anatolica** Dirsh,1949 (Acrididae)
9. **Acrida bicolor** (Thunberg,1815) (Acrididae)
10. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
11. **Acrosternum millierei** (Mulsant & Rey,1866) (Pentatomidae)
12. **Acrotylus longipes** (Charpentier,1845) (Acrididae)
13. **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae)
14. **Actenodia confluens** (Reiche,1866) (Meloidae)
15. **Actinoptera discoidea** (Fallén,1814) (Tephritidae)
16. **Adelina turcica** (Reitter,1877) (Tenebrionidae)
17. **Adelocera schuberti** Platia & Gudenzi,2002 (Elateridae)
18. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
19. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
20. **Aeoloderma crucifer** (Rossi,1790) (Elateridae)
21. **Aeshna affinis** Van Der Linden,1820 (Aeshnidae)
22. **Aeshna isosceles** (O.F.Müller,1764) (Aeshnidae)
23. **Agabus (Acatodes) congener** (Thunberg,1794) (Dytiscidae)
24. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
25. **Agabus (Gaurodytes) conspersus** (Marsham,1802) (Dytiscidae)
26. **Agabus (Gaurodytes) didymus** (Olivier,1795) (Dytiscidae)
27. **Agabus (Gaurodytes) guttatus** (Paykull,1798) (Dytiscidae)
28. **Agenioideus dichrous** (Brullé,1840) (Pompilidae)
29. **Agenioideus nubecula** (Costa,1874) (Pompilidae)
30. **Agenioideus rytiphorus** (Kohl,1886) (Pompilidae)
31. **Agrilus (Anambus) buresi** Obenberger,1935 (Buprestidae)
32. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
33. **Agrilus (Anambus) obscuricollis** Kiesenwetter,1857 (Buprestidae)
34. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
35. **Agrilus (s.str.) aurichalceus** Redtenbacher,1849 (Buprestidae)
36. **Agrilus (s.str.) lineolus** Redtenbacher,1849 (Buprestidae)
37. **Agrilus rhoos** Krolík & Niehuis,2003 (Buprestidae)
38. **Agriotes (s.str.) aquilus** Platia,2003 (Elateridae)
39. **Agriotes (s.str.) mertliki** Platia,2003 (Elateridae)
40. **Agriotes (s.str.) nuceus** Fairmaire,1866 (Elateridae)
41. **Agrothereutes tiloidalis** Kolarov & Beyarslan,1994 (Ichneumonidae)
42. **Aiolopus strepens** (Latreille,[1802]) (Acrididae)
43. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae)
44. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
45. **Allodynerus floricola** (Saussure,1853) (Vespidae)
46. **Alosimus chalybaeus** (Tauscher,1812) (Meloidae)
47. **Alosimus gracilis** (Abeille de Perrin,1880) (Meloidae)
48. **Alosterna anatolica** Adlbauer,1992 (Cerambycidae)
49. **Alphitophagus bifasciatus** (Say,1823) (Tenebrionidae)
50. **Altica bicarinata** (Kutschera,1860) (Chrysomelidae)
51. **Altica impressicollis** (Reiche,1862) (Chrysomelidae)
52. **Ameles heldreichi** Brunner von Wattenwyl,1882 (Mantidae)
53. **Ammobius rufus** Lucas,1849 (Tenebrionidae)
54. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
55. **Amobia oculata** (Zetterstedt,1844) (Sarcophagidae)
56. **Amobia signata** (Meigen,1824) (Sarcophagidae)
57. **Amphicoma (Eulasia) diadema** Reitter,1890 (Glaphyridae)
58. **Amphicoma (Pygopleurus) angulatus** Fairmaire,1884 (Glaphyridae)
59. **Amphicoma (Pygopleurus) kareli** Petrovitz,1962 (Glaphyridae)
60. **Amphicoma (Pygopleurus) lyciensis** Petrovitz,1971 (Glaphyridae)
61. **Amphicoma (Rudeulasia) eiselti** Petrovitz,1967 (Glaphyridae)
62. **Amphinemura standfussi** (Ris,1902) (Nemouridae)
63. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
64. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
65. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
66. **Anatella concava** Plassmann,1990 (Mycetophilidae)
67. **Anax immaculifrons** Rambur,1842 (Aeshnidae)
68. **Anax imperator** Leach,1815 (Aeshnidae)
69. **Anax parthenope** (Selys,1839) (Aeshnidae)
70. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
71. **Ancistronycha erichsoni** Bach,1852 (Cantharidae)
72. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
73. **Andricus ceconii** Kieffer,1901 (Cynipidae)
74. **Andricus coriarius** (Hartig,1843) (Cynipidae)
75. **Andricus coronatus** (Giraud,1859) (Cynipidae)
76. **Andricus curtisii** (Müller,1870) (Cynipidae)
77. **Andricus grossulariae** Giraud,1859 (Cynipidae)
78. **Andricus lucidus** (Hartig,1843) (Cynipidae)
79. **Andricus seckendorffi** (Wachtl,1879) (Cynipidae)
80. **Andricus tomentosus** (Trotter,1901) (Cynipidae)
81. **Anisochrya (s.str.) genei** (Rambur,1842) (Chrysopidae)

82. **Anogcodes difformis** (Marseul,1857)
(Oedemeridae)
83. **Anomalon cruentatum** (Geoffroy,1785)
(Ichneumonidae)
84. **Anoplius infuscatus** (Van der Linden,1827)
(Pompilidae)
85. **Anoplius viaticus** (Linnaeus,1758)
(Pompilidae)
86. **Anoplotettix eckerleini** Dlabola,1965
(Cicadellidae)
87. **Anoplotettix kalkandeleni** Dlabola,1971
(Cicadellidae)
88. **Anoplotettix rodosicus** Dlabola,1974
(Cicadellidae)
89. **Anoplotrupes sterocorosus** (Scriba,1791)
(Geotrupidae)
90. **Anoscopus albifrons** (Linnaeus,1758)
(Cicadellidae)
91. **Anoxia (Protanoxia) orientalis** Krynicki,1832
(Scarabaeidae)
92. **Anoxia (s.str.) asiatica** Desbrochers,1872
(Scarabaeidae)
93. **Anterastes turcicus** Karabağ,1951
(Tettigoniidae)
94. **Anthaxia (Cratomerus) diadema**
Fischer,1824 (Buprestidae)
95. **Anthaxia (Cratomerus) eugeniae**
Ganglbauer,1885 (Buprestidae)
96. **Anthaxia (Cratomerus) krueperi**
Ganglbauer,1885 (Buprestidae)
97. **Anthaxia (Cratomerus) nupta**
Kiesenwetter,1857 (Buprestidae)
98. **Anthaxia (Cratomerus) sponsa**
Kiesenwetter,1857 (Buprestidae)
99. **Anthaxia (Haplantaxia) bettagi**
Niehuis,1983 (Buprestidae)
100. **Anthaxia (Haplantaxia) cichorii**
(Olivier,1790) (Buprestidae)
101. **Anthaxia (Haplantaxia) cylindrica**
Abeille,1900 (Buprestidae)
102. **Anthaxia (Haplantaxia) mundula**
Kiesenwetter,1857 (Buprestidae)
103. **Anthaxia (Haplantaxia) niehuisi**
Brandl,1987 (Buprestidae)
104. **Anthaxia (Haplantaxia) praeclara**
Mannerheim,1837 (Buprestidae)
105. **Anthaxia (Melanthaxia) bilyi** Curletti,1984
(Buprestidae)
106. **Anthaxia (Melanthaxia) corinthia** Reiche &
Saulcy,1856 (Buprestidae)
107. **Anthaxia (Melanthaxia) masculina** Bily,1984
(Buprestidae)
108. **Anthaxia (Melanthaxia) meregallii**
Curletti & Magnali,1985 (Buprestidae)
109. **Anthaxia (Melanthaxia) negrei** Cobos,1953
(Buprestidae)
110. **Anthaxia (Melanthaxia) obesa** Abeille,1900
(Buprestidae)
111. **Anthaxia (Melanthaxia) pinguis**
Kiesenwetter,1880 (Buprestidae)
112. **Anthaxia (s.str.) bicolor** Faldermann,1835
(Buprestidae)
113. **Anthaxia (s.str.) brevis** Gory & Laporte,1839
(Buprestidae)
114. **Anthaxia (s.str.) discicollis** Gory &
Laporte,1839 (Buprestidae)
115. **Anthaxia (s.str.) fulgurans** (Schrank,1789)
(Buprestidae)
116. **Anthaxia (s.str.) ghazi** Obenberger,1938
(Buprestidae)
117. **Anthaxia (s.str.) herbertschmidti**
Novak,1992 (Buprestidae)
118. **Anthaxia (s.str.) irregularis** Abeille,1909
(Buprestidae)
119. **Anthaxia (s.str.) muliebris** Obenberger,1918
(Buprestidae)
120. **Anthaxia (s.str.) myrmidon** Abeille,1891
(Buprestidae)
121. **Anthaxia (s.str.) nigricollis** Abeille,1904
(Buprestidae)
122. **Anthaxia (s.str.) novickii** Obenberger,1938
(Buprestidae)
123. **Anthaxia (s.str.) olivieri** Gory & Laporte,1839
(Buprestidae)
124. **Anthaxia (s.str.) plicata** Kiesenwetter,1859
(Buprestidae)
125. **Anthaxia (s.str.) turcica** Svoboda,1994
(Buprestidae)
126. **Anthidium (Anthidiellum) strigatum**
(Panzer,1805) (Megachilidae)
127. **Anthidium (Anthidiellum) strigatum**
(Panzer,1805) (Megachilidae)
128. **Anthidium (Icteranthidium) cimbiciforme**
(Smith,1854) (Megachilidae)
129. **Anthidium (Icteranthidium) grohmanni**
Spinola,1838 (Megachilidae)
130. **Anthidium (Paraanthidium) interruptum**
(Fabricius,1781) (Megachilidae)
131. **Anthidium (Pseudoanthidium) lituratum**
(Panzer,1801) (Megachilidae)
132. **Anthidium (Rhodanthidium)**
septemdentatum (Latreille,1809)
(Megachilidae)
133. **Anthidium (s.str.) diadema** Latreille,1809
(Megachilidae)
134. **Anthidium (s.str.) florentinum**
(Fabricius,1775) (Megachilidae)
135. **Anthobiodes turcicus** (Medvedev,1975)
(Chrysomelidae)
136. **Anthobium melanocephalum** (Illiger,1794)
(Staphylinidae)
137. **Anthrenus (Nathrenus) verbasci**
(Linnaeus,1767) (Dermestidae)
138. **Anthrenus (s.str.) delicatus**
Kiesenwetter,1851 (Dermestidae)
139. **Anthrenus (s.str.) scrophulariae**
(Linnaeus,1758) (Dermestidae)
140. **Apanteles hemara** Nixon,1965 (Braconidae)
141. **Apanteles obscurus** (Nees,1834) (Braconidae)
142. **Aphaenogaster subterranea** (Latreille,1798)
(Formicidae)
143. **Aphrodes bicinctus** (Schrank,1776)
(Cicadellidae)
144. **Aphrophora corticea** Germar,1821
(Cercopidae)
145. **Aphrosylus parcearmatus** Parent,1925
(Dolichopodidae)
146. **Aphthona alanyensis** Fritzlär,2004
(Chrysomelidae)
147. **Aphthona bergealoides** Fritzlär,2004
(Chrysomelidae)
148. **Aphthona flaviceps** Allard,1859
(Chrysomelidae)
149. **Aphthona lutescens** (Gyllenhal,1808)
(Chrysomelidae)
150. **Aphthona maculata** Allard,1876
(Chrysomelidae)

151. *Aphthona pygmaea* Kutschera, 1861 (Chrysomelidae)
152. *Aphthona valachica* Heikertinger, 1944 (Chrysomelidae)
153. *Apodiphus amygdali* (Germar, 1817) (Pentatomidae)
154. *Aporinellus sexmaculatus* (Spinola, 1805) (Pompilidae)
155. *Aporus bicolor* Spinola, 1808 (Pompilidae)
156. *Arachnospila ionica* (Wolf, 1964) (Pompilidae)
157. *Aradus betulae* (Linnaeus, 1758) (Aradidae)
158. *Aradus cinnamomeus* Panzer, 1806 (Aradidae)
159. *Aradus flavicornis* Dalman, 1823 (Aradidae)
160. *Arboridia adanae* (Dlabola, 1957) (Cicadellidae)
161. *Arcyptera* (*Pararcyptera*) *labiata* (Brullé, 1832) (Acrididae)
162. *Arge ochropus* (Gmelin, 1790) (Argidae)
163. *Arge rustica* (Linnaeus, 1758) (Argidae)
164. *Aritranis claviventris* (Kriechbaumer, 1894) (Ichneumonidae)
165. *Aritranis director* (Thunberg, 1824) (Ichneumonidae)
166. *Arocephalus languidus* (Flor, 1861) (Cicadellidae)
167. *Artianus manderstjernii* (Kirschbaum, 1868) (Cicadellidae)
168. *Ascogaster armatus* Wesmael, 1835 (Braconidae)
169. *Ascogaster instabilis* Wesmael, 1835 (Braconidae)
170. *Ascogaster rufipes* (Latreille, 1809) (Braconidae)
171. *Asiraca clavicornis* (Fabricius, 1794) (Delphacidae)
172. *Asymmetrasca decedens* (Paoli, 1932) (Cicadellidae)
173. *Attaephilus rydhi* Ruzicka, 1997 (Leiodidae)
174. *Attagenus* (s.str.) *quadrimaculatus* Kraatz, 1858 (Dermestidae)
175. *Attelabus nitens* (Scopoli, 1763) (Attelabidae)
176. *Atylotus pulchellus* (Loew, 1858) (Tabanidae)
177. *Auletobius politus* Voss, 1934 (Attelabidae)
178. *Aulonogyus striatus* (Fabricius, 1792) (Gyrinidae)
179. *Auplopus carbonarius* (Scopoli, 1763) (Pompilidae)
180. *Austroagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae)
181. *Balclutha hebe* (Kirkaldy, 1906) (Cicadellidae)
182. *Balclutha rhenana* Wagner, 1939 (Cicadellidae)
183. *Balclutha rosea* (Scott, 1876) (Cicadellidae)
184. *Banchus torcator* Aubert, 1984 (Ichneumonidae)
185. *Bangasternus planifrons* (Brullé, 1832) (Curculionidae)
186. *Barylypa uniguttata* (Gravenhorst, 1829) (Ichneumonidae)
187. *Baryphora speciosa* Loew, 1844 (Therevidae)
188. *Basilia nana* Theodor & Moscona, 1954 (Nycteribiidae)
189. *Bathyplectes carinata* Horstmann, 1974 (Ichneumonidae)
190. *Batozonellus lacerticida* (Pallas, 1771) (Pompilidae)
191. *Batracomorphus signatus* Lindberg, 1923 (Cicadellidae)
192. *Bembecinus anatolicus* De Beaumont, 1968 (Crabronidae)
193. *Bembecinus gusenleitneri* De Beaumont, 1967 (Crabronidae)
194. *Bembecinus hungaricus* (Frivaldsky, 1876) (Crabronidae)
195. *Bembecinus meridionalis* A. Costa, 1859 (Crabronidae)
196. *Bembecinus peregrinus* (Smith, 1856) (Crabronidae)
197. *Bembecinus rhodius* De Beaumont, 1960 (Crabronidae)
198. *Bembecinus tridens* (Fabricius, 1781) (Crabronidae)
199. *Bembidion* (*Ocydromus*) *cordicolle* Jacquelin du Val, 1852 (Carabidae)
200. *Berosus* (s.str.) *affinis* Brullé, 1835 (Hydrophilidae)
201. *Berosus* (s.str.) *signaticollis* (Charpentier, 1825) (Hydrophilidae)
202. *Bidessus anatolicus* Wewalka, 1972 (Dytiscidae)
203. *Bidessus calabricus* Guignot, 1957 (Dytiscidae)
204. *Blaesoxipha rufipes* (Macquart, 1839) (Sarcophagidae)
205. *Blaps lata* Seidlitz, 1893 (Tenebrionidae)
206. *Blaps lethifera* Marsham, 1802 (Tenebrionidae)
207. *Blaps ocreata* Allard, 1880 (Tenebrionidae)
208. *Blaps tibialis* Reiche & Saulcy, 1857 (Tenebrionidae)
209. *Blitopertha* (s.str.) *nigripennis* (Burmeister, 1855) (Scarabaeidae)
210. *Bombus terrestris* Linnaeus, 1758 (Apidae)
211. *Boveycantharis tauricola* Svihla, 1999 (Cantharidae)
212. *Brachemys brevipennis* (Laporte de Castelnau, 1836) (Melyridae)
213. *Brachycerus algirus* Latreille, 1807 (Brachyceridae)
214. *Brachygluta antalyana* Brachet, 2004 (Staphylinidae)
215. *Brachygluta jessica* Brachet, 2004 (Staphylinidae)
216. *Brachygluta pamphylica* Brachet, 2004 (Staphylinidae)
217. *Brachyptera transcaucasica* Zhiltzova, 1956 (Taeniopterygidae)
218. *Brachytarsina flavipennis* Macquart, 1851 (Streblidae)
219. *Bracon* (*CyanopteroBracon*) *illyricus* (Marshall, 1888) (Braconidae)
220. *Bracon* (*CyanopteroBracon*) *oculatus* Tobias, 1957 (Braconidae)
221. *Bracon* (*GlabroBracon*) *atrator* (Nees, 1834) (Braconidae)
222. *Bracon* (*GlabroBracon*) *delusorius* Telenga, 1936 (Braconidae)
223. *Bracon* (*GlabroBracon*) *discoideus* (Wesmael, 1838) (Braconidae)
224. *Bracon* (*GlabroBracon*) *larvicida* (Wesmael, 1838) (Braconidae)
225. *Bracon* (*GlabroBracon*) *maculiger* (Wesmael, 1838) (Braconidae)
226. *Bracon* (*GlabroBracon*) *obscurator* (Nees, 1812) (Braconidae)
227. *Bracon* (*GlabroBracon*) *osculator* (Nees, 1812) (Braconidae)
228. *Bracon* (*GlabroBracon*) *popovi* Telenga, 1936 (Braconidae)

229. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae)
230. **Brucoscelis peculiaris (Horvath,1904)** (Caliscelidae)
231. **Bubastia (s.str.) suturale (Fieber,1877)** (Issidae)
232. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae)
233. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae)
234. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
235. **Cacodmus vicinus Horvath,1934** (Cimicidae)
236. **Calais parreysi (Steven,1830)** (Elateridae)
237. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae)
238. **Calliptamus barbarus (Costa,1836)** (Acrididae)
239. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
240. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
241. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
242. **Calodictya krueperi (Fieber,1876)** (Dictyopharidae)
243. **Calopteryx intermedia Selys,1887** (Calopterygidae)
244. **Calopteryx mingrellica Selys,1869** (Calopterygidae)
245. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae)
246. **Campiglossa lederi (Hendel,1927)** (Tephritidae)
247. **Campiglossa producta Loew,1844** (Tephritidae)
248. **Campiglossa tesellata (Loew,1844)** (Tephritidae)
249. **Campylosteira ciliata Fieber,1844** (Tingidae)
250. **Cantharis lateralis Linnaeus,1758** (Cantharidae)
251. **Cantharis livida Linnaeus,1758** (Cantharidae)
252. **Cantharis nigra De Geer,1774** (Cantharidae)
253. **Cantharis pulicaria Fabricius,1781** (Cantharidae)
254. **Cantharis smyrnensis Marseul,1864** (Cantharidae)
255. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
256. **Capnodis miliaris (Klug,1829)** (Buprestidae)
257. **Capnodis porosa (Klug,1829)** (Buprestidae)
258. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae)
259. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae)
260. **Carabus (Procrustes) anatolicus Chaudoir,1857** (Carabidae)
261. **Carabus (Procrustes) payapha White,1845** (Carabidae)
262. **Carabus (Tomocarabus) scabripennis Chaudoir,1867** (Carabidae)
263. **Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae)
264. **Cardiophorus (s.str.) lundbergi Platia & Gundenzi,2000** (Elateridae)
265. **Cardiophorus (s.str.) neuberti Platia & Gundenzi,2002** (Elateridae)
266. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae)
267. **Carpocoris mediterraneus Tamanini,1958** (Pentatomidae)
268. **Carpomya schieneri (Loew,1856)** (Tephritidae)
269. **Cassida pannonica Suffrian,1844** (Chrysomelidae)
270. **Cassida prasina Illiger,1798** (Chrysomelidae)
271. **Cassida seraphina Ménériés,1836** (Chrysomelidae)
272. **Cataphronetis reitteri Seidlitz,1893** (Tenebrionidae)
273. **Catoplatus anticus (Reuter,1880)** (Tingidae)
274. **Celes variabilis (Pallas,1771)** (Acrididae)
275. **Centrotus cornutus (Linnaeus,1758)** (Membracidae)
276. **Cephalostenus demaisonii Reitter,1903** (Tenebrionidae)
277. **Cephalostenus elegans Brullé,1832** (Tenebrionidae)
278. **Cephalostenus orbicollis Ménériés,1836** (Tenebrionidae)
279. **Ceraninus antalyacus Triapitsyn,2004** (Eulophidae)
280. **Ceraninus menes (Walker,1839)** (Eulophidae)
281. **Cercion lindenii (Selys,1840)** (Coenagrionidae)
282. **Ceriagrion tenellum (De Villers,1789)** (Coenagrionidae)
283. **Cerocoma ephesica Reitter,1885** (Meloidae)
284. **Cerocoma kunzei Fivaldsky,1835** (Meloidae)
285. **Cerocoma schreberi Fabricius,1781** (Meloidae)
286. **Ceropales helvetica Tournier,1889** (Pompilidae)
287. **Cetonia (s.str.) kemali Delpont,1995** (Scarabaeidae)
288. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae)
289. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae)
290. **Ceutorhynchus pitaris Gyllenhal,1837** (Curculionidae)
291. **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae)
292. **Cheirodes (Anemia) sardous Géné,1839** (Tenebrionidae)
293. **Chelonus obscurator Herrich-Schäffer,1838** (Braconidae)
294. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae)
295. **Chionotopus humeralis (Reiche,1857)** (Melyridae)
296. **Chloriona ponticana Asche,1982** (Delphacidae)
297. **Chloriona sicula Matsumura,1910** (Delphacidae)
298. **Choera dorsalis (Spinola,1808)** (Braconidae)
299. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae)
300. **Chromovalgus peyroni (Mulsant & Wahanru,1852)** (Scarabaeidae)

301. *Chrysanthia chalcochroa* Fairmaire, 1892 (Oedemeridae)
302. *Chrysanthia flavipes* Reitter, 1889 (Oedemeridae)
303. *Chrysobothris solieri* Laporte & Gory, 1837 (Buprestidae)
304. *Chrysolina americana* (Linnaeus, 1758) (Chrysomelidae)
305. *Chrysolina didymata* (Scriba, 1791) (Chrysomelidae)
306. *Chrysolina hyperici* (Forster, 1771) (Chrysomelidae)
307. *Chrysopa dubitans* McLachan, 1887 (Chrysopidae)
308. *Chrysopa viridana* Schneider, 1845 (Chrysopidae)
309. *Chrysops (Petersenichrysops) compactus* Austen, 1924 (Tabanidae)
310. *Chrysops (Petersenichrysops) hamatus* Loew, 1858 (Tabanidae)
311. *Chrysops (s.str.) caecutiens* (Linnaeus, 1761) (Tabanidae)
312. *Chrysops (s.str.) flavipes* Meigen, 1804 (Tabanidae)
313. *Chrysops (s.str.) italicus* Meigen, 1804 (Tabanidae)
314. *Cicada lodosi* Boulard, 1979 (Cicadidae)
315. *Cicada mordoganensis* Boulard, 1979 (Cicadidae)
316. *Cicada permagna* (Haupt, 1917) (Cicadidae)
317. *Cicadatra adanai* Kartal, 1980 (Cicadidae)
318. *Cicadatra atra* (Oliver, 1790) (Cicadidae)
319. *Cicadatra hyalina* (Fabricius, 1798) (Cicadidae)
320. *Cicadetta dimissa* (Hagen, 1856) (Cicadidae)
321. *Cicadula lineatopunctata* (Matsumura, 1908) (Cicadellidae)
322. *Cicadulina bipunctata* (Melichar, 1904) (Cicadellidae)
323. *Cicindela campestris* Linnaeus, 1758 (Carabidae)
324. *Cicindela herbacea* Klug, 1832 (Carabidae)
325. *Circulifer haematoceps* (Mulsant & Rey, 1855) (Cicadellidae)
326. *Cixidia pilatoui* D'Urso & Guglielmino, 1995 (Achilidae)
327. *Cixius pallipes* Fieber, 1876 (Cixiidae)
328. *Cixius remotus* Edwards, 1888 (Cixiidae)
329. *Cnemeplatia atropos* Costa, 1847 (Tenebrionidae)
330. *Coelioxys (Allocoelioxys) afra* Lepeletier, 1841 (Megachilidae)
331. *Coenagrion scitulum* (Rambur, 1842) (Coenagrionidae)
332. *Coenagrion syriacum* (Morton, 1924) (Coenagrionidae)
333. *Coenorhinus aequatus* (Linnaeus, 1767) (Atelabidae)
334. *Coenorhinus cribripennis* Desbrochers, 1869 (Atelabidae)
335. *Coenorhinus cribrum* (Desbrochers, 1875) (Atelabidae)
336. *Coenorhinus interpunctatus* (Stephens, 1831) (Atelabidae)
337. *Colpa (s.str.) sexmaculata* (Fabricius, 1782) (Scoliidae)
338. *Colpa quinquecincta* (Fabricius, 1775) (Scoliidae)
339. *Colpotus lassallei* Ferrer & Soldati, 1999 (Tenebrionidae)
340. *Colpotus reitteri* Zürcher, 1911 (Tenebrionidae)
341. *Conocephalus (Anisoptera) fuscus* (Fabricius, 1793) (Tettigoniidae)
342. *Conophorus nobilis* (Loew, 1873) (Bombyliidae)
343. *Cordicantharis iliaca* (Marseul, 1864) (Cantharidae)
344. *Corixa affinis* Leach, 1818 (Corixidae)
345. *Cotesia ancilla* (Nixon, 1974) (Braconidae)
346. *Cotesia memnon* (Nixon, 1974) (Braconidae)
347. *Cotesia ofella* (Nixon, 1974) (Braconidae)
348. *Cotesia ruficrus* (Haliday, 1834) (Braconidae)
349. *Cotesia telengai* (Tobias, 1972) (Braconidae)
350. *Cotesia tenebrosa* (Papp, 1976) (Braconidae)
351. *Craticulina tabaniformis* (Fabricius, 1805) (Sarcophagidae)
352. *Creightonella (Metamegachile) albisecta* (Klug, 1817) (Megachilidae)
353. *Crepidodera aurata* (Marsham, 1802) (Chrysomelidae)
354. *Crepidodera plutus* (Latreille, 1804) (Chrysomelidae)
355. *Crocothemis erythraea* (Brullé, 1832) (Libellulidae)
356. *Cryptocephalus concolor* Suffrian, 1847 (Chrysomelidae)
357. *Cryptocephalus fulvus* (Goeze, 1777) (Chrysomelidae)
358. *Cryptocephalus turcicus* Suffrian, 1847 (Chrysomelidae)
359. *Cryptocheilus confinis* Haupt, 1926 (Pompilidae)
360. *Cryptocheilus ichneumonoides* (Costa, 1874) (Pompilidae)
361. *Cryptocheilus rubellus* (Eversmann, 1846) (Pompilidae)
362. *Cryptocheilus variipennis* Suster, 1924 (Pompilidae)
363. *Cryptocheilus versicolor* (Scopoli, 1763) (Pompilidae)
364. *Ctenagenia vespiformis* (Klug, 1834) (Pompilidae)
365. *Ctenotilla caeca* (Radoszkowski, 1879) (Mutillidae)
366. *Cueta lineosa* (Rambur, 1842) (Myrmeleontidae)
367. *Curculio pellitus* Boheman, 1843 (Curculionidae)
368. *Curculio pyrrhoceras* Marsham, 1802 (Curculionidae)
369. *Curculio salicivorus* Paykull, 1792 (Curculionidae)
370. *Cylindera (Cicindina) trisignata* (Dejean, 1822) (Carabidae)
371. *Cylindronotus (Helopelius) aeneipennis* (Allard, 1876) (Tenebrionidae)
372. *Cylindronotus (Odoenemis) korbi* Reitter, 1901 (Tenebrionidae)
373. *Cylindronotus (Odoenemis) seriegranatus* Seidlitz, 1893 (Tenebrionidae)
374. *Cynips quercusfolii* (Linnaeus, 1758) (Cynipidae)

375. *Cyphon laevipennis* Tournier, 1868 (Scirtidae)
376. *Cyphon ochraceus* Stephens, 1830 (Scirtidae)
377. *Cyphon palustris* Thomson, 1855 (Scirtidae)
378. *Dailognatha caraboides* Solier, 1835 (Tenebrionidae)
379. *Dailognatha pumila* Baudi, 1874 (Tenebrionidae)
380. *Dailognatha quadricollis* Brullé, 1832 (Tenebrionidae)
381. *Dailognatha rugipleuris* Reitter, 1896 (Tenebrionidae)
382. *Dallognatha quadricollis* Brullé, 1832 (Tenebrionidae)
383. *Dallognatha rugipleuris* Reitter, 1896 (Tenebrionidae)
384. *Dasineura oleae* (Loew, 1885) (Cecidomyiidae)
385. *Dasyrhamphis carbonarius* (Meigen, 1820) (Tabanidae)
386. *Dasyscolia ciliata* (Fabricius, 1787) (Scoliidae)
387. *Dasytidius impar* Majer, 1996 (Melyridae)
388. *Dasytidius malkini* Majer, 1996 (Melyridae)
389. *Decticus albifrons* (Fabricius, 1793) (Tettigoniidae)
390. *Decticus verrucivorus* (Linnaeus, 1758) (Tettigoniidae)
391. *Deliphrosoma weiratheri* (Scheerpeltz, 1938) (Staphylinidae)
392. *Delphacodoides anaxarchi* (Muir, 1926) (Delphacidae)
393. *Delta unguiculatum* (Villers, 1789) (Vespidae)
394. *Demirsoyus salmani* Şirin & Çıplak, 2004 (Acrididae)
395. *Dendarus (Pandarinus) armeniacus* Baudi, 1876 (Tenebrionidae)
396. *Dendarus (Pandarinus) dalmatinus* Germar, 1824 (Tenebrionidae)
397. *Dendarus (Pandarinus) foveolatus* Seidlitz, 1893 (Tenebrionidae)
398. *Dendarus (Pandarinus) messenius* Brullé, 1832 (Tenebrionidae)
399. *Dendarus (Pandarinus) moesiacus* Mulsant & Rey, 1854 (Tenebrionidae)
400. *Dendarus (Pandarinus) tenellus* Mulsant & Rey, 1854 (Tenebrionidae)
401. *Deporaus betulae* (Linnaeus, 1758) (Atelabidae)
402. *Derocrepis anatolica* Heikertinger, 1922 (Chrysomelidae)
403. *Deronectes sahlbergi* Zimmermann, 1932 (Dytiscidae)
404. *Deronectes wittmeri* Wewalka, 1971 (Dytiscidae)
405. *Diaclina fagi* (Panzer, 1799) (Tenebrionidae)
406. *Diaperis boleti* (Linnaeus, 1758) (Tenebrionidae)
407. *Dichillus* (s.str.) *carinatus* Küster, 1848 (Tenebrionidae)
408. *Dichillus* (s.str.) *subsetulosus* Reitter, 1886 (Tenebrionidae)
409. *Dicronychus euxinus* (Elateridae)
410. *Dicronychus gillerforsii* Platia & Gudenzi, 2004 (Elateridae)
411. *Dictyonota phoenicea* Seidenstücker, 1963 (Tingidae)
412. *Dictyophara asiatica* Melichar, 1912 (Dictyopharidae)
413. *Dictyophara iranica* Linnavuori, 1962 (Dictyopharidae)
414. *Dictyophara lindbergi* Metcalf, 1955 (Dictyopharidae)
415. *Dictyophara multireticulata* Mulsant & Rey, 1855 (Dictyopharidae)
416. *Dictyophara xiphias* Puton, 1884 (Dictyopharidae)
417. *Diorhabda elongata* (Brullé, 1832) (Chrysomelidae)
418. *Diplacodes lefebvrei* (Rambur, 1842) (Libellulidae)
419. *Dociostaurus (Kazakia) brevicollis* (Eversmann, 1848) (Acrididae)
420. *Dociostaurus (Notostaurus) anatolicus* Krauss, 1896 (Acrididae)
421. *Dociostaurus* (s.str.) *maroccanus* (Thunberg, 1815) (Acrididae)
422. *Dociostaurus (Stauronotulus) cappadocicus* (Azam, 1913) (Acrididae)
423. *Docotettix cornutus* Ribaut, 1948 (Cicadellidae)
424. *Dolichogenidea sicarius* (Marshall, 1885) (Braconidae)
425. *Dolichopoda* (s.str.) *lycia* (Galvagni, 2006) (Raphidophoridae)
426. *Dolichopus thalhammeri* Knezy, 1929 (Dolichopodidae)
427. *Dolichovespula sylvestris* (Scopoli, 1763) (Vespidae)
428. *Dolicopoda* (s.str.) *sbordonii* Di Russo & Rampini, 2006 (Raphidophoridae)
429. *Donus zoilus* (Scopoli, 1763) (Curculionidae)
430. *Doratura homophyla* (Flor, 1861) (Cicadellidae)
431. *Drosophila (Hirtodrosophila) cameraria* Haliday, 1833 (Drosophilidae)
432. *Drosophila (Sophophora) simulans* Sturtevant, 1921 (Drosophilidae)
433. *Drosophila (Sophophora) subobscura* Collin, 1936 (Drosophilidae)
434. *Drosophila repleta* Wollaston, 1858 (Drosophilidae)
435. *Dryodurgades anatolicus* Dlabola, 1957 (Cicadellidae)
436. *Dufourea* (s.str.) *wolffi* Ebmer, 1989 (Halictidae)
437. *Dufouriellus ater* (Dufour, 1883) (Anthocoridae)
438. *Duilus seticulosa* (Lethierry, 1874) (Cixiidae)
439. *Duilus tamaricis* (Puton & Lethierry, 1887) (Cixiidae)
440. *Dyoderes umbraculatus* (Fabricius, 1775) (Pentatomidae)
441. *Dytiscus marginalis* Linnaeus, 1758 (Dytiscidae)
442. *Ebarrius cognatus* (Fieber, 1869) (Cicadellidae)
443. *Edwardsiana tshinari* Zachvatkin, 1947 (Cicadellidae)
444. *Elathous mertliki* Platia & Schimmel, 1992 (Elateridae)
445. *Elodes sieberi* Klausnitzer, 1973 (Scirtidae)
446. *Emblethis angustus* Montandon, 1890 (Lygaeidae)

447. **Emblethis brachynotus** Horvath,1907
(Lygaeidae)
448. **Emblethis griseus** (Wolff,1802)
(Lygaeidae)
449. **Empis (s.str.) inopinata** Collin,1960
(Empididae)
450. **Empis (s.str.) lepidopus** Meigen,1822
(Empididae)
451. **Empis (s.str.) nigripes** Fabricius,1794
(Empididae)
452. **Empis (s.str.) pexata** Collin,1960
(Empididae)
453. **Empoasca decipiens** Paoli,1930
(Cicadellidae)
454. **Empusa fasciata** Brullé,1836 (Empusidae)
455. **Enallagma cyathigerum**
(Charpentier,1840) (Coenagrionidae)
456. **Enochrus (Lumetus) bicolor**
(Fabricius,1792) (Hydrophilidae)
457. **Entomobora vomeriventr** (Costa,1863)
(Pompilidae)
458. **Entomogonus (Eutelogonus) nylander**
Ferrer & Soldati,1999 (Tenebrionidae)
459. **Eoferreola manticata** (Pallas,1771)
(Pompilidae)
460. **Eohardya fraudulentus** (Horvath,1903)
(Cicadellidae)
461. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
462. **Episyron rufipes** (Linnaeus,1758)
(Pompilidae)
463. **Eretes griseus** (Fabricius,1781)
(Dytiscidae)
464. **Eristalinus (Eristalodes) taeniops**
(Wiedemann,1818) (Syrphidae)
465. **Eristalis tenax** (Linnaeus,1758)
(Syrphidae)
466. **Erodius orientalis** Brullé,1832
(Tenebrionidae)
467. **Erythromma viridulum**
(Charpentier,1840) (Coenagrionidae)
468. **Euaresta bullans** (Wiedemann,1830)
(Tephritidae)
469. **Euboeus mimonti** (Boieldieu,1865)
(Tenebrionidae)
470. **Eumecurus bourouensis**
(Linnavuori,1965) (Cixiidae)
471. **Eumecurus gyaurus** (Dlabola,1957) (Cixiidae)
472. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
473. **Eumenes coronatus** (Panzer,1799) (Vespidae)
474. **Eumenes dubius** Saussure,1852 (Vespidae)
475. **Eumenes lunulatus** (Fabricius,1804)
(Vespidae)
476. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
477. **Eumenes papillarius** (Christ,1791) (Vespidae)
478. **Eumenes pedunculatus** (Panzer,1799)
(Vespidae)
479. **Eumenes subpomiformis** Blüthgen,1938
(Vespidae)
480. **Euodynerus (s.str.) curictensis**
Blüthgen,1940 (Vespidae)
481. **Euodynerus (s.str.) disconotatus**
(Lichtenstein,1884) (Vespidae)
482. **Eupelix cuspidata** (Fabricius,1775)
(Cicadellidae)
483. **Eupholidoptera anatolica** (Ramme,1930)
(Tettigoniidae)
484. **Eupholidoptera karabagi** Salman,1983
(Tettigoniidae)
485. **Eupholidoptera tahtalica** (Uvarov,1949)
(Tettigoniidae)
486. **Eupteryx cypria** (Ribaut,1948)
(Cicadellidae)
487. **Eupteryx fahringeri** Melichar,1911
(Cicadellidae)
488. **Eupteryx gyaurdagicus** Dlabola,1957
(Cicadellidae)
489. **Eupteryx insulana** (Ribaut,1948)
(Cicadellidae)
490. **Eurydema blanda** Horvath,1803
(Pentatomidae)
491. **Eurydema fieberi** Schummel,1836
(Pentatomidae)
492. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
493. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
494. **Eurydema rugulosa** (Dohrn,1860)
(Pentatomidae)
495. **Eurydema spectabilis** Horvath,1882
(Pentatomidae)
496. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)
497. **Euscelidius mundus** (Haupt,1927)
(Cicadellidae)
498. **Euscelidius schenkii** (Kirschbaum,1868)
(Cicadellidae)
499. **Euscelidius variegatus**
(Kirschbaum,1858) (Cicadellidae)
500. **Euscelis alsoides** Remane,1967
(Cicadellidae)
501. **Euscelis alsius** Ribaut,1952 (Cicadellidae)
502. **Euscelis incisus** (Kirschbaum,1858)
(Cicadellidae)
503. **Euscelis lineolatus** Brullé,1832
(Cicadellidae)
504. **Eustenancistrocerus israelensis**
Giordani Soika,1938 (Vespidae)
505. **Eutagenia smyrnensis** Solier,1838
(Tenebrionidae)
506. **Eutolmus polypogon** (Loew,1848)
(Asilidae)
507. **Euzonitis rubida** (Ménétriés,1832)
(Meloidae)
508. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
509. **Exitianus capicola** (Stal,1855)
(Cicadellidae)
510. **Exitianus fasciolatus** (Melichar,1911)
(Cicadellidae)
511. **Exochus castaniventris** Brauns,1896
(Ichneumonidae)
512. **Exochus suborbitalis** Schmiedeknecht,1924
(Ichneumonidae)
513. **Eyprepocnemis plorans** (Charpentier,1825)
(Acrididae)
514. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
515. **Faronus distinctus** Besuchet,1999
(Staphylinidae)
516. **Faronus parallelus** Besuchet,1958
(Staphylinidae)
517. **Fieberiella aschei** Meyer-Arndt,1988
(Cicadellidae)
518. **Fieberiella chioscola** Meyer-Arndt,1988
(Cicadellidae)

519. **Fieberiella macchiai** Linnavuori,1962 (Cicadellidae)
520. **Fieberiella oenderi** Dlabola,1985 (Cicadellidae)
521. **Fieberiella septentrionalis** Wagner,1963 (Cicadellidae)
522. **Frutioidia (s.str.) sanguinosa** (Rey,1891) (Cicadellidae)
523. **Gargara genistae** (Fabricius,1775) (Membracidae)
524. **Geocoris arenarius** (Jakovlev,1867) (Lygaeidae)
525. **Geocoris lineolus** (Rambur,1839) (Lygaeidae)
526. **Geotrupes spiniger** (Marsham,1802) (Geotrupidae)
527. **Glandulosa harzi** Gorochoy,1996 (Gryllidae)
528. **Glyptomethis adaliae** (Uvarov,1928) (Pamphagidae)
529. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
530. **Goniagnathus guttulinervis** (Kirschbaum,1868) (Cicadellidae)
531. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
532. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
533. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
534. **Graecopachys quadricollis** (Brullé,1832) (Tenebrionidae)
535. **Gryllomorpha (Gryllomorphella) antalya** Gorochoy,2009 (Gryllidae)
536. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
537. **Gryllus (s.str.) bimaculatus** (De Geer,1773) (Gryllidae)
538. **Grypotes staurus** Ivanoff,1885 (Cicadellidae)
539. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
540. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
541. **Gyrinus caspius Ménériés**,1832 (Gyrinidae)
542. **Gyrinus dejeani** Brullé,1832 (Gyrinidae)
543. **Gyrinus distinctus** Aubé,1836 (Gyrinidae)
544. **Haematopota longantennata** Olsufjev,1937 (Tabanidae)
545. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
546. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
547. **Hauptidia (s.str.) rivularis** (Linnavuori,1962) (Cicadellidae)
548. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
549. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
550. **Helophorus minutus** Fabricius,1775 (Helophoridae)
551. **Helophorus paraminutus** Angus,1986 (Helophoridae)
552. **Helops (s.str.) glabriventris** Reitter,1885 (Tenebrionidae)
553. **Helops (s.str.) rossii** Germar,1817 (Tenebrionidae)
554. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
555. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae)
556. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
557. **Hemipterochilus bicoloricornis** (Giordani Soika,1952) (Vespidae)
558. **Heriades (Michenerella) punctuliferus** Schletterer,1889 (Megachilidae)
559. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
560. **Heringina guttata** (Fallén,1814) (Tephritidae)
561. **Hermaphroditia ruficollis** (Lucas,1849) (Chrysomelidae)
562. **Hesperocorixa castanea** (Thomson,1869) (Corixidae)
563. **Heteralonia megerlei** (Meigen,1820) (Bombyliidae)
564. **Homodela ismenia** (Gory,1833) (Carabidae)
565. **Hoplitis (Alcidamea) bicallosa** (Morawitz,1876) (Megachilidae)
566. **Hoplitis (Alcidamea) praestans** (Morawitz,1894) (Megachilidae)
567. **Hoplitis (Micreriades) antalyae** Tkalec,2000 (Megachilidae)
568. **Hyalesthes hani** Hoch,1985 (Cixiidae)
569. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
570. **Hyalesthes mavromoustakisi** Dlabola,1959 (Cixiidae)
571. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
572. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
573. **Hyalesthes veyseli** Hoch,1985 (Cixiidae)
574. **Hybomitra caucasica** (Enderlein,1925) (Tabanidae)
575. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
576. **Hycleus polymorphus** (Pallas,1771) (Meloidae)
577. **Hycleus sexmaculatus** (Olivier,1811) (Meloidae)
578. **Hydrocyphon australis** Linder,1864 (Scirtidae)
579. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
580. **Hydroglyphus pubescens** Gyllenhal,1808 (Dytiscidae)
581. **Hydroporus kozlovskii** Zaitzev,1927 (Dytiscidae)
582. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
583. **Hydroporus pubescens** (Gyllenhal,1808) (Dytiscidae)
584. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
585. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
586. **Hyperaspis wellschmiedi** Fürsch,1987 (Coccinellidae)
587. **Hypocassida subferruginea** (Schränk,1776) (Chrysomelidae)
588. **Hypolixus nubilosus** (Boheman,1836) (Curculionidae)
589. **Hypsicera femoralis** (Geoffroy,1785) (Ichneumonidae)
590. **Iassus pseudocerris** Abdul-Nour,1998 (Cicadellidae)
591. **Iphthimulus truquii** (Marseul,1869) (Tenebrionidae)
592. **Ischnomera auripennis** (Reitter,1903) (Oedemeridae)

593. **Ischnomera caerulea (Linnaeus,1758)**
(Oedemeridae)
594. **Ischnomera cinerascens (Pandellé,1867)**
(Oedemeridae)
595. **Ischnomera fulvicollis (Reitter,1897)**
(Oedemeridae)
596. **Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae)
597. **Ischnura elegans (Van Der Linden,1820)**
(Coenagrionidae)
598. **Ischnura pumilio (Charpentier,1825)**
(Coenagrionidae)
599. **Isophya anatolica Ramme,1951**
(Tettigoniidae)
600. **Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae)
601. **Jassargus kurdicus Remane & Schultz,1976**
(Cicadellidae)
602. **Julodis andreae (Olivier,1790)**
(Buprestidae)
603. **Katamenes sichelii (Saussure,1852)**
(Vespidae)
604. **Kelisia ribauti Wagner,1938** (Delphacidae)
605. **Kelisia yarkonensis Linnavuori,1962**
(Delphacidae)
606. **Kermes palestiniensis Balachowsky,1953**
(Kermesidae)
607. **Kybos virgator (Ribaut,1933)**
(Cicadellidae)
608. **Laccobius (Dimorpholaccobius) halophilus Gentili,1982** (Hydrophilidae)
609. **Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae)
610. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
611. **Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae)
612. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
613. **Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae)
614. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)
615. **Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae)
616. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
617. **Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae)
618. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
619. **Laccophilus hyalinus (De Geer,1774)**
(Dytiscidae)
620. **Laccophilus minutus (Linnaeus,1758)**
(Dytiscidae)
621. **Laccophilus poecilus Klug,1834** (Dytiscidae)
622. **Lacon gillerforsi Platia & Schimmel,1994**
(Elateridae)
623. **Laena osmanlis Reitter,1906**
(Tenebrionidae)
624. **Laena syriaca Baudi,1876** (Tenebrionidae)
625. **Laminacutus libanensis Abd-Nour,2001** (Cicadellidae)
626. **Laodelphax striatellus (Fallén,1826)**
(Delphacidae)
627. **Larinus minutus Gyllenhal,1836**
(Curculionidae)
628. **Larinus syriacus Gyllenhal,1836**
(Curculionidae)
629. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae)
630. **Lasioglossum bischoffi (Blüthgen,1931)**
(Halictidae)
631. **Lasioglossum cristulum (Pérez,1895)**
(Halictidae)
632. **Lasioglossum lateralis (Brullé,1832)**
(Halictidae)
633. **Lasioglossum pseudocaspicum (Blüthgen,1923)** (Halictidae)
634. **Lasioglossum solitarium Warncke,1975**
(Halictidae)
635. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae)
636. **Latematium cingulatum Dlabola,1983**
(Issidae)
637. **Latilica antalyica (Dlabola,1986)** (Issidae)
638. **Latilica maculipes (Melichar,1906)**
(Issidae)
639. **Latilica quercus (Lindberg,1948)** (Issidae)
640. **Latilica retamae (Linnavuori,1962)**
(Issidae)
641. **Leichenium mucronatum Küster,1849**
(Tenebrionidae)
642. **Leptochilus regulus Saussure,1855**
(Vespidae)
643. **Leptocybe invasa Fisher & La Salle,2004**
(Eulophidae)
644. **Lepyronia coleoptrata (Linnaeus,1758)**
(Cercopidae)
645. **Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae)
646. **Lertha schmidti (H.Aspöck, U.Aspöck & Hölzel,1984)** (Nemopteridae)
647. **Lestes parvidens Artobolevski,1929**
(Lestidae)
648. **Leuctra antalyana Vincon & Sivec,2001**
(Leuctridae)
649. **Libelloides jungei Aistleitner,1982**
(Ascalaphidae)
650. **Libelloides lacteus (Brullé,1832)**
(Ascalaphidae)
651. **Libelloides macaronius (Scopoli,1763)**
(Ascalaphidae)
652. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae)
653. **Limotettix striola (Fallén,1806)**
(Cicadellidae)
654. **Liriomyza brassicae (Riley,1884)**
(Agromyzidae)
655. **Liriomyza buhri M.Hering,1937**
(Agromyzidae)
656. **Lixus anguinus (Linnaeus,1767)**
(Curculionidae)
657. **Lixus cardui Olivier,1807** (Curculionidae)
658. **Lixus elegantulus Boheman,1843**
(Curculionidae)
659. **Lixus rubicundus Zoubkoff,1833**
(Curculionidae)
660. **Locusta migratoria (Linnaeus,1758)**
(Acrididae)
661. **Longitarsus aeneicollis (Faldermann,1837)**
(Chrysomelidae)
662. **Longitarsus albineus (Foudras,1860)**
(Chrysomelidae)
663. **Longitarsus alfieri (Pic,1923)**
(Chrysomelidae)
664. **Longitarsus angelikae Fritzlär,2001**
(Chrysomelidae)

665. **Longitarsus barbarae** Doguet & Bergeal,2002 (Chrysomelidae)
666. **Longitarsus karlheini** Warchalowski,1972 (Chrysomelidae)
667. **Longitarsus longipennis** Kutschera,1836 (Chrysomelidae)
668. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae)
669. **Longitarsus obliteratus** (Rosenhauer,1847) (Chrysomelidae)
670. **Longitarsus tabidus** (Fabricius,1775) (Chrysomelidae)
671. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
672. **Lophyridia aphrodisia** (Baudi,1864) (Carabidae)
673. **Lophyridia concolor** (Dejean,1822) (Carabidae)
674. **Lophyridia fischeri** (Adams,1817) (Carabidae)
675. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
676. **Lucanus (.s.str.) cervus** (Linnaeus,1758) (Lucanidae)
677. **Lydus pilicollis** Fairmaire,1892 (Meloidae)
678. **Lygaeosoma erythropterum** (Puton,1876) (Lygaeidae)
679. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
680. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
681. **Lyphia tetraphylla** Fairmaire,1856 (Tenebrionidae)
682. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
683. **Macrolophus caliginosus** Wagner,1950 (Miridae)
684. **Macrophya postica** Brullé,1832 (Tenthredinidae)
685. **Macropsis albae** Wagner,1950 (Cicadellidae)
686. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
687. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
688. **Macrosteles forficula** (Ribaut,1927) (Cicadellidae)
689. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
690. **Maladera (Macroserica) attaliensis** Petrovitz,1969 (Scarabaeidae)
691. **Maladera (Macroserica) vignai** Sabatinelli,1977 (Scarabaeidae)
692. **Malenia bosnica** (Horvath,1907) (Derbidae)
693. **Malthinus ciraliensis** Svihla,2009 (Cantharidae)
694. **Malthinus furcatus** Wittmer,1974 (Cantharidae)
695. **Malthinus hulai** Svihla,2009 (Cantharidae)
696. **Malthinus interruptus** Wittmer,1974 (Cantharidae)
697. **Malthinus mediterraneus** Wittmer,1974 (Cantharidae)
698. **Malthinus pseudointerruptus** Wittmer,1974 (Cantharidae)
699. **Malthodes andreasii** Svihla,2009 (Cantharidae)
700. **Malthodes bucakensis** Wittmer,1970 (Cantharidae)
701. **Malthodes lycicus** Svihla,2009 (Cantharidae)
702. **Malthodes zahradniki** Svihla,1998 (Cantharidae)
703. **Mantispa aphavexelte** U.Aspöck & H.Aspöck,1994 (Mantispidae)
704. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
705. **Mantispa styriaca** (Poda,1761) (Mantispidae)
706. **Mayetiola destructor** (Say,1817) (Cecidomyiidae)
707. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
708. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae)
709. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
710. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
711. **Megachile (Xanthosarus) giraudi** Gerstaecker,1869 (Megachilidae)
712. **Megascolia maculata** (Drury,1773) (Scoliidae)
713. **Megaselia onis** Mostovski & Disney,2002 (Phoridae)
714. **Megaselia plurispinulosa** (Zetterstedt,1860) (Phoridae)
715. **Megischina adeliae** (Reitter,1890) (Tenebrionidae)
716. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae)
717. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
718. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae)
719. **Melanotus (s.str.) brignolii** Guglielmi & Platia,1985 (Elateridae)
720. **Meloe cavensis** Petagna,1819 (Meloidae)
721. **Meloe ganglbaueri** Apfelbeck,1907 (Meloidae)
722. **Meloe mediterraneus** Müller,1925 (Meloidae)
723. **Menephilus cylindricus** (Herbst,1784) (Tenebrionidae)
724. **Meringopus titilator** (Linnaeus,1758) (Ichneumonidae)
725. **Merodon kaloceros** Hurkmans,1993 (Syrphidae)
726. **Mesomorpha longulus** (Reiche,1847) (Tenebrionidae)
727. **Mesoptylus impictifrons** (Horvath,1911) (Cercopidae)
728. **Messor semirufus** (André,1881) (Formicidae)
729. **Metacantharis araxicola** Reitter,1891 (Cantharidae)
730. **Metopsia assingi** Zerche,1998 (Staphylinidae)
731. **Micantulina (Mulsantina) stigmatipennis** (Mulsant & Rey,1855) (Cicadellidae)
732. **Microchelonus basalis** (Curtis,1837) (Braconidae)
733. **Microchelonus sulcata** (Jurine,1807) (Braconidae)
734. **Microdynerus mirandus** (Giordani Soika,1947) (Vespidae)
735. **Micropeplus fulvus** Erichson,1840 (Staphylinidae)
736. **Microptilis mandibularis** Thomson,1895 (Braconidae)

737. **Microptilis mediator** (Haliday, 1834) (Braconidae)
738. **Microptilis spinolae** Nees, 1834 (Braconidae)
739. **Microptilis varipes** Ruthe, 1860 (Braconidae)
740. **Milichia speciosa** Meigen, 1830 (Milichiidae)
741. **Miltogramma oestracea** (Fallén, 1820) (Sarcophagidae)
742. **Mocydiopsis monticola** Remane, 1961 (Cicadellidae)
743. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille, 1804) (Gryllidae)
744. **Modicogryllus (s.str.) frontalis** (Fieber, 1844) (Gryllidae)
745. **Monosapyga clavicornis** (Linnaeus, 1758) (Sapygidae)
746. **Monosteira lobulifera** Reuter, 1888 (Tingidae)
747. **Muirodelphax aubei** (Perris, 1857) (Delphacidae)
748. **Musca calleva** Walker, 1849 (Muscidae)
749. **Musca sorbens** Wiedemann, 1830 (Muscidae)
750. **Mustha spinosula** (Lefebvre, 1831) (Pentatomidae)
751. **Mutilla quinquemaculata** Cyrillo, 1787 (Mutillidae)
752. **Muzimes tauricus** (Maran, 1940) (Meloidae)
753. **Mycterodus (Comporodus) spinicordatus Dlabola, 1983** (Issidae)
754. **Mycterodus (Comporodus) tekneticus (Dlabola, 1982)** (Issidae)
755. **Mycterodus (s.str.) lodosicus Dlabola, 1980** (Issidae)
756. **Mycterodus (s.str.) muticus Dlabola, 1986** (Issidae)
757. **Mylabris cincta** Olivier, 1811 (Meloidae)
758. **Mylabris humerosa** (Escherich, 1899) (Meloidae)
759. **Mylabris olivieri** Billberg, 1813 (Meloidae)
760. **Mylabris quadripunctata (Linnaeus, 1767)** (Meloidae)
761. **Mylabris syriaca** Klug, 1845 (Meloidae)
762. **Mylabris variabilis** (Pallas, 1782) (Meloidae)
763. **Mylabris zebraea** (Marseul, 1870) (Meloidae)
764. **Myriochile (s.str.) melancholica (Fabricius, 1798)** (Carabidae)
765. **Myrmeleon (Morter) inconspicuus (Rambur, 1842)** (Myrmeleonidae)
766. **Myrmeleonostenus italicus (Gravenhorts, 1829)** (Ichneumonidae)
767. **Neatus subaequalis** Reitter, 1920 (Tenebrionidae)
768. **Nebrioporus suavis** (Sharp, 1882) (Dytiscidae)
769. **Nebrioporus turca** (Seidlitz, 1887) (Dytiscidae)
770. **Nemka viduata** (Pallas, 1773) (Mutillidae)
771. **Nemognatha chrysomelina** (Fabricius, 1775) (Meloidae)
772. **Nemoptera sinuata** Olivier, 1811 (Nemopteridae)
773. **Nemorius vitripennis** (Meigen, 1820) (Tabanidae)
774. **Nemotelus (s.str.) pantherinus (Linnaeus, 1758)** (Stratiomyidae)
775. **Neotalitrus fenestratus (Herrich-Schäffer, 1834)** (Cicadellidae)
776. **Neotalitrus guttulatus** (Kirschbaum, 1868) (Cicadellidae)
777. **Neotalitrus pulcher** (Haupt, 1927) (Cicadellidae)
778. **Neoleria flavicornis** (Loew, 1862) (Heleomyzidae)
779. **Neophilaenus campestris** (Fallén, 1805) (Cercopidae)
780. **Neophilaenus minor** (Kirschbaum, 1868) (Cercopidae)
781. **Nephrotoma scalaris** (Meigen, 1818) (Tipulidae)
782. **Nephrotoma theowaldi Oosterbroek, 1978** (Tipulidae)
783. **Nephus caneparii** Fürsch & Uygun, 1980 (Coccinellidae)
784. **Nesoclutha erythrocephala (Ferrari, 1882)** (Cicadellidae)
785. **Neuroterus numismalis** (Fourcroy, 1785) (Cynipidae)
786. **Noterus clavicornis** (De Geer, 1774) (Noteridae)
787. **Nycteribia (Acrocholidia) vexata Westwood, 1835** (Nycteribiidae)
788. **Nycteribia (s.str.) latreillii** (Leach, 1817) (Nycteribiidae)
789. **Nycteribia (s.str.) schmidlii** Schiner, 1853 (Nycteribiidae)
790. **Occathemus tarsalis** Svihla, 1999 (Cantharidae)
791. **Odontomyia angulata** (Panzer, [1798]) (Stratiomyidae)
792. **Oecanthus pellucens** (Scopoli, 1763) (Gryllidae)
793. **Oedemera (Oncomera) flavicans (Fairmaire, 1860)** (Oedemeridae)
794. **Oedemera (Oncomera) natolica (Reiche, 1862)** (Oedemeridae)
795. **Oedemera (s.str.) brevipennis Ganglbauer, 1881** (Oedemeridae)
796. **Oedemera (s.str.) flavipennis W.Schmidt, 1846** (Oedemeridae)
797. **Oedemera (s.str.) flavipes** (Fabricius, 1792) (Oedemeridae)
798. **Oedemera (s.str.) podagrariae (Linnaeus, 1767)** (Oedemeridae)
799. **Oedemera (s.str.) rufofemorata Germar, 1824** (Oedemeridae)
800. **Oedipoda aurea** Uvarov, 1923 (Acrididae)
801. **Oedipoda caerulea** (Linnaeus, 1758) (Acrididae)
802. **Oenopia conglobata** (Linnaeus, 1758) (Coccinellidae)
803. **Oligopogon londti** Geller-Grimm & Hradsky, 2003 (Asilidae)
804. **Omalium assingi** Zanetti, 2002 (Staphylinidae)
805. **Omalium cinnamomeum** Kraatz, 1857 (Staphylinidae)
806. **Omalium cribriceps** Fauvel, 1900 (Staphylinidae)
807. **Omalium rugatum** Mulsant & Rey, 1880 (Staphylinidae)
808. **Omalium schuberti** Zanetti, 2002 (Staphylinidae)

809. **Ommatidiotus longiceps** Puton,1896
(Caliscelidae)
810. **Onthophagus (Palaeonthophagus) dacatrai** Pittino,2004 (Scarabaeidae)
811. **Onychogomphus forcipatus** (Linnaeus,1758)
(Gomphidae)
812. **Oochrotus glaber** Demaison,1904
(Tenebrionidae)
813. **Opatroides curtulus** Fairmaire,1892
(Tenebrionidae)
814. **Opatroides punctulatus** Brullé,1832
(Tenebrionidae)
815. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
816. **Opilo taeniatus** (Klug,1842) (Cleridae)
817. **Oplodontha viridula** (Fabricius,1775)
(Stratiomyidae)
818. **Opsimea ventralis** Miller,1880
(Oedemeridae)
819. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
820. **Opsius smaragdinus** Emeljanov,1964
(Cicadellidae)
821. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
822. **Orectochilus villosus** (Müller,1776)
(Gyrinidae)
823. **Orellia strophea** (Rondani,1870)
(Tephritidae)
824. **Oreodytes davisii** (Curtis,1831)
(Dytiscidae)
825. **Orosius orientalis** (Matsumura,1914)
(Cicadellidae)
826. **Orthetrum trinacrium** (Selys,1841)
(Libellulidae)
827. **Ortochile nigrocoerulea** Latreille,1809
(Dolichopodidae)
828. **Osmia (Helicosmia) aurulenta**
(Panzer,1799) (Megachilidae)
829. **Osmia (Helicosmia) caerulea**
(Linnaeus,1758) (Megachilidae)
830. **Osmia (Helicosmia) dimidiata**
Morawitz,1870 (Megachilidae)
831. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
832. **Osmia (Hoplosmia) bidentata**
Morawitz,1876 (Megachilidae)
833. **Osmia (Hoplosmia) elegans**
(Tkalcu,1992) (Megachilidae)
834. **Osmia (s.str.) ariadne** Peters,1978
(Megachilidae)
835. **Osmia (s.str.) cerinthidis** Morawitz,1876
(Megachilidae)
836. **Osmia (Tergosmia) avosetta**
Warncke,1988 (Megachilidae)
837. **Osmia (Tergosmia) rhodoensis**
(Zanden,1983) (Megachilidae)
838. **Osmylus fulvicephalus** (Scopoli,1763)
(Osmylidae)
839. **Oxyaciura tibialis** Robineau-
Desvoidy,1830 (Tephritidae)
840. **Oxyna flavipennis** (Loew,1844)
(Tephritidae)
841. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
842. **Oxythyrea funesta** (Poda,1761)
(Scarabaeidae)
843. **Pachybrachis (s.str.) adaliensis**
Weise,1886 (Chrysomelidae)
844. **Pachybrachis (s.str.) sinuatus** Mulsant &
Rey,1859 (Chrysomelidae)
845. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
846. **Pachyscelis quadricollis** Brullé,1832
(Tenebrionidae)
847. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
848. **Pagiphora aschei** Kartal,1978 (Cicadidae)
849. **Palpares libelluloides** (Linnaeus,1764)
(Myrmeleonidae)
850. **Pangonius (s.str.) fulvipes** Loew,1859
(Tabanidae)
851. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
852. **Paracorixa concinna** (Fieber,1848)
(Corixidae)
853. **Paradorydium mustafai** Demir,2005
(Cicadellidae)
854. **Paradorydium occidentale**
Lindberg,1954 (Cicadellidae)
855. **Paradorydium paradoxum** (Herrich-
Schäffer,1837) (Cicadellidae)
856. **Paragus (s.str.) faesi** De Weyer,2000
(Syrphidae)
857. **Paralimnulus cingulatus** (Dlabola,1960)
(Cicadellidae)
858. **Paralimnus phragmitis** (Boheman,1847)
(Cicadellidae)
859. **Paranocarodes fieberi** (Brunner von
Wattenwyl,1882) (Pamphagidae)
860. **Parapholidoptera signata** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
861. **Parapoecilimon antalyaensis** Karabağ,1975
(Tettigoniidae)
862. **Pareumenes laminatus**
(Kriechbaumer,1879) (Vespidae)
863. **Pedinus (s.str.) bodemeyeri** Reitter,1904
(Tenebrionidae)
864. **Pedinus (s.str.) curvipes** Mulsant &
Rey,1853 (Tenebrionidae)
865. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
866. **Pentaphyllus chrysomeloides**
(Rossi,1792) (Tenebrionidae)
867. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
868. **Pentastira megista** Emeljanov,1978
(Cixiidae)
869. **Pentastiridius leporinus** (Linnaeus,1761)
(Cixiidae)
870. **Penthimia nigra** (Goeze,1778)
(Cicadellidae)
871. **Pentodon bidens** (Pallas,1771) (Scarabaeidae)
872. **Peripontius concolor** (Desbrochers,1875)
(Elateridae)
873. **Peripontius crassus** (Buysson,1906)
(Elateridae)
874. **Peripontius dentatus** Platia &
Schimmel,1991 (Elateridae)
875. **Perkinsiella dorsata** Melichar,1905
(Delphacidae)
876. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
877. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
878. **Pheidole pallidula** (Nylander,1848)
(Formicidae)
879. **Philaenus signatus** Melichar,1896
(Cercopidae)

880. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
881. **Philanthus triangulum** (Fabricius,1775)
(Crabronidae)
882. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
883. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
884. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
885. **Pholidoptera grandis** Karabağ,1952
(Tettigoniidae)
886. **Phronia willistoni** Dziedzicki,1889
(Mycetophilidae)
887. **Phthiridium biarticulatum**
Hermann,1804 (Nycteribiidae)
888. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
889. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
890. **Phyllotreta pontoaegica** Gruev,1982
(Chrysomelidae)
891. **Physocephala laticincta** (Brullé,1832)
(Conopidae)
892. **Physocephala rufipes** (Fabricius,1781)
(Conopidae)
893. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
894. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
895. **Pimelia (Eurypimelia) subglobosa**
(Pallas,1781) (Tenebrionidae)
896. **Pimelia (Eurypimelia) subglobosa polita**
Solier,1836 (Tenebrionidae)
897. **Pimelia (Eurypimelia) subglobosa**
verruculifera Solier,1836 (Tenebrionidae)
898. **Piocoris erythrocephalus** (P. & S.,1825)
(Lygaeidae)
899. **Plagiognathus arbustorum**
(Fabricius,1794) (Miridae)
900. **Plagiognathus flavipes**
(Provancher,1872) (Miridae)
901. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
902. **Plagiognathus raphani** Wagner,1963
(Miridae)
903. **Plastocerus angulosus** (Germar,1845)
(Elateridae)
904. **Platycleis (Incertana) incerta** Brunner
von Wattenwyl,1882 (Tettigoniidae)
905. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
906. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
907. **Platydemus europaeum** Laporte &
Brullé,1831 (Tenebrionidae)
908. **Platymetopius (s.str.) enatus**
Dlabola,1974 (?) (Cicadellidae)
909. **Platymetopius (s.str.) guttatus**
Fieber,1869 (Cicadellidae)
910. **Platymetopius (s.str.) henribauti**
Dlabola,1961 (Cicadellidae)
911. **Platymetopius (s.str.) obsoletus**
(Signoret,1880) (Cicadellidae)
912. **Platymetopius quercinus** Dlabola,1974
(Cicadellidae)
913. **Platypygus chrysanthemii** Loew,1844
(Mythicomyiidae)
914. **Platypygus ridibundus** (A.Costa,1863)
(Mythicomyiidae)
915. **Platypygus ridibundus** (Costa,1863)
(Mythicomyiidae)
916. **Platystoma aenescens** Loew,1868
(Platystomidae)
917. **Podagrica menetriesi** (Faldermann,1837)
(Chrysomelidae)
918. **Poecilimon bilgeri** Karabağ,1953
(Tettigoniidae)
919. **Poecilimon birandi** Karabağ,1950
(Tettigoniidae)
920. **Poecilimon davisii** Karabağ,1953
(Tettigoniidae)
921. **Poecilimon luschani** Ramme,1933
(Tettigoniidae)
922. **Poecilimon sanctipauli** Brunner von
Wattenwyl,1878 (Tettigoniidae)
923. **Poecilimon zonatus** Bolivar,1899
(Tettigoniidae)
924. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
925. **Polistes (s.str.) biglumis** (Linnaeus,1758)
(Vespidae)
926. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
927. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
928. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
929. **Polypedium breviantennatum**
Tchern.,1949 (Chironomidae)
930. **Polyphylla (s.str.) olivieri** (Laporte de
Castelnau,1840) (Scarabaeidae)
931. **Pompilus cinereus** (Fabricius,1787)
(Pompilidae)
932. **Priocnemis fahringeri** Wolf,1963
(Pompilidae)
933. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
934. **Priocnemis minuta** (Van der
Linden,1827) (Pompilidae)
935. **Priocnemis propinqua** (Lepelletier,1847)
(Pompilidae)
936. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
937. **Prionocyphon ornatus** Abeille,1881
(Scirtidae)
938. **Probaticus (Pelorinus) corrugatus**
Seidlitz,1893 (Tenebrionidae)
939. **Probaticus (Pelorinus) dorsalis**
(Allard,1877) (Tenebrionidae)
940. **Probaticus (Pelorinus) pentheri**
Reitter,1905 (Tenebrionidae)
941. **Probaticus (Pelorinus) tenebricosus**
(Brullé,1832) (Tenebrionidae)
942. **Proceps acicularis** Mulsant & Rey,1855
(Cicadellidae)
943. **Protaetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
944. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
945. **Proteinus utriarius** Assing,2004
(Staphylinidae)
946. **Protomiltogramma fasciata**
(Meigen,1824) (Sarcophagidae)
947. **Protonemura bithynica** Aubert,1964
(Nemouridae)

948. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
949. **Psammotettix cerinus** (Lindberg,1948)
(Cicadellidae)
950. **Psammotettix confinis** (Dahlbom,1850)
(Cicadellidae)
951. **Psammotettix nodosus** (Ribaut,1925)
(Cicadellidae)
952. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
953. **Psammotettix provincialis** (Ribaut,1925)
(Cicadellidae)
954. **Psammotettix striatus** (Linnaeus,1758)
(Cicadellidae)
955. **Pseudaraeopus lethierryi** (Mulsant &
Rey,1879) (Delphacidae)
956. **Pseudoleria pectinata** (Loew,1872)
(Heleomyzidae)
957. **Pseudophotopsis syriaca** (André,1900)
(Mutillidae)
958. **Psilophrys ghilarovi** Japoshvili,2005
(Encyrtidae)
959. **Psorodonotus ebneri** Karabağ,1952
(Tettigoniidae)
960. **Psylliodes chrysocephalus**
(Linnaeus,1758) (Chrysomelidae)
961. **Psylliodes circumdatus** (Redtenbacher,1842)
(Chrysomelidae)
962. **Psylliodes cupreus** (Koch,1803)
(Chrysomelidae)
963. **Psylliodes inflatus** Reiche,1856
(Chrysomelidae)
964. **Psylliodes instabilis** Foudras,1860
(Chrysomelidae)
965. **Psylliodes luteolus** (O.F.Müller,1776)
(Chrysomelidae)
966. **Psylliodes napi** (Fabricius,1792)
(Chrysomelidae)
967. **Psylliodes pallidicolor** Pic,1903
(Chrysomelidae)
968. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
969. **Pterocheilus atrohirtus** Morawitz,1885
(Vespidae)
970. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
971. **Pyrgomorpha cognata** Krauss,1877
(Pyrgomorphidae)
972. **Pyrgomorpha conica** (Olivier,1791)
(Pyrgomorphidae)
973. **Pyrgomorpha guentheri** Burr,1899
(Pyrgomorphidae)
974. **Pyrobombus niveatus**
(Kriechbaumer,1870) (Apidae)
975. **Quadrastylum jahjai** Dlabola,1983 (Issidae)
976. **Raiboscelis coelestinus** (Waltl,1838)
(Tenebrionidae)
977. **Raiboscelis syriacus** (Reiche,1861)
(Tenebrionidae)
978. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
979. **Raphidia (Phidiara) ressl** H.Aspöck &
U.Aspöck,1964 (Raphidiidae)
980. **Raphidia (Phidiara) vartianorum**
H.Aspöck & U.Aspöck,1968 (Raphidiidae)
981. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
982. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
983. **Reptalus (s.str.) horridus**
(Linnavuori,1962) (Cixiidae)
984. **Reptalus (s.str.) oleae** Dlabola,1987
(Cixiidae)
985. **Rhagio notatus** Meigen,1820 (Rhagionidae)
986. **Rhagoletis flavigenualis** M.Hering,1958
(Tephritidae)
987. **Rhagonycha duplicata** Dahlgren,1968
(Cantharidae)
988. **Rhagonycha kiesewetteri** Marseul,1864
(Cantharidae)
989. **Rhamphomyia (Lundstroemiella)**
cimrmani Bartak,2006 (Empididae)
990. **Rhynchites bacchus** (Linnaeus,1758)
(Attelabidae)
991. **Rhynchites giganteus** Krynicky,1832
(Attelabidae)
992. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
993. **Rhynchites lenaeus** Faust,1891
(Attelabidae)
994. **Rhynchites lodosi** Voss,1973 (Attelabidae)
995. **Rhynchites purpureipennis** Voss,1973
(Attelabidae)
996. **Rhynchites smyrnensis**
Desbrochers,1869 (Attelabidae)
997. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
998. **Rhyarochromus reuteri** (Horvath,1885)
(Lygaeidae)
999. **Rhytidodus boluicus** Dlabola,1970
(Cicadellidae)
1000. **Ribautiana cruciata** (Ribaut,1931)
(Cicadellidae)
1001. **Ricania hedenborgi** Stal,1865 (Ricaniidae)
1002. **Rivetina syriaca** (Saussure,1869)
(Mantidae)
1003. **Rutpela maculata** (Poda,1761)
(Cerambycidae)
1004. **Saga cappadocica** Werner,1903
(Tettigoniidae)
1005. **Saga natoliae** Audinet-Serville,1839
(Tettigoniidae)
1006. **Saga rhodiensis** Salfi,1929 (Tettigoniidae)
1007. **Sapromyza gozmanyi** Papp,1981
(Leuxaniidae)
1008. **Sapromyza intonsa** Loew,1847
(Leuxaniidae)
1009. **Sapromyza intonsina** Yarom,1990
(Leuxaniidae)
1010. **Sapromyza laszlopappi** Merz,2000
(Leuxaniidae)
1011. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
1012. **Sarcophaga (Helicophagella) bellae**
Lehrer,2000 (Sarcophagidae)
1013. **Sarcophaga (Helicophagella)**
novercoides Böttcher,1913 (Sarcophagidae)
1014. **Sarcophaga (Heteronychia)**
consanguinea Rondani,1860 (Sarcophagidae)
1015. **Sarcophaga (Heteronychia) filia**
Rondani,1860 (Sarcophagidae)
1016. **Sarcophaga (Heteronychia) kerteszi**
Villeneuve,1912 (Sarcophagidae)
1017. **Sarcophaga (Heteronychia) siciliensis**
Böttcher,1913 (Sarcophagidae)
1018. **Scarabaeus pius** (Illiger,1803)
(Scarabaeidae)

1019. **Scarodytes halensis** (Fabricius,1787)
(Dytiscidae)
1020. **Scathophaga lutaria** (Fabricius,1794)
(Scathophagidae)
1021. **Schizoprymnus obscurus** (Nees,1813)
(Braconidae)
1022. **Sciocoris macrocephalus** Fieber,1851
(Pentatomidae)
1023. **Sciocoris maculatus** Fieber,1851
(Pentatomidae)
1024. **Scolia galbula** (Pallas,1771) (Scoliidae)
1025. **Scolia hirta** (Schrank,1781) (Scoliidae)
1026. **Scolia sexmaculata** (Müller,1766)
(Scoliidae)
1027. **Scymnus apetzi** Mulsant,1846
(Coccinellidae)
1028. **Scymnus pallipediformis** Günther,1958
(Coccinellidae)
1029. **Scymnus quadriguttatus** Capra,1924
(Coccinellidae)
1030. **Scymnus rubromaculatus** (Goeze,1778)
(Coccinellidae)
1031. **Selenocephalus ankarae** Dlabola,1957
(Cicadellidae)
1032. **Selenocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
1033. **Selenocephalus stenopterus**
Signoret,1880 (Cicadellidae)
1034. **Senotainia albifrons** (Rondani,1860)
(Sarcophagidae)
1035. **Sepsis lateralis** Wiedemann,1830
(Sepsidae)
1036. **Setapius klapperichianus** Dlabola,1988
(Cixiidae)
1037. **Setapius lindbergi** (Dlabola,1957)
(Cixiidae)
1038. **Sigara kervillei** (Poisson,1927) (Corixidae)
1039. **Sigara lateralis** Leach,1818 (Corixidae)
1040. **Sigara nigrolineata** (Fieber,1848)
(Corixidae)
1041. **Silpha obscura** Linnaeus,1758 (Silphidae)
1042. **Silvius (s.str.) ochraceus** Loew,1858
(Tabanidae)
1043. **Sisyphus schaefferi** (Linnaeus,1758)
(Scarabaeidae)
1044. **Sitophagus hololeptoides** Laporte,1840
(Tenebrionidae)
1045. **Sogatella vibix** (Haupt,1927) (Delphacidae)
1046. **Sphenella marginata** (Fallén,1814)
(Tephritidae)
1047. **Sphenometopa steinii** (Schiner,1862)
(Sarcophagidae)
1048. **Sphex flavipennis** Fabricius,1793
(Sphecidae)
1049. **Sphingonotus (s.str.) nebulosus** (Fischer
von Waldheim,1846) (Acrididae)
1050. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
1051. **Spogostylum isis** (Meigen,1820)
(Bombyliidae)
1052. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
1053. **Stenobothrus (s.str.) fischeri**
(Eversmann,1848) (Acrididae)
1054. **Stenodera anatolica** Frivaldsky,1884
(Meloidae)
1055. **Stenosis intermedia** (Solier,1838)
(Tenebrionidae)
1056. **Stenosis sardoa** (Küster,1848)
(Tenebrionidae)
1057. **Stethorus punctillum** Weise,1891
(Coccinellidae)
1058. **Stratiomys cenisia** Meigen,1822
(Stratiomyidae)
1059. **Stratiomys chamaeleon** (Linnaeus,1758)
(Stratiomyidae)
1060. **Stymphalus rubrolineatus** (Stal,1855)
(Cicadellidae)
1061. **Suarius nanus** (McLachan,1893)
(Chrysopidae)
1062. **Suillia affinis** (Meigen,1830)
(Heleomyzidae)
1063. **Suillia bistrigata** (Loew,1862)
(Heleomyzidae)
1064. **Suillia humilis** (Meigen,1830)
(Heleomyzidae)
1065. **Suillia variegata** (Loew,1862)
(Heleomyzidae)
1066. **Sulamicerus ancorarius** (Dlabola,1964)
(Cicadellidae)
1067. **Sympetrum vulgatum** (Linnaeus,1758)
(Libellulidae)
1068. **Symplecta (s.str.) hybrida** (Meigen,1804)
(Limoniidae)
1069. **Syneuodynerus sigberti**
(Gusenleitner,1967) (Vespidae)
1070. **Synophropsis lauri** (Horvath,1897)
(Cicadellidae)
1071. **Syrirta pipiens** (Linnaeus,1758)
(Syrphidae)
1072. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
1073. **Tabanus brunnescens** Szilady,1917
(Tabanidae)
1074. **Tabanus canipalpis** Bigot,1892
(Tabanidae)
1075. **Tabanus cuculus** Szilady,1923 (Tabanidae)
1076. **Tabanus decipiens** Kröber,1928
(Tabanidae)
1077. **Tabanus eggeri** Schiner,1868 (Tabanidae)
1078. **Tabanus exclusus** Pandella,1883
(Tabanidae)
1079. **Tabanus laetinctus** Becker,1913
(Tabanidae)
1080. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
1081. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
1082. **Tabanus regularis** Jaenicke,1866
(Tabanidae)
1083. **Tabanus spodopterus** Meigen,1820
(Tabanidae)
1084. **Tabanus tergestinus** Egger,1859
(Tabanidae)
1085. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
1086. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
1087. **Tachycixius bidentifer** Dlabola,1971
(Cixiidae)
1088. **Tachycixius desertorum** (Fieber,1876)
(Cixiidae)
1089. **Tachycixius pilosus** (Olivier,1791)
(Cixiidae)
1090. **Tachytrechus ripicola** Loew,1857
(Dolichopodidae)

1091. **Tamaricella cypria** (Ribaut,1948)
(Cicadellidae)
1092. **Tapinoma erraticum** (Latreille,1798)
(Formicidae)
1093. **Telostegus inermis** (Brullé,1832)
(Pompilidae)
1094. **Tenebrio obscurus** Fabricius,1792
(Tenebrionidae)
1095. **Tenthredo zonula** Klug,1817
(Tenthredinidae)
1096. **Tentyria rotundata** Brullé,1832
(Tenebrionidae)
1097. **Tephritis acanthiophilopsis** Hering,1938
(Tephritidae)
1098. **Tephritis cometa** (Loew,1856)
(Tephritidae)
1099. **Tephritis erdemlii** Kütük,2008
(Tephritidae)
1100. **Tephritis formosa** (Loew,1844)
(Tephritidae)
1101. **Tephritis hurvitzii** Freidberg,1981
(Tephritidae)
1102. **Tephritis hyoscyami** (Linnaeus,1758)
(Tephritidae)
1103. **Tephritis merzi** Freidberg & Kütük,2002
(Tephritidae)
1104. **Tephritis nigricauda** (Loew,1856)
(Tephritidae)
1105. **Tephritis postica** (Loew,1844)
(Tephritidae)
1106. **Tephritis sauteri** Merz,1992 (Tephritidae)
1107. **Tephritis simplex** (Loew,1844)
(Tephritidae)
1108. **Tephritis vespertina** (Loew,1844)
(Tephritidae)
1109. **Tephrochlamys laeta** (Meigen,1830)
(Heleomyzidae)
1110. **Teratolytta flavipes** (Mulsant & Rey,1858) (Meloidae)
1111. **Teratolytta gentilis** (Fivaldsky,1877)
(Meloidae)
1112. **Tetartostylus illyricus**
(Kirschbaum,1868) (Cicadellidae)
1113. **Tettigometra (Hystrigonia) hexaspina**
Kolenati,1857 (Tettigometridae)
1114. **Tettigometra (Metroplaca) longicornis**
(Signoret,1866) (Tettigometridae)
1115. **Tettigometra (Mitricephalus) eremi**
Lindberg,1948 (Tettigometridae)
1116. **Tettigometra (Mitricephalus) leucophaea**
(Preyssl,1792) (Tettigometridae)
1117. **Tettigometra (s.str.) sulphurea** Mulsant-
Rey,1855 (Tettigometridae)
1118. **Tettigometra (s.str.) virescens**
(Panzer,1799) (Tettigometridae)
1119. **Tettigonia caudata** (Charpentier,1845)
(Tettigoniidae)
1120. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
1121. **Thamnotettix (s.str.) creticus**
Dlabola,1974 (Cicadellidae)
1122. **Thamnotettix (s.str.) klapperichi**
Dlabola,1965 (Cicadellidae)
1123. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
1124. **Thamnotettix wittmeri** Dlabola,1971
(Cicadellidae)
1125. **Thereva aurata** (Loew,1854) (Therevidae)
1126. **Thereva strigata** (Fabricius,1794)
(Therevidae)
1127. **Thereva tristis** (Loew,1847) (Therevidae)
1128. **Thyridanthrax incanus** (Klug,1832)
(Bombyliidae)
1129. **Tibicina haematodes** (Scopoli,1763)
(Cicadidae)
1130. **Tillus pectinicornis** Abeille,1892 (Cleridae)
1131. **Tingis griseola** (Puton,1879) (Tingidae)
1132. **Tipula (Acutipula) latifurca**
Vermoolen,1983 (Tipulidae)
1133. **Tipula (Lunatipula) bimacula**
Theowald,1980 (Tipulidae)
1134. **Tipula (Lunatipula) helvola** Loew,1873
(Tipulidae)
1135. **Tipula (Lunatipula) horsti**
Theischinger,1982 (Tipulidae)
1136. **Tipula (Lunatipula) huberti**
Theischinger,1982 (Tipulidae)
1137. **Tipula (Lunatipula) quinquespinis**
Theischinger,1980 (Tipulidae)
1138. **Tipula (Lunatipula) russula**
Theischinger,1977 (Tipulidae)
1139. **Tipula (Lunatipula) sciurus**
Theischinger,1977 (Tipulidae)
1140. **Tipula (Tipula) orientalis**
Lackschewitz,1930 (Tipulidae)
1141. **Tipula (Yamatotipula) lateralis**
Meigen,1804 (Tipulidae)
1142. **Toya obtusangula** (Linnavuori,1957)
(Delphacidae)
1143. **Toya propinqua** (Fieber,1866)
(Delphacidae)
1144. **Trachyscelis aphodioides** Latreille,1809
(Tenebrionidae)
1145. **Tremulicerus mesopyrrhus**
(Kirschbaum,1868) (Cicadellidae)
1146. **Tribalus olexai** Lackner,2004 (Histeridae)
1147. **Trichodes affinis** Chevrolat,1843
(Cleridae)
1148. **Trichodes crabroniformis** Fabricius,1787
(Cleridae)
1149. **Trichodes ganglbaueri** Escherich,1893
(Cleridae)
1150. **Trichodes laminatus** Chevrolat,1843
(Cleridae)
1151. **Trichodes longissimus** (Abeille de
Perrin,1881) (Cleridae)
1152. **Trichodes nobilis** Klug,1842 (Cleridae)
1153. **Trichodes punctatus** Fischer,1829
(Cleridae)
1154. **Trichodes quadriguttatus** Adams,1817
(Cleridae)
1155. **Trichodes sexpustulatus** Chevrolat,1874
(Cleridae)
1156. **Trichodes sipylus** (Linnaeus,1758)
(Cleridae)
1157. **Trichodes suspectus** Escherich,1892
(Cleridae)
1158. **Trichodes tauricus** Zimmermann,1971
(Cleridae)
1159. **Triecphorella geniculata** (Horvath,1881)
(Cercopidae)
1160. **Triodontella demelti** Petrovitz,1962
(Scarabaeidae)
1161. **Trissolcus grandis** (Thomson,1860)
(Scelionidae)
1162. **Trissolcus semistriatus** (Nees,1834)
(Scelionidae)

1163. **Trissolcus simoni** (Mayr,1897)
(Scelionidae)
1164. **Trithemis annulata** (P. de Beauvais,1807)
(Libellulidae)
1165. **Trithemis festiva** (Rambur,1842)
(Libellulidae)
1166. **Trixoscelis approximata** (Loew,1865)
(Trixoscelidae)
1167. **Trixoscelis frontalis** (Fallén,1830)
(Trixoscelidae)
1168. **Trixoscelis obscurella** (Meigen,1830)
(Trixoscelidae)
1169. **Trixoscelis pedestris** (Loew,1865)
(Trixoscelidae)
1170. **Trixoscelis vikhrevi** Woznica,2007
(Trixoscelidae)
1171. **Troglophilus (s.str.) bicakcii** Rampini &
Di Russo,2003 (Raphidophoridae)
1172. **Tropidocephala tuberipennis** (Mulsant &
Rey,1855) (Delphacidae)
1173. **Tropidopola graeca** Uvarov,1926
(Acrididae)
1174. **Tropinota (Epicometis) hirta** (Poda,1761)
(Scarabaeidae)
1175. **Truxalis robusta** (Uvarov,1916) (Acrididae)
1176. **Trychosis priesneri** Rossem,1971
(Ichneumonidae)
1177. **Trypetimorpha occidentalis** Huang &
Bourgoïn,1993 (Tropiduchidae)
1178. **Tshurtshurnella alanyana** Dlabola,1982
(Issidae)
1179. **Tshurtshurnella bicornuta** Dlabola,1983
(Issidae)
1180. **Tychius bicolor** Brisout,1862
(Curculionidae)
1181. **Tychius cuprifer** (Panzer,1799)
(Curculionidae)
1182. **Tychius hirtellus** Tournier,1873
(Curculionidae)
1183. **Tychius meliloti** Stephens,1831
(Curculionidae)
1184. **Tychius picirostris** (Fabricius,1787)
(Curculionidae)
1185. **Tychius polylineatus** (Germar,1824)
(Curculionidae)
1186. **Tychius thoracicus** Boheman,1843
(Curculionidae)
1187. **Tychobythinus vignai** Besuchet,1978
(Staphylinidae)
1188. **Tylopsis lilifolia** (Fabricius,1793)
(Tettigoniidae)
1189. **Uloma cypreaea** Kraatz,1873
(Tenebrionidae)
1190. **Urophora affinis** (Frauenfeld,1857)
(Tephritidae)
1191. **Urophora aprica** (Fallén,1820)
(Tephritidae)
1192. **Urophora cuspidata** (Meigen,1826)
(Tephritidae)
1193. **Urophora quadrifasciata** (Meigen,1826)
(Tephritidae)
1194. **Urophora stylata** (Fabricius,1775)
(Tephritidae)
1195. **Utecha trivialis** (Germar,1821) (Cicadellidae)
1196. **Vachiria deserta** (Becker,1867)
(Reduviidae)
1197. **Vadonia soror** Holzschuh,1981
(Cerambycidae)
1198. **Vespa orientalis** Linnaeus,1771 (Vespidae)
1199. **Vespula germanica** (Fabricius,1793)
(Vespidae)
1200. **Volucella zonaria** (Poda,1761) (Syrphidae)
1201. **Xanthochroina auberti** (Abeille de
Perrin,1876) (Oedemeridae)
1202. **Xerohippus alkani** Karabağ,1953
(Acrididae)
1203. **Zercanus rubroocellatus** Dlabola,1965
(Cicadellidae)
1204. **Zibus leicocephalus** (Aubé,1833)
(Staphylinidae)
1205. **Zodion cinereum** (Fabricius,1794)
(Conopidae)
1206. **Zonitis flava** Fabricius,1775 (Meloidae)
1207. **Zonitis ruficollis** Frivaldsky,1877
(Meloidae)
1208. **Zophosis (Oculosis) dilatata**
Deyrolle,1867 (Tenebrionidae)
1209. **Zophosis (Oculosis) punctata** Brullé,1832
(Tenebrionidae)
1210. **Zygina (s.str.) discolor** Horvath,1897
(Cicadellidae)
1211. **Zyginella pulchra** Loew,1885 (Cicadellidae)
1212. **Zyginidia (s.str.) sohrab** Zachvatkin,1947
(Cicadellidae)

Artvin Province (08)

(598 species, stand 30 April 2010)

1. **Abiskomyia paravirgo** Goetghebuer,1936
(Chironomidae)
2. **Acericerus rotundifrons** (Kirschbaum,1868)
(Cicadellidae)
3. **Achaeta domestica** (Linnaeus,1758) (Gryllidae)
4. **Acilius sulcatus** (Linnaeus,1758) (Dytiscidae)
5. **Acmaeodera (s.str.) flavolineata** Laporte &
Gory,1835 (Buprestidae)
6. **Acmaeodera (s.str.) transcaucasica**
Semenov,1895 (Buprestidae)
7. **Aconurella proluxa** (Lethierry,1885)
(Cicadellidae)
8. **Acricotopus lucens** (Zetterstedt,1850)
(Chironomidae)
9. **Acrida bicolor** (Thunberg,1815) (Acrididae)
10. **Adrastus circassicus** Reitter,1896 (Elateridae)
11. **Adrastus limbatus** (Fabricius,1776)
(Elateridae)
12. **Adrastus protractus** Roubal,1924 (Elateridae)
13. **Aelia acuminata** (Linnaeus,1758)
(Pentatomidae)
14. **Aeshna isosceles** (O.F.Müller,1764)
(Aeshnidae)
15. **Aeshna juncea** (Linnaeus,1758) (Aeshnidae)

16. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
17. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
18. **Agabus glacialis Hochhuth,1846** (Dytiscidae)
19. **Agabus paludosus (Fabricius,1801)** (Dytiscidae)
20. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae)
21. **Agenioideus usurarius (Tournier,1889)** (Pompilidae)
22. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae)
23. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
24. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae)
25. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
26. **Agriotes (s.str.) gurgistanus (Faldermann,1835)** (Elateridae)
27. **Agromyza idaeiana Hardy,1853** (Agromyzidae)
28. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae)
29. **Alastor pantheri Kohl,1905** (Vespidae)
30. **Alebra albostriella (Fallén,1826)** (Cicadellidae)
31. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae)
32. **Allantus didymus (Klug,1818)** (Tenthredinidae)
33. **Allodynerus delphinalis (Giraud,1866)** (Vespidae)
34. **Allodynerus rossii (Lepelletier,1841)** (Vespidae)
35. **Altica carduorum (Guérin-Méneville,1858)** (Chrysomelidae)
36. **Altica deserticola (Weise,1889)** (Chrysomelidae)
37. **Altica impressicollis (Reiche,1862)** (Chrysomelidae)
38. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae)
39. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
40. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae)
41. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae)
42. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
43. **Anadrymadusa adzharica (Uvarov,1934)** (Tettigoniidae)
44. **Anax imperator Leach,1815** (Aeshnidae)
45. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
46. **Ancistrocerus claripennis Thomson,1874** (Vespidae)
47. **Ancistronycha erichsoni Bach,1852** (Cantharidae)
48. **Anogcodes paradoxus (Faldermann,1837)** (Oedemeridae)
49. **Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae)
50. **Anoplius concinnus (Dahlbom,1845)** (Pompilidae)
51. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
52. **Anoplius nigerrimus (Scopoli,1763)** (Pompilidae)
53. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
54. **Antepipona insana (Giordani Soika,1943)** (Vespidae)
55. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae)
56. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae)
57. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae)
58. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae)
59. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
60. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
61. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
62. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae)
63. **Apalus bipunctatus Germar,1817** (Meloidae)
64. **Aphrophora alni (Fallén,1805)** (Cercopidae)
65. **Aporus pollux (Kohl,1888)** (Pompilidae)
66. **Apsectrotamypus trifascipennis (Zetterstedt,1850)** (Chironomidae)
67. **Arachnospila fumipennis (Zetterstedt,1838)** (Pompilidae)
68. **Arcyptera (s.str.) fusca (Pallas,1773)** (Acrididae)
69. **Arge cyanocrocea (Forster,1771)** (Argidae)
70. **Arvinia tshorochensis (Adelung,1907)** (Tettigoniidae)
71. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae)
72. **Athalia circularis (Klug,1815)** (Tenthredinidae)
73. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae)
74. **Athalia liberta (Klug,1815)** (Tenthredinidae)
75. **Athous (Orthathous) artvinensis Platia, Yildirim & Kesdek,2007** (Elateridae)
76. **Athous (Orthathous) dasycerus Buysson,1890** (Elateridae)
77. **Attelabus nitens (Scopoli,1763)** (Atteblidae)
78. **Atylotus hendrixi Leclercq,1967** (Tabanidae)
79. **Auplopus carbonarius (Scopoli,1763)** (Pompilidae)
80. **Auplopus rectus (Haupt,1927)** (Pompilidae)
81. **Balclutha pellucens Horvath,1909** (Cicadellidae)
82. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
83. **Batophila fallax Weise,1888** (Chrysomelidae)
84. **Bergrothia saulcyi (Reitter,1877)** (Staphylinidae)
85. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
86. **Bolivaria brachyptera (Pallas,1773)** (Mantidae)
87. **Bombus terrestris Linnaeus,1758** (Apidae)
88. **Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae)
89. **Brachyceraea brevicornis (Loew,1847)** (Conopidae)
90. **Brachygnathellus loebli Zerche,1991** (Staphylinidae)
91. **Bryaxis abastumanus (Reitter,1890)** (Staphylinidae)
92. **Bryaxis artvinensis Besuchet & Kurbatov,2007** (Staphylinidae)

93. **Bryaxis borckensis** Besuchet & Kurbatov, 2007 (Staphylinidae)
94. **Bryaxis bulbifer** (Reichenbach, 1816) (Staphylinidae)
95. **Bryaxis emendatus** Besuchet & Kurbatov, 2007 (Staphylinidae)
96. **Bryaxis immodicus** Besuchet & Kurbatov, 2007 (Staphylinidae)
97. **Bryaxis khnzoriani** Besuchet, 1964 (Staphylinidae)
98. **Bryaxis longipalpis** (Motschoulsky, 1835) (Staphylinidae)
99. **Bryaxis meskischesianus** Meggiolaro, 1966 (Staphylinidae)
100. **Bryaxis pulchrotibialis** Besuchet & Kurbatov, 2007 (Staphylinidae)
101. **Bryaxis silvicola** Besuchet & Kurbatov, 2007 (Staphylinidae)
102. **Bryaxis steindachneri** (Reitter, 1881) (Staphylinidae)
103. **Bryaxis tenuicornis** Besuchet & Kurbatov, 2007 (Staphylinidae)
104. **Bryaxis transitorius** Besuchet & Kurbatov, 2007 (Staphylinidae)
105. **Bryaxis viti** Besuchet & Kurbatov, 2007 (Staphylinidae)
106. **Bucephaloptera bucephala** (Brunner von Wattenwyl, 1882) (Tettigoniidae)
107. **Caenoblaps nitida** Schuster, 1920 (Tenebrionidae)
108. **Calliptamus barbarus** (Costa, 1836) (Acrididae)
109. **Calliptamus tenuicercis** Tarbinsky, 1930 (Acrididae)
110. **Calopteryx waterstoni** Schneider, 1984 (Calopterygidae)
111. **Campiglossa absinthii** (Fabricius, 1805) (Tephritidae)
112. **Campiglossa producta** Loew, 1844 (Tephritidae)
113. **Cantharis livida** Linnaeus, 1758 (Cantharidae)
114. **Cantharis nigra** De Geer, 1774 (Cantharidae)
115. **Capnodis cariosa** (Pallas, 1776) (Buprestidae)
116. **Capnodis miliaris** (Klug, 1829) (Buprestidae)
117. **Capnodis porosa** (Klug, 1829) (Buprestidae)
118. **Capnodis tenebrionis** (Linnaeus, 1761) (Buprestidae)
119. **Carabus (Procrustes) clypeatus** Adams, 1817 (Carabidae)
120. **Carabus (Sphodristocarabus) coruhnehriensis** Cavazzuti, 1990 (Carabidae)
121. **Cardiocladius capucinus** (Zetterstedt, 1850) (Chironomidae)
122. **Cassida bella** Faldermann, 1837 (Chrysomelidae)
123. **Cassida margaritacea** Schaller, 1783 (Chrysomelidae)
124. **Catoplatus brevicornis** Akramovskaya & Golub, 1973 (Tingidae)
125. **Centrotus cornutus** (Linnaeus, 1758) (Membracidae)
126. **Cercopis intermedia** Kirschbaum, 1868 (Cercopidae)
127. **Ceresa bubalus** (Fabricius, 1794) (Membracidae)
128. **Cerodontha (s.str.) fulvipes** (Meigen, 1830) (Agromyzidae)
129. **Ceropales helvetica** Tournier, 1889 (Pompilidae)
130. **Ceropales maculata** (Fabricius, 1775) (Pompilidae)
131. **Chiasmus conspurcatus** (Perris, 1857) (Cicadellidae)
132. **Chorthippus (Chorthippus) parallelus** (Zetterstedt, 1821) (Acrididae)
133. **Chorthippus (Glyptobothrus) brunneus** (Thunberg, 1815) (Acrididae)
134. **Chorthippus (s.str.) dichrous** (Eversmann, 1859) (Acrididae)
135. **Chovela (s.str.) fencli** Ruzicka, 1993 (Leiodidae)
136. **Chrysobothris affinis** (Fabricius, 1794) (Buprestidae)
137. **Chrysobothris chrysostigma** (Linnaeus, 1758) (Buprestidae)
138. **Chrysolina chalcites** (Germar, 1824) (Chrysomelidae)
139. **Chrysolina coeruleans** (Scriba, 1791) (Chrysomelidae)
140. **Chrysolina gypsophila** (Küster, 1845) (Chrysomelidae)
141. **Chrysolina herbacea** (Duftschmidt, 1825) (Chrysomelidae)
142. **Chrysolina lurida** (Linnaeus, 1767) (Chrysomelidae)
143. **Chrysolina marginata** (Linnaeus, 1758) (Chrysomelidae)
144. **Chrysolina polita** (Linnaeus, 1758) (Chrysomelidae)
145. **Chrysolina reitteri** (Weise, 1884) (Chrysomelidae)
146. **Chrysolina trapezicollis** Bechyné, 1952 (Chrysomelidae)
147. **Chrysolina vernalis** (Brullé, 1836) (Chrysomelidae)
148. **Chrysomela populi** Linnaeus, 1758 (Chrysomelidae)
149. **Chrysops (s.str.) caecutiens** (Linnaeus, 1761) (Tabanidae)
150. **Cicada orni** Linnaeus, 1758 (Cicadidae)
151. **Cicadivetta tibialis** (Panzer, 1798) (Cicadidae)
152. **Cicindela desertorum** Dejean, 1825 (Carabidae)
153. **Cixius pallipes** Fieber, 1876 (Cixiidae)
154. **Cladotanytarsus mancus** (Walker, 1856) (Chironomidae)
155. **Cleonis piger** (Scopoli, 1763) (Curculionidae)
156. **Coenagrion pulchellum** (Van Der Linden, 1825) (Coenagrionidae)
157. **Coenorrhinus pauxillus** (Germar, 1824) (Atelabidae)
158. **Colpa quinquecincta** (Fabricius, 1775) (Scolidae)
159. **Coniatus repandus** (Fabricius, 1792) (Curculionidae)
160. **Conocephalus (Anisoptera) fuscus** (Fabricius, 1793) (Tettigoniidae)
161. **Corynis frontina** (Konow, 1905) (Cimbicidae)
162. **Corynis lateralis** (Brullé, 1832) (Cimbicidae)
163. **Corynoneura validicornis** Kieffer, 1911 (Chironomidae)
164. **Coryphium turcicum** Zerche, 1993 (Staphylinidae)
165. **Crepidodera plutus** (Latreille, 1804) (Chrysomelidae)
166. **Cricotopus annulator** Goetghebuer, 1927 (Chironomidae)
167. **Cricotopus flavocinctus** (Kieffer, 1924) (Chironomidae)

168. **Cricotopus triannulatus** (Macquart,1826)
(Chironomidae)
169. **Cricotopus tricinctus** (Meigen,1828)
(Chironomidae)
170. **Cryptocephalus bipunctatus** (Linnaeus,1758)
(Chrysomelidae)
171. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
172. **Cryptocephalus connexus** Olivier,1808
(Chrysomelidae)
173. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)
174. **Cryptocephalus hypochoeridis**
(Linnaeus,1758) (Chrysomelidae)
175. **Cryptocephalus moraei** (Linnaeus,1758)
(Chrysomelidae)
176. **Cryptocephalus ocellatus** Drapiez,1819
(Chrysomelidae)
177. **Cryptocheilus fabricii** (Van der Linden,1827)
(Pompilidae)
178. **Cryptocheilus manchurianus**
Yasumatsu,1935 (Pompilidae)
179. **Cryptocheilus notatus** (Rossi,1792)
(Pompilidae)
180. **Cryptochironomus defectus** Kieffer,1921
(Chironomidae)
181. **Ctenotilla caeca** (Radoszkowski,1879)
(Mutillidae)
182. **Cuneala confinis** (Konow,1886)
(Tenthredinidae)
183. **Cuneala koehleri** Klug,1817 (Tenthredinidae)
184. **Curculio glandium** Marsham,1802
(Curculionidae)
185. **Cylindera** (s.str.) **germanica** (Linnaeus,1758)
(Carabidae)
186. **Cyphon arietizans** Nyholm,1970 (Scirtidae)
187. **Cyphon buceros** Nyholm,1949 (Scirtidae)
188. **Cyphon euoplus** Nyholm,1970 (Scirtidae)
189. **Cyphon ponticus** Nyholm,1976 (Scirtidae)
190. **Decticus albifrons** (Fabricius,1793)
(Tettigoniidae)
191. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
192. **Delta unguiculatum** (Villers,1789) (Vespidae)
193. **Dendarus** (Pandarinus) **armeniacus**
Baudi,1876 (Tenebrionidae)
194. **Denticollis rubens** Piller &
Mitterpacher,1783 (Elateridae)
195. **Dentilla curtiventris** (André,1901) (Mutillidae)
196. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
197. **Dermestes** (s.str.) **lardarius** Linnaeus,1758
(Dermestidae)
198. **Deronectes doriae** Sharp,1882 (Dytiscidae)
199. **Dibolia depressiuscula** (Letzner,1847)
(Chrysomelidae)
200. **Dibolia occultans** (Koch,1803)
(Chrysomelidae)
201. **Diorhabda carinata** (Faldermann,1837)
(Chrysomelidae)
202. **Dociostaurus** (Kazakia) **brevicollis**
(Eversmann,1848) (Acrididae)
203. **Dociostaurus** (Notostaurus) **anatolicus**
Krauss,1896 (Acrididae)
204. **Dociostaurus** (Stauronotulus)
hauensteini (Bolivar,1893) (Acrididae)
205. **Dolichocheza** (s.str.) **graeca**
Mannheims,1954 (Tipulidae)
206. **Dolichovespula norwegica**
(Fabricius,1781) (Vespidae)
207. **Dolichovespula omissa** (Bischoff,1931)
(Vespidae)
208. **Dolichovespula sylvestris** (Scopoli,1763)
(Vespidae)
209. **Dolicopoda** (s.str.) **noctivaga** Di Russo &
Rampini,2007 (Raphidophoridae)
210. **Dorcus parallelipedus** (Linnaeus,1758)
(Lucanidae)
211. **Drasterius bimaculatus** (Rossi,1790)
(Elateridae)
212. **Ectomocoris ululans** (Rossi,1790) (Reduviidae)
213. **Elodes eberti** Klausnitzer,1970 (Scirtidae)
214. **Empusa pennicornis** (Pallas,1773)
(Empusidae)
215. **Enochrus** (Lumetus) **fuscipennis**
(Thomson,1884) (Hydrophilidae)
216. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
217. **Episyron albonotatum** (Van der
Linden,1827) (Pompilidae)
218. **Episyron candiotum** Wahis,1966 (Pompilidae)
219. **Episyron gallicum** (Tournier,1889)
(Pompilidae)
220. **Episyron rufipes** (Linnaeus,1758)
(Pompilidae)
221. **Eukiefferiella brevicar** Kieffer,1929
(Chironomidae)
222. **Eukiefferiella discoloripes** Kieffer,1929
(Chironomidae)
223. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
224. **Eumenes coronatus** (Panzer,1799)
(Vespidae)
225. **Eumenes dubius** Saussure,1852 (Vespidae)
226. **Eumenes lunulatus** (Fabricius,1804)
(Vespidae)
227. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
228. **Eumenes pedunculatus** (Panzer,1799)
(Vespidae)
229. **Eumenes pomiformis** (Fabricius,1781)
(Vespidae)
230. **Eumenes subpomiformis** Blüthgen,1938
(Vespidae)
231. **Eunothrotos derjugini** Adelung,1907
(Pamphagidae)
232. **Euodynerus** (s.str.) **curictensis**
Blüthgen,1940 (Vespidae)
233. **Euodynerus** (s.str.) **semisaecularis** Dalla
Torre,1889 (Vespidae)
234. **Eupelix cuspidata** (Fabricius,1775)
(Cicadellidae)
235. **Eupteryx urticae** (Fabricius,1803)
(Cicadellidae)
236. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
237. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)
238. **Euscelis lineolatus** Brullé,1832
(Cicadellidae)
239. **Eusphalerum caucasicum**
(Bernhauer,1908) (Staphylinidae)
240. **Eusphalerum celsum** (Luze,1910)
(Staphylinidae)
241. **Eusphalerum densicolle** (Bernhauer,1915)
(Staphylinidae)

242. **Eusphalerum trancaucasicum** (Bernhauer,1902) (Staphylinidae)
243. **Eustenancistrocerus amadanensis** (Saussure,1855) (Vespidae)
244. **Evacanthus acuminatus** (Fabricius,1794) (Cicadellidae)
245. **Evacanthus interruptus** (Linnaeus,1758) (Cicadellidae)
246. **Evagetes dubius** (Van der Linden,1827) (Pompilidae)
247. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
248. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
249. **Fieberiella septentrionalis** Wagner,1963 (Cicadellidae)
250. **Forficula auricularia** Linnaeus,1758 (Forficulidae)
251. **Formica cunicularia** Latreille,1798 (Formicidae)
252. **Gastrophysa polygona** (Linnaeus,1758) (Chrysomelidae)
253. **Gastrophysa viridula** (DeGeer,1775) (Chrysomelidae)
254. **Geodromicus ponticus** Fagel,1976 (Staphylinidae)
255. **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae)
256. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
257. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
258. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
259. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
260. **Haematopota subcylindrica** Pandelle,1883 (Tabanidae)
261. **Helophorus armeniacus** Ganglbauer,1901 (Helophoridae)
262. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
263. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
264. **Helophorus discrepans** Rey,1885 (Helophoridae)
265. **Helophorus ponticus** Angus,1988 (Helophoridae)
266. **Hemicrepidius corvinus** (Reitter,1905) (Elateridae)
267. **Hemicrepidius nigritulus** (Reitter,1890) (Elateridae)
268. **Hemicrepidius schneideri** (Kiesenwetter,1877) (Elateridae)
269. **Heringina guttata** (Fallén,1814) (Tephritidae)
270. **Hybometopia starcki** Ganglbauer,1889 (Cerambycidae)
271. **Hydrochus brevis** (Herbst,1793) (Hydrochidae)
272. **Hydrochus ignicollis** (Motschoulsky,1860) (Hydrochidae)
273. **Hydrocyphon deflexicollis** Müller,1821 (Scirtidae)
274. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
275. **Hydroporus artvinensis** Fery & Erman,2009 (Dytiscidae)
276. **Hydroporus discretus** Fairmaire & Brisout,1859 (Dytiscidae)
277. **Hydroporus kozlovskii** Zaitzev,1927 (Dytiscidae)
278. **Hydroporus palustris** (Linnaeus,1761) (Dytiscidae)
279. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
280. **Hydroporus pubescens** (Gyllenhal,1808) (Dytiscidae)
281. **Hydroporus thracicus** Guéorguiev,1966 (Dytiscidae)
282. **Hygrotus (Coelambus) armeniacus** (Zaitzev,1927) (Dytiscidae)
283. **Hygrotus (s.str.) inaequalis** (Fabricius,1777) (Dytiscidae)
284. **Hypera cumanus** Petri,1901 (Curculionidae)
285. **Hypera meles** (Fabricius,1792) (Curculionidae)
286. **Hypera variabilis** (Herbst,1795) (Curculionidae)
287. **Ilybius fuliginosus** (Fabricius,1792) (Dytiscidae)
288. **Ilybius satunini** (Zaitzev,1913) (Dytiscidae)
289. **Isoperla armeniaca** Zhiltzova,1961 (Perlodidae)
290. **Isoperla bithynica** (Kempny,1908) (Perlodidae)
291. **Isophya redtenbacheri** Adelung,1907 (Tettigoniidae)
292. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
293. **Isophya zernovi** Miram,1938 (Tettigoniidae)
294. **Katamenes flavigularis** (Blüthgen,1951) (Vespidae)
295. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
296. **Laccobius (Dimorpholaccobius) hopaensis** Mart, İncekara & Erman,2003 (Hydrophilidae)
297. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
298. **Laccobius (Dimorpholaccobius) sipylus** Orchymont,1939 (Hydrophilidae)
299. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
300. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
301. **Laccophilus hyalinus** (De Geer,1774) (Dytiscidae)
302. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
303. **Larinus planus** (Fabricius,1792) (Curculionidae)
304. **Larinus sturnus** (Schaller,1878) (Curculionidae)
305. **Larinus turbinatus** Gyllenhal,1836 (Curculionidae)
306. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
307. **Lasiopa caucasica** (Pleske,1901) (Stratiomyidae)
308. **Lasius alienus** (Förster,1850) (Formicidae)
309. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
310. **Leopoldius coronatus** (Rondani,1857) (Conopidae)
311. **Leptinotarsa decemlineata** (Say,1824) (Chrysomelidae)

312. **Leptochilus limbiferus** (Morawitz,1867)
(Vespidae)
313. **Leptochilus regulus** Saussure,1855 (Vespidae)
314. **Leptophyes albovittata** (Kollar,1833)
(Tettigoniidae)
315. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
316. **Leuctra artvinensis** Vincon & Sivec,2001
(Leuctridae)
317. **Leuctra furcatella** Martynov,1928 (Leuctridae)
318. **Leuctra karcali** Vincon & Sivec,2001
(Leuctridae)
319. **Libellula depressa** Linnaeus,1758
(Libellulidae)
320. **Limotettix striola** (Fallén,1806)
(Cicadellidae)
321. **Lixus rubicundus** Zoubkoff,1833
(Curculionidae)
322. **Lixus subtilis** Boheman,1836
(Curculionidae)
323. **Longitarsus artvinus** Gruev & Aslan,1998
(Chrysomelidae)
324. **Longitarsus fallax** Weise,1888
(Chrysomelidae)
325. **Longitarsus lewisii** (Baly,1874)
(Chrysomelidae)
326. **Longitarsus linnaei** (Duftschmid,1825)
(Chrysomelidae)
327. **Longitarsus luridus** (Scopoli,1763)
(Chrysomelidae)
328. **Longitarsus lycopi** (Foudras,1860)
(Chrysomelidae)
329. **Longitarsus melanocephalus** (De Geer,1775) (Chrysomelidae)
330. **Longitarsus pellucidus** (Foudras,1860)
(Chrysomelidae)
331. **Longitarsus pratensis** (Panzer,1794)
(Chrysomelidae)
332. **Longitarsus scutellaris** (Rey,1874)
(Chrysomelidae)
333. **Lydus unicolor** Reitter,1887 (Meloidae)
334. **Lyristes plebejus** (Scopoli,1763)
(Cicadidae)
335. **Machimus cingulatus** (Fabricius,1781)
(Asilidae)
336. **Macrolophus caliginosus** Wagner,1950
(Miridae)
337. **Macrophya albicincta** (Schrank,1776)
(Tenthredinidae)
338. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
339. **Macrophya crassula** (Klug,1817)
(Tenthredinidae)
340. **Macrophya diversipes** (Schrank,1782)
(Tenthredinidae)
341. **Macrophya erythrocnema** A.Costa,1859
(Tenthredinidae)
342. **Macrophya militaris** Klug,1817
(Tenthredinidae)
343. **Macrophya postica** Brullé,1832
(Tenthredinidae)
344. **Macrophya rufipes** Linnaeus,1758
(Tenthredinidae)
345. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
346. **Macrosteles alpinus** (Zetterstedt,1828)
(Cicadellidae)
347. **Macrosteles frontalis** (Scott,1875)
(Cicadellidae)
348. **Macrosteles laevis** (Ribaut,1927)
(Cicadellidae)
349. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
350. **Malachius artvinensis** Wittmer,1974
(Melyridae)
351. **Malthinus artvinensis** Wittmer,1978
(Cantharidae)
352. **Malthinus pseudoflaveolus** Wittmer,1974
(Cantharidae)
353. **Malthodes rauschorum** Wittmer,1997
(Cantharidae)
354. **Mecostethus alliaceus** (Germar,1817)
(Acrididae)
355. **Megabombus pascuorum** (Scopoli,1763)
(Apidae)
356. **Megachile (Eutricharaea) pilidens**
Alfken,1924 (Megachilidae)
357. **Megachile (Xanthosarus) maritima**
(Kirby,1802) (Megachilidae)
358. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
359. **Melanotus (s.str.) tenebrosus**
(Erichson,1841) (Elateridae)
360. **Melanotus (s.str.) villosus**
(Fourcroy,1785) (Elateridae)
361. **Meloe cicatricosus** Leach,1815 (Meloidae)
362. **Meloe violaceus** Marsham,1802
(Meloidae)
363. **Mesoptylus petrovi** (Grigoriev,1910)
(Cercopidae)
364. **Metopsia similis** Zerche,1998
(Staphylinidae)
365. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
366. **Micropodisma koenigi** (Burr,1913)
(Acrididae)
367. **Micropsectra notescens** (Walker,1856)
(Chironomidae)
368. **Mniophila muscorum** (Koch,1803)
(Chrysomelidae)
369. **Mniophila turcica** Medvedev,1970
(Chrysomelidae)
370. **Modicogryllus (Eumodicogryllus)**
burdigalensis (Latreille,1804) (Gryllidae)
371. **Modicogryllus (s.str.) frontalis** (Fieber,1844)
(Gryllidae)
372. **Modicogryllus (s.str.) truncatus**
(Tarbinski,1940) (Gryllidae)
373. **Morimus verecundus** (Faldermann,1836)
(Cerambycidae)
374. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
375. **Mutilla europaea** Linnaeus,1758 (Mutillidae)
376. **Mylabris calida** (Pallas,1781) (Meloidae)
377. **Mylabris cincta** Olivier,1811 (Meloidae)
378. **Mylabris fabricii** Sumakov,1924
(Meloidae)
379. **Mylabris furcimacula** Sumakov,1915
(Meloidae)
380. **Mylabris geminata** Fabricius,1798
(Meloidae)
381. **Mylabris olivieri** Billberg,1813 (Meloidae)
382. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
383. **Mylabris variabilis** (Pallas,1782)
(Meloidae)
384. **Mylabris zebraea** (Marseul,1870)
(Meloidae)

385. **Myopa dorsalis** Fabricius,1794 (Conopidae)
386. **Myrmilla (s.str.) calva** (Villers,1789) (Mutillidae)
387. **Myrmosa atra** Panzer,1801 (Mutillidae)
388. **Nabis meridionalis** Kerzhner,1963 (Nabidae)
389. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
390. **Nebria (s.str.) bonellii** M.F. Adams,1817 (Carabidae)
391. **Nebria (s.str.) fischeri** Faldermann,1836 (Carabidae)
392. **Nebrioporus airumlus** (Kolenati,1845) (Dytiscidae)
393. **Nebrioporus turca** (Seidlitz,1887) (Dytiscidae)
394. **Nemeritis specularis** Horstmann,1975 (Ichneumonidae)
395. **Nemka viduata** (Pallas,1773) (Mutillidae)
396. **Nemognatha chrysomelina** (Fabricius,1775) (Meloidae)
397. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
398. **Nemoura martynovia** Claassen,1936 (Nemouridae)
399. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
400. **Nephrotoma cornicina** (Linnaeus,1758) (Tipulidae)
401. **Nicrophorus confusus** Portevin,1924 (Silphidae)
402. **Nicrophorus fossor** Erichson,1837 (Silphidae)
403. **Nicrophorus vespillo** (Linnaeus,1758) (Silphidae)
404. **Nocaracris cyanipes** (Fischer von Waldheim,1846) (Pamphagidae)
405. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
406. **Oedemera (s.str.) artvinensis** Svihla,1999 (Oedemeridae)
407. **Oedemera (s.str.) femorata** (Scopoli,1763) (Oedemeridae)
408. **Oedemera (s.str.) lurida** (Marsham,1802) (Oedemeridae)
409. **Oedemera (s.str.) podagrariae** (Linnaeus,1767) (Oedemeridae)
410. **Oedipoda germanica** (Latreille,1804) (Acrididae)
411. **Omalium falsum** Eppelsheim,1889 (Staphylinidae)
412. **Omalium rugatum** Mulsant & Rey,1880 (Staphylinidae)
413. **Omalium turcicum** Smetana,1967 (Staphylinidae)
414. **Omocestus (s.str.) demokidovi** Ramme,1930 (Acrididae)
415. **Oncopsis flavicollis** (Linnaeus,1761) (Cicadellidae)
416. **Onychogomphus assimilis** (Schneider,1845) (Gomphidae)
417. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
418. **Orellia falcata** (Scopoli,1763) (Tephritidae)
419. **Oreodytes davisii** (Curtis,1831) (Dytiscidae)
420. **Orthetrum brunneum** (Fonscolombe,1837) (Libellulidae)
421. **Orthocladus rivulorum** (Kieffer,1911) (Chironomidae)
422. **Osmia (Helicosmia) aurulenta** (Panzer,1799) (Megachilidae)
423. **Osmia (Helicosmia) caerulescens** (Linnaeus,1758) (Megachilidae)
424. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae)
425. **Osmylus cilicicus** Krüger,1913 (Osmylidae)
426. **Oxyaciura tibialis** Robineau-Desvoidy,1830 (Tephritidae)
427. **Pachyprotasis rapae** Linne,1767 (Tenthredinidae)
428. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
429. **Panorpa connexa** McLachlan,1869 (Panorpidae)
430. **Paracardiophorus musculus** (Erichson,1840) (Elateridae)
431. **Paracladius conversus** (Walker,1856) (Chironomidae)
432. **Paradrymadusa brevicerca** Karabağ,1956 (Tettigoniidae)
433. **Paradrymadusa sordida** Herman,1874 (Tettigoniidae)
434. **Parametrioctenus stylatus** (Kieffer,1924) (Chironomidae)
435. **Paramyrmosa radoszkowskyi** (Saussure,1880) (Mutillidae)
436. **Paranocaracris rubripes** (Fischer von Waldheim,1846) (Pamphagidae)
437. **Paranothrotis levis** Mistshenko,1951 (Pamphagidae)
438. **Paratanytarsus lauterborni** Kieffer,1918 (Chironomidae)
439. **Paratendipes albimanus** (Meigen,1818) (Chironomidae)
440. **Parodontodynerus ephippium** (Klug,1817) (Vespidae)
441. **Pedicia (Crunobia) tjederi** Mendl,1974 (Pediidae)
442. **Peirates hybridus** (Scopoli,1763) (Reduviidae)
443. **Perla pallida** Guérin-Ménéville,1838 (Perlidae)
444. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
445. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
446. **Philipomyia rohdendorfi** (Olsufjev,1937) (Tabanidae)
447. **Phonochorion artvinensis** Bei-Bienko,1954 (Tettigoniidae)
448. **Phonochorion satunini** Uvarov,1916 (Tettigoniidae)
449. **Phosphuga atrata** (Linnaeus,1758) (Silphidae)
450. **Phratora vitellinae** (Linnaeus,1758) (Chrysomelidae)
451. **Phyllobrotica binotata** Ogloblin,1936 (Chrysomelidae)
452. **Phyllotreta tetrastigma** (Comolli,1837) (Chrysomelidae)
453. **Physocephala nigra** (De Geer,1776) (Conopidae)
454. **Physocephala rufipes** (Fabricius,1781) (Conopidae)
455. **Platambus lunulatus** (Fischer von Waldheim,1829) (Dytiscidae)
456. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)

457. **Platycleis (Tessellana) veyseli Koçak,1984**
(Tettigoniidae)
458. **Plectophloeus erichsoni Machulka,1929**
(Staphylinidae)
459. **Podagricra malvae (Illiger,1807)**
(Chrysomelidae)
460. **Poecilimon ersisi Salman,1978**
(Tettigoniidae)
461. **Poecilimon rammei Miram,1938**
(Tettigoniidae)
462. **Poecilimon schmidti (Fieber,1853)**
(Tettigoniidae)
463. **Poecilimon similis Retowski,1889**
(Tettigoniidae)
464. **Poecilimon sureyanus Uvarov,1930**
(Tettigoniidae)
465. **Poecilimon tschorochensis Adelung,1907**
(Tettigoniidae)
466. **Polistes (s.str.) associus (Kohl,1898)**
(Vespidae)
467. **Polistes (s.str.) biglumis (Linnaeus,1758)**
(Vespidae)
468. **Polistes (s.str.) dominulus (Christ,1791)**
(Vespidae)
469. **Polistes (s.str.) gallicus (Linnaeus,1767)**
(Vespidae)
470. **Polistes (s.str.) nimpha (Christ,1791)**
(Vespidae)
471. **Polypedilum bicrenatum Kieffer,1911**
(Chironomidae)
472. **Polypedilum laetum (Meigen,1818)**
(Chironomidae)
473. **Priocnemis vulgaris (Dufour,1841)**
(Pompilidae)
474. **Prodiamesa olivacea (Meigen,1818)**
(Chironomidae)
475. **Prosternon tessellatum (Linnaeus,1758)**
(Elateridae)
476. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae)
477. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
478. **Protonemura bacuriana Zhiltzova,1957**
(Nemouridae)
479. **Protonemura bifida Martynov,1928**
(Nemouridae)
480. **Protonemura bithynica Aubert,1964**
(Nemouridae)
481. **Protonemura capitata Martynov,1928**
(Nemouridae)
482. **Protonemura teberdensis Zhiltzova,1958**
(Nemouridae)
483. **Psectrocladius stratiotis Kieffer,1911**
(Chironomidae)
484. **Pseudoceles oedipoides Bolivar,1899**
(Acrididae)
485. **Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae)
486. **Pseudodiamesa nivosa (Goetghebuer,1932)** (Chironomidae)
487. **Pseudodiamesa orientalis Chern.,1949**
(Chironomidae)
488. **Psophus stridulus (Linnaeus,1758)**
(Acrididae)
489. **Psylliodes aristus Jablokov-Khnzorian,1962** (Chrysomelidae)
490. **Psylliodes attenuatus (Koch,1803)**
(Chrysomelidae)
491. **Psylliodes cupreus (Koch,1803)**
(Chrysomelidae)
492. **Psylliodes sophiae Heikertinger,1914**
(Chrysomelidae)
493. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
494. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
495. **Ramburiella bolivari (Kuthy,1907)**
(Acrididae)
496. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
497. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
498. **Rhogogaster chlorosoma Benson,1943**
(Tenthredinidae)
499. **Rhynchites auratus (Scopoli,1763)**
(Atelabidae)
500. **Ribautodelphax pungens (Ribaut,1953)**
(Delphacidae)
501. **Ruspolia nitidula (Scopoli,1786)**
(Tettigoniidae)
502. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
503. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae)
504. **Sapygina decemguttata (Jurine,1807)**
(Sapygidae)
505. **Scarodytes halensis (Fabricius,1787)**
(Dytiscidae)
506. **Scolia fallax Eversmann,1849** (Scoliidae)
507. **Scolia galbula (Pallas,1771)** (Scoliidae)
508. **Scolia hirta (Schrank,1781)** (Scoliidae)
509. **Scolia insubrica (Scopoli,1786)** (Scoliidae)
510. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
511. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae)
512. **Sicus ferrugineus (Linnaeus,1761)** (Conopidae)
513. **Sicus nigratarsis Zimina,1975** (Conopidae)
514. **Sigara lateralis Leach,1818** (Corixidae)
515. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
516. **Silpha obscura Linnaeus,1758** (Silphidae)
517. **Silpha tristis Illiger,1798** (Silphidae)
518. **Silvius (s.str.) alpinus (Scopoli,1763)**
(Tabanidae)
519. **Silvius (s.str.) latifrons Olsuljev,1937**
(Tabanidae)
520. **Simulium (s.str.) bezzii (Corti,1914)**
(Simuliidae)
521. **Simulium (s.str.) debacii Terteryan,1952**
(Simuliidae)
522. **Simulium (s.str.) variegatum Meigen,1818** (Simuliidae)
523. **Sphenella marginata (Fallén,1814)**
(Tephritidae)
524. **Stenagostus rosti (Schwarz,1897)**
(Elateridae)
525. **Stenodera caucasica (Pallas,1781)** (Meloidae)
526. **Stenodynerus aequisculptus (Kostylev,1940)** (Vespidae)
527. **Stenodynerus chevrieranus (Saussure,1855)**
(Vespidae)
528. **Stenodynerus simulatus Gusenleitner,1981** (Vespidae)
529. **Stenoria analis Schaum,1859** (Meloidae)
530. **Stephanitis caucasica Kiritschenko,1939**
(Tingidae)
531. **Stictotarsus griseostriatus (De Geer,1774)**
(Dytiscidae)

532. **Stratiomys armeniaca Bigot,1879**
(Stratiomyidae)
533. **Stratiomys chamaeleon (Linnaeus,1758)**
(Stratiomyidae)
534. **Stratiomys ruficornis (Macquart,1838)**
(Stratiomyidae)
535. **Syromastus rhombeus (Linnaeus,1767)**
(Coreidae)
536. **Tabanus alvarengia Schacht,1987**
(Tabanidae)
537. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
538. **Tabanus bovinus Linnaeus,1758**
(Tabanidae)
539. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
540. **Tabanus glaucopsis Meigen,1820**
(Tabanidae)
541. **Tabanus laetetinctus Becker,1913** (Tabanidae)
542. **Tabanus leleani Austen,1920** (Tabanidae)
543. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
544. **Tabanus miki Brauer,1880** (Tabanidae)
545. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
546. **Tabanus rupium Brauer,1880** (Tabanidae)
547. **Tabanus sudeticus Zeller,1842** (Tabanidae)
548. **Tabanus swiridowi Portschinsky,1882**
(Tabanidae)
549. **Tabanus tergestinus Egger,1859**
(Tabanidae)
550. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
551. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
552. **Telostegus inermis (Brullé,1832)** (Pompilidae)
553. **Tenthredo acerrima Benson,1952**
(Tenthredinidae)
554. **Tenthredo albopicta Puls,1870**
(Tenthredinidae)
555. **Tenthredo arcuata Forster,1771**
(Tenthredinidae)
556. **Tenthredo colon Klug,1817**
(Tenthredinidae)
557. **Tenthredo costata Klug,1817** (Tenthredinidae)
558. **Tenthredo frauenfeldii Giraud,1857**
(Tenthredinidae)
559. **Tenthredo hyrcana Benson,1968**
(Tenthredinidae)
560. **Tenthredo liturata (Mocsary,1886)**
(Tenthredinidae)
561. **Tenthredo propinqua Klug,1817**
(Tenthredinidae)
562. **Tenthredo scrophulariae Linnaeus,1758**
(Tenthredinidae)
563. **Tenthredo zonula Klug,1817**
(Tenthredinidae)
564. **Tenthredopsis nassata Linnaeus,1767**
(Tenthredinidae)
565. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
566. **Tetratetrix nutans (Hagenbach,1822)**
(Tetrigidae)
567. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
568. **Tettigometra (s.str.) sulphurea Mulsant-
Rey,1855** (Tettigometridae)
569. **Tettigometra (s.str.) virescens**
(Panzer,1799) (Tettigometridae)
570. **Tettigometra (Stirometra) costulata**
Fieber,1865 (Tettigometridae)
571. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
572. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
573. **Thienemannimyia lentiginosa (Fries,1830)**
(Chironomidae)
574. **Tillus pectinicornis Abeille,1892** (Cleridae)
575. **Timarcha hummeli Faldermann,1837**
(Chrysomelidae)
576. **Tipula (Tipula) orientalis Lackschewitz,1930**
(Tipulidae)
577. **Trichodes apiarius (Linnaeus,1758)** (Cleridae)
578. **Trichodes longissimus (Abeille de
Perrin,1881)** (Cleridae)
579. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
580. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
581. **Trichodes suspectus Escherich,1892** (Cleridae)
582. **Troglophilus (s.str.) tatyanae Di Russo &
Rampini,2007** (Raphidophoridae)
583. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
584. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
585. **Trupanea stellata (Fuesslin,1775)**
(Tephritidae)
586. **Venturia anatolica Horstmann,1986**
(Ichneumonidae)
587. **Verdanus artvinensis Güçlü,2009**
(Cicadellidae)
588. **Verdanus gazelicornis (Dlabola,1980)**
(Cicadellidae)
589. **Verdanus pazoukii (Dlabola,1980)**
(Cicadellidae)
590. **Vespa crabro Linnaeus,1758** (Vespidae)
591. **Vespa orientalis Linnaeus,1771** (Vespidae)
592. **Vespula germanica (Fabricius,1793)**
(Vespidae)
593. **Vespula rufa (Linnaeus,1758)** (Vespidae)
594. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
595. **Xya variegata (Latreille,1809)**
(Tridactylidae)
596. **Zalutschia megastylus (Shil.,1971)**
(Chironomidae)
597. **Zyginidia (s.str.) artvinicus**
Kalkandelen,1985 (Cicadellidae)
598. **Zyginidia (s.str.) karadenizicus**
Kalkandelen,1985 (Cicadellidae)

Aydın Province (09)

(395 species, stand 30 April 2010)

1. **Acrosternum millierei** (Mulsant & Rey,1866) (Pentatomidae)
2. **Acrotylus longipes** (Charpentier,1845) (Acrididae)
3. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
4. **Agabus (s.str.) zimmermanni** Scholz,1920 (Dytiscidae)
5. **Agalmatium bilobum** (Fieber,1877) (Issidae)
6. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
7. **Agenioideus nubecula** (Costa,1874) (Pompilidae)
8. **Agenioideus ruficeps** (Eversmann,1849) (Pompilidae)
9. **Agrilus (Anambus) derasofasciatus Lacordaire**,1835 (Buprestidae)
10. **Agrilus (Anambus) roscidus Kiesenwetter**,1857 (Buprestidae)
11. **Agrilus (s.str.) aurichalceus Redtenbacher**,1849 (Buprestidae)
12. **Agriotes (s.str.) tristiculus Reitter**,1906 (Elateridae)
13. **Agromyza ambigua Fallén**,1823 (Agromyzidae)
14. **Aiolopus strepens** (Latreille,[1802]) (Acrididae)
15. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae)
16. **Allodynerus floricola** (Saussure,1853) (Vespidae)
17. **Ameles heldreichi Brunner von Wattenwyl**,1882 (Mantidae)
18. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
19. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
20. **Ancistrocerus parietum** (Linnaeus,1758) (Vespidae)
21. **Andrena (Brachyandrena) colletiformis Morawitz**,1874 (Andrenidae)
22. **Andricus curtisii** (Müller,1870) (Cynipidae)
23. **Andricus curvator Hartig**,1840 (Cynipidae)
24. **Andricus grossulariae Giraud**,1859 (Cynipidae)
25. **Andricus infectorius** (Hartig,1843) (Cynipidae)
26. **Andricus kollari** (Hartig,1843) (Cynipidae)
27. **Andricus quercustozae** (Bosc,1792) (Cynipidae)
28. **Andricus seckendorffi** (Wachtl,1879) (Cynipidae)
29. **Andricus solitarius** (Fonscolombe,1832) (Cynipidae)
30. **Anisochrya (s.str.) zelleri** (Schneider,1851) (Chrysopidae)
31. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
32. **Anterastes tolunayi Karabağ**,1951 (Tettigoniidae)
33. **Anthaxia (Cratomerus) diadema Fischer**,1824 (Buprestidae)
34. **Anthaxia (Cratomerus) nupta Kiesenwetter**,1857 (Buprestidae)
35. **Anthaxia (Cratomerus) sponsa Kiesenwetter**,1857 (Buprestidae)
36. **Anthaxia (Haplantaxia) cichorii** (Olivier,1790) (Buprestidae)
37. **Anthaxia (Haplantaxia) millefolii** (Fabricius,1801) (Buprestidae)
38. **Anthaxia (Haplantaxia) mundula Kiesenwetter**,1857 (Buprestidae)
39. **Anthaxia (Haplantaxia) praeclara Mannerheim**,1837 (Buprestidae)
40. **Anthaxia (Haplantaxia) umbellatarum** (Fabricius,1787) (Buprestidae)
41. **Anthaxia (s.str.) lucens Küster**,1852 (Buprestidae)
42. **Anthidium (Anthidiellum) brevisculum Pérez**,1890 (Megachilidae)
43. **Anthidium (Anthidiellum) insulare Morawitz**,1873 (Megachilidae)
44. **Anthidium (Anthidiellum) judaense** (Mavromoustakis,1945) (Megachilidae)
45. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
46. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
47. **Anthidium (Archianthidium) pubescens** (Morawitz,1872) (Megachilidae)
48. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
49. **Anthidium (s.str.) dalmaticum Mocsary**,1884 (Megachilidae)
50. **Anthidium (s.str.) loti Perris**,1852 (Megachilidae)
51. **Anthobium fuscum** (Erichson,1839) (Staphylinidae)
52. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
53. **Antipalus truncatus** (Loew,1849) (Asilidae)
54. **Aphelonyx cerricola** (Giraud,1859) (Cynipidae)
55. **Aphrophora alni** (Fallén,1805) (Cercopidae)
56. **Aphrophora corticea Germar**,1821 (Cercopidae)
57. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
58. **Arachnocephalus vestitus** A.Costa,1855 (Mogoplistidae)
59. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
60. **Arge pleuritica** (Klug,1834) (Argidae)
61. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
62. **Athalia cordata Audinet-Serville**,1823 (Tenthredinidae)
63. **Athalia liberta** (Klug,1815) (Tenthredinidae)
64. **Attelabus nitens** (Scopoli,1763) (Attelabidae)
65. **Aulonogyrus concinnus** (Klug,1834) (Gyrinidae)
66. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
67. **Bagrada stolidus** (Herrich-Schäffer,1839) (Pentatomidae)
68. **Bangasternus orientalis** (Capiomont,1873) (Curculionidae)
69. **Batozonellus lacerticida** (Pallas,1771) (Pompilidae)
70. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
71. **Berosus (Enoplurus) spinosus** (Steven,1808) (Hydrophilidae)
72. **Berosus (s.str.) byzantinus Ganglbauer**,1904 (Hydrophilidae)
73. **Berosus (s.str.) signaticollis** (Charpentier,1825) (Hydrophilidae)
74. **Berytinus montivagus** (Meyer-Dür,1841) (Berytidae)
75. **Blaps lethifera** Marsham,1802 (Tenebrionidae)
76. **Blaps ocreata** Allard,1880 (Tenebrionidae)
77. **Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae)

78. **Blepharicera fasciata** (Westwood,1842)
(Blephariceridae)
79. **Bolitophila saundersi** (Curtis,1836)
(Bolitophilidae)
80. **Bombus terrestris** Linnaeus,1758 (Apidae)
81. **Brachycerus argillaceus** Reiche,1857
(Brachyceridae)
82. **Brachycerus sinuatus** Olivier,1807
(Brachyceridae)
83. **Calliptamus barbarus** (Costa,1836) (Acrididae)
84. **Calliptamus italicus** (Linnaeus,1758)
(Acrididae)
85. **Calopteryx virgo** (Linnaeus,1758)
(Calopterygidae)
86. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
87. **Capnodis miliaris** (Klug,1829) (Buprestidae)
88. **Capnodis tenebrionis** (Linnaeus,1761)
(Buprestidae)
89. **Cardiophorus (s.str.) nigratissimus**
Buysson,1891 (Elateridae)
90. **Cardiophorus (s.str.) sacratu** Erichson,1840
(Elateridae)
91. **Carpocoris mediterraneus** Tamanini,1958
(Pentatomidae)
92. **Cassida prasina** Illiger,1798 (Chrysomelidae)
93. **Celonites spinosus** Gusenleitner,1966
(Vespidae)
94. **Centrotus cornutus** (Linnaeus,1758)
(Membracidae)
95. **Cephalochilus draco** Giordani & Soika,1970
(Vespidae)
96. **Cephalostenus orbicollis** Ménétriés,1836
(Tenebrionidae)
97. **Cephalota (Taenidia) circumdata**
(Dejean,1822) (Carabidae)
98. **Chelonus beyarslani** Aydoğdu,2008
(Braconidae)
99. **Chloriona sicula** Matsumura,1910
(Delphacidae)
100. **Chloroperla zhiltzovae** Zwick,1967
(Chloroperlidae)
101. **Chorthippus (s.str.) dichrous**
(Eversmann,1859) (Acrididae)
102. **Chrysolina orientalis** (Olivier,1807)
(Chrysomelidae)
103. **Chrysomela populi** Linnaeus,1758
(Chrysomelidae)
104. **Cicada orn** Linnaeus,1758 (Cicadidae)
105. **Cicadetta dimissa** (Hagen,1856) (Cicadidae)
106. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
107. **Cicadula lineatopunctata** (Matsumura,1908)
(Cicadellidae)
108. **Cicindela herbacea** Klug,1832 (Carabidae)
109. **Cixius pallipes** Fieber,1876 (Cixiidae)
110. **Clytra novempunctata** Olivier,1808
(Chrysomelidae)
111. **Clytra valeriana** Ménétriés,1832
(Chrysomelidae)
112. **Coelioxys (s.str.) aurolimbata** Förster,1853
(Megachilidae)
113. **Coelosia fusca** Bezzi,1892 (Mycetophilidae)
114. **Coenorrhinus aequatus** (Linnaeus,1767)
(Atelabidae)
115. **Coenorrhinus cribripennis**
Desbrochers,1869 (Atelabidae)
116. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
117. **Colpotus dentatus** Grimm &
Schawaller,2000 (Tenebrionidae)
118. **Colymbetes fuscus** (Linnaeus,1758)
(Dytiscidae)
119. **Coniatus repandus** (Fabricius,1792)
(Curculionidae)
120. **Coniocleonus nigrosuturatus** (Goeze,1777)
(Curculionidae)
121. **Conops silaceus** Wiedemann,1824 (Conopidae)
122. **Conosanus obsoletus** (Kirschbaum,1858)
(Cicadellidae)
123. **Corixa affinis** Leach,1818 (Corixidae)
124. **Creightonella (Metamegachile) albisecta**
(Klug,1817) (Megachilidae)
125. **Crocothemis erythraea** (Brullé,1832)
(Libellulidae)
126. **Crypticus (s.str.) pettersoni** Ferrer &
Soldati,1999 (Tenebrionidae)
127. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)
128. **Cryptocheilus fischeri** (Spinola,1855)
(Pompilidae)
129. **Cryptocheilus ichneumonoides** (Costa,1874)
(Pompilidae)
130. **Cryptocheilus pseudonotatus** Sustera,1913
(Pompilidae)
131. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
132. **Cryptocheilus variipennis** Sustera,1924
(Pompilidae)
133. **Cuneala amasiensis** (Kriechbaumer,1869)
(Tenthredinidae)
134. **Cybister (s.str.) tripunctatus** (Olivier,1795)
(Dytiscidae)
135. **Cymatia coleoprata** (Fabricius,1777)
(Corixidae)
136. **Cynips quercus** (Fourcroy,1785) (Cynipidae)
137. **Cynips quercusfolii** (Linnaeus,1758)
(Cynipidae)
138. **Dallognatha quadricollis** Brullé,1832
(Tenebrionidae)
139. **Decticus albifrons** (Fabricius,1793)
(Tettigoniidae)
140. **Decticus mithati** Ramme,1939 (Tettigoniidae)
141. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
142. **Delta unguiculatum** (Villers,1789) (Vespidae)
143. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
144. **Diadegma chrysostictos** (Gmelin,1790)
(Ichneumonidae)
145. **Dictyonota strichnocera** Fieber,1844
(Tingidae)
146. **Dictyophara asiatica** Melichar,1912
(Dictyopharidae)
147. **Dipogon (Deuteragenia) variegatus**
(Linnaeus,1758) (Pompilidae)
148. **Dociostaurus (s.str.) maroccanus**
(Thunberg,1815) (Acrididae)
149. **Docotettix cornutus** Ribaut,1948 (Cicadellidae)
150. **Donus zoilus** (Scopoli,1763) (Curculionidae)
151. **Duilius tamaricis** (Puton & Lethierry,1887)
(Cixiidae)
152. **Duroniella fracta** (Krauss,1890) (Acrididae)
153. **Dysmachus tricuspis** (Loew,1848) (Asilidae)
154. **Dytiscus circumflexus** Fabricius,1781
(Dytiscidae)
155. **Echthistus rufinervis** (Meigen,1820) (Asilidae)
156. **Enochrus (Lumetus) segmentinotatus**
(Kuwert,1888) (Hydrophilidae)

157. *Entomobora crassitarsis* (Costa,1887) (Pompilidae)
158. *Entomobora vomeriventrifera* (Costa,1863) (Pompilidae)
159. *Entomogonus (Eutelogonus) davidis* (Fairmaire,1884) (Tenebrionidae)
160. *Eoferreola distincta* (Smith,1855) (Pompilidae)
161. *Episyron coccineipes* (Saunders,1904) (Pompilidae)
162. *Episyron rufipes* (Linnaeus,1758) (Pompilidae)
163. *Erythromma viridulum* (Charpentier,1840) (Coenagrionidae)
164. *Eumenes pomiformis* (Fabricius,1781) (Vespidae)
165. *Euodynerus (Pareuodynerus) posticus* (Herrich-Schäffer,1841) (Vespidae)
166. *Euodynerus (s.str.) disconotatus* (Lichtenstein,1884) (Vespidae)
167. *Eupholidoptera prasina* (Brunner von Wattenwyl,1882) (Tettigoniidae)
168. *Eupholidoptera smyrnensis* (Brunner von Wattenwyl,1882) (Tettigoniidae)
169. *Eurydema blanda* Horvath,1803 (Pentatomidae)
170. *Eurydema ornatum* (Linnaeus,1758) (Pentatomidae)
171. *Eutolmus rufibarbis* (Meigen,1820) (Asilidae)
172. *Exechia fusca* (Meigen,1804) (Mycetophilidae)
173. *Eysarcoris ventralis* (Westwood,1837) (Pentatomidae)
174. *Falcotoya minuscula* (Horvath,1897) (Delphacidae)
175. *Forficula lurida* Fischer,1853 (Forficulidae)
176. *Gargara genistae* (Fabricius,1775) (Membracidae)
177. *Geocoris lineolus* (Rambur,1839) (Lygaeidae)
178. *Geomyza tripunctata* Fallén,1823 (Opomyzidae)
179. *Gnaptor prolixus* Fairmaire,1866 (Tenebrionidae)
180. *Gonocephalum rusticum* (Olivier,1811) (Tenebrionidae)
181. *Gryllotalpa gryllotalpa* (Linnaeus,1758) (Gryllotalpidae)
182. *Gymnopleurus mopsus* (Pallas,1781) (Scarabaeidae)
183. *Hesperocorixa linnaei* (Fieber,1848) (Corixidae)
184. *Homonotus sanguinolentus* (Fabricius,1793) (Pompilidae)
185. *Hyalesthes luteipes* Fieber,1876 (Cixiidae)
186. *Hyalesthes mlokosiewiczzi* Signoret,1879 (Cixiidae)
187. *Hyalesthes obsoletus* Signoret,1865 (Cixiidae)
188. *Hydaticus (Guignotites) ponticus* Sharp,1882 (Dytiscidae)
189. *Hydroglyphus geminus* (Fabricius,1792) (Dytiscidae)
190. *Hygrotus (Coelambus) lernaeus* (Schaum,1857) (Dytiscidae)
191. *Hypera variabilis* (Herbst,1795) (Curculionidae)
192. *Hyperaspis quadrimaculata* Redtenbacher,1843 (Coccinellidae)
193. *Hypocassida subferruginea* (Schränk,1776) (Chrysomelidae)
194. *Hyposoter didymator* (Thunberg,1822) (Ichneumonidae)
195. *Iassus scutellaris* (Fieber,1868) (Cicadellidae)
196. *Idiocera (s.str.) laterospina* (Alexander,1975) (Limoniidae)
197. *Ilybius jaechi* (Fery & Nilsson,1993) (Dytiscidae)
198. *Ischnura elegans* (Van Der Linden,1820) (Coenagrionidae)
199. *Kelisia ribauti* Wagner,1938 (Delphacidae)
200. *Labidostomis asiatica* Faldermann,1837 (Chrysomelidae)
201. *Labidura riparia* (Pallas,1773) (Labiduridae)
202. *Laccobius (Dimorpholaccobius) obscuratus* Rottenberg,1874 (Hydrophilidae)
203. *Laccobius (Dimorpholaccobius) simulatrix* Orchymont,1932 (Hydrophilidae)
204. *Laccobius (Dimorpholaccobius) syriacus* Guillebeau,1896 (Hydrophilidae)
205. *Laccobius (Microlaccobius) gracilis* Motschoulsky,1855 (Hydrophilidae)
206. *Laccophilus hyalinus* (De Geer,1774) (Dytiscidae)
207. *Laccophilus minutus* (Linnaeus,1758) (Dytiscidae)
208. *Laccophilus poecilus* Klug,1834 (Dytiscidae)
209. *Larinus curtus* Hochhuth,1851 (Curculionidae)
210. *Lasioglossum (Evylaeus) mesosclerum* (Pérez,1903) (Halictidae)
211. *Lasioptera berlesiana* Paoli,1907 (Cecidomyiidae)
212. *Lepyronia coleoprata* (Linnaeus,1758) (Cercopidae)
213. *Lestes barbarus* (Fabricius,1798) (Lestidae)
214. *Lestes macrostigma* (Eversmann,1836) (Lestidae)
215. *Libelloides rhomboideus* (Schneider,1845) (Ascalaphidae)
216. *Liponeura osmanica* Koç & Zwick,2006 (Blephariceridae)
217. *Liriomyza huidobrensis* (Blanchard,1926) (Agromyzidae)
218. *Liriomyza trifolii* (Burgess,1880) (Agromyzidae)
219. *Lixus angustatus* (Fabricius,1775) (Curculionidae)
220. *Lixus cardui* Olivier,1807 (Curculionidae)
221. *Lixus junci* Boheman,1836 (Curculionidae)
222. *Lixus rubicundus* Zoubkoff,1833 (Curculionidae)
223. *Lophyridia concolor* (Dejean,1822) (Carabidae)
224. *Lophyridia littoralis* (Fabricius,1787) (Carabidae)
225. *Lydus trimaculatus* (Fabricius,1775) (Meloidea)
226. *Lygaeus creticus* (Lucas,1854) (Lygaeidae)
227. *Lyristes plebejus* (Scopoli,1763) (Cicadidae)
228. *Machimus annulipes* (Brullé,1832) (Asilidae)
229. *Machimus atripes* Loew,1854 (Asilidae)
230. *Machimus fuscus* (Macquart,1839) (Asilidae)
231. *Machimus thoracicus* (Loew,1849) (Asilidae)
232. *Macrocera fasciata* Meigen,1804 (Keroplastidae)
233. *Macrolenes dentipes* (Olivier,1808) (Chrysomelidae)

234. **Macrophya postica** Brullé,1832
(Tenthredinidae)
235. **Malthinus byzantinus** Wittmer,1974
(Cantharidae)
236. **Mantispia scabricollis** McLachlan,1875
(Mantispidae)
237. **Megascolia maculata** (Drury,1773) (Scoliidae)
238. **Melanotus (s.str.) fusciceps**
(Gyllenhal,1817) (Elateridae)
239. **Mesostenus transfuga** Gravenhorst,1829
(Ichneumonidae)
240. **Microlarinus lareynii** (Jacquilin du
Val,1852) (Curculionidae)
241. **Micropeplus fulvus** Erichson,1840
(Staphylinidae)
242. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
243. **Mycetophila fungorum** (DeGeer,1776)
(Mycetophilidae)
244. **Mycterodus (Semirodus) pallens**
Stal,1861 (Issidae)
245. **Mylabris fusca** (Olivier,1811) (Meloidae)
246. **Mylabris variabilis** (Pallas,1782)
(Meloidae)
247. **Myriochile (s.str.) melancholica**
(Fabricius,1798) (Carabidae)
248. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
249. **Nemka viduata** (Pallas,1773) (Mutillidae)
250. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
251. **Neoleraia pusilla** Loew,1862 (Heleomyzidae)
252. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
253. **Nephrotoma theowaldi**
Oosterbroek,1978 (Tipulidae)
254. **Neuroterus lanuginosus** Giraud,1859
(Cynipidae)
255. **Neuroterus numismalis** (Fourcroy,1785)
(Cynipidae)
256. **Neuroterus quercusbaccarum**
(Linnaeus,1758) (Cynipidae)
257. **Noterus clavicornis** (De Geer,1774) (Noteridae)
258. **Oecanthus pellucens** (Scopoli,1763)
(Gryllidae)
259. **Oedemera (s.str.) flavipes**
(Fabricius,1792) (Oedemeridae)
260. **Oedipoda miniata** (Pallas,1771) (Acrididae)
261. **Omocestus (s.str.) rufipes** (Zetterstedt,1821)
(Acrididae)
262. **Omocestus (s.str.) ventralis**
(Zetterstedt,1821) (Acrididae)
263. **Opatroides punctulatus** Brullé,1832
(Tenebrionidae)
264. **Opsius cypriacus** Lindberg,1958
(Cicadellidae)
265. **Orthetrum sabina** (Drury,1770)
(Libellulidae)
266. **Osmia (Helicosmia) caerulea**
(Linnaeus,1758) (Megachilidae)
267. **Osmia (Helicosmia) dimidiata**
Morawitz,1870 (Megachilidae)
268. **Osmia (Hoplosmia) bidentata**
Morawitz,1876 (Megachilidae)
269. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
270. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
271. **Parapholidoptera castaneoviridis** (Brunner
von Wattenwyl,1882) (Tettigoniidae)
272. **Paratettix meridionalis** (Rambur,1838)
(Tetrigidae)
273. **Parodontodynerus ephippium** (Klug,1817)
(Vespidae)
274. **Peltodytes caesus** (Duftschmid,1805)
(Halipilidae)
275. **Pentastiridius leporinus** (Linnaeus,1761)
(Cixiidae)
276. **Pezetettix anatolica** Uvarov,1934
(Acrididae)
277. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
278. **Pherbina coryleti** (Scopoli,1763)
(Sciomyzidae)
279. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
280. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
281. **Pholidoptera femorata** (Fieber,1853)
(Tettigoniidae)
282. **Physocephala laticincta** (Brullé,1832)
(Conopidae)
283. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
284. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
285. **Pimelia (Eurypimelia) subglobosa**
(Pallas,1781) (Tenebrionidae)
286. **Pimelia (Eurypimelia) subglobosa**
verruculifera Solier,1836 (Tenebrionidae)
287. **Plagiognathus chrysanthemi**
(Wolff,1804) (Miridae)
288. **Platycleis (s.str.) intermedia** (Audinet-
Serville,1839) (Tettigoniidae)
289. **Platycleis (Tessellana) nigrosignata**
(Costa,1863) (Tettigoniidae)
290. **Platymyrmilla quinquefasciata**
(Olivier,1811) (Mutillidae)
291. **Platyura marginata** Meigen,1804
(Keroplidae)
292. **Poecilimon amissus** Brunner von
Wattenwyl,1878 (Tettigoniidae)
293. **Poecilimon bilgeri** Karabağ,1953
(Tettigoniidae)
294. **Poecilimon ege** Ünal,2005 (Tettigoniidae)
295. **Poecilimon hamatus** Brunner von
Wattenwyl,1878 (Tettigoniidae)
296. **Poecilimon inflatus** Brunner von
Wattenwyl,1891 (Tettigoniidae)
297. **Poecilimon ledereri** Ramme,1933
(Tettigoniidae)
298. **Poecilimon sanctipauli** Brunner von
Wattenwyl,1878 (Tettigoniidae)
299. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
300. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
301. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
302. **Pompilus cinereus** (Fabricius,1787)
(Pompilidae)
303. **Priocnemis diversa** Junco,1946
(Pompilidae)
304. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
305. **Prionocyphon ornatus** Abeille,1881
(Scirtidae)
306. **Promachus leoninus** Loew,1848 (Asilidae)

307. **Protaetia (Netocia) sibirica** (Gebler,1829) (Scarabaeidae)
308. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
309. **Pseudaraeopus lethierryi** (Mulsant & Rey,1879) (Delphacidae)
310. **Pseudoneuroterus macropterus** (Hartig,1843) (Cynipidae)
311. **Pseudophotopsis schachruda** (Skorikov,1935) (Mutillidae)
312. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
313. **Raiboscelis coelestinus** (Waltl,1838) (Tenebrionidae)
314. **Raiboscelis syriacus** (Reiche,1861) (Tenebrionidae)
315. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
316. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
317. **Rhacocleis germanica** (Herrich-Schäffer,1840) (Tettigoniidae)
318. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
319. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
320. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
321. **Rhynchites trojanus** Gyllenhal,1839 (Attelabidae)
322. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
323. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
324. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
325. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
326. **Saga nataliae** Audinet-Serville,1839 (Tettigoniidae)
327. **Saga puella** Werner,1901 (Tettigoniidae)
328. **Sapromyza laszlopappi** Merz,2000 (Leuxaniidae)
329. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
330. **Scarabaeus armeniacus** Ménétrié,1832 (Scarabaeidae)
331. **Sceptonia cryptocauda** Chandler,1991 (Mycetophilidae)
332. **Sciocoris hoberlandi** Wagner,1954 (Pentatomidae)
333. **Scolia hirta** (Schrank,1781) (Scoliidae)
334. **Scolia insubrica** (Scopoli,1786) (Scoliidae)
335. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
336. **Scymnus apetzi** Mulsant,1846 (Coccinellidae)
337. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
338. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
339. **Sigara lateralis** Leach,1818 (Corixidae)
340. **Sigara mayri** (Fieber,1860) (Corixidae)
341. **Sogatella vibix** (Haupt,1927) (Delphacidae)
342. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
343. **Stalia major** Costa,1840 (Nabidae)
344. **Suillia affinis** (Meigen,1830) (Heleomyzidae)
345. **Suillia humilis** (Meigen,1830) (Heleomyzidae)
346. **Symmorphus gracilis** (Brullé,1832) (Vespidae)
347. **Sympetrum flaveolum** (Linnaeus,1758) (Libellulidae)
348. **Syromastus rhombeus** (Linnaeus,1767) (Coreidae)
349. **Tabanus aidini** Kröber,1928 (Tabanidae)
350. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
351. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
352. **Tabanus brunnescens** Szilady,1917 (Tabanidae)
353. **Tabanus decipiens** Kröber,1928 (Tabanidae)
354. **Tabanus laetetinctus** Becker,1913 (Tabanidae)
355. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
356. **Tabanus martinii** Kröber,1928 (Tabanidae)
357. **Tabanus prometheus** Szilady,1923 (Tabanidae)
358. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
359. **Tabanus spectabilis** Loew,1858 (Tabanidae)
360. **Tabanus tinctus** Walker,1850 (Tabanidae)
361. **Tachyancistrocerus rhodensis** (Saussure,1855) (Vespidae)
362. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae)
363. **Telostegus inermis** (Brullé,1832) (Pompilidae)
364. **Temelucha observator** Aubert,1966 (Ichneumonidae)
365. **Tenthredo zonula** Klug,1817 (Tenthredinidae)
366. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
367. **Tephritis postica** (Loew,1844) (Tephritidae)
368. **Tettigometra (Mitricephalus) eremi** Lindberg,1948 (Tettigometridae)
369. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
370. **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae)
371. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
372. **Thamnotettix (s.str.) zelleri** (Kirschbaum,1868) (Cicadellidae)
373. **Thamnotettix minoidis** Dlabola,1974 (Cicadellidae)
374. **Tingis griseola** (Puton,1879) (Tingidae)
375. **Tipula (Lunatipula) furcula** Mannheims,1954 (Tipulidae)
376. **Tipula (Tipula) orientalis** Lackschewitz,1930 (Tipulidae)
377. **Tipula (Yamatotipula) lateralis** Meigen,1804 (Tipulidae)
378. **Toya propinqua** (Fieber,1866) (Delphacidae)
379. **Trichodes crabroniformis** Fabricius,1787 (Cleridae)
380. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
381. **Trichodes nobilis** Klug,1842 (Cleridae)
382. **Trichodes punctatus** Fischer,1829 (Cleridae)

383. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
384. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
385. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
386. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
387. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
388. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae)
389. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
390. **Trypetoptera punctulata (Scopoli,1763)**
(Sciomyzidae)
391. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
392. **Vachiria natolica Stal,1859** (Reduviidae)
393. **Vespa orientalis Linnaeus,1771** (Vespidae)
394. **Vespula germanica (Fabricius,1793)**
(Vespidae)
395. **Xya pfaendleri (Harz,1970)** (Tridactylidae)

Balkesir Province (10)

(383 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Acrida anatolica Dirsh,1949** (Acrididae)
3. **Acrida bicolor (Thunberg,1815)** (Acrididae)
4. **Adalia (s.str.) bipunctata (Linnaeus,1758)**
(Coccinellidae)
5. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
6. **Aelia albovittata Fieber,1868** (Pentatomidae)
7. **Agabus (Gaurodytes) didymus (Olivier,1795)**
(Dytiscidae)
8. **Agallia harrarensis Melichar,1911**
(Cicadellidae)
9. **Agalmatium bilobum (Fieber,1877)** (Issidae)
10. **Agenioideus excisus (Morawitz,1890)**
(Pompilidae)
11. **Agenioideus nubecula (Costa,1874)**
(Pompilidae)
12. **Agrilus (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
13. **Agrilus (s.str.) hyperici (Creutzer,1799)**
(Buprestidae)
14. **Alebra albostricella (Fallén,1826)** (Cicadellidae)
15. **Anaceratagallia ribauti (Ossiannilsson,1938)**
(Cicadellidae)
16. **Anacridium aegyptium (Linnaeus,1764)**
(Acrididae)
17. **Ancistrocerus parietum (Linnaeus,1758)**
(Vespidae)
18. **Anisolabis maritima (Géné,1832)**
(Labiduridae)
19. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
20. **Anthaxia (Cratomerus) eugeniae**
Ganglbauer,1885 (Buprestidae)
21. **Anthaxia (Cratomerus) scorzonerae**
(Frivaldski,1838) (Buprestidae)
22. **Anthaxia (Haplanthaxia) mundula**
Kiesenwetter,1857 (Buprestidae)
23. **Anthaxia (Melanthaxia) godeti Gory &**
Laporte,1839 (Buprestidae)
24. **Anthaxia (s.str.) hypomelaena (Illiger,1803)**
(Buprestidae)
25. **Anthaxia (s.str.) lucens Küster,1852**
(Buprestidae)
26. **Anthidium (Paraanthidium) interruptum**
(Fabricius,1781) (Megachilidae)
27. **Apanteles aragatzi Tobias,1976** (Braconidae)
28. **Apanteles ater (Ratzeburg,1852)** (Braconidae)
29. **Apanteles hemara Nixon,1965** (Braconidae)
30. **Apanteles ingenuoides Papp,1971** (Braconidae)
31. **Apanteles obscurus (Nees,1834)** (Braconidae)
32. **Aphrophora alni (Fallén,1805)** (Cercopidae)
33. **Aphrophora salicina (Goeze,1778)**
(Cercopidae)
34. **Arachnospila minutula (Dahlbom,1843)**
(Pompilidae)
35. **Arcyptera (Pararcyptera) labiata**
(Brullé,1832) (Acrididae)
36. **Artianus manderstjernii (Kirschbaum,1868)**
(Cicadellidae)
37. **Atylotus flavoguttatus (Szilady,1915)**
(Tabanidae)
38. **Atylotus venturii Leclercq,1966** (Tabanidae)
39. **Aulagromyza trivittata (Loew,1873)**
(Agromyzidae)
40. **Auletobius politus Voss,1934** (Attelabidae)
41. **Balclutha rhenana Wagner,1939** (Cicadellidae)
42. **Berosus (Enoplurus) frontifoveatus**
Kuwert,1888 (Hydrophilidae)
43. **Blepharicera fasciata (Westwood,1842)**
(Blephariceridae)
44. **Brachytarsina flavipennis Macquart,1851**
(Streblidae)
45. **Bucephaloptera bucephala (Brunner von**
Wattenwyl,1882) (Tettigoniidae)
46. **Byctiscus betulae (Linnaeus,1758)**
(Attelabidae)
47. **Calais parreysi (Steven,1830)** (Elateridae)
48. **Calliptamus barbarus (Costa,1836)** (Acrididae)
49. **Calopteryx virgo (Linnaeus,1758)**
(Calopterygidae)
50. **Capnodis miliaris (Klug,1829)** (Buprestidae)
51. **Capnodis porosa (Klug,1829)** (Buprestidae)
52. **Capnodis tenebricosa (Olivier,1790)**
(Buprestidae)
53. **Carpocoris mediterraneus Tamanini,1958**
(Pentatomidae)
54. **Cassida pannonica Suffrian,1844**
(Chrysomelidae)

55. **Cassida prasina Illiger, 1798** (Chrysomelidae)
56. **Cassida rubiginosa Müller, 1776** (Chrysomelidae)
57. **Cassida saucia Weise, 1889** (Chrysomelidae)
58. **Cassida seraphina Ménétériés, 1836** (Chrysomelidae)
59. **Cassida viridis Linnaeus, 1758** (Chrysomelidae)
60. **Catoplatus anticus (Reuter, 1880)** (Tingidae)
61. **Centrotus cornutus (Linnaeus, 1758)** (Membracidae)
62. **Cephalota (s.str.) turcica (Schaum, 1859)** (Carabidae)
63. **Cephalota (Taenidia) circumdata (Dejean, 1822)** (Carabidae)
64. **Cercopis intermedia Kirschbaum, 1868** (Cercopidae)
65. **Ceresa bubalus (Fabricius, 1794)** (Membracidae)
66. **Cerocoma adamovichiana (Piller & Mitterpacher, 1783)** (Meloidae)
67. **Chaetarthria seminulum (Herbst, 1797)** (Hydrophilidae)
68. **Chaetocnema procerula (Rosenhauer, 1856)** (Chrysomelidae)
69. **Chalicodoma (Pseudomegachile) ericetorum (Lepeletier, 1841)** (Megachilidae)
70. **Choeras dorsalis (Spinola, 1808)** (Braconidae)
71. **Chorthippus (Chorthippus) parallelus (Zetterstedt, 1821)** (Acrididae)
72. **Chorthippus (s.str.) dichrous (Eversmann, 1859)** (Acrididae)
73. **Chorthippus (s.str.) loratus (Fischer von Waldheim, 1846)** (Acrididae)
74. **Chrysops (s.str.) caecutiens (Linnaeus, 1761)** (Tabanidae)
75. **Chrysops (s.str.) flavipes Meigen, 1804** (Tabanidae)
76. **Chrysops (s.str.) italicus Meigen, 1804** (Tabanidae)
77. **Cicada orni Linnaeus, 1758** (Cicadidae)
78. **Cicadula lineatopunctata (Matsumura, 1908)** (Cicadellidae)
79. **Cidnopus crassipes (Schwarz, 1900)** (Elateridae)
80. **Cixius pallipes Fieber, 1876** (Cixiidae)
81. **Coenorrhinus aequatus (Linnaeus, 1767)** (Atelabidae)
82. **Coenorrhinus cribripennis Desbrochers, 1869** (Atelabidae)
83. **Colpa klugii (Van der Linden, 1827)** (Scoliidae)
84. **Conorhynchus nigrivittis (Pallas, 1781)** (Curculionidae)
85. **Conosanus obsoletus (Kirschbaum, 1858)** (Cicadellidae)
86. **Contarinia populi (Rübsaamen, 1917)** (Cecidomyiidae)
87. **Cordulegaster insignis Schneider, 1845** (Cordulegasteridae)
88. **Cotesia ancilla (Nixon, 1974)** (Braconidae)
89. **Cotesia cupresus (Lylé, 1925)** (Braconidae)
90. **Cotesia hypantriai (Riley, 1887)** (Braconidae)
91. **Cotesia jucunda (Marshall, 1885)** (Braconidae)
92. **Cotesia kazak (Telenga, 1949)** (Braconidae)
93. **Cotesia kurdjumovi (Telenga, 1955)** (Braconidae)
94. **Cotesia lineola (Curtis, 1830)** (Braconidae)
95. **Cotesia melanoscela (Ratzeburg, 1844)** (Braconidae)
96. **Cotesia ofella (Nixon, 1974)** (Braconidae)
97. **Cotesia ruficrus (Haliday, 1834)** (Braconidae)
98. **Cotesia saltatoria (Balevski, 1980)** (Braconidae)
99. **Cotesia telengai (Tobias, 1972)** (Braconidae)
100. **Cotesia tibialis (Curtis, 1830)** (Braconidae)
101. **Crepidodera aurata (Marsham, 1802)** (Chrysomelidae)
102. **Cryptocephalus ocellatus Drapiez, 1819** (Chrysomelidae)
103. **Curculio glandium Marsham, 1802** (Curculionidae)
104. **Curculio nucum Linnaeus, 1758** (Curculionidae)
105. **Curculio pellitus Boheman, 1843** (Curculionidae)
106. **Curculio salicivorus Paykull, 1792** (Curculionidae)
107. **Dasyrhamphis ater (Austen, 1925)** (Tabanidae)
108. **Dasyrhamphis carbonarius (Meigen, 1820)** (Tabanidae)
109. **Dasyrhamphis umbrinus (Meigen, 1820)** (Tabanidae)
110. **Dasyscolia ciliata (Fabricius, 1787)** (Scoliidae)
111. **Decticus albifrons (Fabricius, 1793)** (Tettigoniidae)
112. **Dibolia phoenicia Allard, 1866** (Chrysomelidae)
113. **Dichomma dardanum (Steven, 1829)** (Tenebrionidae)
114. **Dictyophara asiatica Melichar, 1912** (Dictyopharidae)
115. **Dioctria bithynica Janssens, 1968** (Asilidae)
116. **Diolcogaster alvearia (Fabricius, 1798)** (Braconidae)
117. **Diolcogaster claritibia (Papp, 1959)** (Braconidae)
118. **Dociostaurus (Kazakia) brevicollis (Eversmann, 1848)** (Acrididae)
119. **Dociostaurus (Notostaurus) anatolicus Krauss, 1896** (Acrididae)
120. **Dociostaurus (s.str.) maroccanus (Thunberg, 1815)** (Acrididae)
121. **Dolichogenidea litae (Nixon, 1972)** (Braconidae)
122. **Dorcadion (Cribridorcadion) divisum Germar, 1839** (Cerambycidae)
123. **Dorcadion (Maculatodorcadion) triste Frivaldsky, 1845** (Cerambycidae)
124. **Dyroderes umbraculatus (Fabricius, 1775)** (Pentatomidae)
125. **Dysmachus tricuspis (Loew, 1848)** (Asilidae)
126. **Dytiscus circumflexus Fabricius, 1781** (Dytiscidae)
127. **Echthistus cognatus Loew, 1849** (Asilidae)
128. **Elodes sieberi Klausnitzer, 1973** (Scirtidae)
129. **Ensina sonchi (Linnaeus, 1767)** (Tephritidae)
130. **Entomobora vomeriventrifera (Costa, 1863)** (Pompilidae)
131. **Episyron candiotum Wahis, 1966** (Pompilidae)
132. **Episyron rufipes (Linnaeus, 1758)** (Pompilidae)
133. **Epitrix pubescens (Koch, 1803)** (Chrysomelidae)
134. **Euaresta bullans (Wiedemann, 1830)** (Tephritidae)
135. **Eumenes coronatus (Panzer, 1799)** (Vespidae)
136. **Eumenes dubius Saussure, 1852** (Vespidae)
137. **Eumenes lunulatus (Fabricius, 1804)** (Vespidae)
138. **Eumenes mediterraneus (Kriechbaumer, 1879)** (Vespidae)

139. **Eumenes pomiformis** (Fabricius,1781) (Vespidae)
140. **Euodynerus (Pareuodynerus) posticus** (Herrich-Schäffer,1841) (Vespidae)
141. **Euodynerus (s.str.) disconotatus** (Lichtenstein,1884) (Vespidae)
142. **Eurydema blanda** Horvath,1803 (Pentatomidae)
143. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
144. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
145. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
146. **Eustenancistrocerus amadanensis** (Saussure,1855) (Vespidae)
147. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
148. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
149. **Formica sanguinea** Latreille,1798 (Formicidae)
150. **Gargara genistae** (Fabricius,1775) (Membracidae)
151. **Glyptomorpha discolor** (Thunberg,1822) (Braconidae)
152. **Glyptomorpha gracilis** (Szepligeti,1901) (Braconidae)
153. **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae)
154. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
155. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
156. **Graptodytes veterator** (Zimmermann,1918) (Dytiscidae)
157. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
158. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
159. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
160. **Haematoloma dorsatum** (Ahrens,1812) (Cercopidae)
161. **Haematopota coolsi** Leclercq,1966 (Tabanidae)
162. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
163. **Haematopota italica** Meigen,1804 (Tabanidae)
164. **Haematopota longantennata** Olsufjev,1937 (Tabanidae)
165. **Haematopota ocelligera** Kröber,1922 (Tabanidae)
166. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
167. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
168. **Haematopota sewelli** Austen,1920 (Tabanidae)
169. **Haematopota subcylindrica** Pandelle,1883 (Tabanidae)
170. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
171. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
172. **Harmandiola cavernosa** (Rübsaamen,1899) (Cecidomyiidae)
173. **Harmandiola globuli** (Rübsaamen,1889) (Cecidomyiidae)
174. **Helophorus micans** Falderman,1835 (Helophoridae)
175. **Himacerus apterus** (Fabricius,1798) (Nabidae)
176. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
177. **Hybomitra acuminata** (Loew,1858) (Tabanidae)
178. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
179. **Hybomitra pilosa** (Loew,1858) (Tabanidae)
180. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
181. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
182. **Hypera variabilis** (Herbst,1795) (Curculionidae)
183. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
184. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
185. **Iconella lacteoides** (Nixon,1965) (Braconidae)
186. **Ischnodes sanguinicollis** (Panzer,1793) (Elateridae)
187. **Isophya cania** Karabağ,1975 (Tettigoniidae)
188. **Isophya straubei** (Fieber,1853) (Tettigoniidae)
189. **Kelisia ribauti** Wagner,1938 (Delphacidae)
190. **Labidostomis asiatica** Faldermann,1837 (Chrysomelidae)
191. **Labidostomis longimana** (Linnaeus,1761) (Chrysomelidae)
192. **Laccobius (Dimorpholaccobius) sipylus** Orchymont,1939 (Hydrophilidae)
193. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
194. **Laccobius (s.str.) albipes** Kuwert,1890 (Hydrophilidae)
195. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
196. **Larinus obtusus** Gyllenhal,1836 (Curculionidae)
197. **Larinus turbinatus** Gyllenhal,1836 (Curculionidae)
198. **Lasioglossum pseudocaspicum** (Blüthgen,1923) (Halictidae)
199. **Lasioptera berlesiana** Paoli,1907 (Cecidomyiidae)
200. **Lasioptera populnea** Wachtl,1883 (Cecidomyiidae)
201. **Lasiorrhynchites praeustus** (Boheman,1845) (Atelabidae)
202. **Leptochilus regulus** Saussure,1855 (Vespidae)
203. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
204. **Lixus angustatus** (Fabricius,1775) (Curculionidae)
205. **Lixus cardui** Olivier,1807 (Curculionidae)
206. **Lixus junci** Boheman,1836 (Curculionidae)
207. **Lixus subtilis** Boheman,1836 (Curculionidae)
208. **Lixus vilis** (Rossi,1790) (Curculionidae)
209. **Longitarsus lycopi** (Foudras,1860) (Chrysomelidae)
210. **Longitarsus quadriguttatus** (Pontoppidan,1765) (Chrysomelidae)
211. **Lydus trimaculatus** (Fabricius,1775) (Meloidae)
212. **Lydus turcicus** Kaszab,1952 (Meloidae)
213. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
214. **Machimus annulipes** (Brullé,1832) (Asilidae)
215. **Macrolenes dentipes** (Olivier,1808) (Chrysomelidae)


216. **Macrophophus caliginosus** Wagner,1950
(Miridae)
217. **Macrophya postica** Brullé,1832
(Tenthredinidae)
218. **Macrophya rufipes** Linnaeus,1758
(Tenthredinidae)
219. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
220. **Maladera (Macroserica) wewalkai**
Petrovitz,1969 (Scarabaeidae)
221. **Meenoplus albosignatus** Fieber,1866
(Meenoplidae)
222. **Megabombus pascuorum** (Scopoli,1763)
(Apidae)
223. **Megachile (Eutricharaea) deceptoria**
Perez,1890 (Megachilidae)
224. **Megachile (Eutricharaea) pilidens**
Alfken,1924 (Megachilidae)
225. **Megascolia maculata** (Drury,1773)
(Scoliidae)
226. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
227. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
228. **Microgaster opheltes** Nixon,1968
(Braconidae)
229. **Microptilis deces** Tobias,1964 (Braconidae)
230. **Microptilis decipiens** Prell,1925
(Braconidae)
231. **Microptilis deprimator** (Fabricius,1798)
(Braconidae)
232. **Microptilis docilis** (Telenga,1964)
(Braconidae)
233. **Microptilis fordi** Nixon,1970 (Braconidae)
234. **Microptilis mandibularis** Thomson,1895
(Braconidae)
235. **Microptilis marshallii** Kokujev,1897
(Braconidae)
236. **Microptilis mediator** (Haliday,1834)
(Braconidae)
237. **Microptilis scrophulariae** Szepliget,1898
(Braconidae)
238. **Microptilis spinolae** Nees,1834
(Braconidae)
239. **Microptilis strenua** Reinhard,1880
(Braconidae)
240. **Microptilis tuberculifer** (Wesmael,1837)
(Braconidae)
241. **Microptilis varipes** Ruthe,1860 (Braconidae)
242. **Microptilis vidua** (Ruthe,1860)
(Braconidae)
243. **Modicogryllus (s.str.) truncatus**
(Tarbinski,1940) (Gryllidae)
244. **Mycterodus balikesiricus** Dlabola,1979
(Issidae)
245. **Mylabris variabilis** (Pallas,1782)
(Meloidae)
246. **Myrmilla (Pseudomutilla) glabrata**
(Fabricius,1775) (Mutillidae)
247. **Nebrioporus suavis** (Sharp,1882)
(Dytiscidae)
248. **Nemka viduata** (Pallas,1773) (Mutillidae)
249. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
250. **Nemorius vitripennis** (Meigen,1820)
(Tabanidae)
251. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
252. **Neodorcadion exornatoides**
Breuning,1962 (Cerambycidae)
253. **Neophilaenus minor** (Kirschbaum,1868)
(Cercopidae)
254. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
255. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
256. **Noterus clavicornis** (De Geer,1774)
(Noteridae)
257. **Noterus clavicornis** (De Geer,1774) (Noteridae)
258. **Notonecta viridis** Delcourt,1909
(Notonectidae)
259. **Odontomyia angulata** (Panzer,[1798])
(Stratiomyidae)
260. **Oedemera (s.str.) crassipes**
Ganglbauer,1881 (Oedemeridae)
261. **Oedipoda aurea** Uvarov,1923 (Acrididae)
262. **Oenas crassicornis** (Illiger,1800)
(Meloidae)
263. **Opatrum alternatum** Küster,1849
(Tenebrionidae)
264. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
265. **Osmia (Hoplosmia) bidentata**
Morawitz,1876 (Megachilidae)
266. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
267. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
268. **Pachycerus cordiger** (Germar,1819)
(Curculionidae)
269. **Pangonius (s.str.) fulvipes** Loew,1859
(Tabanidae)
270. **Pedestredorcadion coiffaiti**
(Breuning,1962) (Cerambycidae)
271. **Pedestredorcadion pseudobithyniense**
(Breuning,1962) (Cerambycidae)
272. **Peltodytes caesus** (Duftschmid,1805)
(Halipidae)
273. **Penicillidia conspicua** Speiser,1901
(Nycteribiidae)
274. **Pentastira rorida** (Fieber,1876) (Cixiidae)
275. **Pezotettix anatolica** Uvarov,1934 (Acrididae)
276. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
277. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
278. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
279. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
280. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
281. **Phthiridium biarticulatum** Hermann,1804
(Nycteribiidae)
282. **Phytomyza orobanchiae**
Kaltenbach,1864 (Agromyzidae)
283. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
284. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
285. **Plagiognathus arbustorum**
(Fabricius,1794) (Miridae)
286. **Platycleis (Incertana) incerta** Brunner
von Wattenwyl,1882 (Tettigoniidae)
287. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
288. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)

289. **Platycleis (Sepiana) sepium** (Yersin,1854) (Tettigoniidae)
290. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
291. **Platymetopius (s.str.) henribauti** Dlabola,1961 (Cicadellidae)
292. **Podagraca fuscicornis** (Linnaeus,1767) (Chrysomelidae)
293. **Podagraca menetriesi** (Faldermann,1837) (Chrysomelidae)
294. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
295. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
296. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
297. **Polyphylla (s.str.) fullo** (Linnaeus,1758) (Scarabaeidae)
298. **Pompilus cinereus** (Fabricius,1787) (Pompilidae)
299. **Protaetia (Potosia) angustata** (Germar,1817) (Scarabaeidae)
300. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
301. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
302. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
303. **Rabdophaga saliciperda** (Dufour,1841) (Cecidomyiidae)
304. **Rabdophaga salicis** (Schrank,1803) (Cecidomyiidae)
305. **Rabdophaga terminalis** (Loew,1850) (Cecidomyiidae)
306. **Rhacocleis acutangula** Karabağ,1957 (Tettigoniidae)
307. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
308. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
309. **Rhynchites giganteus** Krynický,1832 (Attelabidae)
310. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
311. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
312. **Rhynchites lodosi** Voss,1973 (Attelabidae)
313. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
314. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
315. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
316. **Saga cappadocica** Werner,1903 (Tettigoniidae)
317. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
318. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
319. **Scarabaeus variolosus** Fabricius,1787 (Scarabaeidae)
320. **Sciocoris deltocephalus** Fieber,1861 (Pentatomidae)
321. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
322. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
323. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
324. **Silvius (s.str.) alpinus** (Scopoli,1763) (Tabanidae)
325. **Silvius (s.str.) variegatus** (Fabricius,1805) (Tabanidae)
326. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
327. **Stagonomus amoenus** (Brullé,1832) (Pentatomidae)
328. **Stenopogon milvus** (Loew,1847) (Asilidae)
329. **Stenopogon nigriventris** Loew,1868 (Asilidae)
330. **Sympetrum striolatum** (Charpentier,1840) (Libellulidae)
331. **Syromastus rhombeus** (Linnaeus,1767) (Coreidae)
332. **Tabanus armeniacus** (Kröber,1928) (Tabanidae)
333. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
334. **Tabanus bifarius** Loew,1858 (Tabanidae)
335. **Tabanus briani** Leclercq,1962 (Tabanidae)
336. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
337. **Tabanus brunnescens** Szilady,1917 (Tabanidae)
338. **Tabanus cordiger** Meigen,1820 (Tabanidae)
339. **Tabanus cuculus** Szilady,1923 (Tabanidae)
340. **Tabanus eggeri** Schiner,1868 (Tabanidae)
341. **Tabanus exclusus** Pandella,1883 (Tabanidae)
342. **Tabanus fraseri** Austen,1925 (Tabanidae)
343. **Tabanus glaucopsis** Meigen,1820 (Tabanidae)
344. **Tabanus indrae** Hauser,1939 (Tabanidae)
345. **Tabanus leleani** Austen,1920 (Tabanidae)
346. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
347. **Tabanus miki** Brauer,1880 (Tabanidae)
348. **Tabanus obsolescens** Pandelle,1883 (Tabanidae)
349. **Tabanus oppugnator** Austen,1925 (Tabanidae)
350. **Tabanus portschinskii** Olsufjev,1937 (Tabanidae)
351. **Tabanus prometheus** Szilady,1923 (Tabanidae)
352. **Tabanus regularis** Jaennicke,1866 (Tabanidae)
353. **Tabanus rupium** Brauer,1880 (Tabanidae)
354. **Tabanus spectabilis** Loew,1858 (Tabanidae)
355. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
356. **Tabanus tergestinus** Egger,1859 (Tabanidae)
357. **Tabanus tinctus** Walker,1850 (Tabanidae)
358. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
359. **Tachina (Eudoromyia) magnicornis** Zetterstedt,1844 (Tachinidae)
360. **Tachyancistrocerus rhodensis** (Saussure,1855) (Vespidae)
361. **Tachyancistrocerus schmidti** (Kokujev,1912) (Vespidae)
362. **Tachycixius pilosus** (Olivier,1791) (Cixiidae)
363. **Tenebrio obscurus** Fabricius,1792 (Tenebrionidae)
364. **Tenthredo excellens** Konow,1886 (Tenthredinidae)
365. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)

366. **Tephritis formosa (Loew,1844)**
(Tephritidae)
367. **Teratolytta dives (Brullé,1832)** (Meloidae)
368. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
369. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
370. **Trichodes punctatus Fischer,1829**
(Cleridae)
371. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
372. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
373. **Trissolcus simoni (Mayr,1897)** (Scelionidae)
374. **Tromatobia ornata (Gravenhorst,1829)**
(Ichneumonidae)
375. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
376. **Trupanea stellata (Fuesslin,1775)**
(Tephritidae)
377. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
378. **Urophora dzieduszyckii Frauenfeld,1867**
(Tephritidae)
379. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
380. **Vespa crabro Linnaeus,1758** (Vespidae)
381. **Vespa orientalis Linnaeus,1771** (Vespidae)
382. **Vespula germanica (Fabricius,1793)**
(Vespidae)
383. **Xya variegata (Latreille,1809)**
(Tridactylidae)

Bilecik Province (11)

(364 species, stand 30 April 2010)



1. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
2. **Actenodia confluens (Reiche,1866)** (Meloidae)
3. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
4. **Aelia rostrata Boheman,1852** (Pentatomidae)
5. **Aelia virgata (Herrich-Schäffer,1841)**
(Pentatomidae)
6. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
7. **Agalmatium bilobum (Fieber,1877)** (Issidae)
8. **Agrilus (Anambus) buresi Obenberger,1935**
(Buprestidae)
9. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae)
10. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
11. **Agrilus (s.str.) hyperici (Creutzer,1799)**
(Buprestidae)
12. **Agriotes (s.str.) adlbaueri Platia & Schimmel,1992** (Elateridae)
13. **Agriotes (s.str.) infuscatus Desbrochers,1870**
(Elateridae)
14. **Alastor petheri Kohl,1905** (Vespidae)
15. **Allodynerus delphinalis (Giraud,1866)**
(Vespidae)
16. **Altica bicarinata (Kutschera,1860)**
(Chrysomelidae)
17. **Altica impressicollis (Reiche,1862)**
(Chrysomelidae)
18. **Ammophila sabulosa (Linnaeus,1758)**
(Sphecidae)
19. **Anaceratagallia laevis (Ribaut,1935)**
(Cicadellidae)
20. **Anaceratagallia ribauti (Ossiannilsson,1938)**
(Cicadellidae)
21. **Ancistrocerus parietum (Linnaeus,1758)**
(Vespidae)
22. **Anogcodes difformis (Marseul,1857)**
(Oedemeridae)
23. **Anoplius infuscatus (Van der Linden,1827)**
(Pompilidae)
24. **Anoplius viaticus (Linnaeus,1758)**
(Pompilidae)
25. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
26. **Antepipona albosignata Gusenleitner,1986**
(Vespidae)
27. **Anthaxia (Haplanthaxia) bettagi Niehuis,1983** (Buprestidae)
28. **Anthaxia (Haplanthaxia) karsanthiana Pic,1917** (Buprestidae)
29. **Anthaxia (Haplanthaxia) ursulae Niehuis,1989** (Buprestidae)
30. **Anthaxia (Melanthaxia) meregallii Curletti & Magnali,1985** (Buprestidae)
31. **Anthaxia (s.str.) brevis Gory & Laporte,1839**
(Buprestidae)
32. **Anthaxia (s.str.) deaurata (Gmelin,1788)**
(Buprestidae)
33. **Anthaxia (s.str.) hypomelaena (Illiger,1803)**
(Buprestidae)
34. **Anthaxia (s.str.) lucens Küster,1852**
(Buprestidae)
35. **Anthaxia (s.str.) signaticollis (Krynicky,1832)**
(Buprestidae)
36. **Apanteles aragatzi Tobias,1976** (Braconidae)
37. **Apanteles atreus Nixon,1973** (Braconidae)
38. **Apanteles brunnistigma Abdinbekova,1969**
(Braconidae)
39. **Apanteles carpatus Say,1836** (Braconidae)
40. **Apanteles hemara Nixon,1965** (Braconidae)
41. **Apanteles ingenuoides Papp,1971** (Braconidae)
42. **Apanteles myron Nixon,1973** (Braconidae)
43. **Apanteles obscurus (Nees,1834)** (Braconidae)
44. **Aphrodes bicinctus (Schrank,1776)**
(Cicadellidae)
45. **Aphrophora corticea Germar,1821**
(Cercopidae)
46. **Aphthona bonvouloiri Allard,1861**
(Chrysomelidae)

47. **Aporinellus sexmaculatus (Spinola,1805)** (Pompilidae)
48. **Aradus cinnamomeus Panzer,1806** (Aradidae)
49. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae)
50. **Attelabus nitens (Scopoli,1763)** (Attelabidae)
51. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
52. **Atylotus quadrifarius (Loew,1874)** (Tabanidae)
53. **Auletobius politus Voss,1934** (Attelabidae)
54. **Auplopus rectus (Haupt,1927)** (Pompilidae)
55. **Bangasternus orientalis (Capiomont,1873)** (Curculionidae)
56. **Berytinus consimilis (Horvath,1885)** (Berytidae)
57. **Bolua turkiyae Ünal,1999** (Tettigoniidae)
58. **Bombus terrestris Linnaeus,1758** (Apidae)
59. **Brachycerus algirus Latreille,1807** (Brachyceridae)
60. **Brachycerus argillaceus Reiche,1857** (Brachyceridae)
61. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae)
62. **Brachycerus freyi Zumpt,1937** (Brachyceridae)
63. **Brachydynerus kopetdagicus (Kostylev,1940)** (Vespidae)
64. **Calopteryx intermedia Selys,1887** (Calopterygidae)
65. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae)
66. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
67. **Capnodis miliaris (Klug,1829)** (Buprestidae)
68. **Capnodis porosa (Klug,1829)** (Buprestidae)
69. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae)
70. **Cardiophorus (s.str.) frequens Platia & Gudenzi,2002** (Elateridae)
71. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae)
72. **Carpocoris mediterraneus Tamanini,1958** (Pentatomidae)
73. **Cassida pannonica Suffrian,1844** (Chrysomelidae)
74. **Cassida prasina Illiger,1798** (Chrysomelidae)
75. **Cassida sanguinolenta Müller,1776** (Chrysomelidae)
76. **Cassida seraphina Ménériés,1836** (Chrysomelidae)
77. **Catoplatus anticus (Reuter,1880)** (Tingidae)
78. **Centrotus cornutus (Linnaeus,1758)** (Membracidae)
79. **Ceropales albicincta (Rossi,1790)** (Pompilidae)
80. **Ceropales variegata (Fabricius,1798)** (Pompilidae)
81. **Choeras dorsalis (Spinola,1808)** (Braconidae)
82. **Chrysolina gypsophylae (Küster,1845)** (Chrysomelidae)
83. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae)
84. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae)
85. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)
86. **Chrysolina salviae (Germar,1824)** (Chrysomelidae)
87. **Chrysomela populi Linnaeus,1758** (Chrysomelidae)
88. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae)
89. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
90. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
91. **Cicindela campestris Linnaeus,1758** (Carabidae)
92. **Claviger colchicus Motschoulsky,1837** (Staphylinidae)
93. **Clytra bodemeyeri Weise,1900** (Chrysomelidae)
94. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae)
95. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae)
96. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae)
97. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae)
98. **Conops silaceus Wiedemann,1824** (Conopidae)
99. **Corythucha arcuata (Say,1832)** (Tingidae)
100. **Cotesia ancilla (Nixon,1974)** (Braconidae)
101. **Cotesia calodetta (Nixon,1974)** (Braconidae)
102. **Cotesia cupresus (Lylé,1925)** (Braconidae)
103. **Cotesia glabratus (Telenga,1955)** (Braconidae)
104. **Cotesia jucunda (Marshall,1885)** (Braconidae)
105. **Cotesia kazak (Telenga,1949)** (Braconidae)
106. **Cotesia lineola (Curtis,1830)** (Braconidae)
107. **Cotesia melanoscela (Ratzeburg,1844)** (Braconidae)
108. **Cotesia memnon (Nixon,1974)** (Braconidae)
109. **Cotesia ofella (Nixon,1974)** (Braconidae)
110. **Cotesia orestes (Nixon,1974)** (Braconidae)
111. **Cotesia saltatoria (Balevski,1980)** (Braconidae)
112. **Cotesia telengai (Tobias,1972)** (Braconidae)
113. **Cotesia tetricus (Reinhard,1880)** (Braconidae)
114. **Cotesia tibialis (Curtis,1830)** (Braconidae)
115. **Cotesia villanus Reinhard,1880** (Braconidae)
116. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae)
117. **Cryptocephalus aureolus Suffrian,1847** (Chrysomelidae)
118. **Cryptocephalus biledjekensis Pic,1909** (Chrysomelidae)
119. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae)
120. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
121. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae)
122. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
123. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
124. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
125. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae)
126. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae)
127. **Cryptocheilus guttulatus (Costa,1887)** (Pompilidae)
128. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
129. **Cryptocheilus variabilis (Rossi,1790)** (Pompilidae)
130. **Curculio crux Fabricius,1776** (Curculionidae)

131. *Curculio glandium* Marsham,1802 (Curculionidae)
132. *Curculio nucum* Linnaeus,1758 (Curculionidae)
133. *Curculio pyrrhoceras* Marsham,1802 (Curculionidae)
134. *Curculio salicivorus* Paykull,1792 (Curculionidae)
135. *Curculio venosus* (Gravenhorst,1807) (Curculionidae)
136. *Cylindronotus (Odocnemis) dasypus* Seidlitz,1893 (Tenebrionidae)
137. *Cylindronotus (s.str.) funestoides* Reitter,1900 (Tenebrionidae)
138. *Dasineura refescens* (Stefani,1896) (Cecidomyiidae)
139. *Dasyrhamphis carbonarius* (Meigen,1820) (Tabanidae)
140. *Dasyrhamphis umbrinus* (Meigen,1820) (Tabanidae)
141. *Delta unguiculatum* (Villers,1789) (Vespidae)
142. *Deronectes doriae* Sharp,1882 (Dytiscidae)
143. *Deronectes parvicollis* (Schaum,1864) (Dytiscidae)
144. *Deronectes sahlbergi* Zimmermann,1932 (Dytiscidae)
145. *Dicronychus senaci* Desbrochers,1870 (Elateridae)
146. *Dictyla platyoma* (Fieber,1861) (Tingidae)
147. *Dictyophara asiatica* Melichar,1912 (Dictyopharidae)
148. *Dicyrtomellus argenteus* Wahis,1982 (Pompilidae)
149. *Dociostaurus (s.str.) maroccanus* (Thunberg,1815) (Acrididae)
150. *Dolichogenidea anarsiae* (Faure & Alabouvetle,1924) (Braconidae)
151. *Dolichogenidea drusilla* (Nixon,1972) (Braconidae)
152. *Dolichogenidea immissus* (Papp,1977) (Braconidae)
153. *Dolichogenidea infimus* (Haliday,1834) (Braconidae)
154. *Dolichogenidea longicauda* (Wesmael,1837) (Braconidae)
155. *Dolichogenidea mycale* (Nixon,1972) (Braconidae)
156. *Dolichogenidea soikai* (Nixon,1972) (Braconidae)
157. *Dryomyia circinans* (Giraud,1861) (Cecidomyiidae)
158. *Dyrodereus umbraculatus* (Fabricius,1775) (Pentatomidae)
159. *Echthistus cognatus* Loew,1849 (Asilidae)
160. *Empoasca solani* (Curtis,1846) (Cicadellidae)
161. *Entomobora vomeriventris* (Costa,1863) (Pompilidae)
162. *Eoferreola manticata* (Pallas,1771) (Pompilidae)
163. *Epallage fatime* (Charpentier,1840) (Calopterygidae)
164. *Epitrix pubescens* (Koch,1803) (Chrysomelidae)
165. *Eumenes coarctatus* (Linnaeus,1758) (Vespidae)
166. *Eumenes jarkandensis* Blüthgen,1938 (Vespidae)
167. *Eumenes lunulatus* (Fabricius,1804) (Vespidae)
168. *Eumenes papillarius* (Christ,1791) (Vespidae)
169. *Eumenes pomiformis* (Fabricius,1781) (Vespidae)
170. *Eumenes sareptanus* André,1884 (Vespidae)
171. *Eurydema blanda* Horvath,1803 (Pentatomidae)
172. *Eurydema oleracea* (Linnaeus,1758) (Pentatomidae)
173. *Eurydema ornatum* (Linnaeus,1758) (Pentatomidae)
174. *Eurydema ventralis* Kolenati,1846 (Pentatomidae)
175. *Eustenancistrocerus amadanensis* (Saussure,1855) (Vespidae)
176. *Glyptapanteles eugeni* (Papp,1972) (Braconidae)
177. *Glyptapanteles fulvipes* (Haliday,1834) (Braconidae)
178. *Glyptomorpha pectoralis* (Brullé,1832) (Braconidae)
179. *Gryllus (s.str.) campestris* Linnaeus,1758 (Gryllidae)
180. *Gymnopleurus flagellatus* (Fabricius,1787) (Scarabaeidae)
181. *Gymnopleurus geoffroyi* Fuessly,1785 (Scarabaeidae)
182. *Gymnopleurus mopsus* (Pallas,1781) (Scarabaeidae)
183. *Haematopota crassicornis* Wahlberg,1848 (Tabanidae)
184. *Haematopota grandis* Macquart,1834 (Tabanidae)
185. *Haematopota pallens* Loew,1871 (Tabanidae)
186. *Haematopota pluvialis* (Linnaeus,1761) (Tabanidae)
187. *Haematopota scutellata* (Olsufjev, Moucha & Chvala,1964) (Tabanidae)
188. *Haematopota subcylindrica* Pandelle,1883 (Tabanidae)
189. *Haliplus variegatus* Sturm,1834 (Halipidae)
190. *Homodela ismenia* (Gory,1833) (Carabidae)
191. *Homonotus sanguinolentus* (Fabricius,1793) (Pompilidae)
192. *Hyalesthes mlokosiewiczzi* Signoret,1879 (Cixiidae)
193. *Hybomitra ciureai* (Seguy,1937) (Tabanidae)
194. *Hycleus scabiosae* (Olivier,1811) (Meloidae)
195. *Hydroglyphus pubescens* Gyllenhal,1808 (Dytiscidae)
196. *Hydroporus bodemeyeri* Ganglbauer,1900 (Dytiscidae)
197. *Hydroporus pubescens* (Gyllenhal,1808) (Dytiscidae)
198. *Hypera jucundus* Capiomont,1868 (Curculionidae)
199. *Hypera maculipennis* Fairmaire,1859 (Curculionidae)
200. *Hypera variabilis* (Herbst,1795) (Curculionidae)
201. *Hypocassida subferruginea* (Schrank,1776) (Chrysomelidae)
202. *Idiocerus vicinus* Melichar,1898 (Cicadellidae)
203. *Isophya amplipennis* Brunner von Wattenwyl,1878 (Tettigoniidae)
204. *Jothopogon leucomallus* (Loew,1871) (Asilidae)
205. *Krombeinella beaumonti* (Invrea,1953) (Mutillidae)

206. **Krombeinella gaullei** (Invrea,1952)
(Mutillidae)
207. **Krombeinella wolffi** (Invrea,1963)
(Mutillidae)
208. **Kyboasca bipunctata** (Oshanin,1871)
(Cicadellidae)
209. **Kybos virgator** (Ribaut,1933)
(Cicadellidae)
210. **Labidostomis asiatica** Faldermann,1837
(Chrysomelidae)
211. **Labidostomis mesopotamica** Heyden,1886
(Chrysomelidae)
212. **Labidostomis rufa** (Waltl,1838)
(Chrysomelidae)
213. **Lasiorrhynchites cavifrons** (Gyllenhal,1833)
(Atelabidae)
214. **Lasiorrhynchites sericeus** (Herbst,1797)
(Atelabidae)
215. **Leptochilus limbiferus** (Morawitz,1867)
(Vespidae)
216. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
217. **Lixus cardui** Olivier,1807 (Curculionidae)
218. **Lixus elegantulus** Boheman,1843
(Curculionidae)
219. **Lixus rubicundus** Zoubkoff,1833
(Curculionidae)
220. **Lycocoris campestris** (Fabricius,1794)
(Anthocoridae)
221. **Mantispa aphavexelte** U.Aspöck &
H.Aspöck,1994 (Mantispidae)
222. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
223. **Meloe cicatricosus** Leach,1815 (Meloidae)
224. **Meloe rugosus** Marsham,1802 (Meloidae)
225. **Microdynerus eurasius** Blüthgen,1938
(Vespidae)
226. **Microptilis cebes** Nixon,1970 (Braconidae)
227. **Microptilis deces** Tobias,1964 (Braconidae)
228. **Microptilis decipiens** Prell,1925
(Braconidae)
229. **Microptilis deprimator** (Fabricius,1798)
(Braconidae)
230. **Microptilis mandibularis** Thomson,1895
(Braconidae)
231. **Microptilis marshallii** Kokujev,1897
(Braconidae)
232. **Microptilis spinolae** Nees,1834
(Braconidae)
233. **Microptilis tuberculifer** (Wesmael,1837)
(Braconidae)
234. **Microptilis varipes** Ruthe,1860
(Braconidae)
235. **Microptilis vidua** (Ruthe,1860)
(Braconidae)
236. **Modicogryllus (Eumodicogryllus)**
burdigalensis (Latreille,1804) (Gryllidae)
237. **Mycterodus carpathicus** Logvinenko,1974
(Issidae)
238. **Mylabris calida** (Pallas,1781) (Meloidae)
239. **Mylabris olivieri** Billberg,1813 (Meloidae)
240. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
241. **Mylabris scabiosae** (Olivier,1811) (Meloidae)
242. **Myrmilla (Pseudomutilla) glabrata**
(Fabricius,1775) (Mutillidae)
243. **Myrmilla (s.str.) caucasica**
(Kolenati,1846) (Mutillidae)
244. **Nebrioporus suavis** (Sharp,1882)
(Dytiscidae)
245. **Nemognatha chrysomelina**
(Fabricius,1775) (Meloidae)
246. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
247. **Nemorius vitripennis** (Meigen,1820)
(Tabanidae)
248. **Nocaracris cyanipes** (Fischer von
Waldheim,1846) (Pamphagidae)
249. **Nocaracris tecticolis** Ramme,1951
(Pamphagidae)
250. **Noterus clavicornis** (De Geer,1774)
(Noteridae)
251. **Noterus clavicornis** (De Geer,1774) (Noteridae)
252. **Oedemera (s.str.) crassipes**
Ganglbauer,1881 (Oedemeridae)
253. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
254. **Oedemera (s.str.) podagrariae**
(Linnaeus,1767) (Oedemeridae)
255. **Oenas crassicornis** (Illiger,1800) (Meloidae)
256. **Omocestus (s.str.) ventralis**
(Zetterstedt,1821) (Acrididae)
257. **Opsimea ventralis** Miller,1880 (Oedemeridae)
258. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
259. **Pachybrachis (s.str.) bodemeyeri**
Weise,1906 (Chrysomelidae)
260. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
261. **Paramyrmosa radoszkowskyi**
(Saussure,1880) (Mutillidae)
262. **Parapholidoptera castaneoviridis**
(Brunner von Wattenwyl,1882) (Tettigoniidae)
263. **Pedestredorcadion infernale** (Mulsant &
Rey,1863) (Cerambycidae)
264. **Penthimia nigra** (Goeze,1778)
(Cicadellidae)
265. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
266. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
267. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
268. **Phyllodromica marginata**
(Schreber,1781) (Blattidae)
269. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
270. **Phyllotreta nemorum** (Linnaeus,1758)
(Chrysomelidae)
271. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
272. **Phyllotreta undulata** Kutschera,1860
(Chrysomelidae)
273. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
274. **Physetopoda similis** (Lelej,1984)
(Mutillidae)
275. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
276. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
277. **Pimelia (Eurypimelia) testudo** Kraatz,1865
(Tenebrionidae)
278. **Plagiognathus chrysanthemii**
(Wolff,1804) (Miridae)
279. **Platambus maculatus** (Linnaeus,1758)
(Dytiscidae)

280. **Platycerus senguni Schweiger,1966**
(Lucanidae)
281. **Polistes (s.str.) nimpha (Christ,1791)**
(Vespidae)
282. **Priocnemis minuta (Van der Linden,1827)** (Pompilidae)
283. **Probrugmanniella phillyreae (Tavares,1907)** (Cecidomyiidae)
284. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae)
285. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
286. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae)
287. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae)
288. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae)
289. **Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae)
290. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae)
291. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae)
292. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae)
293. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae)
294. **Raphidia (s.str.) beieri H.Aspöck & U.Aspöck,1964** (Raphidiidae)
295. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
296. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
297. **Rexa raddai (Hölzel,1966)** (Chrysopidae)
298. **Rhopalomyia artemisiae (Bouche,1834)** (Cecidomyiidae)
299. **Rhopalomyia baccarum (Wachtl,1883)** (Cecidomyiidae)
300. **Rhynchites auratus (Scopoli,1763)** (Attelabidae)
301. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae)
302. **Rhynchites giganteus Krynicky,1832** (Attelabidae)
303. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae)
304. **Rhynchites lenaeus Faust,1891** (Attelabidae)
305. **Rhynchites purpureipennis Voss,1973** (Attelabidae)
306. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae)
307. **Rhynchium oculatum (Fabricius,1781)** (Vespidae)
308. **Rhyparochromus reuteri (Horvath,1885)** (Lygaeidae)
309. **Ronisia brutia (Petagna,1787)** (Mutillidae)
310. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae)
311. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae)
312. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
313. **Scolia hirta (Schrank,1781)** (Scoliidae)
314. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
315. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae)
316. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
317. **Stagonomus amoenus (Brullé,1832)** (Pentatomidae)
318. **Stenodynerus chevrieranus (Saussure,1855)** (Vespidae)
319. **Stictopleurus riveti Royer,1923** (Rhopalidae)
320. **Tabanus atropathenicus Olsufjev,1937** (Tabanidae)
321. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
322. **Tabanus bifarius Loew,1858** (Tabanidae)
323. **Tabanus bromius Linnaeus,1758** (Tabanidae)
324. **Tabanus cordiger Meigen,1820** (Tabanidae)
325. **Tabanus cuculus Szilady,1923** (Tabanidae)
326. **Tabanus eggeri Schiner,1868** (Tabanidae)
327. **Tabanus exclusus Pandella,1883** (Tabanidae)
328. **Tabanus fraseri Austen,1925** (Tabanidae)
329. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
330. **Tabanus indrae Hauser,1939** (Tabanidae)
331. **Tabanus laetinctus Becker,1913** (Tabanidae)
332. **Tabanus lunatus Fabricius,1794** (Tabanidae)
333. **Tabanus miki Brauer,1880** (Tabanidae)
334. **Tabanus obsolescens Pandelle,1883** (Tabanidae)
335. **Tabanus quatuornatatus Meigen,1820** (Tabanidae)
336. **Tabanus regularis Jaenicke,1866** (Tabanidae)
337. **Tabanus rupium Brauer,1880** (Tabanidae)
338. **Tabanus shannonellus Kröber,1936** (Tabanidae)
339. **Tabanus spectabilis Loew,1858** (Tabanidae)
340. **Tabanus spodopterus Meigen,1820** (Tabanidae)
341. **Tabanus unifasciatus Loew,1858** (Tabanidae)
342. **Telostegus fumigatus (Klug,1834)** (Pompilidae)
343. **Tentyria rotundata Brullé,1832** (Tenebrionidae)
344. **Tentyria wiedemanni Ménetriés,1838** (Tenebrionidae)
345. **Tephritis formosa (Loew,1844)** (Tephritidae)
346. **Tettigometra (Mitricephalus) leucophaea (Preysslér,1792)** (Tettigometridae)
347. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
348. **Theriopectes tricolor Zeller,1842** (Tabanidae)
349. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae)
350. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae)
351. **Trichodes crabroniformis Fabricius,1787** (Cleridae)
352. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
353. **Tropidomyia aureifacies Kröber,1915** (Conopidae)
354. **Tropidotilla griseascens (Lepelletier,1845)** (Mutillidae)
355. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae)

356. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
357. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
358. **Urophora cuspidata (Meigen,1826)**
(Tephritidae)
359. **Urophora macrura (Loew,1855)**
(Tephritidae)
360. **Utecha trivia (Germar,1821)** (Cicadellidae)
361. **Vespa crabro Linnaeus,1758** (Vespidae)
362. **Vespa orientalis Linnaeus,1771** (Vespidae)
363. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae)
364. **Xya variegata (Latreille,1809)**
(Tridactylidae)

Bingöl Province (12)

(157 species, stand 30 April 2010)

1. **Abiskomyia paravirgo Goetghebuer,1936**
(Chironomidae)
2. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
3. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
4. **Agenioideus sericeus (Van der Linden,1827)**
(Pompilidae)
5. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
6. **Agrilus rhoos Krolik & Niehuis,2003**
(Buprestidae)
7. **Aiolopus strepens (Latreille,[1802])**
(Acrididae)
8. **Alosimus decolor (Abeille de Perrin,1880)**
(Meloidae)
9. **Alosimus pallidicollis (Gyllenhal,1806)**
(Meloidae)
10. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
11. **Anoplius schlettereri (Radoszkowski,1888)**
(Pompilidae)
12. **Anoplius viaticus (Linnaeus,1758)**
(Pompilidae)
13. **Anthaxia (Haplantaxia) ursulae Niehuis,1989** (Buprestidae)
14. **Anthaxia (s.str.) shirasensis Obenberger,1940** (Buprestidae)
15. **Apsectrotamypus trifascipennis (Zetterstedt,1850)** (Chironomidae)
16. **Arachnospila anceps (Wesmael,1851)**
(Pompilidae)
17. **Athalia bicolor Audinet-Serville,1823**
(Tenthredinidae)
18. **Athalia cordata Audinet-Serville,1823**
(Tenthredinidae)
19. **Balcanocerus balcanicus (Horvath,1903)**
(Cicadellidae)
20. **Blepharipa scutellata (Robineau-Desvoidy,1830)** (Tachinidae)
21. **Calliptamus tenuicercis Tarbinsky,1930**
(Acrididae)
22. **Capnodis marquardti Reitter,1913**
(Buprestidae)
23. **Catoplatus distinctus Montandon,1895**
(Tingidae)
24. **Cerocoma muehlfeldi Gyllenhal,1817**
(Meloidae)
25. **Cerocoma scovitzii Faldermann,1837**
(Meloidae)
26. **Cetonia (s.str.) aurata (Linnaeus,1761)**
(Scarabaeidae)
27. **Chorthippus (Glyptobothrus) mollis (Charpentier,1825)** (Acrididae)
28. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae)
29. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
30. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
31. **Chrysops (s.str.) caecutiens (Linnaeus,1761)**
(Tabanidae)
32. **Cicindela asiatica Audouin & Brullé,1839**
(Carabidae)
33. **Cicindela turkestanicoides W.Horn,1938**
(Carabidae)
34. **Coelostoma transcasicum Reitter,1906**
(Hydrophilidae)
35. **Coenagrion scitulum (Rambur,1842)**
(Coenagrionidae)
36. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
37. **Cordicantharis similis Svihla,1999**
(Cantharidae)
38. **Curculio venosus (Gravenhorst,1807)**
(Curculionidae)
39. **Cyphon arietizans Nyholm,1970** (Scirtidae)
40. **Cyphon palustris Thomson,1855** (Scirtidae)
41. **Cytherea pallidipennis (Abbasian-Lintzen,1968)** (Bombyliidae)
42. **Discoelius dufourii Lepeletier,1841** (Vespidae)
43. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
44. **Elodes flavoangularis Klausnitzer,1990**
(Scirtidae)
45. **Entomogonus (Delonurops) peyroni (Reiche,1861)** (Tenebrionidae)
46. **Epallage fatime (Charpentier,1840)**
(Calopterygidae)
47. **Erythromma viridulum (Charpentier,1840)**
(Coenagrionidae)
48. **Eurythyrea austriaca (Linnaeus,1767)**
(Buprestidae)
49. **Gonia ornata Meigen,1826** (Tachinidae)
50. **Goniagnathus palliatus (Lethierry,1887)**
(Cicadellidae)
51. **Graptodytes veterator (Zimmermann,1918)**
(Dytiscidae)
52. **Gratidia kurda Uvarov,1944** (Phasmidae)
53. **Heliapteryx humeralis (Kuthy,1907)**
(Acrididae)
54. **Helladia plasoni Ganglbauer,1884**
(Cerambycidae)

55. **Helophorus aquaticus (Linnaeus,1758)**
(Helophoridae)
56. **Helophorus hilaris Sharp,1916** (Helophoridae)
57. **Helophorus nubilus Fabricius,1776**
(Helophoridae)
58. **Homodela ismenia (Gory,1833)** (Carabidae)
59. **Hydrobius arcticus Kuwert,1890**
(Hydrophilidae)
60. **Hydrochara dichorama (Fairmaire,1829)**
(Hydrophilidae)
61. **Hydrochus flavipennis Küster,1852**
(Hydrochidae)
62. **Hydrochus ibericus Valladares,1999**
(Hydrochidae)
63. **Hydroporus kozlovskii Zaitzev,1927**
(Dytiscidae)
64. **Ilybius fuliginosus (Fabricius,1792)**
(Dytiscidae)
65. **Isophya bicarinata Karabağ,1957**
(Tettigoniidae)
66. **Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae)
67. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
68. **Larinus curtus Hochhuth,1851** (Curculionidae)
69. **Larinus onopordi (Fabricius,1787)**
(Curculionidae)
70. **Larinus turbinatus Gyllenhal,1836**
(Curculionidae)
71. **Limnophyes pusillus Eat.,1875** (Chironomidae)
72. **Linnaemya comta (Fallén,1810)** (Tachinidae)
73. **Linnaemya impudica (Rondani,1859)**
(Tachinidae)
74. **Lixus angustatus (Fabricius,1775)**
(Curculionidae)
75. **Lixus cardui Olivier,1807** (Curculionidae)
76. **Lophyridia fischeri (Adams,1817)** (Carabidae)
77. **Lydus tarsalis Abeille de Perrin,1880**
(Meloidae)
78. **Lydus tenuitarsis Abeille de Perrin,1880**
(Meloidae)
79. **Macrophya cyrus Benson,1954**
(Tenthredinidae)
80. **Macrophya diversipes (Schrank,1782)**
(Tenthredinidae)
81. **Macrophya postica Brullé,1832**
(Tenthredinidae)
82. **Macrophya rufipes Linnaeus,1758**
(Tenthredinidae)
83. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
84. **Malachius anatolicus Wittmer,1974**
(Melyridae)
85. **Malachius bingoelensis Wittmer,1999**
(Melyridae)
86. **Medecticus assimilis (Fieber,1853)**
(Tettigoniidae)
87. **Megascolia maculata (Drury,1773)** (Scoliidae)
88. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
89. **Merodon aberrans Egger,1860** (Syrphidae)
90. **Monosteira lobulifera Reuter,1888** (Tingidae)
91. **Muzimes dersimensis (Kaszab,1968)**
(Meloidae)
92. **Mylabris apicenigra Sumacov,1924** (Meloidae)
93. **Mylabris cincta Olivier,1811** (Meloidae)
94. **Mylabris fabricii Sumakov,1924** (Meloidae)
95. **Mylabris festiva (Pallas,1773)** (Meloidae)
96. **Mylabris fusca (Olivier,1811)** (Meloidae)
97. **Mylabris humerosa (Escherich,1899)**
(Meloidae)
98. **Mylabris suturalis Pic,1898** (Meloidae)
99. **Mylabris zebraea (Marseul,1870)** (Meloidae)
100. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae)
101. **Neides tipularius (Linnaeus,1758)** (Berytidae)
102. **Nemoraea pellucida (Meigen,1824)**
(Tachinidae)
103. **Oedipoda aurea Uvarov,1923** (Acrididae)
104. **Oedipoda caerulea (Linnaeus,1758)**
(Acrididae)
105. **Oedipoda miniata (Pallas,1771)** (Acrididae)
106. **Omalius assingi Zanetti,2002** (Staphylinidae)
107. **Omocestus (s.str.) demokidovi Ramme,1930**
(Acrididae)
108. **Omocestus (s.str.) nanus Uvarov,1934**
(Acrididae)
109. **Omocestus (s.str.) petraeus (Brisout,1855)**
(Acrididae)
110. **Ormyrus bingoeliensis Doğanlar,1991**
(Ormyridae)
111. **Paratendipes demirsoyus Şahin,1976**
(Chironomidae)
112. **Perlamantispa perla (Pallas,1772)**
(Mantispidae)
113. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
114. **Phryno vetula (Meigen,1824)** (Tachinidae)
115. **Pimelia (Camphonota) repleta Reitter,1915**
(Tenebrionidae)
116. **Platycleis (Incertana) persica Uvarov,1917**
(Tettigoniidae)
117. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
118. **Poecilimon amissus Brunner von Wattenwyl,1878** (Tettigoniidae)
119. **Poecilimonella armeniaca Uvarov,1921**
(Tettigoniidae)
120. **Prionotropis maculinervis (Stal,1878)**
(Pamphagidae)
121. **Probaticus (Pelorinus) corrugatus Seidlitz,1893** (Tenebrionidae)
122. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
123. **Pseudoceles obscurus (Uvarov,1927)**
(Acrididae)
124. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
125. **Rhogogaster chlorosoma Benson,1943**
(Tenthredinidae)
126. **Rhynchites hungaricus (Herbst,1784)**
(Atelabidae)
127. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
128. **Semnosia herminae (Reitter,1890)**
(Cerambycidae)
129. **Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae)
130. **Senometopia separata (Rondani,1859)**
(Tachinidae)
131. **Sialis nigripes Pictet,1865** (Sialidae)
132. **Stenobothrus (s.str.) zubovskii Bolivar,1899**
(Acrididae)
133. **Stenobothrus (Stenobothrodes) wernerii Adelung,1907** (Acrididae)
134. **Subcoccinella vigintiquatuor punctata (Linnaeus,1758)** (Coccinellidae)
135. **Tabanus atropathenicus Olsufjev,1937**
(Tabanidae)

136. *Tabanus bromius* Linnaeus, 1758 (Tabanidae)
137. *Tachina (Eudoromyia) fera* (Linnaeus, 1761) (Tachinidae)
138. *Tachina (Eudoromyia) magnicornis* Zetterstedt, 1844 (Tachinidae)
139. *Tanypus kraatzi* Kieffer, 1913 (Chironomidae)
140. *Tenthredo costata* Klug, 1817 (Tenthredinidae)
141. *Tenthredo zonula* Klug, 1817 (Tenthredinidae)
142. *Tentyria rotundata* Brullé, 1832 (Tenebrionidae)
143. *Teratolytta dvoraki* Bologna, 2006 (Meloidae)
144. *Tetrix bolivari* (Saulcy, 1901) (Tetrigidae)
145. *Tettigometra (Stirometra) costulata* Fieber, 1865 (Tettigometridae)
146. *Tettigonia caudata* (Charpentier, 1845) (Tettigoniidae)
147. *Tettigonia viridissima* (Linnaeus, 1758) (Tettigoniidae)
148. *Thienemannimyia lentiginosa* (Fries, 1830) (Chironomidae)
149. *Tingis rotundicollis* (Jakovlev, 1883) (Tingidae)
150. *Trichodes ephippiger* Chevrolat, 1874 (Cleridae)
151. *Trichodes sipylus* (Linnaeus, 1758) (Cleridae)
152. *Tropidotilla litoralis* (Petagna, 1787) (Mutillidae)
153. *Tropidotilla semirufa* (André, 1893) (Mutillidae)
154. *Uvarovistia (s.str.) satunini* (Uvarov, 1916) (Tettigoniidae)
155. *Zavrelimyia melanura* (Meigen, 1818) (Chironomidae)
156. *Zodion cinereum* (Fabricius, 1794) (Conopidae)
157. *Zyginidia (s.str.) sohrab* Zachvatkin, 1947 (Cicadellidae)

Bitlis Province (13)

(273 species, stand 30 April 2010)

1. *Aclypea undata* (O.F.Müller, 1776) (Silphidae)
2. *Agriotes (s.str.) sputator* (Linnaeus, 1758) (Elateridae)
3. *Alebra albostriella* (Fallén, 1826) (Cicadellidae)
4. *Amphicoma (Eulasia) arctos* (Pallas, 1781) (Glaphyridae)
5. *Amphicoma (Vittateulasia) vittata* (Fabricius, 1775) (Glaphyridae)
6. *Anaceratagallia laevis* (Ribaut, 1935) (Cicadellidae)
7. *Andricus askewi* Melika & Stone, 2001 (Cynipidae)
8. *Andricus caputmedusae* (Hartig, 1843) (Cynipidae)
9. *Andricus insanus* (Westwood, 1837) (Cynipidae)
10. *Andricus kollari* (Hartig, 1843) (Cynipidae)
11. *Andricus lignicolus* (Hartig, 1840) (Cynipidae)
12. *Andricus lucidus* (Hartig, 1843) (Cynipidae)
13. *Andricus multiplicatus* Giraud, 1859 (Cynipidae)
14. *Andricus polycerus* (Giraud, 1859) (Cynipidae)
15. *Andricus quercustozae* (Bosc, 1792) (Cynipidae)
16. *Andricus tomentosus* (Trotter, 1901) (Cynipidae)
17. *Anisochrya (s.str.) sybaritica* (McLachlan, 1875) (Chrysopidae)
18. *Anisoplia (Brancoplia) leucaspis* Laporte, 1840 (Scarabaeidae)
19. *Anoplius viaticus* (Linnaeus, 1758) (Pompilidae)
20. *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857 (Buprestidae)
21. *Anthaxia (Haplanthaxia) cichorii* (Olivier, 1790) (Buprestidae)
22. *Anthaxia (Haplanthaxia) ursulae* Niehuis, 1989 (Buprestidae)
23. *Anthidium (Icteranthidium) cimbiciforme* (Smith, 1854) (Megachilidae)
24. *Anthidium (Mesanthidium) carduele* Morawitz, 1876 (Megachilidae)
25. *Anthidium (Mesanthidium) lebanense* Mavromoustakis, 1955 (Megachilidae)
26. *Anthidium (s.str.) cingulatum* Latreille, 1809 (Megachilidae)
27. *Aphelonyx cerricola* (Giraud, 1859) (Cynipidae)
28. *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar, 2004 (Cynipidae)
29. *Aphrophora alni* (Fallén, 1805) (Cercopidae)
30. *Attelabus nitens* (Scopoli, 1763) (Attelabidae)
31. *Auplopus albifrons* (Dalman, 1823) (Pompilidae)
32. *Balclutha hebe* (Kirkaldy, 1906) (Cicadellidae)
33. *Balclutha pellucens* Horvath, 1909 (Cicadellidae)
34. *Balclutha punctata* (Fabricius, 1775) (Cicadellidae)
35. *Balclutha saltuella* (Kirschbaum, 1868) (Cicadellidae)
36. *Bangasternus orientalis* (Capiomont, 1873) (Curculionidae)
37. *Bangasternus planifrons* (Brullé, 1832) (Curculionidae)
38. *Bembecinus acanthomerus* (Morice, 1911) (Crabronidae)
39. *Bembecinus asiaticus* (Gussakowski, 1935) (Crabronidae)
40. *Bembecinus asiaticus iranicus* Schmid-Egger, 2004 (Crabronidae)
41. *Bembecinus peregrinus* (Smith, 1856) (Crabronidae)
42. *Bibio hortulanus* (Linnaeus, 1758) (Bibionidae)
43. *Bibio marci* (Linnaeus, 1758) (Bibionidae)
44. *Biorhiza pallida* (Olivier, 1791) (Cynipidae)
45. *Boriomyia arenata* Aspöck & Aspöck, 1966 (Hemerobiidae)
46. *Boveycantharis tatvanensis* Wittmer, 1997 (Cantharidae)
47. *Bugraia ocularis* (Mulsant & Rey, 1855) (Cicadellidae)
48. *Cabirutus gracilis* (Reitter, 1904) (Tenebrionidae)

49. **Caenoblaps kulzeri** Schuster,1928 (Tenebrionidae)
50. **Callimenus dilatatus** (Stal,1876) (Tettigoniidae)
51. **Calliptamus barbarus** (Costa,1836) (Acrididae)
52. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
53. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
54. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
55. **Carabus (Procrustes) chevrolati** Cristoforis & Jan,1837 (Carabidae)
56. **Cataglyphis livida** André,1881 (Formicidae)
57. **Catoplatus brevicornis** Akramovskaya & Golub,1973 (Tingidae)
58. **Catoplatus horvathi** (Puton,1879) (Tingidae)
59. **Catoplatus nigriceps** Horvath,1905 (Tingidae)
60. **Cephalostenus demaisoni** Reitter,1903 (Tenebrionidae)
61. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
62. **Chlorophorus nivipictus** Kraatz,1879 (Cerambycidae)
63. **Chorthippus (Glyptobothrus) biguttulus** (Linnaeus,1758) (Acrididae)
64. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
65. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
66. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
67. **Chrysopa curdica** Hölzel,1967 (Chrysopidae)
68. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
69. **Cicadatra atra** (Oliver,1790) (Cicadidae)
70. **Cicadatra persica** Kirkaldy,1909 (Cicadidae)
71. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
72. **Cicindela desertorum** Dejean,1825 (Carabidae)
73. **Cicindela turkestanicoides** W.Horn,1938 (Carabidae)
74. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae)
75. **Coccinella (s.str.) septempunctata** Linnaeus,1758 (Coccinellidae)
76. **Coelioxys (Allocoelioxys) afra** Lepeletier,1841 (Megachilidae)
77. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
78. **Creightonella (Metamegachile) albisecta** (Klug,1817) (Megachilidae)
79. **Creoleon lugdunensis** (Villers,1789) (Myrmeleonidae)
80. **Cryptocephalus concolor** Suffrian,1847 (Chrysomelidae)
81. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
82. **Cryptocheilus discolor** (Fabricius,1793) (Pompilidae)
83. **Cryptocheilus fabricii** (Van der Linden,1827) (Pompilidae)
84. **Cryptocheilus notatus** (Rossi,1792) (Pompilidae)
85. **Cryptocheilus rubellus** (Eversmann,1846) (Pompilidae)
86. **Cynips quercusfolii** (Linnaeus,1758) (Cynipidae)
87. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
88. **Deliphrosoma lindbergi** (Scheerpeltz,1958) (Staphylinidae)
89. **Dicronychus desbrochersi** Platia & Gudenzi,2004 (Elateridae)
90. **Dicronychus incanus** (Erichson,1840) (Elateridae)
91. **Dictyla triconula** (Seidenstücker,1954) (Tingidae)
92. **Dictyonota astragali** Stusak & Önder,1982 (Tingidae)
93. **Distoleon curdicus** Hölzel,1972 (Myrmeleonidae)
94. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
95. **Dymachus fuscipennis** (Meigen,1820) (Asilidae)
96. **Ectophasia crassipennis** (Fabricius,1794) (Tachinidae)
97. **Elodes flavoangularis** Klausnitzer,1990 (Scirtidae)
98. **Enallagma cyathigerum** (Charpentier,1840) (Coenagrionidae)
99. **Entomogonus (Delonurops) duchoni** Reitter,1903 (Tenebrionidae)
100. **Eoferreola anatolica** Piesner,1973 (Pompilidae)
101. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
102. **Euodynerus hellenicus** Blüthgen,1942 (Vespidae)
103. **Eupteryx notata** Curtis,1837 (Cicadellidae)
104. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
105. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
106. **Evagetes tumidosus** (Tournier,1890) (Pompilidae)
107. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
108. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
109. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
110. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
111. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
112. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
113. **Helladia armeniaca** Frivaldsky,1878 (Cerambycidae)
114. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
115. **Helophorus nubilus** Fabricius,1776 (Helophoridae)
116. **Hemerobius friedeli** Aspöck & Aspöck,1966 (Hemerobiidae)
117. **Heringina guttata** (Fallén,1814) (Tephritidae)
118. **Homodela ismenia** (Gory,1833) (Carabidae)
119. **Homonotus sanguinolentus** (Fabricius,1793) (Pompilidae)
120. **Hoplitis (Alcidamea) garzetta** (Warncke,1991) (Megachilidae)
121. **Hycleus scabiosae** (Olivier,1811) (Meloidae)
122. **Hypera meles** (Fabricius,1792) (Curculionidae)
123. **Hypera variabilis** (Herbst,1795) (Curculionidae)

124. *Hypocassida subferruginea* (Schrank,1776) (Chrysomelidae)
125. *Iassus lanio* (Linnaeus,1761) (Cicadellidae)
126. *Isophya sikorai* Ramme,1951 (Tettigoniidae)
127. *Javesella pellucida* (Fabricius,1794) (Delphacidae)
128. *Julodis andreae* (Olivier,1790) (Buprestidae)
129. *Kelisia ribauti* Wagner,1938 (Delphacidae)
130. *Kropka unipunctata* (Dlabola,1957) (Cicadellidae)
131. *Laccobius (Dimorpholaccobius) obscuratus* Rottenberg,1874 (Hydrophilidae)
132. *Laccobius (Dimorpholaccobius) scutellaris* Motschoulsky,1855 (Hydrophilidae)
133. *Laccobius (Dimorpholaccobius) simulatrix* Orchymont,1932 (Hydrophilidae)
134. *Laccobius (Dimorpholaccobius) striatulus* (Fabricius,1801) (Hydrophilidae)
135. *Laccobius (Dimorpholaccobius) sulcatulus* Reitter,1909 (Hydrophilidae)
136. *Laccobius (Dimorpholaccobius) syriacus* Guillebeau,1896 (Hydrophilidae)
137. *Laccobius (Microlaccobius) gracilis* Motschoulsky,1855 (Hydrophilidae)
138. *Laodelphax striatellus* (Fallén,1826) (Delphacidae)
139. *Larinus filiformis* Petri,1907 (Curculionidae)
140. *Larinus latus* (Herbst,1784) (Curculionidae)
141. *Larinus minutus* Gyllenhal,1836 (Curculionidae)
142. *Larinus onopordi* (Fabricius,1787) (Curculionidae)
143. *Larinus turbinatus* Gyllenhal,1836 (Curculionidae)
144. *Libelloides macaronius* (Scopoli,1763) (Ascalaphidae)
145. *Libellula quadrimaculata* Linnaeus,1758 (Libellulidae)
146. *Lixus cardui* Olivier,1807 (Curculionidae)
147. *Lixus obesus* Petri,1904 (Curculionidae)
148. *Longitarsus anatolicus* Weise,1900 (Chrysomelidae)
149. *Ludita fulvipennis* (Smith,1879) (Tiphidae)
150. *Ludita villosa* (Fabricius,1793) (Tiphidae)
151. *Lydus turcius* Kaszab,1952 (Meloidae)
152. *Macronemurus bilineatus* Brauer,1868 (Myrmeleonidae)
153. *Macrophya cyrus* Benson,1954 (Tenthredinidae)
154. *Macropsis graminea* (Fabricius,1798) (Cicadellidae)
155. *Macrosteles fieberi* (Edwards,1889) (Cicadellidae)
156. *Macrosteles ossiannilssoni* Lindberg,1954 (Cicadellidae)
157. *Macrosteles quadripunctulatus* (Kirschbaum,1868) (Cicadellidae)
158. *Mantispa aphavexelte* U.Aspöck & H.Aspöck,1994 (Mantispidae)
159. *Meloe mediterraneus* Müller,1925 (Meloidae)
160. *Meloe proscarabaeus* Linnaeus,1758 (Meloidae)
161. *Meloe variegatus* Donovan,1793 (Meloidae)
162. *Metacantharis kostali* Wittmer,1997 (Cantharidae)
163. *Musaria kurdistanica* (Ganglbauer,1884) (Cerambycidae)
164. *Musaria puncticollis* (Faldermann,1837) (Cerambycidae)
165. *Muzimes bitlisiensis* (Kaszab,1958) (Meloidae)
166. *Mycterodus goricus* (Dlabola,1958) (Issidae)
167. *Myrmecaelurus major* McLachlan,1875 (Myrmeleonidae)
168. *Myrmecaelurus trigrammus* (Pallas,1781) (Myrmeleonidae)
169. *Nemka viduata* (Pallas,1773) (Mutillidae)
170. *Nemoptera sinuata* Olivier,1811 (Nemopteridae)
171. *Neoliturus fenestratus* (Herrich-Schäffer,1834) (Cicadellidae)
172. *Neophilaenus campestris* (Fallén,1805) (Cercopidae)
173. *Nephrotoma aculeata* (Loew,1871) (Tipulidae)
174. *Nephrotoma appendiculata* (Pierre,1919) (Tipulidae)
175. *Nephrotoma croceiventris* (Strobl,1909) (Tipulidae)
176. *Nephrotoma scalaris* (Meigen,1818) (Tipulidae)
177. *Nineta flava* (Scopoli,1763) (Chrysopidae)
178. *Oedaleus decorus* (Germar,1817) (Acrididae)
179. *Oedemera (s.str.) flavipennis* W.Schmidt,1846 (Oedemeridae)
180. *Oedipoda caerulea* (Linnaeus,1758) (Acrididae)
181. *Oedipoda miniata* (Pallas,1771) (Acrididae)
182. *Omalius cribriceps* Fauvel,1900 (Staphylinidae)
183. *Omalius littorale* Kraatz,1857 (Staphylinidae)
184. *Omalius turcicum* Smetana,1967 (Staphylinidae)
185. *Opatroides punctulatus* Brullé,1832 (Tenebrionidae)
186. *Orthetrum cancellatum* (Linnaeus,1758) (Libellulidae)
187. *Osmia (Helicosmia) aurulenta* (Panzer,1799) (Megachilidae)
188. *Osmia (Hoplosmia) bidentata* Morawitz,1876 (Megachilidae)
189. *Oxythyrea cinctella* (Schaum,1841) (Scarabaeidae)
190. *Pangonius (s.str.) pyritosus* Loew,1859 (Tabanidae)
191. *Panorpa tatvana* Willmann,1974 (Panorpidae)
192. *Paracorixa concinna* (Fieber,1848) (Corixidae)
193. *Pedestredorcadion albonotatum* (Pic,1895) (Cerambycidae)
194. *Pedestredorcadion deyrollei* (Ganglbauer,1883) (Cerambycidae)
195. *Pentastiridius leporinus* (Linnaeus,1761) (Cixiidae)
196. *Philaenus spumarius* (Linnaeus,1758) (Cercopidae)
197. *Piesma (Parapiesma) kolenatii* (Fieber,1861) (Piesmatidae)
198. *Pimelia (Melanostola) bajula* Klug,1830 (Tenebrionidae)
199. *Platycleis (s.str.) intermedia* (Audinet-Serville,[1839]) (Tettigoniidae)
200. *Poecilimon syriacus* Brunner von Wattenwyl,1891 (Tettigoniidae)
201. *Poecilimon zonatus* Bolivar,1899 (Tettigoniidae)
202. *Polistes (s.str.) gallicus* (Linnaeus,1767) (Vespidae)
203. *Polyphylla (s.str.) olivieri* (Laporte de Castelnau,1840) (Scarabaeidae)

204. **Priocnemis fallax** Verhoeff,1892 (Pompilidae)
205. **Priocnemis vulgaris** (Dufour,1841) (Pompilidae)
206. **Probaticus (Pelorinus) dorsalis** (Allard,1877) (Tenebrionidae)
207. **Prostemma guttula** (Fabricius,1787) (Nabidae)
208. **Prosternon tessellatum** (Linnaeus,1758) (Elateridae)
209. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
210. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
211. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
212. **Psyllobora vigintiduopunctata** (Linnaeus,1758) (Coccinellidae)
213. **Ptyngidricerus albardanus** (McLachan,1891) (Ascalaphidae)
214. **Ptyngidricerus albardanus albardanus** (McLachan,1891) (Ascalaphidae)
215. **Purpuricenus budensis** (Götz,1783) (Cerambycidae)
216. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
217. **Rabdophaga strobilina** (Bremi,1847) (Cecidomyiidae)
218. **Rhoananus hypochlorus** (Fieber,1869) (Cicadellidae)
219. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
220. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
221. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
222. **Rutpela maculata** (Poda,1761) (Cerambycidae)
223. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
224. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae)
225. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
226. **Selenocephalus armeniacus** Lindberg,1960 (Cicadellidae)
227. **Selenocephalus sirvadi** Dlabola,1965 (Cicadellidae)
228. **Semnosia interrupta** (Pic,1905) (Cerambycidae)
229. **Sigara assimilis** (Fieber,1848) (Corixidae)
230. **Sigara lateralis** Leach,1818 (Corixidae)
231. **Sogatella vibix** (Haupt,1927) (Delphacidae)
232. **Stenocranus minutus** (Fabricius,1787) (Delphacidae)
233. **Stenodynerus claviger** Gusenleitner,1981 (Vespidae)
234. **Stenometiellus angorensis** Zachvatkin,1946 (Cicadellidae)
235. **Stenopterus rufus** (Linnaeus,1767) (Cerambycidae)
236. **Stictoleptura tripartita** (Heyden,1889) (Cerambycidae)
237. **Suarius vanensis** (Hölzel,1967) (Chrysopidae)
238. **Subcoccinella vigintiquatuorpunctata** (Linnaeus,1758) (Coccinellidae)
239. **Sycophila biguttata** (Swederus,1795) (Eurytomidae)
240. **Syrirta pipiens** (Linnaeus,1758) (Syrphidae)
241. **Tachina (Servillia) lurida** (Fabricius,1781) (Tachinidae)
242. **Tachyagetes aegyptiacus** (Priesner,1955) (Pompilidae)
243. **Tachyagetes filicornis** (Tornier,1890) (Pompilidae)
244. **Tapinoma erraticum** (Latreille,1798) (Formicidae)
245. **Telostegus fumigatus** (Klug,1834) (Pompilidae)
246. **Telostegus inermis** (Brullé,1832) (Pompilidae)
247. **Tenthredo costata** Klug,1817 (Tenthredinidae)
248. **Tephritis simplex** (Loew,1844) (Tephritidae)
249. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
250. **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae)
251. **Therioptectes carabaghensis** (Potschinsky,1877) (Tabanidae)
252. **Tiphia minuta** Van der Linden,1827 (Tiphidae)
253. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae)
254. **Tipula (Tipula) orientalis** Lackschewitz,1930 (Tipulidae)
255. **Tipula (Yamatotipula) caesia** Schummel,1833 (Tipulidae)
256. **Tipula (Yamatotipula) guentheri** Oosterbroek,1994 (Tipulidae)
257. **Tipula (Yamatotipula) iranensis** Theowald,1978 (Tipulidae)
258. **Tipula (Yamatotipula) lateralis** Meigen,1804 (Tipulidae)
259. **Townsendiellomyia nidicola** (Townsend,1908) (Tachinidae)
260. **Tremulicerus mesopyrrhus** (Kirschbaum,1868) (Cicadellidae)
261. **Tremulicerus poecilus** (Herrich-Schäffer,1835) (Cicadellidae)
262. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
263. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
264. **Trichodes nobilis** Klug,1842 (Cleridae)
265. **Trichodes pulcherrimus** Escherich,1892 (Cleridae)
266. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
267. **Unkanodes latespinosa** (Dlabola,1957) (Delphacidae)
268. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
269. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
270. **Uvarovistia (s.str.) satunini** (Uvarov,1916) (Tettigoniidae)
271. **Vespula vulgaris** (Linnaeus,1758) (Vespidae)
272. **Zophosis (Oculosis) punctata** Brullé,1832 (Tenebrionidae)
273. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Bolu Province (14)

(422 species, stand 30 April 2010)

1. **Ablattaria arenaria** (Kraatz,1876) (Silphidae)
2. **Achaeta burdigalensis** (Latreille,1804) (Gryllidae)
3. **Acrometopa servillea** (Brullé,1832) (Tettigoniidae)
4. **Adrastus limbatus** (Fabricius,1776) (Elateridae)
5. **Adrastus protractus** Roubal,1924 (Elateridae)
6. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
7. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
8. **Agabus (Gaurodytes) guttatus** (Paykull,1798) (Dytiscidae)
9. **Agramma (s.str.) atricapillum** (Spinola,1837) (Tingidae)
10. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
11. **Agrilus rhoos** Krolík & Niehuis,2003 (Buprestidae)
12. **Agriotes (s.str.) acuminatus** (Stephens,1830) (Elateridae)
13. **Agriotes (s.str.) lineatus** (Linnaeus,1767) (Elateridae)
14. **Agriotes (s.str.) proximus** Schwarz,1891 (Elateridae)
15. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
16. **Agriotes (s.str.) tauricus** Heyden,1882 (Elateridae)
17. **Agriotes (s.str.) ustulatus** (Schaller,1783) (Elateridae)
18. **Agrypnus murinus** (Linnaeus,1758) (Elateridae)
19. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
20. **Allantus didymus** (Klug,1818) (Tenthredinidae)
21. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
22. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
23. **Ampedus balteatus** (Linnaeus,1758) (Elateridae)
24. **Amphinemura standfussi** (Ris,1902) (Nemouridae)
25. **Amphinemura trialetica** Zhiltzova,1957 (Nemouridae)
26. **Aneurus avenius** (Dufour,1833) (Aradidae)
27. **Aneurus laevis** (Fabricius,1775) (Aradidae)
28. **Anterastes serbicus** Brunner von Wattenwyl,1882 (Tettigoniidae)
29. **Anthaxia (Melanthaxia) nigrojubata** Roubal,1913 (Buprestidae)
30. **Anthobium abantense** (Fagel,1968) (Staphylinidae)
31. **Anthobium anatolicum** (Fagel,1968) (Staphylinidae)
32. **Anthobium atrocephalum** (Gyllenhal,1827) (Staphylinidae)
33. **Anthocoris nemorum** (Linnaeus,1761) (Anthocoridae)
34. **Aphrodes histrionicus** (Fabricius,1794) (Cicadellidae)
35. **Aphrophora alni** (Fallén,1805) (Cercopidae)
36. **Aphthona nigriceps** (Redtenbacher,1842) (Chrysomelidae)
37. **Aquarius ventralis** (Fieber,1860) (Gerridae)
38. **Aradus caasicus** Kolenati,1856 (Aradidae)
39. **Aradus conspicuus** Herrich-Schäffer,1835 (Aradidae)
40. **Aradus crenatus** Say,1832 (Aradidae)
41. **Aradus versicolor** Herrich-Schäffer,1835 (Aradidae)
42. **Arge ochropus** (Gmelin,1790) (Argidae)
43. **Arcephalus longiceps** (Kirschbaum,1868) (Cicadellidae)
44. **Athalia circularis** (Klug,1815) (Tenthredinidae)
45. **Athalia cordata** Audinet-Serville,1823 (Tenthredinidae)
46. **Athous (Haplathous) marginicollis** Reitter,1890 (Elateridae)
47. **Athous (Orthathous) sabatinellii** Guglielmi & Platia,1985 (Elateridae)
48. **Athous (Orthathous) tribertii** Guglielmi & Platia,1985 (Elateridae)
49. **Auletobius politus** Voss,1934 (Attelabidae)
50. **Auplopus rectus** (Haupt,1927) (Pompilidae)
51. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
52. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
53. **Batophila fallax** Weise,1888 (Chrysomelidae)
54. **Batracomorphus irroratus** Lewis,1834 (Cicadellidae)
55. **Batrisodes clypeatus** Besuchet,1981 (Staphylinidae)
56. **Biblopectus boveyi** Besuchet,1975 (Staphylinidae)
57. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
58. **Bolitophagus reticulatus** (Linnaeus,1767) (Tenebrionidae)
59. **Bolua turkiyae** Ünal,1999 (Tettigoniidae)
60. **Bombus lucorum** Linnaeus,1761 (Apidae)
61. **Bombus terrestris** Linnaeus,1758 (Apidae)
62. **Boveycantharis tokatensis** (Pic,1898) (Cantharidae)
63. **Brachycerus foveicollis** Gyllenhal,1833 (Brachyceridae)
64. **Brachyptera transcaucasica** Zhiltzova,1956 (Taeniopterygidae)
65. **Brachyptera zwicki** Braasch & Joost,1971 (Taeniopterygidae)
66. **Bryaxis schusteri** Neuhäuser-Happe,1999 (Staphylinidae)
67. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
68. **Burriola sp.?** (Forficulidae)
69. **Calliptamus barbarus** (Costa,1836) (Acrididae)
70. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
71. **Cantharis lateralis** Linnaeus,1758 (Cantharidae)
72. **Cantharis rustica** Fallén,1807 (Cantharidae)
73. **Cantharis smyrnensis** Marseul,1864 (Cantharidae)

74. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
75. **Carabus (Archicarabus) wiedemanni Ménériés,1836** (Carabidae)
76. **Carabus (Lamprostus) erenleriensis Schweiger,1966** (Carabidae)
77. **Carabus (Oxycarabus) saphyrinus De Cristofis & Jan,1837** (Carabidae)
78. **Carabus (Procerus) sommeri Mannerheim,1844** (Carabidae)
79. **Carabus (Tomocarabus) convexus Fabricius,1775** (Carabidae)
80. **Carinatodorcadion boluense Breuning,1962** (Cerambycidae)
81. **Cassida atrata Fabricius,1787** (Chrysomelidae)
82. **Cassida margaritacea Schaller,1783** (Chrysomelidae)
83. **Cassida prasina Illiger,1798** (Chrysomelidae)
84. **Cassida rubiginosa Müller,1776** (Chrysomelidae)
85. **Cassida seraphina Ménériés,1836** (Chrysomelidae)
86. **Cerocoma ephesica Reitter,1885** (Meloidae)
87. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae)
88. **Chonostropheus tristis (Fabricius,1794)** (Attelabidae)
89. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
90. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
91. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
92. **Chrysomela tremulae Fabricius,1787** (Chrysomelidae)
93. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
94. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
95. **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae)
96. **Cicadula divaricata Ribaut,1952** (Cicadellidae)
97. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae)
98. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae)
99. **Cicindela campestris Linnaeus,1758** (Carabidae)
100. **Cidnopus pilosus (Leske,1785)** (Elateridae)
101. **Cionus caucasicus Reitter,1888** (Curculionidae)
102. **Cionus ponticus Bialooki,2006** (Curculionidae)
103. **Cixius pallipes Fieber,1876** (Cixiidae)
104. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae)
105. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae)
106. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae)
107. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae)
108. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae)
109. **Conomelus anceps (Germar,1821)** (Delphacidae)
110. **Conorhynchus nigrivittis (Pallas,1781)** (Curculionidae)
111. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae)
112. **Coremacera catenata (Loew,1847)** (Sciomyzidae)
113. **Coremacera marginata (Fabricius,1781)** (Sciomyzidae)
114. **Corythucha arcuata (Say,1832)** (Tingidae)
115. **Cryptocephalus aureolus Suffrian,1847** (Chrysomelidae)
116. **Cryptocephalus biguttatus (Scopoli,1763)** (Chrysomelidae)
117. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae)
118. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae)
119. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
120. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae)
121. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae)
122. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
123. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
124. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
125. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae)
126. **Cryptocheilus egregius (Lepelletier,1845)** (Pompilidae)
127. **Cryptocheilus variipennis Sustera,1924** (Pompilidae)
128. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae)
129. **Cuneala confinis (Konow,1886)** (Tenthredinidae)
130. **Cylindronotus (Odocnemis) korbii Reitter,1901** (Tenebrionidae)
131. **Cylindronotus (Odocnemis) tuberculiger Reiche & Sauley,1857** (Tenebrionidae)
132. **Cyphon longispinus Nyholm,1968** (Scirtidae)
133. **Cyphon longiusculus Nyholm,1970** (Scirtidae)
134. **Cyphon padi (Linnaeus,1758)** (Scirtidae)
135. **Cyphon palustris Thomson,1855** (Scirtidae)
136. **Cyphon pubescens Fabricius,1792** (Scirtidae)
137. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
138. **Deporaus betulae (Linnaeus,1758)** (Attelabidae)
139. **Dictyophara asiatica Melichar,1912** (Dictyopharidae)
140. **Dicyrtomellus argenteus Wahis,1982** (Pompilidae)
141. **Dioctria meyeri Nowicki,1867** (Asilidae)
142. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
143. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae)
144. **Donus zoilus (Scopoli,1763)** (Curculionidae)
145. **Doratura homophyla (Flor,1861)** (Cicadellidae)
146. **Dorcus parallelopipedus (Linnaeus,1758)** (Lucanidae)
147. **Drasterius bimaculatus (Rossi,1790)** (Elateridae)
148. **Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae)
149. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae)
150. **Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae)

151. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae)
152. **Elodes minuta (Linnaeus,1767)** (Scirtidae)
153. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae)
154. **Enallagma cyathigerum (Charpentier,1840)** (Coenagrionidae)
155. **Epistrophe grossulariae (Meigen,1822)** (Syrphidae)
156. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae)
157. **Eristalis pertinax (Scopoli,1763)** (Syrphidae)
158. **Eristalis similis (Fallén,1817)** (Syrphidae)
159. **Eristalis tenax (Linnaeus,1758)** (Syrphidae)
160. **Ernodes abanticus Çakın,1983** (Beraeidae)
161. **Euborellia annulipes (Lucas,1837)** (Labiduridae)
162. **Eupteryx falcata Ribaut,1936** (Cicadellidae)
163. **Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae)
164. **Eurydema blanda Horvath,1803** (Pentatomidae)
165. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
166. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae)
167. **Eurydema ventralis Kolenati,1846** (Pentatomidae)
168. **Euscelis alsius Ribaut,1952** (Cicadellidae)
169. **Eusphalerum caucasicum (Bernhauer,1908)** (Staphylinidae)
170. **Eusphalerum celsum (Luze,1910)** (Staphylinidae)
171. **Eusphalerum osellai Zanetti,1993** (Staphylinidae)
172. **Eusphalerum primulae (Stephens,1834)** (Staphylinidae)
173. **Eusphalerum sorbi (Gyllenhal,1810)** (Staphylinidae)
174. **Evagetes tumidosus (Tournier,1890)** (Pompilidae)
175. **Eysarcoris ventralis (Westwood,1837)** (Pentatomidae)
176. **Eysarcoris venutissimus (Schrank,1776)** (Pentatomidae)
177. **Forficula auricularia Linnaeus,1758** (Forficulidae)
178. **Gerris lacustris (Linnaeus,1758)** (Gerridae)
179. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae)
180. **Haematopota crassicornis Wahlberg,1848** (Tabanidae)
181. **Haematopota hennauxi Leclercq,1967** (Tabanidae)
182. **Haematopota pluvialis (Linnaeus,1761)** (Tabanidae)
183. **Haliplus variegatus Sturm,1834** (Haliplidae)
184. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae)
185. **Hardya anatolica Zachvatkin,1946** (Cicadellidae)
186. **Harpalus (s.str.) smyrnensis Heyden,1888** (Carabidae)
187. **Hartigiola annulipes (Hartig,1839)** (Cecidomyiidae)
188. **Helladia praetextata (Steven,1817)** (Cerambycidae)
189. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae)
190. **Helophorus discrepans Rey,1885** (Helophoridae)
191. **Helophorus montenegrinus Kuwert,1885** (Helophoridae)
192. **Helophorus nanus Sturm,1836** (Helophoridae)
193. **Helophorus obscurus Mulsant,1844** (Helophoridae)
194. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae)
195. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae)
196. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae)
197. **Hesperocorixa linnaei (Fieber,1848)** (Corixidae)
198. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae)
199. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)
200. **Hyalesthes veyseli Hoch,1985** (Cixiidae)
201. **Hybomitra ciureai (Seguy,1937)** (Tabanidae)
202. **Hybomitra decora (Loew,1858)** (Tabanidae)
203. **Hybomitra distinguenda (Verrall,1909)** (Tabanidae)
204. **Hybomitra micans (Meigen,1804)** (Tabanidae)
205. **Hybomitra okayi Leclercq,1967** (Tabanidae)
206. **Hybomitra tropica (Linnaeus,1758)** (Tabanidae)
207. **Hydroglyphus geminus (Fabricius,1792)** (Dytiscidae)
208. **Hydroporus bodemeyeri Ganglbauer,1900** (Dytiscidae)
209. **Hygrotus (Coelambus) confluens (Fabricius,1787)** (Dytiscidae)
210. **Hygrotus (s.str.) inaequalis (Fabricius,1777)** (Dytiscidae)
211. **Hypera pastinacae (Rossi,1790)** (Curculionidae)
212. **Hypocassida subferruginea (Schrank,1776)** (Chrysomelidae)
213. **Ischnomera caerulea (Linnaeus,1758)** (Oedemeridae)
214. **Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae)
215. **Isoperla bithynica (Kempny,1908)** (Perlodidae)
216. **Isophya nervosa Ramme,1951** (Tettigoniidae)
217. **Isophya pavelii Brunner von Wattenwyl,1878** (Tettigoniidae)
218. **Isophya rectipennis Brunner von Wattenwyl,1878** (Tettigoniidae)
219. **Koroglus disparalatus Ünal,2002** (Tettigoniidae)
220. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae)
221. **Laccobius (Dimorpholaccobius) bipunctatus (Fabricius,1775)** (Hydrophilidae)
222. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
223. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
224. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)
225. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
226. **Laccophilus hyalinus (De Geer,1774)** (Dytiscidae)

227. **Laccophilus minutus (Linnaeus,1758)** (Dytiscidae)
228. **Laccophilus poecilus Klug,1834** (Dytiscidae)
229. **Laena byzantina Apfelbeck,1901** (Tenebrionidae)
230. **Lasiacantha capucina (Germar,1836)** (Tingidae)
231. **Leptophyes albiovittata (Kollar,1833)** (Tettigoniidae)
232. **Lesteva monticola Kiesenwetter,1847** (Staphylinidae)
233. **Leuctra anatolica Kazancı,1986** (Leuctridae)
234. **Leuctra boluensis Kazancı,1999** (Leuctridae)
235. **Leuctra collaris Martynov,1928** (Leuctridae)
236. **Leuctra furcatella Martynov,1928** (Leuctridae)
237. **Leuctra fusca (Linnaeus,1758)** (Leuctridae)
238. **Leuctra hippopus Kempny,1899** (Leuctridae)
239. **Leuctra kurui Kazancı,1983** (Leuctridae)
240. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
241. **Limnia unguicornis (Scopoli,1763)** (Sciomyzidae)
242. **Limotettix striola (Fallén,1806)** (Cicadellidae)
243. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae)
244. **Lytocoris dimidiatus (Spinola,1837)** (Anthocoridae)
245. **Lydus turcicus Kaszab,1952** (Meloidae)
246. **Macrophya albicincta (Schrank,1776)** (Tenthredinidae)
247. **Macrophya postica Brullé,1832** (Tenthredinidae)
248. **Macropsis megerlei (Fieber,1868)** (Cicadellidae)
249. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae)
250. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae)
251. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae)
252. **Malthodes vavrai Svihla,1998** (Cantharidae)
253. **Meenoplus albosignatus Fieber,1866** (Meenoplidae)
254. **Megabombus pascuorum (Scopoli,1763)** (Apidae)
255. **Melanogryllus desertus (Pallas,1771)** (Gryllidae)
256. **Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae)
257. **Meloe proscarabaeus Linnaeus,1758** (Meloidae)
258. **Meloe rugosus Marsham,1802** (Meloidae)
259. **Microcara caspica Reitter,1889** (Scirtidae)
260. **Mikiola fagi (Hartig,1839)** (Cecidomyiidae)
261. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae)
262. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
263. **Mycterodus osellai Dlabola,1977** (Issidae)
264. **Mylabris calida (Pallas,1781)** (Meloidae)
265. **Mylabris cincta Olivier,1811** (Meloidae)
266. **Myndus musivus (Germar,1825)** (Cixiidae)
267. **Myrmica ravaninii Finzi,1923** (Formicidae)
268. **Nabis rugosus (Linnaeus,1758)** (Nabidae)
269. **Nemeritis specularis Horstmann,1975** (Ichneumonidae)
270. **Nemoptera sinuata Olivier,1811** (Nemopteridae)
271. **Nemoura carpathica Illies,1963** (Nemouridae)
272. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
273. **Nemoura flexuosa Aubert,1949** (Nemouridae)
274. **Nemoura subtilis Klapalek,1895** (Nemouridae)
275. **Neoaliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae)
276. **Nephrotoma croceiventris (Strobl,1909)** (Tipulidae)
277. **Nicrophorus humator (Gleditsch,1767)** (Silphidae)
278. **Nicrophorus vestigator Herschel,1807** (Silphidae)
279. **Noterus clavicornis (De Geer,1774)** (Noteridae)
280. **Noterus clavicornis (De Geer,1774)** (Noteridae)
281. **Oedemera (s.str.) crassipes Ganglbauer,1881** (Oedemeridae)
282. **Oedemera (s.str.) flavipes (Fabricius,1792)** (Oedemeridae)
283. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae)
284. **Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae)
285. **Oedemera (s.str.) pthysica (Scopoli,1763)** (Oedemeridae)
286. **Oedipoda germanica (Latreille,1804)** (Acrididae)
287. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae)
288. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae)
289. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae)
290. **Omocestus (s.str.) ventralis (Zetterstedt,1821)** (Acrididae)
291. **Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae)
292. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae)
293. **Osmylus cilicicus Krüger,1913** (Osmylidae)
294. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae)
295. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae)
296. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae)
297. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
298. **Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae)
299. **Panorpa connexa McLachlan,1869** (Panorpidae)
300. **Panorpa pieperi Willmann,1975** (Panorpidae)
301. **Panorpa schweigeri Willmann,1975** (Panorpidae)
302. **Panorpa tatvana Willmann,1974** (Panorpidae)

303. **Panorpa turcica** Willmann,1975
(Panorpidae)
304. **Paraclytus sexguttatus** (Adams,1817)
(Cerambycidae)
305. **Pedicia (Amalopsis) occulta**
(Meigen,1830) (Pediciidae)
306. **Pedicia (Crunobia) littoralis**
(Meigen,1804) (Pediciidae)
307. **Pedicia (Crunobia) zernyi**
(Lackschewitz,1940) (Pediciidae)
308. **Peirates strepitans** (Rambur,1839)
(Reduviidae)
309. **Peltodytes caesus** (Duftschmid,1805)
(Haliplidae)
310. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
311. **Perla illiesi** Braasch & Joost,1971 (Perlidae)
312. **Phaneroptera (s.str.) falcata** (Poda,1761)
(Tettigoniidae)
313. **Pherbellia cinerella** (Fallén,1820)
(Sciomyzidae)
314. **Pherbellia lutheri** Rozkosny,1982
(Sciomyzidae)
315. **Pherbina mediterranea** Mayer,1953
(Sciomyzidae)
316. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
317. **Phosphuga atrata** (Linnaeus,1758) (Silphidae)
318. **Phyllotreta atra** (Fabricius,1775)
(Chrysomelidae)
319. **Physatocheila confinis** Horvath,1905
(Tingidae)
320. **Plagiognathus amygdali** Linnavuori,1965
(Miridae)
321. **Plagiognathus arbustorum** (Fabricius,1794)
(Miridae)
322. **Plagiognathus chrysanthemii**
(Wolff,1804) (Miridae)
323. **Platyceus caraboides** (Linnaeus,1758)
(Lucanidae)
324. **Platycheirus albimanus** (Fabricius,1781)
(Syrphidae)
325. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
326. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
327. **Platycleis (Tessellana) nigrosignata**
(Costa,1863) (Tettigoniidae)
328. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
329. **Poecilimon ataturki** Ünal,1999
(Tettigoniidae)
330. **Poecilimon bosporicus** Brunner von
Wattenwyl,1878 (Tettigoniidae)
331. **Poecilimon cervus** Karabağ,1950
(Tettigoniidae)
332. **Poecilimon kocaki** Ünal,1999
(Tettigoniidae)
333. **Poecilimon miramae** Ramme,1933
(Tettigoniidae)
334. **Poecilimon tevfikarabagi** Ünal,2005
(Tettigoniidae)
335. **Poecilimon uvarovi** Ramme,1933
(Tettigoniidae)
336. **Poemenia hectica** (Gravenhorst,1829)
(Ichneumonidae)
337. **Polyphylla (s.str.) olivieri** (Laporte de
Castelnau,1840) (Scarabaeidae)
338. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
339. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
340. **Probaticus (Pelorinus) adimonius**
(Allard,1876) (Tenebrionidae)
341. **Prosimulium (s.str.) rachiliense**
Djafarov,1954 (Simuliidae)
342. **Prosimulium (s.str.) tomosvaryi**
(Enderlein,1921) (Simuliidae)
343. **Protoetia (Potosia) angustata**
(Germar,1817) (Scarabaeidae)
344. **Protoetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
345. **Protonemura bacuriana** Zhiltzova,1957
(Nemouridae)
346. **Protonemura bithynica** Aubert,1964
(Nemouridae)
347. **Protonemura triangulata** Martynov,1928
(Nemouridae)
348. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
349. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
350. **Psammotettix provincialis** (Ribaut,1925)
(Cicadellidae)
351. **Psammotettix striatus** (Linnaeus,1758)
(Cicadellidae)
352. **Pycnocryptus rarus** (Habermehl,1920)
(Ichneumonidae)
353. **Pyrobombus niveatus**
(Kriechbaumer,1870) (Apidae)
354. **Quasimus minutissimus** (Germar,1817)
(Elateridae)
355. **Raphidia (Magnoraphidia) robusta** Aspöck &
Aspöck,1966 (Raphidiidae)
356. **Raphidia (s.str.) beieri** H.Aspöck &
U.Aspöck,1964 (Raphidiidae)
357. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
358. **Rhizotrogus (Amphimallon) caucasicum**
(Gyllenhal,1817) (Scarabaeidae)
359. **Rhoanans hypochlorus** (Fieber,1869)
(Cicadellidae)
360. **Rhyparochromus consors**
(Horvath,1878) (Lygaeidae)
361. **Rhyparochromus inarimensis** (Costa,1860)
(Lygaeidae)
362. **Rhyparochromus phoeniceus**
(Rossi,1794) (Lygaeidae)
363. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
364. **Scarabaeus pius** (Illiger,1803)
(Scarabaeidae)
365. **Scirtes haemisphaericus** (Linnaeus,1767)
(Scirtidae)
366. **Selenocephalus anatolicus** Dlabola,1957
(Cicadellidae)
367. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)
368. **Selenocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
369. **Selenocephalus stenopterus**
Signoret,1880 (Cicadellidae)
370. **Sialis morio** Klingstedt,1932 (Sialidae)
371. **Sigara nigrolineata** (Fieber,1848) (Corixidae)
372. **Silpha obscura** Linnaeus,1758 (Silphidae)
373. **Silvius (s.str.) alpinus** (Scopoli,1763)
(Tabanidae)

374. **Simulium (Nevermannia) djafarovi** (Rubtsov,1962) (Simuliidae)
375. **Simulium (s.str.) aureofulgens** Terteryan,1949 (Simuliidae)
376. **Simulium (s.str.) niha** Guidicelli & Dia,1986 (Simuliidae)
377. **Sinometa besucheti** Wittmer,1969 (Cantharidae)
378. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
379. **Speudotettix subfuscus** (Fallén,1806) (Cicadellidae)
380. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
381. **Stenobothrus (s.str.) lineatus** (Panzer,1796) (Acrididae)
382. **Symmorphus bifasciatus** (Linnaeus,1761) (Vespidae)
383. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
384. **Tabanus bifarius** Loew,1858 (Tabanidae)
385. **Tabanus briani** Leclercq,1962 (Tabanidae)
386. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
387. **Tabanus cordiger** Meigen,1820 (Tabanidae)
388. **Tabanus miki** Brauer,1880 (Tabanidae)
389. **Tabanus nemoralis** Meigen,1820 (Tabanidae)
390. **Tabanus quatuornatus** Meigen,1820 (Tabanidae)
391. **Tabanus rupium** Brauer,1880 (Tabanidae)
392. **Tabanus spectabilis** Loew,1858 (Tabanidae)
393. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
394. **Tabanus tinctus** Walker,1850 (Tabanidae)
395. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
396. **Tachyagetes kudsasi** Priesner,1965 (Pompilidae)
397. **Temnostethus pusillus** (Herrich-Schäffer,1835) (Anthocoridae)
398. **Tenthredo discophora** Konow,1896 (Tenthredinidae)
399. **Tenthredo mesomelas** Linnaeus,1758 (Tenthredinidae)
400. **Tenthredo omissa** Förster,1844 (Tenthredinidae)
401. **Tenthredopsis harveyi** Benson,1968 (Tenthredinidae)
402. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
403. **Tetrix subulata** (Linnaeus,1758) (Tetrigidae)
404. **Tettigometra (Mitricephalus) leucophaea** (Preysslér,1792) (Tettigometridae)
405. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
406. **Thereva aurata** (Loew,1854) (Therevidae)
407. **Thereva fulva** (Meigen,1804) (Therevidae)
408. **Thereva hirta** Kröber,1913 (Therevidae)
409. **Tipula (Pterelachisus) luteobasalis** Savchenko,1964 (Tipulidae)
410. **Trichius fasciatus** (Linnaeus,1758) (Scarabaeidae)
411. **Trichius orientalis** Reitter,1894 (Scarabaeidae)
412. **Trichodes punctatus** Fischer,1829 (Cleridae)
413. **Trichodes suspectus** Escherich,1892 (Cleridae)
414. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
415. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
416. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
417. **Xya variegata** (Latreille,1809) (Tridactylidae)
418. **Xylocoris cursitans** (Fallén,1807) (Anthocoridae)
419. **Zabrachypus tenuiabdominalis** (Uchida,1914) (Ichneumonidae)
420. **Zatypota percontatoria** (Müller,1776) (Ichneumonidae)
421. **Zonitis flava** Fabricius,1775 (Meloidae)
422. **Zyginidia (s.str.) pullula** (Boheman,1845) (Cicadellidae)

Burdur Province (15)

(296 species, stand 30 April 2010)

1. **Acrida bicolor** (Thunberg,1815) (Acrididae)
2. **Acrometopa servillea** (Brullé,1832) (Tettigoniidae)
3. **Adalia (s.str.) bipunctata** (Linnaeus,1758) (Coccinellidae)
4. **Aeoloderma crucifer** (Rossi,1790) (Elateridae)
5. **Agabus (Gaurodytes) conspersus** (Marsham,1802) (Dytiscidae)
6. **Agalmatium bilobum** (Fieber,1877) (Issidae)
7. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
8. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
9. **Agrilus (s.str.) aurichalceus** Redtenbacher,1849 (Buprestidae)
10. **Agrilus (s.str.) lineolus** Redtenbacher,1849 (Buprestidae)
11. **Agriotes (s.str.) tristiculus** Reitter,1906 (Elateridae)
12. **Altica oleracea** (Linnaeus,1758) (Chrysomelidae)
13. **Amphicoma (Pygopleurus) kareli** Petrovitz,1962 (Glaphyridae)
14. **Amphicoma (Pygopleurus) mithridates** Petrovitz,1962 (Glaphyridae)
15. **Anax imperator** Leach,1815 (Aeshnidae)
16. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
17. **Andricus callidoma** (Hartig,1841) (Cynipidae)
18. **Andricus caputmedusae** (Hartig,1843) (Cynipidae)
19. **Andricus ceconii** Kieffer,1901 (Cynipidae)
20. **Andricus conglomeratus** (Giraud,1859) (Cynipidae)
21. **Andricus coriarius** (Hartig,1843) (Cynipidae)
22. **Andricus curvator** Hartig,1840 (Cynipidae)
23. **Andricus grossulariae** Giraud,1859 (Cynipidae)
24. **Andricus infectorius** (Hartig,1843) (Cynipidae)
25. **Andricus kollari** (Hartig,1843) (Cynipidae)
26. **Andricus lignicolus** (Hartig,1840) (Cynipidae)

27. **Andricus lucidus** (Hartig,1843) (Cynipidae)
28. **Andricus megalucidus** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
29. **Andricus quercustozae** (Bosc,1792) (Cynipidae)
30. **Andricus seckendorffi** (Wachtl,1879) (Cynipidae)
31. **Andricus solitarius** (Fonscolombe,1832) (Cynipidae)
32. **Anthaxia (Haplantaxia) mundula** Kiesenwetter,1857 (Buprestidae)
33. **Anthaxia (Melanthaxia) nigrojubata** Roubal,1913 (Buprestidae)
34. **Anthaxia (s.str.) ghazi** Obenberger,1938 (Buprestidae)
35. **Anthidium (Pseudoanthidium) lituratum** (Panzer,1801) (Megachilidae)
36. **Apanteles obscurus** (Nees,1834) (Braconidae)
37. **Aphelonyx cerricola** (Giraud,1859) (Cynipidae)
38. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
39. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
40. **Ascogaster rufipes** (Latreille,1809) (Braconidae)
41. **Athalia liberta** (Klug,1815) (Tenthredinidae)
42. **Atylotus hendrixi** Leclercq,1967 (Tabanidae)
43. **Auletobius politus** Voss,1934 (Attelabidae)
44. **Bagrada stolidia** (Herrich-Schäffer,1839) (Pentatomidae)
45. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
46. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
47. **Basilia mongolensis** Theodor,1966 (Nycteribiidae)
48. **Batracomorphus irroratus** Lewis,1834 (Cicadellidae)
49. **Bembecinus cyprius** De Beaumont,1954 (Crabronidae)
50. **Bembecinus rhodius** De Beaumont,1960 (Crabronidae)
51. **Bembecinus tridens** (Fabricius,1781) (Crabronidae)
52. **Berosus (Enoplurus) fulvus** Kuwert,1888 (Hydrophilidae)
53. **Berosus (s.str.) affinis** Brullé,1835 (Hydrophilidae)
54. **Biorhiza pallida** (Olivier,1791) (Cynipidae)
55. **Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae)
56. **Bombus terrestris** Linnaeus,1758 (Apidae)
57. **Bothynoderes carinatus** (Zoubkoff,1829) (Curculionidae)
58. **Bothynoderes carinicollis** Gyllenhal,1834 (Curculionidae)
59. **Bothynoderes punctiventris** (Germar,1794) (Curculionidae)
60. **Bracon (CyanopteroBracon) spectabilis** (Telenga,1936) (Braconidae)
61. **Bracon (GlabroBracon) anthracinus** (Nees,1834) (Braconidae)
62. **Bracon (GlabroBracon) delusorius** Telenga,1936 (Braconidae)
63. **Bracon (GlabroBracon) larvicida** (Wesmael,1838) (Braconidae)
64. **Bracon (GlabroBracon) obscurator** (Nees,1812) (Braconidae)
65. **Bracon (GlabroBracon) piger** (Wesmael,1838) (Braconidae)
66. **Bracon (GlabroBracon) terebella** (Wesmael,1838) (Braconidae)
67. **Buathra laborator** (Thunberg,1824) (Ichneumonidae)
68. **Bubastia (s.str.) suturale** (Fieber,1877) (Issidae)
69. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
70. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
71. **Calliptamus barbarus** (Costa,1836) (Acrididae)
72. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
73. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
74. **Calopteryx splendens** (Harris,1776) (Calopterygidae)
75. **Campiglossa producta** Loew,1844 (Tephritidae)
76. **Cantharis pulicaria** Fabricius,1781 (Cantharidae)
77. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
78. **Cassida seraphina** Ménétriés,1836 (Chrysomelidae)
79. **Ceropales variegata** (Fabricius,1798) (Pompilidae)
80. **Ceutorhynchus coarctatus** Gyllenhal,1837 (Curculionidae)
81. **Ceutorhynchus fallax** Boheman,1845 (Curculionidae)
82. **Ceutorhynchus picitarsis** Gyllenhal,1837 (Curculionidae)
83. **Ceutorhynchus sulcicollis** (Paykull,1800) (Curculionidae)
84. **Chelonus obscurator** Herrich-Schäffer,1838 (Braconidae)
85. **Chorthippus (Glyptobothrus) vagans** (Eversmann,1848) (Acrididae)
86. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
87. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
88. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
89. **Cicadatra persica** Kirkaldy,1909 (Cicadidae)
90. **Cicindela campestris** Linnaeus,1758 (Carabidae)
91. **Cleptes anatolensis** Moczar,2001 (Chrysididae)
92. **Coenorrhinus cribrum** (Desbrochers,1875) (Attelabidae)
93. **Colymbetes fuscus** (Linnaeus,1758) (Dytiscidae)
94. **Conophorus asiaticus** Paramonov,1929 (Bombyliidae)
95. **Conophorus glaucescens** (Loew,1863) (Bombyliidae)
96. **Coremacera catenata** (Loew,1847) (Sciomyzidae)
97. **Corixa affinis** Leach,1818 (Corixidae)
98. **Corixa punctata** (Illiger,1807) (Corixidae)
99. **Cotesia ancilla** (Nixon,1974) (Braconidae)
100. **Cotesia memnon** (Nixon,1974) (Braconidae)
101. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
102. **Cotesia telengai** (Tobias,1972) (Braconidae)
103. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
104. **Cotesia vanessae** (Reinhard,1880) (Braconidae)

105. **Cryptocephalus parvulus** Müller, 1776 (Chrysomelidae)
106. **Cryptocephalus turcicus** Suffrian, 1847 (Chrysomelidae)
107. **Cryptocheilus ichneumonoides** (Costa, 1874) (Pompilidae)
108. **Cybister (Scaphinectes) lateralimarginalis** (De Geer, 1774) (Dytiscidae)
109. **Cylindera (s.str.) germanica** (Linnaeus, 1758) (Carabidae)
110. **Cynips agama** Hartig, 1840 (Cynipidae)
111. **Cynips quercusfolii** (Linnaeus, 1758) (Cynipidae)
112. **Dailognatha rugipleuris** Reitter, 1896 (Tenebrionidae)
113. **Deleproctophylla variegata** (Klug, 1834) (Ascalaphidae)
114. **Dictyophara asiatica** Melichar, 1912 (Dictyopharidae)
115. **Dociostaurus (Kazakia) brevicollis** (Eversmann, 1848) (Acrididae)
116. **Dociostaurus (s.str.) maroccanus** (Thunberg, 1815) (Acrididae)
117. **Dorcadion (Cribridorcadion) divisum** Germar, 1839 (Cerambycidae)
118. **Dryodurgades reticulatus** (Herrich-Schäffer, 1834) (Cicadellidae)
119. **Elodes sieberi** Klausnitzer, 1973 (Scirtidae)
120. **Emblethis denticollis** Hovarth, 1878 (Lygaeidae)
121. **Empoasca solani** (Curtis, 1846) (Cicadellidae)
122. **Enallagma cyathigerum** (Charpentier, 1840) (Coenagrionidae)
123. **Erax punctipennis** (Meigen, 1820) (Asilidae)
124. **Euaresta bullans** (Wiedemann, 1830) (Tephritidae)
125. **Eurydema blanda** Horvath, 1803 (Pentatomidae)
126. **Eurydema fieberi** Schummel, 1836 (Pentatomidae)
127. **Euscelis incisus** (Kirschbaum, 1858) (Cicadellidae)
128. **Exopristus trigonomerus** (Masi, 1916) (Torymidae)
129. **Eyprepocnemis plorans** (Charpentier, 1825) (Acrididae)
130. **Eysarcoris ventralis** (Westwood, 1837) (Pentatomidae)
131. **Geocoris lineolus** (Rambur, 1839) (Lygaeidae)
132. **Goniagnathus brevis** (Herrich-Schäffer, 1835) (Cicadellidae)
133. **Gonocephalum setulosum** (Faldermann, 1837) (Tenebrionidae)
134. **Gyrinus caspius** Ménériés, 1832 (Gyrinidae)
135. **Helicoconis senganca** Rausch, H. Aspöck & U. Aspöck, 1978 (Coniopterygidae)
136. **Helophorus longitarsis** Wollaston, 1864 (Helophoridae)
137. **Helophorus longitarsis** Wollaston, 1864 (Helophoridae)
138. **Helophorus micans** Falderman, 1835 (Helophoridae)
139. **Hemipenthes morio** (Linnaeus, 1758) (Bombyliidae)
140. **Hemipenthes subvelutinus** Zaitzev, 1966 (Bombyliidae)
141. **Hyalesthes mlokosiewiczzi** Signoret, 1879 (Cixiidae)
142. **Hyalesthes obsoletus** Signoret, 1865 (Cixiidae)
143. **Hydaticus (Guignotites) ponticus** Sharp, 1882 (Dytiscidae)
144. **Hypocassida subferruginea** (Schrank, 1776) (Chrysomelidae)
145. **Idiolispa analis** (Gravenhorst, 1829) (Ichneumonidae)
146. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg, 1874 (Hydrophilidae)
147. **Laccobius (Dimorpholaccobius) sulcatulus** Reitter, 1909 (Hydrophilidae)
148. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau, 1896 (Hydrophilidae)
149. **Laccobius (Microlaccobius) gracilis** Motschoulsky, 1855 (Hydrophilidae)
150. **Laccophilus hyalinus** (De Geer, 1774) (Dytiscidae)
151. **Laccophilus minutus** (Linnaeus, 1758) (Dytiscidae)
152. **Laena appfelbecki** Schuster, 1915 (Tenebrionidae)
153. **Lertha ledereri** (Selys-Longchamps, 1866) (Nemopteridae)
154. **Libelloides macaronius** (Scopoli, 1763) (Ascalaphidae)
155. **Libelloides rhomboideus** (Schneider, 1845) (Ascalaphidae)
156. **Lissonota (Loxonota) histrio** (Fabricius, 1798) (Ichneumonidae)
157. **Lissonota (s.str.) culiciformis** Gravenhorst, 1829 (Ichneumonidae)
158. **Lissonota (s.str.) fundator** (Thunberg, 1822) (Ichneumonidae)
159. **Lissonota (s.str.) rufitarsis** Szepligeti, 1899 (Ichneumonidae)
160. **Longitarsus obliteratus** (Rosenhauer, 1847) (Chrysomelidae)
161. **Lophyridia littoralis** (Fabricius, 1787) (Carabidae)
162. **Macrosteles laevis** (Ribaut, 1927) (Cicadellidae)
163. **Maladera (Macroserica) lyciensis** Petrovitz, 1969 (Scarabaeidae)
164. **Mesostenus transfuga** Gravenhorst, 1829 (Ichneumonidae)
165. **Micantulina (Mulsantina) stigmatipennis** (Mulsant & Rey, 1855) (Cicadellidae)
166. **Microchelonus basalis** (Curtis, 1837) (Braconidae)
167. **Microchelonus hungarica** (Szepligeti, 1896) (Braconidae)
168. **Microchelonus nitens** (Reinhard, 1867) (Braconidae)
169. **Microchelonus sulcata** (Jurine, 1807) (Braconidae)
170. **Microptilis cebes** Nixon, 1970 (Braconidae)
171. **Microptilis deces** Tobias, 1964 (Braconidae)
172. **Microptilis varipes** Ruthe, 1860 (Braconidae)
173. **Miltogramma taeniata** Meigen, 1824 (Sarcophagidae)
174. **Muzimes collaris** (Fabricius, 1787) (Meloidae)
175. **Mylabris syriaca** Klug, 1845 (Meloidae)
176. **Nabis rugosus** (Linnaeus, 1758) (Nabidae)
177. **Namunia lapidicola** Besuchet, 1978 (Staphylinidae)
178. **Nemka viduata** (Pallas, 1773) (Mutillidae)
179. **Nemoptera sinuata** Olivier, 1811 (Nemopteridae)
180. **Nemotelus (s.str.) pantherinus** (Linnaeus, 1758) (Stratiomyidae)
181. **Nepa cinerea** Linnaeus, 1758 (Nepidae)

182. **Neuroterus lanuginosus** Giraud,1859 (Cynipidae)
183. **Neuroterus numismalis** (Fourcroy,1785) (Cynipidae)
184. **Neuroterus quercusbaccarum** (Linnaeus,1758) (Cynipidae)
185. **Nycteribia** (s.str.) **latreillii** (Leach,1817) (Nycteribiidae)
186. **Nycteribia** (s.str.) **pedicularia** Latreille,1805 (Nycteribiidae)
187. **Nyctia lugubris** (Macquart,1843) (Sarcophagidae)
188. **Odontomyia angulata** (Panzer,[1798]) (Stratiomyidae)
189. **Oedipoda caerulescens** (Linnaeus,1758) (Acrididae)
190. **Oedipoda miniata** (Pallas,1771) (Acrididae)
191. **Oenas crassicornis** (Illiger,1800) (Meloidae)
192. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
193. **Oligopogon londti** Geller-Grimm & Hradsky,2003 (Asilidae)
194. **Omalius oxyacanthae** Gravenhorst,1806 (Staphylinidae)
195. **Oplodontha viridula** (Fabricius,1775) (Stratiomyidae)
196. **Orellia falcata** (Scopoli,1763) (Tephritidae)
197. **Orellia punctata** (Schrank,1781) (Tephritidae)
198. **Orellia steropea** (Rondani,1870) (Tephritidae)
199. **Orthetrum cancellatum** (Linnaeus,1758) (Libellulidae)
200. **Osmylus fulvicephalus** (Scopoli,1763) (Osmylidae)
201. **Oxycera trilineata** (Linnaeus,1767) (Stratiomyidae)
202. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
203. **Panaphantus atomus** Kiesenwetter,1858 (Staphylinidae)
204. **Pangonius** (s. str.) **obscuratus** Loew,1859 (Tabanidae)
205. **Paracorixa concinna** (Fieber,1848) (Corixidae)
206. **Penicillidia conspicua** Speiser,1901 (Nycteribiidae)
207. **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae)
208. **Phthiridium biarticulatum** Hermann,1804 (Nycteribiidae)
209. **Phytomyza nigrifulva** Zetterstedt,1838 (Agramyzidae)
210. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
211. **Pimelia** (**Eurypimelia**) **akbesiana** Fairmaire,1884 (Tenebrionidae)
212. **Platambus maculatus** (Linnaeus,1758) (Dytiscidae)
213. **Platycleis** (s.str.) **affinis** Fieber,1853 (Tettigoniidae)
214. **Platycleis** (s.str.) **intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
215. **Platycleis** (**Tessellana**) **nigrosignata** (Costa,1863) (Tettigoniidae)
216. **Plea minutissima** Leach,1817 (Pleidae)
217. **Priocnemis rugosa** Sustera,1922 (Pompilidae)
218. **Priocnemis vulgaris** (Dufour,1841) (Pompilidae)
219. **Psylliodes ellipticus** Allard,1861 (Chrysomelidae)
220. **Raiboscelis syriacus** (Reiche,1861) (Tenebrionidae)
221. **Raphidia** (**Phidiara**) **ressli** H.Aspöck & U.Aspöck,1964 (Raphidiidae)
222. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
223. **Rhynchites bacchus** (Linnaeus,1758) (Atelabidae)
224. **Rhynchites hungaricus** (Herbst,1784) (Atelabidae)
225. **Rhynchites lenaeus** Faust,1891 (Atelabidae)
226. **Rhynchites lodosi** Voss,1973 (Atelabidae)
227. **Rhynchites purpureipennis** Voss,1973 (Atelabidae)
228. **Sarcophaga** (**Helicophagella**) **bellae** Lehrer,2000 (Sarcophagidae)
229. **Sarcophaga** (**Rosellea**) **aratrix** Pandellé,1896 (Sarcophagidae)
230. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
231. **Scolia hirta** (Schrank,1781) (Scoliidae)
232. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
233. **Selinocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
234. **Selinocephalus stenopterus** Signoret,1880 (Cicadellidae)
235. **Sphenophyma rugulosa** (Stal,1876) (Acrididae)
236. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
237. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
238. **Stictopleurus riveti** Royer,1923 (Rhopalidae)
239. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae)
240. **Stratiomys chamaeleon** (Linnaeus,1758) (Stratiomyidae)
241. **Stratiomys longicornis** (Scopoli,1763) (Stratiomyidae)
242. **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae)
243. **Suaris nanus** (McLachan,1893) (Chrysopidae)
244. **Subcoccinella vigintiquatuor punctata** (Linnaeus,1758) (Coccinellidae)
245. **Sympecma fusca** (Van Der Linden,1820) (Lestidae)
246. **Sympetrum fonscolombii** (Selys,1840) (Libellulidae)
247. **Symplecta** (s.str.) **hybrida** (Meigen,1804) (Limoniidae)
248. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
249. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
250. **Tabanus spectabilis** Loew,1858 (Tabanidae)
251. **Tephritis cometa** (Loew,1856) (Tephritidae)
252. **Tephritis formosa** (Loew,1844) (Tephritidae)
253. **Tephritis hurvitzii** Freidberg,1981 (Tephritidae)
254. **Tephritis nigricauda** (Loew,1856) (Tephritidae)
255. **Tephritis postica** (Loew,1844) (Tephritidae)

256. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)
257. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae)
258. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
259. **Thereva fulva (Meigen,1804)** (Therevidae)
260. **Tingis griseola (Puton,1879)** (Tingidae)
261. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae)
262. **Tipula (Lunatipula) dedecor Loew,1873** (Tipulidae)
263. **Tipula (Lunatipula) horsti Theischinger,1982** (Tipulidae)
264. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae)
265. **Tipula (Lunatipula) peliostigma Schummel,1833** (Tipulidae)
266. **Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae)
267. **Tipula (Lunatipula) russula Theischinger,1977** (Tipulidae)
268. **Tipula (Lunatipula) teunissenii Theischinger,1979** (Tipulidae)
269. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
270. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae)
271. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
272. **Triaspis caudatus (Nees,1813)** (Braconidae)
273. **Trichodes affinis Chevrolat,1843** (Cleridae)
274. **Trichodes punctatus Fischer,1829** (Cleridae)
275. **Trissolcus grandis (Thomson,1860)** (Scelionidae)
276. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae)
277. **Trissolcus semistriatus (Nees,1834)** (Scelionidae)
278. **Trissolcus simoni (Mayr,1897)** (Scelionidae)
279. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae)
280. **Trychosis legator (Thunberg,1824)** (Ichneumonidae)
281. **Tychius aureolus Kiesenwetter,1851** (Curculionidae)
282. **Tychius brevisculus Desbrochers,1873** (Curculionidae)
283. **Tychius eldae Caldara,1990** (Curculionidae)
284. **Tychius flavus Becker,1864** (Curculionidae)
285. **Tychius medicaginis Brisout,1862** (Curculionidae)
286. **Tychius meliloti Stephens,1831** (Curculionidae)
287. **Tychius squamulatus Gyllenhal,1836** (Curculionidae)
288. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
289. **Urophora affinis (Frauenfeld,1857)** (Tephritidae)
290. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae)
291. **Vespa orientalis Linnaeus,1771** (Vespidae)
292. **Vespula germanica (Fabricius,1793)** (Vespidae)
293. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae)
294. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
295. **Zodion cinereum (Fabricius,1794)** (Conopidae)
296. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae)

Bursa Province (16)

(732 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)
2. **Acantholepis frauenfeldi (Mayr,1855)** (Formicidae)
3. **Achaeta burdigalensis (Latreille,1804)** (Gryllidae)
4. **Achaeta deserta (Pallas,1771)** (Gryllidae)
5. **Acrida anatolica Dirsh,1949** (Acrididae)
6. **Acrida bicolor (Thunberg,1815)** (Acrididae)
7. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae)
8. **Acrotylus insubricus (Scopoli,1786)** (Acrididae)
9. **Acrotylus longipes (Charpentier,1845)** (Acrididae)
10. **Acrotylus patruelis (Herrich-Schäffer,1838)** (Acrididae)
11. **Actenodia confluens (Reiche,1866)** (Meloidae)
12. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae)
13. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae)
14. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
15. **Aelia albovittata Fieber,1868** (Pentatomidae)
16. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
17. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
18. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
19. **Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae)
20. **Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae)
21. **Agabus glacialis Hochhuth,1846** (Dytiscidae)
22. **Agalmatium bilobum (Fieber,1877)** (Issidae)
23. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
24. **Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae)

25. **Agriotes (s.str.) proximus Schwarz,1891** (Elateridae)
26. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae)
27. **Aiolopus strepens (Latreille,[1802])** (Acrididae)
28. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae)
29. **Allantus basalis (Klug,1818)** (Tenthredinidae)
30. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae)
31. **Altica brevicollis Foudras,1860** (Chrysomelidae)
32. **Altica jarmilae Kral,1979** (Chrysomelidae)
33. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae)
34. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae)
35. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae)
36. **Amiota (Phortica) goetzi Maca,1987** (Drosophilidae)
37. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
38. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae)
39. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
40. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
41. **Ancistrocerus nigricornis (Curtis,1826)** (Vespidae)
42. **Ancistrocerus scoticus (Curtis,1826)** (Vespidae)
43. **Ancylorhynchus brussensis (Schiner,1867)** (Asilidae)
44. **Anemochtherus illustris (Schiner,1867)** (Asilidae)
45. **Aneurus avenius (Dufour,1833)** (Aradidae)
46. **Aneurus laevis (Fabricius,1775)** (Aradidae)
47. **Anillidius (s.str.) uludagensis Schweiger,1965** (Carabidae)
48. **Anisochrya (s.str.) clathrata (Schneider,1845)** (Chrysopidae)
49. **Anoplius schlettereri (Radoszkowski,1888)** (Pompilidae)
50. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
51. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)
52. **Anoplotettix sahtyiancii Dlabola,1970** (Cicadellidae)
53. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
54. **Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae)
55. **Antepipona orbitalis (Herrich-Schäffer,1839)** (Vespidae)
56. **Anterastes anatolicus Uvarov,1934** (Tettigoniidae)
57. **Anterastes burri Karabağ,1951** (Tettigoniidae)
58. **Anterastes uludaghensis Karabağ,1950** (Tettigoniidae)
59. **Anthaxia (Haplanthaxia) bosdaghensis Obenberger,1938** (Buprestidae)
60. **Anthaxia (s.str.) plicata Kiesenwetter,1859** (Buprestidae)
61. **Anthaxia (s.str.) signaticollis (Krynicki,1832)** (Buprestidae)
62. **Anthidium (Mesanthidium) cardueae Morawitz,1876** (Megachilidae)
63. **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae)
64. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
65. **Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae)
66. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
67. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
68. **Anthophagus schatzmayri Koch,1933** (Staphylinidae)
69. **Apanteles aragatzi Tobias,1976** (Braconidae)
70. **Apanteles atreus Nixon,1973** (Braconidae)
71. **Apanteles evanidus Papp,1975** (Braconidae)
72. **Apanteles gallerie Wilkinson,1932** (Braconidae)
73. **Apanteles hemara Nixon,1965** (Braconidae)
74. **Apanteles ingenuoides Papp,1971** (Braconidae)
75. **Apanteles obscurus (Nees,1834)** (Braconidae)
76. **Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae)
77. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
78. **Aphthona semicyanea Allard,1859** (Chrysomelidae)
79. **Apodiphus amygdali (Germar,1817)** (Pentatomidae)
80. **Arachnospila ausa (Tournier,1890)** (Pompilidae)
81. **Arachnospila colpostoma (Kohl,1886)** (Pompilidae)
82. **Arachnospila minutula (Dahlbom,1843)** (Pompilidae)
83. **Aradus corticalis (Linnaeus,1758)** (Aradidae)
84. **Aradus crenatus Say,1832** (Aradidae)
85. **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae)
86. **Arenivaga cerverae (Bolivar,1886)** (Polyphagidae)
87. **Arge frivaldskyi (Tischbein,1852)** (Argidae)
88. **Arge ochropus (Gmelin,1790)** (Argidae)
89. **Arge scita (Mocsary,1880)** (Argidae)
90. **Arrhenopeplus turcicus (Coiffait,1958)** (Staphylinidae)
91. **Asphondylia verbasci (Vallot,1827)** (Cecidomyiidae)
92. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae)
93. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae)
94. **Athous (Orthathous) kovancii Platia,2003** (Elateridae)
95. **Attelabus nitens (Scopoli,1763)** (Attelabidae)
96. **Atylotus fulvus (Meigen,1820)** (Tabanidae)
97. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
98. **Bagrada stolidia (Herrich-Schäffer,1839)** (Pentatomidae)
99. **Barichneumon manni (Kriechbaumer,1888)** (Ichneumonidae)
100. **Bergrothia solodovnikovi Hlavac,2004** (Staphylinidae)
101. **Berosus (Enoplurus) frontifoveatus Kuwert,1888** (Hydrophilidae)
102. **Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae)

103. **Berytinus signoreti** (Fieber,1859) (Berytidae)
104. **Blatta orientalis** Linnaeus,1758 (Blattidae)
105. **Blattella germanica** (Linnaeus,1767) (Blattidae)
106. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
107. **Bolua turkiyae** Ünal,1999 (Tettigoniidae)
108. **Bombus lucorum** Linnaeus,1761 (Apidae)
109. **Bombus terrestris** Linnaeus,1758 (Apidae)
110. **Bothynoderes punctiventris** (Germar,1794) (Curculionidae)
111. **Boveycantharis tokatensis** (Pic,1898) (Cantharidae)
112. **Brachycerus foveicollis** Gyllenhal,1833 (Brachyceridae)
113. **Brachycerus freyi** Zumpt,1937 (Brachyceridae)
114. **Brachyptera berkii** Kazancı,2000 (Taeniopterygidae)
115. **Brachytron pratense** (O.F.Müller,1764) (Aeshnidae)
116. **Bryaxis anatolicus** (Saulcy,1878) (Staphylinidae)
117. **Bryaxis bodemeyeri** (Reitter,1903) (Staphylinidae)
118. **Buathra tarsoleuca** (Schrank,1781) (Ichneumonidae)
119. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
120. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
121. **Byctiscus betulae** (Linnaeus,1758) (Attelabidae)
122. **Callimenus macrogaster** (Lefebvre,1831) (Tettigoniidae)
123. **Calliptamus barbarus** (Costa,1836) (Acrididae)
124. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
125. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
126. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
127. **Calopteryx virgo** (Linnaeus,1758) (Calopterygidae)
128. **Camponotus aethiops** (Latreille,1798) (Formicidae)
129. **Camponotus herculeanus** (Linnaeus,1758) (Formicidae)
130. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
131. **Capnodis miliaris** (Klug,1829) (Buprestidae)
132. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
133. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
134. **Carabus (Archicarabus) wiedemanni** Ménétrés,1836 (Carabidae)
135. **Carabus (Procerus) sommeri** Mannerheim,1844 (Carabidae)
136. **Carabus (Procrustes) coriaceus** Linnaeus,1758 (Carabidae)
137. **Carpocoris lunulatus** (Goeze,1778) (Pentatomidae)
138. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
139. **Cassida atrata** Fabricius,1787 (Chrysomelidae)
140. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
141. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
142. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
143. **Cassida seraphina** Ménétrés,1836 (Chrysomelidae)
144. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
145. **Celes variabilis** (Pallas,1771) (Acrididae)
146. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
147. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
148. **Cephalota (s.str.) turcica** (Schaum,1859) (Carabidae)
149. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
150. **Cercopis vulnerata** Rossi,1807 (Cercopidae)
151. **Cerocoma schreberi** Fabricius,1781 (Meloidae)
152. **Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae)
153. **Chelostoma (Gyrodromella) rapunculi** (Lepelletier,1841) (Megachilidae)
154. **Chelostoma (s.str.) dolosum** (Benoist,1935) (Megachilidae)
155. **Choeras dorsalis** (Spinola,1808) (Braconidae)
156. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
157. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
158. **Chorthippus (Glyptobothrus) longicornis** (Latreille,1804) (Acrididae)
159. **Chorthippus (s.str.) albomarginatus** (De Geer,1773) (Acrididae)
160. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
161. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
162. **Chrysolina chalcites** (Germar,1824) (Chrysomelidae)
163. **Chrysolina gypsophilae** (Küster,1845) (Chrysomelidae)
164. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
165. **Chrysolina hyperici** (Forster,1771) (Chrysomelidae)
166. **Chrysolina turca** (Fairmaire,1865) (Chrysomelidae)
167. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
168. **Chrysopa hungarica** Klapalek,1899 (Chrysopidae)
169. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
170. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
171. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
172. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
173. **Cicadula placida** (Horvath,1897) (Cicadellidae)
174. **Cicindela campestris** Linnaeus,1758 (Carabidae)
175. **Cicindela sylvatica** Linnaeus,1758 (Carabidae)
176. **Claviger katharinae** Escherich,1897 (Staphylinidae)
177. **Claviger olympicus** Escherich,1897 (Staphylinidae)
178. **Claviger ottomanus** Escherich,1897 (Staphylinidae)
179. **Coccinella (Neococcinella) undecimpunctata** (Linnaeus,1758) (Coccinellidae)
180. **Coelioxys (Allocoelioxys) afra** Lepelletier,1841 (Megachilidae)

181. **Coelioxys (s.str.) aurolimbata Förster,1853**
(Megachilidae)
182. **Coenagrion syriacum (Morton,1924)**
(Coenagrionidae)
183. **Coenorrhinus aequatus (Linnaeus,1767)**
(Attelabidae)
184. **Coenorrhinus cribripennis
Desbrochers,1869 (Attelabidae)**
185. **Colpa quinquecincta (Fabricius,1775)**
(Scoliidae)
186. **Conocephalus (Anisoptera) fuscus
(Fabricius,1793) (Tettigoniidae)**
187. **Conocephalus (s.str.) hastatus
(Charpentier,1825) (Tettigoniidae)**
188. **Conomelus anceps (Germar,1821)**
(Delphacidae)
189. **Copium clavicornis (Linnaeus,1758) (Tingidae)**
190. **Cordulegaster bidentata Selys,1843**
(Cordulegasteridae)
191. **Cordulegaster insignis Schneider,1845**
(Cordulegasteridae)
192. **Cordulegaster picta Selys,1854**
(Cordulegasteridae)
193. **Corynis italica (Lepeletier,1823) (Cimbicidae)**
194. **Corynis krueperi (Stein,1876) (Cimbicidae)**
195. **Coryphiodes anaticum (Fagel,1971)**
(Staphylinidae)
196. **Coryphium uludaghense Fagel,1971**
(Staphylinidae)
197. **Cotesia ancilla (Nixon,1974) (Braconidae)**
198. **Cotesia brevicollis (Wesmael,1837)**
(Braconidae)
199. **Cotesia cupresus (Lylé,1925) (Braconidae)**
200. **Cotesia geryonis (Marshall,1885)**
(Braconidae)
201. **Cotesia jucunda (Marshall,1885) (Braconidae)**
202. **Cotesia melanoscela (Ratzeburg,1844)**
(Braconidae)
203. **Cotesia memnon (Nixon,1974)**
(Braconidae)
204. **Cotesia ofella (Nixon,1974) (Braconidae)**
205. **Cotesia ruficrus (Haliday,1834)**
(Braconidae)
206. **Cotesia saltatoria (Balevski,1980)**
(Braconidae)
207. **Cotesia setebis (Nixon,1974) (Braconidae)**
208. **Cotesia telengai (Tobias,1972)**
(Braconidae)
209. **Cotesia tenebrosa (Papp,1976)**
(Braconidae)
210. **Cotesia tibialis (Curtis,1830) (Braconidae)**
211. **Cotesia vanessae (Reinhard,1880)**
(Braconidae)
212. **Cotesia villanus Reinhard,1880 (Braconidae)**
213. **Cratichneumon viator (Scopoli,1763)**
(Ichneumonidae)
214. **Crypticus (s.str.) quisquilius (Linnaeus,1761)**
(Tenebrionidae)
215. **Cryptocephalus bipunctatus (Linnaeus,1758)**
(Chrysomelidae)
216. **Cryptocephalus concolor Suffrian,1847**
(Chrysomelidae)
217. **Cryptocephalus connexus Olivier,1808**
(Chrysomelidae)
218. **Cryptocephalus flavipes Fabricius,1781**
(Chrysomelidae)
219. **Cryptocephalus moehringi Weise,1884**
(Chrysomelidae)
220. **Cryptocephalus moraei (Linnaeus,1758)**
(Chrysomelidae)
221. **Cryptocephalus ocellatus Drapiez,1819**
(Chrysomelidae)
222. **Cryptocephalus octacasmus Bedel,1891**
(Chrysomelidae)
223. **Cryptocephalus parvulus Müller,1776**
(Chrysomelidae)
224. **Cryptocephalus prusias Suffrian,1853**
(Chrysomelidae)
225. **Cryptocephalus turcicus Suffrian,1847**
(Chrysomelidae)
226. **Cryptocheilus egregius (Lepeletier,1845)**
(Pompilidae)
227. **Cryptocheilus rubellus
(Eversmann,1846) (Pompilidae)**
228. **Cuneala amasiensis
(Kriechbaumer,1869) (Tenthredinidae)**
229. **Curculio glandium Marsham,1802**
(Curculionidae)
230. **Curculio pellitus Boheman,1843**
(Curculionidae)
231. **Curculio salicivorus Paykull,1792**
(Curculionidae)
232. **Cylindronotus (Odocnemis) dasypus
Seidlitz,1893 (Tenebrionidae)**
233. **Cymodusa (s.str.) propodeata Kolarov &
Yurtcan,2008 (Ichneumonidae)**
234. **Cyphon longiusculus Nyholm,1970**
(Scirtidae)
235. **Cyphon scurrula Nyholm,1970 (Scirtidae)**
236. **Dailognatha impressicollis Solier,1835**
(Tenebrionidae)
237. **Dasineura crataegi (Winnertz,1853)**
(Cecidomyiidae)
238. **Dasineura oleae (Loew,1885)**
(Cecidomyiidae)
239. **Dasineura refescens (Stefani,1896)**
(Cecidomyiidae)
240. **Dasyrhamphis anthracinus
(Meigen,1820) (Tabanidae)**
241. **Dasyrhamphis carbonarius (Meigen,1820)**
(Tabanidae)
242. **Dasyrhamphis umbrinus (Meigen,1820)**
(Tabanidae)
243. **Dasytiscus amasyanus Majer,1996**
(Melyridae)
244. **Decticus albifrons (Fabricius,1793)**
(Tettigoniidae)
245. **Decticus verrucivorus (Linnaeus,1758)**
(Tettigoniidae)
246. **Deliphrosoma mandli (Scheerpeltz,1937)**
(Staphylinidae)
247. **Dentilla erronea (André,1902) (Mutillidae)**
248. **Deporaus betulae (Linnaeus,1758)**
(Attelabidae)
249. **Depressotetrix depressa (Brisout,1848)**
(Tetrigidae)
250. **Derocrepis rufipes (Linnaeus,1758)**
(Chrysomelidae)
251. **Derocrepis serbica (Kutschera,1860)**
(Chrysomelidae)
252. **Deronectes doriae Sharp,1882 (Dytiscidae)**
253. **Diphyus palliatorius (Gravenhorst,1829)**
(Ichneumonidae)
254. **Diplazon tibiatorius (Thunberg,1822)**
(Ichneumonidae)
255. **Diplorhoptum fugax (Latreille,1798)**
(Formicidae)

256. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
257. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
258. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
259. **Dolichogenidea breviventris** (Ratzeburg,1848) (Braconidae)
260. **Dolichogenidea drusilla** (Nixon,1972) (Braconidae)
261. **Dolichogenidea longipalpis** (Reinhard,1880) (Braconidae)
262. **Dolichogenidea sicarius** (Marshall,1885) (Braconidae)
263. **Dolichogenidea soikai** (Nixon,1972) (Braconidae)
264. **Dolichomitus mesocentrus** (Gravenhorst,1829) (Ichneumonidae)
265. **Dolichomitus subglabratus** (Perkins,1843) (Ichneumonidae)
266. **Donus comatus** (Boheman,1842) (Curculionidae)
267. **Dorcadion (Maculatodorcadion) triste** Frivaldsky,1845 (Cerambycidae)
268. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
269. **Drosophila (s.str.) phalerata** Meigen,1830 (Drosophilidae)
270. **Drosophila (Sophophora) ambigua** Pomini,1940 (Drosophilidae)
271. **Drosophila amoena** Loew,1862 (Drosophilidae)
272. **Duroniella fracta** (Krauss,1890) (Acrididae)
273. **Duroniella laticornis** (Krauss,1909) (Acrididae)
274. **Dusona falcator** (Fabricius,1775) (Ichneumonidae)
275. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
276. **Dysmachus fuscipennis** (Meigen,1820) (Asilidae)
277. **Echthrus reluctator** (Linnaeus,1758) (Ichneumonidae)
278. **Ectobius balcani** Rammer,1923 (Blattidae)
279. **Ectobius vittiventris** Costa,1847 (Blattidae)
280. **Edwardsiana salicicola** (Edwards,1885) (Cicadellidae)
281. **Elodes sieberi** Klausnitzer,1973 (Scirtidae)
282. **Elocephala maculata** (Meigen,1804) (Limoniidae)
283. **Emblethis duplicatus** Seidenstücker,1963 (Lygaeidae)
284. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
285. **Empis (s.str.) tristis** Loew,1867 (Empididae)
286. **Empusa fasciata** Brullé,1836 (Empusidae)
287. **Entomobora vomeriventris** (Costa,1863) (Pompilidae)
288. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
289. **Episyron candiotum** Wahis,1966 (Pompilidae)
290. **Eumenes lunulatus** (Fabricius,1804) (Vespidae)
291. **Eupholidoptera krueperi** (Ramme,1930) (Tettigoniidae)
292. **Eupholidoptera smyrnensis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
293. **Eupteryx fahringeri** Melichar,1911 (Cicadellidae)
294. **Eupteryx tenella** (Fallén,1806) (Cicadellidae)
295. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
296. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
297. **Eurydema rugulosa** (Dohrn,1860) (Pentatomidae)
298. **Euscelidius schenkii** (Kirschbaum,1868) (Cicadellidae)
299. **Euscelidius variegatus** (Kirschbaum,1858) (Cicadellidae)
300. **Eusphalerum celsum** (Luze,1910) (Staphylinidae)
301. **Eustenancistrocerus amadanensis** (Saussure,1855) (Vespidae)
302. **Evagetus trispinosus** (Kohl,1886) (Pompilidae)
303. **Exochomus nigromaculatus** (Goeze,1777) (Coccinellidae)
304. **Eyprepocnemis plorans** (Charpentier,1825) (Acrididae)
305. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
306. **Fieberiella septentrionalis** Wagner,1963 (Cicadellidae)
307. **Formica cunicularia** Latreille,1798 (Formicidae)
308. **Formica fusca** Linnaeus,1758 (Formicidae)
309. **Gampsocleis recticauda** Werner,1901 (Tettigoniidae)
310. **Geomantis larvoides** Pantel,1896 (Mantidae)
311. **Gerris costae** (Herrich-Schäffer,1850) (Gerridae)
312. **Gerris thoracicus** Schummel,1832 (Gerridae)
313. **Giraudia gyratoria** (Thunberg,1824) (Ichneumonidae)
314. **Glyptapanteles antione** (Nixon,1973) (Braconidae)
315. **Glyptapanteles callidus** (Haliday,1834) (Braconidae)
316. **Glyptapanteles fulvipes** (Haliday,1834) (Braconidae)
317. **Gomphus schneideri** Selys,1850 (Gomphidae)
318. **Graptodytes veterator** (Zimmermann,1918) (Dytiscidae)
319. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
320. **Gryllus (s.str.) bimaculatus** (De Geer,1773) (Gryllidae)
321. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
322. **Gyrinus distinctus** Aubé,1836 (Gyrinidae)
323. **Hadradactylus typhae** (Geoffroy,1785) (Ichneumonidae)
324. **Haematoloma dorsatum** (Ahrens,1812) (Cercopidae)
325. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
326. **Haematopota italica** Meigen,1804 (Tabanidae)
327. **Haematopota ocelligera** Kröber,1922 (Tabanidae)
328. **Haematopota pallens** Loew,1871 (Tabanidae)
329. **Haematopota pandazisi** Kröber,1936 (Tabanidae)

330. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
331. **Haematopota subcylindrica** Pandelle,1883 (Tabanidae)
332. **Harmonia quadripunctata** (Pontoppidan,1763) (Coccinellidae)
333. **Heliocoris vermiculata** (Puton,1874) (Corixidae)
334. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
335. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
336. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
337. **Helophorus glacialis** Villa,1883 (Helophoridae)
338. **Helophorus griseus** Herbst,1793 (Helophoridae)
339. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
340. **Helophorus obscurus** Mulsant,1844 (Helophoridae)
341. **Helophorus ponticus** Angus,1988 (Helophoridae)
342. **Hesperocorixa linnaei** (Fieber,1848) (Corixidae)
343. **Himerta anatolica** (Schmiedeknecht,1913) (Ichneumonidae)
344. **Homorocoryphus nitidulus** (Scopoli,1786) (Tettigoniidae)
345. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
346. **Hybomitra bimaculata** (Macquart,1826) (Tabanidae)
347. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
348. **Hybomitra muehlfeldi** (Brauer,1880) (Tabanidae)
349. **Hydrocyphon deflexicollis** Müller,1821 (Scirtidae)
350. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
351. **Hydroglyphus pubescens** Gyllenhal,1808 (Dytiscidae)
352. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
353. **Hydroporus pubescens** (Gyllenhal,1808) (Dytiscidae)
354. **Hypera meles** (Fabricius,1792) (Curculionidae)
355. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
356. **Hysteropterum lesbicum** Dlabola,1980 (Issidae)
357. **Iassus lanio** (Linnaeus,1761) (Cicadellidae)
358. **Ichneumon bucculentus** Wesmael,1844 (Ichneumonidae)
359. **Ichneumon terminatorius** Gravenhorst,1820 (Ichneumonidae)
360. **Iconella albinervis** (Tobias,1964) (Braconidae)
361. **Iconella laspeyresiella** (Papp,1972) (Braconidae)
362. **Iconella vindicia** (Nixon,1965) (Braconidae)
363. **Illidops butalidis** (Marshall,1888) (Braconidae)
364. **Illidops naso** (Marshall,1888) (Braconidae)
365. **Illidops szaboi** (Papp,1974) (Braconidae)
366. **Illidops urgo** (Nixon,1965) (Braconidae)
367. **Illidops vipio** (Reihard,1880) (Braconidae)
368. **Iris oratoria** (Linnaeus,1758) (Irididae)
369. **Ischnomera cyanea** (Fabricius,1792) (Oedemeridae)
370. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
371. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
372. **Isoperla bithynica** (Kempny,1908) (Perlodidae)
373. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
374. **Isophya pavelii** Brunner von Wattenwyl,1878 (Tettigoniidae)
375. **Isophya rectipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
376. **Isophya straubei** (Fieber,1853) (Tettigoniidae)
377. **Isophya uludaghensis** Sevgili & Heller,2003 (Tettigoniidae)
378. **Janetia cerris** (Kollar,1850) (Cecidomyiidae)
379. **Janetia szepligetii** Kieffer,1896 (Cecidomyiidae)
380. **Labidostomis mesopotamica** Heyden,1886 (Chrysomelidae)
381. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
382. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
383. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
384. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
385. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
386. **Laena appfelbecki** Schuster,1915 (Tenebrionidae)
387. **Laena kraatzi** Weise,1878 (Tenebrionidae)
388. **Lasioglossum cristulum** (Pérez,1895) (Halictidae)
389. **Lasioglossum discum** (Smith,1853) (Halictidae)
390. **Lasioglossum pseudocaspicum** (Blüthgen,1923) (Halictidae)
391. **Lasiopa manni** Mik,1882 (Stratiomyidae)
392. **Lasioptera rubi** (Schrank,1803) (Cecidomyiidae)
393. **Lasius alienus** (Förster,1850) (Formicidae)
394. **Lasius flavus** (Fabricius,1781) (Formicidae)
395. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
396. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
397. **Lestes barbarus** (Fabricius,1798) (Lestidae)
398. **Lestes parvidens** Artobolevski,1929 (Lestidae)
399. **Lestes virens** (Charpentier,1825) (Lestidae)
400. **Lesteva juno** Smetana,1967 (Staphylinidae)
401. **Lesteva maculipennis** Luze,1903 (Staphylinidae)
402. **Leuctra fusca** (Linnaeus,1758) (Leuctridae)
403. **Leuctra kurui** Kazanci,1983 (Leuctridae)
404. **Leuctra minuta** Zhiltzova,1960 (Leuctridae)
405. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)

406. **Limobius borealis** (Paykull,1792)
(Curculionidae)
407. **Limotettix striola** (Fallén,1806)
(Cicadellidae)
408. **Liponeura euryfrons** Bischoff,1935
(Blephariceridae)
409. **Liponeura mannheimsi** Zwick,1972
(Blephariceridae)
410. **Lixus angustatus** (Fabricius,1775)
(Curculionidae)
411. **Lixus cardui** Olivier,1807 (Curculionidae)
412. **Lixus vilis** (Rossi,1790) (Curculionidae)
413. **Loboptera decipiens** (Germar,1817) (Blattidae)
414. **Locusta migratoria** (Linnaeus,1758)
(Acrididae)
415. **Longitarsus exsoletus** (Linnaeus,1758)
(Chrysomelidae)
416. **Longitarsus lycopi** (Foudras,1860)
(Chrysomelidae)
417. **Longitarsus nigrofasciatus** (Goeze,1777)
(Chrysomelidae)
418. **Longitarsus tabidus** (Fabricius,1775)
(Chrysomelidae)
419. **Lophyridia fischeri** (Adams,1817) (Carabidae)
420. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
421. **Lucanus (.s.str.) cervus** (Linnaeus,1758)
(Lucanidae)
422. **Lycocoris dimidiatus** (Spinola,1837)
(Anthocoridae)
423. **Lydus trimaculatus** (Fabricius,1775)
(Meloidea)
424. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
425. **Lyristes plebejus** (Scopoli,1763)
(Cicadidae)
426. **Macrodiplosis pustularis** (Bremi,1847)
(Cecidomyiidae)
427. **Macrodiplosis roboris** (Hardy,1854)
(Cecidomyiidae)
428. **Macrophya albicincta** (Schrank,1776)
(Tenthredinidae)
429. **Macrophya crassula** (Klug,1817)
(Tenthredinidae)
430. **Malachius stolatus** Mulsant & Godart,1855 (Melyridae)
431. **Maladera (Macroserica) armeniaca** Reitter,1896 (Scarabaeidae)
432. **Maladera (Macroserica) punctatissima** (Faldermann,1835) (Scarabaeidae)
433. **Mantis religiosa** (Linnaeus,1758)
(Mantidae)
434. **Mayetiola destructor** (Say,1817)
(Cecidomyiidae)
435. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
436. **Megabombus humilis** (Illiger,1806)
(Apidae)
437. **Megabombus pascuorum** (Scopoli,1763)
(Apidae)
438. **Megabombus zonatus** (Smith,1854)
(Apidae)
439. **Megalomerium meridionale** (Costa,1838) (Berytidae)
440. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae)
441. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
442. **Merodon distinctus** Palma,1863
(Syrphidae)
443. **Merodon testaceus** Sack,1913 (Syrphidae)
444. **Metopius (Peltocarus) croceicornis** Thomson,1887 (Ichneumonidae)
445. **Metopius (Peltocarus) dirus** Mocsary,1883 (Ichneumonidae)
446. **Metrioptera (Roeseliana) bispina** (Bolivar,1899) (Tettigoniidae)
447. **Microgaster alebion** Nixon,1968
(Braconidae)
448. **Microgaster fulvicornis** Wesmael,1837
(Braconidae)
449. **Microgaster subcompleta** Nees,1834
(Braconidae)
450. **Microptilis cebes** Nixon,1970 (Braconidae)
451. **Microptilis deces** Tobias,1964 (Braconidae)
452. **Microptilis decipiens** Prell,1925
(Braconidae)
453. **Microptilis deprimator** (Fabricius,1798)
(Braconidae)
454. **Microptilis docilis** (Telenga,1964)
(Braconidae)
455. **Microptilis heterocera** Ruthe,1860
(Braconidae)
456. **Microptilis idia** Nixon,1970 (Braconidae)
457. **Microptilis mandibularis** Thomson,1895
(Braconidae)
458. **Microptilis marshallii** Kokujev,1897
(Braconidae)
459. **Microptilis mediator** (Haliday,1834)
(Braconidae)
460. **Microptilis naenia** Nixon,1970
(Braconidae)
461. **Microptilis sofron** Nixon,1970 (Braconidae)
462. **Microptilis spinolae** Nees,1834
(Braconidae)
463. **Microptilis tristis** (Nees,1834)
(Braconidae)
464. **Microptilis tuberculifer** (Wesmael,1837)
(Braconidae)
465. **Microptilis varipes** Ruthe,1860
(Braconidae)
466. **Mocydia crocea** (Herrich-Schäffer,1837)
(Cicadellidae)
467. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
468. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
469. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
470. **Muzimes collaris** (Fabricius,1787)
(Meloidea)
471. **Mycterodus carpathicus** Logvinenko,1974
(Issidae)
472. **Mycterodus izmiticus** Dlabola,1979
(Issidae)
473. **Mylabris laevicollis** Marseul,1870 (Meloidea)
474. **Mylabris variabilis** (Pallas,1782)
(Meloidea)
475. **Myrmecophilus (s.str.) ochraceus** Fischer von Waldheim,1853 (Myrmecophilidae)
476. **Myrmeleotettix maculatus** (Thunberg,1815) (Acrididae)
477. **Myrmica sulcinodis** Nylander,1846
(Formicidae)
478. **Nalassus dryadophilus** (Mustant,1854)
(Tenebrionidae)

479. **Nalassus plebejus** (Küster,1850)
(Tenebrionidae)
480. **Nebrioporus suavis** (Sharp,1882)
(Dytiscidae)
481. **Nedroledon anatolicus** Navas,1914
(Myrmeleonidae)
482. **Nemeritis specularis** Horstmann,1975
(Ichneumonidae)
483. **Nemoptera coa** (Linnaeus,1758)
(Nemopteridae)
484. **Nemorius vitripennis** (Meigen,1820)
(Tabanidae)
485. **Nemoura cinerea** (Retzius,1783)
(Nemouridae)
486. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
487. **Neophilaenus lineatus** (Linnaeus,1758)
(Cercopidae)
488. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
489. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
490. **Netelia (s.str.) testacea**
(Gravenhorst,1829) (Ichneumonidae)
491. **Nocaracris cyanipes** (Fischer von
Waldheim,1846) (Pamphagidae)
492. **Nothochrysa turcicus** Kovancı &
Canbulat,2007 (Chrysopidae)
493. **Nothodes parvulus** (Panzer,1799)
(Elateridae)
494. **Notonecta glauca** Linnaeus,1758
(Notonectidae)
495. **Notus flavipennis** (Zetterstedt,1828)
(Cicadellidae)
496. **Odontocolon dentipes** (Gmelin,1790)
(Ichneumonidae)
497. **Oecanthus pellucens** (Scopoli,1763)
(Gryllidae)
498. **Oedipoda aurea** Uvarov,1923 (Acrididae)
499. **Oedipoda caerulea** (Linnaeus,1758)
(Acrididae)
500. **Oedipoda germanica** (Latreille,1804)
(Acrididae)
501. **Oedipoda miniata** (Pallas,1771) (Acrididae)
502. **Oenas crassicornis** (Illiger,1800)
(Meloidae)
503. **Oligopogon hybotinus** (Loew,1847)
(Asilidae)
504. **Oligopogon londti** Geller-Grimm &
Hradsky,2003 (Asilidae)
505. **Oligotrophus panteli** Kieffer,1898
(Cecidomyiidae)
506. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
507. **Omocestus (s.str.) rufipes**
(Zetterstedt,1821) (Acrididae)
508. **Omocestus (s.str.) ventralis**
(Zetterstedt,1821) (Acrididae)
509. **Omocestus (s.str.) viridulus**
(Linnaeus,1758) (Acrididae)
510. **Onychogomphus forcipatus** (Linnaeus,1758)
(Gomphidae)
511. **Orestia olympica** Fivaldsky,1884
(Chrysomelidae)
512. **Orthetrum albistylum** (Selys,1848)
(Libellulidae)
513. **Orthetrum brunneum** (Fonscolombe,1837)
(Libellulidae)
514. **Osmia (Helicosmia) caerulea**
(Linnaeus,1758) (Megachilidae)
515. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
516. **Osmia (s.str.) cerinthidis** Morawitz,1876
(Megachilidae)
517. **Oxycera pygmaea** (Fallén,1817) (Stratiomyidae)
518. **Oxycera trilineata** (Linnaeus,1767)
(Stratiomyidae)
519. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
520. **Oxythyrea funesta** (Poda,1761)
(Scarabaeidae)
521. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
522. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
523. **Pachycerus cordiger** (Germar,1819)
(Curculionidae)
524. **Pangonius (Melanopangonius)**
haustellatus (Fabricius,1781) (Tabanidae)
525. **Pangonius (s.str.) fulvipes** Loew,1859
(Tabanidae)
526. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
527. **Pangonius (s.str.) variegatus**
(Fabricius,1805) (Tabanidae)
528. **Panorpa pieperi** Willmann,1975
(Panorpidae)
529. **Paracaloptenus caloptenoides** (Brunner
von Wattenwyl,1861) (Acrididae)
530. **Paracinema tricolor** (Thunberg,1815)
(Acrididae)
531. **Paramyrmosa brunneipes** (Lepelletier,1845)
(Mutillidae)
532. **Paranocaracris rubripes** (Fischer von
Waldheim,1846) (Pamphagidae)
533. **Paranocarodes fieberi** (Brunner von
Wattenwyl,1882) (Pamphagidae)
534. **Paranocarodes straubei** (Fieber,1853)
(Pamphagidae)
535. **Parapholidoptera castaneoviridis** (Brunner
von Wattenwyl,1882) (Tettigoniidae)
536. **Paratettix meridionalis** (Rambur,1838)
(Tetrigidae)
537. **Pedestredorcadion bithyniense**
(Chevrolat,1856) (Cerambycidae)
538. **Pedestredorcadion cinerarium**
(Fabricius,1787) (Cerambycidae)
539. **Pedestredorcadion olympicum**
(Ganglbauer,1882) (Cerambycidae)
540. **Pedinus (s.str.) curvipes** Mulsant &
Rey,1853 (Tenebrionidae)
541. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
542. **Peirates hybridus** (Scopoli,1763)
(Reduviidae)
543. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)
544. **Pezotettix anatolica** Uvarov,1934
(Acrididae)
545. **Pezotettix giornae** (Rossi,1794) (Acrididae)
546. **Phaenogenes aff. rusticatus**
Wesmael,1844 (Ichneumonidae)
547. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
548. **Pherbellia cinerella** (Fallén,1820)
(Sciomyzidae)

549. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
550. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
551. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
552. **Pholidoptera brevipes** Ramme,1939
(Tettigoniidae)
553. **Phratora vitellinae** (Linnaeus,1758)
(Chrysomelidae)
554. **Phyllodromica graeca** (Brunner von
Wattenwyl,1882) (Blattidae)
555. **Phyllodromica marginata** (Schreber,1781)
(Blattidae)
556. **Phyllotreta balcanica** Heikertinger,1909
(Chrysomelidae)
557. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
558. **Phyllotreta punctulata** (Marsham,1802)
(Chrysomelidae)
559. **Phytomyza crassiseta** Zetterstedt,1860
(Agromyzidae)
560. **Phytomyza orobanchiae**
Kaltenbach,1864 (Agromyzidae)
561. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
562. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
563. **Pimpla hypochondriaca** (Retzius,1783)
(Ichneumonidae)
564. **Pimpla turionellae** (Linnaeus,1758)
(Ichneumonidae)
565. **Piocoris erythrocephalus** (P. & S.,1825)
(Lygaeidae)
566. **Plagiognathus chrysanthemi**
(Wolff,1804) (Miridae)
567. **Plastocerus angulosus** (Germar,1845)
(Elateridae)
568. **Platambus lunulatus** (Fischer von
Waldheim,1829) (Dytiscidae)
569. **Platycleis (Incertana) incerta** Brunner
von Wattenwyl,1882 (Tettigoniidae)
570. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
571. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
572. **Platycleis (Tessellana) nigrosignata**
(Costa,1863) (Tettigoniidae)
573. **Platynemesis pennipes** (Pallas,1771)
(Platynemidae)
574. **Platymetopius (s.str.) guttatus** Fieber,1869
(Cicadellidae)
575. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
576. **Platynaspis luteorubra** (Goeze,1777)
(Coccinellidae)
577. **Pleolophus brachypterus** (Gravenhorst,1829)
(Ichneumonidae)
578. **Podagrira malvae** (Illiger,1807)
(Chrysomelidae)
579. **Podagrira menetriesi** (Faldermann,1837)
(Chrysomelidae)
580. **Poecilimon amissus** Brunner von
Wattenwyl,1878 (Tettigoniidae)
581. **Poecilimon anatolicus** Ramme,1933
(Tettigoniidae)
582. **Poecilimon kutahiensis** Werner,1901
(Tettigoniidae)
583. **Poecilimon sureyanus** Uvarov,1930
(Tettigoniidae)
584. **Poecilimon turciae** (Ramme,1951)
(Tettigoniidae)
585. **Poecilimon turcicus** Karabağ,1950
(Tettigoniidae)
586. **Polistes (s.str.) atrimandibularis**
(Zimmermann,1930) (Vespidae)
587. **Polistes (s.str.) biglumis** (Linnaeus,1758)
(Vespidae)
588. **Polistes (s.str.) sulcifer**
(Zimmermann,1930) (Vespidae)
589. **Polyphaga aegyptiaca** (Linnaeus,1758)
(Polyphagidae)
590. **Polyphylla (s.str.) olivieri** (Laporte de
Castelnau,1840) (Scarabaeidae)
591. **Potamaurops dentatithorax** (Pic,1900)
(Staphylinidae)
592. **Pristomerus vulnerator** (Panzer,1799)
(Ichneumonidae)
593. **Probaticus (Pelorinus) granipennis**
(Allard,1876) (Tenebrionidae)
594. **Probaticus (Pelorinus) tenebricosus**
(Brullé,1832) (Tenebrionidae)
595. **Prosternon tessellatum** (Linnaeus,1758)
(Elateridae)
596. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
597. **Protapanteles anchiades** (Nixon,1973)
(Braconidae)
598. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
599. **Psylliodes cupreus** (Koch,1803)
(Chrysomelidae)
600. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
601. **Pyrrhocoris apterus** (Linnaeus,1758)
(Pyrrhocoridae)
602. **Rabdophaga saliciperda** (Dufour,1841)
(Cecidomyiidae)
603. **Rabdophaga salicis** (Schrank,1803)
(Cecidomyiidae)
604. **Rabdophaga terminalis** (Loew,1850)
(Cecidomyiidae)
605. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
606. **Raphidia (Turcoraphidia) amara**
H.Aspöck & U.Aspöck,1964 (Raphidiidae)
607. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
608. **Resseliella theobaldi** (Barnes,1927)
(Cecidomyiidae)
609. **Rhacocleis germanica** (Herrich-
Schäffer,1840) (Tettigoniidae)
610. **Rhagio maculipennis** (Loew,1854)
(Rhagionidae)
611. **Rhagio turcicus** Lindler,1930 (Rhagionidae)
612. **Rhopalomyia baccarum** (Wachtl,1883)
(Cecidomyiidae)
613. **Rhynchites auratus** (Scopoli,1763)
(Atelabidae)
614. **Rhynchites bacchus** (Linnaeus,1758)
(Atelabidae)
615. **Rhynchites giganteus** Krynicky,1832
(Atelabidae)
616. **Rhynchites hungaricus** (Herbst,1784)
(Atelabidae)
617. **Rhynchites smyrnensis** Desbrochers,1869
(Atelabidae)

618. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
619. **Rhyparochromus confusus** (Reuter,1886)
(Lygaeidae)
620. **Rhyparochromus consors**
(Horvath,1878) (Lygaeidae)
621. **Rhyparochromus pineti** (Herrich-Schäffer,1839) (Lygaeidae)
622. **Rhyparochromus pini** (Linnaeus,1758)
(Lygaeidae)
623. **Rhyparochromus quadratus**
(Fabricius,1798) (Lygaeidae)
624. **Rhyparochromus vulgaris**
(Schilling,1829) (Lygaeidae)
625. **Rhyssa persuasoria** (Linnaeus,1758)
(Ichneumonidae)
626. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
627. **Saga natoliae** Audinet-Serville,1839
(Tettigoniidae)
628. **Saga puella** Werner,1901 (Tettigoniidae)
629. **Sathon falcatus** (Nees,1834) (Braconidae)
630. **Scambus (s.str.) elegans**
(Woldstedt,1877) (Ichneumonidae)
631. **Scantius aegyptius** (Linnaeus,1758)
(Pyrrhocoridae)
632. **Scarodytes halensis** (Fabricius,1787)
(Dytiscidae)
633. **Sciocoris macrocephalus** Fieber,1851
(Pentatomidae)
634. **Scolia galbula** (Pallas,1771) (Scoliidae)
635. **Scymnus pallipediformis** Günther,1958
(Coccinellidae)
636. **Scymnus quadriguttatus** Capra,1924
(Coccinellidae)
637. **Scymnus rubromaculatus** (Goeze,1778)
(Coccinellidae)
638. **Selatosomus (s.str.) latus**
(Fabricius,1801) (Elateridae)
639. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)
640. **Selenocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
641. **Selenocephalus stenopterus** Signoret,1880
(Cicadellidae)
642. **Setapius barajus** (Dlabola,1957) (Cixiidae)
643. **Sigara lateralis** Leach,1818 (Corixidae)
644. **Sigara nigrolineata** (Fieber,1848)
(Corixidae)
645. **Silvius (s.str.) alpinus** (Scopoli,1763)
(Tabanidae)
646. **Sphex flavipennis** Fabricius,1793
(Sphecidae)
647. **Sphingonotus caeruleus** (Linnaeus,1767)
(Acrididae)
648. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
649. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
650. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
651. **Stenobothrus (s.str.) burri** Karabağ,1953
(Acrididae)
652. **Stenobothrus (s.str.) nigromaculatus**
(Herrich-Schäffer,1840) (Acrididae)
653. **Stenobothrus (s.str.) zubovskii**
Bolivar,1899 (Acrididae)
654. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
655. **Subcoccinella vigintiquatuor punctata**
(Linnaeus,1758) (Coccinellidae)
656. **Sympecma fusca** (Van Der Linden,1820)
(Lestidae)
657. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
658. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
659. **Sympetrum striolatum**
(Charpentier,1840) (Libellulidae)
660. **Syromastus rhombeus** (Linnaeus,1767)
(Coreidae)
661. **Tabanus armeniacus** (Kröber,1928)
(Tabanidae)
662. **Tabanus atropathenicus** Olsufjev,1937
(Tabanidae)
663. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
664. **Tabanus bifarius** Loew,1858 (Tabanidae)
665. **Tabanus bromiolus** Szilady,1923
(Tabanidae)
666. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
667. **Tabanus brunnescens** Szilady,1917
(Tabanidae)
668. **Tabanus cordiger** Meigen,1820
(Tabanidae)
669. **Tabanus cuculus** Szilady,1923 (Tabanidae)
670. **Tabanus eggeri** Schiner,1868 (Tabanidae)
671. **Tabanus exclusus** Pandella,1883 (Tabanidae)
672. **Tabanus indrae** Hauser,1939 (Tabanidae)
673. **Tabanus leleani** Austen,1920 (Tabanidae)
674. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
675. **Tabanus maculicornis** Zetterstedt,1842
(Tabanidae)
676. **Tabanus miki** Brauer,1880 (Tabanidae)
677. **Tabanus paradoxus** Jaennicke,1866
(Tabanidae)
678. **Tabanus portschinskii** Olsufjev,1937
(Tabanidae)
679. **Tabanus prometheus** Szilady,1923
(Tabanidae)
680. **Tabanus quatuornatatus** Meigen,1820
(Tabanidae)
681. **Tabanus regularis** Jaennicke,1866 (Tabanidae)
682. **Tabanus rupium** Brauer,1880 (Tabanidae)
683. **Tabanus shannonellus** Kröber,1936
(Tabanidae)
684. **Tabanus spodopterus** Meigen,1820
(Tabanidae)
685. **Tabanus subparadoxus** Olsufjev,1937
(Tabanidae)
686. **Tabanus sudeticus** Zeller,1842 (Tabanidae)
687. **Tabanus tergestinus** Egger,1859
(Tabanidae)
688. **Tabanus tinctus** Walker,1850 (Tabanidae)
689. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
690. **Tabanus yasujensis** Bogatshev &
Samedov,1949 (Tabanidae)
691. **Tapinoma erraticum** (Latreille,1798)
(Formicidae)
692. **Telostegus fumigatus** (Klug,1834)
(Pompilidae)
693. **Tenthredo thompsoni** Curtis,1839
(Tenthredinidae)
694. **Tenthredo zonula** Klug,1817
(Tenthredinidae)

695. **Tenthredopsis tessellata Klug,1817**
(Tenthredinidae)
696. **Terellia virens (Loew,1846)** (Tephritidae)
697. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
698. **Tetramorium semilaeve André,1883**
(Formicidae)
699. **Tetrix subulata (Linnaeus,1758)**
(Tetrigidae)
700. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
701. **Tettigometra (s.str.) virescens (Panzer,1799)**
(Tettigometridae)
702. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
703. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
704. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
705. **Thamnotettix thrax Dlabola,1965**
(Cicadellidae)
706. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
707. **Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae)
708. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae)
709. **Tipula (Lunatipula) helvola Loew,1873**
(Tipulidae)
710. **Tipula (Lunatipula) mendli Martinovsky,1976** (Tipulidae)
711. **Tipula (Yamatotipula) lateralis Meigen,1804**
(Tipulidae)
712. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae)
713. **Trapezonotus dispar (Stal,1872)** (Lygaeidae)
714. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
715. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae)
716. **Trichodes punctatus Fischer,1829** (Cleridae)
717. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
718. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
719. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
720. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
721. **Trochiscocoris rotundatus Horvath,1895**
(Pentatomidae)
722. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
723. **Trychosis neglecta (Tschek,1870)**
(Ichneumonidae)
724. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
725. **Vespa crabro Linnaeus,1758** (Vespidae)
726. **Vespa orientalis Linnaeus,1771** (Vespidae)
727. **Vespula germanica (Fabricius,1793)**
(Vespidae)
728. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
729. **Wachtliella ericina (Loew,1885)**
(Cecidomyiidae)
730. **Xorides (s.str.) filiformis (Gravenhorst,1829)** (Ichneumonidae)
731. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
732. **Xya variegata (Latreille,1809)** (Tridactylidae)

Çanakkale Province (17)

(317 species, stand 30 April 2010)

1. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
2. **Aelia albovittata Fieber,1868** (Pentatomidae)
3. **Aelia rostrata Boheman,1852** (Pentatomidae)
4. **Agallia bispinata (Dlabola,1957)** (Cicadellidae)
5. **Agalmatium bilobum (Fieber,1877)** (Issidae)
6. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae)
7. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
8. **Agrilus (s.str.) hyperici (Creutzer,1799)**
(Buprestidae)
9. **Agriotes (s.str.) colonnellii Guglielmi & Platia,1985** (Elateridae)
10. **Agriotes (s.str.) gurgistanus (Faldermann,1835)** (Elateridae)
11. **Allygidius atomarius (Fabricius,1794)**
(Cicadellidae)
12. **Anaceratagallia laevis (Ribaut,1935)**
(Cicadellidae)
13. **Anacridium aegyptium (Linnaeus,1764)**
(Acrididae)
14. **Aneomochtherus acratu (Tsacas,1968)**
(Asilidae)
15. **Anisochrya (s.str.) genei (Rambur,1842)**
(Chrysopidae)
16. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae)
17. **Anthaxia (Melanthaxia) masculina Bily,1984**
(Buprestidae)
18. **Anthaxia (s.str.) lucens Küster,1852**
(Buprestidae)
19. **Anthaxia (s.str.) plicata Kiesenwetter,1859**
(Buprestidae)
20. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae)

21. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
22. **Anthidium (Paraanthidium) interruptum** (Fabricius,1781) (Megachilidae)
23. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
24. **Apalus spectabilis** Schaum,1859 (Meloidae)
25. **Apanteles ater** (Ratzeburg,1852) (Braconidae)
26. **Apanteles brunnistigma** Abdinbekova,1969 (Braconidae)
27. **Apanteles hemara** Nixon,1965 (Braconidae)
28. **Apanteles obscurus** (Nees,1834) (Braconidae)
29. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
30. **Aphrophora alni** (Fallén,1805) (Cercopidae)
31. **Aphrophora corticea** Germar,1821 (Cercopidae)
32. **Aphrophora salicina** (Goeze,1778) (Cercopidae)
33. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
34. **Atylotus flavoguttatus** (Szilady,1915) (Tabanidae)
35. **Atylotus loewianus** (Villeneuve,1920) (Tabanidae)
36. **Auletobius politus** Voss,1934 (Attelabidae)
37. **Bembidion (Ocydromus) cordicolle** Jacquelin du Val,1852 (Carabidae)
38. **Berosus (s.str.) affinis** Brullé,1835 (Hydrophilidae)
39. **Bidessus calabricus** Guignot,1957 (Dytiscidae)
40. **Blaps ocreata** Allard,1880 (Tenebrionidae)
41. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
42. **Bombus terrestris** Linnaeus,1758 (Apidae)
43. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
44. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
45. **Calliptamus barbarus** (Costa,1836) (Acrididae)
46. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
47. **Cantharis livida** Linnaeus,1758 (Cantharidae)
48. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
49. **Capnodis porosa** (Klug,1829) (Buprestidae)
50. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
51. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
52. **Carabus (Procerus) sommeri** Mannerheim,1844 (Carabidae)
53. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
54. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
55. **Catoplatus anticus** (Reuter,1880) (Tingidae)
56. **Cephalostenus orbicollis** Ménétériés,1836 (Tenebrionidae)
57. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
58. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
59. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
60. **Cerocoma macedonica** Maran,1944 (Meloidae)
61. **Chaetarthria seminulum** (Herbst,1797) (Hydrophilidae)
62. **Choeras dorsalis** (Spinola,1808) (Braconidae)
63. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
64. **Chrysanthia flavipes** Reitter,1889 (Oedemeridae)
65. **Chrysanthia varipes** Kiesenwetter,1861 (Oedemeridae)
66. **Chrysolina sanguinolenta** (Linnaeus,1758) (Chrysomelidae)
67. **Chrysolina vernalis** (Brullé,1836) (Chrysomelidae)
68. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
69. **Chrysomela vigintipunctata** (Scopoli,1763) (Chrysomelidae)
70. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
71. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
72. **Chrysops (s.str.) italicus** Meigen,1804 (Tabanidae)
73. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
74. **Cicindela campestris** Linnaeus,1758 (Carabidae)
75. **Cixius pallipes** Fieber,1876 (Cixiidae)
76. **Coenorhinus cribripennis** Desbrochers,1869 (Attelabidae)
77. **Colaphus sophiae** (Schaller,1783) (Chrysomelidae)
78. **Colpa klugii** (Van der Linden,1827) (Scoliidae)
79. **Conophorus gracilis** Dils & Özbek,2006 (Bombyliidae)
80. **Corixa affinis** Leach,1818 (Corixidae)
81. **Cotesia kazak** (Telenga,1949) (Braconidae)
82. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
83. **Cotesia memnon** (Nixon,1974) (Braconidae)
84. **Cotesia numen** (Nixon,1974) (Braconidae)
85. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
86. **Cotesia setebis** (Nixon,1974) (Braconidae)
87. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
88. **Cryptocephalus janthinus** Germar,1824 (Chrysomelidae)
89. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
90. **Cryptocheilus exiguus** Susterer,1924 (Pompilidae)
91. **Cryptocheilus ichneumonoides** (Costa,1874) (Pompilidae)
92. **Curculio elephas** Gyllenhal,1836 (Curculionidae)
93. **Cyphon palustris** Thomson,1855 (Scirtidae)
94. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
95. **Dasyrhamphis ater** (Austen,1925) (Tabanidae)
96. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
97. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
98. **Delta unguiculatum** (Villers,1789) (Vespidae)
99. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae)
100. **Dichomma dardanum** (Steven,1829) (Tenebrionidae)
101. **Dicronychus senaci** Desbrochers,1870 (Elateridae)
102. **Doclostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)

103. *Dociostaurus* (s.str.) *maroccanus* (Thunberg,1815) (Acrididae)
104. *Dolichogenidea anarsiae* (Faure & Alabouvetle,1924) (Braconidae)
105. *Dolichogenidea drusilla* (Nixon,1972) (Braconidae)
106. *Dolichogenidea lacteicolor* (Viereck,1911) (Braconidae)
107. *Dolichogenidea sicarius* (Marshall,1885) (Braconidae)
108. *Dorcadion* (*Cribridorcadion*) *divisum* Germar,1839 (Cerambycidae)
109. *Drosophila funebris* (Fabricius,1787) (Drosophilidae)
110. *Duilius tamaricis* (Puton & Lethierry,1887) (Cixiidae)
111. *Dysmachus fuscipennis* (Meigen,1820) (Asilidae)
112. *Echthistus rufinervis* (Meigen,1820) (Asilidae)
113. *Elodes sieberi* Klausnitzer,1973 (Scirtidae)
114. *Emblethis angustus* Montandon,1890 (Lygaeidae)
115. *Emblethis denticollis* Hovarth,1878 (Lygaeidae)
116. *Enochrus* (*Lumetus*) *segmentinotatus* (Kuwert,1888) (Hydrophilidae)
117. *Epallage fatime* (Charpentier,1840) (Calopterygidae)
118. *Episyron candiotum* Wahis,1966 (Pompilidae)
119. *Episyron rufipes* (Linnaeus,1758) (Pompilidae)
120. *Erax punctipennis* (Meigen,1820) (Asilidae)
121. *Eumenes lunulatus* (Fabricius,1804) (Vespidae)
122. *Eupelix cuspidata* (Fabricius,1775) (Cicadellidae)
123. *Eurydema blanda* Horvath,1803 (Pentatomidae)
124. *Eurydema oleracea* (Linnaeus,1758) (Pentatomidae)
125. *Eurydema rugulosa* (Dohrn,1860) (Pentatomidae)
126. *Eurydema ventralis* Kolenati,1846 (Pentatomidae)
127. *Exochomus nigromaculatus* (Goeze,1777) (Coccinellidae)
128. *Eysarcoris ventralis* (Westwood,1837) (Pentatomidae)
129. *Galiomyza violiphaga* (Hendel,1932) (Agromyzidae)
130. *Glyptomorpha discolor* (Thunberg,1822) (Braconidae)
131. *Glyptomorpha pectoralis* (Brullé,1832) (Braconidae)
132. *Gonocephalum costatum* Brullé,1832 (Tenebrionidae)
133. *Gryllotalpa gryllotalpa* (Linnaeus,1758) (Gryllotalpidae)
134. *Gymnopleurus flagellatus* (Fabricius,1787) (Scarabaeidae)
135. *Gymnopleurus mopsus* (Pallas,1781) (Scarabaeidae)
136. *Haematopota bigoti* Gobert,1881 (Tabanidae)
137. *Haematopota crassicornis* Wahlberg,1848 (Tabanidae)
138. *Haematopota grandis* Macquart,1834 (Tabanidae)
139. *Haematopota latebricola* Austen,1925 (Tabanidae)
140. *Haematopota longantennata* Olsufjev,1937 (Tabanidae)
141. *Haematopota pluvialis* (Linnaeus,1761) (Tabanidae)
142. *Hedyphanes upioides* (Faldermann,1837) (Tenebrionidae)
143. *Helophorus pallidipennis* Mulsant & Wachanru,1852 (Helophoridae)
144. *Hyalesthes obsoletus* Signoret,1865 (Cixiidae)
145. *Hybomitra caucasi* (Szilady,1923) (Tabanidae)
146. *Hybomitra ciureai* (Seguy,1937) (Tabanidae)
147. *Hybomitra expollicata* (Pandelle,1883) (Tabanidae)
148. *Hycleus scabiosae* (Olivier,1811) (Meloidae)
149. *Hymenalia brignolii* (Muche,1974) (Tenebrionidae)
150. *Hypera meles* (Fabricius,1792) (Curculionidae)
151. *Hypera variabilis* (Herbst,1795) (Curculionidae)
152. *Hypocassida subferruginea* (Schrank,1776) (Chrysomelidae)
153. *Laccobius* (*Dimorpholaccobius*) *obscuratus* Rottenberg,1874 (Hydrophilidae)
154. *Laccobius* (*Dimorpholaccobius*) *simulatrix* Orchymont,1932 (Hydrophilidae)
155. *Laccobius* (*Dimorpholaccobius*) *sipylus* Orchymont,1939 (Hydrophilidae)
156. *Laccobius* (*Dimorpholaccobius*) *striatulus* (Fabricius,1801) (Hydrophilidae)
157. *Laccobius* (*Microlaccobius*) *gracilis* Motschoulsky,1855 (Hydrophilidae)
158. *Larinus minutus* Gyllenhal,1836 (Curculionidae)
159. *Lasiorrhynchites praeustus* (Boheman,1845) (Atelabidae)
160. *Leptochilus regulus* Saussure,1855 (Vespidae)
161. *Lepyronia coleoptrata* (Linnaeus,1758) (Cercopidae)
162. *Libelloides macaronius* (Scopoli,1763) (Ascalaphidae)
163. *Libelloides rhomboideus* (Schneider,1845) (Ascalaphidae)
164. *Liriomyza amarellae* M.Hering,1963 (Agromyzidae)
165. *Lixus angustatus* (Fabricius,1775) (Curculionidae)
166. *Lyctocoris dimidiatus* (Spinola,1837) (Anthocoridae)
167. *Lydus trimaculatus* (Fabricius,1775) (Meloidae)
168. *Machimus annulipes* (Brullé,1832) (Asilidae)
169. *Macrolenes dentipes* (Olivier,1808) (Chrysomelidae)
170. *Macrolophus caliginosus* Wagner,1950 (Miridae)
171. *Macropsis graminea* (Fabricius,1798) (Cicadellidae)
172. *Macropsis vicina* (Horvath,1897) (Cicadellidae)
173. *Megabombus pascuorum* (Scopoli,1763) (Apidae)
174. *Megachile* (*Xanthosarus*) *giraudi* Gerstaecker,1869 (Megachilidae)
175. *Megascolia maculata* (Drury,1773) (Scoliidae)
176. *Melanotus* (s.str.) *aemulus* (Erichson,1841) (Elateridae)
177. *Melanotus* (s.str.) *dichrous* (Erichson,1841) (Elateridae)
178. *Melanotus* (s.str.) *fusciceps* (Gyllenhal,1817) (Elateridae)

179. *Microptilis deces* Tobias, 1964 (Braconidae)
180. *Microptilis docilis* (Telenga, 1964) (Braconidae)
181. *Microptilis flavipalpis* Brullé, 1832 (Braconidae)
182. *Microptilis mediator* (Haliday, 1834) (Braconidae)
183. *Microptilis spinolae* Nees, 1834 (Braconidae)
184. *Microptilis varipes* Ruthe, 1860 (Braconidae)
185. *Mulsanteus guillebeaui* (Mulsant & Godart, 1853) (Elateridae)
186. *Mustha spinosula* (Lefebvre, 1831) (Pentatomidae)
187. *Mycterodus (Semirodus) pallens* Stal, 1861 (Issidae)
188. *Mylabris calida* (Pallas, 1781) (Meloidae)
189. *Mylabris quadripunctata* (Linnaeus, 1767) (Meloidae)
190. *Mylabris scabiosae* (Olivier, 1811) (Meloidae)
191. *Mylabris variabilis* (Pallas, 1782) (Meloidae)
192. *Mylabris zebraea* (Marseul, 1870) (Meloidae)
193. *Nemeritis specularis* Horstmann, 1975 (Ichneumonidae)
194. *Neophilaenus campestris* (Fallén, 1805) (Cercopidae)
195. *Oedemera (Oncomera) natolica* (Reiche, 1862) (Oedemeridae)
196. *Oedemera (s.str.) brevipennis* Ganglbauer, 1881 (Oedemeridae)
197. *Oedemera (s.str.) flavipes* (Fabricius, 1792) (Oedemeridae)
198. *Oedemera (s.str.) lurida* (Marsham, 1802) (Oedemeridae)
199. *Oligopogon anatolicus* Geller-Grimm & Hradsky, 2003 (Asilidae)
200. *Opatroides punctulatus* Brullé, 1832 (Tenebrionidae)
201. *Ophiomyia maura* (Meigen, 1838) (Agromyzidae)
202. *Oxythyrea cinctella* (Schaum, 1841) (Scarabaeidae)
203. *Oxythyrea funesta* (Poda, 1761) (Scarabaeidae)
204. *Pachyscelis quadricollis* Brullé, 1832 (Tenebrionidae)
205. *Pachyscelis villosa* (Drapiez, 1820) (Tenebrionidae)
206. *Pagiphora annulata* (Brullé, 1832) (Cicadidae)
207. *Pangonius (Melanopangonius) haustellatus* (Fabricius, 1781) (Tabanidae)
208. *Pangonius (s.str.) pyritosus* Loew, 1859 (Tabanidae)
209. *Paranocarodes fieberi* (Brunner von Wattenwyl, 1882) (Pamphagidae)
210. *Paranocarodes straubei* (Fieber, 1853) (Pamphagidae)
211. *Pausias martini* (Puton, 1890) (Pentatomidae)
212. *Pedestredorcadion gallipolitanum* (Thomson, 1867) (Cerambycidae)
213. *Philaenus spumarius* (Linnaeus, 1758) (Cercopidae)
214. *Philipomyia graeca* (Fabricius, 1794) (Tabanidae)
215. *Phlebotomus (Adlerius) halepensis* Theodor, 1958 (Psychodidae)
216. *Phlebotomus (Adlerius) simici* Nitzulescu, 1931 (Psychodidae)
217. *Phlebotomus (Larrousius) neglectus* Tonnoir, 1921 (Psychodidae)
218. *Phlebotomus (Larrousius) perfiliewi* Parrot, 1930 (Psychodidae)
219. *Phlebotomus (Larrousius) tobbei* Adler & Theodor, 1930 (Psychodidae)
220. *Phlebotomus (Paraphlebotomus) papatasi* (Scopoli, 1786) (Psychodidae)
221. *Phlepsius intricatus* (Herrich-Schäffer, 1838) (Cicadellidae)
222. *Phytomyza crassiseta* Zetterstedt, 1860 (Agromyzidae)
223. *Phytomyza origani* M. Hering, 1931 (Agromyzidae)
224. *Phytomyza podagrariae* M. Hering, 1954 (Agromyzidae)
225. *Piesma (Parapiesma) quadratum* (Fieber, 1844) (Piesmatidae)
226. *Piezodorus lituratus* (Fabricius, 1794) (Pentatomidae)
227. *Pimelia (Eurypimelia) akbesiana* Fairmaire, 1884 (Tenebrionidae)
228. *Pimelia (Eurypimelia) subglobosa* (Pallas, 1781) (Tenebrionidae)
229. *Pimelia (Eurypimelia) subglobosa polita* Solier, 1836 (Tenebrionidae)
230. *Plastocerus angulosus* (Germar, 1845) (Elateridae)
231. *Polistes (s.str.) dominulus* (Christ, 1791) (Vespidae)
232. *Probaticus (Pelorinus) tenebricosus* (Brullé, 1832) (Tenebrionidae)
233. *Protaetia (Potosia) funebris* (Gory & Percheron, 1833) (Scarabaeidae)
234. *Psammotettix prolongatus* Dlabola, 1979 (Cicadellidae)
235. *Pseudophotopsis schachruda* (Skorikov, 1935) (Mutillidae)
236. *Pseudophotopsis syriaca* (André, 1900) (Mutillidae)
237. *Quadrastylum scoleogramma* (Fieber, 1877) (Issidae)
238. *Ramburiella turcomana* (Fischer von Waldheim, 1833) (Acrididae)
239. *Raphigaster nebulosa* (Poda, 1761) (Pentatomidae)
240. *Reptalus (s.str.) quinquecostatus* (Dufour, 1833) (Cixiidae)
241. *Rhynchites auratus* (Scopoli, 1763) (Atelabidae)
242. *Rhynchites trojanus* Gyllenhal, 1839 (Atelabidae)
243. *Rhyparochromus reuteri* (Horvath, 1885) (Lygaeidae)
244. *Rhyparochromus vulgaris* (Schilling, 1829) (Lygaeidae)
245. *Saga campbelli* Uvarov, 1921 (Tettigoniidae)
246. *Saga cappadocica* Werner, 1903 (Tettigoniidae)
247. *Saga natoliae* Audinet-Serville, 1839 (Tettigoniidae)
248. *Scantius aegyptius* (Linnaeus, 1758) (Pyrrhocoridae)
249. *Sciocoris macrocephalus* Fieber, 1851 (Pentatomidae)
250. *Sciocoris maculatus* Fieber, 1851 (Pentatomidae)
251. *Selenocephalus obsoletus* (Germar, 1817) (Cicadellidae)

252. **Selenocephalus pallens Lindberg,1948**
(Cicadellidae)
253. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae)
254. **Selenocephalus stenopterus Signoret,1880** (Cicadellidae)
255. **Sigara lateralis Leach,1818** (Corixidae)
256. **Sigara nigrolineata (Fieber,1848)**
(Corixidae)
257. **Sigara striata (Linnaeus,1758)** (Corixidae)
258. **Silpha obscura Linnaeus,1758** (Silphidae)
259. **Silvius (s.str.) alpinus (Scopoli,1763)**
(Tabanidae)
260. **Silvius (s.str.) inflaticornis Austen,1925**
(Tabanidae)
261. **Silvius (s.str.) latifrons Olsuljev,1937**
(Tabanidae)
262. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
263. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
264. **Stictopleurus riveti Royer,1923**
(Rhopalidae)
265. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
266. **Tabanus bifarius Loew,1858** (Tabanidae)
267. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
268. **Tabanus cuculus Szilady,1923** (Tabanidae)
269. **Tabanus eggeri Schiner,1868** (Tabanidae)
270. **Tabanus exclusus Pandella,1883**
(Tabanidae)
271. **Tabanus fraseri Austen,1925** (Tabanidae)
272. **Tabanus glaucopis Meigen,1820**
(Tabanidae)
273. **Tabanus indrae Hauser,1939** (Tabanidae)
274. **Tabanus laetinctus Becker,1913**
(Tabanidae)
275. **Tabanus leleani Austen,1920** (Tabanidae)
276. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
277. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
278. **Tabanus miki Brauer,1880** (Tabanidae)
279. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
280. **Tabanus oppugnator Austen,1925**
(Tabanidae)
281. **Tabanus paradoxus Jaennicke,1866**
(Tabanidae)
282. **Tabanus portschinskii Olsufjev,1937**
(Tabanidae)
283. **Tabanus prometheus Szilady,1923**
(Tabanidae)
284. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
285. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
286. **Tabanus rupium Brauer,1880** (Tabanidae)
287. **Tabanus shannonellus Kröber,1936**
(Tabanidae)
288. **Tabanus spectabilis Loew,1858**
(Tabanidae)
289. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
290. **Tabanus tinctus Walker,1850** (Tabanidae)
291. **Tabanus unifasciatus Loew,1858** (Tabanidae)
292. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
293. **Teratolytta dives (Brullé,1832)** (Meloidae)
294. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)
295. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
296. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
297. **Tingis grisea Germar,1835** (Tingidae)
298. **Tipula (Lunatipula) canakkalensis Theischinger,1987** (Tipulidae)
299. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae)
300. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
301. **Tituboea macropus (Illiger,1800)**
(Chrysomelidae)
302. **Toya propinqua (Fieber,1866)**
(Delphacidae)
303. **Trichodes nobilis Klug,1842** (Cleridae)
304. **Trichodes punctatus Fischer,1829**
(Cleridae)
305. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
306. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
307. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
308. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae)
309. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
310. **Trissolcus simoni (Mayr,1897)** (Scelionidae)
311. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
312. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
313. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
314. **Urophora stylata (Fabricius,1775)**
(Tephritidae)
315. **Utecha trivia (Germar,1821)** (Cicadellidae)
316. **Vespula germanica (Fabricius,1793)**
(Vespidae)
317. **Vespula vulgaris (Linnaeus,1758)** (Vespidae)

Çankırı Province (18)

(240 species, stand 30 April 2010)

1. **Aconura oculata** (Lindberg,1948) (Cicadellidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acromalachus clavicornis** (Peyron,1877) (Melyridae)
4. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
5. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
6. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
7. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
8. **Aguriahana germari** (Zetterstedt,1840) (Cicadellidae)
9. **Alosimus abeillei** (Escherich,1896) (Meloidae)
10. **Altica carduorum** (Guérin-Méneville,1858) (Chrysomelidae)
11. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
12. **Amphinemura mirabilis** (Martynov,1928) (Nemouridae)
13. **Amphinemura trialetica** Zhiltzova,1957 (Nemouridae)
14. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
15. **Aneomochtherus micrasiaticus** (Tsacas,1968) (Asilidae)
16. **Anthaxia (Melanthaxia) nigrojubata** Roubal,1913 (Buprestidae)
17. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
18. **Anthocomus humeralis** Morawitz,1861 (Melyridae)
19. **Aphthona semicyanea** Allard,1859 (Chrysomelidae)
20. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
21. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
22. **Artianus manderstjernii** (Kirschbaum,1868) (Cicadellidae)
23. **Auletobius politus** Voss,1934 (Attelabidae)
24. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
25. **Bombus terrestris** Linnaeus,1758 (Apidae)
26. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
27. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
28. **Cantharis pulicaria** Fabricius,1781 (Cantharidae)
29. **Cantharis rustica** Fallén,1807 (Cantharidae)
30. **Cantharis smyrnensis** Marseul,1864 (Cantharidae)
31. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
32. **Carabus (Ichnocarabus) tenuitarsis** Kraatz,1877 (Carabidae)
33. **Carabus (Lamprostus) torosus** Frivaldsky,1835 (Carabidae)
34. **Carabus (Oxycarabus) saphyrinus** De Cristofis & Jan,1837 (Carabidae)
35. **Carabus (Procrustes) chevrolati** Cristoforis & Jan,1837 (Carabidae)
36. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
37. **Carpocoris melanocerus** Mulsant,1852 (Pentatomidae)
38. **Cassida seraphina** Ménériés,1836 (Chrysomelidae)
39. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
40. **Cephalota (Taenidia) eiselti** (Mandl,1967) (Carabidae)
41. **Ceutorhynchus nanus** Gyllenhal,1837 (Curculionidae)
42. **Chaetocnema semicoerulea** (Koch,1803) (Chrysomelidae)
43. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae)
44. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
45. **Chorthippus (Glyptobothrus) ilkazi** Uvarov,1934 (Acrididae)
46. **Chorthippus (Glyptobothrus) mollis** (Charpentier,1825) (Acrididae)
47. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
48. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
49. **Chorthippus (Stauroderus) scalaris** (Fischer von Waldheim,1846) (Acrididae)
50. **Chrysanthia varipes** Kiesenwetter,1861 (Oedemeridae)
51. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
52. **Chrysomela saliceti** (Weise,1884) (Chrysomelidae)
53. **Chrysops (Petersenichrysops) hamatus** Loew,1858 (Tabanidae)
54. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
55. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
56. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
57. **Cicadula quadrinotata** (Fabricius,1794) (Cicadellidae)
58. **Cixidia parnassia** (Stal,1859) (Achilidae)
59. **Cixius pallipes** Fieber,1876 (Cixiidae)
60. **Coccinella (s.str.) septempunctata** Linnaeus,1758 (Coccinellidae)
61. **Coelioxys (Allocoelioxys) afra** Lepeletier,1841 (Megachilidae)
62. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
63. **Coenorrhinus cribripennis** Desbrochers,1869 (Attelabidae)
64. **Corixa punctata** (Illiger,1807) (Corixidae)
65. **Corynis concinna** (Stein,1876) (Cimbicidae)
66. **Corythucha arcuata** (Say,1832) (Tingidae)
67. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
68. **Cryptocephalus moehringi** Weise,1884 (Chrysomelidae)
69. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
70. **Cryptocephalus turcius** Suffrian,1847 (Chrysomelidae)
71. **Cuneala confinis** (Konow,1886) (Tenthredinidae)
72. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae)
73. **Cylindera (s.str.) germanica** (Linnaeus,1758) (Carabidae)
74. **Cylindronotus (Odocnemis) dasypus** Seidlitz,1893 (Tenebrionidae)
75. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
76. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
77. **Dictyophara striata** Oshanin,1879 (Dictyopharidae)

78. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
79. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
80. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
81. **Duroniella laticornis** (Krauss,1909) (Acrididae)
82. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae)
83. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
84. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae)
85. **Empoasca solani** (Curtis,1846) (Cicadellidae)
86. **Eremippus gracilis** Uvarov,1934 (Acrididae)
87. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
88. **Exochostoma osellai** Mason,1995 (Stratiomyidae)
89. **Frutiodia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
90. **Germaria obscuripennis** Tschorsnig,2000 (Tachinidae)
91. **Gerris costae** (Herrich-Schäffer,1850) (Gerridae)
92. **Glyphotmethis inermis** (Uvarov,1934) (Pamphagidae)
93. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
94. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
95. **Grypotes puncticollis** (Herrich-Schäffer,1834) (Cicadellidae)
96. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
97. **Haematopota italica** Meigen,1804 (Tabanidae)
98. **Haematopota kemali** Szilady,1923 (Tabanidae)
99. **Haematopota sewelli** Austen,1920 (Tabanidae)
100. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
101. **Hephathus nanus** (Herrich-Schäffer,1835) (Cicadellidae)
102. **Holochelus (Miltotrogus) escherichi** Brenske,1897 (Scarabaeidae)
103. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
104. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
105. **Hyalesthes ponticorum** Hoch & Remane,1985 (Cixiidae)
106. **Hyalesthes scotti** Ferrari,1882 (Cixiidae)
107. **Hypocassida subferruginea** (Schränk,1776) (Chrysomelidae)
108. **Iassus lanio** (Linnaeus,1761) (Cicadellidae)
109. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
110. **Ischnomera caerulea** (Linnaeus,1758) (Oedemeridae)
111. **Ischnomera haemorrhoidalis** (W.Schmidt,1846) (Oedemeridae)
112. **Ischyronota desertorum** (Gebler,1833) (Chrysomelidae)
113. **Isophya ilkazi** Ramme,1951 (Tettigoniidae)
114. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
115. **Isophya obenbergeri** Maran,1958 (Tettigoniidae)
116. **Isophya staneki** Maran,1958 (Tettigoniidae)
117. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
118. **Leuctra anatolica** Kazancı,1986 (Leuctridae)
119. **Leuctra minuta** Zhiltzova,1960 (Leuctridae)
120. **Limotettix striola** (Fallén,1806) (Cicadellidae)
121. **Liponeura mannheimsi** Zwick,1972 (Blephariceridae)
122. **Lophyridia fischeri** (Adams,1817) (Carabidae)
123. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
124. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
125. **Macrophya suberba** Tischbein,1852 (Tenthredinidae)
126. **Macropsis megerlei** (Fieber,1868) (Cicadellidae)
127. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
128. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
129. **Megabombus humilis** (Illiger,1806) (Apidae)
130. **Megachile (Xanthosarus) maritima** (Kirby,1802) (Megachilidae)
131. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
132. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
133. **Metacantharis taurigrada** Bourgeois,1900 (Cantharidae)
134. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
135. **Muzimes collaris** (Fabricius,1787) (Meloidae)
136. **Mylabris variabilis** (Pallas,1782) (Meloidae)
137. **Myndus musivus** (Germar,1825) (Cixiidae)
138. **Myrmeleotettix maculatus** (Thunberg,1815) (Acrididae)
139. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
140. **Nebria (s.str.) wiedemanni** Fischer von Waldheim,1844 (Carabidae)
141. **Nemorius vitripennis** (Meigen,1820) (Tabanidae)
142. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
143. **Nemoura flexuosa** Aubert,1949 (Nemouridae)
144. **Nicrophorus germanicus** (Linnaeus,1758) (Silphidae)
145. **Nicrophorus humator** (Gleditsch,1767) (Silphidae)
146. **Oedemera (s.str.) lurida** (Marsham,1802) (Oedemeridae)
147. **Oedemera (s.str.) penicillata** W.Schmidt,1846 (Oedemeridae)
148. **Oedemera (s.str.) pthysica** (Scopoli,1763) (Oedemeridae)
149. **Oedipoda caerulescens** (Linnaeus,1758) (Acrididae)
150. **Oedipoda schochi** Saussure,1884 (Acrididae)
151. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)
152. **Opatrum geminatum** Brullé,1832 (Tenebrionidae)
153. **Opatrum sabulosum** (Linnaeus,1761) (Tenebrionidae)
154. **Osmia (Helicosmia) fulviventris** (Panzer,1798) (Megachilidae)
155. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
156. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
157. **Panorpa schweigeri** Willmann,1975 (Panorpidae)
158. **Paramesus major** Haupt,1927 (Cicadellidae)
159. **Pedestredorcadion cinerarium** (Fabricius,1787) (Cerambycidae)

160. **Pedestredorcadion iconiense** (Dan.,1901) (Cerambycidae)
161. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
162. **Pentastira megista** Emeljanov,1978 (Cixiidae)
163. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae)
164. **Pezodrymadusa angorensis** (Uvarov,1930) (Tettigoniidae)
165. **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae)
166. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
167. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
168. **Platycheirus aurolateralis** Stubbs,2002 (Syrphidae)
169. **Platycleis (Montana) elegans** (Uvarov,1934) (Tettigoniidae)
170. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
171. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
172. **Platymetopus major** (Kirschbaum,1868) (Cicadellidae)
173. **Poecilimon bosporicus** Brunner von Wattenwyl,1878 (Tettigoniidae)
174. **Polyphylla (s.str.) fullo** (Linnaeus,1758) (Scarabaeidae)
175. **Populicerus sharifi** Dlabola,1977 (Cicadellidae)
176. **Probaticus (Pelorinus) granipennis** (Allard,1876) (Tenebrionidae)
177. **Protonemura praecox** (Morton,1894) (Nemouridae)
178. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
179. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
180. **Pselaphorhynchites nanus** (Paykull,1792) (Attelabidae)
181. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
182. **Ramburiella bolivari** (Kuthy,1907) (Acrididae)
183. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
184. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
185. **Reptalus (s.str.) panzeri** (Loew,1883) (Cixiidae)
186. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
187. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
188. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
189. **Rhyparochromus immaculatus** (Rey,1920) (Lygaeidae)
190. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
191. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
192. **Selatosomus (s.str.) latus** (Fabricius,1801) (Elateridae)
193. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
194. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
195. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
196. **Silpha obscura** Linnaeus,1758 (Silphidae)
197. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
198. **Sphingonotus (s.str.) nebulosus** (Fischer von Waldheim,1846) (Acrididae)
199. **Sphingonotus (s.str.) theodori** Uvarov,1923 (Acrididae)
200. **Sphingonotus (s.str.) turcicus** Uvarov,1930 (Acrididae)
201. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
202. **Stauroderus scalaris** (Fischer von Waldheim,1846) (Acrididae)
203. **Stenobothrus (Crotalacris) selmae** Ünal,1999 (Acrididae)
204. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
205. **Stenobothrus (s.str.) lineatus** (Panzer,1796) (Acrididae)
206. **Stenobothrus (s.str.) nigromaculatus** (Herrich-Schäffer,1840) (Acrididae)
207. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
208. **Stenodera caucasica** (Pallas,1781) (Meloidae)
209. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
210. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
211. **Tabanus laetinctus** Becker,1913 (Tabanidae)
212. **Tabanus oppugnator** Austen,1925 (Tabanidae)
213. **Tabanus spectabilis** Loew,1858 (Tabanidae)
214. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae)
215. **Tenthredo liturata** (Mocsary,1886) (Tenthredinidae)
216. **Tenthredo propinqua** Klug,1817 (Tenthredinidae)
217. **Tenthredopsis nassata** Linnaeus,1767 (Tenthredinidae)
218. **Tephritis dioscurea** (Loew,1856) (Tephritidae)
219. **Tephritis vespertina** (Loew,1844) (Tephritidae)
220. **Tettigometra (Mitricephalus) leucophaea** (Preyssler,1792) (Tettigometridae)
221. **Trechus (s.str.) ilgazicus** Pawlowski,1976 (Carabidae)
222. **Tremulicerus mesopyrrhus** (Kirschbaum,1868) (Cicadellidae)
223. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
224. **Trissolcus manteroi** (Kieffer,1909) (Scelionidae)
225. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
226. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
227. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
228. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
229. **Tshurtshurnella despecta** (Linnavuori,1965) (Issidae)
230. **Tychius argentatus** Chevrolat,1859 (Curculionidae)
231. **Tychius cuprifer** (Panzer,1799) (Curculionidae)
232. **Tychius eldae** Caldara,1990 (Curculionidae)
233. **Tychius picirostris** (Fabricius,1787) (Curculionidae)
234. **Tychius ruscicus** Desbrochers,1908 (Curculionidae)

235. **Tychius stephensi** Schoenherr,1836
(Curculionidae)
236. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
237. **Zonitis nana Ragusa,1882** (Meloidae)
238. **Zygina (s.str.) rorida** (Mulsant &
Rey,1855) (Cicadellidae)

239. **Zyginidia (s.str.) emrea**
Kalkandelen,1985 (Cicadellidae)
240. **Zyginidia (s.str.) pullula**
(Boheman,1845) (Cicadellidae)

Çorum Province (19)

(217 species, stand 30 April 2010)

1. **Acrida bicolor** (Thunberg,1815) (Acrididae)
2. **Acrosternum millierei** (Mulsant & Rey,1866)
(Pentatomidae)
3. **Aelia acuminata** (Linnaeus,1758)
(Pentatomidae)
4. **Aelia albovittata** Fieber,1868 (Pentatomidae)
5. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
6. **Aelia rostrata** Boheman,1852 (Pentatomidae)
7. **Agalmatium bilobum** (Fieber,1877) (Issidae)
8. **Agalmatium flavescens** (Olivier,1791) (Issidae)
9. **Agrilus (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
10. **Aguriahana germari** (Zetterstedt,1840)
(Cicadellidae)
11. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
12. **Altica carduorum** (Guérin-Ménéville,1858)
(Chrysomelidae)
13. **Amara (s.str.) lukasi** Hejkal,2002 (Carabidae)
14. **Amphicoma (Vittateulasia) vittata**
(Fabricius,1775) (Glaphyridae)
15. **Anisoplia (Chaetopteroplia) segetum**
(Herbst,1783) (Scarabaeidae)
16. **Anoplotettix fuscovenosus** (Ferrari,1882)
(Cicadellidae)
17. **Anthaxia (Cratomerus) diadema**
Fischer,1824 (Buprestidae)
18. **Anthaxia (Haplantaxia) millefolii**
(Fabricius,1801) (Buprestidae)
19. **Anthaxia (s.str.) signaticollis** (Krynicky,1832)
(Buprestidae)
20. **Anthypna ciliata** (Ménétriés,1836)
(Glaphyridae)
21. **Apechthis quadridentata** (Thomson,1877)
(Ichneumonidae)
22. **Aphrophora alni** (Fallén,1805) (Cercopidae)
23. **Aphthona euphorbiae** (Schrank,1781)
(Chrysomelidae)
24. **Aphthona semicyanea** Allard,1859
(Chrysomelidae)
25. **Apodiphus amygdali** (Germar,1817)
(Pentatomidae)
26. **Arachnospila anceps** (Wesmael,1851)
(Pompilidae)
27. **Asiraca clavicornis** (Fabricius,1794)
(Delphacidae)
28. **Athalia circularis** (Klug,1815) (Tenthredinidae)
29. **Balcanocerus larvatus** (Herrich-
Schäffer,1835) (Cicadellidae)
30. **Belopus (Centorus) turcicus** (Kaszab,1959)
(Tenebrionidae)
31. **Bombus terrestris** Linnaeus,1758 (Apidae)
32. **Calliptamus barbarus** (Costa,1836) (Acrididae)
33. **Calliptamus coelesyriensis** (Giglio-Tos,1893)
(Acrididae)
34. **Calliptamus tenuicercis** Tarbinsky,1930
(Acrididae)
35. **Cantharis livida** Linnaeus,1758 (Cantharidae)
36. **Cantharis pulicaria** Fabricius,1781
(Cantharidae)
37. **Cardiophorus (s.str.) megathorax**
(Faldermann,1835) (Elateridae)
38. **Cardiophorus (s.str.) nigratissimus**
Buysson,1891 (Elateridae)
39. **Carpocoris fuscispinus** (Boheman,1851)
(Pentatomidae)
40. **Carpocoris melanocerus** Mulsant,1852
(Pentatomidae)
41. **Cassida rubiginosa** Müller,1776
(Chrysomelidae)
42. **Cassida saucia** Weise,1889 (Chrysomelidae)
43. **Cassida seraphina** Ménétriés,1836
(Chrysomelidae)
44. **Celes variabilis** (Pallas,1771) (Acrididae)
45. **Centrotus cornutus** (Linnaeus,1758)
(Membracidae)
46. **Cephalota (Taenidia) circumdata**
(Dejean,1822) (Carabidae)
47. **Cerocoma dahli** Kraatz,1863 (Meloidae)
48. **Chaetocnema obesa** (Boieldieu,1859)
(Chrysomelidae)
49. **Chlorita moganica** (Dlabola,1957)
(Cicadellidae)
50. **Chorthippus (s.str.) loratus** (Fischer von
Waldheim,1846) (Acrididae)
51. **Chrysolina herbacea** (Duftschmidt,1825)
(Chrysomelidae)
52. **Chrysomela populi** Linnaeus,1758
(Chrysomelidae)
53. **Cicadivetta tibialis** (Panzer,1798) (Cicadidae)
54. **Cicadula placida** (Horvath,1897) (Cicadellidae)
55. **Cicindela campestris** Linnaeus,1758
(Carabidae)
56. **Cixidia parnassia** (Stal,1859) (Achilidae)
57. **Conocephalus (Anisoptera) fuscus**
(Fabricius,1793) (Tettigoniidae)
58. **Corixa affinis** Leach,1818 (Corixidae)
59. **Crepidodera aurata** (Marsham,1802)
(Chrysomelidae)
60. **Cryptocephalus bipunctatus** (Linnaeus,1758)
(Chrysomelidae)
61. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
62. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)

63. **Cryptocephalus moehringi** Weise,1884 (Chrysomelidae)
64. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
65. **Cryptocephalus tshorumae** Tomov,1984 (Chrysomelidae)
66. **Cuneala amasiensis** (Kriechbaumer,1869) (Tenthredinidae)
67. **Curculio crux** Fabricius,1776 (Curculionidae)
68. **Curculio glandium** Marsham,1802 (Curculionidae)
69. **Curculio pellitus** Boheman,1843 (Curculionidae)
70. **Curculio salicivorus** Paykull,1792 (Curculionidae)
71. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae)
72. **Dasyrhamphus umbrinus** (Meigen,1820) (Tabanidae)
73. **Dendarus (Pandarinus) crenulatus (Ménétriés,1832)** (Tenebrionidae)
74. **Dendarus (Pandarinus) foveolatus Seidlitz,1893** (Tenebrionidae)
75. **Dictyonota strichnocera** Fieber,1844 (Tingidae)
76. **Dioctria arcana** Richter,1966 (Asilidae)
77. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
78. **Doraturopsis heros** (Melichar,1902) (Cicadellidae)
79. **Duilius tamaricis** (Puton & Lethierry,1887) (Cixiidae)
80. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
81. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
82. **Emblethis kareli** Hoberlandt,1955 (Lygaeidae)
83. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae)
84. **Eurydema blanda** Horvath,1803 (Pentatomidae)
85. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
86. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
87. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
88. **Eurydema spectabilis** Horvath,1882 (Pentatomidae)
89. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
90. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
91. **Gargara genistae** (Fabricius,1775) (Membracidae)
92. **Geocoris lineolus** (Rambur,1839) (Lygaeidae)
93. **Glyphotmethis sevketi** (Ramme,1951) (Pamphagidae)
94. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
95. **Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae)
96. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
97. **Haematopota hennauxi** Leclercq,1967 (Tabanidae)
98. **Hephathus nanus** (Herrich-Schäffer,1835) (Cicadellidae)
99. **Hesperocorixa parallela** (Fieber,1860) (Corixidae)
100. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
101. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
102. **Hyalesthes ponticorum** Hoch & Remane,1985 (Cixiidae)
103. **Hydrochara dichorama** (Fairmaire,1829) (Hydrophilidae)
104. **Hypera variabilis** (Herbst,1795) (Curculionidae)
105. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
106. **Idiocerus herrichii** Kirschbaum,1868 (Cicadellidae)
107. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
108. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
109. **Isophya rectipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
110. **Isophya stenocauda** Ramme,1951 (Tettigoniidae)
111. **Kropka unipunctata** (Dlabola,1957) (Cicadellidae)
112. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
113. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
114. **Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae)
115. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
116. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
117. **Leptophyes albiovittata** (Kollar,1833) (Tettigoniidae)
118. **Lepyronia coleoprata** (Linnaeus,1758) (Cercopidae)
119. **Limobius borealis** (Paykull,1792) (Curculionidae)
120. **Lixus cardui** Olivier,1807 (Curculionidae)
121. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
122. **Lophyridia fischeri** (Adams,1817) (Carabidae)
123. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
124. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae)
125. **Megabombus zonatus** (Smith,1854) (Apidae)
126. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
127. **Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae)
128. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
129. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
130. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
131. **Mylabris zebraea** (Marseul,1870) (Meloidae)
132. **Nemognatha chrysomelina** (Fabricius,1775) (Meloidae)
133. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
134. **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
135. **Nezara viridula** (Linnaeus,1758) (Pentatomidae)
136. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)

137. **Oedemera (s.str.) lurida (Marsham,1802)**
(Oedemeridae)
138. **Opatrum alternatum Küster,1849**
(Tenebrionidae)
139. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
140. **Orthetrum brunneum (Fonscolombe,1837)**
(Libellulidae)
141. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
142. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae)
143. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae)
144. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
145. **Paranocaracris citripes (Uvarov,1949)**
(Pamphagidae)
146. **Pedestredorcasion cinerarium (Fabricius,1787)** (Cerambycidae)
147. **Pedestredorcasion enricisturani (Breuning & Ruspoli,1971)** (Cerambycidae)
148. **Pedestredorcasion iconiense (Dan.,1901)**
(Cerambycidae)
149. **Pedestredorcasion kollari (Kraatz,1873)**
(Cerambycidae)
150. **Pedestredorcasion piochardi (Kraatz,1873)**
(Cerambycidae)
151. **Pedestredorcasion subatritarse (Breuning,1966)** (Cerambycidae)
152. **Pedinus (s.str.) kiesenwetteri Seidlitz,1893**
(Tenebrionidae)
153. **Pedinus (s.str.) strabonis Seidlitz,1893**
(Tenebrionidae)
154. **Peirates strepitans (Rambur,1839)**
(Reduviidae)
155. **Pentastira major (Kirschbaum,1868)**
(Cixiidae)
156. **Pentodon idiota (Herbst,1789)** (Scarabaeidae)
157. **Phratora vitellinae (Linnaeus,1758)**
(Chrysomelidae)
158. **Phyllotreta cruciferae (Goeze,1777)**
(Chrysomelidae)
159. **Phyllotreta nemorum (Linnaeus,1758)**
(Chrysomelidae)
160. **Piezodorus lituratus (Fabricius,1794)**
(Pentatomidae)
161. **Pimelia (Eurypimelia) akbesiana Fairmaire,1884** (Tenebrionidae)
162. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae)
163. **Platycleis (Montana) taurica Bolivar,1899**
(Tettigoniidae)
164. **Poecilimon cervus Karabağ,1950**
(Tettigoniidae)
165. **Poecilimon xenocercus Karabağ,1956**
(Tettigoniidae)
166. **Poecilimonella armeniaca Uvarov,1921**
(Tettigoniidae)
167. **Prionotropis maculinervis (Stal,1878)**
(Pamphagidae)
168. **Psammotettix alienus (Dahlbom,1850)**
(Cicadellidae)
169. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae)
170. **Psammotettix striatus (Linnaeus,1758)**
(Cicadellidae)
171. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
172. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
173. **Pyrgomorpha conica (Olivier,1791)**
(Pyrgomorphidae)
174. **Pyrobombus niveatus (Kriechbaumer,1870)**
(Apidae)
175. **Pyrrhocoris apterus (Linnaeus,1758)**
(Pyrrhocoridae)
176. **Quasimus minutissimus (Germar,1817)**
(Elateridae)
177. **Raphigaster nebulosa (Poda,1761)**
(Pentatomidae)
178. **Rhizotrogus (Amphimallon) caucasicum (Gyllenhal,1817)** (Scarabaeidae)
179. **Rhynchites hungaricus (Herbst,1784)**
(Attelebidae)
180. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae)
181. **Saga cappadocica Werner,1903** (Tettigoniidae)
182. **Selenocephalus anatolicus Dlabola,1957**
(Cicadellidae)
183. **Selenocephalus pallidus Kirschbaum,1868**
(Cicadellidae)
184. **Selenocephalus stenopterus Signoret,1880**
(Cicadellidae)
185. **Simulium (s.str.) bezzii (Corti,1914)**
(Simuliidae)
186. **Simulium (s.str.) kiritshenkoi Rubtsov,1940**
(Simuliidae)
187. **Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae)
188. **Sphex flavipennis Fabricius,1793**
(Sphecidae)
189. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
190. **Stenobothrus (s.str.) zubovskii Bolivar,1899**
(Acrididae)
191. **Stenodynerus bluethgeni Van der Vecht,1971**
(Vespidae)
192. **Stenodynerus chevrieranus (Saussure,1855)**
(Vespidae)
193. **Stictocoris picturatus (Sahlberg,1842)**
(Cicadellidae)
194. **Tabanus bifarius Loew,1858** (Tabanidae)
195. **Tabanus bromius Linnaeus,1758** (Tabanidae)
196. **Tabanus laetinctus Becker,1913** (Tabanidae)
197. **Tabanus quatuornatus Meigen,1820**
(Tabanidae)
198. **Tabanus spectabilis Loew,1858** (Tabanidae)
199. **Tabanus unifasciatus Loew,1858** (Tabanidae)
200. **Tachyagetes konyanus Wolf,1987**
(Pompilidae)
201. **Tenthredo zonula Klug,1817** (Tenthredinidae)
202. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
203. **Thamnotettix (s.str.) diluitor (Kirschbaum,1868)** (Cicadellidae)
204. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
205. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
206. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
207. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
208. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
209. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)

- | | |
|--|--|
| <p>210. Tropinota (Epicometis) hirta (Poda,1761) (Scarabaeidae)
211. Tshurtshurnella despecta (Linnavuori,1965) (Issidae)
212. Utecha trivialis (Germar,1821) (Cicadellidae)
213. Vachiria natolica Stal,1859 (Reduviidae)</p> | <p>214. Xya pfaendleri (Harz,1970) (Tridactylidae)
215. Zonitis immaculata (Olivier,1790) (Meloidae)
216. Zygina (s.str.) ordinaria (Ribaut,1936) (Cicadellidae)
217. Zyginidia (s.str.) pullula (Boheman,1845) (Cicadellidae)</p> |
|--|--|

Denizli Province (20)

(280 species, stand 30 April 2010)

- | | |
|---|---|
| <p>1. Ablattaria arenaria (Kraatz,1876) (Silphidae)
2. Acanthiophilus helianthi (Rossi,1790) (Tephritidae)
3. Acericerus rotundifrons (Kirschbaum,1868) (Cicadellidae)
4. Acinipe davisii (Uvarov,1949) (Pamphagidae)
5. Acrida anatolica Dirsh,1949 (Acrididae)
6. Acrida bicolor (Thunberg,1815) (Acrididae)
7. Adalia (s.str.) bipunctata (Linnaeus,1758) (Coccinellidae)
8. Agabus (Acatodes) congener (Thunberg,1794) (Dytiscidae)
9. Agabus (Gaurodytes) conspersus (Marsham,1802) (Dytiscidae)
10. Agabus (Gaurodytes) guttatus (Paykull,1798) (Dytiscidae)
11. Agalmatium bilobum (Fieber,1877) (Issidae)
12. Agenioideus ruficeps (Eversmann,1849) (Pompilidae)
13. Agenioideus rytiphorus (Kohl,1886) (Pompilidae)
14. Agenioideus sericeus (Van der Linden,1827) (Pompilidae)
15. Agrilus (Anambus) roscidus Kiesenwetter,1857 (Buprestidae)
16. Alosimus myrnensis (Maran,1942) (Meloidae)
17. Anacridium aegyptium (Linnaeus,1764) (Acrididae)
18. Anadolua burri Karabağ,1952 (Tettigoniidae)
19. Anadolua schwarzi Ramme,1939 (Tettigoniidae)
20. Anadrymadusa spinicercis (Karabağ,1956) (Tettigoniidae)
21. Ancistrocerus auctus (Fabricius,1793) (Vespidae)
22. Andricus conglomeratus (Giraud,1859) (Cynipidae)
23. Andricus coriarius (Hartig,1843) (Cynipidae)
24. Andricus coronatus (Giraud,1859) (Cynipidae)
25. Andricus curtisii (Müller,1870) (Cynipidae)
26. Andricus curvator Hartig,1840 (Cynipidae)
27. Andricus grossulariae Giraud,1859 (Cynipidae)
28. Andricus infectorius (Hartig,1843) (Cynipidae)
29. Andricus kollari (Hartig,1843) (Cynipidae)
30. Andricus lignicolus (Hartig,1840) (Cynipidae)
31. Andricus lucidus (Hartig,1843) (Cynipidae)
32. Andricus polycerus (Giraud,1859) (Cynipidae)
33. Andricus quercustozae (Bosc,1792) (Cynipidae)
34. Andricus stefanii (Kieffer,1897) (Cynipidae)</p> | <p>35. Andricus tomentosus (Trotter,1901) (Cynipidae)
36. Anospilus orbitalis (Costa,1863) (Pompilidae)
37. Anterastes akdaghensis Ramme,1951 (Tettigoniidae)
38. Anterastes babadaghi Uvarov,1939 (Tettigoniidae)
39. Anthaxia (Euanthaxia) anatolica Chevrolat,1837 (Buprestidae)
40. Anthaxia (Melanthaxia) corinthia Reiche & Sauley,1856 (Buprestidae)
41. Anthaxia (s.str.) lucens Küster,1852 (Buprestidae)
42. Anthaxia (s.str.) plicata Kiesenwetter,1859 (Buprestidae)
43. Anthidium (Anthidiellum) insulare Morawitz,1873 (Megachilidae)
44. Anthidium (Anthidiellum) judaense (Mavromoustakis,1945) (Megachilidae)
45. Anthidium (Proanthidium) undulatifforme Friese,1917 (Megachilidae)
46. Anthidium (Rhodanthidium) septemdentatum (Latreille,1809) (Megachilidae)
47. Anthidium (s.str.) florentinum (Fabricius,1775) (Megachilidae)
48. Anthidium (s.str.) loti Perris,1852 (Megachilidae)
49. Aphelonyx cerricola (Giraud,1859) (Cynipidae)
50. Apodiphus amygdali (Germar,1817) (Pentatomidae)
51. Arboridia adanae (Dlabola,1957) (Cicadellidae)
52. Asiraca clavicornis (Fabricius,1794) (Delphacidae)
53. Auletobius pubescens (Kiesenwetter,1852) (Atelabidae)
54. Aulonogyrus concinnus (Klug,1834) (Gyrinidae)
55. Auplopus rectus (Haupt,1927) (Pompilidae)
56. Baryphora speciosa Loew,1844 (Theravidae)
57. Basilina nana Theodor & Moscona,1954 (Nycteribiidae)
58. Biorhiza pallida (Olivier,1791) (Cynipidae)
59. Blaps lethifera Marsham,1802 (Tenebrionidae)
60. Brachygluta cavernosa (Saulcy,1876) (Staphylinidae)
61. Byctiscus betulae (Linnaeus,1758) (Atelabidae)
62. Calliptamus barbarus (Costa,1836) (Acrididae)
63. Calliptamus coelesyriensis (Giglio-Tos,1893) (Acrididae)
64. Calliptamus tenuicercis Tarbinsky,1930 (Acrididae)</p> |
|---|---|

65. **Calopteryx mingrelica Selys,1869**
(Calopterygidae)
66. **Cantharis pulicaria Fabricius,1781**
(Cantharidae)
67. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
68. **Capnodis porosa (Klug,1829)** (Buprestidae)
69. **Capnodis tenebrionis (Linnaeus,1761)**
(Buprestidae)
70. **Cassida prasina Illiger,1798** (Chrysomelidae)
71. **Centrotus cornutus (Linnaeus,1758)**
(Membracidae)
72. **Chorthippus (s.str.) dichrous**
(Eversmann,1859) (Acrididae)
73. **Chrysolina graminis (Linnaeus,1758)**
(Chrysomelidae)
74. **Chrysolina herbacea (Duftschmidt,1825)**
(Chrysomelidae)
75. **Chrysolina vernalis (Brullé,1836)**
(Chrysomelidae)
76. **Chrysomela populi Linnaeus,1758**
(Chrysomelidae)
77. **Chrysopa hungarica Klapalek,1899**
(Chrysopidae)
78. **Chrysopa viridana Schneider,1845**
(Chrysopidae)
79. **Chrysops (Petersenichrysops) compactus**
Austen,1924 (Tabanidae)
80. **Chrysops (Petersenichrysops) hamatus**
Loew,1858 (Tabanidae)
81. **Chrysops (s.str.) flavipes Meigen,1804**
(Tabanidae)
82. **Clytra atraphaxidis (Pallas,1773)**
(Chrysomelidae)
83. **Clytra laeviuscula (Ratzeburg,1837)**
(Chrysomelidae)
84. **Clytra novempunctata Olivier,1808**
(Chrysomelidae)
85. **Coenorrhinus aequatus (Linnaeus,1767)**
(Atelabidae)
86. **Colpa quinquecincta (Fabricius,1775)**
(Scolidae)
87. **Corizus fenestella Horvath,1917** (Rhopalidae)
88. **Crypticus (s.str.) pettersoni Ferrer &**
Soldati,1999 (Tenebrionidae)
89. **Cryptocheilus albosignatus Sustera,1924**
(Pompilidae)
90. **Cryptocheilus fischeri (Spinola,1855)**
(Pompilidae)
91. **Cryptocheilus octomaculatus (Rossi,1790)**
(Pompilidae)
92. **Cryptocheilus rufatus Priesner,1967**
(Pompilidae)
93. **Cryptocheilus versicolor (Scopoli,1763)**
(Pompilidae)
94. **Cuneala amasiensis (Kriechbaumer,1869)**
(Tenthredinidae)
95. **Cybister (Scaphinectes) lateralimarginalis**
(De Geer,1774) (Dytiscidae)
96. **Cylindera (Cicindina) arenaria (Fuessli,1775)**
(Carabidae)
97. **Cynips quercus (Fourcroy,1785)** (Cynipidae)
98. **Cynips quercusfolii (Linnaeus,1758)**
(Cynipidae)
99. **Cynphon palustris Thomson,1855** (Scirtidae)
100. **Dailognatha quadricollis Brullé,1832**
(Tenebrionidae)
101. **Dasineura oleae (Loew,1885)** (Cecidomyiidae)
102. **Deleproctophylla dusmeti Navas,1914**
(Ascalaphidae)
103. **Dictyophara asiatica Melichar,1912**
(Dictyopharidae)
104. **Dictyophara europaea (Linnaeus,1767)**
(Dictyopharidae)
105. **Dictyophara multireticulata Mulsant &**
Rey,1855 (Dictyopharidae)
106. **Dicyrtomellus argenteus Wahis,1982**
(Pompilidae)
107. **Dociostaurus (s.str.) maroccanus**
(Thunberg,1815) (Acrididae)
108. **Duroniella fracta (Krauss,1890)**
(Acrididae)
109. **Dyroderes umbraculatus (Fabricius,1775)**
(Pentatomidae)
110. **Emblethis griseus (Wolff,1802)** (Lygaeidae)
111. **Empis (s.str.) inopinata Collin,1960**
(Empididae)
112. **Empis (s.str.) nigripes Fabricius,1794**
(Empididae)
113. **Enicospilus cruciator Victorov,1957**
(Ichneumonidae)
114. **Eoferreola anatolica Piesner,1973**
(Pompilidae)
115. **Eoferreola manticata (Pallas,1771)**
(Pompilidae)
116. **Eoferreola rhombica (Christ,1791)**
(Pompilidae)
117. **Eoferreola thoracica (Rossi,1794)** (Pompilidae)
118. **Epallage fatime (Charpentier,1840)**
(Calopterygidae)
119. **Episyron albonotatum (Van der**
Linden,1827) (Pompilidae)
120. **Eumenes pomiformis (Fabricius,1781)**
(Vespididae)
121. **Euodynerus (s.str.) disconotatus**
(Lichtenstein,1884) (Vespididae)
122. **Eurydema blanda Horvath,1803**
(Pentatomidae)
123. **Eurydema ventralis Kolenati,1846**
(Pentatomidae)
124. **Evagetes elongatus Lepeletier,1845**
(Pompilidae)
125. **Evagetes tumidosus (Tournier,1890)**
(Pompilidae)
126. **Fieberiella macchiai Linnavuori,1962**
(Cicadellidae)
127. **Forficula lurida Fischer,1853** (Forficulidae)
128. **Gerris thoracicus Schummel,1832** (Gerridae)
129. **Gomphus flavipes (Charpentier,1825)**
(Gomphidae)
130. **Gonocephalum granulatum (Fabricius,1791)**
(Tenebrionidae)
131. **Gonocephalum rusticum (Olivier,1811)**
(Tenebrionidae)
132. **Graecopachys quadricollis (Brullé,1832)**
(Tenebrionidae)
133. **Gyrinus distinctus Aubé,1836** (Gyrinidae)
134. **Haematopota grandis Macquart,1834**
(Tabanidae)
135. **Haematopota kemali Szilady,1923** (Tabanidae)
136. **Haematopota ocelligera Kröber,1922**
(Tabanidae)
137. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
138. **Hesperocorixa linnaei (Fieber,1848)**
(Corixidae)
139. **Homodela ismenia (Gory,1833)** (Carabidae)
140. **Hoplitis (Alcidamea) stellaris**
(Warncke,1991) (Megachilidae)

141. **Hydaticus (s.str.) transversalis** (Pontopoddian,1763) (Dytiscidae)
142. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
143. **Hypera farinosa** Boheman,1842 (Curculionidae)
144. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
145. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
146. **Isolabella graeca** (Verhoeff,1901) (Spongiphoridae)
147. **Isolaboides kosswigi** (Burr,1947) (Spongiphoridae)
148. **Kelisia ribauti** Wagner,1938 (Delphacidae)
149. **Labidostomis mesopotamica** Heyden,1886 (Chrysomelidae)
150. **Labidostomis rufa** (Waltl,1838) (Chrysomelidae)
151. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa,1966 (Hydrophilidae)
152. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
153. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
154. **Laccobius (Dimorpholaccobius) sipylus** Orchymont,1939 (Hydrophilidae)
155. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
156. **Laccobius (Microlaccobius) exilis** Gentili,1974 (Hydrophilidae)
157. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
158. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
159. **Larinus syriacus** Gyllenhal,1836 (Curculionidae)
160. **Lasioglossum (Evyllaesus) mesosclerum** (Pérez,1903) (Halictidae)
161. **Latheticus oryzae** Waterhouse,1880 (Tenebrionidae)
162. **Leptochilus regulus** Saussure,1855 (Vespidae)
163. **Lertha ledereri** (Selys-Longchamps,1866) (Nemopteridae)
164. **Lertha sheppardi** (Kirby,1904) (Nemopteridae)
165. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
166. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)
167. **Linnaemya comta** (Fallén,1810) (Tachinidae)
168. **Liriomyza strigata** (Meigen,1830) (Agromyzidae)
169. **Lixus punctiventris** Boheman,1836 (Curculionidae)
170. **Lophyridia fischeri** (Adams,1817) (Carabidae)
171. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
172. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
173. **Macrolophus caliginosus** Wagner,1950 (Miridae)
174. **Maladera (Macroserica) lyciensis** Petrovitz,1969 (Scarabaeidae)
175. **Malthodes denizianus** Wittmer,1970 (Cantharidae)
176. **Megascolia maculata** (Drury,1773) (Scoliidae)
177. **Mocuellus dlabolai** Kalkandelen,1972 (Cicadellidae)
178. **Monosteira lobulifera** Reuter,1888 (Tingidae)
179. **Muirodelphax aubei** (Perris,1857) (Delphacidae)
180. **Mylabris crocata** (Pallas,1781) (Meloidae)
181. **Mylabris zebraea** (Marseul,1870) (Meloidae)
182. **Myriochoile (s.str.) melancholica** (Fabricius,1798) (Carabidae)
183. **Myrmeleotettix maculatus** (Thunberg,1815) (Acrididae)
184. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
185. **Netelia (Toxochiloides) krishtali** Tolkanitz,1971 (Ichneumonidae)
186. **Neuroterus lanuginosus** Giraud,1859 (Cynipidae)
187. **Neuroterus numismalis** (Fourcroy,1785) (Cynipidae)
188. **Nocarodes bicoloripes** Uvarov,1949 (Pamphagidae)
189. **Oedaleus decorus** (Germar,1817) (Acrididae)
190. **Oedipoda aurea** Uvarov,1923 (Acrididae)
191. **Oedipoda caerulea** (Linnaeus,1758) (Acrididae)
192. **Oedipoda miniata** (Pallas,1771) (Acrididae)
193. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
194. **Oligopogon londti** Geller-Grimm & Hradsky,2003 (Asilidae)
195. **Onychogomphus flexuosus** (Schneider,1845) (Gomphidae)
196. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
197. **Oplodontha viridula** (Fabricius,1775) (Stratiomyidae)
198. **Osmia (Tergosmia) rhodoensis** (Zanden,1983) (Megachilidae)
199. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
200. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
201. **Parodontodynerus ephippium** (Klug,1817) (Vespidae)
202. **Pentodon idiota** (Herbst,1789) (Scarabaeidae)
203. **Perlamantispa perla** (Pallas,1772) (Mantispidae)
204. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
205. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
206. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
207. **Plagiotrochus quercusilicis** (Fabricius,1798) (Cynipidae)
208. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
209. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
210. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
211. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
212. **Poecilimon angulatus** Uvarov,1939 (Tettigoniidae)
213. **Poecilimon obtusicercus** Heller, Sevgili & Reinhold,2008 (Tettigoniidae)
214. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
215. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)

216. **Polistes (s.str.) nimpha (Christ,1791)**
(Vespidae)
217. **Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae)
218. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
219. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae)
220. **Psylliodes marcidus (Illiger,1807)**
(Chrysomelidae)
221. **Pyrgomorpha cognata Krauss,1877**
(Pyrgomorphidae)
222. **Raphidia (Phidiara) vartianorum H.Aspöck & U.Aspöck,1968** (Raphidiidae)
223. **Raphigaster nebulosa (Poda,1761)**
(Pentatomidae)
224. **Rhinocyllus conicus (Frölich,1792)**
(Curculionidae)
225. **Rhynchites bacchus (Linnaeus,1758)**
(Attelabidae)
226. **Rhynchites giganteus Krynicky,1832**
(Attelabidae)
227. **Rhynchites hungaricus (Herbst,1784)**
(Attelabidae)
228. **Rhynchites lodosi Voss,1973** (Attelabidae)
229. **Rhyparochromus reuteri (Horvath,1885)**
(Lygaeidae)
230. **Rivetina balcanica La Greca & Lombardo,1982** (Mantidae)
231. **Rivetina syriaca (Saussure,1869)** (Mantidae)
232. **Ronisia brutia (Petagna,1787)** (Mutillidae)
233. **Scantius aegyptius (Linnaeus,1758)**
(Pyrrhocoridae)
234. **Scolia galbula (Pallas,1771)** (Scoliidae)
235. **Scymnus quadriguttatus Capra,1924**
(Coccinellidae)
236. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae)
237. **Selenocephalus stenopterus Signoret,1880**
(Cicadellidae)
238. **Setapius barajus (Dlabola,1957)** (Cixiidae)
239. **Sphex flavipennis Fabricius,1793**
(Sphecidae)
240. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
241. **Stalia major Costa,1840** (Nabidae)
242. **Suaris nanus (McLachan,1893)**
(Chrysopidae)
243. **Subcoccinella vigintiquatuorpunctata (Linnaeus,1758)** (Coccinellidae)
244. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae)
245. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
246. **Tabanus exclusus Pandella,1883**
(Tabanidae)
247. **Tabanus indrae Hauser,1939** (Tabanidae)
248. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
249. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
250. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
251. **Tabanus tinctus Walker,1850** (Tabanidae)
252. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
253. **Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae)
254. **Telostegus inermis (Brullé,1832)**
(Pompilidae)
255. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
256. **Tephritis cometa (Loew,1856)**
(Tephritidae)
257. **Tephritis hurvitzii Freidberg,1981** (Tephritidae)
258. **Tephritis postica (Loew,1844)**
(Tephritidae)
259. **Tephritis recurrens Loew,1869**
(Tephritidae)
260. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
261. **Tipula (Lunatipula) mendli Martinovsky,1976** (Tipulidae)
262. **Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae)
263. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae)
264. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
265. **Toya propinqua (Fieber,1866)**
(Delphacidae)
266. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
267. **Trichodes nobilis Klug,1842** (Cleridae)
268. **Trichodes punctatus Fischer,1829**
(Cleridae)
269. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
270. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
271. **Triodontella brunneipennis (Sahlberg,1908)**
(Scarabaeidae)
272. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
273. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
274. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
275. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
276. **Utecha trivia (Germar,1821)** (Cicadellidae)
277. **Verdanus hardei (Dlabola,1980)** (Cicadellidae)
278. **Vespa orientalis Linnaeus,1771** (Vespidae)
279. **Vespula germanica (Fabricius,1793)**
(Vespidae)
280. **Zophosis (Oculosis) punctata Brullé,1832**
(Tenebrionidae)

Diyarbakır Province (21)

(374 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
3. **Acrosternum millierei** (Mulsant & Rey,1866) (Pentatomidae)
4. **Adesmia (s.str.) anthracina** Klug,1830 (Tenebrionidae)
5. **Adontomerus amygdali** (Boucek,1958) (Torymidae)
6. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
7. **Aelia albovittata** Fieber,1868 (Pentatomidae)
8. **Agabus (Gaurodytes) faldermanni** Zaitzev,1927 (Dytiscidae)
9. **Agapanthia villosoviridescens** (De Geer,1775) (Cerambycidae)
10. **Aglena ornata** (Herrich-Schäffer,1838) (Cicadellidae)
11. **Agramma (s.str.) atricapillum** (Spinola,1837) (Tingidae)
12. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
13. **Agrilus (s.str.) aurichalceus** Redtenbacher,1849 (Buprestidae)
14. **Agrilus (s.str.) lineolus** Redtenbacher,1849 (Buprestidae)
15. **Agromyza felleri** M.Hering,1941 (Agromyzidae)
16. **Alastor esfandiarii** Giordani Soika,1970 (Vespidae)
17. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
18. **Alosimus castaneus** Escherich,1896 (Meloidae)
19. **Alosimus decolor** (Abeille de Perrin,1880) (Meloidae)
20. **Alosimus luteus** (Waltl,1838) (Meloidae)
21. **Amnodeis grandis** Miller,1858 (Tenebrionidae)
22. **Amnodeis milleri** Reitter,1914 (Tenebrionidae)
23. **Amphicoma (Pygopleurus) distinctus** Faldermann,1835 (Glaphyridae)
24. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
25. **Amphicoma (Rudeulasia) pulchra** (Reitter,1890) (Glaphyridae)
26. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
27. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
28. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
29. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
30. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
31. **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae)
32. **Anthaxia (Haplanthaxia) mundula** Kiesenwetter,1857 (Buprestidae)
33. **Anthaxia (s.str.) berytensis** Abeille,1895 (Buprestidae)
34. **Anthaxia (s.str.) ghazi** Obenberger,1938 (Buprestidae)
35. **Anthaxia (s.str.) lucens** Küster,1852 (Buprestidae)
36. **Anthrenus (Nathrenus) pubifer** Reitter,1899 (Dermestidae)
37. **Anthrenus (s.str.) simonis** Reitter,1881 (Dermestidae)
38. **Apalus necydalaeus** (Pallas,1782) (Meloidae)
39. **Apholidoptera pietschmanni** (Ebner,1912) (Tettigoniidae)
40. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
41. **Aphrophora alni** (Fallén,1805) (Cercopidae)
42. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
43. **Artianus manderstjernii** (Kirschbaum,1868) (Cicadellidae)
44. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
45. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
46. **Balcanocerus brusinae** (Horvath,1891) (Cicadellidae)
47. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
48. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
49. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
50. **Balclutha rosea** (Scott,1876) (Cicadellidae)
51. **Bangasternus orientalis** (Capiomont,1873) (Curculionidae)
52. **Bangasternus planifrons** (Brullé,1832) (Curculionidae)
53. **Batracomorpha irroratus** Lewis,1834 (Cicadellidae)
54. **Blaps tibialis** Reiche & Sauley,1857 (Tenebrionidae)
55. **Bolivaria kurda** Ramme,1951 (Mantidae)
56. **Brachycerus cribrarius** Olivier,1807 (Brachyceridae)
57. **Brachycerus foveifrons** Bedel,1874 (Brachyceridae)
58. **Brachycerus quadrisulcatus** Fischer v. Waldheim,1830 (Brachyceridae)
59. **Brachycerus sinuatus** Olivier,1807 (Brachyceridae)
60. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
61. **Bubopsis zarudnyi** Alexandrov-Martynov,1926 (Ascalaphidae)
62. **Calliptamus barbarus** (Costa,1836) (Acrididae)
63. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
64. **Campylosteira bosnica** Horvath,1892 (Tingidae)
65. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
66. **Capnodis miliaris** (Klug,1829) (Buprestidae)
67. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
68. **Carpocoris coreanus** Distant,1899 (Pentatomidae)
69. **Carpocoris lunulatus** (Goeze,1778) (Pentatomidae)
70. **Cassida margaritacea** Schaller,1783 (Chrysomelidae)
71. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
72. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
73. **Catoplatus nigriceps** Horvath,1905 (Tingidae)
74. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
75. **Ceramius palaestinensis** Giordani Soika,1957 (Vespidae)
76. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
77. **Cerocoma dahli** Kraatz,1863 (Meloidae)
78. **Cerocoma syriaca** Abeille de Perrin,1880 (Meloidae)
79. **Cerodontha (s.str.) denticornis** (Panzer,1806) (Agromyzidae)
80. **Ceropales bipartita** Haupt,1962 (Pompilidae)

81. **Chalcophorella stigmatica** (Schoenherr,1817) (Buprestidae)
82. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae)
83. **Chirotica orientalis** Horstmann,1983 (Ichneumonidae)
84. **Chirotica terebrator** Horstmann,1983 (Ichneumonidae)
85. **Chloriona clavata** Dlabola,1960 (Delphacidae)
86. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
87. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
88. **Chromatomyia horticola** (Goureau,1851) (Agromyzidae)
89. **Chrysolina chalcites** (Germar,1824) (Chrysomelidae)
90. **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae)
91. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
92. **Cicada orni** Linnaeus,1758 (Cicadidae)
93. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
94. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
95. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
96. **Cixius pallipes** Fieber,1876 (Cixiidae)
97. **Coccinella (s.str.) septempunctata** Linnaeus,1758 (Coccinellidae)
98. **Colaphus sophiae** (Schaller,1783) (Chrysomelidae)
99. **Coniocleonus nigrosuturatus** (Goeze,1777) (Curculionidae)
100. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
101. **Copris hispanus** (Linnaeus,1764) (Scarabaeidae)
102. **Corizus fenestella** Horvath,1917 (Rhopalidae)
103. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
104. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
105. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
106. **Cryptocheilus fischeri** (Spinola,1855) (Pompilidae)
107. **Cyphon palustris** Thomson,1855 (Scirtidae)
108. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
109. **Delphacodes audrasi** Ribaut,1954 (Delphacidae)
110. **Delphax crassicornis** (Panzer,1796) (Delphacidae)
111. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
112. **Dendarus (Pandarinus) foveolatus** Seidlitz,1893 (Tenebrionidae)
113. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
114. **Denticollis parallelicollis** Aubé,1850 (Elateridae)
115. **Dentilla curtiventris** (André,1901) (Mutillidae)
116. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
117. **Deronectes longipes** Sharp,1882 (Dytiscidae)
118. **Deronectes syriacus** Wewalka,1971 (Dytiscidae)
119. **Diadegma maculata** (Gravenhorst,1829) (Ichneumonidae)
120. **Dicronychus incanus** (Erichson,1840) (Elateridae)
121. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
122. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
123. **Dictyophara exoptata** Dlabola & Heller,1962 (Dictyopharidae)
124. **Dielocroce baudii** (Griffini,1895) (Nemopteridae)
125. **Doclostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
126. **Doclostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
127. **Donus zoilus** (Scopoli,1763) (Curculionidae)
128. **Doratura homophyla** (Flor,1861) (Cicadellidae)
129. **Drosophila funebris** (Fabricius,1787) (Drosophilidae)
130. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
131. **Dysmachus fuscipennis** (Meigen,1820) (Asilidae)
132. **Echthromyrmex sehitlerolmez** Koçak & Kemal,2008 (Myrmeleleonidae)
133. **Empusa fasciata** Brullé,1836 (Empusidae)
134. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
135. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
136. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
137. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
138. **Eurygaster integriceps** Puton,1881 (Scutellaridae)
139. **Eurytoma amygdali** Enderlein,1907 (Eurytomidae)
140. **Euscelidius mundus** (Haupt,1927) (Cicadellidae)
141. **Euscelidius schenkii** (Kirschbaum,1868) (Cicadellidae)
142. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
143. **Eyprepocnemis plorans** (Charpentier,1825) (Acrididae)
144. **Geocoris arenarius** (Jakovlev,1867) (Lygaeidae)
145. **Geocoris pallidipennis** (Costa,1843) (Lygaeidae)
146. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
147. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
148. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
149. **Graecopachys quadricollis** (Brullé,1832) (Tenebrionidae)
150. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
151. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
152. **Habropogon verticalis** Becker,1913 (Asilidae)
153. **Haematopota italica** Meigen,1804 (Tabanidae)
154. **Haematopota pallens** Loew,1871 (Tabanidae)
155. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
156. **Helophorus brevivalipis** Bedel,1881 (Helophoridae)

157. **Helophorus brevipalpis** Bedel, 1881 (Helophoridae)
158. **Helophorus daedalus** Orchymont, 1932 (Helophoridae)
159. **Helophorus hilaris** Sharp, 1916 (Helophoridae)
160. **Helophorus lewisi** Angus, 1985 (Helophoridae)
161. **Helophorus micans** Falderman, 1835 (Helophoridae)
162. **Helophorus pallidipennis** Mulsant & Wachanru, 1852 (Helophoridae)
163. **Helophorus syriacus** Kuwert, 1885 (Helophoridae)
164. **Hyalesthes luteipes** Fieber, 1876 (Cixiidae)
165. **Hyalesthes mavromoustakisi** Dlabola, 1959 (Cixiidae)
166. **Hyalesthes mlokosiewiczzi** Signoret, 1879 (Cixiidae)
167. **Hyalesthes obsoletus** Signoret, 1865 (Cixiidae)
168. **Hybomitra caucasi** (Szilady, 1923) (Tabanidae)
169. **Hybomitra decora** (Loew, 1858) (Tabanidae)
170. **Hygrotus (Coelambus) lernaeus** (Schaum, 1857) (Dytiscidae)
171. **Hypera fasciculata** (Herbst, 1795) (Curculionidae)
172. **Hypera jucundus** Capiomont, 1868 (Curculionidae)
173. **Hypera variabilis** (Herbst, 1795) (Curculionidae)
174. **Imbecilla imbecilla** (Linnavuori, 1962) (Cicadellidae)
175. **Javesella pellucida** (Fabricius, 1794) (Delphacidae)
176. **Julodis ehrenbergi** Laporte, 1835 (Buprestidae)
177. **Kelisia ribauti** Wagner, 1938 (Delphacidae)
178. **Kervillea ancyrana** Bergevin, 1918 (Issidae)
179. **Klapperichicen viridissima** (Walker, 1858) (Cicadidae)
180. **Krombeinella aramaea** (Suarez, 1963) (Mutillidae)
181. **Kyboasca bipunctata** (Oshanin, 1871) (Cicadellidae)
182. **Laccobius (Dimorpholaccobius) halophilus** Gentili, 1982 (Hydrophilidae)
183. **Laccobius (Dimorpholaccobius) sculptus** Orchymont, 1936 (Hydrophilidae)
184. **Laccobius (Dimorpholaccobius) sipylus** Orchymont, 1939 (Hydrophilidae)
185. **Laccobius (Dimorpholaccobius) sulcatulus** Reitter, 1909 (Hydrophilidae)
186. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau, 1896 (Hydrophilidae)
187. **Lampyris angustula** Fairmaire, 1895 (Lampyridae)
188. **Laodelphax striatellus** (Fallén, 1826) (Delphacidae)
189. **Larinus brenskei** Faust, 1900 (Curculionidae)
190. **Larinus latus** (Herbst, 1784) (Curculionidae)
191. **Larinus minutus** Gyllenhal, 1836 (Curculionidae)
192. **Larinus ovaliformis** Capiomont, 1874 (Curculionidae)
193. **Larinus rusticanus** Gyllenhal, 1836 (Curculionidae)
194. **Larinus turbinatus** Gyllenhal, 1836 (Curculionidae)
195. **Leptochilus membranaceus** (Morawitz, 1867) (Vespidae)
196. **Lepyronia coleoptrata** (Linnaeus, 1758) (Cercopidae)
197. **Lertha extensa** (Olivier, 1811) (Nemopteridae)
198. **Lertha schmidtii** (H. Aspöck, U. Aspöck & Hölzel, 1984) (Nemopteridae)
199. **Lertha sheppardi** (Kirby, 1904) (Nemopteridae)
200. **Limotettix striola** (Fallén, 1806) (Cicadellidae)
201. **Linnaemya comta** (Fallén, 1810) (Tachinidae)
202. **Liriomyza sativae** Blanchard, 1938 (Agromyzidae)
203. **Liriomyza trifolii** (Burgess, 1880) (Agromyzidae)
204. **Lixus angustatus** (Fabricius, 1775) (Curculionidae)
205. **Lixus ascanii** (Linnaeus, 1767) (Curculionidae)
206. **Lixus cardui** Olivier, 1807 (Curculionidae)
207. **Lixus elegantulus** Boheman, 1843 (Curculionidae)
208. **Lixus furcatus** Olivier, 1807 (Curculionidae)
209. **Lixus junci** Boheman, 1836 (Curculionidae)
210. **Lixus obesus** Petri, 1904 (Curculionidae)
211. **Lixus scolapax** Boheman, 1836 (Curculionidae)
212. **Lixus subtilis** Boheman, 1836 (Curculionidae)
213. **Locusta migratoria** (Linnaeus, 1758) (Acrididae)
214. **Longitarsus anatolicus** Weise, 1900 (Chrysomelidae)
215. **Longitarsus linnaei** (Duftschmid, 1825) (Chrysomelidae)
216. **Longitarsus quadriguttatus** (Pontoppidan, 1765) (Chrysomelidae)
217. **Lophyridia caucasica** (Adams, 1817) (Carabidae)
218. **Lophyridia fischeri** (Adams, 1817) (Carabidae)
219. **Macrolophus caliginosus** Wagner, 1950 (Miridae)
220. **Macrophya postica** Brullé, 1832 (Tenthredinidae)
221. **Macropsis graminea** (Fabricius, 1798) (Cicadellidae)
222. **Macrosteles alpinus** (Zetterstedt, 1828) (Cicadellidae)
223. **Macrosteles quadripunctulatus** (Kirschbaum, 1868) (Cicadellidae)
224. **Macrosteles sexnotatus** (Fallén, 1806) (Cicadellidae)
225. **Malenia licea** Dlabola, 1979 (Derbidae)
226. **Medecticus assimilis** (Fieber, 1853) (Tettigoniidae)
227. **Melanogryllus desertus** (Pallas, 1771) (Gryllidae)
228. **Melanotus (s.str.) fusciceps** (Gyllenhal, 1817) (Elateridae)
229. **Meloe cicatricosus** Leach, 1815 (Meloidae)
230. **Meloe mediterraneus** Müller, 1925 (Meloidae)
231. **Meloe proscarabaeus** Linnaeus, 1758 (Meloidae)
232. **Merodon velox** Loew, 1869 (Syrphidae)
233. **Mesomorphus longulus** (Reiche, 1847) (Tenebrionidae)
234. **Metrioptera (Roeseliana) bispina** (Bolivar, 1899) (Tettigoniidae)
235. **Mocydiopsis monticola** Remane, 1961 (Cicadellidae)
236. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille, 1804) (Gryllidae)
237. **Muzimes bitlisiensis** (Kaszab, 1958) (Meloidae)

238. **Muzimes dersimensis (Kaszab,1968)**
(Meloidae)
239. **Mylabris ciliciensis Escherich,1899**
(Meloidae)
240. **Mylabris fusca (Olivier,1811)** (Meloidae)
241. **Nabis sareptanus Dohrn,1862** (Nabidae)
242. **Napomyza lateralis (Fallén,1823)**
(Agromyzidae)
243. **Nemorius caucasicus (Olsufjev,1937)**
(Tabanidae)
244. **Nemorius irritans (Ricardo,1901)**
(Tabanidae)
245. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae)
246. **Nealiturus guttulatus (Kirschbaum,1868)** (Cicadellidae)
247. **Nealiturus pulcher (Haupt,1927)**
(Cicadellidae)
248. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae)
249. **Nycteribia (s.str.) schmidlii Schiner,1853**
(Nycteribiidae)
250. **Oedipoda aurea Uvarov,1923** (Acrididae)
251. **Oedipoda schochi Saussure,1884** (Acrididae)
252. **Oenas tenuicornis Abeille de Perrin,1880**
(Meloidae)
253. **Ommatidiotus longiceps Puton,1896**
(Caliscelidae)
254. **Opatroides punctulatus Brullé,1832**
(Tenebrionidae)
255. **Opsius cypriacus Lindberg,1958** (Cicadellidae)
256. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae)
257. **Pachyscelis musiva (Ménétriés,1832)**
(Tenebrionidae)
258. **Pachyscelis villosa (Drapiez,1820)**
(Tenebrionidae)
259. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae)
260. **Paramesodes lineaticollis (Distant,1908)**
(Cicadellidae)
261. **Paramesus major Haupt,1927** (Cicadellidae)
262. **Paramyrmosa radoszkowskyi (Saussure,1880)** (Mutillidae)
263. **Parapholidoptera signata (Brunner von Wattenwyl,1861)** (Tettigoniidae)
264. **Pedinus (s.str.) strabonis Seidlitz,1893**
(Tenebrionidae)
265. **Peirates hybridus (Scopoli,1763)**
(Reduviidae)
266. **Pentastira major (Kirschbaum,1868)**
(Cixiidae)
267. **Pentastira megista Emeljanov,1978**
(Cixiidae)
268. **Pentastiridius leporinus (Linnaeus,1761)**
(Cixiidae)
269. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae)
270. **Philotheria lodosi Dlabola,1979**
(Dictyopharidae)
271. **Phlepsius intricatus (Herrich-Schäffer,1838)**
(Cicadellidae)
272. **Phlepsius ornatus (Perris,1857)**
(Cicadellidae)
273. **Phytoliriomyza dorsata (Siebke,1863)**
(Agromyzidae)
274. **Phytomyza aquilonia Frey,1946**
(Agromyzidae)
275. **Phytomyza orobanchiae Kaltenbach,1864**
(Agromyzidae)
276. **Phytomyza socia Brischke,1880**
(Agromyzidae)
277. **Piezodorus lituratus (Fabricius,1794)**
(Pentatomidae)
278. **Plagiognathus chrysanthemi (Wolff,1804)** (Miridae)
279. **Platycleis (Incertana) persica Uvarov,1917** (Tettigoniidae)
280. **Platycleis (s.str.) escalerae Bolivar,1899**
(Tettigoniidae)
281. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
282. **Platycleis (Squamiana) kurmana (Ramme,1951)** (Tettigoniidae)
283. **Platycleis (Tessellana) tessellata (Charpentier,1825)** (Tettigoniidae)
284. **Platycnemis kervillei (Martin,1909)**
(Platycnemidae)
285. **Platymetopius major (Kirschbaum,1868)**
(Cicadellidae)
286. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae)
287. **Polistes (s.str.) atrimandibularis (Zimmermann,1930)** (Vespidae)
288. **Polistes (s.str.) dominulus (Christ,1791)**
(Vespidae)
289. **Polistes (s.str.) gallicus (Linnaeus,1767)**
(Vespidae)
290. **Polyphaga aegyptiaca (Linnaeus,1758)**
(Polyphagidae)
291. **Psammotettix alienus (Dahlbom,1850)**
(Cicadellidae)
292. **Psammotettix provincialis (Ribaut,1925)**
(Cicadellidae)
293. **Pseudoliarus palaestinensis Linnavuori,1962** (Cixiidae)
294. **Psylliodes inflatus Reiche,1856**
(Chrysomelidae)
295. **Psylliodes instabilis Foudras,1860**
(Chrysomelidae)
296. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
297. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
298. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
299. **Recilia schmidtgeni (Wagner,1939)**
(Cicadellidae)
300. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
301. **Rhinocyllus conicus (Frölich,1792)**
(Curculionidae)
302. **Rhynchites auratus (Scopoli,1763)**
(Attelabidae)
303. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae)
304. **Rhytidodus boluicus Dlabola,1970**
(Cicadellidae)
305. **Ricania hedenborgi Stal,1865** (Ricaniidae)
306. **Rivetina baetica (Rambur,1838)**
(Mantidae)
307. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
308. **Saga natoliae Audinet-Serville,1839**
(Tettigoniidae)
309. **Sapyga (s.str.) morawitzi Turner,1911**
(Sapygidae)

310. **Scantius aegyptius (Linnaeus,1758)**
(Pyrrhocoridae)
311. **Scarabaeus armeniacus Ménétriés,1832**
(Scarabaeidae)
312. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae)
313. **Scarabaeus sacer Linnaeus,1758**
(Scarabaeidae)
314. **Schistocerca gregaria (Forskål,1775)**
(Acrididae)
315. **Sciocoris deltocephalus Fieber,1861**
(Pentatomidae)
316. **Sciocoris macrocephalus Fieber,1851**
(Pentatomidae)
317. **Sciocoris ochraceus Fieber,1861**
(Pentatomidae)
318. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
319. **Scotodrymadusa maculata (Ebner,1912)**
(Tettigoniidae)
320. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae)
321. **Setapius barajus (Dlabola,1957)** (Cixiidae)
322. **Shelfordella tartara (Saussure,1874)**
(Blattidae)
323. **Sigara lateralis Leach,1818** (Corixidae)
324. **Sigara nigrolineata (Fieber,1848)**
(Corixidae)
325. **Sigara samani Hoberlandt,1948**
(Corixidae)
326. **Sogatella vibix (Haupt,1927)** (Delphacidae)
327. **Squamiana kurmana Ramme,1951**
(Tettigoniidae)
328. **Stagonomus bipunctatus (Linnaeus,1758)** (Pentatomidae)
329. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
330. **Stenodera caucasica (Pallas,1781)**
(Meloidae)
331. **Stenomtopiellus angorensis Zachvatkin,1946** (Cicadellidae)
332. **Stictopleurus riveti Royer,1923**
(Rhopalidae)
333. **Stymphalus rubrolineatus (Stål,1855)**
(Cicadellidae)
334. **Sulamicerus ancorarius (Dlabola,1964)**
(Cicadellidae)
335. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
336. **Tabanus bovinus Linnaeus,1758**
(Tabanidae)
337. **Tabanus bromius Linnaeus,1758** (Tabanidae)
338. **Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae)
339. **Tachyancistrocerus schmidtii (Kokujev,1912)** (Vespidae)
340. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
341. **Tachycixius pilosus (Olivier,1791)** (Cixiidae)
342. **Tamaricella tamaricis (Puton,1872)**
(Cicadellidae)
343. **Tenthredo zonula Klug,1817**
(Tenthredinidae)
344. **Tenthredopsis albonotata (Brullé,1832)**
(Tenthredinidae)
345. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
346. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
347. **Tettigometra (Mitricephalus) leucophaea (Preyßler,1792)** (Tettigometridae)
348. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
349. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
350. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
351. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
352. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
353. **Tingis grisea Germar,1835** (Tingidae)
354. **Toya propinqua (Fieber,1866)**
(Delphacidae)
355. **Trichodes ephippiger Chevrolat,1874**
(Cleridae)
356. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae)
357. **Trichodes reichei Mulsant & Rey,1863**
(Cleridae)
358. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
359. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
360. **Trissolcus vassilievi (Mayr,1903)**
(Scelionidae)
361. **Tropidopola graeca Uvarov,1926** (Acrididae)
362. **Tshurtshurnella diyarbakira Dlabola,1980** (Issidae)
363. **Tshurtshurnella lodosi Dlabola,1979**
(Issidae)
364. **Tshurtshurnella trifasciata (Linnavuori,1965)** (Issidae)
365. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
366. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
367. **Urophora solstitialis (Linnaeus,1758)**
(Tephritidae)
368. **Uvarovistia (s.str.) satunini (Uvarov,1916)** (Tettigoniidae)
369. **Vachiria natolica Stål,1859** (Reduviidae)
370. **Vespa orientalis Linnaeus,1771** (Vespidae)
371. **Vespula germanica (Fabricius,1793)**
(Vespidae)
372. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
373. **Zyginella pulchra Loew,1885** (Cicadellidae)
374. **Zyginidia (s.str.) sohrab Zachvatkin,1947**
(Cicadellidae)

Edirne Province (22)

(321 species, stand 30 April 2010)

1. **Ablattaria laevigata (Fabricius,1775)** (Silphidae)
2. **Acantholepis frauenfeldi (Mayr,1855)** (Formicidae)
3. **Acrida bicolor (Thunberg,1815)** (Acrididae)
4. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae)
5. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae)
6. **Adalia (s.str.) decempunctata (Linnaeus,1758)** (Coccinellidae)
7. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
8. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
9. **Aelia rostrata Boheman,1852** (Pentatomidae)
10. **Aelia virgata (Herrich-Schäffer,1841)** (Pentatomidae)
11. **Agalmatium flavescens (Olivier,1791)** (Issidae)
12. **Agramma (s.str.) confusum (Puton,1879)** (Tingidae)
13. **Agramma (s.str.) intermedium (Wagner,1941)** (Tingidae)
14. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
15. **Agrothereutes tiloidalis Kolarov & Beyarslan,1994** (Ichneumonidae)
16. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)
17. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae)
18. **Altica tamaricis Schrank,1785** (Chrysomelidae)
19. **Anisochrya (s.str.) subflavifrons (Tjeder,1949)** (Chrysopidae)
20. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
21. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)
22. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae)
23. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
24. **Apanteles carpatus Say,1836** (Braconidae)
25. **Apanteles hemara Nixon,1965** (Braconidae)
26. **Apanteles obscurus (Nees,1834)** (Braconidae)
27. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
28. **Aphthona nigriceps (Redtenbacher,1842)** (Chrysomelidae)
29. **Apodiphus amygdali (Germar,1817)** (Pentatomidae)
30. **Aquarius paludum (Fabricius,1794)** (Gerridae)
31. **Aradus flavicornis Dalman,1823** (Aradidae)
32. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae)
33. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae)
34. **Athous (Orthathous) edirnensis Platia & Gudenzi,2000** (Elateridae)
35. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae)
36. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
37. **Auplopus rectus (Haupt,1927)** (Pompilidae)
38. **Barbitistes sp.n.** (Tettigoniidae)
39. **Barylypa delictor (Thunberg,1822)** (Ichneumonidae)
40. **Beckidia zabolotzkii (Goetghebuer,1938)** (Chironomidae)
41. **Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae)
42. **Blaps tibialis Reiche & Saulcy,1857** (Tenebrionidae)
43. **Brachygluta abrupta Doderer,1919** (Staphylinidae)
44. **Brachygluta fossulata (Reichenbach,1816)** (Staphylinidae)
45. **Brumus octosignatus (Gebler,1830)** (Coccinellidae)
46. **Bryaxis bulbifer (Reichenbach,1816)** (Staphylinidae)
47. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
48. **Byctiscus betulae (Linnaeus,1758)** (Atelabidae)
49. **Caenocryptus rufiventris (Gravenhorst,1829)** (Ichneumonidae)
50. **Calliptamus barbarus (Costa,1836)** (Acrididae)
51. **Calvia quatuordecimguttata (Linnaeus,1758)** (Coccinellidae)
52. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae)
53. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae)
54. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae)
55. **Carinatodorcadion ingeae (Peks,1993)** (Cerambycidae)
56. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae)
57. **Carpocoris mediterraneus Tamanini,1958** (Pentatomidae)
58. **Cassida atrata Fabricius,1787** (Chrysomelidae)
59. **Cassida rubiginosa Müller,1776** (Chrysomelidae)
60. **Cataglyphis nodus (Brullé,1832)** (Formicidae)
61. **Catoplatus anticus (Reuter,1880)** (Tingidae)
62. **Centrotus cornutus (Linnaeus,1758)** (Membracidae)
63. **Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae)
64. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae)
65. **Cercion lindenii (Selys,1840)** (Coenagrionidae)
66. **Cerdistus denticulatus Loew,1849** (Asilidae)
67. **Ceresa bubalus (Fabricius,1794)** (Membracidae)
68. **Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae)
69. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae)
70. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae)
71. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae)
72. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae)
73. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae)
74. **Choeras dorsalis (Spinola,1808)** (Braconidae)
75. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
76. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
77. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae)

78. **Chrysolina herbacea** (Duftschmidt,1825)
(Chrysomelidae)
79. **Chrysomela tremulae** Fabricius,1787
(Chrysomelidae)
80. **Chrysops (s.str.) caecutiens** (Linnaeus,1761)
(Tabanidae)
81. **Chrysops (s.str.) flavipes** Meigen,1804
(Tabanidae)
82. **Chrysops (s.str.) viduatus** (Fabricius,1794)
(Tabanidae)
83. **Cicadatra atra** (Oliver,1790) (Cicadidae)
84. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
85. **Clytra atraphaxidis** (Pallas,1773)
(Chrysomelidae)
86. **Coccinella (s.str.) septempunctata**
Linnaeus,1758 (Coccinellidae)
87. **Coelioxys (s.str.) aurolimbata** Förster,1853
(Megachilidae)
88. **Coenorrhinus aequatus** (Linnaeus,1767)
(Attelabidae)
89. **Colaphus sophiae** (Schaller,1783)
(Chrysomelidae)
90. **Corynis caucasica** (Mocsary,1886)
(Cimbicidae)
91. **Corynoneura scutellata** Thienemann,1944
(Chironomidae)
92. **Cotesia ancilla** (Nixon,1974) (Braconidae)
93. **Cotesia cupresus** (Lylé,1925) (Braconidae)
94. **Cotesia geryonis** (Marshall,1885) (Braconidae)
95. **Cotesia melanoscela** (Ratzeburg,1844)
(Braconidae)
96. **Cotesia ofella** (Nixon,1974) (Braconidae)
97. **Cotesia pappi** İnanç,2002 (Braconidae)
98. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
99. **Cotesia saltatoria** (Balevski,1980)
(Braconidae)
100. **Cotesia telengai** (Tobias,1972)
(Braconidae)
101. **Cotesia tibialis** (Curtis,1830) (Braconidae)
102. **Cotesia vanessae** (Reinhard,1880)
(Braconidae)
103. **Cotitheresiarches dirus** (Wesmael,1853)
(Ichneumonidae)
104. **Crematogaster scutellaris** (Olivier,1791)
(Formicidae)
105. **Crepidodera aurata** (Marshall,1802)
(Chrysomelidae)
106. **Cryptus tuberculatus** Gravenhorst,1829
(Ichneumonidae)
107. **Cylindronotus (Odocnemis) exararatus**
(Germar,1817) (Tenebrionidae)
108. **Dasyrhamphis anthracinus**
(Meigen,1820) (Tabanidae)
109. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
110. **Decticus albifrons** (Fabricius,1793)
(Tettigoniidae)
111. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
112. **Deleproctophylla variegata** (Klug,1834)
(Ascalaphidae)
113. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
114. **Dictyla lupuli** (Herrich-Schäffer,1837)
(Tingidae)
115. **Diolcogaster claritibia** (Papp,1959)
(Braconidae)
116. **Diorhabda elongata** (Brullé,1832)
(Chrysomelidae)
117. **Dolichogenidea litae** (Nixon,1972)
(Braconidae)
118. **Dolichogenidea longicauda** (Wesmael,1837)
(Braconidae)
119. **Dolichogenidea longipalpis** (Reinhard,1880)
(Braconidae)
120. **Dolichogenidea mycale** (Nixon,1972)
(Braconidae)
121. **Dolichogenidea sicarius** (Marshall,1885)
(Braconidae)
122. **Dolichogenidea soikai** (Nixon,1972)
(Braconidae)
123. **Doratura heterophyla** Horvath,1903
(Cicadellidae)
124. **Dyroderes umbraculatus** (Fabricius,1775)
(Pentatomidae)
125. **Emblethis bullatus** Fieber,1861 (Lygaeidae)
126. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
127. **Emblethis verbasci** (Fabricius,1803)
(Lygaeidae)
128. **Ephippiger ephippiger** (Fiebiger,1784)
(Tettigoniidae)
129. **Epicauta erythrocephala** (Pallas,1771)
(Meloidae)
130. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
131. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
132. **Euscelis distinguendus** (Kirschbaum,1858)
(Cicadellidae)
133. **Euscelis incisus** (Kirschbaum,1858)
(Cicadellidae)
134. **Exochomus quadripustulatus**
(Linnaeus,1758) (Coccinellidae)
135. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
136. **Gampsocoris culicinus** Seidenstücker,1948
(Berytidae)
137. **Gastrophysa polygoni** (Linnaeus,1758)
(Chrysomelidae)
138. **Gerris gibbifer** Schummel,1832 (Gerridae)
139. **Gerris palludum** Fabricius,1794 (Gerridae)
140. **Gerris thoracicus** Schummel,1832 (Gerridae)
141. **Glyptomorpha discolor** (Thunberg,1822)
(Braconidae)
142. **Glyptomorpha gracilis** (Szepligeti,1901)
(Braconidae)
143. **Glyptomorpha kasparyani** Tobias,1976
(Braconidae)
144. **Glyptomorpha pectoralis** (Brullé,1832)
(Braconidae)
145. **Goniagnathus brevis** (Herrich-Schäffer,1835)
(Cicadellidae)
146. **Gyrinus caspius** Ménériés,1832 (Gyrinidae)
147. **Haematopota bigoti** Gobert,1881 (Tabanidae)
148. **Haematopota crassicornis** Wahlberg,1848
(Tabanidae)
149. **Haematopota gallica** Szilady,1923 (Tabanidae)
150. **Haematopota grandis** Macquart,1834
(Tabanidae)
151. **Haematopota italica** Meigen,1804 (Tabanidae)
152. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
153. **Haematopota pandazisi** Kröber,1936
(Tabanidae)
154. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
155. **Handianus procerus** (Herrich-Schäffer,1835)
(Cicadellidae)

156. **Helophorus griseus** Herbst,1793 (Helophoridae)
157. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
158. **Hippodamia (Adonia) variegata** (Goeze,1777) (Coccinellidae)
159. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
160. **Hyalesthes thracicus** Hoch,1985 (Cixiidae)
161. **Hycleus novemdecimpunctatus** (Olivier,1811) (Meloidae)
162. **Hycleus polymorphus** (Pallas,1771) (Meloidae)
163. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
164. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
165. **Hyposoter discedens** (Schmiedeknecht,1911) (Ichneumonidae)
166. **Iconella albinervis** (Tobias,1964) (Braconidae)
167. **Iconella lacteoides** (Nixon,1965) (Braconidae)
168. **Idiocerus vicinus** Melichar,1898 (Cicadellidae)
169. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
170. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
171. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
172. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
173. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
174. **Larinus brenskiei** Faust,1900 (Curculionidae)
175. **Leptochilus alpestris** (Saussure,1855) (Vespidae)
176. **Leptophyes albiovittata** (Kollar,1833) (Tettigoniidae)
177. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
178. **Libelloides lacteus** (Brullé,1832) (Ascalaphidae)
179. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
180. **Lissonota (s.str.) cruentator** (Panzer,1809) (Ichneumonidae)
181. **Lixus angustatus** (Fabricius,1775) (Curculionidae)
182. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
183. **Lydus trimaculatus** (Fabricius,1775) (Meloidae)
184. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
185. **Megascolia maculata** (Drury,1773) (Scoliidae)
186. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
187. **Microgaster subcompleta** Nees,1834 (Braconidae)
188. **Micronecta griseola** (Linnaeus,1758) (Corixidae)
189. **Micronecta vitticeps** (Horvath,1895) (Corixidae)
190. **Microptilis cebes** Nixon,1970 (Braconidae)
191. **Microptilis decipiens** Prell,1925 (Braconidae)
192. **Microptilis spinolae** Nees,1834 (Braconidae)
193. **Microptilis tristis** (Nees,1834) (Braconidae)
194. **Microptilis varipes** Ruthe,1860 (Braconidae)
195. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
196. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
197. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
198. **Mylabris calida** (Pallas,1781) (Meloidae)
199. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
200. **Mylabris variabilis** (Pallas,1782) (Meloidae)
201. **Myndus musivus** (Germar,1825) (Cixiidae)
202. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
203. **Nalassus dryadophilus** (Mustant,1854) (Tenebrionidae)
204. **Neides tipularius** (Linnaeus,1758) (Berytidae)
205. **Nemka viduata** (Pallas,1773) (Mutillidae)
206. **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
207. **Neottiglossa bifida** (Costa,1847) (Pentatomidae)
208. **Nephus pallidus** (Fürsch,1980) (Coccinellidae)
209. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
210. **Oenas crassicornis** (Illiger,1800) (Meloidae)
211. **Opius cypriacus** Lindberg,1958 (Cicadellidae)
212. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
213. **Pangonius (Melanopangonius) haustellatus** (Fabricius,1781) (Tabanidae)
214. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
215. **Panorpa germanica** Linnaeus,1758 (Panorpidae)
216. **Parachironomus arcuatus** (Goethebuer,1919) (Chironomidae)
217. **Parachironomus longiforceps** Kruseman,1933 (Chironomidae)
218. **Paracorixa concinna** (Fieber,1848) (Corixidae)
219. **Pentastira rorida** (Fieber,1876) (Cixiidae)
220. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
221. **Pheidole pallidula** (Nylander,1848) (Formicidae)
222. **Phorbia securis** Tiensuu,1935 (Anthomyiidae)
223. **Phyllotreta atra** (Fabricius,1775) (Chrysomelidae)
224. **Phyllotreta nemorum** (Linnaeus,1758) (Chrysomelidae)
225. **Phyllotreta nigripes** (Fabricius,1775) (Chrysomelidae)
226. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
227. **Pimelia (Eurypimelia) timarchoides** Ménériés,1836 (Tenebrionidae)
228. **Pimpla illecebrator** (Villers,1799) (Ichneumonidae)
229. **Piocoris erythrocephalus** (P. & S.,1825) (Lygaeidae)
230. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
231. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
232. **Plagiolepis pygmaea** (Latreille,1798) (Formicidae)
233. **Platymetopius (s.str.) filigranus** (Scott,1876) (Cicadellidae)
234. **Poecilimon thoracicus** (Fieber,1853) (Tettigoniidae)

235. **Polistes (s.str.) gallicus (Linnaeus,1767)**
(Vespidae)
236. **Populicerus sharifi Dlabola,1977**
(Cicadellidae)
237. **Procraerus tibialis (Lacordaire,1835)**
(Elateridae)
238. **Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae)
239. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae)
240. **Psammotettix provincialis (Ribaut,1925)**
(Cicadellidae)
241. **Psylliodes chalcomerus (Illiger,1807)**
(Chrysomelidae)
242. **Psyllobora vigintiduopunctata (Linnaeus,1758)** (Coccinellidae)
243. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
244. **Pyrhcoris apterus (Linnaeus,1758)**
(Pyrhcoridae)
245. **Rabdophaga saliciperda (Dufour,1841)**
(Cecidomyiidae)
246. **Rabdophaga salicis (Schrank,1803)**
(Cecidomyiidae)
247. **Rabdophaga strobilina (Bremi,1847)**
(Cecidomyiidae)
248. **Rabdophaga terminalis (Loew,1850)**
(Cecidomyiidae)
249. **Ranissus leptopus Fieber,1866**
(Dictyopharidae)
250. **Raphigaster nebulosa (Poda,1761)**
(Pentatomidae)
251. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
252. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
253. **Rhynchites auratus (Scopoli,1763)**
(Attelabidae)
254. **Rhynchites bacchus (Linnaeus,1758)**
(Attelabidae)
255. **Rhynchites giganteus Krynicky,1832**
(Attelabidae)
256. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae)
257. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae)
258. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae)
259. **Rhyparochromus reuteri (Horvath,1885)**
(Lygaeidae)
260. **Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae)
261. **Robackia demeijerei (Kruseman,1933)**
(Chironomidae)
262. **Ronisia brutia (Petagna,1787)** (Mutillidae)
263. **Sciocoris deltocephalus Fieber,1861**
(Pentatomidae)
264. **Sciocoris macrocephalus Fieber,1851**
(Pentatomidae)
265. **Seymnus auritus (Thunberg,1795)**
(Coccinellidae)
266. **Selenocephalus obsoletus (Germar,1817)**
(Cicadellidae)
267. **Sigara falleni (Fieber,1848)** (Corixidae)
268. **Sigara iactans Jansson,1983** (Corixidae)
269. **Sigara lateralis Leach,1818** (Corixidae)
270. **Sigara nigrolineata (Fieber,1848)**
(Corixidae)
271. **Sigara striata (Linnaeus,1758)** (Corixidae)
272. **Silpha obscura Linnaeus,1758** (Silphidae)
273. **Silvius (s.str.) algirus Meigen,1930**
(Tabanidae)
274. **Silvius (s.str.) alpinus (Scopoli,1763)**
(Tabanidae)
275. **Sisyphus schaefferi (Linnaeus,1758)**
(Scarabaeidae)
276. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
277. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
278. **Stethorus punctillum Weise,1891**
(Coccinellidae)
279. **Stictopleurus riveti Royer,1923**
(Rhopalidae)
280. **Syromastus rhombeus (Linnaeus,1767)**
(Coreidae)
281. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
282. **Tabanus bifarius Loew,1858** (Tabanidae)
283. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
284. **Tabanus cuculus Szilady,1923** (Tabanidae)
285. **Tabanus eggeri Schiner,1868** (Tabanidae)
286. **Tabanus exclusus Pandella,1883**
(Tabanidae)
287. **Tabanus fraseri Austen,1925** (Tabanidae)
288. **Tabanus glaucopsis Meigen,1820**
(Tabanidae)
289. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
290. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
291. **Tabanus martinii Kröber,1928** (Tabanidae)
292. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
293. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
294. **Tabanus shannonellus Kröber,1936**
(Tabanidae)
295. **Tabanus spectabilis Loew,1858**
(Tabanidae)
296. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
297. **Tabanus tergestinus Egger,1859**
(Tabanidae)
298. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
299. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae)
300. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
301. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
302. **Tartarogryllus tartarus (Saussure,1874)**
(Gryllidae)
303. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae)
304. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
305. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
306. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae)
307. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae)
308. **Tettigometra beckeri Horváth,1909**
(Tettigometridae)

309. **Tettigonia caudata** (Charpentier,1845)
(Tettigoniidae)
310. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
311. **Tingis reuteri** Horvath,1906 (Tingidae)
312. **Tingis rotundicollis** (Jakovlev,1883)
(Tingidae)
313. **Trapezonotus dispar** (Stal,1872) (Lygaeidae)
314. **Trissolcus grandis** (Thomson,1860)
(Scelionidae)

315. **Trissolcus semistriatus** (Nees,1834)
(Scelionidae)
316. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
317. **Tropinota (Epicometis) hirta** (Poda,1761)
(Scarabaeidae)
318. **Tylopsis lilifolia** (Fabricius,1793)
(Tettigoniidae)
319. **Tytthaspis sedecimpunctata** (Linnaeus,1758)
(Coccinellidae)
320. **Utecha trivialis** (Germar,1821) (Cicadellidae)
321. **Xya pfaendleri** (Harz,1970) (Tridactylidae)

Elazığ Province (23)

(250 species, stand 30 April 2010)

1. **Achaeta deserta** (Pallas,1771) (Gryllidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acrotylus insubricus** (Scopoli,1786)
(Acrididae)
4. **Adesmia (s.str.) fischeri** Faldermann,1837
(Tenebrionidae)
5. **Agabus (Gaurodytes) biguttatus**
(Olivier,1795) (Dytiscidae)
6. **Agenioideus excisus** (Morawitz,1890)
(Pompilidae)
7. **Agrilus (Anambus) derasofasciatus**
Lacordaire,1835 (Buprestidae)
8. **Alastor ruficornis** Gusenleitner,2001
(Vespidae)
9. **Alosimus pallidicollis** (Gyllenhal,1806)
(Meloidae)
10. **Amphicoma (Rudeulasia) chalybaea**
Faldermann,1835 (Glaphyridae)
11. **Amphicoma (Rudeulasia) hybrida**
(Reitter,1890) (Glaphyridae)
12. **Amphicoma (Rudeulasia) pulchra**
(Reitter,1890) (Glaphyridae)
13. **Anaceratagallia laevis** (Ribaut,1935)
(Cicadellidae)
14. **Anacridium aegyptium** (Linnaeus,1764)
(Acrididae)
15. **Anoplius nigerrimus** (Scopoli,1763)
(Pompilidae)
16. **Anoplius viaticus** (Linnaeus,1758)
(Pompilidae)
17. **Anthidium (Proanthidium) undulatum**
Dours,1873 (Megachilidae)
18. **Apholidoptera pietschmanni** (Ebner,1912)
(Tettigoniidae)
19. **Aphrodes angulaticeps** Emeljanov,1964
(Cicadellidae)
20. **Aphrodes bicinctus** (Schrank,1776)
(Cicadellidae)
21. **Apodiphus amygdali** (Germar,1817)
(Pentatomidae)
22. **Aprostocetus bucculentus** (Kostjukov,1978)
(Eulophidae)
23. **Apsectrotamypus trifascipennis**
(Zetterstedt,1850) (Chironomidae)
24. **Arachnospila angorana** (Wolf,1990)
(Pompilidae)
25. **Asphingoderus elazigi** Demirsoy,1977
(Acrididae)

26. **Atylotus agricola** (Wiedemann,1826)
(Tabanidae)
27. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
28. **Bangasternus orientalis** (Capiomont,1873)
(Curculionidae)
29. **Batracomorpha signatus** Lindberg,1923
(Cicadellidae)
30. **Bembecinus guichardi** Schmid-Egger,2004
(Crabronidae)
31. **Bembecinus peregrinus** (Smith,1856)
(Crabronidae)
32. **Bembecinus validior** Gussakowski,1952
(Crabronidae)
33. **Berosus (Enoplurus) frontifoveatus**
Kuwert,1888 (Hydrophilidae)
34. **Berosus (Enoplurus) spinosus** (Steven,1808)
(Hydrophilidae)
35. **Brachycerus algirus** Latreille,1807
(Brachyceridae)
36. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
37. **Bubopsis zarudnyi** Alexandrov-
Martynov,1926 (Ascalaphidae)
38. **Bucephaloptera bucephala** (Brunner von
Wattenwyl,1882) (Tettigoniidae)
39. **Bucephaloptera convergens** Karabağ,1950
(Tettigoniidae)
40. **Callimenus dilatatus** (Stal,1876)
(Tettigoniidae)
41. **Calliptamus barbarus** (Costa,1836) (Acrididae)
42. **Calliptamus coelesyriensis** (Giglio-Tos,1893)
(Acrididae)
43. **Calliptamus tenuicercis** Tarbinsky,1930
(Acrididae)
44. **Campoplex granditor** Aubert,1972
(Ichneumonidae)
45. **Capnodis miliaris** (Klug,1829) (Buprestidae)
46. **Capnodis tenebricosa** (Olivier,1790)
(Buprestidae)
47. **Capnodis tenebrionis** (Linnaeus,1761)
(Buprestidae)
48. **Cercopis intermedia** Kirschbaum,1868
(Cercopidae)
49. **Cerocoma dahli** Kraatz,1863 (Meloidae)
50. **Cerocoma kunzei** Frivaldsky,1835 (Meloidae)
51. **Cerocoma muehlfeldi** Gyllenhal,1817
(Meloidae)
52. **Cerocoma scovitzi** Faldermann,1837
(Meloidae)
53. **Ceropales albicincta** (Rossi,1790) (Pompilidae)

54. **Chironomus thummi** Kieffer,1911 (Chironomidae)
55. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
56. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
57. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
58. **Chromatomyia nigra** (Meigen,1830) (Agromyzidae)
59. **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae)
60. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
61. **Chrysops (Petersenichrysops) buxtoni** Austen,1922 (Tabanidae)
62. **Chrysops (Petersenichrysops) hamatus** Loew,1858 (Tabanidae)
63. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
64. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
65. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
66. **Cladotanytarsus mancus** (Walker,1856) (Chironomidae)
67. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
68. **Coniatus repandus** (Fabricius,1792) (Curculionidae)
69. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
70. **Cricotopus bicinctus** (Meigen,1818) (Chironomidae)
71. **Cryptocheilus fischeri** (Spinola,1855) (Pompilidae)
72. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
73. **Cryptochironomus defectus** Kieffer,1921 (Chironomidae)
74. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
75. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
76. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
77. **Dictyla rotundata** (Herrich-Schäffer,1835) (Tingidae)
78. **Dictyla triconula** (Seidenstücker,1954) (Tingidae)
79. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
80. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
81. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
82. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
83. **Einfeldia sp.** (Chironomidae)
84. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
85. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
86. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
87. **Eurytoma amygdali** Enderlein,1907 (Eurytomidae)
88. **Exeurytoma kebanensis** Doğanlar,2005 (Eurytomidae)
89. **Exochomus nigromaculatus** (Goeze,1777) (Coccinellidae)
90. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
91. **Gampsocleis acutipennis** Karabağ,1956 (Tettigoniidae)
92. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
93. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
94. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
95. **Gugolzia bademia** Doğanlar,2004 (Pteromalidae)
96. **Haematopota bigoti** Gobert,1881 (Tabanidae)
97. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
98. **Haematopota hennauxi** Leclercq,1967 (Tabanidae)
99. **Haematopota italica** Meigen,1804 (Tabanidae)
100. **Haematopota kemali** Szilady,1923 (Tabanidae)
101. **Haematopota pallens** Loew,1871 (Tabanidae)
102. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
103. **Haematopota sewelli** Austen,1920 (Tabanidae)
104. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
105. **Hoplitis (Annosmia) elaziga** (Warncke,1991) (Megachilidae)
106. **Hoplitis (Pentadentoscemia) tringa** (Warncke,1991) (Megachilidae)
107. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
108. **Hyalesthes scotti** Ferrari,1882 (Cixiidae)
109. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
110. **Hypera farinosa** Boheman,1842 (Curculionidae)
111. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
112. **Isophya sikorai** Ramme,1951 (Tettigoniidae)
113. **Labidostomis asiatica** Faldermann,1837 (Chrysomelidae)
114. **Larinus onopordi** (Fabricius,1787) (Curculionidae)
115. **Lasioglossum (Evylaeus) skorikovi** (Blüthgen,1929) (Halictidae)
116. **Leptochilus tarsatiformis** (Giordani Soika,1943) (Vespidae)
117. **Libellula depressa** Linnaeus,1758 (Libellulidae)
118. **Limobius borealis** (Paykull,1792) (Curculionidae)
119. **Lixus elegantulus** Boheman,1843 (Curculionidae)
120. **Lophyridia caucasica** (Adams,1817) (Carabidae)
121. **Lophyridia fischeri** (Adams,1817) (Carabidae)
122. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
123. **Lydus turcicus** Kaszab,1952 (Meloidae)
124. **Macrophya cyrus** Benson,1954 (Tenthredinidae)
125. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
126. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
127. **Mantispa styriaca** (Poda,1761) (Mantispidae)
128. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
129. **Megascolia maculata** (Drury,1773) (Scoliidae)

130. **Melanagromyza tripolii** Spencer, 1957 (Agromyzidae)
131. **Melanogryllus desertus** (Pallas, 1771) (Gryllidae)
132. **Mesostenus albinotatus** Gravenhorst, 1829 (Ichneumonidae)
133. **Micropsectra curvicornis** (Tchernovskii, 1949) (Chironomidae)
134. **Micropsectra notescens** (Walker, 1856) (Chironomidae)
135. **Mocuellus dlabolai** Kalkandelen, 1972 (Cicadellidae)
136. **Modicogryllus** (**Eumodicogryllus**) **burdigalensis** (Latreille, 1804) (Gryllidae)
137. **Modicogryllus** (**s.str.**) **truncatus** (Tarbinski, 1940) (Gryllidae)
138. **Monosteira lobulifera** Reuter, 1888 (Tingidae)
139. **Mustha spinosula** (Lefebvre, 1831) (Pentatomidae)
140. **Muzimes dersimensis** (Kaszab, 1968) (Meloidae)
141. **Mylabris bimaculata** Klug, 1845 (Meloidae)
142. **Mylabris cincta** Olivier, 1811 (Meloidae)
143. **Mylabris concolor** Marseul, 1870 (Meloidae)
144. **Mylabris crocata** (Pallas, 1781) (Meloidae)
145. **Mylabris fabricii** Sumakov, 1924 (Meloidae)
146. **Mylabris humerosa** (Escherich, 1899) (Meloidae)
147. **Mylabris olivieri** Billberg, 1813 (Meloidae)
148. **Myndus musivus** (Germar, 1825) (Cixiidae)
149. **Nabis feroides** Remane, 1953 (Nabidae)
150. **Nabis palifer** Seidenstücker, 1954 (Nabidae)
151. **Nabis provencalis** Remane, 1953 (Nabidae)
152. **Nabis rugosus** (Linnaeus, 1758) (Nabidae)
153. **Nebrioporus turca** (Seidlitz, 1887) (Dytiscidae)
154. **Neomusaria salvicola** Holzschuh, 1989 (Cerambycidae)
155. **Ochterus marginatus** (Latreille, 1804) (Ochteridae)
156. **Oecanthus pellucens** (Scopoli, 1763) (Gryllidae)
157. **Oedipoda miniata** (Pallas, 1771) (Acrididae)
158. **Osmia** (**Hemiosmia**) **difficilis** Morawitz, 1875 (Megachilidae)
159. **Osmia** (**Tergosmia**) **pratincola** Warncke, 1988 (Megachilidae)
160. **Pachybrachis** (**s.str.**) **tessellatus** (Olivier, 1791) (Chrysomelidae)
161. **Palpares libelluloides** (Linnaeus, 1764) (Myrmeleonidae)
162. **Palpares solidus** Gerstaecker, 1893 (Myrmeleonidae)
163. **Pangonius** (**s.str.**) **pyritosus** Loew, 1859 (Tabanidae)
164. **Paralauterboniella nigrohalteralis** (Malloch, 1915) (Chironomidae)
165. **Paratanytarsus lauterborni** Kieffer, 1918 (Chironomidae)
166. **Perilissus dissimilitor** Aubert, 1987 (Ichneumonidae)
167. **Pezodrymadusa angorensis** (Uvarov, 1930) (Tettigoniidae)
168. **Philaenus spumarius** (Linnaeus, 1758) (Cercopidae)
169. **Phthiridium biarticulatum** Hermann, 1804 (Nycteribiidae)
170. **Phytodrymadusa expugnata** (Uvarov, 1916) (Tettigoniidae)
171. **Pimelia** (**Eurypimelia**) **akbesiana** Fairmaire, 1884 (Tenebrionidae)
172. **Piocoris erythrocephalus** (P. & S., 1825) (Lygaeidae)
173. **Platycleis** (**Incertana**) **persica** Uvarov, 1917 (Tettigoniidae)
174. **Platycleis** (**s.str.**) **intermedia** (Audinet-Serville, [1839]) (Tettigoniidae)
175. **Platycleis** (**Squamiana**) **kurmana** (Ramme, 1951) (Tettigoniidae)
176. **Platymetopius rostratus** (Herrich-Schäffer, 1834) (Cicadellidae)
177. **Polistes** (**s.str.**) **gallicus** (Linnaeus, 1767) (Vespidae)
178. **Polistes** (**s.str.**) **nimpha** (Christ, 1791) (Vespidae)
179. **Polypedilum breviantennatum** Tchern., 1949 (Chironomidae)
180. **Prionotropis maculinervis** (Stal, 1878) (Pamphagidae)
181. **Protaetia** (**Potosia**) **funebri** (Gory & Percheron, 1833) (Scarabaeidae)
182. **Pseudophotopsis schachruda** (Skorikov, 1935) (Mutillidae)
183. **Psyllobora vigintiduopunctata** (Linnaeus, 1758) (Coccinellidae)
184. **Pteronemobius** (**s.str.**) **heydenii** (Fischer, 1853) (Gryllidae)
185. **Pyrgodera armata** (Fischer von Waldheim, 1820) (Acrididae)
186. **Pyrrhocoris apterus** (Linnaeus, 1758) (Pyrrhocoridae)
187. **Ramburiella turcomana** (Fischer von Waldheim, 1833) (Acrididae)
188. **Reptalus** (**s.str.**) **quinquecostatus** (Dufour, 1833) (Cixiidae)
189. **Rhinocyllus conicus** (Frölich, 1792) (Curculionidae)
190. **Rhynchites hungaricus** (Herbst, 1784) (Atelabidae)
191. **Rhynchites smyrnensis** Desbrochers, 1869 (Atelabidae)
192. **Rhyparochromus confusus** (Reuter, 1886) (Lygaeidae)
193. **Rhyparochromus immaculatus** (Rey, 1920) (Lygaeidae)
194. **Ricania aylae** Dlabola, 1983 (Ricaniidae)
195. **Saga ephippigera** Fischer von Waldheim, 1846 (Tettigoniidae)
196. **Sapyga** (**s.str.**) **morawitzi** Turner, 1911 (Sapygidae)
197. **Sciocoris ochraceus** Fieber, 1861 (Pentatomidae)
198. **Scolia fallax** Eversmann, 1849 (Scoliidae)
199. **Scotodrymadusa ozkani** Erman & Salman, 1990 (Tettigoniidae)
200. **Selenocephalus armeniacus** Lindberg, 1960 (Cicadellidae)
201. **Setapius barajus** (Dlabola, 1957) (Cixiidae)
202. **Sogatella vibix** (Haupt, 1927) (Delphacidae)
203. **Spilostethus pandurus** (Scopoli, 1763) (Lygaeidae)
204. **Stictochironomus** **sp.2** (Chironomidae)
205. **Suarius nanus** (McLachan, 1893) (Chrysopidae)
206. **Syromastus rhombeus** (Linnaeus, 1767) (Coreidae)
207. **Tabanus autumnalis** Linnaeus, 1761 (Tabanidae)
208. **Tabanus bovinus** Linnaeus, 1758 (Tabanidae)

209. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
210. **Tabanus cordiger** Meigen,1820 (Tabanidae)
211. **Tabanus eggeri** Schiner,1868 (Tabanidae)
212. **Tabanus indrae** Hauser,1939 (Tabanidae)
213. **Tabanus laetinctus** Becker,1913 (Tabanidae)
214. **Tabanus leleani** Austen,1920 (Tabanidae)
215. **Tabanus miki** Brauer,1880 (Tabanidae)
216. **Tabanus oppugnator** Austen,1925 (Tabanidae)
217. **Tabanus prometheus** Szilady,1923 (Tabanidae)
218. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
219. **Tabanus spectabilis** Loew,1858 (Tabanidae)
220. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
221. **Tabanus tergestinus** Egger,1859 (Tabanidae)
222. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
223. **Tanypus kraatzi** Kieffer,1913 (Chironomidae)
224. **Tanypus punctipennis** Meigen,1818 (Chironomidae)
225. **Tanytarsus gregarius** Kieffer,1911 (Chironomidae)
226. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae)
227. **Tenthredo costata** Klug,1817 (Tenthredinidae)
228. **Tenthredopsis albonotata** (Brullé,1832) (Tenthredinidae)
229. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
230. **Tephritis postica** (Loew,1844) (Tephritidae)
231. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
232. **Tettigometra (Mitricephalus) leucophaea** (Preysslér,1792) (Tettigometridae)
233. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
234. **Tettigometra (s.str.) virescens** (Panzer,1799) (Tettigometridae)
235. **Tettigometra (Stirometra) costulata** Fieber,1865 (Tettigometridae)
236. **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae)
237. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
238. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
239. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
240. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
241. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
242. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
243. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
244. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
245. **Utecha trivialis** (Germar,1821) (Cicadellidae)
246. **Uvarovistia (s.str.) satunini** (Uvarov,1916) (Tettigoniidae)
247. **Vachiria deserta** (Becker,1867) (Reduviidae)
248. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
249. **Xya variegata** (Latreille,1809) (Tridactylidae)
250. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Erzincan Province (24)

(420 species, stand 30 April 2010)

1. **Aclypea undata** (O.F.Müller,1776) (Silphidae)
2. **Aconurella proluxa** (Lethierry,1885) (Cicadellidae)
3. **Acrida bicolor** (Thunberg,1815) (Acrididae)
4. **Adalia (s.str.) bipunctata** (Linnaeus,1758) (Coccinellidae)
5. **Aeshna mixta** Latreille,1805 (Aeshnidae)
6. **Agenioideus apicalis** (Van der Linden,1827) (Pompilidae)
7. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
8. **Agenioideus ruficeps** (Eversmann,1849) (Pompilidae)
9. **Agenioideus usurarius** (Tournier,1889) (Pompilidae)
10. **Agrilus (Anambus) ater** (Linnaeus,1767) (Buprestidae)
11. **Allantus basalis** (Klug,1818) (Tenthredinidae)
12. **Allantus cingulatus** (Scopoli,1763) (Tenthredinidae)
13. **Allantus didymus** (Klug,1818) (Tenthredinidae)
14. **Allantus viennensis** (Schrank,1781) (Tenthredinidae)
15. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
16. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
17. **Amphinemura mirabilis** (Martynov,1928) (Nemouridae)
18. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
19. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
20. **Ancistrocerus oviventris** (Wesmael,1836) (Vespidae)
21. **Anisoplia (Autanisoplia) austriaca** (Herbst,1783) (Scarabaeidae)
22. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
23. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
24. **Anoplius samariensis** (Pallas,1771) (Pompilidae)
25. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
26. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
27. **Antepipona orbitalis** (Herrich-Schäffer,1839) (Vespidae)

28. **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae)
29. **Anthaxia (s.str.) hypomelaena** (Illiger,1803) (Buprestidae)
30. **Anthaxia (s.str.) muliebris** Obenberger,1918 (Buprestidae)
31. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
32. **Anthaxia (s.str.) turcomanica** Obenberger,1937 (Buprestidae)
33. **Anthidium (Icterantheidium) cimbiciforme** (Smith,1854) (Megachilidae)
34. **Anthidium (Icterantheidium) grohmanni** Spinola,1838 (Megachilidae)
35. **Anthidium (Mesanthidium) carduele** Morawitz,1876 (Megachilidae)
36. **Anthidium (Paraanthidium) interruptum** (Fabricius,1781) (Megachilidae)
37. **Anthidium (Rhodanthidium) exsectum** (Pasteels,1969) (Megachilidae)
38. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
39. **Anthidium (s.str.) cingulatum** Latreille,1809 (Megachilidae)
40. **Anthidium (s.str.) manicatum** (Linnaeus,1758) (Megachilidae)
41. **Anthidium (s.str.) taeniatum** Latreille,1809 (Megachilidae)
42. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
43. **Aphrophora alni** (Fallén,1805) (Cercopidae)
44. **Aphthona franzi** Heikertinger,1944 (Chrysomelidae)
45. **Aphthona pygmaea** Kutschera,1861 (Chrysomelidae)
46. **Aporinellus moestus** (Klug,1834) (Pompilidae)
47. **Aporinellus sexmaculatus** (Spinola,1805) (Pompilidae)
48. **Apsectrotamypus trifascipennis** (Zetterstedt,1850) (Chironomidae)
49. **Arachnospila gibbomima** (Haupt,1929) (Pompilidae)
50. **Arachnospila rufa** (Haupt,1927) (Pompilidae)
51. **Arachnospila trivialis** (Dahlbom,1843) (Pompilidae)
52. **Arocephalus longiceps** (Kirschbaum,1868) (Cicadellidae)
53. **Asaphes suspensus** (Nees,1834) (Pteromalidae)
54. **Athalia bicolor** Audinet-Serville,1823 (Tenthredinidae)
55. **Athalia circularis** (Klug,1815) (Tenthredinidae)
56. **Athalia liberta** (Klug,1815) (Tenthredinidae)
57. **Auplopus albifrons** (Dalman,1823) (Pompilidae)
58. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
59. **Auplopus rectus** (Haupt,1927) (Pompilidae)
60. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
61. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
62. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
63. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
64. **Brachyceraea brevicornis** (Loew,1847) (Conopidae)
65. **Brachygluta balcanica** (Saulcy,1878) (Staphylinidae)
66. **Bryaxis bulbifer** (Reichenbach,1816) (Staphylinidae)
67. **Byctiscus betulae** (Linnaeus,1758) (Attelabidae)
68. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
69. **Calopteryx splendens** (Harris,1776) (Calopterygidae)
70. **Calopteryx virgo** (Linnaeus,1758) (Calopterygidae)
71. **Cantharis annularis** Ménétrés,1836 (Cantharidae)
72. **Cantharis livida** Linnaeus,1758 (Cantharidae)
73. **Capnodis miliaris** (Klug,1829) (Buprestidae)
74. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
75. **Cea pulicaris** Walker,1837 (Pteromalidae)
76. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
77. **Cerocoma dahli** Kraatz,1863 (Meloidae)
78. **Cerocoma ephesica** Reitter,1885 (Meloidae)
79. **Cerocoma kunzei** Frivaldsky,1835 (Meloidae)
80. **Cerocoma scovitzii** Faldermann,1837 (Meloidae)
81. **Cerocoma syriaca** Abeille de Perrin,1880 (Meloidae)
82. **Ceropales albicincta** (Rossi,1790) (Pompilidae)
83. **Ceropales cribrata** Costa,1881 (Pompilidae)
84. **Ceropales maculata** (Fabricius,1775) (Pompilidae)
85. **Chaetarthria seminulum** (Herbst,1797) (Hydrophilidae)
86. **Chaetocnema obesa** (Boieldieu,1859) (Chrysomelidae)
87. **Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae)
88. **Chalicodoma (s.str.) parietina** (Geoffroy,1785) (Megachilidae)
89. **Chlorita tessellata** Lethierry,1884 (Cicadellidae)
90. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
91. **Chrysolina coeruleans** (Scriba,1791) (Chrysomelidae)
92. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
93. **Chrysolina hyrcana** (Weise,1884) (Chrysomelidae)
94. **Chrysolina marginata** (Linnaeus,1758) (Chrysomelidae)
95. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
96. **Chrysomela saliceti** (Weise,1884) (Chrysomelidae)
97. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
98. **Cicadatra atra** (Oliver,1790) (Cicadidae)
99. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
100. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
101. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
102. **Cicindela turkestanicoides** W.Horn,1938 (Carabidae)
103. **Cionus donckieri** Pic,1898 (Curculionidae)
104. **Cixius pallipes** Fieber,1876 (Cixiidae)
105. **Coccinula quatuordecimpustulata** (Linnaeus,1758) (Coccinellidae)

106. **Coenorrhinus aequatus** (Linnaeus,1767)
(Atelabidae)
107. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
108. **Coniatus repandus** (Fabricius,1792)
(Curculionidae)
109. **Conops flavifrons** Meigen,1824 (Conopidae)
110. **Cordulegaster insignis** Schneider,1845
(Cordulegasteridae)
111. **Cordylepherus koenigi** (Abeille de
Perrin,1900) (Melyridae)
112. **Creightonella (Metamegachile) albisecta**
(Klug,1817) (Megachilidae)
113. **Crepidodera aurata** (Marsham,1802)
(Chrysomelidae)
114. **Cryptocephalus bipunctatus** (Linnaeus,1758)
(Chrysomelidae)
115. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
116. **Cryptocephalus moraei** (Linnaeus,1758)
(Chrysomelidae)
117. **Cryptocephalus ocellatus** Drapiez,1819
(Chrysomelidae)
118. **Cryptocheilus alternatus** (Lepeletier,1845)
(Pompilidae)
119. **Cryptocheilus discolor** (Fabricius,1793)
(Pompilidae)
120. **Cryptocheilus egregius** (Lepeletier,1845)
(Pompilidae)
121. **Cryptocheilus fischeri** (Spinola,1855)
(Pompilidae)
122. **Cryptocheilus notatus** (Rossi,1792)
(Pompilidae)
123. **Cryptocheilus rubellus** (Eversmann,1846)
(Pompilidae)
124. **Cryptocheilus stygium** Priesner,1967
(Pompilidae)
125. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
126. **Ctenotilla caeca** (Radoszkowski,1879)
(Mutillidae)
127. **Cyphon arietizans** Nyholm,1970 (Scirtidae)
128. **Cyphon palustris** Thomson,1855 (Scirtidae)
129. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
130. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
131. **Dentilla curtiventris** (André,1901) (Mutillidae)
132. **Dentilla persica** (Sichel &
Radoszkowski,1869) (Mutillidae)
133. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
134. **Dictyophara asiatica** Melichar,1912
(Dictyopharidae)
135. **Dicyrtomellus argenteus** Wahis,1982
(Pompilidae)
136. **Dolichovespula omissa** (Bischoff,1931)
(Vespidae)
137. **Dolichovespula sylvestris** (Scopoli,1763)
(Vespidae)
138. **Dryocosmus cerriphilus** Giraud,1859
(Cynipidae)
139. **Duilus seticulosa** (Lethierry,1874) (Cixiidae)
140. **Duilus tamaricis** (Puton & Lethierry,1887)
(Cixiidae)
141. **Ebaeus medvedevi** Wittmer,1970 (Melyridae)
142. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae)
143. **Emblethis denticollis** Hovarth,1878
(Lygaeidae)
144. **Empoasca solani** (Curtis,1846) (Cicadellidae)
145. **Enochrus (Lumetus) bicolor** (Fabricius,1792)
(Hydrophilidae)
146. **Enochrus (Lumetus) fuscipennis**
(Thomson,1884) (Hydrophilidae)
147. **Enochrus (s.str.) melanocephalus**
(Olivier,1792) (Hydrophilidae)
148. **Epicauta erythrocephala** (Pallas,1771)
(Meloidea)
149. **Episyron albonotatum** (Van der
Linden,1827) (Pompilidae)
150. **Episyron gallicum** (Tournier,1889)
(Pompilidae)
151. **Epitrix caucasica** (Heiteringer,1950)
(Chrysomelidae)
152. **Epitrix intermedia** Foudras,1860
(Chrysomelidae)
153. **Erythromma viridulum** (Charpentier,1840)
(Coenagrionidae)
154. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
155. **Eumenes coronatus** (Panzer,1799) (Vespidae)
156. **Eumenes dubius** Saussure,1852 (Vespidae)
157. **Eumenes lunulatus** (Fabricius,1804)
(Vespidae)
158. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
159. **Eumenes papillarius** (Christ,1791) (Vespidae)
160. **Eumenes pomiformis** (Fabricius,1781)
(Vespidae)
161. **Euodynerus (Pareuodynerus) notatus**
(Jurine,1807) (Vespidae)
162. **Euodynerus (s.str.) semisaecularis** Dalla
Torre,1889 (Vespidae)
163. **Eupteryx atropunctata** (Goeze,1778)
(Cicadellidae)
164. **Eupteryx pavlovskii** Zachvatkin,1947
(Cicadellidae)
165. **Eupteryx taborskyi** Dlabola,1957 (Cicadellidae)
166. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
167. **Eustenancistrocerus amadanensis**
(Saussure,1855) (Vespidae)
168. **Eustenancistrocerus israelensis** Giordani
Soika,1938 (Vespidae)
169. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
170. **Exochomus nigromaculatus** (Goeze,1777)
(Coccinellidae)
171. **Falcotoya minuscula** (Horvath,1897)
(Delphacidae)
172. **Gastrophysa polygoni** (Linnaeus,1758)
(Chrysomelidae)
173. **Gonia ornata** Meigen,1826 (Tachinidae)
174. **Gonioctena fornicata** (Brüggemann,1873)
(Chrysomelidae)
175. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
176. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
177. **Grypocoris fieberi** Douglas & Scott,1868
(Miridae)
178. **Haematopota italica** Meigen,1804 (Tabanidae)
179. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
180. **Halticoptera kemaliyensis**
Doğanlar,2006 (Pteromalidae)
181. **Hardya anatolica** Zachvatkin,1946
(Cicadellidae)

182. **Hauptidia (s.str.) cretacea** (Moravskaja,1948) (Cicadellidae)
183. **Helophorus arvernicus Mulsant,1846** (Helophoridae)
184. **Helophorus flavipes Fabricius,1792** (Helophoridae)
185. **Helophorus griseus Herbst,1793** (Helophoridae)
186. **Helophorus lewisi Angus,1985** (Helophoridae)
187. **Helophorus longitarsis Wollaston,1864** (Helophoridae)
188. **Helophorus nanus Sturm,1836** (Helophoridae)
189. **Helophorus ponticus Angus,1988** (Helophoridae)
190. **Hemitropis seticlosa (Lethierry,1874)** (Cixiidae)
191. **Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae)
192. **Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae)
193. **Homonotus sanguinolentus (Fabricius,1793)** (Pompilidae)
194. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae)
195. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae)
196. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)
197. **Hyalesthes ponticorum Hoch & Remane,1985** (Cixiidae)
198. **Hycleus scabiosae (Olivier,1811)** (Meloidae)
199. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae)
200. **Hydroglyphus pubescens Gyllenhal,1808** (Dytiscidae)
201. **Hydroporus erzurumensis Erman & Fery,2000** (Dytiscidae)
202. **Hydroporus kozlovskii Zaitzev,1927** (Dytiscidae)
203. **Hydroporus planus (Fabricius,1781)** (Dytiscidae)
204. **Hydroporus pubescens (Gyllenhal,1808)** (Dytiscidae)
205. **Hygrotus (Coelambus) ahmeti Hajek, Fery & Erman,2005** (Dytiscidae)
206. **Hypera meles (Fabricius,1792)** (Curculionidae)
207. **Hypera variabilis (Herbst,1795)** (Curculionidae)
208. **Hypocassida subferruginea (Schrank,1776)** (Chrysomelidae)
209. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae)
210. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae)
211. **Isoperla armeniaca Zhiltzova,1961** (Perlodidae)
212. **Isophya bicarinata Karabağ,1957** (Tettigoniidae)
213. **Isophya schneideri Brunner von Wattenwyl,1878** (Tettigoniidae)
214. **Katamenes flavigularis (Blüthgen,1951)** (Vespidae)
215. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae)
216. **Kybos candelabricus Dlabola,1958** (Cicadellidae)
217. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
218. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
219. **Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae)
220. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
221. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
222. **Laodelphax striatellus (Fallén,1826)** (Delphacidae)
223. **Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae)
224. **Leptochilus alpestris (Saussure,1855)** (Vespidae)
225. **Leptochilus gusenleitneri Yıldırım & Özbek,1995** (Vespidae)
226. **Leptodusa demirsoyi (Karabağ,1975)** (Tettigoniidae)
227. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae)
228. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
229. **Libellula depressa Linnaeus,1758** (Libellulidae)
230. **Limotettix striola (Fallén,1806)** (Cicadellidae)
231. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae)
232. **Lixus subtilis Boheman,1836** (Curculionidae)
233. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae)
234. **Longitarsus anatolicus Weise,1900** (Chrysomelidae)
235. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae)
236. **Longitarsus fallax Weise,1888** (Chrysomelidae)
237. **Longitarsus hittita Biondi,1995** (Chrysomelidae)
238. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae)
239. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae)
240. **Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae)
241. **Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae)
242. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae)
243. **Longitarsus suturellus (Duftschmid,1825)** (Chrysomelidae)
244. **Lophyridia caucasica (Adams,1817)** (Carabidae)
245. **Lophyridia fischeri (Adams,1817)** (Carabidae)
246. **Lydus turcicus Kaszab,1952** (Meloidae)
247. **Lydus unicolor Reitter,1887** (Meloidae)
248. **Lyristes plebejus (Scopoli,1763)** (Cicadidae)
249. **Macrophya blanda Fabricius,1775** (Tenthredinidae)
250. **Macrophya cyrus Benson,1954** (Tenthredinidae)
251. **Macrophya diversipes (Schrank,1782)** (Tenthredinidae)
252. **Macrophya postica Brullé,1832** (Tenthredinidae)

253. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
254. **Macrophya teutonia** Panzer,1799
(Tenthredinidae)
255. **Macropsis scutellata** (Boheman,1845)
(Cicadellidae)
256. **Macrosteles forficula** (Ribaut,1927)
(Cicadellidae)
257. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
258. **Megachile (Xanthosarus) maritima**
(Kirby,1802) (Megachilidae)
259. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
260. **Meloe mediterraneus** Müller,1925
(Meloidae)
261. **Meloe olivieri** Chevrolat,1833 (Meloidae)
262. **Meloe proscarabaeus** Linnaeus,1758
(Meloidae)
263. **Meloe rufiventris** Germar,1817 (Meloidae)
264. **Micantulina (s.str.) micantula**
(Zetterstedt,1840) (Cicadellidae)
265. **Microdynerus erzincanensis** Yıldırım &
Özbek,1995 (Vespidae)
266. **Modicogryllus (s.str.) truncatus**
(Tarbinski,1940) (Gryllidae)
267. **Muzimes erivanicus** (Kaszab,1958)
(Meloidae)
268. **Mylabris cincta** Olivier,1811 (Meloidae)
269. **Mylabris fabricii** Sumakov,1924
(Meloidae)
270. **Mylabris festiva** (Pallas,1773) (Meloidae)
271. **Mylabris olivieri** Billberg,1813 (Meloidae)
272. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
273. **Mylabris serana** (Escherich,1897) (Meloidae)
274. **Mylabris zebraea** (Marseul,1870)
(Meloidae)
275. **Myrmica ravasini** Finzi,1923 (Formicidae)
276. **Myrmilla (s.str.) anopla** Skorikov,1927
(Mutillidae)
277. **Myrmilla (s.str.) calva** (Villers,1789)
(Mutillidae)
278. **Nanoclavelia leucoptera** (Dahlbom,1845)
(Pompilidae)
279. **Nemka viduata** (Pallas,1773) (Mutillidae)
280. **Nemognatha chrysomelina**
(Fabricius,1775) (Meloidae)
281. **Neotaliturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
282. **Neophilaenus lineatus** (Linnaeus,1758)
(Cercopidae)
283. **Notonecta glauca** Linnaeus,1758
(Notonectidae)
284. **Ochrosis ventralis** (Illiger,1807)
(Chrysomelidae)
285. **Oecanthus pellucens** (Scopoli,1763)
(Gryllidae)
286. **Oenas crassicornis** (Illiger,1800)
(Meloidae)
287. **Oenopia oncina** (Olivier,1808)
(Coccinellidae)
288. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
289. **Ophonus (Hesperophonus) azureus**
(Fabricius,1775) (Carabidae)
290. **Ophonus (s.str.) sabulicola**
(Panzer,1796) (Carabidae)
291. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
292. **Orthetrum brunneum**
(Fonscolombe,1837) (Libellulidae)
293. **Orthetrum coerulescens** (Fabricius,1798)
(Libellulidae)
294. **Osmia (Helicosmia) aurulenta**
(Panzer,1799) (Megachilidae)
295. **Osmia (Helicosmia) caerulescens**
(Linnaeus,1758) (Megachilidae)
296. **Osmia (s.str.) cerinthidis** Morawitz,1876
(Megachilidae)
297. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
298. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
299. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
300. **Pachybrachis (s.str.) velarum**
Warchalowski,1998 (Chrysomelidae)
301. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
302. **Pausias martini** (Puton,1890)
(Pentatomidae)
303. **Pentastira rorida** (Fieber,1876) (Cixiidae)
304. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
305. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
306. **Phyllotreta diademata** Foudras,1860
(Chrysomelidae)
307. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
308. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
309. **Physetopoda similis** (Lelej,1984)
(Mutillidae)
310. **Physocephala chrysorrhoea** (Meigen,1824)
(Conopidae)
311. **Physocephala rufipes** (Fabricius,1781)
(Conopidae)
312. **Phytoecia behen** Sama & Rejzek,1999
(Cerambycidae)
313. **Plagioderia versicolora** (Laicharting,1781)
(Chrysomelidae)
314. **Platycleis (Incertana) persica** Uvarov,1917
(Tettigoniidae)
315. **Platycleis (Montana) elegans** (Uvarov,1934)
(Tettigoniidae)
316. **Platycleis (Montana) uvarovi** (Karabağ,1950)
(Tettigoniidae)
317. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
318. **Platycleis (s.str.) intermedia** (Audinet-
Serville, [1839]) (Tettigoniidae)
319. **Platycleis (Squamiana) sinuata** Ramme,1951
(Tettigoniidae)
320. **Platycleis (Squamiana) weidneri**
Demirsoy,1974 (Tettigoniidae)
321. **Platymetopius rostratus** (Herrich-
Schäffer,1834) (Cicadellidae)
322. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
323. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
324. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
325. **Polistes (s.str.) sulcifer**
(Zimmermann,1930) (Vespidae)
326. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)

327. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
328. **Prionotropis maculinervis** (Stal,1878)
(Pamphagidae)
329. **Propylea quatuordecimpunctata**
(Linnaeus,1758) (Coccinellidae)
330. **Protaetia (Netocia) sibirica**
(Gebler,1829) (Scarabaeidae)
331. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
332. **Protonemura bacuriana** Zhiltzova,1957
(Nemouridae)
333. **Psammettix alienus** (Dahlbom,1850)
(Cicadellidae)
334. **Psammettix cephalotes** (Herrich-
Schäffer,1834) (Cicadellidae)
335. **Psammettix confinis** (Dahlbom,1850)
(Cicadellidae)
336. **Psammettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
337. **Pseudopompilus humboldti** (Dahlbom,1845)
(Pompilidae)
338. **Psylliodes circumdatus**
(Redtenbacher,1842) (Chrysomelidae)
339. **Psylliodes inflatus** Reiche,1856
(Chrysomelidae)
340. **Psylliodes isatidis** Heikertinger,1912
(Chrysomelidae)
341. **Psylliodes saulcyi** Allard,1867 (Chrysomelidae)
342. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
343. **Psylliodes testaceoconcolor**
Heikertinger,1926 (Chrysomelidae)
344. **Psyllobora vigintiduopunctata**
(Linnaeus,1758) (Coccinellidae)
345. **Pyrrhocoris apterus** (Linnaeus,1758)
(Pyrrhocoridae)
346. **Pyrrhocoris marginatus** (Kolenati,1845)
(Pyrrhocoridae)
347. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
348. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
349. **Rhynchites auratus** (Scopoli,1763)
(Attelabidae)
350. **Rhynchites bacchus** (Linnaeus,1758)
(Attelabidae)
351. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
352. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
353. **Rhyparochromus alboacuminatus**
(Goeze,1778) (Lygaeidae)
354. **Ribautodelphax albostriatus**
(Fieber,1866) (Delphacidae)
355. **Ribautodelphax pallens** (Stål,1854)
(Delphacidae)
356. **Ronisia brutia** (Petagna,1787) (Mutillidae)
357. **Saga ephippigera** Fischer von
Waldheim,1846 (Tettigoniidae)
358. **Sciocoris deltocephalus** Fieber,1861
(Pentatomidae)
359. **Scolia galbula** (Pallas,1771) (Scoliidae)
360. **Scolia hirta** (Schrank,1781) (Scoliidae)
361. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
362. **Scorlupella montana** (Becker,1865)
(Issidae)
363. **Selenocephalus armeniacus**
Lindberg,1960 (Cicadellidae)
364. **Setapius barajus** (Dlabola,1957) (Cixiidae)
365. **Skorikovia anatolica** Lelej,2009
(Mutillidae)
366. **Skorikovia radoszkowskii**
(Skorikov,1935) (Mutillidae)
367. **Sphegigaster brevicornis** (Walker,1833)
(Pteromalidae)
368. **Spheg flavipennis** Fabricius,1793
(Sphecidae)
369. **Stenodera anatolica** Frivaldsky,1884
(Meloidae)
370. **Stenodynerus bluethgeni** Van der
Vecht,1971 (Vespidae)
371. **Stenodynerus chevrieranus** (Saussure,1855)
(Vespidae)
372. **Stenodynerus simulatus** Gusenleitner,1981
(Vespidae)
373. **Stenometiellus angorensis**
Zachvatkin,1946 (Cicadellidae)
374. **Stethorus punctillum** Weise,1891
(Coccinellidae)
375. **Symmorphus gracilis** (Brullé,1832) (Vespidae)
376. **Symmorphus murarius** (Linnaeus,1758)
(Vespidae)
377. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
378. **Sympetrum striolatum**
(Charpentier,1840) (Libellulidae)
379. **Syneuodynerus egregius** (Herrich-
Schäffer,1839) (Vespidae)
380. **Tabanus atropathenicus** Olsufjev,1937
(Tabanidae)
381. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
382. **Tabanus bifarius** Loew,1858 (Tabanidae)
383. **Tabanus cuculus** Szilady,1923 (Tabanidae)
384. **Tabanus prometheus** Szilady,1923
(Tabanidae)
385. **Tabanus spectabilis** Loew,1858
(Tabanidae)
386. **Tabanus subparadoxus** Olsufjev,1937
(Tabanidae)
387. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
388. **Tachyagetes leucoanemem** Haupt,1930
(Pompilidae)
389. **Tachyagetes turcoturanicus** Wolf,1986
(Pompilidae)
390. **Tachyancistrocerus schmidtii**
(Kokujev,1912) (Vespidae)
391. **Telostegus inermis** (Brullé,1832) (Pompilidae)
392. **Tenthredo costata** Klug,1817
(Tenthredinidae)
393. **Tenthredo excellens** Konow,1886
(Tenthredinidae)
394. **Tenthredo flavipennis** (Brullé,1832)
(Tenthredinidae)
395. **Tenthredo hyrcana** Benson,1968
(Tenthredinidae)
396. **Tenthredo scrophulariae** Linnaeus,1758
(Tenthredinidae)
397. **Tenthredo thompsoni** Curtis,1839
(Tenthredinidae)
398. **Tenthredo vespiformis** Schrank,1781
(Tenthredinidae)
399. **Tenthredo zonula** Klug,1817
(Tenthredinidae)
400. **Tettigometra (Hystrigonia) hexaspina**
Kolenati,1857 (Tettigometridae)

401. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
402. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
403. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae)
404. **Thecophora atra (Fabricius,1775)** (Conopidae)
405. **Theriopectes gigas (Herbst,1787)** (Tabanidae)
406. **Trichodes apiarius (Linnaeus,1758)** (Cleridae)
407. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae)
408. **Trichodes pulcherrimus Escherich,1892** (Cleridae)
409. **Trichodes quadriguttatus Adams,1817** (Cleridae)
410. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
411. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae)
412. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae)
413. **Tropidotilla sareptana (André,1901)** (Mutillidae)
414. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
415. **Vespa crabro Linnaeus,1758** (Vespidae)
416. **Vespa orientalis Linnaeus,1771** (Vespidae)
417. **Vespula rufa (Linnaeus,1758)** (Vespidae)
418. **Vespula vulgaris (Linnaeus,1758)** (Vespidae)
419. **Zodion cinereum (Fabricius,1794)** (Conopidae)
420. **Zonitis flava Fabricius,1775** (Meloidae)

Erzurum Province (25)

(1210 species, stand 30 April 2010)

1. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae)
2. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
3. **Acilius sulcatus (Linnaeus,1758)** (Dytiscidae)
4. **Aclypea undata (O.F.Müller,1776)** (Silphidae)
5. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae)
6. **Acrida bicolor (Thunberg,1815)** (Acrididae)
7. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae)
8. **Adrastus samedovi Dolin & Agajev,1974** (Elateridae)
9. **Aeropus sibiricus (Linnaeus,1767)** (Acrididae)
10. **Aeshna juncea (Linnaeus,1758)** (Aeshnidae)
11. **Aeshna mixta Latreille,1805** (Aeshnidae)
12. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
13. **Agabus glacialis Hochhuth,1846** (Dytiscidae)
14. **Agabus paludosus (Fabricius,1801)** (Dytiscidae)
15. **Agenioideus ciliatus (Lepeletier,1845)** (Pompilidae)
16. **Agenioideus dichrous (Brullé,1840)** (Pompilidae)
17. **Agenioideus excisus (Morawitz,1890)** (Pompilidae)
18. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae)
19. **Agenioideus rytiphorus (Kohl,1886)** (Pompilidae)
20. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae)
21. **Agenioideus usurarius (Tournier,1889)** (Pompilidae)
22. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae)
23. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
24. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
25. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae)
26. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae)
27. **Agriotes (s.str.) depressus Schwarz,1891** (Elateridae)
28. **Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae)
29. **Agriotes (s.str.) meticulosus Candeze,1863** (Elateridae)
30. **Agriotes (s.str.) proximus Schwarz,1891** (Elateridae)
31. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae)
32. **Agromyza anthracina Meigen,1830** (Agromyzidae)
33. **Agromyza bromi Spencer,1966** (Agromyzidae)
34. **Agromyza graminicola Hendel,1931** (Agromyzidae)
35. **Agrothereutes fumipennis (Gravenhorst,1829)** (Ichneumonidae)
36. **Alastor mediomaculatus Giordani Soika,1952** (Vespidae)
37. **Alastor pentheri Kohl,1905** (Vespidae)
38. **Allantus balteatus (Klug,1818)** (Tenthredinidae)
39. **Allantus basalis (Klug,1818)** (Tenthredinidae)
40. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae)
41. **Allantus cingulatus (Scopoli,1763)** (Tenthredinidae)
42. **Allantus didymus (Klug,1818)** (Tenthredinidae)
43. **Allantus togatus (Panzer,1801)** (Tenthredinidae)
44. **Allantus viennensis (Schrank,1781)** (Tenthredinidae)
45. **Allodynerus delphinalis (Giraud,1866)** (Vespidae)
46. **Allodynerus floricola (Saussure,1853)** (Vespidae)
47. **Allodynerus rossii (Lepeletier,1841)** (Vespidae)
48. **Alosimus armeniacus (Faldermann,1837)** (Meloidae)
49. **Alosimus castaneus Escherich,1896** (Meloidae)
50. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)

51. *Alosimus gracilis* (Abeille de Perrin,1880) (Meloidae)
52. *Alosimus reittedianus* (Semenov,1990) (Meloidae)
53. *Altica ancycensis* (Weise,1897) (Chrysomelidae)
54. *Altica brevicollis* Foudras,1860 (Chrysomelidae)
55. *Altica carduorum* (Guérin-Méneville,1858) (Chrysomelidae)
56. *Altica deserticola* (Weise,1889) (Chrysomelidae)
57. *Altica globicollis* (Weise,1889) (Chrysomelidae)
58. *Altica hamperi* (Allard,1867) (Chrysomelidae)
59. *Altica impressicollis* (Reiche,1862) (Chrysomelidae)
60. *Altica jarmilae* Kral,1979 (Chrysomelidae)
61. *Altica lythri* Aubé,1843 (Chrysomelidae)
62. *Altica oleracea* (Linnaeus,1758) (Chrysomelidae)
63. *Altica palustris* (Weise,1888) (Chrysomelidae)
64. *Altica pontica* (Ogloblin,1925) (Chrysomelidae)
65. *Amblyellus hasdrubal* (Kohl,1894) (Pompilidae)
66. *Ametastegia glabrata* (Fallén,1808) (Tenthredinidae)
67. *Ammophila sabulosa* (Linnaeus,1758) (Sphecidae)
68. *Amphinemura mirabilis* (Martynov,1928) (Nemouridae)
69. *Anaceratagallia laevis* (Ribaut,1935) (Cicadellidae)
70. *Ancistrocerus auctus* (Fabricius,1793) (Vespidae)
71. *Ancistrocerus claripennis* Thomson,1874 (Vespidae)
72. *Ancistrocerus oviventris* (Wesmael,1836) (Vespidae)
73. *Ancistrocerus parietinus* (Linnaeus,1761) (Vespidae)
74. *Ancistrocerus parietum* (Linnaeus,1758) (Vespidae)
75. *Andrena labialis* (Kirby,1802) (Andrenidae)
76. *Andricus megatruncicolus* Melika,2008 (Cynipidae)
77. *Anoplus concinnus* (Dahlbom,1845) (Pompilidae)
78. *Anoplus infuscatus* (Van der Linden,1827) (Pompilidae)
79. *Anoplus nigerrimus* (Scopoli,1763) (Pompilidae)
80. *Anoplus samariensis* (Pallas,1771) (Pompilidae)
81. *Anoplus schlettereri* (Radoszkowski,1888) (Pompilidae)
82. *Anoplus viaticus* (Linnaeus,1758) (Pompilidae)
83. *Antepipona insana* (Giordani Soika,1943) (Vespidae)
84. *Antepipona orbitalis* (Herrich-Schäffer,1839) (Vespidae)
85. *Anthaxia (Melanthaxia) caucasica* Abeille,1900 (Buprestidae)
86. *Anthaxia (Melanthaxia) truncata* Abeille,1900 (Buprestidae)
87. *Anthaxia (s.str.) bicolor* Faldermann,1835 (Buprestidae)
88. *Anthaxia (s.str.) hypomelaena* (Illiger,1803) (Buprestidae)
89. *Anthaxia (s.str.) muliebris* Obenberger,1918 (Buprestidae)
90. *Anthaxia (s.str.) signaticollis* (Krynicky,1832) (Buprestidae)
91. *Anthidium (Anthidiellum) nasicum* Friese,1917 (Megachilidae)
92. *Anthidium (Anthidiellum) strigatum* (Panzer,1805) (Megachilidae)
93. *Anthidium (Archanthidium) pubescens* (Morawitz,1872) (Megachilidae)
94. *Anthidium (Exanthidium) eximium* Giraud,1863 (Megachilidae)
95. *Anthidium (Icteranthidium) cimbiciforme* (Smith,1854) (Megachilidae)
96. *Anthidium (Icteranthidium) grohmanni* Spinola,1838 (Megachilidae)
97. *Anthidium (Icteranthidium) limbiferum* Morawitz,1875 (Megachilidae)
98. *Anthidium (Mesanthidium) carduele* Morawitz,1876 (Megachilidae)
99. *Anthidium (Paraanthidium) interruptum* (Fabricius,1781) (Megachilidae)
100. *Anthidium (Proanthidium) oblongatum* (Illiger,1806) (Megachilidae)
101. *Anthidium (Pseudoanthidium) lituratum* (Panzer,1801) (Megachilidae)
102. *Anthidium (Pseudoanthidium) melanurum* Klug,1832 (Megachilidae)
103. *Anthidium (Rhodanthidium) septemdentatum* (Latreille,1809) (Megachilidae)
104. *Anthidium (s.str.) cingulatum* Latreille,1809 (Megachilidae)
105. *Anthidium (s.str.) diadema* Latreille,1809 (Megachilidae)
106. *Anthidium (s.str.) florentinum* (Fabricius,1775) (Megachilidae)
107. *Anthidium (s.str.) loti* Perris,1852 (Megachilidae)
108. *Anthidium (s.str.) manicatum* (Linnaeus,1758) (Megachilidae)
109. *Anthidium (s.str.) punctatum* Latreille,1809 (Megachilidae)
110. *Anthidium (s.str.) taeniatum* Latreille,1809 (Megachilidae)
111. *Anthidium (s.str.) trispinosum* Friese,1917 (Megachilidae)
112. *Anthobium fuscum* (Erichson,1839) (Staphylinidae)
113. *Anthocoris nemorum* (Linnaeus,1761) (Anthocoridae)
114. *Anthomalachius pseudospinosus* (Medvedev,1964) (Melyridae)
115. *Apalus necydalaeus* (Pallas,1782) (Meloidae)
116. *Apanteles ater* (Ratzeburg,1852) (Braconidae)
117. *Aphalara maculipennis* Loew,1886 (Psyllidae)
118. *Aphrodes bicinctus* (Schrank,1776) (Cicadellidae)
119. *Aphrophora alni* (Fallén,1805) (Cercopidae)
120. *Aphthona bonvouloiri* Allard,1861 (Chrysomelidae)
121. *Aphthona euphorbiae* (Schrank,1781) (Chrysomelidae)
122. *Aphthona flava* Guillebeau,1894 (Chrysomelidae)
123. *Aphthona flaviceps* Allard,1859 (Chrysomelidae)
124. *Aphthona franzi* Heikertinger,1944 (Chrysomelidae)

125. *Aphthona gracilis* Faldermann, 1837 (Chrysomelidae)
126. *Aphthona kuntzei* Roubal, 1931 (Chrysomelidae)
127. *Aphthona lutescens* (Gyllenhal, 1808) (Chrysomelidae)
128. *Aphthona nigriceps* (Redtenbacher, 1842) (Chrysomelidae)
129. *Aphthona nigriscutis* Foudras, 1860 (Chrysomelidae)
130. *Aphthona pygmaea* Kutschera, 1861 (Chrysomelidae)
131. *Aphthona rugipennis* Ogloblin, 1926 (Chrysomelidae)
132. *Aphthona semicyanea* Allard, 1859 (Chrysomelidae)
133. *Aphthona venustula* Kutschera, 1861 (Chrysomelidae)
134. *Aporinellus moestus* (Klug, 1834) (Pompilidae)
135. *Aporinellus sexmaculatus* (Spinola, 1805) (Pompilidae)
136. *Aporus pollux* (Kohl, 1888) (Pompilidae)
137. *Arachnospila anceps* (Wesmael, 1851) (Pompilidae)
138. *Arachnospila clericalis* (Morawitz, 1889) (Pompilidae)
139. *Arachnospila colpostoma* (Kohl, 1886) (Pompilidae)
140. *Arachnospila consobrina* (Dahlbom, 1843) (Pompilidae)
141. *Arachnospila fumipennis* (Zetterstedt, 1838) (Pompilidae)
142. *Arachnospila fuscomarginata* (Thomson, 1870) (Pompilidae)
143. *Arachnospila gibbomima* (Haupt, 1929) (Pompilidae)
144. *Arachnospila hedickei* (Haupt, 1929) (Pompilidae)
145. *Arachnospila minutula* (Dahlbom, 1843) (Pompilidae)
146. *Arachnospila rufa* (Haupt, 1927) (Pompilidae)
147. *Arachnospila silvana* (Kohl, 1886) (Pompilidae)
148. *Arachnospila sogdiana* (Morawitz, 1893) (Pompilidae)
149. *Arachnospila spissa* (Schioedte, 1837) (Pompilidae)
150. *Arachnospila trivialis* (Dahlbom, 1843) (Pompilidae)
151. *Arachnospila valesabnormis* (Wolf, 1965) (Pompilidae)
152. *Arachnoheutes rufithorax* (Costa, 1887) (Pompilidae)
153. *Arge aurata* (Zaddach, 1864) (Argidae)
154. *Arge beckeri* Tournier, 1889 (Argidae)
155. *Arge berberidis* (Schränk, 1802) (Argidae)
156. *Arge melanochra* (Gmelin, 1790) (Argidae)
157. *Arge nigripes* (Retzius, 1783) (Argidae)
158. *Arge ochropus* (Gmelin, 1790) (Argidae)
159. *Arge pleuritica* (Klug, 1834) (Argidae)
160. *Arge pyrenaica* (André, 1879) (Argidae)
161. *Arge rustica* (Linnaeus, 1758) (Argidae)
162. *Arge scita* (Mocsary, 1880) (Argidae)
163. *Aritranis fugitivus* (Gravenhorst, 1829) (Ichneumonidae)
164. *Arocephalus longiceps* (Kirschbaum, 1868) (Cicadellidae)
165. *Artianus interstitialis* (Germar, 1821) (Cicadellidae)
166. *Asaphes suspensus* (Nees, 1834) (Pteromalidae)
167. *Asiraca clavicornis* (Fabricius, 1794) (Delphacidae)
168. *Athalia bicolor* Audinet-Serville, 1823 (Tenthredinidae)
169. *Athalia circularis* (Klug, 1815) (Tenthredinidae)
170. *Athalia cordata* Audinet-Serville, 1823 (Tenthredinidae)
171. *Athalia liberta* (Klug, 1815) (Tenthredinidae)
172. *Athrycia impressa* (van der Wulp, 1869) (Tachinidae)
173. *Atylotus austeni* (Szilady, 1915) (Tabanidae)
174. *Atylotus fulvus* (Meigen, 1820) (Tabanidae)
175. *Atylotus hendrxi* Leclercq, 1967 (Tabanidae)
176. *Atylotus protidor* (Bogatshev & Samedov, 1949) (Tabanidae)
177. *Atylotus quadrifarius* (Loew, 1874) (Tabanidae)
178. *Auplopus albifrons* (Dalman, 1823) (Pompilidae)
179. *Auplopus carbonarius* (Scopoli, 1763) (Pompilidae)
180. *Auplopus rectus* (Haupt, 1927) (Pompilidae)
181. *Bactericera femoralis* (Förster, 1848) (Triozidae)
182. *Balclutha flavella* Linnavuori, 1962 (Cicadellidae)
183. *Balclutha pellucens* Horvath, 1909 (Cicadellidae)
184. *Balclutha punctata* (Fabricius, 1775) (Cicadellidae)
185. *Balclutha rhenana* Wagner, 1939 (Cicadellidae)
186. *Banchus turcator* Aubert, 1984 (Ichneumonidae)
187. *Bathyplectes rufiventrorator* (Aubert, 1979) (Ichneumonidae)
188. *Batophila fallax* Weise, 1888 (Chrysomelidae)
189. *Batozonellus lacerticida* (Pallas, 1771) (Pompilidae)
190. *Batracomorpha irroratus* Lewis, 1834 (Cicadellidae)
191. *Bazarella subneglecta* (Tonnoir, 1922) (Psychodidae)
192. *Bembecinus peregrinus* (Smith, 1856) (Crabronidae)
193. *Biblopectus pauxillus* Besuchet, 1975 (Staphylinidae)
194. *Bithia immaculata* (Herting, 1971) (Tachinidae)
195. *Bithia modesta* (Meigen, 1824) (Tachinidae)
196. *Blepharicera fasciata* (Westwood, 1842) (Blephariceridae)
197. *Blondelia nigripes* (Fallén, 1810) (Tachinidae)
198. *Bombus lucorum* Linnaeus, 1761 (Apidae)
199. *Bombus terrestris* Linnaeus, 1758 (Apidae)
200. *Boveycantharis rufimana* (Ménétriés, 1832) (Cantharidae)
201. *Brachyceraea brevicornis* (Loew, 1847) (Conopidae)
202. *Brachygluta nodosa* (Motschoulsky, 1835) (Staphylinidae)
203. *Brachydynerus kusdasi* Gusenleitner, 1967 (Vespidae)
204. *Brumus octosignatus* (Gebler, 1830) (Coccinellidae)
205. *Bryaxis bulbifer* (Reichenbach, 1816) (Staphylinidae)
206. *Bryaxis longipalpis* (Motschoulsky, 1835) (Staphylinidae)

207. **Bryaxis temporalis** Besuchet & Kurbatov, 2007 (Staphylinidae)
208. **Bulaea lichatschovi** (Hummel, 1827) (Coccinellidae)
209. **Cacopsylla hippophaes** (Förster, 1848) (Psyllidae)
210. **Cacopsylla pruni** (Scopoli, 1763) (Psyllidae)
211. **Caliadurgus fasciatellus** (Spinola, 1808) (Pompilidae)
212. **Calliptamus barbarus** (Costa, 1836) (Acrididae)
213. **Calliptamus coelesyriensis** (Giglio-Tos, 1893) (Acrididae)
214. **Calliptamus italicus** (Linnaeus, 1758) (Acrididae)
215. **Campiglossa producta** Loew, 1844 (Tephritidae)
216. **Cantharis livida** Linnaeus, 1758 (Cantharidae)
217. **Cantharis nigra** De Geer, 1774 (Cantharidae)
218. **Capnodis cariosa** (Pallas, 1776) (Buprestidae)
219. **Capnodis porosa** (Klug, 1829) (Buprestidae)
220. **Capnodis tenebricosa** (Olivier, 1790) (Buprestidae)
221. **Carabus (Procerus) caucasicus** Adams, 1817 (Carabidae)
222. **Carpocoris fuscispinus** (Boheman, 1851) (Pentatomidae)
223. **Cassida seraphina** Ménétriés, 1836 (Chrysomelidae)
224. **Cassida viridis** Linnaeus, 1758 (Chrysomelidae)
225. **Celes variabilis** (Pallas, 1771) (Acrididae)
226. **Ceramius caucasicus** André, 1884 (Vespidae)
227. **Cerocoma adamovichiana** (Piller & Mitterpacher, 1783) (Meloidae)
228. **Cerocoma dahli** Kraatz, 1863 (Meloidae)
229. **Cerocoma ephesica** Reitter, 1885 (Meloidae)
230. **Cerocoma festiva** Faldermann, 1837 (Meloidae)
231. **Cerocoma kunzei** Frivaldsky, 1835 (Meloidae)
232. **Cerocoma muehlfeldi** Gyllenhal, 1817 (Meloidae)
233. **Cerocoma schaefferi** (Linnaeus, 1758) (Meloidae)
234. **Ceropales albicincta** (Rossi, 1790) (Pompilidae)
235. **Ceropales cribrata** Costa, 1881 (Pompilidae)
236. **Ceropales maculata** (Fabricius, 1775) (Pompilidae)
237. **Ceropales variegata** (Fabricius, 1798) (Pompilidae)
238. **Chaetarthria seminulum** (Herbst, 1797) (Hydrophilidae)
239. **Chaetocnema arenacea** (Allard, 1860) (Chrysomelidae)
240. **Chaetocnema aridula** (Gyllenhal, 1827) (Chrysomelidae)
241. **Chaetocnema breviscula** (Faldermann, 1884) (Chrysomelidae)
242. **Chaetocnema chlorophana** (Duftschmid, 1825) (Chrysomelidae)
243. **Chaetocnema concinna** (Marsham, 1802) (Chrysomelidae)
244. **Chaetocnema conducta** (Motschoulsky, 1838) (Chrysomelidae)
245. **Chaetocnema confusa** (Boheman, 1851) (Chrysomelidae)
246. **Chaetocnema coyei** (Allard, 1863) (Chrysomelidae)
247. **Chaetocnema hortensis** (Geoffroy, 1785) (Chrysomelidae)
248. **Chaetocnema major** (Jaquelin du Val, 1852) (Chrysomelidae)
249. **Chaetocnema montenegrina** Heikertinger, 1912 (Chrysomelidae)
250. **Chaetocnema obesa** (Boieldieu, 1859) (Chrysomelidae)
251. **Chaetocnema procerula** (Rosenhauer, 1856) (Chrysomelidae)
252. **Chaetocnema sahlbergi** (Gyllenhal, 1859) (Chrysomelidae)
253. **Chaetocnema scheffleri** (Kutschera, 1864) (Chrysomelidae)
254. **Chaetocnema tibialis** (Illiger, 1807) (Chrysomelidae)
255. **Chalicodoma (Pseudomegachile) flavipes** (Spinola, 1838) (Megachilidae)
256. **Chalicodoma (s.str.) parietina** (Geoffroy, 1785) (Megachilidae)
257. **Chelostoma (Gyrodromella) rapunculi** (Lepeletier, 1841) (Megachilidae)
258. **Chelostoma (s.str.) florissomnis** (Linnaeus, 1758) (Megachilidae)
259. **Chorthippus (Chorthippus) parallelus** (Zetterstedt, 1821) (Acrididae)
260. **Chorthippus (Glyptobothrus) satunini** Mistshenko, 1951 (Acrididae)
261. **Chorthippus (s.str.) dichrous** (Eversmann, 1859) (Acrididae)
262. **Chromatomyia ciliata** (Hendel, 1935) (Agromyzidae)
263. **Chrysobothris affinis** (Fabricius, 1794) (Buprestidae)
264. **Chrysobothris solieri** Laporte & Gory, 1837 (Buprestidae)
265. **Chrysogaster tumescens** (Loew, 1854) (Syrphidae)
266. **Chrysolina bodemeyeri** (Weise, 1910) (Chrysomelidae)
267. **Chrysolina chalcites** (Germar, 1824) (Chrysomelidae)
268. **Chrysolina coeruleans** (Scriba, 1791) (Chrysomelidae)
269. **Chrysolina cuprina** (Duftschmid, 1825) (Chrysomelidae)
270. **Chrysolina geminata** (Paykull, 1799) (Chrysomelidae)
271. **Chrysolina gypsophilae** (Küster, 1845) (Chrysomelidae)
272. **Chrysolina herbacea** (Duftschmid, 1825) (Chrysomelidae)
273. **Chrysolina hyperici** (Forster, 1771) (Chrysomelidae)
274. **Chrysolina hyrcana** (Weise, 1884) (Chrysomelidae)
275. **Chrysolina lurida** (Linnaeus, 1767) (Chrysomelidae)
276. **Chrysolina marginata** (Linnaeus, 1758) (Chrysomelidae)
277. **Chrysolina polita** (Linnaeus, 1758) (Chrysomelidae)
278. **Chrysolina reitteri** (Weise, 1884) (Chrysomelidae)
279. **Chrysolina sahlbergi** (Ménétriés, 1832) (Chrysomelidae)

280. **Chrysolina staphylea (Linnaeus,1758)**
(Chrysomelidae)
281. **Chrysomela collaris Linnaeus,1758**
(Chrysomelidae)
282. **Chrysomela populi Linnaeus,1758**
(Chrysomelidae)
283. **Chrysomela saliceti (Weise,1884)**
(Chrysomelidae)
284. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
285. **Chrysops (s.str.) flavipes Meigen,1804**
(Tabanidae)
286. **Chrysops (s.str.) italicus Meigen,1804**
(Tabanidae)
287. **Chrysops (s.str.) sejunctus Szilady,1917**
(Tabanidae)
288. **Chrysotoxum festivum (Linnaeus,1758)**
(Syrphidae)
289. **Cionus caucasicus Reitter,1888**
(Curculionidae)
290. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
291. **Cixius pallipes Fieber,1876** (Cixiidae)
292. **Cixius remotus Edwards,1888** (Cixiidae)
293. **Cleonis piger (Scopoli,1763)**
(Curculionidae)
294. **Coccinella (Neococcinella) undecimpunctata (Linnaeus,1758)**
(Coccinellidae)
295. **Coccinella (s.str.) distincta Falderman**
(Coccinellidae)
296. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae)
297. **Coccinula quatuordecimpustulata (Linnaeus,1758)** (Coccinellidae)
298. **Coccinula sinuatomarginata (Faldermann,1837)** (Coccinellidae)
299. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
300. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae)
301. **Coelostoma orbiculare (Fabricius,1775)**
(Hydrophilidae)
302. **Coenagrion lunulatum (Charpentier,1840)** (Coenagrionidae)
303. **Coenagrion pulchellum (Van Der Linden,1825)** (Coenagrionidae)
304. **Colaphus sophiae (Schaller,1783)**
(Chrysomelidae)
305. **Colletes hakkari Kuhlmann,2002**
(Colletidae)
306. **Colpa quinquecincta (Fabricius,1775)**
(Scoliidae)
307. **Colymbetes fuscus (Linnaeus,1758)**
(Dytiscidae)
308. **Compsilura concinnata (Meigen,1824)**
(Tachinidae)
309. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
310. **Conogaster pruinosa (Meigen,1824)**
(Tachinidae)
311. **Conops flavifrons Meigen,1824** (Conopidae)
312. **Conops flavipes Linnaeus,1758** (Conopidae)
313. **Conops insignis Loew,1848** (Conopidae)
314. **Conops quadrifasciatus De Geer,1776**
(Conopidae)
315. **Conops vesicularis Linnaeus,1761** (Conopidae)
316. **Copium adumbratum (Horvath,1891)**
(Tingidae)
317. **Corizus brevicornis Horvath,1917** (Rhopalidae)
318. **Corynis concinna (Stein,1876)** (Cimbicidae)
319. **Corynis obscura (Fabricius,1775)** (Cimbicidae)
320. **Cotesia tibialis (Curtis,1830)** (Braconidae)
321. **Cotesia vanessae (Reinhard,1880)**
(Braconidae)
322. **Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae)
323. **Creightonella (Metamegachile) albiseeta (Klug,1817)** (Megachilidae)
324. **Crepidodera aurata (Marsham,1802)**
(Chrysomelidae)
325. **Crepidodera aurea (Geoffroy,1785)**
(Chrysomelidae)
326. **Crepidodera fulvicornis (Fabricius,1792)**
(Chrysomelidae)
327. **Cryptocephalus bipunctatus (Linnaeus,1758)**
(Chrysomelidae)
328. **Cryptocephalus concolor Suffrian,1847**
(Chrysomelidae)
329. **Cryptocephalus connexus Olivier,1808**
(Chrysomelidae)
330. **Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae)
331. **Cryptocephalus labiatus (Linnaeus,1761)**
(Chrysomelidae)
332. **Cryptocephalus moraei (Linnaeus,1758)**
(Chrysomelidae)
333. **Cryptocephalus ocellatus Drapiez,1819**
(Chrysomelidae)
334. **Cryptocephalus octacasmus Bedel,1891**
(Chrysomelidae)
335. **Cryptocephalus prusias Suffrian,1853**
(Chrysomelidae)
336. **Cryptocheilus albosignatus Sustera,1924**
(Pompilidae)
337. **Cryptocheilus discolor (Fabricius,1793)**
(Pompilidae)
338. **Cryptocheilus egregius (Lepeletier,1845)**
(Pompilidae)
339. **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae)
340. **Cryptocheilus fischeri (Spinola,1855)**
(Pompilidae)
341. **Cryptocheilus freygessneri (Kohl,1883)**
(Pompilidae)
342. **Cryptocheilus guttulatus (Costa,1887)**
(Pompilidae)
343. **Cryptocheilus notatus (Rossi,1792)**
(Pompilidae)
344. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
345. **Cryptocheilus richardsi Moczar,1953**
(Pompilidae)
346. **Cryptocheilus rufatus Priesner,1967**
(Pompilidae)
347. **Cryptocheilus variabilis (Rossi,1790)**
(Pompilidae)
348. **Cryptocheilus variipennis Sustera,1924**
(Pompilidae)
349. **Cryptocheilus versicolor (Scopoli,1763)**
(Pompilidae)
350. **Cryptotrogus niveus (Hampe,1852)**
(Scarabaeidae)
351. **Cryptus spiralis (Geoffroy,1785)**
(Ichneumonidae)
352. **Ctenotilla caeca (Radoszkowski,1879)**
(Mutillidae)

353. **Cuneala confinis (Konow,1886)**
(Tenthredinidae)
354. **Cuneala koehleri Klug,1817**
(Tenthredinidae)
355. **Curculio salicivorus Paykull,1792**
(Curculionidae)
356. **Cyamophila astragalicola (Gegechkori,1977) (Psyllidae)**
357. **Cylindera (Cicindina) arenaria (Fuessli,1775)**
(Carabidae)
358. **Cylindera (s.str.) germanica (Linnaeus,1758) (Carabidae)**
359. **Cylindromyia brassicaria (Fabricius,1775) (Tachinidae)**
360. **Cylindromyia intermedia (Meigen,1824)**
(Tachinidae)
361. **Cylindromyia montana Kugler,1974**
(Tachinidae)
362. **Cynegetis impunctata (Linnaeus,1758)**
(Coccinellidae)
363. **Cyphon arietizans Nyholm,1970**
(Scirtidae)
364. **Dasyrhamphis ater (Austen,1925)**
(Tabanidae)
365. **Dasyrhamphis umbrinus (Meigen,1820)**
(Tabanidae)
366. **Decticus albifrons (Fabricius,1793)**
(Tettigoniidae)
367. **Decticus verrucivorus (Linnaeus,1758)**
(Tettigoniidae)
368. **Delia radicum (Linnaeus,1758)**
(Anthomyiidae)
369. **Deliphrosoma kopdagense Bordoni,1999**
(Staphylinidae)
370. **Deliphrosoma lothari Bordoni,2000**
(Staphylinidae)
371. **Delphax crassicornis (Panzer,1796)**
(Delphacidae)
372. **Delta unguiculatum (Villers,1789) (Vespidae)**
373. **Deltocephalus pulicaris (Fallén,1806)**
(Cicadellidae)
374. **Dendarus (Pandarinus) punctatus Audinet-Serville,1825 (Tenebrionidae)**
375. **Dentilla curtiventris (André,1901) (Mutillidae)**
376. **Dentilla erronea (André,1902) (Mutillidae)**
377. **Depressotetrix depressa (Brisout,1848)**
(Tetrigidae)
378. **Dermestes (Dermestinus) coronatus Steven,1808 (Dermestidae)**
379. **Deronectes doriae Sharp,1882 (Dytiscidae)**
380. **Deronectes hakkariensis Wewalka,1989**
(Dytiscidae)
381. **Deronectes parvicollis (Schaum,1864)**
(Dytiscidae)
382. **Deronectes toledoï Fery, Köksal & Hosseinie,2001 (Dytiscidae)**
383. **Diadegma apostata (Gravenhorst,1829)**
(Ichneumonidae)
384. **Dibolia carpathica Weise,1893**
(Chrysomelidae)
385. **Dibolia cryptocephala (Koch,1803)**
(Chrysomelidae)
386. **Dibolia cynoglossi (Koch,1803)**
(Chrysomelidae)
387. **Dibolia depressiuscula (Letzner,1847)**
(Chrysomelidae)
388. **Dibolia kralii Mohr,1981 (Chrysomelidae)**
389. **Dibolia occultans (Koch,1803)**
(Chrysomelidae)
390. **Dibolia rufofemorata Reitter,1896**
(Chrysomelidae)
391. **Dibolia rugulosa Redtenbacher,1849**
(Chrysomelidae)
392. **Dibolia schillingii (Letzner,1847)**
(Chrysomelidae)
393. **Dibolia tricolor Reitter,1899**
(Chrysomelidae)
394. **Dicranota (Ludicia) lucidipennis (Edwards,1921) (Pediidae)**
395. **Dicronychus decorus (Faldermann,1835)**
(Elateridae)
396. **Dicyrtomellus argenteus Wahis,1982**
(Pompilidae)
397. **Diglyphus anadolucus Doğanlar,1982**
(Eulophidae)
398. **Dioctria flavipennis Meigen,1820**
(Asilidae)
399. **Diorhabda carinata (Faldermann,1837)**
(Chrysomelidae)
400. **Diphyus pseudomercator (Ichneumonidae)**
401. **Diplocolenus frauenfeldi (Fieber,1869)**
(Cicadellidae)
402. **Dipogon (Deuteragenia) variegatus (Linnaeus,1758) (Pompilidae)**
403. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848) (Acrididae)**
404. **Dociostaurus (Notostaurus) anatolicus Krauss,1896 (Acrididae)**
405. **Dociostaurus (s.str.) salmani Demirsoy,1977 (Acrididae)**
406. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893) (Acrididae)**
407. **Dolichocheza (s.str.) graeca Mannheims,1954 (Tipulidae)**
408. **Dolichovespula omissa (Bischoff,1931)**
(Vespidae)
409. **Dolichovespula sylvestris (Scopoli,1763)**
(Vespidae)
410. **Dolicopoda (s.str.) noctivaga Di Russo & Rampini,2007 (Raphidophoridae)**
411. **Doratura impudica Horvath,1897**
(Cicadellidae)
412. **Drasterius bimaculatus (Rossi,1790)**
(Elateridae)
413. **Drino gilva (Hartig,1838) (Tachinidae)**
414. **Drino imberbis (Wiedemann,1830)**
(Tachinidae)
415. **Drino inconspicua (Meigen,1830) (Tachinidae)**
416. **Drino vicina (Zetterstedt,1849) (Tachinidae)**
417. **Dufourea (Cyprirophites) armenia Ebmer,1987 (Halictidae)**
418. **Dufourea (Halictoides) graeca Ebmer,1976**
(Halictidae)
419. **Dufourea (Halictoides) pontica (Warncke,1979) (Halictidae)**
420. **Dufourea (Halictoides) schmiedeknechtii (Kohl,1905) (Halictidae)**
421. **Ebarrius cognatus (Fieber,1869) (Cicadellidae)**
422. **Elinora asiatica Enslin,1910**
(Tenthredinidae)
423. **Elinora baetica Spinola,1843**
(Tenthredinidae)
424. **Elodes flavoangularis Klausnitzer,1990**
(Scirtidae)
425. **Elodes pseudominuta Klausnitzer,1971**
(Scirtidae)
426. **Enallagma cyathigerum (Charpentier,1840) (Coenagrionidae)**

427. **Enochrus (Lumetus) fuscipennis** (Thomson,1884) (Hydrophilidae)
 428. **Entedon subpunctatus** [n.n.] (Eulophidae)
 429. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
 430. **Entomoscelis suturalis** Weise,1882 (Chrysomelidae)
 431. **Eoferreola anatolica** Piesner,1973 (Pompilidae)
 432. **Eoferreola distincta** (Smith,1855) (Pompilidae)
 433. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
 434. **Eoferreola rhombica** (Christ,1791) (Pompilidae)
 435. **Eoferreola thoracica** (Rossi,1794) (Pompilidae)
 436. **Eoperla ochracea** (Kolbe,1885) (Perlidae)
 437. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
 438. **Episyron albonotatum** (Van der Linden,1827) (Pompilidae)
 439. **Episyron candiotum** Wahis,1966 (Pompilidae)
 440. **Episyron gallicum** (Tournier,1889) (Pompilidae)
 441. **Episyron rufipes** (Linnaeus,1758) (Pompilidae)
 442. **Episyrrhus balteatus** (De Geer,1776) (Syrphidae)
 443. **Epitrix atropae** Foudras,1860 (Chrysomelidae)
 444. **Epitrix caucasica** (Heitertinger,1950) (Chrysomelidae)
 445. **Epitrix intermedia** Foudras,1860 (Chrysomelidae)
 446. **Epitrix pubescens** (Koch,1803) (Chrysomelidae)
 447. **Eriothrix apenninus** (Rondani,1862) (Tachinidae)
 448. **Eriothrix rufomaculatus** (De Geer,1776) (Tachinidae)
 449. **Eristalinus (Eristalodes) taeniops** (Wiedemann,1818) (Syrphidae)
 450. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae)
 451. **Eristalis (Eoseritalis) jugorum** Egger,1858 (Syrphidae)
 452. **Eristalis tenax** (Linnaeus,1758) (Syrphidae)
 453. **Erythromma viridulum** (Charpentier,1840) (Coenagrionidae)
 454. **Eumenes coarctatus** (Linnaeus,1758) (Vespidae)
 455. **Eumenes coronatus** (Panzer,1799) (Vespidae)
 456. **Eumenes dubius** Saussure,1852 (Vespidae)
 457. **Eumenes jarkandensis** Blüthgen,1938 (Vespidae)
 458. **Eumenes lunulatus** (Fabricius,1804) (Vespidae)
 459. **Eumenes mediterraneus** (Kriechbaumer,1879) (Vespidae)
 460. **Eumenes papillarius** (Christ,1791) (Vespidae)
 461. **Eumenes pedunculatus** (Panzer,1799) (Vespidae)
 462. **Eumenes pomiformis** (Fabricius,1781) (Vespidae)
 463. **Eumenes punctaticlypeus** Giordani Soika,1943 (Vespidae)
 464. **Eumenes sareptanus** André,1884 (Vespidae)
 465. **Eumenes subpomiformis** Blüthgen,1938 (Vespidae)
 466. **Eumeros hissaricus** (Stackelberg,1949) (Syrphidae)
 467. **Euodynerus (Pareuodynerus) notatus** (Jurine,1807) (Vespidae)
 468. **Euodynerus (Pareuodynerus) posticus** (Herrich-Schäffer,1841) (Vespidae)
 469. **Euodynerus (Pareuodynerus) quadrifasciatus** (Fabricius,1793) (Vespidae)
 470. **Euodynerus (s.str.) curictensis** Blüthgen,1940 (Vespidae)
 471. **Euodynerus (s.str.) disconotatus** (Lichtenstein,1884) (Vespidae)
 472. **Euodynerus (s.str.) semisaecularis** Dalla Torre,1889 (Vespidae)
 473. **Euodynerus (s.str.) velutinus** Blüthgen,1951 (Vespidae)
 474. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
 475. **Eupteryx atropunctata** (Goeze,1778) (Cicadellidae)
 476. **Eurydema blanda** Horvath,1803 (Pentatomidae)
 477. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
 478. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
 479. **Euscelidius mundus** (Haupt,1927) (Cicadellidae)
 480. **Eusphalerum densipenne** (Fauvel,1900) (Staphylinidae)
 481. **Eustenancistrocerus amadanensis** (Saussure,1855) (Vespidae)
 482. **Eustenancistrocerus israelensis** Giordani Soika,1938 (Vespidae)
 483. **Euzonitis quadrimaculata** (Pallas,1782) (Meloidae)
 484. **Euzonitis rubida** (Ménétriés,1832) (Meloidae)
 485. **Evagetes dubius** (Van der Linden,1827) (Pompilidae)
 486. **Evagetes gusenleitneri** Wolf,1988 (Pompilidae)
 487. **Evagetes pectinipes** (Linnaeus,1758) (Pompilidae)
 488. **Evagetes pontomoravicus** (Sustera,1938) (Pompilidae)
 489. **Evagetes proximus** (Dahlbom,1843) (Pompilidae)
 490. **Evagetes sculus** (Lepelletier,1845) (Pompilidae)
 491. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
 492. **Evagetes tumidosus** (Tournier,1890) (Pompilidae)
 493. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
 494. **Exorista larvarum** (Linnaeus,1758) (Tachinidae)
 495. **Exorista rossica** Mesnil,1960 (Tachinidae)
 496. **Exorista segregata** (Rondani,1859) (Tachinidae)
 497. **Exyston montanus** Kerrich,1975 (Ichneumonidae)

498. **Falcotoya minuscula** (Horvath,1897)
(Delphacidae)
499. **Ferreola diffinis** (Lepelletier,1845)
(Pompilidae)
500. **Gambrus opacus Szepligetii**,1916
(Ichneumonidae)
501. **Gargara genistae** (Fabricius,1775)
(Membracidae)
502. **Gastrophysa polygona** (Linnaeus,1758)
(Chrysomelidae)
503. **Gastrophysa viridula** (DeGeer,1775)
(Chrysomelidae)
504. **Glyphicnemis profligator**
(Fabricius,1775) (Ichneumonidae)
505. **Glyphicnemis vagabunda**
(Gravenhorst,1829) (Ichneumonidae)
506. **Glyptomorpha pectoralis** (Brullé,1832)
(Braconidae)
507. **Gnorimus armeniacus** Reitter,1887
(Scarabaeidae)
508. **Gomphocerus sibiricus** (Linnaeus,1767)
509. **Gonia ornata** Meigen,1826 (Tachinidae)
510. **Gonioctena fornicata** (Brüggemann,1873)
(Chrysomelidae)
511. **Gonioctena linnaeana** (Schrank,1781)
(Chrysomelidae)
512. **Graptodytes bilineatus** (Sturm,1835)
(Dytiscidae)
513. **Graptodytes veterator** (Zimmermann,1918)
(Dytiscidae)
514. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
515. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
516. **Gymnosoma clavata** (Rohdendorf,1947)
(Tachinidae)
517. **Haematopota bigoti** Gobert,1881 (Tabanidae)
518. **Haematopota crassicornis** Wahlberg,1848
(Tabanidae)
519. **Haematopota grandis** Macquart,1834
(Tabanidae)
520. **Haematopota italica** Meigen,1804
(Tabanidae)
521. **Haematopota kemali** Szilady,1923 (Tabanidae)
522. **Haematopota longantennata**
Olsufjev,1937 (Tabanidae)
523. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
524. **Haematopota subcylindrica**
Pandelle,1883 (Tabanidae)
525. **Handianus modestus** (Melichar,1896)
(Cicadellidae)
526. **Handianus procerus** (Herrich-
Schäffer,1835) (Cicadellidae)
527. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
528. **Heliophilus continuus** (Loew,1844)
(Syrphidae)
529. **Heliophilus trivittatus** (Fabricius,1805)
(Syrphidae)
530. **Helophorus (Orphelophorus) turca**
İncekara,2008 (Helophoridae)
531. **Helophorus abeillei** Guillebeau,1896
(Helophoridae)
532. **Helophorus aquaticus** (Linnaeus,1758)
(Helophoridae)
533. **Helophorus daedalus** Orchymont,1932
(Helophoridae)
534. **Helophorus erzurumicus** İncekara, Mart
& Erman,2005 (Helophoridae)
535. **Helophorus fulgidicollis** Motschoulsky,1860
(Helophoridae)
536. **Helophorus kirgisicus** Knisch,1914
(Helophoridae)
537. **Helophorus lapponicus** Thomson,1854
(Helophoridae)
538. **Helophorus micans** Falderman,1835
(Helophoridae)
539. **Helophorus ponticus** Angus,1988
(Helophoridae)
540. **Helophorus similis** Kuwert,1887
(Helophoridae)
541. **Helophorus subarcuatus** Rey,1885
(Helophoridae)
542. **Helophorus terminassianae** Angus,1984
(Helophoridae)
543. **Henosepilachna argus** (Geoffroy,1762)
(Coccinellidae)
544. **Hippodamia (Adonia) variegata**
(Goeze,1777) (Coccinellidae)
545. **Hippodamia (Semiadalia)**
undecimnotata (Schneider,1792)
(Coccinellidae)
546. **Holopogon fumipennis** (Meigen,1820)
(Asilidae)
547. **Holopogon hasbenlii** Tomasovic, Weyer &
Dils,2009 (Asilidae)
548. **Holopogon priscus** (Meigen,1820)
(Asilidae)
549. **Homonotus sanguinolentus**
(Fabricius,1793) (Pompilidae)
550. **Hoplitis (Alcidamea) acuticornis** (Dufour
& Perris,1840) (Megachilidae)
551. **Hoplitis (Alcidamea) caucasica** (Friese,1920)
(Megachilidae)
552. **Hoplitis (Alcidamea) leucomelana**
(Kirby,1802) (Megachilidae)
553. **Hoplitis (Alcidamea) mollis** Tkalcu,2000
(Megachilidae)
554. **Hoplitis (Alcidamea) ozbeki** Tkalcu,2000
(Megachilidae)
555. **Hoplitis (Alcidamea) tridentata** (Dufour &
Perris,1840) (Megachilidae)
556. **Hoplitis (Anthocopa) brevispina**
(Tkalcu,2000) (Megachilidae)
557. **Hoplitis (Anthocopa) yermasoyiae**
(Mavromoutakis,1938) (Megachilidae)
558. **Hoplitis (s.str.) adunca** (Panzer,1798)
(Megachilidae)
559. **Hoplitis (s.str.) erzurumensis**
Tkalcu,2000 (Megachilidae)
560. **Hoplitis (s.str.) monstrabilis**
Tkalcu,2000 (Megachilidae)
561. **Hyalesthes askalensis** Hoch,1985 (Cixiidae)
562. **Hyalesthes obsoletus** Signoret,1865
(Cixiidae)
563. **Hybomitra acuminata** (Loew,1858)
(Tabanidae)
564. **Hybomitra caucasi** (Szilady,1923)
(Tabanidae)
565. **Hybomitra caucasica** (Enderlein,1925)
(Tabanidae)
566. **Hybomitra ciureai** (Seguy,1937)
(Tabanidae)
567. **Hybomitra decora** (Loew,1858) (Tabanidae)
568. **Hybomitra erberi** (Brauer,1880)
(Tabanidae)

569. **Hybomitra popovi** (Olsufjev,1937)
(Tabanidae)
570. **Hycleus scabiosae** (Olivier,1811)
(Meloidae)
571. **Hydrochara dichorama** (Fairmaire,1829)
(Hydrophilidae)
572. **Hydrochus brevis** (Herbst,1793) (Hydrochidae)
573. **Hydrochus flavipennis** Küster,1852
(Hydrochidae)
574. **Hydromya dorsalis** (Fabricius,1775)
(Sciomyzidae)
575. **Hydrophilus atterimus** Eschscholtz,1822
(Hydrophilidae)
576. **Hydrophilus piceus** (Linnaeus,1758)
(Hydrophilidae)
577. **Hydroporus discretus** Fairmaire &
Brisout,1859 (Dytiscidae)
578. **Hydroporus erzurumensis** Erman &
Fery,2000 (Dytiscidae)
579. **Hydroporus nigellus** Mannerheim,1853
(Dytiscidae)
580. **Hydroporus planus** (Fabricius,1781)
(Dytiscidae)
581. **Hydroporus thracicus** Guéorguiev,1966
(Dytiscidae)
582. **Hygrotus (Coelambus) ahmeti** Hajek,
Fery & Erman,2005 (Dytiscidae)
583. **Hygrotus (Coelambus) armeniacus**
(Zaitzev,1927) (Dytiscidae)
584. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
585. **Hygrotus (s.str.) inaequalis**
(Fabricius,1777) (Dytiscidae)
586. **Hypera meles** (Fabricius,1792)
(Curculionidae)
587. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
588. **Hypocassida subferruginea**
(Schrank,1776) (Chrysomelidae)
589. **Idiocerus herrichii** Kirschbaum,1868
(Cicadellidae)
590. **Ilybius fuliginosus** (Fabricius,1792)
(Dytiscidae)
591. **Ilybius satunini** (Zaitzev,1913) (Dytiscidae)
592. **Ischnogasteroides picteti**
(Saussure,1852) (Vespidae)
593. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
594. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
595. **Isoperla armeniaca** Zhiltzova,1961
(Perlodidae)
596. **Isophya bicarinata** Karabağ,1957
(Tettigoniidae)
597. **Isophya schneideri** Brunner von
Wattenwyl,1878 (Tettigoniidae)
598. **Isophya zernovi** Miram,1938
(Tettigoniidae)
599. **Itopectis viduata** (Gravenhorst,1829)
(Ichneumonidae)
600. **Javesella dubia** (Kirschbaum,1868)
(Delphacidae)
601. **Javesella pellucida** (Fabricius,1794)
(Delphacidae)
602. **Katamenes flavigularis** (Blüthgen,1951)
(Vespidae)
603. **Katamenes sichelii** (Saussure,1852)
(Vespidae)
604. **Kelisia ribauti** Wagner,1938 (Delphacidae)
605. **Krombeinella beaumonti** (Invrea,1953)
(Mutillidae)
606. **Krombeinella wolffi** (Invrea,1963)
(Mutillidae)
607. **Labidostomis asiatica** Faldermann,1837
(Chrysomelidae)
608. **Labidostomis oertzeni** Weise,1889
(Chrysomelidae)
609. **Labidostomis propinqua**
Faldermann,1837 (Chrysomelidae)
610. **Laccobius (Dimorpholaccobius) halophilus**
Gentili,1982 (Hydrophilidae)
611. **Laccobius (Dimorpholaccobius) hindukuschi**
Chiesa,1966 (Hydrophilidae)
612. **Laccobius (Dimorpholaccobius) hoberlandti**
Gentili,1982 (Hydrophilidae)
613. **Laccobius (Dimorpholaccobius) obscuratus**
Rottenberg,1874 (Hydrophilidae)
614. **Laccobius (Dimorpholaccobius) simulatrix**
Orchymont,1932 (Hydrophilidae)
615. **Laccobius (Dimorpholaccobius) striatulus**
(Fabricius,1801) (Hydrophilidae)
616. **Laccobius (Dimorpholaccobius) sulcatulus**
Reitter,1909 (Hydrophilidae)
617. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
618. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
619. **Laccobius (s.str.) albipes** Kuwert,1890
(Hydrophilidae)
620. **Laccobius (s.str.) minutus**
(Linnaeus,1758) (Hydrophilidae)
621. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
622. **Larinus jaceae** (Fabricius,1775)
(Curculionidae)
623. **Larinus latus** (Herbst,1784)
(Curculionidae)
624. **Lasioglossum (Evylaeus) mesosclerum**
(Pérez,1903) (Halictidae)
625. **Lasioglossum (s.str.) caspicum**
(Morawitz,1873) (Halictidae)
626. **Lasioglossum (s.str.) fallax**
(Morawitz,1874) (Halictidae)
627. **Lasioglossum fahringeri** Friese,1921
(Halictidae)
628. **Lasioglossum prunellum** Warncke,1975
(Halictidae)
629. **Leopoldius coronatus** (Rondani,1857)
(Conopidae)
630. **Leptinotarsa decemlineata** (Say,1824)
(Chrysomelidae)
631. **Leptochilus alpestris** (Saussure,1855)
(Vespidae)
632. **Leptochilus hethiticus** Gusenleitner,1985
(Vespidae)
633. **Leptochilus limbiferus** (Morawitz,1867)
(Vespidae)
634. **Leptochilus membranaceus**
(Morawitz,1867) (Vespidae)
635. **Leptochilus palandokenicus** Yıldırım &
Özbek,1995 (Vespidae)
636. **Leptochilus regulus** Saussure,1855
(Vespidae)
637. **Leptophyes albovittata** (Kollar,1833)
(Tettigoniidae)
638. **Lestes dryas** Kirby,1890 (Lestidae)
639. **Lestes sponsa** (Hansemann,1823)
(Lestidae)

640. **Lestes virens** (Charpentier,1825)
(Lestidae)
641. **Leuctra furcatella** Martynov,1928 (Leuctridae)
642. **Leuctra hippos** Kempny,1899
(Leuctridae)
643. **Libelloides macaronius** (Scopoli,1763)
(Ascalaphidae)
644. **Libellula depressa** Linnaeus,1758
(Libellulidae)
645. **Libellula quadrimaculata** Linnaeus,1758
(Libellulidae)
646. **Limnia unguicornis** (Scopoli,1763)
(Sciomyzidae)
647. **Limotettix striola** (Fallén,1806)
(Cicadellidae)
648. **Linnaemya comta** (Fallén,1810)
(Tachinidae)
649. **Liponeura euryfrons** Bischoff,1935
(Blephariceridae)
650. **Lithodusa helverseni** Heller,2009
(Tettigoniidae)
651. **Livia mediterranea** Loginova,1974 (Psyllidae)
652. **Lixus cardui** Olivier,1807 (Curculionidae)
653. **Lixus elegantulus** Boheman,1843
(Curculionidae)
654. **Lixus rubicundus** Zoubkoff,1833
(Curculionidae)
655. **Lixus scabricollis** Boheman,1843
(Curculionidae)
656. **Lonchoptera nerana** Vaillant,1989
(Lonchopteridae)
657. **Longitarsus aeneicollis** (Faldermann,1837)
(Chrysomelidae)
658. **Longitarsus albineus** (Foudras,1860)
(Chrysomelidae)
659. **Longitarsus alferii** (Pic,1923)
(Chrysomelidae)
660. **Longitarsus anatolicus** Weise,1900
(Chrysomelidae)
661. **Longitarsus anchusae** (Paykull,1799)
(Chrysomelidae)
662. **Longitarsus atricillus** (Linnaeus,1761)
(Chrysomelidae)
663. **Longitarsus bertii** Leonhardi,1973
(Chrysomelidae)
664. **Longitarsus brisouti** Heikertinger,1912
(Chrysomelidae)
665. **Longitarsus bytinskii** Furth,1979
(Chrysomelidae)
666. **Longitarsus exsoletus** (Linnaeus,1758)
(Chrysomelidae)
667. **Longitarsus fallax** Weise,1888
(Chrysomelidae)
668. **Longitarsus foudrasi** Weise,1893
(Chrysomelidae)
669. **Longitarsus fuscoaeneus**
Redtenbacher,1859 (Chrysomelidae)
670. **Longitarsus ganglbaueri**
Haikertinger,1912 (Chrysomelidae)
671. **Longitarsus jacobaeae** (Waterhouse,1858)
(Chrysomelidae)
672. **Longitarsus juncicola** (Foudras,1860)
(Chrysomelidae)
673. **Longitarsus kutscherae** (Rey,1892)
(Chrysomelidae)
674. **Longitarsus linnaei** (Duftschmid,1825)
(Chrysomelidae)
675. **Longitarsus longipennis** Kutschera,1836
(Chrysomelidae)
676. **Longitarsus luridus** (Scopoli,1763)
(Chrysomelidae)
677. **Longitarsus lycopi** (Foudras,1860)
(Chrysomelidae)
678. **Longitarsus melanocephalus** (De
Geer,1775) (Chrysomelidae)
679. **Longitarsus niger** (Koch,1803)
(Chrysomelidae)
680. **Longitarsus nigrofasciatus** (Goeze,1777)
(Chrysomelidae)
681. **Longitarsus nimrodi** Furth,1979
(Chrysomelidae)
682. **Longitarsus obliteratus**
(Rosenhauer,1847) (Chrysomelidae)
683. **Longitarsus parvulus** (Paykull,1799)
(Chrysomelidae)
684. **Longitarsus pellucidus** (Foudras,1860)
(Chrysomelidae)
685. **Longitarsus picicollis** Weise,1900
(Chrysomelidae)
686. **Longitarsus pratensis** (Panzer,1794)
(Chrysomelidae)
687. **Longitarsus quadriguttatus**
(Pontoppidan,1765) (Chrysomelidae)
688. **Longitarsus rectilineatus** (Foudras,1860)
(Chrysomelidae)
689. **Longitarsus reichei** (Allard,1860)
(Chrysomelidae)
690. **Longitarsus salviae** Gruev,1975
(Chrysomelidae)
691. **Longitarsus scutellaris** (Rey,1874)
(Chrysomelidae)
692. **Longitarsus succineus** (Foudras,1860)
(Chrysomelidae)
693. **Longitarsus suturellus**
(Duftschmid,1825) (Chrysomelidae)
694. **Longitarsus tabidus** (Fabricius,1775)
(Chrysomelidae)
695. **Longitarsus trepidus** Warchalowski,1973
(Chrysomelidae)
696. **Lophyridia fischeri** (Adams,1817)
(Carabidae)
697. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
698. **Lydus turcicus** Kaszab,1952 (Melooidae)
699. **Lydus unicolor** Reitter,1887 (Melooidae)
700. **Lytta vesicatoria** (Linnaeus,1758)
(Melooidae)
701. **Macquartia tessellum** Meigen,1824
(Tachinidae)
702. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
703. **Macrophya cyrus** Benson,1954
(Tenthredinidae)
704. **Macrophya diversipes** (Schrank,1782)
(Tenthredinidae)
705. **Macrophya duodecimpunctata**
(Linnaeus,1758) (Tenthredinidae)
706. **Macrophya erythrocnema** A.Costa,1859
(Tenthredinidae)
707. **Macrophya militaris** Klug,1817
(Tenthredinidae)
708. **Macrophya montana** (Scopoli,1763)
(Tenthredinidae)
709. **Macrophya postica** Brullé,1832
(Tenthredinidae)
710. **Macrophya rufipes** Linnaeus,1758
(Tenthredinidae)

711. **Macrophya suberba** Tischbein,1852 (Tenthredinidae)
 712. **Macrophya teutonia** Panzer,1799 (Tenthredinidae)
 713. **Macropsis cerea** (Germar,1837) (Cicadellidae)
 714. **Macropsis marginata** (Herrich-Schäffer,1836) (Cicadellidae)
 715. **Macropsis scutellata** (Boheman,1845) (Cicadellidae)
 716. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae)
 717. **Macrosteles forcicula** (Ribaut,1927) (Cicadellidae)
 718. **Macrosteles ossiannilssoni** Lindberg,1954 (Cicadellidae)
 719. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
 720. **Mantispia styriaca** (Poda,1761) (Mantispidae)
 721. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
 722. **Masicera cuculliae** (Robineau-Desvoidy,1830) (Tachinidae)
 723. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
 724. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
 725. **Megabombus armeniacus** (Radoszkowski,1877) (Apidae)
 726. **Megabombus humilis** (Illiger,1806) (Apidae)
 727. **Megabombus mesomelas** (Gerstaecker,1869) (Apidae)
 728. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
 729. **Megabombus zonatus** (Smith,1854) (Apidae)
 730. **Megachile** (Eutricharaea) **pilidens** Alfken,1924 (Megachilidae)
 731. **Megachile** (s.str.) **pilicrus** Morawitz,1878 (Megachilidae)
 732. **Megachile** (Xanthosarus) **giraudi** Gerstaecker,1869 (Megachilidae)
 733. **Megachile** (Xanthosarus) **maritima** (Kirby,1802) (Megachilidae)
 734. **Meigenia mutabilis** (Fallén,1810) (Tachinidae)
 735. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
 736. **Melanosoma bicolor** (Meigen,1824) (Conopidae)
 737. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae)
 738. **Meligethes interjectus** Jelinek & Spornraft,1979 (Nitidulidae)
 739. **Meloe mediterraneus** Müller,1925 (Meloidae)
 740. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
 741. **Meloe scabriusculus** Brandt & Erichson,1832 (Meloidae)
 742. **Meloe tuccicus** Rossi,1792 (Meloidae)
 743. **Meloe variegatus** Donovan,1793 (Meloidae)
 744. **Meloe violaceus** Marsham,1802 (Meloidae)
 745. **Meringopus calescens** (Gravenhorst,1829) (Ichneumonidae)
 746. **Meringopus cyanator** (Gravenhorst,1829) (Ichneumonidae)
 747. **Meringopus nigerrimus** (Fonscolombe,1850) (Ichneumonidae)
 748. **Merodon aberrans** Egger,1860 (Syrphidae)
 749. **Merodon alagoezicus** Paramonov,1925 (Syrphidae)
 750. **Merodon avidus** (Rossi,1790) (Syrphidae)
 751. **Merodon biarcuatus** Curran,1939 (Syrphidae)
 752. **Merodon femoratooides** Paramonov,1925 (Syrphidae)
 753. **Merodon kaloceros** Hurkmans,1993 (Syrphidae)
 754. **Merodon loewi** Van der Gott,1964 (Syrphidae)
 755. **Merodon longicornis** Sack,1913 (Syrphidae)
 756. **Merodon lucasi** Hurkmans,1993 (Syrphidae)
 757. **Merodon nanus** (Sack,1913) (Syrphidae)
 758. **Merodon nigratarsis** Rondani,1845 (Syrphidae)
 759. **Merodon velox** Loew,1869 (Syrphidae)
 760. **Metasyrphus corollae** (Fabricius,1794) (Syrphidae)
 761. **Microdynerus confinis** Gusenleitner,1979 (Vespidae)
 762. **Microdynerus eurasius** Blüthgen,1938 (Vespidae)
 763. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
 764. **Milichia speciosa** Meigen,1830 (Milichiidae)
 765. **Mocuellus quadricornis** Dlabola,1949 (Cicadellidae)
 766. **Modicogryllus** (s.str.) **truncatus** (Tarbinski,1940) (Gryllidae)
 767. **Mogangella secundaria** Dlabola,1958 (Cicadellidae)
 768. **Monosapyga clavicornis** (Linnaeus,1758) (Sapygidae)
 769. **Muirodelphax aubei** (Perris,1857) (Delphacidae)
 770. **Mutilla europaea** Linnaeus,1758 (Mutillidae)
 771. **Mutilla quinque maculata** Cyrillo,1787 (Mutillidae)
 772. **Muzimes erivanicus** (Kaszab,1958) (Meloidae)
 773. **Mylabris apicenigra** Sumacov,1924 (Meloidae)
 774. **Mylabris cincta** Olivier,1811 (Meloidae)
 775. **Mylabris emiliae** (Escherich,1899) (Meloidae)
 776. **Mylabris externepunctata** Faldermann,1832 (Meloidae)
 777. **Mylabris furcimacula** Sumakov,1915 (Meloidae)
 778. **Mylabris fusca** (Olivier,1811) (Meloidae)
 779. **Mylabris geminata** Fabricius,1798 (Meloidae)
 780. **Mylabris humerosa** (Escherich,1899) (Meloidae)
 781. **Mylabris laevicollis** Marseul,1870 (Meloidae)
 782. **Mylabris olivieri** Billberg,1813 (Meloidae)
 783. **Mylabris pusilla** Olivier,1811 (Meloidae)
 784. **Mylabris serana** (Escherich,1897) (Meloidae)
 785. **Mylabris variabilis** (Pallas,1782) (Meloidae)
 786. **Myopa buccata** (Linnaeus,1758) (Conopidae)
 787. **Myopa dorsalis** Fabricius,1794 (Conopidae)
 788. **Myopa occulta** Wiedemann,1824 (Conopidae)
 789. **Myopa pallida** Kröber,1916 (Conopidae)
 790. **Myopa picta** Panzer,1798 (Conopidae)
 791. **Myopa variegata** Meigen,1804 (Conopidae)

792. **Myopotta rubripes (Villeneuve,1909)**
(Conopidae)
793. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae)
794. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae)
795. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae)
796. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae)
797. **Myrmosa atra Panzer,1801** (Mutillidae)
798. **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae)
799. **Napomyza carotae Spencer,1966**
(Agromyzidae)
800. **Nebria (s.str.) araschinica Reitter,1892**
(Carabidae)
801. **Nebrioporus airumlus (Kolenati,1845)**
(Dytiscidae)
802. **Nebrioporus turca (Seidlitz,1887)**
(Dytiscidae)
803. **Nemka viduata (Pallas,1773)** (Mutillidae)
804. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
805. **Nemorius caucasicus (Olsufjev,1937)**
(Tabanidae)
806. **Nemotelus (s.str.) rudifraci (Berezovsky & Nartshuk,1993)** (Stratiomyidae)
807. **Nemoura cinerea (Retzius,1783)**
(Nemouridae)
808. **Nemoura martynovia Claassen,1936**
(Nemouridae)
809. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae)
810. **Neoscasia pavlovski Stackelberg,1955**
(Syrphidae)
811. **Neocrepidodera crassicornis (Faldermann,1837)** (Chrysomelidae)
812. **Neocrepidodera ferruginea (Scopoli,1763)**
(Chrysomelidae)
813. **Neocrepidodera motschulskyi Konstantinov,1991** (Chrysomelidae)
814. **Neocrepidodera transversa (Marsham,1802)**
(Chrysomelidae)
815. **Nephrotoma aculeata (Loew,1871)** (Tipulidae)
816. **Nephrotoma cornicina (Linnaeus,1758)**
(Tipulidae)
817. **Nephrotoma scalaris (Meigen,1818)**
(Tipulidae)
818. **Nephus ponticus Khnzorian,1970**
(Coccinellidae)
819. **Nilea anatolica Mesnil,1954** (Tachinidae)
820. **Notonecta glauca Linnaeus,1758**
(Notonectidae)
821. **Nycteribia (s.str.) schmidlii Schiner,1853**
(Nycteribiidae)
822. **Ochrosis ventralis (Illiger,1807)**
(Chrysomelidae)
823. **Ochthebius (Asiabates) akbuluti Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
824. **Ochthebius (Asiabates) oezkani Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
825. **Ochthebius (s.str.) erzerumi Kuwert,1887** (Hydraenidae)
826. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae)
827. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
828. **Oedemera (s.str.) flavipennis W.Schmidt,1846** (Oedemeridae)
829. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae)
830. **Oenas armeniacus Kaszab,1951** (Meloidae)
831. **Oenas crassicornis (Illiger,1800)** (Meloidae)
832. **Oenas tenuicornis Abeille de Perrin,1880**
(Meloidae)
833. **Oenopia conglobata (Linnaeus,1758)**
(Coccinellidae)
834. **Oenopia oncina (Olivier,1808)**
(Coccinellidae)
835. **Omalium littorale Kraatz,1857**
(Staphylinidae)
836. **Omocestus (s.str.) demokidovi Ramme,1930** (Acrididae)
837. **Omocestus (s.str.) nanus Uvarov,1934**
(Acrididae)
838. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae)
839. **Onychogomphus assimilis (Schneider,1845)** (Gomphidae)
840. **Orellia steropea (Rondani,1870)**
(Tephritidae)
841. **Oreodytes davisii (Curtis,1831)** (Dytiscidae)
842. **Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae)
843. **Orthetrum cancellatum (Linnaeus,1758)**
(Libellulidae)
844. **Orthetrum trinacrium (Selys,1841)**
(Libellulidae)
845. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae)
846. **Osmia (Helicosmia) caerulea (Linnaeus,1758)** (Megachilidae)
847. **Osmia (Hemiosmia) difficilis Morawitz,1875** (Megachilidae)
848. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae)
849. **Osmia (s.str.) cerinthidis Morawitz,1876**
(Megachilidae)
850. **Osmia (Tergosmia) avosetta Warncke,1988** (Megachilidae)
851. **Osmia (Tergosmia) tergestensis Duce,1897**
(Megachilidae)
852. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae)
853. **Osmylus multiguttatus McLachlan,1870**
(Osmylidae)
854. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae)
855. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae)
856. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
857. **Pachycerus cordiger (Germar,1819)**
(Curculionidae)
858. **Pachyneuron erzurumicum Doğanlar,1986** (Pteromalidae)
859. **Pachyprotasis rapae Linne,1767**
(Tenthredinidae)
860. **Pales pavidata (Meigen,1824)** (Tachinidae)
861. **Palesisa nudioculata Villeneuve,1929**
(Tachinidae)
862. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
863. **Paradrymadusa aksirayi Karabağ,1952**
(Tettigoniidae)

864. **Paragus (Pandasyophtalmus) abrogans**
Goeldlin,1971 (Syrphidae)
865. **Paragus (Pandasyophtalmus) tibialis**
(Fallén,1817) (Syrphidae)
866. **Paragus (s.str.) altomontanus**
Weyer,2010 (Syrphidae)
867. **Paragus (s.str.) bicolor (Fabricius,1794)**
(Syrphidae)
868. **Paragus (s.str.) kopdagensis Hayat &**
Claussen,1997 (Syrphidae)
869. **Paramyrmosa radoszkowskyi**
(Saussure,1880) (Mutillidae)
870. **Parodontodynerus ephippium**
(Klug,1817) (Vespidae)
871. **Pedestredorcadion banjkovskyi**
(Plavilstshikov,1958) (Cerambycidae)
872. **Pedestredorcadion pluto**
(Thomson,1867) (Cerambycidae)
873. **Pedestredorcadion sodale (Hampe,1852)**
(Cerambycidae)
874. **Pedicia (Amalopsis) occulta**
(Meigen,1830) (Pediidae)
875. **Pedinompilus wolffi (Priesner,1965)**
(Pompilidae)
876. **Peleteria rubescens Robineau-**
Desvoidy,1830 (Tachinidae)
877. **Pentastira megista Emeljanov,1978** (Cixiidae)
878. **Pentastiridius leporinus (Linnaeus,1761)**
(Cixiidae)
879. **Perlamantispa perla (Pallas,1772)**
(Mantispidae)
880. **Phaedon armoraciae (Linnaeus,1758)**
(Chrysomelidae)
881. **Phaedon cochleariae (Fabricius,1792)**
(Chrysomelidae)
882. **Phaedon pyritosus (Rossi,1792)**
(Chrysomelidae)
883. **Phaestacoenitus bidentator Aubert,1979**
(Ichneumonidae)
884. **Pherbellia cinerella (Fallén,1820)**
(Sciomyzidae)
885. **Pherbellia griseola (Fallén,1820)**
(Sciomyzidae)
886. **Pherbellia nana (Fallén,1820)**
(Sciomyzidae)
887. **Pherbellia ventralis (Fallén,1820)**
(Sciomyzidae)
888. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)
889. **Philipomyia aprica (Meigen,1820)**
(Tabanidae)
890. **Philipomyia graeca (Fabricius,1794)**
(Tabanidae)
891. **Phlepsius spinulosus Wagner,1963**
(Cicadellidae)
892. **Pholidoptera kosswigi Karabağ,1950**
(Tettigoniidae)
893. **Phradonoma nigrum Hava,2006**
(Dermestidae)
894. **Phratora tibialis (Suffrian,1851)**
(Chrysomelidae)
895. **Phratora vitellinae (Linnaeus,1758)**
(Chrysomelidae)
896. **Phyllobrotica binotata Ogloblin,1936**
(Chrysomelidae)
897. **Phyllotreta atra (Fabricius,1775)**
(Chrysomelidae)
898. **Phyllotreta balcanica Heikertinger,1909**
(Chrysomelidae)
899. **Phyllotreta bolognai Biondi,1992**
(Chrysomelidae)
900. **Phyllotreta cruciferae (Goeze,1777)**
(Chrysomelidae)
901. **Phyllotreta diademata Foudras,1860**
(Chrysomelidae)
902. **Phyllotreta erysimi Weise,1900**
(Chrysomelidae)
903. **Phyllotreta latevittata Kutschera,1860**
(Chrysomelidae)
904. **Phyllotreta nemorum (Linnaeus,1758)**
(Chrysomelidae)
905. **Phyllotreta nigripes (Fabricius,1775)**
(Chrysomelidae)
906. **Phyllotreta nodicornis (Marsham,1802)**
(Chrysomelidae)
907. **Phyllotreta oltuensis Gruev & Aslan,1998**
(Chrysomelidae)
908. **Phyllotreta praticola Weise,1887**
(Chrysomelidae)
909. **Phyllotreta procera (Redtenbacher,1849)**
(Chrysomelidae)
910. **Phyllotreta sisymbrii Weise,1888**
(Chrysomelidae)
911. **Phyllotreta striolata (Fabricius,1803)**
(Chrysomelidae)
912. **Phyllotreta tetrastigma (Comolli,1837)**
(Chrysomelidae)
913. **Phyllotreta undulata Kutschera,1860**
(Chrysomelidae)
914. **Phyllotreta vittula (Redtenbacher,1849)**
(Chrysomelidae)
915. **Phyllotreta wiseana Jacobson,1901**
(Chrysomelidae)
916. **Physetopoda daghestanica**
(Radoszkowski,1885) (Mutillidae)
917. **Physetopoda punctata (Latreille,1792)**
(Mutillidae)
918. **Physetopoda scutellaris (Latreille,1792)**
(Mutillidae)
919. **Physetopoda similis (Lelej,1984)** (Mutillidae)
920. **Physocephala laticincta (Brullé,1832)**
(Conopidae)
921. **Physocephala nigra (De Geer,1776)**
(Conopidae)
922. **Physocephala rufipes (Fabricius,1781)**
(Conopidae)
923. **Physocephala vaginalis (Rondani,1865)**
(Conopidae)
924. **Phytodrymadusa expugnata**
(Uvarov,1916) (Tettigoniidae)
925. **Phytomyza glabra Hendel,1935**
(Agromyzidae)
926. **Piezodorus lituratus (Fabricius,1794)**
(Pentatomidae)
927. **Pipizella annulata (Macquart,1829)**
(Syrphidae)
928. **Pipizella elegantissima Lucas,1976**
(Syrphidae)
929. **Plagiodera versicolora**
(Laicharting,1781) (Chrysomelidae)
930. **Platambus lunulatus (Fischer von**
Waldheim,1829) (Dytiscidae)
931. **Platycleis (Incertana) persica Uvarov,1917**
(Tettigoniidae)
932. **Platycleis (Montana) taurica**
Bolivar,1899 (Tettigoniidae)
933. **Platycleis (Montana) uvarovi**
(Karabağ,1950) (Tettigoniidae)

934. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
935. **Platycleis (Squamiana) weidneri** Demirsoy,1974 (Tettigoniidae)
936. **Platycleis (Tessellana) veyseli** Koçak,1984 (Tettigoniidae)
937. **Platycleis (Yalvaciana) yalvacii** (Demirsoy,1974) (Tettigoniidae)
938. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
939. **Platymetopius (s.str.) henribauti** Dlabola,1961 (Cicadellidae)
940. **Platymetopius rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
941. **Platynaspis luteorubra** (Goeze,1777) (Coccinellidae)
942. **Podagenia crassipes** Priesner,1973 (Pompilidae)
943. **Podagrira malvae** (Illiger,1807) (Chrysomelidae)
944. **Podagrira menetriesi** (Faldermann,1837) (Chrysomelidae)
945. **Poecilimon variicercis** Miram,1938 (Tettigoniidae)
946. **Poecilimon zonatus** Bolivar,1899 (Tettigoniidae)
947. **Poecilimonella armeniaca** Uvarov,1921 (Tettigoniidae)
948. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
949. **Polistes (s.str.) atrimandibularis** (Zimmermann,1930) (Vespidae)
950. **Polistes (s.str.) biglumis** (Linnaeus,1758) (Vespidae)
951. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
952. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
953. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae)
954. **Polistes (s.str.) sulcifer** (Zimmermann,1930) (Vespidae)
955. **Prasocuris junci** (Brahm,1790) (Chrysomelidae)
956. **Priocnemis coriacea** Dahlbom,1843 (Pompilidae)
957. **Priocnemis exaltata** (Fabricius,1775) (Pompilidae)
958. **Priocnemis fahringeri** Wolf,1963 (Pompilidae)
959. **Priocnemis fallax** Verhoeff,1892 (Pompilidae)
960. **Priocnemis fastigiata** Haupt,1934 (Pompilidae)
961. **Priocnemis fennica** Haupt,1927 (Pompilidae)
962. **Priocnemis hankoi** Moczar,1944 (Pompilidae)
963. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
964. **Priocnemis parvula** Dahlbom,1845 (Pompilidae)
965. **Priocnemis pillichii** Priesner,1960 (Pompilidae)
966. **Priocnemis pusilla** (Schioedte,1837) (Pompilidae)
967. **Priocnemis schioedtei** Haupt,1926 (Pompilidae)
968. **Priocnemis vulgaris** (Dufour,1841) (Pompilidae)
969. **Pronotalia erzurumica** Doğanlar,1993 (Eulophidae)
970. **Pronotalia tortumensis** Doğanlar,1993 (Eulophidae)
971. **Propylea quatuordecimpunctata** (Linnaeus,1758) (Coccinellidae)
972. **Prostemma krueperi** Stein,1878 (Nabidae)
973. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
974. **Protonemura bacuriana** Zhiltzova,1957 (Nemouridae)
975. **Protonemura praecox** (Morton,1894) (Nemouridae)
976. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
977. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
978. **Psammotettix ornaticeps** (Horvath,1897) (Cicadellidae)
979. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
980. **Pseudepipona (Deuterepipona) ionia** (Saussure,1855) (Vespidae)
981. **Pseudophotopsis schachruda** (Skorikov,1935) (Mutillidae)
982. **Psiliglossa anatolica** Giordani Soika,1979 (Vespidae)
983. **Psorodonotus rugulosus** Karabağ,1952 (Tettigoniidae)
984. **Psylliodes aristus** Jablokoff-Khuzorian,1962 (Chrysomelidae)
985. **Psylliodes attenuatus** (Koch,1803) (Chrysomelidae)
986. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
987. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
988. **Psylliodes circumdatus** (Redtenbacher,1842) (Chrysomelidae)
989. **Psylliodes cupreus** (Koch,1803) (Chrysomelidae)
990. **Psylliodes hyoscyami** (Linnaeus,1758) (Chrysomelidae)
991. **Psylliodes instabilis** Foudras,1860 (Chrysomelidae)
992. **Psylliodes isatidis** Heikertinger,1912 (Chrysomelidae)
993. **Psylliodes luteolus** (O.F.Müller,1776) (Chrysomelidae)
994. **Psylliodes napi** (Fabricius,1792) (Chrysomelidae)
995. **Psylliodes ozisiki** Leonardi & Arnold,1995 (Chrysomelidae)
996. **Psylliodes sophiae** Heikertinger,1914 (Chrysomelidae)
997. **Psylliodes validus** Weise,1889 (Chrysomelidae)
998. **Psyllobora vigintiduopunctata** (Linnaeus,1758) (Coccinellidae)
999. **Pterocheilus mavromoustakisi** Giordani Soika,1979 (Vespidae)
1000. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
1001. **Pyrobombus niveatus** (Kriechbaumer,1870) (Apidae)
1002. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
1003. **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae)

1004. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
1005. **Rantus suturalis (Macleay,1825)** (Dytiscidae)
1006. **Raphidia (Caucasoraphidia) caucasica Esben-Petersen,1913** (Raphidiidae)
1007. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
1008. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
1009. **Reptalus (Trepalus) rufocarinatus (Kusnezov,1937)** (Cixiidae)
1010. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae)
1011. **Rhogogaster chlorosoma Benson,1943** (Tenthredinidae)
1012. **Rhynchites aereipennis Desbrochers,1895** (Attelabidae)
1013. **Rhynchites auratus (Scopoli,1763)** (Attelabidae)
1014. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae)
1015. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae)
1016. **Rhytidodus boluicus Dlabola,1970** (Cicadellidae)
1017. **Ribautodelphax pallens (Stål,1854)** (Delphacidae)
1018. **Rondania cucullata Robineau-Desvoidy,1850** (Tachinidae)
1019. **Ronisia brutia (Petagna,1787)** (Mutillidae)
1020. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
1021. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae)
1022. **Saltella sphondylii (Schrank,1803)** (Sepsidae)
1023. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae)
1024. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
1025. **Scaeva albomaculata (Macquart,1842)** (Syrphidae)
1026. **Scaeva dignota (Rondani,1857)** (Syrphidae)
1027. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae)
1028. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
1029. **Sciapteryx circassica Dognar-Zapolski,1930** (Tenthredinidae)
1030. **Sciapteryx laeta Konow,1891** (Tenthredinidae)
1031. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
1032. **Scolia fallax Eversmann,1849** (Scoliidae)
1033. **Scolia galbula (Pallas,1771)** (Scoliidae)
1034. **Scolia hirta (Schrank,1781)** (Scoliidae)
1035. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
1036. **Scymnus apetzii Mulsant,1846** (Coccinellidae)
1037. **Scymnus pallipediformis Günther,1958** (Coccinellidae)
1038. **Scymnus rubromaculatus (Goeze,1778)** (Coccinellidae)
1039. **Senometopia separata (Rondani,1859)** (Tachinidae)
1040. **Sepsis biflexuosa Strobl,1893** (Sepsidae)
1041. **Sepsis fissa Becker,1903** (Sepsidae)
1042. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae)
1043. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae)
1044. **Sepsis punctum (Fabricius,1794)** (Sepsidae)
1045. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae)
1046. **Sepsis violacea Meigen,1826** (Sepsidae)
1047. **Setapius barajus (Dlabola,1957)** (Cixiidae)
1048. **Sicus ferrugineus (Linnaeus,1761)** (Conopidae)
1049. **Sicus nigratarsis Zimina,1975** (Conopidae)
1050. **Sigara limitata (Fieber,1848)** (Corixidae)
1051. **Sigara striata (Linnaeus,1758)** (Corixidae)
1052. **Silpha obscura Linnaeus,1758** (Silphidae)
1053. **Silvius (s.str.) latifrons Olsuljev,1937** (Tabanidae)
1054. **Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae)
1055. **Skorikovia radoszkowskii (Skorikov,1935)** (Mutillidae)
1056. **Skorikovia transcaucasica (Lelej,1985)** (Mutillidae)
1057. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae)
1058. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae)
1059. **Spalangia fuscipes Nees,1834** (Pteromalidae)
1060. **Spalangia subpunctata Förster,1850** (Pteromalidae)
1061. **Spallanzania hebes (Fallén,1820)** (Tachinidae)
1062. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae)
1063. **Sphaerophoria turkmenica Bankowska,1964** (Syrphidae)
1064. **Sphegigaster aculeata (Walker,1833)** (Pteromalidae)
1065. **Sphegigaster brevicornis (Walker,1833)** (Pteromalidae)
1066. **Sphex flavipennis Fabricius,1793** (Sphecidae)
1067. **Sphingonotus coerulipes Uvarov,1922** (Acrididae)
1068. **Stagonomus bipunctatus (Linnaeus,1758)** (Pentatomidae)
1069. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
1070. **Stenobothrus (s.str.) zubovskii Bolivar,1899** (Acrididae)
1071. **Stenobothrus (Stenobothrodes) sviridenkoi Ramme,1930** (Acrididae)
1072. **Stenodera caucasica (Pallas,1781)** (Meloidae)
1073. **Stenodynerus aequisculptus (Kostylev,1940)** (Vespidae)
1074. **Stenodynerus bluethgeni Van der Vecht,1971** (Vespidae)
1075. **Stenodynerus chevrieranus (Saussure,1855)** (Vespidae)
1076. **Stenodynerus orenburgensis (André,1884)** (Vespidae)
1077. **Stenodynerus pannosus Gusenleitner,1985** (Vespidae)
1078. **Stenodynerus simulatus Gusenleitner,1981** (Vespidae)

1079. **Stenometiopellus angorensis**
Zachvatkin,1946 (Cicadellidae)
1080. **Sterictiphora furcata** (Villers,1789)
(Argidae)
1081. **Stethorus punctillum** Weise,1891
(Coccinellidae)
1082. **Stictotarsus griseostriatus** (De
Geer,1774) (Dytiscidae)
1083. **Stomina iners** (Meigen,1838) (Tachinidae)
1084. **Subcoccinella vigintiquatuor punctata**
(Linnaeus,1758) (Coccinellidae)
1085. **Symmorphus bifasciatus** (Linnaeus,1761)
(Vespidae)
1086. **Symmorphus crassicornis** (Panzer,1798)
(Vespidae)
1087. **Symmorphus gracilis** (Brullé,1832)
(Vespidae)
1088. **Symmorphus murarius** (Linnaeus,1758)
(Vespidae)
1089. **Sympecma fusca** (Van Der Linden,1820)
(Lestidae)
1090. **Sympetrum flaveolum** (Linnaeus,1758)
(Libellulidae)
1091. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
1092. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
1093. **Sympetrum sanguineum**
(O.F.Müller,1764) (Libellulidae)
1094. **Sympetrum vulgatum** (Linnaeus,1758)
(Libellulidae)
1095. **Syneuodynerus egregius** (Herrich-
Schäffer,1839) (Vespidae)
1096. **Syneuodynerus erichi** Gusenleitner,1967
(Vespidae)
1097. **Syrirta pipiens** (Linnaeus,1758)
(Syrphidae)
1098. **Syrphus ribesii** (Linnaeus,1758)
(Syrphidae)
1099. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
1100. **Tabanus bifarius** Loew,1858 (Tabanidae)
1101. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
1102. **Tabanus brunnescens** Szilady,1917
(Tabanidae)
1103. **Tabanus cordiger** Meigen,1820
(Tabanidae)
1104. **Tabanus cuculus** Szilady,1923 (Tabanidae)
1105. **Tabanus exclusus** Pandella,1883
(Tabanidae)
1106. **Tabanus laetinctus** Becker,1913
(Tabanidae)
1107. **Tabanus leleani** Austen,1920 (Tabanidae)
1108. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
1109. **Tabanus maculicornis** Zetterstedt,1842
(Tabanidae)
1110. **Tabanus miki** Brauer,1880 (Tabanidae)
1111. **Tabanus prometheus** Szilady,1923
(Tabanidae)
1112. **Tabanus quatuornatatus** Meigen,1820
(Tabanidae)
1113. **Tabanus regularis** Jaennicke,1866
(Tabanidae)
1114. **Tabanus rupium** Brauer,1880 (Tabanidae)
1115. **Tabanus shekovnikovi** Paramanov,1934
(Tabanidae)
1116. **Tabanus spectabilis** Loew,1858
(Tabanidae)
1117. **Tabanus spodopterus** Meigen,1820
(Tabanidae)
1118. **Tabanus subparadoxus** Olsuffjev,1937
(Tabanidae)
1119. **Tabanus swiridowi** Portschesky,1882
(Tabanidae)
1120. **Tabanus tergestinus** Egger,1859
(Tabanidae)
1121. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
1122. **Tachina (Echinogaster) praeceps**
Meigen,1824 (Tachinidae)
1123. **Tachina (Eudoromyia) fera**
(Linnaeus,1761) (Tachinidae)
1124. **Tachyagetes exortivus** Wolf,1987
(Pompilidae)
1125. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
1126. **Tachyagetes kusdasi** Priesner,1965
(Pompilidae)
1127. **Tachyagetes leucoenemis** Haupt,1930
(Pompilidae)
1128. **Tachyagetes navalperalus** Wolf,1987
(Pompilidae)
1129. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
1130. **Tachyancistrocerus schmidtii**
(Kokujev,1912) (Vespidae)
1131. **Tamaricella ribauti** (Zachvatkin,1947)
(Cicadellidae)
1132. **Tamaricella tamaricis** (Puton,1872)
(Cicadellidae)
1133. **Telostegus inermis** (Brullé,1832)
(Pompilidae)
1134. **Tenthredo acerrima** Benson,1952
(Tenthredinidae)
1135. **Tenthredo arcuata** Forster,1771
(Tenthredinidae)
1136. **Tenthredo caligator** Eversmann,1847
(Tenthredinidae)
1137. **Tenthredo caucasica** Eversmann,1847
(Tenthredinidae)
1138. **Tenthredo costata** Klug,1817
(Tenthredinidae)
1139. **Tenthredo excellens** Konow,1886
(Tenthredinidae)
1140. **Tenthredo flavipennis** (Brullé,1832)
(Tenthredinidae)
1141. **Tenthredo frauenfeldii** Giraud,1857
(Tenthredinidae)
1142. **Tenthredo hyrcana** Benson,1968
(Tenthredinidae)
1143. **Tenthredo liturata** (Mocsary,1886)
(Tenthredinidae)
1144. **Tenthredo livida** Linnaeus,1758
(Tenthredinidae)
1145. **Tenthredo luteipennis** Eversmann,1847
(Tenthredinidae)
1146. **Tenthredo maculata** Geoffroy,1785
(Tenthredinidae)
1147. **Tenthredo mesomelas** Linnaeus,1758
(Tenthredinidae)
1148. **Tenthredo notha** Klug,1817
(Tenthredinidae)
1149. **Tenthredo omissa** Förster,1844
(Tenthredinidae)

1150. **Tenthredo propinqua Klug,1817**
(Tenthredinidae)
1151. **Tenthredo scrophulariae Linnaeus,1758**
(Tenthredinidae)
1152. **Tenthredo thompsoni Curtis,1839**
(Tenthredinidae)
1153. **Tenthredo vespa Retzius,1783**
(Tenthredinidae)
1154. **Tenthredo vespiformis Schrank,1781**
(Tenthredinidae)
1155. **Tenthredo zonula Klug,1817**
(Tenthredinidae)
1156. **Tenthredopsis festiva Konow,1890**
(Tenthredinidae)
1157. **Tenthredopsis harveyi Benson,1968**
(Tenthredinidae)
1158. **Tenthredopsis nassata Linnaeus,1767**
(Tenthredinidae)
1159. **Tenthredopsis nigella Konow,1891**
(Tenthredinidae)
1160. **Tenthredopsis sordida Klug,1817**
(Tenthredinidae)
1161. **Tenthredopsis tessellata Klug,1817**
(Tenthredinidae)
1162. **Teratolytta monticola Bologna,2006**
(Meloidae)
1163. **Tetanocera punctifrons Rondani,1868**
(Sciomyzidae)
1164. **Tetartopeus stylifer (Reitter,1909)**
(Staphylinidae)
1165. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
1166. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
1167. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
1168. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
1169. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
1170. **Thecophora fulvipes (Robineau-Desvoidy,1830)** (Conopidae)
1171. **Thecophora pusilla (Meigen,1824)**
(Conopidae)
1172. **Thelymorpha marmorata (Fabricius,1805)** (Tachinidae)
1173. **Themira annulipes (Meigen,1826)**
(Sepsidae)
1174. **Themira minor (Haliday,1833)** (Sepsidae)
1175. **Thereva binotata (Loew,1847)**
(Therevidae)
1176. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
1177. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
1178. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae)
1179. **Townsendiellomyia nidicola (Townsend,1908)** (Tachinidae)
1180. **Toya propinqua (Fieber,1866)**
(Delphacidae)
1181. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae)
1182. **Trichodes affinis Chevrolat,1843**
(Cleridae)
1183. **Trichodes ephippiger Chevrolat,1874**
(Cleridae)
1184. **Trichodes heydeni Escherich** (Cleridae)
1185. **Trichodes punctatus Fischer,1829**
(Cleridae)
1186. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
1187. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediiciidae)
1188. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
1189. **Tropidotilla sareptana (André,1901)**
(Mutillidae)
1190. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
1191. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
1192. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
1193. **Urophora sp.** (Tephritidae)
1194. **Verdanus bekiri (Kalkandelen,1972)**
(Cicadellidae)
1195. **Verdanus melichari (Dlabola,1951)**
(Cicadellidae)
1196. **Verdanus pazoukii (Dlabola,1980)**
(Cicadellidae)
1197. **Vespa crabro Linnaeus,1758** (Vespidae)
1198. **Vespa orientalis Linnaeus,1771** (Vespidae)
1199. **Vespula rufa (Linnaeus,1758)** (Vespidae)
1200. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
1201. **Vibidia duodecimguttata (Poda,1761)**
(Coccinellidae)
1202. **Volucella zonaria (Poda,1761)** (Syrphidae)
1203. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
1204. **Zaira cinerea (Fallén,1810)** (Tachinidae)
1205. **Zaplethocornia procurator (Gravenhorst,1829)** (Ichneumonidae)
1206. **Zodion cinereum (Fabricius,1794)**
(Conopidae)
1207. **Zodion erythrurum Rondani,1865**
(Conopidae)
1208. **Zodion notatum (Meigen,1804)**
(Conopidae)
1209. **Zonitis flava Fabricius,1775** (Meloidae)
1210. **Zonitis nana Ragusa,1882** (Meloidae)

Eskişehir Province (26)

(368 species, stand 30 April 2010)

1. **Acrida bicolor (Thunberg,1815)** (Acrididae)
2. **Actenodia confluens (Reiche,1866)** (Meloidae)
3. **Agalmatium bilobum (Fieber,1877)** (Issidae)
4. **Agria mamillata (Pandellé,1896)**
(Sarcophagidae)
5. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
6. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae)

7. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae)
8. **Altica bicarinata (Kutschera,1860)** (Chrysomelidae)
9. **Amara (s.str.) lukasi Hejkal,2002** (Carabidae)
10. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
11. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
12. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
13. **Anterastes burri Karabağ,1951** (Tettigoniidae)
14. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae)
15. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
16. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae)
17. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae)
18. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
19. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
20. **Anthidium (s.str.) loti Perris,1852** (Megachilidae)
21. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae)
22. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae)
23. **Aphthona venustula Kutschera,1861** (Chrysomelidae)
24. **Apodiphus amygdali (Germar,1817)** (Pentatomidae)
25. **Arachnospila minutula (Dahlbom,1843)** (Pompilidae)
26. **Arachnotheutes rufithorax (Costa,1887)** (Pompilidae)
27. **Arachnotheutes squalidus (Haupt,1962)** (Pompilidae)
28. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
29. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae)
30. **Atylotus fulvus (Meigen,1820)** (Tabanidae)
31. **Atylotus hendrixi Leclercq,1967** (Tabanidae)
32. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
33. **Atylotus pulchellus (Loew,1858)** (Tabanidae)
34. **Atylotus quadrifarius (Loew,1874)** (Tabanidae)
35. **Atylotus rusticus (Linnaeus,1767)** (Tabanidae)
36. **Aulonogyrus concinnus (Klug,1834)** (Gyrinidae)
37. **Auplopus carbonarius (Scopoli,1763)** (Pompilidae)
38. **Batophila fallax Weise,1888** (Chrysomelidae)
39. **Blaps tibialis Reiche & Sauley,1857** (Tenebrionidae)
40. **Bolivaria brachyptera (Pallas,1773)** (Mantidae)
41. **Bombus terrestris Linnaeus,1758** (Apidae)
42. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae)
43. **Brachycerus sinuatus Olivier,1807** (Brachyceridae)
44. **Brachyptera sislii Kazancı,1983** (Taeniopterygidae)
45. **Brunnerella mirabilis Saussure,1888** (Acrididae)
46. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae)
47. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae)
48. **Calliptamus barbarus (Costa,1836)** (Acrididae)
49. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
50. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
51. **Calopteryx mingrelica Selys,1869** (Calopterygidae)
52. **Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae)
53. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
54. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae)
55. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae)
56. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae)
57. **Cassida atrata Fabricius,1787** (Chrysomelidae)
58. **Cassida rubiginosa Müller,1776** (Chrysomelidae)
59. **Cassida seraphina Ménériés,1836** (Chrysomelidae)
60. **Celes variabilis (Pallas,1771)** (Acrididae)
61. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
62. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae)
63. **Cerocoma bodemeyeri Reitter,1913** (Meloidae)
64. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae)
65. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae)
66. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae)
67. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae)
68. **Chaetocnema coyei (Allard,1863)** (Chrysomelidae)
69. **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae)
70. **Chaetocnema mannerheimi (Gyllenhal,1827)** (Chrysomelidae)
71. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae)
72. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae)
73. **Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841)** (Megachilidae)
74. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae)
75. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
76. **Chorthippus (Glyptobothrus) labaumei Ramme,1926** (Acrididae)
77. **Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae)
78. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
79. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
80. **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae)
81. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae)
82. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae)
83. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)

84. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
85. **Chrysops (Petersenichrysops) buxtoni** Austen,1922 (Tabanidae)
86. **Chrysops (Petersenichrysops) hamatus** Loew,1858 (Tabanidae)
87. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
88. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
89. **Cicada orni** Linnaeus,1758 (Cicadidae)
90. **Cicindela campestris** Linnaeus,1758 (Carabidae)
91. **Cixius pallipes** Fieber,1876 (Cixiidae)
92. **Clytra atraphaxidis** (Pallas,1773) (Chrysomelidae)
93. **Coelioxys (Allocoelioxys) afra** Lepeletier,1841 (Megachilidae)
94. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
95. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
96. **Corixa affinis** Leach,1818 (Corixidae)
97. **Corythucha arcuata** (Say,1832) (Tingidae)
98. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
99. **Crepidodera aurea** (Geoffroy,1785) (Chrysomelidae)
100. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
101. **Cryptocephalus janthinus** Germar,1824 (Chrysomelidae)
102. **Cryptocephalus moehringi** Weise,1884 (Chrysomelidae)
103. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
104. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
105. **Cryptocephalus prusias** Suffrian,1853 (Chrysomelidae)
106. **Cryptocephalus turcicus** Suffrian,1847 (Chrysomelidae)
107. **Cryptocheilus tredecimmaculatus** Haupt,1962 (Pompilidae)
108. **Cryptocheilus variipennis** Suster,1924 (Pompilidae)
109. **Cybister (Scaphinectes) lateralimarginalis** (De Geer,1774) (Dytiscidae)
110. **Dailognatha quadricollis** Brullé,1832 (Tenebrionidae)
111. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
112. **Dasineura rosae** (Bremi,1847) (Cecidomyiidae)
113. **Dasyrhamphis carbonarius** (Meigen,1820) (Tabanidae)
114. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
115. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
116. **Dicaelotus montanus** (Destefani,1886) (Ichneumonidae)
117. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
118. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
119. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
120. **Dikraneura variata** Hardy,1850 (Cicadellidae)
121. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
122. **Dipogon (Deuteragenia) variegatus** (Linnaeus,1758) (Pompilidae)
123. **Doclostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
124. **Doclostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
125. **Doclostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
126. **Doclostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
127. **Doratura homophyla** (Flor,1861) (Cicadellidae)
128. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
129. **Dryomyia circinans** (Giraud,1861) (Cecidomyiidae)
130. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
131. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
132. **Enallagma cyathigerum** (Charpentier,1840) (Coenagrionidae)
133. **Enicopus hirtus** (Linnaeus,1767) (Melyridae)
134. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
135. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
136. **Epitrix pubescens** (Koch,1803) (Chrysomelidae)
137. **Euodynerus (s.str.) semisaecularis** Dalla Torre,1889 (Vespidae)
138. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
139. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
140. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae)
141. **Evagetes pectinipes** (Linnaeus,1758) (Pompilidae)
142. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
143. **Glyptomethis escherichi** (Krauss,1896) (Pamphagidae)
144. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
145. **Gryllomorpha (s.str.) willemsei** Uvarov,1934 (Gryllidae)
146. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
147. **Haematopota bigoti** Gobert,1881 (Tabanidae)
148. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
149. **Haematopota grandis** Macquart,1834 (Tabanidae)
150. **Haematopota hennauxi** Leclercq,1967 (Tabanidae)
151. **Haematopota italica** Meigen,1804 (Tabanidae)
152. **Haematopota kemali** Szilady,1923 (Tabanidae)
153. **Haematopota lambi** Willeneuve,1921 (Tabanidae)
154. **Haematopota nubilis** Hauser,1960 (Tabanidae)
155. **Haematopota pallens** Loew,1871 (Tabanidae)
156. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
157. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
158. **Heteracris pterostichus** (Fischer von Waldheim,1833) (Acrididae)

159. *Hyalesthes obsoletus* Signoret, 1865 (Cixiidae)
160. *Hybomitra ciureai* (Seguy, 1937) (Tabanidae)
161. *Hybomitra distinguenda* (Verrall, 1909) (Tabanidae)
162. *Hybomitra expollicata* (Pandelle, 1883) (Tabanidae)
163. *Hybomitra tuerkmendagensis* Kılıç & Schacht, 1995 (Tabanidae)
164. *Hycleus scabiosae* (Olivier, 1811) (Meloidae)
165. *Hydroglyphus geminus* (Fabricius, 1792) (Dytiscidae)
166. *Hygrotus (Coelambus) confluens* (Fabricius, 1787) (Dytiscidae)
167. *Hygrotus (Coelambus) lernaeus* (Schaum, 1857) (Dytiscidae)
168. *Hypocassida subferruginea* (Schrank, 1776) (Chrysomelidae)
169. *Hyposoter didymator* (Thunberg, 1822) (Ichneumonidae)
170. *Hyposoter vulgaris* (Tschek, 1871) (Ichneumonidae)
171. *Idiocerus vicinus* Melichar, 1898 (Cicadellidae)
172. *Ischnura pumilio* (Charpentier, 1825) (Coenagrionidae)
173. *Isophya nervosa* Ramme, 1951 (Tettigoniidae)
174. *Itoplectis maculator* (Fabricius, 1775) (Ichneumonidae)
175. *Kybos virgator* (Ribaut, 1933) (Cicadellidae)
176. *Labidostomis mesopotamica* Heyden, 1886 (Chrysomelidae)
177. *Laccobius (Dimorpholaccobius) striatulus* (Fabricius, 1801) (Hydrophilidae)
178. *Lasioglossum (Evylaeus) mesosclerum* (Pérez, 1903) (Halictidae)
179. *Lertha schmidti* (H. Aspöck, U. Aspöck & Hölzel, 1984) (Nemopteridae)
180. *Leskia erevanica* Richter, 1974 (Tachinidae)
181. *Lestes barbarus* (Fabricius, 1798) (Lestidae)
182. *Longitarsus jailensis* Heikertinger, 1913 (Chrysomelidae)
183. *Longitarsus juncicola* (Foudras, 1860) (Chrysomelidae)
184. *Longitarsus linnaei* (Duftschmid, 1825) (Chrysomelidae)
185. *Longitarsus luridus* (Scopoli, 1763) (Chrysomelidae)
186. *Longitarsus lycopi* (Foudras, 1860) (Chrysomelidae)
187. *Longitarsus melanocephalus* (De Geer, 1775) (Chrysomelidae)
188. *Longitarsus niger* (Koch, 1803) (Chrysomelidae)
189. *Longitarsus nigrofasciatus* (Goeze, 1777) (Chrysomelidae)
190. *Longitarsus pratensis* (Panzer, 1794) (Chrysomelidae)
191. *Lydus turcius* Kaszab, 1952 (Meloidae)
192. *Machimus albicapillus* Janssens, 1968 (Asilidae)
193. *Macropsis graminea* (Fabricius, 1798) (Cicadellidae)
194. *Mantispa aphavexelte* U. Aspöck & H. Aspöck, 1994 (Mantispidae)
195. *Megachile (Eutricharaea) apicalis* Spinola, 1808 (Megachilidae)
196. *Megachile (Eutricharaea) deceptor* Perez, 1890 (Megachilidae)
197. *Megachile (Eutricharaea) pilidens* Alfken, 1924 (Megachilidae)
198. *Megachile (s.str.) pyrenaea* Perez, 1890 (Megachilidae)
199. *Megachile (Xanthosarus) giraudi* Gerstaecker, 1869 (Megachilidae)
200. *Megachile (Xanthosarus) lagopoda* (Linnaeus, 1761) (Megachilidae)
201. *Megachile (Xanthosarus) maritima* (Kirby, 1802) (Megachilidae)
202. *Meloe hungarus* Schrank, 1776 (Meloidae)
203. *Meloe olivieri* Chevrolat, 1833 (Meloidae)
204. *Meloe tuccicus* Rossi, 1792 (Meloidae)
205. *Meloe variegatus* Donovan, 1793 (Meloidae)
206. *Modicogryllus (Eumodicogryllus) burdigalensis* (Latreille, 1804) (Gryllidae)
207. *Modicogryllus (s.str.) truncatus* (Tarbinski, 1940) (Gryllidae)
208. *Mustha spinosula* (Lefebvre, 1831) (Pentatomidae)
209. *Mylabris calida* (Pallas, 1781) (Meloidae)
210. *Mylabris crocata* (Pallas, 1781) (Meloidae)
211. *Mylabris fabricii* Sumakov, 1924 (Meloidae)
212. *Mylabris fusca* (Olivier, 1811) (Meloidae)
213. *Mylabris olivieri* Billberg, 1813 (Meloidae)
214. *Mylabris quadripunctata* (Linnaeus, 1767) (Meloidae)
215. *Mylabris scabiosae* (Olivier, 1811) (Meloidae)
216. *Mylabris zebraea* (Marseul, 1870) (Meloidae)
217. *Myrmecaelurus maior* McLachan, 1875 (Myrmeleonidae)
218. *Myrmecaelurus major* McLachlan, 1875 (Myrmeleonidae)
219. *Myrmecaelurus trigrammus* (Pallas, 1781) (Myrmeleonidae)
220. *Myrmecaelurus trigrammus* (Pallas, 1781) (Myrmeleonidae)
221. *Myrmilla (Pseudomutilla) glabrata* (Fabricius, 1775) (Mutillidae)
222. *Nebrioporus suavis* (Sharp, 1882) (Dytiscidae)
223. *Nemorius vitripennis* (Meigen, 1820) (Tabanidae)
224. *Nemoura cinerea* (Retzius, 1783) (Nemouridae)
225. *Neophilaenus campestris* (Fallén, 1805) (Cercopidae)
226. *Oecanthus pellucens* (Scopoli, 1763) (Gryllidae)
227. *Oedaleus decorus* (Germar, 1817) (Acrididae)
228. *Oedipoda schochi* Saussure, 1884 (Acrididae)
229. *Oligopogon anatolicus* Geller-Grimm & Hradsky, 2003 (Asilidae)
230. *Omocestus (s.str.) nanus* Uvarov, 1934 (Acrididae)
231. *Omocestus (s.str.) petraeus* (Brisout, 1855) (Acrididae)
232. *Onthophagus (Palaeonthophagus) petrovitzianus* Pittino, 2006 (Scarabaeidae)
233. *Opatrum geminatum* Brullé, 1832 (Tenebrionidae)
234. *Ophion longigena* Thomson, 1888 (Ichneumonidae)
235. *Orthopelma luteolator* (Gravenhorst, 1829) (Ichneumonidae)

236. **Osmia (Hemiosmia) difficilis**
Morawitz,1875 (Megachilidae)
237. **Osmia (Hoplosmia) bidentata** **Morawitz,1876**
(Megachilidae)
238. **Osmia (s.str.) cerinthidis** **Morawitz,1876**
(Megachilidae)
239. **Oxythyrea cinctella** (**Schaum,1841**)
(Scarabaeidae)
240. **Pachybrachis (s.str.) limbatus**
(**Ménétriés,1836**) (Chrysomelidae)
241. **Pachyscelis villosa** (**Drapiez,1820**)
(Tenebrionidae)
242. **Pangonius (s.str.) argentatus**
Szilady,1923 (Tabanidae)
243. **Pangonius (s.str.) lucidus** **Szilady,1923**
(Tabanidae)
244. **Paracinema tricolor** (**Thunberg,1815**)
(Acrididae)
245. **Pedestredorcadion bodemeyeri**
(**Daniel,1900**) (Cerambycidae)
246. **Pedestredorcadion infernale** (**Mulsant &**
Rey,1863) (Cerambycidae)
247. **Pedestredorcadion pluto**
(**Thomson,1867**) (Cerambycidae)
248. **Pedestredorcadion subvestitum**
(**Daniel,1900**) (Cerambycidae)
249. **Pedinpompilus wolffi** (**Priesner,1965**)
(Pompilidae)
250. **Pedinus (s.str.) strabonis** **Seidlitz,1893**
(Tenebrionidae)
251. **Peirates hybridus** (**Scopoli,1763**) (Reduviidae)
252. **Phaedon pyritosus** (**Rossi,1792**)
(Chrysomelidae)
253. **Philaenus spumarius** (**Linnaeus,1758**)
(Cercopidae)
254. **Philipomyia aprica** (**Meigen,1820**)
(Tabanidae)
255. **Phyllotreta cruciferae** (**Goeze,1777**)
(Chrysomelidae)
256. **Phyllotreta diademata** **Foudras,1860**
(Chrysomelidae)
257. **Phyllotreta nemorum** (**Linnaeus,1758**)
(Chrysomelidae)
258. **Phyllotreta nodicornis** (**Marsham,1802**)
(Chrysomelidae)
259. **Phyllotreta procera** (**Redtenbacher,1849**)
(Chrysomelidae)
260. **Phyllotreta punctulata** (**Marsham,1802**)
(Chrysomelidae)
261. **Phyllotreta toelgi** **Heikertinger,1941**
(Chrysomelidae)
262. **Phyllotreta undulata** **Kutschera,1860**
(Chrysomelidae)
263. **Phyllotreta variipennis** (**Boieldieu,1859**)
(Chrysomelidae)
264. **Piesma (Parapiesma) salsolae**
(**Becker,1867**) (Piesmatidae)
265. **Piezodorus lituratus** (**Fabricius,1794**)
(Pentatomidae)
266. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
267. **Pimpla turionellae** (**Linnaeus,1758**)
(Ichneumonidae)
268. **Plastocerus angulosus** (**Germar,1845**)
(Elateridae)
269. **Platycleis (Incertana) incerta** **Brunner**
von Wattenwyl,1882 (Tettigoniidae)
270. **Platycleis (Montana) schereri**
Werner,1905 (Tettigoniidae)
271. **Platycleis (s.str.) affinis** **Fieber,1853**
(Tettigoniidae)
272. **Platycleis (s.str.) intermedia** (**Audinet-**
Serville,[1839]) (Tettigoniidae)
273. **Podagrica malvae** (**Illiger,1807**)
(Chrysomelidae)
274. **Poecilimon eskishehirensis** **Ünal,2003**
(Tettigoniidae)
275. **Poecilimon kutahiensis** **Werner,1901**
(Tettigoniidae)
276. **Polistes (s.str.) associus** (**Kohl,1898**)
(Vespidae)
277. **Polistes (s.str.) dominulus** (**Christ,1791**)
(Vespidae)
278. **Polistes (s.str.) gallicus** (**Linnaeus,1767**)
(Vespidae)
279. **Prasocuris junci** (**Brahm,1790**)
(Chrysomelidae)
280. **Probaticus (Pelorinus) dorsalis**
(**Allard,1877**) (Tenebrionidae)
281. **Protaetia (Potosia) cuprea** (**Fabricius,1775**)
(Scarabaeidae)
282. **Psylliodes attenuatus** (**Koch,1803**)
(Chrysomelidae)
283. **Psylliodes chalcomerus** (**Illiger,1807**)
(Chrysomelidae)
284. **Psylliodes circumdatus**
(**Redtenbacher,1842**) (Chrysomelidae)
285. **Pteronemobius (s.str.) heydenii**
(**Fischer,1853**) (Gryllidae)
286. **Pyrgodera armata** (**Fischer von**
Waldheim,1820) (Acrididae)
287. **Pyrgomorpha cognata** **Krauss,1877**
(Pyrgomorphidae)
288. **Pyrobombus niveatus**
(**Kriechbaumer,1870**) (Apidae)
289. **Pyrrhocoris apterus** (**Linnaeus,1758**)
(Pyrrhocoridae)
290. **Rabdophaga saliciperda** (**Dufour,1841**)
(Cecidomyiidae)
291. **Rabdophaga strobilina** (**Bremi,1847**)
(Cecidomyiidae)
292. **Raiboscelis syriacus** (**Reiche,1861**)
(Tenebrionidae)
293. **Ramburiella bolivari** (**Kuthy,1907**)
(Acrididae)
294. **Ramburiella turcomana** (**Fischer von**
Waldheim,1833) (Acrididae)
295. **Rhoananus hypochlorus** (**Fieber,1869**)
(Cicadellidae)
296. **Rhynchites auratus** (**Scopoli,1763**)
(Attelabidae)
297. **Rhynchites bacchus** (**Linnaeus,1758**)
(Attelabidae)
298. **Rhynchites hungaricus** (**Herbst,1784**)
(Attelabidae)
299. **Rhynchium oculatum** (**Fabricius,1781**)
(Vespidae)
300. **Rhyparochromus alboacuminatus**
(**Goeze,1778**) (Lygaeidae)
301. **Saltella sphondylii** (**Schrank,1803**) (Sepsidae)
302. **Sarcophaga (Bercaea) africa**
(**Wiedemann,1819**) (Sarcophagidae)
303. **Sarcophaga (Helicophagella) melanura**
Meigen,1826 (Sarcophagidae)
304. **Sarcophaga (Heteronychia) filia**
Rondani,1860 (Sarcophagidae)
305. **Sarcophaga (s.str.) lehmanni**
Müller,1922 (Sarcophagidae)

306. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae)
307. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae)
308. **Scarodytes halensis (Fabricius,1787)** (Dytiscidae)
309. **Scymnus quadriguttatus Capra,1924** (Coccinellidae)
310. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
311. **Sigara lateralis Leach,1818** (Corixidae)
312. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
313. **Silpha obscura Linnaeus,1758** (Silphidae)
314. **Sphingonotus (s.str.) nebulosus (Fischer von Waldheim,1846)** (Acrididae)
315. **Sphingonotus (s.str.) pilosus Saussure,1884** (Acrididae)
316. **Sphingonotus (s.str.) theodori Uvarov,1923** (Acrididae)
317. **Sphingonotus (s.str.) turcicus Uvarov,1930** (Acrididae)
318. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
319. **Stenodera caucasica (Pallas,1781)** (Meloidae)
320. **Stenodynerus chevrieranus (Saussure,1855)** (Vespidae)
321. **Stratiomys nigerrima (Szilady,1941)** (Stratiomyidae)
322. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae)
323. **Streptanus albanicus (Horvath,1916)** (Cicadellidae)
324. **Subcoccinella vigintiquatuor punctata (Linnaeus,1758)** (Coccinellidae)
325. **Sureyaella bella Uvarov,1934** (Tettigoniidae)
326. **Symmorphus crassicornis (Panzer,1798)** (Vespidae)
327. **Tabanus armeniacus (Kröber,1928)** (Tabanidae)
328. **Tabanus atropathenicus Olsufjev,1937** (Tabanidae)
329. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
330. **Tabanus bifarius Loew,1858** (Tabanidae)
331. **Tabanus bromius Linnaeus,1758** (Tabanidae)
332. **Tabanus brunnescens Szilady,1917** (Tabanidae)
333. **Tabanus cordiger Meigen,1820** (Tabanidae)
334. **Tabanus cuculus Szilady,1923** (Tabanidae)
335. **Tabanus darimonti Leclercq,1964** (Tabanidae)
336. **Tabanus eggeri Schiner,1868** (Tabanidae)
337. **Tabanus exclusus Pandella,1883** (Tabanidae)
338. **Tabanus fraseri Austen,1925** (Tabanidae)
339. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
340. **Tabanus indrae Hauser,1939** (Tabanidae)
341. **Tabanus laetinctus Becker,1913** (Tabanidae)
342. **Tabanus lunatus Fabricius,1794** (Tabanidae)
343. **Tabanus martinii Kröber,1928** (Tabanidae)
344. **Tabanus miki Brauer,1880** (Tabanidae)
345. **Tabanus obsolescens Pandelle,1883** (Tabanidae)
346. **Tabanus portschinskii Olsufjev,1937** (Tabanidae)
347. **Tabanus quatuornatatus Meigen,1820** (Tabanidae)
348. **Tabanus regularis Jaennicke,1866** (Tabanidae)
349. **Tabanus rupium Brauer,1880** (Tabanidae)
350. **Tabanus spectabilis Loew,1858** (Tabanidae)
351. **Tabanus tinctus Walker,1850** (Tabanidae)
352. **Tabanus unifasciatus Loew,1858** (Tabanidae)
353. **Tachina grossa (Linnaeus,1758)** (Tachinidae)
354. **Tachycixius desertorum (Fieber,1876)** (Cixiidae)
355. **Telostegus fumigatus (Klug,1834)** (Pompilidae)
356. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae)
357. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae)
358. **Theriopectes gigas (Herbst,1787)** (Tabanidae)
359. **Theriopectes tricolor Zeller,1842** (Tabanidae)
360. **Tingis ballotae Seidenstücker,1970** (Tingidae)
361. **Trichodes crabroniformis Fabricius,1787** (Cleridae)
362. **Trichodes nobilis Klug,1842** (Cleridae)
363. **Trichodes punctatus Fischer,1829** (Cleridae)
364. **Trichodes quadriguttatus Adams,1817** (Cleridae)
365. **Tychius cuprifer (Panzer,1799)** (Curculionidae)
366. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
367. **Xya variegata (Latreille,1809)** (Tridactylidae)
368. **Zonitis flava Fabricius,1775** (Meloidae)

Gaziantep Province (27)

(275 species, stand 30 April 2010)

1. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
2. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
3. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae)
4. **Acrida bicolor (Thunberg,1815)** (Acrididae)
5. **Acrosternum heegeri Fieber,1861** (Pentatomidae)
6. **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae)
7. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
8. **Aelia albiovittata Fieber,1868** (Pentatomidae)

9. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
10. **Aelia rostrata** Boheman,1852 (Pentatomidae)
11. **Aelia virgata** (Herrich-Schäffer,1841) (Pentatomidae)
12. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
13. **Agallia minuta** Melichar,1896 (Cicadellidae)
14. **Agalmatium bilobum** (Fieber,1877) (Issidae)
15. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
16. **Agrilus (Anambus) obscuricollis** Kiesenwetter,1857 (Buprestidae)
17. **Amnodeis milleri** Reitter,1914 (Tenebrionidae)
18. **Amphicoma (Pygopleurus) rufovillosus** Reitter,1907 (Glaphyridae)
19. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
20. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
21. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
22. **Anisops sardeus** Herrich-Schäffer,1849 (Notonectidae)
23. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
24. **Anthaxia (Haplantaxia) armeniaca** Obenberger,1929 (Buprestidae)
25. **Anthaxia (Haplantaxia) cichorii** (Olivier,1790) (Buprestidae)
26. **Anthaxia (Haplantaxia) millefolii** (Fabricius,1801) (Buprestidae)
27. **Anthaxia (s.str.) berytensis** Abeille,1895 (Buprestidae)
28. **Anthaxia (s.str.) brevis** Gory & Laporte,1839 (Buprestidae)
29. **Anthaxia (s.str.) ghazi** Obenberger,1938 (Buprestidae)
30. **Anthaxia (s.str.) winckleri** Obenberger,1914 (Buprestidae)
31. **Anthidium (Proanthidium) undulatum** Dours,1873 (Megachilidae)
32. **Anthobium anaticum** (Fagel,1968) (Staphylinidae)
33. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
34. **Anthrenus (s.str.) delicatus** Kiesenwetter,1851 (Dermestidae)
35. **Anthrenus (s.str.) rotundulus** Reitter,1889 (Dermestidae)
36. **Apanteles obscurus** (Nees,1834) (Braconidae)
37. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
38. **Aphthona maculata** Allard,1876 (Chrysomelidae)
39. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
40. **Aprostocetus bucculentus** (Kostjukov,1978) (Eulophidae)
41. **Aradus betulae** (Linnaeus,1758) (Aradidae)
42. **Aradus brenskaei** Reuter,1884 (Aradidae)
43. **Aradus cilicicum** Heiss,1990 (Aradidae)
44. **Aradus krueperi** Reitter,1884 (Aradidae)
45. **Aradus versicolor** Herrich-Schäffer,1835 (Aradidae)
46. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
47. **Artianus manderstjernii** (Kirschbaum,1868) (Cicadellidae)
48. **Attagenus (s.str.) quadrimaculatus** Kraatz,1858 (Dermestidae)
49. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
50. **Balcanocerus alkani** (Wagner,1958) (Cicadellidae)
51. **Balcanocerus brusinae** (Horvath,1891) (Cicadellidae)
52. **Balcanocerus ramallahicus** (Dlabola,1965) (Cicadellidae)
53. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
54. **Balclutha saltuella** (Kirschbaum,1868) (Cicadellidae)
55. **Bangasternus orientalis** (Capiomont,1873) (Curculionidae)
56. **Baryscapus gaziantepensis** Doğanlar,1993 (Eulophidae)
57. **Bembecinus anatolicus** De Beaumont,1968 (Crabronidae)
58. **Bembecinus cyprius** De Beaumont,1954 (Crabronidae)
59. **Bembecinus meridionalis** A.Costa,1859 (Crabronidae)
60. **Bembecinus tridens** (Fabricius,1781) (Crabronidae)
61. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
62. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
63. **Bombus terrestris** Linnaeus,1758 (Apidae)
64. **Brachycerus foveifrons** Bedel,1874 (Brachyceridae)
65. **Brachycerus quadrisulcatus** Fischer v. Waldheim,1830 (Brachyceridae)
66. **Bracon (Rostrobracon) urinator** (Fabricius,1798) (Braconidae)
67. **Calliptamus barbarus** (Costa,1836) (Acrididae)
68. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
69. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
70. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
71. **Capnodis porosa** (Klug,1829) (Buprestidae)
72. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
73. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
74. **Carpocoris coreanus** Distant,1899 (Pentatomidae)
75. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
76. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
77. **Cassida prasina** Illiger,1798 (Chrysomelidae)
78. **Cassida saucia** Weise,1889 (Chrysomelidae)
79. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
80. **Catoplatus anticus** (Reuter,1880) (Tingidae)
81. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
82. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
83. **Cerocoma scovitzi** Faldermann,1837 (Meloidae)
84. **Cetonia (s.str.) aurata** (Linnaeus,1761) (Scarabaeidae)
85. **Chelonus obscurator** Herrich-Schäffer,1838 (Braconidae)
86. **Chirotica orientalis** Horstmann,1983 (Ichneumonidae)
87. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)

88. **Chrysolina palmyrensis** Bechyne,1955 (Chrysomelidae)
89. **Cicadatra atra** (Oliver,1790) (Cicadidae)
90. **Cicadetta turcica** (Schedl,2001) (Cicadidae)
91. **Cicindela herbacea** Klug,1832 (Carabidae)
92. **Cixidia mersinica** (Dlabola,1987) (Achilidae)
93. **Cixidia parnassia** (Stal,1859) (Achilidae)
94. **Cixius pallipes** Fieber,1876 (Cixiidae)
95. **Coccinella** (**Neococcinella**) **undecimpunctata** (Linnaeus,1758) (Coccinellidae)
96. **Colpotus lassallei** Ferrer & Soldati,1999 (Tenebrionidae)
97. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
98. **Cotesia telengai** (Tobias,1972) (Braconidae)
99. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
100. **Cryptocheilus confinis** Haupt,1926 (Pompilidae)
101. **Cryptocheilus variabilis** (Rossi,1790) (Pompilidae)
102. **Cylindera** (**Cicindina**) **pygmaea** (Dejean,1825) (Carabidae)
103. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
104. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
105. **Delta unguiculatum** (Villers,1789) (Vespidae)
106. **Deronectes evelynae** Fery & Hosseinie,1998 (Dytiscidae)
107. **Deronectes longipes** Sharp,1882 (Dytiscidae)
108. **Deronectes syriacus** Wewalka,1971 (Dytiscidae)
109. **Dictyla triconula** (Seidenstücker,1954) (Tingidae)
110. **Dictyophara nizona** Dlabola,1986 (Dictyopharidae)
111. **Diolcogaster claritibia** (Papp,1959) (Braconidae)
112. **Dociostaurus** (s.str.) **genei** (Ocskay,1832) (Acrididae)
113. **Dolichogenidea sicarius** (Marshall,1885) (Braconidae)
114. **Doratura homophyla** (Flor,1861) (Cicadellidae)
115. **Doratura impudica** Horvath,1897 (Cicadellidae)
116. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
117. **Dufouriellus ater** (Dufour,1883) (Anthocoridae)
118. **Duroniella laticornis** (Krauss,1909) (Acrididae)
119. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
120. **Ebaeus flavobullatus** Marseul,1868 (Melyridae)
121. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
122. **Emblethis karamanus** Seidenstücker,1963 (Lygaeidae)
123. **Empoasca solani** (Curtis,1846) (Cicadellidae)
124. **Entomogonus** (**Delonurops**) **egregius** Seidlitz,1893 (Tenebrionidae)
125. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
126. **Eremiaphila genei** Lefebvre,1835 (Mantidae)
127. **Eremopeza gibbera** (Stal,1874) (Pamphagidae)
128. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
129. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
130. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
131. **Eurydema rugulosa** (Dohrn,1860) (Pentatomidae)
132. **Eurytoma amygdali** Enderlein,1907 (Eurytomidae)
133. **Euscelidius mundus** (Haupt,1927) (Cicadellidae)
134. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
135. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
136. **Gerris lacustris** (Linnaeus,1758) (Gerridae)
137. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
138. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
139. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
140. **Helops** (**Mesohelops**) **cyanipes** Allard,1877 (Tenebrionidae)
141. **Hoplitis** (**Alcidamea**) **limassolica** (Mavromoustakis,1937) (Megachilidae)
142. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
143. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
144. **Hypera variabilis** (Herbst,1795) (Curculionidae)
145. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
146. **Julodis abeillei** (Thery,1893) (Buprestidae)
147. **Kervillea gaziantepica** Dlabola,1984 (Issidae)
148. **Klapperichicen viridissima** (Walker,1858) (Cicadidae)
149. **Laccobius** (**Dimorpholaccobius**) **obscuratus** Rottenberg,1874 (Hydrophilidae)
150. **Laccobius** (**Dimorpholaccobius**) **syriacus** Guillebeau,1896 (Hydrophilidae)
151. **Laccobius** (**Microlaccobius**) **gracilis** Motschoulsky,1855 (Hydrophilidae)
152. **Lacon solai** Platia & Gudenzi,2000 (Elateridae)
153. **Larinus centaureae** (Olivier,1807) (Curculionidae)
154. **Larinus jaceae** (Fabricius,1775) (Curculionidae)
155. **Larinus onopordi** (Fabricius,1787) (Curculionidae)
156. **Larinus rudicollis** Petri,1907 (Curculionidae)
157. **Lasiorrhynchites praeustus** (Boheman,1845) (Atelabidae)
158. **Lertha palmonii** Tjeder,1970 (Nemopteridae)
159. **Lixus elegantulus** Boheman,1843 (Curculionidae)
160. **Lixus scolapax** Boheman,1836 (Curculionidae)
161. **Lophyridia caucasica** (Adams,1817) (Carabidae)
162. **Lophyridia fischeri** (Adams,1817) (Carabidae)
163. **Lophyridia hilariola** (Bates,1874) (Carabidae)
164. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
165. **Lucanus** (s.str.) **cervus** (Linnaeus,1758) (Lucanidae)
166. **Lycocoris dimidiatus** (Spinola,1837) (Anthocoridae)
167. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
168. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
169. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)

170. **Macropsis mendax** (Fieber,1868)
(Cicadellidae)
171. **Malthinus freyi** Wittmer,1974 (Cantharidae)
172. **Malthodes besucheti** Wittmer,1970
(Cantharidae)
173. **Medecticus assimilis** (Fieber,1853)
(Tettigoniidae)
174. **Meenoplus albosignatus** Fieber,1866
(Meenoplidae)
175. **Meliboeus adlbaueri** Niehuis,1997
(Buprestidae)
176. **Microchelonus contracta** (Nees,1834)
(Braconidae)
177. **Micronecta griseola** (Linnaeus,1758)
(Corixidae)
178. **Micronecta wui** Lundblad,1933 (Corixidae)
179. **Micropeplus fulvus** Erichson,1840
(Staphylinidae)
180. **Monosteira lobulifera** Reuter,1888
(Tingidae)
181. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
182. **Mylabris zebraea** (Marseul,1870) (Meloidae)
183. **Myriochile** (s.str.) **melancholica**
(Fabricius,1798) (Carabidae)
184. **Myrmilla** (Eurygnathilla) **emiliae** (Dalla
Torre,1897) (Mutillidae)
185. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
186. **Oedipoda aurea** Uvarov,1923 (Acrididae)
187. **Olophrum puncticolle** Eppelsheim,1880
(Staphylinidae)
188. **Omalium schuberti** Zanetti,2002
(Staphylinidae)
189. **Opilo taeniatus** (Klug,1842) (Cleridae)
190. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
191. **Pachybrachis** (s.str.) **mardinensis**
Weise,1900 (Chrysomelidae)
192. **Pachybrachis** (s.str.) **tessellatus**
(Olivier,1791) (Chrysomelidae)
193. **Parapholidoptera signata** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
194. **Peirates hybridus** (Scopoli,1763) (Reduviidae)
195. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
196. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
197. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
198. **Pimelia** (Eurypimelia) **akbesiana**
Fairmaire,1884 (Tenebrionidae)
199. **Piocoris luridus** (Fieber,1844) (Lygaeidae)
200. **Plagiognathus albipennis** (Fallén,1829)
(Miridae)
201. **Plagiognathus chrysanthemii** (Wolff,1804)
(Miridae)
202. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
203. **Plagiognathus raphani** Wagner,1963
(Miridae)
204. **Plagiolepis pygmaea** (Latreille,1798)
(Formicidae)
205. **Platycleis** (Incertana) **incerta** Brunner
von Wattenwyl,1882 (Tettigoniidae)
206. **Platycleis** (Incertana) **persica**
Uvarov,1917 (Tettigoniidae)
207. **Platycleis** (s.str.) **escalerai** Bolivar,1899
(Tettigoniidae)
208. **Platycleis** (s.str.) **intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
209. **Platycnemis kervillei** (Martin,1909)
(Platycnemidae)
210. **Platymetopius safavii** Dlabola,1971
(Cicadellidae)
211. **Protaetia** (Potosia) **angustata** (Germar,1817)
(Scarabaeidae)
212. **Protaetia** (Potosia) **cuprea** (Fabricius,1775)
(Scarabaeidae)
213. **Protaetia** (Potosia) **funnebris** (Gory &
Percheron,1833) (Scarabaeidae)
214. **Proteinus utrarius** Assing,2004
(Staphylinidae)
215. **Pteronemobius gracilis** Jakovleff,1871
(Gryllidae)
216. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
217. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
218. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
219. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
220. **Rhinocyllus conicus** (Frölich,1792)
(Curculionidae)
221. **Rhynchites auratus** (Scopoli,1763)
(Attelabidae)
222. **Rhynchites hajastanicus** Ter-
Minacian,1965 (Attelabidae)
223. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
224. **Rhynchites purpureipennis** Voss,1973
(Attelabidae)
225. **Rhynocoris flavolimbatus**
(Jakovlev,1889) (Reduviidae)
226. **Rhyparochromus reuteri** (Horvath,1885)
(Lygaeidae)
227. **Rivetina asiatica** Mistchenko,1967
(Mantidae)
228. **Rivetina baetica** (Rambur,1838)
(Mantidae)
229. **Scarabaeus pius** (Illiger,1803)
(Scarabaeidae)
230. **Schistocerca gregaria** (Forsk.,1775)
(Acrididae)
231. **Schizoprymnus obscurus** (Nees,1813)
(Braconidae)
232. **Sciocoris macrocephalus** Fieber,1851
(Pentatomidae)
233. **Scolia sexmaculata** (Müller,1766)
(Scoliidae)
234. **Scotodrymadusa syriaca** (Pictet,1888)
(Tettigoniidae)
235. **Selenocephalus sirvadi** Dlabola,1965
(Cicadellidae)
236. **Setapius lindbergi** (Dlabola,1957)
(Cixiidae)
237. **Sigara lateralis** Leach,1818 (Corixidae)
238. **Sigara nigrolineata** (Fieber,1848)
(Corixidae)
239. **Silvius** (Heterosilvius) **peculiaris**
Olsuljev,1971 (Tabanidae)
240. **Sogatella vibix** (Haupt,1927) (Delphacidae)
241. **Sphingonotus** (s.str.) **theodori**
Uvarov,1923 (Acrididae)
242. **Sphingonotus pilosus** Saussure,1884
(Acrididae)
243. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)

244. **Stagonomus bipunctatus** (Linnaeus,1758) (Pentatomidae)
245. **Stephanitis oschanini** Vasiliev,1935 (Tingidae)
246. **Sulamicerus stali** (Fieber,1868) (Cicadellidae)
247. **Tabanus laetinctus** Becker,1913 (Tabanidae)
248. **Tabanus leleani** Austen,1920 (Tabanidae)
249. **Tachycixius bidentifer** Dlabola,1971 (Cixiidae)
250. **Tachycixius desertorum** (Fieber,1876) (Cixiidae)
251. **Tapinoma erraticum** (Latreille,1798) (Formicidae)
252. **Tetramorium semilaeve** André,1883 (Formicidae)
253. **Tettigometra (Hystrigonia) hexaspina** Kolenati,1857 (Tettigometridae)
254. **Tettigometra (s.str.) virescens** (Panzer,1799) (Tettigometridae)
255. **Tettigometra (Stirometra) costulata** Fieber,1865 (Tettigometridae)
256. **Tingis elongata** (Fieber,1861) (Tingidae)
257. **Tingis reuteri** Horvath,1906 (Tingidae)
258. **Tmethis pulchripennis** Audinet-Serville,1839 (Pamphagidae)
259. **Toya propinqua** (Fieber,1866) (Delphacidae)
260. **Trichodes affinis** Chevrolat,1843 (Cleridae)
261. **Trichodes dilatipennis** Reitter,1893 (Cleridae)
262. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
263. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
264. **Trichodes oberthueri** Champenois,1900 (Cleridae)
265. **Trichodes reichei** Mulsant & Rey,1863 (Cleridae)
266. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
267. **Trichodes suspectus** Escherich,1892 (Cleridae)
268. **Trissolcus rufiventris** (Mayr,1908) (Scelionidae)
269. **Tropidopola graeca** Uvarov,1926 (Acrididae)
270. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
271. **Truxalis robusta** (Uvarov,1916) (Acrididae)
272. **Urentius chobauti** Horvath,1907 (Tingidae)
273. **Urophora macrura** (Loew,1855) (Tephritidae)
274. **Vespa orientalis** Linnaeus,1771 (Vespidae)
275. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Giresun Province (28)

(115 species, stand 30 April 2010)

1. **Aeropus sibiricus** (Linnaeus,1767) (Acrididae)
2. **Agallia bispinata** (Dlabola,1957) (Cicadellidae)
3. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
4. **Agriotes (s.str.) lineatus** (Linnaeus,1767) (Elateridae)
5. **Amphinemura mirabilis** (Martynov,1928) (Nemouridae)
6. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
7. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
8. **Aphrophora alni** (Fallén,1805) (Cercopidae)
9. **Aphrophora salicina** (Goeze,1778) (Cercopidae)
10. **Arboridia expansa** (Zachvatkin,1946) (Cicadellidae)
11. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
12. **Arge berberidis** (Schrank,1802) (Argidae)
13. **Arge melanochra** (Gmelin,1790) (Argidae)
14. **Arge nigripes** (Retzius,1783) (Argidae)
15. **Arge rustica** (Linnaeus,1758) (Argidae)
16. **Athalia cordata** Audinet-Serville,1823 (Tenthredinidae)
17. **Athous (Orthathous) benedikti** Platia,2003 (Elateridae)
18. **Athous (Orthathous) dasycerus** Buysson,1890 (Elateridae)
19. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
20. **Batophila fallax** Weise,1888 (Chrysomelidae)
21. **Batophila olexai** Kral,1964 (Chrysomelidae)
22. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
23. **Bombus terrestris** Linnaeus,1758 (Apidae)
24. **Bryaxis khnzoriani** Besuchet,1964 (Staphylinidae)
25. **Bryaxis osellai** Besuchet & Kurbatov,2007 (Staphylinidae)
26. **Bryaxis schuelkei** Besuchet & Kurbatov,2007 (Staphylinidae)
27. **Carabus (Lamprostus) rabaroni** Breuning,1964 (Carabidae)

28. **Cassida prasina Illiger, 1798** (Chrysomelidae)
29. **Cassida rubiginosa Müller, 1776** (Chrysomelidae)
30. **Centrotus cornutus (Linnaeus, 1758)** (Membracidae)
31. **Cercopis intermedia Kirschbaum, 1868** (Cercopidae)
32. **Cercopis sanguinolenta (Scopoli, 1763)** (Cercopidae)
33. **Chrysanthia varipes Kiesenwetter, 1861** (Oedemeridae)
34. **Cicadatra platyptera Fieber, 1876** (Cicadidae)
35. **Cicindela desertorum Dejean, 1825** (Carabidae)
36. **Cionus caucasicus Reitter, 1888** (Curculionidae)
37. **Cixius pallipes Fieber, 1876** (Cixiidae)
38. **Clytra novempunctata Olivier, 1808** (Chrysomelidae)
39. **Cryptocephalus concolor Suffrian, 1847** (Chrysomelidae)
40. **Cryptocephalus connexus Olivier, 1808** (Chrysomelidae)
41. **Cryptocephalus elegantulus Gravenhorst, 1807** (Chrysomelidae)
42. **Cryptocephalus moraei (Linnaeus, 1758)** (Chrysomelidae)
43. **Ctenicera pectinicornis (Linnaeus, 1758)** (Elateridae)
44. **Curculio venosus (Gravenhorst, 1807)** (Curculionidae)
45. **Cyphon euoplus Nyholm, 1970** (Scirtidae)
46. **Cyphon longiusculus Nyholm, 1970** (Scirtidae)
47. **Dallognatha pumila Baudi, 1874** (Tenebrionidae)
48. **Dolicopoda (s.str.) noctivaga Di Russo & Rampini, 2007** (Raphidophoridae)
49. **Dorcus parallelopipedus (Linnaeus, 1758)** (Lucanidae)
50. **Edwardsiana avellanae (Edwards, 1888)** (Cicadellidae)
51. **Edwardsiana spinigera (Edwards, 1924)** (Cicadellidae)
52. **Elodes persimilis Klausnitzer, 2002** (Scirtidae)
53. **Epitrix intermedia Foudras, 1860** (Chrysomelidae)
54. **Erythroma viridulum (Charpentier, 1840)** (Coenagrionidae)
55. **Evacanthus acuminatus (Fabricius, 1794)** (Cicadellidae)
56. **Frutoidia (s.str.) bisignata (Mulsant & Rey, 1855)** (Cicadellidae)
57. **Geodromicus jarrigeanus Fagel, 1976** (Staphylinidae)
58. **Geodromicus ponticus Fagel, 1976** (Staphylinidae)
59. **Gomphocerus sibiricus (Linnaeus, 1767)**
60. **Hyalesthes obsoletus Signoret, 1865** (Cixiidae)
61. **Hydrochara dichorama (Fairmaire, 1829)** (Hydrophilidae)
62. **Hydroporus planus (Fabricius, 1781)** (Dytiscidae)
63. **Isophya reticulata Ramme, 1951** (Tettigoniidae)
64. **Isophya sureyai Ramme, 1951** (Tettigoniidae)
65. **Issus coleoptratus (Fabricius, 1781)** (Issidae)
66. **Javesella obscurella (Boheman, 1847)** (Delphacidae)
67. **Laccobius (Microlaccobius) gracilis Motschoulsky, 1855** (Hydrophilidae)
68. **Leuctra hippopus Kempny, 1899** (Leuctridae)
69. **Longitarsus lycopi (Foudras, 1860)** (Chrysomelidae)
70. **Macrophya albicincta (Schrank, 1776)** (Tenthredinidae)
71. **Macrophya blanda Fabricius, 1775** (Tenthredinidae)
72. **Macrosteles laevis (Ribaut, 1927)** (Cicadellidae)
73. **Macrosteles sexnotatus (Fallén, 1806)** (Cicadellidae)
74. **Megabombus pascuorum (Scopoli, 1763)** (Apidae)
75. **Modicogryllus (s.str.) frontalis (Fieber, 1844)** (Gryllidae)
76. **Modicogryllus (s.str.) truncatus (Tarbinski, 1940)** (Gryllidae)
77. **Nemoura cinerea (Retzius, 1783)** (Nemouridae)
78. **Nealiturus fenestratus (Herrich-Schäffer, 1834)** (Cicadellidae)
79. **Neophilaenus campestris (Fallén, 1805)** (Cercopidae)
80. **Nephrotoma scalaris (Meigen, 1818)** (Tipulidae)
81. **Oedemera (s.str.) femorata (Scopoli, 1763)** (Oedemeridae)
82. **Pachyprotasis rapae Linne, 1767** (Tenthredinidae)
83. **Parapholidoptera signata (Brunner von Wattenwyl, 1861)** (Tettigoniidae)
84. **Pedestredorcadion carolisturani (Breuning & Ruspoli, 1971)** (Cerambycidae)
85. **Pedestredorcadion heinzi (Breuning, 1964)** (Cerambycidae)
86. **Pentastira major (Kirschbaum, 1868)** (Cixiidae)
87. **Philaenus spumarius (Linnaeus, 1758)** (Cercopidae)
88. **Phratora vitellinae (Linnaeus, 1758)** (Chrysomelidae)
89. **Phyllotreta ochripes (Curtis, 1837)** (Chrysomelidae)
90. **Phyllotreta punctulata (Marshall, 1802)** (Chrysomelidae)
91. **Platambus lunulatus (Fischer von Waldheim, 1829)** (Dytiscidae)
92. **Platymetopius major (Kirschbaum, 1868)** (Cicadellidae)
93. **Plectophloeus erichsoni Machulka, 1929** (Staphylinidae)
94. **Podagrica malvae (Illiger, 1807)** (Chrysomelidae)
95. **Prosternon tessellatum (Linnaeus, 1758)** (Elateridae)
96. **Protonemura bacuriana Zhiltzova, 1957** (Nemouridae)
97. **Psammotettix confinis (Dahlbom, 1850)** (Cicadellidae)
98. **Psorodonotus caucasicus (Fischer von Waldheim, 1846)** (Tettigoniidae)
99. **Psorodonotus davisii Karabağ, 1956** (Tettigoniidae)
100. **Reptalus (s.str.) melanochaetus (Fieber, 1876)** (Cixiidae)
101. **Scotoplectus ponticus Besuchet, 1975** (Staphylinidae)
102. **Selatossomus (s.str.) aeneus (Linnaeus, 1758)** (Elateridae)
103. **Selenocephalus obsoletus (Germar, 1817)** (Cicadellidae)
104. **Sphex flavipennis Fabricius, 1793** (Sphecidae)

- | | |
|---|---|
| <p>105. Symmorphus crassicornis (Panzer,1798)
(Vespidae)</p> <p>106. Tabanus bromius Linnaeus,1758 (Tabanidae)</p> <p>107. Tabanus spectabilis Loew,1858 (Tabanidae)</p> <p>108. Tenthredo costata Klug,1817
(Tenthredinidae)</p> <p>109. Tephritis mariannae Merz,1992 (Tephritidae)</p> <p>110. Tettigometra (Hystrigonia) hexaspina
Kolenati,1857 (Tettigometridae)</p> | <p>111. Tettigonia viridissima (Linnaeus,1758)
(Tettigoniidae)</p> <p>112. Tingis griseola (Puton,1879) (Tingidae)</p> <p>113. Tipula (Yamatotipula) submontium
Theowald & Oosterbroek,1981 (Tipulidae)</p> <p>114. Vespula vulgaris (Linnaeus,1758) (Vespidae)</p> <p>115. Zyginidia (s.str.) karadenizicus
Kalkandelen,1985 (Cicadellidae)</p> |
|---|---|

Gümüřhane Province (29)

(205 species, stand 30 April 2010)

- | | |
|---|--|
| <p>1. Agabus (Gaurodytes) biguttatus
(Olivier,1795) (Dytiscidae)</p> <p>2. Agabus (Gaurodytes) dilatatus (Brullé,1832)
(Dytiscidae)</p> <p>3. Agallia bispinata (Dlabola,1957) (Cicadellidae)</p> <p>4. Agalmatium bilobum (Fieber,1877) (Issidae)</p> <p>5. Agrilus (Anambus) buresi Obenberger,1935
(Buprestidae)</p> <p>6. Agrilus (Anambus) obscuricollis
Kiesenwetter,1857 (Buprestidae)</p> <p>7. Agrilus (s.str.) aurichalceus
Redtenbacher,1849 (Buprestidae)</p> <p>8. Agrilus (s.str.) hyperici (Creutzer,1799)
(Buprestidae)</p> <p>9. Allantus balteatus (Klug,1818)
(Tenthredinidae)</p> <p>10. Allantus cinctus (Linnaeus,1758)
(Tenthredinidae)</p> <p>11. Allantus cingulatus (Scopoli,1763)
(Tenthredinidae)</p> <p>12. Allantus didymus (Klug,1818) (Tenthredinidae)</p> <p>13. Allantus viennensis (Schränk,1781)
(Tenthredinidae)</p> <p>14. Alosimus armeniacus (Faldermann,1837)
(Meloidae)</p> <p>15. Amphinemura mirabilis (Martynov,1928)
(Nemouridae)</p> <p>16. Ancistrocerus auctus (Fabricius,1793)
(Vespidae)</p> <p>17. Ancistrocerus oviventris (Wesmael,1836)
(Vespidae)</p> <p>18. Anthaxia (Haplantaxia) cavazzutii Bily,1980
(Buprestidae)</p> <p>19. Anthaxia (Melanthaxia) godeti Gory &
Laporte,1839 (Buprestidae)</p> <p>20. Aphrodes bicinctus (Schränk,1776)
(Cicadellidae)</p> <p>21. Aphrophora salicina (Goeze,1778)
(Cercopidae)</p> <p>22. Arachnospila hedickei (Haupt,1929)
(Pompilidae)</p> <p>23. Arge berberidis (Schränk,1802) (Argidae)</p> <p>24. Arge rustica (Linnaeus,1758) (Argidae)</p> <p>25. Arge simulatrix Konow,1887 (Argidae)</p> <p>26. Athalia bicolor Audinet-Serville,1823
(Tenthredinidae)</p> <p>27. Athalia circularis (Klug,1815) (Tenthredinidae)</p> <p>28. Athalia liberta (Klug,1815) (Tenthredinidae)</p> <p>29. Auplopus rectus (Haupt,1927) (Pompilidae)</p> <p>30. Balcanocerus brusinae (Horvath,1891)
(Cicadellidae)</p> <p>31. Bombus terrestris Linnaeus,1758 (Apidae)</p> | <p>32. Boveycantharis rufimana (Ménétriés,1832)
(Cantharidae)</p> <p>33. Bryaxis abastumanus (Reitter,1890)
(Staphylinidae)</p> <p>34. Bryaxis khnzoriani Besuchet,1964
(Staphylinidae)</p> <p>35. Bryaxis osellai Besuchet & Kurbatov,2007
(Staphylinidae)</p> <p>36. Bryaxis ypsilon Besuchet & Kurbatov,2007
(Staphylinidae)</p> <p>37. Campiglossa producta Loew,1844
(Tephritidae)</p> <p>38. Cantharis rustica Fallén,1807 (Cantharidae)</p> <p>39. Capnodis porosa (Klug,1829) (Buprestidae)</p> <p>40. Cerocoma dahli Kraatz,1863 (Meloidae)</p> <p>41. Cerocoma muehlfeldi Gyllenhal,1817
(Meloidae)</p> <p>42. Chaetocnema arenacea (Allard,1860)
(Chrysomelidae)</p> <p>43. Chrysomela tremulae Fabricius,1787
(Chrysomelidae)</p> <p>44. Cicadatra hyalina (Fabricius,1798) (Cicadidae)</p> <p>45. Cicadatra persica Kirkaldy,1909 (Cicadidae)</p> <p>46. Cicadatra platyptera Fieber,1876 (Cicadidae)</p> <p>47. Cicadetta dimissa (Hagen,1856) (Cicadidae)</p> <p>48. Cicindela campestris Linnaeus,1758
(Carabidae)</p> <p>49. Cicindela desertorum Dejean,1825 (Carabidae)</p> <p>50. Cionus caucasicus Reitter,1888 (Curculionidae)</p> <p>51. Cixius pallipes Fieber,1876 (Cixiidae)</p> <p>52. Coenorhinus aequatus (Linnaeus,1767)
(Atelabidae)</p> <p>53. Coniatus repandus (Fabricius,1792)
(Curculionidae)</p> <p>54. Corynis frontina (Konow,1905) (Cimbicidae)</p> <p>55. Crepidodera aurata (Marsham,1802)
(Chrysomelidae)</p> <p>56. Cryptocephalus biledjekensis Pic,1909
(Chrysomelidae)</p> <p>57. Cryptocephalus concolor Suffrian,1847
(Chrysomelidae)</p> <p>58. Cryptocephalus connexus Olivier,1808
(Chrysomelidae)</p> <p>59. Cryptocephalus fulvus (Goeze,1777)
(Chrysomelidae)</p> <p>60. Cryptocephalus ocellatus Drapiez,1819
(Chrysomelidae)</p> <p>61. Cryptocephalus octacasmus Bedel,1891
(Chrysomelidae)</p> <p>62. Cryptocephalus prusias Suffrian,1853
(Chrysomelidae)</p> |
|---|--|

63. **Cuneala confinis** (Konow,1886)
(Tenthredinidae)
64. **Cylindera (Cicindina) arenaria** (Fuessli,1775)
(Carabidae)
65. **Dallognatha quadricollis** Brullé,1832
(Tenebrionidae)
66. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
67. **Deliphrosoma turcicum** Zerche,1997
(Staphylinidae)
68. **Deronectes doriae** Sharp,1882 (Dytiscidae)
69. **Deronectes parvicollis** (Schaum,1864)
(Dytiscidae)
70. **Dictyonota strichnocera** Fieber,1844
(Tingidae)
71. **Dolichovespula norwegica** (Fabricius,1781)
(Vespidae)
72. **Dolichovespula sylvestris** (Scopoli,1763)
(Vespidae)
73. **Donus zoilus** (Scopoli,1763) (Curculionidae)
74. **Doratura stylata** (Boheman,1847)
(Cicadellidae)
75. **Eumenes dubius** Saussure,1852 (Vespidae)
76. **Eupteryx aurata** (Linnaeus,1758) (Cicadellidae)
77. **Eurydema blanda** Horvath,1803
(Pentatomidae)
78. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
79. **Eusphalerum celsum** (Luze,1910)
(Staphylinidae)
80. **Eusphalerum foveolatum** (Luze,1910)
(Staphylinidae)
81. **Evacanthus acuminatus** (Fabricius,1794)
(Cicadellidae)
82. **Evacanthus interruptus** (Linnaeus,1758)
(Cicadellidae)
83. **Geodromicus jarrigeanus** Fagel,1976
(Staphylinidae)
84. **Geodromicus ponticus** Fagel,1976
(Staphylinidae)
85. **Haematopota italica** Meigen,1804 (Tabanidae)
86. **Helophorus flavipes** Fabricius,1792
(Helophoridae)
87. **Helophorus griseus** Herbst,1793
(Helophoridae)
88. **Helophorus lewisi** Angus,1985 (Helophoridae)
89. **Helophorus nanus** Sturm,1836 (Helophoridae)
90. **Heringina guttata** (Fallén,1814) (Tephritidae)
91. **Holochelus (Miltotrogus) escherichi**
Brenske,1897 (Scarabaeidae)
92. **Hoplitis (Aclidamea) caucasica** (Friese,1920)
(Megachilidae)
93. **Hydrochara dichorama** (Fairmaire,1829)
(Hydrophilidae)
94. **Hydrochus nodulifer** Reitter,1897
(Hydrochidae)
95. **Hydroglyphus geminus** (Fabricius,1792)
(Dytiscidae)
96. **Hydroporus kozlovskii** Zaitzev,1927
(Dytiscidae)
97. **Hydroporus planus** (Fabricius,1781)
(Dytiscidae)
98. **Hydroporus pubescens** (Gyllenhal,1808)
(Dytiscidae)
99. **Hypera meles** (Fabricius,1792) (Curculionidae)
100. **Hypera punctata** (Fabricius,1775)
(Curculionidae)
101. **Ischnomera caerulea** (Linnaeus,1758)
(Oedemeridae)
102. **Ischnomera haemorrhoidalis**
(W.Schmidt,1846) (Oedemeridae)
103. **Isophya sureyai** Ramme,1951 (Tettigoniidae)
104. **Isophya zernovi** Miram,1938 (Tettigoniidae)
105. **Issus coleoptratus** (Fabricius,1781) (Issidae)
106. **Kropka unipunctata** (Dlabola,1957)
(Cicadellidae)
107. **Labidostomis propinqua** Faldermann,1837
(Chrysomelidae)
108. **Laccobius (Dimorpholaccobius)**
hindukuschi Chiesa,1966 (Hydrophilidae)
109. **Laccobius (Dimorpholaccobius) obscuratus**
Rottenberg,1874 (Hydrophilidae)
110. **Laccobius (Dimorpholaccobius) striatulus**
(Fabricius,1801) (Hydrophilidae)
111. **Laccobius (Dimorpholaccobius) sulcatulus**
Reitter,1909 (Hydrophilidae)
112. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
113. **Larinus jaceae** (Fabricius,1775) (Curculionidae)
114. **Lasioptera carophila** Loew,1874
(Cecidomyiidae)
115. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
116. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
117. **Longitarsus bertii** Leonhardi,1973
(Chrysomelidae)
118. **Longitarsus exsoletus** (Linnaeus,1758)
(Chrysomelidae)
119. **Longitarsus pellucidus** (Foudras,1860)
(Chrysomelidae)
120. **Longitarsus salviae** Gruev,1975
(Chrysomelidae)
121. **Lophyridia fischeri** (Adams,1817) (Carabidae)
122. **Lydus turcicus** Kaszab,1952 (Meloidae)
123. **Macrophya annulata** Geoffroy,1785
(Tenthredinidae)
124. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
125. **Macrophya cyrus** Benson,1954
(Tenthredinidae)
126. **Macrophya diversipes** (Schrank,1782)
(Tenthredinidae)
127. **Macrophya postica** Brullé,1832
(Tenthredinidae)
128. **Macrophya rufipes** Linnaeus,1758
(Tenthredinidae)
129. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
130. **Macropsis cerea** (Germar,1837) (Cicadellidae)
131. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
132. **Mannerheimia brevipennis**
(Motschoulsky,1860) (Staphylinidae)
133. **Meloe mediterraneus** Müller,1925 (Meloidae)
134. **Milichia speciosa** Meigen,1830 (Milichiidae)
135. **Mycterodus goricus** (Dlabola,1958) (Issidae)
136. **Myrmilla (s.str.) caucasica** (Kolenati,1846)
(Mutillidae)
137. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
138. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
139. **Nemorius caucasicus** (Olsufjev,1937)
(Tabanidae)
140. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
141. **Noeeta pupillata** (Fallén,1814) (Tephritidae)
142. **Nycteribia (Acrocholidia) vexata**
Westwood,1835 (Nycteribiidae)

143. **Nycteribia (s.str.) latreillii (Leach,1817)**
(Nycteribiidae)
144. **Nycteribia (s.str.) schmidlii Schiner,1853**
(Nycteribiidae)
145. **Omalium rivulare (Paykull,1789)**
(Staphylinidae)
146. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae)
147. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
148. **Parametriochnemus stylatus (Kieffer,1924)**
(Chironomidae)
149. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)
150. **Physocephala rufipes (Fabricius,1781)**
(Conopidae)
151. **Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae)
152. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae)
153. **Polistes (s.str.) associus (Kohl,1898)**
(Vespidae)
154. **Polistes (s.str.) biglumis (Linnaeus,1758)**
(Vespidae)
155. **Probatiscus (Pelorinus) adimonius (Allard,1876)** (Tenebrionidae)
156. **Protonemura bithynica Aubert,1964**
(Nemouridae)
157. **Pseudoclavellaria amerinae (Linnaeus,1758)**
(Cimbicidae)
158. **Rammepodisma natoliae (Ramme,1939)**
(Acrididae)
159. **Raphidia (Turcoraphidia) acerba H.Aspöck & U.Aspöck,1966** (Raphidiidae)
160. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae)
161. **Rhizotrogus (s.str.) aestivus (Olivier,1789)**
(Scarabaeidae)
162. **Rhogaster chlorosoma Benson,1943**
(Tenthredinidae)
163. **Rhynchites auratus (Scopoli,1763)**
(Attelabidae)
164. **Rhynchites bacchus (Linnaeus,1758)**
(Attelabidae)
165. **Scarodytes halensis (Fabricius,1787)**
(Dytiscidae)
166. **Sciapteryx circassica Dovnar-Zapolski,1930**
(Tenthredinidae)
167. **Sciapteryx laeta Konow,1891** (Tenthredinidae)
168. **Sciocoris macrocephalus Fieber,1851**
(Pentatomidae)
169. **Selenocephalus armeniacus Lindberg,1960**
(Cicadellidae)
170. **Setapius barajus (Dlabola,1957)** (Cixiidae)
171. **Symmorphus gracilis (Brullé,1832)** (Vespidae)
172. **Symmorphus murarius (Linnaeus,1758)**
(Vespidae)
173. **Tabanus atropathenicus Olsufjev,1937**
(Tabanidae)
174. **Tabanus bifarius Loew,1858** (Tabanidae)
175. **Tabanus bromius Linnaeus,1758** (Tabanidae)
176. **Tabanus laetinctus Becker,1913** (Tabanidae)
177. **Tabanus leleani Austen,1920** (Tabanidae)
178. **Tabanus lunatus Fabricius,1794** (Tabanidae)
179. **Tabanus tergestinus Egger,1859** (Tabanidae)
180. **Tenthredo acerrima Benson,1952**
(Tenthredinidae)
181. **Tenthredo albiventris Moscardi,1880**
(Tenthredinidae)
182. **Tenthredo caucasica Eversmann,1847**
(Tenthredinidae)
183. **Tenthredo costata Klug,1817** (Tenthredinidae)
184. **Tenthredo discophora Konow,1896**
(Tenthredinidae)
185. **Tenthredo flavipennis (Brullé,1832)**
(Tenthredinidae)
186. **Tenthredo frauenfeldii Giraud,1857**
(Tenthredinidae)
187. **Tenthredo liturata (Mocsary,1886)**
(Tenthredinidae)
188. **Tenthredo maculata Geoffroy,1785**
(Tenthredinidae)
189. **Tenthredo mesomelas Linnaeus,1758**
(Tenthredinidae)
190. **Tenthredo thompsoni Curtis,1839**
(Tenthredinidae)
191. **Tenthredo zonula Klug,1817** (Tenthredinidae)
192. **Tenthredopsis festiva Konow,1890**
(Tenthredinidae)
193. **Tephritis mariannae Merz,1992** (Tephritidae)
194. **Theriopectes tricolor Zeller,1842** (Tabanidae)
195. **Tipula (Yamatotipula) guentheri Oosterbroek,1994** (Tipulidae)
196. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae)
197. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae)
198. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae)
199. **Tremulicerus vitreus (Fabricius,1803)**
(Cicadellidae)
200. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
201. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
202. **Utecha trivialis (Germar,1821)** (Cicadellidae)
203. **Vespula germanica (Fabricius,1793)**
(Vespidae)
204. **Vespula rufa (Linnaeus,1758)** (Vespidae)
205. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)

Hakkari Province (30)

(364 species, stand 30 April 2010)

1. **Acanthaclysis occitanicum Villers,1789**
(Myrmeleonidae)
2. **Aconurella proluxa (Lethierry,1885)**
(Cicadellidae)
3. **Adalia (s.str.) bipunctata (Linnaeus,1758)**
(Coccinellidae)
4. **Agenioideus excisus (Morawitz,1890)**
(Pompilidae)

5. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae)
6. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae)
7. **Agenioideus vesanus (Kohl,1907)** (Pompilidae)
8. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
9. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae)
10. **Amphicoma (Eulasia) bicolor Waltl,1838** (Glaphyridae)
11. **Amphicoma (Pygopleurus) gordyenensis Petrovitz,1971** (Glaphyridae)
12. **Amphicoma (Pygopleurus) tristis Petrovitz,1968** (Glaphyridae)
13. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
14. **Amphicoma (Rudeulasia) pulchra (Reitter,1890)** (Glaphyridae)
15. **Anisochrya (s.str.) subflavifrons (Tjeder,1949)** (Chrysopidae)
16. **Anoplius caviventris (Aurivillius,1907)** (Pompilidae)
17. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
18. **Anoplius nigerrimus (Scopoli,1763)** (Pompilidae)
19. **Anoplius samariensis (Pallas,1771)** (Pompilidae)
20. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
21. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae)
22. **Anthaxia (Cratomerus) mirabilis Zicharev,1918** (Buprestidae)
23. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae)
24. **Anthaxia (Haplantaxia) flavicomes Abeille,1900** (Buprestidae)
25. **Anthaxia (Haplantaxia) ursulae Niehuis,1989** (Buprestidae)
26. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae)
27. **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae)
28. **Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae)
29. **Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae)
30. **Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae)
31. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
32. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae)
33. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae)
34. **Antodynerus incomparabilis Giordani Soika,1970** (Vespididae)
35. **Apholidoptera kurda (Uvarov,1916)** (Tettigoniidae)
36. **Aporus bicolor Spinola,1808** (Pompilidae)
37. **Arachnospila sogdiana (Morawitz,1893)** (Pompilidae)
38. **Arcyptera (Pararcyptera) microptera (Fischer de Waldheim,1833)** (Acrididae)
39. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae)
40. **Asmisapyga warnckei Kurzenko,1994** (Sapygidae)
41. **Atylotus fulvus (Meigen,1820)** (Tabanidae)
42. **Atylotus hendrixi Leclercq,1967** (Tabanidae)
43. **Aulonogyrus concinnus (Klug,1834)** (Gyrinidae)
44. **Auplopus rectus (Haupt,1927)** (Pompilidae)
45. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
46. **Bacillus sp.** (Phasmidae)
47. **Balclutha pellucens Horvath,1909** (Cicadellidae)
48. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
49. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae)
50. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
51. **Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae)
52. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
53. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae)
54. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
55. **Calopteryx hyalina Martin,1909** (Calopterygidae)
56. **Calyptropsis emarginata Reitter,1889** (Tenebrionidae)
57. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
58. **Capnodis miliaris (Klug,1829)** (Buprestidae)
59. **Capnodis porosa (Klug,1829)** (Buprestidae)
60. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae)
61. **Cassida pannonica Suffrian,1844** (Chrysomelidae)
62. **Catoplatus anticus (Reuter,1880)** (Tingidae)
63. **Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae)
64. **Catoplatus citrinus Horvath,1897** (Tingidae)
65. **Celonites foveolatus Kostylev,1935** (Vespididae)
66. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
67. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae)
68. **Ceropales albicincta (Rossi,1790)** (Pompilidae)
69. **Ceropales cribrata Costa,1881** (Pompilidae)
70. **Ceropales helvetica Tournier,1889** (Pompilidae)
71. **Chorthippus (Glyptobothrus) satunini Mistshenko,1951** (Acrididae)
72. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae)
73. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
74. **Chrysops (s.str.) sejunctus Szilady,1917** (Tabanidae)
75. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
76. **Cicadula flori (Sahlberg,1871)** (Cicadellidae)
77. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae)
78. **Cicindela turkestanicoides W.Horn,1938** (Carabidae)
79. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
80. **Cixius pallipes Fieber,1876** (Cixiidae)
81. **Coccinula sinuatomarginata (Faldermann,1837)** (Coccinellidae)

82. **Coelioxys (Allocoelioxys) afra** **Lepeletier,1841** (Megachilidae)
83. **Coelioxys (s.str.) aurolimbata** **Förster,1853** (Megachilidae)
84. **Colletes hakkari** **Kuhlmann,2002** (Colletidae)
85. **Colletes warncke** **Kuhlmann,2002** (Colletidae)
86. **Colpa quinquecincta** (**Fabricius,1775**) (Scoliidae)
87. **Coniatus repandus** (**Fabricius,1792**) (Curculionidae)
88. **Conocephalus (Anisoptera) fuscus** (**Fabricius,1793**) (Tettigoniidae)
89. **Coremacera amoena** (**Loew,1853**) (Sciomyzidae)
90. **Creightonella (Metamegachile) albisecta** (**Klug,1817**) (Megachilidae)
91. **Cricotopus sylvestris** (**Fabricius,1794**) (Chironomidae)
92. **Cryptocephalus moraei** (**Linnaeus,1758**) (Chrysomelidae)
93. **Cryptocephalus ocellatus** **Drapiez,1819** (Chrysomelidae)
94. **Cryptocheilus alternatus** (**Lepeletier,1845**) (Pompilidae)
95. **Cryptocheilus egregius** (**Lepeletier,1845**) (Pompilidae)
96. **Cryptocheilus fabricii** (**Van der Linden,1827**) (Pompilidae)
97. **Cryptocheilus notatus** (**Rossi,1792**) (Pompilidae)
98. **Cryptocheilus richardsi** **Moczar,1953** (Pompilidae)
99. **Cryptocheilus variabilis** (**Rossi,1790**) (Pompilidae)
100. **Ctenotilla caeca** (**Radoszkowski,1879**) (Mutillidae)
101. **Cyphon palustris** **Thomson,1855** (Scirtidae)
102. **Cytherea pallidipennis** (**Abbasian-Lintzen,1968**) (Bombyliidae)
103. **Dallognatha quadricollis** **Brullé,1832** (Tenebrionidae)
104. **Dasyrhamphis carbonarius** (**Meigen,1820**) (Tabanidae)
105. **Dasyrhamphis umbrinus** (**Meigen,1820**) (Tabanidae)
106. **Decticus verrucivorus** (**Linnaeus,1758**) (Tettigoniidae)
107. **Delta unguiculatum** (**Villers,1789**) (Vespidae)
108. **Delta viatrix** (**Nurse,1903**) (Vespidae)
109. **Dentilla persica** (**Sichel & Radoszkowski,1869**) (Mutillidae)
110. **Deronectes parvicollis** (**Schaum,1864**) (Dytiscidae)
111. **Dichetophora oblitterata** (**Fabricius,1805**) (Sciomyzidae)
112. **Dicyrtomellus argenteus** **Wahis,1982** (Pompilidae)
113. **Dipogon (Deuteragenia) variegatus** (**Linnaeus,1758**) (Pompilidae)
114. **Drosophila andalusiaca** **Strobl,1906** (Drosophilidae)
115. **Dufourea (Halictoides) pontica** (**Warncke,1979**) (Halictidae)
116. **Dufourea (Halictoides) schmiedeknechtii** (**Kohl,1905**) (Halictidae)
117. **Echthromyrmex sehitlerolmez** **Koçak & Kemal,2008** (Myrmeleonidae)
118. **Edwardsiana rosae** (**Linnaeus,1758**) (Cicadellidae)
119. **Ellipteroides (Protogonomyia) quadridens** (Limoniidae)
120. **Enochrus (Lumetus) segmentinotatus** (**Kuwert,1888**) (Hydrophilidae)
121. **Eoferreola manticata** (**Pallas,1771**) (Pompilidae)
122. **Eoferreola rhombica** (**Christ,1791**) (Pompilidae)
123. **Episyron gallicum** (**Tournier,1889**) (Pompilidae)
124. **Eumenes coronatus** (**Panzer,1799**) (Vespidae)
125. **Eurydema blanda** **Horvath,1803** (Pentatomidae)
126. **Eurydema fieberi** **Schummel,1836** (Pentatomidae)
127. **Eurydema ornatum** (**Linnaeus,1758**) (Pentatomidae)
128. **Eurydema ventralis** **Kolenati,1846** (Pentatomidae)
129. **Evagetes dubius** (**Van der Linden,1827**) (Pompilidae)
130. **Evagetes pontomoravicus** (**Sustera,1938**) (Pompilidae)
131. **Evagetes siculus** (**Lepeletier,1845**) (Pompilidae)
132. **Evagetes trispinosus** (**Kohl,1886**) (Pompilidae)
133. **Evagetes tumidosus** (**Tournier,1890**) (Pompilidae)
134. **Gitona distigma** **Meigen,1830** (Drosophilidae)
135. **Glaucops hakkariensis** **Schacht,1983** (Tabanidae)
136. **Gonocephalum costatum** **Brullé,1832** (Tenebrionidae)
137. **Gonocephalum granulatum** (**Fabricius,1791**) (Tenebrionidae)
138. **Grypocoris fieberi** **Douglas & Scott,1868** (Miridae)
139. **Gymnopleurus geoffroyi** **Fuessly,1785** (Scarabaeidae)
140. **Haematopota longantennata** **Olsufjev,1937** (Tabanidae)
141. **Hardya iranicola** **Zachvatkin,1946** (Cicadellidae)
142. **Helladia diademata** (**Faldermann,1837**) (Cerambycidae)
143. **Helophorus abeillei** **Guillebeau,1896** (Helophoridae)
144. **Helophorus aquaticus** (**Linnaeus,1758**) (Helophoridae)
145. **Helophorus discrepans** **Rey,1885** (Helophoridae)
146. **Helophorus hilaris** **Sharp,1916** (Helophoridae)
147. **Helophorus nanus** **Sturm,1836** (Helophoridae)
148. **Helophorus zagrosicus** **Angus,1988** (Helophoridae)
149. **Hephathus freyi** (**Fieber,1868**) (Cicadellidae)
150. **Hippodamia (Semiadalia) undecimnotata** (**Schneider,1792**) (Coccinellidae)
151. **Hoplitis (Alcidamea) acuticornis** (**Dufour & Perris,1840**) (Megachilidae)
152. **Hoplitis (Alcidamea) bispinosa** **Zanden,1992** (Megachilidae)
153. **Hoplitis (Alcidamea) ciliaris** (**Pérez,1902**) (Megachilidae)
154. **Hoplitis (Alcidamea) galbula** (**Warncke,1991**) (Megachilidae)
155. **Hoplitis (Alcidamea) garzetta** (**Warncke,1991**) (Megachilidae)

156. **Hoplitis (Alcidamea) leucomelana** (Kirby,1802) (Megachilidae)
157. **Hoplitis (Alcidamea) praestans** (Morawitz,1894) (Megachilidae)
158. **Hoplitis (Alcidamea) subbutea** (Warncke,1991) (Megachilidae)
159. **Hoplitis (Alcidamea) tridentata** (Dufour & Perris,1840) (Megachilidae)
160. **Hoplitis (Annosmia) chukar** (Warncke,1991) (Megachilidae)
161. **Hoplitis (Annosmia) eremophila** (Warncke,1991) (Megachilidae)
162. **Hoplitis (Bytinskia) parasitica** (Warncke,1991) (Megachilidae)
163. **Hoplitis (s.str.) bombiformis** Zanden,1991 (Megachilidae)
164. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
165. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
166. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
167. **Hybomitra distinguenda** (Verrall,1909) (Tabanidae)
168. **Hybomitra erberi** (Brauer,1880) (Tabanidae)
169. **Hybomitra expollicata** (Pandelle,1883) (Tabanidae)
170. **Hydrocyphon finitimus** Nyholm,1977 (Scirtidae)
171. **Hydroporus kozlovskii** Zaitzev,1927 (Dytiscidae)
172. **Hypera meles** (Fabricius,1792) (Curculionidae)
173. **Hypera variabilis** (Herbst,1795) (Curculionidae)
174. **Ischnogasteroides zarudnyi** (Kostylev,1939) (Vespidae)
175. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
176. **Isophya hakkarica** Karabağ,1962 (Tettigoniidae)
177. **Joostiella caucasica** Vaillant,1983 (Psychodidae)
178. **Jugurtia escalerae** Meade-Waldo,1910 (Vespidae)
179. **Jugurtia eurycara** Kostylev,1935 (Vespidae)
180. **Katamenes flavigularis** (Blüthgen,1951) (Vespidae)
181. **Kropka unipunctata** (Dlabola,1957) (Cicadellidae)
182. **Kurdia uvarovi** Karabağ,1975 (Tettigoniidae)
183. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
184. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
185. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
186. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
187. **Lampyris angustula** Fairmaire,1895 (Lampyridae)
188. **Larinus centaureae** (Olivier,1807) (Curculionidae)
189. **Larinus minutus** Gyllenhal,1836 (Curculionidae)
190. **Larinus onopordi** (Fabricius,1787) (Curculionidae)
191. **Larinus turbinatus** Gyllenhal,1836 (Curculionidae)
192. **Lasioglossum (Evyllaes) mesosclerum** (Pérez,1903) (Halictidae)
193. **Leptochilus tarsatellus** Giordani Soika,1970 (Vespidae)
194. **Lertha extensa** (Olivier,1811) (Nemopteridae)
195. **Lestes barbarus** (Fabricius,1798) (Lestidae)
196. **Lestes virens** (Charpentier,1825) (Lestidae)
197. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
198. **Limnia unguicornis** (Scopoli,1763) (Sciomyzidae)
199. **Linnaemya comta** (Fallén,1810) (Tachinidae)
200. **Liponeura euryfrons** Bischoff,1935 (Blephariceridae)
201. **Lixus angustatus** (Fabricius,1775) (Curculionidae)
202. **Lixus cardui** Olivier,1807 (Curculionidae)
203. **Lixus elegantulus** Boheman,1843 (Curculionidae)
204. **Lophyridia caucasica** (Adams,1817) (Carabidae)
205. **Lophyridia fischeri** (Adams,1817) (Carabidae)
206. **Ludita fulvipennis** (Smith,1879) (Tiphidae)
207. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
208. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
209. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
210. **Magwengiella flavescens** Bachmaier & Diller,1985 (Ichneumonidae)
211. **Mantis religiosa** (Linnaeus,1758) (Mantidae)
212. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
213. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae)
214. **Merodon aberrans** Egger,1860 (Syrphidae)
215. **Merodon cupreus** Hurkmans,1993 (Syrphidae)
216. **Merodon hypochrysos** Hurkmans,1993 (Syrphidae)
217. **Merodon kaloceros** Hurkmans,1993 (Syrphidae)
218. **Merodon lucasi** Hurkmans,1993 (Syrphidae)
219. **Merodon satdagensis** Hurkmans,1993 (Syrphidae)
220. **Merodon warnckeii** Hurkmans,1993 (Syrphidae)
221. **Micantulina (Mulsantina) acuticeps** (Linnavuori,1962) (Cicadellidae)
222. **Microdynerus curdistanicus** Gusenleitner,1988 (Vespidae)
223. **Musaria kurdistana** (Ganglbauer,1884) (Cerambycidae)
224. **Mycterodus hakkaricus** Dlabola,1980 (Issidae)
225. **Mylabris fusca** (Olivier,1811) (Meloidae)
226. **Mylabris humerosa** (Escherich,1899) (Meloidae)
227. **Nebria (s.str.) mandibularis** Bates,1872 (Carabidae)
228. **Nebria (Tyrrenia) oramarensis** Shilenkov & Heinz,1984 (Carabidae)
229. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
230. **Nemorius vitripennis** (Meigen,1820) (Tabanidae)
231. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
232. **Novadrymadusa karabagi** Demirsoy, Salman & Sevgili,2002 (Tettigoniidae)

233. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
234. **Oedipoda schochi Saussure,1884**
(Acrididae)
235. **Osmia (Helicosmia) aeruginosa**
Warncke,1988 (Megachilidae)
236. **Osmia (Helicosmia) chrysaetos**
Warncke,1988 (Megachilidae)
237. **Osmia (Helicosmia) cinerea Warncke,1988**
(Megachilidae)
238. **Osmia (Helicosmia) dimidiata**
Morawitz,1870 (Megachilidae)
239. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
240. **Osmia (Helicosmia) gutturalis**
Warncke,1988 (Megachilidae)
241. **Osmia (Helicosmia) heliaca Warncke,1988**
(Megachilidae)
242. **Osmia (Hemiosmia) difficilis**
Morawitz,1875 (Megachilidae)
243. **Osmia (Pyrosmia) nigricollis**
Warncke,1992 (Megachilidae)
244. **Osmia (Pyrosmia) oramara**
Warncke,1992 (Megachilidae)
245. **Osmia (Tergosmia) avosetta**
Warncke,1988 (Megachilidae)
246. **Palpares solidus Gerstaecker,1893**
(Myrmeleonidae)
247. **Palpares turcicus Koçak,1976**
(Myrmeleonidae)
248. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
249. **Paranothrotres opacus (Brunner von**
Wattenwyl,1882) (Pamphagidae)
250. **Parapolybia escalarae Meade-Waldo,1911**
(Vespidae)
251. **Pericoma blandula Eaton,1893** (Psychodidae)
252. **Pericoma platystyla R.Wagner,1986**
(Psychodidae)
253. **Perilissus tenebrator Aubert,1987**
(Ichneumonidae)
254. **Phanoptera (Erdemia) hackeri**
Harz,1988 (Tettigoniidae)
255. **Phanerotoma (Bracrotitoma) intermedia**
Achtelberg,1990 (Braconidae)
256. **Pherbellia cinerella (Fallén,1820)**
(Sciomyzidae)
257. **Pherbina intermedia Verbeke,1948**
(Sciomyzidae)
258. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)
259. **Philipomyia aprica (Meigen,1820)**
(Tabanidae)
260. **Philosepedon symmetricus**
R.Wagner,1986 (Psychodidae)
261. **Phytodrymadusa hakkarica Karabağ,1956**
(Tettigoniidae)
262. **Platycleis (Incertana) persica**
Uvarov,1917 (Tettigoniidae)
263. **Platycleis (s.str.) intermedia (Audinet-**
Serville,[1839]) (Tettigoniidae)
264. **Platymetopius chloroticus Puton,1877**
(Cicadellidae)
265. **Polistes (s.str.) bischoffi**
(Weyrauch,1937) (Vespidae)
266. **Polysarcus zacharovi**
(Stschelkanovcev,1909) (Tettigoniidae)
267. **Priocnemis coriacea Dahlbom,1843**
(Pompilidae)
268. **Priocnemis fallax Verhoeff,1892**
(Pompilidae)
269. **Priocnemis minuta (Van der**
Linden,1827) (Pompilidae)
270. **Priocnemis sulci Balthasar,1943**
(Pompilidae)
271. **Protoetia (Potosia) funebris (Gory &**
Percheron,1833) (Scarabaeidae)
272. **Psammotettix alienus (Dahlbom,1850)**
(Cicadellidae)
273. **Psammotettix confinis (Dahlbom,1850)**
(Cicadellidae)
274. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
275. **Pseudepipona herrichii (Saussure,[1856])**
(Vespidae)
276. **Pseudoceles oedipoides Bolivar,1899**
(Acrididae)
277. **Ptyngidricerus albardanus (McLachan,1891)**
(Ascalaphidae)
278. **Ptyngidricerus albardanus albardanus**
(McLachan,1891) (Ascalaphidae)
279. **Pyracmon nactor Aubert,1986**
(Ichneumonidae)
280. **Pyrgodera armata (Fischer von**
Waldheim,1820) (Acrididae)
281. **Pyrgomorpha guentheri Burr,1899**
(Pyrgomorphidae)
282. **Quartinia separata Gusenleitner,1997**
(Vespidae)
283. **Ramburiella turcomana (Fischer von**
Waldheim,1833) (Acrididae)
284. **Raphidia (Phidiara) remane H.Aspöck,**
U.Aspöck & Şengonca,1976 (Raphidiidae)
285. **Rhizotrogus (Amphimallon) caucasicum**
(Gyllenhal,1817) (Scarabaeidae)
286. **Rhynchites hajastanicus Ter-**
Minacian,1965 (Attelabidae)
287. **Rhynchites hungaricus (Herbst,1784)**
(Attelabidae)
288. **Ronisia brutia (Petagna,1787)** (Mutillidae)
289. **Saga ephippigera Fischer von**
Waldheim,1846 (Tettigoniidae)
290. **Salentia nigripes (Kröber,1912)**
(Therevidae)
291. **Sapyga (s.str.) caucasica Radoszkowski,1880**
(Sapygidae)
292. **Sapyga (s.str.) morawitzi Turner,1911**
(Sapygidae)
293. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
294. **Satchelliella canescens (Meigen,1804)**
(Psychodidae)
295. **Satchelliella malickyi Vaillant,1981**
(Psychodidae)
296. **Scaptomyza (s.str.) flava (Fallén,1823)**
(Drosophilidae)
297. **Schistocerca gregaria (Forskal,1775)**
(Acrididae)
298. **Scolia hirta (Schrank,1781)** (Scoliidae)
299. **Scolia sexmaculata (Müller,1766)**
(Scoliidae)
300. **Scymnus apetzi Mulsant,1846**
(Coccinellidae)
301. **Scymnus pallipediformis Günther,1958**
(Coccinellidae)
302. **Scymnus rubromaculatus (Goeze,1778)**
(Coccinellidae)

303. **Sepedon sphegea (Fabricius,1781)**
(Sciomyzidae)
304. **Silpha obscura Linnaeus,1758** (Silphidae)
305. **Stenodera caucasica (Pallas,1781)**
(Meloidae)
306. **Stenodynerus pannosus**
Gusenleitner,1985 (Vespidae)
307. **Stenometiopiellus angorensis**
Zachvatkin,1946 (Cicadellidae)
308. **Stictopleurus riveti Royer,1923**
(Rhopalidae)
309. **Sympetrum sanguineum**
(O.F.Müller,1764) (Libellulidae)
310. **Syneuodynerus erichi Gusenleitner,1967**
(Vespidae)
311. **Tabanus alvarengia Schacht,1987** (Tabanidae)
312. **Tabanus anatolicus Osufjev, Moucha & Chvala,1967** (Tabanidae)
313. **Tabanus anthrax Olsufjev,1937** (Tabanidae)
314. **Tabanus atropathenicus Olsufjev,1937**
(Tabanidae)
315. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
316. **Tabanus bovinus Linnaeus,1758** (Tabanidae)
317. **Tabanus bromius Linnaeus,1758** (Tabanidae)
318. **Tabanus eggeri Schiner,1868** (Tabanidae)
319. **Tabanus exclusus Pandella,1883** (Tabanidae)
320. **Tabanus glaucopsis Meigen,1820**
(Tabanidae)
321. **Tabanus ilchanii Jezek,1981** (Tabanidae)
322. **Tabanus laetinctus Becker,1913**
(Tabanidae)
323. **Tabanus leleani Austen,1920** (Tabanidae)
324. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
325. **Tabanus martinii Kröber,1928**
(Tabanidae)
326. **Tabanus miki Brauer,1880** (Tabanidae)
327. **Tabanus olsufjevi Hauser,1960** (Tabanidae)
328. **Tabanus prometheus Szilady,1923**
(Tabanidae)
329. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
330. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
331. **Tabanus rupium Brauer,1880** (Tabanidae)
332. **Tabanus semiargenteus Olsufjev,1937**
(Tabanidae)
333. **Tabanus shekovnikovi Paramanov,1934**
(Tabanidae)
334. **Tabanus spectabilis Loew,1858**
(Tabanidae)
335. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
336. **Tabanus yasujensis Bogatshev & Samedov,1949** (Tabanidae)
337. **Tachina (Eudoromyia) magnicornis**
Zetterstedt,1844 (Tachinidae)
338. **Tachycixius bidentifer Dlabola,1971**
(Cixiidae)
339. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
340. **Tettigometra (Stirometra) costulata**
Fieber,1865 (Tettigometridae)
341. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
342. **Tettigonia turcica Ramme,1951**
(Tettigoniidae)
343. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
344. **Therioptectes carabaghensis**
(Potschinsky,1877) (Tabanidae)
345. **Tingis rotundicollis (Jakovlev,1883)**
(Tingidae)
346. **Tipula (Acutipula) latifurca**
Vermoolen,1983 (Tipulidae)
347. **Tipula (Savtshenka) rufina Meigen,1818**
(Tipulidae)
348. **Tipula (Yamatotipula) guentheri**
Oosterbroek,1994 (Tipulidae)
349. **Tipula (Yamatotipula) iranensis**
Theowald,1978 (Tipulidae)
350. **Tipula (Yamatotipula) lateralis**
Meigen,1804 (Tipulidae)
351. **Tipula (Yamatotipula) submontium**
Theowald & Oosterbroek,1981 (Tipulidae)
352. **Trichodes ephippiger Chevrolat,1874**
(Cleridae)
353. **Trichodes pulcherrimus Escherich,1892**
(Cleridae)
354. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
355. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
356. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
357. **Trupanea amoena (Frauenfeld,1857)**
(Tephritidae)
358. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
359. **Uvarovistia (s.str.) satunini**
(Uvarov,1916) (Tettigoniidae)
360. **Uvarovistia (s.str.) zebra (Uvarov,1916)**
(Tettigoniidae)
361. **Verdanus pazoukii (Dlabola,1980)**
(Cicadellidae)
362. **Zavrelia pentatoma Kieffer & Bause,1914**
(Chironomidae)
363. **Zygina (s.str.) discolor Horvath,1897**
(Cicadellidae)
364. **Zyginidia (s.str.) sohrab Zachvatkin,1947**
(Cicadellidae)

Hatay Province (31)

(635 species, stand 30 April 2010)

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae)
2. **Acantholepis frauenfeldi (Mayr,1855)**
(Formicidae)
3. **Achaeta algericus (Saussure,1877)** (Gryllidae)
4. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
5. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
6. **Acrida anatolica Dirsh,1949** (Acrididae)

7. **Acrida bicolor** (Thunberg,1815) (Acrididae)
8. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
9. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
10. **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae)
11. **Adesmia** (s.str.) **anthracina** Klug,1830 (Tenebrionidae)
12. **Adontomerus amygdali** (Boucek,1958) (Torymidae)
13. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
14. **Aelia albovittata** Fieber,1868 (Pentatomidae)
15. **Aeshna isosceles** (O.F.Müller,1764) (Aeshnidae)
16. **Aeshna mixta** Latreille,1805 (Aeshnidae)
17. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
18. **Agalmatium bilobum** (Fieber,1877) (Issidae)
19. **Agenioideus nubecula** (Costa,1874) (Pompilidae)
20. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
21. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
22. **Agromyza hiemalis** Becker,1908 (Agromyzidae)
23. **Agromyza marionae** Griffiths,1963 (Agromyzidae)
24. **Aiolopus simulatrix** (Walker,1870) (Acrididae)
25. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae)
26. **Akotropis quercicola** Linnavuori,1962 (Achilidae)
27. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
28. **Allodynerus rossii** (Lepeletier,1841) (Vespidae)
29. **Altica bicarinata** (Kutschera,1860) (Chrysomelidae)
30. **Altica deserticola** (Weise,1889) (Chrysomelidae)
31. **Altica jarmilae** Kral,1979 (Chrysomelidae)
32. **Amphicoma (Pygopleurus) rufovillosus** Reitter,1907 (Glaphyridae)
33. **Amphicoma (Rudeulasia) harmonia** (Petrovitz,1968) (Glaphyridae)
34. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
35. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
36. **Anadrymadusa recticauda** (Werner,1903) (Tettigoniidae)
37. **Anadrymadusa spinicercis** (Karabağ,1956) (Tettigoniidae)
38. **Anax immaculifrons** Rambur,1842 (Aeshnidae)
39. **Anax parthenope** (Selys,1839) (Aeshnidae)
40. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
41. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
42. **Anisochrya** (s.str.) **subflavifrons** (Tjeder,1949) (Chrysopidae)
43. **Anisoplia** (s.str.) **signata** Faldermann,1835 (Scarabaeidae)
44. **Anoplius concinnus** (Dahlbom,1845) (Pompilidae)
45. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
46. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
47. **Anospilus orbitalis** (Costa,1863) (Pompilidae)
48. **Anthaxia (Cratomerus) krueperi** Ganglbauer,1885 (Buprestidae)
49. **Anthaxia (Haplantaxia) cichorii** (Olivier,1790) (Buprestidae)
50. **Anthaxia (Haplantaxia) millefolii** (Fabricius,1801) (Buprestidae)
51. **Anthaxia (Haplantaxia) mundula** Kiesenwetter,1857 (Buprestidae)
52. **Anthaxia (Haplantaxia) praeclara** Mannerheim,1837 (Buprestidae)
53. **Anthaxia (Melanthaxia) obesa** Abeille,1900 (Buprestidae)
54. **Anthaxia (Melanthaxia) pinguis** Kiesenwetter,1880 (Buprestidae)
55. **Anthaxia (Melanthaxia) scurra** Bily & Brodsky,1982 (Buprestidae)
56. **Anthaxia (Melanthaxia) sternalis** (Abeille,1895) (Buprestidae)
57. **Anthaxia** (s.str.) **discicollis** Gory & Laporte,1839 (Buprestidae)
58. **Anthaxia** (s.str.) **ghazi** Obenberger,1938 (Buprestidae)
59. **Anthaxia** (s.str.) **hypomelaena** (Illiger,1803) (Buprestidae)
60. **Anthaxia** (s.str.) **myrmidon** Abeille,1891 (Buprestidae)
61. **Anthaxia** (s.str.) **nigricollis** Abeille,1904 (Buprestidae)
62. **Anthidium (Anthidiellum) insulare** Morawitz,1873 (Megachilidae)
63. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
64. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
65. **Anthidium (Archianthidium) pubescens** (Morawitz,1872) (Megachilidae)
66. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
67. **Anthidium** (s.str.) **dalmaticum** Mocsary,1884 (Megachilidae)
68. **Anthidium** (s.str.) **diadema** Latreille,1809 (Megachilidae)
69. **Anthidium** (s.str.) **punctatum** Latreille,1809 (Megachilidae)
70. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
71. **Anthrenus** (s.str.) **delicatus** Kiesenwetter,1851 (Dermestidae)
72. **Anthrenus** (s.str.) **rotundulus** Reitter,1889 (Dermestidae)
73. **Anthrenus** (s.str.) **simonis** Reitter,1881 (Dermestidae)
74. **Anthrenus akbesianus** Reitter,1899 (Dermestidae)
75. **Apanteles obscurus** (Nees,1834) (Braconidae)
76. **Aphidoletes aphidimyza** (Rondani,1847) (Cecidomyiidae)
77. **Apistomyia aphrodite** Zwick,1988 (Blephariceridae)
78. **Aplidia akbesiana** Petrovitz,1971 (Scarabaeidae)
79. **Aporinellus moestus** (Klug,1834) (Pompilidae)

80. **Aprostocetus bucculentus (Kostjukov,1978)**
(Eulophidae)
81. **Arenivaga livida (Brunner von Wattenwyl,1865)** (Polyphagidae)
82. **Arge scita (Mocsary,1880)** (Argidae)
83. **Aritranis buccatus (Tschek,1872)**
(Ichneumonidae)
84. **Aritranis nigripes (Gravenhorst,1829)**
(Ichneumonidae)
85. **Asphondylia gennadii (Marchal,1904)**
(Cecidomyiidae)
86. **Attelabus nitens (Scopoli,1763)** (Attelabidae)
87. **Attelabus sulcifrons (Argod,1895)**
(Attelabidae)
88. **Attelabus suturalis Jekel,1860** (Attelabidae)
89. **Auletobius politus Voss,1934** (Attelabidae)
90. **Auplopus carbonarius (Scopoli,1763)**
(Pompilidae)
91. **Auplopus rectus (Haupt,1927)** (Pompilidae)
92. **Balclutha rosea (Scott,1876)** (Cicadellidae)
93. **Batozonellus lacerticida (Pallas,1771)**
(Pompilidae)
94. **Bembecinus asiaticus (Gussakowski,1935)**
(Crabronidae)
95. **Bembecinus cyprius De Beaumont,1954**
(Crabronidae)
96. **Berosus (Enoplurus) bispinus Reiche & Saulcy,1856** (Hydrophilidae)
97. **Berosus (Enoplurus) spinosus (Steven,1808)**
(Hydrophilidae)
98. **Berosus (s.str.) affinis Brullé,1835**
(Hydrophilidae)
99. **Blaps splichali Gebien,1913** (Tenebrionidae)
100. **Blepharicera fasciata (Westwood,1842)**
(Blephariceridae)
101. **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae)
102. **Bombus terrestris Linnaeus,1758** (Apidae)
103. **Bothynoderes carinatus (Zoubkoff,1829)**
(Curculionidae)
104. **Boveycantharis phoeniciensis Wittmer,1969**
(Cantharidae)
105. **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae)
106. **Brachygluta foveola (Motschoulsky,1840)**
(Staphylinidae)
107. **Brachytarsina flavipennis Macquart,1851**
(Strebliidae)
108. **Bracon (Asiabracon) amaculatus Beyarslan,1988** (Braconidae)
109. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae)
110. **Bracon (Glabrobracon) popovi Telenga,1936**
(Braconidae)
111. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae)
112. **Bubastia (Acrestia) ephialtes (Linnavuori,1971)** (Issidae)
113. **Bubastia (s.str.) suturale (Fieber,1877)**
(Issidae)
114. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae)
115. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
116. **Cabirutus gracilis (Reitter,1904)**
(Tenebrionidae)
117. **Caliaeschna microstigma (Schneider,1845)**
(Aeshnidae)
118. **Callimus akbesianus (Pic,1892)**
(Cerambycidae)
119. **Calliptamus barbarus (Costa,1836)** (Acrididae)
120. **Calliptamus italicus (Linnaeus,1758)**
(Acrididae)
121. **Calliptamus tenuicercis Tarbinsky,1930**
(Acrididae)
122. **Calodictya krueperi (Fieber,1876)**
(Dictyopharidae)
123. **Calopteryx hyalina Martin,1909**
(Calopterygidae)
124. **Calopteryx intermedia Selys,1887**
(Calopterygidae)
125. **Calopteryx mingrelica Selys,1869**
(Calopterygidae)
126. **Calopteryx syriaca Génée,1842** (Calopterygidae)
127. **Cantharis akbesiana Pic,1906** (Cantharidae)
128. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
129. **Capnodis miliaris (Klug,1829)** (Buprestidae)
130. **Capnodis porosa (Klug,1829)** (Buprestidae)
131. **Capnodis tenebricosa (Olivier,1790)**
(Buprestidae)
132. **Capnodis tenebrionis (Linnaeus,1761)**
(Buprestidae)
133. **Carabus (Procerus) transversalis Csiki,1927**
(Carabidae)
134. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae)
135. **Carabus (Procrustes) mulsantianus Morawitz,1886** (Carabidae)
136. **Carabus (Procrustes) punctatus Castelnau,1835** (Carabidae)
137. **Cardiophorus (s.str.) akbesianus (Pic,1899)**
(Elateridae)
138. **Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae)
139. **Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae)
140. **Carpocoris coreanus Distant,1899**
(Pentatomidae)
141. **Carpocoris fuscispinus (Boheman,1851)**
(Pentatomidae)
142. **Carpocoris mediterraneus Tamanini,1958**
(Pentatomidae)
143. **Cassida palaestina Reiche,1858**
(Chrysomelidae)
144. **Cassida prasina Illiger,1798** (Chrysomelidae)
145. **Ceraninus menes (Walker,1839)** (Eulophidae)
146. **Cercopis intermedia Kirschbaum,1868**
(Cercopidae)
147. **Ceriagrion tenellum (De Villers,1789)**
(Coenagrionidae)
148. **Ceropales bipartita Haupt,1962** (Pompilidae)
149. **Ceropales helvetica Tournier,1889**
(Pompilidae)
150. **Cetonia (s.str.) delangrei Boucard,1893**
(Scarabaeidae)
151. **Chlorita brevispina Linnavuori,1965**
(Cicadellidae)
152. **Chlorophorus trifasciatus (Fabricius,1781)**
(Cerambycidae)
153. **Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae)
154. **Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae)
155. **Chromatomyia horticola (Goureau,1851)**
(Agromyzidae)
156. **Chrysanthia flavipes Reitter,1889**
(Oedemeridae)

157. *Chrysolina coeruleans* (Scriba,1791)
(Chrysomelidae)
158. *Chrysolina sahlbergi* (Ménétriés,1832)
(Chrysomelidae)
159. *Chrysopa dubitans* McLachan,1887
(Chrysopidae)
160. *Chrysops (Petersenichrysops) hamatus*
Loew,1858 (Tabanidae)
161. *Chrysops (s.str.) flavipes* Meigen,1804
(Tabanidae)
162. *Cicindela asiatica* Audouin & Brullé,1839
(Carabidae)
163. *Cicindela herbacea* Klug,1832 (Carabidae)
164. *Cleptes jordanicus* Linsenmeier,1968
(Chrysididae)
165. *Cleptes turceyanus* Linsenmeier,1968
(Chrysididae)
166. *Clerus mutillaeformis* Reitter,1895 (Cleridae)
167. *Clytra bodemeyeri* Weise,1900
(Chrysomelidae)
168. *Coenorrhinus aequatus* (Linnaeus,1767)
(Attelabidae)
169. *Coenorrhinus germanicus* (Herbst,1797)
(Attelabidae)
170. *Colpa quinquecincta* (Fabricius,1775)
(Scolidae)
171. *Conocephalus (Anisoptera) fuscus*
(Fabricius,1793) (Tettigoniidae)
172. *Conocephalus (s.str.) kisi* Harz,1967
(Tettigoniidae)
173. *Conops flavifrons* Meigen,1824 (Conopidae)
174. *Copris felschei* Reitter,1893 (Scarabaeidae)
175. *Cosmoconus elongator* (Fabricius,1775)
(Ichneumonidae)
176. *Cotesia ancilla* (Nixon,1974) (Braconidae)
177. *Cotesia ruficrus* (Haliday,1834) (Braconidae)
178. *Cotesia telengai* (Tobias,1972) (Braconidae)
179. *Crepidodera aurea* (Geoffroy,1785)
(Chrysomelidae)
180. *Cricotopus bicinctus* (Meigen,1818)
(Chironomidae)
181. *Cricotopus vieriensis* Goetghebuer,1935
(Chironomidae)
182. *Crocothemis erythraea* (Brullé,1832)
(Libellulidae)
183. *Cryptocephalus connexus* Olivier,1808
(Chrysomelidae)
184. *Cryptocheilus discolor* (Fabricius,1793)
(Pompilidae)
185. *Cryptocheilus exiguus* Suster,1924
(Pompilidae)
186. *Cryptocheilus fischeri* (Spinola,1855)
(Pompilidae)
187. *Cryptocheilus freygessneri* (Kohl,1883)
(Pompilidae)
188. *Cryptocheilus gazella* Haupt,1962
(Pompilidae)
189. *Cryptocheilus ichneumonoides* (Costa,1874)
(Pompilidae)
190. *Cryptocheilus octomaculatus* (Rossi,1790)
(Pompilidae)
191. *Cryptocheilus rubellus* (Eversmann,1846)
(Pompilidae)
192. *Cryptocheilus rufatus* Priesner,1967
(Pompilidae)
193. *Cryptocheilus stygium* Priesner,1967
(Pompilidae)
194. *Cryptocheilus susterai* (Haupt,1930)
(Pompilidae)
195. *Cryptocheilus tredecimmaculatus*
Haupt,1962 (Pompilidae)
196. *Cryptocheilus variabilis* (Rossi,1790)
(Pompilidae)
197. *Ctenogenia ozbeki* Wahis,2002 (Pompilidae)
198. *Cynegetis syriaca* (Mader) (Coccinellidae)
199. *Dallognatha quadricollis* Brullé,1832
(Tenebrionidae)
200. *Dasineura oleae* (Loew,1885)
(Cecidomyiidae)
201. *Dasyrhaphis carbonarius* (Meigen,1820)
(Tabanidae)
202. *Dasyscolia ciliata* (Fabricius,1787)
(Scolidae)
203. *Dasytes akbesianus* Pic,1894 (Melyridae)
204. *Decticus albifrons* (Fabricius,1793)
(Tettigoniidae)
205. *Delta unguiculatum* (Villers,1789)
(Vespidae)
206. *Dendarus (Pandarinus) punctatus*
Audinet-Serville,1825 (Tenebrionidae)
207. *Derocrepis delangrei* Pic,1903
(Chrysomelidae)
208. *Deronectes kinzelbachi* Fery &
Hosseinie,1998 (Dytiscidae)
209. *Deronectes syriacus* Wewalka,1971
(Dytiscidae)
210. *Dibolia rufofemorata* Reitter,1896
(Chrysomelidae)
211. *Dictyla triconula* (Seidenstücker,1954)
(Tingidae)
212. *Dictyonota aridula* (Jakovlev,1902) (Tingidae)
213. *Diphyus montivagans* (Berthoumieu,1896)
(Ichneumonidae)
214. *Diplacodes lefebvrei* (Rambur,1842)
(Libellulidae)
215. *Dipogon (Deuteragenia) variegatus*
(Linnaeus,1758) (Pompilidae)
216. *Dociostaurus (Kazakia) brevicollis*
(Eversmann,1848) (Acrididae)
217. *Dociostaurus (Notostaurus) anatolicus*
Krauss,1896 (Acrididae)
218. *Dociostaurus (s.str.) genei* (Ocskay,1832)
(Acrididae)
219. *Dociostaurus (s.str.) maroccanus*
(Thunberg,1815) (Acrididae)
220. *Dociostaurus (s.str.) salmani*
Demirsoy,1977 (Acrididae)
221. *Dociostaurus (Stauronotulus) hauensteini*
(Bolivar,1893) (Acrididae)
222. *Dolicopoda (s.str.) pusilla* Bolivar,1899
(Raphidophoridae)
223. *Doratulina acuticeps* (Ribaut,1948)
(Cicadellidae)
224. *Doratulina instabilis* (Ribaut,1948)
(Cicadellidae)
225. *Doratura homophyla* (Flor,1861)
(Cicadellidae)
226. *Drosophila (Hirtodrosophila) cameraria*
Haliday,1833 (Drosophilidae)
227. *Drosophila andalusiaca* Strobl,1906
(Drosophilidae)
228. *Drymadusa limbata* Brunner von
Wattenwyl,1882 (Tettigoniidae)
229. *Dyrodere umbraculatus*
(Fabricius,1775) (Pentatomidae)
230. *Ebaeus flavobullatus* Marseul,1868
(Melyridae)
231. *Elodes akbesianus* Pic,1898 (Scirtidae)

232. **Emblethis denticollis** Hovarth,1878
(Lygaeidae)
233. **Emblethis griseus** (Wolff,1802)
(Lygaeidae)
234. **Empusa fasciata** Brullé,1836 (Empusidae)
235. **Engelepogon antiochienensis**
(Tsacas,1964) (Asilidae)
236. **Entomogonus (Delonuropis) obtusus**
Seidlitz,1893 (Tenebrionidae)
237. **Eoferreola anatolica** Piesner,1973
(Pompilidae)
238. **Eoferreola anomala** (Piesner,1955)
(Pompilidae)
239. **Eoferreola erythraea** (Pallas,1773)
(Pompilidae)
240. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
241. **Episyron albonotatum** (Van der
Linden,1827) (Pompilidae)
242. **Eremiaphila dagi** Doğanlar,2007
(Mantidae)
243. **Eristalinus (Eristalodes) taeniops**
(Wiedemann,1818) (Syrphidae)
244. **Eristalis (Eoseritalis) arbustorum**
(Linnaeus,1758) (Syrphidae)
245. **Eristalis tenax** (Linnaeus,1758)
(Syrphidae)
246. **Eucampsipoda aegyptia** (Macquart,1851)
(Nycteribiidae)
247. **Eukiefferiella calvescens** Edw.,1929
(Chironomidae)
248. **Eumenes dubius** Saussure,1852 (Vespidae)
249. **Eumenes jarkandensis** Blüthgen,1938
(Vespidae)
250. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
251. **Eumenes subpomiformis** Blüthgen,1938
(Vespidae)
252. **Euodynerus (s.str.) curictensis**
Blüthgen,1940 (Vespidae)
253. **Euodynerus (s.str.) disconotatus**
(Lichtenstein,1884) (Vespidae)
254. **Eupholidoptera sevetki** (Ramme,1933)
(Tettigoniidae)
255. **Eupteryx gyaurdagicus** Dlabola,1957
(Cicadellidae)
256. **Eurydema fieberi** Schummel,1836
(Pentatomidae)
257. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
258. **Eurydema rugulosa** (Dohrn,1860)
(Pentatomidae)
259. **Eurydema spectabilis** Horvath,1882
(Pentatomidae)
260. **Eurytoma amygdali** Enderlein,1907
(Eurytomidae)
261. **Euscelidius mundus** (Haupt,1927)
(Cicadellidae)
262. **Eustenancistrocerus amadanensis**
(Saussure,1855) (Vespidae)
263. **Evagetes elongatus** Lepeletier,1845
(Pompilidae)
264. **Evagetes pectinipes** (Linnaeus,1758)
(Pompilidae)
265. **Evagetes trispinosus** (Kohl,1886)
(Pompilidae)
266. **Evagetes tumidosus** (Tournier,1890)
(Pompilidae)
267. **Exeristes roborator** (Fabricius,1793)
(Ichneumonidae)
268. **Eyprepocnemis plorans**
(Charpentier,1825) (Acrididae)
269. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
270. **Ferreola dimidiata** (Van der
Linden,1827) (Pompilidae)
271. **Ferreola sagax** (Kohl,1886) (Pompilidae)
272. **Festella rammei** Çıplak,2000
(Tettigoniidae)
273. **Geocoris chloroticus** Puton,1888 (Lygaeidae)
274. **Gerris maculatus** Tamanini,1946
(Gerridae)
275. **Glandulosa kinzelbachi** Harz,1979 (Gryllidae)
276. **Globicornis picta** (Küster,1851)
(Dermestidae)
277. **Gomphus davidi** Selys,1887 (Gomphidae)
278. **Gomphus flavipes** (Charpentier,1825)
(Gomphidae)
279. **Gomphus schneideri** Selys,1850
(Gomphidae)
280. **Gonocephalum rusticum** (Olivier,1811)
(Tenebrionidae)
281. **Grasseiteles ciliator** Aubert,1968
(Ichneumonidae)
282. **Gratidia turca** Karabağ,1955 (Phasmidae)
283. **Gryllus (s.str.) bimaculatus** (De
Geer,1773) (Gryllidae)
284. **Grypotes staurus** Ivanoff,1885
(Cicadellidae)
285. **Gymnopleurus geoffroyi** Fuessly,1785
(Scarabaeidae)
286. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
287. **Gyrinus caspius** Ménériés,1832
(Gyrinidae)
288. **Gyrinus dejeani** Brullé,1832 (Gyrinidae)
289. **Haematopota pavlovskii** Hauser,1960
(Tabanidae)
290. **Haplomalachius akbesianus** (Pic,1898)
(Melyridae)
291. **Harnischia fuscimana** Kieffer,1921
(Chironomidae)
292. **Heliophilus trivittatus** (Fabricius,1805)
(Syrphidae)
293. **Heliapteryx humeralis** (Kuthy,1907)
(Acrididae)
294. **Helophorus difficilis** Angus,1988
(Helophoridae)
295. **Helophorus lewisi** Angus,1985
(Helophoridae)
296. **Helophorus micans** Falderman,1835
(Helophoridae)
297. **Helophorus nubilus** Fabricius,1776
(Helophoridae)
298. **Helophorus syriacus** Kuwert,1885
(Helophoridae)
299. **Hemidendroides daglariensis**
(Young,2004) (Pyrochroidae)
300. **Hemipepsis mauritanica** (Linnaeus,1767)
(Pompilidae)
301. **Hermetia illucens** (Linnaeus,1758)
(Stratiomyidae)
302. **Homodela ismenia** (Gory,1833)
(Carabidae)
303. **Homorocoryphus nitidulus**
(Scopoli,1786) (Tettigoniidae)

304. **Hoplitis (Alcidamea) limassolica** (Mavromoustakis,1937) (Megachilidae)
305. **Hoplitis (Megalosmia) fulva** (Eversmann,1852) (Megachilidae)
306. **Hoplitis (Pentadentostmia) ridibunda** (Warncke,1991) (Megachilidae)
307. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
308. **Hybomitra decora** (Loew,1858) (Tabanidae)
309. **Hydrocyphon segrex** Nyholm,1972 (Scirtidae)
310. **Hydrocyphon vicinans** Nyholm,1972 (Scirtidae)
311. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
312. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
313. **Isophya rodsjankoi** Bolivar,1899 (Tettigoniidae)
314. **Isophya savignyi** Brunner von Wattenwyl,1878 (Tettigoniidae)
315. **Issus lauri** Ahrens,1814 (Issidae)
316. **Iubsoda stigmatica** (Melichar,1897) (Delphacidae)
317. **Julodis andreae** (Olivier,1790) (Buprestidae)
318. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa,1966 (Hydrophilidae)
319. **Laccobius (Dimorpholaccobius) sipylus** Orchymont,1939 (Hydrophilidae)
320. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
321. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
322. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
323. **Lacon delagrangi** Buysson,1891 (Elateridae)
324. **Lampyris angustula** Fairmaire,1895 (Lampyridae)
325. **Lampyris nervosa** Olivier,1883 (Lampyridae)
326. **Larinus brenskei** Faust,1900 (Curculionidae)
327. **Larinus latus** (Herbst,1784) (Curculionidae)
328. **Larinus onopordi** (Fabricius,1787) (Curculionidae)
329. **Larinus rudicollis** Petri,1907 (Curculionidae)
330. **Lasiacantha hedenborgi** (Stal,1873) (Tingidae)
331. **Lasioglossum (Evyllaesus) mesosclerum** (Pérez,1903) (Halictidae)
332. **Lasioglossum (Evyllaesus) skorikovi** (Blüthgen,1929) (Halictidae)
333. **Lasioglossum (s.str.) leucozonium** (Schrank,1781) (Halictidae)
334. **Lasioglossum cristulum** (Pérez,1895) (Halictidae)
335. **Lasioglossum fahringeri** Friese,1921 (Halictidae)
336. **Lasioptera berlesiana** Paoli,1907 (Cecidomyiidae)
337. **Lasiorrhynchites cavifrons** (Gyllenhal,1833) (Atelabidae)
338. **Lasiorrhynchites praeustus** (Boheman,1845) (Atelabidae)
339. **Lasiorrhynchites sericeus** (Herbst,1797) (Atelabidae)
340. **Latilica maculipes** (Melichar,1906) (Issidae)
341. **Leptochilus kemali** Gusenleitner,1977 (Vespidae)
342. **Leptochilus regulus** Saussure,1855 (Vespidae)
343. **Leptodusa harzi** (Karabağ,1975) (Tettigoniidae)
344. **Lertha extensa** (Olivier,1811) (Nemopteridae)
345. **Lertha sheppardi** (Kirby,1904) (Nemopteridae)
346. **Libelloides lacteus** (Brullé,1832) (Ascalaphidae)
347. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
348. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)
349. **Libelloides syriacus** (McLachan,1871) (Ascalaphidae)
350. **Libellula depressa** Linnaeus,1758 (Libellulidae)
351. **Libellula pontica** Selys,1887 (Libellulidae)
352. **Lindbergina tarsalis** (Linnavuori,1962) (Cicadellidae)
353. **Liponeura vinconi** Zwick,2006 (Blephariceridae)
354. **Liriomyza bryoniae** (Kaltenbach,1858) (Agromyzidae)
355. **Liriomyza cicerina** (Rondani,1875) (Agromyzidae)
356. **Liriomyza strigata** (Meigen,1830) (Agromyzidae)
357. **Liriomyza trifolii** (Burgess,1880) (Agromyzidae)
358. **Longitarsus juncicola** (Foudras,1860) (Chrysomelidae)
359. **Longitarsus lycopi** (Foudras,1860) (Chrysomelidae)
360. **Longitarsus obliterated** (Rosenhauer,1847) (Chrysomelidae)
361. **Lophyridia concolor** (Dejean,1822) (Carabidae)
362. **Lophyridia fischeri** (Adams,1817) (Carabidae)
363. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
364. **Lucanus (.s.str.) cervus** (Linnaeus,1758) (Lucanidae)
365. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
366. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
367. **Macrolophus caliginosus** Wagner,1950 (Miridae)
368. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
369. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
370. **Malachius stolatus** Mulsant & Godart,1855 (Melyridae)
371. **Maladera (Macroserica) fusconitens** (Fairmaire,1892) (Scarabaeidae)
372. **Maladera (Macroserica) punctatissima** (Faldermann,1835) (Scarabaeidae)
373. **Malthinus hetiticus** Wittmer,1974 (Cantharidae)
374. **Malthodes akbesianus** Pic,1901 (Cantharidae)
375. **Mantis religiosa** (Linnaeus,1758) (Mantidae)

376. **Melanimon kiritshenkoi Reichart,1936** (Tenebrionidae)
377. **Melanogryllus desertus (Pallas,1771)** (Gryllidae)
378. **Meloe deflexus Reitter,1889** (Meloidae)
379. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae)
380. **Metacantharis taurigrada Bourgeois,1900** (Cantharidae)
381. **Micropeplus fulvus Erichson,1840** (Staphylinidae)
382. **Microphadnus insperatus Priesner,1967** (Pompilidae)
383. **Microphadnus pumilus (Costa,1882)** (Pompilidae)
384. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae)
385. **Mustha spinosula (Lefebvre,1831)** (Pentatomidae)
386. **Muzimes strebai (Maran,1940)** (Meloidae)
387. **Mycterodus (s.str.) bicornutus Dlabola,1986** (Issidae)
388. **Mycterodus (s.str.) intricatus Stal,1861** (Issidae)
389. **Mylabris fusca (Olivier,1811)** (Meloidae)
390. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae)
391. **Mylabris syriaca Klug,1845** (Meloidae)
392. **Mylabris zebraea (Marseul,1870)** (Meloidae)
393. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae)
394. **Myrmecaelurus trigrammus (Pallas,1781)** (Myrmeleonidae)
395. **Nacerdes (Xanthochroa) raymondi (Mulsant & Godart,1860)** (Oedemeridae)
396. **Napomyza bellidis Griffiths,1967** (Agromyzidae)
397. **Nemoptera aegyptiaca Rambur,1842** (Nemopteridae)
398. **Nemoptera sinuata Olivier,1811** (Nemopteridae)
399. **Neophilaenus campestris (Fallén,1805)** (Cercopidae)
400. **Nephrotoma scalaris (Meigen,1818)** (Tipulidae)
401. **Nephus kreissli Fürsch & Uygun,1980** (Coccinellidae)
402. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae)
403. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae)
404. **Neuroleon egenus (Navas,1914)** (Myrmeleonidae)
405. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae)
406. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae)
407. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae)
408. **Ochrilidia acuta (Bolivar,1905)** (Acrididae)
409. **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae)
410. **Ochrosia ventralis (Illiger,1807)** (Chrysomelidae)
411. **Odynerus melanocephalus (Gmelin,1790)** (Vespidae)
412. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae)
413. **Oedaleus decorus (Germar,1817)** (Acrididae)
414. **Oedemera (Oncomera) flavicans (Fairmaire,1860)** (Oedemeridae)
415. **Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae)
416. **Oedipoda aurea Uvarov,1923** (Acrididae)
417. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae)
418. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae)
419. **Onychogomphus macrodon (Selys,1887)** (Gomphidae)
420. **Ophiomyia phaseoli (Tryon,1895)** (Agromyzidae)
421. **Opilo taeniatus (Klug,1842)** (Cleridae)
422. **Orchamus davisii (Uvarov,1949)** (Pamphagidae)
423. **Orthetrum sabina (Drury,1770)** (Libellulidae)
424. **Osmanius bathasari (Petrovitz,1963)** (Scarabaeidae)
425. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae)
426. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae)
427. **Otlophorus inflammator Aubert,1970** (Ichneumonidae)
428. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae)
429. **Pachybrachis (s.str.) akbesianus Pic,1907** (Chrysomelidae)
430. **Pagiphora annulata (Brullé,1832)** (Cicadidae)
431. **Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae)
432. **Panaphantus atomus Kiesenwetter,1858** (Staphylinidae)
433. **Pangonius (s.str.) fulvipes Loew,1859** (Tabanidae)
434. **Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae)
435. **Parapholidoptera signata (Brunner von Wattenwyl,1861)** (Tettigoniidae)
436. **Parodontodynerus ephippium (Klug,1817)** (Vespidae)
437. **Pedestredorcadion drusoides (Breuning,1962)** (Cerambycidae)
438. **Pedestredorcadion halepense (Kraatz,1873)** (Cerambycidae)
439. **Pedestredorcadion syriense (Breuning,1943)** (Cerambycidae)
440. **Pedinpompilus ataturki (Wolf,1960)** (Pompilidae)
441. **Penicillidia conspicua Speiser,1901** (Nycteribiidae)
442. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae)
443. **Pentacladia hatayensis Doğanlar,2003** (Eupelmidae)
444. **Pentastira major (Kirschbaum,1868)** (Cixiidae)
445. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae)
446. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae)
447. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae)
448. **Philipomyia graeca (Fabricius,1794)** (Tabanidae)
449. **Phorticus velutinus Puton,1895** (Nabidae)

450. **Phradonoma villosulum** (Duftschmid,1825) (Dermeestidae)
451. **Phthiridium biarticulatum** Hermann,1804 (Nycteribiidae)
452. **Phyllotreta corrugata** Reiche,1858 (Chrysomelidae)
453. **Phyllotreta nigripes** (Fabricius,1775) (Chrysomelidae)
454. **Phytodrymadusa expugnata** (Uvarov,1916) (Tettigoniidae)
455. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
456. **Pignatellus irroratus** (Olivier,1811) (Myrmeleonidae)
457. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
458. **Plagiognathus chrysanthemii** (Wolff,1804) (Miridae)
459. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
460. **Plagiognathus raphani** Wagner,1963 (Miridae)
461. **Platycerus delangrangei** Fairmaire,1892 (Lucanidae)
462. **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae)
463. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
464. **Platycnemis dealbata** Selys,1863 (Platycnemidae)
465. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
466. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
467. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
468. **Polypedilum brevantennatum** Tchern.,1949 (Chironomidae)
469. **Polyphaga aegyptiaca** (Linnaeus,1758) (Polyphagidae)
470. **Potthastia gaedii** (Meigen,1818) (Chironomidae)
471. **Priocnemis fastigiata** Haupt,1934 (Pompilidae)
472. **Priocnemis gracilis** Haupt,1927 (Pompilidae)
473. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
474. **Priocnemis schioedtei** Haupt,1926 (Pompilidae)
475. **Prionosthenus (s.str.) gueleni** Karabağ,1956 (Pamphagidae)
476. **Propomacrus bimucronatus** (Pallas,1781) (Scarabaeidae)
477. **Prostemma krueperi** Stein,1878 (Nabidae)
478. **Protaetia (Potosia) angustata** (Germar,1817) (Scarabaeidae)
479. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
480. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
481. **Proteinus utrarius** Assing,2004 (Staphylinidae)
482. **Protonemura besucheti** Zwick,1971 (Nemouridae)
483. **Psammotettix cerinus** (Lindberg,1948) (Cicadellidae)
484. **Psectrocladius psilopterus** Kieffer,1906 (Chironomidae)
485. **Pseudagrion syriacum** (Selys,1887) (Coenagrionidae)
486. **Psylliodes affinis** (Paykull,1799) (Chrysomelidae)
487. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
488. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
489. **Pyrgomorpha guentheri** Burr,1899 (Pyrgomorphidae)
490. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
491. **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae)
492. **Pyrrhosoma nymphula** (Sulzer,1776) (Coenagrionidae)
493. **Raiboscelis coelestinus** (Waltl,1838) (Tenebrionidae)
494. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
495. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
496. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
497. **Rhagonycha nurdagensis** Wittmer,1972 (Cantharidae)
498. **Rhinocyllus conicus** (Frölich,1792) (Curculionidae)
499. **Rhynchites aereipennis** Desbrochers,1895 (Attelabidae)
500. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
501. **Rhynchites giganteus** Krynický,1832 (Attelabidae)
502. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
503. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
504. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
505. **Rhyparochromus alboacuminatus** (Goeze,1778) (Lygaeidae)
506. **Rhyparochromus confusus** (Reuter,1886) (Lygaeidae)
507. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
508. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
509. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
510. **Rivetina syriaca** (Saussure,1869) (Mantidae)
511. **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae)
512. **Saga beieri** Kaltenbach,1967 (Tettigoniidae)
513. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
514. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
515. **Saga ornata** Burmeister,1838 (Tettigoniidae)
516. **Sapyga (s.str.) gusenleitneri** Kurzenko,1994 (Sapygidae)
517. **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,1830) (Sarcophagidae)
518. **Scaeva albomaculata** (Macquart,1842) (Syrphidae)
519. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
520. **Scaptomyza (Parascaptomyza) pallida** (Zetterstedt,1847) (Drosophilidae)

521. **Schistocerca gregaria** (Forskal,1775)
(Acrididae)
522. **Scintharista notabilis** (Walker,1870)
(Acrididae)
523. **Sciocoris maculatus** Fieber,1851
(Pentatomidae)
524. **Sciocoris microphthalmus** Flor,1860
(Pentatomidae)
525. **Sciocoris ochraceus** Fieber,1861
(Pentatomidae)
526. **Scolia fallax** Eversmann,1849 (Scoliidae)
527. **Scolia galbula** (Pallas,1771) (Scoliidae)
528. **Scolia hirta** (Schrank,1781) (Scoliidae)
529. **Scotodrymadusa syriaca** (Pictet,1888)
(Tettigoniidae)
530. **Scymnus rubromaculatus** (Goeze,1778)
(Coccinellidae)
531. **Sicus ferrugineus** (Linnaeus,1761) (Conopidae)
532. **Sigara albiventris** (Horvath,1911)
(Corixidae)
533. **Sisyphus schaefferi** (Linnaeus,1758)
(Scarabaeidae)
534. **Smaragdina limbata** (Steven,1806)
(Chrysomelidae)
535. **Sogatella vibix** (Haupt,1927) (Delphacidae)
536. **Sphaerophoria rueppelli**
Wiedemann,1830 (Syrphidae)
537. **Sphenella marginata** (Fallén,1814)
(Tephritidae)
538. **Sphingonotus (Sphingoderus) carinatus**
(Saussure,1888) (Acrididae)
539. **Sphingonotus rubescens** (Walker,1870)
(Acrididae)
540. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
541. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
542. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
543. **Stenodera coeruleiceps** Fairmaire,1892
(Meloidae)
544. **Stenodynerus aequisculptus**
(Kostylev,1940) (Vespidae)
545. **Stenodynerus chevriaranus**
(Saussure,1855) (Vespidae)
546. **Stenosis dilutipes** Reitter,1887
(Tenebrionidae)
547. **Stictoichironomus sp.1** (Chironomidae)
548. **Sympecma annulata** (Selys,1887)
(Lestidae)
549. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
550. **Syneudodynerus egregius** (Herrich-
Schäffer,1839) (Vespidae)
551. **Synophyropsis lauri** (Horvath,1897)
(Cicadellidae)
552. **Syritta pipiens** (Linnaeus,1758) (Syrphidae)
553. **Syromastus rhombeus** (Linnaeus,1767)
(Coreidae)
554. **Tabanus anatolicus** Osufjev, Moucha &
Chvala,1967 (Tabanidae)
555. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
556. **Tabanus brunnescens** Szilady,1917
(Tabanidae)
557. **Tabanus cuculus** Szilady,1923 (Tabanidae)
558. **Tabanus leleani** Austen,1920 (Tabanidae)
559. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
560. **Tabanus tergestinus** Egger,1859
(Tabanidae)
561. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
562. **Tachyagetes leucoenemis** Haupt,1930
(Pompilidae)
563. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
564. **Tachycixius creticus** Dlabola,1974
(Cixiidae)
565. **Tanytarsus arduennensis**
Goetghebuer,1913 (Chironomidae)
566. **Tenthredo zonula** Klug,1817
(Tenthredinidae)
567. **Tenthredopsis albonotata** (Brullé,1832)
(Tenthredinidae)
568. **Tephritis cometa** (Loew,1856)
(Tephritidae)
569. **Tephritis dioscurea** (Loew,1856)
(Tephritidae)
570. **Tephritis fallax** (Loew,1844) (Tephritidae)
571. **Tephritis formosa** (Loew,1844) (Tephritidae)
572. **Tephritis hurvitzii** Freidberg,1981 (Tephritidae)
573. **Tephritis matricariae** (Loew,1844)
(Tephritidae)
574. **Teratolytta dives** (Brullé,1832) (Meloidae)
575. **Teratolytta flavipes** (Mulsant & Rey,1858)
(Meloidae)
576. **Teratolytta senilis** (Abeille de Perrin,1895)
(Meloidae)
577. **Tetrigus cyprius** Baudi,1871 (Elateridae)
578. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
579. **Tetrix subulata** (Linnaeus,1758) (Tetrigidae)
580. **Tettigometra (s.str.) virescens**
(Panzer,1799) (Tettigometridae)
581. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
582. **Thamnotettix (Loepotettix) exemtus**
Melichar,1896 (Cicadellidae)
583. **Thamnotettix (s.str.) creticus**
Dlabola,1974 (Cicadellidae)
584. **Thamnotettix (s.str.) klapperichi**
Dlabola,1965 (Cicadellidae)
585. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
586. **Tillus pectinicornis** Abeille de
Perrin,1892 (Cleridae)
587. **Toya propinqua** (Fieber,1866)
(Delphacidae)
588. **Trapezonotus dispar** (Stal,1872)
(Lygaeidae)
589. **Tribolium castaneum** (Herbst,1797)
(Tenebrionidae)
590. **Trichius orientalis** Reitter,1894
(Scarabaeidae)
591. **Trichodes affinis** Chevrolat,1843 (Cleridae)
592. **Trichodes ganglbaueri** Escherich,1893
(Cleridae)
593. **Trichodes inermis** Reitter,1893 (Cleridae)
594. **Trichodes laminatus** Chevrolat,1843
(Cleridae)
595. **Trichodes longissimus** (Abeille de
Perrin,1881) (Cleridae)
596. **Trichodes punctatus** Fischer,1829
(Cleridae)
597. **Trichodes quadriguttatus** Adams,1817
(Cleridae)
598. **Trichodes reichei** Mulsant & Rey,1863
(Cleridae)

599. **Trichodes suspectus** Escherich,1892 (Cleridae)
600. **Trigonidium (s.str.) cicindeloides** Rambur,1839 (Gryllidae)
601. **Trissolcus djadetchko** (Rjachovsky,1959) (Scelionidae)
602. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
603. **Trissolcus pseudoturesis** (Rjachovsky,1959) (Scelionidae)
604. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
605. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
606. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
607. **Trithemis annulata** (P. de Beauvais,1807) (Libellulidae)
608. **Troglops hatayensis** Wittmer,1974 (Melyridae)
609. **Tropidomyia aureifacies** Kröber,1915 (Conopidae)
610. **Tropidopola graeca** Uvarov,1926 (Acrididae)
611. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
612. **Truxalis robusta** (Uvarov,1916) (Acrididae)
613. **Tshurtshurnella acuta** (Linnavuori,1965) (Issidae)
614. **Tshurtshurnella trifasciata** (Linnavuori,1965) (Issidae)
615. **Tychius striatulus** Gyllenhal,1836 (Curculionidae)
616. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
617. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
618. **Urophora aprica** (Fallén,1820) (Tephritidae)
619. **Urophora dzieduszycii** Frauenfeld,1867 (Tephritidae)
620. **Urophora hani** Kütük,2009 (Tephritidae)
621. **Urophora macrura** (Loew,1855) (Tephritidae)
622. **Urophora neuenschwanderi** Freidberg,1982 (Tephritidae)
623. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
624. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
625. **Urophora terebrans** (Loew,1850) (Tephritidae)
626. **Vespa orientalis** Linnaeus,1771 (Vespidae)
627. **Vespula germanica** (Fabricius,1793) (Vespidae)
628. **Xenaporus schmidti** Priesner,1967 (Pompilidae)
629. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
630. **Xya variegata** (Latreille,1809) (Tridactylidae)
631. **Xylotrechus sieversi** Ganglbauer,1890 (Cerambycidae)
632. **Zalutschia korosienis** (Tchern.,1949) (Chironomidae)
633. **Zavrelimyia melanura** (Meigen,1818) (Chironomidae)
634. **Zophosis hydrobiiformis** Reitter,1916 (Tenebrionidae)
635. **Zyginella pulchra** Loew,1885 (Cicadellidae)

Isparta Province (32)

(540 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Aciura coryli** (Rossi,1790) (Tephritidae)
3. **Acrida anatolica** Dirsh,1949 (Acrididae)
4. **Acrida bicolor** (Thunberg,1815) (Acrididae)
5. **Acroricnus seductor** (Scopoli,1786) (Ichneumonidae)
6. **Actinoptera discoidea** (Fallén,1814) (Tephritidae)
7. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
8. **Aelia rostrata** Boheman,1852 (Pentatomidae)
9. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
10. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
11. **Agabus (Gaurodytes) conspersus** (Marsham,1802) (Dytiscidae)
12. **Agabus (Gaurodytes) didymus** (Olivier,1795) (Dytiscidae)
13. **Agabus (Gaurodytes) dilatatus** (Brullé,1832) (Dytiscidae)
14. **Agabus (Gaurodytes) faldermanni** Zaitzev,1927 (Dytiscidae)
15. **Agria affinis** (Fallén,1817) (Sarcophagidae)
16. **Agriotes (s.str.) karsantianus** Pic,1910 (Elateridae)
17. **Agriotes (s.str.) lineatus** (Linnaeus,1767) (Elateridae)
18. **Agriotes (s.str.) lizleri** Platia,2003 (Elateridae)
19. **Agriotes (s.str.) lundbergi** Platia,1989 (Elateridae)
20. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
21. **Agriotes (s.str.) tristiculus** Reitter,1906 (Elateridae)
22. **Agriotes (s.str.) turcicus** Candeze,1863 (Elateridae)
23. **Agromyza flavipennis** Hendel,1920 (Agromyzidae)
24. **Agromyza myosotidis** Kaltenbach,1864 (Agromyzidae)
25. **Agrothereutes fumipennis** (Gravenhorst,1829) (Ichneumonidae)
26. **Agrothereutes hospes** (Tschek,1871) (Ichneumonidae)
27. **Agrothereutes parvulus** (Habermehl,1926) (Ichneumonidae)
28. **Agrypon flexorium** (Thunberg,1822) (Ichneumonidae)
29. **Alloplasta piceator** (Thunberg,1822) (Ichneumonidae)
30. **Amphicoma (Pygopleurus) kareli** Petrovitz,1962 (Glaphyridae)

31. **Amphicoma (Pygopleurus) mithridates Petrovitz,1962** (Glaphyridae)
32. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
33. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae)
34. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
35. **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae)
36. **Anax parthenope (Selys,1839)** (Aeshnidae)
37. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
38. **Andricus aries (Giraud,1859)** (Cynipidae)
39. **Andricus callidoma (Hartig,1841)** (Cynipidae)
40. **Andricus caputmedusae (Hartig,1843)** (Cynipidae)
41. **Andricus ceconii Kieffer,1901** (Cynipidae)
42. **Andricus conglomeratus (Giraud,1859)** (Cynipidae)
43. **Andricus coriarius (Hartig,1843)** (Cynipidae)
44. **Andricus coronatus (Giraud,1859)** (Cynipidae)
45. **Andricus curtisii (Müller,1870)** (Cynipidae)
46. **Andricus grossulariae Giraud,1859** (Cynipidae)
47. **Andricus infectorius (Hartig,1843)** (Cynipidae)
48. **Andricus kollari (Hartig,1843)** (Cynipidae)
49. **Andricus lignicolus (Hartig,1840)** (Cynipidae)
50. **Andricus megalucidus Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae)
51. **Andricus quercustozae (Bosc,1792)** (Cynipidae)
52. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae)
53. **Andricus stefanii (Kieffer,1897)** (Cynipidae)
54. **Andricus tomentosus (Trotter,1901)** (Cynipidae)
55. **Anisochrya (s.str.) zelleri (Schneider,1851)** (Chrysopidae)
56. **Anisoplia imitatrix Apfelbeck,1909** (Scarabaeidae)
57. **Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae)
58. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
59. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
60. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae)
61. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae)
62. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae)
63. **Anthaxia (Melanthaxia) negrei Cobos,1953** (Buprestidae)
64. **Anthaxia (Melanthaxia) pinguis Kiesenwetter,1880** (Buprestidae)
65. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae)
66. **Anthaxia (s.str.) nigricollis Abeille,1904** (Buprestidae)
67. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
68. **Anthidium (Archiantidium) pubescens (Morawitz,1872)** (Megachilidae)
69. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
70. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
71. **Anthidium (s.str.) loti Perris,1852** (Megachilidae)
72. **Apanteles obscurus (Nees,1834)** (Braconidae)
73. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae)
74. **Aphrophora corticea Germar,1821** (Cercopidae)
75. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae)
76. **Apophua bipunctaria (Thunberg,1822)** (Ichneumonidae)
77. **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae)
78. **Aritranis confector (Gravenhorst,1829)** (Ichneumonidae)
79. **Aritranis director (Thunberg,1824)** (Ichneumonidae)
80. **Aritranis fugitivus (Gravenhorst,1829)** (Ichneumonidae)
81. **Aritranis longicauda (Kriechbaumer,1873)** (Ichneumonidae)
82. **Aritranis nigrifemur (Szepligeti,1916)** (Ichneumonidae)
83. **Aritranis occisor (Gravenhorst,1829)** (Ichneumonidae)
84. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae)
85. **Aritranis quadriguttatus (Gravenhorst,1829)** (Ichneumonidae)
86. **Ascogaster instabilis Wesmael,1835** (Braconidae)
87. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae)
88. **Aulagromyza populi (Kaltenbach,1864)** (Agromyzidae)
89. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
90. **Bangasternus planifrons (Brullé,1832)** (Curculionidae)
91. **Baryphora speciosa Loew,1844** (Therevidae)
92. **Batrissodes insularis (Baudi di Selve,1870)** (Staphylinidae)
93. **Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae)
94. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae)
95. **Berosus (Enoplurus) frontifoveatus Kuwert,1888** (Hydrophilidae)
96. **Bidessus nasutus Sharp,1887** (Dytiscidae)
97. **Biorhiza pallida (Olivier,1791)** (Cynipidae)
98. **Blaps jeanneli Ferrer & Soldati,1999** (Tenebrionidae)
99. **Blastothrix gurselae Japoshvili & Karaca,2003** (Encyrtidae)
100. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
101. **Bombus terrestris Linnaeus,1758** (Apidae)
102. **Boveycantharis tokatensis (Pic,1898)** (Cantharidae)
103. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae)
104. **Brachycerus sinuatus Olivier,1807** (Brachyceridae)
105. **Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae)
106. **Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae)
107. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae)
108. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae)

109. **Bracon (Glabrobracon) delusorius** **Telenga,1936** (Braconidae)
110. **Bracon (Glabrobracon) fumipennis** **(Thomson,1892)** (Braconidae)
111. **Bracon (Glabrobracon) obscurator** **(Nees,1812)** (Braconidae)
112. **Bracon (Glabrobracon) osculator** **(Nees,1812)** (Braconidae)
113. **Bracon (Glabrobracon) piger** **(Wesmael,1838)** (Braconidae)
114. **Bracon (Glabrobracon) popovi** **Telenga,1936** (Braconidae)
115. **Bracon (Glabrobracon) terebella** **(Wesmael,1838)** (Braconidae)
116. **Bracon (Glabrobracon) variator** **(Nees,1812)** (Braconidae)
117. **Bracon (Rostrobracon) urinator** **(Fabricius,1798)** (Braconidae)
118. **Brumus octosignatus** **(Gebler,1830)** (Coccinellidae)
119. **Buathra laborator** **(Thunberg,1824)** (Ichneumonidae)
120. **Buathra tarsoleuca** **(Schrank,1781)** (Ichneumonidae)
121. **Bubopsis hamatus** **(Klug,1834)** (Ascalaphidae)
122. **Calliptamus barbarus** **(Costa,1836)** (Acrididae)
123. **Calliptamus coelesyriensis** **(Giglio-Tos,1893)** (Acrididae)
124. **Calliptamus tenuicercis** **Tarbinsky,1930** (Acrididae)
125. **Calopteryx mingrelica** **Selys,1869** (Calopterygidae)
126. **Calopteryx virgo** **(Linnaeus,1758)** (Calopterygidae)
127. **Campiglossa difficilis** **Hendel,1927** (Tephritidae)
128. **Campiglossa producta** **Loew,1844** (Tephritidae)
129. **Cantharis annularis** **Ménétriés,1836** (Cantharidae)
130. **Cantharis livida** **Linnaeus,1758** (Cantharidae)
131. **Cantharis rufa** **Linnaeus,1758** (Cantharidae)
132. **Cantharis smyrnensis** **Marseul,1864** (Cantharidae)
133. **Capnodis tenebrionis** **(Linnaeus,1761)** (Buprestidae)
134. **Carabus (Procrustes) anatolicus** **Chaudoir,1857** (Carabidae)
135. **Carpocoris fuscispinus** **(Boheman,1851)** (Pentatomidae)
136. **Carpocoris mediterraneus** **Tamanini,1958** (Pentatomidae)
137. **Carpomya schieneri** **(Loew,1856)** (Tephritidae)
138. **Cassida rubiginosa** **Müller,1776** (Chrysomelidae)
139. **Cerapterocerus mirabilis** **Westwood,1833** (Encyrtidae)
140. **Cercion lindenii** **(Selys,1840)** (Coenagrionidae)
141. **Cercopis intermedia** **Kirschbaum,1868** (Cercopidae)
142. **Cerodontha (Dizygomyza) bimaculata** **(Meigen,1830)** (Agromyzidae)
143. **Ceutorhynchus nanus** **Gyllenhal,1837** (Curculionidae)
144. **Cheiloneurus quercus** **Mayr,1876** (Encyrtidae)
145. **Chelonus obscurator** **Herrich-Schäffer,1838** (Braconidae)
146. **Chionotopus humeralis** **(Reiche,1857)** (Melyridae)
147. **Chorthippus (Chorthippus) parallelus** **(Zetterstedt,1821)** (Acrididae)
148. **Chorthippus (s.str.) dichrous** **(Eversmann,1859)** (Acrididae)
149. **Chrysolina herbacea** **(Duftschmidt,1825)** (Chrysomelidae)
150. **Chrysolina marginata** **(Linnaeus,1758)** (Chrysomelidae)
151. **Chrysolina sahlbergi** **(Ménétriés,1832)** (Chrysomelidae)
152. **Chrysolina vernalis** **(Brullé,1836)** (Chrysomelidae)
153. **Chrysopa formosa** **Brauer,1850** (Chrysopidae)
154. **Cicadatra hyalina** **(Fabricius,1798)** (Cicadidae)
155. **Cicadetta dimissa** **(Hagen,1856)** (Cicadidae)
156. **Cicindela campestris** **Linnaeus,1758** (Carabidae)
157. **Cicindela herbacea** **Klug,1832** (Carabidae)
158. **Cionus donckieri** **Pic,1898** (Curculionidae)
159. **Coccophagus differens** **Yasnosh,1966** (Aphelinidae)
160. **Coccophagus spartanus** **Japoshvili & Karaca,2002** (Aphelinidae)
161. **Coenagrion scitulum** **(Rambur,1842)** (Coenagrionidae)
162. **Coenorrhinus aequatus** **(Linnaeus,1767)** (Attelabidae)
163. **Coenorrhinus cribripennis** **Desbrochers,1869** (Attelabidae)
164. **Coenorrhinus cribrum** **(Desbrochers,1875)** (Attelabidae)
165. **Colpotus vogti** **Koch,1944** (Tenebrionidae)
166. **Conophorus glaucescens** **(Loew,1863)** (Bombyliidae)
167. **Conophorus rjabovi** **Paramonov,1929** (Bombyliidae)
168. **Cordicantharis iliaca** **(Marseul,1864)** (Cantharidae)
169. **Corixa affinis** **Leach,1818** (Corixidae)
170. **Corixa panzeri** **(Fieber,1848)** (Corixidae)
171. **Cotesia ancilla** **(Nixon,1974)** (Braconidae)
172. **Cotesia cupresus** **(Lylé,1925)** (Braconidae)
173. **Cotesia jucunda** **(Marshall,1885)** (Braconidae)
174. **Cotesia memnon** **(Nixon,1974)** (Braconidae)
175. **Cotesia ruficrus** **(Haliday,1834)** (Braconidae)
176. **Cotesia tenebrosa** **(Papp,1976)** (Braconidae)
177. **Cotesia vanessae** **(Reinhard,1880)** (Braconidae)
178. **Cryptocephalus biledjekensis** **Pic,1909** (Chrysomelidae)
179. **Cryptocephalus bipunctatus** **(Linnaeus,1758)** (Chrysomelidae)
180. **Cryptocephalus concolor** **Suffrian,1847** (Chrysomelidae)
181. **Cryptocephalus connexus** **Olivier,1808** (Chrysomelidae)
182. **Cryptocephalus flavipes** **Fabricius,1781** (Chrysomelidae)
183. **Cryptocephalus fulvus** **(Goeze,1777)** (Chrysomelidae)
184. **Cryptocephalus imperialis** **Laicharting,1781** (Chrysomelidae)
185. **Cryptocephalus moehringi** **Weise,1884** (Chrysomelidae)
186. **Cryptocephalus moraei** **(Linnaeus,1758)** (Chrysomelidae)
187. **Cryptocephalus ocellatus** **Drapiez,1819** (Chrysomelidae)

188. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
189. **Cryptocephalus parvulus** Müller,1776 (Chrysomelidae)
190. **Cryptocephalus populi** Suffrian,1848 (Chrysomelidae)
191. **Cryptocephalus pygmaeus** Fabricius,1792 (Chrysomelidae)
192. **Cryptocephalus turcicus** Suffrian,1847 (Chrysomelidae)
193. **Cryptocheilus fabricii** (Van der Linden,1827) (Pompilidae)
194. **Cryptus diana**e Gravenhorst,1829 (Ichneumonidae)
195. **Cryptus spinosus** Gravenhorst,1829 (Ichneumonidae)
196. **Cryptus spiralis** (Geoffroy,1785) (Ichneumonidae)
197. **Cryptus subspinosus** Burgst,1913 (Ichneumonidae)
198. **Ctenagenia ozbeki** Wahis,2002 (Pompilidae)
199. **Curculio pyrrhoceras** Marsham,1802 (Curculionidae)
200. **Cylindronotus (Helopelius) aeneipennis** (Allard,1876) (Tenebrionidae)
201. **Cynips quercus** (Fourcroy,1785) (Cynipidae)
202. **Cynips quercusfolii** (Linnaeus,1758) (Cynipidae)
203. **Dailognatha rugipleuris** Reitter,1896 (Tenebrionidae)
204. **Deleproctophylla dusmeti** Navas,1914 (Ascalaphidae)
205. **Delta unguiculatum** (Villers,1789) (Vespidae)
206. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
207. **Deronectes parvicollis** (Schaum,1864) (Dytiscidae)
208. **Dironychus pici** Platia & Gudenzi,2004 (Elateridae)
209. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
210. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
211. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
212. **Dioctria arcana** Richter,1966 (Asilidae)
213. **Dioctria flavipennis** Meigen,1820 (Asilidae)
214. **Dioctria valida** Loew,1856 (Asilidae)
215. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
216. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
217. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
218. **Dolichovespula sylvestris** (Scopoli,1763) (Vespidae)
219. **Donus zoilus** (Scopoli,1763) (Curculionidae)
220. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
221. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
222. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
223. **Dytiscus circumflexus** Fabricius,1781 (Dytiscidae)
224. **Dytiscus marginalis** Linnaeus,1758 (Dytiscidae)
225. **Dytiscus semisulcatus** O.F.Müller,1776 (Dytiscidae)
226. **Elathous rufobasalis** Wurst,1994 (Elateridae)
227. **Elinora asiatica** Enslin,1910 (Tenthredinidae)
228. **Emblethis angustus** Montandon,1890 (Lygaeidae)
229. **Empis (s.str.) caudatula** Loew,1867 (Empididae)
230. **Empis (s.str.) lepidopus** Meigen,1822 (Empididae)
231. **Enallagma cyathigerum** (Charpentier,1840) (Coenagrionidae)
232. **Enicopus hirtus** (Linnaeus,1767) (Melyridae)
233. **Enicospilus ramidulus** (Linnaeus,1758) (Ichneumonidae)
234. **Eoferreola distincta** (Smith,1855) (Pompilidae)
235. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
236. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
237. **Euboëus mimonti** (Boieldieu,1865) (Tenebrionidae)
238. **Eupteryx gyaurdagicus** Dlabola,1957 (Cicadellidae)
239. **Eurydema blanda** Horvath,1803 (Pentatomidae)
240. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
241. **Euscelidius mundus** (Haupt,1927) (Cicadellidae)
242. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae)
243. **Eusphalerum korbi** (Bernhauer,1903) (Staphylinidae)
244. **Euzonitis quadrimaculata** (Pallas,1782) (Meloidae)
245. **Exochus albicinctus** Holmgren,1873 (Ichneumonidae)
246. **Fieberiella oenderi** Dlabola,1985 (Cicadellidae)
247. **Frutioidia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
248. **Gambrus incubitor** (Linnaeus,1758) (Ichneumonidae)
249. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
250. **Gravenhorstia (Kokujewiella) vicaria** Shestakov,1926 (Ichneumonidae)
251. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
252. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
253. **Gyrinus distinctus** Aubé,1836 (Gyrinidae)
254. **Halipilus variegatus** Sturm,1834 (Halipilidae)
255. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
256. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
257. **Harmonia quadripunctata** (Pontoppidan,1763) (Coccinellidae)
258. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
259. **Helophorus nubilus** Fabricius,1776 (Helophoridae)

260. **Hemipenthes morio** (Linnaeus,1758)
(Bombyliidae)
261. **Hemipenthes subvelutinus** Zaitzev,1966
(Bombyliidae)
262. **Hemipenthes velutinus** (Meigen,1820)
(Bombyliidae)
263. **Heringina guttata** (Fallén,1814)
(Tephritidae)
264. **Hidryta sordida** (Tschek,1871)
(Ichneumonidae)
265. **Homodela ismenia** (Gory,1833)
(Carabidae)
266. **Hoplitis (Micreriades) pisidia**
Tkalcu,2000 (Megachilidae)
267. **Hoplitis (s.str.) manicata** (Morice,1901)
(Megachilidae)
268. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
269. **Hyalesthes obsoletus** Signoret,1865
(Cixiidae)
270. **Hyalesthes scotti** Ferrari,1882 (Cixiidae)
271. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
272. **Hydrochara caraboides** (Linnaeus,1758)
(Hydrophilidae)
273. **Hydroporus bodemeyeri** Ganglbauer,1900
(Dytiscidae)
274. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
275. **Hygrotus (s.str.) inaequalis** (Fabricius,1777)
(Dytiscidae)
276. **Hypera meles** (Fabricius,1792)
(Curculionidae)
277. **Hypera trilineata** (Marsham,1802)
(Curculionidae)
278. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
279. **Idiolispa analis** (Gravenhorst,1829)
(Ichneumonidae)
280. **Ilybius fuliginosus** (Fabricius,1792)
(Dytiscidae)
281. **Ischnodes sanguinicollis** (Panzer,1793)
(Elateridae)
282. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
283. **Ischnus agitator** (Olivier,1792)
(Ichneumonidae)
284. **Kermes palestiniensis** Balachowsky,1953
(Kermesidae)
285. **Kyboasca bipunctata** (Oshanin,1871)
(Cicadellidae)
286. **Laccobius (Dimorpholaccobius)**
simulatrix Orchymont,1932 (Hydrophilidae)
287. **Laccobius (Dimorpholaccobius)**
striatulus (Fabricius,1801) (Hydrophilidae)
288. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
289. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
290. **Laccophilus hyalinus** (De Geer,1774)
(Dytiscidae)
291. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
292. **Laccophilus poecilus** Klug,1834
(Dytiscidae)
293. **Larinus jaceae** (Fabricius,1775)
(Curculionidae)
294. **Larinus latus** (Herbst,1784)
(Curculionidae)
295. **Larinus minutus** Gyllenhal,1836
(Curculionidae)
296. **Larinus sturnus** (Schaller,1878)
(Curculionidae)
297. **Lertha extensa** (Olivier,1811)
(Nemopteridae)
298. **Lertha ledereri** (Selys-
Longchamps,1866) (Nemopteridae)
299. **Leucorrhinia pectoralis**
(Charpentier,1825) (Libellulidae)
300. **Libelloides lacteus** (Brullé,1832)
(Ascalaphidae)
301. **Libelloides macaronius** (Scopoli,1763)
(Ascalaphidae)
302. **Liriomyza euphorbiae** Martinez,1999
(Agromyzidae)
303. **Lissonota (Loxonota) flavovariegata**
(Lucas,1849) (Ichneumonidae)
304. **Lissonota (Loxonota) histrio**
(Fabricius,1798) (Ichneumonidae)
305. **Lissonota (s.str.) compar**
Fonscolombe,1854 (Ichneumonidae)
306. **Lissonota (s.str.) culiciformis**
Gravenhorst,1829 (Ichneumonidae)
307. **Lissonota (s.str.) fundator**
(Thunberg,1822) (Ichneumonidae)
308. **Lissonota (s.str.) rufitarsis**
Szepligeti,1899 (Ichneumonidae)
309. **Listrognathus (s.str.) furax**
(Tschek,1871) (Ichneumonidae)
310. **Listrognathus orientalis** Horstmann,1989
(Ichneumonidae)
311. **Lixus cardui** Olivier,1807 (Curculionidae)
312. **Longitarsus anatolicus** Weise,1900
(Chrysomelidae)
313. **Longitarsus karlheinzi** Warchalowski,1972
(Chrysomelidae)
314. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
315. **Lydus turcicus** Kaszab,1952 (Meloidae)
316. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
317. **Macrophya montana** (Scopoli,1763)
(Tenthredinidae)
318. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
319. **Mantispa scabricollis** McLachlan,1875
(Mantispidae)
320. **Mantispa styriaca** (Poda,1761)
(Mantispidae)
321. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
322. **Megabombus zonatus** (Smith,1854)
(Apidae)
323. **Megachile (Xanthosarus) giraudi**
Gerstaecker,1869 (Megachilidae)
324. **Megascolia maculata** (Drury,1773)
(Scoliidae)
325. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
326. **Meringopus pseudonymphus**
(Tschek,1872) (Ichneumonidae)
327. **Meringopus titulator** (Linnaeus,1758)
(Ichneumonidae)
328. **Mesostenus albinotatus**
Gravenhorst,1829 (Ichneumonidae)
329. **Mesostenus grammicus**
Gravenhorst,1829 (Ichneumonidae)
330. **Mesostenus transfuga** Gravenhorst,1829
(Ichneumonidae)

331. **Metacantharis taurigrada** Bourgeois,1900
(Cantharidae)
332. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
333. **Microchelonus contracta** (Nees,1834)
(Braconidae)
334. **Microchelonus sulcata** (Jurine,1807)
(Braconidae)
335. **Mocuellus dlabolai** Kalkandelen,1972
(Cicadellidae)
336. **Mocydiopsis monticola** Remane,1961
(Cicadellidae)
337. **Mocydiopsis parvicauda** Ribaut,1939
(Cicadellidae)
338. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
339. **Muzimes collaris** (Fabricius,1787)
(Meloidae)
340. **Mylabris calida** (Pallas,1781) (Meloidae)
341. **Mylabris cincta** Olivier,1811 (Meloidae)
342. **Mylabris fabricii** Sumakov,1924
(Meloidae)
343. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
344. **Mylabris syriaca** Klug,1845 (Meloidae)
345. **Myndus musivus** (Germar,1825) (Cixiidae)
346. **Myrmecaelurus maior** McLachan,1875
(Myrmeleonidae)
347. **Myrmecaelurus major** McLachlan,1875
(Myrmeleonidae)
348. **Myrmeleonostenus italicus**
(Gravenhorts,1829) (Ichneumonidae)
349. **Namunia myrmecophila** Reitter,1884
(Staphylinidae)
350. **Napomyza cichorii** Spencer,1966
(Agromyzidae)
351. **Nebrioporus turca** (Seidlitz,1887) (Dytiscidae)
352. **Nemognatha chrysomelina**
(Fabricius,1775) (Meloidae)
353. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
354. **Nemotelus (s.str.) pantherinus**
(Linnaeus,1758) (Stratiomyidae)
355. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
356. **Neuroterus lanuginosus** Giraud,1859
(Cynipidae)
357. **Neuroterus numismalis** (Fourcroy,1785)
(Cynipidae)
358. **Neuroterus quercusbaccarum**
(Linnaeus,1758) (Cynipidae)
359. **Noeeta crepidis** (Hering,1936)
(Tephritidae)
360. **Noterus clavicornis** (De Geer,1774)
(Noteridae)
361. **Noterus clavicornis** (De Geer,1774) (Noteridae)
362. **Noterus crassicornis** (O.F.Müller,1776)
(Noteridae)
363. **Nycteribia (Acrocholidia) vexata**
Westwood,1835 (Nycteribiidae)
364. **Nycteribia (s.str.) latreillii** (Leach,1817)
(Nycteribiidae)
365. **Nycteribia (s.str.) schmidlii** Schiner,1853
(Nycteribiidae)
366. **Occathemus tarsalis** Svihla,1999
(Cantharidae)
367. **Odontomyia hydroleon** (Linnaeus,1758)
(Stratiomyidae)
368. **Oenas crassicornis** (Illiger,1800)
(Meloidae)
369. **Oenopia oncina** (Olivier,1808)
(Coccinellidae)
370. **Omalius cinnamomeum** Kraatz,1857
(Staphylinidae)
371. **Onychogomphus assimilis** (Schneider,1845)
(Gomphidae)
372. **Onychogomphus forcipatus** (Linnaeus,1758)
(Gomphidae)
373. **Opatroides punctulatus** Brullé,1832
(Tenebrionidae)
374. **Ophion mocsaryi** Brauns,1889
(Ichneumonidae)
375. **Ophion ventricosus** Gravenhorst,1829
(Ichneumonidae)
376. **Oplodontha viridula** (Fabricius,1775)
(Stratiomyidae)
377. **Orellia falcata** (Scopoli,1763) (Tephritidae)
378. **Orellia punctata** (Schrank,1781)
(Tephritidae)
379. **Orellia quadratula** (Loew,1869)
(Tephritidae)
380. **Orellia steropea** (Rondani,1870)
(Tephritidae)
381. **Osmylus fulvicephalus** (Scopoli,1763)
(Osmylidae)
382. **Oxycera (Camptopelta) meigenii**
Staeger,1844 (Stratiomyidae)
383. **Oxycera trilineata** (Linnaeus,1767)
(Stratiomyidae)
384. **Oxyna flavipennis** (Loew,1844)
(Tephritidae)
385. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
386. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
387. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
388. **Pachybrachis (s.str.) sinuatus** Mulsant &
Rey,1859 (Chrysomelidae)
389. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
390. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
391. **Palpares libelluloides** (Linnaeus,1764)
(Myrmeleonidae)
392. **Pangonius (s.str.) fulvipes** Loew,1859
(Tabanidae)
393. **Pedestredorcadion ispartense**
(Breuning,1962) (Cerambycidae)
394. **Pedinus (s.str.) bodemeyeri** Reitter,1904
(Tenebrionidae)
395. **Pedinus (s.str.) curvipes** Mulsant &
Rey,1853 (Tenebrionidae)
396. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
397. **Peltodytes caesus** (Duftschmid,1805)
(Halipilidae)
398. **Penicillidia conspicua** Speiser,1901
(Nycteribiidae)
399. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
400. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
401. **Penthimia nigra** (Goeze,1778) (Cicadellidae)
402. **Perlamantispa perla** (Pallas,1772)
(Mantispidae)

403. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
404. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
405. **Phyllotreta egridirensis** Gruev & Kasap,1985 (Chrysomelidae)
406. **Phyllotreta erysimi** Weise,1900 (Chrysomelidae)
407. **Phyllotreta variipennis** (Boieldieu,1859) (Chrysomelidae)
408. **Phytomyza pubicornis** Hendel,1920 (Agromyzidae)
409. **Pignatellus irroratus** (Olivier,1811) (Myrmeleonidae)
410. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
411. **Piocoris erythrocephalus** (P. & S.,1825) (Lygaeidae)
412. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
413. **Plastocerus angulosus** (Germar,1845) (Elateridae)
414. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
415. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
416. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
417. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
418. **Platypygyus chrysanthemii** Loew,1844 (Mythicomysiidae)
419. **Platypygyus chrysanthemii** Loew,1844 (Mythicomysiidae)
420. **Poecilimon karakushi** Ünal,2003 (Tettigoniidae)
421. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
422. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
423. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
424. **Priocnemis fallax** Verhoeff,1892 (Pompilidae)
425. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
426. **Priocnemis rugosa** Susterer,1922 (Pompilidae)
427. **Probaticus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
428. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
429. **Psammotettix cephalotes** (Herrich-Schäffer,1834) (Cicadellidae)
430. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
431. **Psammotettix helvolus** (Kirschbaum,1868) (Cicadellidae)
432. **Pseudocrepidophorus concavifrons** Wurst,1994 (Elateridae)
433. **Pseudophotopsis syriaca** (André,1900) (Mutillidae)
434. **Psilophrys bella** Japoshvili & Noyes,2006 (Encyrtidae)
435. **Psilophrys ghilarovi** Japoshvili,2005 (Encyrtidae)
436. **Psilophrys tenuicornis** Graham,1969 (Encyrtidae)
437. **Purpuricenus longevittatus** Pic,1941 (Cerambycidae)
438. **Pycnocryptodes reticulator** Aubert,1971 (Ichneumonidae)
439. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
440. **Raphidia (Phidiara) prophetica** H.Aspöck & U.Aspöck,1964 (Raphidiidae)
441. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
442. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
443. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
444. **Rhagonycha duplicata** Dahlgren,1968 (Cantharidae)
445. **Rhinocyllus conicus** (Frölich,1792) (Curculionidae)
446. **Rhynchites hungaricus** (Herbst,1784) (Atelabidae)
447. **Rhynchites lenaeus** Faust,1891 (Atelabidae)
448. **Rhynchites purpureipennis** Voss,1973 (Atelabidae)
449. **Rhynchites smyrnensis** Desbrochers,1869 (Atelabidae)
450. **Rhyarochromus phoeniceus** (Rossi,1794) (Lygaeidae)
451. **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,1830) (Sarcophagidae)
452. **Sargus cuprarius** (Linnaeus,1758) (Stratiomyidae)
453. **Scaptomyza (Parascaptomyza) pallida** (Zetterstedt,1847) (Drosophilidae)
454. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae)
455. **Scarodytes halensis** (Fabricius,1787) (Dytiscidae)
456. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
457. **Scolia hirta** (Schrank,1781) (Scoliidae)
458. **Selenocephalus pallens** Lindberg,1948 (Cicadellidae)
459. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
460. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
461. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
462. **Sphenella marginata** (Fallén,1814) (Tephritidae)
463. **Stenerella domator** (Poda,1761) (Ichneumonidae)
464. **Stenodera coeruleiceps** Fairmaire,1892 (Meloidae)
465. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae)
466. **Suaris nanus** (McLachlan,1893) (Chrysopidae)
467. **Sympecma fusca** (Van Der Linden,1820) (Lestidae)
468. **Syromastus rhombeus** (Linnaeus,1767) (Coreidae)
469. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
470. **Tabanus cuculus** Szilady,1923 (Tabanidae)
471. **Tabanus obsolescens** Pandelle,1883 (Tabanidae)

472. **Tabanus prometheus Szilady,1923**
(Tabanidae)
473. **Tachyacistrocerus rhodensis**
(Saussure,1855) (Vespidae)
474. **Tenthredo caucasica Eversmann,1847**
(Tenthredinidae)
475. **Tenthredo zonula Klug,1817** (Tenthredinidae)
476. **Tephritis acanthiophilopsis Hering,1938**
(Tephritidae)
477. **Tephritis cometa (Loew,1856)** (Tephritidae)
478. **Tephritis erdemlii Kütük,2008**
(Tephritidae)
479. **Tephritis hurvitzi Freidberg,1981**
(Tephritidae)
480. **Tephritis matricariae (Loew,1844)**
(Tephritidae)
481. **Tephritis nigricauda (Loew,1856)**
(Tephritidae)
482. **Tephritis postica (Loew,1844)**
(Tephritidae)
483. **Tephritis praecox (Loew,1844)**
(Tephritidae)
484. **Tephritis separata Rondani,1871**
(Tephritidae)
485. **Tephritis simplex (Loew,1844)**
(Tephritidae)
486. **Tephritis vespertina (Loew,1844)**
(Tephritidae)
487. **Tettigometra (Hystrigonia) hexaspina**
Kolenati,1857 (Tettigometridae)
488. **Thanatophilus rugosus (Linnaeus,1758)**
(Silphidae)
489. **Thereva apicalis Wiedemann,1821**
(Therevidae)
490. **Thereva aurata (Loew,1854)** (Therevidae)
491. **Thereva hirta Kröber,1913** (Therevidae)
492. **Thereva lanata Zetterstedt,1838**
(Therevidae)
493. **Thereva tristis (Loew,1847)** (Therevidae)
494. **Thibetoides acerbus Victorov,1964**
(Ichneumonidae)
495. **Tipula (Acutipula) latifurca**
Vermoolen,1983 (Tipulidae)
496. **Tipula (Lunatipula) dedecor Loew,1873**
(Tipulidae)
497. **Tipula (Lunatipula) istriana Erhan &**
Theowald,1961 (Tipulidae)
498. **Tipula (Lunatipula) russula**
Theischinger,1977 (Tipulidae)
499. **Tipula (Lunatipula) sciurus**
Theischinger,1977 (Tipulidae)
500. **Tipula (Tipula) orientalis**
Lackschewitz,1930 (Tipulidae)
501. **Tipula (Yamatotipula) lateralis Meigen,1804**
(Tipulidae)
502. **Toya propinqua (Fieber,1866)**
(Delphacidae)
503. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
504. **Trichodes longissimus (Abeille de**
Perrin,1881) (Cleridae)
505. **Trichodes punctatus Fischer,1829**
(Cleridae)
506. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
507. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
508. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
509. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
510. **Troglophilus (s.str.) adamovici Us,1974**
(Raphidophoridae)
511. **Troglophilus (s.str.) escalerae Bolivar,1899**
(Raphidophoridae)
512. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
513. **Trychosis atripes (Gravenhorst,1829)**
(Ichneumonidae)
514. **Trychosis legator (Thunberg,1824)**
(Ichneumonidae)
515. **Trychosis neglecta (Tschek,1870)**
(Ichneumonidae)
516. **Trychosis pauper (Tschek,1871)**
(Ichneumonidae)
517. **Trychosis priesneri Rossem,1971**
(Ichneumonidae)
518. **Trychosis trisator (Tschek,1871)**
(Ichneumonidae)
519. **Tychius argentatus Chevrolat,1859**
(Curculionidae)
520. **Tychius aureolus Kiesenwetter,1851**
(Curculionidae)
521. **Tychius brevisculus Desbrochers,1873**
(Curculionidae)
522. **Tychius caldarai Dieckmann,1986**
(Curculionidae)
523. **Tychius consputus Kiesenwetter,1864**
(Curculionidae)
524. **Tychius flavus Becker,1864** (Curculionidae)
525. **Tychius graecus Kiesenwetter,1864**
(Curculionidae)
526. **Tychius hirtellus Tournier,1873**
(Curculionidae)
527. **Tychius medicaginis Brisout,1862**
(Curculionidae)
528. **Tychius meliloti Stephens,1831**
(Curculionidae)
529. **Tychius squamulatus Gyllenhal,1836**
(Curculionidae)
530. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
531. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
532. **Urophora eriolepidis (Loew,1856)**
(Tephritidae)
533. **Urophora macrura (Loew,1855)**
(Tephritidae)
534. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
535. **Urophora stylata (Fabricius,1775)**
(Tephritidae)
536. **Urophora terebrans (Loew,1850)**
(Tephritidae)
537. **Verdanus hardei (Dlabola,1980)** (Cicadellidae)
538. **Vespula germanica (Fabricius,1793)**
(Vespidae)
539. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
540. **Xorides (s.str.) gracilicornis**
(Gravenhorst,1829) (Ichneumonidae)

İçel Province (33)

(1122 species, stand 30 April 2010)

1. **Abia sericea (Linnaeus,1767)** (Cimbicidae)
2. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)
3. **Acanthodynerus giordanii Gusenleitner,1969** (Vespidae)
4. **Acidota brevis Assing,2004** (Staphylinidae)
5. **Acinipe davisii (Uvarov,1949)** (Pamphagidae)
6. **Aclypea undata (O.F.Müller,1776)** (Silphidae)
7. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
8. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae)
9. **Acrida anattolica Dirsh,1949** (Acrididae)
10. **Acrida bicolor (Thunberg,1815)** (Acrididae)
11. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae)
12. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae)
13. **Acrosternum millierei (Mulsant & Rey,1866)** (Pentatomidae)
14. **Acrotylus insubricus (Scopoli,1786)** (Acrididae)
15. **Actenodia peyroni (Reiche,1866)** (Meloidae)
16. **Adelocera pygmaea (Baudi,1871)** (Elateridae)
17. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
18. **Aelia albovittata Fieber,1868** (Pentatomidae)
19. **Aeoloides figuratus (Germar,1844)** (Elateridae)
20. **Aeropus sibiricus (Linnaeus,1767)** (Acrididae)
21. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
22. **Agapanthia lateralis Ganglbauer,1884** (Cerambycidae)
23. **Agathidium (s.str.) namrunense Angelini,1998** (Leiodidae)
24. **Agenioideus excisus (Morawitz,1890)** (Pompilidae)
25. **Agenioideus nubecula (Costa,1874)** (Pompilidae)
26. **Agenioideus rhodosoma (Kohl,1886)** (Pompilidae)
27. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae)
28. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae)
29. **Agenioideus usurarius (Tournier,1889)** (Pompilidae)
30. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
31. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae)
32. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
33. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae)
34. **Agrilus rhoos Krolik & Niehuis,2003** (Buprestidae)
35. **Agriotes (s.str.) anatolicus Platia,2003** (Elateridae)
36. **Agriotes (s.str.) cribrithorax Pic,1910** (Elateridae)
37. **Agriotes (s.str.) dusanecki Platia & Gudenzi,1998** (Elateridae)
38. **Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae)
39. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae)
40. **Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae)
41. **Agriotes (s.str.) wernerii Platia,2003** (Elateridae)
42. **Akis opaca Heyden,1897** (Tenebrionidae)
43. **Alastor schwarzi Gusenleitner,1967** (Vespidae)
44. **Alatades trilineatus Dlabola,1957** (Delphacidae)
45. **Allantus didymus (Klug,1818)** (Tenthredinidae)
46. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae)
47. **Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae)
48. **Altica bicarinata (Kutschera,1860)** (Chrysomelidae)
49. **Altica bulgharensis Kral,1969** (Chrysomelidae)
50. **Altica globicollis (Weise,1889)** (Chrysomelidae)
51. **Altica jarmilae Kral,1979** (Chrysomelidae)
52. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae)
53. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae)
54. **Amiota (Phortica) goetzi Maca,1987** (Drosophilidae)
55. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
56. **Amphicoma (Rudeulasia) anemurensis Petrovitz,1964** (Glaphyridae)
57. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
58. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
59. **Anadrymadusa recticauda (Werner,1903)** (Tettigoniidae)
60. **Anadrymadusa spinicercis (Karabağ,1956)** (Tettigoniidae)
61. **Anax immaculifrons Rambur,1842** (Aeshnidae)
62. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
63. **Ancistronycha erichsoni Bach,1852** (Cantharidae)
64. **Anisochrya (s.str.) clathrata (Schneider,1845)** (Chrysopidae)
65. **Anisochrya (s.str.) flavifrons (Brauer,1850)** (Chrysopidae)
66. **Anisochrya (s.str.) genei (Rambur,1842)** (Chrysopidae)
67. **Anisochrya (s.str.) subflavifrons (Tjeder,1949)** (Chrysopidae)
68. **Anisochrya (s.str.) venosa (Rambur,1842)** (Chrysopidae)

69. *Anisochrya* (s.str.) *zelleri* (Schneider,1851) (Chrysopidae)
70. *Anisops sardeus* Herrich-Schäffer,1849 (Notonectidae)
71. *Anogcodes difformis* (Marseul,1857) (Oedemeridae)
72. *Anoplius concinnus* (Dahlbom,1845) (Pompilidae)
73. *Anoplius infuscatus* (Van der Linden,1827) (Pompilidae)
74. *Anoplius piliventris* (Morawitz,1889) (Pompilidae)
75. *Anoplius samariensis* (Pallas,1771) (Pompilidae)
76. *Anoplius schlettereri* (Radoszkowski,1888) (Pompilidae)
77. *Anoplius viaticus* (Linnaeus,1758) (Pompilidae)
78. *Anopilus orbitalis* (Costa,1863) (Pompilidae)
79. *Anthaxia* (*Cratomerus*) *diadema* Fischer,1824 (Buprestidae)
80. *Anthaxia* (*Cratomerus*) *eugeniae* Ganglbauer,1885 (Buprestidae)
81. *Anthaxia* (*Cratomerus*) *sponsa* Kiesenwetter,1857 (Buprestidae)
82. *Anthaxia* (*Haplanthaxia*) *cichorii* (Olivier,1790) (Buprestidae)
83. *Anthaxia* (*Haplanthaxia*) *cylindrica* Abeille,1900 (Buprestidae)
84. *Anthaxia* (*Haplanthaxia*) *mundula* Kiesenwetter,1857 (Buprestidae)
85. *Anthaxia* (*Haplanthaxia*) *praeclara* Mannerheim,1837 (Buprestidae)
86. *Anthaxia* (*Haplanthaxia*) *serena* Daniel,1903 (Buprestidae)
87. *Anthaxia* (*Melanthaxia*) *corinthia* Reiche & Saulcy,1856 (Buprestidae)
88. *Anthaxia* (*Melanthaxia*) *masculina* Bily,1984 (Buprestidae)
89. *Anthaxia* (*Melanthaxia*) *mysteriosa* Obenberger,1917 (Buprestidae)
90. *Anthaxia* (*Melanthaxia*) *negrei* Cobos,1953 (Buprestidae)
91. *Anthaxia* (*Melanthaxia*) *obesa* Abeille,1900 (Buprestidae)
92. *Anthaxia* (*Melanthaxia*) *pinguis* Kiesenwetter,1880 (Buprestidae)
93. *Anthaxia* (*Melanthaxia*) *quadripunctata* (Linnaeus,1758) (Buprestidae)
94. *Anthaxia* (*Melanthaxia*) *rugicollis* Lucas,1846 (Buprestidae)
95. *Anthaxia* (*Melanthaxia*) *scurra* Bily & Brodsky,1982 (Buprestidae)
96. *Anthaxia* (*Melanthaxia*) *tenella* Kiesenwetter,1858 (Buprestidae)
97. *Anthaxia* (s.str.) *brevis* Gory & Laporte,1839 (Buprestidae)
98. *Anthaxia* (s.str.) *discicollis* Gory & Laporte,1839 (Buprestidae)
99. *Anthaxia* (s.str.) *lucens* Küster,1852 (Buprestidae)
100. *Anthaxia* (s.str.) *nigricollis* Abeille,1904 (Buprestidae)
101. *Anthaxia* (s.str.) *olivieri* Gory & Laporte,1839 (Buprestidae)
102. *Anthaxia* (s.str.) *platysoma* Abeille,1891 (Buprestidae)
103. *Anthaxia* (s.str.) *plicata* Kiesenwetter,1859 (Buprestidae)
104. *Anthaxia* (s.str.) *podolica* Mannerheim,1837 (Buprestidae)
105. *Anthidium* (*Anthidiellum*) *breviusculum* Pérez,1890 (Megachilidae)
106. *Anthidium* (*Anthidiellum*) *clypeare* Morawitz,1874 (Megachilidae)
107. *Anthidium* (*Anthidiellum*) *insulare* Morawitz,1873 (Megachilidae)
108. *Anthidium* (*Anthidiellum*) *judaense* (Mavromoustakis,1945) (Megachilidae)
109. *Anthidium* (*Anthidiellum*) *nasicum* Friese,1917 (Megachilidae)
110. *Anthidium* (*Anthidiellum*) *strigatum* (Panzer,1805) (Megachilidae)
111. *Anthidium* (*Anthidiellum*) *strigatum* (Panzer,1805) (Megachilidae)
112. *Anthidium* (*Archianthidium*) *laticeps* Morawitz,1873 (Megachilidae)
113. *Anthidium* (*Icteranthidium*) *cimbiciforme* (Smith,1854) (Megachilidae)
114. *Anthidium* (*Mesanthidium*) *carduele* Morawitz,1876 (Megachilidae)
115. *Anthidium* (*Paraanthidium*) *dumerlei* Warncke,1980 (Megachilidae)
116. *Anthidium* (*Paraanthidium*) *interruptum* (Fabricius,1781) (Megachilidae)
117. *Anthidium* (*Proanthidium*) *undulatum* Dours,1873 (Megachilidae)
118. *Anthidium* (*Pseudoanthidium*) *reticulatum* Mocsary,1884 (Megachilidae)
119. *Anthidium* (*Rhodanthidium*) *caturigense* Giraud,1863 (Megachilidae)
120. *Anthidium* (*Rhodanthidium*) *septemdentatum* (Latreille,1809) (Megachilidae)
121. *Anthidium* (*Rhodanthidium*) *superbum* Radoszkowski,1876 (Megachilidae)
122. *Anthidium* (s.str.) *cingulatum* Latreille,1809 (Megachilidae)
123. *Anthidium* (s.str.) *dalmaticum* Mocsary,1884 (Megachilidae)
124. *Anthidium* (s.str.) *florentinum* (Fabricius,1775) (Megachilidae)
125. *Anthidium* (s.str.) *loti* Perris,1852 (Megachilidae)
126. *Anthidium* (s.str.) *manicatum* (Linnaeus,1758) (Megachilidae)
127. *Anthidium* (s.str.) *spiniventre* Friese,1899 (Megachilidae)
128. *Anthobium anatolicum* (Fagel,1968) (Staphylinidae)
129. *Anthobium fuscum* (Erichson,1839) (Staphylinidae)
130. *Anthrenus* (*Nathrenus*) *verbasci* (Linnaeus,1767) (Dermestidae)
131. *Anthrenus* (s.str.) *delicatus* Kiesenwetter,1851 (Dermestidae)
132. *Anthrenus* (s.str.) *scrophulariae* (Linnaeus,1758) (Dermestidae)
133. *Apanteles obscurus* (Nees,1834) (Braconidae)
134. *Aphaenogaster holtzi* Emery,1898 (Formicidae)
135. *Aphidoletes aphidimyza* (Rondani,1847) (Cecidomyiidae)
136. *Aphthona bonvouloiri* Allard,1861 (Chrysomelidae)
137. *Aphthona euphorbiae* (Schrank,1781) (Chrysomelidae)

138. **Aphthona flaviceps** Allard, 1859 (Chrysomelidae)
139. **Aphthona fuentei** Reitter, 1901 (Chrysomelidae)
140. **Aphthona nigricutis** Foudras, 1860 (Chrysomelidae)
141. **Aphthona pygmaea** Kutschera, 1861 (Chrysomelidae)
142. **Apion tauricum** Schubert, 1963 (Apionidae)
143. **Aplidia wewalkai** Petrovitz, 1971 (Scarabaeidae)
144. **Apodiphus amygdali** (Germar, 1817) (Pentatomidae)
145. **Aporinellus sexmaculatus** (Spinola, 1805) (Pompilidae)
146. **Aporus bicolor** Spinola, 1808 (Pompilidae)
147. **Aquarius paludum** (Fabricius, 1794) (Gerridae)
148. **Arachnospila conjungens** (Kohl, 1898) (Pompilidae)
149. **Arachnospila sogdiana** (Morawitz, 1893) (Pompilidae)
150. **Arcyptera (Pararcyptera) labiata** (Brullé, 1832) (Acrididae)
151. **Arenivaga cerverae** (Bolivar, 1886) (Polyphagidae)
152. **Arenivaga ebneri** (Chopard, 1929) (Polyphagidae)
153. **Arenivaga livida** (Brunner von Wattenwyl, 1865) (Polyphagidae)
154. **Arge berberidis** (Schränk, 1802) (Argidae)
155. **Arge cyanocrocea** (Forster, 1771) (Argidae)
156. **Arge melanochra** (Gmelin, 1790) (Argidae)
157. **Arge scita** (Mocsary, 1880) (Argidae)
158. **Asphondylia gennadii** (Marchal, 1904) (Cecidomyiidae)
159. **Asymmetrasca decedens** (Paoli, 1932) (Cicadellidae)
160. **Athalia circularis** (Klug, 1815) (Tenthredinidae)
161. **Atrichopogon winnertzi** Goetghebuer, 1922 (Ceratopogonidae)
162. **Atricops apollinis** Lindler, 1923 (Athericidae)
163. **Attagenus (s.str.) pantherinus** (Ahrens, 1814) (Dermestidae)
164. **Attagenus (s.str.) quadrimaculatus** Kraatz, 1858 (Dermestidae)
165. **Attelabus nitens** (Scopoli, 1763) (Attelabidae)
166. **Attelabus sulcifrons** (Argod, 1895) (Attelabidae)
167. **Attelabus suturalis** Jekel, 1860 (Attelabidae)
168. **Atylotus hendrixi** Leclercq, 1967 (Tabanidae)
169. **Atylotus pulchellus** (Loew, 1858) (Tabanidae)
170. **Auletobius politus** Voss, 1934 (Attelabidae)
171. **Auplopus albifrons** (Dalman, 1823) (Pompilidae)
172. **Auplopus carbonarius** (Scopoli, 1763) (Pompilidae)
173. **Auplopus rectus** (Haupt, 1927) (Pompilidae)
174. **Austroagallia sinuata** (Mulsant & Rey, 1855) (Cicadellidae)
175. **Balcanocerus balcanicus** (Horvath, 1903) (Cicadellidae)
176. **Balclutha hebe** (Kirkaldy, 1906) (Cicadellidae)
177. **Balclutha rhenana** Wagner, 1939 (Cicadellidae)
178. **Balclutha rosea** (Scott, 1876) (Cicadellidae)
179. **Balclutha saltuella** (Kirschbaum, 1868) (Cicadellidae)
180. **Bangasternus orientalis** (Capiomont, 1873) (Curculionidae)
181. **Baryphora speciosa** Loew, 1844 (Therevidae)
182. **Barytarbes segmentarius** (Gravenhorst, 1829) (Ichneumonidae)
183. **Batozonellus lacerticida** (Pallas, 1771) (Pompilidae)
184. **Batracomorphus glaber** Haupt, 1927 (Cicadellidae)
185. **Bembecinus acanthomerus** (Morice, 1911) (Crabronidae)
186. **Bembecinus anatolicus** De Beaumont, 1968 (Crabronidae)
187. **Bembecinus asiaticus** (Gussakowski, 1935) (Crabronidae)
188. **Bembecinus asiaticus iranicus** Schmid-Egger, 2004 (Crabronidae)
189. **Bembecinus cyprius** De Beaumont, 1954 (Crabronidae)
190. **Bembecinus gusenleitneri** De Beaumont, 1967 (Crabronidae)
191. **Bembecinus meridionalis** A. Costa, 1859 (Crabronidae)
192. **Bembecinus peregrinus** (Smith, 1856) (Crabronidae)
193. **Bembecinus rhodius** De Beaumont, 1960 (Crabronidae)
194. **Bembecinus schwarzi** De Beaumont, 1967 (Crabronidae)
195. **Bembecinus tridens** (Fabricius, 1781) (Crabronidae)
196. **Bembecinus validior** Gussakowski, 1952 (Crabronidae)
197. **Bembidion (Ocydromus) cordicolle** Jacquelin du Val, 1852 (Carabidae)
198. **Bembidion (Peryphanes) weiratherianum** Netolitzky, 1932 (Carabidae)
199. **Berosus (Enoplurus) frontifoveatus** Kuwert, 1888 (Hydrophilidae)
200. **Berosus (Enoplurus) spinosus** (Steven, 1808) (Hydrophilidae)
201. **Berosus (s.str.) affinis** Brullé, 1835 (Hydrophilidae)
202. **Blaps splichali** Gebien, 1913 (Tenebrionidae)
203. **Blaps tibialis** Reiche & Saulcy, 1857 (Tenebrionidae)
204. **Blitopertha (s.str.) nigripennis** (Burmeister, 1855) (Scarabaeidae)
205. **Bolivaria brachyptera** (Pallas, 1773) (Mantidae)
206. **Bombus terrestris** Linnaeus, 1758 (Apidae)
207. **Boveycantharis mersinensis** Svihla, 1999 (Cantharidae)
208. **Brachycerus freyi** Zumpt, 1937 (Brachyceridae)
209. **Brachygluta foveola** (Motschoulsky, 1840) (Staphylinidae)
210. **Brachygluta jessica** Brachat, 2004 (Staphylinidae)
211. **Brachygluta paludosa** (Peyron, 1858) (Staphylinidae)
212. **Brachygluta sursicauda** (Ganglbauer, 1900) (Staphylinidae)
213. **Brachydynerus kUSDasi** Gusenleitner, 1967 (Vespidae)
214. **Bracon (Cyanopterobracon) oculatus** Tobias, 1957 (Braconidae)
215. **Bracon (Cyanopterobracon) spectabilis** (Telenga, 1936) (Braconidae)
216. **Bracon (Glabrobracon) angustiventris** Tobias, 1957 (Braconidae)
217. **Bracon (Glabrobracon) anthracinus** (Nees, 1834) (Braconidae)

218. **Bracon (Glabrobracon) atrator** (Nees,1834) (Braconidae)
219. **Bracon (Glabrobracon) discoideus** (Wesmael,1838) (Braconidae)
220. **Bracon (Glabrobracon) fumipennis** (Thomson,1892) (Braconidae)
221. **Bracon (Glabrobracon) maculiger** (Wesmael,1838) (Braconidae)
222. **Bracon (Glabrobracon) osculator** (Nees,1812) (Braconidae)
223. **Bracon (Glabrobracon) piger** (Wesmael,1838) (Braconidae)
224. **Bracon (Glabrobracon) popovi** Telenga,1936 (Braconidae)
225. **Bracon (Glabrobracon) tshitsherini** (Kokoujev,1904) (Braconidae)
226. **Bracon (Glabrobracon) variator** (Nees,1812) (Braconidae)
227. **Bracon (Rostrobracon) urinator** (Fabricius,1798) (Braconidae)
228. **Bryophoenocladus rotundilobus** Caspers & Reiss,1989 (Chironomidae)
229. **Bubastia (Acrestia) ephialtes** (Linnavuori,1971) (Issidae)
230. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
231. **Bucephaloptera bolivari** Karabağ,1950 (Tettigoniidae)
232. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
233. **Bucephaloptera convergens** Karabağ,1950 (Tettigoniidae)
234. **Bugraia ocularis** (Mulsant & Rey,1855) (Cicadellidae)
235. **Bythinus securiger** (Reichenbach,1816) (Staphylinidae)
236. **Bythinus vicinus** Besuchet,1960 (Staphylinidae)
237. **Cabirutus cribricollis** (Baudi,1875) (Tenebrionidae)
238. **Calais parreysi** (Steven,1830) (Elateridae)
239. **Calchaenesthes oblongomaculatus** (Guérin,1844) (Cerambycidae)
240. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
241. **Callimus akbesianus** (Pic,1892) (Cerambycidae)
242. **Calliptamus barbarus** (Costa,1836) (Acrididae)
243. **Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae)
244. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
245. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
246. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
247. **Calopteryx mingrellica** Selys,1869 (Calopterygidae)
248. **Calyptropsis capnisiformis** Reitter,1903 (Tenebrionidae)
249. **Campiglossa producta** Loew,1844 (Tephritidae)
250. **Camponotus festai** Emery,1894 (Formicidae)
251. **Campoplex tridentator** Aubert,1972 (Ichneumonidae)
252. **Campylosteira ciliata** Fieber,1844 (Tingidae)
253. **Cantharis annularis** Ménétrié,1836 (Cantharidae)
254. **Cantharis flavilabris** Fallén,1807 (Cantharidae)
255. **Cantharis lateralis** Linnaeus,1758 (Cantharidae)
256. **Cantharis livida** Linnaeus,1758 (Cantharidae)
257. **Cantharis longicollis** Kiesenwetter,1852 (Cantharidae)
258. **Cantharis rufa** Linnaeus,1758 (Cantharidae)
259. **Cantharis smyrnensis** Marseul,1864 (Cantharidae)
260. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
261. **Capnodis miliaris** (Klug,1829) (Buprestidae)
262. **Capnodis porosa** (Klug,1829) (Buprestidae)
263. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
264. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
265. **Carabus (Procrustes) anatolicus** Chaudoir,1857 (Carabidae)
266. **Carabus (Procrustes) payapha** White,1845 (Carabidae)
267. **Carabus (Tomocarabus) rumelicus** Chaudoir,1867 (Carabidae)
268. **Cardiophorus (s.str.) analis** Schwarz,1892 (Elateridae)
269. **Cardiophorus (s.str.) anticus** Erichson,1840 (Elateridae)
270. **Cardiophorus (s.str.) impressiventris** Schwarz,1900 (Elateridae)
271. **Cardiophorus (s.str.) kindermanni** Candeze,1860 (Elateridae)
272. **Cardiophorus (s.str.) nigratissimus** Buysson,1891 (Elateridae)
273. **Cardiophorus (s.str.) picinus** Platia & Gudenzi,2002 (Elateridae)
274. **Cardiophorus (s.str.) samai** Platia & Gudenzi,2000 (Elateridae)
275. **Cardiophorus (s.str.) syriacus** (Linnaeus,1758) (Elateridae)
276. **Cardiophorus (s.str.) vestigialis** Erichson,1840 (Elateridae)
277. **Carlandrea syriaca** (Pic,1891) (Cerambycidae)
278. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
279. **Cassida atrata** Fabricius,1787 (Chrysomelidae)
280. **Cassida bella** Faldermann,1837 (Chrysomelidae)
281. **Cassida brevis** Weise,1834 (Chrysomelidae)
282. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
283. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
284. **Cassida prasina** Illiger,1798 (Chrysomelidae)
285. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
286. **Cassida vibex** Linnaeus,1767 (Chrysomelidae)
287. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
288. **Catomus (s.str.) consentaneus** (Küster,1851) (Tenebrionidae)

289. **Celes variabilis (Pallas,1771)** (Acrididae)
290. **Cerocoma dahli Kraatz,1863** (Meloidae)
291. **Cerocoma gloriosa Mulsant,1857** (Meloidae)
292. **Cerodontha (Poemyza) incisa (Meigen,1830)** (Agromyzidae)
293. **Ceropales albicincta (Rossi,1790)** (Pompilidae)
294. **Ceropales cribrata Costa,1881** (Pompilidae)
295. **Ceropales helvetica Tournier,1889** (Pompilidae)
296. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae)
297. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae)
298. **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae)
299. **Chelonus carbonator Marshall,1885** (Braconidae)
300. **Chelonus inanitus (Linnaeus,1767)** (Braconidae)
301. **Chelonus obscurator Herrich-Schäffer,1838** (Braconidae)
302. **Chirotica terebrator Horstmann,1983** (Ichneumonidae)
303. **Chloriona sicula Matsumura,1910** (Delphacidae)
304. **Chlorophorus gratiosus Marseul,1868** (Cerambycidae)
305. **Chlorophorus nivipictus Kraatz,1879** (Cerambycidae)
306. **Choeras dorsalis (Spinola,1808)** (Braconidae)
307. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
308. **Chrysanthia chalcochroa Fairmaire,1892** (Oedemeridae)
309. **Chrysanthia flavipes Reitter,1889** (Oedemeridae)
310. **Chrysanthia varipes Kiesenwetter,1861** (Oedemeridae)
311. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae)
312. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae)
313. **Chrysolina gypsophylae (Küster,1845)** (Chrysomelidae)
314. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae)
315. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae)
316. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae)
317. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)
318. **Chrysolina sellata (Weise,1894)** (Chrysomelidae)
319. **Chrysopa dorsalis Burmeister,1839** (Chrysopidae)
320. **Chrysopa hungarica Klapalek,1899** (Chrysopidae)
321. **Chrysopa septempunctata Wesmael,1841** (Chrysopidae)
322. **Chrysopa viridana Schneider,1845** (Chrysopidae)
323. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae)
324. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
325. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
326. **Cicada permagna (Haupt,1917)** (Cicadidae)
327. **Cicadetta sibilatrix Horvath,1901** (Cicadidae)
328. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae)
329. **Cicadulina zeae China,1926** (Cicadellidae)
330. **Cicindela herbacea Klug,1832** (Carabidae)
331. **Cionus donckieri Pic,1898** (Curculionidae)
332. **Cionus wanati Bialooki,2006** (Curculionidae)
333. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
334. **Cixidia mersinica (Dlabola,1987)** (Achilidae)
335. **Cleptes turceyanus Linsenmeier,1968** (Chrysididae)
336. **Clerus mutillaroides Reitter,1893** (Cleridae)
337. **Clytra bodemeyeri Weise,1900** (Chrysomelidae)
338. **Clytra novempunctata Olivier,1808** (Chrysomelidae)
339. **Clytus ciliciensis Chevrolat,1863** (Cerambycidae)
340. **Clytus gulekanus Pic,1904** (Cerambycidae)
341. **Clytus taurusiensis (Pic,1903)** (Cerambycidae)
342. **Coenagrion hastulatum (Charpentier,1825)** (Coenagrionidae)
343. **Coenagrion pulchellum (Van Der Linden,1825)** (Coenagrionidae)
344. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae)
345. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae)
346. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae)
347. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae)
348. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae)
349. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae)
350. **Colpa klugii (Van der Linden,1827)** (Scolidae)
351. **Colpa quinquecincta (Fabricius,1775)** (Scolidae)
352. **Colpotus byzantinicus (Waltl,1838)** (Tenebrionidae)
353. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
354. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae)
355. **Conophorus gracilis Dils & Özbek,2006** (Bombyliidae)
356. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae)
357. **Corixa affinis Leach,1818** (Corixidae)
358. **Corynis concinna (Stein,1876)** (Cimbicidae)
359. **Corynis frontina (Konow,1905)** (Cimbicidae)
360. **Cosmoconus elongator (Fabricius,1775)** (Ichneumonidae)
361. **Cotesia ruficrus (Haliday,1834)** (Braconidae)
362. **Cotesia telengai (Tobias,1972)** (Braconidae)
363. **Cotesia tenebrosa (Papp,1976)** (Braconidae)

364. **Cotesia vanessae (Reinhard,1880)**
(Braconidae)
365. **Cratichneumon coruscator (Linnaeus,1758)** (Ichneumonidae)
366. **Creightonella (Metamegachile) albisecta (Klug,1817)** (Megachilidae)
367. **Cremastus tristator Aubert,1970**
(Ichneumonidae)
368. **Crocothemis erythraea (Brullé,1832)**
(Libellulidae)
369. **Cryphaeus cornutus Fischer von Waldheim,1823** (Tenebrionidae)
370. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae)
371. **Cryptocephalus concolor Suffrian,1847**
(Chrysomelidae)
372. **Cryptocephalus flavipes Fabricius,1781**
(Chrysomelidae)
373. **Cryptocephalus fulvus (Goeze,1777)**
(Chrysomelidae)
374. **Cryptocephalus janthinus Germar,1824**
(Chrysomelidae)
375. **Cryptocephalus moraei (Linnaeus,1758)**
(Chrysomelidae)
376. **Cryptocephalus ocellatus Drapiez,1819**
(Chrysomelidae)
377. **Cryptocephalus prusias Suffrian,1853**
(Chrysomelidae)
378. **Cryptocheilus discolor (Fabricius,1793)**
(Pompilidae)
379. **Cryptocheilus egregius (Lepeletier,1845)**
(Pompilidae)
380. **Cryptocheilus exiguus Sustera,1924**
(Pompilidae)
381. **Cryptocheilus fischeri (Spinola,1855)**
(Pompilidae)
382. **Cryptocheilus guttulatus (Costa,1887)**
(Pompilidae)
383. **Cryptocheilus hebraeus Sustera,1924**
(Pompilidae)
384. **Cryptocheilus ichneumonoides (Costa,1874)** (Pompilidae)
385. **Cryptocheilus notatus (Rossi,1792)**
(Pompilidae)
386. **Cryptocheilus rubellus (Eversmann,1846)** (Pompilidae)
387. **Cryptocheilus rufatus Priesner,1967**
(Pompilidae)
388. **Cryptocheilus variabilis (Rossi,1790)**
(Pompilidae)
389. **Cryptocheilus variipennis Sustera,1924**
(Pompilidae)
390. **Ctenagenia ozbeki Wahis,2002**
(Pompilidae)
391. **Cybister (s.str.) tripunctatus (Olivier,1795)**
(Dytiscidae)
392. **Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae)
393. **Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae)
394. **Cyphon laevipennis Tournier,1868**
(Scirtidae)
395. **Cyphon ochraceus Stephens,1830**
(Scirtidae)
396. **Cyphon palustris Thomson,1855**
(Scirtidae)
397. **Cyphononyx flavicornis (Fabricius,1793)**
(Pompilidae)
398. **Dallognatha crenata Reiche & Saulcy,1857** (Tenebrionidae)
399. **Dallognatha quadricollis Brullé,1832**
(Tenebrionidae)
400. **Dasyrhamphis carbonarius (Meigen,1820)** (Tabanidae)
401. **Dasyrhamphis nigritus (Fabricius,1794)**
(Tabanidae)
402. **Dasyrhamphis umbrinus (Meigen,1820)**
(Tabanidae)
403. **Dasyscolia ciliata (Fabricius,1787)**
(Scoliidae)
404. **Decticus albifrons (Fabricius,1793)**
(Tettigoniidae)
405. **Deleproctophylla variegata (Klug,1834)**
(Ascalaphidae)
406. **Delphacodoides anaxarchi (Muir,1926)**
(Delphacidae)
407. **Delta viatrix (Nurse,1903)** (Vespidae)
408. **Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae)
409. **Dendarus (Pandarinus) foveolatus Seidlitz,1893** (Tenebrionidae)
410. **Dendarus (Pandarinus) moesiacus Mulsant & Rey,1854** (Tenebrionidae)
411. **Dendarus (Pandarinus) tenellus Mulsant & Rey,1854** (Tenebrionidae)
412. **Deporaus betulae (Linnaeus,1758)**
(Attelabidae)
413. **Depressotetrix depressa (Brisout,1848)**
(Tetrigidae)
414. **Dialycera bimaculata Luze,1906**
(Staphylinidae)
415. **Dibolia schillingii (Letzner,1847)**
(Chrysomelidae)
416. **Dichillus (Dichillinus) duricornis Reitter,1886** (Tenebrionidae)
417. **Dicronychus bicolor Platia & Gudenzi,2004**
(Elateridae)
418. **Dicronychus cinereus (Herbst,1784)**
(Elateridae)
419. **Dicronychus euxinus** (Elateridae)
420. **Dicronychus mutilus Platia & Gudenzi,2004** (Elateridae)
421. **Dictyla echii (Schränk,1782)** (Tingidae)
422. **Dictyla triconula (Seidenstücker,1954)**
(Tingidae)
423. **Dioctria abdominalis Becker,1923**
(Asilidae)
424. **Dioctria arcana Richter,1966** (Asilidae)
425. **Dioctria flavipennis Meigen,1820**
(Asilidae)
426. **Dioctria gracilis Meigen,1820** (Asilidae)
427. **Dioctria lenta Becker,1923** (Asilidae)
428. **Dioctria valida Loew,1856** (Asilidae)
429. **Diolcogaster claritibia (Papp,1959)**
(Braconidae)
430. **Diorhabda elongata (Brullé,1832)**
(Chrysomelidae)
431. **Diplacodes lefebvrei (Rambur,1842)**
(Libellulidae)
432. **Dipogon (Deuteragenia) variegatus (Linnaeus,1758)** (Pompilidae)
433. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
434. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae)
435. **Dociostaurus (Stauronotulus) cappadocicus (Azam,1913)** (Acrididae)

436. **Doclostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae)
437. **Dolichogenidea sicarius (Marshall,1885)** (Braconidae)
438. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae)
439. **Drasterius bimaculatus (Rossi,1790)** (Elateridae)
440. **Drosophila (s.str.) immigrans Sturtevant,1921** (Drosophilidae)
441. **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae)
442. **Drosophila (Scaptodrosophila) rufifrons Loew,1873** (Drosophilidae)
443. **Drosophila (Sophophora) ambigua Pomini,1940** (Drosophilidae)
444. **Drosophila (Sophophora) simulans Sturtevant,1921** (Drosophilidae)
445. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae)
446. **Drosophila (Sophophora) tristis Fallén,1823** (Drosophilidae)
447. **Drosophila busckii Coquillett,1901** (Drosophilidae)
448. **Drosophila buzzatii Patterson & Wheeler,1942** (Drosophilidae)
449. **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae)
450. **Dryodurgades dlabolai Wagner,1963** (Cicadellidae)
451. **Duroniella fracta (Krauss,1890)** (Acrididae)
452. **Dusona inteligator Aubert,1966** (Ichneumonidae)
453. **Elater ferrugineus Linnaeus,1758** (Elateridae)
454. **Emblethis angustus Montandon,1890** (Lygaeidae)
455. **Emblethis brachynotus Horvath,1907** (Lygaeidae)
456. **Emblethis denticollis Hovarth,1878** (Lygaeidae)
457. **Emblethis griseus (Wolff,1802)** (Lygaeidae)
458. **Emblethis osmanus Seidenstücker,1962** (Lygaeidae)
459. **Emblethis sabulosus Seidenstücker,1963** (Lygaeidae)
460. **Empis (s.str.) curticoris Collin,1960** (Empididae)
461. **Empis (s.str.) discrepans Collin,1960** (Empididae)
462. **Empis (s.str.) inopinata Collin,1960** (Empididae)
463. **Empis (s.str.) insulata Collin,1960** (Empididae)
464. **Empis (s.str.) pexata Collin,1960** (Empididae)
465. **Empoasca decipiens Paoli,1930** (Cicadellidae)
466. **Empusa pennicornis (Pallas,1773)** (Empusidae)
467. **Enochrus (Lumetus) segmentinotatus (Kuwert,1888)** (Hydrophilidae)
468. **Entomobora vomeriventrifera (Costa,1863)** (Pompilidae)
469. **Entomogonus (Delonurops) peyroni (Reiche,1861)** (Tenebrionidae)
470. **Entomogonus (Eutelogonus) davidis (Fairmaire,1884)** (Tenebrionidae)
471. **Entomogonus (s.str.) angulicollis Mulsant & Wacherau,1852** (Tenebrionidae)
472. **Eoferreola anatolica Piesner,1973** (Pompilidae)
473. **Epallage fatime (Charpentier,1840)** (Calopterygidae)
474. **Episyron gallicum (Tournier,1889)** (Pompilidae)
475. **Episyron rufipes (Linnaeus,1758)** (Pompilidae)
476. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae)
477. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae)
478. **Eristalis tenax (Linnaeus,1758)** (Syrphidae)
479. **Erodium orientale Brullé,1832** (Tenebrionidae)
480. **Erythroma viridulum (Charpentier,1840)** (Coenagrionidae)
481. **Euides caspiana (Dlabola,1961)** (Delphacidae)
482. **Eumenes coarctatus (Linnaeus,1758)** (Vespidae)
483. **Eumenes dubius Saussure,1852** (Vespidae)
484. **Eumenes jarkandensis Blüthgen,1938** (Vespidae)
485. **Eumenes lunulatus (Fabricius,1804)** (Vespidae)
486. **Eumenes pomiformis (Fabricius,1781)** (Vespidae)
487. **Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae)
488. **Eupholidoptera annulipes (Brunner von Wattenwyl,1882)** (Tettigoniidae)
489. **Eupholidoptera femorata Çıplak,1999** (Tettigoniidae)
490. **Eupholidoptera mersinensis Salman,1983** (Tettigoniidae)
491. **Eupholidoptera tauricola (Ramme,1930)** (Tettigoniidae)
492. **Eupholidoptera unimacula Karabağ,1956** (Tettigoniidae)
493. **Eurybregma nigrolineata Scott,1875** (Delphacidae)
494. **Eurydema rugulosa (Dohrn,1860)** (Pentatomidae)
495. **Eurydema spectabilis Horvath,1882** (Pentatomidae)
496. **Euryproctus mundus (Gravenhorst,1829)** (Ichneumonidae)
497. **Euscelidius mundus (Haupt,1927)** (Cicadellidae)
498. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae)
499. **Euscelis alsius Ribaut,1952** (Cicadellidae)
500. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae)
501. **Eusphalerum caucasicum (Bernhauer,1908)** (Staphylinidae)
502. **Eusphalerum korbi (Bernhauer,1903)** (Staphylinidae)
503. **Eustenancistrocerus amadanensis (Saussure,1855)** (Vespidae)
504. **Eustenancistrocerus israelensis Giordani Soika,1938** (Vespidae)
505. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae)
506. **Euzonitis rubida (Ménétriés,1832)** (Meloidae)

507. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
508. **Evagetes elongatus** Lepeletier,1845
(Pompilidae)
509. **Evagetes paulinus** Wolf,1970 (Pompilidae)
510. **Evagetes pontomoravicus** (Sustera,1938)
(Pompilidae)
511. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
512. **Evagetes tumidosus** (Tournier,1890)
(Pompilidae)
513. **Exitianus capicola** (Stal,1855) (Cicadellidae)
514. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
515. **Falcotoya minuscula** (Horvath,1897)
(Delphacidae)
516. **Faronus depressus** Besuchet,1960
(Staphylinidae)
517. **Fedtschenkia grossa** Saussure,1880
(Sapygidae)
518. **Forficula lurida** Fischer,1853 (Forficulidae)
519. **Gampsocoris enslini** Seidenstücker,1953
(Berytidae)
520. **Geocoris arenarius** (Jakovlev,1867)
(Lygaeidae)
521. **Geocoris chloroticus** Puton,1888 (Lygaeidae)
522. **Geocoris lineolus** (Rambur,1839)
(Lygaeidae)
523. **Geocoris megacephalus** (Rossi,1790)
(Lygaeidae)
524. **Geocoris pallidipennis** (Costa,1843)
(Lygaeidae)
525. **Geodromicus anaticus** Fagel,1976
(Staphylinidae)
526. **Geodromicus asiaticus** Bernhauer,1902
(Staphylinidae)
527. **Gerris palludum** Fabricius,1794 (Gerridae)
528. **Glandulosa willemsei** Harz,1979
(Gryllidae)
529. **Glyphotmethis holtzi** (Werner,1901)
(Pamphagidae)
530. **Glyptomorpha baetica** (Spinola,1843)
(Braconidae)
531. **Glyptomorpha pectoralis** (Brullé,1832)
(Braconidae)
532. **Gomphus davidi** Selys,1887 (Gomphidae)
533. **Gonocephalum rusticum** (Olivier,1811)
(Tenebrionidae)
534. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
535. **Gryllus (s.str.) bimaculatus** (De Geer,1773)
(Gryllidae)
536. **Guanchia hincksi** (Burr,1947)
(Forficulidae)
537. **Gymnopleurus geoffroyi** Fuessly,1785
(Scarabaeidae)
538. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
539. **Haematopota grandis** Macquart,1834
(Tabanidae)
540. **Haematopota italica** Meigen,1804
(Tabanidae)
541. **Haematopota pallens** Loew,1871 (Tabanidae)
542. **Haematopota pandazisi** Kröber,1936
(Tabanidae)
543. **Haematopota pavlovskii** Hauser,1960
(Tabanidae)
544. **Harpalus (s.str.) reflexus** Putzeys,1878
(Carabidae)
545. **Harpalus (s.str.) smyrnensis**
Heyden,1888 (Carabidae)
546. **Helionidia himyarita** Zachvatkin,1946
(Cicadellidae)
547. **Heliopteryx humeralis** (Kuthy,1907)
(Acrididae)
548. **Helladia adelpha** (Ganglbauer,1884)
(Cerambycidae)
549. **Helophorus illustris** Sharp,1916
(Helophoridae)
550. **Helophorus nubilus** Fabricius,1776
(Helophoridae)
551. **Hephathus freyi** (Fieber,1868) (Cicadellidae)
552. **Hilara bolkarensis** Çiftçi, Parvu &
Hasbenli,2008 (Empididae)
553. **Hofferia schmiedeknechti** (Schletterer,1889)
(Megachilidae)
554. **Holopogon nigropilosus** Theodor,1980
(Asilidae)
555. **Homodela ismenia** (Gory,1833) (Carabidae)
556. **Homonotus sanguinolentus**
(Fabricius,1793) (Pompilidae)
557. **Hoplitis (Alcidamea) acuticornis** (Dufour &
Perris,1840) (Megachilidae)
558. **Hoplitis (Alcidamea) praestans**
(Morawitz,1894) (Megachilidae)
559. **Hoplitis (Annosmia) uncaticornis**
(Staneek,1969) (Megachilidae)
560. **Hoplitis (Anthocopa) agis** (Benoist,1929)
(Megachilidae)
561. **Hoplitis (Anthocopa) obtusa** (Friese,1899)
(Megachilidae)
562. **Hoplitis (Chlidoplitis) lysholmi**
(Friese,1899) (Megachilidae)
563. **Hoplitis (Platosmia) reticauda**
(Staneek,1969) (Megachilidae)
564. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
565. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
566. **Hyalesthes obsoletus** Signoret,1865
(Cixiidae)
567. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
568. **Hydroporus planus** (Fabricius,1781)
(Dytiscidae)
569. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
570. **Hypera fasciculata** (Herbst,1795)
(Curculionidae)
571. **Hypera pastinacae** (Rossi,1790)
(Curculionidae)
572. **Hypocaccus (s.str.) brasiliensis**
(Paykull,1811) (Histeridae)
573. **Hypocassida subferruginea** (Schrank,1776)
(Chrysomelidae)
574. **Ichneumon extensorius** Linnaeus,1758
(Ichneumonidae)
575. **Ichneumon terminatorius** Gravenhorst,1820
(Ichneumonidae)
576. **Ilybius fuliginosus** (Fabricius,1792)
(Dytiscidae)
577. **Iris oratoria** (Linnaeus,1758) (Irididae)
578. **Ischnodes sanguinicollis** (Panzer,1793)
(Elateridae)
579. **Ischnomera caerulea** (Linnaeus,1758)
(Oedemeridae)
580. **Ischnomera erdemliensis** Svihla,1998
(Oedemeridae)
581. **Ischnomera fulvicollis** (Reitter,1897)
(Oedemeridae)

582. **Ischnura elegans (Van Der Linden,1820)**
(Coenagrionidae)
583. **Ischnus migrator (Fabricius,1775)**
(Ichneumonidae)
584. **Islamocantharis (Unicantharis) cilicia (Pic,1904)** (Cantharidae)
585. **Isophya major Brunner von Wattenwyl,1878** (Tettigoniidae)
586. **Isophya mersinensis Sevgili & Cıplak,2006** (Tettigoniidae)
587. **Isophya salmani Sevgili & Heller,2006** (Tettigoniidae)
588. **Issus lauri Ahrens,1814** (Issidae)
589. **Italochrysa italica (Rossi,1790)** (Chrysopidae)
590. **Italochrysa vartianorum Hölzel,1967** (Chrysopidae)
591. **Janetiella oenephila (Haimhoffen,1875)** (Cecidomyiidae)
592. **Julodis armeniaca Marseul,1865** (Buprestidae)
593. **Katamenes flavigularis (Blüthgen,1951)** (Vespidae)
594. **Katamenes sichelii (Saussure,1852)** (Vespidae)
595. **Labidostomis asiatica Faldermann,1837** (Chrysomelidae)
596. **Labidostomis mesopotamica Heyden,1886** (Chrysomelidae)
597. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae)
598. **Laccobius (Dimorpholaccobius) halophilus Gentili,1982** (Hydrophilidae)
599. **Laccobius (Dimorpholaccobius) hauserianus Knisch,1914** (Hydrophilidae)
600. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
601. **Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae)
602. **Laccobius (Dimorpholaccobius) sipylus Orchymont,1939** (Hydrophilidae)
603. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
604. **Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae)
605. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
606. **Lacon delagrangei Buysson,1891** (Elateridae)
607. **Lacon punctatus (Herbst,1779)** (Elateridae)
608. **Lampropterus femoratus (Germar,1824)** (Cerambycidae)
609. **Laodelphax striatellus (Fallén,1826)** (Delphacidae)
610. **Laphria flava (Linnaeus,1761)** (Asilidae)
611. **Lasioglossum (Evyllaes) imbecillum Ebmer,1974** (Halictidae)
612. **Lasioglossum (Evyllaes) mesosclerum (Pérez,1903)** (Halictidae)
613. **Lasioglossum bischoffi (Blüthgen,1931)** (Halictidae)
614. **Lasioglossum cilicium Ebmer,1972** (Halictidae)
615. **Lasioglossum eurasicum Ebmer,1972** (Halictidae)
616. **Lasioglossum solitarium Warncke,1975** (Halictidae)
617. **Lasioptera berlesiana Paoli,1907** (Cecidomyiidae)
618. **Lasiorrhynchites praeustus (Boheman,1845)** (Atelabidae)
619. **Lasiorrhynchites sericeus (Herbst,1797)** (Atelabidae)
620. **Leptochilus hethiticus Gusenleitner,1985** (Vespidae)
621. **Leptochilus kemali Gusenleitner,1977** (Vespidae)
622. **Leptochilus limbiferus (Morawitz,1867)** (Vespidae)
623. **Leptochilus neutraliformis Gusenleitner,1977** (Vespidae)
624. **Leptochilus regulus Saussure,1855** (Vespidae)
625. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae)
626. **Leptodelphax cyclops Haupt,1927** (Delphacidae)
627. **Lertha sheppardi (Kirby,1904)** (Nemopteridae)
628. **Lestes barbarus (Fabricius,1798)** (Lestidae)
629. **Lesteva maculipennis Luze,1903** (Staphylinidae)
630. **Lesteva monticola Kiesenwetter,1847** (Staphylinidae)
631. **Lesteva punctata Erichson,1839** (Staphylinidae)
632. **Lesteva soror Smetana,1967** (Staphylinidae)
633. **Lesteva turcica Smetana,1967** (Staphylinidae)
634. **Lethocerus patruelis (Stal,1854)** (Belostomatidae)
635. **Leucophenga maculata (Dufour,1839)** (Drosophilidae)
636. **Libanissum talhouki (Dlabola,1974)** (Issidae)
637. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
638. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae)
639. **Liriomyza eupatorii (Kaltenbach,1873)** (Agromyzidae)
640. **Liriomyza virgula Frey,1946** (Agromyzidae)
641. **Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae)
642. **Longitarsus albineus (Foudras,1860)** (Chrysomelidae)
643. **Longitarsus anatolicus Weise,1900** (Chrysomelidae)
644. **Longitarsus anchusae (Paykull,1799)** (Chrysomelidae)
645. **Longitarsus fuscoaeneus Redtenbacher,1859** (Chrysomelidae)
646. **Longitarsus lycopi (Foudras,1860)** (Chrysomelidae)
647. **Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae)
648. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae)
649. **Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae)
650. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae)

651. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
652. **Lophyridia caucasica** (Adams,1817) (Carabidae)
653. **Lophyridia concolor** (Dejean,1822) (Carabidae)
654. **Lophyridia fischeri** (Adams,1817) (Carabidae)
655. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
656. **Lytocoris campestris** (Fabricius,1794) (Anthocoridae)
657. **Lydus pilicollis** Fairmaire,1892 (Meloidae)
658. **Lygaeosoma erythropterum** (Puton,1876) (Lygaeidae)
659. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
660. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
661. **Lymantrichneumon disparis** (Poda,1761) (Ichneumonidae)
662. **Macrolophus caliginosus** Wagner,1950 (Miridae)
663. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
664. **Macrophya crassula** (Klug,1817) (Tenthredinidae)
665. **Macrophya postica** Brullé,1832 (Tenthredinidae)
666. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
667. **Maladera (Macroserica) seleuciensis** Petrovitz,1969 (Scarabaeidae)
668. **Maladera (Macroserica) taurica** Petrovitz,1969 (Scarabaeidae)
669. **Malthinus conspicuus** Kiesenwetter,1852 (Cantharidae)
670. **Malthinus cornutus** Wittmer,1974 (Cantharidae)
671. **Malthinus pamphylicus** Wittmer,1974 (Cantharidae)
672. **Malthinus wittmeri** Svihla,1998 (Cantharidae)
673. **Malthodes zdeneki** Svihla,2009 (Cantharidae)
674. **Mantis religiosa** (Linnaeus,1758) (Mantidae)
675. **Mantispa aphavexelte** U.Aspöck & H.Aspöck,1994 (Mantispidae)
676. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
677. **Mantispa styriaca** (Poda,1761) (Mantispidae)
678. **Megacephala euphratica** Dejean,1822 (Carabidae)
679. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
680. **Megarthus bellevoeyi** Saulcy,1862 (Staphylinidae)
681. **Megarthus denticollis** (Beck,1817) (Staphylinidae)
682. **Megascolia maculata** (Drury,1773) (Scoliidae)
683. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae)
684. **Melanotus (s.str.) punctolineatus** (Pélerin,1829) (Elateridae)
685. **Meligethes holzschuhi** Jelinek & Spornraft,1979 (Nitidulidae)
686. **Meringopus titilator** (Linnaeus,1758) (Ichneumonidae)
687. **Mesoleptogaster cappadocia** Hasbenli & Çağlar,2009 (Asilidae)
688. **Mesoptylus impictifrons** (Horvath,1911) (Cercopidae)
689. **Messor structor** (Latreille,1798) (Formicidae)
690. **Metacantharis araxicola** Reitter,1891 (Cantharidae)
691. **Metacantharis taurigrada** Bourgeois,1900 (Cantharidae)
692. **Metaclisa azurea** (Waltl,1838) (Tenebrionidae)
693. **Metacnephia subalpina** (Rubtsov,1956) (Simuliidae)
694. **Metopomyza scutellata** (Fallén,1823) (Agromyzidae)
695. **Metopomyza xanthaspis** (Loew,1858) (Agromyzidae)
696. **Microchelonus contracta** (Nees,1834) (Braconidae)
697. **Microchelonus sulcata** (Jurine,1807) (Braconidae)
698. **Microdynerus confinis** Gusenleitner,1979 (Vespidae)
699. **Microdynerus eurasius** Blüthgen,1938 (Vespidae)
700. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
701. **Micropeplus fulvus** Erichson,1840 (Staphylinidae)
702. **Micropeplus tesserula** Curtis,1828 (Staphylinidae)
703. **Microphadnus pumilus** (Costa,1882) (Pompilidae)
704. **Microptilis mandibularis** Thomson,1895 (Braconidae)
705. **Microptilis mediator** (Haliday,1834) (Braconidae)
706. **Micrositus opacus** Reitter,1904 (Tenebrionidae)
707. **Mocydiopsis monticola** Remane,1961 (Cicadellidae)
708. **Monosapyga clavicornis** (Linnaeus,1758) (Sapygidae)
709. **Monticorixa armeniaca** (Stys,1975) (Corixidae)
710. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
711. **Muzimes strebai** (Maran,1940) (Meloidae)
712. **Mylabris bimaculata** Klug,1845 (Meloidae)
713. **Mylabris fusca** (Olivier,1811) (Meloidae)
714. **Mylabris olivieri** Billberg,1813 (Meloidae)
715. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
716. **Mylabris syriaca** Klug,1845 (Meloidae)
717. **Myriochile (s.str.) melancholica** (Fabricius,1798) (Carabidae)
718. **Myrmecophilus (s.str.) ochraceus** Fischer von Waldheim,1853 (Myrmecophilidae)
719. **Myrmeleon (s.str.) formicarius** Linnaeus,1767 (Myrmeleonidae)
720. **Myrmilla (Pseudomutilla) filippovi** Lelej,1985 (Mutillidae)
721. **Nacerdes (Xanthochroa) carniolica** (Gistel,1832) (Oedemeridae)
722. **Nacerdes (Xanthochroa) raymondi** (Mulsant & Godart,1860) (Oedemeridae)
723. **Naucoris maculatus** Fabricius,1798 (Naucoridae)

724. **Nemka viduata (Pallas,1773)** (Mutillidae)
725. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
726. **Nemotelus (s.str.) mersinae Becker,1915**
(Stratiomyidae)
727. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae)
728. **Neomusaria waltli Sama,1991**
(Cerambycidae)
729. **Neoplagonotus bobelayei (Brullé,1832)**
(Cerambycidae)
730. **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae)
731. **Nineta carinthiaca (Hölzel,1965)** (Chrysopidae)
732. **Nineta flava (Scopoli,1763)** (Chrysopidae)
733. **Nisia nervosa (Motschulsky,1863)**
(Meenoplidae)
734. **Noeeta bisetosa Merz,1992** (Tephritidae)
735. **Nothodes parvulus (Panzer,1799)** (Elateridae)
736. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae)
737. **Nycteribia (s.str.) pedicularia Latreille,1805**
(Nycteribiidae)
738. **Ochrilidia obtusa (Salfi,1931)** (Acrididae)
739. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
740. **Oedemera (Oncomera) flavicans (Fairmaire,1860)** (Oedemeridae)
741. **Oedemera (Oncomera) natolica (Reiche,1862)** (Oedemeridae)
742. **Oedemera (s.str.) brevipennis Ganglbauer,1881** (Oedemeridae)
743. **Oedemera (s.str.) crassipes Ganglbauer,1881**
(Oedemeridae)
744. **Oedemera (s.str.) femorata (Scopoli,1763)** (Oedemeridae)
745. **Oedemera (s.str.) flavipennis W.Schmidt,1846** (Oedemeridae)
746. **Oedemera (s.str.) flavipes (Fabricius,1792)** (Oedemeridae)
747. **Oedemera (s.str.) lurida (Marsham,1802)**
(Oedemeridae)
748. **Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae)
749. **Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae)
750. **Oedipoda aurea Uvarov,1923** (Acrididae)
751. **Oenas tarsensis Abeille de Perrin,1880**
(Meloidae)
752. **Oligodranes obscuripennis Loew,1844**
(Bombyliidae)
753. **Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae)
754. **Omalium assingi Zanetti,2002** (Staphylinidae)
755. **Omalium caesum Gravenhorst,1806**
(Staphylinidae)
756. **Omalium cinnamomeum Kraatz,1857**
(Staphylinidae)
757. **Omalium henroti Coiffait,1976** (Staphylinidae)
758. **Omalium littorale Kraatz,1857**
(Staphylinidae)
759. **Omalium oxyacanthae Gravenhorst,1806**
(Staphylinidae)
760. **Omalium rugatum Mulsant & Rey,1880**
(Staphylinidae)
761. **Omalium schuberti Zanetti,2002**
(Staphylinidae)
762. **Omalium turcicum Smetana,1967**
(Staphylinidae)
763. **Ommatidiotus iranicus Horvath,1905**
(Caliscelidae)
764. **Oncopsis tristis (Zetterstedt,1840)**
(Cicadellidae)
765. **Onthophagus (Palaeonthophagus) anatolicus Petrovitz,1962** (Scarabaeidae)
766. **Onthophagus (Palaeonthophagus) suermelii Petrovitz,1963** (Scarabaeidae)
767. **Onychogomphus assimilis (Schneider,1845)**
(Gomphidae)
768. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae)
769. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae)
770. **Onychogomphus lefebvrei (Rambur,1842)**
(Gomphidae)
771. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
772. **Opatrum sabulosum (Linnaeus,1761)**
(Tenebrionidae)
773. **Ophion luteus (Linnaeus,1758)**
(Ichneumonidae)
774. **Opilo taeniatus (Klug,1842)** (Cleridae)
775. **Opsimea ventralis Miller,1880** (Oedemeridae)
776. **Orosius orientalis (Matsumura,1914)**
(Cicadellidae)
777. **Orthetrum brunneum (Fonscolombe,1837)**
(Libellulidae)
778. **Orthetrum cancellatum (Linnaeus,1758)**
(Libellulidae)
779. **Orthetrum chrysostigma (Burmeister,1839)** (Libellulidae)
780. **Orthetrum sabina (Drury,1770)**
(Libellulidae)
781. **Orthetrum trinacrium (Selys,1841)**
(Libellulidae)
782. **Osbornellus macchiai (Lindberg,1948)**
(Cicadellidae)
783. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae)
784. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae)
785. **Osmia (Helicosmia) pennata Warncke,1988** (Megachilidae)
786. **Osmia (Pyrosmia) laticauda Stanek,1969**
(Megachilidae)
787. **Osmia (s.str.) mutensis Peters,1978**
(Megachilidae)
788. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae)
789. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
790. **Ozihincus longicollis Rondani,1840**
(Cecidomyiidae)
791. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae)
792. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
793. **Pagiphora annulata (Brullé,1832)**
(Cicadidae)
794. **Palorus (Circumus) subdepressus Wollaston,1864** (Tenebrionidae)
795. **Pangonius (s.str.) fulvipes Loew,1859**
(Tabanidae)
796. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
797. **Paracorymbia excisipes (Ménétriés,1832)**
(Cerambycidae)

798. **Paramesodes lineaticollis** (Distant,1908)
(Cicadellidae)
799. **Paranocarodes fieberi** (Brunner von
Wattenwyl,1882) (Pamphagidae)
800. **Parapholidoptera antaliae** Nadig,1991
(Tettigoniidae)
801. **Parapholidoptera noxia** (Ramme,1930)
(Tettigoniidae)
802. **Parapholidoptera signata** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
803. **Parapholidoptera yoruka** Çıplak,2000
(Tettigoniidae)
804. **Pareumenes laminatus**
(Kriechbaumer,1879) (Vespidae)
805. **Pedestredorcadion arcivagum**
(Thomson,1868) (Cerambycidae)
806. **Pedestredorcadion culminicola**
(Thomson,1868) (Cerambycidae)
807. **Pedestredorcadion holtzi** (Pic,1905)
(Cerambycidae)
808. **Pedestredorcadion saucyi**
(Thomson,1865) (Cerambycidae)
809. **Pedinompilus orbitalis** (Haupt,1962)
(Pompilidae)
810. **Pedinompilus paulinus** (Wolf,1960)
(Pompilidae)
811. **Pedinus (s.str.) bodemeyeri** Reitter,1904
(Tenebrionidae)
812. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
813. **Peirates strepitans** (Rambur,1839)
(Reduviidae)
814. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
815. **Pentastiridius leporinus** (Linnaeus,1761)
(Cixiidae)
816. **Pentodon algerinum** Herbst,1789
(Scarabaeidae)
817. **Peripontius dentatus** Platia & Schimmel,1991
(Elateridae)
818. **Peripontius terminatus** (Erichson,1842)
(Elateridae)
819. **Perkinsiella dorsata** Melichar,1905
(Delphacidae)
820. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
821. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
822. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
823. **Philipomyia zizaniae** (Leclercq,1966)
(Tabanidae)
824. **Phepsius ornatus** (Perris,1857)
(Cicadellidae)
825. **Phorticus velutinus** Puton,1895 (Nabidae)
826. **Phyllotreta pontoaegaeica** Gruev,1982
(Chrysomelidae)
827. **Physatocheila confinis** Horvath,1905
(Tingidae)
828. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
829. **Pignatellus irroratus** (Olivier,1811)
(Myrmeleonidae)
830. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
831. **Pimpla hypochondriaca** (Retzius,1783)
(Ichneumonidae)
832. **Pimpla illecebrator** (Villers,1799)
(Ichneumonidae)
833. **Pittonotus theseus** (Germar,1817)
(Elateridae)
834. **Plagiognathus albipennis** (Fallén,1829)
(Miridae)
835. **Plagiognathus arbustorum**
(Fabricius,1794) (Miridae)
836. **Plagiognathus chrysanthemi**
(Wolff,1804) (Miridae)
837. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
838. **Plagiognathus raphani** Wagner,1963
(Miridae)
839. **Plagiognathus vitellinus** (Scholtz,1847)
(Miridae)
840. **Plastocerus angulosus** (Germar,1845)
(Elateridae)
841. **Platycleis (Incertana) incerta** Brunner von
Wattenwyl,1882 (Tettigoniidae)
842. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
843. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
844. **Platycnemis dealbata** Selys,1863
(Platycnemidae)
845. **Platycnemis kervillei** (Martin,1909)
(Platycnemidae)
846. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
847. **Platystoma rufipes** Meigen,1826
(Platystomidae)
848. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
849. **Poecilimon syriacus** Brunner von
Wattenwyl,1891 (Tettigoniidae)
850. **Poecilimon tauricola** Ramme,1951
(Tettigoniidae)
851. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
852. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
853. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
854. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
855. **Polyphaga aegyptiaca** (Linnaeus,1758)
(Polyphagidae)
856. **Pompilus cinereus** (Fabricius,1787)
(Pompilidae)
857. **Priocnemis coriacea** Dahlbom,1843
(Pompilidae)
858. **Priocnemis diversa** Junco,1946
(Pompilidae)
859. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
860. **Priocnemis minuta** (Van der
Linden,1827) (Pompilidae)
861. **Priocnemis parvula** Dahlbom,1845
(Pompilidae)
862. **Priocnemis propinqua** (Lepelletier,1847)
(Pompilidae)
863. **Priocnemis sulci** Balthasar,1943
(Pompilidae)
864. **Probaticus (Pelorinus) corrugatus**
Seidlitz,1893 (Tenebrionidae)
865. **Probaticus (Pelorinus) tenebricosus**
(Brullé,1832) (Tenebrionidae)
866. **Procallimus egregius** (Mulsant &
Rey,1863) (Cerambycidae)
867. **Promachus mustelus** Loew,1854 (Asilidae)

868. **Prostemma aeneicolle** Stein,1857
(Nabidae)
869. **Prosternon syriacum** (Buysson,1891)
(Elateridae)
870. **Protaetia (Potosia) angustata**
(Germar,1817) (Scarabaeidae)
871. **Protaetia (Potosia) cuprea** (Fabricius,1775)
(Scarabaeidae)
872. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
873. **Proteinus utrarius** Assing,2004
(Staphylinidae)
874. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
875. **Psammotettix cerinus** (Lindberg,1948)
(Cicadellidae)
876. **Pseudoceles ledereri** (Saussure,1884)
(Acrididae)
877. **Pseudophotopsis syriaca** (André,1900)
(Mutillidae)
878. **Psylliodes chrysocephalus**
(Linnaeus,1758) (Chrysomelidae)
879. **Psylliodes cupreus** (Koch,1803)
(Chrysomelidae)
880. **Psylliodes ellipticus** Allard,1861
(Chrysomelidae)
881. **Psylliodes illyricus** Leonardi &
Gruev,1993 (Chrysomelidae)
882. **Psylliodes inflatus** Reiche,1856
(Chrysomelidae)
883. **Psylliodes pallidicolor** Pic,1903
(Chrysomelidae)
884. **Psylliodes tauricus** Leonardi,1971
(Chrysomelidae)
885. **Purpuricenus nigronotatus** Pic,1907
(Cerambycidae)
886. **Purpuricenus nudicollis** Demelt,1968
(Cerambycidae)
887. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
888. **Pyrgomorpha cognata** Krauss,1877
(Pyrgomorphidae)
889. **Quadrastylum tarsusanum** Dlabola,1989
(Issidae)
890. **Quartinia separata** Gusenleitner,1997
(Vespidae)
891. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
892. **Raphidia (Phidiara) noane** H.Aspöck &
U.Aspöck,1966 (Raphidiidae)
893. **Raphidia (Pontoraphidia) pontica**
Albarda,1891 (Raphidiidae)
894. **Raphidia adanana** Albarda,1891
(Raphidiidae)
895. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
896. **Ravinia pernix** (Harris,1780)
(Sarcophagidae)
897. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
898. **Reptalus (s.str.) oleae** Dlabola,1987
(Cixiidae)
899. **Rhagio albipilosus** Becker,1821
(Rhagionidae)
900. **Rhagonycha duplicata** Dahlgren,1968
(Cantharidae)
901. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
902. **Rhagonycha icelica** Svihla,1995
(Cantharidae)
903. **Rhagonycha kiesenwetteri** Marseul,1864
(Cantharidae)
904. **Rhamphomyia (s.str.) karamanensis**
Bartak, Çiftçi & Hasbenli,2007 (Empididae)
905. **Rhynchites aereipennis**
Desbrochers,1895 (Attelabidae)
906. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
907. **Rhynchites lodosi** Voss,1973 (Attelabidae)
908. **Rhynchites smyrnensis**
Desbrochers,1869 (Attelabidae)
909. **Rhynchites trojanus** Gyllenhal,1839
(Attelabidae)
910. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
911. **Rhyparochromus inarimensis** (Costa,1860)
(Lygaeidae)
912. **Rhyparochromus phoeniceus** (Rossi,1794)
(Lygaeidae)
913. **Rhyparochromus pini** (Linnaeus,1758)
(Lygaeidae)
914. **Rhyparochromus reuteri** (Horvath,1885)
(Lygaeidae)
915. **Rhyparochromus vulgaris** (Schilling,1829)
(Lygaeidae)
916. **Rivetina caucasica** (Saussure,1871) (Mantidae)
917. **Ronisia brutia** (Petagna,1787) (Mutillidae)
918. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
919. **Saga cappadocica** Werner,1903 (Tettigoniidae)
920. **Saga longicaudata** Krauss,1879
(Tettigoniidae)
921. **Saga natoliae** Audinet-Serville,1839
(Tettigoniidae)
922. **Saga ornata** Burmeister,1838
(Tettigoniidae)
923. **Sapyga (s.str.) morawitzi** Turner,1911
(Sapygidae)
924. **Sapyga (s.str.) mutica** Kurzenko,1994
(Sapygidae)
925. **Sapyga (s.str.) pulcherrima**
Morawitz,1894 (Sapygidae)
926. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
927. **Sapygina decemguttata** (Jurine,1807)
(Sapygidae)
928. **Sapygina maloasiatica** Kurzenko,1994
(Sapygidae)
929. **Sarcophaga (Phytosarcophaga)**
destructor Malloch,1929 (Sarcophagidae)
930. **Scantius aegyptius** (Linnaeus,1758)
(Pyrrhocoridae)
931. **Scaptomyza (Parascaptomyza) pallida**
(Zetterstedt,1847) (Drosophilidae)
932. **Scarabaeus sacer** Linnaeus,1758
(Scarabaeidae)
933. **Scarodytes halensis** (Fabricius,1787)
(Dytiscidae)
934. **Schistonyx modestus** Priesner,1967
(Pompilidae)
935. **Schizodactylus inexpectatus**
(Werner,1901) (Schizodactylidae)
936. **Schizoprymnus brevicornis** (Herrich-
Schäffer,1838) (Braconidae)
937. **Schizoprymnus obscurus** (Nees,1813)
(Braconidae)
938. **Schizoprymnus ozlemae** Beyarslan,1988
(Braconidae)

939. **Sciocoris macrocephalus** Fieber,1851
(Pentatomidae)
940. **Sciocoris ochraceus** Fieber,1861
(Pentatomidae)
941. **Scolia asiella** Betrem,1935 (Scoliidae)
942. **Scolia hirta** (Schrank,1781) (Scoliidae)
943. **Scotodrymadusa syriaca** (Pictet,1888)
(Tettigoniidae)
944. **Scymnus rubromaculatus** (Goeze,1778)
(Coccinellidae)
945. **Senotainia tricuspis** (Meigen,1838)
(Sarcophagidae)
946. **Setapius barajus** (Dlabola,1957) (Cixiidae)
947. **Setapius lindbergi** (Dlabola,1957)
(Cixiidae)
948. **Sigara lateralis** Leach,1818 (Corixidae)
949. **Sigara mayri** (Fieber,1860) (Corixidae)
950. **Sigara samani** Hoberlandt,1948
(Corixidae)
951. **Silifka fatima** Argaman & Özbek,1992
(Tiphidae)
952. **Silvius (s.str.) algirus** Meigen,1930
(Tabanidae)
953. **Silvius (s.str.) alpinus** (Scopoli,1763)
(Tabanidae)
954. **Silvius (s.str.) ochraceus** Loew,1858
(Tabanidae)
955. **Simulium (Obuchovia) auricoma**
Meigen,1818 (Simuliidae)
956. **Sisyphus schaefferi** (Linnaeus,1758)
(Scarabaeidae)
957. **Sitophagus hololeptoides** Laporte,1840
(Tenebrionidae)
958. **Sogatella vibix** (Haupt,1927) (Delphacidae)
959. **Sphaerophoria rueppelli**
Wiedemann,1830 (Syrphidae)
960. **Sphenophyma rugulosa** (Stal,1876)
(Acrididae)
961. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
962. **Sphingonotus (Sphingoderus) carinatus**
(Saussure,1888) (Acrididae)
963. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
964. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
965. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
966. **Stalia major** Costa,1840 (Nabidae)
967. **Stenodera anatolica** Frivaldsky,1884
(Meloidae)
968. **Stenodera coeruleiceps** Fairmaire,1892
(Meloidae)
969. **Stenodynerus chevrieranus**
(Saussure,1855) (Vespidae)
970. **Stenodynerus simulatus**
Gusenleitner,1981 (Vespidae)
971. **Stenoheriades asiaticus** (Friese,1921)
(Megachilidae)
972. **Stenopogon rufescens** Theodor,1980
(Asilidae)
973. **Stenosis sulcata** Miller,1861
(Tenebrionidae)
974. **Stictoleptura heydeni** (Ganglbauer,1889)
(Cerambycidae)
975. **Stratiomys cenisia** Meigen,1822
(Stratiomyidae)
976. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
977. **Streptanus albanicus** (Horvath,1916)
(Cicadellidae)
978. **Stymphalus rubrolineatus** (Stal,1855)
(Cicadellidae)
979. **Suaris nanus** (McLachan,1893)
(Chrysopidae)
980. **Subcoccinella vigintiquatuor punctata**
(Linnaeus,1758) (Coccinellidae)
981. **Symmorphus gracilis** (Brullé,1832) (Vespidae)
982. **Sympeema fusca** (Van Der Linden,1820)
(Lestidae)
983. **Sympetrum flaveolum** (Linnaeus,1758)
(Libellulidae)
984. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
985. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
986. **Sympetrum striolatum**
(Charpentier,1840) (Libellulidae)
987. **Sympetrum vulgatum** (Linnaeus,1758)
(Libellulidae)
988. **Syneuodynerus egregius** (Herrich-
Schäffer,1839) (Vespidae)
989. **Syneuodynerus erichi** Gusenleitner,1967
(Vespidae)
990. **Synophropsis lauri** (Horvath,1897)
(Cicadellidae)
991. **Syrirta pipiens** (Linnaeus,1758) (Syrphidae)
992. **Syrphus ribesii** (Linnaeus,1758)
(Syrphidae)
993. **Tabanus accensus** Austen,1927
(Tabanidae)
994. **Tabanus atropathenicus** Olsufjev,1937
(Tabanidae)
995. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
996. **Tabanus bifarius** Loew,1858 (Tabanidae)
997. **Tabanus bovinus** Linnaeus,1758
(Tabanidae)
998. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
999. **Tabanus cordiger** Meigen,1820
(Tabanidae)
1000. **Tabanus cuculus** Szilady,1923 (Tabanidae)
1001. **Tabanus darimonti** Leclercq,1964
(Tabanidae)
1002. **Tabanus eggeri** Schiner,1868 (Tabanidae)
1003. **Tabanus exclusus** Pandella,1883
(Tabanidae)
1004. **Tabanus glaucopis** Meigen,1820
(Tabanidae)
1005. **Tabanus indrae** Hauser,1939 (Tabanidae)
1006. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
1007. **Tabanus miki** Brauer,1880 (Tabanidae)
1008. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
1009. **Tabanus quatuornatatus** Meigen,1820
(Tabanidae)
1010. **Tabanus regularis** Jaenicke,1866
(Tabanidae)
1011. **Tabanus rupium** Brauer,1880 (Tabanidae)
1012. **Tabanus shannonellus** Kröber,1936
(Tabanidae)
1013. **Tabanus spectabilis** Loew,1858
(Tabanidae)
1014. **Tabanus spodopterus** Meigen,1820
(Tabanidae)

1015. **Tabanus tergestinus** Egger,1859
(Tabanidae)
1016. **Tabanus unifasciatus** Loew,1858
(Tabanidae)
1017. **Tabanus yasujensis** Bogatshev &
Samedov,1949 (Tabanidae)
1018. **Tachyagetes exortivus** Wolf,1987
(Pompilidae)
1019. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
1020. **Tachyagetes gusenleitneri**
(Priesner,1973) (Pompilidae)
1021. **Tachyagetes leucocnemis** Haupt,1930
(Pompilidae)
1022. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
1023. **Tachycixius bidentifer** Dlabola,1971
(Cixiidae)
1024. **Tachycixius desertorum** (Fieber,1876)
(Cixiidae)
1025. **Telostegus inermis** (Brullé,1832)
(Pompilidae)
1026. **Tenthredo excellens** Konow,1886
(Tenthredinidae)
1027. **Tentyria cylindrica** Solier,1835
(Tenebrionidae)
1028. **Tephritis dioscurea** (Loew,1856)
(Tephritidae)
1029. **Tephritis fallax** (Loew,1844) (Tephritidae)
1030. **Tephritis formosa** (Loew,1844)
(Tephritidae)
1031. **Tephritis merzi** Freidberg & Kütük,2002
(Tephritidae)
1032. **Tephritis nigricauda** (Loew,1856)
(Tephritidae)
1033. **Teratolytta dives** (Brullé,1832) (Meloidae)
1034. **Teratolytta flavipes** (Mulsant &
Rey,1858) (Meloidae)
1035. **Teratolytta taurica** Bologna,2006
(Meloidae)
1036. **Tetrix subulata** (Linnaeus,1758)
(Tetrigidae)
1037. **Tetrops warncke** Holzschuh,1977
(Cerambycidae)
1038. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
1039. **Thamnotettix (s.str.) creticus**
Dlabola,1974 (Cicadellidae)
1040. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
1041. **Thanasimus formicarius** (Linnaeus,1758)
(Cleridae)
1042. **Thereva albohirta** Kröber,1912
(Therevidae)
1043. **Thereva binotata** (Loew,1847)
(Therevidae)
1044. **Thereva fulva** (Meigen,1804) (Therevidae)
1045. **Thereva hirta** Kröber,1913 (Therevidae)
1046. **Thereva strigata** (Fabricius,1794)
(Therevidae)
1047. **Theronia atalantae** (Poda,1761)
(Ichneumonidae)
1048. **Tibicina fieberi** Puissant & Sueur,2002
(Cicadidae)
1049. **Tibicina steveni** (Krynicky,1837)
(Cicadidae)
1050. **Tillus pectinicornis** Abeille,1892 (Cleridae)
1051. **Tingis caucasica** (Jakovlev,1880)
(Tingidae)
1052. **Tingis rotundicollis** (Jakovlev,1883)
(Tingidae)
1053. **Tingis valida** (Puton,1878) (Tingidae)
1054. **Tipula (Lunatipula) quinquespinis**
Theischinger,1980 (Tipulidae)
1055. **Tipula (Tipula) orientalis**
Lackschewitz,1930 (Tipulidae)
1056. **Tipula (Yamatotipula) lateralis**
Meigen,1804 (Tipulidae)
1057. **Toya ibiturca** Asche,1980 (Delphacidae)
1058. **Toya propinqua** (Fieber,1866)
(Delphacidae)
1059. **Triaspis caudatus** (Nees,1813)
(Braconidae)
1060. **Triaspis flavipalpis** Wesmael,1835
(Braconidae)
1061. **Trichodes affinis** Chevrolat,1843
(Cleridae)
1062. **Trichodes crabroniformis** Fabricius,1787
(Cleridae)
1063. **Trichodes dilatipennis** Reitter,1893
(Cleridae)
1064. **Trichodes ganglbaueri** Escherich,1893
(Cleridae)
1065. **Trichodes inermis** Reitter,1893 (Cleridae)
1066. **Trichodes laminatus** Chevrolat,1843
(Cleridae)
1067. **Trichodes longissimus** (Abeille de
Perrin,1881) (Cleridae)
1068. **Trichodes punctatus** Fischer,1829
(Cleridae)
1069. **Trichodes sexpustulatus** Chevrolat,1874
(Cleridae)
1070. **Trichodes sipylus** (Linnaeus,1758)
(Cleridae)
1071. **Trichodes suspectus** Escherich,1892
(Cleridae)
1072. **Trichodes tauricus** Zimmermann,1971
(Cleridae)
1073. **Trieces tricarinatus** (Holmgren,1856)
(Ichneumonidae)
1074. **Triodontella asiatica** (Brenske,1890)
(Scarabaeidae)
1075. **Triodontella dispar** (Fairmaire,1892)
(Scarabaeidae)
1076. **Trissemus munganasti** (Reitter,1905)
(Staphylinidae)
1077. **Trissolcus grandis** (Thomson,1860)
(Scelionidae)
1078. **Trissolcus pseudoturesis**
(Rjachovsky,1959) (Scelionidae)
1079. **Trissolcus semistriatus** (Nees,1834)
(Scelionidae)
1080. **Trissolcus simoni** (Mayr,1897)
(Scelionidae)
1081. **Trithemis festiva** (Rambur,1842)
(Libellulidae)
1082. **Troglophilus (s.str.) gajaci** Us,1974
(Raphidophoridae)
1083. **Tropidocephala andropogonis**
Horvath,1895 (Delphacidae)
1084. **Tropidocephala tuberipennis** (Mulsant &
Rey,1855) (Delphacidae)
1085. **Tropidopola longicornis** (Fieber,1853)
(Acrididae)
1086. **Tropinota (Epicometis) hirta** (Poda,1761)
(Scarabaeidae)
1087. **Truxalis eximia** Eichwald,1830 (Acrididae)

1088. **Truxalis nasuta (Linnaeus,1758)**
(Acrididae)
1089. **Truxalis robusta (Uvarov,1916)** (Acrididae)
1090. **Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae)
1091. **Tshurtshurnella trifasciata (Linnavuori,1965)** (Issidae)
1092. **Tychius argentatus Chevrolat,1859**
(Curculionidae)
1093. **Tychius bicolor Brisout,1862**
(Curculionidae)
1094. **Tychius cuprifer (Panzer,1799)**
(Curculionidae)
1095. **Tychius grenieri Brisout,1861**
(Curculionidae)
1096. **Tychius hirtellus Tournier,1873**
(Curculionidae)
1097. **Tychius polylineatus (Germar,1824)**
(Curculionidae)
1098. **Tychius ruscicus Desbrochers,1908**
(Curculionidae)
1099. **Tychius thoracicus Boheman,1843**
(Curculionidae)
1100. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
1101. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
1102. **Urophora cuspidata (Meigen,1826)**
(Tephritidae)
1103. **Urophora eriolepidis (Loew,1856)**
(Tephritidae)
1104. **Urophora jaculata Rondani,1870**
(Tephritidae)
1105. **Urophora macrura (Loew,1855)**
(Tephritidae)
1106. **Urophora phaeocera (M.Hering,1961)**
(Tephritidae)
1107. **Urophora solstitialis (Linnaeus,1758)**
(Tephritidae)
1108. **Urophora stylata (Fabricius,1775)**
(Tephritidae)
1109. **Vachiria natolica Stal,1859** (Reduviidae)
1110. **Vespa crabro Linnaeus,1758** (Vespidae)
1111. **Vespa orientalis Linnaeus,1771** (Vespidae)
1112. **Vespula germanica (Fabricius,1793)**
(Vespidae)
1113. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
1114. **Vibidia duodecimguttata (Poda,1761)**
(Coccinellidae)
1115. **Volucella zonaria (Poda,1761)** (Syrphidae)
1116. **Webbsianus ochreicolor Dlabola,1983**
(Issidae)
1117. **Xanthochroina auberti (Abeille de Perrin,1876)** (Oedemeridae)
1118. **Xenaporus schmidti Priesner,1967**
(Pompilidae)
1119. **Xerohippus anaticus Ramme,1951**
(Acrididae)
1120. **Xestocephalus guttulatus (Motschulsky,1859)** (Cicadellidae)
1121. **Zonitis gibbicollis Abeille de Perrin,1880**
(Meloidae)
1122. **Zonitis immaculata (Olivier,1790)**
(Meloidae)

Istanbul Province (34)

(652 species, stand 30 April 2010)

1. **Acantholepis frauenfeldi (Mayr,1855)**
(Formicidae)
2. **Achaeta algericus (Saussure,1877)** (Gryllidae)
3. **Achaeta burdigalensis (Latreille,1804)**
(Gryllidae)
4. **Achaeta deserta (Pallas,1771)** (Gryllidae)
5. **Acrida anatolica Dirsh,1949** (Acrididae)
6. **Acrida bicolor (Thunberg,1815)** (Acrididae)
7. **Acrometopa servillea (Brullé,1832)**
(Tettigoniidae)
8. **Acroricnus seductor (Scopoli,1786)**
(Ichneumonidae)
9. **Acroricnus stylator (Thunberg,1822)**
(Ichneumonidae)
10. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
11. **Acrotylus patruelis (Herrich-Schäffer,1838)**
(Acrididae)
12. **Actenodia confluens (Reiche,1866)** (Meloidae)
13. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
14. **Aelia rostrata Boheman,1852** (Pentatomidae)
15. **Aeshna mixta Latreille,1805** (Aeshnidae)
16. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
17. **Agenioideus nubecula (Costa,1874)**
(Pompilidae)
18. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae)
19. **Aiolopus strepens (Latreille,[1802])**
(Acrididae)
20. **Aiolopus thalassinus (Fabricius,1781)**
(Acrididae)
21. **Akis spinosa (Linnaeus,1764)** (Tenebrionidae)
22. **Alebra wahlbergi (Boheman,1845)**
(Cicadellidae)
23. **Allodynerus rossii (Lepelletier,1841)**
(Vespidae)
24. **Allygidius atomarius (Fabricius,1794)**
(Cicadellidae)
25. **Alomya debellator (Fabricius,1775)**
(Ichneumonidae)
26. **Alosimus decolor (Abeille de Perrin,1880)**
(Meloidae)
27. **Altica brevicollis Foudras,1860**
(Chrysomelidae)

28. **Altica cornivorax** Kral,1969 (Chrysomelidae)
29. **Altica globicollis** (Weise,1889) (Chrysomelidae)
30. **Altica impressicollis** (Reiche,1862) (Chrysomelidae)
31. **Altica quercetorum** Foudras,1860 (Chrysomelidae)
32. **Altica tamaricis** Schrank,1785 (Chrysomelidae)
33. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
34. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
35. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
36. **Anax imperator** Leach,1815 (Aeshnidae)
37. **Anax parthenope** (Selys,1839) (Aeshnidae)
38. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
39. **Ancistrocerus oviventris** (Wesmael,1836) (Vespidae)
40. **Andrena (Brachyandrena) colletiformis** Morawitz,1874 (Andrenidae)
41. **Anomalon foliator** (Fabricius,1798) (Ichneumonidae)
42. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
43. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
44. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
45. **Anoplotettix sahtyiancii** Dlabola,1970 (Cicadellidae)
46. **Anospilus orbitalis** (Costa,1863) (Pompilidae)
47. **Anthaxia (s.str.) fulgurans** (Schrank,1789) (Buprestidae)
48. **Anthaxia (s.str.) passerini** (Pecchioli,1837) (Buprestidae)
49. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae)
50. **Anthidium (s.str.) taeniatum** Latreille,1809 (Megachilidae)
51. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
52. **Apanteles ater** (Ratzeburg,1852) (Braconidae)
53. **Apanteles brunnistigma** Abdinbekova,1969 (Braconidae)
54. **Apanteles evanidus** Papp,1975 (Braconidae)
55. **Apanteles kubensis** Abdinbekova,1975 (Braconidae)
56. **Apanteles obscurus** (Nees,1834) (Braconidae)
57. **Aphaenogaster simonelli** Emery,1894 (Formicidae)
58. **Aphaenogaster subterranea** (Latreille,1798) (Formicidae)
59. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
60. **Aphrophora alni** (Fallén,1805) (Cercopidae)
61. **Aphthona bonvouloiri** Allard,1861 (Chrysomelidae)
62. **Aphthona euphorbiae** (Schrank,1781) (Chrysomelidae)
63. **Aphthona flaviceps** Allard,1859 (Chrysomelidae)
64. **Aphthona lutescens** (Gyllenhal,1808) (Chrysomelidae)
65. **Aphthona nonstriata** (Goeze,1777) (Chrysomelidae)
66. **Aphthona ovata** Foudras,1860 (Chrysomelidae)
67. **Apiomyia bergenstammi** (Wachtl,1882) (Cecidomyiidae)
68. **Apoderus coryli** (Linnaeus,1758) (Attelabidae)
69. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
70. **Aporinellus sexmaculatus** (Spinola,1805) (Pompilidae)
71. **Arachnocephalus vestitus** A.Costa,1855 (Mogoplistidae)
72. **Arachnospila minutula** (Dahlbom,1843) (Pompilidae)
73. **Arge cyanocrocea** (Forster,1771) (Argidae)
74. **Arge melanochra** (Gmelin,1790) (Argidae)
75. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
76. **Athalia circularis** (Klug,1815) (Tenthredinidae)
77. **Athalia liberta** (Klug,1815) (Tenthredinidae)
78. **Athous (Haplathous) turcicus** Reitter,1905 (Elateridae)
79. **Attelabus nitens** (Scopoli,1763) (Attelabidae)
80. **Atylotus flavoguttatus** (Szilady,1915) (Tabanidae)
81. **Atylotus fulvus** (Meigen,1820) (Tabanidae)
82. **Atylotus latistriatus** Brauer,1879 (Tabanidae)
83. **Atylotus loewianus** (Villeneuve,1920) (Tabanidae)
84. **Bacillus sp.** (Phasmidae)
85. **Banchopsis crassicornis** Rudow,1886 (Ichneumonidae)
86. **Banchus falcatorius** (Fabricius,1775) (Ichneumonidae)
87. **Banchus turcator** Aubert,1984 (Ichneumonidae)
88. **Bathyplectes algerica** (Smit van Burgst,1913) (Ichneumonidae)
89. **Bathyplectes carthaginensis** (Smit van Burgst,1913) (Ichneumonidae)
90. **Bathyplectes curculionis** (Thomson,1887) (Ichneumonidae)
91. **Bathyplectes exiguus** (Gravenhorst,1829) (Ichneumonidae)
92. **Bathyplectes rufipes** Horstmann,1974 (Ichneumonidae)
93. **Bathythrix claviger** (Taschenberg,1865) (Ichneumonidae)
94. **Batophila fallax** Weise,1888 (Chrysomelidae)
95. **Bembecinus hungaricus** (Fruvaldsky,1876) (Crabronidae)
96. **Berosus (s.str.) affinis** Brullé,1835 (Hydrophilidae)
97. **Biblopectus boveyi** Besuchet,1975 (Staphylinidae)
98. **Biblopectus parvulus** Besuchet,1975 (Staphylinidae)
99. **Bidessus calabricus** Guignot,1957 (Dytiscidae)
100. **Blaps tibialis** Reiche & Sauley,1857 (Tenebrionidae)
101. **Blatta orientalis** Linnaeus,1758 (Blattidae)
102. **Blattella germanica** (Linnaeus,1767) (Blattidae)
103. **Bombus terrestris** Linnaeus,1758 (Apidae)
104. **Brachycerus algirus** Latreille,1807 (Brachyceridae)
105. **Brachycerus argillaceus** Reiche,1857 (Brachyceridae)
106. **Brachycerus lutosus** Gyllenhal,1833 (Brachyceridae)
107. **Brachycerus undatus** Fabricius,1798 (Brachyceridae)
108. **Brachytron pratense** (O.F.Müller,1764) (Aeshnidae)

109. **Bryaxis mohamedis (Reitter,1903)**
(Staphylinidae)
110. **Bryaxis theanus (Reitter,1894)** (Staphylinidae)
111. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae)
112. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
113. **Byctiscus betulae (Linnaeus,1758)**
(Attelabidae)
114. **Bythinus balkanicus Reitter,1885**
(Staphylinidae)
115. **Caliaeschna microstigma (Schneider,1845)**
(Aeshnidae)
116. **Calliphora vicina Robineau-Desvoidy,1830**
(Calliphoridae)
117. **Calliptamus barbarus (Costa,1836)** (Acrididae)
118. **Calliptamus italicus (Linnaeus,1758)**
(Acrididae)
119. **Calliptamus tenuicercis Tarbinsky,1930**
(Acrididae)
120. **Calopteryx mingrelica Selys,1869**
(Calopterygidae)
121. **Calopteryx virgo (Linnaeus,1758)**
(Calopterygidae)
122. **Camponotus aethiops (Latreille,1798)**
(Formicidae)
123. **Camponotus dalmaticus (Nylander,1848)**
(Formicidae)
124. **Camponotus samius Forel,1888** (Formicidae)
125. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
126. **Capnodis porosa (Klug,1829)** (Buprestidae)
127. **Capnodis tenebricosa (Olivier,1790)**
(Buprestidae)
128. **Capnodis tenebrionis (Linnaeus,1761)**
(Buprestidae)
129. **Carpocoris lunulatus (Goeze,1778)**
(Pentatomidae)
130. **Cassida hablitziae Motschoulsky,1838**
(Chrysomelidae)
131. **Cassida seraphina Ménétrés,1836**
(Chrysomelidae)
132. **Cataglyphis nodus (Brullé,1832)** (Formicidae)
133. **Celes variabilis (Pallas,1771)** (Acrididae)
134. **Centrotus cornutus (Linnaeus,1758)**
(Membracidae)
135. **Cephalota (s.str.) turcica (Schaum,1859)**
(Carabidae)
136. **Cercion lindenii (Selys,1840)** (Coenagrionidae)
137. **Cercopis sanguinolenta (Scopoli,1763)**
(Cercopidae)
138. **Chaetocnema aridula (Gyllenhal,1827)**
(Chrysomelidae)
139. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae)
140. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae)
141. **Chaetocnema orientalis (Bauduer,1874)**
(Chrysomelidae)
142. **Chirotica decorator (Villers,1789)**
(Ichneumonidae)
143. **Choeras dorsalis (Spinola,1808)** (Braconidae)
144. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
145. **Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae)
146. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
147. **Chromatomyia horticola (Goureau,1851)**
(Agromyzidae)
148. **Chromoderus fasciatus (O.F.Müller,1776)**
(Curculionidae)
149. **Chrysobothris affinis (Fabricius,1794)**
(Buprestidae)
150. **Chrysobothris solieri Laporte & Gory,1837**
(Buprestidae)
151. **Chrysolina chalcites (Germar,1824)**
(Chrysomelidae)
152. **Chrysolina haemoptera (Linnaeus,1758)**
(Chrysomelidae)
153. **Chrysolina herbacea (Duftschmid,1825)**
(Chrysomelidae)
154. **Chrysolina hyperici (Forster,1771)**
(Chrysomelidae)
155. **Chrysolina orientalis (Olivier,1807)**
(Chrysomelidae)
156. **Chrysolina polita (Linnaeus,1758)**
(Chrysomelidae)
157. **Chrysolina sanguinolenta (Linnaeus,1758)**
(Chrysomelidae)
158. **Chrysolina turca (Fairmaire,1865)**
(Chrysomelidae)
159. **Chrysolina vernalis (Brullé,1836)**
(Chrysomelidae)
160. **Chrysomela populi Linnaeus,1758**
(Chrysomelidae)
161. **Chrysomela tremulae Fabricius,1787**
(Chrysomelidae)
162. **Chrysomela vigintipunctata (Scopoli,1763)**
(Chrysomelidae)
163. **Chrysopa formosa Brauer,1850** (Chrysopidae)
164. **Chrysopa septempunctata Wesmael,1841**
(Chrysopidae)
165. **Chrysops (s.str.) caecutiens (Linnaeus,1761)**
(Tabanidae)
166. **Chrysops (s.str.) flavipes Meigen,1804**
(Tabanidae)
167. **Chrysops (s.str.) viduatus (Fabricius,1794)**
(Tabanidae)
168. **Cicada orni Linnaeus,1758** (Cicadidae)
169. **Cicadatra atra (Oliver,1790)** (Cicadidae)
170. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae)
171. **Cicadetta dimissa (Hagen,1856)** (Cicadidae)
172. **Cicadetta montana (Scopoli,1772)** (Cicadidae)
173. **Cicadula placida (Horvath,1897)** (Cicadellidae)
174. **Cicindela campestris Linnaeus,1758**
(Carabidae)
175. **Cicindela sylvatica Linnaeus,1758** (Carabidae)
176. **Clinodiplosis botularia (Winnertz,1853)**
(Cecidomyiidae)
177. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae)
178. **Coenagrion scitulum (Rambur,1842)**
(Coenagrionidae)
179. **Coenagrion syriacum (Morton,1924)**
(Coenagrionidae)
180. **Colaphus sophiae (Schaller,1783)**
(Chrysomelidae)
181. **Collyria coxator (Villers,1789)**
(Ichneumonidae)
182. **Colpa klugii (Van der Linden,1827)** (Scoliidae)
183. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
184. **Conocephalus (s.str.) hastatus (Charpentier,1825)** (Tettigoniidae)
185. **Contarinia populi (Rübsaamen,1917)**
(Cecidomyiidae)
186. **Cordulegaster bidentata Selys,1843**
(Cordulegasteridae)

187. **Cordulegaster picta** Selys,1854
(Cordulegasteridae)
188. **Cotesia ruficrus** (Haliday,1834)
(Braconidae)
189. **Cotesia telengai** (Tobias,1972) (Braconidae)
190. **Cotesia tibialis** (Curtis,1830) (Braconidae)
191. **Cratichneumon coruscator** (Linnaeus,1758)
(Ichneumonidae)
192. **Cratichneumon fabricator** (Fabricius,1793)
(Ichneumonidae)
193. **Crematogaster scutellaris** (Olivier,1791)
(Formicidae)
194. **Crematogaster sordidula** (Nylander,1849)
(Formicidae)
195. **Crepidodera aurea** (Geoffroy,1785)
(Chrysomelidae)
196. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)
197. **Cryptocephalus ocellatus** Drapiez,1819
(Chrysomelidae)
198. **Cryptocephalus prusias** Suffrian,1853
(Chrysomelidae)
199. **Cryptocheilus fabricii** (Van der Linden,1827)
(Pompilidae)
200. **Cryptocheilus fischeri** (Spinola,1855)
(Pompilidae)
201. **Cryptocheilus octomaculatus** (Rossi,1790)
(Pompilidae)
202. **Cryptocheilus rubellus**
(Eversmann,1846) (Pompilidae)
203. **Cryptocheilus versicolor** (Scopoli,1763)
(Pompilidae)
204. **Cryptus viduatorius** Fabricius,1804
(Ichneumonidae)
205. **Cylindera (Cicindina) trisignata**
(Dejean,1822) (Carabidae)
206. **Cyphon longiusculus** Nyholm,1970
(Scirtidae)
207. **Cyphon ochraceus** Stephens,1830
(Scirtidae)
208. **Cyphon palustris** Thomson,1855
(Scirtidae)
209. **Cyphon scurrula** Nyholm,1970 (Scirtidae)
210. **Dasyrhamphis ater** (Austen,1925) (Tabanidae)
211. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
212. **Decticus albifrons** (Fabricius,1793)
(Tettigoniidae)
213. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
214. **Delenda carthago** Croissandeau,1891
(Staphylinidae)
215. **Dendarus (Pandarinus) alleonis**
Seidlitz,1893 (Tenebrionidae)
216. **Dendarus (Pandarinus) crenulatus**
(Ménétriés,1832) (Tenebrionidae)
217. **Dentilla curtiventris** (André,1901) (Mutillidae)
218. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
219. **Derocrepis serbica** (Kutschera,1860)
(Chrysomelidae)
220. **Diadegma armilata** (Gravenhorst,1829)
(Ichneumonidae)
221. **Dictyonota aridula** (Jakovlev,1902) (Tingidae)
222. **Dictyonota lugubris** (Fieber,1861)
(Tingidae)
223. **Diolcogaster alvearia** (Fabricius,1798)
(Braconidae)
224. **Diphyus luctatorius** (Linnaeus,1758)
(Ichneumonidae)
225. **Diphyus quadripunctorius** (Müller,1776)
(Ichneumonidae)
226. **Diplazon laetatorius** (Fabricius,1781)
(Ichneumonidae)
227. **Diplazon tetragonus** Thunberg,1822
(Ichneumonidae)
228. **Diplorhoptrum fugax** (Latreille,1798)
(Formicidae)
229. **Doclostaurus (Notostaurus) anatolicus**
Krauss,1896 (Acrididae)
230. **Dolichogenidea coleophorae**
(Wilkinson,1938) (Braconidae)
231. **Dolichogenidea lacteicolor** (Viereck,1911)
(Braconidae)
232. **Dolichomitus mesocentrus**
(Gravenhorst,1829) (Ichneumonidae)
233. **Dolichomitus messor**
(Gravenhorst,1829) (Ichneumonidae)
234. **Drosophila (Sophophora) melanogaster**
Meigen,1830 (Drosophilidae)
235. **Drosophila (Sophophora) simulans**
Sturtevant,1919 (Drosophilidae)
236. **Drosophila repleta** Wollaston,1858
(Drosophilidae)
237. **Dryomyia circinans** (Giraud,1861)
(Cecidomyiidae)
238. **Dusona oxyacanthae** (Boie,1855)
(Ichneumonidae)
239. **Dyroderes umbraculatus**
(Fabricius,1775) (Pentatomidae)
240. **Ebaeus appendiculatus** Erichson,1840
(Melyridae)
241. **Edwardsiana lethierryi** (Edwards,1881)
(Cicadellidae)
242. **Edwardsiana tshinari** Zachvatkin,1947
(Cicadellidae)
243. **Elatophilus pachynemesis** Horvath,1907
(Anthocoridae)
244. **Eledona agaricola** (Herbst,1784)
(Tenebrionidae)
245. **Elodes luteata** Klausnitzer,1979 (Scirtidae)
246. **Emblethis sabulosus** Seidenstücker,1963
(Lygaeidae)
247. **Empoasca solani** (Curtis,1846)
(Cicadellidae)
248. **Empusa fasciata** Brullé,1836 (Empusidae)
249. **Entomobora crassitarsis** (Costa,1887)
(Pompilidae)
250. **Entomobora vomeriventris** (Costa,1863)
(Pompilidae)
251. **Eohardya fraudulentus** (Horvath,1903)
(Cicadellidae)
252. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
253. **Episyron albonotatum** (Van der
Linden,1827) (Pompilidae)
254. **Episyron arrogans** (Smith,1873)
(Pompilidae)
255. **Episyron rufipes** (Linnaeus,1758) (Pompilidae)
256. **Episyrrhus balteatus** (De Geer,1776)
(Syrphidae)
257. **Epitrix pubescens** (Koch,1803)
(Chrysomelidae)
258. **Euborellia annulipes** (Lucas,1837)
(Labiduridae)
259. **Euchorthippus pulvinatus** (Fischer von
Waldheim,1846) (Acrididae)

260. **Eupholidoptera smyrnensis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
261. **Eupteryx atropunctata** (Goeze,1778) (Cicadellidae)
262. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
263. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
264. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
265. **Euryproctus mundus** (Gravenhorst,1829) (Ichneumonidae)
266. **Euscelidius variegatus** (Kirschbaum,1858) (Cicadellidae)
267. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae)
268. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
269. **Evagetes tumidosus** (Tournier,1890) (Pompilidae)
270. **Exetastes illusor** Gravenhorst,1829 (Ichneumonidae)
271. **Exetastes laevigator** (Villers,1789) (Ichneumonidae)
272. **Exochus castaniventris** Brauns,1896 (Ichneumonidae)
273. **Eyprepocnemis plorans** (Charpentier,1825) (Acrididae)
274. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
275. **Forficula auricularia** Linnaeus,1758 (Forficulidae)
276. **Forficula decipiens** Gén ,1832 (Forficulidae)
277. **Forficula lurida** Fischer,1853 (Forficulidae)
278. **Forficula smyrnensis** Audinet-Serville,1839 (Forficulidae)
279. **Formica cunicularia** Latreille,1798 (Formicidae)
280. **Formica fusca** Linnaeus,1758 (Formicidae)
281. **Gambrus inferus** Thomson,1896 (Ichneumonidae)
282. **Gastrophysa polygona** (Linnaeus,1758) (Chrysomelidae)
283. **Geomantis larvodes** Pantel,1896 (Mantidae)
284. **Geomyza tripunctata** Fall n,1823 (Opomyzidae)
285. **Gerris lacustris** (Linnaeus,1758) (Gerridae)
286. **Gonocephalum costatum** Brull ,1832 (Tenebrionidae)
287. **Gryllomorpha (s.str.) dalmatina** (Ocskay,1832) (Gryllidae)
288. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
289. **Gymnomerus laevipes** (Shuckard,1837) (Vespidae)
290. **Haematopota bigoti** Gobert,1881 (Tabanidae)
291. **Haematopota grandis** Macquart,1834 (Tabanidae)
292. **Haematopota kemali** Szilady,1923 (Tabanidae)
293. **Haematopota pandazisi** Kr ber,1936 (Tabanidae)
294. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
295. **Haematopota subcylindrica** Pandelle,1883 (Tabanidae)
296. **Harmandiola cavernosa** (R bsaamen,1899) (Cecidomyiidae)
297. **Harmandiola globuli** (R bsaamen,1889) (Cecidomyiidae)
298. **Hartigiola annulipes** (Hartig,1839) (Cecidomyiidae)
299. **Helcostizus restaurator** (Fabricius,1775) (Ichneumonidae)
300. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
301. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
302. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
303. **Helophorus dorsalis** (Marsham,1802) (Helophoridae)
304. **Helophorus griseus** Herbst,1793 (Helophoridae)
305. **Helophorus hirsutiventris** Angus,1984 (Helophoridae)
306. **Helophorus minutus** Fabricius,1775 (Helophoridae)
307. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
308. **Helophorus nubilus** Fabricius,1776 (Helophoridae)
309. **Helophorus obscurus** Mulsant,1844 (Helophoridae)
310. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
311. **Heterischnus truncator** (Fabricius,1798) (Ichneumonidae)
312. **Hippuriphila modeeri** (Linnaeus,1761) (Chrysomelidae)
313. **Hoplitis (s.str.) adunca** (Panzer,1798) (Megachilidae)
314. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
315. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
316. **Hybomitra bimaculata** (Macquart,1826) (Tabanidae)
317. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
318. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
319. **Hybomitra decora** (Loew,1858) (Tabanidae)
320. **Hybomitra distinguenda** (Verrall,1909) (Tabanidae)
321. **Hybomitra expollicata** (Pandelle,1883) (Tabanidae)
322. **Hybomitra muehlfeldi** (Brauer,1880) (Tabanidae)
323. **Hydrochus megaphallus** Berge Henegouwen,1988 (Hydrochidae)
324. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
325. **Hypera punctata** (Fabricius,1775) (Curculionidae)
326. **Hypera striata** (Boheman,1834) (Curculionidae)
327. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
328. **Ichneumon bucculentus** Wesmael,1844 (Ichneumonidae)
329. **Iconella vindicia** (Nixon,1965) (Braconidae)
330. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
331. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)

332. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
333. **Isophya pavelii** Brunner von Wattenwyl,1878 (Tettigoniidae)
334. **Isophya rectipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
335. **Isophya speciosa** (Frivaldsky,1867) (Tettigoniidae)
336. **Itopectis tunetana** (Schmiedeknecht,1914) (Ichneumonidae)
337. **Krombeinella gaullei** (Invrea,1952) (Mutillidae)
338. **Kybos smaragdulus** (Fallén,1806) (Cicadellidae)
339. **Labia minor** (Linnaeus,1758) (Spongiphoridae)
340. **Labidostomis propinqua** Faldermann,1837 (Chrysomelidae)
341. **Labidura riparia** (Pallas,1773) (Labiduridae)
342. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
343. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
344. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
345. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
346. **Lacon punctatus** (Herbst,1779) (Elateridae)
347. **Laena ganglbaueri** Reitter,1906 (Tenebrionidae)
348. **Lampyroidea dispar** (Fairmaire,1857) (Lampyridae)
349. **Lampyroidea graeca** (Laporte de Castelnau,1833) (Lampyridae)
350. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
351. **Lasioglossum costulatum** (Kriechbaumer,1873) (Halictidae)
352. **Lasioglossum cristulum** (Pérez,1895) (Halictidae)
353. **Lasioglossum lateralis** (Brullé,1832) (Halictidae)
354. **Lasioglossum perclavipes** (Blüthgen,1934) (Halictidae)
355. **Lasioptera populnea** Wachtl,1883 (Cecidomyiidae)
356. **Lasius alienus** (Förster,1850) (Formicidae)
357. **Leptochilus alpestris** (Saussure,1855) (Vespidae)
358. **Leptophyes albovittata** (Kollar,1833) (Tettigoniidae)
359. **Lestes barbarus** (Fabricius,1798) (Lestidae)
360. **Lestes dryas** Kirby,1890 (Lestidae)
361. **Lestes parvidens** Artobolevski,1929 (Lestidae)
362. **Lesteva punctata** Erichson,1839 (Staphylinidae)
363. **Libellula depressa** Linnaeus,1758 (Libellulidae)
364. **Limotettix striola** (Fallén,1806) (Cicadellidae)
365. **Lissonota (s.str.) clypeator** (Gravenhorst,1829) (Ichneumonidae)
366. **Lissonota (s.str.) nigricoxis** Habermehl,1918 (Ichneumonidae)
367. **Lissonota (s.str.) parallela** Gravenhorst,1829 (Ichneumonidae)
368. **Lissonota (s.str.) rufitarsis** Szepliget,1899 (Ichneumonidae)
369. **Loboptera decipiens** (Germar,1817) (Blattidae)
370. **Locusta migratoria** (Linnaeus,1758) (Acrididae)
371. **Longitarsus fallax** Weise,1888 (Chrysomelidae)
372. **Longitarsus jailensis** Heikertinger,1913 (Chrysomelidae)
373. **Longitarsus linnaei** (Duftschmid,1825) (Chrysomelidae)
374. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae)
375. **Longitarsus melanocephalus** (De Geer,1775) (Chrysomelidae)
376. **Longitarsus niger** (Koch,1803) (Chrysomelidae)
377. **Longitarsus obliteratus** (Rosenhauer,1847) (Chrysomelidae)
378. **Longitarsus pinguis** Weise,1888 (Chrysomelidae)
379. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae)
380. **Longitarsus rectilineatus** (Foudras,1860) (Chrysomelidae)
381. **Longitarsus succineus** (Foudras,1860) (Chrysomelidae)
382. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
383. **Lucanus (.s.str.) cervus** (Linnaeus,1758) (Lucanidae)
384. **Ludita fulvipennis** (Smith,1879) (Tiphidae)
385. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
386. **Lysibia nana** (Gravenhorst,1829) (Ichneumonidae)
387. **Macrodiplosis roboris** (Hardy,1854) (Cecidomyiidae)
388. **Macropsis scutellata** (Boheman,1845) (Cicadellidae)
389. **Malachius rubidus** Erichson,1840 (Melyridae)
390. **Malachius stolatus** Mulsant & Godart,1855 (Melyridae)
391. **Malthinus alemdagensis** Wittmer,1974 (Cantharidae)
392. **Malthodes turcicus** Kiesenwetter,1872 (Cantharidae)
393. **Mantis religiosa** (Linnaeus,1758) (Mantidae)
394. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
395. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
396. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
397. **Megascolia maculata** (Drury,1773) (Scolidae)
398. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
399. **Meringopus pseudonymphus** (Tschek,1872) (Ichneumonidae)
400. **Mesoleptus filicornis** (Thomson,1884) (Ichneumonidae)
401. **Mesoleptus marginatus** (Thomson,1884) (Ichneumonidae)
402. **Mesostenus grammicus** Gravenhorst,1829 (Ichneumonidae)

403. **Messor structor (Latreille,1798)**
(Formicidae)
404. **Metcalfa pruinosa (Say,1830)** (Flatidae)
405. **Metopius (Ceratopius) dissectorius**
(Panzer,1805) (Ichneumonidae)
406. **Metopius (Peltocarus) dentatus**
(Fabricius,1779) (Ichneumonidae)
407. **Metrioptera (Roeseliana) bispina**
(Bolivar,1899) (Tettigoniidae)
408. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
409. **Microcara caspica Reitter,1889** (Scirtidae)
410. **Microgaster subcompleta Nees,1834**
(Braconidae)
411. **Microptilis cebes Nixon,1970** (Braconidae)
412. **Microptilis deces Tobias,1964** (Braconidae)
413. **Microptilis mandibularis Thomson,1895**
(Braconidae)
414. **Microptilis tuberculifer (Wesmael,1837)**
(Braconidae)
415. **Microptilis varipes Ruthe,1860** (Braconidae)
416. **Mikiola fagi (Hartig,1839)** (Cecidomyiidae)
417. **Mikiola orientalis Kieffer,1908**
(Cecidomyiidae)
418. **Modicogryllus (Eumodicogryllus)**
burdigalensis (Latreille,1804) (Gryllidae)
419. **Monarthropalpus flavus (Schrank,1776)**
(Cecidomyiidae)
420. **Monomorium minitum Mayr,1855**
(Formicidae)
421. **Mustha spinosula (Lefebvre,1831)**
(Pentatomidae)
422. **Mycterodus (s.str.) confusus Stal,1861**
(Issidae)
423. **Mycterodus arpadi Dlabola,1977** (Issidae)
424. **Mycterodus izmiticus Dlabola,1979**
(Issidae)
425. **Mylabris calida (Pallas,1781)** (Meloidae)
426. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
427. **Mylabris variabilis (Pallas,1782)**
(Meloidae)
428. **Nalassus plebejus (Küster,1850)**
(Tenebrionidae)
429. **Nebrioporus suavis (Sharp,1882)**
(Dytiscidae)
430. **Nemoptera coa (Linnaeus,1758)**
(Nemopteridae)
431. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
432. **Nemorius vitripennis (Meigen,1820)**
(Tabanidae)
433. **Neocrepidodera ferruginea**
(Scopoli,1763) (Chrysomelidae)
434. **Neocrepidodera nigriflora**
(Gyllenhal,1813) (Chrysomelidae)
435. **Neophilaenus lineatus (Linnaeus,1758)**
(Cercopidae)
436. **Neottiglossa bifida (Costa,1847)**
(Pentatomidae)
437. **Neotypus melanocephalus (Gmelin,1790)**
(Ichneumonidae)
438. **Netelia (s.str.) testacea**
(Gravenhorst,1829) (Ichneumonidae)
439. **Notonecta glauca Linnaeus,1758**
(Notonectidae)
440. **Notonecta maculata Fabricius,1794**
(Notonectidae)
441. **Notonecta meridionalis Poisson,1926**
(Notonectidae)
442. **Nycteribia (s.str.) latreillii (Leach,1817)**
(Nycteribiidae)
443. **Ochrosis ventralis (Illiger,1807)**
(Chrysomelidae)
444. **Odontomyia cephalonica Strobl,1898**
(Stratiomyidae)
445. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
446. **Oedaleus decorus (Germar,1817)**
(Acrididae)
447. **Oedemera (s.str.) crassipes**
Ganglbauer,1881 (Oedemeridae)
448. **Oedipoda caerulea (Linnaeus,1758)**
(Acrididae)
449. **Oedipoda miniata (Pallas,1771)** (Acrididae)
450. **Oligotrophus juniperinus**
(Linnaeus,1758) (Cecidomyiidae)
451. **Omalium allardii Fairmaire & Bristout de**
Barneville,1859 (Staphylinidae)
452. **Omalium rivulare (Paykull,1789)**
(Staphylinidae)
453. **Omalium saulcyi Fauvel,1875**
(Staphylinidae)
454. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
455. **Omocestus (s.str.) rufipes**
(Zetterstedt,1821) (Acrididae)
456. **Omocestus (s.str.) ventralis**
(Zetterstedt,1821) (Acrididae)
457. **Onthophagus (Palaeonthophagus)**
kindermanni Harold,1877 (Scarabaeidae)
458. **Onychogomphus forcipatus**
(Linnaeus,1758) (Gomphidae)
459. **Ophion luteus (Linnaeus,1758)**
(Ichneumonidae)
460. **Ophion obscuratus Fabricius,1798**
(Ichneumonidae)
461. **Ophion ventricosus Gravenhorst,1829**
(Ichneumonidae)
462. **Orthocentrus radialis Thomson,1897**
(Ichneumonidae)
463. **Osmia (Helicosmia) caerulea**
(Linnaeus,1758) (Megachilidae)
464. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
465. **Osmia (Hoplosmia) bidentata**
Morawitz,1876 (Megachilidae)
466. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
467. **Pangonius (s.str.) rhynchocephalus**
Kröber,1921 (Tabanidae)
468. **Panorpa picta Hagen,1863** (Panorpidae)
469. **Panorpa pieperi Willmann,1975**
(Panorpidae)
470. **Paracaloptenus caloptenoides (Brunner**
von Wattenwyl,1861) (Acrididae)
471. **Paranocarodes straubei (Fieber,1853)**
(Pamphagidae)
472. **Paratettix meridionalis (Rambur,1838)**
(Tetrigidae)
473. **Pareumenes laminatus (Kriechbaumer,1879)**
(Vespidae)
474. **Patroclodes sputator (Fabricius,1793)**
(Ichneumonidae)
475. **Pedestredorcadion condensatum**
(Küster,1852) (Cerambycidae)

476. **Pedestredorcadion gallipolanum** (Thomson,1867) (Cerambycidae)
477. **Pedestredorcadion pedestre** (Poda,1761) (Cerambycidae)
478. **Pedestredorcadion punctipenne** (Küster,1852) (Cerambycidae)
479. **Pedinus (s.str.) strabonis** Seidlitz,1893 (Tenebrionidae)
480. **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae)
481. **Periplaneta americana** (Linnaeus,1758) (Blattidae)
482. **Pezotettix giornae** (Rossi,1794) (Acrididae)
483. **Phaedon pyritosus** (Rossi,1792) (Chrysomelidae)
484. **Phaenolobus terebrator** (Scopoli,1763) (Ichneumonidae)
485. **Phaeogenes nigridens** Wesmael,1844 (Ichneumonidae)
486. **Phaeogenes planifrons** Wesmael,1844 (Ichneumonidae)
487. **Phanoptera (s.str.) falcata** (Poda,1761) (Tettigoniidae)
488. **Phanoptera (s.str.) nana** Fieber,1853 (Tettigoniidae)
489. **Pheidole pallidula** (Nylander,1848) (Formicidae)
490. **Pherbina mediterranea** Mayer,1953 (Sciomyzidae)
491. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
492. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
493. **Pholidoptera femorata** (Fieber,1853) (Tettigoniidae)
494. **Phyllodrepa vilis** (Erichson,1840) (Staphylinidae)
495. **Phyllodromica marginata** (Schreber,1781) (Blattidae)
496. **Phyllotreta nemorum** (Linnaeus,1758) (Chrysomelidae)
497. **Phyllotreta ochripes** (Curtis,1837) (Chrysomelidae)
498. **Phyllotreta praticola** Weise,1887 (Chrysomelidae)
499. **Phyllotreta punctulata** (Marsham,1802) (Chrysomelidae)
500. **Phyllotreta undulata** Kutschera,1860 (Chrysomelidae)
501. **Phyllotreta variipennis** (Boieldieu,1859) (Chrysomelidae)
502. **Phyllotreta vilis** Weise,1888 (Chrysomelidae)
503. **Physemocercis hartigi** (Liebel,1892) (Cecidomyiidae)
504. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
505. **Pimelia (Eurypimelia) subglobosa** (Pallas,1781) (Tenebrionidae)
506. **Pimelia (Eurypimelia) subglobosa verruculifera** Solier,1836 (Tenebrionidae)
507. **Piocoris erythrocephalus** (P. & S.,1825) (Lygaeidae)
508. **Pion fortipes** (Gravenhorst,1829) (Ichneumonidae)
509. **Pithotomus rufiventris** Kriechbaumer,1888 (Ichneumonidae)
510. **Plagiodera versicolora** (Laicharting,1781) (Chrysomelidae)
511. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
512. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
513. **Plagiolepis pygmaea** (Latreille,1798) (Formicidae)
514. **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae)
515. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
516. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
517. **Platycleis (Sepiana) sepium** (Yersin,1854) (Tettigoniidae)
518. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
519. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
520. **Platystoma arcuatum** Loew,1856 (Platystomidae)
521. **Podagrica fuscicornis** (Linnaeus,1767) (Chrysomelidae)
522. **Podagrica malvae** (Illiger,1807) (Chrysomelidae)
523. **Poecilimon anatolicus** Ramme,1933 (Tettigoniidae)
524. **Poecilimon bidens** Retowski,1889 (Tettigoniidae)
525. **Poecilimon bosporicus** Brunner von Wattenwyl,1878 (Tettigoniidae)
526. **Poecilimon miramae** Ramme,1933 (Tettigoniidae)
527. **Poecilimon zimmeri** Ramme,1933 (Tettigoniidae)
528. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
529. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
530. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
531. **Polyphaga aegyptiaca** (Linnaeus,1758) (Polyphagidae)
532. **Pompilus cinereus** (Fabricius,1787) (Pompilidae)
533. **Priocnemis fahringeri** Wolf,1963 (Pompilidae)
534. **Priocnemis fallax** Verhoeff,1892 (Pompilidae)
535. **Priocnemis perturbator** (Harris,1776) (Pompilidae)
536. **Priocnemis rugosa** Sustera,1922 (Pompilidae)
537. **Priocnemis vulgaris** (Dufour,1841) (Pompilidae)
538. **Probaticus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
539. **Prostemma guttula** (Fabricius,1787) (Nabidae)
540. **Prostemma krueperi** Stein,1878 (Nabidae)
541. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
542. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
543. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
544. **Psylliodes cupreus** (Koch,1803) (Chrysomelidae)
545. **Pteronemobius (s.str.) heydeni** (Fischer,1853) (Gryllidae)

546. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
547. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae)
548. **Pyrrhosoma nymphula (Sulzer,1776)** (Coenagrionidae)
549. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae)
550. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae)
551. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
552. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
553. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
554. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
555. **Rhacoeleis germanica (Herrich-Schäffer,1840)** (Tettigoniidae)
556. **Rhogogaster chlorosoma Benson,1943** (Tenthredinidae)
557. **Rhynchites bacchus (Linnaeus,1758)** (Atteblabidae)
558. **Rhynchites hungaricus (Herbst,1784)** (Atteblabidae)
559. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae)
560. **Rhyparochromus inarimensis (Costa,1860)** (Lygaeidae)
561. **Rhyssa persuasoria (Linnaeus,1758)** (Ichneumonidae)
562. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae)
563. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae)
564. **Saga natoliae Audinet-Serville,1839** (Tettigoniidae)
565. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
566. **Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae)
567. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae)
568. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
569. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae)
570. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
571. **Scolia fallax Eversmann,1849** (Scoliidae)
572. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
573. **Scymnus pallipediformis Günther,1958** (Coccinellidae)
574. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
575. **Selenocephalus pallens Lindberg,1948** (Cicadellidae)
576. **Sepiana sepia (Yersin,1854)** (Tettigoniidae)
577. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
578. **Silvius (s.str.) algirus Meigen,1930** (Tabanidae)
579. **Silvius (s.str.) alpinus (Scopoli,1763)** (Tabanidae)
580. **Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae)
581. **Somatochlora flavomaculata (Van Der Linden,1825)** (Corduliidae)
582. **Somatochlora meridionalis Nielsen,1935** (Corduliidae)
583. **Sphaeroderma rubidum (Graells,1858)** (Chrysomelidae)
584. **Sphingonotus caerulans (Linnaeus,1767)** (Acrididae)
585. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
586. **Stenarella domator (Poda,1761)** (Ichneumonidae)
587. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
588. **Stenodynerus aequisculptus (Kostylev,1940)** (Vespididae)
589. **Stenodynerus chevrieranus (Saussure,1855)** (Vespididae)
590. **Stenomarcus affinitor Aubert,1981** (Ichneumonidae)
591. **Sterictiphora furcata (Villers,1789)** (Argidae)
592. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae)
593. **Suillia variegata (Loew,1862)** (Heleomyzidae)
594. **Sympecma fusca (Van Der Linden,1820)** (Lestidae)
595. **Sympetrum sanguineum (O.F.Müller,1764)** (Libellulidae)
596. **Sympiesis turcica Fahringer,1938** (Eulophidae)
597. **Synechocryptus mactator (Tschek,1870)** (Ichneumonidae)
598. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae)
599. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae)
600. **Syrphophilus bizonatus (Gravenhorst,1829)** (Ichneumonidae)
601. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
602. **Tabanus bifarius Loew,1858** (Tabanidae)
603. **Tabanus eggeri Schiner,1868** (Tabanidae)
604. **Tabanus exclusus Pandella,1883** (Tabanidae)
605. **Tabanus fraseri Austen,1925** (Tabanidae)
606. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
607. **Tabanus lunatus Fabricius,1794** (Tabanidae)
608. **Tabanus maculicornis Zetterstedt,1842** (Tabanidae)
609. **Tabanus miki Brauer,1880** (Tabanidae)
610. **Tabanus portschinskii Olsufjev,1937** (Tabanidae)
611. **Tabanus regularis Jaenicke,1866** (Tabanidae)
612. **Tabanus spodopterus Meigen,1820** (Tabanidae)
613. **Tabanus sudeticus Zeller,1842** (Tabanidae)
614. **Tabanus tergestinus Egger,1859** (Tabanidae)
615. **Tachyagetes aegyptiacus (Priesner,1955)** (Pompilidae)
616. **Tachyagetes filicornis (Tornier,1890)** (Pompilidae)
617. **Tachyagetes kUSDasi Priesner,1965** (Pompilidae)
618. **Tachyancistrocerus rhodensis (Saussure,1855)** (Vespididae)
619. **Tapinoma erraticum (Latreille,1798)** (Formicidae)

620. **Temnostethus tibialis Reuter,1888**
(Anthocoridae)
621. **Tenthredo zonula Klug,1817** (Tenthredinidae)
622. **Teratolytta dives (Brullé,1832)** (Meloidea)
623. **Tetartostylus illyricus**
(Kirschbaum,1868) (Cicadellidae)
624. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
625. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
626. **Tetrix subulata (Linnaeus,1758)**
(Tetrigidae)
627. **Tettigometra (Mitricephalus) leucophaea**
(Preyssler,1792) (Tettigometridae)
628. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
629. **Therion circumflexum (Linnaeus,1758)**
(Ichneumonidae)
630. **Thrybius praedator (Rossi,1792)**
(Ichneumonidae)
631. **Tibicina haematodes (Scopoli,1763)**
(Cicadidae)
632. **Tingis reticulata Herrich-Schäffer,1835**
(Tingidae)
633. **Trichodes apiarius (Linnaeus,1758)**
(Cleridae)
634. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
635. **Trichodes inermis Reitter,1893** (Cleridae)
636. **Trichodes laminatus Chevrolat,1843**
(Cleridae)
637. **Trichodes nobilis Klug,1842** (Cleridae)
638. **Trichodes punctatus Fischer,1829**
(Cleridae)
639. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
640. **Trimium caucasicum Kolenati,1846**
(Staphylinidae)
641. **Tryphon (s.str.) rutilator (Linnaeus,1761)**
(Ichneumonidae)
642. **Tryphon (s.str.) signator**
Gravenhorst,1829 (Ichneumonidae)
643. **Tryphon (s.str.) trochanteratus**
Holmgren,1855 (Ichneumonidae)
644. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
645. **Vespa crabro Linnaeus,1758** (Vespidae)
646. **Vespula germanica (Fabricius,1793)**
(Vespidae)
647. **Xenoschesis (s.str.) fulvipes**
(Gravenhorst,1829) (Ichneumonidae)
648. **Xorides (s.str.) filiformis**
(Gravenhorst,1829) (Ichneumonidae)
649. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
650. **Xya variegata (Latreille,1809)**
(Tridactylidae)
651. **Xylocoris cursitans (Fallén,1807)**
(Anthocoridae)
652. **Zatypota bohemani (Holmgren,1854)**
(Ichneumonidae)

Izmir Province (35)

(1186 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Acantholepis frauenfeldi (Mayr,1855)**
(Formicidae)
3. **Achaeta burdigalensis (Latreille,1804)**
(Gryllidae)
4. **Achaeta deserta (Pallas,1771)** (Gryllidae)
5. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
6. **Aciura coryli (Rossi,1790)** (Tephritidae)
7. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
8. **Acomporis pygmaeus (Fallén,1807)**
(Anthocoridae)
9. **Aconura jakowlefi Lethierry,1876**
(Cicadellidae)
10. **Acrida bicolor (Thunberg,1815)** (Acrididae)
11. **Acrometopa servillea (Brullé,1832)**
(Tettigoniidae)
12. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae)
13. **Acrosternum heegeri Fieber,1861**
(Pentatomidae)
14. **Acrosternum millierei (Mulsant & Rey,1866)**
(Pentatomidae)
15. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
16. **Acrotylus patruelis (Herrich-Schäffer,1838)**
(Acrididae)
17. **Actenodia confluens (Reiche,1866)** (Meloidea)
18. **Adalia (s.str.) bipunctata (Linnaeus,1758)**
(Coccinellidae)
19. **Adrastus rachifer (Fourcroy,1785)** (Elateridae)
20. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
21. **Aelia albovittata Fieber,1868** (Pentatomidae)
22. **Aelia rostrata Boheman,1852** (Pentatomidae)
23. **Aelia virgata (Herrich-Schäffer,1841)**
(Pentatomidae)
24. **Aeoloides grisescens (Germar,1844)**
(Elateridae)

25. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
26. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
27. **Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae)
28. **Agabus (Gaurodytes) didymus (Olivier,1795)** (Dytiscidae)
29. **Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae)
30. **Agallia consobrina Curtis,1833** (Cicadellidae)
31. **Agalmatium bilobum (Fieber,1877)** (Issidae)
32. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
33. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
34. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae)
35. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae)
36. **Agriotes (s.str.) furlani Platia,2003** (Elateridae)
37. **Agriotes (s.str.) izmirensis Cate & Platia,1997** (Elateridae)
38. **Agromyza albitarsis Meigen,1830** (Agromyzidae)
39. **Agromyza apfelbecki Strobl,1902** (Agromyzidae)
40. **Agromyza frontella (Rondani,1875)** (Agromyzidae)
41. **Agromyza hiemalis Becker,1908** (Agromyzidae)
42. **Agromyza intermittens Becker,1907** (Agromyzidae)
43. **Agromyza nana Meigen,1830** (Agromyzidae)
44. **Agromyza rondensis Strobl,1900** (Agromyzidae)
45. **Agromyza trebinjensis Strobl,1900** (Agromyzidae)
46. **Aiolopus strepens (Latreille,[1802])** (Acrididae)
47. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae)
48. **Alebra albostriella (Fallén,1826)** (Cicadellidae)
49. **Allodynerus delphinalis (Giraud,1866)** (Vespidae)
50. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae)
51. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)
52. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae)
53. **Alosimus smyrnensis (Maran,1942)** (Meloidae)
54. **Alphitobius diaperinus (Panzer,1797)** (Tenebrionidae)
55. **Alphitobius laevigatus (Fabricius,1781)** (Tenebrionidae)
56. **Altica jarmilae Kral,1979** (Chrysomelidae)
57. **Amauromyza (Cephalomyza) flavifrons (Meigen,1830)** (Agromyzidae)
58. **Amauromyza (s.str.) morionella (Zetterstedt,1848)** (Agromyzidae)
59. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae)
60. **Amphicoma (Pygopleurus) anemoninus (Brullé,1832)** (Glaphyridae)
61. **Amphicoma (Pygopleurus) labamei Petrovitz,1971** (Glaphyridae)
62. **Amphicoma (Vittateulasia) pareyssei (Brullé,1832)** (Glaphyridae)
63. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae)
64. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
65. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae)
66. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
67. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
68. **Anadolua davisii Karabağ,1952** (Tettigoniidae)
69. **Anadolua schwarzi Ramme,1939** (Tettigoniidae)
70. **Ancistrocerus claripennis Thomson,1874** (Vespidae)
71. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae)
72. **Ancistrocerus scoticus (Curtis,1826)** (Vespidae)
73. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae)
74. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae)
75. **Aneomochtherus aerifacies (Tsacas,1968)** (Asilidae)
76. **Anisobas cingulatus Horstmann,1997** (Ichneumonidae)
77. **Anisochrya (Chrysoperla) iranica (Hölzel,1967)** (Chrysopidae)
78. **Anisochrya (s.str.) clathrata (Schneider,1845)** (Chrysopidae)
79. **Anisochrya (s.str.) genei (Rambur,1842)** (Chrysopidae)
80. **Anomala osmanlis Blanchard,1851** (Scarabaeidae)
81. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
82. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)
83. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae)
84. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
85. **Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae)
86. **Anterastes anatolicus Uvarov,1934** (Tettigoniidae)
87. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae)
88. **Anthaxia (Cratomerus) eugeniae Ganglbauer,1885** (Buprestidae)
89. **Anthaxia (Cratomerus) krueperi Ganglbauer,1885** (Buprestidae)
90. **Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae)
91. **Anthaxia (Cratomerus) scorzonerae (Fivaldski,1838)** (Buprestidae)
92. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae)
93. **Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae)
94. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae)
95. **Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae)
96. **Anthaxia (Haplanthaxia) mundula Kiesenwetter,1857** (Buprestidae)

97. **Anthaxia (Haplantaxia) niehuisi Brandl,1987** (Buprestidae)
98. **Anthaxia (Haplantaxia) olympica Kiesenwetter,1880** (Buprestidae)
99. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae)
100. **Anthaxia (Haplantaxia) rossica Daniel,1903** (Buprestidae)
101. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae)
102. **Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae)
103. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae)
104. **Anthaxia (Melanthaxia) obesa Abeille,1900** (Buprestidae)
105. **Anthaxia (s.str.) amasina Daniel,1903** (Buprestidae)
106. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae)
107. **Anthaxia (s.str.) deaurata (Gmelin,1788)** (Buprestidae)
108. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae)
109. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae)
110. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae)
111. **Anthaxia (s.str.) kervillei Thery,1939** (Buprestidae)
112. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae)
113. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae)
114. **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae)
115. **Anthaxia (s.str.) nigricollis Abeille,1904** (Buprestidae)
116. **Anthaxia (s.str.) plicata Kiesenwetter,1859** (Buprestidae)
117. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae)
118. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae)
119. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae)
120. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
121. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
122. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae)
123. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
124. **Anthidium (s.str.) loti Perris,1852** (Megachilidae)
125. **Anthobium anatolicum (Fagel,1968)** (Staphylinidae)
126. **Anthocomus smyrnensis Wittmer,1971** (Melyridae)
127. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae)
128. **Anthrenus (s.str.) flavipes LeConte,1854** (Dermestidae)
129. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae)
130. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae)
131. **Antiphrisson trifarius (Loew,1849)** (Asilidae)
132. **Aphaenogaster simonelli Emery,1894** (Formicidae)
133. **Aphidoletes aphidimyza (Rondani,1847)** (Cecidomyiidae)
134. **Aphrodes albifrons (Linnaeus,1758)** (Cicadellidae)
135. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
136. **Aphrophora alni (Fallén,1805)** (Cercopidae)
137. **Aphthona maculata Allard,1876** (Chrysomelidae)
138. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae)
139. **Aphthona syriaca Heikertinger,1944** (Chrysomelidae)
140. **Apis mellifera Linnaeus,1758** (Apidae)
141. **Apodiphus amygdali (Germar,1817)** (Pentatomidae)
142. **Apoplymus pectoralis Fieber,1859** (Berytidae)
143. **Arachnospila sogdiana (Morawitz,1893)** (Pompilidae)
144. **Aradus betulae (Linnaeus,1758)** (Aradidae)
145. **Aradus cinnamomeus Panzer,1806** (Aradidae)
146. **Aradus depressus (Fabricius,1794)** (Aradidae)
147. **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae)
148. **Aritranis graeffei (Thomson,1896)** (Ichneumonidae)
149. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae)
150. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae)
151. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae)
152. **Asynapta strobi (Kieffer,1920)** (Cecidomyiidae)
153. **Athous (Orthathous) gudenzii Guglielmi & Platia,1985** (Elateridae)
154. **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae)
155. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae)
156. **Atylotus latistriatus Brauer,1879** (Tabanidae)
157. **Aulagromyza hamata (Hendel,1932)** (Agromyzidae)
158. **Aulagromyza orphana (Hendel,1920)** (Agromyzidae)
159. **Aulagromyza populi (Kaltenbach,1864)** (Agromyzidae)
160. **Auletobius politus Voss,1934** (Atelabidae)
161. **Auletobius pubescens (Kiesenwetter,1852)** (Atelabidae)
162. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
163. **Balclutha rosea (Scott,1876)** (Cicadellidae)
164. **Bangasternus orientalis (Capiomont,1873)** (Curculionidae)
165. **Bangasternus planifrons (Brullé,1832)** (Curculionidae)
166. **Baryphora speciosa Loew,1844** (Therevidae)
167. **Batrisodes buqueti (Aubé,1833)** (Staphylinidae)
168. **Batrisodes clypeatus Besuchet,1981** (Staphylinidae)
169. **Bembecinus meridionalis A.Costa,1859** (Crabronidae)
170. **Bembecinus peregrinus (Smith,1856)** (Crabronidae)
171. **Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae)

172. **Bembidion (Ocydromus) siculum**
Dejean,1831 (Carabidae)
173. **Berosus (Enoplurus) jaechi** Schödl,1991
(Hydrophilidae)
174. **Berosus (s.str.) affinis** Brullé,1835
(Hydrophilidae)
175. **Berosus (s.str.) byzantinus** Ganglbauer,1904
(Hydrophilidae)
176. **Berosus (s.str.) signaticollis**
(Charpentier,1825) (Hydrophilidae)
177. **Berytinus geniculatus** (Horvath,1885)
(Berytidae)
178. **Berytinus montivagus** (Meyer-Dür,1841)
(Berytidae)
179. **Bidessus calabricus** Guignot,1957 (Dytiscidae)
180. **Bidessus delicatulus** (Schaum,1844)
(Dytiscidae)
181. **Blaps abbreviata** Ménériés,1836
(Tenebrionidae)
182. **Blaps gigas** (Linnaeus,1767) (Tenebrionidae)
183. **Blaps jeanneli** Ferrer & Soldati,1999
(Tenebrionidae)
184. **Blaps lethifera** Marsham,1802 (Tenebrionidae)
185. **Blaps ocreata** Allard,1880 (Tenebrionidae)
186. **Blaps tibialis** Reiche & Saulcy,1857
(Tenebrionidae)
187. **Blattella germanica** (Linnaeus,1767)
(Blattidae)
188. **Blepharicera fasciata** (Westwood,1842)
(Blephariceridae)
189. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
190. **Bombus terrestris** Linnaeus,1758 (Apidae)
191. **Bothynoderes punctiventris** (Germar,1794)
(Curculionidae)
192. **Brachycerus algiurus** Latreille,1807
(Brachyceridae)
193. **Brachycerus argillaceus** Reiche,1857
(Brachyceridae)
194. **Brachycerus foveicollis** Gyllenhal,1833
(Brachyceridae)
195. **Brachycerus junix** Herbst,1797 (Brachyceridae)
196. **Brachycerus lutosus** Gyllenhal,1833
(Brachyceridae)
197. **Brachycerus plicatus** Gyllenhal,1833
(Brachyceridae)
198. **Brachycerus sinuatus** Olivier,1807
(Brachyceridae)
199. **Brachycerus undatus** Fabricius,1798
(Brachyceridae)
200. **Bubastia (s.str.) suturale** (Fieber,1877)
(Issidae)
201. **Bubopsis andromache** Aspöck, Aspöck &
Hölzel,1979 (Ascalaphidae)
202. **Bucephaloptera bucephala** (Brunner von
Wattenwyl,1882) (Tettigoniidae)
203. **Bulaea lichatschovi** (Hummel,1827)
(Coccinellidae)
204. **Cabirutus gracilis** (Reitter,1904)
(Tenebrionidae)
205. **Calisius salicis** Horvath,1913 (Aradidae)
206. **Callimenus dilatatus** (Stal,1876)
(Tettigoniidae)
207. **Callimenus macrogaster** (Lefebvre,1831)
(Tettigoniidae)
208. **Callimus abdominalis** (Olivier,1795)
(Cerambycidae)
209. **Calliptamus barbarus** (Costa,1836)
(Acrididae)
210. **Calliptamus italicus** (Linnaeus,1758)
(Acrididae)
211. **Calliptamus tenuicercis** Tarbinsky,1930
(Acrididae)
212. **Callodictya krueperi** (Fieber,1876)
(Dictyopharidae)
213. **Calopteryx intermedia** Selys,1887
(Calopterygidae)
214. **Calopteryx mingrellica** Selys,1869
(Calopterygidae)
215. **Calopteryx splendens** (Harris,1776)
(Calopterygidae)
216. **Calycomyza humeralis** (von Roser,1840)
(Agromyzidae)
217. **Campiglossa tesellata** (Loew,1844)
(Tephritidae)
218. **Camponotus aethiops** (Latreille,1798)
(Formicidae)
219. **Camponotus compressus** (Fabricius,1787)
(Formicidae)
220. **Camponotus gestroi** Emery,1878
(Formicidae)
221. **Camponotus ionius** Emery,1901 (Formicidae)
222. **Camponotus samius** Forel,1888
(Formicidae)
223. **Camptomyia pinicola** Mamaev,1961
(Cecidomyiidae)
224. **Cantharis pulicaria** Fabricius,1781
(Cantharidae)
225. **Cantharis smyrnensis** Marseul,1864
(Cantharidae)
226. **Capnodis cariosa** (Pallas,1776)
(Buprestidae)
227. **Capnodis miliaris** (Klug,1829)
(Buprestidae)
228. **Capnodis porosa** (Klug,1829)
(Buprestidae)
229. **Capnodis tenebricosa** (Olivier,1790)
(Buprestidae)
230. **Capnodis tenebrionis** (Linnaeus,1761)
(Buprestidae)
231. **Cardiastethus nazarenus** Reuter,1884
(Anthocoridae)
232. **Cardiocladius capucinus**
(Zetterstedt,1850) (Chironomidae)
233. **Cardiophorus (s.str.) agilis** Platia &
Gundezi,2002 (Elateridae)
234. **Cardiophorus (s.str.) cyanipennis**
Mulsant & Wachanru,1852 (Elateridae)
235. **Carpocoris mediterraneus**
Tamanini,1958 (Pentatomidae)
236. **Cassida bella** Faldermann,1837
(Chrysomelidae)
237. **Cassida palaestina** Reiche,1858
(Chrysomelidae)
238. **Cassida pannonica** Suffrian,1844
(Chrysomelidae)
239. **Cassida prasina** Illiger,1798
(Chrysomelidae)
240. **Cassida rubiginosa** Müller,1776
(Chrysomelidae)
241. **Cassida sanguinolenta** Müller,1776
(Chrysomelidae)
242. **Cassida seraphina** Ménériés,1836
(Chrysomelidae)
243. **Cassida viridis** Linnaeus,1758
(Chrysomelidae)
244. **Cataglyphis nodus** (Brullé,1832)
(Formicidae)

245. **Cataglyphis viaticoides** André,1881 (Formicidae)
246. **Catoplatus anticus** (Reuter,1880) (Tingidae)
247. **Catoplatus distinctus** Montandon,1895 (Tingidae)
248. **Catoplatus nigriceps** Horvath,1905 (Tingidae)
249. **Celes variabilis** (Pallas,1771) (Acrididae)
250. **Celonites cyprius** Saussure,1854 (Vespidae)
251. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
252. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
253. **Cephalostenus elegans** Brullé,1832 (Tenebrionidae)
254. **Cephalostenus orbicollis** Ménériés,1836 (Tenebrionidae)
255. **Cephalota (s.str.) turcica** (Schaum,1859) (Carabidae)
256. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
257. **Cerapterocerus mirabilis** Westwood,1833 (Encyrtidae)
258. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
259. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
260. **Cercopis septemmaculata** (Melichar,1903) (Cercopidae)
261. **Cerocoma macedonica** Maran,1944 (Meloidea)
262. **Cerodontha (s.str.) denticornis** (Panzer,1806) (Agromyzidae)
263. **Ceropales tectigera** Moczar,1987 (Pompilidae)
264. **Chaetocnema hortensis** (Geoffroy,1785) (Chrysomelidae)
265. **Chaetocnema scheffleri** (Kutschera,1864) (Chrysomelidae)
266. **Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae)
267. **Chalcophorella stigmatica** (Schoenherr,1817) (Buprestidae)
268. **Chironomus anthracinus** (Zetterstedt,1855) (Chironomidae)
269. **Chironomus thummi** Kieffer,1911 (Chironomidae)
270. **Chloriona sicula** Matsumura,1910 (Delphacidae)
271. **Chlorita tessellata** Lethierry,1884 (Cicadellidae)
272. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
273. **Chorthippus (Glyptobothrus) bozdaghi** Uvarov,1934 (Acrididae)
274. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
275. **Chorthippus (Glyptobothrus) longicornis** (Latreille,1804) (Acrididae)
276. **Chorthippus (Glyptobothrus) vagans** (Eversmann,1848) (Acrididae)
277. **Chorthippus (s.str.) albomarginatus** (De Geer,1773) (Acrididae)
278. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
279. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
280. **Chromatomyia horticola** (Goureau,1851) (Agromyzidae)
281. **Chromatomyia milii** (Kaltenbach,1864) (Agromyzidae)
282. **Chromoderus fasciatus** (O.F.Müller,1776) (Curculionidae)
283. **Chrysobothris affinis** (Fabricius,1794) (Buprestidae)
284. **Chrysobothris solieri** Laporte & Gory,1837 (Buprestidae)
285. **Chrysolina americana** (Linnaeus,1758) (Chrysomelidae)
286. **Chrysolina chalcites** (Germar,1824) (Chrysomelidae)
287. **Chrysolina didymata** (Scriba,1791) (Chrysomelidae)
288. **Chrysolina graminis** (Linnaeus,1758) (Chrysomelidae)
289. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
290. **Chrysolina polita** (Linnaeus,1758) (Chrysomelidae)
291. **Chrysolina sahlbergi** (Ménériés,1832) (Chrysomelidae)
292. **Chrysolina salviae** (Germar,1824) (Chrysomelidae)
293. **Chrysolina vernalis** (Brullé,1836) (Chrysomelidae)
294. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
295. **Chrysopa dubitans** McLachan,1887 (Chrysopidae)
296. **Chrysopa formosa** Brauer,1850 (Chrysopidae)
297. **Chrysopa septempunctata** Wesmael,1841 (Chrysopidae)
298. **Chrysops (Petersenichrysops) hamatus** Loew,1858 (Tabanidae)
299. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
300. **Chrysops (s.str.) italicus** Meigen,1804 (Tabanidae)
301. **Cicada lodosi** Boulard,1979 (Cicadidae)
302. **Cicada mordoganensis** Boulard,1979 (Cicadidae)
303. **Cicada orni** Linnaeus,1758 (Cicadidae)
304. **Cicadatra atra** (Oliver,1790) (Cicadidae)
305. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
306. **Cicadatra platyptera** Fieber,1876 (Cicadidae)
307. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
308. **Cicadetta dimissa** (Hagen,1856) (Cicadidae)
309. **Cicadetta sibilatrix** Horvath,1901 (Cicadidae)
310. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
311. **Cicadulina bipunctata** (Melichar,1904) (Cicadellidae)
312. **Cicindela campestris** Linnaeus,1758 (Carabidae)
313. **Cimbex quadrimaculatus** (O.F.Müller,1766) (Cimbridae)
314. **Cionus donckieri** Pic,1898 (Curculionidae)
315. **Cixidia parnassia** (Stal,1859) (Achilidae)
316. **Cixius pallipes** Fieber,1876 (Cixiidae)
317. **Cleonis piger** (Scopoli,1763) (Curculionidae)

318. **Clytra atraphaxidis** (Pallas,1773)
(Chrysomelidae)
319. **Clytra binominata** Monros,1953
(Chrysomelidae)
320. **Clytra laeviuscula** (Ratzeburg,1837)
(Chrysomelidae)
321. **Clytra novempunctata** Olivier,1808
(Chrysomelidae)
322. **Clytra valeriana** Ménétríés,1832
(Chrysomelidae)
323. **Coccinella (Neococcinella) undecimpunctata** (Linnaeus,1758)
(Coccinellidae)
324. **Coccinella (s.str.) septempunctata** Linnaeus,1758 (Coccinellidae)
325. **Coelioxys (Allocoelioxys) afra** Lepeletier,1841 (Megachilidae)
326. **Coenorrhinus aequatus** (Linnaeus,1767)
(Attelabidae)
327. **Coenorrhinus cribripennis** Desbrochers,1869 (Attelabidae)
328. **Coenorrhinus cribrum** (Desbrochers,1875) (Attelabidae)
329. **Coenorrhinus germanicus** (Herbst,1797)
(Attelabidae)
330. **Colaphus sophiae** (Schaller,1783)
(Chrysomelidae)
331. **Colpa (s.str.) sexmaculata** (Fabricius,1782)
(Scoliidae)
332. **Colpa interrupta** (Fabricius,1781)
(Scoliidae)
333. **Colpa klugii** (Van der Linden,1827)
(Scoliidae)
334. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
335. **Colpotus vogti** Koch,1944 (Tenebrionidae)
336. **Colymbetes fuscus** (Linnaeus,1758)
(Dytiscidae)
337. **Coniatus repandus** (Fabricius,1792)
(Curculionidae)
338. **Coniatus tamarisci** (Fabricius,1787)
(Curculionidae)
339. **Coniocleonus nigrosuturatus** (Goeze,1777) (Curculionidae)
340. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
341. **Conophorus gracilis** Dils & Özbek,2006
(Bombyliidae)
342. **Conophorus simplex** Loew,1869
(Bombyliidae)
343. **Conorhynchus nigrivittis** (Pallas,1781)
(Curculionidae)
344. **Conosanus obsoletus** (Kirschbaum,1858)
(Cicadellidae)
345. **Corixa affinis** Leach,1818 (Corixidae)
346. **Corixa punctata** (Illiger,1807) (Corixidae)
347. **Corizus fenestella** Horvath,1917 (Rhopalidae)
348. **Cosyphus tauricus** Steven,1882
(Tenebrionidae)
349. **Creightonella (Metamegachile) albisecta** (Klug,1817) (Megachilidae)
350. **Crematogaster scutellaris** (Olivier,1791)
(Formicidae)
351. **Cricotopus bicinctus** (Meigen,1818)
(Chironomidae)
352. **Crocothemis erythraea** (Brullé,1832)
(Libellulidae)
353. **Crypticus (Platycripticus) castaneus** Baudi,1876 (Tenebrionidae)
354. **Cryptocephalus biledjekensis** Pic,1909
(Chrysomelidae)
355. **Cryptocephalus bipunctatus** (Linnaeus,1758)
(Chrysomelidae)
356. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
357. **Cryptocephalus connexus** Olivier,1808
(Chrysomelidae)
358. **Cryptocephalus fulvus** (Goeze,1777)
(Chrysomelidae)
359. **Cryptocephalus moraei** (Linnaeus,1758)
(Chrysomelidae)
360. **Cryptocheilus alternatus** (Lepeletier,1845) (Pompilidae)
361. **Cryptocheilus discolor** (Fabricius,1793)
(Pompilidae)
362. **Cryptocheilus egregius** (Lepeletier,1845)
(Pompilidae)
363. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
364. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
365. **Ctenagenia vespiformis** (Klug,1834)
(Pompilidae)
366. **Cuneala amasiensis** (Kriechbaumer,1869) (Tenthredinidae)
367. **Curculio elephas** Gyllenhal,1836
(Curculionidae)
368. **Curculio glandium** Marsham,1802
(Curculionidae)
369. **Curculio nucum** Linnaeus,1758
(Curculionidae)
370. **Curculio pellitus** Boheman,1843
(Curculionidae)
371. **Curculio salicivorus** Paykull,1792
(Curculionidae)
372. **Cybister (s.str.) tripunctatus** (Olivier,1795)
(Dytiscidae)
373. **Cybister (Scaphinectes) lateralimarginalis** (De Geer,1774) (Dytiscidae)
374. **Cylindera (s.str.) germanica** (Linnaeus,1758)
(Carabidae)
375. **Cyphon laevipennis** Tournier,1868 (Scirtidae)
376. **Cyphon osellai** Klausnitzer,1989
(Scirtidae)
377. **Cyphon palustris** Thomson,1855 (Scirtidae)
378. **Dailognatha caraboides** Solier,1835
(Tenebrionidae)
379. **Dailognatha carceli** Solier,1835
(Tenebrionidae)
380. **Dailognatha quadricollis** Brullé,1832
(Tenebrionidae)
381. **Dallognatha quadricollis** Brullé,1832
(Tenebrionidae)
382. **Dallognatha rugipleuris** Reitter,1896
(Tenebrionidae)
383. **Dasineura affinis** (Kieffer,1886)
(Cecidomyiidae)
384. **Dasycerus crenatus** Motschoulsky,1839
(Staphylinidae)
385. **Dasygogon diadema** (Fabricius,1781)
(Asilidae)
386. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
387. **Dasyscolia ciliata** (Fabricius,1787)
(Scoliidae)
388. **Dasytidius brevicornis** Majer,1996
(Melyridae)

389. **Decticus albifrons (Fabricius,1793)**
(Tettigoniidae)
390. **Decticus mithati Ramme,1939**
(Tettigoniidae)
391. **Decticus verrucivorus (Linnaeus,1758)**
(Tettigoniidae)
392. **Deleproctophylla variegata (Klug,1834)**
(Ascalaphidae)
393. **Deliphrosoma weiratheri (Scheerpeltz,1938)** (Staphylinidae)
394. **Delphacodes audrasi Ribaut,1954**
(Delphacidae)
395. **Delta unguiculatum (Villers,1789)**
(Vespidae)
396. **Dendarus (Pandarinus) messenius Brullé,1832** (Tenebrionidae)
397. **Dendarus (Pandarinus) moesiacus Mulsant & Rey,1854** (Tenebrionidae)
398. **Dendarus (Pandarus) stygius Walth,1838**
(Tenebrionidae)
399. **Depressotetrix depressa (Brisout,1848)**
(Tetrigidae)
400. **Derephysia foliacea (Fallén,1807)**
(Tingidae)
401. **Dermestes (Dermestinus) frischi Kugelan,1792** (Dermestidae)
402. **Deronectes sahlbergi Zimmermann,1932**
(Dytiscidae)
403. **Diadegma fenestralis (Holmgren,1860)**
(Ichneumonidae)
404. **Diadegma semiclausum (Hellén,1949)**
(Ichneumonidae)
405. **Diaperis boleti (Linnaeus,1758)**
(Tenebrionidae)
406. **Dichillus (s.str.) subsetulosus Reitter,1886** (Tenebrionidae)
407. **Dichomma dardanum (Steven,1829)**
(Tenebrionidae)
408. **Dicronychus apteriformis Platia & Gudenzi,2004** (Elateridae)
409. **Dicronychus bozdaghensis Platia & Gudenzi,2004** (Elateridae)
410. **Dicronychus gillerforsi Platia & Gudenzi,2004** (Elateridae)
411. **Dicronychus turcicus Platia & Gudenzi,2004**
(Elateridae)
412. **Dicrotendipes tritonus (Kieffer,1916)**
(Chironomidae)
413. **Dictyophara asiatica Melichar,1912**
(Dictyopharidae)
414. **Dictyophara europaea (Linnaeus,1767)**
(Dictyopharidae)
415. **Dictyophara lindbergi Metcalf,1955**
(Dictyopharidae)
416. **Dictyophara xiphias Puton,1884**
(Dictyopharidae)
417. **Diorhabda elongata (Brullé,1832)**
(Chrysomelidae)
418. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
419. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
420. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae)
421. **Docotettix cornutus Ribaut,1948** (Cicadellidae)
422. **Donus audax Faust,1887** (Curculionidae)
423. **Donus zoilus (Scopoli,1763)**
(Curculionidae)
424. **Doratura concors Horvath,1903**
(Cicadellidae)
425. **Doratura salina Horvath,1903**
(Cicadellidae)
426. **Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae)
427. **Dorcadion (Maculatodorcadion) triste Frivaldsky,1845** (Cerambycidae)
428. **Dorcadion (s.str.) quadrimaculatum Küster,1848** (Cerambycidae)
429. **Dorcadion (s.str.) serotinum Thomson,1865** (Cerambycidae)
430. **Drasterius bimaculatus (Rossi,1790)**
(Elateridae)
431. **Drosophila ampelophila Loew,1862**
(Drosophilidae)
432. **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae)
433. **Dryodurgades dlabolai Wagner,1963**
(Cicadellidae)
434. **Dufouriellus ater (Dufour,1883)**
(Anthocoridae)
435. **Duilus tamaricis (Puton & Lethierry,1887)** (Cixiidae)
436. **Duroniella fracta (Krauss,1890)**
(Acrididae)
437. **Dyroderes umbraculatus (Fabricius,1775)**
(Pentatomidae)
438. **Dysmachus antipai Weinberg,1968**
(Asilidae)
439. **Dysmachus styliifer (Loew,1854)** (Asilidae)
440. **Dysmachus tricuspis (Loew,1848)**
(Asilidae)
441. **Echthistus rufinervis (Meigen,1820)** (Asilidae)
442. **Ectomocoris ululans (Rossi,1790)**
(Reduviidae)
443. **Elathous smyrnensis Reitter,1905**
(Elateridae)
444. **Elodes sieberi Klausnitzer,1973** (Scirtidae)
445. **Emblethis angustus Montandon,1890**
(Lygaeidae)
446. **Emblethis griseus (Wolff,1802)**
(Lygaeidae)
447. **Emblethis major Montandon,1890**
(Lygaeidae)
448. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae)
449. **Empis (Polyblepharis) haemorrhoeica Loew,1869** (Empididae)
450. **Empis (s.str.) caudatula Loew,1867**
(Empididae)
451. **Empusa fasciata Brullé,1836** (Empusidae)
452. **Engelepogon goedli (Loew,1854)** (Asilidae)
453. **Enochrus (Lumetus) segmentinotatus (Kuwert,1888)** (Hydrophilidae)
454. **Ensina sonchi (Linnaeus,1767)**
(Tephritidae)
455. **Entomobora fuscipennis (Van der Linden,1827)** (Pompilidae)
456. **Entomobora vomeriventris (Costa,1863)**
(Pompilidae)
457. **Entomoscelis adonidis (Pallas,1771)**
(Chrysomelidae)
458. **Epallage fatime (Charpentier,1840)**
(Calopterygidae)
459. **Episyron coccineipes (Saunders,1904)**
(Pompilidae)
460. **Episyron gallicum (Tournier,1889)**
(Pompilidae)

461. **Episyron rufipes (Linnaeus,1758)** (Pompilidae)
462. **Epitrix hirtipennis (Melsheimer,1847)**
(Chrysomelidae)
463. **Euaresta bullans (Wiedemann,1830)**
(Tephritidae)
464. **Euboeus mimonti (Boieldieu,1865)**
(Tenebrionidae)
465. **Eucera longicornis (Linnaeus,1758)**
(Apidae)
466. **Eukiefferiella claripennis**
(Lundbeck,1898) (Chironomidae)
467. **Euleia heraclei (Linnaeus,1758)**
(Tephritidae)
468. **Eumenes coarctatus (Linnaeus,1758)**
(Vespidae)
469. **Eumenes coronatus (Panzer,1799)**
(Vespidae)
470. **Eumenes dubius Saussure,1852** (Vespidae)
471. **Eumenes lunulatus (Fabricius,1804)**
(Vespidae)
472. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
473. **Eumenes pomiformis (Fabricius,1781)**
(Vespidae)
474. **Euodynerus (Pareuodynerus) posticus**
(Herrich-Schäffer,1841) (Vespidae)
475. **Euodynerus (s.str.) disconotatus**
(Lichtenstein,1884) (Vespidae)
476. **Euodynerus hellenicus Blüthgen,1942**
(Vespidae)
477. **Eupholidoptera prasina (Brunner von**
Wattenwyl,1882) (Tettigoniidae)
478. **Eupholidoptera smyrnensis (Brunner**
von Wattenwyl,1882) (Tettigoniidae)
479. **Eupterycyba jucunda (Herrich-**
Schäffer,1837) (Cicadellidae)
480. **Eupteryx aurata (Linnaeus,1758)**
(Cicadellidae)
481. **Eupteryx fahringeri Melichar,1911**
(Cicadellidae)
482. **Eupteryx filicum (Newman,1853)**
(Cicadellidae)
483. **Eupteryx gyaurdagicus Dlabola,1957**
(Cicadellidae)
484. **Eurhadina ribauti Wagner,1935**
(Cicadellidae)
485. **Eurhadina untica Dlabola,1967**
(Cicadellidae)
486. **Eurydema blanda Horvath,1803**
(Pentatomidae)
487. **Eurydema oleracea (Linnaeus,1758)**
(Pentatomidae)
488. **Eurydema ornatum (Linnaeus,1758)**
(Pentatomidae)
489. **Eurydema rugulosa (Dohrn,1860)**
(Pentatomidae)
490. **Eurydema spectabilis Horvath,1882**
(Pentatomidae)
491. **Eurydema ventralis Kolenati,1846**
(Pentatomidae)
492. **Euscelidius mundus (Haupt,1927)**
(Cicadellidae)
493. **Euscelidius schenkii (Kirschbaum,1868)**
(Cicadellidae)
494. **Euscelis lineolatus Brullé,1832**
(Cicadellidae)
495. **Eutagenia smyrnensis Solier,1838**
(Tenebrionidae)
496. **Eutolmus calopus (Loew,1848)** (Asilidae)
497. **Eutolmus excisus (Loew,1848)** (Asilidae)
498. **Eutolmus kiesenwetteri Loew,1854**
(Asilidae)
499. **Evacanthus acuminatus (Fabricius,1794)**
(Cicadellidae)
500. **Evacanthus interruptus (Linnaeus,1758)**
(Cicadellidae)
501. **Exeristes roborator (Fabricius,1793)**
(Ichneumonidae)
502. **Exitianus capicola (Stal,1855)**
(Cicadellidae)
503. **Exitianus fasciolatus (Melichar,1911)**
(Cicadellidae)
504. **Exochomus nigromaculatus (Goeze,1777)**
(Coccinellidae)
505. **Exochomus quadripustulatus**
(Linnaeus,1758) (Coccinellidae)
506. **Eysarcoris ventralis (Westwood,1837)**
(Pentatomidae)
507. **Faronus distinctus Besuchet,1999**
(Staphylinidae)
508. **Fieberiella gemelina Dlabola,1965**
(Cicadellidae)
509. **Forficula decipiens GénÉ,1832**
(Forficulidae)
510. **Forficula smyrnensis Audinet-Serville,1839**
(Forficulidae)
511. **Formica fusca Linnaeus,1758** (Formicidae)
512. **Formicomus ionicus LaFerté &**
Sénectere,1847 (Anthicidae)
513. **Frutioidia (s.str.) bisignata (Mulsant &**
Rey,1855) (Cicadellidae)
514. **Gampsocleis recticauda Werner,1901**
(Tettigoniidae)
515. **Gargara genistae (Fabricius,1775)**
(Membracidae)
516. **Geocoris atra (Fabricius,1787)** (Lygaeidae)
517. **Geocoris lineolus (Rambur,1839)** (Lygaeidae)
518. **Geocoris megacephalus (Rossi,1790)**
(Lygaeidae)
519. **Geocoris pallidipennis (Costa,1843)**
(Lygaeidae)
520. **Gerris costae (Herrich-Schäffer,1850)**
(Gerridae)
521. **Gerris gibbifer Schummel,1832** (Gerridae)
522. **Gerris thoracicus Schummel,1832**
(Gerridae)
523. **Glyphotmethis escherichi (Krauss,1896)**
(Pamphagidae)
524. **Gnaptor prolixus Fairmaire,1866**
(Tenebrionidae)
525. **Gomphus davidi Selys,1887** (Gomphidae)
526. **Gomphus schneideri Selys,1850**
(Gomphidae)
527. **Gonioctena fornicata (Brüggemann,1873)**
(Chrysomelidae)
528. **Gonocephalum costatum Brullé,1832**
(Tenebrionidae)
529. **Gonocephalum granulatum**
(Fabricius,1791) (Tenebrionidae)
530. **Gonocephalum rusticum (Olivier,1811)**
(Tenebrionidae)
531. **Graecopachys quadricollis (Brullé,1832)**
(Tenebrionidae)
532. **Graphosoma semipunctatum**
(Fabricius,1775) (Pentatomidae)
533. **Graptodytes veterator**
(Zimmermann,1918) (Dytiscidae)

534. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
535. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
536. **Grypotes staurus** Ivanoff,1885
(Cicadellidae)
537. **Gymnopleurus flagellatus** (Fabricius,1787)
(Scarabaeidae)
538. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
539. **Gyrinus dejeani** Brullé,1832 (Gyrinidae)
540. **Gyrinus distinctus** Aubé,1836 (Gyrinidae)
541. **Habropogon longiventris** Loew,1847 (Asilidae)
542. **Haematopota bigoti** Gobert,1881
(Tabanidae)
543. **Haematopota coolsi** Leclercq,1966
(Tabanidae)
544. **Haematopota delozi** Leclercq,1966
(Tabanidae)
545. **Haematopota longantennata**
Olsufjev,1937 (Tabanidae)
546. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
547. **Haematopota pallens** Loew,1871 (Tabanidae)
548. **Haematopota pavlovskii** Hauser,1960
(Tabanidae)
549. **Haematopota sewelli** Austen,1920
(Tabanidae)
550. **Halocladus fucicola** (Edwards,1926)
(Chironomidae)
551. **Handianus procerus** (Herrich-Schäffer,1835)
(Cicadellidae)
552. **Hardya anatolica** Zachvatkin,1946
(Cicadellidae)
553. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
554. **Harpalus (s.str.) smyrnensis**
Heyden,1888 (Carabidae)
555. **Helladia humeralis** (Waltl,1828)
(Cerambycidae)
556. **Helophorus aquaticus** (Linnaeus,1758)
(Helophoridae)
557. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
558. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
559. **Helophorus daedalus** Orchymont,1932
(Helophoridae)
560. **Helophorus illustris** Sharp,1916
(Helophoridae)
561. **Helophorus lewisi** Angus,1985 (Helophoridae)
562. **Helophorus micans** Falderman,1835
(Helophoridae)
563. **Helophorus terminassianae** Angus,1984
(Helophoridae)
564. **Helops (s.str.) glabriventris** Reitter,1885
(Tenebrionidae)
565. **Hemipepsis brunnea** (Klug,1834)
(Pompilidae)
566. **Hesium domino** (Reuter,1880)
(Cicadellidae)
567. **Heteracris littoralis** (Rambur,1838)
(Acrididae)
568. **Hippodamia (Semiadalia)**
undecimnotata (Schneider,1792)
(Coccinellidae)
569. **Hirticomus hispidus** (Rossi,1792)
(Anthicidae)
570. **Hister quadrimaculatus** Linnaeus,1758
(Histeridae)
571. **Homodela ismenia** (Gory,1833) (Carabidae)
572. **Hoplitis (Anthocopa) graeca** (Tkalcu,2000)
(Megachilidae)
573. **Hyalesthes mlokosiewiczzi** Signoret,1879
(Cixiidae)
574. **Hybomitra acuminata** (Loew,1858)
(Tabanidae)
575. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
576. **Hybomitra peculiaris** (Szilady,1914)
(Tabanidae)
577. **Hydrochara caraboides** (Linnaeus,1758)
(Hydrophilidae)
578. **Hydrocyphon segrex** Nyholm,1972
(Scirtidae)
579. **Hydroglyphus geminus** (Fabricius,1792)
(Dytiscidae)
580. **Hydroglyphus pubescens** Gyllenhal,1808
(Dytiscidae)
581. **Hydroporus bodemeyeri** Ganglbauer,1900
(Dytiscidae)
582. **Hydroporus pubescens** (Gyllenhal,1808)
(Dytiscidae)
583. **Hygrobia hermanni** (Fabricius,1775)
(Hygrobiidae)
584. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
585. **Hypera constans** (Boheman,1834)
(Curculionidae)
586. **Hypera crinata** (Boheman,1834)
(Curculionidae)
587. **Hypera jucundus** Capiomont,1868
(Curculionidae)
588. **Hypera meles** (Fabricius,1792)
(Curculionidae)
589. **Hypera orientalis** Capiomont,1867
(Curculionidae)
590. **Hypera pastinacae** (Rossi,1790)
(Curculionidae)
591. **Hypera plantaginis** (De Geer,1775)
(Curculionidae)
592. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
593. **Hyperaspis quadrimaculata**
Redtenbacher,1843 (Coccinellidae)
594. **Hypocassida subferruginea**
(Schränk,1776) (Chrysomelidae)
595. **Iassus scutellaris** (Fieber,1868)
(Cicadellidae)
596. **Idastrandiella mucoreus** (Waltl,1838)
(Tenebrionidae)
597. **Iris oratoria** (Linnaeus,1758) (Irididae)
598. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
599. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
600. **Ischyronota desertorum** (Gebler,1833)
(Chrysomelidae)
601. **Isophya rectipennis** Brunner von
Wattenwyl,1878 (Tettigoniidae)
602. **Isophya straubei** (Fieber,1853)
(Tettigoniidae)
603. **Itoplectis maculator** (Fabricius,1775)
(Ichneumonidae)
604. **Jaapiella chondrillae** Skuhrava,2005
(Cecidomyiidae)
605. **Janetia cerris** (Kollar,1850)
(Cecidomyiidae)

606. **Japanagromyza salicifolii** (Collin,1911)
(Agromyzidae)
607. **Katamenes sichelii** (Saussure,1852)
(Vespidae)
608. **Kybos populi** (Edwards,1908)
(Cicadellidae)
609. **Kybos virgator** (Ribaut,1933)
(Cicadellidae)
610. **Labidostomis asiatica** Faldermann,1837
(Chrysomelidae)
611. **Labidostomis decipiens** Faldermann,1837
(Chrysomelidae)
612. **Labidostomis humeralis** (Schneider,1792)
(Chrysomelidae)
613. **Labidostomis maculipennis** Lefebvre,1870
(Chrysomelidae)
614. **Labidostomis mesopotamica** Heyden,1886
(Chrysomelidae)
615. **Labidostomis oertzeni** Weise,1889
(Chrysomelidae)
616. **Labidostomis propinqua** Faldermann,1837
(Chrysomelidae)
617. **Labidostomis rufa** (Waltl,1838)
(Chrysomelidae)
618. **Laccobius (Dimorpholaccobius) obscuratus**
Rottenberg,1874 (Hydrophilidae)
619. **Laccobius (Dimorpholaccobius) simulatrix**
Orchymont,1932 (Hydrophilidae)
620. **Laccobius (Dimorpholaccobius)**
striatulus (Fabricius,1801) (Hydrophilidae)
621. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
622. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
623. **Laccophilus hyalinus** (De Geer,1774)
(Dytiscidae)
624. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
625. **Laccophilus poecilus** Klug,1834
(Dytiscidae)
626. **Laena pulchella** (Fischer,1824)
(Tenebrionidae)
627. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
628. **Larinus brenskai** Faust,1900
(Curculionidae)
629. **Larinus brevis** (Herbst,1795)
(Curculionidae)
630. **Larinus carinirostris** Gyllenhal,1836
(Curculionidae)
631. **Larinus centaureae** (Olivier,1807)
(Curculionidae)
632. **Larinus curtus** Hochhuth,1851
(Curculionidae)
633. **Larinus cynarae** (Fabricius,1787)
(Curculionidae)
634. **Larinus flavescens** Germar,1824
(Curculionidae)
635. **Larinus grisescens** Gyllenhal,1836
(Curculionidae)
636. **Larinus latus** (Herbst,1784)
(Curculionidae)
637. **Larinus minutus** Gyllenhal,1836
(Curculionidae)
638. **Larinus obtusus** Gyllenhal,1836
(Curculionidae)
639. **Larinus onopordi** (Fabricius,1787)
(Curculionidae)
640. **Larinus orientalis** Capiomont,1874
(Curculionidae)
641. **Larinus rusticanus** Gyllenhal,1836
(Curculionidae)
642. **Larinus syriacus** Gyllenhal,1836
(Curculionidae)
643. **Lasiacantha capucina** (Germar,1836)
(Tingidae)
644. **Lasioglossum discum** (Smith,1853)
(Halictidae)
645. **Lasioptera berlesiana** Paoli,1907
(Cecidomyiidae)
646. **Lasius alienus** (Förster,1850) (Formicidae)
647. **Leptochilus regulus** Saussure,1855
(Vespidae)
648. **Leptocybe invasa** Fisher & La Salle,2004
(Eulophidae)
649. **Leptophyes albovittata** (Kollar,1833)
(Tettigoniidae)
650. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
651. **Lertha ledereri** (Selys-Longchamps,1866)
(Nemopteridae)
652. **Lertha sheppardi** (Kirby,1904)
(Nemopteridae)
653. **Lestes barbarus** (Fabricius,1798)
(Lestidae)
654. **Lesteva longoelytrata** (Goeze,1777)
(Staphylinidae)
655. **Libelloides lacteus** (Brullé,1832)
(Ascalaphidae)
656. **Libelloides rhomboideus**
(Schneider,1845) (Ascalaphidae)
657. **Liguropia juniperi** (Lethierry,1876)
(Cicadellidae)
658. **Liponeura cinerascens** Loew,1844
(Blephariceridae)
659. **Liriomyza amoena** (Meigen,1830)
(Agromyzidae)
660. **Liriomyza balcanica** (Strobl,1900)
(Agromyzidae)
661. **Liriomyza brassicae** (Riley,1884)
(Agromyzidae)
662. **Liriomyza bryoniae** (Kaltenbach,1858)
(Agromyzidae)
663. **Liriomyza cannabis** Hendel,1931
(Agromyzidae)
664. **Liriomyza centaureae** M.Hering,1927
(Agromyzidae)
665. **Liriomyza cepae** (M.Hering,1927)
(Agromyzidae)
666. **Liriomyza cicerina** (Rondani,1875)
(Agromyzidae)
667. **Liriomyza congesta** (Becker,1903)
(Agromyzidae)
668. **Liriomyza huidobrensis**
(Blanchard,1926) (Agromyzidae)
669. **Liriomyza orbona** (Meigen,1830)
(Agromyzidae)
670. **Liriomyza strigata** (Meigen,1830)
(Agromyzidae)
671. **Lissonota (s.str.) superbator** Aubert,1967
(Ichneumonidae)
672. **Lixus angustatus** (Fabricius,1775)
(Curculionidae)
673. **Lixus bardanae** (Fabricius,1787)
(Curculionidae)
674. **Lixus cardui** Olivier,1807 (Curculionidae)

675. **Lixus elegantulus Boheman,1843**
(Curculionidae)
676. **Lixus junci Boheman,1836** (Curculionidae)
677. **Lixus rubicundus Zoubkoff,1833**
(Curculionidae)
678. **Lixus scolapax Boheman,1836**
(Curculionidae)
679. **Lixus speciosus Miller,1861**
(Curculionidae)
680. **Lixus subtilis Boheman,1836**
(Curculionidae)
681. **Lixus vilis (Rossi,1790)** (Curculionidae)
682. **Loboptera decipiens (Germar,1817)**
(Blattidae)
683. **Locusta migratoria (Linnaeus,1758)**
(Acrididae)
684. **Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae)
685. **Longitarsus pellucidus (Foudras,1860)**
(Chrysomelidae)
686. **Longitarsus picicollis Weise,1900**
(Chrysomelidae)
687. **Longitarsus truncatellus Weise,1890**
(Chrysomelidae)
688. **Lophyridia fischeri (Adams,1817)**
(Carabidae)
689. **Lophyridia littoralis (Fabricius,1787)**
(Carabidae)
690. **Lucanus (.s.str.) cervus (Linnaeus,1758)**
(Lucanidae)
691. **Lycocoris campestris (Fabricius,1794)**
(Anthocoridae)
692. **Lygaeosoma erythropterum (Puton,1876)** (Lygaeidae)
693. **Lygaeus creticus (Lucas,1854)** (Lygaeidae)
694. **Lyristes gemellus Boulard,1988**
(Cicadidae)
695. **Lyristes plebejus (Scopoli,1763)**
(Cicadidae)
696. **Lysibia nana (Gravenhorst,1829)**
(Ichneumonidae)
697. **Machimus annulipes (Brullé,1832)**
(Asilidae)
698. **Machimus atripes Loew,1854** (Asilidae)
699. **Machimus caliginosus (Meigen,1820)**
(Asilidae)
700. **Machimus cyanopus (Loew,1849)**
(Asilidae)
701. **Machimus fimbriatus (Meigen,1804)**
(Asilidae)
702. **Machimus fuscus (Macquart,1839)**
(Asilidae)
703. **Machimus setibarbus (Loew,1849)**
(Asilidae)
704. **Macrolenes dentipes (Olivier,1808)**
(Chrysomelidae)
705. **Macrolophus caliginosus Wagner,1950**
(Miridae)
706. **Macrophya postica Brullé,1832**
(Tenthredinidae)
707. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
708. **Macrosteles sexnotatus (Fallén,1806)**
(Cicadellidae)
709. **Malachius suturalis Motschoulsky,1854**
(Melyridae)
710. **Maladera (Macroserica) wewalkai Petrovitz,1969** (Scarabaeidae)
711. **Malthodes denizianus Wittmer,1970**
(Cantharidae)
712. **Mantis religiosa (Linnaeus,1758)** (Mantidae)
713. **Mantispa scabricollis McLachlan,1875**
(Mantispidae)
714. **Margarinotus (Paralister) purpurascens (Herbst,1792)** (Histeridae)
715. **Megachile (Eutricharaca) pilidens Alfken,1924** (Megachilidae)
716. **Megadelphax sordidula (Stål,1853)**
(Delphacidae)
717. **Megascolia maculata (Drury,1773)** (Scoliidae)
718. **Megischina bozdaglariensis Novak,2006**
(Tenebrionidae)
719. **Megophthalmus scabripennis Edwards,1915**
(Cicadellidae)
720. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
721. **Melanotus (s.str.) fusciceps (Gyllenhal,1817)**
(Elateridae)
722. **Meliboeus amethystinus (Olivier,1790)**
(Buprestidae)
723. **Meloe tuccicus Rossi,1792** (Meloidae)
724. **Meloe variegatus Donovan,1793**
(Meloidae)
725. **Merodon clunipes Sack,1913** (Syrphidae)
726. **Metasyrphus corollae (Fabricius,1794)**
(Syrphidae)
727. **Metcalfa pruinosa (Say,1830)** (Flatidae)
728. **Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae)
729. **Metopsia assingi Zerche,1998**
(Staphylinidae)
730. **Metrioptera (Roeseliana) bispina (Bolivar,1899)** (Tettigoniidae)
731. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae)
732. **Microhoria terminata (Schmidt,1842)**
(Anthicidae)
733. **Microlarinus lareynii (Jacquelin du Val,1852)**
(Curculionidae)
734. **Micronecta anatolica Lindberg,1922**
(Corixidae)
735. **Micropeplus fulvus Erichson,1840**
(Staphylinidae)
736. **Micropsectra curvicornis (Tchernovskii,1949)** (Chironomidae)
737. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
738. **Monomorium dentigerum (Roger,1862)**
(Formicidae)
739. **Monomorium minutum Mayr,1855**
(Formicidae)
740. **Monosteira lobulifera Reuter,1888**
(Tingidae)
741. **Muirodelphax aubei (Perris,1857)**
(Delphacidae)
742. **Mustha izmirensis Memon & Ahmad,2008** (Pentatomidae)
743. **Mustha spinosula (Lefebvre,1831)**
(Pentatomidae)
744. **Muzimes semiobscurus (Pic,1898)**
(Meloidae)
745. **Mycterodus (Semirodus) ionus Gnezdilov & Drosopoulos,2004** (Issidae)
746. **Mycterodus (Semirodus) pallens Stal,1861** (Issidae)
747. **Mycterodus efesicus Dlabola,1971** (Issidae)

748. **Mycterodus hamatus** Dlabola,1971 (Issidae)
749. **Mycterodus izmiticus** Dlabola,1979 (Issidae)
750. **Mycterodus nasutus** (Herrich-Schäffer,1835) (Issidae)
751. **Mylabris calida** (Pallas,1781) (Meloidae)
752. **Mylabris cincta** Olivier,1811 (Meloidae)
753. **Mylabris crocata** (Pallas,1781) (Meloidae)
754. **Mylabris fabricii** Sumakov,1924 (Meloidae)
755. **Mylabris fusca** (Olivier,1811) (Meloidae)
756. **Mylabris humerosa** (Escherich,1899) (Meloidae)
757. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
758. **Mylabris zebraea** (Marseul,1870) (Meloidae)
759. **Myndus musivus** (Germar,1825) (Cixiidae)
760. **Myopa buccata** (Linnaeus,1758) (Conopidae)
761. **Myriochile (s.str.) melancholica** (Fabricius,1798) (Carabidae)
762. **Myrmecophilus (s.str.) ochraceus** Fischer von Waldheim,1853 (Myrmecophilidae)
763. **Myrmica scabrinodis** Nylander,1846 (Formicidae)
764. **Nabis brevis** Scholtz,1846 (Nabidae)
765. **Nabis meridionalis** Kerzhner,1963 (Nabidae)
766. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
767. **Nalassus dryadophilus** (Mustant,1854) (Tenebrionidae)
768. **Namunia myrmecophila** Reitter,1884 (Staphylinidae)
769. **Napomyza lateralis** (Fallén,1823) (Agromyzidae)
770. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
771. **Nebrioporus turca** (Seidlitz,1887) (Dytiscidae)
772. **Neides aduncus** Fieber,1859 (Berytidae)
773. **Nemoptera coa** (Linnaeus,1758) (Nemopteridae)
774. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
775. **Nemorius oenderi** (Jezek,1990) (Tabanidae)
776. **Nemotelus (s.str.) argentifer** Loew,1846 (Stratiomyidae)
777. **Nemotelus (s.str.) pantherinus** (Linnaeus,1758) (Stratiomyidae)
778. **Nemoura flexuosa** Aubert,1949 (Nemouridae)
779. **Neotalitrus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
780. **Neotalitrus guttulatus** (Kirschbaum,1868) (Cicadellidae)
781. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
782. **Neophilaenus lineatus** (Linnaeus,1758) (Cercopidae)
783. **Neottiglossa bifida** (Costa,1847) (Pentatomidae)
784. **Nephrotoma guestfalica** (Westhoff,1879) (Tipulidae)
785. **Nephrotoma scalaris** (Meigen,1818) (Tipulidae)
786. **Nephrotoma theowaldi** Oosterbroek,1978 (Tipulidae)
787. **Nephus quadrimaculatus** (Herbst,1783) (Coccinellidae)
788. **Netelia (s.str.) testacea** (Gravenhorst,1829) (Ichneumonidae)
789. **Netelia (s.str.) valvator** Aubert,1968 (Ichneumonidae)
790. **Nocaracris cyanipes** (Fischer von Waldheim,1846) (Pamphagidae)
791. **Noterus clavicornis** (De Geer,1774) (Noteridae)
792. **Noterus clavicornis** (De Geer,1774) (Noteridae)
793. **Notonecta glauca** Linnaeus,1758 (Notonectidae)
794. **Notonecta meridionalis** Poisson,1926 (Notonectidae)
795. **Notonecta viridis** Delcourt,1909 (Notonectidae)
796. **Notoxus angustulus** Krekich & Strassoldo,1919 (Anthicidae)
797. **Nyrma kervillea** Navas,1933 (Hemerobiidae)
798. **Odinadiplosis amygdali** (Anagnostopoulos,1929) (Cecidomyiidae)
799. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
800. **Oedaleus decorus** (Germar,1817) (Acrididae)
801. **Oedemera (s.str.) flavipes** (Fabricius,1792) (Oedemeridae)
802. **Oedipoda aurea** Uvarov,1923 (Acrididae)
803. **Oedipoda caerulea** (Linnaeus,1758) (Acrididae)
804. **Oedipoda miniata** (Pallas,1771) (Acrididae)
805. **Oenas crassicornis** (Illiger,1800) (Meloidae)
806. **Oenopia conglobata** (Linnaeus,1758) (Coccinellidae)
807. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
808. **Omalium cinnamomeum** Kraatz,1857 (Staphylinidae)
809. **Omalium cribriceps** Fauvel,1900 (Staphylinidae)
810. **Omalium rivulare** (Paykull,1789) (Staphylinidae)
811. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)
812. **Omocestus (s.str.) rufipes** (Zetterstedt,1821) (Acrididae)
813. **Omocestus (s.str.) ventralis** (Zetterstedt,1821) (Acrididae)
814. **Oncopsis alni** (Schrank,1801) (Cicadellidae)
815. **Onychogomphus forcipatus** (Linnaeus,1758) (Gomphidae)
816. **Opatroides curtulus** Fairmaire,1892 (Tenebrionidae)
817. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
818. **Opatrum alternatum** Küster,1849 (Tenebrionidae)
819. **Opatrum geminatum** Brullé,1832 (Tenebrionidae)
820. **Opatrum obesum** Olivier,1811 (Tenebrionidae)
821. **Opatrum verrucosum** Germar,1817 (Tenebrionidae)
822. **Ophiomyia cunctata** (Hendel,1920) (Agromyzidae)
823. **Ophiomyia curvipalpis** (Zetterstedt,1848) (Agromyzidae)
824. **Ophiomyia inaequabilis** (Hendel,1931) (Agromyzidae)
825. **Ophiomyia orbiculata** (Hendel,1931) (Agromyzidae)

826. **Opilo taeniatus** (Klug,1842) (Cleridae)
827. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
828. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
829. **Orellia falcata** (Scopoli,1763) (Tephritidae)
830. **Orius pallidicornis** (Reuter,1884) (Anthocoridae)
831. **Orosius orientalis** (Matsumura,1914) (Cicadellidae)
832. **Orthetrum sabina** (Drury,1770) (Libellulidae)
833. **Oscinella nartshukiana** Beschovski,1978 (Chloropidae)
834. **Osmia** (**Hoplosmia**) **bidentata** Morawitz,1876 (Megachilidae)
835. **Osmia** (**Pyrosmia**) **versicolor** Latreille,1811 (Megachilidae)
836. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
837. **Oxythyrea funesta** (Poda,1761) (Scarabaeidae)
838. **Pachyanthrax telamon** (Loew,1869) (Bombyliidae)
839. **Pachybrachis** (**s.str.**) **limbatus** (Ménétriés,1836) (Chrysomelidae)
840. **Pachybrachis** (**s.str.**) **tessellatus** (Olivier,1791) (Chrysomelidae)
841. **Pachycerus cordiger** (Germar,1819) (Curculionidae)
842. **Pachyscelis quadricollis** Brullé,1832 (Tenebrionidae)
843. **Pachyscelis villosa** (Drapiez,1820) (Tenebrionidae)
844. **Pagiphora annulata** (Brullé,1832) (Cicadidae)
845. **Pangonius** (**s. str.**) **obscuratus** Loew,1859 (Tabanidae)
846. **Pangonius** (**s.str.**) **pyritosus** Loew,1859 (Tabanidae)
847. **Panorpa hageniana** Willmann,1975 (Panorpidae)
848. **Paracorixa concinna** (Fieber,1848) (Corixidae)
849. **Paranocaracris rubripes** (Fischer von Waldheim,1846) (Pamphagidae)
850. **Paranocarodes fieberi** (Brunner von Wattenwyl,1882) (Pamphagidae)
851. **Parapholidoptera castaneoviridis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
852. **Paratettix meridionalis** (Rambur,1838) (Tetrigidae)
853. **Paratrichocladius rufiventris** (Meigen,1830) (Chironomidae)
854. **Pausias martini** (Puton,1890) (Pentatomidae)
855. **Pedestredorcadion bodemeyeri** (Daniel,1900) (Cerambycidae)
856. **Pedestredorcadion bozdaghense** (Fairmaire,1866) (Cerambycidae)
857. **Pedestredorcadion infernale** (Mulsant & Rey,1863) (Cerambycidae)
858. **Pedestredorcadion smyrnensis** (Linnaeus,1758) (Cerambycidae)
859. **Pedestredorcadion subvestitum** (Daniel,1900) (Cerambycidae)
860. **Pedinus** (**s.str.**) **quadratus** Brullé,1832 (Tenebrionidae)
861. **Peltodytes caesus** (Duftschmid,1805) (Halipplidae)
862. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
863. **Pentastira rorida** (Fieber,1876) (Cixiidae)
864. **Penthimia nigra** (Goeze,1778) (Cicadellidae)
865. **Pentodon algerinum** Herbst,1789 (Scarabaeidae)
866. **Pentodon idiota** (Herbst,1789) (Scarabaeidae)
867. **Periplaneta americana** (Linnaeus,1758) (Blattidae)
868. **Pezotettix anatolica** Uvarov,1934 (Acrididae)
869. **Phaleria bimaculata** (Linnaeus,1767) (Tenebrionidae)
870. **Phaneroptera** (**s.str.**) **nana** Fieber,1853 (Tettigoniidae)
871. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
872. **Pheidole pallidula** (Nylander,1848) (Formicidae)
873. **Pherbellia cinerella** (Fallén,1820) (Sciomyzidae)
874. **Philaenus signatus** Melichar,1896 (Cercopidae)
875. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
876. **Philipomyia graeca** (Fabricius,1794) (Tabanidae)
877. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
878. **Phlogotettix cyclops** (Mulsant & Rey,1855) (Cicadellidae)
879. **Phthiridium biarticulatum** Hermann,1804 (Nycteribiidae)
880. **Phyllodromica marginata** (Schreber,1781) (Blattidae)
881. **Phyllotreta corrugata** Reiche,1858 (Chrysomelidae)
882. **Phyllotreta cruciferae** (Goeze,1777) (Chrysomelidae)
883. **Phyllotreta judaea** Pic,1901 (Chrysomelidae)
884. **Phyllotreta variipennis** (Boieldieu,1859) (Chrysomelidae)
885. **Phyllotreta vilis** Weise,1888 (Chrysomelidae)
886. **Physocephala laticincta** (Brullé,1832) (Conopidae)
887. **Phytoliriomyza arctica** (Lundbeck,1901) (Agromyzidae)
888. **Phytomyza clematidis** Kaltenbach,1859 (Agromyzidae)
889. **Phytomyza ferulae** M.Hering,1927 (Agromyzidae)
890. **Phytomyza gymnostoma** Loew,1858 (Agromyzidae)
891. **Phytomyza kaltenbachi** Hendel,1922 (Agromyzidae)
892. **Phytomyza petoei** M.Hering,1924 (Agromyzidae)
893. **Phytomyza phillyreae** M.Hering,1930 (Agromyzidae)
894. **Phytomyza plantaginis** Robineau-Desvoidy,1851 (Agromyzidae)
895. **Phytomyza ranunculi** (Schrank,1803) (Agromyzidae)

896. **Phytomyza rostrata** M.Hering,1934 (Agromyzidae)
897. **Phytomyza rufescens** von Roser,1840 (Agromyzidae)
898. **Phytomyza rufipes** Meigen,1830 (Agromyzidae)
899. **Phytomyza tenella** Meigen,1830 (Agromyzidae)
900. **Phytomyza tetrasticha** Hendel,1927 (Agromyzidae)
901. **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae)
902. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
903. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
904. **Pimelia (Eurypimelia) subglobosa** (Pallas,1781) (Tenebrionidae)
905. **Pimelia (Eurypimelia) subglobosa verruculifera** Solier,1836 (Tenebrionidae)
906. **Pimelia (Eurypimelia) timarchoides** Ménériés,1836 (Tenebrionidae)
907. **Pimelia (Gedeon) werneri** Ganglbauer,1905 (Tenebrionidae)
908. **Piocoris luridus** (Fieber,1844) (Lygaeidae)
909. **Plagiodera versicolora** (Laicharting,1781) (Chrysomelidae)
910. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
911. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
912. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
913. **Plagiognathus raphani** Wagner,1963 (Miridae)
914. **Plagiolepis pallescens** Forel,1888 (Formicidae)
915. **Plagiolepis pygmaea** (Latreille,1798) (Formicidae)
916. **Plastocerus angulosus** (Germar,1845) (Elateridae)
917. **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae)
918. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
919. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
920. **Platycleis (s.str.) albopunctata** (Goeze,1778) (Tettigoniidae)
921. **Platycleis (s.str.) escalerae** Bolivar,1899 (Tettigoniidae)
922. **Platycleis (s.str.) grisea** (Fabricius,1781) (Tettigoniidae)
923. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
924. **Platycleis (Sepiana) sepium** (Yersin,1854) (Tettigoniidae)
925. **Platycleis (Sporadiana) sporadarum** Werner,1933 (Tettigoniidae)
926. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
927. **Platycnemis dealbata** Selys,1863 (Platycnemidae)
928. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
929. **Platydemia europaeum** Laporte & Brullé,1831 (Tenebrionidae)
930. **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae)
931. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
932. **Platymyrmylla quinquefasciata** (Olivier,1811) (Mutillidae)
933. **Podagrica fuscicornis** (Linnaeus,1767) (Chrysomelidae)
934. **Podagrica menetriesi** (Faldermann,1837) (Chrysomelidae)
935. **Poecilimon amissus** Brunner von Wattenwyl,1878 (Tettigoniidae)
936. **Poecilimon hamatus** Brunner von Wattenwyl,1878 (Tettigoniidae)
937. **Poecilimon izmirmensis** Ramme,1933 (Tettigoniidae)
938. **Poecilimon ledereri** Ramme,1933 (Tettigoniidae)
939. **Poecilimon pergamicus** Brunner von Wattenwyl,1891 (Tettigoniidae)
940. **Poecilimon pulcher** Brunner von Wattenwyl,1891 (Tettigoniidae)
941. **Poecilimon sanctipauli** Brunner von Wattenwyl,1878 (Tettigoniidae)
942. **Poecilimon unispinosus** Brunner von Wattenwyl,1878 (Tettigoniidae)
943. **Pogonosoma maroccanum** (Fabricius,1794) (Asilidae)
944. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
945. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
946. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
947. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae)
948. **Polypedilum aberrans** (Tchernovskii,1949) (Chironomidae)
949. **Polyphaga aegyptiaca** (Linnaeus,1758) (Polyphagidae)
950. **Polyphonus laevigatus** Loew,1848 (Asilidae)
951. **Polyphylla (s.str.) fullo** (Linnaeus,1758) (Scarabaeidae)
952. **Priocnemis fahringeri** Wolf,1963 (Pompilidae)
953. **Probaticus (Pelorinus) adimonius** (Allard,1876) (Tenebrionidae)
954. **Probaticus (Pelorinus) granipennis** (Allard,1876) (Tenebrionidae)
955. **Probaticus (Pelorinus) tarsatus** (Küster,1850) (Tenebrionidae)
956. **Probaticus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
957. **Probaticus (s.str.) tentyrioides** (Küster,1851) (Tenebrionidae)
958. **Propylea quatuordecimpunctata** (Linnaeus,1758) (Coccinellidae)
959. **Prostemma guttula** (Fabricius,1787) (Nabidae)
960. **Prostemma krueperi** Stein,1878 (Nabidae)
961. **Prostemma sanguineum** Rossi,1790 (Nabidae)
962. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
963. **Protaetia (Potosia) vidua** (Gory & Perchenson,1833) (Scarabaeidae)
964. **Proteinus creticus** Assing,2004 (Staphylinidae)
965. **Proteinus meuseli** Dauphin,1999 (Staphylinidae)
966. **Proteinus ovalis** Stephens,1834 (Staphylinidae)

967. **Proteinus utrarius** Assing,2004 (Staphylinidae)
968. **Proteinus zanettii** Dauphin,1999 (Staphylinidae)
969. **Protonemura izmiriana** Vinçon & Zhiltzova,2004 (Nemouridae)
970. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
971. **Psammotettix salsuginosus** Logvinenko,1961 (Cicadellidae)
972. **Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae)
973. **Pselaphorhynchites tomentosus** (Gyllenhal,1839) (Attelabidae)
974. **Pseudonapomyza hispanica** Spencer,1973 (Agromyzidae)
975. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
976. **Psylliodes chrysocephalus** (Linnaeus,1758) (Chrysomelidae)
977. **Psylliodes circumdatus** (Redtenbacher,1842) (Chrysomelidae)
978. **Psylliodes cupreus** (Koch,1803) (Chrysomelidae)
979. **Psyllobora vigintiduopunctata** (Linnaeus,1758) (Coccinellidae)
980. **Pycnopogon mixtus** (Loew,1847) (Asilidae)
981. **Pycnopogon pallidipennis** (Brullé,1833) (Asilidae)
982. **Pyrgomorpha conica** (Olivier,1791) (Pyrgomorphae)
983. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
984. **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae)
985. **Quadrastylum scoleogramma** (Fieber,1877) (Issidae)
986. **Raiboscelis coelestinus** (Waltl,1838) (Tenebrionidae)
987. **Raiboscelis syriacus** (Reiche,1861) (Tenebrionidae)
988. **Ranatra linearis** (Linnaeus,1758) (Nepidae)
989. **Raphidia (Phidiara) raddai** U.Aspöck & H.Aspöck,1969 (Raphidiidae)
990. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
991. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae)
992. **Reptalus (s.str.) horridus** (Linnavuori,1962) (Cixiidae)
993. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
994. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
995. **Rhacocleis anatolica** Werner,1933 (Tettigoniidae)
996. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
997. **Rhinocyllus conicus** (Frölich,1792) (Curculionidae)
998. **Rhynchites aereipennis** Desbrochers,1895 (Attelabidae)
999. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
1000. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
1001. **Rhynchites giganteus** Krynický,1832 (Attelabidae)
1002. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
1003. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
1004. **Rhynchites lodosi** Voss,1973 (Attelabidae)
1005. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
1006. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
1007. **Rhynchites trojanus** Gyllenhal,1839 (Attelabidae)
1008. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
1009. **Rhyarochromus reuteri** (Horváth,1885) (Lygaeidae)
1010. **Rhyarochromus vulgaris** (Schilling,1829) (Lygaeidae)
1011. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
1012. **Ricania aylae** Dlabola,1983 (Ricaniidae)
1013. **Ricania hedenborgi** Stål,1865 (Ricaniidae)
1014. **Rivetina baetica** (Rambur,1838) (Mantidae)
1015. **Rivetina balcanica** La Greca & Lombardo,1982 (Mantidae)
1016. **Rivetina caucasica** (Saussure,1871) (Mantidae)
1017. **Ronisia brutia** (Petagna,1787) (Mutillidae)
1018. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
1019. **Saga puella** Werner,1901 (Tettigoniidae)
1020. **Saprinus calatravensis** Fuente,1899 (Histeridae)
1021. **Saprinus maculatus** (Rossi,1792) (Histeridae)
1022. **Saprinus subnitescens** Bickhardt,1909 (Histeridae)
1023. **Sarcophaga (s.str.) lehmanni** Müller,1922 (Sarcophagidae)
1024. **Scambus (s.str.) elegans** (Woldstedt,1877) (Ichneumonidae)
1025. **Scambus (s.str.) pomorum** (Ratzeburg,1848) (Ichneumonidae)
1026. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
1027. **Scaptomyza (s.str.) graminum** (Fallén,1823) (Drosophilidae)
1028. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae)
1029. **Scarabaeus sacer** Linnaeus,1758 (Scarabaeidae)
1030. **Scarabaeus semipunctatus** Fabricius,1792 (Scarabaeidae)
1031. **Scarabaeus variolosus** Fabricius,1787 (Scarabaeidae)
1032. **Scarodytes halensis** (Fabricius,1787) (Dytiscidae)
1033. **Sciocoris deltocephalus** Fieber,1861 (Pentatomidae)
1034. **Sciocoris hoberlandi** Wagner,1954 (Pentatomidae)
1035. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
1036. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
1037. **Sciocoris ochraceus** Fieber,1861 (Pentatomidae)
1038. **Scolia asiella** Betrem,1935 (Scoliidae)
1039. **Scolia fallax** Eversmann,1849 (Scoliidae)

1040. **Scolia galbula (Pallas,1771)** (Scoliidae)
1041. **Scolia hirta (Schrank,1781)** (Scoliidae)
1042. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
1043. **Scymnus apetzi Mulsant,1846** (Coccinellidae)
1044. **Scymnus pallipediformis Günther,1958** (Coccinellidae)
1045. **Scymnus quadriguttatus Capra,1924** (Coccinellidae)
1046. **Selenocephalus pallens Lindberg,1948** (Cicadellidae)
1047. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae)
1048. **Selenocephalus stenopterus Signoret,1880** (Cicadellidae)
1049. **Selenocephalus uvarovi Zachvatkin,1946** (Cicadellidae)
1050. **Sepiana sepia (Yersin,1854)** (Tettigoniidae)
1051. **Setapius barajus (Dlabola,1957)** (Cixiidae)
1052. **Sigara assimilis (Fieber,1848)** (Corixidae)
1053. **Sigara lateralis Leach,1818** (Corixidae)
1054. **Sigara mayri (Fieber,1860)** (Corixidae)
1055. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
1056. **Sigara striata (Linnaeus,1758)** (Corixidae)
1057. **Silpha obscura Linnaeus,1758** (Silphidae)
1058. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae)
1059. **Sogatella vibix (Haupt,1927)** (Delphacidae)
1060. **Sphaoderma rubidum (Graells,1858)** (Chrysomelidae)
1061. **Sphaerophoria rueppelli Wiedemann,1830** (Syrphidae)
1062. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae)
1063. **Sphenella marginata (Fallén,1814)** (Tephritidae)
1064. **Sphex flavipennis Fabricius,1793** (Sphecidae)
1065. **Sphingonotus (Sphingoderus) carinatus (Saussure,1888)** (Acrididae)
1066. **Sphingonotus caerulans (Linnaeus,1767)** (Acrididae)
1067. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
1068. **Sporadiana brevipes (Uvarov,1934)** (Tettigoniidae)
1069. **Stalia major Costa,1840** (Nabidae)
1070. **Stenopogon sabaudus (Fabricius,1794)** (Asilidae)
1071. **Stenosis diana Sahlberg,1908** (Tenebrionidae)
1072. **Stomorhina lunata (Fabricius,1805)** (Calliphoridae)
1073. **Stratiomys cenisia Meigen,1822** (Stratiomyidae)
1074. **Streptanus albanicus (Horvath,1916)** (Cicadellidae)
1075. **Suarius nanus (McLachan,1893)** (Chrysopidae)
1076. **Subcoccinella vigintiquatuorpunctata (Linnaeus,1758)** (Coccinellidae)
1077. **Sulamicerus stali (Fieber,1868)** (Cicadellidae)
1078. **Sympetrum flaveolum (Linnaeus,1758)** (Libellulidae)
1079. **Sympetrum fonscolombii (Selys,1840)** (Libellulidae)
1080. **Sympetrum striolatum (Charpentier,1840)** (Libellulidae)
1081. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae)
1082. **Syrphoctonus tarsatorius (Panzer,1809)** (Ichneumonidae)
1083. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae)
1084. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
1085. **Tabanus bromius Linnaeus,1758** (Tabanidae)
1086. **Tabanus brunnescens Szilady,1917** (Tabanidae)
1087. **Tabanus canipalpis Bigot,1892** (Tabanidae)
1088. **Tabanus darimonti Leclercq,1964** (Tabanidae)
1089. **Tabanus decipiens Kröber,1928** (Tabanidae)
1090. **Tabanus exclusus Pandella,1883** (Tabanidae)
1091. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
1092. **Tabanus laetinctus Becker,1913** (Tabanidae)
1093. **Tabanus lunatus Fabricius,1794** (Tabanidae)
1094. **Tabanus quatuornatatus Meigen,1820** (Tabanidae)
1095. **Tabanus regularis Jaenicke,1866** (Tabanidae)
1096. **Tabanus rupium Brauer,1880** (Tabanidae)
1097. **Tabanus tinctus Walker,1850** (Tabanidae)
1098. **Tachycixius desertorum (Fieber,1876)** (Cixiidae)
1099. **Tachycixius pilosus (Olivier,1791)** (Cixiidae)
1100. **Tamaricella remanei Dworakowska,1971** (Cicadellidae)
1101. **Telostegus inermis (Brullé,1832)** (Pompilidae)
1102. **Tenthredo zonula Klug,1817** (Tenthredinidae)
1103. **Tentyria rotundata Brullé,1832** (Tenebrionidae)
1104. **Tephritis conjuncta (Loew,1844)** (Tephritidae)
1105. **Tephritis fallax (Loew,1844)** (Tephritidae)
1106. **Tephritis formosa (Loew,1844)** (Tephritidae)
1107. **Tephritis poecilura Loew,1869** (Tephritidae)
1108. **Tephritis postica (Loew,1844)** (Tephritidae)
1109. **Tephritis simplex (Loew,1844)** (Tephritidae)
1110. **Teratolytta dives (Brullé,1832)** (Meloidae)
1111. **Teratolytta gentilis (Fivaldsky,1877)** (Meloidae)
1112. **Terellia fuscicornis (Loew,1844)** (Tephritidae)
1113. **Tetartoepus czwalinai (Jakobson,1909)** (Staphylinidae)
1114. **Tetramorium caespitum (Linnaeus,1758)** (Formicidae)
1115. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
1116. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)

1117. **Tettigometra (Mitricephalus) leucophaea** (Preyssl, 1792) (Tettigometridae)
1118. **Tettigometra (s.str.) sulphurea** Mulsant & Rey, 1855 (Tettigometridae)
1119. **Tettigonia caudata** (Charpentier, 1845) (Tettigoniidae)
1120. **Tettigonia viridissima** (Linnaeus, 1758) (Tettigoniidae)
1121. **Thamnotettix (s.str.) confinis** Zetterstedt, 1828 (Cicadellidae)
1122. **Thamnotettix (s.str.) wittmeri** Dlabola, 1971 (Cicadellidae)
1123. **Thamnotettix (s.str.) zelleri** (Kirschbaum, 1868) (Cicadellidae)
1124. **Thamnotettix minoidis** Dlabola, 1974 (Cicadellidae)
1125. **Thamnotettix thrax** Dlabola, 1965 (Cicadellidae)
1126. **Thamnotettix wittmeri** Dlabola, 1971 (Cicadellidae)
1127. **Thecodiplosis sp.** (Cecidomyiidae)
1128. **Theriopectes tricolor** Zeller, 1842 (Tabanidae)
1129. **Tingis geniculata** (Fieber, 1844) (Tingidae)
1130. **Tingis griseola** (Puton, 1879) (Tingidae)
1131. **Tingis pauperata** (Puton, 1879) (Tingidae)
1132. **Tipula (Lunatipula) furcula** Mannheims, 1954 (Tipulidae)
1133. **Tipula (Lunatipula) rhynchos** Theischinger, 1977 (Tipulidae)
1134. **Tipula (Lunatipula) soosi** Mannheims, 1954 (Tipulidae)
1135. **Tipula (Lunatipula) teunissenii** Theischinger, 1979 (Tipulidae)
1136. **Tipula (Tipula) orientalis** Lackschewitz, 1930 (Tipulidae)
1137. **Tituboea macropus** (Illiger, 1800) (Chrysomelidae)
1138. **Trachyderma lima** (Petagna, 1819) (Tenebrionidae)
1139. **Trapezonotus ullrichi** (Fieber, 1836) (Lygaeidae)
1140. **Tremulicerus mesopyrrhus** (Kirschbaum, 1868) (Cicadellidae)
1141. **Tribolium castaneum** (Herbst, 1797) (Tenebrionidae)
1142. **Tribolium confusum** Jacquelin du Val, 1868 (Tenebrionidae)
1143. **Trichodes crabroniformis** Fabricius, 1787 (Cleridae)
1144. **Trichodes inermis** Reitter, 1893 (Cleridae)
1145. **Trichodes laminatus** Chevrolat, 1843 (Cleridae)
1146. **Trichodes nobilis** Klug, 1842 (Cleridae)
1147. **Trichodes punctatus** Fischer, 1829 (Cleridae)
1148. **Trichodes quadriguttatus** Adams, 1817 (Cleridae)
1149. **Trichodes sipylus** (Linnaeus, 1758) (Cleridae)
1150. **Trichodes syriacus** Spinola, 1844 (Cleridae)
1151. **Tridactylus irremipes** Uvarov, 1934 (Tridactylidae)
1152. **Triglena virescens** Fieber, 1876 (Cicadidae)
1153. **Trimium caucasicum** Kolenati, 1846 (Staphylinidae)
1154. **Trissolcus grandis** (Thomson, 1860) (Scelionidae)
1155. **Trissolcus semistriatus** (Nees, 1834) (Scelionidae)
1156. **Trissolcus simoni** (Mayr, 1897) (Scelionidae)
1157. **Trithemis annulata** (P. de Beauvais, 1807) (Libellulidae)
1158. **Trogoderma granarium** Everts, 1898 (Dermestidae)
1159. **Tropidopola graeca** Uvarov, 1926 (Acrididae)
1160. **Tropinota (Epicometis) hirta** (Poda, 1761) (Scarabaeidae)
1161. **Trupanea amoena** (Frauenfeld, 1857) (Tephritidae)
1162. **Trupanea stellata** (Fuesslin, 1775) (Tephritidae)
1163. **Tylopsis lilifolia** (Fabricius, 1793) (Tettigoniidae)
1164. **Uloma cypreaea** Kraatz, 1873 (Tenebrionidae)
1165. **Urophora affinis** (Frauenfeld, 1857) (Tephritidae)
1166. **Urophora cuspidata** (Meigen, 1826) (Tephritidae)
1167. **Urophora macrura** (Loew, 1855) (Tephritidae)
1168. **Urophora solstitialis** (Linnaeus, 1758) (Tephritidae)
1169. **Utecha trivialis** (Germar, 1821) (Cicadellidae)
1170. **Vachiria natolica** Stal, 1859 (Reduviidae)
1171. **Vespa crabro** Linnaeus, 1758 (Vespidae)
1172. **Vespa orientalis** Linnaeus, 1771 (Vespidae)
1173. **Vespula germanica** (Fabricius, 1793) (Vespidae)
1174. **Vespula vulgaris** (Linnaeus, 1758) (Vespidae)
1175. **Vibidia duodecimguttata** (Poda, 1761) (Coccinellidae)
1176. **Xya pfaendleri** (Harz, 1970) (Tridactylidae)
1177. **Xya variegata** (Latreille, 1809) (Tridactylidae)
1178. **Xylocoris flavipes** (Reuter, 1875) (Anthocoridae)
1179. **Xylocoris galactinus** (Fieber, 1836) (Anthocoridae)
1180. **Xylocoris obliquus** Costa, 1852 (Anthocoridae)
1181. **Zophosis (Oculosis) punctata** Brullé, 1832 (Tenebrionidae)
1182. **Zygina (s.str.) discolor** Horvath, 1897 (Cicadellidae)
1183. **Zygina (s.str.) nivea** (Mulsant & Rey, 1855) (Cicadellidae)
1184. **Zygina (s.str.) rhamni** Ferrari, 1882 (Cicadellidae)
1185. **Zygina (s.str.) suavis** Rey, 1891 (Cicadellidae)
1186. **Zyginella pulchra** Loew, 1885 (Cicadellidae)

Kars Province (36)

(481 species, stand 30 April 2010)

1. **Aclypea undata** (O.F.Müller,1776) (Silphidae)
2. **Acmaeoderella** (**Euacmaeoderella**) **vetusta** (**Ménétriés,1832**) (Buprestidae)
3. **Acrida bicolor** (**Thunberg,1815**) (Acrididae)
4. **Acrida oxycephala** (**Pallas,1771**) (Acrididae)
5. **Adalia** (**s.str.**) **bipunctata** (**Linnaeus,1758**) (Coccinellidae)
6. **Adarrus niphanticus** **Logvinenko,1966** (Cicadellidae)
7. **Adrastus samedovi** **Dolin & Agajev,1974** (Elateridae)
8. **Aelia alticola** **Kiritshenko,1914** (Pentatomidae)
9. **Aelia rostrata** **Boheman,1852** (Pentatomidae)
10. **Agabus** (**Acatodes**) **congener** (**Thunberg,1794**) (Dytiscidae)
11. **Agabus** (**Gaurodytes**) **bipustulatus** (**Linnaeus,1767**) (Dytiscidae)
12. **Agapanthia walteri** **Reitter,1898** (Cerambycidae)
13. **Agenioideus ciliatus** (**Lepelletier,1845**) (Pompilidae)
14. **Agenioideus nubecula** (**Costa,1874**) (Pompilidae)
15. **Agenioideus sericeus** (**Van der Linden,1827**) (Pompilidae)
16. **Agrypnus sarikamisensis** **Platia, Yıldırım & Kesdek,2007** (Elateridae)
17. **Aguriahana germari** (**Zetterstedt,1840**) (Cicadellidae)
18. **Alastor mediomaculatus** **Giordani Soika,1952** (Vespidae)
19. **Allantus didymus** (**Klug,1818**) (Tenthredinidae)
20. **Allantus viennensis** (**Schrank,1781**) (Tenthredinidae)
21. **Allygidius commutatus** **Fieber,1872** (Cicadellidae)
22. **Alosimus armeniacus** (**Faldermann,1837**) (Meloidae)
23. **Altica deserticola** (**Weise,1889**) (Chrysomelidae)
24. **Altica oleracea** (**Linnaeus,1758**) (Chrysomelidae)
25. **Ammophila sabulosa** (**Linnaeus,1758**) (Sphecidae)
26. **Ancistrocerus auctus** (**Fabricius,1793**) (Vespidae)
27. **Ancistrocerus parietum** (**Linnaeus,1758**) (Vespidae)
28. **Aneurus avenius** (**Dufour,1833**) (Aradidae)
29. **Aneurus laevis** (**Fabricius,1775**) (Aradidae)
30. **Anoplius concinnus** (**Dahlbom,1845**) (Pompilidae)
31. **Anoplius infuscatus** (**Van der Linden,1827**) (Pompilidae)
32. **Anoplius nigerrimus** (**Scopoli,1763**) (Pompilidae)
33. **Anoplius samariensis** (**Pallas,1771**) (Pompilidae)
34. **Anoplius viaticus** (**Linnaeus,1758**) (Pompilidae)
35. **Antepipona orbitalis** (**Herrich-Schäffer,1839**) (Vespidae)
36. **Anthaxia** (**Melanthaxia**) **godeti** **Gory & Laporte,1839** (Buprestidae)
37. **Anthidium** (**Exanthidium**) **eximium** **Giraud,1863** (Megachilidae)
38. **Anthidium** (**Paraanthidium**) **interruptum** (**Fabricius,1781**) (Megachilidae)
39. **Anthidium** (**Pseudoanthidium**) **laturatum** (**Panzer,1801**) (Megachilidae)
40. **Anthidium** (**Pseudoanthidium**) **melanurum** **Klug,1832** (Megachilidae)
41. **Anthidium** (**Pseudoanthidium**) **reticulatum** **Mocsary,1884** (Megachilidae)
42. **Anthidium** (**Rhodanthidium**) **caturigense** **Giraud,1863** (Megachilidae)
43. **Anthidium** (**s.str.**) **cingulatum** **Latreille,1809** (Megachilidae)
44. **Anthidium** (**s.str.**) **florentinum** (**Fabricius,1775**) (Megachilidae)
45. **Anthidium** (**s.str.**) **manicatum** (**Linnaeus,1758**) (Megachilidae)
46. **Anthidium** (**s.str.**) **punctatum** **Latreille,1809** (Megachilidae)
47. **Anthidium** (**Trachusa**) **byssina** (**Panzer,1804**) (Megachilidae)
48. **Apethymus apicalis** (**Klug,1818**) (Tenthredinidae)
49. **Aphrodes bicinctus** (**Schrank,1776**) (Cicadellidae)
50. **Aphrodes nigrinus** (**Kirschbaum,1868**) (Cicadellidae)
51. **Aphthona franzi** **Heikertinger,1944** (Chrysomelidae)
52. **Aphthona kuntzei** **Roubal,1931** (Chrysomelidae)
53. **Aphthona nigriscutis** **Foudras,1860** (Chrysomelidae)
54. **Aphthona syriaca** **Heikertinger,1944** (Chrysomelidae)
55. **Aplotarsus angustulus** (**Kiesenwetter,1858**) (Elateridae)
56. **Apodiphus amygdali** (**Germar,1817**) (Pentatomidae)
57. **Aporinellus sexmaculatus** (**Spinola,1805**) (Pompilidae)
58. **Arachnospila clericalis** (**Morawitz,1889**) (Pompilidae)
59. **Arachnospila consobrina** (**Dahlbom,1843**) (Pompilidae)
60. **Arachnospila fuscomarginata** (**Thomson,1870**) (Pompilidae)
61. **Arachnospila ionica** (**Wolf,1964**) (Pompilidae)
62. **Arachnotheutes rufithorax** (**Costa,1887**) (Pompilidae)
63. **Aradus cinnamomeus** **Panzer,1806** (Aradidae)
64. **Arboridia versuta** (**Melichar,1897**) (Cicadellidae)
65. **Arocephalus languidus** (**Flor,1861**) (Cicadellidae)
66. **Aromia moschata** (**Linnaeus,1758**) (Cerambycidae)
67. **Asiotmethis turritus** (**Fischer von Waldheim,1833**) (Pamphagidae)
68. **Athalia bicolor** **Audinet-Serville,1823** (Tenthredinidae)
69. **Athalia circularis** (**Klug,1815**) (Tenthredinidae)
70. **Athalia cordata** **Audinet-Serville,1823** (Tenthredinidae)
71. **Athalia liberta** (**Klug,1815**) (Tenthredinidae)
72. **Atylotus fulvus** (**Meigen,1820**) (Tabanidae)
73. **Atylotus protidor** (**Bogatshev & Samedov,1949**) (Tabanidae)

74. **Auplopus rectus (Haupt,1927)** (Pompilidae)
75. **Balclutha pellucens Horvath,1909** (Cicadellidae)
76. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
77. **Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae)
78. **Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae)
79. **Berosus (s.str.) signaticollis (Charpentier,1825)** (Hydrophilidae)
80. **Blaps pterostapha Ménériés,1832** (Tenebrionidae)
81. **Brachyceraea brevicornis (Loew,1847)** (Conopidae)
82. **Brachyluta sursicauda (Ganglbauer,1900)** (Staphylinidae)
83. **Callicorixa raddei (Kiritshenko & Jaczewski,1960)** (Corixidae)
84. **Calliptamus barbarus (Costa,1836)** (Acrididae)
85. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
86. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
87. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
88. **Cardiophorus (s.str.) vestigialis Erichson,1840** (Elateridae)
89. **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae)
90. **Carpocoris melanocerus Mulsant,1852** (Pentatomidae)
91. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae)
92. **Cephaloncus karsensis Wittmer,1995** (Melyridae)
93. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae)
94. **Cerocoma dahli Kraatz,1863** (Meloidae)
95. **Ceropales albicincta (Rossi,1790)** (Pompilidae)
96. **Ceropales helvetica Tournier,1889** (Pompilidae)
97. **Ceropales maculata (Fabricius,1775)** (Pompilidae)
98. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae)
99. **Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae)
100. **Chelostoma (Foveosmia) garrulum (Warneke,1991)** (Megachilidae)
101. **Chirota ruficeps Horstmann,1983** (Ichneumonidae)
102. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
103. **Chorthippus (Glyptobothrus) biguttulus (Linnaeus,1758)** (Acrididae)
104. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
105. **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae)
106. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae)
107. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae)
108. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
109. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
110. **Chrysops (s.str.) sejunctus Szilady,1917** (Tabanidae)
111. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae)
112. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae)
113. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
114. **Colletes hakkari Kuhlmann,2002** (Colletidae)
115. **Colletes warnckeii Kuhlmann,2002** (Colletidae)
116. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae)
117. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
118. **Conops insignis Loew,1848** (Conopidae)
119. **Conops silaceus Wiedemann,1824** (Conopidae)
120. **Coremacera catenata (Loew,1847)** (Sciomyzidae)
121. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae)
122. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae)
123. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae)
124. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
125. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
126. **Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae)
127. **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae)
128. **Cryptocheilus fischeri (Spinola,1855)** (Pompilidae)
129. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae)
130. **Cryptocheilus propodeonitens Wolf,1998** (Pompilidae)
131. **Cryptocheilus richardsi Moczar,1953** (Pompilidae)
132. **Cryptocheilus rubellus (Eversmann,1846)** (Pompilidae)
133. **Cryptocheilus variabilis (Rossi,1790)** (Pompilidae)
134. **Cryptus spiralis (Geoffroy,1785)** (Ichneumonidae)
135. **Curculio salicivorus Paykull,1792** (Curculionidae)
136. **Cyphon arietizans Nyholm,1970** (Scirtidae)
137. **Cyphon palustris Thomson,1855** (Scirtidae)
138. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
139. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae)
140. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae)
141. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae)
142. **Dentilla curviventris (André,1901)** (Mutillidae)
143. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
144. **Deronectes doriae Sharp,1882** (Dytiscidae)
145. **Dibolia cryptocephala (Koch,1803)** (Chrysomelidae)
146. **Dicronychus decorus (Faldermann,1835)** (Elateridae)
147. **Dicyrtomellus argenteus Wahis,1982** (Pompilidae)
148. **Dicyrtomellus dubitabilis (Saunders,1901)** (Pompilidae)

149. **Diplocolenus frauenfeldi (Fieber,1869)**
(Cicadellidae)
150. **Diplorhoptum fugax (Latreille,1798)**
(Formicidae)
151. **Dipogon (Deuteragenia) variegatus (Linnaeus,1758)** (Pompilidae)
152. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
153. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
154. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae)
155. **Dolichovespula sylvestris (Scopoli,1763)**
(Vespidae)
156. **Doratura stylata (Boheman,1847)**
(Cicadellidae)
157. **Doratura veneta Dlabola,1969** (Cicadellidae)
158. **Drosophila (s.str.) kuntzei Duda,1924**
(Drosophilidae)
159. **Drosophila adusta Loew,1862** (Drosophilidae)
160. **Dytiscus circumflexus Fabricius,1781**
(Dytiscidae)
161. **Dytiscus marginalis Linnaeus,1758**
(Dytiscidae)
162. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae)
163. **Elinora asiatica Enslin,1910** (Tenthredinidae)
164. **Elinora baetica Spinola,1843** (Tenthredinidae)
165. **Elinora ornata André,1881** (Tenthredinidae)
166. **Emblethis bullatus Fieber,1861** (Lygaeidae)
167. **Emblethis griseus (Wolff,1802)** (Lygaeidae)
168. **Empoasca solani (Curtis,1846)** (Cicadellidae)
169. **Enochrus (Lumetus) bicolor (Fabricius,1792)**
(Hydrophilidae)
170. **Eoferreola anatolica Piesner,1973**
(Pompilidae)
171. **Eoferreola manticata (Pallas,1771)**
(Pompilidae)
172. **Eoferreola rhombica (Christ,1791)**
(Pompilidae)
173. **Eoferreola thoracica (Rossi,1794)** (Pompilidae)
174. **Episyron albonotatum (Van der Linden,1827)** (Pompilidae)
175. **Episyron candiotum Wahis,1966** (Pompilidae)
176. **Episyron gallicum (Tournier,1889)**
(Pompilidae)
177. **Episyron rufipes (Linnaeus,1758)** (Pompilidae)
178. **Erythromma viridulum (Charpentier,1840)**
(Coenagrionidae)
179. **Eumenes coarctatus (Linnaeus,1758)**
(Vespidae)
180. **Eumenes coronatus (Panzer,1799)**
(Vespidae)
181. **Eumenes dubius Saussure,1852** (Vespidae)
182. **Eumenes jarkandensis Blüthgen,1938**
(Vespidae)
183. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae)
184. **Eumenes papillarius (Christ,1791)** (Vespidae)
185. **Eumenes pomiformis (Fabricius,1781)**
(Vespidae)
186. **Eumenes subpomiformis Blüthgen,1938**
(Vespidae)
187. **Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae)
188. **Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae)
189. **Eupteryx atropunctata (Goeze,1778)**
(Cicadellidae)
190. **Eurydema blanda Horvath,1803**
(Pentatomidae)
191. **Eurydema oleracea (Linnaeus,1758)**
(Pentatomidae)
192. **Eurysa lineata (Perris,1857)** (Delphacidae)
193. **Eutolmus palestinensis Theodor,1980**
(Asilidae)
194. **Euzonitis quadrimaculata (Pallas,1782)**
(Meloidae)
195. **Evagetes dubius (Van der Linden,1827)**
(Pompilidae)
196. **Evagetes siculus (Lepeletier,1845)**
(Pompilidae)
197. **Exorista larvarum (Linnaeus,1758)**
(Tachinidae)
198. **Gastrophysa polygoni (Linnaeus,1758)**
(Chrysomelidae)
199. **Gonocephalum granulatum (Fabricius,1791)**
(Tenebrionidae)
200. **Graphocraerus ventralis (Fallén,1806)**
(Cicadellidae)
201. **Haematopota bigoti Gobert,1881** (Tabanidae)
202. **Haematopota subcylindrica Pandelle,1883** (Tabanidae)
203. **Handianus modestus (Melichar,1896)**
(Cicadellidae)
204. **Haplomalachus karsensis Wittmer,1988**
(Melyridae)
205. **Harpalus (Harpalophonus) kagyzmanicus Kataev,1984** (Carabidae)
206. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae)
207. **Heleomyza modesta (Meigen,1838)**
(Heleomyzidae)
208. **Helophorus aquaticus (Linnaeus,1758)**
(Helophoridae)
209. **Helophorus lapponicus Thomson,1854**
(Helophoridae)
210. **Helophorus ponticus Angus,1988**
(Helophoridae)
211. **Hippodamia (Adonia) variegata (Goeze,1777)**
(Coccinellidae)
212. **Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae)
213. **Holopogon hasbenlii Tomasovic, Weyer & Dils,2009** (Asilidae)
214. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae)
215. **Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae)
216. **Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae)
217. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae)
218. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae)
219. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae)
220. **Hybomitra caucasi (Szilady,1923)**
(Tabanidae)
221. **Hybomitra caucasica (Enderlein,1925)**
(Tabanidae)
222. **Hybomitra decora (Loew,1858)**
(Tabanidae)
223. **Hycleus scabiosae (Olivier,1811)**
(Meloidae)
224. **Hydroporus kozlovskii Zaitzev,1927**
(Dytiscidae)

225. **Hydroporus marginatus** (Duftschmid,1805) (Dytiscidae)
226. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
227. **Hydroporus thracicus** Guéorguiev,1966 (Dytiscidae)
228. **Hygrotus (Coelambus) armeniacus** (Zaitzev,1927) (Dytiscidae)
229. **Hypera meles** (Fabricius,1792) (Curculionidae)
230. **Hypera variabilis** (Herbst,1795) (Curculionidae)
231. **Ilybius fuliginosus** (Fabricius,1792) (Dytiscidae)
232. **Ilybius satunini** (Zaitzev,1913) (Dytiscidae)
233. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
234. **Jassargus obtusivalvis** (Kirschbaum,1868) (Cicadellidae)
235. **Julodella globithorax** (Steven,1830) (Buprestidae)
236. **Krombeinella longicollis** (Tournier,1889) (Mutillidae)
237. **Krombeinella wolfi** (Invrea,1963) (Mutillidae)
238. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
239. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
240. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
241. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
242. **Laccobius (s.str.) minutus** (Linnaeus,1758) (Hydrophilidae)
243. **Lamachus splendor** Aubert,1989 (Ichneumonidae)
244. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
245. **Larinus sturnus** (Schaller,1878) (Curculionidae)
246. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
247. **Lasioptera carophila** Loew,1874 (Cecidomyiidae)
248. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
249. **Lertha palmonii** Tjeder,1970 (Nemopteridae)
250. **Lestes barbarus** (Fabricius,1798) (Lestidae)
251. **Lestes sponsa** (Hansemann,1823) (Lestidae)
252. **Leuctra hippopus** Kempny,1899 (Leuctridae)
253. **Lixus ascanii** (Linnaeus,1767) (Curculionidae)
254. **Lixus cardui** Olivier,1807 (Curculionidae)
255. **Lixus elegantulus** Boheman,1843 (Curculionidae)
256. **Lixus obesus** Petri,1904 (Curculionidae)
257. **Lixus scolapax** Boheman,1836 (Curculionidae)
258. **Lixus subtilis** Boheman,1836 (Curculionidae)
259. **Lobosmittia invaginata** (Caspers & Reiss,1989)
260. **Longitarsus aeneicollis** (Faldermann,1837) (Chrysomelidae)
261. **Longitarsus parvulus** (Paykull,1799) (Chrysomelidae)
262. **Longitarsus pellucidus** (Foudras,1860) (Chrysomelidae)
263. **Longitarsus tabidus** (Fabricius,1775) (Chrysomelidae)
264. **Lophyridia caucasica** (Adams,1817) (Carabidae)
265. **Lophyridia fischeri** (Adams,1817) (Carabidae)
266. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
267. **Macrophya cyrus** Benson,1954 (Tenthredinidae)
268. **Macrophya diversipes** (Schrank,1782) (Tenthredinidae)
269. **Macrophya postica** Brullé,1832 (Tenthredinidae)
270. **Macrophya rufipes** Linnaeus,1758 (Tenthredinidae)
271. **Macrophya suberba** Tischbein,1852 (Tenthredinidae)
272. **Macrophya teutonia** Panzer,1799 (Tenthredinidae)
273. **Malachius faldermanni** Faldermann,1836 (Melyridae)
274. **Mantispa aphavexelte** U.Aspeöck & H.Aspeöck,1994 (Mantispidae)
275. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
276. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
277. **Megachile (Xanthosarus) maritima** (Kirby,1802) (Megachilidae)
278. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
279. **Melanotus (s.str.) fulvus** Reitter,1891 (Elateridae)
280. **Meliboeus amethystinus** (Olivier,1790) (Buprestidae)
281. **Merodon aberrans** Egger,1860 (Syrphidae)
282. **Merodon cupreus** Hurkmans,1993 (Syrphidae)
283. **Merodon lucasi** Hurkmans,1993 (Syrphidae)
284. **Modicogryllus (s.str.) frontalis** (Fieber,1844) (Gryllidae)
285. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
286. **Mutilla europaea** Linnaeus,1758 (Mutillidae)
287. **Muzimes erivanicus** (Kaszab,1958) (Meloidae)
288. **Mylabris geminata** Fabricius,1798 (Meloidae)
289. **Mylabris laevicollis** Marseul,1870 (Meloidae)
290. **Mylabris olivieri** Billberg,1813 (Meloidae)
291. **Mylabris pusilla** Olivier,1811 (Meloidae)
292. **Mylabris variabilis** (Pallas,1782) (Meloidae)
293. **Myopa pallida** Kröber,1916 (Conopidae)
294. **Myrmica lobicornis** Nylander,1846 (Formicidae)
295. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
296. **Nebrioporus airumilus** (Kolenati,1845) (Dytiscidae)
297. **Neides tipularius** (Linnaeus,1758) (Berytidae)
298. **Nemeritis tuitor** Aubert,1986 (Ichneumonidae)

299. **Nemka viduata (Pallas,1773)** (Mutillidae)
300. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
301. **Nemorilla maculosa (Meigen,1824)**
(Tachinidae)
302. **Nemorius caucasicus (Olsufjev,1937)**
(Tabanidae)
303. **Nemotelus (s.str.) armeniacus**
Pleske,1937 (Stratiomyidae)
304. **Nemoura cinerea (Retzius,1783)**
(Nemouridae)
305. **Neottiglossa leporina (Herrich-**
Schäffer,1830) (Pentatomidae)
306. **Nephrotoma cornicina (Linnaeus,1758)**
(Tipulidae)
307. **Nephrotoma croceiventris (Strobl,1909)**
(Tipulidae)
308. **Nicrophorus nigricornis**
Faldermann,1835 (Silphidae)
309. **Ochrosis ventralis (Illiger,1807)**
(Chrysomelidae)
310. **Oedipoda miniata (Pallas,1771)** (Acrididae)
311. **Omalius turcicum Smetana,1967**
(Staphylinidae)
312. **Omocestus (s.str.) demokidovi Ramme,1930**
(Acrididae)
313. **Omocestus (s.str.) nanus Uvarov,1934**
(Acrididae)
314. **Omocestus (s.str.) petraeus (Brisout,1855)**
(Acrididae)
315. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
316. **Opatrum verrucosum Germar,1817**
(Tenebrionidae)
317. **Orthocladus oblidens (Walker,1856)**
(Chironomidae)
318. **Osmia (Helicosmia) caerulescens**
(Linnaeus,1758) (Megachilidae)
319. **Osmia (Helicosmia) clypearis Morawitz,1871**
(Megachilidae)
320. **Osmia (Helicosmia) dimidiata**
Morawitz,1870 (Megachilidae)
321. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
322. **Osmia (Helicosmia) onocrotala**
Warncke,1988 (Megachilidae)
323. **Osmia (Helicosmia) saxatilis**
Warncke,1988 (Megachilidae)
324. **Osmia (Hemiosmia) difficilis**
Morawitz,1875 (Megachilidae)
325. **Osmia (s.str.) cerinthidis Morawitz,1876**
(Megachilidae)
326. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
327. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
328. **Paluda agropyri Emelyanov,1962**
(Cicadellidae)
329. **Paracorixa concinna (Fieber,1848)**
(Corixidae)
330. **Parakiefferiella coronata**
(Edwards,1929) (Chironomidae)
331. **Parakiefferiella tenuilobata Caspers &**
Reiss,1989 (Chironomidae)
332. **Paranothrotus eximius Mistshenko,1951**
(Pamphagidae)
333. **Pedestredorcasion kagyzmanicum**
(Suvorov,1915) (Cerambycidae)
334. **Pedestredorcasion karsense**
(Suvorov,1915) (Cerambycidae)
335. **Pedinus (Vadalus) punctulatus Mulsant**
& Rey,1853 (Tenebrionidae)
336. **Pentastiridius leporinus (Linnaeus,1761)**
(Cixiidae)
337. **Pericoma platystyla R. Wagner,1986**
(Psychodidae)
338. **Perlamantispa perla (Pallas,1772)**
(Mantispidae)
339. **Pherbellia schoenherri (Fallén,1826)**
(Sciomyzidae)
340. **Pherbellia ventralis (Fallén,1820)**
(Sciomyzidae)
341. **Pherbina intermedia Verbeke,1948**
(Sciomyzidae)
342. **Pherbina mediterranea Mayer,1953**
(Sciomyzidae)
343. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)
344. **Philipomyia aprica (Meigen,1820)**
(Tabanidae)
345. **Philipomyia rohdendorfi (Olsufjev,1937)**
(Tabanidae)
346. **Phlepsius intricatus (Herrich-**
Schäffer,1838) (Cicadellidae)
347. **Phyllotreta latevittata Kutschera,1860**
(Chrysomelidae)
348. **Phyllotreta nigripes (Fabricius,1775)**
(Chrysomelidae)
349. **Physetopoda scutellaris (Latreille,1792)**
(Mutillidae)
350. **Physetopoda similis (Lelej,1984)**
(Mutillidae)
351. **Physocephala nigra (De Geer,1776)**
(Conopidae)
352. **Physocephala rufipes (Fabricius,1781)**
(Conopidae)
353. **Piesma (Parapiesma) kolenatii**
(Fieber,1861) (Piesmatidae)
354. **Piesma (s.str.) capitatum (Wolff,1804)**
(Piesmatidae)
355. **Piezodorus lituratus (Fabricius,1794)**
(Pentatomidae)
356. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
357. **Platambus maculatus (Linnaeus,1758)**
(Dytiscidae)
358. **Platycleis (Incertana) persica**
Uvarov,1917 (Tettigoniidae)
359. **Platycleis (Montana) armeniaca**
(Ramme,1930) (Tettigoniidae)
360. **Platycleis (s.str.) escalerae Bolivar,1899**
(Tettigoniidae)
361. **Platycleis (s.str.) intermedia (Audinet-**
Serville,[1839]) (Tettigoniidae)
362. **Platycleis (Tessellana) veyseli**
Koçak,1984 (Tettigoniidae)
363. **Platycnemis pennipes (Pallas,1771)**
(Platycnemidae)
364. **Platymetopius rostratus (Herrich-**
Schäffer,1834) (Cicadellidae)
365. **Platynocheilus karsensis Doğanlar,2003**
(Tetracampidae)
366. **Poecilimonella armeniaca Uvarov,1921**
(Tettigoniidae)
367. **Polistes (s.str.) atrimandibularis**
(Zimmermann,1930) (Vespidae)

368. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae)
369. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
370. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
371. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae)
372. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae)
373. **Polysarcus zacharovi (Stschelkanovcev,1909)** (Tettigoniidae)
374. **Pompilus cinereus (Fabricius,1787)** (Pompilidae)
375. **Priocnemis fallax Verhoeff,1892** (Pompilidae)
376. **Priocnemis minuta (Van der Linden,1827)** (Pompilidae)
377. **Priocnemis pusilla (Schioedte,1837)** (Pompilidae)
378. **Priocnemis schioedtei Haupt,1926** (Pompilidae)
379. **Priocnemis sulci Balthasar,1943** (Pompilidae)
380. **Priocnemis vulgaris (Dufour,1841)** (Pompilidae)
381. **Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae)
382. **Prostemma aeneicolle Stein,1857** (Nabidae)
383. **Prostemma guttula (Fabricius,1787)** (Nabidae)
384. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
385. **Psacadina verbekei Rozkosny,1975** (Sciomyzidae)
386. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae)
387. **Pseudoceles oedipoides Bolivar,1899** (Acrididae)
388. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae)
389. **Psylliodes aristus Jablorkoff-Khnzorian,1962** (Chrysomelidae)
390. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae)
391. **Pterocheilus atrohirtus Morawitz,1885** (Vespidae)
392. **Pterocheilus mavromoustakisi Giordani Soika,1979** (Vespidae)
393. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
394. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
395. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
396. **Rhagonycha karsensis Svihla,1995** (Cantharidae)
397. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae)
398. **Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae)
399. **Rhyparochromus confusus (Reuter,1886)** (Lygaeidae)
400. **Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae)
401. **Ribautodelphax pallens (Stål,1854)** (Delphacidae)
402. **Ronisia brutia (Petagna,1787)** (Mutillidae)
403. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae)
404. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
405. **Sapyga (Polosapyga) singla Kurzenko,1994** (Sapygidae)
406. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae)
407. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae)
408. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae)
409. **Satchelliella schachti R.Wagner,1986** (Psychodidae)
410. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
411. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
412. **Scleroracrus decumanus (Kontkanen,1949)** (Cicadellidae)
413. **Scolia galbula (Pallas,1771)** (Scoliidae)
414. **Scolia hirta (Schrank,1781)** (Scoliidae)
415. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
416. **Scorlupella montana (Becker,1865)** (Issidae)
417. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae)
418. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae)
419. **Sepsis violacea Meigen,1826** (Sepsidae)
420. **Sicus caucasicus Zimina,1963** (Conopidae)
421. **Sicus ferrugineus (Linnaeus,1761)** (Conopidae)
422. **Sigara lateralis Leach,1818** (Corixidae)
423. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
424. **Silpha obscura Linnaeus,1758** (Silphidae)
425. **Silvius (s.str.) latifrons Olsuljev,1937** (Tabanidae)
426. **Sphex flavipennis Fabricius,1793** (Sphecidae)
427. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
428. **Stenobothrus (s.str.) zubovskii Bolivar,1899** (Acrididae)
429. **Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae)
430. **Stictopleurus riveti Royer,1923** (Rhopalidae)
431. **Stonemyia caucasia (Kröber,1921)** (Tabanidae)
432. **Stonemyia tigris (Bigot,1880)** (Tabanidae)
433. **Symmorphus bifasciatus (Linnaeus,1761)** (Vespidae)
434. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae)
435. **Tabanus anatolicus Osufjev, Moucha & Chvala,1967** (Tabanidae)
436. **Tabanus atropathenicus Olsufjev,1937** (Tabanidae)
437. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
438. **Tabanus bifarius Loew,1858** (Tabanidae)
439. **Tabanus bovinus Linnaeus,1758** (Tabanidae)
440. **Tabanus bromius Linnaeus,1758** (Tabanidae)
441. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
442. **Tabanus leleani Austen,1920** (Tabanidae)
443. **Tabanus lunatus Fabricius,1794** (Tabanidae)
444. **Tabanus miki Brauer,1880** (Tabanidae)

445. **Tabanus portschinskii Olsufjev,1937**
(Tabanidae)
446. **Tabanus semiargenteus Olsufjev,1937**
(Tabanidae)
447. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
448. **Tabanus swiridowi Portschinsky,1882**
(Tabanidae)
449. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
450. **Tachyagetes leucocnemis Haupt,1930**
(Pompilidae)
451. **Tachyancistrocerus schmidti (Kokujev,1912)**
(Vespidae)
452. **Tachyancistrocerus syriacus Giordani & Soika,1970** (Vespidae)
453. **Tartarogryllus tartarus (Saussure,1874)**
(Gryllidae)
454. **Telostegus inermis (Brullé,1832)**
(Pompilidae)
455. **Temelucha meridionellator Aubert,1981**
(Ichneumonidae)
456. **Temnostethus longirostris (Horvath,1907)** (Anthocoridae)
457. **Tenthredo excellens Konow,1886**
(Tenthredinidae)
458. **Tenthredo flavipennis (Brullé,1832)**
(Tenthredinidae)
459. **Tenthredo vespiformis Schrank,1781**
(Tenthredinidae)
460. **Tenthredo zonula Klug,1817**
(Tenthredinidae)
461. **Tenthredopsis festiva Konow,1890**
(Tenthredinidae)
462. **Tephrochlamys rufiventris (Meigen,1830)** (Heleomyzidae)
463. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
464. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
465. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
466. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
467. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae)
468. **Theophilea cylindricollis Pic,1895**
(Cerambycidae)
469. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
470. **Tonnoiriella turcica R.Wagner,1986**
(Psychodidae)
471. **Trichodes apiarius (Linnaeus,1758)** (Cleridae)
472. **Tropidotilla litoralis (Petagna,1787)**
(Mutillidae)
473. **Verdanus gazelicornis (Dlabola,1980)**
(Cicadellidae)
474. **Verdanus melichari (Dlabola,1951)**
(Cicadellidae)
475. **Vespa crabro Linnaeus,1758** (Vespidae)
476. **Vespa orientalis Linnaeus,1771** (Vespidae)
477. **Vespula germanica (Fabricius,1793)**
(Vespidae)
478. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
479. **Xenaporus schmidti Priesner,1967**
(Pompilidae)
480. **Zeuxia zejana Kolomiets,1971** (Tachinidae)
481. **Zyginidia (s.str.) sohrab Zachvatkin,1947**
(Cicadellidae)

Kastamonu Province (37)

(281 species, stand 30 April 2010)

1. **Ablattaria laevigata (Fabricius,1775)**
(Silphidae)
2. **Acilius sulcatus (Linnaeus,1758)** (Dytiscidae)
3. **Adrastus rachifer (Fourcroy,1785)** (Elateridae)
4. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
5. **Aelia rostrata Boheman,1852** (Pentatomidae)
6. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
7. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
8. **Agabus (Gaurodytes) guttatus (Paykull,1798)**
(Dytiscidae)
9. **Agalmatium flavescens (Olivier,1791)** (Issidae)
10. **Agrilus (s.str.) lineolus Redtenbacher,1849**
(Buprestidae)
11. **Agriotes (s.str.) lineatus (Linnaeus,1767)**
(Elateridae)
12. **Agriotes (s.str.) proximus Schwarz,1891**
(Elateridae)
13. **Agriotes (s.str.) sputator (Linnaeus,1758)**
(Elateridae)
14. **Agrothereutes abbreviatus (Fabricius,1794)**
(Ichneumonidae)
15. **Agrothereutes fumipennis (Gravenhorst,1829)** (Ichneumonidae)
16. **Amara (Bradytus) apricaria (Paykull,1790)**
(Carabidae)
17. **Ampedus balteatus (Linnaeus,1758)**
(Elateridae)
18. **Amphinemura mirabilis (Martynov,1928)**
(Nemouridae)
19. **Anogcodes ruficollis (Fabricius,1781)**
(Oedemeridae)
20. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae)

21. **Anthaxia (Haplantaxia) millefolii** (Fabricius,1801) (Buprestidae)
22. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
23. **Anthophagus ilgazicus** Coiffait,1981 (Staphylinidae)
24. **Athous (Haplathous) marginicollis** Reitter,1890 (Elateridae)
25. **Athous (Orthathous) margheritae** Guglielmi & Platia,1985 (Elateridae)
26. **Athous (Orthathous) sameki** Platia,2003 (Elateridae)
27. **Athous (Orthathous) zanettii** Guglielmi & Platia,1985 (Elateridae)
28. **Athous (Orthathous) zbuszeki** Platia & Gudenzi,2007 (Elateridae)
29. **Athous (s.str.) vittatus** (Fabricius,1792) (Elateridae)
30. **Auletobius politus** Voss,1934 (Attelabidae)
31. **Baccha elongata** (Fabricius,1775) (Syrphidae)
32. **Bathythrix lamina** (Thomson,1884) (Ichneumonidae)
33. **Batozonellus lacerticida** (Pallas,1771) (Pompilidae)
34. **Berosus (s.str.) affinis** Brullé,1835 (Hydrophilidae)
35. **Berosus (s.str.) luridus** (Linnaeus,1761) (Hydrophilidae)
36. **Berosus (s.str.) signaticollis** (Charpentier,1825) (Hydrophilidae)
37. **Besseria lateritia** (Meigen,1824) (Tachinidae)
38. **Blapsidotes vicinus** (Gravenhorst,1829) (Ichneumonidae)
39. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
40. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
41. **Bombus lucorum** Linnaeus,1761 (Apidae)
42. **Bombus terrestris** Linnaeus,1758 (Apidae)
43. **Calliptamus barbarus** (Costa,1836) (Acrididae)
44. **Carabus (Archicarabus) wiedemanni** Ménétrés,1836 (Carabidae)
45. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
46. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
47. **Cassida seraphina** Ménétrés,1836 (Chrysomelidae)
48. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
49. **Cercopis septemmaculata** (Melichar,1903) (Cercopidae)
50. **Charopus philoctetes** Abeille de Perrin,1885 (Melyridae)
51. **Cheilosia aerea** Dufour,1848 (Syrphidae)
52. **Cheilosia albitarsis** (Meigen,1822) (Syrphidae)
53. **Cheilosia canicularis** (Panzer,1801) (Syrphidae)
54. **Cheilosia proxima** (Zetterstedt,1843) (Syrphidae)
55. **Cheilosia scutellata** (Fallén,1817) (Syrphidae)
56. **Cheilosia soror** (Zetterstedt,1843) (Syrphidae)
57. **Cheilosia urbana** (Meigen,1822) (Syrphidae)
58. **Cheilosia variabilis** (Panzer,1798) (Syrphidae)
59. **Chlorita tessellata** Lethierry,1884 (Cicadellidae)
60. **Chorthippus (Glyptobothrus) ilkazi** Uvarov,1934 (Acrididae)
61. **Chorthippus (Glyptobothrus) mollis** (Charpentier,1825) (Acrididae)
62. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
63. **Chrysogaster coemeteriorum** (Linnaeus,1758) (Syrphidae)
64. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
65. **Chrysotoxum festivum** (Linnaeus,1758) (Syrphidae)
66. **Chrysotoxum intermedium** Meigen,1822 (Syrphidae)
67. **Cicindela campestris** Linnaeus,1758 (Carabidae)
68. **Cionus caucasicus** Reitter,1888 (Curculionidae)
69. **Cionus donckieri** Pic,1898 (Curculionidae)
70. **Corixa punctata** (Illiger,1807) (Corixidae)
71. **Cryptocephalus aureolus** Suffrian,1847 (Chrysomelidae)
72. **Cryptocephalus concolor** Suffrian,1847 (Chrysomelidae)
73. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
74. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
75. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
76. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
77. **Cuneala confinis** (Konow,1886) (Tenthredinidae)
78. **Cylindromyia interrupta** (Meigen,1824) (Tachinidae)
79. **Cyphon arietizans** Nyholm,1970 (Scirtidae)
80. **Cyphon longispinus** Nyholm,1968 (Scirtidae)
81. **Cyphon longiusculus** Nyholm,1970 (Scirtidae)
82. **Dasysyrphus albostrigatus** (Fallén,1817) (Syrphidae)
83. **Dasysyrphus pinastri** (De Geer,1776) (Syrphidae)
84. **Deliphrosoma mandli** (Scheerpeltz,1937) (Staphylinidae)
85. **Derephysia foliacea** (Fallén,1807) (Tingidae)
86. **Dichrogaster modesta** (Gravenhorst,1829) (Ichneumonidae)
87. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
88. **Doclostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
89. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
90. **Elodes minuta** (Linnaeus,1767) (Scirtidae)
91. **Empoasca solani** (Curtis,1846) (Cicadellidae)
92. **Epistrophe elegans** (Harris,1780) (Syrphidae)
93. **Episyrphus balteatus** (De Geer,1776) (Syrphidae)
94. **Eristalinus (Lathyrrophthalmus) aeneus** (Scopoli,1763) (Syrphidae)
95. **Eristalinus (s.str.) sepulchralis** (Linnaeus,1758) (Syrphidae)
96. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae)
97. **Eristalis (Eoseritalis) jugorum** Egger,1858 (Syrphidae)
98. **Eristalis pertinax** (Scopoli,1763) (Syrphidae)
99. **Eristalis similis** (Fallén,1817) (Syrphidae)
100. **Eristalis tenax** (Linnaeus,1758) (Syrphidae)
101. **Eupeodes corollae** (Fabricius,1794) (Syrphidae)
102. **Eupeodes luniger** (Meigen,1822) (Syrphidae)

103. **Eupteryx aurata** (Linnaeus,1758) (Cicadellidae)
104. **Eupteryx melissae** Curtis,1837 (Cicadellidae)
105. **Eurydema blanda** Horvath,1803 (Pentatomidae)
106. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
107. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
108. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
109. **Eusphalerum caucasicum** (Bernhauer,1908) (Staphylinidae)
110. **Eusphalerum celsum** (Luze,1910) (Staphylinidae)
111. **Eusphalerum osellai** Zanetti,1993 (Staphylinidae)
112. **Eusphalerum sareptanum** (Eppelsheim,1878) (Staphylinidae)
113. **Eusphalerum sorbi** (Gyllenhal,1810) (Staphylinidae)
114. **Eusphalerum transcaucasicum** (Bernhauer,1902) (Staphylinidae)
115. **Exenterus ictericus** (Gravenhorst,1829) (Ichneumonidae)
116. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
117. **Gambrus tricolor** (Gravenhorst,1829) (Ichneumonidae)
118. **Gomphus schneideri** Selys,1850 (Gomphidae)
119. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
120. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
121. **Harpalus** (s.str.) **smyrnensis** Heyden,1888 (Carabidae)
122. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
123. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
124. **Hemidendroides daglariensis** (Young,2004) (Pyrochroidae)
125. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
126. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
127. **Heringia brevidens** (Egger,1865) (Syrphidae)
128. **Hesperocorixa occulta** (Lundblad,1929) (Corixidae)
129. **Homodela ismenia** (Gory,1833) (Carabidae)
130. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
131. **Hydroporus thracicus** Guéorguiev,1966 (Dytiscidae)
132. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
133. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
134. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
135. **Isophya ilkazi** Ramme,1951 (Tettigoniidae)
136. **Isophya pavelii** Brunner von Wattenwyl,1878 (Tettigoniidae)
137. **Isophya staneki** Maran,1958 (Tettigoniidae)
138. **Isophya yaraligozi** Ünal,2003 (Tettigoniidae)
139. **Laccobius** (**Dimorpholaccobius**) **bipunctatus** (Fabricius,1775) (Hydrophilidae)
140. **Laccobius** (**Dimorpholaccobius**) **hindukuschi** Chiesa,1966 (Hydrophilidae)
141. **Laccobius** (**Dimorpholaccobius**) **obscuratus** Rottenberg,1874 (Hydrophilidae)
142. **Laccobius** (**Dimorpholaccobius**) **syriacus** Guillebeau,1896 (Hydrophilidae)
143. **Laccobius** (**Microlaccobius**) **gracilis** Motschoulsky,1855 (Hydrophilidae)
144. **Lapposyrphus lapponicus** (Zetterstedt,1838) (Syrphidae)
145. **Lasiacantha capucina** (Germar,1836) (Tingidae)
146. **Lasioptera carophila** Loew,1874 (Cecidomyiidae)
147. **Lasioptera turcica** Möhn,1968 (Cecidomyiidae)
148. **Lejogaster tarsata** (Megerle,1822) (Syrphidae)
149. **Leuctra furcatella** Martynov,1928 (Leuctridae)
150. **Leuctra hippopus** Kempny,1899 (Leuctridae)
151. **Leuctra minuta** Zhiltzova,1960 (Leuctridae)
152. **Liriomyza cannabis** Hendel,1931 (Agromyzidae)
153. **Lixus cardui** Olivier,1807 (Curculionidae)
154. **Lixus subtilis** Boheman,1836 (Curculionidae)
155. **Longitarsus anchusae** (Paykull,1799) (Chrysomelidae)
156. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae)
157. **Lucanus** (s.str.) **ibericus** Motschoulsky,1845 (Lucanidae)
158. **Malenia mesasiatica** Dubowsky,1965 (Derbidae)
159. **Malthodes rolciki** Svihla,1998 (Cantharidae)
160. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
161. **Megabombus humilis** (Illiger,1806) (Apidae)
162. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
163. **Megabombus zonatus** (Smith,1854) (Apidae)
164. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
165. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae)
166. **Melanostoma scalare** (Fabricius,1794) (Syrphidae)
167. **Meliscaeva auricollis** (Meigen,1822) (Syrphidae)
168. **Merodon avidus** (Rossi,1790) (Syrphidae)
169. **Merodon loewi** Van der Gott,1964 (Syrphidae)
170. **Merodon velox** Loew,1869 (Syrphidae)
171. **Metasyrphus corollae** (Fabricius,1794) (Syrphidae)
172. **Micantulina** (s.str.) **micantula** (Zetterstedt,1840) (Cicadellidae)
173. **Milesia semiluctifera** (Villers,1789) (Syrphidae)
174. **Myathropa florea** (Linnaeus,1758) (Syrphidae)
175. **Mylabris olivieri** Billberg,1813 (Meloidae)
176. **Myrmica ravasinii** Finzi,1923 (Formicidae)
177. **Myrmica schencki** Viereck,1903 (Formicidae)
178. **Nemeritis specularis** Horstmann,1975 (Ichneumonidae)
179. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
180. **Nemoura carpathica** Illies,1963 (Nemouridae)
181. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
182. **Neoascia podagrica** (Fabricius,1775) (Syrphidae)
183. **Nephrotoma appendiculata** (Pierre,1919) (Tipulidae)
184. **Nephrotoma cornicina** (Linnaeus,1758) (Tipulidae)

185. **Notonecta glauca** Linnaeus,1758
(Notonectidae)
186. **Notonecta meridionalis** Poisson,1926
(Notonectidae)
187. **Odynerus poecilus** Saussure,1856 (Vespidae)
188. **Oecanthus pellucens** (Scopoli,1763)
(Gryllidae)
189. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
190. **Oedemera (s.str.) podagrariae**
(Linnaeus,1767) (Oedemeridae)
191. **Olophrum paphlagonicum** Coiffait,1978
(Staphylinidae)
192. **Omalium rugatum** Mulsant & Rey,1880
(Staphylinidae)
193. **Onthophagus (Palaeonthophagus) osellai**
Pittino,1982 (Scarabaeidae)
194. **Opatrum obesum** Olivier,1811 (Tenebrionidae)
195. **Orestia oselliana** Leonardi,1977
(Chrysomelidae)
196. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
197. **Panorpa schweigeri** Willmann,1975
(Panorpidae)
198. **Paragus (Pandasyopthalmus) tibialis**
(Fallén,1817) (Syrphidae)
199. **Paragus (s.str.) bicolor** (Fabricius,1794)
(Syrphidae)
200. **Paranocarodes pahlagonicus**
Ramme,1951 (Pamphagidae)
201. **Parasyrphus punctulatus** (Verrall,1873)
(Syrphidae)
202. **Pedestredorcadion bangi** (Heyden,1894)
(Cerambycidae)
203. **Pedestredorcadion lameeri** (Thery,1896)
(Cerambycidae)
204. **Pedestredorcadion preissi**
(Heyden,1894) (Cerambycidae)
205. **Pedestredorcadion subsericatum**
(Pic,1901) (Cerambycidae)
206. **Pedicia (Amalopsis) occulta**
(Meigen,1830) (Pedicidae)
207. **Pedicia (Crunobia) zernyi**
(Lackschewitz,1940) (Pedicidae)
208. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
209. **Pelecocera scaevoides** (Fallén,1817)
(Syrphidae)
210. **Phasia (Hyalomya) pandellei** (Dupuis,1957)
(Tachinidae)
211. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
212. **Phthiridium biarticulatum** Hermann,1804
(Nycteribiidae)
213. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
214. **Plagiognathus albipennis** (Fallén,1829)
(Miridae)
215. **Plagiognathus arbustorum** (Fabricius,1794)
(Miridae)
216. **Platycheirus albimanus** (Fabricius,1781)
(Syrphidae)
217. **Platycheirus ambiguus** (Fallén,1817)
(Syrphidae)
218. **Platycheirus aurolateralis** Stubbs,2002
(Syrphidae)
219. **Platycheirus immaculatus** Ohara,1980
(Syrphidae)
220. **Platycheirus manicatus** (Meigen,1822)
(Syrphidae)
221. **Platycheirus nielseni** Vockeroth,1990
(Syrphidae)
222. **Platycheirus occultus** Goeldlin, Maibach
& Speight,1990 (Syrphidae)
223. **Platycheirus scutatus** (Meigen,1822)
(Syrphidae)
224. **Platycleis (Montana) kure** Ünal,2006
(Tettigoniidae)
225. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
226. **Poecilimon ataturki** Ünal,1999
(Tettigoniidae)
227. **Poecilimon azdavayi** Ünal,2003
(Tettigoniidae)
228. **Poecilimon celebi** Karabağ,1953
(Tettigoniidae)
229. **Poecilimon cervus** Karabağ,1950
(Tettigoniidae)
230. **Protaetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
231. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
232. **Psammodictyon alienus** (Dahlbom,1850)
(Cicadellidae)
233. **Rammeihippus turcicus** (Ramme,1939)
(Acrididae)
234. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
235. **Rhingia campestris** Meigen,1822
(Syrphidae)
236. **Rhinocyllus conicus** (Frölich,1792)
(Curculionidae)
237. **Rhizotrogus (Amphimallon) caucasicum**
(Gyllenhal,1817) (Scarabaeidae)
238. **Rhizotrogus (s.str.) aestivus**
(Olivier,1789) (Scarabaeidae)
239. **Rhynchites hungaricus** (Herbst,1784)
(Atelabidae)
240. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
241. **Scaeva albomaculata** (Macquart,1842)
(Syrphidae)
242. **Scaeva pyrastris** (Linnaeus,1758)
(Syrphidae)
243. **Scaeva selenitica** (Meigen,1822)
(Syrphidae)
244. **Scymnus quadriguttatus** Capra,1924
(Coccinellidae)
245. **Scymnus rubromaculatus** (Goeze,1778)
(Coccinellidae)
246. **Sericomyia silentis** (Harris,1776)
(Syrphidae)
247. **Sialis morio** Klingstedt,1932 (Sialidae)
248. **Sigara limitata** (Fieber,1848) (Corixidae)
249. **Sisyphus schaefferi** (Linnaeus,1758)
(Scarabaeidae)
250. **Spazigaster ambulans** (Fabricius,1798)
(Syrphidae)
251. **Sphaerophoria rueppelli**
Wiedemann,1830 (Syrphidae)
252. **Sphaerophoria scripta** (Linnaeus,1758)
(Syrphidae)
253. **Sphegina clunipes** (Fallén,1816)
(Syrphidae)
254. **Sphingonotus (s.str.) turcicus**
Uvarov,1930 (Acrididae)
255. **Stylosomus flavus** Marseul,1875
(Chrysomelidae)

256. **Synaptus filiformis (Fabricius,1781)**
(Elateridae)
257. **Syritta pipiens (Linnaeus,1758)** (Syrphidae)
258. **Syrphus ribesii (Linnaeus,1758)**
(Syrphidae)
259. **Syrphus vitripennis Meigen,1822**
(Syrphidae)
260. **Tabanus bifarius Loew,1858** (Tabanidae)
261. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
262. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
263. **Tenthredo propinqua Klug,1817**
(Tenthredinidae)
264. **Tephritis formosa (Loew,1844)**
(Tephritidae)
265. **Tephritis postica (Loew,1844)**
(Tephritidae)
266. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae)
267. **Toya propinqua (Fieber,1866)**
(Delphacidae)
268. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae)
269. **Trichius fasciatus (Linnaeus,1758)**
(Scarabaeidae)
270. **Trichodes punctatus Fischer,1829**
(Cleridae)
271. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
272. **Utecha trivialis (Germar,1821)** (Cicadellidae)
273. **Vespa crabro Linnaeus,1758** (Vespidae)
274. **Volucella pellucens (Linnaeus,1758)**
(Syrphidae)
275. **Volucella zonaria (Poda,1761)** (Syrphidae)
276. **Xanthogramma pedisequum (Harris,1776)** (Syrphidae)
277. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
278. **Xylota segnis (Linnaeus,1758)** (Syrphidae)
279. **Xylota sylvarum (Linnaeus,1758)**
(Syrphidae)
280. **Zabrachypus tenuiabdominalis (Uchida,1914)** (Ichneumonidae)
281. **Zatypota percontatoria (Müller,1776)**
(Ichneumonidae)

Kayseri Province (38)

(574 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Acilius sulcatus (Linnaeus,1758)** (Dytiscidae)
3. **Aciura coryli (Rossi,1790)** (Tephritidae)
4. **Acompocoris pygmaeus (Fallén,1807)**
(Anthorcoridae)
5. **Acrida anatolica Dirsh,1949** (Acrididae)
6. **Acrida bicolor (Thunberg,1815)** (Acrididae)
7. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
8. **Adoxomyia ruficornis (Loew,1873)**
(Stratiomyidae)
9. **Aelia rostrata Boheman,1852** (Pentatomidae)
10. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
11. **Agenioideus ruficeps (Eversmann,1849)**
(Pompilidae)
12. **Agenioideus rytiphorus (Kohl,1886)**
(Pompilidae)
13. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
14. **Agrilus (s.str.) lineolus Redtenbacher,1849**
(Buprestidae)
15. **Alastor pentheri Kohl,1905** (Vespidae)
16. **Alebra albostriella (Fallén,1826)** (Cicadellidae)
17. **Altica bicarinata (Kutschera,1860)**
(Chrysomelidae)
18. **Altica carduorum (Guérin-Méneville,1858)**
(Chrysomelidae)
19. **Altica impressicollis (Reiche,1862)**
(Chrysomelidae)
20. **Altica oleracea (Linnaeus,1758)**
(Chrysomelidae)
21. **Altica palustris (Weise,1888)** (Chrysomelidae)
22. **Amblyellus hasdrubal (Kohl,1894)**
(Pompilidae)
23. **Ammothereva splendida (Kröber,1912)**
(Therevidae)
24. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
25. **Ancistrocerus oviventris (Wesmael,1836)**
(Vespidae)
26. **Ancistronycha erichsoni Bach,1852**
(Cantharidae)
27. **Anechura bipunctata (Fabricius,1781)**
(Forficulidae)
28. **Anisobas cingulatellus Horstmann,1997**
(Ichneumonidae)
29. **Anogcodes ruficollis (Fabricius,1781)**
(Oedemeridae)
30. **Anomalon foliator (Fabricius,1798)**
(Ichneumonidae)
31. **Anoplius samariensis (Pallas,1771)**
(Pompilidae)
32. **Anoplius viaticus (Linnaeus,1758)**
(Pompilidae)
33. **Antepipona orbitalis (Herrich-Schäffer,1839)** (Vespidae)
34. **Anthaxia (Cratomerus) eugeniae Ganglbauer,1885** (Buprestidae)
35. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae)
36. **Anthaxia (Haplantaxia) bosdaghensis Obenberger,1938** (Buprestidae)
37. **Anthaxia (s.str.) muliebris Obenberger,1918**
(Buprestidae)
38. **Anthaxia (s.str.) signaticollis (Krynicky,1832)**
(Buprestidae)
39. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae)
40. **Anthidium (Icteranidium) ferrugineum (Fabricius,1787)** (Megachilidae)

41. **Anthidium (Icteranthidium) grohmanni** Spinola,1838 (Megachilidae)
42. **Anthidium (Icteranthidium) ovasi** Warncke,1980 (Megachilidae)
43. **Anthidium (Mesanthidium) carduele** Morawitz,1876 (Megachilidae)
44. **Anthidium (Pseudoanthidium) lituratum** (Panzer,1801) (Megachilidae)
45. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae)
46. **Anthidium (s.str.) loti** Perris,1852 (Megachilidae)
47. **Aphrodes elongatus** (Lethierry,1876) (Cicadellidae)
48. **Aphrophora alni** (Fallén,1805) (Cercopidae)
49. **Aphthona euphorbiae** (Schrank,1781) (Chrysomelidae)
50. **Aphthona franzi** Heikertinger,1944 (Chrysomelidae)
51. **Aporinellus moestus** (Klug,1834) (Pompilidae)
52. **Aporinellus sexmaculatus** (Spinola,1805) (Pompilidae)
53. **Arachnospila holomelas** (Costa,1882) (Pompilidae)
54. **Arachnospila minutula** (Dahlbom,1843) (Pompilidae)
55. **Arachnospila rufa** (Haupt,1927) (Pompilidae)
56. **Arachnotheutes squalidus** (Haupt,1962) (Pompilidae)
57. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
58. **Arctypea (Pararcpytera) labiata** (Brullé,1832) (Acrididae)
59. **Atylotus hendrixi** Leclercq,1967 (Tabanidae)
60. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
61. **Bagrada stolidia** (Herrich-Schäffer,1839) (Pentatomidae)
62. **Bangasternus orientalis** (Capiomont,1873) (Curculionidae)
63. **Batracomorphus irroratus** Lewis,1834 (Cicadellidae)
64. **Bembecinus tridens** (Fabricius,1781) (Crabronidae)
65. **Beris clavipes** (Linnaeus,1767) (Stratiomyidae)
66. **Berosus (Enoplurus) bispinus** Reiche & Saulcy,1856 (Hydrophilidae)
67. **Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae)
68. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
69. **Brachygluta retowskii** (Simon,1883) (Staphylinidae)
70. **Brucoscelis peculiaris** (Horvath,1904) (Caliscelidae)
71. **Brumus octosignatus** (Gebler,1830) (Coccinellidae)
72. **Calliptamus barbarus** (Costa,1836) (Acrididae)
73. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
74. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
75. **Calyptopsis capnisiformis** Reitter,1903 (Tenebrionidae)
76. **Campiglossa lederi** (Hendel,1927) (Tephritidae)
77. **Campiglossa producta** Loew,1844 (Tephritidae)
78. **Campiglossa tesellata** (Loew,1844) (Tephritidae)
79. **Campoplex melanostictus** Gravenhorst,1829 (Ichneumonidae)
80. **Cantharis annularis** Ménétriés,1836 (Cantharidae)
81. **Cantharis flavilabris** Fallén,1807 (Cantharidae)
82. **Cantharis lateralis** Linnaeus,1758 (Cantharidae)
83. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
84. **Carpomya schieneri** (Loew,1856) (Tephritidae)
85. **Cassida margaritacea** Schaller,1783 (Chrysomelidae)
86. **Cassida prasina** Illiger,1798 (Chrysomelidae)
87. **Cassida saucia** Weise,1889 (Chrysomelidae)
88. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
89. **Celes variabilis** (Pallas,1771) (Acrididae)
90. **Cephalota (Taenidia) eiselti** (Mandl,1967) (Carabidae)
91. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
92. **Cerocoma dahli** Kraatz,1863 (Meloidae)
93. **Ceutorhynchus fallax** Boheman,1845 (Curculionidae)
94. **Ceutorhynchus niyazii** Hoffmann,1957 (Curculionidae)
95. **Ceutorhynchus sophiae** Gyllenhal,1837 (Curculionidae)
96. **Chaetocnema confusa** (Boheman,1851) (Chrysomelidae)
97. **Chaetocnema coyei** (Allard,1863) (Chrysomelidae)
98. **Chaetocnema hortensis** (Geoffroy,1785) (Chrysomelidae)
99. **Chaetocnema procerula** (Rosenhauer,1856) (Chrysomelidae)
100. **Chaetorellia carthami** Stackelberg,1929 (Tephritidae)
101. **Chaetorellia loricata** (Rondani,1870) (Tephritidae)
102. **Chaetostomella cylindrica** (Robineau-Desvoidy,1830) (Tephritidae)
103. **Cheilosia rufipes** (Preysler,1793) (Syrphidae)
104. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
105. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
106. **Chrysogaster chalybeata** Meigen,1822 (Syrphidae)
107. **Chrysolina brunnei** (Demaisson,1896) (Chrysomelidae)
108. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
109. **Chrysolina sellata** (Weise,1894) (Chrysomelidae)
110. **Chrysomela collaris** Linnaeus,1758 (Chrysomelidae)
111. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
112. **Chrysops (s.str.) viduatus** (Fabricius,1794) (Tabanidae)
113. **Chrysotoxum festivum** (Linnaeus,1758) (Syrphidae)
114. **Chrysotoxum intermedium** Meigen,1822 (Syrphidae)
115. **Chrysotoxum parmense** Rondani,1845 (Syrphidae)
116. **Cicadatra atra** (Oliver,1790) (Cicadidae)
117. **Cicadetta flaveola** (Brullé,1832) (Cicadidae)

118. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae)
119. **Clytra laeviuscula** (Ratzeburg,1837) (Chrysomelidae)
120. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
121. **Colaphus sophiae** (Schaller,1783) (Chrysomelidae)
122. **Conophorus asiaticus** Paramonov,1929 (Bombyliidae)
123. **Conophorus glaucescens** (Loew,1863) (Bombyliidae)
124. **Conophorus gracilis** Dils & Özbek,2006 (Bombyliidae)
125. **Conophorus nobilis** (Loew,1873) (Bombyliidae)
126. **Conophorus rjabovi** Paramonov,1929 (Bombyliidae)
127. **Conophorus virescens** (Fabricius,1787) (Bombyliidae)
128. **Corixa jakowleffi** Horvath,1879 (Corixidae)
129. **Corixa punctata** (Illiger,1807) (Corixidae)
130. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
131. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
132. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
133. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
134. **Cryptocheilus alternatus** (Lepeletier,1845) (Pompilidae)
135. **Cryptocheilus discolor** (Fabricius,1793) (Pompilidae)
136. **Cryptocheilus notatus** (Rossi,1792) (Pompilidae)
137. **Cryptocheilus tredecimmaculatus** Haupt,1962 (Pompilidae)
138. **Cuneala confinis** (Konow,1886) (Tenthredinidae)
139. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae)
140. **Dailognatha pumila** Baudi,1874 (Tenebrionidae)
141. **Dailognatha quadricollis** Brullé,1832 (Tenebrionidae)
142. **Dallognatha pumila** Baudi,1874 (Tenebrionidae)
143. **Dasyrhamphis nigrinus** (Fabricius,1794) (Tabanidae)
144. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
145. **Dasysyrphus lunulatus** (Meigen,1822) (Syrphidae)
146. **Dendarus (Pandarinus) punctatus** Audinet-Serville,1825 (Tenebrionidae)
147. **Diadegma crassicornis** (Gravenhorst,1829) (Ichneumonidae)
148. **Dicyphus alkannae** Seidenstücker,1956 (Miridae)
149. **Dioctria arcana** Richter,1966 (Asilidae)
150. **Dioctria flavipennis** Meigen,1820 (Asilidae)
151. **Diphyus quinquecinctus** (Kriechbaumer,1892) (Ichneumonidae)
152. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
153. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
154. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
155. **Dufourea (Halictoides) schmiedeknechtii** (Kohl,1905) (Halictidae)
156. **Dytiscus marginalis** Linnaeus,1758 (Dytiscidae)
157. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae)
158. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae)
159. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
160. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
161. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
162. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae)
163. **Endasys erythrogaster** (Gravenhorst,1829) (Ichneumonidae)
164. **Enicospilus ramidulus** (Linnaeus,1758) (Ichneumonidae)
165. **Enicospilus repentinus** (Holmgren,1858) (Ichneumonidae)
166. **Ensina sonchi** (Linnaeus,1767) (Tephritidae)
167. **Entomogonus (Delonurops) saphyrinus** Allard,1876 (Tenebrionidae)
168. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
169. **Eoferreola anatolica** Piesner,1973 (Pompilidae)
170. **Epistrophe elegans** (Harris,1780) (Syrphidae)
171. **Episyrphus balteatus** (De Geer,1776) (Syrphidae)
172. **Eristalinus (Lathyrrophthalmus) aeneus** (Scopoli,1763) (Syrphidae)
173. **Eristalinus (Lathyrrophthalmus) quinquestriatus** (Fabricius,1794) (Syrphidae)
174. **Eristalinus (s.str.) sepulchralis** (Linnaeus,1758) (Syrphidae)
175. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae)
176. **Eristalis tenax** (Linnaeus,1758) (Syrphidae)
177. **Erromenus melanotus** (Gravenhorst,1829) (Ichneumonidae)
178. **Erythromma viridulum** (Charpentier,1840) (Coenagrionidae)
179. **Euaresta bullans** (Wiedemann,1830) (Tephritidae)
180. **Eumerus strigatus** (Fallén,1817) (Syrphidae)
181. **Eumerus tricolor** (Fabricius,1798) (Syrphidae)
182. **Eupteryx urticae** (Fabricius,1803) (Cicadellidae)
183. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
184. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae)
185. **Eusphalerum rectanguloides** (Smetana,1967) (Staphylinidae)
186. **Eustenopus villosus** (Boheman,1843) (Curculionidae)
187. **Eutagenia smyrnensis** Solier,1838 (Tenebrionidae)
188. **Evagetes dubius** (Van der Linden,1827) (Pompilidae)
189. **Exeristes roborator** (Fabricius,1793) (Ichneumonidae)
190. **Gastrophysa polygona** (Linnaeus,1758) (Chrysomelidae)
191. **Germaria obscuripennis** Tschorsnig,2000 (Tachinidae)
192. **Gerris argentatus** Schummel,1832 (Gerridae)

193. **Glyphotmethis dimorphus** (Uvarov,1934)
(Pamphagidae)
194. **Glyphotmethis escherichi** (Krauss,1896)
(Pamphagidae)
195. **Glyphotmethis holtzi** (Werner,1901)
(Pamphagidae)
196. **Gonocephalum costatum** Brullé,1832
(Tenebrionidae)
197. **Gonocephalum granulatum** (Fabricius,1791)
(Tenebrionidae)
198. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
199. **Gymnopleurus geoffroyi** Fuessly,1785
(Scarabaeidae)
200. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
201. **Haematopota pallens** Loew,1871 (Tabanidae)
202. **Haematopota pluvialis** (Linnaeus,1761)
(Tabanidae)
203. **Hardya anatolica** Zachvatkin,1946
(Cicadellidae)
204. **Helicoconis sengonca** Rausch, H.Aspöck
& U.Aspöck,1978 (Coniopterygidae)
205. **Heliophilus hybridus** Loew,1846
(Syrphidae)
206. **Heliophilus parallelus** (Harris,[1776])
(Syrphidae)
207. **Helophorus griseus** Herbst,1793
(Helophoridae)
208. **Helophorus hilaris** Sharp,1916
(Helophoridae)
209. **Hemipenthes subvelutinus** Zaitzev,1966
(Bombyliidae)
210. **Hemipenthes velutinus** (Meigen,1820)
(Bombyliidae)
211. **Hesperocorixa linnaei** (Fieber,1848)
(Corixidae)
212. **Himacerus dauricus** (Kiritschenko,1911)
(Nabidae)
213. **Himacerus maracandicus** (Reuter,1890)
(Nabidae)
214. **Homodela ismenia** (Gory,1833) (Carabidae)
215. **Hoplitis (Alcidamea) acuticornis** (Dufour &
Perris,1840) (Megachilidae)
216. **Hoplitis (Alcidamea) leucomelana**
(Kirby,1802) (Megachilidae)
217. **Hoplitis (Anthocopa) duckeana** (Kohl,1905)
(Megachilidae)
218. **Hoplitis (Megalosmia) fulva**
(Eversmann,1852) (Megachilidae)
219. **Hoplitis (Prionhoplitis) grossepunctata**
(Kohl,1905) (Megachilidae)
220. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
221. **Hybomitra decora** (Loew,1858) (Tabanidae)
222. **Hybomitra expollicata** (Pandelle,1883)
(Tabanidae)
223. **Hydroglyphus geminus** (Fabricius,1792)
(Dytiscidae)
224. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
225. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
226. **Hypera farinosa** Boheman,1842
(Curculionidae)
227. **Hypera meles** (Fabricius,1792)
(Curculionidae)
228. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
229. **Hypocassida subferruginea**
(Schrank,1776) (Chrysomelidae)
230. **Iassus lanio** (Linnaeus,1761) (Cicadellidae)
231. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
232. **Idiocerus herrichii** Kirschbaum,1868
(Cicadellidae)
233. **Idiocerus vicinus** Melichar,1898
(Cicadellidae)
234. **Ilyocoris cimicoides** (Linnaeus,1758)
(Naucoridae)
235. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
236. **Ischyronota desertorum** (Gebler,1833)
(Chrysomelidae)
237. **Isophya pentheri** Ramme,1951 (Tettigoniidae)
238. **Katamenes flavigularis** (Blüthgen,1951)
(Vespidae)
239. **Kropka unipunctata** (Dlabola,1957)
(Cicadellidae)
240. **Labidostomis asiatica** Faldermann,1837
(Chrysomelidae)
241. **Laccobius (Dimorpholaccobius) simulatrix**
Orchymont,1932 (Hydrophilidae)
242. **Laccobius (Dimorpholaccobius) sipylus**
Orchymont,1939 (Hydrophilidae)
243. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
244. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
245. **Laccophilus minutus** (Linnaeus,1758)
(Dytiscidae)
246. **Larinus latus** (Herbst,1784)
(Curculionidae)
247. **Lasioglossum (s.str.) caspicum**
(Morawitz,1873) (Halictidae)
248. **Lasioglossum argaeum** (Blüthgen,1931)
(Halictidae)
249. **Lasioglossum cilicium** Ebmer,1972
(Halictidae)
250. **Lasioglossum cristulum** (Pérez,1895)
(Halictidae)
251. **Lasioglossum pseudocaspicum**
(Blüthgen,1923) (Halictidae)
252. **Lasiopa benoisti** Séguy,1930
(Stratiomyidae)
253. **Lasiopa caucasica** (Pleske,1901)
(Stratiomyidae)
254. **Lejogaster splendida** (Meigen,1822)
(Syrphidae)
255. **Lejops vittatus** (Meigen,1822) (Syrphidae)
256. **Leptochilus membranaceus**
(Morawitz,1867) (Vespidae)
257. **Lertha ledereri** (Selys-Longchamps,1866)
(Nemopteridae)
258. **Lertha sheppardi** (Kirby,1904)
(Nemopteridae)
259. **Libelloides macaronius** (Scopoli,1763)
(Ascalaphidae)
260. **Lissonota (s.str.) parallela**
Gravenhorst,1829 (Ichneumonidae)
261. **Lixus angustatus** (Fabricius,1775)
(Curculionidae)
262. **Lixus ascanii** (Linnaeus,1767)
(Curculionidae)
263. **Lixus elegantulus** Boheman,1843
(Curculionidae)
264. **Lixus subtilis** Boheman,1836
(Curculionidae)

265. **Longitarsus albineus** (Foudras,1860)
(Chrysomelidae)
266. **Longitarsus anatolicus** Weise,1900
(Chrysomelidae)
267. **Longitarsus exsoletus** (Linnaeus,1758)
(Chrysomelidae)
268. **Longitarsus fuscoaeueus**
Redtenbacher,1859 (Chrysomelidae)
269. **Longitarsus hittita** Biondi,1995
(Chrysomelidae)
270. **Longitarsus ochroleucus**
(Marshall,1802) (Chrysomelidae)
271. **Longitarsus trepidus** Warchalowski,1973
(Chrysomelidae)
272. **Lophyridia caucasica** (Adams,1817)
(Carabidae)
273. **Lophyridia fischeri** (Adams,1817) (Carabidae)
274. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
275. **Lygaeosoma reticulatum** (Herrich-
Schäffer,1838) (Lygaeidae)
276. **Macrolophus caliginosus** Wagner,1950
(Miridae)
277. **Macropsidius sahlbergi** (Flor,1861)
(Cicadellidae)
278. **Macropsis scutellata** (Boheman,1845)
(Cicadellidae)
279. **Malthinus conspicuus** Kiesenwetter,1852
(Cantharidae)
280. **Mannerheimia brevipennis**
(Motschoulsky,1860) (Staphylinidae)
281. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
282. **Megabombus armeniacus**
(Radoszkowski,1877) (Apidae)
283. **Megabombus zonatus** (Smith,1854)
(Apidae)
284. **Megachile (Eutricharaea) deceptoria**
Perez,1890 (Megachilidae)
285. **Megachile (Eutricharaea) pilidens**
Alfken,1924 (Megachilidae)
286. **Megachile (s.str.) pyrenaea** Perez,1890
(Megachilidae)
287. **Megachile (Xanthosarus) maritima**
(Kirby,1802) (Megachilidae)
288. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
289. **Melanostoma mellinum** (Linnaeus,1758)
(Syrphidae)
290. **Meliscaeva auricollis** (Meigen,1822)
(Syrphidae)
291. **Meloe cicatricosus** Leach,1815 (Meloidae)
292. **Meloe tuccicus** Rossi,1792 (Meloidae)
293. **Merodon avidus** (Rossi,1790) (Syrphidae)
294. **Merodon loewi** Van der Gott,1964
(Syrphidae)
295. **Merodon nanus** (Sack,1913) (Syrphidae)
296. **Mesochorus vittator** (Zetterstedt,1839)
(Ichneumonidae)
297. **Mesoptylus impictifrons** (Horvath,1911)
(Cercopidae)
298. **Metasyrphus corollae** (Fabricius,1794)
(Syrphidae)
299. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
300. **Micronecta pusilla** (Horvath,1895)
(Corixidae)
301. **Muzimes obenbergeri** (Kaszab,1958)
(Meloidae)
302. **Mylabris cincta** Olivier,1811 (Meloidae)
303. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
304. **Nabis palifer** Seidenstücker,1954
(Nabidae)
305. **Neides tipularius** (Linnaeus,1758)
(Berytidae)
306. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
307. **Nemotelus (s.str.) argentifer** Loew,1846
(Stratiomyidae)
308. **Nemotelus (s.str.) armeniacus**
Pleske,1937 (Stratiomyidae)
309. **Nemotelus (s.str.) breviostris**
Meigen,1822 (Stratiomyidae)
310. **Nemotelus (s.str.) pantherinus**
(Linnaeus,1758) (Stratiomyidae)
311. **Nemotelus (s.str.) rudifraci** (Berezovsky &
Nartshuk,1993) (Stratiomyidae)
312. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
313. **Neoaliturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
314. **Neocrepidodera ferruginea** (Scopoli,1763)
(Chrysomelidae)
315. **Neottiglossa leporina** (Herrich-
Schäffer,1830) (Pentatomidae)
316. **Nepa cinerea** Linnaeus,1758 (Nepidae)
317. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
318. **Nephrotoma croceiventris** (Strobl,1909)
(Tipulidae)
319. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
320. **Netelia (s.str.) fuscicornis**
(Holmgren,1860) (Ichneumonidae)
321. **Noterus clavicornis** (De Geer,1774) (Noteridae)
322. **Noterus clavicornis** (De Geer,1774)
(Noteridae)
323. **Ochrosis ventralis** (Illiger,1807)
(Chrysomelidae)
324. **Odontomyia cephalonica** Strobl,1898
(Stratiomyidae)
325. **Odontomyia flavissima** (Rossi,1790)
(Stratiomyidae)
326. **Odontomyia hydroleon** (Linnaeus,1758)
(Stratiomyidae)
327. **Oedemera (s.str.) femorata** (Scopoli,1763)
(Oedemeridae)
328. **Oedipoda caerulescens** (Linnaeus,1758)
(Acrididae)
329. **Oedipoda schochi** Saussure,1884
(Acrididae)
330. **Omalium littorale** Kraatz,1857
(Staphylinidae)
331. **Opatroides punctulatus** Brullé,1832
(Tenebrionidae)
332. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
333. **Ophion obscuratus** Fabricius,1798
(Ichneumonidae)
334. **Opilo taeniatus** (Klug,1842) (Cleridae)
335. **Opodontha viridula** (Fabricius,1775)
(Stratiomyidae)
336. **Orellia falcata** (Scopoli,1763) (Tephritidae)
337. **Orellia punctata** (Schränk,1781) (Tephritidae)
338. **Orellia steropea** (Rondani,1870)
(Tephritidae)
339. **Orellia sticta** (Gmelin,1790) (Tephritidae)

340. **Orthetrum sabina** (Drury,1770)
(Libellulidae)
341. **Orthonevra frontalis** (Loew,1843) (Syrphidae)
342. **Osmia (Helicosmia) aurulenta**
(Panzer,1799) (Megachilidae)
343. **Osmia (Hoplosmia) bidentata**
Morawitz,1876 (Megachilidae)
344. **Osmia (Melanosmia) thoracica**
Radoszkowsky,1874 (Megachilidae)
345. **Oxycera (Camptopelta) meigenii**
Staeger,1844 (Stratiomyidae)
346. **Oxycera (Camptopelta) nigrinus**
Fallén,1817 (Stratiomyidae)
347. **Oxycera galeata** (Lindner,1975) (Stratiomyidae)
348. **Oxycera pardalina** Meigen,1822
(Stratiomyidae)
349. **Oxycera pygmaea** (Fallén,1817)
(Stratiomyidae)
350. **Oxycera trilineata** (Linnaeus,1767)
(Stratiomyidae)
351. **Oxycera turcica** Üstüner & Hasbenli,2004
(Stratiomyidae)
352. **Oxyna flavipennis** (Loew,1844)
(Tephritidae)
353. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
354. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
355. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
356. **Pachyscelis musiva** (Ménétriés,1832)
(Tenebrionidae)
357. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
358. **Paragus (Pandasyophtalmus) tibialis**
(Fallén,1817) (Syrphidae)
359. **Paragus (s.str.) bicolor** (Fabricius,1794)
(Syrphidae)
360. **Paranocarodes beieri** (Ramme,1951)
(Pamphagidae)
361. **Parapholidoptera signata** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
362. **Pedestredorcadion cinerarium**
(Fabricius,1787) (Cerambycidae)
363. **Pedestredorcadion subcinctellum**
(Breuning,1962) (Cerambycidae)
364. **Pedinus (s.str.) marani** Kaszab,1960
(Tenebrionidae)
365. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
366. **Perilissus spilonotus** (Stephens,1835)
(Ichneumonidae)
367. **Perlamantispa perla** (Pallas,1772)
(Mantispidae)
368. **Phaedon cochleariae** (Fabricius,1792)
(Chrysomelidae)
369. **Phyllodromica znoikoi** Bei-Bienko,1938
(Blattidae)
370. **Phyllotreta atra** (Fabricius,1775)
(Chrysomelidae)
371. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
372. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
373. **Phyllotreta pallidipennis** Reitter,1891
(Chrysomelidae)
374. **Phyllotreta praticola** Weise,1887
(Chrysomelidae)
375. **Physocephala zaitsevi** Zimina,1979
(Conopidae)
376. **Piesma (Parapiesma) kolenatii**
(Fieber,1861) (Piesmatidae)
377. **Piesma (Parapiesma) salsolae** (Becker,1867)
(Piesmatidae)
378. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
379. **Pimelia (Eurypimelia) lendli**
Kaszab,1938 (Tenebrionidae)
380. **Pimelia (Eurypimelia) subglobosa**
(Pallas,1781) (Tenebrionidae)
381. **Pimelia (Eurypimelia) subglobosa salaria**
Reitter,1915 (Tenebrionidae)
382. **Pimelia (Eurypimelia) timarchoides**
Ménétriés,1836 (Tenebrionidae)
383. **Pimelia (Gedeon) wernerii**
Ganglbauer,1905 (Tenebrionidae)
384. **Pimelia (Melanostola) bajula** Klug,1830
(Tenebrionidae)
385. **Plagiognathus chrysanthemi**
(Wolff,1804) (Miridae)
386. **Platycheirus albimanus** (Fabricius,1781)
(Syrphidae)
387. **Platycleis (Montana) taurica**
Bolivar,1899 (Tettigoniidae)
388. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
389. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
390. **Platycleis (Squamiana) melendisensis**
Çıplak,2002 (Tettigoniidae)
391. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
392. **Plea minutissima** Leach,1817 (Pleidae)
393. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
394. **Podagrica menetriesi** (Faldermann,1837)
(Chrysomelidae)
395. **Polyphylla (s.str.) fullo** (Linnaeus,1758)
(Scarabaeidae)
396. **Populicerus sharifi** Dlabola,1977
(Cicadellidae)
397. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
398. **Priocnemis enslini** (Pompilidae)
399. **Pristomerus vulnerator** (Panzer,1799)
(Ichneumonidae)
400. **Probaticus (Pelorinus) pentheri**
Reitter,1905 (Tenebrionidae)
401. **Protaetia (Potosia) angustata** (Germar,1817)
(Scarabaeidae)
402. **Protaetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
403. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
404. **Psammotettix provincialis** (Ribaut,1925)
(Cicadellidae)
405. **Psammotettix striatus** (Linnaeus,1758)
(Cicadellidae)
406. **Psylliodes luteolus** (O.F.Müller,1776)
(Chrysomelidae)
407. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
408. **Pterella grisea** (Meigen,1824)
(Sarcophagidae)
409. **Pterocheilus mavromoustakisi** Giordani
Soika,1979 (Vespidae)

410. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
411. **Pyrobombus niveatus** (Kriechbaumer,1870) (Apidae)
412. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
413. **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae)
414. **Pyrrhocoris niger** Reuter,1888 (Pyrrhocoridae)
415. **Raiboscelis syriacus** (Reiche,1861) (Tenebrionidae)
416. **Ranatra linearis** (Linnaeus,1758) (Nepidae)
417. **Raphidia (Pontoraphidia) pontica** Albarda,1891 (Raphidiidae)
418. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
419. **Ravinia pernix** (Harris,1780) (Sarcophagidae)
420. **Rhagoletis berberidis** Jermy,1961 (Tephritidae)
421. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
422. **Rhynchites auratus** (Scopoli,1763) (Atelabidae)
423. **Rhynchites bacchus** (Linnaeus,1758) (Atelabidae)
424. **Rhyparochromus alboacuminatus** (Goeze,1778) (Lygaeidae)
425. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
426. **Rhyparochromus immaculatus** (Rey,1920) (Lygaeidae)
427. **Rhyparochromus inarimensis** (Costa,1860) (Lygaeidae)
428. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
429. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
430. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
431. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
432. **Saga puella** Werner,1901 (Tettigoniidae)
433. **Salentia fuscipennis** A.Costa,1857 (Therevidae)
434. **Sarcophaga (Helicophagella) crassimargo** Pandellé,1896 (Sarcophagidae)
435. **Sarcophaga (Helicophagella) melanura** Meigen,1826 (Sarcophagidae)
436. **Sarcophaga (Heteronychia) bezziana** Böttcher,1913 (Sarcophagidae)
437. **Sarcophaga (Heteronychia) filia** Rondani,1860 (Sarcophagidae)
438. **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,1937) (Sarcophagidae)
439. **Sarcophaga (Heteronychia) setinervis** Rondani,1860 (Sarcophagidae)
440. **Sarcophaga (Krameromyia) anaces** Walker,1849 (Sarcophagidae)
441. **Sarcophaga (s.str.) lehmanni** Müller,1922 (Sarcophagidae)
442. **Sarcophaga (Sarcotachinella) sinuata** Meigen,1826 (Sarcophagidae)
443. **Sargus cuprarius** (Linnaeus,1758) (Stratiomyidae)
444. **Scaeva albomaculata** (Macquart,1842) (Syrphidae)
445. **Scaeva pyrastris** (Linnaeus,1758) (Syrphidae)
446. **Scarabaeus semipunctatus** Fabricius,1792 (Scarabaeidae)
447. **Scarodytes halensis** (Fabricius,1787) (Dytiscidae)
448. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
449. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
450. **Scolia hirta** (Schrank,1781) (Scoliidae)
451. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
452. **Scymnus rubromaculatus** (Goeze,1778) (Coccinellidae)
453. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
454. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
455. **Sialis nigripes** Pictet,1865 (Sialidae)
456. **Sigara albiventris** (Horvath,1911) (Corixidae)
457. **Sigara lateralis** Leach,1818 (Corixidae)
458. **Sigara striata** (Linnaeus,1758) (Corixidae)
459. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
460. **Spazigaster ambulans** (Fabricius,1798) (Syrphidae)
461. **Sphaerophoria loewi** Zetterstedt,1843 (Syrphidae)
462. **Sphaerophoria scripta** (Linnaeus,1758) (Syrphidae)
463. **Sphegina clunipes** (Fallén,1816) (Syrphidae)
464. **Sphenella marginata** (Fallén,1814) (Tephritidae)
465. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
466. **Stagonomus amoenus** (Brullé,1832) (Pentatomidae)
467. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
468. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae)
469. **Stratiomys chamaeleon** (Linnaeus,1758) (Stratiomyidae)
470. **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae)
471. **Streptanus albanicus** (Horvath,1916) (Cicadellidae)
472. **Sympecma fusca** (Van Der Linden,1820) (Lestidae)
473. **Syritta pipiens** (Linnaeus,1758) (Syrphidae)
474. **Tabanus bifarius** Loew,1858 (Tabanidae)
475. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
476. **Tabanus exclusus** Pandella,1883 (Tabanidae)
477. **Tabanus laetinctus** Becker,1913 (Tabanidae)
478. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
479. **Tabanus miki** Brauer,1880 (Tabanidae)
480. **Tabanus spectabilis** Loew,1858 (Tabanidae)
481. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
482. **Tachyagetes filicornis** (Tornier,1890) (Pompilidae)
483. **Telostegus inermis** (Brullé,1832) (Pompilidae)
484. **Temelucha confluens** (Gravenhorst,1829) (Ichneumonidae)
485. **Temnostethus longirostris** (Horvath,1907) (Anthocoridae)
486. **Tenthredo excellens** Konow,1886 (Tenthredinidae)

487. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
488. **Tentyria wiedemanni** Ménétries,1838 (Tenebrionidae)
489. **Tephritis cometa** (Loew,1856) (Tephritidae)
490. **Tephritis dioscurea** (Loew,1856) (Tephritidae)
491. **Tephritis formosa** (Loew,1844) (Tephritidae)
492. **Tephritis hurvitzi** Freidberg,1981 (Tephritidae)
493. **Tephritis postica** (Loew,1844) (Tephritidae)
494. **Tephritis pulchra** (Loew,1844) (Tephritidae)
495. **Tephritis separata** Rondani,1871 (Tephritidae)
496. **Tephritis vespertina** (Loew,1844) (Tephritidae)
497. **Tephritomyia lauta** (Loew,1869) (Tephritidae)
498. **Terellia ceratocera** Hendel,1913 (Tephritidae)
499. **Terellia fuscicornis** (Loew,1844) (Tephritidae)
500. **Terellia gynaecochroma** (M.Hering,1936) (Tephritidae)
501. **Terellia luteola** (Wiedemann,1830) (Tephritidae)
502. **Terellia nigripalpis** Hendel,1927 (Tephritidae)
503. **Terellia quadratula** (Loew,1869) (Tephritidae)
504. **Terellia ruficauda** (Fabricius,1794) (Tephritidae)
505. **Terellia serratulae** (Linnaeus,1758) (Tephritidae)
506. **Terellia virens** (Loew,1846) (Tephritidae)
507. **Terellia zerovae** Korneyev,1985 (Tephritidae)
508. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)
509. **Thereva apicalis** Wiedemann,1821 (Therevidae)
510. **Thereva aurata** (Loew,1854) (Therevidae)
511. **Thereva binotata** (Loew,1847) (Therevidae)
512. **Thereva cincta** Meigen,1820 (Therevidae)
513. **Thereva glaucescens** Kröber,1912 (Therevidae)
514. **Thereva hirta** Kröber,1913 (Therevidae)
515. **Thereva plebeja** (Linnaeus,1758) (Therevidae)
516. **Thereva strigata** (Fabricius,1794) (Therevidae)
517. **Thereva tuberculata** (Loew,1847) (Therevidae)
518. **Thereva unica** (Harris,1780) (Therevidae)
519. **Theriopectes tricolor** Zeller,1842 (Tabanidae)
520. **Tillus pectinicornis** Abeille,1892 (Cleridae)
521. **Tingis cappadocica** Horvath,1906 (Tingidae)
522. **Tingis caucasica** (Jakovlev,1880) (Tingidae)
523. **Tingis demissa** Horvath,1906 (Tingidae)
524. **Tingis grisea** Germar,1835 (Tingidae)
525. **Tingis griseola** (Puton,1879) (Tingidae)
526. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae)
527. **Tipula (Lunatipula) teunissenii Theischinger,1979** (Tipulidae)
528. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
529. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
530. **Trapezonotus arenarius** (Linnaeus,1758) (Lygaeidae)
531. **Trichodes affinis** Chevrolat,1843 (Cleridae)
532. **Trichodes alberti** Escherich,1893 (Cleridae)
533. **Trichodes heydeni** Escherich (Cleridae)
534. **Trichodes inermis** Reitter,1893 (Cleridae)
535. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
536. **Trichodes pulcherrimus** Escherich,1892 (Cleridae)
537. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
538. **Trichodes reichei** Mulsant & Rey,1863 (Cleridae)
539. **Trichodes sexpustulatus** Chevrolat,1874 (Cleridae)
540. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
541. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
542. **Trissolcus rufiventris** (Mayr,1908) (Scelionidae)
543. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
544. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
545. **Tropidopola graeca** Uvarov,1926 (Acrididae)
546. **Tropidotilla litoralis** (Petagna,1787) (Mutillidae)
547. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
548. **Trupanea amoena** (Frauenfeld,1857) (Tephritidae)
549. **Trupanea stellata** (Fuesslin,1775) (Tephritidae)
550. **Tshurtshurnella despecta (Linnavuori,1965)** (Issidae)
551. **Tshurtshurnella rhombica** Dlabola,1982 (Issidae)
552. **Tychius aureolus** Kiesenwetter,1851 (Curculionidae)
553. **Tychius eldae** Caldara,1990 (Curculionidae)
554. **Tychius festivus** (Faust,1884) (Curculionidae)
555. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
556. **Urophora doganlari** Kütük,2006 (Tephritidae)
557. **Urophora eriolepidis** (Loew,1856) (Tephritidae)
558. **Urophora jaceana** (M.Hering,1935) (Tephritidae)
559. **Urophora jaculata** Rondani,1870 (Tephritidae)
560. **Urophora macrura** (Loew,1855) (Tephritidae)
561. **Urophora mauritanica** Macquart,1851 (Tephritidae)
562. **Urophora pauperata** (Zaitzev,1945) (Tephritidae)
563. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
564. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
565. **Urophora stylata** (Fabricius,1775) (Tephritidae)
566. **Vespula germanica** (Fabricius,1793) (Vespidae)

567. *Vespa vulgaris* (Linnaeus,1758) (Vespidae)
568. *Volucella inanis* (Linnaeus,1758)
(Syrphidae)
569. *Volucella zonaria* (Poda,1761) (Syrphidae)
570. *Wohlfahrtia meigeni* (Schiner,1862)
(Sarcophagidae)
571. *Xanthogramma pedissequum* (Harris,1776)
(Syrphidae)

572. *Xyphosia miliaria* (Schrank,1781)
(Tephritidae)
573. *Zophosis (Oculosis) punctata* Brullé,1832
(Tenebrionidae)
574. *Zyginidia (s.str.) pullula* (Boheman,1845)
(Cicadellidae)

Kırklareli Province (39)

(273 species, stand 30 April 2010)

1. *Accanthopus velikensis* (Piller & Mitterpacher,1783) (Tenebrionidae)
2. *Acrida bicolor* (Thunberg,1815) (Acrididae)
3. *Aelia rostrata* Boheman,1852 (Pentatomidae)
4. *Aelia virgata* (Herrich-Schäffer,1841)
(Pentatomidae)
5. *Agalmatium bilobum* (Fieber,1877) (Issidae)
6. *Agrilus (s.str.) hyperici* (Creutzer,1799)
(Buprestidae)
7. *Agromyza anderssoni* Spencer,1976
(Agromyzidae)
8. *Aiolopus thalassinus* (Fabricius,1781)
(Acrididae)
9. *Allodiopsis rustica* (Edwards,1941)
(Mycetophilidae)
10. *Amphinemura standfussi* (Ris,1902)
(Nemouridae)
11. *Anaceratagallia laevis* (Ribaut,1935)
(Cicadellidae)
12. *Anogcodes ferrugineus* (Schrank,1776)
(Oedemeridae)
13. *Anoplius viaticus* (Linnaeus,1758)
(Pompilidae)
14. *Anoplotettix fuscovenosus* (Ferrari,1882)
(Cicadellidae)
15. *Anthaxia (Cratomerus) hungarica*
(Scopoli,1772) (Buprestidae)
16. *Anthaxia (Haplanthaxia) rossica* Daniel,1903
(Buprestidae)
17. *Anthaxia (s.str.) discicollis* Gory &
Laporte,1839 (Buprestidae)
18. *Anthaxia (s.str.) signaticollis* (Krynicky,1832)
(Buprestidae)
19. *Apanteles ingenuoides* Papp,1971 (Braconidae)
20. *Apanteles obscurus* (Nees,1834) (Braconidae)
21. *Aphrodes bicinctus* (Schrank,1776)
(Cicadellidae)
22. *Aphrophora alni* (Fallén,1805) (Cercopidae)
23. *Aphrophora salicina* (Goeze,1778)
(Cercopidae)
24. *Aphthona nonstriata* (Goeze,1777)
(Chrysomelidae)
25. *Artianus manderstjernii* (Kirschbaum,1868)
(Cicadellidae)
26. *Atylotus flavoguttatus* (Szilady,1915)
(Tabanidae)
27. *Atylotus loewianus* (Villeneuve,1920)
(Tabanidae)
28. *Atylotus quadrifarius* (Loew,1874) (Tabanidae)
29. *Beckidia zabolotzkii* (Goetghebuer,1938)
(Chironomidae)
30. *Berosus (s.str.) affinis* Brullé,1835
(Hydrophilidae)
31. *Blaps tibialis* Reiche & Saulcy,1857
(Tenebrionidae)
32. *Blepharicera fasciata* (Westwood,1842)
(Blephariceridae)
33. *Bombus terrestris* Linnaeus,1758 (Apidae)
34. *Bucephaloptera bucephala* (Brunner von
Wattenwyl,1882) (Tettigoniidae)
35. *Byctiscus betulae* (Linnaeus,1758)
(Atelabidae)
36. *Byctiscus populi* (Linnaeus,1758) (Atelabidae)
37. *Caliaeschna microstigma* (Schneider,1845)
(Aeshnidae)
38. *Calliptamus barbarus* (Costa,1836) (Acrididae)
39. *Calliptamus italicus* (Linnaeus,1758)
(Acrididae)
40. *Calopteryx mingrelica* Selys,1869
(Calopterygidae)
41. *Calopteryx virgo* (Linnaeus,1758)
(Calopterygidae)
42. *Campiglossa lederi* (Hendel,1927)
(Tephritidae)
43. *Carpocoris mediterraneus* Tamanini,1958
(Pentatomidae)
44. *Cassida prasina* Illiger,1798 (Chrysomelidae)
45. *Cassida rubiginosa* Müller,1776
(Chrysomelidae)
46. *Catoplatus distinctus* Montandon,1895
(Tingidae)
47. *Centrotus cornutus* (Linnaeus,1758)
(Membracidae)
48. *Cercion lindenii* (Selys,1840) (Coenagrionidae)
49. *Cercopis intermedia* Kirschbaum,1868
(Cercopidae)
50. *Ceresa bubalus* (Fabricius,1794)
(Membracidae)
51. *Cerocoma muehlfeldi* Gyllenhal,1817
(Meloidae)
52. *Cerocoma schreberi* Fabricius,1781 (Meloidae)
53. *Chaetocnema chlorophana*
(Duftschmid,1825) (Chrysomelidae)
54. *Chaetocnema conducta* (Motschoulsky,1838)
(Chrysomelidae)
55. *Chaetocnema coyeyi* (Allard,1863)
(Chrysomelidae)
56. *Chaetocnema obesa* (Boieldieu,1859)
(Chrysomelidae)

57. **Chaetocnema orientalis** (Bauduer,1874)
(Chrysomelidae)
58. **Chaetocnema procerula** (Rosenhauer,1856)
(Chrysomelidae)
59. **Choeras dorsalis** (Spinola,1808) (Braconidae)
60. **Chorthippus (Chorthippus) parallelus**
(Zetterstedt,1821) (Acrididae)
61. **Chorthippus (s.str.) dichrous**
(Eversmann,1859) (Acrididae)
62. **Chorthippus (s.str.) loratus** (Fischer von
Waldheim,1846) (Acrididae)
63. **Chrysolina haemoptera** (Linnaeus,1758)
(Chrysomelidae)
64. **Chrysolina herbacea** (Duftschmidt,1825)
(Chrysomelidae)
65. **Chrysolina polita** (Linnaeus,1758)
(Chrysomelidae)
66. **Chrysops (s.str.) caecutiens** (Linnaeus,1761)
(Tabanidae)
67. **Chrysops (s.str.) relictus** Meigen,1820
(Tabanidae)
68. **Chrysops (s.str.) viduatus** (Fabricius,1794)
(Tabanidae)
69. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
70. **Coenorrhinus aequatus** (Linnaeus,1767)
(Attelabidae)
71. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
72. **Conocephalus (s.str.) hastatus**
(Charpentier,1825) (Tettigoniidae)
73. **Cordulegaster picta** Selys,1854
(Cordulegasteridae)
74. **Cotesia lineola** (Curtis,1830) (Braconidae)
75. **Cotesia ofella** (Nixon,1974) (Braconidae)
76. **Cotesia orestes** (Nixon,1974) (Braconidae)
77. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
78. **Cotesia telengai** (Tobias,1972) (Braconidae)
79. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
80. **Cotesia vanessae** (Reinhard,1880)
(Braconidae)
81. **Cryptocephalus bipunctatus** (Linnaeus,1758)
(Chrysomelidae)
82. **Cryptocephalus janthinus** Germar,1824
(Chrysomelidae)
83. **Cryptocephalus moraei** (Linnaeus,1758)
(Chrysomelidae)
84. **Cryptocephalus octacasmus** Bedel,1891
(Chrysomelidae)
85. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
86. **Decticus verrucivorus** (Linnaeus,1758)
(Tettigoniidae)
87. **Dictyophara asiatica** Melichar,1912
(Dictyopharidae)
88. **Dociostaurus (Kazakia) brevicollis**
(Eversmann,1848) (Acrididae)
89. **Dociostaurus (Notostaurus) anatolicus**
Krauss,1896 (Acrididae)
90. **Dociostaurus (s.str.) maroccanus**
(Thunberg,1815) (Acrididae)
91. **Dolichogenidea sicarius** (Marshall,1885)
(Braconidae)
92. **Dolichovespula media** (Retzius,1783)
(Vespidae)
93. **Dyroderes umbraculatus** (Fabricius,1775)
(Pentatomidae)
94. **Eccoptomera microps** (Meigen,1830)
(Heleomyzidae)
95. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
96. **Epitrix pubescens** (Koch,1803)
(Chrysomelidae)
97. **Eurydema blanda** Horvath,1803
(Pentatomidae)
98. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
99. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
100. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)
101. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
102. **Exochus mitratus** Gravenhorst,1829
(Ichneumonidae)
103. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
104. **Glyptomorpha pectoralis** (Brullé,1832)
(Braconidae)
105. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
106. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
107. **Gymnopleurus flagellatus** (Fabricius,1787)
(Scarabaeidae)
108. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
109. **Haematopota bigoti** Gobert,1881 (Tabanidae)
110. **Haematopota crassicornis** Wahlberg,1848
(Tabanidae)
111. **Haematopota grandis** Macquart,1834
(Tabanidae)
112. **Haematopota italica** Meigen,1804 (Tabanidae)
113. **Haematopota longantennata** Olsufjev,1937
(Tabanidae)
114. **Haematopota pandazisi** Kröber,1936
(Tabanidae)
115. **Haematopota pluvialis** (Linnaeus,1761)
(Tabanidae)
116. **Haematopota scutellata** (Olsufjev, Moucha &
Chvala,1964) (Tabanidae)
117. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
118. **Helophorus aquaticus** (Linnaeus,1758)
(Helophoridae)
119. **Helophorus brevivalpis** Bedel,1881
(Helophoridae)
120. **Helophorus brevivalpis** Bedel,1881
(Helophoridae)
121. **Helophorus montenegrinus** Kuwert,1885
(Helophoridae)
122. **Helophorus nubilus** Fabricius,1776
(Helophoridae)
123. **Helophorus obscurus** Mulsant,1844
(Helophoridae)
124. **Hephathus nanus** (Herrich-Schäffer,1835)
(Cicadellidae)
125. **Hexomyza simplex** (Loew,1869) (Agromyzidae)
126. **Himacerus apterus** (Fabricius,1798) (Nabidae)
127. **Hybomitra bimaculata** (Macquart,1826)
(Tabanidae)
128. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
129. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
130. **Hybomitra distinguenda** (Verrall,1909)
(Tabanidae)
131. **Hybomitra muehlfeldi** (Brauer,1880)
(Tabanidae)
132. **Hybomitra pilosa** (Loew,1858) (Tabanidae)
133. **Iassus lanio** (Linnaeus,1761) (Cicadellidae)

134. *Ischnomera cyanea* (Fabricius,1792) (Oedemeridae)
135. *Ischnomera sanguinicollis* (Fabricius,1787) (Oedemeridae)
136. *Jassargus obtusivalvis* (Kirschbaum,1868) (Cicadellidae)
137. *Krombeinella longicollis* (Tournier,1889) (Mutillidae)
138. *Labidostomis oertzeni* Weise,1889 (Chrysomelidae)
139. *Laccobius (Dimorpholaccobius) obscuratus* Rottenberg,1874 (Hydrophilidae)
140. *Laccobius (Dimorpholaccobius) simulatrix* Orchymont,1932 (Hydrophilidae)
141. *Laccobius (Dimorpholaccobius) sulcatulus* Reitter,1909 (Hydrophilidae)
142. *Libelloides lacteus* (Brullé,1832) (Ascalaphidae)
143. *Liriomyza freyella* Spencer,1976 (Agromyzidae)
144. *Longitarsus lycopi* (Foudras,1860) (Chrysomelidae)
145. *Longitarsus pratensis* (Panzer,1794) (Chrysomelidae)
146. *Lyristes plebejus* (Scopoli,1763) (Cicadidae)
147. *Macrocera fasciata* Meigen,1804 (Keroplastidae)
148. *Macrocera lutea* Meigen,1804 (Keroplastidae)
149. *Macrocera phalerata* Meigen,1818 (Keroplastidae)
150. *Macrocoma doboszi* Borowiec,2005 (Chrysomelidae)
151. *Macropsis graminea* (Fabricius,1798) (Cicadellidae)
152. *Mantispa aphavexelte* U.Aspöck & H.Aspöck,1994 (Mantispidae)
153. *Mantura rustica* (Linnaeus,1767) (Chrysomelidae)
154. *Melanogryllus desertus* (Pallas,1771) (Gryllidae)
155. *Microptilis cebes* Nixon,1970 (Braconidae)
156. *Microptilis deces* Tobias,1964 (Braconidae)
157. *Microptilis mandibularis* Thomson,1895 (Braconidae)
158. *Microptilis spinolae* Nees,1834 (Braconidae)
159. *Microptilis tristis* (Nees,1834) (Braconidae)
160. *Microptilis tuberculifer* (Wesmael,1837) (Braconidae)
161. *Microptilis varipes* Ruthe,1860 (Braconidae)
162. *Modicogryllus (Eumodicogryllus) burdigalensis* (Latreille,1804) (Gryllidae)
163. *Nemoura subtilis* Klapalek,1895 (Nemouridae)
164. *Neophilaenus albipennis* (Fabricius,1798) (Cercopidae)
165. *Neophilaenus campestris* (Fallén,1805) (Cercopidae)
166. *Neotournieria szypulai* Bialooki,2006 (Curculionidae)
167. *Nycteribia (s.str.) latreillii* (Leach,1817) (Nycteribiidae)
168. *Nycteribia (s.str.) schmidlii* Schiner,1853 (Nycteribiidae)
169. *Ochrosis ventralis* (Illiger,1807) (Chrysomelidae)
170. *Oecanthus pellucens* (Scopoli,1763) (Gryllidae)
171. *Oecotha fenestralis* (Fallén,1820) (Heleomyzidae)
172. *Oedemera (Oncomera) flavicans* (Fairmaire,1860) (Oedemeridae)
173. *Oedemera (s.str.) crassipes* Ganglbauer,1881 (Oedemeridae)
174. *Oedemera (s.str.) femorata* (Scopoli,1763) (Oedemeridae)
175. *Oedemera (s.str.) flavipes* (Fabricius,1792) (Oedemeridae)
176. *Oedemera (s.str.) lurida* (Marsham,1802) (Oedemeridae)
177. *Oedemera (s.str.) penicillata* W.Schmidt,1846 (Oedemeridae)
178. *Oedemera (s.str.) podagrariae* (Linnaeus,1767) (Oedemeridae)
179. *Oedemera (s.str.) pthysica* (Scopoli,1763) (Oedemeridae)
180. *Omocestus (s.str.) rufipes* (Zetterstedt,1821) (Acrididae)
181. *Onychogomphus forcipatus* (Linnaeus,1758) (Gomphidae)
182. *Oxythyrea cinctella* (Schaum,1841) (Scarabaeidae)
183. *Pachytrachis gracilis* (Brunner von Wattenwyl,1861) (Tettigoniidae)
184. *Pangonius (s.str.) pyritosus* Loew,1859 (Tabanidae)
185. *Panorpa thrakica* Willmann,1976 (Panorpidae)
186. *Penicillidia conspicua* Speiser,1901 (Nycteribiidae)
187. *Philaenus spumarius* (Linnaeus,1758) (Cercopidae)
188. *Philipomyia aprica* (Meigen,1820) (Tabanidae)
189. *Pholidoptera aptera* (Fabricius,1793) (Tettigoniidae)
190. *Phorbia securis* Tiensuu,1935 (Anthomyiidae)
191. *Phthiridium biarticulatum* Hermann,1804 (Nycteribiidae)
192. *Phyllotreta punctulata* (Marsham,1802) (Chrysomelidae)
193. *Phytomyza aurei* M.Hering,1931 (Agromyzidae)
194. *Phytomyza sii* M.Hering,1930 (Agromyzidae)
195. *Piezodorus lituratus* (Fabricius,1794) (Pentatomidae)
196. *Plagiognathus fulvipennis* (Kirschbaum,1856) (Miridae)
197. *Platycleis (Incertana) incerta* Brunner von Wattenwyl,1882 (Tettigoniidae)
198. *Platycleis (s.str.) intermedia* (Audinet-Serville,[1839]) (Tettigoniidae)
199. *Platycleis (Tessellana) nigrosignata* (Costa,1863) (Tettigoniidae)
200. *Platycleis (Tessellana) veyseli* Koçak,1984 (Tettigoniidae)
201. *Podagrica malvae* (Illiger,1807) (Chrysomelidae)
202. *Podisma pedestris* (Linnaeus,1758) (Acrididae)
203. *Poecilimon brunneri* (Frivaldsky,1867) (Tettigoniidae)
204. *Poecilimon heinrichi* Ramme,1951 (Tettigoniidae)
205. *Polistes (s.str.) associus* (Kohl,1898) (Vespidae)
206. *Polyphylla (s.str.) fullo* (Linnaeus,1758) (Scarabaeidae)
207. *Polysarcus denticaudus* (Charpentier,1825) (Tettigoniidae)
208. *Pyrrhocoris apterus* (Linnaeus,1758) (Pyrrhocoridae)

209. **Rabdophaga salicis (Schrank,1803)**
(Cecidomyiidae)
210. **Rabdophaga strobilina (Bremi,1847)**
(Cecidomyiidae)
211. **Rabdophaga terminalis (Loew,1850)**
(Cecidomyiidae)
212. **Raphigaster nebulosa (Poda,1761)**
(Pentatomidae)
213. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
214. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
215. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae)
216. **Rhynchites auratus (Scopoli,1763)**
(Attelabidae)
217. **Rhynchites bacchus (Linnaeus,1758)**
(Attelabidae)
218. **Rhynchites coeruleus (De Geer,1775)**
(Attelabidae)
219. **Rhynchites smyrnensis Desbrochers,1869**
(Attelabidae)
220. **Rhyparochromus tristis Fieber,1861**
(Lygaeidae)
221. **Ruspolia nitidula (Scopoli,1786)**
(Tettigoniidae)
222. **Saga natoliae Audinet-Serville,1839**
(Tettigoniidae)
223. **Scymnus pallipediformis Günther,1958**
(Coccinellidae)
224. **Selenocephalus obsoletus (Germar,1817)**
(Cicadellidae)
225. **Sigara lateralis Leach,1818** (Corixidae)
226. **Sigara mayri (Fieber,1860)** (Corixidae)
227. **Silvius (s.str.) algirus Meigen,1930**
(Tabanidae)
228. **Silvius (s.str.) alpinus (Scopoli,1763)**
(Tabanidae)
229. **Sisyphus schaefferi (Linnaeus,1758)**
(Scarabaeidae)
230. **Somatochlora borisi Marinov,2001**
(Corduliidae)
231. **Sparedrus testaceus (Andersch,1797)**
(Oedemeridae)
232. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
233. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
234. **Suillia variegata (Loew,1862)**
(Heleomyzidae)
235. **Suillia villeneuvei Czerny,1927**
(Heleomyzidae)
236. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
237. **Tabanus bifarius Loew,1858** (Tabanidae)
238. **Tabanus briani Leclercq,1962** (Tabanidae)
239. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
240. **Tabanus cordiger Meigen,1820**
(Tabanidae)
241. **Tabanus cuculus Szilady,1923** (Tabanidae)
242. **Tabanus eggeri Schiner,1868** (Tabanidae)
243. **Tabanus exclusus Pandella,1883**
(Tabanidae)
244. **Tabanus fraseri Austen,1925** (Tabanidae)
245. **Tabanus glaucopsis Meigen,1820**
(Tabanidae)
246. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
247. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
248. **Tabanus miki Brauer,1880** (Tabanidae)
249. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
250. **Tabanus portschinskii Olsufjev,1937**
(Tabanidae)
251. **Tabanus prometheus Szilady,1923** (Tabanidae)
252. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
253. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
254. **Tabanus rupium Brauer,1880** (Tabanidae)
255. **Tabanus shannonellus Kröber,1936**
(Tabanidae)
256. **Tabanus spectabilis Loew,1858**
(Tabanidae)
257. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
258. **Tabanus sudeticus Zeller,1842** (Tabanidae)
259. **Tabanus tergestinus Egger,1859**
(Tabanidae)
260. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
261. **Tachina (Echinogaster) praecipua Meigen,1824** (Tachinidae)
262. **Tephrochlamys rufiventris (Meigen,1830)** (Heleomyzidae)
263. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
264. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
265. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
266. **Tingis sideritis Stusak,1973** (Tingidae)
267. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
268. **Triodontella dalmatica (Baraud,1962)**
(Scarabaeidae)
269. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
270. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
271. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
272. **Tylopsis lilifolia (Fabricius,1793)**
(Tettigoniidae)
273. **Xya variegata (Latreille,1809)**
(Tridactylidae)

Kırşehir Province (40)

(133 species, stand 30 April 2010)

1. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
2. **Aelia rostrata Boheman,1852** (Pentatomidae)
3. **Aeshna mixta Latreille,1805** (Aeshnidae)
4. **Agalmatium bilobum (Fieber,1877)** (Issidae)

5. **Allygidius commutatus** Fieber,1872 (Cicadellidae)
6. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
7. **Anthaxia (s.str.) hypomelaena** (Illiger,1803) (Buprestidae)
8. **Anthidium (Archianthidium) pubescens** (Morawitz,1872) (Megachilidae)
9. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
10. **Asmisapyga warnckeii** Kurzenko,1994 (Sapygidae)
11. **Atylotus flavoguttatus** (Szilady,1915) (Tabanidae)
12. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
13. **Bagrada stolidia** (Herrich-Schäffer,1839) (Pentatomidae)
14. **Bombus terrestris** Linnaeus,1758 (Apidae)
15. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
16. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
17. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
18. **Ceutorhynchus anatolicus** Schultze,1900 (Curculionidae)
19. **Ceutorhynchus fallax** Boheman,1845 (Curculionidae)
20. **Ceutorhynchus pulvinatus** Gyllenhal,1837 (Curculionidae)
21. **Ceutorhynchus sulcatus** Brisoth,1869 (Curculionidae)
22. **Ceutorhynchus turbatus** Schultze,1903 (Curculionidae)
23. **Chaetocnema coyei** (Allard,1863) (Chrysomelidae)
24. **Chaetocnema procerula** (Rosenhauer,1856) (Chrysomelidae)
25. **Chrysolina gypsophilae** (Küster,1845) (Chrysomelidae)
26. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
27. **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae)
28. **Chrysops (Petersenichrysops) buxtoni** Austen,1922 (Tabanidae)
29. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
30. **Cixius pallipes** Fieber,1876 (Cixiidae)
31. **Conosanus obsoletus** (Kirschbaum,1858) (Cicadellidae)
32. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
33. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
34. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
35. **Dendarus (Pandarinus) punctatus** Audinet-Serville,1825 (Tenebrionidae)
36. **Dibolia occultans** (Koch,1803) (Chrysomelidae)
37. **Dictyophara pannonica** (Germar,1830) (Dictyopharidae)
38. **Dolichomitus sericeus** (Hartig,1847) (Ichneumonidae)
39. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
40. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
41. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
42. **Entomoscelis suturalis** Weise,1882 (Chrysomelidae)
43. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
44. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
45. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
46. **Gerris costae** (Herrich-Schäffer,1850) (Gerridae)
47. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
48. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
49. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
50. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
51. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
52. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
53. **Homodela ismenia** (Gory,1833) (Carabidae)
54. **Hoplitis (Alcidamea) decaocta** (Warncke,1991) (Megachilidae)
55. **Hoplitis (Alcidamea) verruciventris** (Morawitz,1886) (Megachilidae)
56. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
57. **Hyalesthes philesakis** Hoch & Remane,1985 (Cixiidae)
58. **Idiocerus herrichii** Kirschbaum,1868 (Cicadellidae)
59. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
60. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
61. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
62. **Itopectis maculator** (Fabricius,1775) (Ichneumonidae)
63. **Kybos candelabricus** Dlabola,1958 (Cicadellidae)
64. **Kybos virgator** (Ribaut,1933) (Cicadellidae)
65. **Laburrus handlirschi** (Matsumura,1908) (Cicadellidae)
66. **Laccophilus hyalinus** (De Geer,1774) (Dytiscidae)
67. **Leptochilus membranaceus** (Morawitz,1867) (Vespidae)
68. **Lertha schmidti** (H.Aspöck, U.Aspöck & Hölzel,1984) (Nemopteridae)
69. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
70. **Libellula depressa** Linnaeus,1758 (Libellulidae)
71. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae)
72. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
73. **Macropsis marginata** (Herrich-Schäffer,1836) (Cicadellidae)
74. **Mantispa styriaca** (Poda,1761) (Mantispidae)
75. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
76. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
77. **Nepa cinerea** Linnaeus,1758 (Nepidae)
78. **Notonecta obliqua** Gallen,1787 (Notonectidae)
79. **Notonecta viridis** Delcourt,1909 (Notonectidae)

80. **Nycteribia (Acrocholidia) vexata** Westwood,1835 (Nycteribiidae)
81. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae)
82. **Onychogomphus forcipatus** (Linnaeus,1758) (Gomphidae)
83. **Orellia punctata** (Schrank,1781) (Tephritidae)
84. **Osmia (Tergosmia) glareola** Warncke,1988 (Megachilidae)
85. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
86. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
87. **Pedestredorcadion iconiense** (Dan.,1901) (Cerambycidae)
88. **Peltonotellus punctifrons** Horvath,1895 (Caliscelidae)
89. **Pentodon idiota** (Herbst,1789) (Scarabaeidae)
90. **Phaedon cochleariae** (Fabricius,1792) (Chrysomelidae)
91. **Phaedon pyritosus** (Rossi,1792) (Chrysomelidae)
92. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
93. **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae)
94. **Platymetopius (Quernus) quercinus** Dlabola,1974 (Cicadellidae)
95. **Platymetopius quercinus** Dlabola,1974 (Cicadellidae)
96. **Podagrica menetriesi** (Faldermann,1837) (Chrysomelidae)
97. **Poecilimon uvarovi** Ramme,1933 (Tettigoniidae)
98. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
99. **Prasocuris junci** (Brahm,1790) (Chrysomelidae)
100. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
101. **Psylliodes dulcamarae** (Koch,1803) (Chrysomelidae)
102. **Psylliodes sophiae** Heikertinger,1914 (Chrysomelidae)
103. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
104. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
105. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
106. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
107. **Sapyga (s.str.) pulcherrima** Morawitz,1894 (Sapygidae)
108. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae)
109. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
110. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
111. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
112. **Sisyphus schaefferi** (Linnaeus,1758) (Scarabaeidae)
113. **Sympetrum flaveolum** (Linnaeus,1758) (Libellulidae)
114. **Sympetrum sanguineum** (O.F.Müller,1764) (Libellulidae)
115. **Tabanus bifarius** Loew,1858 (Tabanidae)
116. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
117. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
118. **Tachina (Echinogaster) praeceps** Meigen,1824 (Tachinidae)
119. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
120. **Tephritis vespertina** (Loew,1844) (Tephritidae)
121. **Trichodes alberti** Escherich,1893 (Cleridae)
122. **Trichomma enecator** (Rossi,1790) (Ichneumonidae)
123. **Trissolcus djadetshko** (Rjachovsky,1959) (Scelionidae)
124. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
125. **Trissolcus rufiventris** (Mayr,1908) (Scelionidae)
126. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
127. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
128. **Tshurtshurnella despecta** (Linnavuori,1965) (Issidae)
129. **Tychius hirtellus** Tournier,1873 (Curculionidae)
130. **Tychius ruscicus** Desbrochers,1908 (Curculionidae)
131. **Urophora macrura** (Loew,1855) (Tephritidae)
132. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
133. **Vespula germanica** (Fabricius,1793) (Vespidae)

Kocaeli Province (41)

(213 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Acantholepis frauenfeldi** (Mayr,1855) (Formicidae)
3. **Achaeta deserta** (Pallas,1771) (Gryllidae)
4. **Acrida anatolica** Dirsh,1949 (Acrididae)
5. **Acrida bicolor** (Thunberg,1815) (Acrididae)
6. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
7. **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae)
8. **Adalia (s.str.) bipunctata** (Linnaeus,1758) (Coccinellidae)
9. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
10. **Agabus (Gaurodytes) dilatatus** (Brullé,1832) (Dytiscidae)
11. **Agriotes (s.str.) paludum** Kiesenwetter,1859 (Elateridae)

12. **Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae)
13. **Aiolopus strepens (Latreille,[1802])** (Acrididae)
14. **Alebra albostriella (Fallén,1826)** (Cicadellidae)
15. **Altica impressicollis (Reiche,1862)** (Chrysomelidae)
16. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
17. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae)
18. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae)
19. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae)
20. **Apanteles brunnistigma Abdinbekova,1969** (Braconidae)
21. **Apis mellifera Linnaeus,1758** (Apidae)
22. **Arge rustica (Linnaeus,1758)** (Argidae)
23. **Auletobius politus Voss,1934** (Attelabidae)
24. **Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae)
25. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
26. **Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae)
27. **Bidessus calabricus Guignot,1957** (Dytiscidae)
28. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
29. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)
30. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae)
31. **Byctiscus populi (Linnaeus,1758)** (Attelabidae)
32. **Calliptamus barbarus (Costa,1836)** (Acrididae)
33. **Calopteryx mingrelica Selys,1869** (Calopterygidae)
34. **Campiglossa producta Loew,1844** (Tephritidae)
35. **Camponotus aethiops (Latreille,1798)** (Formicidae)
36. **Camponotus samius Forel,1888** (Formicidae)
37. **Cantharis livida Linnaeus,1758** (Cantharidae)
38. **Cantharis nigra De Geer,1774** (Cantharidae)
39. **Cataglyphis nodus (Brullé,1832)** (Formicidae)
40. **Centrotus cornutus (Linnaeus,1758)** (Membracidae)
41. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae)
42. **Cercopis vulnerata Rossi,1807** (Cercopidae)
43. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae)
44. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae)
45. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae)
46. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
47. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
48. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
49. **Chrysomela populi Linnaeus,1758** (Chrysomelidae)
50. **Chrysomela tremulae Fabricius,1787** (Chrysomelidae)
51. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae)
52. **Cicadula placida (Horvath,1897)** (Cicadellidae)
53. **Cicindela campestris Linnaeus,1758** (Carabidae)
54. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
55. **Coenagrion syriacum (Morton,1924)** (Coenagrionidae)
56. **Coenorhinus aequatus (Linnaeus,1767)** (Attelabidae)
57. **Colpa interrupta (Fabricius,1781)** (Scoliidae)
58. **Conocephalus (s.str.) hastatus (Charpentier,1825)** (Tettigoniidae)
59. **Cordicantharis iliaca (Marseul,1864)** (Cantharidae)
60. **Corixa affinis Leach,1818** (Corixidae)
61. **Corixa punctata (Illiger,1807)** (Corixidae)
62. **Corythucha arcuata (Say,1832)** (Tingidae)
63. **Cotesia cupresus (Lylé,1925)** (Braconidae)
64. **Cotesia jucunda (Marshall,1885)** (Braconidae)
65. **Cotesia melanoscela (Ratzeburg,1844)** (Braconidae)
66. **Cotesia tibialis (Curtis,1830)** (Braconidae)
67. **Crematogaster sordidula (Nylander,1849)** (Formicidae)
68. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae)
69. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
70. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
71. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae)
72. **Cryptocephalus variceps Weise,1884** (Chrysomelidae)
73. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae)
74. **Denticollis parallelcollis Aubé,1850** (Elateridae)
75. **Derephysia foliacea (Fallén,1807)** (Tingidae)
76. **Dioctria atricapilla Meigen,1804** (Asilidae)
77. **Diphyus ochromelas (Gmelin,1790)** (Ichneumonidae)
78. **Doclostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
79. **Doclostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae)
80. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae)
81. **Dolichogenidea lacteicolor (Viereck,1911)** (Braconidae)
82. **Dolichogenidea litae (Nixon,1972)** (Braconidae)
83. **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae)
84. **Empis (s.str.) acinerea Chavala,1985** (Empididae)
85. **Empis (s.str.) nigripes Fabricius,1794** (Empididae)
86. **Empis (s.str.) tristis Loew,1867** (Empididae)
87. **Episyron rufipes (Linnaeus,1758)** (Pompilidae)
88. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae)
89. **Eurydema blanda Horvath,1803** (Pentatomidae)
90. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
91. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae)
92. **Fieberiella florii (Stal,1864)** (Cicadellidae)

93. **Glyptapanteles eugeni** (Papp,1972) (Braconidae)
94. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
95. **Haematoloma dorsatum** (Ahrens,1812) (Cercopidae)
96. **Heliocorisa vermiculata** (Puton,1874) (Corixidae)
97. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
98. **Hypera variabilis** (Herbst,1795) (Curculionidae)
99. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
100. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
101. **Ichneumon bucculentus** Wesmael,1844 (Ichneumonidae)
102. **Ichneumon gracilentus** Wesmael,1844 (Ichneumonidae)
103. **Ichneumon stramentarius** Gravenhorst,1820 (Ichneumonidae)
104. **Iconella vindicia** (Nixon,1965) (Braconidae)
105. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
106. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
107. **Labidostomis mesopotamica** Heyden,1886 (Chrysomelidae)
108. **Labidostomis propinqua** Faldermann,1837 (Chrysomelidae)
109. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
110. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
111. **Lasioptera berlesiana** Paoli,1907 (Cecidomyiidae)
112. **Lindbergina pandellei** (Lethierry,1878) (Cicadellidae)
113. **Lixus ascanii** (Linnaeus,1767) (Curculionidae)
114. **Longitarsus anaticus** Weise,1900 (Chrysomelidae)
115. **Lycocoris dimidiatus** (Spinola,1837) (Anthicidae)
116. **Lydus turcicus** Kaszab,1952 (Meloidae)
117. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
118. **Macrophya suberba** Tischbein,1852 (Tenthredinidae)
119. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
120. **Melanotus (s.str.) dichrous** (Erichson,1841) (Elateridae)
121. **Melanotus (s.str.) fusciceps** (Gyllenhal,1817) (Elateridae)
122. **Microdynerus mirandus** (Giordani Soika,1947) (Vespidae)
123. **Microgaster fischeri** Papp,1960 (Braconidae)
124. **Microptilis deces** Tobias,1964 (Braconidae)
125. **Microptilis docilis** (Telenga,1964) (Braconidae)
126. **Microptilis mandibularis** Thomson,1895 (Braconidae)
127. **Microptilis tuberculifer** (Wesmael,1837) (Braconidae)
128. **Mylabris calida** (Pallas,1781) (Meloidae)
129. **Mylabris variabilis** (Pallas,1782) (Meloidae)
130. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
131. **Netelia (Bessobates) latungula** (Thomson,1888) (Ichneumonidae)
132. **Notonecta glauca** Linnaeus,1758 (Notonectidae)
133. **Notonecta meridionalis** Poisson,1926 (Notonectidae)
134. **Notonecta obliqua** Gallen,1787 (Notonectidae)
135. **Oecathemus tarsalis** Svihla,1999 (Cantharidae)
136. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
137. **Oenas crassicornis** (Illiger,1800) (Meloidae)
138. **Omocestus (s.str.) rufipes** (Zetterstedt,1821) (Acrididae)
139. **Omocestus (s.str.) ventralis** (Zetterstedt,1821) (Acrididae)
140. **Opilo taeniatus** (Klug,1842) (Cleridae)
141. **Orellia falcata** (Scopoli,1763) (Tephritidae)
142. **Oxyna flavipennis** (Loew,1844) (Tephritidae)
143. **Oxythyrea funesta** (Poda,1761) (Scarabaeidae)
144. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
145. **Paracaloptenus caloptenoides** (Brunner von Wattenwyl,1861) (Acrididae)
146. **Patrocloides sputator** (Fabricius,1793) (Ichneumonidae)
147. **Pedestredorcadion condensatum** (Küster,1852) (Cerambycidae)
148. **Pedestredorcadion gebzeense** (Breuning,1974) (Cerambycidae)
149. **Penthimia nigra** (Goeze,1778) (Cicadellidae)
150. **Pezotettix anatolica** Uvarov,1934 (Acrididae)
151. **Pezotettix giornae** (Rossi,1794) (Acrididae)
152. **Pheidole pallidula** (Nylander,1848) (Formicidae)
153. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
154. **Phlogotettix cyclops** (Mulsant & Rey,1855) (Cicadellidae)
155. **Phratora vitellinae** (Linnaeus,1758) (Chrysomelidae)
156. **Phyllodromica marginata** (Schreber,1781) (Blattidae)
157. **Phyllotreta atra** (Fabricius,1775) (Chrysomelidae)
158. **Phyllotreta balcanica** Heikertinger,1909 (Chrysomelidae)
159. **Phyllotreta diademata** Foudras,1860 (Chrysomelidae)
160. **Phytomyza crassiseta** Zetterstedt,1860 (Agromyzidae)
161. **Piesma (s.str.) capitatum** (Wolff,1804) (Piesmatidae)
162. **Plagioderia versicolora** (Laicharting,1781) (Chrysomelidae)
163. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
164. **Plagiolepis pygmaea** (Latreille,1798) (Formicidae)
165. **Platycleis (s.str.) albopunctata** (Goeze,1778) (Tettigoniidae)
166. **Platymetopius (s.str.) undatus** (De Geer,1773) (Cicadellidae)
167. **Poecilimon adentatus** Ramme,1933 (Tettigoniidae)
168. **Poecilimon kocaki** Ünal,1999 (Tettigoniidae)
169. **Poecilimon kutahiensis** Werner,1901 (Tettigoniidae)
170. **Poecilimon sureyanus** Uvarov,1930 (Tettigoniidae)
171. **Poecilimon turciae** (Ramme,1951) (Tettigoniidae)

172. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
173. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
174. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae)
175. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae)
176. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae)
177. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae)
178. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae)
179. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
180. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
181. **Rhacocleis germanica (Herrich-Schäffer,1840)** (Tettigoniidae)
182. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae)
183. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae)
184. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae)
185. **Rhyparochromus inarimensis (Costa,1860)** (Lygaeidae)
186. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae)
187. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae)
188. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae)
189. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
190. **Sepiana sepia (Yersin,1854)** (Tettigoniidae)
191. **Sigara lateralis Leach,1818** (Corixidae)
192. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
193. **Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae)
194. **Simulium (s.str.) variegatum Meigen,1818** (Simuliidae)
195. **Simulium (Wilhelmia) balcanicum (Enderlein,1924)** (Simuliidae)
196. **Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae)
197. **Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae)
198. **Stenobothrus (s.str.) lineatus (Panzer,1796)** (Acrididae)
199. **Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae)
200. **Tapinoma erraticum (Latreille,1798)** (Formicidae)
201. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae)
202. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae)
203. **Tillus pectinicornis Abeille,1892** (Cleridae)
204. **Tipula (Lunatipula) gebze Koç, Hasbenli & Vogtenhuber,2007** (Tipulidae)
205. **Trichodes crabroniformis Fabricius,1787** (Cleridae)
206. **Trichodes punctatus Fischer,1829** (Cleridae)
207. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae)
208. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
209. **Urophora macrura (Loew,1855)** (Tephritidae)
210. **Urophora terebrans (Loew,1850)** (Tephritidae)
211. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae)
212. **Vespula germanica (Fabricius,1793)** (Vespidae)
213. **Zoroachros meridionalis (Laporte,1840)** (Elateridae)

Konya Province (42)

(888 species, stand 30 April 2010)

1. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae)
2. **Acanthaclisis occitanicum Villers,1789** (Myrmeleonidae)
3. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)
4. **Acanthodynerus giordanii Gusenleitner,1969** (Vespidae)
5. **Achaeta burdigalensis (Latreille,1804)** (Gryllidae)
6. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
7. **Aciura coryli (Rossi,1790)** (Tephritidae)
8. **Aconura impicta (Linnavuori,1962)** (Cicadellidae)
9. **Acrida anatolica Dirsh,1949** (Acrididae)
10. **Acrida bicolor (Thunberg,1815)** (Acrididae)
11. **Acrotylus insubricus (Scopoli,1786)** (Acrididae)
12. **Actenodia confluens (Reiche,1866)** (Meloidae)
13. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
14. **Aeshna affinis Van Der Linden,1820** (Aeshnidae)
15. **Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae)
16. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
17. **Agabus (Gaurodytes) conspersus (Marsham,1802)** (Dytiscidae)
18. **Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae)
19. **Agabus (Gaurodytes) faldermanni Zaitzev,1927** (Dytiscidae)
20. **Agenioideus ciliatus (Lepelletier,1845)** (Pompilidae)
21. **Agenioideus excisus (Morawitz,1890)** (Pompilidae)
22. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae)

23. **Agenioideus rytiphorus** (Kohl,1886) (Pompilidae)
24. **Agrilus (Anambus) buresi** Obenberger,1935 (Buprestidae)
25. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
26. **Agriotes (s.str.) lineatus** (Linnaeus,1767) (Elateridae)
27. **Agriotes (s.str.) paludum** Kiesenwetter,1859 (Elateridae)
28. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
29. **Agriotes (s.str.) tristiculus** Reitter,1906 (Elateridae)
30. **Alastor mediomaculatus** Giordani Soika,1952 (Vespidae)
31. **Alastor petheri** Kohl,1905 (Vespidae)
32. **Allodynerus floricola** (Saussure,1853) (Vespidae)
33. **Allygidius ectabanicus** Logvinenko,1979 (Cicadellidae)
34. **Allygus mixtus** (Fabricius,1794) (Cicadellidae)
35. **Alosimus chalybaeus** (Tauscher,1812) (Meloidae)
36. **Alosimus syriacus** (Linnaeus,1758) (Meloidae)
37. **Altica carduorum** (Guérin-Méneville,1858) (Chrysomelidae)
38. **Altica oleracea** (Linnaeus,1758) (Chrysomelidae)
39. **Altica palustris** (Weise,1888) (Chrysomelidae)
40. **Amblyellus hasdrubal** (Kohl,1894) (Pompilidae)
41. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
42. **Amphicoma (Eulasia) corniculata** Reitter,1903 (Glaphyridae)
43. **Amphicoma (Pygopleurus) koniae** Petrovitz,1957 (Glaphyridae)
44. **Amphicoma (Pygopleurus) mithridates** Petrovitz,1962 (Glaphyridae)
45. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
46. **Anadolua rammei** Karabağ,1952 (Tettigoniidae)
47. **Anax imperator** Leach,1815 (Aeshnidae)
48. **Anax parthenope** (Selys,1839) (Aeshnidae)
49. **Ancistrocerus claripennis** Thomson,1874 (Vespidae)
50. **Ancistronycha erichsoni** Bach,1852 (Cantharidae)
51. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
52. **Andrena (Notandrena) selcuki** Schechl & Hazır,2008 (Andrenidae)
53. **Aneomochtherus micrasiaticus** (Tsacas,1968) (Asilidae)
54. **Anisobas cingulatus** Horstmann,1997 (Ichneumonidae)
55. **Anoplius concinnus** (Dahlbom,1845) (Pompilidae)
56. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
57. **Anoplius samariensis** (Pallas,1771) (Pompilidae)
58. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
59. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
60. **Anopilus orbitalis** (Costa,1863) (Pompilidae)
61. **Antepipona albosignata** Gusenleitner,1986 (Vespidae)
62. **Antepipona orbitalis** (Herrich-Schäffer,1839) (Vespidae)
63. **Anterastes burri** Karabağ,1951 (Tettigoniidae)
64. **Anthaxia (Cratomerus) diadema** Fischer,1824 (Buprestidae)
65. **Anthaxia (Cratomerus) hungarica** (Scopoli,1772) (Buprestidae)
66. **Anthaxia (Melanthaxia) pinguis** Kiesenwetter,1880 (Buprestidae)
67. **Anthaxia (s.str.) amasina** Daniel,1903 (Buprestidae)
68. **Anthaxia (s.str.) fulgurans** (Schrank,1789) (Buprestidae)
69. **Anthaxia (s.str.) muliebris** Obenberger,1918 (Buprestidae)
70. **Anthaxia (s.str.) salicis** (Fabricius,1776) (Buprestidae)
71. **Anthaxia (s.str.) semicuprea** Küster,1851 (Buprestidae)
72. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
73. **Anthidium (Anthidiellum) breviusculum** Pérez,1890 (Megachilidae)
74. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
75. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
76. **Anthidium (Archanthidium) pubescens** (Morawitz,1872) (Megachilidae)
77. **Anthidium (Icteranthidium) grohmanni** Spinola,1838 (Megachilidae)
78. **Anthidium (Mesanthidium) carduele** Morawitz,1876 (Megachilidae)
79. **Anthidium (Paraanthidium) dumerlei** Warncke,1980 (Megachilidae)
80. **Anthidium (Paraanthidium) interruptum** (Fabricius,1781) (Megachilidae)
81. **Anthidium (Proanthidium) oblongatum** (Illiger,1806) (Megachilidae)
82. **Anthidium (Proanthidium) undulatifforme** Friese,1917 (Megachilidae)
83. **Anthidium (Pseudoanthidium) alpinum** Morawitz,1874 (Megachilidae)
84. **Anthidium (Pseudoanthidium) reticulatum** Mocsary,1884 (Megachilidae)
85. **Anthidium (Rhodanthidium) acuminatum** Mocsary,1884 (Megachilidae)
86. **Anthidium (Rhodanthidium) caturigense** Giraud,1863 (Megachilidae)
87. **Anthidium (Rhodanthidium) exsectum** (Pasteels,1969) (Megachilidae)
88. **Anthidium (Rhodanthidium) septemdentatum** (Latreille,1809) (Megachilidae)
89. **Anthidium (s.str.) cingulatum** Latreille,1809 (Megachilidae)
90. **Anthidium (s.str.) florentinum** (Fabricius,1775) (Megachilidae)
91. **Anthidium (s.str.) punctatum** Latreille,1809 (Megachilidae)
92. **Anthidium (s.str.) spiniventre** Friese,1899 (Megachilidae)
93. **Anthidium (s.str.) taeniatum** Latreille,1809 (Megachilidae)
94. **Anthidium (s.str.) trispinosum** Friese,1917 (Megachilidae)

95. **Aphrodes bicinctus (Schränk, 1776)** (Cicadellidae)
96. **Aphrophora alni (Fallén, 1805)** (Cercopidae)
97. **Aphthona bonvouloiri Allard, 1861** (Chrysomelidae)
98. **Aphthona lutescens (Gyllenhal, 1808)** (Chrysomelidae)
99. **Aphthona nonstriata (Goeze, 1777)** (Chrysomelidae)
100. **Aporinellus moestus (Klug, 1834)** (Pompilidae)
101. **Aporinellus sexmaculatus (Spinola, 1805)** (Pompilidae)
102. **Arachnospila angorana (Wolf, 1990)** (Pompilidae)
103. **Arachnospila consobrina (Dahlbom, 1843)** (Pompilidae)
104. **Arachnospila fuscomarginata (Thomson, 1870)** (Pompilidae)
105. **Arachnospila ionica (Wolf, 1964)** (Pompilidae)
106. **Arachnospila minutula (Dahlbom, 1843)** (Pompilidae)
107. **Arachnospila sogdiana (Morawitz, 1893)** (Pompilidae)
108. **Arachnospila trivialis (Dahlbom, 1843)** (Pompilidae)
109. **Aradus betulae (Linnaeus, 1758)** (Aradidae)
110. **Aradus cinnamomeus Panzer, 1806** (Aradidae)
111. **Arboridia adanae (Dlabola, 1957)** (Cicadellidae)
112. **Arcyptera (Pararcyptera) labiata (Brullé, 1832)** (Acrididae)
113. **Arocephalus longiceps (Kirschbaum, 1868)** (Cicadellidae)
114. **Asiraca clavicornis (Fabricius, 1794)** (Delphacidae)
115. **Asymmetrasca decedens (Paoli, 1932)** (Cicadellidae)
116. **Attelabus sulcifrons (Argod, 1895)** (Attelabidae)
117. **Attelabus suturalis Jekel, 1860** (Attelabidae)
118. **Atylotus agricola (Wiedemann, 1826)** (Tabanidae)
119. **Atylotus flavoguttatus (Szilady, 1915)** (Tabanidae)
120. **Atylotus hendrixi Leclercq, 1967** (Tabanidae)
121. **Atylotus plebeius (Fallén, 1817)** (Tabanidae)
122. **Atylotus quadrifarius (Loew, 1874)** (Tabanidae)
123. **Auplopus carbonarius (Scopoli, 1763)** (Pompilidae)
124. **Auplopus rectus (Haupt, 1927)** (Pompilidae)
125. **Balclutha hebe (Kirkaldy, 1906)** (Cicadellidae)
126. **Balclutha rosea (Scott, 1876)** (Cicadellidae)
127. **Baryphora speciosa Loew, 1844** (Therevidae)
128. **Batozonellus lacerticida (Pallas, 1771)** (Pompilidae)
129. **Bembecinus acanthomerus (Morice, 1911)** (Crabronidae)
130. **Bembecinus anatolicus De Beaumont, 1968** (Crabronidae)
131. **Bembecinus gynandromorphus (Handlirsch, 1892)** (Crabronidae)
132. **Bembecinus meridionalis A. Costa, 1859** (Crabronidae)
133. **Bembecinus peregrinus (Smith, 1856)** (Crabronidae)
134. **Bembecinus rhodius De Beaumont, 1960** (Crabronidae)
135. **Bembidion (Ocydromus) cordicolle Jacquelin du Val, 1852** (Carabidae)
136. **Berosus (s.str.) affinis Brullé, 1835** (Hydrophilidae)
137. **Bidessus nasutus Sharp, 1887** (Dytiscidae)
138. **Blaps jeanneli Ferrer & Soldati, 1999** (Tenebrionidae)
139. **Blaps lethifera Marsham, 1802** (Tenebrionidae)
140. **Blaps ocreata Allard, 1880** (Tenebrionidae)
141. **Blaps tibialis Reiche & Saulcy, 1857** (Tenebrionidae)
142. **Blatta orientalis Linnaeus, 1758** (Blattidae)
143. **Blepharicera fasciata (Westwood, 1842)** (Blephariceridae)
144. **Bolivaria brachyptera (Pallas, 1773)** (Mantidae)
145. **Bombus terrestris Linnaeus, 1758** (Apidae)
146. **Boveycantharis akschehirensis Wittmer, 1969** (Cantharidae)
147. **Brachycerus foveicollis Gyllenhal, 1833** (Brachyceridae)
148. **Brachycerus sinuatus Olivier, 1807** (Brachyceridae)
149. **Brachygluta balcanica (Saulcy, 1878)** (Staphylinidae)
150. **Brachygluta nodosa (Motschoulsky, 1835)** (Staphylinidae)
151. **Brachypipona schmidti (Gusenleitner, 1967)** (Vespidae)
152. **Brunnerella mirabilis Saussure, 1888** (Acrididae)
153. **Callimenus dilatatus (Stål, 1876)** (Tettigoniidae)
154. **Calliptamus barbarus (Costa, 1836)** (Acrididae)
155. **Calopteryx mingrelica Selys, 1869** (Calopterygidae)
156. **Campiglossa producta Loew, 1844** (Tephritidae)
157. **Cantharis annularis Ménétriés, 1836** (Cantharidae)
158. **Cantharis lateralis Linnaeus, 1758** (Cantharidae)
159. **Cantharis pulicaria Fabricius, 1781** (Cantharidae)
160. **Capnodis porosa (Klug, 1829)** (Buprestidae)
161. **Capnodis tenebricosa (Olivier, 1790)** (Buprestidae)
162. **Carabus (Tomocarabus) convexus Fabricius, 1775** (Carabidae)
163. **Carpocoris fuscispinus (Boheman, 1851)** (Pentatomidae)
164. **Carpocoris mediterraneus Tamanini, 1958** (Pentatomidae)
165. **Carpomya schieneri (Loew, 1856)** (Tephritidae)
166. **Cassida margaritacea Schaller, 1783** (Chrysomelidae)
167. **Cassida pannonica Suffrian, 1844** (Chrysomelidae)
168. **Cassida prasina Illiger, 1798** (Chrysomelidae)
169. **Cassida rubiginosa Müller, 1776** (Chrysomelidae)
170. **Cassida viridis Linnaeus, 1758** (Chrysomelidae)
171. **Ceratopogon koniae Kieffer, 1918** (Ceratopogonidae)
172. **Cercion lindenii (Selys, 1840)** (Coenagrionidae)
173. **Cercopis intermedia Kirschbaum, 1868** (Cercopidae)
174. **Cerocoma adamovichiana (Piller & Mitterpacher, 1783)** (Meloidae)
175. **Cerocoma albopilosa Dvorak, 1993** (Meloidae)
176. **Cerocoma ephesica Reitter, 1885** (Meloidae)

177. *Cerocoma scovitzii* Faldermann, 1837 (Meloidae)
178. *Ceropales albicincta* (Rossi, 1790) (Pompilidae)
179. *Ceropales helvetica* Tournier, 1889 (Pompilidae)
180. *Ceutorhynchus sophiae* Gyllenhal, 1837 (Curculionidae)
181. *Ceutorhynchus subpilosus* Brisoth, 1869 (Curculionidae)
182. *Chaetocnema chlorophana* (Duftschmid, 1825) (Chrysomelidae)
183. *Chaetocnema coyei* (Allard, 1863) (Chrysomelidae)
184. *Chaetocnema hortensis* (Geoffroy, 1785) (Chrysomelidae)
185. *Chaetocnema montenegrina* Heikertinger, 1912 (Chrysomelidae)
186. *Chaetocnema obesa* (Boieldieu, 1859) (Chrysomelidae)
187. *Chaetocnema scheffleri* (Kutschera, 1864) (Chrysomelidae)
188. *Chaetocnema tibialis* (Illiger, 1807) (Chrysomelidae)
189. *Chalicodoma* (s.str.) *parietina* (Geoffroy, 1785) (Megachilidae)
190. *Charora pentagrammica* Bolivar, 1899 (Acrididae)
191. *Chiasmus conspurcatus* (Perris, 1857) (Cicadellidae)
192. *Chlorita tessellata* Lethierry, 1884 (Cicadellidae)
193. *Chorthippus* (*Chorthippus*) *parallelus* (Zetterstedt, 1821) (Acrididae)
194. *Chorthippus* (*Glyptobothrus*) *brunneus* (Thunberg, 1815) (Acrididae)
195. *Chorthippus* (*Glyptobothrus*) *taurensis* Şirin & Çıplak, 2005 (Acrididae)
196. *Chorthippus* (s.str.) *dichrous* (Eversmann, 1859) (Acrididae)
197. *Chromovalgus peyroni* (Mulsant & Wachanru, 1852) (Scarabaeidae)
198. *Chrysolina didymata* (Scriba, 1791) (Chrysomelidae)
199. *Chrysolina gypsophilae* (Küster, 1845) (Chrysomelidae)
200. *Chrysolina herbacea* (Duftschmid, 1825) (Chrysomelidae)
201. *Chrysolina marginata* (Linnaeus, 1758) (Chrysomelidae)
202. *Chrysolina reitteri* (Weise, 1884) (Chrysomelidae)
203. *Chrysolina sahlbergi* (Ménétriés, 1832) (Chrysomelidae)
204. *Chrysolina sellata* (Weise, 1894) (Chrysomelidae)
205. *Chrysomela saliceti* (Weise, 1884) (Chrysomelidae)
206. *Chrysopa hungarica* Klapalek, 1899 (Chrysopidae)
207. *Chrysops* (*Petersenichrysops*) *buxtoni* Austen, 1922 (Tabanidae)
208. *Chrysops* (s.str.) *caecutiens* (Linnaeus, 1761) (Tabanidae)
209. *Chrysops* (s.str.) *flavipes* Meigen, 1804 (Tabanidae)
210. *Chrysops* (s.str.) *viduatus* (Fabricius, 1794) (Tabanidae)
211. *Cicadatra hyalina* (Fabricius, 1798) (Cicadidae)
212. *Cicadatra platyptera* Fieber, 1876 (Cicadidae)
213. *Cicadetta flaveola* (Brullé, 1832) (Cicadidae)
214. *Cicadula placida* (Horvath, 1897) (Cicadellidae)
215. *Cicindela campestris* Linnaeus, 1758 (Carabidae)
216. *Cionus donckieri* Pic, 1898 (Curculionidae)
217. *Circulifer haematoceps* (Mulsant & Rey, 1855) (Cicadellidae)
218. *Cixidia mersinica* (Dlabola, 1987) (Achilidae)
219. *Cixius pallipes* Fieber, 1876 (Cixiidae)
220. *Cixius remotus* Edwards, 1888 (Cixiidae)
221. *Claviger olympicus* Escherich, 1897 (Staphylinidae)
222. *Clytra atraphaxidis* (Pallas, 1773) (Chrysomelidae)
223. *Clytra bodemeyeri* Weise, 1900 (Chrysomelidae)
224. *Clytra novempunctata* Olivier, 1808 (Chrysomelidae)
225. *Clytra valeriana* Ménétriés, 1832 (Chrysomelidae)
226. *Coelioxys* (*Allocoelioxys*) *afra* Lepeletier, 1841 (Megachilidae)
227. *Coelioxys* (s.str.) *aurolimbata* Förster, 1853 (Megachilidae)
228. *Coenorrhinus aequatus* (Linnaeus, 1767) (Atelabidae)
229. *Coenorrhinus cribrum* (Desbrochers, 1875) (Atelabidae)
230. *Colaphus sophiae* (Schaller, 1783) (Chrysomelidae)
231. *Collyria coxator* (Villers, 1789) (Ichneumonidae)
232. *Colpa quinquecincta* (Fabricius, 1775) (Scolidae)
233. *Colpotus punctipleuris* Reitter, 1904 (Tenebrionidae)
234. *Colymbetes fuscus* (Linnaeus, 1758) (Dytiscidae)
235. *Conomelus odryssius* Dlabola, 1965 (Delphacidae)
236. *Conophorus gracilis* Dils & Özbek, 2006 (Bombyliidae)
237. *Conops silaceus* Wiedemann, 1824 (Conopidae)
238. *Corixa affinis* Leach, 1818 (Corixidae)
239. *Corixa dentipes* Thomson, 1869 (Corixidae)
240. *Corixa jakowleffi* Horvath, 1879 (Corixidae)
241. *Corixa panzeri* (Fieber, 1848) (Corixidae)
242. *Corixa punctata* (Illiger, 1807) (Corixidae)
243. *Creightonella* (*Metamegachile*) *albisecta* (Klug, 1817) (Megachilidae)
244. *Creoleon lugdunensis* (Villers, 1789) (Myrmeleonidae)
245. *Crepidodera aurata* (Marsham, 1802) (Chrysomelidae)
246. *Cryptocephalus biledjekensis* Pic, 1909 (Chrysomelidae)
247. *Cryptocephalus bipunctatus* (Linnaeus, 1758) (Chrysomelidae)
248. *Cryptocephalus concolor* Suffrian, 1847 (Chrysomelidae)
249. *Cryptocephalus imperialis* Laicharting, 1781 (Chrysomelidae)
250. *Cryptocephalus moraei* (Linnaeus, 1758) (Chrysomelidae)
251. *Cryptocephalus octomaculatus* Rossi, 1790 (Chrysomelidae)
252. *Cryptocephalus parvulus* Müller, 1776 (Chrysomelidae)

253. **Cryptocephalus prusias** Suffrian,1853
(Chrysomelidae)
254. **Cryptocephalus turcicus** Suffrian,1847
(Chrysomelidae)
255. **Cryptocheilus albosignatus** Susterera,1924
(Pompilidae)
256. **Cryptocheilus alternatus**
(Lepeletier,1845) (Pompilidae)
257. **Cryptocheilus discolor** (Fabricius,1793)
(Pompilidae)
258. **Cryptocheilus exiguus** Susterera,1924
(Pompilidae)
259. **Cryptocheilus fabricii** (Van der
Linden,1827) (Pompilidae)
260. **Cryptocheilus fischeri** (Spinola,1855)
(Pompilidae)
261. **Cryptocheilus freygessneri** (Kohl,1883)
(Pompilidae)
262. **Cryptocheilus hebraeus** Susterera,1924
(Pompilidae)
263. **Cryptocheilus ichneumonoides**
(Costa,1874) (Pompilidae)
264. **Cryptocheilus rubellus**
(Eversmann,1846) (Pompilidae)
265. **Cryptocheilus rufatus** Priesner,1967
(Pompilidae)
266. **Cryptocheilus susterai** (Haupt,1930)
(Pompilidae)
267. **Cryptocheilus tredecimmaculatus**
Haupt,1962 (Pompilidae)
268. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
269. **Cryptocheilus variipennis** Susterera,1924
(Pompilidae)
270. **Cryptocheilus versicolor** (Scopoli,1763)
(Pompilidae)
271. **Cryptus armator** Fabricius,1804
(Ichneumonidae)
272. **Cryptus leucocheir** (Ratzeburg,1844)
(Ichneumonidae)
273. **Cryptus viduatorius** Fabricius,1804
(Ichneumonidae)
274. **Ctenotilla caeca** (Radoszkowski,1879)
(Mutillidae)
275. **Culicoides circumscriptus** Kieffer,1918
(Ceratopogonidae)
276. **Culicoides flavipulicaris** Dzhanfarov,1964
(Ceratopogonidae)
277. **Culicoides gejgelensis** Dzhanfarov,1964
(Ceratopogonidae)
278. **Culicoides maritimus** Kieffer,1924
(Ceratopogonidae)
279. **Culicoides newsteadi** Austen,1921
(Ceratopogonidae)
280. **Culicoides obsoletus** (Meigen,1818)
(Ceratopogonidae)
281. **Culicoides pulicaris** (Linnaeus,1758)
(Ceratopogonidae)
282. **Culicoides punctatus** (Meigen,1804)
(Ceratopogonidae)
283. **Culicoides salinarius** Kieffer,1914
(Ceratopogonidae)
284. **Culicoides simulator** Edwards,1939
(Ceratopogonidae)
285. **Culicoides vexans** (Staeger,1839)
(Ceratopogonidae)
286. **Cybister** (Scaphinectes)
lateralimarginalis (De Geer,1774) (Dytiscidae)
287. **Cymatia rogenhoferi** (Fieber,1864)
(Corixidae)
288. **Dallognatha quadricollis** Brullé,1832
(Tenebrionidae)
289. **Dalmannia marginata** (Meigen,1824)
(Conopidae)
290. **Dalmannia punctata** (Fabricius,1794)
(Conopidae)
291. **Dasyrhamphis umbrinus** (Meigen,1820)
(Tabanidae)
292. **Delta unguiculatum** (Villers,1789)
(Vespidae)
293. **Dendarus** (Pandarinus) **crenulatus**
(Ménétriés,1832) (Tenebrionidae)
294. **Dendarus** (Pandarinus) **moesiacus**
Mulsant & Rey,1854 (Tenebrionidae)
295. **Dendarus** (Pandarinus) **punctatus**
Audinet-Serville,1825 (Tenebrionidae)
296. **Dendarus** (Pandarinus) **tenellus** Mulsant
& Rey,1854 (Tenebrionidae)
297. **Depressotetrix depressa** (Brisout,1848)
(Tetrigidae)
298. **Derocrepis anatolica** Heikertinger,1922
(Chrysomelidae)
299. **Deronectes parvicollis** (Schaum,1864)
(Dytiscidae)
300. **Dibolia depressiuscula** (Letzner,1847)
(Chrysomelidae)
301. **Dibolia rufofemorata** Reitter,1896
(Chrysomelidae)
302. **Dibolia schillingii** (Letzner,1847)
(Chrysomelidae)
303. **Dichrogaster diatropus** Townes,1983
(Ichneumonidae)
304. **Dicronychus iconiensis** (Pic,1908)
(Elateridae)
305. **Dicyrtomellus argenteus** Wahis,1982
(Pompilidae)
306. **Dioctria valida** Loew,1856 (Asilidae)
307. **Dociostaurus** (Kazakia) **brevicollis**
(Eversmann,1848) (Acrididae)
308. **Dociostaurus** (Notostaurus) **anatolicus**
Krauss,1896 (Acrididae)
309. **Dociostaurus** (s.str.) **maroccanus**
(Thunberg,1815) (Acrididae)
310. **Dociostaurus** (s.str.) **salmani** Demirsoy,1977
(Acrididae)
311. **Dociostaurus** (Stauronotulus) **hauensteini**
(Bolivar,1893) (Acrididae)
312. **Dolichovespula sylvestris** (Scopoli,1763)
(Vespidae)
313. **Doratulina instabilis** (Ribaut,1948)
(Cicadellidae)
314. **Dorcadion** (Cribridorcadion) **divisum**
Germar,1839 (Cerambycidae)
315. **Dryodurgades reticulatus** (Herrich-
Schäffer,1834) (Cicadellidae)
316. **Dyrodere umbraculatus** (Fabricius,1775)
(Pentatomidae)
317. **Dytiscus marginalis** Linnaeus,1758
(Dytiscidae)
318. **Edwardsiana rosae** (Linnaeus,1758)
(Cicadellidae)
319. **Emblethis brachynotus** Horvath,1907
(Lygaeidae)
320. **Emblethis denticollis** Hovarth,1878
(Lygaeidae)
321. **Emblethis karamanus** Seidenstücker,1963
(Lygaeidae)

322. **Emblethis sabulosus** Seidenstücker,1963
(Lygaeidae)
323. **Emblethis verbasci** (Fabricius,1803)
(Lygaeidae)
324. **Empis (s.str.) inopinata** Collin,1960
(Empididae)
325. **Empis (s.str.) lepidopus** Meigen,1822
(Empididae)
326. **Empoasca solani** (Curtis,1846)
(Cicadellidae)
327. **Empusa fasciata** Brullé,1836 (Empusidae)
328. **Enallagma cyathigerum**
(Charpentier,1840) (Coenagrionidae)
329. **Enicospilus ramidulus** (Linnaeus,1758)
(Ichneumonidae)
330. **Enochrus (Lumetus) segmentinotatus**
(Kuwert,1888) (Hydrophilidae)
331. **Entomogonus (Delonurops) saphyrinus**
Allard,1876 (Tenebrionidae)
332. **Entomoscelis adonidis** (Pallas,1771)
(Chrysomelidae)
333. **Entomoscelis suturalis** Weise,1882
(Chrysomelidae)
334. **Eoferreola anatolica** Piesner,1973
(Pompilidae)
335. **Eoferreola distincta** (Smith,1855)
(Pompilidae)
336. **Eoferreola manticata** (Pallas,1771)
(Pompilidae)
337. **Episyron candiotum** Wahis,1966 (Pompilidae)
338. **Episyron gallicum** (Tournier,1889)
(Pompilidae)
339. **Erythromma viridulum**
(Charpentier,1840) (Coenagrionidae)
340. **Euchorthippus pulvinatus** (Fischer von
Waldheim,1846) (Acrididae)
341. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
342. **Eumenes coronatus** (Panzer,1799)
(Vespidae)
343. **Eumenes dubius** Saussure,1852 (Vespidae)
344. **Eumenes jarkandensis** Blüthgen,1938
(Vespidae)
345. **Eumenes lunulatus** (Fabricius,1804)
(Vespidae)
346. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
347. **Euodynerus (Pareuodynerus) notatus**
(Jurine,1807) (Vespidae)
348. **Euodynerus (s.str.) curictensis**
Blüthgen,1940 (Vespidae)
349. **Eupelix cuspidata** (Fabricius,1775)
(Cicadellidae)
350. **Eupteryx taborskyi** Dlabola,1957
(Cicadellidae)
351. **Eupteryx thoulessi** Edwards,1926
(Cicadellidae)
352. **Eurybregma nigrolineata** Scott,1875
(Delphacidae)
353. **Eurydema blanda** Horvath,1803
(Pentatomidae)
354. **Eurydema fieberi** Schummel,1836
(Pentatomidae)
355. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
356. **Eurydema rugulosa** (Dohrn,1860)
(Pentatomidae)
357. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)
358. **Euryproctus numidicus** Schmiedeknecht
(Ichneumonidae)
359. **Euscelis lineolatus** Brullé,1832
(Cicadellidae)
360. **Eusphalerum korbi** (Bernhauer,1903)
(Staphylinidae)
361. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
362. **Evagetes elongatus** Lepeletier,1845
(Pompilidae)
363. **Evagetes iconionus** Wolf,1970
(Pompilidae)
364. **Evagetes pectinipes** (Linnaeus,1758)
(Pompilidae)
365. **Evagetes pontomoravicus** (Sustera,1938)
(Pompilidae)
366. **Evagetes schwarzi** (Priesner,1965)
(Pompilidae)
367. **Evagetes tumidosus** (Tournier,1890)
(Pompilidae)
368. **Exitianus fasciolatus** (Melichar,1911)
(Cicadellidae)
369. **Exochus erythronotus**
(Gravenhorst,1820) (Ichneumonidae)
370. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
371. **Gelis cyanurus** (Förster,1851) (Ichneumonidae)
372. **Geocoris arenarius** (Jakovlev,1867)
(Lygaeidae)
373. **Glyphotmethis dimorphus** (Uvarov,1934)
(Pamphagidae)
374. **Glyphotmethis escherichi** (Krauss,1896)
(Pamphagidae)
375. **Glyphotmethis holtzi** (Werner,1901)
(Pamphagidae)
376. **Gnaptor prolixus** Fairmaire,1866
(Tenebrionidae)
377. **Gomphus schneideri** Selys,1850 (Gomphidae)
378. **Gonia ornata** Meigen,1826 (Tachinidae)
379. **Gonioctena fornicata**
(Brüggemann,1873) (Chrysomelidae)
380. **Gonocephalum costatum** Brullé,1832
(Tenebrionidae)
381. **Gonocephalum granulatum** (Fabricius,1791)
(Tenebrionidae)
382. **Gonocephalum rusticum** (Olivier,1811)
(Tenebrionidae)
383. **Graptodytes veterator**
(Zimmermann,1918) (Dytiscidae)
384. **Gryllomorpha (s.str.) willemsi**
Uvarov,1934 (Gryllidae)
385. **Gryllotalpa gryllotalpa** (Linnaeus,1758)
(Gryllotalpidae)
386. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
387. **Grypotes staurus** Ivanoff,1885
(Cicadellidae)
388. **Haematopota bigoti** Gobert,1881
(Tabanidae)
389. **Haematopota crassicornis**
Wahlberg,1848 (Tabanidae)
390. **Haematopota hennauxi** Leclercq,1967
(Tabanidae)
391. **Haematopota kemali** Szilady,1923 (Tabanidae)
392. **Haematopota pallens** Loew,1871
(Tabanidae)
393. **Haematopota pavlovskii** Hauser,1960
(Tabanidae)

394. **Haematopota pluvialis (Linnaeus,1761)** (Tabanidae)
395. **Haematopota sewelli Austen,1920** (Tabanidae)
396. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae)
397. **Helophorus subcarinatus Angus,1985** (Helophoridae)
398. **Helophorus terminassianae Angus,1984** (Helophoridae)
399. **Hemerobius friedeli Aspöck & Aspöck,1966** (Hemerobiidae)
400. **Hesperocorixa parallela (Fieber,1860)** (Corixidae)
401. **Holochelus (Miltotrogus) escherichi Brenske,1897** (Scarabaeidae)
402. **Homodela ismenia (Gory,1833)** (Carabidae)
403. **Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae)
404. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae)
405. **Hoplitis (Alcidamea) garzetta (Warncke,1991)** (Megachilidae)
406. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae)
407. **Hoplitis (Alcidamea) xanthoprymna (Warncke,1991)** (Megachilidae)
408. **Hoplitis (Annosmia) gentilis (Warncke,1991)** (Megachilidae)
409. **Hoplitis (Annosmia) mutica (Warncke,1991)** (Megachilidae)
410. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae)
411. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae)
412. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae)
413. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae)
414. **Hyalesthes luteipes Fieber,1876** (Cixiidae)
415. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)
416. **Hyalesthes ponticorum Hoch & Remane,1985** (Cixiidae)
417. **Hyalesthes veyseli Hoch,1985** (Cixiidae)
418. **Hybomitra acuminata (Loew,1858)** (Tabanidae)
419. **Hybomitra ciureai (Seguy,1937)** (Tabanidae)
420. **Hybomitra distinguenda (Verrall,1909)** (Tabanidae)
421. **Hybomitra expollicata (Pandelle,1883)** (Tabanidae)
422. **Hybomitra muehlfeldi (Brauer,1880)** (Tabanidae)
423. **Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae)
424. **Hycleus scabiosae (Olivier,1811)** (Meloidae)
425. **Hydroglyphus geminus (Fabricius,1792)** (Dytiscidae)
426. **Hydroporus marginatus (Duftschmid,1805)** (Dytiscidae)
427. **Hydroporus planus (Fabricius,1781)** (Dytiscidae)
428. **Hygrotus (Coelambus) confluens (Fabricius,1787)** (Dytiscidae)
429. **Hygrotus (Coelambus) lernaeus (Schaum,1857)** (Dytiscidae)
430. **Hygrotus (s.str.) inaequalis (Fabricius,1777)** (Dytiscidae)
431. **Hypocassida subferruginea (Schrank,1776)** (Chrysomelidae)
432. **Ilybius fuliginosus (Fabricius,1792)** (Dytiscidae)
433. **Ilyocoris cimicoides (Linnaeus,1758)** (Naucoridae)
434. **Ischnomera cinerascens (Pandellé,1867)** (Oedemeridae)
435. **Ischnomera fulvicollis (Reitter,1897)** (Oedemeridae)
436. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae)
437. **Isophya anatolica Ramme,1951** (Tettigoniidae)
438. **Isophya major Brunner von Wattenwyl,1878** (Tettigoniidae)
439. **Italochrysa italica (Rossi,1790)** (Chrysopidae)
440. **Itoplectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae)
441. **Javesella obscurella (Boheman,1847)** (Delphacidae)
442. **Javesella pellucida (Fabricius,1794)** (Delphacidae)
443. **Jugurtia eurycara Kostylev,1935** (Vespidae)
444. **Katamenes flavigularis (Blüthgen,1951)** (Vespidae)
445. **Katamenes sichelii (Saussure,1852)** (Vespidae)
446. **Kelisia ribauti Wagner,1938** (Delphacidae)
447. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae)
448. **Klapperichicen viridissima (Walker,1858)** (Cicadidae)
449. **Kokujewia clementi Zirngiebl,1949** (Argidae)
450. **Kybos virgator (Ribaut,1933)** (Cicadellidae)
451. **Labidostomis decipiens Faldermann,1837** (Chrysomelidae)
452. **Labidostomis korbi Weise,1901** (Chrysomelidae)
453. **Labidostomis mesopotamica Heyden,1886** (Chrysomelidae)
454. **Laburru handlirschi (Matsumura,1908)** (Cicadellidae)
455. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
456. **Laccobius (Dimorpholaccobius) scutellaris Motschoulsky,1855** (Hydrophilidae)
457. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)
458. **Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae)
459. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
460. **Laccophilus hyalinus (De Geer,1774)** (Dytiscidae)
461. **Laccophilus minutus (Linnaeus,1758)** (Dytiscidae)
462. **Laccophilus poecilus Klug,1834** (Dytiscidae)
463. **Laena theana Reitter,1906** (Tenebrionidae)
464. **Larinus sturnus (Schaller,1878)** (Curculionidae)
465. **Lasiacantha gracilis (Herrich-Schäffer,1830)** (Tingidae)

466. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
467. **Lasioglossum (s.str.) caspicum** (Morawitz,1873) (Halictidae)
468. **Lasioglossum (s.str.) fallax** (Morawitz,1874) (Halictidae)
469. **Lasioglossum argaeum** (Blüthgen,1931) (Halictidae)
470. **Lasioglossum costulatum** (Kriechbaumer,1873) (Halictidae)
471. **Lasioglossum discum** (Smith,1853) (Halictidae)
472. **Latibulus argiolus** (Rossi,1790) (Ichneumonidae)
473. **Leptochilus hethiticus** Gusenleitner,1985 (Vespidae)
474. **Leptochilus kemali** Gusenleitner,1977 (Vespidae)
475. **Leptochilus membranaceus** (Morawitz,1867) (Vespidae)
476. **Lertha ledereri** (Selys-Longchamps,1866) (Nemopteridae)
477. **Lertha schmidti** (H.Aspöck, U.Aspöck & Hölzel,1984) (Nemopteridae)
478. **Lertha sheppardi** (Kirby,1904) (Nemopteridae)
479. **Leucorrhinia pectoralis** (Charpentier,1825) (Libellulidae)
480. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
481. **Libellula pontica** Selys,1887 (Libellulidae)
482. **Linnavuoriana sexmaculata** (Hardy,1850) (Cicadellidae)
483. **Liponeura lindneri** Zwick,1972 (Blephariceridae)
484. **Lissonota (Loxonota) flavovariegata** (Lucas,1849) (Ichneumonidae)
485. **Locusta migratoria** (Linnaeus,1758) (Acrididae)
486. **Longitarsus absynthii** Kutschera,1862 (Chrysomelidae)
487. **Longitarsus albineus** (Foudras,1860) (Chrysomelidae)
488. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
489. **Longitarsus exsoletus** (Linnaeus,1758) (Chrysomelidae)
490. **Longitarsus hittita** Biondi,1995 (Chrysomelidae)
491. **Longitarsus iconiensis** Weise,1900 (Chrysomelidae)
492. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae)
493. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
494. **Lophyridia caucasica** (Adams,1817) (Carabidae)
495. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
496. **Lucanus (s.str.) ibericus** Motschoulsky,1845 (Lucanidae)
497. **Lycocoris dimidiatus** (Spinola,1837) (Anthocoridae)
498. **Lydus turcicus** Kaszab,1952 (Meloidae)
499. **Lygaeosoma anaticum** Seidenstücker,1960 (Lygaeidae)
500. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
501. **Lygaeus creticus** (Lucas,1854) (Lygaeidae)
502. **Macronemurus bilineatus** Brauer,1868 (Myrmeleonidae)
503. **Macrophyta blanda** Fabricius,1775 (Tenthredinidae)
504. **Macrophyta cyrus** Benson,1954 (Tenthredinidae)
505. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
506. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
507. **Macrosteles forficula** (Ribaut,1927) (Cicadellidae)
508. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
509. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
510. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
511. **Maladera (Macroserica) armeniaca** Reitter,1896 (Scarabaeidae)
512. **Maladera (Macroserica) punctatissima** (Faldermann,1835) (Scarabaeidae)
513. **Malthinus crenaticeps** Wittmer,1974 (Cantharidae)
514. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
515. **Mantispa styriaca** (Poda,1761) (Mantispidae)
516. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
517. **Mayetiola destructor** (Say,1817) (Cecidomyiidae)
518. **Megabombus argillaceus** (Scopoli,1763) (Apidae)
519. **Megabombus armeniacus** (Radoszkowski,1877) (Apidae)
520. **Megabombus zonatus** (Smith,1854) (Apidae)
521. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
522. **Meloe erythrocnemus** Pallas,1782 (Meloidae)
523. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
524. **Meloe tuccicus** Rossi,1792 (Meloidae)
525. **Merodon hamifer** Sack,1913 (Syrphidae)
526. **Metacantharis araxicola** Reitter,1891 (Cantharidae)
527. **Metopius (Ceratopius) erythropus** Kriechbaumer,1894 (Ichneumonidae)
528. **Metopius (Peltocarus) croceicornis** Thomson,1887 (Ichneumonidae)
529. **Metrioptera (Roeseliana) bispina** (Bolivar,1899) (Tettigoniidae)
530. **Microdynerus confinis** Gusenleitner,1979 (Vespidae)
531. **Microdynerus eurasius** Blüthgen,1938 (Vespidae)
532. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
533. **Micronecta pusilla** (Horvath,1895) (Corixidae)
534. **Microphadnus pumilus** (Costa,1882) (Pompilidae)
535. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
536. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
537. **Muzimes obenbergeri** (Kaszab,1958) (Meloidae)

538. **Myennis octopunctata (Coquebert,1798)**
(Ulidiidae)
539. **Mylabris calida (Pallas,1781)** (Meloidae)
540. **Mylabris concolor Marseul,1870**
(Meloidae)
541. **Mylabris fabricii Sumakov,1924** (Meloidae)
542. **Mylabris fusca (Olivier,1811)** (Meloidae)
543. **Mylabris olivieri Billberg,1813** (Meloidae)
544. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
545. **Mylabris scabiosae (Olivier,1811)**
(Meloidae)
546. **Mylabris variabilis (Pallas,1782)**
(Meloidae)
547. **Mylabris zebraea (Marseul,1870)** (Meloidae)
548. **Myopa dorsalis Fabricius,1794**
(Conopidae)
549. **Myopa occulta Wiedemann,1824**
(Conopidae)
550. **Myopites apicatus Freidberg,1979**
(Tephritidae)
551. **Myrmecaelurus maior McLachan,1875**
(Myrmeleonidae)
552. **Myrmecaelurus major McLachlan,1875**
(Myrmeleonidae)
553. **Myrmecaelurus trigrammus (Pallas,1781)**
(Myrmeleonidae)
554. **Myrmecaelurus trigrammus**
(Pallas,1781) (Myrmeleonidae)
555. **Myrmilla (Pseudomutilla) glabrata**
(Fabricius,1775) (Mutillidae)
556. **Myrmilla (s.str.) caucasica**
(Kolenati,1846) (Mutillidae)
557. **Nebrioporus suavis (Sharp,1882)** (Dytiscidae)
558. **Nebrioporus turca (Seidlitz,1887)**
(Dytiscidae)
559. **Nemka viduata (Pallas,1773)** (Mutillidae)
560. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
561. **Nemorius vitripennis (Meigen,1820)**
(Tabanidae)
562. **Nemotelus (s.str.) pantherinus**
(Linnaeus,1758) (Stratiomyidae)
563. **Nealiturus guttulatus**
(Kirschbaum,1868) (Cicadellidae)
564. **Neocrepidodera ferruginea**
(Scopoli,1763) (Chrysomelidae)
565. **Neophilaenus minor (Kirschbaum,1868)**
(Cercopidae)
566. **Nephrotoma appendiculata (Pierre,1919)**
(Tipulidae)
567. **Nephrotoma cornicina (Linnaeus,1758)**
(Tipulidae)
568. **Nephrotoma croceiventris (Strobl,1909)**
(Tipulidae)
569. **Nephrotoma theowaldi**
Oosterbroek,1978 (Tipulidae)
570. **Netelia (s.str.) fuscicornis**
(Holmgren,1860) (Ichneumonidae)
571. **Nicrophorus germanicus (Linnaeus,1758)**
(Silphidae)
572. **Nohoveus atrifrons Hölzel,1970**
(Myrmeleonidae)
573. **Noterus clavicornis (De Geer,1774)** (Noteridae)
574. **Noterus clavicornis (De Geer,1774)** (Noteridae)
575. **Notonecta viridis Delcourt,1909**
(Notonectidae)
576. **Odontomyia hydroleon (Linnaeus,1758)**
(Stratiomyidae)
577. **Oedaleus decorus (Germar,1817)** (Acrididae)
578. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
579. **Oedipoda aurea Uvarov,1923** (Acrididae)
580. **Oedipoda miniata (Pallas,1771)** (Acrididae)
581. **Oedipoda schochi Saussure,1884** (Acrididae)
582. **Oliarus pallens (Germar,1821)** (Cixiidae)
583. **Omalius assingi Zanetti,2002**
(Staphylinidae)
584. **Omalius littorale Kraatz,1857**
(Staphylinidae)
585. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
586. **Onychogomphus forcipatus**
(Linnaeus,1758) (Gomphidae)
587. **Opatroides punctulatus Brullé,1832**
(Tenebrionidae)
588. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
589. **Ophonus (Hesperophonus) azureus**
(Fabricius,1775) (Carabidae)
590. **Opilo taeniatus (Klug,1842)** (Cleridae)
591. **Opsius lethierryi Wagner,1942** (Cicadellidae)
592. **Orellia punctata (Schrank,1781)**
(Tephritidae)
593. **Orellia steropea (Rondani,1870)**
(Tephritidae)
594. **Orthetrum cancellatum (Linnaeus,1758)**
(Libellulidae)
595. **Osmanius bathasari (Petrovitz,1963)**
(Scarabaeidae)
596. **Osmia (Helicosmia) aquila**
Warncke,1988 (Megachilidae)
597. **Osmia (Helicosmia) breviata Warncke,1988**
(Megachilidae)
598. **Osmia (Helicosmia) caerulescens**
(Linnaeus,1758) (Megachilidae)
599. **Osmia (Hemiosmia) difficilis**
Morawitz,1875 (Megachilidae)
600. **Osmia (s.str.) cerinthidis Morawitz,1876**
(Megachilidae)
601. **Osmia (Tergosmia) rhodoensis**
(Zanden,1983) (Megachilidae)
602. **Osmia (Tergosmia) tergestensis**
Ducke,1897 (Megachilidae)
603. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
604. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
605. **Pachybrachis (s.str.) sinuatus Mulsant &**
Rey,1859 (Chrysomelidae)
606. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
607. **Paluda vitripennis (Flor,1861)**
(Cicadellidae)
608. **Pangonius (s. str.) obscuratus Loew,1859**
(Tabanidae)
609. **Pangonius (s.str.) flavocinctus**
Szilady,1923 (Tabanidae)
610. **Panorpa aspoecki Willmann,1973** (Panorpidae)
611. **Panorpa picta Hagen,1863** (Panorpidae)
612. **Paracorixa concinna (Fieber,1848)** (Corixidae)
613. **Paralimnus inexpectatus Dlabola,1961**
(Cicadellidae)
614. **Paralimnus picturatus Haupt,1930**
(Cicadellidae)
615. **Paranocarodes beieri (Ramme,1951)**
(Pamphagidae)

616. **Parodontodynerus ephippium** (Klug,1817)
(Vespidae)
617. **Pausias martini** (Puton,1890) (Pentatomidae)
618. **Pedestredorcadion anaticum** (Pic,1900)
(Cerambycidae)
619. **Pedestredorcadion subvestitum**
(Daniel,1900) (Cerambycidae)
620. **Pedinpompilus obscurus** (Haupt,1962)
(Pompilidae)
621. **Pedinpompilus orbitalis** (Haupt,1962)
(Pompilidae)
622. **Pedinpompilus wolffi** (Priesner,1965)
(Pompilidae)
623. **Pedinus (s.str.) kiesenwetteri**
Seidlitz,1893 (Tenebrionidae)
624. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
625. **Peirates hybridus** (Scopoli,1763)
(Reduviidae)
626. **Peirates strepitans** (Rambur,1839)
(Reduviidae)
627. **Peltodytes caesus** (Duftschmid,1805)
(Halipilidae)
628. **Penicillidia conspicua** Speiser,1901
(Nycteribiidae)
629. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
630. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
631. **Pentastira megista** Emeljanov,1978 (Cixiidae)
632. **Pentastiridius leporinus** (Linnaeus,1761)
(Cixiidae)
633. **Pentodon algerinum** Herbst,1789
(Scarabaeidae)
634. **Pentodon bidens** (Pallas,1771)
(Scarabaeidae)
635. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)
636. **Pezodrymadusa angorensis**
(Uvarov,1930) (Tettigoniidae)
637. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
638. **Pheidole pallidula** (Nylander,1848)
(Formicidae)
639. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
640. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
641. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
642. **Phrosinella nasuta** (Meigen,1824)
(Sarcophagidae)
643. **Phrosinella tadhika** (Rodhendorf,1935)
(Sarcophagidae)
644. **Phthiridium biarticulatum**
Hermann,1804 (Nycteribiidae)
645. **Phyllodromica beybienkoi** Maran,1957
(Blattidae)
646. **Phyllotreta acutecarinata**
Heikertinger,1941 (Chrysomelidae)
647. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
648. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
649. **Phyllotreta dacica** Heikertinger,1941
(Chrysomelidae)
650. **Phyllotreta egridirensis** Gruev &
Kasap,1985 (Chrysomelidae)
651. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
652. **Phyllotreta procera** (Redtenbacher,1849)
(Chrysomelidae)
653. **Physetopoda similis** (Lelej,1984)
(Mutillidae)
654. **Pignatellus irroratus** (Olivier,1811)
(Myrmeleonidae)
655. **Pimelia (Eurypimelia) akbesiana**
Fairmaire,1884 (Tenebrionidae)
656. **Pimelia (Eurypimelia) anatolica**
Reitter,1915 (Tenebrionidae)
657. **Pimelia (Eurypimelia) subglobosa**
(Pallas,1781) (Tenebrionidae)
658. **Pimelia (Eurypimelia) subglobosa**
salaria Reitter,1915 (Tenebrionidae)
659. **Pimelia (Gedeon) wernerii**
Ganglbauer,1905 (Tenebrionidae)
660. **Pimpla turionellae** (Linnaeus,1758)
(Ichneumonidae)
661. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
662. **Platycheirus ambiguus** (Fallén,1817)
(Syrphidae)
663. **Platycheirus tarsalis** (Schummel,1836)
(Syrphidae)
664. **Platycleis (Montana) schereri**
Werner,1905 (Tettigoniidae)
665. **Platycleis (Montana) taurica**
Bolivar,1899 (Tettigoniidae)
666. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
667. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
668. **Platymetopius (s.str.) henribauti**
Dlabola,1961 (Cicadellidae)
669. **Plea minutissima** Leach,1817 (Pleidae)
670. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
671. **Podagrica menetriesi** (Faldermann,1837)
(Chrysomelidae)
672. **Podagrionella konyaensis** O.Doğanlar &
M.Doğanlar,2009 (Torymidae)
673. **Poecilimon davisii** Karabağ,1953
(Tettigoniidae)
674. **Poecilimon excisus** Karabağ,1950
(Tettigoniidae)
675. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
676. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
677. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
678. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
679. **Priocnemis diversa** Junco,1946
(Pompilidae)
680. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
681. **Priocnemis fastigiata** Haupt,1934 (Pompilidae)
682. **Priocnemis minuta** (Van der
Linden,1827) (Pompilidae)
683. **Priocnemis propinqua** (Lepelletier,1847)
(Pompilidae)
684. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
685. **Pristaulacus gloriator** (Fabricius,1804)
(Aulacidae)
686. **Probaticus (Pelorinus) adimonius**
(Allard,1876) (Tenebrionidae)

687. **Probatiscus (Pelorinus) maurus** (Waltl,1838) (Tenebrionidae)
688. **Probatiscus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
689. **Prostemma bicolor Rambur,1842** (Nabidae)
690. **Prostemma sanguineum Rossi,1790** (Nabidae)
691. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae)
692. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae)
693. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
694. **Protaetia (Potosia) vidua (Gory & Perchenson,1833)** (Scarabaeidae)
695. **Psammodictyon alienus (Dahlbom,1850)** (Cicadellidae)
696. **Psammodictyon cephalotes (Herrich-Schäffer,1834)** (Cicadellidae)
697. **Psammodictyon confinis (Dahlbom,1850)** (Cicadellidae)
698. **Psammodictyon provincialis (Ribaut,1925)** (Cicadellidae)
699. **Psammodictyon striatum (Linnaeus,1758)** (Cicadellidae)
700. **Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae)
701. **Pseudepipona (Deuterepipona) ionia (Saussure,1855)** (Vespidae)
702. **Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae)
703. **Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae)
704. **Psylliodes ellipticus Allard,1861** (Chrysomelidae)
705. **Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae)
706. **Psylliodes sophiae Heikertinger,1914** (Chrysomelidae)
707. **Psylliodes vindobonensis Heikertinger,1914** (Chrysomelidae)
708. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
709. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
710. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae)
711. **Pyrobombus niveatus (Kriechbaumer,1870)** (Apidae)
712. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae)
713. **Quadrastylum beysehiricum Dlabola,1983** (Issidae)
714. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae)
715. **Rabdophaga strobilina (Brems,1847)** (Cecidomyiidae)
716. **Raiboscelis coelestinus (Waltl,1838)** (Tenebrionidae)
717. **Ramburiella bolivari (Kuthy,1907)** (Acrididae)
718. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
719. **Rammeola anatolica Uvarov,1934** (Tettigoniidae)
720. **Ranatra linearis (Linnaeus,1758)** (Nepidae)
721. **Rantus suturalis (Macleay,1825)** (Dytiscidae)
722. **Raphidia (Phidiara) resslii H.Aspöck & U.Aspöck,1964** (Raphidiidae)
723. **Raphidia cypria Navas,1931** (Raphidiidae)
724. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
725. **Ravinia pernix (Harris,1780)** (Sarcophagidae)
726. **Rhacocleis turcica (Uvarov,1930)** (Tettigoniidae)
727. **Rhagonycha duplicata Dahlgren,1968** (Cantharidae)
728. **Rhagonycha kiesewetteri Marseul,1864** (Cantharidae)
729. **Rhynchites hungaricus (Herbst,1784)** (Atelabidae)
730. **Rhynchium oculatum (Fabricius,1781)** (Vespidae)
731. **Rhyparochromus consors (Horvath,1878)** (Lygaeidae)
732. **Rhyparochromus pineti (Herrich-Schäffer,1839)** (Lygaeidae)
733. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae)
734. **Ronisia brutia (Petagna,1787)** (Mutillidae)
735. **Ronisia marocana (Olivier,1811)** (Mutillidae)
736. **Saga cappadocica Werner,1903** (Tettigoniidae)
737. **Saga rhodiensis Salfi,1929** (Tettigoniidae)
738. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae)
739. **Sapyga (s.str.) mutica Kurzenko,1994** (Sapygidae)
740. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
741. **Sapygina decemguttata (Jurine,1807)** (Sapygidae)
742. **Sarcophaga (Heteronychia) bezziana Böttcher,1913** (Sarcophagidae)
743. **Sarcophaga (Heteronychia) mutila Villeneuve,1912** (Sarcophagidae)
744. **Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae)
745. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
746. **Scolia galbula (Pallas,1771)** (Scoliidae)
747. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
748. **Selatosomus (s.str.) latissimus Reitter,1910** (Elateridae)
749. **Selinocephalus pallens Lindberg,1948** (Cicadellidae)
750. **Selinocephalus pallidus Kirschbaum,1868** (Cicadellidae)
751. **Selinocephalus stenopterus Signoret,1880** (Cicadellidae)
752. **Senotainia conica (Fallén,1810)** (Sarcophagidae)
753. **Sigara assimilis (Fieber,1848)** (Corixidae)
754. **Sigara daghestanica Jansson,1983** (Corixidae)
755. **Sigara lateralis Leach,1818** (Corixidae)
756. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
757. **Sigara striata (Linnaeus,1758)** (Corixidae)
758. **Sogatella vibix (Haupt,1927)** (Delphacidae)
759. **Solva marginata (Meigen,1820)** (Xylomyzidae)
760. **Sphenometopa claripennis Villeneuve,1933** (Sarcophagidae)
761. **Sphex flavipennis Fabricius,1793** (Sphecidae)
762. **Sphingonotus (s.str.) nebulosus (Fischer von Waldheim,1846)** (Acrididae)
763. **Sphingonotus (Sphingoderus) carinatus (Saussure,1888)** (Acrididae)

764. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
765. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
766. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
767. **Stenobothrus (s.str.) zubovskii Bolivar,1899**
(Acrididae)
768. **Stenodynerus aequisculptus (Kostylev,1940)** (Vespidae)
769. **Stenodynerus simulatus Gusenleitner,1981** (Vespidae)
770. **Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae)
771. **Streptanus albanicus (Horvath,1916)**
(Cicadellidae)
772. **Suaris nanus (McLachan,1893)** (Chrysopidae)
773. **Sulamicerus ancorarius (Dlabola,1964)**
(Cicadellidae)
774. **Sureyaella bella Uvarov,1934** (Tettigoniidae)
775. **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae)
776. **Syrphophilus bizonatus (Gravenhorst,1829)**
(Ichneumonidae)
777. **Syzeuctus turcator Aubert,1984**
(Ichneumonidae)
778. **Tabanus arabicus Macquart,1839** (Tabanidae)
779. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
780. **Tabanus bifarius Loew,1858** (Tabanidae)
781. **Tabanus bovinus Linnaeus,1758** (Tabanidae)
782. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
783. **Tabanus cuculus Szilady,1923** (Tabanidae)
784. **Tabanus eggeri Schiner,1868** (Tabanidae)
785. **Tabanus exclusus Pandella,1883**
(Tabanidae)
786. **Tabanus glaucopsis Meigen,1820**
(Tabanidae)
787. **Tabanus indrae Hauser,1939** (Tabanidae)
788. **Tabanus laetinctus Becker,1913**
(Tabanidae)
789. **Tabanus leleani Austen,1920** (Tabanidae)
790. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
791. **Tabanus martinii Kröber,1928** (Tabanidae)
792. **Tabanus miki Brauer,1880** (Tabanidae)
793. **Tabanus prometheus Szilady,1923**
(Tabanidae)
794. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
795. **Tabanus regularis Jaenicke,1866** (Tabanidae)
796. **Tabanus spectabilis Loew,1858**
(Tabanidae)
797. **Tabanus unifasciatus Loew,1858** (Tabanidae)
798. **Tachyagetes aegyptiacus (Priesner,1955)**
(Pompilidae)
799. **Tachyagetes exortivus Wolf,1987**
(Pompilidae)
800. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
801. **Tachyagetes kebdanus Wolf,1987**
(Pompilidae)
802. **Tachyagetes konyanus Wolf,1987**
(Pompilidae)
803. **Tachyagetes leucocnemis Haupt,1930**
(Pompilidae)
804. **Tachyagetes turcoturanicus Wolf,1986**
(Pompilidae)
805. **Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae)
806. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
807. **Telostegus excisus (Haupt,1930)**
(Pompilidae)
808. **Telostegus fumigatus (Klug,1834)**
(Pompilidae)
809. **Telostegus inermis (Brullé,1832)**
(Pompilidae)
810. **Tenthredo costata Klug,1817**
(Tenthredinidae)
811. **Tenthredo zonula Klug,1817** (Tenthredinidae)
812. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
813. **Teratolytta gentilis (Frivaldsky,1877)**
(Meloidae)
814. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
815. **Tettigometra depressa Fieber,1865**
(Tettigometridae)
816. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
817. **Thereva apicalis Wiedemann,1821**
(Therevidae)
818. **Thereva hirta Kröber,1913** (Therevidae)
819. **Thereva plebeja (Linnaeus,1758)** (Therevidae)
820. **Therion circumflexum (Linnaeus,1758)**
(Ichneumonidae)
821. **Theriopectes tricolor Zeller,1842** (Tabanidae)
822. **Theroscopus hemipterus (Fabricius,1793)** (Ichneumonidae)
823. **Tingis caucasica (Jakovlev,1880)**
(Tingidae)
824. **Tingis demissa Horvath,1906** (Tingidae)
825. **Tingis pilosa Hummel,1825** (Tingidae)
826. **Tingis rotundicollis (Jakovlev,1883)**
(Tingidae)
827. **Tingis stupidula Horvath,1906** (Tingidae)
828. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae)
829. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae)
830. **Tipula (Lunatipula) helvola Loew,1873**
(Tipulidae)
831. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae)
832. **Tipula (Lunatipula) pseudowolffi Theischinger,1979** (Tipulidae)
833. **Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae)
834. **Tipula (Lunatipula) russula Theischinger,1977** (Tipulidae)
835. **Tipula (Lunatipula) sciurus Theischinger,1977** (Tipulidae)
836. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
837. **Tipula (Yamatotipula) caesia Schummel,1833** (Tipulidae)
838. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
839. **Tituboea macropus (Illiger,1800)**
(Chrysomelidae)
840. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae)
841. **Tremulicerus vitreus (Fabricius,1803)**
(Cicadellidae)
842. **Trichodes affinis Chevrolat,1843**
(Cleridae)
843. **Trichodes alberti Escherich,1893** (Cleridae)

844. **Trichodes crabroniformis** Fabricius,1787 (Cleridae)
845. **Trichodes ganglbaueri** Escherich,1893 (Cleridae)
846. **Trichodes inermis** Reitter,1893 (Cleridae)
847. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
848. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
849. **Trichodes nobilis** Klug,1842 (Cleridae)
850. **Trichodes pulcherrimus** Escherich,1892 (Cleridae)
851. **Trichodes punctatus** Fischer,1829 (Cleridae)
852. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
853. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
854. **Trichodes suspectus** Escherich,1892 (Cleridae)
855. **Trichodes tauricus** Zimmermann,1971 (Cleridae)
856. **Triecphorella geniculata** (Horvath,1881) (Cercopidae)
857. **Triodontella preissi** Keith,2001 (Scarabaeidae)
858. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
859. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
860. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
861. **Troglophilus (s.str.) bicakcii** Rampini & Di Russo,2003 (Raphidophoridae)
862. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
863. **Trychosis priesneri** Rossem,1971 (Ichneumonidae)
864. **Tychius aurarius** Boheman,1843 (Curculionidae)
865. **Tychius aureolus** Kiesenwetter,1851 (Curculionidae)
866. **Tychius cuprifer** (Panzer,1799) (Curculionidae)
867. **Tychius picirostris** (Fabricius,1787) (Curculionidae)
868. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
869. **Urophora cuspidata** (Meigen,1826) (Tephritidae)
870. **Urophora jaculata** Rondani,1870 (Tephritidae)
871. **Urophora macrura** (Loew,1855) (Tephritidae)
872. **Urophora phaeocera** (M.Hering,1961) (Tephritidae)
873. **Urophora terebrans** (Loew,1850) (Tephritidae)
874. **Vachiria deserta** (Becker,1867) (Reduviidae)
875. **Vespa crabro** Linnaeus,1758 (Vespidae)
876. **Vespa orientalis** Linnaeus,1771 (Vespidae)
877. **Vespula germanica** (Fabricius,1793) (Vespidae)
878. **Vespula vulgaris** (Linnaeus,1758) (Vespidae)
879. **Viridicerus ustulatus** (Mulsant & Rey,1855) (Cicadellidae)
880. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
881. **Xya variegata** (Latreille,1809) (Tridactylidae)
882. **Zodion cinereum** (Fabricius,1794) (Conopidae)
883. **Zonitis immaculata** (Olivier,1790) (Meloidae)
884. **Zonitis nana** Ragusa,1882 (Meloidae)
885. **Zophosis (Oculosis) dilatata** Deyrolle,1867 (Tenebrionidae)
886. **Zophosis (Oculosis) punctata** Brullé,1832 (Tenebrionidae)
887. **Zorochros meridionalis** (Laporte,1840) (Elateridae)
888. **Zyginella pulchra** Loew,1885 (Cicadellidae)

Kütahya Province (43)

(260 species, stand 30 April 2010)

1. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
2. **Aelia rostrata** Boheman,1852 (Pentatomidae)
3. **Agalmatium bilobum** (Fieber,1877) (Issidae)
4. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
5. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
6. **Agrilus (s.str.) lineolus** Redtenbacher,1849 (Buprestidae)
7. **Agrilus kutahyanus** Krolik,2002 (Buprestidae)
8. **Akotropis quercicola** Linnavuori,1962 (Achilidae)
9. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
10. **Alosimus marginicollis** Haag-Rutenberg,1880 (Meloidae)
11. **Alosimus smyrnensis** (Maran,1942) (Meloidae)
12. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
13. **Anadolua schwarzi** Ramme,1939 (Tettigoniidae)
14. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
15. **Ancistrocerus parietum** (Linnaeus,1758) (Vespidae)
16. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
17. **Anoplotettix sahtyiancii** Dlabola,1970 (Cicadellidae)

18. **Anthaxia (s.str.) muliebris** **Obenberger,1918** (Buprestidae)
19. **Anthaxia (s.str.) plicata** **Kiesenwetter,1859** (Buprestidae)
20. **Anthaxia (s.str.) signaticollis** (**Krynicky,1832**) (Buprestidae)
21. **Aphelonyx persica** **Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae)
22. **Aphrodes angulaticeps** **Emeljanov,1964** (Cicadellidae)
23. **Aphrodes bicinctus** (**Schrank,1776**) (Cicadellidae)
24. **Aphrophora alni** (**Fallén,1805**) (Cercopidae)
25. **Aphrophora corticea** **Germar,1821** (Cercopidae)
26. **Aphrophora salicina** (**Goeze,1778**) (Cercopidae)
27. **Aporinellus sexmaculatus** (**Spinola,1805**) (Pompilidae)
28. **Aradus cinnamomeus** **Panzer,1806** (Aradidae)
29. **Arboridia cantoreanica** **Dworakowska,1970** (Cicadellidae)
30. **Arge scita** (**Mocsary,1880**) (Argidae)
31. **Asiraca clavicornis** (**Fabricius,1794**) (Delphacidae)
32. **Athalia cordata** **Audinet-Serville,1823** (Tenthredinidae)
33. **Athous (Orthathous) fragariae** **Platia & Kovanci,2005** (Elateridae)
34. **Atylotus fulvus** (**Meigen,1820**) (Tabanidae)
35. **Atylotus loewianus** (**Villeneuve,1920**) (Tabanidae)
36. **Atylotus venturii** **Leclercq,1966** (Tabanidae)
37. **Auletobius politus** **Voss,1934** (Attelabidae)
38. **Bembecinus gusenleitneri** **De Beaumont,1967** (Crabronidae)
39. **Blitopertha (s.str.) nigripennis** (**Burmeister,1855**) (Scarabaeidae)
40. **Bolua turkiyae** **Ünal,1999** (Tettigoniidae)
41. **Brachycerus foveicollis** **Gyllenhal,1833** (Brachyceridae)
42. **Calliptamus italicus** (**Linnaeus,1758**) (Acrididae)
43. **Calliptamus tenuicercis** **Tarbinsky,1930** (Acrididae)
44. **Cantharis rustica** **Fallén,1807** (Cantharidae)
45. **Carpocoris mediterraneus** **Tamanini,1958** (Pentatomidae)
46. **Cassida rubiginosa** **Müller,1776** (Chrysomelidae)
47. **Cassida sanguinolenta** **Müller,1776** (Chrysomelidae)
48. **Cassida seraphina** **Ménétriés,1836** (Chrysomelidae)
49. **Catoplatus anticus** (**Reuter,1880**) (Tingidae)
50. **Centrotus cornutus** (**Linnaeus,1758**) (Membracidae)
51. **Cercopis intermedia** **Kirschbaum,1868** (Cercopidae)
52. **Chorthippus (Chorthippus) parallelus** (**Zetterstedt,1821**) (Acrididae)
53. **Chorthippus (s.str.) dichrous** (**Eversmann,1859**) (Acrididae)
54. **Chrysolina sahlbergi** (**Ménétriés,1832**) (Chrysomelidae)
55. **Chrysops (s.str.) flavipes** **Meigen,1804** (Tabanidae)
56. **Cixius pallipes** **Fieber,1876** (Cixiidae)
57. **Coelioxys (Allocoelioxys) afra** **Lepeletier,1841** (Megachilidae)
58. **Coenorrhinus aeneovirens** (**Marsham,1802**) (Attelabidae)
59. **Coenorrhinus aequatus** (**Linnaeus,1767**) (Attelabidae)
60. **Coenorrhinus cribrum** (**Desbrochers,1875**) (Attelabidae)
61. **Cryptocephalus bipunctatus** (**Linnaeus,1758**) (Chrysomelidae)
62. **Cryptocephalus ocellatus** **Drapiez,1819** (Chrysomelidae)
63. **Cryptocephalus prusias** **Suffrian,1853** (Chrysomelidae)
64. **Cryptocheilus ichneumonoides** (**Costa,1874**) (Pompilidae)
65. **Cryptus minor** **Gravenhorst,1829** (Ichneumonidae)
66. **Cylindera (Cicindina) arenaria** (**Fuessli,1775**) (Carabidae)
67. **Cylindronotus (Odocnemis) dasyopus** **Seidlitz,1893** (Tenebrionidae)
68. **Cylindronotus (Odocnemis) korbi** **Reitter,1901** (Tenebrionidae)
69. **Cylindronotus (Odocnemis) tuberculiger** **Reiche & Saulcy,1857** (Tenebrionidae)
70. **Dasyrhamphis umbrinus** (**Meigen,1820**) (Tabanidae)
71. **Dendarus (Pandarinus) foveolatus** **Seidlitz,1893** (Tenebrionidae)
72. **Dictyophara asiatica** **Melichar,1912** (Dictyopharidae)
73. **Dictyophara lindbergi** **Metcalf,1955** (Dictyopharidae)
74. **Dociostaurus (Notostaurus) anatolicus** **Krauss,1896** (Acrididae)
75. **Dociostaurus (s.str.) maroccanus** (**Thunberg,1815**) (Acrididae)
76. **Dryodurgades reticulatus** (**Herrich-Schäffer,1834**) (Cicadellidae)
77. **Dyroderes umbraculatus** (**Fabricius,1775**) (Pentatomidae)
78. **Dysmachus fuscipennis** (**Meigen,1820**) (Asilidae)
79. **Dytiscus circumflexus** **Fabricius,1781** (Dytiscidae)
80. **Echthistus cognatus** **Loew,1849** (Asilidae)
81. **Ensina sonchi** (**Linnaeus,1767**) (Tephritidae)
82. **Epallage fatime** (**Charpentier,1840**) (Calopterygidae)
83. **Episyron gallicum** (**Tournier,1889**) (Pompilidae)
84. **Episyron rufipes** (**Linnaeus,1758**) (Pompilidae)
85. **Euaresta bullans** (**Wiedemann,1830**) (Tephritidae)
86. **Euboeus mimonti** (**Boieldieu,1865**) (Tenebrionidae)
87. **Eumenes pomiformis** (**Fabricius,1781**) (Vespidae)
88. **Eurydema blanda** **Horvath,1803** (Pentatomidae)
89. **Eurydema fieberi** **Schummel,1836** (Pentatomidae)
90. **Eurydema oleracea** (**Linnaeus,1758**) (Pentatomidae)
91. **Eurydema ventralis** **Kolenati,1846** (Pentatomidae)

92. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
93. **Fieberiella macchiae** Linnavuori,1962
(Cicadellidae)
94. **Fieberiella septentrionalis** Wagner,1963
(Cicadellidae)
95. **Geotrupes spiniger** (Marsham,1802)
(Geotrupidae)
96. **Geotrupes stercorarius** (Linnaeus,1758)
(Geotrupidae)
97. **Glyphotmethis escherichi** (Krauss,1896)
(Pamphagidae)
98. **Gonocephalum granulatum**
(Fabricius,1791) (Tenebrionidae)
99. **Gonocephalum rusticum** (Olivier,1811)
(Tenebrionidae)
100. **Gryllus (s.str.) campestris** Linnaeus,1758
(Gryllidae)
101. **Haematoloma dorsatum** (Ahrens,1812)
(Cercopidae)
102. **Haematopota bigoti** Gobert,1881
(Tabanidae)
103. **Haematopota crassicornis** Wahlberg,1848
(Tabanidae)
104. **Haematopota grandis** Macquart,1834
(Tabanidae)
105. **Haematopota italica** Meigen,1804
(Tabanidae)
106. **Haematopota lambi** Willeneuve,1921
(Tabanidae)
107. **Haematopota longantennata** Olsufjev,1937
(Tabanidae)
108. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
109. **Haematopota pallens** Loew,1871 (Tabanidae)
110. **Haematopota pluvialis** (Linnaeus,1761)
(Tabanidae)
111. **Haematopota scutellata** (Olsufjev, Moucha
& Chvala,1964) (Tabanidae)
112. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
113. **Helicoconis sengonca** Rausch, H.Aspöck &
U.Aspöck,1978 (Coniopterygidae)
114. **Hephathus nanus** (Herrich-Schäffer,1835)
(Cicadellidae)
115. **Hybomitra bimaculata** (Macquart,1826)
(Tabanidae)
116. **Hybomitra caucasica** (Enderlein,1925)
(Tabanidae)
117. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
118. **Hybomitra pilosa** (Loew,1858) (Tabanidae)
119. **Hybomitra tuerkmendagensis** Kılıç &
Schacht,1995 (Tabanidae)
120. **Hydaticus (s.str.) transversalis**
(Pontopoddi,1763) (Dytiscidae)
121. **Hydrochus flavipennis** Küster,1852
(Hydrochidae)
122. **Hypera meles** (Fabricius,1792)
(Curculionidae)
123. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
124. **Hypocassida subferruginea** (Schrank,1776)
(Chrysomelidae)
125. **Idiocerus vicinus** Melichar,1898
(Cicadellidae)
126. **Ischnomera haemorrhoidalis**
(W.Schmidt,1846) (Oedemeridae)
127. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
128. **Isophya straubei** (Fieber,1853)
(Tettigoniidae)
129. **Laccobius (Dimorpholaccobius) striatulus**
(Fabricius,1801) (Hydrophilidae)
130. **Lasiorrhynchites sericeus** (Herbst,1797)
(Attelabidae)
131. **Latematium cingulatum** Dlabola,1983
(Issidae)
132. **Lepyronia coleoprata** (Linnaeus,1758)
(Cercopidae)
133. **Liponeura bithynica** Zwick,1988
(Blephariceridae)
134. **Lixus cardui** Olivier,1807 (Curculionidae)
135. **Lixus elegantulus** Boheman,1843
(Curculionidae)
136. **Lixus vilis** (Rossi,1790) (Curculionidae)
137. **Lophyridia fischeri** (Adams,1817)
(Carabidae)
138. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
139. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
140. **Mantispa styriaca** (Poda,1761) (Mantispidae)
141. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
142. **Mycterodus balikesiricus** Dlabola,1979
(Issidae)
143. **Mycterodus carpathicus** Logvinenko,1974
(Issidae)
144. **Mylabris quadripunctata** (Linnaeus,1767)
(Meloidae)
145. **Nemeritis specularis** Horstmann,1975
(Ichneumonidae)
146. **Nemognatha chrysolina**
(Fabricius,1775) (Meloidae)
147. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
148. **Nemorius vitripennis** (Meigen,1820)
(Tabanidae)
149. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
150. **Oedaleus decorus** (Germar,1817) (Acrididae)
151. **Oedipoda aurea** Uvarov,1923 (Acrididae)
152. **Oedipoda caerulescens** (Linnaeus,1758)
(Acrididae)
153. **Oedipoda miniata** (Pallas,1771) (Acrididae)
154. **Oedipoda schochi** Saussure,1884 (Acrididae)
155. **Omocestus (s.str.) nanus** Uvarov,1934
(Acrididae)
156. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
157. **Opsius cypriacus** Lindberg,1958
(Cicadellidae)
158. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
159. **Oxythyrea funesta** (Poda,1761)
(Scarabaeidae)
160. **Parapholidoptera signata** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
161. **Parodontodynerus ephippium** (Klug,1817)
(Vespidae)
162. **Pedinpompilus orbitalis** (Haupt,1962)
(Pompilidae)
163. **Pedinpompilus wolffi** (Priesner,1965)
(Pompilidae)
164. **Pedinus (s.str.) reitteri** Seidlitz,1893
(Tenebrionidae)
165. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)

166. **Perlamantispa perla** (Pallas,1772) (Mantispidae)
167. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
168. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
169. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
170. **Pimelia (Eurypimelia) subglobosa** (Pallas,1781) (Tenebrionidae)
171. **Pimelia (Eurypimelia) subglobosa polita Solier,1836** (Tenebrionidae)
172. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
173. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
174. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
175. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
176. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
177. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
178. **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae)
179. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae)
180. **Poecilimon doga** Ünal,2004 (Tettigoniidae)
181. **Poecilimon eskishehirensis** Ünal,2003 (Tettigoniidae)
182. **Poecilimon kutahiensis** Werner,1901 (Tettigoniidae)
183. **Poecilimon luschani** Ramme,1933 (Tettigoniidae)
184. **Poecilimon marmaraensis** Naskrecki,1992 (Tettigoniidae)
185. **Polyphylla (s.str.) fullo** (Linnaeus,1758) (Scarabaeidae)
186. **Polyphylla (s.str.) olivieri** (Laporte de Castelnau,1840) (Scarabaeidae)
187. **Prionemis fallax** Verhoeff,1892 (Pompilidae)
188. **Probaticus (Pelorinus) dorsalis** (Allard,1877) (Tenebrionidae)
189. **Probaticus (Pelorinus) tenebricosus** (Brullé,1832) (Tenebrionidae)
190. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
191. **Psylliodes ellipticus** Allard,1861 (Chrysomelidae)
192. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
193. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
194. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
195. **Rhynchites giganteus** Krynický,1832 (Attelabidae)
196. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
197. **Rhynchites lodosi** Voss,1973 (Attelabidae)
198. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
199. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
200. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
201. **Ribautiana alces** (Ribaut,1931) (Cicadellidae)
202. **Rivetina balcanica** La Greca & Lombardo,1982 (Mantidae)
203. **Saga cappadocica** Werner,1903 (Tettigoniidae)
204. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
205. **Sciocoris microphthalmus** Flor,1860 (Pentatomidae)
206. **Selenocephalus pallens** Lindberg,1948 (Cicadellidae)
207. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae)
208. **Sigara kervillei** (Poisson,1927) (Corixidae)
209. **Silpha obscura** Linnaeus,1758 (Silphidae)
210. **Silvius (s.str.) alpinus** (Scopoli,1763) (Tabanidae)
211. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
212. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
213. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
214. **Stenodera caucasica** (Pallas,1781) (Meloidae)
215. **Stictopleurus riveti** Royer,1923 (Rhopalidae)
216. **Streptanus albanicus** (Horvath,1916) (Cicadellidae)
217. **Sureyaella bella** Uvarov,1934 (Tettigoniidae)
218. **Tabanus armeniacus** (Kröber,1928) (Tabanidae)
219. **Tabanus atropathenicus** Olsufjev,1937 (Tabanidae)
220. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
221. **Tabanus bifarius** Loew,1858 (Tabanidae)
222. **Tabanus briani** Leclercq,1962 (Tabanidae)
223. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
224. **Tabanus cordiger** Meigen,1820 (Tabanidae)
225. **Tabanus eggeri** Schiner,1868 (Tabanidae)
226. **Tabanus exclusus** Pandella,1883 (Tabanidae)
227. **Tabanus fraseri** Austen,1925 (Tabanidae)
228. **Tabanus glaucopsis** Meigen,1820 (Tabanidae)
229. **Tabanus indrae** Hauser,1939 (Tabanidae)
230. **Tabanus laetinctus** Becker,1913 (Tabanidae)
231. **Tabanus maculicornis** Zetterstedt,1842 (Tabanidae)
232. **Tabanus martinii** Kröber,1928 (Tabanidae)
233. **Tabanus obsolescens** Pandelle,1883 (Tabanidae)
234. **Tabanus oppugnator** Austen,1925 (Tabanidae)
235. **Tabanus portschinskii** Olsufjev,1937 (Tabanidae)
236. **Tabanus prometheus** Szilady,1923 (Tabanidae)
237. **Tabanus quatuornatatus** Meigen,1820 (Tabanidae)
238. **Tabanus rupium** Brauer,1880 (Tabanidae)
239. **Tabanus spodopteroideus** Olsufjev, Moucha & Chvala,1969 (Tabanidae)
240. **Tabanus spodopterus** Meigen,1820 (Tabanidae)

241. **Tabanus subparadoxus** Olsufjev,1937 (Tabanidae)
242. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
243. **Tachyagetes bytinskii** Haupt,1962 (Pompilidae)
244. **Tachyagetes filicornis** (Tornier,1890) (Pompilidae)
245. **Tenthredo colon** Klug,1817 (Tenthredinidae)
246. **Tenthredo liturata** (Mocsary,1886) (Tenthredinidae)
247. **Tephritis fallax** (Loew,1844) (Tephritidae)
248. **Tephritis postica** (Loew,1844) (Tephritidae)
249. **Tettigometra (Mitricephalus) eremi** Lindberg,1948 (Tettigometridae)
250. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
251. **Theriopectes gigas** (Herbst,1787) (Tabanidae)
252. **Theriopectes tricolor** Zeller,1842 (Tabanidae)
253. **Torymus cultratus** Graham & Gijswijt,1998 (Torymidae)
254. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
255. **Tshurtshurnella carica** Gnezdilov,2002 (Issidae)
256. **Tshurtshurnella mysica** Gnezdilov,2002 (Issidae)
257. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
258. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
259. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
260. **Vespula vulgaris** (Linnaeus,1758) (Vespidae)

Malatya Province (44)

(282 species, stand 30 April 2010)

1. **Achaeta domestica** (Linnaeus,1758) (Gryllidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
4. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
5. **Agalmatium bilobum** (Fieber,1877) (Issidae)
6. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
7. **Agriotes (s.str.) lopicida** (Falderann,1835) (Elateridae)
8. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
9. **Altica deserticola** (Weise,1889) (Chrysomelidae)
10. **Amphicoma (Rudeulasia) chalybaea** Faldermann,1835 (Glaphyridae)
11. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
12. **Amphicoma (Rudeulasia) pulchra** (Reitter,1890) (Glaphyridae)
13. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
14. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
15. **Anaceratagallia tianshanica** (Dubovsky,1970) (Cicadellidae)
16. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
17. **Anisoplia (Chaetopteroplia) segetum** (Herbst,1783) (Scarabaeidae)
18. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
19. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
20. **Anthaxia (Cratomerus) mirabilis** Zicharev,1918 (Buprestidae)
21. **Anthaxia (Haplantaxia) cichorii** (Olivier,1790) (Buprestidae)
22. **Anthidium (Icteranthidium) cimbiciforme** (Smith,1854) (Megachilidae)
23. **Anthidium (Icteranthidium) limbiferum** Morawitz,1875 (Megachilidae)
24. **Apanteles carpatus** Say,1836 (Braconidae)
25. **Aporinellus moestus** (Klug,1834) (Pompilidae)
26. **Attelabus sulcifrons** (Argod,1895) (Attelabidae)
27. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
28. **Balclutha rhenana** Wagner,1939 (Cicadellidae)
29. **Bembecinus guichardi** Schmid-Egger,2004 (Crabronidae)
30. **Bembecinus innocens** De Beaumont,1967 (Crabronidae)
31. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
32. **Berosus (Enoplurus) spinosus** (Steven,1808) (Hydrophilidae)
33. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
34. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
35. **Brachycerus quadrisulcatus** Fischer v. Waldheim,1830 (Brachyceridae)
36. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
37. **Calliptamus barbarus** (Costa,1836) (Acrididae)
38. **Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae)
39. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
40. **Callostoma oezbeki** Dils & Özbek,2006 (Bombyliidae)
41. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
42. **Calopteryx splendens** (Harris,1776) (Calopterygidae)
43. **Capnodis miliaris** (Klug,1829) (Buprestidae)
44. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
45. **Cerocoma malatyensis** Kaszab,1941 (Meloidae)
46. **Cerocoma scovitzi** Faldermann,1837 (Meloidae)
47. **Ceropales bipartita** Haupt,1962 (Pompilidae)

48. **Ceropales helvetica** Tournier,1889 (Pompilidae)
49. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
50. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
51. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
52. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
53. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
54. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
55. **Cicadula mesasiatica** (Dubovsky,1966) (Cicadellidae)
56. **Cicindela turkestanicoides** W.Horn,1938 (Carabidae)
57. **Cixius pallipes** Fieber,1876 (Cixiidae)
58. **Clanoptilus (s.str.) malatyensis** Wittmer,1988 (Melyridae)
59. **Coenagrion ornatum** (Selys,1850) (Coenagrionidae)
60. **Coenorrhinus aequatus** (Linnaeus,1767) (Atteblabidae)
61. **Coenorrhinus cribripennis** Desbrochers,1869 (Atteblabidae)
62. **Colpa quinquecincta** (Fabricius,1775) (Scoliidae)
63. **Coniatus repandus** (Fabricius,1792) (Curculionidae)
64. **Cordulegaster insignis** Schneider,1845 (Cordulegasteridae)
65. **Corizus brevicornis** Horvath,1917 (Rhopalidae)
66. **Crocothemis erythraea** (Brullé,1832) (Libellulidae)
67. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
68. **Cryptocheilus egregius** (Lepelletier,1845) (Pompilidae)
69. **Cryptocheilus fabricii** (Van der Linden,1827) (Pompilidae)
70. **Cryptocheilus versicolor** (Scopoli,1763) (Pompilidae)
71. **Curculio glandium** Marsham,1802 (Curculionidae)
72. **Curculio nucum** Linnaeus,1758 (Curculionidae)
73. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
74. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
75. **Deleproctophylla variegata** (Klug,1834) (Ascalaphidae)
76. **Deliphrosoma freudeorum** Zerche,1996 (Staphylinidae)
77. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
78. **Dericorys tibialis** (Pallas,1773) (Acrididae)
79. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
80. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
81. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
82. **Dociostaurus (s.str.) salmani** Demirsoy,1977 (Acrididae)
83. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
84. **Drosophila repleta** Wollaston,1858 (Drosophilidae)
85. **Duilius tamaricis** (Puton & Lethierry,1887) (Cixiidae)
86. **Episyron albonotatum** (Van der Linden,1827) (Pompilidae)
87. **Eumenes lunulatus** (Fabricius,1804) (Vespidae)
88. **Eumenes mediterraneus** (Kriechbaumer,1879) (Vespidae)
89. **Eumenes papillarius** (Christ,1791) (Vespidae)
90. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
91. **Eurydema blanda** Horvath,1803 (Pentatomidae)
92. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
93. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
94. **Evagetes pontomoravicus** (Sustera,1938) (Pompilidae)
95. **Evagetes tumidosus** (Tournier,1890) (Pompilidae)
96. **Fieberiella septentrionalis** Wagner,1963 (Cicadellidae)
97. **Geodromicus dubiosus** Fagel,1976 (Staphylinidae)
98. **Geodromicus laticollis** Fagel,1976 (Staphylinidae)
99. **Geodromicus zwickianus** Fagel,1976 (Staphylinidae)
100. **Gomphus schneideri** Selys,1850 (Gomphidae)
101. **Graphocraerus ventralis** (Fallén,1806) (Cicadellidae)
102. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
103. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
104. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
105. **Haematopota italica** Meigen,1804 (Tabanidae)
106. **Haematopota pallens** Loew,1871 (Tabanidae)
107. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
108. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
109. **Hauptidia (s.str.) stellata** (Ribaut,1948) (Cicadellidae)
110. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae)
111. **Heliopteryx humeralis** (Kuthy,1907) (Acrididae)
112. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
113. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae)
114. **Homodela ismenia** (Gory,1833) (Carabidae)
115. **Homonotus sanguinolentus** (Fabricius,1793) (Pompilidae)
116. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
117. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
118. **Hycleus scabiosae** (Olivier,1811) (Meloidae)
119. **Hycleus sexmaculatus** (Olivier,1811) (Meloidae)
120. **Hypera variabilis** (Herbst,1795) (Curculionidae)
121. **Idiocera (s.str.) laterospina** (Alexander,1975) (Limoniidae)
122. **Ischnomera maceki** Svihla,1988 (Oedemeridae)

123. **Ischnura pumilio** (Charpentier,1825) (Coenagrionidae)
124. **Isoperla rhododendri** Zhiltzova,1956 (Perlodidae)
125. **Kelisia ribauti** Wagner,1938 (Delphacidae)
126. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
127. **Kybos candelabricus** Dlabola,1958 (Cicadellidae)
128. **Labidostomis decipiens** Faldermann,1837 (Chrysomelidae)
129. **Labidostomis mesopotamica** Heyden,1886 (Chrysomelidae)
130. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
131. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
132. **Larinus centaureae** (Olivier,1807) (Curculionidae)
133. **Larinus minutus** Gyllenhal,1836 (Curculionidae)
134. **Larinus orientalis** Capiomont,1874 (Curculionidae)
135. **Leopoldius coronatus** (Rondani,1857) (Conopidae)
136. **Lertha extensa** (Olivier,1811) (Nemopteridae)
137. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
138. **Libellula fulva** O.F.Müller,1764 (Libellulidae)
139. **Libellula pontica** Selys,1887 (Libellulidae)
140. **Limotettix striola** (Fallén,1806) (Cicadellidae)
141. **Lixus cardui** Olivier,1807 (Curculionidae)
142. **Lixus elegantulus** Boheman,1843 (Curculionidae)
143. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
144. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
145. **Lophyridia caucasica** (Adams,1817) (Carabidae)
146. **Lophyridia fischeri** (Adams,1817) (Carabidae)
147. **Lydus turcicus** Kaszab,1952 (Meloidae)
148. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
149. **Malthinus mesopotamicus** Wittmer,1974 (Cantharidae)
150. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
151. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
152. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae)
153. **Megistopus flavicornis** (Rossi,1807) (Myrmeleonidae)
154. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
155. **Merodon avidus** (Rossi,1790) (Syrphidae)
156. **Merodon taniniensis** Hurkmans,1993 (Syrphidae)
157. **Metopius (s.str.) fulvicornis** Mocsary,1883 (Ichneumonidae)
158. **Microdynerus confinis** Gusenleitner,1979 (Vespidae)
159. **Mylabris fusca** (Olivier,1811) (Meloidae)
160. **Mylabris olivieri** Billberg,1813 (Meloidae)
161. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
162. **Mylabris scabiosae** (Olivier,1811) (Meloidae)
163. **Mylabris sexmaculata** (Olivier,1811) (Meloidae)
164. **Myopa pallida** Kröber,1916 (Conopidae)
165. **Myriochile (s.str.) melancholica** (Fabricius,1798) (Carabidae)
166. **Myrmecaelurus maior** McLachlan,1875 (Myrmeleonidae)
167. **Myrmecaelurus major** McLachlan,1875 (Myrmeleonidae)
168. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
169. **Oedaleus decorus** (Germar,1817) (Acrididae)
170. **Oedipoda schochi** Saussure,1884 (Acrididae)
171. **Oenas tenuicornis** Abeille de Perrin,1880 (Meloidae)
172. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)
173. **Onychogomphus assimilis** (Schneider,1845) (Gomphidae)
174. **Onychogomphus flexuosus** (Schneider,1845) (Gomphidae)
175. **Ophiogomphus cecilia** (Fourcroy,1785) (Gomphidae)
176. **Opsilia coeruleascens** (Scopoli,1763) (Cerambycidae)
177. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
178. **Opsius dagestanicus** Dlabola,1960 (Cicadellidae)
179. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
180. **Orectochilus villosus** (Müller,1776) (Gyrinidae)
181. **Orthetrum brunneum** (Fonscolombe,1837) (Libellulidae)
182. **Osmia (Helicosmia) dlabolae** Tkalcu,1978 (Megachilidae)
183. **Osmia (Tergosmia) avosetta** Warncke,1988 (Megachilidae)
184. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
185. **Pangonius (s. str.) obscuratus** Loew,1859 (Tabanidae)
186. **Pangonius (s.str.) fulvipes** Loew,1859 (Tabanidae)
187. **Paranocaracris rubripes** (Fischer von Waldheim,1846) (Pamphagidae)
188. **Pezodrymadusa angorensis** (Uvarov,1930) (Tettigoniidae)
189. **Pezodrymadusa kurmana** (Ramme,1939) (Tettigoniidae)
190. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
191. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
192. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
193. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
194. **Platycleis (s.str.) escalerae** Bolivar,1899 (Tettigoniidae)
195. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
196. **Platycleis (Squamiana) sinuata** Ramme,1951 (Tettigoniidae)
197. **Platycleis (Squamiana) sinuata** Ramme,1951 (Tettigoniidae)
198. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
199. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)

200. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
201. **Prionemisia coriacea** Dahlbom,1843
(Pompilidae)
202. **Prionotropis maculinervis** (Stal,1878)
(Pamphagidae)
203. **Protonemura bacuriana** Zhiltzova,1957
(Nemouridae)
204. **Protonemura gladifera** Balinsky,1950
(Nemouridae)
205. **Protonemura praecox** (Morton,1894)
(Nemouridae)
206. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
207. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
208. **Psyllobora vigintiduopunctata**
(Linnaeus,1758) (Coccinellidae)
209. **Ptyngidricerus albardanus**
(McLachan,1891) (Ascalaphidae)
210. **Ptyngidricerus albardanus albardanus**
(McLachan,1891) (Ascalaphidae)
211. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
212. **Ramburiella bolivari** (Kuthy,1907) (Acrididae)
213. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
214. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
215. **Rhynchites smyrnensis** Desbrochers,1869
(Attelabidae)
216. **Rivetina baetica** (Rambur,1838) (Mantidae)
217. **Saga ephippigera** Fischer von
Waldheim,1846 (Tettigoniidae)
218. **Sapygina decemguttata** (Jurine,1807)
(Sapygidae)
219. **Scymnus pallipediformis** Günther,1958
(Coccinellidae)
220. **Selenocephalus armeniacus**
Lindberg,1960 (Cicadellidae)
221. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)
222. **Setapius barajus** (Dlabola,1957) (Cixiidae)
223. **Simulium (s.str.) bezzii** (Corti,1914)
(Simuliidae)
224. **Simulium (s.str.) variegatum**
Meigen,1818 (Simuliidae)
225. **Sphingonotus (s.str.) theodori**
Uvarov,1923 (Acrididae)
226. **Stenobothrus (Crotalacris) bozcuki**
Çiplak,1994 (Acrididae)
227. **Stenobothrus (s.str.) fischeri**
(Eversmann,1848) (Acrididae)
228. **Stenobothrus (s.str.) graecus**
Ramme,1926 (Acrididae)
229. **Stenobothrus (s.str.) miramae**
Dirsh,1931 (Acrididae)
230. **Stenobothrus (s.str.) zubovskii**
Bolivar,1899 (Acrididae)
231. **Stenometopiellus angorensis**
Zachvatkin,1946 (Cicadellidae)
232. **Stenopogon xanthotricus** (Brullé,1832)
(Asilidae)
233. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
234. **Sulamicerus stali** (Fieber,1868)
(Cicadellidae)
235. **Sympecma annulata** (Selys,1887)
(Lestidae)
236. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
237. **Synaptus filiformis** (Fabricius,1781)
(Elateridae)
238. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
239. **Tabanus bovinus** Linnaeus,1758
(Tabanidae)
240. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
241. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
242. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
243. **Tamaricella cypria** (Ribaut,1948)
(Cicadellidae)
244. **Tartarogryllus tartarus** (Saussure,1874)
(Gryllidae)
245. **Telostegus fumigatus** (Klug,1834)
(Pompilidae)
246. **Telostegus inermis** (Brullé,1832)
(Pompilidae)
247. **Teratolytta carlae** Bologna,2006
(Meloidae)
248. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
249. **Tettigometra (Stirometra) costulata**
Fieber,1865 (Tettigometridae)
250. **Tettigonia caudata** (Charpentier,1845)
(Tettigoniidae)
251. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
252. **Theriopectes gigas** (Herbst,1787)
(Tabanidae)
253. **Theriopectes tricolor** Zeller,1842
(Tabanidae)
254. **Tingis demissa** Horvath,1906 (Tingidae)
255. **Tingis ottomana** Péricart & Önder,1982
(Tingidae)
256. **Tingis valida** (Puton,1878) (Tingidae)
257. **Trichodes ephippiger** Chevrolat,1874
(Cleridae)
258. **Trichodes heydeni** Escherich (Cleridae)
259. **Trichodes inermis** Reitter,1893 (Cleridae)
260. **Trichodes laminatus** Chevrolat,1843
(Cleridae)
261. **Trichodes longissimus** (Abeille de
Perrin,1881) (Cleridae)
262. **Trichodes oberthueri** Champenois,1900
(Cleridae)
263. **Trichodes quadriguttatus** Adams,1817
(Cleridae)
264. **Trichodes reichei** Mulsant & Rey,1863
(Cleridae)
265. **Trichodes sexpustulatus** Chevrolat,1874
(Cleridae)
266. **Trissolcus grandis** (Thomson,1860)
(Scelionidae)
267. **Trissolcus semistriatus** (Nees,1834)
(Scelionidae)
268. **Trissolcus vassilievi** (Mayr,1903)
(Scelionidae)
269. **Truxalis eximia** Eichwald,1830 (Acrididae)
270. **Truxalis nasuta** (Linnaeus,1758)
(Acrididae)
271. **Truxalis robusta** (Uvarov,1916) (Acrididae)
272. **Tylopsis lilifolia** (Fabricius,1793)
(Tettigoniidae)
273. **Utecha trivialis** (Germar,1821) (Cicadellidae)
274. **Vespa orientalis** Linnaeus,1771 (Vespidae)

- | | |
|---|---|
| <p>275. Vespula germanica (Fabricius,1793)
(Vespidae)</p> <p>276. Vespula vulgaris (Linnaeus,1758)
(Vespidae)</p> <p>277. Xya pfaendleri (Harz,1970) (Tridactylidae)</p> <p>278. Xya variegata (Latreille,1809)
(Tridactylidae)</p> | <p>279. Xyphosia conspicua (Loew,1869)
(Tephritidae)</p> <p>280. Zorochochros alysidotus
(Kiesenwetter,1858) (Elateridae)</p> <p>281. Zygina (s.str.) discolor Horvath,1897
(Cicadellidae)</p> <p>282. Zyginidia (s.str.) sohrab Zachvatkin,1947
(Cicadellidae)</p> |
|---|---|

Manisa Province (45)

(423 species, stand 30 April 2010)

- | | |
|--|---|
| <p>1. Acanthiophilus helianthi (Rossi,1790)
(Tephritidae)</p> <p>2. Achaeta deserta (Pallas,1771) (Gryllidae)</p> <p>3. Acrida anatolica Dirsh,1949 (Acrididae)</p> <p>4. Acrida bicolor (Thunberg,1815) (Acrididae)</p> <p>5. Acrometopa servillea (Brullé,1832)
(Tettigoniidae)</p> <p>6. Acrosternum heegeri Fieber,1861
(Pentatomidae)</p> <p>7. Acrosternum millierei (Mulsant & Rey,1866)
(Pentatomidae)</p> <p>8. Acrotylus insubricus (Scopoli,1786)
(Acrididae)</p> <p>9. Acrotylus patruelis (Herrich-Schäffer,1838)
(Acrididae)</p> <p>10. Aelia albovittata Fieber,1868 (Pentatomidae)</p> <p>11. Aelia alticola Kiritschenko,1914 (Pentatomidae)</p> <p>12. Aelia rostrata Boheman,1852 (Pentatomidae)</p> <p>13. Aeshna affinis Van Der Linden,1820
(Aeshnidae)</p> <p>14. Agabus (Gaurodytes) didymus (Olivier,1795)
(Dytiscidae)</p> <p>15. Agalmatium bilobum (Fieber,1877) (Issidae)</p> <p>16. Agenioideus nubecula (Costa,1874)
(Pompilidae)</p> <p>17. Agenioideus rytiphorus (Kohl,1886)
(Pompilidae)</p> <p>18. Agrilus (s.str.) hyperici (Creutzer,1799)
(Buprestidae)</p> <p>19. Agriotus (s.str.) nuceus Fairmaire,1866
(Elateridae)</p> <p>20. Aiolopus strepens (Latreille,[1802])
(Acrididae)</p> <p>21. Aiolopus thalassinus (Fabricius,1781)
(Acrididae)</p> <p>22. Alosimus chalybaeus (Tauscher,1812)
(Meloidae)</p> <p>23. Alosimus decolor (Abeille de Perrin,1880)
(Meloidae)</p> <p>24. Ammophila sabulosa (Linnaeus,1758)
(Sphecidae)</p> <p>25. Anaceratagallia laevis (Ribaut,1935)
(Cicadellidae)</p> <p>26. Anacridium aegyptium (Linnaeus,1764)
(Acrididae)</p> <p>27. Anax imperator Leach,1815 (Aeshnidae)</p> <p>28. Ancistrocerus parietum (Linnaeus,1758)
(Vespidae)</p> <p>29. Anoplotettix fuscovenosus (Ferrari,1882)
(Cicadellidae)</p> <p>30. Anthaxia (Cratomerus) diadema
Fischer,1824 (Buprestidae)</p> | <p>31. Anthaxia (Euanthaxia) anatolica
Chevrolat,1837 (Buprestidae)</p> <p>32. Anthaxia (Haplanthaxia) cichorii
(Olivier,1790) (Buprestidae)</p> <p>33. Anthaxia (Haplanthaxia) mundula
Kiesenwetter,1857 (Buprestidae)</p> <p>34. Anthaxia (Haplanthaxia) umbellatarum
(Fabricius,1787) (Buprestidae)</p> <p>35. Anthaxia (Melanthaxia) corinthia Reiche &
Saulcy,1856 (Buprestidae)</p> <p>36. Anthaxia (s.str.) berytensis Abeille,1895
(Buprestidae)</p> <p>37. Anthaxia (s.str.) lucens Küster,1852
(Buprestidae)</p> <p>38. Anthidium (Anthidiellum) strigatum
(Panzer,1805) (Megachilidae)</p> <p>39. Anthidium (Anthidiellum) strigatum
(Panzer,1805) (Megachilidae)</p> <p>40. Aphrodes bicinctus (Schrank,1776)
(Cicadellidae)</p> <p>41. Aphrophora alni (Fallén,1805) (Cercopidae)</p> <p>42. Apodiphus amygdali (Germar,1817)
(Pentatomidae)</p> <p>43. Aradus cinnamomeus Panzer,1806 (Aradidae)</p> <p>44. Attagenus (s.str.) unicolor (Brahm,1791)
(Dermestidae)</p> <p>45. Attelabus sulcifrons (Argod,1895)
(Attelabidae)</p> <p>46. Atylotus fulvus (Meigen,1820) (Tabanidae)</p> <p>47. Auletobius politus Voss,1934 (Attelabidae)</p> <p>48. Auplopus carbonarius (Scopoli,1763)
(Pompilidae)</p> <p>49. Bangasternus planifrons (Brullé,1832)
(Curculionidae)</p> <p>50. Bembecinus gynandromorphus
(Handlirsch,1892) (Crabronidae)</p> <p>51. Berosus (s.str.) affinis Brullé,1835
(Hydrophilidae)</p> <p>52. Blaps lethifera Marsham,1802 (Tenebrionidae)</p> <p>53. Blaps tibialis Reiche & Saulcy,1857
(Tenebrionidae)</p> <p>54. Blepharicera fasciata (Westwood,1842)
(Blephariceridae)</p> <p>55. Bombus terrestris Linnaeus,1758 (Apidae)</p> <p>56. Boreaphilus velox (Heer,1839) (Staphylinidae)</p> <p>57. Bucephaloptera bucephala (Brunner von
Wattenwyl,1882) (Tettigoniidae)</p> <p>58. Bugraia ocularis (Mulsant & Rey,1855)
(Cicadellidae)</p> <p>59. Callimenus macrogaster (Lefebvre,1831)
(Tettigoniidae)</p> <p>60. Calliptamus barbarus (Costa,1836) (Acrididae)</p> |
|--|---|

61. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
62. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
63. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
64. **Campiglossa producta** Loew,1844 (Tephritidae)
65. **Campiglossa tesellata** (Loew,1844) (Tephritidae)
66. **Campomyia pinicola** Mamaev,1961 (Cecidomyiidae)
67. **Capnodis miliaris** (Klug,1829) (Buprestidae)
68. **Capnodis porosa** (Klug,1829) (Buprestidae)
69. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
70. **Cardiophorus (s.str.) imitator** Platia & Gudenzi,2002 (Elateridae)
71. **Cardiophorus (s.str.) nigratissimus** Buysson,1891 (Elateridae)
72. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
73. **Cassida prasina** Illiger,1798 (Chrysomelidae)
74. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
75. **Cephalostenus elegans** Brullé,1832 (Tenebrionidae)
76. **Cercion lindenii** (Selys,1840) (Coenagrionidae)
77. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
78. **Cerocoma muehlfeldi** Gyllenhal,1817 (Meloidae)
79. **Chaetocnema aridula** (Gyllenhal,1827) (Chrysomelidae)
80. **Chitona incana** (W.Schmidt,1846) (Oedemeridae)
81. **Chlorita uvaroviana** Zachvatkin,1946 (Cicadellidae)
82. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
83. **Chorthippus (Glyptobothrus) vagans** (Eversmann,1848) (Acrididae)
84. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
85. **Chrysolina americana** (Linnaeus,1758) (Chrysomelidae)
86. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
87. **Cicada lodosi** Boulard,1979 (Cicadidae)
88. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
89. **Cicindela campestris** Linnaeus,1758 (Carabidae)
90. **Clytra atraphaxidis** (Pallas,1773) (Chrysomelidae)
91. **Clytra binominata** Monros,1953 (Chrysomelidae)
92. **Clytra novempunctata** Olivier,1808 (Chrysomelidae)
93. **Clytra valeriana** Ménétrés,1832 (Chrysomelidae)
94. **Coenorrhinus aequatus** (Linnaeus,1767) (Atelabidae)
95. **Coenorrhinus cribripennis** Desbrochers,1869 (Atelabidae)
96. **Coenorrhinus cribrum** (Desbrochers,1875) (Atelabidae)
97. **Colpa quinquecincta** (Fabricius,1775) (Scoliidae)
98. **Conophorus simplex** Loew,1869 (Bombyliidae)
99. **Corizus fenestella** Horvath,1917 (Rhopalidae)
100. **Cossyphus tauricus** Steven,1882 (Tenebrionidae)
101. **Cryptocephalus aureolus** Suffrian,1847 (Chrysomelidae)
102. **Cryptocephalus bipunctatus** (Linnaeus,1758) (Chrysomelidae)
103. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
104. **Cryptocephalus fulvus** (Goeze,1777) (Chrysomelidae)
105. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
106. **Cryptocheilus albosignatus** Susterer,1924 (Pompilidae)
107. **Cryptocheilus alternatus** (Lepelletier,1845) (Pompilidae)
108. **Cryptocheilus ichneumonoides** (Costa,1874) (Pompilidae)
109. **Cryptocheilus notatus** (Rossi,1792) (Pompilidae)
110. **Cryptocheilus variabilis** (Rossi,1790) (Pompilidae)
111. **Curculio glandium** Marsham,1802 (Curculionidae)
112. **Curculio nucum** Linnaeus,1758 (Curculionidae)
113. **Curculio pellitus** Boheman,1843 (Curculionidae)
114. **Cyphon osellai** Klausnitzer,1989 (Scirtidae)
115. **Dailognatha caraboides** Solier,1835 (Tenebrionidae)
116. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
117. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
118. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
119. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
120. **Deliphrosoma weiratheri** (Scheerpeltz,1938) (Staphylinidae)
121. **Delta unguiculatum** (Villers,1789) (Vespidae)
122. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae)
123. **Dendarus (Pandarinus) moesiacus** Mulsant & Rey,1854 (Tenebrionidae)
124. **Dentilla curtiventris** (André,1901) (Mutillidae)
125. **Dicronychus merkli** (Pic,1910) (Elateridae)
126. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
127. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
128. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
129. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
130. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
131. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
132. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
133. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
134. **Duroniella fracta** (Krauss,1890) (Acrididae)
135. **Dyrodere umbraculatus** (Fabricius,1775) (Pentatomidae)
136. **Dytiscus dimidiatus** Bergsträßer,1778 (Dytiscidae)
137. **Echthistus cognatus** Loew,1849 (Asilidae)

138. *Elachiptera bimaculata* (Loew,1845) (Chloropidae)
139. *Elodes sieberi* Klausnitzer,1973 (Scirtidae)
140. *Emblethis angustus* Montandon,1890 (Lygaeidae)
141. *Empusa fasciata* Brullé,1836 (Empusidae)
142. *Enallagma cyathigerum* (Charpentier,1840) (Coenagrionidae)
143. *Endomia concolor* (Desbrochers,1875) (Anthicidae)
144. *Ensina sonchi* (Linnaeus,1767) (Tephritidae)
145. *Entomobora vomeriventrtris* (Costa,1863) (Pompilidae)
146. *Epallage fatime* (Charpentier,1840) (Calopterygidae)
147. *Euaresta bullans* (Wiedemann,1830) (Tephritidae)
148. *Euboecus mimonti* (Boieldieu,1865) (Tenebrionidae)
149. *Eudasyphora cyanella* (Meigen,1826) (Muscidae)
150. *Eumecurus bourouensis* (Linnavuori,1965) (Cixiidae)
151. *Eumenes coronatus* (Panzer,1799) (Vespidae)
152. *Eumenes dubius* Saussure,1852 (Vespidae)
153. *Eumenes pomiformis* (Fabricius,1781) (Vespidae)
154. *Euodynerus* (s.str.) *curictensis* Blüthgen,1940 (Vespidae)
155. *Euodynerus* (s.str.) *disconotatus* (Lichtenstein,1884) (Vespidae)
156. *Eupholidoptera prasina* (Brunner von Wattenwyl,1882) (Tettigoniidae)
157. *Eupholidoptera smyrnensis* (Brunner von Wattenwyl,1882) (Tettigoniidae)
158. *Eupteryx gyaurdagicus* Dlabola,1957 (Cicadellidae)
159. *Eurydema blanda* Horvath,1803 (Pentatomidae)
160. *Eurydema oleracea* (Linnaeus,1758) (Pentatomidae)
161. *Eurydema ornatum* (Linnaeus,1758) (Pentatomidae)
162. *Eurydema rugulosa* (Dohrn,1860) (Pentatomidae)
163. *Eurydema spectabilis* Horvath,1882 (Pentatomidae)
164. *Eurydema ventralis* Kolenati,1846 (Pentatomidae)
165. *Euscelis lineolatus* Brullé,1832 (Cicadellidae)
166. *Eutagenia smyrnensis* Solier,1838 (Tenebrionidae)
167. *Exochus erkini* Kolarov,1986 (Ichneumonidae)
168. *Exoprosopa pandora* (Fabricius,1805) (Bombyliidae)
169. *Eysarcoris ventralis* (Westwood,1837) (Pentatomidae)
170. *Forficula auricularia* Linnaeus,1758 (Forficulidae)
171. *Forficula smyrnensis* Audinet-Serville,1839 (Forficulidae)
172. *Formicomus ionicus* LaFerté & Sénectere,1847 (Anthicidae)
173. *Geocoris pallidipennis* (Costa,1843) (Lygaeidae)
174. *Gomphus schneideri* Selys,1850 (Gomphidae)
175. *Goniagnathus brevis* (Herrich-Schäffer,1835) (Cicadellidae)
176. *Gonocephalum granulatum* (Fabricius,1791) (Tenebrionidae)
177. *Gonocephalum rusticum* (Olivier,1811) (Tenebrionidae)
178. *Graecopachys quadricollis* (Brullé,1832) (Tenebrionidae)
179. *Gryllotalpa gryllotalpa* (Linnaeus,1758) (Gryllotalpidae)
180. *Guanchia hincksi* (Burr,1947) (Forficulidae)
181. *Gymnopleurus geoffroyi* Fuessly,1785 (Scarabaeidae)
182. *Habropogon longiventris* Loew,1847 (Asilidae)
183. *Hecalus glaucescens* (Fieber,1866) (Cicadellidae)
184. *Hemicrepidius hirtus* (Herbst,1784) (Elateridae)
185. *Hirticomus hispidus* (Rossi,1792) (Anthicidae)
186. *Hyalesthes obsoletus* Signoret,1865 (Cixiidae)
187. *Hybomitra caucasica* (Enderlein,1925) (Tabanidae)
188. *Hycleus scabiosae* (Olivier,1811) (Meloidae)
189. *Hydroglyphus geminus* (Fabricius,1792) (Dytiscidae)
190. *Hydroglyphus pubescens* Gyllenhal,1808 (Dytiscidae)
191. *Hydroporus pubescens* (Gyllenhal,1808) (Dytiscidae)
192. *Hygrotus* (s.str.) *inaequalis* (Fabricius,1777) (Dytiscidae)
193. *Hypera jucundus* Capiomont,1868 (Curculionidae)
194. *Hypera meles* (Fabricius,1792) (Curculionidae)
195. *Hypocassida subferruginea* (Schrank,1776) (Chrysomelidae)
196. *Idiocerus vicinus* Melichar,1898 (Cicadellidae)
197. *Ischnodes sanguinicollis* (Panzer,1793) (Elateridae)
198. *Ischnomera haemorrhoidalis* (W.Schmidt,1846) (Oedemeridae)
199. *Ischnura elegans* (Van Der Linden,1820) (Coenagrionidae)
200. *Ischnura pumilio* (Charpentier,1825) (Coenagrionidae)
201. *Isolaboides kosswigi* (Burr,1947) (Spongiphoridae)
202. *Isophya straubei* (Fieber,1853) (Tettigoniidae)
203. *Itoplectis maculator* (Fabricius,1775) (Ichneumonidae)
204. *Labidostomis asiatica* Faldermann,1837 (Chrysomelidae)
205. *Labidostomis oertzeni* Weise,1889 (Chrysomelidae)
206. *Laccobius* (*Dimorpholaccobius*) *obscuratus* Rottenberg,1874 (Hydrophilidae)
207. *Laccobius* (*Dimorpholaccobius*) *simulatrix* Orchymont,1932 (Hydrophilidae)
208. *Laccobius* (*Dimorpholaccobius*) *striatulus* (Fabricius,1801) (Hydrophilidae)
209. *Laccobius* (*Dimorpholaccobius*) *sulcatulus* Reitter,1909 (Hydrophilidae)
210. *Laccobius* (*Microlaccobius*) *gracilis* Motschoulsky,1855 (Hydrophilidae)
211. *Laccophilus hyalinus* (De Geer,1774) (Dytiscidae)
212. *Laccophilus minutus* (Linnaeus,1758) (Dytiscidae)

213. **Laccophilus poecilus Klug,1834** (Dytiscidae)
214. **Laena hopffgarteni Weise,1878**
(Tenebrionidae)
215. **Larinus onopordi (Fabricius,1787)**
(Curculionidae)
216. **Larinus syriacus Gyllenhal,1836**
(Curculionidae)
217. **Latilica maculipes (Melichar,1906)** (Issidae)
218. **Leptophyes albiovittata (Kollar,1833)**
(Tettigoniidae)
219. **Lepyronia coleoptrata (Linnaeus,1758)**
(Cercopidae)
220. **Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae)
221. **Lestes barbarus (Fabricius,1798)** (Lestidae)
222. **Lestes parvidens Artobolevski,1929**
(Lestidae)
223. **Lesteva monticola Kiesenwetter,1847**
(Staphylinidae)
224. **Liriomyza congesta (Becker,1903)**
(Agromyzidae)
225. **Lixus subtilis Boheman,1836**
(Curculionidae)
226. **Loboptera decipiens (Germar,1817)**
(Blattidae)
227. **Longitarsus fallax Weise,1888**
(Chrysomelidae)
228. **Lydus turcicus Kaszab,1952** (Meloidae)
229. **Lygaeus creticus (Lucas,1854)** (Lygaeidae)
230. **Lyristes plebejus (Scopoli,1763)**
(Cicadidae)
231. **Machimus cyanopus (Loew,1849)** (Asilidae)
232. **Macrolenes dentipes (Olivier,1808)**
(Chrysomelidae)
233. **Macrolophus caliginosus Wagner,1950**
(Miridae)
234. **Macrophya suberba Tischbein,1852**
(Tenthredinidae)
235. **Macropsis graminea (Fabricius,1798)**
(Cicadellidae)
236. **Macropsis mendax (Fieber,1868)**
(Cicadellidae)
237. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
238. **Malthinus conspicuus Kiesenwetter,1852**
(Cantharidae)
239. **Mantis religiosa (Linnaeus,1758)**
(Mantidae)
240. **Megabombus pascuorum (Scopoli,1763)**
(Apidae)
241. **Megascolia maculata (Drury,1773)** (Scoliidae)
242. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae)
243. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
244. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae)
245. **Microdynerus confinis Gusenleitner,1979** (Vespidae)
246. **Microhoria terminata (Schmidt,1842)**
(Anthicidae)
247. **Micropeplus fulvus Erichson,1840**
(Staphylinidae)
248. **Mocydia crocea (Herrich-Schäffer,1837)**
(Cicadellidae)
249. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae)
250. **Monosteira lobulifera Reuter,1888**
(Tingidae)
251. **Mustha spinosula (Lefebvre,1831)**
(Pentatomidae)
252. **Mutilla richterae Lelej,1984** (Mutillidae)
253. **Muzimes collaris (Fabricius,1787)**
(Meloidae)
254. **Mycterodus balikesiricus Dlabola,1979**
(Issidae)
255. **Mylabris calida (Pallas,1781)** (Meloidae)
256. **Mylabris cincta Olivier,1811** (Meloidae)
257. **Mylabris crocata (Pallas,1781)** (Meloidae)
258. **Mylabris fusca (Olivier,1811)** (Meloidae)
259. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae)
260. **Mylabris scabiosae (Olivier,1811)**
(Meloidae)
261. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae)
262. **Nalassus dryadophilus (Mustant,1854)**
(Tenebrionidae)
263. **Nalassus plebejus (Küster,1850)**
(Tenebrionidae)
264. **Neophilaenus campestris (Fallén,1805)**
(Cercopidae)
265. **Noterus clavicornis (De Geer,1774)**
(Noteridae)
266. **Noterus clavicornis (De Geer,1774)**
(Noteridae)
267. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae)
268. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
269. **Oedaleus decorus (Germar,1817)**
(Acrididae)
270. **Oedemera (s.str.) crassipes Ganglbauer,1881** (Oedemeridae)
271. **Oedemera (s.str.) lurida (Marsham,1802)**
(Oedemeridae)
272. **Oedipoda aurea Uvarov,1923** (Acrididae)
273. **Oedipoda miniata (Pallas,1771)** (Acrididae)
274. **Oenas crassicornis (Illiger,1800)**
(Meloidae)
275. **Oliarus angustiformis Linnavuori,1953**
(Cixiidae)
276. **Omalius assingi Zanetti,2002**
(Staphylinidae)
277. **Omalius cinnamomeum Kraatz,1857**
(Staphylinidae)
278. **Omalius rugatum Mulsant & Rey,1880**
(Staphylinidae)
279. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae)
280. **Opatroides punctulatus Brullé,1832**
(Tenebrionidae)
281. **Opatrum alternatum Küster,1849**
(Tenebrionidae)
282. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
283. **Opilo taeniatus (Klug,1842)** (Cleridae)
284. **Opsius cypriacus Lindberg,1958**
(Cicadellidae)
285. **Opsius lethierryi Wagner,1942**
(Cicadellidae)
286. **Orthetrum brunneum (Fonscolombe,1837)** (Libellulidae)
287. **Orthetrum sabina (Drury,1770)**
(Libellulidae)
288. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)

289. **Pachycerus cordiger** (Germar,1819)
(Curculionidae)
290. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
291. **Paracaloptenus caloptenoides** (Brunner von Wattenwyl,1861) (Acrididae)
292. **Paralimnus picturatus** Haupt,1930
(Cicadellidae)
293. **Paranocarodes fieberi** (Brunner von Wattenwyl,1882) (Pamphagidae)
294. **Parapholidoptera castaneoviridis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
295. **Paratettix meridionalis** (Rambur,1838)
(Tetrigidae)
296. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
297. **Pentastira rorida** (Fieber,1876) (Cixiidae)
298. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)
299. **Phaedon pyritosus** (Rossi,1792)
(Chrysomelidae)
300. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
301. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
302. **Philorirum sordidum** (Stephens,1834)
(Staphylinidae)
303. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
304. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
305. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
306. **Phyllotreta nodicornis** (Marshall,1802)
(Chrysomelidae)
307. **Physiphora demandata** (Fabricius,1798)
(Uliidiidae)
308. **Phytomyza kaltenbachi** Hendel,1922
(Agromyzidae)
309. **Phytomyza orobanchiae** Kaltenbach,1864 (Agromyzidae)
310. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
311. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
312. **Plagiognathus chrysanthemi** (Wolff,1804)
(Miridae)
313. **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae)
314. **Platycleis (Montana) schereri** Werner,1905
(Tettigoniidae)
315. **Platycleis (s.str.) affinis** Fieber,1853
(Tettigoniidae)
316. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
317. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
318. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
319. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
320. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
321. **Poecilimon amissus** Brunner von Wattenwyl,1878 (Tettigoniidae)
322. **Poecilimon lodosi** Harz,1975
(Tettigoniidae)
323. **Poecilimon minutus** Karabağ,1975
(Tettigoniidae)
324. **Poecilimon sanctipauli** Brunner von Wattenwyl,1878 (Tettigoniidae)
325. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
326. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
327. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
328. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
329. **Polistes (s.str.) sulcifer** (Zimmermann,1930) (Vespidae)
330. **Pollenia labialis** Robineau-Desvoidy,1863 (Calliphoridae)
331. **Priocnemis coriacea** Dahlbom,1843
(Pompilidae)
332. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
333. **Protaetia (Potosia) vidua** (Gory & Perchenson,1833) (Scarabaeidae)
334. **Proteinus ovalis** Stephens,1834
(Staphylinidae)
335. **Protonemura intricata** (Ris,1902)
(Nemouridae)
336. **Pseudophotopsis syriaca** (André,1900)
(Mutillidae)
337. **Psorodonotus anatolicus** Karabağ,1952
(Tettigoniidae)
338. **Pteronemobius (s.str.) heydeni** (Fischer,1853) (Gryllidae)
339. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
340. **Pyrrhocoris apterus** (Linnaeus,1758)
(Pyrrhocoridae)
341. **Raiboscelis syriacus** (Reiche,1861)
(Tenebrionidae)
342. **Rantus suturalis** (Macleay,1825)
(Dytiscidae)
343. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
344. **Rhacocleis turcica** (Uvarov,1930)
(Tettigoniidae)
345. **Rhynchites auratus** (Scopoli,1763)
(Atelabidae)
346. **Rhynchites giganteus** Krynický,1832
(Atelabidae)
347. **Rhynchites hungaricus** (Herbst,1784)
(Atelabidae)
348. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
349. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
350. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
351. **Rhytidodus boluicus** Dlabola,1970
(Cicadellidae)
352. **Rhytidodus wagneri** Dlabola,1965
(Cicadellidae)
353. **Rivetina baetica** (Rambur,1838)
(Mantidae)
354. **Rivetina caucasica** (Saussure,1871)
(Mantidae)
355. **Saga natoliae** Audinet-Serville,1839
(Tettigoniidae)
356. **Sarcophaga (Phytosarcophaga) destructor** Malloch,1929 (Sarcophagidae)
357. **Sarcophaga (s.str.) lasiostyla** Macquart,1843
(Sarcophagidae)

358. **Sarcophaga (s.str.) lehmanni**
Müller,1922 (Sarcophagidae)
359. **Scantius aegyptius (Linnaeus,1758)**
(Pyrrhocoridae)
360. **Scarabaeus pius (Illiger,1803)**
(Scarabaeidae)
361. **Scarabaeus sacer Linnaeus,1758**
(Scarabaeidae)
362. **Scarabaeus variolosus Fabricius,1787**
(Scarabaeidae)
363. **Scolia fallax Eversmann,1849** (Scoliidae)
364. **Scolia galbula (Pallas,1771)** (Scoliidae)
365. **Scolia hirta (Schrank,1781)** (Scoliidae)
366. **Scymnus quadriguttatus Capra,1924**
(Coccinellidae)
367. **Selenocephalus pallens Lindberg,1948**
(Cicadellidae)
368. **Selenocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
369. **Selenocephalus stenopterus**
Signoret,1880 (Cicadellidae)
370. **Sphex flavipennis Fabricius,1793**
(Sphecidae)
371. **Sphingonotus (s.str.) theodori Uvarov,1923**
(Acrididae)
372. **Sphingonotus (Sphingoderus) carinatus**
(Saussure,1888) (Acrididae)
373. **Sphingonotus pilosus Saussure,1884**
(Acrididae)
374. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
375. **Stictopleurus riveti Royer,1923** (Rhopalidae)
376. **Streptanus albanicus (Horvath,1916)**
(Cicadellidae)
377. **Sulamicerus stali (Fieber,1868)** (Cicadellidae)
378. **Sympetrum flaveolum (Linnaeus,1758)**
(Libellulidae)
379. **Sympetrum meridionale (Selys,1841)**
(Libellulidae)
380. **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae)
381. **Syromastus rhombeus (Linnaeus,1767)**
(Coreidae)
382. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
383. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
384. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
385. **Tabanus prometheus Szilady,1923**
(Tabanidae)
386. **Tabanus tinctus Walker,1850** (Tabanidae)
387. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
388. **Tachyagetes furvescens Wahis,1970**
(Pompilidae)
389. **Tachyancistrocerus rhodensis**
(Saussure,1855) (Vespidae)
390. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
391. **Telostegus inermis (Brullé,1832)** (Pompilidae)
392. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
393. **Tephritis fallax (Loew,1844)** (Tephritidae)
394. **Tephritis postica (Loew,1844)**
(Tephritidae)
395. **Tephritis simplex (Loew,1844)**
(Tephritidae)
396. **Teratolytta dives (Brullé,1832)** (Meloidae)
397. **Terellia fuscicornis (Loew,1844)**
(Tephritidae)
398. **Terellia virens (Loew,1846)** (Tephritidae)
399. **Tetratetrix nutans (Hagenbach,1822)**
(Tetrigidae)
400. **Tettigometra (Mitricephalus) eremi**
Lindberg,1948 (Tettigometridae)
401. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
402. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
403. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
404. **Thecodiplosis sp.** (Cecidomyiidae)
405. **Tillus pectinicornis Abeille,1892** (Cleridae)
406. **Tingis pauperata (Puton,1879)** (Tingidae)
407. **Tremulicerus mesopyrrhus**
(Kirschbaum,1868) (Cicadellidae)
408. **Trichodes affinis Chevrolat,1843**
(Cleridae)
409. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
410. **Trichodes laminatus Chevrolat,1843**
(Cleridae)
411. **Trichodes nobilis Klug,1842** (Cleridae)
412. **Trichodes punctatus Fischer,1829** (Cleridae)
413. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
414. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
415. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
416. **Tshurtshurnella uvarovi Gnezdilov,2002**
(Issidae)
417. **Urophora macrura (Loew,1855)** (Tephritidae)
418. **Urophora stylata (Fabricius,1775)**
(Tephritidae)
419. **Utecha trivia (Germar,1821)** (Cicadellidae)
420. **Vachiria natolica Stal,1859** (Reduviidae)
421. **Vespa crabro Linnaeus,1758** (Vespidae)
422. **Vespa orientalis Linnaeus,1771** (Vespidae)
423. **Vespula germanica (Fabricius,1793)**
(Vespidae)

Kahramanmaraş Province (46)

(455 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Achaeta algericus (Saussure,1877)** (Gryllidae)
3. **Achaeta deserta (Pallas,1771)** (Gryllidae)
4. **Aconurella prolixa (Lethierry,1885)**
(Cicadellidae)
5. **Acrida bicolor (Thunberg,1815)** (Acrididae)
6. **Acrometopa syriaca Brunner von**
Wattenwyl,1878 (Tettigoniidae)

7. **Acroricnus seductor** (Scopoli,1786)
(Ichneumonidae)
8. **Acrotylus insubricus** (Scopoli,1786)
(Acrididae)
9. **Acrotylus patruelis** (Herrich-Schäffer,1838)
(Acrididae)
10. **Actinoptera discoidea** (Fallén,1814)
(Tephritidae)
11. **Adesmia (s.str.) anthracina** Klug,1830
(Tenebrionidae)
12. **Aelia acuminata** (Linnaeus,1758)
(Pentatomidae)
13. **Aelia rostrata** Boheman,1852 (Pentatomidae)
14. **Aelia virgata** (Herrich-Schäffer,1841)
(Pentatomidae)
15. **Aeropus sibiricus** (Linnaeus,1767) (Acrididae)
16. **Agenioideus rytiphorus** (Kohl,1886)
(Pompilidae)
17. **Agramma (s.str.) atricapillum** (Spinola,1837)
(Tingidae)
18. **Agrilus (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
19. **Agrilus (s.str.) aurichalceus**
Redtenbacher,1849 (Buprestidae)
20. **Agriotes (s.str.) goksunensis** Platia,2004
(Elateridae)
21. **Aiolopus thalassinus** (Fabricius,1781)
(Acrididae)
22. **Alebra albostriella** (Fallén,1826) (Cicadellidae)
23. **Ammophila sabulosa** (Linnaeus,1758)
(Sphecidae)
24. **Amphicoma (Rudeulasia) hybrida**
(Reitter,1890) (Glaphyridae)
25. **Anacridium aegyptium** (Linnaeus,1764)
(Acrididae)
26. **Anadrymadusa recticauda** (Werner,1903)
(Tettigoniidae)
27. **Ancistrocerus parietum** (Linnaeus,1758)
(Vespidae)
28. **Anisochrya (Cunctochrysa) albolineata**
(Killington,1935) (Chrysopidae)
29. **Anisoplia (Autanisoplia) austriaca**
(Herbst,1783) (Scarabaeidae)
30. **Anoplius infuscatus** (Van der Linden,1827)
(Pompilidae)
31. **Anoplius viaticus** (Linnaeus,1758)
(Pompilidae)
32. **Anthaxia (Haplantaxia) mundula**
Kiesenwetter,1857 (Buprestidae)
33. **Anthaxia (Melanthaxia) bilyi** Curletti,1984
(Buprestidae)
34. **Anthaxia (Melanthaxia) corinthia** Reiche &
Saulcy,1856 (Buprestidae)
35. **Anthaxia (Melanthaxia) meregallii** Curletti &
Magnali,1985 (Buprestidae)
36. **Anthaxia (Melanthaxia) tenella**
Kiesenwetter,1858 (Buprestidae)
37. **Anthaxia (s.str.) bicolor** Faldermann,1835
(Buprestidae)
38. **Anthaxia (s.str.) hypomelaena** (Illiger,1803)
(Buprestidae)
39. **Anthaxia (s.str.) muliebris** Obenberger,1918
(Buprestidae)
40. **Anthaxia (s.str.) nigricollis** Abeille,1904
(Buprestidae)
41. **Anthaxia (s.str.) plicata** Kiesenwetter,1859
(Buprestidae)
42. **Anthaxia (s.str.) rutilipennis** Abeille,1891
(Buprestidae)
43. **Anthaxia (s.str.) winckleri** Obenberger,1914
(Buprestidae)
44. **Anthidium (Anthidiellum) strigatum**
(Panzer,1805) (Megachilidae)
45. **Anthidium (Anthidiellum) strigatum**
(Panzer,1805) (Megachilidae)
46. **Anthidium (Paraanthidium) interruptum**
(Fabricius,1781) (Megachilidae)
47. **Anthobium anatolicum** (Fagel,1968)
(Staphylinidae)
48. **Apanteles obscurus** (Nees,1834) (Braconidae)
49. **Aphrodes trifasciatus** (Hovarth,1897)
(Cicadellidae)
50. **Apodiphus amygdali** (Germar,1817)
(Pentatomidae)
51. **Arcyptera (Pararcyptera) labiata**
(Brullé,1832) (Acrididae)
52. **Arenivaga livida** (Brunner von
Wattenwyl,1865) (Polyphagidae)
53. **Arge scita** (Mocsary,1880) (Argidae)
54. **Auletobius politus** Voss,1934 (Attelabidae)
55. **Auplopus albifrons** (Dalman,1823)
(Pompilidae)
56. **Austroagallia sinuata** (Mulsant & Rey,1855)
(Cicadellidae)
57. **Baccha elongata** (Fabricius,1775) (Syrphidae)
58. **Bembecinus heinrichi** Schmid-Egger,2004
(Crabronidae)
59. **Blaps tibialis** Reiche & Saulcy,1857
(Tenebrionidae)
60. **Blitopertha (s.str.) nigripennis**
(Burmeister,1855) (Scarabaeidae)
61. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
62. **Bombus terrestris** Linnaeus,1758 (Apidae)
63. **Brachygluta cavernosa** (Saulcy,1876)
(Staphylinidae)
64. **Brachypipona schmidti** (Gusenleitner,1967)
(Vespidae)
65. **Bracon (Cyanopterobracon) illyricus**
(Marshall,1888) (Braconidae)
66. **Bracon (Cyanopterobracon) spectabilis**
(Telenga,1936) (Braconidae)
67. **Bracon (Glabrobracon) anthracinus**
(Nees,1834) (Braconidae)
68. **Bracon (Glabrobracon) atrator** (Nees,1834)
(Braconidae)
69. **Bracon (Glabrobracon) fumipennis**
(Thomson,1892) (Braconidae)
70. **Bracon (Glabrobracon) obscurator**
(Nees,1812) (Braconidae)
71. **Bracon (Glabrobracon) piger**
(Wesmael,1838) (Braconidae)
72. **Bracon (Glabrobracon) variator** (Nees,1812)
(Braconidae)
73. **Bracon (Rostrobracon) urinator**
(Fabricius,1798) (Braconidae)
74. **Brunnerella mirabilis** Saussure,1888
(Acrididae)
75. **Calligypona reyi** (Fieber,1866) (Delphacidae)
76. **Calliptamus coelesyriensis** (Giglio-Tos,1893)
(Acrididae)
77. **Calliptamus italicus** (Linnaeus,1758)
(Acrididae)
78. **Calopteryx intermedia** Selys,1887
(Calopterygidae)
79. **Capnodis miliaris** (Klug,1829) (Buprestidae)
80. **Capnodis porosa** (Klug,1829) (Buprestidae)
81. **Capnodis tenebricosa** (Olivier,1790)
(Buprestidae)

82. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
83. **Carpocoris coreanus** Distant,1899 (Pentatomidae)
84. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
85. **Cassida prasina** Illiger,1798 (Chrysomelidae)
86. **Catoplatus hilaris** (Horvath,1906) (Tingidae)
87. **Celes variabilis** (Pallas,1771) (Acrididae)
88. **Ceraninus pacuvius** (Walker,1841) (Eulophidae)
89. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
90. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
91. **Cerocoma muehlfeldi** Gyllenhal,1817 (Meloidae)
92. **Cerocoma schreberi** Fabricius,1781 (Meloidae)
93. **Charora pentagrammica** Bolivar,1899 (Acrididae)
94. **Chelonus erythrogaster** Lucas,1846 (Braconidae)
95. **Chelonus gravenhorstii** (Nees,1813) (Braconidae)
96. **Chelonus obscurator** Herrich-Schäffer,1838 (Braconidae)
97. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
98. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
99. **Chorthippus (Glyptobothrus) longicornis** (Latreille,1804) (Acrididae)
100. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
101. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
102. **Chromatomyia fuscula** (Zetterstedt,1838) (Agromyzidae)
103. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
104. **Chrysopa viridana** Schneider,1845 (Chrysopidae)
105. **Cicada orni** Linnaeus,1758 (Cicadidae)
106. **Cicadatra atra** (Oliver,1790) (Cicadidae)
107. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
108. **Cicadatra persica** Kirkaldy,1909 (Cicadidae)
109. **Cicadetta sibilatrix** Horvath,1901 (Cicadidae)
110. **Cicadetta turcica** (Schedl,2001) (Cicadidae)
111. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
112. **Cicindela herbacea** Klug,1832 (Carabidae)
113. **Cixius pallipes** Fieber,1876 (Cixiidae)
114. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
115. **Coenorrhinus cribripennis** Desbrochers,1869 (Attelabidae)
116. **Coniocleonus nigrosuturatus** (Goeze,1777) (Curculionidae)
117. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
118. **Conocephalus (s.str.) hastatus** (Charpentier,1825) (Tettigoniidae)
119. **Cotesia ancilla** (Nixon,1974) (Braconidae)
120. **Cotesia ruficus** (Haliday,1834) (Braconidae)
121. **Cotesia telengai** (Tobias,1972) (Braconidae)
122. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
123. **Cranocapsus turcicus** Kiyak,1990 (Miridae)
124. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
125. **Cryptocheilus versicolor** (Scopoli,1763) (Pompilidae)
126. **Ctesias syriaca** Ganglbauer,1904 (Dermestidae)
127. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
128. **Dasyrhamphis carbonarius** (Meigen,1820) (Tabanidae)
129. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
130. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
131. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
132. **Dendarus (Pandarinus) foveolatus** Seidlitz,1893 (Tenebrionidae)
133. **Dendarus (Pandarinus) punctatus** Audinet-Serville,1825 (Tenebrionidae)
134. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
135. **Deporaus betulae** (Linnaeus,1758) (Attelabidae)
136. **Dicronychus deminutus** Platia & Gudenzi,2004 (Elateridae)
137. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
138. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
139. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
140. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
141. **Dolicopoda (s.str.) aranea** Bolivar,1899 (Raphidophoridae)
142. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
143. **Duilius seticulosa** (Lethierry,1874) (Cixiidae)
144. **Duroniella laticornis** (Krauss,1909) (Acrididae)
145. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
146. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae)
147. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
148. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
149. **Emblethis osmanus** Seidenstücker,1962 (Lygaeidae)
150. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae)
151. **Enallagma cyathigerum** (Charpentier,1840) (Coenagrionidae)
152. **Enicopus hirtus** (Linnaeus,1767) (Melyridae)
153. **Entomogonus (Delonuropis) egregius** Seidlitz,1893 (Tenebrionidae)
154. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
155. **Episyron rufipes** (Linnaeus,1758) (Pompilidae)
156. **Episyrrhus balteatus** (De Geer,1776) (Syrphidae)
157. **Eremopeza gibbera** (Stal,1874) (Pamphagidae)
158. **Eristalinus (Eristalodes) taeniops** (Wiedemann,1818) (Syrphidae)
159. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae)
160. **Eristalis pertinax** (Scopoli,1763) (Syrphidae)
161. **Eristalis tenax** (Linnaeus,1758) (Syrphidae)

162. **Eumenes jarkandensis** Blüthgen,1938 (Vespidae)
163. **Eumenes lunulatus** (Fabricius,1804) (Vespidae)
164. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
165. **Eupholidoptera annulipes** (Brunner von Wattenwyl,1882) (Tettigoniidae)
166. **Eupholidoptera demirsoyi** Salman,1983 (Tettigoniidae)
167. **Eupholidoptera maraschensis** Salman,1983 (Tettigoniidae)
168. **Eupholidoptera smyrnensis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
169. **Eurydema blanda** Horvath,1803 (Pentatomidae)
170. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
171. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
172. **Eurydema rugulosa** (Dohrn,1860) (Pentatomidae)
173. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
174. **Exochus castaniventris** Brauns,1896 (Ichneumonidae)
175. **Eyprepocnemis plorans** (Charpentier,1825) (Acrididae)
176. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
177. **Geocoris arenarius** (Jakovlev,1867) (Lygaeidae)
178. **Geocoris atra** (Fabricius,1787) (Lygaeidae)
179. **Geocoris chloroticus** Puton,1888 (Lygaeidae)
180. **Geocoris pallidipennis** (Costa,1843) (Lygaeidae)
181. **Geotrupes spiniger** (Marsham,1802) (Geotrupidae)
182. **Gerris gibbifer** Schummel,1832 (Gerridae)
183. **Gomphus davidi** Selys,1887 (Gomphidae)
184. **Gomphus flavipes** (Charpentier,1825) (Gomphidae)
185. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
186. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
187. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
188. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
189. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
190. **Hardya anatolica** Zachvatkin,1946 (Cicadellidae)
191. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
192. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
193. **Hemitropis seticlosa** (Lethierry,1874) (Cixiidae)
194. **Heteracris pterostichus** (Fischer von Waldheim,1833) (Acrididae)
195. **Homodela ismenia** (Gory,1833) (Carabidae)
196. **Hoplitis (Alcidamea) limassolica** (Mavromoustakis,1937) (Megachilidae)
197. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
198. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
199. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
200. **Hypera pastinacae** (Rossi,1790) (Curculionidae)
201. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
202. **Isoperla rhododendri** Zhiltzova,1956 (Perlodidae)
203. **Isophya acuminata** Brunner von Wattenwyl,1878 (Tettigoniidae)
204. **Isophya petheri** Ramme,1951 (Tettigoniidae)
205. **Isophya rodsjankoi** Bolivar,1899 (Tettigoniidae)
206. **Isophya savignyi** Brunner von Wattenwyl,1878 (Tettigoniidae)
207. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
208. **Italochrysa vartianorum** Hölzel,1967 (Chrysopidae)
209. **Javesella pellucida** (Fabricius,1794) (Delphacidae)
210. **Katamenes sichelii** (Saussure,1852) (Vespidae)
211. **Klapperichicn viridissima** (Walker,1858) (Cicadidae)
212. **Laburrus impictifrons** (Boheman,1852) (Cicadellidae)
213. **Laccobius (Dimorpholaccobius) scutellaris** Motschoulsky,1855 (Hydrophilidae)
214. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
215. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
216. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
217. **Larinus latus** (Herbst,1784) (Curculionidae)
218. **Larinus minutus** Gyllenhal,1836 (Curculionidae)
219. **Lasioglossum (s.str.) fallax** (Morawitz,1874) (Halictidae)
220. **Lasiorrhynchites praeustus** (Boheman,1845) (Atelabidae)
221. **Lasiorrhynchites sericeus** (Herbst,1797) (Atelabidae)
222. **Leistus (Pogonophorus) hermonis** Piochard,1875 (Carabidae)
223. **Leistus (Pogonophorus) spinibarbis** (Fabricius,1775) (Carabidae)
224. **Leistus (s.str.) caucasicus** Chaudoir,1867 (Carabidae)
225. **Leptodusa harzi** (Karabağ,1975) (Tettigoniidae)
226. **Leptophyes bolivari** (Kirby,1906) (Tettigoniidae)
227. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
228. **Lertha extensa** (Olivier,1811) (Nemopteridae)
229. **Libellula pontica** Selys,1887 (Libellulidae)
230. **Limotettix striola** (Fallén,1806) (Cicadellidae)
231. **Lixus anguinus** (Linnaeus,1767) (Curculionidae)
232. **Locusta migratoria** (Linnaeus,1758) (Acrididae)
233. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
234. **Longitarsus exsoletus** (Linnaeus,1758) (Chrysomelidae)

235. **Longitarsus picicollis** Weise,1900 (Chrysomelidae)
236. **Lophyridia fischeri** (Adams,1817) (Carabidae)
237. **Lucanus (s.str.) cervus** (Linnaeus,1758) (Lucanidae)
238. **Lydus pilicollis** Fairmaire,1892 (Meloidae)
239. **Lyristes plebejus** (Scopoli,1763) (Cicadidae)
240. **Malachius bipustulatus** (Linnaeus,1758) (Melyridae)
241. **Malthinus freyi** Wittmer,1974 (Cantharidae)
242. **Malthinus marashensis** Wittmer,1974 (Cantharidae)
243. **Mannerheimia brevipennis** (Motschoulsky,1860) (Staphylinidae)
244. **Megascolia maculata** (Drury,1773) (Scoliidae)
245. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
246. **Melanostoma mellinum** (Linnaeus,1758) (Syrphidae)
247. **Meloe variegatus** Donovan,1793 (Meloidae)
248. **Mesoptylus impictifrons** (Horvath,1911) (Cercopidae)
249. **Metasyrphus corollae** (Fabricius,1794) (Syrphidae)
250. **Metrioptera (Roeseliana) bispina** (Bolivar,1899) (Tettigoniidae)
251. **Microchelonus contracta** (Nees,1834) (Braconidae)
252. **Microchelonus nitens** (Reinhard,1867) (Braconidae)
253. **Microchelonus sulcata** (Jurine,1807) (Braconidae)
254. **Micropeplus fulvus** Erichson,1840 (Staphylinidae)
255. **Milesia crabroniformis** (Fabricius,1775) (Syrphidae)
256. **Milesia semiluctifera** (Villers,1789) (Syrphidae)
257. **Mocuellus dlabolai** Kalkandelen,1972 (Cicadellidae)
258. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
259. **Myathropa florea** (Linnaeus,1758) (Syrphidae)
260. **Mylabris fabricii** Sumakov,1924 (Meloidae)
261. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
262. **Mylabris sinuata** Klug,1845 (Meloidae)
263. **Myndus musivus** (Germar,1825) (Cixiidae)
264. **Myrmecaelurus trigrammus** (Pallas,1781) (Myrmeleonidae)
265. **Necrodes littoralis** (Linnaeus,1758) (Silphidae)
266. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
267. **Nemoura brevipennis** Martynov,1928 (Nemouridae)
268. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
269. **Neottiglossa leporina** (Herrich-Schäffer,1830) (Pentatomidae)
270. **Nepa cinerea** Linnaeus,1758 (Nepidae)
271. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
272. **Nocaracris cyanipes** (Fischer von Waldheim,1846) (Pamphagidae)
273. **Notonecta obliqua** Gallen,1787 (Notonectidae)
274. **Nycteribia (Acrocholidia) vexata** Westwood,1835 (Nycteribiidae)
275. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae)
276. **Nycteribia (s.str.) pedicularia** Latreille,1805 (Nycteribiidae)
277. **Nycteribia (s.str.) schmidlii** Schiner,1853 (Nycteribiidae)
278. **Ochrilidia tibialis** (Fieber,1853) (Acrididae)
279. **Oedipoda miniata** (Pallas,1771) (Acrididae)
280. **Omalium assingi** Zanetti,2002 (Staphylinidae)
281. **Omalium littorale** Kraatz,1857 (Staphylinidae)
282. **Onychogomphus forcipatus** (Linnaeus,1758) (Gomphidae)
283. **Onychogomphus lefebvrei** (Rambur,1842) (Gomphidae)
284. **Onychogomphus macrodon** (Selys,1887) (Gomphidae)
285. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
286. **Orellia distans** (Loew,1847) (Tephritidae)
287. **Orthetrum brunneum** (Fonscolombe,1837) (Libellulidae)
288. **Osmia (Helicosmia) caerulescens** (Linnaeus,1758) (Megachilidae)
289. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
290. **Palpares libelluloides** (Linnaeus,1764) (Myrmeleonidae)
291. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
292. **Paragus (Pandasyopthalmus) tibialis** (Fallén,1817) (Syrphidae)
293. **Paramesus major** Haupt,1927 (Cicadellidae)
294. **Paranotrotes eximius** Mistshenko,1951 (Pamphagidae)
295. **Parapholidoptera signata** (Brunner von Wattenwyl,1861) (Tettigoniidae)
296. **Pedestredorcadion infernale** (Mulsant & Rey,1863) (Cerambycidae)
297. **Penicillidia conspicua** Speiser,1901 (Nycteribiidae)
298. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
299. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae)
300. **Perla pallida** Guérin-Ménéville,1838 (Perlidae)
301. **Perlodes microcephala** (Pictet,1833) (Perlodidae)
302. **Pezodrymadusa affinis** (Bolivar,1899) (Tettigoniidae)
303. **Pezodrymadusa konovi** (Bolivar,1899) (Tettigoniidae)
304. **Phyllodromica brevipennis** (Fischer,1853) (Blattidae)
305. **Phyllodromica graeca** (Brunner von Wattenwyl,1882) (Blattidae)
306. **Phyllodromica larrinuai** (Bolivar,1881) (Blattidae)
307. **Phytodrymadusa expugnata** (Uvarov,1916) (Tettigoniidae)

308. **Phytoliriomyza perpusilla** (Meigen,1830) (Agromyzidae)
309. **Phytomyza fallaciosa** Brischke,1880 (Agromyzidae)
310. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
311. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
312. **Pionosomus engizekicus** Kiyak,1995 (Lygaeidae)
313. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
314. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
315. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
316. **Plagiognathus raphani** Wagner,1963 (Miridae)
317. **Plagiolepis pygmaea** (Latreille,1798) (Formicidae)
318. **Planaphrodes trifasciatus** (Fourcroy,1785) (Cicadellidae)
319. **Platycheirus albimanus** (Fabricius,1781) (Syrphidae)
320. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
321. **Platycleis (Montana) taurica** Bolivar,1899 (Tettigoniidae)
322. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
323. **Platycleis (s.str.) albopunctata** (Goeze,1778) (Tettigoniidae)
324. **Platycleis (s.str.) grisea** (Fabricius,1781) (Tettigoniidae)
325. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
326. **Platycleis (Squamiana) salmani** Çıplak,2002 (Tettigoniidae)
327. **Platycnemis dealbata** Selys,1863 (Platycnemidae)
328. **Platycnemis kervillei** (Martin,1909) (Platycnemidae)
329. **Poecilimon syriacus** Brunner von Wattenwyl,1891 (Tettigoniidae)
330. **Poecilimon zonatus** Bolivar,1899 (Tettigoniidae)
331. **Polistes (s.str.) associus** (Kohl,1898) (Vespidae)
332. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
333. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
334. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae)
335. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
336. **Priocnemis propinqua** (Lepeletier,1847) (Pompilidae)
337. **Prionotropis maculinervis** (Stal,1878) (Pamphagidae)
338. **Prosimulium (s.str.) rachiliense** Djafarov,1954 (Simuliidae)
339. **Prostemma krueperi** Stein,1878 (Nabidae)
340. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
341. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
342. **Proteinus utrarius** Assing,2004 (Staphylinidae)
343. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
344. **Pseudepipona (Deuterepipona) ionia** (Saussure,1855) (Vespidae)
345. **Pseudoceles oedipoides** Bolivar,1899 (Acrididae)
346. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
347. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
348. **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae)
349. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
350. **Raphidia (Turcoraphidia) hethitica** H.Aspöck, U.Aspöck & Rausch,1984 (Raphidiidae)
351. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
352. **Reptalus (Trepalus) rufocarينات** (Kusnezov,1937) (Cixiidae)
353. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
354. **Rhynchites auratus** (Scopoli,1763) (Atelabidae)
355. **Rhynchites bacchus** (Linnaeus,1758) (Atelabidae)
356. **Rhynchites hungaricus** (Herbst,1784) (Atelabidae)
357. **Rhynchites purpureipennis** Voss,1973 (Atelabidae)
358. **Rhyparochromus alboacuminatus** (Goeze,1778) (Lygaeidae)
359. **Rhyparochromus lynceus** (Fabricius,1775) (Lygaeidae)
360. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
361. **Rhyparochromus pini** (Linnaeus,1758) (Lygaeidae)
362. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
363. **Rivetina caucasica** (Saussure,1871) (Mantidae)
364. **Ronisia marocana** (Olivier,1811) (Mutillidae)
365. **Saga cappadocica** Werner,1903 (Tettigoniidae)
366. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
367. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
368. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
369. **Scarabaeus sacer** Linnaeus,1758 (Scarabaeidae)
370. **Schistocerca gregaria** (Forsk.,1775) (Acrididae)
371. **Sciocoris hoberlandi** Wagner,1954 (Pentatomidae)
372. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
373. **Sciocoris ochraceus** Fieber,1861 (Pentatomidae)
374. **Scolia hirta** (Schrank,1781) (Scoliidae)
375. **Scymnus rubromaculatus** (Goeze,1778) (Coccinellidae)
376. **Sialis nigripes** Pictet,1865 (Sialidae)
377. **Sigara albiventris** (Horvath,1911) (Corixidae)

378. **Simulium (Nevermannia) venum**
Macquart,1826 (Simuliidae)
379. **Simulium (s.str.) bezzii (Corti,1914)**
(Simuliidae)
380. **Simulium (s.str.) kiritshenkoi**
Rubtsov,1940 (Simuliidae)
381. **Simulium (s.str.) niha Guidicelli & Dia,1986**
(Simuliidae)
382. **Simulium (s.str.) variegatum**
Meigen,1818 (Simuliidae)
383. **Simulium (Wilhelmia) paraequinum**
Puri,1933 (Simuliidae)
384. **Sisyphus schaefferi (Linnaeus,1758)**
(Scarabaeidae)
385. **Sphaerophoria scripta (Linnaeus,1758)**
(Syrphidae)
386. **Sphenophyma rugulosa (Stal,1876)**
(Acrididae)
387. **Sphex flavipennis Fabricius,1793**
(Sphecidae)
388. **Sphingonotus (s.str.) nebulosus (Fischer**
von Waldheim,1846) (Acrididae)
389. **Spilostethus pandurus (Scopoli,1763)**
(Lygaeidae)
390. **Stagonomus amoenus (Brullé,1832)**
(Pentatomidae)
391. **Stagonomus bipunctatus (Linnaeus,1758)**
(Pentatomidae)
392. **Stegelytra putoni Mulsant & Rey,1855**
(Cicadellidae)
393. **Stenobothrus (s.str.) fischeri**
(Eversmann,1848) (Acrididae)
394. **Stenobothrus (s.str.) stigmaticus**
(Rambur,1839) (Acrididae)
395. **Stenobothrus (s.str.) zubovskii**
Bolivar,1899 (Acrididae)
396. **Stethorus punctillum Weise,1891**
(Coccinellidae)
397. **Sulamicerus stali (Fieber,1868)**
(Cicadellidae)
398. **Symmorphus connexus (Curtis,1826)**
(Vespidae)
399. **Sympecma fusca (Van Der Linden,1820)**
(Lestidae)
400. **Sympetrum fonscolombii (Selys,1840)**
(Libellulidae)
401. **Syritta flaviventris Macquart,1842** (Syrphidae)
402. **Syritta pipiens (Linnaeus,1758)**
(Syrphidae)
403. **Tabanus atropathenicus Olsufjev,1937**
(Tabanidae)
404. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
405. **Tabanus bifarius Loew,1858** (Tabanidae)
406. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
407. **Tabanus leleani Austen,1920** (Tabanidae)
408. **Tabanus rupium Brauer,1880** (Tabanidae)
409. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
410. **Tachyacistrocerus rhodensis**
(Saussure,1855) (Vespidae)
411. **Tachyacistrocerus schmidti (Kokujev,1912)**
(Vespidae)
412. **Tachycixius bidentifer Dlabola,1971** (Cixiidae)
413. **Tentyria rotundata Brullé,1832**
(Tenebrionidae)
414. **Tentyria wiedemanni Ménériés,1838**
(Tenebrionidae)
415. **Tephritis acanthiophilopsis Hering,1938**
(Tephritidae)
416. **Tephritis dioscorea (Loew,1856)** (Tephritidae)
417. **Tephritis divisa Rondani,1871** (Tephritidae)
418. **Tephritis formosa (Loew,1844)** (Tephritidae)
419. **Tephritis postica (Loew,1844)** (Tephritidae)
420. **Tettigometra depressa Fieber,1865**
(Tettigometridae)
421. **Tettigonia acutipennis Ebner,1946**
(Tettigoniidae)
422. **Tettigonia caudata (Charpentier,1845)**
(Tettigoniidae)
423. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
424. **Thanatophilus rugosus (Linnaeus,1758)**
(Silphidae)
425. **Thereva pilifrons Kröber,1912**
(Therevidae)
426. **Theriopectes gigas (Herbst,1787)**
(Tabanidae)
427. **Tingis rotundicollis (Jakovlev,1883)**
(Tingidae)
428. **Trichodes crabroniformis Fabricius,1787**
(Cleridae)
429. **Trichodes ephippiger Chevrolat,1874**
(Cleridae)
430. **Trichodes longissimus (Abeille de**
Perrin,1881) (Cleridae)
431. **Trichodes oberthueri Champenois,1900**
(Cleridae)
432. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
433. **Trichodes reichei Mulsant & Rey,1863**
(Cleridae)
434. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
435. **Trichodes suspectus Escherich,1892**
(Cleridae)
436. **Triecphorella geniculata (Horvath,1881)**
(Cercopidae)
437. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
438. **Trissolcus semistriatus (Nees,1834)**
(Scelionidae)
439. **Trissolcus simoni (Mayr,1897)**
(Scelionidae)
440. **Trissolcus vassilievi (Mayr,1903)**
(Scelionidae)
441. **Troglophilus (s.str.) escalerae Bolivar,1899**
(Raphidophoridae)
442. **Tropidopola graeca Uvarov,1926**
(Acrididae)
443. **Tropinota (Epicometis) hirta (Poda,1761)**
(Scarabaeidae)
444. **Truxalis eximia Eichwald,1830** (Acrididae)
445. **Truxalis nasuta (Linnaeus,1758)**
(Acrididae)
446. **Truxalis robusta (Uvarov,1916)** (Acrididae)
447. **Tshurtshurnella ventricornis**
Dlabola,1986 (Issidae)
448. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
449. **Urophora macrura (Loew,1855)**
(Tephritidae)
450. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
451. **Urophora stylata (Fabricius,1775)**
(Tephritidae)

452. **Urophora tenuior** Hendel,1910
(Tephritidae)
453. **Vespa orientalis** Linnaeus,1771 (Vespidae)

454. **Vespula germanica** (Fabricius,1793)
(Vespidae)
455. **Xanthochroina auberti** (Abeille de
Perrin,1876) (Oedemeridae)

Mardin Province (47)

(284 species, stand 30 April 2010)

1. **Acanthiophilus ramulosus** Loew,1844
(Tephritidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acrida oxycephala** (Pallas,1771) (Acrididae)
4. **Agenioideus dichrous** (Brullé,1840)
(Pompilidae)
5. **Agramma (s.str.) atricapillum** (Spinola,1837)
(Tingidae)
6. **Agrilus (Anambus) derasofasciatus**
Lacordaire,1835 (Buprestidae)
7. **Agrilus (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
8. **Agromyza abiens** Zetterstedt,1848
(Agromyzidae)
9. **Agromyza albitarsis** Meigen,1830
(Agromyzidae)
10. **Agromyza felleri** M.Hering,1941 (Agromyzidae)
11. **Alastor ardens** Kostylev,1935 (Vespidae)
12. **Alebra wahlbergi** (Boheman,1845)
(Cicadellidae)
13. **Alosimus castaneus** Escherich,1896
(Meloidae)
14. **Alosimus decolor** (Abeille de Perrin,1880)
(Meloidae)
15. **Annodeis milleri** Reitter,1914 (Tenebrionidae)
16. **Amphicoma (Pygopleurus) distinctus**
Faldermann,1835 (Glaphyridae)
17. **Amphicoma (Rudeulasia) chalybaea**
Faldermann,1835 (Glaphyridae)
18. **Amphicoma (Rudeulasia) hybrida**
(Reitter,1890) (Glaphyridae)
19. **Amphicoma (Rudeulasia) pulchra**
(Reitter,1890) (Glaphyridae)
20. **Amphicoma (Rudeulasia) straussi**
Ganglbauer,1905 (Glaphyridae)
21. **Anaceratagallia laevis** (Ribaut,1935)
(Cicadellidae)
22. **Anaceratagallia ribauti** (Ossiannilsson,1938)
(Cicadellidae)
23. **Anaceratagallia sinuata** (Mulsant &
Rey,1855) (Cicadellidae)
24. **Anacridium aegyptium** (Linnaeus,1764)
(Acrididae)
25. **Anadrymadusa kosswigi** Karabağ,1975
(Tettigoniidae)
26. **Anisochrya (s.str.) flavifrons** (Brauer,1850)
(Chrysopidae)
27. **Anisochrya (s.str.) subflavifrons**
(Tjeder,1949) (Chrysopidae)
28. **Anisochrya (s.str.) venosa** (Rambur,1842)
(Chrysopidae)
29. **Anogcodes ruficollis** (Fabricius,1781)
(Oedemeridae)
30. **Anthaxia (Cratomerus) eugeniae**
Ganglbauer,1885 (Buprestidae)
31. **Anthaxia (Haplanthaxia) armeniaca**
Obenberger,1929 (Buprestidae)
32. **Anthaxia (Haplanthaxia) cichorii**
(Olivier,1790) (Buprestidae)
33. **Anthaxia (Haplanthaxia) mundula**
Kiesenwetter,1857 (Buprestidae)
34. **Anthaxia (Haplanthaxia) puella** Bily,1980
(Buprestidae)
35. **Anthaxia (s.str.) berytensis** Abeille,1895
(Buprestidae)
36. **Anthaxia (s.str.) turcomanica**
Obenberger,1937 (Buprestidae)
37. **Anthaxia (s.str.) winckleri** Obenberger,1914
(Buprestidae)
38. **Aphrophora alni** (Fallén,1805) (Cercopidae)
39. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
40. **Attagenus (s.str.) orientalis** Reitter,1878
(Dermestidae)
41. **Auplopus rectus** (Haupt,1927) (Pompilidae)
42. **Austroagallia sinuata** (Mulsant & Rey,1855)
(Cicadellidae)
43. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
44. **Balclutha pellucens** Horvath,1909
(Cicadellidae)
45. **Bangasternus orientalis** (Capiomont,1873)
(Curculionidae)
46. **Batracomorpha signatus** Lindberg,1923
(Cicadellidae)
47. **Bembecinus acanthomerus** (Morice,1911)
(Crabronidae)
48. **Bembecinus birecikensis** Schmid-
Egger,2004 (Crabronidae)
49. **Bembecinus guichardi** Schmid-Egger,2004
(Crabronidae)
50. **Bembecinus gynandromorphus**
(Handlirsch,1892) (Crabronidae)
51. **Bembecinus heinrichi** Schmid-Egger,2004
(Crabronidae)
52. **Bembecinus henseni** Schmid-Egger,2004
(Crabronidae)
53. **Bembecinus meridionalis** A.Costa,1859
(Crabronidae)
54. **Bembecinus validior** Gussakowski,1952
(Crabronidae)
55. **Brachycerus foveifrons** Bedel,1874
(Brachyceridae)
56. **Brachygluta kurdica** Besuchet,2004
(Staphylinidae)
57. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
58. **Calliptamus tenuicercis** Tarbinsky,1930
(Acrididae)
59. **Calopteryx hyalina** Martin,1909
(Calopterygidae)
60. **Calopteryx intermedia** Selys,1887
(Calopterygidae)
61. **Calycomyza humeralis** (von Roser,1840)
(Agromyzidae)
62. **Cardiophorus (s.str.) bellus** Platia &
Gundezi,2000 (Elateridae)

63. **Cardiophorus (s.str.) plurimus** Platia & Gudenzi,2002 (Elateridae)
64. **Carpocoris coreanus** Distant,1899 (Pentatomidae)
65. **Catoplatus hilaris** (Horvath,1906) (Tingidae)
66. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
67. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
68. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
69. **Cercopis septemmaculata** (Melichar,1903) (Cercopidae)
70. **Cerodontha (s.str.) denticornis** (Panzer,1806) (Agromyzidae)
71. **Chromatomyia horticola** (Goureau,1851) (Agromyzidae)
72. **Chrysolina didymata** (Scriba,1791) (Chrysomelidae)
73. **Chrysolina polita** (Linnaeus,1758) (Chrysomelidae)
74. **Chrysopa dubitans** McLachan,1887 (Chrysopidae)
75. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
76. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
77. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
78. **Cixius pallipes** Fieber,1876 (Cixiidae)
79. **Coenorhinus aequatus** (Linnaeus,1767) (Atelabidae)
80. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
81. **Cordulegaster insignis** Schneider,1845 (Cordulegasteridae)
82. **Coremacera catenata** (Loew,1847) (Sciomyzidae)
83. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
84. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
85. **Cryptocheilus confinis** Haupt,1926 (Pompilidae)
86. **Cryptocheilus guttulatus** (Costa,1887) (Pompilidae)
87. **Cryptocheilus hebraeus** Suster,1924 (Pompilidae)
88. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
89. **Cryptocheilus postscutellabus** Wolf,1998 (Pompilidae)
90. **Curculio excellans** Khnzorian,1953 (Curculionidae)
91. **Cylindera (Cicindina) pygmaea** (Dejean,1825) (Carabidae)
92. **Cyrtolabus iranus** (Giordani Soika,1968) (Vespidae)
93. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
94. **Deleproctophylla variegata** (Klug,1834) (Ascalaphidae)
95. **Delta viatrix** (Nurse,1903) (Vespidae)
96. **Deronectes longipes** Sharp,1882 (Dytiscidae)
97. **Deronectes syriacus** Wewalka,1971 (Dytiscidae)
98. **Dicyrtomellus tomentosus** (Priesner,1955) (Pompilidae)
99. **Dielocroce baudii** (Griffini,1895) (Nemopteridae)
100. **Dielocroce ephemera** (Gersträcker,1893) (Nemopteridae)
101. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
102. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
103. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
104. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
105. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
106. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
107. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
108. **Eurytoma amygdali** Enderlein,1907 (Eurytomidae)
109. **Euscelidius mundus** (Haupt,1927) (Cicadellidae)
110. **Exeurytoma kebanensis** Doğanlar,2005 (Eurytomidae)
111. **Geocoris grylloides** (Linnaeus,1761) (Lygaeidae)
112. **Geocoris pallidipennis** (Costa,1843) (Lygaeidae)
113. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
114. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
115. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
116. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
117. **Helladia pretiosa** (Faldermann,1837) (Cerambycidae)
118. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
119. **Helophorus hilaris** Sharp,1916 (Helophoridae)
120. **Helophorus syriacus** Kuwert,1885 (Helophoridae)
121. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
122. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
123. **Hyalesthes scotti** Ferrari,1882 (Cixiidae)
124. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
125. **Hybomitra decora** (Loew,1858) (Tabanidae)
126. **Hypera variabilis** (Herbst,1795) (Curculionidae)
127. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
128. **Hypolix nubilosus** (Boheman,1836) (Curculionidae)
129. **Imbecilla imbecilla** (Linnavuori,1962) (Cicadellidae)
130. **Klapperichicen viridissima** (Walker,1858) (Cicadidae)
131. **Labidostomis oertzeni** Weise,1889 (Chrysomelidae)
132. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa,1966 (Hydrophilidae)
133. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
134. **Laccobius (Microlaccobius) exilis** Gentili,1974 (Hydrophilidae)
135. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
136. **Lacon unicolor** (Candeze,1874) (Elateridae)
137. **Larinus latus** (Herbst,1784) (Curculionidae)

138. *Larinus onopordi* (Fabricius,1787) (Curculionidae)
139. *Larinus orientalis* Capiomont,1874 (Curculionidae)
140. *Larinus turbinatus* Gyllenhal,1836 (Curculionidae)
141. *Lasioglossum* (s.str.) *caspicum* (Morawitz,1873) (Halictidae)
142. *Lasioglossum cilicium* Ebmer,1972 (Halictidae)
143. *Lepyronia coleoptrata* (Linnaeus,1758) (Cercopidae)
144. *Lertha palmonii* Tjeder,1970 (Nemopteridae)
145. *Libelloides macaronius* (Scopoli,1763) (Ascalaphidae)
146. *Libelloides rhomboideus* (Schneider,1845) (Ascalaphidae)
147. *Libellula depressa* Linnaeus,1758 (Libellulidae)
148. *Liriomyza congesta* (Becker,1903) (Agromyzidae)
149. *Liriomyza strigata* (Meigen,1830) (Agromyzidae)
150. *Liriomyza trifolii* (Burgess,1880) (Agromyzidae)
151. *Lixus cardui* Olivier,1807 (Curculionidae)
152. *Lixus circumcinctus* Boheman,1836 (Curculionidae)
153. *Lixus elegantulus* Boheman,1843 (Curculionidae)
154. *Lixus incanescens* Boheman,1836 (Curculionidae)
155. *Lixus scolapax* Boheman,1836 (Curculionidae)
156. *Lixus vilis* (Rossi,1790) (Curculionidae)
157. *Lophyridia caucasica* (Adams,1817) (Carabidae)
158. *Lophyridia fischeri* (Adams,1817) (Carabidae)
159. *Lophyridia littoralis* (Fabricius,1787) (Carabidae)
160. *Ludita fulvipennis* (Smith,1879) (Tiphidae)
161. *Lydus europaeus* Escherich,1897 (Meloidae)
162. *Lydus tarsalis* Abeille de Perrin,1880 (Meloidae)
163. *Lyristes plebejus* (Scopoli,1763) (Cicadidae)
164. *Macrocoma doboszi* Borowiec,2005 (Chrysomelidae)
165. *Macrolophus caliginosus* Wagner,1950 (Miridae)
166. *Malenia bosnica* (Horvath,1907) (Derbidae)
167. *Malthinus malinkai* Svihla,2009 (Cantharidae)
168. *Malthodes malinkorum* Svihla,2009 (Cantharidae)
169. *Mantispa scabricollis* McLachlan,1875 (Mantispidae)
170. *Medecticus assimilis* (Fieber,1853) (Tettigoniidae)
171. *Meenoplus albosignatus* Fieber,1866 (Meenoplidae)
172. *Megascolia maculata* (Drury,1773) (Scoliidae)
173. *Mesostena puncticollis* Solier,1835 (Tenebrionidae)
174. *Modicogryllus* (s.str.) *truncatus* (Tarbinski,1940) (Gryllidae)
175. *Monosteira lobulifera* Reuter,1888 (Tingidae)
176. *Mustha spinosula* (Lefebvre,1831) (Pentatomidae)
177. *Mycterodus anatoloriens* Dlabola,1979 (Issidae)
178. *Mylabris cincta* Olivier,1811 (Meloidae)
179. *Mylabris fabricii* Sumakov,1924 (Meloidae)
180. *Mylabris humerosa* (Escherich,1899) (Meloidae)
181. *Mylabris quadripunctata* (Linnaeus,1767) (Meloidae)
182. *Mylabris scabiosae* (Olivier,1811) (Meloidae)
183. *Mylabris zebraea* (Marseul,1870) (Meloidae)
184. *Myndus musivus* (Germar,1825) (Cixiidae)
185. *Myopa buccata* (Linnaeus,1758) (Conopidae)
186. *Napomyza elegans* (Meigen,1830) (Agromyzidae)
187. *Neoliturus fenestratus* (Herrich-Schäffer,1834) (Cicadellidae)
188. *Nephrotoma cornicina* (Linnaeus,1758) (Tipulidae)
189. *Nephrotoma scalaris* (Meigen,1818) (Tipulidae)
190. *Nymphorgerius curticeps* (Linnavuori,1965) (Dictyopharidae)
191. *Oecanthus pellucens* (Scopoli,1763) (Gryllidae)
192. *Oliarus cuspidatus* Fieber,1876 (Cixiidae)
193. *Ommatidiotus longiceps* Puton,1896 (Caliscelidae)
194. *Opatroides punctulatus* Brullé,1832 (Tenebrionidae)
195. *Ophiomyia beckeri* (Hendel,1923) (Agromyzidae)
196. *Osmia* (*Helicosmia*) *fulviventris* (Panzer,1798) (Megachilidae)
197. *Pachybrachis* (s.str.) *ardinensis* Weise,1900 (Chrysomelidae)
198. *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791) (Chrysomelidae)
199. *Palpares solidus* Gerstaecker,1893 (Myrmeleonidae)
200. *Pangonius* (s.str.) *fulvipes* Loew,1859 (Tabanidae)
201. *Pedestredorcadion accola* (Heyden,1894) (Cerambycidae)
202. *Pedestredorcadion mesopotamicum* (Breuning,1944) (Cerambycidae)
203. *Pentastira major* (Kirschbaum,1868) (Cixiidae)
204. *Pentastira rorida* (Fieber,1876) (Cixiidae)
205. *Pentastiridius leporinus* (Linnaeus,1761) (Cixiidae)
206. *Peripontius elegantulus* Platia,2003 (Elateridae)
207. *Peripontius saroveci* Platia,2003 (Elateridae)
208. *Phantia ferganensis* Dubovskii,1966 (Flatidae)
209. *Phantia subquadrata* (Herrich-Schäffer,1838) (Flatidae)
210. *Philaenus spumarius* (Linnaeus,1758) (Cercopidae)
211. *Phlepsius intricatus* (Herrich-Schäffer,1838) (Cicadellidae)
212. *Phytomyza orobanchiae* Kaltenbach,1864 (Agromyzidae)
213. *Phytomyza plantaginis* Robineau-Desvoidy,1851 (Agromyzidae)
214. *Phytomyza rufipes* Meigen,1830 (Agromyzidae)
215. *Piocoris luridus* (Fieber,1844) (Lygaeidae)
216. *Platycleis* (s.str.) *intermedia* (Audinet-Serville,[1839]) (Tettigoniidae)
217. *Platycnemis pennipes* (Pallas,1771) (Platycnemidae)

218. **Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae)
219. **Platymetopius quercinus Dlabola,1974** (Cicadellidae)
220. **Poecilimon syriacus Brunner von Wattenwyl,1891** (Tettigoniidae)
221. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
222. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
223. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
224. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae)
225. **Pseudoliarus fuscofasciatus (Melichar,1902)** (Cixiidae)
226. **Pseudoliarus palaestinis Linnavuori,1962** (Cixiidae)
227. **Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae)
228. **Psyllobora vigintiduopunctata (Linnaeus,1758)** (Coccinellidae)
229. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
230. **Ptyngidricerus albardanus (McLachan,1891)** (Ascalaphidae)
231. **Ptyngidricerus albardanus albardanus (McLachan,1891)** (Ascalaphidae)
232. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
233. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
234. **Rhinoxyllus conicus (Frölich,1792)** (Curculionidae)
235. **Rhynchites hungaricus (Herbst,1784)** (Atelabidae)
236. **Rhynchites smyrnensis Desbrochers,1869** (Atelabidae)
237. **Ricania hedenborgi Stal,1865** (Ricaniidae)
238. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
239. **Schistocerca gregaria (Forsk.,1775)** (Acrididae)
240. **Sciocoris ochraceus Fieber,1861** (Pentatomidae)
241. **Scymnus pallipediformis Günther,1958** (Coccinellidae)
242. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae)
243. **Sigara samani Hoberlandt,1948** (Corixidae)
244. **Sogatella vibix (Haupt,1927)** (Delphacidae)
245. **Stegelytra sororcula Dlabola,1974** (Cicadellidae)
246. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae)
247. **Stenopogon rufipilus (Loew,1873)** (Asilidae)
248. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae)
249. **Suaris nanus (McLachan,1893)** (Chrysopidae)
250. **Sympetrum fonscolombii (Selys,1840)** (Libellulidae)
251. **Sympetrum meridionale (Selys,1841)** (Libellulidae)
252. **Sympetrum striolatum (Charpentier,1840)** (Libellulidae)
253. **Syneuodinerus erichi Gusenleitner,1967** (Vespidae)
254. **Tabanus alvarengia Schacht,1987** (Tabanidae)
255. **Tabanus lunatus Fabricius,1794** (Tabanidae)
256. **Tabanus mianjanganensis Jezek,1981** (Tabanidae)
257. **Tabanus mouchai Leclercq,1962** (Tabanidae)
258. **Tachycixius bidentifer Dlabola,1971** (Cixiidae)
259. **Tachycixius desertorum (Fieber,1876)** (Cixiidae)
260. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae)
261. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae)
262. **Tettigometra (Mitricephalus) leucophaea (Preyssl,1792)** (Tettigometridae)
263. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
264. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
265. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae)
266. **Trichodes ephippiger Chevrolat,1874** (Cleridae)
267. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae)
268. **Trichodes nobilis Klug,1842** (Cleridae)
269. **Trichodes oberthueri Champenois,1900** (Cleridae)
270. **Trichodes pulcherrimus Escherich,1892** (Cleridae)
271. **Trichodes reichei Mulsant & Rey,1863** (Cleridae)
272. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
273. **Trissolcus grandis (Thomson,1860)** (Scelionidae)
274. **Trissolcus semistriatus (Nees,1834)** (Scelionidae)
275. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae)
276. **Urophora affinis (Frauenfeld,1857)** (Tephritidae)
277. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae)
278. **Utecha trivialis (Germar,1821)** (Cicadellidae)
279. **Vachiria natolica Stal,1859** (Reduviidae)
280. **Vespa orientalis Linnaeus,1771** (Vespidae)
281. **Vespula germanica (Fabricius,1793)** (Vespidae)
282. **Xenaporus schmidti Priesner,1967** (Pompilidae)
283. **Xylocoris cursitans (Fallén,1807)** (Anthocoridae)
284. **Zonitis ruficollis Frivaldsky,1877** (Meloidae)

Muğla Province (48)

(572 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Acanthiophilus ramulosus** Loew,1844 (Tephritidae)
3. **Acantholepis frauenfeldi** (Mayr,1855) (Formicidae)
4. **Acinipe davisii** (Uvarov,1949) (Pamphagidae)
5. **Acrosternum heegeri** Fieber,1861 (Pentatomidae)
6. **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae)
7. **Actinoptera discoidea** (Fallén,1814) (Tephritidae)
8. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
9. **Agabus (Gaurodytes) faldermanni** Zaitzev,1927 (Dytiscidae)
10. **Agalmatium bilobum** (Fieber,1877) (Issidae)
11. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
12. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
13. **Agrilus (s.str.) hyperici** (Creutzer,1799) (Buprestidae)
14. **Agromyza pittodes** Hendel,1931 (Agromyzidae)
15. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae)
16. **Allygidius atomarius** (Fabricius,1794) (Cicadellidae)
17. **Allygus modestus** Scott,1876 (Cicadellidae)
18. **Alphitophagus bifasciatus** (Say,1823) (Tenebrionidae)
19. **Amara (Paracelia) monochroa** Hieke,2004 (Carabidae)
20. **Amauromyza (Cephalomyza) luteiceps** (Hendel,1920) (Agromyzidae)
21. **Amblyopone denticulatum** (Roger,1859) (Formicidae)
22. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
23. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
24. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
25. **Anadolua schwarzi** Ramme,1939 (Tettigoniidae)
26. **Anadrymadusa albomaculata** (Karabağ,1956) (Tettigoniidae)
27. **Anadrymadusa ornatipennis** (Ramme,1926) (Tettigoniidae)
28. **Ancistrocerus parietum** (Linnaeus,1758) (Vespidae)
29. **Andricus coronatus** (Giraud,1859) (Cynipidae)
30. **Andricus infectorius** (Hartig,1843) (Cynipidae)
31. **Andricus quercustozae** (Bosc,1792) (Cynipidae)
32. **Andricus tomentosus** (Trotter,1901) (Cynipidae)
33. **Anoplotettix rodosicus** Dlabola,1974 (Cicadellidae)
34. **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae)
35. **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae)
36. **Anthaxia (Haplanthaxia) mundula** Kiesenwetter,1857 (Buprestidae)
37. **Anthaxia (Haplanthaxia) praeclara** Mannerheim,1837 (Buprestidae)
38. **Anthaxia (Haplanthaxia) umbellatarum** (Fabricius,1787) (Buprestidae)
39. **Anthaxia (Melanthaxia) masculina** Bily,1984 (Buprestidae)
40. **Anthaxia (s.str.) discicollis** Gory & Laporte,1839 (Buprestidae)
41. **Anthaxia (s.str.) fulgurans** (Schrank,1789) (Buprestidae)
42. **Anthaxia (s.str.) muliebris** Obenberger,1918 (Buprestidae)
43. **Anthaxia (s.str.) myrmidon** Abeille,1891 (Buprestidae)
44. **Anthaxia (s.str.) nigricollis** Abeille,1904 (Buprestidae)
45. **Anthaxia (s.str.) platysoma** Abeille,1891 (Buprestidae)
46. **Anthaxia (s.str.) plicata** Kiesenwetter,1859 (Buprestidae)
47. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
48. **Anthidium (Anthidiellum) strigatum** (Panzer,1805) (Megachilidae)
49. **Anthidium (Pseudoanthidium) lituratum** (Panzer,1801) (Megachilidae)
50. **Anthidium (s.str.) florentinum** (Fabricius,1775) (Megachilidae)
51. **Anthrenus (s.str.) munroi** Hinton,1943 (Dermestidae)
52. **Antocha vitripennis** (Meigen,1830) (Limoniidae)
53. **Aphaenogaster simonelli** Emery,1894 (Formicidae)
54. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
55. **Aphrophora alni** (Fallén,1805) (Cercopidae)
56. **Aphrophora corticea** Germar,1821 (Cercopidae)
57. **Apistomyia sp.** (Blephariceridae)
58. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
59. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
60. **Arenivaga ebneri** (Chopard,1929) (Polyphagidae)
61. **Arenivaga livida** (Brunner von Wattenwyl,1865) (Polyphagidae)
62. **Arge cyanocrocea** (Forster,1771) (Argidae)
63. **Arge melanochra** (Gmelin,1790) (Argidae)
64. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
65. **Athalia circularis** (Klug,1815) (Tenthredinidae)
66. **Athalia cordata** Audinet-Serville,1823 (Tenthredinidae)
67. **Aulagromyza buhri** (De Meijere,1938) (Agromyzidae)
68. **Aulagromyza heringii** (Hendel,1920) (Agromyzidae)
69. **Aulonogyrus striatus** (Fabricius,1792) (Gyrinidae)
70. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)

71. **Austrolimnophila (s.str.) brevicellula** Stary,1977 (Limoniidae)
72. **Baeoura alexanderi** Mendl & Tjeder,1974 (Limoniidae)
73. **Bagrada stolidi** (Herrich-Schäffer,1839) (Pentatomidae)
74. **Balcanocerus brusinae** (Horvath,1891) (Cicadellidae)
75. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae)
76. **Baryphora speciosa** Loew,1844 (Therevidae)
77. **Batrisodes clypeatus** Besuchet,1981 (Staphylinidae)
78. **Bembecinus cyprius** De Beaumont,1954 (Crabronidae)
79. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
80. **Bembidion (Ocydromus) cordicolle** Jacquelin du Val,1852 (Carabidae)
81. **Berosus (s.str.) affinis** Brullé,1835 (Hydrophilidae)
82. **Bidessus calabricus** Guignot,1957 (Dytiscidae)
83. **Bidessus delicatulus** (Schaum,1844) (Dytiscidae)
84. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
85. **Bombus terrestris** Linnaeus,1758 (Apidae)
86. **Brachygluta abrupta** Doderö,1919 (Staphylinidae)
87. **Brachygluta cavernosa** (Saulcy,1876) (Staphylinidae)
88. **Brachygluta retowskii** (Simon,1883) (Staphylinidae)
89. **Bubastia (s.str.) suturale** (Fieber,1877) (Issidae)
90. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
91. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
92. **Cabirutus cribricollis** (Baudi,1875) (Tenebrionidae)
93. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
94. **Calliptamus barbarus** (Costa,1836) (Acrididae)
95. **Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae)
96. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
97. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
98. **Calopteryx virgo** (Linnaeus,1758) (Calopterygidae)
99. **Campiglossa producta** Loew,1844 (Tephritidae)
100. **Campiglossa tesellata** (Loew,1844) (Tephritidae)
101. **Camponotus aethiops** (Latreille,1798) (Formicidae)
102. **Camponotus compressus** (Fabricius,1787) (Formicidae)
103. **Camponotus dalmaticus** (Nylander,1848) (Formicidae)
104. **Camponotus ionius** Emery,1901 (Formicidae)
105. **Camponotus kiesenwetteri** Roger,1859 (Formicidae)
106. **Camponotus samius** Forel,1888 (Formicidae)
107. **Camponotus sylvaticus** (Olivier,1792) (Formicidae)
108. **Capnia arensi** Zhiltzova,1964 (Capniidae)
109. **Capnia tuberculata** Zhiltzova,1964 (Capniidae)
110. **Capnodis cariosa** (Pallas,1776) (Buprestidae)
111. **Capnodis porosa** (Klug,1829) (Buprestidae)
112. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae)
113. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
114. **Cardiophorus (s.str.) hayekae** Platia & Gudenzi,2002 (Elateridae)
115. **Cardiophorus (s.str.) impressiventris** Schwarz,1900 (Elateridae)
116. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
117. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
118. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
119. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
120. **Cataglyphis viaticoides** André,1881 (Formicidae)
121. **Cephalostenus elegans** Brullé,1832 (Tenebrionidae)
122. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
123. **Cercoma gloriosa** Mulsant,1857 (Meloidae)
124. **Cetonia (s.str.) aurata** (Linnaeus,1761) (Scarabaeidae)
125. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
126. **Chromatomyia horticola** (Goureau,1851) (Agromyzidae)
127. **Chromatomyia scolopendri** (Robineau-Desvoidy,1851) (Agromyzidae)
128. **Chrysobothris affinis** (Fabricius,1794) (Buprestidae)
129. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
130. **Chrysopilus pallipes** (Loew,1869) (Rhagionidae)
131. **Chrysops (Petersenichrysops) hamatus** Loew,1858 (Tabanidae)
132. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
133. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
134. **Chrysops (s.str.) italicus** Meigen,1804 (Tabanidae)
135. **Cicada mordoganensis** Boulard,1979 (Cicadidae)
136. **Cicadatra atra** (Oliver,1790) (Cicadidae)
137. **Cicadatra platyptera** Fieber,1876 (Cicadidae)
138. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
139. **Cicindela campestris** Linnaeus,1758 (Carabidae)
140. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae)
141. **Cixidia mersinica** (Dlabola,1987) (Achilidae)
142. **Cixidia parnassia** (Stal,1859) (Achilidae)
143. **Cixius pallipes** Fieber,1876 (Cixiidae)
144. **Clypeocampulum tibiale** Gauld,1976 (Ichneumonidae)
145. **Clytra bodemeyeri** Weise,1900 (Chrysomelidae)
146. **Clytra novempunctata** Olivier,1808 (Chrysomelidae)
147. **Coenagrion pulchellum** (Van Der Linden,1825) (Coenagrionidae)
148. **Coenorhinus aequatus** (Linnaeus,1767) (Attelabidae)

149. **Coenorhinus cribripennis** Desbrochers,1869 (Atteblabidae)
150. **Coenorhinus cribrum** (Desbrochers,1875) (Atteblabidae)
151. **Colpa quinquecincta** (Fabricius,1775) (Scoliidae)
152. **Colpotus sulcatus** Ménétré,1838 (Tenebrionidae)
153. **Conophorus gracilis** Dils & Özbek,2006 (Bombyliidae)
154. **Conops flavicaudus** (Bigot,1880) (Conopidae)
155. **Crematogaster scutellaris** (Olivier,1791) (Formicidae)
156. **Crematogaster sordidula** (Nylander,1849) (Formicidae)
157. **Crocothemis erythraea** (Brullé,1832) (Libellulidae)
158. **Cryptocephalus fulvus** (Goeze,1777) (Chrysomelidae)
159. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
160. **Cryptocheilus ichneumonoides** (Costa,1874) (Pompilidae)
161. **Cryptocheilus variipennis** Sustera,1924 (Pompilidae)
162. **Cylindera (Cicindina) trisignata** (Dejean,1822) (Carabidae)
163. **Cynips quercusfolii** (Linnaeus,1758) (Cynipidae)
164. **Cyphon dinolabis** Nyholm,1970 (Scirtidae)
165. **Cyphon palustris** Thomson,1855 (Scirtidae)
166. **Dactylolabis (Dactylolabis) jonica** Lackschewitz,1940 (Limoniidae)
167. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
168. **Dallognatha rugipleuris** Reitter,1896 (Tenebrionidae)
169. **Dasyhippus uvarovi** Karabağ,1953 (Acrididae)
170. **Dasyopogon diadema** (Fabricius,1781) (Asilidae)
171. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
172. **Deleproctophylla dusmeti** Navas,1914 (Ascalaphidae)
173. **Deliphrosoma weiratheri** (Scheerpeltz,1938) (Staphylinidae)
174. **Delta unguiculatum** (Villers,1789) (Vespidae)
175. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae)
176. **Derocrepis whiteheadi** Warchalowski,1998 (Chrysomelidae)
177. **Deronectes doriae** Sharp,1882 (Dytiscidae)
178. **Deronectes sahlbergi** Zimmermann,1932 (Dytiscidae)
179. **Dicranomyia (Glochina) sericata** (Meigen,1830) (Limoniidae)
180. **Dicranomyia (Melanolimonia) rufiventris** (Strobl,1900) (Limoniidae)
181. **Dicranomyia (s.str.) chorea** (Meigen,1818) (Limoniidae)
182. **Dicranomyia (s.str.) goritiensis** (Mik,1864) (Limoniidae)
183. **Dicranomyia (s.str.) kamakensis** Stary,1993 (Limoniidae)
184. **Dicranomyia (s.str.) lucida** De Meijere,1918 (Limoniidae)
185. **Dicranomyia (s.str.) mitis** (Meigen,1830) (Limoniidae)
186. **Dicranomyia (s.str.) modesta** (Meigen,1818) (Limoniidae)
187. **Dicranomyia (s.str.) signata** Lackschewitz & Pagast,1941 (Limoniidae)
188. **Dicranoptycha (s.str.) fuscescens** (Schummel,1829) (Limoniidae)
189. **Dicranoptycha (Ulugbekia) savtshenkoi** Mendl,1976 (Limoniidae)
190. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
191. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
192. **Dictyophara lindbergi** Metcalf,1955 (Dictyopharidae)
193. **Dipogon (Deuteragenia) variegatus** (Linnaeus,1758) (Pompilidae)
194. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
195. **Dolichozeza (s.str.) graeca** Mannheims,1954 (Tipulidae)
196. **Dolichovespula sylvestris** (Scopoli,1763) (Vespidae)
197. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
198. **Duilius tamaricis** (Puton & Lethierry,1887) (Cixiidae)
199. **Dyrodere umbraculatus** (Fabricius,1775) (Pentatomidae)
200. **Dytiscus marginalis** Linnaeus,1758 (Dytiscidae)
201. **Dytiscus semisulcatus** O.F.Müller,1776 (Dytiscidae)
202. **Elinora asiatica** Enslin,1910 (Tenthredinidae)
203. **Ellipteroides (Protogonomyia) quadridens** (Limoniidae)
204. **Elodes sieberi** Klausnitzer,1973 (Scirtidae)
205. **Eloeophila maculata** (Meigen,1804) (Limoniidae)
206. **Emblethis angustus** Montandon,1890 (Lygaeidae)
207. **Enochrus (Lumetus) segmentinotatus** (Kuwert,1888) (Hydrophilidae)
208. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
209. **Epiphragma (Epiphragma) ocellare** (Linnaeus,1761) (Limoniidae)
210. **Episyron gallicum** (Tournier,1889) (Pompilidae)
211. **Epitrix atropae** Foudras,1860 (Chrysomelidae)
212. **Erax punctipennis** (Meigen,1820) (Asilidae)
213. **Erodium orientale** Brullé,1832 (Tenebrionidae)
214. **Euboeus mimonti** (Boieldieu,1865) (Tenebrionidae)
215. **Euidopsis truncata** Ribaut,1948 (Delphacidae)
216. **Eumenes papillarius** (Christ,1791) (Vespidae)
217. **Euodynerus (Pareuodynerus) posticus** (Herrich-Schäffer,1841) (Vespidae)
218. **Eupholidoptera annulipes** (Brunner von Wattenwyl,1882) (Tettigoniidae)
219. **Eupholidoptera krueperi** (Ramme,1930) (Tettigoniidae)
220. **Eupholidoptera tahtalica** (Uvarov,1949) (Tettigoniidae)
221. **Eupterycyba jucunda** (Herrich-Schäffer,1837) (Cicadellidae)
222. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
223. **Eurydema rugulosa** (Dohrn,1860) (Pentatomidae)

224. **Eurydema spectabilis** Horvath,1882 (Pentatomidae)
225. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
226. **Eutolmus calopus** (Loew,1848) (Asilidae)
227. **Exitianus capicola** (Stal,1855) (Cicadellidae)
228. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
229. **Eyprepocnemis plorans** (Charpentier,1825) (Acrididae)
230. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
231. **Faronus distinctus** Besuchet,1999 (Staphylinidae)
232. **Fieberiella macchiae** Linnavuori,1962 (Cicadellidae)
233. **Forficula auricularia** Linnaeus,1758 (Forficulidae)
234. **Forficula lurida** Fischer,1853 (Forficulidae)
235. **Gargara genistae** (Fabricius,1775) (Membracidae)
236. **Geocoris atra** (Fabricius,1787) (Lygaeidae)
237. **Geocoris lineolus** (Rambur,1839) (Lygaeidae)
238. **Geotrupes stercorarius** (Linnaeus,1758) (Geotrupidae)
239. **Globicornis picta** (Küster,1851) (Dermestidae)
240. **Gomphus schneideri** Selys,1850 (Gomphidae)
241. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
242. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
243. **Gonomyia** (s.str.) **conoviensis** Barnes,1924 (Limoniidae)
244. **Gonomyia** (s.str.) **sicula** Lackschewitz,1940 (Limoniidae)
245. **Grypotes staurus** Ivanoff,1885 (Cicadellidae)
246. **Gyrinus dejeani** Brullé,1832 (Gyrinidae)
247. **Gyrinus suffriani** Scriba,1855 (Gyrinidae)
248. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae)
249. **Helius** (s.str.) **hispanicus** Lackschewitz,1928 (Limoniidae)
250. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
251. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
252. **Helophorus nubilus** Fabricius,1776 (Helophoridae)
253. **Heteropogon scoparius** Loew,1847 (Asilidae)
254. **Hexatoma (Cladolipes) simplex** (Loew,1865) (Limoniidae)
255. **Hexatoma (Eriocera) chirothecata** (Scopoli,1763) (Limoniidae)
256. **Hexatoma** (s.str.) **bicolor** (Meigen,1818) (Limoniidae)
257. **Homodela ismenia** (Gory,1833) (Carabidae)
258. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
259. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
260. **Hydrocyphon finitimus** Nyholm,1977 (Scirtidae)
261. **Hydrocyphon rivulorum** Nyholm,1977 (Scirtidae)
262. **Hydrocyphon segrex** Nyholm,1972 (Scirtidae)
263. **Hydroporus bodemeyeri** Ganglbauer,1900 (Dytiscidae)
264. **Hydroporus marginatus** (Duftschmid,1805) (Dytiscidae)
265. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
266. **Hypera pastinacae** (Rossi,1790) (Curculionidae)
267. **Hypera variabilis** (Herbst,1795) (Curculionidae)
268. **Hyperaspis quadrimaculata** Redtenbacher,1843 (Coccinellidae)
269. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
270. **Idiocera** (s.str.) **pulchripennis** (Loew,1856) (Limoniidae)
271. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
272. **Katamenes sichelii** (Saussure,1852) (Vespidae)
273. **Labidostomis asiatica** Faldermann,1837 (Chrysomelidae)
274. **Labidostomis mesopotamica** Heyden,1886 (Chrysomelidae)
275. **Labidostomis oertzeni** Weise,1889 (Chrysomelidae)
276. **Laccobius (Dimorpholaccobius) halophilus** Gentili,1982 (Hydrophilidae)
277. **Laccobius (Dimorpholaccobius) lycius** Gentili & Whitehead,2000 (Hydrophilidae)
278. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
279. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
280. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
281. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
282. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
283. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
284. **Larinus ursus** (Fabricius,1792) (Curculionidae)
285. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
286. **Lasioptera berlesiana** Paoli,1907 (Cecidomyiidae)
287. **Lasius alienus** (Förster,1850) (Formicidae)
288. **Latilica maculipes** (Melichar,1906) (Issidae)
289. **Leptocybe invasa** Fisher & La Salle,2004 (Eulophidae)
290. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
291. **Lestes barbarus** (Fabricius,1798) (Lestidae)
292. **Lestes parvidens** Artobolevski,1929 (Lestidae)
293. **Lestes virens** (Charpentier,1825) (Lestidae)
294. **Libelloides lacteus** (Brullé,1832) (Ascalaphidae)
295. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)

296. **Limonia macrostigma (Schummel,1829)**
(Limoniidae)
297. **Limonia nubeculosa Meigen,1804**
(Limoniidae)
298. **Limonia phragmitidis (Schränk,1781)**
(Limoniidae)
299. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae)
300. **Liponeura lindneri Zwick,1972**
(Blephariceridae)
301. **Liriomyza flaveola (Fallén,1823)**
(Agromyzidae)
302. **Liriomyza pascuum (Meigen,1838)**
(Agromyzidae)
303. **Liriomyza sativae Blanchard,1938**
(Agromyzidae)
304. **Liriomyza trifolii (Burgess,1880)**
(Agromyzidae)
305. **Lixus angustatus (Fabricius,1775)**
(Curculionidae)
306. **Lixus junci Boheman,1836** (Curculionidae)
307. **Lixus scolapax Boheman,1836**
(Curculionidae)
308. **Lixus vilis (Rossi,1790)** (Curculionidae)
309. **Locusta migratoria (Linnaeus,1758)**
(Acrididae)
310. **Lophyridia concolor (Dejean,1822)**
(Carabidae)
311. **Lophyridia fischeri (Adams,1817)** (Carabidae)
312. **Lophyridia littoralis (Fabricius,1787)**
(Carabidae)
313. **Lydus pilicollis Fairmaire,1892** (Meloidae)
314. **Lygaeus creticus (Lucas,1854)** (Lygaeidae)
315. **Lyristes plebejus (Scopoli,1763)** (Cicadidae)
316. **Machimus cyanopus (Loew,1849)** (Asilidae)
317. **Macrolenes dentipes (Olivier,1808)**
(Chrysomelidae)
318. **Macrolophus caliginosus Wagner,1950**
(Miridae)
319. **Macrophya postica Brullé,1832**
(Tenthredinidae)
320. **Maladera (Macroserica) lyciensis Petrovitz,1969** (Scarabaeidae)
321. **Malenia bosnica (Horvath,1907)** (Derbidae)
322. **Malthodes denizianus Wittmer,1970**
(Cantharidae)
323. **Mantispia scabricollis McLachlan,1875**
(Mantispidae)
324. **Mantura chrysanthemii (Koch,1803)**
(Chrysomelidae)
325. **Megascolia maculata (Drury,1773)**
(Scoliidae)
326. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae)
327. **Melanagromyza cunctans (Meigen,1830)**
(Agromyzidae)
328. **Menephilus cylindricus (Herbst,1784)**
(Tenebrionidae)
329. **Messor semirufus (André,1881)**
(Formicidae)
330. **Messor structor (Latreille,1798)**
(Formicidae)
331. **Microlarinus lareynii (Jacquelin du Val,1852)**
(Curculionidae)
332. **Micropeplus fulvus Erichson,1840**
(Staphylinidae)
333. **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniidae)
334. **Monomorium dentigerum (Roger,1862)**
(Formicidae)
335. **Monomorium minutum Mayr,1855**
(Formicidae)
336. **Monosapyga clavicornis (Linnaeus,1758)**
(Sapygidae)
337. **Monosteira lobulifera Reuter,1888** (Tingidae)
338. **Mustha spinosula (Lefebvre,1831)**
(Pentatomidae)
339. **Mycterodus (Semirodus) pallens Stal,1861** (Issidae)
340. **Mycterodus izmiticus Dlabola,1979**
(Issidae)
341. **Mylabris cincta Olivier,1811** (Meloidae)
342. **Mylabris fusca (Olivier,1811)** (Meloidae)
343. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae)
344. **Mylabris syriaca Klug,1845** (Meloidae)
345. **Mylabris zebraea (Marseul,1870)**
(Meloidae)
346. **Myndus musivus (Germar,1825)** (Cixiidae)
347. **Myopa buccata (Linnaeus,1758)** (Conopidae)
348. **Namunia myrmecophila Reitter,1884**
(Staphylinidae)
349. **Nemka viduata (Pallas,1773)** (Mutillidae)
350. **Nemoptera coa (Linnaeus,1758)**
(Nemopteridae)
351. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
352. **Nemotelus (s.str.) argentifer Loew,1846**
(Stratiomyidae)
353. **Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae)
354. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae)
355. **Nealiturus pulcher (Haupt,1927)**
(Cicadellidae)
356. **Neophilaenus campestris (Fallén,1805)**
(Cercopidae)
357. **Neottiglossa bifida (Costa,1847)**
(Pentatomidae)
358. **Nephrotoma appendiculata (Pierre,1919)**
(Tipulidae)
359. **Nephrotoma cornicina (Linnaeus,1758)**
(Tipulidae)
360. **Nephrotoma croceiventris (Strobl,1909)**
(Tipulidae)
361. **Nephrotoma guestfalica (Westhoff,1879)**
(Tipulidae)
362. **Nephrotoma quadrifaria (Meigen,1804)**
(Tipulidae)
363. **Nephrotoma scalaris (Meigen,1818)**
(Tipulidae)
364. **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae)
365. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae)
366. **Odontomyia ornata (Meigen,1822)**
(Stratiomyidae)
367. **Oedaleus decorus (Germar,1817)**
(Acrididae)
368. **Oedipoda caerulea (Linnaeus,1758)**
(Acrididae)
369. **Omalium assingi Zanetti,2002**
(Staphylinidae)
370. **Omalium cribriceps Fauvel,1900**
(Staphylinidae)
371. **Onychogomphus assimilis (Schneider,1845)**
(Gomphidae)

372. **Onychogomphus flexuosus** (Schneider,1845)
(Gomphidae)
373. **Onychogomphus forcipatus** (Linnaeus,1758)
(Gomphidae)
374. **Opatrum obesum** Olivier,1811 (Tenebrionidae)
375. **Ophiomyia delphinii** Hendel,1928
(Agromyzidae)
376. **Ophiomyia galii** M.Hering,1937
(Agromyzidae)
377. **Ophiomyia pulicaria** (Meigen,1830)
(Agromyzidae)
378. **Oplodontha viridula** (Fabricius,1775)
(Stratiomyidae)
379. **Orellia punctata** (Schrank,1781)
(Tephritidae)
380. **Orellia steropea** (Rondani,1870)
(Tephritidae)
381. **Orosius orientalis** (Matsumura,1914)
(Cicadellidae)
382. **Orphilus beali** Zhantiev,2001
(Dermestidae)
383. **Orthetrum brunneum**
(Fonscolombe,1837) (Libellulidae)
384. **Orthetrum cancellatum** (Linnaeus,1758)
(Libellulidae)
385. **Orthetrum coerulescens** (Fabricius,1798)
(Libellulidae)
386. **Orthetrum sabina** (Drury,1770)
(Libellulidae)
387. **Orthetrum taeniolatum** (Schneider,1845)
(Libellulidae)
388. **Orthetrum trinacrium** (Selys,1841)
(Libellulidae)
389. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
390. **Oxythyrea funesta** (Poda,1761)
(Scarabaeidae)
391. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
392. **Pangonius** (s. str.) **obscuratus** Loew,1859
(Tabanidae)
393. **Pangonius** (s.str.) **fulvipes** Loew,1859
(Tabanidae)
394. **Pangonius** (s.str.) **pyritosus** Loew,1859
(Tabanidae)
395. **Paradelphomyia** (**Oxyrhiza**) **senilis**
(Haliday,1833) (Limoniidae)
396. **Paranocaracris citripes** (Uvarov,1949)
(Pamphagidae)
397. **Pedinus** (s.str.) **strabonis** Seidlitz,1893
(Tenebrionidae)
398. **Pentaphyllus chrysomeloides**
(Rossi,1792) (Tenebrionidae)
399. **Pezotettix anatolica** Uvarov,1934
(Acrididae)
400. **Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae)
401. **Pheidole pallidula** (Nylander,1848)
(Formicidae)
402. **Philaenus signatus** Melichar,1896
(Cercopidae)
403. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
404. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
405. **Phyllolabis kocmani** Koç,2004
(Limoniidae)
406. **Phytomyza aconitophila** Hendel,1927
(Agromyzidae)
407. **Phytomyza albipennis** (Fallén,1823)
(Agromyzidae)
408. **Phytomyza angelicae** Kaltenbach,1872
(Agromyzidae)
409. **Phytomyza cecidonomia** M.Hering,1937
(Agromyzidae)
410. **Phytomyza conyzae** M.Hering,1920
(Agromyzidae)
411. **Phytomyza crassiseta** Zetterstedt,1860
(Agromyzidae)
412. **Phytomyza thysselinivora** M.Hering,1924
(Agromyzidae)
413. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
414. **Piocoris erythrocephalus** (P. & S.,1825)
(Lygaeidae)
415. **Plagiognathus chrysanthemi** (Wolff,1804)
(Miridae)
416. **Plagiognathus fulvipennis**
(Kirschbaum,1856) (Miridae)
417. **Plagiolepis pallescens** Forel,1888 (Formicidae)
418. **Platambus maculatus** (Linnaeus,1758)
(Dytiscidae)
419. **Platycleis** (**Montana**) **bifoveolata**
(Karabağ,1950) (Tettigoniidae)
420. **Platycleis** (s.str.) **intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
421. **Platycnemis dealbata** Selys,1863
(Platycnemidae)
422. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
423. **Platymetopius cruentatus** Haupt,1927
(Cicadellidae)
424. **Poecilimon amissus** Brunner von Wattenwyl,1878 (Tettigoniidae)
425. **Poecilimon birandi** Karabağ,1950
(Tettigoniidae)
426. **Poecilimon hamatus** Brunner von Wattenwyl,1878 (Tettigoniidae)
427. **Poecilimon inflatus** Brunner von Wattenwyl,1891 (Tettigoniidae)
428. **Poecilimon sanctipauli** Brunner von Wattenwyl,1878 (Tettigoniidae)
429. **Poecilimon zonatus** Bolivar,1899
(Tettigoniidae)
430. **Polistes** (s.str.) **associus** (Kohl,1898)
(Vespidae)
431. **Polistes** (s.str.) **dominulus** (Christ,1791)
(Vespidae)
432. **Polistes** (s.str.) **nimpha** (Christ,1791)
(Vespidae)
433. **Polyphylla** (s.str.) **fullo** (Linnaeus,1758)
(Scarabaeidae)
434. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
435. **Probaticus** (**Pelorinus**) **corrugatus**
Seidlitz,1893 (Tenebrionidae)
436. **Promachus leoninus** Loew,1848 (Asilidae)
437. **Proteinus utriarius** Assing,2004
(Staphylinidae)
438. **Protonemura praecox** (Morton,1894)
(Nemouridae)
439. **Pseudococeles ledereri** (Saussure,1884)
(Acrididae)
440. **Pseudolimnophila** (s.str.) **sepium**
(Verrall,1886) (Limoniidae)
441. **Pycnopogon mixtus** (Loew,1847) (Asilidae)
442. **Raiboscelis syriacus** (Reiche,1861)
(Tenebrionidae)

443. **Ranissus punctiger** (Horvath,1905)
(Dictyopharidae)
444. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
445. **Reptalus (s.str.) melanochaetus**
(Fieber,1876) (Cixiidae)
446. **Reptalus (s.str.) oleae** Dlabola,1987
(Cixiidae)
447. **Rhabdiopteryx doiranensis**
Ikomonov,1983 (Taeniopterygidae)
448. **Rhinocyllus conicus** (Frölich,1792)
(Curculionidae)
449. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
450. **Rhynchites lenaeus** Faust,1891
(Attelabidae)
451. **Rhynchites lodosi** Voss,1973 (Attelabidae)
452. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
453. **Rhynocoris iracundus** (Poda,1761)
(Reduviidae)
454. **Rhyparochromus reuteri** (Horvath,1885)
(Lygaeidae)
455. **Rhyparochromus vulgaris**
(Schilling,1829) (Lygaeidae)
456. **Ricania aylae** Dlabola,1983 (Ricaniidae)
457. **Saga ephippigera** Fischer von
Waldheim,1846 (Tettigoniidae)
458. **Saga natoliae** Audinet-Serville,1839
(Tettigoniidae)
459. **Saga rhodiensis** Salfi,1929 (Tettigoniidae)
460. **Sapromyza laszlopappi** Merz,2000
(Leuxaniidae)
461. **Sapyga (s.str.) gusenleitneri** Kurzenko,1994
(Sapygidae)
462. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
463. **Scantius aegyptius** (Linnaeus,1758)
(Pyrrhocoridae)
464. **Scaptomyza (Parascaptomyza) pallida**
(Zetterstedt,1847) (Drosophilidae)
465. **Scarabaeus pius** (Illiger,1803)
(Scarabaeidae)
466. **Scarabaeus sacer** Linnaeus,1758
(Scarabaeidae)
467. **Sceptonia intestata** Plassmann &
Schacht,1990 (Mycetophilidae)
468. **Sceptonia membranacea** Edwards,1925
(Mycetophilidae)
469. **Sciocoris deltocephalus** Fieber,1861
(Pentatomidae)
470. **Sciocoris macrocephalus** Fieber,1851
(Pentatomidae)
471. **Sciocoris maculatus** Fieber,1851
(Pentatomidae)
472. **Scleroprocta balcanica** Stary,1976
(Limoniidae)
473. **Scolia fallax** Eversmann,1849 (Scoliidae)
474. **Scolia hirta** (Schrank,1781) (Scoliidae)
475. **Scoliophthalmus civeleki** Deeming,2006
(Chloropidae)
476. **Scymnus apetzi** Mulsant,1846
(Coccinellidae)
477. **Scymnus pallipediformis** Günther,1958
(Coccinellidae)
478. **Selenocephalus ankarae** Dlabola,1957
(Cicadellidae)
479. **Selenocephalus pallens** Lindberg,1948
(Cicadellidae)
480. **Silvius (s.str.) ochraceus** Loew,1858
(Tabanidae)
481. **Sisyphus schaefferi** (Linnaeus,1758)
(Scarabaeidae)
482. **Spathulina sicula** Rondani,1856
(Tephritidae)
483. **Sphex flavipennis** Fabricius,1793
(Sphecidae)
484. **Sphingonotus (s.str.) nebulosus** (Fischer
von Waldheim,1846) (Acrididae)
485. **Sphingonotus caeruleus** (Linnaeus,1767)
(Acrididae)
486. **Sphingonotus pilosus** Saussure,1884
(Acrididae)
487. **Sphingonotus rubescens** (Walker,1870)
(Acrididae)
488. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
489. **Stenopogon milvus** (Loew,1847) (Asilidae)
490. **Sulamicerus stali** (Fieber,1868)
(Cicadellidae)
491. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
492. **Sympetrum sanguineum**
(O.F.Müller,1764) (Libellulidae)
493. **Sympetrum striolatum**
(Charpentier,1840) (Libellulidae)
494. **Symplecta (Psiloconopa) stictica**
(Meigen,1818) (Limoniidae)
495. **Symplecta (s.str.) hybrida** (Meigen,1804)
(Limoniidae)
496. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
497. **Tabanus darimonti** Leclercq,1964
(Tabanidae)
498. **Tabanus exclusus** Pandella,1883
(Tabanidae)
499. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
500. **Tabanus prometheus** Szilady,1923
(Tabanidae)
501. **Tabanus quatuornatus** Meigen,1820
(Tabanidae)
502. **Tabanus rectus** Loew,1858 (Tabanidae)
503. **Tabanus rupium** Brauer,1880 (Tabanidae)
504. **Tachycixius desertorum** (Fieber,1876)
(Cixiidae)
505. **Tenthredo zonula** Klug,1817
(Tenthredinidae)
506. **Tentyria cypria** Kraatz,1865
(Tenebrionidae)
507. **Tephritis hurvitzii** Freidberg,1981
(Tephritidae)
508. **Tephritis hyoscyami** (Linnaeus,1758)
(Tephritidae)
509. **Tephritis sauteri** Merz,1992 (Tephritidae)
510. **Tephritis simplex** (Loew,1844) (Tephritidae)
511. **Tetramorium semilaeve** André,1883
(Formicidae)
512. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
513. **Thamnotettix (s.str.) wittmeri** Dlabola,1971
(Cicadellidae)
514. **Thamnotettix (s.str.) zelleri**
(Kirschbaum,1868) (Cicadellidae)
515. **Thamnotettix minoidis** Dlabola,1974
(Cicadellidae)
516. **Thamnotettix wittmeri** Dlabola,1971
(Cicadellidae)

517. *Tipula (Acutipula) isparta* Vermoolen,1983 (Tipulidae)
518. *Tipula (Acutipula) latifurca* Vermoolen,1983 (Tipulidae)
519. *Tipula (Lunatipula) bimacula* Theowald,1980 (Tipulidae)
520. *Tipula (Lunatipula) cillibema* Koç,2004 (Tipulidae)
521. *Tipula (Lunatipula) decolor* Mannheims,1963 (Tipulidae)
522. *Tipula (Lunatipula) dedecor* Loew,1873 (Tipulidae)
523. *Tipula (Lunatipula) dracula* Theischinger,1977 (Tipulidae)
524. *Tipula (Lunatipula) franzressli* Theischinger,1982 (Tipulidae)
525. *Tipula (Lunatipula) furcula* Mannheims,1954 (Tipulidae)
526. *Tipula (Lunatipula) helvola* Loew,1873 (Tipulidae)
527. *Tipula (Lunatipula) horsti* Theischinger,1982 (Tipulidae)
528. *Tipula (Lunatipula) huberti* Theischinger,1982 (Tipulidae)
529. *Tipula (Lunatipula) istriana* Erhan & Theowald,1961 (Tipulidae)
530. *Tipula (Lunatipula) mendli* Martinovsky,1976 (Tipulidae)
531. *Tipula (Lunatipula) micropeliostigma* Mannheims,1965 (Tipulidae)
532. *Tipula (Lunatipula) murati* Koç,2004 (Tipulidae)
533. *Tipula (Lunatipula) ornithogona* Theischinger,1982 (Tipulidae)
534. *Tipula (Lunatipula) peliostigma* Schummel,1833 (Tipulidae)
535. *Tipula (Lunatipula) pseudopeliostigma* Mannheims,1965 (Tipulidae)
536. *Tipula (Lunatipula) pseudowolffi* Theischinger,1979 (Tipulidae)
537. *Tipula (Lunatipula) quinquespinis* Theischinger,1980 (Tipulidae)
538. *Tipula (Lunatipula) rhynchos* Theischinger,1977 (Tipulidae)
539. *Tipula (Lunatipula) russula* Theischinger,1977 (Tipulidae)
540. *Tipula (Lunatipula) sciurus* Theischinger,1977 (Tipulidae)
541. *Tipula (Lunatipula) soosi* Mannheims,1954 (Tipulidae)
542. *Tipula (Lunatipula) teunissenii* Theischinger,1979 (Tipulidae)
543. *Tipula (Lunatipula) vermooleni* Theischinger,1987 (Tipulidae)
544. *Tipula (Savtshenkia) rufina* Meigen,1818 (Tipulidae)
545. *Tipula (Tipula) orientalis* Lackschewitz,1930 (Tipulidae)
546. *Tipula (Yamatotipula) caesia* Schummel,1833 (Tipulidae)
547. *Tipula (Yamatotipula) lateralis* Meigen,1804 (Tipulidae)
548. *Tituboea macropus* (Illiger,1800) (Chrysomelidae)
549. *Toya propinqua* (Fieber,1866) (Delphacidae)
550. *Trichodes crabroniformis* Fabricius,1787 (Cleridae)
551. *Trichodes laminatus* Chevrolat,1843 (Cleridae)
552. *Trichodes longissimus* (Abeille de Perrin,1881) (Cleridae)
553. *Trichodes punctatus* Fischer,1829 (Cleridae)
554. *Trichodes sipylus* (Linnaeus,1758) (Cleridae)
555. *Trichomeloe conicicollis* (Reitter,1907) (Meloidae)
556. *Trissolcus grandis* (Thomson,1860) (Scelionidae)
557. *Trissolcus pseudoturesis* (Rjachovsky,1959) (Scelionidae)
558. *Trissolcus semistriatus* (Nees,1834) (Scelionidae)
559. *Trissolcus simoni* (Mayr,1897) (Scelionidae)
560. *Trithemis annulata* (P. de Beauvais,1807) (Libellulidae)
561. *Tropidopola graeca* Uvarov,1926 (Acrididae)
562. *Tropinota (Epicometis) hirta* (Poda,1761) (Scarabaeidae)
563. *Trupanea stellata* (Fuesslin,1775) (Tephritidae)
564. *Ulidiopsis mirabilis* Hennig,1939 (Ulidiidae)
565. *Urophora aprica* (Fallén,1820) (Tephritidae)
566. *Urophora quadrifasciata* (Meigen,1826) (Tephritidae)
567. *Utecha trivia* (Germar,1821) (Cicadellidae)
568. *Vespa orientalis* Linnaeus,1771 (Vespidae)
569. *Vespula germanica* (Fabricius,1793) (Vespidae)
570. *Vespula vulgaris* (Linnaeus,1758) (Vespidae)
571. *Xylocoris obliquus* Costa,1852 (Anthocoridae)
572. *Zodion cinereum* (Fabricius,1794) (Conopidae)

Muş Province (49)

(145 species, stand 30 April 2010)

1. *Aclypea undata* (O.F.Müller,1776) (Silphidae)
2. *Acrida bicolor* (Thunberg,1815) (Acrididae)
3. *Agapanthia fallax* Holzschuh,1974 (Cerambycidae)
4. *Agapanthia frivaldskyi* Ganglbauer,1884 (Cerambycidae)
5. *Agapanthia simplicicornis* Reitter,1898 (Cerambycidae)
6. *Altica deserticola* (Weise,1889) (Chrysomelidae)
7. *Ammophila sabulosa* (Linnaeus,1758) (Sphecidae)
8. *Amphicoma (Pygopleurus) vulpes* (Fabricius,1792) (Glaphyridae)
9. *Amphicoma (Rudeulasia) chalybaea* Faldermann,1835 (Glaphyridae)
10. *Amphicoma (Rudeulasia) hybrida* (Reitter,1890) (Glaphyridae)
11. *Anthaxia (Cratomerus) mirabilis* Zicharev,1918 (Buprestidae)

12. **Anthaxia (Haplantaxia) ursulae** Niehuis,1989 (Buprestidae)
13. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae)
14. **Basilia mongolensis** Theodor,1966 (Nycteribiidae)
15. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
16. **Brachycerus quadrisulcatus** Fischer v.Waldheim,1830 (Brachyceridae)
17. **Calliptamus barbarus** (Costa,1836) (Acrididae)
18. **Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae)
19. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
20. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
21. **Cassida brevis** Weise,1834 (Chrysomelidae)
22. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
23. **Cassida sanguinolenta** Müller,1776 (Chrysomelidae)
24. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
25. **Cerocoma festiva** Faldermann,1837 (Meloidae)
26. **Chalicodoma (s.str.) parietina** (Geoffroy,1785) (Megachilidae)
27. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
28. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
29. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
30. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
31. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
32. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
33. **Cicadatra persica** Kirkaldy,1909 (Cicadidae)
34. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
35. **Cicindela turkestanicoides** W.Horn,1938 (Carabidae)
36. **Colpa quinquecincta** (Fabricius,1775) (Scoliidae)
37. **Colpotus byzantinicus** (Waltl,1838) (Tenebrionidae)
38. **Coniatus repandus** (Fabricius,1792) (Curculionidae)
39. **Creightonella (Metamegachile) albisecta** (Klug,1817) (Megachilidae)
40. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
41. **Cryptocephalus prusias** Suffrian,1853 (Chrysomelidae)
42. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
43. **Cyphon palustris** Thomson,1855 (Scirtidae)
44. **Dasyrhamphus umbrinus** (Meigen,1820) (Tabanidae)
45. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
46. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
47. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
48. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
49. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
50. **Eumenes dubius** Saussure,1852 (Vespidae)
51. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
52. **Geocoris grylloides** (Linnaeus,1761) (Lygaeidae)
53. **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae)
54. **Gonia maculipennis** Egger,1862 (Tachinidae)
55. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
56. **Helladia plasoni** Ganglbauer,1884 (Cerambycidae)
57. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
58. **Helophorus hilaris** Sharp,1916 (Helophoridae)
59. **Hister quadrimaculatus** Linnaeus,1758 (Histeridae)
60. **Homodola ismenia** (Gory,1833) (Carabidae)
61. **Hybomitra decora** (Loew,1858) (Tabanidae)
62. **Hycleus scabiosae** (Olivier,1811) (Meloidae)
63. **Hydrochara dichorama** (Fairmaire,1829) (Hydrophilidae)
64. **Hydroporus kozlovskii** Zaitzev,1927 (Dytiscidae)
65. **Hypera cumanus** Petri,1901 (Curculionidae)
66. **Hypera variabilis** (Herbst,1795) (Curculionidae)
67. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
68. **Ischnodes sanguinicollis** (Panzer,1793) (Elateridae)
69. **Ischnomera cinerascens** (Pandellé,1867) (Oedemeridae)
70. **Julodis andreae** (Olivier,1790) (Buprestidae)
71. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
72. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
73. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
74. **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae)
75. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
76. **Lydus pilicollis** Fairmaire,1892 (Meloidae)
77. **Lydus unicolor** Reitter,1887 (Meloidae)
78. **Malachius anatolicus** Wittmer,1974 (Melyridae)
79. **Malthodes mushensis** Wittmer,1997 (Cantharidae)
80. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae)
81. **Megabombus humilis** (Illiger,1806) (Apidae)
82. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
83. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
84. **Musaria anatolica** (Fuchs & Breuning,1971) (Cerambycidae)
85. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
86. **Mylabris fabricii** Sumakov,1924 (Meloidae)
87. **Mylabris fusca** (Olivier,1811) (Meloidae)
88. **Mylabris humerosa** (Escherich,1899) (Meloidae)
89. **Mylabris syriaca** Klug,1845 (Meloidae)
90. **Myrmilla (s.str.) caucasica** (Kolenati,1846) (Mutillidae)
91. **Nemoptera coa** (Linnaeus,1758) (Nemopteridae)

92. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
93. **Neomusaria suworovi** (Pic,1906) (Cerambycidae)
94. **Nephrotoma appendiculata** (Pierre,1919) (Tipulidae)
95. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
96. **Nephrotoma scalaris** (Meigen,1818) (Tipulidae)
97. **Nicrophorus antennatus** (Reitter,1885) (Silphidae)
98. **Nyrma kervillea** Navas,1933 (Hemerobiidae)
99. **Oenas armeniacus** Kaszab,1951 (Meloidae)
100. **Oenas crassicornis** (Illiger,1800) (Meloidae)
101. **Osmia (Helicosmia) milenae** Tkalcu,1992 (Megachilidae)
102. **Parodontodynerus ephippium** (Klug,1817) (Vespidae)
103. **Pedestredorcadion holzschuhi** (Breuning,1974) (Cerambycidae)
104. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
105. **Pentastira megista** Emeljanov,1978 (Cixiidae)
106. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
107. **Phytoecia achilleae** Holzschuh,1971 (Cerambycidae)
108. **Phytoecia icterica** (Schaller,1783) (Cerambycidae)
109. **Phytoecia katarinae** Holzschuh,1974 (Cerambycidae)
110. **Platymetopius rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
111. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
112. **Polysarcus zacharovi** (Stschelkanovcev,1909) (Tettigoniidae)
113. **Prosternon syriacum** (Buysson,1891) (Elateridae)
114. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
115. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
116. **Purpuricenus cornifrons** Sabbadini & Pesarini,1992 (Cerambycidae)
117. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
118. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
119. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
120. **Raphidia (Turcoraphidia) acerba** H.Aspöck & U.Aspöck,1966 (Raphidiidae)
121. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
122. **Rhyparochromus lynceus** (Fabricius,1775) (Lygaeidae)
123. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
124. **Ricania aylae** Dlabola,1983 (Ricanidae)
125. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
126. **Schistocerca gregaria** (Forskål,1775) (Acrididae)
127. **Selenocephalus armeniacus** Lindberg,1960 (Cicadellidae)
128. **Setapius barajus** (Dlabola,1957) (Cixiidae)
129. **Sialis nigripes** Pictet,1865 (Sialidae)
130. **Silvius (s.str.) algirus** Meigen,1930 (Tabanidae)
131. **Silvius (s.str.) alpinus** (Scopoli,1763) (Tabanidae)
132. **Sphex flavipennis** Fabricius,1793 (Sphecidae)
133. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
134. **Suillia pallida** (Fallén,1820) (Heleomyzidae)
135. **Tabanus anatolicus** Osufjev, Moucha & Chvala,1967 (Tabanidae)
136. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
137. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
138. **Tabanus glaucopis** Meigen,1820 (Tabanidae)
139. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae)
140. **Tipula (Tipula) orientalis** Lackschewitz,1930 (Tipulidae)
141. **Tipula (Yamatotipula) caesia** Schummel,1833 (Tipulidae)
142. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
143. **Uvarovistia (s.str.) satunini** (Uvarov,1916) (Tettigoniidae)
144. **Vespa orientalis** Linnaeus,1771 (Vespidae)
145. **Vespula germanica** (Fabricius,1793) (Vespidae)

Nevşehir Province (50)

(431 species, stand 30 April 2010)

1. **Ablattaria arenaria** (Kraatz,1876) (Silphidae)
2. **Acmaeoderella (Euacmaeoderella) villosula** (Steven,1830) (Buprestidae)
3. **Aconurella proluxa** (Lethierry,1885) (Cicadellidae)
4. **Acrida bicolor** (Thunberg,1815) (Acrididae)
5. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
6. **Aelia rostrata** Boheman,1852 (Pentatomidae)
7. **Agabus (Gaurodytes) faldermanni** Zaitzev,1927 (Dytiscidae)
8. **Agenioideus ciliatus** (Lepelletier,1845) (Pompilidae)
9. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
10. **Agenioideus ruficeps** (Eversmann,1849) (Pompilidae)
11. **Agenioideus sericeus** (Van der Linden,1827) (Pompilidae)
12. **Agenioideus usurarius** (Tournier,1889) (Pompilidae)
13. **Alosimus marginicollis** Haag-Rutenberg,1880 (Meloidae)
14. **Altica bicarinata** (Kutschera,1860) (Chrysomelidae)

15. **Altica oleracea (Linnaeus,1758)**
(Chrysomelidae)
16. **Amblyellus hasdrubal (Kohl,1894)**
(Pompilidae)
17. **Anaceratagallia laevis (Ribaut,1935)**
(Cicadellidae)
18. **Anaceratagallia ribauti (Ossiannilsson,1938)**
(Cicadellidae)
19. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
20. **Ancistrocerus antelope (Panzer,1789)**
(Vespidae)
21. **Ancyrosoma leucogrammes (Gmelin,1790)**
(Pentatomidae)
22. **Anogcodes ruficollis (Fabricius,1781)**
(Oedemeridae)
23. **Anoplius aeruginosus (Tournier,1890)**
(Pompilidae)
24. **Anoplius concinnus (Dahlbom,1845)**
(Pompilidae)
25. **Anoplius infuscatus (Van der Linden,1827)**
(Pompilidae)
26. **Anoplius samariensis (Pallas,1771)**
(Pompilidae)
27. **Anoplius viaticus (Linnaeus,1758)**
(Pompilidae)
28. **Antepipona albosignata Gusenleitner,1986**
(Vespidae)
29. **Anthaxia (s.str.) hypomelaena (Illiger,1803)**
(Buprestidae)
30. **Anthaxia (s.str.) muliebris Obenberger,1918**
(Buprestidae)
31. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae)
32. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae)
33. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
34. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
35. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae)
36. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae)
37. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
38. **Anthidium (Proanthidium) undulatiforme Friese,1917** (Megachilidae)
39. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae)
40. **Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae)
41. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae)
42. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)**
(Megachilidae)
43. **Anthidium (s.str.) cingulatum Latreille,1809**
(Megachilidae)
44. **Anthidium (s.str.) diadema Latreille,1809**
(Megachilidae)
45. **Anthidium (s.str.) loti Perris,1852**
(Megachilidae)
46. **Anthidium (s.str.) punctatum Latreille,1809**
(Megachilidae)
47. **Anthidium (s.str.) trispinosum Friese,1917**
(Megachilidae)
48. **Aphthona nigriscutis Foudras,1860**
(Chrysomelidae)
49. **Aphthona semicyanea Allard,1859**
(Chrysomelidae)
50. **Aporinellus moestus (Klug,1834)** (Pompilidae)
51. **Aporinellus sexmaculatus (Spinola,1805)**
(Pompilidae)
52. **Arachnospila anceps (Wesmael,1851)**
(Pompilidae)
53. **Arachnospila hedickei (Haupt,1929)**
(Pompilidae)
54. **Arachnotheutes rufithorax (Costa,1887)**
(Pompilidae)
55. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
56. **Arocephalus longiceps (Kirschbaum,1868)**
(Cicadellidae)
57. **Atylotus flavoguttatus (Szilady,1915)**
(Tabanidae)
58. **Auplopus albifrons (Dalman,1823)**
(Pompilidae)
59. **Auplopus carbonarius (Scopoli,1763)**
(Pompilidae)
60. **Auplopus rectus (Haupt,1927)** (Pompilidae)
61. **Austroagallia sinuata (Mulsant & Rey,1855)**
(Cicadellidae)
62. **Balcanocerus balcanicus (Horvath,1903)**
(Cicadellidae)
63. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae)
64. **Balclutha rosea (Scott,1876)** (Cicadellidae)
65. **Banchus turcator Aubert,1984**
(Ichneumonidae)
66. **Batracomorpha irroratus Lewis,1834**
(Cicadellidae)
67. **Bembecinus nigrolabrum Schmid-Egger,2004** (Crabronidae)
68. **Berytinus minor (Herrich-Schäffer,1835)**
(Berytidae)
69. **Bithia maculifacies Tschorsnig & Kara,2002**
(Tachinidae)
70. **Blaps ocreata Allard,1880** (Tenebrionidae)
71. **Blaps pterostapha Ménétrés,1832**
(Tenebrionidae)
72. **Blaps tibialis Reiche & Sauley,1857**
(Tenebrionidae)
73. **Brachycarenum tigrinus (Schilling,1829)**
(Rhopalidae)
74. **Brachycoleus decolor Reuter,1887** (Miridae)
75. **Calliptamus barbarus (Costa,1836)** (Acrididae)
76. **Calliptamus tenuicercis Tarbinsky,1930**
(Acrididae)
77. **Calyptopsis capnisiformis Reitter,1903**
(Tenebrionidae)
78. **Calyptopsis capnisiformis Reitter,1903**
(Tenebrionidae)
79. **Campoplex difformis (Gmelin,1790)**
(Ichneumonidae)
80. **Camptopus illustris Horvarth,1899** (Alydidae)
81. **Camptopus lateralis (Germar,1817)** (Alydidae)
82. **Camptopus tragacanthae Kolenati,1845**
(Alydidae)
83. **Capnodis carbonaria (Klug,1829)**
(Buprestidae)
84. **Capnodis porosa (Klug,1829)** (Buprestidae)
85. **Cardiophorus (s.str.) sacratus Erichson,1840**
(Elateridae)
86. **Carpocoris fuscispinus (Boheman,1851)**
(Pentatomidae)
87. **Carpocoris pudicus (Poda,1761)**
(Pentatomidae)
88. **Catoplatus nigriceps Horvath,1905** (Tingidae)

89. **Catopomorphus (s.str.) cappadocianus** Ruzicka,1994 (Leiodidae)
90. **Centrocoris spiniger (Fabricius,1781)** (Coreidae)
91. **Ceropales cribrata Costa,1881** (Pompilidae)
92. **Ceropales helvetica Tournier,1889** (Pompilidae)
93. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae)
94. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae)
95. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae)
96. **Chlorita moganica (Dlabola,1957)** (Cicadellidae)
97. **Chlorita tessellata Lethierry,1884** (Cicadellidae)
98. **Chorosoma schillingi Schummel,1829** (Rhopalidae)
99. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
100. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
101. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
102. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae)
103. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae)
104. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)
105. **Chrysomela populi Linnaeus,1758** (Chrysomelidae)
106. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae)
107. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
108. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
109. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
110. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
111. **Codophila varia (Fabricius,1787)** (Pentatomidae)
112. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
113. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae)
114. **Coenagrion ornatum (Selys,1850)** (Coenagrionidae)
115. **Colaphus sophiae (Schaller,1783)** (Chrysomelidae)
116. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae)
117. **Colymbetes fuscus (Linnaeus,1758)** (Dytiscidae)
118. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
119. **Coptosoma scutellatum (Geoffroy,1785)** (Plataspidae)
120. **Coriomeris affinis (Herrich-Schäffer,1839)** (Coreidae)
121. **Corizus hyosecyami (Linnaeus,1758)** (Rhopalidae)
122. **Cotesia melanosccla (Ratzeburg,1844)** (Braconidae)
123. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae)
124. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
125. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
126. **Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae)
127. **Cryptocheilus discolor (Fabricius,1793)** (Pompilidae)
128. **Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae)
129. **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae)
130. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae)
131. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
132. **Cryptocheilus stygium Priesner,1967** (Pompilidae)
133. **Cryptocheilus variipennis Sustera,1924** (Pompilidae)
134. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae)
135. **Dailognatha caraboides Solier,1835** (Tenebrionidae)
136. **Dallognatha quadricollis Brullé,1832** (Tenebrionidae)
137. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
138. **Dasytiscus rufipennis Majer,1996** (Melyridae)
139. **Dendarus (Pandarinus) scrobiculatus Seidlitz,1893** (Tenebrionidae)
140. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
141. **Deraeocoris rutilus (Herrich-Schäffer,1838)** (Miridae)
142. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae)
143. **Dibolia depressiuscula (Letzner,1847)** (Chrysomelidae)
144. **Dictyla triconula (Seidenstücker,1954)** (Tingidae)
145. **Dictyonota strichnocera Fieber,1844** (Tingidae)
146. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae)
147. **Dicyrtomellus argenteus Wahis,1982** (Pompilidae)
148. **Dioctria flavipennis Meigen,1820** (Asilidae)
149. **Dipogon sinan Wolf,1998** (Pompilidae)
150. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
151. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
152. **Dociostaurus (s.str.) salmani Demirsoy,1977** (Acrididae)
153. **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae)
154. **Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae)
155. **Doratura impudica Horvath,1897** (Cicadellidae)
156. **Duilius seticulosa (Lethierry,1874)** (Cixiidae)
157. **Duilius tamaricis (Puton & Lethierry,1887)** (Cixiidae)
158. **Dyrodere umbraculatus (Fabricius,1775)** (Pentatomidae)
159. **Dytiscus marginalis Linnaeus,1758** (Dytiscidae)

160. *Edwardsiana rosae* (Linnaeus,1758)
(Cicadellidae)
161. *Emblethis brachynotus* Horvath,1907
(Lygaeidae)
162. *Emblethis denticollis* Hovarth,1878
(Lygaeidae)
163. *Emblethis kareli* Hoberlandt,1955 (Lygaeidae)
164. *Emblethis verbasci* (Fabricius,1803)
(Lygaeidae)
165. *Empis* (s.str.) *caudatula* Loew,1867
(Empididae)
166. *Empoasca solani* (Curtis,1846) (Cicadellidae)
167. *Enicospilus cerebrator* Aubert,1966
(Ichneumonidae)
168. *Enicospilus cruciator* Victorov,1957
(Ichneumonidae)
169. *Enicospilus ramidulus* (Linnaeus,1758)
(Ichneumonidae)
170. *Enicospilus tournieri* (Snellen van
Vollenhoven,1879) (Ichneumonidae)
171. *Ensina sonchi* (Linnaeus,1767) (Tephritidae)
172. *Entomoscelis adonidis* (Pallas,1771)
(Chrysomelidae)
173. *Entomoscelis suturalis* Weise,1882
(Chrysomelidae)
174. *Eoferreola manticata* (Pallas,1771)
(Pompilidae)
175. *Episyron gallicum* (Tournier,1889)
(Pompilidae)
176. *Episyron rufipes* (Linnaeus,1758) (Pompilidae)
177. *Euaresta bullans* (Wiedemann,1830)
(Tephritidae)
178. *Eumenes coronatus* (Panzer,1799) (Vespidae)
179. *Eumenes jarkandensis* Blüthgen,1938
(Vespidae)
180. *Eumenes pomiformis* (Fabricius,1781)
(Vespidae)
181. *Eupelix cuspidata* (Fabricius,1775)
(Cicadellidae)
182. *Eupteryx gyaurdagicus* Dlabola,1957
(Cicadellidae)
183. *Eupteryx taborskyi* Dlabola,1957 (Cicadellidae)
184. *Eupteryx urticae* (Fabricius,1803)
(Cicadellidae)
185. *Eurydema fieberi* Schummel,1836
(Pentatomidae)
186. *Eurydema ornatum* (Linnaeus,1758)
(Pentatomidae)
187. *Eurydema ventralis* Kolenati,1846
(Pentatomidae)
188. *Eurygaster maurus* (Linnaeus,1758)
(Scutellaridae)
189. *Euscelis alsius* Ribaut,1952 (Cicadellidae)
190. *Evagetes pontomoravicus* (Sustera,1938)
(Pompilidae)
191. *Evagetes siculus* (Lepelletier,1845)
(Pompilidae)
192. *Evagetes tumidosus* (Tournier,1890)
(Pompilidae)
193. *Exitianus fasciolatus* (Melichar,1911)
(Cicadellidae)
194. *Eysarcoris ventralis* (Westwood,1837)
(Pentatomidae)
195. *Fieberiella macchiai* Linnavuori,1962
(Cicadellidae)
196. *Frutiodia* (s.str.) *bisignata* (Mulsant &
Rey,1855) (Cicadellidae)
197. *Gastrophysa polygoni* (Linnaeus,1758)
(Chrysomelidae)
198. *Glyphotmethis holtzi* (Werner,1901)
(Pamphagidae)
199. *Goniagnathus bolivari* (Melichar,1907)
(Cicadellidae)
200. *Gonioctena fornicata*
(Brüggemann,1873) (Chrysomelidae)
201. *Gonocephalum costatum* Brullé,1832
(Tenebrionidae)
202. *Gonocephalum setulosum*
(Faldermann,1837) (Tenebrionidae)
203. *Graphosoma semipunctatum*
(Fabricius,1775) (Pentatomidae)
204. *Gryllotalpa gryllotalpa* (Linnaeus,1758)
(Gryllotalpidae)
205. *Gryllus* (s.str.) *campestris* Linnaeus,1758
(Gryllidae)
206. *Haematopota crassicornis*
Wahlberg,1848 (Tabanidae)
207. *Haematopota kemali* Szilady,1923
(Tabanidae)
208. *Handianus procerus* (Herrich-
Schäffer,1835) (Cicadellidae)
209. *Hardya anatolica* Zachvatkin,1946
(Cicadellidae)
210. *Hemitropis seticlosa* (Lethierry,1874)
(Cixiidae)
211. *Heringina guttata* (Fallén,1814) (Tephritidae)
212. *Heterogaster affinis* Herrich-Schäffer,1835
(Lygaeidae)
213. *Holcostethus vernalis* (Wolff,1804)
(Pentatomidae)
214. *Homonotus sanguinolentus* (Fabricius,1793)
(Pompilidae)
215. *Hoplitis* (Alcidamea) *acuticornis* (Dufour &
Perris,1840) (Megachilidae)
216. *Hoplitis* (Alcidamea) *leucomelana*
(Kirby,1802) (Megachilidae)
217. *Hoplitis* (Alcidamea) *subbutea*
(Warncke,1991) (Megachilidae)
218. *Hoplitis* (Alcidamea) *verruciventris*
(Morawitz,1886) (Megachilidae)
219. *Hoplitis* (Chlidoplitis) *illustris* Zanden,1992
(Megachilidae)
220. *Hyalesthes luteipes* Fieber,1876 (Cixiidae)
221. *Hyalesthes obsoletus* Signoret,1865 (Cixiidae)
222. *Hyalochiton multiseriatus* (Reuter,1888)
(Tingidae)
223. *Hydroglyphus geminus* (Fabricius,1792)
(Dytiscidae)
224. *Hygrotus* (Coelambus) *confluens*
(Fabricius,1787) (Dytiscidae)
225. *Hygrotus* (s.str.) *inaequalis*
(Fabricius,1777) (Dytiscidae)
226. *Hyposoter ebeninus* (Gravenhorst,1829)
(Ichneumonidae)
227. *Idiocerus herrichii* Kirschbaum,1868
(Cicadellidae)
228. *Ischnomera haemorrhoidalis*
(W.Schmidt,1846) (Oedemeridae)
229. *Isophya nervosa* Ramme,1951
(Tettigoniidae)
230. *Itoplectis maculator* (Fabricius,1775)
(Ichneumonidae)
231. *Itoplectis tunetana* (Schmiedeknecht,1914)
(Ichneumonidae)
232. *Knemodynerus euodyneroides*
Gusenleitner,1997 (Vespidae)
233. *Kyboasca bipunctata* (Oshanin,1871)
(Cicadellidae)

234. **Kybos candelabricus** Dlabola,1958 (Cicadellidae)
235. **Laburrus handlirschi** (Matsumura,1908) (Cicadellidae)
236. **Lacophilus poecilus** Klug,1834 (Dytiscidae)
237. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
238. **Leptochilus kemali** Gusenleitner,1977 (Vespidae)
239. **Leptochilus nigroclypeus** Gusenleitner,1985 (Vespidae)
240. **Lertha ledereri** (Selys-Longchamps,1866) (Nemopteridae)
241. **Lertha schmidti** (H.Aspöck, U.Aspöck & Hölzel,1984) (Nemopteridae)
242. **Limotettix striola** (Fallén,1806) (Cicadellidae)
243. **Liorhyssus hyalinus** (Fabricius,1794) (Rhopalidae)
244. **Lixus elegantulus** Boheman,1843 (Curculionidae)
245. **Lophyridia caucasica** (Adams,1817) (Carabidae)
246. **Lophyridia fischeri** (Adams,1817) (Carabidae)
247. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
248. **Lygaosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
249. **Lygaeus equestris** (Linnaeus,1758) (Lygaeidae)
250. **Macevethus lutheri** Wagner,1953 (Rhopalidae)
251. **Macrolophus caliginosus** Wagner,1950 (Miridae)
252. **Macropsis glandacea** (Fieber,1868) (Cicadellidae)
253. **Macrosteles fieberi** (Edwards,1889) (Cicadellidae)
254. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
255. **Macrosteles lividus** (Edwards,1894) (Cicadellidae)
256. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
257. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
258. **Mantispa styriaca** (Poda,1761) (Mantispidae)
259. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
260. **Megalonotus concors** (Hovarth,1878) (Lygaeidae)
261. **Megalonotus lynceus** (Fabricius,1775) (Lygaeidae)
262. **Melanimon kiritshenkoi** Reichart,1936 (Tenebrionidae)
263. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
264. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
265. **Microdynerus confinis** Gusenleitner,1979 (Vespidae)
266. **Microdynerus curdistanicus** Gusenleitner,1988 (Vespidae)
267. **Microdynerus eurasius** Blüthgen,1938 (Vespidae)
268. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
269. **Mocuellus quadricornis** Dlabola,1949 (Cicadellidae)
270. **Mocydia crocea** (Herrich-Schäffer,1837) (Cicadellidae)
271. **Mocydiopsis monticola** Remane,1961 (Cicadellidae)
272. **Mocydiopsis parvicauda** Ribaut,1939 (Cicadellidae)
273. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
274. **Modicogryllus (s.str.) frontalis** (Fieber,1844) (Gryllidae)
275. **Monosteira lobulifera** Reuter,1888 (Tingidae)
276. **Mylabris apicenigra** Sumacov,1924 (Meloidae)
277. **Mylabris crocata** (Pallas,1781) (Meloidae)
278. **Nabis palifer** Seidenstücker,1954 (Nabidae)
279. **Nabis punctatus** Costa,1847 (Nabidae)
280. **Nanoclavelia leucoptera** (Dahlbom,1845) (Pompilidae)
281. **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
282. **Neoliturus guttulatus** (Kirschbaum,1868) (Cicadellidae)
283. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
284. **Neophilaenus lineatus** (Linnaeus,1758) (Cercopidae)
285. **Nepa cinerea** Linnaeus,1758 (Nepidae)
286. **Netelia (Paropheltes) beschkovi** Kolarov,1994 (Ichneumonidae)
287. **Nysius ericae** (Schilling,1829) (Lygaeidae)
288. **Odontotarsus plicatulus** Hovarth,1906 (Scutellaridae)
289. **Oncotylus setulosus** (Herrich-Schäffer,1837) (Miridae)
290. **Opatrum geminatum** Brullé,1832 (Tenebrionidae)
291. **Opilo taeniatus** (Klug,1842) (Cleridae)
292. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
293. **Opsius smaragdinus** Emeljanov,1964 (Cicadellidae)
294. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
295. **Orellia punctata** (Schrank,1781) (Tephritidae)
296. **Orellia steropea** (Rondani,1870) (Tephritidae)
297. **Orosius orientalis** (Matsumura,1914) (Cicadellidae)
298. **Osmia (Helicosmia) aurulenta** (Panzer,1799) (Megachilidae)
299. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae)
300. **Oxycarenus pallens** (Herrich-Schäffer,1850) (Lygaeidae)
301. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
302. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
303. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
304. **Pedinus (s.str.) marani** Kaszab,1960 (Tenebrionidae)

305. **Pedinus (s.str.) strabonis** Seidlitz,1893 (Tenebrionidae)
306. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae)
307. **Penthimia nigra** (Goeze,1778) (Cicadellidae)
308. **Phaedon armoraciae** (Linnaeus,1758) (Chrysomelidae)
309. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
310. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
311. **Physatocheila confinis** Horvath,1905 (Tingidae)
312. **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae)
313. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
314. **Pimelia (Eurypimelia) subglobosa** (Pallas,1781) (Tenebrionidae)
315. **Pimelia (Eurypimelia) subglobosa verruculifera** Solier,1836 (Tenebrionidae)
316. **Pimelia (Eurypimelia) timarchoides Ménétris**,1836 (Tenebrionidae)
317. **Pimelia (Gedeon) wernerii** Ganglbauer,1905 (Tenebrionidae)
318. **Pimpla hypochondriaca** (Retzius,1783) (Ichneumonidae)
319. **Pimpla turionellae** (Linnaeus,1758) (Ichneumonidae)
320. **Piocoris erythrocephalus** (P. & S.,1825) (Lygaeidae)
321. **Plagiognathus albipennis** (Fallén,1829) (Miridae)
322. **Plagiognathus fulvipennis** (Kirschbaum,1856) (Miridae)
323. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
324. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
325. **Platymetopius cruentatus** Haupt,1927 (Cicadellidae)
326. **Platymetopius rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
327. **Plea minutissima** Leach,1817 (Pleidae)
328. **Polistes (s.str.) sulcifer** (Zimmermann,1930) (Vespidae)
329. **Populicerus sharifi** Dlabola,1977 (Cicadellidae)
330. **Prasocuris junci** (Brahm,1790) (Chrysomelidae)
331. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
332. **Priocnemis vulgaris** (Dufour,1841) (Pompilidae)
333. **Psacasta marmottani** Puton,1887 (Scutellaridae)
334. **Psamnotettix alienus** (Dahlbom,1850) (Cicadellidae)
335. **Psamnotettix provincialis** (Ribaut,1925) (Cicadellidae)
336. **Psamnotettix striatus** (Linnaeus,1758) (Cicadellidae)
337. **Psylliodes chalcomerus** (Illiger,1807) (Chrysomelidae)
338. **Psylliodes sophiae** Heikertinger,1914 (Chrysomelidae)
339. **Pterocheilus fausti** Morawitz,1873 (Vespidae)
340. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
341. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
342. **Pyrgomorpha cognata** Krauss,1877 (Pyrgomorphidae)
343. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
344. **Ramburiella bolivari** (Kuthy,1907) (Acrididae)
345. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
346. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
347. **Raphiglossa eumenoides** Saunders,1850 (Vespidae)
348. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae)
349. **Reduvius pallipes** (Klug,1839) (Reduviidae)
350. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
351. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
352. **Rhopalus rufus** Schilling,1829 (Rhopalidae)
353. **Rhynocoris punctiventris** Herrich-Schäffer,1846 (Reduviidae)
354. **Rhytidodus wagneri** Dlabola,1965 (Cicadellidae)
355. **Saga cappadocica** Werner,1903 (Tettigoniidae)
356. **Sapyga (s.str.) mutica** Kurzenko,1994 (Sapygidae)
357. **Sapyga (s.str.) pulcherrima** Morawitz,1894 (Sapygidae)
358. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae)
359. **Sapygina decemguttata** (Jurine,1807) (Sapygidae)
360. **Sciocoris luteolus** Fieber,1861 (Pentatomidae)
361. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
362. **Selenocephalus anatolicus** Dlabola,1957 (Cicadellidae)
363. **Selenocephalus armeniacus** Lindberg,1960 (Cicadellidae)
364. **Setapius barajus** (Dlabola,1957) (Cixiidae)
365. **Skorikovia radoszkowskii** (Skorikov,1935) (Mutillidae)
366. **Sogatella vibix** (Haupt,1927) (Delphacidae)
367. **Sphenometopa claripennis** Villeneuve,1933 (Sarcophagidae)
368. **Spilostethus saxatilis** (Scopoli,1763) (Lygaeidae)
369. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
370. **Stenodynerus simulatus** Gusenleitner,1981 (Vespidae)
371. **Stenometopiellus angorensis** Zachvatkin,1946 (Cicadellidae)
372. **Stenometopiellus macilentus** (Horvath,1904) (Cicadellidae)
373. **Stictopleurus pictus** (Fieber,1861) (Rhopalidae)
374. **Sureyaella bella** Uvarov,1934 (Tettigoniidae)
375. **Syromastus rhombeus** (Linnaeus,1767) (Coreidae)

376. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
377. **Tabanus bifarius** Loew,1858 (Tabanidae)
378. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
379. **Tabanus eggeri** Schiner,1868 (Tabanidae)
380. **Tabanus exclusus** Pandella,1883 (Tabanidae)
381. **Tabanus laetinctus** Becker,1913 (Tabanidae)
382. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
383. **Tabanus miki** Brauer,1880 (Tabanidae)
384. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
385. **Tachina (Echinogaster) praeceps** Meigen,1824 (Tachinidae)
386. **Tachyagetes aegyptiacus** (Priesner,1955) (Pompilidae)
387. **Tachyagetes alicantus** Wolf,1987 (Pompilidae)
388. **Tachyagetes bytinskii** Haupt,1962 (Pompilidae)
389. **Tachyagetes filicornis** (Tornier,1890) (Pompilidae)
390. **Tachyagetes turcoturanicus** Wolf,1986 (Pompilidae)
391. **Tachycixius desertorum** (Fieber,1876) (Cixiidae)
392. **Telostegus cretensis** Priesner,1965 (Pompilidae)
393. **Telostegus fumigatus** (Klug,1834) (Pompilidae)
394. **Telostegus imitator** Priesner,1955 (Pompilidae)
395. **Telostegus inermis** (Brullé,1832) (Pompilidae)
396. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
397. **Tentyria wiedemanni** Ménétris,1838 (Tenebrionidae)
398. **Tephritis postica** (Loew,1844) (Tephritidae)
399. **Tetrix bolivari** (Saulcy,1901) (Tetrigidae)
400. **Tettigometra (Mitricephalus) leucophaea** (Preyssl,1792) (Tettigometridae)
401. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
402. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
403. **Thereva apicalis** Wiedemann,1821 (Therevidae)
404. **Theriopectes tricolor** Zeller,1842 (Tabanidae)
405. **Tingis caucasica** (Jakovlev,1880) (Tingidae)
406. **Trapezonotus ullrichi** (Fieber,1836) (Lygaeidae)
407. **Tremulicerus vitreus** (Fabricius,1803) (Cicadellidae)
408. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
409. **Trichodes nobilis** Klug,1842 (Cleridae)
410. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
411. **Trichodes sexpustulatus** Chevrolat,1874 (Cleridae)
412. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
413. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
414. **Tropidomyia aureifacies** Kröber,1915 (Conopidae)
415. **Tshurtshurnella despecta** (Linnavuori,1965) (Issidae)
416. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
417. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
418. **Urophora aprica** (Fallén,1820) (Tephritidae)
419. **Urophora eriolepidis** (Loew,1856) (Tephritidae)
420. **Urophora jaculata** Rondani,1870 (Tephritidae)
421. **Urophora macrura** (Loew,1855) (Tephritidae)
422. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
423. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
424. **Utecha trivia** (Germar,1821) (Cicadellidae)
425. **Vachiria deserta** (Becker,1867) (Reduviidae)
426. **Ventocoris trigonus** (Krynicky,1871) (Pentatomidae)
427. **Vespula germanica** (Fabricius,1793) (Vespidae)
428. **Xenaporus schmidti** Priesner,1967 (Pompilidae)
429. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
430. **Xya variegata** (Latreille,1809) (Tridactylidae)
431. **Zyginidia (s.str.) pullula** (Boheman,1845) (Cicadellidae)

Niğde Province (51)

(372 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Achaeta domestica** (Linnaeus,1758) (Gryllidae)
3. **Aciura coryli** (Rossi,1790) (Tephritidae)
4. **Aconura impicta** (Linnavuori,1962) (Cicadellidae)
5. **Aconurella prolixa** (Lethierry,1885) (Cicadellidae)
6. **Acrida bicolor** (Thunberg,1815) (Acrididae)
7. **Adelostoma (s.str.) subtilis** Reitter,1900 (Tenebrionidae)
8. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
9. **Aelia alticola** Kiritschenko,1914 (Pentatomidae)
10. **Aelia rostrata** Boheman,1852 (Pentatomidae)
11. **Agenioideus ciliatus** (Lepelletier,1845) (Pompilidae)

12. **Agramma (s.str.) confusum (Puton,1879)** (Tingidae)
13. **Allantus didymus (Klug,1818)** (Tenthredinidae)
14. **Alosimus armeniacus (Faldermann,1837)** (Meloidae)
15. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)
16. **Ammothereva splendida (Kröber,1912)** (Therevidae)
17. **Amphicoma (Pygopleurus) madenensis Petrovitz,1968** (Glaphyridae)
18. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
19. **Ancistronycha erichsoni Bach,1852** (Cantharidae)
20. **Anoplius samariensis (Pallas,1771)** (Pompilidae)
21. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
22. **Antepipona orbitalis (Herrich-Schäffer,1839)** (Vespidae)
23. **Anthaxia (s.str.) muliebris Obenberger,1918** (Buprestidae)
24. **Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae)
25. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae)
26. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae)
27. **Apalus montanus Escherich,1897** (Meloidae)
28. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae)
29. **Aquarius paludum (Fabricius,1794)** (Gerridae)
30. **Arachnospila trivialis (Dahlbom,1843)** (Pompilidae)
31. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
32. **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae)
33. **Arge aurata (Zaddach,1864)** (Argidae)
34. **Arge rustica (Linnaeus,1758)** (Argidae)
35. **Arge scita (Mocsary,1880)** (Argidae)
36. **Arge simulatrix Konow,1887** (Argidae)
37. **Auplopus rectus (Haupt,1927)** (Pompilidae)
38. **Bembecinus gusenleitneri De Beaumont,1967** (Crabronidae)
39. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
40. **Blaps ocreata Allard,1880** (Tenebrionidae)
41. **Blaps rotundata Solier,1848** (Tenebrionidae)
42. **Blaps tibialis Reiche & Sauley,1857** (Tenebrionidae)
43. **Bombylella atra (Scopoli,1763)** (Bombyliidae)
44. **Brunnerella mirabilis Saussure,1888** (Acrididae)
45. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae)
46. **Calliptamus barbarus (Costa,1836)** (Acrididae)
47. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
48. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
49. **Campiglossa producta Loew,1844** (Tephritidae)
50. **Cantharis annularis Ménétériés,1836** (Cantharidae)
51. **Cantharis flavilabris Fallén,1807** (Cantharidae)
52. **Cantharis lateralis Linnaeus,1758** (Cantharidae)
53. **Cantharis livida Linnaeus,1758** (Cantharidae)
54. **Cantharis rufa Linnaeus,1758** (Cantharidae)
55. **Cantharis smyrnensis Marseul,1864** (Cantharidae)
56. **Carabus (Procerus) transversalis Csiki,1927** (Carabidae)
57. **Cardiophorus (s.str.) pavesii Platia & Gudenzi,2000** (Elateridae)
58. **Carpocoris melanocerus Mulsant,1852** (Pentatomidae)
59. **Cassida pannonica Suffrian,1844** (Chrysomelidae)
60. **Catoplatus distinctus Montandon,1895** (Tingidae)
61. **Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae)
62. **Catoplatus horvathi (Puton,1879)** (Tingidae)
63. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
64. **Cerocoma dahli Kraatz,1863** (Meloidae)
65. **Ceropales helvetica Tournier,1889** (Pompilidae)
66. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae)
67. **Chaetocnema confusa (Boheman,1851)** (Chrysomelidae)
68. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae)
69. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
70. **Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae)
71. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
72. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
73. **Chrysolina anatolica (Dahlgren,1984)** (Chrysomelidae)
74. **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae)
75. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae)
76. **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae)
77. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae)
78. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)
79. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
80. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
81. **Cionus donckieri Pic,1898** (Curculionidae)
82. **Clypeocampulum tibiale Gauld,1976** (Ichneumonidae)
83. **Clytra bodemeyeri Weise,1900** (Chrysomelidae)
84. **Clytra novempunctata Olivier,1808** (Chrysomelidae)
85. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
86. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae)
87. **Colpa quinquecincta (Fabricius,1775)** (Scolidae)
88. **Conophorus gracilis Dils & Özbek,2006** (Bombyliidae)
89. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae)
90. **Copium adumbratum (Horvath,1891)** (Tingidae)

91. **Cordulegaster insignis** Schneider,1845 (Cordulegasteridae)
92. **Corynis reticulata** Benson,1954 (Cimbicidae)
93. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
94. **Cryptocephalus ocellatus** Drapiez,1819 (Chrysomelidae)
95. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
96. **Cryptocheilus alternatus** (Lepeletier,1845) (Pompilidae)
97. **Cryptocheilus egregius** (Lepeletier,1845) (Pompilidae)
98. **Cryptocheilus variipennis** Suster,1924 (Pompilidae)
99. **Culicoides circumscriptus** Kieffer,1918 (Ceratopogonidae)
100. **Culicoides festivipennis** Kieffer,1914 (Ceratopogonidae)
101. **Culicoides gejjelensis** Dzhanfarov,1964 (Ceratopogonidae)
102. **Culicoides longipennis** Khalaf,1957 (Ceratopogonidae)
103. **Culicoides maritimus** Kieffer,1924 (Ceratopogonidae)
104. **Culicoides nubeculosus** (Meigen,1830) (Ceratopogonidae)
105. **Culicoides odiatus** Austen,1921 (Ceratopogonidae)
106. **Culicoides picturatus** Kremer & Deduit,1961 (Ceratopogonidae)
107. **Culicoides pumilus** (Winnertz,1852) (Ceratopogonidae)
108. **Culicoides punctatus** (Meigen,1804) (Ceratopogonidae)
109. **Culicoides puncticollis** (Becker,1903) (Ceratopogonidae)
110. **Culicoides subneglectus** Vimmer,1932 (Ceratopogonidae)
111. **Dailognatha impressicollis** Solier,1835 (Tenebrionidae)
112. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
113. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
114. **Dendarus (Pandarinus) caelatus** Brullé,1832 (Tenebrionidae)
115. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
116. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
117. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
118. **Deronectes parvicollis** (Schaum,1864) (Dytiscidae)
119. **Dicaelotus rufilimbatus** (Gravenhorst,1820) (Ichneumonidae)
120. **Dictyla echii** (Schrank,1782) (Tingidae)
121. **Dictyla sima** Seidenstücker,1975 (Tingidae)
122. **Dicyphus alkannae** Seidenstücker,1956 (Miridae)
123. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
124. **Dioctria abdominalis** Becker,1923 (Asilidae)
125. **Dioctria flavipennis** Meigen,1820 (Asilidae)
126. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
127. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
128. **Dociostaurus (Stauronotulus) cappadocicus** (Azam,1913) (Acrididae)
129. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
130. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
131. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
132. **Dryomyia circinans** (Giraud,1861) (Cecidomyiidae)
133. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
134. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae)
135. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae)
136. **Elasmotropis testacea** (Herrich-Schäffer,1830) (Tingidae)
137. **Emblethis angustus** Montandon,1890 (Lygaeidae)
138. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
139. **Emblethis denticollis** Hovarth,1878 (Lygaeidae)
140. **Emblethis karamanus** Seidenstücker,1963 (Lygaeidae)
141. **Emblethis kareli** Hoberlandt,1955 (Lygaeidae)
142. **Emblethis verbasci** (Fabricius,1803) (Lygaeidae)
143. **Empusa fasciata** Brullé,1836 (Empusidae)
144. **Entomoscelis suturalis** Weise,1882 (Chrysomelidae)
145. **Eoferreola anatolica** Piesner,1973 (Pompilidae)
146. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
147. **Eumenes coronatus** (Panzer,1799) (Vespidae)
148. **Euodynerus (s.str.) curictensis** Blüthgen,1940 (Vespidae)
149. **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae)
150. **Eurydema blanda** Horvath,1803 (Pentatomidae)
151. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
152. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
153. **Euscelis alsius** Ribaut,1952 (Cicadellidae)
154. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
155. **Euzonitis rubida** (Ménétriés,1832) (Meloidae)
156. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
157. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
158. **Galeatus cellularis** Jakovlev,1884 (Tingidae)
159. **Glyptomethis holtzi** (Werner,1901) (Pamphagidae)
160. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
161. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
162. **Gonocephalum rusticum** (Olivier,1811) (Tenebrionidae)
163. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
164. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
165. **Gymnopleurus flagellatus** (Fabricius,1787) (Scarabaeidae)
166. **Haematopota kemali** Szilady,1923 (Tabanidae)

167. **Haematopota pluvialis** (Linnaeus,1761)
(Tabanidae)
168. **Haematopota sewelli** Austen,1920 (Tabanidae)
169. **Haematopota subcylindrica** Pandelle,1883
(Tabanidae)
170. **Handianus procerus** (Herrich-Schäffer,1835)
(Cicadellidae)
171. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
172. **Hesperocorixa parallela** (Fieber,1860)
(Corixidae)
173. **Himacerus maracandicus** (Reuter,1890)
(Nabidae)
174. **Hoplitis (Alcidamea) tridentata** (Dufour &
Perris,1840) (Megachilidae)
175. **Hyalesthes veyseli** Hoch,1985 (Cixiidae)
176. **Hydroglyphus pubescens** Gyllenhal,1808
(Dytiscidae)
177. **Hydroporus pubescens** (Gyllenhal,1808)
(Dytiscidae)
178. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
179. **Hyposoter ebeninus** (Gravenhorst,1829)
(Ichneumonidae)
180. **Idiocerus vicinus** Melichar,1898
(Cicadellidae)
181. **Isophya major** Brunner von Wattenwyl,1878
(Tettigoniidae)
182. **Labidostomis mesopotamica** Heyden,1886
(Chrysomelidae)
183. **Laccobius (Dimorpholaccobius) hindukuschi**
Chiesa,1966 (Hydrophilidae)
184. **Laccobius (Dimorpholaccobius) simulatrix**
Orchymont,1932 (Hydrophilidae)
185. **Laccobius (Microlaccobius) exilis**
Gentili,1974 (Hydrophilidae)
186. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
187. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
188. **Lertha ledereri** (Selys-
Longchamps,1866) (Nemopteridae)
189. **Libelloides lacteus** (Brullé,1832)
(Ascalaphidae)
190. **Libelloides macaronius** (Scopoli,1763)
(Ascalaphidae)
191. **Limotettix striola** (Fallén,1806) (Cicadellidae)
192. **Lixus cardui** Olivier,1807 (Curculionidae)
193. **Longitarsus albineus** (Foudras,1860)
(Chrysomelidae)
194. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
195. **Lydus turcius** Kaszab,1952 (Meloidae)
196. **Lygaeosoma reticulatum** (Herrich-
Schäffer,1838) (Lygaeidae)
197. **Macrophya cyrus** Benson,1954
(Tenthredinidae)
198. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
199. **Malthinus conspicuus** Kiesenwetter,1852
(Cantharidae)
200. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
201. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
202. **Melanotus (s.str.) osellai** Guglielmi &
Platia,1985 (Elateridae)
203. **Mesoleptogaster cappadocia** Hasbenli &
Çağlar,2009 (Asilidae)
204. **Metacantharis araxicola** Reitter,1891
(Cantharidae)
205. **Metopius (Tylopius) brevispinus**
Thomson,1887 (Ichneumonidae)
206. **Mycterodus ulukislanus** Dlabola,1983
(Issidae)
207. **Mylabris ciliciensis** Escherich,1899
(Meloidae)
208. **Mylabris crocata** (Pallas,1781) (Meloidae)
209. **Mylabris fabricii** Sumakov,1924
(Meloidae)
210. **Mylabris geminata** Fabricius,1798 (Meloidae)
211. **Mylabris quadripunctata** (Linnaeus,1767)
(Meloidae)
212. **Mylabris zebraea** (Marseul,1870) (Meloidae)
213. **Myopites cypriacus** M.Hering,1938
(Tephritidae)
214. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
215. **Nephrotoma croceiventris** (Strobl,1909)
(Tipulidae)
216. **Noceeta pupillata** (Fallén,1814) (Tephritidae)
217. **Nycteribia (Acrocholidia) vexata**
Westwood,1835 (Nycteribiidae)
218. **Nycteribia (s.str.) latreillii** (Leach,1817)
(Nycteribiidae)
219. **Ochterus marginatus** (Latreille,1804)
(Ochteridae)
220. **Oecanthus pellucens** (Scopoli,1763)
(Gryllidae)
221. **Oedipoda caerulescens** (Linnaeus,1758)
(Acrididae)
222. **Oedipoda schochi** Saussure,1884
(Acrididae)
223. **Omocestus (s.str.) nanus** Uvarov,1934
(Acrididae)
224. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
225. **Opilo taeniatus** (Klug,1842) (Cleridae)
226. **Orellia distans** (Loew,1847) (Tephritidae)
227. **Orellia falcata** (Scopoli,1763) (Tephritidae)
228. **Orellia punctata** (Schrank,1781)
(Tephritidae)
229. **Orellia quadratula** (Loew,1869)
(Tephritidae)
230. **Orellia steropea** (Rondani,1870)
(Tephritidae)
231. **Osmanius bathasari** (Petrovitz,1963)
(Scarabaeidae)
232. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
233. **Oxyina flavipennis** (Loew,1844)
(Tephritidae)
234. **Oxyina nebulosa** (Wiedemann,1817)
(Tephritidae)
235. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
236. **Pachybrachis (s.str.) fimbriolatus**
(Suffrian,1848) (Chrysomelidae)
237. **Palpares libelluloides** (Linnaeus,1764)
(Myrmeleonidae)
238. **Paracinema tricolor** (Thunberg,1815)
(Acrididae)
239. **Parapholidoptera bolkarensis**
Çıplak,2000 (Tettigoniidae)
240. **Pedestredorcadion bulgharmaadense**
(Breuning,1946) (Cerambycidae)
241. **Pedestredorcadion scabricolle**
(Dalman,1817) (Cerambycidae)

242. **Pedestredorcasion subvestitum** (Daniel,1900) (Cerambycidae)
243. **Pedinus (s.str.) strabonis** Seidlitz,1893 (Tenebrionidae)
244. **Peirates hybridus** (Scopoli,1763) (Reduviidae)
245. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
246. **Pentastira megista** Emeljanov,1978 (Cixiidae)
247. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae)
248. **Pezodrymadusa diffusa** (Ramme,1951) (Tettigoniidae)
249. **Pezodrymadusa striolata** (Ramme,1951) (Tettigoniidae)
250. **Pezotettix giornae** (Rossi,1794) (Acrididae)
251. **Phaedon cochleariae** (Fabricius,1792) (Chrysomelidae)
252. **Phyllotreta cruciferae** (Goeze,1777) (Chrysomelidae)
253. **Phyllotreta fallaciosa** Heikertinger,1941 (Chrysomelidae)
254. **Piesma (Parapiesma) kolenatii** (Fieber,1861) (Piesmatidae)
255. **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae)
256. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
257. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
258. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
259. **Platycleis (Squamiana) melendisensis** Çiplak,2002 (Tettigoniidae)
260. **Platycleis (Squamiana) sinuata** Ramme,1951 (Tettigoniidae)
261. **Platycleis (Squamiana) sinuata** Ramme,1951 (Tettigoniidae)
262. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
263. **Poecilimon excisus** Karabağ,1950 (Tettigoniidae)
264. **Poecilimon haydari** Ramme,1951 (Tettigoniidae)
265. **Poecilimon zonatus** Bolivar,1899 (Tettigoniidae)
266. **Probatiscus (Pelorinus) bodemeyeri** Reitter,1900 (Tenebrionidae)
267. **Probatiscus (Pelorinus) maurus** (Waltl,1838) (Tenebrionidae)
268. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
269. **Protaetia (Potosia) funebris** (Gory & Percheron,1833) (Scarabaeidae)
270. **Psammotettix comitans** Emelyanov,1964 (Cicadellidae)
271. **Psammotettix ornaticeps** (Horvath,1897) (Cicadellidae)
272. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
273. **Pseudoceles ledereri** (Saussure,1884) (Acrididae)
274. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
275. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
276. **Pyrobombus niveatus** (Kriechbaumer,1870) (Apidae)
277. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
278. **Rabdophaga strobilina** (Bremi,1847) (Cecidomyiidae)
279. **Ramburiella bolivari** (Kuthy,1907) (Acrididae)
280. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
281. **Rhagonycha duplicata** Dahlgren,1968 (Cantharidae)
282. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
283. **Rhagonycha kiesewetteri** Marseul,1864 (Cantharidae)
284. **Rhynchites bacchus** (Linnaeus,1758) (Atelabidae)
285. **Rhynocoris flavolimbatus** (Jakovlev,1889) (Reduviidae)
286. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
287. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
288. **Rhyparochromus pineti** (Herrich-Schäffer,1839) (Lygaeidae)
289. **Rhytidodus wagneri** Dlabola,1965 (Cicadellidae)
290. **Rivetina baetica** (Rambur,1838) (Mantidae)
291. **Saga cappadocica** Werner,1903 (Tettigoniidae)
292. **Salentia fuscipennis** A.Costa,1857 (Therevidae)
293. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae)
294. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae)
295. **Scarabaeus armeniacus** Ménétriés,1832 (Scarabaeidae)
296. **Sciocoris deltocephalus** Fieber,1861 (Pentatomidae)
297. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
298. **Scolia hirta** (Schrank,1781) (Scoliidae)
299. **Scotodrymadusa syriaca** (Pictet,1888) (Tettigoniidae)
300. **Silvius (s.str.) variegatus** (Fabricius,1805) (Tabanidae)
301. **Sphenella marginata** (Fallén,1814) (Tephritidae)
302. **Sphingonotus (s.str.) nebulosus** (Fischer von Waldheim,1846) (Acrididae)
303. **Sphingonotus (s.str.) theodori** Uvarov,1923 (Acrididae)
304. **Sphingonotus (s.str.) turcicus** Uvarov,1930 (Acrididae)
305. **Sphingonotus pilosus** Saussure,1884 (Acrididae)
306. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
307. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
308. **Sureyaella bella** Uvarov,1934 (Tettigoniidae)
309. **Symmorphus murarius** (Linnaeus,1758) (Vespidae)
310. **Tabanus anthrax** Olsuffjev,1937 (Tabanidae)
311. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
312. **Tabanus bifarius** Loew,1858 (Tabanidae)
313. **Tabanus bromius** Linnaeus,1758 (Tabanidae)

314. *Tabanus eggeri* Schiner, 1868 (Tabanidae)
315. *Tabanus glaucopis* Meigen, 1820 (Tabanidae)
316. *Tabanus laetinctus* Becker, 1913 (Tabanidae)
317. *Tabanus lunatus* Fabricius, 1794 (Tabanidae)
318. *Tabanus quatuornatatus* Meigen, 1820 (Tabanidae)
319. *Tabanus spectabilis* Loew, 1858 (Tabanidae)
320. *Tabanus unifasciatus* Loew, 1858 (Tabanidae)
321. *Tachina (Echinogaster) praeceps* Meigen, 1824 (Tachinidae)
322. *Tbilisica anatolica* Kartal, 1983 (Cicadellidae)
323. *Telostegus inermis* (Brullé, 1832) (Pompilidae)
324. *Tenthredo costata* Klug, 1817 (Tenthredinidae)
325. *Tenthredo zonula* Klug, 1817 (Tenthredinidae)
326. *Terellia (Cerajocera) yukseli* Kütük, 2009 (Tephritidae)
327. *Tettigonia caudata* (Charpentier, 1845) (Tettigoniidae)
328. *Tettigonia turcica* Ramme, 1951 (Tettigoniidae)
329. *Thereva affinis* Kröber, 1913 (Therevidae)
330. *Thereva apicalis* Wiedemann, 1821 (Therevidae)
331. *Thereva cincta* Meigen, 1820 (Therevidae)
332. *Thereva fulva* (Meigen, 1804) (Therevidae)
333. *Thereva fulvibarba* Kröber, 1912 (Therevidae)
334. *Thereva glaucescens* Kröber, 1912 (Therevidae)
335. *Thereva hirta* Kröber, 1913 (Therevidae)
336. *Thereva nitidifrons* Kröber, 1913 (Therevidae)
337. *Thereva plebeja* (Linnaeus, 1758) (Therevidae)
338. *Thereva tuberculata* (Loew, 1847) (Therevidae)
339. *Theriopectes tricolor* Zeller, 1842 (Tabanidae)
340. *Tillus pectinicornis* Abeille, 1892 (Cleridae)
341. *Tingis ballotae* Seidenstücker, 1970 (Tingidae)
342. *Tingis caucasica* (Jakovlev, 1880) (Tingidae)
343. *Tingis pauperata* (Puton, 1879) (Tingidae)
344. *Tingis stepposa* Golub, 1977 (Tingidae)
345. *Tingis stupidula* Horvath, 1906 (Tingidae)
346. *Tingis torpida* (Horvath, 1906) (Tingidae)
347. *Tipula (Lunatipula) nigdeensis* Bischof, 1905 (Tipulidae)
348. *Trichodes ganglbaueri* Escherich, 1893 (Cleridae)
349. *Trichodes inermis* Reitter, 1893 (Cleridae)
350. *Trichodes laminatus* Chevrolat, 1843 (Cleridae)
351. *Trichodes longissimus* (Abeille de Perrin, 1881) (Cleridae)
352. *Trichodes punctatus* Fischer, 1829 (Cleridae)
353. *Trichodes quadriguttatus* Adams, 1817 (Cleridae)
354. *Trichodes sexpustulatus* Chevrolat, 1874 (Cleridae)
355. *Trichodes sipylus* (Linnaeus, 1758) (Cleridae)
356. *Trichodes suspectus* Escherich, 1892 (Cleridae)
357. *Trichodes tauricus* Zimmermann, 1971 (Cleridae)
358. *Tropinota (Epicometis) hirta* (Poda, 1761) (Scarabaeidae)
359. *Tshurtshurnella campestre* (Lindberg, 1948) (Issidae)
360. *Tshurtshurnella despecta* (Linnavuori, 1965) (Issidae)
361. *Tshurtshurnella rhombica* Dlabola, 1982 (Issidae)
362. *Urophora affinis* (Frauenfeld, 1857) (Tephritidae)
363. *Urophora aprica* (Fallén, 1820) (Tephritidae)
364. *Urophora eriolepidis* (Loew, 1856) (Tephritidae)
365. *Urophora macrura* (Loew, 1855) (Tephritidae)
366. *Urophora quadrifasciata* (Meigen, 1826) (Tephritidae)
367. *Urophora stylata* (Fabricius, 1775) (Tephritidae)
368. *Urophora terebrans* (Loew, 1850) (Tephritidae)
369. *Xya pfaendleri* (Harz, 1970) (Tridactylidae)
370. *Xylocoris obliquus* Costa, 1852 (Anthocoridae)
371. *Zophosis (Oculosis) dilatata* Deyrolle, 1867 (Tenebrionidae)
372. *Zophosis (Oculosis) punctata* Brullé, 1832 (Tenebrionidae)

Ordu Province (52)

(137 species, stand 30 April 2010)

1. *Adrastus circassicus* Reitter, 1896 (Elateridae)
2. *Aelia acuminata* (Linnaeus, 1758) (Pentatomidae)
3. *Aelia alticola* Kiritshenko, 1914 (Pentatomidae)
4. *Aelia rostrata* Boheman, 1852 (Pentatomidae)
5. *Aeropus sibiricus* (Linnaeus, 1767) (Acrididae)
6. *Alebra albostriella* (Fallén, 1826) (Cicadellidae)
7. *Altica carduorum* (Guérin-Méneville, 1858) (Chrysomelidae)
8. *Altica tamaricis* Schrank, 1785 (Chrysomelidae)
9. *Ampedus pomorum* (Herbst, 1784) (Elateridae)
10. *Anaceratagallia laevis* (Ribaut, 1935) (Cicadellidae)
11. *Anoplius infuscatus* (Van der Linden, 1827) (Pompilidae)
12. *Aphrodes bicinctus* (Schrank, 1776) (Cicadellidae)
13. *Aphrophora alni* (Fallén, 1805) (Cercopidae)
14. *Athous (Orthathous) tekkirazicus* Platia, 2003 (Elateridae)

15. **Athous (s.str.) nadoraz Mertlik & Dusanek,2006** (Elateridae)
16. **Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae)
17. **Atylotus latistriatus Brauer,1879** (Tabanidae)
18. **Auplopus rectus (Haupt,1927)** (Pompilidae)
19. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
20. **Batophila fallax Weise,1888** (Chrysomelidae)
21. **Beraea alihozi Sipahiler,2008** (Beraeidae)
22. **Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae)
23. **Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae)
24. **Berosus (s.str.) signaticollis (Charpentier,1825)** (Hydrophilidae)
25. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
26. **Bombus terrestris Linnaeus,1758** (Apidae)
27. **Bryaxis balabanus Besuchet & Kurbatov,2007** (Staphylinidae)
28. **Bryaxis bulbifer (Reichenbach,1816)** (Staphylinidae)
29. **Bryaxis euryscapus Besuchet & Kurbatov,2007** (Staphylinidae)
30. **Bryaxis khnzoriani Besuchet,1964** (Staphylinidae)
31. **Bryaxis osellai Besuchet & Kurbatov,2007** (Staphylinidae)
32. **Bryaxis pachyscelis Besuchet & Kurbatov,2007** (Staphylinidae)
33. **Bryaxis ponticus Besuchet & Kurbatov,2007** (Staphylinidae)
34. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae)
35. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
36. **Centrotus cornutus (Linnaeus,1758)** (Membracidae)
37. **Cicindela campestris Linnaeus,1758** (Carabidae)
38. **Cicindela desertorum Dejean,1825** (Carabidae)
39. **Cixius pallipes Fieber,1876** (Cixiidae)
40. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae)
41. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
42. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae)
43. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
44. **Cryptocheilus fischeri (Spinola,1855)** (Pompilidae)
45. **Cryptocheilus versicolor (Scopoli,1763)** (Pompilidae)
46. **Curculio nucum Linnaeus,1758** (Curculionidae)
47. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae)
48. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae)
49. **Cyphon longiusculus Nyholm,1970** (Scirtidae)
50. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae)
51. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae)
52. **Donus zoilus (Scopoli,1763)** (Curculionidae)
53. **Doratura stylata (Boheman,1847)** (Cicadellidae)
54. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae)
55. **Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae)
56. **Elodes megalopus Klausnitzer,2002** (Scirtidae)
57. **Elodes microps Klausnitzer,2002** (Scirtidae)
58. **Episyron gallicum (Tournier,1889)** (Pompilidae)
59. **Ernodes orduensis Sipahiler,2008** (Beraeidae)
60. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae)
61. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae)
62. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae)
63. **Eurydema blanda Horvath,1803** (Pentatomidae)
64. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
65. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae)
66. **Evagetes trispinosus (Kohl,1886)** (Pompilidae)
67. **Eysarcoris aeneus (Scopoli,1763)** (Pentatomidae)
68. **Eysarcoris ventralis (Westwood,1837)** (Pentatomidae)
69. **Eysarcoris venutissimus (Schrank,1776)** (Pentatomidae)
70. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae)
71. **Haematopota pandazisi Kröber,1936** (Tabanidae)
72. **Haematopota subcylindrica Pandelle,1883** (Tabanidae)
73. **Hardya anatolica Zachvatkin,1946** (Cicadellidae)
74. **Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae)
75. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae)
76. **Hydrochus nodulifer Reitter,1897** (Hydrochidae)
77. **Hydroglyphus pubescens Gyllenhal,1808** (Dytiscidae)
78. **Hydroporus pubescens (Gyllenhal,1808)** (Dytiscidae)
79. **Hypera variabilis (Herbst,1795)** (Curculionidae)
80. **Issus coleoptratus (Fabricius,1781)** (Issidae)
81. **Itopectis alternans (Gravenhorts,1829)** (Ichneumonidae)
82. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
83. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
84. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
85. **Laodelphax striatellus (Fallén,1826)** (Delphacidae)
86. **Ledra aurita (Linnaeus,1758)** (Cicadellidae)
87. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
88. **Lophyridia littoralis (Fabricius,1787)** (Carabidae)
89. **Macrophya postica Brullé,1832** (Tenthredinidae)
90. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae)
91. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)

92. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae)
93. **Malthinus corylicus Wittmer,1974** (Cantharidae)
94. **Megabombus pascuorum (Scopoli,1763)** (Apidae)
95. **Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae)
96. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae)
97. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae)
98. **Nebrioporus suavis (Sharp,1882)** (Dytiscidae)
99. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
100. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae)
101. **Neottiglossa leporina (Herrich-Schäffer,1830)** (Pentatomidae)
102. **Nezara viridula (Linnaeus,1758)** (Pentatomidae)
103. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae)
104. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae)
105. **Pedestredorcadion bouilloni (Breuning & Ruspoli,1975)** (Cerambycidae)
106. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae)
107. **Phlepsius ornatus (Perris,1857)** (Cicadellidae)
108. **Phosphuga atrata (Linnaeus,1758)** (Silphidae)
109. **Phyllotreta balcanica Heikertinger,1909** (Chrysomelidae)
110. **Piezodorus lituratus (Fabricius,1794)** (Pentatomidae)
111. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae)
112. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae)
113. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae)
114. **Probatiscus (Pelorinus) granipennis (Allard,1876)** (Tenebrionidae)
115. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae)
116. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
117. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
118. **Recilia coronifera (Marshall,1866)** (Cicadellidae)
119. **Rhynchites coeruleus (De Geer,1775)** (Atelabidae)
120. **Rhynocoris rubrogularis (Horvath,1880)** (Reduviidae)
121. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae)
122. **Sciocoris hoferlandi Wagner,1954** (Pentatomidae)
123. **Sciocoris microphthalmus Flor,1860** (Pentatomidae)
124. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae)
125. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
126. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae)
127. **Stagonomus amoenus (Brullé,1832)** (Pentatomidae)
128. **Tabanus bromius Linnaeus,1758** (Tabanidae)
129. **Tephritis mariannae Merz,1992** (Tephritidae)
130. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae)
131. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae)
132. **Thamnotettix (s.str.) diluitor (Kirschbaum,1868)** (Cicadellidae)
133. **Thamnotettix thrax Dlabola,1965** (Cicadellidae)
134. **Tipula (Tipula) orientalis Lackschewitz,1930** (Tipulidae)
135. **Toya propinqua (Fieber,1866)** (Delphacidae)
136. **Vespa crabro Linnaeus,1758** (Vespidae)
137. **Vespula germanica (Fabricius,1793)** (Vespidae)

Rize Province (53)

(253 species, stand 30 April 2010)

1. **Acidota crenata (Fabricius,1793)** (Staphylinidae)
2. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae)
3. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae)
4. **Adrastus limbatus (Fabricius,1776)** (Elateridae)
5. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
6. **Agabus (Gaurodytes) bipustulatus (Linnaeus,1767)** (Dytiscidae)
7. **Agabus (Gaurodytes) dilatatus (Brullé,1832)** (Dytiscidae)
8. **Agabus glacialis Hochhuth,1846** (Dytiscidae)
9. **Agabus paludosus (Fabricius,1801)** (Dytiscidae)
10. **Altica brevicollis Foudras,1860** (Chrysomelidae)
11. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae)
12. **Altica tamaricis Schrank,1785** (Chrysomelidae)
13. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
14. **Ancistrocerus claripennis Thomson,1874** (Vespidae)
15. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
16. **Anoplius nigerrimus (Scopoli,1763)** (Pompilidae)
17. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
18. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)

19. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
20. **Aphrophora alni (Fallén,1805)** (Cercopidae)
21. **Arcyptera (s.str.) fusca (Pallas,1773)** (Acrididae)
22. **Arge cyanocrocea (Forster,1771)** (Argidae)
23. **Athalia circularis (Klug,1815)** (Tenthredinidae)
24. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae)
25. **Athalia liberta (Klug,1815)** (Tenthredinidae)
26. **Auplopus rectus (Haupt,1927)** (Pompilidae)
27. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
28. **Batophila fallax Weise,1888** (Chrysomelidae)
29. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
30. **Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae)
31. **Bombus terrestris Linnaeus,1758** (Apidae)
32. **Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae)
33. **Bryaxis abastumanus (Reitter,1890)** (Staphylinidae)
34. **Bryaxis assingi Besuchet & Kurbatov,2007** (Staphylinidae)
35. **Bryaxis khnzoriani Besuchet,1964** (Staphylinidae)
36. **Bryaxis lazistanicus Besuchet & Kurbatov,2007** (Staphylinidae)
37. **Bryaxis longipalpis (Motschoulsky,1835)** (Staphylinidae)
38. **Bryaxis multiplex Besuchet & Kurbatov,2007** (Staphylinidae)
39. **Bryaxis polemon Besuchet & Kurbatov,2007** (Staphylinidae)
40. **Bryaxis viti Besuchet & Kurbatov,2007** (Staphylinidae)
41. **Bryaxis ypsilon Besuchet & Kurbatov,2007** (Staphylinidae)
42. **Bryophaenocladus aff. brincki (Freeman,1955)** (Chironomidae)
43. **Calliptamus barbarus (Costa,1836)** (Acrididae)
44. **Calopteryx waterstoni Schneider,1984** (Calopterygidae)
45. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
46. **Ceresa bubalus (Fabricius,1794)** (Membracidae)
47. **Cerodontha (Butomomyza) pseuderrans (Hendel,1931)** (Agromyzidae)
48. **Cerodontha (Poemyza) imbuta (Meigen,1838)** (Agromyzidae)
49. **Cerodontha (s.str.) fulvipes (Meigen,1830)** (Agromyzidae)
50. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae)
51. **Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae)
52. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
53. **Chorthippus (Stauroderus) scalaris (Fischer von Waldheim,1846)** (Acrididae)
54. **Chromatomyia luzulae (M.Hering,1924)** (Agromyzidae)
55. **Chrysanthia varipes Kiesenwetter,1861** (Oedemeridae)
56. **Chrysolina kataevi Lopatin,2000** (Chrysomelidae)
57. **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae)
58. **Chrysops (s.str.) sejunctus Szilady,1917** (Tabanidae)
59. **Cicindela desertorum Dejean,1825** (Carabidae)
60. **Cionus caucasicus Reitter,1888** (Curculionidae)
61. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae)
62. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
63. **Corynis obscura (Fabricius,1775)** (Cimbicidae)
64. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae)
65. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
66. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)
67. **Cryptocheilus gazella Haupt,1962** (Pompilidae)
68. **Cryptocheilus variabilis (Rossi,1790)** (Pompilidae)
69. **Cuneala confinis (Konow,1886)** (Tenthredinidae)
70. **Cuneala koehleri Klug,1817** (Tenthredinidae)
71. **Cylindera (s.str.) germanica (Linnaeus,1758)** (Carabidae)
72. **Cyphon euoplus Nyholm,1970** (Scirtidae)
73. **Cyphon longiusculus Nyholm,1970** (Scirtidae)
74. **Cyphon ponticus Nyholm,1976** (Scirtidae)
75. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae)
76. **Dendroleon pantherinus (Fabricius,1787)** (Myrmeleonidae)
77. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae)
78. **Elodes megalopus Klausnitzer,2002** (Scirtidae)
79. **Elodes venustula Klausnitzer,2002** (Scirtidae)
80. **Eumenes papillarius (Christ,1791)** (Vespidae)
81. **Eupteryx collina (Flor,1861)** (Cicadellidae)
82. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae)
83. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae)
84. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
85. **Eusphalerum amplipenne Coiffait,1976** (Staphylinidae)
86. **Eusphalerum caucasicum (Bernhauer,1908)** (Staphylinidae)
87. **Eusphalerum rufotestaceum (Motschoulsky,1860)** (Staphylinidae)
88. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae)
89. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae)
90. **Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae)
91. **Exyston montanus Kerrich,1975** (Ichneumonidae)
92. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae)
93. **Geodromicus jarrigeanus Fagel,1976** (Staphylinidae)
94. **Geodromicus ponticus Fagel,1976** (Staphylinidae)
95. **Gomphocerus sibiricus (Linnaeus,1767)**
96. **Helophorus guttulus Motschoulsky,1860** (Helophoridae)
97. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)

98. **Hybomitra caucasica (Enderlein,1925)**
(Tabanidae)
99. **Hydrochara dichorama (Fairmaire,1829)**
(Hydrophilidae)
100. **Hydrocyphon deflexicollis Müller,1821**
(Scirtidae)
101. **Hydroglyphus geminus (Fabricius,1792)**
(Dytiscidae)
102. **Hydroporus cagrankaya Fery & Erman,2009**
(Dytiscidae)
103. **Hydroporus discretus Fairmaire & Brisout,1859** (Dytiscidae)
104. **Hydroporus kozlovskii Zaitzev,1927**
(Dytiscidae)
105. **Hydroporus lundbergi Fery & Erman,2009**
(Dytiscidae)
106. **Hydroporus nigellus Mannerheim,1853**
(Dytiscidae)
107. **Hydroporus palustris (Linnaeus,1761)**
(Dytiscidae)
108. **Hydroporus planus (Fabricius,1781)**
(Dytiscidae)
109. **Hydroporus pubescens (Gyllenhal,1808)**
(Dytiscidae)
110. **Hydroporus sivrikaya Fery & Erman,2009**
(Dytiscidae)
111. **Hydroporus thracicus Guéorguiev,1966**
(Dytiscidae)
112. **Hydroporus toledoï Fery & Erman,2009**
(Dytiscidae)
113. **Hypocassida subferruginea (Schrank,1776)**
(Chrysomelidae)
114. **Ilybius fuliginosus (Fabricius,1792)**
(Dytiscidae)
115. **Isoperla bithynica (Kempny,1908)**
(Perlodidae)
116. **Isophya rizeensis Sevgili,2003** (Tettigoniidae)
117. **Issus coleoptratus (Fabricius,1781)** (Issidae)
118. **Laccobius (Dimorpholaccobius) obscuratus Rottenberg,1874** (Hydrophilidae)
119. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
120. **Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae)
121. **Laccophilus minutus (Linnaeus,1758)**
(Dytiscidae)
122. **Laccophilus poecilus Klug,1834** (Dytiscidae)
123. **Laodelphax striatellus (Fallén,1826)**
(Delphacidae)
124. **Ledra aurita (Linnaeus,1758)** (Cicadellidae)
125. **Leuctra aspoecorum Theischinger,1976**
(Leuctridae)
126. **Liriomyza dracunculi M.Hering,1932**
(Agromyzidae)
127. **Longitarsus ledouxi Doguet,1979**
(Chrysomelidae)
128. **Longitarsus lewisii (Baly,1874)**
(Chrysomelidae)
129. **Longitarsus pratensis (Panzer,1794)**
(Chrysomelidae)
130. **Macrophya albicincta (Schrank,1776)**
(Tenthredinidae)
131. **Macrophya annulata Geoffroy,1785**
(Tenthredinidae)
132. **Macrophya blanda Fabricius,1775**
(Tenthredinidae)
133. **Macrophya diversipes (Schrank,1782)**
(Tenthredinidae)
134. **Macrophya erythrocnema A.Costa,1859**
(Tenthredinidae)
135. **Macrophya montana (Scopoli,1763)**
(Tenthredinidae)
136. **Macrophya postica Brullé,1832**
(Tenthredinidae)
137. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae)
138. **Macrosteles sexnotatus (Fallén,1806)**
(Cicadellidae)
139. **Malthinus lasistanus Wittmer,1974**
(Cantharidae)
140. **Mecostethus alliaceus (Germar,1817)**
(Acrididae)
141. **Megabombus mesomelas (Gerstaecker,1869)**
(Apidae)
142. **Megabombus pascuorum (Scopoli,1763)**
(Apidae)
143. **Meloe violaceus Marsham,1802** (Meloidae)
144. **Merodon aberrans Egger,1860** (Syrphidae)
145. **Mniophila muscorum (Koch,1803)**
(Chrysomelidae)
146. **Mniophila turcica Medvedev,1970**
(Chrysomelidae)
147. **Mycterodus ovifrons (Puton,1890)** (Issidae)
148. **Mylabris geminata Fabricius,1798** (Meloidae)
149. **Nemoura martynovia Claassen,1936**
(Nemouridae)
150. **Nephrotoma appendiculata (Pierre,1919)**
(Tipulidae)
151. **Nephrotoma croceiventris (Strobl,1909)**
(Tipulidae)
152. **Nephrotoma scalaris (Meigen,1818)**
(Tipulidae)
153. **Odeles armilabris (Nyholm,1974)** (Scirtidae)
154. **Odynerus spinipes (Linnaeus,1758)** (Vespidae)
155. **Oedemera (s.str.) femorata (Scopoli,1763)**
(Oedemeridae)
156. **Oedemera (s.str.) flavipes (Fabricius,1792)**
(Oedemeridae)
157. **Oedemera (s.str.) lurida (Marsham,1802)**
(Oedemeridae)
158. **Oedemera (s.str.) penicillata W.Schmidt,1846** (Oedemeridae)
159. **Oedemera (s.str.) pthysica (Scopoli,1763)**
(Oedemeridae)
160. **Omalium caesum Gravenhorst,1806**
(Staphylinidae)
161. **Oreodytes davisii (Curtis,1831)** (Dytiscidae)
162. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae)
163. **Pachyprotasis rapae Linne,1767**
(Tenthredinidae)
164. **Panorpa connexa McLachlan,1869**
(Panorpidae)
165. **Paratettix meridionalis (Rambur,1838)**
(Tetrigidae)
166. **Pedestredorcadion rizeanum (Breuning & Villers,1967)** (Cerambycidae)
167. **Pedicia (Crunobia) tjederi Mendl,1974**
(Pediidae)
168. **Perla pallida Guérin-Ménéville,1838** (Perlidae)
169. **Phaedon armoraciae (Linnaeus,1758)**
(Chrysomelidae)
170. **Phaneroptera (s.str.) nana Fieber,1853**
(Tettigoniidae)
171. **Pherbellia cinerella (Fallén,1820)**
(Sciomyzidae)
172. **Philaenus spumarius (Linnaeus,1758)**
(Cercopidae)

173. **Philipomyia rohdendorfi** (Olsufjev,1937)
(Tabanidae)
174. **Pholidoptera fallax** (Fischer,1853)
(Tettigoniidae)
175. **Phonochorion satunini** Uvarov,1916
(Tettigoniidae)
176. **Phonochorion uvarovi** Karabağ,1956
(Tettigoniidae)
177. **Physetopoda similis** (Lelej,1984) (Mutillidae)
178. **Phytomyza brevifacies** Hendel,1934
(Agromyzidae)
179. **Platambus lunulatus** (Fischer von
Waldheim,1829) (Dytiscidae)
180. **Poecilagenia sculpturata** (Kohl,1898)
(Pompilidae)
181. **Poecilimon schmidti** (Fieber,1853)
(Tettigoniidae)
182. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
183. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
184. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
185. **Polistes (s.str.) sulcifer** (Zimmermann,1930)
(Vespidae)
186. **Populicerus populi** (Linnaeus,1761)
(Cicadellidae)
187. **Priocnemis perturbator** (Harris,1776)
(Pompilidae)
188. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
189. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
190. **Protonemura bifida** Martynov,1928
(Nemouridae)
191. **Protonemura bithynica** Aubert,1964
(Nemouridae)
192. **Protonemura capitata** Martynov,1928
(Nemouridae)
193. **Protonemura eumontana** Zhiltzova,1957
(Nemouridae)
194. **Protonemura oreas** Martynov,1928
(Nemouridae)
195. **Protonemura teberdensis** Zhiltzova,1958
(Nemouridae)
196. **Psophus stridulus** (Linnaeus,1758) (Acrididae)
197. **Psorodonotus davisii** Karabağ,1956
(Tettigoniidae)
198. **Psorodonotus specularis** (Fischer von
Waldheim,1839) (Tettigoniidae)
199. **Pteronemobius (s.str.) heydenii**
(Fischer,1853) (Gryllidae)
200. **Rammepodisma natoliae** (Ramme,1939)
(Acrididae)
201. **Rantus suturalis** (Macleay,1825) (Dytiscidae)
202. **Recilia coronifera** (Marshall,1866)
(Cicadellidae)
203. **Rhabdomastix (s.str.) filata** Stary,2004
(Limoniidae)
204. **Rhogogaster chlorosoma** Benson,1943
(Tenthredinidae)
205. **Rhynchites coeruleus** (De Geer,1775)
(Atelabidae)
206. **Rhynocoris annulatus** (Linnaeus,1758)
(Reduviidae)
207. **Rhynocoris iracundus** (Poda,1761)
(Reduviidae)
208. **Ricania japonica** Melichar,1898
(Ricaniidae)
209. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
210. **Scaptomyza (Parascaptomyza) pallida**
(Zetterstedt,1847) (Drosophilidae)
211. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
212. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)
213. **Sigara lateralis** Leach,1818 (Corixidae)
214. **Sigara nigrolineata** (Fieber,1848) (Corixidae)
215. **Simulium (Nevermannia) floriae**
(Djafarov,1954) (Simuliidae)
216. **Simulium (Obuchovia) popovae**
Rubtsov,1940 (Simuliidae)
217. **Simulium (s.str.) bukowskii** Rubtsov,1940
(Simuliidae)
218. **Simulium (s.str.) debacii** Terteryan,1952
(Simuliidae)
219. **Stauroderus scalaris** (Fischer von
Waldheim,1846) (Acrididae)
220. **Stenobothrus (Stenobothrodes) werneri**
Adelung,1907 (Acrididae)
221. **Stictotarsus griseostriatus** (De Geer,1774)
(Dytiscidae)
222. **Symmorphus bifasciatus** (Linnaeus,1761)
(Vespidae)
223. **Synophyropsis lauri** (Horvath,1897)
(Cicadellidae)
224. **Tabanus autumnalis** Linnaeus,1761
(Tabanidae)
225. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
226. **Tabanus caucasicus** Kröber,1925
(Tabanidae)
227. **Tabanus karaosus** Timmer,1984
(Tabanidae)
228. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
229. **Tabanus regularis** Jaennicke,1866
(Tabanidae)
230. **Tabanus rupium** Brauer,1880 (Tabanidae)
231. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
232. **Tenthredo acerrima** Benson,1952
(Tenthredinidae)
233. **Tenthredo arcuata** Forster,1771
(Tenthredinidae)
234. **Tenthredo caligator** Eversmann,1847
(Tenthredinidae)
235. **Tenthredo caucasica** Eversmann,1847
(Tenthredinidae)
236. **Tenthredo discophora** Konow,1896
(Tenthredinidae)
237. **Tenthredo frauenfeldii** Giraud,1857
(Tenthredinidae)
238. **Tenthredo liturata** (Mocsary,1886)
(Tenthredinidae)
239. **Tenthredo livida** Linnaeus,1758
(Tenthredinidae)
240. **Tenthredo luteipennis** Eversmann,1847
(Tenthredinidae)
241. **Tenthredo mesomelas** Linnaeus,1758
(Tenthredinidae)
242. **Tenthredo propinqua** Klug,1817
(Tenthredinidae)
243. **Tenthredo scrophulariae** Linnaeus,1758
(Tenthredinidae)
244. **Tenthredo vespa** Retzius,1783
(Tenthredinidae)
245. **Tipula (Acutipula) latifurca**
Vermoolen,1983 (Tipulidae)

246. **Tipula (Yamatotipula) submontium**
Theowald & Oosterbroek,1981 (Tipulidae)
247. **Trichodes suspectus Escherich,1892**
(Cleridae)
248. **Utecha trivialis (Germar,1821)** (Cicadellidae)
249. **Vespa crabro Linnaeus,1758** (Vespidae)
250. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
251. **Vibidia duodecimguttata (Poda,1761)**
(Coccinellidae)
252. **Zoroachros meridionalis (Laporte,1840)**
(Elateridae)
253. **Zyginidia (s.str.) artvinicus**
Kalkandelen,1985 (Cicadellidae)

Sakarya Province (54)

(176 species, stand 30 April 2010)

1. **Acrotylus insubricus (Scopoli,1786)**
(Acrididae)
2. **Adalia (s.str.) bipunctata (Linnaeus,1758)**
(Coccinellidae)
3. **Aelia rostrata Boheman,1852** (Pentatomidae)
4. **Agabus (Gaurodytes) biguttatus**
(Olivier,1795) (Dytiscidae)
5. **Agenioideus cinctellus (Spinola,1808)**
(Pompilidae)
6. **Agrilus (s.str.) hyperici (Creutzer,1799)**
(Buprestidae)
7. **Allygidius atomarius (Fabricius,1794)**
(Cicadellidae)
8. **Anoplotettix fuscovenosus (Ferrari,1882)**
(Cicadellidae)
9. **Anoplotettix sahtyiancii Dlabola,1970**
(Cicadellidae)
10. **Apanteles aragatzi Tobias,1976** (Braconidae)
11. **Apanteles hemara Nixon,1965** (Braconidae)
12. **Apanteles ingenuoides Papp,1971** (Braconidae)
13. **Apanteles obscurus (Nees,1834)** (Braconidae)
14. **Aphrodes bicinctus (Schrank,1776)**
(Cicadellidae)
15. **Aphthona pygmaea Kutschera,1861**
(Chrysomelidae)
16. **Asphondylia verbasci (Vallot,1827)**
(Cecidomyiidae)
17. **Athous (Orthathous) warchalowskii Platia &**
Tarnawski,1998 (Elateridae)
18. **Auletobius politus Voss,1934** (Atelabidae)
19. **Berosus (s.str.) affinis Brullé,1835**
(Hydrophilidae)
20. **Brachyptera zwicki Braasch & Joost,1971**
(Taeniopterygidae)
21. **Bytiscus betulae (Linnaeus,1758)**
(Atelabidae)
22. **Calopteryx mingrelica Selys,1869**
(Calopterygidae)
23. **Carabus (Heterocarabus) marietti De**
Cristoforis & Jan,1837 (Carabidae)
24. **Carabus (Oxycarabus) saphyrinus De**
Cristofis & Jan,1837 (Carabidae)
25. **Carpocoris fuscispinus (Boheman,1851)**
(Pentatomidae)
26. **Carpocoris mediterraneus Tamanini,1958**
(Pentatomidae)
27. **Cassida bella Faldermann,1837**
(Chrysomelidae)
28. **Cassida prasina Illiger,1798** (Chrysomelidae)
29. **Cassida rubiginosa Müller,1776**
(Chrysomelidae)
30. **Centrotus cornutus (Linnaeus,1758)**
(Membracidae)
31. **Cercopis vulnerata Rossi,1807** (Cercopidae)
32. **Cerocoma schreberi Fabricius,1781** (Meloidea)
33. **Chaetocnema turhalus Iyriboz,1934 (?)**
(Chrysomelidae)
34. **Choeras dorsalis (Spinola,1808)** (Braconidae)
35. **Chorthippus (Chorthippus) parallelus**
(Zetterstedt,1821) (Acrididae)
36. **Cicadula divaricata Ribaut,1952** (Cicadellidae)
37. **Cicadula lineatopunctata (Matsumura,1908)**
(Cicadellidae)
38. **Cicadula placida (Horvath,1897)** (Cicadellidae)
39. **Cicadula quadrinotata (Fabricius,1794)**
(Cicadellidae)
40. **Coenorrhinus aequatus (Linnaeus,1767)**
(Atelabidae)
41. **Coenorrhinus germanicus (Herbst,1797)**
(Atelabidae)
42. **Coenorrhinus pauxillus (Germar,1824)**
(Atelabidae)
43. **Conocephalus (s.str.) hastatus**
(Charpentier,1825) (Tettigoniidae)
44. **Corythucha arcuata (Say,1832)** (Tingidae)
45. **Cotesia ancilla (Nixon,1974)** (Braconidae)
46. **Cotesia memnon (Nixon,1974)** (Braconidae)
47. **Cotesia ofella (Nixon,1974)** (Braconidae)
48. **Cotesia ruficrus (Haliday,1834)** (Braconidae)
49. **Cotesia tibialis (Curtis,1830)** (Braconidae)
50. **Cryptocephalus connexus Olivier,1808**
(Chrysomelidae)
51. **Cryptocephalus moraei (Linnaeus,1758)**
(Chrysomelidae)
52. **Cryptocephalus octacasmus Bedel,1891**
(Chrysomelidae)
53. **Cryptocheilus fischeri (Spinola,1855)**
(Pompilidae)
54. **Dasineura crataegi (Winnertz,1853)**
(Cecidomyiidae)
55. **Dasyrhaphis carbonarius (Meigen,1820)**
(Tabanidae)
56. **Decticus verrucivorus (Linnaeus,1758)**
(Tettigoniidae)
57. **Dicaelotus morosator Aubert,1969**
(Ichneumonidae)
58. **Dicronychus obscuripennis (Pic,1899)**
(Elateridae)
59. **Dictyophara asiatica Melichar,1912**
(Dictyopharidae)
60. **Diolcogaster claritibia (Papp,1959)**
(Braconidae)
61. **Dolichogenidea lacteicolor (Viereck,1911)**
(Braconidae)
62. **Donus zoilus (Scopoli,1763)** (Curculionidae)

63. **Duroniella laticornis (Krauss,1909)**
(Acrididae)
64. **Dytiscus marginalis Linnaeus,1758**
(Dytiscidae)
65. **Eurydema oleracea (Linnaeus,1758)**
(Pentatomidae)
66. **Eurydema ornatum (Linnaeus,1758)**
(Pentatomidae)
67. **Eurydema ventralis Kolenati,1846**
(Pentatomidae)
68. **Eusphalerum caasicum (Bernhauer,1908)**
(Staphylinidae)
69. **Exitianus fasciolatus (Melichar,1911)**
(Cicadellidae)
70. **Eysarcoris ventralis (Westwood,1837)**
(Pentatomidae)
71. **Fieberiella septentrionalis Wagner,1963**
(Cicadellidae)
72. **Gerris lacustris (Linnaeus,1758)** (Gerridae)
73. **Gryllotalpa gryllotalpa (Linnaeus,1758)**
(Gryllotalpidae)
74. **Haematoloma dorsatum (Ahrens,1812)**
(Cercopidae)
75. **Haliplus variegatus Sturm,1834** (Halipidae)
76. **Hartigiola annulipes (Hartig,1839)**
(Cecidomyiidae)
77. **Helophorus hirsutiventris Angus,1984**
(Helophoridae)
78. **Helophorus nubilus Fabricius,1776**
(Helophoridae)
79. **Hesperocorixa linnaei (Fieber,1848)**
(Corixidae)
80. **Hesperocorixa parallela (Fieber,1860)**
(Corixidae)
81. **Hyalestes obsoletus Signoret,1865** (Cixiidae)
82. **Hydroglyphus pubescens Gyllenhal,1808**
(Dytiscidae)
83. **Hydroporus bodemeyeri Ganglbauer,1900**
(Dytiscidae)
84. **Hydroporus pubescens (Gyllenhal,1808)**
(Dytiscidae)
85. **Hypocassida subferruginea (Schrank,1776)**
(Chrysomelidae)
86. **Isophya amplipennis Brunner von Wattenwyl,1878** (Tettigoniidae)
87. **Janetia szepligetii Kieffer,1896**
(Cecidomyiidae)
88. **Kyboasca bipunctata (Oshanin,1871)**
(Cicadellidae)
89. **Labidostomis propinqua Faldermann,1837**
(Chrysomelidae)
90. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)
91. **Laccophilus hyalinus (De Geer,1774)**
(Dytiscidae)
92. **Lepyronia coleoptrata (Linnaeus,1758)**
(Cercopidae)
93. **Limotettix striola (Fallén,1806)** (Cicadellidae)
94. **Lixus scabricollis Boheman,1843**
(Curculionidae)
95. **Lophyridia littoralis (Fabricius,1787)**
(Carabidae)
96. **Lycocoris dimidiatus (Spinola,1837)**
(Anthocoridae)
97. **Lygaeosoma erythropterum (Puton,1876)**
(Lygaeidae)
98. **Macrodiplosis pustularis (Bremi,1847)**
(Cecidomyiidae)
99. **Macrodiplosis roboris (Hardy,1854)**
(Cecidomyiidae)
100. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae)
101. **Megabombus pascuorum (Scopoli,1763)**
(Apidae)
102. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
103. **Micronecta vitticeps (Horvath,1895)**
(Corixidae)
104. **Microptilis deprimator (Fabricius,1798)**
(Braconidae)
105. **Microptilis mandibularis Thomson,1895**
(Braconidae)
106. **Microptilis spinolae Nees,1834** (Braconidae)
107. **Microptilis tuberculifer (Wesmael,1837)**
(Braconidae)
108. **Mikiola fagi (Hartig,1839)** (Cecidomyiidae)
109. **Mocydia crocea (Herrich-Schäffer,1837)**
(Cicadellidae)
110. **Mycterodus izmiticus Dlabola,1979** (Issidae)
111. **Mycterodus serbicus Dlabola,1980** (Issidae)
112. **Mylabris quadripunctata (Linnaeus,1767)**
(Meloidae)
113. **Nebrioporus suavis (Sharp,1882)** (Dytiscidae)
114. **Nemoura subtilis Klapalek,1895** (Nemouridae)
115. **Neottiglossa bifida (Costa,1847)**
(Pentatomidae)
116. **Nepa cinerea Linnaeus,1758** (Nepidae)
117. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae)
118. **Omocestus (s.str.) rufipes (Zetterstedt,1821)**
(Acrididae)
119. **Oncopsis flavicollis (Linnaeus,1761)**
(Cicadellidae)
120. **Opsius dagestanicus Dlabola,1960**
(Cicadellidae)
121. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae)
122. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
123. **Pangonius (Melanopangonius) funebris Macquart,1845** (Tabanidae)
124. **Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae)
125. **Paranocaracris citripes (Uvarov,1949)**
(Pamphagidae)
126. **Parapotes reticulatus (Hovarth,1897)**
(Cicadellidae)
127. **Pedestredorcadion pluto (Thomson,1867)**
(Cerambycidae)
128. **Penthimia nigra (Goeze,1778)** (Cicadellidae)
129. **Pezotettix giornae (Rossi,1794)** (Acrididae)
130. **Phlogotettix cyclops (Mulsant & Rey,1855)**
(Cicadellidae)
131. **Pholidoptera fallax (Fischer,1853)**
(Tettigoniidae)
132. **Phratora vitellinae (Linnaeus,1758)**
(Chrysomelidae)
133. **Phthiridium biarticulatum Hermann,1804**
(Nycteribiidae)
134. **Plagiodera versicolora (Laicharting,1781)**
(Chrysomelidae)
135. **Plagiognathus chrysanthemi (Wolff,1804)**
(Miridae)
136. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
137. **Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae)

138. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
139. **Poecilimon kocaki Ünal,1999** (Tettigoniidae)
140. **Poecilimon miramae Ramme,1933** (Tettigoniidae)
141. **Poecilimon sureyanus Uvarov,1930** (Tettigoniidae)
142. **Pontoperla teberdinica** (Balinsky,1950) (Chloroperlidae)
143. **Probaticus (Pelorinus) adimonius** (Allard,1876) (Tenebrionidae)
144. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
145. **Psammotettix comitans Emelyanov,1964** (Cicadellidae)
146. **Psammotettix provincialis** (Ribaut,1925) (Cicadellidae)
147. **Psammotettix striatus** (Linnaeus,1758) (Cicadellidae)
148. **Pseudocrepidophorus flavescens** (Eschscholtz,1818) (Elateridae)
149. **Rabdophaga saliciperda** (Dufour,1841) (Cecidomyiidae)
150. **Rabdophaga salicis** (Schrank,1803) (Cecidomyiidae)
151. **Rabdophaga strobilina** (Bremi,1847) (Cecidomyiidae)
152. **Rabdophaga terminalis** (Loew,1850) (Cecidomyiidae)
153. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
154. **Rhacocleis germanica** (Herrich-Schäffer,1840) (Tettigoniidae)
155. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
156. **Rhytidodus decimusquartus** (Schrank,1776) (Cicadellidae)
157. **Scarabaeus armeniacus Ménériés,1832** (Scarabaeidae)
158. **Sigara nigrolineata** (Fieber,1848) (Corixidae)
159. **Tabanus bromius Linnaeus,1758** (Tabanidae)
160. **Temelucha decorata** (Gravenhorst,1829) (Ichneumonidae)
161. **Tettigometra (Mitricephalus) macrocephalus** (Fieber,1865) (Tettigometridae)
162. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
163. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
164. **Theriopectes gigas** (Herbst,1787) (Tabanidae)
165. **Tipula (Lunatipula) adapazariensis Theischinger,1987** (Tipulidae)
166. **Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae)
167. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae)
168. **Trichodes punctatus Fischer,1829** (Cleridae)
169. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
170. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
171. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
172. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
173. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
174. **Wachtliella ericina** (Loew,1885) (Cecidomyiidae)
175. **Xylocoris cursitans** (Fallén,1807) (Anthocoridae)
176. **Zygina (s.str.) ordinaria** (Ribaut,1936) (Cicadellidae)

Samsun Province (55)

(318 species, stand 30 April 2010)

1. **Abia sericea** (Linnaeus,1767) (Cimbicidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acrosternum millierei** (Mulsant & Rey,1866) (Pentatomidae)
4. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
5. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
6. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
7. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
8. **Aelia rostrata** Boheman,1852 (Pentatomidae)
9. **Aeropus sibiricus** (Linnaeus,1767) (Acrididae)
10. **Agalmatium bilobum** (Fieber,1877) (Issidae)
11. **Allantus basalis** (Klug,1818) (Tenthredinidae)
12. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
13. **Altica bicarinata** (Kutschera,1860) (Chrysomelidae)
14. **Altica impressicollis** (Reiche,1862) (Chrysomelidae)
15. **Amiota (Phortica) goetzi** Maca,1987 (Drosophilidae)
16. **Amiota (Phortica) semivirgo** Maca,1977 (Drosophilidae)
17. **Ampedus demaisonii** (Buysson,1898) (Elateridae)
18. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
19. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
20. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
21. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
22. **Anisochrya (s.str.) subflavifrons** (Tjeder,1949) (Chrysopidae)
23. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
24. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
25. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
26. **Anoplotettix fuscovenosus** (Ferrari,1882) (Cicadellidae)
27. **Anoxia (Protanoxia) orientalis** Krynicky,1832 (Scarabaeidae)
28. **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae)

29. ***Anthaxia* (s.str.) *signaticollis* (Krynicky,1832)** (Buprestidae)
30. ***Anthidium* (*Anthidiellum*) *strigatum* (Panzer,1805)** (Megachilidae)
31. ***Aphrodes bicinctus* (Schrank,1776)** (Cicadellidae)
32. ***Aphrophora alni* (Fallén,1805)** (Cercopidae)
33. ***Aphthona nonstriata* (Goeze,1777)** (Chrysomelidae)
34. ***Arge cyanocrocea* (Forster,1771)** (Argidae)
35. ***Arge ochropus* (Gmelin,1790)** (Argidae)
36. ***Arge rustica* (Linnaeus,1758)** (Argidae)
37. ***Arocephalus longiceps* (Kirschbaum,1868)** (Cicadellidae)
38. ***Asiraca clavicornis* (Fabricius,1794)** (Delphacidae)
39. ***Athalia bicolor* Audinet-Serville,1823** (Tenthredinidae)
40. ***Athalia cordata* Audinet-Serville,1823** (Tenthredinidae)
41. ***Athalia liberta* (Klug,1815)** (Tenthredinidae)
42. ***Athous* (*Orthathous*) *duzaneki* Platia,2003** (Elateridae)
43. ***Atylotus loewianus* (Villeneuve,1920)** (Tabanidae)
44. ***Austroagallia sinuata* (Mulsant & Rey,1855)** (Cicadellidae)
45. ***Balclutha pellucens* Horvath,1909** (Cicadellidae)
46. ***Balclutha punctata* (Fabricius,1775)** (Cicadellidae)
47. ***Batophila fallax* Weise,1888** (Chrysomelidae)
48. ***Bembecinus hungaricus* (Frivaldsky,1876)** (Crabronidae)
49. ***Berosus* (s.str.) *affinis* Brullé,1835** (Hydrophilidae)
50. ***Biblopectus parvulus* Besuchet,1975** (Staphylinidae)
51. ***Bombus terrestris* Linnaeus,1758** (Apidae)
52. ***Bryaxis polemon* Besuchet & Kurbatov,2007** (Staphylinidae)
53. ***Bucephaloptera bucephala* (Brunner von Wattenwyl,1882)** (Tettigoniidae)
54. ***Byctiscus betulae* (Linnaeus,1758)** (Attelabidae)
55. ***Calliptamus barbarus* (Costa,1836)** (Acrididae)
56. ***Calliptamus italicus* (Linnaeus,1758)** (Acrididae)
57. ***Capnodis cariosa* (Pallas,1776)** (Buprestidae)
58. ***Capnodis tenebrionis* (Linnaeus,1761)** (Buprestidae)
59. ***Carabus* (*Lamprostus*) *spinolai* Cristoforis & Jan,1837** (Carabidae)
60. ***Cassida rubiginosa* Müller,1776** (Chrysomelidae)
61. ***Cassida seraphina* Ménétriés,1836** (Chrysomelidae)
62. ***Cassida vibex* Linnaeus,1767** (Chrysomelidae)
63. ***Cercopis intermedia* Kirschbaum,1868** (Cercopidae)
64. ***Ceropales albicincta* (Rossi,1790)** (Pompilidae)
65. ***Chaetocnema concinna* (Marsham,1802)** (Chrysomelidae)
66. ***Chaetocnema coyei* (Allard,1863)** (Chrysomelidae)
67. ***Chaetocnema tibialis* (Illiger,1807)** (Chrysomelidae)
68. ***Chorthippus* (*Glyptobothrus*) *brunneus* (Thunberg,1815)** (Acrididae)
69. ***Chorthippus* (s.str.) *loratus* (Fischer von Waldheim,1846)** (Acrididae)
70. ***Chorthippus* (*Stauroderus*) *scalaris* (Fischer von Waldheim,1846)** (Acrididae)
71. ***Chromoderus fasciatus* (O.F.Müller,1776)** (Curculionidae)
72. ***Chrysolina cerealis* (Linnaeus,1767)** (Chrysomelidae)
73. ***Chrysolina chalcites* (Germar,1824)** (Chrysomelidae)
74. ***Chrysolina herbacea* (Duftschmidt,1825)** (Chrysomelidae)
75. ***Chrysolina hyperici* (Forster,1771)** (Chrysomelidae)
76. ***Chrysolina polita* (Linnaeus,1758)** (Chrysomelidae)
77. ***Chrysolina sahlbergi* (Ménétriés,1832)** (Chrysomelidae)
78. ***Chrysomela populi* Linnaeus,1758** (Chrysomelidae)
79. ***Chrysops* (s.str.) *caecutiens* (Linnaeus,1761)** (Tabanidae)
80. ***Chrysops* (s.str.) *viduatus* (Fabricius,1794)** (Tabanidae)
81. ***Cicadella viridis* (Linnaeus,1758)** (Cicadellidae)
82. ***Cixius pallipes* Fieber,1876** (Cixiidae)
83. ***Coelioxys* (s.str.) *aurolimbata* Förster,1853** (Megachilidae)
84. ***Conocephalus* (*Anisoptera*) *dorsalis* (Latreille,1804)** (Tettigoniidae)
85. ***Corynis frontina* (Konow,1905)** (Cimbicidae)
86. ***Crepidodera fulvicornis* (Fabricius,1792)** (Chrysomelidae)
87. ***Crepidodera plutus* (Latreille,1804)** (Chrysomelidae)
88. ***Cryptocephalus connexus* Olivier,1808** (Chrysomelidae)
89. ***Cryptocephalus flavipes* Fabricius,1781** (Chrysomelidae)
90. ***Cryptocephalus moraei* (Linnaeus,1758)** (Chrysomelidae)
91. ***Cryptocephalus ocellatus* Drapiez,1819** (Chrysomelidae)
92. ***Cryptocephalus octacasmus* Bedel,1891** (Chrysomelidae)
93. ***Cryptocephalus parvulus* Müller,1776** (Chrysomelidae)
94. ***Cryptocheilus fischeri* (Spinola,1855)** (Pompilidae)
95. ***Cryptocheilus variabilis* (Rossi,1790)** (Pompilidae)
96. ***Cryptocheilus versicolor* (Scopoli,1763)** (Pompilidae)
97. ***Curculio nucum* Linnaeus,1758** (Curculionidae)
98. ***Cylindera* (*Cicindina*) *trisignata* (Dejean,1822)** (Carabidae)
99. ***Cyphon arietizans* Nyholm,1970** (Scirtidae)
100. ***Cyphon longispinus* Nyholm,1968** (Scirtidae)
101. ***Cyphon longiusculus* Nyholm,1970** (Scirtidae)
102. ***Dailognatha caraboides* Solier,1835** (Tenebrionidae)
103. ***Dasyrhamphis ater* (Austen,1925)** (Tabanidae)
104. ***Dasyrhamphis umbrinus* (Meigen,1820)** (Tabanidae)
105. ***Decticus albifrons* (Fabricius,1793)** (Tettigoniidae)
106. ***Depressotetrix depressa* (Brisout,1848)** (Tetrigidae)

107. **Dichrogaster liostylus** (Thomson,1884)
(Ichneumonidae)
108. **Dictyophara europaea** (Linnaeus,1767)
(Dictyopharidae)
109. **Donus zoilus** (Scopoli,1763) (Curculionidae)
110. **Doratura stylata** (Boheman,1847)
(Cicadellidae)
111. **Dorcus parallelipedus** (Linnaeus,1758)
(Lucanidae)
112. **Drasterius bimaculatus** (Rossi,1790)
(Elateridae)
113. **Drosophila** (s.str.) **phalerata** Meigen,1830
(Drosophilidae)
114. **Drosophila** (s.str.) **transversa** Fallén,1823
(Drosophilidae)
115. **Drosophila** (**Scaptodrosophila**) **deflexa**
Duda,1924 (Drosophilidae)
116. **Drosophila** (**Scaptodrosophila**) **rufifrons**
Loew,1873 (Drosophilidae)
117. **Drosophila** (**Sophophora**) **ambigua**
Pomini,1940 (Drosophilidae)
118. **Drosophila** (**Sophophora**) **simulans**
Sturtevant,1921 (Drosophilidae)
119. **Drosophila** (**Sophophora**) **subobscura**
Collin,1936 (Drosophilidae)
120. **Drosophila** (**Sophophora**) **tristis** Fallén,1823
(Drosophilidae)
121. **Drosophila funebris** (Fabricius,1787)
(Drosophilidae)
122. **Duilius tamaricis** (Puton & Lethierry,1887)
(Cixiidae)
123. **Dytiscus dimidiatus** Bergsträßer,1778
(Dytiscidae)
124. **Ectobius vittiventris** Costa,1847 (Blattidae)
125. **Elodes megalopus** Klausnitzer,2002
(Scirtidae)
126. **Empoasca solani** (Curtis,1846) (Cicadellidae)
127. **Episyron rufipes** (Linnaeus,1758) (Pompilidae)
128. **Epitrix intermedia** Foudras,1860
(Chrysomelidae)
129. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
130. **Eupteryx atropunctata** (Goeze,1778)
(Cicadellidae)
131. **Eurydema blanda** Horvath,1803
(Pentatomidae)
132. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
133. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
134. **Eurydema spectabilis** Horvath,1882
(Pentatomidae)
135. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
136. **Eusphalerum celsum** (Luze,1910)
(Staphylinidae)
137. **Eusphalerum foveolatum** (Luze,1910)
(Staphylinidae)
138. **Eusphalerum osellai** Zanetti,1993
(Staphylinidae)
139. **Eusphalerum sorbi** (Gyllenhal,1810)
(Staphylinidae)
140. **Euzonitis sexmaculata** (Olivier,1790)
(Meloidae)
141. **Evacanthus acuminatus** (Fabricius,1794)
(Cicadellidae)
142. **Eysarcoris aeneus** (Scopoli,1763)
(Pentatomidae)
143. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
144. **Eysarcoris venutissimus** (Schrank,1776)
(Pentatomidae)
145. **Gastrophysa polygona** (Linnaeus,1758)
(Chrysomelidae)
146. **Goniagnathus brevis** (Herrich-Schäffer,1835)
(Cicadellidae)
147. **Gryllomorpha** (s.str.) **dalmatina**
(Ocskay,1832) (Gryllidae)
148. **Grypotes staurus** Ivanoff,1885 (Cicadellidae)
149. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
150. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
151. **Homodela ismenia** (Gory,1833) (Carabidae)
152. **Hydrochara dichorama** (Fairmaire,1829)
(Hydrophilidae)
153. **Hydrochara flavipes** (Steven,1808)
(Hydrophilidae)
154. **Hydrochara major** İncekara, Mart, Polat &
Karaca,2009 (Hydrophilidae)
155. **Hygrotus** (**Coelambus**) **lernaeus**
(Schaum,1857) (Dytiscidae)
156. **Hypera contaminata** (Herbst,1795)
(Curculionidae)
157. **Hypera jucundus** Capiomont,1868
(Curculionidae)
158. **Hypera meles** (Fabricius,1792) (Curculionidae)
159. **Hypera rumicis** (Linnaeus,1758)
(Curculionidae)
160. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
161. **Hypocassida subferruginea** (Schrank,1776)
(Chrysomelidae)
162. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
163. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
164. **Isophya amplipennis** Brunner von
Wattenwyl,1878 (Tettigoniidae)
165. **Isophya speciosa** (Frivaldsky,1867)
(Tettigoniidae)
166. **Jassargus obtusivalvis** (Kirschbaum,1868)
(Cicadellidae)
167. **Krombeinella longicollis** (Tournier,1889)
(Mutillidae)
168. **Krombeinella wolfi** (Invrea,1963) (Mutillidae)
169. **Labidostomis longimana** (Linnaeus,1761)
(Chrysomelidae)
170. **Labidostomis propinqua** Faldermann,1837
(Chrysomelidae)
171. **Laccobius** (**Dimorpholaccobius**) **simulatrix**
Orchymont,1932 (Hydrophilidae)
172. **Laccobius** (**Dimorpholaccobius**) **syriacus**
Guillebeau,1896 (Hydrophilidae)
173. **Larinus planus** (Fabricius,1792)
(Curculionidae)
174. **Lasioglossum** (**Evylaeus**) **mesosclerum**
(Pérez,1903) (Halictidae)
175. **Lasioglossum bischoffi** (Blüthgen,1931)
(Halictidae)
176. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
177. **Leptochilus limbiferus** (Morawitz,1867)
(Vespidae)
178. **Leptochilus regulus** Saussure,1855 (Vespidae)
179. **Leptophyes albovittata** (Kollar,1833)
(Tettigoniidae)
180. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
181. **Lestes parvidens** Artobolevski,1929 (Lestidae)

182. **Leucophenga maculata** (Dufour,1839)
(Drosophilidae)
183. **Lixus angustatus** (Fabricius,1775)
(Curculionidae)
184. **Lixus myagri** Olivier,1807 (Curculionidae)
185. **Lixus scolapax** Boheman,1836 (Curculionidae)
186. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
187. **Macrophya albicincta** (Schrank,1776)
(Tenthredinidae)
188. **Macrophya annulata** Geoffroy,1785
(Tenthredinidae)
189. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
190. **Macrophya crassula** (Klug,1817)
(Tenthredinidae)
191. **Macrophya duodecimpunctata**
(Linnaeus,1758) (Tenthredinidae)
192. **Macrophya montana** (Scopoli,1763)
(Tenthredinidae)
193. **Macrophya postica** Brullé,1832
(Tenthredinidae)
194. **Macrosteles forficula** (Ribaut,1927)
(Cicadellidae)
195. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
196. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
197. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
198. **Malthinus samsunicus** Wittmer,1974
(Cantharidae)
199. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
200. **Microcara caspica** Reitter,1889 (Scirtidae)
201. **Milichia speciosa** Meigen,1830 (Milichiidae)
202. **Mocydia crocea** (Herrich-Schäffer,1837)
(Cicadellidae)
203. **Mocydiopsis monticola** Remane,1961
(Cicadellidae)
204. **Mocydiopsis parvicauda** Ribaut,1939
(Cicadellidae)
205. **Modicogryllus (s.str.) truncatus**
(Tarbinski,1940) (Gryllidae)
206. **Monosapyga clavicornis** (Linnaeus,1758)
(Sapygidae)
207. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
208. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
209. **Nemeritis specularis** Horstmann,1975
(Ichneumonidae)
210. **Neoaliturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
211. **Neocrepidodera crassicornis**
(Faldermann,1837) (Chrysomelidae)
212. **Neocrepidodera transversa** (Marsham,1802)
(Chrysomelidae)
213. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
214. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
215. **Neottiglossa leporina** (Herrich-
Schäffer,1830) (Pentatomidae)
216. **Nezara viridula** (Linnaeus,1758)
(Pentatomidae)
217. **Nyctia lugubris** (Macquart,1843)
(Sarcophagidae)
218. **Oedipoda miniata** (Pallas,1771) (Acrididae)
219. **Oenas crassicornis** (Illiger,1800) (Meloidae)
220. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
221. **Omocestus (s.str.) rufipes** (Zetterstedt,1821)
(Acrididae)
222. **Omocestus (s.str.) ventralis**
(Zetterstedt,1821) (Acrididae)
223. **Oncopsis flavicollis** (Linnaeus,1761)
(Cicadellidae)
224. **Opsius cypriacus** Lindberg,1958
(Cicadellidae)
225. **Opsius stactogalus** Fieber,1866
(Cicadellidae)
226. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
227. **Ozirhincus millefolii** (Wachtl,1884)
(Cecidomyiidae)
228. **Pachybrachis (s.str.) limbatus**
(Ménétriés,1836) (Chrysomelidae)
229. **Panaphantus atomus** Kiesenwetter,1858
(Staphylinidae)
230. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
231. **Pedestredorcadion paraladikense**
(Breuning,1977) (Cerambycidae)
232. **Pedestredorcadion piochardi**
(Kraatz,1873) (Cerambycidae)
233. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
234. **Phaedon pyritosus** (Rossi,1792)
(Chrysomelidae)
235. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
236. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
237. **Phlepsius intricatus** (Herrich-Schäffer,1838)
(Cicadellidae)
238. **Phlepsius ornatus** (Perris,1857)
(Cicadellidae)
239. **Phlogotettix cyclops** (Mulsant &
Rey,1855) (Cicadellidae)
240. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
241. **Physetopoda similis** (Lelej,1984) (Mutillidae)
242. **Piesma (Parapiesma) salsolae**
(Becker,1867) (Piesmatidae)
243. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
244. **Pittonotus theseus** (Germar,1817)
(Elateridae)
245. **Plagioderia versicolora**
(Laicharting,1781) (Chrysomelidae)
246. **Platycleis (Sepiana) sepium**
(Yersin,1854) (Tettigoniidae)
247. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
248. **Platymetopius (s.str.) guttatus**
Fieber,1869 (Cicadellidae)
249. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
250. **Poecilimon cervus** Karabağ,1950
(Tettigoniidae)
251. **Poecilimon glandifer** Karabağ,1950
(Tettigoniidae)
252. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
253. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
254. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)

255. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
256. **Polyphylla (s.str.) olivieri** (Laporte de
Castelnau,1840) (Scarabaeidae)
257. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
258. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
259. **Priocnemis fastigiata** Haupt,1934
(Pompilidae)
260. **Priocnemis gracilis** Haupt,1927
(Pompilidae)
261. **Priocnemis parvula** Dahlbom,1845
(Pompilidae)
262. **Pristomerus vulnerator** (Panzer,1799)
(Ichneumonidae)
263. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
264. **Psammotettix confinis** (Dahlbom,1850)
(Cicadellidae)
265. **Psammotettix provincialis** (Ribaut,1925)
(Cicadellidae)
266. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
267. **Pteronemobius (s.str.) heydenii**
(Fischer,1853) (Gryllidae)
268. **Pyrrhocoris apterus** (Linnaeus,1758)
(Pyrrhocoridae)
269. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
270. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
271. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
272. **Rhynchites bacchus** (Linnaeus,1758)
(Attelabidae)
273. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
274. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
275. **Ribautiana tenerrima** (Herrich-
Schäffer,1834) (Cicadellidae)
276. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
277. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
278. **Sarcophaga (Heteronychia) filia**
Rondani,1860 (Sarcophagidae)
279. **Sarcophaga (Myorhina) soror**
Rondani,1860 (Sarcophagidae)
280. **Sciocoris maculatus** Fieber,1851
(Pentatomidae)
281. **Sciocoris microphthalmus** Flor,1860
(Pentatomidae)
282. **Scirtes orbicularis** (Panzer,1793)
(Scirtidae)
283. **Selinocephalus obsoletus** (Germar,1817)
(Cicadellidae)
284. **Selinocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
285. **Selinocephalus stenopterus**
Signoret,1880 (Cicadellidae)
286. **Setapius barajus** (Dlabola,1957) (Cixiidae)
287. **Sphex flavipennis** Fabricius,1793
(Sphecidae)
288. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
289. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
290. **Stauroderus scalaris** (Fischer von
Waldheim,1846) (Acrididae)
291. **Synaptus filiformis** (Fabricius,1781)
(Elateridae)
292. **Synophyropsis lauri** (Horvath,1897)
(Cicadellidae)
293. **Tabanus bifarius** Loew,1858 (Tabanidae)
294. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
295. **Tabanus exclusus** Pandella,1883
(Tabanidae)
296. **Tabanus glaucopsis** Meigen,1820
(Tabanidae)
297. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
298. **Tenthredo frauenfeldii** Giraud,1857
(Tenthredinidae)
299. **Tenthredopsis tessellata** Klug,1817
(Tenthredinidae)
300. **Tephritis cometa** (Loew,1856)
(Tephritidae)
301. **Tephritis hyoscyami** (Linnaeus,1758)
(Tephritidae)
302. **Tettigonia viridissima** (Linnaeus,1758)
(Tettigoniidae)
303. **Thamnotettix (Loepotettix) exemtus**
Melichar,1896 (Cicadellidae)
304. **Thamnotettix (s.str.) creticus**
Dlabola,1974 (Cicadellidae)
305. **Thamnotettix (s.str.) dilutior**
(Kirschbaum,1868) (Cicadellidae)
306. **Thamnotettix thrax** Dlabola,1965
(Cicadellidae)
307. **Tingis griseola** (Puton,1879) (Tingidae)
308. **Toya propinqua** (Fieber,1866)
(Delphacidae)
309. **Triecphorella geniculata** (Horvath,1881)
(Cercopidae)
310. **Tylopsis lilifolia** (Fabricius,1793)
(Tettigoniidae)
311. **Verdanus bekiri** (Kalkandelen,1972)
(Cicadellidae)
312. **Vespa crabro** Linnaeus,1758 (Vespidae)
313. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
314. **Zonitis flava** Fabricius,1775 (Meloidae)
315. **Zyginella pulchra** Loew,1885 (Cicadellidae)
316. **Zyginidia (s.str.) bafranicus**
Kalkandelen,1985 (Cicadellidae)
317. **Zyginidia (s.str.) eremita** Zachvatkin,1953
(Cicadellidae)
318. **Zyginidia (s.str.) karadenizicus**
Kalkandelen,1985 (Cicadellidae)

Siirt Province (56)

(193 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Acantholepis frauenfeldi** (Mayr,1855) (Formicidae)
3. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
4. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
5. **Aeoloides figuratus** (Germar,1844) (Elateridae)
6. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
7. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
8. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
9. **Alosimus castaneus** Escherich,1896 (Meloidae)
10. **Alosimus luteus** (Waltl,1838) (Meloidae)
11. **Amorphoscelis pantherina** Roy,1966 (Amorphoscelidae)
12. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
13. **Amphicoma (Rudeulasia) pulchra** (Reitter,1890) (Glaphyridae)
14. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
15. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
16. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
17. **Andrena (Brachyandrena) pinguis** Ariana et al.,2009 (Andrenidae)
18. **Andricus aries** (Giraud,1859) (Cynipidae)
19. **Andricus askewi** Melika & Stone,2001 (Cynipidae)
20. **Andricus caputmedusae** (Hartig,1843) (Cynipidae)
21. **Andricus ceconii** Kieffer,1901 (Cynipidae)
22. **Andricus coriarius** (Hartig,1843) (Cynipidae)
23. **Andricus curtisii** (Müller,1870) (Cynipidae)
24. **Andricus grossulariae** Giraud,1859 (Cynipidae)
25. **Andricus insanus** (Westwood,1837) (Cynipidae)
26. **Andricus kollari** (Hartig,1843) (Cynipidae)
27. **Andricus lucidus** (Hartig,1843) (Cynipidae)
28. **Andricus megalucidus** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
29. **Andricus multiplicatus** Giraud,1859 (Cynipidae)
30. **Andricus polycerus** (Giraud,1859) (Cynipidae)
31. **Andricus pseudoaries** Melika, Stone, Sadeghi,2008 (Cynipidae)
32. **Andricus sternlichti** Bellido, Pujade-Villar & Melika,2003 (Cynipidae)
33. **Andricus tomentosus** (Trotter,1901) (Cynipidae)
34. **Andricus truncicola** (Giraud,1859) (Cynipidae)
35. **Anthaxia (Haplantaxia) armeniaca** Obenberger,1929 (Buprestidae)
36. **Anthaxia (Haplantaxia) mundula** Kiesenwetter,1857 (Buprestidae)
37. **Anthaxia (Haplantaxia) olympica** Kiesenwetter,1880 (Buprestidae)
38. **Anthaxia (s.str.) winckleri** Obenberger,1914 (Buprestidae)
39. **Anthrenus (Nathrenus) pubifer** Reitter,1899 (Dermestidae)
40. **Aphaenogaster holtzi** Emery,1898 (Formicidae)
41. **Aphaenogaster kervillei** Forel,1910 (Formicidae)
42. **Aphelonyx persica** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
43. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
44. **Arboridia versuta** (Melichar,1897) (Cicadellidae)
45. **Arge ochropus** (Gmelin,1790) (Argidae)
46. **Attagenus (s.str.) orientalis** Reitter,1878 (Dermestidae)
47. **Balcanocerus alkani** (Wagner,1958) (Cicadellidae)
48. **Bembecinus acanthomerus** (Morice,1911) (Crabronidae)
49. **Bembecinus guichardi** Schmid-Egger,2004 (Crabronidae)
50. **Bembecinus innocens** De Beaumont,1967 (Crabronidae)
51. **Bembecinus meridionalis** A.Costa,1859 (Crabronidae)
52. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
53. **Bibio hortulanus** (Linnaeus,1758) (Bibionidae)
54. **Bibio marci** (Linnaeus,1758) (Bibionidae)
55. **Biorhiza pallida** (Olivier,1791) (Cynipidae)
56. **Bombylella sp.n.?** (Bombyliidae) ⁵¹
57. **Bombylius discolor** Mikan,1796 (Bombyliidae) ⁵²
58. **Bothriomyrmex communista** (Santschi,1920) (Formicidae)
59. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
60. **Bulaea lichatschovi** (Hummel,1827) (Coccinellidae)
61. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
62. **Camponotus aethiops** (Latreille,1798) (Formicidae)
63. **Camponotus compressus** (Fabricius,1787) (Formicidae)
64. **Camponotus festai** Emery,1894 (Formicidae)
65. **Camponotus gestroi** Emery,1878 (Formicidae)
66. **Camponotus jaliensis** Dalla Torre,1893 (Formicidae)
67. **Cardiocondyla elegans** Emery,1869 (Formicidae)
68. **Cassida brevis** Weise,1834 (Chrysomelidae)

⁵¹ During preparation this report on 7th May 2010 several specimens of this probably new *Bombylella* were obtained from Pervari district (in coll.Cesa)

⁵² During preparation this report on 7th May 2010 an example of this species collected by the authors from Pervari district. New record for the Province! (in coll.Cesa)

69. **Cataglyphis kurdistanicus** Pisarski,1965 (Formicidae)
70. **Cataglyphis livida** André,1881 (Formicidae)
71. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
72. **Cataglyphis viaticoides** André,1881 (Formicidae)
73. **Catoplatus distinctus** Montandon,1895 (Tingidae)
74. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
75. **Cercopis septemmaculata** (Melichar,1903) (Cercopidae)
76. **Cerocoma malatyensis** Kaszab,1941 (Meloidae)
77. **Cerocoma syriaca** Abeille de Perrin,1880 (Meloidae)
78. **Chloriona clavata** Dlabola,1960 (Delphacidae)
79. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
80. **Chrysopa dubitans** McLachan,1887 (Chrysopidae)
81. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
82. **Cicadetta musiva** (Germar,1830) (Cicadidae)
83. **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae)
84. **Coccinella (s.str.) septempunctata** Linnaeus,1758 (Coccinellidae)
85. **Coelioxys (s.str.) aurolimbata** Förster,1853 (Megachilidae)
86. **Coenorrhinus aequatus** (Linnaeus,1767) (Atelabidae)
87. **Coniatus repandus** (Fabricius,1792) (Curculionidae)
88. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
89. **Crematogaster laestrygon** Emery,1869 (Formicidae)
90. **Cryptocephalus biledjekensis** Pic,1909 (Chrysomelidae)
91. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
92. **Cryptocheilus fischeri** (Spinola,1855) (Pompilidae)
93. **Cynips quercusfolii** (Linnaeus,1758) (Cynipidae)
94. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
95. **Dictyophara iranica** Linnavuori,1962 (Dictyopharidae)
96. **Diorhabda carinata** (Faldermann,1837) (Chrysomelidae)
97. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
98. **Doratulina instabilis** (Ribaut,1948) (Cicadellidae)
99. **Doratura concors** Horvath,1903 (Cicadellidae)
100. **Doratura salina** Horvath,1903 (Cicadellidae)
101. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
102. **Episyrphus balteatus** (De Geer,1776) (Syrphidae)
103. **Eremopeza saussurei** (Uvarov,1918) (Pamphagidae)
104. **Erythria (s.str.) aureola** (Fallén,1806) (Cicadellidae)
105. **Eupteryx gyaurdagicus** Dlabola,1957 (Cicadellidae)
106. **Exochomus quadripustulatus** (Linnaeus,1758) (Coccinellidae)
107. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
108. **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae)
109. **Grypocoris fieberi** Douglas & Scott,1868 (Miridae)
110. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae)
111. **Hoplitis (Alcidamea) limassolica** (Mavromoustakis,1937) (Megachilidae)
112. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
113. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
114. **Hybomitra decora** (Loew,1858) (Tabanidae)
115. **Hypera variabilis** (Herbst,1795) (Curculionidae)
116. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
117. **Kelisia ribauti** Wagner,1938 (Delphacidae)
118. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
119. **Laccobius (Dimorpholaccobius) scutellaris** Motschoulsky,1855 (Hydrophilidae)
120. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
121. **Larinus brenskei** Faust,1900 (Curculionidae)
122. **Larinus latus** (Herbst,1784) (Curculionidae)
123. **Larinus minutus** Gyllenhal,1836 (Curculionidae)
124. **Lasius alienus** (Förster,1850) (Formicidae)
125. **Lepyronia coleoprata** (Linnaeus,1758) (Cercopidae)
126. **Lertha palmonii** Tjeder,1970 (Nemopteridae)
127. **Liometopum microcephalum** (Panzer,1798) (Formicidae)
128. **Lixus angustatus** (Fabricius,1775) (Curculionidae)
129. **Lixus scolapax** Boheman,1836 (Curculionidae)
130. **Lydus tarsalis** Abeille de Perrin,1880 (Meloidae)
131. **Malachius aeneus** (Linnaeus,1758) (Melyridae)
132. **Merodon quadrinotatus** (Sack,1931) (Syrphidae)
133. **Messor semirufus** (André,1881) (Formicidae)
134. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
135. **Monomorium dentigerum** (Roger,1862) (Formicidae)
136. **Monomorium kusnezowi** Santschi,1928 (Formicidae)
137. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
138. **Mylabris fusca** (Olivier,1811) (Meloidae)
139. **Mylabris syriaca** Klug,1845 (Meloidae)
140. **Nemorius irritans** (Ricardo,1901) (Tabanidae)
141. **Nemorius vitripennis** (Meigen,1820) (Tabanidae)
142. **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
143. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
144. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
145. **Oenas tenuicornis** Abeille de Perrin,1880 (Meloidae)
146. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
147. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
148. **Paramesus major** Haupt,1927 (Cicadellidae)

149. **Parametriocnemus stylatus (Kieffer,1924)** (Chironomidae)
150. **Pedinpompilus wolfi (Priesner,1965)** (Pompilidae)
151. **Pegomya testacea (De Geer,1776)** (Anthomyiidae)
152. **Phaneroptera (Erdemia) erdemi Koçak & Kemal,2009** (Tettigoniidae)
153. **Pheidole pallidula (Nylander,1848)** (Formicidae)
154. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae)
155. **Piocoris erythrocephalus (P. & S.,1825)** (Lygaeidae)
156. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
157. **Pompilus cinereus (Fabricius,1787)** (Pompilidae)
158. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
159. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae)
160. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae)
161. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae)
162. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
163. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae)
164. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
165. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae)
166. **Schistocerca gregaria (Forsk.,1775)** (Acrididae)
167. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
168. **Sciocoris ochraceus Fieber,1861** (Pentatomidae)
169. **Setapius barajus (Dlabola,1957)** (Cixiidae)
170. **Sogatella vibix (Haupt,1927)** (Delphacidae)
171. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae)
172. **Stictopleurus riveti Royer,1923** (Rhopalidae)
173. **Stiphrolamyra pleskei (Becker,1913)** (Asilidae)
174. **Sulamicerus ancorarius (Dlabola,1964)** (Cicadellidae)
175. **Sulamicerus stali (Fieber,1868)** (Cicadellidae)
176. **Sycophila biguttata (Swederus,1795)** (Eurytomidae)
177. **Syneuodynerus sigberti (Gusenleitner,1967)** (Vespidae)
178. **Synophrus politus Hartig,1843** (Cynipidae)
179. **Syromastus rhombus (Linnaeus,1767)** (Coreidae)
180. **Syrphus vitripennis Meigen,1822** (Syrphidae)
181. **Tabanus bromius Linnaeus,1758** (Tabanidae)
182. **Tabanus laetinctus Becker,1913** (Tabanidae)
183. **Tetramorium lucidula Emery,1909** (Formicidae)
184. **Tetramorium schmidtii Forel,1904** (Formicidae)
185. **Tetramorium sculptum Poldi,1975** (Formicidae)
186. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae)
187. **Toya propinqua (Fieber,1866)** (Delphacidae)
188. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae)
189. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae)
190. **Utecha trivialis (Germar,1821)** (Cicadellidae)
191. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
192. **Velia (s.str.) rivulorum (Fabricius,1775) ssp.?** (Veliidae) ⁵³
193. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae)

⁵³ During preparation this report on 7th May 2010 an example of this species collected by the first author during flying from Pervari district. Adult of this species is normally found in running water and streams. On upperside no whitish spots behind head. Other typical 6 whitish spot reduced. On each reddish sides of abdomen five black spots well marked. The specimen is temporarily placed in the species *Velia rivulorum* which is currently unknown from Turkey (in coll.Cesa)

Sinop Province (57)

(199 species, stand 30 April 2010)

1. **Achaeta deserta** (Pallas,1771) (Gryllidae)
2. **Acrida bicolor** (Thunberg,1815) (Acrididae)
3. **Acrosternum heegeri** Fieber,1861 (Pentatomidae)
4. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
5. **Agramma (s.str.) atricapillum** (Spinola,1837) (Tingidae)
6. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
7. **Allygidius atomarius** (Fabricius,1794) (Cicadellidae)
8. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
9. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
10. **Ancistrocerus auctus** (Fabricius,1793) (Vespidae)
11. **Anoplotettix fuscovenosus** (Ferrari,1882) (Cicadellidae)
12. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
13. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
14. **Aphrophora alni** (Fallén,1805) (Cercopidae)
15. **Aprosthemata tardum** (Klug,1814) (Argidae)
16. **Aradus cinnamomeus** Panzer,1806 (Aradidae)
17. **Arge cyanocrocea** (Forster,1771) (Argidae)
18. **Arge melanochra** (Gmelin,1790) (Argidae)
19. **Arge ochropus** (Gmelin,1790) (Argidae)
20. **Arge rustica** (Linnaeus,1758) (Argidae)
21. **Arocephalus longiceps** (Kirschbaum,1868) (Cicadellidae)
22. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
23. **Athous (Haplathous) marginicollis** Reitter,1890 (Elateridae)
24. **Athous (Orthathous) audisioi** Guglielmi & Platia,1985 (Elateridae)
25. **Athous (Orthathous) margheritae** Guglielmi & Platia,1985 (Elateridae)
26. **Atylotus fulvus** (Meigen,1820) (Tabanidae)
27. **Atylotus loewianus** (Villeneuve,1920) (Tabanidae)
28. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
29. **Bathythrix decipiens** (Gravenhorst,1829) (Ichneumonidae)
30. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
31. **Bombus terrestris** Linnaeus,1758 (Apidae)
32. **Bryaxis ponticus** Besuchet & Kurbatov,2007 (Staphylinidae)
33. **Byctiscus betulae** (Linnaeus,1758) (Attelabidae)
34. **Carabus (Lamprostus) spinolai** Cristofori & Jan,1837 (Carabidae)
35. **Cassida sanguinolenta** Müller,1776 (Chrysomelidae)
36. **Cassida saucia** Weise,1889 (Chrysomelidae)
37. **Cetonia (s.str.) aurata** (Linnaeus,1761) (Scarabaeidae)
38. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae)
39. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
40. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
41. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
42. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
43. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
44. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
45. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
46. **Chrysops (s.str.) viduatus** (Fabricius,1794) (Tabanidae)
47. **Cicadatra hyalina** (Fabricius,1798) (Cicadidae)
48. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
49. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
50. **Creightonella (Metamegachile) albisepta** (Klug,1817) (Megachilidae)
51. **Cryptocephalus concolor** Suffrian,1847 (Chrysomelidae)
52. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
53. **Cylindera (Cicindina) pygmaea** (Dejean,1825) (Carabidae)
54. **Cyphon longispinus** Nyholm,1968 (Scirtidae)
55. **Dasyrhamphus carbonarius** (Meigen,1820) (Tabanidae)
56. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
57. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
58. **Dichrogaster modesta** (Gravenhorst,1829) (Ichneumonidae)
59. **Dicyphus alkannae** Seidenstücker,1956 (Miridae)
60. **Doratura homophyla** (Flor,1861) (Cicadellidae)
61. **Doratura stylata** (Boheman,1847) (Cicadellidae)
62. **Dyoderes umbraculatus** (Fabricius,1775) (Pentatomidae)
63. **Ebarrius cognatus** (Fieber,1869) (Cicadellidae)
64. **Empoasca solani** (Curtis,1846) (Cicadellidae)
65. **Empusa fasciata** Brullé,1836 (Empusidae)
66. **Episyrus rufipes** (Linnaeus,1758) (Pompilidae)
67. **Eupteryx gyaurdagicus** Dlabola,1957 (Cicadellidae)
68. **Eupteryx melissae** Curtis,1837 (Cicadellidae)
69. **Eupteryx taborskyi** Dlabola,1957 (Cicadellidae)
70. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
71. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
72. **Eusphalerum caucasicum** (Bernhauer,1908) (Staphylinidae)
73. **Eusphalerum sorbi** (Gyllenhal,1810) (Staphylinidae)
74. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
75. **Ficoxyba ficaria** (Horvath,1897) (Cicadellidae)

76. **Goniagnathus brevis** (Herrich-Schäffer,1835) (Cicadellidae)
77. **Grypotes staurus** Ivanoff,1885 (Cicadellidae)
78. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
79. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
80. **Haematopota grandis** Macquart,1834 (Tabanidae)
81. **Haematopota italica** Meigen,1804 (Tabanidae)
82. **Haematopota longantennata** Olsufjev,1937 (Tabanidae)
83. **Haematopota ocelligera** Kröber,1922 (Tabanidae)
84. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
85. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
86. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
87. **Helophorus brevipalpis** Bedel,1881 (Helophoridae)
88. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
89. **Helophorus obscurus** Mulsant,1844 (Helophoridae)
90. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
91. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
92. **Hephathus freyi** (Fieber,1868) (Cicadellidae)
93. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
94. **Hyalestes obsoletus** Signoret,1865 (Cixiidae)
95. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
96. **Hybomitra muehlfeldi** (Brauer,1880) (Tabanidae)
97. **Hybomitra pilosa** (Loew,1858) (Tabanidae)
98. **Hypera variabilis** (Herbst,1795) (Curculionidae)
99. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
100. **Ischnus inquisitorius** (Müller,1776) (Ichneumonidae)
101. **Isophya amplipennis** Brunner von Wattenwyl,1878 (Tettigoniidae)
102. **Isophya pavelii** Brunner von Wattenwyl,1878 (Tettigoniidae)
103. **Issus coleoptratus** (Fabricius,1781) (Issidae)
104. **Javesella pellucida** (Fabricius,1794) (Delphacidae)
105. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
106. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
107. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
108. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
109. **Leptophyes albiovittata** (Kollar,1833) (Tettigoniidae)
110. **Macrolophus caliginosus** Wagner,1950 (Miridae)
111. **Macrophya crassula** (Klug,1817) (Tenthredinidae)
112. **Macrophya postica** Brullé,1832 (Tenthredinidae)
113. **Macrosteles forficula** (Ribaut,1927) (Cicadellidae)
114. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
115. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
116. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
117. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
118. **Melanotus (s.str.) villosus** (Fourcroy,1785) (Elateridae)
119. **Mocydia aegea** Abdul-Nour,1988 (Cicadellidae)
120. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
121. **Nalassus dryadophilus** (Mustant,1854) (Tenebrionidae)
122. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
123. **Neotalitrus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
124. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
125. **Neottiglossa bifida** (Costa,1847) (Pentatomidae)
126. **Neottiglossa leporina** (Herrich-Schäffer,1830) (Pentatomidae)
127. **Nephrotoma cornicina** (Linnaeus,1758) (Tipulidae)
128. **Oedipoda miniata** (Pallas,1771) (Acrididae)
129. **Omalium schuberti** Zanetti,2002 (Staphylinidae)
130. **Omocestus (s.str.) rufipes** (Zetterstedt,1821) (Acrididae)
131. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
132. **Osmia (Helicosmia) caerulescens** (Linnaeus,1758) (Megachilidae)
133. **Panaphantus atomus** Kiesenwetter,1858 (Staphylinidae)
134. **Pedestredorcadion pseudoholosericeum** (Breuning,1962) (Cerambycidae)
135. **Pedestredorcadion pseudopreissi** (Breuning,1962) (Cerambycidae)
136. **Pedestredorcadion sinopense** (Breuning,1962) (Cerambycidae)
137. **Pedestredorcadion spinense** (Breuning,1962) (Cerambycidae)
138. **Pedicia (Crunobia) zernyi** (Lackschewitz,1940) (Pediidae)
139. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
140. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
141. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
142. **Piezodorus lituratus** (Fabricius,1794) (Pentatomidae)
143. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
144. **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae)
145. **Platymetopius rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
146. **Poecilimon similis** Retowski,1889 (Tettigoniidae)
147. **Pompilus cinereus** (Fabricius,1787) (Pompilidae)
148. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
149. **Quasimus minutissimus** (Germar,1817) (Elateridae)
150. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
151. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae)

152. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
153. **Schistocerca gregaria** (Forskal,1775) (Acrididae)
154. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
155. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
156. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
157. **Setapius barajus** (Dlabola,1957) (Cixiidae)
158. **Stagonomus bipunctatus** (Linnaeus,1758) (Pentatomidae)
159. **Stenoderca caucasica** (Pallas,1781) (Meloidae)
160. **Sterictiphora furcata** (Villers,1789) (Argidae)
161. **Synophropsis lauri** (Horvath,1897) (Cicadellidae)
162. **Tabanus armeniacus** (Kröber,1928) (Tabanidae)
163. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
164. **Tabanus bifarius** Loew,1858 (Tabanidae)
165. **Tabanus briani** Leclercq,1962 (Tabanidae)
166. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
167. **Tabanus cordiger** Meigen,1820 (Tabanidae)
168. **Tabanus cuculus** Szilady,1923 (Tabanidae)
169. **Tabanus eggeri** Schiner,1868 (Tabanidae)
170. **Tabanus exclusus** Pandella,1883 (Tabanidae)
171. **Tabanus glaucopis** Meigen,1820 (Tabanidae)
172. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
173. **Tabanus maculicornis** Zetterstedt,1842 (Tabanidae)
174. **Tabanus miki** Brauer,1880 (Tabanidae)
175. **Tabanus oppugnator** Austen,1925 (Tabanidae)
176. **Tabanus paradoxus** Jaennicke,1866 (Tabanidae)
177. **Tabanus portschinskii** Olsufjev,1937 (Tabanidae)
178. **Tabanus rupium** Brauer,1880 (Tabanidae)
179. **Tabanus tergestinus** Egger,1859 (Tabanidae)
180. **Tabanus tinctus** Walker,1850 (Tabanidae)
181. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
182. **Tachycixius desertorum** (Fieber,1876) (Cixiidae)
183. **Taxomyia taxi** (Inchbald,1861) (Cecidomyiidae)
184. **Tephritis cometa** (Loew,1856) (Tephritidae)
185. **Tephritis formosa** (Loew,1844) (Tephritidae)
186. **Tettigonia viridissima** (Linnaeus,1758) (Tettigoniidae)
187. **Thamnotettix (Loepotettix) exemtus** Melichar,1896 (Cicadellidae)
188. **Thamnotettix (s.str.) creticus** Dlabola,1974 (Cicadellidae)
189. **Thamnotettix (s.str.) dilutor** (Kirschbaum,1868) (Cicadellidae)
190. **Thamnotettix thrax** Dlabola,1965 (Cicadellidae)
191. **Tipula (Tipula) orientalis** Lackschewitz,1930 (Tipulidae)
192. **Toya propinqua** (Fieber,1866) (Delphacidae)
193. **Trichius fasciatus** (Linnaeus,1758) (Scarabaeidae)
194. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
195. **Xya pfaendleri** (Harz,1970) (Tridactylidae)
196. **Zyginidia (s.str.) bafranicus** Kalkandelen,1985 (Cicadellidae)
197. **Zyginidia (s.str.) eremita** Zachvatkin,1953 (Cicadellidae)
198. **Zyginidia (s.str.) karadenizicus** Kalkandelen,1985 (Cicadellidae)
199. **Zyginidia (s.str.) pullula** (Boheman,1845) (Cicadellidae)

Sivas Province (58)

(374 species, stand 30 April 2010)

1. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
2. **Actinoptera discoidea** (Fallén,1814) (Tephritidae)
3. **Agalmatium bilobum** (Fieber,1877) (Issidae)
4. **Agenioideus ciliatus** (Lepeletier,1845) (Pompilidae)
5. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
6. **Agrilus (s.str.) hyperici** (Creutzer,1799) (Buprestidae)
7. **Agriotes (s.str.) infuscatus** Desbrochers,1870 (Elateridae)
8. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
9. **Alastor schwarzi** Gusenleitner,1967 (Vespidae)
10. **Altica carduorum** (Guérin-Méneville,1858) (Chrysomelidae)
11. **Altica oleracea** (Linnaeus,1758) (Chrysomelidae)
12. **Amblyellus hasdrubal** (Kohl,1894) (Pompilidae)
13. **Ammothereva splendida** (Kröber,1912) (Therevidae)
14. **Anoplus infuscatus** (Van der Linden,1827) (Pompilidae)
15. **Anoplus samariensis** (Pallas,1771) (Pompilidae)
16. **Anoplus viaticus** (Linnaeus,1758) (Pompilidae)
17. **Antepipona orbitalis** (Herrich-Schäffer,1839) (Vespidae)
18. **Anthaxia (Cratomerus) eugeniae** Ganglbauer,1885 (Buprestidae)
19. **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae)
20. **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae)
21. **Anthaxia (Haplanthaxia) flavicomis** Abeille,1900 (Buprestidae)
22. **Anthaxia (Haplanthaxia) millefolii** (Fabricius,1801) (Buprestidae)
23. **Anthaxia (Haplanthaxia) olympica** Kiesenwetter,1880 (Buprestidae)

24. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae)
25. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae)
26. **Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae)
27. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae)
28. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
29. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae)
30. **Aporinellus sexmaculatus (Spinola,1805)** (Pompilidae)
31. **Arachnospila colpostoma (Kohl,1886)** (Pompilidae)
32. **Arachnospila esau (Kohl,1886)** (Pompilidae)
33. **Arachnospila gibbomima (Haupt,1929)** (Pompilidae)
34. **Arachnospila ionica (Wolf,1964)** (Pompilidae)
35. **Arachnospila minutula (Dahlbom,1843)** (Pompilidae)
36. **Arachnospila spissa (Schioedte,1837)** (Pompilidae)
37. **Arachnospila trivialis (Dahlbom,1843)** (Pompilidae)
38. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
39. **Auplopus rectus (Haupt,1927)** (Pompilidae)
40. **Banchus turcator Aubert,1984** (Ichneumonidae)
41. **Batracomorphus irroratus Lewis,1834** (Cicadellidae)
42. **Blaps tibialis Reiche & Saulcy,1857** (Tenebrionidae)
43. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
44. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae)
45. **Calliptamus barbarus (Costa,1836)** (Acrididae)
46. **Calopteryx splendens (Harris,1776)** (Calopterygidae)
47. **Campiglossa producta Loew,1844** (Tephritidae)
48. **Cantharis lateralis Linnaeus,1758** (Cantharidae)
49. **Cantharis nigra De Geer,1774** (Cantharidae)
50. **Capitetes ramulosa (Loew,1844)** (Tephritidae)
51. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae)
52. **Carabus (Tomocarabus) rumelicus Chaudoir,1867** (Carabidae)
53. **Cassida rubiginosa Müller,1776** (Chrysomelidae)
54. **Cassida seraphina Ménétriés,1836** (Chrysomelidae)
55. **Celonites spinosus Gusenleitner,1966** (Vespidae)
56. **Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae)
57. **Ceropales albicincta (Rossi,1790)** (Pompilidae)
58. **Ceropales cribrata Costa,1881** (Pompilidae)
59. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae)
60. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae)
61. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae)
62. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae)
63. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae)
64. **Chaetocnema breviscula (Faldermann,1884)** (Chrysomelidae)
65. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae)
66. **Chaetocnema coyeyi (Allard,1863)** (Chrysomelidae)
67. **Chaetocnema hortensis (Geoffroy,1785)** (Chrysomelidae)
68. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae)
69. **Chaetocnema procerula (Rosenhauer,1856)** (Chrysomelidae)
70. **Chaetorellia carthami Stackelberg,1929** (Tephritidae)
71. **Chaetorellia loricata (Rondani,1870)** (Tephritidae)
72. **Chaetostomella cylindrica (Robineau-Desvoidy,1830)** (Tephritidae)
73. **Chlorita vana Dlabola,1971** (Cicadellidae)
74. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
75. **Chrysolina brunnei (Demaisson,1896)** (Chrysomelidae)
76. **Chrysolina didymata (Scriba,1791)** (Chrysomelidae)
77. **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae)
78. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae)
79. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae)
80. **Chrysomela populi Linnaeus,1758** (Chrysomelidae)
81. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae)
82. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
83. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
84. **Cicadatra atra (Oliver,1790)** (Cicadidae)
85. **Cicadatra platyptera Fieber,1876** (Cicadidae)
86. **Cicindela sylvatica Linnaeus,1758** (Carabidae)
87. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
88. **Clytra valeriana Ménétriés,1832** (Chrysomelidae)
89. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae)
90. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
91. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae)
92. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae)
93. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae)
94. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae)
95. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
96. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae)
97. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
98. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae)

99. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
100. **Cryptocephalus prusias** Suffrian,1853 (Chrysomelidae)
101. **Cryptocephalus turcicus** Suffrian,1847 (Chrysomelidae)
102. **Cryptocheilus alternatus** (Lepeletier,1845) (Pompilidae)
103. **Cryptocheilus discolor** (Fabricius,1793) (Pompilidae)
104. **Cryptocheilus exiguus** Sustera,1924 (Pompilidae)
105. **Cryptocheilus fabricii** (Van der Linden,1827) (Pompilidae)
106. **Cryptocheilus guttulatus** (Costa,1887) (Pompilidae)
107. **Cryptocheilus notatus** (Rossi,1792) (Pompilidae)
108. **Cryptocheilus variabilis** (Rossi,1790) (Pompilidae)
109. **Cryptocheilus versicolor** (Scopoli,1763) (Pompilidae)
110. **Curculio glandium** Marsham,1802 (Curculionidae)
111. **Cyphon arietizans** Nyholm,1970 (Scirtidae)
112. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
113. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
114. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
115. **Deliphrosoma wunderlei** Zerche,1998 (Staphylinidae)
116. **Dentilla curtiventris** (André,1901) (Mutillidae)
117. **Dibolia occultans** (Koch,1803) (Chrysomelidae)
118. **Dicronychus decorus** (Faldermann,1835) (Elateridae)
119. **Dicyrtomellus argenteus** Wahis,1982 (Pompilidae)
120. **Dioctria arcana** Richter,1966 (Asilidae)
121. **Diphyus montivagans** (Berthoumieu,1896) (Ichneumonidae)
122. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
123. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
124. **Elodes microps** Klausnitzer,2002 (Scirtidae)
125. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
126. **Enicopus hirtus** (Linnaeus,1767) (Melyridae)
127. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
128. **Eoferreola manticata** (Pallas,1771) (Pompilidae)
129. **Eoferreola rhombica** (Christ,1791) (Pompilidae)
130. **Episyron albonotatum** (Van der Linden,1827) (Pompilidae)
131. **Episyron candiotum** Wahis,1966 (Pompilidae)
132. **Episyron gallicum** (Tournier,1889) (Pompilidae)
133. **Episyron rufipes** (Linnaeus,1758) (Pompilidae)
134. **Eumenes pomiformis** (Fabricius,1781) (Vespidae)
135. **Evacanthus acuminatus** (Fabricius,1794) (Cicadellidae)
136. **Evacanthus interruptus** (Linnaeus,1758) (Cicadellidae)
137. **Evagetes dubius** (Van der Linden,1827) (Pompilidae)
138. **Evagetes pontomoravicus** (Sustera,1938) (Pompilidae)
139. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
140. **Evagetes tumidosus** (Tournier,1890) (Pompilidae)
141. **Gerris palludum** Fabricius,1794 (Gerridae)
142. **Glyphotmethis dimorphus** (Uvarov,1934) (Pamphagidae)
143. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
144. **Hesperocorixa linnaei** (Fieber,1848) (Corixidae)
145. **Hoplitis (Alcidamea) leucomelana** (Kirby,1802) (Megachilidae)
146. **Hoplitis (Alcidamea) subbutea** (Warncke,1991) (Megachilidae)
147. **Hoplitis (Megalosmia) fulva** (Eversmann,1852) (Megachilidae)
148. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
149. **Hydroporus marginatus** (Duftschmid,1805) (Dytiscidae)
150. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
151. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
152. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
153. **Ichneumon ostentator** Heinrich,1978 (Ichneumonidae)
154. **Idiocerus herrichii** Kirschbaum,1868 (Cicadellidae)
155. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
156. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
157. **Isophya sureyai** Ramme,1951 (Tettigoniidae)
158. **Jugurtia eurycara** Kostylev,1935 (Vespidae)
159. **Kropka unipunctata** (Dlabola,1957) (Cicadellidae)
160. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
161. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
162. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
163. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
164. **Larinus curtus** Hochhuth,1851 (Curculionidae)
165. **Leptochilus hethiticus** Gusenleitner,1985 (Vespidae)
166. **Leptochilus kemali** Gusenleitner,1977 (Vespidae)
167. **Leptochilus neutraliformis** Gusenleitner,1977 (Vespidae)
168. **Leptochilus nigroclypeus** Gusenleitner,1985 (Vespidae)
169. **Leptochilus tarsatiformis** (Giordani Soika,1943) (Vespidae)
170. **Limoniscus elegans** (Buysson,1891) (Elateridae)
171. **Limonius minutus** (Linnaeus,1758) (Elateridae)
172. **Liponeura tarnogradskyi** Bischoff,1930 (Blephariceridae)
173. **Longitarsus aeneicollis** (Faldermann,1837) (Chrysomelidae)
174. **Longitarsus anaticus** Weise,1900 (Chrysomelidae)
175. **Longitarsus fallax** Weise,1888 (Chrysomelidae)
176. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae)

177. **Longitarsus pellucidus** (Foudras,1860) (Chrysomelidae)
178. **Longitarsus pratensis** (Panzer,1794) (Chrysomelidae)
179. **Lophyridia fischeri** (Adams,1817) (Carabidae)
180. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
181. **Macrophya montana** (Scopoli,1763) (Tenthredinidae)
182. **Macropsidius ioculator** Dlabola,1963 (Cicadellidae)
183. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae)
184. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
185. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
186. **Megachile (Eutricharaea) apicalis** Spinola,1808 (Megachilidae)
187. **Meloe erythrocnemus** Pallas,1782 (Meloidae)
188. **Microdynerus curdistanicus** Gusenleitner,1988 (Vespidae)
189. **Microdynerus eurasius** Blüthgen,1938 (Vespidae)
190. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
191. **Muzimes semiobscurus** (Pic,1898) (Meloidae)
192. **Mylabris fabricii** Sumakov,1924 (Meloidae)
193. **Nanoclavelia leucoptera** (Dahlbom,1845) (Pompilidae)
194. **Nemka viduata** (Pallas,1773) (Mutillidae)
195. **Nemorius irritans** (Ricardo,1901) (Tabanidae)
196. **Nemorius vitripennis** (Meigen,1820) (Tabanidae)
197. **Nemotelus (s.str.) argentifer** Loew,1846 (Stratiomyidae)
198. **Nemotelus (s.str.) pantherinus** (Linnaeus,1758) (Stratiomyidae)
199. **Nemotelus (s.str.) rudifraci** (Berezovsky & Nartshuk,1993) (Stratiomyidae)
200. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
201. **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
202. **Neocrepidodera transversa** (Marsham,1802) (Chrysomelidae)
203. **Neophilaenus minor** (Kirschbaum,1868) (Cercopidae)
204. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
205. **Nimboa kasyi** Rausch & H.Aspöck,1978 (Coniopterygidae)
206. **Ochrosis ventralis** (Illiger,1807) (Chrysomelidae)
207. **Oligopogon londti** Geller-Grimm & Hradsky,2003 (Asilidae)
208. **Omalius rugatum** Mulsant & Rey,1880 (Staphylinidae)
209. **Oncopsis flavicollis** (Linnaeus,1761) (Cicadellidae)
210. **Ophion bipictor** Aubert,1980 (Ichneumonidae)
211. **Oplodontha viridula** (Fabricius,1775) (Stratiomyidae)
212. **Orellia distans** (Loew,1847) (Tephritidae)
213. **Orellia falcata** (Scopoli,1763) (Tephritidae)
214. **Orellia punctata** (Schrank,1781) (Tephritidae)
215. **Orellia steropea** (Rondani,1870) (Tephritidae)
216. **Orellia sticta** (Gmelin,1790) (Tephritidae)
217. **Osmia (Helicosmia) brevipes** Zanden,1994 (Megachilidae)
218. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae)
219. **Osmia (Orientosmia) maxillaris** Morawitz,1875 (Megachilidae)
220. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae)
221. **Osmia (Tergosmia) pratincola** Warncke,1988 (Megachilidae)
222. **Oxycera (Camptopelta) meigenii** Staeger,1844 (Stratiomyidae)
223. **Oxycera (Camptopelta) nigrinus** Fallén,1817 (Stratiomyidae)
224. **Oxycera grata** Loew,1869 (Stratiomyidae)
225. **Oxycera pardalina** Meigen,1822 (Stratiomyidae)
226. **Oxycera quadrilineata** Üstüner & Hasbenli,2007 (Stratiomyidae)
227. **Oxycera trilineata** (Linnaeus,1767) (Stratiomyidae)
228. **Oxycera turcica** Üstüner & Hasbenli,2004 (Stratiomyidae)
229. **Oxyna flavipennis** (Loew,1844) (Tephritidae)
230. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
231. **Pachybrachis (s.str.) limbatus** (Ménétriés,1836) (Chrysomelidae)
232. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
233. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
234. **Paracardiophorus musculus** (Erichson,1840) (Elateridae)
235. **Pedestredorcadion cinerarium** (Fabricius,1787) (Cerambycidae)
236. **Pedestredorcadion rigattii** (Breuning,1966) (Cerambycidae)
237. **Pezodrymadusa sinuata** (Ramme,1951) (Tettigoniidae)
238. **Phaedon pyritosus** (Rossi,1792) (Chrysomelidae)
239. **Phyllotreta atra** (Fabricius,1775) (Chrysomelidae)
240. **Phyllotreta corrugata** Reiche,1858 (Chrysomelidae)
241. **Phyllotreta nemorum** (Linnaeus,1758) (Chrysomelidae)
242. **Phyllotreta nigripes** (Fabricius,1775) (Chrysomelidae)
243. **Phyllotreta nodicornis** (Marsham,1802) (Chrysomelidae)
244. **Plagiognathus chrysanthemii** (Wolff,1804) (Miridae)
245. **Platycleis (Montana) elegans** (Uvarov,1934) (Tettigoniidae)
246. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
247. **Platycleis (Montana) taurica** Bolivar,1899 (Tettigoniidae)
248. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
249. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
250. **Platycleis (Squamiana) salmani** Çiplak,2002 (Tettigoniidae)
251. **Platycleis (Squamiana) sinuata** Ramme,1951 (Tettigoniidae)

252. **Platycnemis pennipes** (Pallas,1771)
(Platycnemidae)
253. **Platymetopius (s.str.) henribauti**
Dlabola,1961 (Cicadellidae)
254. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
255. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
256. **Priocnemis gracilis** Haupt,1927
(Pompilidae)
257. **Priocnemis minuta** (Van der Linden,1827)
(Pompilidae)
258. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
259. **Protaetia (Potosia) angustata**
(Germar,1817) (Scarabaeidae)
260. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
261. **Protonemura bacuriana** Zhiltzova,1957
(Nemouridae)
262. **Protonemura dilatata** Martynov,1928
(Nemouridae)
263. **Protonemura resslis** Zwick,1971
(Nemouridae)
264. **Psammotettix confinis** (Dahlbom,1850)
(Cicadellidae)
265. **Psammotettix transcaucasicus**
Dlabola,1961 (Cicadellidae)
266. **Pseudepipona (s.str.) pseudominuta**
Gusenleitner,1972 (Vespidae)
267. **Psylliodes chalcomerus** (Illiger,1807)
(Chrysomelidae)
268. **Psylliodes hyoscyami** (Linnaeus,1758)
(Chrysomelidae)
269. **Pterocheilus mavromoustakisi** Giordani
Soika,1979 (Vespidae)
270. **Pyrgodera armata** (Fischer von
Waldheim,1820) (Acrididae)
271. **Raphidia (Pontoraphidia) pontica**
Albarda,1891 (Raphidiidae)
272. **Rhagoletis berberidis** Jermy,1961
(Tephritidae)
273. **Rhynchites auratus** (Scopoli,1763)
(Attelabidae)
274. **Rhynchites bacchus** (Linnaeus,1758)
(Attelabidae)
275. **Rhynchites smyrnensis** Desbrochers,1869
(Attelabidae)
276. **Rhyparochromus inarimensis**
(Costa,1860) (Lygaeidae)
277. **Salentia fuscipennis** A.Costa,1857 (Therevidae)
278. **Sapyga (s.str.) morawitzi** Turner,1911
(Sapygidae)
279. **Sapyga (s.str.) pulcherrima**
Morawitz,1894 (Sapygidae)
280. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
281. **Schistocerca gregaria** (Forsk.,1775)
(Acrididae)
282. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)
283. **Setapius barajus** (Dlabola,1957) (Cixiidae)
284. **Sialis nigripes** Pictet,1865 (Sialidae)
285. **Sigara scripta** (Rambur,1840) (Corixidae)
286. **Stenobothrus (s.str.) derrai** Harz,1988
(Acrididae)
287. **Stenobothrus (s.str.) zubovskii**
Bolivar,1899 (Acrididae)
288. **Stenometopiellus macilentus**
(Horvath,1904) (Cicadellidae)
289. **Stephanitis caucasica** Kiritschenko,1939
(Tingidae)
290. **Stratiomys cenisia** Meigen,1822
(Stratiomyidae)
291. **Stratiomys chamaeleon** (Linnaeus,1758)
(Stratiomyidae)
292. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
293. **Suarius nanus** (McLachan,1893)
(Chrysopidae)
294. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
295. **Tabanus bifarius** Loew,1858 (Tabanidae)
296. **Tabanus bromius** Linnaeus,1758
(Tabanidae)
297. **Tabanus laeteticinctus** Becker,1913
(Tabanidae)
298. **Tabanus lunatus** Fabricius,1794
(Tabanidae)
299. **Tabanus obsolescens** Pandelle,1883
(Tabanidae)
300. **Tabanus swiridowi** Portschesky,1882
(Tabanidae)
301. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
302. **Tachyagetes aegyptiacus** (Priesner,1955)
(Pompilidae)
303. **Tachyagetes bytinskii** Haupt,1962
(Pompilidae)
304. **Tachyagetes exortivus** Wolf,1987
(Pompilidae)
305. **Tachyagetes filicornis** (Tornier,1890)
(Pompilidae)
306. **Tachyagetes turcoturanicus** Wolf,1986
(Pompilidae)
307. **Tamaricella ribauti** (Zachvatkin,1947)
(Cicadellidae)
308. **Tapinoma erraticum** (Latreille,1798)
(Formicidae)
309. **Telostegus excisus** (Haupt,1930)
(Pompilidae)
310. **Telostegus inermis** (Brullé,1832) (Pompilidae)
311. **Tenthredo costata** Klug,1817 (Tenthredinidae)
312. **Tenthredo excellens** Konow,1886
(Tenthredinidae)
313. **Tenthredo scrophulariae** Linnaeus,1758
(Tenthredinidae)
314. **Tephritis cometa** (Loew,1856) (Tephritidae)
315. **Tephritis dioscurea** (Loew,1856) (Tephritidae)
316. **Tephritis hurvitzi** Freidberg,1981 (Tephritidae)
317. **Tephritis postica** (Loew,1844) (Tephritidae)
318. **Tephritis separata** Rondani,1871 (Tephritidae)
319. **Tephritomyia lauta** (Loew,1869) (Tephritidae)
320. **Terellia ceratocera** Hendel,1913
(Tephritidae)
321. **Terellia fuscicornis** (Loew,1844) (Tephritidae)
322. **Terellia gynaecochroma** (M.Hering,1936)
(Tephritidae)
323. **Terellia luteola** (Wiedemann,1830)
(Tephritidae)
324. **Terellia nigripalpis** Hendel,1927
(Tephritidae)
325. **Terellia quadratula** (Loew,1869)
(Tephritidae)
326. **Terellia ruficauda** (Fabricius,1794)
(Tephritidae)
327. **Terellia serratulae** (Linnaeus,1758)
(Tephritidae)

328. **Terellia virens (Loew,1846)** (Tephritidae)
329. **Terellia zerovae Korneyev,1985**
(Tephritidae)
330. **Tettigometra (Metroplaca) longicornis**
(Signoret,1866) (Tettigometridae)
331. **Tettigometra (Mitricephalus) eremi**
Lindberg,1948 (Tettigometridae)
332. **Tettigometra (Mitricephalus) leucophaea**
(Preysslner,1792) (Tettigometridae)
333. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
334. **Thereva binotata (Loew,1847)**
(Therevidae)
335. **Thereva cincta Meigen,1820** (Therevidae)
336. **Thereva fulva (Meigen,1804)** (Therevidae)
337. **Thereva plebeja (Linnaeus,1758)** (Therevidae)
338. **Thereva strigata (Fabricius,1794)**
(Therevidae)
339. **Thereva tuberculata (Loew,1847)**
(Therevidae)
340. **Thereva unica (Harris,1780)** (Therevidae)
341. **Thereva valida (Loew,1847)** (Therevidae)
342. **Theriopectes tricolor Zeller,1842**
(Tabanidae)
343. **Tillus pectinicornis Abeille,1892** (Cleridae)
344. **Tipula (Tipula) orientalis**
Lackschewitz,1930 (Tipulidae)
345. **Trichodes longissimus (Abeille de**
Perrin,1881) (Cleridae)
346. **Trichodes pulcherrimus Escherich,1892**
(Cleridae)
347. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
348. **Trichodes reichei Mulsant & Rey,1863**
(Cleridae)
349. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
350. **Trichodes sipylus (Linnaeus,1758)**
(Cleridae)
351. **Tropidomyia aureifacies Kröber,1915**
(Conopidae)
352. **Trupanea amoena (Frauenfeld,1857)**
(Tephritidae)
353. **Trupanea stellata (Fuesslin,1775)**
(Tephritidae)
354. **Tychius cuprifer (Panzer,1799)**
(Curculionidae)
355. **Tychius picirostris (Fabricius,1787)**
(Curculionidae)
356. **Tychius ruscicus Desbrochers,1908**
(Curculionidae)
357. **Urophora affinis (Frauenfeld,1857)**
(Tephritidae)
358. **Urophora cuspidata (Meigen,1826)**
(Tephritidae)
359. **Urophora doganlari Kütük,2006**
(Tephritidae)
360. **Urophora eriolepidis (Loew,1856)**
(Tephritidae)
361. **Urophora jaceana (M.Hering,1935)**
(Tephritidae)
362. **Urophora macrura (Loew,1855)**
(Tephritidae)
363. **Urophora mauritanica Macquart,1851**
(Tephritidae)
364. **Urophora quadrifasciata (Meigen,1826)**
(Tephritidae)
365. **Urophora solstitialis (Linnaeus,1758)**
(Tephritidae)
366. **Urophora sp.** (Tephritidae)
367. **Urophora stylata (Fabricius,1775)**
(Tephritidae)
368. **Urophora tenuior Hendel,1910**
(Tephritidae)
369. **Utecha trivia (Germar,1821)** (Cicadellidae)
370. **Vachiria deserta (Becker,1867)**
(Reduviidae)
371. **Verdanus bekiri (Kalkandelen,1972)**
(Cicadellidae)
372. **Volucella zonaria (Poda,1761)** (Syrphidae)
373. **Xylodromus testaceus (Erichson,1840)**
(Staphylinidae)
374. **Xyphosia miliaria (Schrank,1781)**
(Tephritidae)

Tekirdağ Province (59)

(188 species, stand 30 April 2010)

1. **Acrida bicolor (Thunberg,1815)** (Acrididae)
2. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
3. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
4. **Agalmatium bilobum (Fieber,1877)** (Issidae)
5. **Agalmatium flavescens (Olivier,1791)** (Issidae)
6. **Agenioideus rytiphorus (Kohl,1886)**
(Pompilidae)
7. **Agrilus (Anambus) derasofasciatus**
Lacordaire,1835 (Buprestidae)
8. **Agrilus (Anambus) roscidus**
Kiesenwetter,1857 (Buprestidae)
9. **Allygidius atomarius (Fabricius,1794)**
(Cicadellidae)
10. **Anaceratagallia ribauti (Ossiannilsson,1938)**
(Cicadellidae)
11. **Aneomochtherus acratulus (Tsacas,1968)**
(Asilidae)
12. **Anomalon foliator (Fabricius,1798)**
(Ichneumonidae)
13. **Anospilus orbitalis (Costa,1863)** (Pompilidae)
14. **Apanteles evanidus Papp,1975** (Braconidae)
15. **Apanteles hemara Nixon,1965** (Braconidae)
16. **Apanteles obscurus (Nees,1834)** (Braconidae)
17. **Aphrodes bicinctus (Schrank,1776)**
(Cicadellidae)
18. **Aphrophora alni (Fallén,1805)** (Cercopidae)
19. **Atylotus flavoguttatus (Szilady,1915)**
(Tabanidae)
20. **Atylotus loewianus (Villeneuve,1920)**
(Tabanidae)
21. **Atylotus venturii Leclercq,1966** (Tabanidae)
22. **Auletobius politus Voss,1934** (Atelabidae)
23. **Batracomorphus irroratus Lewis,1834**
(Cicadellidae)
24. **Bombus terrestris Linnaeus,1758** (Apidae)

25. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
26. **Byctiscus betulae** (Linnaeus,1758) (Attelabidae)
27. **Calliptamus barbarus** (Costa,1836) (Acrididae)
28. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
29. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
30. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
31. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
32. **Cerocoma schreberi** Fabricius,1781 (Meloidae)
33. **Chaetocnema chlorophana** (Duftschmid,1825) (Chrysomelidae)
34. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
35. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
36. **Chrysolina vernalis** (Brullé,1836) (Chrysomelidae)
37. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
38. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
39. **Chrysops (s.str.) viduatus** (Fabricius,1794) (Tabanidae)
40. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
41. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
42. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
43. **Cotesia ancilla** (Nixon,1974) (Braconidae)
44. **Cotesia kurdjumovi** (Telenga,1955) (Braconidae)
45. **Cotesia lineola** (Curtis,1830) (Braconidae)
46. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
47. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
48. **Cotesia telengai** (Tobias,1972) (Braconidae)
49. **Cotesia tibialis** (Curtis,1830) (Braconidae)
50. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
51. **Cryptocephalus octacasmus** Bedel,1891 (Chrysomelidae)
52. **Cryptus tuberculatus** Gravenhorst,1829 (Ichneumonidae)
53. **Dasyrhamphis ater** (Austen,1925) (Tabanidae)
54. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
55. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
56. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
57. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
58. **Dictyophara lindbergi** Metcalf,1955 (Dictyopharidae)
59. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
60. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
61. **Dolichogenidea litae** (Nixon,1972) (Braconidae)
62. **Dolichogenidea sicarius** (Marshall,1885) (Braconidae)
63. **Entomoscelis suturalis** Weise,1882 (Chrysomelidae)
64. **Eumenes dubius** Saussure,1852 (Vespidae)
65. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
66. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
67. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
68. **Eysarcoris aeneus** (Scopoli,1763) (Pentatomidae)
69. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
70. **Glyptomorpha discolor** (Thunberg,1822) (Braconidae)
71. **Glyptomorpha gracilis** (Szepligeti,1901) (Braconidae)
72. **Glyptomorpha kasparyani** Tobias,1976 (Braconidae)
73. **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae)
74. **Gnaptor prolixus** Fairmaire,1866 (Tenebrionidae)
75. **Gravenhorstia (s.str.) picta** Boie,1836 (Ichneumonidae)
76. **Haematopota bigoti** Gobert,1881 (Tabanidae)
77. **Haematopota crassicornis** Wahlberg,1848 (Tabanidae)
78. **Haematopota italica** Meigen,1804 (Tabanidae)
79. **Haematopota kemali** Szilady,1923 (Tabanidae)
80. **Haematopota longantennata** Olsufjev,1937 (Tabanidae)
81. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
82. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
83. **Hemicrepidius niger** (Linnaeus,1758) (Elateridae)
84. **Hybomitra bimaculata** (Macquart,1826) (Tabanidae)
85. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
86. **Hybomitra decora** (Loew,1858) (Tabanidae)
87. **Hybomitra muehlfeldi** (Brauer,1880) (Tabanidae)
88. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
89. **Ilybius jaechi** (Fery & Nilsson,1993) (Dytiscidae)
90. **Lasioglossum perclavipes** (Blüthgen,1934) (Halictidae)
91. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
92. **Leptophyes albovittata** (Kollar,1833) (Tettigoniidae)
93. **Limnia unguicornis** (Scopoli,1763) (Sciomyzidae)
94. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
95. **Lydus trimaculatus** (Fabricius,1775) (Meloidae)
96. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
97. **Microptilis mandibularis** Thomson,1895 (Braconidae)
98. **Microptilis spinolae** Nees,1834 (Braconidae)
99. **Microptilis varipes** Ruthe,1860 (Braconidae)
100. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
101. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
102. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
103. **Mylabris variabilis** (Pallas,1782) (Meloidae)

104. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
105. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae)
106. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae)
107. **Opatrum geminatum Brullé,1832** (Tenebrionidae)
108. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae)
109. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae)
110. **Pagiphora annulata (Brullé,1832)** (Cicadidae)
111. **Panorpa germanica Linnaeus,1758** (Panorpidae)
112. **Pentastira major (Kirschbaum,1868)** (Cixiidae)
113. **Penthimia nigra (Goeze,1778)** (Cicadellidae)
114. **Perithous divinator (Rossi,1790)** (Ichneumonidae)
115. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae)
116. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
117. **Phorbia securis Tiensuu,1935** (Anthomyiidae)
118. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae)
119. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
120. **Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae)
121. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae)
122. **Poecilimon anaticus Ramme,1933** (Tettigoniidae)
123. **Poecilimon marmaraensis Naskrecki,1992** (Tettigoniidae)
124. **Poecilimon miramae Ramme,1933** (Tettigoniidae)
125. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
126. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae)
127. **Psacadina verbekei Rozkosny,1975** (Sciomyzidae)
128. **Quadrastylum tekirdagicum Dlabola,1982** (Issidae)
129. **Rabdophaga salicis (Schränk,1803)** (Cecidomyiidae)
130. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae)
131. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae)
132. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
133. **Rhynchites auratus (Scopoli,1763)** (Attelabidae)
134. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae)
135. **Rhynchites smyrnensis Desbrochers,1869** (Attelabidae)
136. **Rhynchites trojanus Gyllenhal,1839** (Attelabidae)
137. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae)
138. **Schoutedenomyia superba (Kröber,1912)** (Therevidae)
139. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
140. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
141. **Sigara lateralis Leach,1818** (Corixidae)
142. **Silvius (s.str.) algirus Meigen,1930** (Tabanidae)
143. **Silvius (s.str.) alpinus (Scopoli,1763)** (Tabanidae)
144. **Sphex flavipennis Fabricius,1793** (Sphecidae)
145. **Stagonomus amoenus (Brullé,1832)** (Pentatomidae)
146. **Stenodynerus bluethgeni Van der Vecht,1971** (Vespidae)
147. **Stenodynerus chevrieranus (Saussure,1855)** (Vespidae)
148. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
149. **Tabanus bifarius Loew,1858** (Tabanidae)
150. **Tabanus bovinus Linnaeus,1758** (Tabanidae)
151. **Tabanus briani Leclercq,1962** (Tabanidae)
152. **Tabanus bromius Linnaeus,1758** (Tabanidae)
153. **Tabanus cuculus Szilady,1923** (Tabanidae)
154. **Tabanus eggeri Schiner,1868** (Tabanidae)
155. **Tabanus exclusus Pandella,1883** (Tabanidae)
156. **Tabanus fraseri Austen,1925** (Tabanidae)
157. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
158. **Tabanus laetinctus Becker,1913** (Tabanidae)
159. **Tabanus lunatus Fabricius,1794** (Tabanidae)
160. **Tabanus maculicornis Zetterstedt,1842** (Tabanidae)
161. **Tabanus portschinskii Olsufjev,1937** (Tabanidae)
162. **Tabanus prometheus Szilady,1923** (Tabanidae)
163. **Tabanus quatuornatus Meigen,1820** (Tabanidae)
164. **Tabanus regularis Jaenicke,1866** (Tabanidae)
165. **Tabanus shannonellus Kröber,1936** (Tabanidae)
166. **Tabanus spectabilis Loew,1858** (Tabanidae)
167. **Tabanus spodopterus Meigen,1820** (Tabanidae)
168. **Tabanus sudeticus Zeller,1842** (Tabanidae)
169. **Tabanus tergestinus Egger,1859** (Tabanidae)
170. **Tabanus unifasciatus Loew,1858** (Tabanidae)
171. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae)
172. **Tachycixius pilosus (Olivier,1791)** (Cixiidae)
173. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
174. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
175. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae)
176. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae)
177. **Thamnotettix seclusus Linnavuori,1958** (Cicadellidae)
178. **Theriopectes tricolor Zeller,1842** (Tabanidae)
179. **Tingis griseola (Puton,1879)** (Tingidae)
180. **Trichodes crabroniformis Fabricius,1787** (Cleridae)
181. **Trissolcus grandis (Thomson,1860)** (Scelionidae)
182. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae)
183. **Trissolcus semistriatus (Nees,1834)** (Scelionidae)
184. **Trissolcus simoni (Mayr,1897)** (Scelionidae)
185. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae)
186. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
187. **Vespa crabro Linnaeus,1758** (Vespidae)

188. **Xya pfaendleri (Harz,1970)** (Tridactylidae)

Tokat Province (60)

(334 species, stand 30 April 2010)

1. **Acrida bicolor (Thunberg,1815)** (Acrididae)
2. **Aelia albovittata Fieber,1868** (Pentatomidae)
3. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
4. **Aelia rostrata Boheman,1852** (Pentatomidae)
5. **Agalmatium bilobum (Fieber,1877)** (Issidae)
6. **Agenioideus apicalis (Van der Linden,1827)** (Pompilidae)
7. **Agenioideus ciliatus (Lepelletier,1845)** (Pompilidae)
8. **Agenioideus excisus (Morawitz,1890)** (Pompilidae)
9. **Agria affinis (Fallén,1817)** (Sarcophagidae)
10. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
11. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae)
12. **Allantus didymus (Klug,1818)** (Tenthredinidae)
13. **Alosimus armeniacus (Faldermann,1837)** (Meloidae)
14. **Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae)
15. **Altica ancycensis (Weise,1897)** (Chrysomelidae)
16. **Altica brevicollis Foudras,1860** (Chrysomelidae)
17. **Altica deserticola (Weise,1889)** (Chrysomelidae)
18. **Altica graeca Kral,1966** (Chrysomelidae)
19. **Altica oleracea (Linnaeus,1758)** (Chrysomelidae)
20. **Amobia signata (Meigen,1824)** (Sarcophagidae)
21. **Amphicoma (Eulasia) arctos (Pallas,1781)** (Glaphyridae)
22. **Amphicoma (Pygopleurus) psilotrichius Faldermann,1835** (Glaphyridae)
23. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae)
24. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae)
25. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae)
26. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
27. **Anisochrya (Cunctochrysa) baetica Hölzel,1972** (Chrysopidae)
28. **Anoplius concinnus (Dahlbom,1845)** (Pompilidae)
29. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
30. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae)
31. **Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae)
32. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae)
33. **Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae)
34. **Anthypna ciliata (Ménétriés,1836)** (Glaphyridae)
35. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
36. **Aphrophora corticea Germar,1821** (Cercopidae)
37. **Apodiphus amygdali (Germar,1817)** (Pentatomidae)
38. **Arachnospila fuscomarginata (Thomson,1870)** (Pompilidae)
39. **Arachnospila gibbomima (Haupt,1929)** (Pompilidae)
40. **Arachnospila spissa (Schioedte,1837)** (Pompilidae)
41. **Arachnospila trivialis (Dahlbom,1843)** (Pompilidae)
42. **Arachnotheutes rufithorax (Costa,1887)** (Pompilidae)
43. **Arge melanochra (Gmelin,1790)** (Argidae)
44. **Arge ochropus (Gmelin,1790)** (Argidae)
45. **Asphondylia anatolica Skuhrava & Çam,1998** (Cecidomyiidae)
46. **Athalia circularis (Klug,1815)** (Tenthredinidae)
47. **Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae)
48. **Attelabus sulcifrons (Argod,1895)** (Attelabidae)
49. **Auletobius politus Voss,1934** (Attelabidae)
50. **Auplopus rectus (Haupt,1927)** (Pompilidae)
51. **Bagrada stolidia (Herrich-Schäffer,1839)** (Pentatomidae)
52. **Batozonellus lacerticida (Pallas,1771)** (Pompilidae)
53. **Bithia maculifacies Tschorsnig & Kara,2002** (Tachinidae)
54. **Bombus terrestris Linnaeus,1758** (Apidae)
55. **Boveycantharis rufimana (Ménétriés,1832)** (Cantharidae)
56. **Boveycantharis tokatensis (Pic,1898)** (Cantharidae)
57. **Caliadurgus fasciatellus (Spinola,1808)** (Pompilidae)
58. **Calliptamus barbarus (Costa,1836)** (Acrididae)
59. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
60. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
61. **Cantharis pulicaria Fabricius,1781** (Cantharidae)
62. **Cantharis smyrnensis Marseul,1864** (Cantharidae)
63. **Carabus (Sphodristocarabus) tokatensis Roeschke,1898** (Carabidae)
64. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae)
65. **Cassida prasina Illiger,1798** (Chrysomelidae)
66. **Cassida seraphina Ménétriés,1836** (Chrysomelidae)
67. **Cassida viridis Linnaeus,1758** (Chrysomelidae)
68. **Cephalostenus elegans Brullé,1832** (Tenebrionidae)

69. **Ceratanisus tristis (Faldermann,1837)**
(Tenebrionidae)
70. **Cercopis sanguinolenta (Scopoli,1763)**
(Cercopidae)
71. **Cerocoma dahli Kraatz,1863 (Meloidae)**
72. **Cerocoma muehlfeldi Gyllenhal,1817**
(Meloidae)
73. **Ceropales cribrata Costa,1881 (Pompilidae)**
74. **Ceropales maculata (Fabricius,1775)**
(Pompilidae)
75. **Cetonia (s.str.) aurata (Linnaeus,1761)**
(Scarabaeidae)
76. **Chaetocnema breviuscula**
(Faldermann,1884) (Chrysomelidae)
77. **Chaetocnema chlorophana**
(Duftschmid,1825) (Chrysomelidae)
78. **Chaetocnema coyeyi (Allard,1863)**
(Chrysomelidae)
79. **Chaetocnema hortensis (Geoffroy,1785)**
(Chrysomelidae)
80. **Chaetocnema obesa (Boieldieu,1859)**
(Chrysomelidae)
81. **Chaetocnema tibialis (Illiger,1807)**
(Chrysomelidae)
82. **Chaetocnema turhalus Iyriboz,1934 (?)**
(Chrysomelidae)
83. **Chiasmus conspurcatus (Perris,1857)**
(Cicadellidae)
84. **Chlorophorus dominici Sama,1996**
(Cerambycidae)
85. **Chorthippus (Glyptobothrus) macrocerus**
(Fischer von Waldheim,1846) (Acrididae)
86. **Chrysolina brunnei (Demaisson,1896)**
(Chrysomelidae)
87. **Chrysolina reitteri (Weise,1884)**
(Chrysomelidae)
88. **Chrysolina sahlbergi (Ménétriés,1832)**
(Chrysomelidae)
89. **Chrysopa hungarica Klapalek,1899**
(Chrysopidae)
90. **Chrysops (s.str.) caecutiens (Linnaeus,1761)**
(Tabanidae)
91. **Cicindela campestris Linnaeus,1758**
(Carabidae)
92. **Cionus donckieri Pic,1898 (Curculionidae)**
93. **Cixius pallipes Fieber,1876 (Cixiidae)**
94. **Clytra atraphaxidis (Pallas,1773)**
(Chrysomelidae)
95. **Clytra novempunctata Olivier,1808**
(Chrysomelidae)
96. **Coenorrhinus aequatus (Linnaeus,1767)**
(Attelabidae)
97. **Coenorrhinus cribrum (Desbrochers,1875)**
(Attelabidae)
98. **Colpa quinquecincta (Fabricius,1775)**
(Scoliididae)
99. **Crepidodera aurata (Marsham,1802)**
(Chrysomelidae)
100. **Crepidodera lamina (Bedel,1901)**
(Chrysomelidae)
101. **Cryptocephalus bipunctatus (Linnaeus,1758)**
(Chrysomelidae)
102. **Cryptocephalus flavipes Fabricius,1781**
(Chrysomelidae)
103. **Cryptocephalus octacasmus Bedel,1891**
(Chrysomelidae)
104. **Cryptocheilus discolor (Fabricius,1793)**
(Pompilidae)
105. **Cryptocheilus egregius (Lepelletier,1845)**
(Pompilidae)
106. **Cryptocheilus fabricii (Van der Linden,1827)**
(Pompilidae)
107. **Cryptocheilus rufatus Priesner,1967**
(Pompilidae)
108. **Cryptocheilus variabilis (Rossi,1790)**
(Pompilidae)
109. **Cryptocheilus variipennis Sustera,1924**
(Pompilidae)
110. **Ctenotilla caeca (Radoszkowski,1879)**
(Mutillidae)
111. **Curculio glandium Marsham,1802**
(Curculionidae)
112. **Curculio salicivorus Paykull,1792**
(Curculionidae)
113. **Cylindera (Cicindina) arenaria (Fuessli,1775)**
(Carabidae)
114. **Cylindera (Cicindina) pygmaea**
(Dejean,1825) (Carabidae)
115. **Cyphon arietizans Nyholm,1970 (Scirtidae)**
116. **Dendarus (Pandarinus) crenulatus**
(Ménétriés,1832) (Tenebrionidae)
117. **Dentilla curtiventris (André,1901) (Mutillidae)**
118. **Derocrepis serbica (Kutschera,1860)**
(Chrysomelidae)
119. **Dicyrtomellus argenteus Wahis,1982**
(Pompilidae)
120. **Dipogon (Deuteragenia) variegatus**
(Linnaeus,1758) (Pompilidae)
121. **Doclostaurus (Kazakia) brevicollis**
(Eversmann,1848) (Acrididae)
122. **Doclostaurus (Notostaurus) anatolicus**
Krauss,1896 (Acrididae)
123. **Doratura stylata (Boheman,1847)**
(Cicadellidae)
124. **Eoferreola manticata (Pallas,1771)**
(Pompilidae)
125. **Eoferreola rhombica (Christ,1791)**
(Pompilidae)
126. **Epiclerus tokatus Doğanlar,2003**
(Tetracampidae)
127. **Episyron albonotatum (Van der**
Linden,1827) (Pompilidae)
128. **Episyron funerarium (Tournier,1889)**
(Pompilidae)
129. **Episyron rufipes (Linnaeus,1758) (Pompilidae)**
130. **Epitrix pubescens (Koch,1803)**
(Chrysomelidae)
131. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
132. **Eurydema blanda Horvath,1803**
(Pentatomidae)
133. **Eurydema fieberi Schummel,1836**
(Pentatomidae)
134. **Eurydema oleracea (Linnaeus,1758)**
(Pentatomidae)
135. **Eurydema ornatum (Linnaeus,1758)**
(Pentatomidae)
136. **Eurydema ventralis Kolenati,1846**
(Pentatomidae)
137. **Eurytoma tokatensis Doğanlar & Çam,1991**
(Eurytomidae)
138. **Eusphalerum densipenne (Fauvel,1900)**
(Staphylinidae)
139. **Evacanthus acuminatus (Fabricius,1794)**
(Cicadellidae)
140. **Evacanthus interruptus (Linnaeus,1758)**
(Cicadellidae)

141. **Evagetes dubius** (Van der Linden,1827)
(Pompilidae)
142. **Evagetes pectinipes** (Linnaeus,1758)
(Pompilidae)
143. **Evagetes tumidosus** (Tournier,1890)
(Pompilidae)
144. **Exeurytoma anatolica** Çam,1998
(Eurytomidae)
145. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
146. **Germaria hermonensis** Kugler,1980
(Tachinidae)
147. **Goniagnathus brevis** (Herrich-Schäffer,1835)
(Cicadellidae)
148. **Helophorus faustianus** Sharp,1916
(Helophoridae)
149. **Helophorus liguricus** Angus,1970
(Helophoridae)
150. **Holochelus (Miltotrogus) fallax**
Marseul,1879 (Scarabaeidae)
151. **Homodela ismenia** (Gory,1833) (Carabidae)
152. **Hyalestes mlokosiewiczzi** Signoret,1879
(Cixiidae)
153. **Hyalestes obsoletus** Signoret,1865 (Cixiidae)
154. **Hydrochara dichorama** (Fairmaire,1829)
(Hydrophilidae)
155. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
156. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
157. **Idiocerus herrichii** Kirschbaum,1868
(Cicadellidae)
158. **Ischnomera caerulea** (Linnaeus,1758)
(Oedemeridae)
159. **Ischnomera haemorrhoidalis**
(W.Schmidt,1846) (Oedemeridae)
160. **Isophya amplipennis** Brunner von
Wattenwyl,1878 (Tettigoniidae)
161. **Isophya schneideri** Brunner von
Wattenwyl,1878 (Tettigoniidae)
162. **Laccobius (Dimorpholaccobius) sipylus**
Orchymont,1939 (Hydrophilidae)
163. **Lasioptera eryngii** (Vallot,1829)
(Cecidomyiidae)
164. **Lepyronia coleoprata** (Linnaeus,1758)
(Cercopidae)
165. **Leuctra hippopus** Kempny,1899 (Leuctridae)
166. **Linnaemya comta** (Fallén,1810) (Tachinidae)
167. **Longitarsus aeneicollis** (Faldermann,1837)
(Chrysomelidae)
168. **Longitarsus anchusae** (Paykull,1799)
(Chrysomelidae)
169. **Longitarsus kopdagensis** Gruev &
Aslan,1998 (Chrysomelidae)
170. **Longitarsus linnaei** (Duftschmid,1825)
(Chrysomelidae)
171. **Longitarsus lycopi** (Foudras,1860)
(Chrysomelidae)
172. **Longitarsus nigrofasciatus** (Goeze,1777)
(Chrysomelidae)
173. **Longitarsus pellucidus** (Foudras,1860)
(Chrysomelidae)
174. **Longitarsus picicollis** Weise,1900
(Chrysomelidae)
175. **Longitarsus rectilineatus** (Foudras,1860)
(Chrysomelidae)
176. **Longitarsus reichei** (Allard,1860)
(Chrysomelidae)
177. **Longitarsus succineus** (Foudras,1860)
(Chrysomelidae)
178. **Longitarsus tabidus** (Fabricius,1775)
(Chrysomelidae)
179. **Lophyridia caucasica** (Adams,1817)
(Carabidae)
180. **Lophyridia fischeri** (Adams,1817)
(Carabidae)
181. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
182. **Lygaeosoma reticulatum** (Herrich-
Schäffer,1838) (Lygaeidae)
183. **Lytta vesicatoria** (Linnaeus,1758) (Meloidae)
184. **Macquartia praefica** (Meigen,1824)
(Tachinidae)
185. **Macquartia tenebricosa** (Meigen,1824)
(Tachinidae)
186. **Macquartia tessellum** Meigen,1824
(Tachinidae)
187. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
188. **Macrosteles laevis** (Ribaut,1927)
(Cicadellidae)
189. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
190. **Malthodes bucakensis** Wittmer,1970
(Cantharidae)
191. **Megabombus pascuorum** (Scopoli,1763)
(Apidae)
192. **Megastigmus almusiensis** Doğanlar,1989
(Torymidae)
193. **Micronecta pusilla** (Horvath,1895) (Corixidae)
194. **Miltogramma oestracea** (Fallén,1820)
(Sarcophagidae)
195. **Miltogramma taeniata** Meigen,1824
(Sarcophagidae)
196. **Modicogryllus (Eumodicogryllus)**
burdigalensis (Latreille,1804) (Gryllidae)
197. **Monosapyga clavicornis** (Linnaeus,1758)
(Sapygidae)
198. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
199. **Muzimes dersimensis** (Kaszab,1968)
(Meloidae)
200. **Muzimes semiobscurus** (Pic,1898)
(Meloidae)
201. **Mylabris sinuata** Klug,1845 (Meloidae)
202. **Nanoclavelia leucoptera** (Dahlbom,1845)
(Pompilidae)
203. **Nemka viduata** (Pallas,1773) (Mutillidae)
204. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
205. **Nemoura martynovia** Claassen,1936
(Nemouridae)
206. **Neoliturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
207. **Neoliturus guttulatus**
(Kirschbaum,1868) (Cicadellidae)
208. **Neocrepidodera motschulskyi**
Konstantinov,1991 (Chrysomelidae)
209. **Neocrepidodera transversa**
(Marshall,1802) (Chrysomelidae)
210. **Neotrichoporoides tokatensis** Doğanlar,1993
(Eulophidae)
211. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
212. **Neottiglossa leporina** (Herrich-
Schäffer,1830) (Pentatomidae)
213. **Nesoclutha erythrocephala** (Ferrari,1882)
(Cicadellidae)

214. **Nezara viridula** (Linnaeus,1758)
(Pentatomidae)
215. **Nicrophorus fossor** Erichson,1837 (Silphidae)
216. **Nicrophorus vespillo** (Linnaeus,1758)
(Silphidae)
217. **Nycteribia (s.str.) schmidlii** Schiner,1853
(Nycteribiidae)
218. **Nyctia halterata** (Panzer,1798) (Sarcophagidae)
219. **Oedemera (s.str.) lurida** (Marsham,1802)
(Oedemeridae)
220. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
221. **Oedipoda caerulea** (Linnaeus,1758)
(Acrididae)
222. **Oedipoda miniata** (Pallas,1771) (Acrididae)
223. **Oenas tarsensis** Abeille de Perrin,1880
(Meloidae)
224. **Omocestus (s.str.) petraeus**
(Brisout,1855) (Acrididae)
225. **Opatrum geminatum** Brullé,1832
(Tenebrionidae)
226. **Oxythyrea cinctella** (Schaum,1841)
(Scarabaeidae)
227. **Pachybrachis (s.str.) tessellatus**
(Olivier,1791) (Chrysomelidae)
228. **Palpares libelluloides** (Linnaeus,1764)
(Myrmeleonidae)
229. **Paragus (s.str.) albifrons** (Fallén,1817)
(Syrphidae)
230. **Parapholidoptera salmani** Çıplak,2000
(Tettigoniidae)
231. **Parvoacaecus (Parvoacaecus) tokatensis** (Vigna
Taglianti,1976) (Carabidae)
232. **Pausias martini** (Puton,1890)
(Pentatomidae)
233. **Pedestredorcadion impressicolle**
(Kraatz,1873) (Cerambycidae)
234. **Pedestredorcadion kollari** (Kraatz,1873)
(Cerambycidae)
235. **Pedostrangalia tokatensis** Sama,1996
(Cerambycidae)
236. **Peleteria rubescens** Robineau-
Desvoidy,1830 (Tachinidae)
237. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
238. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
239. **Pentastira rorida** (Fieber,1876) (Cixiidae)
240. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
241. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
242. **Phrosinella nasuta** (Meigen,1824)
(Sarcophagidae)
243. **Phyllotreta atra** (Fabricius,1775)
(Chrysomelidae)
244. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
245. **Phyllotreta nemorum** (Linnaeus,1758)
(Chrysomelidae)
246. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
247. **Physetopoda daghestanica**
(Radoszkowski,1885) (Mutillidae)
248. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
249. **Physetopoda similis** (Lelej,1984)
(Mutillidae)
250. **Piezodorus lituratus** (Fabricius,1794)
(Pentatomidae)
251. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
252. **Platycleis (Squamiana) melendisensis**
Çıplak,2002 (Tettigoniidae)
253. **Platymetopius (s.str.) guttatus**
Fieber,1869 (Cicadellidae)
254. **Platymetopius major** (Kirschbaum,1868)
(Cicadellidae)
255. **Podagenia crassipes** Priesner,1973
(Pompilidae)
256. **Podagrica malvae** (Illiger,1807)
(Chrysomelidae)
257. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
258. **Polistes (s.str.) biglumis** (Linnaeus,1758)
(Vespidae)
259. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
260. **Polistes (s.str.) sulcifer**
(Zimmermann,1930) (Vespidae)
261. **Prionemesis fallax** Verhoeff,1892 (Pompilidae)
262. **Protaetia (Potosia) angustata**
(Germar,1817) (Scarabaeidae)
263. **Protaetia (Potosia) cuprea**
(Fabricius,1775) (Scarabaeidae)
264. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
265. **Pseudosphegistes samai**
Danilevsky,2000 (Cerambycidae)
266. **Psylliodes isatidis** Heikertinger,1912
(Chrysomelidae)
267. **Psylliodes luteolus** (O.F.Müller,1776)
(Chrysomelidae)
268. **Psylliodes validus** Weise,1889
(Chrysomelidae)
269. **Quartinia separata** Gusenleitner,1997
(Vespidae)
270. **Ramburiella turcomana** (Fischer von
Waldheim,1833) (Acrididae)
271. **Raphidia (Caucasoraphidia) caucasica**
Esben-Petersen,1913 (Raphidiidae)
272. **Raphigaster nebulosa** (Poda,1761)
(Pentatomidae)
273. **Ravinia pernix** (Harris,1780) (Sarcophagidae)
274. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
275. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
276. **Rhogogaster chlorosoma** Benson,1943
(Tenthredinidae)
277. **Rhopalomyia saissanica** Fedotova,1999
(Cecidomyiidae)
278. **Rhynchites hungaricus** (Herbst,1784)
(Attelabidae)
279. **Rhynchites purpureipennis** Voss,1973
(Attelabidae)
280. **Rileyia doganlari** Çam,2003 (Eurytomidae)
281. **Ronisita brutia** (Petagna,1787) (Mutillidae)
282. **Sapyga (s.str.) pulcherrima**
Morawitz,1894 (Sapygidae)
283. **Sarcophaga (Helicophagella)**
crassimargo Pandellé,1896 (Sarcophagidae)
284. **Sarcophaga (Heteronychia) filia**
Rondani,1860 (Sarcophagidae)
285. **Sarcophaga (Heteronychia) schineri**
Bezzi,1891 (Sarcophagidae)
286. **Sarcophaga (Heteronychia) vagans**
Meigen,1826 (Sarcophagidae)

287. **Sarcophaga (Mehria) sexpunctata** (Fabricius,1794) (Sarcophagidae)
288. **Sarcophaga (Myorhina) nigriventris** Meigen,1826 (Sarcophagidae)
289. **Sarcophaga (Sarcotachinella) sinuata** Meigen,1826 (Sarcophagidae)
290. **Sarcophaga (Thyrsocnema) incisilobata** Pandellé,1896 (Sarcophagidae)
291. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae)
292. **Sciocoris microphthalmus** Flor,1860 (Pentatomidae)
293. **Scolia fallax** Eversmann,1849 (Scoliidae)
294. **Selatosomus (s.str.) latus** (Fabricius,1801) (Elateridae)
295. **Selenocephalus ankarae** Dlabola,1957 (Cicadellidae)
296. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae)
297. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae)
298. **Selenocephalus stenopterus** Signoret,1880 (Cicadellidae)
299. **Sphaerophoria rueppelli** Wiedemann,1830 (Syrphidae)
300. **Sphaerophoria scripta** (Linnaeus,1758) (Syrphidae)
301. **Sphaerophoria turkmenica** Bankowska,1964 (Syrphidae)
302. **Stagonomus amoenus** (Brullé,1832) (Pentatomidae)
303. **Stagonomus bipunctatus** (Linnaeus,1758) (Pentatomidae)
304. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
305. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
306. **Stenodera anatolica** Frivaldsky,1884 (Meloidae)
307. **Symmorphus crassicornis** (Panzer,1798) (Vespidae)
308. **Symmorphus gracilis** (Brullé,1832) (Vespidae)
309. **Synophyropsis lauri** (Horvath,1897) (Cicadellidae)
310. **Systole brunnicornis** Zerova & Çam,2003 (Eurytomidae)
311. **Systole minima** Zerova & Çam,2003 (Eurytomidae)
312. **Systole plana** Zerova & Çam,2004 (Eurytomidae)
313. **Systole tokata** Zerova & Çam,2004 (Eurytomidae)
314. **Tabanus unifasciatus** Loew,1858 (Tabanidae)
315. **Tachina (Echinogaster) praeceps** Meigen,1824 (Tachinidae)
316. **Tachina (Eudoromyia) fera** (Linnaeus,1761) (Tachinidae)
317. **Tachina (Eudoromyia) magnicornis** Zetterstedt,1844 (Tachinidae)
318. **Tachina (Eudoromyia) nupta** Rondani,1859 (Tachinidae)
319. **Tenthredo scrophulariae** Linnaeus,1758 (Tenthredinidae)
320. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
321. **Thamnotettix (Loepotettix) exemtus** Melichar,1896 (Cicadellidae)
322. **Thamnotettix (s.str.) creticus** Dlabola,1974 (Cicadellidae)
323. **Thamnotettix (s.str.) dilutior** (Kirschbaum,1868) (Cicadellidae)
324. **Thamnotettix thrax** Dlabola,1965 (Cicadellidae)
325. **Theriopectes tricolor** Zeller,1842 (Tabanidae)
326. **Trichodes crabroniformis** Fabricius,1787 (Cleridae)
327. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
328. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
329. **Trochiscocoris rotundatus** Horvath,1895 (Pentatomidae)
330. **Tychius argentatus** Chevrolat,1859 (Curculionidae)
331. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
332. **Vespa crabro** Linnaeus,1758 (Vespidae)
333. **Vespula germanica** (Fabricius,1793) (Vespidae)
334. **Zophosis (Oculosis) dilatata** Deyrolle,1867 (Tenebrionidae)

Trabzon Province (61)

(286 species, stand 30 April 2010)

1. **Abia aenea** (Klug,1829) (Cimbicidae)
2. **Ablattaria laevigata** (Fabricius,1775) (Silphidae)
3. **Aclypea undata** (O.F.Müller,1776) (Silphidae)
4. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
5. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
6. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
7. **Agabus (Gaurodytes) dilatatus** (Brullé,1832) (Dytiscidae)
8. **Agabus glacialis** Hochhuth,1846 (Dytiscidae)
9. **Altica bicarinata** (Kutschera,1860) (Chrysomelidae)
10. **Altica lythri** Aubé,1843 (Chrysomelidae)
11. **Altica pontica** (Ogloblin,1925) (Chrysomelidae)
12. **Altica tamaricis** Schrank,1785 (Chrysomelidae)
13. **Amiota (Phortica) semivirgo** Maca,1977 (Drosophilidae)
14. **Ammophila sabulosa** (Linnaeus,1758) (Sphecidae)
15. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
16. **Ancistrocerus antelope** (Panzer,1789) (Vespidae)

17. **Andricus askewi** Melika & Stone,2001 (Cynipidae)
18. **Anoplius concinnus** (Dahlbom,1845) (Pompilidae)
19. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
20. **Anthaxia (s.str.) signaticollis** (Krynicky,1832) (Buprestidae)
21. **Anthocoris nemorum** (Linnaeus,1761) (Anthocoridae)
22. **Aphaenogaster subterranea** (Latreille,1798) (Formicidae)
23. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
24. **Aphrophora alni** (Fallén,1805) (Cercopidae)
25. **Aporus pollux** (Kohl,1888) (Pompilidae)
26. **Arge clavicornis** (Fabricius,1781) (Argidae)
27. **Arge ochropus** (Gmelin,1790) (Argidae)
28. **Arge pyrenaica** (André,1879) (Argidae)
29. **Athalia bicolor** Audinet-Serville,1823 (Tenthredinidae)
30. **Athalia circularis** (Klug,1815) (Tenthredinidae)
31. **Athalia cordata** Audinet-Serville,1823 (Tenthredinidae)
32. **Athalia liberta** (Klug,1815) (Tenthredinidae)
33. **Athous (Orthathous) daccordii** Guglielmi & Platia,1985 (Elateridae)
34. **Athous (Orthathous) ruffoi** Guglielmi & Platia,1985 (Elateridae)
35. **Athous (s.str.) vittatus** (Fabricius,1792) (Elateridae)
36. **Atylotus loewianus** (Villeneuve,1920) (Tabanidae)
37. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
38. **Balclutha punctata** (Fabricius,1775) (Cicadellidae)
39. **Bangasternus orientalis** (Capiomont,1873) (Curculionidae)
40. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
41. **Bombus lucorum** Linnaeus,1761 (Apidae)
42. **Bombus terrestris** Linnaeus,1758 (Apidae)
43. **Brachygluta presli** (Schmidt-Göbl,1838) (Staphylinidae)
44. **Bryaxis abastumanus** (Reitter,1890) (Staphylinidae)
45. **Bryaxis khnזורiani** Besuchet,1964 (Staphylinidae)
46. **Bryaxis osellai** Besuchet & Kurbatov,2007 (Staphylinidae)
47. **Bryaxis polemon** Besuchet & Kurbatov,2007 (Staphylinidae)
48. **Bryaxis ypsilon** Besuchet & Kurbatov,2007 (Staphylinidae)
49. **Bytiscus betulae** (Linnaeus,1758) (Atelabidae)
50. **Caliadurgus fasciatellus** (Spinola,1808) (Pompilidae)
51. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
52. **Calopteryx waterstoni** Schneider,1984 (Calopterygidae)
53. **Calosoma sycophanta** (Linnaeus,1758) (Carabidae)
54. **Camponotus aethiops** (Latreille,1798) (Formicidae)
55. **Camponotus herculeanus** (Linnaeus,1758) (Formicidae)
56. **Cantharis rustica** Fallén,1807 (Cantharidae)
57. **Cantharis ziganadagensis** Wittmer,1971 (Cantharidae)
58. **Carabus (Procerus) scabrosus** Olivier,1795 (Carabidae)
59. **Carabus (Tomocarabus) convexus** Fabricius,1775 (Carabidae)
60. **Cassida hablitziae** Motschoulsky,1838 (Chrysomelidae)
61. **Cassida margaritacea** Schaller,1783 (Chrysomelidae)
62. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
63. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
64. **Cerodontha (s.str.) fulvipes** (Meigen,1830) (Agromyzidae)
65. **Chrysolina geminata** (Paykull,1799) (Chrysomelidae)
66. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
67. **Chrysolina planicollis** (Breit,1919) (Chrysomelidae)
68. **Chrysolina polita** (Linnaeus,1758) (Chrysomelidae)
69. **Chrysolina wittmeri** Medvedev,1975 (Chrysomelidae)
70. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
71. **Chrysomela tremulae** Fabricius,1787 (Chrysomelidae)
72. **Cicindela desertorum** Dejean,1825 (Carabidae)
73. **Cionus caucasicus** Reitter,1888 (Curculionidae)
74. **Cordulegaster picta** Selys,1854 (Cordulegasteridae)
75. **Corynis caucasica** (Mocsary,1886) (Cimbicidae)
76. **Corynis obscura** (Fabricius,1775) (Cimbicidae)
77. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
78. **Cryptocephalus concolor** Suffrian,1847 (Chrysomelidae)
79. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
80. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
81. **Cryptocephalus moraei** (Linnaeus,1758) (Chrysomelidae)
82. **Cryptocephalus turcicus** Suffrian,1847 (Chrysomelidae)
83. **Cuneala confinis** (Konow,1886) (Tenthredinidae)
84. **Curculio nucum** Linnaeus,1758 (Curculionidae)
85. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae)
86. **Cylindera (s.str.) germanica** (Linnaeus,1758) (Carabidae)
87. **Cyphon buceros** Nyholm,1949 (Scirtidae)
88. **Cyphon euoplus** Nyholm,1970 (Scirtidae)
89. **Cyphon longiusculus** Nyholm,1970 (Scirtidae)
90. **Denticollis parallelcollis** Aubé,1850 (Elateridae)
91. **Diphyus montivagans** (Berthoumieu,1896) (Ichneumonidae)
92. **Drosophila (s.str.) immigrans** Sturtevant,1921 (Drosophilidae)
93. **Drosophila (s.str.) kuntzei** Duda,1924 (Drosophilidae)
94. **Drosophila (s.str.) phalerata** Meigen,1830 (Drosophilidae)

95. **Drosophila (s.str.) testacea** Roser,1840 (Drosophilidae)
96. **Drosophila (s.str.) transversa** Fallén,1823 (Drosophilidae)
97. **Drosophila (Scaptodrosophila) deflexa** Duda,1924 (Drosophilidae)
98. **Drosophila (Sophophora) ambigua** Pomini,1940 (Drosophilidae)
99. **Drosophila (Sophophora) simulans** Sturtevant,1921 (Drosophilidae)
100. **Drosophila (Sophophora) subobscura** Collin,1936 (Drosophilidae)
101. **Drosophila funebris** (Fabricius,1787) (Drosophilidae)
102. **Drosophila repleta** Wollaston,1858 (Drosophilidae)
103. **Dyroderes umbraculatus** (Fabricius,1775) (Pentatomidae)
104. **Ectobius vittiventris** Costa,1847 (Blattidae)
105. **Elodes megalopus** Klausnitzer,2002 (Scirtidae)
106. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
107. **Eupteryx atropunctata** (Goeze,1778) (Cicadellidae)
108. **Eupteryx aurata** (Linnaeus,1758) (Cicadellidae)
109. **Eupteryx stachydearum** (Hardy,1850) (Cicadellidae)
110. **Eupteryx urticae** (Fabricius,1803) (Cicadellidae)
111. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
112. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
113. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
114. **Eusphalerum amplipenne** Coiffait,1976 (Staphylinidae)
115. **Eusphalerum foveolatum** (Luze,1910) (Staphylinidae)
116. **Ficocyba ficaria** (Horvath,1897) (Cicadellidae)
117. **Formica cinereofusca** Karawajew,1919 (Formicidae)
118. **Formica cunicularia** Latreille,1798 (Formicidae)
119. **Formica fusca** Linnaeus,1758 (Formicidae)
120. **Formica sanguinea** Latreille,1798 (Formicidae)
121. **Frutiodia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
122. **Gastrophysa viridula** (DeGeer,1775) (Chrysomelidae)
123. **Geodromicus jarrigeanus** Fagel,1976 (Staphylinidae)
124. **Geodromicus major** (Motschoulsky,1860) (Staphylinidae)
125. **Gomphus schneideri** Selys,1850 (Gomphidae)
126. **Haematopota italica** Meigen,1804 (Tabanidae)
127. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
128. **Haematopota subcylindrica** Pandelle,1883 (Tabanidae)
129. **Haematopota sumelae** Timmer,1984 (Tabanidae)
130. **Helophorus montenegrinus** Kuwert,1885 (Helophoridae)
131. **Hyalestes obsoletus** Signoret,1865 (Cixiidae)
132. **Hydrochara dichorama** (Fairmaire,1829) (Hydrophilidae)
133. **Hydrocyphon finitimus** Nyholm,1977 (Scirtidae)
134. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
135. **Hydroglyphus pubescens** Gyllenhal,1808 (Dytiscidae)
136. **Hydroporus marginatus** (Duftschmid,1805) (Dytiscidae)
137. **Hydroporus planus** (Fabricius,1781) (Dytiscidae)
138. **Hydroporus pubescens** (Gyllenhal,1808) (Dytiscidae)
139. **Hypera variabilis** (Herbst,1795) (Curculionidae)
140. **Idiocerus stigmatalis** Lewis,1834 (Cicadellidae)
141. **Idolus adrastoides** (Reitter,1888) (Elateridae)
142. **Isohya autumnalis** Karabağ,1962 (Tettigoniidae)
143. **Issus coleoptratus** (Fabricius,1781) (Issidae)
144. **Javesella obscurella** (Boheman,1847) (Delphacidae)
145. **Labidostomis asiatica** Faldermann,1837 (Chrysomelidae)
146. **Labidostomis propinqua** Faldermann,1837 (Chrysomelidae)
147. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
148. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
149. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
150. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
151. **Lasioglossum (s.str.) caspicum** (Morawitz,1873) (Halictidae)
152. **Lasioglossum cristulum** (Pérez,1895) (Halictidae)
153. **Lasioglossum prunellum** Warncke,1975 (Halictidae)
154. **Lasius alienus** (Förster,1850) (Formicidae)
155. **Lasius flavus** (Fabricius,1781) (Formicidae)
156. **Leptothorax muscorum** (Nylander,1846) (Formicidae)
157. **Leuctra sipahilerae** Vincon & Sivec,2001 (Leuctridae)
158. **Liponeura tarnogradskyi** Bischoff,1930 (Blephariceridae)
159. **Longitarsus audisioi** Biondi,1992 (Chrysomelidae)
160. **Longitarsus juncicola** (Foudras,1860) (Chrysomelidae)
161. **Longitarsus nimrodi** Furth,1979 (Chrysomelidae)
162. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
163. **Macrophya albicincta** (Schrank,1776) (Tenthredinidae)
164. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
165. **Macrophya crassula** (Klug,1817) (Tenthredinidae)
166. **Macrophya erythrocnema** A.Costa,1859 (Tenthredinidae)
167. **Macropsis graminea** (Fabricius,1798) (Cicadellidae)
168. **Macrosteles alpinus** (Zetterstedt,1828) (Cicadellidae)
169. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)

170. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
171. **Malthinus kaszabi** Wittmer,1974 (Cantharidae)
172. **Manica rubida** (Latreille,1802) (Formicidae)
173. **Mecostethus alliaceus** (Germar,1817)
(Acrididae)
174. **Megabombus mesomelas** (Gerstaecker,1869)
(Apidae)
175. **Megabombus pascuorum** (Scopoli,1763)
(Apidae)
176. **Mesoptylus petrovi** (Grigoriev,1910)
(Cercopidae)
177. **Morimus verecundus** (Faldermann,1836)
(Cerambycidae)
178. **Musaria volgensis** (Kraatz,1883)
(Cerambycidae)
179. **Myoleja korneyevi** Han & Kütük,2006
(Tephritidae)
180. **Myrmica bergi** Ruzsky,1902 (Formicidae)
181. **Myrmica lobicornis** Nylander,1846
(Formicidae)
182. **Myrmica ruginodis** Nylander,1846
(Formicidae)
183. **Myrmica scabrinodis** Nylander,1846
(Formicidae)
184. **Myrmica sulcinodis** Nylander,1846
(Formicidae)
185. **Nebrioporus suavis** (Sharp,1882) (Dytiscidae)
186. **Nebrioporus turca** (Seidlitz,1887) (Dytiscidae)
187. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
188. **Nephrotoma aculeata** (Loew,1871)
(Tipulidae)
189. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
190. **Nicrophorus investigator** Zetterstedt,1824
(Silphidae)
191. **Nycteribia (s.str.) schmidlii** Schiner,1853
(Nycteribiidae)
192. **Oedemera (s.str.) crassipes** Ganglbauer,1881
(Oedemeridae)
193. **Oedemera (s.str.) pthysica** (Scopoli,1763)
(Oedemeridae)
194. **Oedemera (s.str.) vilis** Roubal,1917
(Oedemeridae)
195. **Oedipoda caerulescens** (Linnaeus,1758)
(Acrididae)
196. **Oiceoptoma thoracica** (Linnaeus,1758)
(Silphidae)
197. **Omalium turcicum** Smetana,1967
(Staphylinidae)
198. **Osmylus cilicicus** Krüger,1913 (Osmylidae)
199. **Osmylus multiguttatus** McLachlan,1870
(Osmylidae)
200. **Pachyprotasis rapae** Linne,1767
(Tenthredinidae)
201. **Panorpa connexa** McLachlan,1869
(Panorpidae)
202. **Panorpa turcica** Willmann,1975
(Panorpidae)
203. **Paratettix meridionalis** (Rambur,1838)
(Tetrigidae)
204. **Pedinus (s.str.) curvipes** Mulsant &
Rey,1853 (Tenebrionidae)
205. **Penicillidia conspicua** Speiser,1901
(Nycteribiidae)
206. **Penthimia nigra** (Goeze,1778)
(Cicadellidae)
207. **Phaedon pyritosus** (Rossi,1792)
(Chrysomelidae)
208. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
209. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
210. **Philipomyia rohdendorfi** (Olsufjev,1937)
(Tabanidae)
211. **Phlepsius intricatus** (Herrich-Schäffer,1838)
(Cicadellidae)
212. **Phlepsius ornatus** (Perris,1857) (Cicadellidae)
213. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
214. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
215. **Phytomyza astrantiae** Hendel,1924
(Agromyzidae)
216. **Plagiodes versicolora** (Laicharting,1781)
(Chrysomelidae)
217. **Plagiolepis pygmaea** (Latreille,1798)
(Formicidae)
218. **Platycleis (s.str.) intermedia** (Audinet-
Serville,[1839]) (Tettigoniidae)
219. **Platymetopius (s.str.) guttatus** Fieber,1869
(Cicadellidae)
220. **Poecilimon bischoffi** Ramme,1933
(Tettigoniidae)
221. **Proformica kobachidzei** Arnoldi,1968
(Formicidae)
222. **Prosternon tessellatum** (Linnaeus,1758)
(Elateridae)
223. **Protaetia (Potosia) funebris** (Gory &
Percheron,1833) (Scarabaeidae)
224. **Protonemura teberdensis** Zhiltzova,1958
(Nemouridae)
225. **Psophus stridulus** (Linnaeus,1758)
(Acrididae)
226. **Psylliodes cupreus** (Koch,1803)
(Chrysomelidae)
227. **Quasimus minutissimus** (Germar,1817)
(Elateridae)
228. **Rantus suturalis** (Macleay,1825)
(Dytiscidae)
229. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
230. **Rhagonycha fulva** (Scopoli,1763)
(Cantharidae)
231. **Rhizotrogus (Amphimallon) solstitialis**
(Linnaeus,1758) (Scarabaeidae)
232. **Rhizotrogus (s.str.) aestivus**
(Olivier,1789) (Scarabaeidae)
233. **Rhynchites giganteus** Krynický,1832
(Attelabidae)
234. **Rhynchium oculatum** (Fabricius,1781)
(Vespidae)
235. **Ribautiana tenerrima** (Herrich-
Schäffer,1834) (Cicadellidae)
236. **Ruspolia nitidula** (Scopoli,1786)
(Tettigoniidae)
237. **Sarcophaga (Heteronychia) filia**
Rondani,1860 (Sarcophagidae)
238. **Sarcophaga (Pandelleisca) similis**
Meade,1876 (Sarcophagidae)
239. **Scaptomyza (Parascaptomyza) pallida**
(Zetterstedt,1847) (Drosophilidae)
240. **Sciapteryx circassica** Dovnar-
Zapolski,1930 (Tenthredinidae)
241. **Selenocephalus obsoletus** (Germar,1817)
(Cicadellidae)

242. **Sigara nigrolineata (Fieber,1848)**
(Corixidae)
243. **Silpha obscura Linnaeus,1758** (Silphidae)
244. **Stictoleptura deyrollei (Pic,1895)**
(Cerambycidae)
245. **Symmorphus bifasciatus (Linnaeus,1761)**
(Vespidae)
246. **Synophyropsis lauri (Horvath,1897)**
(Cicadellidae)
247. **Tabanus bromius Linnaeus,1758**
(Tabanidae)
248. **Tabanus karaosus Timmer,1984**
(Tabanidae)
249. **Tabanus leleani Austen,1920** (Tabanidae)
250. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
251. **Tabanus paradoxus Jaennicke,1866**
(Tabanidae)
252. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
253. **Tabanus subparadoxus Olsufjev,1937**
(Tabanidae)
254. **Tabanus sudeticus Zeller,1842** (Tabanidae)
255. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
256. **Tenthredo acerrima Benson,1952**
(Tenthredinidae)
257. **Tenthredo albopicta Puls,1870**
(Tenthredinidae)
258. **Tenthredo caligator Eversmann,1847**
(Tenthredinidae)
259. **Tenthredo caucasica Eversmann,1847**
(Tenthredinidae)
260. **Tenthredo colon Klug,1817**
(Tenthredinidae)
261. **Tenthredo discophora Konow,1896**
(Tenthredinidae)
262. **Tenthredo liturata (Mocsary,1886)**
(Tenthredinidae)
263. **Tenthredo luteipennis Eversmann,1847**
(Tenthredinidae)
264. **Tenthredo maculata Geoffroy,1785**
(Tenthredinidae)
265. **Tenthredo mesomelas Linnaeus,1758**
(Tenthredinidae)
266. **Tenthredo thompsoni Curtis,1839**
(Tenthredinidae)
267. **Tenthredo vespa Retzius,1783**
(Tenthredinidae)
268. **Tenthredopsis nassata Linnaeus,1767**
(Tenthredinidae)
269. **Tephritis dioscurea (Loew,1856)**
(Tephritidae)
270. **Tephritis mariannae Merz,1992**
(Tephritidae)
271. **Tetramorium caespitum (Linnaeus,1758)**
(Formicidae)
272. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
273. **Tipula (Acutipula) latifurca Vermoolen,1983**
(Tipulidae)
274. **Tipula (Lunatipula) helvola Loew,1873**
(Tipulidae)
275. **Tipula (Yamatotipula) lateralis Meigen,1804**
(Tipulidae)
276. **Trechus (s.str.) ziganensis Jeanne,1976**
(Carabidae)
277. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
278. **Triclistus lativentris Thomson,1887**
(Ichneumonidae)
279. **Trieces tricarinatus (Holmgren,1856)**
(Ichneumonidae)
280. **Trissemus antennatus (Aubé,1833)**
(Staphylinidae)
281. **Verdanus gazelicornis (Dlabola,1980)**
(Cicadellidae)
282. **Vespa crabro Linnaeus,1758** (Vespidae)
283. **Vespula vulgaris (Linnaeus,1758)**
(Vespidae)
284. **Xya pfaendleri (Harz,1970)** (Tridactylidae)
285. **Xya variegata (Latreille,1809)**
(Tridactylidae)
286. **Zyginidia (s.str.) karadenizicus Kalkandelen,1985** (Cicadellidae)

Tunceli Province (62)

(158 species, stand 30 April 2010)

1. **Aclypea undata (O.F.Müller,1776)** (Silphidae)
2. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
3. **Acrida bicolor (Thunberg,1815)** (Acrididae)
4. **Aelia rostrata Boheman,1852** (Pentatomidae)
5. **Agallia bispinata (Dlabola,1957)** (Cicadellidae)
6. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
7. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae)
8. **Agrilus rhoos Krolik & Niehuis,2003** (Buprestidae)
9. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae)
10. **Alosimus luteus (Waltl,1838)** (Meloidae)
11. **Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae)
12. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
13. **Amphinemura mirabilis (Martynov,1928)** (Nemouridae)
14. **Amphinemura trialetica Zhiltzova,1957** (Nemouridae)
15. **Anogcodes difformis (Marseul,1857)** (Oedemeridae)
16. **Anogcodes ruficollis (Fabricius,1781)** (Oedemeridae)
17. **Anthaxia (Haplanthaxia) cavazzutii Bily,1980** (Buprestidae)
18. **Anthaxia (Haplanthaxia) ovaciki Nock,1994** (Buprestidae)
19. **Anthaxia (Haplanthaxia) puella Bily,1980** (Buprestidae)
20. **Anthaxia (Haplanthaxia) ursulae Niehuis,1989** (Buprestidae)

21. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
22. **Attelabus nitens (Scopoli,1763)** (Attelabidae)
23. **Balclutha flavella Linnavuori,1962** (Cicadellidae)
24. **Bangasternus planifrons (Brullé,1832)** (Curculionidae)
25. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae)
26. **Calliptamus barbarus (Costa,1836)** (Acrididae)
27. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
28. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
29. **Callodictya krueperi (Fieber,1876)** (Dictyopharidae)
30. **Carabus (Oreocarabus) cribratus Quensel,1806** (Carabidae)
31. **Carabus (Procerus) sommeri Mannerheim,1844** (Carabidae)
32. **Cassida pannonica Suffrian,1844** (Chrysomelidae)
33. **Cassida prasina Illiger,1798** (Chrysomelidae)
34. **Cassida viridis Linnaeus,1758** (Chrysomelidae)
35. **Cerocoma festiva Faldermann,1837** (Meloidae)
36. **Cerocoma malatyensis Kaszab,1941** (Meloidae)
37. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae)
38. **Cerocoma scovitzii Faldermann,1837** (Meloidae)
39. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae)
40. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
41. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
42. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae)
43. **Cicindela turkestanicoides W.Horn,1938** (Carabidae)
44. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
45. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
46. **Cricotopus fuscus (Kieffer,1909)** (Chironomidae)
47. **Cryptocephalus concolor Suffrian,1847** (Chrysomelidae)
48. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae)
49. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
50. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
51. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
52. **Cyphon arietizans Nyholm,1970** (Scirtidae)
53. **Cyphon palustris Thomson,1855** (Scirtidae)
54. **Dallognatha quadricollis Brullé,1832** (Tenebrionidae)
55. **Dendroxena quadrimaculata (Scopoli,1772)** (Silphidae)
56. **Diamesa discoloriventris Şahin,1991** (Chironomidae)
57. **Diamesa hozati Şahin,1991** (Chironomidae)
58. **Dicronychus merkli (Pic,1910)** (Elateridae)
59. **Dictyonota strichnocera Fieber,1844** (Tingidae)
60. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
61. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
62. **Dorcadion (Cribridorcadion) janatai Kadlec,2006** (Cerambycidae)
63. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
64. **Eusphalerum celsum (Luze,1910)** (Staphylinidae)
65. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae)
66. **Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae)
67. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae)
68. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae)
69. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae)
70. **Hyalesthes scotti Ferrari,1882** (Cixiidae)
71. **Hydrocyphon segrex Nyholm,1972** (Scirtidae)
72. **Hypera cumanus Petri,1901** (Curculionidae)
73. **Ischnomera cinerascens (Pandellé,1867)** (Oedemeridae)
74. **Isoperla armeniaca Zhiltzova,1961** (Perlodidae)
75. **Isoperla bithynica (Kempny,1908)** (Perlodidae)
76. **Isophya rodsjankoi Bolivar,1899** (Tettigoniidae)
77. **Isophya sureyai Ramme,1951** (Tettigoniidae)
78. **Laccobius (Dimorpholaccobius) hindukuschi Chiesa,1966** (Hydrophilidae)
79. **Lampyrus angustula Fairmaire,1895** (Lampyridae)
80. **Leuctra hippopus Kempny,1899** (Leuctridae)
81. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae)
82. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae)
83. **Lophyridia fischeri (Adams,1817)** (Carabidae)
84. **Macropsis graminea (Fabricius,1798)** (Cicadellidae)
85. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae)
86. **Mantispa styriaca (Poda,1761)** (Mantispidae)
87. **Medecticus assimilis (Fieber,1853)** (Tettigoniidae)
88. **Melanogryllus desertus (Pallas,1771)** (Gryllidae)
89. **Metacnephia subalpina (Rubtsov,1956)** (Simuliidae)
90. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae)
91. **Muzimes dersimensis (Kaszab,1968)** (Meloidae)
92. **Mylabris apicenigra Sumacov,1924** (Meloidae)
93. **Mylabris cincta Olivier,1811** (Meloidae)
94. **Mylabris fabricii Sumakov,1924** (Meloidae)
95. **Mylabris fusca (Olivier,1811)** (Meloidae)
96. **Mylabris humerosa (Escherich,1899)** (Meloidae)
97. **Mylabris polymorphus (Pallas,1771)** (Meloidae)
98. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae)
99. **Mylabris variabilis (Pallas,1782)** (Meloidae)

100. **Mylabris zebraea (Marseul,1870)**
(Meloidae)
101. **Myndus musivus (Germar,1825)** (Cixiidae)
102. **Nemoptera sinuata Olivier,1811**
(Nemopteridae)
103. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
104. **Nothodes parvulus (Panzer,1799)** (Elateridae)
105. **Oedemera (s.str.) femorata (Scopoli,1763)**
(Oedemeridae)
106. **Oedemera (s.str.) penicillata**
W.Schmidt,1846 (Oedemeridae)
107. **Oedemera (s.str.) podagrariae**
(Linnaeus,1767) (Oedemeridae)
108. **Oedipoda miniata (Pallas,1771)** (Acrididae)
109. **Omalius assingi Zanetti,2002** (Staphylinidae)
110. **Onychogomphus assimilis (Schneider,1845)**
(Gomphidae)
111. **Opatrum geminatum Brullé,1832**
(Tenebrionidae)
112. **Osmia (Helicosmia) aurulenta (Panzer,1799)**
(Megachilidae)
113. **Osmia (Hemiosmia) difficilis Morawitz,1875**
(Megachilidae)
114. **Osmylus multiguttatus McLachlan,1870**
(Osmylidae)
115. **Panorpa schweigeri Willmann,1975**
(Panorpidae)
116. **Pedestredorcadion nigrostriatum**
(Adlbauer,1982) (Cerambycidae)
117. **Perla illiesi Braasch & Joost,1971** (Perlidae)
118. **Perlodes microcephala (Pictet,1833)**
(Perlodidae)
119. **Platambus lunulatus (Fischer von**
Waldheim,1829) (Dytiscidae)
120. **Platycleis (Incertana) persica Uvarov,1917**
(Tettigoniidae)
121. **Platycleis (s.str.) intermedia (Audinet-**
Serville,[1839]) (Tettigoniidae)
122. **Poecilimon zonatus Bolivar,1899**
(Tettigoniidae)
123. **Prionotropis maculinervis (Stal,1878)**
(Pamphagidae)
124. **Prosimulium (s.str.) rachiliense**
Djafarov,1954 (Simuliidae)
125. **Pyrgodera armata (Fischer von**
Waldheim,1820) (Acrididae)
126. **Rheocricotopus gouini (Goetghebuer,1927)**
(Chironomidae)
127. **Saga ephippigera Fischer von**
Waldheim,1846 (Tettigoniidae)
128. **Silpha obscura Linnaeus,1758** (Silphidae)
129. **Simulium (Montisimulium) alizadei**
(Djafarov,1954) (Simuliidae)
130. **Simulium (Nevermannia) costatum**
Friederichs,1920 (Simuliidae)
131. **Simulium (Nevermannia) venum**
Macquart,1826 (Simuliidae)
132. **Simulium (Obuchovia) margaritae**
(Rubtsov,1956) (Simuliidae)
133. **Simulium (s.str.) bezzii (Corti,1914)**
(Simuliidae)
134. **Simulium (s.str.) ornatum Meigen,1818**
(Simuliidae)
135. **Simulium (s.str.) variegatum Meigen,1818**
(Simuliidae)
136. **Stenometopiellus macilentus (Horvath,1904)**
(Cicadellidae)
137. **Stenopogon sabaudus (Fabricius,1794)**
(Asilidae)
138. **Sulcicnephia znoikoi (Rubtsov,1940)**
(Simuliidae)
139. **Syndiamesa magnifipedis Şahin,1991**
(Chironomidae)
140. **Systropha (s.str.) planidens Giraud,1861**
(Halictidae)
141. **Tabanus autumnalis Linnaeus,1761**
(Tabanidae)
142. **Tachyagetes leucocnemis Haupt,1930**
(Pompilidae)
143. **Tettigometra (s.str.) virescens (Panzer,1799)**
(Tettigometridae)
144. **Tettigonia viridissima (Linnaeus,1758)**
(Tettigoniidae)
145. **Thienemanniella clavicornis Kieffer,1911**
(Chironomidae)
146. **Tingis demissa Horvath,1906** (Tingidae)
147. **Tingis griseola (Puton,1879)** (Tingidae)
148. **Tipula (Yamatotipula) guentheri**
Oosterbroek,1994 (Tipulidae)
149. **Trichodes affinis Chevrolat,1843** (Cleridae)
150. **Trichodes ephippiger Chevrolat,1874**
(Cleridae)
151. **Trichodes ganglbaueri Escherich,1893**
(Cleridae)
152. **Trichodes longissimus (Abeille de**
Perrin,1881) (Cleridae)
153. **Trichodes pulcherrimus Escherich,1892**
(Cleridae)
154. **Trichodes reichei Mulsant & Rey,1863**
(Cleridae)
155. **Trichodes sexpustulatus Chevrolat,1874**
(Cleridae)
156. **Trichodes sipylus (Linnaeus,1758)** (Cleridae)
157. **Uvarovistia (s.str.) satunini (Uvarov,1916)**
(Tettigoniidae)
158. **Xya pfaendleri (Harz,1970)** (Tridactylidae)

Şanlıurfa Province (63)

(366 species, stand 30 April 2010)

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae)
2. **Acanthodynerus giordanii Gusenleitner,1969**
(Vespidae)
3. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
4. **Acrida bicolor (Thunberg,1815)** (Acrididae)
5. **Acrometopa servillea (Brullé,1832)**
(Tettigoniidae)
6. **Adesmia (s.str.) procera Miller,1861**
(Tenebrionidae)
7. **Aelia albovittata Fieber,1868** (Pentatomidae)
8. **Agenioideus apicalis (Van der Linden,1827)**
(Pompilidae)
9. **Agenioideus ciliatus (Lepelletier,1845)**
(Pompilidae)

10. **Agenioideus excisus (Morawitz,1890)** (Pompilidae)
11. **Agenioideus nubecula (Costa,1874)** (Pompilidae)
12. **Agenioideus ruficeps (Eversmann,1849)** (Pompilidae)
13. **Agramma (s.str.) atricapillum (Spinola,1837)** (Tingidae)
14. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae)
15. **Agromyza albipennis Meigen,1830** (Agromyzidae)
16. **Agromyza reptans Fallén,1823** (Agromyzidae)
17. **Agromyza rondensis Strobl,1900** (Agromyzidae)
18. **Alastor schwarzi Gusenleitner,1967** (Vespidae)
19. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae)
20. **Alosimus luteus (Waltl,1838)** (Meloidae)
21. **Alosimus syriacus (Linnaeus,1758)** (Meloidae)
22. **Amnodeis grandis Miller,1858** (Tenebrionidae)
23. **Amphicoma (Rudeulasia) chalybaea Faldermann,1835** (Glaphyridae)
24. **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae)
25. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
26. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
27. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
28. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
29. **Anormogomphus kiritshenkoi Bartenev,1913** (Gomphidae)
30. **Anthaxia (Haplantaxia) armeniaca Obenberger,1929** (Buprestidae)
31. **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae)
32. **Anthaxia (s.str.) ghazi Obenberger,1938** (Buprestidae)
33. **Anthaxia (s.str.) winckleri Obenberger,1914** (Buprestidae)
34. **Anthidium (Anthidiellum) breviusculum Pérez,1890** (Megachilidae)
35. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae)
36. **Anthidium (Anthidiellum) nasicum Friese,1917** (Megachilidae)
37. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
38. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
39. **Anthidium (Icteranthidium) aequabile Morawitz,1896** (Megachilidae)
40. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae)
41. **Anthidium (Icteranthidium) limbiferum Morawitz,1875** (Megachilidae)
42. **Anthidium (Icteranthidium) urfanum Warncke,1980** (Megachilidae)
43. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae)
44. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae)
45. **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae)
46. **Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae)
47. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae)
48. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae)
49. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae)
50. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae)
51. **Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae)
52. **Anthidium (s.str.) loti Perris,1852** (Megachilidae)
53. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae)
54. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae)
55. **Aporinellus moestus (Klug,1834)** (Pompilidae)
56. **Aporinellus sexmaculatus (Spinola,1805)** (Pompilidae)
57. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
58. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae)
59. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae)
60. **Auplopus carbonarius (Scopoli,1763)** (Pompilidae)
61. **Auplopus rectus (Haupt,1927)** (Pompilidae)
62. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae)
63. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae)
64. **Bembecinus anatolicus De Beaumont,1968** (Crabronidae)
65. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae)
66. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae)
67. **Bembecinus birecikensis Schmid-Egger,2004** (Crabronidae)
68. **Bembecinus cyprius De Beaumont,1954** (Crabronidae)
69. **Bembecinus gynandromorphus (Handlirsch,1892)** (Crabronidae)
70. **Bembecinus heinrichi Schmid-Egger,2004** (Crabronidae)
71. **Bembecinus meridionalis A.Costa,1859** (Crabronidae)
72. **Bembecinus peregrinus (Smith,1856)** (Crabronidae)
73. **Bembecinus tridens (Fabricius,1781)** (Crabronidae)
74. **Bembecinus urfanensis Schmid-Egger,2004** (Crabronidae)
75. **Bembecinus validior Gussakowski,1952** (Crabronidae)
76. **Brachycerus foveifrons Bedel,1874** (Brachyceridae)
77. **Bubas bubalus (Olivier,1811)** (Scarabaeidae)
78. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae)
79. **Calliptamus barbarus (Costa,1836)** (Acrididae)
80. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae)
81. **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae)
82. **Calopteryx mingrelica Selys,1869** (Calopterygidae)
83. **Calycomyza humeralis (von Roser,1840)** (Agromyzidae)
84. **Capnodis miliaris (Klug,1829)** (Buprestidae)

85. **Carabus (Procrustes) impressus Klug,1832** (Carabidae)
86. **Cardiophorus (s.str.) procerus Platia & Gudenzi,2002** (Elateridae)
87. **Carpocoris coreanus Distant,1899** (Pentatomidae)
88. **Cassida viridis Linnaeus,1758** (Chrysomelidae)
89. **Cephalochilus draco Giordani & Soika,1970** (Vespidae)
90. **Ceraninus bozovaensis (Doğanlar,2003)** (Eulophidae)
91. **Ceraninus hirsutus Doğanlar & Triapitsyn,2007** (Eulophidae)
92. **Ceraninus pacuvius (Walker,1841)** (Eulophidae)
93. **Cercopis intermedia Kirschbaum,1868** (Cercopidae)
94. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae)
95. **Cerocoma dahli Kraatz,1863** (Meloidae)
96. **Cerodontha (Butomomyza) scutellaris (von Roser,1840)** (Agromyzidae)
97. **Cerodontha (s.str.) denticornis (Panzer,1806)** (Agromyzidae)
98. **Ceropales cribrata Costa,1881** (Pompilidae)
99. **Ceropales maroccana Beaumont,1947** (Pompilidae)
100. **Ceropales ruficornis Gussakowskii,1931** (Pompilidae)
101. **Ceropales seraxensis Radoszkowski,1893** (Pompilidae)
102. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae)
103. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
104. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
105. **Chromatomyia horticola (Goureau,1851)** (Agromyzidae)
106. **Cicadatra atra (Oliver,1790)** (Cicadidae)
107. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
108. **Cicadula divaricata Ribaut,1952** (Cicadellidae)
109. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae)
110. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae)
111. **Cixius pallipes Fieber,1876** (Cixiidae)
112. **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae)
113. **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae)
114. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae)
115. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae)
116. **Colpotrichia triclitor (Aubert,1979)** (Ichneumonidae)
117. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
118. **Conops flavifrons Meigen,1824** (Conopidae)
119. **Cotesia telengai (Tobias,1972)** (Braconidae)
120. **Cryptocheilus albosignatus Sustera,1924** (Pompilidae)
121. **Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae)
122. **Cryptocheilus bequaerti Sustera,1924** (Pompilidae)
123. **Cryptocheilus fischeri (Spinola,1855)** (Pompilidae)
124. **Cryptocheilus guttulatus (Costa,1887)** (Pompilidae)
125. **Cryptocheilus hebraeus Sustera,1924** (Pompilidae)
126. **Cryptocheilus infumatus (Palma,1869)** (Pompilidae)
127. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae)
128. **Cryptocheilus pseudonotatus Sustera,1913** (Pompilidae)
129. **Cryptocheilus richardsi Moczar,1953** (Pompilidae)
130. **Cryptocheilus variipennis Sustera,1924** (Pompilidae)
131. **Cylindera (Cicindina) pygmaea (Dejean,1825)** (Carabidae)
132. **Cyrtolabulus zarudnyi (Kostylev,1939)** (Vespidae)
133. **Dasyhippus escalerae (Bolivar,1899)** (Acrididae)
134. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae)
135. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
136. **Dericorys tibialis (Pallas,1773)** (Acrididae)
137. **Deronectes syriacus Wewalka,1971** (Dytiscidae)
138. **Dictyophara asiatica Melichar,1912** (Dictyopharidae)
139. **Dicyrtomellus argenteus Wahis,1982** (Pompilidae)
140. **Dielocroce baudii (Griffini,1895)** (Nemopteridae)
141. **Dielocroce ephemera (Gersträcker,1893)** (Nemopteridae)
142. **Dielocroce modesta Hölzel,1975** (Nemopteridae)
143. **Diolcogaster claritibia (Papp,1959)** (Braconidae)
144. **Doclostaurus (Kazakia) jagoi Soltani,1978** (Acrididae)
145. **Doclostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
146. **Doclostaurus (s.str.) genei (Ocskay,1832)** (Acrididae)
147. **Doclostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae)
148. **Doclostaurus (s.str.) salmani Demirsoy,1977** (Acrididae)
149. **Doclostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae)
150. **Dolichogenidea longicauda (Wesmael,1837)** (Braconidae)
151. **Dolichogenidea sicarius (Marshall,1885)** (Braconidae)
152. **Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae)
153. **Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae)
154. **Drosophila andalusiaca Strobl,1906** (Drosophilidae)
155. **Drosophila busckii Coquillett,1901** (Drosophilidae)
156. **Drosophila funebris (Fabricius,1787)** (Drosophilidae)
157. **Dusona tricolorator Aubert,1970** (Ichneumonidae)

158. *Ebaeus medvedevi* Wittmer, 1970 (Melyridae)
159. *Empoasca solani* (Curtis, 1846) (Cicadellidae)
160. *Epallage fatime* (Charpentier, 1840) (Calopterygidae)
161. *Eremiaphila genei* Lefebvre, 1835 (Mantidae)
162. *Eremiaphila hauensteini* Werner, 1905 (Mantidae)
163. *Eremopeza gibbera* (Stal, 1874) (Pamphagidae)
164. *Eumenes mediterraneus* (Kriechbaumer, 1879) (Vespidae)
165. *Eupelix cuspidata* (Fabricius, 1775) (Cicadellidae)
166. *Eurydema ornatum* (Linnaeus, 1758) (Pentatomidae)
167. *Eurydema spectabilis* Horvath, 1882 (Pentatomidae)
168. *Euscelidius mundus* (Haupt, 1927) (Cicadellidae)
169. *Evagetes trispinosus* (Kohl, 1886) (Pompilidae)
170. *Evagetes tumidosus* (Tournier, 1890) (Pompilidae)
171. *Exitianus fasciolatus* (Melichar, 1911) (Cicadellidae)
172. *Eyprepocnemis plorans* (Charpentier, 1825) (Acrididae)
173. *Gomphus flavipes* (Charpentier, 1825) (Gomphidae)
174. *Goniagnathus bolivari* (Melichar, 1907) (Cicadellidae)
175. *Gryllotalpa gryllotalpa* (Linnaeus, 1758) (Gryllotalpidae)
176. *Gryllus* (s.str.) *campestris* Linnaeus, 1758 (Gryllidae)
177. *Gryllus* (s.str.) *urfaensis* Gümüüşsuyu, 1978 (Gryllidae)
178. *Habropogon spissipes* Hermann, 1909 (Asilidae)
179. *Handianus procerus* (Herrich-Schäffer, 1835) (Cicadellidae)
180. *Heliopteryx humeralis* (Kuthy, 1907) (Acrididae)
181. *Hemipepsis brunnea* (Klug, 1834) (Pompilidae)
182. *Hephathus freyi* (Fieber, 1868) (Cicadellidae)
183. *Homonotus sanguinolentus* (Fabricius, 1793) (Pompilidae)
184. *Hoplitis* (*Alcidamea*) *limassolica* (Mavromoustakis, 1937) (Megachilidae)
185. *Hoplitis* (*Annosmia*) *uncaticornis* (Stanek, 1969) (Megachilidae)
186. *Hoplitis* (*Anthocopa*) *urfensis* (Zanden, 1984) (Megachilidae)
187. *Hoplitis* (*Chlidoplitis*) *heinrichi* Zanden, 1980 (Megachilidae)
188. *Hoplitis* (*Megalosmia*) *fulva* (Eversmann, 1852) (Megachilidae)
189. *Hoplitis* (*Pentadentoscopia*) *gallinula* (Warncke, 1991) (Megachilidae)
190. *Hoplitis* (*Platosmia*) *alchata* (Warncke, 1990) (Megachilidae)
191. *Hyalesthes mlokosiewiczzi* Signoret, 1879 (Cixiidae)
192. *Hyalesthes obsoletus* Signoret, 1865 (Cixiidae)
193. *Hybomitra decora* (Loew, 1858) (Tabanidae)
194. *Hybomitra mendica* (Villeneuve, 1912) (Tabanidae)
195. *Hydrocyphon finitimus* Nyholm, 1977 (Scirtidae)
196. *Hypera jucundus* Capiomont, 1868 (Curculionidae)
197. *Hypera variabilis* (Herbst, 1795) (Curculionidae)
198. *Hypocassida subferruginea* (Schrank, 1776) (Chrysomelidae)
199. *Ischnogasteroides zarudnyi* (Kostylev, 1939) (Vespidae)
200. *Ischnura elegans* (Van Der Linden, 1820) (Coenagrionidae)
201. *Ischnura pumilio* (Charpentier, 1825) (Coenagrionidae)
202. *Isophya amplipennis* Brunner von Wattenwyl, 1878 (Tettigoniidae)
203. *Jucancistrocerus citreodecoratus* Giordani Soika, 1970 (Vespidae)
204. *Klapperichicen viridissima* (Walker, 1858) (Cicadidae)
205. *Labidostomis decipiens* Faldermann, 1837 (Chrysomelidae)
206. *Laccobius* (*Dimorpholaccobius*) *sculptus* Orchymont, 1936 (Hydrophilidae)
207. *Laccobius* (*Dimorpholaccobius*) *syriacus* Guillebeau, 1896 (Hydrophilidae)
208. *Lampyris angustula* Fairmaire, 1895 (Lampyridae)
209. *Lanelater judaicus* (Reiche & Sauley, 1856) (Elateridae)
210. *Larinus aeruginosus* Hochhuth, 1851 (Curculionidae)
211. *Larinus minutus* Gyllenhal, 1836 (Curculionidae)
212. *Larinus onopordi* (Fabricius, 1787) (Curculionidae)
213. *Lasioglossum* (*Evylaeus*) *mesosclerum* (Pérez, 1903) (Halictidae)
214. *Leptochilus aegincticus* Gusenleitner, 1970 (Vespidae)
215. *Leptochilus neutraliformis* Gusenleitner, 1977 (Vespidae)
216. *Leptochilus ornatulus* Gusenleitner, 1977 (Vespidae)
217. *Lertha extensa* (Olivier, 1811) (Nemopteridae)
218. *Lertha ledereri* (Selys-Longchamps, 1866) (Nemopteridae)
219. *Lertha palmonii* Tjeder, 1970 (Nemopteridae)
220. *Lertha schmidtii* (H. Aspöck, U. Aspöck & Hölzel, 1984) (Nemopteridae)
221. *Lertha sheppardi* (Kirby, 1904) (Nemopteridae)
222. *Lestes barbarus* (Fabricius, 1798) (Lestidae)
223. *Lestes virens* (Charpentier, 1825) (Lestidae)
224. *Libelloides macaronius* (Scopoli, 1763) (Ascalaphidae)
225. *Limotettix striola* (Fallén, 1806) (Cicadellidae)
226. *Liriomyza cicerina* (Rondani, 1875) (Agromyzidae)
227. *Liriomyza congesta* (Becker, 1903) (Agromyzidae)
228. *Liriomyza hieracivora* Spencer, 1971 (Agromyzidae)
229. *Liriomyza strigata* (Meigen, 1830) (Agromyzidae)
230. *Liriomyza trifolii* (Burgess, 1880) (Agromyzidae)
231. *Lixus scolapax* Boheman, 1836 (Curculionidae)
232. *Locusta migratoria* (Linnaeus, 1758) (Acrididae)

233. **Longitarsus suturellus** (Duftschmid,1825) (Chrysomelidae)
234. **Lophyridia caucasica** (Adams,1817) (Carabidae)
235. **Lophyridia fischeri** (Adams,1817) (Carabidae)
236. **Lophyridia hilariola** (Bates,1874) (Carabidae)
237. **Lophyridia littoralis** (Fabricius,1787) (Carabidae)
238. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
239. **Melanagromyza vignalis** Spencer,1959 (Agromyzidae)
240. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
241. **Melanotus (s.str.) fusciceps** (Gyllenhal,1817) (Elateridae)
242. **Mesostena puncticollis** Solier,1835 (Tenebrionidae)
243. **Microdynerus anatolicus** (Blüthgen,1938) (Vespidae)
244. **Microdynerus parvulus** (Herrich-Schäffer,1838) (Vespidae)
245. **Microphadnus insperatus** Priesner,1967 (Pompilidae)
246. **Microphadnus pumilus** (Costa,1882) (Pompilidae)
247. **Microptilis fordi** Nixon,1970 (Braconidae)
248. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
249. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
250. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
251. **Myriochile (Monelica) orientalis** (Dejean,1825) (Carabidae)
252. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
253. **Neoaliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
254. **Neoaliturus guttulatus** (Kirschbaum,1868) (Cicadellidae)
255. **Nomia (Lobonomia) lobata** Olivier,1811 (Halictidae)
256. **Nomia (Nomiapis) urfana** Warncke,1980 (Halictidae)
257. **Nymphogerius curticeps** (Linnavuori,1965) (Dictyopharidae)
258. **Oedemera (s.str.) flavipennis** W.Schmidt,1846 (Oedemeridae)
259. **Oedipoda schochi** Saussure,1884 (Acrididae)
260. **Oliarus angustiformis** Linnavuori,1953 (Cixiidae)
261. **Ommatidiotus longiceps** Puton,1896 (Caliscelidae)
262. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
263. **Ophiomyia cunctata** (Hendel,1920) (Agromyzidae)
264. **Ophiomyia pinguis** (Fallén,1820) (Agromyzidae)
265. **Orosius orientalis** (Matsumura,1914) (Cicadellidae)
266. **Osmia (Helicosmia) peregrina** Warncke,1988 (Megachilidae)
267. **Osmia (Tergosmia) glareola** Warncke,1988 (Megachilidae)
268. **Paravespa mimetica** (Schulthess,1924) (Vespidae)
269. **Pedinompilus wolffi** (Priesner,1965) (Pompilidae)
270. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
271. **Phytomyza affinis** Fallén,1823 (Agromyzidae)
272. **Phytomyza chelonei** Spencer,1969 (Agromyzidae)
273. **Phytomyza orobanchiae** Kaltenbach,1864 (Agromyzidae)
274. **Piocoris luridus** (Fieber,1844) (Lygaeidae)
275. **Plagiognathus chrysanthemi** (Wolff,1804) (Miridae)
276. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
277. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
278. **Platycleis (Squamiana) kurmana** (Ramme,1951) (Tettigoniidae)
279. **Platycleis (Tessellana) tessellata** (Charpentier,1825) (Tettigoniidae)
280. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
281. **Podagenia crassipes** Priesner,1973 (Pompilidae)
282. **Podagrionella eremiaphilae** O.Doğanlar & M.Doğanlar,2009 (Torymidae)
283. **Poecilimon syriacus** Brunner von Wattenwyl,1891 (Tettigoniidae)
284. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
285. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
286. **Priocnemis diversa** Junco,1946 (Pompilidae)
287. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
288. **Priocnemis propinqua** (Lepelletier,1847) (Pompilidae)
289. **Prionotropis maculinervis** (Stal,1878) (Pamphagidae)
290. **Protosmia (s.str.) magnicapitis** (Stanek,1969) (Megachilidae)
291. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
292. **Pseudoliarus palaestinensis** Linnavuori,1962 (Cixiidae)
293. **Pseudonapomyza atra** (Meigen,1830) (Agromyzidae)
294. **Pseudonapomyza spicata** (Malloch,1914) (Agromyzidae)
295. **Pseudonapomyza spinosa** Spencer,1973 (Agromyzidae)
296. **Pseudosymmorphus adnexus** (Gusenleitner,1969) (Vespidae)
297. **Pseudosymmorphus prophetus** (Giordani Soika,1952) (Vespidae)
298. **Psylliodes inflatus** Reiche,1856 (Chrysomelidae)
299. **Pycnocyrtus claviventris** Kriechbaumer,1894 (Ichneumonidae)
300. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
301. **Pyrgomorpha conica** (Olivier,1791) (Pyrgomorphidae)
302. **Pyrgomorpha guentheri** Burr,1899 (Pyrgomorphidae)

303. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae)
304. **Raphiglossa eumenoides Saunders,1850** (Vespidae)
305. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae)
306. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
307. **Rhytidodus decimusquartus (Schränk,1776)** (Cicadellidae)
308. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
309. **Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae)
310. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae)
311. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
312. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae)
313. **Sarcophila latifrons (Fallén,1817)** (Sarcophagidae)
314. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
315. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae)
316. **Schistocerca gregaria (Forskål,1775)** (Acrididae)
317. **Scolia galbula (Pallas,1771)** (Scoliidae)
318. **Scotodrymadusa syriaca (Pictet,1888)** (Tettigoniidae)
319. **Scymnus pallipediformis Günther,1958** (Coccinellidae)
320. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae)
321. **Selenocephalus sirvadi Dlabola,1965** (Cicadellidae)
322. **Setapius lindbergi (Dlabola,1957)** (Cixiidae)
323. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
324. **Sogatella vibix (Haupt,1927)** (Delphacidae)
325. **Sphingonotus (s.str.) theodori Uvarov,1923** (Acrididae)
326. **Sphingonotus pilosus Saussure,1884** (Acrididae)
327. **Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae)
328. **Stictopleurus riveti Royer,1923** (Rhopalidae)
329. **Sulamicerus stali (Fieber,1868)** (Cicadellidae)
330. **Sympetrum sanguineum (O.F.Müller,1764)** (Libellulidae)
331. **Syneuodynerus erichi Gusenleitner,1967** (Vespidae)
332. **Syneuodynerus sigberti (Gusenleitner,1967)** (Vespidae)
333. **Tachyagetes aegyptiacus (Priesner,1955)** (Pompilidae)
334. **Tachyagetes exortivus Wolf,1987** (Pompilidae)
335. **Tachyagetes filicornis (Tornier,1890)** (Pompilidae)
336. **Tachyagetes leucoenemis Haupt,1930** (Pompilidae)
337. **Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae)
338. **Tachycixius pilosus (Olivier,1791)** (Cixiidae)
339. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae)
340. **Temelucha meridionellator Aubert,1981** (Ichneumonidae)
341. **Tenthredo zonula Klug,1817** (Tenthredinidae)
342. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
343. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae)
344. **Tettigometra (Mitricephalus) leucophaea (Preysslér,1792)** (Tettigometridae)
345. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
346. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)
347. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae)
348. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae)
349. **Tmethis pulchripennis Audinet-Serville,1839** (Pamphagidae)
350. **Trichodes ephippiger Chevrolat,1874** (Cleridae)
351. **Trichodes ganglbaueri Escherich,1893** (Cleridae)
352. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae)
353. **Trichodes oberthueri Champenois,1900** (Cleridae)
354. **Trichodes reichei Mulsant & Rey,1863** (Cleridae)
355. **Trichodes rubrolimbatus Chevrolat,1876** (Cleridae)
356. **Trissolcus grandis (Thomson,1860)** (Scelionidae)
357. **Trissolcus semistriatus (Nees,1834)** (Scelionidae)
358. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae)
359. **Truxalis robusta (Uvarov,1916)** (Acrididae)
360. **Tshurtshurnella lodosi Dlabola,1979** (Issidae)
361. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
362. **Urophora affinis (Frauenfeld,1857)** (Tephritidae)
363. **Utecha trivialis (Germar,1821)** (Cicadellidae)
364. **Vespa orientalis Linnaeus,1771** (Vespidae)
365. **Vespula germanica (Fabricius,1793)** (Vespidae)
366. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae)

Uşak Province (64)

(102 species, stand 30 April 2010)

1. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
2. **Aelia rostrata** Boheman,1852 (Pentatomidae)
3. **Aelia virgata** (Herrich-Schäffer,1841) (Pentatomidae)
4. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
5. **Agalmatium bilobum** (Fieber,1877) (Issidae)
6. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)
7. **Alosimus chalybaeus** (Tauscher,1812) (Meloidae)
8. **Alosimus smyrnensis** (Maran,1942) (Meloidae)
9. **Anoplius concinnus** (Dahlbom,1845) (Pompilidae)
10. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
11. **Anthaxia (Cratomerus) diadema** Fischer,1824 (Buprestidae)
12. **Anthaxia (Cratomerus) krueperi** Ganglbauer,1885 (Buprestidae)
13. **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae)
14. **Anthaxia (Euanthaxia) anatolica** Chevrolat,1837 (Buprestidae)
15. **Anthaxia (s.str.) berytensis** Abeille,1895 (Buprestidae)
16. **Anthaxia (s.str.) discicollis** Gory & Laporte,1839 (Buprestidae)
17. **Anthaxia (s.str.) plicata** Kiesenwetter,1859 (Buprestidae)
18. **Aphelonyx persica** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
19. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
20. **Arachnospila sogdiana** (Morawitz,1893) (Pompilidae)
21. **Aradus cinnamomeus** Panzer,1806 (Aradidae)
22. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
23. **Athalia bicolor** Audinet-Serville,1823 (Tenthredinidae)
24. **Auletobius politus** Voss,1934 (Attelabidae)
25. **Bothynoderes punctiventris** (Germar,1794) (Curculionidae)
26. **Calliptamus barbarus** (Costa,1836) (Acrididae)
27. **Cantharis flavilabris** Fallén,1807 (Cantharidae)
28. **Cassida seraphina** Ménériés,1836 (Chrysomelidae)
29. **Celes variabilis** (Pallas,1771) (Acrididae)
30. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
31. **Chromoderus fasciatus** (O.F.Müller,1776) (Curculionidae)
32. **Chrysolina sanguinolenta** (Linnaeus,1758) (Chrysomelidae)
33. **Cicindela campestris** Linnaeus,1758 (Carabidae)
34. **Clytra novempunctata** Olivier,1808 (Chrysomelidae)
35. **Clytra valeriana** Ménériés,1832 (Chrysomelidae)
36. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
37. **Coenorrhinus cribrum** (Desbrochers,1875) (Attelabidae)
38. **Cryptocephalus imperialis** Laicharting,1781 (Chrysomelidae)
39. **Cryptocheilus ichneumonoides** (Costa,1874) (Pompilidae)
40. **Curculio salicivorus** Paykull,1792 (Curculionidae)
41. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae)
42. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
43. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
44. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
45. **Eurydema blanda** Horvath,1803 (Pentatomidae)
46. **Eurydema oleracea** (Linnaeus,1758) (Pentatomidae)
47. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
48. **Eurydema rugulosa** (Dohrn,1860) (Pentatomidae)
49. **Eurydema ventralis** Kolenati,1846 (Pentatomidae)
50. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
51. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
52. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
53. **Glyptothemis escherichi** (Krauss,1896) (Pamphagidae)
54. **Iassus lanio** (Linnaeus,1761) (Cicadellidae)
55. **Isophya straubei** (Fieber,1853) (Tettigoniidae)
56. **Jaapiella chondrilla** Skuhraiva,2005 (Cecidomyiidae)
57. **Lasioptera turcica** Möhn,1968 (Cecidomyiidae)
58. **Ledra aurita** (Linnaeus,1758) (Cicadellidae)
59. **Macrophya blanda** Fabricius,1775 (Tenthredinidae)
60. **Macropsis vicina** (Horvath,1897) (Cicadellidae)
61. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
62. **Malthinus conspicuus** Kiesenwetter,1852 (Cantharidae)
63. **Meloe hungarus** Schrank,1776 (Meloidae)
64. **Mocydiopsis monticola** Remane,1961 (Cicadellidae)
65. **Mustha spinosula** (Lefebvre,1831) (Pentatomidae)
66. **Mycterodus balikesiricus** Dlabola,1979 (Issidae)
67. **Mycterodus izmiticus** Dlabola,1979 (Issidae)
68. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
69. **Peirates hybridus** (Scopoli,1763) (Reduviidae)
70. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)

71. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
72. **Priocnemis agilis** (Shuckard,1837) (Pompilidae)
73. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
74. **Raphigaster nebulosa** (Poda,1761) (Pentatomidae)
75. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
76. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
77. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
78. **Rhynchites lodosi** Voss,1973 (Attelabidae)
79. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
80. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
81. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
82. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
83. **Scarabaeus sacer** Linnaeus,1758 (Scarabaeidae)
84. **Selenocephalus pallens** Lindberg,1948 (Cicadellidae)
85. **Setapius barajus** (Dlabola,1957) (Cixiidae)
86. **Sphingonotus (s.str.) theodori** Uvarov,1923 (Acrididae)
87. **Spilostethus pandurus** (Scopoli,1763) (Lygaeidae)
88. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
89. **Stictopleurus riveti** Royer,1923 (Rhopalidae)
90. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
91. **Tachycixius desertorum** (Fieber,1876) (Cixiidae)
92. **Tettigometra (Mitricephalus) eremi** Lindberg,1948 (Tettigometridae)
93. **Tettigometra (s.str.) sulphurea** Mulsant-Rey,1855 (Tettigometridae)
94. **Tillus pectinicornis** Abeille,1892 (Cleridae)
95. **Tingis caucasica** (Jakovlev,1880) (Tingidae)
96. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
97. **Trichodes punctatus** Fischer,1829 (Cleridae)
98. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
99. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
100. **Tropinota (Epicometis) hirta** (Poda,1761) (Scarabaeidae)
101. **Vespula germanica** (Fabricius,1793) (Vespidae)
102. **Vespula vulgaris** (Linnaeus,1758) (Vespidae)

Van Province (65)

(588 species, stand 30 April 2010)

1. **Ablabemyia monilis** (Linnaeus,1758) (Chironomidae)
2. **Ablabemyia phatta** (Egger,1896) (Chironomidae)
3. **Acanthiophilus helianthi** (Rossi,1790) (Tephritidae)
4. **Acrotylus insubricus** (Scopoli,1786) (Acrididae)
5. **Adesmia (s.str.) fischeri** Faldermann,1837 (Tenebrionidae)
6. **Aeshna affinis** Van Der Linden,1820 (Aeshnidae)
7. **Aeshna serrata** (Hagen,1856) (Aeshnidae)
8. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
9. **Agabus (Gaurodytes) dilatatus** (Brullé,1832) (Dytiscidae)
10. **Agallia bispinata** (Dlabola,1957) (Cicadellidae)
11. **Agalmatium flavescens** (Olivier,1791) (Issidae)
12. **Agenioideus apicalis** (Van der Linden,1827) (Pompilidae)
13. **Agenioideus ciliatus** (Lepelletier,1845) (Pompilidae)
14. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
15. **Agenioideus ruficeps** (Eversmann,1849) (Pompilidae)
16. **Agenioideus sericeus** (Van der Linden,1827) (Pompilidae)
17. **Agenioideus vesanus** (Kohl,1907) (Pompilidae)
18. **Agonum viridicupreum** (Goeze,1777) (Carabidae)
19. **Ammophila heydeni** Dahlbom,1845 (Sphecidae)
20. **Amphicoma (Pygopleurus) koniae** Petrovitz,1957 (Glaphyridae)
21. **Amphicoma (Pygopleurus) sexualis** Petrovitz,1968 (Glaphyridae)
22. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
23. **Amphicoma (Rudeulasia) pulchra** (Reitter,1890) (Glaphyridae)
24. **Amphicoma (Vittateulasia) vittata** (Fabricius,1775) (Glaphyridae)
25. **Anax imperator** Leach,1815 (Aeshnidae)
26. **Ancistrocerus oviventris** (Wesmael,1836) (Vespidae)
27. **Andricus aries** (Giraud,1859) (Cynipidae)
28. **Andricus askewi** Melika & Stone,2001 (Cynipidae)
29. **Andricus caputmedusae** (Hartig,1843) (Cynipidae)
30. **Andricus curtisii** (Müller,1870) (Cynipidae)
31. **Andricus insanus** (Westwood,1837) (Cynipidae)
32. **Andricus lucidus** (Hartig,1843) (Cynipidae)
33. **Andricus megalucidus** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
34. **Andricus megaltruncicolus** Melika,2008 (Cynipidae)
35. **Andricus moreae** (Graeffe,1905) (Cynipidae)
36. **Andricus multiplicatus** Giraud,1859 (Cynipidae)
37. **Andricus polycerus** (Giraud,1859) (Cynipidae)
38. **Andricus quercuscalicis** (Burgsdorf,1783) (Cynipidae)
39. **Andricus sternlichti** Bellido, Pujade-Villar & Melika,2003 (Cynipidae)

40. **Andricus tomentosus** (Trotter,1901) (Cynipidae)
41. **Andricus truncicola** (Giraud,1859) (Cynipidae)
42. **Anechura bipunctata** (Fabricius,1781) (Forficulidae)
43. **Anisoplia (Chaetopteropia) segetum** (Herbst,1783) (Scarabaeidae)
44. **Anoplius concinnus** (Dahlbom,1845) (Pompilidae)
45. **Anoplius infuscatus** (Van der Linden,1827) (Pompilidae)
46. **Anoplius samariensis** (Pallas,1771) (Pompilidae)
47. **Anoplius schlettereri** (Radoszkowski,1888) (Pompilidae)
48. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
49. **Antepipona insana** (Giordani Soika,1943) (Vespidae)
50. **Anthidium (Icteranthidium) cimbiciforme** (Smith,1854) (Megachilidae)
51. **Anthidium (Icteranthidium) ovasi** Warncke,1980 (Megachilidae)
52. **Anthidium (Rhodanthidium) superbum** Radoszkowski,1876 (Megachilidae)
53. **Anthidium (s.str.) cingulatum** Latreille,1809 (Megachilidae)
54. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae)
55. **Anthidium (s.str.) punctatum** Latreille,1809 (Megachilidae)
56. **Aphelocheirus aestivalis** (Fabricius,1794) (Aphelocheiridae)
57. **Aphelonyx persica** Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae)
58. **Aphis fabae Scopoli,1763** (Aphididae)
59. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
60. **Aphrodes elongatus** (Lethierry,1876) (Cicadellidae)
61. **Apthona crassicornis** Lopatin,1990 (Chrysomelidae)
62. **Apis mellifera** Linnaeus,1758 (Apidae)
63. **Aporinellus sexmaculatus** (Spinola,1805) (Pompilidae)
64. **Apsectrotamypus trifascipennis** (Zetterstedt,1850) (Chironomidae)
65. **Arachnospila fumipennis** (Zetterstedt,1838) (Pompilidae)
66. **Arachnospila hedickei** (Haupt,1929) (Pompilidae)
67. **Arachnospila osmana** (Wolf,1999) (Pompilidae)
68. **Arachnospila rufa** (Haupt,1927) (Pompilidae)
69. **Arcyptera (Pararcyptera) microptera** (Fischer de Waldheim,1833) (Acrididae)
70. **Arge ochropus** (Gmelin,1790) (Argidae)
71. **Artianus manderstjernii** (Kirschbaum,1868) (Cicadellidae)
72. **Attelabus nitens** (Scopoli,1763) (Attelabidae)
73. **Atylotus hendrixi** Leclercq,1967 (Tabanidae)
74. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
75. **Auplopus rectus** (Haupt,1927) (Pompilidae)
76. **Balclutha pellucens** Horvath,1909 (Cicadellidae)
77. **Balclutha rhenana** Wagner,1939 (Cicadellidae)
78. **Batozonellus lacerticida** (Pallas,1771) (Pompilidae)
79. **Batracomorphus irroratus** Lewis,1834 (Cicadellidae)
80. **Bembecinus acanthomerus** (Morice,1911) (Crabronidae)
81. **Bembecinus nigrolabrum** Schmid-Egger,2004 (Crabronidae)
82. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
83. **Bembecinus tridens** (Fabricius,1781) (Crabronidae)
84. **Berosus (Enoplurus) spinosus** (Steven,1808) (Hydrophilidae)
85. **Bibio marci** (Linnaeus,1758) (Bibionidae)
86. **Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae)
87. **Blatta orientalis** Linnaeus,1758 (Blattidae)
88. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
89. **Bombylella atra** (Scopoli,1763) (Bombyliidae)
90. **Brachycerus quadrisulcatus** Fischer v. Waldheim,1830 (Brachyceridae)
91. **Brachymeria femorata** (Panzer,1801) (Chalcididae)
92. **Brumus octosignatus** (Gebler,1830) (Coccinellidae)
93. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
94. **Bulaea lichatschovi** (Hummel,1827) (Coccinellidae)
95. **Callimenes dilatatus** (Stal,1876) (Tettigoniidae)
96. **Calliptamus barbarus** (Costa,1836) (Acrididae)
97. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
98. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
99. **Calosoma sycophanta** (Linnaeus,1758) (Carabidae)
100. **Campiglossa producta** Loew,1844 (Tephritidae)
101. **Campiglossa tesellata** (Loew,1844) (Tephritidae)
102. **Capnodis marquardtii** Reitter,1913 (Buprestidae)
103. **Carabus (Lamprostus) calleyi** Fischer von Waldheim,1823 (Carabidae)
104. **Carabus (Procrustes) chevrolati** Cristofori & Jan,1837 (Carabidae)
105. **Catoplatus brevicornis** Akramovskaya & Golub,1973 (Tingidae)
106. **Celes variabilis** (Pallas,1771) (Acrididae)
107. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
108. **Cerapterocerus mirabilis** Westwood,1833 (Encyrtidae)
109. **Ceratophygadeuon anurus** (Thomson,1884) (Ichneumonidae)
110. **Ceropales albicincta** (Rossi,1790) (Pompilidae)
111. **Ceropales helvetica** Tournier,1889 (Pompilidae)
112. **Cetonia (s.str.) aurata** (Linnaeus,1761) (Scarabaeidae)
113. **Chironomus plumosus** (Linnaeus,1758) (Chironomidae)
114. **Chlorita vana** Dlabola,1971 (Cicadellidae)
115. **Chloromyia speciosa** (Macquart,1834) (Stratiomyidae)
116. **Chorthippus (Chorthippus) parallelus** (Zetterstedt,1821) (Acrididae)
117. **Chorthippus (Glyptobothrus) longicornis** (Latreille,1804) (Acrididae)

118. **Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae)
119. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae)
120. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae)
121. **Chorthippus (Stauroderus) scalaris (Fischer von Waldheim,1846)** (Acrididae)
122. **Chromovalgus peyroni (Mulsant & Wachanru,1852)** (Scarabaeidae)
123. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae)
124. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae)
125. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae)
126. **Chrysomela populi Linnaeus,1758** (Chrysomelidae)
127. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
128. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae)
129. **Cicadatra persica Kirkaldy,1909** (Cicadidae)
130. **Cicindela asiatica Audouin & Brullé,1839** (Carabidae)
131. **Cicindela desertorum Dejean,1825** (Carabidae)
132. **Cicindela turkestanicoides W.Horn,1938** (Carabidae)
133. **Cionus olivieri Rosenschöld,1838** (Curculionidae)
134. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae)
135. **Coccinella (s.str.) distincta Falderman** (Coccinellidae)
136. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae)
137. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae)
138. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae)
139. **Coenagrion ornatum (Selys,1850)** (Coenagrionidae)
140. **Coenagrion syriacum (Morton,1924)** (Coenagrionidae)
141. **Colletes hiekeseniori Kuhlmann,2003** (Colletidae)
142. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae)
143. **Conchapelopia sp.** (Chironomidae)
144. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae)
145. **Conops flavicaudus (Bigot,1880)** (Conopidae)
146. **Coptosia ganglbaueri (Pic,1951)** (Cerambycidae)
147. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae)
148. **Corizus fenestella Horvath,1917** (Rhopalidae)
149. **Corizus hyosecyami (Linnaeus,1758)** (Rhopalidae)
150. **Cricotopus annulator Goetghebuer,1927** (Chironomidae)
151. **Cricotopus bicinctus (Meigen,1818)** (Chironomidae)
152. **Cricotopus flavocinctus (Kieffer,1924)** (Chironomidae)
153. **Cricotopus sylvestris (Fabricius,1794)** (Chironomidae)
154. **Cricotopus vieriensis Goetghebuer,1935** (Chironomidae)
155. **Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae)
156. **Cryptocheilus discolor (Fabricius,1793)** (Pompilidae)
157. **Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae)
158. **Cryptocheilus exiguus Susterera,1924** (Pompilidae)
159. **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae)
160. **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae)
161. **Cryptocheilus rubellus (Eversmann,1846)** (Pompilidae)
162. **Cryptocheilus stygium Priesner,1967** (Pompilidae)
163. **Cryptocheilus variipennis Susterera,1924** (Pompilidae)
164. **Cryptochironomus defectus Kieffer,1921** (Chironomidae)
165. **Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae)
166. **Cymatia rogenhoferi (Fieber,1864)** (Corixidae)
167. **Cynips quercus (Fourcroy,1785)** (Cynipidae)
168. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae)
169. **Cyphon euoplus Nyholm,1970** (Scirtidae)
170. **Cyphon laevipennis Tournier,1868** (Scirtidae)
171. **Cyphon palustris Thomson,1855** (Scirtidae)
172. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae)
173. **Deleproctophylla dusmeti Navas,1914** (Ascalaphidae)
174. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae)
175. **Dentilla curtiventris (André,1901)** (Mutillidae)
176. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae)
177. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae)
178. **Dictyophara asiatica Melichar,1912** (Dictyopharidae)
179. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae)
180. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae)
181. **Dicyphus alkannae Seidenstücker,1956** (Miridae)
182. **Diplocladius cultriger Kieffer,1908** (Chironomidae)
183. **Diplolepis fructuum (Rübsaamen,1895)** (Cynipidae)
184. **Dissonomus substriatus Reitter,1898** (Tenebrionidae)
185. **Doclostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae)
186. **Dolichovespula sylvestris (Scopoli,1763)** (Vespididae)
187. **Doratura homophyla (Flor,1861)** (Cicadellidae)
188. **Doratura impudica Horvath,1897** (Cicadellidae)
189. **Doratura stylata (Boheman,1847)** (Cicadellidae)
190. **Drosophila andalusiaca Strobl,1906** (Drosophilidae)
191. **Dufourea (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae)
192. **Dufourea (s.str.) caelestis Ebmer,1987** (Halictidae)

193. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae)
194. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae)
195. **Einfeldia sp.** (Chironomidae)
196. **Elaphrosyron paglianoi Wolf,1999** (Pompilidae)
197. **Eliozeta helluo (Fabricius,1805)** (Tachinidae)
198. **Elodes flavoangularis Klausnitzer,1990** (Scirtidae)
199. **Empoasca solani (Curtis,1846)** (Cicadellidae)
200. **Enallagma cyathigerum (Charpentier,1840)** (Coenagrionidae)
201. **Enochrus (Lumetus) bicolor (Fabricius,1792)** (Hydrophilidae)
202. **Eoferreola anatolica Piesner,1973** (Pompilidae)
203. **Epallage fatime (Charpentier,1840)** (Calopterygidae)
204. **Episyron candiotum Wahis,1966** (Pompilidae)
205. **Episyron gallicum (Tournier,1889)** (Pompilidae)
206. **Episyron rufipes (Linnaeus,1758)** (Pompilidae)
207. **Episyrrhus balteatus (De Geer,1776)** (Syrphidae)
208. **Eremopeza saussurei (Uvarov,1918)** (Pamphagidae)
209. **Eristalinus (Lathyrophthalmus) megacephalus (Rossi,1792)** (Syrphidae)
210. **Eristalis tenax (Linnaeus,1758)** (Syrphidae)
211. **Eukiefferiella alpestris Goetghebuer,1935** (Chironomidae)
212. **Eukiefferiella breviceps Kieffer,1929** (Chironomidae)
213. **Eukiefferiella calvescens Edw.,1929** (Chironomidae)
214. **Eukiefferiella discoloripes Kieffer,1929** (Chironomidae)
215. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae)
216. **Euodynerus (s.str.) clathratus Blüthgen,1951** (Vespidae)
217. **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae)
218. **Eupeodes corollae (Fabricius,1794)** (Syrphidae)
219. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae)
220. **Eupteryx taborskyi Dlabola,1957** (Cicadellidae)
221. **Euscelidius mundus (Haupt,1927)** (Cicadellidae)
222. **Euscelis alsius Ribaut,1952** (Cicadellidae)
223. **Evagetes dubius (Van der Linden,1827)** (Pompilidae)
224. **Evagetes gibbulus Lepeletier,1845** (Pompilidae)
225. **Evagetes pontomoravicus (Sustera,1938)** (Pompilidae)
226. **Evagetes tumidosus (Tournier,1890)** (Pompilidae)
227. **Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae)
228. **Forficula auricularia Linnaeus,1758** (Forficulidae)
229. **Forficula tomis (Kolenati,1846)** (Forficulidae)
230. **Geomyza tripunctata Fallén,1823** (Opomyzidae)
231. **Gonia maculipennis Egger,1862** (Tachinidae)
232. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae)
233. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae)
234. **Grypocoris fieberi Douglas & Scott,1868** (Miridae)
235. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae)
236. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae)
237. **Harmonia axyridis (Pallas,1773)** (Coccinellidae)
238. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae)
239. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae)
240. **Helophorus abeillei Guillebeau,1896** (Helophoridae)
241. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae)
242. **Helophorus brevialipis Bedel,1881** (Helophoridae)
243. **Helophorus brevialpis Bedel,1881** (Helophoridae)
244. **Helophorus discrepans Rey,1885** (Helophoridae)
245. **Helophorus frater Orchymont,1926** (Helophoridae)
246. **Helophorus maculatus Motschoulsky,1860** (Helophoridae)
247. **Helophorus micans Falderman,1835** (Helophoridae)
248. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae)
249. **Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae)
250. **Hippodamia (Semiadalia) undecimnotata (Schneider,1792)** (Coccinellidae)
251. **Hister quadrimaculatus Linnaeus,1758** (Histeridae)
252. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae)
253. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae)
254. **Hoplitis (Alcidamea) decaocta (Warncke,1991)** (Megachilidae)
255. **Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae)
256. **Hoplitis (Annosmia) fulica (Warncke,1991)** (Megachilidae)
257. **Hoplitis (Pentadentostmia) pomarina (Warncke,1991)** (Megachilidae)
258. **Hyalesthes obsoletus Signoret,1865** (Cixiidae)
259. **Hyalesthes ponticorum Hoch & Remane,1985** (Cixiidae)
260. **Hyalesthes veyseli Hoch,1985** (Cixiidae)
261. **Hycleus scabiosae (Olivier,1811)** (Meloidea)
262. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae)
263. **Hygrotus (Coelambus) lernaeus (Schaum,1857)** (Dytiscidae)
264. **Hypera farinosa Boheman,1842** (Curculionidae)

265. **Hypera jucundus** Capiomont,1868
(Curculionidae)
266. **Hypera meles** (Fabricius,1792)
(Curculionidae)
267. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
268. **Hypera viciae** (Gyllenhal,1813)
(Curculionidae)
269. **Idiocerus herriehii** Kirschbaum,1868
(Cicadellidae)
270. **Iranoidricerus iranensis**
(Kimmins,1938) (Ascalaphidae)
271. **Iris oratoria** (Linnaeus,1758) (Irididae)
272. **Ischnura elegans** (Van Der Linden,1820)
(Coenagrionidae)
273. **Ischnura pumilio** (Charpentier,1825)
(Coenagrionidae)
274. **Javesella obscurella** (Boheman,1847)
(Delphacidae)
275. **Javesella pellucida** (Fabricius,1794)
(Delphacidae)
276. **Jugurtia escalerae** Meade-Waldo,1910
(Vespidae)
277. **Kelisia ribauti** Wagner,1938 (Delphacidae)
278. **Kybos candelabricus** Dlabola,1958
(Cicadellidae)
279. **Kybos virgator** (Ribaut,1933)
(Cicadellidae)
280. **Labidura riparia** (Pallas,1773)
(Labiduridae)
281. **Laburrus abrotani** Emelyanov,1962
(Cicadellidae)
282. **Laburrus handlirschi** (Matsumura,1908)
(Cicadellidae)
283. **Laccobius (Dimorpholaccobius)**
obscuratus Rottenberg,1874 (Hydrophilidae)
284. **Laccobius (Dimorpholaccobius)**
simulatrix Orchymont,1932 (Hydrophilidae)
285. **Laccobius (Dimorpholaccobius)**
striatulus (Fabricius,1801) (Hydrophilidae)
286. **Laccobius (Dimorpholaccobius)**
sulcatulus Reitter,1909 (Hydrophilidae)
287. **Laccobius (Dimorpholaccobius) syriacus**
Guillebeau,1896 (Hydrophilidae)
288. **Laccobius (Microlaccobius) gracilis**
Motschoulsky,1855 (Hydrophilidae)
289. **Lampropterus femoratus** (Germar,1824)
(Cerambycidae)
290. **Larinus minutus** Gyllenhal,1836
(Curculionidae)
291. **Larinus turbinatus** Gyllenhal,1836
(Curculionidae)
292. **Lasioglossum (Evylaeus) mesosclerum**
(Pérez,1903) (Halictidae)
293. **Lertha palmonii** Tjeder,1970
(Nemopteridae)
294. **Lestes barbarus** (Fabricius,1798)
(Lestidae)
295. **Lestes dryas** Kirby,1890 (Lestidae)
296. **Libelloides macaronius** (Scopoli,1763)
(Ascalaphidae)
297. **Libellula depressa** Linnaeus,1758
(Libellulidae)
298. **Limnophyes transcaucasicus**
Tchern.1949 (Chironomidae)
299. **Limotettix striola** (Fallén,1806)
(Cicadellidae)
300. **Lispe nana** Macquart,1835 (Muscidae)
301. **Lixus bardanae** (Fabricius,1787)
(Curculionidae)
302. **Lixus cardui** Olivier,1807 (Curculionidae)
303. **Lixus elegantulus** Boheman,1843
(Curculionidae)
304. **Lixus scolapax** Boheman,1836
(Curculionidae)
305. **Lobodera (Penthomegus) iners**
Ménétriés,1832 (Tenebrionidae)
306. **Longitarsus anaticus** Weise,1900
(Chrysomelidae)
307. **Lophyridia fischeri** (Adams,1817)
(Carabidae)
308. **Lophyridia littoralis** (Fabricius,1787)
(Carabidae)
309. **Lucanus (s.str.) ibericus**
Motschoulsky,1845 (Lucanidae)
310. **Ludita fulvipennis** (Smith,1879) (Tiphidae)
311. **Macrolophus caliginosus** Wagner,1950
(Miridae)
312. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
313. **Macropsis scutellata** (Boheman,1845)
(Cicadellidae)
314. **Macrosteles fieberi** (Edwards,1889)
(Cicadellidae)
315. **Macrosteles forficula** (Ribaut,1927)
(Cicadellidae)
316. **Macrosteles laevis** (Ribaut,1927) (Cicadellidae)
317. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
318. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
319. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
320. **Megabombus mesomelas**
(Gerstaecker,1869) (Apidae)
321. **Megabombus zonatus** (Smith,1854) (Apidae)
322. **Megachile (Eutricharaea) pilidens**
Alfken,1924 (Megachilidae)
323. **Meloe mediterraneus** Müller,1925
(Meloidae)
324. **Merodon avidus** (Rossi,1790) (Syrphidae)
325. **Merodon kaloceros** Hurkmans,1993
(Syrphidae)
326. **Merodon warnckeii** Hurkmans,1993
(Syrphidae)
327. **Metrioptera (Roeseliana) bispina**
(Bolivar,1899) (Tettigoniidae)
328. **Micantulina (Mulsantina) acuticeps**
(Linnavuori,1962) (Cicadellidae)
329. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855) (Cicadellidae)
330. **Micropsectra curvicornis**
(Tchernovskii,1949) (Chironomidae)
331. **Mocuellus deminutus** Dlabola,1981
(Cicadellidae)
332. **Mogangella secundaria** Dlabola,1958
(Cicadellidae)
333. **Mogangella straminea** Dlabola,1957
(Cicadellidae)
334. **Monosteira lobulifera** Reuter,1888
(Tingidae)
335. **Muirodelphax aubei** (Perris,1857)
(Delphacidae)
336. **Musaria astarte** (Ganglbauer,1885)
(Cerambycidae)
337. **Musaria kurdistanica** (Ganglbauer,1884)
(Cerambycidae)

338. **Musca domestica** Linnaeus,1758 (Muscidae)
339. **Muscina stabulans** (Fallén,1817) (Muscidae)
340. **Mycterodus goricus** (Dlabola,1958) (Issidae)
341. **Mylabris cincta** Olivier,1811 (Meloidae)
342. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
343. **Myndus musivus** (Germar,1825) (Cixiidae)
344. **Myopa dorsalis** Fabricius,1794 (Conopidae)
345. **Myrmecaelurus maior** McLachan,1875 (Myrmeleonidae)
346. **Nebrioporus airumlus** (Kolenati,1845) (Dytiscidae)
347. **Neides tipularius** (Linnaeus,1758) (Berytidae)
348. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
349. **Nemotelus (s.str.) rudifraci** (Berezovsky & Nartshuk,1993) (Stratiomyidae)
350. **Nealiturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
351. **Neophilaenus campestris** (Fallén,1805) (Cercopidae)
352. **Neophilaenus lineatus** (Linnaeus,1758) (Cercopidae)
353. **Nephrotoma croceiventris** (Strobl,1909) (Tipulidae)
354. **Nephrotoma scalaris** (Meigen,1818) (Tipulidae)
355. **Netelia (s.str.) fuscicornis** (Holmgren,1860) (Ichneumonidae)
356. **Neuroterus anthracinus** (Curtis,1838) (Cynipidae)
357. **Neuroterus quercusbaccarum** (Linnaeus,1758) (Cynipidae)
358. **Nocarodes aserbus** Mistshenko,1951 (Pamphagidae)
359. **Notonecta viridis** Delcourt,1909 (Notonectidae)
360. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae)
361. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
362. **Oedaleus decorus** (Germar,1817) (Acrididae)
363. **Oedipoda caerulea** (Linnaeus,1758) (Acrididae)
364. **Oedipoda miniata** (Pallas,1771) (Acrididae)
365. **Oedipoda schochi** Saussure,1884 (Acrididae)
366. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
367. **Omalium turcicum** Smetana,1967 (Staphylinidae)
368. **Opsilia coerulea** (Scopoli,1763) (Cerambycidae)
369. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
370. **Orthetrum albistylum** (Selys,1848) (Libellulidae)
371. **Orthetrum anceps** (Schneider,1845) (Libellulidae)
372. **Orthetrum brunneum** (Fonscolombe,1837) (Libellulidae)
373. **Orthocladus luteipes** Goetghebuer,1921 (Chironomidae)
374. **Orthocladus oblidens** (Walker,1856) (Chironomidae)
375. **Orthocladus thienemanni** (Kieffer,1918) (Chironomidae)
376. **Oryctes (Oryctes) nasicornis** (Linnaeus,1758) (Scarabaeidae)
377. **Osmia (Helicosmia) dimidiata** Morawitz,1870 (Megachilidae)
378. **Osmia (Hemiosmia) difficilis** Morawitz,1875 (Megachilidae)
379. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae)
380. **Osmia (Ozbekosmia) avosetta** Warncke,1988 (Megachilidae)
381. **Osmia (Tergosmia) avosetta** Warncke,1988 (Megachilidae)
382. **Osmia (Tergosmia) glareola** Warncke,1988 (Megachilidae)
383. **Osmia (Tergosmia) glareola** Warncke,1988 (Megachilidae)
384. **Osmylus multiguttatus** McLachlan,1870 (Osmylidae)
385. **Osphranteria coerulescens** Redtenbacher,[1849] (Cerambycidae)
386. **Oxyaciura tibialis** Robineau-Desvoidy,1830 (Tephritidae)
387. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
388. **Pachybrachis (s.str.) anatolicus** Lopatin,1985 (Chrysomelidae)
389. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
390. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
391. **Palpares libelluloides** (Linnaeus,1764) (Myrmeleonidae)
392. **Palpares turcicus** Koçak,1976 (Myrmeleonidae)
393. **Pangonius (s.str.) pyritosus** Loew,1859 (Tabanidae)
394. **Panorpa tatvana** Willmann,1974 (Panorpidae)
395. **Paracladius conversus** (Walker,1856) (Chironomidae)
396. **Paracorixa concinna** (Fieber,1848) (Corixidae)
397. **Paragus (s.str.) albifrons** (Fallén,1817) (Syrphidae)
398. **Paragus (s.str.) quadrifasciatus** Meigen,1822 (Syrphidae)
399. **Paramerina cingulata** (Walker,1856) (Chironomidae)
400. **Parametricnemus stylatus** (Kieffer,1924) (Chironomidae)
401. **Paranocaracris rimansonae** (Uvarov,1918) (Pamphagidae)
402. **Paraphilaenus notatus** (Mulsant & Rey,1855) (Cercopidae)
403. **Paratanytarsus lauterborni** Kieffer,1918 (Chironomidae)
404. **Paratendipes intermedius** Tchern.,1949 (Chironomidae)
405. **Pedestredorcadion beckeri** (Kraatz,1873) (Cerambycidae)
406. **Pedestredorcadion deyrollei** (Ganglbauer,1883) (Cerambycidae)
407. **Pedestredorcadion wagneri** (Küster,1846) (Cerambycidae)
408. **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae)

409. **Pentastira major** (Kirschbaum,1868) (Cixiidae)
410. **Perilissus rufoniger** (Gravenhorst,1829) (Ichneumonidae)
411. **Perlamantispia perla** (Pallas,1772) (Mantispidae)
412. **Pezodrymadusa indivisa** Karabağ,1961 (Tettigoniidae)
413. **Pezodrymadusa kurmana** (Ramme,1939) (Tettigoniidae)
414. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
415. **Phlebotomus (Adlerius) balcanicus Theodor,1958** (Psychodidae)
416. **Phlebotomus (Paraphlebotomus) papatasi (Scopoli,1786)** (Psychodidae)
417. **Phlebotomus jacusieli Theodor,1947** (Psychodidae)
418. **Phlebotomus transcausicus Perfiliew,1937** (Psychodidae)
419. **Phlepsius ornatus (Perris,1857)** (Cicadellidae)
420. **Phyllobrotica binotata Ogloblin,1936** (Chrysomelidae)
421. **Phyllomorpha laciniatus (Villers,1789)** (Coreidae)
422. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae)
423. **Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae)
424. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
425. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae)
426. **Platymetopius shirazicus Dlabola,1974** (Cicadellidae)
427. **Platynaspis luteorubra (Goeze,1777)** (Coccinellidae)
428. **Platystoma seminationis (Fabricius,1775)** (Platystomidae)
429. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae)
430. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
431. **Polypedilum breviantennatum Tchern.,1949** (Chironomidae)
432. **Polypedilum convictum (Walker,1856)** (Chironomidae)
433. **Polyphaga aegyptiaca (Linnaeus,1758)** (Polyphagidae)
434. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae)
435. **Pompilus cinereus (Fabricius,1787)** (Pompilidae)
436. **Populicerus sharifi Dlabola,1977** (Cicadellidae)
437. **Potthastia sp.** (Chironomidae)
438. **Priocnemis vulgaris (Dufour,1841)** (Pompilidae)
439. **Procladius sp.** (Chironomidae)
440. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae)
441. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae)
442. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae)
443. **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae)
444. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae)
445. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae)
446. **Psammotettix comitans Emelyanov,1964** (Cicadellidae)
447. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae)
448. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae)
449. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae)
450. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae)
451. **Psectrocladius psilopterus Kieffer,1906** (Chironomidae)
452. **Psectrocladius serpentrionalis Tchern.,1949** (Chironomidae)
453. **Psectrocladius stratiotis Kieffer,1911** (Chironomidae)
454. **Psectrocladius ventricosus Kieffer,1911** (Chironomidae)
455. **Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae)
456. **Pseudoceles oedipoides Bolivar,1899** (Acrididae)
457. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae)
458. **Psiligglossa anatolica Giordani Soika,1979** (Vespidae)
459. **Ptyngidricerus albardanus (McLachan,1891)** (Ascalaphidae)
460. **Ptyngidricerus albardanus albardanus (McLachan,1891)** (Ascalaphidae)
461. **Purpuricenus tommasoï Sama,2001** (Cerambycidae)
462. **Purpuricenus wachanrui Levrat,1858** (Cerambycidae)
463. **Pyrgodera armata (Fischer von Waldheim,1820)** (Acrididae)
464. **Pyrobombus niveatus (Kriechbaumer,1870)** (Apidae)
465. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae)
466. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
467. **Reptalus (Trepalus) rufocarinatus (Kusnezov,1937)** (Cixiidae)
468. **Rheotanytarsus exiguus Joh.,1937** (Chironomidae)
469. **Rhoanans hypochlorus (Fieber,1869)** (Cicadellidae)
470. **Rhynchites hungaricus (Herbst,1784)** (Atelabidae)
471. **Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae)
472. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae)
473. **Ribautodelphax pallens (Stål,1854)** (Delphacidae)
474. **Ricania hedenborgi Stal,1865** (Ricaniidae)
475. **Ronisia brutia (Petagna,1787)** (Mutillidae)
476. **Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae)
477. **Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae)
478. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae)
479. **Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae)

480. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae)
481. **Sapyga (s.str.) similis (Fabricius,1793)** (Sapygidae)
482. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae)
483. **Scaptomyza (s.str.) flava (Fallén,1823)** (Drosophilidae)
484. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae)
485. **Scarodytes halensis (Fabricius,1787)** (Dytiscidae)
486. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae)
487. **Schistocerca gregaria (Forsk.,1775)** (Acrididae)
488. **Sciocoris deltocephalus Fieber,1861** (Pentatomidae)
489. **Sciocoris macrocephalus Fieber,1851** (Pentatomidae)
490. **Sciocoris ochraceus Fieber,1861** (Pentatomidae)
491. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
492. **Scymnus apetzi Mulsant,1846** (Coccinellidae)
493. **Scymnus quadriguttatus Capra,1924** (Coccinellidae)
494. **Selenocephalus armeniacus Lindberg,1960** (Cicadellidae)
495. **Selenocephalus sirvadi Dlabola,1965** (Cicadellidae)
496. **Semnosia interrupta (Pic,1905)** (Cerambycidae)
497. **Sigara assimilis (Fieber,1848)** (Corixidae)
498. **Sigara lateralis Leach,1818** (Corixidae)
499. **Sigara nigrolineata (Fieber,1848)** (Corixidae)
500. **Smaragdina limbata (Steven,1806)** (Chrysomelidae)
501. **Sogatella vibix (Haupt,1927)** (Delphacidae)
502. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae)
503. **Sphenella marginata (Fallén,1814)** (Tephritidae)
504. **Sphingonotus (s.str.) nebulosus (Fischer von Waldheim,1846)** (Acrididae)
505. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
506. **Stagonomus amoenus (Brullé,1832)** (Pentatomidae)
507. **Stauroderus scalaris (Fischer von Waldheim,1846)** (Acrididae)
508. **Stenometiellus angorensis Zachvatkin,1946** (Cicadellidae)
509. **Stictochironomus sp.1** (Chironomidae)
510. **Stictochironomus sp.2** (Chironomidae)
511. **Stictoleptura tripartita (Heyden,1889)** (Cerambycidae)
512. **Stictopleurus riveti Royer,1923** (Rhopalidae)
513. **Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae)
514. **Stylosomus flavus Marseul,1875** (Chrysomelidae)
515. **Sympetrum flaveolum (Linnaeus,1758)** (Libellulidae)
516. **Sympetrum fonscolombii (Selys,1840)** (Libellulidae)
517. **Sympetrum meridionale (Selys,1841)** (Libellulidae)
518. **Sympetrum pedemontanum (Allioni,1766)** (Libellulidae)
519. **Sympetrum striolatum (Charpentier,1840)** (Libellulidae)
520. **Tabanus alvarengia Schacht,1987** (Tabanidae)
521. **Tabanus anthrax Olsufjev,1937** (Tabanidae)
522. **Tabanus bromius Linnaeus,1758** (Tabanidae)
523. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
524. **Tabanus olsufjevi Hauser,1960** (Tabanidae)
525. **Tabanus semiargenteus Olsufjev,1937** (Tabanidae)
526. **Tabanus swiridowi Portschninsky,1882** (Tabanidae)
527. **Tabanus unifasciatus Loew,1858** (Tabanidae)
528. **Tabanus yasujensis Bogatshev & Samedov,1949** (Tabanidae)
529. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae)
530. **Tachyagetes bytinskii Haupt,1962** (Pompilidae)
531. **Tachyagetes konyanus Wolf,1987** (Pompilidae)
532. **Tachyagetes turcoturanicus Wolf,1986** (Pompilidae)
533. **Tachycixius logvinenkova Dlabola,1974** (Cixiidae)
534. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae)
535. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae)
536. **Tanyproctus carbonarius Faldermann,1835** (Scarabaeidae)
537. **Tanypus punctipennis Meigen,1818** (Chironomidae)
538. **Tanytarsus gregarius Kieffer,1911** (Chironomidae)
539. **Telostegus cretensis Priesner,1965** (Pompilidae)
540. **Telostegus excisus (Haupt,1930)** (Pompilidae)
541. **Telostegus fumigatus (Klug,1834)** (Pompilidae)
542. **Telostegus inermis (Brullé,1832)** (Pompilidae)
543. **Tenthredo vespa Retzius,1783** (Tenthredinidae)
544. **Tentyria tessulata Tauscher,1812** (Tenebrionidae)
545. **Tephritis merzi Freidberg & Kütük,2002** (Tephritidae)
546. **Tephritis postica (Loew,1844)** (Tephritidae)
547. **Tephritis pulchra (Loew,1844)** (Tephritidae)
548. **Tephritomyia lauta (Loew,1869)** (Tephritidae)
549. **Tephrochlamys laeta (Meigen,1830)** (Heleomyzidae)
550. **Teratolytta kulzeri Kaszab,1958** (Meloidae)
551. **Teratolytta vanensis Kaszab,1968** (Meloidae)
552. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae)
553. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae)
554. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae)
555. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae)

556. **Tettigometra (Stirometra) costulata** Fieber,1865 (Tettigometridae)
557. **Tettigometra vitellina** Fieber,1865 (Tettigometridae)
558. **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae)
559. **Tettigonia turcica** Ramme,1951 (Tettigoniidae)
560. **Thienemannimyia lentiginosa** (Fries,1830) (Chironomidae)
561. **Tibicina serhadensis** Koçak & Kemal,2010 (Cicadidae)
562. **Tipula (Acutipula) latifurca** Vermoolen,1983 (Tipulidae)
563. **Tipula (Tipula) orientalis** Lackschewitz,1930 (Tipulidae)
564. **Tipula (Yamatotipula) guentheri** Oosterbroek,1994 (Tipulidae)
565. **Tipula (Yamatotipula) lateralis** Meigen,1804 (Tipulidae)
566. **Tremulicerus mesopyrrhus** (Kirschbaum,1868) (Cicadellidae)
567. **Tremulicerus poecilus** (Herrich-Schäffer,1835) (Cicadellidae)
568. **Trichodes ephippiger** Chevrolat,1874 (Cleridae)
569. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
570. **Trichodes pulcherrimus** Escherich,1892 (Cleridae)
571. **Trichodes sexpustulatus** Chevrolat,1874 (Cleridae)
572. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
573. **Trupanea amoena** (Frauenfeld,1857) (Tephritidae)
574. **Trupanea stellata** (Fuesslin,1775) (Tephritidae)
575. **Truxalis robusta** (Uvarov,1916) (Acrididae)
576. **Tshurtshurnella trifasciata** (Linnavuori,1965) (Issidae)
577. **Uvarovistia (s.str.) satunini** (Uvarov,1916) (Tettigoniidae)
578. **Uvarovistia (s.str.) zebra** (Uvarov,1916) (Tettigoniidae)
579. **Vachiria deserta** (Becker,1867) (Reduviidae)
580. **Verdanus gazelicornis** (Dlabola,1980) (Cicadellidae)
581. **Verdanus pazoukii** (Dlabola,1980) (Cicadellidae)
582. **Vespa orientalis** Linnaeus,1771 (Vespidae)
583. **Vespula germanica** (Fabricius,1793) (Vespidae)
584. **Villa hottentotta** (Linnaeus,1758) (Bombyliidae)
585. **Xylotrechus rusticus** (Linnaeus,1758) (Cerambycidae)
586. **Zophosis osmanlis** Deyrolle,1872 (Tenebrionidae)
587. **Zorochochrochus alysidotus** (Kiesenwetter,1858) (Elateridae)
588. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Yozgat Province (66)

(178 species, stand 30 April 2010)

1. **Actinoptera discoidea** (Fallén,1814) (Tephritidae)
2. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
3. **Agalmatium bilobum** (Fieber,1877) (Issidae)
4. **Agrilus (s.str.) lineolus** Redtenbacher,1849 (Buprestidae)
5. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
6. **Alosimus decolor** (Abeille de Perrin,1880) (Meloidae)
7. **Altica carduorum** (Guérin-Méneville,1858) (Chrysomelidae)
8. **Amara (s.str.) lukasi** Hejkal,2002 (Carabidae)
9. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
10. **Anomalon foliator** (Fabricius,1798) (Ichneumonidae)
11. **Anthidium (Paraanthidium) interruptum** (Fabricius,1781) (Megachilidae)
12. **Anthidium (s.str.) florentinum** (Fabricius,1775) (Megachilidae)
13. **Anthidium (s.str.) manicatum** (Linnaeus,1758) (Megachilidae)
14. **Aphrodes flavostriatus** (Donovan,1799) (Cicadellidae)
15. **Aphrophora alni** (Fallén,1805) (Cercopidae)
16. **Apthona semicyanea** Allard,1859 (Chrysomelidae)
17. **Arboridia adanae** (Dlabola,1957) (Cicadellidae)
18. **Asiraca clavicornis** (Fabricius,1794) (Delphacidae)
19. **Atylotus agricola** (Wiedemann,1826) (Tabanidae)
20. **Atylotus flavoguttatus** (Szilady,1915) (Tabanidae)
21. **Atylotus hendrxi** Leclercq,1967 (Tabanidae)
22. **Auplopus carbonarius** (Scopoli,1763) (Pompilidae)
23. **Brucoscelis peculiaris** (Horvath,1904) (Caliscelidae)
24. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
25. **Campiglossa producta** Loew,1844 (Tephritidae)
26. **Cantharis annularis** Ménétrié,1836 (Cantharidae)
27. **Cantharis lateralis** Linnaeus,1758 (Cantharidae)
28. **Cantharis livida** Linnaeus,1758 (Cantharidae)
29. **Cantharis nigra** De Geer,1774 (Cantharidae)
30. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
31. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
32. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
33. **Ceropales albicincta** (Rossi,1790) (Pompilidae)
34. **Chaetocnema arenacea** (Allard,1860) (Chrysomelidae)
35. **Chaetocnema aridula** (Gyllenhal,1827) (Chrysomelidae)
36. **Chaetocnema coyeyi** (Allard,1863) (Chrysomelidae)

37. **Chaetocnema procerula** (Rosenhauer,1856) (Chrysomelidae)
38. **Chorthippus (s.str.) dichrous** (Eversmann,1859) (Acrididae)
39. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
40. **Chrysolina lurida** (Linnaeus,1767) (Chrysomelidae)
41. **Chrysolina reitteri** (Weise,1884) (Chrysomelidae)
42. **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae)
43. **Chrysomela saliceti** (Weise,1884) (Chrysomelidae)
44. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
45. **Cixius pallipes** Fieber,1876 (Cixiidae)
46. **Coenorrhinus aequatus** (Linnaeus,1767) (Atelabidae)
47. **Colaphus sophiae** (Schaller,1783) (Chrysomelidae)
48. **Crepidodera aurata** (Marsham,1802) (Chrysomelidae)
49. **Cryptocephalus bipunctatus** (Linnaeus,1758) (Chrysomelidae)
50. **Cryptocephalus concolor** Suffrian,1847 (Chrysomelidae)
51. **Cryptocephalus connexus** Olivier,1808 (Chrysomelidae)
52. **Cryptocephalus flavipes** Fabricius,1781 (Chrysomelidae)
53. **Curculio salicivorus** Paykull,1792 (Curculionidae)
54. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
55. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
56. **Deronectes parvicollis** (Schaum,1864) (Dytiscidae)
57. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae)
58. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
59. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
60. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
61. **Dryodurgades dlabolai** Wagner,1963 (Cicadellidae)
62. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
63. **Emblethis brachynotus** Horvath,1907 (Lygaeidae)
64. **Emblethis griseus** (Wolff,1802) (Lygaeidae)
65. **Enicopus hirtus** (Linnaeus,1767) (Melyridae)
66. **Entomoscelis adonidis** (Pallas,1771) (Chrysomelidae)
67. **Entomoscelis suturalis** Weise,1882 (Chrysomelidae)
68. **Euaresta bullans** (Wiedemann,1830) (Tephritidae)
69. **Eupteryx taborskyi** Dlabola,1957 (Cicadellidae)
70. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
71. **Euzonitis sexmaculata** (Olivier,1790) (Meloidae)
72. **Glyphotmethis adaliae** (Uvarov,1928) (Pamphagidae)
73. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
74. **Haematopota bigoti** Gobert,1881 (Tabanidae)
75. **Haematopota hennauxi** Leclercq,1967 (Tabanidae)
76. **Haematopota kemali** Szilady,1923 (Tabanidae)
77. **Haematopota pavlovskii** Hauser,1960 (Tabanidae)
78. **Haematopota pluvialis** (Linnaeus,1761) (Tabanidae)
79. **Haematopota sewelli** Austen,1920 (Tabanidae)
80. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae)
81. **Heringina guttata** (Fallén,1814) (Tephritidae)
82. **Hyalesthes luteipes** Fieber,1876 (Cixiidae)
83. **Hyalesthes yozgaticus** Hoch & Remane,1985 (Cixiidae)
84. **Hybomitra caucasi** (Szilady,1923) (Tabanidae)
85. **Hygrotus (Coelambus) lernaeus** (Schaum,1857) (Dytiscidae)
86. **Hypera variabilis** (Herbst,1795) (Curculionidae)
87. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
88. **Iassus scutellaris** (Fieber,1868) (Cicadellidae)
89. **Itopectis maculator** (Fabricius,1775) (Ichneumonidae)
90. **Kervillea parvissima** (Dlabola,1957) (Issidae)
91. **Kybos candelabricus** Dlabola,1958 (Cicadellidae)
92. **Libellula fulva** O.F.Müller,1764 (Libellulidae)
93. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
94. **Longitarsus luridus** (Scopoli,1763) (Chrysomelidae)
95. **Lydus anatolicus** Muehe,1962 (Meloidae)
96. **Lygaeosoma reticulatum** (Herrich-Schäffer,1838) (Lygaeidae)
97. **Mantura rustica** (Linnaeus,1767) (Chrysomelidae)
98. **Megachile (s.str.) pilicrus** Morawitz,1878 (Megachilidae)
99. **Mocuellus foxi** Kalkandelen,1972 (Cicadellidae)
100. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
101. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
102. **Mycterodus (s.str.) rostratulus** Emeljanov,1964 (Issidae)
103. **Mylabris quadripunctata** (Linnaeus,1767) (Meloidae)
104. **Mylabris zebraea** (Marseul,1870) (Meloidae)
105. **Nemoura cinerea** (Retzius,1783) (Nemouridae)
106. **Noeeta pupillata** (Fallén,1814) (Tephritidae)
107. **Oenas crassicornis** (Illiger,1800) (Meloidae)
108. **Omoplus (s.str.) caucasicus** Kirsch,1869 (Tenebrionidae)
109. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
110. **Orellia punctata** (Schrank,1781) (Tephritidae)
111. **Orthetrum brunneum** (Fonscolombe,1837) (Libellulidae)
112. **Osmanius bathasari** (Petrovitz,1963) (Scarabaeidae)
113. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae)
114. **Osmia (Tergosmia) glareola** Warncke,1988 (Megachilidae)
115. **Oxyna lutulenta** Loew,1869 (Tephritidae)

116. *Oxya nebulosa* (Wiedemann,1817) (Tephritidae)
117. *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791) (Chrysomelidae)
118. *Pedestredorcadion piochardi* (Kraatz,1873) (Cerambycidae)
119. *Peltonotellus punctifrons* Horvath,1895 (Caliscelidae)
120. *Pentastira major* (Kirschbaum,1868) (Cixiidae)
121. *Pentastira megista* Emeljanov,1978 (Cixiidae)
122. *Phaedon pyritosus* (Rossi,1792) (Chrysomelidae)
123. *Phyllotreta corrugata* Reiche,1858 (Chrysomelidae)
124. *Phyllotreta nigripes* (Fabricius,1775) (Chrysomelidae)
125. *Platycleis* (Montana) *taurica* Bolivar,1899 (Tettigoniidae)
126. *Polistes* (s.str.) *nimpha* (Christ,1791) (Vespidae)
127. *Populicerus sharifi* Dlabola,1977 (Cicadellidae)
128. *Prasocuris junci* (Brahm,1790) (Chrysomelidae)
129. *Psammotettix alienus* (Dahlbom,1850) (Cicadellidae)
130. *Psylliodes chalcomerus* (Illiger,1807) (Chrysomelidae)
131. *Raphigaster nebulosa* (Poda,1761) (Pentatomidae)
132. *Rhagonycha fulva* (Scopoli,1763) (Cantharidae)
133. *Rhynchites hungaricus* (Herbst,1784) (Attelabidae)
134. *Rhyparochromus consors* (Horvath,1878) (Lygaeidae)
135. *Salentia fuscipennis* A.Costa,1857 (Therevidae)
136. *Scarodytes halensis* (Fabricius,1787) (Dytiscidae)
137. *Scorlupella discolor* (Germar,1821) (Issidae)
138. *Scorlupella montana* (Becker,1865) (Issidae)
139. *Selenocephalus pallidus* Kirschbaum,1868 (Cicadellidae)
140. *Selenocephalus stenopterus* Signoret,1880 (Cicadellidae)
141. *Sphex flavipennis* Fabricius,1793 (Sphecidae)
142. *Stenobothrus* (s.str.) *fischeri* (Eversmann,1848) (Acrididae)
143. *Tabanus autumnalis* Linnaeus,1761 (Tabanidae)
144. *Tabanus bifarius* Loew,1858 (Tabanidae)
145. *Tabanus cordiger* Meigen,1820 (Tabanidae)
146. *Tabanus eggeri* Schiner,1868 (Tabanidae)
147. *Tabanus laetinctus* Becker,1913 (Tabanidae)
148. *Tabanus lunatus* Fabricius,1794 (Tabanidae)
149. *Tabanus miki* Brauer,1880 (Tabanidae)
150. *Tabanus regularis* Jaenicke,1866 (Tabanidae)
151. *Tabanus spectabilis* Loew,1858 (Tabanidae)
152. *Tabanus unifasciatus* Loew,1858 (Tabanidae)
153. *Thecophora pusilla* (Meigen,1824) (Conopidae)
154. *Thereva apicalis* Wiedemann,1821 (Therevidae)
155. *Thereva fulva* (Meigen,1804) (Therevidae)
156. *Thereva plebeja* (Linnaeus,1758) (Therevidae)
157. *Thereva strigata* (Fabricius,1794) (Therevidae)
158. *Tillus pectinicornis* Abeille,1892 (Cleridae)
159. *Trapezonotus ullrichi* (Fieber,1836) (Lygaeidae)
160. *Trichodes apiarius* (Linnaeus,1758) (Cleridae)
161. *Trichodes punctatus* Fischer,1829 (Cleridae)
162. *Trichodes quadriguttatus* Adams,1817 (Cleridae)
163. *Trissolcus grandis* (Thomson,1860) (Scelionidae)
164. *Trissolcus rufiventris* (Mayr,1908) (Scelionidae)
165. *Trissolcus semistriatus* (Nees,1834) (Scelionidae)
166. *Trissolcus simoni* (Mayr,1897) (Scelionidae)
167. *Trissolcus vassilievi* (Mayr,1903) (Scelionidae)
168. *Tshurtshurnella yozgatica* Kartal,1985 (Issidae)
169. *Tychius festivus* (Faust,1884) (Curculionidae)
170. *Tychius picirostris* (Fabricius,1787) (Curculionidae)
171. *Tychius ruscicus* Desbrochers,1908 (Curculionidae)
172. *Urophora affinis* (Frauenfeld,1857) (Tephritidae)
173. *Urophora aprica* (Fallén,1820) (Tephritidae)
174. *Urophora eriolepidis* (Loew,1856) (Tephritidae)
175. *Urophora macrura* (Loew,1855) (Tephritidae)
176. *Urophora quadrifasciata* (Meigen,1826) (Tephritidae)
177. *Urophora stylata* (Fabricius,1775) (Tephritidae)
178. *Vespula germanica* (Fabricius,1793) (Vespidae)

Zonguldak Province (67)

(148 species, stand 30 April 2010)

1. *Acemya acuticornis* (Meigen,1824) (Tachinidae)
2. *Acrida bicolor* (Thunberg,1815) (Acrididae)
3. *Acrodactyla quadrisculpta* (Gravenhorst,1829) (Ichneumonidae)
4. *Aelia acuminata* (Linnaeus,1758) (Pentatomidae)
5. *Aelia rostrata* Boheman,1852 (Pentatomidae)
6. *Agalmatium flavescens* (Olivier,1791) (Issidae)
7. *Agramma* (s.str.) *confusum* (Puton,1879) (Tingidae)
8. *Agriotes* (s.str.) *gurgistanus* (Faldermann,1835) (Elateridae)
9. *Allophorocera ferruginea* (Meigen,1824) (Tachinidae)
10. *Amiota* (Phortica) *variegata* (Fallén,1823) (Drosophilidae)
11. *Ammophila sabulosa* (Linnaeus,1758) (Sphecidae)

12. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae)
13. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae)
14. **Anax imperator Leach,1815** (Aeshnidae)
15. **Anax parthenope (Selys,1839)** (Aeshnidae)
16. **Aneurus laevis (Fabricius,1775)** (Aradidae)
17. **Anoplotettix sahtyiancii Dlabola,1970** (Cicadellidae)
18. **Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae)
19. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae)
20. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae)
21. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae)
22. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae)
23. **Athalia circularis (Klug,1815)** (Tenthredinidae)
24. **Athous (Orthathous) mertliki Platia & Gudenzi,2002** (Elateridae)
25. **Athous (Orthathous) svihlai Platia & Gudenzi,1998** (Elateridae)
26. **Atylotus fulvus (Meigen,1820)** (Tabanidae)
27. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
28. **Bolua turkiyae Ünal,1999** (Tettigoniidae)
29. **Carabus (Lamprostus) erenleriensis Schweiger,1966** (Carabidae)
30. **Cassida prasina Illiger,1798** (Chrysomelidae)
31. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae)
32. **Chrysomela tremulae Fabricius,1787** (Chrysomelidae)
33. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae)
34. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
35. **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae)
36. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae)
37. **Corixa affinis Leach,1818** (Corixidae)
38. **Corythucha arcuata (Say,1832)** (Tingidae)
39. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae)
40. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae)
41. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae)
42. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae)
43. **Cyphon laevipennis Tournier,1868** (Scirtidae)
44. **Cyphon palustris Thomson,1855** (Scirtidae)
45. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
46. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae)
47. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae)
48. **Drosophila (Hirtodrosophila) confusa Staeger,1844** (Drosophilidae)
49. **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae)
50. **Drosophila (s.str.) testacea Roser,1840** (Drosophilidae)
51. **Drosophila (Scaptodrosophila) rufifrons Loew,1873** (Drosophilidae)
52. **Drosophila (Sophophora) ambigua Pomini,1940** (Drosophilidae)
53. **Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae)
54. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae)
55. **Drosophila (Sophophora) tristis Fallén,1823** (Drosophilidae)
56. **Drosophila funebris (Fabricius,1787)** (Drosophilidae)
57. **Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae)
58. **Emblethis brachynotus Horvath,1907** (Lygaeidae)
59. **Emblethis griseus (Wolff,1802)** (Lygaeidae)
60. **Erromenus brunnicans (Gravenhorst,1829)** (Ichneumonidae)
61. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae)
62. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae)
63. **Eurydema oleracea (Linnaeus,1758)** (Pentatomidae)
64. **Eurydema ornatum (Linnaeus,1758)** (Pentatomidae)
65. **Eurydema spectabilis Horvath,1882** (Pentatomidae)
66. **Eysarcoris ventralis (Westwood,1837)** (Pentatomidae)
67. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae)
68. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae)
69. **Haematopota italica Meigen,1804** (Tabanidae)
70. **Haematopota pandazisi Kröber,1936** (Tabanidae)
71. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae)
72. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae)
73. **Himacerus apterus (Fabricius,1798)** (Nabidae)
74. **Homodela ismenia (Gory,1833)** (Carabidae)
75. **Hyalesthes luteipes Fieber,1876** (Cixiidae)
76. **Hypocassida subferruginea (Schrank,1776)** (Chrysomelidae)
77. **Limotettix striola (Fallén,1806)** (Cicadellidae)
78. **Lissonota (s.str.) cruentator (Panzer,1809)** (Ichneumonidae)
79. **Lixus myagri Olivier,1807** (Curculionidae)
80. **Macrophya albicincta (Schrank,1776)** (Tenthredinidae)
81. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae)
82. **Megabombus pascuorum (Scopoli,1763)** (Apidae)
83. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae)
84. **Myrmeleonostenus italicus (Gravenhorst,1829)** (Ichneumonidae)
85. **Nabis rugosus (Linnaeus,1758)** (Nabidae)
86. **Nemoura carpathica Illies,1963** (Nemouridae)
87. **Nemoura flexuosa Aubert,1949** (Nemouridae)
88. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae)
89. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae)
90. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae)
91. **Orestia loebli Biondi,1992** (Chrysomelidae)
92. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae)

93. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae)
94. **Pagiphora annulata (Brullé,1832)** (Cicadidae)
95. **Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pediidae)
96. **Pezotettix anatolica Uvarov,1934** (Acrididae)
97. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae)
98. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae)
99. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
100. **Piezodorus lituratus (Fabricius,1794)** (Pentatomidae)
101. **Plastocerus angulosus (Germar,1845)** (Elateridae)
102. **Platyleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae)
103. **Platyleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
104. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae)
105. **Raphigaster nebulosa (Poda,1761)** (Pentatomidae)
106. **Rhacocleis turcica (Uvarov,1930)** (Tettigoniidae)
107. **Rhyparochromus consors (Horvath,1878)** (Lygaeidae)
108. **Rhyparochromus inarimensis (Costa,1860)** (Lygaeidae)
109. **Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae)
110. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae)
111. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae)
112. **Sigara lateralis Leach,1818** (Corixidae)
113. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae)
114. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae)
115. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae)
116. **Sterictiphora furcata (Villers,1789)** (Argidae)
117. **Synaptus filiformis (Fabricius,1781)** (Elateridae)
118. **Tabanus armeniacus (Kröber,1928)** (Tabanidae)
119. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
120. **Tabanus bifarius Loew,1858** (Tabanidae)
121. **Tabanus briani Leclercq,1962** (Tabanidae)
122. **Tabanus bromius Linnaeus,1758** (Tabanidae)
123. **Tabanus cordiger Meigen,1820** (Tabanidae)
124. **Tabanus exclusus Pandella,1883** (Tabanidae)
125. **Tabanus glaucopis Meigen,1820** (Tabanidae)
126. **Tabanus indrae Hauser,1939** (Tabanidae)
127. **Tabanus lunatus Fabricius,1794** (Tabanidae)
128. **Tabanus maculicornis Zetterstedt,1842** (Tabanidae)
129. **Tabanus miki Brauer,1880** (Tabanidae)
130. **Tabanus obsolescens Pandelle,1883** (Tabanidae)
131. **Tabanus portschinskii Olsufjev,1937** (Tabanidae)
132. **Tabanus quatuornatus Meigen,1820** (Tabanidae)
133. **Tabanus spodopterus Meigen,1820** (Tabanidae)
134. **Tabanus sudeticus Zeller,1842** (Tabanidae)
135. **Tabanus tergestinus Egger,1859** (Tabanidae)
136. **Tabanus tinctus Walker,1850** (Tabanidae)
137. **Tenthredo livida Linnaeus,1758** (Tenthredinidae)
138. **Tenthredo mesomelas Linnaeus,1758** (Tenthredinidae)
139. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae)
140. **Tingis geniculata (Fieber,1844)** (Tingidae)
141. **Tingis griseola (Puton,1879)** (Tingidae)
142. **Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae)
143. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae)
144. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
145. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae)
146. **Vespa crabro Linnaeus,1758** (Vespidae)
147. **Volucella zonaria (Poda,1761)** (Syrphidae)
148. **Xysta holocericea (Fabricius,1805)** (Tachinidae)

Aksaray Province (68)

(96 species, stand 30 April 2010)

1. **Aciura coryli (Rossi,1790)** (Tephritidae)
2. **Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783)** (Buprestidae)
3. **Aconura oculata (Lindberg,1948)** (Cicadellidae)
4. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae)
5. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae)
6. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae)
7. **Anogcodes ruficollis (Fabricius,1781)** (Oedemeridae)
8. **Anthocomus humeralis Morawitz,1861** (Melyridae)
9. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae)
10. **Aulonogyrus concinnus (Klug,1834)** (Gyrinidae)
11. **Bombylius (s.str.) aksarayensis Hasbenli & Zaitzev,2000** (Bombyliidae)
12. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae)
13. **Cantharis livida Linnaeus,1758** (Cantharidae)
14. **Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae)

15. **Chaetocnema procerula** (Rosenhauer,1856) (Chrysomelidae)
16. **Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae)
17. **Chelostoma (Gyrodromella) rapunculi** (Lepeletier,1841) (Megachilidae)
18. **Chrysomela populi** Linnaeus,1758 (Chrysomelidae)
19. **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae)
20. **Coelioxys (Allocoelioxys) afra** Lepeletier,1841 (Megachilidae)
21. **Colaphus sophiae** (Schaller,1783) (Chrysomelidae)
22. **Colymbetes fuscus** (Linnaeus,1758) (Dytiscidae)
23. **Coniosternum moceki** Sifner,2004 (Scathophagidae)
24. **Cryptocheilus discolor** (Fabricius,1793) (Pompilidae)
25. **Curculio salicivorus** Paykull,1792 (Curculionidae)
26. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
27. **Dioctria flavipennis** Meigen,1820 (Asilidae)
28. **Dyoderes umbraculatus** (Fabricius,1775) (Pentatomidae)
29. **Entomogonus (Delonurops) saphyrinus** Allard,1876 (Tenebrionidae)
30. **Gonioctena fornicata** (Brüggemann,1873) (Chrysomelidae)
31. **Gonocephalum costatum** Brullé,1832 (Tenebrionidae)
32. **Gonocephalum granulatum** (Fabricius,1791) (Tenebrionidae)
33. **Gyrinus caspius** Ménétriés,1832 (Gyrinidae)
34. **Gyrinus distinctus** Aubé,1836 (Gyrinidae)
35. **Hoplitis (Megalosmia) fulva** (Eversmann,1852) (Megachilidae)
36. **Hydrochara flavipes** (Steven,1808) (Hydrophilidae)
37. **Hydroporus pubescens** (Gyllenhal,1808) (Dytiscidae)
38. **Hypera variabilis** (Herbst,1795) (Curculionidae)
39. **Janetia cerris** (Kollar,1850) (Cecidomyiidae)
40. **Laccophilus hyalinus** (De Geer,1774) (Dytiscidae)
41. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
42. **Lertha ledereri** (Selys-Longchamps,1866) (Nemopteridae)
43. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
44. **Lixus cardui** Olivier,1807 (Curculionidae)
45. **Lixus subtilis** Boheman,1836 (Curculionidae)
46. **Lixus vilis** (Rossi,1790) (Curculionidae)
47. **Longitarsus anatolicus** Weise,1900 (Chrysomelidae)
48. **Longitarsus bertii** Leonhardi,1973 (Chrysomelidae)
49. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
50. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
51. **Nanoclavelia leucoptera** (Dahlbom,1845) (Pompilidae)
52. **Nemoptera sinuata** Olivier,1811 (Nemopteridae)
53. **Neoaliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
54. **Oedemera (s.str.) femorata** (Scopoli,1763) (Oedemeridae)
55. **Orellia distans** (Loew,1847) (Tephritidae)
56. **Orellia falcata** (Scopoli,1763) (Tephritidae)
57. **Orellia steropea** (Rondani,1870) (Tephritidae)
58. **Osmanius bathasari** (Petrovitz,1963) (Scarabaeidae)
59. **Oxyna flavipennis** (Loew,1844) (Tephritidae)
60. **Oxyna guttatofasciata** (Loew,1850) (Tephritidae)
61. **Oxyna nebulosa** (Wiedemann,1817) (Tephritidae)
62. **Phyllotreta atra** (Fabricius,1775) (Chrysomelidae)
63. **Phyllotreta diademata** Foudras,1860 (Chrysomelidae)
64. **Pimelia (Eurypimelia) akbesiana** Fairmaire,1884 (Tenebrionidae)
65. **Pimelia (Eurypimelia) timarchoides** Ménétriés,1836 (Tenebrionidae)
66. **Podagrica menetriési** (Faldermann,1837) (Chrysomelidae)
67. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
68. **Rhagonycha fulva** (Scopoli,1763) (Cantharidae)
69. **Rhynchites giganteus** Krynický,1832 (Atelabidae)
70. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
71. **Thereva albohirta** Kröber,1912 (Therevidae)
72. **Thereva apicalis** Wiedemann,1821 (Therevidae)
73. **Thereva cincta** Meigen,1820 (Therevidae)
74. **Thereva hirta** Kröber,1913 (Therevidae)
75. **Tipula (Yamatotipula) guentheri** Oosterbroek,1994 (Tipulidae)
76. **Tipula (Yamatotipula) submontium** Theowald & Oosterbroek,1981 (Tipulidae)
77. **Trichodes inermis** Reitter,1893 (Cleridae)
78. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
79. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
80. **Trichodes reichei** Mulsant & Rey,1863 (Cleridae)
81. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
82. **Trissolcus djadetshko** (Rjachovsky,1959) (Scelionidae)
83. **Trissolcus grandis** (Thomson,1860) (Scelionidae)
84. **Trissolcus pseudoturesis** (Rjachovsky,1959) (Scelionidae)
85. **Trissolcus semistriatus** (Nees,1834) (Scelionidae)
86. **Trissolcus simoni** (Mayr,1897) (Scelionidae)
87. **Trissolcus vassilievi** (Mayr,1903) (Scelionidae)
88. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
89. **Urophora aprica** (Fallén,1820) (Tephritidae)
90. **Urophora macrura** (Loew,1855) (Tephritidae)
91. **Urophora maura** (Frauenfeld,1857) (Tephritidae)
92. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae)
93. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae)
94. **Urophora stylata** (Fabricius,1775) (Tephritidae)

95. *Urophora terebrans* (Loew,1850) (Tephritidae) | 96. *Zyginella pulchra* Loew,1885 (Cicadellidae)

Bayburt Province (69)

(150 species, stand 30 April 2010)

1. *Agenioideus ciliatus* (Lepeletier,1845) (Pompilidae)
2. *Agriotes* (s.str.) *sputator* (Linnaeus,1758) (Elateridae)
3. *Allantus balteatus* (Klug,1818) (Tenthredinidae)
4. *Alosimus armeniacus* (Faldermann,1837) (Meloidae)
5. *Altica oleracea* (Linnaeus,1758) (Chrysomelidae)
6. *Altica palustris* (Weise,1888) (Chrysomelidae)
7. *Ammophila sabulosa* (Linnaeus,1758) (Sphecidae)
8. *Amphinemura mirabilis* (Martynov,1928) (Nemouridae)
9. *Ancistrocerus oviventris* (Wesmael,1836) (Vespidae)
10. *Anoplius samariensis* (Pallas,1771) (Pompilidae)
11. *Anoplius schlettereri* (Radoszkowski,1888) (Pompilidae)
12. *Anoplius viaticus* (Linnaeus,1758) (Pompilidae)
13. *Anthidium* (s.str.) *diadema* Latreille,1809 (Megachilidae)
14. *Aphthona gracilis* Faldermann,1837 (Chrysomelidae)
15. *Arachnospila clericalis* (Morawitz,1889) (Pompilidae)
16. *Arachnospila fuscomarginata* (Thomson,1870) (Pompilidae)
17. *Arachnospila minutula* (Dahlbom,1843) (Pompilidae)
18. *Arachnospila valesabnormis* (Wolf,1965) (Pompilidae)
19. *Athalia bicolor* Audinet-Serville,1823 (Tenthredinidae)
20. *Auplopus albifrons* (Dalman,1823) (Pompilidae)
21. *Banchus turcator* Aubert,1984 (Ichneumonidae)
22. *Calopteryx splendens* (Harris,1776) (Calopterygidae)
23. *Carabus* (Procerus) *caucasicus* Adams,1817 (Carabidae)
24. *Cardiophorus* (s.str.) *nigratissimus* Buysson,1891 (Elateridae)
25. *Cerocoma dahli* Kraatz,1863 (Meloidae)
26. *Ceropales maculata* (Fabricius,1775) (Pompilidae)
27. *Chaetocnema concinna* (Marsham,1802) (Chrysomelidae)
28. *Chaetocnema confusa* (Boheman,1851) (Chrysomelidae)
29. *Chaetocnema hortensis* (Geoffroy,1785) (Chrysomelidae)
30. *Chorthippus* (*Glyptobothrus*) *satunini* Mistshenko,1951 (Acrididae)
31. *Chrysolina herbacea* (Duftschmidt,1825) (Chrysomelidae)
32. *Chrysolina marginata* (Linnaeus,1758) (Chrysomelidae)
33. *Chrysolina planicollis* (Breit,1919) (Chrysomelidae)
34. *Chrysolina reitteri* (Weise,1884) (Chrysomelidae)
35. *Chrysops* (s.str.) *flavipes* Meigen,1804 (Tabanidae)
36. *Chrysops* (s.str.) *sejunctus* Szilady,1917 (Tabanidae)
37. *Coenagrion pulchellum* (Van Der Linden,1825) (Coenagrionidae)
38. *Crepidodera lamina* (Bedel,1901) (Chrysomelidae)
39. *Cryptocephalus octacasmus* Bedel,1891 (Chrysomelidae)
40. *Cryptocheilus freygessneri* (Kohl,1883) (Pompilidae)
41. *Cryptus spiralis* (Geoffroy,1785) (Ichneumonidae)
42. *Curculio nucum* Linnaeus,1758 (Curculionidae)
43. *Dibolia carpathica* Weise,1893 (Chrysomelidae)
44. *Dibolia kralii* Mohr,1981 (Chrysomelidae)
45. *Dicyrtomellus argenteus* Wahis,1982 (Pompilidae)
46. *Dolichovespula sylvestris* (Scopoli,1763) (Vespidae)
47. *Doratura stylata* (Boheman,1847) (Cicadellidae)
48. *Elinora asiatica* Enslin,1910 (Tenthredinidae)
49. *Enallagma cyathigerum* (Charpentier,1840) (Coenagrionidae)
50. *Eoferreola anatolica* Piesner,1973 (Pompilidae)
51. *Eumenes pedunculatus* (Panzer,1799) (Vespidae)
52. *Evagetes dubius* (Van der Linden,1827) (Pompilidae)
53. *Gonioctena linnaeana* (Schrank,1781) (Chrysomelidae)
54. *Gonocephalum granulatum* (Fabricius,1791) (Tenebrionidae)
55. *Hoplitis* (*Anthocopa*) *cyprica* (Mavromoustakis,1938) (Megachilidae)
56. *Hybomitra caucasi* (Szilady,1923) (Tabanidae)

57. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae)
58. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae)
59. **Hydrochus nodulifer Reitter,1897** (Hydrochidae)
60. **Hydroporus planus (Fabricius,1781)** (Dytiscidae)
61. **Hypera jucundus Capiomont,1868** (Curculionidae)
62. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae)
63. **Ischnura pumilio (Charpentier,1825)** (Coenagrionidae)
64. **Isophya bicarinata Karabağ,1957** (Tettigoniidae)
65. **Isophya karadenizensis Ünal,2005** (Tettigoniidae)
66. **Laccobius (Dimorpholaccobius) simulatrix Orchymont,1932** (Hydrophilidae)
67. **Laccobius (Dimorpholaccobius) striatulus (Fabricius,1801)** (Hydrophilidae)
68. **Laccobius (Dimorpholaccobius) sulcatulus Reitter,1909** (Hydrophilidae)
69. **Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae)
70. **Larinus turbinatus Gyllenhal,1836** (Curculionidae)
71. **Leptochilus alpestris (Saussure,1855)** (Vespidae)
72. **Leuctra furcatella Martynov,1928** (Leuctridae)
73. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae)
74. **Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae)
75. **Longitarsus kopdagensis Gruev & Aslan,1998** (Chrysomelidae)
76. **Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae)
77. **Lydus unicolor Reitter,1887** (Meloidae)
78. **Macrophya blanda Fabricius,1775** (Tenthredinidae)
79. **Macrophya cyrus Benson,1954** (Tenthredinidae)
80. **Macrophya diversipes (Schrank,1782)** (Tenthredinidae)
81. **Macrophya duodecimpunctata (Linnaeus,1758)** (Tenthredinidae)
82. **Macrophya erythrocnema A.Costa,1859** (Tenthredinidae)
83. **Macrophya montana (Scopoli,1763)** (Tenthredinidae)
84. **Macrophya postica Brullé,1832** (Tenthredinidae)
85. **Macrophya rufipes Linnaeus,1758** (Tenthredinidae)
86. **Macrophya suberba Tischbein,1852** (Tenthredinidae)
87. **Mutilla europaea Linnaeus,1758** (Mutillidae)
88. **Muzimes erivanicus (Kaszab,1958)** (Meloidae)
89. **Mylabris fabricii Sumakov,1924** (Meloidae)
90. **Mylabris olivieri Billberg,1813** (Meloidae)
91. **Mylabris zebraea (Marseul,1870)** (Meloidae)
92. **Myopa buccata (Linnaeus,1758)** (Conopidae)
93. **Nemka viduata (Pallas,1773)** (Mutillidae)
94. **Nemopoda nitidula (Fallén,1820)** (Sepsidae)
95. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
96. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae)
97. **Osmia (Helicosmia) livida Tkalcu,1978** (Megachilidae)
98. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae)
99. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae)
100. **Pachybrachis (s.str.) tessellatus (Olivier,1791)** (Chrysomelidae)
101. **Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae)
102. **Paragus (s.str.) kopdagensis Hayat & Claussen,1997** (Syrphidae)
103. **Pedestredorcadion carolisturani (Breuning & Ruspoli,1971)** (Cerambycidae)
104. **Phonochorion uvarovi Karabağ,1956** (Tettigoniidae)
105. **Phyllotreta atra (Fabricius,1775)** (Chrysomelidae)
106. **Phyllotreta bolognai Biondi,1992** (Chrysomelidae)
107. **Phyllotreta erysimi Weise,1900** (Chrysomelidae)
108. **Phyllotreta nemorum (Linnaeus,1758)** (Chrysomelidae)
109. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae)
110. **Phyllotreta ozbeki Gruev & Aslan,1998** (Chrysomelidae)
111. **Phyllotreta wiseana Jacobson,1901** (Chrysomelidae)
112. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae)
113. **Physetopoda similis (Lelej,1984)** (Mutillidae)
114. **Physocephala rufipes (Fabricius,1781)** (Conopidae)
115. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae)
116. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae)
117. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae)
118. **Protonemura bacuriana Zhiltzova,1957** (Nemouridae)
119. **Protonemura bifida Martynov,1928** (Nemouridae)
120. **Protonemura bithynica Aubert,1964** (Nemouridae)
121. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae)
122. **Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae)
123. **Rhogogaster chlorosoma Benson,1943** (Tenthredinidae)
124. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae)
125. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae)
126. **Sepsis violacea Meigen,1826** (Sepsidae)
127. **Sicus ferrugineus (Linnaeus,1761)** (Conopidae)
128. **Stenodynerus bluethgeni Van der Vecht,1971** (Vespidae)
129. **Stenodynerus orenburgensis (André,1884)** (Vespidae)
130. **Sympetrum sanguineum (O.F.Müller,1764)** (Libellulidae)
131. **Sympetrum vulgatum (Linnaeus,1758)** (Libellulidae)
132. **Tabanus bifarius Loew,1858** (Tabanidae)
133. **Tabanus bromius Linnaeus,1758** (Tabanidae)
134. **Tabanus prometheus Szilady,1923** (Tabanidae)

135. **Tabanus quatuornatatus Meigen,1820**
(Tabanidae)
136. **Tenthredo costata Klug,1817** (Tenthredinidae)
137. **Tenthredo excellens Konow,1886**
(Tenthredinidae)
138. **Tenthredo flavipennis (Brullé,1832)**
(Tenthredinidae)
139. **Tenthredo livida Linnaeus,1758**
(Tenthredinidae)
140. **Tenthredo scrophulariae Linnaeus,1758**
(Tenthredinidae)
141. **Tenthredo zonula Klug,1817** (Tenthredinidae)
142. **Tenthredopsis festiva Konow,1890**
(Tenthredinidae)

143. **Tipula (Yamatotipula) guentheri Oosterbroek,1994** (Tipulidae)
144. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
145. **Triclistus podagricus (Gravenhorst,1829)**
(Ichneumonidae)
146. **Vespula germanica (Fabricius,1793)**
(Vespidae)
147. **Vespula vulgaris (Linnaeus,1758)** (Vespidae)
148. **Zeuxia zejana Kolomiets,1971** (Tachinidae)
149. **Zodion cinereum (Fabricius,1794)** (Conopidae)
150. **Zodion erythrurum Rondani,1865** (Conopidae)

Karaman Province (70)

(179 species, stand 30 April 2010)

1. **Acanthiophilus helianthi (Rossi,1790)**
(Tephritidae)
2. **Acanthodynerus giordanii Gusenleitner,1969**
(Vespidae)
3. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae)
4. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
5. **Aelia albovittata Fieber,1868** (Pentatomidae)
6. **Aelia alticola Kiritshenko,1914** (Pentatomidae)
7. **Agrius (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae)
8. **Allygidius ectabanicus Logvinenko,1979**
(Cicadellidae)
9. **Anoplius infuscatus (Van der Linden,1827)**
(Pompilidae)
10. **Anoplius schlettereri (Radoszkowski,1888)**
(Pompilidae)
11. **Anthaxia (Melanthaxia) masculina Bily,1984**
(Buprestidae)
12. **Anthaxia (Melanthaxia) misteriosa Obenberger,1917** (Buprestidae)
13. **Anthaxia (s.str.) muliebris Obenberger,1918**
(Buprestidae)
14. **Anthaxia (s.str.) podolica Mannerheim,1837**
(Buprestidae)
15. **Anthidium (Anthidiellum) judaeense (Mavromoustakis,1945)** (Megachilidae)
16. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
17. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae)
18. **Anthidium (Icterantheidium) ferrugineum (Fabricius,1787)** (Megachilidae)
19. **Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae)
20. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)**
(Megachilidae)
21. **Anthidium (s.str.) cingulatum Latreille,1809**
(Megachilidae)
22. **Anthidium (s.str.) diadema Latreille,1809**
(Megachilidae)
23. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae)
24. **Anthidium (s.str.) taeniatum Latreille,1809**
(Megachilidae)
25. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae)
26. **Arachnospila ionica (Wolf,1964)** (Pompilidae)
27. **Arachnospila sogdiana (Morawitz,1893)**
(Pompilidae)
28. **Arboridia adanae (Dlabola,1957)** (Cicadellidae)
29. **Balcanocerus balcanicus (Horvath,1903)**
(Cicadellidae)
30. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae)
31. **Balclutha rosea (Scott,1876)** (Cicadellidae)
32. **Bembecinus gusenleitneri De Beaumont,1967** (Crabronidae)
33. **Bombus terrestris Linnaeus,1758** (Apidae)
34. **Callimenus dilatatus (Stal,1876)**
(Tettigoniidae)
35. **Campiglossa producta Loew,1844**
(Tephritidae)
36. **Cantharis lateralis Linnaeus,1758**
(Cantharidae)
37. **Cantharis livida Linnaeus,1758** (Cantharidae)
38. **Cantharis smyrnensis Marseul,1864**
(Cantharidae)
39. **Capnodis porosa (Klug,1829)** (Buprestidae)
40. **Capnodis tenebrionis (Linnaeus,1761)**
(Buprestidae)
41. **Ceratitidis (s.str.) capitata (Wiedemann,1824)**
(Tephritidae)
42. **Cetonia (s.str.) aurata (Linnaeus,1761)**
(Scarabaeidae)
43. **Chromovalgus peyroni (Mulsant & Wahanru,1852)** (Scarabaeidae)
44. **Chrysolina aeneipennis (Reiche,1858)**
(Chrysomelidae)
45. **Chrysolina gypsophilae (Küster,1845)**
(Chrysomelidae)
46. **Chrysolina sanguinolenta (Linnaeus,1758)**
(Chrysomelidae)
47. **Chrysops (s.str.) caecutiens (Linnaeus,1761)**
(Tabanidae)
48. **Cicindela herbacea Klug,1832** (Carabidae)
49. **Cixius pallipes Fieber,1876** (Cixiidae)
50. **Coenorrhinus aequatus (Linnaeus,1767)**
(Atelabidae)
51. **Concavifer bolkarensis Kartal,1981**
(Cicadellidae)
52. **Coniocleonus excoriatus (Schoenherr,1834)**
(Curculionidae)

53. **Conophorus gracilis** Dils & Özbek, 2006 (Bombyliidae)
54. **Cryptocheilus guttulatus** (Costa, 1887) (Pompilidae)
55. **Cylindronotus (Odocnemis) korbi** Reitter, 1901 (Tenebrionidae)
56. **Cylindronotus (Odocnemis) nitidus** Seidlitz, 1893 (Tenebrionidae)
57. **Dailognatha caraboides** Solier, 1835 (Tenebrionidae)
58. **Dailognatha pumila** Baudi, 1874 (Tenebrionidae)
59. **Dallognatha quadricollis** Brullé, 1832 (Tenebrionidae)
60. **Dicronychus variatus** Desbrochers, 1875 (Elateridae)
61. **Dicyrtomellus argenteus** Wahis, 1982 (Pompilidae)
62. **Dioctria abdominalis** Becker, 1923 (Asilidae)
63. **Dioctria flavipennis** Meigen, 1820 (Asilidae)
64. **Dioctria valida** Loew, 1856 (Asilidae)
65. **Dipogon (Deuteragenia) variegatus** (Linnaeus, 1758) (Pompilidae)
66. **Doclostaurus (s.str.) maroccanus** (Thunberg, 1815) (Acrididae)
67. **Edwardsiana rosae** (Linnaeus, 1758) (Cicadellidae)
68. **Empis (s.str.) lepidopus** Meigen, 1822 (Empididae)
69. **Enicopus hirtus** (Linnaeus, 1767) (Melyridae)
70. **Eoferreola anatolica** Piesner, 1973 (Pompilidae)
71. **Euaresta bullans** (Wiedemann, 1830) (Tephritidae)
72. **Eurydema fieberi** Schummel, 1836 (Pentatomidae)
73. **Eurydema rugulosa** (Dohrn, 1860) (Pentatomidae)
74. **Evagetes dubius** (Van der Linden, 1827) (Pompilidae)
75. **Evagetes pontomoravicus** (Sustera, 1938) (Pompilidae)
76. **Exitianus fasciolatus** (Melichar, 1911) (Cicadellidae)
77. **Gryllus (s.str.) campestris** Linnaeus, 1758 (Gryllidae)
78. **Hardya anatolica** Zachvatkin, 1946 (Cicadellidae)
79. **Helophorus pallidipennis** Mulsant & Wahanru, 1852 (Helophoridae)
80. **Homonotus sanguinolentus** (Fabricius, 1793) (Pompilidae)
81. **Hoplitis (Alcidamea) acuticornis** (Dufour & Perris, 1840) (Megachilidae)
82. **Hyalesthes luteipes** Fieber, 1876 (Cixiidae)
83. **Hypera jucundus** Capiomont, 1868 (Curculionidae)
84. **Isophya major** Brunner von Wattenwyl, 1878 (Tettigoniidae)
85. **Jugurtia eurycara** Kostylev, 1935 (Vespidae)
86. **Labidostomis karamanica** Weise, 1900 (Chrysomelidae)
87. **Lacon punctatus** (Herbst, 1779) (Elateridae)
88. **Lasioglossum (Evylaeus) imbecillum** Ebmer, 1974 (Halictidae)
89. **Lasioglossum (s.str.) caspicum** (Morawitz, 1873) (Halictidae)
90. **Lasioglossum cilicium** Ebmer, 1972 (Halictidae)
91. **Leptochilus hethiticus** Gusenleitner, 1985 (Vespidae)
92. **Longitarsus anaticus** Weise, 1900 (Chrysomelidae)
93. **Lophyridia caucasica** (Adams, 1817) (Carabidae)
94. **Lucanus (s.str.) ibericus** Motschoulsky, 1845 (Lucanidae)
95. **Macrosteles fieberi** (Edwards, 1889) (Cicadellidae)
96. **Malthinus conspicuus** Kiesenwetter, 1852 (Cantharidae)
97. **Melanogryllus desertus** (Pallas, 1771) (Gryllidae)
98. **Meringopus titilator** (Linnaeus, 1758) (Ichneumonidae)
99. **Metacantharis torosensis** Svihla, 1999 (Cantharidae)
100. **Microdynerus confinis** Gusenleitner, 1979 (Vespidae)
101. **Micromallosia heinzorum** Holzschuh, 1991 (Cerambycidae)
102. **Mycterodus (s.str.) denticulatus** Lindberg, 1948 (Issidae)
103. **Mylabris quadripunctata** (Linnaeus, 1767) (Meloidae)
104. **Nemoura cinerea** (Retzius, 1783) (Nemouridae)
105. **Neoaliturus fenestratus** (Herrich-Schäffer, 1834) (Cicadellidae)
106. **Neoaliturus guttulatus** (Kirschbaum, 1868) (Cicadellidae)
107. **Nicrophorus germanicus** (Linnaeus, 1758) (Silphidae)
108. **Nohoveus atrifrons** Hölzel, 1970 (Myrmeleonidae)
109. **Opatrum geminatum** Brullé, 1832 (Tenebrionidae)
110. **Opilo taeniatus** (Klug, 1842) (Cleridae)
111. **Orellia steropea** (Rondani, 1870) (Tephritidae)
112. **Osmia (Helicosmia) dimidiata** Morawitz, 1870 (Megachilidae)
113. **Osmia (Helicosmia) fulviventris** (Panzer, 1798) (Megachilidae)
114. **Osmia (Hemiosmia) difficilis** Morawitz, 1875 (Megachilidae)
115. **Paragus (s.str.) altomontanus** Weyer, 2010 (Syrphidae)
116. **Parapholidoptera yoruka** Çıplak, 2000 (Tettigoniidae)
117. **Pausias martini** (Puton, 1890) (Pentatomidae)
118. **Pedestredorcadion cinerarium** (Fabricius, 1787) (Cerambycidae)
119. **Pedestredorcadion lodosi** (Sabbadini & Pesarini, 1992) (Cerambycidae)
120. **Pedinpompilus orbitalis** (Haupt, 1962) (Pompilidae)
121. **Pedinus (s.str.) strabonis** Seidlitz, 1893 (Tenebrionidae)
122. **Pentastira major** (Kirschbaum, 1868) (Cixiidae)
123. **Pentastira megista** Emeljanov, 1978 (Cixiidae)
124. **Pentodon bidens** (Pallas, 1771) (Scarabaeidae)
125. **Pimelia (Eurypimelia) akbesiana** Fairmaire, 1884 (Tenebrionidae)
126. **Platycleis (s.str.) affinis** Fieber, 1853 (Tettigoniidae)
127. **Platystoma seminationis** (Fabricius, 1775) (Platystomidae)

128. **Prionemis coriacea** Dahlbom, 1843 (Pompilidae)
129. **Prionemis minuta** (Van der Linden, 1827) (Pompilidae)
130. **Prionemis parvula** Dahlbom, 1845 (Pompilidae)
131. **Protaetia (Netocia) hungarica** (Herbst, 1790) (Scarabaeidae)
132. **Protaetia (Potosia) cuprea** (Fabricius, 1775) (Scarabaeidae)
133. **Protaetia (Potosia) funebris** (Gory & Percheron, 1833) (Scarabaeidae)
134. **Protaetia (Potosia) vidua** (Gory & Percherson, 1833) (Scarabaeidae)
135. **Protonemura bithynica** Aubert, 1964 (Nemouridae)
136. **Psammotettix pictipennis** (Kirschbaum, 1868) (Cicadellidae)
137. **Psammotettix striatus** (Linnaeus, 1758) (Cicadellidae)
138. **Pseudepipona (Deuterepipona) ankarensis Giordani Soika**, 1970 (Vespidae)
139. **Pteronemobius (s.str.) heydenii** (Fischer, 1853) (Gryllidae)
140. **Pycnomalla splendens** (Fabricius, 1787) (Stratiomyidae)
141. **Rhagonycha duplicata** Dahlgren, 1968 (Cantharidae)
142. **Rhagonycha fulva** (Scopoli, 1763) (Cantharidae)
143. **Rhagonycha kiesenwetteri** Marseul, 1864 (Cantharidae)
144. **Rhamphomyia (s.str.) karamanensis** Bartak, Çiftçi & Hasbenli, 2007 (Empididae)
145. **Rhynchites hungaricus** (Herbst, 1784) (Attelabidae)
146. **Salentia fuscipennis** A. Costa, 1857 (Therevidae)
147. **Sarcophaga (Helicophagella) bellae** Lehrer, 2000 (Sarcophagidae)
148. **Selatosomus (s.str.) latissimus** Reitter, 1910 (Elateridae)
149. **Stagonomus amoenus** (Brullé, 1832) (Pentatomidae)
150. **Stenodynerus simulatus** Gusenleitner, 1981 (Vespidae)
151. **Sureyaella bella** Uvarov, 1934 (Tettigoniidae)
152. **Symmorphus gracilis** (Brullé, 1832) (Vespidae)
153. **Tabanus regularis** Jaenicke, 1866 (Tabanidae)
154. **Tentyria rotundata** Brullé, 1832 (Tenebrionidae)
155. **Tentyria wiedemanni** Ménétrés, 1838 (Tenebrionidae)
156. **Teratolytta taurica** Bologna, 2006 (Meloidae)
157. **Thereva cinifera** Meigen, 1830 (Therevidae)
158. **Thereva fulva** (Meigen, 1804) (Therevidae)
159. **Thereva neglecta** Kröber, 1912 (Therevidae)
160. **Thereva pilifrons** Kröber, 1912 (Therevidae)
161. **Thereva plebeja** (Linnaeus, 1758) (Therevidae)
162. **Trichodes affinis** Chevrolat, 1843 (Cleridae)
163. **Trichodes ganglbaueri** Escherich, 1893 (Cleridae)
164. **Trichodes inermis** Reitter, 1893 (Cleridae)
165. **Trichodes laminatus** Chevrolat, 1843 (Cleridae)
166. **Trichodes longissimus** (Abeille de Perrin, 1881) (Cleridae)
167. **Trichodes punctatus** Fischer, 1829 (Cleridae)
168. **Trichodes quadriguttatus** Adams, 1817 (Cleridae)
169. **Trichodes suspectus** Escherich, 1892 (Cleridae)
170. **Trissolcus grandis** (Thomson, 1860) (Scelionidae)
171. **Trissolcus semistriatus** (Nees, 1834) (Scelionidae)
172. **Trissolcus simoni** (Mayr, 1897) (Scelionidae)
173. **Tropinota (Epicometis) hirta** (Poda, 1761) (Scarabaeidae)
174. **Urophora affinis** (Frauenfeld, 1857) (Tephritidae)
175. **Urophora cuspidata** (Meigen, 1826) (Tephritidae)
176. **Urophora eriolepidis** (Loew, 1856) (Tephritidae)
177. **Urophora jaculata** Rondani, 1870 (Tephritidae)
178. **Urophora solstitialis** (Linnaeus, 1758) (Tephritidae)
179. **Vespa orientalis** Linnaeus, 1771 (Vespidae)

Kırıkkale Province (71)

(109 species, stand 30 April 2010)

1. **Achaeta domestica** (Linnaeus, 1758) (Gryllidae)
2. **Acrida bicolor** (Thunberg, 1815) (Acrididae)
3. **Aelia albovittata** Fieber, 1868 (Pentatomidae)
4. **Agenioideus ruficeps** (Eversmann, 1849) (Pompilidae)
5. **Alebra albostriella** (Fallén, 1826) (Cicadellidae)
6. **Anacridium aegyptium** (Linnaeus, 1764) (Acrididae)
7. **Anoplius infuscatus** (Van der Linden, 1827) (Pompilidae)
8. **Arboridia adanae** (Dlabola, 1957) (Cicadellidae)
9. **Bembecinus innocens** De Beaumont, 1967 (Crabronidae)
10. **Bucephaloptera bucephala** (Brunner von Wattenwyl, 1882) (Tettigoniidae)
11. **Callimenus dilatatus** (Stal, 1876) (Tettigoniidae)
12. **Calliptamus barbarus** (Costa, 1836) (Acrididae)
13. **Calliptamus coelesyriensis** (Giglio-Tos, 1893) (Acrididae)
14. **Calliptamus tenuicercis** Tarbinsky, 1930 (Acrididae)
15. **Cercopis intermedia** Kirschbaum, 1868 (Cercopidae)
16. **Chlorita osmanica** Dlabola, 1971 (Cicadellidae)
17. **Chorthippus (Chorthippus) dorsatus** (Zetterstedt, 1821) (Acrididae)
18. **Chorthippus (Chorthippus) parallelus** (Zetterstedt, 1821) (Acrididae)
19. **Chorthippus (s.str.) dichrous** (Eversmann, 1859) (Acrididae)
20. **Chorthippus (s.str.) loratus** (Fischer von Waldheim, 1846) (Acrididae)

21. **Conocephalus (Anisoptera) fuscus** (Fabricius,1793) (Tettigoniidae)
22. **Dallognatha quadricollis** Brullé,1832 (Tenebrionidae)
23. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
24. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
25. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
26. **Dictyophara asiatica** Melichar,1912 (Dictyopharidae)
27. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
28. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
29. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
30. **Doratura homophyla** (Flor,1861) (Cicadellidae)
31. **Doratura veneta** Dlabola,1969 (Cicadellidae)
32. **Eurydema blanda** Horvath,1803 (Pentatomidae)
33. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
34. **Euscelis lineolatus** Brullé,1832 (Cicadellidae)
35. **Gelis sculpturator** Aubert,1977 (Ichneumonidae)
36. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
37. **Handianus procerus** (Herrich-Schäffer,1835) (Cicadellidae)
38. **Hyposoter ebenitor** Aubert,1972 (Ichneumonidae)
39. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
40. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
41. **Jassargus kurdicus** Remane & Schultz,1976 (Cicadellidae)
42. **Lygaeosoma anatolicum** Seidenstücker,1960 (Lygaeidae)
43. **Macronychia (s.str.) lemariei** Jacentkovsky,1941 (Sarcophagidae)
44. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
45. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
46. **Meloe olivieri** Chevrolat,1833 (Meloidae)
47. **Meloe proscarabaeus** Linnaeus,1758 (Meloidae)
48. **Meloe tuccicus** Rossi,1792 (Meloidae)
49. **Metrioptera (Roeseliana) bispina** (Bolivar,1899) (Tettigoniidae)
50. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae)
51. **Modicogryllus (s.str.) frontalis** (Fieber,1844) (Gryllidae)
52. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
53. **Mosillus subsultans** (Fabricius,1794) (Ephydriidae)
54. **Muzimes collaris** (Fabricius,1787) (Meloidae)
55. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae)
56. **Oenas crassicornis** (Illiger,1800) (Meloidae)
57. **Omocestus (s.str.) nanus** Uvarov,1934 (Acrididae)
58. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)
59. **Omocestus (s.str.) rufipes** (Zetterstedt,1821) (Acrididae)
60. **Opsius cypriacus** Lindberg,1958 (Cicadellidae)
61. **Opsius stactogalus** Fieber,1866 (Cicadellidae)
62. **Pedinpompilus orbitalis** (Haupt,1962) (Pompilidae)
63. **Pedinpompilus wolffi** (Priesner,1965) (Pompilidae)
64. **Pedinus (s.str.) strabonis** Seidlitz,1893 (Tenebrionidae)
65. **Pezodrymadusa angorensis** (Uvarov,1930) (Tettigoniidae)
66. **Phaneroptera (s.str.) nana** Fieber,1853 (Tettigoniidae)
67. **Pignatellus friedeli** Hölzel,1972 (Myrmeleonidae)
68. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
69. **Platycleis (Montana) schereri** Werner,1905 (Tettigoniidae)
70. **Platycleis (Montana) taurica** Bolivar,1899 (Tettigoniidae)
71. **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae)
72. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
73. **Platycleis (Tessellana) nigrosignata** (Costa,1863) (Tettigoniidae)
74. **Platycnemis pennipes** (Pallas,1771) (Platycnemidae)
75. **Poecilimon glandifer** Karabağ,1950 (Tettigoniidae)
76. **Poecilimon uvarovi** Ramme,1933 (Tettigoniidae)
77. **Pteronemobius (s.str.) heydenii** (Fischer,1853) (Gryllidae)
78. **Pyrgodera armata** (Fischer von Waldheim,1820) (Acrididae)
79. **Pyrgomorpha cognata** Krauss,1877 (Pyrgomorphidae)
80. **Ramburiella bolivari** (Kuthy,1907) (Acrididae)
81. **Ramburiella turcomana** (Fischer von Waldheim,1833) (Acrididae)
82. **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae)
83. **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae)
84. **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae)
85. **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae)
86. **Saga cappadocica** Werner,1903 (Tettigoniidae)
87. **Scotodrymadusa syriaca** (Pictet,1888) (Tettigoniidae)
88. **Sphaerophoria rueppelli** Wiedemann,1830 (Syrphidae)
89. **Sphingonotus (s.str.) turcicus** Uvarov,1930 (Acrididae)
90. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
91. **Stenobothrus (s.str.) miramae** Dirsh,1931 (Acrididae)
92. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
93. **Suaris nanus** (McLachan,1893) (Chrysopidae)
94. **Tamaricella cypria** (Ribaut,1948) (Cicadellidae)
95. **Tartarogryllus tartarus** (Saussure,1874) (Gryllidae)
96. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)

- | | |
|--|---|
| <p>97. Tephritis dioscorea (Loew,1856) (Tephritidae)
98. Tephritis recurrens Loew,1869 (Tephritidae)
99. Tetrix bolivari (Saulcy,1901) (Tetrigidae)
100. Tettigonia caudata (Charpentier,1845)
(Tettigoniidae)
101. Tettigonia viridissima (Linnaeus,1758)
(Tettigoniidae)
102. Thamnotettix (s.str.) zelleri
(Kirschbaum,1868) (Cicadellidae)
103. Trichodes laminatus Chevrolat,1843
(Cleridae)</p> | <p>104. Trichodes nobilis Klug,1842 (Cleridae)
105. Trichodes quadriguttatus Adams,1817
(Cleridae)
106. Tropinota (Epicometis) hirta (Poda,1761)
(Scarabaeidae)
107. Truxalis eximia Eichwald,1830 (Acrididae)
108. Tylopsis lilifolia (Fabricius,1793)
(Tettigoniidae)
109. Xya pfaendleri (Harz,1970) (Tridactylidae)</p> |
|--|---|

Batman Province (72)

(30 species, stand 30 April 2010)

- | | |
|--|--|
| <p>1. Adesmia (s.str.) anthracina Klug,1830
(Tenebrionidae)
2. Altica deserticola (Weise,1889)
(Chrysomelidae)
3. Anthaxia (s.str.) hypomelaena (Illiger,1803)
(Buprestidae)
4. Anthrenus (Nathrenus) verbasci
(Linnaeus,1767) (Dermestidae)
5. Arachnospila pamira (Haupt,1930)
(Pompilidae)
6. Bangasternus orientalis (Capiomont,1873)
(Curculionidae)
7. Cercopis sanguinolenta (Scopoli,1763)
(Cercopidae)
8. Cicadatra atra (Oliver,1790) (Cicadidae)
9. Cicadatra hyalina (Fabricius,1798) (Cicadidae)
10. Dielocroce ephemera (Gersträcker,1893)
(Nemopteridae)
11. Euodynerus (s.str.) maxmillianus
Gusenleitner,1998 (Vespidae)
12. Euscelidius schenkii (Kirschbaum,1868)
(Cicadellidae)
13. Geocoris pallidipennis (Costa,1843)
(Lygaeidae)
14. Gymnopleurus flagellatus (Fabricius,1787)
(Scarabaeidae)
15. Gymnopleurus geoffroyi Fuessly,1785
(Scarabaeidae)</p> | <p>16. Kyboasca bipunctata (Oshanin,1871)
(Cicadellidae)
17. Lertha palmonii Tjeder,1970 (Nemopteridae)
18. Lixus subtilis Boheman,1836 (Curculionidae)
19. Lophyridia caucasica (Adams,1817)
(Carabidae)
20. Lophyridia fischeri (Adams,1817) (Carabidae)
21. Lophyridia littoralis (Fabricius,1787)
(Carabidae)
22. Osphranteria coerulescens
Redtenbacher,[1849] (Cerambycidae)
23. Poophilus nebulosus (Lethierry,1876)
(Cercopidae)
24. Pteronemobius (s.str.) heydenii
(Fischer,1853) (Gryllidae)
25. Pyrrhocoris apterus (Linnaeus,1758)
(Pyrrhocoridae)
26. Stenopogon junceus (Wiedemann,1820)
(Asilidae)
27. Stictoleptura cordigera (Fuesslin,1775)
(Cerambycidae)
28. Tettigometra (Stirometra) costulata
Fieber,1865 (Tettigometridae)
29. Tettigometra impressifrons Mulsant-
Rey,1855 (Tettigometridae)
30. Trichodes pulcherrimus Escherich,1892
(Cleridae)</p> |
|--|--|

Şırnak Province (73)

(191 species, stand 30 April 2010)

- | | |
|---|---|
| <p>1. Agenioideus nubecula (Costa,1874)
(Pompilidae)
2. Agenioideus sericeus (Van der Linden,1827)
(Pompilidae)
3. Agenioideus usurarius (Tournier,1889)
(Pompilidae)
4. Anaceratagallia sinuata (Mulsant &
Rey,1855) (Cicadellidae)
5. Anax immaculifrons Rambur,1842
(Aeshnidae)
6. Anoplius nigerrimus (Scopoli,1763)
(Pompilidae)
7. Anoplius schlettereri (Radoszkowski,1888)
(Pompilidae)</p> | <p>8. Antepipona albosignata Gusenleitner,1986
(Vespidae)
9. Antepipona osmanica Gusenleitner,1986
(Vespidae)
10. Anthaxia (Haplanthaxia) cichorii
(Olivier,1790) (Buprestidae)
11. Anthaxia (Haplanthaxia) ursulae
Niehuis,1989 (Buprestidae)
12. Anthidium (Anthidiellum) clypeare
Morawitz,1874 (Megachilidae)
13. Anthidium (Paraanthidium) interruptum
(Fabricius,1781) (Megachilidae)
14. Anthidium (Rhodanthidium) buteum
Warneke,1980 (Megachilidae)</p> |
|---|---|

15. **Anthidium (Rhodanthidium) exsectum** (Pasteels,1969) (Megachilidae)
16. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
17. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae)
18. **Arachnospila anceps** (Wesmael,1851) (Pompilidae)
19. **Arachnospila consobrina** (Dahlbom,1843) (Pompilidae)
20. **Arachnospila esau** (Kohl,1886) (Pompilidae)
21. **Arachnospila holomelas** (Costa,1882) (Pompilidae)
22. **Arachnospila ionica** (Wolf,1964) (Pompilidae)
23. **Asmisapyga warnckeii** Kurzenko,1994 (Sapygidae)
24. **Auplopus rectus** (Haupt,1927) (Pompilidae)
25. **Austroagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
26. **Bangasternus fausti** (Reitter,1890) (Curculionidae)
27. **Bembecinus acanthomerus** (Morice,1911) (Crabronidae)
28. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
29. **Bembecinus tridens** (Fabricius,1781) (Crabronidae)
30. **Boveycantharis holzschuhi** Svihla,1999 (Cantharidae)
31. **Callostoma oezbeki** Dils & Özbek,2006 (Bombyliidae)
32. **Celonites foveolatus** Kostylev,1935 (Vespidae)
33. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
34. **Chelostoma (Foveosmia) isabellinum** (Warncke,1991) (Megachilidae)
35. **Chelostoma (Foveosmia) josefi** Schwarz & Gusenleitner,2000 (Megachilidae)
36. **Chelostoma (Foveosmia) torquillum** Warncke,1991 (Megachilidae)
37. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
38. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
39. **Cicadula divaricata** Ribaut,1952 (Cicadellidae)
40. **Cicindela desertorum** Dejean,1825 (Carabidae)
41. **Coenorrhinus aequatus** (Linnaeus,1767) (Attelabidae)
42. **Colletes hakkari** Kuhlmann,2002 (Colletidae)
43. **Coremacera amoena** (Loew,1853) (Sciomyzidae)
44. **Coremacera obscuripennis** (Loew,1845) (Sciomyzidae)
45. **Cryptocheilus albosignatus** Sustera,1924 (Pompilidae)
46. **Cryptocheilus fischeri** (Spinola,1855) (Pompilidae)
47. **Cytherea pallidipennis** (Abbasian-Lintzen,1968) (Bombyliidae)
48. **Delta viatrix** (Nurse,1903) (Vespidae)
49. **Dendarus (Pandarinus) armeniacus Baudi**,1876 (Tenebrionidae)
50. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae)
51. **Deronectes hakkariensis** Wewalka,1989 (Dytiscidae)
52. **Deronectes jaechi** Wewalka,1989 (Dytiscidae)
53. **Deronectes longipes** Sharp,1882 (Dytiscidae)
54. **Dichetophora obliterated** (Fabricius,1805) (Sciomyzidae)
55. **Diplazon schachti** Diller,1986 (Ichneumonidae)
56. **Drosophila andalusica** Strobl,1906 (Drosophilidae)
57. **Dufourea (Halictoides) schmiedeknechtii** (Kohl,1905) (Halictidae)
58. **Elaphrosyron heinrichi** Haupt,1930 (Pompilidae)
59. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
60. **Eumenes coronatus** (Panzer,1799) (Vespidae)
61. **Euodynerus (s.str.) curictensis Blüthgen**,1940 (Vespidae)
62. **Eurydema blanda** Horvath,1803 (Pentatomidae)
63. **Evagetes schwarzi** (Priesner,1965) (Pompilidae)
64. **Evagetes trispinosus** (Kohl,1886) (Pompilidae)
65. **Exitianus fasciolatus** (Melichar,1911) (Cicadellidae)
66. **Geocoris grylloides** (Linnaeus,1761) (Lygaeidae)
67. **Gitona distigma** Meigen,1830 (Drosophilidae)
68. **Helophorus aquaticus** (Linnaeus,1758) (Helophoridae)
69. **Helophorus hilaris** Sharp,1916 (Helophoridae)
70. **Helophorus lewisi** Angus,1985 (Helophoridae)
71. **Helophorus pallidipennis** Mulsant & Wachanru,1852 (Helophoridae)
72. **Hoplitis (Alcidamea) acuticornis** (Dufour & Perris,1840) (Megachilidae)
73. **Hoplitis (Alcidamea) galbula** (Warncke,1991) (Megachilidae)
74. **Hoplitis (Alcidamea) garzetta** (Warncke,1991) (Megachilidae)
75. **Hoplitis (Alcidamea) leucomelana** (Kirby,1802) (Megachilidae)
76. **Hoplitis (Alcidamea) praestans** (Morawitz,1894) (Megachilidae)
77. **Hoplitis (Alcidamea) subbutea** (Warncke,1991) (Megachilidae)
78. **Hoplitis (Prionhoplitis) eburnea** (Warncke,1991) (Megachilidae)
79. **Hyalesthes mlokosiewiczii** Signoret,1879 (Cixiidae)
80. **Hydromya dorsalis** (Fabricius,1775) (Sciomyzidae)
81. **Hypera variabilis** (Herbst,1795) (Curculionidae)
82. **Ischnogasteroides zarudnyi** (Kostylev,1939) (Vespidae)
83. **Jugurtia escalerae** Meade-Waldo,1910 (Vespidae)
84. **Jugurtia eurycara** Kostylev,1935 (Vespidae)
85. **Kelisia ribauti** Wagner,1938 (Delphacidae)
86. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
87. **Laccobius (Dimorpholaccobius) scutellaris** Motschoulsky,1855 (Hydrophilidae)
88. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
89. **Larinus centaureae** (Olivier,1807) (Curculionidae)
90. **Leptochilus osmanicus** Gusenleitner,1988 (Vespidae)
91. **Leptochilus resslii** Gusenleitner,1985 (Vespidae)
92. **Lertha palmonii** Tjeder,1970 (Nemopteridae)

93. **Leucophenga maculata (Dufour,1839)**
(Drosophilidae)
94. **Lixus angustatus (Fabricius,1775)**
(Curculionidae)
95. **Lydus gibbifer Escherich,1896** (Meloidae)
96. **Lydus tarsalis Abeille de Perrin,1880**
(Meloidae)
97. **Malthodes flagellatus Svihla,2009**
(Cantharidae)
98. **Mantispa adelungi Navas,1912** (Mantispidae)
99. **Merodon aberrans Egger,1860** (Syrphidae)
100. **Merodon altinosus Hurkmans,1993**
(Syrphidae)
101. **Merodon kaloceros Hurkmans,1993**
(Syrphidae)
102. **Merodon lucasi Hurkmans,1993** (Syrphidae)
103. **Merodon nitidifrons Hurkmans,1993**
(Syrphidae)
104. **Merodon oidipous Hurkmans,1993**
(Syrphidae)
105. **Merodon ottomanus Hurkmans,1993**
(Syrphidae)
106. **Merodon quadrinotatus (Sack,1931)**
(Syrphidae)
107. **Merodon satdagensis Hurkmans,1993**
(Syrphidae)
108. **Merodon schahti Hurkmans,1993**
(Syrphidae)
109. **Merodon taniniensis Hurkmans,1993**
(Syrphidae)
110. **Merodon vandergooti Hurkmans,1993**
(Syrphidae)
111. **Microdynerus curdistanicus**
Gusenleitner,1988 (Vespidae)
112. **Micromallosia theresae Pic,1900**
(Cerambycidae)
113. **Mormia revisenda (Eaton,1896)** (Psychodidae)
114. **Mylabris polymorphus (Pallas,1771)**
(Meloidae)
115. **Mylabris quadripunctata (Linnaeus,1767)**
(Meloidae)
116. **Nebria (Tyrrhenia) uluderensis Shilenkov &**
Heinz,1984 (Carabidae)
117. **Nemorius vitripennis (Meigen,1820)**
(Tabanidae)
118. **Odynerus melanocephalus (Gmelin,1790)**
(Vespidae)
119. **Oenas tenuicornis Abeille de Perrin,1880**
(Meloidae)
120. **Osmia (Helicosmia) dimidiata**
Morawitz,1870 (Megachilidae)
121. **Osmia (Helicosmia) diomedia Warncke,1988**
(Megachilidae)
122. **Osmia (Helicosmia) fulviventris**
(Panzer,1798) (Megachilidae)
123. **Osmia (Helicosmia) ocularis Warncke,1988**
(Megachilidae)
124. **Osmia (Helicosmia) torquata Warncke,1988**
(Megachilidae)
125. **Osmia (Hemiosmia) difficilis Morawitz,1875**
(Megachilidae)
126. **Osmia (Tergosmia) avosetta Warncke,1988**
(Megachilidae)
127. **Oxycera insolata Kühbandner,1984**
(Stratiomyidae)
128. **Pangonius (s.str.) pyritosus Loew,1859**
(Tabanidae)
129. **Paragus (s.str.) cinctus Schiner & Egger,1853**
(Syrphidae)
130. **Parametricnemus sp.** (Chironomidae)
131. **Parametricnemus stylatus (Kieffer,1924)**
(Chironomidae)
132. **Paranothrotes opacus (Brunner von**
Wattenwyl,1882) (Pamphagidae)
133. **Pericoma hakkariae R.Wagner,1986**
(Psychodidae)
134. **Pericoma kariana Vaillant,1978** (Psychodidae)
135. **Pericoma orientalis R.Wagner,1986**
(Psychodidae)
136. **Pericoma tenuistylis Vaillant,1978**
(Psychodidae)
137. **Phantia subquadrata (Herrich-**
Schäffer,1838) (Flatidae)
138. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
139. **Philipomyia graeca (Fabricius,1794)**
(Tabanidae)
140. **Philotheria lodosi Dlabola,1979**
(Dictyopharidae)
141. **Phlepsius intricatus (Herrich-Schäffer,1838)**
(Cicadellidae)
142. **Phradonoma alium Hava,2006** (Dermestidae)
143. **Phytodrymadusa hakkarica Karabağ,1956**
(Tettigoniidae)
144. **Platymetopius major (Kirschbaum,1868)**
(Cicadellidae)
145. **Podagenia crassipes Priesner,1973**
(Pompilidae)
146. **Polistes (s.str.) gallicus (Linnaeus,1767)**
(Vespidae)
147. **Poophilus nebulosus (Lethierry,1876)**
(Cercopidae)
148. **Priocnemis fallax Verhoeff,1892** (Pompilidae)
149. **Priocnemis pillichi Priesner,1960** (Pompilidae)
150. **Priocnemis vulgaris (Dufour,1841)**
(Pompilidae)
151. **Protactia (Potosia) funebris (Gory &**
Percheron,1833) (Scarabaeidae)
152. **Pseudoliarius fuscofasciatus (Melichar,1902)**
(Cixiidae)
153. **Psychoda cinerea Banks,1834** (Psychodidae)
154. **Pyrrhocoris apterus (Linnaeus,1758)**
(Pyrrhocoridae)
155. **Ricania hedenborgi Stal,1865** (Ricaniidae)
156. **Sapyga (s.str.) morawitzi Turner,1911**
(Sapygidae)
157. **Sapyga (s.str.) quinquepunctata**
(Fabricius,1781) (Sapygidae)
158. **Sapygina schwarzi Kurzenko,1994** (Sapygidae)
159. **Satchelliella canescens (Meigen,1804)**
(Psychodidae)
160. **Scaptomyza (Parascaptomyza) pallida**
(Zetterstedt,1847) (Drosophilidae)
161. **Sciocoris ochraceus Fieber,1861**
(Pentatomidae)
162. **Scolia sexmaculata (Müller,1766)** (Scoliidae)
163. **Sogatella vibix (Haupt,1927)** (Delphacidae)
164. **Stenometopiellus angorensis**
Zachvatkin,1946 (Cicadellidae)
165. **Stenopogon junceus (Wiedemann,1820)**
(Asilidae)
166. **Symmorphus gracilis (Brullé,1832)** (Vespidae)
167. **Tabanus alvarengia Schacht,1987** (Tabanidae)
168. **Tabanus anthrax Olsufjev,1937** (Tabanidae)
169. **Tabanus atropathenicus Olsufjev,1937**
(Tabanidae)
170. **Tabanus bromius Linnaeus,1758** (Tabanidae)
171. **Tabanus miki Brauer,1880** (Tabanidae)
172. **Tabanus mouchai Leclercq,1962** (Tabanidae)

173. **Tabanus prometheus Szilady,1923** (Tabanidae)
174. **Tabanus regularis Jaenicke,1866** (Tabanidae)
175. **Tabanus shekovnikovi Paramanov,1934**
(Tabanidae)
176. **Tabanus spectabilis Loew,1858** (Tabanidae)
177. **Tabanus swiridowi Portsinsky,1882**
(Tabanidae)
178. **Tachyagetes nomadaschwarzi Wolf,1987**
(Pompilidae)
179. **Telostegus inermis (Brullé,1832)** (Pompilidae)
180. **Teratolytta kulzeri Kaszab,1958**
(Meloidae)
181. **Tettigonia turcica Ramme,1951** (Tettigoniidae)
182. **Theriopectes carabaghensis**
(Potschinsky,1877) (Tabanidae)
183. **Thornburghiella quezeli (Vaillant,1956)**
(Psychodidae)
184. **Tipula (Yamatotipula) guentheri**
Oosterbroek,1994 (Tipulidae)
185. **Toya propinqua (Fieber,1866)** (Delphacidae)
186. **Trichodes quadriguttatus Adams,1817**
(Cleridae)
187. **Trissolcus grandis (Thomson,1860)**
(Scelionidae)
188. **Trissolcus vassilievi (Mayr,1903)**
(Scelionidae)
189. **Tshurtshurnella lodosi Dlabola,1979** (Issidae)
190. **Uvarovistia (s.str.) zebra (Uvarov,1916)**
(Tettigoniidae)
191. **Zorochros kurdicus Dolin & Mertlik,2002**
(Elateridae)

Bartın Province (74)

(51 species, stand 30 April 2010)

1. **Aelia acuminata (Linnaeus,1758)**
(Pentatomidae)
2. **Anthaxia (Haplantaxia) cichorii**
(Olivier,1790) (Buprestidae)
3. **Atylotus loewianus (Villeneuve,1920)**
(Tabanidae)
4. **Bolitophagus reticulatus (Linnaeus,1767)**
(Tenebrionidae)
5. **Chrysops (s.str.) caecutiens (Linnaeus,1761)**
(Tabanidae)
6. **Chrysops (s.str.) flavipes Meigen,1804**
(Tabanidae)
7. **Chrysops (s.str.) viduatus (Fabricius,1794)**
(Tabanidae)
8. **Cixius pallipes Fieber,1876** (Cixiidae)
9. **Dasyrhamphis umbrinus (Meigen,1820)**
(Tabanidae)
10. **Eurydema spectabilis Horvath,1882**
(Pentatomidae)
11. **Eysarcoris ventralis (Westwood,1837)**
(Pentatomidae)
12. **Graphogaster vestita Rondani,1868**
(Tachinidae)
13. **Haematopota italica Meigen,1804** (Tabanidae)
14. **Haematopota ocelligera Kröber,1922**
(Tabanidae)
15. **Haematopota pandazisi Kröber,1936**
(Tabanidae)
16. **Lasioptera carophila Loew,1874**
(Cecidomyiidae)
17. **Mantis religiosa (Linnaeus,1758)** (Mantidae)
18. **Medina melania (Meigen,1824)** (Tachinidae)
19. **Melanogryllus desertus (Pallas,1771)**
(Gryllidae)
20. **Neottiglossa leporina (Herrich-Schäffer,1830)** (Pentatomidae)
21. **Oxythyrea cinctella (Schaum,1841)**
(Scarabaeidae)
22. **Pedicia (Crunobia) zernyi**
(Lackschewitz,1940) (Pedicidae)
23. **Pezotettix giornae (Rossi,1794)** (Acrididae)
24. **Phasia (Hyalomya) pandellei (Dupuis,1957)**
(Tachinidae)
25. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
26. **Phlepsius intricatus (Herrich-Schäffer,1838)**
(Cicadellidae)
27. **Platycleis (Incertana) incerta Brunner von**
Wattenwyl,1882 (Tettigoniidae)
28. **Polyphylla (s.str.) fullo (Linnaeus,1758)**
(Scarabaeidae)
29. **Probaticus (Pelorinus) corrugatus**
Seidlitz,1893 (Tenebrionidae)
30. **Probaticus (Pelorinus) granipennis**
(Allard,1876) (Tenebrionidae)
31. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
32. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
33. **Tabanus bifarius Loew,1858** (Tabanidae)
34. **Tabanus briani Leclercq,1962** (Tabanidae)
35. **Tabanus bromius Linnaeus,1758** (Tabanidae)
36. **Tabanus cuculus Szilady,1923** (Tabanidae)
37. **Tabanus eggeri Schiner,1868** (Tabanidae)
38. **Tabanus exclusus Pandella,1883** (Tabanidae)
39. **Tabanus glaucopsis Meigen,1820** (Tabanidae)
40. **Tabanus indrae Hauser,1939** (Tabanidae)
41. **Tabanus leleani Austen,1920** (Tabanidae)
42. **Tabanus lunatus Fabricius,1794** (Tabanidae)
43. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
44. **Tabanus miki Brauer,1880** (Tabanidae)
45. **Tabanus oppugnator Austen,1925** (Tabanidae)
46. **Tabanus quatuornatus Meigen,1820**
(Tabanidae)
47. **Tabanus subparadoxus Olsufjev,1937**
(Tabanidae)
48. **Tabanus sudeticus Zeller,1842** (Tabanidae)
49. **Tabanus tergestinus Egger,1859** (Tabanidae)
50. **Tabanus tinctus Walker,1850** (Tabanidae)
51. **Zabrachypus tenuiabdominalis**
(Uchida,19141) (Ichneumonidae)

Ardahan Province (75)

(111 species, stand 30 April 2010)

1. **Acrida oxycephala** (Pallas,1771) (Acrididae)
2. **Adalia (s.str.) bipunctata** (Linnaeus,1758) (Coccinellidae)
3. **Agabus glacialis** Hochhuth,1846 (Dytiscidae)
4. **Agriotes (s.str.) sputator** (Linnaeus,1758) (Elateridae)
5. **Alosimus armeniacus** (Faldermann,1837) (Meloidae)
6. **Amara (s.str.) familiaris** (Duftschmid,1812) (Carabidae)
7. **Amphicoma (Eulasia) arctos** (Pallas,1781) (Glaphyridae)
8. **Anastrangalia sanguinolenta** (Linnaeus,1761) (Cerambycidae)
9. **Ancistrocerus scoticus** (Curtis,1826) (Vespidae)
10. **Anoplius nigerrimus** (Scopoli,1763) (Pompilidae)
11. **Anthidium (s.str.) manicatum** (Linnaeus,1758) (Megachilidae)
12. **Apis mellifera** Linnaeus,1758 (Apidae)
13. **Arachnospila fumipennis** (Zetterstedt,1838) (Pompilidae)
14. **Arachnospila fuscomarginata** (Thomson,1870) (Pompilidae)
15. **Bryaxis bulbifer** (Reichenbach,1816) (Staphylinidae)
16. **Bryaxis longipalpis** (Motschoulsky,1835) (Staphylinidae)
17. **Bryaxis nivarius** Besuchet & Kurbatov,2007 (Staphylinidae)
18. **Bryaxis orcinus** Besuchet & Kurbatov,2007 (Staphylinidae)
19. **Bryaxis temporalis** Besuchet & Kurbatov,2007 (Staphylinidae)
20. **Callicorixa raddei** (Kiritshenko & Jaczewski,1960) (Corixidae)
21. **Calopteryx splendens** (Harris,1776) (Calopterygidae)
22. **Carabus (Lipaster) stjernvalli** Mannerheim,1830 (Carabidae)
23. **Ceropales maculata** (Fabricius,1775) (Pompilidae)
24. **Cheilosia illustrata** (Harris,1776) (Syrphidae)
25. **Chrysolina coerulans** (Scriba,1791) (Chrysomelidae)
26. **Chrysolina kulzeri** Bechyne,1950 (Chrysomelidae)
27. **Chrysolina limbata** (Fabricius,1775) (Chrysomelidae)
28. **Chrysolina marginata** (Linnaeus,1758) (Chrysomelidae)
29. **Chrysolina reitteri** (Weise,1884) (Chrysomelidae)
30. **Chrysops (s.str.) viduatus** (Fabricius,1794) (Tabanidae)
31. **Chrysotoxum festivum** (Linnaeus,1758) (Syrphidae)
32. **Cicindela desertorum** Dejean,1825 (Carabidae)
33. **Cionus caucasicus** Reitter,1888 (Curculionidae)
34. **Coenagrion lunulatum** (Charpentier,1840) (Coenagrionidae)
35. **Coenagrion puellum** (Linnaeus,1758) (Coenagrionidae)
36. **Coenagrion pulchellum** (Van Der Linden,1825) (Coenagrionidae)
37. **Conops flavipes** Linnaeus,1758 (Conopidae)
38. **Cryptocheilus notatus** (Rossi,1792) (Pompilidae)
39. **Cryptopimpla caligata** (Gravenhorst,1829) (Ichneumonidae)
40. **Dusona inermis** (Förster,1868) (Ichneumonidae)
41. **Enallagma cyathigerum** (Charpentier,1840) (Coenagrionidae)
42. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
43. **Episyrus rufipes** (Linnaeus,1758) (Pompilidae)
44. **Erythromma viridulum** (Charpentier,1840) (Coenagrionidae)
45. **Eumenes lunulatus** (Fabricius,1804) (Vespidae)
46. **Eumenes papillarius** (Christ,1791) (Vespidae)
47. **Eumenes subpomiformis** Blüthgen,1938 (Vespidae)
48. **Euzonitis fluvipennis** (Fabricius,1792) (Meloidae)
49. **Evagetes proximus** (Dahlbom,1843) (Pompilidae)
50. **Exetastes curvator** Aubert,1977 (Ichneumonidae)
51. **Exorista larvarum** (Linnaeus,1758) (Tachinidae)
52. **Helophorus discrepans** Rey,1885 (Helophoridae)
53. **Helophorus lapponicus** Thomson,1854 (Helophoridae)
54. **Hemicrepidius schneideri** (Kiesenwetter,1877) (Elateridae)
55. **Hemicrepidius vulpeculus** (Reitter,1890) (Elateridae)
56. **Hybomitra erberi** (Brauer,1880) (Tabanidae)
57. **Isophya schneideri** Brunner von Wattenwyl,1878 (Tettigoniidae)
58. **Laccobius (Dimorpholaccobius) sulcatus** Reitter,1909 (Hydrophilidae)
59. **Lasioglossum fahringeri** Friese,1921 (Halictidae)
60. **Lestes dryas** Kirby,1890 (Lestidae)
61. **Lestes sponsa** (Hansemann,1823) (Lestidae)
62. **Leucorrhinia pectoralis** (Charpentier,1825) (Libellulidae)
63. **Libellula quadrimaculata** Linnaeus,1758 (Libellulidae)
64. **Longitarsus aeneicollis** (Faldermann,1837) (Chrysomelidae)
65. **Longitarsus anchusae** (Paykull,1799) (Chrysomelidae)
66. **Longitarsus trepidus** Warchalowski,1973 (Chrysomelidae)
67. **Mantispa scabricollis** McLachlan,1875 (Mantispidae)
68. **Mantispa styriaca** (Poda,1761) (Mantispidae)
69. **Megabombus humilis** (Illiger,1806) (Apidae)
70. **Megabombus mesomelas** (Gerstaecker,1869) (Apidae)
71. **Megachile (s.str.) pyrenaea** Perez,1890 (Megachilidae)

72. **Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae)
73. **Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae)
74. **Meloe autumnalis Olivier,1792** (Meloidae)
75. **Meloe brevicollis Panzer,1793** (Meloidae)
76. **Meloe glasunovi Pliginski,1910** (Meloidae)
77. **Mylabris pusilla Olivier,1811** (Meloidae)
78. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae)
79. **Nemoura cinerea (Retzius,1783)** (Nemouridae)
80. **Nicrophorus confusus Portevin,1924** (Silphidae)
81. **Oenopia conglobata (Linnaeus,1758)** (Coccinellidae)
82. **Ormyrus ardahanensis (Doğanlar,1991)** (Ormyridae)
83. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae)
84. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae)
85. **Pales pavida (Meigen,1824)** (Tachinidae)
86. **Panorpa communis Linnaeus,1758** (Panorpidae)
87. **Pedestredorcasion ardahense (Breuning,1975)** (Cerambycidae)
88. **Pedestredorcasion nitidum (Motschoulsky,1838)** (Cerambycidae)
89. **Perlamantispa perla (Pallas,1772)** (Mantispidae)
90. **Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae)
91. **Platycleis (Montana) uvarovi (Karabağ,1950)** (Tettigoniidae)
92. **Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae)
93. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
94. **Priocnemis exaltata (Fabricius,1775)** (Pompilidae)
95. **Psophus stridulus (Linnaeus,1758)** (Acrididae)
96. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae)
97. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae)
98. **Scymnus quadriguttatus Capra,1924** (Coccinellidae)
99. **Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae)
100. **Selatosomus (s.str.) latus (Fabricius,1801)** (Elateridae)
101. **Sigara striata (Linnaeus,1758)** (Corixidae)
102. **Silpha obscura Linnaeus,1758** (Silphidae)
103. **Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae)
104. **Sympyga fusca (Van Der Linden,1820)** (Lestidae)
105. **Tabanus swiridowi Portschnsky,1882** (Tabanidae)
106. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae)
107. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae)
108. **Tenthredo acerrima Benson,1952** (Tenthredinidae)
109. **Thelymorpha marmorata (Fabricius,1805)** (Tachinidae)
110. **Vespa crabro Linnaeus,1758** (Vespidae)
111. **Volucella pellucens (Linnaeus,1758)** (Syrphidae)

Iğdır Province (76)

(179 species, stand 30 April 2010)

1. **Agenioideus ciliatus (Lepeletier,1845)** (Pompilidae)
2. **Agenioideus nubecula (Costa,1874)** (Pompilidae)
3. **Agenioideus rytiphorus (Kohl,1886)** (Pompilidae)
4. **Agenioideus sericeus (Van der Linden,1827)** (Pompilidae)
5. **Allodynerus rossii (Lepeletier,1841)** (Vespidae)
6. **Altica deserticola (Weise,1889)** (Chrysomelidae)
7. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
8. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae)
9. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae)
10. **Anechura zubovskii (Semenov,1901)** (Forficulidae)
11. **Anisoplia noahi Petrovitz,1973** (Scarabaeidae)
12. **Anogcodes ruficollis (Fabricius,1781)** (Oedemeridae)
13. **Anoplius concinnus (Dahlbom,1845)** (Pompilidae)
14. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
15. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae)
16. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae)
17. **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae)
18. **Anthrenus araraticus Zhantiev,1976** (Dermestidae)
19. **Aporinellus moestus (Klug,1834)** (Pompilidae)
20. **Athalia liberta (Klug,1815)** (Tenthredinidae)
21. **Athous (Orthathous) dasycerus Buysson,1890** (Elateridae)
22. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae)
23. **Balclutha pellucens Horvath,1909** (Cicadellidae)
24. **Balclutha punctata (Fabricius,1775)** (Cicadellidae)
25. **Batracomorphus signatus Lindberg,1923** (Cicadellidae)

26. **Bombus lucorum** Linnaeus,1761 (Apidae)
27. **Bothynoderes punctiventris** (Germar,1794) (Curculionidae)
28. **Bulaea lichatschovi** (Hummel,1827) (Coccinellidae)
29. **Callisthenes (s.str.) brevisculus** (Mannerheim,1830) (Carabidae)
30. **Capnodis excisa** Ménétrés,1849 (Buprestidae)
31. **Carabus (Mimocarabus) pumilio** Küster,1846 (Carabidae)
32. **Cerocoma marginiventris** Reitter,1889 (Meloidae)
33. **Cerocoma turcica** Pardo Alcaide,1977 (Meloidae)
34. **Ceropales cribrata** Costa,1881 (Pompilidae)
35. **Ceropales maculata** (Fabricius,1775) (Pompilidae)
36. **Chaetocnema major** (Jaquelin du Val,1852) (Chrysomelidae)
37. **Chitona fucata** (Faldermann,1837) (Oedemeridae)
38. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
39. **Cicadella viridis** (Linnaeus,1758) (Cicadellidae)
40. **Cicindela desertorum** Dejean,1825 (Carabidae)
41. **Cixius pallipes** Fieber,1876 (Cixiidae)
42. **Cleptes pallipes** Lepeletier,1806 (Chrysididae)
43. **Coelioxys (s.str.) aurolimbata** Förster,1853 (Megachilidae)
44. **Colpa quinquecincta** (Fabricius,1775) (Scoliidae)
45. **Conops tomentosus** Kröber,1916 (Conopidae)
46. **Creightonella (Metamegachile) albisecta** (Klug,1817) (Megachilidae)
47. **Cryptocephalus araxidis** Weise,1898 (Chrysomelidae)
48. **Cryptocheilus octomaculatus** (Rossi,1790) (Pompilidae)
49. **Cryptocheilus pseudonotatus** Sustera,1913 (Pompilidae)
50. **Cryptocheilus stygium** Priesner,1967 (Pompilidae)
51. **Cryptocheilus versicolor** (Scopoli,1763) (Pompilidae)
52. **Cylindera (Cicindina) sublacerata** (Solsky,1874) (Carabidae)
53. **Dasyscolia ciliata** (Fabricius,1787) (Scoliidae)
54. **Dericorys uvarovi** Ramme,1930 (Acrididae)
55. **Diamesa coronarunguis** Şahin,1991 (Chironomidae)
56. **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae)
57. **Diorhabda carinata** (Faldermann,1837) (Chrysomelidae)
58. **Diphyus mercatorius** (Fabricius,1793) (Ichneumonidae)
59. **Diphyus pseudomercator** (Ichneumonidae)
60. **Dipogon sinan** Wolf,1998 (Pompilidae)
61. **Distoleon curdicus** Hölzel,1972 (Myrmeleonidae)
62. **Doratura veneta** Dlabola,1969 (Cicadellidae)
63. **Dytiscus circumflexus** Fabricius,1781 (Dytiscidae)
64. **Dytiscus marginalis** Linnaeus,1758 (Dytiscidae)
65. **Elinora asiatica** Enslin,1910 (Tenthredinidae)
66. **Empoasca solani** (Curtis,1846) (Cicadellidae)
67. **Eoferreola anatolica** Piesner,1973 (Pompilidae)
68. **Episyron albonotatum** (Van der Linden,1827) (Pompilidae)
69. **Eumenes coarctatus** (Linnaeus,1758) (Vespidae)
70. **Eumenes mediterraneus** (Kriechbaumer,1879) (Vespidae)
71. **Eumenes papillarius** (Christ,1791) (Vespidae)
72. **Eurydema ornatum** (Linnaeus,1758) (Pentatomidae)
73. **Exochomus nigromaculatus** (Goeze,1777) (Coccinellidae)
74. **Falcotoya minuscula** (Horvath,1897) (Delphacidae)
75. **Graphoderus cinereus** (Linnaeus,1758) (Dytiscidae)
76. **Haematopota caenofrons** Kröber,1922 (Tabanidae)
77. **Haematopota pallens** Loew,1871 (Tabanidae)
78. **Hemianax ephippiger** (Burmeister,1839) (Aeshnidae)
79. **Hoplitis (Alcidamea) bicallusa** (Morawitz,1876) (Megachilidae)
80. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
81. **Hycleus scabiosae** (Olivier,1811) (Meloidae)
82. **Hydroporus discretus** Fairmaire & Brisout,1859 (Dytiscidae)
83. **Hypera variabilis** (Herbst,1795) (Curculionidae)
84. **Ischyronota desertorum** (Gebler,1833) (Chrysomelidae)
85. **Julodis faldermanni** Mannerheim,1837 (Buprestidae)
86. **Kyboasca bipunctata** (Oshanin,1871) (Cicadellidae)
87. **Laodelphax striatellus** (Fallén,1826) (Delphacidae)
88. **Larinus flavescens** Germar,1824 (Curculionidae)
89. **Larinus turbinatus** Gyllenhal,1836 (Curculionidae)
90. **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae)
91. **Lasioglossum fahringeri** Friese,1921 (Halictidae)
92. **Lasioptera carophila** Loew,1874 (Cecidomyiidae)
93. **Leptochilus regulus** Saussure,1855 (Vespidae)
94. **Lertha palmonii** Tjeder,1970 (Nemopteridae)
95. **Limonium araratensis** (Faldermann,1835) (Elateridae)
96. **Limotettix striola** (Fallén,1806) (Cicadellidae)
97. **Lixus cardui** Olivier,1807 (Curculionidae)
98. **Lixus elegantulus** Boheman,1843 (Curculionidae)
99. **Lixus incanescens** Boheman,1836 (Curculionidae)
100. **Lixus subtilis** Boheman,1836 (Curculionidae)
101. **Longitarsus aeneicollis** (Faldermann,1837) (Chrysomelidae)
102. **Longitarsus melanocephalus** (De Geer,1775) (Chrysomelidae)
103. **Longitarsus pellucidus** (Foudras,1860) (Chrysomelidae)
104. **Lucanus (s.str.) ibericus** Motschoulsky,1845 (Lucanidae)
105. **Macromyrme binotata** (Radoszkowski,1879) (Mutillidae)

106. **Megachile (Eutricharaea) pilidens** Alfken,1924 (Megachilidae)
107. **Megachile (Xanthosarus) maritima** (Kirby,1802) (Megachilidae)
108. **Merodon velox** Loew,1869 (Syrphidae)
109. **Mylabris calida** (Pallas,1781) (Meloidae)
110. **Mylabris ciliciensis** Escherich,1899 (Meloidae)
111. **Mylabris laevicollis** Marseul,1870 (Meloidae)
112. **Mylabris pusilla** Olivier,1811 (Meloidae)
113. **Nemotelus (s.str.) armeniacus** Pleske,1937 (Stratiomyidae)
114. **Nemotelus (s.str.) curdistanus** Szilady,1941 (Stratiomyidae)
115. **Neotalitrus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae)
116. **Neotalitrus guttulatus** (Kirschbaum,1868) (Cicadellidae)
117. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae)
118. **Nycteribia (s.str.) schmidlii** Schiner,1853 (Nycteribiidae)
119. **Ochrosis ventralis** (Illiger,1807) (Chrysomelidae)
120. **Omocestus (s.str.) demokidovi** Ramme,1930 (Acrididae)
121. **Osmia (Helicosmia) caerulescens** (Linnaeus,1758) (Megachilidae)
122. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
123. **Pachyscelis musiva** (Ménétriés,1832) (Tenebrionidae)
124. **Pedestredorcadion kasikoparanum** (Pic,1902) (Cerambycidae)
125. **Penicillidia conspicua** Speiser,1901 (Nycteribiidae)
126. **Pentacladocerus araraticus** (Trjapitzin) (Encyrtidae)
127. **Philaenus spumarius** (Linnaeus,1758) (Cercopidae)
128. **Phyllobrotica binotata** Ogloblin,1936 (Chrysomelidae)
129. **Platycerus caucasicus** Parry,1864 (Lucanidae)
130. **Platycleis (Incertana) persica** Uvarov,1917 (Tettigoniidae)
131. **Platycleis (Tessellana) veyseli** Koçak,1984 (Tettigoniidae)
132. **Platymetopus rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
133. **Podagrira malvae** (Illiger,1807) (Chrysomelidae)
134. **Podagrira menetriesi** (Faldermann,1837) (Chrysomelidae)
135. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
136. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
137. **Priocnemis agilis** (Shuckard,1837) (Pompilidae)
138. **Priocnemis gracilis** Haupt,1927 (Pompilidae)
139. **Priocnemis minuta** (Van der Linden,1827) (Pompilidae)
140. **Protaetia (Netocia) hungarica** (Herbst,1790) (Scarabaeidae)
141. **Protaetia (Netocia) sibirica** (Gebler,1829) (Scarabaeidae)
142. **Protaetia (Potosia) cuprea** (Fabricius,1775) (Scarabaeidae)
143. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae)
144. **Psammotettix confinis** (Dahlbom,1850) (Cicadellidae)
145. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)
146. **Psyllobora vigintiduopunctata** (Linnaeus,1758) (Coccinellidae)
147. **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae)
148. **Raphidia (Pontoraphidia) pontica** Albarda,1891 (Raphidiidae)
149. **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae)
150. **Reptalus (Trepalus) rufocarinatus** (Kusnezov,1937) (Cixiidae)
151. **Rhoananus hypochlorus** (Fieber,1869) (Cicadellidae)
152. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
153. **Sarcophaga (s.str.) lehmanni** Müller,1922 (Sarcophagidae)
154. **Scirtes orbicularis** (Panzer,1793) (Scirtidae)
155. **Scolia galbula** (Pallas,1771) (Scoliidae)
156. **Scolia hirta** (Schrank,1781) (Scoliidae)
157. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
158. **Setapius barajus** (Dlabola,1957) (Cixiidae)
159. **Stenodynerus chevrieranus** (Saussure,1855) (Vespidae)
160. **Stenometopiellus angorensis** Zachvatkin,1946 (Cicadellidae)
161. **Sympecma fusca** (Van Der Linden,1820) (Lestidae)
162. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
163. **Tabanus swiridowi** Portsichinsky,1882 (Tabanidae)
164. **Tachyagetes bytinskii** Haupt,1962 (Pompilidae)
165. **Telostegus fumigatus** (Klug,1834) (Pompilidae)
166. **Telostegus inermis** (Brullé,1832) (Pompilidae)
167. **Tettigometra (s.str.) virescens** (Panzer,1799) (Tettigometridae)
168. **Tettigometra (Stirometra) costulata** Fieber,1865 (Tettigometridae)
169. **Torymus arcella** Graham & Gijswijt,1998 (Torymidae)
170. **Trichodes alberti** Escherich,1893 (Cleridae)
171. **Trichodes insignis** Fischer,1829 (Cleridae)
172. **Trichodes punctatus** Fischer,1829 (Cleridae)
173. **Trichodes sipylus** (Linnaeus,1758) (Cleridae)
174. **Tropidotilla sareptana** (André,1901) (Mutillidae)
175. **Vachiria deserta** (Becker,1867) (Reduviidae)
176. **Vachiria natolica** Stal,1859 (Reduviidae)
177. **Vespa orientalis** Linnaeus,1771 (Vespidae)
178. **Zonitis nigriventris** Motschulsky,1845 (Meloidae)
179. **Zyginidia (s.str.) sohrab** Zachvatkin,1947 (Cicadellidae)

Yalova Province (77)

(57 species, stand 30 April 2010)

1. **Alomya debellator (Fabricius,1775)** (Ichneumonidae)
2. **Altica palustris (Weise,1888)** (Chrysomelidae)
3. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
4. **Bombus terrestris Linnaeus,1758** (Apidae)
5. **Calliptamus italicus (Linnaeus,1758)** (Acrididae)
6. **Carpocoris lunulatus (Goeze,1778)** (Pentatomidae)
7. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae)
8. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
9. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae)
10. **Epallage fatime (Charpentier,1840)** (Calopterygidae)
11. **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae)
12. **Eurydema blanda Horvath,1803** (Pentatomidae)
13. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae)
14. **Haematopota longantennata Olsufjev,1937** (Tabanidae)
15. **Haematopota ocelligera Kröber,1922** (Tabanidae)
16. **Haematopota pandazisi Kröber,1936** (Tabanidae)
17. **Haematopota subcylindrica Pandelle,1883** (Tabanidae)
18. **Helophorus hirsutiventris Angus,1984** (Helophoridae)
19. **Helophorus nubilus Fabricius,1776** (Helophoridae)
20. **Homorocoryphus nitidulus (Scopoli,1786)** (Tettigoniidae)
21. **Hybomitra caucasica (Enderlein,1925)** (Tabanidae)
22. **Leptophyes albovittata (Kollar,1833)** (Tettigoniidae)
23. **Lestes virens (Charpentier,1825)** (Lestidae)
24. **Lydus turcius Kaszab,1952** (Meloidae)
25. **Mayetiola destructor (Say,1817)** (Cecidomyiidae)
26. **Metrioptera (Roeseliana) bispina (Bolivar,1899)** (Tettigoniidae)
27. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
28. **Mycterodus izmiticus Dlabola,1979** (Issidae)
29. **Oedipoda miniata (Pallas,1771)** (Acrididae)
30. **Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae)
31. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae)
32. **Pezotettix giornae (Rossi,1794)** (Acrididae)
33. **Philipomyia aprica (Meigen,1820)** (Tabanidae)
34. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae)
35. **Platycleis (s.str.) escaleraei Bolivar,1899** (Tettigoniidae)
36. **Poecilimon miramae Ramme,1933** (Tettigoniidae)
37. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae)
38. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae)
39. **Priocnemis perturbator (Harris,1776)** (Pompilidae)
40. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae)
41. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae)
42. **Tabanus armeniacus (Kröber,1928)** (Tabanidae)
43. **Tabanus bifarius Loew,1858** (Tabanidae)
44. **Tabanus bromius Linnaeus,1758** (Tabanidae)
45. **Tabanus eggeri Schiner,1868** (Tabanidae)
46. **Tabanus exclusus Pandella,1883** (Tabanidae)
47. **Tabanus indrae Hauser,1939** (Tabanidae)
48. **Tabanus leleani Austen,1920** (Tabanidae)
49. **Tabanus lunatus Fabricius,1794** (Tabanidae)
50. **Tabanus miki Brauer,1880** (Tabanidae)
51. **Tabanus regularis Jaennicke,1866** (Tabanidae)
52. **Tabanus spodopterus Meigen,1820** (Tabanidae)
53. **Tabanus sudeticus Zeller,1842** (Tabanidae)
54. **Tabanus tergestinus Egger,1859** (Tabanidae)
55. **Tachycixius desertorum (Fieber,1876)** (Cixiidae)
56. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
57. **Vespula germanica (Fabricius,1793)** (Vespidae)

Karabük Province (78)

(89 species, stand 30 April 2010)

1. **Aelia acuminata (Linnaeus,1758)** (Pentatomidae)
2. **Aelia rostrata Boheman,1852** (Pentatomidae)
3. **Ancistrocerus parietum (Linnaeus,1758)** (Vespidae)
4. **Anoplius infuscatus (Van der Linden,1827)** (Pompilidae)
5. **Anthaxia (Melanthaxia) godeti Gory & Laporte,1839** (Buprestidae)
6. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae)
7. **Atylotus loewianus (Villeneuve,1920)** (Tabanidae)
8. **Bolivaria brachyptera (Pallas,1773)** (Mantidae)
9. **Bolua turkiyae Ünal,1999** (Tettigoniidae)
10. **Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae)
11. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae)

12. **Calliptamus barbarus** (Costa,1836) (Acrididae)
13. **Cantharis rustica** Fallén,1807 (Cantharidae)
14. **Chaetocnema laevicollis** (Thomson,1866) (Chrysomelidae)
15. **Chrysops (s.str.) caecutiens** (Linnaeus,1761) (Tabanidae)
16. **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae)
17. **Cryptocheilus alternatus** (Lepelletier,1845) (Pompilidae)
18. **Cryptocheilus egregius** (Lepelletier,1845) (Pompilidae)
19. **Cryptocheilus variabilis** (Rossi,1790) (Pompilidae)
20. **Cyphon laevipennis** Tournier,1868 (Scirtidae)
21. **Dasyrhaphis carbonarius** (Meigen,1820) (Tabanidae)
22. **Dasyrhaphis umbrinus** (Meigen,1820) (Tabanidae)
23. **Dociostaurus (Kazakia) brevicollis** (Eversmann,1848) (Acrididae)
24. **Dymachus safranboluticus** Hasbenli & Geller-Grimm,1999 (Asilidae)
25. **Eristalis pertinax** (Scopoli,1763) (Syrphidae)
26. **Eumenes dubius** Saussure,1852 (Vespidae)
27. **Eusphalerum caucasicum** (Bernhauer,1908) (Staphylinidae)
28. **Eusphalerum celsum** (Luze,1910) (Staphylinidae)
29. **Eusphalerum sorbi** (Gyllenhal,1810) (Staphylinidae)
30. **Evagetes siculus** (Lepelletier,1845) (Pompilidae)
31. **Fieberiella macchiaae** Linnavuori,1962 (Cicadellidae)
32. **Frutoidia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
33. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
34. **Haematopota italica** Meigen,1804 (Tabanidae)
35. **Haematopota longantennata** Olsufjev,1937 (Tabanidae)
36. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
37. **Hauptidia (s.str.) stellata** (Ribaut,1948) (Cicadellidae)
38. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae)
39. **Hemipenthes subvelutinus** Zaitzev,1966 (Bombyliidae)
40. **Hemipenthes velutinus** (Meigen,1820) (Bombyliidae)
41. **Isophya nervosa** Ramme,1951 (Tettigoniidae)
42. **Leucostoma tetraptera** (Meigen,1824) (Tachinidae)
43. **Melanogryllus desertus** (Pallas,1771) (Gryllidae)
44. **Microcara caspica** Reitter,1889 (Scirtidae)
45. **Modicogryllus (s.str.) truncatus** (Tarbinski,1940) (Gryllidae)
46. **Nephrotoma aculeata** (Loew,1871) (Tipulidae)
47. **Oedaleus decorus** (Germar,1817) (Acrididae)
48. **Oedipoda miniata** (Pallas,1771) (Acrididae)
49. **Phaneroptera (s.str.) falcata** (Poda,1761) (Tettigoniidae)
50. **Phasia (Hyalomya) pandellei** (Dupuis,1957) (Tachinidae)
51. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
52. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
53. **Platycleis (s.str.) intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
54. **Poecilimon celebi** Karabağ,1953 (Tettigoniidae)
55. **Poecilimon tevfikarabagi** Ünal,2005 (Tettigoniidae)
56. **Polistes (s.str.) dominulus** (Christ,1791) (Vespidae)
57. **Polistes (s.str.) gallicus** (Linnaeus,1767) (Vespidae)
58. **Polistes (s.str.) nimpha** (Christ,1791) (Vespidae)
59. **Rabdophaga strobilina** (Bremsi,1847) (Cecidomyiidae)
60. **Stagonomus amoenus** (Brullé,1832) (Pentatomidae)
61. **Tabanus armeniacus** (Kröber,1928) (Tabanidae)
62. **Tabanus autumnalis** Linnaeus,1761 (Tabanidae)
63. **Tabanus bifarius** Loew,1858 (Tabanidae)
64. **Tabanus briani** Leclercq,1962 (Tabanidae)
65. **Tabanus bromius** Linnaeus,1758 (Tabanidae)
66. **Tabanus cordiger** Meigen,1820 (Tabanidae)
67. **Tabanus eggeri** Schiner,1868 (Tabanidae)
68. **Tabanus exclusus** Pandella,1883 (Tabanidae)
69. **Tabanus fraseri** Austen,1925 (Tabanidae)
70. **Tabanus glaucopsis** Meigen,1820 (Tabanidae)
71. **Tabanus indrae** Hauser,1939 (Tabanidae)
72. **Tabanus leleani** Austen,1920 (Tabanidae)
73. **Tabanus lunatus** Fabricius,1794 (Tabanidae)
74. **Tabanus maculicornis** Zetterstedt,1842 (Tabanidae)
75. **Tabanus miki** Brauer,1880 (Tabanidae)
76. **Tabanus obsolescens** Pandelle,1883 (Tabanidae)
77. **Tabanus portschinskii** Olsufjev,1937 (Tabanidae)
78. **Tabanus prometheus** Szilady,1923 (Tabanidae)
79. **Tabanus quatuornatus** Meigen,1820 (Tabanidae)
80. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
81. **Tabanus rupium** Brauer,1880 (Tabanidae)
82. **Tabanus spodopterus** Meigen,1820 (Tabanidae)
83. **Tabanus tergestinus** Egger,1859 (Tabanidae)
84. **Tabanus tinctus** Walker,1850 (Tabanidae)
85. **Tylopsis lilifolia** (Fabricius,1793) (Tettigoniidae)
86. **Vespa crabro** Linnaeus,1758 (Vespidae)
87. **Vespula germanica** (Fabricius,1793) (Vespidae)
88. **Xorides (s.str.) praecatorius** (Fabricius,1793) (Ichneumonidae)
89. **Xysta holocericea** (Fabricius,1805) (Tachinidae)

Kilis Province (79)

(16 species, stand 30 April 2010)

1. **Anthaxia (Haplantaxia) praeclara** Mannerheim,1837 (Buprestidae)
2. **Apodiphus amygdali** (Germar,1817) (Pentatomidae)
3. **Bracon (Rostrobracon) urinator** (Fabricius,1798) (Braconidae)
4. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
5. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
6. **Geocoris chloroticus** Puton,1888 (Lygaeidae)
7. **Heteracris littoralis** (Rambur,1838) (Acrididae)
8. **Hyalesthes mlokosiewiczzi** Signoret,1879 (Cixiidae)
9. **Hydroglyphus geminus** (Fabricius,1792) (Dytiscidae)
10. **Hypera striata** (Boheman,1834) (Curculionidae)
11. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa,1966 (Hydrophilidae)
12. **Laccophilus hyalinus** (De Geer,1774) (Dytiscidae)
13. **Malenia kilisica** Dlabola,1986 (Derbidae)
14. **Medecticus assimilis** (Fieber,1853) (Tettigoniidae)
15. **Opatroides punctulatus** Brullé,1832 (Tenebrionidae)
16. **Pseudoliarus palaestinensis** Linnavuori,1962 (Cixiidae)

Osmaniye Province (80)

(224 species, stand 30 April 2010)

1. **Ablattaria arenaria** (Kratz,1876) (Silphidae)
2. **Achaeta deserta** (Pallas,1771) (Gryllidae)
3. **Acmaeodera (s.str.) flavolineata** Laporte & Gory,1835 (Buprestidae)
4. **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae)
5. **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae)
6. **Adesmia (s.str.) anthracina** Klug,1830 (Tenebrionidae)
7. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
8. **Agrilus (Anambus) obscuricollis** Kiesenwetter,1857 (Buprestidae)
9. **Agrilus (Anambus) roscidus** Kiesenwetter,1857 (Buprestidae)
10. **Agrilus rhoos** Krolík & Niehuis,2003 (Buprestidae)
11. **Ameles heldreichi** Brunner von Wattenwyl,1882 (Mantidae)
12. **Anisochrya (s.str.) subflavifrons** (Tjeder,1949) (Chrysopidae)
13. **Anoplius viaticus** (Linnaeus,1758) (Pompilidae)
14. **Anthaxia (Cratomerus) diadema** Fischer,1824 (Buprestidae)
15. **Anthaxia (Haplantaxia) cichorii** (Olivier,1790) (Buprestidae)
16. **Anthaxia (Haplantaxia) kiesenwetteri** Marseul,1865 (Buprestidae)
17. **Anthaxia (Haplantaxia) millefolii** (Fabricius,1801) (Buprestidae)
18. **Anthaxia (Haplantaxia) mundula** Kiesenwetter,1857 (Buprestidae)
19. **Anthaxia (Haplantaxia) praeclara** Mannerheim,1837 (Buprestidae)
20. **Anthaxia (Melanthaxia) pinguis** Kiesenwetter,1880 (Buprestidae)
21. **Anthaxia (Melanthaxia) quadripunctata** (Linnaeus,1758) (Buprestidae)
22. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae)
23. **Anthrenus (s.str.) delicatus** Kiesenwetter,1851 (Dermestidae)
24. **Apanteles hemara** Nixon,1965 (Braconidae)
25. **Arcyptera (Pararcyptera) labiata** (Brullé,1832) (Acrididae)
26. **Arenivaga livida** (Brunner von Wattenwyl,1865) (Polyphagidae)
27. **Ascogaster armatus** Wesmael,1835 (Braconidae)
28. **Attelabus nitens** (Scopoli,1763) (Attelabidae)
29. **Balcanocerus balcanicus** (Horvath,1903) (Cicadellidae)
30. **Balclutha rosea** (Scott,1876) (Cicadellidae)
31. **Banchus falcatorius** (Fabricius,1775) (Ichneumonidae)
32. **Basilina nana** Theodor & Moscona,1954 (Nycteribiidae)
33. **Bembecinus peregrinus** (Smith,1856) (Crabronidae)
34. **Blaps tibialis** Reiche & Saulcy,1857 (Tenebrionidae)
35. **Blatta orientalis** Linnaeus,1758 (Blattidae)
36. **Blepharicera fasciata** (Westwood,1842) (Blephariceridae)
37. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
38. **Bombus terrestris** Linnaeus,1758 (Apidae)
39. **Boveycantharis hetitica** Wittmer,1969 (Cantharidae)
40. **Brachytarsina flavipennis** Macquart,1851 (Strebliidae)
41. **Bracon (Glabrobracon) discoideus** (Wesmael,1838) (Braconidae)
42. **Bracon (Glabrobracon) obscurator** (Nees,1812) (Braconidae)
43. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae)
44. **Bubopsis hamatus** (Klug,1834) (Ascalaphidae)
45. **Bucephaloptera bucephala** (Brunner von Wattenwyl,1882) (Tettigoniidae)
46. **Bucephaloptera convergens** Karabağ,1950 (Tettigoniidae)

47. **Bucephaloptera robusta** Karabağ,1956 (Tettigoniidae)
48. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
49. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
50. **Capnodis miliaris** (Klug,1829) (Buprestidae)
51. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae)
52. **Casinarina tenuiventris** (Gravenhorst,1829) (Ichneumonidae)
53. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
54. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
55. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
56. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
57. **Cerocoma dahli** Kraatz,1863 (Meloidae)
58. **Cerocoma gloriosa** Mulsant,1857 (Meloidae)
59. **Chorthippus (Glyptobothrus) brunneus** (Thunberg,1815) (Acrididae)
60. **Chorthippus (s.str.) loratus** (Fischer von Waldheim,1846) (Acrididae)
61. **Chromovalgus peyroni** (Mulsant & Wachanru,1852) (Scarabaeidae)
62. **Chrysanthia flavipes** Reitter,1889 (Oedemeridae)
63. **Coenorrhinus aequatus** (Linnaeus,1767) (Atteblabidae)
64. **Coenorrhinus cribripennis** Desbrochers,1869 (Atteblabidae)
65. **Collyria coxator** (Villers,1789) (Ichneumonidae)
66. **Colpa quinquecincta** (Fabricius,1775) (Scoliididae)
67. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
68. **Cryptocheilus guttulatus** (Costa,1887) (Pompilidae)
69. **Cryptocheilus rufatus** Priesner,1967 (Pompilidae)
70. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae)
71. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
72. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae)
73. **Dicronychus pici** Platia & Gudenzi,2004 (Elateridae)
74. **Dociostaurus (Notostaurus) anatolicus** Krauss,1896 (Acrididae)
75. **Dociostaurus (s.str.) genei** (Ocskay,1832) (Acrididae)
76. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
77. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
78. **Duroniella laticornis** (Krauss,1909) (Acrididae)
79. **Dusona stragifex** (Förster,1868) (Ichneumonidae)
80. **Enicospilus ramidulus** (Linnaeus,1758) (Ichneumonidae)
81. **Entomogonus (s.str.) angulicollis** Mulsant & Wacherau,1852 (Tenebrionidae)
82. **Epallage fatime** (Charpentier,1840) (Calopterygidae)
83. **Eupholidoptera annulipes** (Brunner von Wattenwyl,1882) (Tettigoniidae)
84. **Eupholidoptera excisa** (Karabağ,1952) (Tettigoniidae)
85. **Eurydema fieberi** Schummel,1836 (Pentatomidae)
86. **Eustenancistrocerus amadanensis** (Saussure,1855) (Vespidae)
87. **Eysarcoris ventralis** (Westwood,1837) (Pentatomidae)
88. **Ferreola diffinis** (Lepelletier,1845) (Pompilidae)
89. **Fieberiella macchiae** Linnavuori,1962 (Cicadellidae)
90. **Frutioidia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
91. **Gryllus (s.str.) campestris** Linnaeus,1758 (Gryllidae)
92. **Gymnopleurus geoffroyi** Fuessly,1785 (Scarabaeidae)
93. **Gymnopleurus mopsus** (Pallas,1781) (Scarabaeidae)
94. **Haematopota grandis** Macquart,1834 (Tabanidae)
95. **Helophorus difficilis** Angus,1988 (Helophoridae)
96. **Hemerobius friedeli** Aspöck & Aspöck,1966 (Hemerobiidae)
97. **Heteracris littoralis** (Rambur,1838) (Acrididae)
98. **Heteracris pterostichus** (Fischer von Waldheim,1833) (Acrididae)
99. **Hoplitis (Alcidamea) acuticornis** (Dufour & Perris,1840) (Megachilidae)
100. **Hypocassida subferruginea** (Schrank,1776) (Chrysomelidae)
101. **Hypolixus nubilosus** (Boheman,1836) (Curculionidae)
102. **Ichneumon terminatorius** Gravenhorst,1820 (Ichneumonidae)
103. **Ischnodes sanguinicollis** (Panzer,1793) (Elateridae)
104. **Ischnomera fulvicollis** (Reitter,1897) (Oedemeridae)
105. **Ischnura elegans** (Van Der Linden,1820) (Coenagrionidae)
106. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
107. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
108. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
109. **Lasiorrhynchites praeustus** (Boheman,1845) (Atteblabidae)
110. **Leptochilus regulus** Saussure,1855 (Vespidae)
111. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)
112. **Lixus junci** Boheman,1836 (Curculionidae)
113. **Locusta migratoria** (Linnaeus,1758) (Acrididae)
114. **Lophyridia fischeri** (Adams,1817) (Carabidae)
115. **Lucanus (.s.str.) cervus** (Linnaeus,1758) (Lucanidae)
116. **Lydus unicolor** Reitter,1887 (Meloidae)
117. **Macrophya postica** Brullé,1832 (Tenthredinidae)
118. **Macrosteles quadripunctulatus** (Kirschbaum,1868) (Cicadellidae)
119. **Malthinus anatolicus** Wittmer,1974 (Cantharidae)

120. **Malthinus strangulatus** Wittmer, 1974 (Cantharidae)
121. **Medecticus assimilis** (Fieber, 1853) (Tettigoniidae)
122. **Micropeplus fulvus** Erichson, 1840 (Staphylinidae)
123. **Musaria astarte** (Ganglbauer, 1885) (Cerambycidae)
124. **Mycterodus (s.str.) osmanicus** Dlabola, 1971 (Issidae)
125. **Mylabris sexmaculata** (Olivier, 1811) (Meloidae)
126. **Mylabris syriaca** Klug, 1845 (Meloidae)
127. **Mylabris variabilis** (Pallas, 1782) (Meloidae)
128. **Nephus kreissli** Fürsch & Uygun, 1980 (Coccinellidae)
129. **Nicrophorus antennatus** (Reitter, 1885) (Silphidae)
130. **Nicrophorus humator** (Gleditsch, 1767) (Silphidae)
131. **Nycteribia (Acrocholidia) vexata** Westwood, 1835 (Nycteribiidae)
132. **Nycteribia (s.str.) latreillii** (Leach, 1817) (Nycteribiidae)
133. **Nycteribia (s.str.) pedicularia** Latreille, 1805 (Nycteribiidae)
134. **Oecanthus pellucens** (Scopoli, 1763) (Gryllidae)
135. **Oedaleus decorus** (Germar, 1817) (Acrididae)
136. **Oedemera (Oncomera) flavicans** (Fairmaire, 1860) (Oedemeridae)
137. **Oedemera (s.str.) brevipennis** Ganglbauer, 1881 (Oedemeridae)
138. **Oedemera (s.str.) crassipes** Ganglbauer, 1881 (Oedemeridae)
139. **Oedemera (s.str.) flavipennis** W.Schmidt, 1846 (Oedemeridae)
140. **Oedemera (s.str.) flavipes** (Fabricius, 1792) (Oedemeridae)
141. **Oedemera (s.str.) lurida** (Marsham, 1802) (Oedemeridae)
142. **Oedemera (s.str.) pthysica** (Scopoli, 1763) (Oedemeridae)
143. **Oedemera (s.str.) rufofemorata** Germar, 1824 (Oedemeridae)
144. **Oedipoda caerulescens** (Linnaeus, 1758) (Acrididae)
145. **Oedipoda miniata** (Pallas, 1771) (Acrididae)
146. **Omalius assingi** Zanetti, 2002 (Staphylinidae)
147. **Omalius rugatum** Mulsant & Rey, 1880 (Staphylinidae)
148. **Omalius turcicum** Smetana, 1967 (Staphylinidae)
149. **Opheltes glaucopterus** (Linnaeus, 1758) (Ichneumonidae)
150. **Opilo taeniatus** (Klug, 1842) (Cleridae)
151. **Opsimea ventralis** Miller, 1880 (Oedemeridae)
152. **Orellia falcata** (Scopoli, 1763) (Tephritidae)
153. **Orellia punctata** (Schrank, 1781) (Tephritidae)
154. **Orellia steropea** (Rondani, 1870) (Tephritidae)
155. **Orthetrum trinaerium** (Selys, 1841) (Libellulidae)
156. **Osmylus multiguttatus** McLachlan, 1870 (Osmylidae)
157. **Oxythyrea cinctella** (Schaum, 1841) (Scarabaeidae)
158. **Panaphantus atomus** Kiesenwetter, 1858 (Staphylinidae)
159. **Parapholidoptera signata** (Brunner von Wattenwyl, 1861) (Tettigoniidae)
160. **Patrocloides sputator** (Fabricius, 1793) (Ichneumonidae)
161. **Penicillidia dufourii** (Westwood, 1835) (Nycteribiidae)
162. **Philaenus signatus** Melichar, 1896 (Cercopidae)
163. **Pimelia (Eurypimelia) akbesiana** Fairmaire, 1884 (Tenebrionidae)
164. **Pimelia (Melanostola) bajula** Klug, 1830 (Tenebrionidae)
165. **Plagiognathus fulvipennis** (Kirschbaum, 1856) (Miridae)
166. **Plastocerus angulosus** (Germar, 1845) (Elateridae)
167. **Platycleis (Incertana) incerta** Brunner von Wattenwyl, 1882 (Tettigoniidae)
168. **Platycleis (s.str.) albopunctata** (Goeze, 1778) (Tettigoniidae)
169. **Platycleis (s.str.) grisea** (Fabricius, 1781) (Tettigoniidae)
170. **Platycnemis dealbata** Selys, 1863 (Platycnemidae)
171. **Platycnemis pennipes** (Pallas, 1771) (Platycnemidae)
172. **Platymetopius (Quernus) curvatus** Dlabola, 1974 (Cicadellidae)
173. **Platymetopius (s.str.) undatus** (De Geer, 1773) (Cicadellidae)
174. **Priocnemis coriacea** Dahlbom, 1843 (Pompilidae)
175. **Protaetia (Potosia) angustata** (Germar, 1817) (Scarabaeidae)
176. **Protaetia (Potosia) cuprea** (Fabricius, 1775) (Scarabaeidae)
177. **Protaetia (Potosia) vidua** (Gory & Perchenson, 1833) (Scarabaeidae)
178. **Psammotettix alienus** (Dahlbom, 1850) (Cicadellidae)
179. **Ramburiella turcomana** (Fischer von Waldheim, 1833) (Acrididae)
180. **Rhagonycha fulva** (Scopoli, 1763) (Cantharidae)
181. **Rhynchites hungaricus** (Herbst, 1784) (Attelabidae)
182. **Rhynchites lenaeus** Faust, 1891 (Attelabidae)
183. **Rivetina asiatica** Mistchenko, 1967 (Mantidae)
184. **Rivetina caucasica** (Saussure, 1871) (Mantidae)
185. **Saga ephippigera** Fischer von Waldheim, 1846 (Tettigoniidae)
186. **Saga longicaudata** Krauss, 1879 (Tettigoniidae)
187. **Saperda quercus** Charpentier, 1825 (Cerambycidae)
188. **Sapygina decemguttata** (Jurine, 1807) (Sapygidae)
189. **Scaptomyza (Parascaptomyza) pallida** (Zetterstedt, 1847) (Drosophilidae)
190. **Scolobates nigripennis** Sichel, 1860 (Ichneumonidae)
191. **Sigalphus irrorator** (Fabricius, 1775) (Braconidae)
192. **Sphaerophoria rueppelli** Wiedemann, 1830 (Syrphidae)
193. **Stagonomus amoenus** (Brullé, 1832) (Pentatomidae)
194. **Stenodera caucasica** (Pallas, 1781) (Meloidae)
195. **Stenodynerus chevrieranus** (Saussure, 1855) (Vespididae)
196. **Stephanitis oschanini** Vasiliev, 1935 (Tingidae)

197. **Sympecma fusca** (Van Der Linden,1820) (Lestidae)
198. **Sympetrum meridionale** (Selys,1841) (Libellulidae)
199. **Tabanus regularis** Jaenicke,1866 (Tabanidae)
200. **Tenthredo zonula** Klug,1817 (Tenthredinidae)
201. **Tentyria rotundata** Brullé,1832 (Tenebrionidae)
202. **Tephritis formosa** (Loew,1844) (Tephritidae)
203. **Tetartopeus adanensis** Assing,2004 (Staphylinidae)
204. **Thamnotettix** (Loepotettix) **exemtus** Melichar,1896 (Cicadellidae)
205. **Thamnotettix** (s.str.) **creticus** Dlabola,1974 (Cicadellidae)
206. **Tribolium confusum** Jacquelin du Val,1868 (Tenebrionidae)
207. **Trichodes dilatipennis** Reitter,1893 (Cleridae)
208. **Trichodes laminatus** Chevrolat,1843 (Cleridae)
209. **Trichodes longissimus** (Abeille de Perrin,1881) (Cleridae)
210. **Trichodes oberthueri** Champenois,1900 (Cleridae)
211. **Trichodes punctatus** Fischer,1829 (Cleridae)
212. **Trichodes quadriguttatus** Adams,1817 (Cleridae)
213. **Trichodes suspectus** Escherich,1892 (Cleridae)
214. **Triodontella difformipes** (Fairmaire,1892) (Scarabaeidae)
215. **Tropinota** (Epicometis) **hirta** (Poda,1761) (Scarabaeidae)
216. **Tshurtshurnella longispinosa** (Linnavuori,1962) (Issidae)
217. **Tychius bicolor** Brisout,1862 (Curculionidae)
218. **Urophora affinis** (Frauenfeld,1857) (Tephritidae)
219. **Urophora aprica** (Fallén,1820) (Tephritidae)
220. **Urophora cuspidata** (Meigen,1826) (Tephritidae)
221. **Urophora dzieduszyckii** Frauenfeld,1867 (Tephritidae)
222. **Urophora eriolepidis** (Loew,1856) (Tephritidae)
223. **Urophora macrura** (Loew,1855) (Tephritidae)
224. **Zercanus rubroocellatus** Dlabola,1965 (Cicadellidae)

Düzce Province (81)

(61 species, stand 30 April 2010)

1. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
2. **Aneurys avenius** (Dufour,1833) (Aradidae)
3. **Anthaxia** (Haplantaxia) **cichorii** (Olivier,1790) (Buprestidae)
4. **Atylotus fulvus** (Meigen,1820) (Tabanidae)
5. **Atylotus loewianus** (Villeneuve,1920) (Tabanidae)
6. **Atylotus quadrifarius** (Loew,1874) (Tabanidae)
7. **Bolua turkiyae** Ünal,1999 (Tettigoniidae)
8. **Brachyptera ankara** Kazancı,2000 (Taeniopterygidae)
9. **Carabus** (Archicarabus) **wiedemanni** Ménétris,1836 (Carabidae)
10. **Chrysolina herbacea** (Duftschmidt,1825) (Chrysomelidae)
11. **Chrysops** (s.str.) **caecutiens** (Linnaeus,1761) (Tabanidae)
12. **Chrysops** (s.str.) **flavipes** Meigen,1804 (Tabanidae)
13. **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae)
14. **Cixius pallipes** Fieber,1876 (Cixiidae)
15. **Conosanus obsoletus** (Kirschbaum,1858) (Cicadellidae)
16. **Corythucha arcuata** (Say,1832) (Tingidae)
17. **Edwardsiana tshinari** Zachvatkin,1947 (Cicadellidae)
18. **Emelyanoviana mollicula** (Boheman,1845) (Cicadellidae)
19. **Flastena fumata** (Lindberg,1948) (Delphacidae)
20. **Haematopota italica** Meigen,1804 (Tabanidae)
21. **Haematopota pandazisi** Kröber,1936 (Tabanidae)
22. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae)
23. **Hybomitra ciureai** (Seguy,1937) (Tabanidae)
24. **Ibalia leucospoides** (Hochenwarth,1785) (Ibaliidae)
25. **Leptophyes albovittata** (Kollar,1833) (Tettigoniidae)
26. **Limotettix striola** (Fallén,1806) (Cicadellidae)
27. **Macrosteles sexnotatus** (Fallén,1806) (Cicadellidae)
28. **Megabombus pascuorum** (Scopoli,1763) (Apidae)
29. **Oncopsis flavicollis** (Linnaeus,1761) (Cicadellidae)
30. **Phaneroptera** (s.str.) **falcata** (Poda,1761) (Tettigoniidae)
31. **Philipomyia aprica** (Meigen,1820) (Tabanidae)
32. **Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae)
33. **Plagiognathus arbustorum** (Fabricius,1794) (Miridae)
34. **Platycleis** (Incertana) **incerta** Brunner von Wattenwyl,1882 (Tettigoniidae)
35. **Platycleis** (s.str.) **intermedia** (Audinet-Serville,[1839]) (Tettigoniidae)
36. **Platycleis** (Sepiana) **sepium** (Yersin,1854) (Tettigoniidae)
37. **Proteinus atomarius** Erichson,1840 (Staphylinidae)
38. **Psammotettix pictipennis** (Kirschbaum,1868) (Cicadellidae)

39. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae)
40. **Rhytidodus boluicus Dlabola,1970** (Cicadellidae)
41. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae)
42. **Tabanus armeniacus (Kröber,1928)** (Tabanidae)
43. **Tabanus autumnalis Linnaeus,1761** (Tabanidae)
44. **Tabanus bifarius Loew,1858** (Tabanidae)
45. **Tabanus briani Leclercq,1962** (Tabanidae)
46. **Tabanus bromius Linnaeus,1758** (Tabanidae)
47. **Tabanus cordiger Meigen,1820** (Tabanidae)
48. **Tabanus eggeri Schiner,1868** (Tabanidae)
49. **Tabanus fraseri Austen,1925** (Tabanidae)
50. **Tabanus glaucopis Meigen,1820** (Tabanidae)
51. **Tabanus indrae Hauser,1939** (Tabanidae)
52. **Tabanus lunatus Fabricius,1794** (Tabanidae)
53. **Tabanus maculicornis Zetterstedt,1842** (Tabanidae)
54. **Tabanus miki Brauer,1880** (Tabanidae)
55. **Tabanus quatuornatatus Meigen,1820** (Tabanidae)
56. **Tabanus spodopterus Meigen,1820** (Tabanidae)
57. **Tabanus sudeticus Zeller,1842** (Tabanidae)
58. **Tabanus tergestinus Egger,1859** (Tabanidae)
59. **Tabanus unifasciatus Loew,1858** (Tabanidae)
60. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
61. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae)



Synonymic and distributional list of the pterygot insects of Taiwan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

27

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Taiwan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 27.
Priamus (suppl.) 18: 1725-1729.

In this study, totally 124 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Taiwan recorded in info-system of the Cesa, total pterygot species of Taiwan increase to 2271.

Key words: List, distribution, *pterygota*, *Insecta*, Taiwan.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 124 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2147 recorded species of *Lepidoptera* from Taiwan are found. Taking this information into consideration, total number of the pterygots increase to 2271.

The study is still continuing, and the new results will be published within this Project.

1. **Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux* Walker,1853 **BT BD CN Hun IN TH Cma JP TW**
2. **Altica deserticola (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola* Weise,1889 **TR RU KG Cc AF MN KP KR TW**
3. **Amantis nawai (Shiraki,1908)** (Mantidae) Synonym(s): *nawai* Shiraki,1908 **CN JP LK TW**
4. **Ammophilomima trifida Hsia,1949** (Asilidae) Synonym(s): *trifida* Hsia,1949 **JP TW**
5. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica* Fabricius,1775; *macrans* Fabricius,1781; *oculatus* Fabricius,1798 (*praeocc.*); *argus* Fabricius,1803; *dystercoides* Ellenreider,1862; *nigripes* Ellenreider,1862; *rubrocincta* Breddin,1899; *rufus* Azim & Shafee,1982 **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
6. **Anacinaces ochriventris (Becker,1925)** (Asilidae) Synonym(s): *ochriventris* Becker,1925 **TW**
7. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
8. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 **AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH**

9. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787*; *geometricus Burmeister,1835*; *aliena Westwood,1837*; *cinctum Montrouzer,1858*; *aculeata Ellenreider,1862*; *ludovicianus Stoner,1917* **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
10. **Anthrax aygulus Fabricius,1805** (Bombyliidae) Synonym(s): *aygulus Fabricius,1805*; *biflexa Loew,1852*; *senegalensis François,1972* **TW SN**
11. **Apoclea duplicata (Becker,1925)** (Asilidae) Synonym(s): *duplicata Becker,1925* **TW**
12. **Ascalohybris subjacens (Walker,1853)** (Ascalaphidae) Synonym(s): *subjacens Walker,1853* **KH CN Hun Kig JP Hdo TW**
13. **Bombylius (s.str.) watanabei Matsumura,1916** (Bombyliidae) Synonym(s): *watanabei Matsumura,1916* **TW**
14. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa Westwood,1834*; *verrucifer Burmeister,1835* **CN TW MM IN BD TH KH VN ID Ja PH JP**
15. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna Marsham,1802* **TR Cc KG RU Sb MN KP KR TW MA**
16. **Charitovalgus formosanus Sawada,1939** (Scarabaeidae) Synonym(s): *formosanus Sawada,1939* **TW**
17. **Cheirotonus macleayi Hope,1840** (Scarabaeidae) Synonym(s): *macleayi Hope,1840*; *macleayanus Burmeister,1842* **IN SI BT Ass CN Ti TW**
18. **Cixius taiwana Tsaour,1991** (Cixiidae) Synonym(s): *taiwana Tsaour,1991* **TW**
19. **Clinterocera davidis Fairmaire,1878** (Scarabaeidae) Synonym(s): *davidis Fairmaire,1878* **TW**
20. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833*; *phaenna Walker,1839*; *lunatus Ratzeburg,1848*; *ovulorum Ratzeburg,1848*; *fullowayi Crawford,1913*; *meridionalis Silvestri,1914*; *silvia Girault,1917*; *camilli Girault,1917* **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx Ye YU**
21. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
22. **Culicoides albifascia Tokunaga,1937** (Ceratopogonidae) Synonym(s): *albifascia Tokunaga,1937* **TW**
23. **Culicoides alishanensis Chen,1983** (Ceratopogonidae) Synonym(s): *alishanensis Chen,1983* **TW**
24. **Culicoides arakawai (Arakawa,1910)** (Ceratopogonidae) Synonym(s): *arakawai Arakawa,1910*; *sugimotonis Shiraki,1913*; *albuguttatus Kieffer,1921*; *shimai Sasaki,1928*; *daleki Smith & Swaminath,1932*; *micropunctatus Tokunaga,1951*; *niigataensis Takahashi,1958* **JP TW IN ID**
25. **Culicoides cheni Kitaoka & Tanaka,1985** (Ceratopogonidae) Synonym(s): *cheni Kitaoka & Tanaka,1985* **TW**
26. **Culicoides dentiformis McDonald & Lu,1972** (Ceratopogonidae) Synonym(s): *dentiformis McDonald & Lu,1972* **TW**
27. **Culicoides duodenarius Kieffer,1922** (Ceratopogonidae) Synonym(s): *duodenarius Kieffer,1922* **TW**
28. **Culicoides maculatus (Shiraki,1913)** (Ceratopogonidae) Synonym(s): *maculatus Shiraki,1913* **TW**
29. **Culicoides matsuenis Lien, Weng & Lin,1996** (Ceratopogonidae) Synonym(s): *matsuenis Lien, Weng & Lin,1996* **TW**
30. **Culicoides mcdonaldi Wirth & Hubert,1989** (Ceratopogonidae) Synonym(s): *monticola McDonald & Lu,1972* *nec Wirth & Lee,1967*; *mcdonaldi Wirth & Hubert,1989* **TW**
31. **Culicoides nankanensis Lien, Weng & Lin,1996** (Ceratopogonidae) Synonym(s): *nankanensis Lien, Weng & Lin,1996* **TW**
32. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris Linnaeus,1758*; *setosinervis Kieffer,1913*; *pullatus Kieffer,1915*; *stephensi Carter,1916*; *cinerellus Kieffer,1919*; *quinquepunctatus Goetghebuer,1921*; *flaviplumus Kieffer,1924*; *sawamotoi Kono & Takahasi,1940* **DE UA BE EG RU SE LT TR IL Pa TW**
33. **Culicoides sugimotonis Shiraki,1913** (Ceratopogonidae) Synonym(s): *sugimotonis Shiraki,1913* **TW**
34. **Cylindromyia orientalis (Townsend,1927)** (Tachinidae) Synonym(s): *orientalis Townsend,1927* **TW IN Ass Meg ID Mlc**
35. **Dasyhelea curtiradialis Tokunaga,1940** (Ceratopogonidae) Synonym(s): *curtiradialis Tokunaga,1940* **JP TW**
36. **Dasyhelea formosae (Kieffer,1912)** (Ceratopogonidae) Synonym(s): *formosae Kieffer,1912* **TW**
37. **Dasyhelea formosana Kieffer,1921** (Ceratopogonidae) Synonym(s): *formosana Kieffer,1921*; *sauteri Tokunaga,1940* **TW**
38. **Dasyvalgus formosanus Moser,1915** (Scarabaeidae) Synonym(s): *formosanus Moser,1915* **TW**

39. **Dasyvalgus makiharai Miyake,1985** (Scarabaeidae) Synonym(s): *makiharai Miyake,1985* TW
40. **Dasyvalgus sauteri Ricchiardi,1998** (Scarabaeidae) Synonym(s): *sauteri Ricchiardi,1998* TW
41. **Dasyvalgus sellatus (Kraatz,1883)** (Scarabaeidae) Synonym(s): *sellatus Kraatz,1883* CN TW
42. **Dasyvalgus shimomurai Kobayashi,1994** (Scarabaeidae) Synonym(s): *shimomurai Kobayashi,1994* TW
43. **Dasyvalgus wadai Miyake,1985** (Scarabaeidae) Synonym(s): *wadai Miyake,1985* TW
44. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus Hansson & LaSalle,1996* IN Up ID Clb Ja MY ZA TW TZ VN
45. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia Walker,1846* AU NSw QAu IN Up Pj PH ZA TW ZM
46. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus Ashmead,1905* IN Up Ben LA MU PK PH LK TW TH VN
47. **Ducetia furcata Ragge,1961** (Tettigoniidae) Synonym(s): *furcata Ragge,1961* TW
48. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica Thunberg,1815; quinquerervis Haan,1842; lanceolatum Walker,1859; neochlora Walker,1869; privata Walker,1869; adspersa Brunner von Wattenwyl,1878* IN LK CN KP KR JP TW PH
49. **Ectinohoplia obducta (Motschulsky,1857)** (Scarabaeidae) Synonym(s): *obducta Motschulsky,1857* JP TW
50. **Ectinohoplia variabilis Reitter,1903** (Scarabaeidae) Synonym(s): *variabilis Reitter,1903* TW
51. **Elachertus pulcher (Erdös,1961)** (Eulophidae) Synonym(s): *pulcher Erdös,1961* TR AT AZ Ce HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
52. **Eocanthecona concinna (Walker,1867)** (Pentatomidae) Synonym(s): *concinna Walker,1867* CN TW
53. **Eocanthecona formosa (Horvath,1911)** (Pentatomidae) Synonym(s): *formosa Horvath,1911* TW
54. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata Wolff,1801; armigera Herrich-Schäffer,1844* PH IN LK MM ID Ja Mlc BD TW CN TH JP
55. **Eocanthecona parva (Distant,1902)** (Pentatomidae) Synonym(s): *parva Distant,1902* IN MM TW
56. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
57. **Euselates proxima (Bourgoin,1915)** (Scarabaeidae) Synonym(s): *proxima Bourgoin,1915* TW
58. **Glycyphana (Caloglycyphana) fulvistemma (Motschulsky,1860)** (Scarabaeidae) Synonym(s): *fulvistemma Motschulsky,1860* CN JP RU Am TW
59. **Glycyphana (Caloglycyphana) horsfieldi (Hope,1831)** (Scarabaeidae) Synonym(s): *horsfieldi Hope,1831; marginicollis Gory & Percheron,1833* IN Ass Meg MM NP CN TW LA TH BD Syl
60. **Glycyphana (Caloglycyphana) hybrida Miksic,1970** (Scarabaeidae) Synonym(s): *hybrida Miksic,1970* TW
61. **Glycyphana incongrua Janson,1878** (Scarabaeidae) Synonym(s): *incongrua Janson,1878* TW
62. **Glyptobasis brunnea Esben-Petersen,1913** (Ascalaphidae) Synonym(s): *brunnea Esben-Petersen,1913* TW
63. **Gnamptogenys taivanensis (Wheeler,1929)** (Formicidae) Synonym(s): *taivanensis Wheeler,1929* TW
64. **Gnorimus miwai (Chujo,1941)** (Scarabaeidae) Synonym(s): *miwai Chujo,1941* TW
65. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana Beauvois,1805; oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939* ZA Kzu Nta SN ZR NG IR Ss CN TW
66. **Gymnopleurus sinuatus (Olivier,1789)** (Scarabaeidae) Synonym(s): *sinuatus Olivier,1789* TW
67. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US Fl Cf Ny Oh CA On AR BR ZA
68. **Heriades (Michenerella) sauteri Cockerell,1911** (Megachilidae) Synonym(s): *sauteri Cockerell,1911* TW JP
69. **Hierodula formosana Giglio-Tos,1912** (Mantidae) Synonym(s): *formosana Giglio-Tos,1912* TW MY ID Sum Ja Sda
70. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera Audinet-Serville,1839; bipapilla Audinet-Serville,1839; dispar Kirby,1900; saussurei Kirby,1904* CN TW Hw IN JP KP KR ID Ja Sba VN PH PG
71. **Holotrichia lata Brenske** (Scarabaeidae) Synonym(s): TW
72. **Hybovalgus kamiyai Sawada,1941** (Scarabaeidae) Synonym(s): *kamiyai Sawada,1941* TW
73. **Hybovalgus matsudai Miyake,1985** (Scarabaeidae) Synonym(s): *matsudai Miyake,1985* TW
74. **Hybovalgus obsoletsquamosus Miyake,1985** (Scarabaeidae) Synonym(s): *obsoletsquamosus Miyake,1985* TW

75. **Hybovalgus takasagoensis** Sawada,1941 (Scarabaeidae) Synonym(s): *takasagoensis* Sawada,1941 TW
76. **Hybovalgus thoracicus** Moser,1911 (Scarabaeidae) Synonym(s): *thoracicus* Moser,1911 TW
77. **Hydrotaea armipes** (Fallén,1825) (Muscidae) Synonym(s): *armipes* Fallén,1825; *oculta* Meigen,1826 TW MM IR GG AM Cc
78. **Hypsicera femoralis** (Geoffroy,1785) (Ichneumonidae) Synonym(s): *femoralis* Geoffroy,1785 TR AU TW US Hw
79. **Kuvera taiwana** Tsaour,1991 (Cixiidae) Synonym(s): *taiwana* Tsaour,1991 TW
80. **Macronychia (Moschusa) griseola** (Fallén,1820) (Sarcophagidae) Synonym(s): *griseola* Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
81. **Mantis religiosa** (Linnaeus,1758) (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
82. **Milichia argyrata** Hendel,1913 (Milichiidae) Synonym(s): *argyrata* Hendel,1913 TW
83. **Milichiella bakeri** Aldrich,1931 (Milichiidae) Synonym(s): *bakeri* Aldrich,1931 PH Luz TW
84. **Milichiella lacteipennis** (Loew,1866) (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF ES Cn Md US FI Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
85. **Milichiella spinthera** Meijere,1911 (Milichiidae) Synonym(s): *spinthera* Meijere,1911 TW
86. **Musca inferior** Stein,1909 (Muscidae) Synonym(s): *inferior* Stein,1909 IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
87. **Neoitamus cyanurus** (Loew,1849) (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
88. **Neomyia claripennis** (Malloch,1923) (Muscidae) Synonym(s): *claripennis* Malloch,1923 MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW
89. **Neomyia coeruleifrons** (Macquart,1851) (Muscidae) Synonym(s): *coeruleifrons* Macquart,1851 MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW
90. **Neomyia gavis** (Walker,1859) (Muscidae) Synonym(s): *gavis* Walker,1859 MY Bor MM ID Clb Ja Sum LK CN TW IN Ass Hp Ch Pj SI Up NP PK
91. **Neomyia indica** (Robineau-Desvoidy,1830) (Muscidae) Synonym(s): *indica* Robineau-Desvoidy,1830 IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw
92. **Neomyia lauta** (Wiedemann,1830) (Muscidae) Synonym(s): *lauta* Wiedemann,1830 MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry
93. **Neovalgus banzai** (Sawada,1941) (Scarabaeidae) Synonym(s): *banzai* Sawada,1941 TW
94. **Neovalgus formosanus** Miyake,1985 (Scarabaeidae) Synonym(s): *formosanus* Miyake,1985 TW
95. **Neovalgus taiwanus** (Sawada,1941) (Scarabaeidae) Synonym(s): *taiwanus* Sawada,1941 TW
96. **Oedaleus infernalis** Saussure,1884 (Acrididae) Synonym(s): *infernalis* Saussure,1884; *amurensis* Ikonnikov,1911; *montanus* Bei-Bienko,1951; *taeguensis* Lee & Park,1992 JP KP R RU Am Sb CN TW KG
97. **Orosius orientalis** (Matsumura,1914) (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 PT ES EG IQ IL Pa IR Md MA TR PK JP TW
98. **Orthetrum glaucum** (Brauer,1865) (Libellulidae) Synonym(s): *glaucum* Brauer,1865 CN ID IN JP LK MM MY TH PH VN TW Bor Sbh
99. **Orthetrum sabina** (Drury,1770) (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
100. **Orthetrum testaceum** (Burmeister,1839) (Libellulidae) Synonym(s): *testaceum* Burmeister,1839 CN Hn MM MY TH PH TW VN Bor Sbh
101. **Phyllothelys weneri** Karny,1915 (Mantidae) Synonym(s): *weneri* Karny,1915 CN TW
102. **Piesma (Parapiesma) quadratum** (Fieber,1844) (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
103. **Plagioderia versicolora** (Laicharting,1781) (Chrysomelidae) Synonym(s): *versicolora* Laicharting,1781 TR DZ RU Sb IN JP TW CA
104. **Platynopus melanoleucus** (Westwood,1837) (Pentatomidae) Synonym(s): *melanoleucus* Westwood,1837; *varius* Amyot & Serville,1843; *polygraphus* Walker,1867 ID Ja Crm Mlc Clb Sum PH TW
105. **Promachus canus** (Wiedemann,1818) (Asilidae) Synonym(s): *canus* Wiedemann,1818 IR Fa TR AF RU KG CN TW
106. **Pseudolynchia canariensis** (Macquart,1839) (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
107. **Pterilia taiwanensis** Kato,1933 (Caliscelidae) Synonym(s): TW

108. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 YU RO BG TR EG US TW RU UZ GB DK Hw IN
109. **Scathophaga mellipes (Coquillett,1899)** (Scathophagidae) Synonym(s): *mellipes* Coquillett,1899; *chinensis* Malloch,1935 KP KR JP CN TW NP IN RU
110. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
111. **Suhalpasca formosana Okamoto,1910** (Ascalaphidae) Synonym(s): *formosana* Okamoto,1910 TW
112. **Suhalpasca umbrosa Esben-Petersen,1913** (Ascalaphidae) Synonym(s): *umbrosa* Esben-Petersen,1913 TW
113. **Supholomitus formosanus Esben-Petersen,1913** (Ascalaphidae) Synonym(s): *formosanus* Esben-Petersen,1913 TW
114. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
115. **Systropus (s.str.) acuminatus (Enderlein,1926)** (Bombyliidae) Synonym(s): *acuminatus* Enderlein,1926 TW
116. **Tachytrechus genualis Loew,1857** (Dolichopodidae) Synonym(s): *genualis* Loew,1857 AM Cc BG RO RU JP TW
117. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno
118. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonarii* Munari,1981 SN SC ZA TW BG EG ES IT TR BG
119. **Trigonocera rivosca Becker,1902** (Dolichopodidae) Synonym(s): *rivosca* Becker,1902 EG IL Pa CV TW
120. **Tsauria major (Tsauro & Hsu,1991)** (Cixiidae) Synonym(s): *major* Tsauro & Hsu,1991 TW
121. **Valgus okazimai Kobayashi,1994** (Scarabaeidae) Synonym(s): *okazimai* Kobayashi,1994 TW
122. **Villa limbata (Coquillett,1898)** (Bombyliidae) Synonym(s): *limbata* Coquillett,1898 TW JP KP KR
123. **Yanovalgus planiuscufus Nomura,1952** (Scarabaeidae) Synonym(s): *planiuscufus* Nomura,1952 JP TW
124. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US

Synonymic and distributional list of the pterygot insects of Uighur Ili

(Results of the Entomofauna of the World based upon info-system of the Cesa)

28

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Uighur Ili (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 28. *Priamus* (suppl.) 18: 1730-1738.

In this study, totally 214 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Uighur Ili recorded in info-system of the Cesa, total pterygot species of Uighur Ili increase to 1524.

Key words: List, distribution, *pterygota*, *Insecta*, Uighur Ili.

Brief explanatory information:

Previously published article	yes ⁵⁴
Previously published report	no
Expedition made by the Cesa	yes
Planned expeditions	no
Further planned publications	yes

In this study, totally 214 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Info-system of the Cesa has totally 1310 recorded species of *Lepidoptera* from Uighur Ili. Taking this information into consideration, total number of the pterygots increase to 1524.

The study is still continuing, and the new results will be published within this Project.

1. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch Kk Lb Pk Sa Sy Tm Uz Tr
2. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP

⁵⁴ Kemal, M. & A.Ö.Koçak, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Uighur language. *Cent. ent. Stud., Misc. Pap.* 137: 1-12. - Kemal, M. & A.Ö.Koçak, 2007, Annotated check-list of the butterflies of the Uighur Ili (Lepidoptera). *Priamus* 11 (4): 61-80. - Koçak, A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the World Lepidoptera - I. *Cent. ent. Stud., Memoirs* 3-4: v + 1-1989 pp. 49 Col. Plates. see: **Chapter 8**, "Illustrated list of the Lepidoptera recorded in Uighur Ili (LUI)" [listed 1271 species]. <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41080Pages49Plates10> - Kemal, M. & A.Ö.Koçak, 2009, A generic replacement name in the family *Psyllidae* (Homoptera). *Cent. ent. Stud., Misc. Pap.* 149: 7. <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMiscellaneousPapers149>

3. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *laticuscula* Poppus,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 **AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN**
4. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeyi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
5. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU U_r SK SL ES SE CH TR UA CN Ui**
6. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 **AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC**
7. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 **Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui**
8. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
9. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
10. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzey,1870 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
11. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
12. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 **AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui**
13. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu**
14. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 **AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN**
15. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 **TR IR KG TJ TM UZ CN Ui**
16. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM**
17. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 **AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM**
18. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus* Becker,1916; *villosus* Paramonov,1930; *albulus* Paramonov,1940 **CN Ui KK KG MN RU UZ**
19. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 **RU Cn FR Co TR SD IN CN Ui**
20. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszowskyi* Mocsary,1887; *seraxense* Radoszowski,1893; *terminale* Morawitz,1894; *causicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
21. **Anthocoris flavipes Reuter,1884** (Anthocoridae) Synonym(s): *flavipes* Reuter,1884 **IR Gor Ke Mz Elb AM? KG CN Ui Ti KK TJ**
22. **Anthophora xinjiangensis (Wu,1985)** (Apidae) Synonym(s): *xinjiangensis* Wu,1985 **CN Ui**
23. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 **IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU**

24. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
25. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
26. **Aprosthemella tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
27. **Arge cingulata Jakovlev** (Argidae) Synonym(s): *cingulata* Jakovlev; *turanica* Kuznetsov-Ugamskii CN Ui IR
28. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 B-H HU SK UA RO MK BG TR Cc CN Ui
29. **Armene pusilla (Eversmann,1859)** (Mantidae) Synonym(s): *pusilla* Eversmann,1859 AF MN TJ TM CN Ui
30. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
31. **Batrachomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
32. **Bellardia longistricata Fan & Quian,1997** (Calliphoridae) Synonym(s): *longistricata* Fan & Quian,1997 CN Ui
33. **Bellardia sastylata Qian & Fan,1981** (Calliphoridae) Synonym(s): *sastylata* Qian & Fan,1981 CN Ui
34. **Blaps kashgarensis Bates,1879** (Tenebrionidae) Synonym(s): *kashgarensis* Bates,1879; *lobnoriana* Reitter,1887; *euosoma* Kraatz,1888; *gobiensis* Fernaldsky,1889 CN Ui Ga Ln MN
35. **Blaps maeander Kraatz,1885** (Tenebrionidae) Synonym(s): *maeander* Kraatz,1885 CN Ui
36. **Blaps multistriata Ballion,1878** (Tenebrionidae) Synonym(s): *multistriata* Ballion,1878 CN Ui Ku
37. **Blaps quadricollis Ballion,1878** (Tenebrionidae) Synonym(s): *quadricollis* Ballion,1878 CN Ui Ku
38. **Blaps transversimulcata Ballion,1878** (Tenebrionidae) Synonym(s): *transversimulcata* Ballion,1878 CN Ui Ku
39. **Blaps turkestanica Seidlitz,1893** (Tenebrionidae) Synonym(s): *turkestanica* Seidlitz,1893 CN Ui
40. **Blaps variolaris Allard,1880** (Tenebrionidae) Synonym(s): *variolaris* Allard,1880 CN Ui
41. **Bolivaria xanthoptera (Olivier,1792)** (Mantidae) Synonym(s): *xanthoptera* Olivier,1792 TJ Ui CN IN NP
42. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 *nec* Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
43. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax* Paramonov,1926 UZ TJ KK TM CN Ui
44. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus* Duda,1923 BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU
45. **Calyptopsis laevipennis Reitter,1896** (Tenebrionidae) Synonym(s): *laevipennis* Reitter,1896 CN Ui
46. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
47. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
48. **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958 IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
49. **Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836 TR MN CN Ui AF IR RU Ur Cc
50. **Cerocoma schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi* Fabricius,1781 BG RU Sb TR Ui MN
51. **Ceroxys munda (Loew,1868)** (Ulidiidae) Synonym(s): *munda* Loew,1868 UA KG CN Ui RU
52. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piliger* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
53. **Chrysolina altimontana (Rybalow,1889)** (Chrysomelidae) Synonym(s): *altimontana* Rybalow,1889 CN Ui

54. **Chrysolina amplicollis (Jacobson,1895)** (Chrysomelidae) Synonym(s): *amplicollis* Jacobson,1895 CN Ui
55. **Chrysolina belousovi Lopatin,2000** (Chrysomelidae) Synonym(s): *belousovi* Lopatin,2000 CN Ui
56. **Chrysolina borochoensis Lopatin,2000** (Chrysomelidae) Synonym(s): *borochoensis* Lopatin,2000 CN Ui
57. **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967 FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
58. **Chrysolina cyanopurpurea (Ballion,1878)** (Chrysomelidae) Synonym(s): *cyanopurpurea* Ballion,1878 CN Ui
59. **Chrysolina dacchordii Lopatin,2000** (Chrysomelidae) Synonym(s): *dacchordii* Lopatin,2000 CN Ui
60. **Chrysolina fuyunica Chen,1961** (Chrysomelidae) Synonym(s): *fuyunica* Chen,1961 CN Ui
61. **Chrysolina juldusana (Lopatin,1962)** (Chrysomelidae) Synonym(s): *juldusana* Lopatin,1962 KK CN Ui KG
62. **Chrysolina luchtii Lopatin,2000** (Chrysomelidae) Synonym(s): *luchtii* Lopatin,2000 CN Ui
63. **Chrysolina naratica Lopatin,2000** (Chrysomelidae) Synonym(s): *naratica* Lopatin,2000 CN Ui
64. **Chrysolina roborowskii (Jacobson,1895)** (Chrysomelidae) Synonym(s): *roborowskii* Jacobson,1895; *fallax* Jacobson,1895 CN Ui
65. **Chrysolina tekessica Lopatin,1990** (Chrysomelidae) Synonym(s): *tekessica* Lopatin,1990 CN Ui
66. **Chrysolina tianshanica (Jacobson,1910)** (Chrysomelidae) Synonym(s): *tianshanica* Jacobson,1910 CN Ui
67. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
68. **Colletes pallipes Noskiewicz,1936** (Colletidae) Synonym(s): *pallipes* Noskiewicz,1936 CN Ui Ku
69. **Conophorus turkestanicus Paramonov,1929** (Bombyliidae) Synonym(s): *turkestanicus* Paramonov,1929 CN Ui
70. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR
71. **Cylindera (Cicindina) sublacerata (Solsky,1874)** (Carabidae) Synonym(s): *sublacerata* Solsky,1874 TM KG IR AF PK Ch MN CN Ui Cc RU Da AZ GG AM TR
72. **Dendroleus pantherinus (Fabricius,1787)** (Myrmeleonidae) Synonym(s): *pantherinus* Fabricius,1787 CN Ui TR
73. **Dermestes (Dermestinus) coronatus Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808 PL AF TR Cc IN KK IR MN RU CN Ui
74. **Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): *platyoma* Fieber,1861 TR CN Ui RU Sb
75. **Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): *rotundata* Herrich-Schäffer,1835 RU TR CN Ui
76. **Dictyonota tricornis (Schrank,1801)** (Tingidae) Synonym(s): *tricornis* Schrank,1801 US CV CA DZ IR TR RU Sb CN Ui
77. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
78. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica* Germar,1830 Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
79. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis* Erdös,1958 Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
80. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
81. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata* Desbrochers,1870 Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
82. **Diphyus quinquecinctus (Kriechbaumer,1892)** (Ichneumonidae) Synonym(s): *quinquecinctus* Kriechbaumer,1892 TR CN Ui
83. **Dociostaurus (s.str.) brachypterus Demirsoy,1979** (Acrididae) Synonym(s): *brachypterus* Demirsoy,1979 *Dociostaurus (s.str.) brachypterus* Demirsoy,1979, Ent. Mitt. Zool. Mus. Hamburg 6 (106): 280. Type: [Uighur Ili]: Nilka (IZCAS). CN Ui
84. **Dociostaurus (Stauronotulus) crassiusculus (Pantel,1886)** (Acrididae) Synonym(s): *crassiusculus* Pantel,1886 CN Ui RU AF PK IR ES

85. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica Fabricius,1781* GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
86. **Doratuopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
87. **Dorcadion (s.str.) arietinum Jakovlev,1897** (Cerambycidae) Synonym(s): *arietinum Jakovlev,1897* CN Ui
88. **Dorcadion (s.str.) ataense Pic,1901** (Cerambycidae) Synonym(s): *ataense Pic,1901; kusnezovi Jakovlev,1906* CN Ui
89. **Dorcadion (s.str.) cephalotes Jakovlev,1890** (Cerambycidae) Synonym(s): *cephalotes Jakovlev,1890; alexii Suvorov,1915* CN Ui
90. **Dorcadion (s.str.) globithorax Jakovlev,1895** (Cerambycidae) Synonym(s): *globithorax Jakovlev,1895* CN Ui
91. **Dorcadion (s.str.) heptapotanicum Plavilstshikov,1951** (Cerambycidae) Synonym(s): *heptapotanicum Plavilstshikov,1951* KG Tk CN Ui
92. **Dorcadion (s.str.) mystacinum Ballion,1878** (Cerambycidae) Synonym(s): *mystacinum Ballion,1878; auliense Pic,1901; nubilum Breuning,1948* CN Ui KG T-S
93. **Dorcadion (s.str.) pelidnum Jakovlev,1906** (Cerambycidae) Synonym(s): *pelidnum Jakovlev,1906* CN Ui
94. **Dorcadion (s.str.) phenax Jakovlev,1900** (Cerambycidae) Synonym(s): *phenax Jakovlev,1900* CN Ui KG
95. **Dorcadion (s.str.) profanifuga Plavilstshikov,1951** (Cerambycidae) Synonym(s): *profanifuga Plavilstshikov,1951* CN Ui
96. **Dorcadion (s.str.) rufidens Jakovlev,1906** (Cerambycidae) Synonym(s): *rufidens Jakovlev,1906* CN Ui
97. **Dorcadion (s.str.) thianshanense Breuning,1947** (Cerambycidae) Synonym(s): *thianshanense Breuning,1947* T-S CN Ui
98. **Dorcadion (s.str.) thianshanskii Suvorov,1910** (Cerambycidae) Synonym(s): *thianshanskii Suvorov,1910* T-S CN Ui
99. **Dorcadion (s.str.) tibiale Jakovlev,1890** (Cerambycidae) Synonym(s): *tibiale Jakovlev,1890* CN Ui
100. **Dorcadion (s.str.) validipes Jakovlev,1906** (Cerambycidae) Synonym(s): *validipes Jakovlev,1906; chantengrii Breuning,1943* CN Ui KG DsA
101. **Emblethis verbasci (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci Fabricius,1803* GB IL Pa Cc C TR LB CN Ti Ui
102. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala Pallas,1771* BG TR Cc RU UZ KG CN Ui
103. **Eumenes jarkandensis Blüthgen,1938** (Vespidae) Synonym(s): *jarkandensis Blüthgen,1938; turanicus Blüthgen,1943* TR CN Ui MN
104. **Exoprosopa turkestanica Paramonov,1925** (Bombyliidae) Synonym(s): *turkestanica Paramonov,1925* CN Ui Um Adu KK TJ MN AF IR
105. **Graphosoma lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum Linnaeus,1758; italicum Müller,1766; nigrolineatum Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955* CN Ui TR IT
106. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura Morawitz,1875; altera Peters,1974* TM UZ CN Ui AF PK
107. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris Ringdahl,1924* AD DE PL CZ SK CH AT HU TR Ui RU
108. **Hemipenthes gaudanicus Paramonov,1927** (Bombyliidae) Synonym(s): *gaudanicus Paramonov,1927* CN Ui KK TJ TM UZ MN IR
109. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera Loew,1854* RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
110. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758; denigrata Linnaeus,1767; hirsuta Villers,1789; daemon Panzer,1797; bifasciata Meigen,1804; relata Walker,1852; uncinus Loew,1869; flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
111. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
112. **Hemipenthes tusheticus Zaitzev,1966** (Bombyliidae) Synonym(s): *tusheticus Zaitzev,1966* Cc AM AZ GG IR CN Ui
113. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
114. **Hierodula tenuidentata Saussure,1869** (Mantidae) Synonym(s): *tenuidentata Saussure,1869; heterodera Westwood,1889; westwoodi Kirby,1904* IN NP MY Bor Sda TM Ui CN

115. **Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878 **TR IQ Cc IR AF Ui**
116. **Himacerus maracandicus (Reuter,1890)** (Nabidae) Synonym(s): *maracandicus* Reuter,1890 **TR CN Ui**
117. **Hoplitis (Alcidamea) hyperplastica (Morawitz,1894)** (Megachilidae) Synonym(s): *hyperplastica* Morawitz,1894 **CN Ui**
118. **Hoplitis (Alcidamea) xinjiangensis Wu,1987** (Megachilidae) Synonym(s): *xinjiangensis* Wu,1987 **CN Ui**
119. **Hoplitis (Anthocopa) bipartita (Friese,1899)** (Megachilidae) Synonym(s): *bipartita* Friese,1899 **CN Ui KG TR**
120. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 **Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR**
121. **Hoplitis (Kumobia) abbreviata (Morawitz,1875)** (Megachilidae) Synonym(s): *abbreviata* Morawitz,1875 **KG KK MN CN Ui**
122. **Hoplitis (Megalosmia) laboriosa (Smith,1878)** (Megachilidae) Synonym(s): *laboriosa* Smith,1878; *maculata* Morawitz,1880; *magrettii* Ducke,1899 **CN Ui Ku KG MN RU**
123. **Hoplitis (Pentadentosmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 **AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN**
124. **Hoplitis (Pentadentosmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877 **AM Cc IL Pa JO SY CN Ui**
125. **Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877 **AM Cc CN Ui TM JO**
126. **Hoplitis (Stenosmia) xinjiangensis (Wu,1994)** (Megachilidae) Synonym(s): *xinjiangensis* Wu,1994 **CN Ui**
127. **Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983 **Mantis oratoria polystictica Fischer v. Waldheim,1846, Orth. Ross.: 102. RU AZ Cc Tbl GG TJ MN AF IR CN TM Ui**
128. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833 **TR UA RU SY IR PK CN Ui MN**
129. **Lampyris olivieriana Heyden,1890** (Lampyridae) Synonym(s): *olivieriana* Heyden,1890; *afghana* Nakane,1966 **KG AF CN Ui**
130. **Leptodes (Leptodopsis) tjanschanicus Semenov** (Tenebrionidae) Synonym(s): **CN Ui**
131. **Leptodes (s.str.) reitteri Semenov** (Tenebrionidae) Synonym(s): **CN Ui**
132. **Lestes barbarus (Fabricius,1798)** (Lestidae) Synonym(s): *barbarus* Fabricius,1798 **TR SE CN Ui**
133. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763 **AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui**
134. **Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus* Weise,1893 **TR Cc IR AF KG RU Sb MN CN Ui**
135. **Macropsis fuscinervis (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscinervis* Boheman,1845 **AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU**
136. **Mantispia scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *?caucasica* Handschin,1959 **GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui**
137. **Meliera nigratarsis Becker,1903** (Ulidiidae) Synonym(s): *nigratarsis* Becker,1903 **UA CN Ui Ga IR Kh**
138. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus* Donovan,1793; *#variegatus* Özbek & Szaloki,1998 **ES IT TR IR RU KK CN Ui**
139. **Mesocixiella korlaensis Hong,1984** (Cixiidae) Synonym(s): *korlaensis* Hong,1984 **CN Ui Kl**
140. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae* Rubtsov,1956 **CN Ui TJ KG KK MN RU Sb At UZ**
141. **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *blondeli* Robineau-Desvoidy,1830 **TR FR CN Pkn Mc Sz Ui Yu**
142. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus* Dohrn,1862 **RU TR RO BG IR CN Ui**
143. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES**
144. **Nicrophorus antennatus (Reitter,1885)** (Silphidae) Synonym(s): *antennatus* Reitter,1885 **TR Cc MN CN Ui Mc**
145. **Nicrophorus germanicus (Linnaeus,1758)** (Silphidae) Synonym(s): *germanicus* Linnaeus,1758 **TR Cc SY CN Ui**
146. **Nicrophorus humator (Gleditsch,1767)** (Silphidae) Synonym(s): *humator* Gleditsch,1767 **DZ TR Cc IR CN Ui**

147. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
148. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus Signoret,1884; fumatus Melichar,1902* AF IR IQ Cc AZ CN Ui UZ TM
149. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis Linnaeus,1758* PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
150. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta Latreille,1811; spiniventris Giraud,1857; soror Pérez,1896* AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
151. **Osmia (Helicosmia) concavoclypearis Wu,1985** (Megachilidae) Synonym(s): *concavoclypearis Wu,1985* CN Ui KK
152. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN
153. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895* AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
154. **Osmia (Melanosmia) melanota Morawitz,1888** (Megachilidae) Synonym(s): *melanota Morawitz,1888* CN Ui
155. **Osmia (Melanosmia) pamirensis Gussakowsky,1930** (Megachilidae) Synonym(s): *pamirensis Gussakowsky,1930* TJ Pm CN Ui
156. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor Schrank,1781; rustica Geoffroy,1785; fusca Christ,1791; hirudinaria Christ,1791; pyrenaea Lepeletier,1841; fusca Gistel,1857; rufitarsis Smith,1879; monachiensis Strand,1917* AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
157. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana Morawitz,1874; tetrodonta Benoist,1934* BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
158. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta Latreille,1805; divergens Friese,1920; neoregaena Mavromoustakis,1938; quasirufa Peters,1978* AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
159. **Osmia (s.str.) melanocephala Morawitz,1875** (Megachilidae) Synonym(s): *melanocephala Morawitz,1875* TJ KK KG MN CN UZ Ui
160. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana Distant,1915* EG IL Pa IT JO MA SY TN TR CN Ui YU
161. **Pachybrachis (s.str.) jastschenkoi Lopatin,1995** (Chrysomelidae) Synonym(s): *jastschenkoi Lopatin,1995* CN Ui Tpn
162. **Pachybrachis (s.str.) sinkianensis Lopatin,1995** (Chrysomelidae) Synonym(s): *sinkianensis Lopatin,1995* CN Ui Um
163. **Pachyscelis banghaasi Reitter,1893** (Tenebrionidae) Synonym(s): *banghaasi Reitter,1893* CN Ui
164. **Pachyscelis nitidula Kraatz,1882** (Tenebrionidae) Synonym(s): *nitidula Kraatz,1882* CN Ui
165. **Paracorixa concinna (Fieber,1848)** (Corixidae) Synonym(s): *concinna Fieber,1848* TR Cc RU Sb MN CN Ui
166. **Paragnetina transoxanica (Klapalek,1921)** (Perlidae) Synonym(s): *transoxanica Klapalek,1921; spinulifera Zhiltzova,1967* Tylopyge transoxanica Klapalek,1921, Annl. Soc. ent. belg. 61: 61. Type ♂: [Uighur Ili]: "westl. v. Kuldscha, bei Ili-Thal". TR Ui Ku
167. **Pedestredorcadion dokhtouroffi (Ganglbauer,1886)** (Cerambycidae) Synonym(s): *dokhtouroffi Ganglbauer,1886; subcostatum Heyden,1887; fulvescens Breuning,1946* CN Ui
168. **Pedestredorcadion jacobsoni (Jakovlev,1899)** (Cerambycidae) Synonym(s): *jacobsoni Jakovlev,1899; sokolovi Jakovlev,1900; obtusicolle Pic,1926;...* KG DsA CN Ui
169. **Pedestredorcadion kuldschanum (Pic,1908)** (Cerambycidae) Synonym(s): *kuldschanum Pic,1908; pauli Pic,1909; albidolimbatum Pic,1912; juldusianum Pic,1912* CN Ui Ku Ju
170. **Pedestredorcadion lucae (Pic,1898)** (Cerambycidae) Synonym(s): *lucae Pic,1898* KG DsA CN Ui T-S
171. **Pedestredorcadion matthieseni (Suvorov,1910)** (Cerambycidae) Synonym(s): *matthieseni Suvorov,1910* CN Ui
172. **Pedestredorcadion merzbacheri (Breuning,1946)** (Cerambycidae) Synonym(s): *merzbacheri Breuning,1946; thianshanicum Breuning,1946* CN Ui T-S
173. **Pedestredorcadion semenovi (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *semenovi Ganglbauer,1883; hauseri Reitter,1885; issykkulense Pic,1906* CN Ui T-S KK Ik KG Tk Ktm
174. **Pedestredorcadion tschitscherini (Jakovlev,1900)** (Cerambycidae) Synonym(s): *tschitscherini Jakovlev,1900; abundans Suvorov,1910* CN Ui
175. **Pedestredorcadion turkestanicum (Kraatz,1873)** (Cerambycidae) Synonym(s): *turkestanicum Kraatz,1873* CN Ui

176. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
177. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
178. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
179. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus Fieber,1864* AT Cc HU RO RU CN Ui TR
180. **Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *turkestanica Kraatz,1886* CN Ui TM UZ TJ
181. **Pseudomyrmosa kashgarica Lelej,1981** (Mutillidae) Synonym(s): *kashgarica Lelej,1981* CN Ui Ga
182. **Rhyarochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus Goeze,1778* GB SE Cc RU TR IR CN Ui
183. **Rhyarochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini Linnaeus,1758* Cc TR IR CN Ui Ti
184. **Rhyarochromus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus Fabricius,1798* GB SE Cc CN Ui TR
185. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata Becker,1907; chopardi Séguy,1932; pamirensis Enderlein,1934* Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
186. **Severinia turcomaniae (Saussure,1872)** (Mantidae) Synonym(s): *turcomaniae Saussure,1872* MN Ui CN
187. **Severinia turcomaniae turcomaniae (Saussure,1872)** (Mantidae) Synonym(s): *turcomaniae Saussure,1872* MN CN Ui
188. **Shaerqia turkestanica (Loew,1881)** (Psyllidae) Synonym(s): *turkestanica Loew,1881* Ui
189. **Simulium (Eusimulium) beiwanense Guo,Zhang, An, Zhang, Zheng, Dong & Zao,2008** (Simuliidae) Synonym(s): *beiwanense Guo,Zhang, An, Zhang, Zheng, Dong & Zao,2008* CN Ui
190. **Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): *reginae Terteryan,1949* TR? AM AZ Cc GG CN Ui
191. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938* NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
192. **Sternoplax kashgariensis Reitter,1903** (Tenebrionidae) Synonym(s): *kashgariensis Reitter,1903; seidlitzii Reitter,1903* CN Ui Ga
193. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
194. **Stratiomys bochariensis (Pleske,1899)** (Stratiomyidae) Synonym(s): *bochariensis Pleske,1899; turkestanica Pleske,1922; manchurenensis Ouchi,1940* CN Ui Mc UZ KG
195. **Stratiomys potschinskayana Nartshuk & Rozkosny,1984** (Stratiomyidae) Synonym(s): *brevicornis Potschinsky,1887 nec Lw.,1840; potschinskayana Nartshuk & Rozkosny,1984* CN Ui
196. **Tephritis cometa (Loew,1856)** (Tephritidae) Synonym(s): *cometa Loew,1856* TR RU Sb CN Ui AF IR Cc AM GG
197. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844 Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393.* ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
198. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata Costa,1847* US DZ RU IL Pa SY TR CN Ui
199. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata Puton,1879* MA RU Cc TR CN Ui
200. **Tingis pilosa Hummel,1825** (Tingidae) Synonym(s): *pilosa Hummel,1825* MA TR CN Ui RU Sb
201. **Tingis valida (Puton,1878)** (Tingidae) Synonym(s): *valida Puton,1878* LB TR IR SY CN Ui
202. **Trachyderma raddeana Reitter,1888** (Tenebrionidae) Synonym(s): *raddeana Reitter,1888* CN Ui
203. **Trachyderma sublaevigata Bates,1879** (Tenebrionidae) Synonym(s): *sublaevigata Bates,1879* CN Ui Ga
204. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar Stal,1872; breviceps Jakovlev,1882; seductor Horvath,1883* MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
205. **Trapezonotus ullrichi (Fieber,1836)** (Lygaeidae) Synonym(s): *ullrichi Fieber,1836* DE TR CN Ui

206. **Trigonoscelis holdereri Reitter,1900** (Tenebrionidae) Synonym(s): *holdereri Reitter,1900* CN Ui
207. **Trigonoscelis schrencki Geblen,1845** (Tenebrionidae) Synonym(s): *schrencki Geblen,1845* UZ CN Ui Ga
208. **Trigonoscelis sublaevigata Reitter,1887** (Tenebrionidae) Synonym(s): *sublaevigata Reitter,1887* CN Ui UZ MN
209. **Trigonoscelis zoufali Reitter,1893** (Tenebrionidae) Synonym(s): *zoufali Reitter,1893* TM CN Ui UZ Smk
210. **Ujguricola pergrisea Lehr,1970** (Asilidae) Synonym(s): *pergrisea Lehr,1970* CN Ui
211. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata Rondani,1870* TR IR Ak IT GR AF CN Ui MN AZ AM
212. **Urophora maura (Frauenfeld,1857)** (Tephritidae) Synonym(s): *maura Frauenfeld,1857* TR CZ CN Ui KK RU UA MD FR Co
213. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907* TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
214. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR

Synonymic and distributional list of the pterygot insects of Uzbekistan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

29

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Uzbekistan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 29.

Priamus (suppl.) 18: 1739-1766.

In this study, totally 689 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Uzbekistan recorded in info-system of the Cesa, total pterygot species of Uzbekistan increase to 1594.

Key words: List, distribution, *pterygota*, *Insecta*, Uzbekistan.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 689 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 905 recorded species of Lepidoptera from Uzbekistan are found. Taking this information into consideration, total number of the pterygots may increase to 1594.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
2. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
3. **Achrus flavovirens Lindberg,1924** (Cicadellidae) Synonym(s): *flavovirens* Lindberg,1924 Cc GG TM UZ
4. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
5. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina* Melichar,1902; *inustus* Haupt,1927 EG IR IL AZ Cc TM UZ
6. **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876 AF IR IQ? MN TR GG KG RU TJ TM UZ
7. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU

8. **Adontomerus impolitus (Askew & Nieves-Aldrey,1988)** (Torymidae) Synonym(s): *impolitus* Askew & Nieves-Aldrey,1988 ES TR UZ IR Ak
9. **Adoretus nigrifrons (Steven,1809)** (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809 Ce RU TM UZ KK TJ PK
10. **Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis* Loew,1873; *maschouk Pleske,1925* TJ KG UZ RU TR
11. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Ce AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
12. **Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata* Horvath,1894 RO AM AZ GG KG KK RU TM UZ
13. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
14. **Agapanthia detrita Kraatz,1882** (Cerambycidae) Synonym(s): *detrita* Kraatz,1882 UZ KG
15. **Agapanthia soror Kraatz,1882** (Cerambycidae) Synonym(s): *soror* Kraatz,1882 UZ KG
16. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb TO ES SE TN TM UA GB US UZ YU TR
17. **Agonum chalconotum Ménériés,1832** (Carabidae) Synonym(s): *chalconotum* Ménériés,1832 GB LA TR AF KK KG TJ UZ CN MN
18. **Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticulosus* Candeze,1863 TR AZ AM GG Cc RU AF IR IQ KG MN PK SA TJ TM UZ SY
19. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 *Gryllus thalassinus* Fabricius,1781, *Species Insectorum* 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
20. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
21. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
22. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
23. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
24. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Ce AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
25. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
26. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
27. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
28. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
29. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841;

- humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
30. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
31. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
32. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indieriensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
33. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae) Synonym(s): *fuscigena* Hieke,1999 TR IR KG TJ TM UZ CN Ui
34. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
35. **Amara (Zezea) chaudiroiri Schaum,1858** (Carabidae) Synonym(s): *chaudiroiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
36. **Ammothereva uzbekorum (Zaitzev,1973)** (Therevidae) Synonym(s): *uzbekorum* Zaitzev,1973 UZ
37. **Amphicoma (Eulasia) kuschakewitschi Ballion,1870** (Glaphyridae) Synonym(s): *kuschakewitschi* Ballion,1870; *clypeata* Solsky,1876; *dubia* Solsky,1876; *auricollis* Reitter,1890; *viridicollis* Reitter,1890; *belia* Reitter,1900 AF UZ KG TJ KK TM
38. **Amphicoma (Rudeulasia) regeli (Ballion,1878)** (Glaphyridae) Synonym(s): *regeli* Ballion,1878; *iris* Reitter,1897; *bucharica* Reitter,1903; *theana* Reitter,1903 TM UZ
39. **Amphicoma (Solskiola) analis Solsky,1876** (Glaphyridae) Synonym(s): *analis* Solsky,1876 TM UZ TJ
40. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
41. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
42. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
43. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
44. **Anastoechus anomalus Paramonov,1940** (Bombyliidae) Synonym(s): *anomalus* Paramonov,1940 MN UZ
45. **Anastoechus aralicus Paramonov,1940** (Bombyliidae) Synonym(s): *aralicus* Paramonov,1940 UZ
46. **Anastoechus asiaticus Becker,1916** (Bombyliidae) Synonym(s): *asiaticus* Becker,1916; *villosus* Paramonov,1930; *albulus* Paramonov,1940 CN Ui KK KG MN RU UZ
47. **Anastoechus baigakumensis Paramonov,1926** (Bombyliidae) Synonym(s): *baigakumensis* Paramonov,1926 KG UZ
48. **Anastoechus firjuzanus Paramonov,1930** (Bombyliidae) Synonym(s): *firjuzanus* Paramonov,1930 TM UZ
49. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
50. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
51. **Anastoechus monticola Paramonov,1930** (Bombyliidae) Synonym(s): *monticola* Paramonov,1930 TM UZ
52. **Anastoechus nomas Paramonov,1930** (Bombyliidae) Synonym(s): *nomas* Paramonov,1930 TM UZ
53. **Anastoechus pulcher Paramonov,1930** (Bombyliidae) Synonym(s): *pulcher* Paramonov,1930 IQ IR TM UZ
54. **Anastoechus stackelbergi Paramonov,1926** (Bombyliidae) Synonym(s): *stackelbergi* Paramonov,1926 KK TJ TM UZ

55. **Anastoechus syrdarjensis** Paramonov,1926 (Bombyliidae) Synonym(s): *syrdarjensis* Paramonov,1926 **KG TM UZ**
56. **Anastoechus turanicus** Paramonov,1926 (Bombyliidae) Synonym(s): *turanicus* Paramonov,1926 **AF IR UZ**
57. **Anastoechus turkestanicus** Paramonov,1926 (Bombyliidae) Synonym(s): *turkestanicus* Paramonov,1926 **KG UZ**
58. **Anastoechus turkmenorum** Paramonov,1930 (Bombyliidae) Synonym(s): *turkmenorum* Paramonov,1930 **AF IR TM UZ**
59. **Anastoechus vlasovi** Paramonov,1930 (Bombyliidae) Synonym(s): *vlasovi* Paramonov,1930; *albicans* Paramonov,1930 **KG TM UZ**
60. **Anastoechus zimini** Paramonov,1940 (Bombyliidae) Synonym(s): *zimini* Paramonov,1940 **KG AF UZ MN IR AM AZ Cc**
61. **Anechura bipunctata** (Fabricius,1781) (Forficulidae) Synonym(s): *bipunctata* Fabricius,1781; *asiatica* Semenov,1903; *fabricii* Fieber,1854 **ES TR RU FR SK AM KG UZ**
62. **Angelopteromyia chvalai** Korneyev,2001 (Platystomidae) Synonym(s): *chvalai* Korneyev,2001 **UZ**
63. **Anthidium (Icteranthidium) fedtschenkoi** Morawitz,1875 (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz,1875; *transcaspicum* Lebedev,1923; *reinigi* Alfken,1931; *tadzhicum* Popov,1935 **UZ TM LB TJ Pm**
64. **Anthidium (Icteranthidium) limbiferum** Morawitz,1875 (Megachilidae) Synonym(s): *limbiferum* Morawitz,1875 **UZ TR Cc**
65. **Anthidium (Icteranthidium) ruficorne** Morawitz,1875 (Megachilidae) Synonym(s): *ruficorne* Morawitz,1875 **UZ**
66. **Anthidium (Icteranthidium) tshangricum** (Mavromoustakis,1951) (Megachilidae) Synonym(s): *tshangricum* Mavromoustakis,1951; *zimini* Mavromoustakis,1951 **UZ**
67. **Anthidium (Pseudoanthidium) lituratum** (Panzer,1801) (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
68. **Anthidium (s.str.) diadema** Latreille,1809 (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 **DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY**
69. **Anthidium (s.str.) punctatum** Latreille,1809 (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevriér,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes* Friese,1897; *kohlíi* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum* Friese,1917; *suecicum* Alfken,1927 **SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR**
70. **Anthidium (Turkanthidium) callosum** Morawitz,1875 (Megachilidae) Synonym(s): *callosum* Morawitz,1875 **UZ**
71. **Anthidium (Turkanthidium) unicum** Morawitz,1875 (Megachilidae) Synonym(s): *unicum* Morawitz,1875 **UZ**
72. **Anthocoris angularis** Reuter,1884 (Anthocoridae) Synonym(s): *angularis* Reuter,1884 **KK KG TJ MN UZ IR Th Elb**
73. **Anthomalachius senylia** (Tshernytshev,2000) (Melyridae) Synonym(s): *senylia* Tshernytshev,2000 **UZ KK**
74. **Anthomalachius strangulatus** (Abeille de Perrin,1885) (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 **FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ**
75. **Anthophora agama** Radoszkowski,1869 (Apidae) Synonym(s): *agama* Radoszkowski,1869; *kessleri* Fedtschenko,1875 **TR UZ**
76. **Anthrax actuosus** Paramonov,1935 (Bombyliidae) Synonym(s): *actuosus* Paramonov,1935 **TM UZ**
77. **Anthrax binotatus** Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
78. **Anthrax buharensis** Paramonov,1935 (Bombyliidae) Synonym(s): *buharensis* Paramonov,1935 **UZ Br TM**
79. **Anthrax heteropyga** (Sack,1909) (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 **IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU**
80. **Anthrax jazykovi** Zakhvatkin,1934 (Bombyliidae) Synonym(s): *jazykovi* Zakhvatkin,1934; *jazykovi* Paramonov,1935 **Cc AZ AM GG MN TJ UZ**

81. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
82. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
83. **Anthrax tajikistanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *tajikistanus Evenhuis & Greathead,1999* AM AZ GG Cc KG TJ UZ
84. **Anthrax transcaspicus Paramonov,1935** (Bombyliidae) Synonym(s): *transcaspicus Paramonov,1935* KG TM UZ
85. **Anthrenus (Florilinus) flavidus Solsky,1876** (Dermestidae) Synonym(s): *flavidus Solsky,1876; rufulus Solsky,1876* PL AF Cc CN KG KK TJ TM UZ
86. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae) Synonym(s): *picturatus Solsky,1876* AF Cc TR IR KK KG TJ TM UZ
87. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae Linnaeus,1758; albidus Brullé,1832; signatus Reitter,1881; senex Reitter,1881* TR AU Cc SY UZ
88. **Anthrenus (Solskinus) bucharicus Zhantiev,1976** (Dermestidae) Synonym(s): *bucharicus Zhantiev,1976* UZ TM
89. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus Fabricius,1775* RU Cc Sb Us Ur UA Cm KG KK TM UZ TJ
90. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius Linnaeus,1758* RU Cc Ur Sb Us UA AM GG KG KK TM UZ
91. **Aphodius (Biralus) menetriesi Ménétriés,1849** (Scarabaeidae) Synonym(s): *menetriesi Ménétriés,1849* KG KK TM UZ
92. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
93. **Aphodius (Colobopterus) erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus Linnaeus,1758* RU Ur Sb Us UA KG TM UZ
94. **Aphodius (Eudolus) quadriguttatus (Herbst,1783)** (Scarabaeidae) Synonym(s): *quadriguttatus Herbst,1783* RU Ur UA Cm TM UZ
95. **Aphodius (Nobius) circumductus Solsky,1876** (Scarabaeidae) Synonym(s): *circumductus Solsky,1876* UZ
96. **Aphodius (Nobius) pustulifer Reitter,1892** (Scarabaeidae) Synonym(s): *pustulifer Reitter,1892* UZ
97. **Aphodius (Orodalus) pusillus (Herbst,1789)** (Scarabaeidae) Synonym(s): *pusillus Herbst,1789* RU Cc Ur Sb Us Am Krl GG KG KK TM UZ
98. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schränk,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
99. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan,1799; rivularis Germar,1821* AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
100. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
101. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila Loew,1873* IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
102. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini Kostjukov,1976* DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
103. **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata Kowarz,1879* GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ
104. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821; diminutus Kirschbaum,1858* AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
105. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne Solsky,1874* AM Cc BG GR TR CY IR KK KG TJ UZ
106. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
107. **Athalia liberta (Klug,1815)** (Tenthredinidae) Synonym(s): *liberta Klug,1815; immaculata Konow,1884* RU TR IR UZ KK Cc Sb IN CN JP

108. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermeestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR
109. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica Tyurebaev,1979* TR IR Ab Oru UA RU KG KK TM TJ UZ
110. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
111. **Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus Schränk,1798* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
112. **Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): *chloris Horvath,1894* Cc AM GG KG TJ UZ
113. **Balclutha nicolasi (Lethierry,1876)** (Cicadellidae) Synonym(s): *nicolasi Lethierry,1876; eos Haupt,1927* FR IL UZ
114. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata Fabricius,1775; tricolor Gmelin,1790; clypeata Curtis,1837; spreta Zetterstedt,1840; confluens Rey,1894; impunctatus Rey,1894; lineolatus Horvath,1904; thalassicus Sidorski,1937; taunica Wagner,1939; langi Dlabola,1944; sagittaria Ribaut,1952* AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
115. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana Wagner,1939* AF AT BG CS FI DE IT NL KG KK UZ YU TR
116. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea Scott,1876; frontalis Ferrari,1882; flava Haupt,1927; pulchella Lindberg,1948; haupti Metcalf,1955* AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
117. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus Lewis,1834; microcephalus Herrich-Schäffer,1838; punctulatus Forel,1858; punctuosus Kirschbaum,1868; verrucosa Haupt,1917* AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU
118. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus Loew,1855* IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
119. **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus Gussakowski,1935* AF UZ TR IR TJ KG UZ
120. **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus Schmid-Egger,2004* IR Kh Ss TJ KG UZ TR SA IQ Mos PK
121. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
122. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
123. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
124. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
125. **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845* AM Cc RU TR IR KK KG UZ
126. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831* AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
127. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
128. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
129. **Bembidion (Ocyturanus) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934* AM Cc TR IR KK TJ UZ
130. **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum Solsky,1874* TR AF IR KK TJ UZ
131. **Bembidion (Peryphus) persicum Ménétériés,1832** (Carabidae) Synonym(s): *persicum Ménétériés,1832* AZ AM Cc GG MD RU TR IR KK TJ UZ
132. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
133. **Bembidion (Testediolum) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaticum Chaudoir,1846; glabricolle Motschoulsky,1846; olympicum De Monte,1946; coiffaiti De*

- Wailly,1954; colasi Schuler,1961; davatchii Morvan,1971; damavandense Marggi & Huber,1999 AZ AM Cc GG RU TR IR Elb Dam LB AF KK KG TJ UZ
134. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
135. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
136. **Blaps scabiosa Baudi,1874** (Tenebrionidae) Synonym(s): *scabiosa* Baudi,1874; *coriacea* Allard,1880 IR Gor UZ
137. **Blaps seriata Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *seriata* Fischer von Waldheim,1822 UZ IR
138. **Blaps titanus Ménétrés,1849** (Tenebrionidae) Synonym(s): *titanus* Ménétrés,1849 TM UZ AZ Cc Bak
139. **Blitopertha (s.str.) variabilis Ballion,1870** (Scarabaeidae) Synonym(s): *variabilis* Ballion,1870 KG TM UZ TJ
140. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG
141. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
142. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; #*quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
143. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
144. **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum* Paramonov,1926; *flavisetis* Paramonov,1940 TR IR TJ UZ TM
145. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21.** Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
146. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analisis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
147. **Bombylius (s.str.) antennipilosus Paramonov,1926** (Bombyliidae) Synonym(s): *antennipilosus* Paramonov,1926 KG TJ UZ
148. **Bombylius (s.str.) arenosus Paramonov,1940** (Bombyliidae) Synonym(s): *arenosus* Paramonov,1940 UZ KG TM
149. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855 RU Sb CN IR MN KK ES TJ TM UZ
150. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
151. **Bombylius (s.str.) crassitarsis Paramonov,1940** (Bombyliidae) Synonym(s): *crassitarsis* Paramonov,1940 IL Pa UZ
152. **Bombylius (s.str.) deserticola Paramonov,1940** (Bombyliidae) Synonym(s): *deserticola* Paramonov,1940 KG UZ
153. **Bombylius (s.str.) desertivagus Paramonov,1940** (Bombyliidae) Synonym(s): *dorsalis* Loew,1873 nec Oliv.,1789; *desertivagus* Paramonov,1940 PK KG KK TJ TM UZ
154. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
155. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
156. **Bombylius (s.str.) hololeucus Loew,1873** (Bombyliidae) Synonym(s): *hololeucus* Loew,1873 TM UZ
157. **Bombylius (s.str.) maculithorax Paramonov,1926** (Bombyliidae) Synonym(s): *maculithorax* Paramonov,1926 UZ TJ KK TM CN Ui
158. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus*

- Mikan*,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Liouy,1864; *notialis* Evenhuis,1978
CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV
CY CZ DK EG EE FI FR Co DE GR Hu IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK
SS ES SE CH TJ TR TN TM GB UZ YU
159. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
160. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus paramonov*,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
161. **Bombylius (s.str.) mobilis Loew,1873** (Bombyliidae) Synonym(s): *mobilis* Loew,1873 UZ TJ TM KG PK
162. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
163. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
164. **Bombylius (s.str.) obscuripennis Paramonov,1929** (Bombyliidae) Synonym(s): *obscuripennis* Paramonov,1929 KK UZ
165. **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus* Loew,1873 AF IR KG KK TJ TM UZ
166. **Bombylius (s.str.) repeteki Paramonov,1940** (Bombyliidae) Synonym(s): *repeteki* Paramonov,1940; *submodestus* Paramonov,1940 TM UZ IL Pa
167. **Bombylius (s.str.) rossicus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *aurulentus* Paramonov,1926 *nec* Wiedem.,1820; *rossicus* Evenhuis & Greathead,1999 CN KG KK TJ TM UZ
168. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 *nec* Fabr.,1794; *nigripes* Strobl,1898 *nec* Macq.,1834 AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
169. **Bombylius (s.str.) testaceiventris Paramonov,1925** (Bombyliidae) Synonym(s): *testaceiventris* Paramonov,1925; *bergi* Paramonov,1926 UZ TM Cc AM AZ GG KG
170. **Bombylius (s.str.) turanicus Paramonov,1926** (Bombyliidae) Synonym(s): *turanicus* Paramonov,1926 KK UZ TM
171. **Bombylius (s.str.) uzbekorum Paramonov,1926** (Bombyliidae) Synonym(s): *uzbekorum* Paramonov,1926 CN Ti KG KK TJ UZ
172. **Bombylius (s.str.) vlasovi Paramonov,1940** (Bombyliidae) Synonym(s): *vlasovi* Paramonov,1940 AM AZ GG Cc TM UZ
173. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
174. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 *nec* Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
175. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
176. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
177. **Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus* Fischer von Waldheim,1828 AZ AM Cc GG RU TR KK KG TJ TM UZ MN
178. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
179. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
180. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;

- Chalcis tibialis* Walker, 1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NmX Ny Tx TR PK Qu Bi UZ
181. **Bruchophagus robiniae** Zerova, 1970 (Eurytomidae) Synonym(s): *robiniae* Zerova, 1970 IR Th AM Cc BG UA UZ
182. **Bruchophagus roddi** Gussakovskiy, 1933 (Eurytomidae) Synonym(s): *roddi* Gussakovskiy, 1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
183. **Bubopsis tancrei** Van der Weele, 1909 (Ascalaphidae) Synonym(s): *tancrei* Van der Weele, 1909 TM UZ KG
184. **Caliscelis ferganensis** Kusnezov, 1930 (Caliscelidae) Synonym(s): *ferganensis* Kusnezov, 1930 UZ KK Fe
185. **Calligypona reyi** (Fieber, 1866) (Delphacidae) Synonym(s): *reyi* Fieber, 1866; *longipes* Kirschbaum, 1868; *Sahlberg*, 1871; *sahlbergiana* Ishihara, 1949 AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
186. **Callistus (s.str.) lunatus** (Fabricius, 1775) (Carabidae) Synonym(s): *lunatus* Fabricius, 1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
187. **Calopteryx samarcandica** Bartenev, 1912 (Calopterygidae) Synonym(s): *samarcandica* Bartenev, 1912; *unicolor* Bartenev, 1912; *maracandica* Bartenev, 1913 UZ Smk
188. **Campiglossa tesellata** (Loew, 1844) (Tephritidae) Synonym(s): *tesellata* Loew, 1844; *producta* Loew, 1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
189. **Cantharis rufa** Linnaeus, 1758 (Cantharidae) Synonym(s): *rufa* Linnaeus, 1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
190. **Capnodis tenebricosa** (Olivier, 1790) (Buprestidae) Synonym(s): *tenebricosa* Olivier, 1790; *dorsata* Voet, 1806; *lugens* Küster, 1846; *semisuturalis* Marseul, 1865; *aurosparsa* Abeille, 1891; *anomala* Fairmaire, 1895; *simulatrix* Obenberger, 1916; *atronida* Obenberger, 1945; *persica* Obenberger, 1945; *olcese* Obenberger, 1945; *morio* Obenberger, 1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
191. **Capnodis tenebrionis** (Linnaeus, 1761) (Buprestidae) Synonym(s): *tenebrionis* Linnaeus, 1761; *variegata* Goeze, 1777; *tenebrioides* Pallas, 1782; *naevia* Gmelin, 1788; *moluccensis* Voet, 1806; *moerens* Mannerheim, 1837; *aerea* Castelnau & Gory, 1836; *aequicollis* Obenberger, 1917; *deglabrata* Obenberger, 1917; *undulata* Fleischer, 1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
192. **Cardiophorus (s.str.) picticollis** (Kraatz, 1882) (Elateridae) Synonym(s): *picticollis* Kraatz, 1882 TR TJ UZ
193. **Carpocoris coreanus** Distant, 1899 (Pentatomidae) Synonym(s): *coreanus* Distant, 1899; *iranus* Tamanini, 1958 IR TR AF AM AZ GG Cc IQ IL Pa KG MN CN Gn Ui KK RU Sb TJ TM UZ PK
194. **Cercopis intermedia** Kirschbaum, 1868 (Cercopidae) Synonym(s): *intermedia* Kirschbaum, 1868; *obliterata* Kirschbaum, 1868; *nigra* Royer, 1906; *simulans* Peneau, 1912; *turkestanica* Lindberg, 1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
195. **Cetonia (s.str.) aurata** (Linnaeus, 1761) (Scarabaeidae) Synonym(s): *aurata* Linnaeus, 1761; *smaragdus* De Geer, 1774; *aenea* Fuessly, 1778; *chlorochrysa* Schrank, 1776; *viridicorus* Voet, 1779; *maculata* Scriba, 1790; *variabilis* Preyssl., 1790; *piliger* Mulsant & Rey, 1842; *praeclara* Mulsant & Rey, 1842; *clermonti* Bourgin, 1948 IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
196. **Ceutorhynchus aenescens** Schultze, 1895 (Curculionidae) Synonym(s): *aenescens* Schultze, 1895 TR AF AZ Cc GG IR KG SY TJ TM UZ
197. **Ceutorhynchus difficilis** Schultze, 1898 (Curculionidae) Synonym(s): *difficilis* Schultze, 1898 AZ RU Da IR TR TM UZ UA
198. **Ceutorhynchus fabrilis** Faust, 1887 (Curculionidae) Synonym(s): *fabrilis* Faust, 1887 AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
199. **Ceutorhynchus languidus** Schultze, 1902 (Curculionidae) Synonym(s): *languidus* Schultze, 1902 DZ AM Cc GG KG UZ UA TR TM
200. **Ceutorhynchus pulvinatus** Gyllenhal, 1837 (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal, 1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
201. **Ceutorhynchus rapae** Gyllenhal, 1837 (Curculionidae) Synonym(s): *rapae* Gyllenhal, 1837 DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
202. **Ceutorhynchus turbatus** Schultze, 1903 (Curculionidae) Synonym(s): *turbatus* Schultze, 1903 AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
203. **Chaetomalachius bactrianus** Jablokoff-Khnzorian, 1966 (Melyridae) Synonym(s): *bactrianus* Jablokoff-Khnzorian, 1966 KK TJ UZ

204. **Chaetomalachius dasytoides** Kraatz,1882 (Melyridae) Synonym(s): *dasytoides*
Kraatz,1882 **KK KG TJ TM UZ**
205. **Chaetomalachius forticornis** Schiksy,1896 (Melyridae) Synonym(s): *forticornis*
Schiksy,1896 **KG KK UZ**
206. **Chaetomalachius hauseri** (Schilsky,1894) (Melyridae) Synonym(s): *hauseri*
Schilsky,1894 **KG TJ UZ**
207. **Chaetomalachius staudingeri** Schilsky,1900 (Melyridae) Synonym(s): *staudingeri*
Schilsky,1900 **TJ UZ**
208. **Chaetorellia carthami** Stackelberg,1929 (Tephritidae) Synonym(s): *carthami*
Stackelberg,1929 **TR CY IL Pa IQ UZ**
209. **Cheironitis haroldi** Ballion,1870 (Scarabaeidae) Synonym(s): *haroldi* Ballion,1870 **KG
UZ TM**
210. **Cheironitis pamphilus** (Ménétriés,1849) (Scarabaeidae) Synonym(s): *pamphilus*
Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875 **EG Sn IL Pa LB SY RU GR TM UZ**
211. **Cheironitis sterculius** Ballion,1870 (Scarabaeidae) Synonym(s): *sterculius* Ballion,1870 **UZ
TM**
212. **Chelostoma (Gyrodromella) rapunculi** (Lepeletier,1841) (Megachilidae) Synonym(s):
rapunculi Lepeletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872;
archanensis Cockerell,1928; *platyodonta* Cockerell,1928 **AT AD BE BG CH DE DK EE FI FR GG Cc GR HU
HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US**
213. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857;
laboulbenii Perris,1857; *gautschii* Then,1886 **AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES
TR AZ GG Cc TJ UZ YU**
214. **Chlaenius (Chlaeniellus) kindermanni** Chaudoir,1856 (Carabidae) Synonym(s):
kindermanni Chaudoir,1856 **ST UA TJ UZ AZ AM Cc GG KG ST KG TR**
215. **Chlaenius (Chlaeniellus) tristis** (Schaller,1783) (Carabidae) Synonym(s): *tristis*
Schaller,1783 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK
MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ**
216. **Chlaenius (Chlaeniellus) spoliatus** (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus*
P.Rossi,1792 **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR
UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
217. **Chlaenius aeneocephalus** Dejean,1826 (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826
AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
218. **Chlaenius circumscriptus** Duftschmid,1812 (Carabidae) Synonym(s): *circumscriptus*
Duftschmid,1812 **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
219. **Chlaenius cruralis** Fischer von Waldheim,1829 (Carabidae) Synonym(s): *cruralis* Fischer
von Waldheim,1829 **AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ**
220. **Chlaenius festivus** (Panzer,1796) (Carabidae) Synonym(s): *festivus* Panzer,1796 **AZ AL
AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ
UZ**
221. **Chlaenius viridis** Ménétriés,1832 (Carabidae) Synonym(s): *viridis* Ménétriés,1832 **AZ AM Cc
B-H GG RU TR IR KG UZ**
222. **Chloriona clavata** Dlabola,1960 (Delphacidae) Synonym(s): *clavata* Dlabola,1960 **MD RU
Da Cc TR UZ KG**
223. **Chloriona glaucescens** Fieber,1866 (Delphacidae) Synonym(s): *glaucescens* Fieber,1866;
alba Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata*
Metcalf,1943 **Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ**
224. **Chloriona unicolor** (Herrich-Schäffer,1835) (Delphacidae) Synonym(s): *unicolor*
Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 **Cc ES Cn AT FR DE GB HU
IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ**
225. **Chlorita orientalis** (Dlabola,1961) (Cicadellidae) Synonym(s): *orientalis* Dlabola,1961 **BG
TJ RU Da Cc UZ**
226. **Chorthippus (s.str.) albomarginatus** (De Geer,1773) (Acrididae) Synonym(s):
albomarginatus De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von
Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus*
Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP
RU Ur Cc IR KG PG**
227. **Chrysobothris affinis** (Fabricius,1794) (Buprestidae) Synonym(s): *affinis* Fabricius,1794;
congener Paykull,1799; *tetragramma* Ménétriés,1832; *hexastigma* Mannerheim,1837; *assimulans*
Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri*
Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa*
Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916;
reinecki Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944 **DE AL AT BE BG GR YU TN
DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
228. **Chrysolina coeruleans** (Scriba,1791) (Chrysomelidae) Synonym(s): *coeruleans* Scriba,1791;
angelica Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella*

- Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967 **FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ**
229. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771 **Cc TR IR RU Sb UZ IT Si**
230. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (*praeocc.*); *querula* Pallas,1773; *paliuri* Kolenati,1857 **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
231. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**
232. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
233. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 **MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ**
234. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut,1952* **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
235. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 **AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ**
236. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
237. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 **TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU**
238. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (*praeocc.*); *atavus* Schumacher,1912; *longispinus* Wagner,1955 **Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb**
239. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832 **RU IT UZ KK GR TR**
240. **Clanoptilus (s.str.) aktashensis Svihla,1987** (Melyridae) Synonym(s): *aktashensis* Svihla,1987 **UZ**
241. **Clanoptilus (s.str.) flabellicornis (Solsky,1880)** (Melyridae) Synonym(s): *flabellicornis* Solsky,1880 **SY UZ TJ**
242. **Clanoptilus (s.str.) imperialis (Morawitz,1861)** (Melyridae) Synonym(s): *imperialis* Morawitz,1861 **TM UZ**
243. **Clanoptilus (s.str.) senyilia Tshernyshev,2000** (Melyridae) Synonym(s): *senyilia* Tshernyshev,2000 **UZ KK**
244. **Clanoptilus (s.str.) tedschenensis Evers,1985** (Melyridae) Synonym(s): *tedschenensis* Evers,1985 **UZ**
245. **Clanoptilus (s.str.) valentinae Tshernyshev,1998** (Melyridae) Synonym(s): *valentinae* Tshernyshev,1998 **UZ**
246. **Clanoptilus (s.str.) versicolor (Faldermann,1835)** (Melyridae) Synonym(s): *versicolor* Faldermann,1835 **UZ**
247. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841 **TM KK UZ EG TN MA DZ RU GB TR**
248. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853 **IR LB AM Cc TJ UZ RU Cc DZ TR**
249. **Colletes desertorum Kuhlmann,2002** (Colletidae) Synonym(s): *desertorum* Kuhlmann,2002 **UZ TJ**
250. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **ES RU UA UZ TM TJ IR TR EG**
251. **Corixa jakowleffi Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879 **RU Cc IQ IL Pa KK UZ TJ CN Ui TM IR TR**
252. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 **TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ**
253. **Cryptobium iranoturkestanicum Scheerpeltz,1956** (Staphylinidae) Synonym(s): *iranoturkestanicum* Scheerpeltz,1956 **IR TM UZ**

254. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus Bedel,1891* RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc
255. **Culicoides desertorum Gutsevich,1959** (Ceratopogonidae) Synonym(s): *desertorum Gutsevich,1959* TM UZ
256. **Cybister (s.str.) tripunctatus (Olivier,1795)** (Dytiscidae) Synonym(s): *tripunctatus Olivier,1795; lateralis Fabricius,1798; gotschii Hochhuth,1846; asiaticus Sharp,1882; similis Regimbart,1899; orientalis Gschwendtner,1931* TR UZ
257. **Cyriopertha (Cyrioperta) glabra (Gebler,1841)** (Scarabaeidae) Synonym(s): *glabra Gebler,1841* KG UZ TJ
258. **Dasyhelea bactriana Remm,1980** (Ceratopogonidae) Synonym(s): *bactriana Remm,1980* UZ
259. **Dasytidius hauseri (Reitter,1890)** (Melyridae) Synonym(s): *hauseri Reitter,1890* UZ
260. **Dasytidius margelanus Majer,1991** (Melyridae) Synonym(s): *margelanus Majer,1991* TJ UZ Fe
261. **Dasytidius rufimanus (Bourgeois,1885)** (Melyridae) Synonym(s): *rufimanus Bourgeois,1885* UZ TJ
262. **Dasytidius ugamicus Majer,1991** (Melyridae) Synonym(s): *ugamicus Majer,1991* UZ
263. **Dasytiscus heydeni Reitter,1891** (Melyridae) Synonym(s): *heydeni Reitter,1891* KG TJ UZ
264. **Deleproctophylla variegata (Klug,1834)** (Ascalaphidae) Synonym(s): *variegata Klug,1834* IL Pa TR Cc AM GG CY TM UZ KG
265. **Deronectes abnormicollis Semenow,1900** (Dytiscidae) Synonym(s): *abnormicollis Semenow,1900* KG UZ
266. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
267. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri Fieber,1866* Cc AM TR KG RU TJ UA UZ
268. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
269. **Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris Walker,1851* Cc PT ES GG KG KK TM UZ
270. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica Germar,1830* Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
271. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
272. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820; aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
273. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
274. **Diorhabda carinulata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata Desbrochers,1870* Cc AM AZ RU IR CN Ui KK MN TJ TM UZ KG
275. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869; altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
276. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus Macquart,1827; vulgaris Stannius,1831* Cc AZ GG BG RO RU Uf UA TR KG MN UZ
277. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
278. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla Horvath,1903* AT BG GR IT RO TR MD UA UZ YU
279. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
280. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
281. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
282. **Duilius tamaricis (Puton & Lethierry,1887)** (Cixiidae) Synonym(s): *tamaricis Puton & Lethierry,1887* RU KG UZ TR
283. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi Douglas,1876; australis Froggatt,1918; frogatti Baker,1925; oxyacanthae Ribaut,1925; cornuta Wagner,1947* AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
284. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja Edwards,1914; divergens Ribaut,1931; orientalis Zachvatkin,1949* AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU

285. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
286. **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari* Zachvatkin,1947 **IL Pa Cc CY TR GG MD UZ**
287. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
288. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
289. **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 *nec* Burm., 1838; *lindti* Otte,2004 **TR IQ SY IR TM Kp UZ AF TJ KG Aa Tk IN LK CN MY**
290. **Entedon biroi Erdös,1944** (Eulophidae) Synonym(s): *biroi* Erdös,1944 **TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ**
291. **Entedon pallicrus Erdös,1944** (Eulophidae) Synonym(s): *pallicrus* Erdös,1944 **TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ**
292. **Entedon tobiasi Gumovsky,2003** (Eulophidae) Synonym(s): *tobiasi* Gumovsky,2003 **UZ**
293. **Entedon zerovae Gumovsky,1995** (Eulophidae) Synonym(s): *zerovae* Gumovsky,1995 **RU Us TJ TM UZ**
294. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syraensis* Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
295. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tourmier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
296. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771 **BG TR Cc RU UZ KG CN Ui**
297. **Eucharis carinifera Gussakovsky,1940** (Eucharitidae) Synonym(s): *carinifera* Gussakovsky,1940 **KG AM Cc UA UZ YU IR**
298. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 **Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU**
299. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
300. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777 **RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ**
301. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
302. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA**
303. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
304. **Eupteryx orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953 **AF KG KK TM UZ**
305. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 **AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR**
306. **Eurychila pantherina (Horvath,1891)** (Tettigometridae) Synonym(s): *pantherina* Horvath,1891 **AF AZ TM UZ**
307. **Euryrsa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
308. **Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): *acroptilae* Zerova,1986 **IR Ab Ak KG TJ UA UZ**

309. **Eurytoma collina Zerova,1984** (Eurytomidae) Synonym(s): *collina Zerova,1984* IR Ak Th Elb TM TJ UZ
310. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
311. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
312. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreata Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
313. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
314. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
315. **Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa Saussure,1880* TR IR TM UZ TJ PK
316. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis Wagner,1963* BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
317. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
318. **Geron asiaticus Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus Zaitzev,1967; paramonovi Greathead,2001* AM Cc UA TJ UZ
319. **Geron kaszabi Zaitzev,1972** (Bombyliidae) Synonym(s): *kaszabi Zaitzev,1972* MN CN TJ UZ
320. **Geron kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi Zaitzev,1972* AM AZ GG Cc CN IR KG KK TJ UZ TR
321. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
322. **Geron longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris Efflatoun,1945; roborovskii Zaitzev,1996* CN EG IL Pa TJ UZ
323. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
324. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
325. **Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta Boie,1836* TR AZ Cc KG UZ TJ
326. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina Saussure,1884* TM UZ KG CN Mc IR Ss
327. **Gymnopleurus aciculatus Gebler,1845** (Scarabaeidae) Synonym(s): *aciculatus Gebler,1845* RU KG UZ TM TJ
328. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens Loew,1871; obscura Bigot,1880; obscurata Bigot,1891; caucasica Kröber,1922; araxis Szilady,1923* RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ
329. **Haetosmia brachyura (Morawitz,1875)** (Megachilidae) Synonym(s): *brachyura Morawitz,1875; altera Peters,1974* TM UZ CN Ui AF PK
330. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835; palaestinis Linnavuori,1962* AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
331. **Handianus sarekandinus Dlabola,1959** (Cicadellidae) Synonym(s): *sarekandinus Dlabola,1959* AF TJ UZ
332. **Hardya turanica Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica Zachvatkin,1946* Cc AZ KG KK UZ
333. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773 Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA*
334. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866; sulcatus Fieber,1866; aegyptiacus Signoret,1879; arenarius Horvath,1897* AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
335. **Helladia circumdata (Kraatz,1882)** (Cerambycidae) Synonym(s): *circumdata Kraatz,1882* KG UZ AF

336. **Hemictenius latitarsis (Reitter,1891)** (Scarabaeidae) Synonym(s): *latitarsis* Reitter,1891
KG TM UZ
337. **Hemictenius magnitarsis (Reitter,1897)** (Scarabaeidae) Synonym(s): *magnitarsis*
Reitter,1897 UZ
338. **Hemictenius opacus (Ballion,1870)** (Scarabaeidae) Synonym(s): *opacus* Ballion,1870 UZ
339. **Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s):
exoprosopoides Paramonov,1928 Cc AM AZ CN Sz IR IL Pa KK TJ TM UZ
340. **Hemipenthes gaudanicus Paramonov,1927** (Bombyliidae) Synonym(s): *gaudanicus*
Paramonov,1927 CN Ui KK TJ TM UZ MN IR
341. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb
Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
342. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus*
Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata*
Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ
GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH
TJ TR TM UZ UA YU
343. **Hemipenthes mesasiatica Zaitzev,1962** (Bombyliidae) Synonym(s): *mesasiatica*
Zaitzev,1962 TJ TM UZ
344. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758;
semiatra Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV
CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
345. **Hemipenthes pamirensis Zaitzev,1962** (Bombyliidae) Synonym(s): *pamirensis*
Zaitzev,1962 MN TJ Pm UZ TM
346. **Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus* Loew,1869
CN KK MN RU TJ TM UZ IL Pa
347. **Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus* Zaitzev,1966
Cc AM AZ GG CN KK KG TJ TM UZ
348. **Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus*
Zaitzev,1966 TR IR AZ AM GG Cc KG TM TJ UZ KK MN CN
349. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi*
Frauenfeld,1864 TR CN KG KK MN MD UZ RU TJ TM UA
350. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-
Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY
AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
351. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926;
canus Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
352. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus*
Loew,1871 Cc GG Abk RO RU TJ TM UZ
353. **Heriades (Michenerella) hissaricus Popov,1955** (Megachilidae) Synonym(s): *hissaricus*
Popov,1955 KG TJ UZ TR
354. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820;
consanguinea Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888;
aegyptiacus Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL
AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
355. **Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis* Loew,1873
KG KK TJ TM UZ
356. **Heterotropus ammophilus Paramonov,1929** (Bombyliidae) Synonym(s): *ammophilus*
Paramonov,1929 TJ TM UZ
357. **Heterotropus arenivagus Paramonov,1929** (Bombyliidae) Synonym(s): *arenivagus*
Paramonov,1929; *flavoscutellata* Paramonov,1929 TJ TM UZ
358. **Heterotropus chivensis Paramonov,1929** (Bombyliidae) Synonym(s): *chivensis*
Paramonov,1929 UZ
359. **Heterotropus gussakovsiji Paramonov,1929** (Bombyliidae) Synonym(s): *gussakovsiji*
Paramonov,1929 TM UZ
360. **Heterotropus kazanovskiyi Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskiyi*
Paramonov,1925 AZ Cc EG KG TJ TM UZ
361. **Heterotropus monticola Paramonov,1929** (Bombyliidae) Synonym(s): *monticola*
Paramonov,1929 TM UZ
362. **Heterotropus sabulosus Paramonov,1929** (Bombyliidae) Synonym(s): *sabulosus*
Paramonov,1929 EG TM UZ
363. **Heterotropus sulphureus Paramonov,1929** (Bombyliidae) Synonym(s): *sulphureus*
Paramonov,1929 TM UZ
364. **Heterotropus zimini Paramonov,1929** (Bombyliidae) Synonym(s): *zimini*
Paramonov,1929 TM UZ

365. **Holochelus (Dasytrogus) transcaspicus Brenske,1866** (Scarabaeidae) Synonym(s): *transcaspicus Brenske,1866* UZ
366. **Hoplitis (Alcidamea) capsulifer Popov,1960** (Megachilidae) Synonym(s): *capsulifer Popov,1960* TJ KG KK TJ UZ
367. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis Morawitz,1875; proxima Morawitz,1875 nec Cress.,1864; turcestanica Dalla Torre,1896* RU UA KG KK CN TM UZ SY TR
368. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans Morawitz,1894; lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
369. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata Dufour & Perris,1840; melanoleuca Benoist,1934; asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
370. **Hoplitis (Annosmia) samarkanda (Warncke,1991)** (Megachilidae) Synonym(s): *samarkanda Warncke,1991* UZ
371. **Hoplitis (Anthocopa) perezii (Ferton,1895)** (Megachilidae) Synonym(s): *perezii Ferton,1895; convolvuli Ducke,1899* AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
372. **Hoplitis (Anthocopa) singularis (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis Morawitz,1875* KG KK TJ TM UZ IL Pa TR
373. **Hoplitis (Jaxartinula) malyshevi (Popov,1963)** (Megachilidae) Synonym(s): *malyshevi Popov,1963* UZ Tas KG
374. **Hoplitis (Pentadentoscopia) jejuna Popov,1952** (Megachilidae) Synonym(s): *jejuna Popov,1952; argentea Zanden,1998* TJ UZ IR
375. **Hoplitis (Pentadentoscopia) ruficornis (Morawitz,1875)** (Megachilidae) Synonym(s): *ruficornis Morawitz,1875* TJ UZ
376. **Hoplitis (Pentadentoscopia) rufopicta (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta Morawitz,1875; laeviscutum Alfken,1935* TJ TM UZ IL Pa IR JO PK TR
377. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes Fieber,1876* Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
378. **Hyalesthes mlokosiewiczii Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczii Signoret,1879* Cc CY IR TR AM AZ GG RU TM UZ IQ
379. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus Signoret,1865; albolimbatus Kirschbaum,1868; flavovarius Kusnezov,1935* Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
380. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama Fairmaire,1829* BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
381. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
382. **Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum Lethierry,1878* AF SY AZ Cc KG KK TM UZ
383. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
384. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus Gahan,1914* IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
385. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator Masi,1916* IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
386. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888* AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
387. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; varicollis Rey,1894* Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
388. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti Wagner,1938* Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
389. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupiti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
390. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus Fallén,1806; viridipes Curtis,1837* AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
391. **Labia minor (Linnaeus,1758)** (Spongiphoridae) Synonym(s): *minor Linnaeus,1758* ES FI KG UZ TR

392. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia Pallas,1773; mongolica Rehn,1905* ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
393. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965* AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
394. **Lampyrus turkestanica Heyden,1881** (Lampyridae) Synonym(s): *turkestanica Heyden,1881* KG TJ TM UZ
395. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
396. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola Loew,1847* IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
397. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
398. **Lasioglossum (s.str.) fallax (Morawitz,1874)** (Halictidae) Synonym(s): *fallax Morawitz,1874; rhadiourgan Ebner,1980* TR RU Cc Da GG IR TM UZ KG KK TJ AF PK Mre Pj
399. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus Rossi,1790* TN TR CY TJ UZ KG KK RU Am Cc
400. **Leptodes (Leptodopsis) fedschenkoi Semenov** (Tenebrionidae) Synonym(s): UZ Smk
401. **Leptodes (Leptodopsis) schusteri Reitter,1916** (Tenebrionidae) Synonym(s): *schusteri Reitter,1916* UZ Fe
402. **Leptodes (Leptodopsis) turkestanicus Semenov** (Tenebrionidae) Synonym(s): UZ
403. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
404. **Lepyronia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896* Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
405. **Longitarsus corpulentus Weise,1887** (Chrysomelidae) Synonym(s): *corpulentus Weise,1887* TR KG TM UZ TJ
406. **Lycoriella solani (Winnertz,1871)** (Sciaridae) Synonym(s): *solani Winnertz,1871* BE FI GB PL RU UA MN UZ Sb TR
407. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei Jacentkovsky,1941* IL Pa Jf GR CZ TR UA CN HU SK TM UZ
408. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis Zetterstedt,1838* GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
409. **Macronychia (s.str.) substriginervis Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *substriginervis Verves & Khrokalo,2006* UA RU Sb TM UZ
410. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina Boheman,1852* DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
411. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
412. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
413. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis Ribaut,1927; mannerheimi Kontkanen,1935; nubila Ossiannilsson,1936* AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
414. **Macrosteles oculatus Dlabola,1952** (Cicadellidae) Synonym(s): *oculatus Dlabola,1952; angorensis Dubovsky,1970* IR IQ TM UZ
415. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus Kirschbaum,1868; ramigera Zachvatkin,1933* AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
416. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus Fallén,1806; devastans Guérin-Méneville,1852; didymus Mulsant & Rey,1855; diminuta Lethierry,1876; binotata Rey,1894; submaculata Rey,1894* DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU

417. **Madotrogus glabripennis (Ballion,1871)** (Scarabaeidae) Synonym(s): *glabripennis* Ballion,1871 **KK TM TJ UZ**
418. **Malachius hastulifer Solsky,1881** (Melyridae) Synonym(s): *hastulifer Solsky,1881* **UZ**
419. **Malachius sculptifrons Abeille de Perrin,1883** (Melyridae) Synonym(s): *sculptifrons Abeille de Perrin,1883* **UZ**
420. **Malachius scutellaris Erichson,1840** (Melyridae) Synonym(s): *scutellaris Erichson,1840* **UZ**
421. **Maladera (Cycloserica arenicola (Solsky,1876))** (Scarabaeidae) Synonym(s): *arenicola Solsky,1876; diluta Reitter,1896* **TM KG UZ**
422. **Maladera (Cycloserica) excisipes (Reitter,1896)** (Scarabaeidae) Synonym(s): *excisipes Reitter,1896; deserta Medvedev,1956* **TM UZ**
423. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica Horvath,1907; turanica Anufriev,1966* **AF? CY TR IT RO Cc AZ? UA YU TJ UZ**
424. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758 Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN*
425. **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875; ?minuta Kozhantshikov,1949; ?caucasica Handschin,1959* **GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui**
426. **Masaris carli Schulthess,1921** (Vespidae) Synonym(s): *carli Schulthess,1921; smirnovi Kostylev,1925* **KG UZ IR**
427. **Masaris longicornis (Kuznetsov,1923)** (Vespidae) Synonym(s): *longicornis Kuznetsov,1923* **AF UZ KK**
428. **Megamelus olorus Dlabola,1961** (Delphacidae) Synonym(s): *olorus Dlabola,1961* **RO RU Da UZ**
429. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus Swederus,1795* **IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ**
430. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballesrerii Rondani,1877* **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
431. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus Sturm,1845* **DZ FR TR Cc IR UZ KG**
432. **Meligethes pheretra Easton,1956** (Nitidulidae) Synonym(s): *phetra Easton,1956* **AF IR UZ**
433. **Melolontha (Apropyga) afficta Ballion,1870** (Scarabaeidae) Synonym(s): *afficta Ballion,1870* **UZ**
434. **Melolontha (Apropyga) clypeata Reitter,1887** (Scarabaeidae) Synonym(s): *clypeata Reitter,1887* **UZ**
435. **Merodon tarsatus Sack,1913** (Syrphidae) Synonym(s): *tarsatus Sack,1913; smirnovi Paramonov,1926* **TJ Pm UZ Tas**
436. **Metacnephia kirjanovae (Rubtsov,1956)** (Simuliidae) Synonym(s): *kirjanovae Rubtsov,1956* **CN Ui TJ KG KK MN RU Sb At UZ**
437. **Metacnephia multifilum (Rubtsov,1947)** (Simuliidae) Synonym(s): *multifilum Rubtsov,1947* **TJ KK UZ**
438. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica Rubtsov,1940; hirta Rubtsov & Terteryan,1954* **IR AM Cc AZ KG RO TM UZ**
439. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* **TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN**
440. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA**
441. **Mitjaevia amseli (Dlabola,1961)** (Cicadellidae) Synonym(s): *amseli Dlabola,1961* **AF KG KK TJ UZ**
442. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
443. **Modicogryllus (Promodicogryllus) bucharicus (Bei-Bienko,1933)** (Gryllidae) Synonym(s): *bucharicus Bei-Bienko,1933* **UZ TR**
444. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**

445. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
446. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
447. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
448. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec Fabr.,1781; *fabricii* Sumakov,1924 TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
449. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa* Escherich,1899 TR Cc TM UZ GR SY
450. **Mylabris pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811 TR Cc SY RU Sb KG KK UZ IR
451. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
452. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
453. **Myrmilla (Eurygnathilla) ephutommatina Skorikov,1927** (Mutillidae) Synonym(s): *ephutommatina* Skorikov,1927 TM UZ TJ
454. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 TR KG UZ SY GR BG YU MK AT HU RO UA RU
455. **Myrmilla (s.str.) edentata Skorikov,1927** (Mutillidae) Synonym(s): *edentata* Skorikov,1927; *kumakana* Skorikov,1935; *medoides* Skorikov,1935 KG UZ TJ Smk
456. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
457. **Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer* Seidenstücker,1954 TR CY UZ TM SY AF
458. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
459. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
460. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
461. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *hapti* Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
462. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 DZ GR TN Cc AZ KG KK RU Da TJ UA UZ
463. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 AL CZ FR HU IT PT RO ES TR KK TM UA UZ
464. **Oliarus nigrofurcatus Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902 AF IR IQ Cc AZ CN Ui UZ TM
465. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
466. **Oligodranes flavus Paramonov,1929** (Bombyliidae) Synonym(s): *flavus* Paramonov,1929 TM UZ AZ Cc
467. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni* Stal,1863 GR HU IT RO ES UA UZ
468. **Ommatidiotus viduus Horvath,1905** (Caliscelidae) Synonym(s): *viduus* Horvath,1905 SY UZ
469. **Omocestus (s.str.) heymonsi (Ramme,1926)** (Acrididae) Synonym(s): *heymonsi* Ramme,1926; *tarbinskii* Uvarov,1926 TM UZ
470. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius*

- Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK
LV MD RO RU Sb UA UZ YU
471. **Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): *humerosus Pallas,1771* **KG UZ TM TR**
472. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
473. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* **RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR**
474. **Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892* **TM TJ AF IR KG UZ KK TR**
475. **Onthophagus (Palaeonthophagus) haroldi Ballion,1871** (Scarabaeidae) Synonym(s): *haroldi Ballion,1871* **TM TJ UZ KK KG**
476. **Onthophagus (Palaeonthophagus) leucostigma Stevens,1811** (Scarabaeidae) Synonym(s): *leucostigma Stevens,1811* **RU Ur KG TM UZ TJ**
477. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* **RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN**
478. **Onthophagus (Palaeonthophagus) medvedevi Kabakov,1982** (Scarabaeidae) Synonym(s): *medvedevi Kabakov,1982* **UZ**
479. **Onthophagus (Palaeonthophagus) pygargus Motschulsky,1845** (Scarabaeidae) Synonym(s): *pygargus Motschulsky,1845* **TM UZ KK KG TJ**
480. **Onthophagus (Palaeonthophagus) quadrinodus Reitter,1896** (Scarabaeidae) Synonym(s): *quadrinodus Reitter,1896* **UZ**
481. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**
482. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides Fabricius,1792* **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
483. **Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae) Synonym(s): *turkestanicus Skriptshinsky,1929* **UZ PK IQ IR Elb Th**
484. **Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus Horvath,1911* **AF IR Cc AZ KG KK RU TJ UZ**
485. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi Lethierry,1874* **DZ EG GR IL TN Cc AZ KG KK RU TJ UZ**
486. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
487. **Opsius tigripes (Lethierry,1876)** (Cicadellidae) Synonym(s): *tigripes Lethierry,1876* **IR KG KK RU TJ UZ**
488. **Osmia (Helicosmia) caerulea (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulea Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
489. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
490. **Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata Latreille,1811; atroalba Morawitz,1875; kuznetsovi Cockerell,1930* **TJ TM UZ CN Ui AF IL Pa JO OM PK SY SA IN**
491. **Osmia (Helicosmia) indigotea Morawitz,1875** (Megachilidae) Synonym(s): *indigotea Morawitz,1875* **UZ Smk**
492. **Osmia (Helicosmia) kirgisisana Zanden,1994** (Megachilidae) Synonym(s): *kirgisisana Zanden,1994* **KK Ik KG UZ**
493. **Osmia (Helicosmia) maracandica Morawitz,1894** (Megachilidae) Synonym(s): *robusta Morawitz,1875 nec Nylan.,1848; maracandica Morawitz,1894* **UZ**
494. **Osmia (Helicosmia) simplex Morawitz,1875** (Megachilidae) Synonym(s): *simplex Morawitz,1875* **KK KG TJ TM UZ**
495. **Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana Morawitz,1875; nassonowi Pérez,1902* **KK KG TJ TM UZ AF IL Pa SY TR**
496. **Osmia (Helicosmia) sponsa Nurse,1904** (Megachilidae) Synonym(s): *sponsa Nurse,1904* **PK Qu TM UZ IN**
497. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta Morawitz,1875* **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR**

498. **Osmia (Hemiosmia) difficilis Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935 **OSMIA DIFFICILIS MORAWITZ,1875, [in] Fedtschenko, Reise nach Turkestan 1: 91. Usbekistan. KK KG RU TJ UZ IL Pa TR IR**
499. **Osmia (Hoplosmia) tyneri (Tkalcu,1992)** (Megachilidae) Synonym(s): *tyneri* Tkalcu,1992 **UZ**
500. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
501. **Osmia (Orientosmia) maxillaris Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875 **KG TJ TM UZ IR TR**
502. **Osmia (Pyrosmia) dilaticornis Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875 **TJ UZ Tas IL Pa JO TR**
503. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
504. **Osmia (s.str.) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz,1875; *balucha* Nurse,1904; *usbekistana* Cockerell,1930 **TJ TM UZ AF PK**
505. **Osmia (s.str.) longicornis Morawitz,1875** (Megachilidae) Synonym(s): *longicornis* Morawitz,1875 **Cc UZ Tas AF**
506. **Osmia (s.str.) melanocephala Morawitz,1875** (Megachilidae) Synonym(s): *melanocephala* Morawitz,1875 **TJ KK KG MN CN UZ Uİ**
507. **Osmia (Tergosmia) agilis Morawitz,1875** (Megachilidae) Synonym(s): *agilis* Morawitz,1875 **KK KG TJ TM UZ**
508. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
509. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
510. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845 **MK SY TR Cc AM UZ TM**
511. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
512. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
513. **Pachybrachis (s.str.) jacobsoni Lopatin,1968** (Chrysomelidae) Synonym(s): *jacobsoni* Lopatin,1968 **UZ**
514. **Pachyscelis rickmersi Reitter,1898** (Tenebrionidae) Synonym(s): *rickmersi* Reitter,1898 **UZ**
515. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU**
516. **Parageron griseus Paramonov,1947** (Bombyliidae) Synonym(s): *griseus* Paramonov,1947; *glauca* Evenhuis,1978 **TM UZ Cc AZ AM GG**
517. **Parageron lutescens (Bezzi,1925)** (Bombyliidae) Synonym(s): *lutescens* Bezzi,1925; *orientalis* Paramonov,1929; *minor* Efflatoun,1945 **EG TM UZ**
518. **Parageron modestus (Loew,1873)** (Bombyliidae) Synonym(s): *modestus* Loew,1873 **UZ TJ**
519. **Parageron turkmenicus Paramonov,1947** (Bombyliidae) Synonym(s): *turkmenicus* Paramonov,1947 **TM UZ**
520. **Parageron zimini Paramonov,1947** (Bombyliidae) Synonym(s): *zimini* Paramonov,1947 **UZ TM**
521. **Paralimnellus cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): *cingulatus* Dlabola,1960 **IQ TR IR TJ UZ**
522. **Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus* Dlabola,1961 **IL Pa TR MN RO RU TJ UZ**
523. **Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): *pulchellus* Rey,1891 **BE FR Cc AZ RU UA UZ**
524. **Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959 **IT IL Pa UZ RU TR IR**
525. **Paramesus major Haupt,1927** (Cicadellidae) Synonym(s): *major* Haupt,1927 **CS IL Pa TR KG UZ**

526. **Paramyrmosa myrmillicephala (Skorikov,1935)** (Mutillidae) Synonym(s): *myrmillicephala Skorikov,1935* TM Kp UZ TJ MN
527. **Paranothrotres opacus (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *opacus Brunner von Wattenwyl,1882* TR UZ
528. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus Mulsant & Rey,1855; centroasiaticus Dlabola,1961* TR Cc GG RU At KG KK TJ UA UZ FR
529. **Paussus (Cochliopausus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus Frivaldszky,1835* AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
530. **Pedestredorcadion samarkandiae (Breuning,1946)** (Cerambycidae) Synonym(s): *samarkandiae Breuning,1946* UZ Smk
531. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens Robineau-Desvoidy,1830; nigricornis Meigen,1838; pulverulanata Robineau-Desvoidy,1863* GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
532. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii Westwood,1835* MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
533. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus Linnaeus,1761; pallidus Herrich-Schäffer,1835* AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
534. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum Herbst,1789* DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
535. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens Pallas,1771* IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
536. **Phaeadoretus comptus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *comptus Ménétriés,1849* RU KG TM UZ
537. **Phantia ferganensis Dubovskii,1966** (Flatidae) Synonym(s): *ferganensis Dubovskii,1966* UZ TR
538. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
539. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
540. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
541. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta Fabricius,1805; maura Wiedemann,1820* AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
542. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796; nigra Meigen,1804; pygmaea Fabricius,1805; campestris Fallén,1815; major Strobl,1909* AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
543. **Phthiria quadrinotata Loew,1873** (Bombyliidae) Synonym(s): *quadrinotata Loew,1873* UZ TJ TM Cc AM AZ GG
544. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans Loew,1846; pallescens Engel,1933* AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
545. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae Becker,1867* Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
546. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
547. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RÖ BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
548. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
549. **Piesma (Parapiesma) tenellum Horvath,1906** (Piesmatidae) Synonym(s): *tenellum Horvath,1906* SA IQ Bgd TM UZ
550. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR

551. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 **MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN**
552. **Pimelia simulatrix Kraatz,1882** (Tenebrionidae) Synonym(s): *simulatrix* Kraatz,1882 **UZ Fe**
553. **Platymetopius centralasiae Dlabola,1960** (Cicadellidae) Synonym(s): *centralasiae* Dlabola,1960 **AF IR UZ**
554. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927 **AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ**
555. **Platymetopius distinctus Melichar,1902** (Cicadellidae) Synonym(s): *distinctus* Melichar,1902 **AF IR UZ**
556. **Platymetopius kabulensis Dlabola,1957** (Cicadellidae) Synonym(s): *kabulensis* Dlabola,1957 **AF KG UZ Fe**
557. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 **AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR**
558. **Pleurophorus apicipennis Reitter,1892** (Scarabaeidae) Synonym(s): *apicipennis* Reitter,1892 **RU TM KG UZ**
559. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824 **BG Cc GG GR RO RU TR UA Cm IR UZ**
560. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *mucheii* Gusenleitner,1976 **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
561. **Polyphylla (Xerasiobia) adpersa Motschulsky,1853** (Scarabaeidae) Synonym(s): *adpersa* Motschulsky,1853 **TM UZ TJ KG**
562. **Protaetia (Netocia) karelini (Zoubkov,1829)** (Scarabaeidae) Synonym(s): *karelini* Zoubkov,1829 **RU Ur KG TM UZ**
563. **Protaetia (Netocia) turkestanica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *turkestanica* Kraatz,1886 **CN Ui TM UZ TJ**
564. **Protaetia (Potosia) marginicollis (Ballion,1870)** (Scarabaeidae) Synonym(s): *marginicollis* Ballion,1870 **RU KG TM UZ TJ**
565. **Protaetia (Pseudonetocia) kulabensis Reitter,1893** (Scarabaeidae) Synonym(s): *kulabensis* Reitter,1893; *bucharica* Curti,1915 **TM AF UZ**
566. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
567. **Psammotettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964 **KK KG UZ UA TR RU**
568. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
569. **Psammotettix dubovskii Vilbaste,1960** (Cicadellidae) Synonym(s): *dubovskii* Vilbaste,1960 **AF KG KK UZ**
570. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 **AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ**
571. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
572. **Pseudoadoretus phthisicus Dohrn,1882** (Scarabaeidae) Synonym(s): *phthisicus* Dohrn,1882 **RU UZ**
573. **Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta* Morawitz,1894; *myrmosina* Dalla Torre,1897; *gobicola* Lelej,1981 **CN MN AF UZ KK KG Cc AM**
574. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus* Signoret,1880 **AF IQ MN AM AZ KG KK MD RU UA TJ UZ**
575. **Pseudophotopsis binghami (Bischoff,1920)** (Mutillidae) Synonym(s): *binghami* Bischoff,1920; *zarudnyi* Skorikov,1935 **KG UZ TJ KK TM IR Ke AF IN Rj**
576. **Pseudophotopsis brunnescens Lelej,1971** (Mutillidae) Synonym(s): *brunnescens* Lelej,1971 **KG KK UZ**
577. **Pseudophotopsis caspica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caspica* Radoszkowski,1885; *radoszkowskyi* Morawitz,1890; *selevkida* Skorikov,1935 **TM Kp UZ KK IR AF**
578. **Pseudophotopsis kokpetica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *kokpetica* Radoszkowski,1885 **TM Kp KK KG UZ TJ**

579. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965 **KG KK UZ TJ TM Kp IR CY EG DZ**
580. **Pseudophotopsis orthophthalma (Skorikov,1935)** (Mutillidae) Synonym(s): *orthophthalma* Skorikov,1935 **KK UZ TN TJ TM**
581. **Pseudophotopsis pavlovskiy Skorikov,1935** (Mutillidae) Synonym(s): *pavlovskiy* Skorikov,1935; *melanocephala* Skorikov,1935 **TM Kp IR KK UZ AF**
582. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
583. **Ptetica cristulata Saussure,1884** (Acrididae) Synonym(s): *cristulata* Saussure,1884 **TM KG UZ KK**
584. **Rhagoletis flavicincta Enderlein,1934** (Tephritidae) Synonym(s): *flavicincta* Enderlein,1934 **IR Th Elb RU Sr UA KG KK TJ UZ**
585. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758 **TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ**
586. **Rhoanans hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869 **AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU**
587. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR**
588. **Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 **DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU**
589. **Rhynchites giganteus Krynicky,1832** (Atelabidae) Synonym(s): *giganteus* Krynicky,1832 **BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR**
590. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 **AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU**
591. **Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima* Morawitz,1894 **TR SY TM UZ**
592. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 **YU RO BG TR EG US TW RU UZ GB DK Hw IN**
593. **Scarabaeus babori Balthasar,1934** (Scarabaeidae) Synonym(s): *babori* Balthasar,1934 **UZ TM**
594. **Scarabaeus carinatus Gebler,1841** (Scarabaeidae) Synonym(s): *carinatus* Gebler,1841 **RU UZ TM TJ**
595. **Scarabaeus winkleri Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938 **UZ TM Kp AF IR IQ SY KG PK TJ TR**
596. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 **Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ**
597. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 **Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW**
598. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 **CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR**
599. **Sergentomyia (Parrotomyia) sogdiana (Parrot,1929)** (Psychodidae) Synonym(s): *sogdiana* Parrot,1929 **UZ IR**
600. **Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957 **AF CY IR IQ IL TR RU Da Cc AZ UZ**
601. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 **AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU**
602. **Simulium (Eusimulium) brachyantherum Rubtsov,1947** (Simuliidae) Synonym(s): *brachyantherum* Rubtsov,1947 **TJ AM Cc RO UZ**
603. **Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): *paucispis* Rubtsov,1947 **TJ TM UZ IR IQ AM Cc**
604. **Sinophorus sticticale Sanborne,1984** (Ichneumonidae) Synonym(s): *sticticale* Sanborne,1984 **TR KG Aa UZ**
605. **Skorikovia elongata (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885 **RU Cc AZ KG UZ TM IR KK**
606. **Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881 **Cc AM KK KG UZ TR?**
607. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 **DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA**

608. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
609. **Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus Horvath,1904; turkestanica Linnavuori,1953* KG KK TM UZ TR
610. **Stenometopiellus sigillatus Haupt,1917** (Cicadellidae) Synonym(s): *sigillatus Haupt,1917* AF KG KK TJ UZ
611. **Stenosis fausti Reitter,1888** (Tenebrionidae) Synonym(s): *fausti Reitter,1888* UZ
612. **Stephanitis oschanini Vasiliev,1935** (Tingidae) Synonym(s): *oschanini Vasiliev,1935* AF AZ Cc GG AM IQ IR IL Pa KK UZ TJ TM TR
613. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
614. **Stratiomys bochariensis (Pleske,1899)** (Stratiomyidae) Synonym(s): *bochariensis Pleske,1899; turkestanica Pleske,1922; manchurensis Ouchi,1940* CN Ui Mc UZ KG
615. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinensis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
616. **Stratiomys nobilis Loew,1871** (Stratiomyidae) Synonym(s): *nobilis Loew,1871; fischeri Wagner,1912* Cc AM IR CN KG UZ
617. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis Fallén,1806; maculipes Curtis,1835; irroratus Curtis,1835; orientalis Vilbaste,1968* AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
618. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali Fieber,1868; bicolor Melichar,1896; toktogulensis Dubovsky,1970* CY BG GR Rd TR KK TJ UZ
619. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis Illiger,1798* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
620. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri Gussakovsky,1933* IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
621. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps Meigen,1824; argentifrons Macquart,1835; pusilla Macquart,1845; fuscipennis Macquart,1845; alpicola Rondani,1861; tricondyla Rondani,1868; roederi Giglio-Tos,1891; similis Giglio-Tos,1891* RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
622. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
623. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
624. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
625. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
626. **Tachytrechus petraeus Loew,1871** (Dolichopodidae) Synonym(s): *petraeus Loew,1871* Cc AM UZ
627. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola Loew,1857* GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
628. **Tamaricella jaxartensis (Oshanin,1871)** (Cicadellidae) Synonym(s): *jaxartensis Oshanin,1871; astrachanica Zachvatkin,1953* MN Cc AZ KG KK TJ UZ
629. **Tanyproctus bucharicus Reitter,1897** (Scarabaeidae) Synonym(s): *bucharicus Reitter,1897* TJ UZ
630. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus Saussure,1874; intermedius Chopard,1940; intercalatus Chopard,1943* ES IQ Cc KG UZ TM PK TR
631. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii Freidberg,1981* TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
632. **Teratolytta tricolor (Haag-Rutenberg,1880)** (Meloidae) Synonym(s): *tricolor Haag-Rutenberg,1880* IR Mz Gor Kh Ke UZ
633. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari Saulcy,1901* ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK

634. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae)
Synonym(s): *longicornis* Signoret,1866 AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
635. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s):
eremi Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
636. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae)
Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; #*leucophea* Lodos & Kalkandelen,1980
Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb
TJ UA UZ YU
637. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s):
costulata Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876;
albofasciata Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ
KG RU TJ TM UZ YU
638. **Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata*
Lindberg,1948 AF IR IL Pa Cc TR AM KG KK RU TJ TM UZ
639. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825
DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
640. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865 BG JO
AZ KG KK RU TJ TM UZ YU
641. **Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865 Cc
AF IR IL Pa AM AZ GG TR KG KK RU TJ TM UZ YU
642. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821;
bivittata Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
643. **Thereva pilifrons Kröber,1912** (Therevidae) Synonym(s): *pilifrons* Kröber,1912 TR UZ TJ
KK TM
644. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758;
fasciatus De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE
DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
645. **Tibicina zevera Kusnezov,1931** (Cicadidae) Synonym(s): *zevera* Kusnezov,1931 UZ Br
646. **Tingis afemeljanovi Golub,2006** (Tingidae) Synonym(s): *afemeljanovi* Golub,2006 UZ TJ
AF
647. **Toxophora angusta Paramonov,1933** (Bombyliidae) Synonym(s): *angusta*
Paramonov,1933 TJ TM UZ
648. **Toxophora deserta Paramonov,1933** (Bombyliidae) Synonym(s): *deserta*
Paramonov,1933; *tadzhikorum* Paramonov,1933 IR TJ TM UZ
649. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907
TR SD AM AZ GG Cc EG TJ TM UZ
650. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789;
maculata Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ
EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
651. **Toxophora lebedevi Paramonov,1925** (Bombyliidae) Synonym(s): *lebedevi* Paramonov,1925
KH TM UZ
652. **Toxophora psammophila Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila*
Paramonov,1933 AM AZ GG Cc KK TJ TM UZ
653. **Toxophora turkestanica Paramonov,1933** (Bombyliidae) Synonym(s): *turkestanica*
Paramonov,1933 TJ TM UZ
654. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866;
hamulata Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL
PT RO ES TN TR RU GG KG KK MD TJ UZ
655. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus*
Schränk,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK
MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
656. **Trigonoscelis schrencki Geblen,1845** (Tenebrionidae) Synonym(s): *schrencki* Geblen,1845
UZ CN Ui Ga
657. **Trigonoscelis sublaevigata Reitter,1887** (Tenebrionidae) Synonym(s): *sublaevigata*
Reitter,1887 CN Ui UZ MN
658. **Trigonoscelis zoufali Reitter,1893** (Tenebrionidae) Synonym(s): *zoufali* Reitter,1893 TM
CN Ui UZ Smk
659. **Turanoclytus namaganensis (Heyden,1885)** (Cerambycidae) Synonym(s):
namaganensis Heyden,1885 UZ AF
660. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857
AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
661. **Urophora cuspidata (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata* Meigen,1826;
solstitialis Zettstedt,1847 nec Linn.,1758 TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
662. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica*
Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa

663. **Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945
TR AZ Cc AM TM UZ KG
664. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 TR Cc
AM AZ KG KK CN U_i RU U_s Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
665. **Urophora tenuior Hendel,1910** (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910 Urophora *tenuior* Hendel,1910, Wien. ent. Ztg. 29: 311. TR KG UZ TM TJ AF IR
666. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ
TN TM UZ
667. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
668. **Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes* Becker,1906 Cc
AZ AM GG IR TJ TM UZ
669. **Usia (s.str.) notata Loew,1873** (Bombyliidae) Synonym(s): *notata* Loew,1873 DZ KG TJ
UZ TM
670. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ
AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
671. **Usia (s.str.) transcaspica Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica*
Paramonov,1950 AM AZ Cc MK TM UZ
672. **Usia (s.str.) unicolor Loew,1873** (Bombyliidae) Synonym(s): *unicolor* Loew,1873;
subaeneiventris Malloch,1926 TM UZ
673. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc
AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
674. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana*
Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
675. **Villa orientalis Zaitzev,1966** (Bombyliidae) Synonym(s): *orientalis* Zaitzev,1966 AM AZ Cc
GG KG MN TM UZ
676. **Villa tashkentica Paramonov,1925** (Bombyliidae) Synonym(s): *tashkentica*
Paramonov,1925 TJ UZ Tas
677. **Villa turcomanus (Paramonov,1927)** (Bombyliidae) Synonym(s): *turcomanus* Paramonov,1927
IR TJ TM UZ
678. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis*
Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868
DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
679. **Xanthotrogus fortis Reitter,1902** (Scarabaeidae) Synonym(s): *fortis* Reitter,1902 UZ
680. **Xeramoeba oophaga (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga*
Zakhvatkin,1931 ML NE PK IQ KG OM SA TJ TM UZ
681. **Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832 AZ AM Cc
GG TR AF IR KG PA SY TM UZ
682. **Zophosis deflexa Reitter,1916** (Tenebrionidae) Synonym(s): *deflexa* Reitter,1916 UZ
683. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s):
hyperici Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU
UA UZ YU
684. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897;
#discolar Lodos & Kalkandelen,1984 BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU
685. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera*
Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ
YU
686. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni* Ferrari,1882;
simplex Ferrari,1882; *detrata* Rey,1894; *difficilis* Ribaut,1936; *manca* Ribaut,1936 AT BG CY CS FR DE IL
IT SW TR UZ
687. **Zyginidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): *eremita*
Zachvatkin,1953; *caucasica* Zachvatkin,1953 Cc TR GG RU UZ
688. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s):
scutellaris Herrich-Schäffer,1838 AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ
Cc MD RU Sb UZ YU
689. **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab*
Zachvatkin,1947; *coacta* Ribaut,1948 AF CY IR IL JO LB SY TR RU Cc GG Da UZ

Synonymic and distributional list of the pterygot insects of Vietnam

(Results of the Entomofauna of the World based upon info-system of the Cesa)

30

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Vietnam (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 30. *Priamus* (suppl.) 18: 1766-1769.

In this study, totally 111 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Vietnam recorded in info-system of the Cesa, total pterygot species of Vietnam increase to 1728.

Key words: List, distribution, *pterygota*, *Insecta*, Vietnam.

Brief explanatory information:

Previously published article	yes ⁵⁵
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 111 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1617 recorded species of *Lepidoptera* from Vietnam are found. Taking this information into consideration, total number of the pterygots may increase to 1728.

The study is still continuing, and the new results will be published within this Project.

1. **Adoretus convexus Burmeister** (Scarabaeidae) Synonym(s): VN
2. **Adoretus sinicus Burmeister,1844** (Scarabaeidae) Synonym(s): *sinicus Burmeister,1844* VN CN
3. **Amantis hainanensis Tinkham,1937** (Mantidae) Synonym(s): *hainanensis Tinkham,1937* CN Hn VN
4. **Amantis longipennis Beier,1930** (Mantidae) Synonym(s): *longipennis Beier,1930* VN
5. **Amantis vitalisi Werner,1927** (Mantidae) Synonym(s): *vitalisi Werner,1927* VN
6. **Ambivia undata (Fabricius,1793)** (Mantidae) Synonym(s): *undata Fabricius,1793* VN
7. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus Myartseva,1979* AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
8. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata*

⁵⁵ Koçak,A.Ö. & M.Kemal, 2007, Notes on the nomenclature of Asiatic butterflies (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 105: 5-6.- Koçak,A.Ö. & M.Kemal, 2009, Report of the Project "Lepidoptera of Indo-China (LIC)" 1- Temporary index of the species group names of the *Lepidoptera*. *Cent. ent. Stud., Priamus Suppl.* 16: 1-330, 81 figs <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement161-330>

- Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
9. **Anomala (s.str.) antiqua Gyllenhal,1817** (Scarabaeidae) Synonym(s): *antiqua Gyllenhal,1817* VN
 10. **Anomala (s.str.) cupripes Hope** (Scarabaeidae) Synonym(s): VN
 11. **Arma tubercula Yang,1934** (Pentatomidae) Synonym(s): *tubercula Yang,1934* CN VN
 12. **Asactopholis biturberculatus Moser,1908** (Scarabaeidae) Synonym(s): *biturberculatus Moser,1908* VN
 13. **Ascalohybris oberthuri (Navas,1923)** (Ascalaphidae) Synonym(s): *oberthuri Navas,1923* VN TH CMa
 14. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata Saunders,1842; magniferae Cotes,1893; persicae Bigot,1890* PK IN LK BD MM TH LA VN MU RE EG OM SA
 15. **Betacixius tonkinensis Matsumura,1914** (Cixiidae) Synonym(s): *tonkinensis Matsumura,1914* VN Ton
 16. **Cazira bergrothi Breddin,1903** (Pentatomidae) Synonym(s): *bergrothi Breddin,1903* VN Ton
 17. **Cazira horvathi Breddin,1903** (Pentatomidae) Synonym(s): *horvathi Breddin,1903; gibbosa Hsiao & Zheng,1977* VN Ton CN
 18. **Cazira montandoni Breddin,1903** (Pentatomidae) Synonym(s): *montandoni Breddin,1903* VN Ton CN
 19. **Cazira reuteri Breddin,1903** (Pentatomidae) Synonym(s): *reuteri Breddin,1903* VN Ton
 20. **Cazira vegeta Kirkaldy,1909** (Pentatomidae) Synonym(s): *ulcerata Herrich-Schäffer,1839 nec Burm.,1835; vegeta Kirkaldy,1909* JP CN VN TH IN
 21. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa Westwood,1834; verrucifer Burmeister,1835* CN TW MM IN BD TH KH VN ID Ja PH JP
 22. **Ceratosolen solmsi (Mayr,1885)** (Agaonidae) Synonym(s): *solmsi Mayr,1885; marchali Mayr,1906; berlandi Grandi,1928* ID Ja IN VN
 23. **Cheirotonus battareli Pouillaude,1913** (Scarabaeidae) Synonym(s): *battareli Pouillaude,1913* VN LA
 24. **Cheirotonus jansoni Jordan,1898** (Scarabaeidae) Synonym(s): *jansoni Jordan,1898* CN VN
 25. **Cheirotonus parryi Gray,1848** (Scarabaeidae) Synonym(s): *parryi Gray,1848* IN SI VN
 26. **Copris (Microcopris) propinquus Felsche,1910** (Scarabaeidae) Synonym(s): *propinquus Felsche,1910* VN
 27. **Copris (Microcopris) reflexus Fabricius,1787** (Scarabaeidae) Synonym(s): *reflexus Fabricius,1787* VN
 28. **Copris magicus Harold,1881** (Scarabaeidae) Synonym(s): *magicus Harold,1881* VN
 29. **Creobroter geminatus (Stoll,1813)** (Hymenopodidae) Synonym(s): *geminatus Stoll,1813* MM VN CN IN ID Ja Sda
 30. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus Fabricius,1775* IN MM VN CN ID Sum Ja MY Bor PH
 31. **Culicoides biscopius Kieffer,1925** (Ceratopogonidae) Synonym(s): *biscopius Kieffer,1925* VN
 32. **Dasyhelea hanoiensis Yu,2003** (Ceratopogonidae) Synonym(s): *hanoiensis Yu,2003* VN
 33. **Dasyvalgus annamensis Miyake,1993** (Scarabaeidae) Synonym(s): *annamensis Miyake,1993* VN Ann
 34. **Dasyvalgus bonifacyi Paulian,1961** (Scarabaeidae) Synonym(s): *bonifacyi Paulian,1961* VN Ton
 35. **Dasyvalgus dalatinus Miyake,1993** (Scarabaeidae) Synonym(s): *dalatinus Miyake,1993* VN
 36. **Dasyvalgus grandis Pic,1928** (Scarabaeidae) Synonym(s): *grandis Pic,1928* VN Ton
 37. **Dasyvalgus latigantei (Fairmaire,1888)** (Scarabaeidae) Synonym(s): *latigantei Fairmaire,1888* VN Ton
 38. **Dasyvalgus luteofasciatus Paulian,1961** (Scarabaeidae) Synonym(s): *luteofasciatus Paulian,1961* VN Ton
 39. **Dasyvalgus montivagus Moser,1915** (Scarabaeidae) Synonym(s): *montivagus Moser,1915* VN Ton
 40. **Dasyvalgus nudis Miyake,1994** (Scarabaeidae) Synonym(s): *nudis Miyake,1994* VN
 41. **Dasyvalgus piceus Moser,1904** (Scarabaeidae) Synonym(s): *piceus Moser,1904* VN Ton
 42. **Dasyvalgus subglaber Paulian,1961** (Scarabaeidae) Synonym(s): *subglaber Paulian,1961* VN Ton
 43. **Deroplatys gorochovi Anisyutkin,1998** (Mantidae) Synonym(s): *gorochovi Anisyutkin,1998* VN
 44. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus Hansson & LaSalle,1996* IN Up ID Clb Ja MY ZA TW TZ VN
 45. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus Ashmead,1905* IN Up Ben LA MU PK PH LK TW TH VN
 46. **Ducetia spatula Ragge,1961** (Tettigoniidae) Synonym(s): *spatula Ragge,1961* VN

47. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
48. **Euchomenella macrops (Saussure,1870)** (Mantidae) Synonym(s): *macrops Saussure,1870* VN
49. **Euchomenella pallida Roy,2001** (Mantidae) Synonym(s): *pallida Roy,2001* VN
50. **Frutioidia (Dworakowskellina) dokra Dworakowska,1979** (Cicadellidae) Synonym(s): *dokra Dworakowska,1979* VN
51. **Frutioidia (Dworakowskellina) nefara Dworakowska,1979** (Cicadellidae) Synonym(s): *nefara Dworakowska,1979* VN
52. **Glycyphana (Caloglycyphana) fadilae Miksic,1967** (Scarabaeidae) Synonym(s): *fadilae Miksic,1967* LA VN
53. **Glycyphana (Glycyphaniola) nepalensis Kraatz,1894** (Scarabaeidae) Synonym(s): *nepalensis Kraatz,1894; roquesi Bourgoin,1916* RU VN NP IN CN Yu
54. **Glycyphana (Glycyphaniola) quadricolor (Wiedemann,1823)** (Scarabaeidae) Synonym(s): *quadricolor Wiedemann,1823* ID Sum Ja Bor MY LA VN MM Ass IN
55. **Glycyphana (Glycyphaniola) tonkinensis Moser,1914** (Scarabaeidae) Synonym(s): *tonkinensis Moser,1914* VN Ton
56. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889; bannana Xu & Zhang,1996* MM TH CMA CDo Int Dst Tng Cbi VN CN Hn ID Ja Bli IN Ass Meg
57. **Gnorimus flavitarsis Fairmaire,1887** (Scarabaeidae) Synonym(s): *flavitarsis Fairmaire,1887* CN Ti Sz Yu VN
58. **Haphsa bindusara (Distant,1905)** (Cicadidae) Synonym(s): *bindusara Distant,1905* TH VN
59. **Haphsa scitula (Distant,1888)** (Cicadidae) Synonym(s): *scitula Distant,1888* TH VN
60. **Hierodula excellens (Werner,1916)** (Mantidae) Synonym(s): *excellens Werner,1916* VN
61. **Hierodula fruhstorferi Werner,1916** (Mantidae) Synonym(s): *fruhstorferi Werner,1916* VN
62. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera Audinet-Serville,1839; bipapilla Audinet-Serville,1839; dispar Kirby,1900; saussurei Kirby,1904* CN TW Hw IN JP KP KR ID Ja Sba VN PH PG
63. **Hierodula tonkinensis Beier,1935** (Mantidae) Synonym(s): *tonkinensis Beier,1935* VN Ton
64. **Hierodula unimaculata (Olivier,1792)** (Mantidae) Synonym(s): *unimaculata Olivier,1792; notata Stoll,1813* CN IN LK MM VN ID Ja
65. **Holotrichia pruinosa Wiedemann** (Scarabaeidae) Synonym(s): VN
66. **Hybovalgus bioculatus Kolbe,1904** (Scarabaeidae) Synonym(s): *bioculatus Kolbe,1904* VN Ton
67. **Hybovalgus fraternus Moser,1915** (Scarabaeidae) Synonym(s): *fraternus Moser,1915* VN Ton
68. **Hybovalgus fulvasquamosus Moser,1904** (Scarabaeidae) Synonym(s): *fulvasquamosus Moser,1904* VN Ton
69. **Hybovalgus tonkinensis Moser,1904** (Scarabaeidae) Synonym(s): *tonkinensis Moser,1904* VN Ton
70. **Idiovalgus curtus Paulian,1961** (Scarabaeidae) Synonym(s): *curtus Paulian,1961* VN
71. **Lamellipalpus constantini Brancucci & Geiser,2007** (Lampyridae) Synonym(s): *constantini Brancucci & Geiser,2007* VN Cuc
72. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
73. **Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii Baly,1874* Cc TR IR AF RU Sb MN CN VN JP
74. **Macrosemia tonkiniana (Jacobi,1905)** (Cicadidae) Synonym(s): *tonkiniana Jacobi,1905* TH VN Ton
75. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
76. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica Lindberg,1922* TR IR CN IL Pa IQ Cc UZ SY SA TJ YE VN
77. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior Stein,1909* IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN
78. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens Walker,1856* MY Bor MM ID Clb Sum Ja PH VN TH Pal Mdo IN Ass Up LK CN
79. **Neomyia fletcheri (Emden,1965)** (Muscidae) Synonym(s): *fletcheri Emden,1965* MM LK IN Ass Ben NP TH VN
80. **Neomyia ruficornis (Shinonaga,1970)** (Muscidae) Synonym(s): *ruficornis Shinonaga,1970* IN VN
81. **Oculogryphus fulvus Jeng, Engel & Yang,2007** (Lampyridae) Synonym(s): *fulvus Jeng, Engel & Yang,2007* VN

82. **Odontomantis parva Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *parva* Giglio-Tos,1915
VN
83. **Onitis subopacus Arrow,1931** (Scarabaeidae) Synonym(s): *subopacus* Arrow,1931 VN
84. **Onthophagus (Colobonthophagus) lunatus Harold,1868** (Scarabaeidae) Synonym(s):
lunatus Harold,1868 VN
85. **Onthophagus (Parascatonomus) multicifrons (Endrodi,1973)** (Scarabaeidae)
Synonym(s): *multicifrons* Endrodi,1973 VN
86. **Oreoderus aciculatus Paulian,1961** (Scarabaeidae) Synonym(s): *aciculatus* Paulian,1961 VN
Ton
87. **Oreoderus brevicarinatus Pic,1928** (Scarabaeidae) Synonym(s): *brevicarinatus* Pic,1928 VN
Ton
88. **Oreoderus coomani Paulian,1961** (Scarabaeidae) Synonym(s): *coomani* Paulian,1961 VN Ton
89. **Oreoderus latipes Arrow,1944** (Scarabaeidae) Synonym(s): *latipes* Arrow,1944 VN Ton
90. **Oreoderus longicarinatus Ricchiardi,2001** (Scarabaeidae) Synonym(s): *longicarinatus*
Ricchiardi,2001 VN
91. **Oreoderus quadricarinatus Arrow,1944** (Scarabaeidae) Synonym(s): *quadricarinatus*
Arrow,1944 VN Ton LA TH
92. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 CN ID
IN JP LK MM MY TH PH VN TW Bor Sbh
93. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 TR SY Cc CN
Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh
94. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum*
Burmeister,1839 CN Hn MM MY TH PH TW VN Bor Sbh
95. **Phyllopertha arinicolis Ohaus,1905** (Scarabaeidae) Synonym(s): *arinicolis* Ohaus,1905 VN
96. **Pomponia orientalis (Distant,1912)** (Cicadidae) Synonym(s): *orientalis* Distant,1912 VN
97. **Popillia cyanea (Hope,1831)** (Scarabaeidae) Synonym(s): *cyanea* Hope,1831 VN
98. **Pseudosinghala dalmanni Gyllenhal** (Scarabaeidae) Synonym(s): VN
99. **Pseudosinghala transversa Burmeister** (Scarabaeidae) Synonym(s): VN
100. **Ricania sapaensis Adamstroinski,2001** (Ricaniidae) Synonym(s): *sapaensis*
Adamstroinski,2001 VN
101. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus*
Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854;
posterus Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum Walker,1851,**
List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's
Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz
102. **Ricania wegrzynowiczi Adamstroinski,2001** (Ricaniidae) Synonym(s): *wegrzynowiczi*
Adamstroinski,2001 VN Ton
103. **Sophrops cephalotes Burmeister** (Scarabaeidae) Synonym(s): VN
104. **Sophrops planicollis Burmeister** (Scarabaeidae) Synonym(s): VN
105. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870;
orientalis Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 IN VN CN KP KR JP MM MY Bor ID Sum
Ja PH
106. **Systropus (s.str.) studyi Enderlein,1926** (Bombyliidae) Synonym(s): *studyi*
Enderlein,1926 CN VN
107. **Unalianus heteracanthus (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *heteracanthus*
Redtenbacher,1891 TH VN KH ID Ja MM MY
108. **Valgus tonkinensis Arrow,1944** (Scarabaeidae) Synonym(s): *tonkinensis* Arrow,1944 VN
Ton
109. **Velia (Cesavelia) laticaudata Tran, Zettel & Maria Buzzetti,2009** (Veliidae)
Synonym(s): *laticaudata* Tran, Zettel & Maria Buzzetti,2009 VN
110. **Velia (Cesavelia) tonkina Polhemus & Polhemus,2003** (Veliidae) Synonym(s): *tonkina*
Polhemus & Polhemus,2003 VN Ton
111. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758;
concinna Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN
MM ID Ja Sum Bor IR BG YU US

Synonymic and distributional list of the pterygot insects of Yemen

(Results of the Entomofauna of the World based upon info-system of the Cesa)

31

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Yemen (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 31.
Priamus (suppl.) 18: 1770-1775.

In this study, totally xx species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Yemen recorded in info-sytem of the Cesa, total pterygot species of Yemen increase to 682.

Key words: List, distribution, *pterygota*, *Insecta*, Yemen.

Brief explanatory information:

Previously published article	yes ⁵⁶
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 140 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Info-system of the Cesa has totally 542 recorded species of Lepidoptera from Yemen. Taking this information into consideration, total number of the pterygots may increase to 682.

The study is still continuing, and the new results will be published within this Project.

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* **AZ Cc TR EG SA SY YE**
2. **Acnephalum futile Wulp,1899** (Asilidae) Synonym(s): *futile Wulp,1899* **YE**
3. **Adelostoma (Zarudnyomus) batesi Haag-Rutenberg,1875** (Tenebrionidae) Synonym(s): *batesi Haag-Rutenberg,1875* **SA YE OM**
4. **Adeniana obokensis Distant,1914** (Cicadidae) Synonym(s): *obokensis Distant,1914* **YE**
5. **Adeniana yerburyi (Distant,1905)** (Cicadidae) Synonym(s): *yerburyi Distant,1905*; #*yerburgi Schedl,1999* **YE**
6. **Afroesticus vittatus (Curran,1927)** (Asilidae) Synonym(s): *vittatus Curran,1927* **TD ZR AO GA ML SN UG YE**
7. **Afroholopogon dasys Londt,2005** (Asilidae) Synonym(s): *dasys Londt,2005* **OM Sk YE ET**

⁵⁶ **Koçak,A.Ö. & M.Kemal**, 2008, A replacement name *Ahoyemenia* nom.nov. from Yemen (Lepidoptera, Noctuidae). *Cent. ent. Stud., Misc. Pap.* 138: 10. - **Koçak,A.Ö. & M. Kemal**, 2009, *Yemenia* (nom. nov.), a replacement name in the family *Therevidae* (Diptera). *Cent. ent. Stud., Misc. Pap.* 147-148: 9.

8. **Agenioideus vesanus (Kohl,1907)** (Pompilidae) Synonym(s): *vesanus* Kohl,1907 TR SY Dms Hms JO YE
9. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
10. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
11. **Amorphoscelis asymmetrica Ingrish,1999** (Amorphoscelidae) Synonym(s): *asymmetrica* Ingrish,1999 YE
12. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricae...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
13. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
14. **Anastoechus miscens (Walker,1871)** (Bombyliidae) Synonym(s): *miscens* Walker,1871 ER SD YE SA
15. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
16. **Anastoechus trisignatus Portschnsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschnsky,1881; *retrogradus* Becker,1902; *weneri* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
17. **Ancistrocerus biphaleratus Saussure,1852** (Vespidae) Synonym(s): *biphaleratus* Saussure,1852; *palaesticus* Giordani Soika,1952 PT EG Sn JO Pet IL Pa SA YE
18. **Aphthona lutescens (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens* Gyllenhal,1808 TR Cc RU Sb KG MN YE
19. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae) Synonym(s): *pygmaea* Kutschera,1861 TR Cc EG LY YE
20. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
21. **Apoclea autumnalis Becker,1909** (Asilidae) Synonym(s): *autumnalis* Becker,1909 YE SA
22. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis* Wiedemann,1828; *helva* Wiedemann,1828; *illustris* Schiner,1867; *aperta* Becker,1909 EG SA IL Pa IR Fa Ss Ke Kh YE SD
23. **Apoclea heteroclitia Wulp,1899** (Asilidae) Synonym(s): *heteroclitia* Wulp,1899 YE
24. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910 EG TN LY MA IL Pa YE SA IR
25. **Apocryptophagus gigas (Mayr,1906)** (Agaonidae) Synonym(s): *gigas* Mayr,1906 YE
26. **Arabistania philbyi (Uvarov,1936)** (Hymenopodidae) Synonym(s): *philbyi* Uvarov,1936 SA YE
27. **Astochia sodalis (Wulp,1899)** (Asilidae) Synonym(s): *sodalis* Wulp,1899 IR YE
28. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus* Becker,1909; *mollis* Bezzi,1921; *disjunctus* Bezzi,1921; *parallelus* Bezzi,1924 BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
29. **Bembecinus adeni Schmid-Egger,2004** (Crabronidae) Synonym(s): *adeni* Schmid-Egger,2004 YE Ad
30. **Bembecinus bytinskii De Beaumont,1954** (Crabronidae) Synonym(s): *bytinskii* De Beaumont,1954 SA IL Pa JO AE YE
31. **Bembecinus proximus Handlirsch,1892** (Crabronidae) Synonym(s): *proximus* Handlirsch,1892 SA PK IN NP YE
32. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854 AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
33. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775 AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
34. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *nalis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *nalis*

- Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
35. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata* Wiedemann,1830; *mutilatus* Bezzi,1921; *truncatus* Greathead,1967 BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
36. **Bombylisoma noctum Greathead,1980** (Bombyliidae) Synonym(s): *noctum* Greathead,1980 YE
37. **Bombylisoma noctum Greathead,1980** (Bombyliidae) Synonym(s): *noctum* Greathead,1980 YE
38. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
39. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
40. **Bombylius (s.str.) marebensis Greathead,1967** (Bombyliidae) Synonym(s): *marebensis* Greathead,1967 ET YE SA
41. **Bombylius (s.str.) massaurensis Greathead,1967** (Bombyliidae) Synonym(s): *massaurensis* Greathead,1967 ER ML YE SA
42. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
43. **Bombylius (s.str.) pallidipilus Greathead,1967** (Bombyliidae) Synonym(s): *pallidipilus* Greathead,1967 TD ER SO YE SA OM
44. **Bombylius (s.str.) phaeopterus Bezzi,1924** (Bombyliidae) Synonym(s): *phaeopterus* Bezzi,1924; *phaeopteroides* Greathead,1967 ER ET YE OM SA
45. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
46. **Bombylius (s.str.) socotrae Greathead,1969** (Bombyliidae) Synonym(s): *socotrae* Greathead,1969 Sk YE
47. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec Oliv.,1789*; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
48. **Cicadetta yemenensis (Schedl,2004)** (Cicadidae) Synonym(s): *yemenensis* Schedl,2004 YE
49. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
50. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx Ye YU
51. **Colletes yemenensis Noskiewicz,1929** (Colletidae) Synonym(s): *yemenensis* Noskiewicz,1929 YE
52. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
53. **Culicoides yemenensis Boorman,1989** (Ceratopogonidae) Synonym(s): *yemenensis* Boorman,1989 YE
54. **Dasyhelea abyenensis Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *abyenensis* Boorman & Harten,2002 YE
55. **Dasyhelea awadi Boorman & Harten,2002** (Ceratopogonidae) Synonym(s): *awadi* Boorman & Harten,2002 YE
56. **Dasytidius muehlei Majer,1996** (Melyridae) Synonym(s): *muehlei* Majer,1996 YE Sna
57. **Delta dimidiatipenne (Saussure,1852)** (Vespididae) Synonym(s): *dimidiatipenne* Saussure,1852 Cn ES DZ EG JO Pet SO YE TR AF NP IN
58. **Delta lepeletierii (Saussure,1853)** (Vespididae) Synonym(s): *lepeletierii* Saussure,1853 ZA SO EG YE JO
59. **Desmatoneura brevipennis (Bezzi,1924)** (Bombyliidae) Synonym(s): *cristata* Zetterstedt,1845; *brevipennis* Bezzi,1924 ER YE OM AE
60. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis* Erdös,1958 Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
61. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophon* Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus*

- Förster,1861; *clavicornis* Walker,1872; *phytomysae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
62. **Diglyphus pachyneurus** Graham,1963 (Eulophidae) Synonym(s): *pachyneurus* Graham,1963 HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR
63. **Diogena fausta** (Burmeister,1838) (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838 LY SD YE IL Pa JO
64. **Diorhabda sublineata** (Lucas,1849) (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849 MA DZ TN ES PT EG IQ SN YE
65. **Dirhinus wohlfahrtiae** Ferrière,1935 (Chalcididae) Synonym(s): *wohlfahrtiae* Ferrière,1935 CY EG IL Pa SA SO SD YE
66. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae) Synonym(s): *hauensteini* Bolivar,1893 TR SY LB IQ Cc IR Elb Fa SA IL Pa YE TM KG KK CN KP KR RU JP
67. **Elachertus pulcher** (Erdős,1961) (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
68. **Elaea gestroi** Capra,1929 (Mantidae) Synonym(s): *gestroi* Capra,1929; *pallida* Chopard,1941 EG ET LY SO MA YE SA
69. **Elaea wittmeri** Kaltenbach,1982 (Mantidae) Synonym(s): *wittmeri* Kaltenbach,1982 YE SA
70. **Elasmus nudus** (Nees,1834) (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
71. **Elasmus phthorimaeae** Ferrière,1947 (Eulophidae) Synonym(s): *phthorimaeae* Ferrière,1947 TR CY ES TR AE YE
72. **Elasmus platydrae** Ferrière,1935 (Eulophidae) Synonym(s): *platydrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
73. **Empusa hedenborgii** Stal,1877 (Empusidae) Synonym(s): *hedenborgii* Stal,1877 EG ET IR YE SO SA SD AE
74. **Empusa simonyi** Krauss,1902 (Empusidae) Synonym(s): *simonyi* Krauss,1902 Sk YE
75. **Epitrix priesneri** (Heikertinger,1950) (Chrysomelidae) Synonym(s): *priesneri* Heikertinger,1950 EG SA OM YE IR
76. **Eucampsipoda aegyptia** (Macquart,1851) (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851 TR LB IL Pa JO IR SA YE EG
77. **Eurycorypha arabica** Uvarov,1936 (Tettigoniidae) Synonym(s): *arabica* Uvarov,1936 SA YE
78. **Eurycorypha darlingi** Uvarov,1936 (Tettigoniidae) Synonym(s): *darlingi* Uvarov,1936 YE
79. **Eurytoma morio** Boheman,1836 (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
80. **Exoprosopa asiris** Greathead,1980 (Bombyliidae) Synonym(s): *asiris* Greathead,1980 SA YE
81. **Exoprosopa linearis** Bezzi,1924 (Bombyliidae) Synonym(s): *linearis* Bezzi,1924 YE Ad ER OM
82. **Exoprosopa magnipennis** Bezzi,1924 (Bombyliidae) Synonym(s): *magnipennis* Bezzi,1924 KE TZ YE
83. **Gastrimargus africanus** (Saussure,1888) (Acrididae) Synonym(s): *africanus* Saussure,1888; *orientalis* Sjöstedt,1928; *zebrata* Sjöstedt,1928 RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
84. **Heteralonia megerlei** (Meigen,1820) (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
85. **Heterochaeta pantherina** (Saussure,1872) (Mantidae) Synonym(s): *pantherina* Saussure,1872 EG AO GN YE MR NE SO SA SD TD
86. **Hoplitis (Anthocopa) batyamae** (Zanden,1986) (Megachilidae) Synonym(s): *batyamae* Zanden,1986 PT IL Pa EG OM YE
87. **Hymenalia alenae** Novak,2007 (Tenebrionidae) Synonym(s): *alenae* Novak,2007 YE
88. **Hymenalia jakli** Novak,2007 (Tenebrionidae) Synonym(s): *jakli* Novak,2007 OM YE
89. **Iris coeca** Uvarov,1931 (Irididae) Synonym(s): *coeca* Uvarov,1931 EG YE SA SD
90. **Laminanthrax chionophorus** (Bezzi,1925) (Bombyliidae) Synonym(s): *chionophorus* Bezzi,1925; *albus* Greathead,1967 ER ET YE EG
91. **Lasioglossum (Evylaeus) persicum** (Cockerell,1919) (Halictidae) Synonym(s): *persicum* Cockerell,1919 IR GG Cc Tbl YE
92. **Longitarsus ballotae** (Marsham,1802) (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945 TR Cc IR MN YE
93. **Longitarsus lycopi** (Foudras,1860) (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860 Cc TR IR SA RU Sb KG YE
94. **Macroscytus brunneus** (Fabricius,1803) (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ

- Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ
NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
95. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR
AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
96. **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922 TR IR
CN IL Pa IQ Cc UZ SY SA TJ YE VN
97. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi* Werner,1908 ET
YE IR IL Pa OM PK SO AE
98. **Milichia albomaculata Strobl,1900** (Milichiidae) Synonym(s): *albomaculata* Strobl,1900 MA
DZ YE
99. **Milichiella argentiventris Hendel,1931** (Milichiidae) Synonym(s): *argentiventris* Hendel,1931
CV EG IL? NG OM SD YE
100. **Miomantis arabica Kaltenbach,1982** (Mantidae) Synonym(s): *arabica* Kaltenbach,1982
YE SA
101. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825;
cerisyi Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852;
marginatus Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni*
Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN
LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN
KP KR JP
102. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s):
melancholica Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM
UZ TJ KG
103. **Neoplatybrachys orientalis Lallemand,1950** (Eurybrachidae) Synonym(s): *orientalis*
Lallemand,1950 ER DJ YE Ad SO SA As
104. **Nilomantis floweri Werner,1907** (Iridopterygidae) Synonym(s): *floweri* Werner,1907;
tenella Giglio-Tos,1915; *arabica* Beier,1930 ET IR YE MR NE OM SA SD TD
105. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera* Loew,1851;
stenura Loew,1858; *ruficornis* Wulp,1899 IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
106. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877;
arenivolans Butler,1881; *mlokoziowitzcki* Bolivar,1884; *mlokosewitchi* Bolivar,1887; *dimidiatus*
Bolivar,1899 Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV
107. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899 DZ TD CN EG
ET IL Pa IR AZ Cc YE IN NE SN SD
108. **Oxythespis nilotica Giglio-Tos,1916** (Mantidae) Synonym(s): *nilotica* Giglio-Tos,1916
DZ MA SD TD YE SA
109. **Oxythespis philbyi Kaltenbach,1982** (Mantidae) Synonym(s): *philbyi* Kaltenbach,1982
YE SA
110. **Pachyanthrax nomadarum (Greathead,1970)** (Bombyliidae) Synonym(s): *nomadarum*
Greathead,1970 MR NG YE AE MA
111. **Paragus binominalis Smit & Gutiérrez-Chacon,2008** (Syrphidae) Synonym(s): *binominalis*
Smit & Gutiérrez-Chacon,2008 YE
112. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha*
Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD
NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
113. **Peropyrrhicia parva Ragge,1980** (Tettigoniidae) Synonym(s): *parva* Ragge,1980 YE
114. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857;
tetrasticta Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana*
Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954;
africana Steinmann,1966 Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type
♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY
EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
115. **Phradonoma tricolor (Arrow,1915)** (Dermestidae) Synonym(s): *tricolor* Arrow,1915 IN SA
OM YE
116. **Promachus rectangularis Loew,1854** (Asilidae) Synonym(s): *rectangularis* Loew,1854;
cinctipes Walker,1871 IR Ke Ss EG YE ET
117. **Protosmia megaceps (Kohl,1906)** (Megachilidae) Synonym(s): *megaceps* Kohl,1906 YE Sk
118. **Pseudoliarus fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus*
Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954 EG IR LY TN Cc AM TR RU TJ TM
YE
119. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791;
grylloides Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-
Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 MA Cn ES FR LY CY YE GH TR
120. **Rhabdogaster cinerascens (Wulp,1899)** (Asilidae) Synonym(s): *cinerascens* Wulp,1899
IR YE KE

121. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix Loew,1856* IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
122. **Rivetina dolichoptera (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): *dolichoptera Schulthess-Rechberg,1894* IR Ss PK BI SA YE AE
123. **Rivetina excellens Beier,1956** (Mantidae) Synonym(s): *excellens Beier,1956* IR IQ YE AE
124. **Rivetina inermis (Uvarov,1923)** (Mantidae) Synonym(s): *inermis Uvarov,1923* YE SA IR BH
125. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula Scopoli,1786; tuberculata Rossi,1790; erythrosoma St.Fargeau & Serville,1825; mandibularis Charpentier,1825; ambiguus Stal,1876; macropterricus Bolivar,1890; minor Bolivar,1890; eurostratus Jannone,1936* Gryllus nitidulus Scopoli,1786, Delicidae florae & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
126. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
127. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
128. **Severinia popovi Kaltenbach,1982** (Mantidae) Synonym(s): *popovi Kaltenbach,1982* YE SA
129. **Sphodromantis trimacula (Saussure,1870)** (Mantidae) Synonym(s): *trimacula Saussure,1870; arabica Wood-Mason,1882; dhufarica Uvarov,1933* IQ IR SA OM YE
130. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis Forskål,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
131. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle Walker,1848; nubeculatus Ratzeburg,1848; bifasciatus Thomson,1878; bimaculatipennis Girault,1912; bimaculatus Crawford,1913; meteori Girault,1916* TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
132. **Tachytrechus tessellatus (Macquart,1842)** (Dolichopodidae) Synonym(s): *tessellatus Macquart,1842; indirectus Walker,1849; picticornis Bigot,1890; salinarius Becker,1902; seychellensis Lamb,1922; capensis Curran,1924; ponderosus Frey,1958* ZA SC IL Pa EG YE Sk NC
133. **Tarachodes (Chiropacha) arabicus Uvarov,1923** (Irididae) Synonym(s): *arabicus Uvarov,1923* YE OM SA
134. **Teddia dioscoris Burr,1899** (Mantidae) Synonym(s): *dioscoris Burr,1899* Sk YE
135. **Trichardis leucomomus (Wulp,1899)** (Asilidae) Synonym(s): *leucomomus Wulp,1899; albipila Becker,1907* IR Kz MA DZ EG IL Pa YE KG MN
136. **Truxalis philbyi Dirsh,1951** (Acrididae) Synonym(s): *philbyi Dirsh,1951* YE
137. **Truxalis procera Klug,1830** (Acrididae) Synonym(s): *procera Klug,1830* SA YE
138. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis Meigen,1826; bivirgata Austen,1937* EG YE IL Pa JO SY SA
139. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides Bezzi,1912* ER ET KE MW SO UG YE EG SA OM
140. **Yemenia⁵⁷ flavus (Lyneborg,1983)** (Therevidae) Synonym(s): *flavus Lyneborg,1983* YE

⁵⁷ genus name established by the authors.

Synonymic and distributional list of the pterygot insects of The Philippines (Results of the Entomofauna of the World based upon info-system of the Cesa)

32

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of the Philippines (Results of the Entomofauna of the World, based upon info-system of the Cesa) – 32. Priamus (suppl.) 18: 1776-1780.

In this study, totally 125 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of the Philippines recorded in info-system of the Cesa, total pterygot species of the Philippines increase to 2649.

Key words: List, distribution, *pterygota*, *Insecta*, Philippines.

Brief explanatory information:

Previously published article	yes ⁵⁸
Previously published report	yes ⁵⁹
Expedition made by the Cesa	yes
Planned expeditions	no
Further planned publications	yes

In this study, totally 125 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2524 recorded species of Lepidoptera from the Philippines are found. Taking this information into consideration, total number of the pterygots may increase to 2649.

⁵⁸ Koçak,A.Ö., 1996, Filipin Kelebeklerinin Nomenklaturü üzerine notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 7-9. - Koçak,A.Ö. & S.Seven, 1997, Negros Papilionoidea, Hesperioidea faunası ve taksonomisi üzerine arařtırmalar (Lepidoptera) (Filipin entomolojik ekspedisyonu sonuçları-IV). Cent. ent. Stud., Priamus 9 (2/3): 57-114, 1 harita.- Koçak,A.Ö., 1997, Filipin Adalarına Yapılan Entomolojik Ekspedisyon I.Giriř. Cent. ent. Stud., Misc. Pap. 45: 1-7, 1 harita. - Koçak,A.Ö. & S.Seven, 1997, Negros ve Panay adalarından bazı Sarrothripinae türleri hakkında (Lepidoptera, Noctuidae) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları III). Centr. ent. Stud., Misc. Pap. 46: 5-8, 4 harita.- Koçak,A.Ö. & S.Seven, 1998, Negros Panay ve Bohol adalarından bazı Noctuidae türleri hakkında (Lepidoptera) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları-V) Cent. ent. Stud., Misc. Pap. 50: 1-6, 1 harita. - Koçak,A.Ö. & S.Seven, 1997, Balabak adasından (Filipinler) küçük bir Lepidoptera koleksiyonu hakkında. Cent. ent. Stud., Misc. Pap. 47: 1-6, 1 harita. - Koçak,A.Ö. & S.Seven, 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklaturü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik.-

⁵⁹ Koçak,A.Ö. & M.Kemal, 2007, Chapter 15: Illustrated list of the Lepidoptera recorded in the Philippines, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1849-1918, figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

The study is still continuing, and the new results will be published within this Project.

1. **Amantis aeta Hebard,1920** (Mantidae) Synonym(s): *aeta Hebard,1920* PH
2. **Amantis basilana Hebard,1920** (Mantidae) Synonym(s): *basilana Hebard,1920* PH
3. **Amantis gestrii Giglio-Tos,1915** (Mantidae) Synonym(s): *gestrii Giglio-Tos,1915* PH ID Sum
4. **Amantis muhabbet Koçak,2008** (Mantidae) Synonym(s): *reticulata De Haan,1842 nec Burm.,1838; muhabbet Koçak,2008* [Amantis muhabbet Koçak,2008](#), *Cent. ent. Stud., Misc. Pap. 145: 8* (nomen novum pro *reticulata De Haan,1842 nec Burm.,1838*). MM MY ID Sum Ja Bor PH Pal
5. **Amantis philippina Giglio-Tos,1915** (Mantidae) Synonym(s): *philippina Giglio-Tos,1915* PH
6. **Ammophilomima nubilipennis Frey,1937** (Asilidae) Synonym(s): *nubilipennis Frey,1937* PH
7. **Amorphoscelis philippina Werner,1926** (Amorphoscelidae) Synonym(s): *philippina Werner,1926* PH Mno
8. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica Fabricius,1775; macrans Fabricius,1781; oculatus Fabricius,1798 (praeocc.); argus Fabricius,1803; dystercoides Ellenreider,1862; nigripes Ellenreider,1862; rubrocincta Breddin,1899; rufus Azim & Shafee,1982* BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW
9. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus Myartseva,1979* AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
10. **Andes luzonensis Tsaur & Hsu,1991** (Cixiidae) Synonym(s): *luzonensis Tsaur & Hsu,1991* PH Luz
11. **Andes mindanaensis Muir,1925** (Cixiidae) Synonym(s): *mindanaensis Muir,1925* PH Mno
12. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
13. **Andrenosoma irigensis Oldroyd,1972** (Asilidae) Synonym(s): *irigensis Oldroyd,1972* PH
14. **Anoplothyrea javana (Meijere,1911)** (Asilidae) Synonym(s): *javana Meijere,1911* PH ID Ja
15. **Anthrax bifuscatipennis Evenhuis & Arakaki,1980** (Bombyliidae) Synonym(s): *bifuscatipennis Evenhuis & Arakaki,1980* PH
16. **Aphistina balabacensis Oldroyd,1972** (Asilidae) Synonym(s): *balabacensis Oldroyd,1972* PH Bal
17. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax Walker,1853* TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG
18. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* [Chalcis femorata Panzer,1801](#), *Faun. Ins. Germ. 84, fig.16*. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
19. **Cateus philippinus Platia & Gundezi,2000** (Elateridae) Synonym(s): *philippinus Platia & Gundezi,2000* PH Mdo
20. **Cazira chiroptera (Herrich-Schäffer,1840)** (Pentatomidae) Synonym(s): *chiroptera Herrich-Schäffer,1840* PH ID Bor MY Sum Ja
21. **Cazira verrucosa (Westwood,1834)** (Pentatomidae) Synonym(s): *verrucosa Westwood,1834; verrucifer Burmeister,1835* CN TW MM IN BD TH KH VN ID Ja PH JP
22. **Chremistica pontianaka (Distant,1888)** (Cicadidae) Synonym(s): *pontianaka Distant,1888* TH MY Bor Swk PH Luz
23. **Compsomantis mindoroensis Beier,1942** (Mantidae) Synonym(s): *mindoroensis Beier,1942* PH Mdo
24. **Compsomantis tumidiceps Bolivar,1890** (Mantidae) Synonym(s): *tumidiceps Bolivar,1890* ID Ja Lb Sum Sba Tim PH
25. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
26. **Creobroter meleagris Stal,1877** (Hymenopodidae) Synonym(s): *meleagris Stal,1877* PH
27. **Creobroter urbanus (Fabricius,1775)** (Hymenopodidae) Synonym(s): *urbanus Fabricius,1775* IN MM VN CN ID Sum Ja MY Bor PH
28. **Culicoides baisasi Wirth & Hubert,1959** (Ceratopogonidae) Synonym(s): *baisasi Wirth & Hubert,1959* PH
29. **Culicoides brevipalpis Delfinado,1961** (Ceratopogonidae) Synonym(s): *brevipalpis Delfinado,1961* PH
30. **Culicoides bubalus Delfinado,1961** (Ceratopogonidae) Synonym(s): *bubalus Delfinado,1961* PH
31. **Culicoides damnosus Delfinado,1961** (Ceratopogonidae) Synonym(s): *damnosus Delfinado,1961* PH

32. **Culicoides effusus Delfinado,1961** (Ceratopogonidae) Synonym(s): *effusus Delfinado,1961* PH
33. **Culicoides peliliouensis Tokunaga,1936** (Ceratopogonidae) Synonym(s): *peliliouensis Tokunaga,1936; ejercitoi Delfinado,1961* PW PH
34. **Culicoides peregrinus Kieffer,1910** (Ceratopogonidae) Synonym(s): *peregrinus Kieffer,1910; judicandus Bezzi,1916; esmoneti Salm,1917; philippinensis Kieffer,1921; assamensis Smith & Swaminath,1932; quadratus Tokunaga,1951* IN Ass Meg PH ID
35. **Culicoides praesignis Delfinado,1961** (Ceratopogonidae) Synonym(s): *praesignis Delfinado,1961* PH
36. **Culicoides radicitus Delfinado,1961** (Ceratopogonidae) Synonym(s): *radicitus Delfinado,1961* PH
37. **Deroplatys philippina Werner,1922** (Mantidae) Synonym(s): *philippina Werner,1922* PH
38. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia Walker,1846* AU NSw QAu IN Up Pj PH ZA TW ZM
39. **Dirhinus auratus Ashmead,1905** (Chalcididae) Synonym(s): *auratus Ashmead,1905* IN Up Ben LA MU PK PH LK TW TH VN
40. **Ducetia japonica (Thunberg,1815)** (Tettigoniidae) Synonym(s): *japonica Thunberg,1815; quinquenervis Haan,1842; lanceolatum Walker,1859; neochlora Walker,1869; privata Walker,1869; adspersa Brunner von Wattenwyl,1878* IN LK CN KP KR JP TW PH
41. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemii Robineau-Desvoidy,1830; daronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
42. **Eocanthecona eburnea Bergroth,1915** (Pentatomidae) Synonym(s): *eburnea Bergroth,1915* PH Luz
43. **Eocanthecona furcellata (Wolff,1801)** (Pentatomidae) Synonym(s): *furcellata Wolff,1801; armigera Herrich-Schäffer,1844* PH IN LK MM ID Ja Mlc BD TW CN TH JP
44. **Eocanthecona latipes (Stal,1871)** (Pentatomidae) Synonym(s): *latipes Stal,1871* PH
45. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta Distant,1879* IN PG PH LK CN AU ID Ja Sum
46. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
47. **Euchirus dupontianus Burmeister,1841** (Scarabaeidae) Synonym(s): *dupontianus Burmeister,1841; quadrilineatus Waterhouse,1841* PH Luz Mar Mno ID Ja
48. **Euchomenella heteroptera (De Haan,1842)** (Mantidae) Synonym(s): *heteroptera De Haan,1842* MY ID Sum Ja Bor Clb PH
49. **Geocoris pallidipennis (Costa,1843)** (Lygaeidae) Synonym(s): *pallidipennis Costa,1843; angularis Fieber,1844; colon Fieber,1844* TR ET PH
50. **Geron philippinensis Evenhuis & Arakaki,1980** (Bombyliidae) Synonym(s): *philippinensis Evenhuis & Arakaki,1980* PH
51. **Glycyphana cuculus Burmeister,1842** (Scarabaeidae) Synonym(s): *cuculus Burmeister,1842* PH
52. **Glycyphana georgievici Miksic** (Scarabaeidae) Synonym(s): PH
53. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900; borneensis Emery,1900* MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMa Dst Pbu ID Clb
54. **Gnamptogenys bulbopila Lattke,2004** (Formicidae) Synonym(s): *bulbopila Lattke,2004* PH
55. **Gnamptogenys chapmani Brown,1958** (Formicidae) Synonym(s): *chapmani Brown,1958* ID Ja MY Bor Sbh PH Neg TH
56. **Gnamptogenys costata (Emery,1889)** (Formicidae) Synonym(s): *costata Emery,1889; unicolor Forel,1901; parva Forel,1913; simalurensis Forel,1915; pinealis Wheeler,1929; wallacei Donisthorpe,1932* MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMa CDo Tng Nrt MY Bor Sbh BN Swk
57. **Gnamptogenys cribrata (Emery,1900)** (Formicidae) Synonym(s): *cribrata Emery,1900; diehlii Forel,1901; dammermani Wheeler,1924* MY Bor Sbh KBa Swk PH Neg SG TH PG ID Ja
58. **Gnamptogenys fistulosa Lattke,2004** (Formicidae) Synonym(s): *fistulosa Lattke,2004* PH Luz
59. **Gnamptogenys laevior (Forel,1905)** (Formicidae) Synonym(s): *laevior Forel,1905; avia Forel,1912; kalabit Brown,1958* MY Bor Swk Sbh ID Clb Ja PH Luz
60. **Gnamptogenys luzonensis (Wheeler,1929)** (Formicidae) Synonym(s): *luzonensis Wheeler,1929* PH Luz Neg
61. **Gnamptogenys menadensis (Mayr,1887)** (Formicidae) Synonym(s): *menadensis Mayr,1887; stylata Menozi,1925; obscura Santschi,1932* ID Clb Sum MY Pah Bor Sbh Swk PH Luz Neg PG
62. **Gnamptogenys posteropsis (Gregg,1951)** (Formicidae) Synonym(s): *posteropsis Gregg,1951* ID Sum MY Bor Sbh Swk PH Luz Neg
63. **Gonypeta rotundata Beier,1966** (Mantidae) Synonym(s): *rotundata Beier,1966* PH

64. **Gryllotalpa hirsuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *hirsuta* Burmeister,1838; *longipennis* Haan,1842; *grandis* Walker,1869; *siamensis* Giebel,1878; *sinensis* Giebel,1878 **TH ID Ja PH MM Bor IN CN**
65. **Gyranoidea flava Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *flava* Shafee, Alam & Agarwal,1975 **IN Up ID Ja Bli KE MY PH**
66. **Hierodula gigliotosi Werner,1922** (Mantidae) Synonym(s): *gigliotosi* Werner,1922 **PH**
67. **Hierodula immaculifemorata (Werner,1922)** (Mantidae) Synonym(s): *immaculifemorata* Werner,1922 **PH**
68. **Hierodula manillana Giglio-Tos,1912** (Mantidae) Synonym(s): *manillana* Giglio-Tos,1912 **PH Luz**
69. **Hierodula mindanensis Werner,1930** (Mantidae) Synonym(s): *mindanensis* Werner,1930 **PH Mno**
70. **Hierodula parviceps Stall,1877** (Mantidae) Synonym(s): *parviceps* Stall,1877 **PH**
71. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera* Audinet-Serville,1839; *bipapilla* Audinet-Serville,1839; *dispar* Kirby,1900; *saussurei* Kirby,1904 **CN TW Hw IN JP KP KR ID Ja Sba VN PH PG**
72. **Hierodula philippina Beier,1966** (Mantidae) Synonym(s): *philippina* Beier,1966 **PH**
73. **Hierodula venosa (Olivier,1792)** (Mantidae) Synonym(s): *venosa* Olivier,1792; *conspurcata* Lichtenstein,1796; *punctata* Stoll,1813; *vitrea* Stoll,1813; *hybrida* Burmeister,1838; *bankae* Giebel,1861; *similis* Giebel,1861; *daphne* Stal,1877; *athene* Rehn,1909 **MY Bor IN Ja Sum PH MM**
74. **Hierodula vitreoides Giglio-Tos,1912** (Mantidae) Synonym(s): *vitreoides* Giglio-Tos,1912 **PH ID Sda**
75. **Laloides phalaris (Osten-Sacken,1882)** (Asilidae) Synonym(s): *phalaris* Osten-Sacken,1882 **PH**
76. **Laloides pseudolus (Osten-Sacken,1882)** (Asilidae) Synonym(s): *pseudolus* Osten-Sacken,1882 **PH**
77. **Mesopteryx alata Saussure,1870** (Mantidae) Synonym(s): *alata* Saussure,1870 **CN IN PH**
78. **Milichiella bakeri Aldrich,1931** (Milichiidae) Synonym(s): *bakeri* Aldrich,1931 **PH Luz TW**
79. **Mnemosyne philippina Stål,1870** (Cixiidae) Synonym(s): **PH**
80. **Musca inferior Stein,1909** (Muscidae) Synonym(s): *inferior* Stein,1909 **IN MM MY Bor ID Clb LK CN Flo TW Ass Ja Lb NP PH Luz Ley Mno Sum Sba VN**
81. **Myndus palawanensis Muir,1923** (Cixiidae) Synonym(s): *palawanensis* Muir,1923 **PH Pal**
82. **Myrcinus aspera (Stal,1877)** (Mantidae) Synonym(s): *aspera* Stal,1877 **PH**
83. **Neomyia claripennis (Malloch,1923)** (Muscidae) Synonym(s): *claripennis* Malloch,1923 **MT Bor MM CN LK ID Flo Ja Lb Sum Sbw PH Pal NP IN SI Ass TW**
84. **Neomyia coeruleifrons (Macquart,1851)** (Muscidae) Synonym(s): *coeruleifrons* Macquart,1851 **MY Bor MM LK ID Flo Ja Lb Sum PH JP Ry NP LA IN Ass Up TW**
85. **Neomyia diffidens (Walker,1856)** (Muscidae) Synonym(s): *diffidens* Walker,1856 **MY Bor MM ID Clb Sum Ja PH VN TH PH Mdo IN Ass Up LK CN**
86. **Neomyia indica (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *indica* Robineau-Desvoidy,1830 **IN TH MY Bor MM LK CN ID Flo Ja Sum TW IN Ass Hp Up LA Lb PH Pal Ry Sbw**
87. **Neomyia lauta (Wiedemann,1830)** (Muscidae) Synonym(s): *lauta* Wiedemann,1830 **MY Bor LK CN ID Flo Ja Sum TW IN Ass Hp Up Ben Ja LA TH Lb NP PK PH Luz Pal Ry**
88. **Ommatius philippinus Koçak & Kemal,2008** (Asilidae) Synonym(s): *nanus* Walker,1861 nec *Wlk.*,1851; *philippinus* Koçak & Kemal,2008 **Ommatius philippinus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro nanus Walker,1861 nec Walker,1851). PH ID Ij**
89. **Oncotympana pallidiventris (Stal,1870)** (Cicadidae) Synonym(s): *pallidiventris* Stal,1870 **PH**
90. **Oncotympana viridicincta (Stal,1870)** (Cicadidae) Synonym(s): *viridicincta* Stal,1870 **PH**
91. **Onthophagus (Gibbonthophagus) limbatus (Herbst)** (Scarabaeidae) Synonym(s): **PH**
92. **Orthetrum chrysis (Selys,1891)** (Libellulidae) Synonym(s): *chrysis* Selys,1891 **CN Hn IN LK MM MY TH PH SG Bor Sbh**
93. **Orthetrum glaucum (Brauer,1865)** (Libellulidae) Synonym(s): *glaucum* Brauer,1865 **CN ID IN JP LK MM MY TH PH VN TW Bor Sbh**
94. **Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina* Drury,1770 **TR SY Cc CN Hn ID IN JP KG LA LK MM MY PH TH TW VN RU Bor Sbh**
95. **Orthetrum testaceum (Burmeister,1839)** (Libellulidae) Synonym(s): *testaceum* Burmeister,1839 **CN Hn MM MY TH PH TW VN Bor Sbh**
96. **Parastasia nigriceps Westwood,1841** (Scarabaeidae) Synonym(s): *nigriceps* Westwood,1841 **PH**
97. **Pedinotus (Eopedinotus) inopinatus Belokobylskij,2004** (Braconidae) Synonym(s): *inopinatus* Belokobylskij,2004 **PH Mno**
98. **Phyllothelys bakeri Werner,1922** (Mantidae) Synonym(s): *bakeri* Werner,1922 **PH**
99. **Platynopus dalpadoides (Vollenhoven,1867)** (Pentatomidae) Synonym(s): *dalpadoides* Vollenhoven,1867; *tagalicus* Stal,1870 **PH ID Mlc**

100. **Platynopus melanoleucus (Westwood,1837)** (Pentatomidae) Synonym(s): *melanoleucus* Westwood,1837; *varius* Amyot & Serville,1843; *polygraphus* Walker,1867 **ID Ja Crm Mlc Clb Sum PH TW**
101. **Promachus pacificus Koçak & Kemal,2008** (Asilidae) Synonym(s): *maculosus* Macquart,1834 nec Harr.,1776; *pacificus* Koçak & Kemal,2008 **Promachus pacificus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro maculosus Macquart,1834 nec Harris,1776). PH**
102. **Protacheron philippinensis (Van der Weele,1904)** (Ascalaphidae) Synonym(s): *philippinensis* Van der Weele,1904 **IN PH**
103. **Protidricerus philippinensis (Esben Petersen,1927)** (Ascalaphidae) Synonym(s): *philippinensis* Esben Petersen,1927 **PH**
104. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
105. **Rhombodera ornatipes Werner,1922** (Mantidae) Synonym(s): *ornatipes* Werner,1922 **PH**
106. **Rhombodera palawanensis (Beier,1966)** (Mantidae) Synonym(s): *palawanensis* Beier,1966 **PH Pal**
107. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum* Walker,1851; *tenebrosus* Walker,1851; *perforatus* Walker,1851; *guttatus* Walker,1851; *marginalis* Walker,1851; *malaya* Stal,1854; *posterus* Walker,1857; *splendida* Spinola,1860; *rufifrons* Walker,1870 **Flatoides speculum Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.). CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMA Cu05 Cu07 VN PH Luz**
108. **Statilia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 **AU PG NC IN ID Clb Sba Tim PH GH GN ZR**
109. **Statilia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
110. **Statilia nemoralis (Saussure,1870)** (Mantidae) Synonym(s): *nemoralis* Saussure,1870; *orientalis* Saussure,1870; *nobilis* Brunner von Wattenwyl,1892 **IN VN CN KP KR JP MM MY Bor ID Sum Ja PH**
111. **Statilia pallida Werner,1922** (Mantidae) Synonym(s): *pallida* Werner,1922 **PH**
112. **Stilbotes semperi Stal,1871** (Pentatomidae) Synonym(s): *semperi* Stal,1871 **PH**
113. **Suhpalasca reducta Banks,1931** (Ascalaphidae) Synonym(s): *reducta* Banks,1931 **PH**
114. **Supholomitus malayanus (McLachan,1871)** (Ascalaphidae) Synonym(s): *malayanus* McLachan,1871 **ID Clb Ja PH**
115. **Systropus (s.str.) sphegoides Walker,1859** (Bombyliidae) Synonym(s): *sphegoides* Walker,1859; *sphecoides* Bezzi,1905 **PH**
116. **Systropus (s.str.) valdezi Bezzi,1917** (Bombyliidae) Synonym(s): *valdezi* Bezzi,1917 **PH**
117. **Systropus (s.str.) violascens (Enderlein,1926)** (Bombyliidae) Synonym(s): *violascens* Enderlein,1926 **ID Sum PH**
118. **Tagalomantis manillensis (Saussure,1870)** (Mantidae) Synonym(s): *manillensis* Saussure,1870 **PH**
119. **Tamolonica phryne (Stal,1877)** (Mantidae) Synonym(s): *phryne* Stal,1877 **PH**
120. **Tenodera aridifolia (Stoll,1813)** (Mantidae) Synonym(s): *aridifolia* Stoll,1813; *brevicollis* Beier,1933; *chloreudeta* Burmeister,1838; *japonica* Saussure,1869 **IN CN TW MM MY ID Sum Ja Lb Flo Sba Clb Bor PH Pal Mno**
121. **Tenodera fasciata (Olivier,1792)** (Mantidae) Synonym(s): *fasciata* Olivier,1792; *attenuata* Stoll,1813; *leptelytra* Lichtenstein,1802; *excissata* Audinet-Serville,1839 **IN LK CN MM TH MY Bor ID Ja Flo Sba Mlc Clb PH**
122. **Tenodera philippina Beier,1929** (Mantidae) Synonym(s): *philippina* Beier,1929 **PH**
123. **Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti* Lefebvre,1835; *sanguinolentus* Spinola,1844; *girodi* Chevrolat,1880; *tabacci* Matsumura,1935 **DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd**
124. **Villa abeilla Hull,1973** (Bombyliidae) Synonym(s): *abeilla* Hull,1973 **ID Clb PH**
125. **Villa lepidopyga Evenhuis & Arakaki,1980** (Bombyliidae) Synonym(s): *lepidopyga* Evenhuis & Arakaki,1980 **PH**

Synonymic and distributional list of the pterygot insects of Papua New Guinea (Results of the Entomofauna of the World based upon info-system of the Cesa)

33

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of the Papua New Guinea (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 33. *Priamus* (suppl.) 18: 1781-1785.

In this study, totally 126 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of the Papua New Guinea recorded in info-sytem of the Cesa, total pterygot species of the Papua New Guinea increase to 1886.

Key words: List, distribution, *pterygota*, *Insecta*, Papua New Guinea.

Brief explanatory information:

Previously published article	yes ⁶⁰
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 126 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1760 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 1886.

The study is still continuing, and the new results will be published within this Project.

1. **Amorphoscelis papua Werner,1923** (Amorphoscelidae) Synonym(s): *papua Werner,1923* **PG**
2. **Amyotea erythromela (Walker,1868)** (Pentatomidae) Synonym(s): *erythromela Walker,1868; praecipua Walker,1868; pyrophila Walker,1868; carnifex Vollenhoven,1868; praecipuus Stal,1870* **ID Mlc PG AU**
3. **Amyotea glaucolimbata (Tryon,1892)** (Pentatomidae) Synonym(s): *glaucolimbata Tryon,1892* **PG Bsm**
4. **Amyotea hamata (Walker,1868)** (Pentatomidae) Synonym(s): *hamata Walker,1868; saturata Walker,1868; distigma Vollenhoven,1868* **PG ID Crm Amb AU**
5. **Amyotea malabarica (Fabricius,1775)** (Pentatomidae) Synonym(s): *malabarica Fabricius,1775; macrans Fabricius,1781; oculatus Fabricius,1798 (praeocc.); argus Fabricius,1803; dystercoides Ellenreider,1862; nigripes Ellenreider,1862; rubrocincta Breddin,1899; rufus Azim & Shafee,1982* **BD MY Bor MM ID Clb Ja Sum IN LK CN JP PH PG TW**
6. **Amyotea micans (Distant,1888)** (Pentatomidae) Synonym(s): *micans Distant,1888* **PG**

⁶⁰ Koçak, A. Ö. & Y. Hüseyinoğlu, 2008, Nomenclatural notes on the genus group names in the order Diptera (Tabanidae, Sciaridae). *Cent. ent. Stud., Misc. Pap.* 143: 1-2.- Koçak, A.Ö. & M. Kemal, 2008, Nomenclatural notes on the genus group names in the order Hymenoptera (Chalcidoidea). *Cent. ent. Stud., Misc. Pap.* 143: 3-7.- Koçak,A.Ö. & M. Kemal, 2009, A replacement name in the family *Neriidae* (Diptera). *Cent. ent. Stud.,Misc. Pap.* 147-148: 11-12. – etc.

7. **Amyotea reciproca (Walker,1868)** (Pentatomidae) Synonym(s): *reciproca* Walker,1868; *megaspilus* Walker,1868; *bernsteinii* Vollenhoven,1868 **PG ID Mlc**
8. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 **AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH**
9. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
10. **Anthrax melania Wulp,1885** (Bombyliidae) Synonym(s): *melania* Wulp,1885 **ID Ja PG**
11. **Archimantis sobrina Saussure,1872** (Mantidae) Synonym(s): *sobrina* Saussure,1872; *minor* Giglio-Tos,1917 **PG**
12. **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853 **TR SY IQ SA IN Ass Hp Up Oi Ben LK BD MY PH ID Mlc PG**
13. **Austrovas papua Milledge,1997** (Mantidae) Synonym(s): *papua* Milledge,1997 **PG**
14. **Bouceka⁶¹ percaudata (Boucek,1988)** (Agaonidae) Synonym(s): *percaudata* Boucek,1988 **PG**
15. **Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): *albicrus* Klug,1834; *amphissa* Walker,1846; *responsator* Walker,1862; *indica* Mani,1935 **EG ET IN NP PG PK SO IL Pa**
16. **Brachyrhopala (Pacifocesa)⁶² anomala Clements,2000** (Asilidae) Synonym(s): *anomala* Clements,2000 **AU PG**
17. **Brachyrhopala (Pacifocesa) antennata Clements,2000** (Asilidae) Synonym(s): *antennata* Clements,2000 **AU PG**
18. **Brachyrhopala (Pacifocesa) brunnea Clements,2000** (Asilidae) Synonym(s): *brunnea* Clements,2000 **PG SB**
19. **Brachyrhopala (Pacifocesa) grandis Clements,2000** (Asilidae) Synonym(s): *grandis* Clements,2000 **PG ID Ij**
20. **Brachyrhopala (Pacifocesa) melaena Clements,2000** (Asilidae) Synonym(s): *melaena* Clements,2000 **AU NSw ID Ij PG**
21. **Brachyrhopala (Pacifocesa) mutabilis Clements,2000** (Asilidae) Synonym(s): *mutabilis* Clements,2000 **PG**
22. **Brachyrhopala (Pacifocesa) soluta (Walker,1861)** (Asilidae) Synonym(s): *soluta* Walker,1861 **ID PG SB**
23. **Brachyrhopala (Pacifocesa) unifasciata Clements,2000** (Asilidae) Synonym(s): *unifasciata* Clements,2000 **PG**
24. **Cesabasis⁶³ anomala (Mackerras & Rageau,1958)** (Tabanidae) Synonym(s): *anomala* Mackerras & Rageau,1958 **PG**
25. **Cesabasis melliccallosa (Mackerras & Rageau,1958)** (Tabanidae) Synonym(s): *melliccallosa* Mackerras & Rageau,1958 **PG SB**
26. **Cesapapua⁶⁴ scrobifera (Richards,1973)** (Sphaeroceridae) Synonym(s): *scrobifera* Richards,1973 **PG**
27. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
28. **Culicoides ardleyi Tokunaga,1962** (Ceratopogonidae) Synonym(s): *ardleyi* Tokunaga,1962 **PG**
29. **Culicoides australiensis Kieffer,1917** (Ceratopogonidae) Synonym(s): *australiensis* Kieffer,1917 **PG**
30. **Culicoides bougainvillae Tokunaga,1962** (Ceratopogonidae) Synonym(s): *bougainvillae* Tokunaga,1962 **PG**
31. **Culicoides costalis Tokunaga,1963** (Ceratopogonidae) Synonym(s): *costalis* Tokunaga,1963 **PG**
32. **Culicoides crassus Tokunaga,1962** (Ceratopogonidae) Synonym(s): *crassus* Tokunaga,1962 **PG**
33. **Culicoides dikhros Tokunaga,1962** (Ceratopogonidae) Synonym(s): *dikhros* Tokunaga,1962 **PG**
34. **Culicoides elizabethae Dyce & Wirth,1997** (Ceratopogonidae) Synonym(s): *elizabethae* Dyce & Wirth,1997 **PG**
35. **Culicoides flavidorsalis Tokunaga,1959** (Ceratopogonidae) Synonym(s): *flavidorsalis* Tokunaga,1959 **PG**

⁶¹ genus name established by the authors.

⁶² subgenus name established by the authors.

⁶³ genus name established by the authors.

⁶⁴ genus name established by the authors.

36. **Culicoides flaviscriptus Tokunaga,1959** (Ceratopogonidae) Synonym(s): *flaviscriptus Tokunaga,1959* PG
37. **Culicoides fragmentum Tokunaga,1962** (Ceratopogonidae) Synonym(s): *fragmentum Tokunaga,1962* PG
38. **Culicoides hyalinus Tokunaga,1962** (Ceratopogonidae) Synonym(s): *hyalinus Tokunaga,1962* PG
39. **Culicoides inflatipalpis Tokunaga,1963** (Ceratopogonidae) Synonym(s): *inflatipalpis Tokunaga,1963* PG
40. **Culicoides jimmiensis Tokunaga,1959** (Ceratopogonidae) Synonym(s): *jimmiensis Tokunaga,1959* PG
41. **Culicoides leei Tokunaga,1960** (Ceratopogonidae) Synonym(s): *leei Tokunaga,1960* PG
42. **Culicoides longiradialis Tokunaga,1962** (Ceratopogonidae) Synonym(s): *longiradialis Tokunaga,1962* PG
43. **Culicoides magnipictus Tokunaga,1962** (Ceratopogonidae) Synonym(s): *magnipictus Tokunaga,1962* PG
44. **Culicoides monothecalis Tokunaga,1962** (Ceratopogonidae) Synonym(s): *monothecalis Tokunaga,1962* PG
45. **Culicoides multinotatae Tokunaga,1962** (Ceratopogonidae) Synonym(s): *multinotatae Tokunaga,1962* PG
46. **Culicoides neomelanesiae Tokunaga,1963** (Ceratopogonidae) Synonym(s): *neomelanesiae Tokunaga,1963* PG
47. **Culicoides neopalpalis Tokunaga,1962** (Ceratopogonidae) Synonym(s): *neopalpalis Tokunaga,1962* PG
48. **Culicoides novairelandi Tokunaga,1962** (Ceratopogonidae) Synonym(s): *novairelandi Tokunaga,1962* PG
49. **Culicoides pallidimaculosus Tokunaga,1959** (Ceratopogonidae) Synonym(s): *pallidimaculosus Tokunaga,1959* PG
50. **Culicoides pallidizonatus Tokunaga,1963** (Ceratopogonidae) Synonym(s): *pallidizonatus Tokunaga,1963* PG
51. **Culicoides papuae Tokunaga,1962** (Ceratopogonidae) Synonym(s): *papuae Tokunaga,1962* PG⁶⁵
52. **Culicoides papuensis Tokunaga,1962** (Ceratopogonidae) Synonym(s): *papuensis Tokunaga,1962* PG
53. **Culicoides parviscriptus Tokunaga,1959** (Ceratopogonidae) Synonym(s): *parviscriptus Tokunaga,1959* PG
54. **Culicoides paulipictus Tokunaga,1977** (Ceratopogonidae) Synonym(s): *paulipictus Tokunaga,1977* PG
55. **Culicoides petersi Tokunaga,1962** (Ceratopogonidae) Synonym(s): *petersi Tokunaga,1962* PG
56. **Culicoides unisetiferus Tokunaga,1959** (Ceratopogonidae) Synonym(s): *unisetiferus Tokunaga,1959* PG
57. **Dasyopogon australicus Koçak & Kemal,2008** (Asilidae)⁶⁶ Synonym(s): *nigripennis Macquart,1848 nec Meig.,1820; australicus Koçak & Kemal,2008* **Dasyopogon australicus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 10 (nomen novum pro nigripennis Macquart,1848 nec Meig.,1820).** PG
58. **Deroplatus trigonodera Westwood,1889** (Mantidae) Synonym(s): *trigonodera Westwood,1889* MY ID Sum PG
59. **Deroplatus truncata (Guérin-Méneville,1843)** (Mantidae) Synonym(s): *truncata Guérin-Méneville,1843; siccifolium Saussure,1870* MY ID Sum Ja PG
60. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta Distant,1879* IN PG PH LK CN AU ID Ja Sum
61. **Epidapus (Zuhalia)⁶⁷ longicubitalis Mohrig,2004** (Sciaridae) Synonym(s): *longicubitalis Mohrig,2004* PG
62. **Epidapus (Zuhalia) pellitus Mohrig,2004** (Sciaridae) Synonym(s): *pellitus Mohrig,2004* PG
63. **Epidapus (Zuhalia) primus Mohrig,2004** (Sciaridae) Synonym(s): *primus Mohrig,2004* PG
64. **Epidapus (Zuhalia) quinquespinus Mohrig,2004** (Sciaridae) Synonym(s): *quinquespinus Mohrig,2004* PG
65. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG

⁶⁶ specific name established by the authors.

⁶⁷ subgenus name established by the authors.

66. **Glyptomorpha gracilis (Szepligeti,1901)** (Braconidae) Synonym(s): *gracilis Szepligeti,1901* TR PG HU
67. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900; borneensis Emery,1900* MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMA Dst Pbu ID Clb
68. **Gnamptogenys biroi (Emery,1901)** (Formicidae) Synonym(s): *biroi Emery,1901* PG AU QAU
69. **Gnamptogenys cribrata (Emery,1900)** (Formicidae) Synonym(s): *cribrata Emery,1900; diehlii Forel,1901; dammermani Wheeler,1924* MY Bor Sbh KBa Swk PH Neg SG TH PG ID Ja
70. **Gnamptogenys epinotalis (Emery,1897)** (Formicidae) Synonym(s): *epinotalis Emery,1897* PG
71. **Gnamptogenys grammodes Brown,1958** (Formicidae) Synonym(s): *grammodes Brown,1958* PG
72. **Gnamptogenys macretes Brown,1958** (Formicidae) Synonym(s): *macretes Brown,1958* PG
73. **Gnamptogenys major (Emery,1901)** (Formicidae) Synonym(s): *major Emery,1901* PG
74. **Gnamptogenys menadensis (Mayr,1887)** (Formicidae) Synonym(s): *menadensis Mayr,1887; stylata Menozi,1925; obscura Santschi,1932* ID Clb Sum MY Pah Bor Sbh Swk PH Luz Neg PG
75. **Gnamptogenys niuguinense Lattke,2004** (Formicidae) Synonym(s): *niuguinense Lattke,2004* PG
76. **Gnamptogenys preciosa Lattke,2004** (Formicidae) Synonym(s): *preciosa Lattke,2004* PG
77. **Guinea kukensis (Boucek,1988)** (Pteromalidae) Synonym(s): *kukensis Boucek,1988* PG
78. **Haplogenius neoguineensis Navas,1913** (Ascalaphidae) Synonym(s): *neoguineensis Navas,1913; #neognineensis Navas,1913* PG
79. **Hierodula ansusana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *ansusana Giglio-Tos,1912* PG
80. **Hierodula aruana Westwood,1889** (Mantidae) Synonym(s): *aruana Westwood,1889* PG ID Aru
81. **Hierodula biaka Deelmann & Reinhold,1957** (Mantidae) Synonym(s): *biaka Deelmann & Reinhold,1957* PG
82. **Hierodula jobina (Giglio-Tos,1912)** (Mantidae) Synonym(s): *jobina Giglio-Tos,1912* PG
83. **Hierodula kapaurana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *kapaurana Giglio-Tos,1912* PG
84. **Hierodula lamasonga (Giglio-Tos,1912)** (Mantidae) Synonym(s): *lamasonga Giglio-Tos,1912* PG
85. **Hierodula monochroa (Montrouzier,1855)** (Mantidae) Synonym(s): *monochroa Montrouzier,1855* PG
86. **Hierodula papua Werner,1928** (Mantidae) Synonym(s): *papua Werner,1928* PG
87. **Hierodula patellifera (Audinet-Serville,1839)** (Mantidae) Synonym(s): *patellifera Audinet-Serville,1839; bipapilla Audinet-Serville,1839; dispar Kirby,1900; saussurei Kirby,1904* CN TW Hw IN JP KP KR ID Ja Sba VN PH PG
88. **Hierodula pulchra (Giglio-Tos,1912)** (Mantidae) Synonym(s): *pulchra Giglio-Tos,1912* PG
89. **Hierodula pygmaea (Werner,1933)** (Mantidae) Synonym(s): *pygmaea Werner,1933* ID Ij PG
90. **Hierodula ralumina Giglio-Tos,1917** (Mantidae) Synonym(s): *ralumina Giglio-Tos,1917* PG
91. **Hierodula schultzei (Giglio-Tos,1912)** (Mantidae) Synonym(s): *schultzei Giglio-Tos,1912; brevis Giglio-Tos;1912* PG
92. **Hierodula simbangana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *simbangana Giglio-Tos,1912* PG
93. **Hierodula sorongana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *sorongana Giglio-Tos,1912; squalida Beier,1965* PG
94. **Hierodula sternosticta (Wood-Mason,1882)** (Mantidae) Synonym(s): *sternosticta Wood-Mason,1882; biroi Brancsik,1897; punctipectus Brunner von Wattenwyl,1898; coxalis Werner,1933* AU PG NBr
95. **Hierodula szentivanyi Beier,1965** (Mantidae) Synonym(s): *szentivanyi Beier,1965* PG
96. **Indonesicesa⁶⁸ annulipes (Doleschall,1857)** (Neriidae) Synonym(s): *annulipes Doleschall,1857* ID Ij PG
97. **Indonesicesa mantoides (Walker,1861)** (Neriidae) Synonym(s): *mantoides Walker,1861* ID Ij PG
98. **Mantis octospilota Westwood,1889** (Mantidae) Synonym(s): *octospilota Westwood,1889* AU PG
99. **Montrouzieriellus falleni (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *falleni Guérin-Méneville,1831; melacanthum Boisduval,1835; tenellus Walker,1867; apicalis Vollenhoven,1868; biguttata Vollenhoven,1868* PG Adl AU Bsm FJ ID Mlc NC MH NH WS SB Tah Glb Cro
100. **Montrouzieriellus inermis (Schouteden,1907)** (Pentatomidae) Synonym(s): *inermis Schouteden,1907* PG

⁶⁸ genus name established by the authors.

101. **Montrouzieriellus laetus (Walker,1867)** (Pentatomidae) Synonym(s): *laetus* Walker,1867; *dotatus* Walker,1867; *semiscitus* Walker,1867; *decorata* Vollenhoven,1868 **ID Clb MY PG Mlc**
102. **Muhabbetella**⁶⁹ **exigera (Boucek,1988)** (Chalcididae) Synonym(s): *exigera* Boucek,1988 **PG**
103. **Orthodera burmeisteri Wood-Mason,1889** (Mantidae) Synonym(s): *burmeisteri* Wood-Mason,1889; *longicollis* Brancsik,1897 **AU NZ PG**
104. **Promachus oceanius Koçak & Kemal,2008** (Asilidae)⁷⁰ Synonym(s): *rufipes* Macquart,1848 nec Fabr.,1775; *oceanius* Koçak & Kemal,2008 **Promachus oceanius Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro rufipes Macquart,1848 nec Fabricius,1775). PG**
105. **Rhombodera boschmai (Deeleman & Reinhold,1957)** (Mantidae) Synonym(s): *boschmai* Deeleman & Reinhold,1957 **PG**
106. **Rhombodera morokana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *morokana* Giglio-Tos,1912 **PG**
107. **Rhombodera papuana Werner,1929** (Mantidae) Synonym(s): *papuana* Werner,1929 **PG**
108. **Sarcophaga (Alisarcophaga) gressitti Hall & Bohart,1948** (Sarcophagidae) Synonym(s): *gressitti* Hall & Bohart,1948 **GU PG Bo Hw KI MH MP**
109. **Sphodropoda papua Beier,1965** (Mantidae) Synonym(s): *papua* Beier,1965 **PG SB**
110. **Staltia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 **AU PG NC IN ID Clb Sba Tim PH GH GN ZR**
111. **Staltia maculata (Thunberg,1784)** (Mantidae) Synonym(s): *maculata* Thunberg,1784 **IN LK NP CN JP MM TH MY ID Ja Sum Bor PH Pal PG**
112. **Tamolanica andaina Giglio-Tos,1912** (Mantidae) Synonym(s): *andaina* Giglio-Tos,1912 **PG**
113. **Tamolanica denticulata (Krauss,1902)** (Mantidae) Synonym(s): *denticulata* Krauss,1902 **PG**
114. **Tamolanica dilena (Giglio-Tos,1912)** (Mantidae) Synonym(s): *dilena* Giglio-Tos,1912 **PG**
115. **Tamolanica katauana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *katauana* Giglio-Tos,1912 **PG**
116. **Tamolanica leopoldi (Werner,1930)** (Mantidae) Synonym(s): *leopoldi* Werner,1930 **PG Aro ID Aru**
117. **Tamolanica pectoralis (Westwood,1889)** (Mantidae) Synonym(s): *pectoralis* Westwood,1889 **PG**
118. **Tamolanica splendida (Hebard,1920)** (Mantidae) Synonym(s): *splendida* Hebard,1920 **PG**
119. **Tamolanica tamolana (Brancsik,1897)** (Mantidae) Synonym(s): *tamolana* Brancsik,1897 **PG**
120. **Tarachomantis betanimena (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *betanimena* Saussure & Zehntner,1895 **PG**
121. **Tenodera australasiae (Leach,1814)** (Mantidae) Synonym(s): *australasiae* Leach,1814; *darchii* Mac Leay,1827; *tessellata* Burmeister,1838; *intermedia* Saussure,1870 **ZA GU MY Re PG Bsm NBr AU**
122. **Tenodera blanchardi Giglio-Tos,1912** (Mantidae) Synonym(s): *?fusca* Blanchard,1853; *blanchardi* Giglio-Tos,1912; **AU PG Bsm Bor MY IN ID Mlc Clb**
123. **Vidalia bicolor Hardy,1987** (Tephritidae) Synonym(s): *bicolor* Hardy,1987 **PG**
124. **Vidalia buloloae (Malloch,1939)** (Tephritidae) Synonym(s): *buloloae* Malloch,1939 **PG**
125. **Villa pretendens (Walker,1859)** (Bombyliidae) Synonym(s): *pretendens* Walker,1859 **ID Clb PG**
126. **Villa troglodyta (Fabricius,1775)** (Bombyliidae) Synonym(s): *troglodyta* Fabricius,1775 **IN PG**

⁶⁹ genus name established by the author.

⁷⁰ specific name established by the authors.

Synonymic and distributional list of the pterygot insects of New Caledonia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

34

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of New Caledonia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 34. *Priamus* (suppl.) 18: 1786-1787.

In this study, totally 11 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of New Caledonia recorded in info-sytem of the Cesa, total pterygot species of New Caledonia increase to 562.

Key words: List, distribution, *pterygota*, *Insecta*, New Caledonia.

Brief explanatory information:

Previously published article	yes ⁷¹
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 11 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 551 recorded species of *Lepidoptera* from New Caledonia are found. Taking this information into consideration, total number of the pterygots may increase to 562.

The study is still continuing, and the new results will be published within this Project.

1. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula Chaudoir,1850* AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
2. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum Fabricius,1792* AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
3. **Ealda minax Walker,1867** (Pentatomidae) Synonym(s): *minax Walker,1867* NC
4. **Montrouzieriellus falleni (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *falleni Guérin-Méneville,1831; melacanthum Boisduval,1835; tenellus Walker,1867; apicalis Vollenhoven,1868; biguttata Vollenhoven,1868* PG Adl AU Bsm FJ ID Mlc NC MH NH WS SB Tah Glb Cro
5. **Notomantis brunneana (Saussure,1871)** (Mantidae) Synonym(s): *brunneana Saussure,1871* NC

⁷¹ Koçak,A.Ö. & M.Kemal, 2010, Generic replacement names in the family and *Derbidae* from New Caledonia and Australia (*Homoptera*). *Priamus* 12 (6): 154.

6. **Sarcophaga (Caledonicesa)** ⁷² **caledonia** Pape,1996 (Sarcophagidae) Synonym(s): *petiolata* Curran,1929 nec Pandellé,1896; *caledonia* Pape,1996 NC
7. **Statilia apicalis** (Saussure,1871) (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 AU PG NC IN ID Clb Sba Tim PH GH GN ZR
8. **Suhpalasca caledon** McLachan,1871 (Ascalaphidae) Synonym(s): *caledon* McLachan,1871 NC
9. **Systole foeniculi** Otten,1941 (Eurytomidae) Synonym(s): *foeniculi* Otten,1941 IR AF BG NC NZ
10. **Tachytrechus tessellatus** (Macquart,1842) (Dolichopodidae) Synonym(s): *tessellatus* Macquart,1842; *indirectus* Walker,1849; *picticornis* Bigot,1890; *salinarius* Becker,1902; *seychellensis* Lamb,1922; *capensis* Curran,1924; *ponderosus* Frey,1958 ZA SC IL Pa EG YE Sk NC
11. **Tenodera costalis** (Blanchard,1853) (Mantidae) Synonym(s): *costalis* Blanchard,1853 ID Crm Clb NC

⁷² genus name established by the authors.

Synonymic and distributional list of the pterygot insects of Australia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

35

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Australia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 35. *Priamus* (suppl.) 18: 1788-1795.

In this study, totally 205 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Australia recorded in info-system of the Cesa, total pterygot species of Australia increase to 3442.

Key words: List, distribution, *pterygota*, *Insecta*, Australia.

Brief explanatory information:

Previously published article	yes ⁷³
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 205 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3137 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygot species may increase to 3442.

The study is still continuing, and the new results will be published within this Project.

1. **Abrophila whitei Daniels,1987** (Asilidae) Synonym(s): *aureus* White,1918 nec Olivier,1789; *whitei* Daniels,1987 **AU NSw QAU**
2. **Acrodactyla quadrisculpta (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadrisculpta* Gravenhorst,1829 **AU TR**

⁷³ Koçak,A.Ö. & M.Kemal, 2005, Nomenclature note on the Australic Geometridae (Lepidoptera). *Cent. ent. Stud.*, *Priamus* 11 (3): 59-60. - Kemal,M. & A.Ö.Koçak, 2006, Nomenclatural notes on the Australic Lepidoptera. *Cent. ent. Stud.*, *Misc. Pap.* 100: 6-7.- Koçak,A.Ö. & Y.Hüseyinoğlu,2008, Nomenclatural notes on the genus group names in the order *Diptera* (*Tabanidae*, *Sciaridae*). *Cent. ent. Stud.*, *Misc. Pap.* 143: 1-2.- Koçak,A.Ö. & M.Kemal,2008, Nomenclatural notes on the genus group names in the order *Hymenoptera* (*Chalcidoidea*). *Cent. ent. Stud.*, *Misc. Pap.* 143: 3-7.- Koçak,A.Ö. & M.Kemal,2008, Nomenclatural notes on some genus-group names in the order *Diptera* *Cent. ent. Stud.*, *Misc. Pap.* 144: 1-3.- Koçak,A.Ö. & M.Kemal,2008, *Cercopicesa* nom. nov., a replacement name in the family *Cercopidae* from Australia (*Homoptera*). *Cent. ent. Stud.*, *Misc. Pap.* 144: 4.- Koçak,A.Ö. & M.Kemal, 2009, A replacement name in the family *Pyrgotidae* (*Diptera*). *Cent. ent. Stud.*, *Misc. Pap.* 149: 4-5.- Koçak,A.Ö. & M.Kemal, 2010, Generic replacement names in the family and *Derbidae* from New Caledonia and Australia (*Homoptera*). *Priamus* 12 (6): 154.

3. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758 PK IN CN AU TR IT Sa
4. **Adelodus nigrocoeruleus Hermann,1912** (Asilidae) Synonym(s): *nigrocoeruleus* Hermann,1912 AU NSw
5. **Adelodus rufipes Hermann,1912** (Asilidae) Synonym(s): *rufipes* Hermann,1912 AU QAU
6. **Amorphoscelis pellucida Westwood,1889** (Amorphoscelidae) Synonym(s): *pellucida* Westwood,1889 AU ID Ja SG LK?
7. **Amphisbetetus norrisi Paramonov,1966** (Asilidae) Synonym(s): *norrisi* Paramonov,1966 AU
8. **Amphisbetetus primus Paramonov,1966** (Asilidae) Synonym(s): *primus* Paramonov,1966 AU
9. **Amphisbetetus trinotatus Paramonov,1966** (Asilidae) Synonym(s): *trinotatus* Paramonov,1966 AU AQu
10. **Amphisbetetus westralicus Paramonov,1966** (Asilidae) Synonym(s): *westralicus* Paramonov,1966 AU
11. **Amyotea erythromela (Walker,1868)** (Pentatomidae) Synonym(s): *erythromela* Walker,1868; *praecipua* Walker,1868; *pyrophila* Walker,1868; *carnifex* Vollenhoven,1868; *praecipuus* Stal,1870 ID Mlc PG AU
12. **Amyotea hamata (Walker,1868)** (Pentatomidae) Synonym(s): *hamata* Walker,1868; *saturata* Walker,1868; *distigma* Vollenhoven,1868 PG ID Crm Amb AU
13. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris* Girault,1915 IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
14. **Anagyrus thailandicus (Myartseva,1979)** (Encyrtidae) Synonym(s): *thailandicus* Myartseva,1979 AU QAU IN Ass Meg Ben ID Ja Bli Clb MY PG CN Kwa TW PH VN TH
15. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
16. **Andrenosoma dayi (Paramonov,1958)** (Asilidae) Synonym(s): *dayi* Paramonov,1958 AU QAU
17. **Andrenosoma modestum (Paramonov,1958)** (Asilidae) Synonym(s): *modestum* Paramonov,1958 AU
18. **Andrenosoma queenslandi (Ricardo,1918)** (Asilidae) Synonym(s): *queenslandi* Ricardo,1918; *maura* Paramonov,1958 AU QAU
19. **Andrenosoma tectamum (Walker,1849)** (Asilidae) Synonym(s): *tectamum* Walker,1849; *vidua* Bigot,1878 AU QAU
20. **Anthrax argentia Yeates & Lambkin,1998** (Bombyliidae) Synonym(s): *argentina* Yeates & Lambkin,1998 AU
21. **Anthrax asciculus Yeates & Lambkin,1998** (Bombyliidae) Synonym(s): *asciculus* Yeates & Lambkin,1998 AU QAU
22. **Anthrax maculata Macquart,1846** (Bombyliidae) Synonym(s): *maculata* Macquart,1846 AU TA
23. **Anthrax torulus Yeates & Lambkin,1998** (Bombyliidae) Synonym(s): *torulus* Yeates & Lambkin,1998 AU QAU
24. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae) Synonym(s): *verbasci* Linnaeus,1767 TR US AU
25. **Anthrenus (s.str.) flavipes LeConte,1854** (Dermestidae) Synonym(s): *flavipes* LeConte,1854 TR US AU
26. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881 TR AU Cc SY UZ
27. **Aphestia chalybaea Röder,1881** (Asilidae) Synonym(s): *chalybaea* Röder,1881 AU QAU
28. **Aphytis diaspidis (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971 US FI CY TR MG AU QAU
29. **Aplestobroma avidum Hull,1958** (Asilidae) Synonym(s): *avidum* Hull,1958 AU
30. **Apothechyla carbo (Walker,1851)** (Asilidae) Synonym(s): *carbo* Walker,1851 AU NSw QAU
31. **Apothechyla claripennis (Ricardo,1912)** (Asilidae) Synonym(s): *claripennis* Ricardo,1912 AU
32. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
33. **Archimantis armatus Wood-Mason,1877** (Mantidae) Synonym(s): *armatus* Wood-Mason,1877 AU
34. **Archimantis brunneriana Saussure,1871** (Mantidae) Synonym(s): *brunneriana* Saussure,1871 AU
35. **Archimantis gracilis Milledge,1997** (Mantidae) Synonym(s): *gracilis* Milledge,1997 AU

36. **Archimantis latistyla Audinet-Serville,1839** (Mantidae) Synonym(s): *latistyla Audinet-Serville,1839*; *gigantea Beier,1963* AU
37. **Archimantis monstrosa Wood-Mason,1878** (Mantidae) Synonym(s): *monstrosa Wood-Mason,1878* AU
38. **Archimantis quinquelobata (Tepper,1905)** (Mantidae) Synonym(s): *quinquelobata Tepper,1905* AU
39. **Archimantis straminea Sjöstedt,1918** (Mantidae) Synonym(s): *straminea Sjöstedt,1918* AU
40. **Archimantis vittata Milledge,1997** (Mantidae) Synonym(s): *vittata Milledge,1997* AU
41. **Attagenus (s.str.) unicolor (Brahm,1791)** (Dermeestidae) Synonym(s): *unicolor Brahm,1791* TR US AU
42. **Australicesa kohouti (Boucek,1988)** (Pteromalidae) Synonym(s): *kohouti Boucek,1988* AU QAU
43. **Australojalla versicolor (Distant,1911)** (Pentatomidae) Synonym(s): *versicolor Distant,1911* AU QAU
44. **Austromantis albomarginata Sjöstedt,1918** (Mantidae) Synonym(s): *albomarginata Sjöstedt,1918*; *gracilis Sjöstedt,1918* AU
45. **Austrovates variegata Sjöstedt,1918** (Mantidae) Synonym(s): *variegata Sjöstedt,1918* AU
46. **Bolbe lowi La Greca,1969** (Iridopterygidae) Synonym(s): *lowi La Greca,1969* AU
47. **Bolbe maia Tindale,1923** (Iridopterygidae) Synonym(s): *maia Tindale,1923* AU
48. **Bolbe nigra Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *nigra Giglio-Tos,1915* AU
49. **Bolbe pallida Tindale,1923** (Iridopterygidae) Synonym(s): *pallida Tindale,1923*; *pygmaea Saussure,1871* AU
50. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767*; *femoralis Geoffroy,1785*; *pusilla Fabricius,1787*; *saltatrix Cuvier,1833*; *brevicornis Klug,1834*; *scrobiculata Förster,1859*; *tricolor Förster,1859*; *fumata Thomson,1876*; *paraplesia Crawford,1910*; *jezoensis Matsumura,1918*... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
51. **Brachymeria podagrica (Fabricius,1787)** (Chalcididae) Synonym(s): *podagrica Fabricius,1787* CY AU
52. **Brachyrhopala (Pacifocesa) anomala Clements,2000** (Asilidae) Synonym(s): *anomala Clements,2000* AU PG
53. **Brachyrhopala (Pacifocesa) antennata Clements,2000** (Asilidae) Synonym(s): *antennata Clements,2000* AU PG
54. **Brachyrhopala (Pacifocesa) atra Clements,2000** (Asilidae) Synonym(s): *atra Clements,2000* AU QAU
55. **Brachyrhopala (Pacifocesa) bicolor Clements,2000** (Asilidae) Synonym(s): *bicolor Clements,2000* AU
56. **Brachyrhopala (Pacifocesa) melaena Clements,2000** (Asilidae) Synonym(s): *melaena Clements,2000* AU NSw ID Ij PG
57. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
58. **Bruchophagus roddei Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddei Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
59. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824*; *citriperda Mac Leay,1829*; *asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
60. **Cercopicesa chinai (Hacker,1926)** (Cercopidae) Synonym(s): *chinai Hacker,1926* AU NSw QAU TA
61. **Cermatulus nasalis (Westwood,1837)** (Pentatomidae) Synonym(s): *nasalis Westwood,1837* AU
62. **Cesabasis postica (Wiedemann,1828)** (Tabanidae) Synonym(s): *postica Wiedemann,1828* AU
63. **Cesachilus longithorax (Giordani Soika,1987)** (Vespididae) Synonym(s): *longithorax Giordani Soika,1987* AU
64. **Cicadulina zae China,1926** (Cicadellidae) Synonym(s): *zae China,1926* Cn Md CY TR AU
65. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU WAu AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
66. **Coccophagus scutellaris (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris Dalman,1826*; *australiensis Girault,1917* SE TR AU


67. **Coenomantis kraussiana (Saussure,1872)** (Mantidae) Synonym(s): *kraussiana* Saussure,1872
AU
68. **Compsothespis australiensis Wood-Mason,1889** (Mantidae) Synonym(s): *australiensis*
Wood-Mason,1889 AU
69. **Corthylomantis baldersoni Milledge,1997** (Mantidae) Synonym(s): *baldersoni* Milledge,1997
AU
70. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM
AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY
KP KR TW AU
71. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 DE
GB FI TR AT RU HU CN AU
72. **Culicoides antennalis Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *antennalis* Lee &
Reye,1953 AU NSW
73. **Culicoides austropalpalis Lee & Reye,1955** (Ceratopogonidae) Synonym(s): *palpalis* Lee &
Reye,1955 nec Macf.,1948; *austropalpalis* Lee & Reye,1955 AU
74. **Culicoides bancrofti Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *bancrofti* Lee &
Reye,1953 AU NSW
75. **Culicoides brevitarsis Kieffer,1917** (Ceratopogonidae) Synonym(s): *brevitarsis* Kieffer,1917
AU
76. **Culicoides bundyensis Lee & Reye,1955** (Ceratopogonidae) Synonym(s): *bundyensis* Lee &
Reye,1955 AU NSW
77. **Culicoides bunrooensis Lee & Reye,1955** (Ceratopogonidae) Synonym(s): *bunrooensis* Lee &
Reye,1955 AU QAU
78. **Culicoides capricorniae Dyce & Wirth,1997** (Ceratopogonidae) Synonym(s): *capricorniae*
Dyce & Wirth,1997 AU QAU
79. **Culicoides coronalis Lee & Reye,1955** (Ceratopogonidae) Synonym(s): *coronalis* Lee &
Reye,1955 AU QAU
80. **Culicoides cuniculus Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *cuniculus* Lee &
Reye,1953 AU QAU
81. **Culicoides dubiosum Dyce & Wirth,1997** (Ceratopogonidae) Synonym(s): *dubiosum* Dyce &
Wirth,1997 AU QAU
82. **Culicoides dycei Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *dycei* Lee & Reye,1953 AU
NSW
83. **Culicoides immaculatus Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *immaculatus* Lee &
Reye,1953 AU QAU
84. **Culicoides magnesianus Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *magnesianus* Lee
& Reye,1953 AU QAU
85. **Culicoides narrabeenensis Lee & Reye,1963** (Ceratopogonidae) Synonym(s): *narrabeenensis*
Lee & Reye,1963 AU NSW
86. **Culicoides nattaiensis Lee & Reye,1955** (Ceratopogonidae) Synonym(s): *nattaiensis* Lee &
Reye,1955 AU NSW
87. **Culicoides parvimaclulatus Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *parvimaclulatus*
Lee & Reye,1953 AU NSW
88. **Culicoides robertsi Lee & Reye,1953** (Ceratopogonidae) Synonym(s): *robertsi* Lee & Reye,1953
AU QAU
89. **Dasyhelea aeratipennis (Skuse,1889)** (Ceratopogonidae) Synonym(s): *aeratipennis*
Skuse,1889 AU NSW
90. **Dasyhelea decempunctata (Skuse,1889)** (Ceratopogonidae) Synonym(s): *decempunctata*
Skuse,1889 AU NSW
91. **Deiphobe australiana Giglio-Tos,1916** (Mantidae) Synonym(s): *australiana* Giglio-Tos,1916
AU
92. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia* Walker,1846 AU NSW
QAU IN Up Pj PH ZA TW ZM
93. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 AU NSW
QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
94. **Drosophila buzzatii Patterson & Wheeler,1942** (Drosophilidae) Synonym(s): *buzzatii*
Patterson & Wheeler,1942 AU TR
95. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas,1876;
australis Froggatt,1918; *frogatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947 AT BG CS
DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
96. **Eocanthecona robusta (Distant,1879)** (Pentatomidae) Synonym(s): *robusta* Distant,1879 IN
PG PH LK CN AU ID Ja Sum
97. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763;
balteatus De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina*
Wiedemann,1830; *alternana* Macquart,1842 TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN
JP DZ Cn

98. **Eristalinus (Lathyrrophthalmus) punctulatus (Macquart,1847)** (Syrphidae) Synonym(s): *punctulatus* Macquart,1847 AU NSW Syd Hw
99. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822 Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
100. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
101. **Euchomenella finoti Roy,2001** (Mantidae) Synonym(s): *finoti* Roy,2001 AU
102. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae* Fabricius,1794 TR RU Ur Sb KG Cc IR MN CN DZ AU
103. **Ezgia stylifera (Boucek,1988)** (Pteromalidae) Synonym(s): *stylifera* Boucek,1988 AU QAU
104. **Geothespis australis (Giglio-Tos,1916)** (Mantidae) Synonym(s): *australis* Giglio-Tos,1916 NA AU?
105. **Gnamptogenys biroi (Emery,1901)** (Formicidae) Synonym(s): *biroi* Emery,1901 PG AU QAU
106. **Grylloides supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans* Walker,1859 GY US CU ET PK IN RU Us KP KR JP AU
107. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica* Shafee, Alam & Agarwal,1975 IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
108. **Hierodula fuscescens (Blanchard,1853)** (Mantidae) Synonym(s): *fuscescens* Blanchard,1853 FJ AU
109. **Hierodula majuscula (Tindale,1923)** (Mantidae) Synonym(s): *majuscula* Tindale,1923 AU QAU
110. **Hierodula pustulifera (Wood-Mason,1878)** (Mantidae) Synonym(s): *pustulifera* Wood-Mason,1878 AU QAU
111. **Hierodula sternosticta (Wood-Mason,1882)** (Mantidae) Synonym(s): *sternosticta* Wood-Mason,1882; *biroi* Brancsik,1897; *punctipectus* Brunner von Wattenwyl,1898; *coxalis* Werner,1933 AU PG NBr
112. **Hierodula trimaculata (Tindale,1924)** (Mantidae) Synonym(s): *trimaculata* Tindale,1924 AU
113. **Hierodula weneri (Giglio-Tos,1912)** (Mantidae) Synonym(s): *weneri* Giglio-Tos,1912 AU ID Aru Kei
114. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902 BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
115. **Hypsicera femoralis (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *femoralis* Geoffroy,1785 TR AU TW US Hw
116. **Jaloides opulentus Distant,1911** (Pentatomidae) Synonym(s): *opulentus* Distant,1911 AU
117. **Jaloides rubricosa (Stal,1870)** (Pentatomidae) Synonym(s): *rubricosa* Stal,1870 AU
118. **Korneyevia curvinervis (Bezzi,1929)** (Pyrgotidae) Synonym(s): *curvinervis* Bezzi,1929 AU
119. **Kubilaya scalprata (Fennah,1945)** (Derbidae) Synonym(s): *scalprata* Fennah,1945 AU
120. **Kubilaya shannoni (Fennah,1945)** (Derbidae) Synonym(s): *shannoni* Fennah,1945 AU
121. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
122. **Levu vitiensis Kirkaldy,1906** (Derbidae) Synonym(s): *vitiensis* Kirkaldy,1906 FJ AU
123. **Mantis octospilota Westwood,1889** (Mantidae) Synonym(s): *octospilota* Westwood,1889 AU PG
124. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
125. **Megastigmus transvaalensis (Hussey,1956)** (Torymidae) Synonym(s): *transvaalensis* Hussey,1956; *rhusi* Hussey,1956 AU ZA Tva Lpo Cn
126. **Meselatus ficus Girault,1922** (Agaonidae) Synonym(s): *ficus* Girault,1922; *ficicola* Gahan & Feriere,1947 AU
127. **Milichia piscivora Malloch,1926** (Milichiidae) Synonym(s): *piscivora* Malloch,1926 AU QAU NSW
128. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
129. **Montrouzieriellus falleni (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *falleni* Guérin-Méneville,1831; *melaecanthum* Boisduval,1835; *tenellus* Walker,1867; *apicalis* Vollenhoven,1868; *biguttata* Vollenhoven,1868 PG Adl AU Bsm FJ ID Mlc NC MH NH WS SB Tah Glb Cro
130. **Montrouzieriellus turneri (Distant,1911)** (Pentatomidae) Synonym(s): *turneri* Distant,1911 AU
131. **Muhabbetella elegans (Boucek,1988)** (Chalcididae) Synonym(s): *elegans* Boucek,1988 AU QAU

132. **Musca domestica** Linnaeus, 1758 (Muscidae) Synonym(s): *domestica* Linnaeus, 1758 PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF
133. **Musca sorbens** Wiedemann, 1830 (Muscidae) Synonym(s): *sorbens* Wiedemann, 1830 SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
134. **Muscidifurax raptor** Girault & Sanders, 1910 (Pteromalidae) Synonym(s): *raptor* Girault & Sanders, 1910; *perplexa* Hedqvist, 1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fl Ny Tx UY UZ VE
135. **Notomantis chlorophana** Tindale, 1923 (Mantidae) Synonym(s): *chlorophana* Tindale, 1923 AU
136. **Nullabora flavoguttata** Tindale, 1923 (Mantidae) Synonym(s): *flavoguttata* Tindale, 1923 AU
137. **Oechalia schellenbergi** (Guérin-Méneville, 1831) (Pentatomidae) Synonym(s): *schellenbergi* Guérin-Méneville, 1831; *consocialis* Boisduval, 1835; *perfectus* Walker, 1867; *consocialis* Stal, 1870 AU NZ Glb FJ Tah Hw
138. **Onthophagus cuniculus** Macleay (Scarabaeidae) Synonym(s): AU
139. **Orthodera australiana** Giglio-Tos, 1917 (Mantidae) Synonym(s): *australiana* Giglio-Tos, 1917 AU NZ
140. **Orthodera burmeisteri** Wood-Mason, 1889 (Mantidae) Synonym(s): *burmeisteri* Wood-Mason, 1889; *longicollis* Brancsik, 1897 AU NZ PG
141. **Orthodera gracilis** Giglio-Tos, 1917 (Mantidae) Synonym(s): *gracilis* Giglio-Tos, 1917 AU
142. **Orthodera gunnii** (Le Guillou, 1841) (Mantidae) Synonym(s): *gunnii* Le Guillou, 1841; *marginata* Saussure, 1872 AU
143. **Orthodera ministralis** (Fabricius, 1775) (Mantidae) Synonym(s): *ministralis* Fabricius, 1775; *prasina* Burmeister, 1838; *timorensis* Werner, 1933 AU NZ Hw ID Tim
144. **Orthodera rubrocoxata** (Audinet-Serville, 1839) (Mantidae) Synonym(s): *rubrocoxata* Audinet-Serville, 1839; *hobsonii* Le Guillou, 1841; *laticollis* Brancsik, 1895 AU NZ
145. **Orthoderina fergusoniana** Werner, 1933 (Mantidae) Synonym(s): *fergusoniana* Werner, 1933 AU
146. **Orthoderina straminea** Sjöstedt, 1918 (Mantidae) Synonym(s): *straminea* Sjöstedt, 1918 AU
147. **Oscinella frit** (Linnaeus, 1758) (Chloropidae) Synonym(s): *frit* Linnaeus, 1758 GB NL DE SE AU
148. **Polistes (s.str.) dominulus** (Christ, 1791) (Vespidae) Synonym(s): *dominulus* Christ, 1791; *bucharensis* Erichson, 1949; *muchei* Gusenleitner, 1976 IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
149. **Pseudomantis albofimbriata** (Stal, 1860) (Mantidae) Synonym(s): *albofimbriata* Stal, 1860 AU
150. **Pseudomantis dimorpha** (Werner, 1911) (Mantidae) Synonym(s): *dimorpha* Werner, 1911 AU
151. **Pseudomantis hartmeyeri** (Werner, 1912) (Mantidae) Synonym(s): *hartmeyeri* Werner, 1912 AU
152. **Pseudomantis victorina** Westwood, 1889 (Mantidae) Synonym(s): *victorina* Westwood, 1889 AU
153. **Queenslandia blackburni** (Girault, 1928) (Pteromalidae) Synonym(s): *blackburni* Girault, 1928 AU QAU
154. **Rhodomantis carinicollis** (Werner, 1933) (Mantidae) Synonym(s): *carinicollis* Werner, 1933 AU
155. **Rhodomantis gracilis** Tindale, 1923 (Mantidae) Synonym(s): *gracilis* Tindale, 1923 AU
156. **Rhodomantis pulchellus** Tepper, 1904 (Mantidae) Synonym(s): *pulchellus* Tepper, 1904; *kimberleyensis* Sjöstedt, 1918 AU
157. **Rhodomantis queenslandica** Sjöstedt, 1918 (Mantidae) Synonym(s): *queenslandica* Sjöstedt, 1918 AU QAU
158. **Ribautiana tenerrima** (Herrich-Schäffer, 1834) (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer, 1834; *rubi* Hardy, 1850; *misella* Boheman, 1842; *disjuncta* Zachvatkin, 1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
159. **Sepedon plumbella** Wiedemann, 1830 (Sciomyzidae) Synonym(s): *plumbella* Wiedemann, 1830 IN TH CMa AU
160. **Sikaiana maculosa** Distant, 1907 (Derbidae) Synonym(s): *maculosa* Distant, 1907 AU
161. **Sphenella marginata** (Fallén, 1814) (Tephritidae) Synonym(s): *marginata* Fallén, 1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
162. **Sphodropoda dentifrons** (Stal, 1877) (Mantidae) Synonym(s): *dentifrons* Stal, 1877 AU
163. **Sphodropoda lepida** Milledge, 2005 (Mantidae) Synonym(s): *lepida* Milledge, 2005 AU
164. **Sphodropoda loripes** Tindale, 1923 (Mantidae) Synonym(s): *loripes* Tindale, 1923 AU
165. **Sphodropoda mjoebergi** Sjöstedt, 1918 (Mantidae) Synonym(s): *mjoebergi* Sjöstedt, 1918 AU
166. **Sphodropoda moesta** Giglio-Tos, 1911 (Mantidae) Synonym(s): *moesta* Giglio-Tos, 1911 AU
167. **Sphodropoda quinquedens** (Mac Leay, 1827) (Mantidae) Synonym(s): *quinquedens* Mac Leay, 1827 AU
168. **Sphodropoda tristis** (Saussure, 1871) (Mantidae) Synonym(s): *tristis* Saussure, 1871 AU
169. **Sphodropoda viridis** Tindale, 1923 (Mantidae) Synonym(s): *viridis* Tindale, 1923 AU

170. **Staltia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis* Saussure,1871; *guineensis* Chopard,1954 AU PG NC IN ID Clb Sba Tim PH GH GN ZR
171. **Swezeyia arborea (Kirkaldy,1906)** (Derbidae) Synonym(s): *arborea* Kirkaldy,1906; *rubrovenosa* Distant,1907 AU
172. **Tamolonica atricoxis (Wood-Mason,1878)** (Mantidae) Synonym(s): *atricoxis* Wood-Mason,1878 AU
173. **Tenodera australasiae (Leach,1814)** (Mantidae) Synonym(s): *australasiae* Leach,1814; *darchii* Mac Leay,1827; *tessellata* Burmeister,1838; *intermedia* Saussure,1870 ZA GU MY Re PG Bsm NBR AU
174. **Tenodera blanchardi Giglio-Tos,1912** (Mantidae) Synonym(s): *?fusca* Blanchard,1853; *blanchardi* Giglio-Tos,1912; AU PG Bsm Bor MY IN ID Mlc Clb
175. **Tenodera superstitiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
176. **Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti* Lefebvre,1835; *sanguinolentus* Spinola,1844; *girodi* Chevrolat,1880; *tabacci* Matsumura,1935 DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd
177. **Trachymantis obesa Giglio-Tos,1917** (Mantidae) Synonym(s): *obesa* Giglio-Tos,1917 AU
178. **Trogoderma granarium Everts,1898** (Dermestidae) Synonym(s): *granarium* Everts,1898 US AU TR
179. **Trupanea amoena (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *#amonea* Giray,1979 TR ET IN LKAU
180. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
181. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
182. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 BE GB SE TR Cc MN IR IN Ch KK KG CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
183. **Vidalia dualis Permkam & Hancock,1995** (Tephritidae) Synonym(s): *dualis* Permkam & Hancock,1995 AU QAU
184. **Villa albobasalis Roberts,1928** (Bombyliidae) Synonym(s): *vetula* Zetterstedt,1845; *albobasalis* Roberts,1928 AU QAU
185. **Villa angularis (Thomson,1869)** (Bombyliidae) Synonym(s): *angularis* Thomson,1869 AU QAU NSw
186. **Villa aprica Roberts,1928** (Bombyliidae) Synonym(s): *indecisa* Walker,1853; *aprica* Roberts,1928 AU NSw
187. **Villa argentipennis (White,1916)** (Bombyliidae) Synonym(s): *crinipes* Stein,1914 nec Ring.,1913; *argentipennis* White,1916 AU QAU
188. **Villa commista (Macquart,1850)** (Bombyliidae) Synonym(s): *commista* Macquart,1850; *trigonospila* Czerny,1901 AU NSw
189. **Villa consimilis (Thomson,1869)** (Bombyliidae) Synonym(s): *consimilis* Thomson,1869 AU NSw
190. **Villa flaveola (Macquart,1850)** (Bombyliidae) Synonym(s): *brevivillosa* Macquart,1835; *flaveola* Macquart,1850 AU NSw
191. **Villa fumea Roberts,1928** (Bombyliidae) Synonym(s): *fumea* Roberts,1928; *ishmicola* Tiensuu,1939 AU NSw
192. **Villa fuscicostata (Macquart,1846)** (Bombyliidae) Synonym(s): *fuscicostata* Macquart,1846 AU QAU NSw TA
193. **Villa lipposa (Bigot,1892)** (Bombyliidae) Synonym(s): *lipposa* Bigot,1892 AU NSw
194. **Villa macquarti Evenhuis,1989** (Bombyliidae) Synonym(s): *basalis* Macquart,1855; *macquarti* Evenhuis,1989 AU QAU
195. **Villa pellucida (Walker,1852)** (Bombyliidae) Synonym(s): *pellucida* Walker,1852 AU QAU
196. **Villa quinqueguttata Roberts,1928** (Bombyliidae) Synonym(s): *quinqueguttata* Roberts,1928 AU NSw
197. **Villa rava Roberts,1928** (Bombyliidae) Synonym(s): *rava* Roberts,1928 AU QAU
198. **Villa resurgens (Walker,1849)** (Bombyliidae) Synonym(s): *resurgens* Walker,1849 AU
199. **Villa trivincula Roberts,1928** (Bombyliidae) Synonym(s): *trivincula* Roberts,1928 AU QAU NSw Lhw
200. **Villa velox (White,1916)** (Bombyliidae) Synonym(s): *velox* White,1916 AU QAU
201. **Villa vitrea (Walker,1852)** (Bombyliidae) Synonym(s): *vitrea* Walker,1852 AU
202. **Villa zonipennis Evenhuis,1978** (Bombyliidae) Synonym(s): *variipennis* Roberts,1928; *zonipennis* Evenhuis,1978 AU NSw
203. **Xylotrupes gideon (Linnaeus)** (Scarabaeidae) Synonym(s): AU

204. **Yarrana continuata Distant,1906** (Eurybrachidae) Synonym(s): *continuata Distant,1906*
AU QAU
205. **Yarrana sinuata Distant,1906** (Eurybrachidae) Synonym(s): *sinuata Distant,1906* AU
QAU Kda Cai



Synonymic and distributional list of the pterygot insects of Algeria (Results of the Entomofauna of the World based upon info-system of the Cesa)

36

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Algeria (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 36.
Priamus (suppl.) 18: 1796-1839.

In this study, totally 1183 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Algeria.

Brief explanatory information:

Previously published article	Yes
Previously published report	yes ⁷⁴
Expedition made by the Cesa	No
Planned expeditions	No
Further planned publications	yes

In this study, totally 1183 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH

⁷⁴ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 9- Algeria stand 19.7.2007 [totally 1482 sp. & ssp. listed]. Cesa Publ. on African Lepid. 11: 1-48. http://www.metafro.be/Members/Cesa/Cesapublafr11.pdf/base_view - Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs. - Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

2. **Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844* **DZ Cn FR CY IT Si EG SY TR**
3. **Acanthophyes tessilii Bergevin,1932** (Membracidae) Synonym(s): *tessilii Bergevin,1932* **DZ MA**
4. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* **AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR**
5. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosphorica Dirsh,1949; lombardica Dirsh,1949* **Truxalis bicolor Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). SL BF ZA ZR ET DZ EG FR SE TR BF IT**
6. **Acrospilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger Loew,1869; perplexus Becker,1917* **BG RO RU DZ TN**
7. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
8. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869* **DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU**
9. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915* **DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA**
10. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum Duponchel,1827* **TR ES MA DZ CY SY EG**
11. **Adeniana bourlieri Bergevin,1931** (Cicadidae) Synonym(s): *bourlieri Bergevin,1931* **DZ**
12. **Adeniana decolorata Korsakoff,1947** (Cicadidae) Synonym(s): *decolorata Korsakoff,1947* **DZ**
13. **Adeniana korsakoffi Villiers,1943** (Cicadidae) Synonym(s): *korsakoffi Villiers,1943* **DZ**
14. **Adeniana leouffrei Korsakoff,1947** (Cicadidae) Synonym(s): *leouffrei Korsakoff,1947* **DZ**
15. **Adeniana licenti Villiers,1943** (Cicadidae) Synonym(s): *licenti Villiers,1943* **DZ**
16. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps Puton,1887; tabida Horvath,1911; planiceps Horvath,1917* **IL Pa DZ TN EG Cc AZ IR**
17. **Adeniana mairei (Bergevin,1917)** (Cicadidae) Synonym(s): *mairei Bergevin,1917* **DZ MA**
18. **Adeniana minuta Villiers,1943** (Cicadidae) Synonym(s): *minuta Villiers,1943* **DZ**
19. **Adeniana nigerrima Villiers,1943** (Cicadidae) Synonym(s): *nigerrima Villiers,1943* **DZ**
20. **Adeniana robusta Villiers,1943** (Cicadidae) Synonym(s): *robusta Villiers,1943* **DZ MA**
21. **Adeniana seitzii Distant,1914** (Cicadidae) Synonym(s): *seitzii Distant,1914* **DZ**
22. **Adesmia (s.str.) solieri Lucas,1844** (Tenebrionidae) Synonym(s): *solieri Lucas,1844* **DZ**
23. **Adontomerus crassipes (Boucek,1982)** (Torymidae) Synonym(s): *crassipes Boucek,1982* **DZ ES IR**
24. **Adoretus aegrotus Burmeister,1844** (Scarabaeidae) Synonym(s): *aegrotus Burmeister,1844* **DZ EG Sn**
25. **Adoretus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): *granulifrons Fairmaire,1882* **DZ EG IL Pa JO**
26. **Adrastus limbatus (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus Fabricius,1776* **DZ TR RU Sb GR**
27. **Aeoloderma crucifer (Rossi,1790)** (Elateridae) Synonym(s): *crucifer Rossi,1790* **DZ GR TR RU**
28. **Aeoloides figuratus (Germar,1844)** (Elateridae) Synonym(s): *figuratus Germar,1844; turcomanus Candèze,1889* **DZ TR TM SY IR IQ TM TJ**
29. **Aethiessa feralis Erichson,1871** (Scarabaeidae) Synonym(s): *feralis Erichson,1871* **DZ MA**
30. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis Fabricius,1787; refulgens Herbst,1790; aupick Gory & Percheson,1833; barbara Gory & Percheson,1833; doguerau Gory & Percheson,1833; viridiflua Motschulsky,1835; deserticola Waltl,1838* **DZ TN MA LY Cy ES IT Si**
31. **Aethiessa martini Bedel,1889** (Scarabaeidae) Synonym(s): *martini Bedel,1889* **DZ**
32. **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica Burmeister,1842; bagdadensis Burmeister,1842; inhumata Brasavola,1939* **DZ SA TR Cc AM IR RU TM IL Pa LB SY IQ**
33. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
34. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**

35. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *lilimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
36. **Agapanthia zappii Sama,1987** (Cerambycidae) Synonym(s): *zappii* Sama,1987 MA DZ TN LY
37. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
38. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
39. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
40. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
41. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
42. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
43. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator* Linnaeus,1758 GR TR DZ MN US
44. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus* Schaller,1783 SK GR TR DZ Cc BR
45. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
46. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
47. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
48. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
49. **Akis italica Solier,1836** (Tenebrionidae) Synonym(s): *italica* Solier,1836 IT DZ MA
50. **Akis spinosa (Linnaeus,1764)** (Tenebrionidae) Synonym(s): *spinosa* Linnaeus,1764 IT Sa Si DZ TR
51. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
52. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
53. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
54. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
55. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
56. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
57. **Altica palustris (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris* Weise,1888 TR Cc IR AF KG DZ
58. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalenis* Schuler,1964 AL HV FR Co GR IT MA SL ES TR DZ CY SY
59. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris*

- Gistel*,1857; *sororcula* *Tschitscherine*,1895; *vogesiaca* *Bourgeois*,1898; *devincta* *Casey*,1918;*palanda* *Jedlicka*,1957;*thisbe* *Antoine*,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa Jo Ch Kk Kg Ly Lb Mt Mk Md Mn Nl Np Se Ch Tj Tm Tr Tn Ua Uz**
60. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* *A.Villa & G.B.Villa*,1833; *kekichi* *Schtmair*,1919 **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**
61. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* *Duftschmid*,1812; *erythrota* *Stephens*,1828; *gemina* *C.Zimmermann*,1832; *septentrionalis* *Curtis*,1840; *heydeni* *Schatzmayr*,1909; *chobauti* *Puel*,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
62. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* *Dejean*,1828; *complanata* *Dejean*,1828; *mesatlantica* *Antoine*,1853; *theryi* *Antoine*,1853 **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
63. **Ameles africana Bolivar,1914** (Mantidae) Synonym(s): *africana* *Bolivar*,1914 **DZ MA FR Co HV IT Si Sa PT**
64. **Ameles decolor (Charpentier,1825)** (Mantidae) Synonym(s): *decolor* *Charpentier*,1825 **ES FR DZ IT Si MK GR**
65. **Ameles picteti (Saussure,1869)** (Mantidae) Synonym(s): *picteti* *Saussure*,1869 **DZ ES IT Si**
66. **Ameles spallanzania (Rossi,1792)** (Mantidae) Synonym(s): *spallanzania* *Rossi*,1792; *nana* *Charpentier*,1825; *brevis* *Rambur*,1838; *soror* *Audinet-Serville*,1839; *gracilis* *Brullé*,1840; *abjecta* *Bolivar*,1897 **AL DZ FR GR IT HV MA PT ES**
67. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata* *Fallén*,1808; *fulvipes* *Costa*,1882; *agilis* *Klug*,1817; *rufipes* *Audinet-Serville*,1823; *nigrisoma* *Norton*,1862; *abnormis* *Provancher*,1885; *potulenta* *MacGillivray*,1923 **RU Sb UA Cm TR Cc KG DZ MN CA**
68. **Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus* *Eschscholtz*,1829; *atropilosus* *Reitter*,1918 **TR GR Cc RU Sb DZ**
69. **Ampedus sanguineus (Linnaeus,1758)** (Elateridae) Synonym(s): *sanguineus* *Linnaeus*,1758 **DZ GR TR RU Sb**
70. **Amphisbetetus affinis Hermann,1906** (Asilidae) Synonym(s): *affinis* *Hermann*,1906 **DZ**
71. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* *Mulsant & Rey*,1855; *quadrisignata* *Flor*,1861; *feiberi* *Vismara*,1878; *laevis* *Berg.*,1934 (*praeocc.*); *zachvatkini* *Vilbaste*,1961; *nasti* *Dlabola*,1964; *deserticola* *Dlabola*,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md Ch Sy Tn Ru Tr Yu Af Ir**
72. **Anaglyptus gibbosus (Fabricius,1787)** (Cerambycidae) Synonym(s): *gibbosus* *Fabricius*,1787 **DZ ES FR Co IT SS CH HV**
73. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* *Linnaeus*,1758 **DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD**
74. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* *Becker*,1915; *fuscipennis* *Becker*,1915; *pyramidum* *Paramonov*,1940 **TN EG KE SD DZ IL Pa LY SA ES SY**
75. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* *Wiedemann*,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**
76. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* *Wiedemann*,1820; *acuticornis* *Macquart*,1840 **IT DZ EG FR IL Pa LY PT ES TN TM SA SD**
77. **Anastoechus trisignatus Portschnsky,1881** (Bombyliidae) Synonym(s): *trisignatus* *Portschnsky*,1881; *retrogradus* *Becker*,1902; *wernerii* *Paramonov*,1930; *fulvojubatus* *François*,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
78. **Anastrangalia dubia (Scopoli,1763)** (Cerambycidae) Synonym(s): *dubia* *Scopoli*,1763 **Cc IR TR DZ CZ SK**
79. **Andrena (Brachyandrena) miegiella Dours,1873** (Andrenidae) Synonym(s): *miegiella* *Dours*,1873; *lojaconi* *Destefani*,1889; *tingitana* *Pérez*,1895 **ES IT Si MT MA DZ**
80. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* *Meigen*,1820; *adustiventris* *Costa*,1863; *erythrurum* *Loew*,1847 **DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb**
81. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* *Linnaeus*,1758; *prostratum* *Scopoli*,1763 **DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR**
82. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* *Fonscolombe*,1832; *ferruginea* *Hartig*,1840; *occultus* *Tschek*,1871; *filigranata* *Dettmer*,1925; *villarubiae* *Tavares*,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ**
83. **Aneomochtherus aegyptius (Macquart,1838)** (Asilidae) Synonym(s): *aegyptius* *Macquart*,1838; *longitudinalis* *Loew*,1856 **EG TN DZ**
84. **Aneomochtherus hybopygus (Tsacas,1968)** (Asilidae) Synonym(s): *hybopygus* *Tsacas*,1968 **DZ**
85. **Aneomochtherus sahariensis (Tsacas,1968)** (Asilidae) Synonym(s): *sahariensis* *Tsacas*,1968 **DZ**
86. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus* *Masi*,1917; *brevicaudatus* *Subba-Rao*,1965 **AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW**

87. **Anoploclera sexguttata (Fabricius,1775)** (Cerambycidae) Synonym(s): *sexguttata Fabricius,1775* **DZ Cc DE CZ**
88. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* **DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR**
89. **Anthaxia (Haplanthaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* **DZ GR IL Pa IT PT ES SY TR**
90. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* **DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
91. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
92. **Anthaxia (s.str.) manca (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca Linnaeus,1767* **DZ MA SE Cc AM TR**
93. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* **DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA**
94. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805* **TR Cc KG RU Sb Us DZ**
95. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperulum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
96. **Anthidium (Archanthidium) laeviventre Dours,1873** (Megachilidae) Synonym(s): *laeviventre Dours,1873; atlanticum Benoist,1934; ibericum Mavromoustakis,1939;* **MA DZ ES FR**
97. **Anthidium (Archanthidium) laticeps Morawitz,1873** (Megachilidae) Synonym(s): *laticeps Morawitz,1873; fasciatellum Friese,1917; anatolicum Mavromoustakis,1939* **GR TR AL DZ YU**
98. **Anthidium (Icteranthidium) afrum Lepeletier,1841** (Megachilidae) Synonym(s): *afrum Lepeletier,1841* **MA DZ**
99. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme Smith,1854; bartholomei Radoszkowski,1862* **IT Si AL SY LB IR GR Cc TR KG RU DZ**
100. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969.* **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
101. **Anthidium (Mesanthidium) alternans Klug,1832** (Megachilidae) Synonym(s): *alternans Klug,1832; karschi Friese,1899; doederlini Friese,1917; dusmeti Mavromoustakis,1947; lividum Benoist,1950; flavissimum Pasteels,1969* **DZ MA SA EG IL Pa**
102. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele Morawitz,1876; controversum Radoszkowski,1886; malacopygum Gribodo,1894; konowi Friese,1897; zonulum Alfken,1935* **Cc RU TM TR IL Js Pa BG SY DZ ES**
103. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841; integrum Eversmann,1852; curvipes Smith,1872; melanostomum Costa, 1884; foliivolutor Ferton,1921* **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
104. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852; floripetum Eversmann,1852; stigmaticorne Dours,1873; cribratum Morawitz,1875; petechiale Morawitz,1875; nanum Mocsary,1879; leucostoma Costa,1883; peregrinum Costa,1884; eversmanni Radoszkowski,1886; fraternum Perez,1895; astilleri Dusmet,1915; grandi Alfken,1937; karakalense Popov,1952; canariense Mavromoustakis,1954* **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
105. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum Klug,1832; nigricolle Morawitz,1876; dilobum Pérez,1895; moricei Friese,1911; royoii Dusmet,1915; flavicolle Friese,1917; flaviventre Friese,1917* **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
106. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum Mocsary,1884; tegulare Morawitz,1886; mocsaryi Friese,1897; kindermannii Mavromoustakis,1954* **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
107. **Anthidium (Rhodanthidium) infuscatum Erichson,1835** (Megachilidae) Synonym(s): *infuscatum Erichson,1835; bellicosum Lepeletier,1841* **DZ ES YU**
108. **Anthidium (Rhodanthidium) siculum Spinola,1838** (Megachilidae) Synonym(s): *siculum Spinola,1838; fontainesii Lepeletier,1841; andrei Mocsary,1884* **MA DZ LY Cy ES IT Si**

109. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum Fabricius,1787; ordonezi Dusmet,1915; amismizianum Dusmet,1915* MA DZ TN LY Cy IT Si PT ES FR
110. **Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum Latreille,1809* RU Sb DZ Cc TR
111. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema Latreille,1809; ornatum Lepeletier,1841; albiventris Lepeletier,1841; radoszowskyi Mocsary,1887; seraxense Radoszowski,1893; terminale Morawitz,1894; caucasicum Friese,1897* DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
112. **Anthidium (s.str.) luctuosum Gribodo,1894** (Megachilidae) Synonym(s): *luctuosum Gribodo,1894* DZ
113. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum Linnaeus,1758* TR RU Sb Cc DZ BR UY AR
114. **Anthidium (s.str.) pullatum Morice,1916** (Megachilidae) Synonym(s): *pullatum Morice,1916* DZ
115. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigrifulum Friese,1917; suecicum Alfken,1927* SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
116. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum Latreille,1809; fasciatum Latreille,1809; sulphureum Lepeletier,1841; affine Morawitz,1873; monile Friese,1897; nostrum Radoszowski,1893* FR ES IT Si TM MA DZ HV GR Rd TR IL Pa
117. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
118. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
119. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus Erichson,1840* DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
120. **Anthrax algirus (Villeneuve,1910)** (Bombyliidae) Synonym(s): *algirus Villeneuve,1910* DZ
121. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
122. **Anthrax apiaster François,1968** (Bombyliidae) Synonym(s): *apiaster François,1968* DZ
123. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
124. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
125. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
126. **Anthrenus (Florinus) oberthueri Reitter,1881** (Dermestidae) Synonym(s): *oberthueri Reitter,1881* FR Co IT Si Py DZ TN
127. **Anthrenus (Nathrenus) biskrensis Reitter,1887** (Dermestidae) Synonym(s): *biskrensis Reitter,1887* DZ MA TN LY IT Si MT
128. **Anthrenus (Nathrenus) exilis Mulsant & Rey,1868** (Dermestidae) Synonym(s): *exilis Mulsant & Rey,1868* DZ MA EG
129. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus Kiesenwetter,1851* TR EG DZ TN MA IR SY Cc
130. **Anthypna meles (Fabricius,1792)** (Glaphyridae) Synonym(s): *meles Fabricius,1792; cyanipennis Fabricius,1801* MA DZ TN
131. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY IL Pa SY IQ SA
132. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
133. **Aphrodes nigritus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigritus Kirschbaum,1868; integer Wagner,1937* DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU

134. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
135. **Aphrophora meridionalis Horvath,1907** (Cercopidae) Synonym(s): *meridionalis* Horvath,1907 DZ
136. **Aphthona flaviceps Allard,1859** (Chrysomelidae) Synonym(s): *flaviceps* Allard,1859 Cc TR DZ KG
137. **Aphthona fuentei Reitter,1901** (Chrysomelidae) Synonym(s): *fuentei* Reitter,1901 TR IL Pa IR DZ ZR
138. **Aphthona nigriceps (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *nigriceps* Redtenbacher,1842 DZ TR Cc
139. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871 MA DZ LY TN EG NG TR SA IL Pa IR
140. **Apoclea approximata Becker,1907** (Asilidae) Synonym(s): *approximata* Becker,1907 TN DZ
141. **Apoclea helvipes Loew,1873** (Asilidae) Synonym(s): *helvipes* Loew,1873 RU KG DZ IR TR
142. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis* Loew,1873 RU KG DZ TN LY IR TR
143. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
144. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
145. **Apteromantis bolivari (Werner,1929)** (Mantidae) Synonym(s): *bolivari* Werner,1929 DZ MA PT
146. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *seljuki* Benson,1968; *fuscinervis* Lindqvist,1974 ES FR SE DE PL RU Sb DZ TR CA
147. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
148. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ
149. **Aritranis longicauda (Kriechbaumer,1873)** (Ichneumonidae) Synonym(s): *longicauda* Kriechbaumer,1873 DZ TR
150. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
151. **Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): *barbarus* Linnaeus,1758; *sinis* Séguy,1930; *flavipes* Esipenko,1970 IR Kz DZ MA TN RU
152. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
153. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville,1823 UA Cm TR Cc DZ RU
154. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa
155. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 DZ EG MA TN CA US AF PK KK TM UZ TR
156. **Attalus cyaneus (Fabricius,1792)** (Melyridae) Synonym(s): *cyaneus* Fabricius,1792; *erythroderus* Erichson,1840 MT TN DZ ES FR Sa Si IT
157. **Attalus maculicollis (Lucas,1849)** (Melyridae) Synonym(s): *maculicollis* Lucas,1849 TN MA DZ FR MT
158. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903 P MT TN DZ Sa Si IT AT HV GR TR
159. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus* Szilady,1915 DZ RO AT FR TR
160. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915 TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
161. **Auletobius pubescens (Kiesenwetter,1852)** (Atelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860 DZ FR ES Co PT IT Sa GR TR
162. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feiberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU

163. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932 **AL? DZ EG IL IT Sa JO LY ES TN**
164. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius* Fabricius,1775 **MT DK SE PT RU Cc MA DZ IT Sa Si**
165. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spirorhynchusii* Diakontshuk,1990 **Aulax hypecoi Trotter,1913, Marcellia 11: 214. DZ LY BG GR TR Cc AM TM**
166. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sgattaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
167. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
168. **Bathyplectes algerica (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913 **DZ TR IT**
169. **Bellardia mascariensis (Villeneuve,1926)** (Calliphoridae) Synonym(s): *mascariensis* Villeneuve,1926 **MA DZ**
170. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911 **MA DZ TR LB SY JO IR OM IL Pa ML MR TM**
171. **Bembecinus argentifrons (F.Smith,1856)** (Crabronidae) Synonym(s): *argentifrons* F.Smith,1856; *touareg* De Beaumont,1954 **DZ**
172. **Bembecinus barbarus (De Beaumont,1950)** (Crabronidae) Synonym(s): *barbarus* De Beaumont,1950 **MA DZ**
173. **Bembecinus bernardi De Beaumont,1954** (Crabronidae) Synonym(s): *bernardi* De Beaumont,1954 **DZ MR**
174. **Bembecinus discolor (Handlirsch,1892)** (Crabronidae) Synonym(s): *discolor* Handlirsch,1892 **DZ MA**
175. **Bembecinus fertoni (Handlirsch,1908)** (Crabronidae) Synonym(s): *fertoni* Handlirsch,1908 **DZ TN**
176. **Bembecinus gazagnairei (Handlirsch,1892)** (Crabronidae) Synonym(s): *gazagnairei* Handlirsch,1892 **DZ TN**
177. **Bembecinus mayri (Handlirsch,1892)** (Crabronidae) Synonym(s): *mayri* Handlirsch,1892 **DZ TN**
178. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
179. **Bembecinus zibanensis Morice,1911** (Crabronidae) Synonym(s): *zibanensis* Morice,1911 **DZ MA**
180. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN**
181. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854 **AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE**
182. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum* Say,1823 **AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU**
183. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum* Drapiez,1820 **AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR**
184. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 **AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU**
185. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958 **FR ES IT GR CY SY MA DZ TN**
186. **Blakeius chiesi (Spinola,1839)** (Mutillidae) Synonym(s): *chiesi* Spinola,1839; *diophthalma* Costa,1882; *ibericus* Suarez,1958; *negrei* Suarez,1958 **MA DZ TN IT Sa ES PT**
187. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775 **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
188. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 *nec* Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG**

- KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu
Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
189. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
190. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewe* Morawitz,1892; *holsaticus* Krüger,1954 GB IT ES PT DZ GR Cc PL DK CZ RO TR
191. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum* Macquart,1840; *lutescens* Loew,1855; *nigrifrons* Becker,1913 DZ MA TN ES
192. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum* Macquart,1840; *lutescens* Loew,1855; *nigrifrons* Becker,1913 MA DZ ES TN SY?
193. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
194. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
195. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
196. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
197. **Bombylius (s.str.) gracilipes Becker,1906** (Bombyliidae) Synonym(s): *gracilipes* Becker,1906 DZ
198. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennoreus* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
199. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
200. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
201. **Bombylius (s.str.) numidus Macquart,1846** (Bombyliidae) Synonym(s): *numidus* Macquart,1846 DZ EG MA
202. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
203. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
204. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus* Loew,1855 DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
205. **Bombylius (Zephyrectes) leucopygus Macquart,1846** (Bombyliidae) Synonym(s): *leucopygus* Macquart,1846; *maroccanus* Paramonov,1940; *beduin* Paramonov,1940 DZ MA IT ES
206. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
207. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis* Dejean,1826 BE HV FR IT ES TR DZ MA TN IR IL Pa SY
208. **Brachycephs laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
209. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus* Latreille,1807; *muricatus* Olivier,1790; *planirostris* Gyllenhal,1833; *sulcifrons* Gyllenhal,1833; *cirrosus* Gyllenhal,1840; *perodiosus* Gyllenhal,1840; *semiaeneus* Desbrochers,1871; *carinula* Rey,1894; *exemptus* Rey,1894; *attenuatus* Vit.,1903 DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR

210. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
211. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus Fabricius,1798* DZ ES FR IT Si Sa Co YU GR Cr TR
212. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NmX Ny Tx TR PK Qu Bi UZ*
213. **Brachyptera algerica Aubert,1956** (Taeniopterygidae) Synonym(s): *algerica Aubert,1956* DZ
214. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
215. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
216. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
217. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
218. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniora Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
219. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
220. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY Cy IL Pa SY SA IQ
221. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; siculo Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
222. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishchenko,1951; intricatus Mishchenko,1951* DZ TR Cc LB SY GR BG TM KG
223. **Calopteryx exul Selys,1853** (Calopterygidae) Synonym(s): *exul Selys,1853* MA DZ TN
224. **Calopteryx haemorrhoidalis (Van Der Linden,1825)** (Calopterygidae) Synonym(s): *haemorrhoidalis Van Der Linden,1825* ES FR IT Si Sa Co MA DZ
225. **Calopteryx splendens (Harris,1776)** (Calopterygidae) Synonym(s): *splendens Harris,1776* TR DZ
226. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
227. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta Loew,1844* TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO
228. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata Loew,1844; producta Loew,1844* TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
229. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculo Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
230. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
231. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
232. **Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): *carthusianus Goeze,1778* RU TR DZ IR
233. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus Fairmaire,1851; walkeri Funkhouser,1927* DZ EG MA FR ES PT TN
234. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata Dejean,1822* ES DZ TN IT Sa Si FR TR GR Cr BG

235. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
236. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 **Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ**
237. **Cercopis musiva (Haupt,1917)** (Cercopidae) Synonym(s): *musiva* Haupt,1917 **DZ**
238. **Cercopis numida Guérin-Ménéville,1844** (Cercopidae) Synonym(s): *numida* Guérin-Ménéville,1844 **DZ**
239. **Cetonia (s.str.) funeraria Gory & Percheron,1833** (Scarabaeidae) Synonym(s): *funeraria* Gory & Percheron,1833; *gerardi* Kraatz,1879; *opaca* Kraatz,1880 **DZ**
240. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
241. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
242. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 **AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR**
243. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902 **DZ AM Cc GG KG UZ UA TR TM**
244. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
245. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 **DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR**
246. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 **DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR**
247. **Chaetocnema arenacea (Allard,1860)** (Chrysomelidae) Synonym(s): *arenacea* Allard,1860 **TR DZ Cc**
248. **Chaetocnema aridula (Gyllenhal,1827)** (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827 **TR Cc KG RU Sb DZ**
249. **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825 **TR Cc IQ IL Pa SY DZ**
250. **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859 **TR Cc IQ KG CN Ti DZ MN RU Sb**
251. **Chaetocnema procerula (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *procerula* Rosenhauer,1856 **TR DZ**
252. **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864 **TR Cc IQ IR IL Pa DZ**
253. **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807 **TR Cc IR AF KG DZ RU Sb**
254. **Chalicodoma (Pseudomegachile) ericetorum (Lepelletier,1841)** (Megachilidae) Synonym(s): *ericetorum* Lepelletier,1841 **DZ Cc TR**
255. **Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): *parietina* Geoffroy,1785 **DZ RU Cc TR**
256. **Charopus apicalis Kiesenwetter,1859** (Melyridae) Synonym(s): *apicalis* Kiesenwetter,1859 **MT TN DZ MA Sa Si IT GR HV**
257. **Chelonus erythrogaster Lucas,1846** (Braconidae) Synonym(s): *erythrogaster* Lucas,1846 **DZ RU TR**
258. **Chelonus inanitus (Linnaeus,1767)** (Braconidae) Synonym(s): *inanitus* Linnaeus,1767 **DZ RU TR**
259. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802 **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
260. **Chelostoma (Gyrodromella) confusum (Benoist,1934)** (Megachilidae) Synonym(s): *confusum* Benoist,1934 **MA DZ**
261. **Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897 **DZ BG ES FR GR TR?**

262. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
263. **Chelostoma (s.str.) carinulum Pérez,1895** (Megachilidae) Synonym(s): *carinulum* Pérez,1895 DZ MA TN
264. **Chelostoma (s.str.) edentulum Pérez,1895** (Megachilidae) Synonym(s): *edentulum* Pérez,1895 DZ M TN
265. **Chilothorax exclamationis (Motschoulsky,1849)** (Scarabaeidae) Synonym(s): *exclamationis* Motschoulsky,1849 ES DZ TN LY Cy
266. **Chilotomina bergeali Warchalowski,2000** (Chrysomelidae) Synonym(s): *bergeali* Warchalowski,2000 DZ
267. **Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 FR IT Si DZ TR IL Pa IR
268. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
269. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
270. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KKL VM MD RU Sb UA YU
271. **Chlorophorus trifasciatus (Fabricius,1781)** (Cerambycidae) Synonym(s): *trifasciatus* Fabricius,1781 TR DZ
272. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis* Spinola,1808 *Hypomicrogaster dorsalis* Spinola,1808, *Insect. Liguriae* 2: 151. TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
273. **Choragus aureolineatus Abaille,1893** (Anthribidae) Synonym(s): *aureolineatus* Abaille,1893 DZ
274. **Choragus theryi Abaille,1893** (Anthribidae) Synonym(s): *theryi* Abaille,1893 DZ
275. **Chorisops tunisiae (Becker,1915)** (Stratiomyidae) Synonym(s): *tunisiae* Becker,1915 PT ES DZ MA TN Sa Si
276. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848 TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
277. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménériès,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
278. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
279. **Chrysolina affinis (Fabricius,1787)** (Chrysomelidae) Synonym(s): *affinis* Fabricius,1787 DZ IT FR Si ES TN
280. **Chrysolina afra (Erichson,1841)** (Chrysomelidae) Synonym(s): *afra* Erichson,1841; *maritima* Peyerimhoff,1938 MA DZ
281. **Chrysolina arambourgi (Peyerimhoff,1938)** (Chrysomelidae) Synonym(s): *arambourgi* Peyerimhoff,1938 DZ
282. **Chrysolina confossa (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *confossa* Fairmaire,1865; *dorsalis* Weise,1884; *semiopaca* Fairmaire,1873 DZ
283. **Chrysolina crassipes (Lucas,1849)** (Chrysomelidae) Synonym(s): *crassipes* Lucas,1849 DZ
284. **Chrysolina grossa (Fabricius,1792)** (Chrysomelidae) Synonym(s): *grossa* Fabricius,1792; *illita* Weise,1884 IT Si DZ ES MA
285. **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae* Küster,1845; *lucidicollis* Küster,1845 TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
286. **Chrysolina helopioides (Suffrian,1851)** (Chrysomelidae) Synonym(s): *helopioides* Suffrian,1851 ES DZ
287. **Chrysolina lepida (Olivier,1807)** (Chrysomelidae) Synonym(s): *lepida* Olivier,1807 DZ
288. **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950 TR Cc IR AF RU Sb MN CN DZ KG
289. **Chrysolina numida (Reiche,1864)** (Chrysomelidae) Synonym(s): *numida* Reiche,1864 MA DZ TN
290. **Chrysolina rubricus (Desbrochers,1899)** (Chrysomelidae) Synonym(s): *rubricus* Desbrochers,1899 DZ

291. **Chrysolina scorodon (Marseul,1886)** (Chrysomelidae) Synonym(s): *scorodon* Marseul,1886
DZ
292. **Chrysolina seriatipora (Fairmaire,1867)** (Chrysomelidae) Synonym(s): *seriatipora*
Fairmaire,1867; *edughensis* Fairmaire,1873 DZ
293. **Chrysolina solata (Fairmaire,1879)** (Chrysomelidae) Synonym(s): *solata* Fairmaire,1879
DZ
294. **Chrysolina tortipennis (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *tortipennis*
Fairmaire,1865; *pertusa* Fairmaire,1865; *extricata* Bechyne,1950 DZ
295. **Chrysolina varians (Schaller,1783)** (Chrysomelidae) Synonym(s): *variens* Schaller,1783
DZ TR RU Sb
296. **Chrysolina vermiculosa (Marseul,1886)** (Chrysomelidae) Synonym(s): *vermiculosa*
Marseul,1886 DZ
297. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857
EG GR TR DZ ES Cn FR IT RU Am
298. **Cicada barbara (Stal,1866)** (Cicadidae) Synonym(s): *barbara* Stal,1866 DZ IT Sa Si ES LY
TN
299. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (*praeocc.*);
querula Pallas,1773; *paliuri* Kolenati,1857 Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA
UZ
300. **Cicadetta aestuans (Fabricius,1794)** (Cicadidae) Synonym(s): *aestuans* Fabricius,1794;
algira Fabricius,1803 DZ FR GR TN
301. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 TR Cc DZ
GR IT MA PT ES GG KG TJ TM
302. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica*
Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913 AF DZ CY EG Sn IR IQ IL Pa Js JO MA
TN TR Cc AZ KG RU TM UZ
303. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952;
Ribaut,1952 AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
304. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s):
lineatopunctata Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 AF DZ BG PT FR
IL IT Si MA SY TN TR Cc AZ UZ
305. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata*
Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS
FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
306. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata*
Melichar,1904; *bipunctella* Matsumura,1908; *zuae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO
LY TN TR PK
307. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758
SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
308. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps*
Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868;
opacipennis Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor*
Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus*
Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN
MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
309. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 TR DZ AT
BG HV CZ FR GG Cc DE IR LB SE YU
310. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus*
Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae*
Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV
CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA
GB UA Cf Col YU
311. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767;
nervosopunctata De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850;
eurypterus Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE
GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
312. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758;
hemerobioides Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (*praeocc.*); *atavus*
Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO
PL RO ES SE SW RU AZ BY EE GG KG LV UA YU MD Krl Sh Sb
313. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776
(*praeocc.*); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti*
Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
314. **Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787 RU AM Cc
TR DZ
315. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761
US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU

316. **Cleptes splendidus (Fabricius,1794)** (Chrysididae) Synonym(s): *splendidus* Fabricius,1794
DZ FR IT US
317. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
318. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841 TM KK UZ EG TN MA DZ RU GB TR
319. **Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853 IR LB AM Cc TJ UZ RU Cc DZ TR
320. **Coenagrion puellum (Linnaeus,1758)** (Coenagrionidae) Synonym(s): *puellum* Linnaeus,1758 TR DZ IR
321. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus* Herbst,1797; *aeneovirens* Marsham,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833 DE BG DZ FR GB JP Cc MK TR
322. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821 DE BE BG DZ FR SE Cc KG RU Sb IT Si
323. **Colletes biskrensis Noskiewicz,1936** (Colletidae) Synonym(s): *biskrensis* Noskiewicz,1936 DZ
324. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
325. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840 MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
326. **Colpa (s.str.) sexmaculata (Fabricius,1782)** (Scoliidae) Synonym(s): *sexmaculata* Fabricius,1782; *interrupta* Fabricius,1782; *sareptana* Eversmann,1849 TR DZ
327. **Conioleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus* Schoenherr,1834; *melanographus* Fahreus,1840 ES FR TR EG RU Cc UA Cm IT SY DZ
328. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
329. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat*a Boheman,1849 Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
330. **Conophorus virescens (Fabricius,1877)** (Bombyliidae) Synonym(s): *virescens* Fabricius,1877 DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
331. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
332. **Copium teucarii (Host,1788)** (Tingidae) Synonym(s): *teucarii* Host,1788 DZ IL Pa IR SY TR
333. **Coptocephala aeneopicta (Fairmaire,1869)** (Chrysomelidae) Synonym(s): *aeneopicta* Fairmaire,1869; *bistripuncta* Pic,1905; *biscrensis* Pic,1918; *trimaculata* Pic,1918 DZ
334. **Coptocephala crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): *crassipes* Lefevre,1876; *leprieuri* Pic,1897; *rungsi* Pic,1953; *kocheri* Pic,1953; *vavilovi* Lopatin,1966; *iranica* Medvedev,1971 MA DZ IR AF CN Ti
335. **Coptocephala flavolimbata Pic,1955** (Chrysomelidae) Synonym(s): *flavolimbata* Pic,1955 DZ
336. **Coptocephala panousei Kocher,1858** (Chrysomelidae) Synonym(s): *panousei* Kocher,1858 MA DZ
337. **Coptocephala plagioccephala (Fabricius,1792)** (Chrysomelidae) Synonym(s): *plagioccephala* Fabricius,1792; *melanocephala* Olivier,1808; *externepunctata* Pic,1895; *tunisea* Pic,1901; *andalusiaca* Pic,1918; *theryi* Pic,1918; *holoxantha* Peyerimhoff,1949 FR ES MA DZ TN
338. **Coptocephala unicolor (Lucas,1845)** (Chrysomelidae) Synonym(s): *unicolor* Lucas,1845 DZ IT Si
339. **Corynis citrina (Pérez,1895)** (Cimbicidae) Synonym(s): *citrina* Pérez,1895 BH DZ LY TN Gf SA
340. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 DZ DE BG GB TR IR Cc NL PL HU MA
341. **Creightonella (Metamegachile) albisecta (Klug,1817)** (Megachilidae) Synonym(s): *albisecta* Klug,1817 RU DZ Cc TR
342. **Crepidodera gemmata (Abeille,1895)** (Chrysomelidae) Synonym(s): *gemmata* Abeille,1895 MA DZ TN
343. **Cryptocephalus abdominalis Weise,1886** (Chrysomelidae) Synonym(s): *abdominalis* Weise,1886; *limbaticeps* Pic,1920 DZ TN

344. **Cryptocephalus acupunctatus Fairmaire,1873** (Chrysomelidae) Synonym(s): *acupunctatus Fairmaire,1873* **DZ**
345. **Cryptocephalus baborensis Pic,1914** (Chrysomelidae) Synonym(s): *baborensis Pic,1914* **DZ**
346. **Cryptocephalus baeticus Suffrian,1847** (Chrysomelidae) Synonym(s): *baeticus Suffrian,1847* **DZ MA ES**
347. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus Linnaeus,1758; dispar Paykull,1799* **ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR**
348. **Cryptocephalus blanduloides Normand,1947** (Chrysomelidae) Synonym(s): *blanduloides Normand,1947* **DZ TN MA**
349. **Cryptocephalus discicollis Fairmaire,1867** (Chrysomelidae) Synonym(s): *discicollis Fairmaire,1867* **DZ MA**
350. **Cryptocephalus dogueti Bourdonne,1994** (Chrysomelidae) Synonym(s): *dogueti Bourdonne,1994* **MA DZ**
351. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus Goeze,1777* **RU Sb AL BG PL YU TR JO IL Pa DZ SA UA**
352. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913* **TN DZ TR ES FR IT BG IL Pa**
353. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* **SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO**
354. **Culicoides algeriensis Clastrier,1957** (Ceratopogonidae) Synonym(s): *algeriensis Clastrier,1957* **DZ**
355. **Culicoides begueti Clastrier,1957** (Ceratopogonidae) Synonym(s): *begueti Clastrier,1957* **DZ IL Pa**
356. **Culicoides cataneii Clastrier,1957** (Ceratopogonidae) Synonym(s): *cataneii Clastrier,1957* **DZ IL Pa TR**
357. **Culicoides citrinellus Kieffer,1923** (Ceratopogonidae) Synonym(s): *citrinellus Kieffer,1923* **DZ**
358. **Culicoides distigma Kieffer,1922** (Ceratopogonidae) Synonym(s): *distigma Kieffer,1922* **DZ**
359. **Culicoides donatieni Kieffer,1922** (Ceratopogonidae) Synonym(s): *donatieni Kieffer,1922* **DZ**
360. **Culicoides foleyi Kieffer,1922** (Ceratopogonidae) Synonym(s): *foleyi Kieffer,1922* **DZ**
361. **Culicoides griseidorsum Kieffer,1918** (Ceratopogonidae) Synonym(s): *griseidorsum Kieffer,1918* **DZ**
362. **Culicoides kabyliensis Kieffer,1922** (Ceratopogonidae) Synonym(s): *kabyliensis Kieffer,1922* **DZ**
363. **Culicoides marclei Callot, Kremer & Basset,1968** (Ceratopogonidae) Synonym(s): *marclei Callot, Kremer & Basset,1968* **DZ**
364. **Culicoides nudipennis Kieffer,1922** (Ceratopogonidae) Synonym(s): *nudipennis Kieffer,1922* **DZ**
365. **Culicoides parroti Kieffer,1922** (Ceratopogonidae) Synonym(s): *parroti Kieffer,1922* **DZ**
366. **Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis Becker,1903; impressus Kieffer,1918; distigma Kieffer,1922; donatieni Kieffer,1922; sciniphes Kieffer,1925; bipunctatus Vimmer,1932; tripunctatus Vimmer,1932; wenigi Vimmer,1932; flavitarsis Vimmer,1932; griseovittatus Vimmer,1932; vavrai Vimmer,1932* **ES TR TN DZ EG IL Pa**
367. **Culicoides saevus Kieffer,1922** (Ceratopogonidae) Synonym(s): *saevus Kieffer,1922* **DZ**
368. **Culicoides sahariensis Kieffer,1923** (Ceratopogonidae) Synonym(s): *sahariensis Kieffer,1923* **DZ**
369. **Culicoides semimaculatus Clastrier,1958** (Ceratopogonidae) Synonym(s): *Clastrier,1958* **DZ IL Pa**
370. **Culicoides sergenti Kieffer,1921** (Ceratopogonidae) Synonym(s): *sergenti Kieffer,1921* **DZ**
371. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata Dejean,1822* **MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur**
372. **Cyrtisopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* **EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ**
373. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura Fabricius,1794* **DZ IT TR IL Pa LB IR Ha Lo Th Elb**
374. **Dasyhelea arenosa Kieffer,1925** (Ceratopogonidae) Synonym(s): *arenosa Kieffer,1925* **DZ**
375. **Dasyhelea astyla Kieffer,1922** (Ceratopogonidae) Synonym(s): *astyla Kieffer,1922* **DZ**
376. **Dasyhelea aurensis Remm,1981** (Ceratopogonidae) Synonym(s): *biskraensis Goetghebuer,1939 nec Kieffer,1923; aurensis Remm,1981* **DZ**
377. **Dasyhelea begueti Kieffer,1922** (Ceratopogonidae) Synonym(s): *hirtipes Kieffer,1922 nec Kieff.,1917; begueti Kieffer,1922; biskraensis Kieffer,1923* **DZ**
378. **Dasyhelea bicrenata Kieffer,1923** (Ceratopogonidae) Synonym(s): *bicrenata Kieffer,1923* **DZ**

379. **Dasyhelea bifurcata Kieffer,1923** (Ceratopogonidae) Synonym(s): *bifurcata Kieffer,1923*; *europaea Remm,1962* **DZ EE**
380. **Dasyhelea communis Kieffer,1918** (Ceratopogonidae) Synonym(s): *communis Kieffer,1918* **DZ**
381. **Dasyhelea floricola Kieffer,1922** (Ceratopogonidae) Synonym(s): *floricola Kieffer,1922* **DZ**
382. **Dasyrhamphis nigrinus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus Fabricius,1794*; *alexandrinus Wiedemann,1830* **DZ ES FR IT TR IL Pa SY**
383. **Dasytidius deportatus (Peyerimhoff,1929)** (Melyridae) Synonym(s): *deportatus Peyerimhoff,1929* **DZ**
384. **Dasytidius diversimembris (Pic,1937)** (Melyridae) Synonym(s): *diversimembris Pic,1937* **DZ MA**
385. **Dasytidius gracilis (Escalera,1914)** (Melyridae) Synonym(s): *gracilis Escalera,1914* **DZ MA**
386. **Dasytidius medius (Rottenberger,1871)** (Melyridae) Synonym(s): *medius Rottenberger,1871* **DZ MA TN**
387. **Dasytidius ragusai (Prochazka,1895)** (Melyridae) Synonym(s): *ragusai Prochazka,1895* **TN DZ IT Si LY**
388. **Dasytidius vestitus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *vestitus Kiesenwetter,1863* **DZ MA TN**
389. **Dasytidius wartmanni (Reitter,1897)** (Melyridae) Synonym(s): *wartmanni Reitter,1897* **DZ**
390. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* **AF DZ CY TR FR IL IT MA ES TN**
391. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* **Cn ES DZ EG JO Pet SO YE TR AF NP IN**
392. **Delta unguiculatum (Villers,1789)** (Vespidae) Synonym(s): *unguiculatum Villers,1789* **TR DZ**
393. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris Fallén,1806*; *convexus Rey,1894*; *fumigatus Rey,1894* **DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR**
394. **Dentilla erronea (André,1902)** (Mutillidae) Synonym(s): *erronea André,1902* **TR GR BG AL IT DZ**
395. **Deporaus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae Linnaeus,1758*; *populi Scopoli,1763*; *fagi Scopoli,1763*; *femoratus Olivier,1789*; *populneus Gmelin,1790*; *femoralis Latreille,1804* **DE DZ BG FR GB Cc TR KG MK MN RU Sb**
396. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous Küster,1846*; *asiatica Hava,2002* **FR Co PT ES IT Sa DZ IR JO SY TR**
397. **Desmatoneura albifacies (Macquart,1840)** (Bombyliidae) Synonym(s): *tibialis Stephens,1829*; *albifacies Macquart,1840* **EG DZ AF**
398. **Desmatoneura nivea (Rossi,1790)** (Bombyliidae) Synonym(s): *nivea Rossi,1790* **IT DZ**
399. **Desmatoneura sardoa (Macquart,1849)** (Bombyliidae) Synonym(s): *semipellucida Zetterstedt,1845*; *sardoa Macquart,1849* **DZ**
400. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* **RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ**
401. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati Allard,1861* **IT Si ES An GR Rd SY IL Pa EG TN DZ**
402. **Dibolia djelfana Doguet,1975** (Chrysomelidae) Synonym(s): *djelfana Doguet,1975* **DZ MA TN**
403. **Dibolia maura Allard,1860** (Chrysomelidae) Synonym(s): *maura Allard,1860* **IT Si DZ TN**
404. **Dibolia numidica Doguet,1971** (Chrysomelidae) Synonym(s): *numidica Doguet,1971* **DZ TN TR**
405. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans Koch,1803*; *menthae Hering,1924* **TR Cc IR DZ MA Cn**
406. **Dibolia pelleti Allard,1860** (Chrysomelidae) Synonym(s): *pelleti Allard,1860* **FR ES MA DZ**
407. **Dibolia peyerimhoffii Doguet,1975** (Chrysomelidae) Synonym(s): *peyerimhoffii Doguet,1975* **DZ MA**
408. **Dibolia timida (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida Illiger,1807*; *eryngii Bach,1859*; *oranensis Pic,1909* **DZ ES TR**
409. **Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): *chorea Meigen,1818* **TR DZ Cc**
410. **Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): *goritiensis Mik,1864* **TR DZ UA Cm**
411. **Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae) Synonym(s): *mitis Meigen,1830* **TR DZ Cc**
412. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata Boheman,1847* **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**

413. **Dictyla lupuli (Herrich-Schäffer,1837)** (Tingidae) Synonym(s): *lupuli* Herrich-Schäffer,1837
DZ RU Sb TR
414. **Dictyonota tricornis (Schrank,1801)** (Tingidae) Synonym(s): *tricornis* Schrank,1801 US CV
CA DZ IR TR RU Sb CN Ui
415. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879 DZ
CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
416. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophon*
Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus*
Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK
ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN
Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE
YU TR
417. **Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis* sensu
Meigen,1830; *concinna* Costa,1883 DZ FR DE CH IT TR IR Kh Ss
418. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794;
anomala Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri*
Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA
US
419. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis*
Mulsant & Wahanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ
Da RU MN
420. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849
MA DZ TN ES PT EG IQ SN YE
421. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis*
Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt
KG KK LV MD RU Sb UA YU
422. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani*
Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869 AL DZ AT BE BG CS DK FI FR DE IT
NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
423. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790;
cornigera Jurine,1807; *imperialis* Giraud,1863 AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
424. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
DZ ES PT FR IT Sa Co CY SY IL Pa LB Jo TR IR
425. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus*
Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 AZ AM Cc GG BG
CY GR Cr IL RO RU TR TN DZ MA KG
426. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763
ES Md DZ TN TR EG IL Pa IR GB CN MN
427. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847;
macroptera Kusnezov,1928 AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc
GG TR KG KK LV MD RU Sb UA YU
428. **Drasterius bimaculatus (Rossi,1790)** (Elateridae) Synonym(s): *bimaculatus* Rossi,1790;
#levantinus Roubal,1924 DZ TR
429. **Dufourea (s.str.) brachycephala (Warncke,1979)** (Halictidae) Synonym(s):
brachycephala Warncke,1979 MA DZ TN
430. **Dufourea (s.str.) similis Friese,1898** (Halictidae) Synonym(s): *similis* Friese,1898 MA
DZ
431. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata*
A.Costa,1882; *punctata* Lallemand,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
432. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis*
Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907 IR DZ EG IQ IL Pa TN MA ES
433. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi*
Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA
NL PL RO SE SW TR Cc GG MD UA YU
434. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali* Reiche &
Fairmaire,1847; *perlodes* Saussure,1869; *somalica* Schluthness-Schindler,1898 DZ ET GN CM KE NG SN
SD TD UG
435. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae* Ferrière,1935;
elongatus Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE
US Tx YE YU
436. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens*
Fabricius,1794 (praeocc.); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917
DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV
RU At Sb UA YU
437. **Emmepus bonnairii Fairmaire,1883** (Cleridae) Synonym(s): *bonnairii* Fairmaire,1883
DZ EG IL Pa
438. **Emmepus pallidipennis Pic,1898** (Cleridae) Synonym(s): *pallidipennis* Pic,1898 DZ IL Pa

439. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
440. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
441. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836 **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO**
442. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 **EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN**
443. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata* Goeze,1778; *pauperata* Rossi,1783 *nec F.*,1781; *pennata* Thunberg,1815; *variabilis* Risso,1826; *egema* Charpentier,1841; *brachyptera* Fischer v. Waldheim,1846; *europaea* Fieber,1853; *occidentalis* Fieber,1853 **DZ Cn LY MA TN ES PT Sa Si IT**
444. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes* Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867 **IR Kd DZ GR MA TN TR YU**
445. **Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957 **TR IR DZ MN KG RU At**
446. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 **DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR**
447. **Entedon lucasi Gumovsky,2007** (Eulophidae) Synonym(s): *lucasi* Gumovsky,2007 **DZ**
448. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syraensis* Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
449. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
450. **Eoferreola mixta (Tournier,1895)** (Pompilidae) Synonym(s): *mixta* Tournier,1895; *pharmaceuta* Dalla Torre,1897 **MA DZ TN**
451. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternana* Macquart,1842 **TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn**
452. **Epitrix atropae Foudras,1860** (Chrysomelidae) Synonym(s): *atropae* Foudras,1860 **DZ TR Cc**
453. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus* Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 **ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG**
454. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
455. **Erimyrmosa frater (E.Saunders,1899)** (Mutillidae) Synonym(s): *frater* E.Saunders,1899 **DZ TN**
456. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger* Meigen,1804; *flavescens* Jaenicke,1867 **DZ MA FR PT ES TN IR Ss**
457. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 **ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK**
458. **Euchalcis unicolor (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952 **DZ AM Cc ES IL Pa TR**
459. **Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871 **DZ ES GR TR**
460. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
461. **Euonicellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
462. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata*

- Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
463. **Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *corollae Fabricius,1794* TR RU Ur Sb KG Cc IR MN CN DZ AU
464. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939* AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
465. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
466. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939* DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
467. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata Linnaeus,1758* DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
468. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna Germar,1831* DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
469. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella Fallén,1806; ornatipennis Curtis,1837; lutea Hardy,1850; aurantiaca Snellen,1862; thoracica Fieber,1884; orientalis Dworakowska,1969* DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU
470. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans Fabricius,1794* DZ FR GR MA ES TN
471. **Euryproctus numidicus Schmiedeknecht** (Ichneumonidae) Synonym(s): *numidicus Schmiedeknecht; tunetanus Habermehl,1925; turcator Aubert,1979* DZ TN IL Pa TR
472. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
473. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
474. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus Kirschbaum,1858; irrorartus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894* DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
475. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreatea Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
476. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832; nitidus Curtis,1833; stictopus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
477. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata Olivier,1790* Apalus sexmaculatus Olivier,1790, Encycl. méthod. 4: 166. DZ ES IT Si CY TR TJ SY
478. **Exechia separata Lundström,1912** (Mycetophilidae) Synonym(s): *separata Lundström,1912* DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
479. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaceps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
480. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
481. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
482. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883* DZ ES Cn FR GR IT MA IL ES SW TN RU
483. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus LaFerté & Sénectere,1847* DZ BG GR IT CY TR IR
484. **Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): *hispidus Engel,1929* IR Ss Kz Fa JO IL Pa DZ
485. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
486. **Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni Linnaeus,1758* TR Cc IR CN KG KP KR RU Sb MN DZ CA
487. **Geomantis larvoides Pantel,1896** (Mantidae) Synonym(s): *larvoides Pantel,1896* TR DZ

488. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
489. **Geron meigeni Greathead,2001** (Bombyliidae) Synonym(s): *meigeni Greathead,2001* IT Sa DZ
490. **Geron michaili Zaitzev,1972** (Bombyliidae) Synonym(s): *michaili Zaitzev,1972* DZ AM UA EG MN TN TM
491. **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper Fieber,1860* DZ MA IL Pa SY TR
492. **Glaphyrus maurus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *maurus Linnaeus,1758; cardeci Fabricius,1787* MA DZ TN
493. **Glaphyrus panousei Kocher,1957** (Glaphyridae) Synonym(s): *panousei Kocher,1957* MA DZ
494. **Glaphyrus serratulae (Fabricius,1775)** (Glaphyridae) Synonym(s): *serratulae Fabricius,1775; villosipennis Quedenfeldt,1887; maroccanus Chobaut,1923; alticola Kocher,1958* MA DZ
495. **Glaphyrus viridicollis Lucas,1846** (Glaphyridae) Synonym(s): *viridicollis Lucas,1846* MA DZ TN
496. **Gnorimus baborensis Bedel,1919** (Scarabaeidae) Synonym(s): *baborensis Bedel,1919* DZ
497. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
498. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
499. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887* DZ EG IL Pa TR LY MA AZ Cc RU Da
500. **Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniidae) Synonym(s): *conoviensis Barnes,1924* TR DZ Cc
501. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops Gravenhorst,1829* DZ KK KG MN RU Sb Ya TR
502. **Gryllomorpha (Gryllomorphella) uclensis Pantel,1890** (Gryllidae) Synonym(s): *uclensis Pantel,1890* ES FR DZ TN LY
503. **Gryllomorpha (s.str.) algerica Chopard,1943** (Gryllidae) Synonym(s): *algerica Chopard,1943* DZ
504. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis Herrich-Schäffer,1834; pinetellus Zetterstedt,1840; fallax Kirschbaum,1868* DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU
505. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus Ivanoff,1885; australis Haupt,1927* DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
506. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842; caliginosus Balthasar,1934* RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
507. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
508. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
509. **Habropogon balachowskyi Weinberg,1973** (Asilidae) Synonym(s): *balachowskyi Weinberg,1973* DZ
510. **Habropogon bipartitus Villeneuve,1931** (Asilidae) Synonym(s): *bipartitus Villeneuve,1931* DZ
511. **Habropogon heteroneurus Timon & David,1951** (Asilidae) Synonym(s): *striatus Fabricius,1794 nec Gmel.,1790; heteroneurus Timon & David,1951 (see Koçak & Kemal,2008, Misc. Pap. 145: 10).* DZ MT IL Pa
512. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum Ahrens,1812; quinquemaculata Germar,1821; lugens Horvath,1882* DZ BE FR DE GR IT NL PT ES SW TR YU
513. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis Germar,1821; badiellus Kirschbaum,1868; fulvopieta Sahlberg,1871; confusa Rey,1894* AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
514. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata Puton,1874* DZ RU ES LY TN Cc IR TR
515. **Hellwigiella nigripennis Szepliget,1905** (Ichneumonidae) Synonym(s): *nigripennis Szepliget,1905* DZ TR
516. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis Bedel,1881* TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
517. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis Motschoulsky,1860* TR DZ GB DK FR DE IT MA PT ES SE TN

518. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
519. **Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus Fabricius,1775* SE DK FI RU DZ TR
520. **Helophorus porculus Bedel,1881** (Helophoridae) Synonym(s): *porculus Bedel,1881* DZ NL ES FR DE TR
521. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis Kuwert,1887* DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
522. **Hemipenthes pauper (Becker,1916)** (Bombyliidae) Synonym(s): *pauper Becker,1916* DZ EG
523. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820* PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
524. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi Fieber,1868* DZ BG CZ FR IT MA ES TR YU AF IR
525. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer Walker,1849; chetifera Walker,1849; alutifer Haliday,1851; cretifer Walker,1856; cretifera Walker,1856* GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
526. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus Loew,1857; papillifer Mik,1880* Cc AM GG RO RU DZ Cn KK TJ
527. **Hercostomus plagiatus (Loew,1857)** (Dolichopodidae) Synonym(s): *plagiatus Loew,1857; gallicanus Becker,1910* RO DZ TN
528. **Heriades (Michenerella) discrepans Benoist,1938** (Megachilidae) Synonym(s): *discrepans Benoist,1938* DZ MA TN
529. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
530. **Heriades (s.str.) fertoni Benoist,1938** (Megachilidae) Synonym(s): *fertoni Benoist,1938* DZ
531. **Heriades (s.str.) labiatus Pérez,1895** (Megachilidae) Synonym(s): *labiatus Pérez,1895* DZ
532. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
533. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
534. **Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): *manicatus Meigen,1820* MA DZ FR Co ES TR
535. **Heteropogon manni Loew,1854** (Asilidae) Synonym(s): *manni Loew,1854* GR DZ TR
536. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus Wiedemann,1820* IR Fa ES PT JO IL Pa MA DZ TN TR
537. **Heterotropus boundariei Séguy,1938** (Bombyliidae) Synonym(s): *boundariei Séguy,1938* DZ
538. **Heterotropus fulvipes Seguy,1932** (Bombyliidae) Synonym(s): *fulvipes Seguy,1932* DZ
539. **Heterotropus longitarsus Seguy,1930** (Bombyliidae) Synonym(s): *longitarsus Seguy,1930* DJ MA DZ
540. **Heterotropus maculatissimus Villeneuve,1932** (Bombyliidae) Synonym(s): *maculatissimus Villeneuve,1932* DZ
541. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus Rossi,1792* Cn DZ LT SE RU AF KG Sb TR
542. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata Walker,1834; albomaculatus Lucas,1849; maculipennis Steffani,1887; modesta Silvestri,1907; erdoesi Boucek,1952; nipponica Habu,1960* DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
543. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
544. **Hofferia mauritanica (Lucas,1849)** (Megachilidae) Synonym(s): *mauritanica Lucas,1849; obtusus Friese,1897* MA DZ TN
545. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
546. **Hoplitis (Alcidamea) curtula (Pérez,1895)** (Megachilidae) Synonym(s): *curtula Pérez,1895; bofilli Pérez,1905* ES FR DZ MA
547. **Hoplitis (Alcidamea) dumonti (Benoist,1929)** (Megachilidae) Synonym(s): *dumonti Benoist,1929* DZ TN

548. **Hoplitis (Alcidamea) freygessneri (Friese,1899)** (Megachilidae) Synonym(s): *freygessneri* Friese,1899 **DZ MA TN**
549. **Hoplitis (Alcidamea) grandiscapa (Pérez,1895)** (Megachilidae) Synonym(s): *grandiscapa* Pérez,1895 **DZ MA**
550. **Hoplitis (Alcidamea) lamina (Pérez,1896)** (Megachilidae) Synonym(s): *lamina* Pérez,1896 **DZ MA**
551. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR**
552. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 **AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR**
553. **Hoplitis (Alcidamea) tricolor (Saunders,1908)** (Megachilidae) Synonym(s): *tricolor* Saunders,1908 **MA DZ JO**
554. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 **AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR**
555. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
556. **Hoplitis (Annosmia) bassana (Warncke,1991)** (Megachilidae) Synonym(s): *bassana* Warncke,1991 **DZ MA**
557. **Hoplitis (Annosmia) nisa (Warncke,1991)** (Megachilidae) Synonym(s): *nisa* Warncke,1991 **MA DZ TN**
558. **Hoplitis (Annosmia) ochruros (Warncke,1991)** (Megachilidae) Synonym(s): *ochruros* Warncke,1991 **MA DZ TN**
559. **Hoplitis (Annosmia) speculum (Benoist,1934)** (Megachilidae) Synonym(s): *speculum* Benoist,1934 **MA DZ**
560. **Hoplitis (Annosmia) zonalis (Pérez,1895)** (Megachilidae) Synonym(s): *zonalis* Pérez,1895; *undulata* Pérez,1902; *taprurensis* Benoist,1929; *bodenheimeri* Mavromoustakis,1949 **MA DZ TN IL Pa**
561. **Hoplitis (Anthocopa) antigae (Pérez,1895)** (Megachilidae) Synonym(s): *antigae* Pérez,1895 **ES FR DZ MA**
562. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 **ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR**
563. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula* Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990 **ES FR Co IT Si DZ MA TN CN**
564. **Hoplitis (Anthocopa) diabolica (Benoist,1934)** (Megachilidae) Synonym(s): *diabolica* Benoist,1934 **DZ**
565. **Hoplitis (Anthocopa) ilamana (Zanden,1994)** (Megachilidae) Synonym(s): *ilamana* Zanden,1994 **DZ MA**
566. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 **Cc AM FR IT Si DZ TN CN Uj Ku KG KK TJ TM IR TR**
567. **Hoplitis (Anthocopa) longispina (Pérez,1895)** (Megachilidae) Synonym(s): *longispina* Pérez,1895; *gigas* Friese,1899; *vogti* Friese,1911 **DZ TN**
568. **Hoplitis (Anthocopa) nasoincisa (Ferton,1914)** (Megachilidae) Synonym(s): *nasoincisa* Ferton,1914 **DZ**
569. **Hoplitis (Anthocopa) oxypyga (Benoist,1927)** (Megachilidae) Synonym(s): *oxypyga* Benoist,1927 **MA DZ**
570. **Hoplitis (Anthocopa) pulchella (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella* Pérez,1895; *lativentris* Friese,1899; *albiscopa* Friese,1899 **MA DZ EG TN JO**
571. **Hoplitis (Anthocopa) quadrispina (Tkalcu,1992)** (Megachilidae) Synonym(s): *quadrispina* Tkalcu,1992 **DZ LY TN**
572. **Hoplitis (Anthocopa) rubricrus (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus* Friese,1899 **DZ MA IL Pa PK IN**
573. **Hoplitis (Anthocopa) rugidorsis (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 **IT Sa DZ MA TR?**
574. **Hoplitis (Anthocopa) saundersi (Vachal,1891)** (Megachilidae) Synonym(s): *saundersi* Vachal,1891 **MA DZ PK IN**
575. **Hoplitis (Anthocopa) simula (Gribodo,1894)** (Megachilidae) Synonym(s): *simula* Gribodo,1894; *florigera* Ferton,1914 **MA DZ TN**
576. **Hoplitis (Anthocopa) sinuata (Pérez,1895)** (Megachilidae) Synonym(s): *sinuata* Pérez,1895; *rufiscopa* Friese,1899 **DZ MA TN**

577. **Hoplitis (Anthocopa) ursina (Friese,1920)** (Megachilidae) Synonym(s): *ursina* Friese,1920; *armata* Benoist,1927 **DZ MA TN**
578. **Hoplitis (Anthocopa) zaianorum (Benoist,1927)** (Megachilidae) Synonym(s): *zaianorum* Benoist,1927 **DZ MA**
579. **Hoplitis (Chlidoplitis) taenioceras (Benoist,1927)** (Megachilidae) Synonym(s): *taenioceras* Benoist,1927 **MA DZ**
580. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 **DZ MA GR TR SY IR**
581. **Hoplitis (Pentadentoscia) meyeri (Benoist,1934)** (Megachilidae) Synonym(s): *meyeri* Benoist,1934 **DZ MA IL Pa**
582. **Hoplitis (Pentadentoscia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 **Cn DZ MA TN IL Pa JO PK AE IN**
583. **Hoplitis (Pentadentoscia) quinquespinosa (Friese,1899)** (Megachilidae) Synonym(s): *quinquespinosa* Friese,1899; *consanguinea* Benoist,1929; *neptunea* Benoist,1929 **MA DZ TN IL Pa**
584. **Hoplitis (Pentadentoscia) villiersi (Benoist,1950)** (Megachilidae) Synonym(s): *villiersi* Benoist,1950; *strepera* Warncke,1991 **MR MA DZ TN**
585. **Hoplitis (Platosmia) africana (Warncke,1990)** (Megachilidae) Synonym(s): *africana* Warncke,1990; *adustus* Zanden,1991 **MA DZ IL Pa**
586. **Hoplitis (Platosmia) incognita Zanden,1996** (Megachilidae) Synonym(s): *incognita* Zanden,1996 **MA DZ TN**
587. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 **AL BG Cc GG GR IT SS MA DZ TR**
588. **Hoplitis (Prionohoplitis) epeoliformis (Ducke,1899)** (Megachilidae) Synonym(s): *epeoliformis* Ducke,1899 **DZ MA JO**
589. **Hoplitis (Prionohoplitis) insolita (Benoist,1928)** (Megachilidae) Synonym(s): *insolita* Benoist,1928 **DZ**
590. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepelletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
591. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
592. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879 *nec* Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 **ES FR Co HV IT Sa Si PT DZ MA TN**
593. **Hoplitis (s.str.) ctenophora (Benoist,1934)** (Megachilidae) Synonym(s): *ctenophora* Benoist,1934 **MA DZ TN**
594. **Hoplitis (s.str.) fertoni (Pérez,1890)** (Megachilidae) Synonym(s): *fertoni* Pérez,1890; *albispina* Pérez,1895; *mecheriana* Pérez,1902 **MA DZ TN IL Pa**
595. **Hoplitis (s.str.) fortispina (Pérez,1895)** (Megachilidae) Synonym(s): *fortispina* Pérez,1895 **MA DZ**
596. **Hoplitis (s.str.) hoggara (Warncke,1992)** (Megachilidae) Synonym(s): *hoggara* Warncke,1992 **MA DZ**
597. **Hoplitis (s.str.) insularis (Schmiedeknecht,1886)** (Megachilidae) Synonym(s): *insularis* Schmiedeknecht,1886; *vaulogeri* Pérez,1895 **ES IT Sa Si DZ MA TN**
598. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898 **IT GR HV MK SS DZ EG MA TN**
599. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 **AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR**
600. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902 **ES FR Co IT Si PT DZ MA TN**
601. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 **CH ES FR IT Si PT DZ MA TN IL Pa JO**
602. **Hoplitis (Stenosmia) hartliebi (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi* Friese,1899 **DZ? EG LY TN IL Pa**
603. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
604. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 **DZ GR TR Cc RU KG Sb TM SY**
605. **Hygrobia hermanni (Fabricius,1775)** (Hygrobiidae) Synonym(s): *hermanni* Fabricius,1775 **DZ MA TN TR UA**

606. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis* Erichson,1840
MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
607. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis* Burmeister,1838; *longifrons* Saussure,1870; *juliae* Krauss,1892; *guichardi* La Greca,1952 Cn TN EG DZ LY SA SO NE OM
608. **Hysteropterum algiricum (Lucas,1849)** (Issidae) Synonym(s): *algiricum* Lucas,1849 DZ
609. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
610. **Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): *nervosum* Fieber,1877 DZ GR IT IL ES YU
611. **Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum* Lucas,1854 DZ FR IT Sa GR TR
612. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; ?*filicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
613. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis,1834; *adustus* Herrich-Schäffer,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
614. **Iris deserti Uvarov,1923** (Irididae) Synonym(s): *deserti* Uvarov,1923 DZ TD TN
615. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 **Gryllus (Mantis) oratorius** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
616. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleoptratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
617. **Itoplectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator* Fabricius,1775 TR DZ Cc Cn
618. **Itoplectis tunetana (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht,1914 DZ TR Cc IR KG RU At Tv MN
619. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
620. **Jalla subdilatata Reuter,1900** (Pentatomidae) Synonym(s): *subdilatata* Reuter,1900 DZ
621. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
622. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
623. **Jugurtia jemenensis Kostylev,1935** (Vespidae) Synonym(s): *jemenensis* Kostylev,1935; *hoggarica* Giordani Soika,1954 DZ IL Pa SA OM AE
624. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
625. **Krombeinella tenietensis (André,1900)** (Mutillidae) Synonym(s): *tenietensis* André,1900 DZ TN
626. **Labidostomis guerini (Bassi,1834)** (Chrysomelidae) Synonym(s): *guerini* Bassi,1834 DZ TN IT Si
627. **Labidostomis lusitanica (Germar,1824)** (Chrysomelidae) Synonym(s): *lusitanica* Germar,1824 DZ ES FR IT Si
628. **Labidostomis mairei Peyerimhoff,1922** (Chrysomelidae) Synonym(s): *mairei* Peyerimhoff,1922 DZ MA
629. **Labidostomis quadrinotata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *quadrinotata* Fabricius,1787 MA DZ
630. **Labidostomis rubripennis (Lucas,1845)** (Chrysomelidae) Synonym(s): *rubripennis* Lucas,1845 DZ MA
631. **Labidostomis taxicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *taxicornis* Fabricius,1792; *sardoa* Jacobson,1906 IT Sa AT DZ
632. **Lachnaia cerealis (Olivier,1808)** (Chrysomelidae) Synonym(s): *cerealis* Olivier,1808 DZ IL Pa SY
633. **Lachnaia cylindrica (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *cylindrica* Lacordaire,1848 ES PT FR IT Si DZ
634. **Lachnaia fuchsi Papp,1950** (Chrysomelidae) Synonym(s): *fuchsi* Papp,1950 DZ

635. **Lachnaia hirta (Fabricius,1801)** (Chrysomelidae) Synonym(s): *hirta Fabricius,1801* DZ
ES PT FR IT Si
636. **Lachnaia octomaculata (Pic,1895)** (Chrysomelidae) Synonym(s): *octomaculata Pic,1895*
DZ MA
637. **Lachnaia paradoxa (Olivier,1808)** (Chrysomelidae) Synonym(s): *paradoxa Olivier,1808*
MA DZ ES
638. **Lachnaia pubescens (Dufour,1820)** (Chrysomelidae) Synonym(s): *pubescens Dufour,1820*
DZ ES FR Co Sa IT
639. **Lachnaia puncticollis Chevrolat,1840** (Chrysomelidae) Synonym(s): *puncticollis*
Chevrolat,1840 DZ MA ES FR
640. **Lachnaia separata (Pic,1897)** (Chrysomelidae) Synonym(s): *separata Pic,1897* DZ
641. **Lachnaia straminipennis (Lucas,1845)** (Chrysomelidae) Synonym(s): *straminipennis*
Lucas,1845 MA DZ
642. **Lachnaia tristigma (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *tristigma*
Lacordaire,1848 DZ ES FR IT
643. **Lachnaia variolosa (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *variolosa*
Linnaeus,1767 DZ MA ES
644. **Lacon punctatus (Herbst,1779)** (Elateridae) Synonym(s): *punctatus Herbst,1779* DZ GR
TR
645. **Lampyris algerica Ancy,1869** (Lampyridae) Synonym(s): *algerica Ancy,1869; mucronata*
Olivier,1884; mutabilis Olivier,1884 DZ MA TN
646. **Lampyris exilis Olivier,1894** (Lampyridae) Synonym(s): *exilis Olivier,1894; numidica*
Normand,1934 DZ TN
647. **Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa Olivier,1883; barbara*
Olivier,1884 DZ IL Pa Js Hf JO Amm TR SY
648. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826;*
lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900;
nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis
Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943 Cc AF AL
DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN
TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
649. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava Linnaeus,1761; conopsoides*
Scopoli,1763; ferox Scopoli,1763; fulva Geoffroy,1785; pedemontana Fabricius,1794; escorialensis
Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
650. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii*
Latreille,1805; denticornis Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
651. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum Pérez,1895;*
mesoleus Cockerell,1938; donatum Warncke,1975 MA DZ IT YU GR AL TR IL Pa Cc IR
652. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum Smith,1853;*
morbillosus Kriechbaumer,1873; glasunovi Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
653. **Lasioglossum femorale (Saunders,1908)** (Halictidae) Synonym(s): *femorale*
Saunders,1908 DZ MA TN
654. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes*
Blüthgen,1934 IT Si Co GR ES MA DZ TR
655. **Lasiopa benoisti Séguy,1930** (Stratiomyidae) Synonym(s): *benoisti Séguy,1930* TR DZ MA
656. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons*
Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
657. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus*
Boheman,1845; kindermannii Desbrochers,1845; syriacus Desbrochers,1868 AT BG HV DZ FR IT Si RO
GR TR SY JO
658. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus Herbst,1797;*
ophthalmicus Stephens,1831; similis Curtis,1837; splendidulus Kiesenwetter,1861 DE BG DZ DK AM Cc TR
FR GB
659. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La*
Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
660. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica De Geer,1776;*
tipuloides Fabricius,1775; livida Geoffroy,1785; fusca Meigen,1804; hispanica Meigen,1838; nigricornis
Loew,1847; dorsalis Dahlbom,1851 MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
661. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915*
TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ
CN PE SN SL ES SE TJ TM GB US RU UZ
662. **Leptomastix algerica Trjapitzin** (Encyrtidae) Synonym(s): DZ TR
663. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata*
Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896 Cc AF AL DZ AT
BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA
UZ YU

664. **Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): *parvidens Artobolevski,1929* ES SY DZ DK TR Rd CY
665. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Ce GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
666. **Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi Lethierry,1876; menozii Haupt,1930* DZ CY FR IT Sa Si TN TR YU
667. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
668. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkitii Bartenev,1929* TR DZ EG Cc AM GR YU IQ IL Pa
669. **Lispe apicalis Mik,1869** (Muscidae) Synonym(s): *apicalis Mik,1869* MA DZ AT HU TR IR
670. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
671. **Lispe elkantarae Becker,1907** (Muscidae) Synonym(s): *elkantarae Becker,1907* DZ TR?
672. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata Lucas,1849; lineolator Aubert,1972* DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
673. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea Loginova,1974* Cc UA Cm TR BG IL Pa DZ
674. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul Fabricius,1794* ES MD UA RU Cc IT DZ TR
675. **Longitarsus albus (Allard,1866)** (Chrysomelidae) Synonym(s): *albus Allard,1866* MA DZ IL Pa
676. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
677. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus Linnaeus,1761; declivis Weise,1893* DZ TN TR Cc IR TM
678. **Longitarsus baeticus Leonhardi,1979** (Chrysomelidae) Synonym(s): *baeticus Leonhardi,1979* ES DZ
679. **Longitarsus flavicornis (Stephens,1831)** (Chrysomelidae) Synonym(s): *flavicornis Stephens,1831; rufescens Fowler,1890; citrinus Fuente,1910* GB IE FR BE ES MA DZ
680. **Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): *foudrasi Weise,1893* TR RU Sb Cc DZ
681. **Longitarsus juncicola (Foudras,1860)** (Chrysomelidae) Synonym(s): *juncicola Foudras,1860* DZ TR Cc
682. **Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscherae Rey,1892* DZ TR Cc RU Sb KP KR CN
683. **Longitarsus minusculus (Foudras,1860)** (Chrysomelidae) Synonym(s): *minusculus Foudras,1860* Cc TR DZ
684. **Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus Goeze,1777* TR Cc IR AF RU Sb KG DZ
685. **Longitarsus ochroleucus (Marsham,1802)** (Chrysomelidae) Synonym(s): *ochroleucus Marsham,1802* TR Cc DZ
686. **Longitarsus parvulus (Paykull,1799)** (Chrysomelidae) Synonym(s): *parvulus Paykull,1799* TR Cc RU Sb DZ
687. **Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis Panzer,1794* TR Cc IR AF KG IL Pa DZ
688. **Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus Foudras,1860* TR Cc IR AF DZ KG
689. **Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus Foudras,1860* TR Cc RU Sb KG DZ MN KP KR JP
690. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus Fabricius,1775* TR Cc DE IR KG DZ MN
691. **Lucanus (Pseudolucanus) barbarossa Fabricius,1801** (Lucanidae) Synonym(s): *barbarossa Fabricius,1801* MA PT ES DZ TN
692. **Lydus algiricus (Linnaeus,1758)** (Meloidae) Synonym(s): *algiricus Linnaeus,1758* DZ LY IL Pa
693. **Macrolenes bellieri Reiche,1860** (Chrysomelidae) Synonym(s): *bellieri Reiche,1860* DZ IT Si
694. **Macrolenes dentipes (Olivier,1808)** (Chrysomelidae) Synonym(s): *bimaculatus Rossi,1790 nec Fabr.,1781; ruficollis Fabricius,1792 nec Fabr.,1775; dentipes Olivier,1808* IT Si TR FR DZ
695. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei Fieber,1868; bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926* DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU

696. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ
KG? MD? RU Sb TJ? UA? UZ? YU?
697. **Macrorileyia inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata*
Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
698. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus*
Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML
MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31
699. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata*
Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT
JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
700. **Malachius lusitanicus Erichson,1840** (Melyridae) Synonym(s): *lusitanicus* Erichson,1840
DZ ES
701. **Mantura chrysanthemi (Koch,1803)** (Chrysomelidae) Synonym(s): *chrysanthemi* Koch,1803
DZ TR
702. **Megachile (Eutricharaea) apicalis Spinola,1808** (Megachilidae) Synonym(s): *apicalis*
Spinola,1808 CA DZ Cc TR
703. **Megachile (Eutricharaea) pilidens Alfken,1924** (Megachilidae) Synonym(s): *pilidens*
Alfken,1924 Cc TR DZ
704. **Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) Synonym(s):
lagopoda (Linnaeus,1761 TR Cc RU Sb Us JP DZ
705. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853;
sahlbergi Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
706. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871;
ballestrerii Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ
AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
707. **Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli* Seitner,1916 PT DZ
FR IT SS B-H GR Cr TR
708. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806;
? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van
Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE
SW SY TN AZ EE GG LV RU UA YU
709. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum*
Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus*
Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor*
Walker,1851; *pruinoseum* Bigot,1884; *nigricorne* Stroble,1893 DZ US GB HU NL DE SE NO GR Cr TR
710. **Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae) Synonym(s): *rufipes* Herbst,1784;
villosus Fourcroy,1785 GR DZ TR
711. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus* Sturm,1845 DZ FR TR Cc
IR UZ KG
712. **Melitonoma saadensis Pic,1894** (Chrysomelidae) Synonym(s): *saadensis* Pic,1894 DZ
713. **Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis* Olivier,1792 ES IT Si Sa
TR DZ Cc
714. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 DZ ES IT Sa Si
TR RU KG TJ MN TM
715. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 DZ IT
Si TR Cc RU Sb UA Cm KG TJ TM IR AF
716. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758
ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
717. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus* Marsham,1802 ES IT RU DZ
Cc TR TM
718. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata*
Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
719. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus*
Tschek,1872 *Cryptus pseudonymphus* Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR
TJ JO IL Pa
720. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus*
Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
721. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji* Paramonov,1925 DZ MA
TN ES FR IT GR UA MN
722. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes*
Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibiis* Rondani,1845; *graecus*
Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liouy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ
CH IT Sa HU AT CY LB TR GR AL YU

723. **Merodon bequaerti Hurkmans,1993** (Syrphidae) Synonym(s): *bequaerti* Hurkmans,1993
DZ
724. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781;
clauda Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus*
Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR
Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
725. **Merodon elegans Hurkmans,1993** (Syrphidae) Synonym(s): *elegans* Hurkmans,1993 IT Si FR
ES DZ MA
726. **Merodon femoratooides Paramonov,1925** (Syrphidae) Synonym(s): *femoratooides*
Paramonov,1925 DZ GR UA Cm TR
727. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus* Strobl,1909 PT ES FR
Co IT YU BG TR IL Pa DZ MA MT
728. **Merodon hurkmansi Marcos-Garcia, Vujic & Mengual,2007** (Syrphidae)
Synonym(s): *hurkmansi* Marcos-Garcia, Vujic & Mengual,2007 DZ
729. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil
Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR
730. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis* Strobl,1909;
fuerteventurensis Barkemeyer,2002 ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
731. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834;
pallidus Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929 MA
DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
732. **Merodon trizonus (Szilady,1940)** (Syrphidae) Synonym(s): *trizonus* Szilady,1940 DZ TN
733. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798
TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
734. **Metasyrphus corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776;
corollae Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons*
Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus*
Macquart,1850; *topiarius* Walker,1851; *berber* Bigot,1884 DZ GB HU NL DE SE NO TR
735. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792;
formicaria Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809;
italica Costa,1858 *articulata* Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG
NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
736. **Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s):
croceicornis Thomson,1887 DZ TR Cc KG IR
737. **Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus*
Mocsary,1883 TR DZ Cc TJ KG RU
738. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s):
micantula Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feberi* Metcalf,1968 DZ AT CS DK FI MN
NO PL SE SW GG Cc TR KG KK RU Sb At
739. **Microdontomerus crassipes Boucek,1982** (Torymidae) Synonym(s): *crassipes*
Boucek,1982 DZ ES
740. **Microdynerus saundersi Blüthgen,1955** (Vespidae) Synonym(s): *saundersi* Blüthgen,1955
IL Pa DZ
741. **Microtelus lethierryi Reiche** (Tenebrionidae) Synonym(s): MA DZ TN
742. **Milichia albomaculata Strobl,1900** (Milichiidae) Synonym(s): *albomaculata* Strobl,1900
MA DZ YE
743. **Milichia seguyi Hennig,1937** (Milichiidae) Synonym(s): *seguyi* Hennig,1937 DZ
744. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 ES MA
DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
745. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus*
Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 AL DZ AT BE BG CY
CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
746. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata*
Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885 AL DZ AT BG CS DK FR DE GB HU IT LU
NL PL RO SW TN Cc GG MD UA YU
747. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825;
cerisyi Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852;
marginatus Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni*
Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN
LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN
KP KR JP
748. **Modicogryllus (s.str.) algirius (Saussure,1877)** (Gryllidae) Synonym(s): *algirius*
Saussure,1877 DZ TR
749. **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniidae) Synonym(s): *propinquus*
Egger,1863 TR DZ RU Sb

750. **Monodontomerus aereus Walker, 1834** (Torymidae) Synonym(s): *aereus* Walker, 1834
TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH
UA GB US
751. **Monosopyga clavicornis (Linnaeus, 1758)** (Sapygidae) Synonym(s): *clavicornis* Linnaeus, 1758;
prisma Fabricius, 1787; *ininterrupta* Pic, 1920; *triinterrupta* Pic, 1920; *theresae* Pic, 1920 DZ Cc TR
752. **Monticorixa armeniaca (Stys, 1975)** (Corixidae) Synonym(s): *armeniaca* Stys, 1975 AM Cc TR
DZ
753. **Musca sorbens Wiedemann, 1830** (Muscidae) Synonym(s): *sorbens* Wiedemann, 1830 SL SC
MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
754. **Mutilla europaea Linnaeus, 1758** (Mutillidae) Synonym(s): *europaea* Linnaeus, 1758 TR
RU Ur Sb KG SE FI ES DZ
755. **Mutilla quinque maculata Cyrillo, 1787** (Mutillidae) Synonym(s): *quinque maculata*
Cyrilloi, 1787 TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
756. **Mylabris calida (Pallas, 1781)** (Meloidae) Synonym(s): *calida* Pallas, 1781 TR Cc RU KG AF
IR SY BG DZ
757. **Mylabris cincta Olivier, 1811** (Meloidae) Synonym(s): *cincta* Olivier, 1811; *#cincat* Kaszab, 1968
TR AF Cc GR SY IR DZ
758. **Mylabris guerini Chevrolat, 1840** (Meloidae) Synonym(s): *guerini* Chevrolat, 1840;
rubripennis Chevrolat, 1840; *normandi* Pic, 1953; *lambaesis* Pic, 1953 DZ MA TN IR
759. **Mylabris variabilis (Pallas, 1782)** (Meloidae) Synonym(s): *variabilis* Pallas, 1782 TR Cc RU
DZ KG TM
760. **Myrmilla (s.str.) doumerguei (André, 1901)** (Mutillidae) Synonym(s): *doumerguei*
André, 1901 DZ
761. **Nabis limbatus Duda, 1851** (Nabidae) Synonym(s): *limbatus* Duda, 1851 DZ TR RU Sb
762. **Nanomutilla vaucheri (Tournier, 1895)** (Mutillidae) Synonym(s): *vaucheri* Tournier, 1895
ES SY MA DZ
763. **Nebria (Eurynebria) complanata (Linnaeus, 1767)** (Carabidae) Synonym(s):
complanata Linnaeus, 1767 FR GB IT PT ES TR DZ MA TN IR
764. **Necrobinus defunctorum (Waltl, 1835)** (Korynetidae) Synonym(s): *defunctorum*
Waltl, 1835 ES PT MA DZ TN SY IL Pa
765. **Nemoraea pellucida (Meigen, 1824)** (Tachinidae) Synonym(s): *pellucida* Meigen, 1824;
neglecta Meigen, 1824; *rubrica* Meigen, 1824; *affinis* Robineau-Desvoidy, 1830; *bombylans* Robineau-
Desvoidy, 1830; *fulva* Robineau-Desvoidy, 1830; *conjuncta* Macquart, 1848; *vicina*
Macquart, 1848; *vulnerata* Zetterstedt, 1849; *nupta* Rondani, 1859; *discreta* Robineau-Desvoidy, 1863; *sponsa*
Rondani, 1865 DZ TR RU JP
766. **Nemotelus (s.str.) anchora Loew, 1846** (Stratiomyidae) Synonym(s): *anchora* Loew, 1846;
siculus Jaenicke, 1866; *persicus* Pleske, 1937 IT Si MT RU IL IR DZ TN
767. **Nemotelus (s.str.) atriceps Loew, 1856** (Stratiomyidae) Synonym(s): *atraceps* Loew, 1856;
longicornis Lindner, 1937 DZ FR PT ES TN TR
768. **Neoaliturus tenellus (Baker, 1896)** (Cicadellidae) Synonym(s): *tenellus* Baker, 1896;
ignavus Matsumura, 1908; *egyptiacus* Matsumura, 1908; *indivisus* Haupt, 1927; *ambiguosus* Young &
Frazier, 1954; *zygophylli* Lindberg, 1954 DZ ES Cn EG FR IR IL IT Si LY ES TN KG
769. **Neobodilus ghardimaouensis (Balthasar, 1929)** (Scarabaeidae) Synonym(s):
ghardimaouensis Balthasar, 1929 Cn DZ LY Cy EG IL Pa JO LB SY
770. **Neochalcis fertoni (Kieffer, 1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer, 1899; *barbara*
Benoist, 1921; *scutellata* Boucek, 1952 DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
771. **Neomochtherus albiventris (Villeneuve, 1920)** (Asilidae) Synonym(s): *albiventris*
Villeneuve, 1920 DZ
772. **Neophilaenus albipennis (Fabricius, 1798)** (Cercopidae) Synonym(s): *albipennis*
Fabricius, 1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
773. **Neophilaenus campestris (Fallén, 1805)** (Cercopidae) Synonym(s): *campestris* Fallén, 1805;
parvula Vismara, 1877; *fasciatus* Ferrari, 1882; *obsoletus* Ferrari, 1882; *bimaculata* Rey, 1894; *brunnifrons*
Rey, 1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ
EE GG LV RU UA YU
774. **Neophilaenus exclamationis (Thunberg, 1784)** (Cercopidae) Synonym(s): *exclamationis*
Thunberg, 1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
775. **Neophilaenus lineatus (Linnaeus, 1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus, 1758;
abbreviata Fabricius, 1787; *capitata* Fabricius, 1794; *aterrimus* Sahlberg, 1871; *pulchellus* Sahlberg, 1871;
fusca Haupt, 1912; *pallida* Haupt, 1917; *danicus* Wagner, 1935; *fulva* Gyllensvard, 1965 AL DZ AT BE BG CS
DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
776. **Neophilaenus longiceps (Puton, 1895)** (Cercopidae) Synonym(s): *longiceps* Puton, 1895 DZ
FR GB LY MA PT ES TN
777. **Nicrophorus humator (Gleditsch, 1767)** (Silphidae) Synonym(s): *humator* Gleditsch, 1767 DZ
TR Cc IR CN Ui
778. **Nohoveus palpalis (Klapalek, 1914)** (Myrmeleonidae) Synonym(s): *palpalis* Klapalek, 1914 DZ
SA IR

779. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR**
780. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
781. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
782. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 **DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR**
783. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
784. **Ochrilidia filicornis (Krauss,1902)** (Acrididae) Synonym(s): *filicornis* Krauss,1902 **DZ IL Pa**
785. **Ochrilidia gracilis (Krauss,1902)** (Acrididae) Synonym(s): *gracilis* Krauss,1902 **DZ ET EG TZ**
786. **Ochrosis ventralis (Illiger,1807)** (Chrysomelidae) Synonym(s): *ventralis* Illiger,1807 **TR Cc IR DZ**
787. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 **SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl**
788. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 *nec* Meig.,1822 **MA DZ FR Co RO ES IT GR TR IL AF**
789. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 **MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ**
790. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
791. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus* Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965 **MA DZ TN TR TJ KG Aa RU**
792. **Oenas afer (Linnaeus,1767)** (Meloidae) Synonym(s): *afer* Linnaeus,1767; *atrata* Fabricius,1775 **Meloe afer Linnaeus,1767, Syst. Nat. (Edn. 12) 1 (2): 680. Type(s): Barbaria. DZ TR**
793. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**
794. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
795. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU**
796. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876 **DZ CN GR IQ LY MA**
797. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899 **DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD**
798. **Omocestus (s.str.) nadigi Harz,1987** (Acrididae) Synonym(s): *nadigi* Harz,1987 **DZ**
799. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
800. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 **MA DZ TN LY Cy EG Co FR ES TR IL Pa**
801. **Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli* Reitter,1891 **DZ LY Cy SY IR AF**
802. **Onthophagus (Euonthophagus) crocatus Mulsant,1873** (Scarabaeidae) Synonym(s): *crocatus* Mulsant,1873 **DZ**
803. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 **BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si**
804. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759 **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**

805. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi* Dusmet,1928
MA DZ TN IL Pa JO
806. **Opatroides thoracicus Rosenh.,1856** (Tenebrionidae) Synonym(s): *thoracicus*
Rosenh.,1856 ES MA DZ
807. **Ophion similis (Szepligeti,1905)** (Ichneumonidae) Synonym(s): *similis* Szepligeti,1905
DZ TR
808. **Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula*
Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812;
lunata Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta*
Loew,1846; *heydeni* Jaenicke,1866 DZ CH YU HV DE TR IL MN CN
809. **Opsilia coerulescens (Scopoli,1763)** (Cerambycidae) Synonym(s): *coerulescens*
Scopoli,1763 DZ FR SS HV GR TR
810. **Opsilia molybdaena (Dalman,1817)** (Cerambycidae) Synonym(s): *molybdaena*
Dalman,1817 DZ HU
811. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871 AF DZ
EG IR IQ TR Cc AZ KG RU TJ
812. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*);
lethierryi Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
813. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 DZ EG GR
IL TN Cc AZ KG KK RU TJ UZ
814. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874
AF DZ ES Cn CN EG IL LY MA TN
815. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis*
Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG
FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
816. **Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826 TR Cc KG RU
Sb DZ
817. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763;
virens Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 Cc AZ BG CY GR IL Pa UA Cm DZ
TN Md TZ
818. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea*
Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor*
Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
819. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei*
Pérez,1887 DZ EG MA LY TN IL Pa JO SY
820. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta*
Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE
GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
821. **Osmia (Allosmia) rutila Erichson,1835** (Megachilidae) Synonym(s): *rutila* Erichson,1835;
baetica Spinola,1843; *xanthognatha* Pérez,1895 ES DZ MA
822. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853;
ruficollis Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 AL GR Cr DZ EG TN CY IL Pa JO SY TR
823. **Osmia (Erythrosmia) andreoides Spinola,1808** (Megachilidae) Synonym(s):
andreoides Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA
DZ MA TN CY IL Pa TR
824. **Osmia (Erythrosmia) sparsipuncta Alfken,1914** (Megachilidae) Synonym(s):
sparsipuncta Alfken,1914 DZ MA
825. **Osmia (Helicosmia) alfkeni Ducke,1899** (Megachilidae) Synonym(s): *alfkeni* Ducke,1899;
crinita Alfken,1942 DZ MA TN EG IL Pa JO
826. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s):
caerulescens Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea*
Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE
BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA
TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
827. **Osmia (Helicosmia) cinctella Dours,1873** (Megachilidae) Synonym(s): *cinctella*
Dours,1873 GR Cr ES DZ
828. **Osmia (Helicosmia) friesana Ducke,1899** (Megachilidae) Synonym(s): *friesana*
Ducke,1899 ES MT IT Sa DZ EG? LY MA TN
829. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s):
fulviventris Panzer,1798 CA Cc KG Cn Az UA Cm TR DZ CY
830. **Osmia (Helicosmia) heteracantha Pérez,1896** (Megachilidae) Synonym(s):
heteracantha Pérez,1896; *ardeola* Warncke,1988 ES PT DZ TN
831. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei*
Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892;
iberoafricana Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa
JO TR

832. **Osmia (Helicosmia) lazulina** Benoist,1928 (Megachilidae) Synonym(s): *lazulina* Benoist,1928 TN DZ MA LY IL Pa
833. **Osmia (Helicosmia) leaiana** (Kirby,1802) (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 nec Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
834. **Osmia (Helicosmia) melanogaster** Spinola,1808 (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
835. **Osmia (Helicosmia) niveata** (Fabricius,1804) (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
836. **Osmia (Helicosmia) niveibarbis** Pérez,1902 (Megachilidae) Synonym(s): *niveibarbis* Pérez,1902; *tarfensis* Saunder,1908 ES IT Si DZ MA TN
837. **Osmia (Helicosmia) niveocincta** Pérez,1879 (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 ES FR GR IT Sa PT DZ MA IL? Pa?
838. **Osmia (Helicosmia) notata** (Fabricius,1804) (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
839. **Osmia (Helicosmia) signata** Erichson,1835 (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
840. **Osmia (Helicosmia) tunensis** (Fabricius,1787) (Megachilidae) Synonym(s): *tunensis* Fabricius,1787; *tunetana* Gmelin,1790; *pseudoaurulenta* Dours,1873; *meridionalis* Gribodo,1894; *dissimilis* Friese,1899 *Apis tunensis* Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). ES IT Si MT PT DZ EG LY MA TN
841. **Osmia (Hoplosmia) anceyi** Pérez,1879 (Megachilidae) Synonym(s): *anceyi* Pérez,1879; *biarmica* Zanden,1994 CH ES FR PT DZ MA TN
842. **Osmia (Hoplosmia) bidentata** Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
843. **Osmia (Hoplosmia) dido** Gribodo,1894 (Megachilidae) Synonym(s): *dido* Gribodo,1894; *abbreviata* Pérez,1895; *compacta* Pérez,1896 DZ MA TN
844. **Osmia (Hoplosmia) pinguis** Pérez,1895 (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994 DZ MA TN IL Pa JO SY
845. **Osmia (Hoplosmia) scutellaris** Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
846. **Osmia (Melanosmia) recta** Pérez,1902 (Megachilidae) Synonym(s): *recta* Pérez,1902 DZ
847. **Osmia (Metallinella) brevicornis** (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
848. **Osmia (Nasutosmia) corniculata** (Zanden,1989) (Megachilidae) Synonym(s): *corniculata* Zanden,1989 ES DZ MA
849. **Osmia (Nasutosmia) nasuta** Friese,1899 (Megachilidae) Synonym(s): *nasuta* Friese,1899; *rhynchaena* Pérez,1905 ES FR DZ MA TN
850. **Osmia (Neosmia) cinnabarina** Pérez,1895 (Megachilidae) Synonym(s): *cinnabarina* Pérez,1895 DZ Cn MA TN IL Pa
851. **Osmia (Neosmia) gracilicornis** Pérez,1895 (Megachilidae) Synonym(s): *gracilicornis* Pérez,1895 DZ MA TN IL Pa
852. **Osmia (Neosmia) purpurata** Ducke,1899 (Megachilidae) Synonym(s): *purpurata* Ducke,1899 DZ
853. **Osmia (Neosmia) rufigastra** Lepeletier,1841 (Megachilidae) Synonym(s): *rufigastra* Lepeletier,1841 DZ MA TN
854. **Osmia (Neosmia) scutispina** Gribodo,1894 (Megachilidae) Synonym(s): *scutispina* Gribodo,1894; *rosea* Friese,1920 DZ TN
855. **Osmia (Neosmia) tingitana** Benoist,1969 (Megachilidae) Synonym(s): *tingitana* Benoist,1969; *tkalcui* Peters,1977; *secunda* Peters,1977 DZ MA TN LY EG
856. **Osmia (Pyrosmia) cephalotes** Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR

857. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 **AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR**
858. **Osmia (Pyrosmia) derasa Pérez,1895** (Megachilidae) Synonym(s): *derasa* Pérez,1895; *croci* Benoist,1929; *pseudoderasa* Benoist,1929; *violetta* Warncke,1992 **DZ LY MA TN**
859. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
860. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR**
861. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 *nec* Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 **DZ EG TN MA LY IL Pa**
862. **Osmia (Pyrosmia) lobata Friese,1899** (Megachilidae) Synonym(s): *lobata* Friese,1899; *leucopyga* Ducke,1899 **ES PT DZ MA TN IL Pa**
863. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 **BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR**
864. **Osmia (Pyrosmia) punica Pérez,1895** (Megachilidae) Synonym(s): *punica* Pérez,1895; *irherma* Warncke,1992 **MA DZ TN LY EG**
865. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
866. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR**
867. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
868. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
869. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
870. **Osmia (s.str.) emarginata Lepeletier,1841** (Megachilidae) Synonym(s): *emarginata* Lepeletier,1841; *fusca* Benoist,1928 *nec* Chr.,1791; *infuscata* Peters,1978 **BE ES FR Co IT Sa PT DZ MA**
871. **Osmia (s.str.) kohli Ducke,1899** (Megachilidae) Synonym(s): *kohli* Ducke,1899 **IT Si DZ?**
872. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811 **AD ES FR Co IT Sa PT DZ Cn LY MA TN**
873. **Otiocephala forcipifera (Lucas,1845)** (Chrysomelidae) Synonym(s): *forcipifera* Lucas,1845 **MA DZ**
874. **Otiocephala opaca (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *opaca* Rosenhauer,1856 **ES DZ EG**
875. **Otiocephala quadrinotata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *quadrinotata* Fabricius,1787 **MA DZ**
876. **Otiothraea ghardaiensis Warchalowski,1990** (Chrysomelidae) Synonym(s): *ghardaiensis* Warchalowski,1990 **DZ**
877. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 **AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR**
878. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
879. **Oxythespis nilotica Giglio-Tos,1916** (Mantidae) Synonym(s): *nilotica* Giglio-Tos,1916 **DZ MA SD TD YE SA**
880. **Oxythespis senegalensis Saussure,1870** (Mantidae) Synonym(s): *senegalensis* Saussure,1870 **DZ CM LY SN TD**
881. **Oxyrhachis versicolor Distant,1916** (Membracidae) Synonym(s): *versicolor* Distant,1916 **DZ EG IL Pa**
882. **Pachybrachis (s.str.) cedri Pic,1898** (Chrysomelidae) Synonym(s): *cedri* Pic,1898 **DZ**

883. **Pachybrachis (s.str.) coquereli** Rey,1883 (Chrysomelidae) Synonym(s): *coquereli* Rey,1883 **DZ**
884. **Pachybrachis (s.str.) lallemanti** Marseul,1875 (Chrysomelidae) Synonym(s): *lallemanti* Marseul,1875 **DZ**
885. **Pachybrachis (s.str.) simius** Marseul,1875 (Chrysomelidae) Synonym(s): *simius* Marseul,1875; *normandi* Pic,1919; *marocanus* Pic,1954 nec Pic,1945; *lepineyi* Pic,1955... **DZ MA TN SI IT**
886. **Pachybrachis (s.str.) sulcithorax** Pic,1896 (Chrysomelidae) Synonym(s): *sulcithorax* Pic,1896 **DZ**
887. **Pachyscelis crinita** Solier,1836 (Tenebrionidae) Synonym(s): *crinita* Solier,1836 **DZ IL Pa**
888. **Pachyscelis henoni** S enac,1887 (Tenebrionidae) Synonym(s): *henoni* S enac,1887 **DZ TN**
889. **Pachyscelis tuberculifera** Lucas,1858 (Tenebrionidae) Synonym(s): *tuberculifera* Lucas,1858; *dayensis* Mulsant & Godart,1865; *serieperlata* Fairmaire,1876 **DZ**
890. **Pagiphora annulata** (Brull e,1832) (Cicadidae) Synonym(s): *annulata* Brull e,1832 **AL DZ BG CS GR TN TR YU**
891. **Paluda vitripennis** (Flor,1861) (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
892. **Parabodilus wollastoni** (Harold,1862) (Scarabaeidae) Synonym(s): *wollastoni* Harold,1862 **Cn MA DZ TN LY Cy EG SA**
893. **Paracardiophorus musculus** (Erichson,1840) (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
894. **Paracinema tricolor** (Thunberg,1815) (Acrididae) Synonym(s): *tricolor* Thunberg,1815; *sylvestris* Thunberg,1815; *superba* Bolivar,1905; *terminale* Bolivar,1908; *madecassa* Key,1936; *montana* Key,1936; *sudanensis* Key,1936 **DZ PT ES SA As TR MG SD ET TZ ZR**
895. **Paradorydium paradoxum** (Herrich-Sch affer,1837) (Cicadellidae) Synonym(s): *paradoxum* Herrich-Sch affer,1837; *lanceolatum* Burmeister,1839 **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU**
896. **Parageron incisus** (Wiedemann,1830) (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 **DZ FR IT GR MK MA PT ES TN YU**
897. **Parageron major** (Macquart,1840) (Bombyliidae) Synonym(s): *major* Macquart,1840 **MA DZ TN**
898. **Paragomphus genei** (Selys,1841) (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
899. **Paragus (Pandasyophtalmus) tibialis** (Fall en,1817) (Syrphidae) Synonym(s): *tibialis* Fall en,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schimmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 **TR DZ GB HU NL DE GR Cr**
900. **Paragus (s.str.) bicolor** (Fabricius,1794) (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 **TR DZ GB HU GR Cr**
901. **Paraseverinia finoti** (Chopard,1943) (Mantidae) Synonym(s): *finoti* Chopard,1943 **DZ MA LY**
902. **Pegomya bicolor** (Wiedemann,1817) (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* S eguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN**
903. **Pegomya cunicularia** (Rondani,1866) (Anthomyiidae) Synonym(s): *cunicularia* Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 **Cn CZ FI HU IT GR NO MT RU SE DZ**
904. **Penicillidia conspicua** Speiser,1901 (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 **MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF**
905. **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IRAF IN**
906. **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Sch affer,1835 **AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU**
907. **Pentodon algerinum** Herbst,1789 (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
908. **Perlamantis algerica** Giglio-Tos,1913 (Amorphoscelidae) Synonym(s): *algerica* Giglio-Tos,1913 **DZ**
909. **Perlamantis allibertii** Gu erin-M eneville,1843 (Amorphoscelidae) Synonym(s): *allibertii* Gu erin-M eneville,1843; *tunetana* Bonnet & Finot,1884 **FR ES DZ MA LY TN**

910. **Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792 TR AF Cc KG DZ
911. **Phaenolobus fulvicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvicornis* Gravenhorst,1829 TR DZ
912. **Phaenotheriolom africanum (Vauloger,1901)** (Anthribidae) Synonym(s): *africanum* Vauloger,1901 DZ
913. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
914. **Pheidole tristis Forel,1907** (Formicidae) Synonym(s): *tristis* Forel,1907; *cicatricosa* Stitz,1917 ML DZ ES EG
915. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
916. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
917. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
918. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
919. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
920. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
921. **Phycotettix paryphantus (Lethierry,1878)** (Cicadellidae) Synonym(s): *paryphantus* Lethierry,1878; *abalia* Ferrari,1884; *rubrostriatus* Loew,1885 DZ GR IT Sa MA ES TN
922. **Phyllotreta corrugata Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858 Cc TR IR AF DZ KG
923. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777 TR Cc IR AF KG MN DZ SD IN
924. **Phyllotreta nigripes (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775 TR Cc IR AF DZ KG
925. **Phyllotreta variipennis (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *variipennis* Boieldieu,1859 TR IR DZ
926. **Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps* Horvath,1903 DZ LB TR CY GR
927. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata* Latreille,1792 HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
928. **Phytoecia rufipes (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes* Olivier,1795 FR AT DZ TR SY
929. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
930. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens* Fabricius,1803; *maculicornis* Mulsant,1852 AL DZ AT GR Cr FR IT MA PT ES TR YU
931. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenatii,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
932. **Piesma (Parapiesma) pupula Puton,1879** (Piesmatidae) Synonym(s): *pupula* Puton,1879 DZ ES FR Co Sa HV
933. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
934. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN

935. **Pimelia arenacea Solier,1836** (Tenebrionidae) Synonym(s): *arenacea Solier,1836* **DZ TN**
936. **Pimelia gibba Fabricius,1792** (Tenebrionidae) Synonym(s): *gibba Fabricius,1792* **DZ**
937. **Pimelia grossa Fabricius,1792** (Tenebrionidae) Synonym(s): *grossa Fabricius,1792; inflata Herbst,1799; barbara Solier,1836* **DZ TN IT Si Sa**
938. **Pimelia pilifera S nac,1884** (Tenebrionidae) Synonym(s): *pilifera S nac,1884* **DZ TN**
939. **Pimelia retrospinosa Lucas,1858** (Tenebrionidae) Synonym(s): *retrospinosa Lucas,1858* **DZ**
940. **Pimelia ryssos Herbst,1799** (Tenebrionidae) Synonym(s): *ryssos Herbst,1799* **DZ**
941. **Pimelia servillei Solier,1836** (Tenebrionidae) Synonym(s): *servillei Solier,1836* **DZ**
942. **Pithyotettix abietinus (Fall n,1806)** (Cicadellidae) Synonym(s): *abietinus Fall n,1806; proteus Herrich-Sch fer,1834; pinastri Fieber,1885* **DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU**
943. **Plagioderia versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora Laicharting,1781* **TR DZ RU Sb IN JP TW CA**
944. **Plagionotus arcuatus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arcuatus Linnaeus,1758* **CZ DZ Cc TR IR**
945. **Platycleis (Decorana) kabila (Finot,1893)** (Tettigoniidae) Synonym(s): *kabila Finot,1893* **DZ**
946. **Platycleis (Decorana) seniae Finot,1893** (Tettigoniidae) Synonym(s): *seniae Finot,1893* **DZ**
947. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* **AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR**
948. **Platyproctus agraphopteron Bergevin,1932** (Cicadellidae) Synonym(s): *agrappopteron Bergevin,1932* **DZ IL**
949. **Plesiocera algira Macquart,1840** (Bombyliidae) Synonym(s): *algira Macquart,1840* **DZ IT**
950. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus Creutzer,1796* **MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR**
951. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833* **IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA**
952. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum Fabricius,1794* **IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT**
953. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus Christ,1791; bucharensis Erichson,1949; muchei Gusenleitner,1976* **IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU**
954. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus Linnaeus,1767; foedratus Kohl,1898; omissus Weyrauch,1939* **ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF**
955. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha Christ,1791* **DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa**
956. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer Zimmermann,1930* **Md ES TR DZ EG IL IR**
957. **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea Schiner,1867* **TN Cc RU DZ TR**
958. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* **DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU**
959. **Priopoda stictica (Fabricius,1799)** (Ichneumonidae) Synonym(s): *stictica Fabricius,1799* **TR DZ**
960. **Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): *armatus Lucas,1849* **DZ TR**
961. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata F rster,1855; decipiens Masi,1929* **AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR**
962. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor Rambur,1842* **DZ MA FR ES IT PT TR**
963. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca Fabricius,1787* **FR IT ES MA DZ TN LY Cy**
964. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana Gory & Percheron,1833* **Cc AM GG GR BG TR AZ IR LY Cy DZ**
965. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea Fabricius,1775* **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
966. **Protonemura algirica (Aubert,1956)** (Nemouridae) Synonym(s): *algirica Aubert,1956* **DZ**

967. **Protosmia (Chelostomopsis) capitata (Schletterer,1889)** (Megachilidae) Synonym(s): *capitata* Schletterer,1889; *mystax* Pérez,1895; *trilobatus* Friese,1897 **ES PT DZ MA TN**
968. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 **ES FR IT Si PT DZ MA TN TR?**
969. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
970. **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895 **ES DZ IL Pa JO SY TR**
971. **Protosmia (s.str.) luctuosa (Lucas,1849)** (Megachilidae) Synonym(s): *luctuosa* Lucas,1849; *cavigena* Pérez,1895 **DZ MA**
972. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
973. **Protosmia (s.str.) octomaculata (Pérez,1895)** (Megachilidae) Synonym(s): *octomaculata* Pérez,1895 **DZ MA**
974. **Protosmia (s.str.) stelidoides (Pérez,1895)** (Megachilidae) Synonym(s): *stelidoides* Pérez,1895 **DZ MA**
975. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 **ES FR GR MA DZ TR**
976. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
977. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
978. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 **TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb**
979. **Pseudeuparius centromaculatus (Gyllenhal,1833)** (Anthribidae) Synonym(s): *centromaculatus* Gyllenhal,1833; *ceroderes* Boheman,1845; *targionii* Piccoli,1877; *melasinus* Jordan,1939 **DZ IT**
980. **Pseudophotopsis biskrensis (André,1900)** (Mutillidae) Synonym(s): *biskrensis* André,1900 **DZ TN LY EG**
981. **Pseudophotopsis geyri (Bischoff,1920)** (Mutillidae) Synonym(s): *geyri* Bischoff,1920 **DZ SD**
982. **Pseudophotopsis komarovii (Radoszkowski,1885)** (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965 **KG KK UZ TJ TM Kp IR CY EG DZ**
983. **Pseudophotopsis maura Bischoff,1920** (Mutillidae) Synonym(s): *maura* Bischoff,1920 **IL Pa TN DZ LY EG TD**
984. **Pseudoyersinia inaspectata Lombardo,1985** (Mantidae) Synonym(s): *inaspectata* Lombardo,1985 **DZ**
985. **Pseudoyersinia kabilica Lombardo,1985** (Mantidae) Synonym(s): *kabilica* Lombardo,1985 **DZ**
986. **Pseudoyersinia salvinae Lombardo,1985** (Mantidae) Synonym(s): *salvinae* Lombardo,1985 **DZ**
987. **Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus* Linnaeus,1758 **TR Cc DZ IR**
988. **Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803 **Cc TR IR KG RU Sb MN DZ**
989. **Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis* Foudras,1860 **DZ Cc TR**
990. **Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792 **TR Cc RU Sb KG DZ**
991. **Pterocheilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus* André,1884 **IL Pa JO TN DZ Cn**
992. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
993. **Puer maculatus (Olivier,1789)** (Ascalaphidae) Synonym(s): *maculatus* Olivier,1789 **FR DZ IL Pa**
994. **Purpuricenens barbarus (Lucas,1849)** (Cerambycidae) Synonym(s): *barbarus* Lucas,1849 **DZ MA TN**
995. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 **ES PT RU Cc AM TR IL Pa MA DZ TN**

996. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
997. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
998. **Ranissus acucephalus Fieber,1866** (Dictyopharidae) Synonym(s): *acucephalus* Fieber,1866 DZ? GR
999. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1000. **Rhagio algericus (Becker,1906)** (Rhagionidae) Synonym(s): *algericus* Becker,1906 DZ TN
1001. **Rhagio schmidti Lindler,1931** (Rhagionidae) Synonym(s): *schmidti* Lindler,1931 DZ
1002. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
1003. **Rhyssmodes orientalis Mulsant & Godart,1875** (Scarabaeidae) Synonym(s): *orientalis* Mulsant & Godart,1875 MA DZ TN LY Cy EG
1004. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 nec Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa
1005. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
1006. **Saperda scalaris (Linnaeus,1758)** (Cerambycidae) Synonym(s): *scalaris* Linnaeus,1758 DZ TR CZ
1007. **Sapromyza gozmanyi Papp,1981** (Leuxaniidae) Synonym(s): *gozmanyi* Papp,1981 DZ CY IL Pa TR
1008. **Sapyga (s.str.) eatoni E.Saund,1901** (Sapygidae) Synonym(s): *eatoni* E.Saund,1901 DZ MA TN EG
1009. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1010. **Saropogon clausus Becker,1906** (Asilidae) Synonym(s): *clausus* Becker,1906; *vosseleri* Becker,1906 IR Ss Kh DZ MA TN
1011. **Saropogon fucatus Loew,1869** (Asilidae) Synonym(s): *fucatus* Loew,1869 ES DZ IR Ss
1012. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
1013. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
1014. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1015. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
1016. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1017. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787 IT Si Sa MT YU BG GR TR MA DZ TN
1018. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1019. **Scaurus algiricus Küster,1848** (Tenebrionidae) Synonym(s): *algiricus* Küster,1848 DZ
1020. **Scaurus amplicollis Fairmaire,1875** (Tenebrionidae) Synonym(s): *amplicollis* Fairmaire,1875 DZ
1021. **Scaurus angustus Reiche,1864** (Tenebrionidae) Synonym(s): *angustus* Reiche,1864 DZ
1022. **Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775 IT Sa Si FR SY EG DZ GR
1023. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
1024. **Scaurus vagecostatus Fairmaire,1879** (Tenebrionidae) Synonym(s): *vagecostatus* Fairmaire,1879 DZ
1025. **Scaurus varvasi Solier,1838** (Tenebrionidae) Synonym(s): *varvasi* Solier,1838 DZ EG
1026. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882 FR GR MA DZ TN BG TR IR Ab Mak
1027. **Sepsis lateralis Wiedemann,1830** (Sepsidae) Synonym(s): *lateralis* Wiedemann,1830; *complicata* Wiedemann,1830; *inpunctata* Macquart,1839; *hyalipennis* Macquart,1851; *melitensis* Rondani,1874; *schembrii* Rondani,1874; *fragilis* Becker,1903 Cn DZ PT MT EG TR

1028. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes Meigen,1826; minima Strobl,1893; tonsa Duda,1925* TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
1029. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum Fabricius,1794; stigma Panzer,1798; cornuta Meigen,1826; ornata Meigen,1826; pectoralis Macquart,1835; rufocincta Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932* Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
1030. **Severinia granulata (Saussure,1870)** (Mantidae) Synonym(s): *granulata Saussure,1870* DZ TN MA KE MR NE SN
1031. **Severinia lemoroi (Finot,1893)** (Mantidae) Synonym(s): *lemoroi Finot,1893* DZ MA TN LY
1032. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
1033. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta Rambur,1840* AL BG DZ MA HV IQ IT ES TN TR
1034. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata Fabricius,1798* IT Sa FR Co ES MA DZ TN EG TR
1035. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivosecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1036. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1037. **Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst,1829* DZ TR CY IL Pa JO Cc AM IR SA
1038. **Smaragdina algerica (Weise,1894)** (Chrysomelidae) Synonym(s): *algerica Weise,1894* DZ MA
1039. **Smaragdina apicatarsis (Fairmaire,1876)** (Chrysomelidae) Synonym(s): *apicatarsis Fairmaire,1876* DZ
1040. **Smaragdina gratiosa (Lucas,1845)** (Chrysomelidae) Synonym(s): *gratiosa Lucas,1845* ES MA DZ
1041. **Smaragdina pallescens (Pic,1895)** (Chrysomelidae) Synonym(s): *pallescens Pic,1895* DZ
1042. **Smaragdina rufimana Lacordaire,1848** (Chrysomelidae) Synonym(s): *rufimana Lacordaire,1848* MA DZ
1043. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1044. **Sphaeroderma rubidum (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum Graells,1858* TR Cc DZ Md
1045. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776* TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1046. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata Fallén,1814* DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1047. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus Olivier,1790* FR PT ES DE CH IT Co Sa AT HU TN DZ
1048. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis Forskål,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
1049. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1050. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus Macquart,1838* MA DZ TN EG IL Pa IR Ss
1051. **Stenosis laevicollis Solier,1838** (Tenebrionidae) Synonym(s): *laevicollis Solier,1838* DZ TN LY
1052. **Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris Eschscholtz,1831* TR UA Cm ES DZ MA
1053. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidae Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1054. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus Wiedemann,1820* IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT

1055. **Stictopleurus riveti** Royer,1923 (Rhopalidae) Synonym(s): *riveti* Royer,1923 **RU Cc TR IL Pa CY DZ**
1056. **Stiphrolamyra vitai** Hradsky & Geller-Grimm,1997 (Asilidae) Synonym(s): *vitai* Hradsky & Geller-Grimm,1997 **DZ**
1057. **Stratiomys africana** (Szilady,1941) (Stratiomyidae) Synonym(s): *africana* Szilady,1941 **DZ**
1058. **Stratiomys cenisia** Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
1059. **Stratiomys hispanica** (Pleske,1901) (Stratiomyidae) Synonym(s): *hispanica* Pleske,1901 **ES DZ**
1060. **Stratiomys longicornis** (Scopoli,1763) (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinis* Lindner,1937; *flavoscutella* Lindner,1940 **IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG**
1061. **Stylosomus bipartitus** Fairmaire,1867 (Chrysomelidae) Synonym(s): *bipartitus* Fairmaire,1867 **DZ**
1062. **Sybistroma dufouri** Macquart,1838 (Dolichopodidae) Synonym(s): *dufouri* Macquart,1838; *spathulata* Loew,1861 **GR FR IT ES MK MA DZ**
1063. **Sycophila biguttata** (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
1064. **Symplecta (s.str.) hybrida** (Meigen,1804) (Limoniidae) Synonym(s): *hybrida* Meigen,1804 **AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US**
1065. **Symplecta (Trimicra) pilipes** (Fabricius,1787) (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 **AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn**
1066. **Systole coriandri** Gussakovsky,1933 (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 **IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ**
1067. **Systropha (s.str.) pici** Pérez,1895 (Halictidae) Synonym(s): *pici* Pérez,1895 **DZ**
1068. **Tabanus regularis** Jaennicke,1866 (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 *nec* Scop.,1763; *#regluaris* Kılıç,1999 **DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR**
1069. **Tachina (Eudoromyia) fera** (Linnaeus,1761) (Tachinidae) Synonym(s): *fera* Linnaeus,1761 **TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm**
1070. **Tachys (Eotachys) bistratus** (Duftschmid,1812) (Carabidae) Synonym(s): *bistratus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
1071. **Tachys (Eotachys) fulvicollis** (Dejean,1831) (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 **AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ**
1072. **Tachytrechus planitarsis** Becker,1907 (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 **EG IL Pa SY DZ Cn ET IR SA TN TM**
1073. **Tarachodes (Barbachodes) afzelii** (Stal,1871) (Irididae) Synonym(s): *afzelii* Stal,1871; *irrorata* Gerstaecker,1883; *griffinii* Giglio-Tos,1911; *bandanus* Giglio-Tos,1917 **SL DZ? BF CI GH GN CM ZR SN SL TG**
1074. **Tarachodes (Chiropacha) aestuans** Saussure,1895 (Irididae) Synonym(s): *aestuans* Saussure,1895; *media* Schulthess-Schnidler,1898; *orientalis* Giglio-Tos,1911 **DZ? SO ET KE TZ UG**
1075. **Tentyria excavata** Solier,1835 (Tenebrionidae) Synonym(s): *excavata* Solier,1835 **DZ**
1076. **Tentyria gibbicollis** Lucas,1855 (Tenebrionidae) Synonym(s): *gibbicollis* Lucas,1855 **DZ TN**
1077. **Tentyria latreillei** Solier,1835 (Tenebrionidae) Synonym(s): *latreillei* Solier,1835 **DZ TN LY**
1078. **Tentyria maroccana** Solier,1835 (Tenebrionidae) Synonym(s): *maroccana* Solier,1835 **MA DZ**
1079. **Tentyria mulsanti** Lucas,1855 (Tenebrionidae) Synonym(s): *mulsanti* Lucas,1855; *oblongipennis* Fairmaire,1874 **DZ TN**
1080. **Tephritis postica** (Loew,1844) (Tephritidae) Synonym(s): *postica* Loew,1844 **Trypeta postica** Loew,1844, [in] Germar, Z. Ent. 5: 393. **ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ**

1081. **Tephritis pulchra (Loew,1844)** (Tephritidae) Synonym(s): *pulchra* Loew,1844 **Trypeta pulchra** Loew,1844, [in] Germar, Z. Ent. 5: 406. **TR DZ**
1082. **Tephritis vespertina (Loew,1844)** (Tephritidae) Synonym(s): *vespertina* Loew,1844; *apicalis* Becker,1907 **Trypeta vespertina** Loew,1844, Z. Ent., Leipzig 5: 387. **CH RU AT DE DZ TR**
1083. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 **TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us**
1084. **Tethina alboguttata (Strobl,1900)** (Tethinidae) Synonym(s): *alboguttata* Strobl,1900 **Cn MA DZ ES TN**
1085. **Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris* Loew,1865 **DZ Az EG ES IT Si TN**
1086. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis* Signoret,1866 **AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU**
1087. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU**
1088. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiata* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 **AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR**
1089. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 **DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU**
1090. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 **AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU**
1091. **Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum,1868 **DZ IL ES SY TN**
1092. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 **DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU**
1093. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri* Horvath,1909 **DZ ES Cn MA ES TN TR KG UA Cm**
1094. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa* Fieber,1865 **DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU**
1095. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876 **DZ BE FR GR TR IT Si JO MA ES SY TN**
1096. **Tettigometra peliotaenia Fieber,1865** (Tettigometridae) Synonym(s): *peliotaenia* Fieber,1865 **DZ GR IT RU**
1097. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 **Gryllus (Tettigonia) viridissima** Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). **DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR**
1098. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior* Kirschbaum,1868; *erythrostrictus* Lethierry,1880 **AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR**
1099. **Thereva aureoscutellata Kröber,1914** (Therevidae) Synonym(s): *aureoscutellata* Kröber,1914 **DZ**
1100. **Thereva bequaerti Kröber,1914** (Therevidae) Synonym(s): *bequaerti* Kröber,1914 **DZ**
1101. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata* Loew,1847; *subtilis* Loew,1847; *algerica* Kröber,1913 **MA DZ TR ES FR IT MT RO**
1102. **Tibicina picta (Fabricius,1794)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790 (*praeocc.*); *picta* Fabricius,1794 **Tettigonia picta** Fabricius,1794, Ent. Syst. 4: 24, 27. **DZ FR IT Sa ES**
1103. **Tibicina quadrisignata (Hagen,1855)** (Cicadidae) Synonym(s): *quadrisignata* Hagen,1855 **Cicada haematodes quadrisignata** Hagen,1855, Stettin ent. Ztg. 16: 356. **DZ ES Py ?Cc**
1104. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847 **US DZ RU IL Pa SY TR CN Ui**
1105. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata* Fieber,1861 **DZ MA TN ES CY EG JO TR YU**
1106. **Tingis geniculata (Fieber,1844)** (Tingidae) Synonym(s): *geniculata* Fieber,1844 **DZ RU TR**
1107. **Tingis torpida (Horvath,1906)** (Tingidae) Synonym(s): *torpida* Horvath,1906 **FR ES DZ TR**
1108. **Tipula (Savtshenkia) rufina Meigen,1818** (Tipulidae) Synonym(s): *rufina* Meigen,1818 **DZ Cc TR**

1109. **Tituboea attenuata (Fairmaire,1875)** (Chrysomelidae) Synonym(s): *attenuata Fairmaire,1875* **DZ**
1110. **Tituboea biguttata (Olivier,1791)** (Chrysomelidae) Synonym(s): *biguttata Olivier,1791* **PT ES MA DZ IT Sa Si**
1111. **Tituboea chobauti (Pic,1896)** (Chrysomelidae) Synonym(s): *chobauti Pic,1896* **MA DZ**
1112. **Tituboea fasciata Lefebvre,1872** (Chrysomelidae) Synonym(s): *fasciata Lefebvre,1872* **MA DZ**
1113. **Tituboea illigeri (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *illigeri Lacordaire,1848* **DZ**
1114. **Tituboea laticollis (Olivier,1808)** (Chrysomelidae) Synonym(s): *laticollis Olivier,1808* **DZ TN EG**
1115. **Tituboea octopunctata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *octopunctata Fabricius,1787* **DZ MA IT Si**
1116. **Tituboea paykulli (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *paykulli Lacordaire,1848* **DZ**
1117. **Tituboea perrisi (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *perrisi Desbrochers,1870* **DZ TN**
1118. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata Fabricius,1781* **DZ ES FR TR SY IR**
1119. **Tituboea tredecimpunctata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *tredecimpunctata Desbrochers,1870* **DZ MA**
1120. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
1121. **Toxophora fuscipennis Macquart,1840** (Bombyliidae) Synonym(s): *fuscipennis Macquart,1840* **FR DZ**
1122. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
1123. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar Stal,1872; breviceps Jakovlev,1882; seductor Horvath,1883* **MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui**
1124. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* **AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL**
1125. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
1126. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus Wulp,1899; albipila Becker,1907* **IR Kz MA DZ EG IL Pa YE KG MN**
1127. **Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris Mayr,1908; stshepetilnikova Pubstov,1944; rubriventris Szabo,1959* **MD IR Cc UA TR AZ AM GG DZ**
1128. **Tropiderinus munieri (Bedel,1882)** (Anthribidae) Synonym(s): *munieri Bedel,1882* **DZ ES**
1129. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* **AL DZ CY EG FR GR IL IT MA ES TN TR YU**
1130. **Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicula Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* **DZ IT Si IQ Amr IR**
1131. **Tropidopola cylindrica cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicula Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* **DZ IT Si IQ Amr**
1132. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens Lepeletier,1845; litoralis sensu Özbek et al.,1999 nec Petagna,1787* **TR GR BG HV YU MK UA Cm IT Si FR DZ**
1133. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* **TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG**
1134. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata Fuesslin,1775* **TR GB SE KG RÚ CN IN DZ IR**
1135. **Truxalis nasuta (Linnaeus,1758)** (Acrididae) Synonym(s): *nasuta Linnaeus,1758; annulatus Thunberg,1815; bilineatus Thunberg,1815; nebulosus Thunberg,1815; miniata Klug,1830; obsoleta Klug,1830; scalaris Klug,1830; variabilis Klug,1830; unguiculata Rambur,1839; isabellina Fischer-Waldheim,1846; klugii Fieber,1853* **Cn MA DZ TN TR**
1136. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861; quadrivittatus Marshall,1866; inclusivalvis Kirschbaum,1868; quinquevittatus Kirschbaum,1868; flavinervis Kirschbaum,1868; onustus Fieber,1869; fugax Horvath,1897; sinuatus Matsumura,1908* **DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At**

1137. **Tychius bicolor** Brisout,1862 (Curculionidae) Synonym(s): *bicolor* Brisout,1862 **DZ TN TR**
1138. **Tychius medicaginis** Brisout,1862 (Curculionidae) Synonym(s): *medicaginis* Brisout,1862 **TR ES DZ KG**
1139. **Tychius ochraceus** Tournier,1873 (Curculionidae) Synonym(s): *ochraceus* Tournier,1873 **TR DZ**
1140. **Tychius polylineatus** (Germar,1824) (Curculionidae) Synonym(s): *polylineatus* Germar,1824 **TR DZ**
1141. **Tychius squamulatus** Gyllenhal,1836 (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836 **TR DZ GB IR Cc**
1142. **Urophora macrura** (Loew,1855) (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870 *Trypeta macrura* Loew,1855, *Stettin ent. Ztg. 16: 40.* **TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR**
1143. **Urophora mauritanica** Macquart,1851 (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 **MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa**
1144. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826 **TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA**
1145. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 **TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA**
1146. **Usia (Micrusia) aurata** (Fabricius,1794) (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 **IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ**
1147. **Usia (Micrusia) forcipata** Brullé,1833 (Bombyliidae) Synonym(s): *forcipata* Brullé,1833 **DZ EG IL Pa TN IT YU MT MK GR**
1148. **Usia (Micrusia) novakii** Strobl,1902 (Bombyliidae) Synonym(s): *novakii* Strobl,1902 **DZ B-H HV FR GR IT LY MK MA SS TN YU**
1149. **Usia (Micrusia) pusilla** Meigen,1820 (Bombyliidae) Synonym(s): *pusilla* Meigen,1820 **DZ AT HV FR IT LY MA ES PT SS TN**
1150. **Usia (Micrusia) versicolor** (Fabricius,1787) (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840 **DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU**
1151. **Usia (s.str.) accola** Becker,1906 (Bombyliidae) Synonym(s): *accola* Becker,1906 **DZ TN**
1152. **Usia (s.str.) aenea** (Rossi,1794) (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 **DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR**
1153. **Usia (s.str.) anus** Becker,1906 (Bombyliidae) Synonym(s): *anus* Becker,1906 **DZ**
1154. **Usia (s.str.) atrata** (Fabricius,1798) (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 **DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU**
1155. **Usia (s.str.) claripennis** Macquart,1840 (Bombyliidae) Synonym(s): *claripennis* Macquart,1840 **DZ MA TN**
1156. **Usia (s.str.) florea** (Fabricius,1794) (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 **DZ FR ES MA TN IT Si KK TM TJ**
1157. **Usia (s.str.) ignorata** Becker,1906 (Bombyliidae) Synonym(s): *ignorata* Becker,1906 **DZ SD EG IL Pa MA ES TN SY**
1158. **Usia (s.str.) notata** Loew,1873 (Bombyliidae) Synonym(s): *notata* Loew,1873 **DZ KG TJ UZ TM**
1159. **Usia (s.str.) taeniolata** Costa,1883 (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 **DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ**
1160. **Usia (s.str.) vestita** (Macquart,1846) (Bombyliidae) Synonym(s): *vestita* Macquart,1846 **DZ ES**
1161. **Vadonia unipunctata** (Fabricius,1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 **DZ TR Cc IR KG SK**
1162. **Valgus hemipterus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 **DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc**
1163. **Vermileo vermileo** (Linnaeus,1758) (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758 *Musca vermileo* Linnaeus,1758, *Syst. Nat. (Edn.10) 1: 590.* **AT BG FR IT YU SY EG DZ Cn**
1164. **Vespula germanica** (Fabricius,1793) (Vespidae) Synonym(s): *germanica* Fabricius,1793 **Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
1165. **Villa abbadon** (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 **DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM**
1166. **Villa cana** (Meigen,1804) (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS**

1167. **Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888 MA DZ ES FR Co IT GR
1168. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
1169. **Villa fasciventris (Macquart,1849)** (Bombyliidae) Synonym(s): *fasciventris* Macquart,1849 DZ
1170. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si
1171. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
1172. **Villa syphax (Fabricius,1798)** (Bombyliidae) Synonym(s): *syphax* Fabricius,1798 DZ TN
1173. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
1174. **Wichmannia decorata Ruschka,1916** (Eulophidae) Synonym(s): *decorata* Ruschka,1916 TR DZ HV FR Co SS YU
1175. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906 SD DZ EG GR MK IL Pa YU TN TR
1176. **Xylotrechus antilope (Schönherr,1817)** (Cerambycidae) Synonym(s): *antilope* Schönherr,1817 DZ CZ Cc IR
1177. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795 CZ GR Cc DZ IR TR RU KG
1178. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
1179. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840 DZ ES IT Si Sa TR SY IR TM
1180. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877 DZ MA LY Cy SY IL Pa Cr TR
1181. **Zophosis personata Erichson,1841** (Tenebrionidae) Synonym(s): *personata* Erichson,1841 DZ IL Pa
1182. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU
1183. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838 AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU

Synonymic and distributional list of the pterygot insects of Angola

(Results of the Entomofauna of the World based upon info-system of the Cesa)

37

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Angola (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 37.

Priamus (suppl.) 18: 1840-1845.

In this study, totally 137 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Angola recorded in info-system of the Cesa, total pterygot species of Angola increase to 912.

Key words: List, distribution, *pterygota*, *Insecta*, Angola.

Brief explanatory information:

Previously published article	yes ⁷⁵
Previously published report	yes ⁷⁶
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 137 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

Info-system of the Cesa has totally 775 recorded species of *Lepidoptera* from Angola. Taking this information into consideration, total number of the pterygots increase to 912.

The study is still continuing, and the new results will be published within this Project.

1. **Adesmia (s.str.) punctigera (Allard,1885)** (Tenebrionidae) Synonym(s): *punctigera* Allard,1885 AO

⁷⁵ Koçak,A.O.& M.Kemal, 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5. - <http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraMiscellaneousPapers141> - Koçak,A.O. & M.Kemal, 2008, A replacement name in the genus group taxa of the family Ascalaphidae in Africa (Neuroptera). *Cent. ent. Stud., Misc. Pap.* 141: 7.

⁷⁶ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 13- Angola stand 19.7.2007 [totally 919 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafr15.pdf/base_view - Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the *Lepidoptera* List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the *Lepidopteran* List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

2. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA
3. **Afroestricus varipes (Curran,1927)** (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 ZR AO BF CM CG NG RW UG
4. **Afroestricus velatus Scarbrough,2005** (Asilidae) Synonym(s): *velatus* Scarbrough,2005 NG NA ZR AO
5. **Afroestricus vittatus (Curran,1927)** (Asilidae) Synonym(s): *vittatus* Curran,1927 TD ZR AO GA ML SN UG YE
6. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
7. **Amorphoscelis angolica Beier,1969** (Amorphoscelidae) Synonym(s): *angolica* Beier,1969 AO
8. **Amorphoscelis machadoi Beier,1969** (Amorphoscelidae) Synonym(s): *machadoi* Beier,1969 AO
9. **Amorphoscelis pulchella Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *pulchella* Giglio-Tos,1913; *ugandensis* Beier,1931 UG AO ZR ZW
10. **Anasida tenebrio Karsch,1892** (Pentatomidae) Synonym(s): *tenebrio* Karsch,1892 AO ZR CM TD CI
11. **Ancylorhynchus susurrus (Karsch,1879)** (Asilidae) Synonym(s): *susurrus* Karsch,1879 AO
12. **Angolania⁷⁷ mira (Tjeder & Hansson,1992)** (Ascalaphidae) Synonym(s): *mira* Tjeder & Hansson,1992 AO
13. **Angolositus rufimanus (Harold,1879)** (Tenebrionidae) Synonym(s): *rufimanus* Harold,1879 AO
14. **Angolositus sadabandeirus Koch,1956** (Tenebrionidae) Synonym(s): *sadabandeirus* Koch,1956 AO
15. **Anomalipus asperulatus Harold,1878** (Tenebrionidae) Synonym(s): *asperulatus* Harold,1878 AO
16. **Anomalipus benguelensis Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *benguelensis* Endrödy-Younga,1988 AO
17. **Anomalipus perinthaе Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *perinthaе* Endrödy-Younga,1988 NA AO
18. **Anomalipus signaticollis Fairmaire,1888** (Tenebrionidae) Synonym(s): *signaticollis* Fairmaire,1888 AO
19. **Ariusa conspersa Stal,1877** (Irididae) Synonym(s): *conspersa* Stal,1877; *cara* Giglio-Tos,1907 MA AO ZM
20. **Attagenus (s.str.) havai Kadej,2006** (Dermestidae) Synonym(s): *havai* Kadej,2006 NA AO
21. **Bolbena (s.str.) hottentotta Karny,1908** (Iridopterygidae) Synonym(s): *hottentotta* Karny,1908 AO KE NA
22. **Bombylella kilimandjarica (Speiser,1910)** (Bombyliidae) Synonym(s): *kilimandjarica* Speiser,1910; *#nitidipunctatus* Bigot,1921 AO BI KE MW ZA Kzu Nta SZ TZ
23. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata* Wiedemann,1828; *signifer* Walker,1852; *pleuralis* Bezzi,1924 AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
24. **Bombylella tripudians (Bezzi,1924)** (Bombyliidae) Synonym(s): *tripudians* Bezzi,1924 AO KE
25. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 AO KE MW NA NG TZ UG
26. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
27. **Canthecona discolor (Palisot de Beauvois,1811)** (Pentatomidae) Synonym(s): *discolor* Palisot de Beauvois,1811; *glypsoides* Linnavuori,1975 SD GN TG ZR CM NG GH LR AO
28. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
29. **Cedusa angolensis (Van Stalle,1984)** (Derbidae) Synonym(s): *angolensis* Van Stalle,1984 AO
30. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA

⁷⁷ genus name established by the authors.

31. **Ceratothripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 **GH SL CI NG CM ET UG ZR AO ZA PR MY**
32. **Ceratothripoides revelatus (Priesner,1937)** (Thripidae) Synonym(s): *revelatus* Priesner,1937 **ZR SL UG GH NG ST AO MZ KE**
33. **Chrysolina angolensis (Weise,1917)** (Chrysomelidae) Synonym(s): *angolensis* Weise,1917; *monardi* Bechyne,1948 **AO**
34. **Chrysolina burgeoni Bechyne,1948** (Chrysomelidae) Synonym(s): *burgeoni* Bechyne,1948 **ZR AO**
35. **Chrysolina dogueti Daccordi,1982** (Chrysomelidae) Synonym(s): *dogueti* Daccordi,1982 **AO**
36. **Chrysolina eldae Daccordi,1982** (Chrysomelidae) Synonym(s): *eldae* Daccordi,1982 **AO**
37. **Chrysolina murina Daccordi,1982** (Chrysomelidae) Synonym(s): *murina* Daccordi,1982 **AO**
38. **Chrysolina tortuosa Bechyne,1948** (Chrysomelidae) Synonym(s): *tortuosa* Bechyne,1948 **AO**
39. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 **AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM**
40. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
41. **Culicoides albovenosus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *albovenosus* Khamala & Kettle,1971; *neoangolensis* Kremer,1972 **AO UG**
42. **Culicoides angolensis Caeiro,1961** (Ceratopogonidae) Synonym(s): *angolensis* Caeiro,1961 **AO**
43. **Culicoides barrosmachadoi Callot,Kremer & Molet,1967** (Ceratopogonidae) Synonym(s): *barrosmachadoi* Callot,Kremer & Molet,1967 **AO**
44. **Culicoides corneti Kremer,1972** (Ceratopogonidae) Synonym(s): *corneti* Kremer,1972 **AO**
45. **Culicoides dubitatus Kremer, Rebholtz-Hirtzel & Delécolle,1976** (Ceratopogonidae) Synonym(s): *dubitatus* Kremer, Rebholtz-Hirtzel & Delécolle,1976 **AO**
46. **Culicoides huambensis Caeiro,1961** (Ceratopogonidae) Synonym(s): *huambensis* Caeiro,1961 **AO**
47. **Culicoides nobrei Caeiro,1961** (Ceratopogonidae) Synonym(s): *nobrei* Caeiro,1961 **AO**
48. **Culicoides sousadiasi Caeiro,1961** (Ceratopogonidae) Synonym(s): *sousadiasi* Caeiro,1961 **AO**
49. **Danuria (Danuroides) barbozae (Bolivar,1889)** (Mantidae) Synonym(s): *barbozae* Bolivar,1889 **AO KE ZR TZ**
50. **Danuria (s.str.) gracilis (Schulthess-Rechberg,1898)** (Mantidae) Synonym(s): *gracilis* Schulthess-Rechberg,1898; *kuangana* Giglio-Tos,1914 **AO ZR SO**
51. **Ducetia sagitta Ragge,1961** (Tettigoniidae) Synonym(s): *sagitta* Ragge,1961 **AO**
52. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps* Schaum,1853; *paradoxa* Saussure,1871 **AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW**
53. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 **EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN**
54. **Entella (s.str.) angolensis Beier,1937** (Mantidae) Synonym(s): *angolensis* Beier,1937 **AO**
55. **Entella (s.str.) angolica Beier,1969** (Mantidae) Synonym(s): *angolica* Beier,1969 **AO**
56. **Entella (s.str.) machadoi Beier,1969** (Mantidae) Synonym(s): *machadoi* Beier,1969 **AO**
57. **Entella (s.str.) obscura Beier,1969** (Mantidae) Synonym(s): *obscura* Beier,1969 **AO**
58. **Episcopomantis chalybea (Burmeister,1838)** (Irididae) Synonym(s): *chalybea* Burmeister,1838 **AO BW NA ZA Tva Lpo Fs**
59. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata* Saussure,1869; *ibana* Giglio-Tos,1912; *iringana* Giglio-Tos,1912; *madimbana* Giglio-Tos,1912 **AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ**
60. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra* Bezzi,1924; *saskae* Szilady,1942 **AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW**
61. **Galepsus (Onychogalepsus) angolensis Werner,1907** (Irididae) Synonym(s): *angolensis* Werner,1907 **AO ZA Tva Lpo MZ**
62. **Galepsus (Onychogalepsus) damaranus Giglio-Tos,1911** (Irididae) Synonym(s): *damaranus* Giglio-Tos,1911; *orientalis* Kaltenbach,1996 **AO NA ZR ZW ZA Tva Lpo**
63. **Galepsus (Onychogalepsus) machadoi Beier,1969** (Irididae) Synonym(s): *machadoi* Beier,1969 **AO**
64. **Galepsus (Onychogalepsus) schwetzi Beier,1957** (Irididae) Synonym(s): *schwetzi* Beier,1957 **AO ZR**
65. **Galepsus (Syngalepsus) denigratus Beier,1954** (Irididae) Synonym(s): *denigratus* Beier,1954 **AO ZR**
66. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri* Schouteden,1904 **BJ KE AO NG CI GH ZR TZ ET**
67. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus* Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 **ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW**

68. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi Schouteden,1904* GH KE SD NG AO TG TZ ET ZR
69. **Gonopus (s.str.) amplipennis Fairmaire,1888** (Tenebrionidae) Synonym(s): *amplipennis Fairmaire,1888* AO BW NA
70. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870* AO BW ZR LS MW MZ NA ZA TZ ZM ZW
71. **Gonypetella australis Giglio-Tos,1915** (Mantidae) Synonym(s): *australis Giglio-Tos,1915* AO NA
72. **Gonypetella deletrix Rehn,1927** (Mantidae) Synonym(s): *deletrix Rehn,1927* AO NA ZA Tva Lpo ZW
73. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* AO BW ZR TZ ZM ZW KE TZ
74. **Gyransoidea citrina (Compere,1938)** (Encyrtidae) Synonym(s): *citrina Compere,1938* AO KE ZA
75. **Hapalomantis (Bolbira) congica Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *congica Giglio-Tos,1915* AO ZR
76. **Hapalomantis (Bolbira) congica katangica (Beier,1935)** (Iridopterygidae) Synonym(s): *katangica Beier,1935* AO ZR
77. **Hapalomantis (Bolbira) lacualis Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *lacualis Giglio-Tos,1915* AO MW
78. **Hapalomantis (s.str.) rhombochir (Werner,1908)** (Iridopterygidae) Synonym(s): *rhombochir Werner,1908* AO GH Bio KE
79. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis Burmeister,1838; purpunnensis Audinet-Serville,1839; wahlbergi Stal,1856 (part); phantasma Rehn,1949* ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET
80. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii Roy,1973* AO GA CM NG SN UG
81. **Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): *pantherina Saussure,1872* EG AO GN YE MR NE SO SA SD TD
82. **Heterochaeta tenuipes (Westwood,1841)** (Mantidae) Synonym(s): *tenuipes Westwood,1841* AO BF CM ZR MR SN
83. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis Burmeister,1838; defoliata Audinet-Serville,1839; spinifrons Saussure,1859* AO BF CI GH CM LR KE MZ SN SL SD TZ TG
84. **Ischnomantis fatiloqua (Stal,1856)** (Mantidae) Synonym(s): *fatiloqua Stal,1856* AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR
85. **Junodia lameyi Beier,1942** (Hymenopodidae) Synonym(s): *lameyi Beier,1942; olseni Roy,1965* AO GH GN CM ZR
86. **Leptocola phthisica (Saussure,1869)** (Mantidae) Synonym(s): *phthisica Saussure,1869; giraffa Karsch,1894* AO BF GH GN SN KE TZ TG
87. **Leptocola seriepunctata Karsch,1892** (Mantidae) Synonym(s): *seriepunctata Karsch,1892* AO ZR
88. **Ligaria culicivora (Giglio-Tos,1915)** (Mantidae) Synonym(s): *culicivora Giglio-Tos,1915* AO
89. **Ligariella diabolica Beier,1969** (Mantidae) Synonym(s): *diabolica Beier,1969* AO
90. **Macracanthopus schoutedeii (Chopard,1929)** (Mantidae) Synonym(s): *schoutedeii Chopard,1929* AO ZR
91. **Macracanthopus seydeli Roy,1995** (Mantidae) Synonym(s): *seydeli Roy,1995* AO ZR ZW
92. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infusca Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
93. **Mantis insignis Beier,1954** (Mantidae) Synonym(s): *insignis Beier,1954* AO GN ZR
94. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis Loew,1866* AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU Qau SC FJ PR GU TZ AO CL EG NA OM JP MZ
95. **Miomantis acutipes Beier,1969** (Mantidae) Synonym(s): *acutipes Beier,1969* AO ZW
96. **Miomantis brunni (Giglio-Tos,1911)** (Mantidae) Synonym(s): *brunni Giglio-Tos,1911; bosia Rehn,1912* AO KE ZR UG Rz
97. **Miomantis coxalis Saussure,1898** (Mantidae) Synonym(s): *coxalis Saussure,1898* AO ZA Ec Nta Kzu Tva Lpo NA LS
98. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis Giglio-Tos,1911; australis Beier,1930* AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO
99. **Miomantis misana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *misana Giglio-Tos,1911* AO GN CM ZR TG
100. **Miomantis scabricollis Gerstaecker,1883** (Mantidae) Synonym(s): *scabricollis Gerstaecker,1883* AO GH
101. **Neomyia inflata (Townsend,1918)** (Muscidae) Synonym(s): *inflata Townsend,1918* AO ZR

102. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus Klug,1845* EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
103. **Otomantis capirica Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *capirica Giglio-Tos,1915*; *xenocentrus Werner,1915* AO CM ZR
104. **Oxyothespis acutipes Sjöstedt,1930** (Mantidae) Synonym(s): *acutipes Sjöstedt,1930* AO ZR
105. **Oxyothespis meridionalis Kaltenbach,1996** (Mantidae) Synonym(s): *meridionalis Kaltenbach,1996* AO BW
106. **Oxypilus (Setoxypilus) basilewskyi Roy,1966** (Hymenopodidae) Synonym(s): *basilewskyi Roy,1966* AO ZR
107. **Oxypilus (Setoxypilus) burri Roy,1969** (Hymenopodidae) Synonym(s): *burri Roy,1969* AO
108. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus Fabricius,1787*; *capensis Saussure,1871* ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW
109. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis Sjöstedt,1909*; *nigericus Beier,1930* NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
110. **Oxypilus (Setoxypilus) transvalensis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *transvalensis Giglio-Tos,1915*; *inscriptus Beier,1955* ZA Tva Lpo Gau Jh AO BW LS SZ ZW NA
111. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis Stal,1856*; *moesta Werner,1915* ZA Nta Kzu AO ET CM ZR KE TZ ZW
112. **Paramantis victoriana (Werner,1908)** (Mantidae) Synonym(s): *victoriana Werner,1908*; *mitiana Giglio-Tos,1912* AO CM ZR UG Rz TZ
113. **Parentella benguelae (Saussure,1869)** (Mantidae) Synonym(s): *benguelae Saussure,1869* AO
114. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857*; *tetrasticta Gerstaecker,1869*; *lurida Walker,1869*; *conspersa Stal,1874*; *punctulata Burr,1900*; *nana Stöstedt,1901 nec Fieb.,1853*; *sexpunctata Navas,1928*; *tenuicerca Ramme,1951*; *bivittata Bei-Bienko,1954*; *africana Steinmann,1966* ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
115. **Plistospilota nigerica Giglio-Tos,1917** (Mantidae) Synonym(s): *nigerica Giglio-Tos,1917* AO CM NG
116. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa Goeze,1778*; *rubromaculata Goeze,1778*; *variegata Olivier,1792*; *adspersa Lichtenstein,1802*; *pustulata Stoll,1813*; *striata Stoll,1813*; *signata Thunberg,1815*; *nebulosa Thunberg,1815*; *catenata Burmeister,1838*; *varia Burmeister,1838*; *vicina Audinet-Serville,1839* AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
117. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856*; *batesi Saussure & Zehntner,1895*; *undata Burr,1900*; *servillei Giglio-Tos,1907*; *stuhlmanni Rehn,1914* ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
118. **Pseudogalepsus inermis (Giglio-Tos,1911)** (Irididae) Synonym(s): *inermis Giglio-Tos,1911*; *nyassanus Giglio-Tos,1911* MZ TZ AO
119. **Pyrgomantis congica Giglio-Tos,1917** (Irididae) Synonym(s): *congica Giglio-Tos,1917* AO ZR TZ
120. **Pyrgomantis fasciata Giglio-Tos,1917** (Irididae) Synonym(s): *fasciata Giglio-Tos,1917*; *longissima Beier,1957* AO ZA Tva Lpo ZR TZ MZ
121. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta Thunberg,1784*; *capensis Gmelin,1790* ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ
122. **Pyrgomantis wellmanni Rehn,1912** (Irididae) Synonym(s): *wellmanni Rehn,1912* AO
123. **Pyrgoteles angolensis (Lallemand,1959)** (Fulgoridae) Synonym(s): *angolensis Lallemand,1959* AO
124. **Rhomboderella scutata (Bolivar,1889)** (Mantidae) Synonym(s): *scutata Bolivar,1889* AO KE ZR TZ ZW
125. **Sphodromantis biocellata (Werner,1906)** (Mantidae) Synonym(s): *biocellata Werner,1906*; *cavibrachia Werner,1915* AO CM CF
126. **Sphodromantis congica Beier,1931** (Mantidae) Synonym(s): *congica Beier,1931* AO ZR NG
127. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
128. **Sphodromantis pavonina La Greca,1955** (Mantidae) Synonym(s): *pavonina La Greca,1955* AO CM ZR
129. **Tarachodes (Chiropus) dives (Saussure,1869)** (Irididae) Synonym(s): *dives Saussure,1869*; *karnyi Giglio-Tos,1911* AO NA SD
130. **Tarachodes (Chiropus) sjoestedti Werner,1907** (Irididae) Synonym(s): *sjoestedti Werner,1907*; *congolensis Werner,1915*; *pilosa Stöstedt,1930* AO ZR
131. **Tarachodes (s.str.) insidiator Wood-Mason,1882** (Irididae) Synonym(s): *insidiator Wood-Mason,1882*; *sancta Werner,1907*; *pilosides Rehn,1912* AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW

132. **Tarachodes (s.str.) sanctus (Saussure,1871)** (Irididae) Synonym(s): *sanctus* Saussure,1871; *insidiator* Wood-Mason,1882; *scer* Giglio-Tos,1907; *kibwezianus* Giglio-Tos,1911 **ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE**
133. **Tenodera superstitiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
134. **Toxophora maculipennis Karsch,1886** (Bombyliidae) Synonym(s): *maculipennis* Karsch,1886; *chopardi* Séguy,1941 **AO ZR GO GH CI SN**
135. **Tylopsis ampla Ragge,1964** (Tettigoniidae) Synonym(s): *ampla* Ragge,1964 **AO**
136. **Unalia ⁷⁸ brevipes (Uvarov,1953)** (Acrididae) Synonym(s): *brevipes* Uvarov,1953 **AO**
137. **Zoraida angolensis Synave,1973** (Derbidae) Synonym(s): *angolensis* Synave,1973 **AO**

⁷⁸ genus name established by the authors.

Synonymic and distributional list of the pterygot insects of Botswana (Results of the Entomofauna of the World based upon info-system of the Cesa)

38

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Botswana (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 38.

Priamus (suppl.) 18: 1846-1849.

In this study, totally 83 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Botswana.

Brief explanatory information:

Previously published article	no
Previously published report	yes ⁷⁹
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 83 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Acnephalum gracilis (Hermann,1908)** (Asilidae) Synonym(s): *gracilis Hermann,1908* NA ZA BW
2. **Afrius (s.str.) rubromarginatus Bergroth,1903** (Pentatomidae) Synonym(s): *rubromarginatus Bergroth,1903* MZ BW TZ
3. **Afroesticus minutus (Bromley,1936)** (Asilidae) Synonym(s): *minutus Bromley,1936* ZA BW MW ML NA ZW
4. **Afroholopogon mauros Londt,2005** (Asilidae) Synonym(s): *mauros Londt,2005* NA ZA BW
5. **Afromochtherus peri Londt,2002** (Asilidae) Synonym(s): *peri Londt,2002* ZA ZW BW

⁷⁹ Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.

http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

6. **Afroscleropogon armatus (Oldroyd,1974)** (Asilidae) Synonym(s): *armatus* Oldroyd,1974 NA ZA BW
7. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
8. **Anasillomos chrysopos Londt,1983** (Asilidae) Synonym(s): *chrysopos* Londt,1983 NA ZA BW
9. **Anastoechus erinaceus Bezzi,1921** (Bombyliidae) Synonym(s): *erinaceus* Bezzi,1921 BW NA ZA
10. **Anastoechus phaleratus Hesse,1938** (Bombyliidae) Synonym(s): *phaleratus* Hesse,1938; *albicerus* Hesse,1938 ZA ZW BW NA Fs
11. **Anchophthalmus clathratus (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *clathratus* Fahraeus,1870; *fahraei* Péringuey,1904 ZA Tva Lpo BW
12. **Anchophthalmus silphoides Gerstaecker,1854** (Tenebrionidae) Synonym(s): *silphoides* Gerstaecker,1854 ZA MZ BW
13. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
14. **Anomalipus acutangulus Oertzen,1897** (Tenebrionidae) Synonym(s): *acutangulus* Oertzen,1897; *turpis* Péringuey,1899 NA BW ZW ZA Tva Lpo
15. **Anomalipus elephas Fahraeus,1870** (Tenebrionidae) Synonym(s): *elephas* Fahraeus,1870 ZA Tva Lpo Suw Spb Mdk BW NA ZW
16. **Anomalipus mastodon Fahraeus,1870** (Tenebrionidae) Synonym(s): *mastodon* Fahraeus,1870; *ovalipennis* Oertzen,1897 ZA Tva Lpo BW
17. **Anomalipus meles Fahraeus,1870** (Tenebrionidae) Synonym(s): *meles* Fahraeus,1870; *talpa* Fahraeus,1870 LS ZA BW
18. **Anomalipus mustela Fahraeus,1870** (Tenebrionidae) Synonym(s): *mustela* Fahraeus,1870 ZA Tva Lpo Fs Ec BW
19. **Anomalipus planus Fahraeus,1870** (Tenebrionidae) Synonym(s): *planus* Fahraeus,1870 ZA Tva Lpo BW
20. **Anomalipus plebejus Péringuey,1896** (Tenebrionidae) Synonym(s): *plebejus* Péringuey,1896 ZW ZM MZ BW
21. **Anomalipus urus Fahraeus,1870** (Tenebrionidae) Synonym(s): *urus* Fahraeus,1870 ZA Tva Lpo Nta Kzu BW
22. **Antistia maculipennis Stal,1876** (Irididae) Synonym(s): *maculipennis* Stal,1876; *signata* Karny,1908 ZA Tva Lpo BW NA
23. **Anypodetus arachnoides Oldroyd,1974** (Asilidae) Synonym(s): *arachnoides* Oldroyd,1974 ZA ZM ZW BW
24. **Anypodetus fasciatus Hermann,1908** (Asilidae) Synonym(s): *fasciatus* Hermann,1908; *rigidis* Oldroyd,1974 NA BW
25. **Anypodetus fascipennis Engel,1924** (Asilidae) Synonym(s): *fascipennis* Engel,1924; *semirufus* Engel,1924; *maculipennis* Ricardo,1925 ZA BW NA ZW
26. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus* Becker,1909; *mollis* Bezzi,1921; *disjunctus* Bezzi,1921; *parallelus* Bezzi,1924 BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
27. **Bisanthe menyharthi (Brancsik,1895)** (Mantidae) Synonym(s): *menyharthi* Brancsik,1895 MZ ZM ZW BW
28. **Bisanthe pulchripennis (Stal,1875)** (Mantidae) Synonym(s): *pulchripennis* Stal,1875 BW NA ZA Tva Lpo
29. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
30. **Bombomyia vansoni (Hesse,1936)** (Bombyliidae) Synonym(s): *vansoni* Hesse,1936 BW
31. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata* Wiedemann,1830; *mutilatus* Bezzi,1921; *truncatus* Greathead,1967 BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
32. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata* Wiedemann,1828; *signifer* Walker,1852; *pleuralis* Bezzi,1924 AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
33. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris* Macquart,1846 BW KE MW ZA Kzu Nta SZ TZ ZM ZW

34. **Bombylisoma kaokoense (Hesse,1938)** (Bombyliidae) Synonym(s): *kaokoense* Hesse,1938
BW NA ZA
35. **Bombylisoma rhodesianum (Hesse,1938)** (Bombyliidae) Synonym(s): *rhodesianum*
Hesse,1938 ZW BW ZA Kzu Nta
36. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense*
Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis*
Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu
SD SZ TZ UG YE ZM ZW SA AE
37. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata*
Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis *capitata*
Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape
Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau
Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR
MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE
SA Sa Si PT NZ US Tx Cf FI Hw CA
38. **Cilnia chopardi Werner,1927** (Mantidae) Synonym(s): *chopardi* Werner,1927; *cochlearis*
Sjöstedt,1930 BW MZ NA ZA Nta Kzu
39. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA
TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
40. **Dicrorrhina derbyana Westwood,1842** (Scarabaeidae) Synonym(s): *derbyana*
Westwood,1842; *layardi* Peringuey,1892; *cyanea* Kraatz,1896; *divortialis* Kolbe,1901; *inornata* Lekkerkerk
& Krikken,1986; *lucida* Lekkerkerk & Krikken,1986 NA BW ZW MZ ZA Tva Lpo Spb Mdk LS
41. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta* DeGeer,1778; *cincticula*
Schönherr,1817; *fimbriata* Thunberg,1818; *burchelii* Fischer,1823; *bachypinica* Gory & Percheron,1833
ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ
42. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus*
Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiventris*
Stal,1864; *rutherfordi* Distant,1892 ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
43. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps* Schaum,1853; *paradoxa*
Saussure,1871 AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
44. **Episcopomantis chalybea (Burmeister,1838)** (Irididae) Synonym(s): *chalybea*
Burmeister,1838 AO BW NA ZA Tva Lpo Fs
45. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus*
Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus*
Wollaston,1861; *subdiaphanus* Wollaston,1861 DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG
MX NA PR ZW SA ZA SD AE VE
46. **Eviropodus funebris (Mulsant & Rey,1953)** (Tenebrionidae) Synonym(s): *funebris* Mulsant &
Rey,1953; *alternans* Fahraeus,1870 ZA LS BW Tva Lpo Fs Ec
47. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra*
Bezzi,1924; *saskae* Szilady,1942 AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
48. **Galepsus (Lygdamia) lenticularis (Saussure,1872)** (Irididae) Synonym(s): *lenticularis*
Saussure,1872 ZA Nta Kzu Dbn Fs Tva Lpo BW ET?
49. **Geron bechuanus Hesse,1936** (Bombyliidae) Synonym(s): *bechuanus* Hesse,1936 BW
50. **Geron nomadicus Hesse,1938** (Bombyliidae) Synonym(s): *nomadicus* Hesse,1938; *breyeri*
Hesse,1938 BW MZ NA ZA Nta Kzu TZ ZW
51. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus*
Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 ZA SD TD BW AO GN CI KE MW MZ NA ZR
TZ ZW
52. **Gonopus (s.str.) amplipennis Fairmaire,1888** (Tenebrionidae) Synonym(s): *amplipennis*
Fairmaire,1888 AO BW NA
53. **Gonopus (s.str.) deplanatus Fahraeus,1870** (Tenebrionidae) Synonym(s): *deplanatus*
Fahraeus,1870; *costatus* Fahraeus,1870; *agrestis* Fahraeus,1870 BW MZ NA ZW ZA
54. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis*
Fabricius,1798; *sulcatus* Solier,1848; *exaratus* Gerstaecker,1854; *ater* Fahraeus,1870 AO BW ZR LS MW
MZ NA ZA TZ ZM ZW
55. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica*
Sjöstedt,1909 AO BW ZR TZ ZM ZW KE TZ
56. **Harpagomantis tricolor (Linnaeus,1758)** (Hymenopodidae) Synonym(s): *tricolor*
Linnaeus,1758; *paradoxa* Goeze,1778; *lobata* Fabricius,1781; *quadricornis* Stoll,1813; *spinocula*
Serville,1839 ZA Ec Nta Kzu Spb Tva Mdk Fs NA BW LS MZ ZW
57. **Heterochaeta occidentalis Beier,1963** (Mantidae) Synonym(s): *occidentalis* Beier,1963 BW
KE NA ZA Ec
58. **Heterotropus munroi Bezzi,1926** (Bombyliidae) Synonym(s): *munroi* Bezzi,1926 BW NA ZA
59. **Ligaria aberrans (Karny,1908)** (Mantidae) Synonym(s): *aberrans* Karny,1908 BW NA ZW

60. **Ligaria affinis** Kaltenbach,1996 (Mantidae) Synonym(s): *affinis* Kaltenbach,1996 **BW ZA Tva Lpo ZM ZW**
61. **Ligaria brevicollis** Stal,1877 (Mantidae) Synonym(s): *brevicollis* Stal,1877; *umtalica* Giglio-Tos,1915 **MZ ZW ZA Tva Lpo BW MW NA ZM ZW**
62. **Macrorhaphis (Megarhaphis) acuta** Dallas,1851 (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infusata* Walker,1868; *spinosum* Horvath,1892 **AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW**
63. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31**
64. **Mecosoma mensor** (Germar,1837) (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 **BW MZ NG SA SO ZA SD ZW**
65. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis* Giglio-Tos,1911; *australis* Beier,1930 **AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO**
66. **Oxythopsis meridionalis** Kaltenbach,1996 (Mantidae) Synonym(s): *meridionalis* Kaltenbach,1996 **AO BW**
67. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus* Fabricius,1787; *capensis* Saussure,1871 **ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW**
68. **Oxypilus (Setoxypilus) transvalensis** Giglio-Tos,1915 (Hymenopodidae) Synonym(s): *transvalensis* Giglio-Tos,1915; *inscriptus* Beier,1955 **ZA Tva Lpo Gau Jh AO BW LS SZ ZW NA**
69. **Pachyanthrax lutulentus (Bezzi,1921)** (Bombyliidae) Synonym(s): *lutulentus* Bezzi,1921 **BW NA**
70. **Parentella laticollis (Karny,1908)** (Mantidae) Synonym(s): *laticollis* Karny,1908 **BW NA**
71. **Phaneroptera (s.str.) sparsa** Stal,1857 (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 *nec* Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?**TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
72. **Phthiria pubescens** Bezzi,1921 (Bombyliidae) Synonym(s): *pubescens* Bezzi,1921 **ZA Mpu Tva Wca Nta Kzu BW**
73. **Phthiria tinctipennis** Hesse,1975 (Bombyliidae) Synonym(s): *tinctipennis* Hesse,1975 **ZA BW Kzu Nta**
74. **Pyrgomantis rhodesica** Giglio-Tos,1917 (Irididae) Synonym(s): *rhodesica* Giglio-Tos,1917 **ZM BW NA ZW ZA Tva Lpo**
75. **Rhabdotis sobrina (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *sobrina* Gory & Percheron,1833; *virginea* Klug,1855 **BW ZW ZA Tva Lpo Spb Mdk Nta Kzu MZ**
76. **Simulium (Byssodon) griseicolle** Becker,1903 (Simuliidae) Synonym(s): *griseicolle* Becker,1903; *scapulatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 **EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM**
77. **Tarachodes (s.str.) circuliferoides** Kaltenbach,1996 (Irididae) Synonym(s): *circuliferoides* Kaltenbach,1996 **BW ZW**
78. **Toxophora coeruleiventris** Karsch,1887 (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 **BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW**
79. **Toxophora diploptera** Speiser,1910 (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 **BW KE NA ZA Nta Kzu Tva Mpu TZ ZW**
80. **Toxophora obliquisquamosa** Hesse,1938 (Bombyliidae) Synonym(s): *obliquisquamosa* Hesse,1938 **BW NA ZA**
81. **Villa hybrida** Hesse,1956 (Bombyliidae) Synonym(s): *populi* Meigen,1826; *hybrida* Hesse,1956 **ZA Fs BW**
82. **Villa pachystyla** Hesse,1956 (Bombyliidae) Synonym(s): *pachystyla* Hesse,1956 **BW NA ZW**
83. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albopilva* François,1969 **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**

Synonymic and distributional list of the pterygot insects of Cameroon

(Results of the Entomofauna of the World based upon info-system of the Cesa)

39

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Cameroon (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 39.

Priamus (suppl.) 18: 1850-1857.

In this study, totally 228 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Cameroon.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ⁸⁰
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 228 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Acheron trux (Walker,1853)** (Ascalaphidae) Synonym(s): *trux Walker,1853* **BT BD CN Hun IN TH CMa JP TW**

⁸⁰ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 4- Cameroon stand 18.7.2007 [totally 1791 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafr6.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.

http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

2. **Achlaena grandis (Westwood,1889)** (Mantidae) Synonym(s): *grandis* Westwood,1889; *chrysichroma* Karsch,1892; *rhodii* Werner,1908 **CI GH GN CM ZR**
3. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**
4. **Afroesticus varipes (Curran,1927)** (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 **ZR AO BF CM CG NG RW UG**
5. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). **LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
6. **Ammophilomima imitatrix Enderlein,1914** (Asilidae) Synonym(s): *imitatrix* Enderlein,1914 **NG CM**
7. **Amorphoscelis elegans Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *elegans* Giglio-Tos,1913; *monodonta* Roy,1963 **GH CM TG**
8. **Amorphoscelis griffini Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *griffini* Giglio-Tos,1913 **CI CM**
9. **Amorphoscelis grisea Bolivar,1908** (Amorphoscelidae) Synonym(s): *grisea* Bolivar,1908 **CM ZR GN CI**
10. **Amorphoscelis laxereti Karsch,1894** (Amorphoscelidae) Synonym(s): *laxereti* Karsch,1894; *cameronensis* Werner,1908; *nubeculosus* Werner,1908; *horni* Bolivar,1908 **TG GH CI CM**
11. **Amorphoscelis nubeculosa Werner,1908** (Amorphoscelidae) Synonym(s): *nubeculosa* Werner,1908 **CM**
12. **Amorphoscelis opaca Bolivar,1908** (Amorphoscelidae) Synonym(s): *opaca* Bolivar,1908 **CM**
13. **Amorphoscelis pallida Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *pallida* Giglio-Tos,1913 **CM NG**
14. **Amorphoscelis pulchra Bolivar,1908** (Amorphoscelidae) Synonym(s): *pulchra* Bolivar,1908 **GH CM ZR SL**
15. **Amorphoscelis tigrina Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *tigrina* Giglio-Tos,1913 **BJ BF GN CM NG SN**
16. **Anasida tenebrio Karsch,1892** (Pentatomidae) Synonym(s): *tenebrio* Karsch,1892 **AO ZR CM TD CI**
17. **Ancyra vicina Lallemand,1928** (Eurybrachidae) Synonym(s): *vicina* Lallemand,1928 **TH CMa Cu07 Cz11**
18. **Apocrypta brachycephala Grandi,1916** (Agaonidae) Synonym(s): *brachycephala* Grandi,1916 **CM**
19. **Apocrypta imbecillis Grandi,1916** (Agaonidae) Synonym(s): *imbecillis* Grandi,1916 **CM**
20. **Apocrypta longitarsus Mayr,1906** (Agaonidae) Synonym(s): *longitarsus* Mayr,1906; *bambeyi* Risbec,1951; *minima* Risbec,1951 **CM SN**
21. **Apocrypta regalis Grandi,1916** (Agaonidae) Synonym(s): *regalis* Grandi,1916 **CM**
22. **Apocryptophagus robustus (Mayr,1906)** (Agaonidae) Synonym(s): *robustus* Mayr,1906 **CM**
23. **Arantia latifolia Karsch,1890** (Tettigoniidae) Synonym(s): *latifolia* Karsch,1890 **CM**
24. **Arantia leptocnemis Karsch,1890** (Tettigoniidae) Synonym(s): *leptocnemis* Karsch,1890 **CM**
25. **Arantia mammissignum Karsch,1896** (Tettigoniidae) Synonym(s): *mammissignum* Karsch,1896 **CM**
26. **Arantia manca Bolivar,1906** (Tettigoniidae) Synonym(s): *manca* Bolivar,1906 **CM**
27. **Arantia melanotus Sjöstedt,1901** (Tettigoniidae) Synonym(s): *melanotus* Sjöstedt,1901 **CM**
28. **Arantia orthocnemis Karsch,1890** (Tettigoniidae) Synonym(s): *orthocnemis* Karsch,1890 **CM**
29. **Arantia retinervis Karsch,1888** (Tettigoniidae) Synonym(s): *retinervis* Karsch,1888 **CM SL**
30. **Arantia scurra Karsch,1896** (Tettigoniidae) Synonym(s): *scurra* Karsch,1896 **CM**
31. **Ascalohybris oberthuri (Navas,1923)** (Ascalaphidae) Synonym(s): *oberthuri* Navas,1923 **VN TH CMa**
32. **Azamia biplagiata Bolivar,1906** (Tettigoniidae) Synonym(s): *biplagiata* Bolivar,1906 **CM**
33. **Bombylius (s.str.) basifumatus Speiser,1914** (Bombyliidae) Synonym(s): *basifumatus* Speiser,1914 **CM ET TZ UG**
34. **Bongeia puncticollis Sjöstedt,1901** (Tettigoniidae) Synonym(s): *puncticollis* Sjöstedt,1901 **CM**
35. **Brachymeria albisquama Kriechbaumer,1894** (Chalcididae) Synonym(s): *albisquama* Kriechbaumer,1894 **CM**
36. **Bueacola cornigera Sjöstedt,1912** (Tettigoniidae) Synonym(s): *cornigera* Sjöstedt,1912 **CM**
37. **Buettneria maculipes Karsch,1889** (Tettigoniidae) Synonym(s): *maculipes* Karsch,1889; *eburneiguttata* Karsch,1896 **ZR CM**
38. **Calospilota armicollis (Karsch,1892)** (Mantidae) Synonym(s): *armicollis* Karsch,1892 **CM**
39. **Calospilota lolodorfana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lolodorfana* Giglio-Tos,1911 **CM ZR NG**

40. **Calospilota pulchra** Roy,1991 (Mantidae) Synonym(s): *pulchra* Roy,1991 **CF CM**
41. **Calospilota tristis** (Giglio-Tos,1911) (Mantidae) Synonym(s): *tristis* Giglio-Tos,1911 **CM**
42. **Canthecona discolor** (Palisot de Beauvois,1811) (Pentatomidae) Synonym(s): *discolor* Palisot de Beauvois,1811; *glypsoides* Linnavuori,1975 **SD GN TG ZR CM NG GH LR AO**
43. **Canthyrus diophthalmus** (Reiche & Saulcy,1855) (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925 **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
44. **Catoptropteryx capreola** Karsch,1896 (Tettigoniidae) Synonym(s): *capreola* Karsch,1896 **CM**
45. **Catoptropteryx extensipes** Karsch,1896 (Tettigoniidae) Synonym(s): *extensipes* Karsch,1896 **CM**
46. **Catoptropteryx guttatipes** Karsch,1890 (Tettigoniidae) Synonym(s): *guttatipes* Karsch,1890 **CM**
47. **Catoptropteryx immaculipennis** Karsch,1896 (Tettigoniidae) Synonym(s): *immaculipennis* Karsch,1896 **CM**
48. **Catoptropteryx maculipennis** Karsch,1896 (Tettigoniidae) Synonym(s): *maculipennis* Karsch,1896 **CM**
49. **Catoptropteryx nigrospinosa** Brunner von Wattenwyl,1891 (Tettigoniidae) Synonym(s): *nigrospinosa* Brunner von Wattenwyl,1891 **CM**
50. **Catoptropteryx punctulata** Karsch,1890 (Tettigoniidae) Synonym(s): *punctulata* Karsch,1890 **CM**
51. **Catoptropteryx signatipennis** Karsch,1896 (Tettigoniidae) Synonym(s): *signatipennis* Karsch,1896 **CM**
52. **Ceratitis (s.str.) capitata** (Wiedemann,1824) (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
53. **Ceratosolen acutatus** Mayr,1906 (Agaonidae) Synonym(s): *acutatus* Mayr,1906 **CM**
54. **Ceratosolen julianae** Grandi,1916 (Agaonidae) Synonym(s): *julianae* Grandi,1916 **CM**
55. **Ceratothripoides brunneus** Bagnall,1918 (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 **GH SL CI NG CM ET UG ZR AO ZA PR MY**
56. **Cesametra aethiops** (Distant) (Gerridae) Synonym(s): *aethiops* (Distant) **NG CM**
57. **Cesametra magengolensis** (Hob.) (Gerridae) Synonym(s): *magengolensis* (Hob.) **CM**
58. **Cestromoecha crasipes** (Karsch,1890) (Tettigoniidae) Synonym(s): *crasipes* Karsch,1890 **CM**
59. **Cestromoecha mundamensis** Karsch,1896 (Tettigoniidae) Synonym(s): *mundamensis* Karsch,1896 **CM**
60. **Cestromoecha tenuipes** (Karsch,1890) (Tettigoniidae) Synonym(s): *tenuipes* Karsch,1890 **CM**
61. **Chalicodoma (Callomegachile) kamerunensis** (Friese,1922) (Megachilidae) Synonym(s): *kamerunensis* Friese,1922 **CM**
62. **Chalicodoma (Callomegachile) rufipes** (Fabricius,1781) (Megachilidae) Synonym(s): *rufipes* Fabricius,1781 **CM**
63. **Chalicodoma (Morphella) biseta** (Vachal,1903) (Megachilidae) Synonym(s): *biseta* Vachal,1903 **CM ZM**
64. **Chalicodoma (Neglectella) stefenellii** (Friese,1903) (Megachilidae) Synonym(s): *stefenellii* Friese,1903 **CM ZR**
65. **Chrysolina bertiae** Daccordi,1982 (Chrysomelidae) Synonym(s): *bertiae* Daccordi,1982 **CM**
66. **Chrysolina masoni** Daccordi,1982 (Chrysomelidae) Synonym(s): *masoni* Daccordi,1982 **CM**
67. **Chrysolina minuscula** Daccordi,1982 (Chrysomelidae) Synonym(s): *minuscula* Daccordi,1982 **CM**
68. **Chrysolina patriciae** Daccordi,1982 (Chrysomelidae) Synonym(s): *patriciae* Daccordi,1982 **CM**
69. **Cicindela (Cosmodela) aurulenta** Fabricius,1801 (Carabidae) Synonym(s): *aurulenta* Fabricius,1801; *flavomaculata* Chevrolat,1845 **Cicindela aurulenta** Fabricius,1801, *Syst. Eleuth.* 1: 239. Type: Indonesia: Sumatra. ID Sum Nia TH CMa Phy Knc NP BT MM IN MY Bor KH LA CN Yu JP
70. **Closterocerus etiellae** (Risbec,1955) (Eulophidae) Synonym(s): *etiellae* Risbec,1955 **CM**
71. **Conocephalus (s.str.) conocephalus** (Linnaeus,1767) (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
72. **Corycomima flavescens** (Walker,1869) (Tettigoniidae) Synonym(s): *flavescens* Walker,1869; *camerata* Karsch,1889 **GM CM**

73. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
74. **Culicoides bisignatus Kieffer,1921** (Ceratopogonidae) Synonym(s): *bisignatus Kieffer,1921* CM
75. **Culicoides citrinus Kieffer,1921** (Ceratopogonidae) Synonym(s): *citrinus Kieffer,1921* CM
76. **Culicoides dentatus Kieffer,1921** (Ceratopogonidae) Synonym(s): *dentatus Kieffer,1921* CM
77. **Culicoides habereri Becker,1909** (Ceratopogonidae) Synonym(s): *habereri Becker,1909* CM
78. **Culicoides inthanonensis Kitaoka, Takaoka & Choochote,2005** (Ceratopogonidae) Synonym(s): *inthanonensis Kitaoka, Takaoka & Choochote,2005* TH CMa Int
79. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus Fabricius,1803; elongatus Dallas,1852; innocuus Stal,1865; metallicus Fallou,1891; bicolor Distant,1912* ZR GN SD UG SL GH ET BJ CI NG CM ZA
80. **Danuria (s.str.) buchholzi Gerstaecker,1883** (Mantidae) Synonym(s): *buchholzi Gerstaecker,1883* GH GN CM CI ZR SN NG TG UG
81. **Dapanera irregularis Karsch,1890** (Tettigoniidae) Synonym(s): *irregularis Karsch,1890* CM
82. **Dirhinus garouae Risbec,1956** (Chalcididae) Synonym(s): *garouae Risbec,1956* CM
83. **Dithela acuticercus Sjöstedt,1912** (Tettigoniidae) Synonym(s): *acuticercus Sjöstedt,1912* CM
84. **Dithela rectiloba Karsch,1890** (Tettigoniidae) Synonym(s): *rectiloba Karsch,1890* CM
85. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
86. **Drepanophyllum corrosifolium Karsch,1896** (Tettigoniidae) Synonym(s): *corrosifolium Karsch,1896* CM
87. **Drepanophyllum marmoratum Karsch,1890** (Tettigoniidae) Synonym(s): *marmoratum Karsch,1890; corrosa Brunner von Wattenwyl,1891* CM
88. **Ectateus curtulus (Fairmaire,1897)** (Tenebrionidae) Synonym(s): *curtulus Fairmaire,1897; calcaripes Gebien,1904* CM ZR CF
89. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali Reiche & Fairmaire,1847; perlodes Saussure,1869; somalica Schluthness-Schindler,1898* DZ ET GN CM KE NG SN SD TD UG
90. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
91. **Enochletica ostentatrix Karsch,1896** (Tettigoniidae) Synonym(s): *ostentatrix Karsch,1896* CM
92. **Epitenodera herbacea (Audinet-Serville,1839)** (Mantidae) Synonym(s): *herbacea Audinet-Serville,1839* GH CM MR SN SD TG
93. **Epitenodera houyi Werner,1928** (Mantidae) Synonym(s): *houyi Werner,1928* BF CM NG SN
94. **Epitenodera nimbana Roy,1963** (Mantidae) Synonym(s): *nimbana Roy,1963* BF GH GN CM ZR
95. **Eristalinus (Lathrophthalmus) quinquestriatus (Fabricius,1794)** (Syrphidae) Synonym(s): *quinquestriatus Fabricius,1794* JP TH CMa TR
96. **Eurycorypha adicra Karsch,1892** (Tettigoniidae) Synonym(s): *adicra Karsch,1892* CM
97. **Eurycorypha canaliculata Karsch,1890** (Tettigoniidae) Synonym(s): *canaliculata Karsch,1890* CM
98. **Eurycorypha montana Sjöstedt,1901** (Tettigoniidae) Synonym(s): *montana Sjöstedt,1901* CM
99. **Eurycorypha mutica Karsch,1892** (Tettigoniidae) Synonym(s): *mutica Karsch,1892* CM
100. **Eurycorypha ornatipes Karsch,1890** (Tettigoniidae) Synonym(s): *ornatipes Karsch,1890* CM
101. **Eurycorypha zebrata Bruner,1920** (Tettigoniidae) Synonym(s): *zebrata Bruner,1920* CM
102. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae Risbec,1951; africanus Risbec,1955; deemingi Subba Rao,1970* BJ CM GH KE MW NG SN TZ UG
103. **Gabonella cothurnata (Bolivar,1906)** (Tettigoniidae) Synonym(s): *cothurnata Bolivar,1906* CM
104. **Galepsus (Lygdamia) nimulensis Giglio-Tos,1917** (Irididae) Synonym(s): *nimulensis Giglio-Tos,1917* CM NG SN UG
105. **Galepsus (Onychogalepsus) pentheri Giglio-Tos,1911** (Irididae) Synonym(s): *intermedia Giglio-Tos,1907; pentheri Giglio-Tos,1911; congicus Rehn,1912* ZR CM NA ZA Tva Lpo
106. **Galepsus (s.str.) affinis Giglio-Tos,1911** (Irididae) Synonym(s): *laticeps Werner,1907; affinis Giglio-Tos,1911; brunneri Giglio-Tos,1911* CM
107. **Galepsus (s.str.) buettneri Giglio-Tos,1911** (Irididae) Synonym(s): *buettneri Giglio-Tos,1911* CM TG
108. **Galepsus (s.str.) globiceps Beier,1942** (Irididae) Synonym(s): *globiceps Beier,1942* CM CG

109. **Galepsus (s.str.) konakrynus Giglio-Tos,1911** (Irididae) Synonym(s): *konakrynus Giglio-Tos,1911* GN CI GH CM
110. **Galepsus (s.str.) laticeps Werner,1907** (Irididae) Synonym(s): *laticeps Werner,1907* CM NG
111. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928* RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
112. **Gnamptogenys bicolor (Emery,1889)** (Formicidae) Synonym(s): *bicolor Emery,1889; bannana Xu & Zhang,1996* MM TH CMA CDo Int Dst Tng Cbi VN CN Hn ID Ja Bli IN Ass Meg
113. **Gnamptogenys binghamii (Forel,1900)** (Formicidae) Synonym(s): *binghamii Forel,1900; borneensis Emery,1900* MY Pah Prk Sbh Bor Swk PG PH Neg IN Ass Meg MM TH CMA Dst Pbu ID Clb
114. **Gnamptogenys costata (Emery,1889)** (Formicidae) Synonym(s): *costata Emery,1889; unicolor Forel,1901; parva Forel,1913; simalurensis Forel,1915; pinealis Wheeler,1929; wallacei Donisthorpe,1932* MM Tns ID Sum Clb Ja PH Luz Mno SG TH CMA CDo Tng Nrt MY Bor Sbh BN Swk
115. **Gnamptogenys ortostoma Lattke,2004** (Formicidae) Synonym(s): *ortostoma Lattke,2004* TH CMA MY SG Bor
116. **Goetia galbana Karsch,1892** (Tettigoniidae) Synonym(s): *galbana Karsch,1892* CM
117. **Gonypetella punctata Giglio-Tos,1915** (Mantidae) Synonym(s): *punctata Giglio-Tos,1915* CM KE ZR UG
118. **Gravenreuthia saturata Karsch,1892** (Tettigoniidae) Synonym(s): *saturata Karsch,1892* CM
119. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii Roy,1973* AO GA CM NG SN UG
120. **Heterochaeta tenuipes (Westwood,1841)** (Mantidae) Synonym(s): *tenuipes Westwood,1841* AO BF CM ZR MR SN
121. **Hoploxys coeruleus Dallas,1851** (Pentatomidae) Synonym(s): *coeruleus Dallas,1851* SD GA CM ZR RW
122. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis Burmeister,1838; defoliata Audinet-Serville,1839; spinifrons Saussure,1859* AO BF CI GH CM LR KE MZ SN SL SD TZ TG
123. **Ischnomantis gigas (Saussure,1870)** (Mantidae) Synonym(s): *gigas Saussure,1870* BF CM MR SN SD TG
124. **Itokiia silvarum Sjöstedt,1901** (Tettigoniidae) Synonym(s): *silvarum Sjöstedt,1901* CM
125. **Junodia lameyi Beier,1942** (Hymenopodidae) Synonym(s): *lameyi Beier,1942; olseni Roy,1965* AO GH GN CM ZR
126. **Leptocola gracillima Gerstaecker,1883** (Mantidae) Synonym(s): *gracillima Gerstaecker,1883* CM NG
127. **Leptocola stanleyana (Westwood,1889)** (Mantidae) Synonym(s): *stanleyana Westwood,1889; lignea Karsch,1892* GA CM ZR MZ TZ TG
128. **Leptolobus eburneatus Karsch,1892** (Pentatomidae) Synonym(s): *eburneatus Karsch,1892; thoracicus Schouteden,1902; decipiens Schouteden,1905* CM GN KE ZR
129. **Leptolobus karschi Schumacher,1912** (Pentatomidae) Synonym(s): *karschi Schumacher,1912* CM CF
130. **Leptolobus martini (Schouteden,1904)** (Pentatomidae) Synonym(s): *martini Schouteden,1904* CM UG
131. **Leptolobus murrayi Signoret,1855** (Pentatomidae) Synonym(s): *murrayi Signoret,1855* CM CI GN LR NG SL
132. **Letana conradti (Bolivar,1906)** (Tettigoniidae) Synonym(s): *conradti Bolivar,1906* CM
133. **Liacos erythrosoma (Burmeister,1854)** (Scoliidae) Synonym(s): *erythrosoma Burmeister,1854; penangensis Saussure,1855; analis Saussure,1864* MY Pen TH CMA Phu ID Sum
134. **Macrodanuria elongata (Borre,1883)** (Mantidae) Synonym(s): *elongata Borre,1883; phasmoides Sjöstedt,1900* CI GA GH GN CM
135. **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
136. **Malthodes malickyi Wittmer,1997** **homonym!** (Cantharidae) Synonym(s): *malickyi Wittmer,1997 nec Witt.,1980* TH CMA
137. **Mangomaloba monticola (Sjöstedt,1901)** (Tettigoniidae) Synonym(s): *monticola Sjöstedt,1901* CM
138. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
139. **Meruacesa camerounensis (Risbec,1955)** (Eulophidae) Synonym(s): *camerounensis Risbec,1955* CM
140. **Milichia distinctipennis Deeming,1981** (Milichiidae) Synonym(s): *distinctipennis Deeming,1981* UG CM GH NG ZR
141. **Milichiella unicolor (Meijere,1906)** (Milichiidae) Synonym(s): *unicolor Meijere,1906* CM

142. **Miomantis diademata (Werner,1916)** (Mantidae) Synonym(s): *diademata* Werner,1916 **CM**
143. **Miomantis milmlena (Giglio-Tos,1917)** (Mantidae) Synonym(s): *milmlena* Giglio-Tos,1917 **ET CM SO TG**
144. **Miomantis misana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *misana* Giglio-Tos,1911 **AO GN CM ZR TG**
145. **Miomantis paykulii Stal,1871** (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
146. **Miomantis preussi Karsch,1892** (Mantidae) Synonym(s): *preussi* Karsch,1892; *gracilis* Karsch,1892 **CM**
147. **Miomantis steelae (Uvarov,1935)** (Mantidae) Synonym(s): *steelae* Uvarov,1935 **CM**
148. **Miomantis togana (Giglio-Tos,1917)** (Mantidae) Synonym(s): *togana* Giglio-Tos,1917 **CI GH GN CM TG**
149. **Mnemosyne camerunensis Distant,1907** (Cixiidae) Synonym(s): *camerunensis* Distant,1907 **CM**
150. **Myndus camerunica Van Stalle,1986** (Cixiidae) Synonym(s): *camerunica* Van Stalle,1986 **CM**
151. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia* Malloch,1923 **KE CM GH MW RW ZA TG UG ZR**
152. **Neomyia zumpti (Zielke,1971)** (Muscidae) Synonym(s): *zumpti* Zielke,1971 **CM ZR**
153. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokoziewitzcki* Bolivar,1884; *mlokosewitshi* Bolivar,1887; *dimidiatus* Bolivar,1899 **Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV**
154. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845 **EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY**
155. **Otomantis capirica Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *capirica* Giglio-Tos,1915; *xenocentrus* Werner,1915 **AO CM ZR**
156. **Oxythespis senegalensis Saussure,1870** (Mantidae) Synonym(s): *senegalensis* Saussure,1870 **DZ CM LY SN TD**
157. **Oxypilus (s.str.) enei Roy,1966** (Hymenopodidae) Synonym(s): *enei* Roy,1966 **CM NG TG**
158. **Oxypilus (s.str.) falcatus Roy,1966** (Hymenopodidae) Synonym(s): *falcatus* Roy,1966 **CM ZR SD UG CF**
159. **Oxypilus (s.str.) guentheri Roy,1966** (Hymenopodidae) Synonym(s): *guentheri* Roy,1966 **CM NG**
160. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW**
161. **Paragalepsus gestri (Giglio-Tos,1911)** (Irididae) Synonym(s): *gestri* Giglio-Tos,1911; *oxyops* Beier,1930 **UG ET CM**
162. **Paragalepsus nigericus Beier,1930** (Irididae) Synonym(s): *nigericus* Beier,1930 **CM NG**
163. **Paragalepsus toganus (Giglio-Tos,1911)** (Irididae) Synonym(s): *toganus* Giglio-Tos,1911 **BF CI GH GN CM SL TG**
164. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis* Stal,1856; *moesta* Werner,1915 **ZA Nta Kzu AO ET CM ZR KE TZ ZW**
165. **Paramantis togana (Giglio-Tos,1915)** (Mantidae) Synonym(s): *togana* Giglio-Tos,1915 **CM LR TZ TG**
166. **Paramantis victoriana (Werner,1908)** (Mantidae) Synonym(s): *victoriana* Werner,1908; *mitiana* Giglio-Tos,1912 **AO CM ZR UG Rz TZ**
167. **Paramantis viridis (Saussure,1872)** (Mantidae) Synonym(s): *viridis* Saussure,1872 **MG ZA Nta Kzu CM ZR**
168. **Parancyra bivulnerata (Fennah,1964)** (Eurybrachidae) Synonym(s): *bivulnerata* Fennah,1964; *splendens* Synave,1968 **CM CF**
169. **Parentella major Giglio-Tos,1915** (Mantidae) Synonym(s): *major* Giglio-Tos,1915 **BF GH CM NE SN TG**
170. **Pediobius afronigripes Kerrich,1973** (Eulophidae) Synonym(s): *afronigripes* Kerrich,1973 **CM ZR GH CI MW NG**
171. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 *nec* Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
172. **Planopsis silvatica (Distant,1890)** (Pentatomidae) Synonym(s): *silvatica* Distant,1890 **CM GA CI ZR**
173. **Platynopiellus dispar (Schouteden,1916)** (Pentatomidae) Synonym(s): *dispar* Schouteden,1916 **ZR CM CI**
174. **Platynopiellus fallax (Schouteden,1904)** (Pentatomidae) Synonym(s): *fallax* Schouteden,1904 **CM UG CI**

175. **Platynopiellus horvathi (Schouteden,1904)** (Pentatomidae) Synonym(s): *horvathi Schouteden,1904* CM LR ZR
176. **Platynopiellus reichi (Signoret,1858)** (Pentatomidae) Synonym(s): *reichi Signoret,1858* CM ET GH GN CI NG TG
177. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus Drury,1782 (praeocc.); calens Fabricius,1803 (praeocc.); septendecimaculatus Beauvois,1811; trijunctus Walker,1867; optabilis Walker,1867; parvus Distant,1900* CM GH CI KE NG SL SD UG ZR
178. **Platynopiellus thomsonii (Signoret,1858)** (Pentatomidae) Synonym(s): *thomsonii Signoret,1858* CM GH GN CI NG ZR
179. **Plistospilota camerunensis Giglio-Tos,1917** (Mantidae) Synonym(s): *camerunensis Giglio-Tos,1917* CM
180. **Plistospilota insignis (Wood-Mason,1882)** (Mantidae) Synonym(s): *insignis Wood-Mason,1882* CM
181. **Plistospilota maxima Giglio-Tos,1917** (Mantidae) Synonym(s): *maxima Giglio-Tos,1917* CI CM ZR
182. **Plistospilota nigerica Giglio-Tos,1917** (Mantidae) Synonym(s): *nigerica Giglio-Tos,1917* AO CM NG
183. **Plistospilota validissima (Gerstaecker,1883)** (Mantidae) Synonym(s): *validissima Gerstaecker,1883* CI GA GH CM ZR LR
184. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
185. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa Goeze,1778; rubromaculata Goeze,1778; variegata Olivier,1792; adspersa Lichtenstein,1802; pustulata Stoll,1813; striata Stoll,1813; signata Thunberg,1815; nebulosa Thunberg,1815; catenata Burmeister,1838; varia Burmeister,1838; vicina Audinet- Serville,1839* AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
186. **Polyspilota griffinii Giglio-Tos,1911** (Mantidae) Synonym(s): *griffinii Giglio-Tos,1911* GA CM
187. **Popa spurca spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
188. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
189. **Prohierodula flavipennis Karsch,1892** (Mantidae) Synonym(s): *flavipennis Karsch,1892* CM
190. **Prohierodula laticollis (Karsch,1892)** (Mantidae) Synonym(s): *laticollis Karsch,1892* GA CM ZR CF
191. **Prohierodula mundamensis Giglio-Tos,1911** (Mantidae) Synonym(s): *mundamensis Giglio-Tos,1911* CM
192. **Prohierodula picta (Gerstraecker,1883)** (Mantidae) Synonym(s): *picta Gerstraecker,1883* GA CM
193. **Pseudogalepsus dispar (Werner,1907)** (Irididae) Synonym(s): *dispar Werner,1907* ET CM KE MZ TZ
194. **Pseudostagmatoptera vitripennis Beier,1931** (Mantidae) Synonym(s): *vitripennis Beier,1931; infuscata Roy,1973* GA CM ZR
195. **Pyrgomantis jonesi Kirby,1904** (Irididae) Synonym(s): *jonesi Kirby,1904; septentrionalis Werner,1907; nigerica Giglio-Tos,1917; occidentalis Giglio-Tos,1917* CM NG BF GH NE SN
196. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta Thunberg,1784; capensis Gmelin,1790* ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ
197. **Pyrgomantis pallida Giglio-Tos,1917** (Irididae) Synonym(s): *pallida Giglio-Tos,1917* CM BF GH GN ZR NG TG
198. **Ricania speculum (Walker,1851)** (Ricaniidae) Synonym(s): *speculum Walker,1851; tenebrosus Walker,1851; perforatus Walker,1851; guttatus Walker,1851; marginalis Walker,1851; malaya Stal,1854; posterus Walker,1857; splendida Spinola,1860; rufifrons Walker,1870* Flatoides *speculum Walker,1851, List Specimens Homopt. Ins. Colln. Br. Mus. 2: 406. Syntypes: Philippines Islands (Mr. Cuming's Coll.).* CN SG MY IN LK MM ID Sum Bor Flo Ja Wg TH CMa Cu05 Cu07 VN PH Luz
199. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis Becker,1916* UG ZA TZ KE NG CM NE
200. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus Becker,1916* UG KE RW ZR LR ML CM NG GH
201. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
202. **Sepedon plumbella Wiedemann,1830** (Sciomyzidae) Synonym(s): *plumbella Wiedemann,1830* IN TH CMa AU

203. **Simulium (Byssodon) griseicolle** Becker,1903 (Simuliidae) Synonym(s): *griseicolle* Becker,1903; *scapulatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 **EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM**
204. **Solygia sulcatifrons** (Audinet-Serville,1839) (Mantidae) Synonym(s): *sulcatifrons* Audinet-Serville,1839; *grandis* Saussure,1869 **BF GN CM SN TG**
205. **Sphodromantis biocellata** (Werner,1906) (Mantidae) Synonym(s): *biocellata* Werner,1906; *cavibrachia* Werner,1915 **AO CM CF**
206. **Sphodromantis lineola** (Burmeister,1838) (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
207. **Sphodromantis pavonina** La Greca,1955 (Mantidae) Synonym(s): *pavonina* La Greca,1955 **AO CM ZR**
208. **Sphodromantis viridis** (Forskal,1775) (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
209. **Stenopyga (Agriomantis) casta** (Gerstaecker,1883) (Mantidae) Synonym(s): *casta* Gerstaecker,1883 **CM**
210. **Stenopyga (s.str.) extera** Karsch,1892 (Mantidae) Synonym(s): *extera* Karsch,1892; *lobulipes* Karsch,1892 **CM LR**
211. **Stenopygella reticulata** (Werner,1916) (Mantidae) Synonym(s): *reticulata* Werner,1916 **CM TZ**
212. **Systropha (Austrosystropha) bispinosa** Friese,1914 (Halictidae) Synonym(s): *bispinosa* Friese,1914 **CM**
213. **Systropus (s.str.) holaspis** Speiser,1914 (Bombyliidae) Synonym(s): *holaspis* Speiser,1914; *cuspidicauda* Enderlein,1930 **GO CM**
214. **Systropus (s.str.) silvestrii** Bezzi,1924 (Bombyliidae) Synonym(s): *silvestrii* Bezzi,1924; *subcingulatus* Enderlein,1926 **CM NG**
215. **Tarachodella monticola** Giglio-Tos,1917 (Irididae) Synonym(s): *monticola* Giglio-Tos,1917 **GH CM ZR**
216. **Tarachodes (Barbachodes) afzelii** (Stal,1871) (Irididae) Synonym(s): *afzelii* Stal,1871; *irrorata* Gerstaecker,1883; *griffinii* Giglio-Tos,1911; *bandanus* Giglio-Tos,1917 **SL DZ? BF CI GH GN CM ZR SN SL TG**
217. **Tarachodes (Chiropacha) gilvus** Charpentier,1841 (Irididae) Synonym(s): *gilvus* Charpentier,1841 **SD CM ZR UG TD SA**
218. **Tarachodes (Chiropacha) saussurei** Giglio-Tos,1911 (Irididae) Synonym(s): *saussurei* Giglio-Tos,1911 **SN BF GH CM MR NE SN TD**
219. **Tarachodes (s.str.) maurus** (Stal,1856) (Irididae) Synonym(s): *maurus* Stal,1856 **CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ**
220. **Tarachodes (s.str.) rotundiceps** Werner,1907 (Irididae) Synonym(s): *rotundiceps* Werner,1907 **GA CM ZR**
221. **Tarachodes (s.str.) severini** Werner,1915 (Irididae) Synonym(s): *severini* Werner,1915 **CM**
222. **Tarachodes (Tarachodina) dissimulator** Wood-Mason,1882 (Irididae) Synonym(s): *dissimulator* Wood-Mason,1882; *weneri* Giglio-Tos,1907 **CI GH GN CM TG**
223. **Tarachodes (Tarachodina) gerstaeckeri** Werner,1907 (Irididae) Synonym(s): *gerstaeckeri* Werner,1907 **CM GH ZR CI**
224. **Tarachodes (Tarachodina) maculisternum** Sjöstedt,1900 (Irididae) Synonym(s): *maculisternum* Sjöstedt,1900 **CM**
225. **Taumantis cephalotes** (Gerstaecker,1883) (Mantidae) Synonym(s): *cephalotes* Gerstaecker,1883 **CM**
226. **Tenodera superstiosa** (Fabricius,1781) (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
227. **Tetrastichus zekioezeri** Doğanlar,1993 (Eulophidae) Synonym(s): *zekioezeri* Doğanlar,1993 **CM**
228. **Tismomorpha vitripennis** (Bolivar,1908) (Mantidae) Synonym(s): *vitripennis* Bolivar,1908 **GA CM ZR CF**

Synonymic and distributional list of the pterygot insects of Canary Islands

(Results of the Entomofauna of the World based upon info-system of the Cesa)

40

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Canary Islands (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 40. *Priamus* (suppl.) 18: 1858-1867.

In this study, totally 242 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes.

Key words: List, distribution, *pterygota*, *Insecta*, Canary Islands.

Brief explanatory information:

Previously published article	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 242 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
2. **Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus* Loew,1844 DZ Cn FR CY IT Si EG SY TR
3. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
4. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
5. **Adontomerus confusus Askew,2000** (Torymidae) Synonym(s): *confusus* Askew,2000 Cn IR
6. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR

7. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis Melichar,1911* ES
Cn EG IR IQ IT MA Cc AM TR
8. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT
BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN?
AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
9. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791; grylloides
Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri
Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA
PT ES RO CH SY TN TR YU RU
10. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis Haupt,1962* TR LY TN IL Pa
ES Cn SY Hms
11. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi
Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia
*simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India
(BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML
MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU*
12. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus
Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium
*strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH).
LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD
CH SY TN YU*
13. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781;
grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur
Ghiltani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus
*thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta
(BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN
HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva
ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW*
14. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis
Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris
Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda
Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK
EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK
KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
15. **Ameles canaria Koçak & Kemal,2008**⁸¹ (Mantidae) Synonym(s): *limbata Brullé,1838 nec De
Haan,1835; canaria Koçak & Kemal,2008* Ameles *canaria Koçak & Kemal,2008, Cent. ent. Stud.,
Misc. Pap. 145: 8 (nomen novum pro limbata Brullé,1838 nec De Haan,1835). Type(s): Canary
Islands. Cn*
16. **Ameles gracilis (Brullé,1838)** (Mantidae) Synonym(s): *gracilis Brullé,1838* Mantis *gracilis
Brullé,1838, [in] Webb & Berthelot, Hist. Canar. 2: 76, pl.5 fig.4. Type ♂: Canary Islands. Cn*
17. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935;
acuteangulata Zachvatkin,1946* AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG
KK MD TJ UZ YU
18. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant
& Rey,1855; quadrisignata Flor,1861; feberi Vismara,1878; laevis Berg.,1934 (praeocc.); zachvatkini
Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES
Md CH SY TN RU TR YU AF IR
19. **Anagyryus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis
Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans
Noyes,2000* TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO
ES RU GB TM US Tx UZ YU
20. **Anagyryus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis Mercet,1921;
orbitalis Ruschka,1923* AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
21. **Anagyryus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR
AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK
CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
22. **Anastoechus latifrons Macquart,1839** (Bombyliidae) Synonym(s): *latifrons Macquart,1839*
Cn MA EG
23. **Andrenosoma jenisi Kovár & Hradski,1996** (Asilidae) Synonym(s): *jenisi Kovár &
Hradski,1996* Cn Md
24. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus Herrich-
Schäffer,1849* RU Cn FR Co TR SD IN CN Ui
25. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s):
lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852;

⁸¹ specific name for this endemic taxon established by the authors.

- floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
26. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 **IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU**
27. **Anthrax bowdeni Baez,1983** (Bombyliidae) Synonym(s): *bowdeni* Baez,1983 **Cn**
28. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius* Fabricius,1794 **IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ**
29. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 **IT ES TN Cn HV HU EG AF IL Pa IR TM UZ**
30. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 **GR Cr MD RO RU UA Cc Cm MA Cn**
31. **Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): *viridis* Brullé,1835 **Cn GR TR CY**
32. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
33. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
34. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927 **ES Cn EG IQ JO TR CY LB GR Cr**
35. **Balclutha pellucens Horvath,1909** (Cicadellidae) Synonym(s): *pellucens* Horvath,1909; *viridella* Lindberg,1941 **Az Cn Md TR**
36. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
37. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775 **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
38. **Bombylius (s.str.) aaroni Baez,1983** (Bombyliidae) Synonym(s): *aaroni* Baez,1983 **Cn**
39. **Bombylius (s.str.) oceanus Becker,1908** (Bombyliidae) Synonym(s): *oceanus* Becker,1908 **Cn**
40. **Bombylius (s.str.) pintuarius Baez,1983** (Bombyliidae) Synonym(s): *pintuarius* Baez,1983 **Cn**
41. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus* Gyllenhal,1833 **DZ TN MA LY Cn ES Si IT GR Rd TR**
42. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
43. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775 **AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR**
44. **Campiglossa producta Loew,1844** (Tephritidae) Synonym(s): *producta* Loew,1844 **TR AF CZ CN FI NL IQ GB IL Pa Cn DZ SY JO**
45. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844; *producta* Loew,1844 **TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA**
46. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
47. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
48. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
49. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 **AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU**
50. **Chloriona canariensis Lindberg,1954** (Delphacidae) Synonym(s): *canariensis* Lindberg,1954 **Cn TR RU**

51. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
52. **Chrysolina gypsophila (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophila* Küster,1845; *lucidicollis* Küster,1845 TR Cc TM KK KG SY IL Pa Cn Si Sa AM IR DZ
53. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta* Linnaeus,1758; *marginalis* Duftschmidt,1825 TR Cn FI KG RU Sb MN
54. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857 EG GR TR DZ ES Cn FR IT RU Am
55. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
56. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
57. **Cicadulina zeae China,1926** (Cicadellidae) Synonym(s): *zeae* China,1926 Cn Md CY TR AU
58. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *hapti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
59. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
60. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
61. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
62. **Closterocerus violaceus (Askew,1999)** (Eulophidae) Synonym(s): *violaceus* Askew,1999 *nec* Hansson,1994 ES Cn
63. **Coelosia fusca Bezzi,1892** (Mycetophilidae) Synonym(s): *fusca* Bezzi,1892 IT Sa Cn IL Pa TR
64. **Corixa affinis Leach,1818** (Corixidae) Synonym(s): *affinis* Leach,1818 Cn Az Md IN IR CY TR PK
65. **Corixa punctata (Illiger,1807)** (Corixidae) Synonym(s): *punctata* Illiger,1807 Cn TR
66. **Cryptus tuberculatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus* Gravenhorst,1829 Cn MA TR TJ
67. **Culicoides analis Santos Abreu,1918** (Ceratopogonidae) Synonym(s): *analis* Santos Abreu,1918 Cn
68. **Cylindromyia brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius,1775; *boscii* Robineau-Desvoidy,1830; *trinaerina* Bigot,1878; *sapporensis* Matsumura,1916 GB FR TR Md Cn RU MN JP
69. **Dasyhelea abdominalis (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *abdominalis* Santos Abreu,1918 Cn
70. **Dasyhelea abreu (Kieffer,1921)** (Ceratopogonidae) Synonym(s): *flaviventris* Santos Abreu,1918 *nec* Goet.,1910; *abreu* Kieffer,1921 Cn
71. **Dasyhelea albidipes (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *albidipes* Santos Abreu,1918; *intermedia* Santos Abreu,1918; *guanchense* Clastrier,1966 Cn
72. **Dasyhelea albohalterata (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *albohalterata* Santos Abreu,1918 Cn
73. **Dasyhelea canariensis (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *canariensis* Santos Abreu,1918; *brunnea* Santos Abreu,1918; *fenestralis* Santos Abreu,1918; *ornatigaster* Santos Abreu,1918; *hiemalis* Santos Abreu,1918; *albidigaster* Santos Abreu,1918; *inmaculata* Santos Abreu,1918; *quinqueteniata* Clastrier,1966 Cn
74. **Dasyhelea erythrogaster (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *erythrogaster* Santos Abreu,1918 Cn
75. **Dasyhelea eximia (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *eximia* Santos Abreu,1918 Cn
76. **Dasyhelea flavimana (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *flavimana* Santos Abreu,1918 Cn
77. **Dasyhelea fratercula (Santos Abreu,1918)** (Ceratopogonidae) Synonym(s): *fratercula* Santos Abreu,1918 Cn

78. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
79. **Dibolia magnifica Lindberg,1951** (Chrysomelidae) Synonym(s): *magnifica Lindberg,1951* Cn
80. **Dibolia obtusa Wollaston,1864** (Chrysomelidae) Synonym(s): *obtusa Wollaston,1864* Cn
81. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans Koch,1803; menthae Hering,1924* TR Cc IR DZ MA Cn
82. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias Walker,1838* BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
83. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
84. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureau,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
85. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia Papp,1959* Microgaster claritibia Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY
86. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
87. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae Ferrière,1935; elongatus Ferrière,1947* TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
88. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata Goeze,1778; pauperata Rossi,1783 nec F.,1781; pennata Thunberg,1815; variabilis Risso,1826; egema Charpentier,1841; brachyptera Fischer v. Waldheim,1846; europaea Fieber,1853; occidentalis Fieber,1853* DZ Cn LY MA TN ES PT Sa Si IT
89. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius Thomson,1878; cinereae Erdös,1961; fructicola Gumowsky,1996* TR BG Cn HV FR DE HU NL ES SE UA GB YU
90. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842* TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
91. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
92. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
93. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum Newman,1853; laureti Lindberg,1936* Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM
94. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
95. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus Kirschbaum,1858; irrorartus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894* DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
96. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
97. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva Santos Abreu,1920; exornata Séguy,1941; peyerimhoffi Burghese-Balacesco,1966* Cn PT ES FR Co DE GR BG CY TR
98. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
99. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
100. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883* DZ ES Cn FR GR IT MA IL ES SW TN RU
101. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus Saunders,1876* CV Cn SN ES GR CY TR
102. **Geron hesperidium Frey,1936** (Bombyliidae) Synonym(s): *hesperidium Frey,1936* Cn

103. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
104. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927 **DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU**
105. **Haetosmia circumventa (Peters,1974)** (Megachilidae) Synonym(s): *circumventa* Peters,1974 **Cn EG MA AE SD**
106. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 **AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU**
107. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus* Loew,1857; *papillifer* Mik,1880 **Cc AM GG RO RU DZ Cn KK TJ**
108. **Hermetia illucens (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens* Linnaeus,1758 **PT Cn ES FR CH IT MT HV AL TR**
109. **Heterischnus truncator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *truncator* Fabricius,1798 *Ichneumon truncator* Fabricius,1798, **Suppl. Ent. Syst.: 222. Cn TR**
110. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus* Rossi,1792 **Cn DZ LT SE RU AF KG Sb TR**
111. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 **DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP**
112. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
113. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 **AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR**
114. **Hoplitis (Pentadentostmia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 **Cn DZ MA TN IL Pa JO PK AE IN**
115. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
116. **Hoplitis (Tkalca) zandeni (Teunissen & van Achterberg,1992)** (Megachilidae) Synonym(s): *zandeni* Teunissen & van Achterberg,1992 **Cn**
117. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis* Burmeister,1838; *longifrons* Saussure,1870; *juliae* Krauss,1892; *guichardi* La Greca,1952 **Cn TN EG DZ LY SA SO NE OM**
118. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
119. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?felicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, **Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK**
120. **Itoplectis maculator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator* Fabricius,1775 **TR DZ Cc Cn**
121. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
122. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 **TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ**
123. **Liomutilla canariensis André,1907** (Mutillidae) Synonym(s): *canariensis* André,1907 **Cn**
124. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 **MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU**
125. **Longitarsus cerinthes (Schrank,1798)** (Chrysomelidae) Synonym(s): *cerinthes* Schrank,1798; *nervosa* Wollaston,1854; *pectoralis* Foudras,1860 **GR TR Cn**
126. **Longitarsus echii (Koch,1803)** (Chrysomelidae) Synonym(s): *echii* Koch,1803; *tibialis* Duftschmidt,1825; *excurvus* Wollaston,1854; *flavipes* Allard,1860; *coeruleus* Weise,1888; *nigrescens* Weise,1888; *peregrinus* Weise,1888; *kulikowskii* Jacobson,1895 **PL AF Cn TR**
127. **Lygaeosoma reticulatum (Herrich-Schäffer,1838)** (Lygaeidae) Synonym(s): *reticulatum* Herrich-Schäffer,1838 **Cn CY GR TR**

128. **Macquartia tessellum Meigen, 1824** (Tachinidae) Synonym(s): *tessellum* Meigen, 1824; *brevicornis* Macquart, 1839; *occlusa* Rondani, 1859; *brunusquamis* Robineau-Desvoidy, 1863; *microcera* Robineau-Desvoidy, 1863; *olivaceomaculata* Porthinsky, 1881; *genistae* Pandelle, 1895 **FR CH SK Cn IL Pa Cc TJ TR**
129. **Macrolophus caliginosus Wagner, 1950** (Miridae) Synonym(s): *caliginosus* Wagner, 1950 **Cn Md TR**
130. **Macrorhaphis (Megarhaphis) acuta Dallas, 1851** (Pentatomidae) Synonym(s): *acuta* Dallas, 1851; *spurcata* Walker, 1868; *infuscata* Walker, 1868; *spinosum* Horvath, 1892 **AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW**
131. **Macrocytus brunneus (Fabricius, 1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius, 1803; *proximus* Rambur, 1839; *opacus* Stal, 1854; *scutellaris* Horvath, 1919; *exiguus* Horvath, 1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31**
132. **Macrosteles ossiannilssoni Lindberg, 1954** (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg, 1954; *ossiannilssoni* Le Quense, 1968 **Cn CZ DK GB FI DE Md SE IR EG GR Cc TR**
133. **Macrosteles sexnotatus (Fallén, 1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén, 1806; *devastans* Guérin-Méneville, 1852; *didymus* Mulsant & Rey, 1855; *diminuta* Lethierry, 1876; *binotata* Rey, 1894; *submaculata* Rey, 1894 **DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU**
134. **Megastigmus transvaalensis (Hussey, 1956)** (Torymidae) Synonym(s): *transvaalensis* Hussey, 1956; *rhusi* Hussey, 1956 **AU ZA Tva Lpo Cn**
135. **Meloe tuccicus Rossi, 1792** (Meloidea) Synonym(s): *tuccicus* Rossi, 1792; *ruficornis* Balbi, 1897 **Cn ES IT Sa Si AT HU TR Cc RU TM KG AF**
136. **Milichia mixta Becker, 1907** (Milichiidae) Synonym(s): *mixta* Becker, 1907 **Cn ZA**
137. **Milichia nitida Becker, 1907** (Milichiidae) Synonym(s): *nitida* Becker, 1907 **Cn**
138. **Milichia speciosa Meigen, 1830** (Milichiidae) Synonym(s): *speciosa* Meigen, 1830 **Cn PT FR IT Sa GR YU TR**
139. **Milichiella bimaculata Becker, 1907** (Milichiidae) Synonym(s): *bimaculata* Becker, 1907 **Cn**
140. **Milichiella freyi (Hendel, 1936)** (Milichiidae) Synonym(s): *freyi* Hendel, 1936 **Cn**
141. **Milichiella lacteipennis (Loew, 1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew, 1866 **AF ES Cn Md US FI Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ**
142. **Mosillus subsultans (Fabricius, 1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius, 1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
143. **Musca calleva Walker, 1849** (Muscidae) Synonym(s): *calleva* Walker, 1849; *mimetica* Malloch, 1941 **SC ZW ZA MG Sk Cn EG TR**
144. **Muscina levida (Harris, 1780)** (Muscidae) Synonym(s): *levida* Harris, 1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
145. **Myopites cypriacus M. Hering, 1938** (Tephritidae) Synonym(s): *cypriacus* M. Hering, 1938; *shiakidesi* Dirlbek, 1974 **Myopites cypriacus M. Hering, 1938, Dt. ent. Z. 1938 (2): 399. CY Cn TR**
146. **Nealiturus alboflavovittatus (Lindberg, 1954)** (Cicadellidae) Synonym(s): *alboflavovittatus* Lindberg, 1954 **ES Cn IR KG**
147. **Nealiturus tenellus (Baker, 1896)** (Cicadellidae) Synonym(s): *tenellus* Baker, 1896; *ignavus* Matsumura, 1908; *egyptiacus* Matsumura, 1908; *indivisus* Haupt, 1927; *ambiguosus* Young & Frazier, 1954; *zygophylli* Lindberg, 1954 **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
148. **Neobodilus ghardimaouensis (Balthasar, 1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar, 1929 **Cn DZ LY Cy EG IL Pa JO LB SY**
149. **Neophilaenus angustipennis (Horvath, 1909)** (Cercopidae) Synonym(s): *angustipennis* Horvath, 1909 **Cn**
150. **Nesoclutha erythrocephala (Ferrari, 1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari, 1882; *flaveolus* Matsumura, 1908; *wagneri* Lindberg, 1954 **ES Cn Md FR IR IT JP TR GR Cr YU IR**
151. **Omocestus (s.str.) simonyi (Krauss, 1892)** (Acrididae) Synonym(s): *simonyi* Krauss, 1892 **Cn**
152. **Opsius lethierryi Wagner, 1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry, 1876 (*praeocc.*); *lethierryi* Wagner, 1942 **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU**
153. **Opsius scutellaris (Lethierry, 1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry, 1874 **AF DZ ES Cn CN EG IL LY MA TN**
154. **Opsius stactogalus Fieber, 1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber, 1866; *tamaricis* Kirschbaum, 1868; *heydeni* Fieber, 1872; *spinulosus* Della Guistina, 1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
155. **Osmia (Helicosmia) fulviventris (Panzer, 1798)** (Megachilidae) Synonym(s): *fulviventris* Panzer, 1798 **CA Cc KG Cn Az UA Cm TR DZ CY**
156. **Osmia (Helicosmia) latreillei (Spinola, 1806)** (Megachilidae) Synonym(s): *latreillei* Spinola, 1806; *nasidens* Latreille, 1811; *quadricornis* Kriechbaumer, 1869; *friesei* Verhoeff, 1892; *iberoafricana* Peters, 1975 **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**

157. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
158. **Osmia (Helicosmia) palmae Tkalcu,2001** (Megachilidae) Synonym(s): *palmae Tkalcu,2001* Cn
159. **Osmia (Hoplosmia) larochei Tkalcu,1993** (Megachilidae) Synonym(s): *larochei Tkalcu,1993* Cn
160. **Osmia (Neosmia) cinnabarina Pérez,1895** (Megachilidae) Synonym(s): *cinnabarina Pérez,1895* DZ Cn MA TN IL Pa
161. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans Morawitz,1870; giraudi Schmiedeknecht,1886; hebraea Benoist,1934; canaria Mavromoustakis,1957; lanzarotae Warncke,1992; columbina Zanden,1996* CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
162. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis Latreille,1811* AD ES FR Co IT Sa PT DZ Cn LY MA TN
163. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni Harold,1862* Cn MA DZ TN LY Cy EG SA
164. **Paradorydium occidentale Lindberg,1954** (Cicadellidae) Synonym(s): *occidentale Lindberg,1954* TR Cn
165. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus Loew,1856* MA Cn ES IT EG JO
166. **Parageron striatus Baez,1982** (Bombyliidae) Synonym(s): *striatus Baez,1982* Cn
167. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
168. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia Rondani,1866; tristriata Stein,1908; mixta Villeneuve,1922* Cn CZ FI HU IT GR NO MT RU SE DZ
169. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens Sykes,1835; indica Mayr,1879; himalayana Forel,1902* Cn EG IL Pa IR SA IN
170. **Phthiria freyi Baez,1985** (Bombyliidae) Synonym(s): *freyi Baez,1985* Cn
171. **Phthiria intermedia Baez,1985** (Bombyliidae) Synonym(s): *intermedia Baez,1985* Cn
172. **Phthiria lazaroii Baez,1985** (Bombyliidae) Synonym(s): *lazaroii Baez,1985* Cn
173. **Phthiria ombriosus Baez,1985** (Bombyliidae) Synonym(s): *ombriosus Baez,1985* Cn
174. **Phthiria simonyi Becker,1908** (Bombyliidae) Synonym(s): *simonyi Becker,1908* Cn MA
175. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus Forster,1771; hauseri Reitter,1894* SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
176. **Physiphora alceae (Preysslner,1791)** (Ulidiidae) Synonym(s): *alceae Preysslner,1791* AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
177. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenatii,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
178. **Plagiognathus arbustorum (Fabricius,1794)** (Miridae) Synonym(s): *arbustorum Fabricius,1794* Cn TR
179. **Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini Picard,1933* IR Ak Cn FR KG ES
180. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929* AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
181. **Prostemma guttula (Fabricius,1787)** (Nabidae) Synonym(s): *guttula Fabricius,1787* Cn CY TR
182. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914* AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
183. **Pseudaraeopus bolivari (Melichar,1901)** (Delphacidae) Synonym(s): *bolivari Melichar,1901* ES Cn EG IR IL PT ES
184. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi Mulsant & Rey,1879; ribauti Lallemant,1921* ES Cn CY FR IL YU GR Cr IT Si TR
185. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis Macquart,1839; maura Bigot,1885* Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
186. **Pseudoyersinia betancuriai Wiemers,1993** (Mantidae) Synonym(s): *betancuriai Wiemers,1993* Cn
187. **Pseudoyersinia canariensis Chopard,1942** (Mantidae) Synonym(s): *canariensis Chopard,1942* Cn
188. **Pseudoyersinia pilipes Chopard,1954** (Mantidae) Synonym(s): *pilipes Chopard,1954* Cn
189. **Pseudoyersinia subaptera Chopard,1942** (Mantidae) Synonym(s): *subaptera Chopard,1942; lindbergi Chopard,1954* Cn

190. **Pseudoyersinia teydeana Chopard,1942** (Mantidae) Synonym(s): *teydeana Chopard,1942* Cn
191. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea Geoffroy,1785* SE DK DE Cn GR IT PT ES NL TR TN
192. **Pterocheilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus André,1884* IL Pa JO TN DZ Cn
193. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica Olivier,1791; grylloides Latreille,1804; linearis Charpentier,1825; rosea Charpentier,1825; rhodoptila Herrich-Schäffer,1838; discrepans Fieber,1853; mideltica Werner,1931* MA Cn ES FR LY CY YE GH TR
194. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix Harris,1780* AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
195. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum Fabricius,1781; hebraeum Giordani & Soika,1952* Cn ES IT Si GR Cr TR OM IR EG JO
196. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa Wiedemann,1819* AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
197. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura Meigen,1826* AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
198. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma Robineau-Desvoidy,1830* TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
199. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758* AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
200. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
201. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
202. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* TR Cc AZ IR PK IN LK SA SO TZ Cn
203. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata Becker,1907; chopardi Séguy,1932; pamirensis Enderlein,1934* Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
204. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa Strobl,1893; flavipes Goetghebuer & Bastin,1925; desultor Séguy,1932* BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
205. **Sepsis lateralis Wiedemann,1830** (Sepsidae) Synonym(s): *lateralis Wiedemann,1830; complicata Wiedemann,1830; inpunctata Macquart,1839; hyalipennis Macquart,1851; melitensis Rondani,1874; schembrii Rondani,1874; fragilis Becker,1903* Cn DZ PT MT EG TR
206. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum Fabricius,1794; stigma Panzer,1798; cornuta Meigen,1826; ornata Meigen,1826; pectoralis Macquart,1835; rufocincta Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932* Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
207. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
208. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
209. **Spathulina sicula Rondani,1856** (Tephritidae) Synonym(s): *sicula Rondani,1856; tristis Loew,1869; luisieri Tavares,1901; sepia Becker,1908* TR Cn IL Pa
210. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758; gemmata Scopoli,1763; fasciata Müller,1764; invisita Harris,1776; menthostri De Geer,1776* TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
211. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata Fallén,1814* DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
212. **Stalia major Costa,1840** (Nabidae) Synonym(s): *major Costa,1840* Cn CY TR RU
213. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle Walker,1848; nubeculatus Ratzeburg,1848; bifasciatus Thomson,1878; bimaculatipennis Girault,1912; bimaculatus Crawford,1913; meteori Girault,1916* TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
214. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis Nees,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888;*

- massassoit Crawford,1913; fulvipes Györfi,1941* TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
215. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes Fabricius,1787* AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
216. **Tachycixius canariensis Lindberg,1954** (Cixiidae) Synonym(s): *canariensis Lindberg,1954* Cn
217. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus Stannius,1831; litoreus Haliday,1833; obscuripes Gertaeker,1864; beckeri Müller,1923* Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn
218. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis Becker,1907* EG IL Pa SY DZ Cn ET IR SA TN TM
219. **Tethina alboguttata (Strobl,1900)** (Tethinidae) Synonym(s): *alboguttata Strobl,1900* Cn MA DZ ES TN
220. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa Strobl,1900; beckeri Strobl,1906; albipila Frey,1958; albissima Collin,1966; diversa Collin,1966; mixta Collin,1966* SN AT Az Cn ES EG BG DK GB FR IT
221. **Tethina cinerea (Loew,1862)** (Tethinidae) Synonym(s): *cinerea Loew,1862* BG Cn TN
222. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea Fallén,1823; latigenis Becker,1907* Az Cn ES FR TN GB SE IT BG GR Cr
223. **Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): *incisuralis Macquart,1851; pictipes Becker,1903* Cn CV EG ES FR SY GB
224. **Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes Loew,1865* GR BG TN Cn Az CV FR
225. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri Horvath,1909* DZ ES Cn MA ES TN TR KG UA Cm
226. **Thereva grancanariensis Báez,1982** (Therevidae) Synonym(s): *grancanariensis Báez,1982* Cn
227. **Tingis cardui (Linnaeus,1758)** (Tingidae) Synonym(s): *cardui Linnaeus,1758* Cn TR
228. **Tolmerus muhabet Koçak,2008** (Asilidae) ⁸² Synonym(s): *fuscus Macquart,1839 nec Wied.,1828; muhabet Koçak,2008* Tolmerus muhabet Koçak,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro fuscus Macquart,1839 nec Wiedemann,1828) Cn RU TR
229. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
230. **Trixoscelis puncticornis (Becker,1907)** (Trixoscelidae) Synonym(s): *puncticornis Becker,1907; phylacis Seguy,1953* AE Az Cn MR TN SA
231. **Truxalis nasuta (Linnaeus,1758)** (Acrididae) Synonym(s): *nasuta Linnaeus,1758; annulatus Thunberg,1815; bilineatus Thunberg,1815; nebulosus Thunberg,1815; miniata Klug,1830; obsoleta Klug,1830; scalaris Klug,1830; variabilis Klug,1830; unguiculata Rambur,1839; isabellina Fischer-Waldheim,1846; klugii Fieber,1853* Cn MA DZ TN TR
232. **Usia (s.str.) arida Baez,1982** (Bombyliidae) Synonym(s): *arida Baez,1982* Cn
233. **Usia (s.str.) striata Baez,1982** (Bombyliidae) Synonym(s): *striata Baez,1982* Cn
234. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo Linnaeus,1758* Musca vermileo Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. AT BG FR IT YU SY EG DZ Cn
235. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
236. **Villa albiventris Frey,1936** (Bombyliidae) Synonym(s): *albiventris Frey,1936* Cn
237. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804; trigonostigma Czerny,1901* MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
238. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis Kowarz,1883; corsicana Schnabl,1911* Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
239. **Villa nigriceps (Macquart, Webb & Berthelot,1839)** (Bombyliidae) Synonym(s): *nigriceps Macquart, Webb & Berthelot,1839; adominalis Santos Abreu,1926; minor Frey,1936* Cn
240. **Villa nigrifrons (Macquart, Webb & Berthelot,1839)** (Bombyliidae) Synonym(s): *nigrifrons Macquart, Webb & Berthelot,1839* Cn
241. **Wichmannia pictipennis Boucek,1972** (Eulophidae) Synonym(s): *pictipennis Boucek,1972* Cn Md
242. **Zophosis bicarinata Solier,1834** (Tenebrionidae) Synonym(s): *bicarinata Solier,1834; minuta Brullé,1838* Cn IL Pa

⁸² specific name established by the author.

Synonymic and distributional list of the pterygot insects of Congo

(Results of the Entomofauna of the World based upon info-system of the Cesa)

41

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Congo (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 41. *Priamus* (suppl.) 18: 1868-1869.

In this study, totally 14 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Congo recorded in info-system of the Cesa, total pterygot species of Congo increase to 603.

Key words: List, distribution, *pterygota*, *Insecta*, Congo.

Brief explanatory information:

Previously published article	yes ⁸³
Previously published report	yes ⁸⁴
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 14 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour. In info-system of the Cesa, totally 589 recorded species of Lepidoptera from Congo. Taking this information into consideration, total number of the pterygots may increase to 603.

The study is still continuing, and the new results will be published within this Project.

1. **Afroesticus varipes (Curran,1927)** (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 **ZR AO BF CM CG NG RW UG**

⁸³ **Kocak,A.O.& M.Kemal**, 2008, Replacement names among the genus and family group taxa in Orthoptera. *Cent. ent. Stud., Misc. Pap.* 141: 1-5.

⁸⁴ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps.

http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

2. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
3. **Arantia gestri Griffini,1906** (Tettigoniidae) Synonym(s): *gestri Griffini,1906* CG
4. **Bambesana**⁸⁵ **bredoi (Dirsh,1961)** (Acrididae) Synonym(s): *bredoi Dirsh,1961* CG
5. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii Leach,1817; orientalis Karaman,1952* NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
6. **Closterocerus ritchiei (Ferrière,1936)** (Eulophidae) Synonym(s): *ritchiei Ferrière,1936* CG ZR KE MW TZ
7. **Ectateus modestus (Fairmaire,1887)** (Tenebrionidae) Synonym(s): *modestus Fairmaire,1887* CG ZR GA
8. **Episcopomantis congica Roy,1968** (Irididae) Synonym(s): *congica Roy,1968* CG
9. **Galepsus (s.str.) globiceps Beier,1942** (Irididae) Synonym(s): *globiceps Beier,1942* CM CG
10. **Galepsus (s.str.) tenuis Stal,1877** (Irididae) Synonym(s): *tenuis Stal,1877* CG
11. **Gyranusoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG
12. **Himertula feana (Griffini,1906)** (Tettigoniidae) Synonym(s): *feana Griffini,1906* CG
13. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
14. **Tylopsis brevis Ragge,1964** (Tettigoniidae) Synonym(s): *brevis Ragge,1964* CG

⁸⁵ genus name established by the authors (see: *Cent. ent. Stud., Misc. Pap.* 141: 1-2).

Synonymic and distributional list of the pterygot insects of Egypt (Results of the Entomofauna of the World based upon info-system of the Cesa)

42

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Egypt (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 42. *Priamus* (suppl.) 18: 1870-1896.

In this study, totally 740 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Egypt recorded in info-system of the Cesa, total pterygot species of Egypt increase to 1273.

Key words: List, distribution, *pterygota*, *Insecta*, Egypt.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ⁸⁶
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 740 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

⁸⁶ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> - **Koçak,A.Ö. & M.Kemal, 2009**, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

In info-system of the Cesa, totally 533 recorded species of Lepidoptera from Egypt. Taking this information into consideration, total number of the pterygots may increase to 1273.

The study is still continuing, and the new results will be published within this Project.

1. **Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus Peyron,1858* AZ Cc TR EG SA SY YE
2. **Acanthophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844* DZ Cn FR CY IT Si EG SY TR
3. **Aconura amitina (Melichar,1902)** (Cicadellidae) Synonym(s): *amitina Melichar,1902; inustus Haupt,1927* EG IR IL AZ Cc TM UZ
4. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosporica Dirsh,1949; lombardica Dirsh,1949* **Truxalis bicolor Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU).** SL BF ZA ZR ET DZ EG FR SE TR BF IT
5. **Acrochordomerus engeli Efflatoun,1937** (Asilidae) Synonym(s): *engeli Efflatoun,1937* EG
6. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca Brunner von Wattenwyl,1878; festae Giglio-Tos,1893; elsa Werner,1937* **Acrometopa syriaca Brunner von Wattenwyl,1878, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW).** GR CY EG IL Pa LB Bei SY Dms TR IQ
7. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BISO**
8. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni Reiche,1866; #peyronis Reiche,1866* TR SY IL Pa Hf LB EG Sn LY Cy
9. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum Duponchel,1827* TR ES MA DZ CY SY EG
10. **Adelostoma (Zarudnyomus) abyssinicum (Haag-Rutenberg,1875)** (Tenebrionidae) Synonym(s): *abyssinicum Haag-Rutenberg,1875* ET SO EG
11. **Adelostoma (Zarudnyomus) abyssinicum hirsutum (Koch,1935)** (Tenebrionidae) Synonym(s): *hirsutum Koch,1935* EG
12. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps Puton,1887; tabida Horvath,1911; planiceps Horvath,1917* IL Pa DZ TN EG Cc AZ IR
13. **Adesmia (Oteroscelis) bicarinata Klug,1830** (Tenebrionidae) Synonym(s): *bicarinata Klug,1830; villae Osculati,1844* EG IR
14. **Adesmia (Oteroscelis) elevata Solier,1835** (Tenebrionidae) Synonym(s): *elevata Solier,1835* SY EG
15. **Adesmia (Oteroscelis) lacunosa Klug,1830** (Tenebrionidae) Synonym(s): *lacunosa Klug,1830* SY IR SA EG
16. **Adesmia (s.str.) metallica Klug,1830** (Tenebrionidae) Synonym(s): *metallica Klug,1830; syriaca Baudi,1874* EG SY IR
17. **Adesmia (s.str.) monilis Klug,1830** (Tenebrionidae) Synonym(s): *monilis Klug,1830* SY EG
18. **Adesmia (s.str.) montana Klug,1830** (Tenebrionidae) Synonym(s): *montana Klug,1830; parallela Miller,1861* SA EG Sn IR
19. **Adoretus aegrotus Burmeister,1844** (Scarabaeidae) Synonym(s): *aegrotus Burmeister,1844* DZ EG Sn
20. **Adoretus clypeatus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *clypeatus Burmeister,1844* EG
21. **Adoretus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): *granulifrons Fairmaire,1882* DZ EG IL Pa JO
22. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
23. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis Melichar,1911* ES Cn EG IR IQ IT MA Cc AM TR
24. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
25. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR

26. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
27. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
28. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
29. **Akis latreillei Solier,1836** (Tenebrionidae) Synonym(s): *latreillei* Solier,1836 **TR SY CY EG**
30. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 **DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY**
31. **Alocoderus turbatus (Baudi,1870)** (Scarabaeidae) Synonym(s): *turbatus* Baudi,1870 **IL Pa LB EG Sn SY**
32. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 **Meloe syriacus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
33. **Altica bicarinata (Kutschera,1860)** (Chrysomelidae) Synonym(s): *bicarinata* Kutschera,1860; *ciliciensis* Weise,1897 **TR IR EG**
34. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiac* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
35. **Ameles aegyptiaca Werner,1913** (Mantidae) Synonym(s): *aegyptiaca* Werner,1913 **EG**
36. **Annodeis confluens Miller,1858** (Tenebrionidae) Synonym(s): *confluens* Miller,1858 **IQ EG**
37. **Amphicoma (Pygopleurus) sinaicus Petrovitz,1957** (Glaphyridae) Synonym(s): *sinaicus* Petrovitz,1957 **EG Sn**
38. **Amphicoma (Rudeulasia) aegyptiaca Petrovitz,1972** (Glaphyridae) Synonym(s): *aegyptiaca* Petrovitz,1972 **EG**
39. **Amphisbetetus dorsatus Becker,1913** (Asilidae) Synonym(s): *dorsatus* Becker,1913; *rufipes* Engel,1930 **RU KG IL Pa IR Ss TR EG**
40. **Amphisbetetus gederati Efflatoun,1937** (Asilidae) Synonym(s): *gederati* Efflatoun,1937 **EG IL Pa**
41. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
42. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
43. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 **Gryllus aegyptium** Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZI Uppsala). **ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL**
44. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
45. **Anastoechus aegyptiacus Paramonov,1930** (Bombyliidae) Synonym(s): *aegyptiacus* Paramonov,1930 **EG**
46. **Anastoechus aurifrons Efflatoun,1945** (Bombyliidae) Synonym(s): *aurifrons* Efflatoun,1945 **EG IR**
47. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 **TN EG KE SD DZ IL Pa LY SA ES SY**
48. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**

49. **Anastoechus flaveolus** Becker,1916 (Bombyliidae) Synonym(s): *flaveolus* Becker,1916 EG
50. **Anastoechus fulvescens** Becker,1913 (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
51. **Anastoechus hyrcanus** (Wiedemann,1818) (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
52. **Anastoechus latifrons** Macquart,1839 (Bombyliidae) Synonym(s): *latifrons* Macquart,1839 Cn MA EG
53. **Anastoechus nivifrons** (Walker,1871) (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE
54. **Anastoechus stramineus** (Wiedemann,1820) (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 IT DZ EG FR IL Pa LY PT ES TN TM SA SD
55. **Anastoechus trisignatus** Portschinsky,1881 (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
56. **Anatrichus erinaceus** Loew,1860 (Chloropidae) Synonym(s): *erinaceus* Loew,1860 EG
57. **Ancistrocerus biphaleratus** Saussure,1852 (Vespidae) Synonym(s): *biphaleratus* Saussure,1852; *palaesticus* Giordani Soika,1952 PT EG Sn JO Pet IL Pa SA YE
58. **Ancyloerhynchus elbaiensis** Efflatoun,1937 (Asilidae) Synonym(s): *elbaiensis* Efflatoun,1937 EG SD
59. **Aneomochtherus aegyptius** (Macquart,1838) (Asilidae) Synonym(s): *aegyptius* Macquart,1838; *longitudinalis* Loew,1856 EG TN DZ
60. **Anicetus italicus** (Masi,1917) (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965 AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
61. **Anisopogon parvum** Efflatoun,1937 (Asilidae) Synonym(s): *parvum* Efflatoun,1937 EG IL Pa
62. **Anisopogon pulchrum** Efflatoun,1937 (Asilidae) Synonym(s): *pulchrum* Efflatoun,1937 EG
63. **Anthidium (Exanthidium) enslini** Alfken,1928 (Megachilidae) Synonym(s): *enslini* Alfken,1928 EG
64. **Anthidium (Icteranthidium) decoloratum** Alfken,1932 (Megachilidae) Synonym(s): *decoloratum* Alfken,1932; *paraequabile* Popov,1967 EG IR
65. **Anthidium (Icteranthidium) ferrugineum** (Fabricius,1787) (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787 ES EG SA TM MR SY TR IL Pa CY
66. **Anthidium (Icteranthidium) grohmanni** Spinola,1838 (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord
67. **Anthidium (Mesanthidium) alternans** Klug,1832 (Megachilidae) Synonym(s): *alternans* Klug,1832; *karschi* Friese,1899; *doederlini* Friese,1917; *dusmeti* Mavromoustakis,1947; *lividum* Benoist,1950; *flavissimum* Pasteels,1969 DZ MA SA EG IL Pa
68. **Anthidium (Mesanthidium) pusillum** Morawitz,1895 (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956 TM SY TR Cc LB IL Pa IR EG
69. **Anthidium (Proanthidium) amabile** Alfken,1932 (Megachilidae) Synonym(s): *amabile* Alfken,1932; *minimum* Pasteels,1969 EG
70. **Anthidium (Proanthidium) echinatum** Klug,1832 (Megachilidae) Synonym(s): *echinatum* Klug,1832; *rohlfssii* Friese,1897 EG LY
71. **Anthidium (Proanthidium) pulchellum** Klug,1832 (Megachilidae) Synonym(s): *pulchellum* Klug,1832; *nitidicolle* Friese,1897; *asniense* Cockerell,1931 EG Sn MA SA
72. **Anthidium (Proanthidium) venustum** Morawitz,1878 (Megachilidae) Synonym(s): *venustum* Morawitz,1878; *morawitzi* Dalla Torre,1896 Cc RU EG
73. **Anthidium (Pseudoanthidium) ochrognatum** Alfken,1932 (Megachilidae) Synonym(s): *ochrognatum* Alfken,1932; *obscuratum* Benoist,1950 nec Mor.,1875; *rubellulum* Pasteels,1969 IL Pa EG MA
74. **Anthidium (s.str.) auritum** Klug,1832 (Megachilidae) Synonym(s): *auritum* Klug,1832; *fischeri* Spinola,1838; *rufomaculatum* Friese,1899 MA EG IL Pa
75. **Anthocoris nemoralis** (Fabricius,1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
76. **Anthophora valga** (Klug,1845) (Apidae) Synonym(s): *valga* Klug,1845 EG
77. **Anthrax bezzii** Paramonov,1957 (Bombyliidae) Synonym(s): *bezzii* Paramonov,1957 EG IL Pa
78. **Anthrax binotatus** Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
79. **Anthrax bisniphas** (Bezzi,1925) (Bombyliidae) Synonym(s): *bisniphas* Bezzi,1925 EG

80. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
81. **Anthrax zohrayensis El-Hawagry,2002** (Bombyliidae) Synonym(s): *zohrayensis El-Hawagry,2002* EG
82. **Anthrenus (Nathrenus) exilis Mulsant & Rey,1868** (Dermestidae) Synonym(s): *exilis Mulsant & Rey,1868* DZ MA EG
83. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus Kiesenwetter,1851* TR EG DZ TN MA IR SY Cc
84. **Anthrenus aegyptiacus Pic,1899** (Dermestidae) Synonym(s): *aegyptiacus Pic,1899* EG
85. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus Loew,1849* Cc RU KG IL Pa TR IR Kz Fa EG TN
86. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
87. **Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcearmatus Parent,1925* EG Sn IL Pa TR
88. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri Allard,1861; tauricola Pic,1910* IT GR Rd CY TR BG EG IR
89. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae) Synonym(s): *pygmaea Kutschera,1861* TR Cc EG LY YE
90. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
91. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871* MA DZ LY TN EG NG TR SA IL Pa IR
92. **Apoclea conicera Loew,1856** (Asilidae) Synonym(s): *conicera Loew,1856* EG IL Pa
93. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis Wiedemann,1828; helva Wiedemann,1828; illustris Schiner,1867; aperta Becker,1909* EG SA IL Pa IR Fa Ss Ke Kh YE SD
94. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha Loew,1856; arabica Becker,1910* EG TN LY MA IL Pa YE SA IR
95. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila Loew,1873* IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
96. **Apolysis ornata (Engel,1932)** (Bombyliidae) Synonym(s): *ornata Engel,1932; tomentosa Engel,1932* MA EG
97. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae Girault,1916* AU NSW EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
98. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
99. **Argyrochlamys cavicola (Parent,1929)** (Dolichopodidae) Synonym(s): *cavicola Parent,1929* EG OM DJ
100. **Ascalaphus krueperi (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *krueperi Van der Weele,1909* SY EG Sn
101. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
102. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus Becker,1902* EG IQ IR RO AT ES
103. **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus Becker,1902* CY EG IQ TN ES
104. **Atherix erythrapsis Bezzi,1909** (Athericidae) Synonym(s): *erythrapsis Bezzi,1909* EG SY
105. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus Faldermann,1835* DZ EG MA TN CA US AF PK KK TM UZ TR
106. **Attagenus (s.str.) heydeni (Reitter,1881)** (Dermestidae) Synonym(s): *heydeni Reitter,1881* MA EG
107. **Atylotus agricola (Wiedemann,1826)** (Tabanidae) Synonym(s): *agricola Wiedemann,1826* MA EG TR
108. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915* TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
109. **Austroagallia quadricornis Linnavuori,1962** (Cicadellidae) Synonym(s): *quadricornis Linnavuori,1962* EG IL
110. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU

111. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932 **AL? DZ EG IL IT Sa JO LY ES TN**
112. **Bactrocera zonata (Saunders,1842)** (Tephritidae) Synonym(s): *zonata* Saunders,1842; *magniferae* Cotes,1893; *persicae* Bigot,1890 **PK IN LK BD MM TH LA VN MU RE EG OM SA**
113. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927 **ES Cn EG IQ JO TR CY LB GR Cr**
114. **Balclutha rufofasciata (Merino,1936)** (Cicadellidae) Synonym(s): *rufofasciata* Merino,1936 **EG IL**
115. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
116. **Batrachomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923 **EG IL Pa LY TR IR**
117. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU**
118. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853 **AF BG IQ IR HU EG RP SD SY SA TR**
119. **Bembecinus asphaltites De Beaumont,1968** (Crabronidae) Synonym(s): *asphaltites* De Beaumont,1968 **IL Pa JO EG Sn**
120. **Bembecinus tenellus (Klug,1845)** (Crabronidae) Synonym(s): *tenellus* Klug,1845 **EG SD ET**
121. **Bembecinus validior Gussakowski,1952** (Crabronidae) Synonym(s): *validior* Gussakowski,1952; *diacanthus* De Beaumont,1967 **TJ TR IL Pa EG OM TM**
122. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum* Dejean,1831 **AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP**
123. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN**
124. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854 **AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE**
125. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum* Dejean,1831 **AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY**
126. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775 **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
127. **Bodilus longispina (Kuster,1854)** (Scarabaeidae) Synonym(s): *longispina* Kuster,1854 **IL Pa EG Sn?**
128. **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 **IL Pa JO LB SY EG Sn**
129. **Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848 **IL Pa LB SY EG Sn**
130. **Bodilus sabaesus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): *sabaesus* Peyerimhoff,1907 **IL Pa JO Sn EG**
131. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 *nec Oliv.,1789*; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW**
132. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec* De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 **AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE**
133. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 **AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU**
134. **Bombylella pseudargentata (Paramonov,1929)** (Bombyliidae) Synonym(s): *pseudargentata* Paramonov,1929 **EG**
135. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 **AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU**
136. **Bombylisoma sinaiticum (Efflatoun,1945)** (Bombyliidae) Synonym(s): *sinaiticum* Efflatoun,1945 **EG Sn**
137. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937 **SD EG IL Pa SA**

138. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
139. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
140. **Bombylius (s.str.) bedouinus Efflatoun,1945** (Bombyliidae) Synonym(s): *bedouinus Efflatoun,1945* EG
141. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
142. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
143. **Bombylius (s.str.) collaris Becker,1906** (Bombyliidae) Synonym(s): *collaris Becker,1906* EG LY TN
144. **Bombylius (s.str.) efflatounbeyi Evenhuis,1978** (Bombyliidae) Synonym(s): *minusculus Efflatoun,1945 nec Hess.,1938; efflatounbeyi Evenhuis,1978* EG
145. **Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *elbayensis Efflatoun,1945; cinereipilus Greathead,1967* ER KE SD TZ EG SA
146. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
147. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes Wiedemann,1828* EG IR IT LY MA ES YU TR
148. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus Loew,1857; nigropenicillatus Bigot,1892* AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
149. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
150. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus Fabricius,1781* IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
151. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
152. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
153. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
154. **Bombylius (s.str.) montanus Efflatoun,1945** (Bombyliidae) Synonym(s): *montanus Efflatoun,1945* EG
155. **Bombylius (s.str.) moussayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *moussayensis Efflatoun,1945* EG
156. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
157. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
158. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus Mikan,1796; pilirostris Loew,1855; monticola Paramonov,1926; algericus Villeneuve,1932* DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
159. **Bombylius (s.str.) numidus Macquart,1846** (Bombyliidae) Synonym(s): *numidus Macquart,1846* DZ EG MA
160. **Bombylius (s.str.) polypogon Loew,1855** (Bombyliidae) Synonym(s): *polypogon Loew,1855* EG IL Pa LY SY LB
161. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA

162. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
163. **Bombylius (s.str.) seminiger Becker,1906** (Bombyliidae) Synonym(s): *seminiger Becker,1906* EG TN
164. **Bombylius (s.str.) striatifrons Becker,1906** (Bombyliidae) Synonym(s): *striatifrons Becker,1906; striatus Becker,1915* TN EG
165. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
166. **Bombylius (s.str.) wadensis Efflatoun,1945** (Bombyliidae) Synonym(s): *wadensis Efflatoun,1945* SD EG IL Pa
167. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
168. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus Fabricius,1798; leucopogon Meigen,1804* AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
169. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
170. **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874* TR CY SY LB IL Pa Rd EG
171. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797; incertus Desbrochers,1871; olivieri Desbrochers,1871* GR Cr TR SY LB IL Pa EG
172. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857* IT Si GR TR RU Cc IL Pa SY EG
173. **Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): *aegyptiaca Masi,1931* CY IQ IL Pa EG
174. **Brachymeria albicus (Klug,1834)** (Chalcididae) Synonym(s): *albicus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
175. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
176. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplepsia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
177. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
178. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
179. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
180. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus Klug,1834* DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp
181. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
182. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus Horvath,1934* TN EG IL Pa LB JO TR
183. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* IL Pa JO LB Sn EG SY
184. **Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *hyxos Petrovitz,1962* IL Pa LB Sn EG SY
185. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; siculus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
186. **Cantacader quadricornis (Le Peletier & Serville,1828)** (Tingidae) Synonym(s): *quadricornis Le Peletier & Serville,1828; nubilus Horvath,1906* RU EG TR
187. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR

188. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU
189. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 YU GR BG TR UA Cm Cc GB AM CY EG IL Pa SY JO LB IR
190. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus* Klug,1832 TR EG IQ IL Pa JO LY SY
191. **Cardiophorus (Perrinellus) aegyptiacus Candeze,1860** (Elateridae) Synonym(s): *aegyptiacus* Candeze,1860 EG TN
192. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856 EG IL Pa LB SY TR CY GR Rd
193. **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761 TR AF IL Pa IR Cc EG SY
194. **Centroclisis cervina Gersträcker,1863** (Myrmeleonidae) Synonym(s): *cervina* Gersträcker,1863 EG SA
195. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus* Fairmaire,1851; *walkeri* Funkhouser,1927 DZ EG MA FR ES PT TN
196. **Centrotus nervosus Motschoulsky,1851** (Membracidae) Synonym(s): *nervosus* Motschoulsky,1851 EG
197. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
198. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
199. **Cerocoma ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885 TR EG IR BG
200. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
201. **Cesaspheniscus⁸⁷ debskii (Efflatoun,1924)** (Tephritidae) Synonym(s): *debekii* Efflatoun,1924; *#debreskii* Koçak & Kemal,2009 EG IL Pa
202. **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896 CY TR SY LB IL Pa EG
203. **Chaetomalachius punctatus Schilsky,1896** (Melyridae) Synonym(s): *punctatus* Schilsky,1896 EG GR?
204. **Chalicodoma (Pseudomegachile) cyanipennis (Guérin de Méneville,1845)** (Megachilidae) Synonym(s): *cyanipennis* Guérin de Méneville,1845 SN EG SD GH NG
205. **Chalicodoma (Pseudomegachile) flavipes (Spinola,1838)** (Megachilidae) Synonym(s): *flavipes* Spinola,1838; *meridionalis* Pasteels,1970 TR EG MR ML NE
206. **Cheironitis irroratus (Rossi,1790)** (Scarabaeidae) Synonym(s): *irroratus* Rossi,1790 IT Co Sa Si EG Sn IL Pa SY
207. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875 EG Sn IL Pa LB SY RU GR TM UZ
208. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
209. **Chilothorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840 IL Pa JO LB EG Sn SY
210. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
211. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812 AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
212. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
213. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola* Lindberg,1948 CY EG IL Pa MA TR RU
214. **Chloriona sicala Matsumura,1910** (Delphacidae) Synonym(s): *sicala* Matsumura,1910; *flaveola* Lindberg,1948 ES FR DE IT Si AT BG CY TR EG IL MA TR KG

⁸⁷ genus name established by the authors.

215. **Chlorita eremophila Linnavuori,1962** (Cicadellidae) Synonym(s): *eremophila Linnavuori,1962* EG IL
216. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794*; *congener Paykull,1799*; *tetragramma Ménériés,1832*; *hexastigma Mannerheim,1837*; *assimulans Schreiber,1843*; *aeruginosa Fügner,1891*; *heliophila Abeille,1893*; *inaqualis Reitter,1895*; *reitteri Kerremans,1900*; *tristis Abeille,1900*; *adusta Abeille,1901*; *carinithorax Obenberger,1916*; *heterochroa Obenberger,1916*; *laticollis Obenberger,1916*; *leonhardi Obenberger,1916*; *sibirica Obenberger,1916*; *reinecki Schirmer,1918*; *eurythorax Obenberger,1934*; *nevstyi Richter,1944* DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
217. **Chrysolina aeneipennis (Reiche,1858)** (Chrysomelidae) Synonym(s): *aeneipennis Reiche,1858* EG IL Pa SY TR
218. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites Germar,1824*; *festiva Ménériés,1832* EG IL Pa Cc RU Da IR GR Rd CY SY AF
219. **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis Bechyne,1955*; *assurensis Bechyne,1955* EG JO IL PA SY LB TR IR IQ
220. **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménériés,1832*; *cupreopunctata Reiche,1858*; *venefica Weise,1884* TR SY CY Cc LB IL Pa EG IR
221. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus Loew,1857* EG GR TR DZ ES Cn FR IT RU Am
222. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis Loew,1857* AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
223. **Cicada cerisyi Guérin-Méneville,1844** (Cicadidae) Synonym(s): *cerisyi Guérin-Méneville,1844* EG LY
224. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758*; *punctata Fabricius,1798*; *oleae A.Costa,1877* Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
225. **Cicadatra flavicollis Horvath,1911** (Cicadidae) Synonym(s): *flavicollis Horvath,1911* EG IL Pa SA
226. **Cicadatra longipennis Schumacher,1923** (Cicadidae) Synonym(s): *longipennis Schumacher,1923* EG Sn IL Pa Js JO
227. **Cicadatra plagifera Schumacher,1923** (Cicadidae) Synonym(s): *plagifera Schumacher,1923* TN IL Pa EG Sn IR
228. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830*; *caspica Kolenati,1857*; *tamarisci Walker,1870*; *suedicola Bergevin,1913* AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ
229. **Cicadulella pallida (Haupt,1927)** (Cicadellidae) Synonym(s): *pallida Haupt,1927* EG IL
230. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904*; *bipunctella Matsumura,1908*; *zeae China,1926* DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
231. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855*; *haagi Kirschbaum,1868*; *opacus Kirschbaum,1868*; *rubrotinctus Kirschbaum,1868*; *opacipennis Lethierry,1876*; *vittiventris Lethierry,1876*; *diluta Ferrari,1882*; *picta Ferrari,1882*; *minor Ferrari,1884*; *futilis Horvath,1909*; *unicolor Haupt,1927*; *haupti Zachvatkin,1935*; *viridiflavus Lindberg,1948*; *interibilis Lindberg,1948* AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
232. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra Lepeletier,1841* TM KK UZ EG TN MA DZ RU GB TR
233. **Colletes cunicularius (Linnaeus,1761)** (Colletidae) Synonym(s): *cunicularius Linnaeus,1761*; *cinerea Geoffroy,1785*; *hirtus Lepeletier,1841*; *pilosus Spinola,1838*; *tauricus Warncke,1978*; *khasanensis Osytsnjuk,1995* EG TR
234. **Conioleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus Schoenherr,1834*; *melanographus Fahreus,1840* ES FR TR EG RU Cc UA Cm IT SY DZ
235. **Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s): *concolor Burmeister,1838* ES EG IL Pa IQ Amara TR
236. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767*; *aethiopicus Thunberg,1789*; *hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
237. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
238. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus Linnaeus,1764*; *cavolini Petagna,1792*; *retusus Mulsant,1842*; *sinuatus Mulsant,1842*; *tridens Mulsant,1842*; *persianus Miksic,1958* ES RU UA UZ TM TJ IR TR EG
239. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
240. **Cryptotrogus weisei Kraatz,1888** (Scarabaeidae) Synonym(s): *weisei Kraatz,1888* EG JO IL Pa

241. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 **SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO**
242. **Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873 **IR Ss Kz EG IL Pa SY KG**
243. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa* Rambur,1842; *morosus* Walker,1853; *ulianini* Mc Lachan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915; *albanica* Capra. **SD EG AF IR SA TR IQ IL CY AM GG AL**
244. **Culicoides catharinae Kremer, Delécolle & Braverman,1991** (Ceratopogonidae) Synonym(s): *catharinae* Kremer, Delécolle & Braverman,1991 **EG**
245. **Culicoides cordiformitarsis Carter,1916** (Ceratopogonidae) Synonym(s): *cordiformitarsis* Carter,1916 **EG**
246. **Culicoides hanae Braverman, Delécolle & Kremer,1983** (Ceratopogonidae) Synonym(s): *hanae* Braverman, Delécolle & Kremer,1983 **EG**
247. **Culicoides nilotes Kieffer,1925** (Ceratopogonidae) Synonym(s): *nilotes* Kieffer,1925 **EG**
248. **Culicoides pharao Kieffer,1925** (Ceratopogonidae) Synonym(s): *pharao* Kieffer,1925 **EG**
249. **Culicoides pilosipennis Kieffer,1925** (Ceratopogonidae) Synonym(s): *pilosipennis* Kieffer,1925 **EG**
250. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flaviplumus* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940 **DE UA BE EG RU SE LT TR IL Pa TW**
251. **Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis* Becker,1903; *impressus* Kieffer,1918; *distigma* Kieffer,1922; *donatieni* Kieffer,1922; *sciniphes* Kieffer,1925; *bipunctatus* Vimmer,1932; *tripunctatus* Vimmer,1932; *wenigi* Vimmer,1932; *flavitarsis* Vimmer,1932; *griseovittatus* Vimmer,1932; *vavrai* Vimmer,1932 **ES TR TN DZ EG IL Pa**
252. **Culicoides sciniphes Kieffer,1925** (Ceratopogonidae) Synonym(s): *sciniphes* Kieffer,1925 **EG**
253. **Culicoides stephensi Carter,1916** (Ceratopogonidae) Synonym(s): *stephensi* Carter,1916 **EG**
254. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 **EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ**
255. **Cytherea thyridophora Bezzi,1925** (Bombyliidae) Synonym(s): *thyridophora* Bezzi,1925 **IR EG**
256. **Dasyhelea arenivaga Macfie,1943** (Ceratopogonidae) Synonym(s): *arenivaga* Macfie,1943 **EG**
257. **Dasyhelea egypti Macfie,1943** (Ceratopogonidae) Synonym(s): *egypti* Macfie,1943 **EG**
258. **Dasyhelea heliophila Macfie,1943** (Ceratopogonidae) Synonym(s): *heliophila* Macfie,1943 **EG**
259. **Dasyhelea ismailiae Macfie,1943** (Ceratopogonidae) Synonym(s): *ismailiae* Macfie,1943 **EG**
260. **Dasyhelea luteocincta Kieffer,1925** (Ceratopogonidae) Synonym(s): *luteocincta* Kieffer,1925 **EG**
261. **Dasyhelea moascari Macfie,1943** (Ceratopogonidae) Synonym(s): *moascari* Macfie,1943 **EG**
262. **Dasytidius alfieri (Wittmer,1935)** (Melyridae) Synonym(s): *alfieri* Wittmer,1935 **EG Sn IQ IL Pa JO SY**
263. **Dasytidius petrowi (Pic,1923)** (Melyridae) Synonym(s): *petrowi* Pic,1923 **EG LY**
264. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852 **Cn ES DZ EG JO Pet SO YE TR AF NP IN**
265. **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus* Saussure,1852; *elegans* Saussure,1852 **SA JO Pet IL Pa EG Sn IR**
266. **Delta lepeletierii (Saussure,1853)** (Vespidae) Synonym(s): *lepeletierii* Saussure,1853 **ZA SO EG YE JO**
267. **Dendarus (Pandarinus) piceus (Olivier,1811)** (Tenebrionidae) Synonym(s): *piceus* Olivier,1811 **SY EG**
268. **Derisa pallida Fennah,1964** (Flatidae) Synonym(s): *pallida* Fennah,1964 **EG IL**
269. **Desmatoneura aegypticola (Paramonov,1935)** (Bombyliidae) Synonym(s): *aegypticola* Paramonov,1935 **EG**
270. **Desmatoneura albifacies (Macquart,1840)** (Bombyliidae) Synonym(s): *tibialis* Stephens,1829; *albifacies* Macquart,1840 **EG DZ AF**
271. **Diadegma chrysostictos (Gmelin,1790)** (Ichneumonidae) Synonym(s): *chrysostictos* Gmelin,1790 **TR IL Pa EG**
272. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati* Allard,1861 **IT Si ES An GR Rd SY IL Pa EG TN DZ**
273. **Dicronychus exstinctus (Erichson,1840)** (Elateridae) Synonym(s): *exstinctus* Erichson,1840 **EG IQ TR?**

274. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879
DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
275. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis* Erdős,1958 Cn BG
CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
276. **Dilatempusa aegyptiaca (Giglio-Tos,1917)** (Empusidae) Synonym(s): *aegyptiaca* Giglio-
Tos,1917; *dilaticollis* Lombardo,1992 EG BF ET
277. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis*
Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ
Da RU MN
278. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849
MA DZ TN ES PT EG IQ SN YE
279. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 AU
NSw QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
280. **Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae*
Ferrière,1935 CY EG IL Pa SA SO SD YE
281. **Dolichogenidea breviventris (Ratzeburg,1848)** (Braconidae) Synonym(s): *breviventris*
Ratzeburg,1848 *Microgaster breviventris* Ratzeburg,1848, *Ichn. D. Forstins. 2: 51. TR EG RU KP KR*
282. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763
ES Md DZ TN TR EG IL Pa IR GB CN MN
283. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948
AF CY EG GR IL Pa IT LY TR
284. **Doratulina luxoriensis (Linnavuori,1952)** (Cicadellidae) Synonym(s): *luxoriensis*
Linnavuori,1952 EG IL
285. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874;
irrorata A.Costa,1882; *punctata* Lallemand,1929 AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
286. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis*
Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907 IR DZ EG IQ IL Pa TN MA ES
287. **Efflatouniella aegyptiaca Kröber,1927** (Therevidae) Synonym(s): *aegyptiaca* Kröber,1927
EG
288. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi* Capra,1929; *pallida* Chopard,1941
EG ET LY SO MA YE SA
289. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935;
elongatus Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE
US Tx YE YU
290. **Emmepus bonnairii Fairmaire,1883** (Cleridae) Synonym(s): *bonnairii* Fairmaire,1883
DZ EG IL Pa
291. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata*
Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL
Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
292. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca*
Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933;
petiolata Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES
SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
293. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836 RO YU CY TR
IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO
294. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 EG DZ
AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
295. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii* Stal,1877 EG ET IR
YE SO SA SD AE
296. **Eoferreola cyrenaica (Guiglia,1941)** (Pompilidae) Synonym(s): *cyrenaica* Guiglia,1941;
facilis Priesner,1955 LY Cy IL Pa EG JO MA ML
297. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855;
syraensis Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 DZ IT KG KK UZ TR EG
Cr GR Rd AL IR Kz SY
298. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771;
fasciatus Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans*
Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini*
Tournier,1895; *claripennis* Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR
RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
299. **Epitrix priesneri (Heikertinger,1950)** (Chrysomelidae) Synonym(s): *priesneri*
Heikertinger,1950 EG SA OM YE IR
300. **Eremisca heleni (Efflatoun,1934)** (Asilidae) Synonym(s): *heleni* Efflatoun,1934 IR OM IL
Pa EG MA
301. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata* Thunberg,1815 *nec*
Oliv.,1792; *infelix* Uvarov,1924 EG IL Pa JO LB SA SD

302. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
303. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
304. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
305. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus Rossi,1792* ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
306. **Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia Macquart,1851* TR LB IL Pa JO IR SA YE EG
307. **Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): *diversus Walker,1871* JO Amm EG IL Pa SA
308. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
309. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
310. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG IL Pa GR Cr IR JO TR KG
311. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
312. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
313. **Eutagenia aegyptiaca Reitter,1889** (Tenebrionidae) Synonym(s): *aegyptiaca Reitter,1889; tunisea Normand,1936* EG IT TN
314. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaceps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
315. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
316. **Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): *castaniventris Brauns,1896* TR EG KG
317. **Exorista larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum Linnaeus,1758* EG TR
318. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula Horvath,1897* AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
319. **Gelis sculpturator Aubert,1977** (Ichneumonidae) Synonym(s): *sculpturator Aubert,1977* TN EG GR TR
320. **Geron efflatouni Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni Greathead,1999* EG IL Pa SA TN
321. **Geron erythropus Bezzi,1925** (Bombyliidae) Synonym(s): *erythropus Bezzi,1925* EG
322. **Geron garagniae Efflatoun,1945** (Bombyliidae) Synonym(s): *garagniae Efflatoun,1945* EG
323. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis Wiedemann,1820; albidulus Francois,1969* IT ?EG FR Co GR Sa LY? ES PT
324. **Geron intonsus Bezzi,1925** (Bombyliidae) Synonym(s): *intonsus Bezzi,1925* EG IT Si
325. **Geron longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris Efflatoun,1945; roborovskii Zaitzev,1996* CN EG IL Pa TJ UZ
326. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti Greathead,1999* GR IT MT MA TN TR EG
327. **Geron michaili Zaitzev,1972** (Bombyliidae) Synonym(s): *michaili Zaitzev,1972* DZ AM UA EG MN TN TM
328. **Glaphyrus haroldi Quedenfeldt,1891** (Glaphyridae) Synonym(s): *haroldi Quedenfeldt,1891; equastris Champenois,1898* LY EG
329. **Glaphyrus olivieri Castelnau,1840** (Glaphyridae) Synonym(s): *olivieri Castelnau,1840; fulgidus Burmeister,1844* EG
330. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
331. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry,1887* DZ EG IL Pa TR LY MA AZ Cc RU Da

332. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio*
Noualhier,1895; turneri Evans,1947; djirofticus Dlabola,1960 EG IR IL SY TR
333. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus*
Fabricius,1787; coriarius Herbst,1789; serratus Fischer von Waldheim,1821; asperatus Mulsant,1842;
caliginosus Balthasar,1934 RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
334. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi*
Fuessly,1785; cantharus Illiger,1803 RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
335. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781*
RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
336. **Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica*
Shafee, Alam & Agarwal,1975 IN Up IR Fa AU QAU BZ EG GY PR TT Hw CN JP
337. **Gyranusoidea litura Prinsloo,1983** (Encyrtidae) Synonym(s): *litura Prinsloo,1983* EG ZA
338. **Habropogon aegyptius Efflatoun,1937** (Asilidae) Synonym(s): *aegyptius Efflatoun,1937*
EG JO IL Pa
339. **Habropogon appendiculatus Schiner,1867** (Asilidae) Synonym(s): *appendiculatus*
Schiner,1867; solox Enderlein,1921 ES IL Pa MA EG
340. **Habropogon elegantulus Efflatoun,1937** (Asilidae) Synonym(s): *elegantulus*
Efflatoun,1937 EG
341. **Habropogon spissipes Hermann,1909** (Asilidae) Synonym(s): *spissipes Hermann,1909* TR
EG MA
342. **Haetosmia circumventa (Peters,1974)** (Megachilidae) Synonym(s): *circumventa*
Peters,1974 Cn EG MA AE SD
343. **Halictus (s.str.) aegyptiacus Friese,1916** (Halictidae) Synonym(s): *aegyptiacus*
Friese,1916 PK EG
344. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773*
Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR
RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
345. **Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius*
Kirschbaum,1868; reticulatus Linnavuori,1962 AF EG IR IL IT
346. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens Fieber,1866;*
sulcatus Fieber,1866; aegyptiacus Signoret,1879; arenarius Horvath,1897 AF BG CY CS EG HU IR IQ IL
IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
347. **Helionidia longifalx (Linnavuori,1953)** (Cicadellidae) Synonym(s): *ongifalx*
Linnavuori,1953 EG IL
348. **Hemipenthes pauper (Becker,1916)** (Bombyliidae) Synonym(s): *pauper Becker,1916* DZ
EG
349. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus*
Meigen,1820; bicincta Wiedemann,1820; nycthemera Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG
IL Pa LB DZ MA TR AM AZ GG Cc Pa Sa TR CN Ui Ki Sa TR CN Ui Ki Sa TR CN Ui Ki Sa TR CN Ui Ki Sa TR
350. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela Fieber,1860*
AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
351. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820;*
consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888;
aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL
AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
352. **Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): *pantherina*
Saussure,1872 EG AO GN YE MR NE SO SA SD TD
353. **Heteropogon pyrinus Hermann,1906** (Asilidae) Synonym(s): *pyrinus Hermann,1906;*
pyrrihinus Engel,1925 EG IL Pa IR Fa AZ Cc KG
354. **Heterotropus aegyptiacus Paramonov,1929** (Bombyliidae) Synonym(s): *aegyptiacus*
Paramonov,1929 SD EG SA
355. **Heterotropus bisglaucus Bezzi,1925** (Bombyliidae) Synonym(s): *bisglaucus Bezzi,1925*
EG
356. **Heterotropus elephantinus Séguy,1929** (Bombyliidae) Synonym(s): *elephantinus*
Séguy,1929 TD EG
357. **Heterotropus kazanovskyi Paramonov,1925** (Bombyliidae) Synonym(s): *kazanovskyi*
Paramonov,1925 AZ Cc EG KG TJ TM UZ
358. **Heterotropus maculiventris Bezzi,1925** (Bombyliidae) Synonym(s): *maculiventris*
Bezzi,1925 EG
359. **Heterotropus magnirostris Bezzi,1926** (Bombyliidae) Synonym(s): *magnirostris*
Bezzi,1926 EG
360. **Heterotropus nigratarsis Engel,1933** (Bombyliidae) Synonym(s): *nigratarsis Engel,1933*
EG
361. **Heterotropus sabulosus Paramonov,1929** (Bombyliidae) Synonym(s): *sabulosus*
Paramonov,1929 EG TM UZ

362. **Heterotropus stigmaticus Bezzi,1926** (Bombyliidae) Synonym(s): *stigmaticus Bezzi,1926* SD EG
363. **Heterotropus xanthothorax Efflatoun,1945** (Bombyliidae) Synonym(s): *xanthothorax Efflatoun,1945* SD EG
364. **Hoplitis (Alcidamea) nigrocolor (Zanden,1991)** (Megachilidae) Synonym(s): *nigrocolor Zanden,1991* TN EG ET
365. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans Morawitz,1894; lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
366. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata Dufour & Perris,1840; melanoleuca Benoist,1934; asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
367. **Hoplitis (Annosmia) peralba Zanden,1992** (Megachilidae) Synonym(s): *peralba Zanden,1992* IN EG
368. **Hoplitis (Annosmia) sordida (Benoist,1929)** (Megachilidae) Synonym(s): *sordida Benoist,1929* IL Pa EG
369. **Hoplitis (Anthocopa) batyamae (Zanden,1986)** (Megachilidae) Synonym(s): *batyamae Zanden,1986* PT IL Pa EG OM YE
370. **Hoplitis (Anthocopa) pulchella (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella Pérez,1895; lativentris Friese,1899; albiscopa Friese,1899* MA DZ EG TN JO
371. **Hoplitis (Pentadentostmia) helouanensis (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis Friese,1899* EG MA IL Pa JO OM AE
372. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi Ducke,1898* IT GR HV MK SS DZ EG MA TN
373. **Hoplitis (Stenosmia) hartliebi (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi Friese,1899* DZ? EG LY TN IL Pa
374. **Hoplitis (Stenosmia) jordanica (Warncke,1991)** (Megachilidae) Synonym(s): *jordanica Warncke,1991* MA EG JO AE
375. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
376. **Hydrophorus nilicola Parent,1927** (Dolichopodidae) Synonym(s): *nilicola Parent,1927* EG IQ
377. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822; inaequalipes Macquart,1834; schoenherri Zetterstedt,1843; cinereus Perris,1847; vagus Hutton,1901; breviiventris Becker,1902* BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
378. **Hydrophorus rufinasutus Parent,1925** (Dolichopodidae) Synonym(s): *rufinasutus Parent,1925* CZ EG
379. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis Burmeister,1838; longifrons Saussure,1870; juliae Krauss,1892; guichardi La Greca,1952* Cn TN EG DZ LY SA SO NE OM
380. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956* Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
381. **Iris coeca Uvarov,1931** (Irididae) Synonym(s): *coeca Uvarov,1931* EG YE SA SD
382. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832* Gryllus (Mantis) oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
383. **Ischnomantis fasciata Giglio-Tos,1916** (Mantidae) Synonym(s): *fasciata Giglio-Tos,1916* EG ET
384. **Ischnomantis perfida (Guérin-Méneville & Lefebvre,1849)** (Mantidae) Synonym(s): *perfida Guérin-Méneville & Lefebvre,1849; guerinii Reiche & Fairmaire,1847; attarensis Werner,1907* EG ET SD
385. **Ischnura fountainei (Morton,1905)** (Coenagrionidae) Synonym(s): *fountainei Morton,1905* TR EG Sn IQ Cc AZ
386. **Jubrinia distincta Linnavuori,1962** (Cicadellidae) Synonym(s): *distincta Linnavuori,1962* EG Pa IL
387. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi Laporte,1835* GR AL BG CY TR SY IL Pa EG
388. **Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca Olivier,1790* SY IL Pa JO EG
389. **Laminanthrax chionophorus (Bezzi,1925)** (Bombyliidae) Synonym(s): *chionophorus Bezzi,1925; albus Greathead,1967* ER ET YE EG
390. **Lampyris spinifer Pic,1923** (Lampyridae) Synonym(s): *spinifer Pic,1923* EG

391. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
392. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
393. **Lasioglossum aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970 YU TR IQ IR EG IL Pa
394. **Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): *callizonium* Pérez,1895; *mogadoricus* Cockerell,1937 PT ES FR MA EG IL Pa
395. **Lehrera⁸⁸ mariutana (Salem,1935)** (Sarcophagidae) Synonym(s): *mariutana* Salem,1935 EG
396. **Lemuriana consobrina Distant,1920** (Cicadidae) Synonym(s): *consobrina* Distant,1920 EG
397. **Leptochilus alborufulus Gusenleitner,1977** (Vespidae) Synonym(s): *alborufulus* Gusenleitner,1977 TN EG
398. **Leptochilus bellus Blüthgen,1955** (Vespidae) Synonym(s): *bellus* Blüthgen,1955 EG Sn IL Pa JO
399. **Leptodelphax cyclops Haupt,1927** (Delphacidae) Synonym(s): *cyclops* Haupt,1927 CY IT Si TR EG IL
400. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
401. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden,1825; *inkitii* Bartenev,1929 TR DZ EG Cc AM GR YU IQ IL Pa
402. **Lipse caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
403. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelica* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
404. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
405. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg,1954; *ossiannilssoni* Le Quense,1968 Cn CZ DK GB FI DE Md SE IR EG GR Cc TR
406. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
407. **Madotrogus (Micramphimallon) sinaicus Baraud,1975** (Scarabaeidae) Synonym(s): *sinaicus* Baraud,1975 EG Sn
408. **Maladera (Eusericula) modesta (Fairmaire,1881)** (Scarabaeidae) Synonym(s): *modesta* Fairmaire,1881 IL Pa Jf EG Sn SY
409. **Maladera (Eusericula) sinaica Ahrens,2000** (Scarabaeidae) Synonym(s): *sinaica* Ahrens,2000 EG Sn
410. **Masaris aegytiacus Meade-Waldo,1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo,1911 EG IL Pa JO SA
411. **Megulopa sahlbergorum Lindberg,1924** (Cicadellidae) Synonym(s): *sahlbergorum* Lindberg,1924 EG IL MA
412. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
413. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
414. **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923 EG IL Pa JO LB SY TR
415. **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835 TR JO SA SY IR IQ EG
416. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB

⁸⁸ genus name established by the authors.

417. **Microtelus careniceps Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *careniceps Reiche & Saulcy, 1857* **LB Bei SY Hal EG IL Pa**
418. **Milichia ludens Wahlberg, 1847** (Milichiidae) Synonym(s): *ludens Wahlberg, 1847; palposa Zetterstedt, 1848* **SE FI RU DK DE PL SK CZHU AT IT GB GR EG**
419. **Milichia sinaiensis Steyskal, 1966** (Milichiidae) Synonym(s): *sinaiensis Steyskal, 1966* **EG Sn IL Pa**
420. **Milichiella argentiventris Hendel, 1931** (Milichiidae) Synonym(s): *argentiventris Hendel, 1931* **CV EG IL? NG OM SD YE**
421. **Milichiella lacteipennis (Loew, 1866)** (Milichiidae) Synonym(s): *lacteipennis Loew, 1866* **AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ**
422. **Miomantis ehrenbergi (Werner, 1928)** (Mantidae) Synonym(s): *ehrenbergi Werner, 1928* **EG**
423. **Miomantis paykullii Stal, 1871** (Mantidae) Synonym(s): *paykullii Stal, 1871; savignyi Saussure, 1872; pharaonica Saussure, 1898; senegalensis Schulthess-Schindler, 1899* **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
424. **Mioscirtus wagneri (Kittary, 1849)** (Acrididae) Synonym(s): *wagneri Kittary, 1849* **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA**
425. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille, 1804)** (Gryllidae) Synonym(s): *chinensis Weber, 1801; burdigalensis Latreille, 1804; #bordigalensis Charpentier, 1825; cerisyi Audinet-Serville, 1838; geminus Audinet-Serville, 1838; arvensis Rambur, 1838; cinereus Costa, 1852; marginatus Eversmann, 1859; minusculus Walker, 1869; pygmaeus Walker, 1869; eversmanni Jakovlev, 1871; ferdinandi Bolivar, 1899; hygrophilus Krauss, 1902; intermedia Bolivar, 1927* **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
426. **Monodontomerus obscurus Westwood, 1833** (Torymidae) Synonym(s): *obscurus Westwood, 1833* **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
427. **Monosteira lobulifera Reuter, 1888** (Tingidae) Synonym(s): *lobulifera Reuter, 1888* **TR IL Pa IR EG RU SY GR**
428. **Mosillus subsultans (Fabricius, 1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius, 1794* **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
429. **Musca calleva Walker, 1849** (Muscidae) Synonym(s): *calleva Walker, 1849; mimetica Malloch, 1941* **SC ZW ZA MG Sk Cn EG TR**
430. **Mustha spinosula (Lefebvre, 1831)** (Pentatomidae) Synonym(s): *spinosula Lefebvre, 1831; Halys spinosula Lefebvre, 1831, [in] Guérin-Ménéville, Magas. Zool. 1: page & tab. 21.* **GR TR IR Kh Cc AZ Kir Nv Ord EG YU B-H**
431. **Mutilla quinquemaculata Cyrillo, 1787** (Mutillidae) Synonym(s): *quinquemaculata Cyrillo, 1787* **TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG**
432. **Mylabris syriaca Klug, 1845** (Meloidae) Synonym(s): *syriaca Klug, 1845* **TR IR SY IL Pa EG GR SD**
433. **Myrmilla (s.str.) calva (Villers, 1789)** (Mutillidae) Synonym(s): *calva Villers, 1789; triareolata Spinola, 1841; distincta Lepeletier, 1845; agrestis Lepeletier, 1845; incompleta Lepeletier, 1845; hastata Costa, 1858; andalusiana Skorikov, 1927* **AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG**
434. **Myrmilla (s.str.) erythrocephala (Latreille, 1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille, 1792; latreillei Meyer, 1794; cornuta Olivier, 1811; megacephala Costa, 1858; bison Costa, 1887* **AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG**
435. **Nampista auriventris (Guérin-Ménéville, 1838)** (Mantispidae) Synonym(s): *auriventris Guérin-Ménéville, 1838; apicalis Loew, 1843; speciosa Navas, 1914* **Mantispa auriventris Guérin-Ménéville, 1838, Mag. Zool. Ins., pl. 202. GR Rd EG OM**
436. **Nemoptera aegyptiaca Rambur, 1842** (Nemopteridae) Synonym(s): *aegyptiaca Rambur, 1842; hebraica Westwood, 1874* **IL Pa SY TR EG**
437. **Nemotelus (s.str.) brachystomus Loew, 1846** (Stratiomyidae) Synonym(s): *brachystomus Loew, 1846; plagiatus Schiner, 1857; luteicornis Egger, 1859; punctiventris Becker, 1902; aegyptiacus Lindner, 1925; turcorum Szilady, 1941; pleskei Nartshuk, 1969* **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
438. **Nealiturus tenellus (Baker, 1896)** (Cicadellidae) Synonym(s): *tenellus Baker, 1896; ignavus Matsumura, 1908; egyptiacus Matsumura, 1908; indivisus Haupt, 1927; ambiguosus Young & Frazier, 1954; zygophylli Lindberg, 1954* **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
439. **Neobodilus ghardimaouensis (Balthasar, 1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis Balthasar, 1929* **Cn DZ LY Cy EG IL Pa JO LB SY**
440. **Neolimnus egyptiacus (Matsumura, 1908)** (Cicadellidae) Synonym(s): *egyptiacus Matsumura, 1908* **EG IR IQ IL JO**
441. **Neotherevella citrina (Becker, 1902)** (Therevidae) Synonym(s): *citrina Becker, 1902* **EG IL Pa**

442. **Nephotettix modulatus Melichar,1912** (Cicadellidae) Synonym(s): *modulatus Melichar,1912* EG IL MA TN
443. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa Motschulsky,1863; atrovenosus Lethierry,1888* GR TR EG IL CN JP KP KR MA
444. **Nomia (Crocisaspidia) muscatensis Cockerell,1910** (Halictidae) Synonym(s): *muscatensis Cockerell,1910* SD OM IR EG
445. **Nomia (Pseudapis) sudanica Warncke,1980** (Halictidae) Synonym(s): *sudanica Warncke,1980* SD EG
446. **Nomia parca Kohl,1906** (Halictidae) Synonym(s): *parca Kohl,1906* BH EG
447. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
448. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata Westwood,1835* MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
449. **Ochrilidia gracilis (Krauss,1902)** (Acrididae) Synonym(s): *gracilis Krauss,1902* DZ ET EG TZ
450. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
451. **Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus Saussure,1853; cauponalis Giordani Soika,1977* SA EG IL Pa JO Amm Pet
452. **Oliarus obscurus (Signoret,1865)** (Cixiidae) Synonym(s): *obscurus Signoret,1865; signatus Fieber,1876* EG FR IT Sa Cc AM AZ RU UA
453. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suzensis Matsumura,1910; modestus Haupt,1927* Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
454. **Oligopogon nitidus Efflatoun,1937** (Asilidae) Synonym(s): *nitidus Efflatoun,1937* SY EG
455. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus Wulp,1899* DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
456. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis Klug,1835* MA DZ TN LY Cy EG Co FR ES TR IL Pa
457. **Onitis ezechias Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *ezechias Reiche & Saulcy,1856* EG SY Dms IL Pa
458. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
459. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
460. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832* Cc SY CY IR TR BG GR IL Pa EG
461. **Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae) Synonym(s): *pictus Reitter,1893* EG SY ZR SD
462. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus Klug,1845* EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
463. **Opilo longipilis Fairmaire,1892** (Cleridae) Synonym(s): *longipilis Fairmaire,1892* SO EG IL Pa
464. **Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871* AF DZ EG IR IQ TR Cc AZ KG RU TJ
465. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni Lethierry,1876 (praeocc.); lethierryi Wagner,1942* AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
466. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi Lethierry,1874* DZ EG GR IL TN Cc AZ KG KK RU TJ UZ
467. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris Lethierry,1874* AF DZ ES Cn CN EG IL LY MA TN
468. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
469. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis Matsumura,1914; albicinctus Distant,1918; filigranus Haupt,1927* PT ES EG IQ IL Pa IR Md MA TR PK JP TW
470. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon Burmeister,1824* EG Sn IL Pa SD SO SA AF PK
471. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei Pérez,1887* DZ EG MA LY TN IL Pa JO SY

472. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 **AL GR Cr DZ EG TN CY IL Pa JO SY TR**
473. **Osmia (Helicosmia) alfkeni Ducke,1899** (Megachilidae) Synonym(s): *alfkeni* Ducke,1899; *crinita* Alfken,1942 **DZ MA TN EG IL Pa JO**
474. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
475. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
476. **Osmia (Helicosmia) friesana Ducke,1899** (Megachilidae) Synonym(s): *friesana* Ducke,1899 **ES MT IT Sa DZ EG? LY MA TN**
477. **Osmia (Helicosmia) laticella Zanden,1986** (Megachilidae) Synonym(s): *laticeps* Friese,1899 *nec* Thoms.,1872; *laticella* Zanden,1986 **EG IL Pa**
478. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**
479. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
480. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
481. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 **ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa**
482. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cineta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
483. **Osmia (Helicosmia) tunensis (Fabricius,1787)** (Megachilidae) Synonym(s): *tunensis* Fabricius,1787; *tunetana* Gmelin,1790; *pseudoaurulenta* Dours,1873; *meridionalis* Gribodo,1894; *dissimilis* Friese,1899 **Apis tunensis** Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). **ES IT Si MT PT DZ EG LY MA TN**
484. **Osmia (Hemiosmia) chrysolepta Haeseler,2005** (Megachilidae) Synonym(s): *chrysolepta* Haeseler,2005 **EG? IL Pa JO**
485. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
486. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 **BG GR MK EG IL Pa JO LB SY TR**
487. **Osmia (Neosmia) tingitana Benoist,1969** (Megachilidae) Synonym(s): *tingitana* Benoist,1969; *tkalculi* Peters,1977; *secunda* Peters,1977 **DZ MA TN LY EG**
488. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
489. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 *nec* Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 **DZ EG TN MA LY IL Pa**
490. **Osmia (Pyrosmia) punica Pérez,1895** (Megachilidae) Synonym(s): *punica* Pérez,1895; *irherma* Warncke,1992 **MA DZ TN LY EG**
491. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
492. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
493. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 **AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR**

494. **Otiocephala opaca (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *opaca* Rosenhauer,1856 **ES DZ EG**
495. **Oxycara hegetericum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hegetericum* Reiche & Saulcy,1857 **EG IL Pa**
496. **Oxycara productum Peyerimhoff,1907** (Tenebrionidae) Synonym(s): *productum* Peyerimhoff,1907 **EG Sn**
497. **Oxycara pygmaeum Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *pygmaeum* Reiche & Saulcy,1857 **IL Pa EG**
498. **Oxyrhachis caligula Capener,1962** (Membracidae) Synonym(s): *caligula* Capener,1962 **EG IL Pa EH**
499. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 **EG IL Pa JO IT MA SY TN TR RU YU TM**
500. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 **EG IL Pa IT JO MA SY TN TR CN Ui YU**
501. **Oxyrhachis furva Capener,1962** (Membracidae) Synonym(s): *furva* Capener,1962 **EG IL Pa EH**
502. **Oxyrhachis fuscicornis Germar,1835** (Membracidae) Synonym(s): *fuscicornis* Germar,1835 **EG**
503. **Oxyrhachis versicolor Distant,1916** (Membracidae) Synonym(s): *versicolor* Distant,1916 **DZ EG IL Pa**
504. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
505. **Oxythyrea tripolitana Reitter,1891** (Scarabaeidae) Synonym(s): *tripolitana* Reitter,1891 **TN Gf LY Cy EG**
506. **Pachyanthrax albosegmentatus (Engel,1936)** (Bombyliidae) Synonym(s): *albosegmentatus* Engel,1936 **EG SA**
507. **Pachyanthrax circe (Klug,1832)** (Bombyliidae) Synonym(s): *circe* Klug,1832 **PK EG SA AE**
508. **Pachybrachis (s.str.) freidbergi Lopatin,1994** (Chrysomelidae) Synonym(s): *freidbergi* Lopatin,1994 **EG Sn IL Pa**
509. **Palpares cephalotes (Klug,1834)** (Myrmeleonidae) Synonym(s): *cephalotes* Klug,1834; *subducens* Walker,1853; *sollicitus* Walker,1853. **EG SA AF**
510. **Palpares dispar Navas,1912** (Myrmeleonidae) Synonym(s): *dispar* Navas,1912 **SA EG**
511. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni* Harold,1862 **Cn MA DZ TN LY Cy EG SA**
512. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus* Loew,1856 **MA Cn ES IT EG JO**
513. **Parageron lutescens (Bezzi,1925)** (Bombyliidae) Synonym(s): *lutescens* Bezzi,1925; *orientalis* Paramonov,1929; *minor* Efflatoun,1945 **EG TM UZ**
514. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
515. **Paragus (s.str.) compeditus Wiedemann,1830** (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857 **EG TR**
516. **Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus* Haupt,1930; *lindneri* Fahringer,1942; *subtilis* Linnavuori,1964 **EG JO MN TR KG MD RU**
517. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus* Waterston,1915 **EG ZR GH MW NG SN ZA TG**
518. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
519. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 **IT RU AZ Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ**
520. **Pentodon variolopunctatus Fairmaire,1879** (Scarabaeidae) Synonym(s): *variolopunctatus* Fairmaire,1879 **LY EG Sn IL Pa SA**
521. **Perissana circularis (Linnavuori,1952)** (Issidae) Synonym(s): *circularis* Linnavuori,1952 **EG IL Pa**
522. **Perkinsiella rivularis Linnavuori,1964** (Delphacidae) Synonym(s): *rivularis* Linnavuori,1964 **EG IL Pa**
523. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?**TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**

524. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia Kohl,1906; rjabovi Vojnovskaja-Krieger,1929; media Shestakov,1930; desertorum Hedwig,1957; flavitestacea Fischer,1959* **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
525. **Pheidole arenarum Ruzsky,1905** (Formicidae) Synonym(s): *arenarum Ruzsky,1905; koshevmikovi Ruzsky,1905* **EG TR**
526. **Pheidole fadli Sharaf,2007** (Formicidae) Synonym(s): *fadli Sharaf,2007* **EG**
527. **Pheidole fervens F.Smith,1858** (Formicidae) Synonym(s): *fervens F.Smith,1858; javana Mayr,1867; cavannae Emery,1887; dharmasalana Forel,1902; amia Forel,1912; tahitiana Santschi,1928;* **EG IN Hp ID Ja**
528. **Pheidole jordanica Saulcy,1874** (Formicidae) Synonym(s): *jordanica Saulcy,1874; schmitzi Forel,1911* **EG JO SA IL Pa**
529. **Pheidole laticeps Mayr,1904** (Formicidae) Synonym(s): *laticeps Mayr,1904* **EG SD**
530. **Pheidole megacephala (Fabricius,1793)** (Formicidae) Synonym(s): *megacephala Fabricius,1793* **EG**
531. **Pheidole pallidula (Nylander,1848)** (Formicidae) Synonym(s): *pallidula Nylander,1848* **EG TR**
532. **Pheidole providens (Sykes,1835)** (Formicidae) Synonym(s): *providens Sykes,1835; indica Mayr,1879; himalayana Forel,1902* **Cn EG IL Pa IR SA IN**
533. **Pheidole sinaitica Mayr,1862** (Formicidae) Synonym(s): *sinaitica Mayr,1862* **EG Sn IL Pa**
534. **Pheidole tristis Forel,1907** (Formicidae) Synonym(s): *tristis Forel,1907; cicatricosa Stitz,1917* **ML DZ ES EG**
535. **Phloiocopus andresi Schenkling,1912** (Cleridae) Synonym(s): *andresi Schenkling,1912* **EG SY IL Pa**
536. **Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis Klug,1842* **EG Sn IL Pa CY TR**
537. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
538. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846; convergens Loew,1846* **IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU**
539. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei Wiedemann,1820; maculata Wiedemann,1820; punctata Meigen,1835; zimmermanni Nowicki,1868; gaedei Engel,1933* **IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA**
540. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta Fabricius,1805; maura Wiedemann,1820* **AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU**
541. **Phthiria salmayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *salmayensis Efflatoun,1945* **EG**
542. **Phthiria tricolor Bezzi,1924** (Bombyliidae) Synonym(s): *tricolor Bezzi,1924* **EG**
543. **Phthiria unicolor Bezzi,1925** (Bombyliidae) Synonym(s): *unicolor Bezzi,1925* **EG OM?**
544. **Phthiria xantaspis Bezzi,1925** (Bombyliidae) Synonym(s): *xantaspis Bezzi,1925* **EG**
545. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus Forster,1771; hauseri Reitter,1894* **SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ**
546. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata Latreille,1792* **HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR**
547. **Physiphora alcaeae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alcaeae Preyssler,1791* **AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO**
548. **Pimelia angulata Fabricius,1775** (Tenebrionidae) Synonym(s): *angulata Fabricius,1775; spinosa Forskall,1775; asperrima Pallas,1781* **EG SY**
549. **Pimelia angulosa Olivier,1795** (Tenebrionidae) Synonym(s): *angulosa Olivier,1795* **SN EG**
550. **Pimelia derasa Klug,1830** (Tenebrionidae) Synonym(s): *derasa Klug,1830* **EG SY**
551. **Pimelia grandis Klug,1830** (Tenebrionidae) Synonym(s): *grandis Klug,1830; sudanica Fairmaire,1882* **EG ET SD SN**
552. **Pimelia hierichontica Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica Reiche & Saulcy,1857; arabica Solier,1836* **SA SY EG TR**
553. **Pimelia nilotica S nac,1884** (Tenebrionidae) Synonym(s): *nilotica S nac,1884* **EG**
554. **Pimelia urticata Klug,1830** (Tenebrionidae) Synonym(s): *urticata Klug,1830* **EG**
555. **Pittonotus theseus (Germar,1817)** (Elateridae) Synonym(s): *theseus Germar,1817* **GR LB EG TR**
556. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
557. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* **EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU**
558. **Platypygus bellus Loew,1869** (Mythicomysiidae) Synonym(s): *bellus Loew,1869* **RU AM AZ GG Cc TR EG**

559. **Platypygus chrysanthemi** Loew,1844 (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 TR GR YU LB SY EG IT Si
560. **Platypygus ridibundus** (A.Costa,1863) (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863 ES IT Si BG TR RU UA MD Cc AZ AM GG EG
561. **Polistes (s.str.) sulcifer** (Zimmermann,1930) (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930 Md ES TR DZ EG IL IR
562. **Promachus griseiventris** Becker,1913 (Asilidae) Synonym(s): *griseiventris* Becker,1913; *aegyptiacus* Efferlatoun,1929 IR Ss Ke EG IL Pa SD
563. **Promachus rectangularis** Loew,1854 (Asilidae) Synonym(s): *rectangularis* Loew,1854; *cinctipes* Walker,1871 IR Ke Ss EG YE ET
564. **Protaetia (Foveopotosia) judith** (Reiche,1871) (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898 TR CY SY LB IL Pa EG
565. **Psammotettix adriaticus** Wagner,1959 (Cicadellidae) Synonym(s): *adriaticus* Wagner,1959; *linnavuorii* Wagner,1959 EG FR IL IT TN
566. **Psammotettix alienus** (Dahlbom,1850) (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
567. **Psammotettix helvolus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombofifer* Fieber,1869; *substriatus* Then,1902 AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
568. **Psammotettix majusculus** Linnavuori,1951 (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951 CY EG IL Pa TR Cc GG
569. **Pseudaraeopus bolivari** (Melichar,1901) (Delphacidae) Synonym(s): *bolivari* Melichar,1901 ES Cn EG IR IL PT ES
570. **Pseudoleria pectinata** (Loew,1872) (Heleomyzidae) Synonym(s): *pectinata* Loew,1872 TR EG AE
571. **Pseudoliarus fuscofasciatus** (Melichar,1902) (Cixiidae) Synonym(s): *fuscofasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954 EG IR LY TN Cc AM TR RU TJ TM YE
572. **Pseudophotopsis aegyptiaca** (Bischoff,1920) (Mutillidae) Synonym(s): *aegyptiaca* Bischoff,1920 IL Pa EG LY SD TD
573. **Pseudophotopsis biskrensis** (André,1900) (Mutillidae) Synonym(s): *biskrensis* André,1900 DZ TN LY EG
574. **Pseudophotopsis komarovii** (Radoszkowski,1885) (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965 KG KK UZ TJ TM Kp IR CY EG DZ
575. **Pseudophotopsis maura** Bischoff,1920 (Mutillidae) Synonym(s): *maura* Bischoff,1920 IL Pa TN DZ LY EG TD
576. **Pseudophotopsis rufothoracica** Bischoff,1920 (Mutillidae) Synonym(s): *rufothoracica* Bischoff,1920 EG
577. **Pteropyx hyalinus** Haupt,1927 (Cicadellidae) Synonym(s): *hyalinus* Haupt,1927 EG IL Pa
578. **Pycnopogon melanostomus** Loew,1874 (Asilidae) Synonym(s): *melanostomus* Loew,1874 IR Kz Mz Elb EG KG
579. **Pycnopogon mixtus** (Loew,1847) (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847 TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG
580. **Rhadinus megalonix** Loew,1856 (Asilidae) Synonym(s): *megalonix* Loew,1856 IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
581. **Rhynchium oculatum** (Fabricius,1781) (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *hebraeum* Giordani & Soika,1952 Cn ES IT Si GR Cr TR OM IR EG JO
582. **Rhysemodes orientalis** Mulsant & Godart,1875 (Scarabaeidae) Synonym(s): *orientalis* Mulsant & Godart,1875 MA DZ TN LY Cy EG
583. **Rivetina baetica** (Rambur,1838) (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa
584. **Ronisia marocana** (Olivier,1811) (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
585. **Rueppellia semiflava** Wiedemann,1830 (Therevidae) Synonym(s): *semiflava* Wiedemann,1830 EG
586. **Saga ornata** Burmeister,1838 (Tettigoniidae) Synonym(s): *ornata* Burmeister,1838; *lucasi* Saussure,1888; *savignyi* Saussure,1888; *gracilipes* Uvarov,1923 TR LB Bei EG
587. **Sapyga (s.str.) eatoni** E.Saund,1901 (Sapygidae) Synonym(s): *eatoni* E.Saund,1901 DZ MA TN EG
588. **Saropogon jugulum** (Loew,1847) (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES

589. **Saropogon longicornis (Macquart,1838)** (Asilidae) Synonym(s): *longicornis* Macquart,1838 IR Ss Kh Th Elb EG IL Pa
590. **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus* Loew,1869 TN EG ES TR IR Es
591. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828; *aegypticus* Macquart,1838; *confluens* Loew,1851 TR IR Ss IL Pa EG SY LY CH
592. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
593. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
594. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 YU RO BG TR EG US TW RU UZ GB DK Hw IN
595. **Scarabaeus armeniacus Ménétrés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétrés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
596. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
597. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
598. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
599. **Scaurus aegyptiacus Solier,1838** (Tenebrionidae) Synonym(s): *aegyptiacus* Solier,1838 EG TN IT Sa Si
600. **Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775 IT Sa Si FR SY EG DZ GR
601. **Scaurus carinatus Solier,1838** (Tenebrionidae) Synonym(s): *carinatus* Solier,1838 EG
602. **Scaurus macricollis Allard,1882** (Tenebrionidae) Synonym(s): *macricollis* Allard,1882 IQ EG
603. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
604. **Scaurus varvasi Solier,1838** (Tenebrionidae) Synonym(s): *varvasi* Solier,1838 DZ EG
605. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muehe,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
606. **Scolia insubrica (Scopoli,1786)** (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849 IT YU EG TR RU
607. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
608. **Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): *fissa* Becker,1903 EG MT IT Si SK RO TR PK
609. **Sepsis freidbergi Ozerov,1987** (Sepsidae) Synonym(s): *freidbergi* Ozerov,1987 EG Sn
610. **Sepsis lateralis Wiedemann,1830** (Sepsidae) Synonym(s): *lateralis* Wiedemann,1830; *complicata* Wiedemann,1830; *inpunctata* Macquart,1839; *hyalipennis* Macquart,1851; *melitensis* Rondani,1874; *schembrii* Rondani,1874; *fragilis* Becker,1903 Cn DZ PT MT EG TR
611. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
612. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae) Synonym(s): *thoracica* Robineau-Desvoidy,1830; *tridens* Becker,1903; *consanguinea* Villeneuve,1920; *goetghebueri* Frey,1925; *idmais* Séguy,1932; *ino* Séguy,1932 FR GB BE EG TR
613. **Severinia ullrichi Ehrmann,1996** (Mantidae) Synonym(s): *ullrichi* Ehrmann,1996 EG
614. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
615. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY EG RO GR TR
616. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata* Fabricius,1798 IT Sa FR Co ES MA DZ TN EG TR
617. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle* Becker,1903; *scapulatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM
618. **Sinaiella nebulosa Uvarov,1924** (Mantidae) Synonym(s): *nebulosa* Uvarov,1924 EG OM SA

619. **Smaragdina atricollis (Pic,1922)** (Chrysomelidae) Synonym(s): *atricollis* Pic,1922 **EG**
620. **Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier,1808 **TR Cc SY IQ EG**
621. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 **ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU**
622. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 **DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA**
623. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis* Forskål,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
624. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus* Meigen,1804 **TR IR EG GR FR HU IL Pa RO RU TN**
625. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus* Macquart,1838 **MA DZ TN EG IL Pa IR Ss**
626. **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron* Loew,1873; *theseus* Loew,1873 **TR IR Fa Ss Ke AF AZ Cc EG CN**
627. **Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes* Reitter,1887; *reitteri* Mars,1887 **TR SY EG Cc AM**
628. **Stenosis lateralis Reitter,1886** (Tenebrionidae) Synonym(s): *lateralis* Reitter,1886 **SN ET EG**
629. **Stichopogon albellus Loew,1856** (Asilidae) Synonym(s): *albellus* Loew,1856 **IR Ss Kz IL Pa EG**
630. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902 **TR IR Kh Elb Th CY EG IL Pa KG LY MN**
631. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**
632. **Stiphrolamyra rubicunda Oldroyd,1947** (Asilidae) Synonym(s): *rubicunda* Oldroyd,1947 **LY EG IL Pa IR Fa**
633. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941 **FR CY RU TR Cc AM IL SY IR EG MA DZ TN**
634. **Stratiomys deserticolor Lindler,1930** (Stratiomyidae) Synonym(s): *deserticolor* Lindler,1930 **EG**
635. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 **IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG**
636. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843 **BG EG GR IL Pa IQ RO RU**
637. **Sybistroma sinaiensis (Grichanov,2000)** (Dolichopodidae) Synonym(s): *sinaiensis* Grichanov,2000 **EG Sn**
638. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 **AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US**
639. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 **AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn**
640. **Systropha (s.str.) hirsuta Spinola,1839** (Halictidae) Synonym(s): *hirsuta* Spinola,1839; *christae* Warncke,1992 **EG IL Pa**
641. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
642. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 **AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP**
643. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 **EG IL Pa SY DZ Cn ET IR SA TN TM**
644. **Tachytrechus tessellatus (Macquart,1842)** (Dolichopodidae) Synonym(s): *tessellatus* Macquart,1842; *indirectus* Walker,1849; *picticornis* Bigot,1890; *salinarius* Becker,1902; *seychellensis* Lamb,1922; *capensis* Curran,1924; *ponderosus* Frey,1958 **ZA SC IL Pa EG YE Sk NC**

645. **Tamaricella adpersa (Haupt,1927)** (Cicadellidae) Synonym(s): *adpersa Haupt,1927* EG
IL JO
646. **Tamaricella complicata Dworakowska,1972** (Cicadellidae) Synonym(s): *complicata Dworakowska,1972* EG IL
647. **Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG
IL Pa TR
648. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872*;
subpunctata Vilbaste,1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
649. **Tamaricella tangigharuha (Dlabola,1957)** (Cicadellidae) Synonym(s): *tangigharuha Dlabola,1957* AF EG IL
650. **Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): *observator Aubert,1966* TN RO TR IL Pa EG
651. **Tenebrio syriacus Zoufal,1892** (Tenebrionidae) Synonym(s): *syriacus Zoufal,1892* EG SY TR
652. **Tentyria duponti Solier,1835** (Tenebrionidae) Synonym(s): *duponti Solier,1835* EG
653. **Tentyria glabra (Fabricius,1775)** (Tenebrionidae) Synonym(s): *glabra Fabricius,1775* EG
654. **Tentyria palmeri Crotch,1872** (Tenebrionidae) Synonym(s): *palmeri Crotch,1872* EG Sn
SA
655. **Tentyria sinaitica Peyerimhoff,1907** (Tenebrionidae) Synonym(s): *sinaitica Peyerimhoff,1907* EG Sn
656. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta Loew,1869* TR GR Cr
IL Pa IR EG
657. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola Wiedemann,1830*
TR ES IT GR LB IL TN EG Sn KG
658. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa Strobl,1900*;
beckeri Strobl,1906; *albipila Frey,1958*; *albissima Collin,1966*; *diversa Collin,1966*; *mixta Collin,1966* SN
AT Az Cn ES EG BG DK GB FR IT
659. **Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): *incisuralis Macquart,1851*;
pictipes Becker,1903 Cn CV EG ES FR SY GB
660. **Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris Loew,1865* DZ
Az EG ES IT Si TN
661. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea Hendel,1913*; *canzonerii Munari,1981* SN SC ZA TW BG EG ES IT TR BG
662. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865*;
parviceps Signoret,1866; *heydenii Kirschbaum,1868*; *abrupta Fieber,1876*;
albofasciata Fieber,1876; *unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ
KG RU TJ TM UZ YU
663. **Thereva pallipes (Loew,1869)** (Therevidae) Synonym(s): *pallipes Loew,1869* RU EG
664. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata Fieber,1861* DZ MA TN ES
CY EG JO TR YU
665. **Tituboea arabica (Olivier,1808)** (Chrysomelidae) Synonym(s): *arabica Olivier,1808* EG
SA
666. **Tituboea laticollis (Olivier,1808)** (Chrysomelidae) Synonym(s): *laticollis Olivier,1808* DZ
TN EG
667. **Tituboea mokaddamensis (Pic,1912)** (Chrysomelidae) Synonym(s): *mokaddamensis Pic,1912* EG
668. **Tituboea olivieri (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *olivieri Lacordaire,1848* EG
669. **Tituboea subabbreviata (Pic,1912)** (Chrysomelidae) Synonym(s): *subabbreviata Pic,1912* EG
670. **Toxophora aegyptiaca Efflatoun,1945** (Bombyliidae) Synonym(s): *aegyptiaca Efflatoun,1945* SD EG OM SA
671. **Toxophora bezzii Paramonov,1933** (Bombyliidae) Synonym(s): *bezzii Paramonov,1933* EG IL
Pa
672. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra Hermann,1907*
TR SD AM AZ GG Cc EG TJ TM UZ
673. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789*;
maculata Rossi,1790 nec Müll.,1764; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ
EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
674. **Toxophora leyladea Efflatoun,1945** (Bombyliidae) Synonym(s): *leyladea Efflatoun,1945*
SD EG
675. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866*;
hamulata Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL
PT RO ES TN TR RU GG KG KK MD TJ UZ
676. **Trachyderma habelmanni Kraatz,1865** (Tenebrionidae) Synonym(s): *habelmanni Kraatz,1865* EG

677. **Trachyderma leprieuri Allard,1886** (Tenebrionidae) Synonym(s): *leprieuri* Allard,1886
EG
678. **Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima* Petagna,1819;
angustata Solier,1836 TR EG GR IT Si
679. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus*
Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK
MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
680. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus* Wulp,1899;
albipila Becker,1907 IR Kz MA DZ EG IL Pa YE KG MN
681. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis*
Champenois,1900 GR Cr TR JO EG SY IL Pa Js
682. **Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus*
Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881 TR Cc AM SY LB CY EG
683. **Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758;
subfasciatus Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915 TR GR EG IL Pa SY Cc AM Eri IR
684. **Trigonocera rivosa Becker,1902** (Dolichopodidae) Synonym(s): *rivosa* Becker,1902 EG
IL Pa CV TW
685. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s):
tuberipennis Mulsant & Rey,1855; *elegans* O.Costa,1834 AL DZ CY EG FR GR IL IT MA ES TN TR YU
686. **Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853;
syrica Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937 TR GR Cr IN LY EG SY LB Bei
687. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR
GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA
DZ EG
688. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida*
Scopoli,1763; *pilosa* Brullé,1832 GR SS LY SY LB IL Pa JO EG IQ TR
689. **Truxalis grandis Klug,1830** (Acrididae) Synonym(s): *grandis* Klug,1830 EG
690. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus* Loew,1856; *cretaceus*
Becker,1913 RU KG KK TR IQ IR MA TN EG
691. **Ulidia wadicola Steyskal,1968** (Ulidiidae) Synonym(s): *wadicola* Steyskal,1968 EG IL Pa
692. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura*
Rondani,1870 *Trypeta macrura* Loew,1855, Stettin ent. Ztg. 16: 40. TR Cc AZ AM GG IL Pa EG DZ LT
RU MD UA GR
693. **Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera*
M.Hering,1961 TR AF IL EG SY JO
694. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata*
Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ
TN TM UZ
695. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata* Brullé,1833
DZ EG IL Pa TN IT YU MT MK GR
696. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor*
Fabricius,1787; *hyalipennis* Macquart,1840 DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR
YU
697. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
698. **Usia (s.str.) deserticola Efflatoun,1945** (Bombyliidae) Synonym(s): *deserticola*
Efflatoun,1945 EG
699. **Usia (s.str.) efflatouni Venturi,1948** (Bombyliidae) Synonym(s): *bicolor* Efflatoun,1945
nec Maq.,1855; *efflatouni* Venturi,1948 EG
700. **Usia (s.str.) elbae Efflatoun,1945** (Bombyliidae) Synonym(s): *elbae* Efflatoun,1945 SD EG
701. **Usia (s.str.) flavipes Efflatoun,1945** (Bombyliidae) Synonym(s): *flavipes* Efflatoun,1945 EG
702. **Usia (s.str.) grisea Efflatoun,1945** (Bombyliidae) Synonym(s): *grisea* Efflatoun,1945 SD
EG
703. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata* Becker,1906 DZ
SD EG IL Pa MA ES TN SY
704. **Usia (s.str.) inornata Engel,1932** (Bombyliidae) Synonym(s): *inornata* Engel,1932 SD EG
705. **Usia (s.str.) minuscula Efflatoun,1945** (Bombyliidae) Synonym(s): *minuscula*
Efflatoun,1945 SD EG
706. **Usia (s.str.) parvula Efflatoun,1945** (Bombyliidae) Synonym(s): *parvula* Efflatoun,1945
SD EG
707. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ
AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
708. **Usia (s.str.) tewfiki Efflatoun,1945** (Bombyliidae) Synonym(s): *limbata* Kertesz,1900;
tewfiki Efflatoun,1945 EG
709. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica* Stal,1859 PT ES LY EG TN
TR IR

710. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo Linnaeus,1758*
Musca vermileo Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. AT BG FR IT YU SY EG DZ Cn
711. **Villa aegyptiaca Engel,1937** (Bombyliidae) Synonym(s): *aegyptiaca Engel,1937 EG*
712. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869; gracilis Ringdahl,1915 Cc AM AZ BG CY EG GR GG IR IT TR*
713. **Villa bivirgata Austen,1937** (Bombyliidae) Synonym(s): *trigonalis Meigen,1826; bivirgata Austen,1937 EG YE IL Pa JO SY SA*
714. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804; quinquefasciata Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS*
715. **Villa efflatouni El-Hawagry & Greathead,2006** (Bombyliidae) Synonym(s): *efflatouni El-Hawagry & Greathead,2006 EG*
716. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans Becker,1916 AM AZ GG Cc EG IT GR IR TR*
717. **Villa laevis Becker,1915** (Bombyliidae) Synonym(s): *laevis Becker,1915 MA TN EG*
718. **Villa micrargyra (Walker,1871)** (Bombyliidae) Synonym(s): *micrargyra Walker,1871 EG SA*
719. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides Bezzi,1912 ER ET KE MW SO UG YE EG SA OM*
720. **Villa plagiata (Walker,1871)** (Bombyliidae) Synonym(s): *plagiata Walker,1871 EG*
721. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio Loew,1869 IT TR GR EG LY IL Pa YU*
722. **Villa stenozoides El-Hawagry & Greathead,2006** (Bombyliidae) Synonym(s): *stenozoides El-Hawagry & Greathead,2006 EG*
723. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa Loew,1869 IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU*
724. **Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana Mavromoustakis,1949 EG TN? IL Pa JO SY*
725. **Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella Macquart,1839 TR SY IL Pa EG Sn*
726. **Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica Schiner,1862 TR IL Pa EG*
727. **Xeramoeba ramsesi (Paramonov,1935)** (Bombyliidae) Synonym(s): *ramsesi Paramonov,1935 EG IL Pa*
728. **Xeramoeba rubicunda (Bezzi,1925)** (Bombyliidae) Synonym(s): *rubicunda Bezzi,1925 SD EG*
729. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis Becker,1906 SD DZ EG GR MK IL Pa YU TN TR*
730. **Xeramoeba salwae El-Hawagry,2001** (Bombyliidae) Synonym(s): *salwae El-Hawagry,2001 EG*
731. **Xeramoeba semirufa (Sack,1903)** (Bombyliidae) Synonym(s): *semirufa Sack,1903 EG IR AF SA PK*
732. **Xerohippus savignyi (Krauss,1890)** (Acrididae) Synonym(s): *savignyi Krauss,1890 EG*
733. **Xestomyzina melanostoma (Loew,1856)** (Therevidae) Synonym(s): *melanostoma (Loew,1856 EG*
734. **Zarudnya interstitialis Melichar,1902** (Flatidae) Synonym(s): *interstitialis Melichar,1902 EG IR LY TN*
735. **Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata Deyrolle,1867 TR SY EG GR Rd*
736. **Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata Brullé,1832 TR IL Pa SY Cc AM EG IR TM*
737. **Zophosis aelanitica Peyerimhoff,1907** (Tenebrionidae) Synonym(s): *aelanitica Peyerimhoff,1907 EG Sn IL Pa*
738. **Zophosis carinata Solier,1834** (Tenebrionidae) Synonym(s): *carinata Solier,1834 EG IL Pa*
739. **Zophosis plana (Fabricius,1792)** (Tenebrionidae) Synonym(s): *plana Fabricius,1792 SD EG IL Pa*
740. **Zophosis pygmaea Solier,1834** (Tenebrionidae) Synonym(s): *pygmaea Solier,1834 LY TN EG SY Dms*

Synonymic and distributional list of the pterygot insects of Ethiopia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

43

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Ethiopia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 43. *Priamus* (suppl.) 18: 1897-1905.

In this study, totally 224 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Ethiopia recorded in info-sytem of the Cesa, total pterygot species of Ethiopia increase to 1174.

Key words: List, distribution, *pterygota*, *Insecta*, Ethiopia.

Brief explanatory information:

Previously published article	yes ⁸⁹
Previously published report	yes ⁹⁰
Expedition made by the Cesa	yes
Planned expeditions	no
Further planned publications	yes

In this study, totally 224 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 950 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 1174.

The study is still continuing, and the new results will be published within this Project.

⁸⁹ Koçak,A.Ö., 1996, [On the butterflies of Northern Addis Ababa (Ethiopia)]. Ethiop. Wildl. Nat. Hist. Soc., Newsl. 8: 6-7.- Koçak,A.Ö., 1996, 1996 Şubat ayında Etiyopya'ya yapılan Lepidopterolojik Ekspedisyunun Sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 27/28: 1-7. - Koçak,A.Ö., 1996, "Carcasson's African Butterflies" adlı yayına tamamlayıcı notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 10-16. - Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Hesperidae türleri ve dağılımları hakkında (Lepidoptera) Cent. ent. Stud., Misc. Pap. 48: 3-7. - Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Argynnidæ türleri ve bazı taksonomik notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 46: 1-4.- Koçak,A.Ö., 1997, Pieris brassicae (Linnaeus,1758) türünün Eritre'de bulunuşu hakkında (Lepidoptera, Pieridae). Centr. ent. Stud., Misc. Pap. 35/36: 4-6, 1 harita.

⁹⁰ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 10- Ethiopia stand 19.7.2007 [totally 940 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafri12.pdf/base_view - Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

1. **Achaetothorax abyssinicus (Duda,1923)** (Sphaeroceridae) Synonym(s): *abyssinicus Duda,1923* ET
2. **Achaetothorax rhinocerotis (Richards,1939)** (Sphaeroceridae) Synonym(s): *rhinocerotis Richards,1939* ET KE MZ TZ ZA ZW ZR
3. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
4. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor Thunberg,1815; pellucida Klug,1830; stalii Bolivar,1893; orientalis Bolivar,1919; deminula Bolivar,1922; tessellata Sjöstedt,1931; leopoldi Sjöstedt,1934; algeriana Dirsh,1949; bosporica Dirsh,1949; lombardica Dirsh,1949* Truxalis bicolor Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). SL BF ZA ZR ET DZ EG FR SE TR BF IT
5. **Adelostoma (s.str.) abyssinicum Haag,1875** (Tenebrionidae) Synonym(s): *abyssinicum Haag,1875* ET
6. **Adelostoma (Zarudnyomus) abyssinicum (Haag-Rutenberg,1875)** (Tenebrionidae) Synonym(s): *abyssinicum Haag-Rutenberg,1875* ET SO EG
7. **Adesmia (s.str.) abyssinica Reiche,1850** (Tenebrionidae) Synonym(s): *abyssinica Reiche,1850* ET
8. **Adesmia (s.str.) aethiopia Allard,1885** (Tenebrionidae) Synonym(s): *aethiopia Allard,1885* ET
9. **Adesmia (s.str.) reticulata Klug,1830** (Tenebrionidae) Synonym(s): *reticulata Klug,1830* SA ET
10. **Afrius (s.str.) kolleri Schouteden,1911** (Pentatomidae) Synonym(s): *kolleri Schouteden,1911* ZR KE ET UG CI
11. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus Guérin-Méneville,1831; purpurea Westwood,1837; figuratus Germar,1837; caerulea Dallas,1851; marginella Dallas,1851; miniatescens Stal,1853* SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA
12. **Afroesticus abyssinia Scarbrough,2005** (Asilidae) Synonym(s): *abyssinia Scarbrough,2005* ET
13. **Afroesticus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus Speiser,1910; senex Bromley,1936* TZ ZA BF ZR ET KE MW MZ ZW
14. **Afroesticus macroscelis (Bezzi,1906)** (Asilidae) Synonym(s): *macroscelis Bezzi,1906* ET
15. **Afroholopogon dasys Londt,2005** (Asilidae) Synonym(s): *dasys Londt,2005* OM Sk YE ET
16. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
17. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
18. **Alcimus taeniopus (Rondani,1873)** (Asilidae) Synonym(s): *taeniopus Rondani,1873* MW NG ET
19. **Aluligera xanthographa (Richards,1959)** (Sphaeroceridae) Synonym(s): *xanthographa Richards,1959* ET
20. **Amorphoscelis punctata Roy,1962** (Amorphoscelidae) Synonym(s): *punctata Roy,1962* ET
21. **Anastoechus ravus Greathead,1970** (Bombyliidae) Synonym(s): *ravus Greathead,1970* ET KE SO SD
22. **Anastoechus spinifacies Bezzi,1920** (Bombyliidae) Synonym(s): *spinifacies Bezzi,1920* ER ET SO
23. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
24. **Andrenosoma boranicum Corti,1895** (Asilidae) Synonym(s): *boranicum Corti,1895* CI NG ZW ET
25. **Apolysis maskali Greathead,1966** (Bombyliidae) Synonym(s): *maskali Greathead,1966* ET
26. **Beckerellus obtusus (Bezzi,1924)** (Bombyliidae) Synonym(s): *obtusum Bezzi,1924* ER ET
27. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909; mollis Bezzi,1921; disjunctus Bezzi,1921; parallelus Bezzi,1924* BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
28. **Bembecinus tenellus (Klug,1845)** (Crabronidae) Synonym(s): *tenellus Klug,1845* EG SD ET

29. **Blepharodes candelarius Bolivar,1891** (Empusidae) Synonym(s): *candelarius Bolivar,1891* ET SO TD
30. **Blepharodes cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus Schulthness-Rechberg,1894* ET KE SO SD
31. **Blepharodes cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus Schulthness-Rechberg,1894* KE ET KE SO SD
32. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
33. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
34. **Bombomyia horni (Paramonov,1931)** (Bombyliidae) Synonym(s): *horni Paramonov,1931* ER ET
35. **Bombylella auricoma (Bezzi,1924)** (Bombyliidae) Synonym(s): *auricoma Bezzi,1924* ER ET KE MW ZA Kzu Nta UG
36. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
37. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924* AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
38. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis Macquart,1840; vitripennis oew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
39. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis Loew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
40. **Bombylius (s.str.) basifumatus Speiser,1914** (Bombyliidae) Synonym(s): *basifumatus Speiser,1914* CM ET TZ UG
41. **Bombylius (s.str.) femoralis Bezzi,1924** (Bombyliidae) Synonym(s): *femoralis Bezzi,1924* ET
42. **Bombylius (s.str.) marebensis Greathead,1967** (Bombyliidae) Synonym(s): *marebensis Greathead,1967* ET YE SA
43. **Bombylius (s.str.) modestoides Bowden,1975** (Bombyliidae) Synonym(s): *modestoides Bowden,1975* ET
44. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus Loew,1873* ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
45. **Bombylius (s.str.) neithokris Jaennicke,1867** (Bombyliidae) Synonym(s): *neithokris Jaennicke,1867; appendiculatus Bezzi,1906* ER ET
46. **Bombylius (s.str.) phaeopterus Bezzi,1924** (Bombyliidae) Synonym(s): *phaeopterus Bezzi,1924; phaeopteroides Greathead,1967* ER ET YE OM SA
47. **Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): *albicrus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
48. **Brachymeria boranensis Masi,1939** (Chalcididae) Synonym(s): *boranensis Masi,1939* ET ZA
49. **Brachymeria bottegi Masi,1929** (Chalcididae) Synonym(s): *bottegi Masi,1929* ET KE ZW
50. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
51. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA SA Si PT NZ US Tx Cf Fl Hw CA*
52. **Ceratosolen arabicus Mayr,1906** (Agaonidae) Synonym(s): *arabicus Mayr,1906; myersi Grandi,1955; longicornis Joseph,1959; aelleni Grandi,1964* ET CI GN
53. **Ceratothripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus Bagnall,1918; marshalli Bagnall,1918; ventralis Hood,1918* GH SL CI NG CM ET UG ZR AO ZA PR MY
54. **Chalicodoma (Callomegachile) meneliki Friese,1915** (Megachilidae) Synonym(s): *meneliki Friese,1915* ET
55. **Charieis peeli Burr,1900** (Irididae) Synonym(s): *peeli Burr,1900* ET KE SO
56. **Chrysolina limbatella (Weise,1907)** (Chrysomelidae) Synonym(s): *limbatella Weise,1907; copta Dacchordi,1978* ET

57. **Chrysolina silvanae Dacchordi,1978** (Chrysomelidae) Synonym(s): *silvanae Dacchordi,1978* ET
58. **Chrysolina vignai Dacchordi,1978** (Chrysomelidae) Synonym(s): *vignai Dacchordi,1978* ET
59. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
60. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crauford,1913; meridionalis Silvestri,1914; sylvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
61. **Compsothespis abyssinica Beier,1961** (Mantidae) Synonym(s): *abyssinica Beier,1961* ET
62. **Compsothespis zavattam La Greca,1939** (Mantidae) Synonym(s): *zavattam La Greca,1939* ET
63. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
64. **Ctenania vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
65. **Culicoides albosparsus Kieffer,1918** (Ceratopogonidae) Synonym(s): *albosparsus Kieffer,1918* ET
66. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus Fabricius,1803; elongatus Dallas,1852; innocuus Stal,1865; metallicus Fallou,1891; bicolor Distant,1912* ZR GN SD UG SL GH ET BJ CI NG CM ZA
67. **Danuria (s.str.) impannosa Karsch,1899** (Mantidae) Synonym(s): *impannosa Karsch,1899; schweinfurthi Werner,1907* ET SD
68. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
69. **Dasyhelea dehalperti Macfie,1937** (Ceratopogonidae) Synonym(s): *dehalperti Macfie,1937* ET
70. **Dasytidius atrimembris (Pic,1925)** (Melyridae) Synonym(s): *atrimembris Pic,1925* ET
71. **Dasytidius clarkei Majer,1996** (Melyridae) Synonym(s): *clarkei Majer,1996* ET
72. **Dasytiscus flavoapicalis Wittmer,1954** (Melyridae) Synonym(s): *flavoapicalis Wittmer,1954* ET
73. **Desmatoneura frontalis (Wiedemann,1828)** (Bombyliidae) Synonym(s): *frontalis Wiedemann,1828; impar Zetterstedt,1845* ET SD OM SA
74. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
75. **Dilatempusa aegyptiaca (Giglio-Tos,1917)** (Empusidae) Synonym(s): *aegyptiaca Giglio-Tos,1917; dilaticollis Lombardo,1992* EG BF ET
76. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
77. **Ducetia punctata (Schulthess & Schindler,1898)** (Tettigoniidae) Synonym(s): *punctata Schulthess & Schindler,1898* ET
78. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi Capra,1929; pallida Chopard,1941* EG ET LY SO MA YE SA
79. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali Reiche & Fairmaire,1847; perlodes Saussure,1869; somalica Schluthness-Schindler,1898* DZ ET GN CM KE NG SN SD TD UG
80. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
81. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii Stal,1877* EG ET IR YE SO SA SD AE
82. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemi Robineau-Desvoidy,1830; daronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
83. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata Saussure,1869; ibana Giglio-Tos,1912; iringana Giglio-Tos,1912; madimbana Giglio-Tos,1912* AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ
84. **Exoprosopa atrinasis Speiser,1910** (Bombyliidae) Synonym(s): *atrinasis Speiser,1910* TZ ET KE UG ZM

85. **Exoprosopa busiris Jaennicke,1867** (Bombyliidae) Synonym(s): *busiris Jaennicke,1867* **ET**
86. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* **AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW**
87. **Friarius alluaudi (Schouteden,1905)** (Pentatomidae) Synonym(s): *alluaudi Schouteden,1905* **ET MG**
88. **Galepsus (Lygdamia) lenticularis (Saussure,1872)** (Irididae) Synonym(s): *lenticularis Saussure,1872* **ZA Nta Kzu Dbn Fs Tva Lpo BW ET?**
89. **Galepsus (Onychogalepsus) bioculatus Beier,1957** (Irididae) Synonym(s): *bioculatus Beier,1957; abyssinicus Beier,1961* **ZR ET**
90. **Galepsus (Onychogalepsus) capitatus (Saussure,1869)** (Irididae) Synonym(s): *capitatus Saussure,1869* **ET KE TZ ZW ZA Tva Lpo Nta Kzu**
91. **Galepsus (Onychogalepsus) erythraeus Giglio-Tos,1911** (Irididae) Synonym(s): *erythraeus Giglio-Tos,1911* **ET**
92. **Galepsus (Onychogalepsus) minutus Giglio-Tos,1911** (Irididae) Synonym(s): *minutus Giglio-Tos,1911* **ET TZ MW**
93. **Galepsus (s.str.) binotatus (La Greca,1951)** (Irididae) Synonym(s): *binotatus La Greca,1951* **ET KE SO**
94. **Galepsus (s.str.) coronatus La Greca,1952** (Irididae) Synonym(s): *coronatus La Greca,1952* **ET**
95. **Geocoris megacephalus (Rossi,1790)** (Lygaeidae) Synonym(s): *megacephalus Rossi,1790; phaeopterus Germar,1837* **DE ET CA TR**
96. **Geocoris pallidipennis (Costa,1843)** (Lygaeidae) Synonym(s): *pallidipennis Costa,1843; angularis Fieber,1844; colon Fieber,1844* **TR ET PH**
97. **Geron albifacies Bezzi,1924** (Bombyliidae) Synonym(s): *albifacies Bezzi,1924* **ET**
98. **Geron albipilosus Hall & Evenhuis,2003** (Bombyliidae) Synonym(s): *albipilosus Hall & Evenhuis,2003* **ET**
99. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri Schouteden,1904* **BJ KE AO NG CI GH ZR TZ ET**
100. **Glypsus fuscispinus Stal,1870** (Pentatomidae) Synonym(s): *fuscispinus Stal,1870* **ZA ET TZ**
101. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi Schouteden,1904* **GH KE SD NG AO TG TZ ET ZR**
102. **Gonypetella fuscipes (Sjöstedt,1909)** (Mantidae) Synonym(s): *fuscipes Sjöstedt,1909* **ET MW TZ**
103. **Grylloides supplicans (Walker,1859)** (Gryllidae) Synonym(s): *supplicans Walker,1859* **GY US CU ET PK IN RU Us KP KR JP AU**
104. **Hapalomantis (s.str.) abyssinica Beier,1931** (Iridopterygidae) Synonym(s): *abyssinica Beier,1931* **ET SO**
105. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis Burmeister,1838; purpunpennis Audinet-Serville,1839; wahlbergi Stal,1856 (part); phantasma Rehn,1949* **ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET**
106. **Hemipenthes ethiops Greathead,1967** (Bombyliidae) Synonym(s): *ethiops Greathead,1967* **ET**
107. **Heterochaeta orientalis Kirby,1904** (Mantidae) Synonym(s): *orientalis Kirby,1904* **ET KE SO SD TZ**
108. **Heterochaeta zavattarii La Greca,1951** (Mantidae) Synonym(s): *zavattarii La Greca,1951* **ET KE TZ**
109. **Hoplitis (Alcidamea) nigrocolor (Zanden,1991)** (Megachilidae) Synonym(s): *nigrocolor Zanden,1991* **TN EG ET**
110. **Horatosphaga heteromorpha (Karsch,1889)** (Tettigoniidae) Synonym(s): *heteromorpha Karsch,1889; hoehneli Brunner,1891; parallela Schulthess,1898; kilimandjarica Stöstedt,1909; gracilis Bolivar,1922 nec Sj.,1912* **KE Mb TZ ET**
111. **Horatosphaga magna Ragge,1960** (Tettigoniidae) Synonym(s): *magna Ragge,1960* **ET**
112. **Horatosphaga media Ragge,1960** (Tettigoniidae) Synonym(s): *media Ragge,1960* **ET**
113. **Horatosphaga ruspilii (Schulthess,1898)** (Tettigoniidae) Synonym(s): *ruspilii Schulthess,1898; ?rivae Schulthess,1898; trochlearis Bolivar,1922; ?viridis Chopard,1954; samburu Kevan,1954* **KE ET**
114. **Hysteropterum abyssinica (Synave,1956)** (Issidae) Synonym(s): *abyssinica Synave,1956* **ET**
115. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica Saussure,1869* **ET KE MW SO TZ UG**
116. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons Saussure & Zehntner,1895* **ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE**
117. **Ischnomantis aethiopica Giglio-Tos,1916** (Mantidae) Synonym(s): *aethiopica Giglio-Tos,1916* **ET SO**
118. **Ischnomantis fasciata Giglio-Tos,1916** (Mantidae) Synonym(s): *fasciata Giglio-Tos,1916* **EG ET**

119. **Ischnomantis media Rehn,1901** (Mantidae) Synonym(s): *media Rehn,1901* ET KE SO
120. **Ischnomantis perfida (Guérin-Ménéville & Lefebvre,1849)** (Mantidae) Synonym(s): *perfida Guérin-Ménéville & Lefebvre,1849; guerinii Reiche & Fairmaire,1847; attarensis Werner,1907* EG ET SD
121. **Ischnomantis spinigera Schulthess-Schindler,1898** (Mantidae) Synonym(s): *spinigera Schulthess-Schindler,1898* ET KE SO UG
122. **Junodia amoena Schulthess & Rechberg,1899** (Hymenopodidae) Synonym(s): *amoena Schulthess & Rechberg,1899* KE MZ Del TZ ET
123. **Junodia hararensis Roy,1972** (Hymenopodidae) Synonym(s): *hararensis Roy,1972* SO ET
124. **Junodia strigipennis (Westwood,1889)** (Hymenopodidae) Synonym(s): *annulatus Audinet-Serville,1831; capensis Saussure,1871; strigipennis Westwood,1889* ET MZ ZW ZA Nta Kzu TZ
125. **Laminanthrax chionophorus (Bezzi,1925)** (Bombyliidae) Synonym(s): *chionophorus Bezzi,1925; albus Greathead,1967* ER ET YE EG
126. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
127. **Ligaria chopardi Giglio-Tos,1915** (Mantidae) Synonym(s): *chopardi Giglio-Tos,1915* ET KE
128. **Ligaria denticollis (Werner,1916)** (Mantidae) Synonym(s): *denticollis Werner,1916* ET TZ
129. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata Stal,1877; fortis Karny,1908* ET KE TZ ZA Tva Lpo Gau Pre ZM ZW
130. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
131. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Ce TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
132. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
133. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
134. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
135. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
136. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi Werner,1908* ET YE IR IL Pa OM PK SO AE
137. **Miomantis abyssinica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *abyssinica Giglio-Tos,1911* ET RW TZ BI
138. **Miomantis andreinii (Giglio-Tos,1917)** (Mantidae) Synonym(s): *andreinii Giglio-Tos,1917* ET
139. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis Giglio-Tos,1911; australis Beier,1930* AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO
140. **Miomantis feminina Beier,1930** (Mantidae) Synonym(s): *feminina Beier,1930* ET
141. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis Giglio-Tos,1911* ET KE MW RW SO TZ UG BI
142. **Miomantis milmilena (Giglio-Tos,1917)** (Mantidae) Synonym(s): *milmilena Giglio-Tos,1917* ET CM SO TG
143. **Miomantis montana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *montana Giglio-Tos,1911* ET KE RW TZ UG BI
144. **Miomantis pygmaea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *pygmaea Giglio-Tos,1917* ET KE RW TZ UG BI
145. **Neomyia racilia (Walker,1849)** (Muscidae) Synonym(s): *racilia Walker,1849; furvus May,1958* GO ZA ET SD TZ
146. **Neomyia sororella (Villeneuve,1926)** (Muscidae) Synonym(s): *sororella Villeneuve,1926* KE ZR ET RW UG
147. **Nilomantis floweri Werner,1907** (Iridoptyergidae) Synonym(s): *floweri Werner,1907; tenella Giglio-Tos,1915; arabica Beier,1930* ET IR YE MR NE OM SA SD TD
148. **Nomia (Pseudapis) patellata Magretti,1884** (Halictidae) Synonym(s): *patellata Magretti,1884; abbassa Warncke,1980* ET IR Ss
149. **Ochrilidia cretacea (Bolivar,1914)** (Acrididae) Synonym(s): *cretacea Bolivar,1914; pictifemur Salfi,1928* SO ET
150. **Ochrilidia gracilis (Krauss,1902)** (Acrididae) Synonym(s): *gracilis Krauss,1902* DZ ET EG TZ
151. **Ochrilidia martini (Bolivar,1908)** (Acrididae) Synonym(s): *martini Bolivar,1908* ET
152. **Oliarus abyssinica Van Stalle,1987** (Cixiidae) Synonym(s): *abyssinica Van Stalle,1987* ET

153. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus Wulp,1899* DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
154. **Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus Brullé,1832; parvulus Faldermann,1837* TR Cc RU Sb ET SO
155. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis Robineau-Desvoidy,1830; gagates Loew,1846* AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
156. **Oxyophthalmellus somalicus (Rehn,1911)** (Irididae) Synonym(s): *somalicus Rehn,1911* ET SO KE TZ
157. **Oxyothespis brevicollis Beier,1930** (Mantidae) Synonym(s): *brevicollis Beier,1930* ET
158. **Oxyothespis mammillata Sjöstedt,1930** (Mantidae) Synonym(s): *mammillata Sjöstedt,1930* ET
159. **Oxyothespis noctivaga La Greca,1952** (Mantidae) Synonym(s): *noctivaga La Greca,1952* ET SO
160. **Oxyothespis parva Beier,1937** (Mantidae) Synonym(s): *parva Beier,1937* ET KE SO
161. **Oxyothespis sudanensis Giglio-Tos,1916** (Mantidae) Synonym(s): *sudanensis Giglio-Tos,1916* ET SD
162. **Oxypilus (s.str.) descampsi Roy,1966** (Hymenopodidae) Synonym(s): *descampsi Roy,1966* ER ET KE NE TD SD
163. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus Fabricius,1787; capensis Saussure,1871* ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW
164. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis Sjöstedt,1909; nigericus Beier,1930* NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
165. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* DZ PT ES SA As TR MG SD ET TZ ZR
166. **Paragalepsus gestri (Giglio-Tos,1911)** (Irididae) Synonym(s): *gestri Giglio-Tos,1911; oxyops Beier,1930* UG ET CM
167. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei Selys,1841; hageni Selys,1870; excelsus Costa,1884; atratus Selys,1885; rusticatus Fraser,1928* TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
168. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis Stal,1856; moesta Werner,1915* ZA Nta Kzu AO ET CM ZR KE TZ ZW
169. **Parasphendale affinis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *affinis Giglio-Tos,1915* ET KE SO
170. **Parasphendale agrionina (Gerstaecker,1869)** (Mantidae) Synonym(s): *agrionina Gerstaecker,1869; vincta Gerstaecker,1869* ET KE TZ
171. **Parasphendale albicosta Chopard,1938** (Mantidae) Synonym(s): *albicosta Chopard,1938* ET KE
172. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis Kirby,1904* ZA Tva Lpo ZW TZ KE ET SO UG
173. **Parasphendale ghindana Giglio-Tos,1915** (Mantidae) Synonym(s): *ghindana Giglio-Tos,1915* ET MZ SO
174. **Parasphendale minor Schulthess-Schindler,1898** (Mantidae) Synonym(s): *minor Schulthess-Schindler,1898* ET KE SO
175. **Parasphendale scioana Giglio-Tos,1915** (Mantidae) Synonym(s): *scioana Giglio-Tos,1915* ET
176. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus Nees,1834; acantha Walker,1839; caenus Walker,1839* AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
177. **Peropyrrhicia antinorii (Bormans,1880)** (Tettigoniidae) Synonym(s): *antinorii Bormans,1880; cooperi Uvarov,1934* ET
178. **Peropyrrhicia maculata (Schulthess,1898)** (Tettigoniidae) Synonym(s): *maculata Schulthess,1898* ET
179. **Peropyrrhicia massaiae (Bormans,1880)** (Tettigoniidae) Synonym(s): *massaiae Bormans,1880; scotti Uvarov,1934* ET
180. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
181. **Phradonoma hirsutululum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutululum Reiche,1868* ER ET IL Pa SA SY TM
182. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
183. **Pimelia abyssinia Haag,1876** (Tenebrionidae) Synonym(s): *abyssinia Haag,1876* ET

184. **Pimelia grandis Klug,1830** (Tenebrionidae) Synonym(s): *grandis* Klug,1830; *sudanica* Fairmaire,1882 EG ET SD SN
185. **Platynopiellus reichi (Signoret,1858)** (Pentatomidae) Synonym(s): *reichi* Signoret,1858 CM ET GH GN CI NG TG
186. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adspersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet-Serville,1839 AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
187. **Polyspilota montana Beier,1931** (Mantidae) Synonym(s): *montana* Beier,1931 ET
188. **Popa spurca Giglio-Tos,1917** (Mantidae) Synonym(s): *crassa* Giglio-Tos,1917 ET KE MG MW SO TZ UG
189. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
190. **Promachus rectangularis Loew,1854** (Asilidae) Synonym(s): *rectangularis* Loew,1854; *cinctipes* Walker,1871 IR Ke Ss EG YE ET
191. **Pseudogalepsus dispar (Werner,1907)** (Irididae) Synonym(s): *dispar* Werner,1907 ET CM KE MZ TZ
192. **Pseudogalepsus modestior Schulthess-Rechberg,1899** (Irididae) Synonym(s): *modestior* Schulthess-Rechberg,1899; *schulthessi* Rehn,1901 ET KE ZR TZ UG
193. **Pyrgomantis ornatipes Bolivar,1922** (Irididae) Synonym(s): *ornatipes* Bolivar,1922 ET
194. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis* Duda,1935 NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET
195. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
196. **Somalithespis minor (Giglio-Tos,1916)** (Mantidae) Synonym(s): *minor* Giglio-Tos,1916 ET SO
197. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
198. **Sphodromantis abessinica Sjöstedt,1930** (Mantidae) Synonym(s): *Sphodromantis* Stal,1871 ET SO
199. **Sphodromantis aethiopica La Greca & Lombardo,1987** (Mantidae) Synonym(s): *aethiopica* La Greca & Lombardo,1987 ET
200. **Sphodromantis centralis Rehn,1914** (Mantidae) Synonym(s): *centralis* Rehn,1914 ET KE RW BI TZ UG CF
201. **Sphodromantis citernii Giglio-Tos,1917** (Mantidae) Synonym(s): *citernii* Giglio-Tos,1917 ET SO
202. **Sphodromantis elegans Sjöstedt,1930** (Mantidae) Synonym(s): *elegans* Sjöstedt,1930 ET BF GN ZR MR NE SN
203. **Sphodromantis fenestrata Giglio-Tos,1912** (Mantidae) Synonym(s): *fenestrata* Giglio-Tos,1912; *fulva* Giglio-Tos,1912; *uebina* Giglio-Tos,1912 ET KE SO SD TZ
204. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica* Stal,1858; *bicarinata* Saussure,1869 ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO
205. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
206. **Sphodromantis pachinota La Greca & Lombardo,1987** (Mantidae) Synonym(s): *pachinota* La Greca & Lombardo,1987 ET SD
207. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis* Forskål,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
208. **Stenosis lateralis Reitter,1886** (Tenebrionidae) Synonym(s): *lateralis* Reitter,1886 SN ET EG
209. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 EG IL Pa SY DZ Cn ET IR SA TN TM
210. **Tarachodes (Chiropacha) aestuans Saussure,1895** (Irididae) Synonym(s): *aestuans* Saussure,1895; *media* Schulthess-Schnidler,1898; *orientalis* Giglio-Tos,1911 DZ? SO ET KE TZ UG
211. **Tarachodes (Chiropacha) obtusipes Stal,1871** (Irididae) Synonym(s): *obtusipes* Stal,1871 ET SD KE SO
212. **Tarachodes (s.str.) abyssinicus Beier,1931** (Irididae) Synonym(s): *abyssinicus* Beier,1931 ET
213. **Tarachodes (s.str.) alluaudi Chopard,1914** (Irididae) Synonym(s): *alluaudi* Chopard,1914; *minor* Chopard,1921 ET SO KE TZ UG
214. **Tarachodes (s.str.) karschii Werner,1907** (Irididae) Synonym(s): *karschii* Werner,1907 TZ Dss ET KE SO

215. **Tarachodes (s.str.) monstrosus Giglio-Tos,1917** (Irididae) Synonym(s): *monstrosus Giglio-Tos,1917* SO UG ET
216. **Tarachodes (s.str.) oxynotus La Greca,1952** (Irididae) Synonym(s): *oxynotus La Greca,1952; tenuis Lombardo,1957* SO ET
217. **Tarachodula pantherina (Gerstacker,1869)** (Irididae) Synonym(s): *pantherina Gerstacker,1869; dolica Giglio-Tos,1917* ET KE SO
218. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa Fabricius,1781; bokiana Giglio-Tos,1907* MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
219. **Trupanea amoena (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena Frauenfeld,1857; #amonea Giray,1979* TR ET IN LK AU
220. **Vachiria deserta (Becker,1867)** (Reduviidae) Synonym(s): *deserta Becker,1867* ET TR
221. **Villa atrisquama Bezzi,1924** (Bombyliidae) Synonym(s): *setinerva Stein,1916; atrisquama Bezzi,1924* ET KE
222. **Villa galla Greathead,1967** (Bombyliidae) Synonym(s): *galla Greathead,1967* TD ER ET KE NE SA
223. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides Bezzi,1912* ER ET KE MW SO UG YE EG SA OM
224. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann,1821; albescens Loew,1860; flavescens Loew,1860; albogilva François,1969* BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM

Synonymic and distributional list of the pterygot insects of Gabon

(Results of the Entomofauna of the World based upon info-system of the Cesa)

44

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Gabon (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 44. *Priamus* (suppl.) 18: 1906-1908.
In this study, totally 46 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Gabon recorded in info-sytem of the Cesa, total pterygot species of Gabon increase to 806.
Key words: List, distribution, *pterygota*, *Insecta*, Gabon.

Brief explanatory information:

Previously published article	no
Previously published report	yes ⁹¹
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 46 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 760 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 806.

The study is still continuing, and the new results will be published within this Project.

1. **Afroestricus vittatus (Curran,1927)** (Asilidae) Synonym(s): *vittatus Curran,1927* **TD ZR AO GA ML SN UG YE**
2. **Agaon acutatatum Wiebes,1989** (Agaonidae) Synonym(s): *acutatatum Wiebes,1989* **GA**
3. **Agaon cicatriferens Wiebes,1989** (Agaonidae) Synonym(s): *cicatriferens Wiebes,1989; multum Wiebes,1989* **GA CI**
4. **Agaon gabonense Wiebes,1989** (Agaonidae) Synonym(s): *gabonense Wiebes,1989* **GA**
5. **Alfonsiella michaloudi Wiebes,1988** (Agaonidae) Synonym(s): *michaloudi Wiebes,1988* **GA**

⁹¹ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temorary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

6. **Allocormodes intractabilis (Walker,1860)** (Ascalaphidae) Synonym(s): *intractabilis Walker,1860* ZR Bmb Knd GA Lba
7. **Allocormodes lefebvrei (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *lefebvrei Van der Weele,1909* GA Ogo
8. **Allocormodes maculipennis (Taschenberg,1879)** (Ascalaphidae) Synonym(s): *maculipennis Taschenberg,1879* GA
9. **Arantia gabunensis Brunner von Wattenwyl,1791** (Tettigoniidae) Synonym(s): *gabunensis Brunner von Wattenwyl,1791* GA
10. **Arantia regina Karsch,1888** (Tettigoniidae) Synonym(s): *regina Karsch,1888* GA
11. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province]* (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
12. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
13. **Culicoides brosetti Vattier & Adam,1966** (Ceratopogonidae) Synonym(s): *brosetti Vattier & Adam,1966* GA
14. **Culicoides gambiae Clastrier & Wirth,1961** (Ceratopogonidae) Synonym(s): *gambiae Clastrier & Wirth,1961* GA
15. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
16. **Ectateus modestus (Fairmaire,1887)** (Tenebrionidae) Synonym(s): *modestus Fairmaire,1887* CG ZR GA
17. **Eurycorypha laticercis Chopard,1963** (Tettigoniidae) Synonym(s): *laticercis Chopard,1963* GA CF TD
18. **Galepsus (Lygdamia) oxycephalus (Gerstaecker,1883)** (Irididae) Synonym(s): *oxycephalus Gerstaecker,1883* GN GA
19. **Gyranusoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG
20. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii Roy,1973* AO GA CM NG SN UG
21. **Hoploxys coeruleus Dallas,1851** (Pentatomidae) Synonym(s): *coeruleus Dallas,1851* SD GA CM ZR RW
22. **Japygophana peloti Carl,1921** (Tettigoniidae) Synonym(s): *peloti Carl,1921* GA
23. **Leptocola stanleyana (Westwood,1889)** (Mantidae) Synonym(s): *stanleyana Westwood,1889; lignea Karsch,1892* GA CM ZR MZ TZ TG
24. **Macrodanuria elongata (Borre,1883)** (Mantidae) Synonym(s): *elongata Borre,1883; phasmoides Sjöstedt,1900* CI GA GH GN CM
25. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus Klug,1845* EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY eY
26. **Oxypilus (s.str.) cherlonneixi Roy,1999** (Hymenopodidae) Synonym(s): *cherlonneixi Roy,1999* GA
27. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, *Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ*
28. **Planopsis silvatica (Distant,1890)** (Pentatomidae) Synonym(s): *silvatica Distant,1890* CM GA CI ZR
29. **Plistospilota validissima (Gerstaecker,1883)** (Mantidae) Synonym(s): *validissima Gerstaecker,1883* CI GA GH CM ZR LR
30. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa Goeze,1778; rubromaculata Goeze,1778; variegata Olivier,1792; adspersa Lichtenstein,1802; pustulata Stoll,1813; striata Stoll,1813; signata Thunberg,1815; nebulosa Thunberg,1815; catenata Burmeister,1838; varia Burmeister,1838; vicina Audinet-Serville,1839* AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
31. **Polyspilota griffinii Giglio-Tos,1911** (Mantidae) Synonym(s): *griffinii Giglio-Tos,1911* GA CM
32. **Prohierodula grassei Roy,1965** (Mantidae) Synonym(s): *grassei Roy,1965* GA ZR CF
33. **Prohierodula laticollis (Karsch,1892)** (Mantidae) Synonym(s): *laticollis Karsch,1892* GA CM ZR CF

34. **Prohierodula picta (Gerstraecker,1883)** (Mantidae) Synonym(s): *picta Gerstraecker,1883* GA CM
35. **Pseudostagmatoptera vitripennis Beier,1931** (Mantidae) Synonym(s): *vitripennis Beier,1931; infuscata Roy,1973* GA CM ZR
36. **Rhomboderella gabonica Roy,1973** (Mantidae) Synonym(s): *gabonica Roy,1973* GA
37. **Sphodromantis balachowskyi La Greca,1967** (Mantidae) Synonym(s): *balachowskyi La Greca,1967* GA CF
38. **Sphodromantis gracilicollis Beier,1930** (Mantidae) Synonym(s): *gracilicollis Beier,1930* GA GH GN NG SN CF
39. **Sphodromantis hyalina La Greca,1955** (Mantidae) Synonym(s): *hyalina La Greca,1955* GA ZR CF
40. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
41. **Stenopyga (s.str.) belinga Roy,1973** (Mantidae) Synonym(s): *belinga Roy,1973* GA
42. **Stenopyga (s.str.) ipassa Roy,1973** (Mantidae) Synonym(s): *ipassa Roy,1973* GA CF
43. **Tarachodes (s.str.) feae Giglio-Tos,1911** (Irididae) Synonym(s): *feae Giglio-Tos,1911* GA ZR
44. **Tarachodes (s.str.) rotundiceps Werner,1907** (Irididae) Synonym(s): *rotundiceps Werner,1907* GA CM ZR
45. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa Fabricius,1781; bokiana Giglio-Tos,1907* MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
46. **Tismomorpha vitripennis (Bolivar,1908)** (Mantidae) Synonym(s): *vitripennis Bolivar,1908* GA CM ZR CF

Synonymic and distributional list of the pterygot insects of Ivory Coast (Results of the Entomofauna of the World based upon info-system of the Cesa)

45

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Ivory Coast (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 45. *Priamus* (suppl.) 18: 1909-1912.

In this study, totally 92 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Ivory Coast recorded in info-system of the Cesa, total pterygot species of Ivory Coast increase to 657.

Key words: List, distribution, *pterygota*, *Insecta*, Ivory Coast.

Brief explanatory information:

Previously published article	no
Previously published report	yes ⁹²
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 92 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 565 recorded species of *Lepidoptera* from Ivory Coast are found. Taking this information into consideration, total number of the pterygots may increase to 657.

The study is still continuing, and the new results will be published within this Project.

1. **Achlaena grandis (Westwood,1889)** (Mantidae) Synonym(s): *grandis* Westwood,1889; *chrysiroma* Karsch,1892; *rhodii* Werner,1908 **CI GH GN CM ZR**
2. **Afrius (s.str.) kollerii Schouteden,1911** (Pentatomidae) Synonym(s): *kollerii* Schouteden,1911 **ZR KE ET UG CI**

⁹² Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

3. **Afrius (s.str.) yolofus (Guérin-Ménéville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Ménéville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA
4. **Agaon cicatiferens Wiebes,1989** (Agaonidae) Synonym(s): *cicatiferens* Wiebes,1989; *multum* Wiebes,1989 GA CI
5. **Agaon obtusum Wiebes,1989** (Agaonidae) Synonym(s): *obtusum* Wiebes,1989 CI
6. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
7. **Alcimus aethiopicus Bigot,1891** (Asilidae) Synonym(s): *aethiopicus* Bigot,1891 CI
8. **Amorphoscelis chopardi Roy,1962** (Amorphoscelidae) Synonym(s): *chopardi* Roy,1962 GH CI
9. **Amorphoscelis griffini Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *griffini* Giglio-Tos,1913 CI CM
10. **Amorphoscelis grisea Bolivar,1908** (Amorphoscelidae) Synonym(s): *grisea* Bolivar,1908 CM ZR GN CI
11. **Amorphoscelis lamottei Roy,1963** (Amorphoscelidae) Synonym(s): *lamottei* Roy,1963 GN CI GH ZR
12. **Amorphoscelis laxereti Karsch,1894** (Amorphoscelidae) Synonym(s): *laxereti* Karsch,1894; *cameronensis* Werner,1908; *nubeculosus* Werner,1908; *horni* Bolivar,1908 TG GH CI CM
13. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis* Compere,1939 ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
14. **Anasida tenebrio Karsch,1892** (Pentatomidae) Synonym(s): *tenebrio* Karsch,1892 AO ZR CM TD CI
15. **Andrenosoma boranicum Corti,1895** (Asilidae) Synonym(s): *boranicum* Corti,1895 CI NG ZW ET
16. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
17. **Bombylella argentata (Fabricius,1805)** (Bombyliidae) Synonym(s): *argentata* Fabricius,1805; *argyroloma* Bowden,1964 TD ER CI GH KE MW NG TZ UG
18. **Catoptropteryx apicalis (Bolivar,1893)** (Tettigoniidae) Synonym(s): *apicalis* Bolivar,1893 CI
19. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
20. **Ceratosolen arabicus Mayr,1906** (Agaonidae) Synonym(s): *arabicus* Mayr,1906; *myersi* Grandi,1955; *longicornis* Joseph,1959; *aelleni* Grandi,1964 ET CI GN
21. **Ceratosolen flabellatus Grandi,1916** (Agaonidae) Synonym(s): *flabellatus* Grandi,1916; *dagatiguyi* Risbec,1951 CI GN
22. **Ceratosolen megacephalus Grandi,1916** (Agaonidae) Synonym(s): *megacephalus* Grandi,1916; *carayoni* Grandi,1963 CI
23. **Ceratothripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 GH SL CI NG CM ET UG ZR AO ZA PR MY
24. **Chalicodoma (Pseudomegachile) cradockensis (Friese,1909)** (Megachilidae) Synonym(s): *cradockensis* Friese,1909; *occidentalis* Pasteels,1970 CI SN
25. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
26. **Closterocerus africanus Waterston,1925** (Eulophidae) Synonym(s): *africanus* Waterston,1925 GH CI TZ
27. **Closterocerus leptocerus (Waterston,1925)** (Eulophidae) Synonym(s): *leptocerus* Waterston,1925 GH CI
28. **Compsothespis occidentalis Sjöstedt,1930** (Mantidae) Synonym(s): *occidentalis* Sjöstedt,1930 BF CI GH GN
29. **Culicoides krameri Clastrier,1959** (Ceratopogonidae) Synonym(s): *krameri* Clastrier,1959 SN CI ML
30. **Culicoides moreli Clastrier,1959** (Ceratopogonidae) Synonym(s): *moreli* Clastrier,1959 SN CI
31. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus* Fabricius,1803; *elongatus* Dallas,1852; *innocuus* Stal,1865; *metallicus* Fallou,1891; *bicolor* Distant,1912 ZR GN SD UG SL GH ET BJ CI NG CM ZA
32. **Danuria (s.str.) buchholzi Gerstaecker,1883** (Mantidae) Synonym(s): *buchholzi* Gerstaecker,1883 GH GN CM CI ZR SN NG TG UG

33. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus* Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiventris* Stal,1864; *rutherfordi* Distant,1892 **ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG**
34. **Entedon diabolus Rasplus,1990** (Eulophidae) Synonym(s): *diabolus* Rasplus,1990 **CI**
35. **Galepsus (s.str.) konakrynus Giglio-Tos,1911** (Irididae) Synonym(s): *konakrynus* Giglio-Tos,1911 **GN CI GH CM**
36. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus* Saussure,1888; *orientalis* Sjöstedt,1928; *zebrata* Sjöstedt,1928 **RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK**
37. **Geron gilloni Lachaise & Bowden,1976** (Bombyliidae) Synonym(s): *gilloni* Lachaise & Bowden,1976 **CI**
38. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri* Schouteden,1904 **BJ KE AO NG CI GH ZR TZ ET**
39. **Glypsus carinulatus Bergroth,1904** (Pentatomidae) Synonym(s): *carinulatus* Bergroth,1904 **SD ZR NG GN CI**
40. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus* Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 **ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW**
41. **Glypsus erubescens Distant,1890** (Pentatomidae) Synonym(s): *erubescens* Distant,1890 **SD NG NE TD ZR CI**
42. **Gonypetella ivoirensis Gillon & Roy,1968** (Mantidae) Synonym(s): *ivoirensis* Gillon & Roy,1968 **CI**
43. **Gyranoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi* Noyes,1988 **BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG**
44. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis* Burmeister,1838; *purpurnennis* Audinet-Serville,1839; *wahlbergi* Stal,1856 (part); *phantasma* Rehn,1949 **ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET**
45. **Heterochaeta girardi Roy,1975** (Mantidae) Synonym(s): *girardi* Roy,1975 **CI GH NG**
46. **Heterochaeta kumari Roy,1975** (Mantidae) Synonym(s): *kumari* Roy,1975 **CI GH KE NG SN UG**
47. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis* Burmeister,1838; *defoliata* Audinet-Serville,1839; *spinifrons* Saussure,1859 **AO BF CI GH CM LR KE MZ SN SL SD TZ TG**
48. **Leptolobus murrayi Signoret,1855** (Pentatomidae) Synonym(s): *murrayi* Signoret,1855 **CM CI GN LR NG SL**
49. **Macrodanuria elongata (Borre,1883)** (Mantidae) Synonym(s): *elongata* Borre,1883; *phasmoides* Sjöstedt,1900 **CI GA GH GN CM**
50. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infuscata* Walker,1868; *spinosum* Horvath,1892 **AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW**
51. **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31**
52. **Mecosoma floridum Distant,1890** (Pentatomidae) Synonym(s): *floridum* Distant,1890 **ZR CI ML KE ZW**
53. **Miomantis aurea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *aurea* Giglio-Tos,1917 **CI GH GN**
54. **Miomantis lamtoensis Gillon & Roy,1968** (Mantidae) Synonym(s): *lamtoensis* Gillon & Roy,1968 **BF CI GH**
55. **Miomantis paykulii Stal,1871** (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
56. **Miomantis rouxi (Werner,1926)** (Mantidae) Synonym(s): *rouxi* Werner,1926 **CI**
57. **Miomantis togana (Giglio-Tos,1917)** (Mantidae) Synonym(s): *togana* Giglio-Tos,1917 **CI GH GN CM TG**
58. **Neomyia bimaculata (Stein,1918)** (Muscidae) Synonym(s): *bimaculata* Stein,1918 **UG CI KE NG ZR**
59. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 **AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL**
60. **Oxyothespis longicollis Beier,1931** (Mantidae) Synonym(s): *longicollis* Beier,1931 **CI KE SO**
61. **Oxyothespis longipennis Chopard,1941** (Mantidae) Synonym(s): *longipennis* Chopard,1941 **BF CI GH ML NE**
62. **Oxypilus (s.str.) distinctus Beier,1930** (Hymenopodidae) Synonym(s): *distinctus* Beier,1930 **BF CI GM GN LR ML MR SN SL SD**
63. **Oxypilus (s.str.) flavicoxa Roy,1964** (Hymenopodidae) Synonym(s): *flavicoxa* Roy,1964 **CI LR**
64. **Oxypilus (s.str.) gillonae Roy,1966** (Hymenopodidae) Synonym(s): *gillonae* Roy,1966 **CI**
65. **Oxypilus (s.str.) pallidus Roy,1966** (Hymenopodidae) Synonym(s): *pallidus* Roy,1966 **CI**

66. **Oxypilus (s.str.) villersi Roy,1966** (Hymenopodidae) Synonym(s): *villersi Roy,1966* **BJ CI**
67. **Paragalepsus toganus (Giglio-Tos,1911)** (Irididae) Synonym(s): *toganus Giglio-Tos,1911* **BF CI GH GN CM SL TG**
68. **Paramantis ottei Koçak & Kemal,2008** (Mantidae) Synonym(s): *prasina Serville,1839 nec Burmeister,1838; ottei Koçak & Kemal,2008* **Paramantis ottei Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8-9 (nomen novum pro prasina Serville,1839 nec Burmeister,1838).** **ZA Ec CI GH GN KE KM MG TZ TG RE**
69. **Pediobius afronigripes Kerrich,1973** (Eulophidae) Synonym(s): *afronigripes Kerrich,1973* **CM ZR GH CI MW NG**
70. **Planopsis silvatica (Distant,1890)** (Pentatomidae) Synonym(s): *silvatica Distant,1890* **CM GA CI ZR**
71. **Platynopiellus dispar (Schouteden,1916)** (Pentatomidae) Synonym(s): *dispar Schouteden,1916* **ZR CM CI**
72. **Platynopiellus fallax (Schouteden,1904)** (Pentatomidae) Synonym(s): *fallax Schouteden,1904* **CM UG CI**
73. **Platynopiellus reichi (Signoret,1858)** (Pentatomidae) Synonym(s): *reichi Signoret,1858* **CM ET GH GN CI NG TG**
74. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus Drury,1782 (praeocc.); calens Fabricius,1803 (praeocc.); septendecimaculatus Beauvois,1811; trijunctus Walker,1867; optabilis Walker,1867; parvus Distant,1900* **CM GH CI KE NG SL SD UG ZR**
75. **Platynopiellus thomsonii (Signoret,1858)** (Pentatomidae) Synonym(s): *thomsonii Signoret,1858* **CM GH GN CI NG ZR**
76. **Plistospilota guineensis Roy,1965** (Mantidae) Synonym(s): *guineensis Roy,1965* **CI GH GN LR**
77. **Plistospilota maxima Giglio-Tos,1917** (Mantidae) Synonym(s): *maxima Giglio-Tos,1917* **CI CM ZR**
78. **Plistospilota validissima (Gerstaecker,1883)** (Mantidae) Synonym(s): *validissima Gerstaecker,1883* **CI GA GH CM ZR LR**
79. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* **IR Ke BJ BF CM GN CI FR MA PT OM ES SN SO ZA**
80. **Prohierodula ornatipennis (Bolivar,1893)** (Mantidae) Synonym(s): *ornatipennis Bolivar,1893* **GH CI Bio GO ZR NG SL**
81. **Scolioptthalmus gyratus (Séguy,1941)** (Chloropidae) Synonym(s): *gyratus Séguy,1941* **CI SL NG**
82. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
83. **Systropus (s.str.) saphus Lachaise & Bowden,1976** (Bombyliidae) Synonym(s): *saphus Lachaise & Bowden,1976* **CI**
84. **Systropus (s.str.) xylochus Lachaise & Bowden,1976** (Bombyliidae) Synonym(s): *xylochus Lachaise & Bowden,1976* **CI**
85. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
86. **Tarachodes (Barbachodes) afzelii (Stal,1871)** (Irididae) Synonym(s): *afzelii Stal,1871; irrorata Gerstaecker,1883; griffinii Giglio-Tos,1911; bandanus Giglio-Tos,1917* **SL DZ? BF CI GH GN CM ZR SN SL TG**
87. **Tarachodes (Tarachodina) dissimulator Wood-Mason,1882** (Irididae) Synonym(s): *dissimulator Wood-Mason,1882; weneri Giglio-Tos,1907* **CI GH GN CM TG**
88. **Tarachodes (Tarachodina) gerstaeckeri Werner,1907** (Irididae) Synonym(s): *gerstaeckeri Werner,1907* **CM GH ZR CI**
89. **Tarachodes (Tarachodina) similis Gillon & Roy,1968** (Irididae) Synonym(s): *similis Gillon & Roy,1968* **CI GH GN**
90. **Toxophora albivittata Bowden,1964** (Bombyliidae) Synonym(s): *albivittata Bowden,1964* **GH CI**
91. **Toxophora carcelii Guérin-Ménéville,1830** (Bombyliidae) Synonym(s): *carcelii Guérin-Ménéville,1830* **GH CI SN**
92. **Toxophora maculipennis Karsch,1886** (Bombyliidae) Synonym(s): *maculipennis Karsch,1886; chopardi Séguy,1941* **AO ZR GO GH CI SN**

Synonymic and distributional list of the pterygot insects of Kenya

(Results of the Entomofauna of the World based upon info-system of the Cesa)

46

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Kenya (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 46.

Priamus (suppl.) 18: 1913-1923.

In this study, totally 317 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Kenya recorded in info-system of the Cesa, total pterygot species of Kenya increase to 2126.

Key words: List, distribution, *pterygota*, *Insecta*, Kenya.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ⁹³
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 317 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1809 recorded species of *Lepidoptera* from Kenya are found. Taking this information into consideration, total number of the pterygots may increase to 2126.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax completus** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *completus* Norrbom & Papp,1994 KE ZR
2. **Achaetothorax rhinocerotis** (Richards,1939) (Sphaeroceridae) Synonym(s): *rhinocerotis* Richards,1939 ET KE MZ TZ ZA ZW ZR
3. **Achaetothorax vojnitzi** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *vojnitzi* Papp & Norrbom,1992 KE ZR
4. **Afrius (s.str.) kollerii** Schouteden,1911 (Pentatomidae) Synonym(s): *kollerii* Schouteden,1911 ZR KE ET UG CI

⁹³ Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

5. **Afroesticus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus Speiser,1910; senex Bromley,1936* TZ ZA BF ZR ET KE MW MZ ZW
6. **Afroesticus insectaris Scarbrough,2005** (Asilidae) Synonym(s): *insectaris Scarbrough,2005* UG RW KE
7. **Afroesticus kimerus Scarbrough,2005** (Asilidae) Synonym(s): *kimerus Scarbrough,2005* UG KE
8. **Afroesticus victus Scarbrough,2005** (Asilidae) Synonym(s): *victus Scarbrough,2005* TZ KE
9. **Afromochtherus unctus (Oldroyd,1939)** (Asilidae) Synonym(s): *unctus Oldroyd,1939* KE MW
10. **Agrionopsis modesta Werner,1908** (Mantidae) Synonym(s): *modesta Werner,1908* KE ZR TZ UG
11. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
12. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
13. **Alcimus rubicundus Hobby,1934** (Asilidae) Synonym(s): *rubicundus Hobby,1934* KE
14. **Alfonsiella brongersmai Wiebes,1972** (Agaonidae) Synonym(s): *brongersmai Wiebes,1972* KE
15. **Aluligera bicolor (Richards,1965)** (Sphaeroceridae) Synonym(s): *bicolor Richards,1965* KE Elg
16. **Aluligera varicolor (Richards,1957)** (Sphaeroceridae) Synonym(s): *varicolor Richards,1957; pleurofasciata Richards,1965* KE Elg TZ UG
17. **Ammophilomima kenyaie Martin,1973** (Asilidae) Synonym(s): *kenyaie Martin,1973* KE
18. **Amorphoscelis orientalis Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *orientalis Giglio-Tos,1913; turkanensis Chopard,1938* KE TZ SO
19. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis Compere,1939* ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
20. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si Ke MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
21. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae Becker,1915; fuscipennis Becker,1915; pyramidum Paramonov,1940* TN EG KE SD DZ IL Pa LY SA ES SY
22. **Anastoechus nivosus Greathead,1996** (Bombyliidae) Synonym(s): *nivosus Greathead,1996* KE
23. **Anastoechus ravus Greathead,1970** (Bombyliidae) Synonym(s): *ravus Greathead,1970* ET KE SO SD
24. **Anophthalmops menouxi (Mulsant & Rey,1953)** (Tenebrionidae) Synonym(s): *menouxi Mulsant & Rey,1953; sayi Horn,1870; trivialis Gerstaecker,1871* TZ Zz KE MG
25. **Anophthalmus gerstaeckeri Iwan,2002** (Tenebrionidae) Synonym(s): *clathratus Gerstaecker,1871 nec Fahr.,1870; gerstaeckeri Iwan,2002* KE TZ
26. **Andrenosoma serpentina (Bezzi,1908)** (Asilidae) Synonym(s): *serpentina Bezzi,1908* ZR KE MW ZA NG
27. **Aneomochtherus africanus (Ricardo,1919)** (Asilidae) Synonym(s): *africanus Ricardo,1919; signatipes Lindner,1955* KE TZ
28. **Aneomochtherus deserticolus (Karsch,1888)** (Asilidae) Synonym(s): *deserticolus Karsch,1888* KE
29. **Anomalipus heraldicus Gerstaecker,1871** (Tenebrionidae) Synonym(s): *heraldicus Gerstaecker,1871* TZ KE MZ MW
30. **Anthrax nigerimus Bezzi,1923** (Bombyliidae) Synonym(s): *nigerimus Bezzi,1923* ZR KE MW TZ UG
31. **Anthrax nigerrimus Bezzi,1924 ?homonym** (Bombyliidae) Synonym(s): *nigerrimus Bezzi,1924* ZR KE MW TZ UG
32. **Anthrenus (Nathrenus) basilewskyi Kalik,1965** (Dermestidae) Synonym(s): *basilewskyi Kalik,1965* KE MW TZ
33. **Anthrenus (s.str.) kenyaensis Hava,2004** (Dermestidae) Synonym(s): *kenyaensis Hava,2004* KE
34. **Apolysis fumalis Hesse,1938** (Bombyliidae) Synonym(s): *fumalis Hesse,1938* KE ZA Nta Kzu TZ

35. **Apolysis fumata** Greathead,1966 (Bombyliidae) Synonym(s): *fumata* Greathead,1966 KE
36. **Beckerellus melanopus** (Bezzi,1924) (Bombyliidae) Synonym(s): *melanopus* Bezzi,1924 KE UG
37. **Beckerellus terminatus** (Becker,1909) (Bombyliidae) Synonym(s): *terminatus* Becker,1909; *mollis* Bezzi,1921; *disjunctus* Bezzi,1921; *parallelus* Bezzi,1924 BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
38. **Bembecinus priesneri** Schmid-Egger,2004 (Crabronidae) Synonym(s): *priesneri* Schmid-Egger,2004 SD KE
39. **Betamantis marginella** (Thunberg,1815) (Mantidae) Synonym(s): *marginella* Thunberg,1815 KE
40. **Blepharodes cornutus cornutus** Schulthness-Rechberg,1894 (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 ET KE SO SD
41. **Blepharodes cornutus minor** Kevan,1954 (Empusidae) Synonym(s): *minor* Kevan,1954 KE
42. **Blepharodes cornutus** Schulthness-Rechberg,1894 (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 KE ET KE SO SD
43. **Bolbena (s.str.) hottentotta** Karny,1908 (Iridopterygidae) Synonym(s): *hottentotta* Karny,1908 AO KE NA
44. **Bombomyia aequisexa** (Paramonov,1955) (Bombyliidae) Synonym(s): *aequisexa* Paramonov,1955 KE UG
45. **Bombomyia brundi** Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *monticola* François,1955 nec Param.,1926; *brundi* Evenhuis & Greathead,1999 BI KE TZ
46. **Bombomyia discoidea** (Fabricius,1794) (Bombyliidae) Synonym(s): *nalis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *nalis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
47. **Bombomyia flagrans** (Bezzi,1924) (Bombyliidae) Synonym(s): *flagrans* Bezzi,1924 KE TZ
48. **Bombomyia flammea** (Bowden,1962) (Bombyliidae) Synonym(s): *flammea* Bowden,1962 TD UG KE ZR
49. **Bombomyia montium** (François,1955) (Bombyliidae) Synonym(s): *montium* François,1955 BI KE TZ
50. **Bombomyia uniformis** (Paramonov,1955) (Bombyliidae) Synonym(s): *uniformis* Paramonov,1955 KE
51. **Bombylella argentata** (Fabricius,1805) (Bombyliidae) Synonym(s): *argentata* Fabricius,1805; *argyroloma* Bowden,1964 TD ER CI GH KE MW NG TZ UG
52. **Bombylella auricoma** (Bezzi,1924) (Bombyliidae) Synonym(s): *auricoma* Bezzi,1924 ER ET KE MW ZA Kzu Nta UG
53. **Bombylella delicata** (Wiedemann,1830) (Bombyliidae) Synonym(s): *delicata* Wiedemann,1830; *mutilatus* Bezzi,1921; *truncatus* Greathead,1967 BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
54. **Bombylella elegans** (Wiedemann,1818) (Bombyliidae) Synonym(s): *elegans* Wiedemann,1818; *furiosus* Walker,1860 ZA Nta Kzu Tva Lpo KE MZ
55. **Bombylella kilimandjarica** (Speiser,1910) (Bombyliidae) Synonym(s): *kilimandjarica* Speiser,1910; *#nitidipunctatus* Bigot,1921 AO BI KE MW ZA Kzu Nta SZ TZ
56. **Bombylella ornata** (Wiedemann,1828) (Bombyliidae) Synonym(s): *ornata* Wiedemann,1828; *signifer* Walker,1852; *pleuralis* Bezzi,1924 AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
57. **Bombylella plorans** (Bezzi,1920) (Bombyliidae) Synonym(s): *plorans* Bezzi,1920; *lugens* Bezzi,1924; *melanolomus* Hesse,1938 BJ GH KE NG SN SL TZ TG UG ZW
58. **Bombylella rufiventris** (Macquart,1846) (Bombyliidae) Synonym(s): *rufiventris* Macquart,1846 BW KE MW ZA Kzu Nta SZ TZ ZM ZW
59. **Bombylella tripudians** (Bezzi,1924) (Bombyliidae) Synonym(s): *tripudians* Bezzi,1924 AO KE
60. **Bombylisoma gemmeum** (Bezzi,1924) (Bombyliidae) Synonym(s): *gemmeum* Bezzi,1924 KE MW TZ
61. **Bombylisoma gemmeum** (Bezzi,1924) (Bombyliidae) Synonym(s): *gemmeum* Bezzi,1924 KE MW TZ
62. **Bombylisoma nucale** (Bezzi,1924) (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 AO KE MW NA NG TZ UG
63. **Bombylisoma nucale** (Bezzi,1924) (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 AO KE MW NA NG TZ UG
64. **Bombylisoma senegalense** (Macquart,1840) (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
65. **Bombylisoma senegalense** (Macquart,1840) (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis*

- Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
66. **Bombylisoma simba Bowden,1973** (Bombyliidae) Synonym(s): *simba Bowden,1973* KE TZ
 67. **Bombylisoma simba Bowden,1973** (Bombyliidae) Synonym(s): *simba Bowden,1973* KE TZ
 68. **Bombylisoma twiga Greathead,1996** (Bombyliidae) Synonym(s): *twiga Greathead,1996* KE TZ
 69. **Bombylius (s.str.) acrophylax Greathead,1991** (Bombyliidae) Synonym(s): *acrophylax Greathead,1991* BI ER KE TZ UG
 70. **Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *elbayensis Efflatoun,1945; cinereipilus Greathead,1967* ER KE SD TZ EG SA
 71. **Bombylius (s.str.) erythrocerus Bezzi,1901** (Bombyliidae) Synonym(s): *erythrocerus Bezzi,1901; rufoantennatus Becker,1909* ZR ER KE SO TZ
 72. **Brachymeria bayoni Masi,1929** (Chalcididae) Synonym(s): *bayoni Masi,1929* KE
 73. **Brachymeria bottegi Masi,1929** (Chalcididae) Synonym(s): *bottegi Masi,1929* ET KE ZW
 74. **Celonites rothschildi Du Buysson,1906** (Vespidae) Synonym(s): *rothschildi Du Buysson,1906* IR KE
 75. **Ceratitis (s.str.) caetrata Munro,1949** (Tephritidae) Synonym(s): *caetrata Munro,1949* KE Nai
 76. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA*
 77. **Ceratitis (s.str.) pinax Munro,1933** (Tephritidae) Synonym(s): *pinax Munro,1933* ZA Nta Kzu Dbn KE
 78. **Ceratotheripoides revelatus (Priesner,1937)** (Thripidae) Synonym(s): *revelatus Priesner,1937* ZR SL UG GH NG ST AO MZ KE
 79. **Chalicodoma (Callomegachile) kigonserana (Friese,1903)** (Megachilidae) Synonym(s): *kigonserana Friese,1903* KE UG ZR ZW
 80. **Chalicodoma (Carinella) torrida (Smith,1853)** (Megachilidae) Synonym(s): *torrida Smith,1853* ZR Kvu KE MW MZ
 81. **Chalicodoma (s.str.) formosa Pasteels,1970** (Megachilidae) Synonym(s): *formosa Pasteels,1970* KE
 82. **Charieis peeli Burr,1900** (Irididae) Synonym(s): *peeli Burr,1900* ET KE SO
 83. **Chrysolina beatricis Dacchordi,1978** (Chrysomelidae) Synonym(s): *beatricis Dacchordi,1978* KE
 84. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
 85. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus Kerrich,1970; latipennis Khan & Shafee,1981* IN KE MW MZ OM PK LK AE ZA
 86. **Closterocerus purpurissatus (Kerrich,1970)** (Eulophidae) Synonym(s): *purpurissatus Kerrich,1970* KE TZ
 87. **Closterocerus ritchiei (Ferrière,1936)** (Eulophidae) Synonym(s): *ritchiei Ferrière,1936* CG ZR KE MW TZ
 88. **Closterocerus violaceus (Ferrière,1936)** (Eulophidae) Synonym(s): *violaceus Ferrière,1936* KE MW TZ
 89. **Comptosia falcifera Rehn,1901** (Mantidae) Synonym(s): *falcifera Rehn,1901* KE SO
 90. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
 91. **Culicoides adersi Ingram & Macfie,1923** (Ceratopogonidae) Synonym(s): *adersi Ingram & Macfie,1923* KE TZ
 92. **Culicoides fulvithorax (Austen,1912)** (Ceratopogonidae) Synonym(s): *fulvithorax Austen,1912* KE
 93. **Culicoides giganteus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *giganteus Khamala & Kettle,1971* KE
 94. **Culicoides imicola Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola Kieffer,1913; pallidipennis Carter,Ingram & Macfie,1920* KE SA GH IL Pa
 95. **Culicoides isechnoensis Glick,1990** (Ceratopogonidae) Synonym(s): *isechnoensis Glick,1990* KE
 96. **Culicoides isioloensis Cornet, Nevill & Walker,1974** (Ceratopogonidae) Synonym(s): *isioloensis Cornet, Nevill & Walker,1974* KE

97. **Culicoides kaimosiensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *kaimosiensis Khamala & Kettle,1971* **KE**
98. **Culicoides kanagai Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *kanagai Khamala & Kettle,1971* **KE**
99. **Culicoides karenensis Glick,1990** (Ceratopogonidae) Synonym(s): *karenensis Glick,1990* **KE**
100. **Culicoides kerichoensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *kerichoensis Khamala & Kettle,1971* **KE**
101. **Culicoides milnei Austen,1909** (Ceratopogonidae) Synonym(s): *milnei Austen,1909* **KE**
102. **Culicoides nairobiensis Glick,1990** (Ceratopogonidae) Synonym(s): *nairobiensis Glick,1990* **KE Nai**
103. **Culicoides ovalis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *ovalis Khamala & Kettle,1971* **KE**
104. **Culicoides papillatus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *papillatus Khamala & Kettle,1971* **KE**
105. **Culicoides parvulus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *parvulus Khamala & Kettle,1971* **KE**
106. **Culicoides radiomaculatus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *radiomaculatus Khamala & Kettle,1971* **KE**
107. **Culicoides rhizophorensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *rhizophorensis Khamala & Kettle,1971* **KE**
108. **Culicoides shimoniensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *shimoniensis Khamala & Kettle,1971* **KE**
109. **Culicoides spinifer Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *spinifer Khamala & Kettle,1971* **KE**
110. **Culicoides sylvicola Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *sylvicola Khamala & Kettle,1971* **KE**
111. **Culicoides tropicalis Kieffer,1913** (Ceratopogonidae) Synonym(s): *tropicalis Kieffer,1913* **KE**
112. **Culicoides walkeri Boorman,1979** (Ceratopogonidae) Synonym(s): *walkeri Boorman,1979* **KE**
113. **Danuria (Danuroides) barbozae (Bolivar,1889)** (Mantidae) Synonym(s): *barbozae Bolivar,1889* **AO KE ZR TZ**
114. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* **KE ZR MW RW TZ ZM ZW**
115. **Danuria (s.str.) contorta Sjöstedt,1913** (Mantidae) Synonym(s): *contorta Sjöstedt,1913* **KE TZ**
116. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* **ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ**
117. **Dasyhelea insignicornis (Kieffer,1913)** (Ceratopogonidae) Synonym(s): *insignicornis Kieffer,1913* **KE**
118. **Diogena denticulata Chopard,1954** (Tettigoniidae) Synonym(s): *denticulata Chopard,1954* **KE**
119. **Diogena denticulata Chopard,1954** (Tettigoniidae) Synonym(s): *denticulata Chopard,1954* **KE**
120. **Dirhinus excavatus Dalman,1818** (Chalcididae) Synonym(s): *excavatus Dalman,1818* **ER IN KE SN MM SL**
121. **Ducetia punctipennis (Gerstaecker,1869)** (Tettigoniidae) Synonym(s): *punctipennis Gerstaecker,1869; reticulosa Karsch,1889; quadripunctata Bolivar,1922* **KE Mb**
122. **Elaea infumata Beier,1931** (Mantidae) Synonym(s): *infumata Beier,1931* **KE**
123. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali Reiche & Fairmaire,1847; perlouides Saussure,1869; somalica Schluthness-Schindler,1898* **DZ ET GN CM KE NG SN SD TD UG**
124. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* **EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN**
125. **Entella (s.str.) meruensis Sjöstedt,1909** (Mantidae) Synonym(s): *meruensis Sjöstedt,1909* **TZ KE**
126. **Entella (s.str.) vitticeps (Sjöstedt,1909)** (Mantidae) Synonym(s): *vitticeps Sjöstedt,1909* **KE MZ TZ**
127. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata Saussure,1869; ibana Giglio-Tos,1912; iringana Giglio-Tos,1912; madimbana Giglio-Tos,1912* **AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ**
128. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
129. **Eurycorypha diminuta Chopard,1938** (Tettigoniidae) Synonym(s): *diminuta Chopard,1938* **KE Trk**

130. **Eurycorypha kevani Chopard,1954** (Tettigoniidae) Synonym(s): *kevani Chopard,1954* KE
131. **Eurycorypha punctipennis Chopard,1938** (Tettigoniidae) Synonym(s): *punctipennis Chopard,1938* KE Elg
132. **Eurycorypha simillima Chopard,1954** (Tettigoniidae) Synonym(s): *simillima Chopard,1954* KE Trk
133. **Exoprosopa atrinasis Speiser,1910** (Bombyliidae) Synonym(s): *atrinasis Speiser,1910* TZ ET KE UG ZM
134. **Exoprosopa brevinasis Bezzi,1924** (Bombyliidae) Synonym(s): *brevinasis Bezzi,1924; engyoptera Hesse,1956* KE TZ ZM
135. **Exoprosopa decastroi Hesse,1950** (Bombyliidae) Synonym(s): *decastroi Hesse,1950; ferrierae Hesse,1950* MZ KE
136. **Exoprosopa fissicornis Bezzi,1924** (Bombyliidae) Synonym(s): *fissicornis Bezzi,1924* KE
137. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
138. **Exoprosopa magnipennis Bezzi,1924** (Bombyliidae) Synonym(s): *magnipennis Bezzi,1924* KE TZ YE
139. **Exoprosopa schmidti Karsch,1888** (Bombyliidae) Synonym(s): *schmidti Karsch,1888* TZ Zz KE
140. **Exoprosopa selenops Greathead,2001** (Bombyliidae) Synonym(s): *selenops Greathead,2001* KE TZ
141. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae Risbec,1951; africanus Risbec,1955; deemingi Subba Rao,1970* BJ CM GH KE MW NG SN TZ UG
142. **Galepsus (Onychogalepsus) capitatus (Saussure,1869)** (Irididae) Synonym(s): *capitatus Saussure,1869* ET KE TZ ZW ZA Tva Lpo Nta Kzu
143. **Galepsus (Onychogalepsus) diversus Giglio-Tos,1911** (Irididae) Synonym(s): *diversus Giglio-Tos,1911* TZ UG KE
144. **Galepsus (Onychogalepsus) gracilis Giglio-Tos,1911** (Irididae) Synonym(s): *gracilis Giglio-Tos,1911* TZ Zz KE UG
145. **Galepsus (Onychogalepsus) intermedius Werner,1907** (Irididae) Synonym(s): *intermedius Werner,1907* KE MZ ZA Nta Kzu Tva Lpo ZW
146. **Galepsus (s.str.) binotatus (La Greca,1951)** (Irididae) Synonym(s): *binotatus La Greca,1951* ET KE SO
147. **Galepsus (s.str.) montanus Werner,1907** (Irididae) Synonym(s): *modesta Gerstaecker,1869; montanus Werner,1907; dubius Giglio-Tos,1911* KE SO TZ
148. **Geron exemptus Bowden,1974** (Bombyliidae) Synonym(s): *exemptus Bowden,1974* KE UG
149. **Geron juxtus Bowden,1974** (Bombyliidae) Synonym(s): *juxtus Bowden,1974* KE
150. **Geron nasutus Bezzi,1924** (Bombyliidae) Synonym(s): *nasutus Bezzi,1924* KE MW NA NG ZM
151. **Geron psammobates Hesse,1938** (Bombyliidae) Synonym(s): *psammobates Hesse,1938* ZA Gau Tva NA KE ZW SZ
152. **Geron simplicipennis Greathead,1967** (Bombyliidae) Synonym(s): *simplicipennis Greathead,1967* ER KE
153. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri Schouteden,1904* BJ KE AO NG CI GH ZR TZ ET
154. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus Westwood,1837; moesta Germar,1837; pictiventris Stal,1853* ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
155. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi Schouteden,1904* GH KE SD NG AO TG TZ ET ZR
156. **Gonypetella carinata Kaltenbach,1990** (Mantidae) Synonym(s): *carinata Kaltenbach,1990* KE Elg TZ
157. **Gonypetella flavicornis (Sjöstedt,1909)** (Mantidae) Synonym(s): *flavicornis Sjöstedt,1909* KE RW Ug Rz TZ
158. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* AO BW ZR TZ ZM ZW KE TZ
159. **Gonypetella punctata Giglio-Tos,1915** (Mantidae) Synonym(s): *punctata Giglio-Tos,1915* CM KE ZR UG
160. **Gyranusoidea citrina (Compere,1938)** (Encyrtidae) Synonym(s): *citrina Compere,1938* AO KE ZA
161. **Gyranusoidea flava Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *flava Shafee, Alam & Agarwal,1975* IN Up ID Ja Bli KE MY PH
162. **Hapalomantis (Bolbira) minima (Werner,1906)** (Iridopterygidae) Synonym(s): *minima Werner,1906* KE TZ ZW
163. **Hapalomantis (s.str.) orba (Stal,1856)** (Iridopterygidae) Synonym(s): *orba Stal,1856; mendionalis Saussure,1871* KE MZ TZ ZA Nta Kzu

164. **Hapalomantis (s.str.) rhombochir (Werner,1908)** (Iridopterygidae) Synonym(s): *rhombochir* Werner,1908 **AO GH Bio KE**
165. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis* Burmeister,1838; *purpunpennis* Audinet-Serville,1839; *wahlbergi* Stal,1856 (part); *phantasma* Rehn,1949 **ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET**
166. **Heterochaeta kumari Roy,1975** (Mantidae) Synonym(s): *kumari* Roy,1975 **CI GH KE NG SN UG**
167. **Heterochaeta occidentalis Beier,1963** (Mantidae) Synonym(s): *occidentalis* Beier,1963 **BW KE NA ZA Ec**
168. **Heterochaeta orientalis Kirby,1904** (Mantidae) Synonym(s): *orientalis* Kirby,1904 **ET KE SO SD TZ**
169. **Heterochaeta zavattarii La Greca,1951** (Mantidae) Synonym(s): *zavattarii* La Greca,1951 **ET KE TZ**
170. **Horatosphaga diminuta (Chopard,1954)** (Tettigoniidae) Synonym(s): *diminuta* Chopard,1954 **KE**
171. **Horatosphaga elgonis (Chopard,1938)** (Tettigoniidae) Synonym(s): *elgonis* Chopard,1938 **KE Elg**
172. **Horatosphaga gracilis (Sjöstedt,1912)** (Tettigoniidae) Synonym(s): *gracilis* Sjöstedt,1912 **KE**
173. **Horatosphaga heteromorpha (Karsch,1889)** (Tettigoniidae) Synonym(s): *heteromorpha* Karsch,1889; *hoehneli* Brunner,1891; *parallela* Schulthess,1898; *kilimandjarica* Stöstedt,1909; *gracilis* Bolivar,1922 nec Sj.,1912 **KE Mb TZ ET**
174. **Horatosphaga leggei (Kirby,1909)** (Tettigoniidae) Synonym(s): *leggei* Kirby,1909; *robusta* Rehn,1914; *amplipennis* Rehn,1914; *affinis* Bolivar,1922 **UG ZR KE**
175. **Horatosphaga longipes (Bolivar,1922)** (Tettigoniidae) Synonym(s): *longipes* Bolivar,1922 **KE**
176. **Horatosphaga regularis (Bolivar,1922)** (Tettigoniidae) Synonym(s): *?reticulata* Karsch,1889; *regularis* Bolivar,1922 **KE TZ**
177. **Horatosphaga ruspolti (Schulthess,1898)** (Tettigoniidae) Synonym(s): *ruspolti* Schulthess,1898; *?rivae* Schulthess,1898; *trochlearis* Bolivar,1922; *?viridis* Chopard,1954; *samburu* Kevan,1954 **KE ET**
178. **Horatosphaga vicina (Chopard,1954)** (Tettigoniidae) Synonym(s): *vicina* Chopard,1954 **KE**
179. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica* Saussure,1869 **ET KE MW SO TZ UG**
180. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons* Saussure & Zehntner,1895 **ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE**
181. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis* Burmeister,1838; *defoliata* Audinet-Serville,1839; *spinifrons* Saussure,1859 **AO BF CI GH CM LR KE MZ SN SL SD TZ TG**
182. **Ischnomantis gracilis Giglio-Tos,1916** (Mantidae) Synonym(s): *gracilis* Giglio-Tos,1916 **KE SO**
183. **Ischnomantis media Rehn,1901** (Mantidae) Synonym(s): *media* Rehn,1901 **ET KE SO**
184. **Ischnomantis spinigera Schulthess-Schindler,1898** (Mantidae) Synonym(s): *spinigera* Schulthess-Schindler,1898 **ET KE SO UG**
185. **Junodia amoena Schulthess & Rechberg,1899** (Hymenopodidae) Synonym(s): *amoena* Schulthess & Rechberg,1899 **KE MZ Del TZ ET**
186. **Junodia stiewei Roy,2009** (Hymenopodidae) Synonym(s): *stiewei* Roy,2009 **KE**
187. **Kevaniella bipunctata Chopard,1954** (Tettigoniidae) Synonym(s): *bipunctata* Chopard,1954 **KE**
188. **Lamecosoma inermis Rague,1960** (Tettigoniidae) Synonym(s): *inermis* Rague,1960 **KE Nai**
189. **Leptocola phthisica (Saussure,1869)** (Mantidae) Synonym(s): *phthisica* Saussure,1869; *giraffa* Karsch,1894 **AO BF GH GN SN KE TZ TG**
190. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 **FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE**
191. **Leptolobus eburneatus Karsch,1892** (Pentatomidae) Synonym(s): *eburneatus* Karsch,1892; *thoracicus* Schouteden,1902; *decipiens* Schouteden,1905 **CM GN KE ZR**
192. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 **TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ**
193. **Ligaria brevis Giglio-Tos,1915** (Mantidae) Synonym(s): *brevis* Giglio-Tos,1915 **KE TZ UG**
194. **Ligaria chopardi Giglio-Tos,1915** (Mantidae) Synonym(s): *chopardi* Giglio-Tos,1915 **ET KE**
195. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata* Stal,1877; *fortis* Karny,1908 **ET KE TZ ZA Tva Lpo Gau Pre ZM ZW**
196. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 **GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA**

197. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infusca* Walker,1868; *spinosum* Horvath,1892 **AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW**
198. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31**
199. **Mantilia ehrmanni Roy,1992** (Mantidae) Synonym(s): *ehrmanni* Roy,1992 **KE**
200. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 *Gryllus religiosus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
201. **Mecosoma floridum Distant,1890** (Pentatomidae) Synonym(s): *floridum* Distant,1890 **ZR CI ML KE ZW**
202. **Melidia kenyensis Chopard,1954** (Tettigoniidae) Synonym(s): *kenyensis* Chopard,1954 **KE**
203. **Melidia laminata Chopard,1954** (Tettigoniidae) Synonym(s): *laminata* Chopard,1954 **KE**
204. **Milichia patrizii Hennig,1952** (Milichiidae) Synonym(s): *patrizii* Hennig,1952 **KE ZA**
205. **Milichiella acrosticalis (Sabrosky,1958)** (Milichiidae) Synonym(s): *acrosticalis* Sabrosky,1958 **KE NG TZ**
206. **Milichiella tristis Lamb,1914** (Milichiidae) Synonym(s): *tristis* Lamb,1914 **KE SC**
207. **Miomantis affinis Sjöstedt,1909** (Mantidae) Synonym(s): *affinis* Sjöstedt,1909 **KE TZ**
208. **Miomantis aurantiaca (Giglio-Tos,1911)** (Mantidae) Synonym(s): *aurantiaca* Giglio-Tos,1911; *mombasica* Giglio-Tos,1911 **KE Mb TZ**
209. **Miomantis binotata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *binotata* Giglio-Tos,1911 **KE MW RW TZ TG BI**
210. **Miomantis brunni (Giglio-Tos,1911)** (Mantidae) Synonym(s): *brunni* Giglio-Tos,1911; *bosia* Rehn,1912 **AO KE ZR UG Rz**
211. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis* Giglio-Tos,1911; *australis* Beier,1930 **AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO**
212. **Miomantis fallax (Giglio-Tos,1917)** (Mantidae) Synonym(s): *fallax* Giglio-Tos,1917 **KE TZ**
213. **Miomantis kibweziana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *kibweziana* Giglio-Tos,1911; *moerana* Giglio-Tos,1917 **KE UG Rz TZ ZA Tva Lpo**
214. **Miomantis kilimandjarica Sjöstedt,1909** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909; *irrorata* Giglio-Tos,1911 **KE TZ UG**
215. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis* Giglio-Tos,1911 **ET KE MW RW SO TZ UG BI**
216. **Miomantis longicollis Saussure,1898** (Mantidae) Synonym(s): *longicollis* Saussure,1898 **KE UG**
217. **Miomantis mombasica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *mombasica* Giglio-Tos,1911 **KE Mb RW TZ BI**
218. **Miomantis montana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *montana* Giglio-Tos,1911 **ET KE RW TZ UG BI**
219. **Miomantis nairobiensis (Bolivar,1922)** (Mantidae) Synonym(s): *nairobiensis* Bolivar,1922 **KE Nai**
220. **Miomantis ornata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *ornata* Giglio-Tos,1911 **KE TZ**
221. **Miomantis paykulii Stal,1871** (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
222. **Miomantis pygmaea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *pygmaea* Giglio-Tos,1917 **ET KE RW TZ UG BI**
223. **Miomantis tangana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *tangana* Giglio-Tos,1911 **KE TZ**
224. **Miomantis tenuis (Giglio-Tos,1917)** (Mantidae) Synonym(s): *tenuis* Giglio-Tos,1917 **KE TZ**
225. **Miomantis vitrea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *vitrea* Giglio-Tos,1917 **KE TZ**
226. **Neodanuria bolauana (Saussure,1869)** (Mantidae) Synonym(s): *bolauana* Saussure,1869; *superciliaris* Gerstraecker,1869 **KE SO TZ**
227. **Neomyia aureopyga (Malloch,1923)** (Muscidae) Synonym(s): *aureopyga* Malloch,1923 **KE TZ UG ZR**
228. **Neomyia bimaculata (Stein,1918)** (Muscidae) Synonym(s): *bimaculata* Stein,1918 **UG CI KE NG ZR**
229. **Neomyia boyesi (Zielke,1973)** (Muscidae) Synonym(s): *boyesi* Zielke,1973 **KE ZR**
230. **Neomyia chrysopyga (Emden,1939)** (Muscidae) Synonym(s): *chrysopyga* Emden,1939 **TZ KE ZW**

231. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia Malloch,1923* KE CM GH MW RW ZA TG UG ZR
232. **Neomyia macrops (Curran,1935)** (Muscidae) Synonym(s): *macrops Curran,1935* ZR KE NG ZA TG UG
233. **Neomyia sororella (Villeneuve,1926)** (Muscidae) Synonym(s): *sororella Villeneuve,1926* KE ZR ET RW UG
234. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
235. **Oliarus nairobiensis Van Stalle,1987** (Cixiidae) Synonym(s): *nairobiensis Van Stalle,1987* KE Nai
236. **Omomantis zebrata (Charpentier,1843)** (Mantidae) Synonym(s): *zebrata Charpentier,1843; suavis Brancsik,1897; pardalina Saussure,1899* ZA Ec Nta Kzu Tva Lpo ZW KE
237. **Oxyelaea heteromorpha Beier,1930** (Irididae) Synonym(s): *heteromorpha Beier,1930* KE UG SO
238. **Oxyophthalmellus rehni La Greca,1952** (Irididae) Synonym(s): *rehni La Greca,1952* KE SO
239. **Oxyophthalmellus somalicus (Rehn,1911)** (Irididae) Synonym(s): *somalicus Rehn,1911* ET SO KE TZ
240. **Oxyothespis longicollis Beier,1931** (Mantidae) Synonym(s): *longicollis Beier,1931* CI KE SO
241. **Oxyothespis parva Beier,1937** (Mantidae) Synonym(s): *parva Beier,1937* ET KE SO
242. **Oxyothespis pellucida Chopard,1938** (Mantidae) Synonym(s): *pellucida Chopard,1938* KE
243. **Oxypilus (s.str.) descampsi Roy,1966** (Hymenopodidae) Synonym(s): *descampsi Roy,1966* ER ET KE NE TD SD
244. **Oxypilus (s.str.) montanus Roy,1999** (Hymenopodidae) Synonym(s): *montanus Roy,1999* RW KE Nai BI TZ UG
245. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis Sjöstedt,1909; nigericus Beier,1930* NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
246. **Pachyanthrax cunamae (Greathead,1967)** (Bombyliidae) Synonym(s): *cunamae Greathead,1967* ER KE
247. **Paraligaria jeanneli (Chopard,1914)** (Mantidae) Synonym(s): *jeanneli Chopard,1914* KE
248. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis Stal,1856; moesta Werner,1915* ZA Nta Kzu AO ET CM ZR KE TZ ZW
249. **Paramantis nyasana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *nyasana Giglio-Tos,1912* KE TZ ZW
250. **Paramantis ottei Koçak & Kemal,2008** (Mantidae) Synonym(s): *prasina Serville,1839 nec Burmeist.,1838; ottei Koçak & Kemal,2008* Paramantis ottei Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8-9 (nomen novum pro prasina Serville,1839 nec Burmeist.,1838). ZA Ec CI GH GN KE KM MG TZ TG RE
251. **Parasphendale affinis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *affinis Giglio-Tos,1915* ET KE SO
252. **Parasphendale africana Giglio-Tos,1915** (Mantidae) Synonym(s): *africana Giglio-Tos,1915* KE SO TZ
253. **Parasphendale agrionina (Gerstaecker,1869)** (Mantidae) Synonym(s): *agrionina Gerstaecker,1869; vineta Gerstaecker,1869* ET KE TZ
254. **Parasphendale albicosta Chopard,1938** (Mantidae) Synonym(s): *albicosta Chopard,1938* ET KE
255. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis Kirby,1904* ZA Tva Lpo ZW TZ KE ET SO UG
256. **Parasphendale minor Schulthess-Schindler,1898** (Mantidae) Synonym(s): *minor Schulthess-Schindler,1898* ET KE SO
257. **Parasphendale stali Sjöstedt,1930** (Mantidae) Synonym(s): *stali Sjöstedt,1930* KE TZ ZW
258. **Pediobius angustifrons Kerrich,1973** (Eulophidae) Synonym(s): *angustifrons Kerrich,1973* KE MW SL UG
259. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Ce AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
260. **Phthiria crocogramma Hesse,1938** (Bombyliidae) Synonym(s): *crocogramma Hesse,1938* NA KE
261. **Plastogalepsus kuhlgatzzi (Werner,1907)** (Irididae) Synonym(s): *kuhlgatzzi Werner,1907* KE TZ SN

262. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus* Drury,1782 (*praeocc.*); *calens* Fabricius,1803 (*praeocc.*); *septendecimaculatus* Beauvois,1811; *trijunctus* Walker,1867; *optabilis* Walker,1867; *parvus* Distant,1900 **CM GH CI KE NG SL SD UG ZR**
263. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adpersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet- Serville,1839 **AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW**
264. **Popa spurca crassa Giglio-Tos,1917** (Mantidae) Synonym(s): *crassa* Giglio-Tos,1917 **ET KE MG MW SO TZ UG**
265. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
266. **Pseudogalepsus dispar (Werner,1907)** (Irididae) Synonym(s): *dispar* Werner,1907 **ET CM KE MZ TZ**
267. **Pseudogalepsus modestior Schulthess-Rechberg,1899** (Irididae) Synonym(s): *modestior* Schulthess-Rechberg,1899; *schulthessi* Rehn,1901 **ET KE ZR TZ UG**
268. **Pseudogalepsus modestus (Gerstaecker,1869)** (Irididae) Synonym(s): *modestus* Gerstaecker,1869 **KE TZ Zz**
269. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta* Thunberg,1784; *capensis* Gmelin,1790 **ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ**
270. **Pyrgomantis singularis Gerstaecker,1869** (Irididae) Synonym(s): *singularis* Gerstaecker,1869 **KE Ms TZ ZA Tva Lpo Nta Kzu**
271. **Rhabdogaster cinerascens (Wulp,1899)** (Asilidae) Synonym(s): *cinerascens* Wulp,1899 **IR YE KE**
272. **Rhomboderella scutata (Bolivar,1889)** (Mantidae) Synonym(s): *scutata* Bolivar,1889 **AO KE ZR TZ ZW**
273. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis* Becker,1916 **UG ZA TZ KE NG CM NE**
274. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus* Becker,1916 **UG KE RW ZR LR ML CM NG GH**
275. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis* Duda,1935 **NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET**
276. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
277. **Severinia granulata (Saussure,1870)** (Mantidae) Synonym(s): *granulata* Saussure,1870 **DZ TN MA KE MR NE SN**
278. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 **DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA**
279. **Sphodromantis baccettii La Greca & Lombardo,1987** (Mantidae) Synonym(s): *baccettii* La Greca & Lombardo,1987 **KE SO**
280. **Sphodromantis centralis Rehn,1914** (Mantidae) Synonym(s): *centralis* Rehn,1914 **ET KE RW BI TZ UG CF**
281. **Sphodromantis fenestrata Giglio-Tos,1912** (Mantidae) Synonym(s): *fenestrata* Giglio-Tos,1912; *fulva* Giglio-Tos,1912; *uebina* Giglio-Tos,1912 **ET KE SO SD TZ**
282. **Sphodromantis gestri Giglio-Tos,1912** (Mantidae) Synonym(s): *gestri* Giglio-Tos,1912 **KE SO**
283. **Sphodromantis kenyana La Greca & Lombardo,1987** (Mantidae) Synonym(s): *kenyana* La Greca & Lombardo,1987 **KE MW UG**
284. **Sphodromantis kersteni (Gerstaecker,1869)** (Mantidae) Synonym(s): *kersteni* Gerstaecker,1869; *christina* Kirby,1904 **KE SD TZ**
285. **Sphodromantis lagrecai Lombardo,1989** (Mantidae) Synonym(s): *lagrecai* Lombardo,1989 **KE TZ UG**
286. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
287. **Sphodromantis rubrostigma Werner,1916** (Mantidae) Synonym(s): *rubrostigma* Werner,1916 **KE TZ**
288. **Sphodromantis rudolfae (Rehn,1901)** (Mantidae) Synonym(s): *rudolfae* Rehn,1901 **ER KE SO TZ Zz**
289. **Stenopogon lehri Londt,1999** (Asilidae) Synonym(s): *lehri* Londt,1999 **SO KE**
290. **Stenopygella orientalis Giglio-Tos,1916** (Mantidae) Synonym(s): *orientalis* Giglio-Tos,1916 **KE TZ**
291. **Sycophila xiphigaster (Risbec,1955)** (Eurytomidae) Synonym(s): *xiphigaster* Risbec,1955 **KE**
292. **Systropha (Austrosystropha) aethiopica Friese,1911** (Halictidae) Synonym(s): *aethiopica* Friese,1911 **KE**

293. **Systropus (Diaerops) marshalli Bezzi,1924** (Bombyliidae) Synonym(s): *marshalli* Bezzi,1924; *vespiformis* Enderlein,1926 **ZR KE TG UG ZW**
294. **Systropus (Dimelopelma) trigonalis Bezzi,1924** (Bombyliidae) Synonym(s): *trigonalis* Bezzi,1924 **KE TZ UG**
295. **Systropus (s.str.) leucoproctus Bowden,1967** (Bombyliidae) Synonym(s): *leucoproctus* Bowden,1967 **KE**
296. **Systropus (Teinopelmus) nandinus Bowden,1967** (Bombyliidae) Synonym(s): *nandinus* Bowden,1967 **KE**
297. **Tarachodes (Chiropacha) aestuans Saussure,1895** (Irididae) Synonym(s): *aestuans* Saussure,1895; *media* Schulthess-Schnidler,1898; *orientalis* Giglio-Tos,1911 **DZ? SO ET KE TZ UG**
298. **Tarachodes (Chiropacha) obtusipes Stal,1871** (Irididae) Synonym(s): *obtusipes* Stal,1871 **ET SD KE SO**
299. **Tarachodes (Chiropacha) smithi Rehn,1901** (Irididae) Synonym(s): *smithi* Rehn,1901; *taramassi* Giglio-Tos,1907 **KE SO**
300. **Tarachodes (s.str.) alluaudi Chopard,1914** (Irididae) Synonym(s): *alluaudi* Chopard,1914; *minor* Chopard,1921 **ET SO KE TZ UG**
301. **Tarachodes (s.str.) insidiator Wood-Mason,1882** (Irididae) Synonym(s): *insidiator* Wood-Mason,1882; *sancta* Werner,1907; *pilosides* Rehn,1912 **AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW**
302. **Tarachodes (s.str.) karschii Werner,1907** (Irididae) Synonym(s): *karschii* Werner,1907 **TZ Dss ET KE SO**
303. **Tarachodes (s.str.) sanctus (Saussure,1871)** (Irididae) Synonym(s): *sanctus* Saussure,1871; *insidiator* Wood-Mason,1882; *scer* Giglio-Tos,1907; *kibweziianus* Giglio-Tos,1911 **ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE**
304. **Tarachodes (s.str.) tananus Giglio-Tos,1911** (Irididae) Synonym(s): *tananus* Giglio-Tos,1911 **KE**
305. **Tarachodes (s.str.) usambarica Sjöstedt,1909** (Irididae) Synonym(s): *usambarica* Sjöstedt,1909 **TZ Usa KE**
306. **Tarachodula pantherina (Gerstaecker,1869)** (Irididae) Synonym(s): *pantherina* Gerstaecker,1869; *dolica* Giglio-Tos,1917 **ET KE SO**
307. **Taumantis sigiana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *sigiana* Giglio-Tos,1911 **TZ KE**
308. **Telomantis lamperti (Werner,1906)** (Mantidae) Synonym(s): *lamperti* Werner,1906; *usambarica* Sjöstedt,1909; *madagassica* Paulian,1957 **MG MW KE TZ**
309. **Tenodera superstitiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
310. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 **BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW**
311. **Toxophora diploptera Speiser,1910** (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 **BW KE NA ZA Nta Kzu Tva Mpu TZ ZW**
312. **Toxophora epargyroides Hesse,1938** (Bombyliidae) Synonym(s): *epargyroides* Hesse,1938 **KE? NA TZ ZW**
313. **Truxalis bolivari Dirsh,1951** (Acrididae) Synonym(s): *bolivari* Dirsh,1951 **KE Mb**
314. **Villa atrisquama Bezzi,1924** (Bombyliidae) Synonym(s): *setinerva* Stein,1916; *atrisquama* Bezzi,1924 **ET KE**
315. **Villa galla Greathead,1967** (Bombyliidae) Synonym(s): *galla* Greathead,1967 **TD ER ET KE NE SA**
316. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides* Bezzi,1912 **ER ET KE MW SO UG YE EG SA OM**
317. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albobilva* François,1969 **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**

Synonymic and distributional list of the pterygot insects of Libya

(Results of the Entomofauna of the World based upon info-system of the Cesa)

47

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Libya (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 47.

Priamus (suppl.) 18: 1924-1935.

In this study, totally 271 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Libya recorded in info-sytem of the Cesa, total pterygot species of Libya increase to 751.

Key words: List, distribution, *pterygota*, *Insecta*, Libya.

Brief explanatory information:

Previously published article	no
Previously published report	yes ⁹⁴
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 271 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 480 recorded species of Lepidoptera from Libya are found. Taking this information into consideration, total number of the pterygots may increase to 751.

The study is still continuing, and the new results will be published within this Project.

1. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
2. **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; #*peyronis* Reiche,1866 **TR SY IL Pa Hf LB EG Sn LY Cy**
3. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis* Fabricius,1787; *refulgens* Herbst,1790; *aupick* Gory & Percheson,1833; *barbara* Gory & Percheson,1833; *doguerau* Gory & Percheson,1833; *viridiflua* Motschulsky,1835; *deserticola* Waltl,1838 **DZ TN MA LY Cy ES IT Si**

⁹⁴ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temorary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

4. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF Cn Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
5. **Agapanthia annularis (Olivier,1795)** (Cerambycidae) Synonym(s): *annularis Olivier,1795* ES PT LY
6. **Agapanthia suturalis (Fabricius,1787)** (Cerambycidae) Synonym(s): *suturalis Fabricius,1787* ES LY IT Sa TR
7. **Agapanthia zappii Sama,1987** (Cerambycidae) Synonym(s): *zappii Sama,1987* MA DZ TN LY
8. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis Haupt,1962* TR LY TN IL Pa ES Cn SY Hms
9. **Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): *sordidum Dejean,1828* BE HV GR IT SL TR UA LY SY
10. **Aiolopus obariensis Usmani,2008** (Acrididae) Synonym(s): *obariensis Usmani,2008* LY
11. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
12. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
13. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
14. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris Fabricius,1798* DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
15. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus Linnaeus,1758; austriacus Schrank,1781* Meloe syriacus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
16. **Amara (Paracelia) cyrenaica Baliani,1928** (Carabidae) Synonym(s): *cyrenaica Baliani,1928* LY Cy TR
17. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
18. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): *heldreichi Brunner von Wattenwyl,1882* TR GR IL Pa LY CY
19. **Ameles poggii Lombardo,1986** (Mantidae) Synonym(s): *poggii Lombardo,1986* LY
20. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943* Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricae...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
21. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae Becker,1915; fuscipennis Becker,1915; pyramidum Paramonov,1940* TN EG KE SD DZ IL Pa LY SA ES SY
22. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus Wiedemann,1820; acuticornis Macquart,1840* IT DZ EG FR IL Pa LY PT ES TN TM SA SD
23. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ
24. **Anthidium (Proanthidium) echinatum Klug,1832** (Megachilidae) Synonym(s): *echinatum Klug,1832; rohlfisii Friese,1897* EG LY
25. **Anthidium (Rhodanthidium) siculum Spinola,1838** (Megachilidae) Synonym(s): *siculum Spinola,1838; fontainesii Lepeletier,1841; andrei Mocsary,1884* MA DZ LY Cy ES IT Si

26. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum Fabricius,1787; ordonezi Dusmet,1915; amismizianum Dusmet,1915* MA DZ TN LY Cy IT Si PT ES FR
27. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema Latreille,1809; ornatum Lepeletier,1841; albiventris Lepeletier,1841; radoszowskyi Mocsary,1887; seraxense Radoszowski,1893; terminale Morawitz,1894; caucasicum Friese,1897* DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
28. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
29. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
30. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
31. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
32. **Anthrenus (Nathrenus) biskrensis Reitter,1887** (Dermestidae) Synonym(s): *biskrensis Reitter,1887* DZ MA TN LY IT Si MT
33. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY IL Pa SY IQ SA
34. **Aphodius (Calamosternus) granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* RU Cc Sb Us GG AZ KG TM UZ TJ LY Cy
35. **Aphthona pygmaea Kutschera,1861** (Chrysomelidae) Synonym(s): *pygmaea Kutschera,1861* TR Cc EG LY YE
36. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
37. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871* MA DZ LY TN EG NG TR SA IL Pa IR
38. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha Loew,1856; arabica Becker,1910* EG TN LY MA IL Pa YE SA IR
39. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis Loew,1873* RU KG DZ TN LY IR TR
40. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae Girault,1916* AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
41. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
42. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens Paoli,1932* TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
43. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; homeyeri Kirschbaum,1868; fieberi Vismara,1878; laevis Bergevin,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
44. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica Bergevin & Zanon,1922; citrea Haupt,1930; bodenheimeri Haupt,1930; benedettoi Paoli,1932* AL? DZ EG IL IT Sa JO LY ES TN
45. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi Trotter,1913; spirorhynchusii Diakontshuk,1990* Aulax hypecoi Trotter,1913, Marcellia 11: 214. DZ LY BG GR TR Cc AM TM
46. **Batracomorpha signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus Lindberg,1923; nigrum Lindberg,1923* EG IL Pa LY TR IR
47. **Bembecinus mattheyi De Beaumont,1951** (Crabronidae) Synonym(s): *mattheyi De Beaumont,1951* MA TN LY
48. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918* BG GR MK TR IR LY SY YU
49. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
50. **Blaps tripolitanica Karsch,1881** (Tenebrionidae) Synonym(s): *tripolitanica Karsch,1881* LY Cy
51. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
52. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
53. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU

54. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
55. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
56. **Bombylius (s.str.) collaris Becker,1906** (Bombyliidae) Synonym(s): *collaris Becker,1906* EG LY TN
57. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor Mikan,1796* DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
58. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes Wiedemann,1828* EG IR IT LY MA ES YU TR
59. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
60. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
61. **Bombylius (s.str.) polypogon Loew,1855** (Bombyliidae) Synonym(s): *polypogon Loew,1855* EG IL Pa LY SY LB
62. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
63. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
64. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
65. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
66. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
67. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
68. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY Cy IL Pa SY SA IQ
69. **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767* LY Cy
70. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; siculus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
71. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
72. **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus Klug,1832* TR EG IQ IL Pa JO LY SY
73. **Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): *piochardi Géhin,1883* TR IL Pa LY SY
74. **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817* AM Cc GG TR CY IR IQ IL Pa LY SY TM
75. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA

76. **Chilothorax exclamationis (Motschoulsky,1849)** (Scarabaeidae) Synonym(s): *exclamationis* Motschoulsky,1849 ES DZ TN LY Cy
77. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
78. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
79. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
80. **Chrysolina ruffoi (Dacchordi,1971)** (Chrysomelidae) Synonym(s): *ruffoi* Dacchordi,1971; *benjaminica* Dacchordi,1971 LY IL Pa
81. **Cicada barbara (Stal,1866)** (Cicadidae) Synonym(s): *barbara* Stal,1866 DZ IT Sa Si ES LY TN
82. **Cicada cerisyi Guérin-Méneville,1844** (Cicadidae) Synonym(s): *cerisyi* Guérin-Méneville,1844 EG LY
83. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
84. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
85. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAu WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
86. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
87. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
88. **Corynis kitrina (Pérez,1895)** (Cimbicidae) Synonym(s): *kitrina* Pérez,1895 BH DZ LY TN Gf SA
89. **Corynis krueperi (Stein,1876)** (Cimbicidae) Synonym(s): *krueperi* Stein,1876; *enslini* Maidl,1923 MK AL LY Cy TR
90. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
91. **Dasytidius crenulatus (Pic,1925)** (Melyridae) Synonym(s): *crenulatus* Pic,1925 LY
92. **Dasytidius petrowi (Pic,1923)** (Melyridae) Synonym(s): *petrowi* Pic,1923 EG LY
93. **Dasytidius ragusai (Prochazka,1895)** (Melyridae) Synonym(s): *ragusai* Prochazka,1895 TN DZ IT Si LY
94. **Dasytidius sparsepubens Majer,1990** (Melyridae) Synonym(s): *sparsepubens* Majer,1990 LY
95. **Denops albofasciatus (Charpentier,1825)** (Cleridae) Synonym(s): *albofasciatus* Charpentier,1825 PT ES LY TR IL Pa
96. **Diogena fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838 LY SD YE IL Pa JO
97. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
98. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatus* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
99. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948 AF CY EG GR IL Pa IT LY TR
100. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi* Capra,1929; *pallida* Chopard,1941 EG ET LY SO MA YE SA
101. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
102. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
103. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata* Goeze,1778; *pauperata* Rossi,1783 nec F.,1781; *pennata* Thunberg,1815; *variabilis* Risso,1826; *egema* Charpentier,1841;

- brachyptera* Fischer v. *Waldheim*,1846; *europaea* Fieber,1853; *occidentalis* Fieber,1853 **DZ Cn LY MA TN ES PT Sa Si IT**
104. **Eoferreola cyrenaica (Guiglia,1941)** (Pompilidae) Synonym(s): *cyrenaica* Guiglia,1941; *facilis* Priesner,1955 **LY Cy IL Pa EG JO MA ML**
105. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
106. **Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae) Synonym(s): *quadrifasciatus* Fabricius,1793; *rufipes* Gusenleitner,1984; *rubrosignatus* Gusenleitner,1984 **TR LY Cy**
107. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
108. **Eurychila tafratensis (Bergevin,1920)** (Tettigometridae) Synonym(s): *tafratensis* Bergevin,1920 **IL LY MA**
109. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 **AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ**
110. **Frutioidia (Dworakowskellina) amicula Linnavuori,1965** (Cicadellidae) Synonym(s): *amicula* Linnavuori,1965 **LY**
111. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891; *picta* Melichar,1896 **FR IT LY TR Cc GG YU IR**
112. **Gepus invisus Navas,1912** (Myrmeleonidae) Synonym(s): *invisus* Navas,1912; *scutellatus* Klapalek,1914; *tersus* Navas,1936. **LY SD TN SA IR**
113. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis* Wiedemann,1820; *albidulus* François,1969 **IT ?EG FR Co GR Sa LY? ES PT**
114. **Glaphyrus haroldi Quedenfeldt,1891** (Glaphyridae) Synonym(s): *haroldi* Quedenfeldt,1891; *equastris* Champenois,1898 **LY EG**
115. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus* Lethierry,1887 **DZ EG IL Pa TR LY MA AZ Cc RU Da**
116. **Gryllomorpha (Gryllomorphella) uclensis Pantel,1890** (Gryllidae) Synonym(s): *uclensis* Pantel,1890 **ES FR DZ TN LY**
117. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**
118. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 **RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG**
119. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874 **DZ RU ES LY TN Cc IR TR**
120. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 **AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU**
121. **Heterotropus trotteri Bezzi,1915** (Bombyliidae) Synonym(s): *trotteri* Bezzi,1915 **LY**
122. **Hockeria brachygaster Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956 *Hockeria brachygaster* Boucek,1956, Bull. Res. Coun. Israel 5B: 234. Syntypes: Israel (BMNH). **LY TR IL Pa IN Up**
123. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 **ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR**
124. **Hoplitis (Anthocopa) quadrispina (Tkalcu,1992)** (Megachilidae) Synonym(s): *quadrispina* Tkalcu,1992 **DZ LY TN**
125. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
126. **Hoplitis (Stenosmia) hartliebi (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi* Friese,1899 **DZ? EG LY TN IL Pa**
127. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis* Burmeister,1838; *longifrons* Saussure,1870; *juliae* Krauss,1892; *guichardi* La Greca,1952 **Cn TN EG DZ LY SA SO NE OM**
128. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894 **Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU**
129. **Labarrus lividus (Olivier,1789)** (Scarabaeidae) Synonym(s): *lividus* Olivier,1789 **LY Cy**

130. **Labidostomis andreini Escalera,1931** (Chrysomelidae) Synonym(s): *andreini Escalera,1931* LY
131. **Laburrus quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus Forel,1864; limbatus Ferrari,1882; atrata Ribaut,1942; deleta Ribaut,1942* FR IT LY MA ES SW TN AM Cc
132. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
133. **Lasioglossum tripolitanum (Blüthgen,1924)** (Halictidae) Synonym(s): *tripolitanum Blüthgen,1924* LY Cy
134. **Limnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta Kowarz,1893* IT Si DE PL CZ AT HU LY? Cc? RU
135. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
136. **Lydus algericus (Linnaeus,1758)** (Meloidae) Synonym(s): *algericus Linnaeus,1758* DZ LY IL Pa
137. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
138. **Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987* GR Cr CY TR IT LY
139. **Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis Brenske,1894* IR OM SA IL Pa JO LY
140. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
141. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
142. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
143. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925* ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
144. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817; coriarius Brandt & Erichson,1832; reticulatus Brandt & Ratzeburg,1833; cyanicornis Escherich,1889* FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
145. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790; spinipes Fabricius,1794; serrulatus Wiedemann,1822; italicus Rondani,1845; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Liroy,1864* DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
146. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES FR IT Si YU AL TR BG RO PL IL Pa LY
147. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790; fulvus Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscineris Röder,1887; obscurus Gil Collado,1929* MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
148. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus Spinola,1808* IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
149. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri Kittary,1849* ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
150. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
151. **Mylabris sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata Klug,1845* LY CY SY TR
152. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
153. **Neoaliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura,1908; rusciconensis Ribaut,1952; infirmus Young & Frazier,1954* IT FR LY MA RO ES EH TN TR RU KG TJ
154. **Neoaliturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus Baker,1896; ignavus Matsumura,1908; egyptiacus Matsumura,1908; indivisus Haupt,1927; ambiguus Young & Frazier,1954; zygophylli Lindberg,1954* DZ ES Cn EG FR IR IL IT Si LY ES TN KG


155. **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929 Cn DZ LY Cy EG IL Pa JO LB SY
156. **Neophilaenus longiceps (Puton,1895)** (Cercopidae) Synonym(s): *longiceps* Puton,1895 DZ FR GB LY MA PT ES TN
157. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
158. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
159. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokoziewitzcki* Bolivar,1884; *mlokosewitschi* Bolivar,1887; *dimidiatus* Bolivar,1899 Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV
160. **Oedipoda caerulecens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulecens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
161. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
162. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876 DZ CN GR IQ LY MA
163. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 MA DZ TN LY Cy EG Co FR ES TR IL Pa
164. **Onitis ringenbachi Keith,2007** (Scarabaeidae) Synonym(s): *ringenbachi* Keith,2007 LY Cy
165. **Onthophagus (Euonthophagus) bedeli (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli* Reitter,1891 DZ LY Cy SY IR AF
166. **Onthophagus (Palaeonthophagus) nebulosus Reiche,1864** (Scarabaeidae) Synonym(s): *nebulosus* Reiche,1864 IL Pa SA LY Cy
167. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845 EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
168. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa
169. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 AF DZ ES Cn CN EG IL LY MA TN
170. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
171. **Osmanius dellacasai (Petrovitz,1970)** (Scarabaeidae) Synonym(s): *dellacasai* Petrovitz,1970 LY
172. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei* Pérez,1887 DZ EG MA LY TN IL Pa JO SY
173. **Osmia (Helicosmia) friesana Ducke,1899** (Megachilidae) Synonym(s): *friesana* Ducke,1899 ES MT IT Sa DZ EG? LY MA TN
174. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
175. **Osmia (Helicosmia) lazulina Benoist,1928** (Megachilidae) Synonym(s): *lazulina* Benoist,1928 TN DZ MA LY IL Pa
176. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
177. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
178. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
179. **Osmia (Helicosmia) tunensis (Fabricius,1787)** (Megachilidae) Synonym(s): *tunensis* Fabricius,1787; *tunetana* Gmelin,1790; *pseudoaurulenta* Dours,1873; *meridionalis* Gribodo,1894; *dissimilis* Friese,1899 *Apis tunensis* Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). ES IT Si MT PT DZ EG LY MA TN
180. **Osmia (Hemiosmia) anceps Pérez,1895** (Megachilidae) Synonym(s): *anceps* Pérez,1895; *pulchra* Tkalcu,1975 LY TN
181. **Osmia (Neosmia) tingitana Benoist,1969** (Megachilidae) Synonym(s): *tingitana* Benoist,1969; *tkalculi* Peters,1977; *secunda* Peters,1977 DZ MA TN LY EG

182. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
183. **Osmia (Pyrosmia) derasa Pérez,1895** (Megachilidae) Synonym(s): *derasa* Pérez,1895; *croci* Benoist,1929; *pseudoderasa* Benoist,1929; *violetta* Warncke,1992 **DZ LY MA TN**
184. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
185. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 *nec* Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 **DZ EG TN MA LY IL Pa**
186. **Osmia (Pyrosmia) punica Pérez,1895** (Megachilidae) Synonym(s): *punica* Pérez,1895; *irherma* Warncke,1992 **MA DZ TN LY EG**
187. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
188. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 **AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR**
189. **Osmia (s.str.) cyrenaica Peters,1978** (Megachilidae) Synonym(s): *cyrenaica* Peters,1978 **LY Cy**
190. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811 **AD ES FR Co IT Sa PT DZ Cn LY MA TN**
191. **Otiocephala tripolitana (Cobos,1957)** (Chrysomelidae) Synonym(s): *tripolitana* Cobos,1957 **LY**
192. **Oxyothespis senegalensis Saussure,1870** (Mantidae) Synonym(s): *senegalensis* Saussure,1870 **DZ CM LY SN TD**
193. **Oxyothespis tricolor Chopard,1941** (Mantidae) Synonym(s): *tricolor* Chopard,1941 **LY**
194. **Oxythyrea pantherina (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *pantherina* Gory & Percheron,1833; *amina* Fairmaire,1860 **MA LY Cy**
195. **Oxythyrea tripolitana Reitter,1891** (Scarabaeidae) Synonym(s): *tripolitana* Reitter,1891 **TN Gf LY Cy EG**
196. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni* Harold,1862 **Cn MA DZ TN LY Cy EG SA**
197. **Paraseverinia finoti (Chopard,1943)** (Mantidae) Synonym(s): *finoti* Chopard,1943 **DZ MA LY**
198. **Pausus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 **AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ**
199. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 **DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN**
200. **Pentodon variolopunctatus Fairmaire,1879** (Scarabaeidae) Synonym(s): *variolopunctatus* Fairmaire,1879 **LY EG Sn IL Pa SA**
201. **Perlamantis allibertii Guérin-Méneville,1843** (Amorphoscelidae) Synonym(s): *allibertii* Guérin-Méneville,1843; *tunetana* Bonnet & Finot,1884 **FR ES DZ MA LY TN**
202. **Phaleria acuminata Küster,1852** (Tenebrionidae) Synonym(s): *acuminata* Küster,1852; *tunisia* Reitter,1916 **TN LY TR**
203. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 *nec* Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, *Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ*
204. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
205. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 **AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA**
206. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
207. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster,1771; *hauseri* Reitter,1894 **SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ**
208. **Physiphora alceae (Preyssl,1791)** (Ulidiidae) Synonym(s): *alceae* Preyssl,1791 **AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO**
209. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**

210. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796
MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR
211. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes*
Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 AL DZ Cn
HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
212. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca* Fabricius,1787
FR IT ES MA DZ TN LY Cy
213. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana*
Gory & Percheron,1833 Cc AM GG GR BG TR AZ IR LY Cy DZ
214. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea*
Fabricius,1775 ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
215. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850;
breviceps Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn
DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
216. **Pseudoliarus fuscofasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscofasciatus*
Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954 EG IR LY TN Cc AM TR RU TJ TM
YE
217. **Pseudophotopsis aegyptiaca (Bischoff,1920)** (Mutillidae) Synonym(s): *aegyptiaca*
Bischoff,1920 IL Pa EG LY SD TD
218. **Pseudophotopsis biskrensis (André,1900)** (Mutillidae) Synonym(s): *biskrensis* André,1900
DZ TN LY EG
219. **Pseudophotopsis fumata Bischoff,1920** (Mutillidae) Synonym(s): *fumata* Bischoff,1920 IL
Pa LY TN TD EH
220. **Pseudophotopsis maura Bischoff,1920** (Mutillidae) Synonym(s): *maura* Bischoff,1920
IL Pa TN DZ LY EG TD
221. **Pteronomobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii*
Fischer,1853; *lateralis* Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU
HV B-H HU CZ AT IY DE FR
222. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata* Krauss,1877
TR SN LY SD TD IR SA
223. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791;
grylloides Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-
Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 MA Cn ES FR LY CY YE GH TR
224. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856 IR Kz AZ
Cc EG IL Pa IQ SY YE TN SD LY
225. **Rhysemodes orientalis Mulsant & Godart,1875** (Scarabaeidae) Synonym(s): *orientalis*
Mulsant & Godart,1875 MA DZ TN LY Cy EG
226. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec*
Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN TD TN DZ
ES EG DZ IT LY MT GR TR CY AF IL Pa
227. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus*
Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
228. **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828;
aegypticus Macquart,1838; *confluens* Loew,1851 TR IR Ss IL Pa EG SY LY CH
229. **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke
Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
230. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
231. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis*
Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
232. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758;
crenatus De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832;
europaeus Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA
DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
233. **Scaurus barbarus Solier,1836** (Tenebrionidae) Synonym(s): *barbarus* Solier,1836;
rugicollis Reiche & Saulcy,1857; *interruptus* Baudi,1875 LY TN SY
234. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838
MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
235. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 MA
Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
236. **Severinia lemoroï (Finot,1893)** (Mantidae) Synonym(s): *lemoroï* Finot,1893 DZ MA TN LY
237. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea*
Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
238. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s):
petricolum Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
239. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s):
velutinum Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum*

- Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962 **Cn DZ AD B-H GB CZ CY FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm**
240. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
241. **Stenosis laevicollis Solier,1838** (Tenebrionidae) Synonym(s): *laevicollis* Solier,1838 **DZ TN LY**
242. **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902 **TR IR Kh Elb Th CY EG IL Pa KG LY MN**
243. **Stiphrolamyra rubicunda Oldroyd,1947** (Asilidae) Synonym(s): *rubicunda* Oldroyd,1947 **LY EG IL Pa IR Fa**
244. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
245. **Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): *univittatus* Rossi,1792 **ES IT LY RU KP KR Cc AM Sb MN...**
246. **Tentyria latreillei Solier,1835** (Tenebrionidae) Synonym(s): *latreillei* Solier,1835 **DZ TN LY**
247. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 **DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU**
248. **Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus* Rossi,1790; *transversalis* Charpentier,1825 **IT Sa Si LY Cy GR SK TR**
249. **Tituboea fasciatipes (Pic,1929)** (Chrysomelidae) Synonym(s): *fasciatipes* Pic,1929 **LY**
250. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
251. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 **Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ**
252. **Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937 **TR GR Cr IN LY EG SY LB Bei**
253. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832 **GR SS LY SY LB IL Pa JO EG IQ TR**
254. **Tylopsis peneri Ragge,1974** (Tettigoniidae) Synonym(s): *peneri* Ragge,1974 **LY IL Pa JO**
255. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 **MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa**
256. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 **IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ**
257. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii* Strobl,1902 **DZ B-H HV FR GR IT LY MK MA SS TN YU**
258. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla* Meigen,1820 **DZ AT HV FR IT LY MA ES PT SS TN**
259. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840 **DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU**
260. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 **DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU**
261. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 **DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ**
262. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica* Stal,1859 **PT ES LY EG TN TR IR**
263. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS**
264. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866 **Cc AM AZ GG BG CY IL Pa IT Si SY LY YU**
265. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 **MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
266. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 **AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA**
267. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869 **IT TR GR EG LY IL Pa YU**
268. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 **IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU**

269. **Zarudnya interstitialis Melichar,1902** (Flatidae) Synonym(s): *interstitialis Melichar,1902*
EG IR LY TN
270. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis Frivaldsky,1877* DZ
MA LY Cy SY IL Pa Cr TR
271. **Zophosis pygmaea Solier,1834** (Tenebrionidae) Synonym(s): *pygmaea Solier,1834* LY TN EG
SY Dms



Synonymic and distributional list of the pterygot insects of Madagascar

(Results of the Entomofauna of the World based upon info-system of the Cesa)

48

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Madagascar (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **48**.

Priamus (suppl.) 18: 1936-1941.

In this study, totally 140 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Madagascar recorded in info-system of the Cesa, total pterygot species of Madagascar increase to 1469.

Key words: List, distribution, *pterygota*, *Insecta*, Madagascar.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ⁹⁵
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 140 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1329 recorded species of Lepidoptera from Madagascar are found. Taking this information into consideration, total number of the pterygots may increase to 1469.

The study is still continuing, and the new results will be published within this Project.

1. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
2. **Afrius (Subafrius) flavirostrum (Signoret,1861)** (Pentatomidae) Synonym(s): *flavirostrum Signoret,1861* MG
3. **Afroesticus persuasus (Oldroyd,1960)** (Asilidae) Synonym(s): *persuasus Oldroyd,1960* MG

⁹⁵ Koçak,A.Ö. & M.Kemal, 2007, Report on the Temporary Results of the Faunal Lists of African States based upon the Databank of the Cesa. 15. Madagascar stand 22.7.2007 [totally 1153 sp. & ssp. listed]

http://www.metafro.be/Members/Cesa/Cesapublafri18.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

4. **Afromochtherus annulata (Martin,1964)** (Asilidae) Synonym(s): *annulata* Martin,1964 **MG**
5. **Afromochtherus fanovanensis (Bromley,1942)** (Asilidae) Synonym(s): *fanovanensis* Bromley,1942 **MG**
6. **Afromochtherus griseola (Oldroyd,1960)** (Asilidae) Synonym(s): *griseola* Oldroyd,1960 **MG**
7. **Afromochtherus rufinota (Martin,1964)** (Asilidae) Synonym(s): *rufinota* Martin,1964 **MG**
8. **Afronaso malagasicus Gnezdilov & Bourgoïn,2009** (Caliscelidae) Synonym(s): *malagasicus* Gnezdilov & Bourgoïn,2009 **MG**
9. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, *Species Insectorum* 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
10. **Anchophthalmops menouxi (Mulsant & Rey,1953)** (Tenebrionidae) Synonym(s): *menouxi* Mulsant & Rey,1953; *sayi* Horn,1870; *trivialis* Gerstaecker,1871 **TZ Zz KE MG**
11. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
12. **Anochilia nitida Pouillaude,1915** (Scarabaeidae) Synonym(s): *nitida* Pouillaude,1915 **MG**
13. **Aphytis diaspidis (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971 **US FI CY TR MG AU QAU**
14. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
15. **Apocrypta cercaria Ulenberg,1985** (Agaonidae) Synonym(s): *cercaria* Ulenberg,1985 **MG**
16. **Apocrypta polyspina Ulenberg,1985** (Agaonidae) Synonym(s): *polyspina* Ulenberg,1985 **MG**
17. **Apocrypta setoptera Ulenberg,1985** (Agaonidae) Synonym(s): *setoptera* Ulenberg,1985 **MG**
18. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 **AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
19. **Ascalaphus festivus (Rambur,1842)** (Ascalaphidae) Synonym(s): *festivus* Rambur,1842 **IL Pa SA MG**
20. **Bombylisoma microlepidum Bowden,1973** (Bombyliidae) Synonym(s): *microlepidum* Bowden,1973 **MG**
21. **Brachymeria albipes (Kieffer,1905)** (Chalcididae) Synonym(s): *albipes* Kieffer,1905 **MG**
22. **Brachymeria madagascariensis (Kieffer,1905)** (Chalcididae) Synonym(s): *madagascariensis* Kieffer,1905 **MG**
23. **Brachymeria stigmosa Steffan,1958** (Chalcididae) Synonym(s): *tibialis* Steffan,1958 *nec* Wlk.,1834; *stigmosa* Steffan,1958 **Brachymeria tibialis** var. *stigmosa* Steffan,1958, *Entomophaga* 3 (3): 279. **MG**
24. **Brancsikia aeroplana Lamberton,1911** (Mantidae) Synonym(s): *aeroplana* Lamberton,1911 **MG**
25. **Brancsikia freyi (Brancsik,1893)** (Mantidae) Synonym(s): *freyi* Brancsik,1893 **MG**
26. **Brancsikia simplex Beier,1935** (Mantidae) Synonym(s): *simplex* Beier,1935 **MG**
27. **Bricoptis variolosa (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *variolosa* Gory & Percheron,1833 **MG**
28. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
29. **Ceratitis (s.str.) malgassa Munro,1939** (Tephritidae) Synonym(s): *malgassa* Munro,1939 **MG MU**
30. **Ceratitis (s.str.) manjakatempo Hancock,1984** (Tephritidae) Synonym(s): *manjakatempo* Hancock,1984 **MG**
31. **Ceratosolen blommersi Wiebes,1989** (Agaonidae) Synonym(s): *blommersi* Wiebes,1989 **MG**
32. **Ceratosolen longimucro Wiebes,1989** (Agaonidae) Synonym(s): *longimucro* Wiebes,1989 **MG**
33. **Ceratosolen namorokensis Risbec,1955** (Agaonidae) Synonym(s): *namorokensis* Risbec,1955 **MG**

34. **Ceratosolen stupefactus Wiebes,1989** (Agaonidae) Synonym(s): *stupefactus* Wiebes,1989
MG
35. **Cesacomora cucullata (Redtenbacher,1891)** (Tettigoniidae) Synonym(s): *cucullata*
Redtenbacher,1891 MG
36. **Cesametra madagascariensis (Poisson)** (Gerridae) Synonym(s): *madagascariensis* (Poisson)
MG
37. **Chopardempusa neglecta (Paulian,1958)** (Empusidae) Synonym(s): *neglecta* Paulian,1958
MG
38. **Clastopus eurynotoides Fairmaire,1898** (Tenebrionidae) Synonym(s): *eurynotoides*
Fairmaire,1898; *punctipennis* Fairmaire,1902 MG
39. **Clastopus ordinarius Iwan,1996** (Tenebrionidae) Synonym(s): *ordinarius* Iwan,1996 MG
40. **Clastopus tenuiculus (Iwan,1996)** (Tenebrionidae) Synonym(s): *tenuiculus* Iwan,1996 MG
41. **Closterocerus perineti (Risbec,1952)** (Eulophidae) Synonym(s): *perineti* Risbec,1952 MG
42. **Closterocerus theaephilus (Risbec,1952)** (Eulophidae) Synonym(s): *theaephilus* Risbec,1952
MG
43. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA
TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
44. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM
AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY
KP KR TW AU
45. **Culicoides bisolis Kremer & Brunhes,1973** (Ceratopogonidae) Synonym(s): *bisolis* Kremer &
Brunhes,1973 MG
46. **Danurella irregularis Westwood,1889** (Mantidae) Synonym(s): *irregularis* Westwood,1889
MG
47. **Danurella madagascariensis (Beier,1929)** (Mantidae) Synonym(s): *madagascariensis*
Beier,1929 MG
48. **Danurella marojejyensis Paulian,1961** (Mantidae) Synonym(s): *marojejyensis* Paulian,1961
MG
49. **Dasyhelea fenerivensis de Meillon,1961** (Ceratopogonidae) Synonym(s): *fenerivensis* de
Meillon,1961 MG
50. **Dirhinus madagascariensis (Masi,1947)** (Chalcididae) Synonym(s): *madagascariensis*
Masi,1947 MG
51. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus*
Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiiventris*
Stal,1864; *rutherfordi* Distant,1892 ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
52. **Doyenus dentatus Iwan,1996** (Tenebrionidae) Synonym(s): *dentatus* Iwan,1996 MG
53. **Doyenus uncus Iwan,1996** (Tenebrionidae) Synonym(s): *uncus* Iwan,1996 MG
54. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 EG DZ AO
ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
55. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus*
Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 ES MA DZ EG TR SD ZR SL
SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
56. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus*
Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus*
Wollaston,1861; *subdiaphanus* Wollaston,1861 DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG
MX NA PR ZW SA ZA SD AE VE
57. **Euchomena madecassa Saussure,1870** (Mantidae) Synonym(s): *madecassa* Saussure,1870
MG
58. **Eumyndus madagascariensis Synave,1956** (Cixiidae) Synonym(s): *madagascariensis*
Synave,1956 MG
59. **Eurycorypha brevipennis Karsch,1899** (Tettigoniidae) Synonym(s): *brevipennis* Karsch,1899
MG
60. **Eurycorypha brunneri Brancsik,1893** (Tettigoniidae) Synonym(s): *brunneri* Brancsik,1893
MG
61. **Eurycorypha prasinata Stal,1874** (Tettigoniidae) Synonym(s): *prasinata* Stal,1874 MG
62. **Friarius alluaudi (Schouteden,1905)** (Pentatomidae) Synonym(s): *alluaudi* Schouteden,1905
ET MG
63. **Geron dilutus Bowden,1974** (Bombyliidae) Synonym(s): *dilutus* Bowden,1974 SC MG
64. **Geron varicapillis Bowden,1974** (Bombyliidae) Synonym(s): *varicapillis* Bowden,1974 MG
65. **Glypsus abdominalis Cachan,1952** (Pentatomidae) Synonym(s): *abdominalis* Cachan,1952
MG
66. **Glypsus nigripes Horvath,1911** (Pentatomidae) Synonym(s): *nigripes* Horvath,1911 MG
67. **Glypsus truculentus Walker,1868** (Pentatomidae) Synonym(s): *truculentus* Walker,1868 MG
68. **Gyranusoidea pauliani (Risbec,1957)** (Encyrtidae) Synonym(s): *pauliani* Risbec,1957 MG

69. **Hemallia signitenens (Schouteden,1905)** (Pentatomidae) Synonym(s): *signitenens Schouteden,1905* MG MU
70. **Hovademus andringitrensis Ardoïn,1970** (Tenebrionidae) Synonym(s): *andringitrensis Ardoïn,1970* MG
71. **Hovademus pauliani Ardoïn,1970** (Tenebrionidae) Synonym(s): *pauliani Ardoïn,1970* MG
72. **Idolomorpha madagascariensis Westwood,1889** (Empusidae) Synonym(s): *madagascariensis Westwood,1889* MG
73. **Lechius abacoides (Fairmaire,1902)** (Tenebrionidae) Synonym(s): *abacoides Fairmaire,1902* MG
74. **Lechius madagascariensis (Iwan,1998)** (Tenebrionidae) Synonym(s): *madagascariensis Iwan,1998* MG
75. **Lechius steineri Iwan,1995** (Tenebrionidae) Synonym(s): *steineri Iwan,1995* MG
76. **Leherria⁹⁶ keiseri (Zumpt,1964)** (Sarcophagidae) Synonym(s): *keiseri Zumpt,1964* MG
77. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
78. **Macrorhaphis (s.str.) dallasi Schouteden,1905** (Pentatomidae) Synonym(s): *dallasi Schouteden,1905* MG TZ UG
79. **Madagascesa⁹⁷ nigrifacies (Seyrig,1952)** (Ichneumonidae) Synonym(s): *nigrifacies Seyrig,1952* MG
80. **Madobalus rotundicollis Fairmaire,1901** (Tenebrionidae) Synonym(s): *rotundicollis Fairmaire,1901* MG
81. **Mantasoa lebbei Meriguet,2005** (Mantidae) Synonym(s): *lebbei Meriguet,2005* MG
82. **Mantasoa macula (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *macula Saussure & Zehntner,1895* MG
83. **Mecosoma coquerelii Signoret,1861** (Pentatomidae) Synonym(s): *coquerelii Signoret,1861* MG
84. **Melanocratus fairmairei Iwan,1996** (Tenebrionidae) Synonym(s): *fairmairei Iwan,1996* MG
85. **Melanocratus ferreri Iwan,1996** (Tenebrionidae) Synonym(s): *ferreri Iwan,1996* MG
86. **Melanocratus validipes Fairmaire,1895** (Tenebrionidae) Synonym(s): *validipes Fairmaire,1895; humerosus Fairmaire,1901* MG
87. **Musca calleva Walker,1849** (Muscidae) Synonym(s): *calleva Walker,1849; mimetica Malloch,1941* SC ZW ZA MG Sk Cn EG TR
88. **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens Wiedemann,1830* SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
89. **Myriochole (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
90. **Neomyia setulosa (Zielke,1972)** (Muscidae) Synonym(s): *setulosa Zielke,1972* MG
91. **Nesogalepsus andriani Paulian,1961** (Irididae) Synonym(s): *andriani Paulian,1961* MG
92. **Nesogalepsus beieri Paulian,1961** (Irididae) Synonym(s): *beieri Paulian,1961* MG
93. **Nesogalepsus conspersus (Sjöstedt,1930)** (Irididae) Synonym(s): *conspersus Sjöstedt,1930* MG
94. **Nesogalepsus hova (Saussure & Zehntner,1895)** (Irididae) Synonym(s): *hova Saussure & Zehntner,1895* MG
95. **Nesogalepsus madagascariensis (Audinet-Serville,1839)** (Irididae) Synonym(s): *madagascariensis Audinet-Serville,1839* MG
96. **Nesogalepsus sikorai (Beier,1931)** (Irididae) Synonym(s): *sikorai Beier,1931* MG
97. **Nesogalepsus tuberculatus (Beier,1931)** (Irididae) Synonym(s): *tuberculatus Beier,1931* MG
98. **Ommatius madagascariensis Koçak & Kemal,2008⁹⁸** (Asilidae) Synonym(s): *madagascariensis Koçak & Kemal,2008* Ommatius madagascariensis Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro MG
99. **Otomantis aurita (Saussure & Zehntner,1895)** (Hymenopodidae) Synonym(s): *aurita Saussure & Zehntner,1895* MG TZ
100. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* DZ PT ES SA As TR MG SD ET TZ ZR
101. **Paralygdamia madecassa Saussure & Zehntner,1895** (Irididae) Synonym(s): *madecassa Saussure & Zehntner,1895* MG

⁹⁶ genus name established by the authors.

⁹⁷ genus name established by the authors.

⁹⁸ specific name established by the authors.

102. **Paramantis ottei Koçak & Kemal,2008**⁹⁹ (Mantidae) Synonym(s): *prasina* Serville,1839 nec Burmeist.,1838; *ottei* Koçak & Kemal,2008 **Paramantis ottei Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8-9 (nomen novum pro prasina Serville,1839 nec Burmeist.,1838).** ZA Ec CI GH GN KE KM MG TZ TG RE
103. **Paramantis viridis (Saussure,1872)** (Mantidae) Synonym(s): *viridis* Saussure,1872 **MG ZA Nta Kzu CM ZR**
104. **Pediobius acalyphae (Risbec,1958) (1)** (Eulophidae) Synonym(s): *acalyphae* Risbec,1958 **MG**
105. **Pediobius ambulobei (Risbec,1958)** (Eulophidae) Synonym(s): *ambulobei* Risbec,1958 **MG**
106. **Pediobius aphidi (Risbec,1952)** (Eulophidae) Synonym(s): *aphidi* Risbec,1952 **MG**
107. **Pediobius balyanae Boucek,1977** (Eulophidae) Synonym(s): *balyanae* Boucek,1977 **MG**
108. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
109. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796 **MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR**
110. **Polyspilota robusta Roy,1989** (Mantidae) Synonym(s): *robusta* Roy,1989 **MG**
111. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
112. **Prodecatoma madagascariensis Risbec,1952** (Eurytomidae) Synonym(s): *madagascariensis* Risbec,1952 **MG**
113. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
114. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 **AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG**
115. **Sycophila cassinopsisi (Risbec,1952)** (Eurytomidae) Synonym(s): *cassinopsisi* Risbec,1952 **MG**
116. **Sycophila nigrofasciata (Risbec,1952)** (Eurytomidae) Synonym(s): *nigrofasciata* Risbec,1952 **MG**
117. **Sycophila plectroniae (Risbec,1952)** (Eurytomidae) Synonym(s): *plectroniae* Risbec,1952 **MG**
118. **Sycophila rubra (Risbec,1952)** (Eurytomidae) Synonym(s): *rubra* Risbec,1952 **MG**
119. **Tarachomantis alaotrana Giglio-Tos,1913** (Mantidae) Synonym(s): *alaotrana* Giglio-Tos,1913 **MG**
120. **Tarachomantis betsilea (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *betsilea* Saussure & Zehntner,1895 **MG**
121. **Tarachomantis caldwellii (Bates,1863)** (Mantidae) Synonym(s): *caldwellii* Bates,1863; *roseiventris* Stal,1877; *brunneri* Brancsik,1893; *malagassa* Saussure & Zehntner,1895 **MG**
122. **Tarachomantis confusa Giglio-Tos,1912** (Mantidae) Synonym(s): *confusa* Giglio-Tos,1912 **MG**
123. **Tarachomantis hova (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *hova* Saussure & Zehntner,1895 **MG**
124. **Tarachomantis macula (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *macula* Saussure & Zehntner,1895; *madecassa* Beier,1935 **MG**
125. **Tarachomantis rubiginosa (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *rubiginosa* Saussure & Zehntner,1895 **MG**
126. **Tarachomantis sakalava (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *sakalava* Saussure & Zehntner,1895 **MG**
127. **Telomantis lamperti (Werner,1906)** (Mantidae) Synonym(s): *lamperti* Werner,1906; *usambarica* Sjöstedt,1909; *madagassica* Paulian,1957 **MG MW KE TZ**
128. **Tenodera superstitionosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitionosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
129. **Tisma acutipennis (Westwood,1889)** (Mantidae) Synonym(s): *acutipennis* Westwood,1889 **MG**
130. **Tisma chopardi Roy,2005** (Mantidae) Synonym(s): *chopardi* Roy,2005 **MG**
131. **Tisma freyi (Brancsik,1893)** (Mantidae) Synonym(s): *freyi* Brancsik,1893 **MG**

⁹⁹ specific name established by the authors.

132. **Tisma grandidieri (Saussure & Zehntner,1895)** (Mantidae) Synonym(s): *grandidieri Saussure & Zehntner,1895* **MG**
133. **Tisma pauliani Roy,2005** (Mantidae) Synonym(s): *pauliani Roy,2005* **MG**
134. **Tisma peyrierasi Roy,2005** (Mantidae) Synonym(s): *peyrierasi Roy,2005* **MG**
135. **Torymus ambositrae (Risbec,1955)** (Torymidae) Synonym(s): *ambositrae Risbec,1955* **MG**
136. **Torymus mandrakensis (Risbec,1956)** (Torymidae) Synonym(s): *mandrakensis Risbec,1956 Syntomaspis mandrakensis Risbec,1956, Annl. Soc. ent. Fr. 124: 162. Type: Madagascar.* **MG**
137. **Torymus ranomafanensis (Risbec,1956)** (Torymidae) Synonym(s): *ranomafanensis Risbec,1956 Syntomaspis ranomafanensis Risbec,1956, Annl. Soc. ent. Fr. 124: 161. Type: Madagascar.* **MG**
138. **Toxophora seyrigi Séguy,1934** (Bombyliidae) Synonym(s): *seyrigi Séguy,1934* **MG**
139. **Tuberculepsus tuberculatus (Beier,1931)** (Irididae) Synonym(s): *tuberculatus Beier,1931* **MG**
140. **Villa unifasciata (Macquart,1840)** (Bombyliidae) Synonym(s): *unifasciata Macquart,1840; madagascariensis Macquart,1847; leptopa Thomson,1869* **MG MU RE Rdg**

Synonymic and distributional list of the pterygot insects of Malawi

(Results of the Entomofauna of the World based upon info-system of the Cesa)

49

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Malawi (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 49. *Priamus* (suppl.) 18: 1942-1945.

In this study, totally 94 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Malawi recorded in info-sytem of the Cesa, total pterygot species of Malawi increase to 854.

Key words: List, distribution, *pterygota*, *Insecta*, Malawi.

Brief explanatory information:

Previously published article	yes ¹⁰⁰
Previously published report	yes ¹⁰¹
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 94 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 760 recorded species of *Lepidoptera* from Malawi are found. Taking this information into consideration, total number of the pterygots increase to 854.

The study is still continuing, and the new results will be published within this Project.

¹⁰⁰ Koçak, A.Ö. & M. Kemal, 2008, Nomenclatural notes on some species-group names in the family *Asilidae* (*Diptera*). *Cent. ent. Stud., Misc. Pap.* 145: 9-12.

¹⁰¹ Koçak, A.Ö. & M. Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 8- Malawi stand 19.7.2007 [totally 900 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafr10.pdf/base_view - Koçak, A.Ö. & M. Kemal, 2008, Second report on the temporary results of the *Lepidoptera* List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak, A.Ö. & M. Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak, A.Ö. & M. Kemal, 2009, Third Report on the Temporary Results of the *Lepidopteran* List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

1. **Afroesticus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus Speiser,1910; senex Bromley,1936* **TZ ZA BF ZR ET KE MW MZ ZW**
2. **Afroesticus eminentis Scarbrough,2005** (Asilidae) Synonym(s): *eminentis Scarbrough,2005* **MW MZ**
3. **Afroesticus hamulus Scarbrough,2005** (Asilidae) Synonym(s): *hamulus Scarbrough,2005* **MW**
4. **Afroesticus minutus (Bromley,1936)** (Asilidae) Synonym(s): *minutus Bromley,1936* **ZA BW MW ML NA ZW**
5. **Afromochtherus malawi Londt,2002** (Asilidae) Synonym(s): *malawi Londt,2002* **MW**
6. **Afromochtherus unctus (Oldroyd,1939)** (Asilidae) Synonym(s): *unctus Oldroyd,1939* **KE MW**
7. **Afrothespis dudleyi Roy,2006** (Mantidae) Synonym(s): *dudleyi Roy,2006* **MW**
8. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* **LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
9. **Alcimus nigrescens Ricardo,1922** (Asilidae) Synonym(s): *nigrescens Ricardo,1922* **MW**
10. **Alcimus rubiginosus Gerstaecker,1871** (Asilidae) Synonym(s): *rubiginosus Gerstaecker,1871* **UG TZ MW**
11. **Alcimus taeniopus (Rondani,1873)** (Asilidae) Synonym(s): *taeniopus Rondani,1873* **MW NG ET**
12. **Anastoechus meridionalis Bezzi,1912** (Bombyliidae) Synonym(s): *meridionalis Bezzi,1912* **MW TZ ZM ZW**
13. **Ancylorhynchus crux Bezzi,1908** (Asilidae) Synonym(s): *crux Bezzi,1908; apicalis Curran,1934; splendens Bromley,1936* **MW ZR ZW ZA ZM**
14. **Ancylorhynchus magnificus Bromley,1936** (Asilidae) Synonym(s): *magnificus Bromley,1936* **MW ZA ZW**
15. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
16. **Andrenosoma serpentina (Bezzi,1908)** (Asilidae) Synonym(s): *serpentina Bezzi,1908* **ZR KE MW ZA NG**
17. **Anomalipus heraldicus Gerstaecker,1871** (Tenebrionidae) Synonym(s): *heraldicus Gerstaecker,1871* **TZ KE MZ MW**
18. **Anomalipus lineatus (Gerstaecker,1854)** (Tenebrionidae) Synonym(s): *lineatus Gerstaecker,1854* **MZ MW ZW**
19. **Anthrax camptocladus Bezzi,1912** (Bombyliidae) Synonym(s): *camptocladus Bezzi,1912* **MW ZW**
20. **Anthrax nigerimus Bezzi,1923** (Bombyliidae) Synonym(s): *nigerimus Bezzi,1923* **ZR KE MW TZ UG**
21. **Anthrenus (Nathrenus) basilewskyi Kalik,1965** (Dermestidae) Synonym(s): *basilewskyi Kalik,1965* **KE MW TZ**
22. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909; mollis Bezzi,1921; disjunctus Bezzi,1921; parallelus Bezzi,1924* **BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW**
23. **Bombomyia bicolorata Bezzi,1924** (Bombyliidae) Synonym(s): *bicolorata Bezzi,1924* **MW**
24. **Bombomyia bombiformis (Bezzi,1921)** (Bombyliidae) Synonym(s): *bombiformis Bezzi,1921* **MW ZA Mpu TZ ZM ZW**
25. **Bombomyia haemorrhoidalis (Bezzi,1921)** (Bombyliidae) Synonym(s): *haemorrhoidalis Bezzi,1921* **MW TZ ZM ZW**
26. **Bombylella argentata (Fabricius,1805)** (Bombyliidae) Synonym(s): *argentata Fabricius,1805; argyroloma Bowden,1964* **TD ER CI GH KE MW NG TZ UG**
27. **Bombylella auricoma (Bezzi,1924)** (Bombyliidae) Synonym(s): *auricoma Bezzi,1924* **ER ET KE MW ZA Kzu Nta UG**
28. **Bombylella kilimandjarica (Speiser,1910)** (Bombyliidae) Synonym(s): *kilimandjarica Speiser,1910; #nitidipunctatus Bigot,1921* **AO BI KE MW ZA Kzu Nta SZ TZ**
29. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris Macquart,1846* **BW KE MW ZA Kzu Nta SZ TZ ZM ZW**
30. **Bombylisoma gemmeum (Bezzi,1924)** (Bombyliidae) Synonym(s): *gemmeum Bezzi,1924* **KE MW TZ**
31. **Bombylisoma lepidum (Loew,1860)** (Bombyliidae) Synonym(s): *lepidum Loew,1860* **MW NA**
32. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale Bezzi,1924* **AO KE MW NA NG TZ UG**

33. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
34. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
35. **Chalicodoma (Carinella) torrida (Smith,1853)** (Megachilidae) Synonym(s): *torrida* Smith,1853 ZR Kvu KE MW MZ
36. **Chalicodoma (Gronoceras) sosia Pasteels,1970** (Megachilidae) Synonym(s): *sosia* Pasteels,1970 MW
37. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
38. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus* Kerrich,1970; *latipennis* Khan & Shafee,1981 IN KE MW MZ OM PK LK AE ZA
39. **Closterocerus ritchiei (Ferrière,1936)** (Eulophidae) Synonym(s): *ritchiei* Ferrière,1936 CG ZR KE MW TZ
40. **Closterocerus violaceus (Ferrière,1936)** (Eulophidae) Synonym(s): *violaceus* Ferrière,1936 KE MW TZ
41. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 KE ZR MW RW TZ ZM ZW
42. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 AU NSw QAu BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
43. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps* Schaum,1853; *paradoxa* Saussure,1871 AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
44. **Dystactula kaltenbachi Roy,2006** (Mantidae) Synonym(s): *kaltenbachi* Roy,2006 MW
45. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata* Saussure,1869; *ibana* Giglio-Tos,1912; *iringana* Giglio-Tos,1912; *madimbana* Giglio-Tos,1912 AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ
46. **Exoprosopa erronea Bezzi,1924** (Bombyliidae) Synonym(s): *erronea* Bezzi,1924 MW TZ
47. **Exoprosopa goliath Bezzi,1924** (Bombyliidae) Synonym(s): *goliath* Bezzi,1924 MW
48. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra* Bezzi,1924; *saskae* Szilady,1942 AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
49. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides* Bezzi,1924 ZM ZR MW TZ ZA ZW
50. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae* Risbec,1951; *africanus* Risbec,1955; *deemingi* Subba Rao,1970 BJ CM GH KE MW NG SN TZ UG
51. **Galepsus (Onychogalepsus) malawiensis Beier,1969** (Irididae) Synonym(s): *malawiensis* Beier,1969 MW
52. **Galepsus (Onychogalepsus) minutus Giglio-Tos,1911** (Irididae) Synonym(s): *minutus* Giglio-Tos,1911 ET TZ MW
53. **Galepsus (Synagalepsus) bikenmeierae Beier,1969** (Irididae) Synonym(s): *bikenmeierae* Beier,1969 MW
54. **Geron nasutus Bezzi,1924** (Bombyliidae) Synonym(s): *nasutus* Bezzi,1924 KE MW NA NG ZM
55. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus* Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
56. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis* Fabricius,1798; *sulcatus* Solier,1848; *exaratus* Gerstaecker,1854; *ater* Fahraeus,1870 AO BW ZR LS MW MZ NA ZA TZ ZM ZW
57. **Gonypetella fuscipes (Sjöstedt,1909)** (Mantidae) Synonym(s): *fuscipes* Sjöstedt,1909 ET MW TZ
58. **Hapalomantis (Bolbira) lacualis Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *lacualis* Giglio-Tos,1915 AO MW
59. **Heligmonevra tropicana Koçak & Kemal,2008** (Asilidae) Synonym(s): *laevis* Engel,1927 nec Wlk.,1861; *tropicana* Koçak & Kemal,2008 ZR MW NA
60. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica* Saussure,1869 ET KE MW SO TZ UG
61. **Leptolobus insignis (Distant,1898)** (Pentatomidae) Synonym(s): *insignis* Distant,1898 MW
62. **Lethocerus grandis (Linnaeus,1758)** (Belostomatidae) Synonym(s): *grandis* Linnaeus,1758 MW TH
63. **Ligaria brevicollis Stal,1877** (Mantidae) Synonym(s): *brevicollis* Stal,1877; *umtalica* Giglio-Tos,1915 MZ ZW ZA Tva Lpo BW MW NA ZM ZW

64. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infusata* Walker,1868; *spinosum* Horvath,1892 **AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW**
65. **Milichia fumicostata Deeming,1981** (Milichiidae) Synonym(s): *fumicostata* Deeming,1981 **MW TZ**
66. **Miomantis binotata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *binotata* Giglio-Tos,1911 **KE MW RW TZ TG BI**
67. **Miomantis helenae (Giglio-Tos,1914)** (Mantidae) Synonym(s): *helenae* Giglio-Tos,1914 **MW ZW ZA Tva Lpo**
68. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis* Giglio-Tos,1911 **ET KE MW RW SO TZ UG BI**
69. **Neomyia currani (Pont,1980)** (Muscidae) Synonym(s): *currani* Pont,1980 **ZR MW TZ UG**
70. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia* Malloch,1923 **KE CM GH MW RW ZA TG UG ZR**
71. **Nothogalepsus planivertex (Beier,1953)** (Irididae) Synonym(s): *planivertex* Beier,1953 **MZ MW NA ZW**
72. **Otomantis scutigera Bolivar,1890** (Hymenopodidae) Synonym(s): *scutigera* Bolivar,1890; *africana* Saussure & Zehntner,1895 **MW MZ TZ ZA Tva Lpo**
73. **Oxyopilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *meruensis* Sjöstedt,1909; *nigericus* Beier,1930 **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW**
74. **Paraligaria malawica Beier,1969** (Mantidae) Synonym(s): *malawica* Beier,1969 **MW**
75. **Pediobius africanus (Waterston,1915)** (Eulophidae) Synonym(s): *africanus* Waterston,1915 **MW UG**
76. **Pediobius afronigripes Kerrich,1973** (Eulophidae) Synonym(s): *afronigripes* Kerrich,1973 **CM ZR GH CI MW NG**
77. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus* Waterston,1915 **EG ZR GH MW NG SN ZA TG**
78. **Pediobius anastati (Crawford,1913)** (Eulophidae) Synonym(s): *anastati* Crawford,1913; *violaceus* Waterson,1915 **MW ML SN UG**
79. **Pediobius angustifrons Kerrich,1973** (Eulophidae) Synonym(s): *angustifrons* Kerrich,1973 **KE MW SL UG**
80. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
81. **Sphodromantis kenya La Greca & Lombardo,1987** (Mantidae) Synonym(s): *kenya* La Greca & Lombardo,1987 **KE MW UG**
82. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
83. **Systropus (s.str.) hirtulus Bowden,1967** (Bombyliidae) Synonym(s): *hirtulus* Bowden,1967 **MW TZ**
84. **Systropus (s.str.) sheppardi Hesse,1963** (Bombyliidae) Synonym(s): *sheppardi* Hesse,1963; *rubripes* Bowden,1967 **MW ZW**
85. **Systropus (s.str.) snowi Adams,1905** (Bombyliidae) Synonym(s): *snowi* Adams,1905 **MW ZW**
86. **Systropus (s.str.) trispinosus Bezzi,1924** (Bombyliidae) Synonym(s): *trispinosus* Bezzi,1924 **MW**
87. **Tarachodes (s.str.) insidiator Wood-Mason,1882** (Irididae) Synonym(s): *insidiator* Wood-Mason,1882; *sancta* Werner,1907; *pilosides* Rehn,1912 **AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW**
88. **Tarachodes (s.str.) maurus (Stal,1856)** (Irididae) Synonym(s): *maurus* Stal,1856 **CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ**
89. **Taumantis globiceps Beier,1969** (Mantidae) Synonym(s): *globiceps* Beier,1969 **MW ZA ZM ZW**
90. **Telomantis lamperti (Werner,1906)** (Mantidae) Synonym(s): *lamperti* Werner,1906; *usambarica* Sjöstedt,1909; *madagassica* Paulian,1957 **MG MW KE TZ**
91. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
92. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides* Bezzi,1912 **ER ET KE MW SO UG YE EG SA OM**
93. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albogilva* François,1969 **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**
94. **Villa validicornis Bezzi,1924** (Bombyliidae) Synonym(s): *validicornis* Bezzi,1924 **MW**

Synonymic and distributional list of the pterygot insects of Marocco

(Results of the Entomofauna of the World based upon info-system of the Cesa)

50

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Marocco (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 50.
Priamus (suppl.) 18: 1946-1979.

In this study, totally 888 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Marocco recorded in info-system of the Cesa, total pterygot species of Marocco increase to 2075.

Key words: List, distribution, *pterygota*, *Insecta*, Marocco.

Brief explanatory information:

Previously published article	no
Previously published report	yes ¹⁰²
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 888 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1187 recorded species of *Lepidoptera* from Marocco are found. Taking this information into consideration, total number of the pterygots may increase to 2075.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthophyes tessilii Bergevin,1932** (Membracidae) Synonym(s): *tessilii Bergevin,1932* **DZ MA**
2. **Acantothereva rungsi Séguy,1935** (Therevidae) Synonym(s): *rungsii Séguy,1935* **MA**
3. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa Lethierry,1885*; *minutus Haupt,1917*; *simplex Haupt,1917 (praeocc.)*; *sanguisuga Lindberg,1927*; *obtusus Metcalf,1955* **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**

¹⁰² **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.
<http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base> view

4. **Acrita turrata (Linnaeus,1758)** (Acrididae) Synonym(s): *turrata* Linnaeus,1758; *rufescens* Beauvois,1805; *tenuis* Beauvois,1805; *carinulata* Bolivar,1889; *uwarovi* Bolivar,1936; *maroccana* Dirsh,1949; *sicula* Dirsh,1949; *tunetana* Dirsh,1949 CV NG BJ MA TN IT Si
5. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 *Gryllus insubricus* Scopoli,1786, *Deliciae faunae et florum insubricae etc Ticini*: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
6. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870 MA GR TR IR Ss PK RU
7. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel,1827 TR ES MA DZ CY SY EG
8. **Adeniana mairei (Bergevin,1917)** (Cicadidae) Synonym(s): *mairei* Bergevin,1917 DZ MA
9. **Adeniana maroccana Villiers,1943** (Cicadidae) Synonym(s): *maroccana* Villiers,1943 MA
10. **Adeniana robusta Villiers,1943** (Cicadidae) Synonym(s): *robusta* Villiers,1943 DZ MA
11. **Aethiessa feralis Erichson,1871** (Scarabaeidae) Synonym(s): *feralis* Erichson,1871 DZ MA
12. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis* Fabricius,1787; *refulgens* Herbst,1790; *apwick* Gory & Percheson,1833; *barbara* Gory & Percheson,1833; *doguerau* Gory & Percheson,1833; *viridiflua* Motschulsky,1835; *deserticola* Waltl,1838 DZ TN MA LY Cy ES IT Si
13. **Afroepitriptus beckeri Lehr,1992** (Asilidae) Synonym(s): *beckeri* Lehr,1992 MA
14. **Afroholopogon waltlii (Meigen,1838)** (Asilidae) Synonym(s): *waltlii* Meigen,1838 ES? MA?
15. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
16. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911 ES Cn EG IR IQ IT MA Cc AM TR
17. **Agallia hispanica Horvath,1900** (Cicadellidae) Synonym(s): *hispanica* Horvath,1900 IL MA PT ES
18. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
19. **Agalmatum flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
20. **Agapanthia irrorata (Fabricius,1787)** (Cerambycidae) Synonym(s): *irrorata* Fabricius,1787 MA ES PT IT Sa
21. **Agapanthia zappii Sama,1987** (Cerambycidae) Synonym(s): *zappii* Sama,1987 MA DZ TN LY
22. **Aganaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
23. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
24. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
25. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
26. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
27. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
28. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum* Dejean,1828 AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
29. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
30. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
31. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
32. **Agriotes (s.str.) proximus Schwarz,1891** (Elateridae) Synonym(s): *proximus* Schwarz,1891; *lineatoides* Reitter,1911 MA TR

33. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn Fr AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
34. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
35. **Akis italica Solier,1836** (Tenebrionidae) Synonym(s): *italica* Solier,1836 **IT DZ MA**
36. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 **AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR**
37. **Allygus provincialis (Ferrari,1882)** (Cicadellidae) Synonym(s): *provincialis* Ferrari,1882 **BG FR IT MA PT**
38. **Alocoderus hydrochaeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 **DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY**
39. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalensis* Schuler,1964 **AL HV FR Co GR IT MA SL ES TR DZ CY SY**
40. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
41. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
42. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
43. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythroga* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
44. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
45. **Ameles africana Bolivar,1914** (Mantidae) Synonym(s): *africana* Bolivar,1914 **DZ MA FR Co HV IT Si Sa PT**
46. **Ameles assoi (Bolivar,1873)** (Mantidae) Synonym(s): *assoi* Bolivar,1873 **ES MA TN**
47. **Ameles dumonti Chopard,1943** (Mantidae) Synonym(s): *dumonti* Chopard,1943 **MA TN**
48. **Ameles maroccana Uvarov,1931** (Mantidae) Synonym(s): *maroccana* Uvarov,1931 **MA**
49. **Ameles modesta (Bolivar,1914)** (Mantidae) Synonym(s): *modesta* Bolivar,1914 **MA**
50. **Ameles moralesi Bolivar,1936** (Mantidae) Synonym(s): *moralesi* Bolivar,1936 **MA**
51. **Ameles spallanzania (Rossi,1792)** (Mantidae) Synonym(s): *spallanzania* Rossi,1792; *nana* Charpentier,1825; *brevis* Rambur,1838; *soror* Audinet-Serville,1839; *gracilis* Brullé,1840; *abjecta* Bolivar,1897 **AL DZ FR GR IT HV MA PT ES**
52. **Amphicoma (Vittateulasia) goudoti Castelnau,1840** (Glaphyridae) Synonym(s): *goudoti* Castelnau,1840; *lajonquierei* Baraud,1981; *pardoi* Baraud,1981 **MA**
53. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
54. **Anastoechus latifrons Macquart,1839** (Bombyliidae) Synonym(s): *latifrons* Macquart,1839 **Cn MA EG**
55. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
56. **Ancylorhynchus gummigutta Becker,1906** (Asilidae) Synonym(s): *gummigutta* Becker,1906 **MA**
57. **Ancylorhynchus limbatus (Fabricius,1794)** (Asilidae) Synonym(s): *limbatus* Fabricius,1794; *laufferi* Strobls,1906 **ES MA TN**
58. **Ancylorhynchus vultur Séguy,1930** (Asilidae) Synonym(s): *vultur* Séguy,1930 **MA**

59. **Andrena (Brachyandrena) miegiella Dours,1873** (Andrenidae) Synonym(s): *miegiella* Dours,1873; *lojaconi* Destefani,1889; *tingitana* Pérez,1895 **ES IT Si MT MA DZ**
60. **Aneomochtherus brevipennis (Séguy,1932)** (Asilidae) Synonym(s): *brevipennis* Séguy,1932 **MA**
61. **Aneomochtherus ochriventris (Loew,1854)** (Asilidae) Synonym(s): *ochriventris* Loew,1854; *tenellus* Becker,1923 **MA TN ES SY**
62. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
63. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772 **DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR**
64. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787 **DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
65. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena* Illiger,1803 **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
66. **Anthaxia (s.str.) manca (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca* Linnaeus,1767 **DZ MA SE Cc AM TR**
67. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis* Fabricius,1776 **DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA**
68. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerales* Alfken,1936 **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
69. **Anthidium (Archanthidium) laeviventre Dours,1873** (Megachilidae) Synonym(s): *laeviventre* Dours,1873; *atlanticum* Benoist,1934; *ibericum* Mavromoustakis,1939; **MA DZ ES FR**
70. **Anthidium (Icteranthidium) afrum Lepeletier,1841** (Megachilidae) Synonym(s): *afrum* Lepeletier,1841 **MA DZ**
71. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
72. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931 **MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM**
73. **Anthidium (Mesanthidium) alternans Klug,1832** (Megachilidae) Synonym(s): *alternans* Klug,1832; *karschi* Friese,1899; *doederlini* Friese,1917; *dusmeti* Mavromoustakis,1947; *lividum* Benoist,1950; *flavissimum* Pasteels,1969 **DZ MA SA EG IL Pa**
74. **Anthidium (Mesanthidium) octodentatum Pérez,1895** (Megachilidae) Synonym(s): *octodentatum* Pérez,1895; *capapei* Dusmet,1915 **MA**
75. **Anthidium (Mesanthidium) schulthessi Friese,1897** (Megachilidae) Synonym(s): *schulthessi* Friese,1897; *naefi* Benoist,1950 **ES MA**
76. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 **MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR**
77. **Anthidium (Proanthidium) pulchellum Klug,1832** (Megachilidae) Synonym(s): *pulchellum* Klug,1832; *nitidicolle* Friese,1897; *asniense* Cockerell,1931 **EG Sn MA SA**
78. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleri* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
79. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**

80. **Anthidium (Pseudoanthidium) ochrognatum Alfken,1932** (Megachilidae) Synonym(s): *ochrognatum* Alfken,1932; *obscuratum* Benoist,1950 nec Mor.,1875; *rubellulum* Pasteels,1969 **IL Pa EG MA**
81. **Anthidium (Rhodanthidium) siculum Spinola,1838** (Megachilidae) Synonym(s): *siculum* Spinola,1838; *fontainesii* Lepeletier,1841; *andrei* Mocsary,1884 **MA DZ LY Cy ES IT Si**
82. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum* Fabricius,1787; *ordonezi* Dusmet,1915; *amismizianum* Dusmet,1915 **MA DZ TN LY Cy IT Si PT ES FR**
83. **Anthidium (s.str.) auritum Klug,1832** (Megachilidae) Synonym(s): *auritum* Klug,1832; *fischeri* Spinola,1838; *rufomaculatum* Friese,1899 **MA EG IL Pa**
84. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevrier,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes* Friese,1897; *kohlui* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum* Friese,1917; *suecicum* Alfken,1927 **SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR**
85. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum* Latreille,1809; *fasciatum* Latreille,1809; *sulphureum* Lepeletier,1841; *affine* Morawitz,1873; *monile* Friese,1897; *nostrum* Radoszkowski,1893 **FR ES IT Si TM MA DZ HV GR Rd TR IL Pa**
86. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 **ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak**
87. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 **MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma**
88. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
89. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 **IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM**
90. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 **IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR**
91. **Anthrenus (Nathrenus) biskrensis Reitter,1887** (Dermestidae) Synonym(s): *biskrensis* Reitter,1887 **DZ MA TN LY IT Si MT**
92. **Anthrenus (Nathrenus) exilis Mulsant & Rey,1868** (Dermestidae) Synonym(s): *exilis* Mulsant & Rey,1868 **DZ MA EG**
93. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851 **TR EG DZ TN MA IR SY Cc**
94. **Anthypna meles (Fabricius,1792)** (Glaphyridae) Synonym(s): *meles* Fabricius,1792; *cyanipennis* Fabricius,1801 **MA DZ TN**
95. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 **AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN**
96. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
97. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU**
98. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 **AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU**
99. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
100. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871 **MA DZ LY TN EG NG TR SA IL Pa IR**
101. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910 **EG TN LY MA IL Pa YE SA IR**

102. **Apolysis ornata (Engel,1932)** (Bombyliidae) Synonym(s): *ornata* Engel,1932; *tomentosa* Engel,1932 MA EG
103. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 AZ BG FR GG IT ES TR MA TN IL Pa
104. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
105. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
106. **Apteromantis bolivari (Werner,1929)** (Mantidae) Synonym(s): *bolivari* Werner,1929 DZ MA PT
107. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya Tj Pm MN
108. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 nec Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 GG RO GR RU Cc UA IR MA
109. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 GR Cr MD RO RU UA Cc Cm MA Cn
110. **Ariasa conspersa Stal,1877** (Irididae) Synonym(s): *conspersa* Stal,1877; *cara* Giglio-Tos,1907 MA AO ZM
111. **Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): *barbarus* Linnaeus,1758; *sinis* Séguy,1930; *flavipes* Esipenko,1970 IR Kz DZ MA TN RU
112. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
113. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
114. **Asmisapyga guichardi Gusenleitner,1996** (Sapygidae) Synonym(s): *guichardi* Gusenleitner,1996 MA
115. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 DZ EG MA TN CA US AF PK KK TM UZ TR
116. **Attagenus (s.str.) heydeni (Reitter,1881)** (Dermestidae) Synonym(s): *heydeni* Reitter,1881 MA EG
117. **Attagenus (s.str.) hirtulus Rosenhauer,1856** (Dermestidae) Synonym(s): *hirtulus* Rosenhauer,1856 PT ES MA TN
118. **Attalus maculicollis (Lucas,1849)** (Melyridae) Synonym(s): *maculicollis* Lucas,1849 TN MA DZ FR MT
119. **Atylotus agricola (Wiedemann,1826)** (Tabanidae) Synonym(s): *agricola* Wiedemann,1826 MA EG TR
120. **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula* Ribaut,1935 AF FR IR IT MA TN
121. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
122. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius* Fabricius,1775 MT DK SE PT RU Cc MA DZ IT Sa Si
123. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
124. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
125. **Bellardia maroccana (Villeneuve,1941)** (Calliphoridae) Synonym(s): *maroccana* Villeneuve,1941 MA
126. **Bellardia mascariensis (Villeneuve,1926)** (Calliphoridae) Synonym(s): *mascariensis* Villeneuve,1926 MA DZ
127. **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911 MA DZ TR LB SY JO IR OM IL Pa ML MR TM
128. **Bembecinus barbarus (De Beaumont,1950)** (Crabronidae) Synonym(s): *barbarus* De Beaumont,1950 MA DZ
129. **Bembecinus discolor (Handlirsch,1892)** (Crabronidae) Synonym(s): *discolor* Handlirsch,1892 DZ MA
130. **Bembecinus mattheyi De Beaumont,1951** (Crabronidae) Synonym(s): *mattheyi* De Beaumont,1951 MA TN LY
131. **Bembecinus mhamidus Schmid-Egger,2004** (Crabronidae) Synonym(s): *mhamidus* Schmid-Egger,2004 MA MR ML

132. **Bembecinus naefi (De Beaumont,1951)** (Crabronidae) Synonym(s): *naefi De Beaumont,1951* MA
133. **Bembecinus podager (De Beaumont,1951)** (Crabronidae) Synonym(s): *podager De Beaumont,1951* MA
134. **Bembecinus schlaeflei Schmid-Egger,2004** (Crabronidae) Synonym(s): *schlaeflei Schmid-Egger,2004* MA
135. **Bembecinus spinifemur De Beaumont,1951** (Crabronidae) Synonym(s): *spinifemur De Beaumont,1951* MA
136. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
137. **Bembecinus zibanensis Morice,1911** (Crabronidae) Synonym(s): *zibanensis Morice,1911* DZ MA
138. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile Gyllenhal,1810* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
139. **Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile Dejean,1831* TR MA TN AF IQ
140. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
141. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
142. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
143. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
144. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
145. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
146. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
147. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
148. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
149. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
150. **Beris rozkosnyi Kassebeer,1996** (Stratiomyidae) Synonym(s): *rozkosnyi Kassebeer,1996* MA ES
151. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus Latreille,1792; angusticollis Spinola,1843; tuberculata Lepeletier,1845; bituberculata Smith,1855; erythrothorax Sichel & Radoszowski,1870; cobosi Suarez,1958* FR ES IT GR CY SY MA DZ TN
152. **Blakeius chiesi (Spinola,1839)** (Mutillidae) Synonym(s): *chiesi Spinola,1839; diophtalma Costa,1882; ibericus Suarez,1958; negrei Suarez,1958* MA DZ TN IT Sa ES PT
153. **Blakeius invreai (Suarez,1958)** (Mutillidae) Synonym(s): *invreai Suarez,1958* ES MA
154. **Blakeius leopoldinus (Invrea,1955)** (Mutillidae) Synonym(s): *leopoldinus Invrea,1955* IT Sa MA
155. **Blakeius ortizi (Suarez,1954)** (Mutillidae) Synonym(s): *ortizi Suarez,1954; otini Giner,1959* MA
156. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
157. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *nalis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; nalis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW

158. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
159. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum* Macquart,1840; *lutescens* Loew,1855; *nigrifrons* Becker,1913 DZ MA TN ES
160. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum* Macquart,1840; *lutescens* Loew,1855; *nigrifrons* Becker,1913 MA DZ ES TN SY?
161. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
162. **Bombylius (s.str.) albaminis Seguy,1949** (Bombyliidae) Synonym(s): *albaminis* Seguy,1949 MA
163. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
164. **Bombylius (s.str.) audcenti Bowden,1984** (Bombyliidae) Synonym(s): *audcenti* Bowden,1984 MA
165. **Bombylius (s.str.) eploceus Séguéy,1949** (Bombyliidae) Synonym(s): *eploceus* Séguéy,1949 MA
166. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
167. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes* Wiedemann,1828 EG IR IT LY MA ES YU TR
168. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
169. **Bombylius (s.str.) mauritanus Olivier,1789** (Bombyliidae) Synonym(s): *mauritanus* Olivier,1789 MA
170. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
171. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
172. **Bombylius (s.str.) numidus Macquart,1846** (Bombyliidae) Synonym(s): *numidus* Macquart,1846 DZ EG MA
173. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
174. **Bombylius (s.str.) postversicolor Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *versicolor* Fabricius,1805 nec Fabr.,1787; *postversicolor* Evenhuis & Greathead,1999 MA
175. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 nec Fabr.,1794; *nigripes* Strobl,1898 nec Macq.,1834 AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
176. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus* Loew,1855 DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
177. **Bombylius (s.str.) vagans Meigen,1830** (Bombyliidae) Synonym(s): *vagans* Meigen,1830 MA
178. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804 AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
179. **Bombylius (Zephyrectes) leucopygus Macquart,1846** (Bombyliidae) Synonym(s): *leucopygus* Macquart,1846; *maroccanus* Paramonov,1940; *beduin* Paramonov,1940 DZ MA IT ES
180. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ

181. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
182. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
183. **Brachycephalus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus Herrich-Schäffer,1835* DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
184. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus Latreille,1807; muricatus Olivier,1790; planirostris Gyllenhal,1833; sulcifrons Gyllenhal,1833; cirrosus Gyllenhal,1840; perodiosus Gyllenhal,1840; semiaeneus Desbrochers,1871; carinula Rey,1894; exemptus Rey,1894; attenuatus Vit.,1903* DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
185. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
186. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NmX Ny Tx TR PK Qu Bi UZ*
187. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
188. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
189. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
190. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767* RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
191. **Caliscelis maroccana Horváth,1904** (Caliscelidae) Synonym(s): *maroccana Horváth,1904* MA
192. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; siculus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
193. **Calopteryx exul Selys,1853** (Calopterygidae) Synonym(s): *exul Selys,1853* MA DZ TN
194. **Calopteryx haemorrhoidalis (Van Der Linden,1825)** (Calopterygidae) Synonym(s): *haemorrhoidalis Van Der Linden,1825* ES FR IT Si Sa Co MA DZ
195. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventre Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922* AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
196. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
197. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
198. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
199. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
200. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
201. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
202. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
203. **Cardiophorus (s.str.) marmottani Buysson,1912** (Elateridae) Synonym(s): *marmottani Buysson,1912* MA

204. **Celonites pictus Richards,1962** (Vespidae) Synonym(s): *pictus Richards,1962* IR SN MA SA OM
205. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus Fairmaire,1851; walkeri Funkhouser,1927* DZ EG MA FR ES PT TN
206. **Centrotus mairei (Bergevin,1932)** (Membracidae) Synonym(s): *mairei Bergevin,1932* MA
207. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA*
208. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; oblitterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
209. **Ceropales maroccana Beaumont,1947** (Pompilidae) Synonym(s): *maroccana Beaumont,1947* MA TR
210. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
211. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
212. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax Boheman,1845* AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
213. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
214. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
215. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus Brisoth,1869* AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
216. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
217. **Chaetocnema concinna (Marsham,1802)** (Chrysomelidae) Synonym(s): *concinna Marsham,1802* TR Cc KG RU Sb MN KP KR TW MA
218. **Charopus apicalis Kiesenwetter,1859** (Melyridae) Synonym(s): *apicalis Kiesenwetter,1859* MT TN DZ MA Sa Si IT GR HV
219. **Chelostoma (Gyrodromella) confusum (Benoist,1934)** (Megachilidae) Synonym(s): *confusum Benoist,1934* MA DZ
220. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
221. **Chelostoma (s.str.) carinulum Pérez,1895** (Megachilidae) Synonym(s): *carinulum Pérez,1895* DZ MA TN
222. **Chilotomina erberi Warchalowski,2000** (Chrysomelidae) Synonym(s): *erberi Warchalowski,2000* MA
223. **Chilotomina regalini Warchalowski,2000** (Chrysomelidae) Synonym(s): *regalini Warchalowski,2000* MA
224. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
225. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus Schrank,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
226. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
227. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
228. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG

229. **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola Lindberg,1948* **CY EG IL Pa MA TR RU**
230. **Chloriona ponticana Asche,1982** (Delphacidae) Synonym(s): *ponticana Asche,1982* **Cr GR LB MA ES TR**
231. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* **ES FR DE IT Si AT BG CY TR EG IL MA TR KG**
232. **Chorisops tunisiae (Becker,1915)** (Stratiomyidae) Synonym(s): *tunisiae Becker,1915* **PT ES DZ MA TN Sa Si**
233. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans Eversmann,1848* **TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN**
234. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyi Richter,1944* **DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
235. **Chrysolina afra (Erichson,1841)** (Chrysomelidae) Synonym(s): *afra Erichson,1841; maritima Peyerimhoff,1938* **MA DZ**
236. **Chrysolina atlantica (Escalera,1914)** (Chrysomelidae) Synonym(s): *atlantica Escalera,1914* **MA**
237. **Chrysolina grossa (Fabricius,1792)** (Chrysomelidae) Synonym(s): *grossa Fabricius,1792; illita Weise,1884* **IT Si DZ ES MA**
238. **Chrysolina kocheri (Codina Padilla,1961)** (Chrysomelidae) Synonym(s): *kocheri Codina Padilla,1961* **MA**
239. **Chrysolina lepineyi (Kocher,1958)** (Chrysomelidae) Synonym(s): *lepineyi Kocher,1958* **MA**
240. **Chrysolina mairei (Peyerimhoff,1928)** (Chrysomelidae) Synonym(s): *mairei Peyerimhoff,1928; pauliani Peyerimhoff,1939* **MA**
241. **Chrysolina mesatlantica (Kocher,1958)** (Chrysomelidae) Synonym(s): *mesatlantica Kocher,1958* **MA**
242. **Chrysolina numida (Reiche,1864)** (Chrysomelidae) Synonym(s): *numida Reiche,1864* **MA DZ TN**
243. **Chrysolina opacicollis (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *opacicollis Fairmaire,1865* **MA**
244. **Chrysolina pardoi (Codina Padilla,1961)** (Chrysomelidae) Synonym(s): *pardoi Codina Padilla,1961* **MA TN**
245. **Chrysolina pseudoaenea (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *pseudoaenea Fairmaire,1865* **MA**
246. **Chrysolina serdanensis Jolivet,1966** (Chrysomelidae) Synonym(s): *serdanensis Jolivet,1966* **MA**
247. **Chrysolina superstes (Bedel,1921)** (Chrysomelidae) Synonym(s): *superstes Bedel,1921* **MA**
248. **Chrysolina tangeriana (Kocher,1958)** (Chrysomelidae) Synonym(s): *tangeriana Kocher,1958* **MA**
249. **Chrysolina vagecincta (Fairmaire,1875)** (Chrysomelidae) Synonym(s): *vagecincta Fairmaire,1875* **TN MA**
250. **Chrysolina villiersi (Peyerimhoff,1939)** (Chrysomelidae) Synonym(s): *villiersi Peyerimhoff,1939* **MA**
251. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola Brullé,1832* **TR Cc DZ GR IT MA PT ES GG KG TJ TM**
252. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suedicola Bergevin,1913* **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
253. **Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): *parvula Fieber,1876; fieberi Oshanin,1908; libanotica Horvath,1911* **MA TR LB IL Pa**
254. **Cicadetta prasina (Pallas,1773)** (Cicadidae) Synonym(s): *prasina Pallas,1773* **CN MN MA? PT? Cc AM KG RU Sb**
255. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961* **MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ**
256. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952* **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
257. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952* **AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ**

258. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758
SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
259. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps*
Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868;
opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor
Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus
Lindberg,1948; interibilis Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN
MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
260. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR
AM Cc AU QAU Wau AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO
RU SK ES CH TZ TM AE UZ YE YU
261. **Cixidia maroccana Anufriev,1969** (Achilidae) Synonym(s): *maroccana* Anufriev,1969 MA
262. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758;
hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus
Schumacher,1912; longispinus Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO
PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
263. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra*
Lepeletier,1841 TM KK UZ EG TN MA DZ RU GB TR
264. **Colletes atlassus Kuhlmann,2002** (Colletidae) Synonym(s): *atlassus* Kuhlmann,2002 MA
265. **Colletes maroccanus Warncke,1978** (Colletidae) Synonym(s): *maroccanus* Warncke,1978
MA
266. **Colletes minutus Kuhlmann,2002** (Colletidae) Synonym(s): *minutus* Kuhlmann,2002
MA
267. **Colletes niveatus Kuhlmann,2002** (Colletidae) Synonym(s): *niveatus* Kuhlmann,2002
MA
268. **Colletes wahisi Kuhlmann,2002** (Colletidae) Synonym(s): *wahisi* Kuhlmann,2002 MA
269. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus*
Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
270. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840
MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
271. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; *aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA
TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
272. **Conophorus mauritanicus Bigot,1892** (Bombyliidae) Synonym(s): *mauritanicus*
Bigot,1892 MA IT
273. **Conophorus mauritanicus Bigot,1892** (Bombyliidae) Synonym(s): *mauritanicus*
Bigot,1892 MA
274. **Coptocephala bechynei (Cobos,1956)** (Chrysomelidae) Synonym(s): *bechynei* Cobos,1956
MA
275. **Coptocephala bistrinotata (Fabricius,1803)** (Chrysomelidae) Synonym(s): *bistrinotata*
Fabricius,1803; trinotata Forsberg,181; espanoli Pic,1933 MA ES
276. **Coptocephala crassipes Lefevre,1876** (Chrysomelidae) Synonym(s): *crassipes*
Lefevre,1876; leprieuri Pic,1897; rungsi Pic,1953; kocheri Pic,1953; vavilovi Lopatin,1966; iranica
Medvedev,1971 MA DZ IR AF CN Ti
277. **Coptocephala panousei Kocher,1858** (Chrysomelidae) Synonym(s): *panousei* Kocher,1858
MA DZ
278. **Coptocephala plagioccephala (Fabricius,1792)** (Chrysomelidae) Synonym(s):
plagioccephala Fabricius,1792; melanocephala Olivier,1808; externepunctata Pic,1895; tunisea Pic,1901;
andalusiaca Pic,1918; theryi Pic,1918; holoxantha Peyerimhoff,1949 FR ES MA DZ TN
279. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 DZ DE BG
GB TR IR Cc NL PL HU MA
280. **Crepidodera aurata (Marsham,1802)** (Chrysomelidae) Synonym(s): *aurata*
Marsham,1802; pulchella Stephens,1834; versicolor Kutschera,1860; unicolor Wetshoff,1881; subunicolor
Pic,1918 MA TR KP KR RU
281. **Crepidodera gemmata (Abeille,1895)** (Chrysomelidae) Synonym(s): *gemmata* Abeille,1895
MA DZ TN
282. **Cryptocephalus azureus Escalera,1914** (Chrysomelidae) Synonym(s): *azureus*
Escalera,1914 MA
283. **Cryptocephalus baeticus Suffrian,1847** (Chrysomelidae) Synonym(s): *baeticus*
Suffrian,1847 DZ MA ES
284. **Cryptocephalus blanduloides Normand,1947** (Chrysomelidae) Synonym(s):
blanduloides Normand,1947 DZ TN MA
285. **Cryptocephalus discicollis Fairmaire,1867** (Chrysomelidae) Synonym(s): *discicollis*
Fairmaire,1867 DZ MA
286. **Cryptocephalus dogueti Bourdonne,1994** (Chrysomelidae) Synonym(s): *dogueti*
Bourdonne,1994 MA DZ

287. **Cryptus tuberculatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *tuberculatus Gravenhorst,1829* Cn MA TR TJ
288. **Culicoides calloti Kremer, Delécolle, Bailly-Choumara & Chaker,1979** (Ceratopogonidae) Synonym(s): *calloti Kremer, Delécolle, Bailly-Choumara & Chaker,1979* MA
289. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata Dejean,1822* MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
290. **Cylindromyia maroccana Tschorsnig,1997** (Tachinidae) Synonym(s): *maroccana Tschorsnig,1997* MA
291. **Cyrtisopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
292. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata Egger,1865* MA DE PL CZ SK CH AT HU Cc AM RU TR
293. **Dasygogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
294. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787; araratica Radoskowsky,1890; fastuosa Gribodo,1893* MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
295. **Dasytidius bourgeosi (Schilsky,1896)** (Melyridae) Synonym(s): *bourgeosi Schilsky,1896* MA ES?
296. **Dasytidius constantini Majer,1990** (Melyridae) Synonym(s): *constantini Majer,1990* MA
297. **Dasytidius diversimembris (Pic,1937)** (Melyridae) Synonym(s): *diversimembris Pic,1937* DZ MA
298. **Dasytidius gracilis (Escalera,1914)** (Melyridae) Synonym(s): *gracilis Escalera,1914* DZ MA
299. **Dasytidius medius (Rottenberger,1871)** (Melyridae) Synonym(s): *medius Rottenberger,1871* DZ MA TN
300. **Dasytidius pardoii Majer,1990** (Melyridae) Synonym(s): *pardoii Majer,1990* MA
301. **Dasytidius vestitus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *vestitus Kiesenwetter,1863* DZ MA TN
302. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* AF DZ CY TR FR IL IT MA ES TN
303. **Dibolia djelfana Doguet,1975** (Chrysomelidae) Synonym(s): *djelfana Doguet,1975* DZ MA TN
304. **Dibolia occultans (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans Koch,1803; menthae Hering,1924* TR Cc IR DZ MA Cn
305. **Dibolia pelleti Allard,1860** (Chrysomelidae) Synonym(s): *pelleti Allard,1860* FR ES MA DZ
306. **Dibolia peyerimhoffii Doguet,1975** (Chrysomelidae) Synonym(s): *peyerimhoffii Doguet,1975* DZ MA
307. **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata Oshanin,1879* DZ CN EG IQ IL Pa TR JO MA Cc AZ KG RU TJ TM UZ
308. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis Erdős,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
309. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
310. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata Brullé,1832; costalis Mulsant & Wachanru,1852* DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
311. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata Lucas,1849* MA DZ TN ES PT EG IQ SN YE
312. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
313. **Dociostaurus (Notostaurus) avicennai Soltani,1978** (Acrididae) Synonym(s): *avicennai Soltani,1978* MA
314. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus Thunberg,1815; cruciatus Charpentier,1825; vastator Fischer von Waldheim,1833; oceanica Walker,1870; degeneratus Baranov,1925; xanthocnema Tarbinsky,1932; pendulus Steinmann,1965* Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Morocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU

315. **Dociostaurus (Stauronotulus) dantini (Bolivar,1914)** (Acrididae) Synonym(s): *dantini Bolivar,1914* MA
316. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutilus Zetterstedt,1859* AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG
317. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
318. **Drino maroccana Mesnil,1951** (Tachinidae) Synonym(s): *maroccana Mesnil,1951* MA
319. **Dufourea (s.str.) brachycephala (Warncke,1979)** (Halictidae) Synonym(s): *brachycephala Warncke,1979* MA DZ TN
320. **Dufourea (s.str.) maroccana (Warncke,1979)** (Halictidae) Synonym(s): *maroccana Warncke,1979* MA
321. **Dufourea (s.str.) similis Friese,1898** (Halictidae) Synonym(s): *similis Friese,1898* MA DZ
322. **Duilus seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa Lethierry,1874; irrorata A.Costa,1882; punctata Lallemand,1929* AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
323. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis Macquart,1838; erythrogastrus Loew,1871; lucidus Becker,1907* IR DZ EG IQ IL Pa TN MA ES
324. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi Edwards,1881; chromata Rey,1894; plurispinosa Wagner,1935* DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
325. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi Capra,1929; pallida Chopard,1941* EG ET LY SO MA YE SA
326. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
327. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praeocc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
328. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
329. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960* AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
330. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
331. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata Goeze,1778; pauperata Rossi,1783 nec F.,1781; pennata Thunberg,1815; variabilis Risso,1826; egema Charpentier,1841; brachyptera Fischer v. Waldheim,1846; europaea Fieber,1853; occidentalis Fieber,1853* DZ Cn LY MA TN ES PT Sa Si IT
332. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes Fabricius,1794; castanipes Meigen,1820; rufipes Meigen,1820; goliath Schiner,1867* IR Kd DZ GR MA TN TR YU
333. **Eoferreola cyrenaica (Guiglia,1941)** (Pompilidae) Synonym(s): *cyrenaica Guiglia,1941; facilis Priesner,1955* LY Cy IL Pa EG JO MA ML
334. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
335. **Eoferreola mixta (Tournier,1895)** (Pompilidae) Synonym(s): *mixta Tournier,1895; pharmaceuta Dalla Torre,1897* MA DZ TN
336. **Eremisca heleni (Efflatoun,1934)** (Asilidae) Synonym(s): *heleni Efflatoun,1934* IR OM IL Pa EG MA
337. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
338. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger Meigen,1804; flavescens Jaenicke,1867* DZ MA FR PT ES TN IR Ss
339. **Eriothrix apenninus (Rondani,1862)** (Tachinidae) Synonym(s): *apenninus Rondani,1862; latifrons Brauer,1898* RU IL Pa MA TR
340. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN

341. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803 **TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA**
342. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
343. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
344. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA**
345. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
346. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936 **AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU**
347. **Eurychila tafratensis (Bergevin,1920)** (Tettigometridae) Synonym(s): *tafratensis* Bergevin,1920 **IL LY MA**
348. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans* Fabricius,1794 **DZ FR GR MA ES TN**
349. **Eurytoma caninae Lotfalizadeh & Delvare,2007** (Eurytomidae) Synonym(s): *caninae* Lotfalizadeh & Delvare,2007 **Eurytoma caninae Lotfalizadeh & Delvare,2007, Zootaxa 1640: 55-68. IR Ab Th Elb FR MA**
350. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 **TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU**
351. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**
352. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 **TR AT BG CZ FR DE HU IT MD MA NL SE GB RU**
353. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
354. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 **BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR**
355. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 **AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU**
356. **Eutolmus wahisi Tomasovic,2001** (Asilidae) Synonym(s): *wahisi* Tomasovic,2001 **MA**
357. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 **AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA**
358. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 **DZ ES Cn FR GR IT MA IL ES SW TN RU**
359. **Falcidius marocanus De Bergevin,1923** (Issidae) Synonym(s): *marocanus* De Bergevin,1923 **MA**
360. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897 **BG TR FR IL Pa IT Sa MA ES YU**
361. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti* Greathead,1999 **GR IT MT MA TN TR EG**
362. **Geron subflavofemoratus Andréu Rubio,1959** (Bombyliidae) Synonym(s): *subflavofemoratus* Andréu Rubio,1959 **MA**
363. **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860 **DZ MA IL Pa SY TR**
364. **Glaphyrus maurus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *maurus* Linnaeus,1758; *cardeci* Fabricius,1787 **MA DZ TN**
365. **Glaphyrus opulentus Bedel,1885** (Glaphyridae) Synonym(s): *viridicollis* Harold,1869; *opulentus* Bedel,1885; *mediatlantis* Kocher,1958 **MA**
366. **Glaphyrus panousei Kocher,1957** (Glaphyridae) Synonym(s): *panousei* Kocher,1957 **MA DZ**
367. **Glaphyrus reymondi Kocher,1957** (Glaphyridae) Synonym(s): *reymondi* Kocher,1957 **MA**
368. **Glaphyrus serratulae (Fabricius,1775)** (Glaphyridae) Synonym(s): *serratulae* Fabricius,1775; *villosipennis* Quedenfeldt,1887; *maroccanus* Chobaut,1923; *alticola* Kocher,1958 **MA DZ**
369. **Glaphyrus viridicollis Lucas,1846** (Glaphyridae) Synonym(s): *viridicollis* Lucas,1846 **MA DZ TN**

370. **Glyptomorpha baetica (Spinola,1843)** (Braconidae) Synonym(s): *baetica* Spinola,1843
Bracon baeticus Spinola,1843, Anns Soc. ent. Fr. 1 (2): 125. TR MA PT ES GR
371. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
372. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
373. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatus* Lethierry,1887 DZ EG IL Pa TR LY MA AZ Cc RU Da
374. **Gryllomorpha (Gryllomorphella) atlas Gorochov,2009** (Gryllidae) Synonym(s): *atlas* Gorochov,2009 MA
375. **Gryllomorpha (Gryllomorphella) robusta Gorochov,2009** (Gryllidae) Synonym(s): *robusta* Gorochov,2009 MA
376. **Gryllomorpha (Gryllomorphella) segregata Gorochov,2009** (Gryllidae) Synonym(s): *segregata* Gorochov,2009 MA
377. **Gryllomorpha (Gryllomorphella) zonata Bolivar,1914** (Gryllidae) Synonym(s): *zonata* Bolivar,1914 MA
378. **Gryllomorpha (s.str.) brevicauda Bolivar,1914** (Gryllidae) Synonym(s): *brevicauda* Bolivar,1914 MA
379. **Gryllotalpa maroccana Baccetti,1987** (Gryllotalpidae) Synonym(s): *maroccana* Baccetti,1987 MA
380. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927 DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
381. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
382. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
383. **Habropogon appendiculatus Schiner,1867** (Asilidae) Synonym(s): *appendiculatus* Schiner,1867; *solox* Enderlein,1921 ES IL Pa MA EG
384. **Habropogon bacescui Weinberg,1973** (Asilidae) Synonym(s): *nais* Pleske,1930; *bacescui* Weinberg,1973 MA
385. **Habropogon hauseri Hradsky & Geller-Grimm,2005** (Asilidae) Synonym(s): *hauseri* Hradsky & Geller-Grimm,2005 MA
386. **Habropogon parappendiculatus Weinberg & Tsacas,1973** (Asilidae) Synonym(s): *parappendiculatus* Weinberg & Tsacas,1973 MA
387. **Habropogon spissipes Hermann,1909** (Asilidae) Synonym(s): *spissipes* Hermann,1909 TR EG MA
388. **Haetosmia circumventa (Peters,1974)** (Megachilidae) Synonym(s): *circumventa* Peters,1974 Cn EG MA AE SD
389. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
390. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU
391. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis* Motschoulsky,1860 TR DZ GB DK FR DE IT MA PT ES SE TN
392. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887 DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
393. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
394. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
395. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
396. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
397. **Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus* Wiedemann,1817; *chaerophylli* Meigen,1824 AZ AM GG Cc RO RU Da Ur UA MA
398. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 BG GG Cc GR IL Pa TR RO RU MA TJ

399. **Heriades (Michenerella) discrepans Benoist,1938** (Megachilidae) Synonym(s): *discrepans* Benoist,1938 **DZ MA TN**
400. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 **AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR**
401. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 **MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR**
402. **Heriades (s.str.) wilmattae Cockerell,1931** (Megachilidae) Synonym(s): *wilmattae* Cockerell,1931 **MA**
403. **Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): *manicatus* Meigen,1820 **MA DZ FR Co ES TR**
404. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus* Wiedemann,1820 **IR Fa ES PT JO IL Pa MA DZ TN TR**
405. **Heterotropus atlanticus Seguy,1930** (Bombyliidae) Synonym(s): *atlanticus* Seguy,1930 **MA**
406. **Heterotropus longitarsus Seguy,1930** (Bombyliidae) Synonym(s): *longitarsus* Seguy,1930 **DJ MA DZ**
407. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
408. **Hofferia mauritanica (Lucas,1849)** (Megachilidae) Synonym(s): *mauritanica* Lucas,1849; *obtusus* Friese,1897 **MA DZ TN**
409. **Hoplitis (Alcidamea) camelina (Benoist,1934)** (Megachilidae) Synonym(s): *camelina* Benoist,1934 **MA TN**
410. **Hoplitis (Alcidamea) curtula (Pérez,1895)** (Megachilidae) Synonym(s): *curtula* Pérez,1895; *bofilli* Pérez,1905 **ES FR DZ MA**
411. **Hoplitis (Alcidamea) freygessneri (Friese,1899)** (Megachilidae) Synonym(s): *freygessneri* Friese,1899 **DZ MA TN**
412. **Hoplitis (Alcidamea) grandiscapa (Pérez,1895)** (Megachilidae) Synonym(s): *grandiscapa* Pérez,1895 **DZ MA**
413. **Hoplitis (Alcidamea) lamina (Pérez,1896)** (Megachilidae) Synonym(s): *lamina* Pérez,1896 **DZ MA**
414. **Hoplitis (Alcidamea) lecerfi (Benoist,1928)** (Megachilidae) Synonym(s): *lecerfi* Benoist,1928 **MA**
415. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 **AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR**
416. **Hoplitis (Alcidamea) tricolor (Saunders,1908)** (Megachilidae) Synonym(s): *tricolor* Saunders,1908 **MA DZ JO**
417. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 **AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR**
418. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
419. **Hoplitis (Annosmia) bassana (Warncke,1991)** (Megachilidae) Synonym(s): *bassana* Warncke,1991 **DZ MA**
420. **Hoplitis (Annosmia) gusenleitneri (Warncke,1991)** (Megachilidae) Synonym(s): *gusenleitneri* Warncke,1991 **MA**
421. **Hoplitis (Annosmia) hierichonica (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *hierichonica* Mavromoustakis,1949 **MA TN IL Pa JO**
422. **Hoplitis (Annosmia) israelica (Warncke,1991)** (Megachilidae) Synonym(s): *israelica* Warncke,1991 **MA IL Pa JO IR**
423. **Hoplitis (Annosmia) nisa (Warncke,1991)** (Megachilidae) Synonym(s): *nisa* Warncke,1991 **MA DZ TN**
424. **Hoplitis (Annosmia) ochruros (Warncke,1991)** (Megachilidae) Synonym(s): *ochruros* Warncke,1991 **MA DZ TN**
425. **Hoplitis (Annosmia) speculum (Benoist,1934)** (Megachilidae) Synonym(s): *speculum* Benoist,1934 **MA DZ**
426. **Hoplitis (Annosmia) zonalis (Pérez,1895)** (Megachilidae) Synonym(s): *zonalis* Pérez,1895; *undulata* Pérez,1902; *taprurensis* Benoist,1929; *bodenheimeri* Mavromoustakis,1949 **MA DZ TN IL Pa**
427. **Hoplitis (Anthocopa) alba (Zanden,1994)** (Megachilidae) Synonym(s): *alba* Zanden,1994 **MA**

428. **Hoplitis (Anthocopa) antigae (Pérez,1895)** (Megachilidae) Synonym(s): *antigae* Pérez,1895 ES FR DZ MA
429. **Hoplitis (Anthocopa) ayardi (Benoist,1928)** (Megachilidae) Synonym(s): *ayardi* Benoist,1928 MA
430. **Hoplitis (Anthocopa) barbigeri (Benoist,1950)** (Megachilidae) Synonym(s): *barbigeri* Benoist,1950 MA
431. **Hoplitis (Anthocopa) bubulca (Zanden,1994)** (Megachilidae) Synonym(s): *bubulca* Zanden,1994 MA TN
432. **Hoplitis (Anthocopa) conosimilis Zanden,1992** (Megachilidae) Synonym(s): *conosimilis* Zanden,1992 MA TN
433. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristata* Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990 ES FR Co IT Si DZ MA TN CN
434. **Hoplitis (Anthocopa) ilamana (Zanden,1994)** (Megachilidae) Synonym(s): *ilamana* Zanden,1994 DZ MA
435. **Hoplitis (Anthocopa) maghrebensis (Zanden,1992)** (Megachilidae) Synonym(s): *maghrebensis* Zanden,1992 MA
436. **Hoplitis (Anthocopa) maroccana (Zanden,1998)** (Megachilidae) Synonym(s): *maroccana* Zanden,1998 MA
437. **Hoplitis (Anthocopa) oxygyga (Benoist,1927)** (Megachilidae) Synonym(s): *oxygyga* Benoist,1927 MA DZ
438. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
439. **Hoplitis (Anthocopa) pulchella (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella* Pérez,1895; *lativentris* Friese,1899; *albiscopa* Friese,1899 MA DZ EG TN JO
440. **Hoplitis (Anthocopa) quarzazati (Zanden,1998)** (Megachilidae) Synonym(s): *quarzazati* Zanden,1998 MA
441. **Hoplitis (Anthocopa) rubricrus (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus* Friese,1899 DZ MA IL Pa PK IN
442. **Hoplitis (Anthocopa) rugidorsis (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 IT Sa DZ MA TR?
443. **Hoplitis (Anthocopa) saundersi (Vachal,1891)** (Megachilidae) Synonym(s): *saundersi* Vachal,1891 MA DZ PK IN
444. **Hoplitis (Anthocopa) simula (Gribodo,1894)** (Megachilidae) Synonym(s): *simula* Gribodo,1894; *florigera* Ferton,1914 MA DZ TN
445. **Hoplitis (Anthocopa) sinuata (Pérez,1895)** (Megachilidae) Synonym(s): *sinuata* Pérez,1895; *rufiscopa* Friese,1899 DZ MA TN
446. **Hoplitis (Anthocopa) ursina (Friese,1920)** (Megachilidae) Synonym(s): *ursina* Friese,1920; *armata* Benoist,1927 DZ MA TN
447. **Hoplitis (Anthocopa) zaianorum (Benoist,1927)** (Megachilidae) Synonym(s): *zaianorum* Benoist,1927 DZ MA
448. **Hoplitis (Chlidoplitis) loreicornis (Benoist,1934)** (Megachilidae) Synonym(s): *loreicornis* Benoist,1934 MA
449. **Hoplitis (Chlidoplitis) taenioceras (Benoist,1927)** (Megachilidae) Synonym(s): *taenioceras* Benoist,1927 MA DZ
450. **Hoplitis (Chlidoplitis) teucarii (Benoist,1927)** (Megachilidae) Synonym(s): *teucarii* Benoist,1927 MA
451. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 DZ MA GR TR SY IR
452. **Hoplitis (Micreriades) pungens (Benoist,1928)** (Megachilidae) Synonym(s): *pungens* Benoist,1928 MA TN
453. **Hoplitis (Pentadentoscia) cadiza (Warncke,1991)** (Megachilidae) Synonym(s): *cadiza* Warncke,1991 MA TN ES
454. **Hoplitis (Pentadentoscia) goulemina (Warncke,1991)** (Megachilidae) Synonym(s): *goulemina* Warncke,1991 MA
455. **Hoplitis (Pentadentoscia) helouanensis (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis* Friese,1899 EG MA IL Pa JO OM AE
456. **Hoplitis (Pentadentoscia) meyeri (Benoist,1934)** (Megachilidae) Synonym(s): *meyeri* Benoist,1934 DZ MA IL Pa
457. **Hoplitis (Pentadentoscia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991 Cn DZ MA TN IL Pa JO PK AE IN
458. **Hoplitis (Pentadentoscia) quinquespinosa (Friese,1899)** (Megachilidae) Synonym(s): *quinquespinosa* Friese,1899; *consanguinea* Benoist,1929; *neptunea* Benoist,1929 MA DZ TN IL Pa

459. **Hoplitis (Pentadentosmia) villiersi (Benoist,1950)** (Megachilidae) Synonym(s): *villiersi* Benoist,1950; *strepera* Warncke,1991 **MR MA DZ TN**
460. **Hoplitis (Platosmia) africana (Warncke,1990)** (Megachilidae) Synonym(s): *africana* Warncke,1990; *adustus* Zanden,1991 **MA DZ IL Pa**
461. **Hoplitis (Platosmia) aritotelis (Warncke,1990)** (Megachilidae) Synonym(s): *aritotelis* Warncke,1990 **MA**
462. **Hoplitis (Platosmia) incognita Zanden,1996** (Megachilidae) Synonym(s): *incognita* Zanden,1996 **MA DZ TN**
463. **Hoplitis (Platosmia) lucidula (Benoist,1934)** (Megachilidae) Synonym(s): *lucidula* Benoist,1934 **MA**
464. **Hoplitis (Platosmia) platalea (Warncke,1990)** (Megachilidae) Synonym(s): *platalea* Warncke,1990 **MA**
465. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 **AL BG Cc GG GR IT SS MA DZ TR**
466. **Hoplitis (Prionohoplitis) epeoliformis (Ducke,1899)** (Megachilidae) Synonym(s): *epeoliformis* Ducke,1899 **DZ MA JO**
467. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
468. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
469. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879 *nec* Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 **ES FR Co HV IT Sa Si PT DZ MA TN**
470. **Hoplitis (s.str.) bihamata (Costa,1885)** (Megachilidae) Synonym(s): *bihamata* Costa,1885; *corsica* Ferton,1901 **IT Sa FR Co MA?**
471. **Hoplitis (s.str.) brevispora (Warncke,1992)** (Megachilidae) Synonym(s): *brevispora* Warncke,1992 **MA**
472. **Hoplitis (s.str.) brunnescens (Benoist,1950)** (Megachilidae) Synonym(s): *brunnescens* Benoist,1950 **MA**
473. **Hoplitis (s.str.) ctenophora (Benoist,1934)** (Megachilidae) Synonym(s): *ctenophora* Benoist,1934 **MA DZ TN**
474. **Hoplitis (s.str.) fertoni (Pérez,1890)** (Megachilidae) Synonym(s): *fertoni* Pérez,1890; *albispina* Pérez,1895; *mecheriana* Pérez,1902 **MA DZ TN IL Pa**
475. **Hoplitis (s.str.) fortispina (Pérez,1895)** (Megachilidae) Synonym(s): *fortispina* Pérez,1895 **MA DZ**
476. **Hoplitis (s.str.) hoggara (Warncke,1992)** (Megachilidae) Synonym(s): *hoggara* Warncke,1992 **MA DZ**
477. **Hoplitis (s.str.) insularis (Schmiedeknecht,1886)** (Megachilidae) Synonym(s): *insularis* Schmiedeknecht,1886; *vaulogeri* Pérez,1895 **ES IT Sa Si DZ MA TN**
478. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898 **IT GR HV MK SS DZ EG MA TN**
479. **Hoplitis (s.str.) latuspilosa Zanden,1992** (Megachilidae) Synonym(s): *latuspilosa* Zanden,1992 **MA**
480. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902 **ES FR Co IT Si PT DZ MA TN**
481. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 **CH ES FR IT Si PT DZ MA TN IL Pa JO**
482. **Hoplitis (s.str.) oreades (Benoist,1934)** (Megachilidae) Synonym(s): *oreades* Benoist,1934; *pectinifera* Benoist,1934 **MA TN**
483. **Hoplitis (s.str.) submanicata Zanden,1984** (Megachilidae) Synonym(s): *submanicata* Zanden,1984 **MA IT Si**
484. **Hoplitis (s.str.) tenuiserrata (Benoist,1950)** (Megachilidae) Synonym(s): *tenuiserrata* Benoist,1950; *gibbifera* Benoist,1950 **MA**
485. **Hoplitis (Stenosmia) jordanica (Warncke,1991)** (Megachilidae) Synonym(s): *jordanica* Warncke,1991 **MA EG JO AE**
486. **Hoplitis (Stenosmia) minima (Schulthess,1924)** (Megachilidae) Synonym(s): *minima* Schulthess,1924; *minutissima* Warncke,1991 **MA TN**
487. **Hoplitis (Stenosmia) tagmouta (Warncke,1991)** (Megachilidae) Synonym(s): *tagmouta* Warncke,1991 **MA**
488. **Hoplitis (Tkalcua) paralias (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *paralias* Mavromoustakis,1954 **MA TN IL Pa**

489. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
490. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
491. **Hygrobia hermanni (Fabricius,1775)** (Hygrobiidae) Synonym(s): *hermanni* Fabricius,1775 DZ MA TN TR UA
492. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
493. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; ?*filicina* Santos Abreu,1923; *similior* Alexander,1956 **Limnobia pulchripennis** Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
494. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
495. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
496. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer,1799; *simulans* Ribaut,1952 AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
497. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 **Gryllus (Mantis) oratorius** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
498. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
499. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
500. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
501. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
502. **Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea,1953 TR RO IT Si ES PT MA
503. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjajev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
504. **Labidostomis ballsi Antoine,1936** (Chrysomelidae) Synonym(s): *ballsii* Antoine,1936 MA
505. **Labidostomis bolivari Antoine,1936** (Chrysomelidae) Synonym(s): *bolivari* Antoine,1936 ES MA
506. **Labidostomis cavifrons Lefebvre,1872** (Chrysomelidae) Synonym(s): *cavifrons* Lefebvre,1872 MA
507. **Labidostomis embergeri Thery,1929** (Chrysomelidae) Synonym(s): *embergeri* Thery,1929 MA
508. **Labidostomis hordei (Fabricius,1787)** (Chrysomelidae) Synonym(s): *hordei* Fabricius,1787 ES PT MA
509. **Labidostomis mairei Peyerimhoff,1922** (Chrysomelidae) Synonym(s): *mairei* Peyerimhoff,1922 DZ MA
510. **Labidostomis quadrinotata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *quadrinotata* Fabricius,1787 MA DZ
511. **Labidostomis rubripennis (Lucas,1845)** (Chrysomelidae) Synonym(s): *rubripennis* Lucas,1845 DZ MA
512. **Labidostomis rufomarginata (Vauloger,1895)** (Chrysomelidae) Synonym(s): *rufomarginata* Vauloger,1895 MA
513. **Laburrus quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus* Forel,1864; *limbatus* Ferrari,1882; *atrata* Ribaut,1942; *deleta* Ribaut,1942 FR IT LY MA ES SW TN AM Cc
514. **Lachnaia lucidipennis (Peyerimhoff,1926)** (Chrysomelidae) Synonym(s): *lucidipennis* Peyerimhoff,1926 MA

515. **Lachnaia octomaculata (Pic,1895)** (Chrysomelidae) Synonym(s): *octomaculata Pic,1895* DZ MA
516. **Lachnaia paradoxa (Olivier,1808)** (Chrysomelidae) Synonym(s): *paradoxa Olivier,1808* MA DZ ES
517. **Lachnaia peyerimhoffi (Kocher,1953)** (Chrysomelidae) Synonym(s): *peyerimhoffi Kocher,1953* MA
518. **Lachnaia puncticollis Chevrolat,1840** (Chrysomelidae) Synonym(s): *puncticollis Chevrolat,1840* DZ MA ES FR
519. **Lachnaia straminipennis (Lucas,1845)** (Chrysomelidae) Synonym(s): *straminipennis Lucas,1845* MA DZ
520. **Lachnaia variolosa (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *variolosa Linnaeus,1767* DZ MA ES
521. **Lampyris algerica Ancey,1869** (Lampyridae) Synonym(s): *algerica Ancey,1869; mucronata Olivier,1884; mutabilis Olivier,1884* DZ MA TN
522. **Lasioglossum bimaculatum (Dours,1872)** (Halictidae) Synonym(s): *bimaculatum Dours,1872; perezi Alfken,1907; hispanicum Blüthgen,1931* MA ES FR
523. **Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): *callizonium Pérez,1895; mogadoricus Cockerell,1937* PT ES FR MA EG IL Pa
524. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum Kriechbaumer,1873; alpestris Morawitz,1877* MA FR DK ES PT Co DE PL MK IL Pa TR IR
525. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum Pérez,1895; mesoleus Cockerell,1938; donatum Warncke,1975* MA DZ IT YU GR AL TR IL Pa Cc IR
526. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum Smith,1853; morbillosus Kriechbaumer,1873; glasunovi Cockerell,1924;* FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
527. **Lasioglossum euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum Ebmer,1972* MA IT UA Cm AZ Cc IR
528. **Lasioglossum femorale (Saunders,1908)** (Halictidae) Synonym(s): *femorale Saunders,1908* DZ MA TN
529. **Lasioglossum pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens Brullé,1832* MA FR ES BE DE CY IR
530. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes Blüthgen,1934* IT Si Co GR ES MA DZ TR
531. **Lasiopa benoisti Séguy,1930** (Stratiomyidae) Synonym(s): *benoisti Séguy,1930* TR DZ MA
532. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum Lethierry,1877; maculipes Melichar,1906; oertzeni Matsumura,1910* MA FR IT ES CY GR IL IT TR YU
533. **Leptochilus atriceps Gusenleitner,1977** (Vespidae) Synonym(s): *atriceps Gusenleitner,1977* MA
534. **Leptochilus conjunctus Gusenleitner,1998** (Vespidae) Synonym(s): *conjunctus Gusenleitner,1998* MA TN
535. **Leptochilus desertus Gusenleitner,2001** (Vespidae) Synonym(s): *desertus Gusenleitner,2001* MA
536. **Leptochilus tussaci Giordani Soika,1986** (Vespidae) Synonym(s): *tussaci Giordani Soika,1986* IL Pa JO MA
537. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa Fisher & La Salle,2004* FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
538. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica De Geer,1776; tipuloides Fabricius,1775; livida Geoffroy,1785; fusca Meigen,1804; hispanica Meigen,1838; nigricornis Loew,1847; dorsalis Dahlbom,1851* MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
539. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
540. **Leuctra maroccana Aubert,1956** (Leuctridae) Synonym(s): *maroccana Aubert,1956* MA
541. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
542. **Lispe apicalis Mik,1869** (Muscidae) Synonym(s): *apicalis Mik,1869* MA DZ AT HU TR IR
543. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
544. **Longitarsus albus (Allard,1866)** (Chrysomelidae) Synonym(s): *albus Allard,1866* MA DZ IL Pa
545. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
546. **Longitarsus bremondi Peyerimhoff,1939** (Chrysomelidae) Synonym(s): *bremondi Peyerimhoff,1939* MA

547. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi,1975 AT MA ES FR CH IT DE CZ SK YU UA TR
548. **Longitarsus flavicornis (Stephens,1831)** (Chrysomelidae) Synonym(s): *flavicornis* Stephens,1831; *rufescens* Fowler,1890; *citrinus* Fuente,1910 GB IE FR BE ES MA DZ
549. **Lucanus (Pseudolucanus) barbarossa Fabricius,1801** (Lucanidae) Synonym(s): *barbarossa* Fabricius,1801 MA PT ES DZ TN
550. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
551. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
552. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
553. **Macrocytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
554. **Macrosteles ramosus Ribaut,1952** (Cicadellidae) Synonym(s): *ramosus* Ribaut,1952; *quadricornis* Lindberg,1954; *orientalis* Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
555. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
556. **Malthinus peyerimhoffi Constantin,1979** (Cantharidae) Synonym(s): *peyerimhoffi* Constantin,1979 MA
557. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
558. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822 IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
559. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
560. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
561. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
562. **Megulopa sahlbergorum Lindberg,1924** (Cicadellidae) Synonym(s): *sahlbergorum* Lindberg,1924 EG IL MA
563. **Meria tripunctata (Rossi,1790)** (Tiphiiidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
564. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
565. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji* Paramonov,1925 DZ MA TN ES FR IT GR UA MN
566. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liroy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
567. **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus* Curran,1939 MA FR IT GR TR
568. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *grauipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
569. **Merodon elegans Hurkmans,1993** (Syrphidae) Synonym(s): *elegans* Hurkmans,1993 IT Si FR ES DZ MA
570. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus* Strobl,1909 PT ES FR Co IT YU BG TR IL Pa DZ MA MT
571. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR

572. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929 **MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK**
573. **Merodon sophron Hurkmans,1993** (Syrphidae) Synonym(s): *sophron* Hurkmans,1993 **MA**
574. **Merodon tangerensis Hurkmans,1993** (Syrphidae) Synonym(s): *tangerensis* Hurkmans,1993 **MA**
575. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces* Tobias,1964 **BE FI KP KR MA RU AT TR DE IT NL HU GB KG**
576. **Microtelus lethierryi Reiche** (Tenebrionidae) Synonym(s): **MA DZ TN**
577. **Milichia albomaculata Strobl,1900** (Milichiidae) Synonym(s): *albomaculata* Strobl,1900 **MA DZ YE**
578. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 **ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA**
579. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
580. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
581. **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens* Wiedemann,1830 **SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU**
582. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
583. **Mylabris guerini Chevrolat,1840** (Meloidae) Synonym(s): *guerini* Chevrolat,1840; *rubripennis* Chevrolat,1840; *normandi* Pic,1953; *lambaesis* Pic,1953 **DZ MA TN IR**
584. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 **AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG**
585. **Nanomotilla vaucheri (Tournier,1895)** (Mutillidae) Synonym(s): *vaucheri* Tournier,1895 **ES SY MA DZ**
586. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata* Linnaeus,1767 **FR GB IT PT ES TR DZ MA TN IR**
587. **Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum* Waltl,1835 **ES PT MA DZ TN SY IL Pa**
588. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigrinus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
589. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscinonensis* Ribaut,1952; *infirmus* Young & Frazier,1954 **IT FR LY MA RO ES EH TN TR RU KG TJ**
590. **Neoliturus inscriptis (Haupt,1927)** (Cicadellidae) Synonym(s): *inscriptis* Haupt,1927 **CY IL MA**
591. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
592. **Neomyia viridescens (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *viridescens* Robineau-Desvoidy,1830 **RU GB FR Co MN KP KR CN MA**
593. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
594. **Neophilaenus longiceps (Puton,1895)** (Cercopidae) Synonym(s): *longiceps* Puton,1895 **DZ FR GB LY MA PT ES TN**
595. **Nephotettix modulatus Melichar,1912** (Cicadellidae) Synonym(s): *modulatus* Melichar,1912 **EG IL MA TN**
596. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888 **GR TR EG IL CN JP KP KR MA**
597. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 **AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL**

598. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
599. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
600. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
601. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
602. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822 MA DZ FR Co RO ES IT GR TR IL AF
603. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
604. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
605. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus* Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965 MA DZ TN TR TJ KG Aa RU
606. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876 DZ CN GR IQ LY MA
607. **Omocestus (s.str.) africanus Harz,1970** (Acrididae) Synonym(s): *africanus* Harz,1970 MA
608. **Omocestus (s.str.) harzi Nadig,1988** (Acrididae) Synonym(s): *harzi* Nadig,1988 MA
609. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 MA DZ TN LY Cy EG Co FR ES TR IL Pa
610. **Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781 RU Cc AM AZ GG TM SY TR IQ SA MA
611. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
612. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca* Linnaeus,1767 RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
613. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
614. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi* Dusmet,1928 MA DZ TN IL Pa JO
615. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
616. **Opatroides thoracicus Rosenh.,1856** (Tenebrionidae) Synonym(s): *thoracicus* Rosenh.,1856 ES MA DZ
617. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
618. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 AF DZ ES Cn CN EG IL LY MA TN
619. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
620. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 PT ES EG IQ IL Pa IR Md MA TR PK JP TW
621. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei* Pérez,1887 DZ EG MA LY TN IL Pa JO SY
622. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
623. **Osmia (Allosmia) rutila Erichson,1835** (Megachilidae) Synonym(s): *rutila* Erichson,1835; *baetica* Spinola,1843; *xanthognatha* Pérez,1895 ES DZ MA
624. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
625. **Osmia (Erythrosmia) sparsipuncta Alfken,1914** (Megachilidae) Synonym(s): *sparsipuncta* Alfken,1914 DZ MA

626. **Osmia (Helicosmia) alfkeni** Ducke,1899 (Megachilidae) Synonym(s): *alfkeni* Ducke,1899; *crinita* Alfken,1942 **DZ MA TN EG IL Pa JO**
627. **Osmia (Helicosmia) caerulescens** (Linneus,1758) (Megachilidae) Synonym(s): *caerulescens* Linneus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
628. **Osmia (Helicosmia) friesana** Ducke,1899 (Megachilidae) Synonym(s): *friesana* Ducke,1899 **ES MT IT Sa DZ EG? LY MA TN**
629. **Osmia (Helicosmia) latreillei** (Spinola,1806) (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**
630. **Osmia (Helicosmia) lazulina** Benoist,1928 (Megachilidae) Synonym(s): *lazulina* Benoist,1928 **TN DZ MA LY IL Pa**
631. **Osmia (Helicosmia) leaiana** (Kirby,1802) (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkyi* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtli* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
632. **Osmia (Helicosmia) melanogaster** Spinola,1808 (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
633. **Osmia (Helicosmia) nasoproducta** Ferton,1909 (Megachilidae) Synonym(s): *nasoproducta* Ferton,1909; *proboscidea* Benoist,1950 **ES FR Co IT Sa MA**
634. **Osmia (Helicosmia) niveata** (Fabricius,1804) (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
635. **Osmia (Helicosmia) niveibarbis** Pérez,1902 (Megachilidae) Synonym(s): *niveibarbis* Pérez,1902; *tarfensis* Saunder,1908 **ES IT Si DZ MA TN**
636. **Osmia (Helicosmia) niveocincta** Pérez,1879 (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 **ES FR GR IT Sa PT DZ MA IL? Pa?**
637. **Osmia (Helicosmia) notata** (Fabricius,1804) (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 **ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa**
638. **Osmia (Helicosmia) sexsignata** Benoist,1950 (Megachilidae) Synonym(s): *sexsignata* Benoist,1950 **MA**
639. **Osmia (Helicosmia) signata** Erichson,1835 (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
640. **Osmia (Helicosmia) tunensis** (Fabricius,1787) (Megachilidae) Synonym(s): *tunensis* Fabricius,1787; *tunetana* Gmelin,1790; *pseudoaurulenta* Dours,1873; *meridionalis* Gribodo,1894; *dissimilis* Friese,1899 *Apis tunensis* Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). **ES IT Si MT PT DZ EG LY MA TN**
641. **Osmia (Hemiosmia) argyropyga** Pérez,1879 (Megachilidae) Synonym(s): *argyropyga* Pérez,1879; *entoprocta* Pérez,1879 **ES FR IT PT MA**
642. **Osmia (Hemiosmia) unicoloris** Pérez,1895 (Megachilidae) Synonym(s): *unicoloris* Pérez,1895 **ES PT MA**
643. **Osmia (Hoplosmia) anceyi** Pérez,1879 (Megachilidae) Synonym(s): *anceyi* Pérez,1879; *biarmica* Zanden,1994 **CH ES FR PT DZ MA TN**
644. **Osmia (Hoplosmia) dido** Gribodo,1894 (Megachilidae) Synonym(s): *dido* Gribodo,1894; *abbreviata* Pérez,1895; *compacta* Pérez,1896 **DZ MA TN**
645. **Osmia (Hoplosmia) fallax** Pérez,1895 (Megachilidae) Synonym(s): *fallax* Pérez,1895 **ES MA**
646. **Osmia (Hoplosmia) ligurica** Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detruta* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
647. **Osmia (Hoplosmia) pinguis** Pérez,1895 (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994 **DZ MA TN IL Pa JO SY**
648. **Osmia (Hoplosmia) scutellaris** Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
649. **Osmia (Metallinella) brevicornis** (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra*

- Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO
RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
650. **Osmia (Nasutosmia) corniculata (Zanden,1989)** (Megachilidae) Synonym(s):
corniculata Zanden,1989 ES DZ MA
651. **Osmia (Nasutosmia) nasuta Friese,1899** (Megachilidae) Synonym(s): *nasuta* Friese,1899;
rhynchaena Pérez,1905 ES FR DZ MA TN
652. **Osmia (Neosmia) cinnabarina Pérez,1895** (Megachilidae) Synonym(s): *cinnabarina*
Pérez,1895 DZ Cn MA TN IL Pa
653. **Osmia (Neosmia) gracilicornis Pérez,1895** (Megachilidae) Synonym(s): *gracilicornis*
Pérez,1895 DZ MA TN IL Pa
654. **Osmia (Neosmia) rufigastra Lepeletier,1841** (Megachilidae) Synonym(s): *rufigastra*
Lepeletier,1841 DZ MA TN
655. **Osmia (Neosmia) tingitana Benoist,1969** (Megachilidae) Synonym(s): *tingitana*
Benoist,1969; *tkalcui* Peters,1977; *secunda* Peters,1977 DZ MA TN LY EG
656. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes*
Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR
GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
657. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha*
Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA
TN CY IL Pa JO SY TR
658. **Osmia (Pyrosmia) derasa Pérez,1895** (Megachilidae) Synonym(s): *derasa* Pérez,1895;
croci Benoist,1929; *pseudoderasa* Benoist,1929; *violetta* Warncke,1992 DZ LY MA TN
659. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea*
Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY
MA TN CY IL Pa JO SY
660. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum*
Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR
HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
661. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 *nec*
Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 DZ EG TN MA LY IL Pa
662. **Osmia (Pyrosmia) lobata Friese,1899** (Megachilidae) Synonym(s): *lobata* Friese,1899;
leucopyga Duce,1899 ES PT DZ MA TN IL Pa
663. **Osmia (Pyrosmia) punica Pérez,1895** (Megachilidae) Synonym(s): *punica* Pérez,1895;
irherma Warncke,1992 MA DZ TN LY EG
664. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans*
Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957;
lanzarotae Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT
RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
665. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor*
Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica*
Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
666. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis*
Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790;
fronticornis Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Duce,1899 AT AL AM Cc
BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ
MA TN KK KG RU TM CY TR SY IR
667. **Osmia (s.str.) emarginata Lepeletier,1841** (Megachilidae) Synonym(s): *emarginata*
Lepeletier,1841; *fusca* Benoist,1928 *nec* Chr.,1791; *infuscata* Peters,1978 BE ES FR Co IT Sa PT DZ MA
668. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811
AD ES FR Co IT Sa PT DZ Cn LY MA TN
669. **Osmia (Tergosmia) lunata Benoist,1928** (Megachilidae) Synonym(s): *lunata* Benoist,1928
ES FR MA
670. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis*
Duce,1897; *wolynica* Noskiewicz,1922 *Osmia tergestensis* Duce,1897, Ent. Nachr. 23: 41-42.
Triest/Italien. MA IT UA TR
671. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis*
Duce,1897; *ononidis* Fertton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica*
Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
672. **Otiocephala antoinei (Cobos,1957)** (Chrysomelidae) Synonym(s): *antoinei* Cobos,1957
MA
673. **Otiocephala atlantica (Cobos,1957)** (Chrysomelidae) Synonym(s): *atlantica* Cobos,1957
MA
674. **Otiocephala forcipifera (Lucas,1845)** (Chrysomelidae) Synonym(s): *forcipifera*
Lucas,1845 MA DZ
675. **Otiocephala grossepunctata (Cobos,1957)** (Chrysomelidae) Synonym(s): *grossepunctata*
Cobos,1957 MA

676. **Otiocephala kocheri (Cobos,1957)** (Chrysomelidae) Synonym(s): *kocheri* Cobos,1957 MA
677. **Otiocephala maroccana (Cobos,1957)** (Chrysomelidae) Synonym(s): *maroccana* Cobos,1957 MA
678. **Otiocephala ornatissima (Escalera,1914)** (Chrysomelidae) Synonym(s): *ornatissima* Escalera,1914 MA
679. **Otiocephala pardoii (Cobos,1957)** (Chrysomelidae) Synonym(s): *pardoii* Cobos,1957 MA
680. **Otiocephala proxima (Cobos,1957)** (Chrysomelidae) Synonym(s): *proxima* Cobos,1957 MA
681. **Otiocephala quadrinotata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *quadrinotata* Fabricius,1787 MA DZ
682. **Otiocephala rotroi Pic,1934** (Chrysomelidae) Synonym(s): *rotroi* Pic,1934 MA
683. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
684. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
685. **Oxythespis maroccana (Bolivar,1908)** (Mantidae) Synonym(s): *maroccana* Bolivar,1908 MA
686. **Oxythespis nilotica Giglio-Tos,1916** (Mantidae) Synonym(s): *nilotica* Giglio-Tos,1916 DZ MA SD TD YE SA
687. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 EG IL Pa JO IT MA SY TN TR RU YU TM
688. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 EG IL Pa IT JO MA SY TN TR CN Uj YU
689. **Oxythyrea pantherina (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *pantherina* Gory & Percheron,1833; *amina* Fairmaire,1860 MA LY Cy
690. **Pachyanthrax nomadarum (Greathead,1970)** (Bombyliidae) Synonym(s): *nomadarum* Greathead,1970 MR NG YE AE MA
691. **Pachybrachis (s.str.) marocanus Pic,1945** (Chrysomelidae) Synonym(s): *marocanus* Pic,1945 MA
692. **Pachybrachis (s.str.) simius Marseul,1875** (Chrysomelidae) Synonym(s): *simius* Marseul,1875; *normandi* Pic,1919; *marocanus* Pic,1954 nec Pic,1945; *lepineyi* Pic,1955... DZ MA TN Si IT
693. **Pachygaster maura Lindner,1939** (Stratiomyidae) Synonym(s): *maura* Lindner,1939 MA ES PT TR
694. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni* Harold,1862 Cn MA DZ TN LY Cy EG SA
695. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
696. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus* Loew,1856 MA Cn ES IT EG JO
697. **Parageron hyalipennis (Seguy,1941)** (Bombyliidae) Synonym(s): *hyalipennis* Seguy,1941 MA
698. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 DZ FR IT GR MK MA PT ES TN YU
699. **Parageron major (Macquart,1840)** (Bombyliidae) Synonym(s): *major* Macquart,1840 MA DZ TN
700. **Paraseverinia finoti (Chopard,1943)** (Mantidae) Synonym(s): *finoti* Chopard,1943 DZ MA LY
701. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
702. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
703. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
704. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
705. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU
706. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ

707. **Perlamantis allibertii Guérin-Méneville, 1843** (Amorphoscelidae) Synonym(s): *allibertii* Guérin-Méneville, 1843; *tunetana* Bonnet & Finot, 1884 **FR ES DZ MA LY TN**
708. **Phaneroptera (s.str.) sparsa Stal, 1857** (Tettigoniidae) Synonym(s): *sparsa* Stal, 1857; *tetrasticta* Gerstaecker, 1869; *lurida* Walker, 1869; *conspersa* Stal, 1874; *punctulata* Burr, 1900; *nana* Stöstedt, 1901 nec Fieb., 1853; *sexpunctata* Navas, 1928; *tenuicerca* Ramme, 1951; *bivittata* Bei-Bienko, 1954; *africana* Steinmann, 1966 **Phaneroptera sparsa Stal, 1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
709. **Phaonia cincta (Zetterstedt, 1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt, 1846 **MA? DE PL CZ AT HU SY TR**
710. **Philaenus signatus Melichar, 1896** (Cercopidae) Synonym(s): *signatus* Melichar, 1896 **AF AL CY GR IQ IT MA ES TR YU**
711. **Philaenus spumarius (Linnaeus, 1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus, 1758; *leucophthalma* Linnaeus, 1758; *lateralis* Linnaeus, 1758; *leucocephala* Linnaeus, 1758 **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
712. **Philopotamus ketamus Giudicelli & Dakki, 1984** (Philopotamidae) Synonym(s): *ketamus* Giudicelli & Dakki, 1984 **MA**
713. **Philopotamus ketamus Guidicelli & Dakki, 1984** (Philopotamidae) Synonym(s): *ketamus* Guidicelli & Dakki, 1984 **MA**
714. **Phlepsius intricatus (Herrich-Schäffer, 1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer, 1838; *octopunctatus* Burmeister, 1838 **AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ**
715. **Phlepsius spinulosus Wagner, 1963** (Cicadellidae) Synonym(s): *spinulosus* Wagner, 1963 **FR IT Sa Si MA TN TR IR**
716. **Phorticus velutinus Puton, 1895** (Nabidae) Synonym(s): *velutinus* Puton, 1895 **CZ MA ES SY TR**
717. **Phradonoma nobile (Reitter, 1881)** (Dermestidae) Synonym(s): *nobile* Reitter, 1881 **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
718. **Phthiria gaedii Wiedemann, 1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann, 1820; *maculata* Wiedemann, 1820; *punctata* Meigen, 1835; *zimmermanni* Nowicki, 1868; *gaedei* Engel, 1933 **IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA**
719. **Phthiria minuta (Fabricius, 1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius, 1805; *maura* Wiedemann, 1820 **AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU**
720. **Phthiria pulicaria (Mikan, 1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan, 1796; *nigra* Meigen, 1804; *pygmaea* Fabricius, 1805; *campestris* Fallén, 1815; *major* Strobl, 1909 **AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB**
721. **Phthiria simonyi Becker, 1908** (Bombyliidae) Synonym(s): *simonyi* Becker, 1908 **Cn MA**
722. **Phthiria umbripennis Loew, 1846** (Bombyliidae) Synonym(s): *umbripennis* Loew, 1846; *notata* Bigot, 1862 **FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU**
723. **Phycotettix paryphantus (Lethierry, 1878)** (Cicadellidae) Synonym(s): *paryphantus* Lethierry, 1878; *abalia* Ferrari, 1884; *rubrostriatus* Loew, 1885 **DZ GR IT Sa MA ES TN**
724. **Phyllognathus excavatus (Forster, 1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster, 1771; *hauseri* Reitter, 1894 **SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ**
725. **Phyllotreta atra (Fabricius, 1775)** (Chrysomelidae) Synonym(s): *atra* Fabricius, 1775 **TR MA**
726. **Phyllotreta punctulata (Marsham, 1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham, 1802 **Cc TR IL Pa MA**
727. **Physetopoda punctata (Latreille, 1792)** (Mutillidae) Synonym(s): *punctata* Latreille, 1792 **HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR**
728. **Physiphora alceae (Preyssler, 1791)** (Ulidiidae) Synonym(s): *alceae* Preyssler, 1791 **AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO**
729. **Phytoecia erythrocnema Lucas, 1849** (Cerambycidae) Synonym(s): *erythrocnema* Lucas, 1849 **MA ES PT FR**
730. **Picromerus nigridens (Fabricius, 1803)** (Pentatomidae) Synonym(s): *nigridens* Fabricius, 1803; *maculicornis* Mulsant, 1852 **AL DZ AT GR Cr FR IT MA PT ES TR YU**
731. **Piesma (Parapiesma) kolenatii (Fieber, 1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati, 1857 nec Fieb., 1844; *kolenatii* Fieber, 1861; *caucasicum* Péricart, 1973 **RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu**
732. **Piesma (s.str.) maculatum (Laporte, 1833)** (Piesmatidae) Synonym(s): *antica* Stephens, 1829; *maculatum* Laporte, 1833; *laportei* Fieber, 1844; *viridis* Jakovlev, 1871 **MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN**
733. **Pimelia platynota Fairmaire, 1875** (Tenebrionidae) Synonym(s): *platynota* Fairmaire, 1875 **MA**
734. **Plagiotrochus kiefferianus Tavares, 1901** (Cynipidae) Synonym(s): *kiefferianus* Tavares, 1901 **PT ES FR IT MA AZ Cc IR IL Pa GR**

735. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiarensis* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 **SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun**
736. **Platycleis (Decorana) decorata Fieber,1853** (Tettigoniidae) Synonym(s): *decorata* Fieber,1853; *andalusicus* Bolivar,1878; *nadigiorum* Werner,1932 **ES MA**
737. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
738. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki* Delvare,2005 **IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA**
739. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 **IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT**
740. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 **FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH**
741. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbolicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 **TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA**
742. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor* Rambur,1842 **DZ MA FR ES IT PT TR**
743. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca* Fabricius,1787 **FR IT ES MA DZ TN LY Cy**
744. **Protosmia (Chelostomopsis) capitata (Schletterer,1889)** (Megachilidae) Synonym(s): *capitata* Schletterer,1889; *mystax* Pérez,1895; *trilobatus* Friese,1897 **ES PT DZ MA TN**
745. **Protosmia (Nanosmia) decipiens (Benoist,1935)** (Megachilidae) Synonym(s): *decipiens* Benoist,1935 **MA**
746. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 **ES FR IT Si PT DZ MA TN TR?**
747. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
748. **Protosmia (s.str.) luctuosa (Lucas,1849)** (Megachilidae) Synonym(s): *luctuosa* Lucas,1849; *cavigena* Pérez,1895 **DZ MA**
749. **Protosmia (s.str.) octomaculata (Pérez,1895)** (Megachilidae) Synonym(s): *octomaculata* Pérez,1895 **DZ MA**
750. **Protosmia (s.str.) stelidoides (Pérez,1895)** (Megachilidae) Synonym(s): *stelidoides* Pérez,1895 **DZ MA**
751. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 **ES FR GR MA DZ TR**
752. **Pseudoyersinia occidentalis Bolivar,1914** (Mantidae) Synonym(s): *occidentalis* Bolivar,1914 **MA**
753. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
754. **Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799 **Cc TR KG MA RU Sb**
755. **Psylliodes sophiae Heikertinger,1914** (Chrysomelidae) Synonym(s): *sophiae* Heikertinger,1914 **TR MA JP**
756. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
757. **Purpuricenus barbarus (Lucas,1849)** (Cerambycidae) Synonym(s): *barbarus* Lucas,1849 **DZ MA TN**
758. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 **ES PT RU Cc AM TR IL Pa MA DZ TN**
759. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
760. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791; *grylloides* Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 **MA Cn ES FR LY CY YE GH TR**
761. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
762. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 **AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU**

763. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
764. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ
AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH
UA MA SY IR TM
765. **Rhysemodes orientalis Mulsant & Godart,1875** (Scarabaeidae) Synonym(s): *orientalis*
Mulsant & Godart,1875 MA DZ TN LY Cy EG
766. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 nec
Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN TD TN DZ
ES EG DZ IT LY MT GR TR CY AF IL Pa
767. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR SY IL Pa
JO IT Si MT FR ES PT MA DZ TN EG
768. **Salentia costalis (Wiedemann,1824)** (Therevidae) Synonym(s): *costalis* Wiedemann,1824
MA
769. **Sapyga (s.str.) eatoni E.Saund,1901** (Sapygidae) Synonym(s): *eatoni* E.Saund,1901 DZ
MA TN EG
770. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s):
quinquepunctata Fabricius,1781 TR SY Bld CY IL Pa JO MT GR MA TN MA
771. **Saropogon clausus Becker,1906** (Asilidae) Synonym(s): *clausus* Becker,1906; *vosseleri*
Becker,1906 IR Ss Kh DZ MA TN
772. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus*
Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
773. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
774. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis*
Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
775. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De
Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus*
Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY
EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
776. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787
IT Si Sa MT YU BG GR TR MA DZ TN
777. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria*
Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG
EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
778. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA
DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
779. **Scaurus vicinus Solier,1838** (Tenebrionidae) Synonym(s): *vicinus* Solier,1838 MA ES
780. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 MA
Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
781. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis*
Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882 FR GR MA DZ TN BG TR IR Ab Mak
782. **Selinocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea*
Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT
Sa Si MA RO ES TN TR AZ Cc MD UA YU
783. **Selinocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens*
Lindberg,1948; *obscurus* Lindberg,1953 CY IL Pa MA TN TR
784. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes*
Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us
CA
785. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma*
Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta*
Hoffmeister,1844; *#zernyi* Duda,1926; *quadrissetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis*
Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
786. **Severinia granulata (Saussure,1870)** (Mantidae) Synonym(s): *granulata* Saussure,1870
DZ TN MA KE MR NE SN
787. **Severinia lemoroi (Finot,1893)** (Mantidae) Synonym(s): *lemoroi* Finot,1893 DZ MA TN LY
788. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea*
Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
789. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840 AL BG DZ
MA HV IQ IT ES TN TR
790. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata* Fabricius,1798 IT Sa
FR Co ES MA DZ TN EG TR
791. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes*
Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola*
Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT
RO RU YU SK ES SE CH TN UA

792. **Simulium (Eusimulium) mellah Guidicelli & Bouzidi,2000** (Simuliidae) Synonym(s): *mellah Guidicelli & Bouzidi,2000* MA
793. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum Rivosecchi,1963* IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
794. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
795. **Smaragdina algerica (Weise,1894)** (Chrysomelidae) Synonym(s): *algerica Weise,1894* DZ MA
796. **Smaragdina bechynei (Cobos,1956)** (Chrysomelidae) Synonym(s): *bechynei Cobos,1956* MA
797. **Smaragdina gratiosa (Lucas,1845)** (Chrysomelidae) Synonym(s): *gratiosa Lucas,1845* ES MA DZ
798. **Smaragdina limbifera (Escalera,1928)** (Chrysomelidae) Synonym(s): *limbifera Escalera,1928* MA
799. **Smaragdina rufimana Lacordaire,1848** (Chrysomelidae) Synonym(s): *rufimana Lacordaire,1848* MA DZ
800. **Smicromyrmilla ariasi (André,1896)** (Mutillidae) Synonym(s): *ariasi André,1896; garciapavoni Suarez,1975* ES MA
801. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata Matsumura,1910; vibix Haupt,1927; matsumurana Metcalf,1943; longifurcifera Esaki & Ishihara,1947; panicicola Ishihara,1949; dogensis Ishihara,1952; catoptron Fennah,1963; parakolophon Linnavuori,1973; diachenhea Kuoh,1977* ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
802. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis Forskal,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
803. **Stenoheriades integer (Benoist,1934)** (Megachilidae) Synonym(s): *integer Benoist,1934* MA
804. **Stenoheriades maroccanus (Benoist,1928)** (Megachilidae) Synonym(s): *maroccanus Benoist,1928* MA
805. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus Macquart,1838* MA DZ TN EG IL Pa IR Ss
806. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
807. **Stenopogon wernerii Engel,1932** (Asilidae) Synonym(s): *wernerii Engel,1932* Stenopogon wernerii Engel,1932, Konowia 11: 18-19. Syntypes 3♂ 3♀: Morocco, Fes-Zalagh, 23-27.v.1930 (NMHW). MA
808. **Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris Eschscholtz,1831* TR UA Cm ES DZ MA
809. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus Wiedemann,1820* IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
810. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri Koch,1872; spinimanus Pokorny,1887* IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
811. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia Meigen,1822; flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941* FR CY RU TR Cc AM IL SY IR EG MA DZ TN
812. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinensis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
813. **Sybistroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufouri Macquart,1838; spathulata Loew,1861* GR FR IT ES MK MA DZ
814. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804* AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
815. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes Fabricius,1787* AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
816. **Systropha (s.str.) maroccana Warncke,1977** (Halictidae) Synonym(s): *maroccana Warncke,1977* MA

817. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labameanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
818. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
819. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
820. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
821. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) Synonym(s): *insignis Stannius,1831* BG RO TR UA MA
822. **Tenodera rungsi Uvarov,1935** (Mantidae) Synonym(s): *rungsii Uvarov,1935* MA
823. **Tentyria maroccana Solier,1835** (Tenebrionidae) Synonym(s): *maroccana Solier,1835* MA DZ
824. **Tethina alboguttata (Strobl,1900)** (Tethinidae) Synonym(s): *alboguttata Strobl,1900* Cn MA DZ ES TN
825. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae) Synonym(s): *leucophaea Preysslner,1792; obliqua Panzer,1799; #leucophea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
826. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799; dorsalis Latreille,1804* DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
827. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
828. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri Horvath,1909* DZ ES Cn MA ES TN TR KG UA Cm
829. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons Mulsant-Rey,1855; marginata Fieber,1876* DZ BE FR GR TR IT Si JO MA ES SY TN
830. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
831. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata Loew,1847* IT MT MA TN RU TR UA
832. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970* AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
833. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata Loew,1847; subtilis Loew,1847; algerica Kröber,1913* MA DZ TR ES FR IT MT RO
834. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata Fieber,1861* DZ MA TN ES CY EG JO TR YU
835. **Tingis pauperata (Puton,1879)** (Tingidae) Synonym(s): *pauperata Puton,1879* MA RU Cc TR CN Ui
836. **Tingis pilosa Hummel,1825** (Tingidae) Synonym(s): *pilosa Hummel,1825* MA TR CN Ui RU Sb
837. **Tituboea biguttata (Olivier,1791)** (Chrysomelidae) Synonym(s): *biguttata Olivier,1791* PT ES MA DZ IT Sa Si
838. **Tituboea chobauti (Pic,1896)** (Chrysomelidae) Synonym(s): *chobauti Pic,1896* MA DZ
839. **Tituboea fasciata Lefebvre,1872** (Chrysomelidae) Synonym(s): *fasciata Lefebvre,1872* MA DZ
840. **Tituboea hirsutula (Kocher,1958)** (Chrysomelidae) Synonym(s): *hirsutula Kocher,1958* MA
841. **Tituboea octopunctata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *octopunctata Fabricius,1787* DZ MA IT Si
842. **Tituboea octosignata (Fabricius,1801)** (Chrysomelidae) Synonym(s): *octosignata Fabricius,1801* MA
843. **Tituboea reymondi (Kocher,1956)** (Chrysomelidae) Synonym(s): *reymondi Kocher,1956* MA
844. **Tituboea testaceipes (Pic,1939)** (Chrysomelidae) Synonym(s): *testaceipes Pic,1939* MA
845. **Tituboea tredecimpunctata (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *tredecimpunctata Desbrochers,1870* DZ MA

846. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
847. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
848. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883 MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
849. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837 AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
850. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
851. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 AF FR GR Cr IT MA PT ES CH UA YU TR
852. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
853. **Tribalus maroccanus Olexa,1980** (Histeridae) Synonym(s): *maroccanus* Olexa,1980 MA ES IT Si
854. **Trichardis leucocomus (Wulp,1899)** (Asilidae) Synonym(s): *leucocomus* Wulp,1899; *albipila* Becker,1907 IR Kz MA DZ EG IL Pa YE KG MN
855. **Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi* sensu Viktorov,1960; *reticulatus* Delucchi,1961 MA SY TR Cc AZ GG
856. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey,1855; *elegans* O.Costa,1834 AL DZ CY EG FR GR IL IT MA ES TN TR YU
857. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
858. **Truxalis nasuta (Linnaeus,1758)** (Acrididae) Synonym(s): *nasuta* Linnaeus,1758; *annulatus* Thunberg,1815; *bilineatus* Thunberg,1815; *nebulosus* Thunberg,1815; *miniata* Klug,1830; *obsoleta* Klug,1830; *scalaris* Klug,1830; *variabilis* Klug,1830; *unguiculata* Rambur,1839; *isabellina* Fischer-Waldheim,1846; *klugii* Fieber,1853 Cn MA DZ TN TR
859. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus* Loew,1856; *cretaceus* Becker,1913 RU KG KK TR IQ IR MA TN EG
860. **Ulidia apicalis Meigen,1826** (Uliidiidae) Synonym(s): *apicalis* Meigen,1826 FR Co IT Si PT ES TN MA GR Rd
861. **Ulidia megacephala Loew,1845** (Uliidiidae) Synonym(s): *megacephala* Loew,1845 ES GR Rd TR SY MA
862. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
863. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
864. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii* Strobl,1902 DZ B-H HV FR GR IT LY MK MA SS TN YU
865. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla* Meigen,1820 DZ AT HV FR IT LY MA ES PT SS TN
866. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840 DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
867. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
868. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
869. **Usia (s.str.) claripennis Macquart,1840** (Bombyliidae) Synonym(s): *claripennis* Macquart,1840 DZ MA TN
870. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 DZ FR ES MA TN IT Si KK TM TJ
871. **Usia (s.str.) hyalipennis (Seguy,1941)** (Bombyliidae) Synonym(s): *hyalipennis* Seguy,1941 MA
872. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata* Becker,1906 DZ SD EG IL Pa MA ES TN SY
873. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ

874. **Villa ceballosi Andreu Rubio,1959** (Bombyliidae) Synonym(s): *umbraticola* Assis-Fonseca,1957; *ceballosi* Andreu Rubio,1959 **IT Si ES MA**
875. **Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888 **MA DZ ES FR Co IT GR**
876. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 **MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
877. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 **AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA**
878. **Villa laevis Becker,1915** (Bombyliidae) Synonym(s): *laevis* Becker,1915 **MA TN EG**
879. **Villa luculenta Seguy,1941** (Bombyliidae) Synonym(s): *luculenta* Seguy,1941 **CL MA**
880. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
881. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
882. **Wainia (Caposmia) guichardi (Zanden,1991)** (Megachilidae) Synonym(s): *guichardi* Zanden,1991 **MA**
883. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
884. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877 **DZ MA LY Cy SY IL Pa Cr TR**
885. **Zophosis emiliana Reitter,1916** (Tenebrionidae) Synonym(s): *emiliana* Reitter,1916 **MA**
886. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolor* Lodos & Kalkandelen,1984 **BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU**
887. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
888. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838 **AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU**

Synonymic and distributional list of the pterygot insects of Mozambique

(Results of the Entomofauna of the World based upon info-system of the Cesa)

51

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Mozambique (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 51. *Priamus* (suppl.) 18: 1980-1984.

In this study, totally 115 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Mozambique recorded in info-system of the Cesa, total pterygot species of Mozambique increase to 824.

Key words: List, distribution, *pterygota*, *Insecta*, Mozambique.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹⁰³
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 115 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 729 recorded species of Lepidoptera from Mozambique are found. Taking this information into consideration, total number of the pterygots may increase to 824.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax rhinocerotis (Richards,1939)** (Sphaeroceridae) Synonym(s): *rhinocerotis* Richards,1939 **ET KE MZ TZ ZA ZW ZR**
2. **Afrius (s.str.) rubromarginatus Bergroth,1903** (Pentatomidae) Synonym(s): *rubromarginatus* Bergroth,1903 **MZ BW TZ**

¹⁰³ Koçak,A.Ö. & M.Kemal, 2007, Report on the Temporary Results of the Faunal Lists of African States based upon the Databank of the Cesa. 14. Mozambique stand 22.7.2007 [totally 853 sp. & ssp. listed]

http://www.metafro.be/Members/Cesa/Cesapublafri7.pdf/base_view - Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

3. **Afroesticus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus Speiser,1910; senex Bromley,1936* TZ ZA BF ZR ET KE MW MZ ZW
4. **Afroesticus eminentis Scarbrough,2005** (Asilidae) Synonym(s): *eminentis Scarbrough,2005* MW MZ
5. **Afroesticus variabilis (Engel,1929)** (Asilidae) Synonym(s): *variabilis Engel,1929; munori Bromley,1936; bevisis Bromley,1947* ZA MZ ZM
6. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
7. **Amorphoscelis pinheyi Roy,2007** (Amorphoscelidae) Synonym(s): *pinheyi Roy,2007* MZ
8. **Amorphoscelis tuberculata Roy,1963** (Amorphoscelidae) Synonym(s): *tuberculata Roy,1963* NA ZA Tva ZW MZ
9. **Anchophthalmops brevipleurum Koch,1956** (Tenebrionidae) Synonym(s): *brevipleurum Koch,1956* ZW MZ TZ
10. **Anchophthalmus algoensis Péringuey,1904** (Tenebrionidae) Synonym(s): *algoensis Péringuey,1904* MZ ZA
11. **Anchophthalmus barbosai (Koch,1956)** (Tenebrionidae) Synonym(s): *barbosai Koch,1956* MZ
12. **Anchophthalmus dentipes Gerstaecker,1854** (Tenebrionidae) Synonym(s): *dentipes Gerstaecker,1854; indigus Péringuey,1904* ZW MZ
13. **Anchophthalmus nyassicus Koch,1956** (Tenebrionidae) Synonym(s): *nyassicus Koch,1956* MZ
14. **Anchophthalmus silphoides Gerstaecker,1854** (Tenebrionidae) Synonym(s): *silphoides Gerstaecker,1854* ZA MZ BW
15. **Ancylorhynchus funebris Bromley,1936** (Asilidae) Synonym(s): *funebris Bromley,1936* MZ
16. **Ancylorhynchus prunus Oldroyd,1974** (Asilidae) Synonym(s): *prunus Oldroyd,1974* MZ
17. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
18. **Anomalipus braini Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *braini Endrödy-Younga,1988* MZ ZW
19. **Anomalipus decosteri Péringuey,1885** (Tenebrionidae) Synonym(s): *decosteri Péringuey,1885* MZ LS
20. **Anomalipus fahraei Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *fahraei Endrödy-Younga,1988* ZA Tva Lpo ZW MZ
21. **Anomalipus gasanus Péringuey,1904** (Tenebrionidae) Synonym(s): *gasanus Péringuey,1904* ZW MZ
22. **Anomalipus granocostatus Fairmaire,1894** (Tenebrionidae) Synonym(s): *granocostatus Fairmaire,1894; hypocrita Péringuey,1904* MZ ZA Tva Lpo Nta Kzu Suw
23. **Anomalipus haackei Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *haackei Endrödy-Younga,1988* MZ
24. **Anomalipus heraldicus Gerstaecker,1871** (Tenebrionidae) Synonym(s): *heraldicus Gerstaecker,1871* TZ KE MZ MW
25. **Anomalipus lineatus (Gerstaecker,1854)** (Tenebrionidae) Synonym(s): *lineatus Gerstaecker,1854* MZ MW ZW
26. **Anomalipus parallelus (Solier,1836)** (Tenebrionidae) Synonym(s): *parallelus Solier,1836; porcus Fahraeus,1870; natalensis Fairmaire,1894* ZA Nta Kzu Tva Mpu Nel MZ
27. **Anomalipus plebejus Péringuey,1896** (Tenebrionidae) Synonym(s): *plebejus Péringuey,1896* ZW ZM MZ BW
28. **Anomalipus podagricus Péringuey,1896** (Tenebrionidae) Synonym(s): *podagricus Péringuey,1896* ZW MZ
29. **Anomalipus polymorphus Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *polymorphus Endrödy-Younga,1988* ZW MZ
30. **Anomalipus savii (Bertolini,1855)** (Tenebrionidae) Synonym(s): *savii Bertolini,1855; affinis Péringuey,1866* MZ Del ZA Tva Lpo Nta Kzu Mkz LS
31. **Anypodetus nigrifacies Ricardo,1925** (Asilidae) Synonym(s): *nigrifacies Ricardo,1925* MZ ZA
32. **Attagenus (s.str.) jucundus Peringuey,1885** (Dermeestidae) Synonym(s): *jucundus Peringuey,1885* MZ ZA ZM
33. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus Loew,1858; cyprianus Ricardo,1911; karybenthinus Szilady,1915* TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ

34. **Bantodemus mocambiqueus Koch,1955** (Tenebrionidae) Synonym(s): *mocambiqueus Koch,1955* MZ
35. **Bisanthe menyharthi (Brancsik,1895)** (Mantidae) Synonym(s): *menyharthi Brancsik,1895* MZ ZM ZW BW
36. **Bombylella elegans (Wiedemann,1818)** (Bombyliidae) Synonym(s): *elegans Wiedemann,1818; furiosus Walker,1860* ZA Nta Kzu Tva Lpo KE MZ
37. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924* AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
38. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis Macquart,1840; vitripennis oew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
39. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis Loew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
40. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province]* (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
41. **Ceratothripoides revelatus (Priesner,1937)** (Thripidae) Synonym(s): *revelatus Priesner,1937* ZR SL UG GH NG ST AO MZ KE
42. **Chalicodoma (Carinella) torrida (Smith,1853)** (Megachilidae) Synonym(s): *torrida Smith,1853* ZR Kvu KE MW MZ
43. **Chalicodoma (Gronoceras) bombiformis (Gerstaecker,1857)** (Megachilidae) Synonym(s): *bombiformis Gerstaecker,1857* ZR ZW MZ CF GH
44. **Chrysolina semirufa (Fairmaire,1894)** (Chrysomelidae) Synonym(s): *semirufa Fairmaire,1894* MZ
45. **Cilnia chopardi Werner,1927** (Mantidae) Synonym(s): *chopardi Werner,1927; cochlearis Sjöstedt,1930* BW MZ NA ZA Nta Kzu
46. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis Saussure,1871; latipes Stal,1875* AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
47. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus Kerrich,1970; latipennis Khan & Shafee,1981* IN KE MW MZ OM PK LK AE ZA
48. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
49. **Corymeta amplexans (Schaum,1853)** (Tettigoniidae) Synonym(s): *amplexans Schaum,1853* MZ
50. **Danuria (s.str.) sublineata (Werner,1929)** (Mantidae) Synonym(s): *sublineata Werner,1929* MZ
51. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
52. **Dicrorrhina derbyana Westwood,1842** (Scarabaeidae) Synonym(s): *derbyana Westwood,1842; layardi Peringuey,1892; cyanea Kraatz,1896; divortialis Kolbe,1901; inornata Lekkerkerk & Krikken,1986; lucida Lekkerkerk & Krikken,1986* NA BW ZW MZ ZA Tva Lpo Spb Mdk LS
53. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta DeGeer,1778; cincticula Schönherr,1817; fimbriata Thunberg,1818; burchelii Fischer,1823; bachypinica Gory & Percheron,1833* ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ
54. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps Schaum,1853; paradoxa Saussure,1871* AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
55. **Entella (s.str.) orientalis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *orientalis Giglio-Tos,1915* MZ TZ ZA Tva Lpo
56. **Entella (s.str.) vitticeps (Sjöstedt,1909)** (Mantidae) Synonym(s): *vitticeps Sjöstedt,1909* KE MZ TZ
57. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata Saussure,1869; ibana Giglio-Tos,1912; iringana Giglio-Tos,1912; madimbana Giglio-Tos,1912* AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ
58. **Exoprosopa decastroi Hesse,1950** (Bombyliidae) Synonym(s): *decastroi Hesse,1950; ferrieriae Hesse,1950* MZ KE
59. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW

60. **Galepsus (Onychogalepsus) angolensis** Werner,1907 (Irididae) Synonym(s): *angolensis* Werner,1907 AO ZA Tva Lpo MZ
61. **Galepsus (Onychogalepsus) intermedius** Werner,1907 (Irididae) Synonym(s): *intermedius* Werner,1907 KE MZ ZA Nta Kzu Tva Lpo ZW
62. **Galepsus (Onychogalepsus) rouxi** Werner,1929 (Irididae) Synonym(s): *rouxi* Werner,1929 MZ
63. **Galepsus (Syngalepsus) bipunctatus** Beier,1931 (Irididae) Synonym(s): *bipunctatus* Beier,1931 MZ ZA Tva Lpo Nta Kzu
64. **Geron nomadicus** Hesse,1938 (Bombyliidae) Synonym(s): *nomadicus* Hesse,1938; *breyeri* Hesse,1938 BW MZ NA ZA Nta Kzu TZ ZW
65. **Glypsus conspicuus** (Westwood,1837) (Pentatomidae) Synonym(s): *conspicuus* Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
66. **Gonopus (s.str.) deplanatus** Fahraeus,1870 (Tenebrionidae) Synonym(s): *deplanatus* Fahraeus,1870; *costatus* Fahraeus,1870; *agrestis* Fahraeus,1870 BW MZ NA ZW ZA
67. **Gonopus (s.str.) mozambiquensis** Endrödy-Younga,2000 (Tenebrionidae) Synonym(s): *mozambiquensis* Endrödy-Younga,2000 ZA Nta Kzu MZ
68. **Gonopus (s.str.) prosternalis** Gebien,1920 (Tenebrionidae) Synonym(s): *prosternalis* Gebien,1920; *ntidipleuris* Gebien,1920 MZ TZ
69. **Gonopus (s.str.) tibialis** (Fabricius,1798) (Tenebrionidae) Synonym(s): *tibialis* Fabricius,1798; *sulcatus* Solier,1848; *exaratus* Gerstaecker,1854; *ater* Fahraeus,1870 AO BW ZR LS MW MZ NA ZA TZ ZM ZW
70. **Hapalomantis (s.str.) orba** (Stal,1856) (Iridopterygidae) Synonym(s): *orba* Stal,1856; *medionalis* Saussure,1871 KE MZ TZ ZA Nta Kzu
71. **Harpagomantis tricolor** (Linnaeus,1758) (Hymenopodidae) Synonym(s): *tricolor* Linnaeus,1758; *paradoxa* Goeze,1778; *lobata* Fabricius,1781; *quadricornis* Stoll,1813; *spinocula* Serville,1839 ZA Ec Nta Kzu Spb Tva Mdk Fs NA BW LS MZ ZW
72. **Horatosphaga serrifera** Schaum,1853 (Tettigoniidae) Synonym(s): *serrifera* Schaum,1853; *vosseleri* Karny,1910; *multivenosa* Chopard,1935 MZ
73. **Idolomorpha dentifrons** Saussure & Zehntner,1895 (Empusidae) Synonym(s): *dentifrons* Saussure & Zehntner,1895 ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE
74. **Idolomorpha lateralis** (Burmeister,1838) (Empusidae) Synonym(s): *lateralis* Burmeister,1838; *defoliata* Audinet-Serville,1839; *spinifrons* Saussure,1859 AO BF CI GH CM LR KE MZ SN SL SD TZ TG
75. **Junodia amoena** Schulthess & Rechberg,1899 (Hymenopodidae) Synonym(s): *amoena* Schulthess & Rechberg,1899 KE MZ Del TZ ET
76. **Junodia strigipennis** (Westwood,1889) (Hymenopodidae) Synonym(s): *annulatus* Audinet-Serville,1831; *capensis* Saussure,1871; *strigipennis* Westwood,1889 ET MZ ZW ZA Nta Kzu TZ
77. **Leptocola stanleyana** (Westwood,1889) (Mantidae) Synonym(s): *stanleyana* Westwood,1889; *lignea* Karsch,1892 GA CM ZR MZ TZ TG
78. **Ligaria brevicollis** Stal,1877 (Mantidae) Synonym(s): *brevicollis* Stal,1877; *umtalica* Giglio-Tos,1915 MZ ZW ZA Tva Lpo BW MW NA ZM ZW
79. **Macrorhaphis (Megarhaphis) acuta** Dallas,1851 (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infuscata* Walker,1868; *spinorum* Horvath,1892 AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
80. **Macrocytus brunneus** (Fabricius,1803) (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Ce TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
81. **Mecosoma mensor** (Germar,1837) (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 BW MZ NG SA SO ZA SD ZW
82. **Milichiella lacteipennis** (Loew,1866) (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU Qau SC FJ PR GU TZ AO CL EG NA OM JP MZ
83. **Milichiella pseudodectes** (Séguy,1933) (Milichiidae) Synonym(s): *pseudodectes* Séguy,1933 MZ
84. **Miomantis fenestrata** (Fabricius,1781) (Mantidae) Synonym(s): *fenestrata* Fabricius,1781; *vitratata* Olivier,1792; *nana* Stoll,1813 ZA Ec Tva Lpo ZR LS MZ NA RW SO UG
85. **Miomantis monacha** (Fabricius,1787) (Mantidae) Synonym(s): *monacha* Fabricius,1787; *vitratata* Olivier,1792; *forficata* Stoll,1813 ZA Ec Tva Lpo MZ
86. **Miomantis paykulii** Stal,1871 (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW
87. **Miomantis quadripunctata** Saussure,1898 (Mantidae) Synonym(s): *quadripunctata* Saussure,1898 ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG
88. **Miomantis rehni** (Giglio-Tos,1911) (Mantidae) Synonym(s): *rehni* Giglio-Tos,1911 MZ

89. **Miomantis saussurei Schulthess-Rechberg,1899** (Mantidae) Synonym(s): *saussurei Schulthess-Rechberg,1899* **MZ ZA Nta Kzu SO**
90. **Nothogalepsus planivertex (Beier,1953)** (Irididae) Synonym(s): *planivertex Beier,1953* **MZ MW NA ZW**
91. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* **IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU**
92. **Otomantis scutigera Bolivar,1890** (Hymenopodidae) Synonym(s): *scutigera Bolivar,1890; africana Saussure & Zehntner,1895* **MW MZ TZ ZA Tva Lpo**
93. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus Fabricius,1787; capensis Saussure,1871* **ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW**
94. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis Sjöstedt,1909; nigericus Beier,1930* **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW**
95. **Parasphendale ghindana Giglio-Tos,1915** (Mantidae) Synonym(s): *ghindana Giglio-Tos,1915* **ET MZ SO**
96. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
97. **Polyspilota comorana Giglio-Tos,1911** (Mantidae) Synonym(s): *comorana Giglio-Tos,1911; fallax Giglio-Tos,1912* **MZ KM**
98. **Popa spurca spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* **AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
99. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
100. **Pseudogalepsus dispar (Werner,1907)** (Irididae) Synonym(s): *dispar Werner,1907* **ET CM KE MZ TZ**
101. **Pseudogalepsus inermis (Giglio-Tos,1911)** (Irididae) Synonym(s): *inermis Giglio-Tos,1911; nyassanus Giglio-Tos,1911* **MZ TZ AO**
102. **Pyrgomantis fasciata Giglio-Tos,1917** (Irididae) Synonym(s): *fasciata Giglio-Tos,1917; longissima Beier,1957* **AO ZA Tva Lpo ZR TZ MZ**
103. **Rhabdotis sobrina (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *sobrina Gory & Percheron,1833; virginea Klug,1855* **BW ZW ZA Tva Lpo Spb Mdk Nta Kzu MZ**
104. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
105. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica Stal,1858; bicarinata Saussure,1869* **ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO**
106. **Systropus (s.str.) syscius Bowden,1967** (Bombyliidae) Synonym(s): *syscius Bowden,1967* **MZ**
107. **Systropus (Teinopelmus) hesseanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *gracilis Hesse,1963 nec Enderl.,1926; hesseanus Evenhuis & Greathead,1999* **MZ**
108. **Tarachodes (s.str.) davidi Werner,1929** (Irididae) Synonym(s): *davidi Werner,1929* **MZ**
109. **Tarachodes (s.str.) griseus Giglio-Tos,1911** (Irididae) Synonym(s): *griseus Giglio-Tos,1911* **GH MZ**
110. **Tarachodes (s.str.) maurus (Stal,1856)** (Irididae) Synonym(s): *maurus Stal,1856* **CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ**
111. **Tarachodes (s.str.) sanctus (Saussure,1871)** (Irididae) Synonym(s): *sanctus Saussure,1871; insidiator Wood-Mason,1882; scer Giglio-Tos,1907; kibweziianus Giglio-Tos,1911* **ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE**
112. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa Fabricius,1781; bokiana Giglio-Tos,1907* **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
113. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris Karsch,1887* **BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW**
114. **Tylopsis continua (Walker,1869)** (Tettigoniidae) Synonym(s): *continua Walker,1869; vicaria Walker,1869; longipennis Stal,1876; vittata Brunner von Wattenwyl,1878; inhamata Karsch,1889* **ZA Nta Kzu Dbn NA MZ**
115. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann,1821; albescens Loew,1860; flavescens Loew,1860; albobilva François,1969* **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**

Synonymic and distributional list of the pterygot insects of Namibia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

52

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Namibia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 52. *Priamus* (suppl.) 18: 1985-1991.

In this study, totally 193 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Namibia recorded in info-system of the Cesa, total pterygot species of Namibia increase to 666.

Key words: List, distribution, *pterygota*, *Insecta*, Namibia.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹⁰⁴
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 193 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 473 recorded species of *Lepidoptera* from Namibia are found. Taking this information into consideration, total number of the pterygots may increase to 666.

The study is still continuing, and the new results will be published within this Project.

1. **Acnephalum cylindricum Oldroyd,1974** (Asilidae) Synonym(s): *cylindricum Oldroyd,1974* NA
2. **Acnephalum gracilis (Hermann,1908)** (Asilidae) Synonym(s): *gracilis Hermann,1908* NA ZA BW
3. **Acnephalum platygaster Loew,1858** (Asilidae) Synonym(s): *platygaster Loew,1858* NA
4. **Afroesticus minutus (Bromley,1936)** (Asilidae) Synonym(s): *minutus Bromley,1936* ZA BW MW ML NA ZW

¹⁰⁴ Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.
http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

5. **Afroestricus velatus Scarbrough,2005** (Asilidae) Synonym(s): *velatus Scarbrough,2005* **NG NA ZR AO**
6. **Afroholopogon africanus (Ricardo,1925)** (Asilidae) Synonym(s): *africanus Ricardo,1925* **NA ZA**
7. **Afroholopogon fugax (Loew,1858)** (Asilidae) Synonym(s): *fugax Loew,1858* **NA ZA**
8. **Afroholopogon mauros Londt,2005** (Asilidae) Synonym(s): *mauros Londt,2005* **NA ZA BW**
9. **Afroholopogon xeros Londt,2005** (Asilidae) Synonym(s): *xeros Londt,2005* **NA ZA**
10. **Afromelittodes mimos Londt,2003** (Asilidae) Synonym(s): *mimos Londt,2003* **NA ZA**
11. **Afromochtherus astiptus Londt,2002** (Asilidae) Synonym(s): *astiptus Londt,2002* **NA**
12. **Afromochtherus megastylus Londt,2002** (Asilidae) Synonym(s): *megastylus Londt,2002* **NA**
13. **Afromochtherus mendax (Tsacas,1969)** (Asilidae) Synonym(s): *mendax Tsacas,1969* **NA ZA ZW**
14. **Afroscleropogon armatus (Oldroyd,1974)** (Asilidae) Synonym(s): *armatus Oldroyd,1974* **NA ZA BW**
15. **Afroscleropogon braunsi (Oldroyd,1974)** (Asilidae) Synonym(s): *braunsi Oldroyd,1974* **NA ZA**
16. **Afroscleropogon bullingtoni Londt,1999** (Asilidae) Synonym(s): *bullingtoni Londt,1999* **NA**
17. **Afroscleropogon lavignei Londt,1999** (Asilidae) Synonym(s): *lavignei Londt,1999* **NA ZA**
18. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* **LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
19. **Ammodaimon acares Londt,1985** (Asilidae) Synonym(s): *acares Londt,1985* **NA**
20. **Amorphoscelis austrogermanica Werner,1923** (Amorphoscelidae) Synonym(s): *austrogermanica Werner,1923; beieri Roy,1962* **NA ZA Nta Kzu Tva Lpo**
21. **Amorphoscelis tuberculata Roy,1963** (Amorphoscelidae) Synonym(s): *tuberculata Roy,1963* **NA ZA Tva ZW MZ**
22. **Anasillomos chrysopos Londt,1983** (Asilidae) Synonym(s): *chrysopos Londt,1983* **NA ZA BW**
23. **Anastoechus erinaceus Bezzi,1921** (Bombyliidae) Synonym(s): *erinaceus Bezzi,1921* **BW NA ZA**
24. **Anastoechus eurystephus Hesse,1938** (Bombyliidae) Synonym(s): *eurystephus Hesse,1938* **NA**
25. **Anastoechus innocuus Bezzi,1921** (Bombyliidae) Synonym(s): *innocuus Bezzi,1921* **NA ZA**
26. **Anastoechus leucosoma Bezzi,1921** (Bombyliidae) Synonym(s): *leucosoma Bezzi,1921* **NA ZA**
27. **Anastoechus phaleratus Hesse,1938** (Bombyliidae) Synonym(s): *phaleratus Hesse,1938; albicerus Hesse,1938* **ZA ZW BW NA Fs**
28. **Anastoechus sericophorus Hesse,1938** (Bombyliidae) Synonym(s): *sericophorus Hesse,1938; congruens Hesse,1938* **NA ZA**
29. **Anastoechus varipecten Bezzi,1921** (Bombyliidae) Synonym(s): *varipecten Bezzi,1921; leucochroicus Hesse,1938* **NA ZA**
30. **Anomalipus acutangulus Oertzen,1897** (Tenebrionidae) Synonym(s): *acutangulus Oertzen,1897; turpis Péringuey,1899* **NA BW ZW ZA Tva Lpo**
31. **Anomalipus elephas Fahraeus,1870** (Tenebrionidae) Synonym(s): *elephas Fahraeus,1870* **ZA Tva Lpo Suw Spb Mdk BW NA ZW**
32. **Anomalipus perinthaе Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *perinthaе Endrödy-Younga,1988* **NA AO**
33. **Anthrax bifarius Hesse,1956** (Bombyliidae) Synonym(s): *bifarius Hesse,1956* **ZA NA**
34. **Anthrax capicola Bowden,1980** (Bombyliidae) Synonym(s): *caffer Hesse,1956; capicola Bowden,1980* **LS NA ZA**
35. **Antistia maculipennis Stal,1876** (Irididae) Synonym(s): *maculipennis Stal,1876; signata Karny,1908* **ZA Tva Lpo BW NA**
36. **Antistia parva Beier,1953** (Irididae) Synonym(s): *parva Beier,1953* **ZA NA**
37. **Anypodetus fasciatus Hermann,1908** (Asilidae) Synonym(s): *fasciatus Hermann,1908; rigidis Oldroyd,1974* **NA BW**
38. **Anypodetus fascipennis Engel,1924** (Asilidae) Synonym(s): *fascipennis Engel,1924; semirufus Engel,1924; maculipennis Ricardo,1925* **ZA BW NA ZW**
39. **Anypodetus leucothrix Londt,2000** (Asilidae) Synonym(s): *leucothrix Londt,2000* **NA ZA**
40. **Anypodetus macroceros Londt,2000** (Asilidae) Synonym(s): *macroceros Londt,2000* **NA**
41. **Anypodetus phalaros Londt,2000** (Asilidae) Synonym(s): *phalaros Londt,2000* **NA ZA**
42. **Anypodetus unicolor Oldroyd,1974** (Asilidae) Synonym(s): *unicolor Oldroyd,1974* **NA ZA ZW**
43. **Apolysis brachycera Hesse,1975** (Bombyliidae) Synonym(s): *brachycera Hesse,1975* **NA ZA Wca**

44. **Apolysis brevirostris Hesse,1938** (Bombyliidae) Synonym(s): *brevirostris Hesse,1938* NA ZA Wca Nca
45. **Apolysis elegans (Hesse,1938)** (Bombyliidae) Synonym(s): *elegans Hesse,1938* NA
46. **Apolysis flavifemoris (Hesse,1975)** (Bombyliidae) Synonym(s): *flavifemoris Hesse,1975* ZA Wca NA
47. **Apolysis humilis Loew,1860** (Bombyliidae) Synonym(s): *humilis Loew,1860; stuckenbergi Hesse,1975* ZA Eca Wca Kzu Nta NA
48. **Apolysis maherniaphila Hesse,1938** (Bombyliidae) Synonym(s): *maherniaphila Hesse,1938* NA ZA Wca
49. **Apolysis namaensis (Hesse,1938)** (Bombyliidae) Synonym(s): *namaensis Hesse,1938* NA ZA Nca
50. **Apolysis thornei Hesse,1938** (Bombyliidae) Synonym(s): *thornei Hesse,1938* NA ZA Nca Wca
51. **Apolysis triseriatella (Hesse,1975)** (Bombyliidae) Synonym(s): *triseriatella Hesse,1975* ZA NA Wca Nca
52. **Attagenus (s.str.) havai Kadej,2006** (Dermestidae) Synonym(s): *havai Kadej,2006* NA AO
53. **Bisanthe pulchripennis (Stal,1875)** (Mantidae) Synonym(s): *pulchripennis Stal,1875* BW NA ZA Tva Lpo
54. **Bolbena (Bolboda) minutissima (Karny,1908)** (Iridopterygidae) Synonym(s): *minutissima Karny,1908* ZA Tva Lpo NA ZW
55. **Bolbena (s.str.) assimilis Kaltenbach,1996** (Iridopterygidae) Synonym(s): *assimilis Kaltenbach,1996* NA
56. **Bolbena (s.str.) hottentotta Karny,1908** (Iridopterygidae) Synonym(s): *hottentotta Karny,1908* AO KE NA
57. **Bolbena (s.str.) maraisi Kaltenbach,1996** (Iridopterygidae) Synonym(s): *maraisi Kaltenbach,1996* NA ZW
58. **Bolbena (s.str.) minor Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *minor Giglio-Tos,1915* NA
59. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
60. **Bombylella okahandjana (Hesse,1938)** (Bombyliidae) Synonym(s): *okahandjana Hesse,1938* NA
61. **Bombylella tuckeri (Hesse,1938)** (Bombyliidae) Synonym(s): *tuckeri Hesse,1938* NA
62. **Bombylisoma album Greathead,2000** (Bombyliidae) Synonym(s): *album Greathead,2000* NA
63. **Bombylisoma flavipes (Hesse,1938)** (Bombyliidae) Synonym(s): *flavipes Hesse,1938* NA
64. **Bombylisoma kaokoense (Hesse,1938)** (Bombyliidae) Synonym(s): *kaokoense Hesse,1938* BW NA ZA
65. **Bombylisoma lepidum (Loew,1860)** (Bombyliidae) Synonym(s): *lepidum Loew,1860* MW NA
66. **Bombylisoma loewi (Hesse,1938)** (Bombyliidae) Synonym(s): *loewi Hesse,1938* NA
67. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale Bezzi,1924* AO KE MW NA NG TZ UG
68. **Carvilia saussurii (Stal,1876)** (Mantidae) Synonym(s): *saussurii Stal,1876* NA
69. **Chroicoptera vidua (Stal,1856)** (Mantidae) Synonym(s): *vidua Stal,1856* NA ZA Nta Kzu Lpo Tva
70. **Cilnia chopardi Werner,1927** (Mantidae) Synonym(s): *chopardi Werner,1927; cochlearis Sjöstedt,1930* BW MZ NA ZA Nta Kzu
71. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis Saussure,1871; latipes Stal,1875* AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
72. **Compsothespis michaelsoni Werner,1923** (Mantidae) Synonym(s): *michaelsoni Werner,1923* NA
73. **Conchotopoda belcki Karsch,1887** (Tettigoniidae) Synonym(s): *belcki Karsch,1887* NA Dmr
74. **Conchotopoda leptocerca (Stal,1876)** (Tettigoniidae) Synonym(s): *leptocerca Stal,1876* NA Dmr
75. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
76. **Dicrorrhina derbyana Westwood,1842** (Scarabaeidae) Synonym(s): *derbyana Westwood,1842; layardi Peringuey,1892; cyanea Kraatz,1896; divortialis Kolbe,1901; inornata Lekkerkerk & Krikken,1986; lucida Lekkerkerk & Krikken,1986* NA BW ZW MZ ZA Tva Lpo Spb Mdk LS
77. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta DeGeer,1778; cincticula Schönherr,1817; fimbriata Thunberg,1818; burchelii Fischer,1823; bachypinica Gory & Percheron,1833* ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ
78. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps Schaum,1853; paradoxa Saussure,1871* AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
79. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN

80. **Entella (Euentella) gaerdesi Kaltenbach,1996** (Mantidae) Synonym(s): *gaerdesi Kaltenbach,1996* NA
81. **Entella (s.str.) brunni (Werner,1923)** (Mantidae) Synonym(s): *brunni Werner,1923* NA
82. **Entella (s.str.) delalandi (Saussure,1870)** (Mantidae) Synonym(s): *delalandi Saussure,1870; gracilipes Saussure,1872* NA ZA Ec TZ ZW
83. **Entella (s.str.) femina (Karny,1908)** (Mantidae) Synonym(s): *femina Karny,1908* NA
84. **Episcopomantis chalybea (Burmeister,1838)** (Irididae) Synonym(s): *chalybea Burmeister,1838* AO BW NA ZA Tva Lpo Fs
85. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
86. **Eurycorypha brevicollis Stal,1876** (Tettigoniidae) Synonym(s): *brevicollis Stal,1876* NA
87. **Eurycorypha cuspidata Krauss,1901** (Tettigoniidae) Synonym(s): *cuspidata Krauss,1901* NA
88. **Eurycorypha securifera Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *securifera Brunner von Wattenwyl,1878* NA
89. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
90. **Galepsus (Lygdamia) brincki Beier,1955** (Irididae) Synonym(s): *brincki Beier,1955* NA
91. **Galepsus (Onychogalepsus) aberrans Kaltenbach,1996** (Irididae) Synonym(s): *aberrans Kaltenbach,1996* NA
92. **Galepsus (Onychogalepsus) damaranus Giglio-Tos,1911** (Irididae) Synonym(s): *damaranus Giglio-Tos,1911; orientalis Kaltenbach,1996* AO NA ZR ZW ZA Tva Lpo
93. **Galepsus (Onychogalepsus) focki Werner,1923** (Irididae) Synonym(s): *focki Werner,1923* NA
94. **Galepsus (Onychogalepsus) pentheri Giglio-Tos,1911** (Irididae) Synonym(s): *intermedia Giglio-Tos,1907; pentheri Giglio-Tos,1911; congicus Rehn,1912* ZR CM NA ZA Tva Lpo
95. **Galepsus (Onychogalepsus) ulricae Kaltenbach,1996** (Irididae) Synonym(s): *ulricae Kaltenbach,1996* NA
96. **Geothespis australis (Giglio-Tos,1916)** (Mantidae) Synonym(s): *australis Giglio-Tos,1916* NA AU?
97. **Geron barbatus Bezzi,1921** (Bombyliidae) Synonym(s): *barbatus Bezzi,1921* ZA NA
98. **Geron furcifer Hesse,1938** (Bombyliidae) Synonym(s): *furcifer Hesse,1938* NA ZA Gau
99. **Geron garipepinus Hesse,1938** (Bombyliidae) Synonym(s): *garipepinus Hesse,1938* NA ZA
100. **Geron latifrons Hesse,1938** (Bombyliidae) Synonym(s): *latifrons Hesse,1938* NA
101. **Geron maculifacies Hesse,1938** (Bombyliidae) Synonym(s): *maculifacies Hesse,1938* NA ZA Nta Kzu
102. **Geron marius Bowden,1980** (Bombyliidae) Synonym(s): *bezzii Hesse,1938 nec Paramon.,1930; marius Bowden,1980* NA
103. **Geron nasutus Bezzi,1924** (Bombyliidae) Synonym(s): *nasutus Bezzi,1924* KE MW NA NG ZM
104. **Geron nomadicus Hesse,1938** (Bombyliidae) Synonym(s): *nomadicus Hesse,1938; breyeri Hesse,1938* BW MZ NA ZA Nta Kzu TZ ZW
105. **Geron parvus Hesse,1938** (Bombyliidae) Synonym(s): *parvus Hesse,1938* NA ZA Nta Kzu
106. **Geron psammobates Hesse,1938** (Bombyliidae) Synonym(s): *psammobates Hesse,1938* ZA Gau Tva NA KE ZW SZ
107. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus Westwood,1837; moesta Germar,1837; pictiventris Stal,1853* ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
108. **Gonopus (Agonopus) edentatus Gebien,1920** (Tenebrionidae) Synonym(s): *edentatus Gebien,1920* NA
109. **Gonopus (Agonopus) hirtipes Fahraeus,1870** (Tenebrionidae) Synonym(s): *hirtipes Fahraeus,1870* NA ZA
110. **Gonopus (Agonopus) pliciventris Gebien,1920** (Tenebrionidae) Synonym(s): *pliciventris Gebien,1920* NA
111. **Gonopus (Agonopus) puncticollis Solier,1848** (Tenebrionidae) Synonym(s): *puncticollis Solier,1848; rugicollis Gebien,1920* NA ZA Cto
112. **Gonopus (s.str.) amplipennis Fairmaire,1888** (Tenebrionidae) Synonym(s): *amplipennis Fairmaire,1888* AO BW NA
113. **Gonopus (s.str.) conpachysoma Koch,1953** (Tenebrionidae) Synonym(s): *conpachysoma Koch,1953* NA ZA
114. **Gonopus (s.str.) deplanatus Fahraeus,1870** (Tenebrionidae) Synonym(s): *deplanatus Fahraeus,1870; costatus Fahraeus,1870; agrestis Fahraeus,1870* BW MZ NA ZW ZA

115. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870* AO BW ZR LS MW MZ NA ZA TZ ZM ZW
116. **Gonypetella australis Giglio-Tos,1915** (Mantidae) Synonym(s): *australis Giglio-Tos,1915* AO NA
117. **Gonypetella deletrix Rehn,1927** (Mantidae) Synonym(s): *deletrix Rehn,1927* AO NA ZA Tva Lpo ZW
118. **Gyransoidea klugei Prinsloo & Annecke,1976** (Encyrtidae) Synonym(s): *klugei Prinsloo & Annecke,1976* NA
119. **Harpagomantis tricolor (Linnaeus,1758)** (Hymenopodidae) Synonym(s): *tricolor Linnaeus,1758; paradoxa Goeze,1778; lobata Fabricius,1781; quadricornis Stoll,1813; spinocula Serville,1839* ZA Ec Nta Kzu Spb Tva Mdk Fs NA BW LS MZ ZW
120. **Heligmonevra tropicana Koçak & Kemal,2008**¹⁰⁵ (Asilidae) Synonym(s): *laevis Engel,1927 nec Wlk.,1861; tropicana Koçak & Kemal,2008* ZR MW NA
121. **Heterochaeta occidentalis Beier,1963** (Mantidae) Synonym(s): *occidentalis Beier,1963* BW KE NA ZA Ec
122. **Heterotropus apertus Greathead,2000** (Bombyliidae) Synonym(s): *apertus Greathead,2000* NA
123. **Heterotropus munroi Bezzi,1926** (Bombyliidae) Synonym(s): *munroi Bezzi,1926* BW NA ZA
124. **Horatosphaga stylifera (Karny,1910)** (Tettigoniidae) Synonym(s): *stylifera Karny,1910* NA
125. **Ischnomantis fatiloqua (Stal,1856)** (Mantidae) Synonym(s): *fatiloqua Stal,1856* AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR
126. **Ligaria aberrans (Karny,1908)** (Mantidae) Synonym(s): *aberrans Karny,1908* BW NA ZW
127. **Ligaria brevicollis Stal,1877** (Mantidae) Synonym(s): *brevicollis Stal,1877; umtalica Giglio-Tos,1915* MZ ZW ZA Tva Lpo BW MW NA ZM ZW
128. **Ligaria dentata Giglio-Tos,1915** (Mantidae) Synonym(s): *dentata Giglio-Tos,1915* NA
129. **Ligaria inexpectata Kaltenbach,1996** (Mantidae) Synonym(s): *inexpectata Kaltenbach,1996* NA ZW
130. **Ligariella bicornuta Kaltenbach,1996** (Mantidae) Synonym(s): *bicornuta Kaltenbach,1996* NA
131. **Ligariella gracilis (Karny,1908)** (Mantidae) Synonym(s): *gracilis Karny,1908* NA ZA
132. **Ligariella trigonalis (Saussure,1899)** (Mantidae) Synonym(s): *trigonalis Saussure,1899; jucunda Saussure,1899; pertinens Karny,1908; australis Giglio-Tos,1915; bolivarii Giglio-Tos,1915; damarae Giglio-Tos,1915;* ZA Ec NA
133. **Ligentella beieri Kaltenbach,1996** (Mantidae) Synonym(s): *beieri Kaltenbach,1996* NA
134. **Melidia brunneri Stal,1876** (Tettigoniidae) Synonym(s): *brunneri Stal,1876* NA
135. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis Loew,1866* AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAu SC FJ PR GU TZ AO CL EG NA OM JP MZ
136. **Miomantis coxalis Saussure,1898** (Mantidae) Synonym(s): *coxalis Saussure,1898* AO ZA Ec Nta Kzu Tva Lpo NA LS
137. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis Giglio-Tos,1911; australis Beier,1930* AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO
138. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata Fabricius,1781; vitrata Olivier,1792; nana Stoll,1813* ZA Ec Tva Lpo ZR LS MZ NA RW SO UG
139. **Miomantis natalica Beier,1930** (Mantidae) Synonym(s): *natalica Beier,1930* NA ZA Nta Kzu Tva Lpo ZW
140. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata Saussure,1898* ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG
141. **Miomantis semialata Saussure,1871** (Mantidae) Synonym(s): *semialata Saussure,1871* ZA Ec Nta Kzu SZ ZW NA TZ
142. **Namibiocesa**¹⁰⁶ **barbata (Munro,1929)** (Tephritidae) Synonym(s): *barbata Munro,1929* NA
143. **Namibiocesa incana (Munro,1963)** (Tephritidae) Synonym(s): *incana Munro,1963* NA
144. **Namibiocesa oryx (Munro,1956)** (Tephritidae) Synonym(s): *oryx Munro,1956* NA
145. **Neotabuda major Lyneborg,1980** (Therevidae) Synonym(s): *major Lyneborg,1980* NA
146. **Neotabuda tomentosa Lyneborg,1980** (Therevidae) Synonym(s): *tomentosa Lyneborg,1980* NA
147. **Nothogalepsus planivertex (Beier,1953)** (Irididae) Synonym(s): *planivertex Beier,1953* MZ MW NA ZW
148. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata Loew,1851; brachyptera Loew,1851; stenura Loew,1858; ruficornis Wulp,1899* IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
149. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus Fabricius,1787; capensis Saussure,1871* ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW

¹⁰⁵ specific name established by the authors.¹⁰⁶ genus name established by the authors.

150. **Oxyphilus (Setoxyphilus) transvalensis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *transvalensis* Giglio-Tos,1915; *inscriptus* Beier,1955 ZA Tva Lpo Gau Jh AO BW LS SZ ZW NA
151. **Pachyanthrax lutulentus (Bezzi,1921)** (Bombyliidae) Synonym(s): *lutulentus* Bezzi,1921 BW NA
152. **Parentella laticollis (Karny,1908)** (Mantidae) Synonym(s): *laticollis* Karny,1908 BW NA
153. **Phthiria cognata Hesse,1938** (Bombyliidae) Synonym(s): *cognata* Hesse,1938 NA
154. **Phthiria crocogramma Hesse,1938** (Bombyliidae) Synonym(s): *crocogramma* Hesse,1938 NA KE
155. **Phthiria nitidigena Hesse,1975** (Bombyliidae) Synonym(s): *nitidigena* Hesse,1975 NA ZA Wca
156. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adspersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet- Serville,1839 AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
157. **Popa spurca spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
158. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
159. **Pseudostacta braueri (Karny,1908)** (Mantidae) Synonym(s): *braueri* Karny,1908 NA
160. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta* Thunberg,1784; *capensis* Gmelin,1790 ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ
161. **Pyrgomantis rhodesica Giglio-Tos,1917** (Irididae) Synonym(s): *rhodesica* Giglio-Tos,1917 ZM BW NA ZW ZA Tva Lpo
162. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica* Stal,1858; *bicarinata* Saussure,1869 ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO
163. **Sphodromantis viridis (Forsk.,1775)** (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
164. **Sycophila naso Boucek,1981** (Eurytomidae) Synonym(s): *naso* Boucek,1981 NA UG ZW
165. **Systropha (s.str.) ogilivei Cockerell,1936** (Halictidae) Synonym(s): *ogilivei* Cockerell,1936 NA
166. **Systropha (Systrophidia) glabriventris Friese,1922** (Halictidae) Synonym(s): *glabriventris* Friese,1922 NA ZW
167. **Tarachodes (Chiropus) bispinosus Kaltenbach,1996** (Irididae) Synonym(s): *bispinosus* Kaltenbach,1996 NA
168. **Tarachodes (Chiropus) dives (Saussure,1869)** (Irididae) Synonym(s): *dives* Saussure,1869; *karnyi* Giglio-Tos,1911 AO NA SD
169. **Tarachodes (s.str.) bicornis Giglio-Tos,1911** (Irididae) Synonym(s): *bicornis* Giglio-Tos,1911 NA
170. **Tarachodes (s.str.) gigas Sjöstedt,1930** (Irididae) Synonym(s): *gigas* Sjöstedt,1930 NA
171. **Tarachodes (s.str.) lucubrans (Burchell,1822)** (Irididae) Synonym(s): *lucubrans* Burchell,1822; *perlouides* Burmeister,1838 NA ZA Tva Lpo Fs
172. **Tarachodes (s.str.) maurus (Stal,1856)** (Irididae) Synonym(s): *maurus* Stal,1856 CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ
173. **Tarachodes (s.str.) namibiensis Kaltenbach,1996** (Irididae) Synonym(s): *namibiensis* Kaltenbach,1996 NA
174. **Tarachodes (s.str.) nubifer Sjöstedt,1930** (Irididae) Synonym(s): *nubifer* Sjöstedt,1930 NA
175. **Tarachodes (s.str.) okahandyanus Giglio-Tos,1911** (Irididae) Synonym(s): *okahandyanus* Giglio-Tos,1911 NA TZ
176. **Tarachodes (s.str.) thomseni (Werner,1923)** (Irididae) Synonym(s): *thomseni* Werner,1923 NA
177. **Tenodera superstitionosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitionosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
178. **Toxophora australis Hesse,1938** (Bombyliidae) Synonym(s): *australis* Hesse,1938 ZA LS NA
179. **Toxophora crocisops Hesse,1938** (Bombyliidae) Synonym(s): *crocisops* Hesse,1938 NA ZA
180. **Toxophora diploptera Speiser,1910** (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 BW KE NA ZA Nta Kzu Tva Mpu TZ ZW
181. **Toxophora epargyroides Hesse,1938** (Bombyliidae) Synonym(s): *epargyroides* Hesse,1938 KE? NA TZ ZW
182. **Toxophora obliquisquamosa Hesse,1938** (Bombyliidae) Synonym(s): *obliquisquamosa* Hesse,1938 BW NA ZA
183. **Toxophora punctipennis Bezzi,1921** (Bombyliidae) Synonym(s): *punctipennis* Bezzi,1921 ZA Nta Kzu ZW NA

184. **Toxophora quadricellulata Hesse,1963** (Bombyliidae) Synonym(s): *quadricellulata* Hesse,1963 NA ZA
185. **Tylopsis continua (Walker,1869)** (Tettigoniidae) Synonym(s): *continua* Walker,1869; *vicaria* Walker,1869; *longipennis* Stal,1876; *vittata* Brunner von Wattenwyl,1878; *inhamata* Karsch,1889 ZA Nta Kzu Dbn NA MZ
186. **Villa kaokoensis Hesse,1956** (Bombyliidae) Synonym(s): *kaokoensis* Hesse,1956 NA
187. **Villa karasana Hesse,1956** (Bombyliidae) Synonym(s): *erratica* Robineau-Desvoidy,1830; *karasana* Hesse,1956 NA
188. **Villa lasia (Wiedemann,1824)** (Bombyliidae) Synonym(s): *lasia* Wiedemann,1824 ZA NA
189. **Villa loewii Hesse,1956** (Bombyliidae) Synonym(s): *loewii* Hesse,1956 BI LS NA RW ZA Gau Mpu Tva UG ZW
190. **Villa nivearia Hesse,1956** (Bombyliidae) Synonym(s): *nivearia* Hesse,1956 NA
191. **Villa pachystyla Hesse,1956** (Bombyliidae) Synonym(s): *pachystyla* Hesse,1956 BW NA ZW
192. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albopilva* François,1969 BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM
193. **Villa turneri Hesse,1956** (Bombyliidae) Synonym(s): *turneri* Hesse,1956; *dissimilis* Hesse,1956 NA ZW

Synonymic and distributional list of the pterygot insects of Nigeria

(Results of the Entomofauna of the World based upon info-system of the Cesa)

53

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Nigeria (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 53.

Priamus (suppl.) 18: 1992-1997.

In this study, totally 161 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Nigeria recorded in info-system of the Cesa, total pterygot species of Nigeria increase to 1480.

Key words: List, distribution, *pterygota*, *Insecta*, Nigeria.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹⁰⁷
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 161 pterygot species (except *Lepidoptera*) are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1319 recorded species of *Lepidoptera* from Nigeria are found. Taking this information into consideration, total number of the pterygots may increase to 1480.

The study is still continuing, and the new results will be published within this Project.

1. **Acithespis gigas Giglio-Tos,1916** (Mantidae) Synonym(s): *gigas Giglio-Tos,1916* **BF GM NG SN**
2. **Acrita turrita (Linnaeus,1758)** (Acrididae) Synonym(s): *turrita Linnaeus,1758; rufescens Beauvois,1805; tenuis Beauvois,1805; carinulata Bolivar,1889; uvarovi Bolivar,1936; maroccana Dirsh,1949; sicula Dirsh,1949; tunetana Dirsh,1949* **CV NG BJ MA TN IT Si**
3. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus Guérin-Méneville,1831; purpurea Westwood,1837; figuratus Germar,1837; caerulea Dallas,1851; marginella Dallas,1851; miniatescens Stal,1853* **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**

¹⁰⁷ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 3- Nigeria stand 18.7.2007 [totally 1341 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafri5.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

4. **Afroesticus sadaukii Scarbrough,2005** (Asilidae) Synonym(s): *sadaukii Scarbrough,2005* NG GH
5. **Afroesticus varipes (Curran,1927)** (Asilidae) Synonym(s): *varipes Curran,1927; garambensis Oldroyd,1970* ZR AO BF CM CG NG RW UG
6. **Afroesticus velatus Scarbrough,2005** (Asilidae) Synonym(s): *velatus Scarbrough,2005* NG NA ZR AO
7. **Agaon baliolum Wiebes,1974** (Agaonidae) Synonym(s): *baliolum Wiebes,1974* NG
8. **Agaon megalopon Wiebes,1976** (Agaonidae) Synonym(s): *megalopon Wiebes,1976* NG
9. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia *simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH).* LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
10. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus *thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH).* LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
11. **Alcimus taeniopus (Rondani,1873)** (Asilidae) Synonym(s): *taeniopus Rondani,1873* MW NG ET
12. **Allotriozone nigeriense Wiebes,1974** (Agaonidae) Synonym(s): *nigeriense Wiebes,1974* NG
13. **Ammophilomima imitatrix Enderlein,1914** (Asilidae) Synonym(s): *imitatrix Enderlein,1914* NG CM
14. **Ammophilomima straeleni Janssens,1953** (Asilidae) Synonym(s): *straeleni Janssens,1953* NG ZR
15. **Amorphoscelis pallida Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *pallida Giglio-Tos,1913* CM NG
16. **Amorphoscelis tigrina Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *tigrina Giglio-Tos,1913* BJ BF GN CM NG SN
17. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
18. **Ancylorhynchus nomadus (Wiedemann,1828)** (Asilidae) Synonym(s): *nomadus Wiedemann,1828* NG
19. **Andrenosoma boranicum Corti,1895** (Asilidae) Synonym(s): *boranicum Corti,1895* CI NG ZW ET
20. **Andrenosoma serpentina (Bezzi,1908)** (Asilidae) Synonym(s): *serpentina Bezzi,1908* ZR KE MW ZA NG
21. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
22. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
23. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira Linnaeus,1767; alginis Fabricius,1787; vegeta Wiedemann,1828; pallida Macquart,1838; fuscana Macquart,1838; aberrans Schiner,1867; deformis Walker,1871* MA DZ LY TN EG NG TR SA IL Pa IR
24. **Apocrypta crypta Ulenberg,1985** (Agaonidae) Synonym(s): *crypta Ulenberg,1985* NG
25. **Arantia hydatinoptera Karsch,1889** (Tettigoniidae) Synonym(s): *hydatinoptera Karsch,1889* NG
26. **Blepharodes parumspinosus Beier,1930** (Empusidae) Synonym(s): *parumspinosus Beier,1930* BF MR NG SN SD TD
27. **Bombylella argentata (Fabricius,1805)** (Bombyliidae) Synonym(s): *argentata Fabricius,1805; argyroloma Bowden,1964* TD ER CI GH KE MW NG TZ UG
28. **Bombylella nigriloba (Bezzi,1920)** (Bombyliidae) Synonym(s): *nigriloba Bezzi,1920* BJ BF GW GM GH NG SN SD TG
29. **Bombylella plorans (Bezzi,1920)** (Bombyliidae) Synonym(s): *plorans Bezzi,1920; lugens Bezzi,1924; melanolomus Hesse,1938* BJ GH KE NG SN SL TZ TG UG ZW
30. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale Bezzi,1924* AO KE MW NA NG TZ UG
31. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis Loew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
32. **Brixia calabarensis Synave,1957** (Cixiidae) Synonym(s): *calabarensis Synave,1957* NG Caa

33. **Brixia nigeriana** Synave,1971 (Cixiidae) Synonym(s): **NG**
34. **Calospilota calabarica** (Westwood,1889) (Mantidae) Synonym(s): *calabarica* Westwood,1889
NG Caa Bio GO LR
35. **Calospilota duchaillui** (Rehn,1960) (Mantidae) Synonym(s): *duchaillui* Rehn,1960 **NG**
36. **Calospilota lolodorfana** (Giglio-Tos,1911) (Mantidae) Synonym(s): *lolodorfana* Giglio-Tos,1911
CM ZR NG
37. **Calospilota misana** (Giglio-Tos,1911) (Mantidae) Synonym(s): *misana* Giglio-Tos,1911 **GH GN
TG NG**
38. **Canthecona discolor** (Palisot de Beauvois,1811) (Pentatomidae) Synonym(s): *discolor*
Palisot de Beauvois,1811; glypsoides Linnavuori,1975 **SD GN TG ZR CM NG GH LR AO**
39. **Catoptropteryx afra** (Karsch,1889) (Tettigoniidae) Synonym(s): *afra* Karsch,1889 **NG**
40. **Ceratitidis (s.str.) capitata** (Wiedemann,1824) (Tephritidae) Synonym(s): *capitata*
Wiedemann,1824; citriperda Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata**
*Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape
Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau
Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR
MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE
SA Sa Si PT NZ US Tx Cf Fl Hw CA*
41. **Ceratothripoides brunneus** Bagnall,1918 (Thripidae) Synonym(s): *brunneus* Bagnall,1918;
marshalli Bagnall,1918; *ventralis* Hood,1918 **GH SL CI NG CM ET UG ZR AO ZA PR MY**
42. **Ceratothripoides cameroni** (Priesner,1934) (Thripidae) Synonym(s): *cameroni* Priesner,1934
SD NG SA IN TH
43. **Ceratothripoides claratris** (Shumsher,1946) (Thripidae) Synonym(s): *claratris*
Shumsher,1946; moulti Seshadri & Ananthakrishnan,1954; *reticulatus* Reyes,1994 **UG NG**
44. **Ceratothripoides revelatus** (Priesner,1937) (Thripidae) Synonym(s): *revelatus* Priesner,1937
ZR SL UG GH NG ST AO MZ KE
45. **Cesametra aethiops** (Distant) (Gerridae) Synonym(s): *aethiops* (Distant) **NG CM**
46. **Chalicodoma (Gronoceras) africanibia** (Strand,1912) (Megachilidae) Synonym(s):
africanibia Strand,1912 **NG ZR**
47. **Chalicodoma (Pseudomegachile) cyanipennis** (Guérin de Méneville,1845)
(Megachilidae) Synonym(s): *cyanipennis* Guérin de Méneville,1845 **SN EG SD GH NG**
48. **Conocephalus (s.str.) conocephalus** (Linnaeus,1767) (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA
TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
49. **Culicoides coarctatus** Clastrier & Wirth,1961 (Ceratopogonidae) Synonym(s): *coarctatus*
Clastrier & Wirth,1961 **NG**
50. **Culicoides distinctipennis** Austen,1912 (Ceratopogonidae) Synonym(s): *distinctipennis*
Austen,1912 **NG IL Pa**
51. **Culicoides kotonkan** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *kotonkan*
Boorman & Dipeolu,1979 **NG**
52. **Culicoides murphyi** Clastrier & Wirth,1961 (Ceratopogonidae) Synonym(s): *murphyi*
Clastrier & Wirth,1961 **NG**
53. **Culicoides murtalai** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *murtalai*
Boorman & Dipeolu,1979 **NG**
54. **Culicoides nigeriae** Ingram & Macfie,1921 (Ceratopogonidae) Synonym(s): *nigeriae* Ingram
& Macfie,1921 **NG**
55. **Culicoides remerki** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *remerki*
Boorman & Dipeolu,1979 **NG**
56. **Culicoides sellersi** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *sellersi*
Boorman & Dipeolu,1979 **NG**
57. **Culicoides taylori** (Boorman & Lane,1979) (Ceratopogonidae) Synonym(s): *taylori* (Boorman
& Lane,1979) **NG**
58. **Culicoides vomensis** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *vomensis*
Boorman & Dipeolu,1979 **NG**
59. **Culicoides yankari** Boorman & Dipeolu,1979 (Ceratopogonidae) Synonym(s): *yankari*
Boorman & Dipeolu,1979 **NG**
60. **Damarius splendidulus** (Fabricius,1803) (Pentatomidae) Synonym(s): *splendidulus*
Fabricius,1803; elongatus Dallas,1852; *innocuus* Stal,1865; *metallicus* Fallou,1891; *bicolor* Distant,1912
ZR GN SD UG SL GH ET BJ CI NG CM ZA
61. **Danuria (s.str.) buchholzi** Gerstaecker,1883 (Mantidae) Synonym(s): *buchholzi*
Gerstaecker,1883 **GH GN CM CI ZR SN NG TG UG**
62. **Dasyhelea boothi** Ingram & Macfie,1921 (Ceratopogonidae) Synonym(s): *boothi* Ingram &
Macfie,1921 **NG**
63. **Desmatoneura choreutes** (Bowden,1964) (Bombyliidae) Synonym(s): *pulcher* Meade,1882;
choreutes Bowden,1964 **GH NG SL**

64. **Dirhinus ehrhorni Silvestri,1913** (Chalcididae) Synonym(s): *ehrhorni Silvestri,1913* NG
65. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii Silvestri,1913* AU NSW
QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
66. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
67. **Ducetia crosskeyi Ragge,1961** (Tettigoniidae) Synonym(s): *crosskeyi Ragge,1961* NG
68. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali Reiche & Fairmaire,1847; perloides Saussure,1869; somalica Schluthness-Schindler,1898* DZ ET GN CM KE NG SN
SD TD UG
69. **Epitenodera houyi Werner,1928** (Mantidae) Synonym(s): *houyi Werner,1928* BF CM NG SN
70. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL
SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
71. **Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae) Synonym(s): *diversiciliatus Silvestri,1915* NG TR
72. **Exoprosopa glossops Greathead,2001** (Bombyliidae) Synonym(s): *glossops Greathead,2001* NG
73. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae Risbec,1951; africanus Risbec,1955; deemingi Subba Rao,1970* BJ CM GH KE MW NG SN TZ UG
74. **Galepsus (Lygdamia) nimulensis Giglio-Tos,1917** (Irididae) Synonym(s): *nimulensis Giglio-Tos,1917* CM NG SN UG
75. **Galepsus (s.str.) feae Giglio-Tos,1911** (Irididae) Synonym(s): *feae Giglio-Tos,1911* GN NG
76. **Galepsus (s.str.) laticeps Werner,1907** (Irididae) Synonym(s): *laticeps Werner,1907* CM NG
77. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928* RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
78. **Geron ablusus Bowden,1974** (Bombyliidae) Synonym(s): *ablusus Bowden,1974* NG
79. **Geron nasutus Bezzi,1924** (Bombyliidae) Synonym(s): *nasutus Bezzi,1924* KE MW NA NG ZM
80. **Geron saccharus Bowden,1974** (Bombyliidae) Synonym(s): *saccharus Bowden,1974* NG
81. **Geron samarus Bowden,1974** (Bombyliidae) Synonym(s): *samarus Bowden,1974* NG
82. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri Schouteden,1904*
BJ KE AO NG CI GH ZR TZ ET
83. **Glypsus carinulatus Bergroth,1904** (Pentatomidae) Synonym(s): *carinulatus Bergroth,1904*
SD ZR NG GN CI
84. **Glypsus erubescens Distant,1890** (Pentatomidae) Synonym(s): *erubescens Distant,1890* SD
NG NE TD ZR CI
85. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi Schouteden,1904*
GH KE SD NG AO TG TZ ET ZR
86. **Glypsus vigil (Germar,1837)** (Pentatomidae) Synonym(s): *vigil Germar,1837* ZA ZR NG
87. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana Beauvois,1805; oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939* ZA Kzu Nta SN ZR NG IR Ss CN TW
88. **Gyranusoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* BJ ZR CG GA
GH IN Up ID Clb CI MY NG SL TG
89. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis Lucas,1849*
ES FR Co IT MK GR TR Cc KG NG SD SA LK
90. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL
AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
91. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii Roy,1973* AO GA CM NG
SN UG
92. **Heterochaeta girardi Roy,1975** (Mantidae) Synonym(s): *girardi Roy,1975* CI GH NG
93. **Heterochaeta kumari Roy,1975** (Mantidae) Synonym(s): *kumari Roy,1975* CI GH KE NG SN
UG
94. **Heterochaeta strachani (Kirby,1904)** (Mantidae) Synonym(s): *strachani Kirby,1904* BJ BF
GH GN ML NG LR SN SL
95. **Horatosphegodes crosskeyi Ragge,1960** (Tettigoniidae) Synonym(s): *crosskeyi Ragge,1960* NG
96. **Leptocola gracillima Gerstaecker,1883** (Mantidae) Synonym(s): *gracillima Gerstaecker,1883*
CM NG
97. **Leptolobus murrayi Signoret,1855** (Pentatomidae) Synonym(s): *murrayi Signoret,1855* CM
CI GN LR NG SL
98. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI
GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW

99. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
100. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 BW MZ NG SA SO ZA SD ZW
101. **Milichia argyratoides Collin,1922** (Milichiidae) Synonym(s): *argyratoides* Collin,1922 NG
102. **Milichia brevifacialis Deeming,1976** (Milichiidae) Synonym(s): *brevifacialis* Deeming,1976 NG
103. **Milichia cornesi Deeming,1976** (Milichiidae) Synonym(s): *cornesi* Deeming,1976 NG
104. **Milichia dectes Collin,1922** (Milichiidae) Synonym(s): *dectes* Collin,1922 NG
105. **Milichia distinctipennis Deeming,1981** (Milichiidae) Synonym(s): *distinctipennis* Deeming,1981 UG CM GH NG ZR
106. **Milichia farquharsoni Collin,1922** (Milichiidae) Synonym(s): *farquharsoni* Collin,1922 NG
107. **Milichia formicophila Deeming,1976** (Milichiidae) Synonym(s): *formicophila* Deeming,1976 NG
108. **Milichia ilaroensis Deeming,1976** (Milichiidae) Synonym(s): *ilaroensis* Deeming,1976 NG
109. **Milichia proectes Collin,1922** (Milichiidae) Synonym(s): *proectes* Collin,1922 NG
110. **Milichia prosaetes Collin,1922** (Milichiidae) Synonym(s): *prosaetes* Collin,1922 NG
111. **Milichia savannaticola Deeming,1981** (Milichiidae) Synonym(s): *savannaticola* Deeming,1981 NG
112. **Milichia sylvicola Deeming,1981** (Milichiidae) Synonym(s): *sylvicola* Deeming,1981 NG
113. **Milichiella acrosticalis (Sabrosky,1958)** (Milichiidae) Synonym(s): *acrosticalis* Sabrosky,1958 KE NG TZ
114. **Milichiella argentiventris Hendel,1931** (Milichiidae) Synonym(s): *argentiventris* Hendel,1931 CV EG IL? NG OM SD YE
115. **Milichiella nigeriae (Duda,1935)** (Milichiidae) Synonym(s): *nigeriae* Duda,1935 NG
116. **Neomyia bimaculata (Stein,1918)** (Muscidae) Synonym(s): *bimaculata* Stein,1918 UG CI KE NG ZR
117. **Neomyia macrops (Curran,1935)** (Muscidae) Synonym(s): *macrops* Curran,1935 ZR KE NG ZA TG UG
118. **Neomyia splendida (Adams,1905)** (Muscidae) Synonym(s): *splendida* Adams,1905 NG RW ZR
119. **Neomyia trimaculata (Snyder,1951)** (Muscidae) Synonym(s): *trimaculata* Snyder,1951 NG
120. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokoziowitzcki* Bolivar,1884; *mlokosewitchi* Bolivar,1887; *dimidiatus* Bolivar,1899 Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV
121. **Olipara nigeriensis (Van Stalle,1984)** (Cixiidae) Synonym(s): *nigeriensis* Van Stalle,1984 NG
122. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845 EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
123. **Oxypilus (s.str.) enei Roy,1966** (Hymenopodidae) Synonym(s): *enei* Roy,1966 CM NG TG
124. **Oxypilus (s.str.) guentheri Roy,1966** (Hymenopodidae) Synonym(s): *guentheri* Roy,1966 CM NG
125. **Oxypilus (s.str.) hamatus Roy,1966** (Hymenopodidae) Synonym(s): *hamatus* Roy,1966 BJ GH NG TG
126. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
127. **Pachyanthrax nomadarum (Greathead,1970)** (Bombyliidae) Synonym(s): *nomadarum* Greathead,1970 MR NG YE AE MA
128. **Palorus (Circomus) subdepressus Wollaston,1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864 TR NG Bor Swk MY ZA ZR
129. **Paragalepsus nigericus Beier,1930** (Irididae) Synonym(s): *nigericus* Beier,1930 CM NG
130. **Paroxyphthalmus nigericus Giglio-Tos,1917** (Irididae) Synonym(s): *nigericus* Giglio-Tos,1917 NG NE BF
131. **Pediobius acraconae Kerrich,1973** (Eulophidae) Synonym(s): *acraconae* Kerrich,1973 NG
132. **Pediobius afronigripes Kerrich,1973** (Eulophidae) Synonym(s): *afronigripes* Kerrich,1973 CM ZR GH CI MW NG
133. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus* Waterston,1915 EG ZR GH MW NG SN ZA TG
134. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ

135. **Platynopiellus reichi (Signoret,1858)** (Pentatomidae) Synonym(s): *reichi* Signoret,1858 **CM ET GH GN CI NG TG**
136. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus* Drury,1782 (praeocc.); *calens* Fabricius,1803 (praeocc.); *septendecimaculatus* Beauvois,1811; *trijunctus* Walker,1867; *optabilis* Walker,1867; *parvus* Distant,1900 **CM GH CI KE NG SL SD UG ZR**
137. **Platynopiellus thomsonii (Signoret,1858)** (Pentatomidae) Synonym(s): *thomsonii* Signoret,1858 **CM GH GN CI NG ZR**
138. **Plistospilota nigerica Giglio-Tos,1917** (Mantidae) Synonym(s): *nigerica* Giglio-Tos,1917 **AO CM NG**
139. **Prohierodula ornatipennis (Bolivar,1893)** (Mantidae) Synonym(s): *ornatipennis* Bolivar,1893 **GH CI Bio GO ZR NG SL**
140. **Pyrgomantis jonesi Kirby,1904** (Irididae) Synonym(s): *jonesi* Kirby,1904; *septentrionalis* Werner,1907; *nigerica* Giglio-Tos,1917; *occidentalis* Giglio-Tos,1917 **CM NG BF GH NE SN**
141. **Pyrgomantis pallida Giglio-Tos,1917** (Irididae) Synonym(s): *pallida* Giglio-Tos,1917 **CM BF GH GN ZR NG TG**
142. **Scintharista zolotarevskiy Uvarov,1941** (Acrididae) Synonym(s): *zolotarevskiy* Uvarov,1941 **SN GM NG SD ML**
143. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis* Becker,1916 **UG ZA TZ KE NG CM NE**
144. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus* Becker,1916 **UG KE RW ZR LR ML CM NG GH**
145. **Scoliophthalmus gyratus (Séguy,1941)** (Chloropidae) Synonym(s): *gyratus* Séguy,1941 **CI SL NG**
146. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis* Duda,1935 **NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET**
147. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
148. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle* Becker,1903; *scapulatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 **EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM**
149. **Sphodromantis congica Beier,1931** (Mantidae) Synonym(s): *congica* Beier,1931 **AO ZR NG**
150. **Sphodromantis gracilicollis Beier,1930** (Mantidae) Synonym(s): *gracilicollis* Beier,1930 **GA GH GN NG SN CF**
151. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
152. **Sphodromantis viridis (Forsk.,1775)** (Mantidae) Synonym(s): *viridis* Forsk.,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
153. **Systropha (Austrosystropha) norae Patiny,2004** (Halictidae) Synonym(s): *norae* Patiny,2004 **NG**
154. **Systropus (Dimelopelma) bicuspis Bezzi,1924** (Bombyliidae) Synonym(s): *bicuspis* Bezzi,1924 **NG**
155. **Systropus (Dimelopelma) pelopoeus Bowden,1967** (Bombyliidae) Synonym(s): *pelopoeus* Bowden,1967 **NG**
156. **Systropus (s.str.) silvestrii Bezzi,1924** (Bombyliidae) Synonym(s): *silvestrii* Bezzi,1924; *subcingulatus* Enderlein,1926 **CM NG**
157. **Tarachodes (s.str.) robustus Beier,1930** (Irididae) Synonym(s): *robustus* Beier,1930 **NG**
158. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
159. **Toxophora trivittata Bezzi,1908** (Bombyliidae) Synonym(s): *trivittata* Bezzi,1908 **ZR NG**
160. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albopilva* François,1969 **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**
161. **Villa venus Greathead,1967** (Bombyliidae) Synonym(s): *venus* Greathead,1967 **ER NG SA**

Synonymic and distributional list of the pterygot insects of Rwanda (Results of the Entomofauna of the World based upon info-system of the Cesa)

54

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Rwanda (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 54. *Priamus* (suppl.) 18: 1998-2000.

In this study, totally 47 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Rwanda recorded in info-sytem of the Cesa, total pterygot species of Rwanda increase to 376.
Key words: List, distribution, *pterygota*, *Insecta*, Rwanda.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹⁰⁸
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 47 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 329 recorded species of Lepidoptera from Rwanda are found. Taking this information into consideration, total number of the pterygots may increase to 376.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax crypticus Papp & Norrbom,1992** (Sphaeroceridae) Synonym(s): *crypticus Papp & Norrbom,1992* **RW UG TZ ZR**
2. **Afroesticus insectaris Scarbrough,2005** (Asilidae) Synonym(s): *insectaris Scarbrough,2005* **UG RW KE**

¹⁰⁸ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 2- Rwanda stand 18.7.2007 [totally 359 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafri4.pdf/base_view - Koçak,A.Ö. & M.Kemal,2008, Second report on the temorary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

3. **Afroesticus varipes (Curran,1927)** (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 ZR AO BF CM CG NG RW UG
4. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
5. **Aluligera grossa Richards,1955** (Sphaeroceridae) Synonym(s): *grossa* Richards,1955; *borborus* Richards,1955 ZR Kvu RW
6. **Aluligera polychaeta Richards,1966** (Sphaeroceridae) Synonym(s): *polychaeta* Richards,1966 RW ZR Kvu
7. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
8. **Anchophthalmus basilewskyi Koch,1956** (Tenebrionidae) Synonym(s): *basilewskyi* Koch,1956 RW
9. **Cesametra¹⁰⁹ natalensis (Distant,1903)** (Gerridae) Synonym(s): *natalensis* Distant,1903 ZA Nta Kzu RW TZ ZM
10. **Chrysolina ambrostomoides Bechyne,1955** (Chrysomelidae) Synonym(s): *ambrostomoides* Bechyne,1955 RW
11. **Chrysolina ruandana (Weise,1912)** (Chrysomelidae) Synonym(s): *ruandana* Weise,1912; *pauperata* Burgeon,1941 ZR RW
12. **Copris integer Reiche,1847** (Scarabaeidae) Synonym(s): *integer* Reiche,1847 RW
13. **Copris orion Klug,1835** (Scarabaeidae) Synonym(s): *orion* Klug,1835 RW
14. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 KE ZR MW RW TZ ZM ZW
15. **Diastellopalpus lamellicollis Qued.** (Scarabaeidae) Synonym(s): RW
16. **Diplognatha gagates (Forster,1771)** (Scarabaeidae) Synonym(s): *gagates* Forster,1771 RW
17. **Dirhinus nidicolus Kerrich,1964** (Chalcididae) Synonym(s): *nidicolus* Kerrich,1964 RW
18. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus* Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiventris* Stal,1864; *rutherfordi* Distant,1892 ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
19. **Eudicella smithi (MacLeay,1838)** (Scarabaeidae) Synonym(s): *smithi* MacLeay,1838 RW
20. **Galepsus (Onychogalepsus) fallax La Greca,1955** (Irididae) Synonym(s): *fallax* La Greca,1955 RW BI
21. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus* Saussure,1888; *orientalis* Sjöstedt,1928; *zebrata* Sjöstedt,1928 RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
22. **Gonypetella flavicornis (Sjöstedt,1909)** (Mantidae) Synonym(s): *flavicornis* Sjöstedt,1909 KE RW Ug Rz TZ
23. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis* Burmeister,1838; *purpunpennis* Audinet-Serville,1839; *wahlbergi* Stal,1856 (part); *phantasma* Rehn,1949 ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET
24. **Hoploxys coeruleus Dallas,1851** (Pentatomidae) Synonym(s): *coeruleus* Dallas,1851 SD GA CM ZR RW
25. **Ligentella lacualis Kaltenbach,1996** (Mantidae) Synonym(s): *lacualis* Kaltenbach,1996 ZR RW
26. **Miomantis abyssinica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *abyssinica* Giglio-Tos,1911 ET RW TZ BI
27. **Miomantis binotata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *binotata* Giglio-Tos,1911 KE MW RW TZ TG BI
28. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata* Fabricius,1781; *vitratata* Olivier,1792; *nana* Stoll,1813 ZA Ec Tva Lpo ZR LS MZ NA RW SO UG
29. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis* Giglio-Tos,1911 ET KE MW RW SO TZ UG BI
30. **Miomantis mombasica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *mombasica* Giglio-Tos,1911 KE Mb RW TZ BI
31. **Miomantis montana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *montana* Giglio-Tos,1911 ET KE RW TZ UG BI
32. **Miomantis pygmaea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *pygmaea* Giglio-Tos,1917 ET KE RW TZ UG BI
33. **Miomantis wittei Beier,1954** (Mantidae) Synonym(s): *wittei* Beier,1954 ZR RW BI

¹⁰⁹ genus name established by the authors.

34. **Neomyia bequaerti (Villeneuve,1916)** (Muscidae) Synonym(s): *bequaerti Villeneuve,1916* **ZR RW ZA UG**
35. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia Malloch,1923* **KE CM GH MW RW ZA TG UG ZR**
36. **Neomyia sororella (Villeneuve,1926)** (Muscidae) Synonym(s): *sororella Villeneuve,1926* **KE ZR ET RW UG**
37. **Neomyia splendida (Adams,1905)** (Muscidae) Synonym(s): *splendida Adams,1905* **NG RW ZR**
38. **Onitis crenatus Reiche,1850** (Scarabaeidae) Synonym(s): *crenatus Reiche,1850* **RW**
39. **Oryctes (Howoryctes) sjostedti Kolbe** (Scarabaeidae) Synonym(s): **RW**
40. **Oxypilus (s.str.) montanus Roy,1999** (Hymenopodidae) Synonym(s): *montanus Roy,1999* **RW KE Nai BI TZ UG**
41. **Pachnoda sinuata (Fabricius,1775)** (Scarabaeidae) Synonym(s): *sinuata Fabricius,1775* **RW**
42. **Pycnoschema diversum Peringuey,1901** (Scarabaeidae) Synonym(s): *diversum Peringuey,1901* **RW**
43. **Pyrgomantis nana Sjöstedt,1924** (Irididae) Synonym(s): *nana Sjöstedt,1924* **ZR RW BI**
44. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus Becker,1916* **UG KE RW ZR LR ML CM NG GH**
45. **Sphodromantis centralis Rehn,1914** (Mantidae) Synonym(s): *centralis Rehn,1914* **ET KE RW BI TZ UG CF**
46. **Sycophila ruandensis (Risbec,1957)** (Eurytomidae) Synonym(s): *ruandensis Risbec,1957* **RW**
47. **Villa loewii Hesse,1956** (Bombyliidae) Synonym(s): *loewii Hesse,1956* **BI LS NA RW ZA Gau Mpu Tva UG ZW**

Synonymic and distributional list of the pterygot insects of Senegal

(Results of the Entomofauna of the World based upon info-system of the Cesa)

55

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Senegal (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 55. *Priamus* (suppl.) 18: 2001-2006.

In this study, totally 149 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Senegal recorded in info-system of the Cesa, total pterygot species of Senegal increase to 405.

Key words: List, distribution, *pterygota*, *Insecta*, Senegal.

Brief explanatory information:

Previously published article	no
Previously published report	yes ¹¹⁰
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 149 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 256 recorded species of Lepidoptera from Senegal are found. Taking this information into consideration, total number of the pterygots may increase to 405.

The study is still continuing, and the new results will be published within this Project.

1. **Acithespis gigas Giglio-Tos,1916** (Mantidae) Synonym(s): *gigas Giglio-Tos,1916* **BF GM NG SN**
2. **Adelostoma (Zarudnyomus) gilloni Ardoin,1976** (Tenebrionidae) Synonym(s): *gilloni Ardoin,1976* **SN NE**
3. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus Guérin-Méneville,1831; purpurea Westwood,1837; figuratus Germar,1837; caerulea Dallas,1851; marginella Dallas,1851; miniatescens Stal,1853* **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**
4. **Afroesticus fulaui Scarbrough,2005** (Asilidae) Synonym(s): *fulaui Scarbrough,2005* **SN GM**
5. **Afroesticus vittatus (Curran,1927)** (Asilidae) Synonym(s): *vittatus Curran,1927* **TD ZR AO GA ML SN UG YE**

¹¹⁰ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- **Koçak,A.Ö. & M.Kemal, 2009**, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.
<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps.
<http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base> view

6. **Agaon paradoxum Dalman,1818** (Agaonidae) Synonym(s): *paradoxum Dalman,1818*; *villiersi Risbec,1954* **SL SN**
7. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870*; *savignyi Krauss,1890*; *affinis Bolivar,1902*; *laticosta Bolivar,1912*; *deserticola Uvarov,1922* **Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
8. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781*; *grossuni Costa,1836*; *laetum Brullé,1840*; *flavovirens Fischer von Waldheim,1846*; *angustifemur Ghiliani,1869*; *rufipes Ivanov,1888*; *kivuensis Sjöstedt,1923*; *acutus Uvarov,1953* **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
9. **Alcimirus limbatus (Macquart,1838)** (Asilidae) Synonym(s): *limbatus Macquart,1838* **SN GM**
10. **Allotriozoon heterandromorphum Grandi,1916** (Agaonidae) Synonym(s): *heterandromorphum Grandi,1916*; *seychellense Masi,1917*; *wanei Risbec,1951*; *dakarensis Risbec,1954* **SC SN**
11. **Amorphoscelis tigrina Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *tigrina Giglio-Tos,1913* **BJ BF GN CM NG SN**
12. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis Compere,1939* **ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf**
13. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
14. **Anthrax aygulus Fabricius,1805** (Bombyliidae) Synonym(s): *aygulus Fabricius,1805*; *biflexa Loew,1852*; *senegalensis François,1972* **TW SN**
15. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
16. **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara Nixon,1965* **Apanteles hemara Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG**
17. **Aphelinus mali (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali Haldeman,1851*; *rosae Ashmead,1886*; *varicornis Girault,1909*; *italica Guercio,1925*; *crocidolomiae Risbec,1951* **TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up**
18. **Apocrypta longitarsus Mayr,1906** (Agaonidae) Synonym(s): *longitarsus Mayr,1906*; *bambeyi Risbec,1951*; *minima Risbec,1951* **CM SN**
19. **Apocrypta robusta Grandi,1916** (Agaonidae) Synonym(s): *robusta Grandi,1916* **SN**
20. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909*; *mollis Bezzi,1921*; *disjunctus Bezzi,1921*; *parallelus Bezzi,1924* **BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW**
21. **Blepharodes parumspinosus Beier,1930** (Empusidae) Synonym(s): *parumspinosus Beier,1930* **BF MR NG SN SD TD**
22. **Bombomyia perfusa (François,1969)** (Bombyliidae) Synonym(s): *perfusa François,1969* **GN SN**
23. **Bombylella nigriloba (Bezzi,1920)** (Bombyliidae) Synonym(s): *nigriloba Bezzi,1920* **BJ BF GW GM GH NG SN SD TG**
24. **Bombylella plorans (Bezzi,1920)** (Bombyliidae) Synonym(s): *plorans Bezzi,1920*; *lugens Bezzi,1924*; *melanolomus Hesse,1938* **BJ GH KE NG SN SL TZ TG UG ZW**
25. **Bombylisoma farinosum (Bezzi,1924)** (Bombyliidae) Synonym(s): *farinosum Bezzi,1924* **BJ GM SN**
26. **Bombylisoma nigellum (Greathead,1970)** (Bombyliidae) Synonym(s): *nigellum Greathead,1970* **MR GM ML SN**
27. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840*; *vitripennis Loew,1855*; *pectoralis Loew,1863*; *diadematus Bezzi,1912*; *gibbicornis Bezzi,1923* **AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE**
28. **Bombylius (s.str.) inconspicuus Greathead,1967** (Bombyliidae) Synonym(s): *inconspicuus Greathead,1967* **ER GM SN**
29. **Brachymeria bauhiniae (Steffan,1951)** (Chalcididae) Synonym(s): *bauhiniae Steffan,1951* **SN**
30. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855*; *badenii Wehncke,1876*; *siculus Ragusa,1882*; *numidicus Bedel,1925* **LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR**
31. **Celonites pictus Richards,1962** (Vespididae) Synonym(s): *pictus Richards,1962* **IR SN MA SA OM**
32. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824*; *citriperda Mac Leay,1829*; *asparagi Bezzi,1924* **Tephritis capitata**

- Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
33. **Chalicodoma (Gronoceras) armipygata (Strand,1911)** (Megachilidae) Synonym(s): *armipygata Strand,1911* SN ZR
 34. **Chalicodoma (Maximegachile) maxillosa (Guéerin-Méneville,1845)** (Megachilidae) Synonym(s): *maxillosa Guéerin-Méneville,1845* SN SD
 35. **Chalicodoma (Pseudomegachile) cradockensis (Friese,1909)** (Megachilidae) Synonym(s): *cradockensis Friese,1909; occidentalis Pasteels,1970* CI SN
 36. **Chalicodoma (Pseudomegachile) cyanipennis (Guéerin de Méneville,1845)** (Megachilidae) Synonym(s): *cyanipennis Guéerin de Méneville,1845* SN EG SD GH NG
 37. **Chalicodoma (Pseudomegachile) riomii Pasteels,1970** (Megachilidae) Synonym(s): *riomii Pasteels,1970* SN
 38. **Chalicodoma (Pseudomegachile) sinuata (Friese,1903)** (Megachilidae) Synonym(s): *sinuata Friese,1903; senegalensis Pasteels,1970* SN NE ML
 39. **Closterocerus bambeyi (Risbec,1951)** (Eulophidae) Synonym(s): *bambeyi Risbec,1951* SN
 40. **Closterocerus kinquelibae (Risbec,1951)** (Eulophidae) Synonym(s): *kinquelibae Risbec,1951* SN
 41. **Closterocerus liriomyzae (Risbec,1951)** (Eulophidae) Synonym(s): *liriomyzae Risbec,1951* SN
 42. **Closterocerus tineivorus (Risbec,1951)** (Eulophidae) Synonym(s): *tineivorus Risbec,1951* SN
 43. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
 44. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
 45. **Culicoides africanus Clastrier,1959** (Ceratopogonidae) Synonym(s): *africanus Clastrier,1959* SN
 46. **Culicoides camicasi Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *camicasi Cornet & Chateau,1971* SN
 47. **Culicoides chateaui Cornet,1970** (Ceratopogonidae) Synonym(s): *chateaui Cornet,1970* SN
 48. **Culicoides dasyops Clastrier,1958** (Ceratopogonidae) Synonym(s): *dasyops Clastrier,1958* SN
 49. **Culicoides dekeyseri Clastrier,1958** (Ceratopogonidae) Synonym(s): *dekeyseri Clastrier,1958* SN
 50. **Culicoides dispar Clastrier,1959** (Ceratopogonidae) Synonym(s): *dispar Clastrier,1959* SN
 51. **Culicoides enderleini Cornet & Brunhes,1994** (Ceratopogonidae) Synonym(s): *enderleini Cornet & Brunhes,1994* SN
 52. **Culicoides exspectator Clastrier,1959** (Ceratopogonidae) Synonym(s): *exspectator Clastrier,1959* SN
 53. **Culicoides kobae Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *kobae Cornet & Chateau,1971* SN
 54. **Culicoides krameri Clastrier,1959** (Ceratopogonidae) Synonym(s): *krameri Clastrier,1959* SN CI ML
 55. **Culicoides micheli Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *micheli Cornet & Chateau,1971* SN
 56. **Culicoides moreli Clastrier,1959** (Ceratopogonidae) Synonym(s): *moreli Clastrier,1959* SN CI
 57. **Culicoides nevillei Cornet & Brunhes,1994** (Ceratopogonidae) Synonym(s): *nevillei Cornet & Brunhes,1994* SN
 58. **Culicoides perettii Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *perettii Cornet & Chateau,1971* SN
 59. **Culicoides pseudopallidipennis Clastrier,1958** (Ceratopogonidae) Synonym(s): *pseudopallidipennis Clastrier,1958* SN
 60. **Culicoides robini Cornet,1970** (Ceratopogonidae) Synonym(s): *robini Cornet,1970* SN
 61. **Culicoides saboyae Cornet,1970** (Ceratopogonidae) Synonym(s): *saboyae Cornet,1970* SN
 62. **Culicoides subravus Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *subravus Cornet & Chateau,1971* SN
 63. **Culicoides vagus Cornet & Chateau,1971** (Ceratopogonidae) Synonym(s): *vagus Cornet & Chateau,1971* SN
 64. **Danuria (s.str.) buchholzi Gerstaecker,1883** (Mantidae) Synonym(s): *buchholzi Gerstaecker,1883* GH GN CM CI ZR SN NG TG UG

65. **Dasyhelea abonnenci Clastrier,1959** (Ceratopogonidae) Synonym(s): *abonnenci Clastrier,1959* SN
66. **Dasyhelea africana Clastrier,1959** (Ceratopogonidae) Synonym(s): *africana Clastrier,1959* SN
67. **Dasyhelea albiscopula Clastrier,1959** (Ceratopogonidae) Synonym(s): *albiscopula Clastrier,1959* SN
68. **Dasyhelea atrifemorata Clastrier,1961** (Ceratopogonidae) Synonym(s): *atrifemorata Clastrier,1961* SN
69. **Dasyhelea forficata de Meillon & Wirth,1989** (Ceratopogonidae) Synonym(s): *forficata de Meillon & Wirth,1989* SN
70. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata Lucas,1849* MA DZ TN ES PT EG IQ SN YE
71. **Dirhinus excavatus Dalman,1818** (Chalcididae) Synonym(s): *excavatus Dalman,1818* ER IN KE SN MM SL
72. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali Reiche & Fairmaire,1847; perlodes Saussure,1869; somalica Schluthness-Schindler,1898* DZ ET GN CM KE NG SN SD TD UG
73. **Epitenodera brevipennis (Saussure,1871)** (Mantidae) Synonym(s): *brevipennis Saussure,1871* SN TG TD
74. **Epitenodera herbacea (Audinet-Serville,1839)** (Mantidae) Synonym(s): *herbacea Audinet-Serville,1839* GH CM MR SN SD TG
75. **Epitenodera houyi Werner,1928** (Mantidae) Synonym(s): *houyi Werner,1928* BF CM NG SN
76. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
77. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
78. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae Risbec,1951; africanus Risbec,1955; deemingi Subba Rao,1970* BJ CM GH KE MW NG SN TZ UG
79. **Forficula senegalensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *senegalensis Audinet-Serville,1839* TR SN
80. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus Saunders,1876* CV Cn SN ES GR CY TR
81. **Galepsus (Lygdamia) nimulensis Giglio-Tos,1917** (Irididae) Synonym(s): *nimulensis Giglio-Tos,1917* CM NG SN UG
82. **Grylotalpa africana Beauvois,1805** (Grylotalpidae) Synonym(s): *africana Beauvois,1805; oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939* ZA Kzu Nta SN ZR NG IR Ss CN TW
83. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
84. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii Roy,1973* AO GA CM NG SN UG
85. **Heterochaeta kumari Roy,1975** (Mantidae) Synonym(s): *kumari Roy,1975* CI GH KE NG SN UG
86. **Heterochaeta strachani (Kirby,1904)** (Mantidae) Synonym(s): *strachani Kirby,1904* BJ BF GH GN ML NG LR SN SL
87. **Heterochaeta tenuipes (Westwood,1841)** (Mantidae) Synonym(s): *tenuipes Westwood,1841* AO BF CM ZR MR SN
88. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
89. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis Burmeister,1838; defoliata Audinet-Serville,1839; spinifrons Saussure,1859* AO BF CI GH CM LR KE MZ SN SL SD TZ TG
90. **Iris senegalensis Beier,1931** (Irididae) Synonym(s): *senegalensis Beier,1931; longicollis Chopard,1940* SN MR NE TD
91. **Ischnomantis gigas (Saussure,1870)** (Mantidae) Synonym(s): *gigas Saussure,1870* BF CM MR SN SD TG
92. **Leptocola phthisica (Saussure,1869)** (Mantidae) Synonym(s): *phthisica Saussure,1869; giraffa Karsch,1894* AO BF GH GN SN KE TZ TG
93. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ

94. **Ligaria clara (Audinet-Serville,1839)** (Mantidae) Synonym(s): *clara Audinet-Serville,1839* SN
95. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
96. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758* Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
97. **Metagalepsus occidentalis Roy,1972** (Irididae) Synonym(s): *occidentalis Roy,1972* SN
98. **Metagalepsus stramineus (Sjöstedt,1930)** (Irididae) Synonym(s): *stramineus Sjöstedt,1930* BF SN
99. **Microdontomerus senegalensis (Risbec,1951)** (Torymidae) Synonym(s): *senegalensis Risbec,1951* SN
100. **Miomantis paykullii Stal,1871** (Mantidae) Synonym(s): *paykullii Stal,1871; savignyi Saussure,1872; pharaonica Saussure,1898; senegalensis Schulthess-Schindler,1899* IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW
101. **Miomantis pellucida (Saussure,1870)** (Mantidae) Synonym(s): *pellucida Saussure,1870* SN
102. **Oedaleus senegalensis (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis Krauss,1877; arenivolans Butler,1881; mlokoziewitzcki Bolivar,1884; mlokosewitchi Bolivar,1887; dimidiatus Bolivar,1899* Cc AM AZ TM IN PK YE LY TD CM NG ML SN GM CV
103. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus Wulp,1899* DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
104. **Oxythespis dumonti Chopard,1941** (Mantidae) Synonym(s): *dumonti Chopard,1941* SN
105. **Oxythespis flavipennis (Chopard,1941)** (Mantidae) Synonym(s): *flavipennis Chopard,1941* SN
106. **Oxythespis senegalensis Saussure,1870** (Mantidae) Synonym(s): *senegalensis Saussure,1870* DZ CM LY SN TD
107. **Oxypilus (s.str.) annulatus Audinet-Serville,1831** (Hymenopodidae) Synonym(s): *annulatus Audinet-Serville,1831* SN
108. **Oxypilus (s.str.) distinctus Beier,1930** (Hymenopodidae) Synonym(s): *distinctus Beier,1930* BF CI GM GN LR ML MR SN SL SD
109. **Pachyanthrax villiersi François,1964** (Bombyliidae) Synonym(s): *villiersi François,1964* NE SN
110. **Paragalepsus bassari Roy,1972** (Irididae) Synonym(s): *bassari Roy,1972* SN
111. **Parentella major Giglio-Tos,1915** (Mantidae) Synonym(s): *major Giglio-Tos,1915* BF GH CM NE SN TG
112. **Paroxyphthalmus savatieri (Rochebrune,1883)** (Irididae) Synonym(s): *savatieri Rochebrune,1883* GM SN
113. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus Waterston,1915* EG ZR GH MW NG SN ZA TG
114. **Pediobius anastati (Crawford,1913)** (Eulophidae) Synonym(s): *anastati Crawford,1913; violaceus Waterson,1915* MW ML SN UG
115. **Philotheria senegalensis (Spinola,1839)** (Dictyopharidae) Synonym(s): *senegalensis Spinola,1839* SN
116. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus Forster,1771; hauseri Reitter,1894* SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
117. **Pimelia angulosa Olivier,1795** (Tenebrionidae) Synonym(s): *angulosa Olivier,1795* SN EG
118. **Pimelia grandis Klug,1830** (Tenebrionidae) Synonym(s): *grandis Klug,1830; sudanica Fairmaire,1882* EG ET SD SN
119. **Plastogalepsus kuhlgatzii (Werner,1907)** (Irididae) Synonym(s): *kuhlgatzii Werner,1907* KE TZ SN
120. **Plistospilota gasconi (Rochebrune,1884)** (Mantidae) Synonym(s): *gasconi Rochebrune,1884* GM SN
121. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
122. **Pyrgomantis jonesi Kirby,1904** (Irididae) Synonym(s): *jonesi Kirby,1904; septentrionalis Werner,1907; nigerica Giglio-Tos,1917; occidentalis Giglio-Tos,1917* CM NG BF GH NE SN
123. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877* TR SN LY SD TD IR SA
124. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata Thunberg,1815 nec Olivier,1792; baetica Rambur,1838; maculipennis Gistel,1856; pallasii Fieber,1853* MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa
125. **Scintharista zolotarevskiyi Uvarov,1941** (Acrididae) Synonym(s): *zolotarevskiyi Uvarov,1941* SN GM NG SD ML

126. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis Duda,1935* NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET
127. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
128. **Severinia granulata (Saussure,1870)** (Mantidae) Synonym(s): *granulata Saussure,1870* DZ TN MA KE MR NE SN
129. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle Becker,1903; scapulatum Enderlein,1935; dentulatum Wanson & Henrard,1944* EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM
130. **Solygia sulcatifrons (Audinet-Serville,1839)** (Mantidae) Synonym(s): *sulcatifrons Audinet-Serville,1839; grandis Saussure,1869* BF GN CM SN TG
131. **Sphodromantis conspicua La Greca,1967** (Mantidae) Synonym(s): *conspicua La Greca,1967* SN BF
132. **Sphodromantis elegans Sjöstedt,1930** (Mantidae) Synonym(s): *elegans Sjöstedt,1930* ET BF GN ZR MR NE SN
133. **Sphodromantis gracilicollis Beier,1930** (Mantidae) Synonym(s): *gracilicollis Beier,1930* GA GH GN NG SN CF
134. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
135. **Sphodromantis royi La Greca,1967** (Mantidae) Synonym(s): *royi La Greca,1967* BF ML MR NE SN
136. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis Forskål,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
137. **Stenosis lateralis Reitter,1886** (Tenebrionidae) Synonym(s): *lateralis Reitter,1886* SN ET EG
138. **Tarachodes (Barbachodes) afzelii (Stål,1871)** (Irididae) Synonym(s): *afzelii Stål,1871; irrorata Gerstaecker,1883; griffinii Giglio-Tos,1911; bandanus Giglio-Tos,1917* SL DZ? BF CI GH GN CM ZR SN SL TG
139. **Tarachodes (Chiropacha) saussurei Giglio-Tos,1911** (Irididae) Synonym(s): *saussurei Giglio-Tos,1911* SN BF GH CM MR NE SN TD
140. **Tenodera superstitionosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitionosa Fabricius,1781; bokiana Giglio-Tos,1907* MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
141. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa Strobl,1900; beckeri Strobl,1906; albipila Frey,1958; albissima Collin,1966; diversa Collin,1966; mixta Collin,1966* SN AT Az Cn ES EG BG DK GB FR IT
142. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea Hendel,1913; canzonerei Munari,1981* SN SC ZA TW BG EG ES IT TR BG
143. **Toxophora carcelii Guérin-Ménéville,1830** (Bombyliidae) Synonym(s): *carcelii Guérin-Ménéville,1830* GH CI SN
144. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris Karsch,1887* BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW
145. **Toxophora maculipennis Karsch,1886** (Bombyliidae) Synonym(s): *maculipennis Karsch,1886; chopardi Séguy,1941* AO ZR GO GH CI SN
146. **Trachyderma hispida (Forskål,1775)** (Tenebrionidae) Synonym(s): *hispida Forskål,1775; latreillei Solier,1836; major Baudi,1875* IT Si SY SA IR SN
147. **Truxalis johnstoni Dirsh,1951** (Acrididae) Synonym(s): *johnstoni Dirsh,1951* NE TD SN
148. **Villa aurocinctus (Bigot,1892)** (Bombyliidae) Synonym(s): *aurocinctus Bigot,1892* SN
149. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann,1821; albescens Loew,1860; flavescens Loew,1860; albogilva François,1969* BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM

Synonymic and distributional list of the pterygot insects of Somalia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

56

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Somalia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 56. *Priamus* (suppl.) 18: 2007-2012.

In this study, totally 153 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Somalia recorded in info-system of the Cesa, total pterygot species of Somalia increase to 490.

Key words: List, distribution, *pterygota*, *Insecta*, Somalia.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹¹¹
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 153 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 337 recorded species of *Lepidoptera* from Somalia are found. Taking this information into consideration, total number of the pterygots may increase to 490.

The study is still continuing, and the new results will be published within this Project.

- 1. *Acrotylus insubricus* (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 *Gryllus insubricus* Scopoli,1786, *Deliciae faunae et florum insubricae etc* Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO

¹¹¹ Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the *Lepidoptera* List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].- Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the *Lepidopteran* List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

2. **Adelostoma (Zarudnyomus) abyssinicum (Haag-Rutenberg,1875)** (Tenebrionidae) Synonym(s): *abyssinicum* Haag-Rutenberg,1875 **ET SO EG**
3. **Adesmia (s.str.) nobilis Gestro,1892** (Tenebrionidae) Synonym(s): *nobilis* Gestro,1892 **SO**
4. **Adesmia (s.str.) philippii Gahan,1896** (Tenebrionidae) Synonym(s): *philippii* Gahan,1896 **SO**
5. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**
6. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). **LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**
7. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). **LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
8. **Amorphoscelis abyssinica Giglio-Tos,1914** (Amorphoscelidae) Synonym(s): *abyssinica* Giglio-Tos,1914 **AT SO TZ**
9. **Amorphoscelis orientalis Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *orientalis* Giglio-Tos,1913; *turkanensis* Chopard,1938 **KE TZ SO**
10. **Anastoechus ravus Greathead,1970** (Bombyliidae) Synonym(s): *ravus* Greathead,1970 **ET KE SO SD**
11. **Anastoechus rubicundus Bezzi,1924** (Bombyliidae) Synonym(s): *rubicundus* Bezzi,1924 **SO**
12. **Anastoechus spinifacies Bezzi,1920** (Bombyliidae) Synonym(s): *spinifacies* Bezzi,1920 **ER ET SO**
13. **Anastoechus subviridis Greathead,1996** (Bombyliidae) Synonym(s): *subviridis* Greathead,1996 **SO**
14. **Anchophthalmops foveipennis (Fairmaire,1887)** (Tenebrionidae) Synonym(s): *foveipennis* Fairmaire,1887 **SO**
15. **Anchophthalmops gridellii (Ferrer,1995)** (Tenebrionidae) Synonym(s): *gridellii* Ferrer,1995 **SO**
16. **Anchophthalmus densaticollis Fairmaire,1887** (Tenebrionidae) Synonym(s): *densaticollis* Fairmaire,1887 **SO**
17. **Anchophthalmus tenuisculptus Ferrer,1995** (Tenebrionidae) Synonym(s): *tenuisculptus* Ferrer,1995 **SO**
18. **Blepharodes candelarius Bolivar,1891** (Empusidae) Synonym(s): *candelarius* Bolivar,1891 **ET SO TD**
19. **Blepharodes cornutus cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 **ET KE SO SD**
20. **Blepharodes cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 **KE ET KE SO SD**
21. **Blepharodes sudanensis Werner,1907** (Empusidae) Synonym(s): *sudanensis* Werner,1907 **SO SD**
22. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775 **AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA**
23. **Bolbena (s.str.) orientalis Beier,1930** (Iridopterygidae) Synonym(s): *orientalis* Beier,1930 **SO**
24. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata* Wiedemann,1830; *mutilatus* Bezzi,1921; *truncatus* Greathead,1967 **BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA**
25. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE**
26. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE**
27. **Bombylius (s.str.) erythrocerus Bezzi,1901** (Bombyliidae) Synonym(s): *erythrocerus* Bezzi,1901; *rufoantennatus* Becker,1909 **ZR ER KE SO TZ**
28. **Bombylius (s.str.) pallidipilus Greathead,1967** (Bombyliidae) Synonym(s): *pallidipilus* Greathead,1967 **TD ER SO YE SA OM**

29. **Brachymeria africa Masi,1929** (Chalcididae) Synonym(s): *africa Masi,1929* SO
30. **Brachymeria albicrus (Klug,1834)** (Chalcididae) Synonym(s): *albicrus Klug,1834; amphissa Walker,1846; responsator Walker,1862; indica Mani,1935* EG ET IN NP PG PK SO IL Pa
31. **Brachymeria somalica Masi,1929** (Chalcididae) Synonym(s): *somalica Masi,1929* SO
32. **Charieis peeli Burr,1900** (Irididae) Synonym(s): *peeli Burr,1900* ET KE SO
33. **Compsothespis brevipennis Lombardo,1988** (Mantidae) Synonym(s): *brevipennis Lombardo,1988* SO
34. **Compsothespis falcifera Rehn,1901** (Mantidae) Synonym(s): *falcifera Rehn,1901* KE SO
35. **Compsothespis marginipennis Werner,1916** (Mantidae) Synonym(s): *marginipennis Werner,1916* SO TZ
36. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
37. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
38. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis Klug,1834* SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
39. **Culicoides arenarius Edwards,1922** (Ceratopogonidae) Synonym(s): *arenarius Edwards,1922* SO
40. **Danuria (s.str.) angusticollis Beier,1931** (Mantidae) Synonym(s): *angusticollis Beier,1931* SO TZ
41. **Danuria (s.str.) gracilis (Schulthess-Rechberg,1898)** (Mantidae) Synonym(s): *gracilis Schulthess-Rechberg,1898; kuangana Giglio-Tos,1914* AO ZR SO
42. **Debrona angustipennis (Burr,1900)** (Tettigoniidae) Synonym(s): *angustipennis Burr,1900* SO
43. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
44. **Delta lepeletierii (Saussure,1853)** (Vespidae) Synonym(s): *lepeletierii Saussure,1853* ZA SO EG YE JO
45. **Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae Ferrière,1935* CY EG IL Pa SA SO SD YE
46. **Ducetia crypteria (Karsch,1896)** (Tettigoniidae) Synonym(s): *crypteria Karsch,1896* SO
47. **Ducetia levatjala Ragge,1980** (Tettigoniidae) Synonym(s): *levatjala Ragge,1980* SO
48. **Ducetia parva Ragge,1961** (Tettigoniidae) Synonym(s): *parva Ragge,1961* SO
49. **Ducetia vitriala Ragge,1961** (Tettigoniidae) Synonym(s): *vitriala Ragge,1961* SO
50. **Elaea gestroi Capra,1929** (Mantidae) Synonym(s): *gestroi Capra,1929; pallida Chopard,1941* EG ET LY SO MA YE SA
51. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
52. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii Stal,1877* EG ET IR YE SO SA SD AE
53. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
54. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saska Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
55. **Galepsus (Lygdamia) scortecii La Greca,1956** (Irididae) Synonym(s): *scortecii La Greca,1956* SO
56. **Galepsus (s.str.) binotatus (La Greca,1951)** (Irididae) Synonym(s): *binotatus La Greca,1951* ET KE SO
57. **Galepsus (s.str.) montanus Werner,1907** (Irididae) Synonym(s): *modesta Gerstaecker,1869; montanus Werner,1907; dubius Giglio-Tos,1911* KE SO TZ
58. **Gonatoxia maculata Karsch,1889** (Tettigoniidae) Synonym(s): *maculata Karsch,1889* SO
59. **Hapalomantis (s.str.) abyssinica Beier,1931** (Iridopterygidae) Synonym(s): *abyssinica Beier,1931* ET SO
60. **Harposcepa karschiana Schulthess,1898** (Tettigoniidae) Synonym(s): *karschiana Schulthess,1898* SO
61. **Harposcepa lobulipennis Karsch,1896** (Tettigoniidae) Synonym(s): *lobulipennis Karsch,1896* SO
62. **Heterochaeta lamellosa Roy,1977** (Mantidae) Synonym(s): *lamellosa Roy,1977* SO
63. **Heterochaeta orientalis Kirby,1904** (Mantidae) Synonym(s): *orientalis Kirby,1904* ET KE SO SD TZ
64. **Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): *pantherina Saussure,1872* EG AO GN YE MR NE SO SA SD TD
65. **Horatosphaga somali (Schulthess,1898)** (Tettigoniidae) Synonym(s): *somali Schulthess,1898; peeli Burr,1900* SO

66. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis* Burmeister,1838; *longifrons* Saussure,1870; *juliae* Krauss,1892; *guichardi* La Greca,1952 **Cn TN EG DZ LY SA SO NE OM**
67. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica* Saussure,1869 **ET KE MW SO TZ UG**
68. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons* Saussure & Zehntner,1895 **ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE**
69. **Ischnomantis aethiopica Giglio-Tos,1916** (Mantidae) Synonym(s): *aethiopica* Giglio-Tos,1916 **ET SO**
70. **Ischnomantis gracilis Giglio-Tos,1916** (Mantidae) Synonym(s): *gracilis* Giglio-Tos,1916 **KE SO**
71. **Ischnomantis media Rehn,1901** (Mantidae) Synonym(s): *media* Rehn,1901 **ET KE SO**
72. **Ischnomantis spinigera Schulthess-Schindler,1898** (Mantidae) Synonym(s): *spinigera* Schulthess-Schindler,1898 **ET KE SO UG**
73. **Junodia hararensis Roy,1972** (Hymenopodidae) Synonym(s): *hararensis* Roy,1972 **SO ET**
74. **Leptocola gracilis Lombardo,1988** (Mantidae) Synonym(s): *gracilis* Lombardo,1988 **SO**
75. **Leptolobus zanzibaricus Bolivar,1879** (Pentatomidae) Synonym(s): *zanzibaricus* Bolivar,1879 **TZ Zz SO**
76. **Macropopa lobata Giglio-Tos,1914** (Mantidae) Synonym(s): *lobata* Giglio-Tos,1914 **SO**
77. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
78. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mentor* Germar,1837; *thoracata* Distant,1901 **BW MZ NG SA SO ZA SD ZW**
79. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
80. **Megastigmus somaliensis Hussey (2)** (Torymidae) Synonym(s): **SO**
81. **Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi* Werner,1908 **ET YE IR IL Pa OM PK SO AE**
82. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis* Giglio-Tos,1911; *australis* Beier,1930 **AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO**
83. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata* Fabricius,1781; *vitratata* Olivier,1792; *nana* Stoll,1813 **ZA Ec Tva Lpo ZR LS MZ NA RW SO UG**
84. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis* Giglio-Tos,1911 **ET KE MW RW SO TZ UG BI**
85. **Miomantis menelikii Bormans,1881** (Mantidae) Synonym(s): *menelikii* Bormans,1881; *bormantiella* Bormans,1881 **SO**
86. **Miomantis milmilena (Giglio-Tos,1917)** (Mantidae) Synonym(s): *milmilena* Giglio-Tos,1917 **ET CM SO TG**
87. **Miomantis saussurei Schulthess-Rechberg,1899** (Mantidae) Synonym(s): *saussurei* Schulthess-Rechberg,1899 **MZ ZA Nta Kzu SO**
88. **Neodanuria bolauana (Saussure,1869)** (Mantidae) Synonym(s): *bolauana* Saussure,1869; *superciliaris* Gerstaecker,1869 **KE SO TZ**
89. **Neodanuria simonettai La Greca & Lombardo,1986** (Mantidae) Synonym(s): *simonettai* La Greca & Lombardo,1986 **SO**
90. **Neoplatybrachys orientalis Lallemand,1950** (Eurybrachidae) Synonym(s): *orientalis* Lallemand,1950 **ER DJ YE Ad SO SA As**
91. **Ochrilidia cretacea (Bolivar,1914)** (Acrididae) Synonym(s): *cretacea* Bolivar,1914; *pictifemur* Salfi,1928 **SO ET**
92. **Ochrilidia intermedia (Bolivar,1908)** (Acrididae) Synonym(s): *intermedia* Bolivar,1908 **SO**
93. **Ochrilidia marmorata Uvarov,1952** (Acrididae) Synonym(s): *marmorata* Uvarov,1952 **SO**
94. **Oliarus somaliensis Van Stalle,1984** (Cixiidae) Synonym(s): *somaliensis* Van Stalle,1984 **SO**
95. **Omomantis tigrina Giglio-Tos,1916** (Mantidae) Synonym(s): *tigrina* Giglio-Tos,1916 **SO TZ**
96. **Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus* Brullé,1832; *parvulus* Faldermann,1837 **TR Cc RU Sb ET SO**
97. **Opilo longipilis Fairmaire,1892** (Cleridae) Synonym(s): *longipilis* Fairmaire,1892 **SO EG IL Pa**
98. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon* Burmeister,1824 **EG Sn IL Pa SD SO SA AF PK**
99. **Oxycara amplipennis Fairmaire,1882** (Tenebrionidae) Synonym(s): *amplipennis* Fairmaire,1882 **SO**
100. **Oxycara trapezicollis Fairmaire,1882** (Tenebrionidae) Synonym(s): *trapezicollis* Fairmaire,1882 **SO**

101. **Oxyelaea heteromorpha Beier,1930** (Irididae) Synonym(s): *heteromorpha Beier,1930* KE UG SO
102. **Oxyelaea stefaniae Lombardo,1988** (Irididae) Synonym(s): *stefaniae Lombardo,1988* SO
103. **Oxyophthalmellus rehni La Greca,1952** (Irididae) Synonym(s): *rehni La Greca,1952* KE SO
104. **Oxyophthalmellus somalicus (Rehn,1911)** (Irididae) Synonym(s): *somalicus Rehn,1911* ET SO KE TZ
105. **Oxyothespis longicollis Beier,1931** (Mantidae) Synonym(s): *longicollis Beier,1931* CI KE SO
106. **Oxyothespis noctivaga La Greca,1952** (Mantidae) Synonym(s): *noctivaga La Greca,1952* ET SO
107. **Oxyothespis parva Beier,1937** (Mantidae) Synonym(s): *parva Beier,1937* ET KE SO
108. **Oxypilus (s.str.) raggei Roy,1969** (Hymenopodidae) Synonym(s): *raggei Roy,1969* SO
109. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus Fabricius,1787; capensis Saussure,1871* ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW
110. **Parasphendale affinis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *affinis Giglio-Tos,1915* ET KE SO
111. **Parasphendale africana Giglio-Tos,1915** (Mantidae) Synonym(s): *africana Giglio-Tos,1915* KE SO TZ
112. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis Kirby,1904* ZA Tva Lpo ZW TZ KE ET SO UG
113. **Parasphendale ghindana Giglio-Tos,1915** (Mantidae) Synonym(s): *ghindana Giglio-Tos,1915* ET MZ SO
114. **Parasphendale minor Schulthess-Schindler,1898** (Mantidae) Synonym(s): *minor Schulthess-Schindler,1898* ET KE SO
115. **Parentella producta (Rehn,1901)** (Mantidae) Synonym(s): *producta Rehn,1901* SO
116. **Peropyrrhicia guichardi Ragge,1980** (Tettigoniidae) Synonym(s): *guichardi Ragge,1980* SO
117. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Rammme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
118. **Pimelia densegranata Fairmaire,1893** (Tenebrionidae) Synonym(s): *densegranata Fairmaire,1893* SO
119. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
120. **Popa spurca crassa Giglio-Tos,1917** (Mantidae) Synonym(s): *crassa Giglio-Tos,1917* ET KE MG MW SO TZ UG
121. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
122. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta Thunberg,1784; capensis Gmelin,1790* ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ
123. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg
124. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis Walker,1870* TR Cc AZ IR PK IN LK SA SO TZ Cn
125. **Somalithespis minor (Giglio-Tos,1916)** (Mantidae) Synonym(s): *minor Giglio-Tos,1916* ET SO
126. **Sphaeromantis spinicollis Beier,1930** (Mantidae) Synonym(s): *spinicollis Beier,1930* SO
127. **Sphaeromantis spinulosa Schulthess-Schindler,1898** (Mantidae) Synonym(s): *spinulosa Schulthess-Schindler,1898* SO
128. **Sphodromantis abessinica Sjöstedt,1930** (Mantidae) Synonym(s): *Sphodromantis Stal,1871* ET SO
129. **Sphodromantis baccettii La Greca & Lombardo,1987** (Mantidae) Synonym(s): *baccettii La Greca & Lombardo,1987* KE SO
130. **Sphodromantis citernii Giglio-Tos,1917** (Mantidae) Synonym(s): *citernii Giglio-Tos,1917* ET SO
131. **Sphodromantis fenestrata Giglio-Tos,1912** (Mantidae) Synonym(s): *fenestrata Giglio-Tos,1912; fulva Giglio-Tos,1912; uebina Giglio-Tos,1912* ET KE SO SD TZ
132. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica Stal,1858; bicarinata Saussure,1869* ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO
133. **Sphodromantis gestri Giglio-Tos,1912** (Mantidae) Synonym(s): *gestri Giglio-Tos,1912* KE SO
134. **Sphodromantis guibana La Greca & Lombardo,1987** (Mantidae) Synonym(s): *guibana La Greca & Lombardo,1987* SO

135. **Sphodromantis pardii La Greca & Lombardo, 1987** (Mantidae) Synonym(s): *pardii La Greca & Lombardo, 1987* **SO**
136. **Sphodromantis rudolfae (Rehn, 1901)** (Mantidae) Synonym(s): *rudolfae Rehn, 1901* **ER KE SO TZ Zz**
137. **Sphodromantis viridis (Forsk., 1775)** (Mantidae) Synonym(s): *viridis Forsk., 1775; guttata Thunberg, 1815; bimaculata Burmeister, 1838; bioculata Burmeister, 1838; vischeri Werner, 1933* **DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD**
138. **Stenopogon lehri Londt, 1999** (Asilidae) Synonym(s): *lehri Londt, 1999* **SO KE**
139. **Tarachodes (Chiropacha) aestuans Saussure, 1895** (Irididae) Synonym(s): *aestuans Saussure, 1895; media Schulthess-Schnidler, 1898; orientalis Giglio-Tos, 1911* **DZ? SO ET KE TZ UG**
140. **Tarachodes (Chiropacha) obtusipes Stal, 1871** (Irididae) Synonym(s): *obtusipes Stal, 1871* **ET SD KE SO**
141. **Tarachodes (Chiropacha) smithi Rehn, 1901** (Irididae) Synonym(s): *smithi Rehn, 1901; taramassi Giglio-Tos, 1907* **KE SO**
142. **Tarachodes (s.str.) alluaudi Chopard, 1914** (Irididae) Synonym(s): *alluaudi Chopard, 1914; minor Chopard, 1921* **ET SO KE TZ UG**
143. **Tarachodes (s.str.) karschii Werner, 1907** (Irididae) Synonym(s): *karschii Werner, 1907* **TZ Dss ET KE SO**
144. **Tarachodes (s.str.) monstrosus Giglio-Tos, 1917** (Irididae) Synonym(s): *monstrosus Giglio-Tos, 1917* **SO UG ET**
145. **Tarachodes (s.str.) oxynotus La Greca, 1952** (Irididae) Synonym(s): *oxynotus La Greca, 1952; tenuis Lombardo, 1957* **SO ET**
146. **Tarachodes (s.str.) vitreus La Greca, 1950** (Irididae) Synonym(s): *vitreus La Greca, 1950* **SO**
147. **Tarachodula ornata Beier, 1963** (Irididae) Synonym(s): *ornata Beier, 1963* **SO**
148. **Tarachodula pantherina (Gerstaecker, 1869)** (Irididae) Synonym(s): *pantherina Gerstaecker, 1869; dolica Giglio-Tos, 1917* **ET KE SO**
149. **Tenodera superstiosa (Fabricius, 1781)** (Mantidae) Synonym(s): *superstiosa Fabricius, 1781; bokiana Giglio-Tos, 1907* **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
150. **Truxalis conspurcata Klug, 1840** (Acrididae) Synonym(s): *conspurcata Klug, 1840* **SA OM SO**
151. **Truxalis rubripennis Dirsh, 1951** (Acrididae) Synonym(s): *rubripennis Dirsh, 1951* **SO**
152. **Villa paniscoides Bezzi, 1912** (Bombyliidae) Synonym(s): *paniscoides Bezzi, 1912* **ER ET KE MW SO UG YE EG SA OM**
153. **Villa sexfasciata (Wiedemann, 1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann, 1821; albescens Loew, 1860; flavescens Loew, 1860; albogilva François, 1969* **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**

Synonymic and distributional list of the pterygot insects of South Africa

(Results of the Entomofauna of the World based upon info-system of the Cesa)

57

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of South Africa (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 57.
Priamus (suppl.) 18: 2013-2036.

In this study, totally 765 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of South Africa recorded in info-system of the Cesa, total pterygot species of South Africa increase to 8370.

Key words: List, distribution, *pterygota*, *Insecta*, South Africa.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹¹²
Expedition made by the Cesa	yes
Planned expeditions	yes
Further planned publications	yes

In this study, totally 765 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 7605 recorded species of *Lepidoptera* from South Africa are found. Taking this information into consideration, total number of the pterygots may increase to 8370.

The study is still continuing, and the new results will be published within this Project.

1. **Acanthophyes albipennis Stal,1866** (Membracidae) Synonym(s): *albipennis Stal,1866* **ZA**
2. **Acasilus tigrimontis Londt,2005** (Asilidae) Synonym(s): *tigrimontis Londt,2005* **ZA**
3. **Achaetothorax rhinocerotis (Richards,1939)** (Sphaeroceridae) Synonym(s): *rhinocerotis Richards,1939* **ET KE MZ TZ ZA ZW ZR**
4. **Achaetothorax whittingtoni Norrbom & Papp,1994** (Sphaeroceridae) Synonym(s): *whittingtoni Norrbom & Papp,1994* **ZA**

¹¹² **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the *Lepidoptera* List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the *Lepidopteran* List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

5. **Acnephalum andrenoides (Wiedemann,1828)** (Asilidae) Synonym(s): *andrenoides* Wiedemann,1828 ZA
6. **Acnephalum cockerelli Curran,1934** (Asilidae) Synonym(s): *cockerelli* Curran,1934 ZA
7. **Acnephalum dorsale Macquart,1838** (Asilidae) Synonym(s): *dorsale* Macquart,1838 ZA
8. **Acnephalum gracilis (Hermann,1908)** (Asilidae) Synonym(s): *gracilis* Hermann,1908 NA ZA BW
9. **Acnephalum quadratum (Wiedemann,1828)** (Asilidae) Synonym(s): *quadratum* Wiedemann,1828 ZA
10. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stalii* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949 Truxalis *bicolor* Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). SL BF ZA ZR ET DZ EG FR SE TR BF IT
11. **Acrotylus patruelis (Herrich-Schäffer,1838)** (Acrididae) Synonym(s): *patruelis* Herrich-Schäffer,1838 ZA DE TR
12. **Adesmia (s.str.) paiva Haag,1875** (Tenebrionidae) Synonym(s): *paiva* Haag,1875 ZA
13. **Adesmia (s.str.) porcata (Fabricius,1781)** (Tenebrionidae) Synonym(s): *porcata* Fabricius,1781 ZA
14. **Adoretus cribrosus Harold,1869** (Scarabaeidae) Synonym(s): *cribrosus* Harold,1869 ZA
15. **Adoretus cupreus (Arrow,1899)** (Scarabaeidae) Synonym(s): *cupreus* Arrow,1899 ZA
16. **Adoretus flaveolus Fahraeus,1857** (Scarabaeidae) Synonym(s): *flaveolus* Fahraeus,1857 ZA
17. **Adoretus fraudulentus Peringuey,1902** (Scarabaeidae) Synonym(s): *fraudulentus* Peringuey,1902 ZA
18. **Adoretus hanstroemi Machatschke,1970** (Scarabaeidae) Synonym(s): *hanstroemi* Machatschke,1970 ZA
19. **Afralycisca umbrina (Linnavuori,1979)** (Cicadellidae) Synonym(s): *umbrina* Linnavuori,1979 ZA
20. **Africesa¹¹³ punctulata (Hedqvist,1969)** (Pteromalidae) Synonym(s): *punctulata* Hedqvist,1969 ZA
21. **Afrius (s.str.) marmoratus (Dallas,1851)** (Pentatomidae) Synonym(s): *marmoratus* Dallas,1851; *annulipes* Dallas,1851 ZA
22. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA
23. **Afroestricus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus* Speiser,1910; *senex* Bromley,1936 TZ ZA BF ZR ET KE MW MZ ZW
24. **Afroestricus minutus (Bromley,1936)** (Asilidae) Synonym(s): *minutus* Bromley,1936 ZA BW MW ML NA ZW
25. **Afroestricus variabilis (Engel,1929)** (Asilidae) Synonym(s): *variabilis* Engel,1929; *munori* Bromley,1936; *bevisis* Bromley,1947 ZA MZ ZM
26. **Afroholopogon africanus (Ricardo,1925)** (Asilidae) Synonym(s): *africanus* Ricardo,1925 NA ZA
27. **Afroholopogon anassa Londt,2005** (Asilidae) Synonym(s): *anassa* Londt,2005 ZA
28. **Afroholopogon argos Londt,2005** (Asilidae) Synonym(s): *argos* Londt,2005 ZA
29. **Afroholopogon aspros Londt,2005** (Asilidae) Synonym(s): *aspros* Londt,2005 ZA
30. **Afroholopogon capensis (Lindner,1961)** (Asilidae) Synonym(s): *capensis* Lindner,1961; *tomentosus* Oldroyd,1974 ZA Ec
31. **Afroholopogon chirundu Londt,2005** (Asilidae) Synonym(s): *chirundu* Londt,2005 ZA ZW
32. **Afroholopogon fugax (Loew,1858)** (Asilidae) Synonym(s): *fugax* Loew,1858 NA ZA
33. **Afroholopogon mauros Londt,2005** (Asilidae) Synonym(s): *mauros* Londt,2005 NA ZA BW
34. **Afroholopogon meilloni (Oldroyd,1974)** (Asilidae) Synonym(s): *meilloni* Oldroyd,1974 ZA
35. **Afroholopogon melas Londt,2005** (Asilidae) Synonym(s): *melas* Londt,2005 ZA
36. **Afroholopogon pardosoros Londt,2005** (Asilidae) Synonym(s): *pardosoros* Londt,2005 ZA
37. **Afroholopogon peregrinus (Engel,1929)** (Asilidae) Synonym(s): *peregrinus* Engel,1929 ZA
38. **Afroholopogon tanystylos Londt,2005** (Asilidae) Synonym(s): *tanystylos* Londt,2005 ZA
39. **Afroholopogon uranopia Londt,2005** (Asilidae) Synonym(s): *uranopia* Londt,2005 ZA
40. **Afroholopogon xeros Londt,2005** (Asilidae) Synonym(s): *xeros* Londt,2005 NA ZA
41. **Afromelittodes mimos Londt,2003** (Asilidae) Synonym(s): *mimos* Londt,2003 NA ZA
42. **Afromelittodes solis Oldroyd & Bruggen,1963** (Asilidae) Synonym(s): *solis* Oldroyd & Bruggen,1963 ZA
43. **Afromochtherus anaticus Londt,2002** (Asilidae) Synonym(s): *anaticus* Londt,2002 ZA

¹¹³ genus name established by the authors.

44. **Afromochtherus kolodrilus Londt,2002** (Asilidae) Synonym(s): *kolodrilus Londt,2002* ZA
45. **Afromochtherus melanurus Londt,2002** (Asilidae) Synonym(s): *melanurus Londt,2002* ZA
46. **Afromochtherus mendax (Tsacas,1969)** (Asilidae) Synonym(s): *mendax Tsacas,1969* NA ZA ZW
47. **Afromochtherus peri Londt,2002** (Asilidae) Synonym(s): *peri Londt,2002* ZA ZW BW
48. **Afromochtherus zoropegus Londt,2002** (Asilidae) Synonym(s): *zoropegus Londt,2002* ZA
49. **Afroscleropogon armatus (Oldroyd,1974)** (Asilidae) Synonym(s): *armatus Oldroyd,1974* NA ZA BW
50. **Afroscleropogon braunsi (Oldroyd,1974)** (Asilidae) Synonym(s): *braunsi Oldroyd,1974* NA ZA
51. **Afroscleropogon clementsii Londt,1999** (Asilidae) Synonym(s): *clementsii Londt,1999* ZA
52. **Afroscleropogon dilutus (Walker,1851)** (Asilidae) Synonym(s): *dilutus Walker,1851; holoxanthus Hermann,1907; pygmaeus Hull,1967* ZA
53. **Afroscleropogon lavignei Londt,1999** (Asilidae) Synonym(s): *lavignei Londt,1999* NA ZA
54. **Afroscleropogon nagatomii Londt,1999** (Asilidae) Synonym(s): *nagatomii Londt,1999* ZA
55. **Agrostomyia dimorpha Londt,1994** (Asilidae) Synonym(s): *dimorpha Londt,1994* ZA
56. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
57. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
58. **Alcimus angustipennis Loew,1858** (Asilidae) Synonym(s): *angustipennis Loew,1858* ZA
59. **Alcimus brevipennis Ricardo,1922** (Asilidae) Synonym(s): *brevipennis Ricardo,1922* ZA
60. **Alcimus longipes (Macquart,1838)** (Asilidae) Synonym(s): *longipes Macquart,1838; alamanus Walker,1849; perlonga Walker,1851; longurio Loew,1858* ZA
61. **Alcimus mimus (Wiedemann,1828)** (Asilidae) Synonym(s): *mimus Wiedemann,1828* ZA
62. **Alcimus porrectus (Walker,1851)** (Asilidae) Synonym(s): *porrectus Walker,1851* ZA
63. **Alcimus stenurus Loew,1858** (Asilidae) Synonym(s): *stenurus Loew,1858* ZA
64. **Alcimus tristrigatus Loew,1858** (Asilidae) Synonym(s): *tristrigatus Loew,1858* TZ ZA
65. **Alfonsiella natalensis Wiebes,1972** (Agaonidae) Synonym(s): *natalensis Wiebes,1972* ZA Nta Kzu
66. **Alfonsiella pipithiensis Erasmus & Jousselin,2007 (1)** (Agaonidae) Synonym(s): *pipithiensis Erasmus & Jousselin,2007* ZA
67. **Allocormodes junodi Van der Weele,1909** (Ascalaphidae) Synonym(s): *junodi Van der Weele,1909* ZA Tva Lpo
68. **Amblychirus brevior (Fairmaire,1897)** (Tenebrionidae) Synonym(s): *brevior Fairmaire,1897* LS ZA Fs
69. **Amblychirus pseudobrevior Iwan,1997** (Tenebrionidae) Synonym(s): *pseudobrevior Iwan,1997* ZA Ec
70. **Amblychirus tenebrosus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *tenebrosus Mulsant & Rey,1853* ZA Ec
71. **Amorphoscelis austrogermanica Werner,1923** (Amorphoscelidae) Synonym(s): *austrogermanica Werner,1923; beieri Roy,1962* NA ZA Nta Kzu Tva Lpo
72. **Amorphoscelis tuberculata Roy,1963** (Amorphoscelidae) Synonym(s): *tuberculata Roy,1963* NA ZA Tva ZW MZ
73. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943* Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
74. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis Compere,1939* ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
75. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si Ke MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
76. **Anasida funebris Distant,1900** (Pentatomidae) Synonym(s): *funebris Distant,1900* ZA Nta Kzu
77. **Anasillomos chrysopos Londt,1983** (Asilidae) Synonym(s): *chrysopos Londt,1983* NA ZA BW

78. **Anastoechus argyrocomus Hesse,1938** (Bombyliidae) Synonym(s): *argyrocomus* Hesse,1938
ZA
79. **Anastoechus deserticola Hesse,1938** (Bombyliidae) Synonym(s): *deserticola* Hesse,1938;
coloratus Hesse,1938 ZA
80. **Anastoechus dolosus Hesse,1938** (Bombyliidae) Synonym(s): *dolosus* Hesse,1938 ZA
81. **Anastoechus erinaceus Bezzi,1921** (Bombyliidae) Synonym(s): *erinaceus* Bezzi,1921 BW NA
ZA
82. **Anastoechus flavosericatus Hesse,1938** (Bombyliidae) Synonym(s): *flavosericatus* Hesse,1938
ZA
83. **Anastoechus fuscianulatus Hesse,1938** (Bombyliidae) Synonym(s): *fuscianulatus* Hesse,1938
ZA
84. **Anastoechus innocuus Bezzi,1921** (Bombyliidae) Synonym(s): *innocuus* Bezzi,1921 NA ZA
85. **Anastoechus leucosoma Bezzi,1921** (Bombyliidae) Synonym(s): *leucosoma* Bezzi,1921 NA ZA
86. **Anastoechus macrophthalmus Bezzi,1921** (Bombyliidae) Synonym(s): *macrophthalmus*
Bezzi,1921 ZA
87. **Anastoechus nitens Hesse,1938** (Bombyliidae) Synonym(s): *nitens* Hesse,1938 ZA
88. **Anastoechus nividulus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *niveus*
Macquart,1855 nec Macq.,1840; nividulus Evenhuis & Greathead,1999 ZA
89. **Anastoechus phaleratus Hesse,1938** (Bombyliidae) Synonym(s): *phaleratus* Hesse,1938;
albicerus Hesse,1938 ZA ZW BW NA Fs
90. **Anastoechus pruinus Hesse,1938** (Bombyliidae) Synonym(s): *pruinus* Hesse,1938 ZA Fs
91. **Anastoechus rubricosus (Wiedemann,1821)** (Bombyliidae) Synonym(s): *rubricosus*
Wiedemann,1821 ZA
92. **Anastoechus sericophorus Hesse,1938** (Bombyliidae) Synonym(s): *sericophorus* Hesse,1938;
congruens Hesse,1938 NA ZA
93. **Anastoechus varipecten Bezzi,1921** (Bombyliidae) Synonym(s): *varipecten* Bezzi,1921;
leucochroicus Hesse,1938 NA ZA
94. **Anchophthalmus algoensis Péringuey,1904** (Tenebrionidae) Synonym(s): *algoensis*
Péringuey,1904 MZ ZA
95. **Anchophthalmus clathratus (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *clathratus*
Fahraeus,1870; *fahraei* Péringuey,1904 ZA Tva Lpo BW
96. **Anchophthalmus silphoides Gerstaecker,1854** (Tenebrionidae) Synonym(s): *silphoides*
Gerstaecker,1854 ZA MZ BW
97. **Ancylorhynchus braunsi Bromley,1936** (Asilidae) Synonym(s): *braunsi* Bromley,1936 ZA
98. **Ancylorhynchus cruciger (Loew,1858)** (Asilidae) Synonym(s): *cruciger* Loew,1858 ZA ZW
99. **Ancylorhynchus crux Bezzi,1908** (Asilidae) Synonym(s): *crux* Bezzi,1908; *apicalis* Curran,1934;
splendens Bromley,1936 MW ZR ZW ZA ZM
100. **Ancylorhynchus fulvicollis (Bigot,1879)** (Asilidae) Synonym(s): *fulvicollis* Bigot,1879 ZA
101. **Ancylorhynchus humeralis (Wiedemann,1821)** (Asilidae) Synonym(s): *humeralis*
Wiedemann,1821 ZA
102. **Ancylorhynchus insignis Bromley,1936** (Asilidae) Synonym(s): *insignis* Bromley,1936
ZA
103. **Ancylorhynchus maculatus (Bigot,1879)** (Asilidae) Synonym(s): *maculatus* Bigot,1879
ZA
104. **Ancylorhynchus magnificus Bromley,1936** (Asilidae) Synonym(s): *magnificus*
Bromley,1936 MW ZA ZW
105. **Ancylorhynchus munroi Bromley,1936** (Asilidae) Synonym(s): *munroi* Bromley,1936 ZA
106. **Ancylorhynchus pretoriensis Bromley,1936** (Asilidae) Synonym(s): *pretoriensis*
Bromley,1936 ZA Gau Pre
107. **Ancylorhynchus quadrimaculatus (Loew,1858)** (Asilidae) Synonym(s): *quadrimaculatus*
Loew,1858 ZA
108. **Ancylorhynchus reynaudii (Macquart,1838)** (Asilidae) Synonym(s): *reynaudii*
Macquart,1838 ZA
109. **Ancylorhynchus tricolor (Loew,1863)** (Asilidae) Synonym(s): *tricolor* Loew,1863 ZA
110. **Ancylorhynchus unifasciatus (Loew,1858)** (Asilidae) Synonym(s): *unifasciatus* Loew,1858
ZA
111. **Ancylorhynchus variegatus (Bigot,1879)** (Asilidae) Synonym(s): *variegatus* Bigot,1879 ZA
112. **Ancylorhynchus zonalis Bromley,1936** (Asilidae) Synonym(s): *zonalis* Bromley,1936 ZA
113. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787;
geometricus Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata*
Ellenreider,1862; *ludovicianus* Stoner,1917 CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ
TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
114. **Andrenosoma serpentina (Bezzi,1908)** (Asilidae) Synonym(s): *serpentina* Bezzi,1908 ZR KE
MW ZA NG

115. **Anomalipus acutangulus Oertzen,1897** (Tenebrionidae) Synonym(s): *acutangulus Oertzen,1897*; *turpis Péringuey,1899* NA BW ZW ZA Tva Lpo
116. **Anomalipus adesmoides Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *adesmoides Endrödy-Younga,1988* ZA Nta Kzu
117. **Anomalipus alutaceus Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *alutaceus Endrödy-Younga,1988* ZA Tva Lpo
118. **Anomalipus capensis Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *capensis Endrödy-Younga,1988* ZA Ec
119. **Anomalipus carinatus Oertzen,1897** (Tenebrionidae) Synonym(s): *carinatus Oertzen,1897*; *amplipennis Péringuey,1904*; *subacutangulus Hesse,1935* ZA Fs Ec ZW
120. **Anomalipus coriaceus Oertzen,1897** (Tenebrionidae) Synonym(s): *coriaceus Oertzen,1897*; *barbertoniensis Péringuey,1904* ZA Mpu Brb Tva
121. **Anomalipus dentipes Fabricius,1794** (Tenebrionidae) Synonym(s): *dentipes Fabricius,1794*; *obscura Olivier,1795*; *notaticollis Péringuey,1886* ZA Ec
122. **Anomalipus elephas Fahraeus,1870** (Tenebrionidae) Synonym(s): *elephas Fahraeus,1870* ZA Tva Lpo Suw Spb Mdk BW NA ZW
123. **Anomalipus endroedii Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *endroedii Endrödy-Younga,1988* ZA Tva Lpo
124. **Anomalipus expansicollis Fairmaire,1891** (Tenebrionidae) Synonym(s): *expansicollis Fairmaire,1891* ZA Tva Lpo Suw ZW
125. **Anomalipus fahraei Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *fahraei Endrödy-Younga,1988* ZA Tva Lpo ZW MZ
126. **Anomalipus frater Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *frater Endrödy-Younga,1988* ZA Nta Kzu Ptb
127. **Anomalipus granocostatus Fairmaire,1894** (Tenebrionidae) Synonym(s): *granocostatus Fairmaire,1894*; *hypocrita Péringuey,1904* MZ ZA Tva Lpo Nta Kzu Suw
128. **Anomalipus kaszabi Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *kaszabi Endrödy-Younga,1988* ZA Tva Lpo
129. **Anomalipus kochi Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *kochi Endrödy-Younga,1988* ZA Tva Lpo
130. **Anomalipus kolbei Oertzen,1897** (Tenebrionidae) Synonym(s): *kolbei Oertzen,1897*; *agrestis Péringuey,1899* ZA Tva Lpo
131. **Anomalipus lieselottae Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *lieselottae Endrödy-Younga,1988* ZW ZA Tva Lpo
132. **Anomalipus maritimus Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *maritimus Endrödy-Younga,1988* ZA Tva Lpo
133. **Anomalipus mastodon Fahraeus,1870** (Tenebrionidae) Synonym(s): *mastodon Fahraeus,1870*; *ovalipennis Oertzen,1897* ZA Tva Lpo BW
134. **Anomalipus meles Fahraeus,1870** (Tenebrionidae) Synonym(s): *meles Fahraeus,1870*; *talpa Fahraeus,1870* LS ZA BW
135. **Anomalipus multilineatus (Horn,1866)** (Tenebrionidae) Synonym(s): *multilineatus Horn,1866*; *lemur Fahraeus,1870*; *damaricus Oertzen,1897* ZA Tva Lpo Fs Nta Kzu
136. **Anomalipus mustela Fahraeus,1870** (Tenebrionidae) Synonym(s): *mustela Fahraeus,1870* ZA Tva Lpo Fs Ec BW
137. **Anomalipus nemoralis Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *nemoralis Endrödy-Younga,1988* ZA Tva Lpo
138. **Anomalipus oertzeni Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *oertzeni Endrödy-Younga,1988* ZA Tva Lpo
139. **Anomalipus parallelus (Solier,1836)** (Tenebrionidae) Synonym(s): *parallelus Solier,1836*; *porcus Fahraeus,1870*; *natalensis Fairmaire,1894* ZA Nta Kzu Tva Mpu Nel MZ
140. **Anomalipus pauxillus Péringuey,1904** (Tenebrionidae) Synonym(s): *pauxillus Péringuey,1904* LS ZA Fs
141. **Anomalipus planus Fahraeus,1870** (Tenebrionidae) Synonym(s): *planus Fahraeus,1870* ZA Tva Lpo BW
142. **Anomalipus savii (Bertolini,1855)** (Tenebrionidae) Synonym(s): *savii Bertolini,1855*; *affinis Péringuey,1866* MZ Del ZA Tva Lpo Nta Kzu Mkz LS
143. **Anomalipus schulzeae Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *schulzeae Endrödy-Younga,1988* ZA Tva Lpo
144. **Anomalipus sculpturatus Péringuey,1886** (Tenebrionidae) Synonym(s): *sculpturatus Péringuey,1886*; *marshalli Péringuey,1896*; *costatus Oertzen,1897*; *granatus Fairmaire,1897* ZA Tva Lpo
145. **Anomalipus seriatus Oertzen,1897** (Tenebrionidae) Synonym(s): *seriatus Oertzen,1897*; *spectandrus Péringuey,1904*; *hybridus Oertzen,1897*; *variabilis Oertzen,1897* ZA Tva Lpo Spb Shw
146. **Anomalipus ultimus Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *ultimus Endrödy-Younga,1988* ZA LS

147. **Anomalipus urus Fahraeus, 1870** (Tenebrionidae) Synonym(s): *urus Fahraeus, 1870* ZA Tva Lpo Nta Kzu BW
148. **Anomalipus variolosus (Solier, 1836)** (Tenebrionidae) Synonym(s): *variolosus Solier, 1836; porcatus Solier, 1836* ZA Ec Nta Kzu
149. **Anthidium (Archianthidium) pubescens (Morawitz, 1872)** (Megachilidae) Synonym(s): *pubescens Morawitz, 1872; maximum Friese, 1931; verhoeffi Mavromoustakis, 1955* UA Cm RU HU GR TM TR Cc SY IL Pa ZA
150. **Anthrax aridicola Hesse, 1956** (Bombyliidae) Synonym(s): *aridicola Hesse, 1956* ZA
151. **Anthrax badius Hesse, 1956** (Bombyliidae) Synonym(s): *badius Hesse, 1956* ZA Wc Ec LS
152. **Anthrax bifarius Hesse, 1956** (Bombyliidae) Synonym(s): *bifarius Hesse, 1956* ZA NA
153. **Anthrax candidulus Hesse, 1956** (Bombyliidae) Synonym(s): *candidulus Hesse, 1956* ZA Ec
154. **Anthrax capicola Bowden, 1980** (Bombyliidae) Synonym(s): *caffer Hesse, 1956; capicola Bowden, 1980* LS NA ZA
155. **Anthrax xerozous Hesse, 1956** (Bombyliidae) Synonym(s): *xerozous Hesse, 1956* ZA
156. **Anthrenus (Nathrenus) boyesi Hava, 2004** (Dermestidae) Synonym(s): *boyesi Hava, 2004* ZR ZA
157. **Anthrenus (Nathrenus) cordis Hava & Kadej, 2006** (Dermestidae) Synonym(s): *cordis Hava & Kadej, 2006* ZA
158. **Antistia maculipennis Stal, 1876** (Irididae) Synonym(s): *maculipennis Stal, 1876; signata Karny, 1908* ZA Tva Lpo BW NA
159. **Antistia parva Beier, 1953** (Irididae) Synonym(s): *parva Beier, 1953* ZA NA
160. **Antistia robusta Kaltenbach, 1966** (Irididae) Synonym(s): *robusta Kaltenbach, 1966* ZA Tva Lpo
161. **Antistia vicina Kaltenbach, 1966** (Irididae) Synonym(s): *vicina Kaltenbach, 1966* ZA
162. **Anypodetus arachnoides Oldroyd, 1974** (Asilidae) Synonym(s): *arachnoides Oldroyd, 1974* ZA ZM ZW BW
163. **Anypodetus fascipennis Engel, 1924** (Asilidae) Synonym(s): *fascipennis Engel, 1924; semirufus Engel, 1924; maculipennis Ricardo, 1925* ZA BW NA ZW
164. **Anypodetus leucothrix Londt, 2000** (Asilidae) Synonym(s): *leucothrix Londt, 2000* NA ZA
165. **Anypodetus nigrifacies Ricardo, 1925** (Asilidae) Synonym(s): *nigrifacies Ricardo, 1925* MZ ZA
166. **Anypodetus phalaros Londt, 2000** (Asilidae) Synonym(s): *phalaros Londt, 2000* NA ZA
167. **Anypodetus unicolor Oldroyd, 1974** (Asilidae) Synonym(s): *unicolor Oldroyd, 1974* NA ZA ZW
168. **Apanteles carpatus Say, 1836** (Braconidae) Synonym(s): *carpatus Say, 1836* Apanteles carpatus Say, 1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
169. **Apanteles hemara Nixon, 1965** (Braconidae) Synonym(s): *hemara Nixon, 1965* Apanteles hemara Nixon, 1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
170. **Apis mellifera Linnaeus, 1758** (Apidae) Synonym(s): *mellifera Linnaeus, 1758; mellifica Linnaeus, 1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
171. **Apolysis brachycera Hesse, 1975** (Bombyliidae) Synonym(s): *brachycera Hesse, 1975* NA ZA Wca
172. **Apolysis brevirostris Hesse, 1938** (Bombyliidae) Synonym(s): *brevirostris Hesse, 1938* NA ZA Wca Nca
173. **Apolysis capicola Hesse, 1975** (Bombyliidae) Synonym(s): *capicola Hesse, 1975* ZA Wca
174. **Apolysis cingulata Hesse, 1938** (Bombyliidae) Synonym(s): *cingulata Hesse, 1938* ZA Wca
175. **Apolysis flavifemoris (Hesse, 1975)** (Bombyliidae) Synonym(s): *flavifemoris Hesse, 1975* ZA Wca NA
176. **Apolysis fumalis Hesse, 1938** (Bombyliidae) Synonym(s): *fumalis Hesse, 1938* KE ZA Nta Kzu TZ
177. **Apolysis hesseana Evenhuis, 1990** (Bombyliidae) Synonym(s): *namaensis Hesse, 1975 nec Hess., 1938; hesseana Evenhuis, 1990* ZA Nca
178. **Apolysis hirtella Hesse, 1975** (Bombyliidae) Synonym(s): *hirtella Hesse, 1975* ZA Wca
179. **Apolysis humilis Loew, 1860** (Bombyliidae) Synonym(s): *humilis Loew, 1860; stuckenbergi Hesse, 1975* ZA Eca Wca Kzu Nta NA
180. **Apolysis lactearia Hesse, 1975** (Bombyliidae) Synonym(s): *lactearia Hesse, 1975* ZA Nca
181. **Apolysis lindneri Hesse, 1962** (Bombyliidae) Synonym(s): *lindneri Hesse, 1962* ZA Wca
182. **Apolysis maherniaphila Hesse, 1938** (Bombyliidae) Synonym(s): *maherniaphila Hesse, 1938* NA ZA Wca
183. **Apolysis minuscula Hesse, 1975** (Bombyliidae) Synonym(s): *minuscula Hesse, 1975* ZA Nca
184. **Apolysis monticola Hesse, 1975** (Bombyliidae) Synonym(s): *monticola Hesse, 1975* ZA Kzu Nta
185. **Apolysis namaensis (Hesse, 1938)** (Bombyliidae) Synonym(s): *namaensis Hesse, 1938* NA ZA Nca

186. **Apolysis oreophila Hesse,1975** (Bombyliidae) Synonym(s): *oreophila Hesse,1975* **ZA Nta Kzu**
187. **Apolysis puberula (Hesse,1975)** (Bombyliidae) Synonym(s): *puberula Hesse,1975* **ZA Nca**
188. **Apolysis semiflava Hesse,1975** (Bombyliidae) Synonym(s): *semiflava Hesse,1975* **ZA Wca**
189. **Apolysis seminitens Hesse,1975** (Bombyliidae) Synonym(s): *seminitens Hesse,1975* **ZA Wca**
190. **Apolysis thamnophila Hesse,1975** (Bombyliidae) Synonym(s): *thamnophila Hesse,1975* **ZA Wca**
191. **Apolysis thornei Hesse,1938** (Bombyliidae) Synonym(s): *thornei Hesse,1938* **NA ZA Nca Wca**
192. **Apolysis triseriatella (Hesse,1975)** (Bombyliidae) Synonym(s): *triseriatella Hesse,1975* **ZA NA Wca Nca**
193. **Apolysis xanthogaster Hesse,1938** (Bombyliidae) Synonym(s): *xanthogaster Hesse,1938* **ZA Fs**
194. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae Girault,1916* **AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
195. **Arantia spinulosa Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *spinulosa Brunner von Wattenwyl,1878* **ZA Nta Kzu Dbn**
196. **Asilus bombylius Lichtenstein,1796** (Asilidae) Synonym(s): *bombylius Lichtenstein,1796* **ZA**
197. **Asilus forficula Macquart,1846** (Asilidae) Synonym(s): *forficula Macquart,1846* **ZA**
198. **Asilus melanotarsus Lichtenstein,1796** (Asilidae) Synonym(s): *melanotarsus Lichtenstein,1796* **ZA**
199. **Asilus natalicus Macquart,1855** (Asilidae) Synonym(s): *natalicus Macquart,1855* **ZA Nta Kzu**
200. **Asilus nigellus Lichtenstein,1796** (Asilidae) Synonym(s): *nigellus Lichtenstein,1796* **ZA**
201. **Asilus nigribarbis Macquart,1846** (Asilidae) Synonym(s): *nigribarbis Macquart,1846* **ZA**
202. **Asilus schedius Walker,1849** (Asilidae) Synonym(s): *schedius Walker,1849* **ZA**
203. **Atonurus natalensis (Stål,1855)** (Cixiidae) Synonym(s): *natalensis Stål,1855* **ZA Nta Kzu**
204. **Atrocates bellamyi Iwan,1999** (Tenebrionidae) Synonym(s): *bellamyi Iwan,1999* **ZA Ec**
205. **Atrocates bisinuatus Koch,1956** (Tenebrionidae) Synonym(s): *bisinuatus Koch,1956* **ZA Ec**
206. **Atrocates bredasdorpensis Iwan,1998** (Tenebrionidae) Synonym(s): *bredasdorpensis Iwan,1998* **ZA Ec**
207. **Atrocates capensis Iwan,1998** (Tenebrionidae) Synonym(s): *capensis Iwan,1998* **ZA Ec**
208. **Atrocates dentatus Iwan,1998** (Tenebrionidae) Synonym(s): *dentatus Iwan,1998* **ZA Ec**
209. **Atrocates endrodyi Iwan,1998** (Tenebrionidae) Synonym(s): *endrodyi Iwan,1998* **ZA Ec**
210. **Atrocates evestigator Iwan,1998** (Tenebrionidae) Synonym(s): *evestigator Iwan,1998* **ZA Ec**
211. **Atrocates formosus Iwan,1998** (Tenebrionidae) Synonym(s): *formosus Iwan,1998* **ZA Ec**
212. **Atrocates gansbaaiensis Iwan & Ferrer,2000** (Tenebrionidae) Synonym(s): *gansbaaiensis Iwan & Ferrer,2000* **ZA Ec**
213. **Atrocates garbarczyki Iwan,1998** (Tenebrionidae) Synonym(s): *garbarczyki Iwan,1998* **ZA Ec**
214. **Atrocates largus Iwan,1998** (Tenebrionidae) Synonym(s): *largus Iwan,1998* **ZA Ec**
215. **Atrocates latemarginatus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *latemarginatus Mulsant & Rey,1853* **ZA Ec**
216. **Atrocates libidinosus Iwan,1998** (Tenebrionidae) Synonym(s): *libidinosus Iwan,1998* **ZA Ec**
217. **Atrocates medvedevi Iwan & Ferrer,2000** (Tenebrionidae) Synonym(s): *medvedevi Iwan & Ferrer,2000* **ZA Ec**
218. **Atrocates metasimius Iwan,1998** (Tenebrionidae) Synonym(s): *metasimius Iwan,1998* **ZA Ec**
219. **Atrocates montiscedri Koch,1956** (Tenebrionidae) Synonym(s): *montiscedri Koch,1956* **ZA Ec**
220. **Atrocates nudus Iwan & Ferrer,2000** (Tenebrionidae) Synonym(s): *nudus Iwan & Ferrer,2000* **ZA Ec**
221. **Atrocates occultator Iwan,1998** (Tenebrionidae) Synonym(s): *occultator Iwan,1998* **ZA Ec**
222. **Atrocates ordinarius Iwan,1998** (Tenebrionidae) Synonym(s): *ordinarius Iwan,1998* **ZA Ec**
223. **Atrocates oweni Iwan,1998** (Tenebrionidae) Synonym(s): *oweni Iwan,1998* **ZA Ec**
224. **Atrocates peringueyi Koch,1956** (Tenebrionidae) Synonym(s): *peringueyi Koch,1956* **ZA Ec**
225. **Atrocates platyderus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *platyderus Mulsant & Rey,1853* **ZA Ec**
226. **Atrocates pliskoae Iwan,1998** (Tenebrionidae) Synonym(s): *pliskoae Iwan,1998* **ZA Ec**

227. **Atrocates podagricus (Koch,1956)** (Tenebrionidae) Synonym(s): *podagricus* Koch,1956
ZA Ec
228. **Atrocates robertonensis Iwan,1999** (Tenebrionidae) Synonym(s): *robertonensis*
Iwan,1999 ZA Ec
229. **Atrocates robustus Iwan,1998** (Tenebrionidae) Synonym(s): *robustus* Iwan,1998 ZA Ec
230. **Atrocates simius (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *simius* Mulsant &
Rey,1853 ZA Ec
231. **Atrocates sinuosus Iwan,1998** (Tenebrionidae) Synonym(s): *sinuosus* Iwan,1998 ZA Ec
232. **Atrocates striatus (Quensel,1806)** (Tenebrionidae) Synonym(s): *striatus* Quensel,1806;
marginatus Mulsant & Rey,1853 ZA Ec
233. **Atrocrypticanus fraternus Iwan,1999** (Tenebrionidae) Synonym(s): *fraternus* Iwan,1999
ZA Ec
234. **Attagenus (s.str.) jucundus Peringuey,1885** (Dermeestidae) Synonym(s): *jucundus*
Peringuey,1885 MZ ZA ZM
235. **Bactria vagator (Wiedemann,1828)** (Asilidae) Synonym(s): *vagator* Wiedemann,1828
ZA
236. **Bantodemus armatus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *armatus*
Mulsant & Rey,1853 ZA Nta Kzu Tva Lpo
237. **Bantodemus bevisi Koch,1955** (Tenebrionidae) Synonym(s): *bevisi* Koch,1955 ZA Nta Kzu
238. **Bantodemus caffer (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *caffer* Fahraeus,1870;
lugubris Fahraeus,1870 ZA Nta Kzu
239. **Bantodemus calcaratus Koch,1955** (Tenebrionidae) Synonym(s): *calcaratus* Koch,1955
ZA Nta Kzu
240. **Bantodemus dentipes (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *dentipes*
Fahraeus,1870 ZA Tva Lpo ZW
241. **Bantodemus drakensbergensis Iwan,2000** (Tenebrionidae) Synonym(s):
drakensbergensis Iwan,2000 ZA Tva Lpo Drb
242. **Bantodemus funduzilis Koch,1955** (Tenebrionidae) Synonym(s): *funduzilis* Koch,1955
ZA Tva Lpo
243. **Bantodemus furcatus Koch,1955** (Tenebrionidae) Synonym(s): *furcatus* Koch,1955 ZA
Nta Kzu
244. **Bantodemus goldengatensis Iwan,2000** (Tenebrionidae) Synonym(s): *goldengatensis*
Iwan,2000 ZA Tva Lpo
245. **Bantodemus hluhluwensis Iwan,2000** (Tenebrionidae) Synonym(s): *hluhluwensis*
Iwan,2000 ZA Nta Kzu
246. **Bantodemus imitator Koch,1955** (Tenebrionidae) Synonym(s): *imitator* Koch,1955 ZA
Nta Kzu Ptb
247. **Bantodemus kaszabi Koch,1955** (Tenebrionidae) Synonym(s): *kaszabi* Koch,1955 ZA Nta
Kzu
248. **Bantodemus lawrencei Koch,1955** (Tenebrionidae) Synonym(s): *lawrencei* Koch,1955 ZA
Tva Mpu Nel
249. **Bantodemus lethaeus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *lethaeus*
Mulsant & Rey,1853 ZA Nta Kzu
250. **Bantodemus lucidus Koch,1955** (Tenebrionidae) Synonym(s): *lucidus* Koch,1955 ZA Tva
Lpo Shw ZW
251. **Bantodemus mariepsus Koch,1955** (Tenebrionidae) Synonym(s): *mariepsus* Koch,1955
ZA Tva Lpo
252. **Bantodemus marietsensis Koch,1955** (Tenebrionidae) Synonym(s): *marietsensis*
Koch,1955 ZA Nta Kzu Ptb
253. **Bantodemus melancholicus Koch,1955** (Tenebrionidae) Synonym(s): *melancholicus*
Koch,1955 ZA Nta Kzu Wnn
254. **Bantodemus milleri Iwan,2000** (Tenebrionidae) Synonym(s): *milleri* Iwan,2000 ZA Nta
Kzu
255. **Bantodemus moerens (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *moerens*
Fahraeus,1870 ZA Ec
256. **Bantodemus montanus Iwan,2001** (Tenebrionidae) Synonym(s): *montanus* Iwan,2001
LS ZA Nta Kzu Est
257. **Bantodemus natalensis Iwan,2000** (Tenebrionidae) Synonym(s): *natalensis* Iwan,2000 ZA
Nta Kzu
258. **Bantodemus parvulus Iwan,2000** (Tenebrionidae) Synonym(s): *parvulus* Iwan,2000 ZA
Tva Lpo
259. **Bantodemus pubipes Koch,1955** (Tenebrionidae) Synonym(s): *pubipes* Koch,1955 ZA Nta
Kzu Tva Lpo
260. **Bantodemus rectimanus Koch,1955** (Tenebrionidae) Synonym(s): *rectimanus* Koch,1955
ZA Tva Lpo

261. **Bantodemus rudebecki Iwan,2001** (Tenebrionidae) Synonym(s): *rudebecki Iwan,2001* ZA Tva Lpo Bbg
262. **Bantodemus similis Iwan,2000** (Tenebrionidae) Synonym(s): *similis Iwan,2000* ZA Tva Mpu Wv
263. **Bantodemus striatus Iwan,2000** (Tenebrionidae) Synonym(s): *striatus Iwan,2000* ZA Ec
264. **Bantodemus transvaalensis Koch,1955** (Tenebrionidae) Synonym(s): *transvaalensis Koch,1955* ZA Tva Lpo
265. **Bantodemus tristis Koch,1955** (Tenebrionidae) Synonym(s): *tristis Koch,1955* ZA Tva Mpu Brb SZ
266. **Bantodemus trojani Iwan,2000** (Tenebrionidae) Synonym(s): *trojani Iwan,2000* ZA Tva Mpu Nel
267. **Bantodemus typhon (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *typhon Mulsant & Rey,1853* ZA Tva Lpo ta Kzu
268. **Bantodemus vescus Koch,1955** (Tenebrionidae) Synonym(s): *vescus Koch,1955* ZA Tva Lpo
269. **Bantodemus zimbabwensis Iwan,2000** (Tenebrionidae) Synonym(s): *zimbabwensis Iwan,2000* ZW Vum ZA Tva Lpo
270. **Bantodemus zoutpansbergianus Koch,1955** (Tenebrionidae) Synonym(s): *zoutpansbergianus Koch,1955* ZW ZA Tva Lpo Spb
271. **Bantodemus zulu Koch,1955** (Tenebrionidae) Synonym(s): *zulu Koch,1955* ZA Nta Kzu
272. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909; mollis Bezzi,1921; disjunctus Bezzi,1921; parallelus Bezzi,1924* BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
273. **Bisanthe lagrecai Kaltenbach,1996** (Mantidae) Synonym(s): *lagrecai Kaltenbach,1996* ZA Tva Lpo ZW
274. **Bisanthe pulchripennis (Stal,1875)** (Mantidae) Synonym(s): *pulchripennis Stal,1875* BW NA ZA Tva Lpo
275. **Bolbella affinis Kaltenbach,1996** (Mantidae) Synonym(s): *affinis Kaltenbach,1996* ZA Nta Kzu
276. **Bolbella brevis Beier,1953** (Mantidae) Synonym(s): *brevis Beier,1953* ZA Tva Lpo
277. **Bolbella punctigera (Stal,1871)** (Mantidae) Synonym(s): *punctigera Stal,1871; natalensis Saussure,1871; debiliata Westwood,1889* ZA Ec LS Nta Kzu KM
278. **Bolbella rhodesiaca Beier,1930** (Mantidae) Synonym(s): *rhodesiaca Beier,1930* ZA Tva Lpo ZW
279. **Bolbena (Bolboda) minutissima (Karny,1908)** (Iridopterygidae) Synonym(s): *minutissima Karny,1908* ZA Tva Lpo NA ZW
280. **Bombomyia acroleuca (Bezzi,1921)** (Bombyliidae) Synonym(s): *acroleuca Bezzi,1921* ZA
281. **Bombomyia bombiformis (Bezzi,1921)** (Bombyliidae) Synonym(s): *bombiformis Bezzi,1921* MW ZA Mpu TZ ZM ZW
282. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
283. **Bombomyia fulvonotata (Wiedemann,1818)** (Bombyliidae) Synonym(s): *fulvonotata Wiedemann,1818; aurovittatus Macquart,1850* LS ZA Fs
284. **Bombomyia hypoxantha (Loew,1863)** (Bombyliidae) Synonym(s): *hypoxantha Loew,1863; plagiatus Bezzi,1921* ZA Fs
285. **Bombomyia waterbergensis (Hesse,1938)** (Bombyliidae) Synonym(s): *waterbergensis Hesse,1938* ZA
286. **Bombylella auricoma (Bezzi,1924)** (Bombyliidae) Synonym(s): *auricoma Bezzi,1924* ER ET KE MW ZA Kzu Nta UG
287. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
288. **Bombylella elegans (Wiedemann,1818)** (Bombyliidae) Synonym(s): *elegans Wiedemann,1818; furiosus Walker,1860* ZA Nta Kzu Tva Lpo KE MZ
289. **Bombylella kilimandjarica (Speiser,1910)** (Bombyliidae) Synonym(s): *kilimandjarica Speiser,1910; #nitidipunctatus Bigot,1921* AO BI KE MW ZA Kzu Nta SZ TZ
290. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924* AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
291. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris Macquart,1846* BW KE MW ZA Kzu Nta SZ TZ ZM ZW
292. **Bombylisoma albifacies (Macquart,1855)** (Bombyliidae) Synonym(s): *albifacies Macquart,1855* ZA

293. **Bombylisoma argropygum (Wiedemann,1821)** (Bombyliidae) Synonym(s): *argropygum* Wiedemann,1821; *fulviceps* Macquart,1855 **ZA**
294. **Bombylisoma cinereitinctum (Hesse,1938)** (Bombyliidae) Synonym(s): *cinereitinctum* Hesse,1938 **ZA Nta Kzu Mpu Tva ZW**
295. **Bombylisoma coracinum (Loew,1863)** (Bombyliidae) Synonym(s): *coracinum* Loew,1863 **ZA Fs Tva Lpo TZ**
296. **Bombylisoma frontale (Loew,1863)** (Bombyliidae) Synonym(s): *frontale* Loew,1863 **ZA Fs**
297. **Bombylisoma horni (Hesse,1938)** (Bombyliidae) Synonym(s): *horni* Hesse,1938 **ZA**
298. **Bombylisoma kaokoense (Hesse,1938)** (Bombyliidae) Synonym(s): *kaokoense* Hesse,1938 **BW NA ZA**
299. **Bombylisoma rhodesianum (Hesse,1938)** (Bombyliidae) Synonym(s): *rhodesianum* Hesse,1938 **ZW BW ZA Kzu Nta**
300. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE**
301. **Bombylius (s.str.) capensis Linnaeus,1764** (Bombyliidae) Synonym(s): *capensis* Linnaeus,1764 **ZA**
302. **Bombylius (s.str.) flaviceps Macquart,1840** (Bombyliidae) Synonym(s): *flaviceps* Macquart,1840 **ZA**
303. **Bombylius (s.str.) incognitus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *dimidiatus* Macquart,1840 nec Wiedem.,1820; *incognitus* Evenhuis & Greathead,1999 **ZA**
304. **Bombylius (s.str.) simplicipennis Bezzi,1924** (Bombyliidae) Synonym(s): *simplicipennis* Bezzi,1924 **ZA Gau**
305. **Bombylius (s.str.) xanthinus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *flavus* Macquart,1840 nec Meig.,1804; *xanthinus* Evenhuis & Greathead,1999 **ZA**
306. **Brachymeria boranensis Masi,1939** (Chalcididae) Synonym(s): *boranensis* Masi,1939 **ET ZA**
307. **Brixia natalicola (Stål,1855)** (Cixiidae) Synonym(s): **ZA Nta Kzu**
308. **Calliphora vicina Robineau-Desvoidy,1830** (Calliphoridae) Synonym(s): *vicina* Robineau-Desvoidy,1830; *monspeliaca* Robineau-Desvoidy,1830; *musca* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *spitzbergensis* Robineau-Desvoidy,1830; *thuscia* Walker,1849; *rufifacies* Macquart,1851; *acuta* Walker,1852; *insidiosa* Robineau-Desvoidy,1863 **US TR ZA**
309. **Camarothorax mutabilis Vincent & Compton,1992** (Agaonidae) Synonym(s): *mutabilis* Vincent & Compton,1992 **ZA**
310. **Carvilia gracilis Kaltenbach,1996** (Mantidae) Synonym(s): *gracilis* Kaltenbach,1996 **ZA Ec**
311. **Catoptropteryx latipennis Chopard,1955** (Tettigoniidae) Synonym(s): *latipennis* Chopard,1955 **ZA**
312. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA**
313. **Ceratitidis (s.str.) catoirii Guérin-Méneville,1843** (Tephritidae) Synonym(s): *catoirii* Guérin-Méneville,1843 **MU RE ZA**
314. **Ceratitidis (s.str.) cornuta (Bezzi,1924)** (Tephritidae) Synonym(s): *cornuta* Bezzi,1924 **ZA Nta Kzu Dbn ZW**
315. **Ceratitidis (s.str.) pinax Munro,1933** (Tephritidae) Synonym(s): *pinax* Munro,1933 **ZA Nta Kzu Dbn KE**
316. **Ceratostenes capensis Grandi,1955** (Agaonidae) Synonym(s): *capensis* Grandi,1955 **ZA**
317. **Ceratosthripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 **GH SL CI NG CM ET UG ZR AO ZA PR MY**
318. **Cesametra¹¹⁴ natalensis (Distant,1903)** (Gerridae) Synonym(s): *natalensis* Distant,1903 **ZA Nta Kzu RW TZ ZM**
319. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
320. **Chalicodoma (Pseudomegachile) congruens (Friese,1903)** (Megachilidae) Synonym(s): *congruens* Friese,1903 **GH LR SD ZR ZA Nta Kzu**

¹¹⁴ genus name established by the authors.

321. **Chalicodoma (Pseudomegachile) empeyi Pasteels,1970** (Megachilidae) Synonym(s): *empeyi Pasteels,1970* ZA Tva
322. **Chalicodoma (Pseudomegachile) fulva (Smith,1853)** (Megachilidae) Synonym(s): *fulva Smith,1853; nigricaudata Pasteels,1970* ZA UG
323. **Chalicodoma (s.str.) aurulenta Pasteels,1970** (Megachilidae) Synonym(s): *aurulenta Pasteels,1970* ZA
324. **Chalicodoma (s.str.) biexcisa Pasteels,1970** (Megachilidae) Synonym(s): *biexcisa Pasteels,1970* ZA Gau Pre Tva
325. **Choerades aureopilosa (Ricardo,1900)** (Asilidae) Synonym(s): *aureopilosa Ricardo,1900; variabilis Bromley,1947* ZA ZW
326. **Choerades bella (Loew,1858)** (Asilidae) Synonym(s): *bella Loew,1858* ZA ZW
327. **Choerades multipunctata (Oldroyd,1974)** (Asilidae) Synonym(s): *multipunctata Oldroyd,1974* ZA
328. **Chroicoptera longa Giglio-Tos,1915** (Mantidae) Synonym(s): *longa Giglio-Tos,1915* ZA
329. **Chroicoptera saussurei (Giglio-Tos,1915)** (Mantidae) Synonym(s): *saussurei Giglio-Tos,1915* ZA Ec LS Nta Kzu Fs Tva Lpo
330. **Chroicoptera vidua (Stal,1856)** (Mantidae) Synonym(s): *vidua Stal,1856* NA ZA Nta Kzu Lpo Tva
331. **Chrysolina catenata (Vogel,1871)** (Chrysomelidae) Synonym(s): *catenata Vogel,1871* ZA
332. **Chrysolina clarki (Baly,1864)** (Chrysomelidae) Synonym(s): *clarki Baly,1864; malvernensis Achard,1914* ZA
333. **Chrysolina clathrata (Clark,1864)** (Chrysomelidae) Synonym(s): *clathrata Clark,1864* ZA
334. **Chrysolina coelophoroides (Vogel,1871)** (Chrysomelidae) Synonym(s): *coelophoroides Vogel,1871* ZA
335. **Chrysolina consimilis (Clark,1864)** (Chrysomelidae) Synonym(s): *consimilis Clark,1864* ZA
336. **Chrysolina dissoluta (Vogel,1871)** (Chrysomelidae) Synonym(s): *dissoluta Vogel,1871* ZA
337. **Chrysolina duodecimguttata (Thunberg,1787)** (Chrysomelidae) Synonym(s): *duodecimguttata Thunberg,1787; modesta Clark,1864 nec Fabr.,1792; quatuordecimguttata Fabricius,1798* ZA
338. **Chrysolina fasciata (DeGeer,1778)** (Chrysomelidae) Synonym(s): *fasciata DeGeer,1778; novemvittata Fabricius,1781; vittata Fabricius,1787; alternans Fabricius,1794; linea Fabricius,1796; cribrata Thunberg,1821 nec Ahrens,1812; duodecimlineata Thunberg,1821; lineolata Clark,1864; nigrofasciata Clark,1864* ZA
339. **Chrysolina figurata (Clark,1864)** (Chrysomelidae) Synonym(s): *figurata Clark,1864; varivestis Vogel,1871* ZA
340. **Chrysolina haagi (Vogel,1871)** (Chrysomelidae) Synonym(s): *haagi Vogel,1871* ZA
341. **Chrysolina haemograptata Bechyne,1948** (Chrysomelidae) Synonym(s): *haemograptata Bechyne,1948* ZA
342. **Chrysolina hebe (Clark,1864)** (Chrysomelidae) Synonym(s): *hebe Clark,1864; lynx Vogel,1871* ZA
343. **Chrysolina interruptofasciata (Jacoby,1898)** (Chrysomelidae) Synonym(s): *interruptofasciata Jacoby,1898* ZA
344. **Chrysolina lineoligera (Vogel,1871)** (Chrysomelidae) Synonym(s): *lineoligera Vogel,1871* ZA
345. **Chrysolina marginipicta (Vogel,1871)** (Chrysomelidae) Synonym(s): *marginipicta Vogel,1871* ZA
346. **Chrysolina marshalli (Clark,1864)** (Chrysomelidae) Synonym(s): *marshalli Clark,1864* ZA
347. **Chrysolina metallica (DeGeer,1778)** (Chrysomelidae) Synonym(s): *metallica DeGeer,1778* ZA
348. **Chrysolina multifida (Clark,1864)** (Chrysomelidae) Synonym(s): *multifida Clark,1864; flavosparsa Clark,1864* ZA
349. **Chrysolina palliata (Vogel,1871)** (Chrysomelidae) Synonym(s): *palliata Vogel,1871* ZA
350. **Chrysolina pardalina (Fabricius,1781)** (Chrysomelidae) Synonym(s): *pardalina Fabricius,1781; decempustulata Thunberg,1787; guttata Fabricius,1792; subcruciata Clark,1864; vigintiguttata Olivier,1807* ZA
351. **Chrysolina polyops (Vogel,1871)** (Chrysomelidae) Synonym(s): *polyops Vogel,1871* ZA
352. **Chrysolina problematica (Vogel,1871)** (Chrysomelidae) Synonym(s): *problematica Vogel,1871* ZA
353. **Chrysolina progressa (Vogel,1871)** (Chrysomelidae) Synonym(s): *progressa (Vogel,1871)* ZA
354. **Chrysolina pulla (Swartz,1808)** (Chrysomelidae) Synonym(s): *pulla Swartz,1808; nigra Clark,1864 nec Fourc.,1785* ZA

355. **Chrysolina repanda (Wiedemann,1821)** (Chrysomelidae) Synonym(s): *repanda* Wiedemann,1821 **ZA**
356. **Chrysolina revestita (Vogel,1871)** (Chrysomelidae) Synonym(s): *revestita* Vogel,1871 **ZA**
357. **Chrysolina sexlineata (Thunberg,1821)** (Chrysomelidae) Synonym(s): *sexlineata* Thunberg,1821; *soluta* Clark,1864 **ZA**
358. **Chrysolina striata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *striata* Fabricius,1781 **ZA**
359. **Chrysolina superba (Thunberg,1787)** (Chrysomelidae) Synonym(s): *superba* Thunberg,1787; *limbolata* Reiche,1850; *interversa* Fairmaire,1894; *salisburyensis* Jacoby,1901; *rubripennis* Weise,1904 **ZA ZW ZR**
360. **Chrysolina taeniolata (Vogel,1871)** (Chrysomelidae) Synonym(s): *taeniolata* Vogel,1871 **ZA**
361. **Chrysolina tetraspilota (Vogel,1871)** (Chrysomelidae) Synonym(s): *tetraspilota* Vogel,1871 **ZA**
362. **Chrysolina tricolor (Vogel,1871)** (Chrysomelidae) Synonym(s): *tricolor* Vogel,1871 **ZA**
363. **Chrysolina vigintimaculata (Clark,1864)** (Chrysomelidae) Synonym(s): *vigintimaculata* Clark,1864; *vicenaria* Vogel,1871 **ZA**
364. **Chrysolina vigintipustulata (Thunberg,1787)** (Chrysomelidae) Synonym(s): *vigintipustulata* Thunberg,1787 **ZA**
365. **Chrysolina vigintiquartuorsignata (Thunberg,1808)** (Chrysomelidae) Synonym(s): *vigintiquartuorsignata* Thunberg,1808 **ZA**
366. **Chrysolina vulpecula (Vogel,1871)** (Chrysomelidae) Synonym(s): *vulpecula* Vogel,1871 **ZA**
367. **Chrysolina vulpina (Fabricius,1781)** (Chrysomelidae) Synonym(s): *vulpina* Fabricius,1781; *bipustulata* Thunberg,1787; *coccinelloides* Thunberg,1787; *octopustulata* Thunberg,1787 **ZA**
368. **Cilnia chopardi Werner,1927** (Mantidae) Synonym(s): *chopardi* Werner,1927; *cochlearis* Sjöstedt,1930 **BW MZ NA ZA Nta Kzu**
369. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 **AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM**
370. **Claudegirardius bertiae Iwan,1999** (Tenebrionidae) Synonym(s): *bertiae* Iwan,1999 **ZA Ec**
371. **Claudegirardius costatus Iwan,1999** (Tenebrionidae) Synonym(s): *costatus* Iwan,1999 **ZA Ec**
372. **Claudegirardius queenstowniensis Iwan,1999** (Tenebrionidae) Synonym(s): *queensdowniensis* Iwan,1999 **ZA Ec Qt**
373. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU**
374. **Closterocerus pulcherrimus (Kerrich,1970)** (Eulophidae) Synonym(s): *pulcherrimus* Kerrich,1970; *latipennis* Khan & Shafee,1981 **IN KE MW MZ OM PK LK AE ZA**
375. **Compsothespis anomala Saussure,1872** (Mantidae) Synonym(s): *anomala* Saussure,1872 **ZA Ec Nta Kzu Tva Lpo**
376. **Compsothespis cinnabarina Beier,1955** (Mantidae) Synonym(s): *cinnabarina* Beier,1955 **ZA Nta Kzu Tva Lpo**
377. **Compsothespis kilwana Giglio-Tos,1913** (Mantidae) Synonym(s): *kilwana* Giglio-Tos,1913 **ZA Nta Kzu Tva Lpo TZ**
378. **Compsothespis natalica Westwood,1889** (Mantidae) Synonym(s): *natalica* Westwood,1889 **ZA Nta Kzu**
379. **Conchotopoda brunneri (Kirby,1900)** (Tettigoniidae) Synonym(s): *brunneri* Kirby,1900 **ZA Tva Mpu Brb Ec Grh**
380. **Conchotopoda crassicauda Ragge,1960** (Tettigoniidae) Synonym(s): *crassicauda* Ragge,1960 **ZA Tva Lpo Pie**
381. **Conchotopoda grallatoria (Stal,1856)** (Tettigoniidae) Synonym(s): *grallatoria* Stal,1856 **ZA**
382. **Conchotopoda parva Ragge,1960** (Tettigoniidae) Synonym(s): *parva* Ragge,1960 **ZA Fs**
383. **Congomochtherus elferinki Londt & Tsacas,1987** (Asilidae) Synonym(s): *elferinki* Londt & Tsacas,1987 **ZA ZW**
384. **Congomochtherus inachus Londt & Tsacas,1987** (Asilidae) Synonym(s): *inachus* Londt & Tsacas,1987 **ZA**
385. **Congomochtherus potamius Londt & Tsacas,1987** (Asilidae) Synonym(s): *potamius* Londt & Tsacas,1987 **ZA**
386. **Connomyia leonina (Engel,1932)** (Asilidae) Synonym(s): *leonina* Engel,1932 **ZA**
387. **Connomyia tsacasi Londt,1993** (Asilidae) Synonym(s): *tsacasi* Londt,1993 **ZA ZR**
388. **Connomyia varipennis (Ricardo,1925)** (Asilidae) Synonym(s): *varipennis* Ricardo,1925 **ZA**

389. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
390. **Corymyia antimelas Londt,1994** (Asilidae) Synonym(s): *antimelas* Londt,1994 **ZA**
391. **Corymyia euryops Londt,1994** (Asilidae) Synonym(s): *euryops* Londt,1994 **ZA**
392. **Corymyia melas Londt,1994** (Asilidae) Synonym(s): *melas* Londt,1994 **ZA**
393. **Corymyia xantha Londt,1994** (Asilidae) Synonym(s): *xantha* Londt,1994 **ZA**
394. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 **EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU**
395. **Crypticanus aequus Iwan,1999** (Tenebrionidae) Synonym(s): *aequus* Iwan,1999 **ZA Ec**
396. **Crypticanus aeternus Iwan,1999** (Tenebrionidae) Synonym(s): *aeternus* Iwan,1999 **ZA Ec**
397. **Crypticanus amaroides (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *amaroides* Fahraeus,1870; *dilatipes* Koch,1956 **ZA Ec**
398. **Crypticanus amicus (Koch,1956)** (Tenebrionidae) Synonym(s): *amicus* Koch,1956 **ZA Ec**
399. **Crypticanus bremeri Iwan,1999** (Tenebrionidae) Synonym(s): *bremeri* Iwan,1999 **ZA Ec**
400. **Crypticanus brzeskii Iwan,1999** (Tenebrionidae) Synonym(s): *brzeskii* Iwan,1999 **ZA Ec**
401. **Crypticanus dentatus Iwan,1999** (Tenebrionidae) Synonym(s): *dentatus* Iwan,1999 **ZA Ec**
402. **Crypticanus edwardsi (Mulsant & Rey,1854)** (Tenebrionidae) Synonym(s): *edwardsi* Mulsant & Rey,1854; *cuneatus* Fairmaire,1897 **ZA Ec Pel**
403. **Crypticanus incisus (Koch,1956)** (Tenebrionidae) Synonym(s): *incisus* Koch,1956 **ZA Ec**
404. **Crypticanus iubatus Iwan,1999** (Tenebrionidae) Synonym(s): *iubatus* Iwan,1999 **ZA Ec**
405. **Crypticanus knysnaiensis Iwan,2001** (Tenebrionidae) Synonym(s): *knysnaiensis* Iwan,2001 **ZA Wca Kny**
406. **Crypticanus lacrimosus Iwan,1999** (Tenebrionidae) Synonym(s): *lacrimosus* Iwan,1999 **ZA Ec**
407. **Crypticanus marginicollis (Mulsant & Rey,1854)** (Tenebrionidae) Synonym(s): *marginicollis* Mulsant & Rey,1854 **ZA Ec**
408. **Crypticanus robustus Iwan,1999** (Tenebrionidae) Synonym(s): *robustus* Iwan,1999 **ZA Ec**
409. **Crypticanus simplex Iwan,1999** (Tenebrionidae) Synonym(s): *simplex* Iwan,1999 **ZA Ec**
410. **Crypticanus supervacaneus Iwan,1999** (Tenebrionidae) Synonym(s): *supervacaneus* Iwan,1999 **ZA Ec**
411. **Crypticanus trivialis (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *trivialis* Fahraeus,1870 **ZA Ec**
412. **Culicoides acastus de Meillon,1947** (Ceratopogonidae) Synonym(s): *acastus* de Meillon,1947 **ZA**
413. **Culicoides alexis de Meillon,1936** (Ceratopogonidae) Synonym(s): *alexis* de Meillon,1936 **ZA**
414. **Culicoides bedfordi Ingram & Macfie,1923** (Ceratopogonidae) Synonym(s): *bedfordi* Ingram & Macfie,1923 **ZA**
415. **Culicoides bolitinos Meiswinkel,1989** (Ceratopogonidae) Synonym(s): *bolitinos* Meiswinkel,1989 **ZA**
416. **Culicoides cornutus de Meillon,1937** (Ceratopogonidae) Synonym(s): *cornutus* de Meillon,1937 **ZA**
417. **Culicoides dutoiti de Meillon,1943** (Ceratopogonidae) Synonym(s): *dutoiti* de Meillon,1943 **ZA**
418. **Culicoides engubandei de Meillon,1937** (Ceratopogonidae) Synonym(s): *engubandei* de Meillon,1937 **ZA**
419. **Culicoides gulbenkiani Caeiro,1959** (Ceratopogonidae) Synonym(s): *gulbenkiani* Caeiro,1959 **ZA**
420. **Culicoides hildae Cornet & Nevill,1979** (Ceratopogonidae) Synonym(s): *hildae* Cornet & Nevill,1979 **ZA**
421. **Culicoides hirtius de Meillon & Lavoipierre,1944** (Ceratopogonidae) Synonym(s): *hirtius* de Meillon & Lavoipierre,1944 **ZA**
422. **Culicoides hysipyles de Meillon,1936** (Ceratopogonidae) Synonym(s): *hysipyles* de Meillon,1936 **ZA**
423. **Culicoides loxodontis Meiswinkel,1992** (Ceratopogonidae) Synonym(s): *loxodontis* Meiswinkel,1992 **ZA**
424. **Culicoides lugens Kieffer,1918** (Ceratopogonidae) Synonym(s): *lugens* Kieffer,1918 **ZA**
425. **Culicoides macintoshi Cornet & Nevill,1980** (Ceratopogonidae) Synonym(s): *macintoshi* Cornet & Nevill,1980 **ZA**
426. **Culicoides magnus Colaco,1946** (Ceratopogonidae) Synonym(s): *magnus* Colaco,1946 **ZA**

427. **Culicoides meeserellus de Meillon,1936** (Ceratopogonidae) Synonym(s): *meeserellus de Meillon,1936* ZA
428. **Culicoides nivosus de Meillon,1937** (Ceratopogonidae) Synonym(s): *nivosus de Meillon,1937* ZA
429. **Culicoides olysageri Kremer & Nevill,1972** (Ceratopogonidae) Synonym(s): *olysageri Kremer & Nevill,1972* ZA
430. **Culicoides onderstepoortensis Fiedler,1951** (Ceratopogonidae) Synonym(s): *onderstepoortensis Fiedler,1951* ZA
431. **Culicoides pretoriensis Kremer & Nevill,1972** (Ceratopogonidae) Synonym(s): *pretoriensis Kremer & Nevill,1972* ZA Tva Gau Pre
432. **Culicoides ravirus de Meillon,1936** (Ceratopogonidae) Synonym(s): *ravirus de Meillon,1936* ZA
433. **Culicoides subschultzei Cornet & Brunhes,1994** (Ceratopogonidae) Synonym(s): *subschultzei Cornet & Brunhes,1994* ZA
434. **Culicoides tuttifrutti Meiswinkel, Cornet & Dyce,2003** (Ceratopogonidae) Synonym(s): *tuttifrutti Meiswinkel, Cornet & Dyce,2003* ZA
435. **Culicoides zuluensis de Meillon,1936** (Ceratopogonidae) Synonym(s): *zuluensis de Meillon,1936* ZA Nta Kzu
436. **Damalis achilles Londt,1989** (Asilidae) Synonym(s): *achilles Londt,1989* ZA
437. **Damalis annulata Loew,1858** (Asilidae) Synonym(s): *annulata Loew,1858* ZA
438. **Damalis conspicua Curran,1934** (Asilidae) Synonym(s): *conspicua Curran,1934* ZA
439. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus Fabricius,1803; elongatus Dallas,1852; innocuus Stal,1865; metallicus Fallou,1891; bicolor Distant,1912* ZR GN SD UG SL GH ET BJ CI NG CM ZA
440. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
441. **Dasyhelea cellulana de Meillon & Wirth,1983** (Ceratopogonidae) Synonym(s): *cellulana de Meillon & Wirth,1983* ZA
442. **Dasyhelea divergens de Meillon,1959** (Ceratopogonidae) Synonym(s): *divergens de Meillon,1959* ZA
443. **Dasyhelea falcata de Meillon & Downes,1986** (Ceratopogonidae) Synonym(s): *falcata de Meillon & Downes,1986* ZA
444. **Dasyhelea fontana de Meillon & Wirth,1981** (Ceratopogonidae) Synonym(s): *fontana de Meillon & Wirth,1981* ZA
445. **Dasyhelea furcula de Meillon & Wirth,1989** (Ceratopogonidae) Synonym(s): *furcula de Meillon & Wirth,1989* ZA
446. **Dasyhelea gigantosalphinx de Meillon,1937** (Ceratopogonidae) Synonym(s): *gigantosalphinx de Meillon,1937* ZA
447. **Debrona cervina Walker,1870** (Tettigoniidae) Synonym(s): *cervina Walker,1870; habetata Karsch,1889* ZA TZ Usa
448. **Delta lepeletierii (Saussure,1853)** (Vespidae) Synonym(s): *lepeletierii Saussure,1853* ZA SO EG YE JO
449. **Desmatoneura meridionalis Hesse,1956** (Bombyliidae) Synonym(s): *impar Zetterstedt,1846 nec Zett.,1845; meridionalis Hesse,1956* ZA Nta Kzu ZR ZW
450. **Dicrorrhina derbyana Westwood,1842** (Scarabaeidae) Synonym(s): *derbyana Westwood,1842; layardi Peringuey,1892; cyanea Kraatz,1896; divortialis Kolbe,1901; inornata Lekkerkerk & Krikken,1986; lucida Lekkerkerk & Krikken,1986* NA BW ZW MZ ZA Tva Lpo Spb Mdk LS
451. **Diglyphus ambiguus (Hansson & LaSalle,1996)** (Eulophidae) Synonym(s): *ambiguus Hansson & LaSalle,1996* IN Up ID Clb Ja MY ZA TW TZ VN
452. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia Walker,1846* AU NSw QAu IN Up Pj PH ZA TW ZM
453. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta DeGeer,1778; cincticula Schönherr,1817; fimbriata Thunberg,1818; burchelii Fischer,1823; bachypinica Gory & Percheron,1833* ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ
454. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
455. **Doryctoproctus africanus Belokobylskij,2004** (Braconidae) Synonym(s): *africanus Belokobylskij,2004* ZA
456. **Ducetia chelocerca Ragge,1961** (Tettigoniidae) Synonym(s): *chelocerca Ragge,1961* ZA Tva Lpo
457. **Dysaphis lappae (Koch,1854)** (Aphididae) Synonym(s): *lappae Koch,1854* ZA IR ES
458. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps Schaum,1853; paradoxa Saussure,1871* AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW

459. **Dystactula grisea (Giglio-Tos,1915)** (Mantidae) Synonym(s): *grisea Giglio-Tos,1915* ZA
Ec
460. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula Thunberg,1815* EG DZ
AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
461. **Entella (s.str.) delalandi (Saussure,1870)** (Mantidae) Synonym(s): *delalandi Saussure,1870;*
gracilipes Saussure,1872 NA ZA Ec TZ ZW
462. **Entella (s.str.) ehrmanni Koçak & Kemal,2008**¹¹⁵ (Mantidae) Synonym(s): *nebulosa*
Serville,1839 nec Thunberg,1815; ehrmanni Koçak & Kemal,2008 Entella ehrmanni Koçak &
Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8 (nomen novum pro *nebulosa* Serville,1839 nec
Thunberg,1815). Type(s): South Africa: Cape. ZA Ec Nta Kzu
463. **Entella (s.str.) exilis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *exilis Giglio-Tos,1915* ZA
Ec
464. **Entella (s.str.) natalica Beier,1955** (Mantidae) Synonym(s): *natalica Beier,1955* ZA Nta
Kzu
465. **Entella (s.str.) orientalis (Giglio-Tos,1915)** (Mantidae) Synonym(s): *orientalis Giglio-*
Tos,1915 MZ TZ ZA Tva Lpo
466. **Entella (s.str.) pusilla Beier,1953** (Mantidae) Synonym(s): *pusilla Beier,1953* ZA Tva Lpo
467. **Entella (s.str.) rudebecki Beier,1955** (Mantidae) Synonym(s): *rudebecki Beier,1955* ZA
LS
468. **Entella (s.str.) transvaalica Beier,1955** (Mantidae) Synonym(s): *transvaalica Beier,1955*
ZA Tva Lpo ZW
469. **Episcopomantis chalybea (Burmeister,1838)** (Irididae) Synonym(s): *chalybea*
Burmeister,1838 AO BW NA ZA Tva Lpo Fs
470. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata Saussure,1869;*
ibana Giglio-Tos,1912; iringana Giglio-Tos,1912; madimbana Giglio-Tos,1912 AO ET KE ZR MW MZ ZA
Nta Kzu Tva Lpo ZW UG Rz TZ
471. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus*
Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935 ES MA DZ EG TR SD ZR SL
SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
472. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus*
Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus
Wollaston,1861; subdiaphanus Wollaston,1861 DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG
MX NA PR ZW SA ZA SD AE VE
473. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s):
taeniops Wiedemann,1818 PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA
Cc ZA NP PK IN
474. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae)
Synonym(s): *megacephalus Rossi,1792* ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
475. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans*
Wiedemann,1830; tenera Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA
Cm RU CN US Cf PE AR AU ZA
476. **Eulioptera reticulata (Brunner von Wattenwyl,1878)** (Tettigoniidae) Synonym(s):
reticulata Brunner von Wattenwyl,1878 ZA Grh ZM
477. **Eurycorypha cereris (Stal,1856)** (Tettigoniidae) Synonym(s): *cereris Stal,1856* ZA Nta Kzu
Dbn
478. **Eurycorypha compressa (Walker,1869)** (Tettigoniidae) Synonym(s): *compressa*
Walker,1869 ZA
479. **Eurycorypha meruensis Sjöstedt,1909** (Tettigoniidae) Synonym(s): *meruensis*
Sjöstedt,1909 TZ ZA Tva Gau Pre
480. **Eurycorypha proserpinae Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s):
proserpinae Brunner von Wattenwyl,1878 ZA Nta Kzu Dbn
481. **Eurytoma natalensis Cameron,1907** (Eurytomidae) Synonym(s): *natalensis Cameron,1907*
ZA Nta Kzu
482. **Eurytoma transvaalensis Cameron,1911** (Eurytomidae) Synonym(s): *transvaalensis*
Cameron,1911 ZA Tva Lpo
483. **Eviropodus clanceyi Koch,1956** (Tenebrionidae) Synonym(s): *clanceyi Koch,1956* ZA Ec
Nta Kzu Est
484. **Eviropodus funebris (Mulsant & Rey,1953)** (Tenebrionidae) Synonym(s): *funebris*
Mulsant & Rey,1953; alternans Fahraeus,1870 ZA LS BW Tva Lpo Fs Ec
485. **Eviropodus lawrenceus Koch,1956** (Tenebrionidae) Synonym(s): *lawrenceus Koch,1956*
ZA Tva Mpu Nel
486. **Eviropodus punctatus Iwan,1998** (Tenebrionidae) Synonym(s): *punctatus Iwan,1998* LS
ZA Nta Kzu

¹¹⁵ specific name established by the authors.

487. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
488. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
489. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides Bezzi,1924* ZM ZR MW TZ ZA ZW
490. **Galepsus (Lygdamia) lenticularis (Saussure,1872)** (Irididae) Synonym(s): *lenticularis Saussure,1872* ZA Nta Kzu Dbn Fs Tva Lpo BW ET?
491. **Galepsus (Onychogalepsus) angolensis Werner,1907** (Irididae) Synonym(s): *angolensis Werner,1907* AO ZA Tva Lpo MZ
492. **Galepsus (Onychogalepsus) capensis Beier,1930** (Irididae) Synonym(s): *capensis Beier,1930* ZA
493. **Galepsus (Onychogalepsus) capitatus (Saussure,1869)** (Irididae) Synonym(s): *capitatus Saussure,1869* ET KE TZ ZW ZA Tva Lpo Nta Kzu
494. **Galepsus (Onychogalepsus) damaranus Giglio-Tos,1911** (Irididae) Synonym(s): *damaranus Giglio-Tos,1911; orientalis Kaltenbach,1996* AO NA ZR ZW ZA Tva Lpo
495. **Galepsus (Onychogalepsus) intermedius Werner,1907** (Irididae) Synonym(s): *intermedius Werner,1907* KE MZ ZA Nta Kzu Tva Lpo ZW
496. **Galepsus (Onychogalepsus) letabaensis Kaltenbach,1996** (Irididae) Synonym(s): *letabaensis Kaltenbach,1996* ZA Tva Lpo
497. **Galepsus (Onychogalepsus) meridionalis (Saussure,1872)** (Irididae) Synonym(s): *meridionalis Saussure,1872* ZA Nta Kzu Dbn ZR ZW
498. **Galepsus (Onychogalepsus) pentheri Giglio-Tos,1911** (Irididae) Synonym(s): *intermedia Giglio-Tos,1907; pentheri Giglio-Tos,1911; congicus Rehn,1912* ZR CM NA ZA Tva Lpo
499. **Galepsus (Onychogalepsus) transvaalensis Beier,1954** (Irididae) Synonym(s): *transvaalensis Beier,1954* ZA Gau Pre Tva Lpo ZR
500. **Galepsus (Syngalepsus) beieri Kaltenbach,1996** (Irididae) Synonym(s): *beieri Kaltenbach,1996* ZA Nta Kzu
501. **Galepsus (Syngalepsus) bipunctatus Beier,1931** (Irididae) Synonym(s): *bipunctatus Beier,1931* MZ ZA Tva Lpo Nta Kzu
502. **Gamergus natalensis Synave,1956** (Issidae) Synonym(s): *natalensis Synave,1956* ZA Nta Kzu
503. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928* RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
504. **Gautengicesa setosa (Curran,1938)** (Tachinidae) Synonym(s): *setosa Curran,1938* ZA
505. **Geron africanus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *australis Hesse,1938 nec Macq.,1840; africanus Evenhuis & Greathead,1999* ZA
506. **Geron anceps Hesse,1938** (Bombyliidae) Synonym(s): *anceps Hesse,1938* ZA
507. **Geron anomalus (Hesse,1938)** (Bombyliidae) Synonym(s): *anomalus Hesse,1938* ZA
508. **Geron barbatus Bezzi,1921** (Bombyliidae) Synonym(s): *barbatus Bezzi,1921* ZA NA
509. **Geron capensis Walker,1852** (Bombyliidae) Synonym(s): *capensis Walker,1852; peringueyi Hesse,1938* ZA
510. **Geron capicola (Hesse,1938)** (Bombyliidae) Synonym(s): *capicola Hesse,1938* ZA
511. **Geron cheilicterus (Hesse,1938)** (Bombyliidae) Synonym(s): *cheilicterus Hesse,1938* ZA Tva Mpu
512. **Geron consors (Hesse,1938)** (Bombyliidae) Synonym(s): *consors Hesse,1938* ZA
513. **Geron delicatus Scarbrough,1985** (Bombyliidae) Synonym(s): *delicatus Scarbrough,1985* ZA Gau
514. **Geron dicromus Bigot,1892** (Bombyliidae) Synonym(s): *dicromus Bigot,1892* ZA
515. **Geron disparilis (Hesse,1938)** (Bombyliidae) Synonym(s): *disparilis Hesse,1938* ZA
516. **Geron dissors Hesse,1938** (Bombyliidae) Synonym(s): *dissors Hesse,1938* ZA
517. **Geron dubiosus Hesse,1938** (Bombyliidae) Synonym(s): *dubiosus Hesse,1938* ZA
518. **Geron furcifer Hesse,1938** (Bombyliidae) Synonym(s): *furcifer Hesse,1938* NA ZA Gau
519. **Geron fuscipes (Hesse,1938)** (Bombyliidae) Synonym(s): *fuscipes Hesse,1938* ZA
520. **Geron gariepinus Hesse,1938** (Bombyliidae) Synonym(s): *gariepinus Hesse,1938* NA ZA
521. **Geron hessei Bowden,1974** (Bombyliidae) Synonym(s): *peringueyi Hesse,1938 nec Hess.,1938; hessei Bowden,1974* ZA
522. **Geron karooanus (Hesse,1938)** (Bombyliidae) Synonym(s): *karooanus Hesse,1938* ZA
523. **Geron lasiocornis (Hesse,1938)** (Bombyliidae) Synonym(s): *lasiocornis Hesse,1938* ZA Nta Kzu
524. **Geron leptocerus Bezzi,1921** (Bombyliidae) Synonym(s): *leptocerus Bezzi,1921* ZA LS Tva Mpu

525. **Geron maculifacies Hesse,1938** (Bombyliidae) Synonym(s): *maculifacies Hesse,1938* NA
ZA Nta Kzu
526. **Geron meromelanus (Hesse,1938)** (Bombyliidae) Synonym(s): *meromelanus Hesse,1938*
ZA
527. **Geron montanus (Hesse,1938)** (Bombyliidae) Synonym(s): *montanus Hesse,1938* ZA
528. **Geron munroi Hesse,1938** (Bombyliidae) Synonym(s): *munroi Hesse,1938* ZA
529. **Geron namaensis (Hesse,1938)** (Bombyliidae) Synonym(s): *namaensis Hesse,1938* ZA
530. **Geron nigerrimus Hesse,1938** (Bombyliidae) Synonym(s): *nigerrimus Hesse,1938* ZA
531. **Geron nigrifacies Hesse,1938** (Bombyliidae) Synonym(s): *nigrifacies Hesse,1938* ZA
532. **Geron nigrifemoris (Hesse,1938)** (Bombyliidae) Synonym(s): *nigrifemoris Hesse,1938*
ZA
533. **Geron nomadicus Hesse,1938** (Bombyliidae) Synonym(s): *nomadicus Hesse,1938; breyeri*
Hesse,1938 BW MZ NA ZA Nta Kzu TZ ZW
534. **Geron orthoperus Hesse,1938** (Bombyliidae) Synonym(s): *orthoperus Hesse,1938* ZA
535. **Geron parvus Hesse,1938** (Bombyliidae) Synonym(s): *parvus Hesse,1938* NA ZA Nta Kzu
536. **Geron psammobates Hesse,1938** (Bombyliidae) Synonym(s): *psammobates Hesse,1938*
ZA Gau Tva NA KE ZW SZ
537. **Geron semifuscus Séguy,1933** (Bombyliidae) Synonym(s): *semifuscus Séguy,1933; phaeopteris*
Hesse,1938 ZA Nta Kzu Mpu Tva Lpo
538. **Geron transvaalensis Hesse,1938** (Bombyliidae) Synonym(s): *transvaalensis Hesse,1938*
ZA Gau Tva
539. **Geron turneri Hesse,1938** (Bombyliidae) Synonym(s): *turneri Hesse,1938* ZA
540. **Geron waltoni (Hesse,1938)** (Bombyliidae) Synonym(s): *waltoni Hesse,1938* ZA
541. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus*
Westwood,1837; moesta Germar,1837; pictiventris Stal,1853 ZA SD TD BW AO GN CI KE MW MZ NA ZR
TZ ZW
542. **Glypsus fuscispinus Stal,1870** (Pentatomidae) Synonym(s): *fuscispinus Stal,1870* ZA ET
TZ
543. **Glypsus vigil (Germar,1837)** (Pentatomidae) Synonym(s): *vigil Germar,1837* ZA ZR NG
544. **Gonopus (Agonopus) bellamyi Endrödy-Younga,2000** (Tenebrionidae) Synonym(s):
bellamyi Endrödy-Younga,2000 ZA
545. **Gonopus (Agonopus) hirtipes Fahraeus,1870** (Tenebrionidae) Synonym(s): *hirtipes*
Fahraeus,1870 NA ZA
546. **Gonopus (Agonopus) puncticollis Solier,1848** (Tenebrionidae) Synonym(s): *puncticollis*
Solier,1848; rugicollis Gebien,1920 NA ZA Cto
547. **Gonopus (Agonopus) transvaalensis Schulze,1976** (Tenebrionidae) Synonym(s):
transvaalensis Schulze,1976 ZA Tva Lpo
548. **Gonopus (s.str.) conpachysoma Koch,1953** (Tenebrionidae) Synonym(s): *conpachysoma*
Koch,1953 NA ZA
549. **Gonopus (s.str.) deplanatus Fahraeus,1870** (Tenebrionidae) Synonym(s): *deplanatus*
Fahraeus,1870; costatus Fahraeus,1870; agrestis Fahraeus,1870 BW MZ NA ZW ZA
550. **Gonopus (s.str.) mozambiquensis Endrödy-Younga,2000** (Tenebrionidae)
Synonym(s): *mozambiquensis Endrödy-Younga,2000* ZA Nta Kzu MZ
551. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis*
Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870 AO BW ZR LS MW
MZ NA ZA TZ ZM ZW
552. **Gonypetella atrocephala Beier,1930** (Mantidae) Synonym(s): *atrocephala Beier,1930* ZA
Tva Lpo
553. **Gonypetella deletrix Rehn,1927** (Mantidae) Synonym(s): *deletrix Rehn,1927* AO NA ZA
Tva Lpo ZW
554. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana Beauvois,1805;*
oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec
Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939 ZA Kzu Nta SN ZR NG IR Ss CN TW
555. **Gryllotalpa devia Saussure,1877** (Gryllotalpidae) Synonym(s): *devia Saussure,1877* ZA
556. **Gryllotalpa minuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *minuta*
Burmeister,1838 ZA TZ
557. **Gyranusoidea austrina Annecke & Mynhardt,1970** (Encyrtidae) Synonym(s): *austrina*
Annecke & Mynhardt,1970 ZA
558. **Gyranusoidea citrina (Compere,1938)** (Encyrtidae) Synonym(s): *citrina Compere,1938*
AO KE ZA
559. **Gyranusoidea dilatata Annecke & Mynhardt,1970** (Encyrtidae) Synonym(s): *dilatata*
Annecke & Mynhardt,1970 ZA
560. **Gyranusoidea litura Prinsloo,1983** (Encyrtidae) Synonym(s): *litura Prinsloo,1983* EG ZA
561. **Gyranusoidea munda Annecke,1969** (Encyrtidae) Synonym(s): *munda Annecke,1969* ZA

562. **Gyranusoidea separata Prinsloo,1983** (Encyrtidae) Synonym(s): *separata Prinsloo,1983*
ZA
563. **Gyranusoidea signata Annecke & Mynhardt,1970** (Encyrtidae) Synonym(s): *signata Annecke & Mynhardt,1970* ZA
564. **Hapalogymnes gymnes (Rehn,1927)** (Iridopterygidae) Synonym(s): *gymnes Rehn,1927*
ZW ZA Tva Lpo
565. **Hapalomantis (s.str.) orba (Stal,1856)** (Iridopterygidae) Synonym(s): *orba Stal,1856; mendionalis Saussure,1871* KE MZ TZ ZA Nta Kzu
566. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773 Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA*
567. **Harpagomantis tricolor (Linnaeus,1758)** (Hymenopodidae) Synonym(s): *tricolor Linnaeus,1758; paradoxa Goeze,1778; lobata Fabricius,1781; quadricornis Stoll,1813; spinocula Serville,1839* ZA Ec Nta Kzu Spb Tva Mdk Fs NA BW LS MZ ZW
568. **Hedqvistina¹¹⁶ saetosa (Hedqvist,1969)** (Pteromalidae) Synonym(s): *saetosa Hedqvist,1969 Boeria saetosa Hedqvist,1969, Ent. Tidskr. 90 (3/4): 185. Type: South Africa. ZA*
569. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis Burmeister,1838; purpumpennis Audinet-Serville,1839; wahlbergi Stal,1856 (part); phantasma Rehn,1949* ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET
570. **Hemiempusa fronticornis (Stoll,1813)** (Empusidae) Synonym(s): *fronticornis Stoll,1813; nympa Stoll,1813; wahlbergi Stal,1856 (part)* ZA Nta Kzu
571. **Heterochaeta occidentalis Beier,1963** (Mantidae) Synonym(s): *occidentalis Beier,1963* BW KE NA ZA Ec
572. **Heterotropus gilvicornis Yeates & Irwin,1991** (Bombyliidae) Synonym(s): *gilvicornis Yeates & Irwin,1991* ZA
573. **Heterotropus munroi Bezzi,1926** (Bombyliidae) Synonym(s): *munroi Bezzi,1926* BW NA ZA
574. **Heterotropus posthos Yeates & Irwin,1991** (Bombyliidae) Synonym(s): *posthos Yeates & Irwin,1991* ZA
575. **Heterotropus stuckenbergi Yeates,1991** (Bombyliidae) Synonym(s): *stuckenbergi Yeates,1991* ZA
576. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons Saussure & Zehntner,1895* ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE
577. **Ischnomantis fatiloqua (Stal,1856)** (Mantidae) Synonym(s): *fatiloqua Stal,1856* AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR
578. **Junodia strigipennis (Westwood,1889)** (Hymenopodidae) Synonym(s): *annulatus Audinet-Serville,1831; capensis Saussure,1871; strigipennis Westwood,1889* ET MZ ZW ZA Nta Kzu TZ
579. **Junodia vansoni Roy,2009** (Hymenopodidae) Synonym(s): *vansoni Roy,2009* ZA Tva Lpo
580. **Lawrenceus capensis Iwan,1998** (Tenebrionidae) Synonym(s): *capensis Iwan,1998* ZA
581. **Leptogaster carotenoides Tomasovic,1999** (Asilidae) Synonym(s): *maculipennis Jannsen,1957 nec Hsia,1949; carotenoides Tomasovic,1999* ZA
582. **Ligaria affinis Kaltenbach,1996** (Mantidae) Synonym(s): *affinis Kaltenbach,1996* BW ZA Tva Lpo ZM ZW
583. **Ligaria brevicollis Stal,1877** (Mantidae) Synonym(s): *brevicollis Stal,1877; umtalica Giglio-Tos,1915* MZ ZW ZA Tva Lpo BW MW NA ZM ZW
584. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata Stal,1877; fortis Karny,1908* ET KE TZ ZA Tva Lpo Gau Pre ZM ZW
585. **Ligariella gracilis (Karny,1908)** (Mantidae) Synonym(s): *gracilis Karny,1908* NA ZA
586. **Ligariella trigonalis (Saussure,1899)** (Mantidae) Synonym(s): *trigonalis Saussure,1899; jucunda Saussure,1899; pertinens Karny,1908; australis Giglio-Tos,1915; bolivarii Giglio-Tos,1915; damarae Giglio-Tos,1915;* ZA Ec NA
587. **Lonchoptera transvaalensis Stuckenberg,1963** (Lonchopteridae) Synonym(s): *transvaalensis Stuckenberg,1963* ZA Tva Lpo
588. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis Zetterstedt,1838* GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
589. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
590. **Macrorhaphis (s.str.) leprosa (Germar,1837)** (Pentatomidae) Synonym(s): *leprosa Germar,1837; tristis Herrich-Schäffer,1844* ZA ZR
591. **Malenia natalensis (Muir,1926)** (Derbidae) Synonym(s): *natalensis Muir,1926* ZA Nta Kzu
592. **Malenia pondolandensis (Muir,1928)** (Derbidae) Synonym(s): *pondolandensis Muir,1928* ZA

¹¹⁶ genus name established by the authors.

593. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 **BW MZ NG SA SO ZA SD ZW**
594. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
595. **Megastigmus transvaalensis (Hussey,1956)** (Torymidae) Synonym(s): *transvaalensis* Hussey,1956; *rhusi* Hussey,1956 **AU ZA Tva Lpo Cn**
596. **Melanopterus inga Koch,1956** (Tenebrionidae) Synonym(s): *inga* Koch,1956 **ZA Cto**
597. **Melanopterus porcatus Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *porcatus* Mulsant & Rey,1854 **ZA Cto**
598. **Melanopterus porcus (Mulsant & Rey,1853)** (Tenebrionidae) Synonym(s): *porcus* Mulsant & Rey,1853; *exaratus* Mulsant & Rey,1853; *wahlbergi* Fahraeus,1870 **ZA Cto**
599. **Melanopterus varus Koch,1956** (Tenebrionidae) Synonym(s): *varus* Koch,1956 **ZA Cto**
600. **Milichia mixta Becker,1907** (Milichiidae) Synonym(s): *mixta* Becker,1907 **Cn ZA**
601. **Milichia patrizii Hennig,1952** (Milichiidae) Synonym(s): *patrizii* Hennig,1952 **KE ZA**
602. **Milichiella melaleuca (Loew,1863)** (Milichiidae) Synonym(s): *melaleuca* Loew,1863; *tosii* Becker,1907 **ZA ZW? Fs SC**
603. **Miomantis brachyptera (Saussure,1899)** (Mantidae) Synonym(s): *brachyptera* Saussure,1899 **ZA Ec**
604. **Miomantis buettneri (Giglio-Tos,1911)** (Mantidae) Synonym(s): *buettneri* Giglio-Tos,1911 **ZA Tva Lpo UG**
605. **Miomantis caffra Saussure,1871** (Mantidae) Synonym(s): *caffra* Saussure,1871 **ZA Ec Nta Kzu Tva Lpo NZ**
606. **Miomantis coxalis Saussure,1898** (Mantidae) Synonym(s): *coxalis* Saussure,1898 **AO ZA Ec Nta Kzu Tva Lpo NA LS**
607. **Miomantis equalis (Rehn,1904)** (Mantidae) Synonym(s): *equalis* Rehn,1904 **TZ ZA Kzu Nta**
608. **Miomantis exilis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *exilis* Giglio-Tos,1911; *australis* Beier,1930 **AO ET BW ZA Ec Fs Nta Kzu Tva Lpo NA KE SO**
609. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata* Fabricius,1781; *vitrata* Olivier,1792; *nana* Stoll,1813 **ZA Ec Tva Lpo ZR LS MZ NA RW SO UG**
610. **Miomantis helenae (Giglio-Tos,1914)** (Mantidae) Synonym(s): *helenae* Giglio-Tos,1914 **MW ZW ZA Tva Lpo**
611. **Miomantis kibweziana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *kibweziana* Giglio-Tos,1911; *moerana* Giglio-Tos,1917 **KE UG Rz TZ ZA Tva Lpo**
612. **Miomantis minuta (Giglio-Tos,1911)** (Mantidae) Synonym(s): *minuta* Giglio-Tos,1911 **ZA Ec**
613. **Miomantis monacha (Fabricius,1787)** (Mantidae) Synonym(s): *monacha* Fabricius,1787; *vitrata* Olivier,1792; *forficata* Stoll,1813 **ZA Ec Tva Lpo MZ**
614. **Miomantis natalica Beier,1930** (Mantidae) Synonym(s): *natalica* Beier,1930 **NA ZA Nta Kzu Tva Lpo ZW**
615. **Miomantis prasina (Burmeister,1838)** (Mantidae) Synonym(s): *prasina* Burmeister,1838 **ZA Ec**
616. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata* Saussure,1898 **ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG**
617. **Miomantis saussurei Schulthess-Rechberg,1899** (Mantidae) Synonym(s): *saussurei* Schulthess-Rechberg,1899 **MZ ZA Nta Kzu SO**
618. **Miomantis semialata Saussure,1871** (Mantidae) Synonym(s): *semialata* Saussure,1871 **ZA Ec Nta Kzu SZ ZW NA TZ**
619. **Musca callewa Walker,1849** (Muscidae) Synonym(s): *callewa* Walker,1849; *mimetica* Malloch,1941 **SC ZW ZA MG Sk Cn EG TR**
620. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
621. **Namamantis cruciata (Beier,1953)** (Mantidae) Synonym(s): *cruciata* Beier,1953 **ZA Ec**
622. **Namamantis nigropunctata Kaltenbach,1996** (Mantidae) Synonym(s): *nigropunctata* Kaltenbach,1996 **ZA Ec**
623. **Namaqualandia¹¹⁷ manselli (Stuckenberg,2000)** (Vermileonidae) Synonym(s): *manselli* Stuckenberg,2000 **ZA**
624. **Neocilnia gracilis Beier,1930** (Mantidae) Synonym(s): *gracilis* Beier,1930 **ZA Ec**
625. **Neolophonotus pegasus (Loew,1858)** (Asilidae) Synonym(s): *pegasus* Loew,1858 **IR Ss SD ZA**
626. **Neolophonotus zogreus Londt,1986** (Asilidae) Synonym(s): *zogreus* Londt,1986 **ZA**
627. **Neolophonotus zopherus Londt,1986** (Asilidae) Synonym(s): *zopherus* Londt,1986 **ZA**

¹¹⁷ genus name established by the authors.

628. **Neolophonotus zulu** Londt,1985 (Asilidae) Synonym(s): *zulu* Londt,1985 **ZA Nta Kzu**
629. **Neomyia aurantiaca** (Villeneuve,1916) (Muscidae) Synonym(s): *aurantiaca* Villeneuve,1916 **ZA TZ ZR**
630. **Neomyia bequaerti** (Villeneuve,1916) (Muscidae) Synonym(s): *bequaerti* Villeneuve,1916 **ZR RW ZA UG**
631. **Neomyia dubia** (Malloch,1923) (Muscidae) Synonym(s): *dubia* Malloch,1923 **KE CM GH MW RW ZA TG UG ZR**
632. **Neomyia hirticeps** (Stein,1918) (Muscidae) Synonym(s): *hirticeps* Stein,1918 **ZA**
633. **Neomyia laxifrons** (Villeneuve,1916) (Muscidae) Synonym(s): *laxifrons* Villeneuve,1916 **TZ ZR ZA**
634. **Neomyia macrops** (Curran,1935) (Muscidae) Synonym(s): *macrops* Curran,1935 **ZR KE NG ZA TG UG**
635. **Neomyia peronii** (Robineau-Desvoidy,1830) (Muscidae) Synonym(s): *peronii* Robineau-Desvoidy,1830 **ZA RE ZR**
636. **Neomyia racilia** (Walker,1849) (Muscidae) Synonym(s): *racilia* Walker,1849; *furvus* May,1958 **GO ZA ET SD TZ**
637. **Neomyia scatophaga** (Malloch,1924) (Muscidae) Synonym(s): *scatophaga* Malloch,1924 **ZA**
638. **Neotabuda ater** Kröber,1931 (Therevidae) Synonym(s): *ater* Kröber,1931 **ZA**
639. **Neotabuda capensis** (Kröber,1931) (Therevidae) Synonym(s): *capensis* Kröber,1931 **ZA**
640. **Neotabuda diversicornis** Lyneborg,1980 (Therevidae) Synonym(s): *diversicornis* Lyneborg,1980 **ZA Nta Kzu**
641. **Neotabuda incrassata** Lyneborg,1980 (Therevidae) Synonym(s): *incrassata* Lyneborg,1980 **ZA**
642. **Neotabuda lanigera** Lyneborg,1980 (Therevidae) Synonym(s): *lanigera* Lyneborg,1980 **ZA**
643. **Neotabuda latifrons** Lyneborg,1980 (Therevidae) Synonym(s): *latifrons* Lyneborg,1980 **ZA**
644. **Neotabuda longestylata** Lyneborg,1980 (Therevidae) Synonym(s): *longestylata* Lyneborg,1980 **ZA**
645. **Neotabuda longicornis** Lyneborg,1980 (Therevidae) Synonym(s): *longicornis* Lyneborg,1980 **ZA**
646. **Neotabuda multisetosa** Lyneborg,1980 (Therevidae) Synonym(s): *multisetosa* Lyneborg,1980 **ZA**
647. **Neotabuda natalensis** Lyneborg,1980 (Therevidae) Synonym(s): *natalensis* Lyneborg,1980 **ZA Nta Kzu**
648. **Neotabuda nigra** (Kröber,1912) (Therevidae) Synonym(s): *nigra* Kröber,1912 **ZA**
649. **Neotabuda nigropilosa** Lyneborg,1980 (Therevidae) Synonym(s): *nigropilosa* Lyneborg,1980 **ZA**
650. **Neotabuda nitida** (Kröber,1912) (Therevidae) Synonym(s): *nitida* Kröber,1912 **ZA**
651. **Neotabuda pilosa** Lyneborg,1980 (Therevidae) Synonym(s): *pilosa* Lyneborg,1980 **ZA**
652. **Neotabuda subpilosa** Lyneborg,1980 (Therevidae) Synonym(s): *subpilosa* Lyneborg,1980 **ZA**
653. **Neotabuda truncata** Lyneborg,1980 (Therevidae) Synonym(s): *truncata* Lyneborg,1980 **ZA**
654. **Neotabuda turneri** Lyneborg,1980 (Therevidae) Synonym(s): *turneri* Lyneborg,1980 **ZA**
655. **Norialsus pretoriae** (Synave,1956) (Cixiidae) Synonym(s): *pretoriae* Synave,1956 **ZA Gau Tva Pre**
656. **Norialsus transvaaliensis** Van Stalle,1986 (Cixiidae) Synonym(s): *transvaaliensis* Van Stalle,1986 **ZA Tva**
657. **Nusa infumata** (Loew,1851) (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera* Loew,1851; *stenura* Loew,1858; *ruficornis* Wulp,1899 **IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU**
658. **Omomantis zebrata** (Charpentier,1843) (Mantidae) Synonym(s): *zebrata* Charpentier,1843; *suavis* Brancsik,1897; *pardalina* Saussure,1899 **ZA Ec Nta Kzu Tva Lpo ZW KE**
659. **Otomantis scutigera** Bolivar,1890 (Hymenopodidae) Synonym(s): *scutigera* Bolivar,1890; *africana* Saussure & Zehntner,1895 **MW MZ TZ ZA Tva Lpo**
660. **Oxypilus (Setoxypilus) nasutus** (Fabricius,1787) (Hymenopodidae) Synonym(s): *nasutus* Fabricius,1787; *capensis* Saussure,1871 **ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW**
661. **Oxypilus (Setoxypilus) transvalensis** Giglio-Tos,1915 (Hymenopodidae) Synonym(s): *transvalensis* Giglio-Tos,1915; *inscriptus* Beier,1955 **ZA Tva Lpo Gau Jh AO BW LS SZ ZW NA**
662. **Palorus (Circomus) subdepressus** Wollaston,1864 (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864 **TR NG Bor Swk MY ZA ZR**

663. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei Selys,1841; hageni Selys,1870; excelsus Costa,1884; atratus Selys,1885; rusticatus Fraser,1928* TR IT SI Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
664. **Paragus pusillus Stuckenberg,1954** (Syrphidae) Synonym(s): *pusillus Stuckenberg,1954* ZA
665. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis Stal,1856; moesta Werner,1915* ZA Nta Kzu AO ET CM ZR KE TZ ZW
666. **Paramantis ottei Koçak & Kemal,2008**¹¹⁸ (Mantidae) Synonym(s): *prasina Serville,1839 nec Burmeist.,1838; ottei Koçak & Kemal,2008* Paramantis ottei Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8-9 (nomen novum pro prasina Serville,1839 nec Burmeist.,1838). ZA Ec CI GH GN KE KM MG TZ TG RE
667. **Paramantis sacra (Thunberg,1815)** (Mantidae) Synonym(s): *sacra Thunberg,1815* ZA Ec Tva Lpo UG
668. **Paramantis viridis (Saussure,1872)** (Mantidae) Synonym(s): *viridis Saussure,1872* MG ZA Nta Kzu CM ZR
669. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis Kirby,1904* ZA Tva Lpo ZW TZ KE ET SO UG
670. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus Waterston,1915* EG ZR GH MW NG SN ZA TG
671. **Perasis transvaalensis Ricardo,1925** (Asilidae) Synonym(s): *transvaalensis Ricardo,1925* ZA Lpo Tva
672. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966* Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ
673. **Philotheria natalensis (Stål,1855)** (Dictyopharidae) Synonym(s): *natalensis Stål,1855* ZA Nta Kzu
674. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
675. **Phthiria conocephala Hesse,1975** (Bombyliidae) Synonym(s): *conocephala Hesse,1975* ZA Nca Wca
676. **Phthiria flaviscuta Hesse,1975** (Bombyliidae) Synonym(s): *flaviscuta Hesse,1975* ZA Wca
677. **Phthiria hesperia Hesse,1975** (Bombyliidae) Synonym(s): *hesperia Hesse,1975* ZA Wca
678. **Phthiria laeta Bezzi,1921** (Bombyliidae) Synonym(s): *laeta Bezzi,1921* ZA Gau Tva Eca Nta Kzu Nca
679. **Phthiria lanigera Bezzi,1921** (Bombyliidae) Synonym(s): *lanigera Bezzi,1921* ZA Wca
680. **Phthiria namaquensis Hesse,1975** (Bombyliidae) Synonym(s): *namaquensis Hesse,1975* ZA Nca
681. **Phthiria nigribarba Hesse,1938** (Bombyliidae) Synonym(s): *nigribarba Hesse,1938* ZA Wca
682. **Phthiria nitidigena Hesse,1975** (Bombyliidae) Synonym(s): *nitidigena Hesse,1975* NA ZA Wca
683. **Phthiria ovalicornis Hesse,1975** (Bombyliidae) Synonym(s): *ovalicornis Hesse,1975* ZA Nca
684. **Phthiria pilirostris Hesse,1938** (Bombyliidae) Synonym(s): *pilirostris Hesse,1938* ZA Nca
685. **Phthiria pubescens Bezzi,1921** (Bombyliidae) Synonym(s): *pubescens Bezzi,1921* ZA Mpu Tva Wca Nta Kzu BW
686. **Phthiria simmondsii Hesse,1938** (Bombyliidae) Synonym(s): *simmondsii Hesse,1938* ZA
687. **Phthiria tinctipennis Hesse,1975** (Bombyliidae) Synonym(s): *tinctipennis Hesse,1975* ZA BW Kzu Nta
688. **Pictomantis rogenhoferi (Saussure,1872)** (Mantidae) Synonym(s): *rogenhoferi Saussure,1872; weneri Sjöstedt,1930* TZ ZA Tva Lpo Nta Kzu ZW
689. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
690. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa Goeze,1778; rubromaculata Goeze,1778; variegata Olivier,1792; adspersa Lichtenstein,1802; pustulata Stoll,1813; striata Stoll,1813; signata Thunberg,1815; nebulosa Thunberg,1815; catenata Burmeister,1838; varia Burmeister,1838; vicina Audinet-Serville,1839* AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW
691. **Polyspilota caffra (Westwood,1889)** (Mantidae) Synonym(s): *caffra Westwood,1889* ZA Ec Tva Lpo ZW

¹¹⁸ specific name established by the authors.

692. **Polyspilota magna Giglio-Tos,1911** (Mantidae) Synonym(s): *magna Giglio-Tos,1911* **ZA Ec Nta Kzu Tva Lpo**
693. **Popa spurca spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* **AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
694. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca Stal,1856; batesi Saussure & Zehntner,1895; undata Burr,1900; servillei Giglio-Tos,1907; stuhlmanni Rehn,1914* **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
695. **Pyrgomantis fasciata Giglio-Tos,1917** (Irididae) Synonym(s): *fasciata Giglio-Tos,1917; longissima Beier,1957* **AO ZA Tva Lpo ZR TZ MZ**
696. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta Thunberg,1784; capensis Gmelin,1790* **ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ**
697. **Pyrgomantis rhodesica Giglio-Tos,1917** (Irididae) Synonym(s): *rhodesica Giglio-Tos,1917* **ZM BW NA ZW ZA Tva Lpo**
698. **Pyrgomantis simillima Beier,1954** (Irididae) Synonym(s): *simillima Beier,1954; curta Beier,1954* **ZW ZA Tva Lpo TZ**
699. **Pyrgomantis singularis Gerstaecker,1869** (Irididae) Synonym(s): *singularis Gerstaecker,1869* **KE Ms TZ ZA Tva Lpo Nta Kzu**
700. **Rhabdotis sobrina (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *sobrina Gory & Percheron,1833; virginea Klug,1855* **BW ZW ZA Tva Lpo Spb Mdk Nta Kzu MZ**
701. **Rogermantis natalensis Kaltenbach,1996** (Mantidae) Synonym(s): *natalensis Kaltenbach,1996* **ZA Nta Kzu**
702. **Rogermantis royi Kaltenbach,1996** (Mantidae) Synonym(s): *royi Kaltenbach,1996* **ZA Tva Lpo**
703. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula Scopoli,1786; tuberculata Rossi,1790; erythrosoma St.Fargeau & Serville,1825; mandibularis Charpentier,1825; ambiguus Stal,1876; macropterrcus Bolivar,1890; minor Bolivar,1890; eurostratus Jannone,1936* **Gryllus nitidulus Scopoli,1786, Delicidae florum & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA**
704. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* **MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Ce ZA CA US**
705. **Scintharista magnifica Uvarov,1922** (Acrididae) Synonym(s): *magnifica Uvarov,1922* **ZA**
706. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis Becker,1916* **UG ZA TZ KE NG CM NE**
707. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis Duda,1935* **NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET**
708. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
709. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle Becker,1903; scapulatum Enderlein,1935; dentulatum Wanson & Henrard,1944* **EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM**
710. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata Fallén,1814* **DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA**
711. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica Stal,1858; bicarinata Saussure,1869* **ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO**
712. **Sphodromantis gracilis Lombardo,1991** (Mantidae) Synonym(s): *gracilis Lombardo,1991* **ZA Tva Lpo**
713. **Sphyracephala beccarii (Rondani,1873)** (Diopsidae) Synonym(s): *beccarii Rondani,1873* **ZA**
714. **Sphyracephala munroi Curran,1928** (Diopsidae) Synonym(s): *munroi Curran,1928* **ZA**
715. **Systropha (Austrosystropha) krigei Brauns,1926** (Halictidae) Synonym(s): *krigei Brauns,1926* **ZA Tva Gau Pre**
716. **Systropus (s.str.) zuluensis Hesse,1938** (Bombyliidae) Synonym(s): *zuluensis Hesse,1938* **ZA Kzu Nta**
717. **Tachytrechus tessellatus (Macquart,1842)** (Dolichopodidae) Synonym(s): *tessellatus Macquart,1842; indirectus Walker,1849; picticornis Bigot,1890; salinarius Becker,1902; seychellensis Lamb,1922; capensis Curran,1924; ponderosus Frey,1958* **ZA SC IL Pa EG YE Sk NC**
718. **Tarachodes (s.str.) beieri Kaltenbach,1996** (Irididae) Synonym(s): *beieri Kaltenbach,1996* **ZA Tva Lpo ZW**
719. **Tarachodes (s.str.) insidiator Wood-Mason,1882** (Irididae) Synonym(s): *insidiator Wood-Mason,1882; sancta Werner,1907; pilosides Rehn,1912* **AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW**
720. **Tarachodes (s.str.) lucubrans (Burchell,1822)** (Irididae) Synonym(s): *lucubrans Burchell,1822; perlroides Burmeister,1838* **NA ZA Tva Lpo Fs**
721. **Tarachodes (s.str.) maurus (Stal,1856)** (Irididae) Synonym(s): *maurus Stal,1856* **CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ**

722. **Tarachodes (s.str.) sanctus (Saussure,1871)** (Irididae) Synonym(s): *sanctus* Saussure,1871; *insidiator* Wood-Mason,1882; *scer* Giglio-Tos,1907; *kibwezianus* Giglio-Tos,1911 **ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE**
723. **Tarachodes (Tarachodina) natalensis Kaltenbach,1996** (Irididae) Synonym(s): *natalensis* Kaltenbach,1996 **ZA Nta Kzu**
724. **Taumantis globiceps Beier,1969** (Mantidae) Synonym(s): *globiceps* Beier,1969 **MW ZA ZM ZW**
725. **Tenodera australasiae (Leach,1814)** (Mantidae) Synonym(s): *australasiae* Leach,1814; *darchii* Mac Leay,1827; *tessellata* Burmeister,1838; *intermedia* Saussure,1870 **ZA GU MY Re PG Bsm NBr AU**
726. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG SN KM IN ID Ja MY SG**
727. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonerii* Munari,1981 **SN SC ZA TW BG EG ES IT TR BG**
728. **Togoda transvaalensis Schmidt,1910** (Issidae) Synonym(s): *transvaalensis* Schmidt,1910 **ZA Tva Lpo**
729. **Torymus subnudus Boucek,1978** (Torymidae) Synonym(s): *subnudus* Boucek,1978 *Torymus subnudus* Boucek,1978, J. Ent. Soc. S. Afr. 41 (1): 131-132. Holotype ♀: South Africa (BMNH). **ZA**
730. **Toxophora australis Hesse,1938** (Bombyliidae) Synonym(s): *australis* Hesse,1938 **ZA LS NA**
731. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 **BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW**
732. **Toxophora crocisosops Hesse,1938** (Bombyliidae) Synonym(s): *crocisosops* Hesse,1938 **NA ZA**
733. **Toxophora diploptera Speiser,1910** (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 **BW KE NA ZA Nta Kzu Tva Mpu TZ ZW**
734. **Toxophora obliquisquamosa Hesse,1938** (Bombyliidae) Synonym(s): *obliquisquamosa* Hesse,1938 **BW NA ZA**
735. **Toxophora punctipennis Bezzi,1921** (Bombyliidae) Synonym(s): *punctipennis* Bezzi,1921 **ZA Nta Kzu ZW NA**
736. **Toxophora quadricellulata Hesse,1963** (Bombyliidae) Synonym(s): *quadricellulata* Hesse,1963 **NA ZA**
737. **Tylopsis bilineolata (Audinet-Serville,1838)** (Tettigoniidae) Synonym(s): *bilineolata* Audinet-Serville,1838; *attenuata* Walker,1869; *marginalis* Brunner von Wattenwyl,1878; *marginata* Brunner von Wattenwyl,1891 **ZA**
738. **Tylopsis continua (Walker,1869)** (Tettigoniidae) Synonym(s): *continua* Walker,1869; *vicaria* Walker,1869; *longipennis* Stal,1876; *vittata* Brunner von Wattenwyl,1878; *inhamata* Karsch,1889 **ZA Nta Kzu Dbn NA MZ**
739. **Usia (s.str.) semiflava Hesse,1975** (Bombyliidae) Synonym(s): *semiflava* Hesse,1975 **ZA**
740. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793 **Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR**
741. **Vildania ¹¹⁹ annulipes (Cameron,1906)** (Ichneumonidae) Synonym(s): *annulipes* Cameron,1906 **ZA**
742. **Villa anthophoroides Hesse,1956** (Bombyliidae) Synonym(s): *anthophoroides* Hesse,1956 **ZA**
743. **Villa apiformis Hesse,1956** (Bombyliidae) Synonym(s): *plumbea* Meigen,1826; *apiformis* Hesse,1956 **ZA**
744. **Villa apparens (Walker,1852)** (Bombyliidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830; *apparens* Walker,1852 **ZA**
745. **Villa argentina Bezzi,1921** (Bombyliidae) Synonym(s): *crinipes* Ringdahl,1913; *argentina* Bezzi,1921 **ZA**
746. **Villa aspiculata Hesse,1956** (Bombyliidae) Synonym(s): *aspiculata* Hesse,1956 **ZA**
747. **Villa chionalis Hesse,1956** (Bombyliidae) Synonym(s): *chionalis* Hesse,1956 **ZA**
748. **Villa dizona (Loew,1860)** (Bombyliidae) Synonym(s): *dizona* Loew,1860 **ZA**
749. **Villa dubia (Macquart,1840)** (Bombyliidae) Synonym(s): *dorsalis* Robineau-Desvoidy,1830; *dubia* Macquart,1840 **ZA**
750. **Villa filicornis Hesse,1956** (Bombyliidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830; *filicornis* Hesse,1956 **ZA**
751. **Villa flavalis Hesse,1956** (Bombyliidae) Synonym(s): *betuleti* Bouche,1834; *flavalis* Hesse,1956 **ZA**
752. **Villa flavipes (Loew,1860)** (Bombyliidae) Synonym(s): *flavipes* Loew,1860 **ZA**

¹¹⁹ genus name established by the authors.

753. **Villa fulvipleura Hesse,1956** (Bombyliidae) Synonym(s): *exclusiva Schnabl & Dzedzicki,1911; fulvipleura Hesse,1956* **ZA Nta Kzu ZW**
754. **Villa gariepina Hesse,1956** (Bombyliidae) Synonym(s): *gariepina Hesse,1956* **ZA**
755. **Villa hybrida Hesse,1956** (Bombyliidae) Synonym(s): *populi Meigen,1826; hybrida Hesse,1956* **ZA Fs BW**
756. **Villa karoensis Hesse,1956** (Bombyliidae) Synonym(s): *karoensis Hesse,1956* **ZA**
757. **Villa lasia (Wiedemann,1824)** (Bombyliidae) Synonym(s): *lasia Wiedemann,1824* **ZA NA**
758. **Villa loewii Hesse,1956** (Bombyliidae) Synonym(s): *loewii Hesse,1956* **BI LS NA RW ZA Gau Mpu Tva UG ZW**
759. **Villa niphobletoides Hesse,1956** (Bombyliidae) Synonym(s): *niphobletoides Hesse,1956* **ZA Ec**
760. **Villa rufipes (Macquart,1840)** (Bombyliidae) Synonym(s): *rufipes Macquart,1840* **ZA**
761. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann,1821; albescens Loew,1860; flavescens Loew,1860; albogilva François,1969* **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**
762. **Villa vitripennis (Loew,1860)** (Bombyliidae) Synonym(s): *vitripennis Loew,1860* **ZA Ec Cto**
763. **Wainia (Wainiella) albobarbata (Cockerell,1937)** (Megachilidae) Synonym(s): *albobarbata Cockerell,1937* **ZA ZR**
764. **Xeramoeba apricaria Hesse,1956** (Bombyliidae) Synonym(s): *apricaria Hesse,1956* **ZA Ec**
765. **Zophosis punctulata Olivier,1795** (Tenebrionidae) Synonym(s): *punctulata Olivier,1795; angusta Wiedemann,1823* **ZA IL Pa**

Synonymic and distributional list of the pterygot insects of Sudan

(Results of the Entomofauna of the World based upon info-system of the Cesa)

58

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Sudan (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 58.

Priamus (suppl.) 18: 2037-2043.

In this study, totally 169 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Sudan recorded in info-system of the Cesa, total pterygot species of Sudan increase to 902.

Key words: List, distribution, *pterygota*, *Insecta*, Sudan.

Brief explanatory information:

Previously published article	no
Previously published report	yes ¹²⁰
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 169 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 738 recorded species of Lepidoptera from Sudan are found. Taking this information into consideration, total number of the pterygots may increase to 902.

The study is still continuing, and the new results will be published within this Project.

1. **Adoretus gazella** Frey (Scarabaeidae) Synonym(s): **SD**
2. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**
3. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). **LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU**

¹²⁰ **Koçak,A.Ö. & M.Kemal,2008**, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

4. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens** Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn Fr AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
5. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
6. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 **TN EG KE SD DZ IL Pa LY SA ES SY**
7. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 **IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU**
8. **Anastoechus miscens (Walker,1871)** (Bombyliidae) Synonym(s): *miscens* Walker,1871 **ER SD YE SA**
9. **Anastoechus nivifrons (Walker,1871)** (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913 **SD YE PK IR EG IL Pa IQ JO KW LB OM QA SA SY AE**
10. **Anastoechus ravus Greathead,1970** (Bombyliidae) Synonym(s): *ravus* Greathead,1970 **ET KE SO SD**
11. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 **IT DZ EG FR IL Pa LY PT ES TN TM SA SD**
12. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
13. **Ancylothynchus elbaiensis Efflatoun,1937** (Asilidae) Synonym(s): *elbaiensis* Efflatoun,1937 **EG SD**
14. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
15. **Anisops sardeus Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 **RU Cn FR Co TR SD IN CN Ui**
16. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 **IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD**
17. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
18. **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis* Wiedemann,1828; *helva* Wiedemann,1828; *illustris* Schiner,1867; *aperta* Becker,1909 **EG SA IL Pa IR Fa Ss Ke Kh YE SD**
19. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853 **AF BG IQ IR HU EG RP SD SY SA TR**
20. **Bembecinus priesneri Schmid-Egger,2004** (Crabronidae) Synonym(s): *priesneri* Schmid-Egger,2004 **SD KE**
21. **Bembecinus remanei Schmid-Egger,2004** (Crabronidae) Synonym(s): *remanei* Schmid-Egger,2004 **SD**
22. **Bembecinus tenellus (Klug,1845)** (Crabronidae) Synonym(s): *tenellus* Klug,1845 **EG SD ET**
23. **Blepharodes cornutus cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 **ET KE SO SD**
24. **Blepharodes cornutus Schulthness-Rechberg,1894** (Empusidae) Synonym(s): *cornutus* Schulthness-Rechberg,1894 **KE ET KE SO SD**
25. **Blepharodes parumspinosus Beier,1930** (Empusidae) Synonym(s): *parumspinosus* Beier,1930 **BF MR NG SN SD TD**
26. **Blepharodes sudanensis Werner,1907** (Empusidae) Synonym(s): *sudanensis* Werner,1907 **SO SD**
27. **Bombylella nigriloba (Bezzi,1920)** (Bombyliidae) Synonym(s): *nigriloba* Bezzi,1920 **BJ BF GW GM GH NG SN SD TG**
28. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE**

29. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
30. **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937 SD EG IL Pa SA
31. **Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *elbayensis* Efflatoun,1945; *cinereipilus* Greathead,1967 ER KE SD TZ EG SA
32. **Bombylius (s.str.) exiguus Walker,1871** (Bombyliidae) Synonym(s): *exiguus* Walker,1871 SD
33. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
34. **Bombylius (s.str.) wadensis Efflatoun,1945** (Bombyliidae) Synonym(s): *wadensis* Efflatoun,1945 SD EG IL Pa
35. **Canthecona discolor (Palisot de Beauvois,1811)** (Pentatomidae) Synonym(s): *discolor* Palisot de Beauvois,1811; *glypsoides* Linnavuori,1975 SD GN TG ZR CM NG GH LR AO
36. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
37. **Ceratopogonides cameroni (Priesner,1934)** (Thripidae) Synonym(s): *cameroni* Priesner,1934 SD NG SA IN TH
38. **Chaetocnema hortensis (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *hortensis* Geoffroy,1785 Az RU Us TR SD
39. **Chalicodoma (Callomegachile) mephistolica (Gribodo,1894)** (Megachilidae) Synonym(s): *mephistolica* Gribodo,1894 SD
40. **Chalicodoma (Maximegachile) maxillosa (Guéérin-Méneville,1845)** (Megachilidae) Synonym(s): *maxillosa* Guéérin-Méneville,1845 SN SD
41. **Chalicodoma (Pseudomegachile) congruens (Friese,1903)** (Megachilidae) Synonym(s): *congruens* Friese,1903 GH LR SD ZR ZA Nta Kzu
42. **Chalicodoma (Pseudomegachile) cyanipennis (Guéérin de Méneville,1845)** (Megachilidae) Synonym(s): *cyanipennis* Guéérin de Méneville,1845 SN EG SD GH NG
43. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
44. **Compothespis ebneri Werner,1918** (Mantidae) Synonym(s): *ebneri* Werner,1918 SD
45. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
46. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
47. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
48. **Cueta lineosa (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosa* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915; *albanica* Capra. SD EG AF IR SA TR IQ IL CY AM GG AL
49. **Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915 AF IR TR SA IQ IL Pa Cc CY SD
50. **Cueta virgata (Klug,1834)** (Myrmeleonidae) Synonym(s): *virgata* Klug,1834 SA SD
51. **Culicoides fuscicaudae Macfie,1947** (Ceratopogonidae) Synonym(s): *fuscicaudae* Macfie,1947 SD
52. **Culicoides kingi Austen,1912** (Ceratopogonidae) Synonym(s): *kingi* Austen,1912 SD
53. **Culicoides nilogenus Kieffer,1921** (Ceratopogonidae) Synonym(s): *nilogenus* Kieffer,1921 SD
54. **Culicoides nilophilus Kieffer,1921** (Ceratopogonidae) Synonym(s): *nilophilus* Kieffer,1921 SD
55. **Culicoides signatus Kieffer,1921** (Ceratopogonidae) Synonym(s): *signatus* Kieffer,1921 SD
56. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus* Fabricius,1803; *elongatus* Dallas,1852; *innocuus* Stal,1865; *metallicus* Fallou,1891; *bicolor* Distant,1912 ZR GN SD UG SL GH ET BJ CI NG CM ZA

57. **Danuria (s.str.) impannosa Karsch,1899** (Mantidae) Synonym(s): *impannosa* Karsch,1899; *schweinfurthi* Werner,1907 **ET SD**
58. **Dasytidius sudanicus (Pic,1929)** (Melyridae) Synonym(s): *sudanicus* Pic,1929 **SD**
59. **Dermestes (Dermestinus) maculatus DeGeer,1774** (Dermestidae) Synonym(s): *maculatus* DeGeer,1774; *marginatus* Thunberg,1781; *vulpinus* Fabricius,1781; *senex* Germar,1824; *elongatus* Hope,1834; *lupinus* Mannerheim,1843; *cinereus* Redtenbacher,1867; *sudanicus* Gredler,1878; *cyprius* Pic,1951; *pakistanicus* Havelka,1951 **TR SD CY PK**
60. **Desmatoneura claripennis (Becker,1923) homonym!** (Bombyliidae) Synonym(s): *claripennis* Becker,1923 *nec* Kowarz,1868 **Anthrax claripennis Becker,1923, Denkschr. Akad. wiss. Wien 98: 57-82. SD**
61. **Desmatoneura frontalis (Wiedemann,1828)** (Bombyliidae) Synonym(s): *frontalis* Wiedemann,1828; *impar* Zetterstedt,1845 **ET SD OM SA**
62. **Diogena fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838 **LY SD YE IL Pa JO**
63. **Diogena fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838 **SD**
64. **Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae* Ferrière,1935 **CY EG IL Pa SA SO SD YE**
65. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus* Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiiventris* Stal,1864; *rutherfordi* Distant,1892 **ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG**
66. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali* Reiche & Fairmaire,1847; *perloides* Saussure,1869; *somalica* Schluthness-Schindler,1898 **DZ ET GN CM KE NG SN SD TD UG**
67. **Empusa hedenborgii Stal,1877** (Empusidae) Synonym(s): *hedenborgii* Stal,1877 **EG ET IR YE SO SA SD AE**
68. **Empusa megalcephala Gistel,1856** (Empusidae) Synonym(s): *megalcephala* Gistel,1856 **SD**
69. **Epitenodera equatoriana La Greca,1993** (Mantidae) Synonym(s): *equatoriana* La Greca,1993 **SD**
70. **Epitenodera herbacea (Audinet-Serville,1839)** (Mantidae) Synonym(s): *herbacea* Audinet-Serville,1839 **GH CM MR SN SD TG**
71. **Eremoplana infelix Uvarov,1924** (Mantidae) Synonym(s): *ocellata* Thunberg,1815 *nec* Oliv.,1792; *infelix* Uvarov,1924 **EG IL Pa JO LB SA SD**
72. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus* Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935 **ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG**
73. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 **DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE**
74. **Eurycorypha fallax (Brunner von Wattenwyl,1883)** (Tettigoniidae) Synonym(s): *fallax* Brunner von Wattenwyl,1883 **SD**
75. **Eurycorypha sudanensis Giglio-Tos,1907** (Tettigoniidae) Synonym(s): *sudanensis* Giglio-Tos,1907 **SD SD95**
76. **Galepsus (Onychogalepsus) sudanensis Beier,1954** (Irididae) Synonym(s): *sudanensis* Beier,1954 **SD**
77. **Gepus invisus Navas,1912** (Myrmeleonidae) Synonym(s): *invisus* Navas,1912; *scutellatus* Klapalek,1914; *tersus* Navas,1936. **LY SD TN SA IR**
78. **Glypsus carinulatus Bergroth,1904** (Pentatomidae) Synonym(s): *carinulatus* Bergroth,1904 **SD ZR NG GN CI**
79. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus* Westwood,1837; *moesta* Germar,1837; *pictiventris* Stal,1853 **ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW**
80. **Glypsus erubescens Distant,1890** (Pentatomidae) Synonym(s): *erubescens* Distant,1890 **SD NG NE TD ZR CI**
81. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi* Schouteden,1904 **GH KE SD NG AO TG TZ ET ZR**
82. **Haetosmia circumventa (Peters,1974)** (Megachilidae) Synonym(s): *circumventa* Peters,1974 **Cn EG MA AE SD**
83. **Hermacophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 **ES FR Co IT MK GR TR Cc KG NG SD SA LK**
84. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 **AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU**

85. **Heterochaeta orientalis Kirby,1904** (Mantidae) Synonym(s): *orientalis Kirby,1904* ET KE SO SD TZ
86. **Heterochaeta pantherina (Saussure,1872)** (Mantidae) Synonym(s): *pantherina Saussure,1872* EG AO GN YE MR NE SO SA SD TD
87. **Heterotropus aegyptiacus Paramonov,1929** (Bombyliidae) Synonym(s): *aegyptiacus Paramonov,1929* SD EG SA
88. **Heterotropus stigmaticus Bezzi,1926** (Bombyliidae) Synonym(s): *stigmaticus Bezzi,1926* SD EG
89. **Heterotropus sudanensis Becker,1922** (Bombyliidae) Synonym(s): *sudanensis Becker,1922* SD
90. **Heterotropus xanthothorax Eflatoun,1945** (Bombyliidae) Synonym(s): *xanthothorax Eflatoun,1945* SD EG
91. **Hoploxys coeruleus Dallas,1851** (Pentatomidae) Synonym(s): *coeruleus Dallas,1851* SD GA CM ZR RW
92. **Horatosphaga nuda Ragge,1960** (Tettigoniidae) Synonym(s): *nuda Ragge,1960* SD SD45
93. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons Saussure & Zehntner,1895* ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE
94. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis Burmeister,1838; defoliata Audinet-Serville,1839; spinifrons Saussure,1859* AO BF CI GH CM LR KE MZ SN SL SD TZ TG
95. **Iris coeca Uvarov,1931** (Irididae) Synonym(s): *coeca Uvarov,1931* EG YE SA SD
96. **Irwiniella nuba (Wiedemann,1828)** (Therevidae) Synonym(s): *nuba Wiedemann,1828* SD
97. **Ischnomantis gigas (Saussure,1870)** (Mantidae) Synonym(s): *gigas Saussure,1870* BF CM MR SN SD TG
98. **Ischnomantis perfida (Guérin-Méneville & Lefebvre,1849)** (Mantidae) Synonym(s): *perfida Guérin-Méneville & Lefebvre,1849; guerinii Reiche & Fairmaire,1847; attarensis Werner,1907* EG ET SD
99. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
100. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758 Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426.* PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
101. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mensor Germar,1837; thoracata Distant,1901* BW MZ NG SA SO ZA SD ZW
102. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
103. **Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET
104. **Milichia integra Becker,1922** (Milichiidae) Synonym(s): *integra Becker,1922* SD ZW?
105. **Milichiella argentiventris Hendel,1931** (Milichiidae) Synonym(s): *argentiventris Hendel,1931* CV EG IL? NG OM SD YE
106. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca Klug,1845* TR IR SY IL Pa EG GR SD
107. **Neolophonotus pegasus (Loew,1858)** (Asilidae) Synonym(s): *pegasus Loew,1858* IR Ss SD ZA
108. **Neomyia racilia (Walker,1849)** (Muscidae) Synonym(s): *racilia Walker,1849; furvus May,1958* GO ZA ET SD TZ
109. **Nilomantis floweri Werner,1907** (Iridoptyrigidae) Synonym(s): *floweri Werner,1907; tenella Giglio-Tos,1915; arabica Beier,1930* ET IR YE MR NE OM SA SD TD
110. **Nomia (Crocisaspidia) muscatensis Cockerell,1910** (Halictidae) Synonym(s): *muscatensis Cockerell,1910* SD OM IR EG
111. **Nomia (Pseudapis) magretti Gribodo,1884** (Halictidae) Synonym(s): *magretti Gribodo,1884* SD IL Pa
112. **Nomia (Pseudapis) sudanica Warncke,1980** (Halictidae) Synonym(s): *sudanica Warncke,1980* SD EG
113. **Ochrilidia albrechti Jago,1977** (Acrididae) Synonym(s): *albrechti Jago,1977* SD
114. **Ochrilidia johnstoni (Salfi,1931)** (Acrididae) Synonym(s): *johnstoni Salfi,1931* SD
115. **Ochrilidia nubica (Werner,1913)** (Acrididae) Synonym(s): *nubica Werner,1913* SD
116. **Oliarius sudanica Lallemand,1925** (Cixiidae) Synonym(s): *sudanica Lallemand,1925* SD
117. **Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus Wulp,1899* DZ TD CN EG ET IL Pa IR AZ Cc YE IN NE SN SD
118. **Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae) Synonym(s): *pictus Reitter,1893* EG SY ZR SD

119. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus Klug,1845* EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
120. **Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon Burmeister,1824* EG Sn IL Pa SD SO SA AF PK
121. **Oxycara aethiopum Gredl.,1877** (Tenebrionidae) Synonym(s): *aethiopum Gredl.,1877* SD
122. **Oxythopsis nilotica Giglio-Tos,1916** (Mantidae) Synonym(s): *nilotica Giglio-Tos,1916* DZ MA SD TD YE SA
123. **Oxythopsis sudanensis Giglio-Tos,1916** (Mantidae) Synonym(s): *sudanensis Giglio-Tos,1916* ET SD
124. **Oxythopsis villiersi Chopard,1950** (Mantidae) Synonym(s): *villiersi Chopard,1950* SD
125. **Oxypilus (s.str.) descampsi Roy,1966** (Hymenopodidae) Synonym(s): *descampsi Roy,1966* ER ET KE NE TD SD
126. **Oxypilus (s.str.) distinctus Beier,1930** (Hymenopodidae) Synonym(s): *distinctus Beier,1930* BF CI GM GN LR ML MR SN SL SD
127. **Oxypilus (s.str.) falcatus Roy,1966** (Hymenopodidae) Synonym(s): *falcatus Roy,1966* CM ZR SD UG CF
128. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis Sjöstedt,1909; nigericus Beier,1930* NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
129. **Pachyanthrax vetulus (Wiedemann,1828)** (Bombyliidae) Synonym(s): *vetulus Wiedemann,1828* ER SD
130. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* DZ PT ES SA As TR MG SD ET TZ ZR
131. **Paroxyphthalmus collaris (Saussure,1872)** (Irididae) Synonym(s): *collaris Saussure,1872* SD TD
132. **Paroxyphthalmus ornatus Werner,1918** (Irididae) Synonym(s): *ornatus Werner,1918* SD
133. **Pheidole laticeps Mayr,1904** (Formicidae) Synonym(s): *laticeps Mayr,1904* EG SD
134. **Phyllotreta cruciferae (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae Goeze,1777* TR Cc IR AF KG MN DZ SD IN
135. **Pimelia grandis Klug,1830** (Tenebrionidae) Synonym(s): *grandis Klug,1830; sudanica Fairmaire,1882* EG ET SD SN
136. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus Drury,1782 (praeocc.); calens Fabricius,1803 (praeocc.); septendecimaculatus Beauvois,1811; trijunctus Walker,1867; optabilis Walker,1867; parvus Distant,1900* CM GH CI KE NG SL SD UG ZR
137. **Promachus griseiventris Becker,1913** (Asilidae) Synonym(s): *griseiventris Becker,1913; aegyptiacus Efflatoun,1929* IR Ss Ke EG IL Pa SD
138. **Pseudophotopsis aegyptiaca (Bischoff,1920)** (Mutillidae) Synonym(s): *aegyptiaca Bischoff,1920* IL Pa EG LY SD TD
139. **Pseudophotopsis geyri (Bischoff,1920)** (Mutillidae) Synonym(s): *geyri Bischoff,1920* DZ SD
140. **Pyrgomorpha cognata Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877* TR SN LY SD TD IR SA
141. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix Loew,1856* IR Kz AZ Cc EG IL Pa IQ SY YE TN SD LY
142. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
143. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
144. **Scintharista zolotarevskiy Uvarov,1941** (Acrididae) Synonym(s): *zolotarevskiy Uvarov,1941* SN GM NG SD ML
145. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle Becker,1903; scapulatum Enderlein,1935; dentulatum Wanson & Henrard,1944* EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM
146. **Sphodromantis fenestrata Giglio-Tos,1912** (Mantidae) Synonym(s): *fenestrata Giglio-Tos,1912; fulva Giglio-Tos,1912; uebina Giglio-Tos,1912* ET KE SO SD TZ
147. **Sphodromantis kersteni (Gerstraecker,1869)** (Mantidae) Synonym(s): *kersteni Gerstraecker,1869; christina Kirby,1904* KE SD TZ
148. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
149. **Sphodromantis pachinota La Greca & Lombardo,1987** (Mantidae) Synonym(s): *pachinota La Greca & Lombardo,1987* ET SD
150. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis Forskål,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD

151. **Tarachodes (Chiropacha) gilvus Charpentier,1841** (Irididae) Synonym(s): *gilvus Charpentier,1841* SD CM ZR UG TD SA
152. **Tarachodes (Chiropacha) obtusipes Stal,1871** (Irididae) Synonym(s): *obtusipes Stal,1871* ET SD KE SO
153. **Tarachodes (Chiropus) dives (Saussure,1869)** (Irididae) Synonym(s): *dives Saussure,1869; karnyi Giglio-Tos,1911* AO NA SD
154. **Tenodera superstitionosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitionosa Fabricius,1781; bokiana Giglio-Tos,1907* MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
155. **Toxophora aegyptiaca Efflatoun,1945** (Bombyliidae) Synonym(s): *aegyptiaca Efflatoun,1945* SD EG OM SA
156. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris Karsch,1887* BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW
157. **Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra Hermann,1907* TR SD AM AZ GG Cc EG TJ TM UZ
158. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
159. **Toxophora leyladea Efflatoun,1945** (Bombyliidae) Synonym(s): *leyladea Efflatoun,1945* SD EG
160. **Tropidopola nigerica Uvarov,1937** (Acrididae) Synonym(s): *nigerica Uvarov,1937* SD NE ML
161. **Usia (s.str.) elbae Efflatoun,1945** (Bombyliidae) Synonym(s): *elbae Efflatoun,1945* SD EG
162. **Usia (s.str.) grisea Efflatoun,1945** (Bombyliidae) Synonym(s): *grisea Efflatoun,1945* SD EG
163. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata Becker,1906* DZ SD EG IL Pa MA ES TN SY
164. **Usia (s.str.) inornata Engel,1932** (Bombyliidae) Synonym(s): *inornata Engel,1932* SD EG
165. **Usia (s.str.) minuscula Efflatoun,1945** (Bombyliidae) Synonym(s): *minuscula Efflatoun,1945* SD EG
166. **Usia (s.str.) parvula Efflatoun,1945** (Bombyliidae) Synonym(s): *parvula Efflatoun,1945* SD EG
167. **Xeramoeba rubicunda (Bezzi,1925)** (Bombyliidae) Synonym(s): *rubicunda Bezzi,1925* SD EG
168. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis Becker,1906* SD DZ EG GR MK IL Pa YU TN TR
169. **Zophosis plana (Fabricius,1792)** (Tenebrionidae) Synonym(s): *plana Fabricius,1792* SD EG IL Pa

Synonymic and distributional list of the pterygot insects of Tanzania

(Results of the Entomofauna of the World based upon info-system of the Cesa)

59

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Tanzania (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) –59.
Priamus (suppl.) 18: 2044-2055.

In this study, totally 338 pterygot species (except *Lepidoptera*) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on *Lepidoptera* of Tanzania recorded in info-system of the Cesa, total pterygot species of Tanzania increase to 2019.

Key words: List, distribution, *pterygota*, *Insecta*, Tanzania.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹²¹
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 338 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1681 recorded species of *Lepidoptera* from Tanzania are found. Taking this information into consideration, total number of the pterygots may increase to 2019.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax crypticus Papp & Norrbom,1992** (Sphaeroceridae) Synonym(s): *crypticus Papp & Norrbom,1992* **RW UG TZ ZR**
2. **Achaetothorax rhinocerotis (Richards,1939)** (Sphaeroceridae) Synonym(s): *rhinocerotis Richards,1939* **ET KE MZ TZ ZA ZW ZR**
3. **Acrospilus brevitalus (Parent,1937)** (Dolichopodidae) Synonym(s): *brevitalus Parent,1937* **IL Pa ZR TZ**

¹²¹ **Koçak,A.Ö. & M.Kemal, 2007**, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 5- Tanzania stand 19.7.2007 [totally 1945 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafr17.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the *Lepidoptera* List of Africa Continent based upon the Info-System of the Cesa. *Cesa Publ. on African Lepid.* 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. *Cesa News* 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the *Lepidopteran* List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. *Cesa Publ. African Lepid.* 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

4. **Afrius (s.str.) rubromarginatus Bergroth,1903** (Pentatomidae) Synonym(s): *rubromarginatus Bergroth,1903* **MZ BW TZ**
5. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus Guérin-Méneville,1831; purpurea Westwood,1837; figuratus Germar,1837; caerulea Dallas,1851; marginella Dallas,1851; miniatescens Stal,1853* **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**
6. **Afroesticus chistoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chistoneurus Speiser,1910; senex Bromley,1936* **TZ ZA BF ZR ET KE MW MZ ZW**
7. **Afroesticus morani Scarbrough,2005** (Asilidae) Synonym(s): *morani Scarbrough,2005* **UG TZ**
8. **Afroesticus victus Scarbrough,2005** (Asilidae) Synonym(s): *victus Scarbrough,2005* **TZ KE**
9. **Afromochtherus mkomazi Londt,2002** (Asilidae) Synonym(s): *mkomazi Londt,2002* **TZ**
10. **Agaon kiellandi Wiebes,1974** (Agaonidae) Synonym(s): *kiellandi Wiebes,1974* **TZ**
11. **Agrionopsis brachyptera Beier,1942** (Mantidae) Synonym(s): *brachyptera Beier,1942* **TZ**
12. **Agrionopsis modesta Werner,1908** (Mantidae) Synonym(s): *modesta Werner,1908* **KE ZR TZ UG**
13. **Aliolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
14. **Alcimus anax Speiser,1924** (Asilidae) Synonym(s): *anax Speiser,1924* **TZ**
15. **Alcimus nigropalpus Hobby,1934** (Asilidae) Synonym(s): *nigropalpus Hobby,1934* **TZ**
16. **Alcimus rubiginosus Gerstaecker,1871** (Asilidae) Synonym(s): *rubiginosus Gerstaecker,1871* **UG TZ MW**
17. **Alcimus tigris Karsch,1888** (Asilidae) Synonym(s): *tigris Karsch,1888* **TZ**
18. **Alcimus tristrigatus Loew,1858** (Asilidae) Synonym(s): *tristrigatus Loew,1858* **TZ ZA**
19. **Alfonsiella binghami Wiebes,1988** (Agaonidae) Synonym(s): *binghami Wiebes,1988* **TZ**
20. **Alfonsiella fimbriata Waterston,1920** (Agaonidae) Synonym(s): *fimbriata Waterston,1920* **TZ**
21. **Allocormodes kolbei (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *kolbei Van der Weele,1909* **TZ**
22. **Aluligera maculata (Richards,1965)** (Sphaeroceridae) Synonym(s): *maculata Richards,1965* **TZ Ulg**
23. **Aluligera nigra (Richards,1965)** (Sphaeroceridae) Synonym(s): *nigra Richards,1965* **TZ Ulg**
24. **Aluligera varicolor (Richards,1957)** (Sphaeroceridae) Synonym(s): *varicolor Richards,1957; pleurofasciata Richards,1965* **KE Elg TZ UG**
25. **Amorphoscelis abyssinica Giglio-Tos,1914** (Amorphoscelidae) Synonym(s): *abyssinica Giglio-Tos,1914* **AT SO TZ**
26. **Amorphoscelis orientalis Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *orientalis Giglio-Tos,1913; turkanensis Chopard,1938* **KE TZ SO**
27. **Anastoechus meridionalis Bezzi,1912** (Bombyliidae) Synonym(s): *meridionalis Bezzi,1912* **MW TZ ZM ZW**
28. **Anchophthalmops brevipleurum Koch,1956** (Tenebrionidae) Synonym(s): *brevipleurum Koch,1956* **ZW MZ TZ**
29. **Anchophthalmops elevatus (Gerstaecker,1871)** (Tenebrionidae) Synonym(s): *elevatus Gerstaecker,1871* **TZ**
30. **Anchophthalmops lundbladi (Koch,1956)** (Tenebrionidae) Synonym(s): *lundbladi Koch,1956* **TZ**
31. **Anchophthalmops maximus Koch,1956** (Tenebrionidae) Synonym(s): *maximus Koch,1956* **TZ**
32. **Anchophthalmops menouxi (Mulsant & Rey,1953)** (Tenebrionidae) Synonym(s): *menouxi Mulsant & Rey,1953; sayi Horn,1870; trivialis Gerstaecker,1871* **TZ Zz KE MG**
33. **Anchophthalmops ventralis (Gebien,1910)** (Tenebrionidae) Synonym(s): *ventralis Gebien,1910* **TZ**
34. **Anchophthalmus altioricola Koch,1956** (Tenebrionidae) Synonym(s): *altioricola Koch,1956* **TZ**
35. **Anchophthalmus gerstaeckeri Iwan,2002** (Tenebrionidae) Synonym(s): *clathratus Gerstaecker,1871 nec Fahr.,1870; gerstaeckeri Iwan,2002* **KE TZ**
36. **Anchophthalmus obsoletus (Ancey,1877)** (Tenebrionidae) Synonym(s): *obsoletus Ancey,1877* **ZR TZ**
37. **Anchophthalmus plicipennis Péringuey,1904** (Tenebrionidae) Synonym(s): *plicipennis Péringuey,1904* **ZR TZ ZW**
38. **Anchophthalmus simplex Koch,1956** (Tenebrionidae) Synonym(s): *simplex Koch,1956* **TZ**

39. **Ancylorhynchus hylaeiformis Speiser,1910** (Asilidae) Synonym(s): *hylaeiformis Speiser,1910* TZ
40. **Ancylorhynchus nyukinus Speiser,1910** (Asilidae) Synonym(s): *nyukinus Speiser,1910* TZ
41. **Ancylorhynchus oldroydi Lindner,1961** (Asilidae) Synonym(s): *oldroydi Lindner,1961* TZ
42. **Aneomochtherus africanus (Ricardo,1919)** (Asilidae) Synonym(s): *africanus Ricardo,1919; signatipes Lindner,1955* KE TZ
43. **Aneomochtherus monobia (Speiser,1910)** (Asilidae) Synonym(s): *monobia Speiser,1910* TZ
44. **Anomalipus heraldicus Gerstraecker,1871** (Tenebrionidae) Synonym(s): *heraldicus Gerstraecker,1871* TZ KE MZ MW
45. **Anomalipus hiekei Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *hiekei Endrödy-Younga,1988* TZ
46. **Anthrax busonicus François,1960** (Bombyliidae) Synonym(s): *busonicus François,1960* BI TZ UG
47. **Anthrax nigerimus Bezzi,1923** (Bombyliidae) Synonym(s): *nigerimus Bezzi,1923* ZR KE MW TZ UG
48. **Anthrax nigerrimus Bezzi,1924 ?homonym** (Bombyliidae) Synonym(s): *nigerrimus Bezzi,1924* ZR KE MW TZ UG
49. **Anthrenus (Nathrenus) basilewskyi Kalik,1965** (Dermestidae) Synonym(s): *basilewskyi Kalik,1965* KE MW TZ
50. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
51. **Apolysis corollae Greathead,1966** (Bombyliidae) Synonym(s): *corollae Greathead,1966* TZ
52. **Apolysis fumalis Hesse,1938** (Bombyliidae) Synonym(s): *fumalis Hesse,1938* KE ZA Nta Kzu TZ
53. **Bactria rhopalocera (Karsch,1888)** (Asilidae) Synonym(s): *rhopalocera Karsch,1888* TZ
54. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909; mollis Bezzi,1921; disjunctus Bezzi,1921; parallelus Bezzi,1924* BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
55. **Betamantis aliena (Werner,1906)** (Mantidae) Synonym(s): *aliena Werner,1906* TZ
56. **Bolbula debilis Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *debilis Giglio-Tos,1915* TZ
57. **Bolbula exigua Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *exigua Giglio-Tos,1915* TZ
58. **Bolbula widenmanni Werner,1906** (Iridopterygidae) Synonym(s): *widenmanni Werner,1906* TZ
59. **Bombomyia bombiformis (Bezzi,1921)** (Bombyliidae) Synonym(s): *bombiformis Bezzi,1921* MW ZA Mpu TZ ZM ZW
60. **Bombomyia brundi Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *monticola François,1955 nec Param.,1926; brundi Evenhuis & Greathead,1999* BI KE TZ
61. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analisis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
62. **Bombomyia flagrans (Bezzi,1924)** (Bombyliidae) Synonym(s): *flagrans Bezzi,1924* KE TZ
63. **Bombomyia haemorrhoidalis (Bezzi,1921)** (Bombyliidae) Synonym(s): *haemorrhoidalis Bezzi,1921* MW TZ ZM ZW
64. **Bombomyia montium (François,1955)** (Bombyliidae) Synonym(s): *montium François,1955* BI KE TZ
65. **Bombylella argentata (Fabricius,1805)** (Bombyliidae) Synonym(s): *argentata Fabricius,1805; argyroloma Bowden,1964* TD ER CI GH KE MW NG TZ UG
66. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830; mutilatus Bezzi,1921; truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
67. **Bombylella kilimandjarica (Speiser,1910)** (Bombyliidae) Synonym(s): *kilimandjarica Speiser,1910; #nitidipunctatus Bigot,1921* AO BI KE MW ZA Kzu Nta SZ TZ
68. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata Wiedemann,1828; signifer Walker,1852; pleuralis Bezzi,1924* AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
69. **Bombylella plorans (Bezzi,1920)** (Bombyliidae) Synonym(s): *plorans Bezzi,1920; lugens Bezzi,1924; melanolomus Hesse,1938* BJ GH KE NG SN SL TZ TG UG ZW
70. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris Macquart,1846* BW KE MW ZA Kzu Nta SZ TZ ZM ZW
71. **Bombylisoma coracinum (Loew,1863)** (Bombyliidae) Synonym(s): *coracinum Loew,1863* ZA Fs Tva Lpo TZ
72. **Bombylisoma gemmeum (Bezzi,1924)** (Bombyliidae) Synonym(s): *gemmeum Bezzi,1924* KE MW TZ
73. **Bombylisoma iris (Szilady,1942)** (Bombyliidae) Synonym(s): *iris Szilady,1942* TZ

74. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 **AO KE MW NA NG TZ UG**
75. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE**
76. **Bombylisoma simba Bowden,1973** (Bombyliidae) Synonym(s): *simba* Bowden,1973 **KE TZ**
77. **Bombylisoma twiga Greathead,1996** (Bombyliidae) Synonym(s): *twiga* Greathead,1996 **KE TZ**
78. **Bombylius (s.str.) acrophylax Greathead,1991** (Bombyliidae) Synonym(s): *acrophylax* Greathead,1991 **BI ER KE TZ UG**
79. **Bombylius (s.str.) basifumatus Speiser,1914** (Bombyliidae) Synonym(s): *basifumatus* Speiser,1914 **CM ET TZ UG**
80. **Bombylius (s.str.) elbayensis Efflatoun,1945** (Bombyliidae) Synonym(s): *elbayensis* Efflatoun,1945; *cinereipilus* Greathead,1967 **ER KE SD TZ EG SA**
81. **Bombylius (s.str.) erythrocerus Bezzi,1901** (Bombyliidae) Synonym(s): *erythrocerus* Bezzi,1901; *rufoantennatus* Becker,1909 **ZR ER KE SO TZ**
82. **Bombylius (s.str.) fraudator Greathead,1991** (Bombyliidae) Synonym(s): *fraudator* Greathead,1991 **BI TZ**
83. **Ceratitis (s.str.) brachychaeta Freidberg,1991** (Tephritidae) Synonym(s): *brachychaeta* Freidberg,1991 **TZ Ani Usa**
84. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824; *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA**
85. **Cesametra natalensis (Distant,1903)** (Gerridae) Synonym(s): *natalensis* Distant,1903 **ZA Nta Kzu RW TZ ZM**
86. **Chrysolina curata (Weise,1907)** (Chrysomelidae) Synonym(s): *curata* Weise,1907 **TZ**
87. **Chrysolina duodecimstillata (Weise,1898)** (Chrysomelidae) Synonym(s): *duodecimstillata* Weise,1898 **TZ Usa**
88. **Chrysolina elysia Bechyne,1954** (Chrysomelidae) Synonym(s): *elysia* Bechyne,1954 **TZ**
89. **Chrysolina latipleura Bechyne,1952** (Chrysomelidae) Synonym(s): *latipleura* Bechyne,1952 **TZ**
90. **Chrysolina luminosa Dacchordi,1976** (Chrysomelidae) Synonym(s): *luminosa* Dacchordi,1976 **TZ**
91. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 **AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM**
92. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 **TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU**
93. **Closterocerus africanus Waterston,1925** (Eulophidae) Synonym(s): *africanus* Waterston,1925 **GH CI TZ**
94. **Closterocerus purpurissatus (Kerrich,1970)** (Eulophidae) Synonym(s): *purpurissatus* Kerrich,1970 **KE TZ**
95. **Closterocerus ritchiei (Ferrière,1936)** (Eulophidae) Synonym(s): *ritchiei* Ferrière,1936 **CG ZR KE MW TZ**
96. **Closterocerus violaceus (Ferrière,1936)** (Eulophidae) Synonym(s): *violaceus* Ferrière,1936 **KE MW TZ**
97. **Compsothespis kilwana Giglio-Tos,1913** (Mantidae) Synonym(s): *kilwana* Giglio-Tos,1913 **ZA Nta Kzu Tva Lpo TZ**
98. **Compsothespis marginipennis Werner,1916** (Mantidae) Synonym(s): *marginipennis* Werner,1916 **SO TZ**
99. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
100. **Cosmogaster impressicollis (Fairmaire,1897)** (Tenebrionidae) Synonym(s): *impressicollis* Fairmaire,1897 **TZ**
101. **Culicoides adersi Ingram & Macfie,1923** (Ceratopogonidae) Synonym(s): *adersi* Ingram & Macfie,1923 **KE TZ**
102. **Culicoides alticola Kieffer,1913** (Ceratopogonidae) Synonym(s): *alticola* Kieffer,1913 **TZ**
103. **Culicoides amaniensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *amaniensis* Khamala & Kettle,1971 **TZ**

104. **Culicoides pellucidus** Khamala & Kettle,1971 (Ceratopogonidae) Synonym(s): *pellucidus* Khamala & Kettle,1971 TZ
105. **Culicoides translucens** Khamala & Kettle,1971 (Ceratopogonidae) Synonym(s): *translucens* Khamala & Kettle,1971 TZ
106. **Danielottea lupanga** (Otte,1987) (Gryllidae) Synonym(s): *lupanga* Otte,1987 TZ Ulg
107. **Danuria (Danuroides) barbozae** (Bolivar,1889) (Mantidae) Synonym(s): *barbozae* Bolivar,1889 AO KE ZR TZ
108. **Danuria (Danuroides) kilimandjarica** (Sjöstedt,1909) (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 KE ZR MW RW TZ ZM ZW
109. **Danuria (s.str.) angusticollis** Beier,1931 (Mantidae) Synonym(s): *angusticollis* Beier,1931 SO TZ
110. **Danuria (s.str.) contorta** Sjöstedt,1913 (Mantidae) Synonym(s): *contorta* Sjöstedt,1913 KE TZ
111. **Danuria (s.str.) thunbergi** (Stal,1856) (Mantidae) Synonym(s): *thunbergi* Stal,1856 ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
112. **Debrona cervina** Walker,1870 (Tettigoniidae) Synonym(s): *cervina* Walker,1870; *habetata* Karsch,1889 ZA TZ Usa
113. **Delucchia scapulosa** (Delucchi,1962) (Pteromalidae) Synonym(s): *scapulosa* Delucchi,1962 TZ
114. **Diglyphus ambiguus** (Hansson & LaSalle,1996) (Eulophidae) Synonym(s): *ambiguus* Hansson & LaSalle,1996 IN Up ID Cib Ja MY ZA TW TZ VN
115. **Dioncomena ornata** Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *ornata* Brunner von Wattenwyl,1878 TZ Zz
116. **Dioncomena superba** Karsch,1889 (Tettigoniidae) Synonym(s): *superba* Karsch,1889 TZ Usa
117. **Dolichopus sabinus** Haliday,1838 (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842 Ce GG BG GR Cr IL Pa RO RU TR TZ
118. **Dorycoris pavoninus** (Westwood,1837) (Pentatomidae) Synonym(s): *pavoninus* Westwood,1837; *bronzea* Westwood,1837; *fuscus* Germar,1837; *annulipes* Germar,1837; *nudiventris* Stal,1864; *rutherfordi* Distant,1892 ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
119. **Ducetia biramosa** (Karsch,1889) (Tettigoniidae) Synonym(s): *biramosa* Karsch,1889 TZ Usa
120. **Dystacta alticeps** (Schaum,1853) (Mantidae) Synonym(s): *alticeps* Schaum,1853; *paradoxa* Saussure,1871 AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
121. **Empusa guttula** Thunberg,1815 (Empusidae) Synonym(s): *guttula* Thunberg,1815 EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN
122. **Entella (s.str.) delalandi** (Saussure,1870) (Mantidae) Synonym(s): *delalandi* Saussure,1870; *gracilipes* Saussure,1872 NA ZA Ec TZ ZW
123. **Entella (s.str.) grandis** (Giglio-Tos,1915) (Mantidae) Synonym(s): *grandis* Giglio-Tos,1915 TZ
124. **Entella (s.str.) meruensis** Sjöstedt,1909 (Mantidae) Synonym(s): *meruensis* Sjöstedt,1909 TZ KE
125. **Entella (s.str.) minor** (Giglio-Tos,1915) (Mantidae) Synonym(s): *minor* Giglio-Tos,1915 TZ
126. **Entella (s.str.) orientalis** (Giglio-Tos,1915) (Mantidae) Synonym(s): *orientalis* Giglio-Tos,1915 MZ TZ ZA Tva Lpo
127. **Entella (s.str.) reussi** (Giglio-Tos,1915) (Mantidae) Synonym(s): *reussi* Giglio-Tos,1915 TZ
128. **Entella (s.str.) rukwaensis** Kaltenbach,1990 (Mantidae) Synonym(s): *rukwaensis* Kaltenbach,1990 TZ
129. **Entella (s.str.) stegmanni** Rehn,1914 (Mantidae) Synonym(s): *stegmanni* Rehn,1914 TZ ZR
130. **Entella (s.str.) taborana** (Giglio-Tos,1915) (Mantidae) Synonym(s): *taborana* Giglio-Tos,1915 TZ
131. **Entella (s.str.) vitticeps** (Sjöstedt,1909) (Mantidae) Synonym(s): *vitticeps* Sjöstedt,1909 KE MZ TZ
132. **Epitenodera capitata** (Saussure,1869) (Mantidae) Synonym(s): *capitata* Saussure,1869; *ibana* Giglio-Tos,1912; *iringana* Giglio-Tos,1912; *madimbana* Giglio-Tos,1912 AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ
133. **Eurycorypha meruensis** Sjöstedt,1909 (Tettigoniidae) Synonym(s): *meruensis* Sjöstedt,1909 TZ ZA Tva Gau Pre
134. **Eurycorypha varia** Brunner von Wattenwyl,1891 (Tettigoniidae) Synonym(s): *varia* Brunner von Wattenwyl,1891 TZ Kmj
135. **Exoprosopa atrinasis** Speiser,1910 (Bombyliidae) Synonym(s): *atrinasis* Speiser,1910 TZ ET KE UG ZM
136. **Exoprosopa brevinasis** Bezzi,1924 (Bombyliidae) Synonym(s): *brevinasis* Bezzi,1924; *engyoptera* Hesse,1956 KE TZ ZM
137. **Exoprosopa erronea** Bezzi,1924 (Bombyliidae) Synonym(s): *erronea* Bezzi,1924 MW TZ
138. **Exoprosopa luteicosta** Bezzi,1921 (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra* Bezzi,1924; *saskae* Szilady,1942 AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW

139. **Exoprosopa magnipennis Bezzi,1924** (Bombyliidae) Synonym(s): *magnipennis Bezzi,1924* KE TZ YE
140. **Exoprosopa schmidti Karsch,1888** (Bombyliidae) Synonym(s): *schmidti Karsch,1888* TZ Zz KE
141. **Exoprosopa selenops Greathead,2001** (Bombyliidae) Synonym(s): *selenops Greathead,2001* KE TZ
142. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides Bezzi,1924* ZM ZR MW TZ ZA ZW
143. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae Risbec,1951; africanus Risbec,1955; deemingi Subba Rao,1970* BJ CM GH KE MW NG SN TZ UG
144. **Galepsus (Lygdamia) trilobus Giglio-Tos,1917** (Irididae) Synonym(s): *trilobus Giglio-Tos,1917* TZ
145. **Galepsus (Onychogalepsus) capitatus (Saussure,1869)** (Irididae) Synonym(s): *capitatus Saussure,1869* ET KE TZ ZW ZA Tva Lpo Nta Kzu
146. **Galepsus (Onychogalepsus) centralis Beier,1957** (Irididae) Synonym(s): *centralis Beier,1957* ZR TZ
147. **Galepsus (Onychogalepsus) diversus Giglio-Tos,1911** (Irididae) Synonym(s): *diversus Giglio-Tos,1911* TZ UG KE
148. **Galepsus (Onychogalepsus) gracilis Giglio-Tos,1911** (Irididae) Synonym(s): *gracilis Giglio-Tos,1911* TZ Zz KE UG
149. **Galepsus (Onychogalepsus) minimus (Werner,1907)** (Irididae) Synonym(s): *minimus Werner,1907* TZ
150. **Galepsus (Onychogalepsus) minutus Giglio-Tos,1911** (Irididae) Synonym(s): *minutus Giglio-Tos,1911* ET TZ MW
151. **Galepsus (Onychogalepsus) supervacaneus Beier,1954** (Irididae) Synonym(s): *supervacaneus Beier,1954* TZ
152. **Galepsus (s.str.) montanus Werner,1907** (Irididae) Synonym(s): *modesta Gerstaecker,1869; montanus Werner,1907; dubius Giglio-Tos,1911* KE SO TZ
153. **Galepsus (s.str.) nyassensis Giglio-Tos,1911** (Irididae) Synonym(s): *nyassensis Giglio-Tos,1911* TZ
154. **Gastrimargus africanus (Saussure,1888)** (Acrididae) Synonym(s): *africanus Saussure,1888; orientalis Sjöstedt,1928; zebrata Sjöstedt,1928* RW ZA TZ CM NG GH TG BJ CI TD YE IN MM LK
155. **Geron nomadicus Hesse,1938** (Bombyliidae) Synonym(s): *nomadicus Hesse,1938; breyeri Hesse,1938* BW MZ NA ZA Nta Kzu TZ ZW
156. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri Schouteden,1904* BJ KE AO NG CI GH ZR TZ ET
157. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus Westwood,1837; moesta Germar,1837; pictiventris Stal,1853* ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
158. **Glypsus fuscispinus Stal,1870** (Pentatomidae) Synonym(s): *fuscispinus Stal,1870* ZA ET TZ
159. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi Schouteden,1904* GH KE SD NG AO TG TZ ET ZR
160. **Glyptopteryx quadricollis (Fairmaire,1887)** (Tenebrionidae) Synonym(s): *quadricollis Fairmaire,1887; forticollis Gebien,1910* TZ
161. **Gonatoxia immaculata Karsch,1889** (Tettigoniidae) Synonym(s): *immaculata Karsch,1889* TZ Usa
162. **Gonopus (s.str.) prosternalis Gebien,1920** (Tenebrionidae) Synonym(s): *prosternalis Gebien,1920; ntidipleuris Gebien,1920* MZ TZ
163. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870* AO BW ZR LS MW MZ NA ZA TZ ZM ZW
164. **Gonypetella carinata Kaltenbach,1990** (Mantidae) Synonym(s): *carinata Kaltenbach,1990* KE Elg TZ
165. **Gonypetella flavicornis (Sjöstedt,1909)** (Mantidae) Synonym(s): *flavicornis Sjöstedt,1909* KE RW Ug Rz TZ
166. **Gonypetella fuscipes (Sjöstedt,1909)** (Mantidae) Synonym(s): *fuscipes Sjöstedt,1909* ET MW TZ
167. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* AO BW ZR TZ ZM ZW KE TZ
168. **Gryllotalpa debilis Gerstaecker,1869** (Gryllotalpidae) Synonym(s): *debilis Gerstaecker,1869; minr Brunn,1901* TZ Zz
169. **Gryllotalpa minuta Burmeister,1838** (Gryllotalpidae) Synonym(s): *minuta Burmeister,1838* ZA TZ
170. **Hapalomantis (Bolbira) minima (Werner,1906)** (Iridopterygidae) Synonym(s): *minima Werner,1906* KE TZ ZW

171. **Hapalomantis (s.str.) orba (Stal,1856)** (Iridopterygidae) Synonym(s): *orba* Stal,1856; *mendionalis* Saussure,1871 KE MZ TZ ZA Nta Kzu
172. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis* Burmeister,1838; *purpunpennis* Audinet-Serville,1839; *wahlbergi* Stal,1856 (part); *phantasma* Rehn,1949 ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET
173. **Heringomyia fordiana (Munro,1935)** (Tephritidae) Synonym(s): *fordiana* Munro,1935 TZ
174. **Heringomyia zernyana (M.Hering,1941)** (Tephritidae) Synonym(s): *zernyana* M.Hering,1941 TZ
175. **Heterochaeta orientalis Kirby,1904** (Mantidae) Synonym(s): *orientalis* Kirby,1904 ET KE SO SD TZ
176. **Heterochaeta reticulata Roy,1977** (Mantidae) Synonym(s): *reticulata* Roy,1977 ZR TZ ZW
177. **Heterochaeta zavattarii La Greca,1951** (Mantidae) Synonym(s): *zavattarii* La Greca,1951 ET KE TZ
178. **Horatosphaga heteromorpha (Karsch,1889)** (Tettigoniidae) Synonym(s): *heteromorpha* Karsch,1889; *hoehneli* Brunner,1891; *parallela* Schulthess,1898; *kilimandjarica* Stöstedt,1909; *gracilis* Bolivar,1922 nec Sj.,1912 KE Mb TZ ET
179. **Horatosphaga meruensis Sjöstedt,1909** (Tettigoniidae) Synonym(s): *meruensis* Sjöstedt,1909 TZ Mru
180. **Horatosphaga montivaga Sjöstedt,1909** (Tettigoniidae) Synonym(s): *montivaga* Sjöstedt,1909 TZ Kmj
181. **Horatosphaga nomima Karsch,1896** (Tettigoniidae) Synonym(s): *nomima* Karsch,1896 TZ
182. **Horatosphaga regularis (Bolivar,1922)** (Tettigoniidae) Synonym(s): *reticulata* Karsch,1889; *regularis* Bolivar,1922 KE TZ
183. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica* Saussure,1869 ET KE MW SO TZ UG
184. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons* Saussure & Zehntner,1895 ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE
185. **Idolomorpha lateralis (Burmeister,1838)** (Empusidae) Synonym(s): *lateralis* Burmeister,1838; *defoliata* Audinet-Serville,1839; *spinifrons* Saussure,1859 AO BF CI GH CM LR KE MZ SN SL SD TZ TG
186. **Ischnomantis usambarica Sjöstedt,1909** (Mantidae) Synonym(s): *usambarica* Sjöstedt,1909 TZ
187. **Junodia amoena Schulthess & Rechberg,1899** (Hymenopodidae) Synonym(s): *amoena* Schulthess & Rechberg,1899 KE MZ Del TZ ET
188. **Junodia strigipennis (Westwood,1889)** (Hymenopodidae) Synonym(s): *annulatus* Audinet-Serville,1831; *capensis* Saussure,1871; *strigipennis* Westwood,1889 ET MZ ZW ZA Nta Kzu TZ
189. **Leptocola phthisica (Saussure,1869)** (Mantidae) Synonym(s): *phthisica* Saussure,1869; *giraffa* Karsch,1894 AO BF GH GN SN KE TZ TG
190. **Leptocola stanleyana (Westwood,1889)** (Mantidae) Synonym(s): *stanleyana* Westwood,1889; *lignea* Karsch,1892 GA CM ZR MZ TZ TG
191. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
192. **Leptolobus zanzibaricus Bolivar,1879** (Pentatomidae) Synonym(s): *zanzibaricus* Bolivar,1879 TZ Zz SO
193. **Letana zanzibarica (Brunner,1891)** (Tettigoniidae) Synonym(s): *zanzibarica* Brunner,1891 TZ Zz
194. **Ligaria brevis Giglio-Tos,1915** (Mantidae) Synonym(s): *brevis* Giglio-Tos,1915 KE TZ UG
195. **Ligaria denticollis (Werner,1916)** (Mantidae) Synonym(s): *denticollis* Werner,1916 ET TZ
196. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata* Stal,1877; *fortis* Karny,1908 ET KE TZ ZA Tva Lpo Gau Pre ZM ZW
197. **Lyneborgimyia magnifica Doczkal & Pape,2009** (Syrphidae) Synonym(s): *magnifica* Doczkal & Pape,2009 TZ
198. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta* Dallas,1851; *spurcata* Walker,1868; *infusata* Walker,1868; *spinosum* Horvath,1892 AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
199. **Macrorhaphis (s.str.) dallasi Schouteden,1905** (Pentatomidae) Synonym(s): *dallasi* Schouteden,1905 MG TZ UG
200. **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
201. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 *Gryllus religiosus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
202. **Meruacesa elegans (Delucchi,1962)** (Eulophidae) Synonym(s): *elegans* Delucchi,1962 TZ

203. **Meruterrana elegans Sjöstedt,1912** (Tettigoniidae) Synonym(s): *elegans Sjöstedt,1912* TZ
Mru
204. **Milichia apicalis Sabrosky,1965** (Milichiidae) Synonym(s): *apicalis Sabrosky,1965* TZ
205. **Milichia fumicostata Deeming,1981** (Milichiidae) Synonym(s): *fumicostata Deeming,1981*
MW TZ
206. **Milichiella acrosticalis (Sabrosky,1958)** (Milichiidae) Synonym(s): *acrosticalis Sabrosky,1958* KE NG TZ
207. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis Loew,1866*
AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
208. **Miomantis abyssinica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *abyssinica Giglio-Tos,1911* ET RW TZ BI
209. **Miomantis affinis Sjöstedt,1909** (Mantidae) Synonym(s): *affinis Sjöstedt,1909* KE TZ
210. **Miomantis alata (Giglio-Tos,1917)** (Mantidae) Synonym(s): *alata Giglio-Tos,1917* TZ
211. **Miomantis amanica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *amanica Giglio-Tos,1911* TZ
Ani
212. **Miomantis annulipes (Werner,1916)** (Mantidae) Synonym(s): *annulipes Werner,1916* TZ UG
213. **Miomantis aurantiaca (Giglio-Tos,1911)** (Mantidae) Synonym(s): *aurantiaca Giglio-Tos,1911*;
mombasica Giglio-Tos,1911 KE Mb TZ
214. **Miomantis binotata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *binotata Giglio-Tos,1911* KE
MW RW TZ TG BI
215. **Miomantis brevipennis Saussure,1872** (Mantidae) Synonym(s): *brevipennis Saussure,1872*;
assignata Rehn,1914 TZ Zz CF
216. **Miomantis cinnabarina (Giglio-Tos,1911)** (Mantidae) Synonym(s): *cinnabarina Giglio-Tos,1911* TZ
217. **Miomantis equalis (Rehn,1904)** (Mantidae) Synonym(s): *equalis Rehn,1904* TZ ZA Kzu Nta
218. **Miomantis fallax (Giglio-Tos,1917)** (Mantidae) Synonym(s): *fallax Giglio-Tos,1917* KE TZ
219. **Miomantis kibweziana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *kibweziana Giglio-Tos,1911*;
moerana Giglio-Tos,1917 KE UG Rz TZ ZA Tva Lpo
220. **Miomantis kilimandjarica Sjöstedt,1909** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909*;
irrorata Giglio-Tos,1911 KE TZ UG
221. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis Giglio-Tos,1911* ET KE
MW RW SO TZ UG BI
222. **Miomantis mombasica (Giglio-Tos,1911)** (Mantidae) Synonym(s): *mombasica Giglio-Tos,1911* KE Mb RW TZ BI
223. **Miomantis montana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *montana Giglio-Tos,1911*
ET KE RW TZ UG BI
224. **Miomantis ornata (Giglio-Tos,1911)** (Mantidae) Synonym(s): *ornata Giglio-Tos,1911* KE
TZ
225. **Miomantis planivertex Sjöstedt,1909** (Mantidae) Synonym(s): *planivertex Sjöstedt,1909*
TZ
226. **Miomantis pygmaea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *pygmaea Giglio-Tos,1917*
ET KE RW TZ UG BI
227. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata Saussure,1898* ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG
228. **Miomantis rebeli Beier,1929** (Mantidae) Synonym(s): *rebeli Beier,1929* TZ
229. **Miomantis rubra Beier,1929** (Mantidae) Synonym(s): *rubra Beier,1929* TZ
230. **Miomantis sangarana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *sangarana Giglio-Tos,1911* TZ
231. **Miomantis semialata Saussure,1871** (Mantidae) Synonym(s): *semialata Saussure,1871* ZA Ec
Nta Kzu SZ ZW NA TZ
232. **Miomantis sjostedti Giglio-Tos,1917** (Mantidae) Synonym(s): *sjostedti Giglio-Tos,1917*
TZ
233. **Miomantis tangana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *tangana Giglio-Tos,1911*
KE TZ
234. **Miomantis tenuis (Giglio-Tos,1917)** (Mantidae) Synonym(s): *tenuis Giglio-Tos,1917* KE
TZ
235. **Miomantis usambanca (Giglio-Tos,1911)** (Mantidae) Synonym(s): *usambanca Giglio-Tos,1911* TZ
236. **Miomantis vitrea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *vitrea Giglio-Tos,1917* KE
TZ
237. **Neodanuria bolauana (Saussure,1869)** (Mantidae) Synonym(s): *bolauana Saussure,1869*;
superciliaris Gerstraecker,1869 KE SO TZ
238. **Neomyia aurantiaca (Villeneuve,1916)** (Muscidae) Synonym(s): *aurantiaca Villeneuve,1916* ZA TZ ZR
239. **Neomyia aureopyga (Malloch,1923)** (Muscidae) Synonym(s): *aureopyga Malloch,1923*
KE TZ UG ZR

240. **Neomyia chrysopyga (Emden,1939)** (Muscidae) Synonym(s): *chrysopyga* Emden,1939
TZ KE ZW
241. **Neomyia currani (Pont,1980)** (Muscidae) Synonym(s): *currani* Pont,1980 ZR MW TZ UG
242. **Neomyia laxifrons (Villeneuve,1916)** (Muscidae) Synonym(s): *laxifrons* Villeneuve,1916
TZ ZR ZA
243. **Neomyia racilia (Walker,1849)** (Muscidae) Synonym(s): *racilia* Walker,1849; *furvus*
May,1958 GO ZA ET SD TZ
244. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera*
Loew,1851; *stenura* Loew,1858; *ruficornis* Wulp,1899 IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU
245. **Ochrilidia gracilis (Krauss,1902)** (Acrididae) Synonym(s): *gracilis* Krauss,1902 DZ ET
EG TZ
246. **Oliarus tanzanica Van Stalle,1987** (Cixiidae) Synonym(s): *tanzanica* Van Stalle,1987 TZ
247. **Omomantis tigrina Giglio-Tos,1916** (Mantidae) Synonym(s): *tigrina* Giglio-Tos,1916 SO
TZ
248. **Onthophagus (Palaeonthophagus) conspersus Reitter,1892** (Scarabaeidae)
Synonym(s): *conspersus* Reitter,1892 TZ AF
249. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre*
Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 Cc AZ BG CY GR IL
Pa UA Cm DZ TN Md TZ
250. **Otomantis aurita (Saussure & Zehntner,1895)** (Hymenopodidae) Synonym(s): *aurita*
Saussure & Zehntner,1895 MG TZ
251. **Otomantis scutigera Bolivar,1890** (Hymenopodidae) Synonym(s): *scutigera* Bolivar,1890;
africana Saussure & Zehntner,1895 MW MZ TZ ZA Tva Lpo
252. **Oxyelaea elegans Giglio-Tos,1917** (Irididae) Synonym(s): *elegans* Giglio-Tos,1917 ZR TZ
253. **Oxyophthalmellus somalicus (Rehn,1911)** (Irididae) Synonym(s): *somalicus* Rehn,1911
ET SO KE TZ
254. **Oxypilus (s.str.) montanus Roy,1999** (Hymenopodidae) Synonym(s): *montanus* Roy,1999
RW KE Nai BI TZ UG
255. **Oxypilus (s.str.) tanzanicus Roy,1969** (Hymenopodidae) Synonym(s): *tanzanicus*
Roy,1969 TZ
256. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s):
nasutus Fabricius,1787; *capensis* Saussure,1871 ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM
ZW
257. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis*
Sjöstedt,1909; *nigericus* Beier,1930 NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
258. **Paracilnia neavei Werner,1909** (Mantidae) Synonym(s): *neavei* Werner,1909 ZR TZ ZW
259. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor* Thunberg,1815;
sylvestris Thunberg,1815; *superba* Bolivar,1905; *terminale* Bolivar,1908; *madecassa* Key,1936; *montana*
Key,1936; *sudanensis* Key,1936 DZ PT ES SA As TR MG SD ET TZ ZR
260. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis* Stal,1856; *moesta*
Werner,1915 ZA Nta Kzu AO ET CM ZR KE TZ ZW
261. **Paramantis nyasana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *nyasana* Giglio-Tos,1912 KE
TZ ZW
262. **Paramantis ottei Koçak & Kemal,2008** (Mantidae) Synonym(s): *prasina* Serville,1839 nec
Burmeister,1838; *ottei* Koçak & Kemal,2008 Paramantis ottei Koçak & Kemal,2008, Cent. ent. Stud.,
Misc. Pap. 145: 8-9 (nomen novum pro *prasina* Serville,1839 nec Burmeister,1838). ZA Ec CI GH GN
KE KM MG TZ TG RE
263. **Paramantis togana (Giglio-Tos,1915)** (Mantidae) Synonym(s): *togana* Giglio-Tos,1915
CM LR TZ TG
264. **Paramantis victoriana (Werner,1908)** (Mantidae) Synonym(s): *victoriana* Werner,1908;
mitiana Giglio-Tos,1912 AO CM ZR UG RZ TZ
265. **Parasphendale africana Giglio-Tos,1915** (Mantidae) Synonym(s): *africana* Giglio-Tos,1915
KE SO TZ
266. **Parasphendale agrionina (Gerstaecker,1869)** (Mantidae) Synonym(s): *agrionina*
Gerstaecker,1869; *vineta* Gerstaecker,1869 ET KE TZ
267. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis* Kirby,1904 ZA
Tva Lpo ZW TZ KE ET SO UG
268. **Parasphendale stali Sjöstedt,1930** (Mantidae) Synonym(s): *stali* Sjöstedt,1930 KE TZ ZW
269. **Parentella parva (Saussure,1899)** (Mantidae) Synonym(s): *parva* Saussure,1899 TZ
270. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857;
tetrasticta Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana*
Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bi vittata* Bei-Bienko,1954;
africana Steinmann,1966 Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type
♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY
EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ

271. **Pictomantis rogenhoferi (Saussure,1872)** (Mantidae) Synonym(s): *rogenhoferi* Saussure,1872; *wernerii* Sjöstedt,1930 **TZ ZA Tva Lpo Nta Kzu ZW**
272. **Plastogalepsus kuhlgatzi (Werner,1907)** (Irididae) Synonym(s): *kuhlgatzi* Werner,1907 **KE TZ SN**
273. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adspersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet- Serville,1839 **AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW**
274. **Popa spurca crassa Giglio-Tos,1917** (Mantidae) Synonym(s): *crassa* Giglio-Tos,1917 **ET KE MG MW SO TZ UG**
275. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
276. **Pseudogalepsus dispar (Werner,1907)** (Irididae) Synonym(s): *dispar* Werner,1907 **ET CM KE MZ TZ**
277. **Pseudogalepsus inermis (Giglio-Tos,1911)** (Irididae) Synonym(s): *inermis* Giglio-Tos,1911; *nyassanus* Giglio-Tos,1911 **MZ TZ AO**
278. **Pseudogalepsus modestior Schulthess-Rechberg,1899** (Irididae) Synonym(s): *modestior* Schulthess-Rechberg,1899; *schulthessi* Rehn,1901 **ET KE ZR TZ UG**
279. **Pseudogalepsus modestus (Gerstaecker,1869)** (Irididae) Synonym(s): *modestus* Gerstaecker,1869 **KE TZ Zz**
280. **Pseudogalepsus nigricoxa (Sjöstedt,1909)** (Irididae) Synonym(s): *nigricoxa* Sjöstedt,1909; *kilwanus* Giglio-Tos,1911 **TZ**
281. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
282. **Pyrgomantis congica Giglio-Tos,1917** (Irididae) Synonym(s): *congica* Giglio-Tos,1917 **AO ZR TZ**
283. **Pyrgomantis fasciata Giglio-Tos,1917** (Irididae) Synonym(s): *fasciata* Giglio-Tos,1917; *longissima* Beier,1957 **AO ZA Tva Lpo ZR TZ MZ**
284. **Pyrgomantis nasuta (Thunberg,1784)** (Irididae) Synonym(s): *nasuta* Thunberg,1784; *capensis* Gmelin,1790 **ZA Nta Kzu Tva Lpo AO CM KE NA SO TZ**
285. **Pyrgomantis simillima Beier,1954** (Irididae) Synonym(s): *simillima* Beier,1954; *curta* Beier,1954 **ZW ZA Tva Lpo TZ**
286. **Pyrgomantis singularis Gerstaecker,1869** (Irididae) Synonym(s): *singularis* Gerstaecker,1869 **KE Ms TZ ZA Tva Lpo Nta Kzu**
287. **Pyrgoteles usambarae (Melichar,1908)** (Fulgoridae) Synonym(s): *usambarae* Melichar,1908 **TZ Usa**
288. **Rhacimantis carinata Giglio-Tos,1915** (Mantidae) Synonym(s): *carinata* Giglio-Tos,1915 **TZ**
289. **Rhomboderella scutata (Bolivar,1889)** (Mantidae) Synonym(s): *scutata* Bolivar,1889 **AO KE ZR TZ ZW**
290. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **MA Cn MR NE TD LY TZ SO SA YE OM AM AZ Cc IR PK IN LK Ass Meg**
291. **Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870 **TR Cc AZ IR PK IN LK SA SO TZ Cn**
292. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis* Becker,1916 **UG ZA TZ KE NG CM NE**
293. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis* Duda,1935 **NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET**
294. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**
295. **Sphodromantis centralis Rehn,1914** (Mantidae) Synonym(s): *centralis* Rehn,1914 **ET KE RW BI TZ UG CF**
296. **Sphodromantis fenestrata Giglio-Tos,1912** (Mantidae) Synonym(s): *fenestrata* Giglio-Tos,1912; *fulva* Giglio-Tos,1912; *uebina* Giglio-Tos,1912 **ET KE SO SD TZ**
297. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica* Stal,1858; *bicarinata* Saussure,1869 **ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO**
298. **Sphodromantis kersteni (Gerstaecker,1869)** (Mantidae) Synonym(s): *kersteni* Gerstaecker,1869; *christina* Kirby,1904 **KE SD TZ**
299. **Sphodromantis lagrecai Lombardo,1989** (Mantidae) Synonym(s): *lagrecai* Lombardo,1989 **KE TZ UG**
300. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**

301. **Sphodromantis obscura** Beier & Hocking,1965 (Mantidae) Synonym(s): *obscura* Beier & Hocking,1965 TZ
302. **Sphodromantis rubrostigma** Werner,1916 (Mantidae) Synonym(s): *rubrostigma* Werner,1916 KE TZ
303. **Sphodromantis rudolfae** (Rehn,1901) (Mantidae) Synonym(s): *rudolfae* Rehn,1901 ER KE SO TZ Zz
304. **Sphodromantis tenuidentata** Lombardo,1991 (Mantidae) Synonym(s): *tenuidentata* Lombardo,1991 TZ
305. **Stenopyga (s.str.) tenera** Werner,1908 (Mantidae) Synonym(s): *tenera* Werner,1908 TZ
306. **Stenopygella orientalis** Giglio-Tos,1916 (Mantidae) Synonym(s): *orientalis* Giglio-Tos,1916 KE TZ
307. **Stenopygella reticulata** (Werner,1916) (Mantidae) Synonym(s): *reticulata* Werner,1916 CM TZ
308. **Stenopygella usambarica** Beier,1935 (Mantidae) Synonym(s): *orientalis* Werner,1916 nec *Gigl.-Tos,1916; usambarica* Beier,1935 TZ
309. **Stomorhina tanzibara** Lehrer,2007 (Calliphoridae) Synonym(s): *tanzibara* Lehrer,2007 TZ Usa
310. **Systropha (Austrosystropha) macronasuta** Strand,1911 (Halictidae) Synonym(s): *macronasuta* Strand,1911 TZ Zz
311. **Systropus (Dimelopelma) trigonalis** Bezzi,1924 (Bombyliidae) Synonym(s): *trigonalis* Bezzi,1924 KE TZ UG
312. **Systropus (s.str.) hirtulus** Bowden,1967 (Bombyliidae) Synonym(s): *hirtulus* Bowden,1967 MW TZ
313. **Tanzanicesa gibbosa** (Deluchhi,1962) (Pteromalidae) Synonym(s): *gibbosa* Deluchhi,1962 TZ
314. **Tarachodes (Chiropacha) aestuans** Saussure,1895 (Irididae) Synonym(s): *aestuans* Saussure,1895; *media* Schulthess-Schnidler,1898; *orientalis* Giglio-Tos,1911 DZ? SO ET KE TZ UG
315. **Tarachodes (s.str.) alluaudi** Chopard,1914 (Irididae) Synonym(s): *alluaudi* Chopard,1914; *minor* Chopard,1921 ET SO KE TZ UG
316. **Tarachodes (s.str.) chopardii** Giglio-Tos,1917 (Irididae) Synonym(s): *chopardii* Giglio-Tos,1917 ZR TZ
317. **Tarachodes (s.str.) circulifer** Beier,1963 (Irididae) Synonym(s): *circulifer* Beier,1963 TZ
318. **Tarachodes (s.str.) fraterculus** Rehn,1912 (Irididae) Synonym(s): *fraterculus* Rehn,1912 TZ
319. **Tarachodes (s.str.) fuscipennis** Sjöstedt,1930 (Irididae) Synonym(s): *fuscipennis* Sjöstedt,1930 TZ
320. **Tarachodes (s.str.) haedus** Beier,1957 (Irididae) Synonym(s): *haedus* Beier,1957 TZ
321. **Tarachodes (s.str.) insidiator** Wood-Mason,1882 (Irididae) Synonym(s): *insidiator* Wood-Mason,1882; *sancta* Werner,1907; *pilosides* Rehn,1912 AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW
322. **Tarachodes (s.str.) karschii** Werner,1907 (Irididae) Synonym(s): *karschii* Werner,1907 TZ Dss ET KE SO
323. **Tarachodes (s.str.) maurus** (Stal,1856) (Irididae) Synonym(s): *maurus* Stal,1856 CM MW MZ NA ZA Nta Kzu Dbn Tva Lpo TZ
324. **Tarachodes (s.str.) okahandyanus** Giglio-Tos,1911 (Irididae) Synonym(s): *okahandyanus* Giglio-Tos,1911 NA TZ
325. **Tarachodes (s.str.) sanctus** (Saussure,1871) (Irididae) Synonym(s): *sanctus* Saussure,1871; *insidiator* Wood-Mason,1882; *scer* Giglio-Tos,1907; *kibwezianus* Giglio-Tos,1911 ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE
326. **Tarachodes (s.str.) taboranus** Giglio-Tos,1911 (Irididae) Synonym(s): *taboranus* Giglio-Tos,1911; *kuhlgatzi* Werner,1907 TZ
327. **Tarachodes (s.str.) usambarica** Sjöstedt,1909 (Irididae) Synonym(s): *usambarica* Sjöstedt,1909 TZ Usa KE
328. **Taumantis sigiana** (Giglio-Tos,1911) (Mantidae) Synonym(s): *sigiana* Giglio-Tos,1911 TZ KE
329. **Telomantis lamperti** (Werner,1906) (Mantidae) Synonym(s): *lamperti* Werner,1906; *usambarica* Sjöstedt,1909; *madagassica* Paulian,1957 MG MW KE TZ
330. **Tenodera superstitiona** (Fabricius,1781) (Mantidae) Synonym(s): *superstitiona* Fabricius,1781; *bokiana* Giglio-Tos,1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
331. **Toxophora coeruleiventris** Karsch,1887 (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW
332. **Toxophora diploptera** Speiser,1910 (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 BW KE NA ZA Nta Kzu Tva Mpu TZ ZW
333. **Toxophora epargyroides** Hesse,1938 (Bombyliidae) Synonym(s): *epargyroides* Hesse,1938 KE? NA TZ ZW
334. **Truxalis burtti** Dirsh,1951 (Acrididae) Synonym(s): *burtti* Dirsh,1951 TZ

335. **Tylopsis dispar Sjöstedt,1909** (Tettigoniidae) Synonym(s): *dispar Sjöstedt,1909* **TZ**
336. **Unalia fitzgeraldi (Uvarov,1953)** (Acrididae) Synonym(s): *fitzgeraldi Uvarov,1953* **TZ**
337. **Usambrachys anderseni Constant,2005** (Eurybrachidae) Synonym(s): *anderseni Constant,2005* **TZ Tnga**
338. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata Wiedemann,1821; albescens Loew,1860; flavescens Loew,1860; albopilva François,1969* **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**



Synonymic and distributional list of the pterygot insects of Tunis

(Results of the Entomofauna of the World based upon info-system of the Cesa)

60

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Tunis (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 60.

Priamus (suppl.) 18: 2056-2083.

In this study, totally 699 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Tunis recorded in info-system of the Cesa, total pterygot species of Tunis increase to 1500.

Key words: List, distribution, *pterygota*, *Insecta*, Tunis.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹²²
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 699 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 801 recorded species of Lepidoptera from Tunis are found. Taking this information into consideration, total number of the pterygots may increase to 1500.

The study is still continuing, and the new results will be published within this Project.

1. **Acantothereva oblata Holston,2009** (Therevidae) Synonym(s): *oblata Holston,2009* **TN**
2. **Acrita turrita (Linnaeus,1758)** (Acrididae) Synonym(s): *turrita Linnaeus,1758*; *rufescens Beauvois,1805*; *tenuis Beauvois,1805*; *carinulata Bolivar,1889*; *uvarovi Bolivar,1936*; *maroccana Dirsh,1949*; *sicula Dirsh,1949*; *tunetana Dirsh,1949* **CV NG BJ MA TN IT Si**

¹²² Koçak,A.Ö. & M.Kemal, 2007, Report on the Temporary Results of the Faunal Lists of African States based upon the Databank of the Cesa. 16. Tunis stand 22.7.2007 [totally 932 sp. & ssp. listed]

http://www.metafro.be/Members/Cesa/Cesapublafr19.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

3. **Acrospilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger* Loew,1869; *perplexus* Becker,1917 **BG RO RU DZ TN**
4. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
5. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 **DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU**
6. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 **DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA**
7. **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps* Puton,1887; *tabida* Horvath,1911; *planiceps* Horvath,1917 **IL Pa DZ TN EG Cc AZ IR**
8. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis* Fabricius,1787; *refulgens* Herbst,1790; *aupick* Gory & Percheson,1833; *barbara* Gory & Percheson,1833; *doguerau* Gory & Percheson,1833; *viridiflua* Motschulsky,1835; *deserticola* Waltl,1838 **DZ TN MA LY Cy ES IT Si**
9. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch Kk Lb Pk Sa Sy Tm Uz Tr**
10. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**
11. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877 **FR GR IL IT Sa ES SY TN TR UA Cm**
12. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 **AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU**
13. **Agapanthia zappii Sama,1987** (Cerambycidae) Synonym(s): *zappii* Sama,1987 **MA DZ TN LY**
14. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si Kk Kp Kr Lb Lt Md Mn Ma Nl Cn Pl Pt Ro Ru At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**
15. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis* Haupt,1962 **TR LY TN IL Pa ES Cn SY Hms**
16. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 **Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG**
17. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 **TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU**
18. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 **DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA**
19. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 **Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU**
20. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
21. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 **AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU**
22. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 **AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU**
23. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA**

24. **Allygus modestus** Scott,1876 (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
25. **Alocoderus hydrochaeris** (Fabricius,1798) (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius,1798 DZ MA TN LY Cy EG Sn RU Sb IL Pa LB SY
26. **Amara (s.str.) aenea** (De Geer,1774) (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
27. **Amara (s.str.) eurynota** (Panzer,1796) (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
28. **Amara (s.str.) lucida** (Duftschmid,1812) (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythropha* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
29. **Amara (Xenocelia) fusca** Dejean,1828 (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
30. **Amathomyia persiana** Hermann,1912 (Asilidae) Synonym(s): *persiana* Hermann,1912; *persiana* Becker,1913 KG IR Ss TN
31. **Ameles assoi** (Bolivar,1873) (Mantidae) Synonym(s): *assoi* Bolivar,1873 ES MA TN
32. **Ameles dumonti** Chopard,1943 (Mantidae) Synonym(s): *dumonti* Chopard,1943 MA TN
33. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
34. **Anagyrus matritensis** (Mercet,1921) (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
35. **Anastoechus bahirae** Becker,1915 (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940 TN EG KE SD DZ IL Pa LY SA ES SY
36. **Anastoechus exalbidus** (Wiedemann,1820) (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
37. **Anastoechus stramineus** (Wiedemann,1820) (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 IT DZ EG FR IL Pa LY PT ES TN TM SA SD
38. **Anastoechus trisignatus** Portschnsky,1881 (Bombyliidae) Synonym(s): *trisignatus* Portschnsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
39. **Ancylorhynchus limbatus** (Fabricius,1794) (Asilidae) Synonym(s): *limbatus* Fabricius,1794; *laufferi* Strobls,1906 ES MA TN
40. **Ancylorhynchus rufocinctus** Séguéy,1930 (Asilidae) Synonym(s): *rufocinctus* Séguéy,1930 TN IL Pa
41. **Andricus coriarius** (Hartig,1843) (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
42. **Aneomochtherus aegyptius** (Macquart,1838) (Asilidae) Synonym(s): *aegyptius* Macquart,1838; *longitudinalis* Loew,1856 EG TN DZ
43. **Aneomochtherus ochriventris** (Loew,1854) (Asilidae) Synonym(s): *ochriventris* Loew,1854; *tenellus* Becker,1923 MA TN ES SY
44. **Aneuclis melanarius** (Holmgren,1860) (Ichneumonidae) Synonym(s): *melanarius* Holmgren,1860 MD TN TR
45. **Anoplotettix fuscovenosus** (Ferrari,1882) (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
46. **Anoscopus albifrons** (Linnaeus,1758) (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
47. **Anthaxia (s.str.) salicis** (Fabricius,1776) (Buprestidae) Synonym(s): *salicis* Fabricius,1776 DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
48. **Anthidium (Anthidiellum) brevisculum** Pérez,1890 (Megachilidae) Synonym(s): *brevisculum* Pérez,1890; *troodicum* Mavromoustakis,1949 FR CY GR Rd LB IL Pa Js TR TN

49. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperulum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerales* Alfken,1936 MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ
50. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 nec Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolutor* Fertton,1921 FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR
51. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleri* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
52. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN
53. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum* Fabricius,1787; *ordonezi* Dusmet,1915; *amismizianum* Dusmet,1915 MA DZ TN LY Cy IT Si PT ES FR
54. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
55. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
56. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
57. **Anthrenus (Florilinus) oberthueri Reitter,1881** (Dermestidae) Synonym(s): *oberthueri* Reitter,1881 FR Co IT Si Py DZ TN
58. **Anthrenus (Nathrenus) biskrensis Reitter,1887** (Dermestidae) Synonym(s): *biskrensis* Reitter,1887 DZ MA TN LY IT Si MT
59. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851 TR EG DZ TN MA IR SY Cc
60. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881 TR TN IL Pa SY IR
61. **Anthypna meles (Fabricius,1792)** (Glaphyridae) Synonym(s): *meles* Fabricius,1792; *cyanipennis* Fabricius,1801 MA DZ TN
62. **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus* Loew,1849 Cc RU KG IL Pa TR IR Kz Fa EG TN
63. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
64. **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896 DZ TN LY IL Pa SY IQ SA
65. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schränk,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
66. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
67. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE

68. **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871 MA DZ LY TN EG NG TR SA IL Pa IR
69. **Apoclea approximata Becker,1907** (Asilidae) Synonym(s): *approximata* Becker,1907 TN DZ
70. **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910 EG TN LY MA IL Pa YE SA IR
71. **Apoclea trivialis Loew,1873** (Asilidae) Synonym(s): *trivialis* Loew,1873 RU KG DZ TN LY IR TR
72. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
73. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 AZ BG FR GG IT ES TR MA TN IL Pa
74. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
75. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (praeocc.) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
76. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
77. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
78. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
79. **Asilus barbarus Linnaeus,1758** (Asilidae) Synonym(s): *barbarus* Linnaeus,1758; *sinis* Séguy,1930; *flavipes* Esipenko,1970 IR Kz DZ MA TN RU
80. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
81. **Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii* Kurzenko,1994; *Asmisapyga warnckeii* Kurzenko,1994, Linzer biol. Beitr. 26 (2): 587, figs. Holotype ♂: Turkey: Hakkari, Oramar 10km NE 1700m 29.6.1985 leg. Max Schwarz (coll. Gusenleitner). TR SY Bld IL Pa JO TN
82. **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus* Becker,1902 CY EG IQ TN ES
83. **Attagenus (s.str.) brunneus Faldermann,1835** (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 DZ EG MA TN CA US AF PK KK TM UZ TR
84. **Attagenus (s.str.) hirtulus Rosenhauer,1856** (Dermestidae) Synonym(s): *hirtulus* Rosenhauer,1856 PT ES MA TN
85. **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878 TR TN Cc IQ IR SY
86. **Attalus cyaneus (Fabricius,1792)** (Melyridae) Synonym(s): *cyaneus* Fabricius,1792; *erythroderus* Erichson,1840 MT TN DZ ES FR Sa Si IT
87. **Attalus maculicollis (Lucas,1849)** (Melyridae) Synonym(s): *maculicollis* Lucas,1849 TN MA DZ FR MT
88. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903 P MT TN DZ Sa Si IT AT HV GR TR
89. **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula* Ribaut,1935 AF FR IR IT MA TN
90. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feiberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
91. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932 AL? DZ EG IL IT Sa JO LY ES TN
92. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
93. **Banchus crefeldensis Ulbricht,1916** (Ichneumonidae) Synonym(s): *crefeldensis* Ulbricht,1916 TR TN
94. **Bathyplectes carthaginensis (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *carthaginensis* Smit van Burgst,1913 TN TR
95. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 AT AZ Cc BE CZ FR HU MD ES CH TN TR

96. **Bembecinus fertoni (Handlirsch,1908)** (Crabronidae) Synonym(s): *fertoni Handlirsch,1908*
DZ TN
97. **Bembecinus gazagnairei (Handlirsch,1892)** (Crabronidae) Synonym(s): *gazagnairei Handlirsch,1892* DZ TN
98. **Bembecinus mattheyi De Beaumont,1951** (Crabronidae) Synonym(s): *mattheyi De Beaumont,1951* MA TN LY
99. **Bembecinus mayri (Handlirsch,1892)** (Crabronidae) Synonym(s): *mayri Handlirsch,1892*
DZ TN
100. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satumanus Sonan,1934; errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
101. **Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile Dejean,1831* TR MA TN AF IQ
102. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
103. **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850* AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
104. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
105. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
106. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854* AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
107. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
108. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
109. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
110. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
111. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus Latreille,1792; angusticollis Spinola,1843; tuberculata Lepeletier,1845; bituberculata Smith,1855; erythrothorax Sichel & Radoszowski,1870; cobosi Suarez,1958* FR ES IT GR CY SY MA DZ TN
112. **Blakeius chiesi (Spinola,1839)** (Mutillidae) Synonym(s): *chiesi Spinola,1839; diophthalma Costa,1882; ibericus Suarez,1958; negrei Suarez,1958* MA DZ TN IT Sa ES PT
113. **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica Fabricius,1775* AF EG DZ ET IN IR IL JO Cn LY LB MA MR NE OM PK SO TD TN TR CY YE SA
114. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
115. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
116. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913* DZ MA TN ES
117. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913* MA DZ ES TN SY?
118. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855; brevirostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
119. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum Fabricius,1794; argyropyga Macquart,1846* DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA

120. **Bombylius (s.str.) argentarius Séguy,1934** (Bombyliidae) Synonym(s): *argentarius Séguy,1934* TN
121. **Bombylius (s.str.) collaris Becker,1906** (Bombyliidae) Synonym(s): *collaris Becker,1906* EG LY TN
122. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
123. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
124. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liroy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
125. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
126. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
127. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
128. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis Loew,1855* GR IR MK ES TN TR YU
129. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
130. **Bombylius (s.str.) seminiger Becker,1906** (Bombyliidae) Synonym(s): *seminiger Becker,1906* EG TN
131. **Bombylius (s.str.) striatifrons Becker,1906** (Bombyliidae) Synonym(s): *striatifrons Becker,1906; striatus Becker,1915* TN EG
132. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
133. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
134. **Brachycephalus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus Herrich-Schäffer,1835* DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
135. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus Latreille,1807; muricatus Olivier,1790; planirostris Gyllenhal,1833; sulcifrons Gyllenhal,1833; cirrosus Gyllenhal,1840; perodiosus Gyllenhal,1840; semiaeneus Desbrochers,1871; carinula Rey,1894; exemptus Rey,1894; attenuatus Vit.,1903* DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
136. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
137. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu BI UZ*
138. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis Macquart,1851* MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
139. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides Janssens,1938* MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR
140. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
141. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera O.Costa,1840* AT FR HU IT ES TN YU

142. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi* Linnaeus,1767 RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
143. **Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus Horvath,1934* TN EG IL Pa LB JO TR
144. **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896* DZ TN LY Cy IL Pa SY SA IQ
145. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; sculus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
146. **Calopteryx exul Selys,1853** (Calopterygidae) Synonym(s): *exul Selys,1853* MA DZ TN
147. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
148. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
149. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; sculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
150. **Cardiophorus (Perrinellus) aegyptiacus Candeze,1860** (Elateridae) Synonym(s): *aegyptiacus Candeze,1860* EG TN
151. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905* TR DE AT CZ RU IT JP HU SK TN
152. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus Fairmaire,1851; walkeri Funkhouser,1927* DZ EG MA FR ES PT TN
153. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata Dejean,1822* ES DZ TN IT Sa Si FR TR GR Cr BG
154. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
155. **Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii Schiner,1867* TN TR IR Elb Mz Cc AZ AM GG
156. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
157. **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis Faust,1887* AF AZ CN GG Cc IR TR KG KK MN UZ RU Sb TJ TN TM
158. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax Boheman,1845* AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
159. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
160. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
161. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
162. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
163. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
164. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
165. **Charopus apicalis Kiesenwetter,1859** (Melyridae) Synonym(s): *apicalis Kiesenwetter,1859* MT TN DZ MA Sa Si IT GR HV
166. **Chelostoma (s.str.) carinulum Pérez,1895** (Megachilidae) Synonym(s): *carinulum Pérez,1895* DZ MA TN

167. **Chelostoma (s.str.) edentulum Pérez,1895** (Megachilidae) Synonym(s): *edentulum Pérez,1895* **DZ M TN**
168. **Chilo thorax exclamationis (Motschoulsky,1849)** (Scarabaeidae) Synonym(s): *exclamationis Motschoulsky,1849* **ES DZ TN LY Cy**
169. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* **AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG**
170. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* **AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ**
171. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* **Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ**
172. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* **BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA**
173. **Chorisops tunisiae (Becker,1915)** (Stratiomyidae) Synonym(s): *tunisiae Becker,1915* **PT ES DZ MA TN Sa Si**
174. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans Eversmann,1848* **TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN**
175. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyi Richter,1944* **DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
176. **Chrysolina affinis (Fabricius,1787)** (Chrysomelidae) Synonym(s): *affinis Fabricius,1787* **DZ IT FR Si ES TN**
177. **Chrysolina inflata (Weise,1916)** (Chrysomelidae) Synonym(s): *inflata Weise,1916; vitiosa Bechyne,1950* **IT Si TN**
178. **Chrysolina numida (Reiche,1864)** (Chrysomelidae) Synonym(s): *numida Reiche,1864* **MA DZ TN**
179. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis Olivier,1807; campicola Gistel,1857; palaestina Bechyne,1950; thraeissa Bechyne,1950* **TR SY IL Pa GR Rd CY Cc IR IQ TN**
180. **Chrysolina pardoii (Codina Padilla,1961)** (Chrysomelidae) Synonym(s): *pardoii Codina Padilla,1961* **MA TN**
181. **Chrysolina vagecincta (Fairmaire,1875)** (Chrysomelidae) Synonym(s): *vagecincta Fairmaire,1875* **TN MA**
182. **Cicada barbara (Stal,1866)** (Cicadidae) Synonym(s): *barbara Stal,1866* **DZ IT Sa Si ES LY TN**
183. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
184. **Cicadatra plagifera Schumacher,1923** (Cicadidae) Synonym(s): *plagifera Schumacher,1923* **TN IL Pa EG Sn IR**
185. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *stevani Stal,1854 (praeocc.); querula Pallas,1773; paliuri Kolenati,1857* **Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ**
186. **Cicadetta aestuans (Fabricius,1794)** (Cicadidae) Synonym(s): *aestuans Fabricius,1794; algira Fabricius,1803* **DZ FR GR TN**
187. **Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): *mediterranea Fieber,1876* **BG IT JO TN YU**
188. **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva Germar,1830; caspica Kolenati,1857; tamarisci Walker,1870; suedicola Bergevin,1913* **AF DZ CY EG Sn IR IQ IL Pa Js JO MA TN TR Cc AZ KG RU TM UZ**
189. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961* **MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ**
190. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952; Ribaut,1952* **AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ**
191. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952* **AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ**
192. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904; bipunctella Matsumura,1908; zae China,1926* **DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK**
193. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris Linnaeus,1758* **SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR**
194. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor*

- Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
195. **Cirropsilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomyzae Ishii,1953; novickyi Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
196. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus Linnaeus,1758; hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus Schumacher,1912; longispinus Wagner,1955* Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
197. **Clanoptilus (s.str.) spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus Erichson,1840* PT IT ES TN
198. **Coelioxys (Allocoelioxys) afra Lepeletier,1841** (Megachilidae) Synonym(s): *afra Lepeletier,1841* TM KK UZ EG TN MA DZ RU GB TR
199. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus Zetterstedt,1828; oxalidis Fieber,1875* AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR
200. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus Castelnau du Laporte,1836* LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
201. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus Erichson,1840* MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
202. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
203. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
204. **Coptocephala demoflysi Normand,1947** (Chrysomelidae) Synonym(s): *demoflysi Normand,1947* TN
205. **Coptocephala kerimii Fairmaire,1875** (Chrysomelidae) Synonym(s): *kerimii Fairmaire,1875* TN
206. **Coptocephala peresi (Vauloger,1895)** (Chrysomelidae) Synonym(s): *peresi Vauloger,1895* TN
207. **Coptocephala plagioccephala (Fabricius,1792)** (Chrysomelidae) Synonym(s): *plagioccephala Fabricius,1792; melanocephala Olivier,1808; externepunctata Pic,1895; tunisea Pic,1901; andalusiaca Pic,1918; theryi Pic,1918; holoxantha Peyerimhoff,1949* FR ES MA DZ TN
208. **Coptocephala volatica Normand,1949** (Chrysomelidae) Synonym(s): *volatica Normand,1949* TN
209. **Corynis citrina (Pérez,1895)** (Cimbicidae) Synonym(s): *citrina Pérez,1895* BH DZ LY TN Gf SA
210. **Crepidodera gemmata (Abeille,1895)** (Chrysomelidae) Synonym(s): *gemmata Abeille,1895* MA DZ TN
211. **Cryptocephalus abdominalis Weise,1886** (Chrysomelidae) Synonym(s): *abdominalis Weise,1886; limbaticeps Pic,1920* DZ TN
212. **Cryptocephalus blanduloides Normand,1947** (Chrysomelidae) Synonym(s): *blanduloides Normand,1947* DZ TN MA
213. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913* TN DZ TR ES FR IT BG IL Pa
214. **Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus Kieffer,1918; nadayanus Kieffer,1918; edwardsi Goetghebuer,1921; algarum Kieffer,1924; salicola Kieffer,1924; pictidorsum Kieffer,1924; albonotatus Vimmer,1932 nec Kieff.,1918; albosignatus Vimmer,1932; polymaculatus Vimmer,1932; kirovabadicus Dzhafarov,1964* BG TR TN BE NO DE IL Pa Cc AZ Kir
215. **Culicoides jumineri Callot & Kremer,1969** (Ceratopogonidae) Synonym(s): *jumineri Callot & Kremer,1969* TN IL Pa
216. **Culicoides langeroni Kieffer,1921** (Ceratopogonidae) Synonym(s): *langeroni Kieffer,1921* TN IL Pa
217. **Culicoides pseudolangeroni Kremer, Chaker & Delécolle,1981** (Ceratopogonidae) Synonym(s): *pseudolangeroni Kremer, Chaker & Delécolle,1981* TN
218. **Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis Becker,1903; impressus Kieffer,1918; distigma Kieffer,1922; donatieni Kieffer,1922; sciniphes Kieffer,1925; bipunctatus Vimmer,1932; tripunctatus Vimmer,1932; wenigi Vimmer,1932; flavitarsis Vimmer,1932; griseovittatus Vimmer,1932; vavrai Vimmer,1932* ES TR TN DZ EG IL Pa
219. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata Dejean,1822* MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur

220. **Cyrtosus cyanipennis (Erichson,1840)** (Melyridae) Synonym(s): *cyanipennis* Erichson,1840 **ES IT TN**
221. **Cyrtosus rufifrons Abeille,1885** (Melyridae) Synonym(s): *rufifrons* Abeille,1885 **TN**
222. **Dasytidius medius (Rottenberger,1871)** (Melyridae) Synonym(s): *medius* Rottenberger,1871 **DZ MA TN**
223. **Dasytidius normandi Majer,1990** (Melyridae) Synonym(s): *normandi* Majer,1990 **TN**
224. **Dasytidius ragusai (Prochazka,1895)** (Melyridae) Synonym(s): *ragusai* Prochazka,1895 **TN DZ IT Si LY**
225. **Dasytidius syrticus (Burgeonis,1885)** (Melyridae) Synonym(s): *syrticus* Burgeois,1885 **IT Si TN**
226. **Dasytidius vestitus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *vestitus* Kiesenwetter,1863 **DZ MA TN**
227. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 **AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU**
228. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis* Ribaut,1934 **AF DZ CY TR FR IL IT MA ES TN**
229. **Desmatoneura flavifrons (Becker,1915)** (Bombyliidae) Synonym(s): *appendiculatus* Strobl,1910; *flavifrons* Becker,1915 **TN IT ES**
230. **Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): *gredleri* Mik,[1881]; *flavomaculatus* Strobl,1909 **AT ES FR IT TN IL Pa**
231. **Diaphorus varifrons Becker,1918** (Dolichopodidae) Synonym(s): *varifrons* Becker,1918 **IL Pa TR TN**
232. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati* Allard,1861 **IT Si ES An GR Rd SY IL Pa EG TN DZ**
233. **Dibolia djelfana Doguet,1975** (Chrysomelidae) Synonym(s): *djelfana* Doguet,1975 **DZ MA TN**
234. **Dibolia maura Allard,1860** (Chrysomelidae) Synonym(s): *maura* Allard,1860 **IT Si DZ TN**
235. **Dibolia numidica Doguet,1971** (Chrysomelidae) Synonym(s): *numidica* Doguet,1971 **DZ TN TR**
236. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**
237. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 **Cc AF AL AT BL BG CN Uı CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
238. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Dda,1940 **IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US**
239. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959 *Microgaster claritibia* Papp,1959, *Ann. Hist.-nat. Mus. Nat. Hung.* 51: 405. **TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY**
240. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 **DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN**
241. **Diorhabda sublineata (Lucas,1849)** (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849 **MA DZ TN ES PT EG IQ SN YE**
242. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani* Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869 **AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU**
243. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 **AU NSw QAu BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI**
244. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 *nec* Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**
245. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763 **ES Md DZ TN TR EG IL Pa IR GB CN MN**
246. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928 **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
247. **Dufourea (s.str.) brachycephala (Warncke,1979)** (Halictidae) Synonym(s): *brachycephala* Warncke,1979 **MA DZ TN**
248. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemand,1929 **AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ**

249. **Dysmachus tricuspis (Loew,1848)** (Asilidae) Synonym(s): *tricuspis* Loew,1848 **TR IR Es AL GR RO TN**
250. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis* Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907 **IR DZ EG IQ IL Pa TN MA ES**
251. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
252. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
253. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
254. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
255. **Empusa guttula Thunberg,1815** (Empusidae) Synonym(s): *guttula* Thunberg,1815 **EG DZ AO ET BF CM ZA Ec Tva Lpo IN KE LY MA MG NA SO TZ TD TN**
256. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata* Goeze,1778; *pauperata* Rossi,1783 *nec* F.,1781; *pennata* Thunberg,1815; *variabilis* Risso,1826; *egema* Charpentier,1841; *brachyptera* Fischer v. Waldheim,1846; *europaea* Fieber,1853; *occidentalis* Fieber,1853 **DZ Cn LY MA TN ES PT Sa Si IT**
257. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes* Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867 **IR Kd DZ GR MA TN TR YU**
258. **Engelepogon ravus (Loew,1871)** (Asilidae) Synonym(s): *ravus* Loew,1871 **TN YU GR TR**
259. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
260. **Eoferreola mixta (Tournier,1895)** (Pompilidae) Synonym(s): *mixta* Tournier,1895; *pharmaceuta* Dalla Torre,1897 **MA DZ TN**
261. **Erimyrmosa frater (E.Saunders,1899)** (Mutillidae) Synonym(s): *frater* E.Saunders,1899 **DZ TN**
262. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger* Meigen,1804; *flavescens* Jaenicke,1867 **DZ MA FR PT ES TN IR Ss**
263. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
264. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 **ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK**
265. **Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis* Fabricius,1781; *turcicus* Giordani Soika,1952 **MT TR UA Cm LB TN**
266. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 **MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN**
267. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
268. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
269. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans* Fabricius,1794 **DZ FR GR MA ES TN**
270. **Euryproctus numidicus Schmiedeknecht** (Ichneumonidae) Synonym(s): *numidicus* Schmiedeknecht; *tunetanus* Habermehl,1925; *turcator* Aubert,1979 **DZ TN IL Pa TR**
271. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 **AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU**
272. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
273. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 **AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU**

274. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
275. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 **AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU**
276. **Eutagenia aegyptiaca Reitter,1889** (Tenebrionidae) Synonym(s): *aegyptiaca* Reitter,1889; *tunisea* Normand,1936 **EG IT TN**
277. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848 **TR IR Fa GR Rd RO RU TN**
278. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 **AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA**
279. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 **AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ**
280. **Exopristoides dentatus Boucek,1982** (Torymidae) Synonym(s): *dentatus* Boucek,1982 *Exopristoides dentatus* Boucek,1982, *Entomologist's Gaz.* 33: 186. Holotype ♂: Turkey: Ankara, 23.v.1934 (leg. Novitzky) (BMNH). **TR TN Gf**
281. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 **DZ ES Cn FR GR IT MA IL ES SW TN RU**
282. **Fannia tunisiae Chillcott,1961** (Fanniidae) Synonym(s): *tunisiae* Chillcott,1961 **TN**
283. **Frutiodia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 **AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU**
284. **Gelis sculpturator Aubert,1977** (Ichneumonidae) Synonym(s): *sculpturator* Aubert,1977 **TN EG GR TR**
285. **Gepus invisus Navas,1912** (Myrmeleonidae) Synonym(s): *invisus* Navas,1912; *scutellatus* Klapalek,1914; *tersus* Navas,1936. **LY SD TN SA IR**
286. **Geron efflatouni Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni* Greathead,1999 **EG IL Pa SA TN**
287. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti* Greathead,1999 **GR IT MT MA TN TR EG**
288. **Geron michaili Zaitzev,1972** (Bombyliidae) Synonym(s): *michaili* Zaitzev,1972 **DZ AM UA EG MN TN TM**
289. **Glaphyrus maurus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *maurus* Linnaeus,1758; *cardeci* Fabricius,1787 **MA DZ TN**
290. **Glaphyrus viridicollis Lucas,1846** (Glaphyridae) Synonym(s): *viridicollis* Lucas,1846 **MA DZ TN**
291. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 **AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**
292. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
293. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 **AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU**
294. **Gryllomorpha (Gryllomorphella) uclensis Pantel,1890** (Gryllidae) Synonym(s): *uclensis* Pantel,1890 **ES FR DZ TN LY**
295. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 **Gryllus gryllotalpa** Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE*
296. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis* Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 **DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU**
297. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**
298. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803 **RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR**

299. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781
RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
300. **Habropogon theodori Hradsky & Geller-Grimm,2005** (Asilidae) Synonym(s): *theodori*
Hradsky & Geller-Grimm,2005 IL Pa SY TN
301. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus*
Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT
MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
302. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874
DZ RU ES LY TN Cc IR TR
303. **Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans* Gené,1836 GB
ES IT FR TN GR TR
304. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis*
Motschoulsky,1860 TR DZ GB DK FR DE IT MA PT ES SE TN
305. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887 DZ
GB DK FR DE IT MA NL PT RU ES SE TN TR
306. **Hemipenthes subarcuatus (Loew,1871)** (Bombyliidae) Synonym(s): *subarcuatus*
Loew,1871 TN TJ
307. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus*
Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG
IL Pa LB DZ MA TN SY IT Si Sa TR Cn Ui PK TM YU EG
308. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869 AM
Cc TR GR IQ UA Cm TN
309. **Hercostomus plagiatus (Loew,1857)** (Dolichopodidae) Synonym(s): *plagiatus* Loew,1857;
gallicanus Becker,1910 RO DZ TN
310. **Heriades (Michenerella) discrepans Benoist,1938** (Megachilidae) Synonym(s):
discrepans Benoist,1938 DZ MA TN
311. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus*
Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN
KG TR
312. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890;
copetica Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS
KK KG TM CY IL Pa JO SY TR
313. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820;
consanguinea Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888;
aegyptiacus Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928;
conspicienda Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL
AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
314. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus* Wiedemann,1820
IR Fa ES PT JO IL Pa MA DZ TN TR
315. **Heterotropus nigrimanus Séguy,1930** (Bombyliidae) Synonym(s): *nigrimanus* Séguy,1930
TN
316. **Hofferia mauritanica (Lucas,1849)** (Megachilidae) Synonym(s): *mauritanica* Lucas,1849;
obtusus Friese,1897 MA DZ TN
317. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
acuticornis Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes*
Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S
UA DZ Cn Md TN KG TJ UZ IL Pa JO TR
318. **Hoplitis (Alcidamea) camelina (Benoist,1934)** (Megachilidae) Synonym(s): *camelina*
Benoist,1934 MA TN
319. **Hoplitis (Alcidamea) dumonti (Benoist,1929)** (Megachilidae) Synonym(s): *dumonti*
Benoist,1929 DZ TN
320. **Hoplitis (Alcidamea) freygessneri (Friese,1899)** (Megachilidae) Synonym(s):
freygessneri Friese,1899 DZ MA TN
321. **Hoplitis (Alcidamea) nigrocolor (Zanden,1991)** (Megachilidae) Synonym(s): *nigrocolor*
Zanden,1991 TN EG ET
322. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s):
praestans Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG
MA TN KG TJ UZ IL Pa JO TR
323. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata*
Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica*
Warncke,1991 AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
324. **Hoplitis (Annosmia) aqabaensis (Warncke,1991)** (Megachilidae) Synonym(s):
aqabaensis Warncke,1991 JO TN
325. **Hoplitis (Annosmia) hierichonica (Mavromoustakis,1949)** (Megachilidae)
Synonym(s): *hierichonica* Mavromoustakis,1949 MA TN IL Pa JO

326. **Hoplitis (Annosmia) nisa (Warncke,1991)** (Megachilidae) Synonym(s): *nisa*
Warncke,1991 MA DZ TN
327. **Hoplitis (Annosmia) ochruros (Warncke,1991)** (Megachilidae) Synonym(s): *ochruros*
Warncke,1991 MA DZ TN
328. **Hoplitis (Annosmia) tunica (Warncke,1991)** (Megachilidae) Synonym(s): *tunica*
Warncke,1991 TN
329. **Hoplitis (Annosmia) zonalis (Pérez,1895)** (Megachilidae) Synonym(s): *zonalis*
Pérez,1895; *undulata* Pérez,1902; *taprurensis* Benoist,1929; *bodenheimeri* Mavromoustakis,1949 MA DZ
TN IL Pa
330. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca*
Gerstaecker,1869; *lanosa* Pérez,1879 ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
331. **Hoplitis (Anthocopa) bubulca (Zanden,1994)** (Megachilidae) Synonym(s): *bubulca*
Zanden,1994 MA TN
332. **Hoplitis (Anthocopa) conosimilis Zanden,1992** (Megachilidae) Synonym(s): *conosimilis*
Zanden,1992 MA TN
333. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula*
Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990 ES FR Co IT Si DZ MA TN CN
334. **Hoplitis (Anthocopa) ferianaensis (Zanden,1991)** (Megachilidae) Synonym(s):
ferianaensis Zanden,1991 TN
335. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s):
jakovlevi Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 Cc AM FR IT
Si DZ TN CN Uí Ku KG KK TJ TM IR TR
336. **Hoplitis (Anthocopa) longispina (Pérez,1895)** (Megachilidae) Synonym(s): *longispina*
Pérez,1895; *gigas* Friese,1899; *vogti* Friese,1911 DZ TN
337. **Hoplitis (Anthocopa) pulchella (Pérez,1895)** (Megachilidae) Synonym(s): *pulchella*
Pérez,1895; *lativentris* Friese,1899; *albiscopa* Friese,1899 MA DZ EG TN JO
338. **Hoplitis (Anthocopa) quadrispina (Tkalcu,1992)** (Megachilidae) Synonym(s):
quadrispina Tkalcu,1992 DZ LY TN
339. **Hoplitis (Anthocopa) simula (Gribodo,1894)** (Megachilidae) Synonym(s): *simula*
Gribodo,1894; *florigera* Ferton,1914 MA DZ TN
340. **Hoplitis (Anthocopa) sinuata (Pérez,1895)** (Megachilidae) Synonym(s): *sinuata*
Pérez,1895; *rufiscopa* Friese,1899 DZ MA TN
341. **Hoplitis (Anthocopa) ursina (Friese,1920)** (Megachilidae) Synonym(s): *ursina* Friese,1920;
armata Benoist,1927 DZ MA TN
342. **Hoplitis (Micreriades) pungens (Benoist,1928)** (Megachilidae) Synonym(s): *pungens*
Benoist,1928 MA TN
343. **Hoplitis (Pentadentoscopia) cadiza (Warncke,1991)** (Megachilidae) Synonym(s): *cadiza*
Warncke,1991 MA TN ES
344. **Hoplitis (Pentadentoscopia) moricei (Friese,1899)** (Megachilidae) Synonym(s): *moricei*
Friese,1899; *pustinia* Warncke,1991 Cn DZ MA TN IL Pa JO PK AE IN
345. **Hoplitis (Pentadentoscopia) quinquespinosa (Friese,1899)** (Megachilidae)
Synonym(s): *quinquespinosa* Friese,1899; *consanguinea* Benoist,1929; *neptunea* Benoist,1929 MA DZ
TN IL Pa
346. **Hoplitis (Pentadentoscopia) villiersi (Benoist,1950)** (Megachilidae) Synonym(s):
villiersi Benoist,1950; *strepera* Warncke,1991 MR MA DZ TN
347. **Hoplitis (Platosmia) incognita Zanden,1996** (Megachilidae) Synonym(s): *incognita*
Zanden,1996 MA DZ TN
348. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798;
spinolae Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE
DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
349. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s):
anthocopoides Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901;
algerica Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
350. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879
nec Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 ES FR Co HV IT
Sa Si PT DZ MA TN
351. **Hoplitis (s.str.) ctenophora (Benoist,1934)** (Megachilidae) Synonym(s): *ctenophora*
Benoist,1934 MA DZ TN
352. **Hoplitis (s.str.) fertoni (Pérez,1890)** (Megachilidae) Synonym(s): *fertoni* Pérez,1890;
albispina Pérez,1895; *mecheriana* Pérez,1902 MA DZ TN IL Pa
353. **Hoplitis (s.str.) insularis (Schmiedeknecht,1886)** (Megachilidae) Synonym(s):
insularis Schmiedeknecht,1886; *vaulogeri* Pérez,1895 ES IT Sa Si DZ MA TN
354. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898
IT GR HV MK SS DZ EG MA TN

355. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902
ES FR Co IT Si PT DZ MA TN
356. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873;
chobauti Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 CH ES FR IT Si PT DZ MA TN
IL Pa JO
357. **Hoplitis (s.str.) oreades (Benoist,1934)** (Megachilidae) Synonym(s): *oreades* Benoist,1934;
pectinifera Benoist,1934 MA TN
358. **Hoplitis (Stenosmia) hartliebi (Friese,1899)** (Megachilidae) Synonym(s): *hartliebi*
Friese,1899 DZ? EG LY TN IL Pa
359. **Hoplitis (Stenosmia) minima (Schulthess,1924)** (Megachilidae) Synonym(s): *minima*
Schulthess,1924; *minutissima* Warncke,1991 MA TN
360. **Hoplitis (Tkalca) paralias (Mavromoustakis,1954)** (Megachilidae) Synonym(s):
paralias Mavromoustakis,1954 MA TN IL Pa
361. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co
Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
362. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865;
albolimbatus Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT
JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
363. **Hygrobia hermanni (Fabricius,1775)** (Hygrobiiidae) Synonym(s): *hermanni* Fabricius,1775
DZ MA TN TR UA
364. **Hypsicorypha gracilis (Burmeister,1838)** (Empusidae) Synonym(s): *gracilis*
Burmeister,1838; *longifrons* Saussure,1870; *juliae* Krauss,1892; *guichardi* La Greca,1952 Cn TN EG DZ
LY SA SO NE OM
365. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides*
Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
366. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus*
Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA
YU
367. **Illidops butalidis (Marshall,1888)** (Braconidae) Synonym(s): *butalidis* Marshall,1888
Apanteles butalidis Marshall,1888, Spec. Hym. Eur. Alg. 4: 45. TR DE CH GB BG CZ YU HU TN
368. **Iris deserti Uvarov,1923** (Irididae) Synonym(s): *deserti* Uvarov,1923 DZ TD TN
369. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata*
Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 Gryllus (Mantis)
oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR
IN TD CA
370. **Ischnus agitator (Olivier,1792)** (Ichneumonidae) Synonym(s): *agitator* Olivier,1792 TN
TR
371. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris*
Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI
DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
372. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum*
Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO
PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
373. **Krombeinella tenietensis (André,1900)** (Mutillidae) Synonym(s): *tenietensis* André,1900
DZ TN
374. **Labidostomis guerini (Bassi,1834)** (Chrysomelidae) Synonym(s): *guerini* Bassi,1834 DZ
TN IT Si
375. **Laburrus quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus* Forel,1864; *limbatus*
Ferrari,1882; *atrata* Ribaut,1942; *deleta* Ribaut,1942 FR IT LY MA ES SW TN AM Cc
376. **Lachnaia padillai Tomov,1982** (Chrysomelidae) Synonym(s): *padillai* Tomov,1982 TN
377. **Lampyrus algerica Ancy,1869** (Lampyridae) Synonym(s): *algerica* Ancy,1869; *mucronata*
Olivier,1884; *mutabilis* Olivier,1884 DZ MA TN
378. **Lampyrus exilis Olivier,1894** (Lampyridae) Synonym(s): *exilis* Olivier,1894; *numidica*
Normand,1934 DZ TN
379. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826;
lateralis Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900;
nipponica Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis*
Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL
DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN
TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
380. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea*
Paramonov,1930 IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
381. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 IT AT RU KG GR
TR IR Fa TN UZ TJ TM CN
382. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853;
morbillosus Kriechbaumer,1873; *glasunovi* Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR

383. **Lasioglossum femorale (Saunders,1908)** (Halictidae) Synonym(s): *femorale* Saunders,1908 **DZ MA TN**
384. **Lasiopa mannii Mik,1882** (Stratiomyidae) Synonym(s): *mannii* Mik,1882 **IT TN TR**
385. **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790 **TN TR CY TJ UZ KG KK RU Am Cc**
386. **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867 **UA Cm TN CY IL Pa TR SY**
387. **Leptochilus alborufulus Gusenleitner,1977** (Vespidae) Synonym(s): *alborufulus* Gusenleitner,1977 **TN EG**
388. **Leptochilus alborufulus Gusenleitner,1977** (Vespidae) Synonym(s): *alborufulus* Gusenleitner,1977 **TN**
389. **Leptochilus biangulatus Gusenleitner,1977** (Vespidae) Synonym(s): *biangulatus* Gusenleitner,1977 **TN**
390. **Leptochilus conjunctus Gusenleitner,1998** (Vespidae) Synonym(s): *conjunctus* Gusenleitner,1998 **MA TN**
391. **Leuctra khroumiriensis Vincon & Pardo,1998** (Leuctridae) Synonym(s): *khroumiriensis* Vincon & Pardo,1998 **TN**
392. **Leuctra medjerdensis Vincon & Pardo,1998** (Leuctridae) Synonym(s): *medjerdensis* Vincon & Pardo,1998 **TN**
393. **Leuctra sartorii Vincon & Pardo,1998** (Leuctridae) Synonym(s): *sartorii* Vincon & Pardo,1998 **TN**
394. **Leuctra tunisica I.Pardo & Zwick,1993** (Leuctridae) Synonym(s): *tunisica* I.Pardo & Zwick,1993 **TN**
395. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 **SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ**
396. **Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876; *menozii* Haupt,1930 **DZ CY FR IT Sa Si TN TR YU**
397. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 **MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU**
398. **Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893 **DZ TN TR Cc IR TM**
399. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967 **Cc AZ TR FR IT AT HU PL CZ SK IR TN**
400. **Lucanus (Pseudolucanus) barbarossa Fabricius,1801** (Lucanidae) Synonym(s): *barbarossa* Fabricius,1801 **MA PT ES DZ TN**
401. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 **IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa**
402. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 **FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU**
403. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 **DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU**
404. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 **TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU**
405. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK CX SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31**
406. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 **DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU**
407. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 **DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU**
408. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 **DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR**
409. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
410. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 **DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU**
411. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 **ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY**

412. **Merodon alexeji Paramonov, 1925** (Syrphidae) Synonym(s): *alexeji Paramonov, 1925* DZ MA TN ES FR IT GR UA MN
413. **Merodon stukei Hauser & Hurkmans, 1997** (Syrphidae) Synonym(s): *stukei Hauser & Hurkmans, 1997* TN
414. **Merodon trizonus (Szilady, 1940)** (Syrphidae) Synonym(s): *trizonus Szilady, 1940* DZ TN
415. **Microptilis flavipalpis Brullé, 1832** (Braconidae) Synonym(s): *flavipalpis Brullé, 1832* TR BG DE GB FI FR KP KR HU MN TN
416. **Microptilis fordi Nixon, 1970** (Braconidae) Synonym(s): *fordi Nixon, 1970* TR IL Pa TN MN
417. **Microtelus lethierryi Reiche** (Tenebrionidae) Synonym(s): MA DZ TN
418. **Mioscirtus wagneri (Kittary, 1849)** (Acrididae) Synonym(s): *wagneri Kittary, 1849* ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
419. **Mocydiopsis attenuata (Germar, 1821)** (Cicadellidae) Synonym(s): *attenuata Germar, 1821; rupicapra Marshall, 1861; ambigua Fieber, 1885* AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
420. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille, 1804)** (Gryllidae) Synonym(s): *chinensis Weber, 1801; burdigalensis Latreille, 1804; #bordigalensis Charpentier, 1825; cerisyi Audinet-Serville, 1838; geminus Audinet-Serville, 1838; arvensis Rambur, 1838; cinereus Costa, 1852; marginatus Eversmann, 1859; minusculus Walker, 1869; pygmaeus Walker, 1869; eversmanni Jakovlev, 1871; ferdinandi Bolivar, 1899; hygrophilus Krauss, 1902; intermedia Bolivar, 1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
421. **Mosillus subsultans (Fabricius, 1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius, 1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
422. **Muirodelphax aubei (Perris, 1857)** (Delphacidae) Synonym(s): *aubei Perris, 1857; cognata Fieber, 1866; protrusa Fieber, 1866; obsoleta Kirschbaum, 1868; obscurinervis Kirschbaum, 1868; altaicus Vilbaste, 1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
423. **Musca sorbens Wiedemann, 1830** (Muscidae) Synonym(s): *sorbens Wiedemann, 1830* SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
424. **Mylabris guerini Chevrolat, 1840** (Meloidae) Synonym(s): *guerini Chevrolat, 1840; rubripennis Chevrolat, 1840; normandi Pic, 1953; lambaesis Pic, 1953* DZ MA TN IR
425. **Myrmilla (s.str.) calva (Villers, 1789)** (Mutillidae) Synonym(s): *calva Villers, 1789; triareolata Spinola, 1841; distincta Lepeletier, 1845; agrestis Lepeletier, 1845; incompleta Lepeletier, 1845; hastata Costa, 1858; andalusiana Skorikov, 1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
426. **Myrmilla (s.str.) erythrocephala (Latreille, 1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille, 1792; latreillei Meyer, 1794; cornuta Olivier, 1811; megacephala Costa, 1858; bison Costa, 1887* AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
427. **Nebria (Eurynebria) complanata (Linnaeus, 1767)** (Carabidae) Synonym(s): *complanata Linnaeus, 1767* FR GB IT PT ES TR DZ MA TN IR
428. **Necrobinus defunctorum (Waltl, 1835)** (Korynetidae) Synonym(s): *defunctorum Waltl, 1835* ES PT MA DZ TN SY IL Pa
429. **Nemotelus (s.str.) anchora Loew, 1846** (Stratiomyidae) Synonym(s): *anchora Loew, 1846; siculus Jaenicke, 1866; persicus Pleske, 1937* IT Si MT RU IL IR DZ TN
430. **Nemotelus (s.str.) atriceps Loew, 1856** (Stratiomyidae) Synonym(s): *atriceps Loew, 1856; longicornis Lindner, 1937* DZ FR PT ES TN TR
431. **Neoaliturus dubiosus (Matsumura, 1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura, 1908; ruscinonensis Ribaut, 1952; infirmus Young & Frazier, 1954* IT FR LY MA RO ES EH TN TR RU KG TJ
432. **Neoaliturus tenellus (Baker, 1896)** (Cicadellidae) Synonym(s): *tenellus Baker, 1896; ignavus Matsumura, 1908; egyptiacus Matsumura, 1908; indivisus Haupt, 1927; ambiguosus Young & Frazier, 1954; zygophylli Lindberg, 1954* DZ ES Cn EG FR IR IL IT Si LY ES TN KG
433. **Neochalcis fertoni (Kieffer, 1899)** (Chalcididae) Synonym(s): *fertoni Kieffer, 1899; barbara Benoist, 1921; scutellata Bouček, 1952* DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
434. **Neophilaenus albipennis (Fabricius, 1798)** (Cercopidae) Synonym(s): *albipennis Fabricius, 1798* DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
435. **Neophilaenus campestris (Fallén, 1805)** (Cercopidae) Synonym(s): *campestris Fallén, 1805; parvula Vismara, 1877; fasciatus Ferrari, 1882; obsoletus Ferrari, 1882; bimaculata Rey, 1894; brunnifrons Rey, 1894* Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
436. **Neophilaenus lineatus (Linnaeus, 1758)** (Cercopidae) Synonym(s): *lineatus Linnaeus, 1758; abbreviata Fabricius, 1787; capitata Fabricius, 1794; aterrimus Sahlberg, 1871; pulchellus Sahlberg, 1871; fusca Haupt, 1912; pallida Haupt, 1917; danicus Wagner, 1935; fulva Gyllensvard, 1965* AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ

437. **Neophilaenus longiceps (Puton,1895)** (Cercopidae) Synonym(s): *longiceps* Puton,1895
DZ FR GB LY MA PT ES TN
438. **Nephotettix modulatus Melichar,1912** (Cicadellidae) Synonym(s): *modulatus*
Melichar,1912 EG IL MA TN
439. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata*
Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG
UA TM IQ IR
440. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817
MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
441. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia*
Latreille,1805 DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
442. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii*
Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR
AF
443. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790;
decora Meigen,1822; *infusata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi*
Strobl,1909 MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
444. **Oedipoda miniata (Pallas,1771)** (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus*
Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965 MA DZ TN TR TJ KG Aa RU
445. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor* Fieber,1876 DZ GR TN Cc
AZ KG KK RU Da TJ UA UZ
446. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 DZ AT BE BG TR
CZ GB FR DE IT PL RO ES TN RU YU
447. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761;
diadema Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807;
nigritulus Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837;
pulchellus Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius*
Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK
LV MD RO RU Sb UA UZ YU
448. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 MA DZ TN LY Cy EG
Co FR ES TR IL Pa
449. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae)
Synonym(s): *opacicollis* Reitter,1893 BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
450. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus*
Schreber,1759 RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx
451. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi* Dusmet,1928 MA
DZ TN IL Pa JO
452. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876
(*praecoc.*); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
453. **Opsius pallasii (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasii* Lethierry,1874 DZ EG
GR IL TN Cc AZ KG KK RU TJ UZ
454. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874
AF DZ ES Cn CN EG IL LY MA TN
455. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866;
tamaricis Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn
CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
456. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre*
Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 Cc AZ BG CY GR IL
Pa UA Cm DZ TN Md TZ
457. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea*
Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor*
Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
458. **Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei*
Pérez,1887 DZ EG MA LY TN IL Pa JO SY
459. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta*
Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE
GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
460. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853;
ruficollis Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 AL GR Cr DZ EG TN CY IL Pa JO SY TR
461. **Osmia (Erythrosmia) andreoides Spinola,1808** (Megachilidae) Synonym(s): *andreoides*
Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY
IL Pa TR
462. **Osmia (Helicosmia) alfkeni Ducke,1899** (Megachilidae) Synonym(s): *alfkeni* Ducke,1899;
crinita Alfken,1942 DZ MA TN EG IL Pa JO
463. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s):
caerulescens Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea*

- Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
464. **Osmia (Helicosmia) friesana Duce,1899** (Megachilidae) Synonym(s): *friesana Duce,1899* ES MT IT Sa DZ EG? LY MA TN
465. **Osmia (Helicosmia) heteracantha Pérez,1896** (Megachilidae) Synonym(s): *heteracantha Pérez,1896; ardeola Warncke,1988* ES PT DZ TN
466. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis Pérez,1879; tornensis Tkalcu,1975* AT CH DE ES FR IT MK PT SK TN
467. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberoafricana Peters,1975* CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
468. **Osmia (Helicosmia) lazulina Benoist,1928** (Megachilidae) Synonym(s): *lazulina Benoist,1928* TN DZ MA LY IL Pa
469. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta Geoffroy,1785 nec Schr.,1781; leaiana Kirby,1802; confusa Morawitz,1869; solkyi Morawitz,1870; bidens Pérez,1879; forsii Alfken,1924; schachtii Warncke,1988* AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
470. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895* AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
471. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
472. **Osmia (Helicosmia) niveibarbis Pérez,1902** (Megachilidae) Synonym(s): *niveibarbis Pérez,1902; tarfensis Saunder,1908* ES IT Si DZ MA TN
473. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata Fabricius,1804; decemsignata Radoszkowski,1874; laterefasciata Costa,1885* ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
474. **Osmia (Helicosmia) tunensis (Fabricius,1787)** (Megachilidae) Synonym(s): *tunensis Fabricius,1787; tunetana Gmelin,1790; pseudoaurulenta Dours,1873; meridionalis Gribodo,1894; dissimilis Friese,1899* Apis *tunensis* Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). ES IT Si MT PT DZ EG LY MA TN
475. **Osmia (Hemiosmia) anceps Pérez,1895** (Megachilidae) Synonym(s): *anceps Pérez,1895; pulchra Tkalcu,1975* LY TN
476. **Osmia (Hoplosmia) anceyi Pérez,1879** (Megachilidae) Synonym(s): *anceyi Pérez,1879; biarmica Zanden,1994* CH ES FR PT DZ MA TN
477. **Osmia (Hoplosmia) dido Gribodo,1894** (Megachilidae) Synonym(s): *dido Gribodo,1894; abbreviata Pérez,1895; compacta Pérez,1896* DZ MA TN
478. **Osmia (Hoplosmia) pinguis Pérez,1895** (Megachilidae) Synonym(s): *pinguis Pérez,1895; indivisa Benoist,1928; carbo Zanden,1994* DZ MA TN IL Pa JO SY
479. **Osmia (Nasutosmia) nasuta Friese,1899** (Megachilidae) Synonym(s): *nasuta Friese,1899; rhynchaena Pérez,1905* ES FR DZ MA TN
480. **Osmia (Neosmia) cinnabarina Pérez,1895** (Megachilidae) Synonym(s): *cinnabarina Pérez,1895* DZ Cn MA TN IL Pa
481. **Osmia (Neosmia) gracilicornis Pérez,1895** (Megachilidae) Synonym(s): *gracilicornis Pérez,1895* DZ MA TN IL Pa
482. **Osmia (Neosmia) rufigastra Lepeletier,1841** (Megachilidae) Synonym(s): *rufigastra Lepeletier,1841* DZ MA TN
483. **Osmia (Neosmia) scutispina Gribodo,1894** (Megachilidae) Synonym(s): *scutispina Gribodo,1894; rosea Friese,1920* DZ TN
484. **Osmia (Neosmia) tingitana Benoist,1969** (Megachilidae) Synonym(s): *tingitana Benoist,1969; tkalculi Peters,1977; secunda Peters,1977* DZ MA TN LY EG
485. **Osmia (Pyrosomia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes Morawitz,1870; bacillus Pérez,1879; pulsata Buysson,1899; longiceps Morawitz,1876* AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
486. **Osmia (Pyrosomia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha Pérez,1879; cyanoxura Zanden,1991; elbaba Warncke,1992* AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
487. **Osmia (Pyrosomia) derasa Pérez,1895** (Megachilidae) Synonym(s): *derasa Pérez,1895; crosi Benoist,1929; pseudoderasa Benoist,1929; violetta Warncke,1992* DZ LY MA TN

488. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 **ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY**
489. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR**
490. **Osmia (Pyrosmia) gemmea Pérez,1896** (Megachilidae) Synonym(s): *purpurea* Pérez,1895 nec Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899 **DZ EG TN MA LY IL Pa**
491. **Osmia (Pyrosmia) lobata Friese,1899** (Megachilidae) Synonym(s): *lobata* Friese,1899; *leucopyga* Ducke,1899 **ES PT DZ MA TN IL Pa**
492. **Osmia (Pyrosmia) punica Pérez,1895** (Megachilidae) Synonym(s): *punica* Pérez,1895; *irherma* Warncke,1992 **MA DZ TN LY EG**
493. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 **CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR**
494. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 **AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR**
495. **Osmia (Pyrosmia) zarzisa Warncke,1992** (Megachilidae) Synonym(s): *zarzisa* Warncke,1992 **TN**
496. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR**
497. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 **AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR**
498. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811 **AD ES FR Co IT Sa PT DZ Cn LY MA TN**
499. **Otiocephala freyi (Cobos,1957)** (Chrysomelidae) Synonym(s): *freyi* Cobos,1957 **TN**
500. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953 **EG IL Pa JO IT MA SY TN TR RU YU TM**
501. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915 **EG IL Pa IT JO MA SY TN TR CN Ui YU**
502. **Oxythyrea tripolitana Reitter,1891** (Scarabaeidae) Synonym(s): *tripolitana* Reitter,1891 **TN Gf LY Cy EG**
503. **Pachybrachis (s.str.) normandi Pic,1919** (Chrysomelidae) Synonym(s): *normandi* Pic,1919 **TN**
504. **Pachybrachis (s.str.) simius Marseul,1875** (Chrysomelidae) Synonym(s): *simius* Marseul,1875; *normandi* Pic,1919; *marocanus* Pic,1954 nec Pic,1945; *lepineyi* Pic,1955... **DZ MA TN Si IT**
505. **Pachyscelis henoni Sénac,1887** (Tenebrionidae) Synonym(s): *henoni* Sénac,1887 **DZ TN**
506. **Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832 **AL DZ BG CS GR TN TR YU**
507. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
508. **Parabodilus wollastoni (Harold,1862)** (Scarabaeidae) Synonym(s): *wollastoni* Harold,1862 **Cn MA DZ TN LY Cy EG SA**
509. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
510. **Paradorydium dimorphum Linnavuori,1962** (Cicadellidae) Synonym(s): *dimorphum* Linnavuori,1962 **IL TN**
511. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 **DZ FR IT GR MK MA PT ES TN YU**
512. **Parageron major (Macquart,1840)** (Bombyliidae) Synonym(s): *major* Macquart,1840 **MA DZ TN**
513. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
514. **Parameus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA**

515. **Paramyrmosa punica** Suarez, 1979 (Mutillidae) Synonym(s): *punica* Suarez, 1979 TN
516. **Pegomya bicolor** (Wiedemann, 1817) (Anthomyiidae) Synonym(s): *bicolor* Wiedemann, 1817; *mitis* Meigen, 1826; *longipes* Robineau-Desvoidy, 1851; *rumicis* Hardy, 1854; *jynx* Séguy, 1926; *cinereorufa* Ringdahl, 1930; *sapporensis* Kato, 1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
517. **Penicillidia conspicua** Speiser, 1901 (Nycteribiidae) Synonym(s): *conspicua* Speiser, 1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
518. **Penicillidia dufourii** (Westwood, 1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood, 1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
519. **Pentastiridius leporinus** (Linnaeus, 1761) (Cixiidae) Synonym(s): *leporinus* Linnaeus, 1761; *pallidus* Herrich-Schäffer, 1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
520. **Penthimia nigra** (Goeze, 1778) (Cicadellidae) Synonym(s): *nigra* Goeze, 1778; *aethyops* Schrank, 1781; *haemorrhoea* Schrank, 1781; *castanea* Gmelin, 1790; *biguttata* Gmelin, 1790 (*praeocc.*); *atra* Fabricius, 1794; *ruficollis* Fabricius, 1794; *thoracica* Panzer, 1799; *sanguinicollis* Fabricius, 1803; *maculata* Melichar, 1896; *caucasica* Kusnezov, 1931; *clavalis* Ribaut, 1952; *fulva* Ribaut, 1952; *maculipennis* Ribaut, 1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
521. **Pentodon algerinum** Herbst, 1789 (Scarabaeidae) Synonym(s): *algerinum* Herbst, 1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
522. **Perlamantis allibertii** Guérin-Méneville, 1843 (Amorphoscelidae) Synonym(s): *allibertii* Guérin-Méneville, 1843; *tunetana* Bonnet & Finot, 1884 FR ES DZ MA LY TN
523. **Phaleria acuminata** Küster, 1852 (Tenebrionidae) Synonym(s): *acuminata* Küster, 1852; *tunisia* Reitter, 1916 TN LY TR
524. **Phaneroptera (s.str.) sparsa** Stal, 1857 (Tettigoniidae) Synonym(s): *sparsa* Stal, 1857; *tetrasticta* Gerstaecker, 1869; *lurida* Walker, 1869; *consersa* Stal, 1874; *punctulata* Burr, 1900; *nana* Stöstedt, 1901 *nec* Fieb., 1853; *sexpunctata* Navas, 1928; *tenuicerca* Rammé, 1951; *bivittata* Bei-Bienko, 1954; *africana* Steinmann, 1966 **Phaneroptera sparsa** Stal, 1857, *Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ*
525. **Philaenus spumarius** (Linnaeus, 1758) (Cercopidae) Synonym(s): *spumarius* Linnaeus, 1758; *leucophthalma* Linnaeus, 1758; *lateralis* Linnaeus, 1758; *leucocephala* Linnaeus, 1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
526. **Phlepsius spinulosus** Wagner, 1963 (Cicadellidae) Synonym(s): *spinulosus* Wagner, 1963 FR IT Sa Si MA TN TR IR
527. **Phradis morionellus** (Holmgren, 1860) (Ichneumonidae) Synonym(s): *morionellus* Holmgren, 1860 TN MD Cc TR
528. **Phradonoma nobile** (Reitter, 1881) (Dermestidae) Synonym(s): *nobile* Reitter, 1881 IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ
529. **Phthiria incisa** Becker, 1915 (Bombyliidae) Synonym(s): *incisa* Becker, 1915 TN
530. **Phthiria umbripennis** Loew, 1846 (Bombyliidae) Synonym(s): *umbripennis* Loew, 1846; *notata* Bigot, 1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
531. **Phycotettix paryphantus** (Lethierry, 1878) (Cicadellidae) Synonym(s): *paryphantus* Lethierry, 1878; *abalia* Ferrari, 1884; *rubrostriatus* Loew, 1885 DZ GR IT Sa MA ES TN
532. **Physetopoda punctata** (Latreille, 1792) (Mutillidae) Synonym(s): *punctata* Latreille, 1792 HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
533. **Physiphora alceae** (Preyssler, 1791) (Ulidiidae) Synonym(s): *alceae* Preyssler, 1791 AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
534. **Piesma (Parapiesma) kolenatii** (Fieber, 1861) (Piesmatidae) Synonym(s): *laportei* Kolenati, 1857 *nec* Fieb., 1844; *kolenatii* Fieber, 1861; *causicum* Péricart, 1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
535. **Piesma (Parapiesma) quadratum** (Fieber, 1844) (Piesmatidae) Synonym(s): *quadratum* Fieber, 1844; *dilatatus* Jakovlev, 1874; *convexicollis* Jakovlev, 1874; *rotundicollis* Rey, 1888; *nigroscutellata* Peneau, 1921; *chiniana* Drake & Maa, 1953; *spergulariae* Woodroffe, 1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
536. **Piesma (s.str.) maculatum** (Laporte, 1833) (Piesmatidae) Synonym(s): *antica* Stephens, 1829; *maculatum* Laporte, 1833; *laportei* Fieber, 1844; *viridis* Jakovlev, 1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
537. **Pimelia arenacea** Solier, 1836 (Tenebrionidae) Synonym(s): *arenacea* Solier, 1836 DZ TN
538. **Pimelia grossa** Fabricius, 1792 (Tenebrionidae) Synonym(s): *grossa* Fabricius, 1792; *inflata* Herbst, 1799; *barbara* Solier, 1836 DZ TN IT Si Sa
539. **Pimelia pilifera** Sénac, 1884 (Tenebrionidae) Synonym(s): *pilifera* Sénac, 1884 DZ TN
540. **Pimelia tunisea** Fairmaire, 1879 (Tenebrionidae) Synonym(s): *tunisea* Fairmaire, 1879 TN

541. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 **SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun**
542. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 **AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU**
543. **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea* Schiner,1867 **TN Cc RU DZ TR**
544. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 **AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR**
545. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca* Fabricius,1787 **FR IT ES MA DZ TN LY Cy**
546. **Protosmia (Chelostomopsis) capitata (Schletterer,1889)** (Megachilidae) Synonym(s): *capitata* Schletterer,1889; *mystax* Pérez,1895; *trilobatus* Friese,1897 **ES PT DZ MA TN**
547. **Protosmia (Nanosmia) querquedula Zanden,1994** (Megachilidae) Synonym(s): *querquedula* Zanden,1994 **TN**
548. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 **ES FR IT Si PT DZ MA TN TR?**
549. **Psammotettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): *adriaticus* Wagner,1959; *linnavuorii* Wagner,1959 **EG FR IL IT TN**
550. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombrifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
551. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU**
552. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (*praeocc.*); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US**
553. **Pseudoliarus fuscifasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscifasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954 **EG IR LY TN Cc AM TR RU TJ TM YE**
554. **Pseudophotopsis biskrensis (André,1900)** (Mutillidae) Synonym(s): *biskrensis* André,1900 **DZ TN LY EG**
555. **Pseudophotopsis fumata Bischoff,1920** (Mutillidae) Synonym(s): *fumata* Bischoff,1920 **IL Pa LY TN TD EH**
556. **Pseudophotopsis maura Bischoff,1920** (Mutillidae) Synonym(s): *maura* Bischoff,1920 **IL Pa TN DZ LY EG TD**
557. **Pseudophotopsis orthophtalma (Skorikov,1935)** (Mutillidae) Synonym(s): *orthophtalma* Skorikov,1935 **KK UZ TN TJ TM**
558. **Psilothrix aureola (Kiesenwetter,1859)** (Melyridae) Synonym(s): *aureola* Kiesenwetter,1859 **ES IT TN**
559. **Psilothrix protensa (Gené,1836)** (Melyridae) Synonym(s): *protensa* Gené,1836 **IT TN**
560. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 **SE DK DE Cn GR IT PT ES NL TR TN**
561. **Pterocheilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus* André,1884 **IL Pa JO TN DZ Cn**
562. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
563. **Purpuricenens barbarus (Lucas,1849)** (Cerambycidae) Synonym(s): *barbarus* Lucas,1849 **DZ MA TN**
564. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 **ES PT RU Cc AM TR IL Pa MA DZ TN**
565. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
566. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
567. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 **AT BG CS DE IT MN RO TN GG Cc KG UA YU**
568. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 **Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU**

569. **Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix Loew,1856* IR Kz AZ
Cc EG IL Pa IQ SY YE TN SD LY
570. **Rhagio algericus (Becker,1906)** (Rhagionidae) Synonym(s): *algericus Becker,1906* DZ TN
571. **Rhyssmodes orientalis Mulsant & Godart,1875** (Scarabaeidae) Synonym(s): *orientalis Mulsant & Godart,1875* MA DZ TN LY Cy EG
572. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus Schrank,1776; crenatus Germar,1827; scurra Germar,1837; germari Fieber,1868; fulvus Rey,1894* AT BE
BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
573. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus Fieber,1866; distinguenda Kirschbaum,1868* AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc
ES SE SW TN RU KG KK MD UA YU TR
574. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata Thunberg,1815 nec Olivier,1792; baetica Rambur,1838; maculipennis Gistel,1856; pallasii Fieber,1853* MA MR SN TD TN DZ
ES EG DZ IT LY MT GR TR CY AF IL Pa
575. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana Olivier,1811* TR SY IL Pa
JO IT Si MT FR ES PT MA DZ TN EG
576. **Sapyga (s.str.) eatoni E.Saund,1901** (Sapygidae) Synonym(s): *eatoni E.Saund,1901* DZ
MA TN EG
577. **Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s):
quinquepunctata Fabricius,1781 TR SY Bid CY IL Pa JO MT GR MA TN MA
578. **Saropogon clausus Becker,1906** (Asilidae) Synonym(s): *clausus Becker,1906; vosseleri Becker,1906* IR Ss Kh DZ MA TN
579. **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus Loew,1869* TN EG ES
TR IR Es
580. **Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s):
brevicornis Gravenhorst,1829 TR TN US MN
581. **Scambus (s.str.) calobatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calobatus Gravenhorst,1829* TN TR RU Ur TR
582. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758*
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
583. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis Latreille,1819* ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
584. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA
DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
585. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus Fabricius,1787* IT Si Sa MT YU BG GR TR MA DZ TN
586. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria Fabricius,1794* DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS
ES SE CH TN TR
587. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG
EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
588. **Scaurus aegyptiacus Solier,1838** (Tenebrionidae) Synonym(s): *aegyptiacus Solier,1838*
EG TN IT Sa Si
589. **Scaurus barbarus Solier,1836** (Tenebrionidae) Synonym(s): *barbarus Solier,1836; rugicollis Reiche & Saulcy,1857; interruptus Baudi,1875* LY TN SY
590. **Scaurus bougoni Fairmaire,1883** (Tenebrionidae) Synonym(s): *bougoni Fairmaire,1883*
TN
591. **Scaurus ovipennis Fairmaire,1875** (Tenebrionidae) Synonym(s): *ovipennis Fairmaire,1875*
TN
592. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838*
MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
593. **Scaurus tristis Olivier,1795** (Tenebrionidae) Synonym(s): *tristis Olivier,1795; calcaratus Fabricius,1798; gracilicornis Fairmaire,1875; gracilipes Solier,1838; giganteus Küster,1848; lugens Küster,1848* FR ES TN IT Sa Si
594. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis Fabricius,1794; nubeculipennis Costa,1863; menstruus Loew,1882* FR GR MA DZ TN BG TR IR Ab Mak
595. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea Fabricius,1794 (praeocc.); obsoletus Germar,1817; punctatonervosus Stal,1854* AL AT BG CS FR HU IR IT
Sa Si MA RO ES TN TR AZ Cc MD UA YU
596. **Selenocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens Lindberg,1948; obscurus Lindberg,1953* CY IL Pa MA TN TR
597. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes Meigen,1826; minima Strobl,1893; tonsa Duda,1925* TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN
DZ

598. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum Fabricius,1794; stigma Panzer,1798; cornuta Meigen,1826; ornata Meigen,1826; pectoralis Macquart,1835; rufocincta Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE*
599. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea Meigen,1826; fuscipes Roser,1840; uncta Becker,1913; ciliforceps Duda,1926; schineri Duda,1926* TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
600. **Severinia granulata (Saussure,1870)** (Mantidae) Synonym(s): *granulata Saussure,1870* DZ TN MA KE MR NE SN
601. **Severinia lemoroi (Finot,1893)** (Mantidae) Synonym(s): *lemoroi Finot,1893* DZ MA TN LY
602. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
603. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta Rambur,1840* AL BG DZ MA HV IQ IT ES TN TR
604. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata Fabricius,1798* IT Sa FR Co ES MA DZ TN EG TR
605. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivosecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
606. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
607. **Smaragdina tunisea Warchalowski,2000** (Chrysomelidae) Synonym(s): *tunisea Warchalowski,2000* TN
608. **Speudotetix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
609. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus Olivier,1790* FR PT ES DE CH IT Co Sa AT HU TN DZ
610. **Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis Forskal,1775; guttata Thunberg,1815; bimaculata Burmeister,1838; bioculata Burmeister,1838; vischeri Werner,1933* DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
611. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
612. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus Meigen,1804* TR IR EG GR FR HU IL Pa RO RU TN
613. **Stenopogon heteroneurus (Macquart,1838)** (Asilidae) Synonym(s): *heteroneurus Macquart,1838* MA DZ TN EG IL Pa IR Ss
614. **Stenosis laevicollis Solier,1838** (Tenebrionidae) Synonym(s): *laevicollis Solier,1838* DZ TN LY
615. **Stenosis punica Pic,1905** (Tenebrionidae) Synonym(s): *punica Pic,1905* TN
616. **Stenosis ravasinii Gestro,1880** (Tenebrionidae) Synonym(s): *ravasinii Gestro,1880* TN
617. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
618. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia Meigen,1822; flaviventris Loew,1846; ahngeri Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941* FR CY RU TR Cc AM IL SY IR EG MA DZ TN
619. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
620. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labaumeanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
621. **Tabanus regularis Jaenicke,1866** (Tabanidae) Synonym(s): *regularis Jaenicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kihç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
622. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931* AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU

623. **Tachys (Eotachys) bistratus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistratus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
624. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
625. **Tachytrechus planitarsis Becker,1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker,1907 EG IL Pa SY DZ Cn ET IR SA TN TM
626. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
627. **Temelucha anatolica (Sedivy,1959)** (Ichneumonidae) Synonym(s): *anatolica* Sedivy,1959 TN TR
628. **Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): *observator* Aubert,1966 TN RO TR IL Pa EG
629. **Tentyria cribricollis Fairmaire,1875** (Tenebrionidae) Synonym(s): *cribricollis* Fairmaire,1875 TN
630. **Tentyria gibbicollis Lucas,1855** (Tenebrionidae) Synonym(s): *gibbicollis* Lucas,1855 DZ TN
631. **Tentyria latreillei Solier,1835** (Tenebrionidae) Synonym(s): *latreillei* Solier,1835 DZ TN LY
632. **Tentyria mulsanti Lucas,1855** (Tenebrionidae) Synonym(s): *mulsanti* Lucas,1855; *oblongipennis* Fairmaire,1874 DZ TN
633. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830 TR ES IT GR LB IL TN EG Sn KG
634. **Tetanops corsicana Becker,1909** (Ulidiidae) Synonym(s): *corsicana* Becker,1909 FR Co IT Si ES TN
635. **Tethina alboguttata (Strobl,1900)** (Tethinidae) Synonym(s): *alboguttata* Strobl,1900 Cn MA DZ ES TN
636. **Tethina cinerea (Loew,1862)** (Tethinidae) Synonym(s): *cinerea* Loew,1862 BG Cn TN
637. **Tethina flavigenis (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis* Hendel,1934 DK BG GB DE ES IT TN
638. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 Az Cn ES FR TN GB SE IT BG GR Cr
639. **Tethina guttata Freidberg & Beschvski,1996** (Tethinidae) Synonym(s): *guttata* Freidberg & Beschvski,1996 IL Pa TN
640. **Tethina intermedia Collin,1966** (Tethinidae) Synonym(s): *intermedia* Collin,1966 TN
641. **Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris* Loew,1865 DZ Az EG ES IT Si TN
642. **Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes* Loew,1865 GR BG TN Cn Az CV FR
643. **Tethina subpunctata Beschovski,1994** (Tethinidae) Synonym(s): *subpunctata* Beschovski,1994 TN
644. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
645. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiatis* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
646. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
647. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
648. **Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum,1868 DZ IL ES SY TN
649. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
650. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri* Horvath,1909 DZ ES Cn MA ES TN TR KG UA Cm
651. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876 DZ BE FR GR TR IT Si JO MA ES SY TN
652. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta*

- Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
653. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
654. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata Loew,1847* IT MT MA TN RU TR UA
655. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata Fieber,1861* DZ MA TN ES CY EG JO TR YU
656. **Tituboea femoralis (Medvedev,1962)** (Chrysomelidae) Synonym(s): *femoralis Medvedev,1962* TN
657. **Tituboea laticollis (Olivier,1808)** (Chrysomelidae) Synonym(s): *laticollis Olivier,1808* DZ TN EG
658. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus Illiger,1800* TN ES AT AL TR Cc SY IR RU
659. **Tituboea perrisi (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *perrisi Desbrochers,1870* DZ TN
660. **Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex Wiedemann,1820* PT ES TR SY TN
661. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
662. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
663. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
664. **Tribalus anatolicus Olexa,1980** (Histeridae) Synonym(s): *anatolicus Olexa,1980* TN CY TR GR
665. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata Loew,1865* TR HU MK FR IT Si ES TN
666. **Trixoscelis puncticornis (Becker,1907)** (Trixoscelidae) Synonym(s): *puncticornis Becker,1907; phylacis Seguy,1953* AE Az Cn MR TN SA
667. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
668. **Truxalis nasuta (Linnaeus,1758)** (Acrididae) Synonym(s): *nasuta Linnaeus,1758; annulatus Thunberg,1815; bilineatus Thunberg,1815; nebulosus Thunberg,1815; miniata Klug,1830; obsoleta Klug,1830; scalaris Klug,1830; variabilis Klug,1830; unguiculata Rambur,1839;isabellina Fischer-Waldheim,1846;klugii Fieber,1853* Cn MA DZ TN TR
669. **Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus Loew,1856; cretaceus Becker,1913* RU KG KK TR IQ IR MA TN EG
670. **Tychius bicolor Brisout,1862** (Curculionidae) Synonym(s): *bicolor Brisout,1862* DZ TN TR
671. **Ulidia apicalis Meigen,1826** (Ulidiidae) Synonym(s): *apicalis Meigen,1826* FR Co IT Si PT ES TN MA GR Rd
672. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata Fabricius,1794; taeniolata Costa,1883* IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
673. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata Brullé,1833* DZ EG IL Pa TN IT YU MT MK GR
674. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii Strobl,1902* DZ B-H HV FR GR IT LY MK MA SS TN YU
675. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla Meigen,1820* DZ AT HV FR IT LY MA ES PT SS TN
676. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
677. **Usia (s.str.) accola Becker,1906** (Bombyliidae) Synonym(s): *accola Becker,1906* DZ TN
678. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons Becker,1906; putilla Becker,1906* FR GR IT KK RU ES TJ TN TM
679. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798; vicina Macquart,1840; #pubera Becker,1906; pubera Strobl,1906* DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
680. **Usia (s.str.) claripennis Macquart,1840** (Bombyliidae) Synonym(s): *claripennis Macquart,1840* DZ MA TN

681. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea Fabricius,1794*; *cuprea Macquart,1834*; *gagathea Bigot,1892* **DZ FR ES MA TN IT Si KK TM TJ**
682. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata Becker,1906* **DZ SD EG IL Pa MA ES TN SY**
683. **Usia (s.str.) pallescens Becker,1906** (Bombyliidae) Synonym(s): *pallescens Becker,1906*; *ocellaris Malloch,1927* **ES TN FR PT**
684. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata Costa,1883* **DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ**
685. **Usia (s.str.) vagans Becker,1906** (Bombyliidae) Synonym(s): *vagans Becker,1906* **TN**
686. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica Stal,1859* **PT ES LY EG TN TR IR**
687. **Villa doriae Bezzi,1922** (Bombyliidae) Synonym(s): *doriae Bezzi,1922* **TN**
688. **Villa laevis Becker,1915** (Bombyliidae) Synonym(s): *laevis Becker,1915* **MA TN EG**
689. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta Loew,1869*; *nana Becker,1916* **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
690. **Villa perfecta (Becker,1906)** (Bombyliidae) Synonym(s): *perfecta Becker,1906* **TN**
691. **Villa syphax (Fabricius,1798)** (Bombyliidae) Synonym(s): *syphax Fabricius,1798* **DZ TN**
692. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801*; *ustulatus Mulsant & Rey,1855*; *salicetorum Mulsant & Rey,1855*; *prasinus Kirschbaum,1868* **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
693. **Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana Mavromoustakis,1949* **EG TN? IL Pa JO SY**
694. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis Becker,1906* **SD DZ EG GR MK IL Pa YU TN TR**
695. **Zarudnya interstitialis Melichar,1902** (Flatidae) Synonym(s): *interstitialis Melichar,1902* **EG IR LY TN**
696. **Zophosis angustula Reitter,1916** (Tenebrionidae) Synonym(s): *angustula Reitter,1916* **TN Gf**
697. **Zophosis pygmaea Solier,1834** (Tenebrionidae) Synonym(s): *pygmaea Solier,1834* **LY TN EG SY Dms**
698. **Zophosis tunisea Reitter,1916** (Tenebrionidae) Synonym(s): *tunisea Reitter,1916* **TN**
699. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855*; *punctulum Mulsant & Rey,1855*; *cruoris Rey,1891*; *dorsuaria Ribaut,1936*; *nycthemera Ribaut,1936* **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**

Synonymic and distributional list of the pterygot insects of Uganda

(Results of the Entomofauna of the World based upon info-system of the Cesa)

61

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Uganda (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 61. *Priamus* (suppl.) 18: 2084-2090.

In this study, totally 182 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Uganda recorded in info-system of the Cesa, total pterygot species of Uganda increase to 1930.

Key words: List, distribution, *pterygota*, *Insecta*, Uganda.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹²³
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 182 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1748 recorded species of Lepidoptera from Uganda are found. Taking this information into consideration, total number of the pterygots may increase to 1930.

The study is still continuing, and the new results will be published within this Project.

1. **Achaemenes entabeniensis Synave,1959** (Cixiidae) Synonym(s): *entabeniensis Synave,1959* UG
2. **Achaemenes kampalensis Van Stalle,1989** (Cixiidae) Synonym(s): *kampalensis Van Stalle,1989* UG
3. **Achaetothorax acrostichalis Papp & Norrbom,1992** (Sphaeroceridae) Synonym(s): *acrostichalis Papp & Norrbom,1992* UG ZR

¹²³ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 6- Uganda stand 19.7.2007 [totally 1891 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafri8.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps.

http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

4. **Achaetothorax concavus** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *concavus* Norrbom & Papp,1994 **UG ZR**
5. **Achaetothorax crypticus** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *crypticus* Papp & Norrbom,1992 **RW UG TZ ZR**
6. **Achaetothorax flavipes** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *flavipes* Papp & Norrbom,1992 **UG ZR**
7. **Achaetothorax grootaerti** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *grootaerti* Norrbom & Papp,1994 **UG ZR**
8. **Afrius (s.str.) kollerii** Schouteden,1911 (Pentatomidae) Synonym(s): *kollerii* Schouteden,1911 **ZR KE ET UG CI**
9. **Afroesticus insectaris** Scarbrough,2005 (Asilidae) Synonym(s): *insectaris* Scarbrough,2005 **UG RW KE**
10. **Afroesticus kimerus** Scarbrough,2005 (Asilidae) Synonym(s): *kimerus* Scarbrough,2005 **UG KE**
11. **Afroesticus morani** Scarbrough,2005 (Asilidae) Synonym(s): *morani* Scarbrough,2005 **UG TZ**
12. **Afroesticus varipes** (Curran,1927) (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 **ZR AO BF CM CG NG RW UG**
13. **Afroesticus vittatus** (Curran,1927) (Asilidae) Synonym(s): *vittatus* Curran,1927 **TD ZR AO GA ML SN UG YE**
14. **Afroesticus vorax** Scarbrough,2005 (Asilidae) Synonym(s): *vorax* Scarbrough,2005 **UG NE**
15. **Agaon fasciatum** Waterston,1914 (Agaonidae) Synonym(s): *fasciatum* Waterston,1914; *tridentatum* Joseph,1959 **UG GN**
16. **Agrionopsis modesta** Werner,1908 (Mantidae) Synonym(s): *modesta* Werner,1908 **KE ZR TZ UG**
17. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). **LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW**
18. **Alalomantis coxalis** (Saussure & Zehntner,1895) (Mantidae) Synonym(s): *coxalis* Saussure & Zehntner,1895 **ZR UG Rz BI**
19. **Alalomantis muta** (Wood-Mason,1882) (Mantidae) Synonym(s): *muta* Wood-Mason,1882 **UG**
20. **Alcimus rubiginosus** Gerstaecker,1871 (Asilidae) Synonym(s): *rubiginosus* Gerstaecker,1871 **UG TZ MW**
21. **Aluligera alpina** Richards,1966 (Sphaeroceridae) Synonym(s): *alpina* Richards,1966 **UG Rz**
22. **Aluligera montana** Richards,1951 (Sphaeroceridae) Synonym(s): *montana* Richards,1951 **UG Rz**
23. **Aluligera varicolor** (Richards,1957) (Sphaeroceridae) Synonym(s): *varicolor* Richards,1957; *pleurofasciata* Richards,1965 **KE Elg TZ UG**
24. **Amorphoscelis pulchella** Giglio-Tos,1913 (Amorphoscelidae) Synonym(s): *pulchella* Giglio-Tos,1913; *ugandensis* Beier,1931 **UG AO ZR ZW**
25. **Anagyrus kivuensis** Compere,1939 (Encyrtidae) Synonym(s): *kivuensis* Compere,1939 **ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf**
26. **Andrallus spinidens** (Fabricius,1787) (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917 **CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US**
27. **Anthrax busonicus** François,1960 (Bombyliidae) Synonym(s): *busonicus* François,1960 **BI TZ UG**
28. **Anthrax nigerimus** Bezzi,1923 (Bombyliidae) Synonym(s): *nigerimus* Bezzi,1923 **ZR KE MW TZ UG**
29. **Anthrax nigerrimus** Bezzi,1924 ?homonym (Bombyliidae) Synonym(s): *nigerrimus* Bezzi,1924 **ZR KE MW TZ UG**
30. **Apis mellifera** Linnaeus,1758 (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
31. **Aprostocetus ceroplastae** (Girault,1916) (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 **AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
32. **Aprostocetus ugandaensis** (Girault,1917) (Eulophidae) Synonym(s): *ugandaensis* Girault,1917 **UG**
33. **Arantia ugandana** Rehn,1914 (Tettigoniidae) Synonym(s): *ugandana* Rehn,1914 **UG**
34. **Atlasacris peculiaris** Rehn,1914 (Tettigoniidae) Synonym(s): *peculiaris* Rehn,1914 **UG Rz**

35. **Beckerellus melanopus (Bezzi,1924)** (Bombyliidae) Synonym(s): *melanopus* Bezzi,1924 KE UG
36. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus* Becker,1909; *mollis* Bezzi,1921; *disjunctus* Bezzi,1921; *parallelus* Bezzi,1924 BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
37. **Bombomyia aequisexa (Paramonov,1955)** (Bombyliidae) Synonym(s): *aequisexa* Paramonov,1955 KE UG
38. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau Sz TZ TG UG YE ZM ZW
39. **Bombomyia flammea (Bowden,1962)** (Bombyliidae) Synonym(s): *flammea* Bowden,1962 TD UG KE ZR
40. **Bombylella argentata (Fabricius,1805)** (Bombyliidae) Synonym(s): *argentata* Fabricius,1805; *argyroloma* Bowden,1964 TD ER CI GH KE MW NG TZ UG
41. **Bombylella auricoma (Bezzi,1924)** (Bombyliidae) Synonym(s): *auricoma* Bezzi,1924 ER ET KE MW ZA Kzu Nta UG
42. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata* Wiedemann,1830; *mutilatus* Bezzi,1921; *truncatus* Greathead,1967 BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
43. **Bombylella ornata (Wiedemann,1828)** (Bombyliidae) Synonym(s): *ornata* Wiedemann,1828; *signifer* Walker,1852; *pleuralis* Bezzi,1924 AO BW BF ER ET KE ML MZ ZA Fs Gau Mpu Tva SZ TZ UG SA
44. **Bombylella plorans (Bezzi,1920)** (Bombyliidae) Synonym(s): *plorans* Bezzi,1920; *lugens* Bezzi,1924; *melanolomus* Hesse,1938 BJ GH KE NG SN SL TZ TG UG ZW
45. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 AO KE MW NA NG TZ UG
46. **Bombylisoma nucale (Bezzi,1924)** (Bombyliidae) Synonym(s): *nucale* Bezzi,1924 AO KE MW NA NG TZ UG
47. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
48. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
49. **Bombylius (s.str.) acrophylax Greathead,1991** (Bombyliidae) Synonym(s): *acrophylax* Greathead,1991 BI ER KE TZ UG
50. **Bombylius (s.str.) basifumatus Speiser,1914** (Bombyliidae) Synonym(s): *basifumatus* Speiser,1914 CM ET TZ UG
51. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
52. **Ceratothripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918; *marshalli* Bagnall,1918; *ventralis* Hood,1918 GH SL CI NG CM ET UG ZR AO ZA PR MY
53. **Ceratothripoides claratris (Shumsher,1946)** (Thripidae) Synonym(s): *claratris* Shumsher,1946; *moultoni* Seshadri & Ananthakrishnan,1954; *reticulatus* Reyes,1994 UG NG
54. **Ceratothripoides revelatus (Priesner,1937)** (Thripidae) Synonym(s): *revelatus* Priesner,1937 ZR SL UG GH NG ST AO MZ KE
55. **Chalicodoma (Callomegachile) kigonserana (Friese,1903)** (Megachilidae) Synonym(s): *kigonserana* Friese,1903 KE UG ZR ZW
56. **Chalicodoma (Pseudomegachile) fulva (Smith,1853)** (Megachilidae) Synonym(s): *fulva* Smith,1853; *nigricaudata* Pasteels,1970 ZA UG
57. **Cixius ugandana Van Stalle,1988** (Cixiidae) Synonym(s): UG
58. **Compsothespis hispida Beier,1954** (Mantidae) Synonym(s): *hispida* Beier,1954 UG
59. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
60. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU

61. **Culicoides albovenosus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *albovenosus* Khamala & Kettle,1971; *neoangolensis* Kremer,1972 **AO UG**
62. **Culicoides brucei Austen,1909** (Ceratopogonidae) Synonym(s): *brucei* Austen,1909 **UG**
63. **Culicoides bwambanus de Meillon,1952** (Ceratopogonidae) Synonym(s): *bwambanus* de Meillon,1952 **UG**
64. **Culicoides byersi Atchley,1967** (Ceratopogonidae) Synonym(s): *byersi* Atchley,1967 **UG MNx**
65. **Culicoides ciliodentatus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *ciliodentatus* Khamala & Kettle,1971 **UG**
66. **Culicoides excavatus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *excavatus* Khamala & Kettle,1971 **UG**
67. **Culicoides hirsutus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *hirsutus* Khamala & Kettle,1971 **UG**
68. **Culicoides hortensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *hortensis* Khamala & Kettle,1971 **UG**
69. **Culicoides latifrons Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *latifrons* Khamala & Kettle,1971 **UG**
70. **Culicoides neavei Austen,1912** (Ceratopogonidae) Synonym(s): *neavei* Austen,1912 **UG**
71. **Culicoides spinulosus Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *spinulosus* Khamala & Kettle,1971 **UG**
72. **Culicoides stercorarius Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *stercorarius* Khamala & Kettle,1971 **UG**
73. **Culicoides tororoensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *tororoensis* Khamala & Kettle,1971 **UG**
74. **Culicoides zikaensis Khamala & Kettle,1971** (Ceratopogonidae) Synonym(s): *zikaensis* Khamala & Kettle,1971 **UG**
75. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus* Fabricius,1803; *elongatus* Dallas,1852; *innocuus* Stal,1865; *metallicus* Fallou,1891; *bicolor* Distant,1912 **ZR GN SD UG SL GH ET BJ CI NG CM ZA**
76. **Danuria (s.str.) buchholzi Gerstaecker,1883** (Mantidae) Synonym(s): *buchholzi* Gerstaecker,1883 **GH GN CM CI ZR SN NG TG UG**
77. **Danuria (s.str.) obscuripennis (Chopard,1914)** (Mantidae) Synonym(s): *obscuripennis* Chopard,1914; *fusca* Giglio-Tos,1914 **UG**
78. **Dirhinus ugandensis (Masi,1947)** (Chalcididae) Synonym(s): *ugandensis* Masi,1947 **UG**
79. **Drepanophyllum furcatum Ragge,1962** (Tettigoniidae) Synonym(s): *furcatum* Ragge,1962 **UG**
80. **Elaea marchali (Reiche & Fairmaire,1847)** (Mantidae) Synonym(s): *marchali* Reiche & Fairmaire,1847; *perloides* Saussure,1869; *somalica* Schluthness-Schindler,1898 **DZ ET GN CM KE NG SN SD TD UG**
81. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata* Saussure,1869; *ibana* Giglio-Tos,1912; *iringana* Giglio-Tos,1912; *madimbana* Giglio-Tos,1912 **AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ**
82. **Exoprosopa atrinasis Speiser,1910** (Bombyliidae) Synonym(s): *atrinasis* Speiser,1910 **TZ ET KE UG ZM**
83. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra* Bezzi,1924; *saskae* Szilady,1942 **AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW**
84. **Exoristobia dipterae (Risbec,1951)** (Encyrtidae) Synonym(s): *dipterae* Risbec,1951; *africanus* Risbec,1955; *deemingi* Subba Rao,1970 **BJ CM GH KE MW NG SN TZ UG**
85. **Exoristobia ugandensis Subba Rao,1970** (Encyrtidae) Synonym(s): *ugandensis* Subba Rao,1970 **UG**
86. **Galepsus (Lygdamia) nimulensis Giglio-Tos,1917** (Irididae) Synonym(s): *nimulensis* Giglio-Tos,1917 **CM NG SN UG**
87. **Galepsus (Onychogalepsus) diversus Giglio-Tos,1911** (Irididae) Synonym(s): *diversus* Giglio-Tos,1911 **TZ UG KE**
88. **Galepsus (Onychogalepsus) gracilis Giglio-Tos,1911** (Irididae) Synonym(s): *gracilis* Giglio-Tos,1911 **TZ Zz KE UG**
89. **Geron exemptus Bowden,1974** (Bombyliidae) Synonym(s): *exemptus* Bowden,1974 **KE UG**
90. **Gonypetella atra Giglio-Tos,1915** (Mantidae) Synonym(s): *atra* Giglio-Tos,1915 **UG**
91. **Gonypetella fusca Giglio-Tos,1915** (Mantidae) Synonym(s): *fusca* Giglio-Tos,1915 **UG**
92. **Gonypetella punctata Giglio-Tos,1915** (Mantidae) Synonym(s): *punctata* Giglio-Tos,1915 **CM KE ZR UG**
93. **Gymnopleurus smaragdinus Fahraeus,1857** (Scarabaeidae) Synonym(s): *smaragdinus* Fahraeus,1857 **UG**
94. **Heliocopris hamadryas (Fabricius,1775)** (Scarabaeidae) Synonym(s): *hamadryas* Fabricius,1775 **UG**

95. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis* Burmeister,1838; *purpunpennis* Audinet-Serville,1839; *wahlbergi* Stal,1856 (part); *phantasma* Rehn,1949 **ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET**
96. **Heterochaeta bernardii Roy,1973** (Mantidae) Synonym(s): *bernardii* Roy,1973 **AO GA CM NG SN UG**
97. **Heterochaeta kumari Roy,1975** (Mantidae) Synonym(s): *kumari* Roy,1975 **CI GH KE NG SN UG**
98. **Horatosphaga concava Ragge,1960** (Tettigoniidae) Synonym(s): *concava* Ragge,1960 **UG**
99. **Horatosphaga leggei (Kirby,1909)** (Tettigoniidae) Synonym(s): *leggei* Kirby,1909; *robusta* Rehn,1914; *amplipennis* Rehn,1914; *affinis* Bolivar,1922 **UG ZR KE**
100. **Horatosphaga linearis (Rehn,1914)** (Tettigoniidae) Synonym(s): *linearis* Rehn,1914; *?karschi* Rehn,1914 **UG ZR**
101. **Idolomantis diabolica (Saussure,1869)** (Empusidae) Synonym(s): *diabolica* Saussure,1869 **ET KE MW SO TZ UG**
102. **Idolomorpha dentifrons Saussure & Zehntner,1895** (Empusidae) Synonym(s): *dentifrons* Saussure & Zehntner,1895 **ET ZA Ec Tva Lpo UG TZ Zz SO SD MZ KE**
103. **Ischnomantis spinigera Schulthess-Schindler,1898** (Mantidae) Synonym(s): *spinigera* Schulthess-Schindler,1898 **ET KE SO UG**
104. **Junodia vansomerani Roy,1972** (Hymenopodidae) Synonym(s): *vansomerani* Roy,1972 **UG**
105. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 **FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE**
106. **Leptolobus martini (Schouteden,1904)** (Pentatomidae) Synonym(s): *martini* Schouteden,1904 **CM UG**
107. **Ligaria brevis Giglio-Tos,1915** (Mantidae) Synonym(s): *brevis* Giglio-Tos,1915 **KE TZ UG**
108. **Lonchoptera ugandensis Whittington,1991** (Lonchopteridae) Synonym(s): *ugandensis* Whittington,1991 **UG**
109. **Macrorhaphis (s.str.) dallasi Schouteden,1905** (Pentatomidae) Synonym(s): *dallasi* Schouteden,1905 **MG TZ UG**
110. **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 **AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31**
111. **Milichia distinctipennis Deeming,1981** (Milichiidae) Synonym(s): *distinctipennis* Deeming,1981 **UG CM GH NG ZR**
112. **Miomantis annulipes (Werner,1916)** (Mantidae) Synonym(s): *annulipes* Werner,1916 **TZ UG**
113. **Miomantis brunni (Giglio-Tos,1911)** (Mantidae) Synonym(s): *brunni* Giglio-Tos,1911; *bosia* Rehn,1912 **AO KE ZR UG Rz**
114. **Miomantis buettneri (Giglio-Tos,1911)** (Mantidae) Synonym(s): *buettneri* Giglio-Tos,1911 **ZA Tva Lpo UG**
115. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata* Fabricius,1781; *vitratata* Olivier,1792; *nana* Stoll,1813 **ZA Ec Tva Lpo ZR LS MZ NA RW SO UG**
116. **Miomantis gyldenstolpei Sjöstedt,1924** (Mantidae) Synonym(s): *gyldenstolpei* Sjöstedt,1924 **UG**
117. **Miomantis kibweziana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *kibweziana* Giglio-Tos,1911; *moerana* Giglio-Tos,1917 **KE UG Rz TZ ZA Tva Lpo**
118. **Miomantis kilimandjarica Sjöstedt,1909** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909; *irrorata* Giglio-Tos,1911 **KE TZ UG**
119. **Miomantis lacualis (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lacualis* Giglio-Tos,1911 **ET KE MW RW SO TZ UG BI**
120. **Miomantis longicollis Saussure,1898** (Mantidae) Synonym(s): *longicollis* Saussure,1898 **KE UG**
121. **Miomantis montana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *montana* Giglio-Tos,1911 **ET KE RW TZ UG BI**
122. **Miomantis paykullii Stal,1871** (Mantidae) Synonym(s): *paykullii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
123. **Miomantis pygmaea (Giglio-Tos,1917)** (Mantidae) Synonym(s): *pygmaea* Giglio-Tos,1917 **ET KE RW TZ UG BI**
124. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata* Saussure,1898 **ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG**
125. **Neomyia aureopyga (Malloch,1923)** (Muscidae) Synonym(s): *aureopyga* Malloch,1923 **KE TZ UG ZR**
126. **Neomyia bequaerti (Villeneuve,1916)** (Muscidae) Synonym(s): *bequaerti* Villeneuve,1916 **ZR RW ZA UG**

127. **Neomyia bimaculata (Stein,1918)** (Muscidae) Synonym(s): *bimaculata* Stein,1918 **UG CI KE NG ZR**
128. **Neomyia currani (Pont,1980)** (Muscidae) Synonym(s): *currani* Pont,1980 **ZR MW TZ UG**
129. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia* Malloch,1923 **KE CM GH MW RW ZA TG UG ZR**
130. **Neomyia macrops (Curran,1935)** (Muscidae) Synonym(s): *macrops* Curran,1935 **ZR KE NG ZA TG UG**
131. **Neomyia sororella (Villeneuve,1926)** (Muscidae) Synonym(s): *sororella* Villeneuve,1926 **KE ZR ET RW UG**
132. **Oxyelaea heteromorpha Beier,1930** (Irididae) Synonym(s): *heteromorpha* Beier,1930 **KE UG SO**
133. **Oxypilus (s.str.) falcatus Roy,1966** (Hymenopodidae) Synonym(s): *falcatus* Roy,1966 **CM ZR SD UG CF**
134. **Oxypilus (s.str.) montanus Roy,1999** (Hymenopodidae) Synonym(s): *montanus* Roy,1999 **RW KE Nai BI TZ UG**
135. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW**
136. **Pachnoda marginata (Drury,1773)** (Scarabaeidae) Synonym(s): *marginata* Drury,1773 **UG**
137. **Paracinema acutipennis (Bolivar,1914)** (Acrididae) Synonym(s): *acutipennis* Bolivar,1914 **UG**
138. **Paragalepsus gestri (Giglio-Tos,1911)** (Irididae) Synonym(s): *gestri* Giglio-Tos,1911; *oxyops* Beier,1930 **UG ET CM**
139. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 **TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk**
140. **Paramantis sacra (Thunberg,1815)** (Mantidae) Synonym(s): *sacra* Thunberg,1815 **ZA Ec Tva Lpo UG**
141. **Paramantis victoriana (Werner,1908)** (Mantidae) Synonym(s): *victoriana* Werner,1908; *mitiana* Giglio-Tos,1912 **AO CM ZR UG Rz TZ**
142. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis* Kirby,1904 **ZA Tva Lpo ZW TZ KE ET SO UG**
143. **Pediobius africanus (Waterston,1915)** (Eulophidae) Synonym(s): *africanus* Waterston,1915 **MW UG**
144. **Pediobius anastati (Crawford,1913)** (Eulophidae) Synonym(s): *anastati* Crawford,1913; *violaceus* Waterson,1915 **MW ML SN UG**
145. **Pediobius angustifrons Kerrich,1973** (Eulophidae) Synonym(s): *angustifrons* Kerrich,1973 **KE MW SL UG**
146. **Pediobius arcuatus Kerrich,1973** (Eulophidae) Synonym(s): *arcuatus* Kerrich,1973 **UG**
147. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?TR LB SY Ce AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
148. **Platynopiellus fallax (Schouteden,1904)** (Pentatomidae) Synonym(s): *fallax* Schouteden,1904 **CM UG CI**
149. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s): *rostratus* Drury,1782 (*praeocc.*); *calens* Fabricius,1803 (*praeocc.*); *septendecimaculatus* Beauvois,1811; *trijunctus* Walker,1867; *optabilis* Walker,1867; *parvus* Distant,1900 **CM GH CI KE NG SL SD UG ZR**
150. **Plistospilota mabirica Giglio-Tos,1917** (Mantidae) Synonym(s): *mabirica* Giglio-Tos,1917 **ZR UG**
151. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adspersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet-Serville,1839 **AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW**
152. **Popa spurca crassa Giglio-Tos,1917** (Mantidae) Synonym(s): *crassa* Giglio-Tos,1917 **ET KE MG MW SO TZ UG**
153. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
154. **Prohierodula enghoffii Lombardo,1997** (Mantidae) Synonym(s): *enghoffii* Lombardo,1997 **UG**
155. **Pseudogalepsus modestior Schulthess-Rechberg,1899** (Irididae) Synonym(s): *modestior* Schulthess-Rechberg,1899; *schulthessi* Rehn,1901 **ET KE ZR TZ UG**
156. **Pyrgomantis mabuia Werner,1907** (Irididae) Synonym(s): *mabuia* Werner,1907 **UG**

157. **Scoliophthalmus femoralis Becker,1916** (Chloropidae) Synonym(s): *femoralis* Becker,1916
UG ZA TZ KE NG CM NE
158. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus* Becker,1916
UG KE RW ZR LR ML CM NG GH
159. **Scoliophthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis*
Duda,1935 NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET
160. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides*
Becker,1903 EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
161. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle*
Becker,1903; *scapullatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 EG BJ BF BW CM CF ZR
NE NG SN ZA Fs SD UG ZM
162. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR
RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
163. **Sphodromantis centralis Rehn,1914** (Mantidae) Synonym(s): *centralis* Rehn,1914 ET KE RW
BI TZ UG CF
164. **Sphodromantis gastrica (Stal,1858)** (Mantidae) Synonym(s): *gastrica* Stal,1858; *bicarinata*
Saussure,1869 ET ZA Ec Nta Kzu Tva Lpo Fs MZ NA UG TZ Zz SO
165. **Sphodromantis kenyana La Greca & Lombardo,1987** (Mantidae) Synonym(s): *kenyana* La
Greca & Lombardo,1987 KE MW UG
166. **Sphodromantis lagrecai Lombardo,1989** (Mantidae) Synonym(s): *lagrecai* Lombardo,1989
KE TZ UG
167. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838
AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
168. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis* Forskål,1775;
guttata Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933
DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
169. **Sycophila naso Boucek,1981** (Eurytomidae) Synonym(s): *naso* Boucek,1981 NA UG ZW
170. **Systropha (Austrosystropha) ugandensis Cockerell,1931** (Halictidae) Synonym(s):
ugandensis Cockerell,1931 UG
171. **Systropus (Diaerops) marshalli Bezzi,1924** (Bombyliidae) Synonym(s): *marshalli* Bezzi,1924;
vespiformis Enderlein,1926 ZR KE TG UG ZW
172. **Systropus (Dimelopelma) rex Curran,1927** (Bombyliidae) Synonym(s): *rex* Curran,1927 ZR
UG
173. **Systropus (Dimelopelma) trigonalis Bezzi,1924** (Bombyliidae) Synonym(s): *trigonalis*
Bezzi,1924 KE TZ UG
174. **Systropus (s.str.) jactator Bowden,1967** (Bombyliidae) Synonym(s): *jactator* Bowden,1967
UG
175. **Tarachodes (Chiropacha) aestuans Saussure,1895** (Irididae) Synonym(s): *aestuans*
Saussure,1895; *media* Schulthess-Schnidler,1898; *orientalis* Giglio-Tos,1911 DZ? SO ET KE TZ UG
176. **Tarachodes (Chiropacha) gilvus Charpentier,1841** (Irididae) Synonym(s): *gilvus*
Charpentier,1841 SD CM ZR UG TD SA
177. **Tarachodes (s.str.) alluaudi Chopard,1914** (Irididae) Synonym(s): *alluaudi* Chopard,1914;
minor Chopard,1921 ET SO KE TZ UG
178. **Tarachodes (s.str.) monstrosus Giglio-Tos,1917** (Irididae) Synonym(s): *monstrosus* Giglio-
Tos,1917 SO UG ET
179. **Tenodera superstitionosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstitionosa* Fabricius,1781;
bokiana Giglio-Tos,1907 MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ
Zz SN SO SD TG UG ZM KM IN ID Ja MY SG
180. **Toxophora vitripennis Bezzi,1924** (Bombyliidae) Synonym(s): *vitripennis* Bezzi,1924 UG
181. **Villa loewii Hesse,1956** (Bombyliidae) Synonym(s): *loewii* Hesse,1956 BI LS NA RW ZA Gau
Mpu Tva UG ZW
182. **Villa paniscoides Bezzi,1912** (Bombyliidae) Synonym(s): *paniscoides* Bezzi,1912 ER ET KE MW
SO UG YE EG SA OM

Synonymic and distributional list of the pterygot insects of Zaire

(Results of the Entomofauna of the World based upon info-system of the Cesa)

62

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Zaire (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 62.
Priamus (suppl.) 18: 2084-2104.

In this study, totally 415 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Zaire recorded in info-system of the Cesa, total pterygot species of Zaire increase to 2877.

Key words: List, distribution, *pterygota*, *Insecta*, Zaire.

Brief explanatory information:

Previously published article	yes
Previously published report	yes
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 415 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2462 recorded species of Lepidoptera from Zaire are found. Taking this information into consideration, total number of the pterygots may increase to 2877.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax acrostichalis** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *acrostichalis* Papp & Norrbom,1992 **UG ZR**
2. **Achaetothorax completus** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *completus* Norrbom & Papp,1994 **KE ZR**
3. **Achaetothorax concavus** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *concavus* Norrbom & Papp,1994 **UG ZR**
4. **Achaetothorax coninckae** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *coninckae* Norrbom & Papp,1994 **ZR**
5. **Achaetothorax crypticus** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *crypticus* Papp & Norrbom,1992 **RW UG TZ ZR**
6. **Achaetothorax flavipes** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *flavipes* Papp & Norrbom,1992 **UG ZR**
7. **Achaetothorax grootaerti** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *grootaerti* Norrbom & Papp,1994 **UG ZR**
8. **Achaetothorax medialis** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *medialis* Norrbom & Papp,1994 **ZR**

9. **Achaetothorax pectinatus** Norrbom & Papp,1994 (Sphaeroceridae) Synonym(s): *pectinatus* Norrbom & Papp,1994 ZR
10. **Achaetothorax rhinocerotis** (Richards,1939) (Sphaeroceridae) Synonym(s): *rhinocerotis* Richards,1939 ET KE MZ TZ ZA ZW ZR
11. **Achaetothorax straeleninus** (Richards,1980) (Sphaeroceridae) Synonym(s): *straeleni* Vanschuytbroeck,1959 nec Vansch.,1948; *straeleninus* Richards,1980 ZR
12. **Achaetothorax trochanteratus** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *trochanteratus* Papp & Norrbom,1992 ZR
13. **Achaetothorax vojnitzi** Papp & Norrbom,1992 (Sphaeroceridae) Synonym(s): *vojnitzi* Papp & Norrbom,1992 KE ZR
14. **Achlaena grandis** (Westwood,1889) (Mantidae) Synonym(s): *grandis* Westwood,1889; *chrysichroma* Karsch,1892; *rhodii* Werner,1908 CI GH GN CM ZR
15. **Achlaenella adolphifrederici** (Rehn,1914) (Mantidae) Synonym(s): *adolphifrederici* Rehn,1914 ZR
16. **Acrida bicolor** (Thunberg,1815) (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stalii* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949 Truxalis bicolor Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). SL BF ZA ZR ET DZ EG FR SE TR BF IT
17. **Acrospilus brevitalus** (Parent,1937) (Dolichopodidae) Synonym(s): *brevitalus* Parent,1937 IL Pa ZR TZ
18. **Afrius (s.str.) kollerii** Schouteden,1911 (Pentatomidae) Synonym(s): *kollerii* Schouteden,1911 ZR KE ET UG CI
19. **Afrius (s.str.) yolofus** (Guérin-Méneville,1831) (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA
20. **Afroesticus chiastoneurus** (Speiser,1910) (Asilidae) Synonym(s): *chiastoneurus* Speiser,1910; *senex* Bromley,1936 TZ ZA BF ZR ET KE MW MZ ZW
21. **Afroesticus varipes** (Curran,1927) (Asilidae) Synonym(s): *varipes* Curran,1927; *garambensis* Oldroyd,1970 ZR AO BF CM CG NG RW UG
22. **Afroesticus velatus** Scarbrough,2005 (Asilidae) Synonym(s): *velatus* Scarbrough,2005 NG NA ZR AO
23. **Afroesticus verutus** Scarbrough,2005 (Asilidae) Synonym(s): *verutus* Scarbrough,2005 ZR
24. **Afroesticus vittatus** (Curran,1927) (Asilidae) Synonym(s): *vittatus* Curran,1927 TD ZR AO GA ML SN UG YE
25. **Afromochtherus atrox** (Tsacas,1969) (Asilidae) Synonym(s): *atrox* Tsacas,1969 ZR
26. **Agaon spatulatum** Wiebes,1968 (Agaonidae) Synonym(s): *spatulatum* Wiebes,1968 ZR
27. **Agrionopsis congica** Giglio-Tos,1916 (Mantidae) Synonym(s): *congica* Giglio-Tos,1916 ZR
28. **Agrionopsis modesta** Werner,1908 (Mantidae) Synonym(s): *modesta* Werner,1908 KE ZR TZ UG
29. **Aiolopus thalassinus** (Fabricius,1781) (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
30. **Alalomantis coxalis** (Saussure & Zehntner,1895) (Mantidae) Synonym(s): *coxalis* Saussure & Zehntner,1895 ZR UG Rz BI
31. **Allocormodes intractabilis** (Walker,1860) (Ascalaphidae) Synonym(s): *intractabilis* Walker,1860 ZR Bmb Knd GA Lba
32. **Allocormodes maynei** Navas,1925 (Ascalaphidae) Synonym(s): *maynei* Navas,1925 Allocormodes maynei Navas,1925, Revue zool. Afr. 13: 123-132. Lectotype ♀: Democratic Rep. Congo [Zaire]: Bomputu (RMCA,Tervuren). ZR Bpt
33. **Aluligera brunneata** Richards,1966 (Sphaeroceridae) Synonym(s): *brunneata* Richards,1966 ZR Kvu
34. **Aluligera flavena** (Richards,1966) (Sphaeroceridae) Synonym(s): *flavena* Richards,1966 ZR Kvu
35. **Aluligera grossa** Richards,1955 (Sphaeroceridae) Synonym(s): *grossa* Richards,1955; *borborus* Richards,1955 ZR Kvu RW
36. **Aluligera grossula** Richards,1966 (Sphaeroceridae) Synonym(s): *grossula* Richards,1966 ZR Kvu
37. **Aluligera ituriensis** Richards,1966 (Sphaeroceridae) Synonym(s): *ituriensis* Richards,1966 ZR

38. **Aluligera laqueata Richards,1966** (Sphaeroceridae) Synonym(s): *laqueata Richards,1966* ZR Kvu
39. **Aluligera leucocephala Richards,1966** (Sphaeroceridae) Synonym(s): *leucocephala Richards,1966* ZR Kvu
40. **Aluligera leucothorax Richards,1966** (Sphaeroceridae) Synonym(s): *leucothorax Richards,1966* ZR Kvu
41. **Aluligera pallidisternum Richards,1966** (Sphaeroceridae) Synonym(s): *pallidisternum Richards,1966* ZR Kvu
42. **Aluligera polychaeta Richards,1966** (Sphaeroceridae) Synonym(s): *polychaeta Richards,1966* RW ZR Kvu
43. **Aluligera sessilis Richards,1966** (Sphaeroceridae) Synonym(s): *sessilis Richards,1966* ZR Kvu
44. **Aluligera stenosoma Richards,1955** (Sphaeroceridae) Synonym(s): *stenosoma Richards,1955* ZR Kvu
45. **Aluligera vittigera (Richards,1980)** (Sphaeroceridae) Synonym(s): *vittata Richards,1966 nec Mall.,1914; vittigera Richards,1980* ZR Kvu
46. **Ammophilomima aequinoctialis Janssens,1953** (Asilidae) Synonym(s): *aequinoctialis Janssens,1953* ZR
47. **Ammophilomima auripennis Janssens,1953** (Asilidae) Synonym(s): *auripennis Janssens,1953* ZR
48. **Ammophilomima basilewskyi Janssens,1953** (Asilidae) Synonym(s): *basilewskyi Janssens,1953* ZR
49. **Ammophilomima eumenoides Janssens,1953** (Asilidae) Synonym(s): *eumenoides Janssens,1953* ZR
50. **Ammophilomima evanescens Janssens,1953** (Asilidae) Synonym(s): *evanescens Janssens,1953* ZR
51. **Ammophilomima ghesquierei Janssens,1953** (Asilidae) Synonym(s): *ghesquierei Janssens,1953* ZR
52. **Ammophilomima straeleni Janssens,1953** (Asilidae) Synonym(s): *straeleni Janssens,1953* NG ZR
53. **Amorphoscelis grisea Bolivar,1908** (Amorphoscelidae) Synonym(s): *grisea Bolivar,1908* CM ZR GN CI
54. **Amorphoscelis lamottei Roy,1963** (Amorphoscelidae) Synonym(s): *lamottei Roy,1963* GN CI GH ZR
55. **Amorphoscelis pulchella Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *pulchella Giglio-Tos,1913; ugandensis Beier,1931* UG AO ZR ZW
56. **Amorphoscelis pulchra Bolivar,1908** (Amorphoscelidae) Synonym(s): *pulchra Bolivar,1908* GH CM ZR SL
57. **Amorphoscelis villiersi Roy,1984** (Amorphoscelidae) Synonym(s): *villiersi Roy,1984* ZR
58. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis Compere,1939* ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
59. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
60. **Anapatara kivuensis (Synave,1979)** (Derbidae) Synonym(s): *kivuensis Synave,1979* ZR Kvu
61. **Anasida schoutedeni Distant,1910** (Pentatomidae) Synonym(s): *schoutedeni Distant,1910* ZR
62. **Anasida tenebrio Karsch,1892** (Pentatomidae) Synonym(s): *tenebrio Karsch,1892* AO ZR CM TD CI
63. **Anastoechus macrorhynchus Bezzi,1924** (Bombyliidae) Synonym(s): *macrorhynchus Bezzi,1924* ZM ZR
64. **Anchophthalmus brevis Koch,1956** (Tenebrionidae) Synonym(s): *brevis Koch,1956* ZR
65. **Anchophthalmus cariniceps Koch,1956** (Tenebrionidae) Synonym(s): *cariniceps Koch,1956* ZR
66. **Anchophthalmus curvipes Koch,1956** (Tenebrionidae) Synonym(s): *curvipes Koch,1956* ZR
67. **Anchophthalmus eurychoroides Koch,1956** (Tenebrionidae) Synonym(s): *eurychoroides Koch,1956* ZR
68. **Anchophthalmus katangicus Koch,1956** (Tenebrionidae) Synonym(s): *katangicus Koch,1956* ZR
69. **Anchophthalmus obsoletus (Ancey,1877)** (Tenebrionidae) Synonym(s): *obsoletus Ancey,1877* ZR TZ
70. **Anchophthalmus pedestris Koch,1956** (Tenebrionidae) Synonym(s): *pedestris Koch,1956* ZR
71. **Anchophthalmus plicipennis Péringuey,1904** (Tenebrionidae) Synonym(s): *plicipennis Péringuey,1904* ZR TZ ZW
72. **Anchophthalmus pulvereus Koch,1956** (Tenebrionidae) Synonym(s): *pulvereus Koch,1956* ZR
73. **Anchophthalmus soleatus Koch,1956** (Tenebrionidae) Synonym(s): *soleatus Koch,1956* ZR
74. **Anchophthalmus spinipes Koch,1956** (Tenebrionidae) Synonym(s): *spinipes Koch,1956* ZR

75. **Anchophthalmus straeleni Koch,1956** (Tenebrionidae) Synonym(s): *straeleni Koch,1956* ZR
76. **Anchophthalmus striolipennis Koch,1956** (Tenebrionidae) Synonym(s): *striolipennis Koch,1956* ZR
77. **Ancylorhynchus crux Bezzi,1908** (Asilidae) Synonym(s): *crux Bezzi,1908*; *apicalis Curran,1934*; *splendens Bromley,1936* MW ZR ZW ZA ZM
78. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787*; *geometricus Burmeister,1835*; *aliena Westwood,1837*; *cinctum Montrouzer,1858*; *aculeata Ellenreider,1862*; *ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
79. **Andrenosoma complexum Oldroyd,1970** (Asilidae) Synonym(s): *complexum Oldroyd,1970* ZR
80. **Andrenosoma serpentina (Bezzi,1908)** (Asilidae) Synonym(s): *serpentina Bezzi,1908* ZR KE MW ZA NG
81. **Anisotochra gracilipes Karsch,1889** (Tettigoniidae) Synonym(s): *gracilipes Karsch,1889* ZR
82. **Anthrax nigerimus Bezzi,1923** (Bombyliidae) Synonym(s): *nigerimus Bezzi,1923* ZR KE MW TZ UG
83. **Anthrax nigerrimus Bezzi,1924** ?homonym (Bombyliidae) Synonym(s): *nigerrimus Bezzi,1924* ZR KE MW TZ UG
84. **Anthrenus (Nathrenus) boyesi Hava,2004** (Dermestidae) Synonym(s): *boyesi Hava,2004* ZR ZA
85. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
86. **Aphthona fuentei Reitter,1901** (Chrysomelidae) Synonym(s): *fuentei Reitter,1901* TR IL Pa IR DZ ZR
87. **Arantia congensis Griffini,1908** (Tettigoniidae) Synonym(s): *congensis Griffini,1908* ZR
88. **Arantia simplicinervis Karsch,1889** (Tettigoniidae) Synonym(s): *simplicinervis Karsch,1889* ZR
89. **Bactria hypoleucochaeta (Bezzi,1908)** (Asilidae) Synonym(s): *hypoleucochaeta Bezzi,1908* ZR
90. **Ballomarius kivuensis Synave,1959** (Achilidae) Synonym(s): *kivuensis Synave,1959* ZR Kvu
91. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789*; *discoidea Fabricius,1794*; *charopus Lichtenstein,1796*; *thoracicus Fabricius,1805*; *analisis Thunberg,1827*; *trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
92. **Bombomyia flammea (Bowden,1962)** (Bombyliidae) Synonym(s): *flammea Bowden,1962* TD UG KE ZR
93. **Bombylius (s.str.) erythrocerus Bezzi,1901** (Bombyliidae) Synonym(s): *erythrocerus Bezzi,1901*; *rufoantennatus Becker,1909* ZR ER KE SO TZ
94. **Brachymeria acarinatus (Schmitz,1946)** (Chalcididae) Synonym(s): *acarinatus Schmitz,1946* ZR
95. **Brachymeria alberti (Schmitz,1946)** (Chalcididae) Synonym(s): *alberti Schmitz,1946* ZR
96. **Brachymeria brunneipennis (Schmitz,1946)** (Chalcididae) Synonym(s): *brunneipennis Schmitz,1946* ZR
97. **Brachymeria butae (Schmitz,1946)** (Chalcididae) Synonym(s): *butae Schmitz,1946*; *alutaceus Schmitz,1946*; *carinatus Schmitz,1946* ZR
98. **Brachymeria kivuensis (Schmitz,1946)** (Chalcididae) Synonym(s): *kivuensis Schmitz,1946* ZR Kvu
99. **Buettneria maculipes Karsch,1889** (Tettigoniidae) Synonym(s): *maculipes Karsch,1889*; *eburneiguttata Karsch,1896* ZR CM
100. **Calospilota lolodorfana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *lolodorfana Giglio-Tos,1911* CM ZR NG
101. **Canthecona discolor (Palisot de Beauvois,1811)** (Pentatomidae) Synonym(s): *discolor Palisot de Beauvois,1811*; *glypsoides Linnavuori,1975* SD GN TG ZR CM NG GH LR AO
102. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855*; *badenii Wehncke,1876*; *siculus Ragusa,1882*; *numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
103. **Cedusa kivuensis (Van Stalle,1984)** (Derbidae) Synonym(s): *kivuensis Van Stalle,1984* ZR Kvu
104. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824*; *citriperda Mac Leay,1829*; *asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR

- MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE
SA Sa Si PT NZ US Tx Cf Fh Hw CA
105. **Ceratohripoides brunneus Bagnall,1918** (Thripidae) Synonym(s): *brunneus* Bagnall,1918;
marshalli Bagnall,1918; *ventralis* Hood,1918 GH SL CI NG CM ET UG ZR AO ZA PR MY
106. **Ceratohripoides revelatus (Priesner,1937)** (Thripidae) Synonym(s): *revelatus*
Priesner,1937 ZR SL UG GH NG ST AO MZ KE
107. **Cesabracon longicornis (Cameron,1912)** (Braconidae) Synonym(s): *longicornis* Cameron,1912
ZR
108. **Chaetocnema conducta (Motschoulsky,1838)** (Chrysomelidae) Synonym(s): *conducta*
Motschoulsky,1838 TR Cc RU KG ZR
109. **Chalicodoma (Callomegachile) devexa (Vachal,1903)** (Megachilidae) Synonym(s):
devexa Vachal,1903 ZR
110. **Chalicodoma (Callomegachile) kigonserana (Friese,1903)** (Megachilidae) Synonym(s):
kigonserana Friese,1903 KE UG ZR ZW
111. **Chalicodoma (Callomegachile) rufipennis (Fabricius,1793)** (Megachilidae) Synonym(s):
rufipennis Fabricius,1793 ZR Kvu
112. **Chalicodoma (Carinella) torrida (Smith,1853)** (Megachilidae) Synonym(s): *torrida*
Smith,1853 ZR Kvu KE MW MZ
113. **Chalicodoma (Cesacongoa)**¹²⁴ *quadricauda* Pasteels,1965 (Megachilidae) Synonym(s):
quadricauda Pasteels,1965 ZR
114. **Chalicodoma (Gronoceras) africanibia (Strand,1912)** (Megachilidae) Synonym(s):
africanibia Strand,1912 NG ZR
115. **Chalicodoma (Gronoceras) armipygata (Strand,1911)** (Megachilidae) Synonym(s):
armipygata Strand,1911 SN ZR
116. **Chalicodoma (Gronoceras) bombiformis (Gerstaecker,1857)** (Megachilidae)
Synonym(s): *bombiformis* Gerstaecker,1857 ZR ZW MZ CF GH
117. **Chalicodoma (Gronoceras) chapini Cockerell,1935** (Megachilidae) Synonym(s): *chapini*
Cockerell,1935 ZR
118. **Chalicodoma (Gronoceras) felina (Gerstaecker,1857)** (Megachilidae) Synonym(s): *felina*
Gerstaecker,1857 GH ER ZR
119. **Chalicodoma (Gronoceras) mutula (Strand,1912)** (Megachilidae) Synonym(s): *mutula*
Strand,1912 ZR
120. **Chalicodoma (Morphella) ambigua Pasteels,1965** (Megachilidae) Synonym(s):
ambigua Pasteels,1965 ZR
121. **Chalicodoma (Neglectella) mimetica (Cockerell,1933)** (Megachilidae) Synonym(s):
mimetica Cockerell,1933 ZR ZM
122. **Chalicodoma (Neglectella) scindularia (Du Buysson,1903)** (Megachilidae) Synonym(s):
scindularia Du Buysson,1903 ZR
123. **Chalicodoma (Neglectella) stefenellii (Friese,1903)** (Megachilidae) Synonym(s): *stefenellii*
Friese,1903 CM ZR
124. **Chalicodoma (Pseudomegachile) biloba (Vachal,1910)** (Megachilidae) Synonym(s): *biloba*
Vachal,1910 ZR
125. **Chalicodoma (Pseudomegachile) congruens (Friese,1903)** (Megachilidae) Synonym(s):
congruens Friese,1903 GH LR SD ZR ZA Nta Kzu
126. **Chalicodoma (Stenomegachile) chelostomoides (Gribodo,1894)** (Megachilidae)
Synonym(s): *chelostomoides* Gribodo,1894 ER ZW ZR
127. **Chopardentella royi Kaltenbach,1996** (Mantidae) Synonym(s): *royi* Kaltenbach,1996 ZR
128. **Chrysolina burgeoni Bechyne,1948** (Chrysomelidae) Synonym(s): *burgeoni* Bechyne,1948 ZR
AO
129. **Chrysolina coarctata Weise,1912** (Chrysomelidae) Synonym(s): *coarctata* Weise,1912 ZR
130. **Chrysolina guttipennis (Weise,1912)** (Chrysomelidae) Synonym(s): *guttipennis* Weise,1912
ZR
131. **Chrysolina katangana (Achard,1924)** (Chrysomelidae) Synonym(s): *katangana* Achard,1924;
saegeri Burgeon,1941 ZR
132. **Chrysolina ruandana (Weise,1912)** (Chrysomelidae) Synonym(s): *ruandana* Weise,1912;
pauperata Burgeon,1941 ZR RW
133. **Chrysolina spilotera (Achard,1926)** (Chrysomelidae) Synonym(s): *spilotera* Achard,1926;
straeleni Jolivet,1952; *upembae* Jolivet,1952 ZR
134. **Chrysolina superba (Thunberg,1787)** (Chrysomelidae) Synonym(s): *superba* Thunberg,1787;
limbolata Reiche,1850; *interspersa* Fairmaire,1894; *salisburyensis* Jacoby,1901; *rubripennis* Weise,1904
ZA ZW ZR

¹²⁴ Subgenus name established by the authors.

135. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis Saussure,1871; latipes Stal,1875* AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
136. **Cixius kivuensis Van Stalle,1988** (Cixiidae) Synonym(s): *kivuensis Van Stalle,1988* ZR Kvu
137. **Closterocerus ritchiei (Ferrière,1936)** (Eulophidae) Synonym(s): *ritchiei Ferrière,1936* CG ZR KE MW TZ
138. **Congomantis femoralis Werner,1929** (Mantidae) Synonym(s): *femoralis Werner,1929* ZR
139. **Connomyia tsacasi Londt,1993** (Asilidae) Synonym(s): *tsacasi Londt,1993* ZA ZR
140. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815* ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
141. **Culicoides albopunctatus Clastrier,1960** (Ceratopogonidae) Synonym(s): *albopunctatus Clastrier,1960* ZR
142. **Culicoides bernardae Itoua & Cornet,1986** (Ceratopogonidae) Synonym(s): *bernardae Itoua & Cornet,1986* ZR
143. **Culicoides congolensis Clastrier,1960** (Ceratopogonidae) Synonym(s): *congolensis Clastrier,1960* ZR
144. **Culicoides diamouanganai Itoua & Cornet,1986** (Ceratopogonidae) Synonym(s): *diamouanganai Itoua & Cornet,1986* ZR
145. **Culicoides grenieri Vattier & Adam,1966** (Ceratopogonidae) Synonym(s): *grenieri Vattier & Adam,1966* ZR
146. **Culicoides irroratus Goetghebuer,1948** (Ceratopogonidae) Synonym(s): *irroratus Goetghebuer,1948* ZR
147. **Culicoides kibatiensis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *kibatiensis Goetghebuer,1935* ZR
148. **Culicoides kivuensis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *kivuensis Goetghebuer,1935* ZR Kvu
149. **Culicoides multiguttatus (Goetghebuer,1935)** (Ceratopogonidae) Synonym(s): *multiguttatus Goetghebuer,1935* ZR
150. **Culicoides octosignatus Kieffer,1921** (Ceratopogonidae) Synonym(s): *octosignatus Kieffer,1921* ZR
151. **Culicoides pseudopulicaris Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *pseudopulicaris Goetghebuer,1935* ZR
152. **Culicoides quinquelineatus Goetghebuer,1934** (Ceratopogonidae) Synonym(s): *quinquelineatus Goetghebuer,1934* ZR
153. **Culicoides rageau Vattier & Adam,1966** (Ceratopogonidae) Synonym(s): *rageau Vattier & Adam,1966* ZR
154. **Culicoides ruficollis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *ruficollis Goetghebuer,1935* ZR
155. **Culicoides rutshuruensis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *rutshuruensis Goetghebuer,1935* ZR
156. **Culicoides septemmaculatus Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *septemmaculatus Goetghebuer,1935* ZR
157. **Culicoides tauffliebi Clastrier,1960** (Ceratopogonidae) Synonym(s): *tauffliebi Clastrier,1960* ZR
158. **Culicoides trichopis de Meillon,1937** (Ceratopogonidae) Synonym(s): *trichopis de Meillon,1937* ZR
159. **Culicoides trifasciellus Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *trifasciellus Goetghebuer,1935* ZR
160. **Culicoides trouilleti Itoua & Cornet,1986** (Ceratopogonidae) Synonym(s): *trouilleti Itoua & Cornet,1986* ZR
161. **Culicoides vitshumbiensis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *vitshumbiensis Goetghebuer,1935* ZR
162. **Culicoides volatilis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *volatilis Goetghebuer,1935* ZR
163. **Culicoides wansoni Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *wansoni Goetghebuer,1935* ZR
164. **Damarius splendidulus (Fabricius,1803)** (Pentatomidae) Synonym(s): *splendidulus Fabricius,1803; elongatus Dallas,1852; innocuus Stal,1865; metallicus Fallou,1891; bicolor Distant,1912* ZR GN SD UG SL GH ET BJ CI NG CM ZA
165. **Danuria (Danuroides) barbozae (Bolivar,1889)** (Mantidae) Synonym(s): *barbozae Bolivar,1889* AO KE ZR TZ
166. **Danuria (Danuroides) congica (Giglio-Tos,1917)** (Mantidae) Synonym(s): *congica Giglio-Tos,1917* ZR
167. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* KE ZR MW RW TZ ZM ZW

168. **Danuria (s.str.) buchholzi Gerstaecker,1883** (Mantidae) Synonym(s): *buchholzi Gerstaecker,1883* GH GN CM CI ZR SN NG TG UG
169. **Danuria (s.str.) gracilis (Schulthess-Rechberg,1898)** (Mantidae) Synonym(s): *gracilis Schulthess-Rechberg,1898; kuangana Giglio-Tos,1914* AO ZR SO
170. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi Stal,1856* ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
171. **Dasyhelea adami Vattier,1964** (Ceratopogonidae) Synonym(s): *adami Vattier,1964* ZR
172. **Dasyhelea adjaniae Gosseries,1989** (Ceratopogonidae) Synonym(s): *acuminata Goetghebuer,1935 nec Kieff.,1919; goetghebueri Wirth,1980 nec Kieff.,1919; adjaniae Gosseries,1989* ZR
173. **Dasyhelea albopruinosa Goetghebuer,1933** (Ceratopogonidae) Synonym(s): *albopruinosa Goetghebuer,1933* ZR
174. **Dasyhelea atrolaevis Goetghebuer,1933** (Ceratopogonidae) Synonym(s): *atrolaevis Goetghebuer,1933* ZR
175. **Dasyhelea atrostriata Goetghebuer,1933** (Ceratopogonidae) Synonym(s): *atrostriata Goetghebuer,1933* ZR
176. **Dasyhelea bicolora Goetghebuer,1934** (Ceratopogonidae) Synonym(s): *bicolora Goetghebuer,1934* ZR
177. **Dasyhelea chambiensis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *chambiensis Goetghebuer,1935* ZR
178. **Dasyhelea croceoscutellata Goetghebuer,1933** (Ceratopogonidae) Synonym(s): *croceoscutellata Goetghebuer,1933* ZR
179. **Dasyhelea flavohumeralis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *flavohumeralis Goetghebuer,1935* ZR
180. **Dasyhelea flavoscapularis Goetghebuer,1935** (Ceratopogonidae) Synonym(s): *flavoscapularis Goetghebuer,1935* ZR
181. **Dasyhelea griseithorax Goetghebuer,1933** (Ceratopogonidae) Synonym(s): *griseithorax Goetghebuer,1933* ZR
182. **Dasytidius congoensis (Pic,1933)** (Melyridae) Synonym(s): *congoensis Pic,1933* ZR
183. **Dasytidius desaegeri (Pic,1954)** (Melyridae) Synonym(s): *desaegeri Pic,1954* ZR
184. **Desmatoneura meridionalis Hesse,1956** (Bombyliidae) Synonym(s): *impar Zetterstedt,1846 nec Zett.,1845; meridionalis Hesse,1956* ZA Nta Kzu ZR ZW
185. **Dirhinus acutaus (Schmitz,1946)** (Chalcididae) Synonym(s): *acutaus Schmitz,1946* ZR
186. **Dirhinus antonii Schmitz,1946** (Chalcididae) Synonym(s): *antonii Schmitz,1946* ZR
187. **Dirhinus flavicornis Schmitz,1946** (Chalcididae) Synonym(s): *flavicornis Schmitz,1946* ZR
188. **Dirhinus kivuensis (Schmitz,1946)** (Chalcididae) Synonym(s): *kivuensis Schmitz,1946* ZR Kvu
189. **Dirhinus minimus (Schmitz,1946)** (Chalcididae) Synonym(s): *minimus Schmitz,1946* ZR
190. **Dorycoris pavoninus (Westwood,1837)** (Pentatomidae) Synonym(s): *pavoninus Westwood,1837; bronzea Westwood,1837; fuscus Germar,1837; annulipes Germar,1837; nudiventris Stal,1864; rutherfordi Distant,1892* ZA Tva Lpo Ec SL ET ZR GA GH CM BW MG BJ CI RW GN SD TZ NG
191. **Drona kivuensis (Lallemand,1929)** (Derbidae) Synonym(s): *kivuensis Lallemand,1929* ZR Kvu
192. **Ducetia costata Ragge,1961** (Tettigoniidae) Synonym(s): *costata Ragge,1961* ZR
193. **Ducetia loosi Griffini,1908** (Tettigoniidae) Synonym(s): *loosi Griffini,1908; producta Rehn,1914* ZR
194. **Ducetia macrocerca Ragge,1961** (Tettigoniidae) Synonym(s): *macrocerca Ragge,1961* ZR
195. **Ducetia ruspolii (Schulthess & Schindler,1898)** (Tettigoniidae) Synonym(s): *ruspolii Schulthess & Schindler,1898* ZR
196. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps Schaum,1853; paradoxa Saussure,1871* AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
197. **Ectateus crenatus (Fairmaire,1897)** (Tenebrionidae) Synonym(s): *crenatus Fairmaire,1897* ZR
198. **Ectateus curtulus (Fairmaire,1897)** (Tenebrionidae) Synonym(s): *curtulus Fairmaire,1897; calcaripes Gebien,1904* CM ZR CF
199. **Ectateus ghesquierei Koch,1956** (Tenebrionidae) Synonym(s): *ghesquierei Koch,1956* ZR
200. **Ectateus latipennis Koch,1956** (Tenebrionidae) Synonym(s): *latipennis Koch,1956* ZR
201. **Ectateus modestus (Fairmaire,1887)** (Tenebrionidae) Synonym(s): *modestus Fairmaire,1887* CG ZR GA
202. **Ectateus villieri Ardoin,1965** (Tenebrionidae) Synonym(s): *villieri Ardoin,1965* ZR
203. **Entedon zairensis Rasplus,1990** (Eulophidae) Synonym(s): *zairensis Rasplus,1990* ZR
204. **Entella (s.str.) congica (Giglio-Tos,1915)** (Mantidae) Synonym(s): *congica Giglio-Tos,1915* ZR
205. **Entella (s.str.) personata Beier,1954** (Mantidae) Synonym(s): *personata Beier,1954* ZR

206. **Entella (s.str.) stegmanni Rehn,1914** (Mantidae) Synonym(s): *stegmanni Rehn,1914* TZ
ZR
207. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata Saussure,1869*;
ibana Giglio-Tos,1912; *iringana Giglio-Tos,1912*; *madimbana Giglio-Tos,1912* AO ET KE ZR MW MZ ZA
Nta Kzu Tva Lpo ZW UG Rz TZ
208. **Epitenodera nimbana Roy,1963** (Mantidae) Synonym(s): *nimbana Roy,1963* BF GH GN
CM ZR
209. **Epitranus kivuensis (Schmitz,1946)** (Chalcididae) Synonym(s): *kivuensis Schmitz,1946*
ZR Kvu
210. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781*; *succintus*
Klug,1834; *plicipennis Motschoulsky,1845*; *moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL
SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
211. **Eulioptera brevia Ragge,1956** (Tettigoniidae) Synonym(s): *breviala Ragge,1956* ZR
212. **Eulioptera longicerca Ragge,1956** (Tettigoniidae) Synonym(s): *longicerca Ragge,1956* ZR
213. **Eulioptera spinulosa Ragge,1956** (Tettigoniidae) Synonym(s): *spinulosa Ragge,1956* ZR
214. **Eurycorypha spinulosa Karsch,1889** (Tettigoniidae) Synonym(s): *spinulosa Karsch,1889* ZR
215. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides Bezzi,1924* ZM ZR
MW TZ ZA ZW
216. **Galepsus (Lygdamia) cacuminatus Beier,1954** (Irididae) Synonym(s): *cacuminatus*
Beier,1954 ZR
217. **Galepsus (Lygdamia) culminans Beier,1954** (Irididae) Synonym(s): *culminans Beier,1954*
ZR
218. **Galepsus (Lygdamia) signatus Beier,1954** (Irididae) Synonym(s): *signatus Beier,1954* ZR
219. **Galepsus (Onychogalepsus) bioculatus Beier,1957** (Irididae) Synonym(s): *bioculatus*
Beier,1957; *abyssinicus Beier,1961* ZR ET
220. **Galepsus (Onychogalepsus) bispinosus Beier,1957** (Irididae) Synonym(s): *bispinosus*
Beier,1957 ZR
221. **Galepsus (Onychogalepsus) centralis Beier,1957** (Irididae) Synonym(s): *centralis Beier,1957*
ZR TZ
222. **Galepsus (Onychogalepsus) damaranus Giglio-Tos,1911** (Irididae) Synonym(s):
damaranus Giglio-Tos,1911; *orientalis Kaltenbach,1996* AO NA ZR ZW ZA Tva Lpo
223. **Galepsus (Onychogalepsus) decipiens Beier,1950** (Irididae) Synonym(s): *decipiens*
Beier,1950 ZR
224. **Galepsus (Onychogalepsus) fallaciosus Beier,1957** (Irididae) Synonym(s): *fallaciosus*
Beier,1957 ZR
225. **Galepsus (Onychogalepsus) fumipennis Beier,1954** (Irididae) Synonym(s): *fumipennis*
Beier,1954 ZR
226. **Galepsus (Onychogalepsus) meridionalis (Saussure,1872)** (Irididae) Synonym(s):
meridionalis Saussure,1872 ZA Nta Kzu Dbn ZR ZW
227. **Galepsus (Onychogalepsus) pantheri Giglio-Tos,1911** (Irididae) Synonym(s):
intermedia Giglio-Tos,1907; *pantheri Giglio-Tos,1911*; *congicus Rehn,1912* ZR CM NA ZA Tva Lpo
228. **Galepsus (Onychogalepsus) schwetzi Beier,1957** (Irididae) Synonym(s): *schwetzi*
Beier,1957 AO ZR
229. **Galepsus (Onychogalepsus) transvaalensis Beier,1954** (Irididae) Synonym(s):
transvaalensis Beier,1954 ZA Gau Pre Tva Lpo ZR
230. **Galepsus (Onychogalepsus) wittei Beier,1954** (Irididae) Synonym(s): *wittei Beier,1954*
ZR
231. **Galepsus (Syngalepsus) denigratus Beier,1954** (Irididae) Synonym(s): *denigratus Beier,1954*
AO ZR
232. **Geron lepidus Bowden,1962** (Bombyliidae) Synonym(s): *lepidus Bowden,1962* ZR
233. **Glypsus bouvieri Schouteden,1904** (Pentatomidae) Synonym(s): *bouvieri Schouteden,1904*
BJ KE AO NG CI GH ZR TZ ET
234. **Glypsus carinulatus Bergroth,1904** (Pentatomidae) Synonym(s): *carinulatus*
Bergroth,1904 SD ZR NG GN CI
235. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus*
Westwood,1837; *moesta Germar,1837*; *pictiventris Stal,1853* ZA SD TD BW AO GN CI KE MW MZ NA ZR
TZ ZW
236. **Glypsus erubescens Distant,1890** (Pentatomidae) Synonym(s): *erubescens Distant,1890*
SD NG NE TD ZR CI
237. **Glypsus kuhigatzi Schouteden,1904** (Pentatomidae) Synonym(s): *kuhigatzi*
Schouteden,1904 GH KE SD NG AO TG TZ ET ZR
238. **Glypsus vigil (Germar,1837)** (Pentatomidae) Synonym(s): *vigil Germar,1837* ZA ZR NG
239. **Gonatocerus kivuanus (Debauche,1949)** (Eurytomidae) Synonym(s): *kivuanus*
Debauche,1949 ZR Kvu

240. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870* **AO BW ZR LS MW MZ NA ZA TZ ZM ZW**
241. **Gonypetella infumata (Saussure,1872)** (Mantidae) Synonym(s): *infumata Saussure,1872* **ZR**
242. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* **AO BW ZR TZ ZM ZW KE TZ**
243. **Gonypetella punctata Giglio-Tos,1915** (Mantidae) Synonym(s): *punctata Giglio-Tos,1915* **CM KE ZR UG**
244. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana Beauvois,1805; oryctes Scudder,1869; fossor Scudder,1869; colini Rochebrune,1884; formosana Chopard,1931 nec Shiraki,1930; microphtalma Chopard,1936; confusa Chopard,1939* **ZA Kzu Nta SN ZR NG IR Ss CN TW**
245. **Gryllotalpa elegans Chopard,1934** (Gryllotalpidae) Synonym(s): *elegans Chopard,1934* **ZR**
246. **Gyranusoidea tebygi Noyes,1988** (Encyrtidae) Synonym(s): *tebygi Noyes,1988* **BJ ZR CG GA GH IN Up ID Clb CI MY NG SL TG**
247. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes Olivier,1791; armata Panzer,1801; bispinosa Fabricius,1804; quadriens Kieffer,1905* **AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR**
248. **Hapalomantis (Bolbira) congica congica Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *congica Giglio-Tos,1915* **ZR**
249. **Hapalomantis (Bolbira) congica Giglio-Tos,1915** (Iridopterygidae) Synonym(s): *congica Giglio-Tos,1915* **AO ZR**
250. **Hapalomantis (Bolbira) congica katangica (Beier,1935)** (Iridopterygidae) Synonym(s): *katangica Beier,1935* **AO ZR**
251. **Hastius ochraceus Schmitz,1946** (Chalcididae) Synonym(s): *ochraceus Schmitz,1946* **ZR**
252. **Heligmonevra tropicana Koçak & Kemal,2008** (Asilidae) Synonym(s): *laevis Engel,1927 nec Wlk.,1861; tropicana Koçak & Kemal,2008* **Heligmonevra tropicana Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro laevis Engel,1927 nec Walker,1861).** **ZR MW NA**
253. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis Burmeister,1838; purpunpennis Audinet-Serville,1839; wahlbergi Stal,1856 (part); phantasma Rehn,1949* **ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET**
254. **Heterochaeta reticulata Roy,1977** (Mantidae) Synonym(s): *reticulata Roy,1977* **ZR TZ ZW**
255. **Heterochaeta tenuipes (Westwood,1841)** (Mantidae) Synonym(s): *tenuipes Westwood,1841* **AO BF CM ZR MR SN**
256. **Hockeria atrix (Schmitz,1946)** (Chalcididae) Synonym(s): *atrix Schmitz,1946* **ZR**
257. **Hockeria exigua (Schmitz,1946)** (Chalcididae) Synonym(s): *exigua Schmitz,1946* **ZR**
258. **Hockeria filicornis Schmitz,1946** (Chalcididae) Synonym(s): *filicornis Schmitz,1946* **ZR**
259. **Hockeria hypercerus (Schmitz,1946)** (Chalcididae) Synonym(s): *hypercerus Schmitz,1946* **ZR**
260. **Hockeria intaillatus Schmitz,1946** (Chalcididae) Synonym(s): *intaillatus Schmitz,1946* **ZR**
261. **Hoploxys coeruleus Dallas,1851** (Pentatomidae) Synonym(s): *coeruleus Dallas,1851* **SD GA CM ZR RW**
262. **Horatosphaga elongata (Rehn,1914)** (Tettigoniidae) Synonym(s): *elongata Rehn,1914; kandti Rehn,1914* **ZR**
263. **Horatosphaga leggei (Kirby,1909)** (Tettigoniidae) Synonym(s): *leggei Kirby,1909; robusta Rehn,1914; amplipennis Rehn,1914; affinis Bolivar,1922* **UG ZR KE**
264. **Horatosphaga linearis (Rehn,1914)** (Tettigoniidae) Synonym(s): *linearis Rehn,1914; ?karschi Rehn,1914* **UG ZR**
265. **Horatosphaga stuhlmanni (Karsch,1896)** (Tettigoniidae) Synonym(s): *stuhlmanni Karsch,1896; kasindina Rehn,1914* **ZR**
266. **Idolomorpha sagitta Sjöstedt,1900** (Empusidae) Synonym(s): *sagitta Sjöstedt,1900* **ZR**
267. **Ischnomantis fatiloqua (Stal,1856)** (Mantidae) Synonym(s): *fatiloqua Stal,1856* **AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR**
268. **Ivensia uncinata Bolivar,1890** (Tettigoniidae) Synonym(s): *uncinata Bolivar,1890* **ZR**
269. **Junodia beieri Roy,1972** (Hymenopodidae) Synonym(s): *beieri Roy,1972* **ZR**
270. **Junodia congica (Giglio-Tos,1915)** (Hymenopodidae) Synonym(s): *congica Giglio-Tos,1915; maculata Roy,1972* **ZR ZM ZW**
271. **Junodia lameyi Beier,1942** (Hymenopodidae) Synonym(s): *lameyi Beier,1942; olseni Roy,1965* **AO GH GN CM ZR**
272. **Junodia spinosa Roy,1972** (Hymenopodidae) Synonym(s): *spinosa Roy,1972* **ZR**
273. **Leiodontocercus condylus Ragge,1962** (Tettigoniidae) Synonym(s): *condylus Ragge,1962* **ZR**

274. **Leptocola seriepunctata Karsch,1892** (Mantidae) Synonym(s): *seriepunctata Karsch,1892*
AO ZR
275. **Leptocola stanleyana (Westwood,1889)** (Mantidae) Synonym(s): *stanleyana Westwood,1889; lignea Karsch,1892* GA CM ZR MZ TZ TG
276. **Leptogaster africola Koçak & Kemal,2008**¹²⁵ (Asilidae) Synonym(s): *tarsalis Janssens,1954 nec Wlk.,1861; africola Koçak & Kemal,2008* Leptogaster africola Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro tarsalis Janssens,1954 nec Wlk.,1861) [date of publication misspelt as "1854"]. ZR
277. **Leptolobus eburneatus Karsch,1892** (Pentatomidae) Synonym(s): *eburneatus Karsch,1892; thoracicus Schouteden,1902; decipiens Schouteden,1905* CM GN KE ZR
278. **Ligentella lacualis Kaltenbach,1996** (Mantidae) Synonym(s): *lacualis Kaltenbach,1996*
ZR RW
279. **Ligentella zairensis Kaltenbach,1996** (Mantidae) Synonym(s): *zairensis Kaltenbach,1996*
ZR
280. **Macracanthopus costalis (Werner,1909)** (Mantidae) Synonym(s): *costalis Werner,1909*
ZR
281. **Macracanthopus schoutedeii (Chopard,1929)** (Mantidae) Synonym(s): *schoutedeii Chopard,1929* AO ZR
282. **Macracanthopus seydeli Roy,1995** (Mantidae) Synonym(s): *seydeli Roy,1995* AO ZR ZW
283. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW
284. **Macrorhaphis (s.str.) leprosa (Germar,1837)** (Pentatomidae) Synonym(s): *leprosa Germar,1837; tristis Herrich-Schäffer,1844* ZA ZR
285. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus Fabricius,1803; proximus Rambur,1839; opacus Stal,1854; scutellaris Horvath,1919; exiguus Horvath,1919* AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR o1 31
286. **Mantis beieri Roy,1999** (Mantidae) Synonym(s): *beieri Roy,1999* ZR
287. **Mantis insignis Beier,1954** (Mantidae) Synonym(s): *insignis Beier,1954* AO GN ZR
288. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa Linnaeus,1758*
Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
289. **Mecosoma floridum Distant,1890** (Pentatomidae) Synonym(s): *floridum Distant,1890*
ZR CI ML KE ZW
290. **Milichia distinctipennis Deeming,1981** (Milichiidae) Synonym(s): *distinctipennis Deeming,1981* UG CM GH NG ZR
291. **Miomantis brunni (Giglio-Tos,1911)** (Mantidae) Synonym(s): *brunni Giglio-Tos,1911; bosia Rehn,1912* AO KE ZR UG Rz
292. **Miomantis cipriani La Greca,1939** (Mantidae) Synonym(s): *cipriani La Greca,1939* ZR
293. **Miomantis devylder (Sjöestedt,1924)** (Mantidae) Synonym(s): *devylder Sjöestedt,1924*
ZR
294. **Miomantis fenestrata (Fabricius,1781)** (Mantidae) Synonym(s): *fenestrata Fabricius,1781; vitrata Olivier,1792; nana Stoll,1813* ZA Ec Tva Lpo ZR LS MZ NA RW SO UG
295. **Miomantis misana (Giglio-Tos,1911)** (Mantidae) Synonym(s): *misana Giglio-Tos,1911* AO GN CM ZR TG
296. **Miomantis multipunctata (Werner,1915)** (Mantidae) Synonym(s): *multipunctata Werner,1915* ZR
297. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata Saussure,1898* ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG
298. **Miomantis wittei Beier,1954** (Mantidae) Synonym(s): *wittei Beier,1954* ZR RW BI
299. **Myndus kivuensis Synave,1959** (Cixiidae) Synonym(s): *kivuensis Synave,1959* ZR Kvu
300. **Neomyia annia (Zielke,1971)** (Muscidae) Synonym(s): *annia Zielke,1971* ZR
301. **Neomyia aurantiaca (Villeneuve,1916)** (Muscidae) Synonym(s): *aurantiaca Villeneuve,1916* ZA TZ ZR
302. **Neomyia aureopyga (Malloch,1923)** (Muscidae) Synonym(s): *aureopyga Malloch,1923*
KE TZ UG ZR
303. **Neomyia bequaerti (Villeneuve,1916)** (Muscidae) Synonym(s): *bequaerti Villeneuve,1916*
ZR RW ZA UG
304. **Neomyia bimaculata (Stein,1918)** (Muscidae) Synonym(s): *bimaculata Stein,1918* UG CI KE NG ZR
305. **Neomyia boyesi (Zielke,1973)** (Muscidae) Synonym(s): *boyesi Zielke,1973* KE ZR

¹²⁵ Specific name established by the authors.

306. **Neomyia currani (Pont,1980)** (Muscidae) Synonym(s): *currani* Pont,1980 ZR MW TZ UG
307. **Neomyia dubia (Malloch,1923)** (Muscidae) Synonym(s): *dubia* Malloch,1923 KE CM GH MW RW ZA TG UG ZR
308. **Neomyia inflata (Townsend,1918)** (Muscidae) Synonym(s): *inflata* Townsend,1918 AO ZR
309. **Neomyia laxifrons (Villeneuve,1916)** (Muscidae) Synonym(s): *laxifrons* Villeneuve,1916 TZ ZR ZA
310. **Neomyia macrops (Curran,1935)** (Muscidae) Synonym(s): *macrops* Curran,1935 ZR KE NG ZA TG UG
311. **Neomyia peronii (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *peronii* Robineau-Desvoidy,1830 ZA RE ZR
312. **Neomyia sororella (Villeneuve,1926)** (Muscidae) Synonym(s): *sororella* Villeneuve,1926 KE ZR ET RW UG
313. **Neomyia splendida (Adams,1905)** (Muscidae) Synonym(s): *splendida* Adams,1905 NG RW ZR
314. **Neomyia zumpti (Zielke,1971)** (Muscidae) Synonym(s): *zumpti* Zielke,1971 CM ZR
315. **Oliarus zairensis Van Stalle,1987** (Cixiidae) Synonym(s): *zairensis* Van Stalle,1987 ZR
316. **Omomantis sigma Rehn,1949** (Mantidae) Synonym(s): *sigma* Rehn,1949 ZR
317. **Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae) Synonym(s): *pictus* Reitter,1893 EG SY ZR SD
318. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845 EG LR SD ER BJ NG CM ST GN ZR GA AO SY CY LY cY
319. **Otomantis capirica Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *capirica* Giglio-Tos,1915; *xenocentrus* Werner,1915 AO CM ZR
320. **Otomantis casaica Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *casaica* Giglio-Tos,1915 ZR
321. **Oxyelaea elegans Giglio-Tos,1917** (Irididae) Synonym(s): *elegans* Giglio-Tos,1917 ZR TZ
322. **Oxythespis acutipes Sjöstedt,1930** (Mantidae) Synonym(s): *acutipes* Sjöstedt,1930 AO ZR
323. **Oxypilus (s.str.) falcatus Roy,1966** (Hymenopodidae) Synonym(s): *falcatus* Roy,1966 CM ZR SD UG CF
324. **Oxypilus (s.str.) polyacanthus (Gerstaecker,1889)** (Hymenopodidae) Synonym(s): *polyacanthus* Gerstaecker,1889 ZR
325. **Oxypilus (Setoxypilus) basilewskyi Roy,1966** (Hymenopodidae) Synonym(s): *basilewskyi* Roy,1966 AO ZR
326. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW
327. **Palmon kivuensis (Ferrière,1958)** (Torymidae) Synonym(s): *kivuensis* Ferrière,1958 ZR Kvu
328. **Palorus (Circomus) subdepressus Wollaston,1864** (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864 TR NG Bor Swk MY ZA ZR
329. **Paracilnia neavei Werner,1909** (Mantidae) Synonym(s): *neavei* Werner,1909 ZR TZ ZW
330. **Paracinema luculenta Karsch,1896** (Acrididae) Synonym(s): *luculenta* Karsch,1896; *guillielmi* Sjöstedt,1923 TG ZR
331. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor* Thunberg,1815; *sylvestris* Thunberg,1815; *superba* Bolivar,1905; *terminale* Bolivar,1908; *madecassa* Key,1936; *montana* Key,1936; *sudanensis* Key,1936 DZ PT ES SA As TR MG SD ET TZ ZR
332. **Paragalepsus vrydaghi Beier,1957** (Irididae) Synonym(s): *vrydaghi* Beier,1957 ZR
333. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
334. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis* Stal,1856; *moesta* Werner,1915 ZA Nta Kzu AO ET CM ZR KE TZ ZW
335. **Paramantis victoriana (Werner,1908)** (Mantidae) Synonym(s): *victoriana* Werner,1908; *mitiana* Giglio-Tos,1912 AO CM ZR UG Rz TZ
336. **Paramantis viridis (Saussure,1872)** (Mantidae) Synonym(s): *viridis* Saussure,1872 MG ZA Nta Kzu CM ZR
337. **Pediobius afronigripes Kerrich,1973** (Eulophidae) Synonym(s): *afronigripes* Kerrich,1973 CM ZR GH CI MW NG
338. **Pediobius amaurocoelus (Waterston,1915)** (Eulophidae) Synonym(s): *amaurocoelus* Waterston,1915 EG ZR GH MW NG SN ZA TG
339. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bi vittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRs Stockholm). ?TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ

340. **Planopsis silvatica (Distant,1890)** (Pentatomidae) Synonym(s): *silvatica* Distant,1890
CM GA CI ZR
341. **Platynopiellus delevali (Schouteden,1910)** (Pentatomidae) Synonym(s): *delevali*
Schouteden,1910 ZR
342. **Platynopiellus dispar (Schouteden,1916)** (Pentatomidae) Synonym(s): *dispar*
Schouteden,1916 ZR CM CI
343. **Platynopiellus horvathi (Schouteden,1904)** (Pentatomidae) Synonym(s): *horvathi*
Schouteden,1904 CM LR ZR
344. **Platynopiellus scutellatus (Distant,1900)** (Pentatomidae) Synonym(s): *scutellatus*
Distant,1900 ZR
345. **Platynopiellus septendecimaculatus (Beauvois,1811)** (Pentatomidae) Synonym(s):
rostratus Drury,1782 (*praeocc.*); *calens* Fabricius,1803 (*praeocc.*); *septendecimaculatus* Beauvois,1811;
trijunctus Walker,1867; *optabilis* Walker,1867; *parvus* Distant,1900 CM GH CI KE NG SL SD UG ZR
346. **Platynopiellus thomsonii (Signoret,1858)** (Pentatomidae) Synonym(s): *thomsonii*
Signoret,1858 CM GH GN CI NG ZR
347. **Plistospilota congica Giglio-Tos,1917** (Mantidae) Synonym(s): *congica* Giglio-Tos,1917
ZR
348. **Plistospilota mabirica Giglio-Tos,1917** (Mantidae) Synonym(s): *mabirica* Giglio-Tos,1917
ZR UG
349. **Plistospilota maxima Giglio-Tos,1917** (Mantidae) Synonym(s): *maxima* Giglio-Tos,1917
CI CM ZR
350. **Plistospilota validissima (Gerstaecker,1883)** (Mantidae) Synonym(s): *validissima*
Gerstaecker,1883 CI GA GH CM ZR LR
351. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778;
rubromaculata Goeze,1778; *variegata* Olivier,1792; *adpersa* Lichtenstein,1802; *pustulata* Stoll,1813;
striata Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia*
Burmeister,1838; *vicina* Audinet- Serville,1839 AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo
Nta Kzu NA TZ Zz UG ZW
352. **Polyspilota pavani La Greca,1966** (Mantidae) Synonym(s): *pavani* La Greca,1966 ZR
353. **Popa spurca spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure &
Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 AO GH GN CM ZA Ec
Nta Kzu Tva Lpo ZW ZR MZ NA TG
354. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure &
Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 ET KE MG MW SO TZ
UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG
355. **Prohierodula brunnea La Greca,1956** (Mantidae) Synonym(s): *brunnea* La Greca,1956
ZR
356. **Prohierodula congica Beier,1942** (Mantidae) Synonym(s): *congica* Beier,1942 ZR
357. **Prohierodula grassei Roy,1965** (Mantidae) Synonym(s): *grassei* Roy,1965 GA ZR CF
358. **Prohierodula laticollis (Karsch,1892)** (Mantidae) Synonym(s): *laticollis* Karsch,1892 GA
CM ZR CF
359. **Prohierodula lineata Roy,1967** (Mantidae) Synonym(s): *lineata* Roy,1967 ZR
360. **Prohierodula nigrispinis Roy,1967** (Mantidae) Synonym(s): *nigrispinis* Roy,1967 ZR
361. **Prohierodula ornatipennis (Bolivar,1893)** (Mantidae) Synonym(s): *ornatipennis*
Bolivar,1893 GH CI Bio GO ZR NG SL
362. **Prohierodula viridimarginata La Greca,1956** (Mantidae) Synonym(s): *viridimarginata*
La Greca,1956 ZR
363. **Pseudogalepsus modestior Schulthess-Rechberg,1899** (Irididae) Synonym(s):
modestior Schulthess-Rechberg,1899; *schulthessi* Rehn,1901 ET KE ZR TZ UG
364. **Pseudostagmatoptera vitripennis Beier,1931** (Mantidae) Synonym(s): *vitripennis*
Beier,1931; *infusca* Roy,1973 GA CM ZR
365. **Pyrgomantis bisignata Beier,1957** (Irididae) Synonym(s): *bisignata* Beier,1957 ZR
366. **Pyrgomantis congica Giglio-Tos,1917** (Irididae) Synonym(s): *congica* Giglio-Tos,1917 AO
ZR TZ
367. **Pyrgomantis fasciata Giglio-Tos,1917** (Irididae) Synonym(s): *fasciata* Giglio-Tos,1917;
longissima Beier,1957 AO ZA Tva Lpo ZR TZ MZ
368. **Pyrgomantis mitrata Beier,1954** (Irididae) Synonym(s): *mitrata* Beier,1954 ZR
369. **Pyrgomantis nana Sjöstedt,1924** (Irididae) Synonym(s): *nana* Sjöstedt,1924 ZR RW BI
370. **Pyrgomantis pallida Giglio-Tos,1917** (Irididae) Synonym(s): *pallida* Giglio-Tos,1917 CM
BF GH GN ZR NG TG
371. **Pyrgomantis runifera Beier,1957** (Irididae) Synonym(s): *runifera* Beier,1957 ZR
372. **Pyrgomantis signatifrons Beier,1954** (Irididae) Synonym(s): *signatifrons* Beier,1954 ZR
373. **Rhomboderella parmata (La Greca,1955)** (Mantidae) Synonym(s): *parmata* La
Greca,1955 ZR

374. **Rhomboderella scutata (Bolivar,1889)** (Mantidae) Synonym(s): *scutata Bolivar,1889* AO KE ZR TZ ZW
375. **Rhomboderella thorectes Rehn,1949** (Mantidae) Synonym(s): *thorectes Rehn,1949* ZR ZM
376. **Scoliophthalmus femoratus (Becker,1916)** (Chloropidae) Synonym(s): *femoratus Becker,1916* UG KE RW ZR LR ML CM NG GH
377. **Scoliophthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides Becker,1903* EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA
378. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle Becker,1903; scapulatum Enderlein,1935; dentulatum Wanson & Henrard,1944* EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM
379. **Sphodromantis congica Beier,1931** (Mantidae) Synonym(s): *congica Beier,1931* AO ZR NG
380. **Sphodromantis elegans Sjöstedt,1930** (Mantidae) Synonym(s): *elegans Sjöstedt,1930* ET BF GN ZR MR NE SN
381. **Sphodromantis elongata (La Greca,1969)** (Mantidae) Synonym(s): *elongata La Greca,1969* ZR ZM
382. **Sphodromantis hyalina La Greca,1955** (Mantidae) Synonym(s): *hyalina La Greca,1955* GA ZR CF
383. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola Burmeister,1838* AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
384. **Sphodromantis pavonina La Greca,1955** (Mantidae) Synonym(s): *pavonina La Greca,1955* AO CM ZR
385. **Statilia apicalis (Saussure,1871)** (Mantidae) Synonym(s): *apicalis Saussure,1871; guineensis Chopard,1954* AU PG NC IN ID Clb Sba Tim PH GH GN ZR
386. **Stenopyga (s.str.) ziela Roy,1963** (Mantidae) Synonym(s): *ziela Roy,1963* GH GN ZR
387. **Systropus (Diaerops) marshalli Bezzi,1924** (Bombyliidae) Synonym(s): *marshalli Bezzi,1924; vespiformis Enderlein,1926* ZR KE TG UG ZW
388. **Systropus (Dimelopelma) rex Curran,1927** (Bombyliidae) Synonym(s): *rex Curran,1927* ZR UG
389. **Systropus (Teinopelmus) ichneumoniformis Hesse,1958** (Bombyliidae) Synonym(s): *ichneumoniformis Hesse,1958* ZR
390. **Systropus (Teinopelmus) rufidulus Bowden,1967** (Bombyliidae) Synonym(s): *rufidulus Bowden,1967* ZR GO GH SL
391. **Tachinobia zairensis Doğanlar,1993** (Eulophidae) Synonym(s): *zairensis Doğanlar,1993* ZR
392. **Tarachodella monticola Giglio-Tos,1917** (Irididae) Synonym(s): *monticola Giglio-Tos,1917* GH CM ZR
393. **Tarachodes (Barbachodes) afzelii (Stal,1871)** (Irididae) Synonym(s): *afzelii Stal,1871; irrorata Gerstaecker,1883; griffinii Giglio-Tos,1911; bandanus Giglio-Tos,1917* SL DZ? BF CI GH GN CM ZR SN SL TG
394. **Tarachodes (Chiropacha) gilvus Charpentier,1841** (Irididae) Synonym(s): *gilvus Charpentier,1841* SD CM ZR UG TD SA
395. **Tarachodes (Chiropus) sjoestedti Werner,1907** (Irididae) Synonym(s): *sjoestedti Werner,1907; congolensis Werner,1915; pilosa Stöstedt,1930* AO ZR
396. **Tarachodes (s.str.) brevipennis Werner,1915** (Irididae) Synonym(s): *brevipennis Werner,1915* ZR
397. **Tarachodes (s.str.) chopardii Giglio-Tos,1917** (Irididae) Synonym(s): *chopardii Giglio-Tos,1917* ZR TZ
398. **Tarachodes (s.str.) feae Giglio-Tos,1911** (Irididae) Synonym(s): *feae Giglio-Tos,1911* GA ZR
399. **Tarachodes (s.str.) gibber Beier,1954** (Irididae) Synonym(s): *gibber Beier,1954* ZR
400. **Tarachodes (s.str.) insidiator Wood-Mason,1882** (Irididae) Synonym(s): *insidiator Wood-Mason,1882; sancta Werner,1907; pilosides Rehn,1912* AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW
401. **Tarachodes (s.str.) rotundiceps Werner,1907** (Irididae) Synonym(s): *rotundiceps Werner,1907* GA CM ZR
402. **Tarachodes (s.str.) sanctus (Saussure,1871)** (Irididae) Synonym(s): *sanctus Saussure,1871; insidiator Wood-Mason,1882; scer Giglio-Tos,1907; kibwezianus Giglio-Tos,1911* ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE
403. **Tarachodes (Tarachodina) basinotatus Beier,1957** (Irididae) Synonym(s): *basinotatus Beier,1957* ZR
404. **Tarachodes (Tarachodina) gerstaeckeri Werner,1907** (Irididae) Synonym(s): *gerstaeckeri Werner,1907* CM GH ZR CI
405. **Telomantis robusta Beier,1950** (Mantidae) Synonym(s): *robusta Beier,1950* ZR
406. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa Fabricius,1781; bokiana Giglio-Tos,1907* MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG

407. **Tetrastichus kivuensis Risbec,1958** (Eulophidae) Synonym(s): *kivuensis Risbec,1958* **ZR**
Kvu
408. **Tismomorpha cherlonneixi Roy,1995** (Mantidae) Synonym(s): *cherlonneixi Roy,1995*
ZR
409. **Tismomorpha inexpectata (La Greca,1966)** (Mantidae) Synonym(s): *inexpectata La Greca,1966* **ZR**
410. **Tismomorpha vitripennis (Bolivar,1908)** (Mantidae) Synonym(s): *vitripennis Bolivar,1908* **GA CM ZR CF**
411. **Toxophora maculipennis Karsch,1886** (Bombyliidae) Synonym(s): *maculipennis Karsch,1886; chopardi Séguy,1941* **AO ZR GO GH CI SN**
412. **Toxophora trivittata Bezzi,1908** (Bombyliidae) Synonym(s): *trivittata Bezzi,1908* **ZR NG**
413. **Villa delicata Bowden,1962** (Bombyliidae) Synonym(s): *delicata Bowden,1962; brunnicornis Santos Abreu,1976* **ZR**
414. **Wainia (Wainiella) albobarbata (Cockerell,1937)** (Megachilidae) Synonym(s): *albobarbata Cockerell,1937* **ZA ZR**
415. **Wainia (Wainiella) sakaniensis (Cockerell,1936)** (Megachilidae) Synonym(s): *sakaniensis Cockerell,1936* **ZR**

Synonymic and distributional list of the pterygot insects of Zambia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

63

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Zambia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **63**.

Priamus (suppl.) 18: 2105-2108.

In this study, totally 65 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Zambia recorded in info-system of the Cesa, total pterygot species of Zambia increase to 692.

Key words: List, distribution, *pterygota*, *Insecta*, Zambia.

Brief explanatory information:

Previously published article	no
Previously published report	yes ¹²⁶
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 65 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 627 recorded species of Lepidoptera from Zambia are found. Taking this information into consideration, total number of the pterygots may increase to 692.

The study is still continuing, and the new results will be published within this Project.

¹²⁶ Koçak,A.Ö. & M.Kemal,2008, Second report on the temorary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafri25.pdf/base_view

1. **Afroesticus variabilis (Engel,1929)** (Asilidae) Synonym(s): *variabilis* Engel,1929; *munori* Bromley,1936; *bevisis* Bromley,1947 **ZA MZ ZM**
2. **Afromochtherus sathus Londt,2002** (Asilidae) Synonym(s): *sathus* Londt,2002 **ZM ZW**
3. **Agrionopsis distanti (Kirby,1899)** (Mantidae) Synonym(s): *distanti* Kirby,1899 **ZM ZW**
4. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 **Epacromia simulatrix** Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
5. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 **Gryllus thalassinus** Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
6. **Alfonsiella bergi Wiebes,1988** (Agaonidae) Synonym(s): *bergi* Wiebes,1988 **ZM**
7. **Anastoechus macrorhynchus Bezzi,1924** (Bombyliidae) Synonym(s): *macrorhynchus* Bezzi,1924 **ZM ZR**
8. **Anastoechus meridionalis Bezzi,1912** (Bombyliidae) Synonym(s): *meridionalis* Bezzi,1912 **MW TZ ZM ZW**
9. **Anchophthalmus bredoi Koch,1956** (Tenebrionidae) Synonym(s): *bredoi* Koch,1956 **ZM**
10. **Ancylorhynchus crux Bezzi,1908** (Asilidae) Synonym(s): *crux* Bezzi,1908; *apicalis* Curran,1934; *splendens* Bromley,1936 **MW ZR ZW ZA ZM**
11. **Anomalipus plebejus Péringuey,1896** (Tenebrionidae) Synonym(s): *plebejus* Péringuey,1896 **ZW ZM MZ BW**
12. **Anypodetus arachnoides Oldroyd,1974** (Asilidae) Synonym(s): *arachnoides* Oldroyd,1974 **ZA ZM ZW BW**
13. **Ariusa conspersa Stal,1877** (Irididae) Synonym(s): *conspersa* Stal,1877; *cara* Giglio-Tos,1907 **MA AO ZM**
14. **Attagenus (s.str.) jucundus Peringuey,1885** (Dermestidae) Synonym(s): *jucundus* Peringuey,1885 **MZ ZA ZM**
15. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus* Becker,1909; *mollis* Bezzi,1921; *disjunctus* Bezzi,1921; *parallelus* Bezzi,1924 **BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW**
16. **Bisanthe menyharthi (Brancsik,1895)** (Mantidae) Synonym(s): *menyharthi* Brancsik,1895 **MZ ZM ZW BW**
17. **Bombomyia bombiformis (Bezzi,1921)** (Bombyliidae) Synonym(s): *bombiformis* Bezzi,1921 **MW ZA Mpu TZ ZM ZW**
18. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955 **DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW**
19. **Bombomyia haemorrhoidalis (Bezzi,1921)** (Bombyliidae) Synonym(s): *haemorrhoidalis* Bezzi,1921 **MW TZ ZM ZW**
20. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris* Macquart,1846 **BW KE MW ZA Kzu Nta SZ TZ ZM ZW**
21. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE**
22. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 **AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE**
23. **Cesametra natalensis (Distant,1903)** (Gerridae) Synonym(s): *natalensis* Distant,1903 **ZA Nta Kzu RW TZ ZM**
24. **Chalicodoma (Morphella) biseta (Vachal,1903)** (Megachilidae) Synonym(s): *biseta* Vachal,1903 **CM ZM**
25. **Chalicodoma (Neglectella) mimetica (Cockerell,1933)** (Megachilidae) Synonym(s): *mimetica* Cockerell,1933 **ZR ZM**
26. **Chopardentella backlundi (Kaltenbach,1990)** (Mantidae) Synonym(s): *backlundi* Kaltenbach,1990 **ZM**
27. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 **AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM**

28. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 **ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR**
29. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 **KE ZR MW RW TZ ZM ZW**
30. **Dirhinus anthracia Walker,1846** (Chalcididae) Synonym(s): *anthracia* Walker,1846 **AU NSw QAU IN Up Pj PH ZA TW ZM**
31. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta* DeGeer,1778; *cincticula* Schönherr,1817; *fimbriata* Thunberg,1818; *burchelii* Fischer,1823; *bachypinica* Gory & Percheron,1833 **ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ**
32. **Ducetia ramulosa Ragge,1961** (Tettigoniidae) Synonym(s): *ramulosa* Ragge,1961 **ZM**
33. **Eulioptera reticulata (Brunner von Wattenwyl,1878)** (Tettigoniidae) Synonym(s): *reticulata* Brunner von Wattenwyl,1878 **ZA Grh ZM**
34. **Eurycorypha lesnei Chopard,1936** (Tettigoniidae) Synonym(s): *lesnei* Chopard,1936 **ZM**
35. **Exoprosopa atrinasis Speiser,1910** (Bombyliidae) Synonym(s): *atrinasis* Speiser,1910 **TZ ET KE UG ZM**
36. **Exoprosopa brevinasis Bezzi,1924** (Bombyliidae) Synonym(s): *brevinasis* Bezzi,1924; *engyoptera* Hesse,1956 **KE TZ ZM**
37. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta* Bezzi,1921; *albonigra* Bezzi,1924; *saskae* Szilady,1942 **AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW**
38. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides* Bezzi,1924 **ZM ZR MW TZ ZA ZW**
39. **Galepsus (Onychogalepsus) zambesicus Giglio-Tos,1911** (Irididae) Synonym(s): *zambesicus* Giglio-Tos,1911 **ZM**
40. **Geron nasutus Bezzi,1924** (Bombyliidae) Synonym(s): *nasutus* Bezzi,1924 **KE MW NA NG ZM**
41. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis* Fabricius,1798; *sulcatus* Solier,1848; *exaratus* Gerstaecker,1854; *ater* Fahraeus,1870 **AO BW ZR LS MW MZ NA ZA TZ ZM ZW**
42. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 **AO BW ZR TZ ZM ZW KE TZ**
43. **Junodia congica (Giglio-Tos,1915)** (Hymenopodidae) Synonym(s): *congica* Giglio-Tos,1915; *maculata* Roy,1972 **ZR ZM ZW**
44. **Lamecosoma tenuis Ragge,1960** (Tettigoniidae) Synonym(s): *tenuis* Ragge,1960 **ZM**
45. **Ligaria affinis Kaltenbach,1996** (Mantidae) Synonym(s): *affinis* Kaltenbach,1996 **BW ZA Tva Lpo ZM ZW**
46. **Ligaria brevicollis Stal,1877** (Mantidae) Synonym(s): *brevicollis* Stal,1877; *umtalica* Giglio-Tos,1915 **MZ ZW ZA Tva Lpo BW MW NA ZM ZW**
47. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata* Stal,1877; *fortis* Karny,1908 **ET KE TZ ZA Tva Lpo Gau Pre ZM ZW**
48. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
49. **Otomantis rendalli (Kirby,1899)** (Hymenopodidae) Synonym(s): *rendalli* Kirby,1899 **ZM**
50. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus* Fabricius,1787; *capensis* Saussure,1871 **ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW**
51. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZM ZW**
52. **Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sempunctata* Navas,1928; *tenuicerca* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966 **Phaneroptera sparsa** Stal,1857, Ofv. K. Vetensk. Akad. Forh. 13: 170. Type ♀: [South Africa]: Caffraria (NHRS Stockholm). ?**TR LB SY Cc AM AZ Nv Dz YE SO ET TZ MA DZ TN LY EG AO ZA Nta Kzu Dbn GN MG ZR UG KE CM NG GA GM ZM BW MZ**
53. **Pyrgomantis rhodesica Giglio-Tos,1917** (Irididae) Synonym(s): *rhodesica* Giglio-Tos,1917 **ZM BW NA ZW ZA Tva Lpo**
54. **Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtetschenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961 **TR IR TM IL Pa SY IR ZM**
55. **Rhomboderella thorectes Rehn,1949** (Mantidae) Synonym(s): *thorectes* Rehn,1949 **ZR ZM**
56. **Scolioptthalmus micantipennis Duda,1935** (Chloropidae) Synonym(s): *micantipennis* Duda,1935 **NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET**
57. **Scolioptthalmus trapezoides Becker,1903** (Chloropidae) Synonym(s): *trapezoides* Becker,1903 **EG IL Pa YE SA ET GM GH CM SN BF NG KE UG ZM MZ ZR TZ ZA**

58. **Simulium (Byssodon) griseicolle Becker,1903** (Simuliidae) Synonym(s): *griseicolle* Becker,1903; *scapulatum* Enderlein,1935; *dentulatum* Wanson & Henrard,1944 **EG BJ BF BW CM CF ZR NE NG SN ZA Fs SD UG ZM**
59. **Sphodromantis elongata (La Greca,1969)** (Mantidae) Synonym(s): *elongata* La Greca,1969 **ZR ZM**
60. **Sphodromantis lineola (Burmeister,1838)** (Mantidae) Synonym(s): *lineola* Burmeister,1838 **AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW**
61. **Taumantis globiceps Beier,1969** (Mantidae) Synonym(s): *globiceps* Beier,1969 **MW ZA ZM ZW**
62. **Tenodera superstiosa (Fabricius,1781)** (Mantidae) Synonym(s): *superstiosa* Fabricius,1781; *bokiana* Giglio-Tos,1907 **MG AO ET AU GA GH GN CM KE ZR MW LR MZ NG NA ZA Nta Kzu Tva Lpo TZ Zz SN SO SD TG UG ZM KM IN ID Ja MY SG**
63. **Toxophora coeruleiventris Karsch,1887** (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 **BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW**
64. **Villa chrysothrix Bezzi,1924** (Bombyliidae) Synonym(s): *chrysothrix* Bezzi,1924 **ZM**
65. **Villa sexfasciata (Wiedemann,1821)** (Bombyliidae) Synonym(s): *sexfasciata* Wiedemann,1821; *albescens* Loew,1860; *flavescens* Loew,1860; *albobilva* François,1969 **BW TD ER ET GH KE MW MZ NA NG SN SO ZA Gau Tva Kzu Nta Ec TZ ZM**

Synonymic and distributional list of the pterygot insects of Zimbabwe

(Results of the Entomofauna of the World based upon info-system of the Cesa)

64

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Zimbabwe (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **64**.
Priamus (suppl.) 18: 2109-2115.

In this study, totally 191 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Zimbabwe recorded in info-system of the Cesa, total pterygot species of Zimbabwe increase to 1466.

Key words: List, distribution, *pterygota*, *Insecta*, Zimbabwe.

Brief explanatory information:

Previously published article	yes
Previously published report	yes ¹²⁷
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 191 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1275 recorded species of Lepidoptera from Zimbabwe are found. Taking this information into consideration, total number of the pterygots increase to 1466.

The study is still continuing, and the new results will be published within this Project.

1. **Achaetothorax rhinocerotis (Richards,1939)** (Sphaeroceridae) Synonym(s): *rhinocerotis* Richards,1939 **ET KE MZ TZ ZA ZW ZR**
2. **Afrius (s.str.) yolofus (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *yolofus* Guérin-Méneville,1831; *purpurea* Westwood,1837; *figuratus* Germar,1837; *caerulea* Dallas,1851; *marginella* Dallas,1851; *miniatescens* Stal,1853 **SD LR GH GN CM TZ BJ ET GM SL SO ZR CI NG AO SN ZW ZA**

¹²⁷ Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states based upon the Databank of the Cesa 7- Zimbabwe stand 19.7.2007 [totally 1386 sp. & ssp. listed].

http://www.metafro.be/Members/Cesa/Cesapublafr9.pdf/base_view -

Koçak,A.Ö. & M.Kemal,2008, Second report on the temporary results of the Lepidoptera List of Africa Continent based upon the Info-System of the Cesa. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps [listed totally 22904 valid taxa].-

Koçak,A.Ö. & M.Kemal, 2009, Report on the "Entomofauna of Old World" 2- Index of the recorded species of the Pterygot Insects in the Continent Africa. Cesa News 44: 1-57, 7 figs.

<http://www.archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.44> -

Koçak,A.Ö. & M.Kemal, 2009, Third Report on the Temporary Results of the Lepidopteran List of Africa Continent based upon the Info-system of the Cesa stand 1. 3. 2009. Cesa Publ. African Lepid. 25: 1-2810, figs. maps. http://www.metafro.be/Members/Cesa/Cesapublafr25.pdf/base_view

3. **Afroesticus chiastoneurus (Speiser,1910)** (Asilidae) Synonym(s): *chiastoneurus Speiser,1910; senex Bromley,1936* TZ ZA BF ZR ET KE MW MZ ZW
4. **Afroesticus minutus (Bromley,1936)** (Asilidae) Synonym(s): *minutus Bromley,1936* ZA BW MW ML NA ZW
5. **Afroholopogon chirundu Londt,2005** (Asilidae) Synonym(s): *chirundu Londt,2005* ZA ZW
6. **Afroholopogon vumba (Oldroyd,1974)** (Asilidae) Synonym(s): *vumba Oldroyd,1974* ZW
7. **Afromochtherus mendax (Tsacas,1969)** (Asilidae) Synonym(s): *mendax Tsacas,1969* NA ZA ZW
8. **Afromochtherus peri Londt,2002** (Asilidae) Synonym(s): *peri Londt,2002* ZA ZW BW
9. **Afromochtherus sathus Londt,2002** (Asilidae) Synonym(s): *sathus Londt,2002* ZM ZW
10. **Agrionopsis distanti (Kirby,1899)** (Mantidae) Synonym(s): *distanti Kirby,1899* ZM ZW
11. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
12. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
13. **Alcimus cuthbertsoni Hobby,1934** (Asilidae) Synonym(s): *cuthbertsoni Hobby,1934* ZW
14. **Alcimus setifemoratus Hobby,1934** (Asilidae) Synonym(s): *setifemoratus Hobby,1934* ZW
15. **Amorphoscelis pulchella Giglio-Tos,1913** (Amorphoscelidae) Synonym(s): *pulchella Giglio-Tos,1913; ugandensis Beier,1931* UG AO ZR ZW
16. **Amorphoscelis tuberculata Roy,1963** (Amorphoscelidae) Synonym(s): *tuberculata Roy,1963* NA ZA Tva ZW MZ
17. **Anastoechus meridionalis Bezzi,1912** (Bombyliidae) Synonym(s): *meridionalis Bezzi,1912* MW TZ ZM ZW
18. **Anastoechus phaleratus Hesse,1938** (Bombyliidae) Synonym(s): *phaleratus Hesse,1938; albicerus Hesse,1938* ZA ZW BW NA Fs
19. **Anchophthalmops brevipleurum Koch,1956** (Tenebrionidae) Synonym(s): *brevipleurum Koch,1956* ZW MZ TZ
20. **Anchophthalmus backlundi Ferrer,1983** (Tenebrionidae) Synonym(s): *backlundi Ferrer,1983* ZW
21. **Anchophthalmus dentipes Gerstraecker,1854** (Tenebrionidae) Synonym(s): *dentipes Gerstraecker,1854; indigus Péringuey,1904* ZW MZ
22. **Anchophthalmus mittoni Koch,1956** (Tenebrionidae) Synonym(s): *mittoni Koch,1956* ZW
23. **Anchophthalmus oncotipes Koch,1956** (Tenebrionidae) Synonym(s): *oncotipes Koch,1956* ZW
24. **Anchophthalmus plicipennis Péringuey,1904** (Tenebrionidae) Synonym(s): *plicipennis Péringuey,1904* ZR TZ ZW
25. **Ancylorhynchus cruciger (Loew,1858)** (Asilidae) Synonym(s): *cruciger Loew,1858* ZA ZW
26. **Ancylorhynchus crux Bezzi,1908** (Asilidae) Synonym(s): *crux Bezzi,1908; apicalis Curran,1934; splendens Bromley,1936* MW ZR ZW ZA ZM
27. **Ancylorhynchus magnificus Bromley,1936** (Asilidae) Synonym(s): *magnificus Bromley,1936* MW ZA ZW
28. **Andrenosoma boranicum Corti,1895** (Asilidae) Synonym(s): *boranicum Corti,1895* CI NG ZW ET
29. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus Masi,1917; brevicaudatus Subba-Rao,1965* AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
30. **Anomalipus acutangulus Oertzen,1897** (Tenebrionidae) Synonym(s): *acutangulus Oertzen,1897; turpis Péringuey,1899* NA BW ZW ZA Tva Lpo
31. **Anomalipus braini Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *braini Endrödy-Younga,1988* MZ ZW
32. **Anomalipus carinatus Oerzten,1897** (Tenebrionidae) Synonym(s): *carinatus Oerzten,1897; amplipennis Péringuey,1904; subacutangulus Hesse,1935* ZA Fs Ec ZW
33. **Anomalipus elephas Fahraeus,1870** (Tenebrionidae) Synonym(s): *elephas Fahraeus,1870* ZA Tva Lpo Suw Spb Mdk BW NA ZW
34. **Anomalipus expansicollis Fairmaire,1891** (Tenebrionidae) Synonym(s): *expansicollis Fairmaire,1891* ZA Tva Lpo Suw ZW
35. **Anomalipus fahraei Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *fahraei Endrödy-Younga,1988* ZA Tva Lpo ZW MZ

36. **Anomalipus gasanus Péringuey,1904** (Tenebrionidae) Synonym(s): *gasanus Péringuey,1904* ZW MZ
37. **Anomalipus lieselottae Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *lieselottae Endrödy-Younga,1988* ZW ZA Tva Lpo
38. **Anomalipus lineatus (Gerstraecker,1854)** (Tenebrionidae) Synonym(s): *lineatus Gerstraecker,1854* MZ MW ZW
39. **Anomalipus peringueyi Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *peringueyi Endrödy-Younga,1988* ZW
40. **Anomalipus plebejus Péringuey,1896** (Tenebrionidae) Synonym(s): *plebejus Péringuey,1896* ZW ZM MZ BW
41. **Anomalipus podagricus Péringuey,1896** (Tenebrionidae) Synonym(s): *podagricus Péringuey,1896* ZW MZ
42. **Anomalipus polymorphus Endrödy-Younga,1988** (Tenebrionidae) Synonym(s): *polymorphus Endrödy-Younga,1988* ZW MZ
43. **Anomalipus proximus Péringuey,1896** (Tenebrionidae) Synonym(s): *proximus Péringuey,1896* ZW
44. **Anomalipus segnis Péringuey,1896** (Tenebrionidae) Synonym(s): *segnis Péringuey,1896* ZW
45. **Anthrax camptocladus Bezzi,1912** (Bombyliidae) Synonym(s): *camptocladus Bezzi,1912* MW ZW
46. **Anypodetus arachnoides Oldroyd,1974** (Asilidae) Synonym(s): *arachnoides Oldroyd,1974* ZA ZM ZW BW
47. **Anypodetus fascipennis Engel,1924** (Asilidae) Synonym(s): *fascipennis Engel,1924*; *semirufus Engel,1924*; *maculipennis Ricardo,1925* ZA BW NA ZW
48. **Anypodetus unicolor Oldroyd,1974** (Asilidae) Synonym(s): *unicolor Oldroyd,1974* NA ZA ZW
49. **Bantodemus dentipes (Fahraeus,1870)** (Tenebrionidae) Synonym(s): *dentipes Fahraeus,1870* ZA Tva Lpo ZW
50. **Bantodemus lucidus Koch,1955** (Tenebrionidae) Synonym(s): *lucidus Koch,1955* ZA Tva Lpo Shw ZW
51. **Bantodemus rhodesianus Koch,1955** (Tenebrionidae) Synonym(s): *rhodesianus Koch,1955* ZW
52. **Bantodemus zimbabwensis Iwan,2000** (Tenebrionidae) Synonym(s): *zimbabwensis Iwan,2000* ZW Vum ZA Tva Lpo
53. **Bantodemus zoutpansbergianus Koch,1955** (Tenebrionidae) Synonym(s): *zoutpansbergianus Koch,1955* ZW ZA Tva Lpo Spb
54. **Beckerellus terminatus (Becker,1909)** (Bombyliidae) Synonym(s): *terminatus Becker,1909*; *mollis Bezzi,1921*; *disjunctus Bezzi,1921*; *parallelus Bezzi,1924* BW ER ET KE MW SN ZA Nta Kzu Mpu Tva TZ UG YE Sk ZM ZW
55. **Bisanthe lagrecai Kaltenbach,1996** (Mantidae) Synonym(s): *lagrecai Kaltenbach,1996* ZA Tva Lpo ZW
56. **Bisanthe menyharthi (Brancsik,1895)** (Mantidae) Synonym(s): *menyharthi Brancsik,1895* MZ ZM ZW BW
57. **Bolbella rhodesiaca Beier,1930** (Mantidae) Synonym(s): *rhodesiaca Beier,1930* ZA Tva Lpo ZW
58. **Bolbena (Bolboda) minutissima (Karny,1908)** (Iridopterygidae) Synonym(s): *minutissima Karny,1908* ZA Tva Lpo NA ZW
59. **Bolbena (s.str.) maraisi Kaltenbach,1996** (Iridopterygidae) Synonym(s): *maraisi Kaltenbach,1996* NA ZW
60. **Bombomyia bombiformis (Bezzi,1921)** (Bombyliidae) Synonym(s): *bombiformis Bezzi,1921* MW ZA Mpu TZ ZM ZW
61. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis Fabricius,1794 nec Oliv.,1789*; *discoidea Fabricius,1794*; *charopus Lichtenstein,1796*; *thoracicus Fabricius,1805*; *analis Thunberg,1827*; *trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
62. **Bombomyia haemorrhoidalis (Bezzi,1921)** (Bombyliidae) Synonym(s): *haemorrhoidalis Bezzi,1921* MW TZ ZM ZW
63. **Bombylella arnoldi (Hesse,1938)** (Bombyliidae) Synonym(s): *arnoldi Hesse,1938* ZW
64. **Bombylella delicata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *delicata Wiedemann,1830*; *mutilatus Bezzi,1921*; *truncatus Greathead,1967* BW ER ET KE LS NA SO ZA Fs Kzu Nta TZ UG YE ZW SA
65. **Bombylella plorans (Bezzi,1920)** (Bombyliidae) Synonym(s): *plorans Bezzi,1920*; *lugens Bezzi,1924*; *melanolomus Hesse,1938* BJ GH KE NG SN SL TZ TG UG ZW
66. **Bombylella rufiventris (Macquart,1846)** (Bombyliidae) Synonym(s): *rufiventris Macquart,1846* BW KE MW ZA Kzu Nta SZ TZ ZM ZW
67. **Bombylisoma cinereitinctum (Hesse,1938)** (Bombyliidae) Synonym(s): *cinereitinctum Hesse,1938* ZA Nta Kzu Mpu Tva ZW

68. **Bombylisoma rhodesianum (Hesse,1938)** (Bombyliidae) Synonym(s): *rhodesianum* Hesse,1938 ZW BW ZA Kzu Nta
69. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
70. **Brachymeria bottegi Masi,1929** (Chalcididae) Synonym(s): *bottegi* Masi,1929 ET KE ZW
71. **Ceratitidis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
72. **Ceratitidis (s.str.) cornuta (Bezzi,1924)** (Tephritidae) Synonym(s): *cornuta* Bezzi,1924 ZA Nta Kzu Dbn ZW
73. **Chalicodoma (Callomegachile) kigonserana (Friese,1903)** (Megachilidae) Synonym(s): *kigonserana* Friese,1903 KE UG ZR ZW
74. **Chalicodoma (Dinavis) muansae (Friese,1911)** (Megachilidae) Synonym(s): *muansae* Friese,1911 ZW
75. **Chalicodoma (Gronoceras) bombiformis (Gerstaecker,1857)** (Megachilidae) Synonym(s): *bombiformis* Gerstaecker,1857 ZR ZW MZ CF GH
76. **Chalicodoma (Stenomegachile) chelostomoides (Gribodo,1894)** (Megachilidae) Synonym(s): *chelostomoides* Gribodo,1894 ER ZW ZR
77. **Choerades aureopilosa (Ricardo,1900)** (Asilidae) Synonym(s): *aureopilosa* Ricardo,1900; *variabilis* Bromley,1947 ZA ZW
78. **Choerades bella (Loew,1858)** (Asilidae) Synonym(s): *bella* Loew,1858 ZA ZW
79. **Chrysolina superba (Thunberg,1787)** (Chrysomelidae) Synonym(s): *superba* Thunberg,1787; *limbolata* Reiche,1850; *intersersa* Fairmaire,1894; *salisburyensis* Jacoby,1901; *rubripennis* Weise,1904 ZA ZW ZR
80. **Cilnia humeralis (Saussure,1871)** (Mantidae) Synonym(s): *humeralis* Saussure,1871; *latipes* Stal,1875 AO ZA Ec Nta Kzu Tva Lpo MW ZR MZ NA TZ ZW ZM
81. **Congomochtherus elferinki Londt & Tsacas,1987** (Asilidae) Synonym(s): *elferinki* Londt & Tsacas,1987 ZA ZW
82. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s): *conocephalus* Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
83. **Danuria (Danuroides) kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica* Sjöstedt,1909 KE ZR MW RW TZ ZM ZW
84. **Danuria (s.str.) thunbergi (Stal,1856)** (Mantidae) Synonym(s): *thunbergi* Stal,1856 ET KE ZR MZ NA ZA Nta Kzu Tva Lpo ZW TZ
85. **Dasyhelea atra De Meillon & Wirth,1989** (Ceratopogonidae) Synonym(s): *atra* De Meillon & Wirth,1989 ZW
86. **Dasyhelea columna de Meillon & Wirth,1989** (Ceratopogonidae) Synonym(s): *columna* de Meillon & Wirth,1989 ZW
87. **Dasyhelea hamata de Meillon & Wirth,1989** (Ceratopogonidae) Synonym(s): *hamata* de Meillon & Wirth,1989 ZW
88. **Desmatoneura meridionalis Hesse,1956** (Bombyliidae) Synonym(s): *impar* Zetterstedt,1846 *nec* Zett.,1845; *meridionalis* Hesse,1956 ZA Nta Kzu ZR ZW
89. **Dicrorrhina derbyana Westwood,1842** (Scarabaeidae) Synonym(s): *derbyana* Westwood,1842; *layardi* Peringuey,1892; *cyanea* Kraatz,1896; *divortialis* Kolbe,1901; *inornata* Lekkerkerk & Krikken,1986; *lucida* Lekkerkerk & Krikken,1986 NA BW ZW MZ ZA Tva Lpo Spb Mdk LS
90. **Dischista cincta (DeGeer,1778)** (Scarabaeidae) Synonym(s): *cincta* DeGeer,1778; *cincticula* Schönherr,1817; *fimbriata* Thunberg,1818; *burchelii* Fischer,1823; *bachypinica* Gory & Percheron,1833 ZM NA BW ZA LS SZ Tva Lpo Spb Mdk F Nta Kzu ZW MZ
91. **Dystacta alticeps (Schaum,1853)** (Mantidae) Synonym(s): *alticeps* Schaum,1853; *paradoxa* Saussure,1871 AO BW ZR MW MZ NA ZA Ec Tva Lpo TZ ZW
92. **Entella (s.str.) delalandi (Saussure,1870)** (Mantidae) Synonym(s): *delalandi* Saussure,1870; *gracilipes* Saussure,1872 NA ZA Ec TZ ZW
93. **Entella (s.str.) transvaalica Beier,1955** (Mantidae) Synonym(s): *transvaalica* Beier,1955 ZA Tva Lpo ZW
94. **Epitenodera capitata (Saussure,1869)** (Mantidae) Synonym(s): *capitata* Saussure,1869; *ibana* Giglio-Tos,1912; *iringana* Giglio-Tos,1912; *madimbana* Giglio-Tos,1912 AO ET KE ZR MW MZ ZA Nta Kzu Tva Lpo ZW UG Rz TZ
95. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus*

- Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
96. **Exoprosopa luteicosta Bezzi,1921** (Bombyliidae) Synonym(s): *luteicosta Bezzi,1921; albonigra Bezzi,1924; saskae Szilady,1942* AO BW ET KE MW MZ NA SO ZA Gau Tva Lpo Pre TZ UG ZM ZW
97. **Exoprosopa tabanoides Bezzi,1924** (Bombyliidae) Synonym(s): *tabanoides Bezzi,1924* ZM ZR MW TZ ZA ZW
98. **Galepsus (Onychogalepsus) capitatus (Saussure,1869)** (Irididae) Synonym(s): *capitatus Saussure,1869* ET KE TZ ZW ZA Tva Lpo Nta Kzu
99. **Galepsus (Onychogalepsus) damaranus Giglio-Tos,1911** (Irididae) Synonym(s): *damaranus Giglio-Tos,1911; orientalis Kaltenbach,1996* AO NA ZR ZW ZA Tva Lpo
100. **Galepsus (Onychogalepsus) intermedius Werner,1907** (Irididae) Synonym(s): *intermedius Werner,1907* KE MZ ZA Nta Kzu Tva Lpo ZW
101. **Galepsus (Onychogalepsus) meridionalis (Saussure,1872)** (Irididae) Synonym(s): *meridionalis Saussure,1872* ZA Nta Kzu Dbn ZR ZW
102. **Galepsus (Onychogalepsus) rhodesicus Beier,1954** (Irididae) Synonym(s): *rhodesicus Beier,1954* ZW
103. **Geron lactipennis Hesse,1938** (Bombyliidae) Synonym(s): *lactipennis Hesse,1938* ZW
104. **Geron marshalli (Hesse,1938)** (Bombyliidae) Synonym(s): *marshalli Hesse,1938* ZW
105. **Geron niveolus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *niveus Hesse,1938 nec Cress.,1919; niveolus Evenhuis & Greathead,1999* ZW
106. **Geron nomadicus Hesse,1938** (Bombyliidae) Synonym(s): *nomadicus Hesse,1938; breyeri Hesse,1938* BW MZ NA ZA Nta Kzu TZ ZW
107. **Geron psammobates Hesse,1938** (Bombyliidae) Synonym(s): *psammobates Hesse,1938* ZA Gau Tva NA KE ZW SZ
108. **Glypsus conspicuus (Westwood,1837)** (Pentatomidae) Synonym(s): *conspicuus Westwood,1837; moesta Germar,1837; pictiventris Stal,1853* ZA SD TD BW AO GN CI KE MW MZ NA ZR TZ ZW
109. **Gonopus (s.str.) deplanatus Fahraeus,1870** (Tenebrionidae) Synonym(s): *deplanatus Fahraeus,1870; costatus Fahraeus,1870; agrestis Fahraeus,1870* BW MZ NA ZW ZA
110. **Gonopus (s.str.) tibialis (Fabricius,1798)** (Tenebrionidae) Synonym(s): *tibialis Fabricius,1798; sulcatus Solier,1848; exaratus Gerstaecker,1854; ater Fahraeus,1870* AO BW ZR LS MW MZ NA ZA TZ ZM ZW
111. **Gonypetella deletrix Rehn,1927** (Mantidae) Synonym(s): *deletrix Rehn,1927* AO NA ZA Tva Lpo ZW
112. **Gonypetella kilimandjarica (Sjöstedt,1909)** (Mantidae) Synonym(s): *kilimandjarica Sjöstedt,1909* AO BW ZR TZ ZM ZW KE TZ
113. **Hapalogymnes gymnes (Rehn,1927)** (Iridopterygidae) Synonym(s): *gymnes Rehn,1927* ZW ZA Tva Lpo
114. **Hapalomantis (Bolbira) minima (Werner,1906)** (Iridopterygidae) Synonym(s): *minima Werner,1906* KE TZ ZW
115. **Harpagomantis tricolor (Linnaeus,1758)** (Hymenopodidae) Synonym(s): *tricolor Linnaeus,1758; paradoxa Goeze,1778; lobata Fabricius,1781; quadricornis Stoll,1813; spinocula Serville,1839* ZA Ec Nta Kzu Spb Tva Mdk Fs NA BW LS MZ ZW
116. **Hemiempusa capensis (Burmeister,1838)** (Empusidae) Synonym(s): *capensis Burmeister,1838; purpunnipennis Audinet-Serville,1839; wahlbergi Stal,1856 (part); phantasma Rehn,1949* ZA Ec Gau Pre Tva Lpo ZW RW TZ UG ZR KE GH CI AO ET
117. **Heterochaeta reticulata Roy,1977** (Mantidae) Synonym(s): *reticulata Roy,1977* ZR TZ ZW
118. **Ischnomantis fatiloqua (Stal,1856)** (Mantidae) Synonym(s): *fatiloqua Stal,1856* AO NA ZA Ec Nta Kzu Tva Lpo ZW ZR
119. **Junodia congica (Giglio-Tos,1915)** (Hymenopodidae) Synonym(s): *congica Giglio-Tos,1915; maculata Roy,1972* ZR ZM ZW
120. **Junodia strigipennis (Westwood,1889)** (Hymenopodidae) Synonym(s): *annulatus Audinet-Serville,1831; capensis Saussure,1871; strigipennis Westwood,1889* ET MZ ZW ZA Nta Kzu TZ
121. **Ligaria aberrans (Karny,1908)** (Mantidae) Synonym(s): *aberrans Karny,1908* BW NA ZW
122. **Ligaria affinis Kaltenbach,1996** (Mantidae) Synonym(s): *affinis Kaltenbach,1996* BW ZA Tva Lpo ZM ZW
123. **Ligaria brevicollis Stal,1877** (Mantidae) Synonym(s): *brevicollis Stal,1877; umtalica Giglio-Tos,1915* MZ ZW ZA Tva Lpo BW MW NA ZM ZW
124. **Ligaria inexpectata Kaltenbach,1996** (Mantidae) Synonym(s): *inexpectata Kaltenbach,1996* NA ZW
125. **Ligaria quadrinotata Stal,1877** (Mantidae) Synonym(s): *quadrinotata Stal,1877; fortis Karny,1908* ET KE TZ ZA Tva Lpo Gau Pre ZM ZW
126. **Macracanthopus seydeli Roy,1995** (Mantidae) Synonym(s): *seydeli Roy,1995* AO ZR ZW
127. **Macrorhaphis (Megarhaphis) acuta Dallas,1851** (Pentatomidae) Synonym(s): *acuta Dallas,1851; spurcata Walker,1868; infuscata Walker,1868; spinosum Horvath,1892* AO BJ BW Cn CV CI GH ET KE MW MG MZ NE NG SD ZA TZ ZR ZW

128. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 **Gryllus religiosus** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
129. **Mecosoma floridum Distant,1890** (Pentatomidae) Synonym(s): *floridum* Distant,1890 **ZR CI ML KE ZW**
130. **Mecosoma mensor (Germar,1837)** (Pentatomidae) Synonym(s): *mensor* Germar,1837; *thoracata* Distant,1901 **BW MZ NG SA SO ZA SD ZW**
131. **Milichia integra Becker,1922** (Milichiidae) Synonym(s): *integra* Becker,1922 **SD ZW?**
132. **Milichiella melaleuca (Loew,1863)** (Milichiidae) Synonym(s): *melaleuca* Loew,1863; *tosii* Becker,1907 **ZA ZW? Fs SC**
133. **Miomantis acutipes Beier,1969** (Mantidae) Synonym(s): *acutipes* Beier,1969 **AO ZW**
134. **Miomantis helenae (Giglio-Tos,1914)** (Mantidae) Synonym(s): *helenae* Giglio-Tos,1914 **MW ZW ZA Tva Lpo**
135. **Miomantis natalica Beier,1930** (Mantidae) Synonym(s): *natalica* Beier,1930 **NA ZA Nta Kzu Tva Lpo ZW**
136. **Miomantis paykulii Stal,1871** (Mantidae) Synonym(s): *paykulii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899 **IL Pa EG BF CI GH CM KE MR MZ NE SN TG TD UG ZW**
137. **Miomantis quadripunctata Saussure,1898** (Mantidae) Synonym(s): *quadripunctata* Saussure,1898 **ZA Ec Nta Kzu Tva Lpo ZR MZ NA TZ ZW UG**
138. **Miomantis semialata Saussure,1871** (Mantidae) Synonym(s): *semialata* Saussure,1871 **ZA Ec Nta Kzu SZ ZW NA TZ**
139. **Musca calleva Walker,1849** (Muscidae) Synonym(s): *calleva* Walker,1849; *mimetica* Malloch,1941 **SC ZW ZA MG Sk Cn EG TR**
140. **Neomyia chrysopyga (Emden,1939)** (Muscidae) Synonym(s): *chrysopyga* Emden,1939 **TZ KE ZW**
141. **Nothogalepsus planivertex (Beier,1953)** (Irididae) Synonym(s): *planivertex* Beier,1953 **MZ MW NA ZW**
142. **Nusa infumata (Loew,1851)** (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera* Loew,1851; *stenura* Loew,1858; *ruficornis* Wulp,1899 **IR Elb Th EG KG KE MZ NA ZA TZ ZW YE RU**
143. **Oliarus zimbabwei Van Stalle,1987** (Cixiidae) Synonym(s): *zimbabwei* Van Stalle,1987 **ZW**
144. **Omomantis zebrata (Charpentier,1843)** (Mantidae) Synonym(s): *zebrata* Charpentier,1843; *suaavis* Brancsik,1897; *pardalina* Saussure,1899 **ZA Ec Nta Kzu Tva Lpo ZW KE**
145. **Oxypilus (Setoxypilus) nasutus (Fabricius,1787)** (Hymenopodidae) Synonym(s): *nasutus* Fabricius,1787; *capensis* Saussure,1871 **ZA AO ET BW MZ NA Tva Lpo Nta Kzu Fs SO SZ TZ ZM ZW**
146. **Oxypilus (Setoxypilus) nigericus Beier,1930** (Hymenopodidae) Synonym(s): *?meruensis* Sjöstedt,1909; *nigericus* Beier,1930 **NG AO ET CM KE ZR MW MZ NG SD TZ UG ZW**
147. **Oxypilus (Setoxypilus) transvalensis Giglio-Tos,1915** (Hymenopodidae) Synonym(s): *transvalensis* Giglio-Tos,1915; *inscriptus* Beier,1955 **ZA Tva Lpo Gau Jh AO BW LS SZ ZW NA**
148. **Paracilnia neavei Werner,1909** (Mantidae) Synonym(s): *neavei* Werner,1909 **ZR TZ ZW**
149. **Paramantis natalensis (Stal,1856)** (Mantidae) Synonym(s): *natalensis* Stal,1856; *moesta* Werner,1915 **ZA Nta Kzu AO ET CM ZR KE TZ ZW**
150. **Paramantis niasana (Giglio-Tos,1912)** (Mantidae) Synonym(s): *niasana* Giglio-Tos,1912 **KE TZ ZW**
151. **Parasphendale costalis (Kirby,1904)** (Mantidae) Synonym(s): *costalis* Kirby,1904 **ZA Tva Lpo ZW TZ KE ET SO UG**
152. **Parasphendale stali Sjöstedt,1930** (Mantidae) Synonym(s): *stali* Sjöstedt,1930 **KE TZ ZW**
153. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 **IR IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ**
154. **Pictomantis rogenhoferi (Saussure,1872)** (Mantidae) Synonym(s): *rogenhoferi* Saussure,1872; *wernerii* Sjöstedt,1930 **TZ ZA Tva Lpo Nta Kzu ZW**
155. **Polyspilota aeruginosa (Goeze,1778)** (Mantidae) Synonym(s): *aeruginosa* Goeze,1778; *rubromaculata* Goeze,1778; *variegata* Olivier,1792; *adpersa* Lichtenstein,1802; *pustulata* Stoll,1813; *striata* Stoll,1813; *signata* Thunberg,1815; *nebulosa* Thunberg,1815; *catenata* Burmeister,1838; *varia* Burmeister,1838; *vicina* Audinet-Serville,1839 **AO ET GA GH GN CM CV SC KE ZR KM LR ZA Ec Tva Lpo Nta Kzu NA TZ Zz UG ZW**
156. **Polyspilota caffra (Westwood,1889)** (Mantidae) Synonym(s): *caffra* Westwood,1889 **ZA Ec Tva Lpo ZW**
157. **Popa spurca Stal,1856** (Mantidae) Synonym(s): *spurca* Stal,1856; *batesi* Saussure & Zehntner,1895; *undata* Burr,1900; *servillei* Giglio-Tos,1907; *stuhlmanni* Rehn,1914 **ET KE MG MW SO TZ UG AO GH GN CM ZA Ec Nta Kzu Tva Lpo ZW ZR MZ NA TG**
158. **Promachus zimbabweus Koçak & Kemal,2008**¹²⁸ (Asilidae) Synonym(s): *apicalis* Adams,1905 *nec* Macq.,1838; *zimbabweus* Koçak & Kemal,2008 **Promachus zimbabweus Koçak &**

¹²⁸ genus name established by the authors.

- Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro apicalis Adams,1905 nec Macq.,1838). ZW
159. **Pyrgomantis rhodesica** Giglio-Tos,1917 (Irididae) Synonym(s): *rhodesica* Giglio-Tos,1917 ZM BW NA ZW ZA Tva Lpo
160. **Pyrgomantis simillima** Beier,1954 (Irididae) Synonym(s): *simillima* Beier,1954; *curta* Beier,1954 ZW ZA Tva Lpo TZ
161. **Rhabdotis sobrina** (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): *sobrina* Gory & Percheron,1833; *virginia* Klug,1855 BW ZW ZA Tva Lpo Spb Mdk Nta Kzu MZ
162. **Rhomboderella scutata** (Bolivar,1889) (Mantidae) Synonym(s): *scutata* Bolivar,1889 AO KE ZR TZ ZW
163. **Scoliophthalmus micantipennis** Duda,1935 (Chloropidae) Synonym(s): *micantipennis* Duda,1935 NG BJ SN GM ML BF TZ ZM ZW KE ZA UG ET
164. **Sphodromantis lineola** (Burmeister,1838) (Mantidae) Synonym(s): *lineola* Burmeister,1838 AO ET BF CI GA GH CM KE ZR LR MW ML NG SN SL SD TZ TG UG ZM CF ZW
165. **Stenopyga (s.str.) rhodesiaca** Beier,1973 (Mantidae) Synonym(s): *rhodesiaca* Beier,1973 ZW
166. **Sycophila flaviclava** Boucek,1981 (Eurytomidae) Synonym(s): *flaviclava* Boucek,1981 ZW
167. **Sycophila hilla** Watsham,1977 (Eurytomidae) Synonym(s): *hilla* Watsham,1977 ZW
168. **Sycophila modesta** Boucek,1981 (Eurytomidae) Synonym(s): *modesta* Boucek,1981 ZW
169. **Sycophila naso** Boucek,1981 (Eurytomidae) Synonym(s): *naso* Boucek,1981 NA UG ZW
170. **Sycophila punctum** Boucek,1981 (Eurytomidae) Synonym(s): *punctum* Boucek,1981 ZW
171. **Sycophila sessilis** Boucek,1981 (Eurytomidae) Synonym(s): *sessilis* Boucek,1981 ZW
172. **Systropha (Austrosystropha) arnoldi** Friese,1922 (Halictidae) Synonym(s): *arnoldi* Friese,1922 ZW
173. **Systropha (Austrosystropha) rhodesiensis** Friese,1922 (Halictidae) Synonym(s): *rhodesiensis* Friese,1922 ZW
174. **Systropha (Systrophidia) glabriventris** Friese,1922 (Halictidae) Synonym(s): *glabriventris* Friese,1922 NA ZW
175. **Systropus (Diaerops) marshalli** Bezzi,1924 (Bombyliidae) Synonym(s): *marshalli* Bezzi,1924; *vespiformis* Enderlein,1926 ZR KE TG UG ZW
176. **Systropus (s.str.) sheppardi** Hesse,1963 (Bombyliidae) Synonym(s): *sheppardi* Hesse,1963; *rubripes* Bowden,1967 MW ZW
177. **Systropus (s.str.) snowi** Adams,1905 (Bombyliidae) Synonym(s): *snowi* Adams,1905 MW ZW
178. **Tarachodes (s.str.) beieri** Kaltenbach,1996 (Irididae) Synonym(s): *beieri* Kaltenbach,1996 ZA Tva Lpo ZW
179. **Tarachodes (s.str.) circuliferoides** Kaltenbach,1996 (Irididae) Synonym(s): *circuliferoides* Kaltenbach,1996 BW ZW
180. **Tarachodes (s.str.) insidiator** Wood-Mason,1882 (Irididae) Synonym(s): *insidiator* Wood-Mason,1882; *sancta* Werner,1907; *pilosides* Rehn,1912 AO KE ZR MW ZA Nta Kzu Tva Lpo TZ ZW
181. **Tarachodes (s.str.) rhodesicus** Lombardo,1997 (Irididae) Synonym(s): *rhodesicus* Lombardo,1997 ZW
182. **Tarachodes (s.str.) sanctus** (Saussure,1871) (Irididae) Synonym(s): *sanctus* Saussure,1871; *insidiator* Wood-Mason,1882; *scer* Giglio-Tos,1907; *kibwezi* Giglio-Tos,1911 ZR MZ ZA Nta Kzu Tva Lpo TZ ZW AO KE
183. **Taumantis globiceps** Beier,1969 (Mantidae) Synonym(s): *globiceps* Beier,1969 MW ZA ZM ZW
184. **Toxophora coeruleiventris** Karsch,1887 (Bombyliidae) Synonym(s): *coeruleiventris* Karsch,1887 BW BI KE MZ SN ZA Nta Kzu Mpu Tva Lpo SD TZ ZM ZW
185. **Toxophora diploptera** Speiser,1910 (Bombyliidae) Synonym(s): *diploptera* Speiser,1910; *cyanolepida* Hesse,1938 BW KE NA ZA Nta Kzu Tva Mpu TZ ZW
186. **Toxophora epargyroides** Hesse,1938 (Bombyliidae) Synonym(s): *epargyroides* Hesse,1938 KE? NA TZ ZW
187. **Toxophora punctipennis** Bezzi,1921 (Bombyliidae) Synonym(s): *punctipennis* Bezzi,1921 ZA Nta Kzu ZW NA
188. **Villa fulvipleura** Hesse,1956 (Bombyliidae) Synonym(s): *exclusiva* Schnabl & Dziedzicki,1911; *fulvipleura* Hesse,1956 ZA Nta Kzu ZW
189. **Villa loewii** Hesse,1956 (Bombyliidae) Synonym(s): *loewii* Hesse,1956 BI LS NA RW ZA Gau Mpu Tva UG ZW
190. **Villa pachystyla** Hesse,1956 (Bombyliidae) Synonym(s): *pachystyla* Hesse,1956 BW NA ZW
191. **Villa turneri** Hesse,1956 (Bombyliidae) Synonym(s): *turneri* Hesse,1956; *dissimilis* Hesse,1956 NA ZW

Synonymic and distributional list of the pterygot insects of Austria

(Results of the Entomofauna of the World based upon info-system of the Cesa)

65

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Austria (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 65. *Priamus* (suppl.) 18: 2116-2171.

In this study, totally 1341 pterygot species (except Lepidoptera) are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Austria recorded in info-system of the Cesa, total pterygot species of Austria increase to 5314.

Key words: List, distribution, *pterygota*, *Insecta*, Austria.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes ¹²⁹
Planned expeditions	no
Further planned publications	yes

In this study, totally 1341 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3973 recorded species of Lepidoptera from Austria are found. Taking this information into consideration, total number of the pterygots may increase to 5314.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc

¹²⁹ <http://www.members.tripod.com/entcesas/Intent.pdf>

4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
6. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* DE FR FI IT AT PL RO SE SS CZ HU
7. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
8. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa Fieber,1866; ferruginea Kirschbaum,1868* AT BE BG TR CZ DK DE FR IT NL PL RO RU
9. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis Meigen,1824* TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
10. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia Von Roser,1840* ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR
11. **Acericeris vitrina (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *vitrina Kieffer,1909* FR CH DE CZ AT HU YU IT Si
12. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons Kirschbaum,1868* AT FR DE IT RO GG Cc TR UA YU
13. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
14. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
15. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
16. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834* ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
17. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869* DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
18. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915* DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
19. **Adoxomyia dahlii (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlii Meigen,1830; schineri Lindner,1937; personata Lindner,1975* YU GR FR AT IT IL
20. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius Aubé,1843* BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
21. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni Reitter,1876* BG GR IT YU AT PL RO SK CZ TR UA HU
22. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener Thunberg,1794; foveolatus Mulsant & Godart,1860; venturii Bertolini,1870; funkii Seidlitz,1887; daisetsuzanus Kamiya,1938* AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
23. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
24. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
25. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuti Zaitsev,1908; transcaucasicus Zaitsev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
26. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina Curtis,1833* AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
27. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA YU
28. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sricula O.Costa,1840; zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
29. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium Duftschmid,1812* AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
30. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR

31. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
32. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
33. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
34. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
35. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
36. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
37. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
38. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
39. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
40. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
41. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater Linnaeus,1767* AT CZ FI FR RO RU UA LT TR
42. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
43. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
44. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
45. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
46. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
47. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
48. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus Rossi,1792* AT BG FR Co IT GR MK SL CH ES TR?
49. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari Zetterstedt,1840* DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
50. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata Burmeister,1841* DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
51. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
52. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
53. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
54. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella Fallén,1826; elegantula Zetterstedt,1828; discicollis Herrich-Schäffer,1834; fasciata Curtis,1837; fulveola Herrich-Schäffer,1838; eximia Hardy,1850; fastuosa Graff, Six & Snellen,1862; viridis Rey,1894; flavocephala Kupka,1899; diluta Ribaut,1936; dufouri Ribaut,1936* DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU

55. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
56. **Allandrus undulatus (Panzer,1795)** (Anthribidae) Synonym(s): *undulatus* Panzer,1795; *edgreni* Fahraeus,1839 DE FR ES AT IT ...
57. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
58. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
59. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
60. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
61. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
62. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
63. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
64. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
65. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 *Meloe syriacus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
66. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
67. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
68. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
69. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
70. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
71. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
72. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
73. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jablorkoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
74. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
75. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui

76. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata Dejean,1828; crenatostriata Chaudoir,1846* AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
77. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951* Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
78. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia A.Villa & G.B.Villa,1833; krekichi Schtzmair,1919* AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
79. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior Stephens,1828; obtusa Stephens,1828; puncticollis Rylands,1841; continua Thomson,1873* AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
80. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta Dejean,1828; brunnicornis Heer,1837; aeruginosa Kolenati,1845; cyanocnamis Thomson,1857; ovalis Mulsant & Rey,1861* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
81. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota Panzer,1796; acuminata Paykull,1898; aerata Stephens,1828; exculpta Hassmann,1866; raymondi Putzeys,1870* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
82. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832; bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
83. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris Duftschmid,1812; cursor Sturm,1825; levis Sturm,1825; perplexa Dejean,1828; elegans Rylands,1841; humilis Casey,1918* AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
84. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia Motschoulsky,1844; ovata Motschoulsky,1844; littorea Thomson,1857; motschoulskyi Heyden,1880; wuki Matcha,1922; bogatshevi Lutshnik,1934; kodymi Jedlicka,1936; tockoensis Jedlicka,1936* AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
85. **Amara (s.str.) morio Ménétriés,1832** (Carabidae) Synonym(s): *morio Ménétriés,1832* AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
86. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata Fabricius,1792; trivialis Duftschmid,1812; pratensis Sturm,1825; incisa Germar,1841; adamantina Kolenati,1845; audax Gistel,1857; sarsi Munster,1927; melanochlora Lutshnik,1933; simlatoides Jedlicka,1934; aequatorialis Baliani,1939* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
87. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans C.Zimmermann,1832; properans C.Zimmermann,1832; ougsburgeri Heer,1837; oculata Helliesen,1912; arnoldi Lutshnik,1934; bernhardti Schuler,1965; cerdanica Aubry,1970* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
88. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca Dejean,1828; complanata Dejean,1828; mesatlantica Antoine,1853; theryi Antoine,1853* AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
89. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua Duftschmid,1812; liberta Duftschmid,1812; subaenea Sturm,1825; ruficornis Dejean,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
90. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis Duftschmid,1812* AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
91. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudoiri Schaum,1858; incognita Fassati,1946* AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
92. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes Audinet-Serville,1821; striatopunctatata Dejean,1828; valida Fairmaire,1859* AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
93. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja Gyllenhal,1810; lapidicola Heer,1837; lenticularis Schiodte,1837; cylindrella Schiodte,1837; varicolor Heer,1838; tridens Morawitz,1862; noctivaga Hochhuth,1871; barnevillei Croissandeau,1893; brisouti Csiki,1929; punctibasis Jedlicka,1957* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
94. **Amorphoscelis abyssinica Giglio-Tos,1914** (Amorphoscelidae) Synonym(s): *abyssinica Giglio-Tos,1914* AT SO TZ

95. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
96. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
97. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
98. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
99. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
100. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
101. **Ancistronecha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
102. **Ancylohrynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 AT AL FR GR IT RO TR YU KG SR IL Pa
103. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 DZ CH AT CZ DE ES FR GR IT PL RO TR RU Uf Sb
104. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
105. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 IT Si AT SK CZ HU UA MD RO BG GR TR
106. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 *Andricus amenti* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
107. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
108. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859 IT AT B-H HU YU TR RO MD UA BG
109. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
110. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
111. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
112. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 IT AT HU YU RO BG UA PL TR GR IR
113. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
114. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 FR IT AT B-H HU GR BG RO UA TR
115. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
116. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
117. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859 *Andricus cydoniae* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. GB IT Si B-H AT HU RO BG TR
118. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 *nec* Wachtl.,1879; *gallaevicosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR
119. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
120. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 IT AT B-H YU GR BG RO HU UA TR

121. **Andricus gallaearnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaearnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 **PT ES FR GB AT IT YU HU UA RO BG GR TR**
122. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 **PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR**
123. **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905 **AT CZ B-H HU UA BG TR**
124. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 358-359. **PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR**
125. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 **IT Si AT CZ SK PL UA HU MD RO BG GR TR**
126. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943 **IT AT CZ B-H HU UA RO BG TR**
127. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903 **FR IT Si AT CZ SK PL HU RO YU GR TR BY**
128. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 **PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR**
129. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 **PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR**
130. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR**
131. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 **IT AT PL UA HU RO BG GR TR**
132. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 **Andricus multiplicatus** Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 360. **IT Si AT CZ SK HU RO YU GR TR**
133. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 **IT AT DE PL CZ SK HU RO BG GR TR**
134. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR**
135. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 **PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR**
136. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
137. **Andricus schroeckingeri Wachtl,1876** (Cynipidae) Synonym(s): *schroeckingeri* Wachtl,1876 **AT HU RO TR**
138. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magretti* Kieffer,1897 **HU AT IT GR TR IR**
139. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ**
140. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 **IT AT HU B-H YU BG RO UA PL TR**
141. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 **AT CZ DE FR HU IT RO CH BG GR**
142. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 **AT DE CH FR HU GR RO RU KG**
143. **Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): *austriaca* Herbst,1783 **AT UA RU TR**
144. **Anoplus nigerrimus (Scopoli,1763)** (Pompilidae) Synonym(s): *nigerrimus* Scopoli,1763 **TR AT SS HV**
145. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY**

146. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
147. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884 PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
148. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
149. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772 DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
150. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii* Olivier,1790 AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
151. **Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii* Fabricius,1801 AT YU CY BG CZ HU IT SK TR UA
152. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787 DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
153. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata* Roubal,1913; *incognita* Bily,1974 AT YU CZ FR DE IT SK ES CH TR UA
154. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans* Schrank,1789 AM AT CZ Cc DE HU IT SK ES CH UA TR
155. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula* Illiger,1803 AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
156. **Anthaxia (s.str.) hackeri Frivaltsky,1884** (Buprestidae) Synonym(s): *hackeri* Frivaltsky,1884 AT BG TR CZ HU RO SK
157. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica* Mannerheim,1837 AT YU CZ FR DE HU IT SK UA
158. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis* Fabricius,1776 DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
159. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea* Küster,1851 AT YU CZ FR DE HU IT RU SK ES CH UA TR
160. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931 MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
161. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR
162. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleri* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
163. **Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): *fasciatus* Linnaeus,1758 SE AT EE GE GR IT RO YU TR
164. **Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): *humeralis* Morawitz,1861 TR AT SK RU BG GR
165. **Anthocoris butleri Le Quense,1954** (Anthocoridae) Synonym(s): *butleri* Le Quense,1954 ES FR GB SE BE NL DE CZ AT IR Elb Mz
166. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
167. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
168. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma

169. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
170. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
171. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
172. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
173. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
174. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
175. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
176. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
177. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius* Fabricius,1794 IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
178. **Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae) Synonym(s): *caucasicus* Reitter,1881 Cc AM AT GG PL IR TM
179. **Anthrenus (Florilinus) olgae Kalik,1946** (Dermestidae) Synonym(s): *olgae* Kalik,1946 AT BG CZ GB FI DE HU LT YU PL SK SE UA
180. **Antipalus sinuatus (Loew,1854)** (Asilidae) Synonym(s): *sinuatus* Loew,1854 PL AT RU
181. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes* Meigen,1820; *tibialis* Megerle,1820; *macrurus* Ruthe,1831; *xanthopygus* Ruthe,1831; *aurifluus* Zeller,1840; *tenax* Zeller,1840; *mollis* Loew,1871; *flabellifer* Pandellé,1905 AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
182. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus* Say,1836 Apanteles *carpatus* Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
183. **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara* Nixon,1965 Apanteles *hemara* Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
184. **Apanteles myron Nixon,1973** (Braconidae) Synonym(s): *myron* Nixon,1973 Apanteles *myron* Nixon,1973, Bull. ent. Res. 63: 169-228. TR GB GR AT
185. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola* Giraud,1859 GB IT AT HU YU RO BG GR TR
186. **Aphrodes albiger (Germar,1821)** (Cicadellidae) Synonym(s): *albiger* Germar,1821; *kirschbaumi* Edwards,1920; *nudus* Wagner,1937; *salinus* Wagner,1937; *deleta* Ribaut,1952 AT CZ GB FR DE NL PL RU TR
187. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
188. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
189. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *riularis* Germar,1821 AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
190. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
191. **Aphrodes nigritus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigritus* Kirschbaum,1868; *integer* Wagner,1937 DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
192. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus*

- Signoret,1879; vicarius Horvath,1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
193. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
194. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea Germar,1821* AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR
195. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
196. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus Kiesenwetter,1858* TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
197. **Aprosthemata bifurcum (Klug,1834)** (Argidae) Synonym(s): *bifurcum Klug,1834* AT SK UA FI TR
198. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
199. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum Klug,1814; cylindricorne Thomson,1871; carpentieri Konow,1902* FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
200. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus Westwood,1833; tristis Nees,1834; phalis Walker,1839; trabea Walker,1839; mutilia Walker,1839; crassicauda Thomson,1878* AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
201. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus Domenichini,1957* FR DE IT CZ AT HU MD GR TR
202. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
203. **Arboridia pusilla (Ribaut,1936)** (Cicadellidae) Synonym(s): *pusilla Ribaut,1936* AT BE BG CS DE HU SW YU
204. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1937* AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
205. **Arboridia simillima (Wagner,1939)** (Cicadellidae) Synonym(s): *simillima Wagner,1939* AT DE Cc GG
206. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis Schrank,1802* ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
207. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
208. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
209. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
210. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
211. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra Gmelin,1790; nigritarsis Klug,1834; fuliginata Konow,1907* PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
212. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
213. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
214. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
215. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
216. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
217. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata Linnaeus,1758* PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
218. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator Dufour & Perris,1840* ES FR DE IT AT BG TR
219. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794; #scutellaris Stichel,1961; neocustos Ahmad & Önder,1990; neoinsperata Ahmad & Önder,1990* DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE

220. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
221. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
222. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
223. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
224. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
225. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
226. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
227. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus* Becker,1902 EG IQ IR RO AT ES
228. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
229. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
230. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
231. **Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918 TR GR HU SK RO AT
232. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
233. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903 P MT TN DZ Sa Si IT AT HV GR TR
234. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus* Szilady,1915 DZ RO AT FR TR
235. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
236. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feiberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
237. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry,1884; *artemisiae* Haupt,1924 AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU
238. **Azelia gibbera (Meigen,1826)** (Muscidae) Synonym(s): *gibbera* Meigen,1826 US CA Als Qb DE PL CZ SK CH AT HU TR
239. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
240. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR
241. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana* Wagner,1939 AF AT BG CS FI DE IT NL KG KK UZ YU TR
242. **Basilia mongolensis Theodor,1966** (Nycteribiidae) Synonym(s): *mongolensis* Theodor,1966 BG GR YU AT TR MN
243. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ
244. **Batracomorpus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794 (praeocc.); *allionii* Turton,1802; *fabricii* Metcalf,1955 AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb
245. **Batracomorpus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU

246. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 AT AZ Cc BE CZ FR HU MD ES CH TN TR
247. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
248. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
249. **Bellardia polita (Mik,1884)** (Calliphoridae) Synonym(s): *polita* Mik,1884 LT UA AT CZ DE HU PL SK ES
250. **Bellardia pubicornis (Zetterstedt,1838)** (Calliphoridae) Synonym(s): *pubicornis* Zetterstedt,1838; *puberula* Zetterstedt,1838; *dolens* Zetterstedt,1838; *curvipes* Zetterstedt,1838 AT FI HU NO RU SE CH GB
251. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
252. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
253. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
254. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
255. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
256. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
257. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
258. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
259. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
260. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium* Marsham,1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
261. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum* Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
262. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
263. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum* Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
264. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum* Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
265. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii* Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
266. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum* Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
267. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum* Say,1823 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
268. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum* Geoffroy,1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL

269. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
270. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
271. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
272. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
273. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
274. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
275. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
276. **Bibio brunripes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes Fabricius,1781 nec Linn.,1761; brunripes Fabricius,1794; umbellatum Zetterstedt,1838; fulvipes Zetterstedt,1838; fumipennis Walker,1848; inaequalis Loew,1864; fulvus Lundstrom,1910; jacobi Hardy,1938 nec Villen.,1924* CH AT DE PL AT SK HU RO NO SE FI IT
277. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes Meigen,1818; dorsalis Meigen,1818; flavicollis Meigen,1818; ephippium Zetterstedt,1838; tancrei Duda,1930* ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
278. **Bibio handlirschi Duda,1930** (Bibionidae) Synonym(s): *handlirschi Duda,1930* AT HU
279. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930* PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
280. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis Linnaeus,1767; marginalis Geoffroy,1785; pyri Fabricius,1794; hyalinus Meigen,1804; praecox Meigen,1804; nigrifemus Strobl,1900; jacobi Villeneuve,1924* ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
281. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus Meigen,1804* GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
282. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846* PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
283. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
284. **Bibio reticulatus Loew,1846** (Bibionidae) Synonym(s): *?villosus Meigen,1818; reticulatus Loew,1846* ES FR GB BE NL DE PL RU HU CZ SK CH AT
285. **Bibio siculus Loew,1846** (Bibionidae) Synonym(s): *siculus Loew,1846* ES Sa IT Si AT HU GR
286. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis Meigen,1818; varipes Meigen,1830; atripes Duda,1930; ringdahli Duda,1930* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
287. **Bibio venosus Meigen,1804** (Bibionidae) Synonym(s): *venosus Meigen,1804* ES GB FR BE DK DE SE PL CZ SK HU CH AT
288. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
289. **Blaps abbreviata Ménétériés,1836** (Tenebrionidae) Synonym(s): *abbreviata Ménétériés,1836* TR HU AT BG
290. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina Horvath,1903; teratocera Kusnezov,1929; turanica Hovarth,1936; ornata Emeljanov,1962* *Anoterostemma corvina* Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476. AT SE HU RU At Sb KG TM UA MN TR
291. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW

292. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
293. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
294. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
295. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
296. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
297. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21.** Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
298. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
299. **Bombylius (s.str.) axillaris Meigen,1830** (Bombyliidae) Synonym(s): *axillaris* Meigen,1830 DE AT
300. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
301. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
302. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
303. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
304. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
305. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
306. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
307. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennarius* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
308. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
309. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
310. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
311. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-

- H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ
TN TR TM UA
312. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
313. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevirostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
314. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
315. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; evermanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
316. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
317. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
318. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
319. **Brachycephalus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus Herrich-Schäffer,1835* DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
320. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis Gyllenhal,1833* AT HU RO BG GR TR
321. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi Schmidt-Göbl,1836; longispina Reitter,1884* ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
322. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis Fonscolombe,1840; punctulata Förster,1859; carbonaria Masi,1951* FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
323. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens Ruschka,1922* AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
324. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina Walker,1834; obtusata Förster,1859; walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
325. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa Förster,1859* DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
326. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria Ruschka,1922; tauriensis Masi,1929* AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
327. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI Nm_x Ny Tx TR PK Qu Bi UZ*
328. **Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus Marshall,1888* AL RU YU HU AT TR
329. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus Nees,1834* CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
330. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator Nees,1834* RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
331. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838* JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
332. **Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis Thomson,1892* RU YU HU PL SE FI AT FR GB TR
333. **Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida Wesmael,1838* TR RO YU HU AT BE IT FR GB
334. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838* JP RU TJ TM RO HU AT BE IT FR TR
335. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator Nees,1812* CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR

336. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
337. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 TR JP KG Cc RU RO CZ HU AT IT BE FR GB
338. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
339. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
340. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
341. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera* O.Costa,1840 AT FR HU IT ES TN YU
342. **Calligyona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
343. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
344. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
345. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
346. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
347. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784 AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
348. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
349. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
350. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
351. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
352. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
353. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 AT SK SS UA HU PL RO HV MK IT AL GR TR
354. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
355. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
356. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
357. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
358. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
359. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
360. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
361. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
362. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus* Linnaeus,1761 AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
363. **Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792 SK CZ AT HU RO TR Cc AM

364. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951 AT CZ HU RO BG TR SS SK UA
365. **Carinatodorcadion fulvum (Scopoli,1763)** (Cerambycidae) Synonym(s): *fulvum* Scopoli,1763; *sanguinolentus* Scopoli,1772; *frontale* Mulsant & Rey,1863 AT CZ HU YU BG SS SK UA
366. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856 TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
367. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps* Horvath,1905 TR DE AT CZ RU IT JP HU SK TN
368. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
369. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes* Meigen,1826 DE AT FR ES CH IT HU CZ NL SK
370. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 **Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU).** ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
371. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata* Fieber,1844; *haupti* Priesner,1923; *pallida* Mancini,1934 AT BG CS DE GR HU IT SI RO RU YU
372. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
373. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947 AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
374. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
375. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
376. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
377. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
378. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
379. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
380. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
381. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus* Brisoth,1869 AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
382. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
383. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
384. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
385. **Chaetarhria seminulum (Herbst,1797)** (Hydrophilidae) Synonym(s): *seminulum* Herbst,1797 AT TR
386. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802 AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
387. **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckert,1929 AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM

388. **Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum* Schwarz & Gusenleitner,1999 AT BG GR RO SS TR
389. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepeletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
390. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepeletier,1841; *parumerinitus* Alfken,1932 AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
391. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
392. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
393. **Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901 Dryocosmus mayri Müllner,1901, Verh. zool.- bot. Ges. Wien 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). AT GR HU IL Pa TR
394. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida* Giraud,1859; *loewii* Wachtl,1882 AT DE RO HU BG TR
395. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis* Fabricius,1787 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
396. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus* Schrank,1781 AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
397. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis* Schaller,1783 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
398. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
399. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
400. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
401. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948 ES FR DE IT Si AT BG CY TR EG IL MA TR KG
402. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
403. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa* Ribaut,1933 AT BG CS FI FR DE IT PL RO SE KG
404. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939 AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
405. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
406. **Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa* Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926 HU AT RU At TR IL CN
407. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
408. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata* Meigen,1820 IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
409. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata* Linnaeus,1758; *nigra* Scopoli,1763; *media* Müller,1765; *aurea* Olivier,1789; *anthrax* Meigen,1804; *nigrifrons* Megerle,1820; *fulgida* Meigen,1820; *podagrica* Meigen,1820; *chrysocephala* Meigen,1820; *strandii* Duda,1940 IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
410. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula* Loew,1851 AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
411. **Chonostropheus tristis (Fabricius,1794)** (Attelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880 DE AT BE BG CZ FR IT Cc TR HU RO UA YU
412. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii* Rozkosny,1979 CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG

413. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857 ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
414. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
415. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
416. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848 TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
417. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
418. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétrés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
419. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
420. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Companyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
421. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarius* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si Jp MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NmX Ny Tx YU
422. **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; *staneki* Bechyne,1949 DE AT HU PL RO HV TR
423. **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl,1893; *nigerrimus* Becker,1918 RU Cc TR AT CH HU
424. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
425. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
426. **Cicadella spectra (Distant,1908)** (Cicadellidae) Synonym(s): *spectra* Distant,1908 AF AT IR JP
427. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
428. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
429. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
430. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards,1920 AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
431. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa Jp KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
432. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinenotata* Boheman,1845 AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV

433. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 **FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa**
434. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU**
435. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 **TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU**
436. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 **TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU**
437. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 **TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU**
438. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 **AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU**
439. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995 **AT B-H BG CZ DE IT RO UA YU TR**
440. **Cixius cambricus China,1935** (Cixiidae) Synonym(s): *cambricus* China,1935; *borussicus* Wagner,1939; *austriacus* Wagner,1939 **Cc AL AT CZ FR DE GB IT PL AZ GG YU**
441. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 **AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb**
442. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distenguendus* Lodos & Kalkandelen,1980 **AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR**
443. **Cixius haupti Dlabola,1949** (Cixiidae) Synonym(s): *montanus* Haupt,1949 (praeocc.); *haupti* Dlabola,1949 **Cc AT CZ FR DE IT PL GG SW**
444. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 **Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb**
445. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (praeocc.); *reuteri* Metcalf,1936 **Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU**
446. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 **Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU**
447. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 **FR RU UA TM AT BG DE ES CH GR TR**
448. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 **RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD**
449. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826 **AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH**
450. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 **ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum**
451. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 **US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU**
452. **Cleptes semicyaneus Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus* Tournier,1879 **FR NL HU AT RU IT**
453. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU**
454. **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825 **FR Co DE PL CZ SK CH AT HU Cc TR AM Eri**
455. **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means* Meigen,1826 **AD FR ES DE PL CZ SK CH AT Cc**
456. **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866 **DE PL CZ SK CH AT HU TR RU Cc AM Eri**

457. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR
458. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
459. **Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): *fluviale* Rondani,1867 AT AF IT ES TM
460. **Coniosternum obscurum (Fallén,1819)** (Scathophagidae) Synonym(s): *obscurum* Fallén,1819; *minuta* Malloch,1935 CA AL AT BE CZ EE FI FR DE GB MN NL NO PL RU Sb Us SK SE CH
461. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis* Latreille,1804; *brevicaudatum* Uvarov,1910; *hungaricus* Cziki,1923 FR GB EE LT DE AT HU RO Cc RU KG TR
462. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849 Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
463. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sempunctatus* Sahlberg,1871; *piceus* Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
464. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata* Zetterstedt,1846; *nigra* Robineau-Desvoidy,1830; *beringensis* Malloch,1923 NO SE FR US AT CZ DE FI HU RU Sb SK SE
465. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE
466. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH
467. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica* Meigen,1826; *geniculata* Zetterstedt,1846; *alberta* Curran,1929 AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA
468. **Cordilura rufimana Meigen,1826** (Scathophagidae) Synonym(s): *rufimana* Meigen,1826; *incerta* Zetterstedt,1838; *tibialis* Zetterstedt,1838 RU Ur Sb AT CZ DK EE FI FR DE GB IE NL NO PL SE CA
469. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa* Loew,1873 SK AT BE CZ FR DE HU KG NL PL RO RU
470. **Corynis obscura (Fabricius,1775)** (Cimbricidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
471. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 AT FI DE NO PL SE Cc AZ EE KG LV RU UA
472. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 Apanteles ancilla Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
473. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885 DE Cc AM AT MD CZ FR GB IC SE TR
474. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 DE GB FI TR AT RU HU CN AU
475. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
476. **Cratyna (s.str.) alpina (Mohrig & Menzel,1992)** (Sciaridae) Synonym(s): *alpina* Mohrig & Menzel,1992 ES DE AT GR
477. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942 FR NL DE CZ SK CH AT IT UA BG GR SE FI
478. **Cratyna (s.str.) atra Winnertz,1867** (Sciaridae) Synonym(s): *atra* Winnertz,1867; *pictiventris* Kieffer,1898; *corticalis* Lengersdorf,1930 FR NL AT DE NO FI
479. **Cryptobium fracticorne (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaquelinei* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884 DE AT Cc TR
480. **Cryptocephalus apicalis Gebler,1830** (Chrysomelidae) Synonym(s): *apicalis* Gebler,1830; *flavoguttatus* Suffrian,1847 AT HU SK YU UA RU Sb
481. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
482. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
483. **Culicoides alpicola (Strobl,1910)** (Ceratopogonidae) Synonym(s): *alpicola* Strobl,1910 AT
484. **Culicoides aricola Kieffer,1922** (Ceratopogonidae) Synonym(s): *aricola* Kieffer,1922 AT

485. **Culicoides bromophilus** Kieffer,1922 (Ceratopogonidae) Synonym(s): *bromophilus* Kieffer,1922 AT
486. **Cylindera (Cicindina) arenaria** (Fuessli,1775) (Carabidae) Synonym(s): *arenaria* Fuessli,1775 DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
487. **Cylindromyia interrupta** (Meigen,1824) (Tachinidae) Synonym(s): *interrupta* Meigen,1824 TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
488. **Cynips agama** Hartig,1840 (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964 ES FR GB IE BE DE AT PL UA HU B-H BG TR
489. **Cynips cornifex** Hartig,1843 (Cynipidae) Synonym(s): *cornifex* Hartig,1843 IT AT SS HU RO BG GR TR
490. **Cynips disticha** Hartig,1840 (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948 PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
491. **Cynips divisa** Hartig,1840 (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
492. **Cynips longiventris** Hartig,1840 (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
493. **Cynips quercus** (Fourcroy,1785) (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescens* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 PT ES FR DE UA MD RO YU GR IT AT HU TR MK
494. **Cynips quercusfolii** (Linnaeus,1758) (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaemunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
495. **Cynips schlechtendali** Kieffer,1901 (Cynipidae) Synonym(s): *schlechtendali* Kieffer,1901 AT
496. **Dahlbominus fuscipennis** (Zetterstedt,1838) (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838 TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
497. **Dasyhelea decoratissima** (Strobl,1910) (Ceratopogonidae) Synonym(s): *decoratissima* Strobl,1910 AT
498. **Dasyhelea erici** Havelka,1978 (Ceratopogonidae) Synonym(s): *erici* Havelka,1978 AT
499. **Dasyhelea flavifrons** (Guérin-Ménéville,1833) (Ceratopogonidae) Synonym(s): *flavifrons* Guérin-Ménéville,1833; *obscura* Winnertz,1852 *nec* Walk.,1848; *versicolor* Winnertz,1852; *dufourii* Laboulbène,1869; *hippocastani* Mik,1888; *brevitibialis* Goetghebuer,1919; *goetghebueri* Kieffer,1919; *sensualis* Kieffer,1919; *lignicola* Kieffer,1919; *paludicola* Kieffer,1925; *oppressa* Thomsen,1935; *septuosa* Borkent,1997 FR DE AT BE GR HV CZ EE US Ny
500. **Dasyhelea franzella** Goetghebuer,1950 (Ceratopogonidae) Synonym(s): *franzella* Goetghebuer,1950; *unbedarfti* Havelka,1978 AT DE
501. **Dasyphora penicillata** (Egger,1865) (Muscidae) Synonym(s): *penicillata* Egger,1865 MA DE PL CZ SK CH AT HU Cc AM RU TR
502. **Dasyopogon diadema** (Fabricius,1781) (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preysslner,1790; *nalis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
503. **Dasyrhamphis umbrinus** (Meigen,1820) (Tabanidae) Synonym(s): *umbrinus* Meigen,1820 IT Si AT AL YU BG RO GR TR IL Pa LB RU
504. **Dasytes niger** (Linnaeus,1761) (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
505. **Dasytes plumbeus** (O.F.Müller,1776) (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776 SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
506. **Dasytes virens** (Marsham,1802) (Melyridae) Synonym(s): *virens* Marsham,1802 AT FR DE GR TR
507. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
508. **Delphax crassicornis** (Panzer,1796) (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
509. **Deltocephalus pulicaris** (Fallén,1806) (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR

510. **Denticollis rubens** Piller & Mitterpacher, 1783 (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher, 1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
511. **Dermestes (Dermestinus) intermedius** Kalik, 1951 (Dermestidae) Synonym(s): *intermedius* Kalik, 1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
512. **Diaphorus gredleri** Mik, [1881] (Dolichopodidae) Synonym(s): *gredleri* Mik, [1881]; *flavomaculatus* Strobl, 1909 AT ES FR IT TN IL Pa
513. **Diaphorus vitripennis** Loew, 1859 (Dolichopodidae) Synonym(s): *vitripennis* Loew, 1859 RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
514. **Dibolia rugulosa** Redtenbacher, 1849 (Chrysomelidae) Synonym(s): *rugulosa* Redtenbacher, 1849 AT TR Cc
515. **Dicranota (Ludicia) lucidipennis** (Edwards, 1921) (Pediidae) Synonym(s): *lucidipennis* Edwards, 1921; *luteicolor* Alexander, 1975 AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR
516. **Dicranotropis divergens** Kirschbaum, 1868 (Delphacidae) Synonym(s): *divergens* Kirschbaum, 1868; *carpathica* Horvath, 1884 AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
517. **Dicranotropis hamata** (Boheman, 1847) (Delphacidae) Synonym(s): *hamata* Boheman, 1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
518. **Dictyophara europaea** (Linnaeus, 1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus, 1767; *#aeuropaea* Petagna, 1787; *europa* Aucher-Elroy, 1826; *italica* Kirschbaum, 1868; *lutea* Lang, 1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
519. **Dictyophara multireticulata** Mulsant & Rey, 1855 (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey, 1855; *heydenii* Kirschbaum, 1868; *curvata* Matsumura, 1910; *nemourensis* Matsumura, 1910; *oertzeni* Matsumura, 1910 AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
520. **Didismachus picipes** (Meigen, 1820) (Asilidae) Synonym(s): *picipes* Meigen, 1820 TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
521. **Diglyphus isaea** (Walker, 1838) (Eulophidae) Synonym(s): *isaea* Walker, 1838; *lycophon* Walker, 1838; *medidas* Walker, 1838; *gracilis* Goureaux, 1851; *ornatus* Förster, 1861; *bisannulatus* Förster, 1861; *clavicornis* Walker, 1872; *phytomysae* Rondani, 1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
522. **Dikraneura variata** Hardy, 1850 (Cicadellidae) Synonym(s): *variata* Hardy, 1850; *agnatus* Letherry, 1850; *lenensis* Linnavuori, 1953 AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
523. **Dilophus febrilis** (Linnaeus, 1758) (Bibionidae) Synonym(s): *febrilis* Linnaeus, 1758; *spinatus* O.F. Müller, 1764; *forcipata* Schrank, 1803; *vulgaris* Meigen, 1818 PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
524. **Dilophus femoratus** Meigen, 1804 (Bibionidae) Synonym(s): *femoratus* Meigen, 1804; *albipennis* Meigen, 1830 PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
525. **Dioctria atricapilla** Meigen, 1804 (Asilidae) Synonym(s): *atricapilla* Meigen, 1804; *falleni* Meigen, 1820; *atrata* Meigen, 1820; *geniculata* Meigen, 1820 AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
526. **Dioctria flavipennis** Meigen, 1820 (Asilidae) Synonym(s): *flavipennis* Meigen, 1820; *aurifrons* Meigen, 1820 FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
527. **Dioctria hyalipennis** (Fabricius, 1794) (Asilidae) Synonym(s): *hyalipennis* Fabricius, 1794; *anomala* Macquart, 1826; *flavipes* Meigen, 1804; *frontalis* Meigen, 1804; *varipes* Meigen, 1804; *baumhaueri* Meigen, 1820; *strandii* Dda, 1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
528. **Dioctria linearis** (Fabricius, 1787) (Asilidae) Synonym(s): *linearis* Fabricius, 1787; *cingulata* Zetterstedt, 1849 IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
529. **Diolcogaster alvearia** (Fabricius, 1798) (Braconidae) Synonym(s): *alvearius* Fabricius, 1798; *Ichneumon alvearius* Fabricius, 1798, Suppl. ent. Syst.: 232. TR DE CN GB FR AT IT CZ RU KG YU
530. **Diolcogaster claritibia** (Papp, 1959) (Braconidae) Synonym(s): *claritibia* Papp, 1959; *Microgaster claritibia* Papp, 1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY
531. **Diplocolenus abdominalis** (Fabricius, 1803) (Cicadellidae) Synonym(s): *abdominalis* Fabricius, 1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
532. **Diplocolenus bohemani** (Zetterstedt, 1840) (Cicadellidae) Synonym(s): *bohemani* Zetterstedt, 1840; *calceolatus* Boheman, 1845; *tiaratus* Fieber, 1869 AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
533. **Diplocolenus frauenfeldi** (Fieber, 1869) (Cicadellidae) Synonym(s): *frauenfeldi* Fieber, 1869; *altaicus* Vilbaste, 1965 AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ

534. **Diplocolenus nigrifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrifrons* Kirschbaum,1868; *ensatus* Then,1897 AL AT BG IT KG UA
535. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 PT ES FR GB NL DE SE PL AT HU RO IT TR
536. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
537. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 PT ES GB NL DE PL SE AT HU RO IT TR
538. **Diplolepis spinosissimae (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 ES FR GB NL DE AT HU PL SE IT TR
539. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863 AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
540. **Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis* Spinola,1839 Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
541. **Ditropis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980 AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
542. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
543. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938 *Apanteles coleophorae* Wilkinson,1938, Proc. ent. Soc. Lond. (B) 7: 225. TR Cc AZ AT RU FI SE CZ GB
544. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903 AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
545. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla* Horvath,1903 AT BG GR IT RO TR MD UA UZ YU
546. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861 AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
547. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897 AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
548. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928 AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
549. **Dorycephalus baeri Kuschakewisch,1866** (Cicadellidae) Synonym(s): *baeri* Kuschakewisch,1866 AT CZ HU RU TR
550. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum* Fabricius,1794; *thamnicola* Robineau-Desvoidy,1830; *scalaris* Loew,1868 AT DE HU FR Co ES HV PT GB IT PL CZ TR
551. **Drymeia alpicola (Rondani,1871)** (Muscidae) Synonym(s): *alpicola* Rondani,1871 CA US NMx DE PL SK CH AT TR CN
552. **Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916 Cc AM Eri AT IT BG TR GG
553. **Dryocosmus cerriphilus Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859 IT AT HU RO TR
554. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
555. **Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus* Loew,1848 IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR
556. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854 IR AT BG CZ DE FR IT HU RO YU UA RU TR KG
557. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 AT AL BG DE FR HU PL RO UA TR IR Fa
558. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
559. **Ebaeus appendiculatus Erichson,1840** (Melyridae) Synonym(s): *appendiculatus* Erichson,1840 TR IT Si AT CZ RO BG UA Cm
560. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
561. **Ebarrius intertinctus (Fieber,1869)** (Cicadellidae) Synonym(s): *intertinctus* Fieber,1869 AT FR HU IT MN PL SW Cc GG YU
562. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
563. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984 AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR
564. **Edwardsiana bergmani (Tullgren,1916)** (Cicadellidae) Synonym(s): *bergmani* Tullgren,1916 AT BG CS DK FI FR DE GB MN NO PL SE SW

565. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas,1876; *australis* Froggatt,1918; *frogatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947 AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
566. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936 AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA
567. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (praeocc.); *marginella* Gmelin,1790 (praeocc.); *geometrica* Schrank,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA
568. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
569. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949 AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU
570. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA
571. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
572. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU AT
573. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924 AT BG CS FR DE GB NL PL TR GG Cc YU
574. **Eginia ocypterata (Meigen,1826)** (Muscidae) Synonym(s): *ocypterata* Meigen,1826 DE PL CZ SK AT HU Cc
575. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
576. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
577. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhpicerus* Förster,1841; *giraudi* Ferrière,1947 TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
578. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
579. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 AT FI DE GR FR HU IT MD KG ES SE CH TR RU
580. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
581. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (praeocc.); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
582. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
583. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
584. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula* Loew,1867 TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
585. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscurilla* Zetterstedt,1842 TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
586. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
587. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
588. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU

589. **Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885 DE DK FR IT AT PL YU TR
590. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR
591. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
592. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
593. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdős,1944; *lixi* Erdős,1951; *mecini* Askew,1992 TR AT BG HV CZ FR GG Cc DE GR HU
594. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 CH ES IT DE FR AT HU GR Cc TR
595. **Ephippiger ephippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ephippiger* Fiebig,1784; *vitium* Serville,1831; *rossii* Fieber,1853; *fibigii* Fieber,1853; *fabricii* Fieber,1853; *moguntiacus* Schuster,1906 *Gryllus ephippiger* Fiebig,1784, Berlin. Ges. naturf. Freunde 5: 260. Type(s): Austria: Wien (NMWM). AT Wn HU YU BG TR
596. **Eriothrix monticola (Egger,1856)** (Tachinidae) Synonym(s): *monticola* Egger,1856; *longipes* Rondani,1856 AT IT
597. **Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata* Villeneuve,1924; *hierosolymitana* Kugler,1963 TR IL Pa AT CH YU RU Sb
598. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
599. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868; *dilatatus* Fieber,1872 AT BE CS FR DE IT PL RO SW AZ Cc UA
600. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
601. **Eucomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (praeocc.); *lepidus* Boheman,1847; *tristis* Boheman,1847 Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
602. **Eudasyphora zimini (Hennig,1963)** (Muscidae) Synonym(s): *zimini* Hennig,1963 DE PL CZ SK CH AT HU Cc AM Eri GG
603. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
604. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
605. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
606. **Eupteryxa jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
607. **Eupteryx adspersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
608. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 AF AT CS FI FR DE IT IQ RO SW TR RU MD
609. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
610. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpunctata* Cerutti,1939; *nigerrima* Cerutti,1939 AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
611. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (praeocc.); *austriaca* Metcalf,1968 AT BE BG FR DE IT UA
612. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *upsilon* Cerutti,1939 AT BG CS FI DE HU PL RO SE SW KG

613. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
614. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
615. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
616. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
617. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
618. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
619. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834 AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
620. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
621. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
622. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
623. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831 DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
624. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948 AT BG CS FI FR DE HU NL PL RU
625. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 AT BE BG CS DK FR DE GB PL RO UA YU
626. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU
627. **Eurhadina saageri Wagner,1937** (Cicadellidae) Synonym(s): *saageri* Wagner,1937 AT CS DE PL Cc GG
628. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
629. **Euryrsa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
630. **Eurythyrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): *austriaca* Linnaeus,1767 AT HV GR TR PL
631. **Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): *arctica* Thomson,1875 IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB
632. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 IR Kd Km II Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
633. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
634. **Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): *curta* Walker,1832 TR AT FR DE HU MD NL SE GB
635. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
636. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
637. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
638. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
639. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
640. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU

641. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
642. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 **AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU**
643. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
644. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 **AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU**
645. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 **AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU**
646. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 **AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU**
647. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 **AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU**
648. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794 **UA CH AT ES FI IT YU AL BG GR TR**
649. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 **AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA**
650. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 **AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU**
651. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 **AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU**
652. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus* Herrich-Schäffer,1838 **ES FR BE DE PL CZ SK HU AT CH IT BY UA**
653. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 **AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU**
654. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 **AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM**
655. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 **AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA**
656. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 **UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU**
657. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 **TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US**
658. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856 **AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR**
659. **Glyptapanteles antione (Nixon,1973)** (Braconidae) Synonym(s): *antione* Nixon,1973 **Apanteles antione** Nixon,1973, Bull. ent. Res. 63: 176. **AT TR**
660. **Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus* Haliday,1834 **Microgaster callidus** Haliday,1834, Entomologist's mon. Mag. 2: 248. **DE AT GB Cc AM GG HU TR**
661. **Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972 **Apanteles eugeni** Papp,1972, Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338. **DE BG GB FI LT NL AT CH HU TR**
662. **Gomphocerus sibiricus (Linnaeus,1767)** Synonym(s): *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951 **ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK**
663. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 **AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**

664. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
665. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
666. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 **Gryllus gryllotalpa** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
667. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis* Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU
668. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis* Czerny,1924 AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
669. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803 RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
670. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
671. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
672. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
673. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
674. **Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
675. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
676. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
677. **Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): *abdominalis* Zetterstedt,1846 DK FR Co DE PL AT HU SY
678. **Helina atricolor (Fallén,1825)** (Muscidae) Synonym(s): *atricolor* Fallén,1825; *denudata* Zetterstedt,1845 DE PL CZ SK CH AT TR
679. **Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): *decipiens* Mihalyi,1974 DE CZ SK AT HU TR RU
680. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924 FR Co DE PL CZ SK CH AT HU TR Cc AM RU
681. **Helina obtusipennis (Fallén,1823)** (Muscidae) Synonym(s): *obtusipennis* Fallén,1823 DE SK CH AT TR
682. **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens* Stein,1893 DE PL CH AT HU TR? RU
683. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris* Ringdahl,1924 AD DE PL CZ SK CH AT HU TR Ui RU
684. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus* Mulsant,1846 DK FI SE NO RU ES IT AT FR GB TR
685. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis* Marsham,1802 GB FR DE AT UA Cc SE GB TR
686. **Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus* Angus,1970 PL AT FR RU IT YU GR TR
687. **Helophorus montenegrinus Kuwert,1885** (Helophoridae) Synonym(s): *montenegrinus* Kuwert,1885 YU Cc AT IT TR
688. **Helophorus paraminutus Angus,1986** (Helophoridae) Synonym(s): *paraminutus* Angus,1986 RU Sb YU AT DE TR
689. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui

690. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
691. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
692. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
693. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
694. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826 Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR
695. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
696. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
697. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
698. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
699. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
700. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
701. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 AT FR GR HU IT PL RO RU YU IR
702. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
703. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
704. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
705. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
706. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872 AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
707. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
708. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
709. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 AT AM Cc ES FR Co GR HU RU SK TR
710. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
711. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
712. **Hoplitis (Formicapis) robusta (Nylander,1848)** (Megachilidae) Synonym(s): *robusta* Nylander,1848 AT CH FR FI IT RU MN CN CA US

713. **Hoplitis (Micreriades) mazzucchi (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzucchi* Schwarz & Gusenleitner,2005 AT BG HU SK TR
714. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s): *tuberculata* Nylander,1848; *hamata* Eversmann,1852; *cylindrica* Giraud,1857; *signatum* Eversmann,1852; *macrodonta* Cockerell,1924; *amaguensis* Cockerell,1924 AT CH DE FR FI HV IT LT PL RU MN CN
715. **Hoplitis (Pentadentomia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
716. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
717. **Hoplitis (s.str.) anthocopoides (Schenk,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenk,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
718. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 AT CH DE ES FR HU IT RU SS
719. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 AT CH CZ? DE ES FR HU HV IT RU SS
720. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
721. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS
722. **Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps* Horvath,1897 AT BG GR HU RO IT YU TR HV CZ
723. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
724. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
725. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 AL AT BG TR CZ FR HU IL IT RO ES YU
726. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata* Loew,1858 FR YU AT RU RO TR IR MN
727. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
728. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
729. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH
730. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH
731. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky,1860 AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc
732. **Hydrochus megaphallus Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus* Berge Henegouwen,1988 TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE
733. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
734. **Hydrotaea meridionalis Portschinsky,1882** (Muscidae) Synonym(s): *meridionalis* Portschinsky,1882 IT Si DE PL CZ SK CH AT HU TR U
735. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
736. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
737. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
738. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965 *Apanteles lacteoides* Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU
739. **Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella* Papp,1972 *Apanteles laspeyresiella* Papp,1972, Ann. Hist. Nat. Mus. Hung. 64: 338-340. AT BG HU RU TR
740. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?felicina* Santos Abreu,1923; *similior* Alexander,1956 *Limnobia pulchripennis* Loew,1856,

- Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
741. **Idiocerus fasciatus Fieber,1868** (Cicadellidae) Synonym(s): *fasciatus Fieber,1868* AT BE CS FR? DE HU ES AZ UA
742. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775; aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868; kirschbaumi Baker,1924; lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
743. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
744. **Idiocerus heydenii Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii Kirschbaum,1868* AT BG CS DK FR DE IT PL MD UA YU
745. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806; dorsiger Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis Curtis,1839; rubrifrons Rey,1894* AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
746. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835* AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
747. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis Lewis,1834; adustus Herrich-Schäffer,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
748. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898* AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
749. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons Kirschbaum,1868* AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
750. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus Panzer,1799; simulans Ribaut,1952* AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
751. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris Förster,1856; akdenizeus Doğanlar,1989* TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
752. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY*
753. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans Van Der Linden,1820* AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
754. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
755. **Issus muscaeformis (Schränk,1781)** (Issidae) Synonym(s): *muscaeformis Schränk,1781* Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
756. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758; nigriventris Fieber,1861; anthracina Jakovlev,1885; vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
757. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus Then,1896* AT BG CS FI FR DE IT PL RO SE MD UA
758. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus Flor,1861; pseudocellaris Flor,1861; mattiacellus Kirschbaum,1868; parallelus Fieber,1869; falleni Fieber,1869; paleaceus Sahlberg,1871; longiceps Rey,1894; confinis Rey,1894; kemneri Ossiannilsson,1935; gallicus Metcalf,1955; reyi Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
759. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis Kirschbaum,1868; picturatus Fieber,1869* AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
760. **Jassidaeus lugubris (Signoret,1865)** (Delphacidae) Synonym(s): *lugubris Signoret,1865; morio Fieber,1866; atratula Kirschbaum,1868* AT CZ SK FR DE HU PL RO MD
761. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888* AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
762. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
763. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; variicollis Rey,1894* Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU

764. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
765. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
766. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962 IL AT BG CY GR YU TR
767. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
768. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (praeocc.); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
769. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
770. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
771. **Labidostomis taxicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *taxicornis* Fabricius,1792; *sardoa* Jacobson,1906 IT Sa AT DZ
772. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
773. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
774. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
775. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 *Cantharis noctiluca* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
776. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
777. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
778. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
779. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
780. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
781. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
782. **Lasiopogon pilosellus Loew,1847** (Asilidae) Synonym(s): *pilosellus* Loew,1847 PL AT CH TR
783. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermannii* Desbrochers,1845; *syriacus* Desbrochers,1868 AT BG HV DZ FR IT Si RO GR TR SY JO
784. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
785. **Leptarthus brevis (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
786. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica* sensu Meigen,1820 IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
787. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
788. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU

789. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius Scopoli,1763* AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
790. **Limnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta Kowarz,1893* IT Si DE PL CZ AT HU LY? Cc? RU
791. **Limnophora pulchriceps (Loew,1860)** (Muscidae) Synonym(s): *pulchriceps Loew,1860* CZ AT IL? TR?
792. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
793. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata Fallén,1828 (praeocc.); sexmaculata Hardy,1850; agathina Snellen van Vollenhoven,1862; bipunctata Cerutti,1939; quadripunctata Mitjaev,1963* AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
794. **Lipsthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii Wachtl,1891* ES IT AT HU RO UA RU TR
795. **Lispe apicalis Mik,1869** (Muscidae) Synonym(s): *apicalis Mik,1869* MA DZ AT HU TR IR
796. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
797. **Lispe flavicincta Loew,1847** (Muscidae) Synonym(s): *flavicincta Loew,1847* FE Co IT Sa PL CZ SK AT Cc
798. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator Gravenhorst,1829* TR DE AT ES HU IT YU MD KG
799. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator Gravenhorst,1829* AM Cc GB FR CH AT IT YU TR
800. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii Leonhardi,1973* TR Cc IR TM T HU AT
801. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus Warchalowski,1967* Cc AZ TR FR IT AT HU PL CZ SK IR TN
802. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus Leonhardi,1975* AT MA ES FR CH IT DE CZ SK YU UA TR
803. **Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi Furth,1979* TR AT IT BG SS IL Pa
804. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
805. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854; mehadiensis Motschoulsky,1854; mingrelia Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969* AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
806. **Lymantichneumon disparis (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis Poda,1761* AT SS TR
807. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
808. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus Loew,1849* IT HU AT YU RO GR BG AL TR
809. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
810. **Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota Meigen,1824; germanica Robineau-Desvoidy,1830; major Schiner,1862* TR AT DE HU SE
811. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis Fallén,1810* HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
812. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris Rondani,1865; dumosum Pandellé,1895* AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
813. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola Fallén,1820; viatica Meigen,1824* AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
814. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris Rondani,1865* AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB

815. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
816. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
817. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris* Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
818. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828 AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
819. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
820. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
821. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
822. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda* Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
823. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
824. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi* Scott,1873 AT CZ GB FR DE IT RO RU TR
825. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
826. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
827. **Macropsis vicina (Horvath,1897)** (Cicadellidae) Synonym(s): *vicina* Horvath,1897 AT FR HU PL RU YU CZ SK TR
828. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
829. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
830. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec* Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
831. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
832. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
833. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
834. **Macrosteles sordidipennis (Stal,1858)** (Cicadellidae) Synonym(s): *sordidipennis* Stal,1858; *salina* Reitter,1886 AT CZ DK GB FI HU MN NL NO PL SE RU TR
835. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
836. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
837. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
838. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
839. **Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): *bipustulatus* Linnaeus,1758 RU UA AT TR KG
840. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus* Erichson,1840; *carnifex* Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR

841. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
842. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT BY CZ FR DE HU IT PL RU SS ES CH TR
843. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 FR IT AT HU TR IR RU Cc ES PL
844. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
845. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
846. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
847. **Megaselia coaetanea Schmitz,1929** (Phoridae) Synonym(s): *coaetanea* Schmitz,1929 TR AT FI ES
848. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
849. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
850. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum* Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV
851. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
852. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
853. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
854. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895; *piceae* Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
855. **Megistopus flavicornis (Rossi,1807)** (Myrmeleonidae) Synonym(s): *flavicornis* Rossi,1807; *bisignatus* Rambur,1842 SK AT TR IR Elb Th
856. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
857. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921 TR Cc RU ES FR AT PL RO IR KG MN
858. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
859. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 IT Si UA HU AT Wn HV PL RO RU Sr
860. **Melieria parmensis Rondani,1869** (Ulidiidae) Synonym(s): *parmensis* Rondani,1869 FR DE AT CH Cc
861. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826 AT HV BG DE MD RO RU UA CA Als UA
862. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus* Rossi,1792; *ruficornis* Balbi,1897 Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
863. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
864. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
865. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
866. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liou,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
867. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR

868. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT Si YU BG GR CY TR LB
869. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845* ES FR AT GR HU IT YU PL CH TR
870. **Merodon obscuratarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuratarsis Strobl,1909; fuerteventurensis Barkemeyer,2002* ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
871. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
872. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus Boheman,1845* AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
873. **Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): *pruinosa Say,1830* US IT FR Co CH AT SL HV B-H CZ TR
874. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
875. **Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus Kirechbaumer,1894* HU TR AT YU
876. **Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus Thomson,1887* SE DE FR AT HU TR
877. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis Mulsant & Rey,1855; quadripunctata Kirschbaum,1868; pulcherrimus Hovarth,1884* AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
878. **Micantulina (Mulsantina) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucarii Cerutti,1938; impunctata Cerutti,1938; incompleta Cerutti,1938* AT BG GR TR IT SW UA YU
879. **Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula Zetterstedt,1840; quinquepunctata Melichar,1900; feberi Metcalf,1968* DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At
880. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus Spinola,1808* IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
881. **Microgaster fischeri Papp,1960** (Braconidae) Synonym(s): *fischeri Papp,1960* *Microgaster fischeri Papp,1960, Folia ent. Hung. (N.S) 13: 529-535.* TR AT CZ GB MN
882. **Microptilis cebes Nixon,1970** (Braconidae) Synonym(s): *cebes Nixon,1970* GR TR YU AT SE CZ TR MN
883. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* BE FI KP KR MA RU AT TR DE IT NL HU GB KG
884. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* Cc AZ DE FR YU TR AT PL RU MN Sb SE HU
885. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847; palposa Zetterstedt,1848* SE FI RU DK DE PL SK CZHU AT IT GB GR EG
886. **Milichiella argyrogaster (Perris,1876)** (Milichiidae) Synonym(s): *argyrogaster Perris,1876; tiefii Mik,1887* ES FR AT CZ SK HU RU Us
887. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803* AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
888. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850; aridellus Boheman,1850; lateralis Sahlberg,1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
889. **Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): *quadricornis Dlabola,1949* AT CS HU PL RO TR MD UA
890. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus Curtis,1835 (praeocc.); crocea Herrich-Schäffer,1837; oxypterus Kirschbaum,1868* AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
891. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata Germar,1821; rupicapra Marshall,1861; ambigua Fieber,1885* AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
892. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola Remane,1961* IQ AT FR GR HU RU TR
893. **Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda Ribaut,1939* AT BE BG TR CS FR DE GB IT NL SE
894. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
895. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
896. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae Walker,1847* IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB

897. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Ce GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
898. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protruxa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Ce AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
899. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
900. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica Linnaeus,1758* PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF
901. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
902. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794* Ce AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
903. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus Herrich-Schäffer,1835* FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
904. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis Fabricius,1794* ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR
905. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta Wiedemann,1824* GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR
906. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta Panzer,1798* ES FR BE DE PL SK CZ AT IT HU RO BG TR
907. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata Meigen,1804* FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR
908. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus Freidberg,1979* *Myopites apicatus Freidberg,1979, Israel J. ent. 13: 16.* TR IL Pa IT HU GR Gr AT FR CZ
909. **Myrmica lacustris Ruzsky,1905** (Formicidae) Synonym(s): *lacustris Ruzsky,1905* CZ UA TM KG AT
910. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata Fabricius,1775* TR KG UZ SY GR BG YU MK AT HU RO UA RU
911. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi Skorikov,1927* TR SY GR BG AT RO UA
912. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
913. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille,1792; latreillei Meyer,1794; cornuta Olivier,1811; megacephala Costa,1858; bison Costa,1887* AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
914. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala Fabricius,1793 (praeooc.); atra Panzer,1801; nigra Latreille,1809, bicolor Baer,1848; melanaria Blanchard,1849; #rufomaculata Hoffer,1938; erythrocephala Yarrow,1954* SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
915. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis Fabricius,1801* AT BE CZ FR DE IT PL SK ES CH TR UA IR
916. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
917. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris Meigen,1822; globuliceps Loew,1846; pseudoglobuliceps Pleske,1937; reichardti Pleske,1937* TR DE AT BG CZ KG HU MN PL RO RU SK YU GR
918. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
919. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
920. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus Herrich-Schäffer,1834* AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
921. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides Harris,1776; niger De Geer,1776; aestivus Schrank,1781; tabidus Meigen,1820; cyanurus Loew,1849* IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW

922. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis Fabricius,1798* **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
923. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris Fallén,1805; parvula Vismara,1877; fasciatus Ferrari,1882; obsoletus Ferrari,1882; bimaculata Rey,1894; brunnifrons Rey,1894* **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
924. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis Thunberg,1784* **AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA**
925. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus Haupt,1917* **AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)**
926. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus Linnaeus,1758; abbreviata Fabricius,1787; capitata Fabricius,1794; aterrimus Sahlberg,1871; pulchellus Sahlberg,1871; fusca Haupt,1912; pallida Haupt,1917; danicus Wagner,1935; fulva Gyllensvard,1965* **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
927. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor Kirschbaum,1868* **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
928. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt Kz MN JP CN Mc**
929. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica Kokujev,1899* **Cc BG RO UA RU PL DE AT FR**
930. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis Holmgren,1860; gracilipes Thomson,1888* **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
931. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea Gravenhorst,1829; opacula Thomson,1888; melanurus Thomson,1888; fuscicarpus Kokujev,1899* **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**
932. **Neuroterus aggregatus Wachtl,1880** (Cynipidae) Synonym(s): *aggregatus Wachtl,1880* **AT HU**
933. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes Schenck,1863; laeviusculus Schenck,1863; pezizaeformis Schlechtendal,1870; lusitanicus Tavares,1902; codinae Tavares,1928* **PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR**
934. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus Curtis,1838; ostreus Giraud,1859; ostria Hartig,1840; pallicornis Hartig,1840; furunculus Bayerinck,1882* **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
935. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus Giraud,1859* **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
936. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus Giraud,1859* **IT AT HU RO BG TR**
937. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis Fourcroy,1785; reamurii Hartig,1840; defectus Hartig,1840; quercustiarae Curtis,1843; vesicatrix Schlechtendal,1870; vesicator Hieronymus,1890; brunneus Dettmer,1925* **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
938. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus Hartig,1840; petioliventrtris Hartig,1840; nitens Hartig,1841; bipunctatus Hartig,1841; rubeculus Hartig,1841; aprilinus Giraud,1859; burgundus Schlechtendal,1870; schlechtendali Mayr,1870* **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
939. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum Linnaeus,1758; baccarumquercus Fourcroy,1785; flavipes Fourcroy,1785; pedunculiquercus Fourcroy,1785; lenticularis Olivier,1791; longipennis Fabricius,1793; gallaelenticulatae Anthoine,1794; malpighii Hartig,1840; interruptor Hartig,1841; interruptrix Hartig,1841; baccarum Blanchard,1849; pedunculi Dumeril,1860; striatus Schenck,1863; attenuatus Schenck,1863; giraudi Tschek,1869; histrio Kieffer,1901; hispanicus Tavares,1916; intermedius Tavares,1916* **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
940. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor Hartig,1841; fumipennis Hartig,1841; varius Schenck,1863; ulisippore Tavares,1928* **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
941. **Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): *nigricornis Faldermann,1835* **TR FR AT SS BG Cc CH**
942. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU U_r Sb SK SL ES SE CH SY TM UA UZ YU**
943. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis O.F.Müller,1776* **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU**

944. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans Dejean,1826* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
945. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus Fabricius,1779* AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
946. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi Fauvel,1863* AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
947. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis Chaudoir,1850* AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
948. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes Curtis,1829* AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
949. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus C.R.Waterhouse,1833* AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
950. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis Zetterstedt,1828; orichalcea Dahlbom,1850; marginatus Sahlberg,1871; armata Buckton,1891; armata Haupt,1912 (praeocc.); haupti Oshanin,1912* DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
951. **Noxius curtirostris (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris Mulsant,1861* AT IT ES FR TR
952. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata Westwood,1835* MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
953. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii Theodor & Moscona,1954* IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
954. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata Linnaeus,1758* PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
955. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909* MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
956. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
957. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873* MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
958. **Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): *germanica Latreille,1804; intermedia Ramme,1913* ES FR DE AT TR YU HV
959. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU
960. **Omaloplia (s.str.) lonae (Schatzmayr,1923)** (Scarabaeidae) Synonym(s): *lonae Schatzmayr,1923* AT AL B-H HV IT MK SS
961. **Omaloplia (s.str.) nigromarinata (Herbst,1786)** (Scarabaeidae) Synonym(s): *nigromarinata Herbst,1786; occidentalis Baraud,1965* AT CZ DE HU LT PL RO SS SK UA YU
962. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola Fabricius,1775; humeralis Fabricius,1775; marginatus Fuessly,1775; floricola Laicharting,1781; atrata Geoffroy,1785; pruinosa Küster,1849; populi Gistel,1857; intermedia Abeille,1895; fritschii Reitter,1905; arnoldi Medvedev,1952; tergestina Bauard,1965; svanetica Medvedev & Dzambazishvilli,1973* AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc
963. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis Fallén,1806* AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR
964. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis Charpentier,1825; nebulosa Brunner von Wattenwyl,1882; montivagus Azam,1908; obscurus Schirmer,1913; viridis Schirmer,1913; robustior Zacher,1917; hyalosuperficies Voroncovsky,1928* ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
965. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes Zetterstedt,1821; ventralis Zetterstedt,1821; cruentata Brullé,1832; geniculata Brullé,1832; miniata Stephens,1835; viridulum Wesmael,1838; zetterstedti Fieber,1852* Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG
966. **Oncopsis alni (Schränk,1801)** (Cicadellidae) Synonym(s): *fenestrata Schränk,1776 (praeocc.); ferrugineus Curtis,1837; heydenii Kirschbaum,1868* AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU
967. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscula Gravenhorst,1807; nigrutilus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837;*

- pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK
LV MD RO RU Sb UA UZ YU
968. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
969. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
970. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792 AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
971. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900 ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
972. **Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s): *ruficapillus* Brullé,1832 Cc AZ AM SY HU TR AT SK IL Pa
973. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
974. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
975. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
976. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa
977. **Opsiis stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
978. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us
979. **Orthops basalis (Costa,1852)** (Miridae) Synonym(s): *basalis* Costa,1852 TR IT FR AT YU CZ SE
980. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
981. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
982. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
983. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
984. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
985. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
986. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtii* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
987. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
988. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
989. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR

990. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
991. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
992. **Osmia (Melanosmia) alticola Benoist,1922** (Megachilidae) Synonym(s): *alticola* Benoist,1922 AT CH ES FR
993. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
994. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
995. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc Tr
996. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN
997. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA
998. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
999. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
1000. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
1001. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1002. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Duce,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1003. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1004. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
1005. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
1006. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis* Duce,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
1007. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
1008. **Ossiannilssonola callosa (Then,1886)** (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU
1009. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1010. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis* Meigen,1822 GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
1011. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaenicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR

1012. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR
1013. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb
1014. **Pachybrachis (s.str.) flexuosus Weise,1882** (Chrysomelidae) Synonym(s): *flexuosus* Weise,1882; *dalmatinus* Pic,1908 IT HU AT
1015. **Pachybrachis (s.str.) hieroglyphicus (Laicharting,1781)** (Chrysomelidae) Synonym(s): *hieroglyphicus* Laicharting,1781; *tristis* Laicharting,1781; *histrion* Fabricius,1781; *apicalis* Rey,1883; *pseudoscriptus* Wagner,1927; *ictericus* Weise,1882; *italicus* Weise,1882... AT IT ES RU Sb
1016. **Pachybrachis (s.str.) hippophaes Suffrian,1848** (Chrysomelidae) Synonym(s): *hippophaes* Suffrian,1848 HU AT CH FR Py RO
1017. **Pachybrachis (s.str.) picus Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 DE AT ES FR BE HU IT
1018. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb
1019. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 TR IT AT UA YU RO AL MK GR BG
1020. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
1021. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *alahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
1022. **Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878 *Platyphyma caloptenoides* Brunner von Wattenwyl,1861, Verh. zool.- bot. Ges. Wien 11: 226. Lectotype ♂: [Serbia]: Brdjane (BMNH). TR GR YU MD SK BG HU AT
1023. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1024. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
1025. **Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817 *Pipiza albifrons* Fallén,1817, *Syrphici Svecicae* (6): 60. ES DE AT SE SS YU TR GB DK RU IR
1026. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
1027. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
1028. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1029. **Parallelloma fuscipes (Zetterstedt,1838)** (Scathophagidae) Synonym(s): *fuscipes* Zetterstedt,1838; *dispar* Zetterstedt,1846; *fuscitibia* Rondani,1867 SE IT AT CH FI FR NO PL RU Ur Us
1030. **Paramyrmosa brunnipes (Lepelletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepelletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1031. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... AL AT BG CZ HU IT RO Ur SK UA YU TR
1032. **Pedestredorcadion scopolii (Herbst,1784)** (Cerambycidae) Synonym(s): *scopolii* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... RU Sb HU BG AT CZ GR SK UA YU
1033. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
1034. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pedicidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
1035. **Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pedicidae) Synonym(s): *zernyi* Lackschewitz,1940 AL AT HV GR RO TR
1036. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU

1037. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO HU SI SK ES SE CH MA DZ TN SY IL Pa KP KR JP HkK CN
1038. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1039. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1040. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1041. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1042. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
1043. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU
1044. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
1045. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921; *barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
1046. **Phanerotoma (Bracotritoma) acuminata Szepligeti,1908** (Braconidae) Synonym(s): *acuminata* Szepligeti,1908 AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU
1047. **Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma* Marshall,1898; *antennalis* Snoflak,1951 AT CY CZ GB FR IE IT NL PL ES
1048. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951 AT BE CZ GB GR IT NL PL ES SE Cc AZ DE
1049. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 AT CZ FR GR HU IR IT MN ES RU Sb US Cf
1050. **Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szepligeti,1900; *graeffei* Fischer,1959 AT GR HU IT TR MD YU
1051. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
1052. **Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846 MA? DE PL CZ AT HU SY TR
1053. **Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823 US Oh CA On DE PL CZ SK AT HU SY
1054. **Phaonia pura (Loew,1873)** (Muscidae) Synonym(s): *pura* Loew,1873 SK CH AT Cc RO RU
1055. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *populi* Meigen,1826 ES Md FR Co DE PL CZ SK CH AT HU SY RU
1056. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1057. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824 PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
1058. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860 ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1059. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824 FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
1060. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1061. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1062. **Phasia (s.str.) subcoleoptrata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoptrata* Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1063. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons* Girschner,1887 ES FR GB BE NL DE PL RU CZ SK HU AT CH IT
1064. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF

- AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW
SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1065. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820;
canescens Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher*
Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU
Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1066. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI
RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1067. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR
CH AT IT Sa Co Cr TR
1068. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus*
Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL
PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1069. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris*
Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT
DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
1070. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846;
convergens Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK
MD PL PT RO RU Sb SK SS ES SE CH UA YU
1071. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820;
maculata Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT
TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1072. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805;
maura Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1073. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra*
Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT
BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ
GB
1074. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum*
Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU
TM TJ KK AF
1075. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905 PT
ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1076. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794;
quadrifasciata Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1077. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s):
dumetorum Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR
UA IL Pa
1078. **Physatocheila harwoodi China,1936** (Tingidae) Synonym(s): *harwoodi* China,1936 GB
FR DE CZ AT IT Si
1079. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952
ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1080. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s):
daghestanica Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU
RO UA FR IT Si
1081. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris*
Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1082. **Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyssler,1791 AT FR
RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG IT MD RO
1083. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea*
Meigen,1824 ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1084. **Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta* Brullé,1832
ES FR CH AT CZ HU PL IT TR
1085. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776 GB FR
BE NL DE DK SE FI PL CZ AT HU IT TR
1086. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781
ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1087. **Phytoecia rufipes (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes* Olivier,1795 FR AT
DZ TR SY
1088. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758;
bilobus Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN
CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1089. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens*
Fabricius,1803; *maculicornis* Mulsant,1852 AL DZ AT GR Cr FR IT MA PT ES TR YU

1090. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1091. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1092. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1093. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes* Horvath,1888 ES IT DE AT CZ HU MK BY BG UA RU KG
1094. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888 PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1095. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1096. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1097. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1098. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata* Macquart,1829 FI HU YU AT CH DE NL BE FR ES TR
1099. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806; *proteus* Herrich-Schäffer,1834; *pinastri* Fieber,1885 DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1100. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864 AT Cc HU RO RU CN Ui TR
1101. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1102. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1103. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus* Scott,1876 AT CS FR HU IT ES BG TR YU
1104. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1105. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1106. **Platymetopius complicatus Nast,1972** (Cicadellidae) Synonym(s): *signoreti* Metcalf,1967 (*praeocc.*); *complicatus* Nast,1972 AT GR TR YU
1107. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1108. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1109. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869; ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1110. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1111. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Gryllus (Locusta) *pedestris* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc

1112. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1113. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758 AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1114. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914 AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1115. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (*praeocc.*); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1116. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883 DE RO AT CZ HU RU Sb YU IT TR
1117. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 PL DE HU RO BG YU AT CH IT TR
1118. **Proceraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1119. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH
1120. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
1121. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
1122. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
1123. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
1124. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombofifer* Fieber,1869; *substriatus* Then,1902 AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
1125. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA
1126. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925 AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA
1127. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952 AF AT BG CS FR DE HU IT NL PL PT
1128. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897 AT BG TR CS DE HU RO LV MD RU TJ UA
1129. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 AT BG CS FI DE HU NL NO PL RO SE LV RU Sb
1130. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1131. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT
1132. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1133. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 IT AT B-H HU RO BG GR TR
1134. **Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis* Mayr,1874 IR Ak AT CZ MN RO SE UA GB
1135. **Pseudotorymus stachidis (Mayr,1874)** (Torymidae) Synonym(s): *stachidis* Mayr,1874 IR Fa AT HU SE
1136. **Psilophrys tenuicornis Graham,1969** (Encyrtidae) Synonym(s): *longicornis* Walker,1847 *nec* Dalm.,1820; *tenuicornis* Graham,1969 *Psilophrys tenuicornis* Graham,1969, *Polski pismo Ent.* 39: 235. GB AT TR

1137. **Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri Kutschera,1867* AT IT TR
1138. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853; lateralis Costa,1855* TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR
1139. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829* AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1140. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus Kolenati,1845* AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU
1141. **Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): *minutissimus Germar,1817* AT TR IR
1142. **Rabdophaga clausilia (Bremi,1847)** (Cecidomyiidae) Synonym(s): *clausilia Bremi,1847* ES CH AT HU RO PL
1143. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex Kieffer,1891* PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
1144. **Rabdophaga giraudiana Kieffer,1898** (Cecidomyiidae) Synonym(s): *giraudiana Kieffer,1898* GB DE AT UA RO
1145. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia Loew,1850* ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1146. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia Kieffer,1890* GB FR CH AT CZ DE PL HU YU RO RU SE FI EE
1147. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini Kieffer,1891; rosariella Kieffer,1896* FR GB DE AT CZ YU RO UA RU EE SE
1148. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis Schrank,1803* PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1149. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina Bremi,1847; rosaria Loew,1850* PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
1150. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis Loew,1850* ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1151. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major Burmeister,1839*. AT DE CH FR CZ HU BG HV MK RO GR
1152. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix Harris,1780* AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
1153. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera Marshall,1866; coroniceps Kirschbaum,1868; i-album Scott,1881* AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
1154. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi Then,1896* AT BG CS DE IT MN RO TN GG Cc KG UA YU
1155. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1156. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1157. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarينات Kusnezov,1937* Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1158. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus Linnaeus,1758; annularis Geoffroy,1785* AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
1159. **Rhagoletis berberidis Jermy,1961** (Tephritidae) Synonym(s): *berberidis Jermy,1961* TR AT HU Cc RU SK CH UA
1160. **Rhagozycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764* TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1161. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus Fieber,1869* AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
1162. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus Schrank,1776; crenatus Germar,1827; scurra Germar,1837; germari Fieber,1868; fulvus Rey,1894* AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1163. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri Dlabola,1965* AT CZ SK IT MN KG TM RU UA TR
1164. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces Ribaut,1931* AT BG CS FR DE GR IT Sa SW Cc TR GG RU
1165. **Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi Zachvatkin,1948; horvathiana Dlabola,1954* AT BG CS HU RO TR RU
1166. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris Ribaut,1931* AT BG CS FR DE GB HU RO SW AZ Cc UA Cm

1167. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
1168. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
1169. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
1170. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
1171. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterricus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 *Gryllus nitidulus* Scopoli,1786, *Delicidae florae & faunae insubricae 1: 62*. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1172. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanka* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
1173. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
1174. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1175. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1176. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
1177. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1178. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1179. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1180. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1181. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1182. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
1183. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1184. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
1185. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1186. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1187. **Scleroculus corniculatus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculatus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA

1188. **Scleroracus transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1189. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1190. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1191. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
1192. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
1193. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
1194. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
1195. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
1196. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
1197. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
1198. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
1199. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY EG RO GR TR
1200. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihaljii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1201. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1202. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus* Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1203. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
1204. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1205. **Sphenometopa steinii (Schiner,1862)** (Sarcophagidae) Synonym(s): *steinii* Schiner,1862 TR AT
1206. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus* Olivier,1790 FR PT ES DE CH IT Co Sa AT HU TN DZ
1207. **Spilogona carbonella (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 FR Co DE PL CZ SK CH AT HU TR RU
1208. **Spilogona dispar (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 SE DE PL CZ SK CH AT HU TR Cc
1209. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1210. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1211. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae* Panzer,1799; *melanocephalus* Panzer,1799; *taraxaci* Panzer,1806; *villersi* Leach,1817; *henschi* Konow,1907 ES FR GB DE SE SK HU AT IT AL Co

1212. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic **DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR**
1213. **Sterictiphora gastrica (Klug,1814)** (Argidae) Synonym(s): *gastrica* Klug,1814; *terebralis* Enslin,1917 **PT ES FR IT AT**
1214. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 **ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR**
1215. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**
1216. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis* Loew,1847 **IT FR Co YU PT AT RO RU BG TR**
1217. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 **AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU**
1218. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA**
1219. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 **ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG**
1220. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
1221. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vibaste,1968 **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT SI JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
1222. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
1223. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
1224. **Sympiesis euspilapterygis (Erdös,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdös,1958 **TR AT BG CZ DE HU PL SE YU**
1225. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU**
1226. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 **AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US**
1227. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 **AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn**
1228. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 **PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR**
1229. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 **PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR**
1230. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ**
1231. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 **PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR**
1232. **Systropha (s.str.) planidens Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysuras* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977 **ES FR AT TR**
1233. **Tabanus glaucopsis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 *nec* Ström,1768; *glaucopsis* Meigen,1820 **GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN**
1234. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 **BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN**

1235. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 *nec* Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
1236. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1237. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
1238. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1239. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1240. **Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi* Mik,1864 AM Cc TR AT CZ HU IT
1241. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
1242. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 GB SE DE BE NL PL BY UA Cc KG CH AT HU TR
1243. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea* Loew,1856 TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU
1244. **Tephritis vespertina (Loew,1844)** (Tephritidae) Synonym(s): *vespertina* Loew,1844; *apicalis* Becker,1907 *Trypeta vespertina* Loew,1844, Z. Ent., Leipzig 5: 387. CH RU AT DE DZ TR
1245. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus* Kirschbaum,1868; *pellucidus* Wagner,1951 *nec* Melichar,1896 AL AT CZ HU IT RO RU YU GR TR
1246. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa* Strobl,1900; *beckeri* Strobl,1906; *albipila* Frey,1958; *albissima* Collin,1966; *diversa* Collin,1966; *mixta* Collin,1966 SN AT Az Cn ES EG BG DK GB FR IT
1247. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preysslner,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1248. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932 Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
1249. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiatis* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
1250. **Tettigometra (s.str.) sulphurea (Mulsant-Rey,1855)** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
1251. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
1252. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
1253. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata* Fieber,1872 AT FR DE IT TR EE RU YU
1254. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa* Fieber,1865 DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
1255. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865 Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
1256. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
1257. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896 AL AT BG CS HU IT Si RO GG Cc TR MD YU
1258. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU

1259. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior* Kirschbaum,1868; *erythrostickus* Lethierry,1880 AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
1260. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1261. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
1262. **Thereva aurata (Loew,1854)** (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta* Egger,1859; *corrinea* Gosseries,1991 AT CZ GR HU IT RO TR YU
1263. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1264. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera* Meigen,1830; *subfasciata* Schummel,1839; *modesta* Becker,1922 GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP
1265. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris* Meigen,1820 AT CZ DE ES FR GB PL RU HU IT RO YU TR
1266. **Thereva handlirschi Kröber,1912** (Therevidae) Synonym(s): *handlirschi* Kröber,1912; *zonata* Kröber,1912; *angustifrons* Kröber,1912; *praestans* Collin,1948 AT BE CH CZ DE DK FR GB NO NL FI TR
1267. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
1268. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794; *latistrigata* Kröber,1913; *thermophila* Trojan,1970 AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
1269. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata* Meigen,1820 TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1270. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854 TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
1271. **Thricops aculeipes (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes* Zetterstedt,1838 DE PL SK CH AT TR RU
1272. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus* Wiedemann,1817 US Cf Als DE PL CZ SK CH AT HU TR JP
1273. **Thricops nigrillus (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigrillus* Zetterstedt,1838 DE PL CZ SK CH AT HU TR UR
1274. **Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex* Wiedemann,1817 DE PL CZ SK CH AT HU IQ
1275. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus* Schnabl,1888 FR Co DE PL CZ SK CH AT HU TR RU
1276. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes* Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1277. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT HU HV YU RO BG GR TR
1278. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 Tipula *lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si Lt LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1279. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium* Theowald & Oosterbroek,1981 AD FR CH AT CZ SK SS YU AL GR TR IR Elb Mz
1280. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800 TN ES AT AL TR Cc SY IR RU
1281. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848 IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1282. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1283. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum* Schrank,1781 IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1284. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK

1285. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1286. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1287. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831 AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1288. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837 AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
1289. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1290. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
1291. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus* Fabricius,1803; *auronitens* Kirschbaum,1868; *halbum* Fieber,1868 AT BE CZ DK GB FR DE IT NL RU CY IR TR
1292. **Tribalus minimus (Rossi,1790)** (Histeridae) Synonym(s): *minimus* Rossi,1790 AT IT
1293. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1294. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis* Hartig,1841; *megapteropsis* Wriese,1900 PT ES DE PL UA MD RO HU AT IT TR
1295. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
1296. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1297. **Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971 *Trychosis priesneri* Rossem,1971, Tijdschr. Ent. 114: 215. Holotype: Turkey: Konya. TR FR CH AT PL YU GR
1298. **Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoin,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1299. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1300. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1301. **Ula (s.str.) mollissima Haliday,1833** (Pedicidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 *Ula mollissima* Haliday,1833, Ent. Mag. 1: 153. AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
1302. **Ulidia erythrophthalma Meigen,1826** (Uliidiidae) Synonym(s): *erythrophthalma* Meigen,1826 AT FR GR MD UA Cm
1303. **Ulidia nigripennis Loew,1845** (Uliidiidae) Synonym(s): *nigripennis* Loew,1845 HU UA SK DE PL IT AT FR GR MD SK
1304. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzizkii* Frauenfeld,1867; *syriaca* Hendel,1927; *erichschmidtii* M.Hering,1953 TR AT KG MD UA RU IL Pa LB SY
1305. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 *Trypeta terebrans* Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
1306. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla* Meigen,1820 DZ AT HV FR IT LY MA ES PT SS TN
1307. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
1308. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
1309. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU

1310. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
1311. **Verdanus hardei (Dlabola,1980)** (Cicadellidae) Synonym(s): *hardei Dlabola,1980* AT FR TR
1312. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo Linnaeus,1758* *Musca vermileo Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590.* AT BG FR IT YU SY EG DZ Cn
1313. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804; quinquefasciata Wiedemann,1820* DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
1314. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata Meigen,1804* AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
1315. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera Zetterstedt,1845; claripennis Kowarz,1868* ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
1316. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804; trigonostigma Czerny,1901* MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
1317. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis Kowarz,1883; corsicana Schnabl,1911* Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
1318. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta Linnaeus,1758; nugator Harris,1780* AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si
1319. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion Fabricius,1794; stolata Rondani,1866; senecio Loew,1869* AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
1320. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta Wiedemann,1820* AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
1321. **Villa scrutata (Wiedemann,1820)** (Bombyliidae) Synonym(s): *scrutata Wiedemann,1820* AT
1322. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta Meigen,1820; margaritifer Dufour,1833; dolosa Jaennicke,1867; turbidus Loew,1869* IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
1323. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetosum Mulsant & Rey,1855; prasinus Kirschbaum,1868* DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
1324. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni Schiner,1862* AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
1325. **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri Harz,1970; indisticta Harz,1979; musicus Harz,1979* *Tridactylus pfaendleri Harz,1970, NachrBl. bayer. Ent. 19 (3): 56, 59.* Holotype ♀: Austria: Neusiedler See. TR IL Pa JO ES AT CZ SK
1326. **Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes Fabricius,1798* AT BE CZ GR HU PL SK SE TR YU
1327. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
1328. **Zavrelia pentatoma Kieffer & Bause,1914** (Chironomidae) Synonym(s): *pentatoma Kieffer & Bause,1914; atrofasciata Kieffer,1921; nigrifula Goethebuer,1921; paludosa Goethebuer,1931* BE DE CZ PL AT TR CN
1329. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
1330. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana Ragusa,1882; laevicollis Escherich,1891* FR HU AT CZ IT Si GR TR IL Pa SY
1331. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici Herrich-Schäffer,1836* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU
1332. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874* AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
1333. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera Fourcroy,1785* AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
1334. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria Ribaut,1936; pandellei Ribaut,1936; variegata Ribaut,1936* AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR
1335. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* AT BG CY CS FR DE IL IT SW TR UZ

1336. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
1337. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata Lethierry,1869* AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
1338. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnocola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
1339. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
1340. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
1341. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris Herrich-Schäffer,1838* AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU

Synonymic and distributional list of the pterygot insects of Bulgaria

(Results of the Entomofauna of the World based upon info-system of the Cesa)

66

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Bulgaria (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 66. *Priamus* (suppl.) 18: 2172-2233.

In this study, totally 1582 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Bulgaria recorded in info-system of the Cesa, total pterygot species of Bulgaria increase to 4503.

Key words: List, distribution, *pterygota*, *Insecta*, Bulgaria.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes ¹³⁰
Planned expeditions	no
Further planned publications	yes

In this study, totally 1582 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2921 recorded species of Lepidoptera from Bulgaria are found. Taking this information into consideration, total number of the pterygots may increase to 4503.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus* Duftschmid,1812 AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia sericea (Linnaeus,1767)** (Cimbricidae) Synonym(s): *sericea* Linnaeus,1767 GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
3. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
4. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
5. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 AT BE BG TR CZ DK DE FR IT NL PL RO RU
6. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790 IT GR TR YU AL BG RO CH FR HU
7. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA

¹³⁰ <http://www.members.tripod.com/entcesa/Intent.pdf>

8. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840 ES
FR DE SE FI PL CZ SK CH AT IT Si YU BG GR
9. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ
Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
10. **Achalcus flavicollis (Meigen,1824)** (Dolichopodidae) Synonym(s): *flavicollis* Meigen,1824;
pallidus Zetterstedt,1843 RO BG
11. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794
AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
12. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s):
flavolineata Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912;
krueperi Obenberger,1926 TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR
13. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG
DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
14. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803
AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
15. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea* Brullé,1832
Phaneroptera servillea Brullé,1832, [in] Bory de St.-Vicent et al., *Expédition scientifique de Morée*
4: 3 (1) 2: 86. Neotype : Greece: Morea. IT Si SS HV B-H RO BG GR TR
16. **Acrospilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger* Loew,1869; *perplexus*
Becker,1917 BG RO RU DZ TN
17. **Actenodia confluens (Reiche,1866)** (Meloidae) Synonym(s): *confluens* Reiche,1866; *picta* Baudi
di Selve,1878; *caudanigra* Abeille de Perrin,1880; *ottomana* Escherich,1899; *mediopartita* Mader,1929;
mediodisjuncta Pic,1930 TR BG
18. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis*
Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 ES FR DE CH
AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
19. **Adarrus bellevoeyi (Puton,1877)** (Cicadellidae) Synonym(s): *bellevoeyi* Puton,1877 BE BG FR
IT PL KG RU Sb
20. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis*
Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB
US Cf YU TR
21. **Adontomerus robustus (Boucek,1969)** (Torymidae) Synonym(s): *robustus* Boucek,1969 BG
HU IT MK YU UA
22. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB
FR IT YU AT PL SE SK CZ TR UA HU
23. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876 BG
GR IT YU AT PL RO SK CZ TR UA HU
24. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener*
Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887;
daisetsuzanus Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc
GG AM KG MN CN JA
25. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808;
goedellii A.Villa & G.B.Villa,1833; *fallax* Munster,1932 AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG
Cc IT NL NO PL RU SK SL ES UA KG RU TR
26. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus*
Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL
UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
27. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides*
Sharp,1882; *merkli* Régimbart,1884 TR BG Cc GG MK UA IR LB SY
28. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790;
femoralis Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908;
transcaucasicus Zaitzev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD
NL NO PL PT ES RU SK SL SZ UA YU KG TR
29. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni*
Scholz,1920 BG GR RO RU UA TR
30. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG
CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
31. **Agallia perarmata (Dlabola,1958)** (Cicadellidae) Synonym(s): *perarmata* Dlabola,1958 AL BG
32. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides*
Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii*
Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA
PT ES RO CH SY TN TR YU RU
33. **Agapanthia cynarae (Germar,1817)** (Cerambycidae) Synonym(s): *cynarae* Germar,1817 IT
BG GR YU HV
34. **Agapanthia osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche &
Saulcy,1858 RO BG HU TR SY

35. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT SI KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
36. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
37. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid,1812 AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
38. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae* Csiki,1931 AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
39. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
40. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
41. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
42. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
43. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
44. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum* Duftschmid,1812 AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
45. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
46. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846 AM Cc BG RO RU TR IR SY
47. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
48. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi* Dejean,1828 AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
49. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
50. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
51. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
52. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
53. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
54. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
55. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
56. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus* Rossi,1792 AT BG FR Co IT GR MK SL CH ES TR?
57. **Agrothereutes parvulus (Habermehl,1926)** (Ichneumonidae) Synonym(s): *parvulus* Habermehl,1926 TR FR BG
58. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
59. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
60. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acrydium *strepens* Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
61. **Akotropis quercicola Linnavuori,1962** (Achilidae) Synonym(s): *quercicola* Linnavuori,1962 IL Pa TR BG GR
62. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-

- Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
63. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes* Fieber,1836 AL BG CZ FR RU ES CH IT Si SK YU TR GR
64. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
65. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praEOcc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
66. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
67. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
68. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
69. **Allygus provincialis (Ferrari,1882)** (Cicadellidae) Synonym(s): *provincialis* Ferrari,1882 BG FR IT MA PT
70. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
71. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812 RU Ur Cc TR RO BG
72. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 *Meloe syriacus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
73. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
74. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
75. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
76. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
77. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
78. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
79. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
80. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
81. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jabllokoff & Khnזורian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
82. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui

83. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
84. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
85. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
86. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekichii* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
87. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
88. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
89. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
90. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
91. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
92. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshovi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoenis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
93. **Amara (s.str.) morio Ménétris,1832** (Carabidae) Synonym(s): *morio* Ménétris,1832 AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
94. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
95. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
96. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
97. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
98. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
99. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudiroi* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
100. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
101. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis*

- Jedlicka,1957* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
102. **Amphicoma (Eulasia) arctos (Pallas,1781)** (Glaphyridae) Synonym(s): *arctos Pallas,1781; martens Frivaldsky,1845; armeniaca Reitter,1890; subfasciatula Reitter,1903; anatolica Reitter,1903* BG TR GG AM Cc
103. **Amphicoma (Pygopleurus) diffusus Petrovitz,1957** (Glaphyridae) Synonym(s): *diffusus Petrovitz,1957* BG TR
104. **Amphicoma (Pygopleurus) simplex Petrovitz,1963** (Glaphyridae) Synonym(s): *simplex Petrovitz,1963* BG TR
105. **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata Fabricius,1775; lineata Faldermann,1835; strigata Waltl,1838; smyrnensis Castelnau,1840; syriaca Kollar & Redtenbacher,1843; africana Reitter,1890; chrysuria Reitter,1890; decorata Reitter,1890; semifulva Reitter,1890; lateritia Reitter,1903; pseudochrysuria Miksic,1960; persica Petrovitz,1963* SY BG GR Rd TR IR
106. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935; acuteangulata Zachvatkin,1946* AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
107. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1938* AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
108. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; fieberi Vismara,1878; laevis Berg.,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
109. **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra Steffan,1951* BG Cc GR MK YU TR
110. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943* Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricae...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
111. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus Linnaeus,1758* DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
112. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928* TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
113. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
114. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis Morawitz,1874* PL SS MK GR BG IT Sa CY TR TM AM Cc
115. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum Linnaeus,1758; prostratum Scopoli,1763* DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
116. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus Giraud,1859* IT Si AT SK CZ HU UA MD RO BG GR TR
117. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti Giraud,1859; giraudianus Dalla Torre & Kieffer,1910* Andricus amenti Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
118. **Andricus bulgaricus Vassileva & Samnalieva,1977** (Cynipidae) Synonym(s): *bulgaricus Vassileva & Samnalieva,1977* BG TR
119. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis Giraud,1859* IT AT B-H HU YU TR RO MD UA BG
120. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma Hartig,1841; cirratus Adler,1881; giraudiWachtl,1882* PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
121. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae Hartig,1843; gallaecristatae Henschel,1876* ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
122. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus Giraud,1859; cincta Hartig,1879* FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
123. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus Hartig,1843; longipes Kieffer,1901; longispinae Kieffer,1901* IT AT HU YU RO BG UA PL TR GR IR
124. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius Hartig,1843; lusitanicus Kieffer,1900* PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
125. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus Giraud,1859; coronaria Stefani,1898* FR IT AT B-H HU GR BG RO UA TR

126. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
127. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
128. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859 Andricus *cydoniae* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. GB IT Si B-H AT HU RO BG TR
129. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 nec Wachtl.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR
130. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
131. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 IT AT B-H YU GR BG RO HU UA TR
132. **Andricus gallaurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 PT ES FR GB AT IT YU HU UA RO BG GR TR
133. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
134. **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905 AT CZ B-H HU UA BG TR
135. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 Andricus *grossulariae* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
136. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 IT Si AT CZ SK PL UA HU MD RO BG GR TR
137. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943 IT AT CZ B-H HU UA RO BG TR
138. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897 IT HU MD RO BG GR TR
139. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
140. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
141. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuuwen & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
142. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
143. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 ES FR GB IE BE NL DE DK HU IT BG TR
144. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 IT AT PL UA HU RO BG GR TR
145. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 IT AT DE PL CZ SK HU RO BG GR TR
146. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
147. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
148. **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953 PT ES IT BG GR TR
149. **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901 HU RO YU BG GR TR
150. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 IT AT HU B-H YU BG RO UA PL TR

151. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 **AT CZ DE FR HU IT RO CH BG GR**
152. **Anisoplia (Chaetopteropia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum* Herbst,1783 **TR BG RU KG**
153. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 **PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY**
154. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 **AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU**
155. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884 **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
156. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU**
157. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema* Fischer,1824 **BG CY GR IL Pa SY LB TR UA**
158. **Anthaxia (Cratomerus) scorzonerae (Fivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae* Fivaldski,1838; *euphrosyne* Ganglbauer,1885; *artemis* Daniel,1905 **BG Cr GR TR**
159. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa* Kiesenwetter,1857 **AM AZ Cc GG TR BG GR IL Pa SY**
160. **Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae) Synonym(s): *anatolica* Chevrolat,1837 **TR AM AZ Cc GG BG GR**
161. **Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri* Marseul,1865 **BG GR GG Cc IL Pa SY TR**
162. **Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii* Fabricius,1801 **AT YU CY BG CZ HU IT SK TR UA**
163. **Anthaxia (Haplanthaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica* Daniel,1903; *horvathi* Kaszab,1940 **BG GR HU RO TR UA**
164. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis* Gory & Laporte,1839; *kanaanita* Obenberger,1912 **AM AZ GG Cc TR BG MK GR SY**
165. **Anthaxia (s.str.) hackeri Frivaldsky,1884** (Buprestidae) Synonym(s): *hackeri* Frivaldsky,1884 **AT BG TR CZ HU RO SK**
166. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884 **FR IT ES BG Cc AM Eri TR**
167. **Anthidium (Icteranidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
168. **Anthidium (Icteranidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931 **MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM**
169. **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935 **Cc RU TM TR IL Js Pa BG SY DZ ES**
170. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
171. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermanni* Mavromoustakis,1954 **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
172. **Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): *humeralis* Morawitz,1861 **TR AT SK RU BG GR**
173. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 **FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es**

174. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860*; *pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
175. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
176. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
177. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
178. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
179. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
180. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
181. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
182. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
183. **Anthrenus (Florilinus) olgae Kalik,1946** (Dermeestidae) Synonym(s): *olgae Kalik,1946* AT BG CZ GB FI DE HU LT YU PL SK SE UA
184. **Anthrenus (s.str.) munroi Hinton,1943** (Dermeestidae) Synonym(s): *munroi Hinton,1943* TR BG FR Co CY ES IT
185. **Antipalus reginae Moucha & Hradski,1966** (Asilidae) Synonym(s): *reginae Moucha & Hradski,1966* GR BG YU
186. **Apanteles atreus Nixon,1973** (Braconidae) Synonym(s): *atreus Nixon,1973* Apanteles atreus Nixon,1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
187. **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara Nixon,1965* Apanteles hemara Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
188. **Apanteles ingenuoides Papp,1971** (Braconidae) Synonym(s): *ingenuoides Papp,1971* Apanteles ingenuoides Papp,1971, Anns. Hist. Nat. Mus. Natn. Hung. 63: 307-363. TR FR BG HU MN
189. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis Fabricius,1794* FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
190. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola Giraud,1859* GB IT AT HU YU RO BG GR TR
191. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761* (praeocc.); *rustica Fabricius,1775* (praeocc.); *bicinctus Schrank,1776*; *ochromelas Gmelin,1790*; *variegata Fabricius,1794*; *striatella Fabricius,1794*; *transversa Fabricius,1798*; *strigata Turton,1802*; *pallidus Curtis,1836*; *cardui Curtis,1836*; *fasciatus Curtis,1836*; *obscurus Curtis,1836*; *rugosus Curtis,1836*; *sparsus Curtis,1836*; *unicolor Curtis,1836*; *pulverulenta Curtis,1837*; *adustus Hardy,1850*; *obtusifrons Kirschbaum,1868*; *signifrons Rey,1894*; *aestuarinus Edwards,1908*; *brevior Melichar,1914*; *alpinus Prohaska,1923*; *diminutus Ribaut,1952*; *centrosyllabus Zachvatkin,1952*; *ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
192. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758*; *trifasciata De Geer,1773*; *tristriata Gmelin,1790*; *spuria Fallén,1806*; *obliquus Germar,1821*; *tricinatus Curtis,1836*; *simulans Ribaut,1952*; *major Duffield,1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
193. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan,1799*; *rivularis Germar,1821* AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
194. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus Kirschbaum,1868*; *integer Wagner,1937* DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
195. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae Fabricius,1775*; *fuscofasciata Goeze,1778*; *transversalis Fourcroy,1785*; *bistrigata Gmelin,1790*; *brunneobifasciatus Signoret,1879*; *vicarius Horvath,1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
196. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805*; *fusca Haupt,1925*; *umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
197. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU

198. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910 IT GR Rd CY TR BG EG IR
199. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
200. **Aplidia transversa (Fabricius,1801)** (Scarabaeidae) Synonym(s): *transversa* Fabricius,1801 BG
201. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858 TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
202. **Apoderus coryli (Linnaeus,1758)** (Atelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
203. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 AZ BG FR GG IT ES TR MA TN IL Pa
204. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825 AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
205. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
206. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
207. **Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904 BG TR GR Cr
208. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 BG IL Pa CY LB GR TR
209. **Arboridia cantoreanica Dworakowska,1970** (Cicadellidae) Synonym(s): *cantoreanica* Dworakowska,1970 BG TR
210. **Arboridia expansa (Zachvatkin,1946)** (Cicadellidae) Synonym(s): *expansa* Zachvatkin,1946 BG TR
211. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
212. **Arboridia potentillae (Moravskaja,1948)** (Cicadellidae) Synonym(s): *potentillae* Moravskaja,1948 BG PL RU UA
213. **Arboridia pusilla (Ribaut,1936)** (Cicadellidae) Synonym(s): *pusilla* Ribaut,1936 AT BE BG CS DE HU SW YU
214. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937 AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
215. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata* Ribaut,1952 BG CS FR DE HU NL PL RO SW MD RU UA YU
216. **Arboridia vitisuga (Dlabola,1963)** (Cicadellidae) Synonym(s): *vitisuga* Dlabola,1963 BG YU
217. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
218. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
219. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
220. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
221. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 SK HU UA RO BG MK GR AL TR Cc
222. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
223. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
224. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
225. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 B-H HU SK UA RO MK BG TR Cc CN UI

226. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
227. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 BG GR Cr CY TR LB IL Pa SY IR TM
228. **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 BG GR SY TR Cc
229. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
230. **Argyra atriceps Loew,1857** (Dolichopodidae) Synonym(s): *atriceps* Loew,1857 BG MD RO UA
231. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ
232. **Argyra vestita (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *vestita* Wiedemann,1817 BG RO IL Pa
233. **Aritranis graeffei (Thomson,1896)** (Ichneumonidae) Synonym(s): *graeffei* Thomson,1896 BG TR
234. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840 ES FR DE IT AT BG TR
235. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
236. **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899 BG GR TR RO HU
237. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
238. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
239. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
240. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BE BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
241. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 BG CS HU IT RO TR Cc AM GG MD UA YU
242. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 AM Cc BG GR TR CY IR KK KG TJ UZ
243. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
244. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
245. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
246. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
247. **Athous (Euplathous) proximus (Hampe,1864)** (Elateridae) Synonym(s): *proximus* Hampe,1864 BG GR RO TR?
248. **Athous (Haplathous) turcicus Reitter,1905** (Elateridae) Synonym(s): *turcicus* Reitter,1905 BG TR
249. **Athous (Orthathous) barriersi Platia & Gudenzi,1996** (Elateridae) Synonym(s): *barriersi* Platia & Gudenzi,1996 BG TR
250. **Athous (Orthathous) dasycerus Buysson,1890** (Elateridae) Synonym(s): *dasycerus* Buysson,1890 BG TR
251. **Athous (Orthathous) propinquus Buysson,1889** (Elateridae) Synonym(s): *propinquus* Buysson,1889 TR BG
252. **Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858 BG FR GR HU IT RU SK SL TR
253. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA

254. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833 **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
255. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons* Argod,1895 **DE BG GG Cc TR IQ MK GR**
256. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
257. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
258. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feiberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
259. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spirorhynchusii* Diakontshuk,1990 **Aulax hypecoi Trotter,1913, Marcellia 11: 214. DZ LY BG GR TR Cc AM TM**
260. **Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus* Schränk,1798 **AT BE B-H BG BY HV CZ DK EN FI FR BG DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**
261. **Balcanocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903 **BG RO YU TR**
262. **Balclutha boica Wagner,1950** (Cicadellidae) Synonym(s): *boica* Wagner,1950 **BG CS DE PL**
263. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Siderski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
264. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana* Wagner,1939 **AF AT BG CS FI DE IT NL KG KK UZ YU TR**
265. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
266. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 **TR BG CZ FR DE HU IT RU SE GB YU**
267. **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913 **Barytarbes superbus Schmiedeknecht,1913, Opusc. Ichneum. 5: 2911. TR BG RU IL Pa**
268. **Basilia mongolensis Theodor,1966** (Nycteribiidae) Synonym(s): *mongolensis* Theodor,1966 **BG GR YU AT TR MN**
269. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
270. **Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974 **DE HU YU BG TR**
271. **Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai* Kral,1964 **GR BG GG Cc TR**
272. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 **AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU**
273. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 **US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us**
274. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Ségué,1928 **BG CZ DK FR DE HU IT PL NO RO SK ES**
275. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 **EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA**
276. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 **US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB**
277. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853 **AF BG IQ IR HU EG RP SD SY SA TR**
278. **Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876 **HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA**
279. **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883 **AL MK BG TR AM AZ Cc IL Pa JO**
280. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De

- Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG
Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
281. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s):
fumigatum Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES
SE CH TR UA KG NL
282. **Bembidion (Euperyphus) combustum Ménériés,1832** (Carabidae) Synonym(s):
combustum Ménériés,1832 AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
283. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros*
Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU
MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
284. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s):
properans Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT
LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
285. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae)
Synonym(s): *quadricolle Motschoulsky,1844* AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM
UZ
286. **Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s):
caucasicum Motschoulsky,1844 AZ AM Cc B-H BG GG GR MK RU TR LB YU
287. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne*
J.Müller,1918 BG GR MK TR IR LY SY YU
288. **Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula*
J.Müller,1918 AZ BG GR MK TR IR YU
289. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae)
Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA
MA TN NL
290. **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s):
niloticum Dejean,1831 AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
291. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s):
semipunctatum Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU
SK SL SE CH TR UA KG NL JP MN YU
292. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium*
Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO
PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
293. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s):
atlanticum Wollaston,1854 AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA
TJ TM UZ YE
294. **Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s):
cordicolle Jacquelin du Val,1852; veldkampi Kirschenhofer,1994 BG GR Cr TR
295. **Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum*
Panzer,1799 BG GR MK AZ AM Cc GG RU TR
296. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum*
Dejean,1831 AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
297. **Bembidion (Ocyturanus) signatipenne Jacquelin du Val,1852** (Carabidae)
Synonym(s): *signatipenne Jacquelin du Val,1852* BG GR MK TR
298. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum*
Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA
NC NL
299. **Bembidion (Omoperyphus) semibraccatum Netolitzky,1911** (Carabidae) Synonym(s):
semibraccatum Netolitzky,1911 B-H BG HV TR YU
300. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae)
Synonym(s): *castaneipenne Jacquelin du Val,1852* B-H BG GR TR IL Pa LB SY
301. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s):
dalmatinum Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
302. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum*
Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE
CH UA IR KG NL YU AZ AM Cc GG RU TR
303. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s):
lunulatum Geoffroy,1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL
PT RO RU SK SL ES SE CH TR UA MA TN IR NL
304. **Bembidion (Talanus) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s):
subfasciatum Chaudoir,1850 BG HV CZ GR IT MD RO RU TR UA
305. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s):
bipunctatum Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE
IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ

306. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
307. **Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943* AL B-H BG HV GR IT MK RO TR YU
308. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
309. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
310. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
311. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
312. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
313. **Blaps abbreviata Ménétriés,1836** (Tenebrionidae) Synonym(s): *abbreviata Ménétriés,1836* TR HU AT BG
314. **Blepisanis vittipennis (Reich,1877)** (Cerambycidae) Synonym(s): *vittipennis Reich,1877* TR BG Cc
315. **Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): *hirtella Brullé,1832* TR BG GR
316. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
317. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
318. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps Loew,1862; nigricephalus Séguy,1926* AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
319. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
320. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
321. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
322. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
323. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus Loew,1857; nigropenicillatus Bigot,1892* AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
324. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
325. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liroy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
326. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
327. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus*

- Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
328. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
329. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
330. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; breviostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; tavrizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
331. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
332. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
333. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius Loew,1855* AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
334. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814; vitripennis Meigen,1830; longipennis Haliday,1836; pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
335. **Brachinus brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis Laporte de Castelnau,1836* TR ES FR IT Sa Co BG GR
336. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis Motschoulsky,1844; peregrinus Apfelbeck,1904* AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
337. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
338. **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus Jablonkoff & Khnzorian,1973 nec Reiche,868; alexandri F.Battoni,1984* AZ AL AM Cc BG GR RU TR UA
339. **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis Reiche & Saulcy,1855* AZ AM Cc BG TR IL Pa SY
340. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
341. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828* AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
342. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
343. **Brachymeria laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus Herrich-Schäffer,1835* DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
344. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis Gyllenhal,1833* AT HU RO BG GR TR
345. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi Schmidt-Göbl,1836; longispina Reitter,1884* ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
346. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801; ornatipes Cameron,1906; immaculata Masi,1951* Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
347. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767; femoralis Geoffroy,1785; pusilla Fabricius,1787; saltatrix Cuvier,1833; brevicornis Klug,1834; scrobiculata Förster,1859; tricolor Förster,1859; fumata Thomson,1876; paraplepsia Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
348. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens Ruschka,1922* AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
349. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa Förster,1859* DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR

350. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
351. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu Bi UZ
352. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
353. **Brachymeria bulgarica Rauser,1962** (Taeniopterygidae) Synonym(s): *bulgarica* Rauser,1962 BG
354. **Brachyptera thracica Rauser,1965** (Taeniopterygidae) Synonym(s): *thracica* Rauser,1965 BG
355. **Brachyptera zwicki Braasch & Joost,1971** (Taeniopterygidae) Synonym(s): *zwicki* Braasch & Joost,1971 *Brachyptera zwicki* Braasch & Joost,1971, Ent. Nachr. 15 (9/10): 106-109. BG TR
356. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
357. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
358. **Bruchophagus mutabilis Nikolskaya,1952** (Eurytomidae) Synonym(s): *mutabilis* Nikolskaya,1952 IR Qz BG FR KG
359. **Bruchophagus robiniae Zerova,1970** (Eurytomidae) Synonym(s): *robiniae* Zerova,1970 IR Th AM Cc BG UA UZ
360. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
361. **Brucoscelis peculiaris (Horvath,1904)** (Caliscelidae) Synonym(s): *peculiaris* Horvath,1904 TR BG?
362. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
363. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 TR IL Pa LB SY GR BG MK Cr Rd TM
364. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939 *Thamnotrizon bucephalus* Brunner von Wattenwyl,1882, Prodr. eur. Orthopteren: 338. Syntypes: Türkei, Ephesus (NHMW). IT YU GR BG RO AL TR
365. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 ES SS IT HU RO BG GR MK UA TR RU Ao
366. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794 BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
367. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi* Linnaeus,1758; *auratus* Fourcroy,1785 DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
368. **Caliscelis affinis (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis* Fieber,1876 Cc BG RO AM GG MD UA
369. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, Fauna del regno Napoli, Ortoteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
370. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos,1893; *carbonaria* Uvarov,1914; *angustus* Uvarov,1934; *anatolicus* Maran,1951; *hissaricus* Mishtchenko,1951; *intricatus* Mishtchenko,1951 DZ TR Cc LB SY GR BG TM KG
371. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigrans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952 *Gryllus (Locusta) italicus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF

372. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
373. **Calodictya krueperi (Fieber,1876)** (Dictyopharidae) Synonym(s): *krueperi Fieber,1876* GR TR YU BG
374. **Calopteryx balcanica Fudakowsky,1930** (Calopterygidae) Synonym(s): *balcanica Fudakowsky,1930* B-H AL GR BG
375. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colchicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
376. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784* AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
377. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventre Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922* AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
378. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
379. **Cantharis annularis Ménétriés,1836** (Cantharidae) Synonym(s): *annularis Ménétriés,1836* TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
380. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
381. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
382. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
383. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
384. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis Marseul,1864; #smyrnensis Silkin,2008* TR AL BG GR LB SY IL Pa
385. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926* YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR
386. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
387. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855* AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR
388. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
389. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
390. **Carabus (Lamprostus) torosus Frivaldsky,1835** (Carabidae) Synonym(s): *torosus Frivaldsky,1835* BG TR
391. **Carabus (Morphocarabus) scabriusculus Olivier,1795** (Carabidae) Synonym(s): *scabriusculus Olivier,1795* TR BG
392. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
393. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
394. **Carabus marietti Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti Cristoforis & Jan,1837* BG TR
395. **Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus Palliardi,1825* AL B-H BG HV GR MK RO SK TR
396. **Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei Frivaldsky,1837* TR GR BG Cc AM
397. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops Scopoli,1763; morio Fabricius,1787; majoripenne Pic,1926; tomentosulum Breuning,1946; kudlai Heyrovsky,1951* AT CZ HU RO BG TR SS SK UA

398. **Carinatodorcadion fulvum (Scopoli,1763)** (Cerambycidae) Synonym(s): *fulvum* Scopoli,1763; *sanguinolentus* Scopoli,1772; *frontale* Mulsant & Rey,1863 **AT CZ HU YU BG SS SK UA**
399. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856 **TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA**
400. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arbonarius* Uvarov,1917 **TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG**
401. **Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps* Bischoff,1928 **HV YU BG GR Cr CY TR**
402. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 **AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU**
403. **Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica* Schaum,1859 **MK GR TR BG**
404. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822 **ES DZ TN IT Sa Si FR TR GR Cr BG**
405. **Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): *bureschi* Atanassov,1938; *lycaonius* Blüthgen,1952 **BG TR GR**
406. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata* Fieber,1844; *haupti* Priesner,1923; *pallida* Mancini,1934 **AT BG CS DE GR HU IT Si RO RU YU**
407. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 **Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ**
408. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 **Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU**
409. **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849 **TR IR Es BG GR AZ AM GG Cc**
410. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 **AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU**
411. **Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): *adamovichiana* Piller & Mitterpacher,1783 **SK HU YU HV BG TR**
412. **Cerocoma ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885 **TR EG IR BG**
413. **Cerocoma kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835 **SY TR Cc IL Pa IR BG**
414. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817 **HU BG TR IQ IR Cc CY RU**
415. **Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) Synonym(s): *schaefferi* Linnaeus,1758 **FR BG TR RU**
416. **Cerocoma schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi* Fabricius,1781 **BG RU Sb TR Ui MN**
417. **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880 **TR IL Pa SY IR Cc AZ Bak BG**
418. **Ceroxys fraudulosa Loew,1864** (Ulidiidae) Synonym(s): *fraudulosa* Loew,1864 **BG GR IT Si**
419. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 **IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui**
420. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
421. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 **AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR**
422. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
423. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 **AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR**
424. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**

425. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii Hoffmann,1957* DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
426. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
427. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
428. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
429. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
430. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus Brisoth,1869* AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
431. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus Brisoth,1869* AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
432. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
433. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
434. **Cheilotoma erythrostroma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostroma Faldermann,1837* IT BG RO UA Cm Cc RU
435. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer Rossi,1792; pugil Costa,1853; syphax Fairmaire,1875; metasternalis Reitter,1894; theryi Tondou,1907* IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY
436. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus Herbst,1789; clinias Fabricius,1792; amyntas Steven,1806; alexis Mulsant,1842; tityrus Mulsant,1842* PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR
437. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
438. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckhert,1929* AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
439. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum Morawitz,1868* AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR
440. **Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum Schwarz & Gusenleitner,1999* AT BG GR RO SS TR
441. **Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum Pérez,1895; truncatus Friese,1897* DZ BG ES FR GR TR?
442. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepelletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
443. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum Nylander,1856; appendiculata Morawitz,1871; angustata Chevrier,1872; intermedia Chevrier,1872; quadrifidum Kriechbaumer,1879; incertum Pérez,1890; ursina Benoist,1935* AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
444. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepelletier,1841; parumerinitus Alfken,1932* AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
445. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi Schletterer,1889* BG HV FR GR IT Si UA Cc TR IL Pa
446. **Chelostoma (s.str.) transversum (Friese,1897)** (Megachilidae) Synonym(s): *transversum Friese,1897* BG GR TR?
447. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale Schletterer,1889; brevifurca Benoist,1935; subnitida Benoist,1935* HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
448. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
449. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida Giraud,1859; loewii Wachtl,1882* AT DE RO HU BG TR

450. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
451. **Chlaenius (Chlaeniellus) nitidulus (Schränk,1781)** (Carabidae) Synonym(s): *nitidulus Schränk,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
452. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
453. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
454. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
455. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
456. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
457. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
458. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
459. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
460. **Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens Dlabola,1961* BG MN RO RU Cc Da
461. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* ES FR DE IT Si AT BG CY TR EG IL MA TR KG
462. **Chlorita beieri Dlabola,1959** (Cicadellidae) Synonym(s): *beieri Dlabola,1959* AL BG GR IT YU
463. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa Ribaut,1933* AT BG CS FI FR DE IT PL RO SE KG
464. **Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): *orientalis Dlabola,1961* BG TJ RU Da Cc UZ
465. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939* AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
466. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
467. **Chlorita thracia Dlabola,1965** (Cicadellidae) Synonym(s): *thracia Dlabola,1965* BG
468. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
469. **Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus Fabricius,1775; nigripes Brullé,1832* GR Cr TR BG MK
470. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
471. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
472. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
473. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
474. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
475. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
476. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétriés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916;*

- reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
477. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1783; *kerremansi* Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
478. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Companyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
479. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col Fl NMx Ny Tx YU
480. **Chrysolina anatolica (Dahlgren,1984)** (Chrysomelidae) Synonym(s): *anatolica* Dahlgren,1984 TR BG
481. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799 DE BG CZ FR IT NO RO YU Cc TR
482. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
483. **Chrysolina turca (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *turca* Fairmaire,1865 BG TR
484. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906 ES B-H HV AL TR IR Cc BG MK GR
485. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae) Synonym(s): *hamatus* Loew,1858 BG GR Rd TR
486. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 AM BG GR RO RU Cc TR HV HU DE IT
487. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
488. **Chunrocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903 BG RO TR YU
489. **Chunrocerus pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): *pruni* Ribaut,1952 BG FR IT RU Cc Da
490. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
491. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
492. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
493. **Cicadetta gastrica (Stal,1854)** (Cicadidae) Synonym(s): *gastrica* Stal,1854 BG GR IT Si
494. **Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): *mediterranea* Fieber,1876 BG IT JO TN YU
495. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
496. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
497. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
498. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
499. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards,1920 AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
500. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 BG CS FR HU IT RO MD RU YU TR

501. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilotocephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
502. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinquenotata Boheman,1845* AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV
503. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris Linnaeus,1758* SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
504. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus O.F.Müller,1766* FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
505. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878* TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
506. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi Boucek,1959* TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
507. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus Masi,1907* TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
508. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomyzae Ishii,1953; novickyi Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
509. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia Stal,1859* AF BG TR CZ FR GR HU RO YU
510. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi D'Urso & Guglielmino,1995* AT B-H BG CZ DE IT RO UA YU TR
511. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus Kirschbaum,1868; intermedius Scott,1870; brachycranus Scott,1870; #distenguendus Lodos & Kalkandelen,1980* AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
512. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes Fieber,1876; notaticollis Rey,1894; fumipennis Horvath,1897* Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
513. **Cixius remotus Edwards,1888** (Cixiidae) Synonym(s): *remotus Edwards,1888* BG FR GB YU GR TR
514. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata Schrank,1776 (praeocc.); simplex Herrich-Schäffer,1835; minor Kirschbaum,1868; vitripennis Kirschbaum,1868; scotti Edwards,1888* Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
515. **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *assimilis Baudi di Selve,1873* IL Pa BG CY TR
516. **Clanoptilus (s.str.) durandi (Pardo,1970)** (Melyridae) Synonym(s): *durandi Pardo,1970* TR RO BG GR
517. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans Olivier,1790* FR RU UA TM AT BG DE ES CH GR TR
518. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus Germar,1824* RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
519. **Clanoptilus (s.str.) spinipennis (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis Erichson,1840* BG HV GR IT YU TR
520. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
521. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761* US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
522. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; sylvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
523. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata Olivier,1808; elata Weise,1881; persica Pic,1920* IT Si RO UA BG TR Cc SY IQ IR RU
524. **Clytra valeriana Ménétrés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménétrés,1832; tetrastigma Schmidt,1841; #valerianae Aydın & Kismah,1990* YU GR BG TR Cc UA Cm IT Si RU IR
525. **Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum Morton,1924; ponticum Bartenev,1929* TR BG Cc GG
526. **Coenorrhinus aeneovirens (Marsham,1802)** (Atelabidae) Synonym(s): *minutus Herbst,1797; aeneovirens Marsham,1802; punctatus Olivier,1807; obscurus Gyllenhal,1833* DE BG DZ FR GB JP Cc MK TR
527. **Coenorrhinus aequatus (Linnaeus,1767)** (Atelabidae) Synonym(s): *aequatus Linnaeus,1767; purpureus Goeze,1777; ruber Geoffroy,1785; bicolor Rossi,1790; rufipes Sturm,1826; ruber Fairmaire,1859; paykulli Schilsky,1903* DE BG FR GB IR Cc KG UA Cm MK SY TR TM

528. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus* Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 nec Herbst.; *fauconetti* Pic,1926 **DE BG FR GB KG MN RU Sb YU TR**
529. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821 **DE BE BG DZ FR SE Cc KG RU Sb IT Si**
530. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933 **DE BG FR IN IR SE UA Cm Cc TR KG**
531. **Colotes flavicinctus Marseul,1868** (Melyridae) Synonym(s): *flavicinctus* Marseul,1868 **TR IL Pa BG**
532. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 **LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT**
533. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840 **HV GR CY SY LB BG TR**
534. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus* Walker,1839; *silvestrii* Lucchese,1941 **TR AM AZ Cc BG CA On CZ FR DE HU**
535. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Bolivar,1878; *ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 **PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR**
536. **Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi* Harz,1967; *harzi* Willemse,1971 **TR AL BG GR SY LB**
537. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
538. **Conomelus odryssius Dlabola,1965** (Delphacidae) Synonym(s): *odryssius* Dlabola,1965; *clavifer* Remane & Ashe,1979 **BG TR**
539. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucescens* Hasbenli & Aktaş,1995 **IT BG YU AL RU MD UA TR Cc GG AZ AM**
540. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**
541. **Coptocephala gebleri Gebler,1841** (Chrysomelidae) Synonym(s): *quadrifasciata* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905 **BG TR Cc RU KG**
542. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916 **BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR**
543. **Corynis caucasica (Mocsary,1886)** (Cimbicidae) Synonym(s): *caucasica* Mocsary,1886 **YU BG TR Cc IR**
544. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
545. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 **Apanteles ancilla** Nixon,1974, Bull. ent. Res. 64: 453-525. **TR BG DE IT IL Pa NL JP AT ES CH CZ YU**
546. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 **DE BG GB IT SE RU Sb HU TR**
547. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus* Telenga,1955 **BG Cc RU Da GG IL Pa DE TR KG UA**
548. **Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi* Telenga,1955 **BG DE GB RU TR**
549. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 **TR BG DE GB IT YU HU RU**
550. **Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): *saltatoria* Balevski,1980 **BG YU TR HU MN**
551. **Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974 **BG CZ HU TR CH SE**
552. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 **DZ DE BG GB TR IR Cc NL PL HU MA**
553. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 **TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ**
554. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942 **FR NL DE CZ SK CH AT IT UA BG GR SE FI**
555. **Cratyna (s.str.) betulae (Mohrig & Mamaev,1992)** (Sciaridae) Synonym(s): *betulae* Mohrig & Mamaev,1992 **ES GR BG**
556. **Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878 **AL YU MK BG RO GR Cc**

557. **Cryptocephalus bicolor** Eschscholtz, 1818 (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz, 1818; *concinus* Suffrian, 1853 UA Cm BG TR Cc IR FR
558. **Cryptocephalus biledjekensis** Pic, 1909 (Chrysomelidae) Synonym(s): *biledjekensis* Pic, 1909 TR BG
559. **Cryptocephalus bipunctatus** (Linnaeus, 1758) (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus, 1758; *dispar* Paykull, 1799 ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR
560. **Cryptocephalus concolor** Suffrian, 1847 (Chrysomelidae) Synonym(s): *concolor* Suffrian, 1847 Cc RU TR BG TM AZ IR
561. **Cryptocephalus connexus** Olivier, 1808 (Chrysomelidae) Synonym(s): *connexus* Olivier, 1808 AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
562. **Cryptocephalus flavipes** Fabricius, 1781 (Chrysomelidae) Synonym(s): *flavipes* Fabricius, 1781 RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
563. **Cryptocephalus fulvus** (Goeze, 1777) (Chrysomelidae) Synonym(s): *fulvus* Goeze, 1777 RU Sb AL BG PL YU TR JO IL Pa DZ SA UA
564. **Cryptocephalus imperialis** Laicharting, 1781 (Chrysomelidae) Synonym(s): *imperialis* Laicharting, 1781 AL BG YU GR Cc IR TR
565. **Cryptocephalus moraei** (Linnaeus, 1758) (Chrysomelidae) Synonym(s): *moraei* Linnaeus, 1758 RU Sb AL BG PL UA Cm YU Cc IR TR JO
566. **Cryptocephalus ocellatus** Drapiez, 1819 (Chrysomelidae) Synonym(s): *ocellatus* Drapiez, 1819 AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR
567. **Cryptocephalus octacasmus** Bedel, 1891 (Chrysomelidae) Synonym(s): *octacasmus* Bedel, 1891 RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc
568. **Cryptocephalus populi** Suffrian, 1848 (Chrysomelidae) Synonym(s): *populi* Suffrian, 1848 DE ES Cc KG RU BG PL TR
569. **Cryptocephalus prusias** Suffrian, 1853 (Chrysomelidae) Synonym(s): *prusias* Suffrian, 1853 TR BG GR AZ AM Cc JO SY YU
570. **Cryptocephalus pygmaeus** Fabricius, 1792 (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius, 1792 DE ES BG PL Cc TR
571. **Cryptocephalus trimaculatus** (Rossi, 1790) (Chrysomelidae) Synonym(s): *trimaculatus* Rossi, 1790 FR BG HU TR
572. **Cryptocephalus turcicus** Suffrian, 1847 (Chrysomelidae) Synonym(s): *turcicus* Suffrian, 1847; *pistaciae* Suffrian, 1853 HV FR Co GR TR AL BG GR SY JO
573. **Cryptocephalus variceps** Weise, 1884 (Chrysomelidae) Synonym(s): *variceps* Weise, 1884 BG TR Cc
574. **Cryptus subspinosus** Burgst, 1913 (Ichneumonidae) Synonym(s): *subspinosus* Burgst, 1913 TN DZ TR ES FR IT BG IL Pa
575. **Ctenotilla caeca** (Radoszkowski, 1879) (Mutillidae) Synonym(s): *caeca* Radoszkowski, 1879 TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
576. **Culicoides circumscriptus** Kieffer, 1918 (Ceratopogonidae) Synonym(s): *circumscriptus* Kieffer, 1918; *nadayanus* Kieffer, 1918; *edwardsi* Goetghebuer, 1921; *algarum* Kieffer, 1924; *salicola* Kieffer, 1924; *pictidorsum* Kieffer, 1924; *albonotatus* Vimmer, 1932 *nec* Kieffer, 1918; *albosignatus* Vimmer, 1932; *polymaculatus* Vimmer, 1932; *kirovabadicus* Dzhabfarov, 1964 BG TR TN BE NO DE IL Pa Cc AZ Kir
577. **Culicoides pulcher** Zilahi-Sebess, 1934 (Ceratopogonidae) Synonym(s): *pulcher* Zilahi-Sebess, 1934 BG
578. **Cylindera (Cicindina) arenaria** (Fuessli, 1775) (Carabidae) Synonym(s): *arenaria* Fuessli, 1775 DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
579. **Cylindera (Cicindina) trisignata** (Dejean, 1822) (Carabidae) Synonym(s): *trisignata* Dejean, 1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
580. **Cylindromyia interrupta** (Meigen, 1824) (Tachinidae) Synonym(s): *interrupta* Meigen, 1824 TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
581. **Cynips agama** Hartig, 1840 (Cynipidae) Synonym(s): *agama* Hartig, 1840; *mailleti* Folliot, 1964 ES FR GB IE BE DE AT PL UA HU B-H BG TR
582. **Cynips cornifex** Hartig, 1843 (Cynipidae) Synonym(s): *cornifex* Hartig, 1843 IT AT SS HU RO BG GR TR
583. **Cynips disticha** Hartig, 1840 (Cynipidae) Synonym(s): *disticha* Hartig, 1840; *indistincta* Niblett, 1948 PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
584. **Cynips longiventris** Hartig, 1840 (Cynipidae) Synonym(s): *longiventris* Hartig, 1840; *similis* Adler, 1881; *substituta* Kinsey, 1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
585. **Cynips quercusfolii** (Linnaeus, 1758) (Cynipidae) Synonym(s): *quercusfolii* Linnaeus, 1758; *scutellaris* Olivier, 1791; *gallaecerasiformis* Anthoine, 1794; *gallaunidoniformis* Anthoine, 1794; *folii* Hartig, 1840; *flosculi* Giraud, 1868; *giraudi* Tschek, 1869; *taschenbergi* Schlechtendal, 1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR

586. **Cyrtosus ovalis (Laporte,1838)** (Melyridae) Synonym(s): *ovalis* Laporte,1838 IT BG YU GR
587. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838 TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
588. **Dailognatha caraboides Solier,1835** (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881 TR Cc BG SY IR
589. **Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyssler,1790; *nalis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
590. **Dasyrhaphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820 IT Si AT AL YU BG RO GR TR IL Pa LB RU
591. **Dasytes bulgaricus Pic,1903** (Melyridae) Synonym(s): *bulgaricus* Pic,1903 BG
592. **Dasytes moniliatus Kiesenwetter,1863** (Melyridae) Synonym(s): *moniliatus* Kiesenwetter,1863 GR BG TR
593. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
594. **Dasytes orientalis Schilsky,1894** (Melyridae) Synonym(s): *orientalis* Schilsky,1894 TR BG GR
595. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776 SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
596. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis* Morawitz,1861 AF AL BG HV GR MK RU UA YU
597. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935 TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
598. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
599. **Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): *audrasi* Ribaut,1954; *linnavuorii* LeQuesne,1960 AL BG CZ FR IL RO TR YU
600. **Deltocephalus horvathi Joakimov,1909** (Cicadellidae) Synonym(s): *horvathi* Joakimov,1909 BG
601. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR
602. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
603. **Dentilla erronea (André,1902)** (Mutillidae) Synonym(s): *erronea* André,1902 TR GR BG AL IT DZ
604. **Deporaus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi* Scopoli,1763; *fagi* Scopoli,1763; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804 DE DZ BG FR GB Cc TR KG MK MN RU Sb
605. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa* Brisout,1848; *acuminata* Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus* Demirsoy,1977 TR ES FR GR BG RO IR Cc
606. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
607. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950 AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
608. **Dermestes (Dermestinus) leopardinus Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855 BG HV TR YU Cc UA RU
609. **Derocrepis rhilensis Gruev,1974** (Chrysomelidae) Synonym(s): *rhilensis* Gruev,1974 BG
610. **Derocrepis rhodopensis Gruev,1973** (Chrysomelidae) Synonym(s): *rhodopensis* Gruev,1973 BG
611. **Derocrepis serbica (Kutschera,1860)** (Chrysomelidae) Synonym(s): *serbica* Kutschera,1860; *strangulata* Allard,1860; *bicolor* Weise,1886 HV YU RO BG GR UA Cm TR
612. **Derocrepis slavica Gruev,1979** (Chrysomelidae) Synonym(s): *slavica* Gruev,1979 BG MK YU
613. **Deronectes latus (Fairmaire,1858)** (Dytiscidae) Synonym(s): *latus* Fairmaire,1858 B-H YU BG GR
614. **Deronectes moestus (Fairmaire,1858)** (Dytiscidae) Synonym(s): *moestus* Fairmaire,1858 BG GR

615. **Deronectes parvicollis (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864
TR IR Zj BG GR IL Pa
616. **Deronectes platynotus (Germar,1834)** (Dytiscidae) Synonym(s): *platynotus* Germar,1834
BG RO
617. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893;
transcaucasica Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
618. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866 TR
HU Cc GG YU BG LB JO IL Pa
619. **Dicranomyia (s.str.) kamakensis Stary,1993** (Limoniidae) Synonym(s): *kamakensis*
Stary,1993 TR BG
620. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae) Synonym(s):
lucidipennis Edwards,1921; *luteicolor* Alexander,1975 AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS
CH UA TR
621. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens*
Kirschbaum,1868; *carpathica* Horvath,1884 AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
622. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata*
Boheman,1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG
LV MD UA YU
623. **Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): *incanus* Erichson,1840
PT ES FR IT BG TR
624. **Dicronychus luciae (Laibner,1985)** (Elateridae) Synonym(s): *luciae* Laibner,1985 BG
625. **Dicronychus marani (Roubal,1936)** (Elateridae) Synonym(s): *marani* Roubal,1936 BG
626. **Dictyla triconula (Seidenstücker,1954)** (Tingidae) Synonym(s): *triconula*
Seidenstücker,1954 BG RU TR
627. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea*
Linnaeus,1767; *#aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea*
Lang,1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG
KK MD UA UZ YU
628. **Dictyophara lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): *acuminata*
Lindberg,1948; *lindbergi* Metcalf,1955 BG CY IT ES TR
629. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s):
multireticulata Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis*
Matsumura,1910; *oertzeni* Matsumura,1910 AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA
YU
630. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica*
Germar,1830 Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
631. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias* Walker,1838 BG TR
Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
632. **Diglyphus crassinervis Erdős,1958** (Eulophidae) Synonym(s): *crassinervis* Erdős,1958
Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
633. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophon*
Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus*
Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn Hv CZ DK
ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN
Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE
YU TR
634. **Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus*
Lundström,1913 ES FR GB CH IT SS HU YU RO BG TR
635. **Dioctria arthritica Loew,1871** (Asilidae) Synonym(s): *arthritica* Loew,1871 RU BG TR?
636. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni*
Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 AT BE BG BY FR Co DK EE FI DE HU IT KG
LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
637. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820;
aurifrons Meigen,1820 FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM
UZ
638. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794;
anomala Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri*
Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA
US
639. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata*
Zetterstedt,1849 IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
640. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832;
costalis Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY
Cc AZ Da RU MN
641. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis*
Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt
KG KK LV MD RU Sb UA YU

642. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani* Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869 AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
643. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
644. **Diplocolenus nigrifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrifrons* Kirschbaum,1868; *ensatus* Then,1897 AL AT BG IT KG UA
645. **Diplocolenus parcanicus Dlabola,1948** (Cicadellidae) Synonym(s): *parcanicus* Dlabola,1948 CS BG HU Cc GG RU YU
646. **Diplocolenus quadrivirgatus (Horvath,1884)** (Cicadellidae) Synonym(s): *quadrivirgatus* Horvath,1884; *nasti* Wagner,1939 BG RO UA
647. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905 Dociostaurus anatolicus Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂♀: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa IR Elb Th
648. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatus* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 *Gryllus maroccanus* Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
649. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
650. **Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla* Nixon,1972 *Apanteles drusilla* Nixon,1972, Bull. ent. Res. 61: 701-743. TR DE UA BG HU MN IT GB
651. **Dolichogenidea mycale (Nixon,1972)** (Braconidae) Synonym(s): *mycale* Nixon,1972 *Apanteles mycale* Nixon,1972, Bull. ent. Res. 61: 727. TR BG CH HU
652. **Dolichogenidea soikai (Nixon,1972)** (Braconidae) Synonym(s): *soikai* Nixon,1972 *Apanteles soikai* Nixon,1972, Bull. ent. Res. 61: 701-743. TR BG IT HU
653. **Dolichopeza (s.str.) graeca Mannheims,1954** (Tipulidae) Synonym(s): *graeca* Mannheims,1954 YU BG GR TR
654. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842 BG GR IL Pa RO RU UA TR KG CN
655. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859 Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ
656. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG
657. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831 Cc AZ GG BG RO RU Ur UA TR KG MN UZ
658. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824 Cc GG BG GR RO RU UA TR CN MX
659. **Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis* Wiedemann,1817 BG GG Cc RO UA RU
660. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842 Cc GG BG GR Cr IL Pa RO RU TR TZ
661. **Dolichopus siculus Loew,1859** (Dolichopodidae) Synonym(s): *siculus* Loew,1859 FR BG IL Pa IT Si
662. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851 Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
663. **Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes* Verrall,1875; *aratrifformis* Becker,1890 BG GR TR RO UA
664. **Dolichopus thalhammeri Knezy,1929** (Dolichopodidae) Synonym(s): *thalhammeri* Knezy,1929 *Dolichopus thalhammeri* Knezy,1929, Folia Soc. ent. Hung. 2 (1): 19. Type: Hungary, Dabas. HU BG FR TR
665. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica* Fabricius,1781 GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
666. **Dolichovespula omissa (Bischoff,1931)** (Vespidae) Synonym(s): *omissa* Bischoff,1931 DK BG TR KG
667. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903 AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
668. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla* Horvath,1903 AT BG GR IT RO TR MD UA UZ YU
669. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861 AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU

670. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897 **AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU**
671. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928 **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
672. **Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida* Loew,1862 **BG TR GR Cr FR UA LB Bei**
673. **Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae) Synonym(s): *cameraria* Haliday,1833 **BG LT TR**
674. **Drosophila (Hirtodrosophila) trivittata Strobl,1893** (Drosophilidae) Synonym(s): *trivittata* Strobl,1893 **BG**
675. **Drosophila (Lordiphosa) fenestrarum (Fallén,1823)** (Drosophilidae) Synonym(s): *fenestrarum* Fallén,1823 **BG**
676. **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830 **YU BG RO TR**
677. **Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea* Roser,1840 **RO BG TR**
678. **Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa* Fallén,1823 **RO BG TR UA RU**
679. **Drosophila (Scaptodrosophila) deflexa Duda,1924** (Drosophilidae) Synonym(s): *deflexa* Duda,1924 **LT RO BG TR**
680. **Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830 **RO B-H BG TR**
681. **Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae) Synonym(s): *obscura* Fallén,1823 **RO BG TR**
682. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936 **B-H RO BG TR GG Cc Soc**
683. **Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916 **Cc AM Eri AT IT BG TR GG**
684. **Dryodurgades anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957 **BG GR TR**
685. **Dryodurgades dlabolai Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963 **HU IT RU MD UA YU BG FR TR**
686. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 **AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR**
687. **Dufourea (Cypriophites) iris Ebmer,1987** (Halictidae) Synonym(s): *iris* Ebmer,1987 **BG**
688. **Dufourea (Halictoides) graeca Ebmer,1976** (Halictidae) Synonym(s): *graeca* Ebmer,1976 **GR TR BG**
689. **Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis* Krauss,1909 **Duronia laticornis** Krauss,1909, Verh. naturw. Ver. Karlsruhe 21: 118-119. Syntypes. **IL Pa JO TR BG**
690. **Dysmachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus* Loew,1871 **YU RO Cc RU BG TR IR UA AZ AM GG**
691. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854 **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
692. **Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus* Loew,1871 **YU RU GR BG AL TR IR Fa**
693. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
694. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 **AT AL BG DE FR HU PL RO UA TR IR Fa**
695. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR**
696. **Ebaeus appendiculatus Erichson,1840** (Melyridae) Synonym(s): *appendiculatus* Erichson,1840 **TR IT Si AT CZ RO BG UA Cm**
697. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 **AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU**
698. **Echthisthus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**
699. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984 **AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR**
700. **Edwardsiana bergmani (Tullgren,1916)** (Cicadellidae) Synonym(s): *bergmani* Tullgren,1916 **AT BG CS DK FI FR DE GB MN NO PL SE SW**

701. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas,1876; *australis* Froggatt,1918; *frogatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947 **AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU**
702. **Edwardsiana diversa (Edwards,1914)** (Cicadellidae) Synonym(s): *diversa* Edwards,1914; *tridentata* Edwards,1928 **BG CS FR DE GB PL RO SW MD KK**
703. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936 **AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA**
704. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (*praeocc.*); *marginella* Gmelin,1790 (*praeocc.*); *geometrica* Schrank,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 **AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA**
705. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 **DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU**
706. **Edwardsiana nicolovae Dlabola,1967** (Cicadellidae) Synonym(s): *nicolovae* Dlabola,1967 **BG CS**
707. **Edwardsiana nigriloba (Edwards,1924)** (Cicadellidae) Synonym(s): *nigriloba* Edwards,1924 **BE BG CS FR DE GB PL SE**
708. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949 **AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU**
709. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 **AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA**
710. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
711. **Edwardsiana ruthenica Zachvatkin,1929** (Cicadellidae) Synonym(s): *ruthenica* Zachvatkin,1929 **BG RU**
712. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924 **AT BG CS FR DE GB NL PL TR GG Cc YU**
713. **Elachertus pilosiscuta Boucek,1971** (Eulophidae) Synonym(s): *pilosiscuta* Boucek,1971 **BG CZ DE RU SK SE GB YU**
714. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947 **TR Cc BG CZ DE HU IT MD SK ES SE**
715. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 **TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA**
716. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
717. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 **ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG**
718. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florü* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
719. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obsurella* Zetterstedt,1842 **TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU**
720. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 **AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK**
721. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
722. **Engelpegon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854 **YU GR BG TR LB SY IL Pa**
723. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 **FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR**
724. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 **AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR**
725. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 **TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB**
726. **Entedon biroï Erdős,1944** (Eulophidae) Synonym(s): *biroï* Erdős,1944 **TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ**
727. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001 **BG FR GR IT ES UA**

728. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius Thomson,1878*; *cinereae Erdős,1961*; *fruticola Gumowsky,1996* TR BG Cn HV FR DE HU NL ES SE UA GB YU
729. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius Walker,1846*; *montanus Erdős,1951* TR BG HU MN RU ES SE GB
730. **Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna Walker,1839*; *elongatus Thomson,1878*; *aselli Erdős,1954* TR BG CZ HU NL NO RU SK SE GB
731. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus Erdős,1944*; *longus Boucek,1968* TR BG DE HU IL Pa SE GB
732. **Entedon marci Askew,1992** (Eulophidae) Synonym(s): *marci Askew,1992* GB BG
733. **Entedon marginalis Askew,2001** (Eulophidae) Synonym(s): *marginalis Askew,2001* ES BG
734. **Entedon palliocrus Erdős,1944** (Eulophidae) Synonym(s): *palliocrus Erdős,1944* TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
735. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar Thomson,1878*; *subovatus Thomson,1878* TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
736. **Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni Erdős,1944*; *molybdaenus Erdős,1944*; *urticarii Erdős,1951*; *meliloti Askew,1992* TR BG CZ FR DE HU NL RU SK ES SE UA GB
737. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus Walker,1839*; *longiventris Thomson,1878*; *longiventrosus Dalla Torre,1898*; *insignis Erdős,1944*; *lixii Erdős,1951*; *mecini Askew,1992* TR AT BG HV CZ FR GG Cc DE GR HU
738. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus Erdős,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
739. **Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis Weise,1882* BG AZ Cc TR GG IQ IR CN
740. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771*; *fasciatus Eversmann,1849*; *variabilis Eversmann,1849 nec Ross.*; *hellmanni Eversmann,1849*; *micans Radoszkowski,1877*; *caucasica Radoszkowski,1889*; *rossica Radoszkowski,1889*; *lichtensteini Tournier,1895*; *claripennis Priesner,1966*;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
741. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
742. **Ephippiger ephippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ephippiger Fiebig,1784*; *vitium Serville,1831*; *rossii Fieber,1853*; *fibigii Fieber,1853*; *fabricii Fieber,1853*; *moguntiacus Schuster,1906* *Gryllus ephippiger Fiebig,1784, Berlin. Ges. naturf. Freunde 5: 260.* Type(s): Austria: Wien (NMWM). AT Wn HU YU BG TR
743. **Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala Pallas,1771* BG TR Cc RU UZ KG CN Ui
744. **Epithalassius caucasicus Becker,1918** (Dolichopodidae) Synonym(s): *caucasicus Becker,1918* BG Cc GG
745. **Epithalassius stackelbergi Beschovski,1966** (Dolichopodidae) Synonym(s): *stackelbergi Beschovski,1966* BG RO
746. **Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis Melsheimer,1847* TR GR BG IT US
747. **Erythria (s.str.) seclusa Horvath,1803** (Cicadellidae) Synonym(s): *Horvath,1803* BG CY IT Sa YU
748. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830*; *tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
749. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata Fabricius,1794 (praeocc.)*; *lepidus Boheman,1847*; *tristis Boheman,1847* Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
750. **Eucremastoides angelovi Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi Kolarov,1980* BG TR
751. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
752. **Euheptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus Germar,1824* BG IL Pa JO
753. **Euheptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus Herbst,1783* BG SY
754. **Eumecurus bourouensis (Linnavuori,1965)** (Cixiidae) Synonym(s): *bourouensis Linnavuori,1965* GR BG TR
755. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda Herrich-Schäffer,1837*; *zetterstedti Boheman,1845* AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
756. **Eupteryx adspersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa Herrich-Schäffer,1838*; *gallica Wagner,1939* AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA

757. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 **AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU**
758. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 **AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU**
759. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (*praeocc.*); *austriaca* Metcalf,1968 **AT BE BG FR DE IT UA**
760. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *upsilon* Cerutti,1939 **AT BG CS FI DE HU PL RO SE SW KG**
761. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA**
762. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 **AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA**
763. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 **AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA**
764. **Eupteryx lelievrei (Lethierry,1874)** (Cicadellidae) Synonym(s): *lelievrei* Lethierry,1874 **BE BG FR RU**
765. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
766. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 **AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU**
767. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 **DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU**
768. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupte* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 **AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU**
769. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 **DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU**
770. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936 **AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU**
771. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831 **DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU**
772. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948 **AT BG CS FI FR DE HU NL PL RU**
773. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 **AT BE BG CS DK FR DE GB PL RO UA YU**
774. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 **DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU**
775. **Euryssa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
776. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz**
777. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 **TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU**
778. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 **IR Kd Km II Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
779. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 **TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB**
780. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 **TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru**
781. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 **TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU**
782. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 **TR AT BG CZ FR DE HU IT MD MA NL SE GB RU**

783. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
784. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
785. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
786. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
787. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreata* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
788. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
789. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
790. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 HU UA US BG GR Cc TM IL Pa
791. **Euxesta stigmatias Loew,1873** (Ulidiidae) Synonym(s): *stigmatias* Loew,1873 US MX BG
792. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminatus* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
793. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG Cn Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
794. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguy,1941; *peyerimhoffi* Burghel-Balacesco,1966 Cn PT ES FR Co DE GR BG CY TR
795. **Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): *elegantissimus* Schmiedeknecht,1925; *#clesantissimus* Öncüler,1991 DE BG UA MD TR
796. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis* Schmiedeknecht,1924 FR DE HU RO BG LT MD UA TR
797. **Exopristoides hypedoi Zerova & Stojanova,2004** (Torymidae) Synonym(s): *hypedoi* Zerova & Stojanova,2004 IR Ab Oru BG
798. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
799. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
800. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794 UA CH AT ES FI IT YU AL BG GR TR
801. **Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): *serena* Fallén,1825 YU BG AM Cc Eri GG TR
802. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897 BG TR FR IL Pa IT Sa MA ES YU
803. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
804. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG Cn Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
805. **Flabellomalachus flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus* Frivaldsky,1835 IL Pa BG TR
806. **Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948 BG CY GR TR
807. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
808. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
809. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847 DZ BG GR IT CY TR IR

810. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
811. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
812. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
813. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
814. **Glyphomerus aylax Stojanova,2008** (Torymidae) Synonym(s): *aylax* Stojanova,2008 *Glyphomerus aylax* Stojanova,2008, Revue suisse zool. 112 (1): 173-182. Holotype: Bulgaria. BG IR Ab Oru
815. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
816. **Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972 *Apanteles eugeni* Papp,1972, Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338. DE BG GB FI LT NL AT CH HU TR
817. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951 ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
818. **Goniagnathus bolivari (Melichar,1907)** (Cicadellidae) Synonym(s): *bolivari* Melichar,1907; *hoberlandti* Dlabola,1957 IL Pa ES TR IR BG
819. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
820. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
821. **Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita* Rondani,1868 TR BG HV GR IT Si ES UA
822. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
823. **Gryllomorpha (Gryllomorphella) miramae Medvedev,1933** (Gryllidae) Synonym(s): *miramae* Medvedev,1933 GR BG UA KG
824. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 *Gryllus gryllotalpa* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
825. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
826. **Gymnopleurus sturmi MacLeay,1821** (Scarabaeidae) Synonym(s): *sturmi* MacLeay,1821 BG RU
827. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
828. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
829. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946 AF BG RO TR Cc AM GG YU IR
830. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
831. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
832. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
833. **Hauptidia (s.str.) provincialis (Ribaut,1931)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1931 BG FR IT YU
834. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU

835. **Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata* Steven,1817
BG RO TR UA Cm Cc AM SY
836. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758 TR
AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK
837. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si Kk Kg MN ES TJ TM UZ YU TR
838. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si Kk Kg LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
839. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
840. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
841. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
842. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG Kk LV MD RU Sb UA UZ YU
843. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857 Cc AZ BG GG RO RU Ur KG TJ
844. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851 AM Cc BG GR TR UA RO TJ TM
845. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 BG GG Cc GR IL Pa TR RO RU MA TJ
846. **Hercostomus nanus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minus* Zetterstedt,1849; *angustus* Loew,1857 SE BG TR UA MD
847. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 HV BG GR IT Si MT CY IL Pa SY TR
848. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
849. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS Kk Kg TM CY IL Pa JO SY TR
850. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ Kk Kg CY IL Pa SY TR
851. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
852. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
853. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
854. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG Kk Mk Ly MT MD OM RO SA SS CH TJ TM UA AE UZ YU
855. **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851 RU YU GR BG AL IL Pa TR
856. **Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): *simplex* Loew,1865 TR AL BG GR RO
857. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
858. **Hofferia schmiedeknehti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknehti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928 BG GR MK RO TR IL Pa SY JO
859. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
860. **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890 BG GR TR CY LB

861. **Hoplia (Hoplia) praticola** Duftschmidt,1805 (Scarabaeidae) Synonym(s): *praticola* Duftschmidt,1805 **BG**
862. **Hoplitis (Alcidamea) claviventris** (Thomson,1872) (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 **AT AL BE BG CH CZ DE DK ES FR Co FI NL BG GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR**
863. **Hoplitis (Alcidamea) leucomelana** (Kirby,1802) (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR**
864. **Hoplitis (Annosmia) annulata** (Latreille,1811) (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
865. **Hoplitis (Anthocopa) papaveris** (Latreille,1799) (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 **AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR**
866. **Hoplitis (Micreriades) haemi** Tkalcu,2000 (Megachilidae) Synonym(s): *haemi* Tkalcu,2000 **BG GR**
867. **Hoplitis (Micreriades) illyrica** (Noskiewicz,1926) (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926 **BG GR HV IT Si MK**
868. **Hoplitis (Micreriades) mazzucchi** (Schwarz & Gusenleitner,2005) (Megachilidae) Synonym(s): *mazzucchi* Schwarz & Gusenleitner,2005 **AT BG HU SK TR**
869. **Hoplitis (Prionohoplitis) brachypogon** (Pérez,1879) (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934 **AL BG ES FR GR Cr HV IT PT SY TR**
870. **Hoplitis (Prionohoplitis) campanularis** (Morawitz,1877) (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 **AL BG Cc GG GR IT SS MA DZ TR**
871. **Hoplitis (Prionohoplitis) curvipes** (Morawitz,1871) (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 **GR AZ Cc BG ES FR IT Si TR**
872. **Hoplitis (s.str.) adunca** (Panzer,1798) (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR**
873. **Hoplitis (s.str.) anthocopoides** (Schenck,1853) (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
874. **Hoplitis (s.str.) carinata** (Stanek,1969) (Megachilidae) Synonym(s): *carinata* Stanek,1969 **AM Cc BG GR MK JO TR SY**
875. **Hoplitis (s.str.) manicata** (Morice,1901) (Megachilidae) Synonym(s): *manicata* Morice,1901 **AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR**
876. **Hoplitis (s.str.) strymonia** Tkalcu,1999 (Megachilidae) Synonym(s): *strymonia* Tkalcu,1999 **BG TR**
877. **Hoplobasis (Eurasicesa) idiophallus** (Savchenko,1973) (Limoniidae) Synonym(s): *idiophallus* Savchenko,1973 **CH SK UA RO BG**
878. **Hoplolabis (Parilisia) punctigera** (Lackschewitz,1940) (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 **TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK**
879. **Horvathianella palliceps** (Horvath,1897) (Delphacidae) Synonym(s): *palliceps* Horvath,1897 **AT BG GR HU RO IT YU TR HV CZ**
880. **Hyalesthes luteipes** Fieber,1876 (Cixiidae) Synonym(s): *luteipes* Fieber,1876 **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM**
881. **Hyalesthes obsoletus** Signoret,1865 (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
882. **Hyalesthes scotti** Ferrari,1882 (Cixiidae) Synonym(s): *scotti* Ferrari,1882 **AL AT BG TR CZ FR HU IL IT RO ES YU**
883. **Hybomitra decora** (Loew,1858) (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 **TR IL Pa LB IQ SY GR BG**
884. **Hybomitra tarandina** (Linnaeus,1758) (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 **PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm**
885. **Hydrochara caraboides** (Linnaeus,1758) (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU**
886. **Hydrochara dichorama** (Fairmaire,1829) (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
887. **Hydrochara flavipes** (Steven,1808) (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU**

888. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775* ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
889. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus Meigen,1824; chloropus Von Roser,1840* BG CY TR Cc GG GR IL Pa RO RU UA Cm
890. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822; inaequalipes Macquart,1834; schoenherri Zetterstedt,1843; cinereus Perris,1847; vagus Hutton,1901; breviventris Becker,1902* BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
891. **Hysteropterum conspurcatum (Spinola,1939)** (Issidae) Synonym(s): *conspurcatum Spinola,1939* BG CS HU RO ES YU
892. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides Fabricius,1794* AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
893. **Hysteropterum latifrons Fieber,1877** (Issidae) Synonym(s): *latifrons Fieber,1877* BG HU RO YU
894. **Hysteropterum tauricum Kusnezov,1926** (Issidae) Synonym(s): *tauricum Kusnezov,1926* BG UA
895. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris Fieber,1868* AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
896. **Ibalia leucospoides (Hochenwarth,1785)** (Ibaliidae) Synonym(s): *leucospoides Hochenwarth,1785* BG TR
897. **Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella Papp,1972* Apanteles laspeyresiella Papp,1972, Ann. Hist. Nat. Mus. Hung. 64: 338-340. AT BG HU RU TR
898. **Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia Nixon,1965* Apanteles vindicia Nixon,1965, Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR
899. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956* Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
900. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775; aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868; kirschbaumi Baker,1924; lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
901. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
902. **Idiocerus heydenii Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii Kirschbaum,1868* AT BG CS DK FR DE IT PL MD UA YU
903. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806; dorsiger Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis Curtis,1839; rubrifrons Rey,1894* AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
904. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus Herrich-Schäffer,1835* BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
905. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835* AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
906. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis Lewis,1834; adustus Herrich-Schäffer,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
907. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons Kirschbaum,1868* AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
908. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus Panzer,1799; simulans Ribaut,1952* AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
909. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator Masi,1916* IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
910. **Illidops butalidis (Marshall,1888)** (Braconidae) Synonym(s): *butalidis Marshall,1888* Apanteles butalidis Marshall,1888, Spec. Hym. Eur. Alg. 4: 45. TR DE CH GB BG CZ YU HU TN
911. **Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): *naso Marshall,1888* Apanteles naso Marshall,1888, Trans. ent. Soc. Lond.: 203. TR GB BG Cr YU MN RU CH HU
912. **Illidops szaboi (Papp,1974)** (Braconidae) Synonym(s): *szaboi Papp,1974* Apanteles szaboi Papp,1974, Ann. Hist.-nat. Mus. Nat. Hung. 64: 341-343. TR HU BG
913. **Isophya hospodar (Saussure & Pictet,1898)** (Tettigoniidae) Synonym(s): *hospodar Saussure & Pictet,1898; burmevi Nedelkov,1907; tschirpanensis Nedelkov,1907* RO BG TR

914. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleoptratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 **DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU**
915. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis* Schrank,1781 **Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU**
916. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 **AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU**
917. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus* Then,1896 **AT BG CS FI FR DE IT PL RO SE MD UA**
918. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 **AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ**
919. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU**
920. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *juncea* Haupt,1935 **CZ DE MN PL SE TR RU At EE BG HU**
921. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835 **GR AL BG CY TR SY IL Pa EG**
922. **Kazachtanicus aitosis Dlabola,1965** (Cicadellidae) Synonym(s): *aitosis* Dlabola,1965 **BG**
923. **Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): *praecox* Haupt,1935 **Cc BG CZ DE MN PL EE GG KG RU**
924. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962 **IL AT BG CY GR YU TR**
925. **Kokujewia clementi Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949; *taschevi* Vassilev,1978 **GR BG TR**
926. **Krombeinella gaullei (Invrea,1952)** (Mutillidae) Synonym(s): *nigriceps* auct. nec Saunders,1850; *gaullei* Invrea,1952 **BG TR**
927. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 **GR BG TR HV YU MK RO SK UA RU Cc**
928. **Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi* Invrea,1963 **YU BG UA TR RU AZ GG Cc**
929. **Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970 **BG TR GR PK YU IR**
930. **Kybos candelabricus Dlabola,1958** (Cicadellidae) Synonym(s): *candelabricus* Dlabola,1958 **TR Cc GG BG**
931. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjæev,1963 **BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA**
932. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 **AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU**
933. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 **AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR**
934. **Labidostomis cyanicornis Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar,1822 **RO YU BG UA RU**
935. **Labidostomis oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1889 **BG GR TR MK**
936. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua* Faldermann,1837; *binotata* Waltl,1838; *steveni* Waltl,1848; *arnoldii* Medvedev,1962 **RO BG GR TR Cc IR**
937. **Labidostomis rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): *rufa* Waltl,1838 **YU BG GR TR**
938. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 **AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU**
939. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius* Fischer von Waldheim,1823; *weiratheiri* J.Müller,1932 **AL AM Cc TR GR BG IT IL Pa**
940. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 **ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG**
941. **Lampyrus zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri* Germar,1817 **BG GR B-H HV MK RO YU**
942. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis*

- Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
943. **Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius Walker,1849; tenuirostris Loew,1854; bertoni Seguy,1932* GR AL FR RO YU BG TR
944. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa Fabricius,1794* HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
945. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons Gyllenhal,1833* DE BG DZ DK FR GB ES IT Cc HU MK TR
946. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus Boheman,1845; kindermannii Desbrochers,1845; syriacus Desbrochers,1868* AT BG HV DZ FR IT Si RO GR TR SY JO
947. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus Herbst,1797; ophthalmicus Stephens,1831; similis Curtis,1837; splendidulus Kiesenwetter,1861* DE BG DZ DK AM Cc TR FR GB
948. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita Linnaeus,1758; cristata Schreber,1759; secunda Schaeffer,1767* AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
949. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis Fabricius,1775* TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
950. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris Meigen,1804* IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
951. **Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata Say,1824* DE TR BG
952. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis Loew,1847; pusillus Jaenicke,1867* IR BG CZ FR DE GR HU IT RU CH TR
953. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata Linnaeus,1758; unifasciata Fabricius,1781; angulata Fabricius,1794; grossa Uhler,1896* Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
954. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera Meigen,1824* TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
955. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
956. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
957. **Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei Lethierry,1878; spoliata Horvath,1907* BG TR FR GB IT ES YU
958. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata Fallén,1828 (praeocc.); sexmaculata Hardy,1850; agathina Snellen van Vollenhoven,1862; bipunctata Cerutti,1939; quadripunctata Mitjaev,1963* AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
959. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata Lucas,1849; lineolator Aubert,1972* DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
960. **Lissonota (s.str.) cruentator (Panzer,1809)** (Ichneumonidae) Synonym(s): *cruentator Panzer,1809; insignita Gravenhorst,1829* BG TR
961. **Lissonota (s.str.) mutator Aubert,1969** (Ichneumonidae) Synonym(s): *mutator Aubert,1969* BG TR
962. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea Loginova,1974* Cc UA Cm TR BG IL Pa DZ
963. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
964. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti Heikertinger,1912* DE BE IT SK YU BG RU TR
965. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Stph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
966. **Longitarsus jailensis Heikertinger,1913** (Chrysomelidae) Synonym(s): *jailensis Heikertinger,1913* UA Cm BG TR
967. **Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi Furth,1979* TR AT IT BG SS IL Pa
968. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata Meigen,1824* RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
969. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri Adams,1817* AM AZ Cc GG Tbl IR TR BG GR CY Rd IQ TM PK Bl TJ AF OM

970. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcus* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845 **GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm**
971. **Luciola lusitana (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitana* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelia* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 **AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG**
972. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861 **IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH**
973. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus* Loew,1849 **IT HU AT YU RO GR BG AL TR**
974. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus* Loew,1849 **HU YU RO GR BG TR IR Gor**
975. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus* Meigen,1820; *genualis* Zeller,1840 **IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB**
976. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 **IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa**
977. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* Robineau-Desvoidy,1863; *spincincta* Meade,1891; *echinalis* Pandelle,1895; *fuscicularis* Pandelle,1895; *#praefica* Kara,1999 **BE DE Cc IL Pa UA GB BG ES RU TR**
978. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 **AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB**
979. **Macropsis albae Wagner,1950** (Cicadellidae) Synonym(s): *albae* Wagner,1950 **TR BG CS FR DE GB IT NL PL PT KG MD YU**
980. **Macropsis fuscinervis (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscinervis* Boheman,1845 **AT BE BG CN Uí CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU**
981. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828 **AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU**
982. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 **AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR**
983. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871 **AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA**
984. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 **DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU**
985. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 **AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU**
986. **Macropsis vestita Ribaut,1952** (Cicadellidae) Synonym(s): *vestita* Ribaut,1952 **BG FR IT UA**
987. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 **TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU**
988. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 **AT BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV**
989. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 nec Sett.,1875; *fieberi* Edwards,1889 **AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU**
990. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 **AF BG GR FR IT PT ES TR**
991. **Macrosteles halophilus (Horvath,1903)** (Cicadellidae) Synonym(s): *halophilus* Horvath,1903; *brevis* Matsumura,1908 **BG IT RO MD UA YU**
992. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 **AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU**
993. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zschvatkin,1933 **AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU**
994. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata*

- Rey,1894; submaculata Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
995. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
996. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
997. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
998. **Malachus fucatus Peyron,1877** (Melyridae) Synonym(s): *fucatus* Peyron,1877 BG TR
999. **Malachus rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus* Erichson,1840; *carnifex* Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR
1000. **Malthinus fasciatus (A.G.Olivier,1790)** (Cantharidae) Synonym(s): *fasciatus* A.G.Olivier,1790; *bulgaricus* Svihla,1990 FR BG
1001. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; #*aphavexellte* Dobosz,2007 Mantispa aphavexelte U.Aspöck & H.Aspöck,1994, Annln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
1002. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
1003. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus* Radoszkowski,1877; *scythes* Skorikov,1925 TR Cc AM IR RU RO GR YU BG PL
1004. **Megabombus mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837 BG Cc TR IR PL
1005. **Megabombus pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum* Scopoli,1763; *agrorum* Fabricius,1787 GB IT FR CH Sa BE TR Cc GR BG IR
1006. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus* Smith,1854 BG RO HU GR Cc IR RU TR
1007. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
1008. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
1009. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
1010. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemani* Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
1011. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
1012. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
1013. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
1014. **Megischina armillata (Brullé,1832)** (Tenebrionidae) Synonym(s): *armillata* Brullé,1832 BG TR IT
1015. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915 AL BG FR GB GR IL IT TR GG Cc YU IR
1016. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
1017. **Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832 TR BG Cc AM IR
1018. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826 AT HV BG DE MD RO RU UA CA Als UA
1019. **Meligethes ater Brisout,1868** (Nitidulidae) Synonym(s): *ater* Brisout,1868 BG TR
1020. **Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978 Cc GG BG UA Cm TR
1021. **Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872 *Cryptus pseudonymphus* Tschek,1872, Verh. zool.- bot. Ges. Wien 22: 238. DZ BG TR TJ JO IL Pa

1022. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons Meigen,1822*; *grossus Gil Collado,1930* PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
1023. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT Si YU BG GR CY TR LB
1024. **Merodon flavus Sack,1913** (Syrphidae) Synonym(s): *flavus Sack,1913* ES FR CZ CH IT HU BG
1025. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES FR IT Si YU AL TR BG RO PL IL Pa LY
1026. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909* PT ES FR Co IT YU BG TR IL Pa DZ MA MT
1027. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR IT YU GR Rd CY Cc BG IL Pa
1028. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis Strobl,1909*; *fuerteventurensis Barkemeyer,2002* ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
1029. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1030. **Metacnephia uzunovi Kovachev,1985** (Simuliidae) Synonym(s): *uzunovi Kovachev,1985* BG
1031. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus Boheman,1845* AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
1032. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792*; *formicaria Latreille,1792*; *ichneumonides Latreille,1805*; *mutillaria Latreille,1806*; *sanvitali Latreille,1809*; *italica Costa,1858* *articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
1033. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis Mulsant & Rey,1855*; *quadripunctata Kirschbaum,1868*; *pulcherrimus Hovarth,1884* AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1034. **Micantulina (Mulsantina) teucriti (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucriti Cerutti,1938*; *impunctata Cerutti,1938*; *incompleta Cerutti,1938* AT BG GR TR IT SW UA YU
1035. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus Spinola,1808* IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
1036. **Micronecta vitticeps (Horvath,1895)** (Corixidae) Synonym(s): *vitticeps Horvath,1895* BG TR YU GR
1037. **Microptilis docilis (Telenga,1964)** (Braconidae) Synonym(s): *docilis Telenga,1964* BG RU HU CH FI TR
1038. **Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* TR BG DE GB FI FR KP KR HU MN TN
1039. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH Cc AZ DK BG FR GR HU NL TR
1040. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803* AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
1041. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850*; *aridellus Boheman,1850*; *lateralis Sahlberg,1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
1042. **Mocycdia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus Curtis,1835 (praeocc.)*; *crocea Herrich-Schäffer,1837*; *oxypterus Kirschbaum,1868* AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1043. **Mocycdiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata Germar,1821*; *rupicapra Marshall,1861*; *ambigua Fieber,1885* AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
1044. **Mocycdiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda Ribaut,1939* AT BE BG TR CS FR DE GB IT NL SE
1045. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801*; *burdigalensis Latreille,1804*; *#bordigalensis Charpentier,1825*; *cerisyi Audinet-Serville,1838*; *geminus Audinet-Serville,1838*; *arvensis Rambur,1838*; *cinereus Costa,1852*; *marginatus Eversmann,1859*; *minusculus Walker,1869*; *pygmaeus Walker,1869*; *eversmanni Jakovlev,1871*; *ferdinandi Bolivar,1899*; *hygrophilus Krauss,1902*; *intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
1046. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius Linnaeus,1767*; *marmoratus Geoffroy,1785*; *teuton Macquart,1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
1047. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US

1048. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
1049. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper Sulzer,1776* ES FR Co IT AL CH RO GR SS BG HU PL MD
1050. **Morimus funereus Mulsant,1863** (Cerambycidae) Synonym(s): *funereus Mulsant,1863* HU SK UA BG
1051. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
1052. **Muiroidelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
1053. **Musaria argus (Frölich,1793)** (Cerambycidae) Synonym(s): *argus Frölich,1793* SK BG UA Cm
1054. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
1055. **Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris Fabricius,1787* TR MK GR BG RU Cc
1056. **Mycodrosophila poecilogastra (Loew,1874)** (Drosophilidae) Synonym(s): *poecilogastra Loew,1874* BG GG Cc Soc
1057. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata Staeger,1840* ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
1058. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794* Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
1059. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus Herrich-Schäffer,1835* FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1060. **Mylabris calida (Pallas,1781)** (Meloidae) Synonym(s): *calida Pallas,1781* TR Cc RU KG AF IR SY BG DZ
1061. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata Pallas,1781* TR RU KG MN IR SY BG DE ES HU DE
1062. **Mylabris festiva (Pallas,1773)** (Meloidae) Synonym(s): *festiva Pallas,1773* TR BG RU At Sb MN
1063. **Mylabris formosa Welman,1910** (Meloidae) Synonym(s): *formosa Welman,1910* TR BG
1064. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825* AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
1065. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis Fabricius,1794* ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR
1066. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta Wiedemann,1824* GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR
1067. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta Panzer,1798* ES FR BE DE PL SK CZ AT IT HU RO BG TR
1068. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki Viereck,1903; kutteri Finzi,1926; obscura Finzi,1926; subopaca Arnoldi,1934* SE DK ES FR CH CZ BG TR GG Cc KK KG
1069. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata Fabricius,1775* TR KG UZ SY GR BG YU MK AT HU RO UA RU
1070. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi Skorikov,1927* TR SY GR BG AT RO UA
1071. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
1072. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica Kolenati,1846; jasonia Skorikov,1927; kiritschenkoi Skorikov,1927* GR BG TR Cc RU Da GG AM AZ IR UA Cm
1073. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille,1792; latreillei Meyer,1794; cornuta Olivier,1811; megacephala Costa,1858; bison Costa,1887* AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
1074. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
1075. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus Costa,1847* CZ BG ES FR PT IT RO RU SK GR YU TR
1076. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus Dohrn,1862* RU TR RO BG IR CN Ui

1077. **Nebria (Eunebria) merkliana Apfelbeck,1904** (Carabidae) Synonym(s): *merkliana Apfelbeck,1904* **BG TR**
1078. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES**
1079. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* **YU RO GR BG TR SY Cc IR**
1080. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* **TR IT Si CY ES YU BG GR RU Cc AM IL IR**
1081. **Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus Loew,1846* **RO BG UA TR**
1082. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969* **YU HU RO IT BG AL GR TR CY RU Cc IL EG**
1083. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris Meigen,1822; globuliceps Loew,1846; pseudoglobuliceps Pleske,1937; reichardti Pleske,1937* **TR DE AT BG CZ KG HU MN PL RO RU SK YU GR**
1084. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* **GR IT YU RO BG AL RU UA Cc TR IL IR**
1085. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* **HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN**
1086. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA**
1087. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus Herrich-Schäffer,1834* **AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU**
1088. **Neodorcadion exornatum (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum Frivaldsky,1835; labyrinthicum Thomson,1865; balcanicum Tournier,1872;...* **BG UA Cm TR**
1089. **Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;...* **BG GR TR**
1090. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides Harris,1776; niger De Geer,1776; aestivus Schrank,1781; tabidus Meigen,1820; cyanurus Loew,1849* **IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW**
1091. **Neomusaria balcanica (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *balcanica Frivaldsky,1835* **BG TR**
1092. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis Fabricius,1798* **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
1093. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis Thunberg,1784* **AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA**
1094. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus Haupt,1917* **AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)**
1095. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus Linnaeus,1758; abbreviata Fabricius,1787; capitata Fabricius,1794; aterrimus Sahlberg,1871; pulchellus Sahlberg,1871; fusca Haupt,1912; pallida Haupt,1917; danicus Wagner,1935; fulva Gyllensvard,1965* **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
1096. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor Kirschbaum,1868* **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
1097. **Neoplacionotus bobelayei (Brullé,1832)** (Cerambycidae) Synonym(s): *speciosus Adams,1817; bobelayei Brullé,1832* **BG TR**
1098. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata Loew,1871; atricauda Alexander,1924* **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
1099. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica Kokujev,1899* **Cc BG RO UA RU PL DE AT FR**
1100. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis Holmgren,1860; gracilipes Thomson,1888* **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
1101. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea Gravenhorst,1829; opacula Thomson,1888; melanurus Thomson,1888; fuscicarpus Kokujev,1899* **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**

1102. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali Tolkanitz,1971* BG UA RU TR SY IR Cc
1103. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes Schenck,1863; laeviusculus Schenck,1863; pezizaeformis Schlechtendal,1870; lusitanicus Tavares,1902; codinae Tavares,1928* PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
1104. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus Curtis,1838; ostreus Giraud,1859; ostroma Hartig,1840; pallicornis Hartig,1840; furunculus Bayerinck,1882* PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
1105. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus Giraud,1859* GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY
1106. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus Giraud,1859* IT AT HU RO BG TR
1107. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis Fourcroy,1785; reamurii Hartig,1840; defectus Hartig,1840; quercustiarae Curtis,1843; vesicatrix Schlechtendal,1870; vesicator Hieronymus,1890; brunneus Dettmer,1925* PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
1108. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus Hartig,1840; petioliventrif Hartig,1840; nitens Hartig,1841; bipunctatus Hartig,1841; rubeculus Hartig,1841; aprilinus Giraud,1859; burgundus Schlechtendal,1870; schlechtendali Mayr,1870* PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
1109. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum Linnaeus,1758; baccarumquercus Fourcroy,1785; flavipes Fourcroy,1785; pedunculiquercus Fourcroy,1785; lenticularis Olivier,1791; longipennis Fabricius,1793; gallaelenticulatae Anthoine,1794; malpighii Hartig,1840; interruptor Hartig,1841; interruptrix Hartig,1841; baccarum Blanchard,1849; pedunculi Dumeril,1860; striatus Schenck,1863; attenuatus Schenck,1863; giraudi Tschek,1869; histrio Kieffer,1901; hispanicus Tavares,1916; intermedius Tavares,1916* PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
1110. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor Hartig,1841; fumipennis Hartig,1841; varius Schenck,1863; ulisippore Tavares,1928* PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
1111. **Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): *nigricornis Faldermann,1835* TR FR AT SS BG Cc CH
1112. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis De Geer,1774* TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
1113. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis O.F.Müller,1776* TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
1114. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans Dejean,1826* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
1115. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli Reitter,1897* B-H BG HV GR MK TR IR IL Pa SY
1116. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi Fauvel,1863* AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
1117. **Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis Reitter,1889* BG GR MD TR UA SY
1118. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis Chaudoir,1850* AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
1119. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes Curtis,1829* AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
1120. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus C.R.Waterhouse,1833* AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
1121. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis Zetterstedt,1828; orichalcea Dahlbom,1850; marginatus Sahlberg,1871; armata Buckton,1891; armata Haupt,1912 (praeocc.); haupti Oshanin,1912* DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
1122. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata Westwood,1835* MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
1123. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii Leach,1817* MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
1124. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia Latreille,1805* DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
1125. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF

1126. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1127. **Odinia boletina (Zetterstedt,1848)** (Odiniidae) Synonym(s): *boletina* Zetterstedt,1848 **SE BG**
1128. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922 **GR IT Si BG GR TR UA RU Cc AZ IL IR**
1129. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 **SE ES IT BG LT TR SY IL Pa RU Mo**
1130. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
1131. **Oenas crassicornis (Illiger,1800)** (Meloidae) Synonym(s): *crassicornis* Illiger,1800 **TR RO BG HV YU**
1132. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU**
1133. **Oliarus ropotamus Dlabola,1970** (Cixiidae) Synonym(s): *ropotamus* Dlabola,1970 **BG**
1134. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus* Fieber,1876; *maculatus* Fieber,1876 **AF BG CZ GR RO SY TR RU Cc AZ**
1135. **Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi* Galante,1985 **BG GR MK RO TR**
1136. **Omaloplia (s.str.) caeca (Baraud,1965)** (Scarabaeidae) Synonym(s): *caeca* Baraud,1965; *balcanica* Adam,1994 **BG GR MK**
1137. **Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *cerrutii* Sabatinelli,1977 **AL BG GR TR**
1138. **Omaloplia (s.str.) corcyrae (Baraud,1965)** (Scarabaeidae) Synonym(s): *corcyrae* Baraud,1965 **AL BG Cr GR MK RO YU**
1139. **Omaloplia (s.str.) erythroptera (Fivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera* Fivaldsky,1835; *carbonaria* Blanchard,1850; *transsylvanica* Bielz,1850 **AL BG Cr GR HU MK MD RO UA YU TR**
1140. **Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus* Chobaut,1907; *majuscula* Baraud,1965; *rozneri* Adam,1994 **BG FR GR RO TR**
1141. **Omaloplia (s.str.) illyrica (Baraud,1965)** (Scarabaeidae) Synonym(s): *illyrica* Baraud,1965 **AL B-H BG Cr GR MK RO YU**
1142. **Omaloplia (s.str.) iris (Reitter,1887)** (Scarabaeidae) Synonym(s): *iris* Reitter,1887 **BG GR MK RO YU**
1143. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola* Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata* Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschii* Reitter,1905; *arnoldi* Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazhshvilli,1973 **AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc**
1144. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **Gryllus rufipes** Zetterstedt,1821, **Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
1145. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscus* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
1146. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
1147. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789 **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
1148. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792 **AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
1149. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832 **Cc SY CY IR TR BG GR IL Pa EG**
1150. **Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1963 **TR IL Pa SY IR MK GR BG**
1151. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni* Harold,1877 **TR BG MK GR RO UA HU**

1152. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae)
Synonym(s): *opacicollis* Reitter,1893 **BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT SI**
1153. **Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae)
Synonym(s): *ovatus* Linnaeus,1762 **RU MD UA Cm Cc BG TR Cc TM**
1154. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae)
Synonym(s): *semicornis* Panzer,1798 **RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR**
1155. **Onthophagus (Palaeonthophagus) vitulus (Fabricius,1776)** (Scarabaeidae)
Synonym(s): *vitulus* Fabricius,1776 **RU Sb KG BG**
1156. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
1157. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
1158. **Ophion mocsaryi Brauns,1889** (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1889 **BG TR IR**
1159. **Ophonus (Hesperophonus) cribricollis (Dejean,1829)** (Carabidae) Synonym(s): *cribricollis* Dejean,1829 **BG**
1160. **Opsius euxinus Dlabola,1965** (Cicadellidae) Synonym(s): *euxinus* Dlabola,1965 **BG**
1161. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942 **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU**
1162. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781; *flavicans* Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 **TR DE BG CZ FR SE CH HU UA**
1163. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
1164. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 **Cc AZ BG CY GR IL Pa UA Cm DZ TN Md TZ**
1165. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
1166. **Oscinella nartshukiana Beschovski,1978** (Chloropidae) Synonym(s): *nartshukiana* Beschovski,1978 **TR BG**
1167. **Osmia (Allosmia) bischoffi Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi* Atanassov,1938 **BG GR RO TR**
1168. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 **AM Cc BG FR GR IT Si MK UA TR**
1169. **Osmia (Allosmia) nuda Friese,1899** (Megachilidae) Synonym(s): *nuda* Friese,1899 **BG TR**
1170. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
1171. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
1172. **Osmia (Helicosmia) caerulescens (Linneus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linneus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
1173. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 **MK BG ES GR IL Pa JO SY Cc TR**
1174. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**
1175. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtli* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
1176. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
1177. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris*

- Dours,1887; albiscopa Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR*
1178. **Osmia (Hoplosmia) algae (Tkalcu,1978)** (Megachilidae) Synonym(s): *algae Tkalcu,1978 BG TR SY*
1179. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata Morawitz,1876; affinis Frivaldsky,1877; pallens Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR*
1180. **Osmia (Hoplosmia) croatica Friese,1893** (Megachilidae) Synonym(s): *croatica Friese,1893 BG GR HV IT SS TR*
1181. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica Morawitz,1868; detrita Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR*
1182. **Osmia (Hoplosmia) padri (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri Tkalcu,1974 BG GR HV MK SY TR*
1183. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR*
1184. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera Latreille,1811; clavícula Gerstaecker,1869 BG GR MK EG IL Pa JO LB SY TR*
1185. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa Kirby,1802; euchreiformis Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR*
1186. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina Curtis,1828; angustula Zetterstedt,1838; vankovitzii Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR*
1187. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR*
1188. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata Smith,1853; macroglossa Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR*
1189. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor Schrank,1781; rustica Geoffroy,1785; fusca Christ,1791; hirudinaria Christ,1791; pyrenaea Lepeletier,1841; fusca Gistel,1857; rufitarsis Smith,1879; monachiensis Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN UI*
1190. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes Morawitz,1870; bacillus Pérez,1879; pulsata Buysson,1899; longiceps Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR*
1191. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum Spinola,1808; ruborum Dufour & Perris,1840; lapidistructor Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR*
1192. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados Zanden,1984 AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR*
1193. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana Morawitz,1874; tetrodonta Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR*
1194. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor Latreille,1811; corrusca Erichson,1835; laeta Gistel,1857; algarbiensis Strand,1917; viricephalica Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR*
1195. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR*
1196. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis Linnaeus,1758; rufa Linnaeus,1758; globosa Scopoli,1763; agino Harris,1776; cornigera Rossi,1790; fronticornis Panzer,1799; hederata Smith,1844; fracticornis Pérez,1895; borealis Duce,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR*
1197. **Osmia (Tergosmia) tergestensis Duce,1897** (Megachilidae) Synonym(s): *tergestensis Duce,1897; ononidis Fertton,1897; rondoui Pérez,1902; wolhynica Noskiewicz,1922; atlantica Benoist,1934; remota Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR*
1198. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR*
1199. **Ossiannilssonola callosa (Then,1886)** (Cicadellidae) Synonym(s): *callosa Then,1886; distincta Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU*
1200. **Oxyilia duponcheli (Brullé,1832)** (Cerambycidae) Synonym(s): *duponcheli Brullé,1832 AL BG GR*

1201. **Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761 **HV YU BG TR RU Cc Ur Sb Us KG**
1202. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
1203. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 **GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd**
1204. **Pachybrachis (s.str.) scriptidorsum Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913 **BG RO UA CN RU Ur Cc Sb KP KR**
1205. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
1206. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 **SE PT ES BG UA Cc GG TR IL**
1207. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 **TR IT AT UA YU RO AL MK GR BG**
1208. **Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832 **AL DZ BG CS GR TN TR YU**
1209. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 **AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA**
1210. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *alahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
1211. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 **YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES**
1212. **Panorpa hybrida McLachlan,1882** (Panorpidae) Synonym(s): *hybrida* McLachlan,1882; *romanica* Bechet,1955 **YU BG RO FI DE RU**
1213. **Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878 *Platyphyma caloptenoides* Brunner von Wattenwyl,1861, *Verh. zool.- bot. Ges. Wien* 11: 226. Lectotype ♂: [Serbia]: Brdjane (BMNH). **TR GR YU MD SK BG HU AT**
1214. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
1215. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 **AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU**
1216. **Paraclytus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): *sexguttatus* Adams,1817 **Cc AZ TR IR BG**
1217. **Paracorymbia pallens (Brullé,1832)** (Cerambycidae) Synonym(s): *pallens* Brullé,1832 **GR AL BG YU**
1218. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 **AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH**
1219. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA**
1220. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR**
1221. **Paranocaracris bulgaricus (Ebner & Drenowsky,1930)** (Pamphagidae) Synonym(s): *bulgaricus* Ebner & Drenowsky,1930 **BG TR**
1222. **Paranocarodes chopardi Peshev,1965** (Pamphagidae) Synonym(s): *chopardi* Peshev,1965 **BG**
1223. **Parapholidoptera castaneoviridis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *castaneoviridis* Brunner von Wattenwyl,1882; *ornata* Nedelkov,1907 **GR BG TR**
1224. **Pausus (Cochliopausus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 **AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ**
1225. **Pedestredorcadion axillare (Küster,1847)** (Cerambycidae) Synonym(s): *axillare* Küster,1847; *ottomanum* Kraatz,1871; *kraatzii* Tournier,1872; *vernatum* Pic,1926 **BG**
1226. **Pedestredorcadion condensatum (Küster,1852)** (Cerambycidae) Synonym(s): *condensatum* Küster,1852; *punctatissimum* Ganglbauer,1883; *adampolum* Pic,1917 **BG TR**

1227. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;... **MK BG UA Cm GR RO RU YU**
1228. **Pedestredorcadion lineatocolle (Kraatz,1873)** (Cerambycidae) Synonym(s): *lineatocolle* Kraatz,1873; *riveti* Pic,1927; *sinuaticolle* Pic,1927 **BG GR YU**
1229. **Pedestredorcadion litigiosum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *litigiosum* Ganglbauer,1883; *varnanum* Pic,1926 **BG**
1230. **Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre* Kraatz,1873 **BG GR MK TR**
1231. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... **AL AT BG CZ HU IT RO Ur SK UA YU TR**
1232. **Pedestredorcadion regulare (Pic,1931)** (Cerambycidae) Synonym(s): *regulare* Pic,1931 **GR TR BG**
1233. **Pedestredorcadion scopoli (Herbst,1784)** (Cerambycidae) Synonym(s): *scopoli* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... **RU Sb HU BG AT CZ GR SK UA YU**
1234. **Pedestredorcadion sturmi (Frivaldsky,1837)** (Cerambycidae) Synonym(s): *sturmi* Frivaldsky,1837 **BG RO**
1235. **Pedestredorcadion tauricum (Waltl,1838)** (Cerambycidae) Synonym(s): *tauricum* Waltl,1838; *nigritarse* Kraatz,1873 **RO BG GR MK**
1236. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
1237. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 **AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR**
1238. **Pedicia (Crunobia) spinifera Stary,1974** (Pediidae) Synonym(s): *spinifera* Stary,1974 **BG RO?**
1239. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU**
1240. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN**
1241. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 **SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR**
1242. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 **PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa**
1243. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 **GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa**
1244. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 **MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF**
1245. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN**
1246. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 **AF AZ BG Cc GR HU RO RU SL SY TR UA YU**
1247. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876 **TR AF BG CZ GR RO SY RU**
1248. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
1249. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
1250. **Periscelis annulata (Fallén,1813)** (Periscelididae) Synonym(s): *annulata* Fallén,1813 **BG**
1251. **Perla illiesi Braasch & Joost,1971** (Perlidae) Synonym(s): *illiesi* Braasch & Joost,1971 **BG TR**
1252. **Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis* Berthoumieu,1901 **BG TR GR Cc RU**
1253. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 **BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT**
1254. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 **DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az**

1255. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei Dupuis,1957* TR PT ES FR DE HU SK B-H CH IT BG GR
1256. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla Meigen,1824* PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
1257. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera Egger,1860* ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1258. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans Meigen,1824* FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
1259. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera Fabricius,1794* ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1260. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa Fabricius,1798* ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1261. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata Linnaeus,1767* ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1262. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1263. **Philopotamus achemenus Schmid,1959** (Philopotamidae) Synonym(s): *achemenus Schmid,1959* *Philopotamus achemenus Schmid,1959, Beitr. Ent. 9: 210.* GR BG TR IR
1264. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus Donovan,1813; scopulorum Stephens,1836; charpentieri Zetterstedt,1840; tigrinus Brauer,1857* NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1265. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus Scopoli,1763; pedemontanus Navas,1934* PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR
1266. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1267. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii Wiedemann,1820; maculata Wiedemann,1820; punctata Meigen,1835; zimmermanni Nowicki,1868; gaedii Engel,1933* IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1268. **Phyllotreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea Pic,1901* BG TR AM IL Pa IR JO Cc
1269. **Phyllotreta pontoaegeica Gruev,1982** (Chrysomelidae) Synonym(s): *pontoaegeica Gruev,1982* TR GR BG
1270. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata Fabricius,1794; quadrimaculata Wolff,1804* ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1271. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum Herrich-Schäffer,1838* ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1272. **Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae Preyssler,1791* AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1273. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea Meigen,1824* ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1274. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes Fabricius,1781* ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1275. **Phytoecia geniculata Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata Mulsant,1863* GR BG CY TR
1276. **Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis Herrich-Schäffer,1841* AL AZ Cc BG CZ FI HU IT TR CH RU YU
1277. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae Becker,1867* Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1278. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844; kolenatii Fieber,1861; caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1279. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1280. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN

1281. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes Horvath,1888* ES IT DE AT CZ HU MK BY BG UA RU KG
1282. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1283. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1284. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris Kriechbaumer,1888* RO BG TR RU Cc
1285. **Pithytettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus Fallén,1806; proteus Herrich-Schäffer,1834; pinastri Fieber,1885* DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1286. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides Linnaeus,1758; azurea Dalla Torre,1789; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919* SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1287. **Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis Signoret,1880 nec Kbm.,1868; signoreti Wagner,1959* RU Cc BG CZ HU TR YU
1288. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus Scott,1876* AT CS FR HU IT ES BG TR YU
1289. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus Fieber,1869* AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1290. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti Dlabola,1961* BG TR CS DE IT MN Cc GG KG RU YU
1291. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1292. **Platymetopius dorsofenestratus Dlabola,1958** (Cicadellidae) Synonym(s): *dorsofenestratus Dlabola,1958* BG CS RO UA YU
1293. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1294. **Platymetopius ponticus Emeljanov,1964** (Cicadellidae) Synonym(s): *ponticus Emeljanov,1964* BG RU
1295. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1296. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata Olivier,1811* TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
1297. **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus A.Costa,1863* ES IT Si BG TR RU UA MD Cc AZ AM GG EG
1298. **Platypygus ridibundus (Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus Costa,1863* ES BG TR RU UA MD GG AZ AM Cc EG
1299. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833* IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1300. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris Linnaeus,1758; apterum Degeer,1773; mesoptera Ramme; semifasciata Werner,1933* Gryllus (Locusta) pedestris Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc
1301. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis Kowarz,1867* AM Cc BG MD RO RU TR UA KG TJ
1302. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis Meigen,1824* BG Cc GG GR RO RU TR UA Cm IR UZ
1303. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum Fabricius,1794* IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1304. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha Christ,1791* DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1305. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1306. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus Kieffer,1900* Cc RU Da DE RO HU MK BG ES

1307. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 **PL DE HU RO BG YU AT CH IT TR**
1308. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 **FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO**
1309. **Procaerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 **TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU**
1310. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781 **BG GR TR IR IL Pa SY LB**
1311. **Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes* Edwards,1921; *subrufipes* Knoz,1980 **BG CZ HU IT SK TR**
1312. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 **FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH**
1313. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955 **AZ AM Cc RU TR GR Rd BG RO**
1314. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfilium* Rubtsov,1955; *maruashvili* Machavariani,1966 **TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA**
1315. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 **DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc**
1316. **Protaetia (Cetonischema) aeruginosa (Drury,1770)** (Scarabaeidae) Synonym(s): *aeruginosa* Drury,1770; *auratus* Fuessly,1782; *fastuosa* Fabricius,1792; *frischii* Schrank,1798;... **RU BG YU**
1317. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833 **Cc AM GG GR BG TR AZ IR LY Cy DZ**
1318. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
1319. **Protaetia (Potosia) vidua (Gory & Perchenson,1833)** (Scarabaeidae) Synonym(s): *vidua* Gory & Perchenson,1833 **BG GR TR**
1320. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 **Apanteles anchiades** Nixon,1973, *Bull. ent. Res.* 63: 169-228. **TR DE GB SE BG MN IT HU FI NL CH CZ**
1321. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
1322. **Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978 **BG GR MK TR**
1323. **Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): *tauricola* Popov,1961 **UA Cm TR BG RU**
1324. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890 **BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR**
1325. **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus* Reuter,1878 **FR YU BG RU Cc TR**
1326. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
1327. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
1328. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1329. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombofifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
1330. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925 **AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA**
1331. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952 **AF AT BG CS FR DE HU IT NL PL PT**
1332. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897 **AT BG TR CS DE HU RO LV MD RU TJ UA**
1333. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 **AT BG CS FI DE HU NL NO PL RO SE LV RU Sb**

1334. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1335. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
1336. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU
1337. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (*praeocc.*); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
1338. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 FR GB IE SE FI DK DE NL PL CZ CH AT HU RO BG SS IT
1339. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
1340. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1341. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 IT AT B-H HU RO BG GR TR
1342. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 ES BG GR TR SY IL Pa LB IQ
1343. **Purpuricenens globulicollis Mulsant,1839** (Cerambycidae) Synonym(s): *globulicollis* Mulsant,1839 FR IT HU BG
1344. **Purpuricenens renyvoniae Slama,2001** (Cerambycidae) Synonym(s): *renyvoniae* Slama,2001 BG GR
1345. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
1346. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1347. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845 AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU
1348. **Rabdophaga jaapi Rübsaamen,1916** (Cecidomyiidae) Synonym(s): *jaapi* Rübsaamen,1916 GB NL DE DK SE EE RU RO BG
1349. **Rabdophaga pierrei (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierrei* Kieffer,1896 PT ES FR GB NL DE CZ PL HU RO BG IT
1350. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
1351. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1352. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
1353. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864 BG GR Cc RU KG UA Cm TR
1354. **Ranissus leptopus Fieber,1866** (Dictyopharidae) Synonym(s): *leptopus* Fieber,1866; *edirneus* Dlabola,1957 BG GR TR
1355. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major* Burmeister,1839. AT DE CH FR CZ HU BG HV MK RO GR
1356. **Raphidia (Pontoraphidia) rhodopica Klapalek,1894** (Raphidiidae) Synonym(s): *rhodopica* Klapalek,1894 BG
1357. **Raphidia (s.str.) beieri H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *beieri* H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965 MD MK BG TR
1358. **Raphidia (Turcoraphidia) amara H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *amara* H.Aspöck & U.Aspöck,1964 AL MK BG UA Cm TR
1359. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS DE IT MN RO TN GG Cc KG UA YU
1360. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1361. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1362. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1363. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarيناتus* Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU

1364. **Rhabdomastix (s.str.) filata Stary,2004** (Limoniidae) Synonym(s): *filata Stary,2004*
Rhabdomastix (s.str.) filata Stary,2004, Eur. J. Ent. 101: 675-676, figs. Holotype ♂: Lebanon
Becharre, leg. H.Zerny (NHMW). BG GR RU Cc GG AM TR LB Bsa
1365. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus*
Linnaeus,1758; *annularis Geoffroy,1785* AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR
MN NL RU Sb SE ES YU
1366. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763* TR AZ
AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH
UA MA SY IR TM
1367. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764*
TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1368. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus Scopoli,1763*;
aurifer Olivier,1790; *rectirostris Gyllenhal,1833*; *theresae Pic,1926*; *angorensis Pic,1926*; *ferghanensis*
Newskij,1929; *armeniacus Zaitzev,1937* AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK
UZ RU Sb SY TJ YU GR TR
1369. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus Linnaeus,1758*;
laetus Germar,1824; *circassicus Voss,1938* DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU
Sb IT Si TM YU
1370. **Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus De Geer,1775*;
alliaria Fabricius,1775; *pubescens Rossi,1790*; *nanus Marshall,1802*; *conicus Illiger,1807*; *ussuriensis*
Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
1371. **Rhynchites giganteus Krynicky,1832** (Attelabidae) Synonym(s): *giganteus Krynicky,1832*
BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
1372. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus Herbst,1784*;
marginatus Schrank,1798; *ursus Gebler,1830*; *anatolicus Schilsky,1903*; *marginicollis Schilsky,1903*;
maculicollis Reitter,1916; *suturifer Reitter,1916* BG AM Cc HU IR MK RU Sb SY TR GR
1373. **Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus Faust,1891*; *asiaticus*
Desbrochers,1908; *subviolaceus Pic,1926* BG AM Cc MK GR TR SY IL Pa
1374. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus*
Schrank,1776; *crenatus Germar,1827*; *scurra Germar,1837*; *germari Fieber,1868*; *fulvus Rey,1894* AT BE
BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1375. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces Ribaut,1931* AT BG CS FR
DE GR IT Sa SW Cc TR GG RU
1376. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata Ribaut,1931* TR
BG FR GB IT PT SE AZ Cc
1377. **Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi Zachvatkin,1948*;
horvathiana Dlabola,1954 AT BG CS HU RO TR RU
1378. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris Ribaut,1931* AT BG
CS FR DE GB HU RO SW AZ Cc UA Cm
1379. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi Linnaeus,1758*;
muscifformis De Geer,1773; *ocellata Curtis,1837*; *thecla Ferrari,1882* AT BG CS DK FI FR DE GB IE IT NL
NO PL RO SE SW EE GG Cc LV RU UA YU CA
1380. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia Petagna,1787*; *torosa*
Costa,1858; *duplex Radoszkowski,1885* TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA
RU Ur IT Sa Si MT FR
1381. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula Scopoli,1786*;
tuberculata Rossi,1790; *erythrosoma St.Fargeau & Serville,1825*; *mandibularis Charpentier,1825*;
ambiguus Stal,1876; *macropterreus Bolivar,1890*; *minor Bolivar,1890*; *eurostratus Jannone,1936* *Gryllus*
nitidulus Scopoli,1786, *Delicidae florum & faunae insubricae 1: 62*. Syntypes: Italia. FR DE AT CZ HU
IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1382. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata Poda,1761*;
irmasanica Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL
NO SE FI EE LT UA Cm MD RU KG
1383. **Saga natoliae Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos Stoll,1787 nec*
Pall.,1772; *synophrys Charpentier,1841*; *natoliae Audinet-Serville,1839*; *brunneri Saussure,1888* *Saga*
natoliae Audinet-Serville,1839, Hist. nat. Ins. Orthopteres: 541-542. Syntypes: "Smyrne" (coll.
M.A.Lefebvre). AL MK BG TR SY IL Pa
1384. **Saga rammei Kaltenbach,1965** (Tettigoniidae) Synonym(s): *rammei Kaltenbach,1965* MK
BG
1385. **Sarcophaga (Berceae) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa*
Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT
ES RO Sa Si SK SE CH NL UA YU DZ MG
1386. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae)
Synonym(s): *crassimargo Pandellé,1896* AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO
PL RO TR SK ES SU CH NL UA YU

1387. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura Meigen,1826* AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1388. **Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea Rondani,1860; portschinskyana Rohdendorf,1937* BG FR GR IT Si UA YU TR
1389. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia Rondani,1860* AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1390. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana Rohdendorf,1937* AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1391. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis Rondani,1860* TR CY BG GR FR IT HU RO MK
1392. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces Walker,1849* TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1393. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma Robineau-Desvoidy,1830* TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1394. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni Müller,1922* AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
1395. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata Meigen,1826* TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1396. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius Linnaeus,1758; violaceus Scopoli,1763; caeruleicollis Meigen,1822; coeruleicollis Loew,1855; nubeculosus Zetterstedt,1842; minimus Zetterstedt,1849* ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
1397. **Scambus (Atelophadnus) rufator Aubert,1963** (Ichneumonidae) Synonym(s): *rufator Aubert,1963* FR YU BG TR RU
1398. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758* AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1399. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida Zetterstedt,1847; disticha Duda,1921* YU AL RO BG UA Cm GG Cc Soc GB TR
1400. **Scaptomyza (s.str.) flava (Fallén,1823)** (Drosophilidae) Synonym(s): *flava Fallén,1823* BG TR
1401. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum Fallén,1823* YU RO BG TR EG US TW RU UZ GB DK Hw IN
1402. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platyichilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1403. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim,1822* RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1404. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus Fabricius,1787* IT Si Sa MT YU BG GR TR MA DZ TN
1405. **Scleroracis corniculus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus Marshall,1866; orichalceus Thomson,1869; intractabilis Kontkanen,1949* AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA
1406. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula Fallén,1806 (praeocc.); decumanus Kontkanen,1949* BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
1407. **Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus Fallén,1826; lineigera Zetterstedt,1840; sibiricus Vilbaste,1965* AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1408. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula Pallas,1771; tricolor Pallas,1771; quadricincta Scopoli,1786; notata Fabricius,1787; bifasciata Rossi,1790; tridens Fabricius,1793; elisabethae Muche,1962* FR IT Si YU HU UA BG GR CY Cc TR EG
1409. **Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): *discolor Germar,1821* Cc BG IT RO TR GG UA
1410. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis Fabricius,1794; nubeculipennis Costa,1863; menstruus Loew,1882* FR GR MA DZ TN BG TR IR Ab Mak
1411. **Selinocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea Fabricius,1794 (praeocc.); obsoletus Germar,1817; punctatonervosus Stal,1854* AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1412. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY

1413. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY EG RO GR TR
1414. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840 AL BG DZ MA HV IQ IT ES TN TR
1415. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
1416. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758 TR RU Am BG UA Cm Cc AM GG TM KP KR
1417. **Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872 BG TR IQ IR Cc
1418. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 ES FR IT BG RO UA Cm TR
1419. **Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808 BG GR TR Cc IR
1420. **Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre,1872 BG TR SY LB
1421. **Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832 BG GR TR SY IL Pa
1422. **Somatochlora borisi Marinov,2001** (Corduliidae) Synonym(s): *borisi* Marinov,2001 *Somatochlora borisi* Marinov,2001, IDF Report 3 (1/2): 9-16. BG TR
1423. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant & Rey,1855 BG FR IT SW KG KK RU Sb UA YU
1424. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1425. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU KG MN
1426. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1427. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1428. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935 *Heriades asiaticus* Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Aïran". TR BG GR HV IL Pa JO LB SY
1429. **Stenoheriades hofferi (Tkalcu,1984)** (Megachilidae) Synonym(s): *hofferi* Tkalcu,1984 BG TR
1430. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus* Pallas,1818 IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
1431. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus* Loew,1847 IT FR HU RO GR BG TR IR
1432. **Stenopogon milvus (Loew,1847)** (Asilidae) Synonym(s): *milvus* Loew,1847 GR BG TR
1433. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
1434. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis* Loew,1847 IT FR Co YU PT AT RO RU BG TR
1435. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856 IT FR RO GR CZ BG SK TR RU IR AZ Ss Kc
1436. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri* Koch,1872; *spinimanus* Pokorný,1887 IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1437. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
1438. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
1439. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythrocer* Egger,1859; *pyrrhocera* Loew,1868 FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
1440. **Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus* Horvath,1916; *josifovi* Dlabola,1957 CY AL BG BG IT TR

1441. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
1442. **Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 BG HU RO RU Cc TR
1443. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 AL BG CY IL Pa IR IT JP KP AZ Cc TR
1444. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970 CY BG GR Rd TR KK TJ UZ
1445. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843 BG GR IL RO HU IT TR
1446. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843 BG EG GR IL Pa IQ RO RU
1447. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1448. **Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 IR Ak Ab BG HV FR IT ES RU
1449. **Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
1450. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
1451. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
1452. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
1453. **Sympiesis euspilapterygis (Erdős,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdős,1958 TR AT BG CZ DE HU PL SE YU
1454. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
1455. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
1456. **Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 SE FI GB DE FR IT BG TR
1457. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR
1458. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1459. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1460. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
1461. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
1462. **Systole foeniculi Otten,1941** (Eurytomidae) Synonym(s): *foeniculi* Otten,1941 IR AF BG NC NZ
1463. **Tabanus glaucopsis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopsis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
1464. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1465. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 nec Scop.,1763; #*regluaris* Kılıç,1999 DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR

1466. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 **RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa**
1467. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* Robineau-Desvoidy; *satanas* Zimin,1935 **ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP**
1468. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 **PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR**
1469. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876 **Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU**
1470. **Tachycixius viperinus (Dlabola,1965)** (Cixiidae) Synonym(s): *viperinus* Dlabola,1965 **BG**
1471. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
1472. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 **AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ**
1473. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 **AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP**
1474. **Tachytrechus genualis Loew,1857** (Dolichopodidae) Synonym(s): *genualis* Loew,1857 **AM Cc BG RO RU JP TW**
1475. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) Synonym(s): *insignis* Stannius,1831 **BG RO TR UA MA**
1476. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius,1831; *litoreus* Haliday,1833; *obscuripes* Gertaecker,1864; *beckeri* Müller,1923 **Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn**
1477. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 **GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR**
1478. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
1479. **Taurocera pontica Lindner,1936** (Stratiomyidae) Synonym(s): *pontica* Lindner,1936 **BG**
1480. **Teratolytta dives (Brullé,1832)** (Meloidea) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 **TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal**
1481. **Tetanops psammophila Loew,1862** (Ulidiidae) Synonym(s): *psammophila* Loew,1862 **BG**
1482. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa* Strobl,1900; *beckeri* Strobl,1906; *albipila* Frey,1958; *albissima* Collin,1966; *diversa* Collin,1966; *mixta* Collin,1966 **SN AT Az Cn ES EG BG DK GB FR IT**
1483. **Tethina cinerea (Loew,1862)** (Tethinidae) Synonym(s): *cinerea* Loew,1862 **BG Cn TN**
1484. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934 **BG TR DE HU MN ES Cc**
1485. **Tethina flavigenis (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis* Hendel,1934 **DK BG GB DE ES IT TN**
1486. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 **Az Cn ES FR TN GB SE IT BG GR Cr**
1487. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonerii* Munari,1981 **SN SC ZA TW BG EG ES IT TR BG**
1488. **Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes* Loew,1865 **GR BG TN Cn Az CV FR**
1489. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 **ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK**
1490. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866 **Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU**
1491. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii* Signoret,1866 **AL BG CS FR GR IL IT RO ES TR RU TJ YU**
1492. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU**
1493. **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865 **BG JO AZ KG KK RU TJ TM UZ YU**
1494. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli*

- Capra*,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 **Gryllus (Tettigonia) viridissima** Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR
1495. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896 AL AT BG CS HU IT Si RO GG Cc TR MD YU
1496. **Thamnotettix thrax Dlabola,1965** (Cicadellidae) Synonym(s): *thrax* Dlabola,1965 BG SY GR TR YU
1497. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1498. **Therioplectes tricolor Zeller,1842** (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959 TR BG RU RO
1499. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 **Cicada haematodes** Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1500. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveri* Krynicky,1837 CH FR PT BG MK TR Cc GG UA Cm
1501. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT HU HV YU RO BG GR TR
1502. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 AL BG RU IT CY RO TR YU GR
1503. **Tingis sideritis Stusak,1973** (Tingidae) Synonym(s): *sideritis* Stusak,1973 BG RU TR
1504. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983 MK GR BG LB TR
1505. **Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola* Loew,1873 GR BG TR UA IL Pa
1506. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana* Erhan & Theowald,1961 GR RO BG TR
1507. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 **Tipula lateralis** Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1508. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848 IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1509. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri* Mayr,1874; *longicauda* Masi,1916 ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
1510. **Torymoides violaceus Nikolskaya,1954** (Torymidae) Synonym(s): *violaceus* Nikolskaya,1954; *bifasciatus* Szelenyi,1973 ES BG MD
1511. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1512. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 **Ichneumon bedeguaris** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1513. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
1514. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1515. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1516. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831 AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1517. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876 BG GR TR CY IL Pa JO LB SY
1518. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837 AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
1519. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ

1520. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
1521. **Trichius sexualis Bedel,1906** (Scarabaeidae) Synonym(s): *sexualis* Bedel,1906 BG RO TR
1522. **Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius* Linnaeus,1758 DE BG RU TR Cc AM GG
1523. **Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787 ES IT Si YU AL Cr GR BG HV TR SY
1524. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus* Fischer,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843 TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
1525. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817 GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG
1526. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1527. **Tricyphona (s.str.) zwicki Mendl,1973** (Pediidae) Synonym(s): *zwicki* Mendl,1973; *acuspica* Alexander,1975; *elburzensis* Alexander,1975 TR IR AZ Cc GG RU BG IT
1528. **Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg,1908 TR IT FR YU B-H HV GR BG
1529. **Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica* Baraud,1962; *bulgarica* Bunalski,2001 HV YU AL BG GR MK RO TR
1530. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis* Rjachovsky,1959; *rossicus* Rjachovsky,1959 MD RO BG IR MN UA SS LT EE RU TR
1531. **Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): *andropogonis* Horvath,1895 BG CZ GR HU SL YU TR
1532. **Tropidotilla grisescens (Lepelletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepelletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787 TR GR BG HV YU MK UA Cm IT Si FR DZ
1533. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1534. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoïn,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1535. **Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939 HU BG TR Cc KG
1536. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
1537. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinus* Fischer von Waldheim,1846; *#liliifolia* Bolivar,1877 **Locusta lilifolia** Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
1538. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1539. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1540. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 **Ula mollissima Haliday,1833, Ent. Mag. 1: 153.** AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
1541. **Ulidia parallela Loew,1845** (Uliidae) Synonym(s): *parallela* Loew,1845 PL BG MD SK
1542. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 **Trypeta terebrans** Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
1543. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
1544. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
1545. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU

1546. **Vadonia bisignata (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata* Brullé,1832 **GR BG TR**
1547. **Vadonia moesiaca (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *moesiaca* K.Daniel & J.Daniel,1891 **BG TR**
1548. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 **ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU**
1549. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 **DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc**
1550. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758 **Musca vermileo** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. **AT BG FR IT YU SY EG DZ Cn**
1551. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915 **Cc AM AZ BG CY EG GR GG IR IT TR**
1552. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916 **ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR**
1553. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS**
1554. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866 **Cc AM AZ GG BG CY IL Pa IT Si SY LY YU**
1555. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 **MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
1556. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 **Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
1557. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
1558. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
1559. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 **AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU**
1560. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868 **IT BG CY GR MK TR**
1561. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 **IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU**
1562. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
1563. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
1564. **Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875 **BG MK RO TR**
1565. **Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822 **Cc Da RU TR BG**
1566. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea* Fabricius,1805 **TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU**
1567. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR**
1568. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
1569. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836 **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU**
1570. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta* Lethierry,1874 **AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU**
1571. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolar* Lodos & Kalkandelen,1984 **BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU**
1572. **Zygina (s.str.) dorsalis Horvath,1897** (Cicadellidae) Synonym(s): *dorsalis* Horvath,1897 **BG HU YU**
1573. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 **AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU**

1574. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* **AT BG CY CS FR DE IL IT SW TR UZ**
1575. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* **AT BG FR IT PT RO Cc TR GG UA YU**
1576. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata Lethierry,1869* **AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU**
1577. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* **AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU**
1578. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU**
1579. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944* **BG HU IT LB PL SW UA? YU TR**
1580. **Zyginella albifrons Horvath,1897** (Cicadellidae) Synonym(s): *albifrons Horvath,1897; erubescens Horvath,1897* **BG YU**
1581. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* **AT BG CY CS FR DE GR IL IT PL TR UA Cm YU**
1582. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845* **AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU**

Synonymic and distributional list of the pterygot insects of Creta

(Results of the Entomofauna of the World based upon info-system of the Cesa)

67

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Creta (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 67
Priamus (suppl.) 18: 2234-2244.

In this study, totally 277 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Creta recorded in info-system of the Cesa, total pterygot species of Creta increase to 1358.

Key words: List, distribution, *pterygota*, *Insecta*, Creta.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 277 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1081 recorded species of Lepidoptera from Creta are found. Taking this information into consideration, total number of the pterygots may increase to 1358.

The study is still continuing, and the new results will be published within this Project.

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926 **TR GR Cr CY IL Pa IQ IR Cc JO LB SY**
2. **Acrometopa cretensis Ramme,1927** (Tettigoniidae) Synonym(s): *cretensis* Ramme,1927 **GR Cr**
3. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
4. **Agapanthia probsti Hozlschuh,1984** (Cerambycidae) Synonym(s): *probsti* Hozlschuh,1984 **GR Cr**
5. **Agrius (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 **TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU**
6. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 **AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU**
7. **Amphicoma (Pygopleurus) foina (Reitter,1890)** (Glaphyridae) Synonym(s): *foina* Reitter,1890; *albopilosa* Petrovitz,1957; *atriplicis* Petrovitz,1957; *chalybeipennis* Petrovitz,1962 **GR Rd Cr TR**

8. **Amphicoma (Pygopleurus) scutellatus (Brullé,1832)** (Glaphyridae) Synonym(s): *scutellatus* Brullé,1832; *aereus* Baraud,1989; *coeruleus* Baraud,1989; *purpureus* Baraud,1989 **GR Cr**
9. **Amyotea hamata (Walker,1868)** (Pentatomidae) Synonym(s): *hamata* Walker,1868; *saturata* Walker,1868; *distigma* Vollenhoven,1868 **PG ID Crm Amb AU**
10. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
11. **Anaglyptus praecellens Holzschuh,1981** (Cerambycidae) Synonym(s): *praecellens* Holzschuh,1981 **GR Cr**
12. **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey,1863 **SY TR GR Cr**
13. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772 **DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR**
14. **Anthaxia (Cratomerus) scorzonerae (Frivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae* Frivaldski,1838; *euphrosyne* Ganglbauer,1885; *artemis* Daniel,1905 **BG Cr GR TR**
15. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii* Olivier,1790 **AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA**
16. **Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps* Abeille,1900; *minerva* Obenberger,1913; *navratili* Bily,1984 **TR Cr GR CY SY**
17. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787 **DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
18. **Anthaxia (Melanthaxia) mysteriosa Obenberger,1917** (Buprestidae) Synonym(s): *mysteriosa* Obenberger,1917 **GR Cr TR**
19. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis* Gory & Laporte,1839 **Cr GR TR CY IL Pa SY UA**
20. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena* Illiger,1803 **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
21. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae) Synonym(s): *lucens* Küster,1852; *phoenica* Ganglbauer,1882 **Cr GR TR IT SY**
22. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum* Panzer,1805; *contractum* Latreille,1809; *frontale* Lepeletier,1841; *minusculum* Nylander,1852; *coronatum* Dufour,1853; *decoratum* Chevrier,1872; *luteum* Friese,1897; *rubellum* Friese,1917; *cyrenaicum* Gribodo,1924; *pauperculum* Cockerell,1928; *crassepunctatum* Popov,1935; *palaestinense* Alfken,1935; *ibericum* Alfken,1936; *judaicum* Alfken,1936; *humerales* Alfken,1936 **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
23. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreilli* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969. **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
24. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
25. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleri* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
26. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 **ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord**
27. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897 **DZ ES FR TR RU TM CN Uï UZ Cc LY Cy HV GR Cr CY**
28. **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre* Friese,1899; *melanopygum* Friese,1917 **IL Pa LB Cr TR Cc AZ Kir TM Rpt**
29. **Anthocomus creticus Evers,1994** (Melyridae) Synonym(s): *creticus* Evers,1994 **GR Cr**
30. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 **ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RÓ MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh**

31. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
32. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU**
33. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
34. **Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904 **BG TR GR Cr**
35. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 **PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR**
36. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 **PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM**
37. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 **BG GR Cr CY TR LB IL Pa SY IR TM**
38. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 **GR Cr MD RO RU UA Cc Cm MA Cn**
39. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
40. **Auletobius politus Voss,1934** (Atelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
41. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
42. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927 **ES Cn EG IQ JO TR CY LB GR Cr**
43. **Bembecinus rhodius De Beaumont,1960** (Crabronidae) Synonym(s): *rhodius* De Beaumont,1960; *creticus* De Beaumont,1961 **GR Rd Cr TR**
44. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
45. **Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): *cordicolle* Jacquelin du Val,1852; *veldkampii* Kirschenhofer,1994 **BG GR Cr TR**
46. **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi,1997 **CY IL Pa LB TR GR Cr**
47. **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773 **TR Cr AM Cc IR AF IL Pa Cc MN UZ RU TJ TM KG**
48. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus* Latreille,1807; *muricatus* Olivier,1790; *planirostris* Gyllenhal,1833; *sulcifrons* Gyllenhal,1833; *cirrosus* Gyllenhal,1840; *perodiosus* Gyllenhal,1840; *semiaeneus* Desbrochers,1871; *carinula* Rey,1894; *exemptus* Rey,1894; *attenuatus* Vit.,1903 **DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR**
49. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix* Herbst,1797; *incertus* Desbrochers,1871; *olivieri* Desbrochers,1871 **GR Cr TR SY LB IL Pa EG**
50. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus* Fabricius,1798 **DZ ES FR IT Si Sa Co YU GR Cr TR**
51. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 **ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR**
52. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
53. **Brachyptera beali (Navas,1923)** (Taeniopterygidae) Synonym(s): *beali* Navas,1923; *cretica* Zwick,1973 **GR Cr**

54. **Bubopsis andromache** Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 TR IL Pa LB SY GR BG MK Cr Rd TM
55. **Calopteryx cretensis** Pongracz,1911 (Calopterygidae) Synonym(s): *cretensis* Pongracz,1911 GR Cr
56. **Camponotus gestroi** Emery,1878 (Formicidae) Synonym(s): *gestroi* Emery,1878 GR Cr TR
57. **Cardiophorus (s.str.) rotundicollis** Frivaldsky,1845 (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891 TR SY Cr GR
58. **Celonites rugiceps** Bischoff,1928 (Vespidae) Synonym(s): *rugiceps* Bischoff,1928 HV YU BG GR Cr CY TR
59. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae) Synonym(s): *circumdata* Dejean,1822 ES DZ TN IT Sa Si FR TR GR Cr BG
60. **Ceratitis (s.str.) capitata** (Wiedemann,1824) (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA
61. **Certallum ebulinum** (Linnaeus,1767) (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787 PT ES FR IT MT GR Cr Cc TR UA Cm RU
62. **Chitona cretica** Fairmaire,1863 (Oedemeridae) Synonym(s): *cretica* Fairmaire,1863; *acuminata* Reitter,1890; *balkanica* Pic,1913 Cr TR
63. **Chloriona ponticana** Ashe,1982 (Delphacidae) Synonym(s): *ponticana* Ashe,1982 Cr GR LB MA ES TR
64. **Chlorophorus aegyptiacus** (Fabricius,1775) (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brullé,1832 GR Cr TR BG MK
65. **Chrysolina cretica** (Olivier,1807) (Chrysomelidae) Synonym(s): *cretica* Olivier,1807 Cr GR
66. **Cicada cretensis** Quartau & Simoes,2005 (Cicadidae) Synonym(s): *cretensis* Quartau & Simoes,2005 *Cicada cretensis* Quartau & Simoes,2005, *Biologia Bratislava* 60 (5): 489-494, figs. Holotype ♂: Crete, Chania 9.vii.2001 leg. Simoes (NHMB). Cr GR
67. **Cicadulina bipunctata** (Melichar,1904) (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
68. **Cicindela campestris** Linnaeus,1758 (Carabidae) Synonym(s): *campestris* Linnaeus,1758 SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
69. **Coenorhinus cribripennis** Desbrochers,1869 (Attelabidae) Synonym(s): *cribripennis* Desbrochers,1869 RU GR Cr IT CY FR Co TR LB Sa
70. **Coenorhinus cribrum** (Desbrochers,1875) (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929 FR GR Cr IT LB SY TR
71. **Colletes creticus** Noskiewicz,1936 (Colletidae) Synonym(s): *creticus* Noskiewicz,1936 GR Cr
72. **Colotes maculatus** (Castelnau du Laporte,1836) (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa It Si AT HV GR Cr TR SY MK YU BG Cc GG MT
73. **Corynis similis** (Mocsary,1880) (Cimbicidae) Synonym(s): *similis* Mocsary,1880 GR Cr CY SY IL Pa
74. **Dailognatha carceli** Solier,1835 (Tenebrionidae) Synonym(s): *carceli* Solier,1835 TR GR Cc Cr
75. **Dasytes creticus** Constantin,1983 (Melyridae) Synonym(s): *creticus* Constantin,1983 Cr
76. **Dasytidius ethologus** Majer,1989 (Melyridae) Synonym(s): *ethologus* Majer,1989 GR Cr
77. **Dasytidius indutus** Kiesenwetter,1859 (Melyridae) Synonym(s): *indutus* Kiesenwetter,1859 HV GR Cr TR CY
78. **Dasytiscus minotaurus** Majer,1988 (Melyridae) Synonym(s): *minotaurus* Majer,1988 GR Cr
79. **Dermestes (Dermestinus) intermedius** Kalik,1951 (Dermestidae) Synonym(s): *intermedius* Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
80. **Diadegma pulchripes** (Kokujev,1915) (Ichneumonidae) Synonym(s): *pulchripes* Kokujev,1915 TR GR Cr AF MN
81. **Dichomma dardanum** (Steven,1829) (Tenebrionidae) Synonym(s): *dardanum* Steven,1829 Cr GR TR
82. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wahanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
83. **Docosia gilvipes** (Haliday,1856) (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
84. **Dolichopus griseipennis** Stannius,1831 (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859 AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG
85. **Dolichopus sabinus** Haliday,1838 (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842 Cc GG BG GR Cr IL Pa RO RU TR TZ

86. **Dorycera hybrida** Loew,1862 (Ulidiidae) Synonym(s): *hybrida* Loew,1862 **BG TR GR Cr FR UA LB Bei**
87. **Ectomocoris ululans** (Rossi,1790) (Reduviidae) Synonym(s): *ululans* Rossi,1790 **PT ES Co Sa Si IT AL Cr CY TR**
88. **Edwardsiana cretica** Dworakowska,1971 (Cicadellidae) Synonym(s): *cretica* Dworakowska,1971 **GR Cr**
89. **Empusa fasciata** Brullé,1836 (Empusidae) Synonym(s): *fasciata* Brullé,1836 **RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO**
90. **Eoferreola distincta** (Smith,1855) (Pompilidae) Synonym(s): *distincta* Smith,1855; *syraensis* Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
91. **Episyrphus balteatus** (De Geer,1776) (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternana* Macquart,1842 **TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn**
92. **Eristalinus (Eristalodes) taeniops** (Wiedemann,1818) (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
93. **Eristalinus (Lathyrphthalmus) megacephalus** (Rossi,1792) (Syrphidae) Synonym(s): *megacephalus* Rossi,1792 **ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR**
94. **Eristalis (Eoseritalis) arbustorum** (Linnaeus,1758) (Syrphidae) Synonym(s): *arbustorum* Linnaeus,1758; *lineole* Harris,1776 **GB HU NL DE NO GR Cr TR**
95. **Eristalis tenax** (Linnaeus,1758) (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822 **Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ**
96. **Erythroneura soosi** Dlabola,1952 (Cicadellidae) Synonym(s): *soosi* Dlabola,1952 **GR Cr**
97. **Euaresta bullans** (Wiedemann,1830) (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 **ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA**
98. **Euchirus longimanus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *longimanus* Linnaeus,1758; *celebicus* Ohaus,1913 **ID Amb Clb Crm Bru**
99. **Eupteryx cypria** (Ribaut,1948) (Cicadellidae) Synonym(s): *cypria* Ribaut,1948 **CY EG IL Pa GR Cr IR JO TR KG**
100. **Eupteryx gyaurdagicus** Dlabola,1957 (Cicadellidae) Synonym(s): *gyaurdagicus* Dlabola,1957 **GR Cr TR**
101. **Euscelidius mundus** (Haupt,1927) (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957 **AF IR IL Pa JO GR Cr TR KG KK**
102. **Fieberiella ida** Dlabola,1965 (Cicadellidae) Synonym(s): *ida* Dlabola,1965 **GR Cr**
103. **Forficula lurida** Fischer,1853 (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 **ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA**
104. **Forficula smyrnensis** Audinet-Serville,1839 (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839 **TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU**
105. **Geron olivierii** Macquart,1840 (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 **TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA**
106. **Gryllomorpha (s.str.) cretensis** Ramme,1927 (Gryllidae) Synonym(s): *cretensis* Ramme,1927 **GR Cr**
107. **Harpalus (s.str.) rubripes** Duftschmid,1812 (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY**
108. **Hercostomus chetifer** (Walker,1849) (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856 **GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA**
109. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 **AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR**
110. **Herophila tristis** (Linnaeus,1767) (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 **FR Co IT CH AT SS MK AL GR Cr BG TR RO HU**
111. **Hoplitis (Alcidamea) acuticornis** (Dufour & Perris,1840) (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 **AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR**
112. **Hoplitis (Annosmia) annulata** (Latreille,1811) (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
113. **Hoplitis (Annosmia) idaensis** (Warncke,1991) (Megachilidae) Synonym(s): *idaensis* Warncke,1991 **GR Cr TR**

114. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta Alfken,1935* GR Cr CY IL Pa JO SY TR
115. **Hoplitis (Anthocopa) cretaea (Tkalcu,1992)** (Megachilidae) Synonym(s): *cretaea Tkalcu,1992* GR Cr
116. **Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula Morawitz,1875* KG AM Cc GR Cr TR
117. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia Mavromoustakis,1948* GR Cr CY JO SY TR
118. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa Friese,1899* TR AL GR Cr HV? IL Pa SY JO
119. **Hoplitis (Prionhoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon Pérez,1879; carsophila Ducke,1899; seyrigi Benoist,1934* AL BG ES FR GR Cr HV IT PT SY TR
120. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata Morice,1901* AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
121. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis Friese,1895* AL GR Cr HV IT MK SS IL Pa JO SY TR
122. **Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici Friese,1899* GR Cr HV RO SY TR
123. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera Lackschewitz,1940* TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
124. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775* ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
125. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822; inaequalipes Macquart,1834; schoenherri Zetterstedt,1843; cinereus Perris,1847; vagus Hutton,1901; breviventris Becker,1902* BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
126. **Hydrotaea penicillata (Rondani,1866)** (Muscidae) Synonym(s): *penicillata Rondani,1866* FR Co PL CZ SK CH HU TR GR Cr
127. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775; aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868; kirschbaumi Baker,1924; lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
128. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898* AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
129. **Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): *naso Marshall,1888* Apanteles naso Marshall,1888, Trans. ent. Soc. Lond.: 203. TR GB BG Cr YU MN RU CH HU
130. **Illidops urgo (Nixon,1965)** (Braconidae) Synonym(s): *urgo Nixon,1965* Apanteles urgo Nixon,1965, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 2: 182. TR Cr Cc AZ MN HU
131. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria Linnaeus,1758; dentata Goeze,1778; bella Germar,1817; minima Charpentier,1825; fenestrata Brullé,1832* Gryllus (Mantis) oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
132. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans Van Der Linden,1820* AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
133. **Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis Reitter,1894* SY GR Cr IL Pa
134. **Lachnaia zoiyai Regalin,1997** (Chrysomelidae) Synonym(s): *zoiyai Regalin,1997* GR Cr
135. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
136. **Lasioglossum leucomontanum Ebmer,1981** (Halictidae) Synonym(s): *leucomontanum Ebmer,1981* Cr
137. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis Fabricius,1775* TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
138. **Leptochilus ebmeri Gusenleitner,1985** (Vespidae) Synonym(s): *ebmeri Gusenleitner,1985* GR Cr
139. **Leuctra cretica Zwick,1978** (Leuctridae) Synonym(s): *cretica Zwick,1978* GR Cr
140. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
141. **Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
142. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata Meigen,1824* RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE

143. **Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor Dejean,1822* TR Cr Rd GR SY
144. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* AF IR IL Pa IT SY TR GR Cr
145. **Machimus leucocephalus Janssens,1968** (Asilidae) Synonym(s): *leucocephalus Janssens,1968* GR Cr TR
146. **Macropsis heracleionica Dlabola,1967** (Cicadellidae) Synonym(s): *heracleionica Dlabola,1967* GR Cr
147. **Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987* GR Cr CY TR IT LY
148. **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM
149. **Malthinus lasithiensis Wittmer,1975** (Cantharidae) Synonym(s): *lasithiensis Wittmer,1975* GR Cr
150. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica Dejean,1822* IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
151. **Megascolia maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata Drury,1773; flavifrons Fabricius,1775; haemorrhoidalis Fabricius,1787; insignis Saussure,1858; versicolor Saussure,1859* FR IT Sa Si GR Cr TR TM
152. **Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli Seitner,1916* PT DZ FR IT SS B-H GR Cr TR
153. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum Linnaeus,1758; facultas Harris,1776; scalare Panzer,1797; mellarium Meigen,1822; melliturgus Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinsum Bigot,1884; nigricorne Stroble,1893* DZ US GB HU NL DE SE NO GR Cr TR
154. **Melillaia matsumuri (Metcalf,1955)** (Cicadellidae) Synonym(s): *acuminatus Matsumura,1908 (praeocc.); matsumuri Metcalf,1955* GR Cr IT Si
155. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860; obscuripennis Palma,1863; knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
156. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes Fabricius,1781; clauda Villers,1789; gravipes Rossi,1790; canipilus Rondani,1865; senilis Meigen,1822; albus Paramonov,1927; ater Paramonov,1927; niger Paramonov,1927; sacki Paramonov,1937* MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
157. **Montrouzieriellus falleni (Guérin-Méneville,1831)** (Pentatomidae) Synonym(s): *falleni Guérin-Méneville,1831; melacanthum Boisduval,1835; tenellus Walker,1867; apicalis Vollenhoven,1868; biguttata Vollenhoven,1868* PG Adl AU Bsm FJ ID Mlc NC MH NH WS SB Tah Glb Cro
158. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
159. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida Harris,1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
160. **Mycterodus (Semirodus) idomeneus Dlabola,1985** (Issidae) Synonym(s): *idomeneus Dlabola,1985* GR Cr
161. **Myriocheile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
162. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
163. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala Ferrari,1882; flaveolus Matsumura,1908; wagneri Lindberg,1954* ES Cn Md FR IR IT JP TR GR Cr YU IR
164. **Ochrilidia tibialis (Fieber,1853)** (Acrididae) Synonym(s): *tibialis Fieber,1853* TR Cr GR
165. **Oligopogon creticus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *creticus Geller-Grimm & Hradsky,2003* GR Cr
166. **Omaloplia (s.str.) corcyrae (Baraud,1965)** (Scarabaeidae) Synonym(s): *corcyrae Baraud,1965* AL BG Cr GR MK RO YU
167. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* AL BG Cr GR HU MK MD RO UA YU TR
168. **Omaloplia (s.str.) illyrica (Baraud,1965)** (Scarabaeidae) Synonym(s): *illyrica Baraud,1965* AL B-H BG Cr GR MK RO YU
169. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB

170. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
171. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767* RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr
172. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus Klug,1842* AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa
173. **Orchamus raulinii (Lucas,1854)** (Pamphagidae) Synonym(s): *raulinii Lucas,1854* GR Cr
174. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata Scopoli,1763; abdominalis Robineau-Desvoidy,1830; octopunctata Macquart,1835* DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK
175. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita Smith,1853; ruficollis Sichel,1873; fossoria Pérez,1890; duckei Friese,1899* AL GR Cr DZ EG TN CY IL Pa JO SY TR
176. **Osmia (Erythrosmia) andreoides Spinola,1808** (Megachilidae) Synonym(s): *andreoides Spinola,1808* AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
177. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
178. **Osmia (Helicosmia) cinctella Dours,1873** (Megachilidae) Synonym(s): *cinctella Dours,1873* GR Cr ES DZ
179. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata Morawitz,1870; taurica Radoszkowski,1874; rossica Friese,1899* AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
180. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR
181. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei Spinola,1806; nasidens Latreille,1811; quadricornis Kriechbaumer,1869; friesei Verhoeff,1892; iberoafricana Peters,1975* CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
182. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895* AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
183. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta Morawitz,1875* AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
184. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica Morawitz,1868; detrita Pérez,1879* AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
185. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris Morawitz,1868* AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
186. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados Zanden,1984* AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
187. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana Morawitz,1874; tetradonta Benoist,1934* BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
188. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola Ducke,1899; caelestina Benoist,1929; cypricola Mavromoustakis,1937; posti Mavromoustakis,1956; riemanni Warncke,1992* ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
189. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans Morawitz,1870; giraudi Schmiedeknecht,1886; hebraea Benoist,1934; canaria Mavromoustakis,1957; lanzarotae Warncke,1992; columbina Zanden,1996* CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
190. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor Latreille,1811; corrusca Erichson,1835; laeta Gistel,1857; algarbiensis Strand,1917; viricephalica Warncke,1992* AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
191. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984* AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
192. **Osmia (s.str.) ariadne Peters,1978** (Megachilidae) Synonym(s): *ariadne Peters,1978* GR Cr TR
193. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta Latreille,1805; divergens Friese,1920; neoregaena Mavromoustakis,1938; quasirufa Peters,1978* AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR

194. **Pachybrachis (s.str.) creticus** Weise,1886 (Chrysomelidae) Synonym(s): *creticus* Weise,1886
GR Cr
195. **Pachyscelis quadricollis** Brullé,1832 (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
GR Cr TR
196. **Pagiphora aschei** Kartal,1978 (Cicadidae) Synonym(s): *aschei* Kartal,1978 **Pagiphora aschei**
Kartal,1978, Ent. Z., Frankf. a. M. 88 (16): 179-185. TR GR Cr
197. **Paragus (Pandasyopthalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis*
Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar*
Schmmele,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 TR DZ GB HU NL
DE GR Cr
198. **Paragus (s.str.) bicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata*
Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus*
Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 TR DZ GB
HU GR Cr
199. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830
AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ
AM Cc CY LB TR
200. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor*
Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx*
Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE
FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
201. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE
NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
202. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839
PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
203. **Peripontius oertzeni** Schwarz,1897 (Elateridae) Synonym(s): *oertzeni* Schwarz,1897 GR
Cr
204. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL
AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
205. **Phasia (Hyalomya) pusilla** Meigen,1824 (Tachinidae) Synonym(s): *pusilla* Meigen,1824
PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co
Sa Si Cr
206. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798
ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
207. **Phasia mesnili** Draber-Monko,1965 (Tachinidae) Synonym(s): *mesnili* Draber-
Monko,1965; *theodori* Draber-Monko,1965 PT ES FR IT Co Si HU UA RU Cr CY
208. **Phasia venturii** Draber-Monko,1965 (Tachinidae) Synonym(s): *venturii* Draber-
Monko,1965 PT ES FR GR Cr
209. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius*
Linnaeus,1758; *leucothalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF
AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW
SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
210. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR
CH AT IT Sa Co Cr TR
211. **Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis* Rondani,1865
ES IT Si GR Cr TR
212. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens*
Fabricius,1803; *maculicornis* Mulsant,1852 AL DZ AT GR Cr FR IT MA PT ES TR YU
213. **Pimelia sericella** Solier,1836 (Tenebrionidae) Synonym(s): *sericella* Solier,1836 GR TR Cr
214. **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae) Synonym(s):
incerta Brunner von Wattenwyl,1882 TR GR Cr SY
215. **Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata*
Goeze,1778; *denticulata* Panzer,1796; *falcata* Zetterstedt,1821; *biedermanni* Wolff,1911; *occidentalis*
Zeuner,1930; *jerseyana* Zeuner,1940 ES TR DE GR Cr
216. **Platynopus melanoleucus (Westwood,1837)** (Pentatomidae) Synonym(s): *melanoleucus*
Westwood,1837; *varius* Amyot & Serville,1843; *polygraphus* Walker,1867 ID Ja Crm Mlc Clb Sum PH TW
217. **Platystoma arcuatum** Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856 FR GR
Cr TR SY IL Pa RO RU
218. **Ponapea arachnoides** Ruckes,1963 (Pentatomidae) Synonym(s): *arachnoides* Ruckes,1963
Cro
219. **Protaetia (Potosia) cretica** Kraatz,1880 (Scarabaeidae) Synonym(s): *cretica* Kraatz,1880
GR Cr
220. **Proteinus creticus** Assing,2004 (Staphylinidae) Synonym(s): *creticus* Assing,2004 TR GR
Cr
221. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s):
longiceps Friese,1899; *depauperata* Benoist,1928 GR Cr TR IL Pa JO SY LB

222. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
223. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 ES Cn CY FR IL YU GR Cr IT Si TR
224. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID
225. **Pseudosphegthes bergeri Slama,1982** (Cerambycidae) Synonym(s): *bergeri* Slama,1982 GR Cr
226. **Purpuricenens schurmanni Slama,1985** (Cerambycidae) Synonym(s): *schurmanni* Slama,1985; *creticus* Bernhauer,1985 Cr
227. **Pyrrhocoris niger Reuter,1888** (Pyrrhocoridae) Synonym(s): *niger* Reuter,1888 Cr RU TR
228. **Raphidia (Phidiara) biroi (Navas,1915)** (Raphidiidae) Synonym(s): *biroi* Navas,1915; *labyrinthica* H.Aspöck & U.Aspöck,1964 GR Cr
229. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
230. **Rhagio idaeus Becker,1908** (Rhagionidae) Synonym(s): *idaeus* Becker,1908 Cr GR
231. **Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003 GR Cr Rd SY CY IL Pa
232. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *hebraeum* Giordani & Soika,1952 Cn ES IT Si GR Cr TR OM IR EG JO
233. **Rhyarochromus minusculatus (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus* Reuter,1885 GR Cr FR IT Co Si TR YU
234. **Ricania hedenborgi Stal,1865** (Ricaniidae) Synonym(s): *hedenborgi* Stal,1865 Ricania hedenborgi Stal,1865, Öftver.Kongl. Vetensk. Akad. 22: Type: Rhodus. GR Rd Cr TR AM Cc
235. **Rivetina balcanica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *#balcanica* Kaltenbach,1963; *balcanica* La Greca & Lombardo,1982 Rivetina balcanica La Greca & Lombardo,1982, Animalia 9 (1/3): 356 [raised to specific level!]. TR GR Rd Cr
236. **Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911 TR Cr CY IT DE
237. **Sapromyza palpella Rondani,1868** (Leuxaniidae) Synonym(s): *palpella* Rondani,1868 FR GR Cr IT RO CH
238. **Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986 Sapyga morawitzi Turner,1911, Ann. Mag. nat. Hist. (8) 7: 309-310. Holotype: Iran: SW Persia (Escalera leg.) (BMNH). TR GR Cr IR
239. **Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 TR ES IR GB HU GR Cr
240. **Scaeva dignota (Rondani,1857)** (Syrphidae) Synonym(s): *dignota* Rondani,1857 GR Cr TR
241. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR Cr
242. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
243. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
244. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
245. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
246. **Stenopterus creticus Sama,1985** (Cerambycidae) Synonym(s): *creticus* Sama,1985 GR Cr
247. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fi Ny Tx YU
248. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926 GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU

249. **Syritta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824 TR US NL DE NO HU GR Cr
250. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
251. **Tachycixius creticus Dlabola,1974** (Cixiidae) Synonym(s): *creticus* Dlabola,1974 GR Cr TR
252. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 GR Cr TR IR KG RU UA YU AF PK
253. **Telostegus creticus Priesner,1965** (Pompilidae) Synonym(s): *cretensis* Priesner,1965 Gr Cr TR
254. **Tenodera costalis (Blanchard,1853)** (Mantidae) Synonym(s): *costalis* Blanchard,1853 ID Crm Clb NC
255. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta* Loew,1869 TR GR Cr IL Pa IR EG
256. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us
257. **Terellia zerovae Korneyev,1985** (Tephritidae) Synonym(s): *zerovae* Korneyev,1985 TR GR Cr TJ RO
258. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 Az Cn ES FR TN GB SE IT BG GR Cr
259. **Thamnotettix (s.str.) creticus Dlabola,1974** (Cicadellidae) Synonym(s): *creticus* Dlabola,1974 GR Cr TR
260. **Tillus pectinicornis Abeille,1892** (Cleridae) Synonym(s): *pectinicornis* Abeille,1892; *holtzi* Hintz,1902 GR Cr TR
261. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 Tipula lateralis Meigen,1804, Klass. Beschr. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
262. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 AF FR GR Cr IT MA PT ES CH UA YU TR
263. **Tribatus creticus Reitter,1884** (Staphylinidae) Synonym(s): *creticus* Reitter,1884 TR GR Cr
264. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900 GR Cr TR JO EG SY IL Pa Js
265. **Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787 ES IT Si YU AL Cr GR BG HV TR SY
266. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus* Fischer,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843 TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
267. **Troglophilus (Dasycelus) roeweri Werner,1928** (Raphidophoridae) Synonym(s): *roeweri* Werner,1928 GR Cr
268. **Troglophilus (Dasycelus) spinulosus Chopard,1921** (Raphidophoridae) Synonym(s): *spinulosus* Chopard,1921; *petrochilosi* Boudou-Saltet,1978 GR Cr
269. **Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937 TR GR Cr IN LY EG SY LB Bei
270. **Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus* Tournier,1873 TR GR Cr IL Pa SY
271. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
272. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae) Synonym(s): *neuenschwanderi* Freidberg,1982 TR GR Cr IT CN
273. **Urophora sirunaseva (Hering,1938)** (Tephritidae) Synonym(s): *sirunaseva* Hering,1938 GR Cr TR MD UA HU
274. **Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *inanis* Fabricius,1794; *fasciata* Verral,1900 GB HU GR Cr TR
275. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
276. **Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877 DZ MA LY Cy SY IL Pa Cr TR
277. **Zorochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus* Kiesenwetter,1858 GR Cr TR CY

Synonymic and distributional list of the pterygot insects of France

(Results of the Entomofauna of the World based upon info-system of the Cesa)

68

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of France (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 68.

Priamus (suppl.) 18: 2245-2319.

In this study, totally 1884 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of France recorded in info-system of the Cesa, total pterygot species of France increase to 6785.

Key words: List, distribution, *pterygota*, *Insecta*, France.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 1884 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 4901 recorded species of Lepidoptera from France are found. Taking this information into consideration, total number of the pterygots may increase to 6785.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Ce UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Ce
4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Ce GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Ablerus celsus (Walker,1839)** (Aphelinidae) Synonym(s): *celsus Walker,1839; britannicus Alam,1956* *Pteroptrix celsus Walker,1839, Monographia chalciditum 1: 16-17. Lectotype ♀: France: near Paris (BMNH).* TR GB FR
6. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
7. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* DE FR FI IT AT PL RO SE SS CZ HU
8. **Abraeus roubali Olexa,1958** (Histeridae) Synonym(s): *roubali Olexa,1958* FR SK CZ HU TR
9. **Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844* DZ Cn FR CY IT Si EG SY TR

10. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 AT BE BG TR CZ DK DE FR IT NL PL RO RU
11. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790 IT GR TR YU AL BG RO CH FR HU
12. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
13. **Acemya pyrrhocera (Villeneuve,1922)** (Tachinidae) Synonym(s): *pyrrhocera* Villeneuve,1922 ES FR IT Sa Si
14. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840 ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR
15. **Acericeris vitrina (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *vitrina* Kieffer,1909 FR CH DE CZ AT HU YU IT Si
16. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum,1868 AT FR DE IT RO GG Cc TR UA YU
17. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
18. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
19. **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
20. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stalii* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopardi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949 Truxalis *bicolor* Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). SL BF ZA ZR ET DZ EG FR SE TR BF IT
21. **Acrida ungarica (Herbst,1786)** (Acrididae) Synonym(s): *ungarica* Herbst,1786; *cypria* Dirsh,1949 ES FR HU CZ CY
22. **Acritus homoeopathicus Wollaston,1857** (Histeridae) Synonym(s): *homoeopathicus* Wollaston,1857 AL DK GB FR IT NL NO PL ES CZ UA
23. **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai* Lewis,1879 ES BE DE GR FR UA
24. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
25. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
26. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 Gryllus *insubricus* Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
27. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
28. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea* Fallén,1814; *aestiva* Meigen,1826; *gnaphalii* Loew,1844 AZ AM GG TR Cc FR EE KG LT MD UA RU YU
29. **Adarrus bellevoeyi (Puton,1877)** (Cicadellidae) Synonym(s): *bellevoeyi* Puton,1877 BE BG FR IT PL KG RU Sb
30. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
31. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (praeocc.); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
32. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
33. **Adoxomyia dahlii (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlii* Meigen,1830; *schineri* Lindner,1937; *personata* Lindner,1975 YU GR FR AT IT IL
34. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
35. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
36. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875 FI SE FR IT NO RU ES SZ TR MN

37. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808*; *goedellii A.Villa & G.B.Villa,1833*; *fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
38. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
39. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790*; *femorialis Paykull,1798*; *impressus Zoubkoff,1833*; *assimilis Sturm,1834*; *hochhuti Zaitsev,1908*; *transcaucasicus Zaitzev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
40. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina Curtis,1833* AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
41. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
42. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum Fieber,1877* FR GR IL IT Sa ES SY TN TR UA Cm
43. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791*; *grylloides Fabricius,1794*; *liliimacula O.Costa,1834*; *bifasciatus O.Costa,1834*; *smyrnensis Spinola,1839*; *dufourii Spinola,1839*; *sicula O.Costa,1840*; *zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
44. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820*; *cyanocephalus Bouché,1834*; *praysincola Silvestri,1907*; *anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
45. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838*; *pallida Walker,1851 (praecoc.)*; *ornatula Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
46. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium Duftschmid,1812* AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
47. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
48. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
49. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
50. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
51. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
52. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
53. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
54. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
55. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
56. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
57. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater Linnaeus,1767* AT CZ FI FR RO RU UA LT TR
58. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
59. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
60. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
61. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
62. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR

63. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799
AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
64. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus*
Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
65. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus* Rossi,1792 AT BG
FR Co IT GR MK SL CH ES TR?
66. **Agrothereutes parvulus (Habermehl,1926)** (Ichneumonidae) Synonym(s): *parvulus*
Habermehl,1926 TR FR BG
67. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840
DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
68. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata*
Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
69. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi*
Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922 Epacromia
simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India
(BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML
MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
70. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus*
Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acrydium
strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH).
LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD
CH SY TN YU
71. **Akis bacarozzo (Schrank,1786)** (Tenebrionidae) Synonym(s): *bacarozzo* Schrank,1786;
tuberculata Kraatz,1865 IT ES FR Co
72. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826;
elegantula Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-
Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala*
Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO
Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
73. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845;
insignita McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT
NL NO PL SE SW TR LV MD RU UA YU
74. **Allandrus fuscipennis (Guillebaui,1891)** (Anthribidae) Synonym(s): *fuscipennis*
Guillebaui,1891; *rufipennis* Rey,1893 FR
75. **Allandrus therondi (Tempere,1954)** (Anthribidae) Synonym(s): *therondi* Tempere,1954 FR
76. **Allandrus undulatus (Panzer,1795)** (Anthribidae) Synonym(s): *undulatus* Panzer,1795; *edgreni*
Fahraeus,1839 DE FR ES AT IT ...
77. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820;
flavipennis Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
78. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes* Fieber,1836 AL BG CZ
FR RU ES CH IT Si SK YU TR GR
79. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824
TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
80. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784
(*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG
GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
81. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL
DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
82. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT
CS FR HU IR IT IL PL RO Cc AM MD UA YU
83. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata*
Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus*
Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL
NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
84. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE
GR IT Sa MA NL PL RO ES TN RU UA YU TR
85. **Allygus provincialis (Ferrari,1882)** (Cicadellidae) Synonym(s): *provincialis* Ferrari,1882 BG
FR IT MA PT
86. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli*
Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc
GG LV RU UA YU
87. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica*
Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857;
trophina Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola*
Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE
CH TR UA KK KG US CN Ui JP

88. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
89. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
90. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA KG
91. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
92. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
93. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
94. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalensis* Schuler,1964 AL HV FR Co GR IT MA SL ES TR DZ CY SY
95. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jabllokoff & Khnזורian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
96. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
97. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
98. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
99. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiac* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
100. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekich* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
101. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
102. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
103. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
104. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
105. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui

106. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
107. **Amara (s.str.) morio Ménériés,1832** (Carabidae) Synonym(s): *morio* Ménériés,1832 AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
108. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gm Mc She Sz Ti Ui Yu
109. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
110. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO TR UA UZ CN Gm Mc She Sz Ti Ui Yu
111. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
112. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
113. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
114. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
115. **Ameles africana Bolivar,1914** (Mantidae) Synonym(s): *africana* Bolivar,1914 DZ MA FR Co HV IT Si Sa PT
116. **Ameles decolor (Charpentier,1825)** (Mantidae) Synonym(s): *decolor* Charpentier,1825 ES FR DZ IT Si MK GR
117. **Ameles spallanzania (Rossi,1792)** (Mantidae) Synonym(s): *spallanzania* Rossi,1792; *nana* Charpentier,1825; *brevis* Rambur,1838; *soror* Audinet-Serville,1839; *gracilis* Brullé,1840; *abjecta* Bolivar,1897 AL DZ FR GR IT HV MA PT ES
118. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
119. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
120. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
121. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
122. **Anaglyptus gibbosus (Fabricius,1787)** (Cerambycidae) Synonym(s): *gibbosus* Fabricius,1787 DZ ES FR Co IT SS CH HV
123. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
124. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
125. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU

126. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
127. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
128. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820 IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
129. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
130. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
131. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 IT DZ EG FR IL Pa LY PT ES TN TM SA SD
132. **Ancistrocerus auctus (Fabricius,1793)** (Vespidae) Synonym(s): *auctus* Fabricius,1793 FR IQ IL Pa JO Pet Amm TR
133. **Ancistrorycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
134. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 AT AL FR GR IT RO TR YU KG SR IL Pa
135. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
136. **Andrenosoma albopilosum Villeneuve,1911** (Asilidae) Synonym(s): *albopilosum* Villeneuve,1911 FR Co
137. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
138. **Andrenosoma bayardi Séguy,1952** (Asilidae) Synonym(s): *bayardi* Séguy,1952 FR
139. **Andrenosoma cyrtoxys Séguy,1952** (Asilidae) Synonym(s): *cyrtoxys* Séguy,1952 IT FR
140. **Andrenosoma leucogenys Séguy,1952** (Asilidae) Synonym(s): *leucogenys* Séguy,1952 FR
141. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 *Andricus amenti* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
142. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
143. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
144. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
145. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
146. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 FR IT AT B-H HU GR BG RO UA TR
147. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
148. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
149. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 nec Wachtl.,1879; *gallaevicosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR
150. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
151. **Andricus gallaurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 PT ES FR GB AT IT YU HU UA RO BG GR TR
152. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
153. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin &

- Maisuradze,1961* **Andricus grossulariae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
154. **Andricus infectorius** (Hartig,1843) (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903 FR IT Si AT CZ SK PL HU RO YU GR TR BY
155. **Andricus inflator** Hartig,1840 (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
156. **Andricus kollari** (Hartig,1843) (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
157. **Andricus lignicolus** (Hartig,1840) (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuuwen & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
158. **Andricus lucidus** (Hartig,1843) (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
159. **Andricus malpighi** (Adler,1881) (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 ES FR GB IE BE NL DE DK HU IT BG TR
160. **Andricus quercuscalicis** (Burgsdorf,1783) (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
161. **Andricus quercuscorticis** (Linnaeus,1761) (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901 PT ES FR GB IE DE DK SE PL UA MD RO HU TR
162. **Andricus quercusradicis** (Fabricius,1789) (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902 PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
163. **Andricus quercusramuli** (Linnaeus,1761) (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
164. **Andricus quercustozae** (Bosc,1792) (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR
165. **Andricus solitarius** (Fonscolombe,1832) (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Ce IR DZ
166. **Anechura bipunctata** (Fabricius,1781) (Forficulidae) Synonym(s): *bipunctata* Fabricius,1781; *asiatica* Semenov,1903; *fabricii* Fieber,1854 ES TR RU FR SK AM KG UZ
167. **Aneomochtherus confusus** (Tsacas,1965) (Asilidae) Synonym(s): *confusus* Tsacas,1965 FR ES CH
168. **Aneomochtherus flavicornis** (Ruthe,1831) (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 AT CZ DE FR HU IT RO CH BG GR
169. **Aneomochtherus flavipes** (Meigen,1820) (Asilidae) Synonym(s): *flavipes* Meigen,1820 AT DE CH FR HU GR RO RU KG
170. **Anicetus italicus** (Masi,1917) (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965 AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
171. **Anisops sardeus** Herrich-Schäffer,1849 (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849 RU Cn FR Co TR SD IN CN Ui
172. **Anoplus viaticus** (Linnaeus,1758) (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
173. **Anoplotettix fuscovenosus** (Ferrari,1882) (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
174. **Anoplotrupes sterocorosus** (Scriba,1791) (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884 PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
175. **Anoscopus albifrons** (Linnaeus,1758) (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata*

- Ribaut,1952; blotei Metcalf,1963* AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
176. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
177. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
178. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
179. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata Roubal,1913; incognita Bily,1974* AT YU CZ FR DE IT SK ES CH TR UA
180. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula Illiger,1803* AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
181. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* DZ YU GR Cr FR IT MA PT ES RU Cc TR
182. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica Mannerheim,1837* AT YU CZ FR DE HU IT SK UA
183. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
184. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* AT YU CZ FR DE HU IT RU SK ES CH UA TR
185. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum Pérez,1890; troodicum Mavromoustakis,1949* FR CY GR Rd LB IL Pa Js TR TN
186. **Anthidium (Archanthidium) laeviventre Dours,1873** (Megachilidae) Synonym(s): *laeviventre Dours,1873; atlanticum Benoist,1934; ibericum Mavromoustakis,1939;* MA DZ ES FR
187. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium Giraud,1863; excisum Mocsary,1884* FR IT ES BG Cc AM Eri TR
188. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969.* FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord
189. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenck,1868; sexmaculatum Chevriér,1872; perrisii Dours,1873; ifranicum Cockerell,1931; confluens Alfken,1931* MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
190. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841; integrum Eversmann,1852; curvipes Smith,1872; melanostomum Costa, 1884; foliivolutor Fertton,1921* FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR
191. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum Dours,1873; littorale Morawitz,1874; holozonicum Mavromoustakis,1939; kvakium Mavromoustakis,1939; wahrmani Mavromoustakis,1948* FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ
192. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852; floripetum Eversmann,1852; stigmaticorne Dours,1873; cribratum Morawitz,1875; petechiale Morawitz,1875; nanum Mocsary,1879; leucostoma Costa,1883; peregrinum Costa,1884; eversmanni Radoszkowski,1886; fraternum Perez,1895; astilleri Dusmet,1915; grandi Alfken,1937; karakalense Popov,1952; canariense Mavromoustakis,1954* FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
193. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum Klug,1832; nigricolle Morawitz,1876; dilobum Pérez,1895; moricei Friese,1911; royoï Dusmet,1915; flavicolle Friese,1917; flaviventre Friese,1917* SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN
194. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum Mocsary,1884; tegulare Morawitz,1886; mocsaryi Friese,1897; kindermanni Mavromoustakis,1954* ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa
195. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense Giraud,1863; ducale Morawitz,1876; moreense Friese,1917; pyrenaicum Alfken,1927; jerusalemicum Mavromoustakis,1938* IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js
196. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum Latreille,1809; rufiventre Brullé,1832; quadridentatum Lepeletier,1841; fuscipenne Lepeletier,1841; binominatum Smith,1854; sexlineatum Chevriér,1872; fasciale Friese,1917; rufocinctum Alfken,1930; nigrosetosum Stanek,1968* ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord

197. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum Fabricius,1787; ordonezi Dusmet,1915; amismizianum Dusmet,1915* MA DZ TN LY Cy IT Si PT ES FR
198. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema Latreille,1809; ornatum Lepeletier,1841; albiventris Lepeletier,1841; radoszowskyi Mocsary,1887; seraxense Radoszowski,1893; terminale Morawitz,1894; caucasicum Friese,1897* DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
199. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum Latreille,1809; fasciatum Latreille,1809; sulphureum Lepeletier,1841; affine Morawitz,1873; monile Friese,1897; nostrum Radoszowski,1893* FR ES IT Si TM MA DZ HV GR Rd TR IL Pa
200. **Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina Panzer,1804; resinana Schilling,1829; pyrenaica Lepeletier,841; rotundiventris Perris,1852; zeitzi Cockerell,1925* DE ES FR RU TR Cc
201. **Anthocoris butleri Le Quense,1954** (Anthocoridae) Synonym(s): *butleri Le Quense,1954* ES FR GB SE BE NL DE CZ AT IR Elb Mz
202. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus Fieber,1836* FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
203. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
204. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
205. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
206. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
207. **Anthocoris visci Douglas,1889** (Anthocoridae) Synonym(s): *visci Douglas,1889* ES FR GB BE NL DE CZ YU MK TR IR Kd
208. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus Erichson,1840* DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
209. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
210. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax Schrank,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
211. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
212. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
213. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
214. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
215. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
216. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
217. **Anthrenus (Florilus) oberthueri Reitter,1881** (Dermestidae) Synonym(s): *oberthueri Reitter,1881* FR Co IT Si Py DZ TN
218. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): *munroi Hinton,1943* TR BG FR Co CY ES IT
219. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes Meigen,1820; tibialis Megerle,1820; macrurus Ruthe,1831; xanthopygus Ruthe,1831; aurifluus Zeller,1840; tenax Zeller,1840; mollis Loew,1871; flabellifer Pandellé,1905* AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
220. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
221. **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie Wilkinson,1932* Apanteles gallerie Wilkinson,1932, Stylops 1: 139. TR US AR MU IN FR HU IL Pa
222. **Apanteles ingenuoides Papp,1971** (Braconidae) Synonym(s): *ingenuoides Papp,1971* Apanteles ingenuoides Papp,1971, Anns. Hist. Nat. Mus. Natn. Hung. 63: 307-363. TR FR BG HU MN

223. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794 **FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR**
224. **Aphodius (Bodilus) hydrohoeris (Fabricius,1798)** (Scarabaeidae) Synonym(s): *hydrohoeris* Fabricius,1798 **FR**
225. **Aphrodes albiger (Germar,1821)** (Cicadellidae) Synonym(s): *albiger* Germar,1821; *kirschbaumi* Edwards,1920; *nudus* Wagner,1937; *salinus* Wagner,1937; *deleta* Ribaut,1952 **AT CZ GB FR DE NL PL RU TR**
226. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schränk,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU**
227. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciatus* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 **AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR**
228. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821 **AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU**
229. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 **AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU**
230. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum,1868; *integer* Wagner,1937 **DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU**
231. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 **AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU**
232. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea* Germar,1821 **AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR**
233. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 **AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU**
234. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
235. **Apistomyia elegans Bigot,1862** (Blephariceridae) Synonym(s): *elegans* Bigot,1862 **FR Co**
236. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858 **TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH**
237. **Apoderus coryli (Linnaeus,1758)** (Atelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 **DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR**
238. **Apolysis cinerea (Séguy,1926)** (Bombyliidae) Synonym(s): *cinerea* Séguy,1926 **IT FR**
239. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 **AZ BG FR GG IT ES TR MA TN IL Pa**
240. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 **AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa**
241. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; **ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc**
242. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb**
243. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *contii* Erdős,1954; *rugosus* Erdős,1954 **CZ FR GR HU GB IE NL RU Us SK SE TR**
244. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 **AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR**
245. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 **AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR**
246. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 **AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR**

247. **Aprostocetus decrescens (Graham,1991)** (Eulophidae) Synonym(s): *decrescens* Graham,1991 TR FR GB SE CN Kwa
248. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 GB FR DE CZ SK HU IT GR SE TR
249. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 GR FR NL DE DK SE FI PL CZ SK IT YU TR
250. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 FR DE IT CZ AT HU MD GR TR
251. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 TR PT ES FR GB NO SE DK DE CZ HU GR
252. **Aprostocetus productus Graham,1987** (Eulophidae) Synonym(s): *productus* Graham,1987 TR FR
253. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 TR FR GB DK DE NO SE FI UA CZ HU IT GR
254. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
255. **Aprostocetus terebrans Erdős,1954** (Eulophidae) Synonym(s): *terebrans* Erdős,1954 TR GB FR NO SE DE CZ SK HU
256. **Aprostocetus tymbor (Walker,1839)** (Eulophidae) Synonym(s): *tymbor* Walker,1839 TR GB FR NL SE PL CZ SK YU IT
257. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
258. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937 AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
259. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata* Ribaut,1952 BG CS FR DE HU NL PL RO SW MD RU UA YU
260. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta* Melichar,1897; *spathulata* Ribaut,1931 FR DE IT CH RU Sb UA YU TR
261. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
262. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
263. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *seljuki* Benson,1968; *fuscineris* Lindqvist,1974 ES FR SE DE PL RU Sb DZ TR CA
264. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
265. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
266. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
267. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
268. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
269. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
270. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensis* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
271. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata* Zaddach,1859 FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
272. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879 FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
273. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
274. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
275. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840 ES FR DE IT AT BG TR

276. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794*; *#scutellaris Stichel,1961*; *neocustos Ahmad & Önder,1990*; *neoinsperata Ahmad & Önder,1990* **DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE**
277. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus Flor,1861*; *pallipes Kirschbaum,1868*; *pusillus Kirschbaum,1868*; *productus Thomson,1869*; *haupti Lindberg,1924*; *ocellatus Cerutti,1939* **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA**
278. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps Kirschbaum,1868*; *longivalvis Kirschbaum,1868*; *linnei Fieber,1869* **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD**
279. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum Flor,1861*; *paucinervis Sahlberg,1871* **AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU**
280. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons Kirschbaum,1868* **AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU**
281. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821*; *diminutus Kirschbaum,1858* **AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU**
282. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis Linnaeus,1758* **IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB**
283. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794*; *divisa Rey,1891* **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
284. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus Linnaeus,1758* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
285. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus Germar,1817* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
286. **Atholus debeauxi (Moro,1942)** (Histeridae) Synonym(s): *debeauxi Moro,1942* **FR**
287. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus Schrank,1781* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
288. **Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis Gautier des Cottés,1858* **BG FR GR HU IT RU SK SL TR**
289. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922*; *torgnyensis Goetghebuer,1949* **AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA**
290. **Attagenus (s.str.) quadrimaculatus Kraatz,1858** (Dermestidae) Synonym(s): *quadrimaculatus Kraatz,1858* **FR YU Cc TR**
291. **Attalus cyaneus (Fabricius,1792)** (Melyridae) Synonym(s): *cyaneus Fabricius,1792*; *erythroderus Erichson,1840* **MT TN DZ ES FR Sa Si IT**
292. **Attalus maculicollis (Lucas,1849)** (Melyridae) Synonym(s): *maculicollis Lucas,1849* **TN MA DZ FR MT**
293. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763*; *curculionoides Linnaeus,1767*; *coryli Müller,1776*; *maculipes Rondani,1833* **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
294. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus Szilady,1915* **DZ RO AT FR TR**
295. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus Voss,1934* **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
296. **Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens Kiesenwetter,1852*; *cisticola Fairmaire,1859*; *subplumbeus Chevrolat,1860* **DZ FR ES Co PT IT Sa GR TR**
297. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros Ratzeburg,1844*; *skianeurus Ratzeburg,1848* **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
298. **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula Ribaut,1935* **AF FR IR IT MA TN**
299. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855*; *quadrisignata Flor,1861*; *homeyeri Kirschbaum,1868*; *fieberi Vismara,1878*; *laevis Bergevin,1934 (praeocc.)*; *zachvatkini Vilbaste,1961*; *nasti Dlabola,1964*; *deserticola Dlabola,1964* **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
300. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata Lethierry,1884*; *artemisiae Haupt,1924* **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU**
301. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus Schrank,1798* **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**
302. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata Fabricius,1803 (praeocc.)*; *notata Fabricius,1803 (praeocc.)*; *larvatus Herrich-Schäffer,1835* **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**

303. **Balclutha nicolasi (Lethierry,1876)** (Cicadellidae) Synonym(s): *nicolasi* Lethierry,1876; *eos* Haupt,1927 **FR IL UZ**
304. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
305. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
306. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
307. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 **TR BG CZ FR DE HU IT RU SE GB YU**
308. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
309. **Batracomorphus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794 (*praeocc.*); *allionii* Turton,1802; *fabricii* Metcalf,1955 **AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb**
310. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 **AF AL AT BE BG CN Ui CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU**
311. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 **AT AZ Cc BE CZ FR HU MD ES CH TN TR**
312. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 **AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR**
313. **Bellardia corsicana (Villeneuve,1911)** (Calliphoridae) Synonym(s): *corsicana* Villeneuve,1911 **FR Co**
314. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Séguy,1928 **BG CZ DK FR DE HU IT PL NO RO SK ES**
315. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 **BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB**
316. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 **AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB**
317. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 **US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB**
318. **Bembecinus crassipes (Handlirsch,1895)** (Crabronidae) Synonym(s): *crassipes* Handlirsch,1895 **ES FR**
319. **Bembecinus hungaricus (Fivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Fivaldsky,1876 **HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA**
320. **Bembecinus insulanus De Beaumont,1954** (Crabronidae) Synonym(s): *insulanus* De Beaumont,1954 **Co Sa FR IT**
321. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
322. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 **AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP**
323. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 **AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL**
324. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837 **AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU**
325. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ**
326. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ**

327. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
328. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
329. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
330. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
331. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum Fabricius,1792* AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
332. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
333. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
334. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
335. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
336. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
337. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
338. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
339. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
340. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
341. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
342. **Berytinus distinguendus (Ferrari,1874)** (Berytidae) Synonym(s): *distinguendus Ferrari,1874* FR IT TR YU
343. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
344. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes Meigen,1818; dorsalis Meigen,1818; flavicollis Meigen,1818; ephippium Zetterstedt,1838; tancrei Duda,1930* ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
345. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930* PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
346. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis Linnaeus,1767; marginalis Geoffroy,1785; pyri Fabricius,1794; hyalinus Meigen,1804; praecox Meigen,1804; nigrifemus Strobl,1900; jacobi Villeneuve,1924* ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
347. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus Wiedemann,1818; vernalis Meigen,1818* ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
348. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus Meigen,1804* GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
349. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846* PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
350. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG

351. **Bibio reticulatus** Loew,1846 (Bibionidae) Synonym(s): *?villosus* Meigen,1818; *reticulatus* Loew,1846 ES FR GB BE NL DE PL RU HU CZ SK CH AT
352. **Bibio varipes** Meigen,1830 (Bibionidae) Synonym(s): *?rufitarsis* Meigen,1818; *varipes* Meigen,1830; *atripes* Duda,1930; *ringdahli* Duda,1930 ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
353. **Bibio venosus** Meigen,1804 (Bibionidae) Synonym(s): *venosus* Meigen,1804 ES GB FR BE DK DE SE PL CZ SK HU CH AT
354. **Biorhiza pallida** (Olivier,1791) (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaealveariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* HArtig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
355. **Blakeius bipunctatus** (Latreille,1792) (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958 FR ES IT GR CY SY MA DZ TN
356. **Bombomyia discoidea** (Fabricius,1794) (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 *nec Oliv.*,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
357. **Bombomyia vertebralis** (Dufour,1833) (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec De Geer*,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
358. **Bombylella atra** (Scopoli,1763) (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
359. **Bombylisoma brevisculum** (Loew,1855) (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
360. **Bombylisoma croaticum** (Kertész,1901) (Bombyliidae) Synonym(s): *barbula* Loew,1855 *nec Pall.*,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
361. **Bombylisoma melanocephalum** (Fabricius,1794) (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
362. **Bombylisoma minimum** (Scopoli,1771) (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
363. **Bombylisoma nigriceps** (Loew,1862) (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
364. **Bombylius (s.str.) agilis** Olivier,1789 (Bombyliidae) Synonym(s): *agilis* Olivier,1789 FR
365. **Bombylius (s.str.) ambustus** Pallas & Wiedemann,1818 (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus** Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
366. **Bombylius (s.str.) analis** Olivier,1789 (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
367. **Bombylius (s.str.) angulatus** Macquart,1826 (Bombyliidae) Synonym(s): *angulatus* Macquart,1826 FR IT
368. **Bombylius (s.str.) brevirostris** Olivier,1789 (Bombyliidae) Synonym(s): *brevirostris* Olivier,1789 FR
369. **Bombylius (s.str.) canescens** Mikan,1796 (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
370. **Bombylius (s.str.) cinerarius** (Pallas & Wiedemann,1818) (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
371. **Bombylius (s.str.) cinerascens** Mikan,1796 (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
372. **Bombylius (s.str.) cinereus** Olivier,1789 (Bombyliidae) Synonym(s): *cinereus* Olivier,1789 FR
373. **Bombylius (s.str.) citrinus** Loew,1855 (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU

374. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor Mikan,1796* DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
375. **Bombylius (s.str.) dorsalis Olivier,1789** (Bombyliidae) Synonym(s): *dorsalis Olivier,1789* FR
376. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
377. **Bombylius (s.str.) fulvipes Villers,1789** (Bombyliidae) Synonym(s): *fulvipes Villers,1789* FR
378. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
379. **Bombylius (s.str.) maurus Olivier,1789** (Bombyliidae) Synonym(s): *maurus Olivier,1789; bombylius Villers,1789* FR
380. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
381. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
382. **Bombylius (s.str.) morio Olivier,1789** (Bombyliidae) Synonym(s): *morio Olivier,1789* FR IT
383. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
384. **Bombylius (s.str.) nanus Meigen,1838** (Bombyliidae) Synonym(s): *pygmaeus Macquart,1834 nec Fabr.,1781; nanus Meigen,1838* FR IT
385. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
386. **Bombylius (s.str.) nudus Villers,1789** (Bombyliidae) Synonym(s): *nudus Villers,1789* FR
387. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
388. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
389. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
390. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
391. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevisrostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
392. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
393. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
394. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus Fabricius,1798; leucopogon Meigen,1804* AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
395. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus Duda,1923* BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU

396. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
397. **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau,1836 TR ES FR IT Sa Co BG GR
398. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
399. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
400. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
401. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
402. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
403. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis* Dejean,1826 BE HV FR IT ES TR DZ MA TN IR IL Pa SY
404. **Brachycephalus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
405. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus* Latreille,1807; *muricatus* Olivier,1790; *planirostris* Gyllenhal,1833; *sulcifrons* Gyllenhal,1833; *cirrosus* Gyllenhal,1840; *perodiosus* Gyllenhal,1840; *semiaeneus* Desbrochers,1871; *carinula* Rey,1894; *exemptus* Rey,1894; *attenuatus* Vit.,1903 DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
406. **Brachycerus lutosus Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus* Gyllenhal,1833; *cinereus* Bedel,1874; *graecus* Zumpt,1937 FR IT YU GR TR
407. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus* Fabricius,1798 DZ ES FR IT Si Sa Co YU GR Cr TR
408. **Brachygluta helperi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helperi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
409. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
410. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
411. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
412. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
413. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
414. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
415. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
416. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf Fl NMx Ny Tx TR PK Qu BI UZ
417. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
418. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB

419. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834
RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
420. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s):
discoideus Wesmael,1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
421. **Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s):
fumipennis Thomson,1892 RU YU HU PL SE FI AT FR GB TR
422. **Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida*
Wesmael,1838 TR RO YU HU AT BE IT FR GB
423. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s):
maculiger Wesmael,1838 JP RU TJ TM RO HU AT BE IT FR TR
424. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator*
Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
425. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger*
Wesmael,1838 TR JP KG Cc RU RO CZ HU AT IT BE FR GB
426. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator*
Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
427. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urinator*
Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
428. **Bruchophagus mutabilis Nikolskaya,1952** (Eurytomidae) Synonym(s): *mutabilis*
Nikolskaya,1952 IR Qz BG FR KG
429. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi*
Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX
MD NL NZ PL PE RO RU SK TR UA US UZ YU
430. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis*
Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
431. **Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus*
Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842 ES IL
Pa TR IQ FR ES PT
432. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis* Mulsant &
Rey,1855; *taeniops* Fieber,1868 AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
433. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera*
O.Costa,1840 AT FR HU IT ES TN YU
434. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758;
violaceus Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus*
Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea*
Donovan,1794 BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
435. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi* Linnaeus,1758; *auratus*
Fourcroy,1785 DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
436. **Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): *filum* Rossi,1790 GR Cc TR
SK CZ FR
437. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 CN
FR GR TR HU IT RO RU
438. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes*
Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 AT BE CZ DK FI FR DE GB HU IT MN NL
PL SE RU EE TJ UZ YU TR
439. **Callimus abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): *abdominalis*
Olivier,1795 ES FR Co IT Si B-H HV TR?
440. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836;
ictericus Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minus* Ivanov,1888;
deserticola Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943;
chopardi Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus*
Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, Fauna del regno Napoli,
Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa
CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
441. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758;
germanicus Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellus* Serville,1838;
cerisanus Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata*
Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927;
reductus Ramme,1927; *afghanus* Ramme,1952 Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat.
(Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc
AZ AM GG KG RU AF
442. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859;
girardi Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
443. **Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882;
villarrubiae Tavares,1930; *glandulosa* Weld,1930 PT ES FR HU GR TR

444. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
445. **Calopteryx haemorrhoidalis (Van Der Linden,1825)** (Calopterygidae) Synonym(s): *haemorrhoidalis Van Der Linden,1825* ES FR IT Si Sa Co MA DZ
446. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colchicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
447. **Calopteryx xanthostoma (Charpentier,1840)** (Calopterygidae) Synonym(s): *xanthostoma Charpentier,1840* ES FR IT Si
448. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784* AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
449. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
450. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
451. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis Hendel,1927; tessellata Zetterstedt,1847* TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
452. **Cantharis annularis Ménétriés,1836** (Cantharidae) Synonym(s): *annularis Ménétriés,1836* TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
453. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris Fallén,1807* TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
454. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
455. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
456. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774* TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
457. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
458. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
459. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
460. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849* TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU
461. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
462. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
463. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758* AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
464. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
465. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
466. **Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae) Synonym(s): *anticus Erichson,1840* FR TR
467. **Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): *annulosus Fieber,1859* TR DE RU CY FR Co
468. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856* TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
469. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis Pallas,1771; rhodoptilus Charpentier,1825; subcoerulipennis Charpentier,1825; #arbonarius Uvarov,1917* TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG
470. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus Fairmaire,1851; walkeri Funkhouser,1927* DZ EG MA FR ES PT TN

471. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
472. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes* Meigen,1826 DE AT FR ES CH IT HU CZ NL SK
473. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822 ES DZ TN IT Sa Si FR TR GR Cr BG
474. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
475. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
476. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
477. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
478. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947 AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
479. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
480. **Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) Synonym(s): *schaefferi* Linnaeus,1758 FR BG TR RU
481. **Ceroxys hortulana (Rossi,1790)** (Ulidiidae) Synonym(s): *hortulana* Rossi,1790 UA B-H HV MD FR RO
482. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
483. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787 PT ES FR IT MT GR Cr Cc TR UA Cm RU
484. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
485. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
486. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
487. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
488. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
489. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
490. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
491. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
492. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA

493. **Ceutorhynchus sophiae** Gyllenhal,1837 (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
494. **Ceutorhynchus subpilosus** Brisoth,1869 (Curculionidae) Synonym(s): *subpilosus* Brisoth,1869 AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
495. **Ceutorhynchus sulcicollis** (Paykull,1800) (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
496. **Ceutorhynchus turbatus** Schultze,1903 (Curculionidae) Synonym(s): *turbatus* Schultze,1903 AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
497. **Cheilotoma musciformis** (Goeze,1777) (Chrysomelidae) Synonym(s): *musciformis* Goeze,1777 FR UA PL Cc
498. **Cheironitis hungaricus** (Herbst,1789) (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR
499. **Chelostoma (Foveosmia) campanularum** (Kirby,1802) (Megachilidae) Synonym(s): *campanularum* Kirby,1802 AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
500. **Chelostoma (Foveosmia) distinctum** (Stöckert,1929) (Megachilidae) Synonym(s): *distinctum* Stöckert,1929 AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
501. **Chelostoma (Foveosmia) foveolatum** (Morawitz,1868) (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868 AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR
502. **Chelostoma (Gyrodromella) nasutum** Pérez,1895 (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897 DZ BG ES FR GR TR?
503. **Chelostoma (Gyrodromella) rapunculi** (Lepelletier,1841) (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevriér,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
504. **Chelostoma (s.str.) emarginatum** (Nylander,1856) (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevriér,1872; *intermedia* Chevriér,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
505. **Chelostoma (s.str.) florissomnis** (Linnaeus,1758) (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepelletier,1841; *parumerinitus* Alfken,1932 AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
506. **Chelostoma (s.str.) mocsaryi** Schletterer,1889 (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 BG HV FR GR IT Si UA Cc TR IL Pa
507. **Chelostoma (subgen?) ventrale** Schletterer,1889 (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
508. **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
509. **Chilotomina nigratarsis** (Lacordaire,1848) (Chrysomelidae) Synonym(s): *nigratarsis* Lacordaire,1848 FR ES
510. **Chirota terebrator** Horstmann,1983 (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 FR IT Si DZ TR IL Pa IR
511. **Chlaenius (Chlaeniellus) nigricornis** (Fabricius,1787) (Carabidae) Synonym(s): *nigricornis* Fabricius,1787 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
512. **Chlaenius (Chlaeniellus) nitidulus** (Schrank,1781) (Carabidae) Synonym(s): *nitidulus* Schrank,1781 AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
513. **Chlaenius (Chlaeniellus) tristis** (Schaller,1783) (Carabidae) Synonym(s): *tristis* Schaller,1783 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
514. **Chlaenius (Chlaeniellus) vestitus** (Paykull,1790) (Carabidae) Synonym(s): *vestitus* Paykull,1790 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
515. **Chlaenius (Chlaenites) spoliatus** (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
516. **Chlaenius circumscriptus** Duftschmid,1812 (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812 AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
517. **Chlaenius decipiens** L.Dufour,1820 (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG

518. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
519. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens* Fieber,1866; *alba* Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata* Metcalf,1943 Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
520. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948 ES FR DE IT Si AT BG CY TR EG IL MA TR KG
521. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
522. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa* Ribaut,1933 AT BG CS FI FR DE IT PL RO SE KG
523. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939 AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
524. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
525. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
526. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata* Meigen,1820 IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
527. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva* Linnaeus,1758; *rufa* De Geer,1776; *bilineata* Walker,1849 IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
528. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata* Linnaeus,1758; *nigra* Scopoli,1763; *media* Müller,1765; *aurea* Olivier,1789; *anthrax* Meigen,1804; *nigrifrons* Megerle,1820; *fulgida* Meigen,1820; *podagrica* Meigen,1820; *chrysocephala* Meigen,1820; *strandii* Duda,1940 IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
529. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880 DE AT BE BG CZ FR IT Cc TR HU RO UA YU
530. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857 ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
531. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
532. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
533. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagens* Eversmann,1848 TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
534. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
535. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétriés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
536. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
537. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Companyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
538. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col Fl NMx Ny Tx YU

539. **Chrysolina affinis (Fabricius,1787)** (Chrysomelidae) Synonym(s): *affinis Fabricius,1787*
DZ IT FR Si ES TN
540. **Chrysolina coeruleans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coeruleans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Ui AF IR RU TM UZ IQ
541. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata Paykull,1799*
DE BG CZ FR IT NO RO YU Cc TR
542. **Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera Linnaeus,1758* FR Cc TR IR
543. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri Weise,1884; pseudolurida Roubal,1917; bakuensis Bechyne,1952; jailensis Bechyne,1952* FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
544. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus Loew,1857*
EG GR TR DZ ES Cn FR IT RU Am
545. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis Kowarz,1874* GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
546. **Chunrocercus pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): *pruni Ribaut,1952* BG FR IT RU Cc Da
547. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
548. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemii Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954* AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
549. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni Stal,1854 (praeocc.); querula Pallas,1773; paliuri Kolenati,1857* Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
550. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912* AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
551. **Cicadetta aestuans (Fabricius,1794)** (Cicadidae) Synonym(s): *aestuans Fabricius,1794; algira Fabricius,1803* DZ FR GR TN
552. **Cicadetta argentata (Olivier,1790)** (Cicadidae) Synonym(s): *argentata Olivier,1790; atra Gomez-Menor,1957* FR IT Si ES
553. **Cicadetta brullei Fieber,1876** (Cicadidae) Synonym(s): *brullei Fieber,1876* MK FR GR IT ES YU
554. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876* Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
555. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961* MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
556. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata Ribaut,1952; Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
557. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori Sahlberg,1871; danensis Linnavuori,1962* CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
558. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata Matsumura,1908; siciliensis Matsumura,1908; divaricata Ribaut,1952* AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
559. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis Edwards,1920* AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
560. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida Horvath,1897* BG CS FR HU IT RO MD RU YU TR
561. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilotocephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
562. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinenotata Boheman,1845* AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV
563. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus O.F.Müller,1766* FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
564. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor*

- Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
565. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi Boucek,1959* TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
566. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomyzae Ishii,1953; novickyi Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
567. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis Spinola,1839* AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
568. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia Stal,1859* AF BG TR CZ FR GR HU RO YU
569. **Cixius cambricus China,1935** (Cixiidae) Synonym(s): *cambricus China,1935; borussicus Wagner,1939; austriacus Wagner,1939* Cc AL AT CZ FR DE GB IT PL AZ GG YU
570. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius Linnaeus,1767; nervosopunctata De Geer,1773; cynosbatis Fabricius,1775; dionysii Panzer,1796; dorsalis Hardy,1850; eurypterus Kirschbaum,1868; vulgaris Fieber,1876; fusca Fieber,1876* AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
571. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus Kirschbaum,1868; intermedius Scott,1870; brachycranus Scott,1870; #distenguendus Lodos & Kalkandelen,1980* AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
572. **Cixius haupti Dlabola,1949** (Cixiidae) Synonym(s): *montanus Haupt,1949 (praeocc.); haupti Dlabola,1949* Cc AT CZ FR DE IT PL GG SW
573. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus Linnaeus,1758; hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus Schumacher,1912; longispinus Wagner,1955* Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
574. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes Fieber,1876; notaticollis Rey,1894; fumipennis Horvath,1897* Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
575. **Cixius remotus Edwards,1888** (Cixiidae) Synonym(s): *remotus Edwards,1888* BG FR GB YU GR TR
576. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis Kirschbaum,1868; albipennis Reuter,1880 (praeocc.); reuteri Metcalf,1936* Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
577. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata Schrank,1776 (praeocc.); simplex Herrich-Schäffer,1835; minor Kirschbaum,1868; vitripennis Kirschbaum,1868; scotti Edwards,1888* Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
578. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans Olivier,1790* FR RU UA TM AT BG DE ES CH GR TR
579. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis Meigen,1826* AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
580. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
581. **Cleptes putoni Buysson,1886** (Chrysididae) Synonym(s): *putoni Buysson,1886* FR CH TR IT Si
582. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761* US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
583. **Cleptes semicyaneus Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus Tournier,1879* FR NL HU AT RU IT
584. **Cleptes splendidus (Fabricius,1794)** (Chrysididae) Synonym(s): *splendidus Fabricius,1794* DZ FR IT US
585. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU
586. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
587. **Clytra appendicina Lacordaire,1848** (Chrysomelidae) Synonym(s): *appendicina Lacordaire,1848* FR IT TR
588. **Clytra laeviuscula (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata Ratzeburg,1837 nec Fabr.,1801; laeviuscula Ratzeburg,1837* FR RU At Sb TR JP
589. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus Herbst,1797; aeneovirens Marsham,1802; punctatus Olivier,1807; obscurus Gyllenhal,1833* DE BG DZ FR GB JP Cc MK TR

590. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 **DE BG FR GB IR Cc KG UA Cm MK SY TR TM**
591. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis* Desbrochers,1869 **RU GR Cr IT CY FR Co TR LB Sa**
592. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929 **FR GR Cr IT LB SY TR**
593. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus* Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 *nec* Herbst.; *fauconetti* Pic,1926 **DE BG FR GB KG MN RU Sb YU TR**
594. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821 **DE BE BG DZ FR SE Cc KG RU Sb IT Si**
595. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933 **DE BG FR IN IR SE UA Cm Cc TR KG**
596. **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825 **FR Co DE PL CZ SK CH AT HU Cc TR AM Eri**
597. **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means* Meigen,1826 **AD FR ES DE PL CZ SK CH AT Cc**
598. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 **AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR**
599. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 **LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT**
600. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840 **MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR**
601. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus* Walker,1839; *silvestrii* Lucchese,1941 **TR AM AZ Cc BG CA On CZ FR DE HU**
602. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus* Schoenherr,1834; *melanographus* Fahreus,1840 **ES FR TR EG RU Cc UA Cm IT SY DZ**
603. **Coniosternum obscurum (Fallén,1819)** (Scathophagidae) Synonym(s): *obscurum* Fallén,1819; *minuta* Malloch,1935 **CA AL AT BE CZ EE FI FR DE GB MN NL NO PL RU Sb Us SK SE CH**
604. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis* Latreille,1804; *brevicaudatum* Uvarov,1910; *hungaricus* Cziki,1923 **FR GB EE LT DE AT HU RO Cc RU KG TR**
605. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Bolivar,1878; *poncticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 **PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR**
606. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
607. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**
608. **Conosimus coelatus Mulsant & Rey,1855** (Issidae) Synonym(s): *coelatus* Mulsant & Rey,1855 **FR GR IT**
609. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 **GB DE FR YU LT RU UA Cm Cc KK KG TM**
610. **Coptocephala linnaeana Petitpierre & Alonso Zarazaga,2000** (Chrysomelidae) Synonym(s): *linnaeana* Petitpierre & Alonso Zarazaga,2000 **DE FR ES IT**
611. **Coptocephala plagioccephala (Fabricius,1792)** (Chrysomelidae) Synonym(s): *plagioccephala* Fabricius,1792; *melanocephala* Olivier,1808; *externepunctata* Pic,1895; *tunisea* Pic,1901; *andalusiaca* Pic,1918; *theryi* Pic,1918; *holoxantha* Peyerimhoff,1949 **FR ES MA DZ TN**
612. **Coptocephala raffrayi (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *raffrayi* Desbrochers,1870 **FR Co**
613. **Coptocephala scopolina (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *scopolina* Linnaeus,1767; *floralis* Olivier,1791... **ES FR Co IT Sa HV**
614. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata* Zetterstedt,1846; *nigra* Robineau-Desvoidy,1830; *beringensis* Malloch,1923 **NO SE FR US AT CZ DE FI HU RU Sb SK SE**
615. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 **RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE**
616. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): **AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH**

617. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica Meigen,1826; geniculata Zetterstedt,1846; alberta Curran,1929* AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA
618. **Cordilura rufimana Meigen,1826** (Scathophagidae) Synonym(s): *rufimana Meigen,1826; incerta Zetterstedt,1838; tibialis Zetterstedt,1838* RU Ur Sb AT CZ DK EE FI FR DE GB IE NL NO PL SE CA
619. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa Loew,1873* SK AT BE CZ FR DE HU KG NL PL RO RU
620. **Corynis italica (Lepeletier,1823)** (Cimbicidae) Synonym(s): *italica Lepeletier,1823* ES FR HV YU CH UA IT TR
621. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura Fabricius,1775; valkanovi Vassilev,1969* FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
622. **Cotesia cupresus (Lylé,1925)** (Braconidae) Synonym(s): *cupresus Lylé,1925* DE FI GB FR ES NL LT HU TR
623. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda Marshall,1885* DE Cc AM AT MD CZ FR GB IC SE TR
624. **Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): *numen Nixon,1974* DK GB FR CZ HU TR
625. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
626. **Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus Reinhard,1880* DE GB FR FI TR MN HU
627. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis Walker,1839; aquisgranensis Förster,1878; fletcherii Ashmead,1892* TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
628. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua Lengersdorf,1934; latiforceps Bukowski & Lengersdorf,1936; lignea Lengersdorf,1941; prima Frey,1942* FR NL DE CZ SK CH AT IT UA BG GR SE FI
629. **Cratyna (s.str.) atra Winnertz,1867** (Sciaridae) Synonym(s): *atra Winnertz,1867; pictiventris Kieffer,1898; corticalis Lengersdorf,1930* FR NL AT DE NO FI
630. **Cryptocephalus albolineatus Suffrian,1847** (Chrysomelidae) Synonym(s): *albolineatus Suffrian,1847* FR
631. **Cryptocephalus aquitanus Sassi,2001** (Chrysomelidae) Synonym(s): *aquitanus Sassi,2001* FR Py ES
632. **Cryptocephalus atrifrons Abeille,1901** (Chrysomelidae) Synonym(s): *atrifrons Abeille,1901* FR IT
633. **Cryptocephalus bameuli Duhadelborde,1999** (Chrysomelidae) Synonym(s): *bameuli Duhadelborde,1999* FR RU Sb
634. **Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor Eschscholtz,1818; concinnus Suffrian,1853* UA Cm BG TR Cc IR FR
635. **Cryptocephalus biguttatus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *biguttatus Scopoli,1763* FR IT RO TR
636. **Cryptocephalus bimaculatus Fabricius,1781** (Chrysomelidae) Synonym(s): *bimaculatus Fabricius,1781* FR IT
637. **Cryptocephalus biondii Sassi & Regalin,1998** (Chrysomelidae) Synonym(s): *biondii Sassi & Regalin,1998* FR Co IT Sa
638. **Cryptocephalus elegantulus Gravenhorst,1807** (Chrysomelidae) Synonym(s): *elegantulus Gravenhorst,1807...* FR KP KR TR
639. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis Linnaeus,1758; similis Stephens,1834; rugulipennis Suffrian,1853* AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
640. **Cryptocephalus octomaculatus Rossi,1790** (Chrysomelidae) Synonym(s): *octomaculatus Rossi,1790* FR UA TR
641. **Cryptocephalus pulchellus Suffrian,1848** (Chrysomelidae) Synonym(s): *pulchellus Suffrian,1848* FR ES IT
642. **Cryptocephalus trimaculatus (Rossi,1790)** (Chrysomelidae) Synonym(s): *trimaculatus Rossi,1790* FR BG HU TR
643. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus Suffrian,1847; pistaciae Suffrian,1853* HV FR Co GR TR AL BG GR SY JO
644. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913* TN DZ TR ES FR IT BG IL Pa
645. **Culicoides agathensis Callot, Kremer & Rioux,1963** (Ceratopogonidae) Synonym(s): *agathensis Callot, Kremer & Rioux,1963* FR IL Pa
646. **Culicoides alazanicus Dzhafarov,1961** (Ceratopogonidae) Synonym(s): *alazanicus Dzhafarov,1961; musilator Kremer & Callot,1961* Cc AZ FR

647. **Culicoides albipennis Kieffer,1919** (Ceratopogonidae) Synonym(s): *albipennis Kieffer,1919* FR
648. **Culicoides caucoliberensis Callot, Kremer, Rioux & Descous,1967** (Ceratopogonidae) Synonym(s): *caucoliberensis Callot, Kremer, Rioux & Descous,1967* FR
649. **Culicoides clastrieri Callot, Kremer & Deduit,1962** (Ceratopogonidae) Synonym(s): *clastrieri Callot, Kremer & Deduit,1962* FR
650. **Culicoides corsicus Kremer, Leberre & Beaucournu-Saguez,1971** (Ceratopogonidae) Synonym(s): *corsicus Kremer, Leberre & Beaucournu-Saguez,1971* FR Co
651. **Culicoides derisor Callot & Kremer,1965** (Ceratopogonidae) Synonym(s): *derisor Callot & Kremer,1965* FR IL Pa
652. **Culicoides dobyi Callot & Kremer,1969** (Ceratopogonidae) Synonym(s): *dobyi Callot & Kremer,1969* FR
653. **Culicoides dzhafarovi Remm,1967** (Ceratopogonidae) Synonym(s): *dzhafarovi Remm,1967; dzhafarovi Callot, Kremer, Molet & Bach,1968* Cc AZ FR TR
654. **Culicoides furcillatus Callot, Kremer & Paradis,1962** (Ceratopogonidae) Synonym(s): *furcillatus Callot, Kremer & Paradis,1962* FR
655. **Culicoides haranti Rioux, Descous & Pech,1959** (Ceratopogonidae) Synonym(s): *haranti Rioux, Descous & Pech,1959* FR IL Pa
656. **Culicoides picturatus Kremer & Deduit,1961** (Ceratopogonidae) Synonym(s): *picturatus Kremer & Deduit,1961* TR IL Pa FR
657. **Culicoides punctatus (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus Meigen,1804; ocellaris Kieffer,1921; kasachstanicus Shakirzjanova,1963* FR LT RU KG TR IL Pa SA
658. **Culicoides riouxi Callot & Kremer,1961** (Ceratopogonidae) Synonym(s): *riouxi Callot & Kremer,1961* FR TR
659. **Culicoides vidourensis Callot, Kremer, Molet & Bach,1968** (Ceratopogonidae) Synonym(s): *vidourensis Callot, Kremer, Molet & Bach,1968* FR IL Pa
660. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata Dejean,1822* MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
661. **Cylindromyia brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria Fabricius,1775; boscii Robineau-Desvoidy,1830; trinacrina Bigot,1878; sapporensis Matsumura,1916* GB FR TR Md Cn RU MN JP
662. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta Meigen,1824* TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
663. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama Hartig,1840; mailleti Folliot,1964* ES FR GB IE BE DE AT PL UA HU B-H BG TR
664. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha Hartig,1840; indistincta Niblett,1948* PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
665. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa Hartig,1840; verrucosus Schlechtendal,1870* PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
666. **Cynips fusca (Fourcroy,1785)** (Cynipidae) Synonym(s): *fusca Fourcroy,1785* FR
667. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris Hartig,1840; similis Adler,1881; substituta Kinsey,1930* PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
668. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus Fourcroy,1785; pubescentis Mayr,1881; ilicis Kieffer,1896; geminus Belizin & Maisuradze,1962; rusanovae Belizin & Maisuradze,1962* PT ES FR DE UA MD RO YU GR IT AT HU TR MK
669. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii Linnaeus,1758; scutellaris Olivier,1791; gallaecerasiformis Anthoine,1794; gallaeunidoniformis Anthoine,1794; folii Hartig,1840; flosculi Giraud,1868; giraudi Tschek,1869; taschenbergi Schlechtendal,1870* ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
670. **Cyphon abeillei Bourgeois,1884** (Scirtidae) Synonym(s): *abeillei Bourgeois,1884* FR IL Pa TR
671. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
672. **Dasyhelea aperta Goetghebuer & David,1937** (Ceratopogonidae) Synonym(s): *aperta Goetghebuer & David,1937* FR
673. **Dasyhelea bilobata Kieffer,1915** (Ceratopogonidae) Synonym(s): *bilobata Kieffer,1915* FR
674. **Dasyhelea dieuzeidei (Vaillant,1957)** (Ceratopogonidae) Synonym(s): *dieuzeidei Vaillant,1957* FR Co IT
675. **Dasyhelea flavifrons (Guérin-Ménéville,1833)** (Ceratopogonidae) Synonym(s): *flavifrons Guérin-Ménéville,1833; obscura Winnertz,1852 nec Walk.,1848; versicolor Winnertz,1852; dufouri Laboulbène,1869; hippocastani Mik,1888; brevitibialis Goetghebuer,1919; goetghebueri*

- Kieffer,1919; sensualis Kieffer,1919; lignicola Kieffer,1919; paludicola Kieffer,1925; oppressa Thomsen,1935; septuosa Borkent,1997* FR DE AT BE GR HV CZ EE US NY
676. **Dasyhelea georgei Huttel & Huttel,1954** (Ceratopogonidae) Synonym(s): *georgei Huttel & Huttel,1954* FR
677. **Dasyhelea malibui Yu,2008** (Ceratopogonidae) Synonym(s): *malibui Yu,2008* FR
678. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
679. **Dasyrhamphis nigrinus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus Fabricius,1794; alexandrinus Wiedemann,1830* DZ ES FR IT TR IL Pa SY
680. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger Linnaeus,1761; villosus Olivier,1790; palustris Fiori,1906* ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
681. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus O.F.Müller,1776* SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
682. **Dasytes virens (Marsham,1802)** (Melyridae) Synonym(s): *virens Marsham,1802* AT FR DE GR TR
683. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons Fabricius,1793; aeolicus Guarino,1935* TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
684. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
685. **Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): *audrasi Ribaut,1954; linnavuorii LeQuesne,1960* AL BG CZ FR IL RO TR YU
686. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* AF DZ CY TR FR IL IT MA ES TN
687. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris Fallén,1806; convexus Rey,1894; fumigatus Rey,1894* DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR
688. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens Piller & Mitterpacher,1783* AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
689. **Deporaus betulae (Linnaeus,1758)** (Atelabidae) Synonym(s): *betulae Linnaeus,1758; populi Scopoli,1763; fagi Scopoli,1763; femoratus Olivier,1789; populneus Gmelin,1790; femoralis Latreille,1804* DE DZ BG FR GB Cc TR KG MK MN RU Sb
690. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa Brisout,1848; acuminata Brisout,1850; charpentieri Fieber,1853; elevata Fieber,1853; rudis Walker,1971; turcicus Demirsoy,1977* TR ES FR GR BG RO IR Cc
691. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous Küster,1846; asiatica Hava,2002* FR Co PT ES IT Sa DZ IR JO SY TR
692. **Derocrepis sodalis (Kutschera,1860)** (Chrysomelidae) Synonym(s): *sodalis Kutschera,1860* FR CH IT
693. **Deronectes delarouzei (Jacquelin du Val,1857)** (Dytiscidae) Synonym(s): *delarouzei Jacquelin du Val,1857* FR
694. **Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): *gredleri Mik,[1881]; flavomaculatus Strobl,1909* AT ES FR IT TN IL Pa
695. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
696. **Dibolia pelleti Allard,1860** (Chrysomelidae) Synonym(s): *pelleti Allard,1860* FR ES MA DZ
697. **Dibolia veyreti Doguet,1975** (Chrysomelidae) Synonym(s): *veyreti Doguet,1975* FR
698. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae) Synonym(s): *lucidipennis Edwards,1921; luteicolor Alexander,1975* AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR
699. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae) Synonym(s): *robusta Lundstrom,1912* HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR
700. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens Kirschbaum,1868; carpathica Horvath,1884* AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
701. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata Boheman,1847* Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
702. **Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): *incanus Erichson,1840* PT ES FR IT BG TR
703. **Dicronychus versicolor (Mulsant & Guillebeau,1856)** (Elateridae) Synonym(s): *versicolor Mulsant & Guillebeau,1856* FR IT SL GR TR

704. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker,1963* IT Si IL Pa CY FR Co LB SY TR
705. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767*; *#aeuropaea Petagna,1787*; *europa Aucher-Elroy,1826*; *italica Kirschbaum,1868*; *lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
706. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855*; *heydenii Kirschbaum,1868*; *curvata Matsumura,1910*; *nemourensis Matsumura,1910*; *oertzeni Matsumura,1910* AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
707. **Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
708. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
709. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838*; *lycophron Walker,1838*; *medidas Walker,1838*; *gracilis Goureaux,1851*; *ornatus Förster,1861*; *bisannulatus Förster,1861*; *clavicornis Walker,1872*; *phytomysae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
710. **Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus Lundström,1913* ES FR GB CH IT SS HU YU RO BG TR
711. **Dilophus febrilis (Linnaeus,1758)** (Bibionidae) Synonym(s): *febrilis Linnaeus,1758*; *spinatus O.F.Müller,1764*; *forcipata Schrank,1803*; *vulgaris Meigen,1818* PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
712. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus Meigen,1804*; *albipennis Meigen,1830* PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
713. **Dilophus neglectus Haenni,1982** (Bibionidae) Synonym(s): *neglectus Haenni,1982* FR CH DE CZ PL
714. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804*; *falleni Meigen,1820*; *atrata Meigen,1820*; *geniculata Meigen,1820* AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
715. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820*; *aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Eib Mz MY CN TJ RU Sb UA TM UZ
716. **Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): *gracilis Meigen,1820*; *hyalipennis sensu Meigen,1830*; *concinna Costa,1883* DZ FR DE CH IT TR IR Kh Ss
717. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis Fabricius,1794*; *anomala Macquart,1826*; *flavipes Meigen,1804*; *frontalis Meigen,1804*; *varipes Meigen,1804*; *baumhaueri Meigen,1820*; *strandii Dda,1940* IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
718. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis Fabricius,1787*; *cingulata Zetterstedt,1849* IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
719. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius Fabricius,1798* *Ichneumon alvearius Fabricius,1798, Suppl. ent. Syst.: 232.* TR DE CN GB FR AT IT CZ RU KG YU
720. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840*; *calceolata Boheman,1845*; *tiaratus Fieber,1869* AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
721. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869*; *altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
722. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae Hartig,1840*; *rufipes Forster,1869* PT ES FR GB NL DE SE PL AT HU RO IT TR
723. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri Schlechtendal,1877*; *orthopsinae Beijerinck,1882* ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
724. **Diplolepis spinosissimae (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae Giraud,1859* ES FR GB NL DE AT HU PL SE IT TR
725. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum Rossi,1790*; *cornigera Jurine,1807*; *imperialis Giraud,1863* AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
726. **Ditropsis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis Spinola,1839* Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
727. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes Signoret,1865*; *nitida Haupt,1866*; *dlabolai Vilbaste,1980* AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
728. **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi Soltani,1978* DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
729. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus Thunberg,1815*; *cruciatus Charpentier,1825*; *vastator Fischer von Waldheim,1833*; *oceanica Walker,1870*; *degeneratus Baranov,1925*; *xanthocnema Tarbinsky,1932*; *pendulus Steinmann,1965*

- Gryllus maroccanus* Thunberg, 1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Morocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
730. **Docosia gilvipes (Haliday, 1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday, 1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
731. **Dolichogenidea anarsiae (Faure & Alabouvetle, 1924)** (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle, 1924 *Apanteles anarsiae* Faure & Alabouvetle, 1924, Revue Zool. Agri. Appl. 23: 283. TR Cc AZ GG FR IT RO HU
732. **Dolichopus siculus Loew, 1859** (Dolichopodidae) Synonym(s): *siculus* Loew, 1859 FR BG IL Pa IT Si
733. **Dolichopus thalhammeri Knezy, 1929** (Dolichopodidae) Synonym(s): *thalhammeri* Knezy, 1929 *Dolichopus thalhammeri* Knezy, 1929, Folia Soc. ent. Hung. 2 (1): 19. Type: Hungary, Dabas. HU BG FR TR
734. **Dolichovespula norwegica (Fabricius, 1781)** (Vespidae) Synonym(s): *norwegica* Fabricius, 1781 GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
735. **Doratura exilis Horvath, 1903** (Cicadellidae) Synonym(s): *exilis* Horvath, 1903 AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
736. **Doratura homophyla (Flor, 1861)** (Cicadellidae) Synonym(s): *homophyla* Flor, 1861 AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
737. **Doratura impudica Horvath, 1897** (Cicadellidae) Synonym(s): *impudica* Horvath, 1897 AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
738. **Doratura stylata (Boheman, 1847)** (Cicadellidae) Synonym(s): *stylata* Boheman, 1847; *macroptera* Kusnezov, 1928 AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
739. **Dorycera graminum (Fabricius, 1794)** (Ulidiidae) Synonym(s): *graminum* Fabricius, 1794; *thamnicola* Robineau-Desvoidy, 1830; *scalaris* Loew, 1868 AT DE HU FR Co ES HV PT GB IT PL CZ TR
740. **Dorycera grandis Rondani, 1869** (Ulidiidae) Synonym(s): *grandis* Rondani, 1869 ES FR IT
741. **Dorycera hybrida Loew, 1862** (Ulidiidae) Synonym(s): *hybrida* Loew, 1862 BG TR GR Cr FR UA LB Bei
742. **Dryodurgades dlabolai Wagner, 1963** (Cicadellidae) Synonym(s): *dlabolai* Wagner, 1963 HU IT RU MD UA YU BG FR TR
743. **Dryodurgades reticulatus (Herrich-Schäffer, 1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer, 1834 AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
744. **Dysmachus bifurcus (Loew, 1848)** (Asilidae) Synonym(s): *bifurcus* Loew, 1848 IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR
745. **Dysmachus bimucronatus (Loew, 1854)** (Asilidae) Synonym(s): *bimucronatus* Loew, 1854 IR AT BG CZ DE FR IT HU RO YU UA RU TR KG
746. **Dysmachus fuscipennis (Meigen, 1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen, 1820 TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG
747. **Dysmachus praemorsus (Loew, 1854)** (Asilidae) Synonym(s): *praemorsus* Loew, 1854 AT AL BG DE FR HU PL RO UA TR IR Fa
748. **Dysmachus stylifer (Loew, 1854)** (Asilidae) Synonym(s): *stylifer* Loew, 1854 AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
749. **Ebaeus gibbus (Drapiez, 1819)** (Melyridae) Synonym(s): *gibbus* Drapiez, 1819; *taeniatus* Baudi di Selve, 1871; *cyaneus* Cameron & Caruana Gatto, 1907 FR IT Si MT HU?
750. **Ebarrius cognatus (Fieber, 1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber, 1869 AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
751. **Ebarrius intertinctus (Fieber, 1869)** (Cicadellidae) Synonym(s): *intertinctus* Fieber, 1869 AT FR HU IT MN PL SW Cc GG YU
752. **Echthistus rufinervis (Meigen, 1820)** (Asilidae) Synonym(s): *rufinervis* Meigen, 1820 IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
753. **Echthronomas tricineta (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *tricineta* Gravenhorst, 1829 FR PL TR
754. **Edwardsiana avellanae (Edwards, 1888)** (Cicadellidae) Synonym(s): *avellanae* Edwards, 1888; *bidentata* Edwards, 1914; *avellana* Lodos & Kalkandelen, 1984 AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR
755. **Edwardsiana bergmani (Tullgren, 1916)** (Cicadellidae) Synonym(s): *bergmani* Tullgren, 1916 AT BG CS DK FI FR DE GB MN NO PL SE SW
756. **Edwardsiana crataegi (Douglas, 1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas, 1876; *australis* Froggatt, 1918; *froggatti* Baker, 1925; *oxyacanthae* Ribaut, 1925; *cornuta* Wagner, 1947 AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
757. **Edwardsiana diversa (Edwards, 1914)** (Cicadellidae) Synonym(s): *diversa* Edwards, 1914; *tridentata* Edwards, 1928 BG CS FR DE GB PL RO SW MD KK
758. **Edwardsiana flavescens (Fabricius, 1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius, 1794; *fratercula* Edwards, 1908; *sororcula* Ossiannilsson, 1936 AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA

759. **Edwardsiana frustrator (Edwards,1908)** (Cicadellidae) Synonym(s): *frustrator* Edwards,1908; *solearis* Ribaut,1931 CS DK FI FR DE GB NL PL SE SW Cc GG UA CA
760. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
761. **Edwardsiana nigriloba (Edwards,1924)** (Cicadellidae) Synonym(s): *nigriloba* Edwards,1924 BE BG CS FR DE GB PL SE
762. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949 AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU
763. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA
764. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
765. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At
766. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924 AT BG CS FR DE GB NL PL TR GG Cc YU
767. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa* Edwards,1914 CS DK FR DE GB NL PL SE TR RU At
768. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
769. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
770. **Elampus spinus (Lerpeletier,1806)** (Chrysididae) Synonym(s): *spinus* Lerpeletier,1806 IT Sa Si FR
771. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhipicerus* Förster,1841; *giraudi* Ferrière,1947 TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
772. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
773. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
774. **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii* Steffan,1962; *steffani* Viggiani,1967 TR HV FR R IL Pa IT ES SY AE
775. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 AT FI DE GR FR HU IT MD KG ES SE CH TR RU
776. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
777. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
778. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
779. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
780. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula* Loew,1867 TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
781. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscura* Zetterstedt,1842 TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
782. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
783. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
784. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933;

- petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
785. **Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885 DE DK FR IT AT PL YU TR
786. **Enicopus armatus (Lucas,1849)** (Melyridae) Synonym(s): *armatus* Lucas,1849 FR
787. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR
788. **Enicopus pilosus (Scopoli,1763)** (Melyridae) Synonym(s): *pilosus* Scopoli,1763; *acutatus* Boieldieu,1859; *falculifer* Fairmaire,1859; *subvittatus* Fairmaire,1859 ES FR CH IT SS SI
789. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
790. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001 BG FR GR IT ES UA
791. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdös,1961; *fructicola* Gumowsky,1996 TR BG Cn HV FR DE HU NL ES SE UA GB YU
792. **Entedon pallicrus Erdös,1944** (Eulophidae) Synonym(s): *pallicrus* Erdös,1944 TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
793. **Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): *procioni* Erdös,1944; *molybdaenus* Erdös,1944; *urticarii* Erdös,1951; *meliloti* Askew,1992 TR BG CZ FR DE HU NL RU SK ES SE UA GB
794. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdös,1944; *lixii* Erdös,1951; *mecini* Askew,1992 TR AT BG HV CZ FR GG Cc DE GR HU
795. **Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus* Erdös,1944 TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
796. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 TR HV FR GR IL Pa KG KK MK RU ES TM
797. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
798. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 CH ES IT DE FR AT HU GR Cc TR
799. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
800. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger* Meigen,1804; *flavescens* Jaenicke,1867 DZ MA FR PT ES TN IR Ss
801. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
802. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus* Rossi,1792 ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
803. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822 Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
804. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
805. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868; *dilatatus* Fieber,1872 AT BE CS FR DE IT PL RO SW AZ Cc UA
806. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
807. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (praeocc.); *lepidus* Boheman,1847; *tristis* Boheman,1847 Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
808. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
809. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
810. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens* Olivier,1789 MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN

811. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
812. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829 FR RU Ur Sb Cc KG SY AF MN US
813. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
814. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
815. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 AF AT CS FI FR DE IT IQ RO SW TR RU MD
816. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
817. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (*praeocc.*); *austriaca* Metcalf,1968 AT BE BG FR DE IT UA
818. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
819. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
820. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum* Newman,1853; *laureti* Lindberg,1936 Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM
821. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
822. **Eupteryx lelievrei (Lethierry,1874)** (Cicadellidae) Synonym(s): *lelievrei* Lethierry,1874 BE BG FR RU
823. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
824. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
825. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
826. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
827. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
828. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936 AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
829. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948 AT BG CS FI FR DE HU NL PL RU
830. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 AT BE BG CS DK FR DE GB PL RO UA YU
831. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU
832. **Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936 CY TR FI FR DE NL SE
833. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
834. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans* Fabricius,1794 DZ FR GR MA ES TN
835. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
836. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
837. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU

838. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris Ratzeburg,1852* IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
839. **Eurytoma caninae Lotfalizadeh & Delvare,2007** (Eurytomidae) Synonym(s): *caninae Lotfalizadeh & Delvare,2007* *Eurytoma caninae Lotfalizadeh & Delvare,2007*, Zootaxa 1640: 55-68. IR Ab Th Elb FR MA
840. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum Mayr,1878* TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
841. **Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): *curta Walker,1832* TR AT FR DE HU MD NL SE GB
842. **Eurytoma lobopterae Erdös,1964** (Eurytomidae) Synonym(s): *lobopterae Erdös,1964* TR HV FR ES
843. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
844. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
845. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
846. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
847. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
848. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae Fabricius,1798; tristis Mayr,1878* TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
849. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
850. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus Kirschbaum,1858; irroratus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894* DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
851. **Euscelidius alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
852. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus Kirschbaum,1858* AL AT BG CS FI FR DE GR IQ IT SI NL NO PL PT RO SE TN TR EE RU UA YU
853. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreatea Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
854. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
855. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus Kirschbaum,1868* AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
856. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus Fabricius,1794; acuminalis Turton,1802; interstincta Fallén,1806; germari Curtis,1833* AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
857. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929* AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
858. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva Santos Abreu,1920; exornata Séguy,1941; peyerimhoffi Burghelle-Balacesco,1966* Cn PT ES FR Co DE GR BG CY TR
859. **Exechia separata Lundström,1912** (Mycetophilidae) Synonym(s): *separata Lundström,1912* DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
860. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
861. **Exochostoma nitidum Macquart,1842** (Stratiomyidae) Synonym(s): *nitidum Macquart,1842* FR TR
862. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis Schmiedeknecht,1924* FR DE HU RO BG LT MD UA TR

863. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus* Masi,1916
B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
864. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
865. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 DZ ES Cn FR GR IT MA IL ES SW TN RU
866. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
867. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897 BG TR FR IL Pa IT Sa MA ES YU
868. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
869. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
870. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
871. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
872. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891; *picta* Melichar,1896 FR IT LY TR Cc GG YU IR
873. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus* Herrich-Schäffer,1838 ES FR BE DE PL CZ SK HU AT CH IT BY UA
874. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
875. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
876. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
877. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936 FR Co IT Si GR Rd ES? IL Pa TR
878. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis* Wiedemann,1820; *albidulus* François,1969 IT ?EG FR Co GR Sa LY? ES PT
879. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
880. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793
TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
881. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856 AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
882. **Glyphotriclis ornatus (Schiner,1868)** (Asilidae) Synonym(s): *ornatus* Schiner,1868 ES FR
883. **Gnorimus nobilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nobilis* Linnaeus,1758
MK FR RO YU RU
884. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951 ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
885. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
886. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
887. **Gouxia danielaferreroae (Goux,1989)** (Pseudococcidae) Synonym(s): *danielaferreroae* Goux,1989 FR
888. **Graphoceraeus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
889. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915

- AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG
TR
890. **Grasseiteles ciliator** Aubert,1968 (Ichneumonidae) Synonym(s): *ciliator* Aubert,1968 TR
FR
891. **Gryllomorpha (Gryllomorphella) uclensis** Pantel,1890 (Gryllidae) Synonym(s):
uclensis Pantel,1890 ES FR DZ TN LY
892. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa*
Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 *Gryllus gryllotalpa* Linnaeus,1758, Syst.
Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR
RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
893. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis*
Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 DZ AT BE CS DK FI FR DE
GB IT NL NO PL PT ES TN TR EE LV UA YU
894. **Grypotes staurus** Ivanoff,1885 (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis*
Haupt,1927 DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
895. **Gugolzia harmolita** Delucchi & Steffan,1956 (Pteromalidae) Synonym(s): *harmolita*
Delucchi & Steffan,1956 FR
896. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis*
Czerny,1924 AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
897. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus*
Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842;
caliginosus Balthasar,1934 RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR
898. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781
RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
899. **Gyrinus caspius Ménériés,1832** (Gyrinidae) Synonym(s): *caspius* Ménériés,1832 DK NO
FI GB DE FR NL ES GR TR
900. **Habropogon longiventris** Loew,1847 (Asilidae) Synonym(s): *longiventris* Loew,1847 FR
RU GR IR Elb Th Ss IL Pa TR
901. **Hadradactylus typhae (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *typhae*
Geoffroy,1785 FR TR
902. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum*
Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882 DZ BE FR DE GR IT NL PT ES SW TR
YU
903. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata*
Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 AT Cc HV CZ SK ZR FR DE HU IT Si KG
NL MD RO RU ES SE GB YU TR
904. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus*
Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG
KG MD RU TJ UA UZ YU IR
905. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus*
Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT
MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
906. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773
Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR
RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
907. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775;
affinis Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI
DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
908. **Harpalus (s.str.) rubripes** Duftschmid,1812 (Carabidae) Synonym(s): *rubripes*
Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE
DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
909. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
distinguenda Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 AT BG CY CS FR DE IL IT
PL RO SE ES SW Cc AM TR
910. **Hauptidia (s.str.) provincialis (Ribaut,1931)** (Cicadellidae) Synonym(s): *provincialis*
Ribaut,1931 BG FR IT YU
911. **Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): *abdominalis* Zetterstedt,1846
DK FR Co DE PL AT HU SY
912. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924 FR Co DE
PL CZ SK CH AT HU TR Cc AM RU
913. **Helophorus alternans** Gené,1836 (Helophoridae) Synonym(s): *alternans* Gené,1836 GB ES IT
FR TN GR TR
914. **Helophorus arvernensis** Mulsant,1846 (Helophoridae) Synonym(s): *arvernensis* Mulsant,1846
DK FI SE NO RU ES IT AT FR GB TR
915. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis* Marsham,1802
GB FR DE AT UA Cc SE GB TR

916. **Helophorus fulgidicollis** Motschoulsky,1860 (Helophoridae) Synonym(s): *fulgidicollis* Motschoulsky,1860 TR DZ GB DK FR DE IT MA PT ES SE TN
917. **Helophorus griseus** Herbst,1793 (Helophoridae) Synonym(s): *griseus* Herbst,1793 GB FR ES SE FI DK Cc TR
918. **Helophorus illustris** Sharp,1916 (Helophoridae) Synonym(s): *illustris* Sharp,1916 FR IL Pa TR
919. **Helophorus liguricus** Angus,1970 (Helophoridae) Synonym(s): *liguricus* Angus,1970 PL AT FR RU IT YU GR TR
920. **Helophorus longitarsis** Wollaston,1864 (Helophoridae) Synonym(s): *longitarsis* Wollaston,1864 DZ GB FR ES RU SE DE GR TR KG
921. **Helophorus porculus** Bedel,1881 (Helophoridae) Synonym(s): *porculus* Bedel,1881 DZ NL ES FR DE TR
922. **Helophorus similis** Kuwert,1887 (Helophoridae) Synonym(s): *similis* Kuwert,1887 DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
923. **Helophorus subarcuatus** Rey,1885 (Helophoridae) Synonym(s): *subarcuatus* Rey,1885 FR IT TR
924. **Hemicrepidius niger** (Linnaeus,1758) (Elateridae) Synonym(s): *niger* Linnaeus,1758 TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK
925. **Hemipenthes hamifera** (Loew,1854) (Bombyliidae) Synonym(s): *hamifera* Loew,1854 RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
926. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
927. **Hemipenthes villeneuvei** François,1970 (Bombyliidae) Synonym(s): *villeneuvei* François,1970 IT FR GR
928. **Hephathus freyi** (Fieber,1868) (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
929. **Hephathus nanus** (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
930. **Heriades (s.str.) crenulatus** Nylander,1856 (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
931. **Heriades (s.str.) rubicola** Pérez,1890 (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
932. **Heriades (s.str.) truncorum** (Linnaeus,1758) (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastria* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
933. **Hermaeophaga ruficollis** (Lucas,1849) (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 ES FR Co IT MK GR TR Cc KG NG SD SA LK
934. **Hermetia illucens** (Linnaeus,1758) (Stratiomyidae) Synonym(s): *illucens* Linnaeus,1758 PT Cn ES FR CH IT MT HV AL TR
935. **Herophila tristis** (Linnaeus,1767) (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
936. **Hesium domino** (Reuter,1880) (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
937. **Heteralonia megerlei** (Meigen,1820) (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
938. **Heteropogon manicatus** (Meigen,1820) (Asilidae) Synonym(s): *manicatus* Meigen,1820 MA DZ FR Co ES TR
939. **Hippodamia (Adonia) variegata** (Goeze,1777) (Coccinellidae) Synonym(s): *variegata* Goeze,1777 FR IT Sa Si TR
940. **Hockeria bifasciata** Walker,1834 (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
941. **Hockeria unicolor** Walker,1834 (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
942. **Holopogon dimidiatus** (Meigen,1820) (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 AT FR GR HU IT PL RO RU YU IR

943. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis Meigen,1820*
IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
944. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
945. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris Pérez,1902* FR GR HV MK SS IL Pa TR
946. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s):
interrupta Schenck,1861 nec Latr.,1811; claviventris Thomson,1872; foveolata Schenck,1873; columba Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
947. **Hoplitis (Alcidamea) curtula (Pérez,1895)** (Megachilidae) Synonym(s): *curtula Pérez,1895; bofilli Pérez,1905* ES FR DZ MA
948. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s):
leucomelana Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
949. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis Nylander,1852; montivaga Morawitz,1872* AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
950. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s):
praestans Morawitz,1894; lineola Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
951. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s):
tridentata Dufour & Perris,1840; melanoleuca Benoist,1934; asensioi Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
952. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata Latreille,1811; crenulata Morawitz,1871; pruinosa Destefani,1887; corsaria Warncke,1991; cretica Warncke,1991* AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
953. **Hoplitis (Anthocopa) antigae (Pérez,1895)** (Megachilidae) Synonym(s): *antigae Pérez,1895* ES FR DZ MA
954. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca Gerstaecker,1869; lanosa Pérez,1879* ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
955. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula Fonscolombe,1846 nec Duf.,1841; cristatula Zanden,1990* ES FR Co IT Si DZ MA TN CN
956. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s):
dalmatica Morawitz,1871 AL AD CH ES FR GR HU HV IT Sa MK SS TR
957. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s):
jakovlevi Radoszkowski,1874; serrilabris Morawitz,1875; quadridentata Fonscolombe,1879 Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR
958. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi Friese,1895; linophila Westrich,2006* AT AM Cc ES FR Co GR HU RU SK TR
959. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris Latreille,1799; hyalinipennis Lepeletier,1841* AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
960. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi Ferton,1895; convolvuli Ducke,1899* AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
961. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa Schenck,1853; platycera Gerstaecker,1869* AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
962. **Hoplitis (Formicapis) robusta (Nylander,1848)** (Megachilidae) Synonym(s): *robusta Nylander,1848* AT CH FR FI IT RU MN CN CA US
963. **Hoplitis (Micreriades) tenuispina (Alfken,1936)** (Megachilidae) Synonym(s):
tenuispina Alfken,1936 FR IT
964. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s):
tuberculata Nylander,1848; hamata Eversmann,1852; cylindrica Giraud,1857; signatum Eversmann,1852; macrodonta Cockerell,1924; amaguensis Cockerell,1924 AT CH DE FR FI HV IT LT PL RU MN CN
965. **Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s):
brachypogon Pérez,1879; carsophila Ducke,1899; seyrigi Benoist,1934 AL BG ES FR GR Cr HV IT PT SY TR
966. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s):
curvipes Morawitz,1871 GR AZ Cc BG ES FR IT Si TR
967. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca Panzer,1798; spinolae Lepeletier,1841; aduncoides Strand,1910; contraria Tkalcu,1974* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR

968. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879 nec Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 **ES FR Co HV IT Sa Si PT DZ MA TN**
969. **Hoplitis (s.str.) bihamata (Costa,1885)** (Megachilidae) Synonym(s): *bihamata* Costa,1885; *corsica* Ferton,1901 **IT Sa FR Co MA?**
970. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 **AT CH DE ES FR HU IT RU SS**
971. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 **AT CH CZ? DE ES FR HU HV IT RU SS**
972. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 **AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR**
973. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902 **ES FR Co IT Si PT DZ MA TN**
974. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 **CH ES FR IT Si PT DZ MA TN IL Pa JO**
975. **Hoplitis (s.str.) ochraceicornis (Ferton,1902)** (Megachilidae) Synonym(s): *ochraceicornis* Ferton,1902; *seyrigi* Benoist,1969 **AD ES FR IT MK PT Md**
976. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 **AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS**
977. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 **TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK**
978. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM**
979. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
980. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 **AL AT BG TR CZ FR HU IL IT RO ES YU**
981. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata* Loew,1858 **FR YU AT RU RO TR IR MN**
982. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 **PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm**
983. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU**
984. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU**
985. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 **TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH**
986. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 **TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH**
987. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 **ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR**
988. **Hydrotaea penicillata (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866 **FR Co PL CZ SK CH HU TR GR Cr**
989. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis* Erichson,1840 **MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd**
990. **Hyposoter ebenitor Aubert,1972** (Ichneumonidae) Synonym(s): *ebenitor* Aubert,1972 **FR TR IL Pa**
991. **Hypsicera anglicus (Schmiedeknecht,1925)** (Ichneumonidae) Synonym(s): *anglicus* Schmiedeknecht,1925 **GB FR BE CH IT RO TR**
992. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
993. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 **AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR**
994. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 **AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU**
995. **Iberodorcadion fuliginator (Linnaeus,1758)** (Cerambycidae) Synonym(s): *fuliginator* Linnaeus,1758 **ES FR DE IT**
996. **Iberodorcadion molitor (Fabricius,1775)** (Cerambycidae) Synonym(s): *molitor* Fabricius,1775 **FR ES**
997. **Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum* Lucas,1854 **DZ FR IT Sa GR TR**

998. **Idiocerus fasciatus Fieber,1868** (Cicadellidae) Synonym(s): *fasciatus Fieber,1868* AT BE CS FR? DE HU ES AZ UA
999. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775*; *aurulentus Kirschbaum,1868*; *cupreus Kirschbaum,1868 (praeocc.)*; *decepiens Kirschbaum,1868*; *kirschbaumi Baker,1924*; *lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspi?) UA (Crimea) YU
1000. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
1001. **Idiocerus heydenii Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii Kirschbaum,1868* AT BG CS DK FR DE IT PL MD UA YU
1002. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806*; *dorsiger Lepeletier & Audinet-Serville,1825*; *lineolatus Lepeletier & Audinet-Serville,1825*; *maculipennis Curtis,1839*; *rubrifrons Rey,1894* AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
1003. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus Herrich-Schäffer,1835* BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
1004. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835* AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
1005. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis Lewis,1834*; *adustus Herrich-Schäffer,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
1006. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898* AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
1007. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons Kirschbaum,1868* AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
1008. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus Panzer,1799*; *simulans Ribaut,1952* AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
1009. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris Förster,1856*; *akdenizeus Doğanlar,1989* TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
1010. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator Masi,1916* IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
1011. **Illidops vipio (Reinhard,1880)** (Braconidae) Synonym(s): *vipio Reinhard,1880* Apanteles vipio Reinhard,1880, Mem. ent. Soc. Canada 115: 56-57. TR DE GB FR YU RU
1012. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria Linnaeus,1758*; *dentata Goeze,1778*; *bella Germar,1817*; *minima Charpentier,1825*; *fenestrata Brullé,1832* Gryllus (Mantis) oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
1013. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793* TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
1014. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.)*; *coleoptratus Fabricius,1781*; *pedestris Fabricius,1794*; *maurus Walker,1851*; *cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
1015. **Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus Fourcroy,1785*; *luteus Fieber,1876* AL FR GR IT ES TR YU
1016. **Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri Ahrens,1814*; *climacus Fieber,1876* TR AL FR GR IT PT ES YU
1017. **Issus muscaeformis (Schränk,1781)** (Issidae) Synonym(s): *muscaeformis Schränk,1781* Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
1018. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica Melichar,1897*; *strigosa Matsumura,1910*; *duffelsi Dlabola,1974* IT Si HV YU CY FR GR ES TR
1019. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758*; *nigriventris Fieber,1861*; *anthracina Jakovlev,1885*; *vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1020. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus Then,1896* AT BG CS FI FR DE IT PL RO SE MD UA
1021. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus Flor,1861*; *pseudocellaris Flor,1861*; *mattiacellus Kirschbaum,1868*; *parallelus Fieber,1869*; *falleni Fieber,1869*; *paleaceus Sahlberg,1871*; *longiceps Rey,1894*; *confinis Rey,1894*; *kemneri Ossiannilsson,1935*; *gallicus Metcalf,1955*; *reiji Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU

1022. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
1023. **Jassidaeus lugubris (Signoret,1865)** (Delphacidae) Synonym(s): *lugubris* Signoret,1865; *morio* Fieber,1866; *atratura* Kirschbaum,1868 AT CZ SK FR DE HU PL RO MD
1024. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
1025. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
1026. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
1027. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 AL CY CZ FR GR TR HU IL IT RU YU
1028. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
1029. **Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878 CZ FR HU IT RO TR YU
1030. **Kelisia perrieri Ribaut,1934** (Delphacidae) Synonym(s): *perrieri* Ribaut,1934 CY FR IT
1031. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
1032. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
1033. **Korynetes pusillus Klug,1842** (Korynetidae) Synonym(s): *pusillus* Klug,1842 FR Co IT Sa Si IL Pa
1034. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
1035. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
1036. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
1037. **Labidostomis humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): *humeralis* Schneider,1792 FR SE TR RU
1038. **Labidostomis lusitanica (Germar,1824)** (Chrysomelidae) Synonym(s): *lusitanica* Germar,1824 DZ ES FR IT Si
1039. **Labidostomis syriaca Lacordaire,1848** (Chrysomelidae) Synonym(s): *syriaca* Lacordaire,1848 FR Co
1040. **Labidostomis tridentata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *tridentata* Linnaeus,1758; *kluczykii* Nowicki,1872; *leithneri* Redtenbacher,1874 FR RU MN GB SE
1041. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
1042. **Laburris quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus* Forel,1864; *limbatus* Ferrari,1882; *atrata* Ribaut,1942; *deleta* Ribaut,1942 FR IT LY MA ES SW TN AM Cc
1043. **Lachnaia cylindrica (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *cylindrica* Lacordaire,1848 ES PT FR IT Si DZ
1044. **Lachnaia hirta (Fabricius,1801)** (Chrysomelidae) Synonym(s): *hirta* Fabricius,1801 DZ ES PT FR IT Si
1045. **Lachnaia italica (Weise,1882)** (Chrysomelidae) Synonym(s): *italica* Weise,1882 IT Sa Si FR Co
1046. **Lachnaia pubescens (Dufour,1820)** (Chrysomelidae) Synonym(s): *pubescens* Dufour,1820 DZ ES FR Co Sa IT
1047. **Lachnaia puncticollis Chevrolat,1840** (Chrysomelidae) Synonym(s): *puncticollis* Chevrolat,1840 DZ MA ES FR
1048. **Lachnaia sexpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *sexpunctata* Scopoli,1763; *longipes* Fabricius,1775 FR TR DE SK
1049. **Lachnaia tristigma (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *tristigma* Lacordaire,1848 DZ ES FR IT
1050. **Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus* Panzer,1801; *aurosquamosus* Jagemann,1939 RU Sb ES FR CZ Cc TR

1051. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
1052. **Lamprohiza boieldieui Jacquelin du Val,1859** (Lampyridae) Synonym(s): *boieldieui* Jacquelin du Val,1859 FR IT
1053. **Lamprohiza delarouzei Jacquelin du Val,1859** (Lampyridae) Synonym(s): *delarouzei* Jacquelin du Val,1859 FR
1054. **Lamprohiza mulsanti (Kiesenwetter,1850)** (Lampyridae) Synonym(s): *farinesi* A.Villa & J.B.Villa,1838; *mulsanti* Kiesenwetter,1850; *peltata* Rey,1891 ES FR
1055. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
1056. **Lampyrus noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
1057. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
1058. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
1059. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
1060. **Lasiambia albidipennis (Strobl,1893)** (Chloropidae) Synonym(s): *albidipennis* Strobl,1893 TR HV FR IT RU CZ
1061. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
1062. **Lasioglossum (Evyllaes) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG Jo Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
1063. **Lasioglossum albocinctum (Lucas,1846)** (Halictidae) Synonym(s): *albocinctum* Lucas,1846 ES IT FR DE CH GR
1064. **Lasioglossum bimaculatum (Dours,1872)** (Halictidae) Synonym(s): *bimaculatum* Dours,1872; *perezi* Alfken,1907; *hispanicum* Bliithgen,1931 MA ES FR
1065. **Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): *callizonium* Pérez,1895; *mogadoricus* Cockerell,1937 PT ES FR MA EG IL Pa
1066. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 MA FR DK ES PT Co DE PL MK IL Pa TR IR
1067. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
1068. **Lasioglossum lateralis (Brullé,1832)** (Halictidae) Synonym(s): *lateralis* Brullé,1832; *bifasciatus* Brullé,1832; *ticinensis* Frey-Gessner,1903 ES FR CH HU TR GR
1069. **Lasioglossum pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832 MA FR ES BE DE CY IR
1070. **Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius* Walker,1849; *tenuirostris* Loew,1854; *bertoni* Seguy,1932 GR AL FR RO YU BG TR
1071. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
1072. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
1073. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868 AT BG HV DZ FR IT Si RO GR TR SY JO
1074. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861 DE BG DZ DK AM Cc TR FR GB
1075. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910 MA FR IT ES CY GR IL IT TR YU
1076. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR

1077. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804
IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
1078. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004
FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
1079. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica* De Geer,1776; *tipuloides* Fabricius,1775; *livida* Geoffroy,1785; *fusca* Meigen,1804; *hispanica* Meigen,1838; *nigricornis* Loew,1847; *dorsalis* Dahlbom,1851
MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
1080. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica sensu* Meigen,1820
IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
1081. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaenicke,1867
IR BG CZ FR DE GR HU IT RU CH TR
1082. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
1083. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
1084. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824
TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
1085. **Libelloides lacteus (Brullé,1832)** (Ascalaphidae) Synonym(s): *lacteus* Brullé,1832
FR IT RO TR
1086. **Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876; *menozii* Haupt,1930
DZ CY FR IT Sa Si TN TR YU
1087. **Limoniscus violaceus (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus* P.Müller,1843
SK DE FR IT TR
1088. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966
AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
1089. **Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei* Lethierry,1878; *spoliata* Horvath,1907
BG TR FR GB IT ES YU
1090. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963
AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
1091. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972
DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1092. **Lissonota (s.str.) compar Fonscolombe,1854** (Ichneumonidae) Synonym(s): *compar* Fonscolombe,1854
FR TR RU
1093. **Listrognathus giganteator (Aubert,1968)** (Ichneumonidae) Synonym(s): *giganteator* Aubert,1968
FR
1094. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator* Gravenhorst,1829
AM Cc GB FR CH AT IT YU TR
1095. **Longitarsus apicalis (Beck,1817)** (Chrysomelidae) Synonym(s): *apicalis* Beck,1817; *analisis* Duftschmidt,1825; *praticola* Sahlberg,1834; *fischeri* Zetterstedt,1838; *quadrimaculatus* Weise,1888
FR GR TM
1096. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967
Cc AZ TR FR IT AT HU PL CZ SK IR TN
1097. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi,1975
AT MA ES FR CH IT DE CZ SK YU UA TR
1098. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 *nec* Stph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 *nec* Marshm.,1802
FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
1099. **Longitarsus flavicornis (Stephens,1831)** (Chrysomelidae) Synonym(s): *flavicornis* Stephens,1831; *rufescens* Fowler,1890; *citrinus* Fuente,1910
GB IE FR BE ES MA DZ
1100. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 *nec* Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845
GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
1101. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 *nec* Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelia* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969
AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
1102. **Lygaeosoma erythropterum (Puton,1876)** (Lygaeidae) Synonym(s): *erythropterum* Puton,1876
TR FR

1103. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
1104. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
1105. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
1106. **Machiremisca decipiens (Wiedemann,1820)** (Asilidae) Synonym(s): *decipiens Wiedemann,1820; variegatus Meigen,1820; multicolor Schiner,1854; varispinus Strobl,1909* IR Es IT FR PT ES
1107. **Macquartia tessellum Meigen,1824** (Tachinidae) Synonym(s): *tessellum Meigen,1824; brevicornis Macquart,1839; oclusa Rondani,1859; brunusquamis Robineau-Desvoidy,1863; microcera Robineau-Desvoidy,1863; olivaceomaculata Porthinsky,1881; genistae Pandelle,1895* FR CH SK Cn IL Pa Cc TJ TR
1108. **Macrolenes dentipes (Olivier,1808)** (Chrysomelidae) Synonym(s): *bimaculatus Rossi,1790 nec Fabr.,1781; ruficollis Fabricius,1792 nec Fabr.,1775; dentipes Olivier,1808* IT Si TR FR DZ
1109. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis Fallén,1810* HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
1110. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris Rondani,1865; dumosum Pandellé,1895* AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
1111. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola Fallén,1820; viatica Meigen,1824* AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
1112. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris Rondani,1865* AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
1113. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis Zetterstedt,1838* GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
1114. **Macropsis dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar Fieber,1868* FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
1115. **Macropsis albae Wagner,1950** (Cicadellidae) Synonym(s): *albae Wagner,1950* TR BG CS FR DE GB IT NL PL PT KG MD YU
1116. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea Germar,1837; planicollis Thomson,1870* AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
1117. **Macropsis fuscinerervis (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscinerervis Boheman,1845* AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
1118. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula Zetterstedt,1828* AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
1119. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea Fieber,1868; viridiceps Wagner,1941* AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
1120. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea Fabricius,1798; populi Edwards,1919* AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
1121. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata J.Sahlberg,1871* AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
1122. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata Herrich-Schäffer,1836; notatifrons Rey,1891; latestiata Strobl,1900; lucifer Wagner,1941; injucunda Wagner,1950; ossiannilssoni Wagner,1950* AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
1123. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei Fieber,1868; bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926* DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
1124. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax Fieber,1868; ulmi Scott,1873* AT CZ GB FR DE IT RO RU TR
1125. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina Boheman,1852* DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
1126. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
1127. **Macropsis vestita Ribaut,1952** (Cicadellidae) Synonym(s): *vestita Ribaut,1952* BG FR IT UA
1128. **Macropsis vicina (Horvath,1897)** (Cicadellidae) Synonym(s): *vicina Horvath,1897* AT FR HU PL RU YU CZ SK TR

1129. **Macroscytus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR 01 31
1130. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
1131. **Macrosteles chobauti Ribaut,1952** (Cicadellidae) Synonym(s): *chobauti* Ribaut,1952 FR IL
1132. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
1133. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 nec Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
1134. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 AF BG GR FR IT PT ES TR
1135. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
1136. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
1137. **Macrosteles ramosus Ribaut,1952** (Cicadellidae) Synonym(s): *ramosus* Ribaut,1952; *quadricornis* Lindberg,1954; *orientalis* Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
1138. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
1139. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
1140. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
1141. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
1142. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus* Erichson,1840; *carnifex* Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR
1143. **Malthinus fasciatus (A.G.Olivier,1790)** (Cantharidae) Synonym(s): *fasciatus* A.G.Olivier,1790; *bulgaricus* Svihla,1990 FR BG
1144. **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; *#aphavexellte* Dobosz,2007 Mantispa aphavexelte U.Aspöck & H.Aspöck,1994, Annln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
1145. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
1146. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT BY CZ FR DE HU IT PL RU SS ES CH TR
1147. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 FR IT AT HU TR IR RU Cc ES PL
1148. **Megabombus humilis (Illiger,1806)** (Apidae) Synonym(s): *humilis* Illiger,1806; *solstitialis* Jurine,1807; *helferanus* Seidl,1837; *variabilis* Schmiedeknecht,1978 FR TR Cc PL
1149. **Megabombus pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum* Scopoli,1763; *agrorum* Fabricius,1787 GB IT FR CH Sa BE TR Cc GR BG IR
1150. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
1151. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
1152. **Megascolia maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859 FR IT Sa Si GR Cr TR TM
1153. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
1154. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR

1155. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
1156. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795; transversus Walker,1833; collaris Boheman,1834; punctum Förster,1841; vexillum Ratzeburg,1848; cynorrhodi Perris,1876; nigroflavus Hoffmeyer,1929* FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV
1157. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus Swederus,1795* IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
1158. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis Fabricius,1798; bohemanii Ratzeburg,1848; xanthopygus Förster,1859* FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
1159. **Megastigmus dumicola Boucek,1982** (Torymidae) Synonym(s): *dumicola Boucek,1982* IR FR ES
1160. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballestrerii Rondani,1877* ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
1161. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans Fabricius,1798* IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
1162. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus Borries,1895; piceae Seitner,1916; bornmuelleriana Hussey,1957* GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
1163. **Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli Seitner,1916* PT DZ FR IT SS B-H GR Cr TR
1164. **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis Edwards,1915* AL BG FR GB GR IL IT TR GG Cc YU IR
1165. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus Pallas,1771; melas Charpentier,1825; tristis Audinet-Serville,1838; agricola Rambur,1838; alata Ramme,1921* TR Cc RU ES FR AT PL RO IR KG MN
1166. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus Erichson,1841* TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
1167. **Melieria parmensis Rondani,1869** (Ulidiidae) Synonym(s): *parmensis Rondani,1869* FR DE AT CH Cc
1168. **Meligethes devillei Grouvelle,1912** (Nitidulidae) Synonym(s): *devillei Grouvelle,1912* FR IT TR
1169. **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus Sturm,1845* DZ FR TR Cc IR UZ KG
1170. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867* ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
1171. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925* ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
1172. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817; coriarius Brandt & Erichson,1832; reticulatus Brandt & Ratzeburg,1833; cyanicornis Escherich,1889* FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
1173. **Meria lineata Sichel,1859** (Tiphidae) Synonym(s): *lineata Sichel,1859* FR ES
1174. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata Rossi,1790; sexfasciata Rossi,1792* AT IT FR ES Md HU AL TR IL Pa EG MA DZ
1175. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860; obscuripennis Palma,1863; knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
1176. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons Meigen,1822; grossus Gil Collado,1930* PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
1177. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji Paramonov,1925* DZ MA TN ES FR IT GR UA MN
1178. **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus Curran,1939* MA FR IT GR TR
1179. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes Fabricius,1781; clauda Villers,1789; gravipes Rossi,1790; canipilus Rondani,1865; senilis Meigen,1822; albus Paramonov,1927; ater Paramonov,1927; niger Paramonov,1927; sacki Paramonov,1937* MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
1180. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT HU IT Si YU BG GR CY TR LB
1181. **Merodon crassifemoris Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris Paramonov,1925* UA Cm FR GR TR YU
1182. **Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): *distinctus Palma,1863; dimorpha Szilady,1940* FR IT YU GR RU TR

1183. **Merodon elegans Hurkmans,1993** (Syrphidae) Synonym(s): *elegans Hurkmans,1993* IT
SI FR ES DZ MA
1184. **Merodon femoratus Sack,1913** (Syrphidae) Synonym(s): *femoratus Sack,1913* FR Co GR
TR IT
1185. **Merodon flavus Sack,1913** (Syrphidae) Synonym(s): *flavus Sack,1913* ES FR CZ CH IT HU
BG
1186. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES
FR IT Si YU AL TR BG RO PL IL Pa LY
1187. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909* PT
ES FR Co IT YU BG TR IL Pa DZ MA MT
1188. **Merodon mariae Hurkmans,1993** (Syrphidae) Synonym(s): *mariae Hurkmans,1993* FR
Co IT GR
1189. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR
IT YU GR Rd CY Cc BG IL Pa
1190. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845*
ES FR AT GR HU IT YU PL CH TR
1191. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis Strobl,1909*;
fuerteventurensis Barkemeyer,2002 ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
1192. **Merodon parietum Wiedemann,1822** (Syrphidae) Synonym(s): *parietum*
Wiedemann,1822 PT ES FR GR
1193. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790*; *fulvus*
Macquart,1834; *pallidus Macquart,1842*; *sicanus Rondani,1845*; *fuscinervis Röder,1887*; *obscurus Gil*
Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
1194. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798*
TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1195. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus*
Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
1196. **Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): *pruinosa Say,1830* US IT FR Co CH
AT SL HV B-H CZ TR
1197. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792*;
formicaria Latreille,1792; *ichneumonides Latreille,1805*; *mutillaria Latreille,1806*; *sanvitali Latreille,1809*;
italica Costa,1858 *articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG
NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
1198. **Methocha latronum (Guichard,1972)** (Tiphidae) Synonym(s): *latronum Guichard,1972*
FR Co IT Sa
1199. **Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s):
brevispinus Thomson,1887 SE DE FR AT HU TR
1200. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae)
Synonym(s): *stigmatipennis Mulsant & Rey,1855*; *quadripunctata Kirschbaum,1868*; *pulcherrimus*
Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1201. **Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* TR
BG DE GB FI FR KP KR HU MN TN
1202. **Microptilis scrophulariae Szepligeti,1898** (Braconidae) Synonym(s): *scrophulariae*
Szepligeti,1898 Cc AZ GG FR RO CH HU CZ MN TR
1203. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH
Cc AZ DK BG FR GR HU NL TR
1204. **Microptilis tuberculifer (Wesmael,1837)** (Braconidae) Synonym(s): *tuberculifer*
Wesmael,1837 FR RU Sb LK MN Cc AZ AM TR JP
1205. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* Cc AZ DE
FR YU TR AT PL RU MN Sb SE HU
1206. **Milichia decora Loew,1870** (Milichiidae) Synonym(s): *decora Loew,1870* FR Co IT
1207. **Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa Meigen,1830* Cn PT
FR IT Sa GR YU TR
1208. **Milichiella argyrogaster (Perris,1876)** (Milichiidae) Synonym(s): *argyrogaster*
Perris,1876; *tiefii Mik,1887* ES FR AT CZ SK HU RU Us
1209. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803*
AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
1210. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850*;
aridellus Boheman,1850; *lateralis Sahlberg,1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL
RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
1211. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus*
Curtis,1835 (praeocc.); *crocea Herrich-Schäffer,1837*; *oxypterus Kirschbaum,1868* AL DZ AT BE BG CY
CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1212. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata*
Germar,1821; *rupicapra Marshall,1861*; *ambigua Fieber,1885* AL DZ AT BG CS DK FR DE GB HU IT LU
NL PL RO SW TN Cc GG MD UA YU

1213. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola* Remane,1961
IQ AT FR GR HU RU TR
1214. **Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda* Ribaut,1939
AT BE BG TR CS FR DE GB IT NL SE
1215. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825;
cerisyi Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852;
marginatus Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni*
Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN
LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN
KP KR JP
1216. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis*
Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus*
Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 Gryllus frontalis Fieber,1844, Ent.
Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR
1217. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767;
marmoratus Geoffroy,1785; *teuton* Macquart,1834 ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO
YU BG GR RU TR IR Es
1218. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus*
Fonscolombe,1832 IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
1219. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834
TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH
UA GB US
1220. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus*
Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES
SE CH TM UA GB US
1221. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae*
Walker,1847 IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
1222. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper* Sulzer,1776 ES FR Co IT
AL CH RO GR SS BG HU PL MD
1223. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata*
Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus*
Vilbaste,1965 Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK
MD TJ UA UZ YU
1224. **Musaria rubropunctata (Goese,1777)** (Cerambycidae) Synonym(s): *rubropunctata*
Goese,1777 FR ES IT DE
1225. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault
& Sanders,1910; *perplexa* Hedqvist,1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU
IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fi Ny Tx UY UZ VE
1226. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG
CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG
CN JP KG KK MN UZ Sb TJ Az Md Cn
1227. **Mutilla quinque maculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinque maculata*
Cyrilloi,1787 TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
1228. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s):
circumdata Staeger,1840 ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
1229. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus*
Fabricius,1794 Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
1230. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-
Schäffer,1835 FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1231. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata*
Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1232. **Mylabris quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata*
Linnaeus,1767 FR TR Cc RU IR AF MN
1233. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 AF BL BG
CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
1234. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 ES FR
IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR
1235. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 ES FR
BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR
1236. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta* Wiedemann,1824 GB
FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR
1237. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 ES FR BE DE PL SK
CZ AT IT HU RO BG TR
1238. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata* Meigen,1804 FR BE
NL DE DK PL CZ SK HU RO AT CH IT SE TR

1239. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979
Myopites apicatus Freidberg,1979, Israel J. ent. 13: 16. TR IL Pa IT HU GR Gr AT FR CZ
1240. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki* Viereck,1903; *kutteri* Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 SE DK ES FR CH CZ BG TR GG Cc KK KG
1241. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
1242. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869 FR GR SY Cc UA Cm TR IL Pa IR
1243. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
1244. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
1245. **Myxexoristops blondeli (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *blondeli* Robineau-Desvoidy,1830 TR FR CN Pkn Mc Sz Ui Yu
1246. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus* Costa,1847 CZ BG ES FR PT IT RO RU SK GR YU TR
1247. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis* Fabricius,1801 AT BE CZ FR DE IT PL SK ES CH TR UA IR
1248. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata* Linnaeus,1767 FR GB IT PT ES TR DZ MA TN IR
1249. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
1250. **Nemotelus (s.str.) atriceps Loew,1856** (Stratiomyidae) Synonym(s): *atriceps* Loew,1856; *longicornis* Lindner,1937 DZ FR PT ES TN TR
1251. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA
1252. **Nealiturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscinonensis* Ribaut,1952; *infirmus* Young & Frazier,1954 IT FR LY MA RO ES EH TN TR RU KG TJ
1253. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
1254. **Nealiturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868 CZ FR DE GR HU IT UA TR
1255. **Nealiturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954 DZ ES Cn EG FR IR IL IT Si LY ES TN KG
1256. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
1257. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
1258. **Neoleria maritima (Villeneuve,1921)** (Heleomyzidae) Synonym(s): *maritima* Villeneuve,1921 NL IE FR PT
1259. **Neomyia viridescens (Robineau-Desvoidy,1830)** (Muscidae) Synonym(s): *viridescens* Robineau-Desvoidy,1830 RU GB FR Co MN KP KR CN MA
1260. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
1261. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
1262. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
1263. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)

1264. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
1265. **Neophilaenus longiceps (Puton,1895)** (Cercopidae) Synonym(s): *longiceps* Puton,1895 **DZ FR GB LY MA PT ES TN**
1266. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
1267. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
1268. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 **ES Cn Md FR IR IT JP TR GR Cr YU IR**
1269. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899 **Cc BG RO UA RU PL DE AT FR**
1270. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
1271. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**
1272. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 **PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR**
1273. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
1274. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reamurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
1275. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
1276. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
1277. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
1278. **Nicrophorus nigricornis Faldermann,1835** (Silphidae) Synonym(s): *nigricornis* Faldermann,1835 **TR FR AT SS BG Cc CH**
1279. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
1280. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU**
1281. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
1282. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 **AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL**
1283. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 **AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL**
1284. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 **AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL**
1285. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 **AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL**
1286. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata*

- Haupt*,1912 (*praeocc.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR**
1287. **Noxius curtirostris (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861 **AT IT ES FR TR**
1288. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
1289. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 **IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE**
1290. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
1291. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 **DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR**
1292. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
1293. **Nyctophila reichii (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du Val,1860 **ES FR PT YU TR**
1294. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1295. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 *nec* Meig.,1822 **MA DZ FR Co RO ES IT GR TR IL AF**
1296. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
1297. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
1298. **Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): *germanica* Latreille,1804; *intermedia* Ramme,1913 **ES FR DE AT TR YU HV**
1299. **Oliarus apiculatus Fieber,1876** (Cixiidae) Synonym(s): *apiculatus* Fieber,1876 **FR HU RO Cc AZ YU**
1300. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 **AL CZ FR HU IT PT RO ES TR KK TM UA UZ**
1301. **Oliarus obscurus (Signoret,1865)** (Cixiidae) Synonym(s): *obscurus* Signoret,1865; *signatus* Fieber,1876 **EG FR IT Sa Cc AM AZ RU UA**
1302. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 **DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU**
1303. **Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus* Chobaut,1907; *majuscula* Baraud,1965; *rozneri* Adam,1994 **BG FR GR RO TR**
1304. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola* Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata* Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschii* Reitter,1905; *arnoldi* Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazishvili,1973 **AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc**
1305. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis* Fallén,1806 **AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR**
1306. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb**
1307. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 **FR ES IT CZ RO Cc TR RU KG Sb**
1308. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
1309. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU**
1310. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius*

- Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK
LV MD RO RU Sb UA UZ YU
1311. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840;
frontalis Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR
HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
1312. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 MA DZ TN LY Cy EG
Co FR ES TR IL Pa
1313. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae)
Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900 ES FR GR Rd RO HU AT TR SY IL Pa IR
AF TM
1314. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae)
Synonym(s): *opacicollis* Reitter,1893 BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
1315. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae)
Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ
RO BG UA GR
1316. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa &
GB.Villa,1833 AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
1317. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides*
Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES
SE CH TR MA KG TJ NL UZ JP
1318. **Opsilia coerulescens (Scopoli,1763)** (Cerambycidae) Synonym(s): *coerulescens*
Scopoli,1763 DZ FR SS HV GR TR
1319. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876
(*praecoc.*); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
1320. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866;
tamaricis Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn
CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
1321. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae*
Zetterstedt,1847 DE BY CZ FR IT LT HU RU UA TR
1322. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis*
Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa
KG KK
1323. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781;
flavicans Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 TR DE BG CZ FR SE CH HU UA
1324. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG
CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us
1325. **Ormiscus vasconicus (Hoffmann,1954)** (Anthribidae) Synonym(s): *vasconicus*
Hoffmann,1954 FR
1326. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 CY FR GR
ES TR IL Pa JO LB SY
1327. **Orthops basalis (Costa,1852)** (Miridae) Synonym(s): *basalis* Costa,1852 TR IT FR AT YU
CZ SE
1328. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea*
Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor*
Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
1329. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura*
Morawitz,1871 AM Cc BG FR GR IT Si MK UA TR
1330. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta*
Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE
GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
1331. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s):
andrenoides Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA
DZ MA TN CY IL Pa TR
1332. **Osmia (Erythrosmia) erythrogastra Fertton,1905** (Megachilidae) Synonym(s):
erythrogastra Fertton,1905 FR Co GR IT Sa CY TR
1333. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta*
Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV
LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
1334. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s):
caerulescens Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea*
Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE
BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA
TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
1335. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata*
Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 AL BG ES FR GR Cr IT Sa Si MK RU UA
Cc TM CY IL Pa LB TR IR

1336. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
1337. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
1338. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 nec Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtii* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
1339. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
1340. **Osmia (Helicosmia) nasoproducta Ferton,1909** (Megachilidae) Synonym(s): *nasoproducta* Ferton,1909; *proboscidea* Benoist,1950 ES FR Co IT Sa MA
1341. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
1342. **Osmia (Helicosmia) niveocincta Pérez,1879** (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 ES FR GR IT Sa PT DZ MA IL? Pa?
1343. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
1344. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
1345. **Osmia (Hemiosmia) argyropyga Pérez,1879** (Megachilidae) Synonym(s): *argyropyga* Pérez,1879; *entoprocta* Pérez,1879 ES FR IT PT MA
1346. **Osmia (Hoplosmia) anceyi Pérez,1879** (Megachilidae) Synonym(s): *anceyi* Pérez,1879; *biarmica* Zanden,1994 CH ES FR PT DZ MA TN
1347. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
1348. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
1349. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
1350. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
1351. **Osmia (Melanosmia) alticola Benoist,1922** (Megachilidae) Synonym(s): *alticola* Benoist,1922 AT CH ES FR
1352. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
1353. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
1354. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
1355. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN
1356. **Osmia (Melanosmia) svenssoni Tkalcu,1983** (Megachilidae) Synonym(s): *svenssoni* Tkalcu,1983 FR SE
1357. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA
1358. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
1359. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra*

- Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
1360. **Osmia (Nasutosmia) nasuta** Friese,1899 (Megachilidae) Synonym(s): *nasuta* Friese,1899; *rhynchaena* Pérez,1905 ES FR DZ MA TN
1361. **Osmia (Neosmia) bicolor** (Schrank,1781) (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN UI
1362. **Osmia (Pyrosmia) cephalotes** Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
1363. **Osmia (Pyrosmia) cyanoxantha** Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
1364. **Osmia (Pyrosmia) ferruginea** Latreille,1811 (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY
1365. **Osmia (Pyrosmia) gallarum** Spinola,1808 (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1366. **Osmia (Pyrosmia) saxicola** Ducke,1899 (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
1367. **Osmia (Pyrosmia) submicans** Morawitz,1870 (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1368. **Osmia (Pyrosmia) versicolor** Latreille,1811 (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
1369. **Osmia (Pyrosmia) viridana** Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1370. **Osmia (s.str.) bicornis** (Linnaeus,1758) (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1371. **Osmia (s.str.) cerinthidis** Morawitz,1876 (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1372. **Osmia (s.str.) cornuta** (Latreille,1805) (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN UI CY IR TR
1373. **Osmia (s.str.) emarginata** Lepeletier,1841 (Megachilidae) Synonym(s): *emarginata* Lepeletier,1841; *fusca* Benoist,1928 *nec* Chr.,1791; *infusca* Peters,1978 BE ES FR Co IT Sa PT DZ MA
1374. **Osmia (s.str.) tricornis** Latreille,1811 (Megachilidae) Synonym(s): *tricornis* Latreille,1811 AD ES FR Co IT Sa PT DZ Cn LY MA TN
1375. **Osmia (Tergosmia) lunata** Benoist,1928 (Megachilidae) Synonym(s): *lunata* Benoist,1928 ES FR MA
1376. **Osmia (Tergosmia) tergestensis** Ducke,1897 (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhymica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
1377. **Osmylus fulvicephalus** (Scopoli,1763) (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
1378. **Ossiannilssonola callosa** (Then,1886) (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU
1379. **Otlophorus inflammator** Aubert,1970 (Ichneumonidae) Synonym(s): *inflammator* Aubert,1970 FR TR
1380. **Oxycera (Camptopelta) meigenii** Staeger,1844 (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1381. **Oxycera analis** Meigen,1822 (Stratiomyidae) Synonym(s): *analis* Meigen,1822 GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM

1382. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaenicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950 **DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR**
1383. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 **DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR**
1384. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Séguy,1930; *angustistomata* Lindner,1938 **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
1385. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
1386. **Pachybrachis (s.str.) alpinus Rapilly,1982** (Chrysomelidae) Synonym(s): *alpinus* Rapilly,1982 **FR**
1387. **Pachybrachis (s.str.) exclusus Rey,1883** (Chrysomelidae) Synonym(s): *exclusus* Rey,1883; *etruscus* Weise,1886 **FR IT HV**
1388. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
1389. **Pachybrachis (s.str.) hippophaes Suffrian,1848** (Chrysomelidae) Synonym(s): *hippophaes* Suffrian,1848 **HU AT CH FR Py RO**
1390. **Pachybrachis (s.str.) pallidulus Suffrian,1851** (Chrysomelidae) Synonym(s): *pallidulus* Suffrian,1851; *suturalis* Weise,1882... **FR ES UA**
1391. **Pachybrachis (s.str.) picus Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 **DE AT ES FR BE HU IT**
1392. **Pachybrachis (s.str.) pradensis Marseul,1875** (Chrysomelidae) Synonym(s): *pradensis* Marseul,1875; *incallidus* Pic,1897; *obscurior* Pic,1898; *teruelensis* Pic,1913 **FR Py ES**
1393. **Pachybrachis (s.str.) rugifer Abeille,1904** (Chrysomelidae) Synonym(s): *rugifer* Abeille,1904 **FR**
1394. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
1395. **Pachybrachis (s.str.) testaceus Perris,1865** (Chrysomelidae) Synonym(s): *testaceus* Perris,1865; *riguus* Marseul,1875; *paganettii* Pic,1935 **FR Co IT Sa**
1396. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 **AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA**
1397. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
1398. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 **YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES**
1399. **Panorpa germanica Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929 **DE TR GR BE FR IT GB NO**
1400. **Panorpa meridionalis Rambur,1842** (Panorpidae) Synonym(s): *meridionalis* Rambur,1842 **AD ES FR PT IT RO**
1401. **Paracaloptenus bolivari Uvarov,1942** (Acrididae) Synonym(s): *bolivari* Uvarov,1942 **ES FR Py**
1402. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
1403. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 **AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU**
1404. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU**
1405. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 **DZ FR IT GR MK MA PT ES TN YU**
1406. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
1407. **Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): *pulchellus* Rey,1891 **BE FR Cc AZ RU UA UZ**

1408. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
1409. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1410. **Parallelloma fuscipes (Zetterstedt,1838)** (Scathophagidae) Synonym(s): *fuscipes* Zetterstedt,1838; *dispar* Zetterstedt,1846; *fuscitibia* Rondani,1867 SE IT AT CH FI FR NO PL RU Ur Us
1411. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
1412. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1413. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961 TR Cc GG RU At KG KK TJ UA UZ FR
1414. **Pedestredorcadion arenarium (Scopoli,1763)** (Cerambycidae) Synonym(s): *arenarium* Scopoli,1763 AL HV B-H FR IT YU
1415. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
1416. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
1417. **Pedicia (Crunobia) zangheriana Nielsen,1950** (Pediidae) Synonym(s): *zangheriana* Nielsen,1950 FR Co IT Si
1418. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
1419. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1420. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839 PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
1421. **Peirates stridulus (Fabricius,1787)** (Reduviidae) Synonym(s): *stridulus* Fabricius,1787 ES FR IT Sa
1422. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
1423. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1424. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1425. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1426. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1427. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
1428. **Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *bioculatus* Fabricius,1775; *clanda* Say,1825 US CZ FR DE RU YU
1429. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU
1430. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921; *barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
1431. **Perlamantis allibertii Guérin-Méneville,1843** (Amorphoscelidae) Synonym(s): *allibertii* Guérin-Méneville,1843; *tunetana* Bonnet & Finot,1884 FR ES DZ MA LY TN
1432. **Phalacrotophora delageae Disney,1979** (Phoridae) Synonym(s): *delageae* Disney,1979 FR
1433. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP

1434. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana Fieber,1853; quadripunctata Brunner von Wattenwyl,1878* **Phaneroptera nana Fieber,1853, Lotos 3: 173. Type ♂: Portugal. PT ES FR IT Sa RO TR**
1435. **Phanerotoma (Bracotritoma) acuminata Szepliget,1908** (Braconidae) Synonym(s): *acuminata Szepliget,1908* **AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU**
1436. **Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma Marshall,1898; antennalis Snoflak,1951* **AT CY CZ GB FR IE IT NL PL ES**
1437. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta Kokujev,1903* **AT CZ FR GR HU IR IT MN ES RU Sb US Cf**
1438. **Phanerotoma ocellaria Kohl,1906** (Braconidae) Synonym(s): *ocellaria Kohl,1906; rjabovi Vojnovskaja-Krieger,1929; media Shestakov,1930; desertorum Hedwig,1957; flavitestacea Fischer,1959* **BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf**
1439. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris Scopoli,1763; populi Meigen,1826* **ES Md FR Co DE PL CZ SK CH AT HU SY RU**
1440. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa Harris,1780* **DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az**
1441. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei Dupuis,1957* **TR PT ES FR DE HU SK B-H CH IT BG GR**
1442. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla Meigen,1824* **PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr**
1443. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera Egger,1860* **ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG**
1444. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans Meigen,1824* **FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT**
1445. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera Fabricius,1794* **ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT**
1446. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa Fabricius,1798* **ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY**
1447. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata Linnaeus,1767* **ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si**
1448. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons Girschner,1887* **ES FR GB BE NL DE PL RU CZ SK HU AT CH IT**
1449. **Phasia emdeni Draber-Monko,1970** (Tachinidae) Synonym(s): *emdeni Draber-Monko,1970* **FR**
1450. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili Draber-Monko,1965; theodori Draber-Monko,1965* **PT ES FR IT Co Si HU UA RU Cr CY**
1451. **Phasia truncata Herting,1983** (Tachinidae) Synonym(s): *truncata Herting,1983* **ES FR**
1452. **Phasia venturii Draber-Monko,1965** (Tachinidae) Synonym(s): *venturii Draber-Monko,1965* **PT ES FR GR Cr**
1453. **Pherbellia goberti Pandelle,1902** (Sciomyzidae) Synonym(s): *goberti Pandelle,1902* **FR**
1454. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758; leucophthalma Linnaeus,1758; lateralis Linnaeus,1758; leucocephala Linnaeus,1758* **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
1455. **Philopotamus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps Meigen,1820; canescens Wiedemann,1820; nudus Loew,1840; eletus Loew,1871; domesticus Ricardo,1920; pulcher Becker,1923; marinus Becker,1923; orientalis Esipenko,1969* **IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB**
1456. **Philopotamus corsicanus Mosely,1938** (Philopotamidae) Synonym(s): *corsicanus Mosely,1938* **FR Co**
1457. **Philopotamus liguricus Malicky,1984** (Philopotamidae) Synonym(s): *liguricus Malicky,1984* **FR IT**
1458. **Philopotamus ludificatus McLachlan,1878** (Philopotamidae) Synonym(s): *ludificatus McLachlan,1878* **FR BE DE PL CZ SK HU IT SS**
1459. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus Donovan,1813* **ES FR GB TR UA**
1460. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus Donovan,1813; scopulorum Stephens,1836; charpentieri Zetterstedt,1840; tigrinus Brauer,1857* **NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE**
1461. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus Scopoli,1763; pedemontanus Navas,1934* **PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR**
1462. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838; octopunctatus Burmeister,1838* **AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ**

1463. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1464. **Phlepsius spinulosus Wagner,1963** (Cicadellidae) Synonym(s): *spinulosus* Wagner,1963 FR IT Sa Si MA TN TR IR
1465. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1466. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
1467. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1468. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846 IT TR B-H HV FR GR IR IL Pa MK SS ES YU
1469. **Phthiria fulva Meigen,1804** (Bombyliidae) Synonym(s): *fulva* Meigen,1804 FR BE
1470. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedei* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1471. **Phthiria lacteipennis Strobl,1909** (Bombyliidae) Synonym(s): *lacteipennis* Strobl,1909 FR ES
1472. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura* Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1473. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1474. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1475. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1476. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1477. **Phyllomorphus laciniatus (Villers,1789)** (Coreidae) Synonym(s): *laciniatus* Villers,1789 ES FR IT Si Sa TR
1478. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905 PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1479. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrifasciata* Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1480. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1481. **Physatocheila harwoodi China,1936** (Tingidae) Synonym(s): *harwoodi* China,1936 GB FR DE CZ AT IT Si
1482. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952 ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1483. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1484. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata* Latreille,1792 HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
1485. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1486. **Physiphora alceae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyßler,1791 AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1487. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824 ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1488. **Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta* Brullé,1832 ES FR CH AT CZ HU PL IT TR
1489. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776 GB FR BE NL DE DK SE FI PL CZ AT HU IT TR
1490. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781 ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1491. **Phytoecia erythrocnema Lucas,1849** (Cerambycidae) Synonym(s): *erythrocnema* Lucas,1849 MA ES PT FR

1492. **Phytoecia rufipes (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes Olivier,1795* FR AT DZ TR SY
1493. **Phytoecia vulneris Aurivillius,1923** (Cerambycidae) Synonym(s): *vulneris Aurivillius,1923* FR IT HV SB MK
1494. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1495. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens Fabricius,1803; maculicornis Mulsant,1852* AL DZ AT GR Cr FR IT MA PT ES TR YU
1496. **Piesma (Parapiesma) pupula Puton,1879** (Piesmatidae) Synonym(s): *pupula Puton,1879* DZ ES FR Co Sa HV
1497. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1498. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1499. **Piesma (Parapiesma) variable (Fieber,1844)** (Piesmatidae) Synonym(s): *variable Fieber,1844; brevicornis Rey,1888* PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1500. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1501. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1502. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes Fabricius,1781; genei Costa,1841* AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1503. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata Macquart,1829* FI HU YU AT CH DE NL BE FR ES TR
1504. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus Fallén,1806; proteus Herrich-Schäfer,1834; pinastri Fieber,1885* DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1505. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus Tavares,1901* PT ES FR IT MA AZ Cc IR IL Pa GR
1506. **Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis Fabricius,1798; cocciferae Lichtenstein,1877; ilicis Lichtenstein,1877; emereyi Mayr,1882; fusifex Mayr,1882; kiefferi Dalla & Torre & Kieffer,1910; niger Dalla & Torre & Kieffer,1910; lichtensteini Dalla & Torre & Kieffer,1910; lusitanicus Tavares,1926* PT ES FR IT TR
1507. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus Fourcroy,1785; laevus Rey,1891; niger Kuznezov,1929* AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1508. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides Linnaeus,1758; azurea Dalla Torre,1789; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919* SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1509. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
1510. **Platycleis (Sepiana) sepium (Yersin,1854)** (Tettigoniidae) Synonym(s): *sepium Yersin,1854* FR TR
1511. **Platymetopius (Quernus) curvatus Dlabola,1974** (Cicadellidae) Synonym(s): *curvatus Dlabola,1974* FR YU TR
1512. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus Scott,1876* AT CS FR HU IT ES BG TR YU
1513. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus Fieber,1869* AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1514. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1515. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS

- DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1516. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1517. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1518. **Platyrhinus resinosus (Scopoli,1763)** (Anthribidae) Synonym(s): *resinosus* Scopoli,1763; *flavifrons* Fuessly,1775; *oblongus* Sulzer,1776; *latirostris* Fabricius,1792; *costirostris* Clairville,1798 FR SS HV RU
1519. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum* Loew,1856 FR GR Cr TR SY IL Pa RO RU
1520. **Platystoma rufipes Meigen,1826** (Platystomidae) Synonym(s): *rufipes* Meigen,1826 FR UA TR RU
1521. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki* Delvare,2005 IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA
1522. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1523. **Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini* Picard,1933 IR Ak Cn FR KG ES
1524. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Gryllus (Locusta) *pedestris* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc
1525. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1526. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus* Kohl,1898 IT FR GR YU TR Cc AZ IL IN CN
1527. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchei* Gusenleitner,1976 IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
1528. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
1529. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1530. **Polysarcus denticaudus (Charpentier,1825)** (Tettigoniidae) Synonym(s): *denticaudus* Charpentier,1825; *lixoniensis* Saulcy,1887 FR ES HU TR
1531. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914 AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1532. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1533. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
1534. **Prochoeradodis enigmaticus Piton,1940** (Mantidae) Synonym(s): *enigmaticus* Piton,1940 FR
1535. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
1536. **Proconura tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1537. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH
1538. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfilium* Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
1539. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
1540. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor* Rambur,1842 DZ MA FR ES IT PT TR
1541. **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis* Andersch,1797 FR IT Sa Co SY TR IR

1542. **Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *miriffica* Mulsant & Rey,1840 **FR ES IT YU SY TR IL Pa**
1543. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca* Fabricius,1787 **FR IT ES MA DZ TN LY Cy**
1544. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 **ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY**
1545. **Protosmia (Nanosmia) minutula (Pérez,1896)** (Megachilidae) Synonym(s): *pumila* Pérez,1895 nec Cress.,1864; *minutula* Pérez,1896; *cataniae* Strand,1921 **CH ES FR IT Si**
1546. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 **ES FR IT Si PT DZ MA TN TR?**
1547. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
1548. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 **ES FR GR MA DZ TR**
1549. **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus* Reuter,1878 **FR YU BG RU Cc TR**
1550. **Psammotettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): *adriaticus* Wagner,1959; *linnavuorii* Wagner,1959 **EG FR IL IT TN**
1551. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafitonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
1552. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
1553. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1554. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombofifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
1555. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
1556. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925 **AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA**
1557. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952 **AF AT BG CS FR DE HU IT NL PL PT**
1558. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
1559. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU**
1560. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (*praeocc.*); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US**
1561. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 **FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT**
1562. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932 **DE FR GB Cc KG TM RU Sb TR**
1563. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 **TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb**
1564. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 **ES Cn CY FR IL YU GR Cr IT Si TR**
1565. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbridae) Synonym(s): *amerinae* Linnaeus,1758 **Tenthredo amerinae** Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR*
1566. **Pseudosphegthes cinerea (Catelnau & Gory,1835)** (Cerambycidae) Synonym(s): *cinerea* Catelnau & Gory,1835 **ES FR IT**
1567. **Pseudotorymus sapphyrinus (Fonscolombe,1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe,1832; *mongolicus* Szelenyi,1973 **FR DE CZ SK HU B-H YU MD TR MN**

1568. **Pseudoyersinia brevipennis (Yersin,1860)** (Mantidae) Synonym(s): *brevipennis* Yersin,1860 **FR SI IT**
1569. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
1570. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
1571. **Pteroptrix bicolor (Howard,1898)** (Aphelinidae) Synonym(s): *bicolor* Howard,1898; *caucasicus* Yasnosh,1955; *callunae* Alam,1956; *zonatus* Alam,1956 **FR GB GG TR**
1572. **Puer maculatus (Olivier,1789)** (Ascalaphidae) Synonym(s): *maculatus* Olivier,1789 **FR DZ IL Pa**
1573. **Purpuricenens globulicollis Mulsant,1839** (Cerambycidae) Synonym(s): *globulicollis* Mulsant,1839 **FR IT HU BG**
1574. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
1575. **Pycnopogon leucostomus Engel,1930** (Asilidae) Synonym(s): *leucostomus* Engel,1930 **FR Cc RU TR IR Elb Mz AM**
1576. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791; *grylloides* Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 **MA Cn ES FR LY CY YE GH TR**
1577. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
1578. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845 **AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU**
1579. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891 **PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL**
1580. **Rabdophaga dubiosa Kieffer,1913** (Cecidomyiidae) Synonym(s): *dubiosa* Kieffer,1892; *dubiosa* Kieffer,1913 **GB DE NL CZ FR PL HU RO SE FI EE**
1581. **Rabdophaga gemmicola (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *gemmicola* Kieffer,1896 **FR GB BE NL DE CZ HU RO RU SE FI EE**
1582. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850 **ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR**
1583. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia* Kieffer,1890 **GB FR CH AT CZ DE PL HU YU RO RU SE FI EE**
1584. **Rabdophaga karschi (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *karschi* Kieffer,1891 **ES FR GB DE CZ**
1585. **Rabdophaga nervorum (Kieffer,1895)** (Cecidomyiidae) Synonym(s): *nervorum* Kieffer,1895 **GB FR DE FI**
1586. **Rabdophaga pierreana (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *pierreana* Kieffer,1909 **GB FR DE CZ PL YU**
1587. **Rabdophaga pierrei (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierrei* Kieffer,1896 **PT ES FR GB NL DE CZ PL HU RO BG IT**
1588. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891; *rosariella* Kieffer,1896 **FR GB DE AT CZ YU RO UA RU EE SE**
1589. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841 **FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR**
1590. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 **PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR**
1591. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850 **PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR**
1592. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850 **ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR**
1593. **Ranissus discrepans Fieber,1866** (Dictyopharidae) Synonym(s): *discrepans* Fieber,1866 **FR GR IT PT ES**
1594. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major* Burmeister,1839. **AT DE CH FR CZ HU BG HV MK RO GR**
1595. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 **AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU**
1596. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 **AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU**
1597. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**

1598. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1599. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1600. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1601. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
1602. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
1603. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764 TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1604. **Rhizotrogus (Amphimallon) majalis (Razoumowsky,1789)** (Scarabaeidae) Synonym(s): *majalis* Razoumowsky,1789 BE FR ES CH DE IT Co Sa CA US
1605. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
1606. **Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
1607. **Rhynchites coeruleus (De Geer,1775)** (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaris* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
1608. **Rhynchites giganteus Krynicky,1832** (Atelabidae) Synonym(s): *giganteus* Krynicky,1832 BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
1609. **Rhyparochromus minusculatus (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus* Reuter,1885 GR Cr FR IT Co Si TR YU
1610. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1611. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR DE GR IT Sa SW Cc TR GG RU
1612. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931 TR BG FR GB IT PT SE AZ Cc
1613. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
1614. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
1615. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
1616. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
1617. **Rondania cucullata Robineau-Desvoidy,1850** (Tachinidae) Synonym(s): *cucullata* Robineau-Desvoidy,1850; *notata* Robineau-Desvoidy,1863; *rufitibia* Strobl,1894; *notiventris* Pandelle,1896 FR TR
1618. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
1619. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
1620. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterricus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 *Gryllus nitidulus* Scopoli,1786, *Delicidae florum* & *faunae insubricae* 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1621. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG

1622. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
1623. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
1624. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1625. **Sapromyza palpella Rondani,1868** (Leuxaniidae) Synonym(s): *palpella* Rondani,1868 FR GR Cr IT RO CH
1626. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1627. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
1628. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1629. **Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *portschinskyana* Rohdendorf,1937 BG FR GR IT Si UA YU TR
1630. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1631. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1632. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 TR CY BG GR FR IT HU RO MK
1633. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1634. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK MD PL PT ES RO Si SK CH NL UA YU
1635. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
1636. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1637. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
1638. **Saropogon luctuosus (Wiedemann,1820)** (Asilidae) Synonym(s): *luctuosus* Wiedemann,1820; *nigripennis* Costa,1844 IR Ak Ab HV GR FR IT PT
1639. **Scambus (Atelophadnus) rufator Aubert,1963** (Ichneumonidae) Synonym(s): *rufator* Aubert,1963 FR YU BG TR RU
1640. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1641. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1642. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1643. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1644. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1645. **Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775 IT Sa Si FR SY EG DZ GR

1646. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
1647. **Scaurus tristis Olivier,1795** (Tenebrionidae) Synonym(s): *tristis Olivier,1795; calcaratus Fabricius,1798; gracilicornis Fairmaire,1875; gracilipes Solier,1838; giganteus Küster,1848; lugens Küster,1848* FR ES TN IT Sa Si
1648. **Scleroracis corniculus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus Marshall,1866; orichalceus Thomson,1869; intractabilis Kontkanen,1949* AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA
1649. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula Fallén,1806 (praeocc.); decumanus Kontkanen,1949* BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
1650. **Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus Fallén,1826; lineigera Zetterstedt,1840; sibiricus Vilbaste,1965* AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1651. **Scolia fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax Eversmann,1849* ES FR IT GR TR TM
1652. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula Pallas,1771; tricolor Pallas,1771; quadricincta Scopoli,1786; notata Fabricius,1787; bifasciata Rossi,1790; tridens Fabricius,1793; elisabethae Muche,1962* FR IT Si YU HU UA BG GR CY Cc TR EG
1653. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta Schrank,1781; bicincta Scopoli,1786; unifasciata Cyrillo,1787; alutus Nagy,1967; mongolina Nagy,1970* IT Sa Si TR PT ES MT CY FR Co CY KG
1654. **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis Fabricius,1794; nubeculipennis Costa,1863; menstruus Loew,1882* FR GR MA DZ TN BG TR IR Ab Mak
1655. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans Linnaeus,1758* AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1656. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea Fabricius,1794 (praeocc.); obsoletus Germar,1817; punctatonervosus Stal,1854* AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1657. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata Becker,1907; chopardi Séguy,1932; pamirensis Enderlein,1934* Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
1658. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa Strobl,1893; flavipes Goetghebuer & Bastin,1925; desultor Séguy,1932* BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
1659. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes Meigen,1826; minima Strobl,1893; tonsa Duda,1925* TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hk TN DZ
1660. **Sepsis thoracica (Robineau-Desvoidy,1830)** (Sepsidae) Synonym(s): *thoracica Robineau-Desvoidy,1830; tridens Becker,1903; consanguinea Villeneuve,1920; goetghebueri Frey,1925; idmais Séguy,1932; ino Séguy,1932* FR GB BE EG TR
1661. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata Fabricius,1798* IT Sa FR Co ES MA DZ TN EG TR
1662. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum De Geer,1776; sericatum Meigen,1830; tenuifrons Enderlein,1921; sinense Enderlein,1934; mihaljii Rubtsov,1967; chelevini Ivashchenko,1968* SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1663. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivosecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1664. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum Rivosecchi,1963* IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
1665. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1666. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938* NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN UI
1667. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor Fabricius,1792; hypocrita Lacordaire,1848; amabilis Lacordaire,1848* ES FR IT BG RO UA Cm TR
1668. **Smaragdina diversipes Letzner,1839** (Chrysomelidae) Synonym(s): *diversipes Letzner,1839* FR ES Py RO
1669. **Smaragdina ferulae (Gené,1839)** (Chrysomelidae) Synonym(s): *ferulae Gené,1839* FR IT Co Sa

1670. **Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata Meigen,1820* FR
RU Tv ES DK GB UA Cm CN MN TR
1671. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius Mulsant & Rey,1855* BG FR IT SW KG KK RU Sb UA YU
1672. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1673. **Sphinctotropis corsicus (Marshall,1902)** (Anthribidae) Synonym(s): *corsicus Marshall,1902* FR Co
1674. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus Olivier,1790* FR PT
ES DE CH IT Co Sa AT HU TN DZ
1675. **Spilogona carbonella (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella Zetterstedt,1845* FR Co DE PL CZ SK CH AT HU TR RU
1676. **Stegelytra putoni Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *putoni Mulsant & Rey,1855* PT FR ES YU TR
1677. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus Stal,1858; colorata Kirschbaum,1868* Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1678. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1679. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus Pallas,1818* IR Fa BG
DE FR HU PL RO YU RU TR Cc AZ AM GG KG
1680. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus Loew,1847* IT FR
HU RO GR BG TR IR
1681. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus Meigen,1804* TR
IR EG GR FR HU IL Pa RO RU TN
1682. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus Wiedemann,1820; tanygastrus Loew,1861* IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
1683. **Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus Linnaeus,1767* Cc
IR FR HV TR SY LB JO IL Pa
1684. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae Panzer,1799; melanocephalus Panzer,1799; taraxaci Panzer,1806; villersi Leach,1817; henschi Konow,1907* ES FR GB
DE SE SK HU AT IT AL Co
1685. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidae Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR
DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1686. **Sterictiphora gastrica (Klug,1814)** (Argidae) Synonym(s): *gastrica Klug,1814; terebralis Enslin,1917* PT ES FR IT AT
1687. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata Gmelin,1790; costata Fallén,1808; pallipes Leach,1817* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
1688. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus Wiedemann,1820* IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
1689. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis Loew,1847* IT FR
Co YU PT AT RO RU BG TR
1690. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger Loew,1847; congener Loew,1856* IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
1691. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri Koch,1872; spinimanus Pokorný,1887* IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1692. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb
UA UZ YU
1693. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb
GG KG UA
1694. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata Linnaeus,1758* ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT
BY GB UA MD RU KG
1695. **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia Meigen,1822; flaviventris Loew,1846; ahngerii Pleske,1901; cypria Pleske,1902; kervillei Villeneuve,1912; planes James,1941* FR CY RU TR Cc AM IL SY IR EG MA DZ TN
1696. **Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon Linnaeus,1758; sellata Sulzer,1761; spatula Scopoli,1763; nigrodentata Meigen,1804; rhaetica Jaenicke,1866; unguicornis Becker,1887; caucasica Pleske,1899; kosnakowi Pleske,1901;*

- winogradowinikitini* Pleske,1922 *Musca chamaeleon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 589.
Type(s): Europa. CH YU FR RU TR Cc GG AM CN At LT
1697. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
1698. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868 FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
1699. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
1700. **Sybistroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufouri* Macquart,1838; *spathulata* Loew,1861 GR FR IT ES MK MA DZ
1701. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1702. **Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 IR Ak Ab BG HV FR IT ES RU
1703. **Sycophila iracemae Nieves Aldrey,1984** (Eurytomidae) Synonym(s): *iracemae* Nieves Aldrey,1984 ES FR IR
1704. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
1705. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
1706. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
1707. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
1708. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
1709. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
1710. **Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 SE FI GB DE FR IT BG TR
1711. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1712. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1713. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
1714. **Systropha (s.str.) planidens Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysuras* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warneke,1977 ES FR AT TR
1715. **Tabanus glaucopsis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 *nec* Ström,1768; *glaucopsis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
1716. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1717. **Tabanus rectus Loew,1858** (Tabanidae) Synonym(s): *rectus* Loew,1858; *ornatus* Jaenicke,1866 ES PT FR IT YU CH TR

1718. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866*; *rufus Szilady,1923 nec Scop.,1763*; *#regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
1719. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839*; *rupium Brauer,1880*; *abazus Bigot,1880*; *alazinus Bigot,1892*; *lasios Surcouf,1924*; *hadjinicolaoui Kröber,1936*; *loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
1720. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794*; *magnicornis Zetterstedt,1844*; *conjugata Rondani,1859*; *dispersa Gigliot-Tos,1891*; *friedrichi Wachtl,1894*; *vernalis Robineau-Desvoidy*; *satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
1721. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859*; *micado Kirby,1884*; *orientalis Zimin,1935*; *trigonata Villeneuve,1936*; *nigriventris Zimin,1967*; *mesnili Zimin,1967*; *turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
1722. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida Fabricius,1781* PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1723. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus Olivier,1791*; *contaminata Germar,1818*; *albicincta Germar,1818*; *infumata Fieber,1876*; *discicollis Rey,1894*; *nigrata Haupt,1931* AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
1724. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1725. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
1726. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1727. **Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri Lichtwardt,1917*; *gussakowskii Stackelberg,1941* TR TJ FR IT CN
1728. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola Loew,1857* GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
1729. **Tamaricis tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872*; *subpunctata Villbaste,1961* BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
1730. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea Loew,1856* TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU
1731. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844* Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
1732. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis Loew,1844*; *#fuscicornis Giray,1979* TR ES FR CY GR IL Pa
1733. **Tetanops corsicana Becker,1909** (Ulidiidae) Synonym(s): *corsicana Becker,1909* FR Co IT Si ES TN
1734. **Tetanops flavescens Macquart,1835** (Ulidiidae) Synonym(s): *flavescens Macquart,1835*; *impunctata Loew,1854* CH PT FR
1735. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa Strobl,1900*; *beckeri Strobl,1906*; *albipila Frey,1958*; *albissima Collin,1966*; *diversa Collin,1966*; *mixta Collin,1966* SN AT Az Cn ES EG BG DK GB FR IT
1736. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea Fallén,1823*; *latigenis Becker,1907* Az Cn ES FR TN GB SE IT BG GR Cr
1737. **Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): *incisuralis Macquart,1851*; *pictipes Becker,1903* Cn CV EG ES FR SY GB
1738. **Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes Loew,1865* GR BG TN Cn Az CV FR
1739. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari Saulcy,1901* ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK
1740. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii Signoret,1866* AL BG CS FR GR IL IT RO ES TR RU TJ YU
1741. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis Signoret,1866* AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
1742. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae) Synonym(s): *leucophaea Preysslner,1792*; *obliqua Panzer,1799*; *#leucophaea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1743. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus Fieber,1865*; *longiceps Signoret,1866*; *concolor Fieber,1876 (praeocc.)*; *contaminatus Metcalf,1932* Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA

1744. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagialis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932 AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR*
1745. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903* Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
1746. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799; dorsalis Latreille,1804* DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
1747. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra Hagenbach,1825* DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
1748. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata Fieber,1872* AT FR DE IT TR EE RU YU
1749. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865* DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
1750. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons Mulsant-Rey,1855; marginata Fieber,1876* DZ BE FR GR TR IT Si JO MA ES SY TN
1751. **Tettigometra lyncea Horvath,1903** (Tettigometridae) Synonym(s): *lyncea Horvath,1903* FR TR YU
1752. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida Fieber,1865* Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
1753. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940* DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
1754. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima Linnaeus,1758; cantatrix De Geer,1773; flava Nedelkov,1907; meridionalis Shugurov,1912; paoli Capra,1936; intermedia Jannone,1937; trinaeriae Jannone,1937* Gryllus (Tettigonia) *viridissima Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK).* DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR
1755. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäfer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tincta Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
1756. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
1757. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868* CY FR IL Pa IT Si SY GR TR YU
1758. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1759. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1760. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera Meigen,1830; subfasciata Schummel,1839; modesta Becker,1922* GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP
1761. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva Meigen,1804; flavilabris Meigen,1820* AT CZ DE ES FR GB PL RU HU IT RO YU TR
1762. **Thereva handlirschi Kröber,1912** (Therevidae) Synonym(s): *handlirschi Kröber,1912; zonata Kröber,1912; angustifrons Kröber,1912; praestans Collin,1948* AT BE CH CZ DE DK FR GB NO NL FI TR
1763. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja Linnaeus,1758; fasciatus De Geer,1776; monos Haris,1780; lugens Loew,1847; lichtwardti Kröber,1913* AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
1764. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970* AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
1765. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata Loew,1847; subtilis Loew,1847; algerica Kröber,1913* MA DZ TR ES FR IT MT RO
1766. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica Harris,1780; bipunctata Meigen,1820* TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1767. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida Loew,1847; frontalis Schummel,1839; ursina Wahlberg,1854* TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
1768. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus Schnabl,1888* FR Co DE PL CZ SK CH AT HU TR RU

1769. **Tibicina cisticola (Fairmaire,1855)** (Cicadidae) Synonym(s): *cisticola* Fairmaire,1855 FR
Co IT Sa ES
1770. **Tibicina corsica Boulard,1983** (Cicadidae) Synonym(s): *corsica* Boulard,1983 FR Co
1771. **Tibicina garricola Boulard,1983** (Cicadidae) Synonym(s): *garricola* Boulard,1983 FR
1772. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763;
sanguinea Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes*
Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU
UA MK YU
1773. **Tibicina nigronevosa Fieber,1876** (Cicadidae) Synonym(s): *nigronevosa* Fieber,1876
FR Co PT ES CH Cc TR
1774. **Tibicina picta (Fabricius,1794)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790 (*praeocc.*);
picta Fabricius,1794 *Tettigonia picta* Fabricius,1794, Ent. Syst. 4: 24, 27. DZ FR IT Sa ES
1775. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *stevensi* Krynicky,1837 CH FR
PT BG MK TR Cc GG UA Cm
1776. **Tibicina tomentosa (Olivier,1790)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790;
baetica Rambur,1840 Cicada *tomentosa* Olivier,1790, Ency. Méth. V (Ins.): 759. Syntypes: France:
"...en Provence & en Languedoc". FR ES PT IT Sa DE
1777. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT
HU HV YU RO BG GR TR
1778. **Tingis torpida (Horvath,1906)** (Tingidae) Synonym(s): *torpida* Horvath,1906 FR ES DZ
TR
1779. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis*
Meigen,1804; *itermedia* Eiroa,1990 *Tipula lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY
BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH
UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1780. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae)
Synonym(s): *submontium* Theowald & Oosterbroek,1981 AD FR CH AT CZ SK SS YU AL GR TR IR Elb
Mz
1781. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata*
Fabricius,1781 DZ ES FR TR SY IR
1782. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781;
striatus Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848 IR Kh AT AZ Cc BE B-H BG HV CZ
DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1783. **Torymoides kiesewetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesewetteri*
Mayr,1874; *longicauda* Masi,1916 ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
1784. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 IR Ak Kd
AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1785. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris*
Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844;
divisus Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, Syst. Nat.
(Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da
SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1786. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum* Schrank,1781 IR
Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1787. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833 IR Lo AZ
Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
1788. **Torymus lapsanae (Hoffmeyer,1930)** (Torymidae) Synonym(s): *lapsanae* Hoffmeyer,1930
IR Fa Elb Th HU FR UA SE
1789. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum*
Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO
RU Sh Kmt SK ES SE CH TR YU B-H MK
1790. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789;
maculata Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ
EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1791. **Toxophora fuscipennis Macquart,1840** (Bombyliidae) Synonym(s): *fuscipennis*
Macquart,1840 FR DZ
1792. **Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula*
Linnavuori,1957 Co FR CY IT ES TR
1793. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866;
hamulata Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL
PT RO ES TN TR RU GG KG KK MD TJ UZ
1794. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831
AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1795. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837
AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA
MR TN NL

1796. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1797. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 AF FR GR Cr IT MA PT ES CH UA YU TR
1798. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
1799. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus* Fabricius,1803; *auronitens* Kirschbaum,1868; *halbum* Fieber,1868 AT BE CZ DK GB FR DE IT NL RU CY IR TR
1800. **Tribalus scaphidiformis (Illiger,1807)** (Histeridae) Synonym(s): *scaphidiformis* Illiger,1807 ES FR IT
1801. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856 TR AZ Cc IR FR GR IT RU KG IL Pa
1802. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1803. **Triodontella aquila (Castelnau,1840)** (Scarabaeidae) Synonym(s): *aquila* Castelnau,1840 FR
1804. **Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg,1908 TR IT FR YU B-H HV GR BG
1805. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata* Loew,1865 TR HU MK FR IT Si ES TN
1806. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
1807. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey,1855; *elegans* O.Costa,1834 AL DZ CY EG FR GR IL IT MA ES TN TR YU
1808. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepeletier,1845; *litoralis* sensu Özbek et al.,1999 nec *Petagna*,1787 TR GR BG HV YU MK UA Cm IT Si FR DZ
1809. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1810. **Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971 *Trychosis priesneri* Rossem,1971, Tijdschr. Ent. 114: 215. Holotype: Turkey: Konya. TR FR CH AT PL YU GR
1811. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoïn,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1812. **Tuponia eckerleini Wagner,1955** (Miridae) Synonym(s): *eckerleini* Wagner,1955 FR YU TR
1813. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
1814. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinus* Fischer von Waldheim,1846; #*lilifolia* Bolivar,1877 *Locusta lilifolia* Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
1815. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1816. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1817. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 *Ula mollissima* Haliday,1833, Ent. Mag. 1: 153. AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
1818. **Ulidia apicalis Meigen,1826** (Uliidae) Synonym(s): *apicalis* Meigen,1826 FR Co IT Si PT ES TN MA GR Rd
1819. **Ulidia erythrophthalma Meigen,1826** (Uliidae) Synonym(s): *erythrophthalma* Meigen,1826 AT FR GR MD UA Cm

1820. **Ulidia nigripennis** Loew,1845 (Uliidiidae) Synonym(s): *nigripennis* Loew,1845 HU UA SK DE PL IT AT FR GR MD SK
1821. **Ulidia semiopaca** Loew,1868 (Uliidiidae) Synonym(s): *semiopaca* Loew,1868 FR
1822. **Urophora aprica** (Fallén,1820) (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* Robineau-Desvoidy,1830; *scutellata* Rondani,1870 DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
1823. **Urophora cuspidata** (Meigen,1826) (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zettstedt,1847 nec Linn.,1758 TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
1824. **Urophora jaceana** (M.Hering,1935) (Tephritidae) Synonym(s): *jaceana* M.Hering,1935 TR GB FR NO RU FI FR Py ES Cc Ur US
1825. **Urophora maura** (Frauenfeld,1857) (Tephritidae) Synonym(s): *maura* Frauenfeld,1857 TR CZ CN Ui KK RU UA MD FR Co
1826. **Urophora mauritanica** Macquart,1851 (Tephritidae) Synonym(s): *mauritanica* Macquart,1851 MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
1827. **Urophora terebrans** (Loew,1850) (Tephritidae) Synonym(s): *terebrans* Loew,1850 *Trypeta terebrans* Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
1828. **Usia (Micrusia) aurata** (Fabricius,1794) (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883 IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
1829. **Usia (Micrusia) novakii** Strobl,1902 (Bombyliidae) Synonym(s): *novakii* Strobl,1902 DZ B-H HV FR GR IT LY MK MA SS TN YU
1830. **Usia (Micrusia) pusilla** Meigen,1820 (Bombyliidae) Synonym(s): *pusilla* Meigen,1820 DZ AT HV FR IT LY MA ES PT SS TN
1831. **Usia (Micrusia) versicolor** (Fabricius,1787) (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840 DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
1832. **Usia (s.str.) aenea** (Rossi,1794) (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
1833. **Usia (s.str.) angustifrons** Becker,1906 (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906 FR GR IT KK RU ES TJ TN TM
1834. **Usia (s.str.) atrata** (Fabricius,1798) (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
1835. **Usia (s.str.) florea** (Fabricius,1794) (Bombyliidae) Synonym(s): *florea* Fabricius,1794; *cuprea* Macquart,1834; *gagathea* Bigot,1892 DZ FR ES MA TN IT Si KK TM TJ
1836. **Usia (s.str.) pallescens** Becker,1906 (Bombyliidae) Synonym(s): *pallescens* Becker,1906; *ocellaris* Malloch,1927 ES TN FR PT
1837. **Usia (s.str.) taeniolata** Costa,1883 (Bombyliidae) Synonym(s): *taeniolata* Costa,1883 DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
1838. **Utecha trivialis** (Germar,1821) (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
1839. **Vadonia unipunctata** (Fabricius,1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
1840. **Valgus hemipterus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
1841. **Verdanus hardei** (Dlabola,1980) (Cicadellidae) Synonym(s): *hardei* Dlabola,1980 AT FR TR
1842. **Vermileo vermileo** (Linnaeus,1758) (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758 *Musca vermileo* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. AT BG FR IT YU SY EG DZ Cn
1843. **Villa abbadon** (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794 DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM
1844. **Villa brunnea** Becker,1916 (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916 ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
1845. **Villa cana** (Meigen,1804) (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
1846. **Villa cingulata** (Meigen,1804) (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
1847. **Villa cingulum** (Wiedemann,1820) (Bombyliidae) Synonym(s): *cingulum* Wiedemann,1820 AM AZ BE Cc FR GR GG IT Si ES PT YU
1848. **Villa claripennis** (Kowarz,1868) (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
1849. **Villa deludens** François,1966 (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976 CZ FR GR IT SK YU TR
1850. **Villa distincta** (Meigen,1835) (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888 MA DZ ES FR Co IT GR

1851. **Villa euzona (Loew,1869)** (Bombyliidae) Synonym(s): *euzona* Loew,1869; *dorsalis* Schnabl,1888 **FR IT Si ES**
1852. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 **MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
1853. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 **ES FR GR CY HU IT Si MD RU UA**
1854. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 **Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
1855. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
1856. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 **BE CY CZ FR DE GR HU IT PL RO SK ES UA YU**
1857. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 **AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA**
1858. **Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914 **FR ES IT RO MD RU YU UA**
1859. **Villa longicornis Lyneborg,1965** (Bombyliidae) Synonym(s): *longicornis* Lyneborg,1965 **DK FI FR HU NO SE**
1860. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 **AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU**
1861. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**
1862. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 **AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU**
1863. **Villa parilis François,1969** (Bombyliidae) Synonym(s): *parilis* François,1969 **CZ FR Co IT**
1864. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifer* Dufour,1833; *dolosa* Jaennicke,1867; *turbidus* Loew,1869 **IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU**
1865. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
1866. **Wichmannia decorata Ruschka,1916** (Eulophidae) Synonym(s): *decorata* Ruschka,1916 **TR DZ HV FR Co SS YU**
1867. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
1868. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809 *Tridactylus variegatus* Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB Brussels). **FR ES CZ RO TR Cc RU KG IN**
1869. **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata* Meigen,1804 **FR GB PL RO ES DK RU TR**
1870. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR**
1871. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891 **FR HU AT CZ IT Si GR TR IL Pa SY**
1872. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836 **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU**
1873. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta* Lethierry,1874 **AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU**
1874. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolor* Lodos & Kalkandelen,1984 **BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU**
1875. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 **AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU**
1876. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
1877. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936; *pandellei* Ribaut,1936; *variegata* Ribaut,1936 **AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR**
1878. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni* Ferrari,1882; *simplex* Ferrari,1882; *detruta* Rey,1894; *difficilis* Ribaut,1936; *manca* Ribaut,1936 **AT BG CY CS FR DE IL IT SW TR UZ**

- 1879. Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
- 1880. Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata Lethierry,1869* AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
- 1881. Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
- 1882. Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
- 1883. Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
- 1884. Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris Herrich-Schäffer,1838* AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU

Synonymic and distributional list of the pterygot insects of Germany

(Results of the Entomofauna of the World based upon info-system of the Cesa)

69

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Germany (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 69.
Priamus (suppl.) 18: 2320-2378.

In this study, totally 1425 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Germany recorded in info-system of the Cesa, total pterygot species of Germany increase to 4971.

Key words: List, distribution, *pterygota*, *Insecta*, Germany.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes ¹³¹
Planned expeditions	no
Further planned publications	yes

In this study, totally 1425 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3546 recorded species of Lepidoptera from Germany are found. Taking this information into consideration, total number of the pterygots may increase to 4971.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
6. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* DE FR FI IT AT PL RO SE SS CZ HU

¹³¹ <http://www.members.tripod.com/entcesa/Intent.pdf>

7. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
8. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826 TR IR AF DE AZ Cc AM GG CZ GB IN IL Pa Cn KG CY KK DZ UZ PK SY TJ RU TM TH
9. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 AT BE BG TR CZ DK DE FR IT NL PL RO RU
10. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
11. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840 ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR
12. **Acericeris vitrina (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *vitrina* Kieffer,1909 FR CH DE CZ AT HU YU IT Si
13. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum,1868 AT FR DE IT RO GG Cc TR UA YU
14. **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai* Lewis,1879 ES BE DE GR FR UA
15. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
16. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
17. **Acrotylus patruelis (Herrich-Schäffer,1838)** (Acrididae) Synonym(s): *patruelis* Herrich-Schäffer,1838 ZA DE TR
18. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
19. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
20. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
21. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
22. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
23. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
24. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedeli* A.Villa & G.B.Villa,1833; *fallax* Munster,1932 AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
25. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
26. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitsev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
27. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
28. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
29. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
30. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
31. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
32. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
33. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG

34. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
35. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum* Duftschmid,1812 AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
36. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
37. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum* Dejean,1828 AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
38. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
39. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi* Dejean,1828 AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
40. **Agramma (s.str.) tropidopterum Flor,1860** (Tingidae) Synonym(s): *tropidopterum* Flor,1860 FI EE LT LV BY UA PL CZ DE
41. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
42. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
43. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
44. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
45. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
46. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
47. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
48. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
49. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
50. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953 *Gryllus thalassinus* Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LI MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
51. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
52. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
53. **Allandrus undulatus (Panzer,1795)** (Anthribidae) Synonym(s): *undulatus* Panzer,1795; *edgreni* Fahraeus,1839 DE FR ES AT IT ...
54. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
55. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
56. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeoec.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
57. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
58. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA

59. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
60. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Ce GG LV RU UA YU
61. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
62. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
63. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
64. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
65. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
66. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
67. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Ce AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
68. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jabllokoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
69. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
70. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
71. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
72. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiac* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
73. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
74. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
75. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
76. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui

77. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
78. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
79. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshewi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoenis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
80. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
81. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
82. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
83. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
84. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
85. **Amara (Zezea) chaudoiri Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
86. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
87. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
88. **Ampedus pomorum (Herbst,1784)** (Elateridae) Synonym(s): *pomorum* Herbst,1784; *robustus* Bouwer,1980 DE TR
89. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
90. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
91. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943 Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
92. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
93. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
94. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
95. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
96. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR

97. **Ancistrocerus gazella (Panzer,1798)** (Vespidae) Synonym(s): *gazella* Panzer,1798 DE TR
98. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
99. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
100. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
101. **Andrenosoma violacea (Fabricius,1781)** (Asilidae) Synonym(s): *violacea* Fabricius,1781 DE
102. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 **Andricus amenti** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
103. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
104. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
105. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
106. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
107. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
108. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
109. **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
110. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
111. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
112. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
113. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
114. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
115. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
116. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
117. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 ES FR GB IE BE NL DE DK HU IT BG TR
118. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 IT AT DE PL CZ SK HU RO BG GR TR
119. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
120. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901 PT ES FR GB IE DE DK SE PL UA MD RO HU TR
121. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
122. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae*

- Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ
Cc IR DZ
123. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 AT
CZ DE FR HU IT RO CH BG GR
124. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 AT
DE CH FR HU GR RO RU KG
125. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius*
Gravenhorst,1820 (praeocc.); cingulatellus Horstmann,1997 ES IT DE CZ TR Cc RU KG IR
126. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca*
Linnaeus,1761; paganus Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus*
Tournier,1890; macrurus Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus*
Tournier,1890; holomelas Mantero,1905 PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co
Sa Si AL GR BG TR CY
127. **Anoploclera sexguttata (Fabricius,1775)** (Cerambycidae) Synonym(s): *sexguttata*
Fabricius,1775 DZ Cc DE CZ
128. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus*
Scriba,1791; sylvaticus Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis*
Mulsant,1842; nigrinus Mulsant,1842; *prusicus* Czwalina,1884 PT ES FR GB IE BE NL CH AT SS B-H HV
YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
129. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758;
costata Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo*
Curtis,1833; costata Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus*
Kirschbaum,1868; interruptus Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas*
Signoret,1879; fuliginosus Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola*
Edwards,1908; maculata Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata*
Ribaut,1952; blotei Metcalf,1963 AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT
RO ES SE SW TN TR AM Cc LV RU UA YU
130. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s):
hungarica Scopoli,1772 DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
131. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii*
Olivier,1790 AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
132. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata*
Roubal,1913; incognita Bily,1974 AT YU CZ FR DE IT SK ES CH TR UA
133. **Anthaxia (s.str.) fulgurans (Schränk,1789)** (Buprestidae) Synonym(s): *fulgurans*
Schränk,1789 AM AT CZ Cc DE HU IT SK ES CH UA TR
134. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica*
Mannerheim,1837 AT YU CZ FR DE HU IT SK UA
135. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis* Fabricius,1776
DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
136. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea* Küster,1851
AT YU CZ FR DE HU IT RU SK ES CH UA TR
137. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s):
melanurum Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi*
Dusmet,1915; flavicolle Friese,1917; *flaviventre* Friese,1917 SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE
TN
138. **Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina*
Panzer,1804; resinana Schilling,1829; *pyrenaica* Lapeletier,841; *rotundiventris* Perris,1852; *zeitzi*
Cockerell,1925 DE ES FR RU TR Cc
139. **Anthocomus rufus (Herbst,1784)** (Melyridae) Synonym(s): *rufus* Herbst,1784; *coccineus*
Schaller RU SE DK DE RO
140. **Anthocoris butleri Le Quense,1954** (Anthocoridae) Synonym(s): *butleri* Le Quense,1954
ES FR GB SE BE NL DE CZ AT IR Elb Mz
141. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 FR GB IE
BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
142. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae*
Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN
TR IR Mz Elb Fa Ke Kh Ss Ar Ak
143. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794
MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-
H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
144. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761
ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG
TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
145. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 ES FR
GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz
Elb Se Shh Eh

146. **Anthocoris visci Douglas, 1889** (Anthocoridae) Synonym(s): *visci Douglas, 1889* ES FR GB BE NL DE CZ YU MK TR IR Kd
147. **Anthomalachius spinosus (Erichson, 1840)** (Melyridae) Synonym(s): *spinosus Erichson, 1840* DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
148. **Anthomalachius strangulatus (Abeille de Perrin, 1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin, 1885; vulneratus Abeille de Perrin, 1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
149. **Anthrax anthrax (Schrank, 1781)** (Bombyliidae) Synonym(s): *anthrax Schrank, 1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
150. **Anthrax binotatus Wiedemann, 1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann, 1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
151. **Anthrax varius Fabricius, 1794** (Bombyliidae) Synonym(s): *varius Fabricius, 1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
152. **Anthrenus (Florilinus) olgae Kalik, 1946** (Dermestidae) Synonym(s): *olgae Kalik, 1946* AT BG CZ GB FI DE HU LT YU PL SK SE UA
153. **Antipalpus varipes (Meigen, 1820)** (Asilidae) Synonym(s): *varipes Meigen, 1820; tibialis Megerle, 1820; macrurus Ruthe, 1831; xanthopygus Ruthe, 1831; aurifluus Zeller, 1840; tenax Zeller, 1840; mollis Loew, 1871; flabellifer Pandellé, 1905* AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
154. **Antiphrisson trifarius (Loew, 1849)** (Asilidae) Synonym(s): *trifarius Loew, 1849; sareptanus Lichtwardt, 1903; thalhammeri Lichtwardt, 1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
155. **Apanteles atreus Nixon, 1973** (Braconidae) Synonym(s): *atreus Nixon, 1973* Apanteles atreus Nixon, 1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
156. **Apanteles carpatus Say, 1836** (Braconidae) Synonym(s): *carpatus Say, 1836* Apanteles carpatus Say, 1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
157. **Aphelocheirus aestivalis (Fabricius, 1794)** (Aphelocheiridae) Synonym(s): *aestivalis Fabricius, 1794* FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
158. **Aphodius (Chilothorax) distinctus (Müller, 1776)** (Scarabaeidae) Synonym(s): *distinctus Müller, 1776* DE RU Cc Ur Sb Us KG TM TJ
159. **Aphrodes albiger (Germar, 1821)** (Cicadellidae) Synonym(s): *albiger Germar, 1821; kirschbaumi Edwards, 1920; nudus Wagner, 1937; salinus Wagner, 1937; deleta Ribaut, 1952* AT CZ GB FR DE NL PL RU TR
160. **Aphrodes bicinctus (Schrank, 1776)** (Cicadellidae) Synonym(s): *striata Linnaeus, 1761 (praeocc.); rustica Fabricius, 1775 (praeocc.); bicinctus Schrank, 1776; ochromelas Gmelin, 1790; variegata Fabricius, 1794; striatella Fabricius, 1794; transversa Fabricius, 1798; strigata Turton, 1802; pallidus Curtis, 1836; cardui Curtis, 1836; fasciatus Curtis, 1836; obscurus Curtis, 1836; rugosus Curtis, 1836; sparsus Curtis, 1836; unicolor Curtis, 1836; pulverulenta Curtis, 1837; adustus Hardy, 1850; obtusifrons Kirschbaum, 1868; signifrons Rey, 1894; aestuarinus Edwards, 1908; brevior Melichar, 1914; alpinus Prohaska, 1923; diminutus Ribaut, 1952; centrossicus Zachvatkin, 1952; ferganensis Dubovsky, 1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
161. **Aphrodes bifasciatus (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus, 1758; trifasciata De Geer, 1773; tristriata Gmelin, 1790; spuria Fallén, 1806; obliquus Germar, 1821; tricinctus Curtis, 1836; simulans Ribaut, 1952; major Duffield, 1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
162. **Aphrodes flavostriatus (Donovan, 1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan, 1799; rivularis Germar, 1821* AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
163. **Aphrodes histrionicus (Fabricius, 1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius, 1794; arenicola Marshall, 1866* AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
164. **Aphrodes nigritus (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *nigritus Kirschbaum, 1868; integer Wagner, 1937* DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
165. **Aphrodes serratulae (Fabricius, 1775)** (Cicadellidae) Synonym(s): *serratulae Fabricius, 1775; fuscofasciata Goeze, 1778; transversalis Fourcroy, 1785; bistrigata Gmelin, 1790; brunneobifasciatus Signoret, 1879; vicarius Horvath, 1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
166. **Aphrophora alni (Fallén, 1805)** (Cercopidae) Synonym(s): *alni Fallén, 1805; fuscata Haupt, 1925; umbrina Linnavuori, 1950* Cc AL DZ AT BE BG Cn CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
167. **Aphrophora corticea Germar, 1821** (Cercopidae) Synonym(s): *corticea Germar, 1821* AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR
168. **Aphrophora salicina (Goeze, 1778)** (Cercopidae) Synonym(s): *salicina Goeze, 1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU

169. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
170. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858 TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
171. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
172. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
173. **Aprosthemella tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
174. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
175. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
176. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 GB FR DE CZ SK HU IT GR SE TR
177. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 GR FR NL DE DK SE FI PL CZ SK IT YU TR
178. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 FR DE IT CZ AT HU MD GR TR
179. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 TR PT ES FR GB NO SE DK DE CZ HU GR
180. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 TR FR GB DK DE NO SE FI UA CZ HU IT GR
181. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
182. **Aprostocetus terebrans Erdős,1954** (Eulophidae) Synonym(s): *terebrans* Erdős,1954 TR GB FR NO SE DE CZ SK HU
183. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976 DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
184. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
185. **Arboridia pusilla (Ribaut,1936)** (Cicadellidae) Synonym(s): *pusilla* Ribaut,1936 AT BE BG CS DE HU SW YU
186. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937 AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
187. **Arboridia simillima (Wagner,1939)** (Cicadellidae) Synonym(s): *simillima* Wagner,1939 AT DE Cc GG
188. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata* Ribaut,1952 BG CS FR DE HU NL PL RO SW MD RU UA YU
189. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta* Melichar,1897; *spathulata* Ribaut,1931 FR DE IT CH RU Sb UA YU TR
190. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
191. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
192. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis* Fabricius,1781; *seljuki* Benson,1968; *fuscinervis* Lindqvist,1974 ES FR SE DE PL RU Sb DZ TR CA
193. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
194. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
195. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
196. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR

197. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
198. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
199. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
200. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
201. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
202. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata Linnaeus,1758* PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
203. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator Dufour & Perris,1840* ES FR DE IT AT BG TR
204. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794; #scutellaris Stichel,1961; neocustos Ahmad & Önder,1990; neoinsperata Ahmad & Önder,1990* DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
205. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus Flor,1861; pallipes Kirschbaum,1868; pusillus Kirschbaum,1868; productus Thomson,1869; haupti Lindberg,1924; ocellatus Cerutti,1939* AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
206. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps Kirschbaum,1868; longivalvis Kirschbaum,1868; linnei Fieber,1869* AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
207. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum Flor,1861; paucinervis Sahlberg,1871* AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
208. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons Kirschbaum,1868* AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
209. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis Germar,1821; diminutus Kirschbaum,1858* AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
210. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis Linnaeus,1758* IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
211. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794; divisa Rey,1891* Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
212. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus Linnaeus,1758* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
213. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus Germar,1817* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
214. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus Schrank,1781* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
215. **Athrycia impressa (van der Wulp,1869)** (Tachinidae) Synonym(s): *impressa van der Wulp,1869* TR DE MN
216. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus Winnertz,1852; transversalis Kieffer,1918; ventralis Kieffer,1918; homopterus Kieffer,1919; coracellus Kieffer,1919; nigriventris Kieffer,1919; putredinis Kieffer,1922* PL HU SK RO IT UA TR GR DE
217. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922; torgnyensis Goetghebuer,1949* AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
218. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763; curculionoides Linnaeus,1767; coryli Müller,1776; maculipes Rondani,1833* DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM
219. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* DE BG GG Cc TR IQ MK GR
220. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros Ratzeburg,1844; skianeurus Ratzeburg,1848* TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
221. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata Lethierry,1884; artemisiae Haupt,1924* AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU
222. **Azelia gibbera (Meigen,1826)** (Muscidae) Synonym(s): *gibbera Meigen,1826* US CA Als Qb DE PL CZ SK CH AT HU TR

223. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
224. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 AT BE CS DK FR DE GR HU IL IT SI NO? PL RO MD UA Cm YU TR
225. **Balclutha boica Wagner,1950** (Cicadellidae) Synonym(s): *boica* Wagner,1950 BG CS DE PL
226. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
227. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana* Wagner,1939 AF AT BG CS FI DE IT NL KG KK UZ YU TR
228. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ
229. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR
230. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 TR BG CZ FR DE HU IT RU SE GB YU
231. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ
232. **Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974 DE HU YU BG TR
233. **Batracomorpus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794 (praeocc.); *allionii* Turton,1802; *fabricii* Metcalf,1955 AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb
234. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
235. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
236. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Séguy,1928 BG CZ DK FR DE HU IT PL NO RO SK ES
237. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
238. **Bellardia polita (Mik,1884)** (Calliphoridae) Synonym(s): *polita* Mik,1884 LT UA AT CZ DE HU PL SK ES
239. **Bellardia pruinosa (Enderlein,1933)** (Calliphoridae) Synonym(s): *pruinosa* Enderlein,1933 DE IT
240. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
241. **Bellardia vespillo (Fabricius,1794)** (Calliphoridae) Synonym(s): *vespillo* Fabricius,1794; *borotiniensis* Jacentkovsky,1944 CZ DK DE HU SE
242. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
243. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
244. **Bembecinus hungaricus (Fivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Fivaldsky,1876 HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA
245. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
246. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
247. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP

248. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812* AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
249. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
250. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
251. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
252. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
253. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
254. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
255. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum Fabricius,1792* AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
256. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
257. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
258. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
259. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
260. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
261. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
262. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
263. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
264. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
265. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
266. **Bibio brunnipes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes Fabricius,1781 nec Linn.,1761; brunnipes Fabricius,1794; umbellatum Zetterstedt,1838; fulvipes Zetterstedt,1838; fumipennis Walker,1848; inaequalis Loew,1864; fulvus Lundstrom,1910; jacobi Hardy,1938 nec Villen.,1924* CH AT DE PL AT SK HU RO NO SE FI IT
267. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes Meigen,1818; dorsalis Meigen,1818; flavicollis Meigen,1818; ephippium Zetterstedt,1838; tancrei Duda,1930* ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
268. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930* PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
269. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis Linnaeus,1767; marginalis Geoffroy,1785; pyri Fabricius,1794; hyalinus Meigen,1804; praecox Meigen,1804; nigrifemus Strobl,1900; jacobi Villeneuve,1924* ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si

270. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus Wiedemann,1818*; *vernalis Meigen,1818* ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
271. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus Meigen,1804* GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
272. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758*; *brevicornis Linnaeus,1758*; *crassipes Harris,1776*; *funerosus Harris,1776*; *pusillus Macquart,1846* PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
273. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775*; *funestus Harris,1776*; *marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
274. **Bibio reticulatus Loew,1846** (Bibionidae) Synonym(s): *?villosus Meigen,1818*; *reticulatus Loew,1846* ES FR GB BE NL DE PL RU HU CZ SK CH AT
275. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis Meigen,1818*; *varipes Meigen,1830*; *atripes Duda,1930*; *ringdahli Duda,1930* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
276. **Bibio venosus Meigen,1804** (Bibionidae) Synonym(s): *venosus Meigen,1804* ES GB FR BE DK DE SE PL CZ SK HU CH AT
277. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791*; *aptera Bosc,1791*; *gallaealveariformis Anthoine,1794*; *gallaecerebriformis Anthoine,1794*; *quercusterminalis Fabricius,1798*; *terminalis HArtig,1840*; *codinae Tavares,1928*; *hispanica Tavares,1928*; *lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
278. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794* nec *De Geer,1776*; *#perlatus Pallas,1818*; *#maximus Wiedemann,1818*; *#hemipterus Pallas,1818*; *vertebralis Dufour,1833*; *sticticus Boisduval,1835*; *subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
279. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
280. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula Loew,1855* nec *Pall.,1818*; *croaticum Kertész,1901* AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
281. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771*; *minimus Schrank,1781*; *flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
282. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818*; *dispar Meigen,1820* **Bombylius ambustus Pallas & Wiedemann,1818**, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
283. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789*; *undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
284. **Bombylius (s.str.) axillaris Meigen,1830** (Bombyliidae) Synonym(s): *axillaris Meigen,1830* DE AT
285. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus Loew,1855* AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
286. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796*; *cineurus Meigen,1804*; *variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
287. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796*; *floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
288. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus Loew,1855* AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
289. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor Mikan,1796* DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
290. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820*; *dimidiatus Wiedemann,1820*; *ventralis Loew,1855*; *debilis Loew,1855*; *expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
291. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758*; *anonymus Sulzer,1761*; *variegatus De Geer,1776*; *aequalis Fabricius,1781*; *lanigerus Geoffroy,1785*; *sinuatus Mikan,1796*; *fratellus Wiedemann,1828*; *consanguineus Macquart,1840*; *vicinus Macquart,1840*; *albipectus Macquart,1855*; *basilinea Loew,1855*; *australis Loew,1855*; *antenoreus Lioy,1864*; *notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU

292. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 **AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU**
293. **Bombylius (s.str.) meigeni Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *cinereus* Meigen,1820 nec Oliv.,1789; *meigeni* Evenhuis & Greathead,1999 **DE**
294. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 **AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU**
295. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 **DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA**
296. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 **AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA**
297. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 **YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE**
298. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 nec Fabr.,1794; *nigripes* Strobl,1898 nec Macq.,1834 **AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ**
299. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 **AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU**
300. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus* Duda,1923 **BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU**
301. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 **AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU**
302. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 **AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG**
303. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 **AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR**
304. **Brachycephala laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 **DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU**
305. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 **ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR**
306. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **Chalcis femorata** Panzer,1801, *Faun. Ins. Germ.* 84, fig.16. **B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
307. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 **FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM**
308. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
309. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 **AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR**
310. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
311. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 **DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR**
312. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 **AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP**

313. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **Chalcis tibialis** Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu BI UZ
314. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
315. **Brachyptera seticornis (Klapalek,1902)** (Taeniopterygidae) Synonym(s): *seticornis* Klapalek,1902; *costaborrasi* Navas,1917 DE
316. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
317. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
318. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
319. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
320. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
321. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
322. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
323. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
324. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
325. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
326. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
327. **Byctiscus populi (Linnaeus,1758)** (Atelabidae) Synonym(s): *populi* Linnaeus,1758; *auratus* Fourcroy,1785 DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
328. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
329. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952 **Gryllus (Locusta) italicus** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF
330. **Callistis (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
331. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
332. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
333. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
334. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
335. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis* Ménétrés,1836 TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
336. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
337. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
338. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US

339. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774* TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
340. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
341. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
342. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
343. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
344. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannheimer,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
345. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758* AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
346. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
347. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
348. **Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): *annulosus Fieber,1859* TR DE RU CY FR Co
349. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905* TR DE AT CZ RU IT JP HU SK TN
350. **Cea pulicaris Walker,1837** (Pteromalidae) Synonym(s): *pulicaris Walker,1837* DE TR
351. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955* AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
352. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes Meigen,1826* DE AT FR ES CH IT HU CZ NL SK
353. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis Westwood,1833; anebus Walker,1837; platycera Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876* Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
354. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
355. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata Fieber,1844; haupti Priesner,1923; pallida Mancini,1934* AT BG CS DE GR HU IT Si RO RU YU
356. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; oblitterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
357. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763; mactata Germar,1821; panzeri Peletier & Serville,1825; distinguenda Kirschbaum,1868; basalis Dominique,1892; basalis Melichar,1896 (praeocc.); quadripunctata Sabransky,1912; reducta Melichar,1913; egestosa Haupt,1917* Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
358. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807; helvetica Melichar,1896; nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
359. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR

360. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
361. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus Gyllenhal,1837* DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
362. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii Hoffmann,1957* DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
363. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
364. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
365. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
366. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RO RU Sb YU TN TR UA
367. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
368. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
369. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
370. **Cheilisia variabilis (Panzer,1798)** (Syrphidae) Synonym(s): *variabilis Panzer,1798* DE TR
371. **Chelonus obscurator Herrich-Schäffer,1838** (Braconidae) Synonym(s): *obscurator Herrich-Schäffer,1838* DE TR
372. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
373. **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckert,1929* AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
374. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum Morawitz,1868* AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR
375. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
376. **Chelostoma (s.str.) florisomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florisomnis Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepeletier,1841; parumerinitus Alfken,1932* AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
377. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida Giraud,1859; loewii Wachtl,1882* AT DE RO HU BG TR
378. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
379. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus Schrank,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
380. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
381. **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE RU TR MR IR IQ
382. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
383. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata Metcalf,1943* Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
384. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* ES FR DE IT Si AT BG CY TR EG IL MA TR KG

385. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 **Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ**
386. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa* Ribaut,1933 **AT BG CS FI FR DE IT PL RO SE KG**
387. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939 **AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At**
388. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806 **DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU**
389. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 **PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG**
390. **Chlorops strigulus (Fabricius,1794)** (Chloropidae) Synonym(s): *strigulus* Fabricius,1794; *cingulata* Meigen,1830; *albisetus* Macquart,1835; *taeniatus* Macquart,1835 **DE RU**
391. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata* Meigen,1820 **IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR**
392. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva* Linnaeus,1758; *rufa* De Geer,1776; *bilineata* Walker,1849 **IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA**
393. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata* Linnaeus,1758; *nigra* Scopoli,1763; *media* Müller,1765; *aurea* Olivier,1789; *anthrax* Meigen,1804; *nigrifrons* Megerle,1820; *fulgida* Meigen,1820; *podagrica* Meigen,1820; *chrysocephala* Meigen,1820; *strandii* Duda,1940 **IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL**
394. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880 **DE AT BE BG CZ FR IT Cc TR HU RO UA YU**
395. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii* Rozkosny,1979 **CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG**
396. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857 **ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL**
397. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835 **TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG**
398. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinusuperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975 **ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb**
399. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848 **TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN**
400. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928 **TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG**
401. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétrés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 **DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
402. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 **DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU**
403. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 **DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR**
404. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcius* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 **TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU**
405. **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; *staneki* Bechyne,1949 **DE AT HU PL RO HV TR**

406. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799
DE BG CZ FR IT NO RO YU Cc TR
407. **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758
RU Sb JP TR HU GB NL DE
408. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus*
Lichtwardt,1902 AM BG GR RO RU Cc TR HV HU DE IT
409. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758;
arundinis Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE
GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
410. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772;
flavofenestrata Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803;
anglica Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876;
longipennis Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG
KG MD RU Sb TJ UA YU
411. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica*
Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO
ES TN KK MD RU Cc TR UA UZ
412. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis*
Linnavuori,1962 CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
413. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards,1920 AT
BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
414. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata*
Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS
FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
415. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinquenotata*
Boheman,1845 AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV
416. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps*
Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868;
opacipennis Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor*
Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus*
Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN
MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
417. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus*
Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT
MD NL CN PL RO RU Us SK ES SE UA GB YU
418. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959 TR DZ AT
BG HV CZ FR GG Cc DE IR LB SE YU
419. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus*
Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae*
Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV
CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA
GB UA Cf Col YU
420. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839
AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
421. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso &
Guglielmino,1995 AT B-H BG CZ DE IT RO UA YU TR
422. **Cixius cambricus China,1935** (Cixiidae) Synonym(s): *cambricus* China,1935; *borussicus*
Wagner,1939; *austriacus* Wagner,1939 Cc AL AT CZ FR DE GB IT PL AZ GG YU
423. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767;
nervosopunctata De Geer,1773; *cynobatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850;
eurypterus Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE
GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
424. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus*
Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distinguendus* Lodos &
Kalkandelen,1980 AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
425. **Cixius haupti Dlabola,1949** (Cixiidae) Synonym(s): *montanus* Haupt,1949 (praeocc.); *haupti*
Dlabola,1949 Cc AT CZ FR DE IT PL GG SW
426. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758;
hemerobioides Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus*
Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO
PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
427. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868;
albipennis Reuter,1880 (praeocc.); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE
EE GG KG LV RU
428. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776
(praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti*
Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU

429. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans Olivier,1790* FR RU UA TM AT BG DE ES CH GR TR
430. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis Meigen,1826* AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
431. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
432. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761* US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
433. **Closterocerus chlorogaster (Erdős,1966)** (Eulophidae) Synonym(s): *chlorogaster Erdős,1966* HV CZ DK DE HU MD NL SE GB YUTR
434. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
435. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae Ferrière,1952; fimbriata Erdős,1956* HV FI DE HU IT JP ES SE CH UA RU YU TR
436. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
437. **Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia Walker,1839; lecanii Fitch,1859; ater Howard,1881; cognatus Haword,1881; vividus Howard,1885; californicus Howard,1889; coccidis Girault,1917; corni Alam,1956; taxi Alam,1956* Aphelinus lycimnia Walker,1839, Monographia Chaciditum 1: 11. Type: Ireland. US Cf DE GB TR CY
438. **Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus Herbst,1797; aeneovirens Marsham,1802; punctatus Olivier,1807; obscurus Gyllenhal,1833* DE BG DZ FR GB JP Cc MK TR
439. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus Linnaeus,1767; purpureus Goeze,1777; ruber Geoffroy,1785; bicolor Rossi,1790; rufipes Sturm,1826; ruber Fairmaire,1859; paykulli Schilsky,1903* DE BG FR GB IR Cc KG UA Cm MK SY TR TM
440. **Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus Herbst,1797; rugipennis Stephens,1831; minutus C.G.Thomson,1865 nec Herbst.; fauconetti Pic,1926* DE BG FR GB KG MN RU Sb YU TR
441. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus Stephens,1831; alliariae Gyllenhal,1821* DE BE BG DZ FR SE Cc KG RU Sb IT Si
442. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus Germar,1824; persicus Gyllenhal,1839; pauculus Voss,1933* DE BG FR IN IR SE UA Cm Cc TR KG
443. **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina Fallén,1825* FR Co DE PL CZ SK CH AT HU Cc TR AM Eri
444. **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means Meigen,1826* AD FR ES DE PL CZ SK CH AT Cc
445. **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita Rondani,1866* DE PL CZ SK CH AT HU TR RU Cc AM Eri
446. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus Zetterstedt,1828; oxalidis Fieber,1875* AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR
447. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus Walker,1839; silvestrii Lucchese,1941* TR AM AZ Cc BG CA On CZ FR DE HU
448. **Coniosternum obscurum (Fallén,1819)** (Scathophagidae) Synonym(s): *obscurum Fallén,1819; minuta Malloch,1935* CA AL AT BE CZ EE FI FR DE GB MN NL NO PL RU Sb Us SK SE CH
449. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis Latreille,1804; brevicaudatum Uvarov,1910; hungaricus Cziki,1923* FR GB EE LT DE AT HU RO Cc RU KG TR
450. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus Fabricius,1793; discolor Thunberg,1815; thoracicus Fischer von Waldheim,1846; concolor Bolivar,1878; ponticus Nedelkov,1907; turanicus Semenov,1916; dilatatus Ramme,1951* PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR
451. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps Germar,1821; pictipennis Curtis,1837; signifera Boheman,1845; palliata Boheman,1849* Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
452. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens Fabricius,1787* DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
453. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus Kirschbaum,1858; sejungendus Kirschbaum,1868; covexus Kirschbaum,1868; sexpunctatus Sahlberg,1871; piceus Scott,1875* AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
454. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris Linnaeus,1758; bifidus Poda,1761; emarginatus Olivier,1789; belisama Schrank,1798; lunus Schrank,1798; castaneus*

- Mulsant,1842; corniculatus Mulsant,1842;deletus Mulsant,1842;obliteratus Mulsant,1842; gistelianus Gistl,1857;jenisonianus Gistl,1857* GB DE FR YU LT RU UA Cm Cc KK KG TM
455. **Coptocephala linnaeana Petitpierre & Alonso Zarazaga,2000** (Chrysomelidae)
Synonym(s): *linnaeana Petitpierre & Alonso Zarazaga,2000* DE FR ES IT
456. **Cordilura aemula Collin,1958** (Scathophagidae) Synonym(s): *aemula Collin,1958* GB IE
CZ DK EE DE HU NL
457. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata Zetterstedt,1846; nigra Robineau-Desvoidy,1830; beringensis Malloch,1923* NO SE FR US AT CZ DE FI HU RU Sb SK SE
458. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata Meigen,1826; #umbrosa Stephens,1829; rubifrontata Becker,1894* RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE
459. **Cordilura picipes Meigen,1826** (Scathophagidae) Synonym(s): *picipes Meigen,1826; biseta Loew,1864* DK IT Si RU BE CZ EE DE GB FI MN HU NO NL PL SK SE CH
460. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH
461. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica Meigen,1826; geniculata Zetterstedt,1846; alberta Curran,1929* AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA
462. **Cordilura rufimana Meigen,1826** (Scathophagidae) Synonym(s): *rufimana Meigen,1826; incerta Zetterstedt,1838; tibialis Zetterstedt,1838* RU Ur Sb AT CZ DK EE FI FR DE GB IE NL NO PL SE CA
463. **Cordilura socialis Becker,1894** (Scathophagidae) Synonym(s): *pudica Zetterstedt,1846 nec Meig.,1826; socialis Becker,1894; freyi Hackman,1956* DK EE FI DE PL EU SE
464. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa Loew,1873* SK AT BE CZ FR DE HU KG NL PL RO RU
465. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura Fabricius,1775; valkanovi Vassilev,1969* FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
466. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii Fallén,1826* AT FI DE NO PL SE Cc AZ EE KG LV RU UA
467. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla Nixon,1974* Apanteles ancilla Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
468. **Cotesia cupresus (Lylé,1925)** (Braconidae) Synonym(s): *cupresus Lylé,1925* DE FI GB FR ES NL LT HU TR
469. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis Marshall,1885* DE BG GB IT SE RU Sb HU TR
470. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus Telenga,1955* BG Cc RU Da GG IL Pa DE TR KG UA
471. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae Riley,1887* MX CA US GB DE YU TR CZ NL HU MD UA RU JP
472. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda Marshall,1885* DE Cc AM AT MD CZ FR GB IC SE TR
473. **Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi Telenga,1955* BG DE GB RU TR
474. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon Nixon,1974* TR BG DE GB IT YU HU RU
475. **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella Nixon,1974* DE BE GB FI NL ES IT HU RU
476. **Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes Nixon,1974* DE FI RU TR IT GB
477. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus Haliday,1834* EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
478. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai Tobias,1972* DZ DE BG GB TR IR Cc NL PL HU MA
479. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae Reinhard,1880* DE GB FI TR AT RU HU CN AU
480. **Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus Reinhard,1880* DE GB FR FI TR MN HU
481. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis Walker,1839; aquisgranensis Förster,1878; fletcherii Ashmead,1892* TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
482. **Cratyna (s.str.) alpina (Mohrig & Menzel,1992)** (Sciaridae) Synonym(s): *alpina Mohrig & Menzel,1992* ES DE AT GR
483. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua Lengersdorf,1934; latiforceps Bukowski & Lengersdorf,1936; lignea Lengersdorf,1941; prima Frey,1942* FR NL DE CZ SK CH AT IT UA BG GR SE FI

484. **Cratyna (s.str.) atra Winnertz,1867** (Sciaridae) Synonym(s): *atra* Winnertz,1867; *pictiventris* Kieffer,1898; *corticalis* Lengersdorf,1930 **FR NL AT DE NO FI**
485. **Cratyna (s.str.) breviflagellata (Mohrig & Mamaev,1995)** (Sciaridae) Synonym(s): *breviflagellata* Mohrig & Mamaev,1995 **DE LT**
486. **Cratyna (s.str.) contracta Mohrig & Roschmann,1996** (Sciaridae) Synonym(s): *contracta* Mohrig & Roschmann,1996 **DE GR**
487. **Cratyna (s.str.) cryptospina (Rudzinski,1993)** (Sciaridae) Synonym(s): *cryptospina* Rudzinski,1993 **DE**
488. **Cratyna (s.str.) gemina (Mohrig & Mamaev,1980)** (Sciaridae) Synonym(s): *gemina* Mohrig & Mamaev,1980 **DE EE**
489. **Cratyna (s.str.) gilva Rudzinski,2000** (Sciaridae) Synonym(s): *gilva* Rudzinski,2000 **DE CZ**
490. **Cryptobium fracticorne (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaqueline* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884 **DE AT Cc TR**
491. **Cryptocephalus androgyne Marseul,1875** (Chrysomelidae) Synonym(s): *caerulescens* Sahlberg,1839 nec Gmel.,1790; *androgyne* Marseul,1875 **RU DE**
492. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 **AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc**
493. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi* Suffrian,1848 **DE ES Cc KG RU BG PL TR**
494. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius,1792 **DE ES BG PL Cc TR**
495. **Culicoides albicans (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *albicans* Winnertz,1852 **DE**
496. **Culicoides algarum Kieffer,1924** (Ceratopogonidae) Synonym(s): *algarum* Kieffer,1924 **DE**
497. **Culicoides amoenus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *amoenus* Winnertz,1852 **DE**
498. **Culicoides atratus Statz,1944** (Ceratopogonidae) Synonym(s): *atratus* Statz,1944 **DE**
499. **Culicoides austerus Statz,1944** (Ceratopogonidae) Synonym(s): *austerus* Statz,1944 **DE**
500. **Culicoides bicolor Statz,1944** (Ceratopogonidae) Synonym(s): *bicolor* Statz,1944 **DE**
501. **Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albonotatus* Vimmer,1932 nec Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhafarov,1964 **BG TR TN BE NO DE IL Pa Cc AZ Kir**
502. **Culicoides cunctans (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *cunctans* Winnertz,1852 **DE**
503. **Culicoides elongatulus Statz,1944** (Ceratopogonidae) Synonym(s): *elongatulus* Statz,1944 **DE**
504. **Culicoides festivipennis Kieffer,1914** (Ceratopogonidae) Synonym(s): *festivipennis* Kieffer,1914; *odibilis* Austen,1921; *winnertzi* Edwards,1926 **DE IL Pa TR**
505. **Culicoides festivipennis Kieffer,1914** (Ceratopogonidae) Synonym(s): *festivipennis* Kieffer,1914 **DE**
506. **Culicoides maritimus Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus* Kieffer,1924; *submaritimus* Dzhafarov,1962 **DE TR DE Cc AZ IL Pa**
507. **Culicoides newsteadi Austen,1921** (Ceratopogonidae) Synonym(s): *newsteadi* Austen,1921; *biclavatus* Kieffer,1924; *halophilus* Kieffer,1924; *edwardsi* Goetghebuer,1933; *edwardsianus* Goetghebuer,1933 **IL Pa DE NO GB TR**
508. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flavipilum* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940 **DE UA BE EG RU SE LT TR IL Pa TW**
509. **Culicoides pumilus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *pumilus* Winnertz,1852 **DE TR**
510. **Culicoides riethi Kieffer,1914** (Ceratopogonidae) Synonym(s): *riethi* Kieffer,1914; *cordatus* Kieffer,1921; *crassiforceps* Kieffer,1924 **DE LT TR**
511. **Culicoides salinarius Kieffer,1914** (Ceratopogonidae) Synonym(s): *salinarius* Kieffer,1914 **DE TR**
512. **Culicoides winnertzi Edwards,1926** (Ceratopogonidae) Synonym(s): *winnertzi* Edwards,1926 **DE**
513. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775 **DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG**
514. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 **TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU**

515. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama Hartig,1840; mailleti Folliot,1964* ES FR GB IE BE DE AT PL UA HU B-H BG TR
516. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha Hartig,1840; indistincta Niblett,1948* PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
517. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa Hartig,1840; verrucosus Schlechtendal,1870* PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
518. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris Hartig,1840; similis Adler,1881; substituta Kinsey,1930* PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
519. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus Fourcroy,1785; pubescentis Mayr,1881; ilicis Kieffer,1896; geminus Belizin & Maisuradze,1962; rusanovae Belizin & Maisuradze,1962* PT ES FR DE UA MD RO YU GR IT AT HU TR MK
520. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii Linnaeus,1758; scutellaris Olivier,1791; gallaecerasiformis Anthoine,1794; gallaeunidoniformis Anthoine,1794; folii Hartig,1840; flosculi Giraud,1868; giraudi Tschek,1869; taschenbergi Schlechtendal,1870* ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
521. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis Zetterstedt,1838* TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
522. **Dasyhelea acuminata Kieffer,1919** (Ceratopogonidae) Synonym(s): *acuminata Kieffer,1919; polita Edwards,1921; verticillata Kieffer,1925; littoralis Goetghebuer,1934* GB BE DE HU
523. **Dasyhelea algarum Kieffer,1924** (Ceratopogonidae) Synonym(s): *algarum Kieffer,1924* DE
524. **Dasyhelea bistrata Kieffer,1915** (Ceratopogonidae) Synonym(s): *bistrata Kieffer,1915* DE
525. **Dasyhelea corinnae Gosseries,1991** (Ceratopogonidae) Synonym(s): *scutellata Meigen,1830 nec Say,1829; corinnae Gosseries,1991* FI DE HU ES BE GB NO
526. **Dasyhelea diplosis Kieffer,1914** (Ceratopogonidae) Synonym(s): *diplosis Kieffer,1914* DE
527. **Dasyhelea flavifrons (Guérin-Ménéville,1833)** (Ceratopogonidae) Synonym(s): *flavifrons Guérin-Ménéville,1833; obscura Winnertz,1852 nec Walk.,1848; versicolor Winnertz,1852; dufouri Laboulbène,1869; hippocastani Mik,1888; brevitibialis Goetghebuer,1919; goetghebueri Kieffer,1919; sensuialis Kieffer,1919; lignicola Kieffer,1919; paludicola Kieffer,1925; oppressa Thomsen,1935; septuosa Borkent,1997* FR DE AT BE GR HV CZ EE US Ny
528. **Dasyhelea flavoscutellata (Zetterstedt,1850)** (Ceratopogonidae) Synonym(s): *flavoscutellata Zetterstedt,1850; egens Winnertz,1852; alonensis Strobl,1906; heracleae Kieffer,1919; halobia Kieffer,1924* NO DE ES GR
529. **Dasyhelea franzella Goetghebuer,1950** (Ceratopogonidae) Synonym(s): *franzella Goetghebuer,1950; unbedarfti Havelka,1978* AT DE
530. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata Egger,1865* MA DE PL CZ SK CH AT HU Cc AM RU TR
531. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
532. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger Linnaeus,1761; villosus Olivier,1790; palustris Fiori,1906* ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
533. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus O.F.Müller,1776* SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
534. **Dasytes virens (Marsham,1802)** (Melyridae) Synonym(s): *virens Marsham,1802* AT FR DE GR TR
535. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758; rubicundus De Geer,1778; hastatus Fischer von Waldheim,1839; radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
536. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis Panzer,1796; dubia Panzer,1796 (praeocc.); grisea Latreille,1804* AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
537. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris Fallén,1806; convexus Rey,1894; fumigatus Rey,1894* DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR
538. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens Piller & Mitterpacher,1783* AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR

539. **Deporaus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi Scopoli,1763*; *fagi Scopoli,1763*; *femoratus Olivier,1789*; *populneus Gmelin,1790*; *femoralis Latreille,1804* **DE DZ BG FR GB Cc TR KG MK MN RU Sb**
540. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius Kalik,1951* **AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR**
541. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi Kalik,1950* **AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR**
542. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pedicidae) Synonym(s): *lucidipennis Edwards,1921*; *luteicolor Alexander,1975* **AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR**
543. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pedicidae) Synonym(s): *robusta Lundstrom,1912* **HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR**
544. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens Kirschbaum,1868*; *carpathica Horvath,1884* **AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA**
545. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata Boheman,1847* **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**
546. **Dictyla echii (Schrank,1782)** (Tingidae) Synonym(s): *echii Schrank,1782* **DE GR TR**
547. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767*; *#aeuropaea Petagna,1787*; *europa Aucher-Elroy,1826*; *italica Kirschbaum,1868*; *lutea Lang,1942* **Cc AF AL AT BL BG CN Uı CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
548. **Didismachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* **TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG**
549. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias Walker,1838* **BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB**
550. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus Graham,1963* **HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR**
551. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850*; *agnatus Letherry,1850*; *lenensis Linnavuori,1953* **AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA**
552. **Dilophus febrilis (Linnaeus,1758)** (Bibionidae) Synonym(s): *febrilis Linnaeus,1758*; *spinatus O.F.Müller,1764*; *forcipata Schrank,1803*; *vulgaris Meigen,1818* **PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA**
553. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus Meigen,1804*; *albipennis Meigen,1830* **PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO**
554. **Dilophus neglectus Haenni,1982** (Bibionidae) Synonym(s): *neglectus Haenni,1982* **FR CH DE CZ PL**
555. **Dinocistus eupterus (Walker,1836)** (Pteromalidae) Synonym(s): *eupterus Walker,1836*; *dimidiatus Walker,1836*; *capitatus Förster,1841*; *lanceolatus Ratzeburg,1848*; *clypealis Thomson,1878*; *acutus Provancher,1887*; *polygraphi Ashmead,1894*; *ashmeadi Crawford,1912*; *pityogenis Ishii,1938* **GB SE DE TR JP**
556. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804*; *falleni Meigen,1820*; *atrata Meigen,1820*; *geniculata Meigen,1820* **AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR**
557. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820*; *aurifrons Meigen,1820* **FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ**
558. **Dioctria gracilis Meigen,1820** (Asilidae) Synonym(s): *gracilis Meigen,1820*; *hyalipennis sensu Meigen,1830*; *concinna Costa,1883* **DZ FR DE CH IT TR IR Kh Ss**
559. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis Fabricius,1787*; *cingulata Zetterstedt,1849* **IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH**
560. **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius Fabricius,1798* **Ichneumon alvearius Fabricius,1798, Suppl. ent. Syst.: 232. TR DE CN GB FR AT IT CZ RU KG YU**
561. **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia Papp,1959* **Microgaster claritibia Papp,1959, Ann. Hist.-nat. Mus. Nat. Hung. 51: 405. TR DE RU KG Cc AM AZ GG FI Cn YU AT TN SY**
562. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* **DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU**
563. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840*; *calceolatus Boheman,1845*; *tiaratus Fieber,1869* **AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU**
564. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869*; *altaicus Vilbaste,1965* **AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ**

565. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 **PT ES FR GB NL DE SE PL AT HU RO IT TR**
566. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 **ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo**
567. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 **PT ES GB NL DE PL SE AT HU RO IT TR**
568. **Diplolepis spinosissimae (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 **ES FR GB NL DE AT HU PL SE IT TR**
569. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980 **AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA**
570. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 **ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR**
571. **Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla* Nixon,1972 **Apanteles drusilla** Nixon,1972, *Bull. ent. Res.* 61: 701-743. **TR DE UA BG HU MN IT GB**
572. **Dolichogenidea immissus (Papp,1977)** (Braconidae) Synonym(s): *immissus* Papp,1977 **Apanteles immissus** Papp,1977, *Ann. Hist. Nat. Mus. Nat. Hung.* 69: 201-217. **DE HU TR**
573. **Dolichogenidea longipalpis (Reinhard,1880)** (Braconidae) Synonym(s): *longipalpis* Reinhard,1880 **Apanteles longipalpis** Reinhard,1880, *Dt. ent. Z.* 24: 365. **TR DE CN Cc AM RU TJ**
574. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica* Fabricius,1781 **GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US**
575. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903 **AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU**
576. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861 **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU**
577. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897 **AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU**
578. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928 **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU**
579. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum* Fabricius,1794; *thamnicola* Robineau-Desvoidy,1830; *scalaris* Loew,1868 **AT DE HU FR Co ES HV PT GB IT PL CZ TR**
580. **Drymeia alpicola (Rondani,1871)** (Muscidae) Synonym(s): *alpicola* Rondani,1871 **CA US NMx DE PL SK CH AT TR CN**
581. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 **AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR**
582. **Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus* Loew,1848 **IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR**
583. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854 **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
584. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
585. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 **AT AL BG DE FR HU PL RO UA TR IR Fa**
586. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR**
587. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**
588. **Ectophasia crassipennis (Fabricius,1794)** (Tachinidae) Synonym(s): *crassipennis* Fabricius,1794 **TR PT ES FR BE NL DE PL UA RU MD RO CZ SK HU CH AT IT SS B-H HV YU GR BG Si Co**
589. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984 **AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR**
590. **Edwardsiana bergmani (Tullgren,1916)** (Cicadellidae) Synonym(s): *bergmani* Tullgren,1916 **AT BG CS DK FI FR DE GB MN NO PL SE SW**
591. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas,1876; *australis* Froggatt,1918; *frogatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947 **AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU**
592. **Edwardsiana diversa (Edwards,1914)** (Cicadellidae) Synonym(s): *diversa* Edwards,1914; *tridentata* Edwards,1928 **BG CS FR DE GB PL RO SW MD KK**
593. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororecula* Ossiannilsson,1936 **AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA**
594. **Edwardsiana frustrator (Edwards,1908)** (Cicadellidae) Synonym(s): *frustrator* Edwards,1908; *solearis* Ribaut,1931 **CS DK FI FR DE GB NL PL SE SW Cc GG UA CA**

595. **Edwardsiana geometrica (Schränk,1801)** (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (*praeocc.*); *marginella* Gmelin,1790 (*praeocc.*); *geometrica* Schränk,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 **AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA**
596. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 **DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU**
597. **Edwardsiana nigriroba (Edwards,1924)** (Cicadellidae) Synonym(s): *nigriroba* Edwards,1924 **BE BG CS FR DE GB PL SE**
598. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949 **AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU**
599. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 **AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA**
600. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
601. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 **AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At**
602. **Edwardsiana sociabilis (Ossiannilsson,1936)** (Cicadellidae) Synonym(s): *sociabilis* Ossiannilsson,1936 **CS FI DE PL SE Cc GG**
603. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924 **AT BG CS FR DE GB NL PL TR GG Cc YU**
604. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa* Edwards,1914 **CS DK FR DE GB NL PL SE TR RU At**
605. **Eginia ocypterata (Meigen,1826)** (Muscidae) Synonym(s): *ocypterata* Meigen,1826 **DE PL CZ SK AT HU Cc**
606. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**
607. **Elachertus pilosiscuta Bouček,1971** (Eulophidae) Synonym(s): *pilosiscuta* Bouček,1971 **BG CZ DE RU SK SE GB YU**
608. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher* Erdős,1961 **TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU**
609. **Elampus caeruleus Dahlbom,1854** (Chrysididae) Synonym(s): *caeruleus* Dahlbom,1854 **DE IT CY**
610. **Elampus panzeri (Fabricius,1804)** (Chrysididae) Synonym(s): *panzeri* Fabricius,1804 **DE HU RU IT**
611. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhipicerus* Förster,1841; *giraudi* Ferrière,1947 **TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU**
612. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 **TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU**
613. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947 **TR Cc BG CZ DE HU IT MD SK ES SE**
614. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 **AT FI DE GR FR HU IT MD KG ES SE CH TR RU**
615. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 **TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA**
616. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
617. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 **ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG**
618. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
619. **Empis (s.str.) acinerea Chavala,1985** (Empididae) Synonym(s): *acinerea* Chavala,1985 **TR CZ DK FI DE NL SK SE CH RU**
620. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula* Loew,1867 **TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH**
621. **Empis (s.str.) lepidopus Meigen,1822** (Empididae) Synonym(s): *lepidopus* Meigen,1822 **TR DE IT HU NL CH ES**
622. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscura* Zetterstedt,1842 **TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU**

623. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
624. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960* AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
625. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis Göthe,1875; aurantiaca Lethierry,1880; viticola Targioni-Tozzetti,1888; subvaria Rey,1894; vitium Paoli,1931; punctata Kato,1933; petiolata Cerutti,1939* DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
626. **Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps Thomson,1885* DE DK FR IT AT PL YU TR
627. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis Thomson,1884* AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
628. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus Olivier,1792* DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
629. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera Walker,1839; punctatus Thomson,1878; nigratarsis Erdős,1944* TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
630. **Entedon calcicola Graham,1971** (Eulophidae) Synonym(s): *calcicola Graham,1971* TR DE SK SE GB YU
631. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius Thomson,1878; cinerea Erdős,1961; fructicola Gumowsky,1996* TR BG Cn HV FR DE HU NL ES SE UA GB YU
632. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus Erdős,1944; longus Boucek,1968* TR BG DE HU IL Pa SE GB
633. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar Thomson,1878; subovatus Thomson,1878* TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
634. **Entedon pinetorum Ratzeburg,1852** (Eulophidae) Synonym(s): *pinetorum Ratzeburg,1852* TR DE HU
635. **Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni Erdős,1944; molybdaenus Erdős,1944; urticarii Erdős,1951; meliloti Askew,1992* TR BG CZ FR DE HU NL RU SK ES SE UA GB
636. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus Walker,1839; longiventris Thomson,1878; longiventrosus Dalla Torre,1898; insignis Erdős,1944; lixi Erdős,1951; mecini Askew,1992* TR AT BG HV CZ FR GG Cc DE GR HU
637. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus Erdős,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
638. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica Christ,1791; coccineus Fabricius,1804* CH ES IT DE FR AT HU GR Cc TR
639. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842* TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
640. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum Linnaeus,1758; lineole Harris,1776* GB HU NL DE NO GR Cr TR
641. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax Linnaeus,1758; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822* Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
642. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola Fallén,1806; chlorophana Herrich-Schäffer,1843; luteipes Prohaska,1923* AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
643. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii Kirschbaum,1868; dilatatus Fieber,1872* AT BE CS FR DE IT PL RO SW AZ Cc UA
644. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE ARAU ZA
645. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens Fabricius,1787; kollari Föster,1859* AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
646. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata Fabricius,1794 (praeocc.); lepidus Boheman,1847; tristis Boheman,1847* Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
647. **Eudasyphora zimini (Hennig,1963)** (Muscidae) Synonym(s): *zimini Hennig,1963* DE PL CZ SK CH AT HU Cc AM Eri GG
648. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU

649. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
650. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
651. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
652. **Eupteryx adspersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
653. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 AF AT CS FI FR DE IT IQ RO SW TR RU MD
654. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
655. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
656. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (*praeocc.*); *austriaca* Metcalf,1968 AT BE BG FR DE IT UA
657. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *upsilon* Cerutti,1939 AT BG CS FI DE HU PL RO SE SW KG
658. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
659. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
660. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
661. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
662. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
663. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
664. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834 AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
665. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
666. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
667. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
668. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831 DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
669. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948 AT BG CS FI FR DE HU NL PL RU
670. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 AT BE BG CS DK FR DE GB PL RO UA YU
671. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU
672. **Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936 CY TR FI FR DE NL SE
673. **Eurhadina saageri Wagner,1937** (Cicadellidae) Synonym(s): *saageri* Wagner,1937 AT CS DE PL Cc GG

674. **Eurybregma nigrolineata** Scott,1875 (Delphacidae) Synonym(s): *nigrolineata* Scott,1875
AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
675. **Eurysa lineata** (Perris,1857) (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ
FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
676. **Eurytoma arctica** Thomson,1875 (Eurytomidae) Synonym(s): *arctica* Thomson,1875 IR
AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB
677. **Eurytoma aspila** (Walker,1836) (Eurytomidae) Synonym(s): *aspila* Walker,1836 TR BG Cc HV
FR DE GR HU IT KG MD MN ES GB RU YU
678. **Eurytoma blastophagi** Hedqvist,1963 (Eurytomidae) Synonym(s): *blastophagi*
Hedqvist,1963 IR Ak DE NO CN RU SE
679. **Eurytoma brunniventris** Ratzeburg,1852 (Eurytomidae) Synonym(s): *brunniventris*
Ratzeburg,1852 IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
680. **Eurytoma curculionum** Mayr,1878 (Eurytomidae) Synonym(s): *curculionum* Mayr,1878
TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
681. **Eurytoma curta** Walker,1832 (Eurytomidae) Synonym(s): *curta* Walker,1832 TR AT FR
DE HU MD NL SE GB
682. **Eurytoma goidanichi** Boucek,1970 (Eurytomidae) Synonym(s): *goidanichi* Boucek,1970
IR HV CZ DE IT MD MK RU SK UA TM YU
683. **Eurytoma morio** Boheman,1836 (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak
Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK
ES SE CH TM UA GB YE
684. **Eurytoma pistaciae** Rondani,1877 (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877;
setigera Mayr,1878 TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
685. **Eurytoma robusta** Mayr,1878 (Eurytomidae) Synonym(s): *robusta* Mayr,1878 TR AT BG
CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
686. **Eurytoma rosae** Nees,1834 (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis*
Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL
RO SK ES SE CH GB RU YU
687. **Eurytoma serratulae** (Fabricius,1798) (Eurytomidae) Synonym(s): *serratulae*
Fabricius,1798; *tristis* Mayr,1878 TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
688. **Euscelidius schenkii** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *schenkii*
Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO
SE TN AM AZ Cc KG RU Sb UA UZ YU
689. **Euscelidius variegatus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *variegatus*
Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 DZ
AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
690. **Euscelis distinguendus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *distinguendus*
Kirschbaum,1858 AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
691. **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus*
Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868;
tessellatus Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis*
Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis*
H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md
NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
692. **Euscelis lineolatus** Brullé,1832 (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus*
Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus*
Wagner,1952 AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
693. **Euscelis venosus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *venosus*
Kirschbaum,1868 AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
694. **Evacanthus acuminatus** (Fabricius,1794) (Cicadellidae) Synonym(s): *acuminatus*
Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS
DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
695. **Evacanthus interruptus** (Linnaeus,1758) (Cicadellidae) Synonym(s): *interruptus*
Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828;
nigroflavus Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912;
pallidus Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL
AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK
LV MD RU Sb UA YU
696. **Exechia fulva** Santos Abreu,1920 (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920;
exornata Séguy,1941; *peyerimhoffi* Burghel-Balacesco,1966 Cn PT ES FR Co DE GR BG CY TR
697. **Exechia separata** Lundström,1912 (Mycetophilidae) Synonym(s): *separata*
Lundström,1912 DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
698. **Exochus elegantissimus** Schmiedeknecht,1925 (Ichneumonidae) Synonym(s):
elegantissimus Schmiedeknecht,1925; *#clesantissimus* Öncüler,1991 DE BG UA MD TR
699. **Exochus suborbitalis** Schmiedeknecht,1924 (Ichneumonidae) Synonym(s): *suborbitalis*
Schmiedeknecht,1924 FR DE HU RO BG LT MD UA TR

700. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
701. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
702. **Fieberiella macchiae Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiae* Linnavuori,1962 IL Pa TR Cc GG CN Mc DE PL RO RU
703. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KKL RV UA UZ
704. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
705. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus* Herrich-Schäffer,1838 ES FR BE DE PL CZ SK HU AT CH IT BY UA
706. **Gampsocoris culicinus Seidenstücker,1948** (Berytidae) Synonym(s): *culicinus* Seidenstücker,1948 DE CZ UA Cm SK TR
707. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
708. **Geocoris megacephalus (Rossi,1790)** (Lygaeidae) Synonym(s): *megacephalus* Rossi,1790; *phaeopterus* Germar,1837 DE ET CA TR
709. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
710. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
711. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
712. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856 AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
713. **Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus* Haliday,1834 *Microgaster callidus* Haliday,1834, *Entomologist's mon. Mag. 2: 248.* DE AT GB Cc AM GG HU TR
714. **Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972 *Apanteles eugeni* Papp,1972, *Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338.* DE BG GB FI LT NL AT CH HU TR
715. **Gomphocerus sibiricus (Linnaeus,1767)** (Cicadellidae) Synonym(s): *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951 ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
716. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
717. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
718. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
719. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870; *consanguinea* Scott,1873; *tschikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967 CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
720. **Gryllodes sigillatus (Walker,1869)** (Gryllidae) Synonym(s): *sigillatus* Walker,1869 MX US CU DE IN
721. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 *Gryllus gryllotalpa* Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 428.* Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
722. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis* Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU
723. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis* Czerny,1924 AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
724. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803 RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
725. **Gyrinus caspius Ménériés,1832** (Gyrinidae) Synonym(s): *caspius* Ménériés,1832 DK NO FI GB DE FR NL ES GR TR

726. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum* Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882 **DZ BE FR DE GR IT NL PT ES SW TR YU**
727. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 **AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR**
728. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 **AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us**
729. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 **AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU**
730. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773 *Coccinella axyridis* Pallas,1773, *Reise Russia 2: 726.* **GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA**
731. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY**
732. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY**
733. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 **AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR**
734. **Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): *abdominalis* Zetterstedt,1846 **DK FR Co DE PL AT HU SY**
735. **Helina atricolor (Fallén,1825)** (Muscidae) Synonym(s): *atricolor* Fallén,1825; *denudata* Zetterstedt,1845 **DE PL CZ SK CH AT TR**
736. **Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): *decipiens* Mihalyi,1974 **DE CZ SK AT HU TR RU**
737. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924 **FR Co DE PL CZ SK CH AT HU TR Cc AM RU**
738. **Helina obtusipennis (Fallén,1823)** (Muscidae) Synonym(s): *obtusipennis* Fallén,1823 **DE SK CH AT TR**
739. **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens* Stein,1893 **DE PL CH AT HU TR? RU**
740. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris* Ringdahl,1924 **AD DE PL CZ SK CH AT HU TR Ui RU**
741. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus* Linnaeus,1758 **TR Cc GG ES DE DK GB SE FI RU IR**
742. **Helophorus croaticus Kuwert,1886** (Helophoridae) Synonym(s): *croaticus* Kuwert,1886 **BE SE FI DE RU TR**
743. **Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885 **Cc RU FI IR TR DE PL GR**
744. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis* Marsham,1802 **GB FR DE AT UA Cc SE GB TR**
745. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis* Motschoulsky,1860 **TR DZ GB DK FR DE IT MA PT ES SE TN**
746. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis* Wollaston,1864 **DZ GB FR ES RU SE DE GR TR KG**
747. **Helophorus paraminutus Angus,1986** (Helophoridae) Synonym(s): *paraminutus* Angus,1986 **RU Sb YU AT DE TR**
748. **Helophorus porculus Bedel,1881** (Helophoridae) Synonym(s): *porculus* Bedel,1881 **DZ NL ES FR DE TR**
749. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887 **DZ GB DK FR DE IT MA NL PT RU ES SE TN TR**
750. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758 **TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK**
751. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 **AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU**
752. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 **AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR**
753. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 **AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR**

754. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praecoc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
755. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
756. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH
757. **Homalocephala albitarsis Zetterstedt,1838** (Ulidiidae) Synonym(s): *albitarsis* Zetterstedt,1838; *diopsides* Walker,1849; *costalis* Walker,1849 CA On DE PL RU SE Am Us Sb Sh FI NO IT
758. **Hoplia (Hoplia) farinosa Linnaeus,1761** (Scarabaeidae) Synonym(s): *farinosa* Linnaeus,1761 DE
759. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
760. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
761. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
762. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
763. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
764. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
765. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s): *tuberculata* Nylander,1848; *hamata* Eversmann,1852; *cylindrica* Giraud,1857; *signatum* Eversmann,1852; *macrodonata* Cockerell,1924; *amaguensis* Cockerell,1924 AT CH DE FR FI HV IT LT PL RU MN CN
766. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
767. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
768. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 AT CH DE ES FR HU IT RU SS
769. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 AT CH CZ? DE ES FR HU HV IT RU SS
770. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS
771. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
772. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
773. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
774. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH
775. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH
776. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky,1860 AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc
777. **Hydrochus megaphallus Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus* Berge Henegouwen,1988 TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE
778. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR

779. **Hydrotaea meridionalis** Portschinsky, 1882 (Muscidae) Synonym(s): *meridionalis* Portschinsky, 1882 IT SI DE PL CZ SK CH AT HU TR RU
780. **Iassus lanio** (Linnaeus, 1761) (Cicadellidae) Synonym(s): *lanio* Linnaeus, 1761; *brunnea* Fabricius, 1794 AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
781. **Iassus scutellaris** (Fieber, 1868) (Cicadellidae) Synonym(s): *scutellaris* Fieber, 1868 AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
782. **Iberodorcadion fuliginator** (Linnaeus, 1758) (Cerambycidae) Synonym(s): *fuliginator* Linnaeus, 1758 ES FR DE IT
783. **Iconella lacteoides** (Nixon, 1965) (Braconidae) Synonym(s): *lacteoides* Nixon, 1965 *Apanteles lacteoides* Nixon, 1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU
784. **Idiocerus fasciatus** Fieber, 1868 (Cicadellidae) Synonym(s): *fasciatus* Fieber, 1868 AT BE CS FR? DE HU ES AZ UA
785. **Idiocerus fulgidus** (Fabricius, 1775) (Cicadellidae) Synonym(s): *fulgidus* Fabricius, 1775; *aurulentus* Kirschbaum, 1868; *cupreus* Kirschbaum, 1868 (*praeocc.*); *decipiens* Kirschbaum, 1868; *kirschbaumi* Baker, 1924; *lineolata* Ribaut, 1952 AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
786. **Idiocerus herrichii** Kirschbaum, 1868 (Cicadellidae) Synonym(s): *herrichii* Kirschbaum, 1868 AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
787. **Idiocerus heydenii** Kirschbaum, 1868 (Cicadellidae) Synonym(s): *heydenii* Kirschbaum, 1868 AT BG CS DK FR DE IT PL MD UA YU
788. **Idiocerus lituratus** (Fallén, 1806) (Cicadellidae) Synonym(s): *lituratus* Fallén, 1806; *dorsiger* Lepeletier & Audinet-Serville, 1825; *lineolatus* Lepeletier & Audinet-Serville, 1825; *maculipennis* Curtis, 1839; *rubrifrons* Rey, 1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
789. **Idiocerus nitidissimus** (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer, 1835 BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
790. **Idiocerus poecilus** (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer, 1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
791. **Idiocerus stigmatalis** Lewis, 1834 (Cicadellidae) Synonym(s): *stigmatalis* Lewis, 1834; *adustus* Herrich-Schäffer, 1837 DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
792. **Idiocerus vicinus** Melichar, 1898 (Cicadellidae) Synonym(s): *vicinus* Melichar, 1898 AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
793. **Idiocerus vittifrons** Kirschbaum, 1868 (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum, 1868 AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
794. **Idiodonus cruentatus** (Panzer, 1799) (Cicadellidae) Synonym(s): *cruentatus* Panzer, 1799; *simulans* Ribaut, 1952 AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
795. **Idiomacromerus papaveris** (Förster, 1856) (Torymidae) Synonym(s): *papaveris* Förster, 1856; *akdenizeus* Doğanlar, 1989 TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
796. **Idiomacromerus terebrator** (Masi, 1916) (Torymidae) Synonym(s): *terebrator* Masi, 1916 IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
797. **Illidops butalidis** (Marshall, 1888) (Braconidae) Synonym(s): *butalidis* Marshall, 1888 *Apanteles butalidis* Marshall, 1888, Spec. Hym. Eur. Alg. 4: 45. TR DE CH GB BG CZ YU HU TN
798. **Illidops vipio** (Reinhard, 1880) (Braconidae) Synonym(s): *vipio* Reinhard, 1880 *Apanteles vipio* Reinhard, 1880, Mem. ent. Soc. Canada 115: 56-57. TR DE GB FR YU RU
799. **Ischnodes sanguinicollis** (Panzer, 1793) (Elateridae) Synonym(s): *sanguinicollis* Panzer, 1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
800. **Issus coleoptratus** (Fabricius, 1781) (Issidae) Synonym(s): *gibbosa* Goeze, 1778 (*praeocc.*); *coleoptratus* Fabricius, 1781; *pedestris* Fabricius, 1794; *maurus* Walker, 1851; *cribrellus* Rey, 1894 DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
801. **Issus muscaeformis** (Schrank, 1781) (Issidae) Synonym(s): *muscaeformis* Schrank, 1781 Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
802. **Jalla dumosa** (Linnaeus, 1758) (Pentatomidae) Synonym(s): *dumosa* Linnaeus, 1758; *nigriventris* Fieber, 1861; *anthracina* Jakovlev, 1885; *vidua* Horvath, 1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
803. **Jassargus alpinus** (Then, 1896) (Cicadellidae) Synonym(s): *alpinus* Then, 1896 AT BG CS FI FR DE IT PL RO SE MD UA
804. **Jassargus distinguendus** (Flor, 1861) (Cicadellidae) Synonym(s): *distinguendus* Flor, 1861; *pseudocellaris* Flor, 1861; *mattiacellus* Kirschbaum, 1868; *parallelus* Fieber, 1869; *falleni* Fieber, 1869; *paleaceus* Sahlberg, 1871; *longiceps* Rey, 1894; *confinis* Rey, 1894; *kemneri* Ossiannilsson, 1935; *gallicus*

- Metcalf,1955; reyi Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
805. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
806. **Jassidaeus lugubris (Signoret,1865)** (Delphacidae) Synonym(s): *lugubris* Signoret,1865; *morio* Fieber,1866; *atratura* Kirschbaum,1868 AT CZ SK FR DE HU PL RO MD
807. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
808. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
809. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
810. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *juncea* Haupt,1935 CZ DE MN PL SE TR RU At EE BG HU
811. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
812. **Kelisia praecox Haupt,1935** (Delphacidae) Synonym(s): *praecox* Haupt,1935 Cc BG CZ DE MN PL EE GG KG RU
813. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
814. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
815. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (*praeocc.*); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
816. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
817. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
818. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
819. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
820. **Lachnaia sexpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *sexpunctata* Scopoli,1763; *longipes* Fabricius,1775 FR TR DE SK
821. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
822. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
823. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscurella* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
824. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES CN CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
825. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
826. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR

827. **Lasioglossum albocinctum (Lucas,1846)** (Halictidae) Synonym(s): *albocinctum* Lucas,1846 ES IT FR DE CH GR
828. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 MA FR DK ES PT Co DE PL MK IL Pa TR IR
829. **Lasioglossum pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832 MA FR ES BE DE CY IR
830. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
831. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
832. **Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861 DE BG DZ DK AM Cc TR FR GB
833. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
834. **Leia bimaculata (Meigen,1804)** (Mycetophilidae) Synonym(s): *bimaculata* Meigen,1804; *fasciola* Meigen,1818; *octomaculata* Curtis,1837 GB DE TR
835. **Leptarthrus brevis (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
836. **Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata* Say,1824 DE TR BG
837. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica* sensu Meigen,1820 IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
838. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaenicke,1867 IR BG CZ FR DE GR HU IT RU CH TR
839. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
840. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
841. **Limnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta* Kowarz,1893 IT Si DE PL CZ AT HU LY? Cc? RU
842. **Limonicus violaceus (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus* P.Müller,1843 SK DE FR IT TR
843. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
844. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
845. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
846. **Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis* Habermehl,1918; *orientalis* Hedwig,1959 DE RO TR
847. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator* Gravenhorst,1829 TR DE AT ES HU IT YU MD KG
848. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti* Heikertinger,1912 DE BE IT SK YU BG RU TR
849. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi,1975 AT MA ES FR CH IT DE CZ SK YU UA TR
850. **Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis* Weise,1888 TR Cc DE SY RU
851. **Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus* Fabricius,1775 TR Cc DE IR KG DZ MN
852. **Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845 GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
853. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955 Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
854. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus* Meigen,1820; *genualis* Zeller,1840 IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB

855. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 IR Es
GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
856. **Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota*
Meigen,1824; *germanica* Robineau-Desvoidy,1830; *major* Schiner,1862 TR AT DE HU SE
857. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824;
microcera Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra*
Robineau-Desvoidy,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscularis* Pandelle,1895;
#*praefica* Kara,1999 BE DE Cc IL Pa UA GB BG ES RU TR
858. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis*
Fallén,1810 HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
859. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s):
alpestris Rondani,1865; *dumosum* Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS
ES CH TJ UA
860. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola*
Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH
TJ UA Cm GB TW
861. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s):
polyodon Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris*
Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL
NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
862. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s):
striginervis Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE
IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
863. **Macropsis albae Wagner,1950** (Cicadellidae) Synonym(s): *albae* Wagner,1950 TR BG CS
FR DE GB IT NL PL PT KG MD YU
864. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis*
Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
865. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris*
Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
866. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828
AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
867. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868;
viridiceps Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
868. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea*
Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU
At IR
869. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata*
J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
870. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata*
Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda*
Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
871. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata*
Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR HU NL PL
RO ES TN TR Cc GG KG RU Sb YU
872. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi*
Scott,1873 AT CZ GB FR DE IT RO RU TR
873. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ
KG? MD? RU Sb TJ? UA? UZ? YU?
874. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata*
Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL
PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
875. **Macropsis viridinervis Wagner,1950** (Cicadellidae) Synonym(s): *viridinervis*
Wagner,1950 CS DE IT Cc GG UA
876. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus*
Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
877. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT BG
CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
878. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec*
Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD
UA YU
879. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875;
tetracticta Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH
RU LT UA YU TR
880. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927;
mannerheimi Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT
MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU

881. **Macrosteles lividus (Edwards,1894)** (Cicadellidae) Synonym(s): *lividus* Edwards,1894
DK GB FI DE MN NL PL SE RU TR
882. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni*
Lindberg,1954; *ossiannilssoni* Le Quense,1968 Cn CZ DK GB FI DE Md SE IR EG GR Ce TR
883. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa
IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
884. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata*
Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT
JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
885. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806;
fumatus Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG
KK LV RU UA YU
886. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus*
Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
887. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens*
Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR
DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
888. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE
AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
889. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus* Erichson,1840;
carnifex Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR
HU IT LT MK PL SK SY AT CH DE YU TR
890. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana*
Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES
SE CH SY TM YU UA
891. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT
BY CZ FR DE HU IT PL RU SS ES CH TR
892. **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus*
Morawitz,1878 UA HU DE Cc RU TR
893. **Megachile (Xanthosarus) giraudi Gerstaecker,1869** (Megachilidae) Synonym(s):
giraudi Gerstaecker,1869 HU UA DE SK TR
894. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853;
sahlbergi Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
895. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830;
truncatipennis Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL
CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
896. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE
AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
897. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT
CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
898. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus*
Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL
NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
899. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus*
Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum*
Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 FR GB SE RU UA DK DE AT CZ SK
MD RO PL B-H HV
900. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus*
Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
901. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798;
bohemanii Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H
MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
902. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus*
Zerova & Seregina,1994 DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
903. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans*
Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
904. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895;
piceae Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
905. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806;
? scutata Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van
Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE
SW SY TN AZ EE GG LV RU UA YU
906. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum*
Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus*

- Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinatum Bigot,1884; nigricorne Stroble,1893* **DZ US GB HU NL DE SE NO GR Cr TR**
907. **Melieria parmensis Rondani,1869** (Ulidiidae) Synonym(s): *parmensis Rondani,1869* **FR DE AT CH Cc**
908. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta Meigen,1826* **AT HV BG DE MD RO RU UA CA Als UA**
909. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris Germar,1817; coriarius Brandt & Erichson,1832; reticulatus Brandt & Ratzeburg,1833; cyanicornis Escherich,1889* **FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF**
910. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860; obscuripennis Palma,1863; knerii Mik,1883* **MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr**
911. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790; spinipes Fabricius,1794; serrulatus Wiedemann,1822; italicus Rondani,1845; rufitibius Rondani,1845; graecus Walker,1852; aurifer Loew,1862; quadrilineatus Lioy,1864* **DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU**
912. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798* **TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR**
913. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus Boheman,1845* **AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU**
914. **Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): *steini Fieber,1869* **DE HU JP Cc AZ UA**
915. **Metasyrphus corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto Harris,1776; corollae Fabricius,1794; pyrorum Schrank,1803; olitoria Fallén,1817; lacerus Meigen,1822; fulvifrons Macquart,1827; crenatus Macquart,1927; annularis Curtis,1837; octomaculata Curtis,1837; propinquus Macquart,1850; topiarius Walker,1851; berber Bigot,1884* **DZ GB HU NL DE SE NO TR**
916. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792; formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809; italica Costa,1858 articulata Latreille,1792* **DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM**
917. **Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus Thomson,1887* **SE DE FR AT HU TR**
918. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis Mulsant & Rey,1855; quadripunctata Kirschbaum,1868; pulcherrimus Hovarth,1884* **AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU**
919. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus Spinola,1808* **IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB**
920. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* **BE FI KP KR MA RU AT TR DE IT NL HU GB KG**
921. **Microptilis decipiens Prell,1925** (Braconidae) Synonym(s): *decipiens Prell,1925* **DE PL HU TR**
922. **Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* **TR BG DE GB FI FR KP KR HU MN TN**
923. **Microptilis heterocera Ruthe,1860** (Braconidae) Synonym(s): *heterocera Ruthe,1860* **DE YU TR RU CZ HU**
924. **Microptilis idia Nixon,1970** (Braconidae) Synonym(s): *idia Nixon,1970* **DE SE CH TR**
925. **Microptilis mandibularis Thomson,1895** (Braconidae) Synonym(s): *mandibularis Thomson,1895* **DE TR MN**
926. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* **Cc AZ DE FR YU TR AT PL RU MN Sb SE HU**
927. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* **Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU**
928. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847; palposa Zetterstedt,1848* **SE FI RU DK DE PL SK CZHU AT IT GB GR EG**
929. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803* **AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU**
930. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850; aridellus Boheman,1850; lateralis Sahlberg,1871* **AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU**
931. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus Curtis,1835 (praeocc.); crocea Herrich-Schäffer,1837; oxypterus Kirschbaum,1868* **AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR**
932. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata Germar,1821; rupicapra Marshall,1861; ambigua Fieber,1885* **AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU**
933. **Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda Ribaut,1939* **AT BE BG TR CS FR DE GB IT NL SE**

934. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 **TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP**
935. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 **Gryllus frontalis Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR**
936. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834 **ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es**
937. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 **IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US**
938. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834 **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
939. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
940. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae* Walker,1847 **IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB**
941. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
942. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 **Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU**
943. **Musaria rubropunctata (Goese,1777)** (Cerambycidae) Synonym(s): *rubropunctata* Goese,1777 **FR ES IT DE**
944. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781 **Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM**
945. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758 **PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF**
946. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
947. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
948. **Mycomya (Cesamya) pectinifera Edwards,1924** (Mycetophilidae) Synonym(s): *pectinifera* Edwards,1924; *nava* Plassmann,1977 **GB DE NO FI RU PL SK SS CH EE LT**
949. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840 **ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT**
950. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835 **FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM**
951. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 **DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri**
952. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata* Pallas,1781 **TR RU KG MN IR SY BG DE ES HU DE**
953. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 **AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU**
954. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 **ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR**
955. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 **ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR**
956. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta* Wiedemann,1824 **GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR**
957. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 **ES FR BE DE PL SK CZ AT IT HU RO BG TR**
958. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata* Meigen,1804 **FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR**
959. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845;

- hastata* Costa,1858; *andalusiana* Skorikov,1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
960. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
961. **Myxexoristops bicolor (Villeneuve,1908)** (Tachinidae) Synonym(s): *bicolor* Villeneuve,1908 DE CZ RU CN Yu
962. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis* Fabricius,1801 AT BE CZ FR DE IT PL SK ES CH TR UA IR
963. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
964. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937 TR DE AT BG CZ KG HU MN PL RO RU SK YU GR
965. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigratus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA
966. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
967. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
968. **Neoliturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868 CZ FR DE GR HU IT UA TR
969. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
970. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
971. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
972. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
973. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)
974. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
975. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR
976. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
977. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899 Cc BG RO UA RU PL DE AT FR
978. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
979. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
980. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR

981. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
982. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reamurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
983. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
984. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
985. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
986. **Noeeta crepidis (Hering,1936)** (Tephritidae) Synonym(s): *crepidis* Hering,1936 **DE CH CZ HU TR**
987. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN U_i Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU U_r Sb SK SL ES SE CH SY TM UA UZ YU**
988. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU**
989. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
990. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 **AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL**
991. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 **AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL**
992. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 **AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA**
993. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 **AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL**
994. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR**
995. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
996. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 **IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE**
997. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
998. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
999. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1000. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 **SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl**
1001. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaenicke,1866 **CH DE RU TR IL AF CN MN**
1002. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**

1003. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
1004. **Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): *germanica* Latreille,1804; *intermedia* Ramme,1913 ES FR DE AT TR YU HV
1005. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU
1006. **Omaloplia (s.str.) nigromarinata (Herbst,1786)** (Scarabaeidae) Synonym(s): *nigromarinata* Herbst,1786; *occidentalis* Baraud,1965 AT CZ DE HU LT PL RO SS SK UA YU
1007. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola* Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata* Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschi* Reitter,1905; *arnoldi* Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazishvilli,1973 AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc
1008. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis* Fallén,1806 AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR
1009. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
1010. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG
1011. **Oncopsis alni (Schränk,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schränk,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU
1012. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU
1013. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
1014. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
1015. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
1016. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
1017. **Opanthribus tessellatus (Boheman,1829)** (Anthribidae) Synonym(s): *tessellatus* Boheman,1829; *fallax* Perris,1875; *brunneipennis* Reitter,1916 DE TR RU JP
1018. **Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schränk,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata* Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846; *heydeni* Jaenicke,1866 DZ CH YU HV DE TR IL MN CN
1019. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricus* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
1020. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847 DE BY CZ FR IT LT HU RU UA TR
1021. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK
1022. **Orellia punctata (Schränk,1781)** (Tephritidae) Synonym(s): *punctata* Schränk,1781; *flavicans* Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 TR DE BG CZ FR SE CH HU UA
1023. **Orellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869 DE AZ AM GG Cc IR TR IL Pa LB JO
1024. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us

1025. **Oscinella frit (Linnaeus,1758)** (Chloropidae) Synonym(s): *frit* Linnaeus,1758 GB NL DE SE AU
1026. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
1027. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
1028. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
1029. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
1030. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
1031. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtli* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
1032. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
1033. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
1034. **Osmia (Hoplismia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
1035. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
1036. **Osmia (Melanosmia) laticeps Thomson,1872** (Megachilidae) Synonym(s): *laticeps* Thomson,1872; *hyperborea* Tkalcu,1983 DE FI LT RU SE
1037. **Osmia (Melanosmia) maritima Friese,1885** (Megachilidae) Synonym(s): *maritima* Friese,1885 DE DK FI NO NL PL RU SE MN
1038. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
1039. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
1040. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN
1041. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA
1042. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
1043. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
1044. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
1045. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1046. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957;

- lanzarotae Warncke,1992; columbina Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1047. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
1048. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1049. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1050. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1051. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN UI CY IR TR
1052. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
1053. **Ossiannilssonola callosa (Then,1886)** (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU
1054. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1055. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis* Meigen,1822 GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
1056. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
1057. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR
1058. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
1059. **Pachybrachis (s.str.) picus Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 DE AT ES FR BE HU IT
1060. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb
1061. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
1062. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
1063. **Panorpa cognata Rambur,1842** (Panorpidae) Synonym(s): *cognata* Rambur,1842 SS HV AL RO GB BE DK DE NL RU ES IT
1064. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
1065. **Panorpa germanica Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929 DE TR GR BE FR IT GB NO
1066. **Panorpa hybrida McLachlan,1882** (Panorpidae) Synonym(s): *hybrida* McLachlan,1882; *romanica* Bechet,1955 YU BG RO FI DE RU
1067. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1068. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU

1069. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 **DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU**
1070. **Paragus (Pandasyophtalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schimmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 **TR DZ GB HU NL DE GR Cr**
1071. **Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817 *Pipiza albifrons* Fallén,1817, *Syrphici Svecicae* (6): **60. ES DE AT SE SS YU TR GB DK RU IR**
1072. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
1073. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 **AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH**
1074. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA**
1075. **Paramyrtosa brunripes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR**
1076. **Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus* Hovarth,1897 **CZ DE HU PL RO RU TR**
1077. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
1078. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 **AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR**
1079. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 **AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU**
1080. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN**
1081. **Pegomya conformis (Fallén,1825)** (Anthomyiidae) Synonym(s): *conformis* Fallén,1825; *egens* Meigen,1826; *esuriens* Meigen,1826; *mimula* Zetterstedt,1845; *chenopodii* Rondani,1866; *rogenhoferi* Strobl,1880 **NL BE DK DE SE**
1082. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 **SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR**
1083. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 **PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa**
1084. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 **GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa**
1085. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN**
1086. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 **AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU**
1087. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhhoa* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
1088. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
1089. **Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *bioculatus* Fabricius,1775; *clanda* Say,1825 **US CZ FR DE RU YU**
1090. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 **MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU**
1091. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921;

- barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
1092. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 **Gryllus falcata** Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
1093. **Phanerotoma (Bracotritoma) acuminata Szepliget,1908** (Braconidae) Synonym(s): *acuminata* Szepliget,1908 AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU
1094. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951 AT BE CZ GB GR IT NL PL ES SE Cc AZ DE
1095. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
1096. **Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846 MA? DE PL CZ AT HU SY TR
1097. **Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823 US Oh CA On DE PL CZ SK AT HU SY
1098. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *populi* Meigen,1826 ES Md FR Co DE PL CZ SK CH AT HU SY RU
1099. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1100. **Phaonia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957 TR PT ES FR DE HU SK B-H CH IT BG GR
1101. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824 PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
1102. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860 ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1103. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824 FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
1104. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1105. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1106. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1107. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons* Girschner,1887 ES FR GB BE NL DE PL RU CZ SK HU AT CH IT
1108. **Phasia karczewskii Draber-Monko,1965** (Tachinidae) Synonym(s): *karczewskii* Draber-Monko,1965 DK DE CZ PL RU
1109. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1110. **Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *triangulum* Fabricius,1775 PT ES DE TR
1111. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1112. **Philopotamus ludificatus McLachlan,1878** (Philopotamidae) Synonym(s): *ludificatus* McLachlan,1878 FR BE DE PL CZ SK HU IT SS
1113. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1114. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR
1115. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1116. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1117. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH

1118. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1119. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura* Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1120. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1121. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1122. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905 PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1123. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrimaculata* Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1124. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1125. **Physatocheila harwoodi China,1936** (Tingidae) Synonym(s): *harwoodi* China,1936 GB FR DE CZ AT IT Si
1126. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952 ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1127. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1128. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1129. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824 ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1130. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776 GB FR BE NL DE DK SE FI PL CZ AT HU IT TR
1131. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781 ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1132. **Phytoecia cylindrica (Linnaeus,1758)** (Cerambycidae) Synonym(s): *cylindrica* Linnaeus,1758 DE GR
1133. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1134. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1135. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1136. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes* Horvath,1888 ES IT DE AT CZ HU MK BY BG UA RU KG
1137. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888 PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1138. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1139. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1140. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1141. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata* Macquart,1829 FI HU YU AT CH DE NL BE FR ES TR
1142. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806; *proteus* Herrich-Schäffer,1834; *pinastri* Fieber,1885 DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU

1143. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1144. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1145. **Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata* Goeze,1778; *denticulata* Panzer,1796; *falcata* Zetterstedt,1821; *biedermanni* Wolff,1911; *occidentalis* Zeuner,1930; *jerseyana* Zeuner,1940 ES TR DE GR Cr
1146. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1147. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti* Dlabola,1961 BG TR CS DE IT MN Cc GG KG RU YU
1148. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1149. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1150. **Platystoma lugubre (Robineau-Desvoidy,1830)** (Platystomidae) Synonym(s): *lugubre* Robineau-Desvoidy,1830 DE CZ
1151. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869; ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1152. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1153. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Gryllus (Locusta) *pedestris* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc
1154. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1155. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1156. **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *labialis* Robineau-Desvoidy,1863 TR DK FI DE UA SU RU US
1157. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758 AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1158. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914 AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1159. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (*praeocc.*); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1160. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900 Cc RU Da DE RO HU MK BG ES
1161. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883 DE RO AT CZ HU RU Sb YU IT TR
1162. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 PL DE HU RO BG YU AT CH IT TR
1163. **Procraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1164. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH
1165. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
1166. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc

1167. **Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris* Herbst,1786; *aenea* Scriba,1790; *aeruginosa* Herbst,1790; *marmorata* Fabricius,1792; *punctatoundulata* Petagna,1819; *zoufali* Roubal,1929; *novaci* Miksic,1954 **DE RU Am HU CZ YU B-H KG UA TR**
1168. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 *Apanteles anchiades* Nixon,1973, *Bull. ent. Res.* 63: 169-228. **TR DE GB SE BG MN IT HU FI NL CH CZ**
1169. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
1170. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
1171. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1172. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
1173. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
1174. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925 **AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA**
1175. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952 **AF AT BG CS FR DE HU IT NL PL PT**
1176. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897 **AT BG TR CS DE HU RO LV MD RU TJ UA**
1177. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 **AT BG CS FI DE HU NL NO PL RO SE LV RU Sb**
1178. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU**
1179. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (*praeocc.*); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 **BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US**
1180. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 **FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT**
1181. **Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932 **DE FR GB Cc KG TM RU Sb TR**
1182. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 **TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb**
1183. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, *Syst. Nat. (Edn. 10) 1: 555.* **PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR**
1184. **Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris* Boheman,1834; *parellinus* Boheman,1834 **DE SE CZ UA TR IR Ab Oru**
1185. **Pseudotorymus sapphyrinus (Fonscolombe,1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe,1832; *mongolicus* Szelenyi,1973 **FR DE CZ SK HU B-H YU MD TR MN**
1186. **Pseudovadonia livida (Fabricius,1776)** (Cerambycidae) Synonym(s): *livida* Fabricius,1776 **RU Cc TR IR DE CZ**
1187. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
1188. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 **SE DK DE Cn GR IT PT ES NL TR TN**
1189. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855 **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
1190. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK BG DE GR HU IR IQ IT Sa IL Pa Ch Ma MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
1191. **Rabdophaga albipennis (Loew,1850)** (Cecidomyiidae) Synonym(s): *albipennis* Loew,1850 **GB NL DE CZ PL EE SE HU RO**

1192. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891
PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
1193. **Rabdophaga degeerii (Bremi,1847)** (Cecidomyiidae) Synonym(s): *degeerii* Bremi,1847
GB CH DE CZ HU SE
1194. **Rabdophaga deletrix (Rübsaamen,1921)** (Cecidomyiidae) Synonym(s): *deletrix*
Rübsaamen,1921 NL DE PL EE
1195. **Rabdophaga dubiosa Kieffer,1913** (Cecidomyiidae) Synonym(s): *dubia* Kieffer,1892;
dubiosa Kieffer,1913 GB DE NL CZ FR PL HU RO SE FI EE
1196. **Rabdophaga exsiccans Rübsaamen,1916** (Cecidomyiidae) Synonym(s): *exsiccans*
Rübsaamen,1916 GB DE NL EE
1197. **Rabdophaga gemmicola (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *gemmicola*
Kieffer,1896 FR GB BE NL DE CZ HU RO RU SE FI EE
1198. **Rabdophaga giraudiana Kieffer,1898** (Cecidomyiidae) Synonym(s): *giraudiana*
Kieffer,1898 GB DE AT UA RO
1199. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850
ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1200. **Rabdophaga insignis Kieffer,1906** (Cecidomyiidae) Synonym(s): *insignis* Kieffer,1906
DE CZ IT
1201. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia* Kieffer,1890
GB FR CH AT CZ DE PL HU YU RO RU SE FI EE
1202. **Rabdophaga jaapi Rübsaamen,1916** (Cecidomyiidae) Synonym(s): *jaapi* Rübsaamen,1916
GB NL DE DK SE EE RU RO BG
1203. **Rabdophaga justini Barnes,1935** (Cecidomyiidae) Synonym(s): *justini* Barnes,1935 GB
NL DE
1204. **Rabdophaga karschi (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *karschi* Kieffer,1891
ES FR GB DE CZ
1205. **Rabdophaga lattkei Stelter,1994** (Cecidomyiidae) Synonym(s): *lattkei* Stelter,1994 DE
1206. **Rabdophaga lindhardti Stelter,1989** (Cecidomyiidae) Synonym(s): *lindhardti* Stelter,1989
DE
1207. **Rabdophaga nervorum (Kieffer,1895)** (Cecidomyiidae) Synonym(s): *nervorum*
Kieffer,1895 GB FR DE FI
1208. **Rabdophaga nielsenii Kieffer,1906** (Cecidomyiidae) Synonym(s): *nielsenii* Kieffer,1906
GB DE CZ PL
1209. **Rabdophaga palliumparens Stelter,1977** (Cecidomyiidae) Synonym(s): *palliumparens*
Stelter,1977 CH DE
1210. **Rabdophaga pierreana (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *pierreana*
Kieffer,1909 GB FR DE CZ PL YU
1211. **Rabdophaga pierrei (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierrei* Kieffer,1896 PT
ES FR GB NL DE CZ PL HU RO BG IT
1212. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891;
rosariella Kieffer,1896 FR GB DE AT CZ YU RO UA RU EE SE
1213. **Rabdophaga repentiperda Stelter,1982** (Cecidomyiidae) Synonym(s): *repentiperda*
Stelter,1982 DE
1214. **Rabdophaga roskami Stelter,1989** (Cecidomyiidae) Synonym(s): *roskami* Stelter,1989
GB DE
1215. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda*
Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
1216. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803
PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1217. **Rabdophaga schicki Stelter,1982** (Cecidomyiidae) Synonym(s): *schicki* Stelter,1982 DE
1218. **Rabdophaga schreiteri Stelter,1982** (Cecidomyiidae) Synonym(s): *schreiteri* Stelter,1982
DE
1219. **Rabdophaga schwangarti Rübsaamen,1916** (Cecidomyiidae) Synonym(s): *schwangarti*
Rübsaamen,1916 DE CZ
1220. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847;
rosaria Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
1221. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850
ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1222. **Rabdophaga triandraperda Barnes,1935** (Cecidomyiidae) Synonym(s): *triandraperda*
Barnes,1935 GB NL DE CZ
1223. **Rabdophaga vagemmae Stelter,1989** (Cecidomyiidae) Synonym(s): *vagemmae* Stelter,1989
DE
1224. **Rabdophaga viminalis (Westwood,1847)** (Cecidomyiidae) Synonym(s): *viminalis*
Westwood,1847 GB NL DE SE
1225. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major*
Burmeister,1839. AT DE CH FR CZ HU BG HV MK RO GR

1226. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
1227. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
1228. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS DE IT MN RO TN GG Cc KG UA YU
1229. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1230. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1231. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
1232. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
1233. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764 TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1234. **Rhizotrogus (Amphimallon) majalis (Razoumowsky,1789)** (Scarabaeidae) Synonym(s): *majalis* Razoumowsky,1789 BE FR ES CH DE IT Co Sa CA US
1235. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
1236. **Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
1237. **Rhynchites coeruleus (De Geer,1775)** (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaris* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
1238. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1239. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR DE GR IT Sa SW Cc TR GG RU
1240. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
1241. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
1242. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
1243. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
1244. **Rivellia syngenesiae (Fabricius,1781)** (Platystomidae) Synonym(s): *syngenesiae* Fabricius,1781 DE CZ
1245. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
1246. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterricus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 **Gryllus nitidulus** Scopoli,1786, **Delicidae florae & faunae insubricae 1: 62. Syntypes: Italia.** FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1247. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
1248. **Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911 TR Cr CY IT DE
1249. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA

1250. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1251. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1252. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
1253. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1254. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1255. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1256. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1257. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1258. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1259. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR Cr
1260. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1261. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1262. **Schizoprymnus brevicornis (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *brevicornis* Herrich-Schäffer,1838 DE RU TR
1263. **Scleroracis corniculus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA
1264. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (praeocc.); *decumanus* Kontkanen,1949 BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
1265. **Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1266. **Scolia sexmaculata (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *dionysopolis* Tkalcu,1988 IT LB Bei ES TR DE GB
1267. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1268. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
1269. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
1270. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
1271. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh

1272. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1273. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1274. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1275. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus* Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1276. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
1277. **Siphonoperla burmeisteri (Pictet,1841)** (Chloroperlidae) Synonym(s): *burmeisteri* Pictet,1841; *rufeola* Rambur,1842 DE TR
1278. **Smaragdina salicina (Scopoli,1763)** (Chrysomelidae) Synonym(s): *salicina* Scopoli,1763; *cyaneus* Fabricius,1775 HV DE Cc
1279. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1280. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1281. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1282. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus* Olivier,1790 FR PT ES DE CH IT Co Sa AT HU TN DZ
1283. **Spilogona biseriata (Stein,1916)** (Muscidae) Synonym(s): *biseriata* Stein,1916 DE TR
1284. **Spilogona carbonella (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 FR Co DE PL CZ SK CH AT HU TR RU
1285. **Spilogona dispar (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 SE DE PL CZ SK CH AT HU TR Cc
1286. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1287. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1288. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus* Pallas,1818 IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
1289. **Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller,1776 RU Cc TR IR DE
1290. **Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura* Fabricius,1792 RU Cc TR IR DE CZ
1291. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae* Panzer,1799; *melanocephalus* Panzer,1799; *taraxaci* Panzer,1806; *villersi* Leach,1817; *henschi* Konow,1907 ES FR GB DE SE SK HU AT IT AL Co
1292. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1293. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
1294. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
1295. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri* Koch,1872; *spini manus* Pokorný,1887 IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1296. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
1297. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha*

- Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
- 1298. *Strangalia attenuata* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
- 1299. *Stratiomys longicornis* (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940 IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG
- 1300. *Stratiomys singularior* (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 GB DE SE NO RU Sb Us KG IR MN CN
- 1301. *Stroggylocephalus agrestis* (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vibaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
- 1302. *Sycophila biguttata* (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
- 1303. *Sycophila flavicollis* (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 IR Kd Cc Bg HV CZ DE HU NL PL RO SK ES SE GB YU
- 1304. *Sycophila submutica* (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
- 1305. *Symmorphus crassicornis* (Panzer,1798)** (Vespididae) Synonym(s): *crassicornis* Panzer,1798 TR DE
- 1306. *Sympherta fuscicornis* (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 NL DE SE PL RU TR
- 1307. *Sympiesis acalle* (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteoris* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
- 1308. *Sympiesis euspilapterygis* (Erdős,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdős,1958 TR AT BG CZ DE HU PL SE YU
- 1309. *Sympiesis sericeicornis* (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *euegamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
- 1310. *Symplecta* (s.str.) *hybrida* (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
- 1311. *Symplecta* (Trimicra) *pilipes* (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
- 1312. *Synergus pallicornis* Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
- 1313. *Synomelix albipes* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 SE FI GB DE FR IT BG TR
- 1314. *Synuchus* (Synuchus) *vivalis* Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
- 1315. *Syrirta pipiens* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824 TR US NL DE NO HU GR Cr
- 1316. *Syromastus rhombeus* (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
- 1317. *Syrphus ribesii* (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
- 1318. *Systole albipennis* Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB

1319. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus Meigen,1804 nec Ström,1768; glaucopis Meigen,1820* GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
1320. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labaumeanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1321. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjinicolaoui Kröber,1936; loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
1322. **Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera Linnaeus,1761* TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm
1323. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata Fabricius,1794; magnicornis Zetterstedt,1844; conjugata Rondani,1859; dispersa Gigliot-Tos,1891; friedrichi Wachtl,1894; vernalis Robineau-Desvoidy; satanas Zimin,1935* ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
1324. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
1325. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida Fabricius,1781* PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1326. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1327. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
1328. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1329. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa Linnaeus,1758; praetexta Burmeister,1839; nigripes Zetterstedt,1840; minuta Rambur,1842; socia Rambur,1842* GB SE DE BE NL PL BY UA Cc KG CH AT HU TR
1330. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea Loew,1856* TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU
1331. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844* Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
1332. **Tephritis vespertina (Loew,1844)** (Tephritidae) Synonym(s): *vespertina Loew,1844; apicalis Becker,1907* Trypeta vespertina Loew,1844, Z. Ent., Leipzig 5: 387. CH RU AT DE DZ TR
1333. **Tetanops sintenisi Becker,1909** (Ulidiidae) Synonym(s): *sintenisi Becker,1909* RU Us UA CN NL DE
1334. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi Hendel,1934* BG TR DE HU MN ES Cc
1335. **Tethina flavigenis (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis Hendel,1934* DK BG GB DE ES IT TN
1336. **Tethina nigripes Czerny,1928** (Tethinidae) Synonym(s): *nigripes Czerny,1928* DE IT LB PL
1337. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis Signoret,1866* AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
1338. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophaea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1339. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus Fieber,1865; longiceps Signoret,1866; concolor Fieber,1876 (praeocc.); contaminatus Metcalf,1932* Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
1340. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagialis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932* AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
1341. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799; dorsalis Latreille,1804* DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
1342. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra Hagenbach,1825* DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
1343. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata Fieber,1872* AT FR DE IT TR EE RU YU

1344. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865*
DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
1345. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940* DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
1346. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima Linnaeus,1758; cantatrix De Geer,1773; flava Nedelkov,1907; meridionalis Shugurov,1912; paoli Capra,1936; intermedia Jannone,1937; trinacriae Jannone,1937* Gryllus (Tettigonia) *viridissima Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK).* DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR
1347. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäfer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tincta Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
1348. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
1349. **Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti Lefebvre,1835; sanguinolentus Spinola,1844; girodi Chevrolat,1880; tabacci Matsumura,1935* DE PL IL Pa Hf IN ID Sum Ja Clb PH Hw AU QAU Syd
1350. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1351. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis Wiedemann,1821; bivittata Loew,1840* AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
1352. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1353. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera Meigen,1830; subfasciata Schummel,1839; modesta Becker,1922* GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP
1354. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva Meigen,1804; flavilabris Meigen,1820* AT CZ DE ES FR GB PL RU HU IT RO YU TR
1355. **Thereva handlirschi Kröber,1912** (Therevidae) Synonym(s): *handlirschi Kröber,1912; zonata Kröber,1912; angustifrons Kröber,1912; praestans Collin,1948* AT BE CH CZ DE DK FR GB NO NL FI TR
1356. **Thereva lanata Zetterstedt,1838** (Therevidae) Synonym(s): *lanata Zetterstedt,1838; vetula Zetterstedt,1838; amoena Kowarz,1883* TR CZ DE NO NL PL CH FI RU
1357. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja Linnaeus,1758; fasciatus De Geer,1776; monos Haris,1780; lugens Loew,1847; lichtwardti Kröber,1913* AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
1358. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970* AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
1359. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica Harris,1780; bipunctata Meigen,1820* TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1360. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida Loew,1847; frontalis Schummel,1839; ursina Wahlberg,1854* TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
1361. **Thricops aculeipes (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes Zetterstedt,1838* DE PL SK CH AT TR RU
1362. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus Wiedemann,1817* US Cf Als DE PL CZ SK CH AT HU TR JP
1363. **Thricops nigritellus (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigritellus Zetterstedt,1838* DE PL CZ SK CH AT HU TR RU Ur
1364. **Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex Wiedemann,1817* DE PL CZ SK CH AT HU IQ
1365. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus Schnabl,1888* FR Co DE PL CZ SK CH AT HU TR RU
1366. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes Scopoli,1763; sanguinea Fabricius,1803; helveola Germar,1821; viridinervis Fieber,1876* Cicada *haematodes Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU*
1367. **Tibicina tomentosa (Olivier,1790)** (Cicadidae) Synonym(s): *tomentosa Olivier,1790; baetica Rambur,1840* Cicada *tomentosa Olivier,1790, Ency. Méth. V (Ins.): 759. Syntypes: France: "...en Provence & en Languedoc".* FR ES PT IT Sa DE

1368. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia Eiroa,1990* **Tipula lateralis Meigen,1804**, *Klass. Besch.* 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1369. **Tolmurus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781*; *striatus Meigen,1820*; *annulatus Macquart,1826*; *pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1370. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri* Mayr,1874; *longicauda Masi,1916* ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
1371. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus Müller,1764* IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1372. **Torymus cultriventris Ratzeburg,1844** (Torymidae) Synonym(s): *cultriventris* Ratzeburg,1844 BE HV CZ DE HU NL PL SK TR UA GB YU
1373. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1374. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii Walker,1833* IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
1375. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus Walker,1833*; *pallidicornis Boheman,1834*; *nanulus Walker,1874* CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
1376. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781*; *macropterum Walker,1833*; *splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
1377. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789*; *maculata Rossi,1790 nec Müll.,1764*; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1378. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866*; *hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1379. **Trapezonotus ullrichi (Fieber,1836)** (Lygaeidae) Synonym(s): *ullrichi Fieber,1836* DE TR CN U
1380. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1381. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
1382. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1383. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835*; *falciger Boheman,1845*; *discolor Flor,1861*; *venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
1384. **Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803*; *auronitens Kirschbaum,1868*; *halbum Fieber,1868* AT BE CZ DK GB FR DE IT NL RU CY IR TR
1385. **Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius Linnaeus,1758* DE BG RU TR Cc AM GG
1386. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1387. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841*; *megapteropsis Wriese,1900* PT ES DE PL UA MD RO HU AT IT TR
1388. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus Fabricius,1775*; *serrulatus Müller,1776*; *dentatus Schrank,1781*; *beryllinus Gmelin,1788*; *elector Fabricius,1794*; *angusta Reuter,1881* AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
1389. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861*; *quadrivittatus Marshall,1866*; *inclusivalvis Kirschbaum,1868*; *quinquevittatus Kirschbaum,1868*; *flavinervis Kirschbaum,1868*; *onustus Fieber,1869*; *fugax Horvath,1897*; *sinuatus Matsumura,1908* DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
1390. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula Fabricius,1794* (*praeocc.*); *bifasciata Boheman,1851*; *norgueti Lethierry,1874*; *fenestrata Melichar,1896*; *atrata Melichar,1896*; *perrieri Ribaut,1936* AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1391. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777*; *fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA

1392. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima Haliday,1833; inconclusa Walker,1856; crassicauda Agrell,1945* **Ula mollissima Haliday,1833, Ent. Mag. 1: 153. AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR**
1393. **Ulidia nigripennis Loew,1845** (Uliidiidae) Synonym(s): *nigripennis Loew,1845* **HU UA SK DE PL IT AT FR GR MD SK**
1394. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis Frauenfeld,1857* **AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR**
1395. **Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica Fallén,1820; centauriae Robineau-Desvoidy,1830; scutellata Rondani,1870* **DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR**
1396. **Urophora eriolepidis (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis Loew,1856; terebrans Frauenfeld,1857* **TR DE AZ Cc AM GG LT MD RU UA**
1397. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans Loew,1850* **Trypeta terebrans Loew,1850, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR**
1398. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794; dubia Kertész,1900* **DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR**
1399. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872* **AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU**
1400. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus,1758; variegatus Scopoli,1763* **DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc**
1401. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata Meigen,1804* **AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN**
1402. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis Kowarz,1883; corsicana Schnabl,1911* **Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
1403. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta Linnaeus,1758; nugator Harris,1780* **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
1404. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea Fabricius,1781; humilis Ruthe,1831* **BE CY CZ FR DE GR HU IT PL RO SK ES UA YU**
1405. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta Meigen,1820* **AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU**
1406. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta Wiedemann,1820* **AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU**
1407. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868* **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**
1408. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni Schiner,1862* **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
1409. **Xylotrechus ibex (Gebler,1825)** (Cerambycidae) Synonym(s): *ibex Gebler,1825* **DE PL RU Sb**
1410. **Yusufia acerina (Boucek,1972)** (Pteromalidae) Synonym(s): *acerina Boucek,1972* **CZ UA DE RO**
1411. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR**
1412. **Zavrelia pentatoma Kieffer & Bause,1914** (Chironomidae) Synonym(s): *pentatoma Kieffer & Bause,1914; atrofasciata Kieffer,1921; nigriflora Goethebuer,1921; paludosa Goethebuer,1931* **BE DE CZ PL AT TR CN**
1413. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea Linnaeus,1758; concinna Westwood,1837; violacea Westwood,1837; illustris Amyot & Serville,1843; cuprea Dallas,1851* **AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US**
1414. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici Herrich-Schäffer,1836* **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU**
1415. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874* **AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU**
1416. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera Fourcroy,1785* **AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU**
1417. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936* **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
1418. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria Ribaut,1936; pandellei Ribaut,1936; variegata Ribaut,1936* **AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR**

1419. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* **AT BG CY CS FR DE IL IT SW TR UZ**
1420. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata Lethierry,1869* **AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU**
1421. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* **AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU**
1422. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU**
1423. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* **AT BG CY CS FR DE GR IL IT PL TR UA Cm YU**
1424. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845* **AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU**
1425. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris Herrich-Schäffer,1838* **AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU**

Synonymic and distributional list of the pterygot insects of Greece

(Results of the Entomofauna of the World based upon info-system of the Cesa)

70

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Greece (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 70.

Priamus (suppl.) 18: 2379-2454.

In this study, totally 2097 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Greece recorded in info-sytem of the Cesa, total pterygot species of Greece increase to 5236.

Key words: List, distribution, *pterygota*, *Insecta*, Greece.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 2097 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3139 recorded species of Lepidoptera from Greece are found. Taking this information into consideration, total number of the pterygots may increase to 5236.

The study is still continuing, and the new results will be published within this Project.

1. **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria Kraatz,1876; punctigera Reitter,1885; alleoni Portevin,1926* TR GR Cr CY IL Pa IQ IR Cc JO LB SY
2. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
3. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
4. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
5. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis Piller & Mitterpacher,1783; dentipes Rossi,1790* IT GR TR YU AL BG RO CH FR HU
6. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis Meigen,1824* TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
7. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia Von Roser,1840* ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR

8. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
9. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus P.Rossi,1794* AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM
10. **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata Laporte & Gory,1835; dorsalis Spinola,1838; sturalis Gory,1840; bivitis Frivaldsky,1912; krueperi Obenberger,1926* TR AZ GG AM Cc BG IQ IL Pa CY LB SY JO GR
11. **Acnephalum olivieri Macquart,1838** (Asilidae) Synonym(s): *olivieri Macquart,1838* RU GR
12. **Acritus italicus Reitter,1904** (Histeridae) Synonym(s): *italicus Reitter,1904* IT GR
13. **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai Lewis,1879* ES BE DE GR FR UA
14. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
15. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
16. **Acrometopa cretensis Ramme,1927** (Tettigoniidae) Synonym(s): *cretensis Ramme,1927* GR Cr
17. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea Brullé,1832* Phaneroptera *servillea* Brullé,1832, [in] Bory de St.-Vicent et al., Expédition scientifique de Morée 4: 3 (1) 2: 86. Neotype : Greece: Morea. IT Si SS HV B-H RO BG GR TR
18. **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca Brunner von Wattenwyl,1878; festae Giglio-Tos,1893; elsaе Werner,1937* *Acrometopa syriaca* Brunner von Wattenwyl,1878, Verh. zool.-bot. Ges. Wien 28: 85, 87. Lectotype: Kleinasien (NHMW). GR CY EG IL Pa LB Bei SY Dms TR IQ
19. **Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor Scopoli,1786; syriacus Mocsary,1883* TR GR CY SY LB IL Pa
20. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* *Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64.* DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
21. **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes Charpentier,1845; aurifera Walker,1870; collecta Walker,1870* MA GR TR IR Ss PK RU
22. **Adoxomyia dahlii (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlii Meigen,1830; schineri Lindner,1937; personata Lindner,1975* YU GR FR AT IT IL
23. **Adrastus limbatus (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus Fabricius,1776* DZ TR RU Sb GR
24. **Adrastus rachifer (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer Fourcroy,1785* GR Cc TR
25. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni Reitter,1876* BG GR IT YU AT PL RO SK CZ TR UA HU
26. **Aeoloderma crucifer (Rossi,1790)** (Elateridae) Synonym(s): *crucifer Rossi,1790* DZ GR TR RU
27. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
28. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni Scholz,1920* BG GR RO RU UA TR
29. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina Curtis,1833* AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
30. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta Melichar,1896* CY GR IL Pa TR JO RO Cc GG YU
31. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
32. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum Fieber,1877* FR GR IL IT Sa ES SY TN TR UA Cm
33. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
34. **Agapanthia cardui (Linnaeus,1767)** (Cerambycidae) Synonym(s): *cardui Linnaeus,1767; pannonica Kratochvil,1985* GR
35. **Agapanthia cynarae (Germar,1817)** (Cerambycidae) Synonym(s): *cynarae Germar,1817* IT BG GR YU HV
36. **Agapanthia kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi Gyllenhal,1817* SK HU Cc RU TR GR
37. **Agapanthia lais Reiche,1858** (Cerambycidae) Synonym(s): *lais Reiche,1858* SY TR GR

38. **Agapanthia probsti Hozlschuh,1984** (Cerambycidae) Synonym(s): *probsti Hozlschuh,1984* GR Cr
39. **Agapanthia schurmanni Sama,1978** (Cerambycidae) Synonym(s): *schurmanni Sama,1978* GR MK
40. **Agapanthia violacea (Fabricius,1775)** (Cerambycidae) Synonym(s): *violacea Fabricius,1775* RU Cc TR KG GR
41. **Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): *leucaspis Steven,1817* SK HU YU RU Cc TR GR
42. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
43. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838; pallida Walker,1851 (praeocc.); ornatula Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
44. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium Duftschmid,1812* AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
45. **Agonum extensum Ménériés,1849** (Carabidae) Synonym(s): *extensum Ménériés,1849* GR IT MD TR UA KG
46. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
47. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
48. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
49. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
50. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
51. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
52. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
53. **Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): *sordidum Dejean,1828* BE HV GR IT SL TR UA LY SY
54. **Agramma (s.str.) atricapillum (Spinola,1837)** (Tingidae) Synonym(s): *atricapillum Spinola,1837* GR TR
55. **Agramma (s.str.) blandulum (Horvath,1905)** (Tingidae) Synonym(s): *blandulum Horvath,1905* RU TR GR
56. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
57. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
58. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
59. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
60. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
61. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici Creutzer,1799* AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
62. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
63. **Agriotes (s.str.) brevis Candeze,1863** (Elateridae) Synonym(s): *brevis Candeze,1863* GR Cc TR IR
64. **Agriotes (s.str.) graecus Franz,1967** (Elateridae) Synonym(s): *graecus Franz,1967* GR TR
65. **Agriotes (s.str.) gurgistanus (Faldermann,1835)** (Elateridae) Synonym(s): *gurgistanus Faldermann,1835* GR TR
66. **Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): *lineatus Linnaeus,1767* GR TR US NZ
67. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus Rossi,1792* AT BG FR Co IT GR MK SL CH ES TR?

68. **Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): *paludum Kiesenwetter,1859* GR AL HU SY TR
69. **Agriotes (s.str.) pilosellus (Schönherr,1817)** (Elateridae) Synonym(s): *pilosellus Schönherr,1817* GR TR
70. **Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): *rufipalpis Brullé,1832; rubiginosus Candeze,1863* MK YU GR TR
71. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator Linnaeus,1758* GR TR DZ MN US
72. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus Schaller,1783* SK GR TR DZ Cc BR
73. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
74. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
75. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
76. **Akis elongata Brullé,1832** (Tenebrionidae) Synonym(s): *elongata Brullé,1832; deplanata Waltl,1838* TR GR
77. **Akis opaca Heyden,1897** (Tenebrionidae) Synonym(s): *opaca Heyden,1897; anatolica Reitter,1904* TR GR
78. **Akotropis quercicola Linnavuori,1962** (Achilidae) Synonym(s): *quercicola Linnavuori,1962* IL Pa TR BG GR
79. **Alastor mediomaculatus Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus Giordani Soika,1952; iconius Bliithgen,1955* IL Pa JO TR GR
80. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes Fieber,1836* AL BG CZ FR RU ES CH IT Si SK YU TR GR
81. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata Thunberg,1784 (praeocc.); atomarius Fabricius,1794; conspicillaris Schrank,1801; heydeni Kirschbaum,1868* AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
82. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus Scott,1876* AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
83. **Alosimus armeniacus (Faldermann,1837)** (Meloidae) Synonym(s): *armeniacus Faldermann,1837* TR SY Cc GR
84. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *decolor Abeille de Perrin,1880* TR Cc GR AM
85. **Alosimus smyrnensis (Maran,1942)** (Meloidae) Synonym(s): *smyrnensis Maran,1942* GR TR Rd IR
86. **Altica graeca Kral,1966** (Chrysomelidae) Synonym(s): *graeca Kral,1966* GR TR
87. **Altica jarmilae Kral,1979** (Chrysomelidae) Synonym(s): *jarmilae Kral,1979* TR GR G IL Pa Cc GG
88. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
89. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria Paykull,1790; analis Fabricius,1792; petri Hummel,1825; rhaetica Heer,1837; armena Motschoulsky,1844; parallela Chaudoir,1842; putzeysi Horn,1875; baschkirica Schweiger,1966; paphlagoniensis Schweiger,1966; uludagensis Schweiger,1966* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
90. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans Baudi di Selva,1864; syriaca Putzeys,1866; palaestina Putzeys,1870; gridellii Baliani,1928* GR MK MT TR CY IR IL Pa JO LB SY

91. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
92. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
93. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalensis* Schuler,1964 AL HV FR Co GR IT MA SL ES TR DZ CY SY
94. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablokoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
95. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
96. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
97. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
98. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
99. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekichii* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
100. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
101. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
102. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
103. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
104. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
105. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
106. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
107. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
108. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM

109. **Amara (Zezea) chaudiroidi Schaum, 1858** (Carabidae) Synonym(s): *chaudiroidi* Schaum, 1858; *incognita* Fassati, 1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
110. **Amara (Zezea) fulvipes (Audinet-Serville, 1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville, 1821; *striatopunctatata* Dejean, 1828; *valida* Fairmaire, 1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
111. **Amara (Zezea) plebeja (Gyllenhal, 1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal, 1810; *lapidicola* Heer, 1837; *lenticularis* Schiodte, 1837; *cylindrella* Schiodte, 1837; *varicolor* Heer, 1838; *tridens* Morawitz, 1862; *noctivaga* Hochhuth, 1871; *barnevillei* Croissandeau, 1893; *brisouti* Csiki, 1929; *punctibasis* Jedlicka, 1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
112. **Ameles decolor (Charpentier, 1825)** (Mantidae) Synonym(s): *decolor* Charpentier, 1825 ES FR DZ IT Si MK GR
113. **Ameles heldreichi Brunner von Wattenwyl, 1882** (Mantidae) Synonym(s): *heldreichi* Brunner von Wattenwyl, 1882 TR GR IL Pa LY CY
114. **Ameles spallanzania (Rossi, 1792)** (Mantidae) Synonym(s): *spallanzania* Rossi, 1792; *nana* Charpentier, 1825; *brevis* Rambur, 1838; *soror* Audinet-Serville, 1839; *gracilis* Brullé, 1840; *abjecta* Bolivar, 1897 AL DZ FR GR IT HV MA PT ES
115. **Ampedus cinnabarinus (Eschscholtz, 1829)** (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz, 1829; *atropilosus* Reitter, 1918 TR GR Cc RU Sb DZ
116. **Ampedus nigerrimus (Lacordaire, 1835)** (Elateridae) Synonym(s): *nigerrimus* Lacordaire, 1835 TR GR Cc
117. **Ampedus sanguineus (Linnaeus, 1758)** (Elateridae) Synonym(s): *sanguineus* Linnaeus, 1758 DZ GR TR RU Sb
118. **Ampedus sinuatus Germar, 1844** (Elateridae) Synonym(s): *sinuatus* Germar, 1844 GR Cc TR
119. **Amphicoma (Eulasia) bicolor Waltl, 1838** (Glaphyridae) Synonym(s): *bicolor* Waltl, 1838; *limbipennis* Reitter, 1899; *dichroa* Reitter, 1890 GR TR
120. **Amphicoma (Eulasia) bombylifformis (Pallas, 1781)** (Glaphyridae) Synonym(s): *bombylifformis* Pallas, 1781; *rufipennis* Reitter, 1890; *pygidialis* Petrovitz, 1963; *erevanica* Petrovitz, 1972; *athenae* Petrovitz, 1980 GR TR Cc AM Eri TM KG
121. **Amphicoma (Pygopleurus) anemoninus (Brullé, 1832)** (Glaphyridae) Synonym(s): *anemoninus* Brullé, 1832; *purpuricolle* Waltl, 1838; *chrysonota* Brullé, 1832; *albopilosa* Petrovitz, 1957; *pseudopsilotrichia* Petrovitz, 1957 TR GR LB
122. **Amphicoma (Pygopleurus) apicalis Brullé, 1832** (Glaphyridae) Synonym(s): *apicalis* Brullé, 1832; *humerosa* Reitter, 1890 GR
123. **Amphicoma (Pygopleurus) foina (Reitter, 1890)** (Glaphyridae) Synonym(s): *foina* Reitter, 1890; *albopilosa* Petrovitz, 1957; *atriplicis* Petrovitz, 1957; *chalybeipennis* Petrovitz, 1962 GR Rd Cr TR
124. **Amphicoma (Pygopleurus) hirsutus (Brullé, 1832)** (Glaphyridae) Synonym(s): *hirsutus* Brullé, 1832; *suturangua* Reitter, 1890 YU GR TR
125. **Amphicoma (Pygopleurus) humeralis (Brullé, 1832)** (Glaphyridae) Synonym(s): *humeralis* Brullé, 1832; *apicale* Waltl, 1838; *viridisuturata* Reitter, 1903; *elegans* Balthasar, 1931; *bogoevskii* Miksic, 1955; *nigroapicalis* Petrovitz, 1957; *obscurithotax* Miksic, 1959; *petrovitzi* Miksic, 1959; *isikdagensis* Petrovitz, 1962; *rufa* Petrovitz, 1972; *uniformis* Petrovitz, 1972 YU GR TR
126. **Amphicoma (Pygopleurus) lucarellii Piatella & Sabatinelli, 1992** (Glaphyridae) Synonym(s): *lucarellii* Piatella & Sabatinelli, 1992 GR Kos
127. **Amphicoma (Pygopleurus) scutellatus (Brullé, 1832)** (Glaphyridae) Synonym(s): *scutellatus* Brullé, 1832; *aereus* Baraud, 1989; *coeruleus* Baraud, 1989; *purpureus* Baraud, 1989 GR Cr
128. **Amphicoma (Pygopleurus) vulpes (Fabricius, 1792)** (Glaphyridae) Synonym(s): *alopezias* Pallas, 1781; *hirta* Fabricius, 1781; *vulpes* Fabricius, 1792; *vulpecula* Truqui, 1848; *pyrrhothrix* Dohrn, 1885; *griseovillosa* Reitter, 1903; *obscurithorax* Miksic, 1955; *bogoevskii* Miksic, 1955 GR TR UA Cc RU KG
129. **Amphicoma (Vittateulasia) pareyssei (Brullé, 1832)** (Glaphyridae) Synonym(s): *pareyssei* Brullé, 1832; *lasserei* Germar, 1834 GR YU TR
130. **Amphicoma (Vittateulasia) vittata (Fabricius, 1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius, 1775; *lineata* Faldermann, 1835; *strigata* Waltl, 1838; *smyrnensis* Castelnau, 1840; *syriaca* Kollar & Redtenbacher, 1843; *africana* Reitter, 1890; *chrysur* Reitter, 1890; *decorata* Reitter, 1890; *semifulva* Reitter, 1890; *lateritia* Reitter, 1903; *pseudochrysur* Miksic, 1960; *persica* Petrovitz, 1963 SY BG GR Rd TR IR
131. **Amphisbetetus favillaceus (Loew, 1856)** (Asilidae) Synonym(s): *favillaceus* Loew, 1856 Cc RU GR ES IL Pa TR IR Fa Kz AF
132. **Anaceratagallia laevis (Ribaut, 1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut, 1935; *acuteangulata* Zachvatkin, 1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
133. **Anaceratagallia ribauti (Ossiannilsson, 1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson, 1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU

134. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR**
135. **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951 **BG Cc GR MK YU TR**
136. **Anaglyptus luteofasciatus Pic,1905** (Cerambycidae) Synonym(s): *luteofasciatus* Pic,1905; *moreanus* Demelt,1970 **GR**
137. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 **DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD**
138. **Anaglyptus praecellens Holzschuh,1981** (Cerambycidae) Synonym(s): *praecellens* Holzschuh,1981 **GR Cr**
139. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
140. **Anagyrus spaici Hoffer,1970** (Encyrtidae) Synonym(s): *spaici* Hoffer,1970 **GG Cc GR MK**
141. **Anapleus raddei (Reitter,1878)** (Histeridae) Synonym(s): *raddei* Reitter,1878 **GR RO RU**
142. **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus* Loew,1844 **Cc RU GR TR IR Th Elb AZ AM GG**
143. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916 **AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ**
144. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 **IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU**
145. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 **IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR**
146. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 **IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU**
147. **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey,1863 **SY TR GR Cr**
148. **Anax imperator Leach,1815** (Aeshnidae) Synonym(s): *imperator* Leach,1815 **TR GR**
149. **Ancylorhynchus brussensis (Schiner,1867)** (Asilidae) Synonym(s): *brussensis* Schiner,1867 **GR TR**
150. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 **AT AL FR GR IT RO TR YU KG SR IL Pa**
151. **Ancylorhynchus longicornis (Schiner,1867)** (Asilidae) Synonym(s): *longicornis* Schiner,1867 **IT GR TR**
152. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis* Morawitz,1874 **PL SS MK GR BG IT Sa CY TR TM AM Cc**
153. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 **DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb**
154. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 **DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR**
155. **Andrenosoma cornuta Oldroyd,1972** (Asilidae) Synonym(s): *cornuta* Oldroyd,1972 **GR TR**
156. **Andrenosoma pusillum Hermann,1906** (Asilidae) Synonym(s): *pusillum* Hermann,1906 **GR**
157. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 **IT Si AT SK CZ HU UA MD RO BG GR TR**
158. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 **Andricus amenti** Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 360-361. **ES GB FR DE AT HU IT MD BG GR TR**
159. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 **GB DE IT AT SK CZ HU HV SS PL UA RO GR TR**
160. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 **ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR**
161. **Andricus ceconii Kieffer,1901** (Cynipidae) Synonym(s): *ceconii* Kieffer,1901 **ES IT GR TR AZ Cc IL Pa IR**
162. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 **FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR**
163. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 **IT AT HU YU RO BG UA PL TR GR IR**
164. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 **PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR**

165. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 **FR IT AT B-H HU GR BG RO UA TR**
166. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 **GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR**
167. **Andricus curtisii (Müller,1870)** (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901 **IT GR TR IR**
168. **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 **PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR**
169. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 nec Wachtl.,1879; *gallaevicosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 **PT ES FR IT B-H AT HU MD RO UA BG GR TR**
170. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 **PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR**
171. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 **IT AT B-H YU GR BG RO HU UA TR**
172. **Andricus gallaearnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaearnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 **PT ES FR GB AT IT YU HU UA RO BG GR TR**
173. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 **PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR**
174. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 358-359. **PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR**
175. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 **IT Si AT CZ SK PL UA HU MD RO BG GR TR**
176. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897 **IT HU MD RO BG GR TR**
177. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903 **FR IT Si AT CZ SK PL HU RO YU GR TR BY**
178. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 **PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR**
179. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 **IT AL GR TR IL Pa AZ Cc IR**
180. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 **PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR**
181. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuuwen & Deukhuijzen-Maasland,1958 **PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR**
182. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR**
183. **Andricus melikai Pujade-Villar & Kwast,2002** (Cynipidae) Synonym(s): *melikai* Pujade-Villar & Kwast,2002 **GR**
184. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 **IT AT PL UA HU RO BG GR TR**
185. **Andricus moreae (Graeffe,1905)** (Cynipidae) Synonym(s): *moreae* Graeffe,1905 **GR TR IR**
186. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 **Andricus multiplicatus** Giraud,1859, *Verh. zool.- bot. Ges. Wien* 9: 360. **IT Si AT CZ SK HU RO YU GR TR**
187. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 **IT AT DE PL CZ SK HU RO BG GR TR**
188. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR**
189. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
190. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 **HU AT IT GR TR IR**

191. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
192. **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953 PT ES IT BG GR TR
193. **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901 HU RO YU BG GR TR
194. **Aneomochtherus acratu (Tsacas,1968)** (Asilidae) Synonym(s): *acratu* Tsacas,1968 GR TR
195. **Aneomochtherus aegaeus (Tsacas,1965)** (Asilidae) Synonym(s): *aegaeus* Tsacas,1965 GR
196. **Aneomochtherus cythereius (Tsacas,1965)** (Asilidae) Synonym(s): *cythereius* Tsacas,1965 GR
197. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 AT CZ DE FR HU IT RO CH BG GR
198. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 AT DE CH FR HU GR RO RU KG
199. **Aneomochtherus granitis (Tsacas,1963)** (Asilidae) Synonym(s): *granitis* Tsacas,1963 GR
200. **Aneomochtherus mundus (Loew,1849)** (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963 GR Rd TR Cc AM IR
201. **Aneomochtherus pygaeus (Tsacas,1963)** (Asilidae) Synonym(s): *pygaeus* Tsacas,1963 GR
202. **Aneomochtherus rhogmopygus (Tsacas,1965)** (Asilidae) Synonym(s): *rhogmopygus* Tsacas,1965 GR SY
203. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965 AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
204. **Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): *seyrigi* Heinrich,1933 *Anisobas seyrigi* Heinrich,1933, Mitt. zool. Mus. Berlin 19: 158. ES IT Si GR TR
205. **Anisopogon glabellus von Roeder,1881** (Asilidae) Synonym(s): *glabellus* von Roeder,1881; *curviventris* Mik,1882 GR
206. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
207. **Anoplotettix beieri Wagner,1959** (Cicadellidae) Synonym(s): *beieri* Wagner,1959 GR
208. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
209. **Anoplotettix graecus Remane,1966** (Cicadellidae) Synonym(s): *graecus* Remane,1966 GR
210. **Anoplotettix rodosicus Dlabola,1974** (Cicadellidae) Synonym(s): *rodosicus* Dlabola,1974 GR Rd TR
211. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884 PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
212. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema* Fischer,1824 BG CY GR IL Pa SY LB TR UA
213. **Anthaxia (Cratomerus) eugeniae Ganglbauer,1885** (Buprestidae) Synonym(s): *eugeniae* Ganglbauer,1885 GR TR
214. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772 DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
215. **Anthaxia (Cratomerus) scorzonerae (Frivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae* Frivaldski,1838; *euphrosyne* Ganglbauer,1885; *artemis* Daniel,1905 BG Cr GR TR
216. **Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa* Kiesenwetter,1857 AM AZ Cc GG TR BG GR IL Pa SY
217. **Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae) Synonym(s): *anatolica* Chevrolat,1837 TR AM AZ Cc GG BG GR
218. **Anthaxia (Haplanthaxia) bettagi Niehuis,1983** (Buprestidae) Synonym(s): *bettagi* Niehuis,1983 GR TR
219. **Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii* Olivier,1790 AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
220. **Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri* Marseul,1865 BG GR GG Cc IL Pa SY TR
221. **Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps* Abeille,1900; *minerva* Obenberger,1913; *navratili* Bily,1984 TR Cr GR CY SY

222. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* **DZ GR IL Pa IT PT ES SY TR**
223. **Anthaxia (Haplantaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica Daniel,1903; horvathi Kaszab,1940* **BG GR HU RO TR UA**
224. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* **DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
225. **Anthaxia (Melanthaxia) mysteriosa Obenberger,1917** (Buprestidae) Synonym(s): *mysteriosa Obenberger,1917* **GR Cr TR**
226. **Anthaxia (Melanthaxia) obesa Abeille,1900** (Buprestidae) Synonym(s): *obesa Abeille,1900* **TR GR**
227. **Anthaxia (Melanthaxia) rugicollis Lucas,1846** (Buprestidae) Synonym(s): *rugicollis Lucas,1846; tassii Herman,1966* **TR GR**
228. **Anthaxia (s.str.) amasina Daniel,1903** (Buprestidae) Synonym(s): *amasina Daniel,1903* **TR Cc GR IR IQ YU**
229. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis Gory & Laporte,1839* **Cr GR TR CY IL Pa SY UA**
230. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis Gory & Laporte,1839; kanaanita Obenberger,1912* **AM AZ GG Cc TR BG MK GR SY**
231. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* **DZ YU GR Cr FR IT MA PT ES RU Cc TR**
232. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae) Synonym(s): *lucens Küster,1852; phoenica Ganglbauer,1882* **Cr GR TR IT SY**
233. **Anthaxia (s.str.) olivieri Gory & Laporte,1839** (Buprestidae) Synonym(s): *olivieri Gory & Laporte,1839* **TR GR Rd**
234. **Anthidium (Anthidiellum) brevisculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum Pérez,1890; troodicum Mavromoustakis,1949* **FR CY GR Rd LB IL Pa Js TR TN**
235. **Anthidium (Anthidiellum) clypeare Morawitz,1874** (Megachilidae) Synonym(s): *clypeare Morawitz,1874; elongatum Friese,1897; hoplostomum Mavromoustakis,1945* **Cc RU Da GR Rd HV TR IL Pa SY**
236. **Anthidium (Anthidiellum) insulare Morawitz,1873** (Megachilidae) Synonym(s): *insulare Morawitz,1873; persicolum Mavromoustakis,1937; lemesium Mavromoustakis,1937* **GR Rd IR TR CY TJ**
237. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* **MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ**
238. **Anthidium (Archanthidium) laticeps Morawitz,1873** (Megachilidae) Synonym(s): *laticeps Morawitz,1873; fasciatellum Friese,1917; anatolicum Mavromoustakis,1939* **GR TR AL DZ YU**
239. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* **UA Cm RU HU GR TM TR Cc SY IL Pa ZA**
240. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme Smith,1854; bartholomei Radoszkowski,1862* **IT Si AL SY LB IR GR Cc TR KG RU DZ**
241. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969.* **FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord**
242. **Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae) Synonym(s): *dumerlei Warncke,1980* **Anthidium (Paraanthidium) dumerlei Warncke,1980, Entomofauna 1 (10): 158. Holotype ♀: Griechenland: Stavros leg. & coll. Warncke.** **GR TR**
243. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841; integrum Eversmann,1852; curvipes Smith,1872; melanostomum Costa, 1884; foliivolutor Fertton,1921* **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
244. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum Illiger,1806; oblongatum Latreille,1809; trochantericum Morawitz,1894; nigrum Friese,1897; luteum Dusmet,1915 nec Fr.,1897; xanthurum Cockerell,1925; australe Alfken,1937; flavens Moczar,1956; tornense Tkalcu,1966; berberum Warncke,1980* **MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR**
245. **Anthidium (Proanthidium) undulatiforme Friese,1917** (Megachilidae) Synonym(s): *undulatiforme Friese,1917* **TR AM Cc ES IL Pa Js GR**
246. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum Dours,1873; littorale Morawitz,1874; holozonicum Mavromoustakis,1939; kvakium*

- Mavromoustakis,1939; wahrmanni Mavromoustakis,1948* FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ
247. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
248. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN
249. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermannii* Mavromoustakis,1954 ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa
250. **Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae) Synonym(s): *acuminatum* Mocsary,1884 GR TR
251. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js
252. **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968 ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord
253. **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915 GR Rd TR SY LB IL Pa
254. **Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *causicum* Friese,1897 DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr CY
255. **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata* Fabricius,1781 (*praeocc.*); *loti* Perris,1852; *regulare* Eversmann,1852; *meridionale* Giraud,1863; *mosaicum* Costa,1863; *quadriseriatum* Kriechbaumer,1873; *circumcinctum* Kriechbaumer,1873; *incisum* Friese,1917 RU Sb KG TR CY IL Pa Js LB TM Kp GR
256. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum* Latreille,1809; *minus* Nylander,1848; *senile* Eversmann,1852; *greyi* Radoszkowski,1862; *albidulum* Chevrier,1872; *nigrinum* Morawitz,1875; *nitidulum* Morawitz,1894; *mayeti* Pérez,1895; *albofasciatum* Friese,1897; *fulvipes* Friese,1897; *kohlui* Friese,1897; *bequaerti* Alfken,1914; *amanusense* Dusmet,1915; *ariasi* Dusmet,1915; *nigritulum* Friese,1917; *suecicum* Alfken,1927 SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
257. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum* Latreille,1809; *fasciatum* Latreille,1809; *sulphureum* Lepeletier,1841; *affine* Morawitz,1873; *monile* Friese,1897; *nostrum* Radoszkowski,1893 FR ES IT Si TM MA DZ HV GR Rd TR IL Pa
258. **Anthobiodes turcicus (Medvedev,1975)** (Chrysomelidae) Synonym(s): *turcicus* Medvedev,1975 GR Rd TR
259. **Anthocomus creticus Evers,1994** (Melyridae) Synonym(s): *creticus* Evers,1994 GR Cr
260. **Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): *fasciatus* Linnaeus,1758 SE AT EE GE GR IT RO YU TR
261. **Anthocomus humeralis Morawitz,1861** (Melyridae) Synonym(s): *humeralis* Morawitz,1861 TR AT SK RU BG GR
262. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
263. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
264. **Anthomalchius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
265. **Anthophora fulvitaris Brullé,1832** (Apidae) Synonym(s): *fulvitaris* Brullé,1832 GR TR
266. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
267. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
268. **Anthrax chionostigma Tsacas,1962** (Bombyliidae) Synonym(s): *chionostigma* Tsacas,1962 IT GR

269. **Anthrax giselae François,1966** (Bombyliidae) Synonym(s): *giselae François,1966* IT GR
270. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
271. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
272. **Anthrax pelopeius François,1966** (Bombyliidae) Synonym(s): *pelopeius François,1966* IT GR
273. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
274. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
275. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
276. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
277. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
278. **Antipalus bilobus Ionescu & Weinberg,1960** (Asilidae) Synonym(s): *bilobus Ionescu & Weinberg,1960* RO GR
279. **Antipalus graecus Moucha & Hradski,1966** (Asilidae) Synonym(s): *graecus Moucha & Hradski,1966* GR
280. **Antipalus krueperi Loew,1871** (Asilidae) Synonym(s): *krueperi Loew,1871* GR
281. **Antipalus reginae Moucha & Hradski,1966** (Asilidae) Synonym(s): *reginae Moucha & Hradski,1966* GR BG YU
282. **Antipalus weinbergae Moucha & Hradski,1966** (Asilidae) Synonym(s): *weinbergae Moucha & Hradski,1966* GR
283. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
284. **Apalus necydalaeus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaeus Pallas,1782* TR Cc RU Sb GR HU TM
285. **Apalus spectabilis Schaum,1859** (Meloidae) Synonym(s): *spectabilis Schaum,1859* HU GR MK TR
286. **Apanteles atreus Nixon,1973** (Braconidae) Synonym(s): *atreus Nixon,1973* Apanteles atreus Nixon,1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
287. **Apanteles myron Nixon,1973** (Braconidae) Synonym(s): *myron Nixon,1973* Apanteles myron Nixon,1973, Bull. ent. Res. 63: 169-228. TR GB GR AT
288. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola Giraud,1859* GB IT AT HU YU RO BG GR TR
289. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
290. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
291. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius,1794; arenicola Marshall,1866* AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
292. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae Fabricius,1775; fuscofasciata Goeze,1778; transversalis Fourcroy,1785; bistrigata Gmelin,1790; brunneobifasciatus Signoret,1879; vicarius Horvath,1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
293. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
294. **Aphrodona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri Allard,1861; tauricola Pic,1910* IT GR Rd CY TR BG EG IR

295. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
296. **Apistomyia ariadne Zwick,1978** (Blephariceridae) Synonym(s): *ariadne* Zwick,1978 GR
297. **Aplocnemus abietum (Kiesenwetter,1859)** (Melyridae) Synonym(s): *abietum* Kiesenwetter,1859 GR
298. **Aplocnemus basalis (Küster,1849)** (Melyridae) Synonym(s): *basalis* Küster,1849 GR
299. **Aplocnemus pertusus (Kiesenwetter,1859)** (Melyridae) Synonym(s): *pertusus* Kiesenwetter,1859 GR TR
300. **Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
301. **Apolysis fumipennis (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis* Loew,1844 GR TR
302. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
303. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *conii* Erdős,1954; *rugosus* Erdős,1954 CZ FR GR HU GB IE NL RU Us SK SE TR
304. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
305. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
306. **Aprostocetus cracens Graham,1987** (Eulophidae) Synonym(s): *cracens* Graham,1987 TR IT GR
307. **Aprostocetus graciliclavus Graham,1987** (Eulophidae) Synonym(s): *graciliclavus* Graham,1987 GR
308. **Aprostocetus levadiensis Graham,1987** (Eulophidae) Synonym(s): *levadiensis* Graham,1987 GR TR
309. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 GB FR DE CZ SK HU IT GR SE TR
310. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839 GR FR NL DE DK SE FI PL CZ SK IT YU TR
311. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 FR DE IT CZ AT HU MD GR TR
312. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 TR PT ES FR GB NO SE DK DE CZ HU GR
313. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 TR FR GB DK DE NO SE FI UA CZ HU IT GR
314. **Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904 BG TR GR Cr
315. **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860 BG IL Pa CY LB GR TR
316. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
317. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
318. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 SK HU UA RO BG MK GR AL TR Cc
319. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
320. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
321. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
322. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
323. **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *proxima* André,1881; *debilis* Konow; *zarudnyi* Gussakovskii,1935 BG GR Cr CY TR LB IL Pa SY IR TM
324. **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887 BG GR SY TR Cc

325. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 *nec* Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 **GG RO GR RU Cc UA IR MA**
326. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentina* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 **GR Cr MD RO RU UA Cc Cm MA Cn**
327. **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899 **BG GR TR RO HU**
328. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD**
329. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874 **AM Cc BG GR TR CY IR KK KG TJ UZ**
330. **Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): *viridis* Brullé,1835 **Cn GR TR CY**
331. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 **UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa**
332. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
333. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
334. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
335. **Athous (Euplathous) proximus (Hampe,1864)** (Elateridae) Synonym(s): *proximus* Hampe,1864 **BG GR RO TR?**
336. **Athous (Haplathous) marginicollis Reitter,1890** (Elateridae) Synonym(s): *marginicollis* Reitter,1890 **GR TR Cc**
337. **Athous (Orthathous) acutangulus Fairmaire,1866** (Elateridae) Synonym(s): *acutangulus* Fairmaire,1866; *thessalonicus* Reiche,1869 **GR TR MK**
338. **Athous (Orthathous) epirus Stierlin,1875** (Elateridae) Synonym(s): *epirus* Stierlin,1875 **AL GR TR**
339. **Athous (Orthathous) graecus Platia,1989** (Elateridae) Synonym(s): *graecus* Platia,1989 **GR TR**
340. **Athous (s.str.) belloi Platia & Gudenzi,1985** (Elateridae) Synonym(s): *belloi* Platia & Gudenzi,1985 **GR**
341. **Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae) Synonym(s): *vittatus* Gmelin,1790; *vittatus* Fabricius,1792 **GR TR Cc**
342. **Atronus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858 **BG FR GR HU IT RU SK SL TR**
343. **Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918 **TR GR HU SK RO AT**
344. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922 **PL HU SK RO IT UA TR GR DE**
345. **Atricops apollinis Lindler,1923** (Athericidae) Synonym(s): *apollinis* Lindler,1923 **GR TR**
346. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903 **P MT TN DZ Sa Si IT AT HV GR TR**
347. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons* Argod,1895 **DE BG GG Cc TR IQ MK GR**
348. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
349. **Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860 **DZ FR ES Co PT IT Sa GR TR**
350. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
351. **Austrolimnophila (s.str.) brevicellula Stary,1977** (Limoniidae) Synonym(s): *brevicellula* Stary,1977 **GR TR**
352. **Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): *gracilis* Krynicky,1832 **RU Cc CZ GR**
353. **Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spirorhynchusii* Diakontshuk,1990 **Aulax hypecoi** Trotter,1913, *Marcellia* 11: 214. **DZ LY BG GR TR Cc AM TM**

354. **Baeoura alexanderi** Mendl & Tjeder,1974 (Limoniidae) Synonym(s): *alexanderi* Mendl & Tjeder,1974 TR GR
355. **Balcanocerus larvatus** (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (*praeocc.*); *notata* Fabricius,1803 (*praeocc.*); *larvatus* Herrich-Schäffer,1835 AT BE CS DK FR DE GR HU IL IT SI NO? PL RO MD UA Cm YU TR
356. **Balclutha hebe** (Kirkaldy,1906) (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927 ES Cn EG IQ JO TR CY LB GR Cr
357. **Balclutha punctata** (Fabricius,1775) (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
358. **Baryphora speciosa** Loew,1844 (Therevidae) Synonym(s): *speciosa* Loew,1844 GR TR
359. **Basilia mongolensis** Theodor,1966 (Nycteribiidae) Synonym(s): *mongolensis* Theodor,1966 BG GR YU AT TR MN
360. **Batophila olexai** Kral,1964 (Chrysomelidae) Synonym(s): *olexai* Kral,1964 GR BG GG Cc TR
361. **Beckerellus androgynus** (Loew,1855) (Bombyliidae) Synonym(s): *androgynus* Loew,1855 IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
362. **Belaspida obscura** Masi,1916 (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
363. **Bellardia tatica** (Enderlein,1933) (Calliphoridae) Synonym(s): *tatica* Enderlein,1933 IL Pa GR PL RU Cc Kr Y JO
364. **Bembecinus cyprius** De Beaumont,1954 (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954 GR CY IL Pa TR
365. **Bembecinus hungaricus** (Fivaldsky,1876) (Crabronidae) Synonym(s): *hungaricus* Fivaldsky,1876 HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA
366. **Bembecinus meridionalis** A.Costa,1859 (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859 AL HV GR Rd IL Pa IT JO HV LB SY TR
367. **Bembecinus rhodius** De Beaumont,1960 (Crabronidae) Synonym(s): *rhodius* De Beaumont,1960; *creticus* De Beaumont,1961 GR Rd Cr TR
368. **Bembecinus tridens** (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
369. **Bembidion (Chlorodium) splendidum** Sturm,1825 (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
370. **Bembidion (Diplocampa) fumigatum** (Duftschmid,1812) (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
371. **Bembidion (Emphanes) tenellum** Erichson,1837 (Carabidae) Synonym(s): *tenellum* Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
372. **Bembidion (Euperyphus) combustum** Ménétrés,1832 (Carabidae) Synonym(s): *combustum* Ménétrés,1832 AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
373. **Bembidion (Metallina) lampros** (Herbst,1784) (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
374. **Bembidion (Metallina) properans** (Stephens,1828) (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
375. **Bembidion (Microserrullula) quadricolle** (Motschoulsky,1844) (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844 AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ
376. **Bembidion (Neja) leucoscelis** Chaudoir,1850 (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850 AZ AM Cc GG GR RU TR TN CY IR IQ IL Pa SY
377. **Bembidion (Neja) sporadicum** Sahlberg,1903 (Carabidae) Synonym(s): *sporadicum* Sahlberg,1903 GR TR SY
378. **Bembidion (Nepha) caucasicum** (Motschoulsky,1844) (Carabidae) Synonym(s): *caucasicum* Motschoulsky,1844 AZ AM Cc B-H BG GG GR MK RU TR LB YU
379. **Bembidion (Nepha) retipenne** J.Müller,1918 (Carabidae) Synonym(s): *retipenne* J.Müller,1918 BG GR MK TR IR LY SY YU
380. **Bembidion (Nepha) rufimacula** J.Müller,1918 (Carabidae) Synonym(s): *rufimacula* J.Müller,1918 AZ BG GR MK TR IR YU

381. **Bembidion (Nepha) turcicum Gemminger & Harold, 1868** (Carabidae) Synonym(s): *versicolor* Jacquelin du Val, 1852 nec LeConte, 1848; *turcicum* Gemminger & Harold, 1868 nec Ganglb., 1891
AZ AM Cc GR TR
382. **Bembidion (Nepha) vseteckai Maran, 1936** (Carabidae) Synonym(s): *vseteckai* Maran, 1936 GR TR
383. **Bembidion (Notaphemphanes) ephippium (Marsham, 1802)** (Carabidae) Synonym(s): *ephippium* Marsham, 1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
384. **Bembidion (Notaphocampa) niloticum Dejean, 1831** (Carabidae) Synonym(s): *niloticum* Dejean, 1831 AZ AM Cc BG GG GR TR EG AF AP CY IR IQ KK KG TM UZ NP
385. **Bembidion (Notaphus) varium (Olivier, 1795)** (Carabidae) Synonym(s): *varium* Olivier, 1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
386. **Bembidion (Ocydromus) atlanticum Wollaston, 1854** (Carabidae) Synonym(s): *atlanticum* Wollaston, 1854 AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA TJ TM UZ YE
387. **Bembidion (Ocydromus) cordicolle Jacquelin du Val, 1852** (Carabidae) Synonym(s): *cordicolle* Jacquelin du Val, 1852; *veldkampii* Kirschenhofer, 1994 BG GR Cr TR
388. **Bembidion (Ocydromus) decorum (Panzer, 1799)** (Carabidae) Synonym(s): *decorum* Panzer, 1799 BG GR MK AZ AM Cc GG RU TR
389. **Bembidion (Ocyturanus) praeustum Dejean, 1831** (Carabidae) Synonym(s): *praeustum* Dejean, 1831 AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
390. **Bembidion (Ocyturanus) signatipenne Jacquelin du Val, 1852** (Carabidae) Synonym(s): *signatipenne* Jacquelin du Val, 1852 BG GR MK TR
391. **Bembidion (Peryphanes) castaneipenne Jacquelin du Val, 1852** (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val, 1852 B-H BG GR TR IL Pa LB SY
392. **Bembidion (Peryphanes) dalmatinum Dejean, 1831** (Carabidae) Synonym(s): *dalmatinum* Dejean, 1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
393. **Bembidion (Peryphanes) stephensii Crotch, 1866** (Carabidae) Synonym(s): *stephensii* Crotch, 1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
394. **Bembidion (Peryphus) femoratum Sturm, 1825** (Carabidae) Synonym(s): *femoratum* Sturm, 1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
395. **Bembidion (Philochthus) lunulatum Geoffroy, 1785** (Carabidae) Synonym(s): *lunulatum* Geoffroy, 1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
396. **Bembidion (Phyla) liliputanum (J. Sahlberg, 1908)** (Carabidae) Synonym(s): *liliputanum* J. Sahlberg, 1908 GR TR IL Pa LB SY
397. **Bembidion (Phyla) phoeniceum Huber & Marggi, 1997** (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi, 1997 CY IL Pa LB TR GR Cr
398. **Bembidion (Princidium) punctulatum Drapiez, 1820** (Carabidae) Synonym(s): *punctulatum* Drapiez, 1820 AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
399. **Bembidion (s.str.) quadripustulatum Audinet-Serville, 1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville, 1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
400. **Bembidion (Talanus) subfasciatum Chaudoir, 1850** (Carabidae) Synonym(s): *subfasciatum* Chaudoir, 1850 BG HV CZ GR IT MD RO RU TR UA
401. **Bembidion (Testedium) bipunctatum (Linnaeus, 1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus, 1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
402. **Bembidion (Trepanus) octomaculatum (Goeze, 1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze, 1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
403. **Bembidion concoeruleum Netolitzky, 1943** (Carabidae) Synonym(s): *concoeruleum* Netolitzky, 1943 AL B-H BG HV GR IT MK RO TR YU
404. **Bembidion tibiale (Duftschmid, 1812)** (Carabidae) Synonym(s): *tibiale* Duftschmid, 1812 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
405. **Besseria lateritia (Meigen, 1824)** (Tachinidae) Synonym(s): *lateritia* Meigen, 1824 TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
406. **Betarmon bisbimaculatus (Fabricius, 1803)** (Elateridae) Synonym(s): *bisbimaculatus* Fabricius, 1803 GR TR
407. **Bibio graecus Duda, 1930** (Bibionidae) Synonym(s): *graecus* Duda, 1930 GR

408. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930 PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
409. **Bibio siculus Loew,1846** (Bibionidae) Synonym(s): *siculus* Loew,1846 ES Sa IT Si AT HU GR
410. **Biblopectus hellenicus Besuchet,1955** (Staphylinidae) Synonym(s): *hellenicus* Besuchet,1955 GR TR
411. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaearbeariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* HArtig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
412. **Blakeiulus bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958 FR ES IT GR CY SY MA DZ TN
413. **Blaps graeca Solier,1848** (Tenebrionidae) Synonym(s): *graeca* Solier,1848 TR GR
414. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata* Westwood,1842 PT ES IT GR TR LB IR
415. **Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): *hirtella* Brullé,1832 TR BG GR
416. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 *nec* Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
417. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec* De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
418. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975 TR GB ES GR Cc PL DK NO SE FI RU YU
419. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954 GB IT ES PT DZ GR Cc PL DK CZ RO TR
420. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
421. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
422. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 *nec* Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
423. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
424. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855 IT YU TR SY MK IR HU GR AL
425. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
426. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
427. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855 IT TR HV GR IR MK SY LB YU
428. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
429. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s):** Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
430. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
431. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU

432. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
433. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
434. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
435. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
436. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
437. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
438. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
439. **Bombylius (s.str.) kutshurganicus Paramonov,1926** (Bombyliidae) Synonym(s): *kutshurganicus* Paramonov,1926 UA GR MD KG PL RU
440. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennarius* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BC Co On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
441. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *causasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
442. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus paramonov*,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
443. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
444. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
445. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
446. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
447. **Bombylius (s.str.) obliquus Brullé,1833** (Bombyliidae) Synonym(s): *obliquus* Brullé,1833 GR
448. **Bombylius (s.str.) pallens Wiedemann,1820** (Bombyliidae) Synonym(s): *pallens* Wiedemann,1820 IT GR PL PT ES
449. **Bombylius (s.str.) pallidicruris Brullé,1833** (Bombyliidae) Synonym(s): *pallidicruris* Brullé,1833 IT GR
450. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
451. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
452. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis* Loew,1855 GR IR MK ES TN TR YU
453. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 nec Fabr.,1794; *nigripes* Strobl,1898 nec Macq.,1834 AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ

454. **Bombylius (s.str.) shelkovnikovi Paramonov,1926** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1926 IT AM AZ Cc GR GR TM
455. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
456. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
457. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
458. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804 AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
459. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
460. **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau,1836 TR ES FR IT Sa Co BG GR
461. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
462. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
463. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
464. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
465. **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 nec Reiche,868; *alexandri* F.Battoni,1984 AZ AL AM Cc BG GR RU TR UA
466. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
467. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
468. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
469. **Brachycephus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
470. **Brachyceraea brevicornis (Loew,1847)** (Conopidae) Synonym(s): *brevicornis* Loew,1847 TR Cc RU Da GR IR Fa
471. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus* Latreille,1807; *muricatus* Olivier,1790; *planirostris* Gyllenhal,1833; *sulcifrons* Gyllenhal,1833; *cirrosus* Gyllenhal,1840; *perodiosus* Gyllenhal,1840; *semiaeneus* Desbrochers,1871; *carinula* Rey,1894; *exemptus* Rey,1894; *attenuatus* Vit.,1903 DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
472. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis* Gyllenhal,1833 AT HU RO BG GR TR
473. **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix* Herbst,1797; *incertus* Desbrochers,1871; *olivieri* Desbrochers,1871 GR Cr TR SY LB IL Pa EG
474. **Brachycerus lutosus Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus* Gyllenhal,1833; *cinereus* Bedel,1874; *graecus* Zumpt,1937 FR IT YU GR TR
475. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche,1857 IT Si GR TR RU Cc IL Pa SY EG
476. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus* Gyllenhal,1833 DZ TN MA LY Cn ES Si IT GR Rd TR
477. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psifernus* Thunberg,1799; *sinuatus* Olivier,1807; *lutulentus* Gyllenhal,1833 RU RO YU IT Si GR TR CY
478. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus* Fabricius,1798 DZ ES FR IT Si Sa Co YU GR Cr TR
479. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR

480. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **Chalcis femorata** Panzer,1801, *Faun. Ins. Germ.* 84, fig.16. **B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
481. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 **FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM**
482. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
483. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 **DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR**
484. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **Chalcis tibialis** Walker,1834, *Mon. Chalcid.*: 29. Type: France: Paris (leg. Laporte). **AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NmX Ny Tx TR PK Qu Bi UZ**
485. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 **BG HV CZ SK DE GR HU IT MK MD RO CH YU TR**
486. **Brachyptera beali (Navas,1923)** (Taeniopterygidae) Synonym(s): *beali* Navas,1923; *cretica* Zwick,1973 **GR Cr**
487. **Brachyptera graeca Berthelemy,1971** (Taeniopterygidae) Synonym(s): *graeca* Berthelemy,1971 **GR**
488. **Brachyptera helenica Aubert,1956** (Taeniopterygidae) Synonym(s): *helenica* Aubert,1956 **GR**
489. **Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): *transcaucasica* Zhiltzova,1956 **Brachyptera transcaucasica Zhiltzova,1956, Ent. Obozr.** 35: 659-670. **TR GR Cc**
490. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 **MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF**
491. **Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *pratense* O.F.Müller,1764; *#partense* Demirsoy,1982 **GR TR Cc GG**
492. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 **CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB**
493. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 **TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT**
494. **Bradysia neoreflex Mohrig & Roschmann,1996** (Sciaridae) Synonym(s): *neoreflex* Mohrig & Roschmann,1996 **GR TR**
495. **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938 **MA DZ TN LY Cy EG TR CY GR SY LB IL Pa IQ IR**
496. **Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale* Fieber,1877 **CY GR LB TR PT?**
497. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 **TR IL Pa LB SY GR BG MK Cr Rd TM**
498. **Bubopsis hamatus (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834 **DZ GR TR IR SA EG IQ SY IL Pa JO Cc GG AZ TM Kp**
499. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939 **Thamnotrizon bucephalus** Brunner von Wattenwyl,1882, *Prodr. eur. Orthopteren*: 338. Syntypes: Türkei, Ephesus (NHMW). **IT YU GR BG RO AL TR**
500. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 **ES SS IT HU RO BG GR MK UA TR RU Ao**
501. **Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi* Steven,1830 **GR TR IR RU**
502. **Calamobius filum (Rossi,1790)** (Cerambycidae) Synonym(s): *filum* Rossi,1790 **GR Cc TR SK CZ FR**
503. **Calchaenesthes oblongomaculatus (Guérin,1844)** (Cerambycidae) Synonym(s): *oblongomaculatus* Guérin,1844 **GR TR**
504. **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider,1845 **GR TR Cc GG LB IR CY IQ Dk**
505. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 **CN FR GR TR HU IT RO RU**
506. **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis* Brullé,1832 **Cc TR IR GR SK HU**
507. **Callimus angulatus (Schrank,1789)** (Cerambycidae) Synonym(s): *angulatus* Schrank,1789 **Cc GR Cc TR IR CZ**

508. **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos,1893; *carbonaria* Uvarov,1914; *angustus* Uvarov,1934; *anatolicus* Maran,1951; *hissaricus* Mishtchenko,1951; *intricatus* Mishtchenko,1951 **DZ TR Cc LB SY GR BG TM KG**
509. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952 **Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF**
510. **Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882; *villarrubiae* Tavares,1930; *glandulosa* Weld,1930 **PT ES FR HU GR TR**
511. **Calodiectya krueperi (Fieber,1876)** (Dictyopharidae) Synonym(s): *krueperi* Fieber,1876 **GR TR YU BG**
512. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 **DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR**
513. **Calopteryx balcanica Fudakowsky,1930** (Calopterygidae) Synonym(s): *balcanica* Fudakowsky,1930 **B-H AL GR BG**
514. **Calopteryx cretensis Pongracz,1911** (Calopterygidae) Synonym(s): *cretensis* Pongracz,1911 **GR Cr**
515. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837 **BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU**
516. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784 **AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN**
517. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Sauley,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 **AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL**
518. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775 **AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR**
519. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 **AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY**
520. **Calyptopsis capnisioides Reitter,1896** (Tenebrionidae) Synonym(s): *capnisioides* Reitter,1896 **GR TR**
521. **Calyptopsis caraboides Brullé,1832** (Tenebrionidae) Synonym(s): *caraboides* Brullé,1832; *emondi* Solier,1835 **GR**
522. **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter,1896 **TR GR SY Hal Cc**
523. **Camponotus gestroi Emery,1878** (Formicidae) Synonym(s): *gestroi* Emery,1878 **GR Cr TR**
524. **Campylosteira ciliata Fieber,1844** (Tingidae) Synonym(s): *ciliata* Fieber,1844 **CZ GR SK TR**
525. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 **TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA**
526. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 **TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US**
527. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 **AT SK SS UA HU PL RO HV MK IT AL GR TR**
528. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 **TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA**
529. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 **TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA**
530. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 **TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ**
531. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 **AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR**
532. **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#smyrnensis* Silkin,2008 **TR AL BG GR LB SY IL Pa**
533. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849 **TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU**
534. **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 **YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR**
535. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787 **HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO**

536. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934 **AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN**
537. **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855 **AL BG Cc AZ GG Tbl TR IL Pa IQ IR CY LB JO PK RU SY GR**
538. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 **DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU**
539. **Carabus (Pachystus) graecus Dejean,1826** (Carabidae) Synonym(s): *graecus* Dejean,1826 **GR TR**
540. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 **AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL**
541. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 **AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP**
542. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus* Linnaeus,1761 **AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA**
543. **Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus* Palliardi,1825 **AL B-H BG HV GR MK RO SK TR**
544. **Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis* Herbst,1806 **GR Cc TR SK MN RU Sb**
545. **Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini* Mardjanian,1985 **TR GR MK UA Cm**
546. **Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei* Frivaldsky,1837 **TR GR BG Cc AM**
547. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax* Faldermann,1835; *antennalis* Desbrochers,1875 **TR GR IL Pa AM Cc**
548. **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860 **TR GR SY LB IR**
549. **Cardiophorus (s.str.) parvulus Platia & Gudenzi,2000** (Elateridae) Synonym(s): *parvulus* Platia & Gudenzi,2000 **TR GR Rd**
550. **Cardiophorus (s.str.) riedeli (Platia & Gundezi,2000)** (Elateridae) Synonym(s): *riedeli* Platia & Gundezi,2000 **GR**
551. **Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891 **TR SY Cr GR**
552. **Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840 **IT GR TR Cc AM**
553. **Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri* Buysson,1913 **TR GR Rd MK Cc AZ Bak**
554. **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856 **EG IL Pa LB SY TR CY GR Rd**
555. **Cardiophorus (s.str.) vestigialis Erichson,1840** (Elateridae) Synonym(s): *vestigialis* Erichson,1840; *atramentarius* Erichson,1840; *erichsoni* Buysson,1901; *maritimus* Dolin,1971; *nijazi* Dolin & Agajew,1983 **GR TR**
556. **Carinatodorcadion hybridum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *hybridum* Ganglbauer,1883 **GR**
557. **Carinatodorcadion propinquum (Breuning,1962)** (Cerambycidae) Synonym(s): *propinquum* Breuning,1962 **GR**
558. **Cassida brevis Weise,1834** (Chrysomelidae) Synonym(s): *brevis* Weise,1834 **TR GR AF**
559. **Cassida seraphina Ménériés,1836** (Chrysomelidae) Synonym(s): *seraphina* Ménériés,1836 **TR Cc GR**
560. **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880 **AL RU IL Pa LB SY TR GR**
561. **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854 **CY TR GR Rd IL Pa SY LB Cc AM IR**
562. **Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps* Bischoff,1928 **HV YU BG GR Cr CY TR**
563. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 **AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU**

564. **Cephalostenus elegans Brullé,1832** (Tenebrionidae) Synonym(s): *elegans Brullé,1832*; *dejeani Solier,1838* TR GR
565. **Cephalostenus orbicollis Ménériés,1836** (Tenebrionidae) Synonym(s): *orbicollis Ménériés,1836*; *elegans Solier,1838*; *dejeani Reiche & Saulcy,1857 nec Sol.,1838* TR SY GR
566. **Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica Schaum,1859* MK GR TR BG
567. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata Dejean,1822* ES DZ TN IT Sa Si FR TR GR Cr BG
568. **Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): *bureschi Atanassov,1938*; *lycaonius Bliithgen,1952* BG TR GR
569. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824*; *citriperda Mac Leay,1829*; *asparagi Bezzi,1924* Tephritis *capitata Wiedemann,1824*, *Analecta entomologica: 55*. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
570. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata Fieber,1844*; *haupti Priesner,1923*; *pallida Mancini,1934* AT BG CS DE GR HU IT Si RO RU YU
571. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868*; *obliterata Kirschbaum,1868*; *nigra Royer,1906*; *simulans Peneau,1912*; *turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
572. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763*; *mactata Germar,1821*; *panzeri Peletier & Serville,1825*; *distinguenda Kirschbaum,1868*; *basalis Dominique,1892*; *basalis Melichar,1896 (praeocc.)*; *quadripunctata Sabransky,1912*; *reducta Melichar,1913*; *egestosa Haupt,1917* Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
573. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807*; *helvetica Melichar,1896*; *nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
574. **Cerdistus debilis Becker,1923** (Asilidae) Synonym(s): *debilis Becker,1923* IT GR TR
575. **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus Loew,1849* TR IR Es BG GR AZ AM GG Cc
576. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus Fabricius,1794* AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
577. **Ceroxys fraudulosa Loew,1864** (Ulidiidae) Synonym(s): *fraudulosa Loew,1864* BG GR IT Si
578. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum Linnaeus,1767*; *ruficollis Fabricius,1787* PT ES FR IT MT GR Cr Cc TR UA Cm RU
579. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
580. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus Gyllenhal,1837* AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
581. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
582. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax Boheman,1845* AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
583. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii Hoffmann,1957* DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
584. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
585. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
586. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
587. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
588. **Chaetomalachius punctatus Schilsky,1896** (Melyridae) Synonym(s): *punctatus Schilsky,1896* EG GR?
589. **Charopus apicalis Kiesenwetter,1859** (Melyridae) Synonym(s): *apicalis Kiesenwetter,1859* MT TN DZ MA Sa Si IT GR HV

590. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil* Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondou,1907 **IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY**
591. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 **PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR**
592. **Cheironitis pamphilus (Ménétriés,1849)** (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875 **EG Sn IL Pa LB SY RU GR TM UZ**
593. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802 **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
594. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckhert,1929 **AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM**
595. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868 **AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR**
596. **Chelostoma (Foveosmia) hellenicum (Benoist,1938)** (Megachilidae) Synonym(s): *hellenicum* Benoist,1938 **GR**
597. **Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum* Schwarz & Gusenleitner,1999 **AT BG GR RO SS TR**
598. **Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897 **DZ BG ES FR GR TR?**
599. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 **AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US**
600. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 **AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR**
601. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepelletier,1841; *parumcristatus* Alfken,1932 **AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR**
602. **Chelostoma (s.str.) lucens (Benoist,1928)** (Megachilidae) Synonym(s): *lucens* Benoist,1928 *Heriades lucens* Benoist,1928, *Annl. Soc. ent. Fr.* 97: 418. Lectotype ♀: [Turkey]: "Taurus" (MNHN Paris). **TR GR Rd JO**
603. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 **BG HV FR GR IT Si UA Cc TR IL Pa**
604. **Chelostoma (s.str.) transversum (Friese,1897)** (Megachilidae) Synonym(s): *transversum* Friese,1897 **BG GR TR?**
605. **Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901 *Dryocosmus mayri* Müllner,1901, *Verh. zool.- bot. Ges. Wien* 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). **AT GR HU IL Pa TR**
606. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 **AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
607. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812 **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
608. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829 **AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ**
609. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 **AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG**
610. **Chloriona ponticana Asche,1982** (Delphacidae) Synonym(s): *ponticana* Asche,1982 **Cr GR LB MA ES TR**
611. **Chlorita beieri Dlabola,1959** (Cicadellidae) Synonym(s): *beieri* Dlabola,1959 **AL BG GR IT YU**
612. **Chlorita punctum Lethierry,1884** (Cicadellidae) Synonym(s): *punctum* Lethierry,1884 **GR**
613. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884 **BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA**
614. **Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brullé,1832 **GR Cr TR BG MK**
615. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 **PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG**
616. **Choerades loewi Lehr,1991** (Asilidae) Synonym(s): *loewi* Lehr,1991 **GR TR IR Yz**
617. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula* Loew,1851 **AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz**

618. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857 **ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL**
619. **Chovela (s.str.) reitteri Petri,1915** (Leiodidae) Synonym(s): *reitteri* Petri,1915 **GR**
620. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménériés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944 **DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
621. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 **DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR**
622. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 **TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col Fl NMx Ny Tx YU**
623. **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménériés,1832 **EG IL Pa Cc RU Da IR GR Rd CY SY AF**
624. **Chrysolina cretica (Olivier,1807)** (Chrysomelidae) Synonym(s): *cretica* Olivier,1807 **Cr GR**
625. **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950 **TR SY IL Pa GR Rd CY Cc IR IQ TN**
626. **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949 **IL Pa JO TR GR Rd**
627. **Chrysolina rhodia Bechyne,1950** (Chrysomelidae) Synonym(s): *rhodia* Bechyne,1950 **Rd GR**
628. **Chrysolina taygetana Bechyne,1952** (Chrysomelidae) Synonym(s): *taygetana* Bechyne,1952 **GR**
629. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906 **ES B-H HV AL TR IR Cc BG MK GR**
630. **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus,1758 **GR TR Cc IN CN JP**
631. **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti* Weise,1884; *#salceti* Arslan & Özbek,1999 **GR TR IR KG RU Sb MN**
632. **Chrysopilus pallipes (Loew,1869)** (Rhagionidae) Synonym(s): *pallipes* Loew,1869 **GR TR IR**
633. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae) Synonym(s): *hamatus* Loew,1858 **BG GR Rd TR**
634. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857 **EG GR TR DZ ES Cn FR IT RU Am**
635. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 **AM BG GR RO RU Cc TR HV HU DE IT**
636. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 **AM BG EG GG GR Cc IQ IL Pa RO RU TR UA**
637. **Cicada cretensis Quartau & Simoes,2005** (Cicadidae) Synonym(s): *cretensis* Quartau & Simoes,2005 *Cicada cretensis* Quartau & Simoes,2005, *Biologia Bratislava* 60 (5): 489-494, figs. Holotype ♂: Crete, Chania 9.vii.2001 leg. Simoes (NHMB). **Cr GR**
638. **Cicada longicornis Poda,1761** (Cicadidae) Synonym(s): *longicornis* Poda,1761 **GR**
639. **Cicada mordoganensis Boulard,1979** (Cicadidae) Synonym(s): *mordoganensis* Boulard,1979 *Cicada mordoganensis* Boulard,1979, *Türk. Bitk. Kor. Derg.* 3 (2): 69-70. Type: Turkey: Izmir Prov., Mordoğan. **GR Rd TR**
640. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
641. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (*praeocc.*); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 **AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU**

642. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
643. **Cicadetta aestuans (Fabricius,1794)** (Cicadidae) Synonym(s): *aestuans* Fabricius,1794; *algira* Fabricius,1803 DZ FR GR TN
644. **Cicadetta albipennis Fieber,1876** (Cicadidae) Synonym(s): *albipennis* Fieber,1876 GR IT
645. **Cicadetta brullei Fieber,1876** (Cicadidae) Synonym(s): *brullei* Fieber,1876 MK FR GR IT ES YU
646. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
647. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 TR Cc DZ GR IT MA PT ES GG KG TJ TM
648. **Cicadetta gastrica (Stal,1854)** (Cicadidae) Synonym(s): *gastrica* Stal,1854 BG GR IT Si
649. **Cicadetta hageni Fieber,1872** (Cicadidae) Synonym(s): *hageni* Fieber,1872 CY GR SY
650. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
651. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
652. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926 DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
653. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758 SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
654. **Cidnopus pilosus (Leske,1785)** (Elateridae) Synonym(s): *pilosus* Leske,1785 GR TR Cc
655. **Cidnopus schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,1998 TR GR
656. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ Cc KG KK MD RU TM UA UZ YU
657. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
658. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia* Stal,1859 AF BG TR CZ FR GR HU RO YU
659. **Cixius remotus Edwards,1888** (Cixiidae) Synonym(s): *remotus* Edwards,1888 BG FR GB YU GR TR
660. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832 RU IT UZ KK GR TR
661. **Clanoptilus (s.str.) ambiguus (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus* Peyron,1877 HU RU GR TR
662. **Clanoptilus (s.str.) durandi (Pardo,1970)** (Melyridae) Synonym(s): *durandi* Pardo,1970 TR RO BG GR
663. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 FR RU UA TM AT BG DE ES CH GR TR
664. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
665. **Clanoptilus (s.str.) spinipennis (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis* Erichson,1840 BG HV GR IT YU TR
666. **Clanoptilus (s.str.) transadriaticus (Evers,1969)** (Melyridae) Synonym(s): *transadriaticus* Evers,1969 GR
667. **Cleptes aerosus Förster,1853** (Chrysididae) Synonym(s): *aerosus* Förster,1853; *abeillei* Buysson,1887 HU GR CH IT Si
668. **Cleptes cavernalis Moczar,1968** (Chrysididae) Synonym(s): *cavernalis* Moczar,1968 GR
669. **Cleptes graecus Moczar,2001** (Chrysididae) Synonym(s): *graecus* Moczar,2001 GR
670. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
671. **Cleptes parnassicus Mocsary,1902** (Chrysididae) Synonym(s): *parnassicus* Mocsary,1902 GR

672. **Closterocerus arvensis (Graham,1963)** (Eulophidae) Synonym(s): *arvensis* Graham,1963
CZ DK FI GR RU SE GB YU TR
673. **Closterocerus cuprifrons (Erdős,1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdős,1954
HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
674. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus*
Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi*
Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb
Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN
Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
675. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773;
deficens Weise,1900 ES HU RU Sb GR TR IR MN KP KR
676. **Clytra binominata Monros,1953** (Chrysomelidae) Synonym(s): *binominata* Monros,1953
GR Rd TR
677. **Clytra valeriana Ménétrié,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétrié,1832;
tetrastigma Schmidt,1841; *#valerianae* Aydın & Kismali,1990 YU GR BG TR Cc UA Cm IT Si RU IR
678. **Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni* Germar,1817 RU Cc IR
TR GR
679. **Coenagrion pulchellum (Van Der Linden,1825)** (Coenagrionidae) Synonym(s):
pulchellum Van Der Linden,1825 TR GR
680. **Coenorrhinus cribripennis Desbrochers,1869** (Atelabidae) Synonym(s): *cribripennis*
Desbrochers,1869 RU GR Cr IT CY FR Co TR LB Sa
681. **Coenorrhinus cribrum (Desbrochers,1875)** (Atelabidae) Synonym(s): *cribrum*
Desbrochers,1875; *italicus* Voss,1929 FR GR Cr IT LB SY TR
682. **Colletes creticus Noskiewicz,1936** (Colletidae) Synonym(s): *creticus* Noskiewicz,1936 GR
Cr
683. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus*
Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
684. **Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840 HV
GR CY SY LB BG TR
685. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840
MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
686. **Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi* Harz,1967; *harzi*
Willemse,1971 TR AL BG GR SY LB
687. **Conophorus gracilis Dils & Özbek,2006** (Bombyliidae) Synonym(s): *gracilis* Dils &
Özbek,2006 *Conophorus gracilis* Dils & Özbek,2006, *Phegea* 34 (3): 107-109, fig. Holotype ♂:
Turkey: Konya Prov., Bayafşar 1190m 20.5.2005 leg. Dils & Faes (ZMAN). TR GR
688. **Conops flavicaudus (Bigot,1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot,1880;
euzonatus Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat &
Özbek,2008 *Sphyxosoma flavicauda* Bigot,1880, *Annls Soc. ent. Fr.* (5) 10: 149. Type ♀: Iran or
Caucasus. GR Rd CY TR IL Pa LB Bei Cc AM IR AF TJ Pm
689. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus*
Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871;
piceus Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV
MD UA YU IR
690. **Conosimus coelatus Mulsant & Rey,1855** (Issidae) Synonym(s): *coelatus* Mulsant &
Rey,1855 FR GR IT
691. **Coptocephala hellenica Warchalowski,1991** (Chrysomelidae) Synonym(s): *hellenica*
Warchalowski,1991 GR
692. **Coptocephala rubicunda (Laicharting,1781)** (Chrysomelidae) Synonym(s): *rubicunda*
Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926;
rossica Medvedev,1977 GR TR SK HV RU
693. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis*
Schneider,1845; *amasina* Morton,1916 BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR
694. **Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *fenestella* Horvath,1917 GR
TR Cc RU IQ IR Th Elb Kdv Gh
695. **Corynis lateralis (Brullé,1832)** (Cimbicidae) Synonym(s): *lateralis* Brullé,1832 GR TR RU
Ur Cc
696. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775;
valkanovi Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
697. **Corynis similis (Mocsary,1880)** (Cimbicidae) Synonym(s): *similis* Mocsary,1880 GR Cr
CY SY IL Pa
698. **Cratyna (s.str.) alpina (Mohrig & Menzel,1992)** (Sciaridae) Synonym(s): *alpina* Mohrig
& Menzel,1992 ES DE AT GR
699. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua*
Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942
FR NL DE CZ SK CH AT IT UA BG GR SE FI

700. **Cratyna (s.str.) betulae (Mohrig & Mamaev,1992)** (Sciaridae) Synonym(s): *betulae* Mohrig & Mamaev,1992 ES GR BG
701. **Cratyna (s.str.) contracta Mohrig & Roschmann,1996** (Sciaridae) Synonym(s): *contracta* Mohrig & Roschmann,1996 DE GR
702. **Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878 AL YU MK BG RO GR Cc
703. **Crepidodera peloponnesiaca (Heikertinger,1910)** (Chrysomelidae) Synonym(s): *peloponnesiaca* Heikertinger,1910 GR
704. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847 RO Cc AZ IR Fa Th Elb RU GR TR
705. **Cryptobium chaudiroi Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906 GR TR Cc AM
706. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799 ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR
707. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781 RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa
708. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
709. **Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781 AL BG YU GR Cc IR TR
710. **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884 TR GR AL CY JO SY
711. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819 AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR
712. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891 RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc
713. **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853 TR BG GR AZ AM Cc JO SY YU
714. **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853 HV FR Co GR TR AL BG GR SY JO
715. **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834 SY ET ER DZ CY EG GR IL Pa JO LB TR NE SA SD YE SO
716. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879 TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm
717. **Culicoides denisoni Boorman,1988** (Ceratopogonidae) Synonym(s): *denisoni* Boorman,1988 GR
718. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775 DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
719. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
720. **Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843 IT AT SS HU RO BG GR TR
721. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948 PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
722. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
723. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
724. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 PT ES FR DE UA MD RO YU GR IT AT HU TR MK
725. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
726. **Cyphon longiusculus Nyholm,1970** (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970 TR GR Rd Cc IR IL Pa
727. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
728. **Cyrtosus ovalis (Laporte,1838)** (Melyridae) Synonym(s): *ovalis* Laporte,1838 IT BG YU GR
729. **Dactylolabis (Dactylolabis) jonica Lackschewitz,1940** (Limoniidae) Synonym(s): *jonica* Lackschewitz,1940 GR TR

730. **Dailognatha carceli Solier,1835** (Tenebrionidae) Synonym(s): *carceli Solier,1835* TR GR
Cc Cr
731. **Dailognatha hellenica Reitter,1896** (Tenebrionidae) Synonym(s): *hellenica Reitter,1896* GR
732. **Dailognatha obtusangula Reitter,1896** (Tenebrionidae) Synonym(s): *obtusangula Reitter,1896* GR
733. **Dailognatha quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis Brullé,1832* TR GR SY
734. **Dailognatha vicina Brullé,1832** (Tenebrionidae) Synonym(s): *vicina Brullé,1832* GR
735. **Dalopius marginatus (Linnaeus,1758)** (Elateridae) Synonym(s): *marginatus Linnaeus,1758*
TR GR RU Sb
736. **Danacaea bleusei Pic,1895** (Melyridae) Synonym(s): *bleusei Pic,1895* GR
737. **Danacaea cervina (Küster,1850)** (Melyridae) Synonym(s): *cervina Küster,1850* GR YU
738. **Danacaea championi Marseul,1878** (Melyridae) Synonym(s): *championi Marseul,1878*
GR
739. **Danacaea marginata (Küster,1851)** (Melyridae) Synonym(s): *marginata Küster,1851* RO
GR CY TR
740. **Dasyhelea flavifrons (Guérin-Ménéville,1833)** (Ceratopogonidae) Synonym(s):
flavifrons Guérin-Ménéville,1833; obscura Winnertz,1852 nec Walk.,1848; versicolor Winnertz,1852;
dufourii Laboulbène,1869; hippocastani Mik,1888; brevitibialis Goetghebuer,1919; goetghebueri
Kieffer,1919; sensualis Kieffer,1919; lignicola Kieffer,1919; paludicola Kieffer,1925; oppressa Thomsen,1935;
septuosa Borkent,1997 FR DE AT BE GR HV CZ EE US Ny
741. **Dasyhelea flavoscutellata (Zetterstedt,1850)** (Ceratopogonidae) Synonym(s): *flavoscutellata*
Zetterstedt,1850; egens Winnertz,1852; alonensis Strobl,1906; heracleae Kieffer,1919; halobia Kieffer,1924
NO DE ES GR
742. **Dasygogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781;*
punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794;
nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus
Costa,1853; rubidus Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO
RU SK SS ES CH TR GB
743. **Dasygogon geradi Weinberg,1987** (Asilidae) Synonym(s): *geradi Weinberg,1987* GR TR
744. **Dasygogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus Loew,1869;*
melanopterus Loew,1869 IR AZ Cc GR KG MN RO RU Sb TR
745. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus*
Meigen,1820 IT Si AT AL YU BG RO GR TR IL Pa LB RU
746. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787;*
araratica Radoskovsky,1890; fastuosa Gribodo,1893 MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
747. **Dasytes graeculus Kiesenwetter,1859** (Melyridae) Synonym(s): *graeculus Kiesenwetter,1859*
GR
748. **Dasytes moniliatus Kiesenwetter,1863** (Melyridae) Synonym(s): *moniliatus*
Kiesenwetter,1863 GR BG TR
749. **Dasytes murinus Schilsky,1894** (Melyridae) Synonym(s): *murinus Schilsky,1894* GR TR
750. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger Linnaeus,1761; villosus*
Olivier,1790; palustris Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS
B-H YU UA MD RO BG GR RU
751. **Dasytes orientalis Schilsky,1894** (Melyridae) Synonym(s): *orientalis Schilsky,1894* TR BG GR
752. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus O.F.Müller,1776* SE
DK AT BG CZ FR DE GR IT RO ES CH TR YU
753. **Dasytes tardus Schaufuss,1876** (Melyridae) Synonym(s): *tardus Schaufuss,1876* B-H GR YU
TR
754. **Dasytes virens (Marsham,1802)** (Melyridae) Synonym(s): *virens Marsham,1802* AT FR
DE GR TR
755. **Dasytidius congruens Majer,1989** (Melyridae) Synonym(s): *congruens Majer,1989* TR GR Rd
756. **Dasytidius emgei (Reitter,1884)** (Melyridae) Synonym(s): *emgei Reitter,1884* GR
757. **Dasytidius ethologus Majer,1989** (Melyridae) Synonym(s): *ethologus Majer,1989* GR Cr
758. **Dasytidius indutus Kiesenwetter,1859** (Melyridae) Synonym(s): *indutus*
Kiesenwetter,1859 HV GR Cr TR CY
759. **Dasytidius insularis Majer,1996** (Melyridae) Synonym(s): *insularis Majer,1996* GR
760. **Dasytidius nigripes (Pic,1894)** (Melyridae) Synonym(s): *nigripes Pic,1894* GR SY TR IR
AZ Cc
761. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis Morawitz,1861* AF AL BG
HV GR MK RU UA YU
762. **Dasytiscus flaveolus Reitter,1889** (Melyridae) Synonym(s): *flaveolus Reitter,1889* GR Rd
TR
763. **Dasytiscus graminis Majer,1996** (Melyridae) Synonym(s): *rufitarsis Lucas,1853 (praeocc.);*
graminis Majer,1996 HV GR

764. **Dasytiscus impressicollis** Reitter,1885 (Melyridae) Synonym(s): *impressicollis* Reitter,1885 AL HV GR
765. **Dasytiscus minotaurus** Majer,1988 (Melyridae) Synonym(s): *minotaurus* Majer,1988 GR Cr
766. **Dasytiscus praecox** (Küster,1851) (Melyridae) Synonym(s): *praecox* Küster,1851 GR TR
767. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935 TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
768. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
769. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae) Synonym(s): *messenius* Brullé,1832; *gravidus* Brullé,1832; *tentyrioides* Brullé,1832; *ottomanus* Mulsant,1854 TR GR
770. **Dendarus (Pandarinus) moesiacus** Mulsant & Rey,1854 (Tenebrionidae) Synonym(s): *moesiacus* Mulsant & Rey,1854 TR GR
771. **Dendarus (Pandarinus) rhodius** Baudi,1876 (Tenebrionidae) Synonym(s): *rhodius* Baudi,1876 GR Rd
772. **Dendarus (Pandarinus) simius** Mulsant,1854 (Tenebrionidae) Synonym(s): *simius* Mulsant,1854 GR
773. **Dendarus (Pandarinus) tenellus** Mulsant & Rey,1854 (Tenebrionidae) Synonym(s): *tenellus* Mulsant & Rey,1854 TR GR IQ
774. **Dendarus (Pandarinus) tibialis** Seidlitz,1893 (Tenebrionidae) Synonym(s): *tibialis* Seidlitz,1893 GR TR
775. **Dendarus (Pandarinus) stygius** Waltl,1838 (Tenebrionidae) Synonym(s): *stygius* Waltl,1838 GR TR
776. **Dentilla curtiventris** (André,1901) (Mutillidae) Synonym(s): *curtiventris* André,1901 TR AM AZ Cc SY GR YU MK AL IT Si
777. **Dentilla erronea** (André,1902) (Mutillidae) Synonym(s): *erronea* André,1902 TR GR BG AL IT DZ
778. **Dentilla persica** (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869 IR TR AZ AM Cc IL Pa GR
779. **Depressotetrix depressa** (Brisout,1848) (Tetrigidae) Synonym(s): *depressa* Brisout,1848; *acuminata* Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus* Demirsoy,1977 TR ES FR GR BG RO IR Cc
780. **Dermestes (Dermestinus) intermedius** Kalik,1951 (Dermestidae) Synonym(s): *intermedius* Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
781. **Dermestes (Dermestinus) kaszabi** Kalik,1950 (Dermestidae) Synonym(s): *kaszabi* Kalik,1950 AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
782. **Derocrepis graeca** (Allard,1884) (Chrysomelidae) Synonym(s): *graeca* Allard,1884; *obscurithorax* Pic,1909 GR
783. **Derocrepis hellenica** Doguet & Bergeal,2000 (Chrysomelidae) Synonym(s): *hellenica* Doguet & Bergeal,2000 GR
784. **Derocrepis peloponnesiaca** Heikertinger,1910 (Chrysomelidae) Synonym(s): *peloponnesiaca* Heikertinger,1910 GR
785. **Derocrepis serbica** (Kutschera,1860) (Chrysomelidae) Synonym(s): *serbica* Kutschera,1860; *strangulata* Allard,1860; *bicolor* Weise,1886 HV YU RO BG GR UA Cm TR
786. **Deronectes latus** (Fairmaire,1858) (Dytiscidae) Synonym(s): *latus* Fairmaire,1858 B-H YU BG GR
787. **Deronectes moestus** (Fairmaire,1858) (Dytiscidae) Synonym(s): *moestus* Fairmaire,1858 BG GR
788. **Deronectes parvicollis** (Schaum,1864) (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864 TR IR Zj BG GR IL Pa
789. **Deronectes sahlbergi** Zimmermann,1932 (Dytiscidae) Synonym(s): *sahlbergi* Zimmermann,1932 TR Rd GR
790. **Diadegma pulchripes** (Kokujev,1915) (Ichneumonidae) Synonym(s): *pulchripes* Kokujev,1915 TR GR Cr AF MN
791. **Diaphorus disjunctus** Loew,1857 (Dolichopodidae) Synonym(s): *disjunctus* Loew,1857 GR RO RU Cc
792. **Diaphorus graecus** Parent,1932 (Dolichopodidae) Synonym(s): *graecus* Parent,1932 GR
793. **Diaphorus lautus** Loew,1857 (Dolichopodidae) Synonym(s): *lautus* Loew,1857 RO GR Rd
794. **Diaphorus nigricans** Meigen,1824 (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824; *obscuripes* Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937 GG Cc GR IL Pa RO RU IN Ch
795. **Dibolia chevrolati** Allard,1861 (Chrysomelidae) Synonym(s): *chevrolati* Allard,1861 IT Si ES An GR Rd SY IL Pa EG TN DZ

796. **Dibolia femoralis Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis Redtenbacher,1849; aurichalcea Förster,1849; erythrogaster Allard,1861; theresae Pic,1909* **TR Cc GR Rd**
797. **Dibolia foersteri Bach,1859** (Chrysomelidae) Synonym(s): *foersteri Bach,1859; buglossi Foudras,1860; foudrasi Mulsant & Rey,1874* **GR Cc AM**
798. **Dichillus (Dichilocerus) pertusus Kiesenwetter,1861** (Tenebrionidae) Synonym(s): *pertusus Kiesenwetter,1861* **TR IT Si GR**
799. **Dichillus (s.str.) carinatus Küster,1848** (Tenebrionidae) Synonym(s): *carinatus Küster,1848* **TR RO HV GR B-H**
800. **Dichomma dardanum (Steven,1829)** (Tenebrionidae) Synonym(s): *dardanum Steven,1829* **Cr GR TR**
801. **Dicranoptycha (Ulugbekia) savtshenkoi Mendl,1976** (Limoniidae) Synonym(s): *savtshenkoi Mendl,1976* **GR TR**
802. **Dicronychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus Herbst,1784* **GR TR Cc RU At**
803. **Dicronychus equiseti (Herbst,1784)** (Elateridae) Synonym(s): *equiseti Herbst,1784* **GR TR Cc**
804. **Dicronychus rubripes (Germar,1824)** (Elateridae) Synonym(s): *rubripes Germar,1824* **SK GR TR**
805. **Dicronychus versicolor (Mulsant & Guillebeau,1856)** (Elateridae) Synonym(s): *versicolor Mulsant & Guillebeau,1856* **FR IT SL GR TR?**
806. **Dictyla echii (Schrank,1782)** (Tingidae) Synonym(s): *echii Schrank,1782* **DE GR TR**
807. **Dictyophara distincta Melichar,1912** (Dictyopharidae) Synonym(s): *distincta Melichar,1912* **GR**
808. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* **Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU**
809. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensis Matsumura,1910; oertzeni Matsumura,1910* **AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU**
810. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
811. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850; agnatus Letherry,1850; lenensis Linnavuori,1953* **AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA**
812. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* **Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx**
813. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata Brullé,1832; costalis Mulsant & Wachanru,1852* **DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN**
814. **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus Krauss,1896; castaneopicta Krauss,1896; castaneopictus Jacobson,1905* **Dociostaurus anatolicus Krauss,1896, Zool. Jb. 9: 560. Syntypes ♂: Turkey: "Angora" [Ankara]. YU GR BG TR Cc AZ Y JO IL Pa IR Elb Th**
815. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus Thunberg,1815; cruciatus Charpentier,1825; vastator Fischer von Waldheim,1833; oceanica Walker,1870; degeneratus Baranov,1925; xanthocnema Tarbinsky,1932; pendulus Steinmann,1965* **Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU**
816. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes Haliday,1856* **ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR**
817. **Docotettix cornutus Ribaut,1948** (Cicadellidae) Synonym(s): *cornutus Ribaut,1948* **CY GR TR**
818. **Dolichochepeza (s.str.) graeca Mannheims,1954** (Tipulidae) Synonym(s): *graeca Mannheims,1954* **YU BG GR TR**
819. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema Haliday,1832; fraternus Staeger,1842* **BG GR IL Pa RO RU UA TR KG CN**
820. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823; griseipennis Stannius,1831; subrutillus Zetterstedt,1859* **AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG**

821. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824* Cc GG BG GR RO RU UA TR CN MX
822. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus Haliday,1838; pictus Staeger,1842* Cc GG BG GR Cr IL Pa RO RU TR TZ
823. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
824. **Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes Verrall,1875; aratrimformis Becker,1890* BG GR TR RO UA
825. **Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps Ribaut,1948* CY IL Pa TR GR YU IR
826. **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis Ribaut,1948* AF CY EG GR IL Pa IT LY TR
827. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla Horvath,1903* AT BG GR IT RO TR MD UA UZ YU
828. **Dorcadion (Bergerianum) chrysochroum Breuning,1943** (Cerambycidae) Synonym(s): *chrysochroum Breuning,1943* GR
829. **Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae) Synonym(s): *divisum Germar,1839* GR TR
830. **Dorcadion (s.str.) nodicorne Tournier,1872** (Cerambycidae) Synonym(s): *nodicorne Tournier,1872* Dorcadion *nodicorne Tournier,1872, Revue Zool. 2 (23): 287. Type: Taurus.* TR GR
831. **Dorcadion (s.str.) quadrimaculatum Küster,1848** (Cerambycidae) Synonym(s): *quadrimaculatum Küster,1848* TR GR
832. **Dorycera brevis Loew,1868** (Ulidiidae) Synonym(s): *brevis Loew,1868* GR
833. **Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida Loew,1862* BG TR GR Cr FR UA LB Bei
834. **Dorycera maculipennis Macquart,1843** (Ulidiidae) Synonym(s): *maculipennis Macquart,1843* ES IT GR Rd CY
835. **Dorycera tuberculosa Hendel,1908** (Ulidiidae) Synonym(s): *tuberculosa Hendel,1908* GR
836. **Drymadusa dorsalis (Brullé,1832)** (Tettigoniidae) Synonym(s): *dorsalis Brullé,1832* TR GR
837. **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *limbata Brunner von Wattenwyl,1882* GR SY LB TR
838. **Dryodurgades anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus Dlabola,1957* BG GR TR
839. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus Herrich-Schäffer,1834* AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
840. **Dufourea (Halictoides) graeca Ebmer,1976** (Halictidae) Synonym(s): *graeca Ebmer,1976* GR TR BG
841. **Dufourea (s.str.) wolfi Ebmer,1989** (Halictidae) Synonym(s): *wolfi Ebmer,1989* GR TR
842. **Dysmachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus Loew,1871* YU RU GR BG AL TR IR Fa
843. **Dysmachus dasiproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus Loew,1871* RO Cc RU GR TR IR Es AZ GG AM
844. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820* TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG
845. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer Loew,1854* AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
846. **Dysmachus tricuspis (Loew,1848)** (Asilidae) Synonym(s): *tricuspis Loew,1848* TR IR Es AL GR RO TN
847. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen,1820* IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
848. **Edwardsiana cretica Dworakowska,1971** (Cicadellidae) Synonym(s): *cretica Dworakowska,1971* GR Cr
849. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
850. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
851. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae Ferrière,1935; elongatus Ferrière,1947* TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU

852. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 AT
FI DE GR FR HU IT MD KG ES SE CH TR RU
853. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758
TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
854. **Elodes sieberi Klausnitzer,1973** (Scirtidae) Synonym(s): *sieberi* Klausnitzer,1973 TR GR
855. **Empis (s.str.) tristis Loew,1867** (Empididae) Synonym(s): *tristis* Loew,1867 TR GR
856. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836 RO YU CY TR
IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO
857. **Engelepogon brunnipes (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes*
Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867 IR Kd DZ GR MA TN
TR YU
858. **Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854 YU GR BG TR
LB SY IL Pa
859. **Engelepogon rarus (Loew,1871)** (Asilidae) Synonym(s): *rarus* Loew,1871 TN YU GR TR
860. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763;
hirtus Linnaeus,1767; *ater* Fabricius,1787 FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR
861. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001 BG FR GR IT
ES UA
862. **Entedon palliocrus Erdős,1944** (Eulophidae) Synonym(s): *palliocrus* Erdős,1944 TR BG CZ
GR FR HU KG MD NL RU SK SE UA GB UZ
863. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839;
longiventris Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdős,1944; *lixi* Erdős,1951; *mecini*
Askew,1992 TR AT BG HV CZ FR GG Cc DE GR HU
864. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944 TR
AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
865. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 TR
HV FR GR IL Pa KG KK MK RU ES TM
866. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855;
syraensis Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 DZ IT KG KK UZ TR EG
Cr GR Rd AL IR Kz SY
867. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771;
fasciatus Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans*
Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini*
Tournier,1895; *claripennis* Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR
RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
868. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791;
coccineus Fabricius,1804 CH ES IT DE FR AT HU GR Cc TR
869. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus*
Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis*
Lindberg,1948 AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
870. **Eoperla ochracea (Kolbe,1885)** (Perlidae) Synonym(s): *ochracea* Kolbe,1885; *pau*
Navas,1909; *latisulcata* Klapalek,1921; *nigritarisis* Despax,1931; *theryana* Navas,1935 Perla ochracea
Kolbe,1885, Berl. ent. Z. 29: 156. GR TR
871. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
872. **Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763;
balteatus De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina*
Wiedemann,1830; *alternana* Macquart,1842 TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN
JP DZ Cn
873. **Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis*
Melsheimer,1847 TR GR BG IT US
874. **Erax tenuicornis (Loew,1848)** (Asilidae) Synonym(s): *tenuicornis* Loew,1848 GR TR
875. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s):
taeniops Wiedemann,1818 PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA
Cc ZANP PK IN
876. **Eristalinus (Lathyrophthalmus) megacephalus (Rossi,1792)** (Syrphidae)
Synonym(s): *megacephalus* Rossi,1792 ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
877. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum*
Linnaeus,1758; *lineole* Harris,1776 GB HU NL DE NO GR Cr TR
878. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris*
Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus*
Meigen,1822; *vulpinus* Meigen,1822 Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
879. **Erythroneura soosi Dlabola,1952** (Cicadellidae) Synonym(s): *soosi* Dlabola,1952 GR Cr
880. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans*
Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA
Cm RU CN US Cf PE AR AU ZA

881. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii Dufour,1861; bicolor Sichel,1866* ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
882. **Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni Tschek,1871* DZ ES GR TR
883. **Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): *cyanella Meigen,1826* CZ SE GR UA TR
884. **Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): *truncata Ribaut,1948* CY GR IT TR
885. **Eumecurus bourouensis (Linnavuori,1965)** (Cixiidae) Synonym(s): *bourouensis Linnavuori,1965* GR BG TR
886. **Euodynerus hellenicus Blüthgen,1942** (Vespidae) Synonym(s): *hellenicus Blüthgen,1942* GR TR
887. **Euphycus dispar (Wiedemann,1820)** (Therevidae) Synonym(s): *dispar Wiedemann,1820* GR
888. **Euplectus corcyreus Meggiolaro,1966** (Staphylinidae) Synonym(s): *corcyreus Meggiolaro,1966; jonicus Meggiolaro,1966* TR GR
889. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina Flor,1861; florida Ribaut,1936* AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
890. **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948* CY EG IL Pa GR Cr IR JO TR KG
891. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum Newman,1853; laureti Lindberg,1936* Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM
892. **Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae) Synonym(s): *gyaurdagicus Dlabola,1957* GR Cr TR
893. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
894. **Eupteryx vicaria Linnavuori,1968** (Cicadellidae) Synonym(s): *vicaria Linnavuori,1968* GR
895. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868; putoni Lethierry,1876; hipposideros Horvath,1892; decussata Ribaut,1936* AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
896. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna Germar,1831* DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
897. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans Fabricius,1794* DZ FR GR MA ES TN
898. **Eurythyrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): *austriaca Linnaeus,1767* AT HV GR TR PL
899. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
900. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila Walker,1836* TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
901. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
902. **Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): *plotnikovi Nikolskaya,1934* IR Ak Fa Es Ke Kh Se Zj GR IL Pa CN
903. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
904. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
905. **Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri Schreiner,1908* TR AM GG Cc GR MD RO RU Ao Da UA
906. **Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides Pallas,1818; pallasii Wiedemann,1818; pubiceps Loew,1871* GR TR IR RU
907. **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus Haupt,1927; orientalis Dlabola,1957* AF IR IL Pa JO GR Cr TR KG KK
908. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
909. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
910. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus Kirschbaum,1858* AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
911. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832; nitidus Curtis,1833; stictopterus Flor,1861; ochrosomus Kirschbaum,1868; bilunaris Rey,1891; bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU

912. **Eutagenia smyrnensis Solier,1838** (Tenebrionidae) Synonym(s): *smyrnensis Solier,1838* GR TR
913. **Eutolmus calopus (Loew,1848)** (Asilidae) Synonym(s): *calopus Loew,1848* YU RU GR TR
914. **Eutolmus graecus Loew,1871** (Asilidae) Synonym(s): *graecus Loew,1871* GR
915. **Eutolmus haematoscelis (Gerstaecker,1861)** (Asilidae) Synonym(s): *haematoscelis Gerstaecker,1861; stenolabes Loew,1871* GR
916. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax Loew,1848* TR IR Fa GR Rd RO RU TN
917. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani Curran,1938; stackelbergi Kirvosheina & Kirvosheina,1995; freyi Kirvosheina & Kirvosheina,1997* HU UA US BG GR Cc TM IL Pa
918. **Euzonitis rubida (Ménétriés,1832)** (Meloidae) Synonym(s): *rubida Ménétriés,1832* TR Cc GR TM
919. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva Santos Abreu,1920; exornata Séguy,1941; peyerimhoffi Burghelle-Balacesco,1966* Cn PT ES FR Co DE GR BG CY TR
920. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
921. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
922. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883* DZ ES Cn FR GR IT MA IL ES SW TN RU
923. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris Fabricius,1794* UA CH AT ES FI IT YU AL BG GR TR
924. **Fieberiella chioscola Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *chioscola Meyer-Arndt,1988* GR TR
925. **Fieberiella duffelsi Wagner,1963** (Cicadellidae) Synonym(s): *duffelsi Wagner,1963* GR
926. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii Stal,1864* AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
927. **Fieberiella ida Dlabola,1965** (Cicadellidae) Synonym(s): *ida Dlabola,1965* GR Cr
928. **Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata Lindberg,1948* BG CY GR TR
929. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900* ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
930. **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis Audinet-Serville,1839* TR IL Pa Cc CY AZ AL BG GR Cr Rd IR LB SY YU
931. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus LaFerté & Sénectere,1847* DZ BG GR IT CY TR IR
932. **Frutioidea (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947* AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
933. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus Saunders,1876* CV Cn SN ES GR CY TR
934. **Gelis sculpturator Aubert,1977** (Ichneumonidae) Synonym(s): *sculpturator Aubert,1977* TN EG GR TR
935. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger Marsham,1802* AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
936. **Geron freidbergi Zaitzev,1996** (Bombyliidae) Synonym(s): *freidbergi Zaitzev,1996* GR Rd IL Pa
937. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus Olivier,1789; hybridus Meigen,1804; gibbosus Meigen,1820; corcyreus Frey,1936* FR Co IT Si GR Rd ES? IL Pa TR
938. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis Wiedemann,1820; albidulus François,1969* IT ?EG FR Co GR Sa LY? ES PT
939. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
940. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti Greathead,1999* GR IT MT MA TN TR EG
941. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
942. **Geron smirnovi Zaitzev,1978** (Bombyliidae) Synonym(s): *smirnovi Zaitzev,1978* TJ GR Rd TM TR
943. **Gerris ventralis Fieber,1860** (Gerridae) Synonym(s): *ventralis Fieber,1860* TR GR
944. **Glaphyrus modestus Kiesenwetter,1858** (Glaphyridae) Synonym(s): *modestus Kiesenwetter,1858; nigripes Schaufuss,1879* GR

945. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
946. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis Förster,1856* AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Ce GB RU YU TR
947. **Glyptomorpha baetica (Spinola,1843)** (Braconidae) Synonym(s): *baetica Spinola,1843* Bracon baeticus Spinola,1843, Anns Soc. ent. Fr. 1 (2): 125. TR MA PT ES GR
948. **Gnaptor spinimanus (Pallas,1781)** (Tenebrionidae) Synonym(s): *spinimanus Pallas,1781; glabratus Fabricius,1792; laevigatus Fabricius,1792; graecus Küster,1848* TR GR
949. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus Linnaeus,1767; clavimanus Pallas,1772; graecus Uvarov,1931; helveticus Uvarov,1931; hispanicus Uvarov,1931; pyrenaicus Uvarov,1931; turcicus Mistshenko,1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
950. **Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita Rondani,1868* TR BG HV GR IT Si ES UA
951. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigritarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
952. **Gryllomorpha (Gryllomorphella) miramae Medvedev,1933** (Gryllidae) Synonym(s): *miramae Medvedev,1933* GR BG UA KG
953. **Gryllomorpha (s.str.) cretensis Ramme,1927** (Gryllidae) Synonym(s): *cretensis Ramme,1927* GR Cr
954. **Gryllomorpha (s.str.) pieperi Harz,1979** (Gryllidae) Synonym(s): *pieperi Harz,1979* Gryllomorpha pieperi Harz,1979, Articulata 1 (11): 106, fig.10. Holotype ♀: Griechenland: Kols 30.x.1972 leg. H.Pieper. GR Kos TR?
955. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
956. **Gryllotalpa kimbasi Baccetti,1992** (Gryllotalpidae) Synonym(s): *kimbasi Baccetti,1992* GR
957. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus Ivanoff,1885; australis Haupt,1927* DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
958. **Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly,1785; cantharus Illiger,1803* RU TR Cc AM DE AT GR Rd EG Sn IL Pa SY DZ TN IR
959. **Gyrinus caspius Ménétré,1832** (Gyrinidae) Synonym(s): *caspius Ménétré,1832* DK NO FI GB DE FR NL ES GR TR
960. **Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris Loew,1847* FR RU GR IR Elb Th Ss IL Pa TR
961. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum Ahrens,1812; quinque maculata Germar,1821; lugens Horvath,1882* DZ BE FR DE GR IT NL PT ES SW TR YU
962. **Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti Peters,1974* IR Elb Th TR IL Pa GR
963. **Haplothrix aequalis (Reitter,1885)** (Melyridae) Synonym(s): *aequalis Reitter,1885* GR
964. **Haplothrix pospisili Majer,1989** (Melyridae) Synonym(s): *pospisili Majer,1989* GR Rd
965. **Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis Reitter,1885* GR
966. **Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis Reitter,1885* CY GR
967. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
968. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775; affinis Schrank,1781; bifoveolatus Kuster,1846; paganettii Flach,1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
969. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
970. **Helladia flavescens (Brullé,1832)** (Cerambycidae) Synonym(s): *flavescens Brullé,1832* GR
971. **Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans Gené,1836* GB ES IT FR TN GR TR
972. **Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans Rey,1885* Cc RU FI IR TR DE PL GR
973. **Helophorus hirsutiventris Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris Angus,1984* YU AL GR TR
974. **Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus Angus,1970* PL AT FR RU IT YU GR TR

975. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
976. **Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus Mulsant,1844* DK GB SE RU IT TR GR
977. **Helophorus pallidipennis Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis Mulsant & Wachanru,1852* TR CY GR
978. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera Loew,1854* RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
979. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
980. **Hemipenthes villeneuvei François,1970** (Bombyliidae) Synonym(s): *villeneuvei François,1970* IT FR GR
981. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo Loew,1869* AM Cc TR GR IQ UA Cm TN
982. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer Walker,1849; chetifera Walker,1849; alutifer Haliday,1851; cretifer Walker,1856; cretifera Walker,1856* GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
983. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis Stannius,1831; bohemani Wahlberg,1851* AM Cc BG GR TR UA RO TJ TM
984. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris Loew,1857; forcipatus A.Müller,1923* BG GG Cc GR IL Pa TR RO RU MA TJ
985. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus Maidl,1922; troodicus Mavromoustakis,1951* HV BG GR IT Si MT CY IL Pa SY TR
986. **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis Morawitz,1875; armeniacus Popov,1956* Cc AM TM CY IL Pa SY TR GR TJ
987. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
988. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
989. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastria Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
990. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis Lucas,1849* ES FR Co IT MK GR TR Cc KG NG SD SA LK
991. **Herophila beieri Breuning,1942** (Cerambycidae) Synonym(s): *beieri Breuning,1942* GR
992. **Herophila fairmairei (Thomson,1857)** (Cerambycidae) Synonym(s): *fairmairei Thomson,1857* GR
993. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis Linnaeus,1767* FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
994. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela Fieber,1860* AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
995. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; deserticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
996. **Heterocnemis (s.str.) graeca (Brullé,1832)** (Scarabaeidae) Synonym(s): *graeca Brullé,1832* GR
997. **Heterocnemis graeca (Brullé,1832)** (Scarabaeidae) Synonym(s): *graeca Brullé,1832* GR
998. **Heteropogon manni Loew,1854** (Asilidae) Synonym(s): *manni Loew,1854* GR DZ TR
999. **Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes Loew,1851* RU YU GR BG AL IL Pa TR
1000. **Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): *simplex Loew,1865* TR AL BG GR RO
1001. **Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus Linnaeus,1758; gagates Illiger,1807; aethiops Heer,1841* GB IT GR TR
1002. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata Walker,1834; albomaculatus Lucas,1849; maculipennis Steffani,1887; modesta Silvestri,1907; erdoesi Boucek,1952; nipponica Habu,1960* DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
1003. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR

1004. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928 **BG GR MK RO TR IL Pa SY JO**
1005. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 **AT FR GR HU IT PL RO RU YU IR**
1006. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 **IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH**
1007. **Homodela ismenia (Gory,1833)** (Carabidae) Synonym(s): *ismenia* Gory,1833 **GR TR**
1008. **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890 **BG GR TR CY LB**
1009. **Hoplitis (Alcidamea) abnormis Zanden,1992** (Megachilidae) Synonym(s): *abnormis* Zanden,1992 **GR IL Pa**
1010. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 **AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR**
1011. **Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876 **Gg Bjo Cc GR TR**
1012. **Hoplitis (Alcidamea) bispinosa Zanden,1992** (Megachilidae) Synonym(s): *bispinosa* Zanden,1992 **Hoplitis (Liosmia) bispinosa Zanden,1992, Linzer biol. Beitr. 24: 820. Holotype ♂: [Turkey]: Hakkari Prov., Yüksekova 2250m (RMNH). TR GR**
1013. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902 **FR GR HV MK SS IL Pa TR**
1014. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 **AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR**
1015. **Hoplitis (Alcidamea) galbula (Warncke,1991)** (Megachilidae) Synonym(s): *galbula* Warncke,1991 **GR TR**
1016. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872 **AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN**
1017. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 **AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR**
1018. **Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris* Warncke,1991 **Osmia (Alcidamea) stellaris Warncke,1991, Linzer biol. Beitr. 23: 731. Holotype ♂: [Turkey]: Van, Başkale 30km S 1700m (OLML Linz). JO SY TR GR**
1019. **Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea* Warncke,1991 **Osmia (Alcidamea) subbutea Warncke,1991, Linzer biol. Beitr. 23: 733. Holotype ♂: [Turkey]: Hakkari, Suvarihalil Pass 1900m (OLML Linz). TR GR KG IL Pa SY**
1020. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 **AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR**
1021. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
1022. **Hoplitis (Annosmia) idaensis (Warncke,1991)** (Megachilidae) Synonym(s): *idaensis* Warncke,1991 **GR Cr TR**
1023. **Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935 **GR Cr CY IL Pa JO SY TR**
1024. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 **ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR**
1025. **Hoplitis (Anthocopa) cretaea (Tkalcu,1992)** (Megachilidae) Synonym(s): *cretaea* Tkalcu,1992 **GR Cr**
1026. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 **AL AD CH ES FR GR HU HV IT Sa MK SS TR**
1027. **Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875 **KG AM Cc GR Cr TR**
1028. **Hoplitis (Anthocopa) graeca (Tkalcu,2000)** (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000 **GR TR**
1029. **Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948 **GR Cr CY JO SY TR**

1030. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 AT AM Cc ES FR Co GR HU RU SK TR
1031. **Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899 TR AL GR Cr HV? IL Pa SY JO
1032. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
1033. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
1034. **Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935 GR? IL Pa JO SY TR
1035. **Hoplitis (Anthocopa) yermasoyiae (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *coreyraea* Tkalcu,1979 AL AM Cc GR CY YU SY TR
1036. **Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899 GR Rd IL Pa JO SY LB TR
1037. **Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934 DZ MA GR TR SY IR
1038. **Hoplitis (Micreriades) haemi Tkalcu,2000** (Megachilidae) Synonym(s): *haemi* Tkalcu,2000 BG GR
1039. **Hoplitis (Micreriades) illyrica (Noskiewicz,1926)** (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926 BG GR HV IT Si MK
1040. **Hoplitis (Micreriades) parnesica (Mavromoutakis,1958)** (Megachilidae) Synonym(s): *parnesica* Mavromoutakis,1958 GR
1041. **Hoplitis (Pentadentosmia) pomarina (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991 *Osmia (Pentadentosmia) pomarina* Warncke,1991, *Entomofauna* 12: 22. Holotype ♂: Türkiye: Van Prov., Erciş 1650m (OLML Linz). GR MK TR IR
1042. **Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934 AL BG ES FR GR Cr HV IT PT SY TR
1043. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 AL BG Cc GG GR IT SS MA DZ TR
1044. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 GR AZ Cc BG ES FR IT Si TR
1045. **Hoplitis (Prionohoplitis) grossepunctata (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905 *Osmia grossepunctata* Kohl,1905, *Annln naturh. Mus. Wien* 20: 242. Holotype ♂: Türkiye, [Kayseri Prov.], Erdschias (Wwlije-Dagh" (NHMW). GR AM Cc TR
1046. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
1047. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 AM Cc BG GR MK JO TR SY
1048. **Hoplitis (s.str.) fabrei Zanden,1987** (Megachilidae) Synonym(s): *fabrei* Zanden,1987 GR
1049. **Hoplitis (s.str.) holmboei (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *holmboei* Mavromoustakis,1948 GR CY
1050. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898 IT GR HV MK SS DZ EG MA TN
1051. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
1052. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 AL GR Cr HV IT MK SS IL Pa JO SY TR
1053. **Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899 GR Cr HV RO SY TR
1054. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
1055. **Horvathianella palliceus (Horvath,1897)** (Delphacidae) Synonym(s): *palliceus* Horvath,1897 AT BG GR HU RO IT YU TR HV CZ
1056. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
1057. **Hyalesthes mavromoustakisi Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959 CY TR GR Rd JO
1058. **Hyalesthes thracicus Hoch,1985** (Cixiidae) Synonym(s): *thracicus* Hoch,1985 TR GR
1059. **Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *amani* Szilady,1926 TR IL Pa LB IQ SY GR BG

1060. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758
PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
1061. **Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771 DZ
GR TR Cc RU KG Sb TM SY
1062. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides*
Linnaeus,1758 AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE
CH UA YU
1063. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama*
Fairmaire,1829 BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
1064. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808
AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
1065. **Hydrocyphon segrex Nyholm,1972** (Scirtidae) Synonym(s): *segrex* Nyholm,1972 GR TR
Cc AZ IR
1066. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775
ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL
GR BG Cr CY TR
1067. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus*
Meigen,1824; *chloropus* Von Roser,1840 BG CY TR Cc GG GR IL Pa RO RU UA Cm
1068. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox*
Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus*
Hutton,1901; *breviventris* Becker,1902 BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
1069. **Hydrotaea penicillata (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866
FR Co PL CZ SK CH HU TR GR Cr
1070. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis* Erichson,1840
MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
1071. **Hypocaccus (s.str.) brasiliensis (Paykull,1811)** (Histeridae) Synonym(s): *brasiliensis*
Paykull,1811 IT Sa Si GR TR
1072. **Hypoganus inunctus (Panzer,1795)** (Elateridae) Synonym(s): *inunctus* Panzer,1795;
cinctus Paykull,1800 TR Cc SY GR
1073. **Hysteropterum angustum Melichar,1906** (Issidae) Synonym(s): *angustum* Melichar,1906
GR
1074. **Hysteropterum fallaciosum Matsumura,1910** (Issidae) Synonym(s): *fallaciosum*
Matsumura,1910 GR
1075. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides*
Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
1076. **Hysteropterum inconspicuum Matsumura,1910** (Issidae) Synonym(s): *inconspicuum*
Matsumura,1910 GR
1077. **Hysteropterum lesbicum Dlabola,1980** (Issidae) Synonym(s): *lesbicum* Dlabola,1980
GR TR
1078. **Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): *nervosum* Fieber,1877 DZ
GR IT IL ES YU
1079. **Hysteropterum obsoletum Fieber,1877** (Issidae) Synonym(s): *obsoletum* Fieber,1877 AL
GR IT YU
1080. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 AT BG
CS FR DE GR HU IT NL PL RO ES TR MD UA YU
1081. **Ichneumon haematofemur Heinrich,1980** (Ichneumonidae) Synonym(s):
haematofemur Heinrich,1980 GR TR YU
1082. **Ichneumon ostentator Heinrich,1978** (Ichneumonidae) Synonym(s): *ostentator*
Heinrich,1978 TR GR YU
1083. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965
Apanteles lacteoides Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ
KG MN UA DE GB FI AT HU
1084. **Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum* Lucas,1854
DZ FR IT Sa GR TR
1085. **Idiocera (s.str.) laterospina (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina*
Alexander,1975 GR TR Cc AM IR
1086. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis*
Loew,1856; *?filicina* Santos Abreu,1923; *similior* Alexander,1956 *Limnobia pulchripennis* Loew,1856,
Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG
TR AF GG AM AZ CY IL Pa IR TM TJ KK
1087. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 AF AT
FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
1088. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons*
Kirschbaum,1868 AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
1089. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata*
Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 *Gryllus* (Mantis)

- oratorius Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR
IN TD CA
1090. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis*
Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR
SY
1091. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van
Der Linden,1820 AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR
1092. **Isolabella graeca (Verhoeff,1901)** (Spongiphoridae) Synonym(s): *graeca* Verhoeff,1901
GR TR
1093. **Issus analis Brullé,1832** (Issidae) Synonym(s): *analis* Brullé,1832 GR
1094. **Issus coleopratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*);
coleopratus Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 DZ AT
BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
1095. **Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus* Fourcroy,1785; *luteus*
Fieber,1876 AL FR GR IT ES TR YU
1096. **Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri* Ahrens,1814; *climacus* Fieber,1876 TR
AL FR GR IT PT ES YU
1097. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis* Schrank,1781
Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
1098. **Issus pallipes Lucas,1853** (Issidae) Synonym(s): *pallipes* Lucas,1853 GR
1099. **Issus tendinosus Spinola,1839** (Issidae) Synonym(s): *tendinosus* Spinola,1839 AL GR IT
RO UA YU
1100. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897;
strigosa Matsumura,1910; *duffelsi* Dlabola,1974 IT Si HV YU CY FR GR ES TR
1101. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758;
nigriventris Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ
DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1102. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis*
Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG
MD RU Sb UA YU
1103. **Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835
GR AL BG CY TR SY IL Pa EG
1104. **Katamenes dimidiatus (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus* Brullé,1832 TR
GR
1105. **Katamenes sichelii (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852;
tauriae Giordani-Soika,1960 GR TR TM
1106. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 AL CY CZ FR GR
TR HU IL IT RU YU
1107. **Kelisia yarkonensis Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis*
Linnavuori,1962 IL AT BG CY GR YU TR
1108. **Kervillea syriaca (Melichar,1906)** (Issidae) Synonym(s): *syriaca* Melichar,1906 SY GR
1109. **Klapperichien viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima*
Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreate* Melichar,1902; *olivacea*
Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU
1110. **Kokujewia clementi Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949;
taschevi Vassilev,1978 GR BG TR
1111. **Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis* Reitter,1894 SY GR Cr
IL Pa
1112. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis*
Tournier,1889 GR BG TR HV YU MK RO SK UA RU Cc
1113. **Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957;
vidanoi Dworakowska,1970 BG TR GR PK YU IR
1114. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri*
Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
1115. **Labidostomis oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1889
BG GR TR MK
1116. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua*
Faldermann,1837; *binotata* Waltl,1838; *steveni* Waltl,1848; *arnoldii* Medvedev,1962 RO BG GR TR Cc IR
1117. **Labidostomis rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): *rufa* Waltl,1838 YU BG
GR TR
1118. **Labidostomis tymphristica Tomov,1990** (Chrysomelidae) Synonym(s): *tymphristica*
Tomov,1990 GR
1119. **Lachnaia orientalis (Weise,1882)** (Chrysomelidae) Synonym(s): *orientalis* Weise,1882
GR
1120. **Lachnaia zoiai Regalin,1997** (Chrysomelidae) Synonym(s): *zoiai* Regalin,1997 GR Cr
1121. **Lacon graecus Candeze,1857** (Elateridae) Synonym(s): *graecus* Candeze,1857 GR TR

1122. **Lacon kapleri Platia & Schimmel,1994** (Elateridae) Synonym(s): *kapleri Platia & Schimmel,1994* GR
1123. **Lacon punctatus (Herbst,1779)** (Elateridae) Synonym(s): *punctatus Herbst,1779* DZ GR TR
1124. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim,1823; weiratheiri J.Müller,1932* AL AM Cc TR GR BG IT IL Pa
1125. **Laemostenus (Pristonychus) conspicuus (Waltl,1838)** (Carabidae) Synonym(s): *conspicuus Waltl,1838; grandicollis Sturm,1843; grandis Motschoulsky,1950; nitidus Motschoulsky,1865* CY GR TR Rd
1126. **Laena graeca Weise,1878** (Tenebrionidae) Synonym(s): *graeca Weise,1878* GR TR
1127. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor Linnaeus,1758* ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
1128. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula Linnaeus,1767; antiqua Brullé,1832; Villaret,1833* NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
1129. **Lampyris hellenica Geisthardt,1983** (Lampyridae) Synonym(s): *hellenica Geisthardt,1983* GR
1130. **Lampyris monticola Geisthardt,2000** (Lampyridae) Synonym(s): *monticola Geisthardt,2000* GR
1131. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca Linnaeus,1758; sibirica Gebler,1847; longipennis Motschoulsky,1854; obscurella Motschoulsky,1854; thoracica Motschoulsky,1854; bellieri Reiche,1858; carreti E.Olivier,1895; minor E.Olivier,1901; parvicollis E.Olivier,1901* *Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa.* AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
1132. **Lampyris zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri Germar,1817* BG GR B-H HV MK RO YU
1133. **Lampyroidea achaiaca Gesithardt,1999** (Lampyridae) Synonym(s): *achaiaca Gesithardt,1999* GR
1134. **Lampyroidea graeca (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *graeca Laporte de Castelnau,1833; euboica Pic,1914* *Luciola graeca Laporte de Castelnau,1833, Anns Soc. ent. Fr. 2: 147.* GR TR
1135. **Lampyroidea quadrinotata Wittmer,1935** (Lampyridae) Synonym(s): *quadrinotata Wittmer,1935* GR
1136. **Laphria dizonias Loew,1847** (Asilidae) Synonym(s): *dizonias Loew,1847* Cc RU GR IQ IR Fa IL Pa TR
1137. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava Linnaeus,1761; conopsoides Scopoli,1763; ferox Scopoli,1763; fulva Geoffroy,1785; pedemontana Fabricius,1794; escorialensis Strobl,1906* DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
1138. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi Schiner,1865; arenacea Paramonov,1930* IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
1139. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola Loew,1847* IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
1140. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum Pérez,1903; rhodosianus Strand,1909; balneorum Ebmer,1974; bubulcus Warncke,1982* ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
1141. **Lasioglossum albocinctum (Lucas,1846)** (Halictidae) Synonym(s): *albocinctum Lucas,1846* ES IT FR DE CH GR
1142. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum Morawitz,1873; dmitrijewi Morawitz,1892* Cc UA GR TR IL Pa IR
1143. **Lasioglossum bischoffi (Blüthgen,1931)** (Halictidae) Synonym(s): *bischoffi Blüthgen,1931* YU TR GR CY
1144. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum Pérez,1895; mesoleus Cockerell,1938; donatum Warncke,1975* MA DZ IT YU GR AL TR IL Pa Cc IR
1145. **Lasioglossum eurasicum Ebmer,1972** (Halictidae) Synonym(s): *eurasicum Ebmer,1972* YU GR TR
1146. **Lasioglossum glaciegenitum (Ebmer,1972)** (Halictidae) Synonym(s): *glaciegenitum Ebmer,1972* GR IR
1147. **Lasioglossum lateralis (Brullé,1832)** (Halictidae) Synonym(s): *lateralis Brullé,1832; bifasciatus Brullé,1832; ticinensis Frey-Gessner,1903* ES FR CH HU TR GR
1148. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes Blüthgen,1934* IT Si Co GR ES MA DZ TR
1149. **Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius Walker,1849; tenuirostris Loew,1854; bertoni Seguy,1932* GR AL FR RO YU BG TR

1150. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868 AT BG HV DZ FR IT Si RO GR TR SY JO
1151. **Latilca maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910 MA FR IT ES CY GR IL IT TR YU
1152. **Leia graeca Bechev,1997** (Mycetophilidae) Synonym(s): *graeca* Bechev,1997 GR
1153. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775 TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
1154. **Leptochilus aegineticus Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus* Gusenleitner,1970 TR GR
1155. **Leptochilus ebmeri Gusenleitner,1985** (Vespidae) Synonym(s): *ebmeri* Gusenleitner,1985 GR Cr
1156. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
1157. **Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): *palparis* Loew,1847 GR SY TR
1158. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaenicke,1867 IR BG CZ FR DE GR HU IT RU CH TR
1159. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
1160. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
1161. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
1162. **Leuctra aegaeica I.Pardo & Zwick,1993** (Leuctridae) Synonym(s): *aegaeica* I.Pardo & Zwick,1993 GR
1163. **Leuctra cretica Zwick,1978** (Leuctridae) Synonym(s): *cretica* Zwick,1978 GR Cr
1164. **Leuctra kykladica I.Pardo & Zwick,1993** (Leuctridae) Synonym(s): *kykladica* I.Pardo & Zwick,1993 GR
1165. **Leuctra rhodoica I.Pardo & Zwick,1993** (Leuctridae) Synonym(s): *rhodoica* I.Pardo & Zwick,1993 GR Rd
1166. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
1167. **Libanissum talhouki (Dlabola,1974)** (Issidae) Synonym(s): *talhouki* Dlabola,1974 CY TR LB GR
1168. **Libelloides rhomboideus (Schneider,1845)** (Ascalaphidae) Synonym(s): *rhomboideus* Schneider,1845 AL GR TR SY IL Pa
1169. **Limonius minutus (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus* Linnaeus,1758 IT Si GR TR Cc AM RU Sb Am
1170. **Limonius quercus (Olivier,1790)** (Elateridae) Synonym(s): *quercus* Olivier,1790 IT GR
1171. **Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden,1825; *inkitii* Bartenev,1929 TR DZ EG Cc AM GR YU IQ IL Pa
1172. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1173. **Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967 GR TR SY LB
1174. **Lomatia graeca Paramonov,1928** (Bombyliidae) Synonym(s): *graeca* Paramonov,1928 IT GR
1175. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
1176. **Longitarsus apicalis (Beck,1817)** (Chrysomelidae) Synonym(s): *apicalis* Beck,1817; *analis* Duftschmidt,1825; *praticola* Sahlberg,1834; *fischeri* Zetterstedt,1838; *quadrimaculatus* Weise,1888 FR GR TM
1177. **Longitarsus barbarae Doguet & Bergeal,2002** (Chrysomelidae) Synonym(s): *barbarae* Doguet & Bergeal,2002 GR TR
1178. **Longitarsus cerinthes (Schrank,1798)** (Chrysomelidae) Synonym(s): *cerinthes* Schrank,1798; *nervosa* Wollaston,1854; *pectoralis* Foudras,1860 GR TR Cn
1179. **Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus* Weise,1890 TR GR JO IL Pa
1180. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824 RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
1181. **Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor* Dejean,1822 TR Cr Rd GR SY

1182. **Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817 AM AZ
Cc GG Tbl IR TR BG GR CY Rd IQ TM PK BI TJ AF OM
1183. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758;
capreolus Fuessly,1775 nec Linn.,1758; *dorcax* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis*
Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845
GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
1184. **Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus*
Motschoulsky,1845; *curtulus* Motschoulsky,1845; *barbarossa* Burmeister,1847 nec Fabr.,1801; *minor*
Burmeister,1847; *orientalis* Kraatz,1860; *piger* Motschoulsky,1870; *syriacus* Motschoulsky,1870;
tenebrosus Motschoulsky,1870; *intermedius* Motschoulsky,1870; *caspica* Semenov,1901; *ravasini*
Schatzmayr,1923; #*ibericus* Sabatinelli,1977 **Lucanus ibericus Motschoulsky,1845, Bull. Soc. nat.**
Moscou 18: 60. AL GR Cc GG Tbl Akh Smt AZ Len TR IR Elb Mz Gh
1185. **Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica* Linnaeus,1758
Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401. Type(s): *Italia*. HV GR MK IT SL RO
SZ YU TR
1186. **Lygaeosoma reticulatum (Herrich-Schäffer,1838)** (Lygaeidae) Synonym(s):
reticulatum Herrich-Schäffer,1838 Cn CY GR TR
1187. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854 AF IR IL Pa
IT SY TR GR Cr
1188. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini*
Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955 Cc AL AT CY CS
FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
1189. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis*
Loew,1849; *cerdo* Gerstaecker,1861 IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
1190. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus* Loew,1849 IT HU AT
YU RO GR BG AL TR
1191. **Machimus leucocephalus Janssens,1968** (Asilidae) Synonym(s): *leucocephalus*
Janssens,1968 GR Cr TR
1192. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus* Loew,1849 HU YU
RO GR BG TR IR Gor
1193. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus*
Meigen,1820; *genualis* Zeller,1840 IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH
NL TR GB
1194. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 IR Es
GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
1195. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s):
lemariei Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
1196. **Macropsis heracleionica Dlabola,1967** (Cicadellidae) Synonym(s): *heracleionica*
Dlabola,1967 GR Cr
1197. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868;
bipunctata Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926 DZ AT BG CS DK FR DE GR
HU NL PL RO ES TN TR Cc GG KG RU Sb YU
1198. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ
KG? MD? RU Sb TJ? UA? UZ? YU?
1199. **Macrocytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus*
Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML
MT MA MZ NG PK PT CG SA SN Sk CH SY TZ TZ Zz TM TN UG UZ YE YU ZR 01 31
1200. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 AF
BG GR FR IT PT ES TR
1201. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni*
Lindberg,1954; *ossiannilssoni* Le Quense,1968 Cn CZ DK GB FI DE Md SE IR EG GR Cc TR
1202. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa
IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
1203. **Macrosteles ramosus Ribaut,1952** (Cicadellidae) Synonym(s): *ramosus* Ribaut,1952;
quadricornis Lindberg,1954; *orientalis* Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
1204. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE
AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
1205. **Malachius carnifex Erichson,1840** (Melyridae) Synonym(s): *carnifex* Erichson,1840 GR
TR
1206. **Malachius coccineus Waltl,1838** (Melyridae) Synonym(s): *coccineus* Waltl,1838 GR TR
1207. **Malachius graecus Kraatz,1862** (Melyridae) Synonym(s): *graecus* Kraatz,1862 GR
1208. **Malachius labiatus Brullé,1832** (Melyridae) Synonym(s): *labiatus* Brullé,1832 GR
1209. **Malachius labiatus Brullé,1832** (Melyridae) Synonym(s): *labiatus* Brullé,1832 GR AZ Cc

- 1210. Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987* **GR Cr CY TR IT LY**
- 1211. Malachius truncaticornis Abeille,1890** (Melyridae) Synonym(s): *truncaticornis Abeille,1890* **GR TR**
- 1212. Maladera (Macroserica) graeca Petrovitz,1969** (Scarabaeidae) Synonym(s): *graeca Petrovitz,1969* **GR**
- 1213. Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima Faldermann,1835* **TR AZ AM Cc GG GR Cr IR LB IL Pa RU MD TM**
- 1214. Mallosia graeca (Sturm,1843)** (Cerambycidae) Synonym(s): *graeca Sturm,1843* **GR**
- 1215. Malthinus graciosus Pic,1901** (Cantharidae) Synonym(s): *graciosus Pic,1901* **GR**
- 1216. Malthinus lasithiensis Wittmer,1975** (Cantharidae) Synonym(s): *lasithiensis Wittmer,1975* **GR Cr**
- 1217. Malthodes denizianus Wittmer,1970** (Cantharidae) Synonym(s): *denizianus Wittmer,1970* **TR GR**
- 1218. Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte U.Aspöck & H.Aspöck,1994; #aphavexellte Dobosz,2007* **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994, Annl. naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur**
- 1219. Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis McLachlan,1875; ?minuta Kozhantshikov,1949; ?caucasica Handschin,1959* **GR Rd TR Cc AM IQ IR AF TJ TM KK UZ CN Ui**
- 1220. Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca Poda,1761; pagana Fabricius,1775; hauseri Poivre,1982* **AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA**
- 1221. Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus Fieber,1866* **CY GR IL Pa IT JO TR RU Cc YU IQ**
- 1222. Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus Radoszkowski,1877; scythes Skorikov,1925* **TR Cc AM IR RU RO GR YU BG PL**
- 1223. Megabombus pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum Scopoli,1763; agrorum Fabricius,1787* **GB IT FR CH Sa BE TR Cc GR BG IR**
- 1224. Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus Smith,1854* **BG RO HU GR Cc IR RU TR**
- 1225. Megaphala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica Dejean,1822* **IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY**
- 1226. Megascolia maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata Drury,1773; flavifrons Fabricius,1775; haemorrhoidalis Fabricius,1787; insignis Saussure,1858; versicolor Saussure,1859* **FR IT Sa Si GR Cr TR TM**
- 1227. Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans Schmitz,1935* **DE AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR**
- 1228. Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
- 1229. Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballestrerii Rondani,1877* **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
- 1230. Megastigmus wachtli Seitner,1916** (Torymidae) Synonym(s): *wachtli Seitner,1916* **PT DZ FR IT SS B-H GR Cr TR**
- 1231. Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* **IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET**
- 1232. Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus Klug,1845* **LY Cy Rd GR TR CY IR IQ AF SY LB TD CF SD ET**
- 1233. Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis Edwards,1915* **AL BG FR GB GR IL IT TR GG Cc YU IR**
- 1234. Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum Linnaeus,1758; facultas Harris,1776; scalare Panzer,1797; mellarium Meigen,1822; melliturgus Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinsum Bigot,1884; nigricorne Stroble,1893* **DZ US GB HU NL DE SE NO GR Cr TR**
- 1235. Melanotus (s.str.) aemulus (Erichson,1841)** (Elateridae) Synonym(s): *aemulus Erichson,1841* **GR SY TR**
- 1236. Melanotus (s.str.) brignolii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *brignolii Guglielmi & Platia,1985* **TR GR**
- 1237. Melanotus (s.str.) brunnipes (Germar,1824)** (Elateridae) Synonym(s): *brunnipes Germar,1824* **GR Cc TR**
- 1238. Melanotus (s.str.) castanipes (Paykull,1800)** (Elateridae) Synonym(s): *castanipes Paykull,1800* **TR GR RU Sb US**

1239. **Melanotus (s.str.) crassicollis (Erichson,1841)** (Elateridae) Synonym(s): *crassicollis* Erichson,1841 **TR GR**
1240. **Melanotus (s.str.) dichrous (Erichson,1841)** (Elateridae) Synonym(s): *dichrous* Erichson,1841 **TR GR**
1241. **Melanotus (s.str.) fusciceps (Gyllenhal,1817)** (Elateridae) Synonym(s): *fusciceps* Gyllenhal,1817; *robustus* Erichson,1841 **HV GR TR**
1242. **Melanotus (s.str.) punctolineatus (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829 **GR SY TR RU Sb**
1243. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 **TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH**
1244. **Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785 **GR DZ TR**
1245. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 **LT IT GR MD RO RU ES UA**
1246. **Melieria omissa (Meigen,1826)** (Ulidiidae) Synonym(s): *omissa* Meigen,1826 **UA GR MD LT**
1247. **Melillaia matsumuri (Metcalf,1955)** (Cicadellidae) Synonym(s): *acuminatus* Matsumura,1908 (*praeocc.*); *matsumuri* Metcalf,1955 **GR Cr IT Si**
1248. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 **ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY**
1249. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 **FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF**
1250. **Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida* Frivaldsky,1835 **GR SY TR IL Pa**
1251. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916 **SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO**
1252. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 **MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr**
1253. **Merodon alagoezicus Paramonov,1925** (Syrphidae) Synonym(s): *alagoezicus* Paramonov,1925 **Cc AM Eri TR GR**
1254. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930 **PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ**
1255. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji* Paramonov,1925 **DZ MA TN ES FR IT GR UA MN**
1256. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liroy,1864 **DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU**
1257. **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus* Curran,1939 **MA FR IT GR TR**
1258. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 **MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR**
1259. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913 **ES FR CH AT HU IT Si YU BG GR CY TR LB**
1260. **Merodon crassifemoris Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris* Paramonov,1925 **UA Cm FR GR TR YU**
1261. **Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): *distinctus* Palma,1863; *dimorpha* Szilady,1940 **FR IT YU GR RU TR**
1262. **Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus* Paramonov,1925 **MK GR IL Pa TR Cc Eri AM**
1263. **Merodon femoratoides Paramonov,1925** (Syrphidae) Synonym(s): *femoratoides* Paramonov,1925 **DZ GR UA Cm TR**
1264. **Merodon femoratus Sack,1913** (Syrphidae) Synonym(s): *femoratus* Sack,1913 **FR Co GR TR IT**
1265. **Merodon hamifer Sack,1913** (Syrphidae) Synonym(s): *hamifer* Sack,1913 **GR TR**
1266. **Merodon kaloceros Hurkmans,1993** (Syrphidae) Synonym(s): *kaloceros* Hurkmans,1993 **Merodon kaloceros** Hurkmans,1993, Tijdschr. Ent. 136: 187-188, figs. Holotype ♂: Turkey: Antalya Prov., N. Akseki Irmasan gediği 1600m. 24.vii.1981 (ZMAN). **MK GR TR**
1267. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil Collado,1930 **MA DZ ES YU GR UA RU LB IL Pa SY TR**

1268. **Merodon mariae Hurkmans,1993** (Syrphidae) Synonym(s): *mariae Hurkmans,1993* FR
Co IT GR
1269. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR
IT YU GR Rd CY Cc BG IL Pa
1270. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845*
ES FR AT GR HU IT YU PL CH TR
1271. **Merodon obscuratarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuratarsis Strobl,1909*;
fuerteventurensis Barkemeyer,2002 ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
1272. **Merodon papillus Vujic, Radenkovic & Perez-Banon,2007** (Syrphidae) Synonym(s):
papillus Vujic, Radenkovic & Perez-Banon,2007 GR Ae Le
1273. **Merodon parietum Wiedemann,1822** (Syrphidae) Synonym(s): *parietum*
Wiedemann,1822 PT ES FR GR
1274. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790*; *fulvus*
Macquart,1834; *pallidus Macquart,1842*; *sicanus Rondani,1845*; *fuscinervis Röder,1887*; *obscurus Gil*
Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
1275. **Merodon sapphous Vujic, Perez-Banon & Radenkovic,2007** (Syrphidae) Synonym(s):
sapphous Vujic, Perez-Banon & Radenkovic,2007 GR Ae Le
1276. **Merodon velox Loew,1869** (Syrphidae) Synonym(s): *velox Loew,1869*; *anathema*
Paramonov,1925; *armeniaca Paramonov,1925* **Merodon velox Loew,1869, Besch. eur. Dipt.: 253.**
Lectotype ♂: "Rhodus" (NHMW), designated by Hurkmans (1993: 183). MK GR Rd TR Cc AM Eri AZ
Nv Ord
1277. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798*
TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1278. **Metacantharis peloponnesica Wittmer,1974** (Cantharidae) Synonym(s): *peloponnesica*
Wittmer,1974 GR
1279. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792*;
formicaria Latreille,1792; *ichneumonides Latreille,1805*; *mutillaria Latreille,1806*; *sanvitali Latreille,1809*;
italica Costa,1858 articulata Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG
NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
1280. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae)
Synonym(s): *stigmatipennis Mulsant & Rey,1855*; *quadripunctata Kirschbaum,1868*; *pulcherrimus*
Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1281. **Micantulina (Mulsantina) teucris (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucris*
Cerutti,1938; *impunctata Cerutti,1938*; *incompleta Cerutti,1938* AT BG GR TR IT SW UA YU
1282. **Micronecta vitticeps (Horvath,1895)** (Corixidae) Synonym(s): *vitticeps Horvath,1895*
BG TR YU GR
1283. **Microptilis cebes Nixon,1970** (Braconidae) Synonym(s): *cebes Nixon,1970* GR TR YU AT
SE CZ TR MN
1284. **Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator*
Fabricius,1798 TR CY IR MN GR RU
1285. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH
Cc AZ DK BG FR GR HU NL TR
1286. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* Cc AZ RU Da
CY DE GR GB TR KG ES CH SE HU YU
1287. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847*; *palposa*
Zetterstedt,1848 SE FI RU DK DE PL SK CZHU AT IT GB GR EG
1288. **Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa Meigen,1830* Cn PT
FR IT Sa GR YU TR
1289. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola Remane,1961*
IQ AT FR GR HU RU TR
1290. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis Weber,1801*; *burdigalensis Latreille,1804*; *#bordigalensis Charpentier,1825*;
cerisyi Audinet-Serville,1838; *geminus Audinet-Serville,1838*; *arvensis Rambur,1838*; *cinereus Costa,1852*;
marginatus Eversmann,1859; *minusculus Walker,1869*; *pygmaeus Walker,1869*; *eversmanni*
Jakovlev,1871; *ferdinandi Bolivar,1899*; *hygrophilus Krauss,1902*; *intermedia Bolivar,1927* TR MA DZ TN
LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN
KP KR JP
1291. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius Linnaeus,1767*;
marmoratus Geoffroy,1785; *teuton Macquart,1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO
YU BG GR RU TR IR Es
1292. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834*
TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH
UA GB US
1293. **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera Reuter,1888* TR IL
Pa IR EG RU SY GR
1294. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper Sulzer,1776* ES FR Co IT
AL CH RO GR SS BG HU PL MD

1295. **Morimus ganglbaueri (Reitter,1884)** (Cerambycidae) Synonym(s): *ganglbaueri* Reitter,1884 IT MK AL GR
1296. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
1297. **Mulsanteus schauimi (Candeze,1881)** (Elateridae) Synonym(s): *schauimi* Candeze,1881 GR SY TR
1298. **Musaria affinis (Harrer,1784)** (Cerambycidae) Synonym(s): *affinis* Harrer,1784; *nigripes* Voet,1778 GR RU Cc
1299. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
1300. **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831 *Halys spinosula* Lefebvre,1831, [in] Guérin-Ménéville, Magas. Zool. 1: page & tab.21. GR TR IR Kh Cc AZ Kir Nv Ord EG YU B-H
1301. **Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787 TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
1302. **Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris* Fabricius,1787 TR MK GR BG RU Cc
1303. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus* Fabricius,1794 Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
1304. **Mycterodus (Semirodus) colossicus (Dlabola,1987)** (Issidae) Synonym(s): *colossicus* Dlabola,1987 GR Rd
1305. **Mycterodus (Semirodus) hioles Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *hioles* Gnezdilov & Drosopoulos,2004 GR
1306. **Mycterodus (Semirodus) idomeneus Dlabola,1985** (Issidae) Synonym(s): *idomeneus* Dlabola,1985 GR Cr
1307. **Mycterodus (Semirodus) ikarus Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *ikarus* Gnezdilov & Drosopoulos,2004 GR
1308. **Mycterodus (Semirodus) ionus Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *ionus* Gnezdilov & Drosopoulos,2004 GR TR
1309. **Mycterodus (Semirodus) johannesii Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *johannesii* Gnezdilov & Drosopoulos,2004 TR GR
1310. **Mycterodus (Semirodus) pallens Stal,1861** (Issidae) Synonym(s): *pallens* Stal,1861 GR TR Gk YU
1311. **Mycterodus efesicus Dlabola,1971** (Issidae) Synonym(s): *efesicus* Dlabola,1971 TR GR
1312. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835 FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1313. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1314. **Mylabris cincta Olivier,1811** (Meloidae) Synonym(s): *cincta* Olivier,1811; #cincat Kaszab,1968 TR AF Cc GR SY IR DZ
1315. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec Fabr.,1781; *fabricii* Sumakov,1924 TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1316. **Mylabris humerosa (Escherich,1899)** (Meloidae) Synonym(s): *humerosa* Escherich,1899 TR Cc TM UZ GR SY
1317. **Mylabris laevicollis Marseul,1870** (Meloidae) Synonym(s): *laevicollis* Marseul,1870 TR Cc TM GR
1318. **Mylabris syriaca Klug,1845** (Meloidae) Synonym(s): *syriaca* Klug,1845 TR IR SY IL Pa EG GR SD
1319. **Mylabris zebraea (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870 TR Cc IR GR
1320. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979 *Myopites apicatus* Freidberg,1979, Israel J. ent. 13: 16. TR IL Pa IT HU GR Gr AT FR CZ
1321. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
1322. **Myrmeleon (Morter) inconspicuus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur,1842 ES GR IR TR
1323. **Myrmica pelops Seifert,2003** (Formicidae) Synonym(s): *pelops* Seifert,2003 GR
1324. **Myrmica ravasinii Finzi,1923** (Formicidae) Synonym(s): *ravasinii* Finzi,1923 AL GR BTR Cc GG Bjo
1325. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 TR KG UZ SY GR BG YU MK AT HU RO UA RU

1326. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi Skorikov,1927* TR SY GR BG AT RO UA
1327. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
1328. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica Kolenati,1846; jasonia Skorikov,1927; kiritschenkoi Skorikov,1927* GR BG TR Cc RU Da GG AM AZ IR UA Cm
1329. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s): *#corniculata Gerstaecker,1862; corniculata Sichel & Radoszowski,1869* FR GR SY Cc UA Cm TR IL Pa IR
1330. **Myrmilla (s.str.) corniculatina Skorikov,1927** (Mutillidae) Synonym(s): *corniculatina Skorikov,1927* GR
1331. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille,1792; latreillei Meyer,1794; cornuta Olivier,1811; megacephala Costa,1858; bison Costa,1887* AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
1332. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica Radoszkowski,1885* GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
1333. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus Costa,1847* CZ BG ES FR PT IT RO RU SK GR YU TR
1334. **Nampista auriventris (Guérin-Méneville,1838)** (Mantispidae) Synonym(s): *auriventris Guérin-Méneville,1838; apicalis Loew,1843; speciosa Navas,1914* Mantispa auriventris Guérin-Méneville,1838, Mag. Zool. Ins., pl. 202. GR Rd EG OM
1335. **Nebria (Tyrrenia) testacea Olivier,1811** (Carabidae) Synonym(s): *testacea Olivier,1811* GR TR
1336. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Uf At IT Sa Si MT FR ES
1337. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelira Özbek & Szaloki,1998* ES IT Si Sa TR GR SY TM TJ
1338. **Nemoptera coa (Linnaeus,1758)** (Nemopteridae) Synonym(s): *coa Linnaeus,1758; petiveri Westwood,1841* GR TR Cc
1339. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata Olivier,1811* YU RO GR BG TR SY Cc IR
1340. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* TR IT Si CY ES YU BG GR RU Cc AM IL IR
1341. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969* YU HU RO IT BG AL GR TR CY RU Cc IL EG
1342. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris Meigen,1822; globuliceps Loew,1846; pseudoglobuliceps Pleske,1937; reichardti Pleske,1937* TR DE AT BG CZ KG HU MN PL RO RU SK YU GR
1343. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* GR IT YU RO BG AL RU UA Cc TR IL IR
1344. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
1345. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
1346. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus Herrich-Schäffer,1834* AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
1347. **Nealiturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus Kirschbaum,1868* CZ FR DE GR HU IT UA TR
1348. **Neodorcadion bilineatum (Germar,1824)** (Cerambycidae) Synonym(s): *bilineatum Germar,1824* GR TR
1349. **Neodorcadion fallax (Kraatz,1873)** (Cerambycidae) Synonym(s): *fallax Kraatz,1873; fallaciosum Breuning,1947* GR MK
1350. **Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;...* BG GR TR

1351. **Neodorcadion pelleti (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *pelleti* Mulsant & Rey,1863; *segne* Mulsant & Rey,1863; *disjunctum* Pic,1907; *credulum* Pic,1917 **GR TR**
1352. **Neodorcadion virleti (Brullé,1832)** (Cerambycidae) Synonym(s): *virleti* Brullé,1832; *ionicum* Pic,1901; *acarnanicum* Pic,1914; *subbinotatum* Pic,1914 **GR**
1353. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 **IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW**
1354. **Neoleria pusilla Loew,1862** (Heleomyzidae) Synonym(s): *pusilla* Loew,1862 **TR GR**
1355. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
1356. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
1357. **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae) Synonym(s): *theowaldi* Oosterbroek,1978 **GR TR**
1358. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 **ES Cn Md FR IR IT JP TR GR Cr YU IR**
1359. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
1360. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**
1361. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
1362. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
1363. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
1364. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
1365. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
1366. **Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888 **GR TR EG IL CN JP KP KR MA**
1367. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
1368. **Nothodes parvulus (Panzer,1799)** (Elateridae) Synonym(s): *parvulus* Panzer,1799 **GR TR RU**
1369. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
1370. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897 **B-H BG HV GR MK TR IR IL Pa SY**
1371. **Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889 **BG GR MD TR UA SY**
1372. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 **AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL**
1373. **Notoxus angustulus Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919 **Cc AM AZ GR TR IR TM**
1374. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
1375. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**

1376. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia Latreille,1805* **DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR**
1377. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii Schiner,1853* **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
1378. **Nyctophila colorata Geisthardt,1983** (Lampyridae) Synonym(s): *colorata Geisthardt,1983* **GR**
1379. **Nyctophila graeca Geisthardt,1990** (Lampyridae) Synonym(s): *graeca Geisthardt,1990* **GR**
1380. **Nyctophila riegeri Geisthardt,1990** (Lampyridae) Synonym(s): *riegeri Geisthardt,1990* **GR**
1381. **Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis Linnaeus,1761* **CZ GR TR Cc RU**
1382. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata Linnaeus,1758* **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1383. **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa Brunner von Wattenwyl,1882* **TR Rd GR CY**
1384. **Ochrilidia tibialis (Fieber,1853)** (Acrididae) Synonym(s): *tibialis Fieber,1853* **TR Cr GR**
1385. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata Panzer,[1798]; vulpina Panzer,[1798]; hydropta Meigen,1822; latifasciata Macquart,1834; brevicornis Loew,1840; ruficornis Zetterstedt,1842; hydrophila Loew,1846* **SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl**
1386. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922* **GR IT Si BG GR TR UA RU Cc AZ IL IR**
1387. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor Loew,1846; limbata Macquart,1849 nec Meig.,1822* **MA DZ FR Co RO ES IT GR TR IL AF**
1388. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima Rossi,1790; decora Meigen,1822; infuscata Meigen,1830; semiviolacea Brullé,1832; nigripes Macquart,1847; laufferi Strobl,1909* **MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ**
1389. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor Fieber,1876* **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**
1390. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus Fieber,1876; maculatus Fieber,1876* **AF BG CZ GR RO SY TR RU Cc AZ**
1391. **Oliarus sordidus Fieber,1876** (Cixiidae) Synonym(s): *sordidus Fieber,1876* **GR**
1392. **Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis Loew,1844* **TR GR IT IR**
1393. **Oligopogon creticus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *creticus Geller-Grimm & Hradsky,2003* **GR Cr**
1394. **Oligopogon graecus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *graecus Geller-Grimm & Hradsky,2003* **GR**
1395. **Oligopogon hybotinus (Loew,1847)** (Asilidae) Synonym(s): *hybotinus Loew,1847* **GR Rd TR**
1396. **Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *londti Geller-Grimm & Hradsky,2003* **TR GR**
1397. **Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi Galante,1985* **BG GR MK RO TR**
1398. **Omaloplia (s.str.) caeca (Baraud,1965)** (Scarabaeidae) Synonym(s): *caeca Baraud,1965; balcanica Adam,1994* **BG GR MK**
1399. **Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *cerrutii Sabatinelli,1977* **AL BG GR TR**
1400. **Omaloplia (s.str.) corcyrae (Baraud,1965)** (Scarabaeidae) Synonym(s): *corcyrae Baraud,1965* **AL BG Cr GR MK RO YU**
1401. **Omaloplia (s.str.) depilis (Müller,1910)** (Scarabaeidae) Synonym(s): *depilis Müller,1910* **GR**
1402. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* **AL BG Cr GR HU MK MD RO UA YU TR**
1403. **Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) Synonym(s): *gibbosa Baraud,1965; macedoniae Baraud,1965* **AL GR MK YU TR**
1404. **Omaloplia (s.str.) gobbii (Piattella & Sabatinelli,1993)** (Scarabaeidae) Synonym(s): *gobbii Piattella & Sabatinelli,1993* **GR**
1405. **Omaloplia (s.str.) graeca (Reitter,1887)** (Scarabaeidae) Synonym(s): *graeca Reitter,1887; attica Baraud,1965; oetaea Baraud,1965* **GR**
1406. **Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994* **BG FR GR RO TR**

1407. **Omaloplia (s.str.) illyrica (Baraud,1965)** (Scarabaeidae) Synonym(s): *illyrica Baraud,1965* AL B-H BG Cr GR MK RO YU
1408. **Omaloplia (s.str.) iris (Reitter,1887)** (Scarabaeidae) Synonym(s): *iris Reitter,1887* BG GR MK RO YU
1409. **Omaloplia (s.str.) minuta (Brenske,1887)** (Scarabaeidae) Synonym(s): *minuta Brenske,1887* GR
1410. **Omaloplia (s.str.) polita (Baraud,1965)** (Scarabaeidae) Synonym(s): *polita Baraud,1965* GR
1411. **Omaloplia (s.str.) pubipennis Rössner & Ahrens,2004** (Scarabaeidae) Synonym(s): *pubipennis Rössner & Ahrens,2004* GR
1412. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola Fabricius,1775; humeralis Fabricius,1775; marginatus Fuessly,1775; floricola Laicharting,1781; atrata Geoffroy,1785; pruinosa Küster,1849; populi Gistel,1857; intermedia Abeille,1895; fritschi Reitter,1905; arnoldi Medvedev,1952; tergestina Bauard,1965; svanetica Medvedev & Dzambazishvilli,1973* AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc
1413. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni Stal,1863* GR HU IT RO ES UA UZ
1414. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni Bolivar & Chicote,1879; longiceps Puton,1896; alternans Horvath,1916; longicipiti Horvath,1916* AL GR CY IQ IL IT PT ES TR
1415. **Ommatissus binotatus Fieber,1876** (Tropiduchidae) Synonym(s): *binotatus Fieber,1876* DZ CN GR IQ LY MA
1416. **Omocestus (s.str.) minutus (Brullé,1832)** (Acrididae) Synonym(s): *minutus Brullé,1832; moreanus Ramme,1926; chersonensis Pustovojt,1927* TR GR RU
1417. **Omophlus (Odontomophlus) flavipennis Küster,1850** (Tenebrionidae) Synonym(s): *flavipennis Küster,1850* IT GR Rd
1418. **Omophlus (Odontomophlus) lepturoides (Fabricius,1787)** (Tenebrionidae) Synonym(s): *lepturoides Fabricius,1787* IT GR TR
1419. **Omophlus (s.str.) proteus Kirsch,1869** (Tenebrionidae) Synonym(s): *proteus Kirsch,1869* IT GR
1420. **Omophlus (s.str.) turcicus Kirsch,1869** (Tenebrionidae) Synonym(s): *turcicus Kirsch,1869* GR TR
1421. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis Zetterstedt,1840; frontalis Flor,1861; rufusculus Fieber,1868; brevicauda Thomson,1870* AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
1422. **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas Steven,1806; laevigatus Olivier,1811; steveni Brullé,1832* Cc GG GR RU TR IR AM SY LB
1423. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
1424. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB
1425. **Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832* Cc SY CY IR TR BG GR IL Pa EG
1426. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM
1427. **Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis Petrovitz,1963* TR IL Pa SY IR MK GR BG
1428. **Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés,1832* TM Cc AM TR SY IQ IL Pa CY GR Rd
1429. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni Harold,1877* TR BG MK GR RO UA HU
1430. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis Gebler,1817* RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
1431. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis Reitter,1893* BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
1432. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus Harold,1883; furcicornis Reitter,1893; granulifer Reitter,1893; granulosis Kozhantschikov,1894; gorhami Shipp,1895; krali Balthasar,1963; citellorum Medvedev,1965* Cc GG TR RU SY LB IR AZ AM RO GR
1433. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis Panzer,1798* RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR

1434. **Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae)
Synonym(s): *suturellus* Brullé,1832; *trochiscobius* Kolenati,1846 **RU Cc AZ GR TR SY IR**
1435. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae)
Synonym(s): *vacca* Linnaeus,1767 **RU MD Ur AZ Cc TM TR SY IR MA Az GR Cr**
1436. **Onychopterocheilus hellenicus (Morawitz,1885)** (Vespidae) Synonym(s): *hellenicus* Morawitz,1885; *syriacus* Blüthgen,1952 **GR TR SY**
1437. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
1438. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
1439. **Ophiogomphus cecilia (Fourcroy,1785)** (Gomphidae) Synonym(s): *cecilia* Fourcroy,1785; *serpentinus* Charpentier,1825 **TR GR**
1440. **Opilo taeniatus (Klug,1842)** (Cleridae) Synonym(s): *taeniatus* Klug,1842 **AT CZ YU AT Cc Cr GR Rd LY Cy SY TR IL Pa**
1441. **Opsilia coeruleascens (Scopoli,1763)** (Cerambycidae) Synonym(s): *coeruleascens* Scopoli,1763 **DZ FR SS HV GR TR**
1442. **Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi* Lethierry,1874 **DZ EG GR IL TN Cc AZ KG KK RU TJ UZ**
1443. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
1444. **Orchamus raulinii (Lucas,1854)** (Pamphagidae) Synonym(s): *raulinii* Lucas,1854 **GR Cr**
1445. **Orchamus yersini (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *raulinii* Yersin,1860 nec Lucas,1854; *yersini* Brunner von Wattenwyl,1882 **Rd GR LB Bei TR**
1446. **Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* Robineau-Desvoidy,1830; *octopunctata* Macquart,1835 **DE AZ AM Cc FR GR Cr GB MD TR RU Sb IL Pa KG KK**
1447. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 **CY FR GR ES TR IL Pa JO LB SY**
1448. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 **Cc AZ BG CY GR IL Pa UA Cm DZ TN Md TZ**
1449. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
1450. **Osbornellus macchiae (Lindberg,1948)** (Cicadellidae) Synonym(s): *macchiae* Lindberg,1948; *consanguineus* Dlabola,1967 **CY TR GR**
1451. **Osmanius bathasari (Petrovitz,1963)** (Scarabaeidae) Synonym(s): *bathasari* Petrovitz,1963 **GR TR**
1452. **Osmia (Allosmia) bischoffi Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi* Atanassov,1938 **BG GR RO TR**
1453. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 **AM Cc BG FR GR IT Si MK UA TR**
1454. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa Jo SY TR**
1455. **Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899 **AL GR Cr DZ EG TN CY IL Pa Jo SY TR**
1456. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
1457. **Osmia (Erythrosmia) erythrogastra Ferton,1905** (Megachilidae) Synonym(s): *erythrogastra* Ferton,1905 **FR Co GR IT Sa CY TR**
1458. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
1459. **Osmia (Helicosmia) caeruleascens (Linneus,1758)** (Megachilidae) Synonym(s): *caeruleascens* Linneus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR Jo SY TR Ca US IN**
1460. **Osmia (Helicosmia) cinctella Dours,1873** (Megachilidae) Synonym(s): *cinctella* Dours,1873 **GR Cr ES DZ**
1461. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 **MK BG ES GR IL Pa Jo SY Cc TR**

1462. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Ce TM CY IL Pa LB TR IR**
1463. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934 **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
1464. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 **CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR**
1465. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
1466. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
1467. **Osmia (Helicosmia) mirhiji Mavromoustakis,1957** (Megachilidae) Synonym(s): *mirhiji* Mavromoustakis,1957 **GR LB SY**
1468. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
1469. **Osmia (Helicosmia) niveocincta Pérez,1879** (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 **ES FR GR IT Sa PT DZ MA IL? Pa?**
1470. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
1471. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 **AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR**
1472. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
1473. **Osmia (Hoplosmia) croatica Friese,1893** (Megachilidae) Synonym(s): *croatica* Friese,1893 **BG GR HV IT SS TR**
1474. **Osmia (Hoplosmia) distinguenda (Tkalcu,1974)** (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974 **IL Pa Js AM GR Cc JO TR**
1475. **Osmia (Hoplosmia) elegans (Tkalcu,1992)** (Megachilidae) Synonym(s): *elegans* Tkalcu,1992 **GR TR JO**
1476. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *destrita* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
1477. **Osmia (Hoplosmia) padri (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri* Tkalcu,1974 **BG GR HV MK SY TR**
1478. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
1479. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 **BG GR MK EG IL Pa JO LB SY TR**
1480. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 **AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US**
1481. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR**
1482. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 **AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS**
1483. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
1484. **Osmia (Neosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 **AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR**
1485. **Osmia (Neosmia) jason Benoist,1929** (Megachilidae) Synonym(s): *jason* Benoist,1929 **GR MK RO IL Pa**

1486. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica Mavromoustakis,1937* GR CY IT Si IL Pa JO SY TR
1487. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes Morawitz,1870; bacillus Pérez,1879; pulsata Buysson,1899; longiceps Morawitz,1876* AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
1488. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha Pérez,1879; cyanoxura Zanden,1991; elbaba Warncke,1992* AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
1489. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea Latreille,1811; metallica Lucas,1849; igneopurpurea Costa,1882* ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY
1490. **Osmia (Pyrosmia) forticornis Zanden,1989** (Megachilidae) Synonym(s): *forticornis Zanden,1989* AM Cc GR TR
1491. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum Spinola,1808; ruborum Dufour & Perris,1840; lapidistructor Fertton,1920* AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1492. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados Zanden,1984* AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
1493. **Osmia (Pyrosmia) laticauda Stanek,1969** (Megachilidae) Synonym(s): *laticauda Stanek,1969; tichodroma Warncke,1992* GR MK TR
1494. **Osmia (Pyrosmia) morensis Zanden,1984** (Megachilidae) Synonym(s): *morensis Zanden,1984* GR Rd IL Pa SY TR
1495. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana Morawitz,1874; tetrodonta Benoist,1934* BG GR Cr HV IT Si RU Da Cc DZ? CN Ui CY IL Pa JO LB SY TR
1496. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola Ducke,1899; caelestina Benoist,1929; cypricola Mavromoustakis,1937; posti Mavromoustakis,1956; riemanni Warncke,1992* ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
1497. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans Morawitz,1870; giraudi Schmiedeknecht,1886; hebraea Benoist,1934; canaria Mavromoustakis,1957; lanzarotae Warncke,1992; columbina Zanden,1996* CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1498. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii Zanden,1981* GR HV IT CY IL Pa JO SY TR
1499. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor Latreille,1811; corrusca Erichson,1835; laeta Gistel,1857; algarbiensis Strand,1917; viricephalica Warncke,1992* AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
1500. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana Morawitz,1874; rufispina Morawitz,1875; angulata Pérez,1896; nicosiana Mavromoustakis,1939; mulleolus Zanden,1984* AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1501. **Osmia (s.str.) ariadne Peters,1978** (Megachilidae) Synonym(s): *ariadne Peters,1978* GR Cr TR
1502. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis Linnaeus,1758; rufa Linnaeus,1758; globosa Scopoli,1763; agino Harris,1776; cornigera Rossi,1790; fronticornis Panzer,1799; hedera Smith,1844; fracticornis Pérez,1895; borealis Ducke,1899* AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1503. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis Morawitz,1876* AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1504. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta Latreille,1805; divergens Friese,1920; neoregaena Mavromoustakis,1938; quasirufa Peters,1978* AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
1505. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina Gerstaecker,1869; nigrohirta Friese,1899; griseohirta Alfken,1935; umbrosa Peters,1978* AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
1506. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis Zanden,1983 Anthocopa rhodensis Zanden,1983, Faun. Abh. Mus. Tierk. Dresden 10: 126-129. Griechenland: Rhodos. GR Rd TR*
1507. **Osmia (Tergosmia) rhodoensis (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis Zanden,1983; arcuata Warncke,1988; ferina Warncke,1988* AM Cc GR Rd JO TR
1508. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis Ducke,1897; ononidis Fertton,1897; rondoui Pérez,1902; wolhynica Noskiewicz,1922; atlantica Benoist,1934; remota Tkalcu,1979* AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
1509. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus Scopoli,1763* AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR

1510. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 **DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT**
1511. **Oxycera grata Loew,1869** (Stratiomyidae) Synonym(s): *grata* Loew,1869 **GR TR**
1512. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 **RO GR CY RU UA Cc AZ TR IL LB**
1513. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 **SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ**
1514. **Oxyilia duponcheli (Brullé,1832)** (Cerambycidae) Synonym(s): *duponcheli* Brullé,1832 **AL BG GR**
1515. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 **TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR**
1516. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praec.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 **Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF**
1517. **Pachyanthrax laconae Greathead,1981** (Bombyliidae) Synonym(s): *laconae* Greathead,1981 **IT GR**
1518. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loevi* Zaitzev,1989 **IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU**
1519. **Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): *unctus* Loew,1869 **IT GR Rd TR**
1520. **Pachybrachis (s.str.) creticus Weise,1886** (Chrysomelidae) Synonym(s): *creticus* Weise,1886 **GR Cr**
1521. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 *nec* Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
1522. **Pachybrachis (s.str.) freyi Burlini,1957** (Chrysomelidae) Synonym(s): *freyi* Burlini,1957 **GR**
1523. **Pachybrachis (s.str.) leonardii Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *leonardii* Sassi & Schöller,2003 **GR Rd**
1524. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882 **GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd**
1525. **Pachybrachis (s.str.) oertzeni Weise,1886** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1886 **GR**
1526. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 **FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb**
1527. **Pachyscelis obscura Solier,1836** (Tenebrionidae) Synonym(s): *obscura* Solier,1836 **GR**
1528. **Pachyscelis quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832 **GR Cr TR**
1529. **Pachyscelis thessalica Reitter,1893** (Tenebrionidae) Synonym(s): *thessalica* Reitter,1893 **GR**
1530. **Pachyscelis villosa (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836 **TR GR SY Cc**
1531. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 **TR IT AT UA YU RO AL MK GR BG**
1532. **Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832 **AL DZ BG CS GR TN TR YU**
1533. **Pagiphora aschei Kartal,1978** (Cicadidae) Synonym(s): *aschei* Kartal,1978 **Pagiphora aschei** Kartal,1978, Ent. Z., Frankf. a. M. 88 (16): 179-185. **TR GR Cr**
1534. **Pandivirilia caesia (Meigen,1838)** (Therevidae) Synonym(s): *caesia* Meigen,1838 **GR**
1535. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 **YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES**
1536. **Panorpa germanica Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929 **DE TR GR BE FR IT GB NO**
1537. **Panorpa lacedaemonia Lauterbach,1972** (Panorpidae) Synonym(s): *lacedaemonia* Lauterbach,1972; *corcyraea* Lauterbach,1972 **GR**
1538. **Panorpa rufostigma Westwood,1846** (Panorpidae) Synonym(s): *rufostigma* Westwood,1846 **GR**

1539. **Paracaloptenus caloptenoides (Brunner von Wattenwyl,1861)** (Acrididae)
Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878
Platyphyma caloptenoides Brunner von Wattenwyl,1861, Verh. zool.- bot. Ges. Wien 11: 226.
Lectotype ♂: [Serbia]: Brdjane (BMNH). TR GR YU MD SK BG HU AT
1540. **Paracaloptenus caloptenoides moreanus Willemse,1973** (Acrididae) Synonym(s):
moreanus Willemse,1973 GR
1541. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus*
Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1542. **Paracorymbia pallens (Brullé,1832)** (Cerambycidae) Synonym(s): *pallens* Brullé,1832
GR AL BG YU
1543. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus*
Wiedemann,1830 DZ FR IT GR MK MA PT ES TN YU
1544. **Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis*
Loew,1846 TR GR IL Pa IT SY
1545. **Paragus (Pandasyophtalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis*
Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar*
Schmmele,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 TR DZ GB HU NL
DE GR Cr
1546. **Paragus (s.str.) bicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata*
Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus*
Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuratus* Bigot,1862; *angustifrons* Loew,1863 TR DZ GB
HU GR Cr
1547. **Paramesus ancorifer Linnavuori,1953** (Cicadellidae) Synonym(s): *ancorifer*
Linnavuori,1953 GR
1548. **Paramyrmosa bischoffi (Invrea,1952)** (Mutillidae) Synonym(s): *bischoffi* Invrea,1952
GR
1549. **Paramyrmosa brunnipes (Lepelletier,1845)** (Mutillidae) Synonym(s): *brunnipes*
Lepelletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR
ES PT RU Sb Cc AM TR
1550. **Paranocarodes fieberi (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s):
fieberi Brunner von Wattenwyl,1882 TR GR
1551. **Paranocarodes straubei (Fieber,1853)** (Pamphagidae) Synonym(s): *straubei* Fieber,1853
TR GR
1552. **Paraphamartania syriaca (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867
IR Elb Th KG SY GR IL Pa TR
1553. **Parapholidoptera castaneoviridis (Brunner von Wattenwyl,1882)** (Tettigoniidae)
Synonym(s): *castaneoviridis* Brunner von Wattenwyl,1882; *ornata* Nedelkov,1907 GR BG TR
1554. **Parorgerius platypus (Fieber,1866)** (Dictyopharidae) Synonym(s): *platypus* Fieber,1866
GR YU
1555. **Paussus (Cochliopausus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s):
turcicus Frivaldszky,1835 AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
1556. **Pedestredorcadion aeginasum (Pic,1942)** (Cerambycidae) Synonym(s): *aeginasum*
Pic,1942 GR
1557. **Pedestredorcadion amphissae (Breuning,1974)** (Cerambycidae) Synonym(s):
amphissae Breuning,1974 GR
1558. **Pedestredorcadion arcadium (Breuning,1946)** (Cerambycidae) Synonym(s): *arcadium*
Breuning,1946; *unicolor* Breuning,1946 GR
1559. **Pedestredorcadion arenarioides (Rabaron,1979)** (Cerambycidae) Synonym(s):
arenarioides Rabaron,1979 GR Rd
1560. **Pedestredorcadion atritarse (Pic,1931)** (Cerambycidae) Synonym(s): *atritarse* Pic,1931
GR
1561. **Pedestredorcadion atticum (Kraatz,1873)** (Cerambycidae) Synonym(s): *atticum*
Kraatz,1873 GR
1562. **Pedestredorcadion breuningi (Heyrovsky,1943)** (Cerambycidae) Synonym(s):
breuningi Heyrovsky,1943 GR TR
1563. **Pedestredorcadion buresi (Streba,1922)** (Cerambycidae) Synonym(s): *buresi* Streba,1922
GR
1564. **Pedestredorcadion coreyricum (Ganglbauer,1883)** (Cerambycidae) Synonym(s):
coreyricum Ganglbauer,1883 GR
1565. **Pedestredorcadion emgei (Ganglbauer,1886)** (Cerambycidae) Synonym(s): *emgei*
Ganglbauer,1886 GR
1566. **Pedestredorcadion epirensis (Breuning,1942)** (Cerambycidae) Synonym(s): *epirensis*
Breuning,1942 GR

1567. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisiturale* Jurecek,1933;... **MK BG UA Cm GR RO RU YU**
1568. **Pedestredorcadion etruscum (Rossi,1790)** (Cerambycidae) Synonym(s): *etruscum* Rossi,1790; *italicum* Küster,1847;... **AL GR IT**
1569. **Pedestredorcadion eugeniae (Ganglbauer,1886)** (Cerambycidae) Synonym(s): *eugeniae* Ganglbauer,1886; *peloponesium* Pic,1902; *moreanum* Pic,1907 **GR**
1570. **Pedestredorcadion funestum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *funestum* Ganglbauer,1883 **GR**
1571. **Pedestredorcadion granigerum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *granigerum* Ganglbauer,1883 **GR**
1572. **Pedestredorcadion heldreichi (Kraatz,1873)** (Cerambycidae) Synonym(s): *heldreichi* Kraatz,1873 **GR**
1573. **Pedestredorcadion insulare (Kraatz,1873)** (Cerambycidae) Synonym(s): *insulare* Kraatz,1873 **GR**
1574. **Pedestredorcadion joanninae (Breuning,1967)** (Cerambycidae) Synonym(s): *joanninae* Breuning,1967 **GR**
1575. **Pedestredorcadion krueperi (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *krueperi* Ganglbauer,1883 **GR MK**
1576. **Pedestredorcadion kykladicum (Breuning,1944)** (Cerambycidae) Synonym(s): *kykladicum* Breuning,1944 **GR**
1577. **Pedestredorcadion lamiae (Breuning,1962)** (Cerambycidae) Synonym(s): *lamiae* Breuning,1962 **GR**
1578. **Pedestredorcadion lianokladii (Breuning,1962)** (Cerambycidae) Synonym(s): *lianokladii* Breuning,1962 **GR**
1579. **Pedestredorcadion lineatocolle (Kraatz,1873)** (Cerambycidae) Synonym(s): *lineatocolle* Kraatz,1873; *riveti* Pic,1927; *sinuaticolle* Pic,1927 **BG GR YU**
1580. **Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre* Kraatz,1873 **BG GR MK TR**
1581. **Pedestredorcadion margheritae (Breuning,1964)** (Cerambycidae) Synonym(s): *margheritae* Breuning,1964 **GR**
1582. **Pedestredorcadion meschniggi (Breit,1928)** (Cerambycidae) Synonym(s): *meschniggi* Breit,1928 **GR**
1583. **Pedestredorcadion mimarenarium (Breuning,1974)** (Cerambycidae) Synonym(s): *mimarenarium* Breuning,1974 **GR**
1584. **Pedestredorcadion nemeense (Breuning,1974)** (Cerambycidae) Synonym(s): *nemeense* Breuning,1974 **GR**
1585. **Pedestredorcadion obenbergeri (Heyrovsky,1940)** (Cerambycidae) Synonym(s): *obenbergeri* Heyrovsky,1940 **GR**
1586. **Pedestredorcadion obsoletum (Kraatz,1873)** (Cerambycidae) Synonym(s): *obsoletum* Kraatz,1873; *obsoletoides* Breuning,1946 **GR TR**
1587. **Pedestredorcadion olympianum (Meschnigg,1947)** (Cerambycidae) Synonym(s): *olympianum* Meschnigg,1947 **GR**
1588. **Pedestredorcadion olympicola (Heyrovsky,1941)** (Cerambycidae) Synonym(s): *olympicola* Heyrovsky,1941 **GR**
1589. **Pedestredorcadion ossae (Heyrovsky,1941)** (Cerambycidae) Synonym(s): *ossae* Heyrovsky,1941 **GR**
1590. **Pedestredorcadion parinfernale (Breuning,1975)** (Cerambycidae) Synonym(s): *parinfernale* Breuning,1975 **GR**
1591. **Pedestredorcadion parnassi (Kraatz,1873)** (Cerambycidae) Synonym(s): *parnassi* Kraatz,1873; *oertzeni* Ganglbauer,1883 **GR**
1592. **Pedestredorcadion pilosellum (Kraatz,1873)** (Cerambycidae) Synonym(s): *pilosellum* Kraatz,1873 **GR**
1593. **Pedestredorcadion pindicum (Breuning,1966)** (Cerambycidae) Synonym(s): *pindicum* Breuning,1966 **GR**
1594. **Pedestredorcadion pseudolineatocolle (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudolineatocolle* Breuning,1962 **GR**
1595. **Pedestredorcadion regulare (Pic,1931)** (Cerambycidae) Synonym(s): *regulare* Pic,1931 **GR TR BG**
1596. **Pedestredorcadion salonicum (Pic,1916)** (Cerambycidae) Synonym(s): *salonicum* Pic,1916 **GR MK**
1597. **Pedestredorcadion scopoli (Herbst,1784)** (Cerambycidae) Synonym(s): *scopoli* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... **RU Sb HU BG AT CZ GR SK UA YU**

1598. **Pedestredorcadion smyrnensis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *smyrnensis* Linnaeus,1758; *crux* Billberg,1817; *graecum* Waltl,1838; *cruciator* Gistel,1848; *bifidum* Chevrolat,1882;... **TR GR**
1599. **Pedestredorcadion subjunctum (Pic,1904)** (Cerambycidae) Synonym(s): *subjunctum* Pic,1904 **GR**
1600. **Pedestredorcadion taborskyi (Heyrovksy,1941)** (Cerambycidae) Synonym(s): *taborskyi* Heyrovksy,1941 **GR**
1601. **Pedestredorcadion tassii (Breuning,1964)** (Cerambycidae) Synonym(s): *tassii* Breuning,1964 **GR**
1602. **Pedestredorcadion tauricum (Waltl,1838)** (Cerambycidae) Synonym(s): *tauricum* Waltl,1838; *nigritarse* Kraatz,1873 **RO BG GR MK**
1603. **Pedestredorcadion taygetanum (Pic,1902)** (Cerambycidae) Synonym(s): *taygetanum* Pic,1902 **GR**
1604. **Pedestredorcadion thessalicum (Pic,1916)** (Cerambycidae) Synonym(s): *thessalicum* Pic,1916 **GR**
1605. **Pedestredorcadion tuleskovi (Heyrovsky,1937)** (Cerambycidae) Synonym(s): *tuleskovi* Heyrovsky,1937 **GR**
1606. **Pedestredorcadion valonense (Pic,1917)** (Cerambycidae) Synonym(s): *valonense* Pic,1917; *apfelbecki* Winkler,1924 **AL GR**
1607. **Pedestredorcadion veluchense (Pic,1903)** (Cerambycidae) Synonym(s): *veluchense* Pic,1903 **GR**
1608. **Pedestredorcadion veluchianum (Breuning,1943)** (Cerambycidae) Synonym(s): *veluchianum* Breuning,1943 **GR**
1609. **Pedestredorcadion wewalkai (Breuning,1974)** (Cerambycidae) Synonym(s): *wewalkai* Breuning,1974 **GR**
1610. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
1611. **Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pediidae) Synonym(s): *zernyi* Lackschewitz,1940 **AL AT HV GR RO TR**
1612. **Pedostrangalia emmipoda (Mulsant,1863)** (Cerambycidae) Synonym(s): *emmipoda* Mulsant,1863 **GR TR AM Cc**
1613. **Pedostrangalia verticalis (Germar,1822)** (Cerambycidae) Synonym(s): *verticalis* Germar,1822 **YU HV GR**
1614. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 **AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP HkK CN**
1615. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia* Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 **Cn CZ FI HU IT GR NO MT RU SE DZ**
1616. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 **SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR**
1617. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 **PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa**
1618. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839 **PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk**
1619. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 **MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF**
1620. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 **MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN**
1621. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 **AF AZ BG Cc GR HU RO RU SL SY TR UA YU**
1622. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876 **TR AF BG CZ GR RO SY RU**
1623. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 **AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU**
1624. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
1625. **Pericoma platystyla R.Wagner,1986** (Psychodidae) Synonym(s): *platystyla* R.Wagner,1986 **Pericoma platystyla R.Wagner,1986, Entomofauna 7 (6): 84-85, fig.4. Holotype ♂: Türkiye: Prov. Hakkari, Sat Dag, Varegös, SW Yüksekova, 1700m, 4-8.8.1983 leg. Schacht. GR TR**

1626. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH
TR UA IR IL Pa SA SY
1627. **Peripontius oertzeni Schwarz,1897** (Elateridae) Synonym(s): *oertzeni* Schwarz,1897 GR
Cr
1628. **Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): *terminatus*
Erichson,1842 GR RO TR
1629. **Pezotettix lagoi Jannone,1936** (Acrididae) Synonym(s): *lagoi* Jannone,1936; *silvestrii*
Jannone,1936 Rd GR
1630. **Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae*
Fabricius,1792 GR TR Cc KG RU Sb
1631. **Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis*
Berthoumieu,1901 BG TR GR Cc RU
1632. **Phanerotoma (Bracotritoma) parva Kokujev,1903** (Braconidae) Synonym(s): *parva*
Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930 CY GR MN RU
1633. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805;
minor Snoflak,1951 AT BE CZ GB GR IT NL PL ES SE Cc AZ DE
1634. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 AT CZ
FR GR HU IR IT MN ES RU Sb US Cf
1635. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi*
Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959
BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
1636. **Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898;
kerteszi Szepliget,1900; *graeffei* Fischer,1959 AT GR HU IT TR MD YU
1637. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata*
Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
1638. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL
AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1639. **Phalasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei*
Dupuis,1957 TR PT ES FR DE HU SK B-H CH IT BG GR
1640. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824
PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co
Sa Si Cr
1641. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860 ES
FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1642. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera*
Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1643. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798
ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1644. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s):
subcoleoprata Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1645. **Phasia venturii Draber-Monko,1965** (Tachinidae) Synonym(s): *venturii* Draber-
Monko,1965 PT ES FR GR Cr
1646. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896 AF
AL CY GR IQ IT MA ES TR YU
1647. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius*
Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF
AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW
SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1648. **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus*
Becker,1913 IR Ss Ke Kh Fa AZ Cc TR GR IQ IL Pa RU AF
1649. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820;
canescens Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher*
Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU
Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1650. **Philopotamus achemenus Schmid,1959** (Philopotamidae) Synonym(s): *achemenus*
Schmid,1959 *Philopotamus achemenus* Schmid,1959, Beitr. Ent. 9: 210. GR BG TR IR
1651. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI
RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1652. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR
CH AT IT Sa Co Cr TR
1653. **Phlebotomus (Larrousius) neglectus Tonnoir,1921** (Psychodidae) Synonym(s):
neglectus Tonnoir,1921 TR GR
1654. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881 IR IQ
CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ

1655. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1656. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846 IT TR B-H HV FR GR IR IL Pa MK SS ES YU
1657. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedei* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1658. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura* Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1659. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1660. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
1661. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1662. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1663. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1664. **Phycotettix paryphantus (Lethierry,1878)** (Cicadellidae) Synonym(s): *paryphantus* Lethierry,1878; *abalia* Ferrari,1884; *rubrostriatus* Loew,1885 DZ GR IT Sa MA ES TN
1665. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860 TR Cc GR IT MT IR AF KG RU CN
1666. **Phyllotreta pontoaegeica Gruev,1982** (Chrysomelidae) Synonym(s): *pontoaegeica* Gruev,1982 TR GR BG
1667. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905 PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1668. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1669. **Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps* Horvath,1903 DZ LB TR CY GR
1670. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1671. **Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyssler,1791 AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1672. **Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis* Rondani,1865 ES IT Si GR Cr TR
1673. **Phytoecia caerulea (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea* Scopoli,1772 TR Cc IR GR
1674. **Phytoecia cylindrica (Linnaeus,1758)** (Cerambycidae) Synonym(s): *cylindrica* Linnaeus,1758 DE GR
1675. **Phytoecia geniculata Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863 GR BG CY TR
1676. **Phytoecia nausicae Rejzek & Kaklopoulos,2004** (Cerambycidae) Synonym(s): *nausicae* Rejzek & Kaklopoulos,2004 GR
1677. **Phytoecia virgula (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula* Charpentier,1825 GR SK TR Cc RU KG
1678. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1679. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens* Fabricius,1803; *maculicornis* Mulsant,1852 AL DZ AT GR Cr FR IT MA PT ES TR YU
1680. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1681. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *causicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1682. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata*

- Peneau*,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1683. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1684. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888 PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1685. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1686. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1687. **Pignatellus irroratus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *irroratus* Olivier,1811; *imbecillus* Stein,1863; *extorris* Navas,1913; *clarus* Navas,1914; *sobrius* Navas,1914 YU MK GR TR
1688. **Pimelia (Eurypimelia) subglobosa (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781 GR TR UA RU
1689. **Pimelia (Eurypimelia) subglobosa polita Solier,1836** (Tenebrionidae) Synonym(s): *polita* Solier,1836; *euboica* Boield.,1865 TR GR
1690. **Pimelia (Eurypimelia) subglobosa verruculifera Solier,1836** (Tenebrionidae) Synonym(s): *verruculifera* Solier,1836 TR GR
1691. **Pimelia sericella Solier,1836** (Tenebrionidae) Synonym(s): *sericella* Solier,1836 GR TR Cr
1692. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841 AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1693. **Pittonotus theseus (Germar,1817)** (Elateridae) Synonym(s): *theseus* Germar,1817 GR LB EG TR
1694. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901 PT ES FR IT MA AZ Cc IR IL Pa GR
1695. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1696. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *incerta* Brunner von Wattenwyl,1882 TR GR Cr SY
1697. **Platycleis (s.str.) affinis Fieber,1853** (Tettigoniidae) Synonym(s): *affinis* Fieber,1853; *boscae* Bolivar,1873 TR GR Rd
1698. **Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata* Goeze,1778; *denticulata* Panzer,1796; *falcata* Zetterstedt,1821; *biedermanni* Wolff,1911; *occidentalis* Zeuner,1930; *jerseyana* Zeuner,1940 ES TR DE GR Cr
1699. **Platycleis (Sporadiana) sporadarum Werner,1933** (Tettigoniidae) Synonym(s): *sporadarum* Werner,1933; *brevipes* Uvarov,1934 GR TR
1700. **Platycnemis pennipes (Pallas,1771)** (Platycnemidae) Synonym(s): *pennipes* Pallas,1771 TR Rd GR RU Da Cc GG
1701. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1702. **Platymetopius complicatus Nast,1972** (Cicadellidae) Synonym(s): *signoreti* Metcalf,1967 (*praeocc.*); *complicatus* Nast,1972 AT GR TR YU
1703. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811 TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
1704. **Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 TR GR YU LB SY EG
1705. **Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844 IT Si GR YU LB SY EG TR
1706. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum* Loew,1856 FR GR Cr TR SY IL Pa RO RU
1707. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933 Gryllus (Locusta) *pedestris* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin). AT DE GR TR BG RU IT FR Cc
1708. **Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985 TR AF IR IQ SY IL Pa GR
1709. **Poecilimon mytilenensis Werner,1932** (Tettigoniidae) Synonym(s): *mytilenensis* Werner,1932; *brevicauda* Werner,1932 GR Les TR

1710. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824
BG Cc GG GR RO RU TR UA Cm IR UZ
1711. **Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis*
Chaudoir,1871 BE GR RU TR UA KG
1712. **Pogonistes liliputanus Apfelbeck,1904** (Carabidae) Synonym(s): *liliputanus*
Apfelbeck,1904 GR TR
1713. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828
BE GR RO RU TR UA KG
1714. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum*
Fabricius,1794 IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1715. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus* Kohl,1898 IT FR
GR YU TR Cc AZ IL IN CN
1716. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767;
foedratus Kohl,1898; *omissus* Weyrauch,1939 ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
1717. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 DE FR
IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1718. **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848 AZ Cc
RU GR AL IR IL Pa TR SY
1719. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758
AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1720. **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s):
olivieri Laporte de Castelnau,1840 RU Cc AM GG AL GR TR IR SY IL Pa
1721. **Procallimus egregius (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *egregius*
Mulsant & Rey,1863 TR GR UA Cm
1722. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant &
Rey,1855; *albolimbatus* Kirschbaum,1868 FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
1723. **Proceraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835
TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1724. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848 YU SS B-H
HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM
1725. **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus*
Pallas,1781 BG GR TR IR IL Pa SY LB
1726. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense*
Djafarov,1954; *pronevitschae* Rubtsov,1955 AZ AM Cc RU TR GR Rd BG RO
1727. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes*
Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929;
canbalicum Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum*
Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU
IE IT Si MA PL PT RO YU SK SS ES CH UA
1728. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 DE AL CZ
BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
1729. **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878 RU IL Pa SY
TR Cc GR
1730. **Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): *tessellatum*
Linnaeus,1758 GR TR Cc RU Sb US
1731. **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s):
trojana Gory & Percheron,1833 Cc AM GG GR BG TR AZ IR LY Cy DZ
1732. **Protaetia (Potosia) cretica Kraatz,1880** (Scarabaeidae) Synonym(s): *cretica* Kraatz,1880
GR Cr
1733. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea*
Fabricius,1775 ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
1734. **Protaetia (Potosia) rhodensis Rataj,1998** (Scarabaeidae) Synonym(s): *rhodensis*
Rataj,1998 GR Rd
1735. **Protaetia (Potosia) vidua (Gory & Perchenson,1833)** (Scarabaeidae) Synonym(s):
vidua Gory & Perchenson,1833 BG GR TR
1736. **Proteinus creticus Assing,2004** (Staphylinidae) Synonym(s): *creticus* Assing,2004 TR GR
Cr
1737. **Protonemura intricata (Ris,1902)** (Nemouridae) Synonym(s): *intricata* Ris,1902 ES GR
TR
1738. **Protonemura mattheyi (Aubert,1956)** (Nemouridae) Synonym(s): *mattheyi* Aubert,1956
TR LB GR
1739. **Protonemura praecox (Morton,1894)** (Nemouridae) Synonym(s): *praecox* Morton,1894
Nemoura praecox Morton,1894, Trans. ent. Soc. London 1894: 566-567. Syntypes: Great Britain.
GB GR TR
1740. **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s):
longiceps Friese,1899; *depauperata* Benoist,1928 GR Cr TR IL Pa JO SY LB

1741. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
1742. **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899 **GR DZ CY IL Pa JO LB SY TR**
1743. **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899 **GR CY IL Pa JO LB SY TR**
1744. **Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978 **BG GR MK TR**
1745. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 **ES FR GR MA DZ TR**
1746. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890 **BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR**
1747. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1748. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombofifer* Fieber,1869; *substriatus* Then,1902 **AL AT BE CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR**
1749. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
1750. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 **ES Cn CY FR IL YU GR Cr IT Si TR**
1751. **Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885 **Cn GR Cr TR AF IN NP TH TW JP Ry MY PH ID**
1752. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 **IT AT B-H HU RO BG GR TR**
1753. **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica* sensu Özbek et al.,1999 nec Radoszkowski,1885 **SY IL Pa TR GR**
1754. **Pseudosphegthes bergeri Slama,1982** (Cerambycidae) Synonym(s): *bergeri* Slama,1982 **GR Cr**
1755. **Psilothrix melanostoma (Brullé,1832)** (Melyridae) Synonym(s): *melanostoma* Brullé,1832 **GR**
1756. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 **SE DK DE Cn GR IT PT ES NL TR TN**
1757. **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 **ES IT GR CY TR**
1758. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 **ES BG GR TR SY IL Pa LB IQ**
1759. **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783 **GR SK HU Cc TR SY IR**
1760. **Purpuricenens desfontainei (Fabricius,1792)** (Cerambycidae) Synonym(s): *desfontainei* Fabricius,1792 **GR TR**
1761. **Purpuricenens kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri* Linnaeus,1758 **GR Cc TR IR**
1762. **Purpuricenens renyvona Slama,2001** (Cerambycidae) Synonym(s): *renyvona* Slama,2001 **BG GR**
1763. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 **TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN**
1764. **Pycnopogon mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847 **TR IR Es Fa GR JO IL Pa EG Cc AZ AM GG**
1765. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
1766. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845 **AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU**
1767. **Quadrastylum scoleogramma (Fieber,1877)** (Issidae) Synonym(s): *scoleogramma* Fieber,1877 **GR TR**
1768. **Quartinia soikai Richards,1962** (Vespidae) Synonym(s): *soikai* Richards,1962 **TR GR**
1769. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864 **BG GR Cc RU KG UA Cm TR**
1770. **Ranissus acucephalus Fieber,1866** (Dictyopharidae) Synonym(s): *acucephalus* Fieber,1866 **DZ? GR**
1771. **Ranissus discrepans Fieber,1866** (Dictyopharidae) Synonym(s): *discrepans* Fieber,1866 **FR GR IT PT ES**

1772. **Ranissus leptopus Fieber,1866** (Dictyopharidae) Synonym(s): *leptopus Fieber,1866; edirneus Dlabola,1957* **BG GR TR**
1773. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major Burmeister,1839.* **AT DE CH FR CZ HU BG HV MK RO GR**
1774. **Raphidia (Magnoraphidia) wewalkai Aspöck & Aspöck,1971** (Raphidiidae) Synonym(s): *wewalkai Aspöck & Aspöck,1971* **GR**
1775. **Raphidia (Phaeostigma) euboica H.Aspöck & U.Aspöck,1976** (Raphidiidae) Synonym(s): *euboica H.Aspöck & U.Aspöck,1976* **GR**
1776. **Raphidia (Phidiara) biroi (Navas,1915)** (Raphidiidae) Synonym(s): *biroi Navas,1915; labyrinthia H.Aspöck & U.Aspöck,1964* **GR Cr**
1777. **Raphidia (Phidiara) longicauda Stein,1863** (Raphidiidae) Synonym(s): *longicauda Stein,1863; parnassia Navas,1922* **GR**
1778. **Raphidia (Phidiara) prophetica H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *prophetica H.Aspöck & U.Aspöck,1964* **GR Rd TR**
1779. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix Harris,1780* **AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU**
1780. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
1781. **Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus Linnavuori,1962; zercanus Dlabola,1965* **GR TR JO LB IL**
1782. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarينات Kusnezov,1937* **Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU**
1783. **Reptalus rhodosica (Dlabola,1980)** (Cixiidae) Synonym(s): *rhodosica Dlabola,1980* **Rd GR**
1784. **Rhabdomastix (s.str.) filata Stary,2004** (Limoniidae) Synonym(s): *filata Stary,2004* **Rhabdomastix (s.str.) filata Stary,2004, Eur. J. Ent. 101: 675-676, figs. Holotype ♂: Lebanon Becharre, leg. H.Zerny (NHMW).** **BG GR RU Cc GG AM TR LB Bsa**
1785. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus Linnaeus,1758; annularis Geoffroy,1785* **AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU**
1786. **Rhagio difficilis Becker,1921** (Rhagionidae) Synonym(s): *difficilis Becker,1921* **GR**
1787. **Rhagio graeculus (Loew,1869)** (Rhagionidae) Synonym(s): *graeculus Loew,1869* **GR**
1788. **Rhagio idaeus Becker,1908** (Rhagionidae) Synonym(s): *idaeus Becker,1908* **Cr GR**
1789. **Rhagio insularis Becker,1921** (Rhagionidae) Synonym(s): *insularis Becker,1921* **GR**
1790. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763* **TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM**
1791. **Rhagonycha kiesenwetteri Marseul,1864** (Cantharidae) Synonym(s): *kiesenwetteri Marseul,1864* **TR GR CY**
1792. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764* **TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU**
1793. **Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius Houard,1919; oriundus Quinlan,1968; kezivi Melika,2003* **GR Cr Rd SY CY IL Pa**
1794. **Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus Scopoli,1763; aurifer Olivier,1790; rectirostris Gyllenhal,1833; theresae Pic,1926; angorensis Pic,1926; ferghanensis Newskij,1929; armeniacus Zaitzev,1937* **AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR**
1795. **Rhynchites giganteus Krynický,1832** (Atelabidae) Synonym(s): *giganteus Krynický,1832* **BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR**
1796. **Rhynchites hungaricus (Herbst,1784)** (Atelabidae) Synonym(s): *hungaricus Herbst,1784; marginatus Schrank,1798; ursus Gebler,1830; anatolicus Schilsky,1903; marginicollis Schilsky,1903; maculicollis Reitter,1916; suturifer Reitter,1916* **BG AM Cc HU IR MK RU Sb SY TR GR**
1797. **Rhynchites lenaeus Faust,1891** (Atelabidae) Synonym(s): *lenaeus Faust,1891; asiaticus Desbrochers,1908; subviolaceus Pic,1926* **BG AM Cc MK GR TR SY IL Pa**
1798. **Rhynchites trojanus Gyllenhal,1839** (Atelabidae) Synonym(s): *trojanus Gyllenhal,1839; maximus Desbrochers,1869; minor Schilsky,1903* **RU TR GR**
1799. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum Fabricius,1781; hebraeum Giordani & Soika,1952* **Cn ES IT Si GR Cr TR OM IR EG JO**
1800. **Rhyparochromus minusculatus (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus Reuter,1885* **GR Cr FR IT Co Si TR YU**
1801. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces Ribaut,1931* **AT BG CS FR DE GR IT Sa SW Cc TR GG RU**

1802. **Ricania hedenborgi** Stal,1865 (Ricanidae) Synonym(s): *hedenborgi* Stal,1865 **Ricania hedenborgi** Stal,1865, Öftver.Kongl. Vetensk. Akad. 22: Type: Rhodus. **GR Rd Cr TR AM Cc**
1803. **Rivetina baetica** (Rambur,1838) (Mantidae) Synonym(s): *fasciata* Thunberg,1815 nec Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 **MA MR SN TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa**
1804. **Rivetina balcanica** La Greca & Lombardo,1982 (Mantidae) Synonym(s): *#balcanica* Kaltenbach,1963; *balcanica* La Greca & Lombardo,1982 **Rivetina balcanica** La Greca & Lombardo,1982, Animalia 9 (1/3): 356 [raised to specific level!]. **TR GR Rd Cr**
1805. **Ronisia brutia** (Petagna,1787) (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 **TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR**
1806. **Rutpela maculata** (Poda,1761) (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 **PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG**
1807. **Saga campbelli** Uvarov,1921 (Tettigoniidae) Synonym(s): *campbelli* Uvarov,1921 **Saga campbelli** Uvarov,1921, Entomologist's Rec. J. Var. 33: 155-159. Holotype ♀: Greece: Langaza plain, Saloniki (BMNH). **GR RO TR**
1808. **Saga hellenica** Kaltenbach,1967 (Tettigoniidae) Synonym(s): *hellenica* Kaltenbach,1967 **GR MK**
1809. **Saga rhodiensis** Salfi,1929 (Tettigoniidae) Synonym(s): *rhodiensis* Salfi,1929 **GR Rd TR**
1810. **Salentia nigripes** (Kröber,1912) (Therevidae) Synonym(s): *nigripes* Kröber,1912 **GR TR**
1811. **Saltella nigripes** Robineau-Desvoidy,1830 (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 **AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR**
1812. **Sapromyza palpella** Rondani,1868 (Leuxaniidae) Synonym(s): *palpella* Rondani,1868 **FR GR Cr IT RO CH**
1813. **Sapyga (s.str.) morawitzi** Turner,1911 (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986 **Sapyga morawitzi** Turner,1911, Ann. Mag. nat. Hist. (8) 7: 309-310. Holotype: Iran: SW Persia (Escalera leg.) (BMNH). **TR GR Cr IR**
1814. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781 **TR SY Bld CY IL Pa JO MT GR MA TN MA**
1815. **Sapygina decemguttata** (Jurine,1807) (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889 **TR IL Pa GR Le**
1816. **Sapygina kurzenkoi** Gusenleitner,1997 (Sapygidae) Synonym(s): *kurzenkoi* Gusenleitner,1997 **GR**
1817. **Sarcophaga (Bercaea) africa** (Wiedemann,1819) (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 **AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG**
1818. **Sarcophaga (Helicophagella) crassimargo** Pandellé,1896 (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 **AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU**
1819. **Sarcophaga (Helicophagella) melanura** Meigen,1826 (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 **AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU**
1820. **Sarcophaga (Heteronychia) consanguinea** Rondani,1860 (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *portschinskyana* Rohdendorf,1937 **BG FR GR IT Si UA YU TR**
1821. **Sarcophaga (Heteronychia) filia** Rondani,1860 (Sarcophagidae) Synonym(s): *filia* Rondani,1860 **AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR**
1822. **Sarcophaga (Heteronychia) minima** Rondani,1860 (Sarcophagidae) Synonym(s): *minima* Rondani,1860; *fertoni* Villeneuve,1916; *graeca* Rohdendorf,1937 **GR TR**
1823. **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 **AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU**
1824. **Sarcophaga (Heteronychia) setinervis** Rondani,1860 (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 **TR CY BG GR FR IT HU RO MK**
1825. **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,1830) (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 **TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU**
1826. **Sarcophaga (s.str.) lehmanni** Müller,1922 (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 **AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA**
1827. **Sarcophaga (Sarcotachinella) sinuata** Meigen,1826 (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 **TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU**

1828. **Saropogon ehrenbergii** Loew,1851 (Asilidae) Synonym(s): *ehrenbergii* Loew,1851 GR SY
LB IL Pa TR
1829. **Saropogon eucerus** (Loew,1847) (Asilidae) Synonym(s): *eucerus* Loew,1847 GR IL Pa TR
1830. **Saropogon jugulum** (Loew,1847) (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869 TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
1831. **Saropogon luctuosus** (Wiedemann,1820) (Asilidae) Synonym(s): *luctuosus* Wiedemann,1820; *nigripennis* Costa,1844 IR Ak Ab HV GR FR IT PT
1832. **Satanas gigas** (Eversmann,1855) (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke
Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
1833. **Scaeva albomaculata** (Macquart,1842) (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 TR ES IR GB HU GR Cr
1834. **Scaeva dignota** (Rondani,1857) (Syrphidae) Synonym(s): *dignota* Rondani,1857 GR Cr TR
1835. **Scaeva pyrastris** (Linnaeus,1758) (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR
Cr
1836. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1837. **Scarabaeus armeniacus** Ménétriés,1832 (Scarabaeidae) Synonym(s): *armeniacus* Ménétriés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY
EG
1838. **Scarabaeus pius** (Illiger,1803) (Scarabaeidae) Synonym(s): *pius* Illiger,1803 RU Cc AM
TM TJ TR HU IT YU AL GR SY IL Pa JO AF
1839. **Scarabaeus puncticollis** (Latreille,1819) (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
1840. **Scarabaeus sacer** Linnaeus,1758 (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaea* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA
DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1841. **Scarabaeus typhon** (Fischer von Waldheim,1822) (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY
LB IL Pa CN MN KP KR
1842. **Scarabaeus variolosus** Fabricius,1787 (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787 IT Si Sa MT YU BG GR TR MA DZ TN
1843. **Scaurus atratus** Fabricius,1775 (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775 IT Sa
Si FR SY EG DZ GR
1844. **Schoutedenomyia superba** (Kröber,1912) (Therevidae) Synonym(s): *superba* Kröber,1912
GR TR
1845. **Scolia fallax** Eversmann,1849 (Scoliidae) Synonym(s): *fallax* Eversmann,1849 ES FR IT
GR TR TM
1846. **Scolia galbula** (Pallas,1771) (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muehe,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
1847. **Scorlupella montana** (Becker,1865) (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
1848. **Scytomedes haemorrhoidalis** (Fabricius,1794) (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882 FR GR MA DZ TN BG TR IR Ab Mak
1849. **Seioptera vibrans** (Linnaeus,1758) (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT
UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1850. **Selatosomus** (s.str.) **amplicollis** (Germar,1843) (Elateridae) Synonym(s): *amplicollis* Germar,1843 GR TR Cc SY
1851. **Selenocephalus abbreviatus** Melichar,1896 (Cicadellidae) Synonym(s): *abbreviatus* Melichar,1896 GR
1852. **Selenocephalus pallidus** Kirschbaum,1868 (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
1853. **Sepsis barbata** Becker,1907 (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
1854. **Sepsis nigripes** Meigen,1826 (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hk TN
DZ
1855. **Sepsis punctum** (Fabricius,1794) (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
1856. **Siagona** (Siagona) **europaea** Dejean,1826 (Carabidae) Synonym(s): *europaea* Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY

1857. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY EG RO GR TR
1858. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1859. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum* Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
1860. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1861. **Smaragdina graeca (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *graeca* Lefebvre,1872 GR
1862. **Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808 BG GR TR Cc IR
1863. **Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832 BG GR TR SY IL Pa
1864. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1865. **Sphenocratus productus (Fieber,1876)** (Dictyopharidae) Synonym(s): *productus* Fieber,1876 GR
1866. **Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763 Cc TR IR CY IQ TM YU GR
1867. **Stenomomus amoenus (Brullé,1832)** (Pentatomidae) Synonym(s): *amoenus* Brullé,1832 SS GR TR
1868. **Stenagostus zuercheri Reitter,1909** (Elateridae) Synonym(s): *zuercheri* Reitter,1909 GR SY TR
1869. **Stenobothrus (s.str.) graecus Ramme,1926** (Acrididae) Synonym(s): *graecus* Ramme,1926 GR TR
1870. **Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935 *Heriades asiaticus* Friese,1921, Ark. Naturg. 87: 175. Syntypes ♂♂: Türkei, "Airan". TR BG GR HV IL Pa JO LB SY
1871. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus* Loew,1847 IT FR HU RO GR BG TR IR
1872. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus* Meigen,1804 TR IR EG GR FR HU IL Pa RO RU TN
1873. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861 IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
1874. **Stenopogon milvus (Loew,1847)** (Asilidae) Synonym(s): *milvus* Loew,1847 GR BG TR
1875. **Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): *nigriventris* Loew,1868 Cc RU GR TR IR AZ
1876. **Stenopogon strataegus Gerstaecker,1862** (Asilidae) Synonym(s): *strataegus* Gerstaecker,1862; *antar* Schiner,1867 GR TR
1877. **Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus* Brullé,1832 TR IR Es AL GR RO
1878. **Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis* Pic,1891 GR TR LB
1879. **Stenopterus creticus Sama,1985** (Cerambycidae) Synonym(s): *creticus* Sama,1985 GR Cr
1880. **Stenosis orientalis Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832; *graeca* Solier,1838 GR TR SY
1881. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856 IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
1882. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri* Koch,1872; *spinimanus* Pokorný,1887 IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1883. **Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniel,1891 IT GR TR Cc IR Lo
1884. **Stomorhina ellinikia Lehrer,2007** (Calliphoridae) Synonym(s): *ellinikia* Lehrer,2007 GR Rd
1885. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG

1886. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhoceras* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
1887. **Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970 **CY BG GR Rd TR KK TJ UZ**
1888. **Sybistroma discipes (Germar,1821)** (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824 **GR RO RU IR**
1889. **Sybistroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufourii* Macquart,1838; *spathulata* Loew,1861 **GR FR IT ES MK MA DZ**
1890. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843 **BG GR IL RO HU IT TR**
1891. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843 **BG EG GR IL Pa IQ RO RU**
1892. **Sybistroma obscurella (Fallén,1823)** (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827 **Cc Abk GG GR RO RU UA Cm**
1893. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
1894. **Sympecma fusca (Van Der Linden,1820)** (Lestidae) Synonym(s): *fusca* Van Der Linden,1820 **TR Rd CY GR**
1895. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU**
1896. **Synaptus filiformis (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis* Fabricius,1781 **TR Cc GR RU Sb**
1897. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 **PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR**
1898. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926 **GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU**
1899. **Syricta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824 **TR US NL DE NO HU GR Cr**
1900. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 **PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR**
1901. **Tabanus glaucopsis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 *nec* Ström,1768; *glaucopsis* Meigen,1820 **GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN**
1902. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 **BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN**
1903. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 *nec* Scop.,1763; *#regluaris* Kılıç,1999 **DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR**
1904. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 *nec* Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 **DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR**
1905. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 **PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR**
1906. **Tachycixius creticus Dlabola,1974** (Cixiidae) Synonym(s): *creticus* Dlabola,1974 **GR Cr TR**
1907. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876 **Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU**
1908. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 **AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU**
1909. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
1910. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius,1831; *litoreus* Haliday,1833; *obscuripes* Gertaecker,1864; *beckeri* Müller,1923 **Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn**
1911. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 **GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR**

1912. **Tamaricella bipunctata (Melichar,1896)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1896 **GR**
1913. **Tamaricella remanei Dworakowska,1971** (Cicadellidae) Synonym(s): *remanei* Dworakowska,1971 **GR TR YU**
1914. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 **GR Cr TR IR KG RU UA YU AF PK**
1915. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
1916. **Tentyria rotundata Brullé,1832** (Tenebrionidae) Synonym(s): *rotundata* Brullé,1832; *angulata* Brullé,1832; *mittrei* Solier,1835; *winkleri* Koch,1936; *jonica* Koch,1944; *dahestris* Koch,1944 **GR TR**
1917. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 **TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR**
1918. **Tephritomyia lauta (Loew,1869)** (Tephritidae) Synonym(s): *lauta* Loew,1869 **TR GR Cr IL Pa IR EG**
1919. **Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 **TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal**
1920. **Teratolytta gentilis (Frivaldsky,1877)** (Meloidae) Synonym(s): *gentilis* Frivaldsky,1877; *violaceipennis* Beauregard,1890; *#coeruleipennis* Escherich,1894; *coonensis* G.Müller,1936 **GR TR**
1921. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979 **TR ES FR CY GR IL Pa**
1922. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830 **TR ES IT GR LB IL TN EG Sn KG**
1923. **Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758 **TR KG Cc AZ GG AM GR Cr IR CN IQ SY IL Pa DZ RU Us**
1924. **Terellia zerovae Korneyev,1985** (Tephritidae) Synonym(s): *zerovae* Korneyev,1985 **TR GR Cr TJ RO**
1925. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus* Kirschbaum,1868; *pellucidus* Wagner,1951 *nec* Melichar,1896 **AL AT CZ HU IT RO RU YU GR TR**
1926. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 **Az Cn ES FR TN GB SE IT BG GR Cr**
1927. **Tethina inopinata Munari & Canzoneri,1992** (Tethinidae) Synonym(s): *inopinata* Munari & Canzoneri,1992 **GR**
1928. **Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes* Loew,1865 **GR BG TN Cn Az CV FR**
1929. **Trigonus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius* Baudi,1871; *akbesianus* Fairmaire,1893 **TR CY SY GR**
1930. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866 **Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU**
1931. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii* Signoret,1866 **AL BG CS FR GR IL IT RO ES TR RU TJ YU**
1932. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis* Signoret,1866 **AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU**
1933. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932 **Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA**
1934. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 **Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU**
1935. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 **DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU**
1936. **Tettigometra helferi Fieber,1865** (Tettigometridae) Synonym(s): *helferi* Fieber,1865 **GR ES SY**
1937. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876 **DZ BE FR GR TR IT Si JO MA ES SY TN**
1938. **Tettigometra peliotaenia Fieber,1865** (Tettigometridae) Synonym(s): *peliotaenia* Fieber,1865 **DZ GR IT RU**
1939. **Thamnotettix (s.str.) creticus Dlabola,1974** (Cicadellidae) Synonym(s): *creticus* Dlabola,1974 **GR Cr TR**
1940. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868 **CY FR IL Pa IT Si SY GR TR YU**
1941. **Thamnotettix thrax Dlabola,1965** (Cicadellidae) Synonym(s): *thrax* Dlabola,1965 **BG SY GR TR YU**

1942. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830
ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD
UA RU BY EE LT AT
1943. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821;
bivittata Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
1944. **Thereva aurata (Loew,1854)** (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta*
Egger,1859; *corrinea* Gosseries,1991 AT CZ GR HU IT RO TR YU
1945. **Thereva biroi Kröber,1913** (Therevidae) Synonym(s): *biroi* Kröber,1913 GR
1946. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita*
Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 AT AL CH CZ DE DK FR GR HU IT PL
RO YU UA RU TR LT SY IL Pa
1947. **Thereva eggeri Lyneborg & Spitzer,1974** (Therevidae) Synonym(s): *eggeri* Lyneborg &
Spitzer,1974 GR
1948. **Thereva glaucescens Kröber,1912** (Therevidae) Synonym(s): *glaucescens* Kröber,1912 GR
TR
1949. **Thereva graeca Kröber,1912** (Therevidae) Synonym(s): *graeca* Kröber,1912 GR
1950. **Thereva neglecta Kröber,1912** (Therevidae) Synonym(s): *neglecta* Kröber,1912 GR TR Cc
AM
1951. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758;
fasciatus De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE
DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
1952. **Thereva spinulosa (Loew,1847)** (Therevidae) Synonym(s): *spinulosa* Loew,1847 GR
1953. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794;
latistrigata Kröber,1913; *thermophila* Trojan,1970 AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU
UA MA
1954. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata*
Meigen,1820 TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1955. **Thyridanthrax graecus Paramonov,1927** (Bombyliidae) Synonym(s): *graecus*
Paramonov,1927 IT GR
1956. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763;
sanguinea Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes*
Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU
UA MK YU
1957. **Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus*
Rossi,1790; *transversalis* Charpentier,1825 IT Sa Si LY Cy GR SK TR
1958. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT
HU HV YU RO BG GR TR
1959. **Tillus pectinicornis Abeille,1892** (Cleridae) Synonym(s): *pectinicornis* Abeille,1892; *holtzi*
Hintz,1902 GR Cr TR
1960. **Timia melanorrhina Loew,1866** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866 GR
KG TM RU Sr
1961. **Timia xanthaspis Loew,1868** (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868 RU Sr TM GR
1962. **Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877 RU Cc TR CY
SY GR
1963. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883
AL BG RU IT CY RO TR YU GR
1964. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca*
Vermoolen,1983 MK GR BG LB TR
1965. **Tipula (Lunatipula) bimacula Theowald,1980** (Tipulidae) Synonym(s): *bimacula*
Theowald,1980 AL GR ES IT IR TR
1966. **Tipula (Lunatipula) dedecor Loew,1873** (Tipulidae) Synonym(s): *dedecor* Loew,1873
GR TR
1967. **Tipula (Lunatipula) dracula Theischinger,1977** (Tipulidae) Synonym(s): *dracula*
Theischinger,1977 GR TR
1968. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae) Synonym(s): *furcula*
Mannheims,1954 MK YU GR TR
1969. **Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola* Loew,1873 GR
BG TR UA IL Pa
1970. **Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana*
Erhan & Theowald,1961 GR RO BG TR
1971. **Tipula (Lunatipula) pseudowolffi Theischinger,1979** (Tipulidae) Synonym(s):
pseudowolffi Theischinger,1979 GR TR
1972. **Tipula (Lunatipula) teunissenii Theischinger,1979** (Tipulidae) Synonym(s): *teunissenii*
Theischinger,1979 GR TR
1973. **Tipula (Lunatipula) vermooleni Theischinger,1987** (Tipulidae) Synonym(s):
vermooleni Theischinger,1987 GR TR


1974. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis Meigen,1804; itermedia Eiroa,1990* **Tipula lateralis Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR**
1975. **Tipula (Yamatotipula) submontium Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium Theowald & Oosterbroek,1981* **AD FR CH AT CZ SK SS YU AL GR TR IR Elb Mz**
1976. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri Mayr,1874; longicauda Masi,1916* **ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR**
1977. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929* **Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG Ca On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU**
1978. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* **TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ**
1979. **Toya ibiturca Asche,1980** (Delphacidae) Synonym(s): *ibiturca Asche,1980* **ES GR TR**
1980. **Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima Petagna,1819; angustata Solier,1836* **TR EG GR IT Si**
1981. **Trachyderma philistina Reich & Sauley,1857** (Tenebrionidae) Synonym(s): *philistina Reich & Sauley,1857; gomorrhana Reiche & Sauley,1857; perseae Baudi,1875; ovalipennis Baudi,1875* **TR GR IL Pa IR**
1982. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* **AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA**
1983. **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer Piochard,1876* **BG GR TR CY IL Pa JO LB SY**
1984. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus Schränk,1781* **AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**
1985. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952* **AF FR GR Cr IT MA PT ES CH UA YU TR**
1986. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* **AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR**
1987. **Tribalus anatolicus Olexa,1980** (Histeridae) Synonym(s): *anatolicus Olexa,1980* **TN CY TR GR**
1988. **Tribatus creticus Reitter,1884** (Staphylinidae) Synonym(s): *creticus Reitter,1884* **TR GR Cr**
1989. **Trichius orientalis Reitter,1894** (Scarabaeidae) Synonym(s): *orientalis Reitter,1894* **TR UA Cm SY GR**
1990. **Trichodes affinis Chevrolat,1843** (Cleridae) Synonym(s): *affinis Chevrolat,1843; apicalis Champenois,1900* **GR Cr TR JO EG SY IL Pa Js**
1991. **Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis Fabricius,1787* **ES IT Si YU AL Cr GR BG HV TR SY**
1992. **Trichodes ganglbaueri Escherich,1893** (Cleridae) Synonym(s): *ganglbaueri Escherich,1893; israelicus Winkler,1963* **GR CY TR IL Pa IR**
1993. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus Chevrolat,1843* **GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO**
1994. **Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis Klug,1842; sanguineosignatus Spinola,1844* **AL GR TR SY IL Pa IR Cc AM TJ Pm KG**
1995. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus Fischer,1829; illustris Klug,1842; viridifasciatus Chevrolat,1843* **TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR**
1996. **Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus Adams,1817* **GR BG TR IL Pa SY JO Cc GG Tbl IR Ak Ab TM KG**
1997. **Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus Linnaeus,1758; subfasciatus Kraatz,1873; frater Kraatz,1893; fraterculus Zaitzev,1915* **TR GR EG IL Pa SY Cc AM Eri IR**
1998. **Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851; halictivorus Rondani,1856* **TR AZ Cc IR FR GR IT RU KG IL Pa**
1999. **Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis Sahlberg,1908* **TR IT FR YU B-H HV GR BG**
2000. **Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica Baraud,1962; bulgarica Bunalski,2001* **HV YU AL BG GR MK RO TR**
2001. **Trirhacus setulosus Fieber,1876** (Cixiidae) Synonym(s): *setulosus Fieber,1876* **IT GR ES YU**

2002. **Trirhacus trichophorus Melichar,1914** (Cixiidae) Synonym(s): *trichophorus Melichar,1914* GR
2003. **Troglophilus (Dasycelus) roeweri Werner,1928** (Raphidophoridae) Synonym(s): *roeweri Werner,1928* GR Cr
2004. **Troglophilus (Dasycelus) spinulosus Chopard,1921** (Raphidophoridae) Synonym(s): *spinulosus Chopard,1921; petrochilosii Boudou-Saltet,1978* GR Cr
2005. **Troglophilus (s.str.) lagoi Mennozi,1934** (Raphidophoridae) Synonym(s): *lagoi Mennozi,1934* GR Rd
2006. **Troglophilus (s.str.) marinae Rampini & Di Russo,2003** (Raphidophoridae) Synonym(s): *marinae Rampini & Di Russo,2003* GR
2007. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus Fabricius,1775; serrulatus Müller,1776; dentatus Schrank,1781; beryllinus Gmelin,1788; elector Fabricius,1794; angusta Reuter,1881* AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
2008. **Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): *andropogonis Horvath,1895* BG CZ GR HU SL YU TR
2009. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
2010. **Tropidodynerus interruptus (Brullé,1832)** (Vespidae) Synonym(s): *interruptus Brullé,1832* GR TR
2011. **Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): *graeca Uvarov,1926* Tropidopola longicornis ssp. graeca Uvarov,1926, Eos 2: 173-174, figs. Holotype: Macedonia: Vardar plain, Tekeli to Kenlike (BMNH). IT MK GR TR SY Dms
2012. **Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis Fieber,1853; syrica Walker,1871; cylindrica Giglio-Tos,1893; indica Uvarov,1937* TR GR Cr IN LY EG SY LB Bei
2013. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens Lepeletier,1845; litoralis sensu Özbek et al.,1999 nec Petagna,1787* TR GR BG HV YU MK UA Cm IT Si FR DZ
2014. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
2015. **Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana André,1901* TR Cc AZ AM GR MK RU
2016. **Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli,1763; pilosa Brullé,1832* GR SS LY SY LB IL Pa JO EG IQ TR
2017. **Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri Rossem,1971* Trychosis priesneri Rossem,1971, Tijdschr. Ent. 114: 215. Holotype: Turkey: Konya. TR FR CH AT PL YU GR
2018. **Tshurtshurnella peloponica Dlabola,1979** (Issidae) Synonym(s): *peloponica Dlabola,1979* GR TR
2019. **Tychius aurarius Boheman,1843** (Curculionidae) Synonym(s): *aurarius Boheman,1843* GR TR
2020. **Tychius graecus Kiesenwetter,1864** (Curculionidae) Synonym(s): *graecus Kiesenwetter,1864* GR TR
2021. **Tychius hirtellus Tournier,1873** (Curculionidae) Synonym(s): *hirtellus Tournier,1873* TR GR Cr IL Pa SY
2022. **Tylopsis coi Jannone,1936** (Tettigoniidae) Synonym(s): *coi Jannone,1936* GR
2023. **Typhlocyba lepida (Fieber,1884)** (Cicadellidae) Synonym(s): *lepida Fieber,1884* GR
2024. **Ulidia albidipennis Loew,1845** (Ulidiidae) Synonym(s): *albidipennis Loew,1845* IT GR Rd SK
2025. **Ulidia apicalis Meigen,1826** (Ulidiidae) Synonym(s): *apicalis Meigen,1826* FR Co IT Si PT ES TN MA GR Rd
2026. **Ulidia atrata Loew,1868** (Ulidiidae) Synonym(s): *atrata Loew,1868* GR IT
2027. **Ulidia erythrophthalma Meigen,1826** (Ulidiidae) Synonym(s): *erythrophthalma Meigen,1826* AT FR GR MD UA Cm
2028. **Ulidia megacephala Loew,1845** (Ulidiidae) Synonym(s): *megacephala Loew,1845* ES GR Rd TR SY MA
2029. **Ulidia nigripennis Loew,1845** (Ulidiidae) Synonym(s): *nigripennis Loew,1845* HU UA SK DE PL IT AT FR GR MD SK
2030. **Ulidia salonikiensis Hennig,1940** (Ulidiidae) Synonym(s): *salonikiensis Hennig,1940* IT GR
2031. **Ulidiopsis mirabilis Hennig,1939** (Ulidiidae) Synonym(s): *mirabilis Hennig,1939* GR TR
2032. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata Rondani,1870* TR IR Ak IT GRAF CN Ui MN AZ AM
2033. **Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura Loew,1855; lejura Rondani,1870* Trypeta macrura Loew,1855, Stettin ent. Ztg. 16: 40. TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR

2034. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
2035. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae) Synonym(s): *neuenschwanderi Freidberg,1982* TR GR Cr IT CN
2036. **Urophora sirunaseva (Hering,1938)** (Tephritidae) Synonym(s): *sirunaseva Hering,1938* GR Cr TR MD UA HU
2037. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans Loew,1850* *Trypeta terebrans Loew,1850*, Stettin ent. Ztg. 11: 53. TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
2038. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata Brullé,1833* DZ EG IL Pa TN IT YU MT MK GR
2039. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii Strobl,1902* DZ B-H HV FR GR IT LY MK MA SS TN YU
2040. **Usia (Micrusia) sicula Egger,1859** (Bombyliidae) Synonym(s): *sicula Egger,1859* HV GR IT Si MK SS SY TR YU
2041. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787*; *hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
2042. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794*; *dubia Kertesz,1900* DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
2043. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons Becker,1906*; *putilla Becker,1906* FR GR IT KK RU ES TJ TN TM
2044. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798*; *vicina Macquart,1840*; *#pubera Becker,1906*; *pubera Strobl,1906* DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
2045. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor Macquart,1855* B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
2046. **Usia (s.str.) lata Loew,1846** (Bombyliidae) Synonym(s): *lata Loew,1846*; *bicoloripes Malloch,1926* GR Rd MK IT YU TR
2047. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821*; *decussata Germar,1821*; *lugens Germar,1821*; *germari Fieber,1872* AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
2048. **Vadonia bisignata (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata Brullé,1832* GR BG TR
2049. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
2050. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus,1758*; *variegatus Scopoli,1763* DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
2051. **Vermileo ater Stuckenberg,1965** (Vermileonidae) Synonym(s): *ater Stuckenberg,1965* GR
2052. **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771* GR TR JO IR Cc AF KK MX
2053. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon Fabricius,1794* DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM
2054. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869*; *gracilis Ringdahl,1915* Cc AM AZ BG CY EG GR GG IR IT TR
2055. **Villa bicingulata (Macquart,1840)** (Bombyliidae) Synonym(s): *bicingulata Macquart,1840* GR
2056. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea Becker,1916*; *latifrons Stein,1916* ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
2057. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804*; *quinquefasciata Wiedemann,1820* DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
2058. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata Meigen,1804* AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
2059. **Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *cingulum Wiedemann,1820* AM AZ BE Cc FR GR GG IT Si ES PT YU
2060. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera Zetterstedt,1845*; *claripennis Kowarz,1868* ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
2061. **Villa deludens François,1966** (Bombyliidae) Synonym(s): *deludens François,1966*; *fulvescens Santos Abreu,1976* CZ FR GR IT SK YU TR
2062. **Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta Meigen,1835*; *steinii Schnabl,1888* MA DZ ES FR Co IT GR
2063. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804*; *trigonostigma Czerny,1901* MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO

2064. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 ES FR GR CY HU IT Si MD RU UA
2065. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916 AM AZ GG Cc EG IT GR IR TR
2066. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
2067. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si
2068. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 BE CY CZ FR DE GR HU IT PL RO SK ES UA YU
2069. **Villa insularis (Rondani,1863)** (Bombyliidae) Synonym(s): *insularis* Rondani,1863 GR
2070. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
2071. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
2072. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
2073. **Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936 IT TR GR CY
2074. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
2075. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
2076. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868 IT BG CY GR MK TR
2077. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869 IT TR GR EG LY IL Pa YU
2078. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 IT Si TR AF AM AZ GG Cc GR IR MK YU
2079. **Villa unicingulata (Macquart,1840)** (Bombyliidae) Synonym(s): *unicingulata* Macquart,1840 GR Ae Chi
2080. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
2081. **Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *inanis* Fabricius,1794; *fasciata* Verral,1900 GB HU GR Cr TR
2082. **Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869 TR GR Rd IR SY
2083. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906 SD DZ EG GR MK IL Pa YU TN TR
2084. **Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795 CZ GR Cc DZ IR TR RU KG
2085. **Xylotrechus stebbingi Gahan,1906** (Cerambycidae) Synonym(s): *stebbingi* Gahan,1906 GR IT
2086. **Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes* Fabricius,1798 AT BE CZ GR HU PL SK SE TR YU
2087. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
2088. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
2089. **Zonitis gibbicollis Abeille de Perrin,1880** (Meloidae) Synonym(s): *gibbicollis* Abeille de Perrin,1880 TR GR
2090. **Zonitis immaculata (Olivier,1790)** (Meloidae) Synonym(s): *immaculata* Olivier,1790; *mutica* Scriba,1790; *gibbicollis* Abeille de Perrin,1880 TR ES IT Sa Si GR
2091. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891 FR HU AT CZ IT Si GR TR IL Pa SY
2092. **Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata* Deyrolle,1867 TR SY EG GR Rd
2093. **Zorochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus* Kiesenwetter,1858 GR Cr TR CY
2094. **Zygina (s.str.) krueperi Fieber,1884** (Cicadellidae) Synonym(s): *krueperi* Fieber,1884 GR HU IL YU

- 2095. Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
- 2096. Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra* Loew,1885; *quercus* Kusnezov,1930 **AT BG CY CS FR DE GR IL IT PL TR UA Cm YU**
- 2097. Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838 **AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU**



Synonymic and distributional list of the pterygot insects of Hungary

(Results of the Entomofauna of the World based upon info-system of the Cesa)

71

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Hungary (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 71. *Priamus* (suppl.) 18: 240-260.

In this study, totally 1447 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Hungary recorded in info-sytem of the Cesa, total pterygot species of Hungary increase to 4770.

Key words: List, distribution, *pterygota*, *Insecta*, Hungary.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 1447 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3323 recorded species of Lepidoptera from Hungary are found. Taking this information into consideration, total number of the pterygots may increase to 4770.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
6. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* DE FR FI IT AT PL RO SE SS CZ HU
7. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
8. **Abraeus roubali Olexa,1958** (Histeridae) Synonym(s): *roubali Olexa,1958* FR SK CZ HU TR
9. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis Piller & Mitterpacher,1783; dentipes Rossi,1790* IT GR TR YU AL BG RO CH FR HU

10. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
11. **Acericeris vitrina (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *vitrina* Kieffer,1909 FR CH DE CZ AT HU YU IT Si
12. **Achalcerinus lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
13. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus* Dejean,1829 AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
14. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femorialis* Robineau-Desvoidy,1830; *powelli* Seguy,1930 AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
15. **Acrida ungarica (Herbst,1786)** (Acrididae) Synonym(s): *ungarica* Herbst,1786; *cypria* Dirsh,1949 ES FR HU CZ CY
16. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
17. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
18. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
19. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femorialis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
20. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
21. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
22. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
23. **Adontomerus robustus (Boucek,1969)** (Torymidae) Synonym(s): *robustus* Boucek,1969 BG HU IT MK YU UA
24. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
25. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876 BG GR IT YU AT PL RO SK CZ TR UA HU
26. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
27. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch Kk Lb Pk Sa Sy Tm Uz Tr
28. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femorialis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitzev,1927 AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
29. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
30. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
31. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
32. **Agapanthia kirbyi (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal,1817 SK HU Cc RU TR GR
33. **Agapanthia osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche & Saulcy,1858 RO BG HU TR SY
34. **Agapanthiola leucaspis (Steven,1817)** (Cerambycidae) Synonym(s): *leucaspis* Steven,1817 SK HU YU RU Cc TR GR
35. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid,1812 AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA

36. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae Csiki,1931* AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
37. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
38. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
39. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
40. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
41. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
42. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
43. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
44. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
45. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
46. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
47. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
48. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
49. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
50. **Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): *paludum Kiesenwetter,1859* GR AL HU SY TR
51. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium *strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH).* LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
52. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus *thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH).* LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
53. **Alebra albostrigata (Fallén,1826)** (Cicadellidae) Synonym(s): *albostrigata Fallén,1826; elegantula Zetterstedt,1828; discicollis Herrich-Schäffer,1834; fasciata Curtis,1837; fulveola Herrich-Schäffer,1838; eximia Hardy,1850; fastuosa Graff, Six & Snellen,1862; viridis Rey,1894; flavocephala Kupka,1899; diluta Ribaut,1936; dufouri Ribaut,1936* DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
54. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi Boheman,1845; insignita McAtee,1926; pallescens Ribaut,1936; brunnea Ribaut,1936* DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
55. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons Fallén,1820; flavipennis Haliday,1836* AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
56. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea Meigen,1824* TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
57. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata Thunberg,1784 (praeocc.); atomarius Fabricius,1794; conspiciellaris Schrank,1801; heydeni Kirschbaum,1868* AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
58. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus Fieber,1872* AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
59. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus Ferrari,1882* DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU

60. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
61. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
62. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeyi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludağensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
63. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
64. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
65. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
66. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
67. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeyi,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablokoff & Khnזורian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
68. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
69. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
70. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
71. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
72. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
73. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
74. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
75. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeyi,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
76. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
77. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui

78. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshovi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
79. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
80. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
81. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
82. **Amara (Zezea) chaudiroiri Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
83. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
84. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
85. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
86. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
87. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
88. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
89. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
90. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
91. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
92. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
93. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsikanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
94. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
95. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 IT Si AT SK CZ HU UA MD RO BG GR TR
96. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 *Andricus amenti* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
97. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
98. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859 IT AT B-H HU YU TR RO MD UA BG
99. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
100. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR

101. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 **FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR**
102. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 **IT AT HU YU RO BG UA PL TR GR IR**
103. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 **PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR**
104. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 **FR IT AT B-H HU GR BG RO UA TR**
105. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 **GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR**
106. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 **PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR**
107. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859 **Andricus cydoniae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. **GB IT Si B-H AT HU RO BG TR**
108. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 *nec* Wachtl.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 **PT ES FR IT B-H AT HU MD RO UA BG GR TR**
109. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 **PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR**
110. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 **IT AT B-H YU GR BG RO HU UA TR**
111. **Andricus gallaeurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaeurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 **PT ES FR GB AT IT YU HU UA RO BG GR TR**
112. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl.,1876 **PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR**
113. **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905 **AT CZ B-H HU UA BG TR**
114. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl.,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. **PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR**
115. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 **IT Si AT CZ SK PL UA HU MD RO BG GR TR**
116. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943 **IT AT CZ B-H HU UA RO BG TR**
117. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897 **IT HU MD RO BG GR TR**
118. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903 **FR IT Si AT CZ SK PL HU RO YU GR TR BY**
119. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 **PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR**
120. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 **PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR**
121. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 **PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR**
122. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 **GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR**
123. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 **ES FR GB IE BE NL DE DK HU IT BG TR**
124. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 **IT AT PL UA HU RO BG GR TR**
125. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 **Andricus multiplicatus** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360. **IT Si AT CZ SK HU RO YU GR TR**
126. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 **IT AT DE PL CZ SK HU RO BG GR TR**

127. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR**
128. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901 **PT ES FR GB IE DE DK SE PL UA MD RO HU TR**
129. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902 **PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR**
130. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 **PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR**
131. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustozae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
132. **Andricus schroeckingeri Wachtl,1876** (Cynipidae) Synonym(s): *schroeckingeri* Wachtl,1876 **AT HU RO TR**
133. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 **HU AT IT GR TR IR**
134. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 **PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Ce IR DZ**
135. **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901 **HU RO YU BG GR TR**
136. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 **IT AT HU B-H YU BG RO UA PL TR**
137. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 **AT CZ DE FR HU IT RO CH BG GR**
138. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 **AT DE CH FR HU GR RO RU KG**
139. **Aneomochtherus hungaricus (Engel,1927)** (Asilidae) Synonym(s): *hungaricus* Engel,1927 **HU MN CN RU Ce AM IR KG**
140. **Anomala (s.str.) vitis (Fabricius,1775)** (Scarabaeidae) Synonym(s): *vitis* Fabricius,1775 **RU HU**
141. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 **AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU**
142. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalińska,1884 **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
143. **Anosopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 **AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Ce LV RU UA YU**
144. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica* Scopoli,1772 **DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR**
145. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii* Olivier,1790 **AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA**
146. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii* Fabricius,1801 **AT YU CY BG CZ HU IT SK TR UA**
147. **Anthaxia (Haplantaxia) olympica Kiesenwetter,1880** (Buprestidae) Synonym(s): *olympica* Kiesenwetter,1880 **AM CZ GG HU TR UA**
148. **Anthaxia (Haplantaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica* Daniel,1903; *horvathi* Kaszab,1940 **BG GR HU RO TR UA**
149. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787 **DZ AM Ce AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA**
150. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans* Schrank,1789 **AM AT CZ Ce DE HU IT SK ES CH UA TR**
151. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula* Illiger,1803 **AM AT CZ GG FR Ce HU IT PR SK ES CH UA TR**
152. **Anthaxia (s.str.) hackeri Frivaldsky,1884** (Buprestidae) Synonym(s): *hackeri* Frivaldsky,1884 **AT BG TR CZ HU RO SK**

153. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica Mannerheim,1837* AT YU CZ FR DE HU IT SK UA
154. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
155. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* AT YU CZ FR DE HU IT RU SK ES CH UA TR
156. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis Krynicky,1832; vandykeana Obenberger,1936* YU HU SK SY TR UA
157. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* UA Cm RU HU GR TM TR Cc SY IL Pa ZA
158. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenck,1868; sexmaculatum Chevrier,1872; perrisii Dours,1873; ifranicum Cockerell,1931; confluens Alfken,1931* MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
159. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum Illiger,1806; oblongatum Latreille,1809; trochantericum Morawitz,1894; nigrum Friese,1897; luteum Dusmet,1915 nec Fr.,1897; xanthurum Cockerell,1925; australe Alfken,1937; flavens Moczar,1956; tornense Tkalcu,1966; berberum Warncke,1980* MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR
160. **Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae) Synonym(s): *alpinum Morawitz,1874* Cc RU Da RO HU TR
161. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum Panzer,1801; scapulare Latreille,1809; sinuatum Lepeletier,1841; reptans Eversmann,1852; floripetum Eversmann,1852; stigmaticorne Dours,1873; cribratum Morawitz,1875; petechiale Morawitz,1875; nanum Mocsary,1879; leucostoma Costa,1883; peregrinum Costa,1884; eversmanni Radoszkowski,1886; fraternum Perez,1895; astilleroi Dusmet,1915; grandi Alfken,1937; karakalense Popov,1952; canariense Mavromoustakis,1954* FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn
162. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum Mocsary,1884; tegulare Morawitz,1886; mocsaryi Friese,1897; kindermannii Mavromoustakis,1954* ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa
163. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigrifulum Friese,1917; suecicum Alfken,1927* SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
164. **Anthocomus equestris (Fabricius,1781)** (Melyridae) Synonym(s): *equestris Fabricius,1781* HU RO TR
165. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus Fieber,1836* FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
166. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
167. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
168. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
169. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
170. **Anthomachus strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
171. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris Rondani,1866* C DK FI IT SE HU YU RU CN JP TR
172. **Anthrax anthrax (Schränk,1781)** (Bombyliidae) Synonym(s): *anthrax Schränk,1781* IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU
173. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
174. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
175. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804* IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM

176. **Anthrax varius Fabricius, 1794** (Bombyliidae) Synonym(s): *varius Fabricius, 1794* IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
177. **Anthrax virgo Egger, 1859** (Bombyliidae) Synonym(s): *virgo Egger, 1859* IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
178. **Anthrenus (Florilinus) olgae Kalik, 1946** (Dermestidae) Synonym(s): *olgae Kalik, 1946* AT BG CZ GB FI DE HU LT YU PL SK SE UA
179. **Antipalus varipes (Meigen, 1820)** (Asilidae) Synonym(s): *varipes Meigen, 1820; tibialis Megerle, 1820; macrurus Ruthe, 1831; xanthopygus Ruthe, 1831; aurifluus Zeller, 1840; tenax Zeller, 1840; mollis Loew, 1871; flabellifer Pandellé, 1905* AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
180. **Antiphrisus trifarius (Loew, 1849)** (Asilidae) Synonym(s): *trifarius Loew, 1849; sareptanus Lichtwardt, 1903; thalhammeri Lichtwardt, 1903* AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
181. **Apalus necydalaeus (Pallas, 1782)** (Meloidae) Synonym(s): *necydalaeus Pallas, 1782* TR Cc RU Sb GR HU TM
182. **Apalus spectabilis Schaum, 1859** (Meloidae) Synonym(s): *spectabilis Schaum, 1859* HU GR MK TR
183. **Apanteles atreus Nixon, 1973** (Braconidae) Synonym(s): *atreus Nixon, 1973* Apanteles atreus Nixon, 1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
184. **Apanteles brunnistigma Abdinbekova, 1969** (Braconidae) Synonym(s): *brunnistigma Abdinbekova, 1969* Apanteles brunnistigma Abdinbekova, 1969, Azerb. Sci. Acad. Zool. Enst. ELM. TR Cc AZ GB IT HU
185. **Apanteles evanidus Papp, 1975** (Braconidae) Synonym(s): *evanidus Papp, 1975* Apanteles evanidus Papp, 1975, Ann. Hist. nat. Mus. Nat. Hung.: 243. TR CH HU
186. **Apanteles gallerie Wilkinson, 1932** (Braconidae) Synonym(s): *gallerie Wilkinson, 1932* Apanteles gallerie Wilkinson, 1932, Stylops 1: 139. TR US AR MU IN FR HU IL Pa
187. **Apanteles ingenuoides Papp, 1971** (Braconidae) Synonym(s): *ingenuoides Papp, 1971* Apanteles ingenuoides Papp, 1971, Annl. Hist. Nat. Mus. Natn. Hung. 63: 307-363. TR FR BG HU MN
188. **Apanteles kubensis Abdinbekova, 1975** (Braconidae) Synonym(s): *kubensis Abdinbekova, 1975* Apanteles kubensis Abdinbekova, 1975, Azerb. Sci. Acad. Zool. Enst. ELM. 26. TR HU Cc AZ
189. **Aphelocheirus aestivalis (Fabricius, 1794)** (Aphelocheiridae) Synonym(s): *aestivalis Fabricius, 1794* FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
190. **Aphelonyx cerricola (Giraud, 1859)** (Cynipidae) Synonym(s): *cerricola Giraud, 1859* GB IT AT HU YU RO BG GR TR
191. **Aphodius (Bodilus) ictericus (Laicharting, 1781)** (Scarabaeidae) Synonym(s): *ictericus Laicharting, 1781* RU Cc Ur Sb HU UA Cm KG
192. **Aphodius (Bodilus) rufus (Moll, 1782)** (Scarabaeidae) Synonym(s): *rufus Moll, 1782* RU Ur KG HU
193. **Aphodius (Copriformus) scrutator (Herbst, 1789)** (Scarabaeidae) Synonym(s): *scrutator Herbst, 1789* HU IT UA Cm RU
194. **Aphrodes bicinctus (Schrank, 1776)** (Cicadellidae) Synonym(s): *striata Linnaeus, 1761 (praeocc.); rustica Fabricius, 1775 (praeocc.); bicinctus Schrank, 1776; ochromelas Gmelin, 1790; variegata Fabricius, 1794; striatella Fabricius, 1794; transversa Fabricius, 1798; strigata Turton, 1802; pallidus Curtis, 1836; cardui Curtis, 1836; fasciatus Curtis, 1836; obscurus Curtis, 1836; rugosus Curtis, 1836; sparsus Curtis, 1836; unicolor Curtis, 1836; pulverulenta Curtis, 1837; adustus Hardy, 1850; obtusifrons Kirschbaum, 1868; signifrons Rey, 1894; aestuarinus Edwards, 1908; brevior Melichar, 1914; alpinus Prohaska, 1923; diminutus Ribaut, 1952; centrossicus Zachvatkin, 1952; ferganensis Dubovsky, 1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
195. **Aphrodes bifasciatus (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus, 1758; trifasciata De Geer, 1773; tristriata Gmelin, 1790; spuria Fallén, 1806; obliquus Germar, 1821; tricinctus Curtis, 1836; simulans Ribaut, 1952; major Duffield, 1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
196. **Aphrodes elongatus (Lethierry, 1876)** (Cicadellidae) Synonym(s): *elongatus Lethierry, 1876* CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
197. **Aphrodes histrionicus (Fabricius, 1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius, 1794; arenicola Marshall, 1866* AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
198. **Aphrodes serratulae (Fabricius, 1775)** (Cicadellidae) Synonym(s): *serratulae Fabricius, 1775; fuscifasciata Goeze, 1778; transversalis Fourcroy, 1785; bistrigata Gmelin, 1790; brunneobifasciatus Signoret, 1879; vicarius Horvath, 1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
199. **Aphrophora alni (Fallén, 1805)** (Cercopidae) Synonym(s): *alni Fallén, 1805; fuscata Haupt, 1925; umbrina Linnavuori, 1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU

200. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
201. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 IT ES TN Cn Hv HU EG AF IL Pa IR TM UZ
202. **Aprosthemata konowi (Mocsary,1891)** (Argidae) Synonym(s): *konowi* Mocsary,1891 IT HU
203. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
204. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
205. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *conii* Erdős,1954; *rugosus* Erdős,1954 CZ FR GR HU GB IE NL RU Us SK SE TR
206. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
207. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
208. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878 GB FR DE CZ SK HU IT GR SE TR
209. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957 FR DE IT CZ AT HU MD GR TR
210. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839 TR PT ES FR GB NO SE DK DE CZ HU GR
211. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838 TR FR GB DK DE NO SE FI UA CZ HU IT GR
212. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
213. **Aprostocetus terebrans Erdős,1954** (Eulophidae) Synonym(s): *terebrans* Erdős,1954 TR GB FR NO SE DE CZ SK HU
214. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*) AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
215. **Arboridia pusilla (Ribaut,1936)** (Cicadellidae) Synonym(s): *pusilla* Ribaut,1936 AT BE BG CS DE HU SW YU
216. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937 AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
217. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata* Ribaut,1952 BG CS FR DE HU NL PL RO SW MD RU UA YU
218. **Arge beckeri Tournier,1889** (Argidae) Synonym(s): *beckeri* Tournier,1889 B-H YU MK HU UA TR
219. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
220. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767 FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
221. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
222. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
223. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 SK HU UA RO BG MK GR AL TR Cc
224. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis* Klug,1814 ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
225. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
226. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783 ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
227. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790 PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM

228. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
229. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834 B-H HU SK UA RO MK BG TR Cc CN Ui
230. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
231. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
232. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
233. **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899 BG GR TR RO HU
234. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
235. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
236. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
237. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
238. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 BG CS HU IT RO TR Cc AM GG MD UA YU
239. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
240. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
241. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
242. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
243. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
244. **Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858 BG FR GR HU IT RU SK SL TR
245. **Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918 TR GR HU SK RO AT
246. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922 PL HU SK RO IT UA TR GR DE
247. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
248. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
249. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU
250. **Azelia gibbera (Meigen,1826)** (Muscidae) Synonym(s): *gibbera* Meigen,1826 US CA Als Qb DE PL CZ SK CH AT HU TR
251. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
252. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (*praeocc.*); *notata* Fabricius,1803 (*praeocc.*); *larvatus* Herrich-Schäffer,1835 AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR

253. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretata* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
254. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR
255. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 TR BG CZ FR DE HU IT RU SE GB YU
256. **Bathyplectes carinata Horstmann,1974** (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974 DE HU YU BG TR
257. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856 AT AZ Cc BE CZ FR HU MD ES CH TN TR
258. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
259. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
260. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Séguéy,1928 BG CZ DK FR DE HU IT PL NO RO SK ES
261. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
262. **Bellardia polita (Mik,1884)** (Calliphoridae) Synonym(s): *polita* Mik,1884 LT UA AT CZ DE HU PL SK ES
263. **Bellardia pubicornis (Zetterstedt,1838)** (Calliphoridae) Synonym(s): *pubicornis* Zetterstedt,1838; *puberula* Zetterstedt,1838; *dolens* Zetterstedt,1838; *curvipes* Zetterstedt,1838 AT FI HU NO RU SE CH GB
264. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
265. **Bellardia vespillo (Fabricius,1794)** (Calliphoridae) Synonym(s): *vespillo* Fabricius,1794; *borotiniensis* Jacentkovsky,1944 CZ DK DE HU SE
266. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
267. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
268. **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853 AF BG IQ IR HU EG RP SD SY SA TR
269. **Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876 HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA
270. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
271. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
272. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
273. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
274. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
275. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
276. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ

277. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium* Marsham,1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
278. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum* Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
279. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
280. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum* Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
281. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum* Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
282. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii* Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
283. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum* Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
284. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum* Say,1823 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
285. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum* Geoffroy,1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
286. **Bembidion (Principidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum* Drapiez,1820 AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
287. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
288. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
289. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
290. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale* Duftschmid,1812 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
291. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805 AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
292. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia* Meigen,1824 TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
293. **Bibio brunripes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes* Fabricius,1781 nec Linn.,1761; *brunnipes* Fabricius,1794; *umbellatum* Zetterstedt,1838; *fulvipes* Zetterstedt,1838; *fumipennis* Walker,1848; *inaequalis* Loew,1864; *fulvus* Lundstrom,1910; *jacobi* Hardy,1938 nec Villen.,1924 CH AT DE PL AT SK HU RO NO SE FI IT
294. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes* Meigen,1818; *dorsalis* Meigen,1818; *flavicollis* Meigen,1818; *ephippium* Zetterstedt,1838; *tancrei* Duda,1930 ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
295. **Bibio handlirschi Duda,1930** (Bibionidae) Synonym(s): *handlirschi* Duda,1930 AT HU
296. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930 PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
297. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis* Linnaeus,1767; *marginalis* Geoffroy,1785; *pyri* Fabricius,1794; *hyalinus* Meigen,1804; *praecox* Meigen,1804; *nigrifemus* Strobl,1900; *jacobi* Villeneuve,1924 ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
298. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus* Wiedemann,1818; *vernalis* Meigen,1818 ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
299. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus* Meigen,1804 GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
300. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci* Linnaeus,1758; *brevicornis* Linnaeus,1758; *crassipes* Harris,1776; *funerosus* Harris,1776; *pusillus* Macquart,1846 PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR

301. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
302. **Bibio reticulatus Loew,1846** (Bibionidae) Synonym(s): *?villosus Meigen,1818; reticulatus Loew,1846* ES FR GB BE NL DE PL RU HU CZ SK CH AT
303. **Bibio siculus Loew,1846** (Bibionidae) Synonym(s): *siculus Loew,1846* ES Sa IT Si AT HU GR
304. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis Meigen,1818; varipes Meigen,1830; atripes Duda,1930; ringdahli Duda,1930* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
305. **Bibio venosus Meigen,1804** (Bibionidae) Synonym(s): *venosus Meigen,1804* ES GB FR BE DK DE SE PL CZ SK HU CH AT
306. **Biblopectus hungaricus Besuchet,1955** (Staphylinidae) Synonym(s): *hungaricus Besuchet,1955* HU TR
307. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
308. **Blaps abbreviata Ménétériés,1836** (Tenebrionidae) Synonym(s): *abbreviata Ménétériés,1836* TR HU AT BG
309. **Blastothrix hungarica Erdös** (Encyrtidae) Synonym(s): HU TR
310. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina Horvath,1903; teratocera Kusnezov,1929; turanica Hovarth,1936; ornata Emeljanov,1962* Anoterostemma corvina Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476. AT SE HU RU At Sb KG TM UA MN TR
311. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
312. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subhuna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
313. **Bombyliella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
314. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula Loew,1855 nec Pall.,1818; croaticum Kertész,1901* AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
315. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator Loew,1855* IT YU TR SY MK IR HU GR AL
316. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum Fabricius,1794; argyropyga Macquart,1846* DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
317. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
318. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps Loew,1862; nigricephalus Séguy,1926* AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
319. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis Macquart,1840; vitripennis oew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
320. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense Macquart,1840; vitripennis Loew,1855; pectoralis Loew,1863; diadematus Bezzi,1912; gibbicornis Bezzi,1923* AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
321. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
322. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818; dispar Meigen,1820* Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ

323. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
324. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
325. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
326. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
327. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus Loew,1855* AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
328. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor Mikan,1796* DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
329. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
330. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
331. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Lioy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
332. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
333. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
334. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
335. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
336. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
337. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
338. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus Meigen,1820; senilis Jaennicke,1867 nec Fabr.,1794; nigripes Strobl,1898 nec Macq.,1834* AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ
339. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818; fuliginosus Wiedemann,1820; brevirostris Meigen,1830 nec Oliv.,1789; rhodius Loew,1855; capillatus Palm,1876; taurizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
340. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796; holosericeus Wiedemann,1820; longirostris Meigen,1820; pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
341. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818; eversmanni Paramonov,1926; karelini Paramonov,1926; pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU

342. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
343. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus* Duda,1923 BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU
344. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
345. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
346. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
347. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
348. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
349. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
350. **Brachycephala laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
351. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis* Gyllenhal,1833 AT HU RO BG GR TR
352. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
353. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
354. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
355. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
356. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
357. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
358. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ
359. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
360. **Bracon (CyanopteroBracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus* Marshall,1888 AL RU YU HU AT TR
361. **Bracon (GlabroBracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
362. **Bracon (GlabroBracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
363. **Bracon (GlabroBracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
364. **Bracon (GlabroBracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis* Thomson,1892 RU YU HU PL SE FI AT FR GB TR
365. **Bracon (GlabroBracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida* Wesmael,1838 TR RO YU HU AT BE IT FR GB

366. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger* Wesmael,1838 JP RU TJ TM RO HU AT BE IT FR TR
367. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
368. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
369. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 TR JP KG Cc RU RO CZ HU AT IT BE FR GB
370. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella* Wesmael,1838 RU RO AL YU HU IT CH BE FI SE GB TR
371. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini* Kokoujev,1904 TR Cc AZ KG RU TM KG RO HU
372. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
373. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
374. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
375. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
376. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
377. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
378. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 ES SS IT HU RO BG GR MK UA TR RU Ao
379. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera* O.Costa,1840 AT FR HU IT ES TN YU
380. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794 BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
381. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 CN FR GR TR HU IT RO RU
382. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
383. **Callimoxus gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis* Brullé,1832 Cc TR IR GR SK HU
384. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, *Fauna del regno Napoli*, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
385. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
386. **Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882; *villarrubiae* Tavares,1930; *glandulosa* Weld,1930 PT ES FR HU GR TR
387. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
388. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
389. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
390. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
391. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
392. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA

393. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
394. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis Kiesenwetter,1852* AT SK SS UA HU PL RO HV MK IT AL GR TR
395. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774* TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
396. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
397. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
398. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
399. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
400. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
401. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758* AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
402. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
403. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
404. **Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata Fabricius,1792* SK CZ AT HU RO TR Cc AM
405. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops Scopoli,1763; morio Fabricius,1787; majoripenne Pic,1926; tomentosulum Breuning,1946; kudlai Heyrovsky,1951* AT CZ HU RO BG TR SS SK UA
406. **Carinatodorcadion fulvum (Scopoli,1763)** (Cerambycidae) Synonym(s): *fulvum Scopoli,1763; sanguinolentus Scopoli,1772; frontale Mulsant & Rey,1863* AT CZ HU YU BG SS SK UA
407. **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856* TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
408. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905* TR DE AT CZ RU IT JP HU SK TN
409. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955* AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
410. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes Meigen,1826* DE AT FR ES CH IT HU CZ NL SK
411. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata Fieber,1844; haupti Priesner,1923; pallida Mancini,1934* AT BG CS DE GR HU IT Si RO RU YU
412. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763; mactata Germar,1821; panzeri Peletier & Serville,1825; distinguenda Kirschbaum,1868; basalis Dominique,1892; basalis Melichar,1896 (praeocc.); quadripunctata Sabransky,1912; reducta Melichar,1913; egestosa Haupt,1917* Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
413. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807; helvetica Melichar,1896; nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
414. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus Fabricius,1794* AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
415. **Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): *adamovichiana Piller & Mitterpacher,1783* SK HU YU HV BG TR
416. **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi Gyllenhal,1817* HU BG TR IQ IR Cc CY RU
417. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae Linnaeus,1758; ?baneai Gheorghiu,1994* RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO

418. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
419. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
420. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
421. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
422. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
423. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
424. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
425. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
426. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
427. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
428. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
429. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
430. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
431. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes* Abeille de Perrin,1885 TR IT HU Cc MK GG IR
432. **Cheiloneurus quercus Mayr,1876** (Encyrtidae) Synonym(s): *quercus* Mayr,1876 IT HU TR
433. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR
434. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckhert,1929 AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
435. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868 AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR
436. **Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s): *handlirschi* Schletterer,1889 IT HU TR RO TM
437. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
438. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadridum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
439. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepelletier,1841; *parumerinitus* Alfken,1932 AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
440. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935 HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
441. **Chilaspis mayri (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901 Dryocosmus mayri Müllner,1901, Verh. zool.- bot. Ges. Wien 51 (3): 525-527. Lectotype: Greece, Corfu (NHMW). AT GR HU IL Pa TR

442. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida Giraud,1859; loewii Wachtl,1882* AT DE RO HU BG TR
443. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
444. **Chlaenius (Chlaeniellus) nitidulus (Schränk,1781)** (Carabidae) Synonym(s): *nitidulus Schränk,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
445. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
446. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
447. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
448. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
449. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
450. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
451. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata Metcalf,1943* Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
452. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
453. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939* AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
454. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
455. **Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926* HU AT RU At TR IL CN
456. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cn MD KG
457. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820* IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
458. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
459. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940* IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
460. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
461. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808* *Hypomicrogaster dorsalis Spinola,1808, Insect. Liguria 2: 151.* TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
462. **Chonostropheus tristis (Fabricius,1794)** (Attelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
463. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii Rozkosny,1979* CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
464. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
465. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
466. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928* TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG

467. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; congener Paykull,1799; tetragramma Ménériès,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyti Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
468. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; quadraticollis Abeille,1893; kerremansi Abeille,1894 DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
469. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Campanyo,1863; quadridens Rey,1890; bedeli Pic,1930 DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
470. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes Walker,1839; orchestis Ratzeburg,1844; sauros Walker,1848; laeta Ratzeburg,1848; auronitens Ratzeburg,1852; turcicus Fahringer,1938; gunholdi Delucchi,1954; laevigata Delucchi,1954; tadici Delucchi,1954; cuspidigaster Yoshimoto,1973; truncatipennis Yoshimoto,1973; elmaellae Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
471. **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; staneki Bechyne,1949 DE AT HU PL RO HV TR
472. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; pseudolurida Roubal,1917; bakuensis Bechyne,1952; jailensis Bechyne,1952 FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
473. **Chrysolina salviae (Germar,1824)** (Chrysomelidae) Synonym(s): *salviae* Germar,1824; sculptipennis Faldermann,1837 HU Cc TR
474. **Chrysopa hungarica Klapalek,1899** (Chrysopidae) Synonym(s): *hungarica* Klapalek,1899 HU TR
475. **Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758 RU Sb JP TR HU GB NL DE
476. **Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl,1893; nigerrimus Becker,1918 RU Cc TR AT CH HU
477. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 AM BG GR RO RU Cc TR HV HU DE IT
478. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
479. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912 AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
480. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
481. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
482. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; danensis Linnavuori,1962 CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
483. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 BG CS FR HU IT RO MD RU YU TR
484. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; strigipes Zetterstedt,1828; spilotoccephala Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
485. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinenotata* Boheman,1845 AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV
486. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
487. **Cirrosipilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU

488. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
489. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
490. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
491. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia* Stal,1859 AF BG TR CZ FR GR HU RO YU
492. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynobatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
493. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
494. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897 Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU
495. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (praeocc.); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
496. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
497. **Clanoptilus (s.str.) ambiguus (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus* Peyron,1877 HU RU GR TR
498. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826 AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
499. **Cleptes aerosus Förster,1853** (Chrysididae) Synonym(s): *aerosus* Förster,1853; *abeillei* Buysson,1887 HU GR CH IT Si
500. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
501. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
502. **Cleptes semicyaneus Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus* Tournier,1879 FR NL HU AT RU IT
503. **Closterocerus chlorogaster (Erdös,1966)** (Eulophidae) Synonym(s): *chlorogaster* Erdös,1966 HV CZ DK DE HU MD NL SE GB YUTR
504. **Closterocerus cuprifrons (Erdös,1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdös,1954 HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
505. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
506. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae* Ferrière,1952; *fimbriata* Erdös,1956 HV FI DE HU IT JP ES SE CH UA RU YU TR
507. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773; *deficiens* Weise,1900 ES HU RU Sb GR TR IR MN KP KR
508. **Coccophagus piceae Erdös,1956** (Aphelinidae) Synonym(s): *piceae* Erdös,1956 HU TR
509. **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825 FR Co DE PL CZ SK CH AT HU Cc TR AM Eri
510. **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866 DE PL CZ SK CH AT HU TR RU Cc AM Eri
511. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR
512. **Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus* Walker,1839; *silvestrii* Lucchese,1941 TR AM AZ Cc BG CA On CZ FR DE HU
513. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis* Latreille,1804; *brevicaudatum* Uvarov,1910; *hungaricus* Cziki,1923 FR GB EE LT DE AT HU RO Cc RU KG TR

514. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat*a Boheman,1849 Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
515. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
516. **Cordilura aemula Collin,1958** (Scathophagidae) Synonym(s): *aemula* Collin,1958 GB IE CZ DK EE DE HU NL
517. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata* Zetterstedt,1846; *nigra* Robineau-Desvoidy,1830; *beringensis* Malloch,1923 NO SE FR US AT CZ DE FI HU RU Sb SK SE
518. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE
519. **Cordilura picipes Meigen,1826** (Scathophagidae) Synonym(s): *picipes* Meigen,1826; *biseta* Loew,1864 DK IT Si RU BE CZ EE DE GB FI MN HU NO NL PL SK SE CH
520. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH
521. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa* Loew,1873 SK AT BE CZ FR DE HU KG NL PL RO RU
522. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
523. **Cotesia cupresus (Lylé,1925)** (Braconidae) Synonym(s): *cupresus* Lylé,1925 DE FI GB FR ES NL LT HU TR
524. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 DE BG GB IT SE RU Sb HU TR
525. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae* Riley,1887 MX CA US GB DE YU TR CZ NL HU MD UA RU JP
526. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 TR BG DE GB IT YU HU RU
527. **Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): *numen* Nixon,1974 DK GB FR CZ HU TR
528. **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974 DE BE GB FI NL ES IT HU RU
529. **Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): *saltatoria* Balevski,1980 BG YU TR HU MN
530. **Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974 BG CZ HU TR CH SE
531. **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972 DZ DE BG GB TR IR Cc NL PL HU MA
532. **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880 DE GB FI TR AT RU HU CN AU
533. **Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus* Reinhard,1880 DE GB FR FI TR MN HU
534. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
535. **Cryptocephalus apicalis Gebler,1830** (Chrysomelidae) Synonym(s): *apicalis* Gebler,1830; *flavoguttatus* Suffrian,1847 AT HU SK YU UA RU Sb
536. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO
537. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
538. **Cryptocephalus trimaculatus (Rossi,1790)** (Chrysomelidae) Synonym(s): *trimaculatus* Rossi,1790 FR BG HU TR
539. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775 DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG
540. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
541. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964 ES FR GB IE BE DE AT PL UA HU B-H BG TR
542. **Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843 IT AT SS HU RO BG GR TR
543. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948 PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT

544. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
545. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
546. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 PT ES FR DE UA MD RO YU GR IT AT HU TR MK
547. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
548. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838 TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
549. **Dasyhelea acuminata Kieffer,1919** (Ceratopogonidae) Synonym(s): *acuminata* Kieffer,1919; *polita* Edwards,1921; *verticillata* Kieffer,1925; *littoralis* Goetghebuer,1934 GB BE DE HU
550. **Dasyhelea corinnae Gosseries,1991** (Ceratopogonidae) Synonym(s): *scutellata* Meigen,1830 nec Say,1829; *corinnae* Gosseries,1991 FI DE HU ES BE GB NO
551. **Dasyhelea fasciigera Kieffer,1925** (Ceratopogonidae) Synonym(s): *fasciigera* Kieffer,1925; *furcata* Zilahi-Sebess,1940; *nigra* Zilahi-Sebess,1940 EE HU
552. **Dasyphora penicillata (Egger,1865)** (Muscidae) Synonym(s): *penicillata* Egger,1865 MA DE PL CZ SK CH AT HU Cc AM RU TR
553. **Dasygogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyssler,1790; *nalis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
554. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
555. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
556. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (praecoc.); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
557. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR
558. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
559. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
560. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950 AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
561. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis* Loew,1859 RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
562. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
563. **Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866 TR HU Cc GG YU BG LB JO IL Pa
564. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
565. **Dictyonota aridula (Jakovlev,1902)** (Tingidae) Synonym(s): *aridula* Jakovlev,1902 CY HU RU TR
566. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
567. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis*

- Matsumura,1910; oertzeni Matsumura,1910* AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
568. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica Germar,1830* Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
569. **Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
570. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias Walker,1838* BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
571. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
572. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophron Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
573. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850; agnatus Letherry,1850; lenensis Linnavuori,1953* AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
574. **Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus Lundström,1913* ES FR GB CH IT SS HU YU RO BG TR
575. **Dilophus febrilis (Linnaeus,1758)** (Bibionidae) Synonym(s): *febrilis Linnaeus,1758; spinatus O.F.Müller,1764; forcipata Schrank,1803; vulgaris Meigen,1818* PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
576. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus Meigen,1804; albipennis Meigen,1830* PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
577. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804; falleni Meigen,1820; atrata Meigen,1820; geniculata Meigen,1820* AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
578. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820; aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
579. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis Fabricius,1787; cingulata Zetterstedt,1849* IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
580. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
581. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869; altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
582. **Diplocolenus parcanicus Dlabola,1948** (Cicadellidae) Synonym(s): *parcanicus Dlabola,1948* CS BG HU Cc GG RU YU
583. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae Hartig,1840; rufipes Forster,1869* PT ES FR GB NL DE SE PL AT HU RO IT TR
584. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae Linnaeus,1758; bedeguaris Fourcroy,1785* PT ES GB NL DE PL SE AT HU RO IT TR
585. **Diplolepis spinosissimae (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae Giraud,1859* ES FR GB NL DE AT HU PL SE IT TR
586. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum Rossi,1790; cornigera Jurine,1807; imperialis Giraud,1863* AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
587. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes Signoret,1865; nitida Haupt,1866; dlabolai Vilbaste,1980* AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
588. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis Eversmann,1848; annulipes Türk,1862* CZ HU RO TR Cc IR RU Sb KG MN
589. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes Haliday,1856* ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
590. **Dolichogenidea anarsiae (Faure & Alabouvetle,1924)** (Braconidae) Synonym(s): *anarsiae Faure & Alabouvetle,1924* Apanteles anarsiae Faure & Alabouvetle,1924, Revue Zool. Agri. Appl. 23: 283. TR Cc AZ GG FR IT RO HU
591. **Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla Nixon,1972* Apanteles drusilla Nixon,1972, Bull. ent. Res. 61: 701-743. TR DE UA BG HU MN IT GB
592. **Dolichogenidea immissus (Papp,1977)** (Braconidae) Synonym(s): *immissus Papp,1977* Apanteles immissus Papp,1977, Ann. Hist. Nat. Mus. Nat. Hung. 69: 201-217. DE HU TR
593. **Dolichogenidea mycale (Nixon,1972)** (Braconidae) Synonym(s): *mycale Nixon,1972* Apanteles mycale Nixon,1972, Bull. ent. Res. 61: 727. TR BG CH HU
594. **Dolichogenidea soikai (Nixon,1972)** (Braconidae) Synonym(s): *soikai Nixon,1972* Apanteles soikai Nixon,1972, Bull. ent. Res. 61: 701-743. TR BG IT HU

595. **Dolichopus thalhammeri Knezy,1929** (Dolichopodidae) Synonym(s): *thalhammeri Knezy,1929 Dolichopus thalhammeri Knezy,1929, Folia Soc. ent. Hung. 2 (1): 19. Type: Hungary, Dabas. HU BG FR TR*
596. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897; margaritacea Horvath,1897 CY HU IQ JO RO YU TR*
597. **Doratura concors Horvath,1903** (Cicadellidae) Synonym(s): *concors Horvath,1903; semenovi Kusnezov,1952; dzungarica Mitjaev,1971 CZ HU IT PL RU YU TR*
598. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903 AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU*
599. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861 AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU*
600. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897 AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU*
601. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928 AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU*
602. **Dorycephalus baeri Kuschakewisch,1866** (Cicadellidae) Synonym(s): *baeri Kuschakewisch,1866 AT CZ HU RU TR*
603. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum Fabricius,1794; thannicola Robineau-Desvoidy,1830; scalaris Loew,1868 AT DE HU FR Co ES HV PT GB IT PL CZ TR*
604. **Dryocosmus cerriphilus Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus Giraud,1859 IT AT HU RO TR*
605. **Dryodurgades dlabolai Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai Wagner,1963 HU IT RU MD UA YU BG FR TR*
606. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus Herrich-Schäffer,1834 AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR*
607. **Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus Loew,1848 IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR*
608. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus Loew,1854 IR AT BG CZ DE FR IT HU RO YU UA RU TR KG*
609. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820 TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG*
610. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus Loew,1854 AT AL BG DE FR HU PL RO UA TR IR Fa*
611. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer Loew,1854 AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR*
612. **Ebaeus gibbus (Drapiez,1819)** (Melyridae) Synonym(s): *gibbus Drapiez,1819; taeniatus Baudi di Selve,1871; cyaneus Cameron & Caruana Gatto,1907 FR IT Si MT HU?*
613. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus Fieber,1869 AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU*
614. **Ebarrius intertinctus (Fieber,1869)** (Cicadellidae) Synonym(s): *intertinctus Fieber,1869 AT FR HU IT MN PL SW Cc GG YU*
615. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis Meigen,1820 IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG*
616. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae Edwards,1888; bidentata Edwards,1914; #avellana Lodos & Kalkandelen,1984 AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR*
617. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi Douglas,1876; australis Froggatt,1918; frogatti Baker,1925; oxyacanthae Ribaut,1925; cornuta Wagner,1947 AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU*
618. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936 AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA*
619. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi Edwards,1881; chromata Rey,1894; plurispinosa Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU*
620. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola Edwards,1914; barbata Ribaut,1931 AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA*
621. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU*
622. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola Edwards,1885 AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At*
623. **Eginia ocypterata (Meigen,1826)** (Muscidae) Synonym(s): *ocypterata Meigen,1826 DE PL CZ SK AT HU Cc*

624. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
625. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
626. **Elampus panzeri (Fabricius,1804)** (Chrysididae) Synonym(s): *panzeri* Fabricius,1804 DE HU RU IT
627. **Elampus soror (Mocsary,1889)** (Chrysididae) Synonym(s): *soror* Mocsary,1889 IT HU CY
628. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhipicerus* Förster,1841; *giraudi* Ferrière,1947 TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
629. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
630. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
631. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947 TR Cc BG CZ DE HU IT MD SK ES SE
632. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 AT FI DE GR FR HU IT MD KG ES SE CH TR RU
633. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
634. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
635. **Emblethis brachynotus Horvath,1907** (Lygaeidae) Synonym(s): *brachynotus* Horvath,1907 HU TR
636. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
637. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
638. **Empidideicus hungaricus Thalhammer,1911** (Bombyliidae) Synonym(s): *hungaricus* Thalhammer,1911 IT HU
639. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula* Loew,1867 TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
640. **Empis (s.str.) lepidopus Meigen,1822** (Empididae) Synonym(s): *lepidopus* Meigen,1822 TR DE IT HU NL CH ES
641. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscura* Zetterstedt,1842 TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
642. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
643. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
644. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
645. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
646. **Entedon biroï Erdős,1944** (Eulophidae) Synonym(s): *biroï* Erdős,1944 TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ
647. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdős,1961; *fructicola* Gumovsky,1996 TR BG Cn HV FR DE HU NL ES SE UA GB YU
648. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdős,1951 TR BG HU MN RU ES SE GB
649. **Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna* Walker,1839; *elongatus* Thomson,1878; *aselli* Erdős,1954 TR BG CZ HU NL NO RU SK SE GB
650. **Entedon jozsefi Gumovsky,1999** (Eulophidae) Synonym(s): *jozsefi* Gumovsky,1999 HU
651. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdős,1944; *longus* Boucek,1968 TR BG DE HU IL Pa SE GB

652. **Entedon marusiki Gumovsky,1999** (Eulophidae) Synonym(s): *marusiki Gumovsky,1999* HU KG RU Tv UA
653. **Entedon pallierus Erdös,1944** (Eulophidae) Synonym(s): *pallierus Erdös,1944* TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
654. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar Thomson,1878; subovatus Thomson,1878* TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
655. **Entedon pinetorum Ratzeburg,1852** (Eulophidae) Synonym(s): *pinetorum Ratzeburg,1852* TR DE HU
656. **Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): *procioni Erdös,1944; molybdaenus Erdös,1944; urticarii Erdös,1951; meliloti Askeu,1992* TR BG CZ FR DE HU NL RU SK ES SE UA GB
657. **Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus Walker,1839; longiventris Thomson,1878; longiventrosus Dalla Torre,1898; insignis Erdös,1944; lixi Erdös,1951; mecini Askeu,1992* TR AT BG HV CZ FR GG Cc DE GR HU
658. **Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus Erdös,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
659. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
660. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica Christ,1791; coccineus Fabricius,1804* CH ES IT DE FR AT HU GR Cc TR
661. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus Horvath,1903; imitatus Haupt,1924; byzantina Zachvatkin,1946; mira Zachvatkin,1946; insularis Lindberg,1948* AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
662. **Ephippiger ephippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ephippiger Fiebig,1784; vitium Serville,1831; rossii Fieber,1853; fibigii Fieber,1853; fabricii Fieber,1853; moguntiacus Schuster,1906* Gryllus ephippiger Fiebig,1784, Berlin. Ges. naturf. Freunde 5: 260. Type(s): Austria: Wien (NMWM). AT Wn HU YU BG TR
663. **Episyrrhus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina Scopoli,1763; balteatus De Geer,1776; scitula Harris,1776; alternata Schrank,1781; nectarea Fabricius,1787; nectarina Wiedemann,1830; alternana Macquart,1842* TR GB AU NL DE NO HU GR Cr RU Ur Sb Cc KG AF MN CN JP DZ Cn
664. **Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia Foudras,1860* TR ES IT SK UA HU YU Cc
665. **Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum Linnaeus,1758; lineole Harris,1776* GB HU NL DE NO GR Cr TR
666. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax Linnaeus,1758; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822* Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
667. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
668. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens Fabricius,1787; kollari Föster,1859* AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
669. **Eucharis reticulata Ruschka,1924** (Eucharitidae) Synonym(s): *reticulata Ruschka,1924* Cc TR RO HU
670. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata Fabricius,1794 (praeocc.); lepidus Boheman,1847; tristis Boheman,1847* Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
671. **Eudasyphora zimini (Hennig,1963)** (Muscidae) Synonym(s): *zimini Hennig,1963* DE PL CZ SK CH AT HU Cc AM Eri GG
672. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
673. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa Boheman,1845; asiracoides Forel,1858; obscura Metcalf,1943* AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
674. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
675. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda Herrich-Schäffer,1837; zetterstedti Boheman,1845* AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU

676. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
677. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
678. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
679. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *upsilon* Cerutti,1939 AT BG CS FI DE HU PL RO SE SW KG
680. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
681. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
682. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
683. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834 AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
684. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
685. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
686. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
687. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831 DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
688. **Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948 AT BG CS FI FR DE HU NL PL RU
689. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU
690. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR
691. **Eurya lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
692. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
693. **Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): *arctica* Thomson,1875 IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB
694. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
695. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
696. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
697. **Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): *curta* Walker,1832 TR AT FR DE HU MD NL SE GB
698. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
699. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
700. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
701. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
702. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 TR AT BG CZ FR DE HU IT MD MA NL SE GB RU

703. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
704. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
705. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
706. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
707. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 HU UA US BG GR Cc TM IL Pa
708. **Euzonitis fluvipennis (Fabricius,1792)** (Meloidae) Synonym(s): *fluvipennis* Fabricius,1792 IT TR RU HU
709. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
710. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
711. **Exechia separata Lundström,1912** (Mycetophilidae) Synonym(s): *separata* Lundström,1912 DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
712. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
713. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis* Schmiedeknecht,1924 FR DE HU RO BG LT MD UA TR
714. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus* Masi,1916 B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
715. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
716. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
717. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
718. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albolimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
719. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
720. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus* Herrich-Schäffer,1838 ES FR BE DE PL CZ SK HU AT CH IT BY UA
721. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
722. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
723. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
724. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
725. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
726. **Glyptapanteles callidus (Haliday,1834)** (Braconidae) Synonym(s): *callidus* Haliday,1834; *Microgaster callidus* Haliday,1834, *Entomologist's mon. Mag.* 2: 248. DE AT GB Cc AM GG HU TR

727. **Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972 **Apanteles eugeni** Papp,1972, Ann. Hist. nat. Mus. Nat. Hung. 64: 336-338. **DE BG GB FI LT NL AT CH HU TR**
728. **Glyptomorpha gracilis (Szepligeti,1901)** (Braconidae) Synonym(s): *gracilis* Szepligeti,1901 **TR PG HU**
729. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862 *Gonia maculipennis* Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". **ES HU UA CY TR IL Pa TM**
730. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849 **AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU**
731. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929 **AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ**
732. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821 **AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU**
733. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915 **AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR**
734. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870; *consanguinea* Scott,1873; *tshikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967 **CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA**
735. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 **Gryllus gryllotalpa** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): **Europa**. **TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE**
736. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis* Czerny,1924 **AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK**
737. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 **RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG**
738. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 **AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR**
739. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 **AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us**
740. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962 **AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR**
741. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 **AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU**
742. **Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY**
743. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY**
744. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 **AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
745. **Helina abdominalis (Zetterstedt,1846)** (Muscidae) Synonym(s): *abdominalis* Zetterstedt,1846 **DK FR Co DE PL AT HU SY**
746. **Helina decipiens Mihalyi,1974** (Muscidae) Synonym(s): *decipiens* Mihalyi,1974 **DE CZ SK AT HU TR RU**
747. **Helina latitarsis Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924 **FR Co DE PL CZ SK CH AT HU TR Cc AM RU**
748. **Helina pubescens (Stein,1893)** (Muscidae) Synonym(s): *pubescens* Stein,1893 **DE PL CH AT HU TR? RU**
749. **Helina setiventris Ringdahl,1924** (Muscidae) Synonym(s): *setiventris* Ringdahl,1924 **AD DE PL CZ SK CH AT HU TR Ui RU**
750. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758 **TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK**
751. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 **AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU**

752. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
753. **Heptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus* Herbst,1783 RU HU Sb Cc AM
754. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
755. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
756. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826 Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR
757. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
758. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
759. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
760. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
761. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
762. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
763. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 AT FR GR HU IT PL RO RU YU IR
764. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
765. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
766. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872 AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
767. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
768. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
769. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 AL AD CH ES FR GR HU HV IT Sa MK SS TR
770. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006 AT AM Cc ES FR Co GR HU RU SK TR
771. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
772. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Cc AZ HU RO RU Or KG MN CN JO SY TR
773. **Hoplitis (Megalosmia) princeps (Morawitz,1872)** (Megachilidae) Synonym(s): *princeps* Morawitz,1872 KG MN CN RU UA HU
774. **Hoplitis (Micreriades) mazzuccoi (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005 AT BG HU SK TR
775. **Hoplitis (Pentadentoscia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
776. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
777. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 AT CH DE ES FR HU IT RU SS

778. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 **AT CH CZ? DE ES FR HU HV IT RU SS**
779. **Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps* Horvath,1897 **AT BG GR HU RO IT YU TR HV CZ**
780. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 **Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM**
781. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 **Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU**
782. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 **AL AT BG TR CZ FR HU IL IT RO ES YU**
783. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU**
784. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829 **BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ**
785. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 **AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU**
786. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 **TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH**
787. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 **TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH**
788. **Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky,1860 **AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc**
789. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 **ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR**
790. **Hydrotaea meridionalis Portschinsky,1882** (Muscidae) Synonym(s): *meridionalis* Portschinsky,1882 **IT Si DE PL CZ SK CH AT HU TR RU**
791. **Hydrotaea penicillata (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866 **FR Co PL CZ SK CH HU TR GR Cr**
792. **Hysteropterum conspurcatum (Spinola,1939)** (Issidae) Synonym(s): *conspurcatum* Spinola,1939 **BG CS HU RO ES YU**
793. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 **AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU**
794. **Hysteropterum latifrons Fieber,1877** (Issidae) Synonym(s): *latifrons* Fieber,1877 **BG HU RO YU**
795. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 **AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR**
796. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 **AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU**
797. **Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): *albinervis* Tobias,1964 **Apanteles albinervis** Tobias,1964, *Trudy. zool. Inst. Leningr. 34: 221. TR HU KG Cc AZ*
798. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965 **Apanteles lacteoides** Nixon,1965, *Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU*
799. **Iconella laspeyresiella (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella* Papp,1972 **Apanteles laspeyresiella** Papp,1972, *Ann. Hist. Nat. Mus. Hung. 64: 338-340. AT BG HU RU TR*
800. **Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia* Nixon,1965 **Apanteles vindicia** Nixon,1965, *Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR*
801. **Idiocerus fasciatus Fieber,1868** (Cicadellidae) Synonym(s): *fasciatus* Fieber,1868 **AT BE CS FR? DE HU ES AZ UA**
802. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus* Fabricius,1775; *aurulentus* Kirschbaum,1868; *cupreus* Kirschbaum,1868 (*praeocc.*); *decipiens* Kirschbaum,1868; *kirschbaumi* Baker,1924; *lineolata* Ribaut,1952 **AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU**
803. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868 **AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU**
804. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 **AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU**
805. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835 **AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU**

806. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis,1834; *adustus* Herrich-Schäffer,1837 **DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU**
807. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868 **AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU**
808. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989 **TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz**
809. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus* Gahan,1914 **IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ**
810. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916 **IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ**
811. **Illidops butalidis (Marshall,1888)** (Braconidae) Synonym(s): *butalidis* Marshall,1888 *Apanteles butalidis* Marshall,1888, Spec. Hym. Eur. Alg. 4: 45. **TR DE CH GB BG CZ YU HU TN**
812. **Illidops naso (Marshall,1888)** (Braconidae) Synonym(s): *naso* Marshall,1888 *Apanteles naso* Marshall,1888, Trans. ent. Soc. Lond.: 203. **TR GB BG Cr YU MN RU CH HU**
813. **Illidops szaboi (Papp,1974)** (Braconidae) Synonym(s): *szaboi* Papp,1974 *Apanteles szaboi* Papp,1974, Ann. Hist.-nat. Mus. Nat. Hung. 64: 341-343. **TR HU BG**
814. **Illidops urgo (Nixon,1965)** (Braconidae) Synonym(s): *urgo* Nixon,1965 *Apanteles urgo* Nixon,1965, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 2: 182. **TR Cr Cc AZ MN HU**
815. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 **TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY**
816. **Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820 **AT HU Cc GG TR CY Cr GR Rd IL Pa SY IR**
817. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleoptratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 **DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU**
818. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis* Schrank,1781 **Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU**
819. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 **AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU**
820. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 **AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU**
821. **Jassidaeus lugubris (Signoret,1865)** (Delphacidae) Synonym(s): *lugubris* Signoret,1865; *morio* Fieber,1866; *atratura* Kirschbaum,1868 **AT CZ SK FR DE HU PL RO MD**
822. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU**
823. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894 **Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU**
824. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *juncea* Haupt,1935 **CZ DE MN PL SE TR RU At EE BG HU**
825. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 **AL CY CZ FR GR TR HU IL IT RU YU**
826. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 **AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU**
827. **Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878 **CZ FR HU IT RO TR YU**
828. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 **PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR**
829. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (*praeocc.*); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 **AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU**
830. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963 **BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA**
831. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 **AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU**

832. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
833. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae* Matsumura,1900 (praeocc.); *handlirschi* Matsumura,1908; *maculosus* Vilbaste,1965 AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ
834. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
835. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
836. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
837. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): **Europa**. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
838. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
839. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
840. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
841. **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
842. **Lasioglossum lateralis (Brullé,1832)** (Halictidae) Synonym(s): *lateralis* Brullé,1832; *bifasciatus* Brullé,1832; *ticinensis* Frey-Gessner,1903 ES FR CH HU TR GR
843. **Lasioglossum pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudocaspicum* Blüthgen,1923 IT HU TR
844. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
845. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
846. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
847. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775 TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
848. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica sensu* Meigen,1820 IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
849. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaenicke,1867 IR BG CZ FR DE GR HU IT RU CH TR
850. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
851. **Leucopis palumbi Rondani,1872** (Chamaemyiidae) Synonym(s): *palumbi* Rondani,1872 HU
852. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
853. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763 AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
854. **Limnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta* Kowarz,1893 IT Si DE PL CZ AT HU LY? Cc? RU
855. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (praeocc.); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
856. **Liposthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES IT AT HU RO UA RU TR

857. **Lispe apicalis Mik,1869** (Muscidae) Synonym(s): *apicalis Mik,1869* MA DZ AT HU TR IR
858. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia Meigen,1826* MA DZ TN LY EG
Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
859. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s):
perspicillator Gravenhorst,1829 TR DE AT ES HU IT YU MD KG
860. **Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii Leonhardi,1973*
TR Cc IR TM T HU AT
861. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus*
Warchalowski,1967 Cc AZ TR FR IT AT HU PL CZ SK IR TN
862. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec*
Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854;
mehadiensis Motschoulsky,1854; mingrelia Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis
Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969 AT B-H BG
MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
863. **Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): *trimaculatus Fabricius,1775*
TR HU RO IT
864. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini*
Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955 Cc AL AT CY CS
FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
865. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes Brullé,1832; basalis*
Loew,1849; cerdo Gerstaecker,1861 IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
866. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus Loew,1849* IT HU AT
YU RO GR BG AL TR
867. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus Loew,1849* HU YU
RO GR BG TR IR Gor
868. **Machimus thoracius (Loew,1849)** (Asilidae) Synonym(s): *thoracius Loew,1849* IR Ss Ke
HU TR
869. **Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota*
Meigen,1824; germanica Robineau-Desvoidy,1830; major Schiner,1862 TR AT DE HU SE
870. **Macrolophus melanotoma (Costa,1852)** (Miridae) Synonym(s): *melanotoma Costa,1852*
IT Sa HU TR
871. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis*
Fallén,1810 HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
872. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s):
alpestris Rondani,1865; dumosum Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS
ES CH TJ UA
873. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola*
Fallén,1820; viatica Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH
TJ UA Cm GB TW
874. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s):
polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris
Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL
NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
875. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s):
lemariei Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
876. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s):
striginervis Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE
IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
877. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar Fieber,1868* FR HU IT
ES TN Cc GG KG KK RU Sb AF UA YU
878. **Macropsis fuscinerervis (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscinerervis*
Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
879. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula Zetterstedt,1828*
AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
880. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea Fieber,1868;*
viridiceps Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
881. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea*
Fabricius,1798; populi Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU
At IR
882. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata*
Herrich-Schäffer,1836; notatifrons Rey,1891; latestiata Strobl,1900; lucifer Wagner,1941; injucunda
Wagner,1950; ossiannilssoni Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
883. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei Fieber,1868;*
bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926 DZ AT BG CS DK FR DE GR
HU NL PL RO ES TN TR Cc GG KG RU Sb YU

884. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ
KG? MD? RU Sb TJ? UA? UZ? YU?
885. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata*
Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL
PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
886. **Macropsis vicina (Horvath,1897)** (Cicadellidae) Synonym(s): *vicina* Horvath,1897 AT FR
HU PL RU YU CZ SK TR
887. **Macrorileya femorata (Boucek,1952)** (Eurytomidae) Synonym(s): *femorata* Boucek,1952
TR HU RU
888. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata*
Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
889. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT
BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
890. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875;
tetrasticta Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH
RU LT UA YU TR
891. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927;
mannerheimi Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT
MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
892. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa
IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
893. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata*
Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT
JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
894. **Macrosteles sordidipennis (Stal,1858)** (Cicadellidae) Synonym(s): *sordidipennis*
Stal,1858; *salina* Reitter,1886 AT CZ DK GB FI HU MN NL NO PL SE RU TR
895. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus*
Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
896. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens*
Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR
DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
897. **Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus* Erichson,1840;
carnifex Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR
HU IT LT MK PL SK SY AT CH DE YU TR
898. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
Gryllus religiosus Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb
MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH
TW MY ID Ja Clb KP KR CN VN
899. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT
BY CZ FR DE HU IT PL RU SS ES CH TR
900. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763;
sichelii Radoszkowski,1859 FR IT AT HU TR IR RU Cc ES PL
901. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus* Smith,1854 BG RO
HU GR Cc IR RU TR
902. **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus*
Morawitz,1878 UA HU DE Cc RU TR
903. **Megachile (Xanthosarus) giraudi Gerstaecker,1869** (Megachilidae) Synonym(s):
giraudi Gerstaecker,1869 HU UA DE SK TR
904. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853;
sahlbergi Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
905. **Megalocoleus dissimilis (Reuter,1876)** (Miridae) Synonym(s): *dissimilis* Reuter,1876 IT
HU TM TR
906. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830;
truncatipennis Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL
CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
907. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE
AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
908. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT
CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
909. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus*
Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL
NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
910. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus*
Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ

911. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 **FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU**
912. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 **IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB**
913. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 **DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU**
914. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinsum* Bigot,1884; *nigricorne* Stroble,1893 **DZ US GB HU NL DE SE NO GR Cr TR**
915. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 **TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH**
916. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 **IT Si UA HU AT Wn HV PL RO RU Sr**
917. **Melieria unicolor Loew,1854** (Ulidiidae) Synonym(s): *unicolor* Loew,1854 **HU ES IT Si**
918. **Meloe hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus* Schrank,1776 **HU TR IL Pa Cc RU**
919. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus* Müller,1925 **ES FR GB TR HU HV IT Si LY YU LB IL Pa JO**
920. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 **FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF**
921. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus* Rossi,1792; *ruficornis* Balbi,1897 **Cn ES IT Sa Si AT HU TR Cc RU TM KG AF**
922. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792 **AT IT FR ES Md HU AL TR IL Pa EG MA DZ**
923. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 **MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr**
924. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Lioy,1864 **DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU**
925. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 **MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR**
926. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913 **ES FR CH AT HU IT Si YU BG GR CY TR LB**
927. **Merodon flavus Sack,1913** (Syrphidae) Synonym(s): *flavus* Sack,1913 **ES FR CZ CH IT HU BG**
928. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis* Rondani,1845 **ES FR AT GR HU IT YU PL CH TR**
929. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798 **TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR**
930. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus* Boheman,1845 **AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU**
931. **Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): *steini* Fieber,1869 **DE HU JP Cc AZ UA**
932. **Metasyrphus corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776; *corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons* Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus* Macquart,1850; *topiarius* Walker,1851; *berber* Bigot,1884 **DZ GB HU NL DE SE NO TR**
933. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 **DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM**
934. **Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894 **HU TR AT YU**
935. **Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus* Thomson,1887 **SE DE FR AT HU TR**
936. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 **IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB**

937. **Micronecta perplexa Horvath,1899** (Corixidae) Synonym(s): *perplexa Horvath,1899* HU
RU RO TR
938. **Micronecta pusilla (Horvath,1895)** (Corixidae) Synonym(s): *pusilla Horvath,1895* HU
RO RU TR
939. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* BE FI KP KR
MA RU AT TR DE IT NL HU GB KG
940. **Microptilis decipiens Prell,1925** (Braconidae) Synonym(s): *decipiens Prell,1925* DE PL
HU TR
941. **Microptilis docilis (Telenga,1964)** (Braconidae) Synonym(s): *docilis Telenga,1964* BG RU HU
CH FI TR
942. **Microptilis flavipalpis Brullé,1832** (Braconidae) Synonym(s): *flavipalpis Brullé,1832* TR
BG DE GB FI FR KP KR HU MN TN
943. **Microptilis heterocera Ruthe,1860** (Braconidae) Synonym(s): *heterocera Ruthe,1860* DE
YU TR RU CZ HU
944. **Microptilis marshallii Kokujev,1897** (Braconidae) Synonym(s): *marshallii Kokujev,1897*
Cc AZ AM GG HU TR RO RU
945. **Microptilis naenia Nixon,1970** (Braconidae) Synonym(s): *naenia Nixon,1970* CZ HU RU
TR
946. **Microptilis scrophulariae Szepligeti,1898** (Braconidae) Synonym(s): *scrophulariae*
Szepligeti,1898 Cc AZ GG FR RO CH HU CZ MN TR
947. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH
Cc AZ DK BG FR GR HU NL TR
948. **Microptilis strenua Reinhard,1880** (Braconidae) Synonym(s): *strenua Reinhard,1880*
TR AM NL PL HU GB CH CN RU Sb
949. **Microptilis varipes Ruthe,1860** (Braconidae) Synonym(s): *varipes Ruthe,1860* Cc AZ DE
FR YU TR AT PL RU MN Sb SE HU
950. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua Ruthe,1860* Cc AZ RU Da
CY DE GR GB TR KG ES CH SE HU YU
951. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847*; *palposa*
Zetterstedt,1848 SE FI RU DK DE PL SK CZHU AT IT GB GR EG
952. **Milichia pseudoludens Papp,1977** (Milichiidae) Synonym(s): *pseudoludens Papp,1977*
Milichia pseudoludens Papp,1977, Acta zool. hung. 23: 173-174. Holotype ♂: Hungary, Szada,
Schmidt,1909.v.9". HU
953. **Milichiella argyrogaster (Perris,1876)** (Milichiidae) Synonym(s): *argyrogaster*
Perris,1876; *tiefii Mik,1887* ES FR AT CZ SK HU RU US
954. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum Koch,1803*
AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
955. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850*;
aridellus Boheman,1850; *lateralis Sahlberg,1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL
RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
956. **Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): *quadricornis*
Dlabola,1949 AT CS HU PL RO TR MD UA
957. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus*
Curtis,1835 (praeocc.); *crocea Herrich-Schäffer,1837*; *oxypterus Kirschbaum,1868* AL DZ AT BE BG CY
CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
958. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata*
Germar,1821; *rupicapra Marshall,1861*; *ambigua Fieber,1885* AL DZ AT BG CS DK FR DE GB HU IT LU
NL PL RO SW TN Cc GG MD UA YU
959. **Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola Remane,1961*
IQ AT FR GR HU RU TR
960. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis*
Fieber,1844; *hemsdorfensis Zeller,1856*; *pubescens Eversmann,1859*; *caudatus Singer,1869*; *fasciatus*
Walker,1871; *alata Jacobson,1904*; *turanicus Bei-Bienko,1933* Gryllus frontalis Fieber,1844, Ent.
Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR
961. **Molobratia teotonus (Linnaeus,1767)** (Asilidae) Synonym(s): *teotonus Linnaeus,1767*;
marmoratus Geoffroy,1785; *teoton Macquart,1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO
YU BG GR RU TR IR Es
962. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus*
Fonscolombe,1832 IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
963. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834*
TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH
UA GB US
964. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus*
Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES
SE CH TM UA GB US
965. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae*
Walker,1847 IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB

966. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper* Sulzer,1776 ES FR Co IT AL CH RO GR SS BG HU PL MD
967. **Morimus funereus Mulsant,1863** (Cerambycidae) Synonym(s): *funereus* Mulsant,1863 HU SK UA BG
968. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
969. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
970. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781 Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
971. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758 PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF
972. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
973. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
974. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840 ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
975. **Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): *confusus* Stal,1861 Cc CS HU RO TR AZ GG UA YU
976. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus* Fabricius,1794 Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
977. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835 FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
978. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
979. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata* Pallas,1781 TR RU KG MN IR SY BG DE ES HU DE
980. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
981. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR
982. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR
983. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta* Wiedemann,1824 GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR
984. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 ES FR BE DE PL SK CZ AT IT HU RO BG TR
985. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata* Meigen,1804 FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR
986. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979 *Myopites apicatus* Freidberg,1979, Israel J. ent. 13: 16. TR IL Pa IT HU GR Gr AT FR CZ
987. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 TR KG UZ SY GR BG YU MK AT HU RO UA RU
988. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
989. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
990. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
991. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc Ru MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
992. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 YU HU RO IT BG AL GR TR CY RU Cc IL EG

993. **Nemotelus (s.str.) brevisrostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937 **TR DE AT BG CZ KG HU MN PL RO RU SK YU GR**
994. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974 **GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA**
995. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus* Frivaldsky,1855; *varius* Loew,1871 **HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN**
996. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *buresschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA**
997. **Neotalitrus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 **AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU**
998. **Neotalitrus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868 **CZ FR DE GR HU IT UA TR**
999. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
1000. **Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916 **HU IT IL Pa ES TR**
1001. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 **IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW**
1002. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
1003. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
1004. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 **AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA**
1005. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 **AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)**
1006. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
1007. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
1008. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
1009. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
1010. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 **ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN**
1011. **Neuroterus aggregatus Wachtl,1880** (Cynipidae) Synonym(s): *aggregatus* Wachtl,1880 **AT HU**
1012. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 **PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR**
1013. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
1014. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
1015. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 **IT AT HU RO BG TR**

1016. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
1017. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
1018. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR**
1019. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 **PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR**
1020. **Noeeta crepidis (Hering,1936)** (Tephritidae) Synonym(s): *crepidis* Hering,1936 **DE CH CZ HU TR**
1021. **Nohoveus punctulatus (Steven,1846)** (Myrmeleonidae) Synonym(s): **HU RO KG MN**
1022. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 **TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU**
1023. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 **TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU**
1024. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL**
1025. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 **AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL**
1026. **Notiophilus germyni Fauvel,1863** (Carabidae) Synonym(s): *germyni* Fauvel,1863 **AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL**
1027. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 **AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA**
1028. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 **AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL**
1029. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 **AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL**
1030. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 **DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR**
1031. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 **MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR**
1032. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 **IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE**
1033. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 **MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF**
1034. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 **MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF**
1035. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 **PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG**
1036. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
1037. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
1038. **Oliarus apiculatus Fieber,1876** (Cixiidae) Synonym(s): *apiculatus* Fieber,1876 **FR HU RO Cc AZ YU**
1039. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 **AL CZ FR HU IT PT RO ES TR KK TM UA UZ**

1040. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* **AL BG Cr GR HU MK MD RO UA YU TR**
1041. **Omaloplia (s.str.) nigromarinata (Herbst,1786)** (Scarabaeidae) Synonym(s): *nigromarinata Herbst,1786; occidentalis Baraud,1965* **AT CZ DE HU LT PL RO SS SK UA YU**
1042. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola Fabricius,1775; humeralis Fabricius,1775; marginatus Fuessly,1775; floricola Laicharting,1781; atrata Geoffroy,1785; pruinosa Küster,1849; populi Gistel,1857; intermedia Abeille,1895; fritschi Reitter,1905; arnoldi Medvedev,1952; tergestina Bauard,1965; svanetica Medvedev & Dzambazishvili,1973* **AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc**
1043. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis Fallén,1806* **AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR**
1044. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni Stal,1863* **GR HU IT RO ES UA UZ**
1045. **Ommatidiotus inconspicuus Stål,1863** (Caliscelidae) Synonym(s): *inconspicuus Stål,1863* **CZ HU RU TR**
1046. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis Charpentier,1825; nebulosa Brunner von Wattenwyl,1882; montivagus Azam,1908; obscurus Schirmer,1913; viridis Schirmer,1913; robustior Zacher,1917; hyalosuperficies Voroncovsky,1928* **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb**
1047. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes Zetterstedt,1821; ventralis Zetterstedt,1821; cruentata Brullé,1832; geniculata Brullé,1832; miniata Stephens,1835; viridulum Wesmael,1838; zetterstedti Fieber,1852* **Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
1048. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata Schrank,1776 (praeocc.); ferrugineus Curtis,1837; heydenii Kirschbaum,1868* **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU**
1049. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscula Gravenhorst,1807; nigrutilus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837; pulchellus Curtis,1837; reticulatus Curtis,1837; frontalis Curtis,1837; capucinus Zetterstedt,1840; dubius Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944* **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
1050. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis Zetterstedt,1840; frontalis Flor,1861; rufusculus Fieber,1868; brevicauda Thomson,1870* **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
1051. **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789* **RU KK KG UZ TJ TM AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
1052. **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792* **AT HU BG HV GR Cr TR SY JO IL Pa EG Sn LB**
1053. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* **ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM**
1054. **Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790* **RU Cc AZ KK KG TJ UZ TM HU SY AF CN Ti TR**
1055. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790* **GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR**
1056. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas,1781* **RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP**
1057. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni Harold,1877* **TR BG MK GR RO UA HU**
1058. **Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus Sturm,1800* **HU SK UA Cm TR SY Cc IQ Cc**
1059. **Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s): *ruficapillus Brullé,1832* **Cc AZ AM SY HU TR AT SK IL Pa**
1060. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis Panzer,1798* **RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR**
1061. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis A.Villa & GB.Villa,1833* **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
1062. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides Fabricius,1792* **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**

1063. **Opsilia molybdaena (Dalman,1817)** (Cerambycidae) Synonym(s): *molybdaena Dalman,1817* **DZ HU**
1064. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981* **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
1065. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans Loew,1847; lappae Zetterstedt,1847* **DE BY CZ FR IT LT HU RU UA TR**
1066. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata Schrank,1781; flavicans Robineau-Desvoidy,1830; intermedia Frauenfeld,1857* **TR DE BG CZ FR SE CH HU UA**
1067. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta Gmelin,1790* **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
1068. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea Latreille,1809; nigrocoerulescens Staeger,1842; coerulea Zetterstedt,1843; walkeri Rondani,1859; unicolor Loew,1850; italica Rondani,1859* **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
1069. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides Spinola,1808* **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
1070. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta Panzer,1799; haematoda Panzer,1801* **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
1071. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
1072. **Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives Mocsary,1877; medanae Magreti,1890; subintegra Pérez,1902; hierosolomita Benoist,1934* **GR Cr HU EG? KK UZ CY IL Pa Js JO SY TR**
1073. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta Geoffroy,1785 nec Schr.,1781; leaiana Kirby,1802; confusa Morawitz,1869; solkyi Morawitz,1870; bidens Pérez,1879; forsii Alfken,1924; schachtli Warncke,1988* **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
1074. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895* **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
1075. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
1076. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata Morawitz,1876; affinis Frivaldsky,1877; pallens Tkalcu,1979* **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
1077. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica Morawitz,1868; detrita Pérez,1879* **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
1078. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris Morawitz,1868* **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
1079. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa Kirby,1802; euchreiformis Radoszkowski,1882* **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR**
1080. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina Curtis,1828; angustula Zetterstedt,1838; vankovitzii Radoszkowski,1887* **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR**
1081. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis Smith,1846* **AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN**
1082. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana Kirby,1802; fuciformis Latreille,1811; chrysomelina Panzer,1812; clarior Tkalcu,1983* **AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS**
1083. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935* **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
1084. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor Schrank,1781; rustica Geoffroy,1785; fusca Christ,1791; hirudinaria Christ,1791; pyrenaea Lepeletier,1841; fusca Gistel,1857; rufitarsis Smith,1879; monachiensis Strand,1917* **AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN UI**

- 1085. *Osmia (Pyrosmia) cephalotes* Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
- 1086. *Osmia (Pyrosmia) gallarum* Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
- 1087. *Osmia (Pyrosmia) submicans* Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
- 1088. *Osmia (Pyrosmia) versicolor* Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
- 1089. *Osmia (s.str.) bicornis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
- 1090. *Osmia (s.str.) cornuta* (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
- 1091. *Osmia (s.str.) mustelina* Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
- 1092. *Osmia (Tergosmia) tergestensis* Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
- 1093. *Osmylus fulvicephalus* (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
- 1094. *Oxycera (Camptopelta) meigenii* Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
- 1095. *Oxycera pardalina* Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaenicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohemia* Hrbacek,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
- 1096. *Oxycera pygmaea* (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR
- 1097. *Pachybrachis (s.str.) fimbriolatus* (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb
- 1098. *Pachybrachis (s.str.) flexuosus* Weise,1882** (Chrysomelidae) Synonym(s): *flexuosus* Weise,1882; *dalmatinus* Pic,1908 IT HU AT
- 1099. *Pachybrachis (s.str.) hippophaes* Suffrian,1848** (Chrysomelidae) Synonym(s): *hippophaes* Suffrian,1848 HU AT CH FR Py RO
- 1100. *Pachybrachis (s.str.) picus* Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 DE AT ES FR BE HU IT
- 1101. *Pachybrachis (s.str.) sinuatus* Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb
- 1102. *Paluda preysleri* (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
- 1103. *Paluda vitripennis* (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
- 1104. *Paracaloptenus caloptenoides* (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolívar,1878 *Platyphyma caloptenoides* Brunner von Wattenwyl,1861, Verh. zool.- bot. Ges. Wien 11: 226. Lectotype ♂: [Serbia]: Brdjane (BMNH). TR GR YU MD SK BG HU AT
- 1105. *Paracardiophorus musculus* (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN

1106. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
1107. **Paragus (Pandasyophtalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schmmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883 TR DZ GB HU NL DE GR Cr
1108. **Paragus (s.str.) bicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863 TR DZ GB HU GR Cr
1109. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
1110. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
1111. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1112. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
1113. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1114. **Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus* Hovarth,1897 CZ DE HU PL RO RU TR
1115. **Pedestredorcadion decipiens (Germar,1824)** (Cerambycidae) Synonym(s): *decipiens* Germar,1824 UA Cm HU RO RU YU SK
1116. **Pedestredorcadion murrayi (Küster,1847)** (Cerambycidae) Synonym(s): *murrayi* Küster,1847 HU RO YU
1117. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... AL AT BG CZ HU IT RO Ur SK UA YU TR
1118. **Pedestredorcadion scopoli (Herbst,1784)** (Cerambycidae) Synonym(s): *scopoli* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... RU Sb HU BG AT CZ GR SK UA YU
1119. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
1120. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pedicidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
1121. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
1122. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
1123. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia* Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 Cn CZ FI HU IT GR NO MT RU SE DZ
1124. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
1125. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1126. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1127. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1128. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
1129. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 AF AZ BG Cc GR HU RO RU SL SY TR UA YU
1130. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU

1131. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (praeocc.); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 **AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU**
1132. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 **AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY**
1133. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 **MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU**
1134. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921; *barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 **ES FR NL DE PL CH AT HU SS HV YU MK IT TR**
1135. **Phaenolobus major Szepliget,1914** (Ichneumonidae) Synonym(s): *major* Szepliget,1914 **HU TR**
1136. **Phalacrotophora pictofasciata Schmitz,1919** (Phoridae) Synonym(s): *pictofasciata* Schmitz,1919 **HU**
1137. **Phalacrotophora spectabilis Schmitz,1915** (Phoridae) Synonym(s): *spectabilis* Schmitz,1915 **HU**
1138. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 **Gryllus falcata** Poda,1761, *Ins. Mus. Graec.*: 52. **ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP**
1139. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 **AT CZ FR GR HU IR IT MN ES RU Sb US Cf**
1140. **Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szepliget,1900; *graeffei* Fischer,1959 **AT GR HU IT TR MD YU**
1141. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 **BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT**
1142. **Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846 **MA? DE PL CZ AT HU SY TR**
1143. **Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823 **US Oh CA On DE PL CZ SK AT HU SY**
1144. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *populi* Meigen,1826 **ES Md FR Co DE PL CZ SK CH AT HU SY RU**
1145. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 **DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az**
1146. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957 **TR PT ES FR DE HU SK B-H CH IT BG GR**
1147. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824 **PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr**
1148. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860 **ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG**
1149. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824 **FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT**
1150. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794 **ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT**
1151. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 **ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY**
1152. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767 **ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si**
1153. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons* Girschner,1887 **ES FR GB BE NL DE PL RU CZ SK HU AT CH IT**
1154. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili* Draber-Monko,1965; *theodori* Draber-Monko,1965 **PT ES FR IT Co Si HU UA RU Cr CY**
1155. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
1156. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 **IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB**
1157. **Philopotamus ludificatus McLachlan,1878** (Philopotamidae) Synonym(s): *ludificatus* McLachlan,1878 **FR BE DE PL CZ SK HU IT SS**

1158. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1159. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR
1160. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1161. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1162. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
1163. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1164. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1165. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta* Fabricius,1805; *maura* Wiedemann,1820 AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1166. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1167. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1168. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1169. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrimaculata* Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1170. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952 ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1171. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1172. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata* Latreille,1792 HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
1173. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1174. **Physiphora alceae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyßler,1791 AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1175. **Phyocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824 ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1176. **Phyocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta* Brullé,1832 ES FR CH AT CZ HU PL IT TR
1177. **Phyocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776 GB FR BE NL DE DK SE FI PL CZ AT HU IT TR
1178. **Phyocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781 ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1179. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1180. **Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis* Herrich-Schäffer,1841 AL AZ Cc BG CZ FI HU IT TR CH RU YU
1181. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1182. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW

1183. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes Horvath,1888* ES IT DE AT CZ HU MK BY BG UA RU KG
1184. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1185. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes Fabricius,1781; genei Costa,1841* AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1186. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata Macquart,1829* FI HU YU AT CH DE NL BE FR ES TR
1187. **Pithytettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus Fallén,1806; proteus Herrich-Schäfer,1834; pinastri Fieber,1885* DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1188. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus Fieber,1864* AT Cc HU RO RU CN Ui TR
1189. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus Fourcroy,1785; laevus Rey,1891; niger Kuznezov,1929* AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1190. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides Linnaeus,1758; azurea Dalla Torre,1789; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919* SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1191. **Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae) Synonym(s): *vittata Charpentier,1825 (praeocc.); veyseli Koçak,1984* Platycleis veyseli Koçak,1984, Priamus 3 (4): 169 (nomen novum pro vittata Charpentier,1825 nec Thunberg,1789). HU TR
1192. **Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis Signoret,1880 nec Kbm.,1868; signoreti Wagner,1959* RU Cc BG CZ HU TR YU
1193. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus Scott,1876* AT CS FR HU IT ES BG TR YU
1194. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus Fieber,1869* AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1195. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1196. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1197. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata Olivier,1811* TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
1198. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869*; ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1199. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833* IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1200. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum Fabricius,1794* IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1201. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1202. **Polysarcus denticaudus (Charpentier,1825)** (Tettigoniidae) Synonym(s): *denticaudus Charpentier,1825; lixoniensis Sauley,1887* FR ES HU TR
1203. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans Kirschbaum,1868; fuscocoerulea Edwards,1914* AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1204. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1205. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus Kieffer,1900* Cc RU Da DE RO HU MK BG ES
1206. **Pristaulacus chlapowskii Kieffer,1900** (Aulacidae) Synonym(s): *chlapowskii Kieffer,1900* HU
1207. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator Fabricius,1804; flagellatus Nees,1834; erichsoni Westwood,1841; fasciatus Kriechbaumer,1883* DE RO AT CZ HU RU Sb YU IT TR

1208. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 **PL DE HU RO BG YU AT CH IT TR**
1209. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 **AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR**
1210. **Procaerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 **TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU**
1211. **Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes* Edwards,1921; *subrufipes* Knoz,1980 **BG CZ HU IT SK TR**
1212. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 **TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA**
1213. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 **DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc**
1214. **Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris* Herbst,1786; *aenea* Scriba,1790; *aeruginosa* Herbst,1790; *marmorata* Fabricius,1792; *punctatoundulata* Petagna,1819; *zoufali* Roubal,1929; *novaci* Miksic,1954 **DE RU Am HU CZ YU B-H KG UA TR**
1215. **Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790 **HU LT Cc AM TR TM KG RU Sb MN**
1216. **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica* Latreille,1807 (praeocc.); *angustata* Germar,1817; *muelleri* Reitter,1897; *angustula* Reitter,1898; *eibesensis* Reitter,1902; *orientalis* Alexis & Delpont,1996 nec Gory & Percheron,1833 **HU HV TR SY IR**
1217. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 **Apanteles anchiades** Nixon,1973, Bull. ent. Res. 63: 169-228. **TR DE GB SE BG MN IT HU FI NL CH CZ**
1218. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU**
1219. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU**
1220. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 **AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU**
1221. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 **AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA**
1222. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952 **AF AT BG CS FR DE HU IT NL PL PT**
1223. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897 **AT BG TR CS DE HU RO LV MD RU TJ UA**
1224. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 **AT BG CS FI DE HU NL NO PL RO SE LV RU Sb**
1225. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 **AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ**
1226. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925 **AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU**
1227. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 **FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT**
1228. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 **Tenthredo amerinae** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. **PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR**
1229. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 **IT AT B-H HU RO BG GR TR**
1230. **Pseudotorymus pannonicus (Mayr,1874)** (Torymidae) Synonym(s): *pannonicus* Mayr,1874 **HU UA TR**
1231. **Pseudotorymus sapphyrinus (Fonscolombe,1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe,1832; *mongolicus* Szelenyi,1973 **FR DE CZ SK HU B-H YU MD TR MN**
1232. **Pseudotorymus stachidis (Mayr,1874)** (Torymidae) Synonym(s): *stachidis* Mayr,1874 **IR Fa AT HU SE**

1233. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti Steffan,1948*; *ferrierei Steffan,1948* **CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR**
1234. **Psilochalcis mirabilis (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis Boucek,1952* **TR CZ SK HU KG RU US**
1235. **Pteronomobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853*; *lateralis Costa,1855* **TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR**
1236. **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis Götz,1783* **GR SK HU Cc TR SY IR**
1237. **Purpuricenens globulicollis Mulsant,1839** (Cerambycidae) Synonym(s): *globulicollis Mulsant,1839* **FR IT HU BG**
1238. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758*; *clamariensis Fallén,1829* **AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US**
1239. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus Kolenati,1845* **AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU**
1240. **Rabdophaga albipennis (Loew,1850)** (Cecidomyiidae) Synonym(s): *albipennis Loew,1850* **GB NL DE CZ PL EE SE HU RO**
1241. **Rabdophaga clausilia (Bremi,1847)** (Cecidomyiidae) Synonym(s): *clausilia Bremi,1847* **ES CH AT HU RO PL**
1242. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex Kieffer,1891* **PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL**
1243. **Rabdophaga degeerii (Bremi,1847)** (Cecidomyiidae) Synonym(s): *degeerii Bremi,1847* **GB CH DE CZ HU SE**
1244. **Rabdophaga dubiosa Kieffer,1913** (Cecidomyiidae) Synonym(s): *dubia Kieffer,1892*; *dubiosa Kieffer,1913* **GB DE NL CZ FR PL HU RO SE FI EE**
1245. **Rabdophaga gemmicola (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *gemmicola Kieffer,1896* **FR GB BE NL DE CZ HU RO RU SE FI EE**
1246. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia Loew,1850* **ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR**
1247. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia Kieffer,1890* **GB FR CH AT CZ DE PL HU YU RO RU SE FI EE**
1248. **Rabdophaga pierrei (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierrei Kieffer,1896* **PT ES FR GB NL DE CZ PL HU RO BG IT**
1249. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda Dufour,1841* **FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR**
1250. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis Schrank,1803* **PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR**
1251. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major Burmeister,1839* **AT DE CH FR CZ HU BG HV MK RO GR**
1252. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix Harris,1780* **AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU**
1253. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera Marshall,1866*; *coroniceps Kirschbaum,1868*; *i-album Scott,1881* **AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU**
1254. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni Wagner,1939* **AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU**
1255. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus Fieber,1876*; *fasciatus Kusnezov,1928* **Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU**
1256. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* **Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU**
1257. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus Dufour,1833*; *pallidus Kusnezov,1937*; *flavidus Kusnezov,1937*; *rufocarيناتus Kusnezov,1937* **Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU**
1258. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus Linnaeus,1758*; *annularis Geoffroy,1785* **AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU**
1259. **Rhagoletis berberidis Jermy,1961** (Tephritidae) Synonym(s): *berberidis Jermy,1961* **TR AT HU Cc RU SK CH UA**
1260. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763* **TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM**
1261. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764* **TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU**

- 1262. Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
- 1263. Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916 BG AM Cc HU IR MK RU Sb SY TR GR
- 1264. Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
- 1265. Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948; *horvathiana* Dlabola,1954 AT BG CS HU RO TR RU
- 1266. Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
- 1267. Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
- 1268. Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
- 1269. Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterreus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 Gryllus nitidulus Scopoli,1786, Delicidae florae & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
- 1270. Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasana* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
- 1271. Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
- 1272. Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
- 1273. Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
- 1274. Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
- 1275. Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
- 1276. Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
- 1277. Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
- 1278. Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
- 1279. Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 TR CY BG GR FR IT HU RO MK
- 1280. Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
- 1281. Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
- 1282. Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
- 1283. Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
- 1284. Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842 TR ES IR GB HU GR Cr

1285. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR Cr
1286. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
1287. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1288. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1289. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1290. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1291. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muehe,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
1292. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1293. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1294. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
1295. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguay,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
1296. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
1297. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
1298. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
1299. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihaljii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1300. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1301. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1302. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus* Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1303. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN UI
1304. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1305. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
1306. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus* Olivier,1790 FR PT ES DE CH IT Co Sa AT HU TN DZ

1307. **Sphyracephala europaea** Papp, Földvari & Paulovics,1997 (Diopsidae) Synonym(s): *europaea* Papp, Földvari & Paulovics,1997 **Sphyracephala europaea** Papp, Földvari & Paulovics,1997, *Folia ent. hung.* 58: 137-146. HU
1308. **Spilogona carbonella** (Zetterstedt,1845) (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845 **FR Co DE PL CZ SK CH AT HU TR RU**
1309. **Spilogona dispar** (Fallén,1823) (Muscidae) Synonym(s): *dispar* Fallén,1823 **SE DE PL CZ SK CH AT HU TR Cc**
1310. **Stenocranus fuscovittatus** (Stal,1858) (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868 **Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb**
1311. **Stenocranus minutus** (Fabricius,1787) (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 **DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU**
1312. **Stenopogon callosus** (Pallas,1818) (Asilidae) Synonym(s): *callosus* Pallas,1818 **IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG**
1313. **Stenopogon coracinus** (Loew,1847) (Asilidae) Synonym(s): *coracinus* Loew,1847 **IT FR HU RO GR BG TR IR**
1314. **Stenopogon elongatus** (Meigen,1804) (Asilidae) Synonym(s): *elongatus* Meigen,1804 **TR IR EG GR FR HU IL Pa RO RU TN**
1315. **Sterictiphora angelicae** (Panzer,1799) (Argidae) Synonym(s): *angelicae* Panzer,1799; *melanocephalus* Panzer,1799; *taraxaci* Panzer,1806; *villersi* Leach,1817; *henschi* Konow,1907 **ES FR GB DE SE SK HU AT IT AL Co**
1316. **Sterictiphora geminata** (Gmelin,1790) (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 **ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR**
1317. **Stichopogon elegantulus** (Wiedemann,1820) (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 **IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT**
1318. **Stictocoris picturatus** (Sahlberg,1842) (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praeocc.*); *picturatus* Sahlberg,1842 **AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU**
1319. **Strangalia attenuata** (Linnaeus,1758) (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 **ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG**
1320. **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868 **FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ**
1321. **Stroggylocephalus agrestis** (Fallén,1806) (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
1322. **Strongylopsis abdominalis** Kasparyan,1974 (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 **BG HU RO RU Cc TR**
1323. **Sybistroma impar** (Rondani,1843) (Dolichopodidae) Synonym(s): *impar* Rondani,1843 **BG GR IL RO HU IT TR**
1324. **Sycophila biguttata** (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
1325. **Sycophila flavicollis** (Walker,1834) (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 **IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU**
1326. **Sycophila submutica** (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876 **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
1327. **Sycophila variegata** (Curtis,1831) (Eurytomidae) Synonym(s): *variegata* Curtis,1831 **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
1328. **Sympiesis acalle** (Walker,1848) (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteor* Girault,1916 **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU**
1329. **Sympiesis euspilapterygis** (Erdős,1958) (Eulophidae) Synonym(s): *euspilapterygis* Erdős,1958 **TR AT BG CZ DE HU PL SE YU**
1330. **Sympiesis sericeicornis** (Nees,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU**

1331. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
1332. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
1333. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR
1334. **Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926 GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
1335. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1336. **Syrpitta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824 TR US NL DE NO HU GR Cr
1337. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1338. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
1339. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
1340. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
1341. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1342. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1343. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
1344. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1345. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
1346. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1347. **Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi* Mik,1864 AM Cc TR AT CZ HU IT
1348. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
1349. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 GB SE DE BE NL PL BY UA Cc KG CH AT HU TR
1350. **Tephritis dioscorea (Loew,1856)** (Tephritidae) Synonym(s): *dioscorea* Loew,1856 TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU
1351. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus* Kirschbaum,1868; *pellucidus* Wagner,1951 nec Melichar,1896 AL AT CZ HU IT RO RU YU GR TR
1352. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934 BG TR DE HU MN ES Cc
1353. **Tettigometra (Mitricephalus) leucophaea (Preysslner,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preysslner,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1354. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiatis* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
1355. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU

1356. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
1357. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
1358. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa* Fieber,1865 DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
1359. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865 Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
1360. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
1361. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 Gryllus (Tettigonia) *viridissima* Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR
1362. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896 AL AT BG CS HU IT Si RO GG Cc TR MD YU
1363. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
1364. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior* Kirschbaum,1868; *erythrosticktus* Lethierry,1880 AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
1365. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1366. **Theophilea subcylindricollis Hladil,1988** (Cerambycidae) Synonym(s): *subcylindricollis* Hladil,1988 SK HU RO
1367. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
1368. **Thereva aurata (Loew,1854)** (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta* Egger,1859; *corrinea* Gosseries,1991 AT CZ GR HU IT RO TR YU
1369. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1370. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris* Meigen,1820 AT CZ DE ES FR GB PL RU HU IT RO YU TR
1371. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
1372. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata* Meigen,1820 TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1373. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854 TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
1374. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus* Wiedemann,1817 US Cf Als DE PL CZ SK CH AT HU TR JP
1375. **Thricops nigrifellus (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigrifellus* Zetterstedt,1838 DE PL CZ SK CH AT HU TR RU Ur
1376. **Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex* Wiedemann,1817 DE PL CZ SK CH AT HU IQ
1377. **Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus* Schnabl,1888 FR Co DE PL CZ SK CH AT HU TR RU
1378. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes* Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1379. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT HU HV YU RO BG GR TR
1380. **Tingis caucasica (Jakovlev,1880)** (Tingidae) Synonym(s): *caucasica* Jakovlev,1880 Cc TR AL RU HU YU
1381. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 Tipula *lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY

- BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH
UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1382. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781*;
striatus Meigen,1820; *annulatus Macquart,1826*; *pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ
DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1383. **Torymoides dispar (Masi,1916)** (Torymidae) Synonym(s): *dispar Masi,1916* TR IT SK HU
B-H YU AL MK
1384. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri*
Mayr,1874; *longicauda Masi,1916* ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
1385. **Torymoides transrugosus Szelenyi,1982** (Torymidae) Synonym(s): *transrugosus*
Szelenyi,1982 HU
1386. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus Müller,1764* IR Ak Kd
AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1387. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris*
Linnaeus,1758; *viridis Geoffroy,1785*; *aurata Christ,1791*; *elegans Boheman,1834*; *forsteri Ratzeburg,1844*;
divisus Walker,1871; *rosarum Hoffmeyer,1929* Ichneumon *bedeguaris Linnaeus,1758, Syst. Nat.*
(Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da
SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1388. **Torymus cultriventris Ratzeburg,1844** (Torymidae) Synonym(s): *cultriventris*
Ratzeburg,1844 BE HV CZ DE HU NL PL SK TR UA GB YU
1389. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR
Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1390. **Torymus lapsanae (Hoffmeyer,1930)** (Torymidae) Synonym(s): *lapsanae Hoffmeyer,1930*
IR Fa Elb Th HU FR UA SE
1391. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus Walker,1833*;
pallidicornis Boheman,1834; *nanulus Walker,1874* CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR
UA GB US Mon
1392. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781*; *macropterum*
Walker,1833; *splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO
RU Sh Kmt SK ES SE CH TR YU B-H MK
1393. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789*;
maculata Rossi,1790 nec Müll.,1764; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ
EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1394. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866*;
hamulata Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL
PT RO ES TN TR RU GG KG KK MD TJ UZ
1395. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831*
AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1396. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusum Erichson,1837*
AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA
MR TN NL
1397. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus*
Schrank,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK
MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1398. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus*
Herrich-Schäffer,1835; *falciger Boheman,1845*; *discolor Flor,1861*; *venustus Scott,1874* AT BE BG CZ DK
GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
1399. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata*
Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES
SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1400. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841*;
megapteropsis Wriese,1900 PT ES DE PL UA MD RO HU AT IT TR
1401. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata*
Loew,1865 TR HU MK FR IT Si ES TN
1402. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus Fabricius,1775*;
serrulatus Müller,1776; *dentatus Schrank,1781*; *beryllinus Gmelin,1788*; *elector Fabricius,1794*; *angusta*
Reuter,1881 AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
1403. **Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): *andropogonis*
Horvath,1895 BG CZ GR HU SL YU TR
1404. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR
GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA
DZ EG
1405. **Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s):
fenestrata auct. nec A.Costa,1862; *occidentalis Huang & Bourgoin,1993* AT BG CY CS FR HU IL IT RO TR
Cc AM KK MD RU UA YU
1406. **Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli Gregor,1939*
HU BG TR Cc KG

1407. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 **DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At**
1408. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinus* Fischer von Waldheim,1846; *#liliifolia* Bolivar,1877 **Locusta lilifolia** Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. **TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm**
1409. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 **AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA**
1410. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 **AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA**
1411. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 **Ula mollissima** Haliday,1833, Ent. Mag. 1: 153. **AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR**
1412. **Ulidia nigripennis Loew,1845** (Uliidae) Synonym(s): *nigripennis* Loew,1845 **HU UA SK DE PL IT AT FR GR MD SK**
1413. **Urophora sirunaseva (Hering,1938)** (Tephritidae) Synonym(s): *sirunaseva* Hering,1938 **GR Cr TR MD UA HU**
1414. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850 **Trypeta terebrans** Loew,1850, Stettin ent. Ztg. 11: 53. **TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR**
1415. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900 **DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR**
1416. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906 **DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU**
1417. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 **AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU**
1418. **Villa albida Becker,1916** (Bombyliidae) Synonym(s): *dubia* Meade,1881; *albida* Becker,1916 **HU IT**
1419. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 **AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN**
1420. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 **ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA**
1421. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 **MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO**
1422. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 **ES FR GR CY HU IT Si MD RU UA**
1423. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 **Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
1424. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 **AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG CN HV CZ DK EE FI FR DE GR HU IE IT Sa Si**
1425. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 **BE CY CZ FR DE GR HU IT PL RO SK ES UA YU**
1426. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 **AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA**
1427. **Villa longicornis Lyneborg,1965** (Bombyliidae) Synonym(s): *longicornis* Lyneborg,1965 **DK FI FR HU NO SE**
1428. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 **AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU**
1429. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 **AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU**
1430. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifer* Dufour,1833; *dolosa* Jaenicke,1867; *turbidus* Loew,1869 **IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU**
1431. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 **DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU**

1432. **Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *inanis* Fabricius,1794; *fasciata* Verral,1900 **GB HU GR Cr TR**
1433. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 **AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU**
1434. **Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes* Fabricius,1798 **AT BE CZ GR HU PL SK SE TR YU**
1435. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR**
1436. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891 **FR HU AT CZ IT Si GR TR IL Pa SY**
1437. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836 **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU**
1438. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta* Lethierry,1874 **AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU**
1439. **Zygina (s.str.) dorsalis Horvath,1897** (Cicadellidae) Synonym(s): *dorsalis* Horvath,1897 **BG HU YU**
1440. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 **AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU**
1441. **Zygina (s.str.) krueperi Fieber,1884** (Cicadellidae) Synonym(s): *krueperi* Fieber,1884 **GR HU IL YU**
1442. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936 **DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU**
1443. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis* Rey,1891; *ramnicola* Horvath,1903; *fulguralis* Matsumura,1908; *concinna* Edwards,1924; *inconstans* Ribaut,1936 **AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU**
1444. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae* Fallén,1806 **AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU**
1445. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide* Ferrari,1882; *nudale* Ribaut,1936 (*praeocc.*); *nudior* Cerr.,1937; *decolorata* Cerr.,1939; *unipunctata* Cerr.,1939; *nudista* Knull,1944 **BG HU IT LB PL SW UA? YU TR**
1446. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula* Boheman,1845 **AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU**
1447. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838 **AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU**

Synonymic and distributional list of the pterygot insects of Italy

(Results of the Entomofauna of the World based upon info-system of the Cesa)

72

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Italy (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 72.

Priamus (suppl.) 18: 2514-2600.

In this study, totally 2344 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Italy recorded in info-system of the Cesa, total pterygot species of Italy increase to 7121.

Key words: List, distribution, *pterygota*, *Insecta*, Italy.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 2344 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 4797 recorded species of Lepidoptera from Italy are found. Taking this information into consideration, total number of the pterygots may increase to 7121.

The study is still continuing, and the new results will be published within this Project.

1. "**Calligypona**" **obtusangula** **Linnavuori,1957** (Delphacidae) Synonym(s): *obtusangula Linnavuori,1957* **CY IL IT**
2. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* **AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL**
3. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* **ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA**
4. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* **GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc**
5. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* **AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU**
6. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* **BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU**
7. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* **DE FR FI IT AT PL RO SE SS CZ HU**
8. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* **AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU**

9. **Acanthophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus* Loew,1844 **DZ Cn FR CY IT Si EG SY TR**
10. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868 **AT BE BG TR CZ DK DE FR IT NL PL RO RU**
11. **Acanthogeron senex (Weidemann,1820)** (Bombyliidae) Synonym(s): *senex* Weidemann,1820 **IT**
12. **Acanthogeron separatus (Becker,1906)** (Bombyliidae) Synonym(s): *separatus* Becker,1906 **IT**
13. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790 **IT GR TR YU AL BG RO CH FR HU**
14. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 **TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA**
15. **Acemya pyrrhocera (Villeneuve,1922)** (Tachinidae) Synonym(s): *pyrrhocera* Villeneuve,1922 **ES FR IT Sa Si**
16. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840 **ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR**
17. **Acericeris vitrina (Kieffer,1909)** (Cecidomyiidae) Synonym(s): *vitrina* Kieffer,1909 **FR CH DE CZ AT HU YU IT Si**
18. **Acericeris rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum,1868 **AT FR DE IT RO GG Cc TR UA YU**
19. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus* Mercet,1921 **TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU**
20. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus* Dejean,1829 **AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM**
21. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 **AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM**
22. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolaxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtusus* Metcalf,1955 **AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU**
23. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stali* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949 **Truxalis bicolor** Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 211-301. Type ♂: South Africa (UZIU). **SL BF ZA ZR ET DZ EG FR SE TR BF IT**
24. **Acrita turrata (Linnaeus,1758)** (Acrididae) Synonym(s): *turrata* Linnaeus,1758; *rufescens* Beauvois,1805; *tenuis* Beauvois,1805; *carinulata* Bolivar,1889; *uvarovi* Bolivar,1936; *maroccana* Dirsh,1949; *sicula* Dirsh,1949; *tunetana* Dirsh,1949 **CV NG BJ MA TN IT Si**
25. **Acritus homoeopathicus Wollaston,1857** (Histeridae) Synonym(s): *homoeopathicus* Wollaston,1857 **AL DK GB FR IT NL NO PL ES CZ UA**
26. **Acritus italicus Reitter,1904** (Histeridae) Synonym(s): *italicus* Reitter,1904 **IT GR**
27. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 **AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU**
28. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
29. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea* Brullé,1832 **Phaneroptera servillea** Brullé,1832, [in] Bory de St.-Vicent et al., Expédition scientifique de Morée 4: 3 (1) 2: 86. Neotype : Greece: Morea. **IT Si SS HV B-H RO BG GR TR**
30. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958 **Gryllus insubricus** Scopoli,1786, *Deliciae faunae et florum insubricae etc* Ticini: 64. **DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO**
31. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834 **ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM**
32. **Adalia (Adaliomorpha) conglomerata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *conglomerata* Linnaeus,1758 **IT**
33. **Adalia (s.str.) bipunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758 **PK IN CN AU TR IT Sa**
34. **Adalia (s.str.) decempunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *decempunctata* Linnaeus,1758 **IT Sa Si TR**
35. **Adarrus bellevoeyi (Puton,1877)** (Cicadellidae) Synonym(s): *bellevoeyi* Puton,1877 **BE BG FR IT PL KG RU Sb**
36. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 **DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU**

37. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 **DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA**
38. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914 **AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR**
39. **Adontomerus gregalis (Steffan,1964)** (Torymidae) Synonym(s): *gregalis* Steffan,1964 **IT Sa**
40. **Adontomerus robustus (Bouceck,1969)** (Torymidae) Synonym(s): *robustus* Bouceck,1969 **BG HU IT MK YU UA**
41. **Adoxomyia dahlii (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlii* Meigen,1830; *schineri* Lindner,1937; *personata* Lindner,1975 **YU GR FR AT IT IL**
42. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 **BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU**
43. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876 **BG GR IT YU AT PL RO SK CZ TR UA HU**
44. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis* Fabricius,1787; *refulgens* Herbst,1790; *aupick* Gory & Percheson,1833; *barbara* Gory & Percheson,1833; *doguerau* Gory & Percheson,1833; *viridiflua* Motschulsky,1835; *deserticola* Waltl,1838 **DZ TN MA LY Cy ES IT Si**
45. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 **AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA**
46. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875 **FI SE FR IT NO RU ES SZ TR MN**
47. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedellii* A.Villa & G.B.Villa,1833; *fallax* Munster,1932 **AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA YU KG TR**
48. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch Kk Lb Pk Sa Sy Tm Uz Tr**
49. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitsev,1927 **AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR**
50. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 **AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR**
51. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911 **ES Cn EG IR IQ IT MA Cc AM TR**
52. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 **AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ**
53. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877 **FR GR IL IT Sa ES SY TN TR UA Cm**
54. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868 **AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU**
55. **Agapanthia cynarae (Germar,1817)** (Cerambycidae) Synonym(s): *cynarae* Germar,1817 **IT BG GR YU HV**
56. **Agapanthia irrorata (Fabricius,1787)** (Cerambycidae) Synonym(s): *irrorata* Fabricius,1787 **MA ES PT IT Sa**
57. **Agapanthia suturalis (Fabricius,1787)** (Cerambycidae) Synonym(s): *suturalis* Fabricius,1787 **ES LY IT Sa TR**
58. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**
59. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 **AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA**
60. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid,1812 **AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA**
61. **Agonum extensum Ménériés,1849** (Carabidae) Synonym(s): *extensum* Ménériés,1849 **GR IT MD TR UA KG**
62. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 **AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL**
63. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 **Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA**

64. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne Chaudoir,1846* Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
65. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
66. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
67. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
68. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
69. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
70. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
71. **Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): *sordidum Dejean,1828* BE HV GR IT SL TR UA LY SY
72. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
73. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
74. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
75. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857* DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
76. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
77. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849* DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
78. **Agriotes (s.str.) litigiousus (Rossi,1792)** (Elateridae) Synonym(s): *litigiousus Rossi,1792* AT BG FR Co IT GR MK SL CH ES TR?
79. **Agrypnus crenicollis (Ménétriés,1832)** (Elateridae) Synonym(s): *crenicollis Ménétriés,1832* TR IT
80. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari Zetterstedt,1840* DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
81. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata Burmeister,1841* DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
82. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
83. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
84. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953* Gryllus thalassinus Fabricius,1781, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
85. **Akis bacarozzo (Schrank,1786)** (Tenebrionidae) Synonym(s): *bacarozzo Schrank,1786; tuberculata Kraatz,1865* IT ES FR Co
86. **Akis italica Solier,1836** (Tenebrionidae) Synonym(s): *italica Solier,1836* IT DZ MA
87. **Akis spinosa (Linnaeus,1764)** (Tenebrionidae) Synonym(s): *spinosa Linnaeus,1764* IT Sa Si DZ TR
88. **Akis subterranea Solier,1836** (Tenebrionidae) Synonym(s): *subterranea Solier,1836* IT Si
89. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella Fallén,1826; elegantula Zetterstedt,1828; discicollis Herrich-Schäffer,1834; fasciata Curtis,1837; fulveola Herrich-Schäffer,1838; eximia Hardy,1850; fastuosa Graff, Six & Snellen,1862; viridis Rey,1894; flavocephala*

- Kupka*,1899; *diluta* Ribaut,1936; *dufouri* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
90. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
91. **Allandrus undulatus (Panzer,1795)** (Anthribidae) Synonym(s): *undulatus* Panzer,1795; *edgreni* Fahraeus,1839 DE FR ES AT IT ...
92. **Allecula (s.str.) morio (Fabricius,1787)** (Tenebrionidae) Synonym(s): *morio* Fabricius,1787 IT
93. **Allecula (s.str.) rhenana Bach,1856** (Tenebrionidae) Synonym(s): *rhenana* Bach,1856 IT
94. **Allecula (Upinella) aterrима Rosenhauer,1847** (Tenebrionidae) Synonym(s): *aterrима* Rosenhauer,1847 IT
95. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
96. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes* Fieber,1836 AL BG CZ FR RU ES CH IT Si SK YU TR GR
97. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
98. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
99. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
100. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
101. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
102. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
103. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
104. **Allygus provincialis (Ferrari,1882)** (Cicadellidae) Synonym(s): *provincialis* Ferrari,1882 BG FR IT MA PT
105. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
106. **Alsomyia capillata (Rondani,1859)** (Tachinidae) Synonym(s): *capillata* Rondani,1859 IT
107. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
108. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
109. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
110. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
111. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
112. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
113. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalensis* Schuler,1964 AL HV FR Co GR IT MA SL ES TR DZ CY SY

114. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablkoﬀ & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
115. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
116. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
117. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
118. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
119. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekichii* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
120. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
121. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
122. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
123. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
124. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
125. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshovi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockensis* Jedlicka,1936 AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
126. **Amara (s.str.) morio Ménétriés,1832** (Carabidae) Synonym(s): *morio* Ménétriés,1832 AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH
127. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
128. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
129. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
130. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
131. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM

132. **Amara (Zezea) chaudiroidi Schaum, 1858** (Carabidae) Synonym(s): *chaudiroidi* Schaum, 1858; *incognita* Fassati, 1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
133. **Amara (Zezea) fulvipes (Audinet-Serville, 1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville, 1821; *striatopunctatata* Dejean, 1828; *valida* Fairmaire, 1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
134. **Amara (Zezea) plebeja (Gyllenhal, 1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal, 1810; *lapidicola* Heer, 1837; *lenticularis* Schiodte, 1837; *cylindrella* Schiodte, 1837; *varicolor* Heer, 1838; *tridens* Morawitz, 1862; *noctivaga* Hochhuth, 1871; *barnevillei* Croissandeau, 1893; *brisouti* Csiki, 1929; *punctibasis* Jedlicka, 1957 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
135. **Ameles africana Bolivar, 1914** (Mantidae) Synonym(s): *africana* Bolivar, 1914 DZ MA FR Co HV IT Si Sa PT
136. **Ameles decolor (Charpentier, 1825)** (Mantidae) Synonym(s): *decolor* Charpentier, 1825 ES FR DZ IT Si MK GR
137. **Ameles fasciipennis Kaltenbach, 1963** (Mantidae) Synonym(s): *fasciipennis* Kaltenbach, 1963 IT
138. **Ameles picteti (Saussure, 1869)** (Mantidae) Synonym(s): *picteti* Saussure, 1869 DZ ES IT Si
139. **Ameles spallanzania (Rossi, 1792)** (Mantidae) Synonym(s): *spallanzania* Rossi, 1792; *nana* Charpentier, 1825; *brevis* Rambur, 1838; *soror* Audinet-Serville, 1839; *gracilis* Brullé, 1840; *abjecta* Bolivar, 1897 AL DZ FR GR IT HV MA PT ES
140. **Amictus insularis (Rondani, 1863)** (Bombyliidae) Synonym(s): *insularis* Rondani, 1863 IT
141. **Amictus pictus Loew, 1869** (Bombyliidae) Synonym(s): *pictus* Loew, 1869 IT Sa
142. **Amictus validus Loew, 1869** (Bombyliidae) Synonym(s): *validus* Loew, 1869 IT
143. **Amictus variegatus (Meigen, 1835)** (Bombyliidae) Synonym(s): *variegatus* Meigen, 1835 IT
144. **Amphicoma (s.str.) abdominalis Fabricius, 1781** (Glaphyridae) Synonym(s): *abdominalis* Fabricius, 1781; *alpina* Olivier, 1789; *cyanipennis* Reitter, 1903 IT
145. **Amphicoma (s.str.) carceli (Castelnau, 1832)** (Glaphyridae) Synonym(s): *carceli* Castelnau, 1832; *romana* Duponchel, 1833; *duponcheli* Luigioni, 1902; *laportei* Leoni, 1904 IT
146. **Anaceratagallia laevis (Ribaut, 1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut, 1935; *acuteangulata* Zachvatkin, 1946 AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
147. **Anaceratagallia ribauti (Ossiannilsson, 1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson, 1938 AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
148. **Anacridium aegyptium (Linnaeus, 1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus, 1764; *lineola* Fabricius, 1781; *nubecula* Thunberg, 1815; *campanum* Costa, 1836; *tataricum* Burmeister, 1838; *albidiferum* Walker, 1870; *indecisum* Walker, 1870; *stuardoi* Liebermann, 1943 Gryllus aegyptium Linnaeus, 1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
149. **Anaglyptus gibbosus (Fabricius, 1787)** (Cerambycidae) Synonym(s): *gibbosus* Fabricius, 1787 DZ ES FR Co IT SS CH HV
150. **Anaglyptus mysticus (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus, 1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
151. **Anagyrus aligarhensis Agarwal & Alam, 1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet, 1921; *opacus* Mercet, 1921; *aligarhensis* Agarwal & Alam, 1959; *punctulatus* Agarwal, 1965; *micans* Noyes, 2000 TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
152. **Anagyrus fusciventris (Girault, 1915)** (Encyrtidae) Synonym(s): *fusciventris* Girault, 1915 IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
153. **Anagyrus pseudococci (Girault, 1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault, 1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
154. **Anagyrus schoenherri (Westwood, 1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood, 1837; *flavus* Ishii, 1928; *alboclavatus* Ishii, 1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
155. **Anaples wewalkai Olexa, 1982** (Histeridae) Synonym(s): *wewalkai* Olexa, 1982 IT
156. **Anaprostocetus acuminatus (Ratzeburg, 1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg, 1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
157. **Anastoechus bitinctus Becker, 1916** (Bombyliidae) Synonym(s): *bitinctus* Becker, 1916 ES IT
158. **Anastoechus exalbidus (Wiedemann, 1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann, 1820 IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
159. **Anastoechus hyrcanus (Wiedemann, 1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann, 1818; *viduus* Becker, 1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU

160. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
161. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840 IT DZ EG FR IL Pa LY PT ES TN TM SA SD
162. **Anastoechus trisignatus Portschnsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschnsky,1881; *retrogradus* Becker,1902; *weneri* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
163. **Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): *parthenope* Selys,1839; *#partenope* Demirsoy,1982 TR IT Cc AZ Len CY
164. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
165. **Ancylorhynchus cingulatus (Rondani,1846)** (Asilidae) Synonym(s): *cingulatus* Rondani,1846 IT
166. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821 AT AL FR GR IT RO TR YU KG SR IL Pa
167. **Ancylorhynchus longicornis (Schiner,1867)** (Asilidae) Synonym(s): *longicornis* Schiner,1867 IT GR TR
168. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis* Morawitz,1874 PL SS MK GR BG IT Sa CY TR TM AM Cc
169. **Andrena (Brachyandrena) miegiella Dours,1873** (Andrenidae) Synonym(s): *miegiella* Dours,1873; *lojaconi* Destefani,1889; *tingitana* Pérez,1895 ES IT Si MT MA DZ
170. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe* Meigen,1820; *adustiventris* Costa,1863; *erythrurum* Loew,1847 DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
171. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763 DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
172. **Andrenosoma cyrtoxys Séguy,1952** (Asilidae) Synonym(s): *cyrtoxys* Séguy,1952 IT FR
173. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 IT Si AT SK CZ HU UA MD RO BG GR TR
174. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910 *Andricus amenti* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
175. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
176. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859 IT AT B-H HU YU TR RO MD UA BG
177. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876 ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
178. **Andricus cecconii Kieffer,1901** (Cynipidae) Synonym(s): *cecconii* Kieffer,1901 ES IT GR TR AZ Cc IL Pa IR
179. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
180. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 IT AT HU YU RO BG UA PL TR GR IR
181. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
182. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 FR IT AT B-H HU GR BG RO UA TR
183. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
184. **Andricus curtisii (Müller,1870)** (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901 IT GR TR IR
185. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
186. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859 *Andricus cydoniae* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. GB IT Si B-H AT HU RO BG TR
187. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 nec Wacht.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR

188. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
189. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 IT AT B-H YU GR BG RO HU UA TR
190. **Andricus gallaurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 PT ES FR GB AT IT YU HU UA RO BG GR TR
191. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876 PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
192. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
193. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 IT Si AT CZ SK PL UA HU MD RO BG GR TR
194. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943 IT AT CZ B-H HU UA RO BG TR
195. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897 IT HU MD RO BG GR TR
196. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903 FR IT Si AT CZ SK PL HU RO YU GR TR BY
197. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962 PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
198. **Andricus insanus (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837 IT AL GR TR IL Pa AZ Cc IR
199. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
200. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
201. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
202. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881 ES FR GB IE BE NL DE DK HU IT BG TR
203. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 IT AT PL UA HU RO BG GR TR
204. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 **Andricus multiplicatus** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360. IT Si AT CZ SK HU RO YU GR TR
205. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 IT AT DE PL CZ SK HU RO BG GR TR
206. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
207. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR
208. **Andricus seckendorffi (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897 HU AT IT GR TR IR
209. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
210. **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953 PT ES IT BG GR TR
211. **Andricus theophrasteus Trotter,1866** (Cynipidae) Synonym(s): *theophrasteus* Trotter,1866 IT YU TR
212. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 IT AT HU B-H YU BG RO UA PL TR
213. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 AT CZ DE FR HU IT RO CH BG GR
214. **Aneurus avenius (Dufour,1833)** (Aradidae) Synonym(s): *avenius* Dufour,1833 IT TR

215. **Aneurus laevis (Fabricius,1775)** (Aradidae) Synonym(s): *laevis Fabricius,1775* IT Sa TR
216. **Anicetus italicus (Masi,1917)** (Encyrtidae) Synonym(s): *italicus Masi,1917; brevicaudatus Subba-Rao,1965* AL DZ EG CY FR GR TR IN Up IT IL Pa YU ZW
217. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius Gravenhorst,1820 (praeocc.); cingulatellus Horstmann,1997* ES IT DE CZ TR Cc RU KG IR
218. **Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): *seyrigi Heinrich,1933* Anisobas seyrigi Heinrich,1933, Mitt. zool. Mus. Berlin 19: 158. ES IT Si GR TR
219. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905* PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
220. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus Ferrari,1882; bipunctata Ferrari,1882* AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
221. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
222. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
223. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi Lethierry,1876; fusca Ivanoff,1885; henschi Loew,1885* IT RO TR KG MD RU UA YU
224. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
225. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
226. **Anthaxia (Haplantaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii Fabricius,1801* AT YU CY BG CZ HU IT SK TR UA
227. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* DZ GR IL Pa IT PT ES SY TR
228. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
229. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata Roubal,1913; incognita Bily,1974* AT YU CZ FR DE IT SK ES CH TR UA
230. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans Schrank,1789* AM AT CZ Cc DE HU IT SK ES CH UA TR
231. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula Illiger,1803* AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
232. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* DZ YU GR Cr FR IT MA PT ES RU Cc TR
233. **Anthaxia (s.str.) lucens Küster,1852** (Buprestidae) Synonym(s): *lucens Küster,1852; phoenica Ganglbauer,1882* Cr GR TR IT SY
234. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica Mannerheim,1837* AT YU CZ FR DE HU IT SK UA
235. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
236. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* AT YU CZ FR DE HU IT RU SK ES CH UA TR
237. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium Giraud,1863; excisum Mocsary,1884* FR IT ES BG Cc AM Eri TR
238. **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme Smith,1854; bartholomei Radoszkowski,1862* IT Si AL SY LB IR GR Cc TR KG RU DZ
239. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969.* FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord
240. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum Fabricius,1781; rufipes Fabricius,1787 nec Fabr.,1781; varia Olivier,1789; erythropus Gmelin,1790; flavilabre Latreille,1809; dufouri Lepeletier,1841; liteipes Lepeletier,1841;*

- integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolor* Fertton,1921 **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
241. **Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980 **MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR**
242. **Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954 **FR RU Ur IT Sa Si AT HU RU TR Cc Cr GR UZ TJ TM DZ MA TN Cn**
243. **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917 **SY Cc FR BG TR GG Bjo DZ MA GR IT Sa DE TN**
244. **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *kindermannii* Mavromoustakis,1954 **ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa**
245. **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938 **IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js**
246. **Anthidium (Rhodanthidium) siculum Spinola,1838** (Megachilidae) Synonym(s): *siculum* Spinola,1838; *fontainesii* Lepeletier,1841; *andrei* Mocsary,1884 **MA DZ LY Cy ES IT Si**
247. **Anthidium (Rhodanthidium) sticticum (Fabricius,1787)** (Megachilidae) Synonym(s): *sticticum* Fabricius,1787; *ordonezi* Dusmet,1915; *amismizianum* Dusmet,1915 **MA DZ TN LY Cy IT Si PT ES FR**
248. **Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum* Latreille,1809; *fasciatum* Latreille,1809; *sulphureum* Lepeletier,1841; *affine* Morawitz,1873; *monile* Friese,1897; *nostrum* Radoszkowski,1893 **FR ES IT Si TM MA DZ HV GR Rd TR IL Pa**
249. **Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): *fasciatus* Linnaeus,1758 **SE AT EE GE GR IT RO YU TR**
250. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 **FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es**
251. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *pistaciae* Wagner,1957 **ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak**
252. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 **MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma**
253. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 **ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN**
254. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 **ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh**
255. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 **DZ ES FR DE AT IT HV YU GR UA RU AZ Cc**
256. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 **FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ**
257. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris* Rondani,1866 **C DK FI IT SE HU YU RU CN JP TR**
258. **Anthophora crinipes Smith,1854** (Apidae) Synonym(s): *crinipes* Smith,1854 **IT TR**
259. **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957 **PT ES IT Si CY IL Pa TR**
260. **Anthrax anthrax (Schrank,1781)** (Bombyliidae) Synonym(s): *anthrax* Schrank,1781 **IT Si Sa TR AF AL DZ Cc AM AZ GG AT BY BE BG Cn CN Ui Ti CZ DK EE FI FR DE GR HU IR RU**
261. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
262. **Anthrax chionostigma Tsacas,1962** (Bombyliidae) Synonym(s): *chionostigma* Tsacas,1962 **IT GR**
263. **Anthrax fuscipennis (Ricardo,1903)** (Bombyliidae) Synonym(s): *fuscipennis* Ricardo,1903 **IT Si**

264. **Anthrax giselae François,1966** (Bombyliidae) Synonym(s): *giselae François,1966* IT GR
265. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT
FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
266. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG
BE AT SD
267. **Anthrax pallidus François,1966** (Bombyliidae) Synonym(s): *pallidus François,1966* IT
268. **Anthrax pelopeius François,1966** (Bombyliidae) Synonym(s): *pelopeius François,1966* IT
GR
269. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc
AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
270. **Anthrax punctulatus Macquart,1835** (Bombyliidae) Synonym(s): *punctulatus Macquart,1835* IT
271. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus Klug, 1832* IT Si TR YU UZ
TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER
272. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus Meigen,1804*
IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM
273. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius Fabricius,1794* IT Si
MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ
274. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo Egger,1859* IT Si AL DZ AM AZ
GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
275. **Anthrenus (Florilinus) oberthueri Reitter,1881** (Dermestidae) Synonym(s): *oberthueri Reitter,1881* FR Co IT Si Py DZ TN
276. **Anthrenus (Nathrenus) biskrensis Reitter,1887** (Dermestidae) Synonym(s): *biskrensis Reitter,1887* DZ MA TN LY IT Si MT
277. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): *munroi Hinton,1943* TR
BG FR Co CY ES IT
278. **Antipalus similis Moucha & Hradski,1966** (Asilidae) Synonym(s): *similis Moucha & Hradski,1966* IT CZ CH AL
279. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes Meigen,1820; tibialis Megerle,1820; macrurus Ruthe,1831; xanthopygus Ruthe,1831; aurifluus Zeller,1840; tenax Zeller,1840; mollis Loew,1871; flabellifer Pandellé,1905* AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
280. **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius Loew,1849; sareptanus Lichtwardt,1903; thalhammeri Lichtwardt,1903* AL DE ES FR GR TR HU IT YU CH RO BY RU
Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
281. **Antonia suavissima Loew,1856** (Bombyliidae) Synonym(s): *suavissima Loew,1856* IT Si
282. **Apanteles atreus Nixon,1973** (Braconidae) Synonym(s): *atreus Nixon,1973* Apanteles
atreus Nixon,1973, Bull. ent. Res. 63: 199. TR GB DK BG DE IT GR HU
283. **Apanteles brunnistigma Abdinbekova,1969** (Braconidae) Synonym(s): *brunnistigma Abdinbekova,1969* Apanteles *brunnistigma Abdinbekova,1969, Azerb. Sci. Acad. Zool. Enst. ELM.*
TR Cc AZ GB IT HU
284. **Apanteles hemara Nixon,1965** (Braconidae) Synonym(s): *hemara Nixon,1965* Apanteles
hemara Nixon,1965, Bull. Br. Mus. Nat. Hist. (Ent.) Suppl. 2: 58. TR IN IT MU ZA Nta Kzu SN AT BG
285. **Aphelinus mali (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali Haldeman,1851; rosae Ashmead,1886; varicornis Girault,1909; italica Guercio,1925; crocidolomiae Risbec,1951* TR CY US FI GB
IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up
286. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis Fabricius,1794* FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
287. **Aphelonema melichari (Horvath,1897)** (Caliscelidae) Synonym(s): *melichari Horvath,1897* IT TR YU
288. **Aphelonyx cerricola (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola Giraud,1859* GB
IT AT HU YU RO BG GR TR
289. **Aphodius (Acrossus) depressus (Kugelann,1798)** (Scarabaeidae) Synonym(s): *depressus Kugelann,1798* RU Cc Ur Sb Us IT UA GG
290. **Aphodius (Acrossus) rufipes (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *rufipes Linnaeus,1758* RU Sb Us Am IT FI UA Cc GG KG
291. **Aphodius (Copriformus) scrutator (Herbst,1789)** (Scarabaeidae) Synonym(s): *scrutator Herbst,1789* HU IT UA Cm RU
292. **Aphodius (Otophorus) haemorrhoidalis (Linnaeus,1758)** (Scarabaeidae)
Synonym(s): *haemorrhoidalis Linnaeus,1758* IT UA RU Ur Sb Us Am Sh Krl
293. **Aphoebantus scutellatus (Meigen,1835)** (Bombyliidae) Synonym(s): *scutellatus Meigen,1835* IT
294. **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schränk,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus*

- Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossieus Zachvatkin,1952; ferganensis Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
295. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
296. **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876 CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
297. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821 AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
298. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
299. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum,1868; *integer* Wagner,1937 DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
300. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscifasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
301. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
302. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea* Germar,1821 AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR
303. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
304. **Aphthona bonvouloiri Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910 IT GR Rd CY TR BG EG IR
305. **Aphytis maculicornis (Masi,1911)** (Aphelinidae) Synonym(s): *maculicornis* Masi,1911 IT TR
306. **Apoderus coryli (Linnaeus,1758)** (Atelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790 DE BG CN FR IT GB JP Cc KG TR KP KR MN RU Sb GR
307. **Apolysis cinerea (Séguy,1926)** (Bombyliidae) Synonym(s): *cinerea* Séguy,1926 IT FR
308. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873 IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
309. **Apolysis montivaga François,1969** (Bombyliidae) Synonym(s): *montivaga* François,1969 IT ES
310. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943 AZ BG FR GG IT ES TR MA TN IL Pa
311. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837 AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
312. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825 AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
313. **Aprosthemata konowi (Mocsary,1891)** (Argidae) Synonym(s): *konowi* Mocsary,1891 IT HU
314. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
315. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
316. **Aprostocetus agevilleae Graham,1987** (Eulophidae) Synonym(s): *agevilleae* Graham,1987 CZ SK IT TR
317. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878 AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
318. **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
319. **Aprostocetus cracens Graham,1987** (Eulophidae) Synonym(s): *cracens* Graham,1987 TR IT GR
320. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR

321. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda Thomson,1878* GB FR DE CZ SK HU IT GR SE TR
322. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas Walker,1839* GR FR NL DE DK SE FI PL CZ SK IT YU TR
323. **Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus Domenichini,1957* FR DE IT CZ AT HU MD GR TR
324. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus Zetterstedt,1838* TR FR GB DK DE NO SE FI UA CZ HU IT GR
325. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope Walker,1839; agathocles Walker,1839; hippis Walker,1839; rapo Walker,1839* TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
326. **Aprostocetus tymber (Walker,1839)** (Eulophidae) Synonym(s): *tymber Walker,1839* TR GB FR NL SE PL CZ SK YU IT
327. **Aradus betulae (Linnaeus,1758)** (Aradidae) Synonym(s): *betulae Linnaeus,1758* IT Sa Si TR
328. **Aradus brenskiei Reuter,1884** (Aradidae) Synonym(s): *brenskiei Reuter,1884* IT Sa Si TR
329. **Aradus cinnamomeus Panzer,1806** (Aradidae) Synonym(s): *cinnamomeus Panzer,1806; leptopterus Germar,1834; perrisi Dufour,1845; albopunctatus Scholtz,1846; antennalis Parshley,1922* IT TR US Tx CA BCo
330. **Aradus conspicuus Herrich-Schäffer,1835** (Aradidae) Synonym(s): *conspicuus Herrich-Schäffer,1835* IT Si TR
331. **Aradus corticalis (Linnaeus,1758)** (Aradidae) Synonym(s): *corticalis Linnaeus,1758; annulicornis Fabricius,1803* IT TR
332. **Aradus depressus (Fabricius,1794)** (Aradidae) Synonym(s): *depressus Fabricius,1794* IT Si TR
333. **Aradus flavicornis Dalman,1823** (Aradidae) Synonym(s): *flavicornis Dalman,1823* IT Sa Si TR
334. **Aradus krueperi Reitter,1884** (Aradidae) Synonym(s): *krueperi Reitter,1884* IT TR
335. **Aradus versicolor Herrich-Schäffer,1835** (Aradidae) Synonym(s): *versicolor Herrich-Schäffer,1835* IT TR
336. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
337. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1937* AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
338. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta Melichar,1897; spathulata Ribaut,1931* FR DE IT CH RU Sb UA YU TR
339. **Arge berberidis (Schränk,1802)** (Argidae) Synonym(s): *berberidis Schränk,1802* ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
340. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
341. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
342. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
343. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
344. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra Gmelin,1790; nigritarsis Klug,1834; fuliginata Konow,1907* PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
345. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
346. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
347. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
348. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
349. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica André,1879* FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
350. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa

351. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
352. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840 ES FR DE IT AT BG TR
353. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
354. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
355. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD
356. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
357. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
358. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
359. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 BG CS HU IT RO TR Cc AM GG MD UA YU
360. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
361. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
362. **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932 TR CY CS EG IQ IL IT Sa Si JO LY Cc GG PK IR
363. **Atherix marginata (Fabricius,1781)** (Athericidae) Synonym(s): *marginata* Fabricius,1781 IT
364. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
365. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
366. **Atholus duodecimstriatus (Schränk,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schränk,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
367. **Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858 BG FR GR HU IT RU SK SL TR
368. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922 PL HU SK RO IT UA TR GR DE
369. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
370. **Attalus cyaneus (Fabricius,1792)** (Melyridae) Synonym(s): *cyaneus* Fabricius,1792; *erythroderus* Erichson,1840 MT TN DZ ES FR Sa Si IT
371. **Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903 P MT TN DZ Sa Si IT AT HV GR TR
372. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833 DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM
373. **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cypranus* Ricardo,1911; *karybenthinus* Szilady,1915 TR IT Sa CY RU AZ JO IL Pa IQ IR MZ CN EG DZ
374. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO
375. **Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860 DZ FR ES Co PT IT Sa GR TR
376. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
377. **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula* Ribaut,1935 AF FR IR IT MA TN

378. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
379. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932 **AL? DZ EG IL IT Sa JO LY ES TN**
380. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry,1884; *artemisiae* Haupt,1924 **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU**
381. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius* Fabricius,1775 **MT DK SE PT RU Cc MA DZ IT Sa Si**
382. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**
383. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891 **CY IT JO YU UA RU TR IR**
384. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**
385. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
386. **Balclutha rhenana Wagner,1939** (Cicadellidae) Synonym(s): *rhenana* Wagner,1939 **AF AT BG CS FI DE IT NL KG KK UZ YU TR**
387. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
388. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 **CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR**
389. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 **TR BG CZ FR DE HU IT RU SE GB YU**
390. **Bathyplectes algerica (Smit van Burgst,1913)** (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913 **DZ TR IT**
391. **Batracomorphus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794 (praeocc.); *allionii* Turton,1802; *fabricii* Metcalf,1955 **AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb**
392. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU**
393. **Belaspida obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 **AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR**
394. **Bellardia brevistylata (Villeneuve,1926)** (Calliphoridae) Synonym(s): *brevistylata* Villeneuve,1926; *latigena* Enderlein,1933 **ES IT Si**
395. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Séguéy,1928 **BG CZ DK FR DE HU IT PL NO RO SK ES**
396. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 **BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB**
397. **Bellardia pruinosa (Enderlein,1933)** (Calliphoridae) Synonym(s): *pruinosa* Enderlein,1933 **DE IT**
398. **Bellardia siciliensis (Villeneuve,1926)** (Calliphoridae) Synonym(s): *siciliensis* Villeneuve,1926 **IT Si**
399. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkowsky,1941 **AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB**
400. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 **US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB**
401. **Bembecinus hungaricus (Frigvaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876 **HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA**
402. **Bembecinus insulanus De Beaumont,1954** (Crabronidae) Synonym(s): *insulanus* De Beaumont,1954 **Co Sa FR IT**

403. **Bembecinus meridionalis** A.Costa,1859 (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859 AL HV GR Rd IL Pa IT JO HV LB SY TR
404. **Bembecinus tridens** (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
405. **Bembidion (Chlorodium) splendidum** Sturm,1825 (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
406. **Bembidion (Diplocampa) assimile** Gyllenhal,1810 (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
407. **Bembidion (Diplocampa) fumigatum** (Duftschmid,1812) (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
408. **Bembidion (Emphanes) tenellum** Erichson,1837 (Carabidae) Synonym(s): *tenellum* Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
409. **Bembidion (Metallina) lampros** (Herbst,1784) (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
410. **Bembidion (Metallina) properans** (Stephens,1828) (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
411. **Bembidion (Notaphemphanes) ephippium** (Marsham,1802) (Carabidae) Synonym(s): *ephippium* Marsham,1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
412. **Bembidion (Notaphus) semipunctatum** (Donovan,1806) (Carabidae) Synonym(s): *semipunctatum* Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
413. **Bembidion (Notaphus) varium** (Olivier,1795) (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
414. **Bembidion (Ocyturanus) praeustum** Dejean,1831 (Carabidae) Synonym(s): *praeustum* Dejean,1831 AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
415. **Bembidion (Odontium) striatum** (Fabricius,1792) (Carabidae) Synonym(s): *striatum* Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
416. **Bembidion (Peryphanes) stephensii** Crotch,1866 (Carabidae) Synonym(s): *stephensii* Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
417. **Bembidion (Peryphus) femoratum** Sturm,1825 (Carabidae) Synonym(s): *femoratum* Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
418. **Bembidion (Peryphus) tetracolum** Say,1823 (Carabidae) Synonym(s): *tetracolum* Say,1823 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
419. **Bembidion (Philochthus) lunulatum** Geoffroy,1785 (Carabidae) Synonym(s): *lunulatum* Geoffroy,1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
420. **Bembidion (Princidium) punctulatum** Drapiez,1820 (Carabidae) Synonym(s): *punctulatum* Drapiez,1820 AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
421. **Bembidion (s.str.) quadripustulatum** Audinet-Serville,1821 (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
422. **Bembidion (Talanus) subfasciatum** Chaudoir,1850 (Carabidae) Synonym(s): *subfasciatum* Chaudoir,1850 BG HV CZ GR IT MD RO RU TR UA
423. **Bembidion (Testedium) bipunctatum** (Linnaeus,1761) (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
424. **Bembidion (Trepanus) octomaculatum** (Goeze,1777) (Carabidae) Synonym(s): *octomaculatum* Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
425. **Bembidion concoeruleum** Netolitzky,1943 (Carabidae) Synonym(s): *concoeruleum* Netolitzky,1943 AL B-H BG HV GR IT MK RO TR YU
426. **Bembidion tibiale** (Duftschmid,1812) (Carabidae) Synonym(s): *tibiale* Duftschmid,1812 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL

427. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805 AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
428. **Berytinus distinguendus (Ferrari,1874)** (Berytidae) Synonym(s): *distinguendus* Ferrari,1874 FR IT TR YU
429. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia* Meigen,1824 TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
430. **Bibio brunripes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes* Fabricius,1781 nec Linn.,1761; *brunripes* Fabricius,1794; *umbellatum* Zetterstedt,1838; *fulvipes* Zetterstedt,1838; *fumipennis* Walker,1848; *inaequalis* Loew,1864; *fulvus* Lundstrom,1910; *jacobi* Hardy,1938 nec Villen.,1924 CH AT DE PL AT SK HU RO NO SE FI IT
431. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes* Meigen,1818; *dorsalis* Meigen,1818; *flavicollis* Meigen,1818; *ephippium* Zetterstedt,1838; *tancrei* Duda,1930 ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
432. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930 PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
433. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis* Linnaeus,1767; *marginalis* Geoffroy,1785; *pyri* Fabricius,1794; *hyalinus* Meigen,1804; *praecox* Meigen,1804; *nigrifemur* Strobl,1900; *jacobi* Villeneuve,1924 ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
434. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus* Wiedemann,1818; *vernalis* Meigen,1818 ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
435. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus* Meigen,1804 GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
436. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci* Linnaeus,1758; *brevicornis* Linnaeus,1758; *crassipes* Harris,1776; *funerosus* Harris,1776; *pusillus* Macquart,1846 PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
437. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae* Fabricius,1775; *funestus* Harris,1776; *marcifulvipes* De Geer,1776 GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
438. **Bibio siculus Loew,1846** (Bibionidae) Synonym(s): *siculus* Loew,1846 ES Sa IT Si AT HU GR
439. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis* Meigen,1818; *varipes* Meigen,1830; *atripes* Duda,1930; *ringdahli* Duda,1930 ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
440. **Bidessus calabricus Guignot,1957** (Dytiscidae) Synonym(s): *calabricus* Guignot,1957 TR IT
441. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaealveariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* Hartig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
442. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958 FR ES IT GR CY SY MA DZ TN
443. **Blakeius chiesi (Spinola,1839)** (Mutillidae) Synonym(s): *chiesi* Spinola,1839; *diophtalma* Costa,1882; *ibericus* Suarez,1958; *negrei* Suarez,1958 MA DZ TN IT Sa ES PT
444. **Blakeius leopoldinus (Invrea,1955)** (Mutillidae) Synonym(s): *leopoldinus* Invrea,1955 IT Sa MA
445. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata* Westwood,1842 PT ES IT GR TR LB IR
446. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955 DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
447. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
448. **Bombomyia terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954 GB IT ES PT DZ GR Cc PL DK CZ RO TR
449. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU

450. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
451. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
452. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855 IT YU TR SY MK IR HU GR AL
453. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
454. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
455. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Ségué,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
456. **Bombylisoma notatum (Engel,1933)** (Bombyliidae) Synonym(s): *notatum* Engel,1933 ES IT
457. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalensis* Macquart,1840; *vitripennis* oew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 SN GM ER AO BW BF TD ET GH HU IT Si KE MW ML MR MZ NE NG PT SL SO ZA Fs Kzu Nta SD SW TZ UG YE ZM ZW SA AE
458. **Bombylisoma senegalense (Macquart,1840)** (Bombyliidae) Synonym(s): *senegalense* Macquart,1840; *vitripennis* Loew,1855; *pectoralis* Loew,1863; *diadematus* Bezzi,1912; *gibbicornis* Bezzi,1923 AO BW BF TD ER ET GM GH HU IT Si KE MW ML MR MZ NE NG PT SN SL SO ZA Fs Nta Kzu SD SZ TZ UG YE ZM ZW SA AE
459. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855 IT TR HV GR IR MK SY LB YU
460. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
461. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 Bombylius *ambustus* Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
462. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
463. **Bombylius (s.str.) angulatus Macquart,1826** (Bombyliidae) Synonym(s): *angulatus* Macquart,1826 FR IT
464. **Bombylius (s.str.) apulus Cyrillo,1791** (Bombyliidae) Synonym(s): *apulus* Cyrillo,1791 IT
465. **Bombylius (s.str.) argentifrons Loew,1873** (Bombyliidae) Synonym(s): *argentifrons* Loew,1873 IT Si
466. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
467. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
468. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
469. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
470. **Bombylius (s.str.) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798 IT Sa Si
471. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
472. **Bombylius (s.str.) elongatus Rossi,1794** (Bombyliidae) Synonym(s): *elongatus* Rossi,1794 IT
473. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
474. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes* Wiedemann,1828 EG IR IT LY MA ES YU TR

475. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
476. **Bombylius (s.str.) fuliginosus Wiedemann,1820** (Bombyliidae) Synonym(s): *fuliginosus* Wiedemann,1820 IT Si
477. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
478. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781 IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
479. **Bombylius (s.str.) luteolus Evenhuis,1978** (Bombyliidae) Synonym(s): *luteolus* Evenhuis,1978 IT
480. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antoneurus* Liouy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
481. **Bombylius (s.str.) marginatus Cyrillo,1787** (Bombyliidae) Synonym(s): *marginatus* Cyrillo,1787 IT
482. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
483. **Bombylius (s.str.) melanopygus Bigot,1861** (Bombyliidae) Synonym(s): *melanopygus* Bigot,1861 IT Si
484. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
485. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU
486. **Bombylius (s.str.) morio Olivier,1789** (Bombyliidae) Synonym(s): *morio* Olivier,1789 FR IT
487. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
488. **Bombylius (s.str.) nanus Meigen,1838** (Bombyliidae) Synonym(s): *pygmaeus* Macquart,1834 nec Fabr.,1781; *nanus* Meigen,1838 FR IT
489. **Bombylius (s.str.) nigripes Macquart,1834** (Bombyliidae) Synonym(s): *nigripes* Macquart,1834 IT Si
490. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
491. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
492. **Bombylius (s.str.) pallens Wiedemann,1820** (Bombyliidae) Synonym(s): *pallens* Wiedemann,1820 IT GR PL PT ES
493. **Bombylius (s.str.) pallidicruris Brullé,1833** (Bombyliidae) Synonym(s): *pallidicruris* Brullé,1833 IT GR
494. **Bombylius (s.str.) pardalotus François,1969** (Bombyliidae) Synonym(s): *pardalotus* François,1969 ES IT
495. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
496. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
497. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 nec Fabr.,1794; *nigripes* Strobl,1898 nec Macq.,1834 AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ

498. **Bombylius (s.str.) shelkovnikovi Paramonov,1926** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1926 IT AM AZ Cc GR GR TM
499. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus* Loew,1855 DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR
500. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
501. **Bombylius (s.str.) undatus Mikan,1796** (Bombyliidae) Synonym(s): *undatus* Mikan,1796; *diagonalis* Wiedemann,1820 IT Si
502. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
503. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
504. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804 AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
505. **Bombylius (Zephyrectes) leucopygus Macquart,1846** (Bombyliidae) Synonym(s): *leucopygus* Macquart,1846; *maroccanus* Paramonov,1940; *beduin* Paramonov,1940 DZ MA IT ES
506. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
507. **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau,1836 TR ES FR IT Sa Co BG GR
508. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
509. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
510. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
511. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
512. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
513. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis* Dejean,1826 BE HV FR IT ES TR DZ MA TN IR IL Pa SY
514. **Brachycephus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
515. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus* Latreille,1807; *muricatus* Olivier,1790; *planirostris* Gyllenhal,1833; *sulcifrons* Gyllenhal,1833; *cirrosus* Gyllenhal,1840; *perodiosus* Gyllenhal,1840; *semiaeneus* Desbrochers,1871; *carinula* Rey,1894; *exemptus* Rey,1894; *attenuatus* Vit.,1903 DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
516. **Brachycerus lutosus Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus* Gyllenhal,1833; *cinereus* Bedel,1874; *graecus* Zumpt,1937 FR IT YU GR TR
517. **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche,1857 IT Si GR TR RU Cc IL Pa SY EG
518. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus* Gyllenhal,1833 DZ TN MA LY Cn ES Si IT GR Rd TR
519. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psifernus* Thunberg,1799; *sinuatus* Olivier,1807; *lutulentus* Gyllenhal,1833 RU RO YU IT Si GR TR CY
520. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus* Fabricius,1798 DZ ES FR IT Si Sa Co YU GR Cr TR
521. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
522. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU

523. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
524. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
525. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
526. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
527. **Brachymeria pseudorugosa Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951 ES IT CH TR
528. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
529. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
530. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ
531. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
532. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
533. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
534. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
535. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
536. **Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida* Wesmael,1838 TR RO YU HU AT BE IT FR GB
537. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger* Wesmael,1838 JP RU TJ TM RO HU AT BE IT FR TR
538. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
539. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
540. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 TR JP KG Cc RU RO CZ HU AT IT BE FR GB
541. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella* Wesmael,1838 RU RO AL YU HU IT CH BE FI SE GB TR
542. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
543. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urinator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
544. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
545. **Brumus oblongus (Weidenbach,1859)** (Coccinellidae) Synonym(s): *oblongus* Weidenbach,1859 IT
546. **Brumus octosignatus (Gebler,1830)** (Coccinellidae) Synonym(s): *octosignatus* Gebler,1830 IT TR
547. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
548. **Bucephalona bezzii (Sack,1937)** (Scathophagidae) Synonym(s): *bezzii* Sack,1937 IT
549. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939 *Thamnotrizon bucephalus* Brunner von Wattenwyl,1882, Prodr. eur. Orthopteren: 338. Syntypes: Türkei, Ephesus (NHMW). IT YU GR BG RO AL TR

550. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis Mulsant & Rey,1855; taeniops Fieber,1868* AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
551. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi Hummel,1827* ES SS IT HU RO BG GR MK UA TR RU Ao
552. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera O.Costa,1840* AT FR HU IT ES TN YU
553. **Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi Linnaeus,1758; auratus Fourcroy,1785* DE BG CN HV FR GB IT KG KK MN PL RU Sb TR
554. **Caecanthrax arabicus (Macquart,1840)** (Bombyliidae) Synonym(s): *arabicus Macquart,1840* IT
555. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni Stål,1863* CN FR GR TR HU IT RO RU
556. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi Fieber,1866; longipes Kirschbaum,1868; Sahlberg,1871; sahlbergiana Ishihara,1949* AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
557. **Callimus abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): *abdominalis Olivier,1795* ES FR Co IT Si B-H HV TR?
558. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus Costa,1836; ictericus Audinet-Serville,1838; siculus Burmeister,1838; discoidalis Walker,1870; minimus Ivanov,1888; deserticola Vosseler,1902; punctata Kirby,1914; montanus Chopard,1937; pallidipes Chopard,1943; chopardi Grassé & Hollande,1945; monspelliensis Grassé & Hollande,1945; nanus Mishchenko,1951; parvus Maran,1952; salina Maran,1954; Acrydium barbarum Costa,1836, Fauna del regno Napoli, Ortoteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN*
559. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus Linnaeus,1758; germanicus Fabricius,1775; affinis Thunberg,1815; fasciatum Hahn,1836; marginellis Serville,1838; cerisanus Serville,1838; marmoratus Fischer von Waldheim,1846; blandus Ivanov,1888; bilineata Puschnig,1910; anachoretus Baranov,1925; gilvonigricans Voroncovsky,1927; grandis Ramme,1927; reductus Ramme,1927; afghanus Ramme,1952 Gryllus (Locusta) italicus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF*
560. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium Giraud,1859; girardi Tavares,1902; aestivalis Nieves-Aldrey,1992* PT ES FR GB IT AT B-H HU RO PL UA TR
561. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775* AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
562. **Callostoma fascipenne Macquart,1840** (Bombyliidae) Synonym(s): *fascipenne Macquart,1840* IT Sa
563. **Calopteryx haemorrhoidalis (Van Der Linden,1825)** (Calopterygidae) Synonym(s): *haemorrhoidalis Van Der Linden,1825* ES FR IT Si Sa Co MA DZ
564. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colehicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
565. **Calopteryx xanthostoma (Charpentier,1840)** (Calopterygidae) Synonym(s): *xanthostoma Charpentier,1840* ES FR IT Si
566. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventre Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922* AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
567. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
568. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
569. **Calvia quatuordecimguttata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quatuordecimguttata Linnaeus,1758* TR IT Sa
570. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata Rondani,1870; argyrocephala Zetterstedt,1847; borealis Portschinsky,1875; beckeri Rübsaamen,1910; effingendea Dirlbek & Dirlbek,1971; hebea Dirlbek & Dirlbekova,1971;* IR Ab Oru Cc RU Sb BY CN EE IT KG LT MN UA
571. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris Fallén,1807* TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
572. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
573. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis Kiesenwetter,1852* AT SK SS UA HU PL RO HV MK IT AL GR TR
574. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774* TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA

575. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
576. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
577. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
578. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
579. **Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849* TR AL IQ FR Cn IL Pa IT CY EG PT SY GR YU
580. **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787* HU AT AL GR YU BG TR Cc AZ BG CZ AM Eri IL Pa GG IQ IR IT CY RU SY JO
581. **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; mysteriosa Obenberger,1917; nonfriedi Obenberger,1934* AF Cc AZ AM Eri GR SY JO IT TR IQ IR IL Pa CY LB PK RU CN
582. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
583. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrioides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
584. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758* AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
585. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
586. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
587. **Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris Linnaeus,1758; tibialis Erichson,1840* IT GR TR Cc AM
588. **Cassida atrata Fabricius,1787** (Chrysomelidae) Synonym(s): *atrata Fabricius,1787* TR Cc IT
589. **Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905* TR DE AT CZ RU IT JP HU SK TN
590. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955* AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
591. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes Meigen,1826* DE AT FR ES CH IT HU CZ NL SK
592. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata Dejean,1822* ES DZ TN IT Sa Si FR TR GR Cr BG
593. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis Westwood,1833; anebus Walker,1837; platycera Costa,1839; mirabilicornis Förster,1841; maculipennis Ratzeburg,1848; multiradiatus Thomson,1876* Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
594. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
595. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata Fieber,1844; haupti Priesner,1923; pallida Mancini,1934* AT BG CS DE GR HU IT Si RO RU YU
596. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia Kirschbaum,1868; oblitterata Kirschbaum,1868; nigra Royer,1906; simulans Peneau,1912; turkestanica Lindberg,1923* Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ

597. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta Scopoli,1763; mactata Germar,1821; panzeri Peletier & Serville,1825; distinguenda Kirschbaum,1868; basalis Dominique,1892; basalis Melichar,1896 (praeocc.); quadripunctata Sabransky,1912; reducta Melichar,1913; egestosa Haupt,1917* Ce AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
598. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata Rossi,1807; helvetica Melichar,1896; nicolausi Wagner,1947* AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
599. **Cerdistus debilis Becker,1923** (Asilidae) Synonym(s): *debilis Becker,1923* IT GR TR
600. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus Fabricius,1794* AL BG FR GR HU IT RO ES SW Ce AM AZ GG TR MD UA YU
601. **Ceropaes albicincta (Rossi,1790)** (Pompilidae) Synonym(s): *albicincta Rossi,1790; wolfi Moczar,1978* TR IT
602. **Ceroxys fraudulosa Loew,1864** (Ulidiidae) Synonym(s): *fraudulosa Loew,1864* BG GR IT Si
603. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae Linnaeus,1758; ?baneai Gheorghiu,1994* RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
604. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum Linnaeus,1767; ruficollis Fabricius,1787* PT ES FR IT MT GR Cr Cc TR UA Cm RU
605. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata Linnaeus,1761; smaragdus De Geer,1774; aenea Fuessly,1778; chlorochrysa Schrank,1776; viridicoruscus Voet,1779; maculata Scriba,1790; variabilis Preyss.,1790; piligera Mulsant & Rey,1842; praeclara Mulsant & Rey,1842; clermonti Bourgin,1948* IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui
606. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis Paykull,1792* AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
607. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
608. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax Boheman,1845* AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
609. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus Gyllenhal,1837* DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
610. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
611. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
612. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
613. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
614. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
615. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus Brisoth,1869* AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
616. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
617. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
618. **Charopus apicalis Kiesenwetter,1859** (Melyridae) Synonym(s): *apicalis Kiesenwetter,1859* MT TN DZ MA Sa Si IT GR HV
619. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes Abeille de Perrin,1885* TR IT HU Cc MK GG IR
620. **Cheiloneurus quercus Mayr,1876** (Encyrtidae) Synonym(s): *quercus Mayr,1876* IT HU TR
621. **Cheilotoma erythrostroma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostroma Faldermann,1837* IT BG RO UA Cm Cc RU
622. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer Rossi,1792; pugil Costa,1853; sypfax Fairmaire,1875; metasternalis Reitter,1894; theryi Tondou,1907* IT Sa Si SS B-H HV YU AL MK GR BG TR IL Pa SY

623. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 **PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR**
624. **Cheironitis irroratus (Rossi,1790)** (Scarabaeidae) Synonym(s): *irroratus* Rossi,1790 **IT Co Sa Si EG Sn IL Pa SY**
625. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802 **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
626. **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckert,1929 **AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM**
627. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868 **AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR**
628. **Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s): *handlirschi* Schletterer,1889 **IT HU TR RO TM**
629. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 **AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR**
630. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepeletier,1841; *parumerinitus* Alfken,1932 **AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR**
631. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889 **BG HV FR GR IT Si UA Cc TR IL Pa**
632. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 **AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU**
633. **Chilocorus bipustulatus (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipustulatus* Linnaeus,1758 **TR IT Si Sa**
634. **Chilocorus renipustulatus (Scriba,1790)** (Coccinellidae) Synonym(s): *renipustulatus* Scriba,1790 **IT TR**
635. **Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983 **FR IT Si DZ TR IL Pa IR**
636. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis* Fabricius,1787 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL**
637. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus* Schrank,1781 **AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL**
638. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis* Schaller,1783 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ**
639. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP**
640. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812 **AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ**
641. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 **AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG**
642. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 **AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ**
643. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens* Fieber,1866; *alba* Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata* Metcalf,1943 **Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ**
644. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948 **ES FR DE IT Si AT BG CY TR EG IL MA TR KG**
645. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960 **Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ**
646. **Chlorita beieri Dlabola,1959** (Cicadellidae) Synonym(s): *beieri* Dlabola,1959 **AL BG GR IT YU**
647. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa* Ribaut,1933 **AT BG CS FI FR DE IT PL RO SE KG**
648. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939 **AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At**

649. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
650. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
651. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
652. **Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *sartor O.F.Müller,1766* Cc TR IR IT
653. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820* IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
654. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
655. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940* IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
656. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
657. **Choerax dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808* Hypomicrogaster dorsalis Spinola,1808, Insect. Liguriae 2: 151. TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
658. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
659. **Chorisops caroli Troiano,1995** (Stratiomyidae) Synonym(s): *caroli Troiano,1995* IT Sa
660. **Chorisops masoni Troiano & Toscano,1995** (Stratiomyidae) Synonym(s): *masoni Troiano & Toscano,1995* IT Sa Si
661. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii Rozkosny,1979* CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
662. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
663. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
664. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans Eversmann,1848* TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
665. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménériés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyi Richter,1944* DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
666. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma Linnaeus,1758; quadraticollis Abeille,1893; kerremansi Abeille,1894* DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
667. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Companyo,1863; quadridens Rey,1890; bedeli Pic,1930* DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
668. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes Walker,1839; orchestis Ratzeburg,1844; sauros Walker,1848; laeta Ratzeburg,1848; auronitens Ratzeburg,1852; turcicus Fahringer,1938; gunholdi Delucchi,1954; laevigata Delucchi,1954; tadici Delucchi,1954; cuspidigaster Yoshimoto,1973; truncatipennis Yoshimoto,1973; elmaellae Doğanlar,1980* TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col Fl NMx Ny Tx YU
669. **Chrysolina affinis (Fabricius,1787)** (Chrysomelidae) Synonym(s): *affinis Fabricius,1787* DZ IT FR Si ES TN
670. **Chrysolina coeruleans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coeruleans Scriba,1791; angelica Reiche & Saulcy,1858; splendorifera Motschoulsky,1860; subfastuosa Motschoulsky,1860; bella Jacoby,1890; uzbekorum Bechyne,1950; iranica Jakob,1954; piffli Lopatin,1967* FR IT Cc TR AZ SY IN PK CN Uí AF IR RU TM UZ IQ
671. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata Paykull,1799* DE BG CZ FR IT NO RO YU Cc TR
672. **Chrysolina grossa (Fabricius,1792)** (Chrysomelidae) Synonym(s): *grossa Fabricius,1792; illita Weise,1884* IT Si DZ ES MA

673. **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771
Ce TR IR RU Sb UZ IT Si
674. **Chrysolina inflata (Weise,1916)** (Chrysomelidae) Synonym(s): *inflata* Weise,1916; *vitiosa* Bechyne,1950 IT Si TN
675. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudohurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
676. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857
EG GR TR DZ ES Cn FR IT RU Am
677. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
678. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 AM BG GR RO RU Cc TR HV HU DE IT
679. **Chunrocera pruni (Ribaut,1952)** (Cicadellidae) Synonym(s): *pruni* Ribaut,1952 BG FR IT RU Cc Da
680. **Cicada barbara (Stal,1866)** (Cicadidae) Synonym(s): *barbara* Stal,1866 DZ IT Sa Si ES LY TN
681. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
682. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (*praeocc.*); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954
AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
683. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (*praeocc.*); *persica* Kirkaldy,1909 *Cicadatra persica* Kirkaldy,1909, *Canad. ent.* 41: 391, nr.110 (*nomen novum pro lineola* Hagen,1856). MK Cc IR IL Pa IT SY TR AM AZ GG
684. **Cicadetta albipennis Fieber,1876** (Cicadidae) Synonym(s): *albipennis* Fieber,1876 GR IT
685. **Cicadetta argentata (Olivier,1790)** (Cicadidae) Synonym(s): *argentata* Olivier,1790; *atra* Gomez-Menor,1957 FR IT Si ES
686. **Cicadetta brullei Fieber,1876** (Cicadidae) Synonym(s): *brullei* Fieber,1876 MK FR GR IT ES YU
687. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
688. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832 TR Cc DZ GR IT MA PT ES GG KG TJ TM
689. **Cicadetta gastrica (Stal,1854)** (Cicadidae) Synonym(s): *gastrica* Stal,1854 BG GR IT Si
690. **Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): *mediterranea* Fieber,1876
BG IT JO TN YU
691. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
692. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
693. **Cicadula divaricata Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut,1952* AF DZ BG FR IL Pa IT Sa MA SY TN TR RU Cc AZ IR UZ
694. **Cicadula lineatopunctata (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952 AF DZ BG PT FR IL IT Si MA SY TN TR Cc AZ UZ
695. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards,1920
AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
696. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 BG CS FR HU IT RO MD RU YU TR
697. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
698. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris* Linnaeus,1758
SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
699. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbricidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
700. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus*

- Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
701. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
702. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
703. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
704. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
705. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995 AT B-H BG CZ DE IT RO UA YU TR
706. **Cixius cambricus China,1935** (Cixiidae) Synonym(s): *cambricus* China,1935; *borussicus* Wagner,1939; *austriacus* Wagner,1939 Cc AL AT CZ FR DE GB IT PL AZ GG YU
707. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
708. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distenguendus* Lodos & Kalkandelen,1980 AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
709. **Cixius haupti Dlabola,1949** (Cixiidae) Synonym(s): *montanus* Haupt,1949 (*praeocc.*); *haupti* Dlabola,1949 Cc AT CZ FR DE IT PL GG SW
710. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (*praeocc.*); *atavus* Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL BG CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE KG LV UA UZ YU MD Krl Sh Sb
711. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (*praeocc.*); *reuteri* Metcalf,1936 Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
712. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (*praeocc.*); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
713. **Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832 RU IT UZ KK GR TR
714. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
715. **Clanoptilus (s.str.) italicus (Pardo,1967)** (Melyridae) Synonym(s): *italicus* Pardo,1967 IT
716. **Clanoptilus (s.str.) spinipennis (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis* Erichson,1840 BG HV GR IT YU TR
717. **Clanoptilus (s.str.) spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 PT IT ES TN
718. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826 AT BE HU CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
719. **Cleptes aerosus Förster,1853** (Chrysididae) Synonym(s): *aerosus* Förster,1853; *abeillei* Buysson,1887 HU GR CH IT Si
720. **Cleptes nigrinus Mercet,1904** (Chrysididae) Synonym(s): *nigrinus* Mercet,1904 ES IT
721. **Cleptes nitidulus (Fabricius,1793)** (Chrysididae) Synonym(s): *nitidulus* Fabricius,1793 IT TR CN Mc
722. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
723. **Cleptes putoni Buysson,1886** (Chrysididae) Synonym(s): *putoni* Buysson,1886 FR CH TR IT Si
724. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
725. **Cleptes semicyaneus Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus* Tournier,1879 FR NL HU AT RU IT
726. **Cleptes splendidus (Fabricius,1794)** (Chrysididae) Synonym(s): *splendidus* Fabricius,1794 DZ FR IT US
727. **Cleptes triestiensis Moczar,2000** (Chrysididae) Synonym(s): *triestiensis* Moczar,2000 IT
728. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi*

- Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb
Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN
Gn Yu PL RO LR SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
729. **Closterocerus lyonetaiae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetaiae*
Ferrière,1952; fimbriata Erdős,1956 HV FI DE HU IT JP ES SE CH UA RU YU TR
730. **Clytra appendicina Lacordaire,1848** (Chrysomelidae) Synonym(s): *appendicina*
Lacordaire,1848 FR IT TR
731. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata*
Olivier,1808; elata Weise,1881; persica Pic,1920 IT Si RO UA BG TR Cc SY IQ IR RU
732. **Clytra valeriana Ménétrés,1832** (Chrysomelidae) Synonym(s): *valeriana Ménétrés,1832;*
tetrastigma Schmidt,1841; #valerianae Aydın & Kismali,1990 YU GR BG TR Cc UA Cm IT Si RU IR
733. **Coccinella (Neococcinella) undecimpunctata (Linnaeus,1758)** (Coccinellidae)
Synonym(s): *undecimpunctata Linnaeus,1758* IT Si Sa TR
734. **Coccinella (s.str.) hieroglyphica Linnaeus,1758** (Coccinellidae) Synonym(s):
hieroglyphica Linnaeus,1758; mannerheimi Mulsant,1850; kirbyi Crotch,1874; humboldtiensis
Nunenmacher,1912 IT US
735. **Coccinella (s.str.) magnifica Redtenbacher,1843** (Coccinellidae) Synonym(s): *magnifica*
Redtenbacher,1843 IT
736. **Coccinella (s.str.) quinquepunctata Linnaeus,1758** (Coccinellidae) Synonym(s):
quinquepunctata Linnaeus,1758 IT
737. **Coccinella (s.str.) septempunctata Linnaeus,1758** (Coccinellidae) Synonym(s):
septempunctata Linnaeus,1758; brucki Mulsant,1866 IT TR
738. **Coccinella (s.str.) trifasciata Linnaeus,1758** (Coccinellidae) Synonym(s): *trifasciata*
Linnaeus,1758; perplexa Mulsant,1850; subversa LeConte,1854 IT
739. **Coccinula quatuordecimpustulata (Linnaeus,1758)** (Coccinellidae) Synonym(s):
quatuordecimpustulata Linnaeus,1758 IT Si Sa TR
740. **Coccinula sinuatomarginata (Faldermann,1837)** (Coccinellidae) Synonym(s):
sinuatomarginata Faldermann,1837 IT Si Sa TR
741. **Coccobius testaceus (Masi,1909)** (Aphelinidae) Synonym(s): *testaceus Masi,1909* IT TR
742. **Coelosia fusca Bezzi,1892** (Mycetophilidae) Synonym(s): *fusca Bezzi,1892* IT Sa Cn IL Pa
TR
743. **Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis*
Desbrochers,1869 RU GR Cr IT CY FR Co TR LB Sa
744. **Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum*
Desbrochers,1875; italicus Voss,1929 FR GR Cr IT LB SY TR
745. **Coenorrhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s):
interpunctatus Stephens,1831; alliariae Gyllenhal,1821 DE BE BG DZ FR SE Cc KG RU Sb IT Si
746. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus*
Zetterstedt,1828; oxalidis Fieber,1875 AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH
TN RU TR
747. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus*
Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT
748. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus Erichson,1840*
MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
749. **Colpa quinquecincta (Fabricius,1775)** (Scoliidae) Synonym(s): *villosa Fabricius,1775;*
quinquecincta Fabricius,1775; abdominalis Spinola,1806; continua Leeletier,1845 IT Sa Si TR
750. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus*
Schoenherr,1834; melanographus Fahreus,1840 ES FR TR EG RU Cc UA Cm IT SY DZ
751. **Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): *fluviale Rondani,1867*
AT AF IT ES TM
752. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus*
Fabricius,1793; discolor Thunberg,1815; thoracicus Fischer von Waldheim,1846; concolor Bolivar,1878;
ponticus Nedelkov,1907; turanicus Semenov,1916; dilatatus Ramme,1951 PL DE FR ES GB IT Sa SE YU
HV B-H BG RO RU Cc AZ AM GG KG MN TR
753. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; aethiopicus Thunberg,1789; hemipterus Thunberg,1815 ES IT Sa MG DZ MA
TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
754. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps Germar,1821;*
pictipennis Curtis,1837; signifera Boheman,1845; palliata Boheman,1849 Cc DZ AT BL BG CZ DK FI FR
DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
755. **Cononedys erythraspis Hermann,1907** (Bombyliidae) Synonym(s): *erythraspis*
Hermann,1907 IT
756. **Conophorus alpicola (Villeneuve,1904)** (Bombyliidae) Synonym(s): *alpicola*
Villeneuve,1904 IT
757. **Conophorus bivittatus (Loew,1862)** (Bombyliidae) Synonym(s): *bivittatus Loew,1862* TR IT

758. **Conophorus fuliginosus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *fuliginosus* Wiedemann,1820 IT
759. **Conophorus fuminervis (Dufour,1852)** (Bombyliidae) Synonym(s): *fuminervis* Dufour,1852 IT
760. **Conophorus fuscipennis (Macquart,1840)** (Bombyliidae) Synonym(s): *fuscipennis* Macquart,1840 IT
761. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucesces* Hasbenli & Aktaş,1995 IT BG YU AL RU MD UA TR Cc GG AZ AM
762. **Conophorus griseus (Fabricius,1787)** (Bombyliidae) Synonym(s): *griseus* Fabricius,1787 IT
763. **Conophorus mauritanicus Bigot,1892** (Bombyliidae) Synonym(s): *mauritanicus* Bigot,1892 MA IT
764. **Conophorus pusillus (Loew,1869)** (Bombyliidae) Synonym(s): *pusillus* Loew,1869 IT
765. **Conophorus rossicus Paramonov,1929** (Bombyliidae) Synonym(s): *rossicus* Paramonov,1929 RU TR IT
766. **Conophorus validus (Loew,1869)** (Bombyliidae) Synonym(s): *validus* Loew,1869 IT
767. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens* Fabricius,1787 DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
768. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR
769. **Conosimus coelatus Mulsant & Rey,1855** (Issidae) Synonym(s): *coelatus* Mulsant & Rey,1855 FR GR IT
770. **Coptocephala cyanocephala (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *cyanocephala* Lacordaire,1848 IT Sa
771. **Coptocephala fossulata Lefevre,1872** (Chrysomelidae) Synonym(s): *fossulata* Lefevre,1872 IT Si HV YU
772. **Coptocephala linnaeana Petitpierre & Alonso Zarazaga,2000** (Chrysomelidae) Synonym(s): *linnaeana* Petitpierre & Alonso Zarazaga,2000 DE FR ES IT
773. **Coptocephala scopolina (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *scopolina* Linnaeus,1767; *floralis* Olivier,1791... ES FR Co IT Sa HV
774. **Coptocephala unicolor (Lucas,1845)** (Chrysomelidae) Synonym(s): *unicolor* Lucas,1845 DZ IT Si
775. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE
776. **Cordilura impudica Rondani,1866** (Scathophagidae) Synonym(s): *impudica* Rondani,1866 IT GB IE
777. **Cordilura nigriseta Rondani,1867** (Scathophagidae) Synonym(s): *nigriseta* Rondani,1867 IT
778. **Cordilura picipes Meigen,1826** (Scathophagidae) Synonym(s): *picipes* Meigen,1826; *biseta* Loew,1864 DK IT Si RU BE CZ EE DE GB FI MN HU NO NL PL SK SE CH
779. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica* Meigen,1826; *geniculata* Zetterstedt,1846; *alberta* Curran,1929 AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA
780. **Corynis italica (Lepelletier,1823)** (Cimbicidae) Synonym(s): *italica* Lepelletier,1823 ES FR HV YU CH UA IT TR
781. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc
782. **Corythucha arcuata (Say,1832)** (Tingidae) Synonym(s): *arcuata* Say,1832 CH IT TR
783. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 Apanteles ancilla Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
784. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 DE BG GB IT SE RU Sb HU TR
785. **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974 TR BG DE GB IT YU HU RU
786. **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974 DE BE GB FI NL ES IT HU RU
787. **Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes* Nixon,1974 DE FI RU TR IT GB
788. **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834 EG Cc AM AZ GG DE GB FR IT CN ID Clb Ja PH TW FJ Hw IN JP SO CM MG SN SD ZA UG IL Pa TR RU PL CH LK MY KP KR TW AU
789. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ

790. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942
FR NL DE CZ SK CH AT IT UA BG GR SE FI
791. **Crepidodera lamina (Bedel,1901)** (Chrysomelidae) Synonym(s): *lamina* Bedel,1901; *sapphirina* Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886 IT TR Cc GG
792. **Cryptocephalus alnicola Costa,1885** (Chrysomelidae) Synonym(s): *alnicola* Costa,1885
IT Sa
793. **Cryptocephalus atrifrons Abeille,1901** (Chrysomelidae) Synonym(s): *atrifrons* Abeille,1901 FR IT
794. **Cryptocephalus barii Burlini,1948** (Chrysomelidae) Synonym(s): *barii* Burlini,1948 IT
795. **Cryptocephalus biguttatus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *biguttatus* Scopoli,1763 FR IT RO TR
796. **Cryptocephalus bimaculatus Fabricius,1781** (Chrysomelidae) Synonym(s): *bimaculatus* Fabricius,1781 FR IT
797. **Cryptocephalus biondii Sassi & Regalin,1998** (Chrysomelidae) Synonym(s): *biondii* Sassi & Regalin,1998 FR Co IT Sa
798. **Cryptocephalus eridani Sassi,2001** (Chrysomelidae) Synonym(s): *eridani* Sassi,2001 IT
799. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc
800. **Cryptocephalus pulchellus Suffrian,1848** (Chrysomelidae) Synonym(s): *pulchellus* Suffrian,1848 FR ES IT
801. **Cryptocheilus notatus (Rossi,1792)** (Pompilidae) Synonym(s): *notatus* Rossi,1792; *affinis* Van der Linden,1827; *melanius* Lepeletier,1845 TR IT
802. **Cryptolaemus montrouzieri Mulsant,1853** (Coccinellidae) Synonym(s): *montrouzieri* Mulsant,1853 IT Sa Si TR
803. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus* Burgst,1913
TN DZ TR ES FR IT BG IL Pa
804. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
805. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
806. **Cyllenina marginata Loew,1846** (Bombyliidae) Synonym(s): *marginata* Loew,1846 IT Si
807. **Cyllenina rustica (Rossi,1790)** (Bombyliidae) Synonym(s): *rustica* Rossi,1790 IT TR
808. **Cynegetis impunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *impunctata* Linnaeus,1758 TR IT
809. **Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843 IT AT SS HU RO BG GR TR
810. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
811. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
812. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962
PT ES FR DE UA MD RO YU GR IT AT HU TR MK
813. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaemidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
814. **Cyrtosiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
815. **Cyrtosia marginata Perris,1839** (Bombyliidae) Synonym(s): *marginata* Perris,1839 IT Si
816. **Cyrtosia meridionalis Rondani,1863** (Bombyliidae) Synonym(s): *meridionalis* Rondani,1863 IT Si Sa
817. **Cyrtosia nitens Loew,1846** (Bombyliidae) Synonym(s): *nitens* Loew,1846 IT Si Sa
818. **Cyrtosia obscuripes Loew,1855** (Bombyliidae) Synonym(s): *obscuripes* Loew,1855 IT Si
819. **Cyrtosia occidentalis Rondani,1863** (Bombyliidae) Synonym(s): *occidentalis* Rondani,1863
IT Si
820. **Cyrtosia opaca Loew,1846** (Bombyliidae) Synonym(s): *opaca* Loew,1846 IT Si
821. **Cyrtosia pallipes A.Costa,1885** (Bombyliidae) Synonym(s): *pallipes* A.Costa,1885 IT Sa
822. **Cyrtosia perfecta (Becker,1910)** (Bombyliidae) Synonym(s): *perfecta* Becker,1910 IT Sa
823. **Cyrtosus cyanipennis (Erichson,1840)** (Melyridae) Synonym(s): *cyanipennis* Erichson,1840 ES IT TN

824. **Cyrtosus dispar (Fairmaire,1859)** (Melyridae) Synonym(s): *dispar* Fairmaire,1859 IT
825. **Cyrtosus ovalis (Laporte,1838)** (Melyridae) Synonym(s): *ovalis* Laporte,1838 IT BG YU
GR
826. **Cytherea aurea Fabricius,1794** (Bombyliidae) Synonym(s): *aurea* Fabricius,1794 IT Si
827. **Cytherea brevirostris (Olivier,1811)** (Bombyliidae) Synonym(s): *brevirostris* Olivier,1811
IT
828. **Cytherea holosericea (Fabricius,1794)** (Bombyliidae) Synonym(s): *holosericea*
Fabricius,1794 IT
829. **Cytherea infuscata (Meigen,1820)** (Bombyliidae) Synonym(s): *infuscata* Meigen,1820 IT
830. **Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura* Fabricius,1794 DZ
IT TR IL Pa LB IR Ha Lo Th Elb
831. **Cytherea pallasii (Loew,1856)** (Bombyliidae) Synonym(s): *pallasii* Loew,1856 IT
832. **Cytherea semiargyrea (Strobe,1905)** (Bombyliidae) Synonym(s): *semiargyrea* Strobe,1905
IT
833. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis*
Zetterstedt,1838 TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS
ES SE GB US Ny YU
834. **Dasyhelea aristolochiae (Rondani,1860)** (Ceratopogonidae) Synonym(s): *aristolochiae*
Rondani,1860 IT
835. **Dasyhelea dieuzeidei (Vaillant,1957)** (Ceratopogonidae) Synonym(s): *dieuzeidei*
Vaillant,1957 FR Co IT
836. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781;
punctatus Fabricius,1781; *bohemicus* Preyssler,1790; *analisis* Fabricius,1794; *cylindrica* Fabricius,1794;
nervosus Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus*
Costa,1853; *rubidus* Hermann,1906 IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO
RU SK SS ES CH TR GB
837. **Dasyrhamphis nigrinus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus*
Fabricius,1794; *alexandrinus* Wiedemann,1830 DZ ES FR IT TR IL Pa SY
838. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus*
Meigen,1820 IT Si AT AL YU BG RO GR TR IL Pa LB RU
839. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata* Fabricius,1787;
araratica Radoskovsky,1890; *fastuosa* Gribodo,1893 MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
840. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus*
Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS
B-H YU UA MD RO BG GR RU
841. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776
SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
842. **Dasytidius melitensis (Bourgeois,1885)** (Melyridae) Synonym(s): *melitensis*
Bourgeois,1885 IT Si MT
843. **Dasytidius ragusai (Prochazka,1895)** (Melyridae) Synonym(s): *ragusai* Prochazka,1895
TN DZ IT Si LY
844. **Dasytidius syrticus (Bourgeois,1885)** (Melyridae) Synonym(s): *syrticus* Bourgeois,1885 IT
Si TN
845. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793;
aeolicus Guarino,1935 TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF
846. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796;
dubia Panzer,1796 (*praecocc.*); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU
AZ EE KG KK LV TJ UA YU
847. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis* Ribaut,1934 AF DZ CY
TR FR IL IT MA ES TN
848. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806;
convexus Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL
RO SE CH RU YU CA TR
849. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller &
Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL
SE CH UA ES TR
850. **Dentilla curtiventris (André,1901)** (Mutillidae) Synonym(s): *curtiventris* André,1901 TR
AM AZ Cc SY GR YU MK AL IT Si
851. **Dentilla erronea (André,1902)** (Mutillidae) Synonym(s): *erronea* André,1902 TR GR BG AL IT
DZ
852. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s):
intermedius Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
853. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous*
Küster,1846; *asiatica* Hava,2002 FR Co PT ES IT Sa DZ IR JO SY TR
854. **Derocrepis rufipes (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes* Linnaeus,1758;
ruficornis Fabricius,1792; *obscura* Weise,1886; *latithorax* Pic,1911 IT TR Cc RU Sb Sj

855. **Derocrepis sodalis (Kutschera,1860)** (Chrysomelidae) Synonym(s): *sodalis Kutschera,1860* FR CH IT
856. **Desmatoneura flavifrons (Becker,1915)** (Bombyliidae) Synonym(s): *appendiculatus Strobl,1910; flavifrons Becker,1915* TN IT ES
857. **Desmatoneura flavifrons (Becker,1915)** (Bombyliidae) Synonym(s): *flavifrons Becker,1915* IT
858. **Desmatoneura nivea (Rossi,1790)** (Bombyliidae) Synonym(s): *nivea Rossi,1790* IT DZ
859. **Desmatoneura nivea (Rossi,1790)** (Bombyliidae) Synonym(s): *nivea Rossi,1790* IT
860. **Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): *gredleri Mik,[1881]; flavomaculatus Strobl,1909* AT ES FR IT TN IL Pa
861. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis Loew,1859* RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
862. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati Allard,1861* IT Si ES An GR Rd SY IL Pa EG TN DZ
863. **Dibolia maura Allard,1860** (Chrysomelidae) Synonym(s): *maura Allard,1860* IT Si DZ TN
864. **Dibolia schillingii (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii Letzner,1847; punctillata Foudras,1860; ciliciensis Heikertinger,1911* TR Cc KG IT YU
865. **Dibolia tyrrhenica Mohr,1981** (Chrysomelidae) Synonym(s): *tyrrhenica Mohr,1981* IT Si MT
866. **Dicaelotus montanus (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus Destefani,1886* IT Si Cc TR
867. **Dichillus (Dichillocerus) pertusus Kiesenwetter,1861** (Tenebrionidae) Synonym(s): *pertusus Kiesenwetter,1861* TR IT Si GR
868. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis Alexander,1975; meridiana Mendl,1988* IT Si PT ES RU Cc GG AM AZ TR IR
869. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae) Synonym(s): *lucidipennis Edwards,1921; luteicolor Alexander,1975* AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR
870. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens Kirschbaum,1868; carpathica Horvath,1884* AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
871. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata Boheman,1847* Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
872. **Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): *incanus Erichson,1840* PT ES FR IT BG TR
873. **Dicronychus versicolor (Mulsant & Guillebeau,1856)** (Elateridae) Synonym(s): *versicolor Mulsant & Guillebeau,1856* FR IT SL GR TR?
874. **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker,1963* IT Si IL Pa CY FR Co LB SY TR
875. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767; #aeuropaea Petagna,1787; europe Aucher-Elroy,1826; italica Kirschbaum,1868; lutea Lang,1942* Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
876. **Dictyophara lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): *acuminata Lindberg,1948; lindbergi Metcalf,1955* BG CY IT ES TR
877. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855; heydenii Kirschbaum,1868; curvata Matsumura,1910; nemourensis Matsumura,1910; oertzeni Matsumura,1910* AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
878. **Didismachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes Meigen,1820* TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
879. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis Erdös,1958* Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
880. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea Walker,1838; lycophon Walker,1838; medidas Walker,1838; gracilis Goureaux,1851; ornatus Förster,1861; bisannulatus Förster,1861; clavicornis Walker,1872; phytomyzae Rondani,1877* AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
881. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus Graham,1963* HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR
882. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata Hardy,1850; agnatus Letherry,1850; lenensis Linnavuori,1953* AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
883. **Dilophus antipedalis Meigen,1818** (Bibionidae) Synonym(s): *antipedalis Meigen,1818; andalucianus Strobl,1900* PT ES IT Sa

884. **Dilophus bispinosus** Lundström,1913 (Bibionidae) Synonym(s): *bispinosus* Lundström,1913 ES FR GB CH IT SS HU YU RO BG TR
885. **Dilophus febrilis** (Linnaeus,1758) (Bibionidae) Synonym(s): *febrilis* Linnaeus,1758; *spinatus* O.F.Müller,1764; *forcipata* Schrank,1803; *vulgaris* Meigen,1818 PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
886. **Dilophus femoratus** Meigen,1804 (Bibionidae) Synonym(s): *femoratus* Meigen,1804; *albipennis* Meigen,1830 PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
887. **Dinarmus italicus** (Masi,1922) (Pteromalidae) Synonym(s): *italicus* Masi,1922 IT TR
888. **Dioctria atricapilla** Meigen,1804 (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
889. **Dioctria gracilis** Meigen,1820 (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis* sensu Meigen,1830; *concinna* Costa,1883 DZ FR DE CH IT TR IR Kh Ss
890. **Dioctria hyalipennis** (Fabricius,1794) (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
891. **Dioctria linearis** (Fabricius,1787) (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata* Zetterstedt,1849 IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
892. **Diolcogaster alvearia** (Fabricius,1798) (Braconidae) Synonym(s): *alvearius* Fabricius,1798 *Ichneumon alvearius* Fabricius,1798, Suppl. ent. Syst.: 232. TR DE CN GB FR AT IT CZ RU KG YU
893. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
894. **Diplocolenus abdominalis** (Fabricius,1803) (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
895. **Diplocolenus bohemani** (Zetterstedt,1840) (Cicadellidae) Synonym(s): *bohemani* Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869 AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
896. **Diplocolenus frauenfeldi** (Fieber,1869) (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
897. **Diplocolenus nigrifrons** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *nigrifrons* Kirschbaum,1868; *ensatus* Then,1897 AL AT BG IT KG UA
898. **Diplelepis eglanteriae** (Hartig,1840) (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 PT ES FR GB NL DE SE PL AT HU RO IT TR
899. **Diplelepis mayri** (Schlechtendal,1877) (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
900. **Diplelepis rosae** (Linnaeus,1758) (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 PT ES GB NL DE PL SE AT HU RO IT TR
901. **Diplelepis spinosissimae** (Giraud,1859) (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 ES FR GB NL DE AT HU PL SE IT TR
902. **Dirhinus giffardii** Silvestri,1913 (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 AU NSw QAu BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
903. **Dirhinus hesperidum** (Rossi,1790) (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863 AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
904. **Ditropis pteridis** (Spinola,1839) (Delphacidae) Synonym(s): *pteridis* Spinola,1839 Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
905. **Doclostaurus** (Kazakia) **jagoi** Soltani,1978 (Acrididae) Synonym(s): *jagoi* Soltani,1978 DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
906. **Docosia gilvipes** (Haliday,1856) (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
907. **Dolichogenidea anarsiae** (Faure & Alabouvetle,1924) (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle,1924 *Apanteles anarsiae* Faure & Alabouvetle,1924, Revue Zool. Agri. Appl. 23: 283. TR Cc AZ GG FR IT RO HU
908. **Dolichogenidea drusilla** (Nixon,1972) (Braconidae) Synonym(s): *drusilla* Nixon,1972 *Apanteles drusilla* Nixon,1972, Bull. ent. Res. 61: 701-743. TR DE UA BG HU MN IT GB
909. **Dolichogenidea soikai** (Nixon,1972) (Braconidae) Synonym(s): *soikai* Nixon,1972 *Apanteles soikai* Nixon,1972, Bull. ent. Res. 61: 701-743. TR BG IT HU
910. **Dolichopus sculus** Loew,1859 (Dolichopodidae) Synonym(s): *sculus* Loew,1859 FR BG IL Pa IT Si
911. **Dolichovespula norwegica** (Fabricius,1781) (Vespidae) Synonym(s): *norwegica* Fabricius,1781 GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
912. **Doratulina instabilis** (Ribaut,1948) (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948 AF CY EG GR IL Pa IT LY TR

913. **Doratura concors Horvath,1903** (Cicadellidae) Synonym(s): *concors* Horvath,1903; *semenovi* Kusnezov,1952; *dzungarica* Mitjaev,1971 **CZ HU IT PL RU YU TR**
914. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903 **AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Ce AM KG MD RU Sb UA YU**
915. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla* Horvath,1903 **AT BG GR IT RO TR MD UA UZ YU**
916. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861 **AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Ce EE KG KK LV MD RU Sb UA UZ YU**
917. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897 **AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU**
918. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928 **AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Ce GG TR KG KK LV MD RU Sb UA YU**
919. **Doratura veneta Dlabola,1969** (Cicadellidae) Synonym(s): *veneta* Dlabola,1969 **IT TR**
920. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum* Fabricius,1794; *thamnicola* Robineau-Desvoidy,1830; *scalaris* Loew,1868 **AT DE HU FR Co ES HV PT GB IT PL CZ TR**
921. **Dorycera grandis Rondani,1869** (Ulidiidae) Synonym(s): *grandis* Rondani,1869 **ES FR IT**
922. **Dorycera maculipennis Macquart,1843** (Ulidiidae) Synonym(s): *maculipennis* Macquart,1843 **ES IT GR Rd CY**
923. **Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916 **Ce AM Eri AT IT BG TR GG**
924. **Dryocosmus cerriphilus Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859 **IT AT HU RO TR**
925. **Dryodurgades dlabolai Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963 **HU IT RU MD UA YU BG FR TR**
926. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834 **AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Ce MD? YU TR**
927. **Duilius seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemand,1929 **AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ**
928. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854 **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
929. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Ce AZ AM GG KG**
930. **Dysmachus styliifer (Loew,1854)** (Asilidae) Synonym(s): *styliifer* Loew,1854 **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Ce AZ AM GG TR IR**
931. **Ebaeus appendiculatus Erichson,1840** (Melyridae) Synonym(s): *appendiculatus* Erichson,1840 **TR IT Si AT CZ RO BG UA Cm**
932. **Ebaeus gibbus (Drapiez,1819)** (Melyridae) Synonym(s): *gibbus* Drapiez,1819; *taeniatus* Baudi di Selve,1871; *cyaneus* Cameron & Caruana Gatto,1907 **FR IT Si MT HU?**
933. **Ebaeus ruffoi Pardo,1962** (Melyridae) Synonym(s): *ruffoi* Pardo,1962 **IT Si MT**
934. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 **AL AT BG S FI FR GB HU IT NO PL RO SE TR Ce AM GG YU**
935. **Ebarrius intertinctus (Fieber,1869)** (Cicadellidae) Synonym(s): *intertinctus* Fieber,1869 **AT FR HU IT MN PL SW Ce GG YU**
936. **Eclimus gracilis Loew,1844** (Bombyliidae) Synonym(s): *gracilis* Loew,1844 **IT**
937. **Eclimus perspicillaris Loew,1844** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1844 **IT**
938. **Ectomocoris melanogaster (Fieber,1861)** (Reduviidae) Synonym(s): *melanogaster* Fieber,1861 **IT Si IL Pa**
939. **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans* Rossi,1790 **PT ES Co Sa Si IT AL Cr CY TR**
940. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (*praeooc.*); *marginella* Gmelin,1790 (*praeooc.*); *geometrica* Schrank,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 **AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA**
941. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 **DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Ce GG MD UA YU**
942. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 **AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA**
943. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Ce KG KK LV MD RU TJ UA TR UZ YU**
944. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 **TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU**

945. **Elampus ambiguus Dahlbom,1854** (Chrysididae) Synonym(s): *ambiguus Dahlbom,1854*
IT
946. **Elampus bidens (Förster,1853)** (Chrysididae) Synonym(s): *bidens Förster,1853* PL IT RU
Sb TR Cc
947. **Elampus caeruleus Dahlbom,1854** (Chrysididae) Synonym(s): *caeruleus Dahlbom,1854*
DE IT CY
948. **Elampus constrictus (Förster,1853)** (Chrysididae) Synonym(s): *constrictus Förster,1853*
IT PL CN Mc RU
949. **Elampus panzeri (Fabricius,1804)** (Chrysididae) Synonym(s): *panzeri Fabricius,1804*
DE HU RU IT
950. **Elampus rufitarsis (Tournier,1879)** (Chrysididae) Synonym(s): *rufitarsis Tournier,1879*
IT RU
951. **Elampus sanzii Gogorza,1887** (Chrysididae) Synonym(s): *sanzii Gogorza,1887* ES TR SY IT RU
952. **Elampus soror (Mocsary,1889)** (Chrysididae) Synonym(s): *soror Mocsary,1889* IT HU CY
953. **Elampus spinus (Lerpeletier,1806)** (Chrysididae) Synonym(s): *spinus Lerpeletier,1806*
IT Sa Si FR
954. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV
CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
955. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
956. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae Ferrière,1935; elongatus Ferrière,1947* TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE
US Tx YE YU
957. **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii Steffan,1962; steffani Viggiani,1967* TR HV FR R IL Pa IT ES SY AE
958. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor Rondani,1877; fumipennis Thomson,1878; vibicellae Ferrière,1947* TR Cc BG CZ DE HU IT MD SK ES SE
959. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi Giraud,1856* AT
FI DE GR FR HU IT MD KG ES SE CH TR RU
960. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus Linnaeus,1758*
TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
961. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praeocc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* DZ AT BE BG
CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA
YU
962. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii Westwood,1833; rufescens Westwood,1833; sickershusanus Nees,1834; antennalis Kieffer,1906; holochlora Kieffer,1906; hypochlora Kieffer,1906* ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
963. **Emelyanoviana mollicula (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula Boheman,1845; fascialis Flor,1861; florii Kirschbaum,1868; albicans Lethierry,1876* AL AT BE BG CS DK
FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU
964. **Empidideicus hackmani François,1969** (Bombyliidae) Synonym(s): *hackmani François,1969* IT
965. **Empidideicus hispanus François,1969** (Bombyliidae) Synonym(s): *hispanus François,1969* IT ES
966. **Empidideicus hungaricus Thalhammer,1911** (Bombyliidae) Synonym(s): *hungaricus Thalhammer,1911* IT HU
967. **Empis (s.str.) lepidopus Meigen,1822** (Empididae) Synonym(s): *lepidopus Meigen,1822*
TR DE IT HU NL CH ES
968. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes Fabricius,1794; obscurella Zetterstedt,1842* TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH
UA RU
969. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL
Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
970. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani Curtis,1846; pteridis Dahlbom,1850; solanituberosi Kollar,1852; roseiventris Rey,1894; tullgreni Ribaut,1933; dlabolae Lindberg,1960* AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG
MD RU UA YU
971. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis Göthe,1875; aurantiaca Lethierry,1880; viticola Targioni-Tozzetti,1888; subvaria Rey,1894; vitium Paoli,1931; punctata Kato,1933; petiolata Cerutti,1939* DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES
SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
972. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata Goeze,1778; pauperata Rossi,1783 nec F.,1781; pennata Thunberg,1815; variabilis Risso,1826; egema Charpentier,1841;*

- brachyptera* Fischer v. *Waldheim*,1846; *europaea* Fieber,1853; *occidentalis* Fieber,1853 **DZ Cn LY MA TN ES PT Sa Si IT**
973. **Encarsia inaron (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodis* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulden,1986 **ES IT TR**
974. **Encarsia tricolor Förster,1878** (Aphelinidae) Synonym(s): *tricolor* Förster,1878; *coniugata* Masi,1908 **IT TR**
975. **Enclisis ornaticeps (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885 **DE DK FR IT AT PL YU TR**
976. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 **FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR**
977. **Enicopus pilosus (Scopoli,1763)** (Melyridae) Synonym(s): *pilosus* Scopoli,1763; *acutatus* Boieldieu,1859; *falculifer* Fairmaire,1859; *subvittatus* Fairmaire,1859 **ES FR CH IT SS Si**
978. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 **AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR**
979. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 **DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR**
980. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemii* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830; *scorzoneræ* Robineau-Desvoidy,1830 **TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE**
981. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001 **BG FR GR IT ES UA**
982. **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syransis* Radoszkowski,1888; *schmidti* Priesner,1973; *#cinerata* Priesner,1973 **DZ IT KG KK UZ TR EG Cr GR Rd AL IR Kz SY**
983. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... **MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ**
984. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 **CH ES IT DE FR AT HU GR Cc TR**
985. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 **AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU**
986. **Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis* Melsheimer,1847 **TR GR BG IT US**
987. **Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia* Foudras,1860 **TR ES IT SK UA HU YU Cc**
988. **Eriothrix monticola (Egger,1856)** (Tachinidae) Synonym(s): *monticola* Egger,1856; *longipes* Rondani,1856 **AT IT**
989. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 **PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN**
990. **Eristalinus (Lathyrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus* Rossi,1792 **ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR**
991. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 **AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR**
992. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868; *dilatatus* Fieber,1872 **AT BE CS FR DE IT PL RO SW AZ Cc UA**
993. **Erythria (s.str.) seclusa Horvath,1803** (Cicadellidae) Synonym(s): *Horvath*,1803 **BG CY IT Sa YU**
994. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 **ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA**
995. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866 **ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK**
996. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 **AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd**
997. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 **Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU**

998. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
999. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa Boheman,1845; asiracoides Forel,1858; obscura Metcalf,1943* AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
1000. **Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): *truncata Ribaut,1948* CY GR IT TR
1001. **Euodynerus (s.str.) dantici (Rossi,1790)** (Vespidae) Synonym(s): *dantici Rossi,1790* IT TR
1002. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
1003. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* AL DZ AT BE ES Ch CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
1004. **Euplectus verticalis Reitter,1884** (Staphylinidae) Synonym(s): *verticalis Reitter,1884; tenenbaumi Roubal,1926; balcanicus Karaman,1962* TR IT YU
1005. **Eupteryx jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda Herrich-Schäffer,1837; zetterstedti Boheman,1845* AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
1006. **Eupteryx adspersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa Herrich-Schäffer,1838; gallica Wagner,1939* AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA
1007. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola Ribaut,1936; bilobata Cerutti,1939; unita Cerutti,1939* AF AT CS FI FR DE IT IQ RO SW TR RU MD
1008. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939* AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
1009. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata Linnaeus,1758; festiva Fabricius,1794; fulva Herrich-Schäffer,1836; interpuncta Cerutti,1939; nigerrima Cerutti,1939* AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
1010. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata Fieber,1872 (praeocc.); austriaca Metcalf,1968* AT BE BG FR DE IT UA
1011. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina Flor,1861; florida Ribaut,1936* AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
1012. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops Matsumura,1906; nigrifrons Haupt,1912; britteni Edwards,1924; affinis Ossiannilsson,1936; mendax Ribaut,1936; trilobata Ribaut,1936* AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
1013. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum Newman,1853; laureti Lindberg,1936* Az BE ES Ch CS FR GB GR IT Md NL PL PT SW TR TM
1014. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii Kirschbaum,1868; ornata Fieber,1872; pruni Edwards,1888* AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
1015. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
1016. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939* DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
1017. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella Fallén,1806; pulchella Herrich-Schäffer,1834* AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
1018. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi Edwards,1926* AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU
1019. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae Fabricius,1803; tarsalis Curtis,1837; jucunda Hardy,1850 (praeocc.); octonotata Hardy,1850; basalis Rey,1894; conjuncta Rey,1894; haupti Wagner,1935; deficiens Ribaut,1936; glomerata Ribaut,1936* AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
1020. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata Linnaeus,1758* DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
1021. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868; putoni Lethierry,1876; hipposideros Horvath,1892; decussata Ribaut,1936* AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
1022. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna Germar,1831* DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
1023. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata Scott,1875* AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR

1024. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
1025. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836 **TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU**
1026. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 **IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
1027. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum* Mayr,1878 **TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU**
1028. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi* Boucek,1970 **IR HV CZ DE IT MD MK RU SK UA TM YU**
1029. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii* Domenichini,1960 **TR EG FR Co GR IT Sa Si DZ ES SY**
1030. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**
1031. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 **TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB**
1032. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 **TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru**
1033. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 **TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU**
1034. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae* Fabricius,1798; *tristis* Mayr,1878 **TR AT BG CZ FR DE HU IT MD MA NL SE GB RU**
1035. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 **AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU**
1036. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum,1858; *irrorartus* Scott,1875; *doderi* Ferrari,1888; *maculosus* Rey,1891; *duplex* Rey,1894 **DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU**
1037. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952 **BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR**
1038. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 **AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU**
1039. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 **AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU**
1040. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952 **AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU**
1041. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 **AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU**
1042. **Eutagenia aegyptiaca Reitter,1889** (Tenebrionidae) Synonym(s): *aegyptiaca* Reitter,1889; *tunisea* Normand,1936 **EG IT TN**
1043. **Eutagenia elvirae Marcuzzi & Turchetto,1982** (Tenebrionidae) Synonym(s): *elvirae* Marcuzzi & Turchetto,1982 **IT**
1044. **Euzonitis fluvipennis (Fabricius,1792)** (Meloidae) Synonym(s): *fluvipennis* Fabricius,1792 **IT TR RU HU**
1045. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808 **ES IT Sa Si TR RU MN CY IR**
1046. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790 **Apalus sexmaculatus** Olivier,1790, *Encycl. méthod. 4: 166. DZ ES IT Si CY TR TJ SY*
1047. **Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891 **IT Si TR**
1048. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 **AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU**
1049. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 **AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU**

1050. **Exhyalanthrax afer (Fabricius,1794)** (Bombyliidae) Synonym(s): *afer Fabricius,1794* IT Sa Si
1051. **Exhyalanthrax argentifer Becker,1916** (Bombyliidae) Synonym(s): *argentifer Becker,1916* IT
1052. **Exhyalanthrax collarti (François,1962)** (Bombyliidae) Synonym(s): *collarti François,1962* IT
1053. **Exhyalanthrax contrarius Becker,1916** (Bombyliidae) Synonym(s): *contrarius Becker,1916* IT
1054. **Exhyalanthrax fimbriatus (Meigen,1804)** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1804* IT
1055. **Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus Loew,1869* IT
1056. **Exhyalanthrax vagans (Loew,1862)** (Bombyliidae) Synonym(s): *vagans Loew,1862* IT Sa Si
1057. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola Stal,1855; taeniaticeps Kirschbaum,1868; ragusai Haupt,1924; albipennis Haupt,1927* AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
1058. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus Melichar,1911; vulneratus Bergevin,1925; unifasciatus Haupt,1930* AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
1059. **Exochomus nigripennis (Erichson,1843)** (Coccinellidae) Synonym(s): *nigripennis Erichson,1843* IT Si
1060. **Exochomus nigromaculatus (Goeze,1777)** (Coccinellidae) Synonym(s): *nigromaculatus Goeze,1777* TR IT
1061. **Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae) Synonym(s): *quadripustulatus Linnaeus,1758* IT TR
1062. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
1063. **Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): *baccha Loew,1869* IT Si TR
1064. **Exoprosopa capucina (Fabricius,1781)** (Bombyliidae) Synonym(s): *capucina Fabricius,1781* IT
1065. **Exoprosopa cleomene Egger,1859** (Bombyliidae) Synonym(s): *cleomene Egger,1859* IT
1066. **Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis Wiedemann,1820* IT Sa Si TR
1067. **Exoprosopa italica (Wiedemann,1820)** (Bombyliidae) Synonym(s): *italica Wiedemann,1820* IT
1068. **Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus Fabricius,1805* IT Si TR
1069. **Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois Loew,1869* IT TR
1070. **Exoprosopa minus (Meigen,1804)** (Bombyliidae) Synonym(s): *minus Meigen,1804* IT Sa Si TR
1071. **Exoprosopa munda Loew,1869** (Bombyliidae) Synonym(s): *munda Loew,1869* IT Si
1072. **Exoprosopa normalis Loew,1869** (Bombyliidae) Synonym(s): *normalis Loew,1869* IT TR
1073. **Exoprosopa pallasi (Wiedemann,1818)** (Bombyliidae) Synonym(s): *pallasi Wiedemann,1818* IT Si Sa
1074. **Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis Loew,1862* IT
1075. **Exoprosopa pygmalion (Fabricius,1805)** (Bombyliidae) Synonym(s): *pygmalion Fabricius,1805* IT Si
1076. **Exoprosopa rutila (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila Wiedemann,1818* IT TR
1077. **Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata Rondani,1859* IT TR
1078. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus Fabricius,1794; barbarica Turton,1802; limbatum A.Costa,1864; heydenii Kirschbaum,1868; striolatum Fieber,1877; areolatus A.Costa,1883* DZ ES Cn FR GR IT MA IL ES SW TN RU
1079. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula Horvath,1897* AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
1080. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris Fabricius,1794* UA CH AT ES FI IT YU AL BG GR TR
1081. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria Horvath,1897* BG TR FR IL Pa IT Sa MA ES YU
1082. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii Stal,1864* AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
1083. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma Flor,1861; albofimbriata Fieber,1866; albolimbata Kirschbaum,1868* AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU

1084. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida Fischer,1853; orientalis Burr,1900* ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
1085. **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus LaFerté & Sénectere,1847* DZ BG GR IT CY TR IR
1086. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947* AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
1087. **Frutioidia (s.str.) sanguinosa (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa Rey,1891; picta Melichar,1896* FR IT LY TR Cc GG YU IR
1088. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus Herrich-Schäffer,1838* ES FR BE DE PL CZ SK HU AT CH IT BY UA
1089. **Galeatus major Puton,1886** (Tingidae) Synonym(s): *major Puton,1886* ES IT Si
1090. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
1091. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger Marsham,1802* AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
1092. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius Linnaeus,1758* AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
1093. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus Olivier,1789; hybridus Meigen,1804; gibbosus Meigen,1820; corcyreus Frey,1936* FR Co IT Si GR Rd ES? IL Pa TR
1094. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis Wiedemann,1820; albidulus François,1969* IT ?EG FR Co GR Sa LY? ES PT
1095. **Geron intonsus Bezzi,1925** (Bombyliidae) Synonym(s): *intonsus Bezzi,1925* EG IT Si
1096. **Geron macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti Greathead,1999* GR IT MT MA TN TR EG
1097. **Geron meigeni Greathead,2001** (Bombyliidae) Synonym(s): *meigeni Greathead,2001* IT Sa DZ
1098. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
1099. **Glbellula meridionalis François,1955** (Mythicomyiidae) Synonym(s): *meridionalis François,1955* IT
1100. **Glbellula unicolor Strobl,1910** (Mythicomyiidae) Synonym(s): *unicolor Strobl,1910* IT
1101. **Globicornis picta (Küster,1851)** (Dermeestidae) Synonym(s): *picta Küster,1851* TR YU CY IT Sa Si SK
1102. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
1103. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus Linnaeus,1767; clavimanus Pallas,1772; graecus Uvarov,1931; helveticus Uvarov,1931; hispanicus Uvarov,1931; pyrenaicus Uvarov,1931; turcicus Mistshenko,1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
1104. **Gonia sicula (Robineau-Desvoidy,1830)** (Tachinidae) Synonym(s): *sicula Robineau-Desvoidy,1830* IT Si IL Pa
1105. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835; annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
1106. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum,1868; putoni Lethierry,1874; laminatus Ivanoff,1885; ferganensis Kusnezov,1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
1107. **Gonomyia (s.str.) sicula Lackschewitz,1940** (Limoniidae) Synonym(s): *sicula Lackschewitz,1940* TR IT Si
1108. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis Fallén,1806; punctifrons Germar,1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
1109. **Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita Rondani,1868* TR BG HV GR IT Si ES UA
1110. **Graphosoma lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatum Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955* CN Ui TR IT
1111. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigritarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR

1112. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 **Gryllus gryllotalpa** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
1113. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis* Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 **DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU**
1114. **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927 **DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU**
1115. **Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934 **RU Cc AZ KG SY IT FR MA DZ TN LY EG AM IR AF Ch IL Pa SY TR**
1116. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 **RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG**
1117. **Habrolepis italicus Delucchi,1965** (Encyrtidae) Synonym(s): *italicus* Delucchi,1965 **IT TR**
1118. **Haematoloma dorsatum (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum* Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882 **DZ BE FR DE GR IT NL PT ES SW TR YU**
1119. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905 **AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR**
1120. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 **AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us**
1121. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 **AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU**
1122. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773 *Coccinella axyridis* Pallas,1773, Reise Russia 2: 726. **GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA**
1123. **Harmonia quadripunctata (Pontoppidan,1763)** (Coccinellidae) Synonym(s): *quadripunctata* Pontoppidan,1763 **IT Sa TR**
1124. **Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY**
1125. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 **PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY**
1126. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962 **AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR**
1127. **Hauptidia (s.str.) provincialis (Ribaut,1931)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1931 **BG FR IT YU**
1128. **Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962 **AF EG IR IL IT**
1129. **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897 **AF BG CY CS EG HU IR IQ IL IT Si JO MA TR AM AZ GG Cc KG KK RU TJ TM UZ YU**
1130. **Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans* Gené,1836 **GB ES IT FR TN GR TR**
1131. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus* Mulsant,1846 **DK FI SE NO RU ES IT AT FR GB TR**
1132. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis* Motschoulsky,1860 **TR DZ GB DK FR DE IT MA PT ES SE TN**
1133. **Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus* Angus,1970 **PL AT FR RU IT YU GR TR**
1134. **Helophorus montenegrinus Kuwert,1885** (Helophoridae) Synonym(s): *montenegrinus* Kuwert,1885 **YU Cc AT IT TR**
1135. **Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus* Fabricius,1776 **RU SE FI IT ES DK IR TR**
1136. **Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus* Mulsant,1844 **DK GB SE RU IT TR GR**
1137. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis* Kuwert,1887 **DZ GB DK FR DE IT MA NL PT RU ES SE TN TR**
1138. **Helophorus subarcuatus Rey,1885** (Helophoridae) Synonym(s): *subarcuatus* Rey,1885 **FR IT TR**
1139. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758 **TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK**

1140. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
1141. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
1142. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG Af Sb US Arz Cf NMx CA TH CN Ui
1143. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
1144. **Hemipenthes villeneuvei François,1970** (Bombyliidae) Synonym(s): *villeneuvei* François,1970 IT FR GR
1145. **Henosepilachna argus (Geoffroy,1762)** (Coccinellidae) Synonym(s): *argus* Geoffroy,1762 IT Sa Si TR
1146. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868 DZ BG CZ FR IT MA ES TR YU AF IR
1147. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
1148. **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951 HV BG GR IT Si MT CY IL Pa SY TR
1149. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
1150. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931 MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
1151. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
1152. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849 ES FR Co IT MK GR TR Cc KG NG SD SA LK
1153. **Hermetia illucens (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens* Linnaeus,1758 PT Cn ES FR CH IT MT HV AL TR
1154. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
1155. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
1156. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
1157. **Heteralonia aeacus (Meigen,1804)** (Bombyliidae) Synonym(s): *aeacus* Meigen,1804 IT Si
1158. **Heteralonia algira (Fabricius,1794)** (Bombyliidae) Synonym(s): *algira* Fabricius,1794 IT Si
1159. **Heteralonia dispar (Loew,1869)** (Bombyliidae) Synonym(s): *dispar* Loew,1869 IT Si
1160. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
1161. **Heteralonia rivularis (Meigen,1820)** (Bombyliidae) Synonym(s): *rivularis* Meigen,1820 IT Si
1162. **Heteralonia suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832 IT
1163. **Hippodamia (Adonia) variegata (Goeze,1777)** (Coccinellidae) Synonym(s): *variegata* Goeze,1777 FR IT Sa Si TR
1164. **Hippodamia (s.str.) tredecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *tredecimpunctata* Linnaeus,1758 IT Si TR
1165. **Hippodamia (Semiadalia) notata (Laicharting,1781)** (Coccinellidae) Synonym(s): *notata* Laicharting,1781 IT
1166. **Hippodamia (Semiadalia) undecimnotata (Schneider,1792)** (Coccinellidae) Synonym(s): *undecimnotata* Schneider,1792 IT Sa Si TR
1167. **Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus* Linnaeus,1758; *gagates* Illiger,1807; *aethiops* Heer,1841 GB IT GR TR

1168. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960 **DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP**
1169. **Hockeria mengeniellarum (Silvestri,1943)** (Chalcididae) Synonym(s): *mengeniellarum* Silvestri,1943 **IT TR**
1170. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
1171. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 **AT FR GR HU IT PL RO RU YU IR**
1172. **Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820 **IR Kh AT AZ BE BG CN CZ RU Us Sb FR DE GR IT KG MN PL SK CH**
1173. **Homalocephala albitarsis Zetterstedt,1838** (Ulidiidae) Synonym(s): *albitarsis* Zetterstedt,1838; *diopsides* Walker,1849; *costalis* Walker,1849 **CA On DE PL RU SE Am Us Sb Sh FI NO IT**
1174. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 **AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR**
1175. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 **AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR**
1176. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 **AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR**
1177. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872 **AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN**
1178. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 **AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR**
1179. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 **AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR**
1180. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991 **AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR**
1181. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879 **ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR**
1182. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula* Fonscolombe,1846 *nec* Duf.,1841; *cristatula* Zanden,1990 **ES FR Co IT Si DZ MA TN CN**
1183. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871 **AL AD CH ES FR GR HU HV IT Sa MK SS TR**
1184. **Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879 **Cc AM FR IT Si DZ TN CN Ui Ku KG KK TJ TM IR TR**
1185. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 **AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR**
1186. **Hoplitis (Anthocopa) perezii (Ferton,1895)** (Megachilidae) Synonym(s): *perezii* Ferton,1895; *convolvuli* Ducke,1899 **AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR**
1187. **Hoplitis (Anthocopa) rugidorsis (Pérez,1895)** (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934 **IT Sa DZ MA TR?**
1188. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 **AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?**
1189. **Hoplitis (Formicapis) robusta (Nylander,1848)** (Megachilidae) Synonym(s): *robusta* Nylander,1848 **AT CH FR FI IT RU MN CN CA US**
1190. **Hoplitis (Micreriades) illyrica (Noskiewicz,1926)** (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926 **BG GR HV IT Si MK**
1191. **Hoplitis (Micreriades) tenuispina (Alfken,1936)** (Megachilidae) Synonym(s): *tenuispina* Alfken,1936 **FR IT**
1192. **Hoplitis (Monumetha) tuberculata (Nylander,1848)** (Megachilidae) Synonym(s): *tuberculata* Nylander,1848; *hamata* Eversmann,1852; *cylindrica* Giraud,1857; *signatum* Eversmann,1852; *macrodonata* Cockerell,1924; *amaguensis* Cockerell,1924 **AT CH DE FR FI HV IT LT PL RU MN CN**

1193. **Hoplitis (Pentadentoscia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
1194. **Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934 AL BG ES FR GR Cr HV IT PT SY TR
1195. **Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947 AL BG Cc GG GR IT SS MA DZ TR
1196. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 GR AZ Cc BG ES FR IT Si TR
1197. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
1198. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879; *nec* Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 ES FR Co HV IT Sa Si PT DZ MA TN
1199. **Hoplitis (s.str.) bihamata (Costa,1885)** (Megachilidae) Synonym(s): *bihamata* Costa,1885; *corsica* Ferton,1901 IT Sa FR Co MA?
1200. **Hoplitis (s.str.) insularis (Schmiedeknecht,1886)** (Megachilidae) Synonym(s): *insularis* Schmiedeknecht,1886; *vaulogeri* Pérez,1895 ES IT Sa Si DZ MA TN
1201. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898 IT GR HV MK SS DZ EG MA TN
1202. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 AT CH DE ES FR HU IT RU SS
1203. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 AT CH CZ? DE ES FR HU HV IT RU SS
1204. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
1205. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902 ES FR Co IT Si PT DZ MA TN
1206. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 CH ES FR IT Si PT DZ MA TN IL Pa JO
1207. **Hoplitis (s.str.) ochraceicornis (Ferton,1902)** (Megachilidae) Synonym(s): *ochraceicornis* Ferton,1902; *seyrigi* Benoist,1969 AD ES FR IT MK PT Md
1208. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 AL GR Cr HV IT MK SS IL Pa JO SY TR
1209. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS
1210. **Hoplitis (s.str.) submanicata Zanden,1984** (Megachilidae) Synonym(s): *submanicata* Zanden,1984 MA IT Si
1211. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
1212. **Horvathianella palliceus (Horvath,1897)** (Delphacidae) Synonym(s): *palliceus* Horvath,1897 AT BG GR HU RO IT YU TR HV CZ
1213. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
1214. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
1215. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 AL AT BG TR CZ FR HU IL IT RO ES YU
1216. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
1217. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
1218. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
1219. **Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis* Herbst,1793 TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH
1220. **Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller,1783; *cicindeloides* Marsham,1802; *crenulatus* Motschoulsky,1860; *sibiricus* Motschoulsky,1860 TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH

1221. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775*
ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL
GR BG Cr CY TR
1222. **Hydrotaea meridionalis Portschinsky,1882** (Muscidae) Synonym(s): *meridionalis*
Portschinsky,1882 IT Si DE PL CZ SK CH AT HU TR RU
1223. **Hymenalia rufipes (Fabricius,1792)** (Tenebrionidae) Synonym(s): *rufipes Fabricius,1792*
IT
1224. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis Erichson,1840*
MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
1225. **Hyperaspis campestris (Herbst,1783)** (Coccinellidae) Synonym(s): *campestris*
Herbst,1783 IT TR
1226. **Hyperaspis campestris (Herbst,1783)** (Coccinellidae) Synonym(s): *campestris*
Herbst,1783 TR IT
1227. **Hyperaspis reppensis (Herbst,1783)** (Coccinellidae) Synonym(s): *reppensis Herbst,1783*
IT TR
1228. **Hypocaccus (s.str.) brasiliensis (Paykull,1811)** (Histeridae) Synonym(s): *brasiliensis*
Paykull,1811 IT Sa Si GR TR
1229. **Hypsicera anglicus (Schmiedeknecht,1925)** (Ichneumonidae) Synonym(s): *anglicus*
Schmiedeknecht,1925 GB FR BE CH IT RO TR
1230. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides*
Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
1231. **Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): *nervosum Fieber,1877* DZ
GR IT IL ES YU
1232. **Hysteropterum obsoletum Fieber,1877** (Issidae) Synonym(s): *obsoletum Fieber,1877* AL
GR IT YU
1233. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio Linnaeus,1761; brunnea*
Fabricius,1794 AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
1234. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris Fieber,1868* AT BG
CS FR DE GR HU IT NL PL RO ES TR MD UA YU
1235. **Iberodorcadion fuliginator (Linnaeus,1758)** (Cerambycidae) Synonym(s): *fuliginator*
Linnaeus,1758 ES FR DE IT
1236. **Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia Nixon,1965* **Apanteles**
vindicia Nixon,1965, Bull. Br. Mus. Nat. Hist. Suppl. 2: 158. IT HU BG TR RU Cc Da GG KP KR
1237. **Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum Lucas,1854*
DZ FR IT Sa GR TR
1238. **Idiocerus (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis*
Loew,1856; ?filicina Santos Abreu,1923; similior Alexander,1956 **Limnobia pulchripennis** *Loew,1856,*
Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG
TR AF GG AM AZ CY IL Pa IR TM TJ KK
1239. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775;*
aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868;
kirschbaumi Baker,1924; lineolata Ribaut,1952 AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG
(Transcaspia?) UA (Crimea) YU
1240. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii*
Kirschbaum,1868 AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU
TJ UA UZ YU
1241. **Idiocerus heydenii Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii*
Kirschbaum,1868 AT BG CS DK FR DE IT PL MD UA YU
1242. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806;*
dorsiger Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis
Curtis,1839; rubrifrons Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES
SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
1243. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s):
nitidissimus Herrich-Schäffer,1835 BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb
UA
1244. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus*
Herrich-Schäffer,1835 AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA
YU
1245. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis Lewis,1834;*
adustus Herrich-Schäffer,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
1246. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus Melichar,1898* AF AT
FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
1247. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons*
Kirschbaum,1868 AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU

1248. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer,1799; *simulans* Ribaut,1952 AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
1249. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989 TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
1250. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916 IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
1251. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 Gryllus (Mantis) *oratorius* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
1252. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
1253. **Issus coleopratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleopratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
1254. **Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus* Fourcroy,1785; *luteus* Fieber,1876 AL FR GR IT ES TR YU
1255. **Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri* Ahrens,1814; *climacus* Fieber,1876 TR AL FR GR IT PT ES YU
1256. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis* Schrank,1781 Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
1257. **Issus tendinosus Spinola,1839** (Issidae) Synonym(s): *tendinosus* Spinola,1839 AL GR IT RO UA YU
1258. **Italochrysa italica (Rossi,1790)** (Chrysopidae) Synonym(s): *italica* Rossi,1790 IT TR
1259. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897; *strigosa* Matsumura,1910; *duffelsi* Dlabola,1974 IT Si HV YU CY FR GR ES TR
1260. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
1261. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus* Then,1896 AT BG CS FI FR DE IT PL RO SE MD UA
1262. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus* Flor,1861; *pseudocellaris* Flor,1861; *mattiacellus* Kirschbaum,1868; *parallelus* Fieber,1869; *falleni* Fieber,1869; *paleaceus* Sahlberg,1871; *longiceps* Rey,1894; *confinis* Rey,1894; *kemneri* Ossiannilsson,1935; *gallicus* Metcalf,1955; *reji* Metcalf,1955 AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
1263. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869 AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
1264. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
1265. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscotestacea* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
1266. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
1267. **Kelisia brucki Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878 AL CY CZ FR GR TR HU IL IT RU YU
1268. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
1269. **Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878 CZ FR HU IT RO TR YU
1270. **Kelisia perrieri Ribaut,1934** (Delphacidae) Synonym(s): *perrieri* Ribaut,1934 CY FR IT
1271. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
1272. **Klapperichicen viridissima (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreatea* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920 AF GR IR IQ IL Pa IT JO TR RU

1273. **Korynetes pusillus Klug,1842** (Korynetidae) Synonym(s): *pusillus Klug,1842* FR Co IT Sa Si IL Pa
1274. **Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti Invrea,1953* TR RO IT Si ES PT MA
1275. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
1276. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi Edwards,1908; tremulae Zachvatkin,1953; zaizanensis Mitjaev,1963* BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
1277. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus Fallén,1806; viridipes Curtis,1837* AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
1278. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator Ribaut,1933; saageri Wagner,1935* AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
1279. **Labidostomis centromaculata Géne,1839** (Chrysomelidae) Synonym(s): *centromaculata Géne,1839* IT Sa
1280. **Labidostomis guerini (Bassi,1834)** (Chrysomelidae) Synonym(s): *guerini Bassi,1834* DZ TN IT Si
1281. **Labidostomis lusitanica (Germar,1824)** (Chrysomelidae) Synonym(s): *lusitanica Germar,1824* DZ ES FR IT Si
1282. **Labidostomis taxicornis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *taxicornis Fabricius,1792; sardoa Jacobson,1906* IT Sa AT DZ
1283. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons Boheman,1852; sulphureus Kirschbaum,1858; thiogaster Kirschbaum,1858; anomalus Uhler,1896; vittatipes Uhler,1896* AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
1284. **Laburrus quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus Forel,1864; limbatus Ferrari,1882; atrata Ribaut,1942; deleta Ribaut,1942* FR IT LY MA ES SW TN AM Cc
1285. **Lachnaia caprai (Grasso,1958)** (Chrysomelidae) Synonym(s): *caprai Grasso,1958* IT Si
1286. **Lachnaia cylindrica (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *cylindrica Lacordaire,1848* ES PT FR IT Si DZ
1287. **Lachnaia hirta (Fabricius,1801)** (Chrysomelidae) Synonym(s): *hirta Fabricius,1801* DZ ES PT FR IT Si
1288. **Lachnaia italica (Weise,1882)** (Chrysomelidae) Synonym(s): *italica Weise,1882* IT Sa Si FR Co
1289. **Lachnaia pubescens (Dufour,1820)** (Chrysomelidae) Synonym(s): *pubescens Dufour,1820* DZ ES FR Co Sa IT
1290. **Lachnaia tristigma (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *tristigma Lacordaire,1848* DZ ES FR IT
1291. **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim,1823; weiratheiri J.Müller,1932* AL AM Cc TR GR BG IT IL Pa
1292. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor Linnaeus,1758* ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
1293. **Lamprohiza boieldieui Jacquelin du Val,1859** (Lampyridae) Synonym(s): *boieldieui Jacquelin du Val,1859* FR IT
1294. **Lamprohiza foliacea Baudi de Selve,1871** (Lampyridae) Synonym(s): *foliacea Baudi de Selve,1871* IT Sa
1295. **Lamprohiza morio Baudi de Selve,1875** (Lampyridae) Synonym(s): *morio Baudi de Selve,1875* IT
1296. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula Linnaeus,1767; antiqua Brullé,1832; Villaret,1833* NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
1297. **Lampyris ambigena Jaquelin du Val,1860** (Lampyridae) Synonym(s): *ambigena Jaquelin du Val,1860; mutabilis Olivier,1884* IT Si
1298. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca Linnaeus,1758; sibirica Gebler,1847; longipennis Motschoulsky,1854; obscurella Motschoulsky,1854; thoracica Motschoulsky,1854; bellieri Reiche,1858; carreti E.Olivier,1895; minor E.Olivier,1901; parvicollis E.Olivier,1901* **Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa.** AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
1299. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus Fallén,1826; lateralis Fieber,1879; fimbriata Rey,1894; dorsalis Rey,1894 (praeocc.); devastans Matsumura,1900; nipponica Matsumura,1900; minoensis Matsumura,1900; giffuensis Matsumura,1900; akashiensis Matsumura,1900; maikoensis Matsumura,1900; niveopicta Haupt,1927; reyana Metcalf,1943* Cc AF AL

- DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
1300. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
1301. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
1302. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
1303. **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847 IT AT RU KG GR TR IR Fa TN UZ TJ TM CN
1304. **Lasiambia albidipennis (Strobl,1893)** (Chloropidae) Synonym(s): *albidipennis* Strobl,1893 TR HV FR IT RU CZ
1305. **Lasiochalcidia dargelasii (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832 DZ AT HV CZ SK FR HU IN Up IT MD DZ Cc RU Sb YU TR
1306. **Lasioglossum (Evyllaes) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
1307. **Lasioglossum acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931 IT TR Cc
1308. **Lasioglossum albocinctum (Lucas,1846)** (Halictidae) Synonym(s): *albocinctum* Lucas,1846 ES IT FR DE CH GR
1309. **Lasioglossum cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975 MA DZ IT YU GR AL TR IL Pa Cc IR
1310. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN ES FR
1311. **Lasioglossum euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum* Ebmer,1972 MA IT UA Cm AZ Cc IR
1312. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes* Blüthgen,1934 IT Si Co GR ES MA DZ TR
1313. **Lasioglossum pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudocaspicum* Blüthgen,1923 IT HU TR
1314. **Lasiopa mannii Mik,1882** (Stratiomyidae) Synonym(s): *mannii* Mik,1882 IT TN TR
1315. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR
1316. **Lasiopogon tarsalis Loew,1847** (Asilidae) Synonym(s): *tarsalis* Loew,1847 IT TR
1317. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
1318. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868 AT BG HV DZ FR IT Si RO GR TR SY JO
1319. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910 MA FR IT ES CY GR IL IT TR YU
1320. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
1321. **Legnotomyia olympiaca François,1970** (Bombyliidae) Synonym(s): *olympiaca* François,1970 IT
1322. **Legnotomyia trichorhoea (Loew,1855)** (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855 IT
1323. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775 TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
1324. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
1325. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867 IL Pa IT YU UA RU Cc AM IR TR KG
1326. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
1327. **Leptodelphax cyclops Haupt,1927** (Delphacidae) Synonym(s): *cyclops* Haupt,1927 CY IT Si TR EG IL
1328. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica* De Geer,1776; *tipuloides* Fabricius,1775; *livida* Geoffroy,1785; *fusca* Meigen,1804; *hispanica* Meigen,1838; *nigricornis* Loew,1847; *dorsalis* Dahlbom,1851 MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
1329. **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaenicke,1867 IR BG CZ FR DE GR HU IT RU CH TR

1330. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ
CN PE SN SL ES SE TJ TM GB US RU UZ
1331. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata*
Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT
BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA
UZ YU
1332. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824
TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
1333. **Libelloides italicus (Fabricius,1781)** (Ascalaphidae) Synonym(s): *italicus* Fabricius,1781
IT
1334. **Libelloides lacteus (Brullé,1832)** (Ascalaphidae) Synonym(s): *lacteus* Brullé,1832 FR IT
RO TR
1335. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius*
Scopoli,1763 AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Uj
1336. **Liguropia juniperi (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876;
menozii Haupt,1930 DZ CY FR IT Sa Si TN TR YU
1337. **Ligya ferrea (Walker,1849)** (Bombyliidae) Synonym(s): *ferrea* Walker,1849 IT
1338. **Linnophora exuta (Kowarz,1893)** (Muscidae) Synonym(s): *exuta* Kowarz,1893 IT Si DE
PL CZ AT HU LY? Cc? RU
1339. **Limoniscus violaceus (P.Müller,1843)** (Elateridae) Synonym(s): *violaceus* P.Müller,1843
SK DE FR IT TR
1340. **Limonius minutus (Linnaeus,1758)** (Elateridae) Synonym(s): *minutus* Linnaeus,1758 IT
Si GR TR Cc AM RU Sb Am
1341. **Limonius quercus (Olivier,1790)** (Elateridae) Synonym(s): *quercus* Olivier,1790 IT GR
1342. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus*
Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP
KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
1343. **Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei*
Lethierry,1878; *spoliata* Horvath,1907 BG TR FR GB IT ES YU
1344. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata*
Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata*
Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES
SE SW TR KG RU Sb Us Krl UA YU CA
1345. **Lipsthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES IT
AT HU RO UA RU TR
1346. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG
Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
1347. **Lispe flavicincta Loew,1847** (Muscidae) Synonym(s): *flavicincta* Loew,1847 FE Co IT Sa PL
CZ SK AT Cc
1348. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s):
flavovariegata Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
1349. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s):
perspicillator Gravenhorst,1829 TR DE AT ES HU IT YU MD KG
1350. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator*
Gravenhorst,1829 AM Cc GB FR CH AT IT YU TR
1351. **Lomatia abbreviata Villeneuve,1913** (Bombyliidae) Synonym(s): *abbreviata*
Villeneuve,1913 IT
1352. **Lomatia alecto Loew,1846** (Bombyliidae) Synonym(s): *alecto* Loew,1846 IT
1353. **Lomatia atropos Egger,1859** (Bombyliidae) Synonym(s): *atropos* Egger,1859 IT
1354. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794
ES MD UA RU Cc IT DZ TR
1355. **Lomatia erinnys Loew,1869** (Bombyliidae) Synonym(s): *erinnys* Loew,1869 IT
1356. **Lomatia fasciculata Loew,1869** (Bombyliidae) Synonym(s): *fasciculata* Loew,1869 IT
1357. **Lomatia graeca Paramonov,1928** (Bombyliidae) Synonym(s): *graeca* Paramonov,1928 IT
GR
1358. **Lomatia grajugena Loew,1869** (Bombyliidae) Synonym(s): *grajugena* Loew,1869 IT
1359. **Lomatia gratiosa Loew,1869** (Bombyliidae) Synonym(s): *gratiosa* Loew,1869 IT
1360. **Lomatia hecate Meigen,1830** (Bombyliidae) Synonym(s): *hecate* Meigen,1830 IT
1361. **Lomatia infernalis Schiner,1868** (Bombyliidae) Synonym(s): *infernalis* Schiner,1868 IT
Si
1362. **Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859 IT
1363. **Lomatia lateralis (Meigen,1820)** (Bombyliidae) Synonym(s): *lateralis* Meigen,1820 IT
1364. **Lomatia obscuripennis Loew,1869** (Bombyliidae) Synonym(s): *obscuripennis* Loew,1869
IT
1365. **Lomatia pallida Tsacas,1962** (Bombyliidae) Synonym(s): *pallida* Tsacas,1962 IT

1366. **Lomatia polyzona Loew,1869** (Bombyliidae) Synonym(s): *polyzona Loew,1869* IT Si
1367. **Lomatia rogenhoferi Nowicki,1867** (Bombyliidae) Synonym(s): *rogenhoferi Nowicki,1867* IT
1368. **Lomatia sabaea (Fabricius,1781)** (Bombyliidae) Synonym(s): *sabaea Fabricius,1781* IT Si
1369. **Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti Heikertinger,1912* DE BE IT SK YU BG RU TR
1370. **Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus Warchalowski,1967* Cc AZ TR FR IT AT HU PL CZ SK IR TN
1371. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus Leonhardi,1975* AT MA ES FR CH IT DE CZ SK YU UA TR
1372. **Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata Allard,1866 nec Sph.,1834; fallax Weise,1888; nitens Khnzorian,1968; cynoglossi Palij,1970 nec Marshm.,1802* FR IT HV BG IL Pa TR Cc IR IQ AF TJ KG
1373. **Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi Furth,1979* TR AT IT BG SS IL Pa
1374. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata Meigen,1824* RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
1375. **Lophyridia aphrodisia (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia Baudi,1864* CY SY IT Si TR
1376. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
1377. **Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica Linnaeus,1758* *Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401.* Type(s): Italia. HV GR MK IT SL RO SZ YU TR
1378. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854; mehadiensis Motschoulsky,1854; mingrelia Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969* AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
1379. **Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): *trimaculatus Fabricius,1775* TR HU RO IT
1380. **Lygaeus creticus (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus Lucas,1854* AF IR IL Pa IT SY TR GR Cr
1381. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
1382. **Lytta vesicatoria (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria Linnaeus,1758* ES IT Sa Si Cc TR
1383. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus Loew,1849* IT HU AT YU RO GR BG AL TR
1384. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
1385. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
1386. **Machiremisca decipiens (Wiedemann,1820)** (Asilidae) Synonym(s): *decipiens Wiedemann,1820; variegatus Meigen,1820; multicolor Schiner,1854; varispinus Strobl,1909* IR Es IT FR PT ES
1387. **Macrolenes bellieri Reiche,1860** (Chrysomelidae) Synonym(s): *bellieri Reiche,1860* DZ IT Si
1388. **Macrolenes dentipes (Olivier,1808)** (Chrysomelidae) Synonym(s): *bimaculatus Rossi,1790 nec Fabr.,1781; ruficollis Fabricius,1792 nec Fabr.,1775; dentipes Olivier,1808* IT Si TR FR DZ
1389. **Macrolophus melanotoma (Costa,1852)** (Miridae) Synonym(s): *melanotoma Costa,1852* IT Sa HU TR
1390. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris Rondani,1865; dumosum Pandellé,1895* AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
1391. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon Meigen,1824; trifaria Robineau-Desvoidy,1863; villana Robineau-Desvoidy,1863; sylvestris Rondani,1865* AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
1392. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis Zetterstedt,1838* GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA

1393. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 FR
HU IT ES TN Cc GG KG KK RU Sb AF UA YU
1394. **Macropsis albae Wagner,1950** (Cicadellidae) Synonym(s): *albae* Wagner,1950 TR BG CS
FR DE GB IT NL PL PT KG MD YU
1395. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis*
Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
1396. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris*
Boheman,1845 AT BE BG CN Uı CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
1397. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828
AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
1398. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea*
Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU
At IR
1399. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata*
J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
1400. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata*
Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda*
Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
1401. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi*
Scott,1873 AT CZ GB FR DE IT RO RU TR
1402. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ
KG? MD? RU Sb TJ? UA? UZ? YU?
1403. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata*
Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL
PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
1404. **Macropsis vestita Ribaut,1952** (Cicadellidae) Synonym(s): *vestita* Ribaut,1952 BG FR IT
UA
1405. **Macropsis viridinervis Wagner,1950** (Cicadellidae) Synonym(s): *viridinervis*
Wagner,1950 CS DE IT Cc GG UA
1406. **Macrorileyia inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata*
Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
1407. **Macroscythus brunneus (Fabricius,1803)** (Cydniidae) Synonym(s): *brunneus*
Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML
MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31
1408. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus*
Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
1409. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT
BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
1410. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927 AF
BG GR FR IT PT ES TR
1411. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875;
tetrasticta Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH
RU LT UA YU TR
1412. **Macrosteles halophilus (Horvath,1903)** (Cicadellidae) Synonym(s): *halophilus*
Horvath,1903; *brevis* Matsumura,1908 BG IT RO MD UA YU
1413. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927;
mannerheimi Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT
MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
1414. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
quadripunctulatus Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa
IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
1415. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806;
devastans Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata*
Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT
JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
1416. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806;
fumatus Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG
KK LV RU UA YU
1417. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus*
Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
1418. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens*
Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR
DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
1419. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE
AT DE GR IT RO CZ RU UA AM Cc TR KK KG US

1420. **Malachius rubidus** Erichson,1840 (Melyridae) Synonym(s): *rubidus* Erichson,1840; *carnifex* Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR
1421. **Malachius stolatus** Mulsant & Godart,1855 (Melyridae) Synonym(s): *stolatus* Mulsant & Godart,1855; *suturellus* Kiesenwetter,1859; *fallaciosus* Baudi di Selve,1871; *latenotatus* Pic,1914; *naxosensis* Pic,1923; *bilyi* Svihla,1987 GR Cr CY TR IT LY
1422. **Malenia bosnica** (Horvath,1907) (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966 AF? CY TR IT RO Cc AZ? UA YU TJ UZ
1423. **Malthinus egadiensis** Svihla,2009 (Cantharidae) Synonym(s): *egadiensis* Svihla,2009 IT
1424. **Mantispa aphavexelte** U.Aspöck & H.Aspöck,1994 (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; *#aphavexelte* Dobosz,2007 Mantispa aphavexelte U.Aspöck & H.Aspöck,1994, Annln naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂: Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG MN CN RU Ur
1425. **Mantispa styriaca** (Poda,1761) (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
1426. **Mantura cylindrica** Miller,1880 (Chrysomelidae) Synonym(s): *cylindrica* Miller,1880 IT TR
1427. **Medina melania** (Meigen,1824) (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT BY CZ FR DE HU IT PL RU SS ES CH TR
1428. **Meenoplus albosignatus** Fieber,1866 (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866 CY GR IL Pa IT JO TR RU Cc YU IQ
1429. **Megabombus argillaceus** (Scopoli,1763) (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859 FR IT AT HU TR IR RU Cc ES PL
1430. **Megabombus pascuorum** (Scopoli,1763) (Apidae) Synonym(s): *pascuorum* Scopoli,1763; *agrorum* Fabricius,1787 GB IT FR CH Sa BE TR Cc GR BG IR
1431. **Megadelphax sordidula** (Stål,1853) (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
1432. **Megalocoleus dissimilis** (Reuter,1876) (Miridae) Synonym(s): *dissimilis* Reuter,1876 IT HU TM TR
1433. **Megamelus notula** (Germar,1830) (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
1434. **Megascolia maculata** (Drury,1773) (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859 FR IT Sa Si GR Cr TR TM
1435. **Megaselia berndseni** (Schmitz,1919) (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
1436. **Megaselia flavicans** Schmitz,1935 (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
1437. **Megastigmus aculeatus** (Swederus,1795) (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
1438. **Megastigmus bipunctatus** (Swederus,1795) (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
1439. **Megastigmus dorsalis** (Fabricius,1798) (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
1440. **Megastigmus pistaciae** Walker,1871 (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
1441. **Megastigmus stigmatizans** (Fabricius,1798) (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
1442. **Megastigmus wachtli** Seitner,1916 (Torymidae) Synonym(s): *wachtli* Seitner,1916 PT DZ FR IT SS B-H GR Cr TR
1443. **Megatelus contractus** (Klug,1845) (Scarabaeidae) Synonym(s): *contractus* Klug,1845 IT GR Rd CY TR IR IQ AF SY LB LY TD CF SD ET
1444. **Megischina armillata** (Brullé,1832) (Tenebrionidae) Synonym(s): *armillata* Brullé,1832 BG TR IT
1445. **Megophthalmus scabripennis** Edwards,1915 (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915 AL BG FR GB GR IL IT TR GG Cc YU IR
1446. **Megophthalmus scanicus** (Fallén,1806) (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU

1447. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
1448. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 IT SI UA HU AT Wn HV PL RO RU Sr
1449. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 LT IT GR MD RO RU ES UA
1450. **Melieria unicolor Loew,1854** (Ulidiidae) Synonym(s): *unicolor* Loew,1854 HU ES IT SI
1451. **Meligethes devillei Grouvelle,1912** (Nitidulidae) Synonym(s): *devillei* Grouvelle,1912 FR IT TR
1452. **Melillaia matsumuri (Metcalf,1955)** (Cicadellidae) Synonym(s): *acuminatus* Matsumura,1908 (*praeocc.*); *matsumuri* Metcalf,1955 GR Cr IT Si
1453. **Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis* Olivier,1792 ES IT Si Sa TR DZ Cc
1454. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 DZ ES IT Sa Si TR RU KG TJ MN TM
1455. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867 ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY
1456. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
1457. **Meloe ganglbaueri Apfelbeck,1907** (Meloidae) Synonym(s): *ganglbaueri* Apfelbeck,1907 ES IT Sa Si TR HV
1458. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus* Müller,1925 ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
1459. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758 ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
1460. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
1461. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus* Marsham,1802 ES IT RU DZ Cc TR TM
1462. **Meloe scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus* Brandt & Erichson,1832 RU Cc IT Si TR TM
1463. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus* Rossi,1792; *ruficornis* Balbi,1897 Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
1464. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus* Donovan,1793; *#variegatus* Özbek & Szaloki,1998 ES IT TR IR RU KK CN Ui
1465. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
1466. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
1467. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
1468. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji* Paramonov,1925 DZ MA TN ES FR IT GR UA MN
1469. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liroy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
1470. **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus* Curran,1939 MA FR IT GR TR
1471. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
1472. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913 ES FR CH AT HU IT Si YU BG GR CY TR LB
1473. **Merodon distinctus Palma,1863** (Syrphidae) Synonym(s): *distinctus* Palma,1863; *dimorpha* Szilady,1940 FR IT YU GR RU TR
1474. **Merodon elegans Hurkmans,1993** (Syrphidae) Synonym(s): *elegans* Hurkmans,1993 IT Si FR ES DZ MA
1475. **Merodon femoratus Sack,1913** (Syrphidae) Synonym(s): *femoratus* Sack,1913 FR Co GR TR IT
1476. **Merodon flavus Sack,1913** (Syrphidae) Synonym(s): *flavus* Sack,1913 ES FR CZ CH IT HU BG

1477. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794* ES
FR IT Si YU AL TR BG RO PL IL Pa LY
1478. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909* PT
ES FR Co IT YU BG TR IL Pa DZ MA MT
1479. **Merodon mariae Hurkmans,1993** (Syrphidae) Synonym(s): *mariae Hurkmans,1993* FR
Co IT GR
1480. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES FR
IT YU GR Rd CY Cc BG IL Pa
1481. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845*
ES FR AT GR HU IT YU PL CH TR
1482. **Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790; fulvus*
Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscineris Röder,1887; obscurus Gil
Collado,1929 MA DZ LY FR IT IQ Bgd CY GR IL Pa SY TR IR PK
1483. **Merodon splendens Hurkmans,1993** (Syrphidae) Synonym(s): *splendens Hurkmans,1993*
IT Sa
1484. **Merodon toscanus Hurkmans,1993** (Syrphidae) Synonym(s): *toscanus Hurkmans,1993*
IT
1485. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798*
TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
1486. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus*
Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
1487. **Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): *pruinosa Say,1830* US IT FR Co CH
AT SL HV B-H CZ TR
1488. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792;*
formicaria Latreille,1792; ichneumonides Latreille,1805; mutillaria Latreille,1806; sanvitali Latreille,1809;
italica Costa,1858 articulata Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG
NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
1489. **Methocha latronum (Guichard,1972)** (Tiphidae) Synonym(s): *latronum Guichard,1972*
FR Co IT Sa
1490. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae)
Synonym(s): *stigmatipennis Mulsant & Rey,1855; quadripunctata Kirschbaum,1868; pulcherrimus*
Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
1491. **Micantulina (Mulsantina) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucarii*
Cerutti,1938; impunctata Cerutti,1938; incompleta Cerutti,1938 AT BG GR TR IT SW UA YU
1492. **Micomitra iris (Loew,1869)** (Bombyliidae) Synonym(s): *iris Loew,1869* IT Sa Si
1493. **Micomitra stupida (Rossi,1790)** (Bombyliidae) Synonym(s): *stupida Rossi,1790* IT Sa Si
1494. **Microdromerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus*
Spinola,1808 IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
1495. **Microdynerus appenninicus Giordani Soika,1960** (Vespidae) Synonym(s):
appenninicus Giordani Soika,1960 IT JO TR
1496. **Microdynerus mirandus (Giordani Soika,1947)** (Vespidae) Synonym(s): *mirandus*
Giordani Soika,1947 TR IT Si
1497. **Microptilis deces Tobias,1964** (Braconidae) Synonym(s): *deces Tobias,1964* BE FI KP KR
MA RU AT TR DE IT NL HU GB KG
1498. **Microptilis sofron Nixon,1970** (Braconidae) Synonym(s): *sofron Nixon,1970* GB IE IT CH
Cc AZ DK BG FR GR HU NL TR
1499. **Milichia decora Loew,1870** (Milichiidae) Synonym(s): *decora Loew,1870* FR Co IT
1500. **Milichia ludens Wahlberg,1847** (Milichiidae) Synonym(s): *ludens Wahlberg,1847; palposa*
Zetterstedt,1848 SE FI RU DK DE PL SK CZHU AT IT GB GR EG
1501. **Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa Meigen,1830* Cn PT
FR IT Sa GR YU TR
1502. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus Boheman,1850;*
aridellus Boheman,1850; lateralis Sahlberg,1871 AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL
RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
1503. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus*
Curtis,1835 (praeocc.); crocea Herrich-Schäffer,1837; oxypterus Kirschbaum,1868 AL DZ AT BE BG CY
CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
1504. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata*
Germar,1821; rupicapra Marshall,1861; ambigua Fieber,1885 AL DZ AT BG CS DK FR DE GB HU IT LU
NL PL RO SW TN Cc GG MD UA YU
1505. **Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda Ribaut,1939*
AT BE BG TR CS FR DE GB IT NL SE
1506. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825;*
cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852;
marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni

- Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927* TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
1507. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius Linnaeus,1767; marmoratus Geoffroy,1785; teuton Macquart,1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
1508. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
1509. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
1510. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
1511. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae Walker,1847* IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
1512. **Monosteira unicastata (Mulsant & Rey,1852)** (Tingidae) Synonym(s): *unicastata Mulsant & Rey,1852* IT Sa Si TR
1513. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper Sulzer,1776* ES FR Co IT AL CH RO GR SS BG HU PL MD
1514. **Morimus ganglbaueri (Reitter,1884)** (Cerambycidae) Synonym(s): *ganglbaueri Reitter,1884* IT MK AL GR
1515. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius,1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
1516. **Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei Perris,1857; cognata Fieber,1866; protrusa Fieber,1866; obsoleta Kirschbaum,1868; obscurinervis Kirschbaum,1868; altaicus Vilbaste,1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
1517. **Mulsanteus guillebeui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeui Mulsant & Godart,1853; guillebelli Mulsant & Godart,1853* IT SY IR TR
1518. **Musaria cephalotes (Küster,1846)** (Cerambycidae) Synonym(s): *cephalotes Küster,1846* IT SS HV
1519. **Musaria rubropunctata (Goese,1777)** (Cerambycidae) Synonym(s): *rubropunctata Goese,1777* FR ES IT DE
1520. **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis De Geer,1776; corvina Fabricius,1781* Az PT IT Si Sa DE PL CZ SK CH AT HU IN PK CN TR AZ GG Cc AM
1521. **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica Linnaeus,1758* PT DK DE IT Si Sa PL CZ SK CH AT HU TR TH AU NF
1522. **Musca osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris Wiedemann,1830* IT Si Sa RU Cc GG AM GG IR TR CN Ch PK IN
1523. **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens Wiedemann,1830* SL SC MG MU RE Sk DZ MA TN IT Si Sa? TR RU AU
1524. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
1525. **Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata Cyrillo,1787* TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
1526. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata Staeger,1840* ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
1527. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794* Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
1528. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus Herrich-Schäffer,1835* FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM
1529. **Mycterodus orthocephalus Ferrari,1885** (Issidae) Synonym(s): *orthocephalus Ferrari,1885* IT RO MD UA Cm YU
1530. **Mycterodus sulcatus Fieber,1876** (Issidae) Synonym(s): *sulcatus Fieber,1876* IT Si
1531. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata Coquebert,1798* DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1532. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata Petagna,1787 nec Fabr.,1781; fabricii Sumakov,1924* TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1533. **Mylabris polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus Pallas,1771; floralis Pallas,1773* IT TR
1534. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus Germar,1825* AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
1535. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata Linnaeus,1758* ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR

1536. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis Fabricius,1794* ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR
1537. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta Wiedemann,1824* GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR
1538. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta Panzer,1798* ES FR BE DE PL SK CZ AT IT HU RO BG TR
1539. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata Meigen,1804* FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR
1540. **Myopites apicatus Freidberg,1979** (Tephritidae) Synonym(s): *apicatus Freidberg,1979* **Myopites apicatus Freidberg,1979, Israel J. ent. 13: 16.** TR IL Pa IT HU GR Gr AT FR CZ
1541. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica Fabricius,1798* MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
1542. **Myrmeleonostenus italicus (Gravenhorts,1829)** (Ichneumonidae) Synonym(s): *italicus Gravenhorts,1829* **Cryptus italicus Gravenhorts,1829, Ichn. Eur. 2: 559.** IT TR RU Sb
1543. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva Villers,1789; triareolata Spinola,1841; distincta Lepeletier,1845; agrestis Lepeletier,1845; incompleta Lepeletier,1845; hastata Costa,1858; andalusiana Skorikov,1927* AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
1544. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala Latreille,1792; latreillei Meyer,1794; cornuta Olivier,1811; megacephala Costa,1858; bison Costa,1887* AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
1545. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala Fabricius,1793 (praeooc.); atra Panzer,1801; nigra Latreille,1809, bicolor Baer,1848; melanaria Blanchard,1849; #rufomaculata Hoffer,1938; erythrocephala Yarrow,1954* SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
1546. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus Costa,1847* CZ BG ES FR PT IT RO RU SK GR YU TR
1547. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis Fabricius,1801* AT BE CZ FR DE IT PL SK ES CH TR UA IR
1548. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata Linnaeus,1767* FR GB IT PT ES TR DZ MA TN IR
1549. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata Pallas,1773; bartholomaei Radoszkowski,1865* TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Uj SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
1550. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; #chrysomelira Özbek & Szaloki,1998* ES IT Si Sa TR GR SY TM TJ
1551. **Nemotelus (s.str.) anchora Loew,1846** (Stratiomyidae) Synonym(s): *anchora Loew,1846; siculus Jaenicke,1866; persicus Pleske,1937* IT Si MT RU IL IR DZ TN
1552. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859* TR IT Si CY ES YU BG GR RU Cc AM IL IR
1553. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus Loew,1846; plagiatus Schiner,1857; luteicornis Egger,1859; punctiventris Becker,1902; aegyptiacus Lindner,1925; turcorum Szilady,1941; pleskei Nartshuk,1969* YU HU RO IT BG AL GR TR CY RU Cc IL EG
1554. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes Loew,1871; modestus Loew,1871* GR IT YU RO BG AL RU UA Cc TR IL IR
1555. **Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus Linnaeus,1758; marginatus Fabricius,1775; marginellus Gmelin,1790; muticus Schrank,1803; nigritus Meigen,1804; fraternus Loew,1846; gracilis Loew,1846; satunini Pleske,1937; zelleri Pleske,1937; albirostris Szilady,1941; caucasicus Nartshuk,1969; punctirostris Lindner,1974* GB DE FR IT Si HU CY RU Da TR Cc AZ AM Eri IL MA
1556. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus Frivaldsky,1855; varius Loew,1871* HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
1557. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea Retzius,1783; variegata Olivier,1811; affinis Stephens,1836; pallida Stephens,1836; annulata Stephens,1836; macrophthalma Pictet,1836; pallipes Burmeister,1839; lunata Rambur,1842; castanea Kempny,1898; lobuata Navas,1918; bureschi Navas,1929; caucasica Balinsky,1950; turcica Zwick,1972; iberica Zwick,1972* PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
1558. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus Matsumura,1908; ruscinonensis Ribaut,1952; infirmus Young & Frazier,1954* IT FR LY MA RO ES EH TN TR RU KG TJ
1559. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus Herrich-Schäffer,1834* AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU

1560. **Neoliturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868 **CZ FR DE GR HU IT UA TR**
1561. **Neoliturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954 **DZ ES Cn EG FR IR IL IT Si LY ES TN KG**
1562. **Neoliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885 **IL IT SY TR Cc AZ**
1563. **Neobombylodes multisetosus (Loew,1857)** (Bombyliidae) Synonym(s): *multisetosus* Loew,1857 **IT**
1564. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
1565. **Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916 **HU IT IL Pa ES TR**
1566. **Neodorcadion calabricum Reitter,1889** (Cerambycidae) Synonym(s): *calabricum* Reitter,1889 **IT**
1567. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 **IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW**
1568. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 **DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR**
1569. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 **Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU**
1570. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 **AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA**
1571. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 **AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)**
1572. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 **AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ**
1573. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 **AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR**
1574. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
1575. **Nephus hiekei (Fürsch,1965)** (Coccinellidae) Synonym(s): *hiekei* Fürsch,1965 **TR IT**
1576. **Nephus includens (Kirsch,1870)** (Coccinellidae) Synonym(s): *includens* Kirsch,1870 **TR IT**
1577. **Nephus nigricans Weise,1879** (Coccinellidae) Synonym(s): *nigricans* Weise,1879 **IT Sa Si TR**
1578. **Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783 **IT TR SY LB IL Pa**
1579. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 **ES Cn Md FR IR IT JP TR GR Cr YU IR**
1580. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 **ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR**
1581. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
1582. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 **GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY**
1583. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 **IT AT HU RO BG TR**
1584. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 **PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR**
1585. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventrif* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 **PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR**
1586. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785;

- pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
1587. **Neuroterus tricolor** Hartig,1841 (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
1588. **Noeeta pupillata** (Fallén,1814) (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicosa* Robineau-Desvoidy,1830; *lineata* Macquart,1835 TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU
1589. **Nomia monstrosa** Costa,1861 (Halictidae) Synonym(s): *monstrosa* Costa,1861 IT TR
1590. **Noterus clavicornis** (De Geer,1774) (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
1591. **Noterus crassicornis** (O.F.Müller,1776) (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
1592. **Notiophilus aestuans** Dejean,1826 (Carabidae) Synonym(s): *aestuans* Dejean,1826 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
1593. **Notiophilus biguttatus** (Fabricius,1779) (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
1594. **Notiophilus germinyi** Fauvel,1863 (Carabidae) Synonym(s): *germinyi* Fauvel,1863 AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
1595. **Notiophilus rufipes** Curtis,1829 (Carabidae) Synonym(s): *rufipes* Curtis,1829 AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
1596. **Notiophilus substriatus** C.R.Waterhouse,1833 (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
1597. **Notus flavipennis** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
1598. **Noxius curtirostris** (Mulsant,1861) (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861 AT IT ES FR TR
1599. **Nycteribia (s.str.) kolenatii** Theodor & Moscona,1954 (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
1600. **Nycteribia (s.str.) latreillii** (Leach,1817) (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
1601. **Nycteribia (s.str.) pedicularia** Latreille,1805 (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
1602. **Nycteribia (s.str.) schmidlii** Schiner,1853 (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
1603. **Oberea oculata** (Linnaeus,1758) (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
1604. **Odontomyia angulata** (Panzer,[1798]) (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
1605. **Odontomyia cephalonica** Strobl,1898 (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922 GR IT Si BG GR TR UA RU Cc AZ IL IR
1606. **Odontomyia discolor** Loew,1846 (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 *nec* Meig.,1822 MA DZ FR Co RO ES IT GR TR IL AF
1607. **Odontomyia flavissima** (Rossi,1790) (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
1608. **Odontomyia ornata** (Meigen,1822) (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 SE ES IT BG LT TR SY IL Pa RU Mo
1609. **Oecanthus pellucens** (Scopoli,1763) (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
1610. **Oedipoda caerulescens** (Linnaeus,1758) (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG

1611. **Oenopia conglobata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *conglobata* Linnaeus,1758 TR IT
1612. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 AL CZ FR HU IT PT RO ES TR KK TM UA UZ
1613. **Oliarus obscurus (Signoret,1865)** (Cixiidae) Synonym(s): *obscurus* Signoret,1865; *signatus* Fieber,1876 EG FR IT Sa Cc AM AZ RU UA
1614. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
1615. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU
1616. **Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis* Loew,1844 TR GR IT IR
1617. **Omaloplia (s.str.) lonae (Schatzmayr,1923)** (Scarabaeidae) Synonym(s): *lonae* Schatzmayr,1923 AT AL B-H HV IT MK SS
1618. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola* Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata* Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschii* Reitter,1905; *arnoldi* Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazishvilli,1973 AT BE B-H BG CZ FR GB DE GG GR HU IT RO SK YU Cc
1619. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis* Fallén,1806 AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR
1620. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni* Stal,1863 GR HU IT RO ES UA UZ
1621. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916 AL GR CY IQ IL IT PT ES TR
1622. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
1623. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 FR ES IT CZ RO Cc TR RU KG Sb
1624. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG
1625. **Omocestus (s.str.) uvarovi Zanon,1926** (Acrididae) Synonym(s): *uvarovi* Zanon,1926; *cornelloensis* Jannone,1937 IT
1626. **Omophlus (Odontomophlus) dispar A.Costa,1847** (Tenebrionidae) Synonym(s): *dispar* A.Costa,1847 IT
1627. **Omophlus (Odontomophlus) fallaciosus Rottenberg,1870** (Tenebrionidae) Synonym(s): *fallaciosus* Rottenberg,1870 IT
1628. **Omophlus (Odontomophlus) flavipennis Küster,1850** (Tenebrionidae) Synonym(s): *flavipennis* Küster,1850 IT GR Rd
1629. **Omophlus (Odontomophlus) infirmus Kirsch,1869** (Tenebrionidae) Synonym(s): *infirmus* Kirsch,1869 IT
1630. **Omophlus (Odontomophlus) lepturoides (Fabricius,1787)** (Tenebrionidae) Synonym(s): *lepturoides* Fabricius,1787 IT GR TR
1631. **Omophlus (s.str.) betulae (Herbst,1783)** (Tenebrionidae) Synonym(s): *betulae* Herbst,1783; *rufitarsis* Leske,1785 IT
1632. **Omophlus (s.str.) hirtus Seidlitz,1896** (Tenebrionidae) Synonym(s): *hirtus* Seidlitz,1896 IT
1633. **Omophlus (s.str.) lividipes Mulsant,1856** (Tenebrionidae) Synonym(s): *lividipes* Mulsant,1856 IT
1634. **Omophlus (s.str.) longicornis Bertolini,1868** (Tenebrionidae) Synonym(s): *longicornis* Bertolini,1868 IT
1635. **Omophlus (s.str.) picipes (Fabricius,1792)** (Tenebrionidae) Synonym(s): *picipes* Fabricius,1792 IT
1636. **Omophlus (s.str.) proteus Kirsch,1869** (Tenebrionidae) Synonym(s): *proteus* Kirsch,1869 IT GR
1637. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU

1638. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU
1639. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
1640. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si
1641. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
1642. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM
1643. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP
1644. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942 AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU
1645. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU
1646. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847 DE BY CZ FR IT LT HU RU UA TR
1647. **Orellia steropea (Rondani,1870)** (Tephritidae) Synonym(s): *steropea* Rondani,1870 IT TR IR
1648. **Orthops basalis (Costa,1852)** (Miridae) Synonym(s): *basalis* Costa,1852 TR IT FR AT YU CZ SE
1649. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
1650. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758 PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui
1651. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 AM Cc BG FR GR IT Si MK UA TR
1652. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
1653. **Osmia (Erythrosmia) andreoides Spinola,1808** (Megachilidae) Synonym(s): *andreoides* Spinola,1808 AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR
1654. **Osmia (Erythrosmia) erythrogastra Fertton,1905** (Megachilidae) Synonym(s): *erythrogastra* Fertton,1905 FR Co GR IT Sa CY TR
1655. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
1656. **Osmia (Helicosmia) caerulelescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulelescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
1657. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
1658. **Osmia (Helicosmia) friesana DUCKE,1899** (Megachilidae) Synonym(s): *friesana* DUCKE,1899 ES MT IT Sa DZ EG? LY MA TN
1659. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
1660. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
1661. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens*

- Pérez,1879; forsii Alfken,1924; schachtii Warncke,1988* AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT SI LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
1662. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster Spinola,1808; aterrima Morawitz,1872; carniolica Morawitz,1872; incerta Radoszkowski,1876; subaenea Pérez,1895* AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
1663. **Osmia (Helicosmia) nasoproducta Ferton,1909** (Megachilidae) Synonym(s): *nasoproducta Ferton,1909; proboscidea Benoist,1950* ES FR Co IT Sa MA
1664. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata Fabricius,1804; fulvicornis Latreille,1809; minuta Bramson,1879; sieversi Morawitz,1886; carneiventris Dours,1887; albiscopa Alfken,1914* AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
1665. **Osmia (Helicosmia) niveibarbis Pérez,1902** (Megachilidae) Synonym(s): *niveibarbis Pérez,1902; tarfensis Saunder,1908* ES IT Si DZ MA TN
1666. **Osmia (Helicosmia) niveocincta Pérez,1879** (Megachilidae) Synonym(s): *niveocincta Pérez,1879; violascens Pérez,1895* ES FR GR IT Sa PT DZ MA IL? Pa?
1667. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata Fabricius,1804; decemsignata Radoszkowski,1874; laterefasciata Costa,1885* ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
1668. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata Erichson,1835; jucunda Smith,1853; vidua Gerstaecker,1869; cincta Dours,1873; taurica Radoszkowski,1874; laticincta Pérez,1879; atriventris Costa,1883; costaniana Dalla Torre,1895* AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
1669. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta Morawitz,1875* AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
1670. **Osmia (Helicosmia) tunensis (Fabricius,1787)** (Megachilidae) Synonym(s): *tunensis Fabricius,1787; tunetana Gmelin,1790; pseudoaurulenta Dours,1873; meridionalis Gribodo,1894; dissimilis Friese,1899* Apis *tunensis Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen).* ES IT Si MT PT DZ EG LY MA TN
1671. **Osmia (Hemiosmia) argropyga Pérez,1879** (Megachilidae) Synonym(s): *argropyga Pérez,1879; entoprocta Pérez,1879* ES FR IT PT MA
1672. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata Morawitz,1876; affinis Frivaldsky,1877; pallens Tkalcu,1979* AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
1673. **Osmia (Hoplosmia) croatica Friese,1893** (Megachilidae) Synonym(s): *croatica Friese,1893* BG GR HV IT SS TR
1674. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica Morawitz,1868; detrita Pérez,1879* AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
1675. **Osmia (Hoplosmia) picena (Tkalcu,1999)** (Megachilidae) Synonym(s): *picena Tkalcu,1999* IT
1676. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris Morawitz,1868* AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
1677. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa Kirby,1802; euchreiformis Radoszkowski,1882* AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
1678. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis Zetterstedt,1838; globosa Cresson,1864; vulpecula Gerstaecker,1869; globosiformis Cockerell,1910; bulgarica Friese,1923* AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
1679. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris Zetterstedt,1838; baicalensis Radoszkowski,1867; corticalis Gerstaecker,1869* AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
1680. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina Curtis,1828; angustula Zetterstedt,1838; vankovitzii Radoszkowski,1887* AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
1681. **Osmia (Melanosmia) steinmanni Müller,2002** (Megachilidae) Synonym(s): *steinmanni Müller,2002* CH IT
1682. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata Gerstaecker,1869* AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA
1683. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana Kirby,1802; fuciformis Latreille,1811; chrysomelina Panzer,1812; clarior Tkalcu,1983* AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
1684. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis Fabricius,1798; atrocaerulea Schilling,1849; panzeri Morawitz,1869; leucogastra Morawitz,1875; subcyanea Alfken,1935* AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR

1685. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
1686. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN UI
1687. **Osmia (Pyrosmia) amathusica Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937 GR CY IT Si IL Pa JO SY TR
1688. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
1689. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
1690. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY
1691. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1692. **Osmia (Pyrosmia) hellados Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984 AZ Cc BG GG GR Cr IT Si CY IL Pa JO TR
1693. **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934 BG GR Cr HV IT Si RU Da Cc DZ? CN UI CY IL Pa JO LB SY TR
1694. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
1695. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1696. **Osmia (Pyrosmia) teunissenii Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981 GR HV IT CY IL Pa JO SY TR
1697. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
1698. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1699. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1700. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1701. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN UI CY IR TR
1702. **Osmia (s.str.) emarginata Lepeletier,1841** (Megachilidae) Synonym(s): *emarginata* Lepeletier,1841; *fusca* Benoist,1928 nec Chr.,1791; *infuscata* Peters,1978 BE ES FR Co IT Sa PT DZ MA
1703. **Osmia (s.str.) kohli Ducke,1899** (Megachilidae) Synonym(s): *kohli* Ducke,1899 IT Si DZ?
1704. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
1705. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811 AD ES FR Co IT Sa PT DZ Cn LY MA TN
1706. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *wolynica* Noskiewicz,1922 Osmia tergestensis Ducke,1897, Ent. Nachr. 23: 41-42. Triest/Italien. MA IT UA TR
1707. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Fertton,1897; *rondoui* Pérez,1902; *wolynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR

1708. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus Scopoli,1763* AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
1709. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii Staeger,1844; fraterna Loew,1873; caucasica Kertesz,1916; turkestanica Kertesz,1916; sinica Pleske,1925; transcaspia Pleske,1925; pallidipes Pleske,1925* DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1710. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis Meigen,1822* GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
1711. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina Meigen,1822; amoena Loew,1857; engadinica Jaennicke,1866; calceata Loew,1871; sahnica Séguy,1934; oldenbergi Lindner,1938; nigrifrons Szilady,1941; bohémica Hrbacek,1945; armata Vaillant,1950* DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
1712. **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi Fieber,1876 nec Fairm.; tarandus Haput,1927; capaneri Izzard,1953* EG IL Pa JO IT MA SY TN TR RU YU TM
1713. **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana Distant,1915* EG IL Pa IT JO MA SY TN TR CN U i YU
1714. **Pachyanthrax laconae Greathead,1981** (Bombyliidae) Synonym(s): *laconae Greathead,1981* IT GR
1715. **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon Loew,1869; loevi Paramonov,1928; loewi Zaitzev,1989* IT TR TM GR CY FR Cc AZ AM GG IR IL Pa SY KK UZ YU
1716. **Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): *unctus Loew,1869* IT GR Rd TR
1717. **Pachybrachis (s.str.) burlini Daccordi & Ruffo,1971** (Chrysomelidae) Synonym(s): *burlini Daccordi & Ruffo,1971* IT
1718. **Pachybrachis (s.str.) cinctus Suffrian,1848** (Chrysomelidae) Synonym(s): *cinctus Suffrian,1848* IT Sa
1719. **Pachybrachis (s.str.) danieli Burlini,1968** (Chrysomelidae) Synonym(s): *danieli Burlini,1968* IT
1720. **Pachybrachis (s.str.) exclusus Rey,1883** (Chrysomelidae) Synonym(s): *exclusus Rey,1883; etruscus Weise,1886* FR IT HV
1721. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis Olivier,1808 nec Laich.,1781; fimbriolatus Suffrian,1848; mulsanti Perris,1852* ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb
1722. **Pachybrachis (s.str.) flexuosus Weise,1882** (Chrysomelidae) Synonym(s): *flexuosus Weise,1882; dalmatinus Pic,1908* IT HU AT
1723. **Pachybrachis (s.str.) fraudulentus Müller,1955** (Chrysomelidae) Synonym(s): *fraudulentus Müller,1955; chiusafortensis Burlini,1968* IT
1724. **Pachybrachis (s.str.) hieroglyphicus (Laicharting,1781)** (Chrysomelidae) Synonym(s): *hieroglyphicus Laicharting,1781; tristis Laicharting,1781; histrio Fabricius,1781; apicalis Rey,1883; pseudoscriptus Wagner,1927; ictericus Weise,1882; italicus Weise,1882...* AT IT ES RU Sb
1725. **Pachybrachis (s.str.) karamani Weise,1893** (Chrysomelidae) Synonym(s): *karamani Weise,1893* HV IT
1726. **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus Ménétriés,1836; maculatus Suffrian,1848; ater Weise,1882* GR AL B-H HV IT BG TR YU IL Pa CY SY JO Rd
1727. **Pachybrachis (s.str.) osellai Daccordi & Ruffo,1975** (Chrysomelidae) Synonym(s): *osellai Daccordi & Ruffo,1975* IT Si
1728. **Pachybrachis (s.str.) picus Weise,1882** (Chrysomelidae) Synonym(s): *picus Weise,1882* DE AT ES FR BE HU IT
1729. **Pachybrachis (s.str.) ruffoi Burlini,1956** (Chrysomelidae) Synonym(s): *ruffoi Burlini,1956* IT
1730. **Pachybrachis (s.str.) salfi Burlini,1968** (Chrysomelidae) Synonym(s): *salfi Burlini,1968* IT
1731. **Pachybrachis (s.str.) scriptus Herrich-Schäffer,1838** (Chrysomelidae) Synonym(s): *scriptus Herrich-Schäffer,1838; marchii Pic,1923...* IT Si Sa Co
1732. **Pachybrachis (s.str.) sículus Weise,1891** (Chrysomelidae) Synonym(s): *sículus Weise,1891* IT Si
1733. **Pachybrachis (s.str.) simius Marseul,1875** (Chrysomelidae) Synonym(s): *simius Marseul,1875; normandi Pic,1919; marocanus Pic,1954 nec Pic,1945; lepineyi Pic,1955...* DZ MA TN Si IT
1734. **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus Mulsant & Rey,1859; haliciensis Miller,1868; rufimanus Weise,1882* FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb
1735. **Pachybrachis (s.str.) testaceus Perris,1865** (Chrysomelidae) Synonym(s): *testaceus Perris,1865; riguus Marseul,1875; paganettii Pic,1935* FR Co IT Sa

1736. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 TR IT AT UA YU RO AL MK GR BG
1737. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
1738. **Panorpa cognata Rambur,1842** (Panorpidae) Synonym(s): *cognata* Rambur,1842 SS HV AL RO GB BÉ DK DE NL RU ES IT
1739. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
1740. **Panorpa germanica Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929 DE TR GR BE FR IT GB NO
1741. **Panorpa meridionalis Rambur,1842** (Panorpidae) Synonym(s): *meridionalis* Rambur,1842 AD ES FR PT IT RO
1742. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1743. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
1744. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839 DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
1745. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus* Loew,1856 MA Cn ES IT EG JO
1746. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 DZ FR IT GR MK MA PT ES TN YU
1747. **Parageron loewi (Becker,1906)** (Bombyliidae) Synonym(s): *loewi* Becker,1906 ES IT
1748. **Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846 TR GR IL Pa IT SY
1749. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928 TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
1750. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
1751. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
1752. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1753. **Parallelloma fuscipes (Zetterstedt,1838)** (Scathophagidae) Synonym(s): *fuscipes* Zetterstedt,1838; *dispar* Zetterstedt,1846; *fuscitibia* Rondani,1867 SE IT AT CH FI FR NO PL RU Ur Us
1754. **Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959 IT IL Pa UZ RU TR IR
1755. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
1756. **Paramyrmosa brunnipes (Lepelletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepelletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1757. **Pedestredorcadion apulum (Depoli,1926)** (Cerambycidae) Synonym(s): *apulum* Depoli,1926 IT
1758. **Pedestredorcadion arenarium (Scopoli,1763)** (Cerambycidae) Synonym(s): *arenarium* Scopoli,1763 AL HV B-H FR IT YU
1759. **Pedestredorcadion calabricum (Breuning,1942)** (Cerambycidae) Synonym(s): *calabricum* Breuning,1942; *apulense* Breuning,1942 IT
1760. **Pedestredorcadion etruscum (Rossi,1790)** (Cerambycidae) Synonym(s): *etruscum* Rossi,1790; *italicum* Küster,1847;... AL GR IT
1761. **Pedestredorcadion fiorii (Breuning,1942)** (Cerambycidae) Synonym(s): *fiorii* Breuning,1942 IT
1762. **Pedestredorcadion mediterraneum (Breuning,1942)** (Cerambycidae) Synonym(s): *mediterraneum* Breuning,1942 IT
1763. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... AL AT BG CZ HU IT RO Ur SK UA YU TR

1764. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830
AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ
AM Cc CY LB TR
1765. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis*
Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
1766. **Pedicia (Crunobia) tjederi Mendl,1974** (Pediidae) Synonym(s): *tjederi* Mendl,1974 CH
IT TR
1767. **Pedicia (Crunobia) zangheriana Nielsen,1950** (Pediidae) Synonym(s): *zangheriana*
Nielsen,1950 FR Co IT Si
1768. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834;
acantha Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR
Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
1769. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor*
Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx*
Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE
FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
1770. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia*
Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 Cn CZ FI HU IT GR NO MT RU SE DZ
1771. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE
NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
1772. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES
FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1773. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839
PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
1774. **Peirates stridulus (Fabricius,1787)** (Reduviidae) Synonym(s): *stridulus* Fabricius,1787
ES FR IT Sa
1775. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901
MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1776. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii*
Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa
KK UZ TM TJ IR AF IN
1777. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus*
Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT
MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1778. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops*
Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra*
Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata*
Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis*
Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1779. **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771 IT RU AZ
Cc TR CY IQ SY JO EG IL Pa IR KG TM UZ TJ
1780. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH
TR UA IR IL Pa SA SY
1781. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana*
Klapalek,1907 MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU
1782. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola*
Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
1783. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata*
Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921;
barcinonensis Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865;
luteipes Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
1784. **Petrorossia chraminensis Zaitzev,1962** (Bombyliidae) Synonym(s): *chraminensis*
Zaitzev,1962 IT
1785. **Petrorossia hesperus (Rossi,1790)** (Bombyliidae) Synonym(s): *hesperus* Rossi,1790 IT
1786. **Petrorossia letho (Wiedemann,1828)** (Bombyliidae) Synonym(s): *letho* Wiedemann,1828
IT
1787. **Petrorossia stenogastra (A.Costa,1884)** (Bombyliidae) Synonym(s): *stenogastra*
A.Costa,1884 IT Sa
1788. **Phaenotherion fasciculatum Reitter,1891** (Anthribidae) Synonym(s): *fasciculatum*
Reitter,1891; *#kuchtae* Frieser,1955 IT
1789. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761;
libellula Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis*
Uvarov,1933 *Gryllus falcata* Poda,1761, *Ins. Mus. Graec.*: 52. ES FR GB DE IT YU HU RO TR UA RU Cc
KG CN KP KR JP

1790. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana Fieber,1853*; *quadripunctata Brunner von Wattenwyl,1878* **Phaneroptera nana Fieber,1853, Lotos 3: 173. Type ♂: Portugal. PT ES FR IT Sa RO TR**
1791. **Phanerotoma (Bracotritoma) acuminata Szepliget,1908** (Braconidae) Synonym(s): *acuminata Szepliget,1908* **AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU**
1792. **Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma Marshall,1898*; *antennalis Snoflak,1951* **AT CY CZ GB FR IE IT NL PL ES**
1793. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata Panzer,1805*; *minor Snoflak,1951* **AT BE CZ GB GR IT NL PL ES SE Cc AZ DE**
1794. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta Kokujev,1903* **AT CZ FR GR HU IR IT MN ES RU Sb US Cf**
1795. **Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa Marshall,1898*; *kerteszi Szepliget,1900*; *graeffei Fischer,1959* **AT GR HU IT TR MD YU**
1796. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata Herrich-Schäffer,1838* **BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT**
1797. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa Harris,1780* **DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az**
1798. **Pharoscygnus setulosus (Chevrolat,1861)** (Coccinellidae) Synonym(s): *setulosus Chevrolat,1861* **IT**
1799. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei Dupuis,1957* **TR PT ES FR DE HU SK B-H CH IT BG GR**
1800. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla Meigen,1824* **PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr**
1801. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans Meigen,1824* **FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT**
1802. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera Fabricius,1794* **ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT**
1803. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa Fabricius,1798* **ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY**
1804. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata Linnaeus,1767* **ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si**
1805. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons Girschner,1887* **ES FR GB BE NL DE PL RU CZ SK HU AT CH IT**
1806. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili Draber-Monko,1965*; *theodori Draber-Monko,1965* **PT ES FR IT Co Si HU UA RU Cr CY**
1807. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus Melichar,1896* **AF AL CY GR IQ IT MA ES TR YU**
1808. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius Linnaeus,1758*; *leucophthalma Linnaeus,1758*; *lateralis Linnaeus,1758*; *leucocephala Linnaeus,1758* **AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU**
1809. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps Meigen,1820*; *canescens Wiedemann,1820*; *nudus Loew,1840*; *eletus Loew,1871*; *domesticus Ricardo,1920*; *pulcher Becker,1923*; *marinus Becker,1923*; *orientalis Esipenko,1969* **IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB**
1810. **Philopotamus liguricus Malicky,1984** (Philopotamidae) Synonym(s): *liguricus Malicky,1984* **IT**
1811. **Philopotamus liguricus Malicky,1984** (Philopotamidae) Synonym(s): *liguricus Malicky,1984* **FR IT**
1812. **Philopotamus ludificatus McLachlan,1878** (Philopotamidae) Synonym(s): *ludificatus McLachlan,1878* **FR BE DE PL CZ SK HU IT SS**
1813. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus Donovan,1813*; *scopulorum Stephens,1836*; *charpentieri Zetterstedt,1840*; *tigrinus Brauer,1857* **NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE**
1814. **Philopotamus picteti Costa,1871** (Philopotamidae) Synonym(s): *picteti Costa,1871* **IT**
1815. **Philopotamus sículus Hagen,1860** (Philopotamidae) Synonym(s): *sículus Hagen,1860* **IT**
1816. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus Scopoli,1763*; *pedemontanus Navas,1934* **PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR**
1817. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus Herrich-Schäffer,1838*; *octopunctatus Burmeister,1838* **AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ**
1818. **Phlepsius spinulosus Wagner,1963** (Cicadellidae) Synonym(s): *spinulosus Wagner,1963* **FR IT Sa Si MA TN TR IR**

1819. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops Mulsant & Rey,1855* CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1820. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris Fabricius,1805; scirpi Robineau-Desvoidy,1830; albofasciata Gimmerthal,1846* AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
1821. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846; convergens Loew,1846* IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1822. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua Loew,1846* IT TR B-H HV FR GR IR IL Pa MK SS ES YU
1823. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii Wiedemann,1820; maculata Wiedemann,1820; punctata Meigen,1835; zimmermanni Nowicki,1868; gaedii Engel,1933* IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1824. **Phthiria minuta (Fabricius,1805)** (Bombyliidae) Synonym(s): *minuta Fabricius,1805; maura Wiedemann,1820* AT BE CZ EG FR DE GR HU IT KG KK MN MA PL TJ TM UZ YU
1825. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796; nigra Meigen,1804; pygmaea Fabricius,1805; campestris Fallén,1815; major Strobl,1909* AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1826. **Phthiria scutellaris Wiedemann,1820** (Bombyliidae) Synonym(s): *scutellaris Wiedemann,1820* IT
1827. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens Loew,1846* IT TR
1828. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens Loew,1846; rustica Loew,1846* TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
1829. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis Loew,1846* IT Si
1830. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis Loew,1846; notata Bigot,1862* FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1831. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans Loew,1846; pallescens Engel,1933* AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1832. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum Hermann,1804* PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1833. **Phycotettix paryphantus (Lethierry,1878)** (Cicadellidae) Synonym(s): *paryphantus Lethierry,1878; abalia Ferrari,1884; rubrostriatus Loew,1885* DZ GR IT Sa MA ES TN
1834. **Phylломорфус laciniatus (Villers,1789)** (Coreiidae) Synonym(s): *laciniatus Villers,1789* ES FR IT Si Sa TR
1835. **Phyllopertha horticola (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *horticola Linnaeus,1758* IT RU Cc Sb Us Am KG CN
1836. **Phyllotreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata Kutschera,1860* TR Cc GR IT MT IR AF KG RU CN
1837. **Phyllotreta vilis Weise,1888** (Chrysomelidae) Synonym(s): *vilis Weise,1888* IT TR
1838. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis Horvath,1905* PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1839. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata Fabricius,1794; quadrimaculata Wolff,1804* ES FR BE NL DE DK NO FIEE LT LV BY UA PL RO BG HU AT CH SS IT
1840. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum Herrich-Schäffer,1838* ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1841. **Physatocheila harwoodi China,1936** (Tingidae) Synonym(s): *harwoodi China,1936* GB FR DE CZ AT IT Si
1842. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii China,1952* ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1843. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica Radoszkowski,1885* TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1844. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata Latreille,1792* HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
1845. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris Latreille,1792* Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1846. **Physiphora alceae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alceae Preyßler,1791* AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1847. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea Meigen,1824* ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1848. **Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta Brullé,1832* ES FR CH AT CZ HU PL IT TR

1849. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra De Geer,1776* GB FR BE NL DE DK SE FI PL CZ AT HU IT TR
1850. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes Fabricius,1781* ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1851. **Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis Rondani,1865* ES IT Si GR Cr TR
1852. **Phytoecia vulneris Aurivillius,1923** (Cerambycidae) Synonym(s): *vulneris Aurivillius,1923* FR IT HV SB MK
1853. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758; bilobus Schrank,1781; fuscoannulatus Stal,1858; longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KR KR MN NL PL PT RU Sb ES SE CH TR US YU
1854. **Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis Herrich-Schäffer,1841* AL AZ Cc BG CZ FI HU IT TR CH RU YU
1855. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens Fabricius,1803; maculicornis Mulsant,1852* AL DZ AT GR Cr FR IT MA PT ES TR YU
1856. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1857. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1858. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes Horvath,1888* ES IT DE AT CZ HU MK BY BG UA RU KG
1859. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile Fieber,1844; brevicornis Rey,1888* PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1860. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1861. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1862. **Pimelia grossa Fabricius,1792** (Tenebrionidae) Synonym(s): *grossa Fabricius,1792; inflata Herbst,1799; barbara Solier,1836* DZ TN IT Si Sa
1863. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes Fabricius,1781; genei Costa,1841* AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1864. **Pipizella elegantissima Lucas,1976** (Syrphidae) Synonym(s): *elegantissima Lucas,1976* IT TR
1865. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus Fallén,1806; proteus Herrich-Schäfer,1834; pinastri Fieber,1885* DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1866. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus Tavares,1901* PT ES FR IT MA AZ Cc IR IL Pa GR
1867. **Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis Fabricius,1798; cocciferae Lichtenstein,1877; ilicis Lichtenstein,1877; emereyi Mayr,1882; fusifex Mayr,1882; kiefferi Dalla & Torre & Kieffer,1910; niger Dalla & Torre & Kieffer,1910; lichtensteini Dalla & Torre & Kieffer,1910; lusitanicus Tavares,1926* PT ES FR IT TR
1868. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus Fourcroy,1785; laevus Rey,1891; niger Kuznezov,1929* AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1869. **Platyceles (Decorana) drepanensis Massa, Fontana & Buzzetti,2006** (Tettigoniidae) Synonym(s): *drepanensis Massa, Fontana & Buzzetti,2006* IT Si
1870. **Platyceles (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951* MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK
1871. **Platyceles (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae) Synonym(s): *nigrosignata Costa,1863* IT TR
1872. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus Scott,1876* AT CS FR HU IT ES BG TR YU
1873. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus Fieber,1869* AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
1874. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti Dlabola,1961* BG TR CS DE IT MN Cc GG KG RU YU

1875. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1876. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1877. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1878. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1879. **Platynaspis luteorubra (Goeze,1777)** (Coccinellidae) Synonym(s): *luteorubra Goeze,1777* IT Si Sa TR
1880. **Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi Loew,1844* IT Si GR YU LB SY EG TR
1881. **Platypygus melinoproctus Loew,1873** (Mythicomyiidae) Synonym(s): *melinoproctus Loew,1873* IT Si
1882. **Platypygus melleus Loew,1856** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* IT Si Sa TR
1883. **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus A.Costa,1863* ES IT Si BG TR RU UA MD Cc AZ AM GG EG
1884. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869;* ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1885. **Plesiocera algira Macquart,1840** (Bombyliidae) Synonym(s): *algira Macquart,1840* DZ IT
1886. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833* IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1887. **Podisma eitschbergeri Harz,1973** (Acrididae) Synonym(s): *eitschbergeri Harz,1973* IT
1888. **Podisma pedestris (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris Linnaeus,1758; apterum Degeer,1773; mesoptera Ramme; semifasciata Werner,1933* Gryllus (Locusta) *pedestris Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 433. Neotype ♂: Bulgaria, Strandja Balkan, Konak (ZMB Berlin).* AT DE GR TR BG RU IT FR Cc
1889. **Poecilobothrus basilius (Loew,1869)** (Dolichopodidae) Synonym(s): *basilius Loew,1869* IT IL Pa
1890. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum Fabricius,1794* IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT
1891. **Polistes (s.str.) associus (Kohl,1898)** (Vespidae) Synonym(s): *associus Kohl,1898* IT FR GR YU TR Cc AZ IL IN CN
1892. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus Christ,1791; bucharensis Erichson,1949; muchei Gusenleitner,1976* IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
1893. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus Linnaeus,1767; foedratus Kohl,1898; omissus Weyrauch,1939* ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
1894. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha Christ,1791* DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1895. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1896. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans Kirschbaum,1868; fuscocoerulea Edwards,1914* AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1897. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1898. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator Fabricius,1804; flagellatus Nees,1834; erichsoni Westwood,1841; fasciatus Kriechbaumer,1883* DE RO AT CZ HU RU Sb YU IT TR
1899. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis Westwood,1841; schlettereri Kieffer,1904* PL DE HU RO BG YU AT CH IT TR
1900. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis Mulsant & Rey,1855; albolimbatus Kirschbaum,1868* FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO
1901. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929* AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR

1902. **Procraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835
TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1903. **Propylea quatuordecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s):
quatuordecimpunctata Linnaeus,1758 IT Sa Si TR
1904. **Prorachthes beckeri Paramonov,1926** (Bombyliidae) Synonym(s): *beckeri*
Paramonov,1926 IT
1905. **Prorachthes vespertilio (Séguy,1932)** (Bombyliidae) Synonym(s): *vespertilio* Séguy,1932
IT
1906. **Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes*
Edwards,1921; *subrufipes* Knoz,1980 BG CZ HU IT SK TR
1907. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro*
Enderlein,1925 FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH
1908. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes*
Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929;
canbalicum Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfilium*
Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU
IE IT Si MA PL PT RO YU SK SS ES CH UA
1909. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 DE AL CZ
BG FR RU CH IT SK HU PL SY RO TR YU GR Cc
1910. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor* Rambur,1842 DZ MA
FR ES IT PT TR
1911. **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa*
Adams,1817; *psittacina* Ménériés,1832 TR IT TM SY IR Fa
1912. **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis*
Andersch,1797 FR IT Sa Co SY TR IR
1913. **Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s):
miriffica Mulsant & Rey,1840 FR ES IT YU SY TR IL Pa
1914. **Protaetia (Netocia) morio (Fabricius,1781)** (Scarabaeidae) Synonym(s): *morio*
Fabricius,1781 IT
1915. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca*
Fabricius,1787 FR IT ES MA DZ TN LY Cy
1916. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea*
Fabricius,1775 ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
1917. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973
Apanteles anchiades Nixon,1973, Bull. ent. Res. 63: 169-228. TR DE GB SE BG MN IT HU FI NL CH CZ
1918. **Protosmia (Nanosmia) minutula (Pérez,1896)** (Megachilidae) Synonym(s): *pumila*
Pérez,1895 nec Cress.,1864; *minutula* Pérez,1896; *cataniae* Strand,1921 CH ES FR IT Si
1919. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata*
Pérez,1895 ES FR IT Si PT DZ MA TN TR?
1920. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa*
Giraud,1871 BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR
1921. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis*
Morawitz,1876; *graffei* Schmiedeknecht,1890 BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
1922. **Psammotettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): *adriaticus*
Wagner,1959; *linnavuorii* Wagner,1959 EG FR IL IT TN
1923. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus*
Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ
AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA
UZ YU
1924. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s):
cephalotes Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis*
Kirschbaum,1868; *normani* Scott,1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES
SE SW TR EE LV MD RU Sb UA YU
1925. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis*
Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer*
Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK
LV MD RU UA UZ YU
1926. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus*
Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombrifer* Fieber,1869; *substriatus* Then,1902 AL AT BE
CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
1927. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925
AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA
1928. **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus*
Melichar,1896; *diluta* Ribaut,1952 AF AT BG CS FR DE HU IT NL PL PT
1929. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis*
Ribaut,1925 AF BG Cn Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU

1930. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU
1931. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
1932. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT
1933. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 ES Cn CY FR IL YU GR Cr IT Si TR
1934. **Pseudeuparius centromaculatus (Gyllenhal,1833)** (Anthribidae) Synonym(s): *centromaculatus* Gyllenhal,1833; *ceroderes* Boheman,1845; *targionii* Piccoli,1877; *melasinus* Jordan,1939 DZ IT
1935. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1936. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843 IT AT B-H HU RO BG GR TR
1937. **Pseudosphegistes cinerea (Catelnau & Gory,1835)** (Cerambycidae) Synonym(s): *cinerea* Catelnau & Gory,1835 ES FR IT
1938. **Pseudoyersinia andreae Galvagni,1976** (Mantidae) Synonym(s): *andreae* Galvagni,1976 IT Sa
1939. **Pseudoyersinia brevipennis (Yersin,1860)** (Mantidae) Synonym(s): *brevipennis* Yersin,1860 FR Si IT
1940. **Pseudoyersinia lagrecai Lombardo,1984** (Mantidae) Synonym(s): *lagrecai* Lombardo,1984 IT
1941. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
1942. **Psilothrix aureola (Kiesenwetter,1859)** (Melyridae) Synonym(s): *aureola* Kiesenwetter,1859 ES IT TN
1943. **Psilothrix protensa (Gené,1836)** (Melyridae) Synonym(s): *protensa* Gené,1836 IT TN
1944. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 SE DK DE Cn GR IT PT ES NL TR TN
1945. **Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri* Kutschera,1867 AT IT TR
1946. **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 ES IT GR CY TR
1947. **Psyllobora vigintiduopunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *vigintiduopunctata* Linnaeus,1758 IT Si Sa TR
1948. **Purpuricenens globulicollis Mulsant,1839** (Cerambycidae) Synonym(s): *globulicollis* Mulsant,1839 FR IT HU BG
1949. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
1950. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1951. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845 AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU
1952. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891 PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
1953. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850 ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1954. **Rabdophaga insignis Kieffer,1906** (Cecidomyiidae) Synonym(s): *insignis* Kieffer,1906 DE CZ IT
1955. **Rabdophaga iteophila (Loew,1850)** (Cecidomyiidae) Synonym(s): *iteophila* Loew,1850 IT PL
1956. **Rabdophaga pierreii (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierreii* Kieffer,1896 PT ES FR GB NL DE CZ PL HU RO BG IT
1957. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
1958. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1959. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR

1960. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850
ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1961. **Ranissus discrepans Fieber,1866** (Dictyopharidae) Synonym(s): *discrepans* Fieber,1866
FR GR IT PT ES
1962. **Raphidia (Phidiara) grandii Principi,1960** (Raphidiidae) Synonym(s): *grandii*
Principi,1960 IT
1963. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT
BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA
YU
1964. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866;
coroniceps Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc
AZ YU
1965. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS
DE IT MN RO TN GG Cc KG UA YU
1966. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1967. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus*
Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1968. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ
AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1969. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s):
quinquecostatus Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarınatus*
Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1970. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus*
Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR
MN NL RU Sb SE ES YU
1971. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ
AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH
UA MA SY IR TM
1972. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764
TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1973. **Rhizotrogus (Amphimallon) majalis (Razoumowsky,1789)** (Scarabaeidae)
Synonym(s): *majalis* Razoumowsky,1789 BE FR ES CH DE IT Co Sa CA US
1974. **Rhoanans hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus*
Fieber,1869 AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
1975. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758;
laetus Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU
Sb IT Si TM YU
1976. **Rhynchites giganteus Krynický,1832** (Attelabidae) Synonym(s): *giganteus* Krynický,1832
BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
1977. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781;
hebraeum Giordani & Soika,1952 Cn ES IT Si GR Cr TR OM IR EG JO
1978. **Rhyarochromus minusculatus (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus*
Reuter,1885 GR Cr FR IT Co Si TR YU
1979. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus*
Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE
BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1980. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 AT
CZ SK IT MN KG TM RU UA TR
1981. **Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931 AT BG CS FR
DE GR IT Sa SW Cc TR GG RU
1982. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931 TR
BG FR GB IT PT SE AZ Cc
1983. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima*
Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS
DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
1984. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758;
muscifformis De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL
NO PL RO SE SW EE GG Cc LV RU UA YU CA
1985. **Ribautodelphax albostrıatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostrıatus*
Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc
ES SE SW TN RU KG KK MD UA YU TR
1986. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec*
Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN TD TN DZ
ES EG DZ IT LY MT GR TR CY AF IL Pa
1987. **Rodolia cardinalis Mulsant,1850** (Coccinellidae) Synonym(s): *cardinalis* Mulsant,1850
TR IT Sa Si

1988. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
1989. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
1990. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterricus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 Gryllus nitidulus Scopoli,1786, Delicidae florae & faunae insubricae 1: 62. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1991. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
1992. **Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911 TR Cr CY IT DE
1993. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
1994. **Salentia fuscipennis A.Costa,1857** (Therevidae) Synonym(s): *fuscipennis* A.Costa,1857 TR IT IR
1995. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
1996. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1997. **Saprinus maculatus (Rossi,1792)** (Histeridae) Synonym(s): *maculatus* Rossi,1792 IT TR
1998. **Sapromyza intonsa Loew,1847** (Leuxaniidae) Synonym(s): *intonsa* Loew,1847 IT CH TR
1999. **Sapromyza palpella Rondani,1868** (Leuxaniidae) Synonym(s): *palpella* Rondani,1868 FR GR Cr IT RO CH
2000. **Sapromyza undulata Merz,2000** (Leuxaniidae) Synonym(s): *undulata* Merz,2000 IT
2001. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
2002. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
2003. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
2004. **Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *portschinskyana* Rohdendorf,1937 BG FR GR IT Si UA YU TR
2005. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
2006. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
2007. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 TR CY BG GR FR IT HU RO MK
2008. **Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae) Synonym(s): *siciliensis* Böttcher,1913 IT Si TR
2009. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
2010. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
2011. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
2012. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU

2013. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
2014. **Saropogon luctuosus (Wiedemann,1820)** (Asilidae) Synonym(s): *luctuosus* Wiedemann,1820; *nigripennis* Costa,1844 IR Ak Ab HV GR FR IT PT
2015. **Satyramoeba etrusca (Fabricius,1794)** (Bombyliidae) Synonym(s): *etrusca* Fabricius,1794 IT
2016. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
2017. **Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803 RU Cc AM TM TJ TR HU IT YU AL GR SY IL Pa JO AF
2018. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925 ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
2019. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
2020. **Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787 IT Si Sa MT YU BG GR TR MA DZ TN
2021. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
2022. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
2023. **Scaurus aegyptiacus Solier,1838** (Tenebrionidae) Synonym(s): *aegyptiacus* Solier,1838 EG TN IT Sa Si
2024. **Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775 IT Sa Si FR SY EG DZ GR
2025. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838 MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
2026. **Scaurus tristis Olivier,1795** (Tenebrionidae) Synonym(s): *tristis* Olivier,1795; *calcaratus* Fabricius,1798; *gracilicornis* Fairmaire,1875; *gracilipes* Solier,1838; *giganteus* Küster,1848; *lugens* Küster,1848 FR ES TN IT Sa Si
2027. **Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (*praeocc.*); *decumanus* Kontkanen,1949 BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
2028. **Scolia fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849 ES FR IT GR TR TM
2029. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muehe,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
2030. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970 IT Sa Si TR PT ES MT CY FR Co CY KG
2031. **Scolia insubrica (Scopoli,1786)** (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849 IT YU EG TR RU
2032. **Scolia sexmaculata (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *dionysopolis* Tkalcu,1988 IT LB Bei ES TR DE GB
2033. **Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): *discolor* Germar,1821 Cc BG IT RO TR GG UA
2034. **Scymnus apetzi Mulsant,1846** (Coccinellidae) Synonym(s): *apetzi* Mulsant,1846 IT Sa Si TR
2035. **Scymnus araraticus Jablakov & Khnzorian,1969** (Coccinellidae) Synonym(s): *araraticus* Jablakov & Khnzorian,1969 TR IT Sa Si
2036. **Scymnus auritus (Thunberg,1795)** (Coccinellidae) Synonym(s): *auritus* Thunberg,1795 IT TR
2037. **Scymnus levailanti Mulsant,1850** (Coccinellidae) Synonym(s): *levailanti* Mulsant,1850 TR IT Si Sa
2038. **Scymnus pallipediformis Günther,1958** (Coccinellidae) Synonym(s): *pallipediformis* Günther,1958 TR IT Si
2039. **Scymnus quadriguttatus Capra,1924** (Coccinellidae) Synonym(s): *quadriguttatus* Capra,1924 IT TR
2040. **Scymnus rubromaculatus (Goeze,1778)** (Coccinellidae) Synonym(s): *rubromaculatus* Goeze,1778 IT Si Sa TR

2041. **Scymnus subvillosus (Goeze,1777)** (Coccinellidae) Synonym(s): *subvillosus* Goeze,1777
TR IT Si Sa
2042. **Scymnus suturalis (Thunberg,1795)** (Coccinellidae) Synonym(s): *suturalis* Thunberg,1795
TR IT Sa Si
2043. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT
UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
2044. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea*
Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT
Sa Si MA RO ES TN TR AZ Cc MD UA YU
2045. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus*
Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos &
Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
2046. **Senometopia separata (Rondani,1859)** (Tachinidae) Synonym(s): *separata* Rondani,1859
TR IT
2047. **Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi*
Séguy,1932; *pamirensis* Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
2048. **Sepsis fissa Becker,1903** (Sepsidae) Synonym(s): *fissa* Becker,1903 EG MT IT Si SK RO TR
PK
2049. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea*
Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB
IE IT SK ES CH YU TR
2050. **Sepsis pseudomonostigma Ursu,1969** (Sepsidae) Synonym(s): *pseudomonostigma*
Ursu,1969 LT CZ IT Sa Si RO TR TM
2051. **Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma*
Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta*
Hoffmeister,1844; *#zernyi* Duda,1926; *quadrisetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis*
Séguy,1932 Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
2052. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea*
Dejean,1826 AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
2053. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848 AF AT CN
HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
2054. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860 AL AT BG IT CY
EG RO GR TR
2055. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840 AL BG DZ
MA HV IQ IT ES TN TR
2056. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata* Fabricius,1798 IT Sa
FR Co ES MA DZ TN EG TR
2057. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s):
erythrocephalum De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934;
mihalyii Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU
IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
2058. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s):
petricolum Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
2059. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s):
velutinum Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum*
Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum*
Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO
PT RO YU SK SS ES TN TR UA Cm
2060. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus*
Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
2061. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum*
Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO
SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
2062. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor*
Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 ES FR IT BG RO UA Cm TR
2063. **Smaragdina ferulae (Gené,1839)** (Chrysomelidae) Synonym(s): *ferulae* Gené,1839 FR IT
Co Sa
2064. **Smaragdina xanthaspis (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis*
Germar,1824 IT RO UA TR
2065. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant &
Rey,1855 BG FR IT SW KG KK RU Sb UA YU
2066. **Speudotetix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus*
Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE
IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
2067. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus* Olivier,1790 FR PT
ES DE CH IT Co Sa AT HU TN DZ

2068. **Spogostylum aethiops (Fabricius,1781)** (Bombyliidae) Synonym(s): *aethiops Fabricius,1781* IT
2069. **Spogostylum isis (Meigen,1820)** (Bombyliidae) Synonym(s): *isis Meigen,1820* IT TR
2070. **Spogostylum trinotatum (Dufour,1852)** (Bombyliidae) Synonym(s): *trinotatum Dufour,1852* IT
2071. **Spogostylum tripunctatum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum Wiedemann,1820* IT
2072. **Spogostylum velox (Loew,1862)** (Bombyliidae) Synonym(s): *velox Loew,1862* IT
2073. **Stenagostus rhombeus (Olivier,1790)** (Elateridae) Synonym(s): *rhombeus Olivier,1790* IT Si CZ TR
2074. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus Stal,1858; colorata Kirschbaum,1868* Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
2075. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
2076. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus Loew,1847* IT FR HU RO GR BG TR IR
2077. **Stenopogon roederii Bezzi,1895** (Asilidae) Synonym(s): *roederii Bezzi,1895* IT Cc RU TR
2078. **Stenosis intermedia (Solier,1838)** (Tenebrionidae) Synonym(s): *intermedia Solier,1838* IT Si TR
2079. **Stenosis sardoa (Küster,1848)** (Tenebrionidae) Synonym(s): *sardoa Küster,1848* TR IT Si Sa
2080. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae Panzer,1799; melanocephalus Panzer,1799; taraxaci Panzer,1806; villersi Leach,1817; henschi Konow,1907* ES FR GB DE SE SK HU AT IT AL Co
2081. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidae Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
2082. **Sterictiphora gastrica (Klug,1814)** (Argidae) Synonym(s): *gastrica Klug,1814; terebralis Enslin,1917* PT ES FR IT AT
2083. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata Gmelin,1790; costata Fallén,1808; pallipes Leach,1817* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
2084. **Stethorus gilvifrons (Mulsant,1850)** (Coccinellidae) Synonym(s): *gilvifrons Mulsant,1850* TR IT Si Sa
2085. **Stethorus punctillum Weise,1891** (Coccinellidae) Synonym(s): *punctillum Weise,1891* TR IT Si Sa
2086. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus Wiedemann,1820* IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
2087. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis Loew,1847* IT FR Co YU PT AT RO RU BG TR
2088. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger Loew,1847; congener Loew,1856* IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
2089. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri Koch,1872; spinimanus Pokorny,1887* IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
2090. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
2091. **Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa Brullé,1832; dimidiata J.Daniel,1891* IT GR TR Cc IR Lo
2092. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
2093. **Stomylomyia europaea (Loew,1869)** (Bombyliidae) Synonym(s): *europaea Loew,1869* IT
2094. **Stomylomyia tenella (Loew,1869)** (Bombyliidae) Synonym(s): *tenella Loew,1869* IT
2095. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata Linnaeus,1758* ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
2096. **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis Scopoli,1763; tenebricus Harris,1776; strigata Fabricius,1781; tomentosa Schrank,1803; villosa Meigen,1804; nubeculosa Meigen,1804; thoracica Fabricius,1805; hirtuosa Meigen,1830; anubis Meigen,1830; flavifrons Macquart,1838; pallida Loew,1840; lambessiana Bigot,1879; flavolimbata A.Costa,1893; pleskei Wagner,1903; segnis Becker,1906; efflatouni Lindner,1925; surcoufi Seguy,1930; palaestinis Lindner,1937; flavoscutella Lindner,1940* IT DE FR PL YU MT CY TR RU IL IR IQ AF MN UZ Fe CN Shs KP KR MA DZ TN EG

2097. **Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus* Horvath,1916; *josifovi* Dlabola,1957 **CY AL BG BG IT TR**
2098. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
2099. **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914 **AL BG CY IL Pa IR IT JP KP AZ Cc TR**
2100. **Subcoccinella vigintiquatuorpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *vigintiquatuorpunctata* Linnaeus,1758 **IT Sa Si TR**
2101. **Sybistroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufourii* Macquart,1838; *spathulata* Loew,1861 **GR FR IT ES MK MA DZ**
2102. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843 **BG GR IL RO HU IT TR**
2103. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
2104. **Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 **IR Ak Ab BG HV FR IT ES RU**
2105. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
2106. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteorii* Girault,1916 **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU**
2107. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU**
2108. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 **AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US**
2109. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 **PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR**
2110. **Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 **SE FI GB DE FR IT BG TR**
2111. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 **PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR**
2112. **Synophropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926 **GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU**
2113. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ**
2114. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 **PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR**
2115. **Systoechus autumnalis (Wiedemann,1818)** (Bombyliidae) Synonym(s): *autumnalis* Wiedemann,1818 **IT Si**
2116. **Systoechus ctenopterus (Mikan,1796)** (Bombyliidae) Synonym(s): *ctenopterus* Mikan,1796 **IT Si HV**
2117. **Systoechus gomezmenori Rubio,1959** (Bombyliidae) Synonym(s): *gomezmenori* Rubio,1959 **IT**
2118. **Systoechus gradatus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *gradatus* Wiedemann,1820 **IT TR**
2119. **Systoechus longirostris Becker,1916** (Bombyliidae) Synonym(s): *longirostris* Becker,1916 **IT**
2120. **Systoechus microcephalus (Loew,1855)** (Bombyliidae) Synonym(s): *microcephalus* Loew,1855 **IT Si**
2121. **Systoechus pumilio Becker,1915** (Bombyliidae) Synonym(s): *pumilio* Becker,1915 **IT**
2122. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 **IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB**

2123. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus Meigen,1804 nec Ström,1768; glaucopis Meigen,1820* GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
2124. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labaumeanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
2125. **Tabanus rectus Loew,1858** (Tabanidae) Synonym(s): *rectus Loew,1858; ornatus Jaennicke,1866* ES PT FR IT YU CH TR
2126. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis Jaennicke,1866; rufus Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999* DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
2127. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjinicolaoui Kröber,1936; loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
2128. **Tachina (Eudoromyia) nupta Rondani,1859** (Tachinidae) Synonym(s): *nupta Rondani,1859; micado Kirby,1884; orientalis Zimin,1935; trigonata Villeneuve,1936; nigriventris Zimin,1967; mesnili Zimin,1967; turanica Zimin,1980* IT FR DE CH Cc TR UZ MN CN JP KG RU
2129. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida Fabricius,1781* PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
2130. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum Fieber,1876* Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU
2131. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931* AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
2132. **Tachys (Eotachys) bistratus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistratus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
2133. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
2134. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
2135. **Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri Lichtwardt,1917; gussakowskii Stackelberg,1941* TR TJ FR IT CN
2136. **Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi Mik,1864* AM Cc TR AT CZ HU IT
2137. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola Loew,1857* GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
2138. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872; subpunctata Vilbaste,1961* BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
2139. **Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): *univittatus Rossi,1792* ES IT LY RU KP KR Cc AM Sb MN...
2140. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica Loew,1844* Trypeta postica Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
2141. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola Wiedemann,1830* TR ES IT GR LB IL TN EG Sn KG
2142. **Tetanops corsicana Becker,1909** (Ulidiidae) Synonym(s): *corsicana Becker,1909* FR Co IT Si ES TN
2143. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus Kirschbaum,1868; pellucidus Wagner,1951 nec Melichar,1896* AL AT CZ HU IT RO RU YU GR TR
2144. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa Strobl,1900; beckeri Strobl,1906; albipila Frey,1958; albissima Collin,1966; diversa Collin,1966; mixta Collin,1966* SN AT Az Cn ES EG BG DK GB FR IT
2145. **Tethina flavigenis (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis Hendel,1934* DK BG GB DE ES IT TN
2146. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea Fallén,1823; latigenis Becker,1907* Az Cn ES FR TN GB SE IT BG GR Cr
2147. **Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris Loew,1865* DZ Az EG ES IT Si TN
2148. **Tethina nigripes Czerny,1928** (Tethinidae) Synonym(s): *nigripes Czerny,1928* DE IT LB PL
2149. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea Hendel,1913; canzonerii Munari,1981* SN SC ZA TW BG EG ES IT TR BG
2150. **Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae Walker,1849* TR CA IT Md MX UA US IR Th Fa

2151. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina Kolenati,1857; hispidula Fieber,1865; callosa Signoret,1866* Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
2152. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii Signoret,1866* AL BG CS FR GR IL IT RO ES TR RU TJ YU
2153. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) Synonym(s): *longicornis Signoret,1866* AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU
2154. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea Preyssler,1792; obliqua Panzer,1799; #leucophea Lodos & Kalkandelen,1980* Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
2155. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata Dufour,1846; frontalis Fieber,1865; concolor Fieber,1865; fasciata Fieber,1865; nitidula Kirschbaum,1868; plagiatis Rey,1894; viridula Melichar,1899; clara Metcalf,1932; fasciolata Metcalf,1932* AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
2156. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea Mulsant-Rey,1855; mendax Horvath,1888; scutellaris Horvath,1903* Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
2157. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens Panzer,1799; dorsalis Latreille,1804* DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
2158. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata Fieber,1865; parviceps Signoret,1866; heydenii Kirschbaum,1868; abrupta Fieber,1876; albofasciata Fieber,1876; unifasciata Fieber,1876* AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU
2159. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra Hagenbach,1825* DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
2160. **Tettigometra atrata Fieber,1872** (Tettigometridae) Synonym(s): *atrata Fieber,1872* AT FR DE IT TR EE RU YU
2161. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865* DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
2162. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons Mulsant-Rey,1855; marginata Fieber,1876* DZ BE FR GR TR IT Si JO MA ES SY TN
2163. **Tettigometra peliotaenia Fieber,1865** (Tettigometridae) Synonym(s): *peliotaenia Fieber,1865* DZ GR IT RU
2164. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata Charpentier,1845; kolenatii Fischer von Waldheim,1846; longicauda Eversmann,1848; prasina Fieber,1852; armeniaca Tarbinsky,1940* DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE
2165. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima Linnaeus,1758; cantatrix De Geer,1773; flava Nedelkov,1907; meridionalis Shugurov,1912; paoli Capra,1936; intermedia Jannone,1937; trinacriae Jannone,1937* Gryllus (Tettigonia) *viridissima Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR*
2166. **Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus Melichar,1896* AL AT BG CS HU IT Si RO GG Cc TR MD YU
2167. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäfer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tincta Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
2168. **Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880* AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR
2169. **Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868* CY FR IL Pa IT Si SY GR TR YU
2170. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
2171. **Thereva aurata (Loew,1854)** (Therevidae) Synonym(s): *aurata Loew,1854; auricincta Egger,1859; corrineae Gosseries,1991* AT CZ GR HU IT RO TR YU
2172. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata Loew,1847* IT MT MA TN RU TR UA
2173. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
2174. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva Meigen,1804; flavilabris Meigen,1820* AT CZ DE ES FR GB PL RU HU IT RO YU TR

2175. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb
2176. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794; *latistrigata* Kröber,1913; *thermophila* Trojan,1970 AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
2177. **Thereva tristis (Loew,1847)** (Therevidae) Synonym(s): *tristis* Loew,1847 TR ES PT IT
2178. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata* Loew,1847; *subtilis* Loew,1847; *algerica* Kröber,1913 MA DZ TR ES FR IT MT RO
2179. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854 TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU
2180. **Thyridanthrax elegans (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820 IT Si
2181. **Thyridanthrax fenestratus (Fallén,1814)** (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814 IT Si
2182. **Thyridanthrax graecus Paramonov,1927** (Bombyliidae) Synonym(s): *graecus* Paramonov,1927 IT GR
2183. **Thyridanthrax incanus (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832 IT Si TR
2184. **Thyridanthrax indigenus (Becker,1908)** (Bombyliidae) Synonym(s): *indigenus* Becker,1908 IT
2185. **Thyridanthrax lotus (Loew,1869)** (Bombyliidae) Synonym(s): *lotus* Loew,1869 IT TR
2186. **Thyridanthrax mutilus (Loew,1869)** (Bombyliidae) Synonym(s): *mutilus* Loew,1869 IT TR
2187. **Thyridanthrax nebulosus (Dufour,1852)** (Bombyliidae) Synonym(s): *nebulosus* Dufour,1852 IT
2188. **Thyridanthrax obliterated (Loew,1862)** (Bombyliidae) Synonym(s): *obliterated* Loew,1862 IT
2189. **Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869 IT Si TR
2190. **Thyridanthrax polyphemus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820 IT TR
2191. **Tibicina cisticola (Fairmaire,1855)** (Cicadidae) Synonym(s): *cisticola* Fairmaire,1855 FR Co IT Sa ES
2192. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes* Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
2193. **Tibicina luctuosa A.Costa,1883** (Cicadidae) Synonym(s): *luctuosa* A.Costa,1883 Tibicina *luctuosa* A.Costa,1883, Bull. Soc. ent. ital. 15: 339. Type: Italia, Sardinia. IT Sa
2194. **Tibicina picta (Fabricius,1794)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790 (*praeocc.*); *picta* Fabricius,1794 Tettigonia *picta* Fabricius,1794, Ent. Syst. 4: 24, 27. DZ FR IT Sa ES
2195. **Tibicina tomentosa (Olivier,1790)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790; *baetica* Rambur,1840 Cicada *tomentosa* Olivier,1790, Ency. Méth. V (Ins.): 759. Syntypes: France: "...en Provence & en Languedoc". FR ES PT IT Sa DE
2196. **Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus* Rossi,1790; *transversalis* Charpentier,1825 IT Sa Si LY Cy GR SK TR
2197. **Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 FR AT IT HU HV YU RO BG GR TR
2198. **Tingis ragusana (Fieber,1861)** (Tingidae) Synonym(s): *ragusana* Fieber,1861 IT TR
2199. **Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 AL BG RU IT CY RO TR YU GR
2200. **Tipula (Lunatipula) bimacula Theowald,1980** (Tipulidae) Synonym(s): *bimacula* Theowald,1980 AL GR ES IT IR TR
2201. **Tipula (Tipula) italica Lackschewitz,1930** (Tipulidae) Synonym(s): *italica* Lackschewitz,1930 TR IT
2202. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 Tipula *lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
2203. **Tituboea biguttata (Olivier,1791)** (Chrysomelidae) Synonym(s): *biguttata* Olivier,1791 PT ES MA DZ IT Sa Si
2204. **Tituboea octopunctata (Fabricius,1787)** (Chrysomelidae) Synonym(s): *octopunctata* Fabricius,1787 DZ MA IT Si

- 2205. Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781; striatus Meigen,1820; annulatus Macquart,1826; pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
- 2206. Tolmerus turcicus Koçak & Kemal,2008** (Asilidae) Synonym(s): *tesselatus Loew,1849 nec Brull.,1832; turcicus Koçak & Kemal,2008* IT RO TR
- 2207. Torymoides dispar (Masi,1916)** (Torymidae) Synonym(s): *dispar Masi,1916* TR IT SK HU B-H YU AL MK
- 2208. Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri Mayr,1874; longicauda Masi,1916* ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
- 2209. Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929* Ichneumon *bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU*
- 2210. Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
- 2211. Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781; macropterum Walker,1833; splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
- 2212. Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789; maculata Rossi,1790 nec Müll.,1764; completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
- 2213. Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula Linnavuori,1957* Co FR CY IT ES TR
- 2214. Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866; hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
- 2215. Trachyderma hispida (Forsk.,1775)** (Tenebrionidae) Synonym(s): *hispida Forsk.,1775; latreillei Solier,1836; major Baudi,1875* IT Si SY SA IR SN
- 2216. Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima Petagna,1819; angustata Solier,1836* TR EG GR IT Si
- 2217. Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
- 2218. Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
- 2219. Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
- 2220. Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952* AF FR GR Cr IT MA PT ES CH UA YU TR
- 2221. Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874* AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
- 2222. Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803; auronitens Kirschbaum,1868; halbum Fieber,1868* AT BE CZ DK GB FR DE IT NL RU CY IR TR
- 2223. Tribalus maroccanus Olexa,1980** (Histeridae) Synonym(s): *maroccanus Olexa,1980* MA ES IT Si
- 2224. Tribalus minimus (Rossi,1790)** (Histeridae) Synonym(s): *minimus Rossi,1790* AT IT
- 2225. Tribalus scaphidiformis (Illiger,1807)** (Histeridae) Synonym(s): *scaphidiformis Illiger,1807* ES FR IT
- 2226. Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis Fabricius,1787* ES IT Si YU AL Cr GR BG HV TR SY
- 2227. Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus Loew,1851; halictivorus Rondani,1856* TR AZ Cc IR FR GR IT RU KG IL Pa
- 2228. Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
- 2229. Tricyphona (s.str.) zwicki Mendl,1973** (Pediidae) Synonym(s): *zwicki Mendl,1973; acuspica Alexander,1975; elburzensis Alexander,1975* TR IR AZ Cc GG RU BG IT
- 2230. Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841; megapteropsis Wriese,1900* PT ES DE PL UA MD RO HU AT IT TR
- 2231. Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis Sahlberg,1908* TR IT FR YU B-H HV GR BG

2232. **Trirhacus setulosus Fieber,1876** (Cixiidae) Synonym(s): *setulosus Fieber,1876* IT GR ES YU
2233. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata Loew,1865* TR HU MK FR IT Si ES TN
2234. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus Fabricius,1775; serrulatus Müller,1776; dentatus Schrank,1781; beryllinus Gmelin,1788; elector Fabricius,1794; angusta Reuter,1881* AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
2235. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
2236. **Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicula Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* DZ IT Si IQ Amr IR
2237. **Tropidopola cylindrica cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica Marschall,1836; sicula Audinet-Serville,1838; fasciculata Charpentier,1841; algeriana Uvarov,1922; virescens Uvarov,1922* DZ IT Si IQ Amr
2238. **Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): *graeca Uvarov,1926*
Tropidopola longicornis ssp. graeca Uvarov,1926, Eos 2: 173-174, figs. Holotype: Macedonia: Vardar plain, Tekeli to Kenlike (BMNH). IT MK GR TR SY Dms
2239. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens Lepeletier,1845; litoralis sensu Özbek et al.,1999 nec Petagna,1787* TR GR BG HV YU MK UA Cm IT Si FR DZ
2240. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
2241. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata auct. nec A.Costa,1862; occidentalis Huang & Bourgoïn,1993* AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
2242. **Trypetimorpha pilosa Horvath,1907** (Tropiduchidae) Synonym(s): *pilosa Horvath,1907* CY IL IT YU
2243. **Tshurtshurnella despecta (Linnavuori,1965)** (Issidae) Synonym(s): *despecta Linnavuori,1965* IT TR
2244. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861; quadrivittatus Marshall,1866; inclusivalvis Kirschbaum,1868; quinquevittatus Kirschbaum,1868; flavinervis Kirschbaum,1868; onustus Fieber,1869; fugax Horvath,1897; sinuatus Matsumura,1908* DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
2245. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia Fabricius,1793; thymifolia Petagna,1792; gracilis Germar,1817; marginepunctata Audinet-Serville,1838; praeusta Fischer von Waldheim,1846; spinosus Fischer von Waldheim,1846; #liliifolia Bolivar,1877* **Locusta lilifolia Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy.** TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
2246. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula Fabricius,1794 (praeocc.); bifasciata Boheman,1851; norqueti Lethierry,1874; fenestrata Melichar,1896; atrata Melichar,1896; perrieri Ribaut,1936* AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
2247. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777; fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
2248. **Tytthaspis sedecimpunctata (Linnaeus,1758)** (Coccinellidae) Synonym(s): *sedecimpunctata Linnaeus,1758* IT TR
2249. **Ula (s.str.) mollissima Haliday,1833** (Pedicidae) Synonym(s): *mollissima Haliday,1833; inconclusa Walker,1856; crassicauda Agrell,1945* **Ula mollissima Haliday,1833, Ent. Mag. 1: 153.** AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
2250. **Ulidia albidipennis Loew,1845** (Uliidiidae) Synonym(s): *albidipennis Loew,1845* IT GR Rd SK
2251. **Ulidia apicalis Meigen,1826** (Uliidiidae) Synonym(s): *apicalis Meigen,1826* FR Co IT Si PT ES TN MA GR Rd
2252. **Ulidia atrata Loew,1868** (Uliidiidae) Synonym(s): *atrata Loew,1868* GR IT
2253. **Ulidia nigripennis Loew,1845** (Uliidiidae) Synonym(s): *nigripennis Loew,1845* HU UA SK DE PL IT AT FR GR MD SK
2254. **Ulidia ruficeps Becker,1913** (Uliidiidae) Synonym(s): *ruficeps Becker,1913* IR LB IT RU TM
2255. **Ulidia salonikiensis Hennig,1940** (Uliidiidae) Synonym(s): *salonikiensis Hennig,1940* IT GR
2256. **Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica Fallén,1820; centauriae Robineau-Desvoidy,1830; scutellata Rondani,1870* DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
2257. **Urophora jaculata Rondani,1870** (Tephritidae) Synonym(s): *jaculata Rondani,1870* TR IR Ak IT GR AF CN Ui MN AZ AM

2258. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
2259. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae) Synonym(s): *neuenschwanderi Freidberg,1982* TR GR Cr IT CN
2260. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata Fabricius,1794; taeniolata Costa,1883* IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
2261. **Usia (Micrusia) engeli Paramonov,1950** (Bombyliidae) Synonym(s): *engeli Paramonov,1950* ES IT
2262. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata Brullé,1833* DZ EG IL Pa TN IT YU MT MK GR
2263. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii Strobl,1902* DZ B-H HV FR GR IT LY MK MA SS TN YU
2264. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla Meigen,1820* DZ AT HV FR IT LY MA ES PT SS TN
2265. **Usia (Micrusia) sicula Egger,1859** (Bombyliidae) Synonym(s): *sicula Egger,1859* HV GR IT Si MK SS SY TR YU
2266. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
2267. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794; dubia Kertész,1900* DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
2268. **Usia (s.str.) aeneoides Paramonov,1950** (Bombyliidae) Synonym(s): *aeneoides Paramonov,1950* ES IT
2269. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons Becker,1906; putilla Becker,1906* FR GR IT KK RU ES TJ TN TM
2270. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798; vicina Macquart,1840; #pubera Becker,1906; pubera Strobl,1906* DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
2271. **Usia (s.str.) bicolor Macquart,1855** (Bombyliidae) Synonym(s): *bicolor Macquart,1855* B-H HV EG GR IL Pa IT KK LB SS SY TR TJ TM UZ YU
2272. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea Fabricius,1794; cuprea Macquart,1834; gagathea Bigot,1892* DZ FR ES MA TN IT Si KK TM TJ
2273. **Usia (s.str.) grata Loew,1856** (Bombyliidae) Synonym(s): *grata Loew,1856* IT
2274. **Usia (s.str.) lata Loew,1846** (Bombyliidae) Synonym(s): *lata Loew,1846; bicoloripes Malloch,1926* GR Rd MK IT YU TR
2275. **Usia (s.str.) loewi Becker,1906** (Bombyliidae) Synonym(s): *loewi Becker,1906* IT ES
2276. **Usia (s.str.) manca Loew,1846** (Bombyliidae) Synonym(s): *manca Loew,1846* IT Si
2277. **Usia (s.str.) similis Paramonov,1950** (Bombyliidae) Synonym(s): *similis Paramonov,1950* IT ES MT
2278. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata Costa,1883* DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ
2279. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872* AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
2280. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
2281. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus,1758; variegatus Scopoli,1763* DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
2282. **Veribudo angusteoculatus (Becker,1902)** (Bombyliidae) Synonym(s): *angusteoculatus Becker,1902* IT
2283. **Veribudo misellus (Loew,1869)** (Bombyliidae) Synonym(s): *misellus Loew,1869* IT
2284. **Vermileo vermileo (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo Linnaeus,1758* Musca vermileo Linnaeus,1758, Syst. Nat. (Edn.10) 1: 590. AT BG FR IT YU SY EG DZ Cn
2285. **Vibidia duodecimguttata (Poda,1761)** (Coccinellidae) Synonym(s): *duodecimguttata Poda,1761* IT Sa Si TR
2286. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon Fabricius,1794* DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM
2287. **Villa albida Becker,1916** (Bombyliidae) Synonym(s): *dubia Meade,1881; albida Becker,1916* HU IT
2288. **Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula Loew,1869; gracilis Ringdahl,1915* Cc AM AZ BG CY EG GR GG IR IT TR
2289. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804; quinquefasciata Wiedemann,1820* DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS

2290. **Villa ceballosi Andreu Rubio,1959** (Bombyliidae) Synonym(s): *umbraticola* Assis-Fonseca,1957; *ceballosi* Andreu Rubio,1959 IT Si ES MA
2291. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804 AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
2292. **Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *cingulum* Wiedemann,1820 AM AZ BE Cc FR GR GG IT Si ES PT YU
2293. **Villa circumdata (Meigen,1820)** (Bombyliidae) Synonym(s): *circumdata* Meigen,1820 IT Si Sa TR
2294. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
2295. **Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866 Cc AM AZ GG BG CY IL Pa IT Si SY LY YU
2296. **Villa deludens François,1966** (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976 CZ FR GR IT SK YU TR
2297. **Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888 MA DZ ES FR Co IT GR
2298. **Villa euzona (Loew,1869)** (Bombyliidae) Synonym(s): *euzona* Loew,1869; *dorsalis* Schnabl,1888 FR IT Si ES
2299. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
2300. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 ES FR GR CY HU IT Si MD RU UA
2301. **Villa gooti François,1969** (Bombyliidae) Synonym(s): *gooti* François,1969 IT
2302. **Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916 AM AZ GG Cc EG IT GR IR TR
2303. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
2304. **Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780 AF AL DZ Cc AM TR AZ GG AT BY BE B-H BG Cn HV CZ DK EE FI FR DE GR HU IE IT Sa Si
2305. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 BE CY CZ FR DE GR HU IT PL RO SK ES UA YU
2306. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
2307. **Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914 FR ES IT RO MD RU YU UA
2308. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869 ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU
2309. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
2310. **Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936 IT TR GR CY
2311. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
2312. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
2313. **Villa paniscus (Rossi,1790)** (Bombyliidae) Synonym(s): *paniscus* Rossi,1790; *cingulata* Meigen,1820; *bimaculata* Macquart,1840 IT Si Sa MN CN IN
2314. **Villa parilis François,1969** (Bombyliidae) Synonym(s): *parilis* François,1969 CZ FR Co IT
2315. **Villa praetermissa François,1967** (Bombyliidae) Synonym(s): *praetermissa* François,1967 IT
2316. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868 IT BG CY GR MK TR
2317. **Villa quinquefasciata (Wiedemann,1820)** (Bombyliidae) Synonym(s): *quinquefasciata* Wiedemann,1820 IT Si TR
2318. **Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869 IT TR GR EG LY IL Pa YU
2319. **Villa stenozona (Loew,1869)** (Bombyliidae) Synonym(s): *stenozona* Loew,1869; *disjuncta* Becker,1916 IT Si TR US Iln
2320. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 IT Si TR AF AM AZ GG Cc GR IR MK YU
2321. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU

2322. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta Meigen,1820; margaritifer Dufour,1833; dolosa Jaenicke,1867; turbidus Loew,1869* IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
2323. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868* DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
2324. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni Schiner,1862* AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
2325. **Xylotrechus stebbingi Gahan,1906** (Cerambycidae) Synonym(s): *stebbingi Gahan,1906* GR IT
2326. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea Fabricius,1805* TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
2327. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
2328. **Zeuxia zejana Kolomiets,1971** (Tachinidae) Synonym(s): *zejana Kolomiets,1971* IT RU Sb Us TR
2329. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava Fabricius,1775; praeusta Fabricius,1792; thoracica Laporte,1840* DZ ES IT Si Sa TR SY IR TM
2330. **Zonitis immaculata (Olivier,1790)** (Meloidae) Synonym(s): *immaculata Olivier,1790; mutica Scriba,1790; gibbicollis Abeille de Perrin,1880* TR ES IT Sa Si GR
2331. **Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana Ragusa,1882; laevicollis Escherich,1891* FR HU AT CZ IT Si GR TR IL Pa SY
2332. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici Herrich-Schäffer,1836* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU
2333. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874* AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
2334. **Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor Horvath,1897; #discolor Lodos & Kalkandelen,1984* BG CS FR IL Pa TR IR IT MA SW Cc GG KG MD UZ YU
2335. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera Fourcroy,1785* AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
2336. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936* DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU
2337. **Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936* AT BG CY CS FR DE IL IT SW TR UZ
2338. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
2339. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
2340. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
2341. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944* BG HU IT LB PL SW UA? YU TR
2342. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
2343. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845* AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU
2344. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris Herrich-Schäffer,1838* AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ Cc MD RU Sb UZ YU

Synonymic and distributional list of the pterygot insects of Macedonia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

73

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Macedonia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 73. *Priamus* (suppl.) 18: 2601-2621.

In this study, totally 471 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Macedonia recorded in info-sytem of the Cesa, total pterygot species of Macedonia increase to 1073.

Key words: List, distribution, *pterygota*, *Insecta*, Macedonia.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes ¹³²
Planned expeditions	no
Further planned publications	yes

In this study, totally 471 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 602 recorded species of Lepidoptera from Macedonia are found. Taking this information into consideration, total number of the pterygots may increase to 1073.

The study is still continuing, and the new results will be published within this Project.

1. **Abia sericea (Linnaeus,1767)** (Cimbridae) Synonym(s): *sericea* Linnaeus,1767 GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
2. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata* Fabricius,1775 AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
3. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
4. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
5. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus* Dejean,1829 AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
6. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794 AZ AL AM Cc BG HV FR GG GR IT MK RU SL TR CY IR IQ IL Pa SY TM

¹³² <http://www.members.tripod.com/entcesa/Intent.pdf>

7. **Adontomerus robustus (Boucek,1969)** (Torymidae) Synonym(s): *robustus* Boucek,1969 **BG HU IT MK YU UA**
8. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938 **AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA**
9. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795 **Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR**
10. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884 **TR BG Cc GG MK UA IR LB SY**
11. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitsev,1927 **AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR**
12. **Agapanthia schurmanni Sama,1978** (Cerambycidae) Synonym(s): *schurmanni* Sama,1978 **GR MK**
13. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus* Rossi,1792 **AT BG FR Co IT GR MK SL CH ES TR?**
14. **Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): *rufipalpis* Brullé,1832; *rubiginosus* Candeze,1863 **MK YU GR TR**
15. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 **AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP**
16. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
17. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU U_r SK SL ES SE CH TR UA CN Ui**
18. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 **AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG**
19. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928 **GR MK MT TR CY IR IL Pa JO LB SY**
20. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 **AT B-H BG HV FR DE GR IT MK RO SL ES TR**
21. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 **Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui**
22. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
23. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
24. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846 **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
25. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
26. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**

27. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
28. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
29. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
30. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918 AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
31. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythroa* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
32. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
33. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theyi* Antoine,1853 AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
34. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
35. **Amara (Zezea) chaudiroiri Schaum,1858** (Carabidae) Synonym(s): *chaudiroiri* Schaum,1858; *incognita* Fassati,1946 AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
36. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
37. **Ameles decolor (Charpentier,1825)** (Mantidae) Synonym(s): *decolor* Charpentier,1825 ES FR DZ IT Si MK GR
38. **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951 BG Cc GR MK YU TR
39. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
40. **Anagyrus spaici Hoffer,1970** (Encyrtidae) Synonym(s): *spaici* Hoffer,1970 GG Cc GR MK
41. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
42. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsikanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989 IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
43. **Anastoechus trisignatus Portschinsky,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967 IT IL Pa SD YE DZ AM AZ GG Cc B-H HV EG GR JO KW LB MK MA OM QA SA SS SY TN YU
44. **Ancistrura nigrovittata (Brunner von Wattenwyl,1878)** (Tettigoniidae) Synonym(s): *nigrovittata* Brunner von Wattenwyl,1878; *truncata* Uvarov,1921; *kinzelbachi* Harz,1975 YU MK TR
45. **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *colletiformis* Morawitz,1874 PL SS MK GR BG IT Sa CY TR TM AM Cc
46. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorium* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
47. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
48. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR

49. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 **FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR**
50. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
51. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czuwalina,1884 **PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR**
52. **Anthaxia (s.str.) discicollis Gory & Laporte,1839** (Buprestidae) Synonym(s): *discicollis* Gory & Laporte,1839; *kanaanita* Obenberger,1912 **AM AZ GG Cc TR BG MK GR SY**
53. **Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 *nec* Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolutor* Ferton,1921 **FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR**
54. **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948 **FR HV GR MK AZ Bak Cc Cr SY LB TR IL Pa TJ**
55. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 **MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma**
56. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 **ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN**
57. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 **ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh**
58. **Anthocoris visci Douglas,1889** (Anthocoridae) Synonym(s): *visci* Douglas,1889 **ES FR GB BE NL DE CZ YU MK TR IR Kd**
59. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 **IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ**
60. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 **IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU**
61. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902 **IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU**
62. **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832 **IT Si TR YU UZ TM TJ SY OM MK KK IL Pa IR Cc AM AZ GG GR CY AF SN NG TD ER**
63. **Anthrax trifasciatus Meigen,1804** (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804 **IT TR PK AF AL DZ AT BE B-H BG HV CZ FR Co GR HU KK MK MT MA OM**
64. **Anthrax varius Fabricius,1794** (Bombyliidae) Synonym(s): *varius* Fabricius,1794 **IT Si MD MK LT IR HU GG AZ AM Cc GR DE FR FI EE DK CZ HV Cn BG B-H BE BY AT DZ**
65. **Apalus spectabilis Schaum,1859** (Meloidae) Synonym(s): *spectabilis* Schaum,1859 **HU GR MK TR**
66. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761 **PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE**
67. **Aprosthema tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902 **FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb**
68. **Apterameles rammei Beier,1950** (Mantidae) Synonym(s): *rammei* Beier,1950 **MK**
69. **Arge beckeri Tournier,1889** (Argidae) Synonym(s): *beckeri* Tournier,1889 **B-H YU MK HU UA TR**
70. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis* Schrank,1802 **ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc**
71. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880 **PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP**
72. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783 **ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP**
73. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852 **SK HU UA RO BG MK GR AL TR Cc**
74. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907 **PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR**

75. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
76. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
77. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
78. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica Klug,1834* B-H HU SK UA RO MK BG TR Cc CN Ui
79. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
80. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
81. **Athous (Orthathous) acutangulus Fairmaire,1866** (Elateridae) Synonym(s): *acutangulus Fairmaire,1866; thessalonicus Reiche,1869* GR TR MK
82. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi Goetghebuer,1922; torgnyensis Goetghebuer,1949* AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
83. **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons Argod,1895* DE BG GG Cc TR IQ MK GR
84. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus Loew,1855* IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
85. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura Masi,1916; meridionalis Steffan,1951* AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR
86. **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus Smith,1856; erberi Mocsary,1881; biarmatus Mocsary,1883* AL MK BG TR AM AZ Cc IL Pa Jo
87. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum Sturm,1825* AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
88. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile Gyllenhal,1810* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
89. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
90. **Bembidion (Euperyphus) combustum Ménériés,1832** (Carabidae) Synonym(s): *combustum Ménériés,1832* AZ AL AM Cc B-H BG GR MK RU TR CY IR LB YU
91. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
92. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
93. **Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844* AZ AM Cc B-H BG GG GR MK RU TR LB YU
94. **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918* BG GR MK TR IR LY SY YU
95. **Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918* AZ BG GR MK TR IR YU
96. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
97. **Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799* BG GR MK AZ AM Cc GG RU TR
98. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831* AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
99. **Bembidion (Ocyturanus) signatipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *signatipenne Jacquelin du Val,1852* BG GR MK TR
100. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831* AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
101. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
102. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR

103. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
104. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
105. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
106. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
107. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
108. **Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943* AL B-H BG HV GR IT MK RO TR YU
109. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
110. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
111. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
112. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
113. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855; brevisrostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
114. **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator Loew,1855* IT YU TR SY MK IR HU GR AL
115. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimum Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
116. **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator Loew,1855* IT TR HV GR IR MK SY LB YU
117. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
118. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
119. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus Loew,1855* AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
120. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus Loew,1857; nigropenicillatus Bigot,1892* AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
121. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
122. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liroy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
123. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lw.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU

124. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 **AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU**
125. **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873 **ET SD YE PK AF AM AZ GG Cc CY EG GR IT IR MK KG RU Sb SA TJ TM UZ YU**
126. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 **AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU**
127. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 **AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU**
128. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 **AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA**
129. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 **YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE**
130. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis* Loew,1855 **GR IR MK ES TN TR YU**
131. **Bombylius (s.str.) semifuscus Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 *nec* Fabr.,1794; *nigripes* Strobl,1898 *nec* Macq.,1834 **AL AM AZ Cc AT CN CZ FR DE GR GG HU IT KK MK MA PL SK CH TJ TN TM UZ**
132. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec* Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *taurizi* Paramonov,1926 **YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA**
133. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 **AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU**
134. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 **AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU**
135. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 **AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU**
136. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **Chalcis femorata Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
137. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 **FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM**
138. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922 **AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR**
139. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 **DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR**
140. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ**
141. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 **BG HV CZ SK DE GR HU IT MK MD RO CH YU TR**
142. **Brachyptera macedonica Ikonomov,1983** (Taeniopterygidae) Synonym(s): *macedonica* Ikonomov,1983 **MK**
143. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 **NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR**
144. **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979 **TR IL Pa LB SY GR BG MK Cr Rd TM**
145. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 **ES SS IT HU RO BG GR MK UA TR RU Ao**
146. **Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni*

- Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794
BG CN FI FR GB Cc HU KP KR MK RU Sb TR SY TM KG
147. **Callimenus macrogaster (Lefebvre,1831)** (Tettigoniidae) Synonym(s): *macrogaster* Lefebvre,1831; *brachynotus* Fieber,1853; *longicollis* Fieber,1853; *intermedius* Werner,1901; *dobrogensis* Müller,1933; *skopjensis* Karaman,1961 MK TR
148. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775
AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE
CH TR UA MR IQ KK KG SY TJ TM NL UZ
149. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758;
punctiventre Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG
HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
150. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758;
severum Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL
PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
151. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis* Ménétrés,1836
TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
152. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT
BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
153. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM
GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU
MA IL Pa US
154. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis*
Kiesenwetter,1852 AT SK SS UA HU PL RO HV MK IT AL GR TR
155. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 TR
AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
156. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761;
variegata Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens*
Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata*
Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR
CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
157. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus*
Linnaeus,1758 AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO
RU SL CH TR UA SY NL
158. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus* Linnaeus,1761 AL AT
BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
159. **Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus* Palliardi,1825 AL
B-H BG HV GR MK RO SK TR
160. **Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini*
Mardjanian,1985 TR GR MK UA Cm
161. **Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri*
Buysson,1913 TR GR Rd MK Cc AZ Bak
162. **Carinatodorcadion laevipunctatum (Breuning,1944)** (Cerambycidae) Synonym(s):
laevipunctatum Breuning,1944 MK
163. **Carinatodorcadion majoripenne (Pic,1926)** (Cerambycidae) Synonym(s): *majoripenne*
Pic,1926 MK
164. **Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica* Schaum,1859
MK GR TR BG
165. **Cerocoma macedonica Maran,1944** (Meloidae) Synonym(s): *macedonica* Maran,1944 MK TR
166. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR
KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
167. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957
DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
168. **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes* Abeille
de Perrin,1885 TR IT HU Cc MK GG IR
169. **Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil*
Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondou,1907 IT Sa Si SS B-H HV
YU AL MK GR BG TR IL Pa SY
170. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789;
clinias Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 PT ES FR IT SS
B-H HV BG AL MK GR HU YU UA Cm TR
171. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s):
campanularum Kirby,1802 AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S
UA DZ TR CA US
172. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s):
distinctum Stöckhert,1929 AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS
UA Cc IR TM

173. **Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928 AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
174. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935 AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
175. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis* Fabricius,1787 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
176. **Chlaenius (Chlaeniellus) nitidulus (Schränk,1781)** (Carabidae) Synonym(s): *nitidulus* Schränk,1781 AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
177. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis* Schaller,1783 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
178. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792 AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
179. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829 AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
180. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820 AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
181. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796 AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
182. **Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brullé,1832 GR Cr TR BG MK
183. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763 PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
184. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarius* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
185. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906 ES B-H HV AL TR IR Cc BG MK GR
186. **Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola* Hagen,1856 (*praeocc.*); *persica* Kirkaldy,1909 *Cicadatra persica* Kirkaldy,1909, *Canad. ent.* 41: 391, nr.110 (*nomen novum pro lineola* Hagen,1856). MK Cc IR IL Pa IT SY TR AM AZ GG
187. **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876 IL Pa JO LB SY TR MK
188. **Cicadetta brullei Fieber,1876** (Cicadidae) Synonym(s): *brullei* Fieber,1876 MK FR GR IT ES YU
189. **Cicadetta cerdaniensis Puissant & Boulard,2000** (Cicadidae) Synonym(s): *cerdaniensis* Puissant & Boulard,2000 MK
190. **Cicadetta dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856 MK AL CN Ui Ku GR IT TR Cc AZ AM KG RU Sb YU
191. **Cicadetta macedonica Schedl,1999** (Cicadidae) Synonym(s): *macedonica* Schedl,1999 MK
192. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
193. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbricidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
194. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
195. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx Ye YU

196. **Coenorhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus* Herbst,1797; *aeneovirens* Marsham,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833 **DE BG DZ FR GB JP Cc MK TR**
197. **Coenorhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 **DE BG FR GB IR Cc KG UA Cm MK SY TR TM**
198. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 **LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT**
199. **Corynis krueperi (Stein,1876)** (Cimbicidae) Synonym(s): *krueperi* Stein,1876; *enslini* Maidl,1923 **MK AL LY Cy TR**
200. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
201. **Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878 **AL YU MK BG RO GR Cc**
202. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 **AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc**
203. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879 **TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm**
204. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 **PT ES FR DE UA MD RO YU GR IT AT HU TR MK**
205. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 **ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR**
206. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preysslner,1790; *analisis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 **IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB**
207. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis* Morawitz,1861 **AF AL BG HV GR MK RU UA YU**
208. **Dentilla curtiventris (André,1901)** (Mutillidae) Synonym(s): *curtiventris* André,1901 **TR AM AZ Cc SY GR YU MK AL IT Si**
209. **Deporaus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi* Scopoli,1763; *fagi* Scopoli,1763; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804 **DE DZ BG FR GB Cc TR KG MK MN RU Sb**
210. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 **AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR**
211. **Derocrepis slavica Gruev,1979** (Chrysomelidae) Synonym(s): *slavica* Gruev,1979 **BG MK YU**
212. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pedicidae) Synonym(s): *lucidipennis* Edwards,1921; *luteicolor* Alexander,1975 **AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR**
213. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomysae* Rondani,1877 **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
214. **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wahanru,1852 **DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN**
215. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae* Ferrière,1935; *elongatus* Ferrière,1947 **TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU**
216. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 **FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR**
217. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 **TR BG CZ DE HU IE MK L Cn Gn RO RU SK SE UA GB**
218. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944 **TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA**
219. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 **TR HV FR GR IL Pa KG KK MK RU ES TM**
220. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 **ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE ARAU ZA**

221. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali Enderlein,1907* TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz
222. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum Mayr,1878* TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
223. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi Boucek,1970* IR HV CZ DE IT MD MK RU SK UA TM YU
224. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
225. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
226. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis Förster,1856* AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
227. **Gnorimus nobilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nobilis Linnaeus,1758* MK FR RO YU RU
228. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigritarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
229. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas,1781* RU UA KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
230. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775; affinis Schrank,1781; bifoveolatus Kuster,1846; paganettii Flach,1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
231. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
232. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
233. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
234. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
235. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastrica Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
236. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis Lucas,1849* ES FR Co IT MK GR TR Cc KG NG SD SA LK
237. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis Linnaeus,1767* FR Co IT CH AT SS MK AL GR Cr BG TR RO HU
238. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei Meigen,1820; consanguinea Macquart,1840; egyptiaca Macquart,1840; campicola Eversmann,1855; mayeti Bigot,1888; aegyptiacus Bezzi,1903; compar Bezzi,1924; desarticola Paramonov,1928; turanica Paramonov,1928; conspicienda Austen,1937* AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
239. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti Schletterer,1889; tumida Benoist,1928; gibba Benoist,1928* BG GR MK RO TR IL Pa SY JO
240. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
241. **Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris Pérez,1902* FR GR HV MK SS IL Pa TR
242. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta Schenk,1861 nec Latr.,1811; claviventris Thomson,1872; foveolata Schenk,1873; columba Warncke,1991* AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
243. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
244. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica Morawitz,1871* AL AD CH ES FR GR HU HV IT Sa MK SS TR

245. **Hoplitis (Anthocopa) perezii (Ferton,1895)** (Megachilidae) Synonym(s): *perezii* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
246. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869 AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
247. **Hoplitis (Micreriades) illyrica (Noskiewicz,1926)** (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926 BG GR HV IT Si MK
248. **Hoplitis (Pentadentostmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872 AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
249. **Hoplitis (Pentadentostmia) pomarina (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991 *Osmia (Pentadentostmia) pomarina* Warncke,1991, Entomofauna 12: 22. Holotype ♂: Türkiye: Van Prov., Erciş 1650m (OLML Linz). GR MK TR IR
250. **Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969 AM Cc BG GR MK JO TR SY
251. **Hoplitis (s.str.) jheringi (Ducke,1898)** (Megachilidae) Synonym(s): *jheringi* Ducke,1898 IT GR HV MK SS DZ EG MA TN
252. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
253. **Hoplitis (s.str.) ochraceicornis (Ferton,1902)** (Megachilidae) Synonym(s): *ochraceicornis* Ferton,1902; *seyrigi* Benoist,1969 AD ES FR IT MK PT Md
254. **Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895 AL GR Cr HV IT MK SS IL Pa JO SY TR
255. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
256. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
257. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
258. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
259. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989 TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
260. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916 IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
261. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 GR BG TR HV YU MK RO SK UA RU Cc
262. **Labidostomis oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1889 BG GR TR MK
263. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
264. **Lampyrus zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri* Germar,1817 BG GR B-H HV MK RO YU
265. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877 MA FR DK ES PT Co DE PL MK IL Pa TR IR
266. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Atelabidae) Synonym(s): *cavifrons* Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
267. **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775 TR IT TR CY AL B-H HV BG GR Cr HU IT Sa Si MK SL YU
268. **Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
269. **Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica* Linnaeus,1758 *Cantharis noctiluca* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401. Type(s): Italia. HV GR MK IT SL RO SZ YU TR
270. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelia* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
271. **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919 AF AL DZ AZ Cc TR BW CM Cn CN HV CY EG ET FR GM GH GR GN IR IQ IL Pa IT CI KG KE LB LY MK ML MT MA MZ NG PK PT CG SA SN Sk CH SY TZ Zz TM TN UG UZ YE YU ZR o1 31

272. **Malachius rubidus** Erichson,1840 (Melyridae) Synonym(s): *rubidus* Erichson,1840; *carnifex* Erichson,1840; *fallax* Strübing,1854; *sublateralis* Pic,1912; *valesiacus* Pic,1929 **AL B-H BG CZ FR HU IT LT MK PL SK SY AT CH DE YU TR**
273. **Mantis religiosa** (Linnaeus,1758) (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 *Gryllus religiosus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. **PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN**
274. **Megastigmus dorsalis** (Fabricius,1798) (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 **FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU**
275. **Merodon erivanicus** Paramonov,1925 (Syrphidae) Synonym(s): *erivanicus* Paramonov,1925 **MK GR IL Pa TR Cc Eri AM**
276. **Merodon kaloceros** Hurkmans,1993 (Syrphidae) Synonym(s): *kaloceros* Hurkmans,1993 *Merodon kaloceros* Hurkmans,1993, Tijdschr. Ent. 136: 187-188, figs. Holotype ♂: Turkey: Antalya Prov., N. Akseki Irmasan gediği 1600m. 24.vii.1981 (ZMAN). **MK GR TR**
277. **Merodon manicatus** (Sack,1938) (Syrphidae) Synonym(s): *manicatus* Sack,1938 **MK**
278. **Merodon velox** Loew,1869 (Syrphidae) Synonym(s): *velox* Loew,1869; *anathema* Paramonov,1925; *armeniaca* Paramonov,1925 *Merodon velox* Loew,1869, *Beschr. eur. Dipt.*: 253. Lectotype ♂: "Rhodus" (NHMW), designated by Hurkmans (1993: 183). **MK GR Rd TR Cc AM Eri AZ Nv Ord**
279. **Metacantharis clypeata** (Illiger,1798) (Cantharidae) Synonym(s): *clypeata* Illiger,1798 **TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR**
280. **Mniophila muscorum** (Koch,1803) (Chrysomelidae) Synonym(s): *muscorum* Koch,1803 **AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU**
281. **Monodontomerus aereus** Walker,1834 (Torymidae) Synonym(s): *aereus* Walker,1834 **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
282. **Monodontomerus obscurus** Westwood,1833 (Torymidae) Synonym(s): *obscurus* Westwood,1833 **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
283. **Monodontomerus vicicellae** (Walker,1847) (Torymidae) Synonym(s): *vicicellae* Walker,1847 **IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB**
284. **Morimus ganglbaueri** (Reitter,1884) (Cerambycidae) Synonym(s): *ganglbaueri* Reitter,1884 **IT MK AL GR**
285. **Muzimes collaris** (Fabricius,1787) (Meloidae) Synonym(s): *collaris* Fabricius,1787 **TR MK GR BG RU Cc**
286. **Myrmilla (Pseudomutilla) glabrata** (Fabricius,1775) (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 **TR KG UZ SY GR BG YU MK AT HU RO UA RU**
287. **Myrmilla (s.str.) calva** (Villers,1789) (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 **AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG**
288. **Myrmilla (s.str.) erythrocephala** (Latreille,1792) (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 **AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG**
289. **Myrmilla (s.str.) lezginica** (Radoszkowski,1885) (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 **GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa**
290. **Nemka viduata** (Pallas,1773) (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 **TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES**
291. **Nemoura cinerea** (Retzius,1783) (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *buresschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 **PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA**
292. **Neochalcis fertoni** (Kieffer,1899) (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 **DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR**
293. **Neodorcadion fallax** (Kraatz,1873) (Cerambycidae) Synonym(s): *fallax* Kraatz,1873; *fallaciosum* Breuning,1947 **GR MK**
294. **Nephrotoma aculeata** (Loew,1871) (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 **AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc**
295. **Neuroterus anthracinus** (Curtis,1838) (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 **PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR**
296. **Neuroterus numismalis** (Fourcroy,1785) (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarum* Curtis,1843; *vesicatrix*

- Schlechtendal,1870; vesicator Hieronymus,1890; brunneus Dettmer,1925* PT ES FR BE NL GB IE NO SE
UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
297. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarum* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
298. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulissippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
299. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
300. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
301. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
302. **Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897 B-H BG HV GR MK TR IR IL Pa SY
303. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
304. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
305. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
306. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
307. **Nyctophila maculicollis (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis* Fairmaire,1866 MK TR SY IR
308. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
309. **Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi* Galante,1985 BG GR MK RO TR
310. **Omaloplia (s.str.) caeca (Baraud,1965)** (Scarabaeidae) Synonym(s): *caeca* Baraud,1965; *balcanica* Adam,1994 BG GR MK
311. **Omaloplia (s.str.) corcyrae (Baraud,1965)** (Scarabaeidae) Synonym(s): *corcyrae* Baraud,1965 AL BG Cr GR MK RO YU
312. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera* Frivaldsky,1835; *carbonaria* Blanchard,1850; *transsylvanica* Bielz,1850 AL BG Cr GR HU MK MD RO UA YU TR
313. **Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) Synonym(s): *gibbosa* Baraud,1965; *macedoniae* Baraud,1965 AL GR MK YU TR
314. **Omaloplia (s.str.) illyrica (Baraud,1965)** (Scarabaeidae) Synonym(s): *illyrica* Baraud,1965 AL B-H BG Cr GR MK RO YU
315. **Omaloplia (s.str.) iris (Reitter,1887)** (Scarabaeidae) Synonym(s): *iris* Reitter,1887 BG GR MK RO YU
316. **Omaloplia (s.str.) lonae (Schatzmayer,1923)** (Scarabaeidae) Synonym(s): *lonae* Schatzmayer,1923 AT AL B-H HV IT MK SS
317. **Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1963 TR IL Pa SY IR MK GR BG
318. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni* Harold,1877 TR BG MK GR RO UA HU
319. **Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817 RU Sb KG KK TJ UZ TM MN TR MK GR SY AF CN Ti Mc Ch IN
320. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR
321. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU
322. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 AM Cc BG FR GR IT Si MK UA TR

323. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR
324. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR
325. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
326. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 MK BG ES GR IL Pa JO SY Cc TR
327. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR
328. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
329. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
330. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtii* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
331. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
332. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
333. **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875 AM Cc GR Cr HV IT MK KK TJ UZ IL Pa JO LB TR
334. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
335. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
336. **Osmia (Hoplosmia) padri (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri* Tkalcu,1974 BG GR HV MK SY TR
337. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR
338. **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869 BG GR MK EG IL Pa JO LB SY TR
339. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
340. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
341. **Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869 AL AM Cc BG IT GG GR HV MK RU SS IL Pa JO IR SY TR
342. **Osmia (Neosmia) jason Benoist,1929** (Megachilidae) Synonym(s): *jason* Benoist,1929 GR MK RO IL Pa
343. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
344. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
345. **Osmia (Pyrosmia) laticauda Stanek,1969** (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992 GR MK TR

346. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
347. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
348. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
349. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
350. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
351. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
352. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
353. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
354. **Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845 MK SY TR Cc AM UZ TM
355. **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917 Cc AM GR TR SY LB IL Pa JO EG IQ KK KG TM UZ TJ YU MK RU PK AF
356. **Pachytrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882 FR DE HU AT B-H MK IT GR PL AL BG Cc MD YU TR RU Sb
357. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 TR IT AT UA YU RO AL MK GR BG
358. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
359. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830 DZ FR IT GR MK MA PT ES TN YU
360. **Paramyrmosa brunripes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunripes* Lepeletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
361. **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835 AZ AM Cc BG GG GR MK TR IR JO KK KG LY SY TJ TM UZ
362. **Pedestredorcadion borisi (Heyrovksy,1931)** (Cerambycidae) Synonym(s): *borisi* Heyrovksy,1931 MK
363. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;... MK BG UA Cm GR RO RU YU
364. **Pedestredorcadion kaimakcalanum (Jurecek,1929)** (Cerambycidae) Synonym(s): *kaimakcalanum* Jurecek,1929; *jureceki* Heyrovsky,1942 MK
365. **Pedestredorcadion kozanii (Breuning,1962)** (Cerambycidae) Synonym(s): *kozanii* Breuning,1962 MK
366. **Pedestredorcadion krueperi (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *krueperi* Ganglbauer,1883 GR MK
367. **Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre* Kraatz,1873 BG GR MK TR
368. **Pedestredorcadion macedonicum (Jurecek,1929)** (Cerambycidae) Synonym(s): *macedonicum* Jurecek,1929 MK
369. **Pedestredorcadion pseudolugubre (Breuning,1943)** (Cerambycidae) Synonym(s): *pseudolugubre* Breuning,1943 MK
370. **Pedestredorcadion purkynei (Heyrovsky,1925)** (Cerambycidae) Synonym(s): *purkynei* Heyrovsky,1925 MK

371. **Pedestredorcadion salonicum (Pic,1916)** (Cerambycidae) Synonym(s): *salonicum* Pic,1916
GR MK
372. **Pedestredorcadion tauricum (Waltl,1838)** (Cerambycidae) Synonym(s): *tauricum*
Waltl,1838; *nigritarse* Kraatz,1873 RO BG GR MK
373. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830
AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ
AM Cc CY LB TR
374. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pedicidae) Synonym(s): *littoralis*
Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
375. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR
DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
376. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH
TR UA IR IL Pa SA SY
377. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola*
Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
378. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata*
Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921;
barcinonensis Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865;
luteipes Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
379. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI
RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
380. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR
CH AT IT Sa Co Cr TR
381. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens*
Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT
RO RU Sb SK SS ES SE CH UA YU
382. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846 IT TR B-
H HV FR GR IR IL Pa MK SS ES YU
383. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820;
maculata Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT
TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
384. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens*
Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA
UZ YU
385. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s):
daghestanica Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU
RO UA FR IT Si
386. **Phytoecia vulneris Aurivillius,1923** (Cerambycidae) Synonym(s): *vulneris* Aurivillius,1923
FR IT HV SB MK
387. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes*
Horvath,1888 ES IT DE AT CZ HU MK BY BG UA RU KG
388. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica*
Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT
ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us
TM TJ KG KK UZ CN U MN
389. **Pignatellus irroratus (Olivier,1811)** (Myrmeleonidae) Synonym(s): *irroratus* Olivier,1811;
imbecillus Stein,1863; *extorris* Navas,1913; *clarus* Navas,1914; *sobrius* Navas,1914 YU MK GR TR
390. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata*
Olivier,1811 TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD
391. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767;
foedratus Kohl,1898; *omissus* Weyrauch,1939 ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
392. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758
AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
393. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900
Cc RU Da DE RO HU MK BG ES
394. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes*
Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 AL DZ Cn
HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
395. **Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978
BG GR MK TR
396. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis*
Morawitz,1876; *graffei* Schmiedeknecht,1890 BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR

397. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 **Tenthredo amerinae** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
398. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major* Burmeister,1839. AT DE CH FR CZ HU BG HV MK RO GR
399. **Raphidia (s.str.) beieri H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *beieri* H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965 MD MK BG TR
400. **Raphidia (Turcoraphidia) amara H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *amara* H.Aspöck & U.Aspöck,1964 AL MK BG UA Cm TR
401. **Rhabdiopteryx doiranensis Ikomonov,1983** (Taeniopterygidae) Synonym(s): *doiranensis* Ikomonov,1983 **Rhabdiopteryx doiranensis** Ikomonov,1983, *Fragm. balc.* 11 (18): 178. MK TR
402. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
403. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK UZ RU Sb SY TJ YU GR TR
404. **Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916 BG AM Cc HU IR MK RU Sb SY TR GR
405. **Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926 BG AM Cc MK GR TR SY IL Pa
406. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
407. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
408. **Saga hellenica Kaltenbach,1967** (Tettigoniidae) Synonym(s): *hellenica* Kaltenbach,1967 GR MK
409. **Saga natoliae Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos* Stoll,1787 *nec* Pall.,1772; *synophrys* Charpentier,1841; *natoliae* Audinet-Serville,1839; *brunneri* Saussure,1888 **Saga natoliae** Audinet-Serville,1839, *Hist. nat. Ins. Orthopteres:* 541-542. Syntypes: "Smyrne" (coll. M.A.Lefebvre). AL MK BG TR SY IL Pa
410. **Saga rammei Kaltenbach,1965** (Tettigoniidae) Synonym(s): *rammei* Kaltenbach,1965 MK BG
411. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
412. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
413. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
414. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
415. **Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 TR CY BG GR FR IT HU RO MK
416. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
417. **Scarabaeus armeniacus Ménétrés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétrés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
418. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819 ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
419. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR

420. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
421. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivosecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
422. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
423. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidaei Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
424. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri Koch,1872; spinimanus Pokorny,1887* IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
425. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata Linnaeus,1758* ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
426. **Sybistroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufouri Macquart,1838; spathulata Loew,1861* GR FR IT ES MK MA DZ
427. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata Swederus,1795; obscura Curtis,1831; cooperi Curtis,1831; fasciatus Fonscolombe,1832; immaculata Walker,1832; semifasciata Walker,1834; signata Nees,1834; inaequalis Thomson,1876; strigifrons Thomson,1876* TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
428. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica Thomson,1876* TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
429. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis Nees,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massasoit Crawford,1913; fulvipes Györfi,1941* TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fl Ny Tx YU
430. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
431. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus Egger,1859 nec Macq.,1839; rupium Brauer,1880; abazus Bigot,1880; alazinus Bigot,1892; lasios Surcouf,1924; hadjnicolaoui Kröber,1936; loewi Muschamp,1939* DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
432. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
433. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis Dejean,1831* AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
434. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros Fischer von Waldheim,1828* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
435. **Teratolytta dives (Brullé,1832)** (Meloidae) Synonym(s): *dives Brullé,1832; phalerata Frivaldsky,1837; vittata Kiesenwetter,1861; excellens Escherich,1894* TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal
436. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
437. **Thereva macedonica Kröber,1937** (Therevidae) Synonym(s): *macedonica Kröber,1937* MK
438. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes Scopoli,1763; sanguinea Fabricius,1803; helveola Germar,1821; viridinervis Fieber,1876* Cicada *haematodes Scopoli,1763*, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
439. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveri Krynicky,1837* CH FR PT BG MK TR Cc GG UA Cm
440. **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca Vermoolen,1983* MK GR BG LB TR

441. **Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae) Synonym(s): *furcula Mannheims,1954* MK YU GR TR
442. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis Meigen,1804*; *itermedia Eiroa,1990* Tipula *lateralis* Meigen,1804, *Klass. Besch.* 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
443. **Torymoides dispar (Masi,1916)** (Torymidae) Synonym(s): *dispar Masi,1916* TR IT SK HU B-H YU AL MK
444. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri Mayr,1874*; *longicauda Masi,1916* ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
445. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL TR RU YU SK ES SE UA GB
446. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781*; *macropterum Walker,1833*; *splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
447. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
448. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
449. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
450. **Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica Baraud,1962*; *bulgarica Bunalski,2001* HV YU AL BG GR MK RO TR
451. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata Loew,1865* TR HU MK FR IT Si ES TN
452. **Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): *graeca Uvarov,1926* Tropidopola *longicornis* ssp. *graeca* Uvarov,1926, *Eos* 2: 173-174, figs. Holotype: Macedonia: Vardar plain, Tekeli to Kenlike (BMNH). IT MK GR TR SY Dms
453. **Tropidotilla grisescens (Lepelletier,1845)** (Mutillidae) Synonym(s): *grisescens Lepelletier,1845*; *litoralis sensu Özbek et al.,1999 nec Petagna,1787* TR GR BG HV YU MK UA Cm IT Si FR DZ
454. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
455. **Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana André,1901* TR Cc AZ AM GR MK RU
456. **Urophora mauritanica Macquart,1851** (Tephritidae) Synonym(s): *mauritanica Macquart,1851* MA DZ LY TR AL GB GR Cr CY CZ FR MT IT Sa MK MD RU KG KK UZ IL Pa
457. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae) Synonym(s): *forcipata Brullé,1833* DZ EG IL Pa TN IT YU MT MK GR
458. **Usia (Micrusia) novakii Strobl,1902** (Bombyliidae) Synonym(s): *novakii Strobl,1902* DZ B-H HV FR GR IT LY MK MA SS TN YU
459. **Usia (Micrusia) sicula Egger,1859** (Bombyliidae) Synonym(s): *sicula Egger,1859* HV GR IT Si MK SS SY TR YU
460. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787*; *hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
461. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798*; *vicina Macquart,1840*; *#pubera Becker,1906*; *pubera Strobl,1906* DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU
462. **Usia (s.str.) lata Loew,1846** (Bombyliidae) Synonym(s): *lata Loew,1846*; *bicoloripes Malloch,1926* GR Rd MK IT YU TR
463. **Usia (s.str.) transcaspica Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica Paramonov,1950* AM AZ Cc MK TM UZ
464. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804*; *quinquefasciata Wiedemann,1820* DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
465. **Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata Meigen,1804* AF AL AM Cc GG AZ AT BE B-H HV CZ FI FR DE GR HU IT Sa Si IR MK MD PL NL PT CN
466. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata Meigen,1804*; *trigonostigma Czerny,1901* MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
467. **Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga Loew,1868* IT BG CY GR MK TR

468. **Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916 **IT Si TR**
AF AM AZ GG Cc GR IR MK YU
469. **Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875 **BG MK RO**
TR
470. **Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906
SD DZ EG GR MK IL Pa YU TN TR
471. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 **AL AM Cc**
AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH
TR UA CY IR

Synonymic and distributional list of the pterygot insects of Romania

(Results of the Entomofauna of the World based upon info-system of the Cesa)

74

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Romania (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 74. *Priamus* (suppl.) 18: 2622-2676.

In this study, totally 1334 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Romania recorded in info-system of the Cesa, total pterygot species of Romania increase to 4788.

Key words: List, distribution, *pterygota*, *Insecta*, Romania.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 1334 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3454 recorded species of Lepidoptera from Romania are found. Taking this information into consideration, total number of the pterygots may increase to 4788.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus Duftschmid,1812* AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea Linnaeus,1767* GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata Fabricius,1775* AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Abraeomorphus minutissimus (Reitter,1884)** (Histeridae) Synonym(s): *minutissimus Reitter,1884* RO RU
6. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU

7. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus Aubé,1842* DE FR FI IT AT PL RO SE SS CZ HU
8. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
9. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa Fieber,1866; ferruginea Kirschbaum,1868* AT BE BG TR CZ DK DE FR IT NL PL RO RU
10. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae) Synonym(s): *velikensis Piller & Mitterpacher,1783; dentipes Rossi,1790* IT GR TR YU AL BG RO CH FR HU
11. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis Meigen,1824* TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
12. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons Kirschbaum,1868* AT FR DE IT RO GG Cc TR UA YU
13. **Achalcerinus lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
14. **Achalcus cinereus (Haliday,1851)** (Dolichopodidae) Synonym(s): *cinereus Haliday,1851; pygmaeus Zetterstedt,1855; depuytoraci Vaillant & Brunhes,1980* UA RO
15. **Achalcus flavicollis (Meigen,1824)** (Dolichopodidae) Synonym(s): *flavicollis Meigen,1824; pallidus Zetterstedt,1843* RO BG
16. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
17. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
18. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
19. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
20. **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea Brullé,1832* Phaneroptera servillea Brullé,1832, [in] Bory de St.-Vicent et al., Expédition scientifique de Morée 4: 3 (1) 2: 86. Neotype : Greece: Morea. IT Si SS HV B-H RO BG GR TR
21. **Acrospilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger Loew,1869; perplexus Becker,1917* BG RO RU DZ TN
22. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
23. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834* ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
24. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869* DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
25. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915* DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
26. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni Reitter,1876* BG GR IT YU AT PL RO SK CZ TR UA HU
27. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
28. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni Scholz,1920* BG GR RO RU UA TR
29. **Agallia aciculata Horvath,1894** (Cicadellidae) Synonym(s): *aciculata Horvath,1894* RO AM AZ GG KG KK RU TM UZ
30. **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta Melichar,1896* CY GR IL Pa TR JO RO Cc GG YU
31. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
32. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791; grylloides Fabricius,1794; liliamacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
33. **Agapanthia osmanlis Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *osmanlis Reiche & Saulcy,1858* RO BG HU TR SY

34. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
35. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
36. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid,1812 AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
37. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae* Csiki,1931 AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
38. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
39. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
40. **Agonum rugicolle Chaudoir,1846** (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846 AM Cc BG RO RU TR IR SY
41. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater* Linnaeus,1767 AT CZ FI FR RO RU UA LT TR
42. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
43. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
44. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
45. **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857 DE AL AT Cc AZ BG DZ AM MA FR IR CH IT CY EG RO SK SY YU GR TR
46. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
47. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
48. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
49. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
50. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913 Acrydium *strepens* Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU
51. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
52. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
53. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
54. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
55. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
56. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
57. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
58. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
59. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR

60. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
61. **Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812 RU Ur Cc TR RO BG
62. **Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781 *Meloe syriacus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 419. Type: "Syria". LY EG Sn IL Pa TR Cc SY RU RO BG AT
63. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
64. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
65. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gm Mc Ui Ti Qz
66. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
67. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
68. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
69. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929 AT B-H BG HV FR DE GR IT MK RO SL ES TR
70. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
71. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jabllokoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
72. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
73. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
74. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
75. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
76. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
77. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
78. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL

79. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
80. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
81. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythrota* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
82. **Amara (s.str.) morio Ménétris,1832** (Carabidae) Synonym(s): *morio* Ménétris,1832 **AZ AL AM Cc AT BG FR GG IT RO RU CH TR CH**
83. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu**
84. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962 **AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN**
85. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL**
86. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theyri* Antoine,1853 **AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL**
87. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM**
88. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812 **AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM**
89. **Amara (Zezea) chaudiroi Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946 **AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ**
90. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859 **AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA**
91. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc**
92. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946 **AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU**
93. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938 **AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU**
94. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 **DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD**
95. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
96. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 **AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU**
97. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 **TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU**
98. **Anapleus raddei (Reitter,1878)** (Histeridae) Synonym(s): *raddei* Reitter,1878 **GR RO RU**
99. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916 **IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU**

100. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; oliaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
101. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni Bach,1852* TR AT CZ FR DE HU IT PL RO SK SS CH UA
102. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius Rossi,1790; variegatus Wiedemann,1818; pictus Wiedemann,1821* AT AL FR GR IT RO TR YU KG SR IL Pa
103. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe Meigen,1820; adustiventris Costa,1863; erythrurum Loew,1847* DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
104. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum Linnaeus,1758; prostratum Scopoli,1763* DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
105. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus Giraud,1859* IT Si AT SK CZ HU UA MD RO BG GR TR
106. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries Giraud,1859* GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
107. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis Giraud,1859* IT AT B-H HU YU TR RO MD UA BG
108. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma Hartig,1841; cirratus Adler,1881; giraudi Wachtl,1882* PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
109. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae Hartig,1843; gallaecristatae Henschel,1876* ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR
110. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus Hartig,1843; longipes Kieffer,1901; longispinae Kieffer,1901* IT AT HU YU RO BG UA PL TR GR IR
111. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius Hartig,1843; lusitanicus Kieffer,1900* PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
112. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus Giraud,1859; coronaria Stefani,1898* FR IT AT B-H HU GR BG RO UA TR
113. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix Schlechtendal,1870; ambiguus Trotter,1899* GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
114. **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator Hartig,1840; axillaris Hartig,1840; collaris Hartig,1840; curvata Förster,1869; dimidiatus Schenck,1863; fasciatus Schenck,1863; perfoliatus Schenck,1863; tegmentorum Schlechtendal,1870; lusitanicus Kieffer,1901* PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
115. **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae Giraud,1859* Andricus cydoniae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 357. GB IT Si B-H AT HU RO BG TR
116. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus Rejto,1887; mayri Kieffer,1897 nec Wachtl.,1879; gallaeviscosus Benson,1953; viscosus Nieves-Aldrey,1986; floridus Melika & Csoka,1998* PT ES FR IT B-H AT HU MD RO UA BG GR TR
117. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus Giraud,1859* IT AT B-H YU GR BG RO HU UA TR
118. **Andricus gallaurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaurnaeformis Fonscolombe,1832; urnaeformis Giraud,1859; sufflator Mayr,1882* PT ES FR GB AT IT YU HU UA RO BG GR TR
119. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus Giraud,1859; kirchbergi Wachtl,1876* PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
120. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae Giraud,1859; mayri Wachtl,1879; panteli Kieffer,1897; fructuum Trotter,1899; intermedius Tavares,1922; gemellus Belizin & Maisuradze,1961* Andricus grossulariae Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
121. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi Hartig,1843* IT Si AT CZ SK PL UA HU MD RO BG GR TR
122. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus Hartig,1943* IT AT CZ B-H HU UA RO BG TR
123. **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix Kieffer,1897* IT HU MD RO BG GR TR
124. **Andricus infectorius (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius Hartig,1843; nostra Kieffer,1901; tinctorianostras Trotter,1903* FR IT Si AT CZ SK PL HU RO YU GR TR BY
125. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator Hartig,1840; globuli Hartig,1840; inflatioides Belizin & Maisuradze,1962* PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR

126. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909 PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
127. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuuwen & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
128. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901 GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
129. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870 IT AT PL UA HU RO BG GR TR
130. **Andricus multiplicatus Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859 *Andricus multiplicatus* Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360. IT Si AT CZ SK HU RO YU GR TR
131. **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906 IT AT DE PL CZ SK HU RO BG GR TR
132. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899 FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
133. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901 PT ES FR GB IE DE DK SE PL UA MD RO HU TR
134. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902 PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
135. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901 PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
136. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR
137. **Andricus schroeckingeri Wachtl,1876** (Cynipidae) Synonym(s): *schroeckingeri* Wachtl,1876 AT HU RO TR
138. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
139. **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901 HU RO YU BG GR TR
140. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859 IT AT HU B-H YU BG RO UA PL TR
141. **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831 AT CZ DE FR HU IT RO CH BG GR
142. **Aneomochtherus flavipes (Meigen,1820)** (Asilidae) Synonym(s): *flavipes* Meigen,1820 AT DE CH FR HU GR RO RU KG
143. **Anoplus viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905 PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
144. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882 AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
145. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884 PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
146. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963 AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
147. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi* Lethierry,1876; *fusca* Ivanoff,1885; *henschi* Loew,1885 IT RO TR KG MD RU UA YU

148. **Anoxia (s.str.) asiatica** Desbrochers,1872 (Scarabaeidae) Synonym(s): *asiatica* Desbrochers,1872; *syriaca* Brenske,1894 RO TR AM Cc IQ SY
149. **Anthaxia (Haplantaxia) rossica** Daniel,1903 (Buprestidae) Synonym(s): *rossica* Daniel,1903; *horvathi* Kaszab,1940 BG GR HU RO TR UA
150. **Anthaxia (s.str.) hackeri** Frivalsky,1884 (Buprestidae) Synonym(s): *hackeri* Frivalsky,1884 AT BG TR CZ HU RO SK
151. **Anthidium (Pseudoanthidium) alpinum** Morawitz,1874 (Megachilidae) Synonym(s): *alpinum* Morawitz,1874 Cc RU Da RO HU TR
152. **Anthocomus equestris** (Fabricius,1781) (Melyridae) Synonym(s): *equestris* Fabricius,1781 HU RO TR
153. **Anthocomus fasciatus** (Linnaeus,1758) (Melyridae) Synonym(s): *fasciatus* Linnaeus,1758 SE AT EE GE GR IT RO YU TR
154. **Anthocomus rufus** (Herbst,1784) (Melyridae) Synonym(s): *rufus* Herbst,1784; *coccineus* Schaller RU SE DK DE RO
155. **Anthocoris limbatus** Fieber,1836 (Anthocoridae) Synonym(s): *limbatus* Fieber,1836 FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
156. **Anthocoris pilosus** (Jakovlev,1877) (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
157. **Anthomalachius strangulatus** (Abeille de Perrin,1885) (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891 FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
158. **Anthrax binotatus** Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
159. **Anthrax heteropyga** (Sack,1909) (Bombyliidae) Synonym(s): *heteropyga* Sack,1909 IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
160. **Anthrax leucogaster** Wiedemann,1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
161. **Antipalus bilobus** Ionescu & Weinberg,1960 (Asilidae) Synonym(s): *bilobus* Ionescu & Weinberg,1960 RO GR
162. **Antipalus varipes** (Meigen,1820) (Asilidae) Synonym(s): *varipes* Meigen,1820; *tibialis* Megerle,1820; *macrurus* Ruthe,1831; *xanthopygus* Ruthe,1831; *aurifluus* Zeller,1840; *tenax* Zeller,1840; *mollis* Loew,1871; *flabellifer* Pandellé,1905 AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
163. **Antiphrisson trifarius** (Loew,1849) (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903 AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
164. **Aphelocheirus aestivalis** (Fabricius,1794) (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794 FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
165. **Aphelonyx cerricola** (Giraud,1859) (Cynipidae) Synonym(s): *cerricola* Giraud,1859 GB IT AT HU YU RO BG GR TR
166. **Aphrodes bicinctus** (Schrank,1776) (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
167. **Aphrodes bifasciatus** (Linnaeus,1758) (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
168. **Aphrodes elongatus** (Lethierry,1876) (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876 CS HU IT RO SY Cc TR AM AZ GG KK RU Sb YU
169. **Aphrodes flavostriatus** (Donovan,1799) (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821 AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
170. **Aphrodes histrionicus** (Fabricius,1794) (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
171. **Aphrodes nigrinus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum,1868; *integer* Wagner,1937 DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU
172. **Aphrodes serratulae** (Fabricius,1775) (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus*

- Signoret,1879; vicarius Horvath,1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
173. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805; fuscata Haupt,1925; umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
174. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
175. **Aphthona valachica Heikertinger,1944** (Chrysomelidae) Synonym(s): *valachica Heikertinger,1944* RO TR
176. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus Kiesenwetter,1858* TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
177. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
178. **Aprosthemella syrmienne (Mocsary,1897)** (Argidae) Synonym(s): *syrmienne Mocsary,1897* TR B-H RO
179. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini Kostjukov,1976* DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
180. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
181. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1937* AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
182. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata Ribaut,1952* BG CS FR DE HU NL PL RO SW MD RU UA YU
183. **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis Konow,1891* B-H RO Cc SY TR
184. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
185. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
186. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
187. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi (Tischbein,1852* SK HU UA RO BG MK GR AL TR Cc
188. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
189. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra Gmelin,1790; nigritarsis Klug,1834; fuliginata Konow,1907* PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
190. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
191. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
192. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
193. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica Klug,1834* B-H HU SK UA RO MK BG TR Cc CN Ui
194. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP
195. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
196. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana Fallén,1823 nec Fabr.,1775; argentina Meigen,1824; geniculata Schummel,1837* GG RO GR RU Cc UA IR MA
197. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria Meigen,1824; argentata Macquart,1834; argentellus Zetterstedt,1843; divergens Parent,1926; discedens Parent,1838* GR Cr MD RO RU UA Cc Cm MA Cn
198. **Argyra atriceps Loew,1857** (Dolichopodidae) Synonym(s): *atriceps Loew,1857* BG MD RO UA
199. **Argyra auricollis (Meigen,1824)** (Dolichopodidae) Synonym(s): *pellucens Fallén,1823; auricollis Meigen,1824* RO
200. **Argyra diaphana (Fabricius,1775)** (Dolichopodidae) Synonym(s): *diaphana Fabricius,1775; ludea Harris,1776; pellucens Fallén,1823; versicolor Meigen,1824; hirtipes Curtis,1835* MD RU RO UA IR

201. **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata* Kowarz,1879 **GG RO RU Sb Am Sj Us Kmt Cc SY CZ UZ**
202. **Argyra vestita (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *vestita* Wiedemann,1817 **BG RO IL Pa**
203. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990 **DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE**
204. **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899 **BG GR TR RO HU**
205. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 **AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA**
206. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869 **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD**
207. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 **AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU**
208. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 **AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU**
209. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 **BG CS HU IT RO TR Cc AM GG MD UA YU**
210. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 **IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB**
211. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
212. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus* Becker,1902 **EG IQ IR RO AT ES**
213. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
214. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
215. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
216. **Athous (Euplathous) proximus (Hampe,1864)** (Elateridae) Synonym(s): *proximus* Hampe,1864 **BG GR RO TR?**
217. **Athous (Haplathous) carpathicus Reitter,1889** (Elateridae) Synonym(s): *carpathicus* Reitter,1889 **RO TR?**
218. **Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918 **TR GR HU SK RO AT**
219. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922 **PL HU SK RO IT UA TR GR DE**
220. **Atylotus flavoguttatus (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus* Szilady,1915 **DZ RO AT FR TR**
221. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
222. **Australachalcus melanotrichus (Mik,1878)** (Dolichopodidae) Synonym(s): *melanotrichus* Mik,1878 **RO**
223. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964 **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
224. **Austroasca (s.str.) vittata (Lethierry,1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry,1884; *artemisiae* Haupt,1924 **AT CN Mc CZ GB FR DE IT Si JP KP K MN PL RO CH RU TR YU**
225. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 **AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ**
226. **Balcanocerus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903 **BG RO YU TR**
227. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**

228. **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908 CN BG CS EG FR DE HU IL IT JP RO SW YU RU TR
229. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ
230. **Batracomorphus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina* Fabricius,1794 (*praeocc.*); *allionii* Turton,1802; *fabricii* Metcalf,1955 AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb
231. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU
232. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
233. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta* Meigen,1824; *clausa* Macquart,1835; *vernalis* Robineau-Desvoidy,1863; *angusta* Séguéy,1928 BG CZ DK FR DE HU IT PL NO RO SK ES
234. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
235. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
236. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
237. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
238. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn
239. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU
240. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP
241. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
242. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
243. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
244. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
245. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium* Marsham,1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
246. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum* Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
247. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
248. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum* Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA NC NL
249. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum* Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
250. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii* Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL

251. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
252. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
253. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
254. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
255. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
256. **Bembidion (Talanes) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir,1850* BG HV CZ GR IT MD RO RU TR UA
257. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
258. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
259. **Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943* AL B-H BG HV GR IT MK RO TR YU
260. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
261. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
262. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
263. **Bibio brunnipes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes Fabricius,1781 nec Linn.,1761; brunnipes Fabricius,1794; umbellatum Zetterstedt,1838; fulvipes Zetterstedt,1838; fumipennis Walker,1848; inaequalis Loew,1864; fulvus Lundstrom,1910; jacobi Hardy,1938 nec Villen.,1924* CH AT DE PL AT SK HU RO NO SE FI IT
264. **Bibio macer Loew,1871** (Bibionidae) Synonym(s): *macer Loew,1871* RO
265. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
266. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
267. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris Linnaeus,1758; cullumanus Kirby,1802; audax Harris,1870; silantjewei Morawitz,1892; holsaticus Krüger,1954* GB IT ES PT DZ GR Cc PL DK CZ RO TR
268. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
269. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
270. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula Loew,1855 nec Pall.,1818; croaticum Kertész,1901* AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
271. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
272. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps Loew,1862; nigricephalus Séguin,1926* AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
273. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU

274. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
275. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
276. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
277. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
278. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
279. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
280. **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892 AM AZ GG Cc BG EG GR IR IT MK MT RO SY LB YU TR
281. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
282. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TR TM GB UZ YU
283. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
284. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
285. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873 AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
286. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
287. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
288. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
289. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
290. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
291. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
292. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU

293. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
294. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus* Duda,1923 BE CN Ui CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU
295. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
296. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
297. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
298. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
299. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
300. **Brachycephalus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
301. **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis* Gyllenhal,1833 AT HU RO BG GR TR
302. **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psiferus* Thunberg,1799; *sinuatus* Olivier,1807; *lutulentus* Gyllenhal,1833 RU RO YU IT Si GR TR CY
303. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
304. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
305. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951 FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
306. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
307. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
308. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
309. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
310. **Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859 BG HV CZ SK DE GR HU IT MK MD RO CH YU TR
311. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR
312. **Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida* Wesmael,1838 TR RO YU HU AT BE IT FR GB
313. **Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger* Wesmael,1838 JP RU TJ TM RO HU AT BE IT FR TR
314. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
315. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR
316. **Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger* Wesmael,1838 TR JP KG Cc RU RO CZ HU AT IT BE FR GB
317. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella* Wesmael,1838 RU RO AL YU HU IT CH BE FI SE GB TR
318. **Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini* Kokoujev,1904 TR Cc AZ KG RU TM KG RO HU

319. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
320. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
321. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
322. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
323. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
324. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
325. **Bucephaloptera bucephala (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939 *Thamnotrizon bucephalus* Brunner von Wattenwyl,1882, Prodr. eur. Orthopteren: 338. Syntypes: Türkei, Ephesus (NHMW). IT YU GR BG RO AL TR
326. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 ES SS IT HU RO BG GR MK UA TR RU Ao
327. **Caliscelis affinis (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis* Fieber,1876 Cc BG RO AM GG MD UA
328. **Caliscelis wallengreni (Stål,1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål,1863 CN FR GR TR HU IT RO RU
329. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, Fauna del regno Napoli, Ortoteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
330. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952 *Gryllus (Locusta) italicus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF
331. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
332. **Callistum (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
333. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 DE PL FI BY UA RU Cc TM RO AT HU CZ YU AL GR
334. **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784 AT BE B-H BG HV CZ DK EN FR GR RO RU TR AF KA KK KG CN MN
335. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Sauly,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
336. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
337. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Uj Evl
338. **Cantharis annularis Ménétériés,1836** (Cantharidae) Synonym(s): *annularis* Ménétériés,1836 TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
339. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA
340. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
341. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 AT SK SS UA HU PL RO HV MK IT AL GR TR
342. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA

343. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
344. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
345. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
346. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
347. **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
348. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
349. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus* Linnaeus,1761 AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
350. **Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus* Palliardi,1825 AL B-H BG HV GR MK RO SK TR
351. **Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792 SK CZ AT HU RO TR Cc AM
352. **Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951 AT CZ HU RO BG TR SS SK UA
353. **Catoplatus distinctus Montandon,1895** (Tingidae) Synonym(s): *distinctus* Montandon,1895 RU RO TR
354. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arbonarius* Uvarov,1917 TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG
355. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
356. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
357. **Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata* Fieber,1844; *haupti* Priesner,1923; *pallida* Mancini,1934 AT BG CS DE GR HU IT Si RO RU YU
358. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
359. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947 AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
360. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
361. **Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli* Kraatz,1863 TR SY Cc RO
362. **Ceroxys hortulana (Rossi,1790)** (Ulidiidae) Synonym(s): *hortulana* Rossi,1790 UA B-H HV MD FR RO
363. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
364. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
365. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR

366. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi Fabricius,1787* AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
367. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax Boheman,1845* AZ BG Cc DZ Da RU MA FR ES IT MD NO RU SY TN TR GR
368. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus Gyllenhal,1837* DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA
369. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii Hoffmann,1957* DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR
370. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
371. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis Gyllenhal,1837* DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
372. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
373. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
374. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus Brisoth,1869* AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU
375. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus Brisoth,1869* AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR
376. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
377. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus Schultze,1903* AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR
378. **Cheilotoma erythrostoma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostoma Faldermann,1837* IT BG RO UA Cm Cc RU
379. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
380. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum Stöckhert,1929* AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM
381. **Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum Schwarz & Gusenleitner,1999* AT BG GR RO SS TR
382. **Chelostoma (Gyrodromella) handlirschi Schletterer,1889** (Megachilidae) Synonym(s): *handlirschi Schletterer,1889* IT HU TR RO TM
383. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
384. **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum Nylander,1856; appendiculata Morawitz,1871; angustata Chevrier,1872; intermedia Chevrier,1872; quadrifidum Kriechbaumer,1879; incertum Pérez,1890; ursina Benoist,1935* AZ Cc Len BG CH CZ GB FR GR HU HV IT Si MK PL RO SK SS IR TR
385. **Chelostoma (s.str.) florisomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florisomnis Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepeletier,1841; parumerinitus Alfken,1932* AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
386. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale Schletterer,1889; brevifurca Benoist,1935; subnitida Benoist,1935* HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
387. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus Perris,1857; laboulbenii Perris,1857; gautschii Then,1886* AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU
388. **Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida Giraud,1859; loewii Wachtl,1882* AT DE RO HU BG TR
389. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
390. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP

391. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
392. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
393. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
394. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
395. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
396. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata Metcalf,1943* Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
397. **Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens Dlabola,1961* BG MN RO RU Cc Da
398. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa Ribaut,1933* AT BG CS FI FR DE IT PL RO SE KG
399. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
400. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
401. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
402. **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820* IR AL Cc AM AT AZ GG CZ FI YU FR DE HU IT PL RO RU Sb SK CH TR
403. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
404. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940* IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
405. **Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula Loew,1851* AT BG FE GR HU IT RO CZ SK YU RU Sb Us TR IR Elb Mz
406. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808 Hypomicrogaster dorsalis Spinola,1808, Insect. Liguriae 2: 151.* TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
407. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
408. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii Rozkosny,1979* CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
409. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
410. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
411. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
412. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928* TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
413. **Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous Eversmann,1859; australia Predtechenskii,1928* TR Cc RO IR RU KG Sb
414. **Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus Fischer von Waldheim,1846; dorsatus Giglio-Tos,1894; brauneri Znojko,1928; dessyi Jannone,1936* TR RU Cc RO IR KG Sb CN KP KR JP
415. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri*

- Kerremans*,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyti* Richter,1944 **DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR**
416. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894 **DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU**
417. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Companyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930 **DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR**
418. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarus* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980 **TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU**
419. **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; *staneki* Bechyne,1949 **DE AT HU PL RO HV TR**
420. **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799 **DE BG CZ FR IT NO RO YU Cc TR**
421. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 **FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak**
422. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 **GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR**
423. **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes* Meigen,1824; *subfemoratus* Frey,1839; *callidus* Parent,1944 **GG Cc AM AZ RO RU TR UA**
424. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes* Zetterstedt,1838; *amplicornis* Lowarz,1874; *kowarzi* Lundbeck,1912 **RO TR UA RU Cc Ya Am KK CN**
425. **Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902 **AM BG GR RO RU Cc TR HV HU DE IT**
426. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 **AM BG EG GG GR Cc IQ IL Pa RO RU TR UA**
427. **Chunrocercus balcanicus (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903 **BG RO TR YU**
428. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 **Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU**
429. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (*praeocc.*); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 **AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU**
430. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 **Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA**
431. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912 **AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU**
432. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (*praeocc.*); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 **Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU**
433. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 **MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ**
434. **Cicadula placida (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897 **BG CS FR HU IT RO MD RU YU TR**
435. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 **AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA**
436. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbridae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 **FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa**
437. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868;

- opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 **AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KM DR TM UA UZ YU**
438. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 **TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU**
439. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 **TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU**
440. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 **TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU**
441. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 **AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU**
442. **Cixidia parnassia (Stal,1859)** (Achilidae) Synonym(s): *parnassia* Stal,1859 **AF BG TR CZ FR GR HU RO YU**
443. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995 **AT B-H BG CZ DE IT RO UA YU TR**
444. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 **AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb**
445. **Cixius granulatus Horvath,1897** (Cixiidae) Synonym(s): *granulatus* Horvath,1897 **CY RO**
446. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 **Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb**
447. **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897 **Cc AF BG CY CZ FR HU IQ IL RO TR AM AZ GG MD TJ YU**
448. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 **Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU**
449. **Clanoptilus (s.str.) durandi (Pardo,1970)** (Melyridae) Synonym(s): *durandi* Pardo,1970 **TR RO BG GR**
450. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 **RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD**
451. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 **ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum**
452. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 **US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU**
453. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fi Ny Tx YE YU**
454. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 **IT Si RO UA BG TR Cc SY IQ IR RU**
455. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 **AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR**
456. **Conocephalus (Anisoptera) dorsalis (Latreille,1804)** (Tettigoniidae) Synonym(s): *dorsalis* Latreille,1804; *brevicaudatum* Uvarov,1910; *hungaricus* Cziki,1923 **FR GB EE LT DE AT HU RO Cc RU KG TR**
457. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Bolivar,1878; *ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 **PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR**
458. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
459. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**

460. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 **RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE**
461. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): **AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH**
462. **Cordilura umbrosa Loew,1873** (Scathophagidae) Synonym(s): *umbrosa* Loew,1873 **SK AT BE CZ FR DE HU KG NL PL RO RU**
463. **Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916 **BG RO GR TR Cc GG Lag AM LB IQ Mos Dk Ama IR**
464. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
465. **Craticulina tabaniformis (Fabricius,1805)** (Sarcophagidae) Synonym(s): *tabaniformis* Fabricius,1805 **PT RO TR**
466. **Crepidodera nigricoxis Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878 **AL YU MK BG RO GR Cc**
467. **Crobilocerus megilliformis (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847 **RO Cc AZ IR Fa Th Elb RU GR TR**
468. **Cryptocephalus biguttatus (Scopoli,1763)** (Chrysomelidae) Synonym(s): *biguttatus* Scopoli,1763 **FR IT RO TR**
469. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 **AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO**
470. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879 **TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm**
471. **Cylindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775 **DE PL AT CZ SK HU RO GR RU Ur Sb BG TR Cc GG**
472. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 **MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur**
473. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 **TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU**
474. **Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843 **IT AT SS HU RO BG GR TR**
475. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948 **PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT**
476. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 **PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR**
477. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 **PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT**
478. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 **PT ES FR DE UA MD RO YU GR IT AT HU TR MK**
479. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 **ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR**
480. **Danacaea marginata (Küster,1851)** (Melyridae) Synonym(s): *marginata* Küster,1851 **RO GR CY TR**
481. **Dasyopogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyssler,1790; *nalis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906 **IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB**
482. **Dasyopogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869 **IR AZ Cc GR KG MN RO RU Sb TR**
483. **Dasyrhamphis umbrinus (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820 **IT Si AT AL YU BG RO GR TR IL Pa LB RU**
484. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 **ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU**
485. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776 **SE DK AT BG CZ FR DE GR IT RO ES CH TR YU**
486. **Decticus albifrons (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935 **TR FR IT YU HV B-H Co Sa GR BG RO RU KG AF**
487. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von

- Waldheim,1846 TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR
KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
488. **Delphacodes audrasi Ribaut,1954** (Delphacidae) Synonym(s): *audrasi* Ribaut,1954;
linnauatorii LeQuesne,1960 AL BG CZ FR IL RO TR YU
489. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796;
dubia Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU
AZ EE KG KK LV TJ UA YU
490. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806;
convexus Rey,1894; *fumigatus* Rey,1894 DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL
RO SE CH RU YU CA TR
491. **Denticollis parallelicollis Aubé,1850** (Elateridae) Synonym(s): *parallelicollis* Aubé,1850 TR
Cc GG RO
492. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller &
Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL
SE CH UA ES TR
493. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa* Brisout,1848;
acuminata Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus*
Demirsoy,1977 TR ES FR GR BG RO IR Cc
494. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s):
intermedius Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
495. **Dermestes (Dermestinus) kaszabi Kalik,1950** (Dermestidae) Synonym(s): *kaszabi*
Kalik,1950 AM AZ Cc B-H BG CZ HV DE GR HU YU RO SK IR TR
496. **Derocrepis serbica (Kutschera,1860)** (Chrysomelidae) Synonym(s): *serbica*
Kutschera,1860; *strangulata* Allard,1860; *bicolor* Weise,1886 HV YU RO BG GR UA Cm TR
497. **Deronectes platynotus (Germar,1834)** (Dytiscidae) Synonym(s): *platynotus* Germar,1834
BG RO
498. **Diaphorus disjunctus Loew,1857** (Dolichopodidae) Synonym(s): *disjunctus* Loew,1857
GR RO RU Cc
499. **Diaphorus hoffmannseggii Meigen,1830** (Dolichopodidae) Synonym(s): *hoffmannseggii*
Meigen,1830; *tripilus* Loew,1857 RU Cc IL Pa RO
500. **Diaphorus lautus Loew,1857** (Dolichopodidae) Synonym(s): *lautus* Loew,1857 RO GR Rd
501. **Diaphorus nigricans Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824;
obscuripes Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937 GG Cc GR IL Pa RO RU IN
Ch
502. **Diaphorus vitripennis Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis* Loew,1859
RO RU Cc Or DZ AF AT FR HU IT KG PT CH UZ
503. **Diaphorus winthemi Meigen,1824** (Dolichopodidae) Synonym(s): *winthemi* Meigen,1824
RO UA RU Or Mo
504. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893;
transcaucasica Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
505. **Dichillus (s.str.) carinatus Küster,1848** (Tenebrionidae) Synonym(s): *carinatus*
Küster,1848 TR RO HV GR B-H
506. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pedicidae) Synonym(s):
lucidipennis Edwards,1921; *luteicolor* Alexander,1975 AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS
CH UA TR
507. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens*
Kirschbaum,1868; *carpathica* Horvath,1884 AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
508. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata*
Boheman,1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG
LV MD UA YU
509. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea*
Linnaeus,1767; *#aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea*
Lang,1942 Cc AF AL AT BL BG CN Ui CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG
KK MD UA UZ YU
510. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s):
multireticulata Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis*
Matsumura,1910; *oertzeni* Matsumura,1910 AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA
YU
511. **Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica*
Germar,1830 Cc BG CN Ui CZ HU RO TR AZ GG KG RU UZ
512. **Didymachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 TR IR Fa
AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
513. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus*
Letherry,1850; *lenensis* Linnavuori,1953 AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU
Sb UA CA
514. **Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus* Lundström,1913
ES FR GB CH IT SS HU YU RO BG TR

515. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus Meigen,1804*; *albipennis Meigen,1830* PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
516. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804*; *falleni Meigen,1820*; *atrata Meigen,1820*; *geniculata Meigen,1820* AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
517. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis Meigen,1820*; *aurifrons Meigen,1820* FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ
518. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis Fabricius,1794*; *anomala Macquart,1826*; *flavipes Meigen,1804*; *frontalis Meigen,1804*; *varipes Meigen,1804*; *baumhaueri Meigen,1820*; *strandii Dda,1940* IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
519. **Dioctria linearis (Fabricius,1787)** (Asilidae) Synonym(s): *linearis Fabricius,1787*; *cingulata Zetterstedt,1849* IR AT BE BG CZ DK GB YU FR DE HU IT NL PL RO RU CH
520. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
521. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840*; *calceolatus Boheman,1845*; *tiaratus Fieber,1869* AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
522. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869*; *altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
523. **Diplocolenus quadrivirgatus (Horvath,1884)** (Cicadellidae) Synonym(s): *quadrivirgatus Horvath,1884*; *nasti Wagner,1939* BG RO UA
524. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae Hartig,1840*; *rufipes Forster,1869* PT ES FR GB NL DE SE PL AT HU RO IT TR
525. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae Linnaeus,1758*; *bedeguaris Fourcroy,1785* PT ES GB NL DE PL SE AT HU RO IT TR
526. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum Rossi,1790*; *cornigera Jurine,1807*; *imperialis Giraud,1863* AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
527. **Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis Eversmann,1848*; *annulipes Türk,1862* CZ HU RO TR Cc IR RU Sb KG MN
528. **Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus Thunberg,1815*; *cruciatus Charpentier,1825*; *vastator Fischer von Waldheim,1833*; *oceanica Walker,1870*; *degeneratus Baranov,1925*; *xanthocnema Tarbinsky,1932*; *pendulus Steinmann,1965* *Gryllus maroccanus Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Marocco (UZIU).* MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
529. **Dolichogenidea anarsiae (Faure & Alabouvetle,1924)** (Braconidae) Synonym(s): *anarsiae Faure & Alabouvetle,1924* *Apanteles anarsiae Faure & Alabouvetle,1924, Revue Zool. Agri. Appl. 23: 283.* TR Cc AZ GG FR IT RO HU
530. **Dolichogenidea sicarius (Marshall,1885)** (Braconidae) Synonym(s): *sicarius Marshall,1885* *Apanteles sicarius Marshall,1885, Trans. ent. Soc. Lond. 1885: 209.* TR US RO
531. **Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): *arbustorum Stannius,1831* RO Cc GG RU UA
532. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus Macquart,1827*; *macquarti Parent,1926*; *pseudocilifemoratus Stackelberg,1930* Cc AZ AM GG RO RU UA Cm TR KG At Us Sh
533. **Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): *claviger Stannius,1831* RO RU Cc At Us UA Cm To
534. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema Haliday,1832*; *fraternus Staeger,1842* BG GR IL Pa RO RU UA TR KG CN
535. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus Loew,1859* Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ
536. **Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus Macquart,1827 nec Fall.,1823*; *griseipennis Stannius,1831*; *subrutilus Zetterstedt,1859* AZ AM Cc GG BG CY GR Cr IL RO RU TR TN DZ MA KG
537. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus Macquart,1827*; *vulgaris Stannius,1831* Cc AZ GG BG RO RU Ur UA TR KG MN UZ
538. **Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes Meigen,1824*; *cysneus Meigen,1824*; *fastuosus Haliday,1832*; *plebejus Zetterstedt,1838* RO RU Cc TR At KG
539. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763*; *pennitarsis Fallén,1823*; *planitarsis Meigen,1824* Cc GG BG GR RO RU UA TR CN MX
540. **Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis Wiedemann,1817* BG GG Cc RO UA RU
541. **Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus Haliday,1838*; *pictus Staeger,1842* Cc GG BG GR Cr IL Pa RO RU TR TZ

542. **Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): *signatus Meigen,1824*; *argentifer Loew,1859* RO UA RU KG AF
543. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832*; *pictipennis Wahlberg,1850*; *punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
544. **Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes Verrall,1875*; *aratriformis Becker,1890* BG GR TR RO UA
545. **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons Horvath,1897*; *margaritacea Horvath,1897* CY HU IQ JO RO YU TR
546. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
547. **Doratura heterophyla Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla Horvath,1903* AT BG GR IT RO TR MD UA UZ YU
548. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
549. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
550. **Drosophila (Hirtodrosophila) confusa Staeger,1844** (Drosophilidae) Synonym(s): *confusa Staeger,1844* RO TR
551. **Drosophila (s.str.) immigrans Sturtevant,1921** (Drosophilidae) Synonym(s): *immigrans Sturtevant,1921* B-H RO TR
552. **Drosophila (s.str.) kuntzei Duda,1924** (Drosophilidae) Synonym(s): *kuntzei Duda,1924* RO TR
553. **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata Meigen,1830* YU BG RO TR
554. **Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea Roser,1840* RO BG TR
555. **Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa Fallén,1823* RO BG TR UA RU
556. **Drosophila (s.str.) unimaculata Strobl,1893** (Drosophilidae) Synonym(s): *unimaculata Strobl,1893* RO
557. **Drosophila (Scaptodrosophila) deflexa Duda,1924** (Drosophilidae) Synonym(s): *deflexa Duda,1924* LT RO BG TR
558. **Drosophila (Scaptodrosophila) rufifrons Loew,1873** (Drosophilidae) Synonym(s): *rufifrons Loew,1873* RO TR
559. **Drosophila (Sophophora) ambigua Pomini,1940** (Drosophilidae) Synonym(s): *ambigua Pomini,1940* RO TR
560. **Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster Meigen,1830*; *fasciata Meigen,1830* RO B-H BG TR
561. **Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae) Synonym(s): *obscura Fallén,1823* RO BG TR
562. **Drosophila (Sophophora) simulans Sturtevant,1921** (Drosophilidae) Synonym(s): *simulans Sturtevant,1921* B-H RO TR
563. **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura Collin,1936* B-H RO BG TR GG Cc Soc
564. **Drosophila (Sophophora) subsilvestris Hardy & Kaneshiro,1900** (Drosophilidae) Synonym(s): *subsilvestris Hardy & Kaneshiro,1900* RO UA
565. **Drosophila (Sophophora) tristis Fallén,1823** (Drosophilidae) Synonym(s): *tristis Fallén,1823* RO TR
566. **Dryocosmus cerriphilus Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus Giraud,1859* IT AT HU RO TR
567. **Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus Herrich-Schäffer,1834* AF? AL? AT BE? BG CS FR? DE GR HU IR? IT PT? RO SW AM AZ Cc MD? YU TR
568. **Dysmachus antipai Weinberg,1968** (Asilidae) Synonym(s): *antipai Weinberg,1968* RO TR
569. **Dysmachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus Loew,1848* IR Elb Mz AT CZ DE DK FR GB HU RO CH PL TR
570. **Dysmachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus Loew,1871* YU RO Cc RU BG TR IR UA AZ AM GG
571. **Dysmachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus Loew,1854* IR AT BG CZ DE FR IT HU RO YU UA RU TR KG
572. **Dysmachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus Loew,1871* RO Cc RU GR TR IR Es AZ GG AM
573. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis Meigen,1820* TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG

574. **Dysmachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854 AT AL BG DE FR HU PL RO UA TR IR Fa
575. **Dysmachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854 AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR
576. **Dysmachus tricuspis (Loew,1848)** (Asilidae) Synonym(s): *tricuspis* Loew,1848 TR IR Es AL GR RO TN
577. **Ebaeus appendiculatus Erichson,1840** (Melyridae) Synonym(s): *appendiculatus* Erichson,1840 TR IT Si AT CZ RO BG UA Cm
578. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869 AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
579. **Echthistus rufinervis (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820 IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG
580. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi* Douglas,1876; *australis* Froggatt,1918; *froggatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947 AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
581. **Edwardsiana diversa (Edwards,1914)** (Cicadellidae) Synonym(s): *diversa* Edwards,1914; *tridentata* Edwards,1928 BG CS FR DE GB PL RO SW MD KK
582. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936 AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA
583. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (*praeocc.*); *marginella* Gmelin,1790 (*praeocc.*); *geometrica* Schrank,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA
584. **Edwardsiana kemneri (Ossiannilsson,1942)** (Cicadellidae) Synonym(s): *kemneri* Ossiannilsson,1942 CY CS MN RO SE
585. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
586. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931 AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA
587. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
588. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU AT
589. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhipicerus* Förster,1841; *giraudi* Ferrière,1947 TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
590. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
591. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
592. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961 AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK
593. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabola* Lindberg,1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
594. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
595. **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836 RO YU CY TR IQ Mos EG DZ GR HV B-H Cr IL Pa IR JO
596. **Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR
597. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
598. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944 TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
599. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948 AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU

600. **Epithalassius stackelbergi** Beschovski,1966 (Dolichopodidae) Synonym(s): *stackelbergi* Beschovski,1966 BG RO
601. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818 PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
602. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
603. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868; *dilatatus* Fieber,1872 AT BE CS FR DE IT PL RO SW AZ Cc UA
604. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
605. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859 AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
606. **Eucharis reticulata Ruschka,1924** (Eucharitidae) Synonym(s): *reticulata* Ruschka,1924 Cc TR RO HU
607. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
608. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
609. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
610. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
611. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
612. **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939 AF AT CS FI FR DE IT IQ RO SW TR RU MD
613. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
614. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
615. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *ypsilon* Cerutti,1939 AT BG CS FI DE HU PL RO SE SW KG
616. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
617. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA
618. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA
619. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
620. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU
621. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU
622. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834 AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA
623. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU

624. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
625. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
626. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 AT BE BG CS DK FR DE GB PL RO UA YU
627. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
628. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
629. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
630. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae* Rondani,1877; *setigera* Mayr,1878 TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
631. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878 TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
632. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae* Nees,1834; *pubicornis* Boheman,1836 TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
633. **Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri* Schreiner,1908 TR AM GG Cc GR MD RO RU Ao Da UA
634. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896 AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
635. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858 AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
636. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreate* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954 AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
637. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus* Kirschbaum,1868 AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
638. **Eutolmus mordax (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848 TR IR Fa GR Rd RO RU TN
639. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833 AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
640. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
641. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis* Schmiedeknecht,1924 FR DE HU RO BG LT MD UA TR
642. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus* Masi,1916 B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
643. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936 AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
644. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
645. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864 AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
646. **Fieberiella macchiaie Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiaie* Linnavuori,1962 IL Pa TR Cc GG CN Mc DE PL RO RU
647. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963 BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
648. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU

649. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775*; *okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
650. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger Marsham,1802* AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
651. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius Linnaeus,1758* AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
652. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis Paramonov,1929* UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
653. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii Macquart,1840* TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
654. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
655. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor Thunberg,1822* TR Cc UA Cm RO RU
656. **Gnorimus nobilis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nobilis Linnaeus,1758* MK FR RO YU RU
657. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer,1835*; *annulipes Lucas,1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
658. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata Brüggemann,1873*; *sexpunctata Joakimov,1904* TR SY RO PL YU UA RU Cc
659. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis Fallén,1806*; *punctifrons Germar,1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
660. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758*; *talpa Olivier,1791*; *vulgaris Latreille,1804* Gryllus gryllotalpa Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
661. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis Czerny,1924* AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
662. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens Loew,1871*; *obscura Bigot,1880*; *obscurata Bigot,1891*; *caucasica Kröber,1922*; *araxis Szilady,1923* RO RU MD UA TR Cc GG AM AZ KG IQ IR AF UZ
663. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes Olivier,1791*; *armata Panzer,1801*; *bispinosa Fabricius,1804*; *quadriens Kieffer,1905* AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
664. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus Melichar,1896* AL AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us
665. **Handianus modestus (Melichar,1896)** (Cicadellidae) Synonym(s): *modestus Melichar,1896* RO YU RU Sb TR UA
666. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer,1835*; *palaestinis Linnavuori,1962* AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
667. **Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): *alpina Wagner,1955* AF RO TR Cc AM GG
668. **Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica Zachvatkin,1946* AF BG RO TR Cc AM GG YU IR
669. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis Germar,1821*; *badiellus Kirschbaum,1868*; *fulvopicta Sahlberg,1871*; *confusa Rey,1894* AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
670. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775*; *affinis Schrank,1781*; *bifoveolatus Kuster,1846*; *paganettii Flach,1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
671. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812*; *sobrinus Dejean,1829*; *serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
672. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda Kirschbaum,1868*; *fasciaticollis Rey,1891*; *ecbalii Linnavuori,1962* AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
673. **Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata Steven,1817* BG RO TR UA Cm Cc AM SY
674. **Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger Linnaeus,1758* TR AL AZ Cc BE BG BY HV RU CZ DK EE FI FR DE GG HU IT LT LV NL NO PL RO SL SK

675. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 **AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU**
676. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 **AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU**
677. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961 **RO TR Cc AM KG KK RU Da TM UA UZ**
678. **Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus* Loew,1871 **Cc GG Abk RO RU TJ TM UZ**
679. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856 **GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA**
680. **Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens* Loew,1857 **AZ Cc IL Pa RO RU UA**
681. **Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus* Loew,1857; *papillifer* Mik,1880 **Cc AM GG RO RU DZ Cn KK TJ**
682. **Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857 **Cc AZ BG GG RO RU Ur KG TJ**
683. **Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus* Wiedemann,1817; *chaerophylli* Meigen,1824 **AZ AM GG Cc RO RU Da Ur UA MA**
684. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851 **AM Cc BG GR TR UA RO TJ TM**
685. **Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923 **BG GG Cc GR IL Pa TR RO RU MA TJ**
686. **Hercostomus nigriplantis (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis* Stannius,1831; *subsimplipes* Verrall,1912 **AM Cc GG MD RO RU UA Cm**
687. **Hercostomus plagiatus (Loew,1857)** (Dolichopodidae) Synonym(s): *plagiatus* Loew,1857; *gallicanus* Becker,1910 **RO DZ TN**
688. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 **AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR**
689. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889 **AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR**
690. **Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767 **FR Co IT CH AT SS MK AL GR Cr BG TR RO HU**
691. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 **AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA**
692. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860 **AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR**
693. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 **AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU**
694. **Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): *simplex* Loew,1865 **TR AL BG GR RO**
695. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 **HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA**
696. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
697. **Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928 **BG GR MK RO TR IL Pa SY JO**
698. **Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847 **AT FR GR HU IT PL RO RU YU IR**
699. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 **AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR**

700. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
701. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
702. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
703. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
704. **Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872 AM Cc AZ HU RO RU Or KG MN CN JO SY TR
705. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
706. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
707. **Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899 GR Cr HV RO SY TR
708. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS
709. **Hoplobasis (Eurasicesa) idiophallus (Savchenko,1973)** (Limoniidae) Synonym(s): *idiophallus* Savchenko,1973 CH SK UA RO BG
710. **Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940 TR AL BG FR GR Cr Rd IT Si MK YU RO CH MA AZ Cc TM TJ AF KK
711. **Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps* Horvath,1897 AT BG GR HU RO IT YU TR HV CZ
712. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
713. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
714. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 AL AT BG TR CZ FR HU IL IT RO ES YU
715. **Hybomitra acuminata (Loew,1858)** (Tabanidae) Synonym(s): *acuminata* Loew,1858 FR YU AT RU RO TR IR MN
716. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
717. **Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae) Synonym(s): *ukrainica* Olsufjev,1952 RO TR UA
718. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758 AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
719. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
720. **Hydrochus megaphallus Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus* Berge Henegouwen,1988 TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE
721. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
722. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840 BG CY TR Cc GG GR IL Pa RO RU UA Cm
723. **Hydrophorus bipunctatus (Lehmann,1822)** (Dolichopodidae) Synonym(s): *bipunctatus* Lehmann,1822; *binotatus* Fallén,1823 RO RU Cc KK
724. **Hydrophorus callostomus Loew,1857** (Dolichopodidae) Synonym(s): *callostomus* Loew,1857 Cc AM RU Da Sb RO UA Cm
725. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis* Erichson,1840 MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
726. **Hypsicerca anglicus (Schmiedeknecht,1925)** (Ichneumonidae) Synonym(s): *anglicus* Schmiedeknecht,1925 GB FR BE CH IT RO TR
727. **Hysteropterum conspurcatum (Spinola,1939)** (Issidae) Synonym(s): *conspurcatum* Spinola,1939 BG CS HU RO ES YU

728. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides Fabricius,1794* AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
729. **Hysteropterum latifrons Fieber,1877** (Issidae) Synonym(s): *latifrons Fieber,1877* BG HU RO YU
730. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio Linnaeus,1761; brunnea Fabricius,1794* AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
731. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris Fieber,1868* AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
732. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775; aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868; kirschbaumi Baker,1924; lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
733. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
734. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806; dorsiger Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis Curtis,1839; rubrifrons Rey,1894* AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
735. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus Herrich-Schäffer,1835* BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
736. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons Kirschbaum,1868* AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
737. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus Panzer,1799; simulans Ribaut,1952* AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
738. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus Gahan,1914* IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
739. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator Masi,1916* IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
740. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793* TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
741. **Isophya acuminata Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *acuminata Brunner von Wattenwyl,1878* RO TR
742. **Isophya hospodar (Saussure & Pictet,1898)** (Tettigoniidae) Synonym(s): *hospodar Saussure & Pictet,1898; burmevi Nedelkov,1907; tschirpanensis Nedelkov,1907* RO BG TR
743. **Isophya speciosa (Fivaldsky,1867)** (Tettigoniidae) Synonym(s): *speciosa Fivaldsky,1867; tenuicerca Ramme,1951* RO TR
744. **Issus coleopratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleopratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
745. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis Schrank,1781* Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
746. **Issus tendinosus Spinola,1839** (Issidae) Synonym(s): *tendinosus Spinola,1839* AL GR IT RO UA YU
747. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa Linnaeus,1758; nigriventris Fieber,1861; anthracina Jakovlev,1885; vidua Horvath,1917* AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
748. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus Then,1896* AT BG CS FI FR DE IT PL RO SE MD UA
749. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus Flor,1861; pseudocellaris Flor,1861; mattiacellus Kirschbaum,1868; parallelus Fieber,1869; falleni Fieber,1869; paleaceus Sahlberg,1871; longiceps Rey,1894; confinis Rey,1894; kemneri Ossiannilsson,1935; gallicus Metcalf,1955; reyi Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
750. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis Kirschbaum,1868; picturatus Fieber,1869* AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
751. **Jassidaeus lugubris (Signoret,1865)** (Delphacidae) Synonym(s): *lugubris Signoret,1865; morio Fieber,1866; atratula Kirschbaum,1868* AT CZ SK FR DE HU PL RO MD
752. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888* AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
753. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU

754. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 **Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU**
755. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 **AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU**
756. **Kelisia melanops Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878 **CZ FR HU IT RO TR YU**
757. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 **Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ**
758. **Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea,1953 **TR RO IT Si ES PT MA**
759. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889 **GR BG TR HV YU MK RO SK UA RU Cc**
760. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (*praeocc.*); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953 **AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU**
761. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 **AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU**
762. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 **AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR**
763. **Labidostomis cyanicornis Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar,1822 **RO YU BG UA RU**
764. **Labidostomis propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua* Faldermann,1837; *binotata* Waltl,1838; *steveni* Waltl,1848; *arnoldii* Medvedev,1962 **RO BG GR TR Cc IR**
765. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 **ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG**
766. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 **NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US**
767. **Lampyris zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri* Germar,1817 **BG GR B-H HV MK RO YU**
768. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 **Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP**
769. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 **DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN**
770. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 **IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR**
771. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 **IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR**
772. **Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius* Walker,1849; *tenuirostris* Loew,1854; *bertoni* Seguy,1932 **GR AL FR RO YU BG TR**
773. **Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794 **HU FR DE PL CZ AT RO IT YU BG TR AL IL Pa IR**
774. **Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermannii* Desbrochers,1845; *syriacus* Desbrochers,1868 **AT BG HV DZ FR IT Si RO GR TR SY JO**
775. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *crustata* Schreber,1759; *secunda* Schaeffer,1767 **AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR**
776. **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 **IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR**
777. **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis* Loew,1847 **RO RU KG IR IL Pa TR**
778. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 **Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU**

779. **Leucophenga quinquemaculata Strobl,1893** (Drosophilidae) Synonym(s): *quinquemaculata Strobl,1893* RO
780. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens Scopoli,1763; regius Fabricius,1805* SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
781. **Libelloides lacteus (Brullé,1832)** (Ascalaphidae) Synonym(s): *lacteus Brullé,1832* FR IT RO TR
782. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola Fallén,1806; frenatus Germar,1821; ferganensis Dubovsky,1966* AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
783. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata Fallén,1828 (praeocc.); sexmaculata Hardy,1850; agathina Snellen van Vollenhoven,1862; bipunctata Cerutti,1939; quadripunctata Mitjaev,1963* AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
784. **Lipsthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii Wachtl,1891* ES IT AT HU RO UA RU TR
785. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata Lucas,1849; lineolator Aubert,1972* DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
786. **Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis Habermehl,1918; orientalis Hedwig,1959* DE RO TR
787. **Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
788. **Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica Linnaeus,1758; Cantharis noctiluca Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 401.* Type(s): Italia. HV GR MK IT SL RO SZ YU TR
789. **Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): *trimaculatus Fabricius,1775* TR HU RO IT
790. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
791. **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes Brullé,1832; basalis Loew,1849; cerdo Gerstaecker,1861* IR Se AL AZ Cc B-H BG HV GR HU IL Pa PL RO SS TR CH
792. **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus Loew,1849* IT HU AT YU RO GR BG AL TR
793. **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus Loew,1849* HU YU RO GR BG TR IR Gor
794. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
795. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
796. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea Germar,1837; planicollis Thomson,1870* AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
797. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris Boheman,1845* AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
798. **Macropsis fuscata (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscata Zetterstedt,1828* AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
799. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea Fieber,1868; viridiceps Wagner,1941* AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
800. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata Herrich-Schäffer,1836; notatifrons Rey,1891; latestiata Strobl,1900; lucifer Wagner,1941; injucunda Wagner,1950; ossiannilssoni Wagner,1950* AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
801. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei Fieber,1868; bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926* DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
802. **Macropsis mendax (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax Fieber,1868; ulmi Scott,1873* AT CZ GB FR DE IT RO RU TR
803. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina Boheman,1852* DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
804. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
805. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata Silvestri,1920* TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU

806. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
807. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 nec Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
808. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
809. **Macrosteles halophilus (Horvath,1903)** (Cicadellidae) Synonym(s): *halophilus* Horvath,1903; *brevis* Matsumura,1908 BG IT RO MD UA YU
810. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
811. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
812. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
813. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
814. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
815. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
816. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
817. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966 AF? CY TR IT RO Cc AZ? UA YU TJ UZ
818. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
819. **Megabombus armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus* Radoszkowski,1877; *scythes* Skorikov,1925 TR Cc AM IR RU RO GR YU BG PL
820. **Megabombus zonatus (Smith,1854)** (Apidae) Synonym(s): *zonatus* Smith,1854 BG RO HU GR Cc IR RU TR
821. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
822. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
823. **Megamelus olorus Dlabola,1961** (Delphacidae) Synonym(s): *olorinus* Dlabola,1961 RO RU Da UZ
824. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
825. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum* Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV
826. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
827. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
828. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895; *piceae* Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
829. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
830. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921 TR Cc RU ES FR AT PL RO IR KG MN

831. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
832. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 IT SI UA HU AT Wn HV PL RO RU Sr
833. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 LT IT GR MD RO RU ES UA
834. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826 AT HV BG DE MD RO RU UA CA Als UA
835. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
836. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
837. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
838. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liroy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
839. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
840. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus* Fabricius,1794 ES FR IT Si YU AL TR BG RO PL IL Pa LY
841. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798 TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
842. **Metacnephia nigra (Rubtsov,1940)** (Simuliidae) Synonym(s): *nigra* Rubtsov,1940; *saxicola* Rubtsov,1956 Cc AZ Nv RU RO TM
843. **Metacnephia persica (Rubtsov,1940)** (Simuliidae) Synonym(s): *persica* Rubtsov,1940; *hirta* Rubtsov & Terteryan,1954 IR AM Cc AZ KG RO TM UZ
844. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus* Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
845. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
846. **Methocha sisala Nagy,1968** (Tiphidae) Synonym(s): *sisala* Nagy,1968 RO
847. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
848. **Micronecta perplexa Horvath,1899** (Corixidae) Synonym(s): *perplexa* Horvath,1899 HU RU RO TR
849. **Micronecta pusilla (Horvath,1895)** (Corixidae) Synonym(s): *pusilla* Horvath,1895 HU RO RU TR
850. **Microptilis marshallii Kokujev,1897** (Braconidae) Synonym(s): *marshallii* Kokujev,1897 Cc AZ AM GG HU TR RO RU
851. **Microptilis scrophulariae Szepliget,1898** (Braconidae) Synonym(s): *scrophulariae* Szepliget,1898 Cc AZ GG FR RO CH HU CZ MN TR
852. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum* Koch,1803 AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
853. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
854. **Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): *quadricornis* Dlabola,1949 AT CS HU PL RO TR MD UA
855. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
856. **Mocydiopsis attenuata (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata* Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885 AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Cc GG MD UA YU
857. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN

- LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN
KP KR JP
858. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933 **Gryllus frontalis Fieber,1844, Ent. Monogr.: 127. FR DE HU PL EE LT RO Cc IR AF RU KG MN TR**
859. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae) Synonym(s): *truncatus* Tarbinski,1940 **RO Cc TR**
860. **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia* Loew,1869 **TR IR Fa RO Cc GG AM AZ**
861. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834 **ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es**
862. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 **IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US**
863. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834 **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
864. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper* Sulzer,1776 **ES FR Co IT AL CH RO GR SS BG HU PL MD**
865. **Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 **AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn**
866. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
867. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 **DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn**
868. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840 **ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT**
869. **Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): *confusus* Stal,1861 **Cc CS HU RO TR AZ GG UA YU**
870. **Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus* Fabricius,1794 **Cc AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU**
871. **Mycterodus carpathicus Logvinenko,1974** (Issidae) Synonym(s): *carpathicus* Logvinenko,1974 **TR RO**
872. **Mycterodus cuniceps Melichar,1906** (Issidae) Synonym(s): *cuniceps* Melichar,1906 **RO YU**
873. **Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835 **FR Sa IT AT RO GR SK HU PL TR DE HV RU Cc BG AM**
874. **Mycterodus orthocephalus Ferrari,1885** (Issidae) Synonym(s): *orthocephalus* Ferrari,1885 **IT RO MD UA Cm YU**
875. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 **DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri**
876. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 **AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU**
877. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 **ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR**
878. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 **ES FR BE NL DE DK PL SK CZ CH IT AT HU RO AL BG TR**
879. **Myopa occulta Wiedemann,1824** (Conopidae) Synonym(s): *occulta* Wiedemann,1824 **GB FR BE DE PL CH AT IT Si SK CZ HU RO BG FI TR**
880. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 **ES FR BE DE PL SK CZ AT IT HU RO BG TR**
881. **Myopa variegata Meigen,1804** (Conopidae) Synonym(s): *variegata* Meigen,1804 **FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR**
882. **Myrmecaelurus major McLachlan,1875** (Myrmeleonidae) Synonym(s): *major* McLachlan,1875 **TR AF KG RO**
883. **Myrmilla (Pseudomutilla) atalanta Nagy,1967** (Mutillidae) Synonym(s): *atalanta* Nagy,1967 **RO TR**
884. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 **TR KG UZ SY GR BG YU MK AT HU RO UA RU**
885. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi* Skorikov,1927 **TR SY GR BG AT RO UA**
886. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845;

- hastata* Costa,1858; *andalusiana* Skorikov,1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
887. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
888. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
889. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus* Costa,1847 CZ BG ES FR PT IT RO RU SK GR YU TR
890. **Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus* Dohrn,1862 RU TR RO BG IR CN Ui
891. **Nedroledon anatolicus Navas,1914** (Myrmeleonidae) Synonym(s): *anatolicus* Navas,1914; *longiventris* Navas,1932; *lineatus* Kis,1964 RO TR
892. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
893. **Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata* Olivier,1811 YU RO GR BG TR SY Cc IR
894. **Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus* Loew,1846 RO BG UA TR
895. **Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969 YU HU RO IT BG AL GR TR CY RU Cc IL EG
896. **Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937 TR DE AT BG CZ KG HU MN PL RO RU SK YU GR
897. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871 GR IT YU RO BG AL RU UA Cc TR IL IR
898. **Nemotelus (s.str.) signatus Frivaldsky,1855** (Stratiomyidae) Synonym(s): *signatus* Frivaldsky,1855; *varius* Loew,1871 HU GR CZ AT RO IT YU BG GR TR RU Cc IL IR MN
899. **Nemoura carpathica Illies,1963** (Nemouridae) Synonym(s): *carpathica* Illies,1963 CZ SK RO TR UA
900. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
901. **Neoliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscinonensis* Ribaut,1952; *infirmus* Young & Frazier,1954 IT FR LY MA RO ES EH TN TR RU KG TJ
902. **Neoliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
903. **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849 IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
904. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
905. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
906. **Neophilaenus infumatus (Haupt,1917)** (Cercopidae) Synonym(s): *infumatus* Haupt,1917 AL AT BG CS FR DE HU IT MN PL RO SW KG RU (Siberia)
907. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
908. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
909. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899 Cc BG RO UA RU PL DE AT FR

910. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
911. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
912. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
913. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
914. **Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859 GB AT IT Si BG B-H GR HU RO YU IL Pa TR Cc AZ GG IR Gh Elb Th Lo Kd Fa SY
915. **Neuroterus minutulus Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859 IT AT HU RO BG TR
916. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
917. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
918. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
919. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
920. **Nohoveus punctulatus (Steven,1846)** (Myrmeleonidae) Synonym(s): HU RO KG MN
921. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
922. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (praeocc.); *haupti* Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
923. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
924. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
925. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
926. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
927. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
928. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
929. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822 MA DZ FR Co RO ES IT GR TR IL AF
930. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856 DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN
931. **Oedipoda caerulea (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulea* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
932. **Oenas crassicornis (Illiger,1800)** (Meloidae) Synonym(s): *crassicornis* Illiger,1800 TR RO BG HV YU

933. **Oliarus apiculatus Fieber,1876** (Cixiidae) Synonym(s): *apiculatus Fieber,1876* **FR HU RO**
Cc AZ YU
934. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus Fieber,1876* **AL CZ FR**
HU IT PT RO ES TR KK TM UA UZ
935. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suzeensis Matsumura,1910; modestus Haupt,1927* **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES**
TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
936. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri Loew,1883* **DZ AT BE BG TR**
CZ GB FR DE IT PL RO ES TN RU YU
937. **Oliarus roridus Fieber,1876** (Cixiidae) Synonym(s): *roridus Fieber,1876; maculatus Fieber,1876* **AF BG CZ GR RO SY TR RU Cc AZ**
938. **Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi Galante,1985* **BG GR MK RO TR**
939. **Omaloplia (s.str.) corcyrae (Baraud,1965)** (Scarabaeidae) Synonym(s): *corcyrae Baraud,1965* **AL BG Cr GR MK RO YU**
940. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* **AL BG Cr GR HU**
MK MD RO UA YU TR
941. **Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994* **BG FR GR RO TR**
942. **Omaloplia (s.str.) illyrica (Baraud,1965)** (Scarabaeidae) Synonym(s): *illyrica Baraud,1965* **AL B-H BG Cr GR MK RO YU**
943. **Omaloplia (s.str.) iris (Reitter,1887)** (Scarabaeidae) Synonym(s): *iris Reitter,1887* **BG**
GR MK RO YU
944. **Omaloplia (s.str.) nigromarinata (Herbst,1786)** (Scarabaeidae) Synonym(s): *nigromarinata Herbst,1786; occidentalis Baraud,1965* **AT CZ DE HU LT PL RO SS SK UA YU**
945. **Omaloplia (s.str.) ruricola (Fabricius,1775)** (Scarabaeidae) Synonym(s): *ruricola Fabricius,1775; humeralis Fabricius,1775; marginatus Fuessly,1775; floricola Laicharting,1781; atrata Geoffroy,1785; pruinosa Küster,1849; populi Gistel,1857; intermedia Abeille,1895; fritschi Reitter,1905; arnoldi Medvedev,1952; tergestina Bauard,1965; svanetica Medvedev & Dzambazishvilli,1973* **AT BE B-H**
BG CZ FR GB DE GG GR HU IT RO SK YU Cc
946. **Ommatidiotus dissimilis (Fallén,1806)** (Caliscelidae) Synonym(s): *dissimilis Fallén,1806* **AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR**
947. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni Stal,1863* **GR HU IT RO**
ES UA UZ
948. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis Charpentier,1825; nebulosa Brunner von Wattenwyl,1882; montivagus Azam,1908; obscurus Schirmer,1913; viridis Schirmer,1913; robustior Zacher,1917; hyalosuperficies Voroncovsky,1928* **ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb**
949. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus Brisout,1855; tesquorum Tarbinsky,1930; psamophilus Maran,1954; toscanus Schmidt,1967* **FR ES IT CZ**
RO Cc TR RU KG Sb
950. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes Zetterstedt,1821; ventralis Zetterstedt,1821; cruentata Brullé,1832; geniculata Brullé,1832; miniata Stephens,1835; viridulum Wesmael,1838; zetterstedti Fieber,1852* **Gryllus rufipes Zetterstedt,1821,**
Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB
ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG
951. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata Schrank,1776 (praeocc.); ferrugineus Curtis,1837; heydenii Kirschbaum,1868* **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO**
ES SE SW AZ GG Cc TR LV RU Sb UA YU
952. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscula Gravenhorst,1807; nigritulus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837; pulchellus Curtis,1837; reticulatus Curtis,1837; frontalis Curtis,1837; capucinus Zetterstedt,1840; dubius Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944* **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK**
LV MD RO RU Sb UA UZ YU
953. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis Zetterstedt,1840; frontalis Flor,1861; rufusculus Fieber,1868; brevicauda Thomson,1870* **AT BE BG CS DK FI FR DE GB GR**
HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR
954. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae)
Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900* **ES FR GR Rd RO HU AT TR SY IL Pa IR**
AF TM
955. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae)
Synonym(s): *kindermanni Harold,1877* **TR BG MK GR RO UA HU**
956. **Onthophagus (Palaeonthophagus) parmatus Reitter,1892** (Scarabaeidae)
Synonym(s): *parmatus Reitter,1892* **Cc AZ Nv AM RU IR TR RO SY**

957. **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965 **Cc GG TR RU SY LB IR AZ AM RO GR**
958. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 **RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR**
959. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
960. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
961. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
962. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
963. **Osmia (Allosmia) bischoffi Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi* Atanassov,1938 **BG GR RO TR**
964. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
965. **Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
966. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
967. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
968. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkyi* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtli* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
969. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
970. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 **AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR**
971. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
972. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 **AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS**
973. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 **AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR**
974. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 **AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui**
975. **Osmia (Neosmia) jason Benoist,1929** (Megachilidae) Synonym(s): *jason* Benoist,1929 **GR MK RO IL Pa**
976. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 **AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR**
977. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 **AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR**
978. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 **AT AL AM Cc**

- BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ
MA TN KK KG RU TM CY TR SY IR
979. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
980. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR
981. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
982. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
983. **Ossiannilssonola callosa (Then,1886)** (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU
984. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
985. **Oxycera analis Meigen,1822** (Stratiomyidae) Synonym(s): *analis* Meigen,1822 GB FR BE DE PL CH AT CZ RO IT YU RU Cc AM
986. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 RO GR CY RU UA Cc AZ TR IL LB
987. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
988. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR
989. **Pachybrachis (s.str.) carpathicus Rey,1883** (Chrysomelidae) Synonym(s): *carpathicus* Rey,1883 RO
990. **Pachybrachis (s.str.) hippophaes Suffrian,1848** (Chrysomelidae) Synonym(s): *hippophaes* Suffrian,1848 HU AT CH FR Py RO
991. **Pachybrachis (s.str.) scriptidorsum Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913 BG RO UA CN RU Ur Cc Sb KP KR
992. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 TR IT AT UA YU RO AL MK GR BG
993. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
994. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
995. **Panorpa cognata Rambur,1842** (Panorpidae) Synonym(s): *cognata* Rambur,1842 SS HV AL RO GB BE DK DE NL RU ES IT
996. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845 YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
997. **Panorpa hybrida McLachlan,1882** (Panorpidae) Synonym(s): *hybrida* McLachlan,1882; *romanica* Bechet,1955 YU BG RO FI DE RU
998. **Panorpa meridionalis Rambur,1842** (Panorpidae) Synonym(s): *meridionalis* Rambur,1842 AD ES FR PT IT RO
999. **Panorpa picta Hagen,1863** (Panorpidae) Synonym(s): *picta* Hagen,1863 TR RO
1000. **Panorpa similis Esben-Petersen,1915** (Panorpidae) Synonym(s): *similis* Esben-Petersen,1915 RO
1001. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1002. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
1003. **Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus* Dlabola,1961 IL Pa TR MN RO RU TJ UZ
1004. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU

1005. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
1006. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1007. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
1008. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1009. **Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus* Hovarth,1897 CZ DE HU PL RO RU TR
1010. **Pedestredorcadion decipiens (Germar,1824)** (Cerambycidae) Synonym(s): *decipiens* Germar,1824 UA Cm HU RO RU YU SK
1011. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;... MK BG UA Cm GR RO RU YU
1012. **Pedestredorcadion murrayi (Küster,1847)** (Cerambycidae) Synonym(s): *murrayi* Küster,1847 HU RO YU
1013. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... AL AT BG CZ HU IT RO Ur SK UA YU TR
1014. **Pedestredorcadion pusillum (Küster,1847)** (Cerambycidae) Synonym(s): *pusillum* Küster,1847 RU RO
1015. **Pedestredorcadion sturmi (Frivaldsky,1837)** (Cerambycidae) Synonym(s): *sturmi* Frivaldsky,1837 BG RO
1016. **Pedestredorcadion tauricum (Waltl,1838)** (Cerambycidae) Synonym(s): *tauricum* Waltl,1838; *nigritarse* Kraatz,1873 RO BG GR MK
1017. **Pedicia (Amalopis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
1018. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
1019. **Pedicia (Crunobia) spinifera Stary,1974** (Pediidae) Synonym(s): *spinifera* Stary,1974 BG RO?
1020. **Pedicia (Crunobia) zernyi (Lackschewitz,1940)** (Pediidae) Synonym(s): *zernyi* Lackschewitz,1940 AL AT HV GR RO TR
1021. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
1022. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1023. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1024. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1025. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
1026. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 AF AZ BG Cc GR HU RO RU SL SY TR UA YU
1027. **Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876 TR AF BG CZ GR RO SY RU
1028. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1029. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1030. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY

1031. **Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): *terminatus* Erichson,1842 GR RO TR
1032. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
1033. **Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): *areolator* Constantineanu & Constantineanu,1968 ES RO TR Cc AZ RU KG
1034. **Phaenotherion pulskyi Frivaldsky,1878** (Anthribidae) Synonym(s): *pulskyi* Frivaldsky,1878; *inonatum* Pic,1908 RO Cc?
1035. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
1036. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana* Fieber,1853; *quadripunctata* Brunner von Wattenwyl,1878 Phaneroptera nana Fieber,1853, Lotos 3: 173. Type ♂: Portugal. PT ES FR IT Sa RO TR
1037. **Phanerotoma (Bracotritoma) acuminata Szepliget,1908** (Braconidae) Synonym(s): *acuminata* Szepliget,1908 AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU
1038. **Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838 BG CY GR IQ IL Pa IT LB RO TR YU DE HU AT
1039. **Phaonia pura (Loew,1873)** (Muscidae) Synonym(s): *pura* Loew,1873 SK CH AT Cc RO RU
1040. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1041. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824 PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
1042. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824 FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
1043. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1044. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1045. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1046. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1047. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1048. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1049. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934 PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL BG GR CH AT IT Sa Co Cr TR
1050. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1051. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1052. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1053. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
1054. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1055. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1056. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT

- BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ
GB
1057. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
1058. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1059. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1060. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804 PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1061. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrifasciata* Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1062. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1063. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1064. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata* Latreille,1792 HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
1065. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792 Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1066. **Physiphora alceae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyßler,1791 AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1067. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824 ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1068. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781 ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1069. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1070. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1071. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1072. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1073. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1074. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1075. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris* Kriechbaumer,1888 RO BG TR RU Cc
1076. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806; *proteus* Herrich-Schäffer,1834; *pinastri* Fieber,1885 DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1077. **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864 AT Cc HU RO RU CN Ui TR
1078. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1079. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun

1080. **Platyceis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951 **MA Cc TR SY Dms IT Si Sa FR RO EG Sn JO IQ RU KG MN PK**
1081. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 **AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU**
1082. **Platymetopius dorsofenestratus Dlabola,1958** (Cicadellidae) Synonym(s): *dorsofenestratus* Dlabola,1958 **BG CS RO UA YU**
1083. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 **AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR**
1084. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894 **AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR**
1085. **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811 **TR GG Cc AM AZ IR IL Pa SY IQ GR BG MK HU RO MD**
1086. **Platystoma aenescens Loew,1868** (Platystomidae) Synonym(s): *aenescens* Loew,1868 **RO RU TR**
1087. **Platystoma arcuatum Loew,1856** (Platystomidae) Synonym(s): *arcuatum* Loew,1856 **FR GR Cr TR SY IL Pa RO RU**
1088. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869; **ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR**
1089. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 **IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA**
1090. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis* Kowarz,1867 **AM Cc BG MD RO RU TR UA KG TJ**
1091. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824 **BG Cc GG GR RO RU TR UA Cm IR UZ**
1092. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828 **BE GR RO RU TR UA KG**
1093. **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794 **IR Mz Se Elb TR AT AL BG CZ SK DE FR GR HU IT PL RO YU RU MA DZ MT**
1094. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 **DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa**
1095. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (*praeocc.*); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 **DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU**
1096. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900 **Cc RU Da DE RO HU MK BG ES**
1097. **Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883 **DE RO AT CZ HU RU Sb YU IT TR**
1098. **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904 **PL DE HU RO BG YU AT CH IT TR**
1099. **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868 **FR IT Sa Si RO YU RU BG CY GR TR IR Cc GG JO**
1100. **Proceraea tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 **TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU**
1101. **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848 **YU SS B-H HV RO Cc AZ RU GR IL Pa TR IR Fa IN MM**
1102. **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955 **AZ AM Cc RU TR GR Rd BG RO**
1103. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 **TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA**
1104. **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857 **DE AL CZ BG FR RU CH IT SK HU PL SY RO TR YU GR Cc**
1105. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 **BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR**
1106. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 **AL DZ**

- AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA
UZ YU
1107. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s):
cephalotes Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis*
Kirschbaum,1868; *normani* Scott,1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES
SE SW TR EE LV MD RU Sb UA YU
1108. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis*
Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer*
Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK
LV MD RU UA UZ YU
1109. **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus*
Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombrifer* Fieber,1869; *substriatus* Then,1902 AL AT BE
CZ DK EG FR DE IT Sa NL PL RO CH TN RU At Sb YU GR BG TR
1110. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s):
kolosvarensis Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947 AF AT CS FR
DE HU MN RO Cc GG KG MD RU Sb TJ UA
1111. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps*
Horvath,1897 AT BG TR CS DE HU RO LV MD RU TJ UA
1112. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis*
Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 AT BG CS FI DE HU NL NO PL RO
SE LV RU Sb
1113. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis*
Kirschbaum,1868; *fasciatus* Fieber,1869 AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1114. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis*
Ribaut,1925 AF BG Cn Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
1115. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839
FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT
1116. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbricidae) Synonym(s): *amerinae*
Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH
IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1117. **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus*
Hartig,1843 IT AT B-H HU RO BG GR TR
1118. **Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis*
Mayr,1874 IR Ak AT CZ MN RO SE UA GB
1119. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii*
Fischer,1853; *lateralis* Costa,1855 TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU
HV B-H HU CZ AT IY DE FR
1120. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 TR
IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
1121. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus*
Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ
IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1122. **Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus*
Kolenati,1845 AL AT BE BG CZ FR GR HU IT PL RO RU CH SY TR YU
1123. **Rabdophaga albipennis (Loew,1850)** (Cecidomyiidae) Synonym(s): *albipennis* Loew,1850
GB NL DE CZ PL EE SE HU RO
1124. **Rabdophaga clausilia (Bremi,1847)** (Cecidomyiidae) Synonym(s): *clausilia* Bremi,1847
ES CH AT HU RO PL
1125. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891
PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
1126. **Rabdophaga dubiosa Kieffer,1913** (Cecidomyiidae) Synonym(s): *dubia* Kieffer,1892;
dubiosa Kieffer,1913 GB DE NL CZ FR PL HU RO SE FI EE
1127. **Rabdophaga gemmicola (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *gemmicola*
Kieffer,1896 FR GB BE NL DE CZ HU RO RU SE FI EE
1128. **Rabdophaga giraudiana Kieffer,1898** (Cecidomyiidae) Synonym(s): *giraudiana*
Kieffer,1898 GB DE AT UA RO
1129. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850
ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1130. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia* Kieffer,1890
GB FR CH AT CZ DE PL HU YU RO RU SE FI EE
1131. **Rabdophaga jaapi Rübsaamen,1916** (Cecidomyiidae) Synonym(s): *jaapi* Rübsaamen,1916
GB NL DE DK SE EE RU RO BG
1132. **Rabdophaga pierrei (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierrei* Kieffer,1896 PT
ES FR GB NL DE CZ PL HU RO BG IT
1133. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891;
rosariella Kieffer,1896 FR GB DE AT CZ YU RO UA RU EE SE

1134. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
1135. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1136. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
1137. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850 ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1138. **Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major* Burmeister,1839. AT DE CH FR CZ HU BG HV MK RO GR
1139. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
1140. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU
1141. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS DE IT MN RO TN GG Cc KG UA YU
1142. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939 AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hkk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1143. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1144. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1145. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1146. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
1147. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764 TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1148. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU Sb IT Si TM YU
1149. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1150. **Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948; *horvathiana* Dlabola,1954 AT BG CS HU RO TR RU
1151. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG CS FR DE GB HU RO SW AZ Cc UA Cm
1152. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *muscifformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
1153. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
1154. **Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrcus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936 *Gryllus nitidulus* Scopoli,1786, *Delicidae florae & faunae insubricae 1: 62*. Syntypes: Italia. FR DE AT CZ HU IT Sa YU HV B-H BG RO TR JO IR YE RU KG ZA
1155. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasana* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
1156. **Saga campbelli Uvarov,1921** (Tettigoniidae) Synonym(s): *campbelli* Uvarov,1921 *Saga campbelli* Uvarov,1921, *Entomologist's Rec. J. Var. 33: 155-159*. Holotype ♀: Greece: Langaza plain, Saloniki (BMNH). GR RO TR
1157. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
1158. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *nalis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *nalis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874;

- nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1159. **Sapromyza palpella** Rondani,1868 (Leuxaniidae) Synonym(s): *palpella* Rondani,1868 FR GR Cr IT RO CH
1160. **Sarcophaga (Bercaea) africa** (Wiedemann,1819) (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1161. **Sarcophaga (Helicophagella) crassimargo** Pandellé,1896 (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
1162. **Sarcophaga (Helicophagella) melanura** Meigen,1826 (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1163. **Sarcophaga (Heteronychia) filia** Rondani,1860 (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1164. **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1165. **Sarcophaga (Heteronychia) setinervis** Rondani,1860 (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860 TR CY BG GR FR IT HU RO MK
1166. **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,1830) (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1167. **Sarcophaga (s.str.) lehmanni** Müller,1922 (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
1168. **Sarcophaga (Sarcotachinella) sinuata** Meigen,1826 (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1169. **Satanas gigas** (Eversmann,1855) (Asilidae) Synonym(s): *gigas* Eversmann,1855 IR Ss Ke Kh Kz Se DZ AZ Cc CN EG GR IL Pa KG LY MN RO RU TR
1170. **Scantius aegyptius** (Linnaeus,1758) (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758 AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1171. **Scaptomyza (Parascaptomyza) pallida** (Zetterstedt,1847) (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921 YU AL RO BG UA Cm GG Cc Soc GB TR
1172. **Scaptomyza (s.str.) graminum** (Fallén,1823) (Drosophilidae) Synonym(s): *graminum* Fallén,1823 YU RO BG TR EG US TW RU UZ GB DK Hw IN
1173. **Scarabaeus typhon** (Fischer von Waldheim,1822) (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822 RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1174. **Scathophaga stercoraria** (Linnaeus,1758) (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1175. **Scleroracus corniculus** (Marshall,1866) (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA
1176. **Scleroracus decumanus** (Kontkanen,1949) (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (*praeocc.*); *decumanus* Kontkanen,1949 BG TR CS FI FR DE GB IT NL PL RO EE KG LV MD RU At
1177. **Scorlupella discolor** (Germar,1821) (Issidae) Synonym(s): *discolor* Germar,1821 Cc BG IT RO TR GG UA
1178. **Scorlupella montana** (Becker,1865) (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
1179. **Seioptera vibrans** (Linnaeus,1758) (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1180. **Selenocephalus obsoletus** (Germar,1817) (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1181. **Sepedon sphegea** (Fabricius,1781) (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1781 RO TR RU
1182. **Sepsis barbata** Becker,1907 (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934 Cn AT SK Sa Si IT RO FR GR TR UZ CN Ui TJ Pm PK TW
1183. **Sepsis fissa** Becker,1903 (Sepsidae) Synonym(s): *fissa* Becker,1903 EG MT IT Si SK RO TR PK
1184. **Sepsis pseudomonostigma** Ursu,1969 (Sepsidae) Synonym(s): *pseudomonostigma* Ursu,1969 LT CZ IT Sa Si RO TR TM
1185. **Sepsis punctum** (Fabricius,1794) (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta*

- Hoffmeister,1844; #zernyi Duda,1926; quadrisetosa Duda,1926; icaria Séguy,1932; meridionalis Séguy,1932* Cn MA DZ TN NL TR EG LB Bei GR RO AT YU AT IT Si DE
1186. **Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis Fieber,1848* AF AT CN HV IQ IR IT Cc HU MN MD UZ RO RU SA TR YU
1187. **Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri Fieber,1860* AL AT BG IT CY EG RO GR TR
1188. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum De Geer,1776; sericatum Meigen,1830; tenuifrons Enderlein,1921; sinense Enderlein,1934; mihalyii Rubtsov,1967; chelevini Ivashchenko,1968* SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1189. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes Edwards,1915; horvathi Enderlein,1922; securiforme Rubtsov,1956; latizonum Rubtsov,1956; paludicola Rivosecchi,1963* TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1190. **Simulium (Eusimulium) brachyantherum Rubtsov,1947** (Simuliidae) Synonym(s): *brachyantherum Rubtsov,1947* TJ AM Cc RO UZ
1191. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962* Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1192. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus Dejean,1831* AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1193. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor Fabricius,1792; hypocrita Lacordaire,1848; amabilis Lacordaire,1848* ES FR IT BG RO UA Cm TR
1194. **Smaragdina diversipes Letzner,1839** (Chrysomelidae) Synonym(s): *diversipes Letzner,1839* FR ES Py RO
1195. **Smaragdina xanthaspis (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis Germar,1824* IT RO UA TR
1196. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1197. **Stenocranus fuscovittatus (Stal,1858)** (Delphacidae) Synonym(s): *fuscovittatus Stal,1858; colorata Kirschbaum,1868* Cc AT BL BG CN CZ DK FR DE GB HU IT NL PL PT RO SW EE GG KG RU Sb
1198. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1199. **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus Pallas,1818* IR Fa BG DE FR HU PL RO YU RU TR Cc AZ AM GG KG
1200. **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus Loew,1847* IT FR HU RO GR BG TR IR
1201. **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus Meigen,1804* TR IR EG GR FR HU IL Pa RO RU TN
1202. **Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus Brullé,1832* TR IR Es AL GR RO
1203. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidae Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1204. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata Gmelin,1790; costata Fallén,1808; pallipes Leach,1817* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
1205. **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis Loew,1847* IT FR Co YU PT AT RO RU BG TR
1206. **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger Loew,1847; congener Loew,1856* IT FR RO GR CZ BG SK TR RU IR AZ Ss Ke
1207. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
1208. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
1209. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata Linnaeus,1758* ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG

1210. **Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhoceras* Loew,1868 FR PL AT CZ HU RO BG YU AL GR RU TR IQ Bgd LB SY IR Cc AM AZ
1211. **Stroggycephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 AT BE BG CN Mc CS DK FI FR DE GB HU IE IT SI JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
1212. **Strongyloopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974 BG HU RO RU Cc TR
1213. **Sybistroma discipes (Germar,1821)** (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824 GR RO RU IR
1214. **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843 BG GR IL RO HU IT TR
1215. **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843 BG EG GR IL Pa IQ RO RU
1216. **Sybistroma obscurella (Fallén,1823)** (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827 Cc Abk GG GR RO RU UA Cm
1217. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd It Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1218. **Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
1219. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
1220. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB
1221. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
1222. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
1223. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
1224. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
1225. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR
1226. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1227. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
1228. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
1229. **Tabanus glaucopis Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopis* Meigen,1820 GB DE NL BE PL CZ CH AT HU FR IT YU RO BG AL GR RU TR IR MN CN
1230. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1231. **Tabanus regularis Jaenicke,1866** (Tabanidae) Synonym(s): *regularis* Jaenicke,1866; *rufus* Szilady,1923 nec Scop.,1763; #regluaris Kılıç,1999 DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
1232. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 nec Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
1233. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola*

- Rondani,1861; *tricondyla Rondani,1868*; *roederi Giglio-Tos,1891*; *similis Giglio-Tos,1891* **RO Cc TR TM**
UZ KK KG RU AM IR SK BG ES IL Pa
1234. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) **Synonym(s):** *lurida Fabricius,1781* **PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR**
1235. **Tachycixius desertorum (Fieber,1876)** (Cixiidae) **Synonym(s):** *desertorum Fieber,1876* **Cc AL BG CY CZ GR IL IT RO TR AM AZ GG KG RU YU**
1236. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) **Synonym(s):** *pilosus Olivier,1791*; *contaminata Germar,1818*; *albicincta Germar,1818*; *infumata Fieber,1876*; *discicollis Rey,1894*; *nigrita Haupt,1931* **AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU**
1237. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) **Synonym(s):** *bistriatus Duftschmid,1812* **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
1238. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) **Synonym(s):** *fulvicollis Dejean,1831* **AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ**
1239. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) **Synonym(s):** *micros Fischer von Waldheim,1828* **AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP**
1240. **Tachytrechus genualis Loew,1857** (Dolichopodidae) **Synonym(s):** *genualis Loew,1857* **AM Cc BG RO RU JP TW**
1241. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) **Synonym(s):** *insignis Stannius,1831* **BG RO TR UA MA**
1242. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) **Synonym(s):** *notatus Stannius,1831*; *litoreus Haliday,1833*; *obscuripes Gertaecker,1864*; *beckeri Müller,1923* **Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn**
1243. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) **Synonym(s):** *ripicola Loew,1857* **GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR**
1244. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) **Synonym(s):** *tamaricis Puton,1872*; *subpunctata Vilbaste,1961* **BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA**
1245. **Temelucha observator Aubert,1966** (Ichneumonidae) **Synonym(s):** *observator Aubert,1966* **TN RO TR IL Pa EG**
1246. **Teratolytta dives (Brullé,1832)** (Meloidae) **Synonym(s):** *dives Brullé,1832*; *phalerata Frivaldsky,1837*; *vittata Kiesenwetter,1861*; *excellens Escherich,1894* **TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal**
1247. **Terellia zerovae Korneyev,1985** (Tephritidae) **Synonym(s):** *zerovae Korneyev,1985* **TR GR Cr TJ RO**
1248. **Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) **Synonym(s):** *illyricus Kirschbaum,1868*; *pellucidus Wagner,1951 nec Melichar,1896* **AL AT CZ HU IT RO RU YU GR TR**
1249. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) **Synonym(s):** *bolivari Saulcy,1901* **ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK**
1250. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) **Synonym(s):** *hexaspina Kolenati,1857*; *hispidula Fieber,1865*; *callosa Signoret,1866* **Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU**
1251. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) **Synonym(s):** *baranii Signoret,1866* **AL BG CS FR GR IL IT RO ES TR RU TJ YU**
1252. **Tettigometra (Metroplaca) longicornis (Signoret,1866)** (Tettigometridae) **Synonym(s):** *longicornis Signoret,1866* **AF DZ FR DE GR IT RO SW TR AM AZ Cc KG RU TJ TM UZ YU**
1253. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) **Synonym(s):** *leucophaea Preyssler,1792*; *obliqua Panzer,1799*; *#leucophaea Lodos & Kalkandelen,1980* **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU**
1254. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) **Synonym(s):** *macrocephalus Fieber,1865*; *longiceps Signoret,1866*; *concolor Fieber,1876 (praeocc.)*; *contaminatus Metcalf,1932* **Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA**
1255. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) **Synonym(s):** *impressopunctata Dufour,1846*; *frontalis Fieber,1865*; *concolor Fieber,1865*; *fasciata Fieber,1865*; *nitidula Kirschbaum,1868*; *plagiatis Rey,1894*; *viridula Melichar,1899*; *clara Metcalf,1932*; *fasciolata Metcalf,1932* **AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR**
1256. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) **Synonym(s):** *virescens Panzer,1799*; *dorsalis Latreille,1804* **DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU**
1257. **Tettigometra atra Hagenbach,1825** (Tettigometridae) **Synonym(s):** *atra Hagenbach,1825* **DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU**
1258. **Tettigometra depressa Fieber,1865** (Tettigometridae) **Synonym(s):** *depressa Fieber,1865* **DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU**
1259. **Tettigometra sordida Fieber,1865** (Tettigometridae) **Synonym(s):** *sordida Fieber,1865* **Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU**

- 1260. *Tettigonia caudata* (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 **DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE**
- 1261. *Tettigonia viridissima* (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 **Gryllus (Tettigonia) viridissima** Linnaeus,1758, Syst. Nat. 10 (1): 429. Syntypes: Europe (LSUK). **DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR**
- 1262. *Thamnotettix (Loepotettix) exemtus* Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896 **AL AT BG CS HU IT Si RO GG Cc TR MD YU**
- 1263. *Thamnotettix (s.str.) confinis* Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 **AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU**
- 1264. *Thamnotettix (s.str.) dilutior* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior* Kirschbaum,1868; *erythrostickus* Lethierry,1880 **AL DZ AT BE CZ DK GB FR DE HU IT Sa Si MA NL PL PT RO TN RU YU TR**
- 1265. *Thaumatomyia notata* (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 **ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT**
- 1266. *Theophilea subcylindricollis* Hladil,1988** (Cerambycidae) Synonym(s): *subcylindricollis* Hladil,1988 **SK HU RO**
- 1267. *Thereva apicalis* Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 **AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR**
- 1268. *Thereva aurata* (Loew,1854)** (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta* Egger,1859; *corrinea* Gosseries,1991 **AT CZ GR HU IT RO TR YU**
- 1269. *Thereva cincta* Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847 **AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa**
- 1270. *Thereva cinifera* Meigen,1830** (Therevidae) Synonym(s): *cinifera* Meigen,1830; *subfasciata* Schummel,1839; *modesta* Becker,1922 **GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP**
- 1271. *Thereva fulva* (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris* Meigen,1820 **AT CZ DE ES FR GB PL RU HU IT RO YU TR**
- 1272. *Thereva plebeja* (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 **AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PL RO CH FI RU UZ TJ KK TM Sb**
- 1273. *Thereva strigata* (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794; *latistrigata* Kröber,1913; *thermophila* Trojan,1970 **AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA**
- 1274. *Thereva tuberculata* (Loew,1847)** (Therevidae) Synonym(s): *tuberculata* Loew,1847; *subtilis* Loew,1847; *algerica* Kröber,1913 **MA DZ TR ES FR IT MT RO**
- 1275. *Thereva unica* (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata* Meigen,1820 **TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb**
- 1276. *Thereva valida* (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854 **TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU**
- 1277. *Therioplectes tricolor* Zeller,1842** (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959 **TR BG RU RO**
- 1278. *Tibicina haematodes* (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 **Cicada haematodes** Scopoli,1763, Ent. Carn. 118. **Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU**
- 1279. *Tillus pallidipennis* Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850 **FR AT IT HU HV YU RO BG GR TR**
- 1280. *Tingis rotundicollis* (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883 **AL BG RU IT CY RO TR YU GR**
- 1281. *Tipula (Lunatipula) decolor* Mannheims,1963** (Tipulidae) Synonym(s): *decolor* Mannheims,1963 **RO TR**
- 1282. *Tipula (Lunatipula) istriana* Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana* Erhan & Theowald,1961 **GR RO BG TR**
- 1283. *Tipula (Yamatotipula) lateralis* Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 **Tipula lateralis** Meigen,1804, Klass. Besch. 1: 67. **AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR**

1284. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus Fabricius,1781*; *striatus Meigen,1820*; *annulatus Macquart,1826*; *pictipes Loew,1848* IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR
1285. **Tolmerus turcicus Koçak & Kemal,2008** (Asilidae) Synonym(s): *tesselatus Loew,1849 nec Brull.,1832*; *turcicus Koçak & Kemal,2008* IT RO TR
1286. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus Müller,1764* IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1287. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758*; *viridis Geoffroy,1785*; *aurata Christ,1791*; *elegans Boheman,1834*; *forsteri Ratzeburg,1844*; *divisus Walker,1871*; *rosarum Hoffmeyer,1929* Ichneumon *bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567.* AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1288. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus Walker,1833*; *pallidicornis Boheman,1834*; *nanulus Walker,1874* CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
1289. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi Schrank,1781*; *macropterum Walker,1833*; *splendidus Förster,1841* AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
1290. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata Villers,1789*; *maculata Rossi,1790 nec Müll.,1764*; *completa Paramonov,1933* TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1291. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua Fieber,1866*; *hamulata Kirschbaum,1868* Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1292. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus Dejean,1831* AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1293. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusum Erichson,1837* AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL
1294. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1295. **Trichius sexualis Bedel,1906** (Scarabaeidae) Synonym(s): *sexualis Bedel,1906* BG RO TR
1296. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1297. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841*; *megapteropsis Wriese,1900* PT ES DE PL UA MD RO HU AT IT TR
1298. **Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica Baraud,1962*; *bulgarica Bunalski,2001* HV YU AL BG GR MK RO TR
1299. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis Rjachovsky,1959*; *rossicus Rjachovsky,1959* MD RO BG IR MN UA SS LT EE RU TR
1300. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1301. **Trypetimorpha occidentalis Huang & Bourgoïn,1993** (Tropiduchidae) Synonym(s): *fenestrata auct. nec A.Costa,1862*; *occidentalis Huang & Bourgoïn,1993* AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1302. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis Flor,1861*; *quadrivittatus Marshall,1866*; *inclusivalvis Kirschbaum,1868*; *quinquevittatus Kirschbaum,1868*; *flavinervis Kirschbaum,1868*; *onustus Fieber,1869*; *fugax Horvath,1897*; *sinuatus Matsumura,1908* DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
1303. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia Fabricius,1793*; *thymifolia Petagna,1792*; *gracilis Germar,1817*; *marginipunctata Audinet-Serville,1838*; *praeusta Fischer von Waldheim,1846*; *spinus Fischer von Waldheim,1846*; *#liliifolia Bolivar,1877* Locusta *lilifolia Fabricius,1793, Suppl. Ent. Syst. 2: 36.* Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
1304. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula Fabricius,1794 (praeocc.)*; *bifasciata Boheman,1851*; *norgueti Lethierry,1874*; *fenestrata Melichar,1896*; *atrata Melichar,1896*; *perrieri Ribaut,1936* AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1305. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777*; *fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1306. **Ula (s.str.) mollissima Haliday,1833** (Pedicidae) Synonym(s): *mollissima Haliday,1833*; *inconclusa Walker,1856*; *crassicauda Agrell,1945* Ula *mollissima Haliday,1833, Ent. Mag. 1: 153.* AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR

1307. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
1308. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
1309. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820 DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS
1310. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
1311. **Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901 MA DZ Cc AM AZ GG AT BE B-H BG Cn HV CZ DK FI FR GR HU IT Sa Si KG LY MK MD PL RO
1312. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
1313. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 BE CY CZ FR DE GR HU IT PL RO SK ES UA YU
1314. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
1315. **Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914 FR ES IT RO MD RU YU UA
1316. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916 AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU
1317. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
1318. **Villa ventruosa (Loew,1869)** (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU
1319. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifer* Dufour,1833; *dolosa* Jaenicke,1867; *turbidus* Loew,1869 IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
1320. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
1321. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
1322. **Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875 BG MK RO TR
1323. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809 *Tridactylus variegatus* Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB Brussels). FR ES CZ RO TR Cc RU KG IN
1324. **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata* Meigen,1804 FR GB PL RO ES DK RU TR
1325. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea* Fabricius,1805 TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
1326. **Yusufia acerina (Boucek,1972)** (Pteromalidae) Synonym(s): *acerina* Boucek,1972 CZ UA DE RO
1327. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
1328. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta* Lethierry,1874 AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
1329. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
1330. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936; *pandellei* Ribaut,1936; *variegata* Ribaut,1936 AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR
1331. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida* Mulsant & Rey,1855; *costalis* Ferrari,1882; *deleta* Ribaut,1936 AT BG FR IT PT RO Cc TR GG UA YU
1332. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis* Rey,1891; *rhamnicola* Horvath,1903; *fulgurialis* Matsumura,1908; *concinna* Edwards,1924; *inconstans* Ribaut,1936 AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
1333. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula* Boheman,1845 AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU

- 1334. Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s):
scutellaris Herrich-Schäffer,1838 AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM AZ
Ce MD RU Sb UZ YU



Synonymic and distributional list of the pterygot insects of Spain

(Results of the Entomofauna of the World based upon info-system of the Cesa)

75

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Spain (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 75. *Priamus* (suppl.) 18: 2677-2743.

In this study, totally 1590 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Spain recorded in info-system of the Cesa, total pterygot species of Spain increase to 6035.

Key words: List, distribution, *pterygota*, *Insecta*, Spain.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	yes ¹³³
Planned expeditions	no
Further planned publications	yes

In this study, totally 1590 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 4445 recorded species of Lepidoptera from Myanmar are found. Taking this information into consideration, total number of the pterygots may increase to 6035.

The study is still continuing, and the new results will be published within this Project.

1. **Abia aenea (Klug,1829)** (Cimbricidae) Synonym(s): *aenea Klug,1829; bifida Thomson,1871; bigens Kangas,1946* ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
2. **Ablattaria subtriangula Reitter,1905** (Silphidae) Synonym(s): *subtriangula Reitter,1905* ES
3. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum Erichson,1839* BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
4. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus Marsham,1802* AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
5. **Acanthaclisis baetica Rambur,1842** (Myrmeleonidae) Synonym(s): *baetica Rambur,1842* ES IR
6. **Acanthophyes walkeri Funkhouser,1927** (Membracidae) Synonym(s): *chloroticus Walker,1858 (praeocc.); walkeri Funkhouser,1927* ES

¹³³ <http://www.members.tripod.com/entcesa/Intent.pdf>

7. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis Meigen,1824* TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
8. **Acemya pyrrhocera (Villeneuve,1922)** (Tachinidae) Synonym(s): *pyrrhocera Villeneuve,1922* ES FR IT Sa Si
9. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia Von Roser,1840* ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR
10. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
11. **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa Lethierry,1885; minutus Haupt,1917; simplex Haupt,1917 (praeocc.); sanguisuga Lindberg,1927; obtusus Metcalf,1955* AF ES Cn CY FR Co IR IQ IL IT JO LY Md MA PT RO ES EH TR Cc AZ GG KG KK RU TJ TM UZ YU
12. **Acrida ungarica (Herbst,1786)** (Acrididae) Synonym(s): *ungarica Herbst,1786; cypria Dirsh,1949* ES FR HU CZ CY
13. **Acritus homoeopathicus Wollaston,1857** (Histeridae) Synonym(s): *homoeopathicus Wollaston,1857* AL DK GB FR IT NL NO PL ES CZ UA
14. **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai Lewis,1879* ES BE DE GR FR UA
15. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
16. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
17. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc Gg AM IQ Bgd Er Shq CY IR AF PK BI SO
18. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834* ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
19. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkm RU Da SS ES CH UA GB US Cf YU TR
20. **Adelostoma (s.str.) sulcatum Duponchel,1827** (Tenebrionidae) Synonym(s): *sulcatum Duponchel,1827* TR ES MA DZ CY SY EG
21. **Adontomerus brevicaudatus Askew & Nieves-Aldrey,2007** (Torymidae) Synonym(s): *brevicaudatus Askew & Nieves-Aldrey,2007* ES
22. **Adontomerus crassipes (Bouceck,1982)** (Torymidae) Synonym(s): *crassipes Bouceck,1982* DZ ES IR
23. **Adontomerus impolitus (Askew & Nieves-Aldrey,1988)** (Torymidae) Synonym(s): *impolitus Askew & Nieves-Aldrey,1988* ES TR UZ IR Ak
24. **Aethiessa floralis (Fabricius,1787)** (Scarabaeidae) Synonym(s): *floralis Fabricius,1787; refulgens Herbst,1790; aupick Gory & Percheson,1833; barbara Gory & Percheson,1833; doguerau Gory & Percheson,1833; viridiflua Motschulsky,1835; deserticola Waltl,1838* DZ TN MA LY Cy ES IT Si
25. **Afroholopogon waltlii (Meigen,1838)** (Asilidae) Synonym(s): *waltlii Meigen,1838* ES? MA?
26. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus Thomson,1867; obovatus Sahlberg,1875; obscuripennis Sahlberg,1875* FI SE FR IT NO RU ES SZ TR MN
27. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
28. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuti Zaitsev,1908; transcaucasicus Zaitzev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
29. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina Curtis,1833* AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
30. **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis Melichar,1911* ES Cn EG IR IQ IT MA Cc AM TR
31. **Agallia hispanica Horvath,1900** (Cicadellidae) Synonym(s): *hispanica Horvath,1900* IL MA PT ES
32. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ

33. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum Fieber,1877* FR GR IL IT Sa ES SY TN TR UA Cm
34. **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens Olivier,1791; grylloides Fabricius,1794; liliimacula O.Costa,1834; bifasciatus O.Costa,1834; smyrnensis Spinola,1839; dufouri Spinola,1839; sicula O.Costa,1840; zelleri Kirschbaum,1868* AL AT DZ BG Cn CY CZ FR GR HU IT JO MA PT ES RO CH SY TN TR YU RU
35. **Agapanthia annularis (Olivier,1795)** (Cerambycidae) Synonym(s): *annularis Olivier,1795* ES PT LY
36. **Agapanthia irrorata (Fabricius,1787)** (Cerambycidae) Synonym(s): *irrorata Fabricius,1787* MA ES PT IT Sa
37. **Agapanthia suturalis (Fabricius,1787)** (Cerambycidae) Synonym(s): *suturalis Fabricius,1787* ES LY IT Sa TR
38. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
39. **Agenioideus oasis (Haupt,1962)** (Pompilidae) Synonym(s): *oasis Haupt,1962* TR LY TN IL Pa ES Cn SY Hms
40. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata Herrich-Schäffer,1838; pallida Walker,1851 (praeocc.); ornatula Kirkaldy,1906* AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
41. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile Sturm,1824* AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
42. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck,1904* Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
43. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens Duftschmid,1812* Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
44. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum Linnaeus,1758* AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
45. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum Duftschmid,1812* AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
46. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri Herbst,1784* AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
47. **Agonum nigrum Dejean,1828** (Carabidae) Synonym(s): *nigrum Dejean,1828* AT HV FR GB DE GR HU IE IT PT RU ES CH TR MA KG TM NL
48. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus,1758* AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
49. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
50. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi Obenberger,1935* DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
51. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835* TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
52. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857* TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
53. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849* DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
54. **Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus Rossi,1792* AT BG FR Co IT GR MK SL CH ES TR?
55. **Agriotes (s.str.) sordidus (Illiger,1807)** (Elateridae) Synonym(s): *sordidus Illiger,1807* ES
56. **Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922* Epacromia simulatrix Walker,1870, Cat. spec. Dermaptera, Saltatoria Colln. Brit. Mus. 4: 773. Type: India (BMNH). LY Cy EG TR IN IR ZW ZM ZA AF AL AT BD CM CY CZ ET FR GR IQ IL Pa IT Sa JO KE LB ML MM NG PK PT SA SN SC SO ES Cn SD CH SY TJ YE TM YU
57. **Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913* Acrydium strepens Latreille,[1802], Nist. Nat. Crust. Ins. 3 (12): 154. Neotype ♂: France: Bordeaux (BMNH). LY Cy Cn FR AT TR RU AL DZ Cc AZ BG CY EG GR HU IR IQ IL IT Sa Si JO LB MT MA PK PT RO SA ES SD CH SY TN YU

58. **Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus Fabricius,1781*; *grossuni Costa,1836*; *laetum Brullé,1840*; *flavovirens Fischer von Waldheim,1846*; *angustifemur Ghiliani,1869*; *rufipes Ivanov,1888*; *kivuensis Sjöstedt,1923*; *acutus Uvarov,1953* **Gryllus thalassinus Fabricius,1781**, Species Insectorum 1: 367. Neotype ♂: Switzerland: Locarno, Maggia Delta (BMNH). LY Cy Cn CH GR Rd DE IT AT TR CY Cc RU ZR AF AL DZ AO BH BW CV CZ EG ET GM GH GN HU IT IR IQ IL Pa IT Sa JO KE LB LY MG MW MA MZ NA NG OM PK PT Md RW SA SN SL SO ZA Nta Tva ES SD CH SZ ZY TZ TG TN UG UZ YE ZM ZW
59. **Akis bacarozzo (Schrank,1786)** (Tenebrionidae) Synonym(s): *bacarozzo Schrank,1786*; *tuberculata Kraatz,1865* **IT ES FR Co**
60. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella Fallén,1826*; *elegantula Zetterstedt,1828*; *discicollis Herrich-Schäffer,1834*; *fasciata Curtis,1837*; *fulveola Herrich-Schäffer,1838*; *eximia Hardy,1850*; *fastuosa Graff, Six & Snellen,1862*; *viridis Rey,1894*; *flavocephala Kupka,1899*; *diluta Ribaut,1936*; *dufouri Ribaut,1936* **DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU**
61. **Allandrus undulatus (Panzer,1795)** (Anthribidae) Synonym(s): *undulatus Panzer,1795*; *edgreni Fahraeus,1839* **DE FR ES AT IT ...**
62. **Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes Fieber,1836* **AL BG CZ FR RU ES CH IT Si SK YU TR GR**
63. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata Thunberg,1784 (praeocc.)*; *atomarius Fabricius,1794*; *conspicillaris Schrank,1801*; *heydeni Kirschbaum,1868* **AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU**
64. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus Fabricius,1794*; *marmorata Hardy,1850*; *communis Ferrari,1882*; *corisipennis Ferrari,1882*; *juvenis Ferrari,1882*; *margaritinus Ferrari,1882*; *gracilis Rey,1894*; *immunis Rey,1894* **AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA**
65. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus Scott,1876* **AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR**
66. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti Dahlbom,1850*; *coryli Tollin,1851*; *mali Edwards,1851* **AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU**
67. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812*; *gracula Heer,1837*; *affinis Motschoulsky,1850*; *nivina Gistel,1857*; *rugulosa Gistel,1857*; *trophina Gistel,1857*; *xenechthum Gistel,1857*; *obscuricornis Motschoulsky,1859*; *caucasicola Lutschnik,1935* **AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP**
68. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria Paykull,1790*; *analys Fabricius,1792*; *petri Hummel,1825*; *rhaetica Heer,1837*; *armena Motschoulsky,1844*; *parallela Chaudoir,1842*; *putzeysi Horn,1875*; *baschkirica Schweiger,1966*; *paphlagoniensis Schweiger,1966*; *uludagensis Schweiger,1966* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
69. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis Duftschmid,1812*; *crassa Stephens,1828*; *nigra Chaudoir,1837*; *uralensis Motschoulsky,1844*; *regismontium Schweiger,1966* **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui**
70. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva O.F.Müller,1776*; *concolor Olivier,1795*; *iridipennis Heer,1837* **AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG**
71. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria Putzeys,1865*; *diversa Putzeys,1865*; *croatica Ganglbauer,1891*; *hispanica Csiki,1929* **AT B-H BG HV FR DE GR IT MK RO SL ES TR**
72. **Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana Dejean,1828*; *distincta Rambur,1838*; *corsica Putzeys,1866*; *collina Putzeys,1867*; *burdigalensis Schuler,1964* **AL HV FR Co GR IT MA SL ES TR DZ CY SY**
73. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens Sturm,1825*; *praetermissa Sahlberg,1827*; *rufocincta Sahlberg,1827*; *grandicollis C.Zimmermann,1832*; *oreophila C.Zimmermann,1832*; *solitaria Gistel,1857*; *indivisa Putzeys,1871*; *transcaucasica Lutschnik,1935*; *monticusta Jablokoff & Khnzorian,1957* **AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR**
74. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica Panzer,1796*; *caucasica Motschoulsky,1844*; *lithuanica Motschoulsky,1844*; *abruzzensis Schaubberger,1923* **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**

75. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris Duftschmid,1812* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
76. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata Dejean,1828; crenatostrata Chaudoir,1846* AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
77. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia A.Villa & G.B.Villa,1833; krekichi Schtzmair,1919* AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
78. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior Stephens,1828; obtusa Stephens,1828; puncticollis Rylands,1841; continua Thomson,1873* AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ
79. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta Dejean,1828; brunnicornis Heer,1837; aeruginosa Kolenati,1845; cyanocnamis Thomson,1857; ovalis Mulsant & Rey,1861* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
80. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota Panzer,1796; acuminata Paykull,1898; aerata Stephens,1828; exculpta Hassmann,1866; raymondi Putzeys,1870* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
81. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832; bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
82. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida Duftschmid,1812; erythrota Stephens,1828; gemina C.Zimmermann,1832; septentrionalis Curtis,1840; heydeni Schatzmayr,1909; chobauti Puel,1924* LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
83. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata Fabricius,1792; trivialis Duftschmid,1812; pratensis Sturm,1825; incisa Germar,1841; adamantina Kolenati,1845; audax Gistel,1857; sarsi Munster,1927; melanochlora Lutshnik,1933; similatoides Jedlicka,1934; aequatorialis Baliani,1939* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
84. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans C.Zimmermann,1832; properans C.Zimmermann,1832; ougsburgeri Heer,1837; oculata Helliesen,1912; arnoldi Lutschnik,1934; bernhardti Schuler,1965; cerdanica Aubry,1970* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
85. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca Dejean,1828; complanata Dejean,1828; mesatlantica Antoine,1853; theryi Antoine,1853* AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
86. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua Duftschmid,1812; liberta Duftschmid,1812; subaenea Sturm,1825; ruficornis Dejean,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
87. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis Duftschmid,1812* AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
88. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes Audinet-Serville,1821; striatopunctatata Dejean,1828; valida Fairmaire,1859* AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
89. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja Gyllenhal,1810; lapidicola Heer,1837; lenticularis Schiodte,1837; cylindrella Schiodte,1837; varicolor Heer,1838; tridens Morawitz,1862; noctivaga Hochhuth,1871; barnevillei Croissandeau,1893; brisouti Csiki,1929; punctibasis Jedlicka,1957* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
90. **Ameles assoi (Bolivar,1873)** (Mantidae) Synonym(s): *assoi Bolivar,1873* ES MA TN
91. **Ameles decolor (Charpentier,1825)** (Mantidae) Synonym(s): *decolor Charpentier,1825* ES FR DZ IT Si MK GR
92. **Ameles picteti (Saussure,1869)** (Mantidae) Synonym(s): *picteti Saussure,1869* DZ ES IT Si
93. **Ameles spallanzania (Rossi,1792)** (Mantidae) Synonym(s): *spallanzania Rossi,1792; nana Charpentier,1825; brevis Rambur,1838; soror Audinet-Serville,1839; gracilis Brullé,1840; abjecta Bolivar,1897* AL DZ FR GR IT HV MA PT ES
94. **Amphisbetetus favillaceus (Loew,1856)** (Asilidae) Synonym(s): *favillaceus Loew,1856* Cc RU GR ES IL Pa TR IR Fa Kz AF

95. **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis Ribaut,1935; acuteangulata Zachvatkin,1946* AF DE BG ES Cn CY EG FR GB GR HU IQ IL IT JO MA PT RO ES TR KG KK MD TJ UZ YU
96. **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; fieberi Vismara,1878; laevis Berg.,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964* DZ AT BE BG Cn CY CZ EG GB FR GR Cr ES Md CH SY TN RU TR YU AF IR
97. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943 Gryllus aegyptium Linnaeus,1764, Museum Ludovicae Ulricae...: 138. Type ♂: Egypt (UZI U Upsala).* ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
98. **Anaglyptus gibbosus (Fabricius,1787)** (Cerambycidae) Synonym(s): *gibbosus Fabricius,1787* DZ ES FR Co IT SS CH HV
99. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus Linnaeus,1758* DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
100. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans Noyes,2000* TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
101. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis Mercet,1921; orbitalis Ruschka,1923* AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
102. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
103. **Anastoechus andalusiacus Paramonov,1930** (Bombyliidae) Synonym(s): *andalusiacus Paramonov,1930* ES
104. **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae Becker,1915; fuscipennis Becker,1915; pyramidum Paramonov,1940* TN EG KE SD DZ IL Pa LY SA ES SY
105. **Anastoechus bitinctus Becker,1916** (Bombyliidae) Synonym(s): *bitinctus Becker,1916* ES IT
106. **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus Wiedemann,1820* IT SD YE DZ AM AZ GG Cc EG FR IL Pa JO KW LB OM PT SA ES SY TN YU
107. **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens Becker,1913; intermedius Becker,1916* AM AZ GG Cc IR EG GR KG KK ES TJ TM UZ
108. **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus Wiedemann,1818; viduus Becker,1916* IT Si IR GR AM AZ GG Cc B-H HV CY EG FR HU IR MK RO RU SS ES UZ YU
109. **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus Fabricius,1794; caudatus Meigen,1804; diadema Meigen,1804; cephalotes Walker,1849; olivaceus Paramonov,1930; corsicanus Paramonov,1930; hummeli Paramonov,1933; aberrans Paramonov,1940; corsicanus Zaitzev,1989* IT RU CN MN AF AT BE B-H BG HV FR DE GR HU IR JP KG KK MK PT RO SS ES SK TR
110. **Anastoechus stramineus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *stramineus Wiedemann,1820; acuticornis Macquart,1840* IT DZ EG FR IL Pa LY PT ES TN TM SA SD
111. **Ancylorhynchus limbatus (Fabricius,1794)** (Asilidae) Synonym(s): *limbatus Fabricius,1794; laufferi Strobls,1906* ES MA TN
112. **Ancylorhynchus senes (Dufour,1833)** (Asilidae) Synonym(s): *senes Dufour,1833* ES
113. **Andrena (Brachyandrena) miegiella Dours,1873** (Andrenidae) Synonym(s): *miegiella Dours,1873; lojaconi Destefani,1889; tingitana Pérez,1895* ES IT Si MT MA DZ
114. **Andrenosoma albibarbe (Meigen,1820)** (Asilidae) Synonym(s): *albibarbe Meigen,1820; adustiventris Costa,1863; erythrurum Loew,1847* DZ CH AT CZ DE ES FR GR IT PL RO TR RU Ur Sb
115. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum Linnaeus,1758; prostratum Scopoli,1763* DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
116. **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti Giraud,1859; giraudianus Dalla Torre & Kieffer,1910* Andricus amenti Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 360-361. ES GB FR DE AT HU IT MD BG GR TR
117. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma Hartig,1841; cirratus Adler,1881; giraudi Wachtl,1882* PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
118. **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae Hartig,1843; gallaecristatae Henschel,1876* ES FR DE PL SK CZ AT SS HU B-H YU MD RO BG GR IT TR

119. **Andricus cecconii Kieffer,1901** (Cynipidae) Synonym(s): *cecconii Kieffer,1901* ES IT GR TR
AZ Cc IL Pa IR
120. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius Hartig,1843*;
lusitanicus Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
121. **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator Hartig,1840*; *axillaris*
Hartig,1840; *collaris Hartig,1840*; *curvata Förster,1869*; *dimidiatus Schenck,1863*; *fasciatus*
Schenck,1863; *perfoliatus Schenck,1863*; *tegmentorum Schlechtendal,1870*; *lusitanicus*
Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK
GR BG TR
122. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus Rejto,1887*;
mayri Kieffer,1897 nec Wachtl.,1879; *gallaeviscosus Benson,1953*; *viscosus Nieves-Aldrey,1986*;
floridus Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR
123. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix Hartig,1840*;
gemmarum Lacaze-Duthiers,1853; *gemmae Schenck,1863*; *foecundator Tavares,1918* PT ES FR
GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
124. **Andricus gallaeurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s):
gallaeurnaeformis Fonscolombe,1832; *urnaeformis Giraud,1859*; *sufflator Mayr,1882* PT ES FR
GB AT IT YU HU UA RO BG GR TR
125. **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus Giraud,1859*;
kirchbergi Wachtl,1876 PT ES FR DE PL AT HU IT Si B-H MD RO BG GR TR
126. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae Giraud,1859*;
mayri Wachtl,1879; *panteli Kieffer,1897*; *fructuum Trotter,1899*; *intermedius Tavares,1922*;
gemellus Belizin & Maisuradze,1961 *Andricus grossulariae Giraud,1859, Verh. zool.- bot. Ges.*
Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
127. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari Hartig,1843*; *circulans*
Mayr,1870; *indigena Giraud,1909* PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR
YU HV B-H SS IT TR
128. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus Hartig,1840*;
vanhurni Docters van Leeuwen & Deukhuijzen-Maasland,1958 PT ES FR GB IE BE NL DE PL UA
MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
129. **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi Adler,1881*; *nudus*
Adler,1881 ES FR GB IE BE NL DE DK HU IT BG TR
130. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis*
Linnaeus,1761; *corticis Hartig,1840*; *brevicornis Hartig,1841*; *gemmatus Adler,1881*; *krajnovici*
Tavares,1901 PT ES FR GB IE DE DK SE PL UA MD RO HU TR
131. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis*
Fabricius,1789; *noduli Hartig,1840*; *trilineatus Hartig,1840*; *parasiticus Hartig,1841*; *rugiscuta*
Thomson,1877; *beirensis Tavares,1902* PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
132. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli*
Linnaeus,1761; *autumnalis Hartig,1840*; *amentorum Hartig,1843*; *ramuli Schenck,1863*;
trifasciata Kieffer,1901 PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
133. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae Bosc,1792*;
quercustojae Fabricius,1793; *argentea Hartig,1843*; *rosenhaueri Hartig,1856*; *kiefferi*
Cabrera,1897; *tozae Kieffer,1898* PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR
134. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius*
Fonscolombe,1832; *ferruginea Hartig,1840*; *occultus Tschek,1871*; *filigranata Dettmer,1925*;
villarubiae Tavares,1930 PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU
BG GR TR AZ Cc IR DZ
135. **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii Kieffer,1897*;
#keszthelyensis Mehes,1953 PT ES IT BG GR TR
136. **Anechura bipunctata (Fabricius,1781)** (Forficulidae) Synonym(s): *bipunctata*
Fabricius,1781; *asiatica Semenov,1903*; *fabricii Fieber,1854* ES TR RU FR SK AM KG UZ
137. **Aneomochtherus confusus (Tsacas,1965)** (Asilidae) Synonym(s): *confusus Tsacas,1965*
FR ES CH
138. **Aneomochtherus lepidus (Loew,1871)** (Asilidae) Synonym(s): *lepidus Loew,1871* ES
139. **Aneomochtherus ochriventris (Loew,1854)** (Asilidae) Synonym(s): *ochriventris*
Loew,1854; *tenellus Becker,1923* MA TN ES SY
140. **Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius*
Gravenhorst,1820 (praeocc.); *cingulatellus Horstmann,1997* ES IT DE CZ TR Cc RU KG IR
141. **Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): *seyrigi Heinrich,1933*
Anisobas seyrigi Heinrich,1933, Mitt. zool. Mus. Berlin 19: 158. ES IT Si GR TR
142. **Anisochrysa (Cunctochrysa) baetica Hölzel,1972** (Chrysopidae) Synonym(s): *baetica*
Hölzel,1972 ES TR

143. **Anisochrya iberica (Navas,1903)** (Chrysopidae) Synonym(s): *iberica Navas,1903* ES
144. **Anisolabis maritima (Géné,1832)** (Labiduridae) Synonym(s): *maritima Géné,1832; singularis Shiraki,1905; addita Burr,1913; quadrata Liu,1946* ES RU TR
145. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905* PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
146. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus Ferrari,1882; bipunctata Ferrari,1882* AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
147. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
148. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
149. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
150. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA
151. **Anthaxia (Haplantaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837* DZ GR IL Pa IT PT ES SY TR
152. **Anthaxia (Haplantaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
153. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata Roubal,1913; incognita Bily,1974* AT YU CZ FR DE IT SK ES CH TR UA
154. **Anthaxia (s.str.) fulgurans (Schränk,1789)** (Buprestidae) Synonym(s): *fulgurans Schränk,1789* AM AT CZ Cc DE HU IT SK ES CH UA TR
155. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula Illiger,1803* AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
156. **Anthaxia (s.str.) hypomelaena (Illiger,1803)** (Buprestidae) Synonym(s): *hypomelaena Illiger,1803* DZ YU GR Cr FR IT MA PT ES RU Cc TR
157. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
158. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* AT YU CZ FR DE HU IT RU SK ES CH UA TR
159. **Anthidium (Anthidiellum) strigatum (Panzer,1805)** (Megachilidae) Synonym(s): *strigatum Panzer,1805; contractum Latreille,1809; frontale Lepeletier,1841; minusculum Nylander,1852; coronatum Dufour,1853; decoratum Chevrier,1872; luteum Friese,1897; rubellum Friese,1917; cyrenaicum Gribodo,1924; pauperculum Cockerell,1928; crassepunctatum Popov,1935; palaestinense Alfken,1935; ibericum Alfken,1936; judaicum Alfken,1936; humerale Alfken,1936* MA TN DZ LY Cy ES FI CH RU Sb YU TR GR Cr Nv Ord Cc AZ TM Kp TJ CY IL Pa IQ
160. **Anthidium (Archanthidium) laeiventre Dours,1873** (Megachilidae) Synonym(s): *laeiventre Dours,1873; atlanticum Benoist,1934; ibericum Mavromoustakis,1939;* MA DZ ES FR
161. **Anthidium (Exanthidium) eximium Giraud,1863** (Megachilidae) Synonym(s): *eximium Giraud,1863; excisum Mocsary,1884* FR IT ES BG Cc AM Eri TR
162. **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum Fabricius,1787* ES EG SA TM MR SY TRIL Pa CY
163. **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838; latreillii Lepeletier,1841; rubiginosum Lepeletier,1841; provinciale Lepeletier,1841; comptum Lepeletier,1841; numidum Lepeletier,1841; lepeletieri Fonscolombe,1846; klugi Lucas,1849; coronatum Smith,1854 (praeocc.); obscurum Dusmet,1908 (praeocc.); tergale Pasteels,1969.* FR ES DZ AL MA EG FR IT HV CY GR Cr IL Pa LB PT BG TR SY AZ Cc Nv Ord

164. **Anthidium (Icteranthidium) laterale Latreille, 1809** (Megachilidae) Synonym(s): *laterale* Latreille, 1809; *scutellare* Latreille, 1809; *quadrilobum* Lepeletier, 1841; *auripes* Eversmann, 1852; *annulare* Schenck, 1868; *sexmaculatum* Chevrier, 1872; *perrisii* Dours, 1873; *ifranicum* Cockerell, 1931; *confluens* Alfken, 1931 MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
165. **Anthidium (Mesanthidium) carduele Morawitz, 1876** (Megachilidae) Synonym(s): *carduele* Morawitz, 1876; *controversum* Radoszkowski, 1886; *malacopygum* Gribodo, 1894; *konowi* Friese, 1897; *zonulum* Alfken, 1935 Cc RU TM TR IL Js Pa BG SY DZ ES
166. **Anthidium (Mesanthidium) schulthessi Friese, 1897** (Megachilidae) Synonym(s): *schulthessi* Friese, 1897; *naefi* Benoist, 1950 ES MA
167. **Anthidium (Paraanthidium) interruptum Fabricius, 1781** (Megachilidae) Synonym(s): *interruptum* Fabricius, 1781; *rufipes* Fabricius, 1787 *nec* Fabr., 1781; *varia* Olivier, 1789; *erythropus* Gmelin, 1790; *flavilabre* Latreille, 1809; *dufourii* Lepeletier, 1841; *liteipes* Lepeletier, 1841; *integrum* Eversmann, 1852; *curvipes* Smith, 1872; *melanostomum* Costa, 1884; *foliivolor* Ferton, 1921 FR RU CH IT Sa DZ TN GR ES PT MK YU Cc TR
168. **Anthidium (Proanthidium) oblongatum Illiger, 1806** (Megachilidae) Synonym(s): *oblongatum* Illiger, 1806; *oblongatum* Latreille, 1809; *trochantericum* Morawitz, 1894; *nigrum* Friese, 1897; *luteum* Dusmet, 1915 *nec* Fr., 1897; *xanthurum* Cockerell, 1925; *australe* Alfken, 1937; *flavens* Moczar, 1956; *tornense* Tkalcu, 1966; *berberum* Warncke, 1980 MA AT PT ES HU IT CZ Cc AZ Len RU Ur TM GR TR
169. **Anthidium (Proanthidium) undulatifforme Friese, 1917** (Megachilidae) Synonym(s): *undulatifforme* Friese, 1917 TR AM Cc ES IL Pa Js GR
170. **Anthidium (Pseudoanthidium) reticulatum Mocsary, 1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary, 1884; *tegulare* Morawitz, 1886; *mocsaryi* Friese, 1897; *kindermanni* Mavromoustakis, 1954 ES AZ Cc Len HU DZ IT HV BG GR TR FR LB Bsa
171. **Anthidium (Rhodanthidium) caturigense Giraud, 1863** (Megachilidae) Synonym(s): *caturigense* Giraud, 1863; *ducale* Morawitz, 1876; *moreense* Friese, 1917; *pyrenaicum* Alfken, 1927; *jerusalemicum* Mavromoustakis, 1938 IT CH ES Py FR GG Bjo Cc TR GR LB IL Pa Js
172. **Anthidium (Rhodanthidium) infuscatum Erichson, 1835** (Megachilidae) Synonym(s): *infuscatum* Erichson, 1835; *bellicosum* Lepeletier, 1841 DZ ES YU
173. **Anthidium (Rhodanthidium) septemdentatum (Latreille, 1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille, 1809; *rufiventre* Brullé, 1832; *quadridentatum* Lepeletier, 1841; *fuscipenne* Lepeletier, 1841; *binominatum* Smith, 1854; *sexlineatum* Chevrier, 1872; *fasciale* Friese, 1917; *rufocinctum* Alfken, 1930; *nigrosetosum* Stanek, 1968 ES FR CH GR Cr Rd LB IL Pa TR Cc AM Nv AZ Ord
174. **Anthidium (Rhodanthidium) siculum Spinola, 1838** (Megachilidae) Synonym(s): *siculum* Spinola, 1838; *fontainesii* Lepeletier, 1841; *andrei* Mocsary, 1884 MA DZ LY Cy ES IT Si
175. **Anthidium (Rhodanthidium) sticticum (Fabricius, 1787)** (Megachilidae) Synonym(s): *sticticum* Fabricius, 1787; *ordonezi* Dusmet, 1915; *amismizianum* Dusmet, 1915 MA DZ TN LY Cy IT Si PT ES FR
176. **Anthidium (s.str.) diadema Latreille, 1809** (Megachilidae) Synonym(s): *diadema* Latreille, 1809; *ornatum* Lepeletier, 1841; *albiventre* Lepeletier, 1841; *radoszowskyi* Mocsary, 1887; *seraxense* Radoszkowski, 1893; *terminale* Morawitz, 1894; *caucasicum* Friese, 1897 DZ ES FR TR RU TM CN Ui UZ Cc LY Cy HV GR Cr Cy
177. **Anthidium (s.str.) punctatum Latreille, 1809** (Megachilidae) Synonym(s): *punctatum* Latreille, 1809; *minus* Nylander, 1848; *senile* Eversmann, 1852; *greyi* Radoszkowski, 1862; *albidulum* Chevrier, 1872; *nigrinum* Morawitz, 1875; *nitidulum* Morawitz, 1894; *mayeti* Pérez, 1895; *albofasciatum* Friese, 1897; *fulvipes* Friese, 1897; *kohlii* Friese, 1897; *bequaerti* Alfken, 1914; *amanusense* Dusmet, 1915; *ariasi* Dusmet, 1915; *nigritulum* Friese, 1917; *succicum* Alfken, 1927 SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
178. **Anthidium (s.str.) taeniatum Latreille, 1809** (Megachilidae) Synonym(s): *taeniatum* Latreille, 1809; *fasciatum* Latreille, 1809; *sulphureum* Lepeletier, 1841; *affine* Morawitz, 1873; *monile* Friese, 1897; *nostrum* Radoszkowski, 1893 FR ES IT Si TM MA DZ HV GR Rd TR IL Pa
179. **Anthidium (Trachusa) byssina (Panzer, 1804)** (Megachilidae) Synonym(s): *byssina* Panzer, 1804; *resinana* Schilling, 1829; *pyrenaica* Lepeletier, 841; *rotundiiventris* Perris, 1852; *zeitzi* Cockerell, 1925 DE ES FR RU TR Cc
180. **Anthocoris butleri Le Quense, 1954** (Anthocoridae) Synonym(s): *butleri* Le Quense, 1954 ES FR GB SE BE NL DE CZ AT IR Elb Mz
181. **Anthocoris minki Dohrn, 1860** (Anthocoridae) Synonym(s): *minki* Dohrn, 1860; *pistaciae* Wagner, 1957 ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
182. **Anthocoris nemoralis (Fabricius, 1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius, 1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma

183. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761 ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
184. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877 ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
185. **Anthocoris visci Douglas,1889** (Anthocoridae) Synonym(s): *visci* Douglas,1889 ES FR GB BE NL DE CZ YU MK TR IR Kd
186. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
187. **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957 PT ES IT Si CY IL Pa TR
188. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820 IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
189. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820 IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
190. **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859 IT Si AL DZ AM AZ GG Cc BG HV FR GR HU IL Pa LY MT MA SA ES TN TR
191. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae) Synonym(s): *munroi* Hinton,1943 TR BG FR Co CY ES IT
192. **Antipalus varipes (Meigen,1820)** (Asilidae) Synonym(s): *varipes* Meigen,1820; *tibialis* Megerle,1820; *macrurus* Ruthe,1831; *xanthopygus* Ruthe,1831; *aurifluus* Zeller,1840; *tenax* Zeller,1840; *mollis* Loew,1871; *flabellifer* Pandellé,1905 AT AL CH CZ DE DK ES FR HU IT NL PL RO YU RU Cc BY
193. **Antiphris trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalthammeri* Lichtwardt,1903 AL DE ES FR GR TR HU IT YU CH RO BY RU Cc IR Elb Mz Fa KG SY IL Pa MT MA EG TN
194. **Aphelocheirus murcius Nieser & Millan,1989** (Aphelocheiridae) Synonym(s): *murcius* Nieser & Millan,1989 ES
195. **Aphelocheirus occidentalis Nieser & Millan,1989** (Aphelocheiridae) Synonym(s): *occidentalis* Nieser & Millan,1989 ES PT
196. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
197. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
198. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
199. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscifasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
200. **Aphrophoraalni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
201. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea* Germar,1821 AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR
202. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina* Goeze,1778 AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU

203. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae Mercet,1911; dubius De Santis,1948; intermedius De Santis,1948; citrinus Compere,1955* ES CY TR GG JP AR
204. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis Howard,1900; longiclavae Mercet,1910; capitatus Rust,1915; signiphoroides Brèthes,1916; riadi Delucchi,1964* CL US Cf ES TR CY LB AR
205. **Aphytis hispanicus (Mercet,1912)** (Aphelinidae) Synonym(s): *hispanicus Mercet,1912; argentinus Brèthes,1916; bovelli Malenotti,1918* AR ES TR
206. **Apis mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761* PT ES FR DE MK BG GR Cr TR Cc AM GG AZ RU KG CN Ui T-S IR IQ SY IL Pa ZA MA LY TN NG BF MG EG SD UG YE
207. **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila Loew,1873* IT ES TN Cn HV HU EG AF IL Pa IR TM UZ
208. **Apolysis langemarki (François,1969)** (Bombyliidae) Synonym(s): *langemarki François,1969* ES
209. **Apolysis montivaga François,1969** (Bombyliidae) Synonym(s): *montivaga François,1969* IT ES
210. **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens J.Müller,1943* AZ BG FR GG IT ES TR MA TN IL Pa
211. **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax Pecchioli,1837* AZ AL AM Cc FR GR IT PT RU ES TR DZ MA TN CY IR IQ IL Pa
212. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
213. **Aprosthemella staudingeri (Konow,1895)** (Argidae) Synonym(s): *staudingeri Konow,1895* ES
214. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris Walker,1839* TR PT ES FR GB NO SE DK DE CZ HU GR
215. **Apteromantis aptera (Fuente,1894)** (Mantidae) Synonym(s): *aptera Fuente,1894* ES
216. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
217. **Arge berberidis (Schränk,1802)** (Argidae) Synonym(s): *berberidis Schränk,1802* ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
218. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis Fabricius,1781; seljuki Benson,1968; fuscineris Lindqvist,1974* ES FR SE DE PL RU Sb DZ TR CA
219. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
220. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
221. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
222. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra Gmelin,1790; nigritarsis Klug,1834; fuliginata Konow,1907* PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
223. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
224. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
225. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
226. **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica André,1879* FR ES Py Cc IT Sa TR MA DZ RU Ur Ya TJ Pm MN
227. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica Linnaeus,1758; atrata Forster,1771; segmentarius Panzer,1805* ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
228. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata Linnaeus,1758* PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
229. **Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator Dufour & Perris,1840* ES FR DE IT AT BG TR

230. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos Fabricius,1794*; *#scutellaris Stichel,1961*; *neocustos Ahmad & Önder,1990*; *neoinsperata Ahmad & Önder,1990* **DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE**
231. **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps Kirschbaum,1868*; *longivalvis Kirschbaum,1868*; *linnei Fieber,1869* **AT BE BG CS DK FR DE GR HU IT MN NL PL RO ES SW GG Cc TR MD**
232. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum Flor,1861*; *paucinervis Sahlberg,1871* **AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU**
233. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons Kirschbaum,1868* **AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU**
234. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis Linnaeus,1758* **IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB**
235. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis Fabricius,1794*; *divisa Rey,1891* **Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU**
236. **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus Becker,1902* **EG IQ IR RO AT ES**
237. **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus Becker,1902* **CY EG IQ TN ES**
238. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus Linnaeus,1758* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
239. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus Germar,1817* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
240. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus Schrank,1781* **AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU**
241. **Atholus paganettii (Bickhardt,1911)** (Histeridae) Synonym(s): *paganettii Bickhardt,1911* **ES PT**
242. **Attagenus (s.str.) hirtulus Rosenhauer,1856** (Dermestidae) Synonym(s): *hirtulus Rosenhauer,1856* **PT ES MA TN**
243. **Attalus cyaneus (Fabricius,1792)** (Melyridae) Synonym(s): *cyaneus Fabricius,1792*; *erythroderus Erichson,1840* **MT TN DZ ES FR Sa Si IT**
244. **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens Scopoli,1763*; *curculionoides Linnaeus,1767*; *coryli Müller,1776*; *maculipes Rondani,1833* **DE BG FR NL GB IR ES Cc KG Co RU IT Sa Si TR TM**
245. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus Voss,1934* **BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO**
246. **Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens Kiesenwetter,1852*; *cisticola Fairmaire,1859*; *subplumbeus Chevrolat,1860* **DZ FR ES Co PT IT Sa GR TR**
247. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros Ratzeburg,1844*; *skianeurus Ratzeburg,1848* **TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU**
248. **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata Mulsant & Rey,1855*; *quadrisignata Flor,1861*; *homeyeri Kirschbaum,1868*; *fieberi Vismara,1878*; *laevis Bergevin,1934 (praeocc.)*; *zachvatkini Vilbaste,1961*; *nasti Dlabola,1964*; *deserticola Dlabola,1964* **DZ AT BE BG ES Cn CY CS EG FR GB GR Cr HU IQ IL IT LY MA PT RO ES SW SY TN TR AM AZ GG Cc KG KK MD RU TJ UZ YU**
249. **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica Bergevin & Zanon,1922*; *citrea Haupt,1930*; *bodenheimeri Haupt,1930*; *benedettoi Paoli,1932* **AL? DZ EG IL IT Sa JO LY ES TN**
250. **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe Kirkaldy,1906*; *hortensis Lindberg,1948*; *virescens Haupt,1927* **ES Cn EG IQ JO TR CY LB GR Cr**
251. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea Scott,1876*; *frontalis Ferrari,1882*; *flava Haupt,1927*; *pulchella Lindberg,1948*; *haupti Metcalf,1955* **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
252. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana Theodor & Moscona,1954* **ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ**
253. **Batracomorphus allionii (Turton,1802)** (Cicadellidae) Synonym(s): *prasina Fabricius,1794 (praeocc.)*; *allionii Turton,1802*; *fabricii Metcalf,1955* **AT BE DK FI FR DE IT MN NL NO PL RO ES AZ RU Sb**

254. **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra Siebold,1856* AT AZ
Cc BE CZ FR HU MD ES CH TN TR
255. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura Masi,1916*;
meridionalis Steffan,1951 AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU
YU TR
256. **Bellardia brevistylata (Villeneuve,1926)** (Calliphoridae) Synonym(s): *brevistylata*
Villeneuve,1926; *latigena Enderlein,1933* ES IT SI
257. **Bellardia obsoleta (Meigen,1824)** (Calliphoridae) Synonym(s): *obsoleta Meigen,1824*; *clausa*
Macquart,1835; *vernalis Robineau-Desvoidy,1863*; *angusta Séguy,1928* BG CZ DK FR DE HU IT
PL NO RO SK ES
258. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia Walker,1849*;
unxia Walker,1849; *biseta Kramer,1917* BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL
RO RU YU SK ES SE CH UA GB
259. **Bellardia polita (Mik,1884)** (Calliphoridae) Synonym(s): *polita Mik,1884* LT UA AT CZ
DE HU PL SK ES
260. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum*
Robineau-Desvoidy,1830; *pusilla Meigen,1826*; *aculeata Pandellé,1896*; *krameri Müller,1922*;
zetterstedti Enderlein,1933; *longelobata Jacentkovsky,1941* AD AT BY CN CZ DK EE FI FR DE HU
IT JP LT NO PL RO RU At SK ES SE UA GB
261. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris*
Robineau-Desvoidy,1830; *agilis Meigen,1826*; *bisetosa Hall,1948* US AM AT Cc BG HV CZ FI FR
DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
262. **Bembecinus carpetanus (Mercet,1906)** (Crabronidae) Synonym(s): *carpetanus*
Mercet,1906 ES PT
263. **Bembecinus crassipes (Handlirsch,1895)** (Crabronidae) Synonym(s): *crassipes*
Handlirsch,1895 ES FR
264. **Bembecinus pulchellus Mercet,1906** (Crabronidae) Synonym(s): *pulchellus Mercet,1906*
ES PT
265. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens*
Fabricius,1781; *cinctus Rossi,1790*; *repandus Panzer,1801*; *sinuatus Latreille,1805*; *satsumanus*
Sonan,1934; *errans De Beaumont,1950* AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK
ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN
Pkn
266. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile*
Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL
ES SE CH TR UA MA NL JP
267. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s):
fumigatum Duftschmid,1812 AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL
ES SE CH TR UA KG NL
268. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum*
Erichson,1837 AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK
KG NL YU
269. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros*
Herbst,1784 AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU
MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
270. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s):
properans Stephens,1828 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS
LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
271. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s):
ephippium Marsham,1802 AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA MA TN NL
272. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium*
Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO
PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
273. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum*
Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA
NC NL
274. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii*
Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES
SE CH TR UA NL
275. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum*
Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES
SE CH UA IR KG NL YU AZ AM Cc GG RU TR
276. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum*
Say,1823 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE
CH TR UA DZ MA TN NL YU

277. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
278. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820* AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
279. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
280. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
281. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
282. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812* AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH TR UA NL
283. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigratarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV Cc GG HU IE LT NL NO PL RO SK CH UA
284. **Beris rozkosnyi Kassebeer,1996** (Stratiomyidae) Synonym(s): *rozkosnyi Kassebeer,1996* MA ES
285. **Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae) Synonym(s): *affinis Brullé,1835; hispanicus Kuster,1847* ES TR
286. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
287. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes Meigen,1818; dorsalis Meigen,1818; flavicollis Meigen,1818; ephippium Zetterstedt,1838; tancrei Duda,1930* ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
288. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930* PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
289. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis Linnaeus,1767; marginalis Geoffroy,1785; pyri Fabricius,1794; hyalinus Meigen,1804; praecox Meigen,1804; nigrifemus Strobl,1900; jacobi Villeneuve,1924* ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT Si
290. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus Wiedemann,1818; vernalis Meigen,1818* ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
291. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846* PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
292. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
293. **Bibio reticulatus Loew,1846** (Bibionidae) Synonym(s): *?villosus Meigen,1818; reticulatus Loew,1846* ES FR GB BE NL DE PL RU HU CZ SK CH AT
294. **Bibio siculus Loew,1846** (Bibionidae) Synonym(s): *siculus Loew,1846* ES Sa IT Si AT HU GR
295. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis Meigen,1818; varipes Meigen,1830; atripes Duda,1930; ringdahli Duda,1930* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
296. **Bibio venosus Meigen,1804** (Bibionidae) Synonym(s): *venosus Meigen,1804* ES GB FR BE DK DE SE PL CZ SK HU CH AT
297. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriiformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis HArtig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928* PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR
298. **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus Latreille,1792; angusticollis Spinola,1843; tuberculata Lepeletier,1845; bituberculata Smith,1855; erythrothorax Sichel & Radoszowski,1870; cobosi Suarez,1958* FR ES IT GR CY SY MA DZ TN
299. **Blakeius chiesi (Spinola,1839)** (Mutillidae) Synonym(s): *chiesi Spinola,1839; diophthalma Costa,1882; ibericus Suarez,1958; negrei Suarez,1958* MA DZ TN IT Sa ES PT

300. **Blakeius invreai (Suarez,1958)** (Mutillidae) Synonym(s): *invreai Suarez,1958* ES MA
301. **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata Westwood,1842* PT ES IT GR TR LB IR
302. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794 nec Oliv.,1789; discoidea Fabricius,1794; charopus Lichtenstein,1796; thoracicus Fabricius,1805; analis Thunberg,1827; trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
303. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus Fabricius,1794 nec De Geer,1776; #perlatus Pallas,1818; #maximus Wiedemann,1818; #hemipterus Pallas,1818; vertebralis Dufour,1833; sticticus Boisduval,1835; subluna Walker,1849* AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
304. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum Linnaeus,1761; cryptarum Fabricius,1775; lucocryptarum Ball,1914; magnus Alford,1975* TR GB ES GR Cc PL DK NO SE FI RU YU
305. **Bombus terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris Linnaeus,1758; cullumanus Kirby,1802; audax Harris,1870; silantjewei Morawitz,1892; holsaticus Krüger,1954* GB IT ES PT DZ GR Cc PL DK CZ RO TR
306. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater Scopoli,1763; #quartus Schaeffer,1768; uralensis Gmelin,1790; barbulus Pallas,1818; lugubris Loew,1855* AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
307. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913* DZ MA TN ES
308. **Bombylisoma algirum (Macquart,1840)** (Bombyliidae) Synonym(s): *algirum Macquart,1840; lutescens Loew,1855; nigrifrons Becker,1913* MA DZ ES TN SY?
309. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum Loew,1855* AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
310. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula Loew,1855 nec Pall.,1818; croaticum Kertész,1901* AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
311. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum Loew,1855; brevisrostratus Austen,1937* AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
312. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum Fabricius,1794; argyropyga Macquart,1846* DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
313. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum Scopoli,1771; minimus Schrank,1781; flavus Meigen,1804* AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
314. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps Loew,1862; nigricephalus Séguy,1926* AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
315. **Bombylisoma notatum (Engel,1933)** (Bombyliidae) Synonym(s): *notatum Engel,1933* ES IT
316. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor Loew,1855* AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
317. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus Pallas & Wiedemann,1818; dispar Meigen,1820* Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21. Type(s): Kazachstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
318. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis Olivier,1789; undatus Mikan,1796* AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
319. **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus Loew,1855* RU Sb CN IR MN KK ES TJ TM UZ
320. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens Mikan,1796; cinereus Meigen,1804; variabilis Loew,1855* AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
321. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius Pallas & Wiedemann,1818* AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU

322. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens Mikan,1796; floralis Meigen,1820* AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
323. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus Loew,1855* AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
324. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor Mikan,1796* DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
325. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus Meigen,1820; dimidiatus Wiedemann,1820; ventralis Loew,1855; debilis Loew,1855; expleta Loew,1855* AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
326. **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes Wiedemann,1828* EG IR IT LY MA ES YU TR
327. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens Wiedemann,1820; apicalis Meigen,1820* AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
328. **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus Fabricius,1781* IT Si AM AZ GG Cc EG GR IR IQ IL Pa PT ES TM
329. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major Linnaeus,1758; anonymus Sulzer,1761; variegatus De Geer,1776; aequalis Fabricius,1781; lanigerus Geoffroy,1785; sinuatus Mikan,1796; fratellus Wiedemann,1828; consanguineus Macquart,1840; vicinus Macquart,1840; albipectus Macquart,1855; basilinea Loew,1855; australis Loew,1855; antenoreus Liouy,1864; notialis Evenhuis,1978* CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
330. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius Linnaeus,1758; punctatus De Geer,1776; concolor Mikan,1796; discolor Meigen,1804; tectus panzer,1804; intermedius Walker,1849; albomicans Loew,1855; pictipennis Loew,1855; pallipes Loew,1855; dalmatina Strobl,1902 nec Lu.,1855; poecilopterus Bezzi,1925; caucasicus Paramonov,1940; varipennis Evenhuis,1978* AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU
331. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor Linnaeus,1758; dilutus Wiedemann,1820; subcinctus Wiedemann,1820; allibarbis Zetterstedt,1842; flavescens Palm,1876; ochraceus paramonov,1926 nec Big.,1892; moldavanicus Paramonov,1926; luteolus Evenhuis,1978; thapsinoides Evenhuis,1978* AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
332. **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus Bigot,1862; argentifrons Loew,1873; similis Loew,1873* AL AM AZ Cc AT B-H HV EG FR Co GR GG HU IR IL Pa IT Si KK LB MK MA PT RO SS ES SY TJ TN TM UZ YU
333. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus Meigen,1804* AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
334. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus Mikan,1796; pilirostris Loew,1855; monticola Paramonov,1926; algericus Villeneuve,1932* DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
335. **Bombylius (s.str.) pallens Wiedemann,1820** (Bombyliidae) Synonym(s): *pallens Wiedemann,1820* IT GR PL PT ES
336. **Bombylius (s.str.) pardalotus François,1969** (Bombyliidae) Synonym(s): *pardalotus François,1969* ES IT
337. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans Meigen,1804 nec Fabr.,1798; posticus Fabricius,1805; vulpinus Wiedemann,1820; fugax Wiedemann,1820; tibialis Walker,1849; desertorum Paramonov,1926; palaestinus Paramonov,1926* AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
338. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus Meigen,1820* YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
339. **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis Loew,1855* GR IR MK ES TN TR YU
340. **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus Loew,1855* DZ AM AZ Cc GG CY EG IT Si LY MA TN PT ES FR

341. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus Pallas,1818*; *fuliginosus Wiedemann,1820*; *brevirostris Meigen,1830 nec Oliv.,1789*; *rhodius Loew,1855*; *capillatus Palm,1876*; *tavrizi Paramonov,1926* YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
342. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus Mikan,1796*; *holosericeus Wiedemann,1820*; *longirostris Meigen,1820*; *pusillus Meigen,1830* AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
343. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius Pallas,1818*; *eversmanni Paramonov,1926*; *karelini Paramonov,1926*; *pallasi Paramonov,1926* AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
344. **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus Fabricius,1798*; *leucopogon Meigen,1804* AL AZ BE CY EG FR GR IR Cc IT Si Sa MA PL ES
345. **Bombylius (Zephyrectes) leucopygus Macquart,1846** (Bombyliidae) Synonym(s): *leucopygus Macquart,1846*; *maroccanus Paramonov,1940*; *beduin Paramonov,1940* DZ MA IT ES
346. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa Westring,1814*; *vitripennis Meigen,1830*; *longipennis Haliday,1836*; *pilosiventris Zetterstedt,1860* AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU
347. **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis Laporte de Castelnau,1836* TR ES FR IT Sa Co BG GR
348. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri Apfelbeck,1904*; *fulviventris Jeannel,1962 nec Mtsch.,1864* AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
349. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens Duftschmid,1812* AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
350. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829*; *incertus Brullé,1834* AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
351. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758* AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
352. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821*; *elegans Chaudoir,1842* AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
353. **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826* BE HV FR IT ES TR DZ MA TN IR IL Pa SY
354. **Brachycephus laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus Herrich-Schäffer,1835* DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
355. **Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus Latreille,1807*; *muricatus Olivier,1790*; *planirostris Gyllenhal,1833*; *sulcifrons Gyllenhal,1833*; *cirrosus Gyllenhal,1840*; *perodiosus Gyllenhal,1840*; *semiaeneus Desbrochers,1871*; *carinula Rey,1894*; *exemptus Rey,1894*; *attenuatus Vit.,1903* DZ MA TN ES FR Co IT Si Sa MT YU GR Cr Rd TR
356. **Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833* DZ TN MA LY Cn ES Si IT GR Rd TR
357. **Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus Fabricius,1798* DZ ES FR IT Si Sa Co YU GR Cr TR
358. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi Schmidt-Göbl,1836*; *longispina Reitter,1884* ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
359. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata Panzer,1801*; *ornatipes Cameron,1906*; *immaculata Masi,1951* Chalcis *femorata Panzer,1801*, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
360. **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis Fonscolombe,1840*; *punctulata Förster,1859*; *carbonaria Masi,1951* FR AT HV CZ DE IT GR MK MD RO SK ES SY YU TR IN JP TM
361. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta Linnaeus,1767*; *femoralis Geoffroy,1785*; *pusilla Fabricius,1787*; *saltatrix Cuvier,1833*; *brevicornis Klug,1834*; *scrobiculata Förster,1859*; *tricolor Förster,1859*; *fumata Thomson,1876*; *paraplepsia*

- Crawford,1910; jezoensis Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
362. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri Dalla Torre,1898* AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP
363. **Brachymeria pseudorugosa Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951 ES IT CH TR
364. **Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859 DE AT BG HV CZ SK FR GR HU IT MK MD RO SK SS ES TM YU TR
365. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR IN Hp Ben KG JP
366. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; *Chalcis tibialis* Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu BI UZ
367. **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851 MA DZ TN LY EG PT ES FR IT AL GR TR IL Pa JO SY IR IQ TM AF
368. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB
369. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR
370. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR
371. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
372. **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urinator* Fabricius,1798 TR TJ KG RU Sb IR IN RU TR SY GR AL IT HU RO NL DE BE FR ES PT
373. **Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus* Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842 ES IL Pa TR IQ FR ES PT
374. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis* Mulsant & Rey,1855; *taeniops* Fieber,1868 AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
375. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827 ES SS IT HU RO BG GR MK UA TR RU Ao
376. **Bursinia hemiptera (O.Costa,1840)** (Dictyopharidae) Synonym(s): *hemiptera* O.Costa,1840 AT FR HU IT ES TN YU
377. **Callimus abdominalis (Olivier,1795)** (Cerambycidae) Synonym(s): *abdominalis* Olivier,1795 ES FR Co IT Si B-H HV TR?
378. **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *discoidalis* Walker,1870; *minus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *chopardi* Grassé & Hollande,1945; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954; *Acrydium barbarum* Costa,1836, Fauna del regno Napoli, Ortotteri: 13. Neotype ♂: Italy, Salentina pen., Puglie reg. (BMNH). MA DZ TN LY EG PT ES FR IT Sa CZ SK HU RO BG TR JO IL Pa Cc IR AF PK RU Sb KG MN
379. **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschnig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952 *Gryllus* (Locusta) *italicus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 432. Neotype ♂: Italy, Venosa (BMNH). ES FR BE NL DE Co Sa Si IT GR BG RO TR CY Cc AZ AM GG KG RU AF
380. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
381. **Callirhytis rufescens (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882; *villarrubiae* Tavares,1930; *glandulosa* Weld,1930 PT ES FR HU GR TR
382. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ

383. **Calopteryx haemorrhoidalis (Van Der Linden,1825)** (Calopterygidae) Synonym(s): *haemorrhoidalis Van Der Linden,1825* ES FR IT Si Sa Co MA DZ
384. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo Linnaeus,1758; colchicus Eichwald,1837* BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
385. **Calopteryx xanthostoma (Charpentier,1840)** (Calopterygidae) Synonym(s): *xanthostoma Charpentier,1840* ES FR IT Si
386. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventre Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922* AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
387. **Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775* AZ AM Cc HV FR GG GR IT RU ES TR DZ Cn MA MR TN IR
388. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850* AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
389. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis Hendel,1927; tessellata Zetterstedt,1847* TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evl
390. **Cantharis annularis Ménétrés,1836** (Cantharidae) Synonym(s): *annularis Ménétrés,1836* TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
391. **Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758* TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
392. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
393. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774* TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
394. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781* TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
395. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758* TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
396. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807* AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
397. **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; siculus Ragusa,1882; numidicus Bedel,1925* LB Bei CY TR DZ IQ IR IT Si LY MA EG Sn ES SY TN ET AO CM SN ZR
398. **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olceseii Obenberger,1945; morio Obenberger,1945* DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm Ru
399. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis Linnaeus,1761; variegata Goeze,1777; tenebrionides Pallas,1782; naevia Gmelin,1788; moluccensis Voet.,1806; moerens Mannerheim,1837; aerea Castelnau & Gory,1836; aequicollis Obenberger,1917; deglabrata Obenberger,1917; undulata Fleischer,1917* DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
400. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus Linnaeus,1758* AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
401. **Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761* AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
402. **Cardiophorus (s.str.) rufipes (Goeze,1777)** (Elateridae) Synonym(s): *rufipes Goeze,1777; goezei Sanchez-Ruiz,1996* ES
403. **Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis Pallas,1771; rhodoptilus Charpentier,1825; subcoerulipennis Charpentier,1825; #arbonarius Uvarov,1917* TR Cc GG Bjo Tbl ES FR RO BG Cc AZ AM GG RU KG
404. **Centrotus chloroticus Fairmaire,1851** (Membracidae) Synonym(s): *chloroticus Fairmaire,1851; walkeri Funkhouser,1927* DZ EG MA FR ES PT TN
405. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus Linnaeus,1758; gallicus Kirschbaum,1868; italicus Kirschbaum,1868; turcicus Kirschbaum,1868; abbreviatus Kirschbaum,1868 (praeocc.); depressus Fieber,1876; obtusus Fieber,1876; rugosus Buckton,1903; kirschbaumi Metcalf,1955* AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
406. **Cephalia rufipes Meigen,1826** (Ulidiidae) Synonym(s): *rufipes Meigen,1826* DE AT FR ES CH IT HU CZ NL SK

407. **Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822 ES DZ TN IT Sa Si FR TR GR Cr BG
408. **Cerapterocerus mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 Cerapterocerus mirabilis Westwood,1833, Mag. nat. Hist. 6: 495. Type: England (HDOU). ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
409. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA
410. **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
411. **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
412. **Cercopis vulnerata Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947 AL AT CS FR DE GB GR HU IT NL NO PL RO ES SW MD RU YU TR
413. **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794 AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
414. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787 PT ES FR IT MT GR Cr Cc TR UA Cm RU
415. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
416. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR
417. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR
418. **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845 AZ BG Cc DZ Da RU MA FR ES IT MD RO RU SY TN TR GR
419. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
420. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR
421. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
422. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
423. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
424. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR
425. **Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897 DZ BG ES FR GR TR?
426. **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886 AF AL AT BG ES Cn EG FR IQ IL Pa IR IT Sa JO PT RO ES TR AZ GG Cc TJ UZ YU

427. **Chilothorax exclamationis (Motschoulsky,1849)** (Scarabaeidae) Synonym(s): *exclamationis Motschoulsky,1849* ES DZ TN LY Cy
428. **Chilotomina korbi (Weise,1895)** (Chrysomelidae) Synonym(s): *korbi Weise,1895* ES
429. **Chilotomina moroderi (Cobos,1961)** (Chrysomelidae) Synonym(s): *moroderi Cobos,1961* ES
430. **Chilotomina nigratarsis (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigratarsis Lacordaire,1848* FR ES
431. **Chilotomina oberthuri (Lefebvre,1876)** (Chrysomelidae) Synonym(s): *oberthuri Lefebvre,1876* ES
432. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
433. **Chlaenius (Chlaeniellus) nitidulus (Schränk,1781)** (Carabidae) Synonym(s): *nitidulus Schränk,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
434. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
435. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
436. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
437. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
438. **Chloriona ponticana Ashe,1982** (Delphacidae) Synonym(s): *ponticana Ashe,1982* Cr GR LB MA ES TR
439. **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula Matsumura,1910; flaveola Lindberg,1948* ES FR DE IT Si AT BG CY TR EG IL MA TR KG
440. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
441. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
442. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
443. **Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis Meigen,1820; hyaliniventris A.Costa,1857* ES FR IT Sa Si IE GB FR BE NL DE PL CH AT CZ HU RO YU HV B-H SS BG GR IL
444. **Chorisops tunisiae (Becker,1915)** (Stratiomyidae) Synonym(s): *tunisiae Becker,1915* PT ES DZ MA TN Sa Si
445. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
446. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschignig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
447. **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans Eversmann,1848* TR CY RU Or NL BE ES FR DE IT SK AT MA DZ TN
448. **Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus De Geer,1773; elegans Charpentier,1825; tricarinata Stephens,1835; blandus Fischer von Waldheim,1846; hyalosuperficies Voroncovsky,1928; nigrofasciatus Voroncovsky,1928; porphyricus Voroncovsky,1928* TR ES FR DE GB NO EE LY RO HV B-H YU CH AT CZ SK HU TM UZ AF CN KP KR JP RU Ur Cc IR KG PG
449. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétrés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895; reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax*

- Obenberger,1934; nevstyi Richter,1944 DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
450. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Campanyo,1863; quadridens Rey,1890; bedeli Pic,1930* DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
451. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes Walker,1839; orchestis Ratzeburg,1844; sauros Walker,1848; laeta Ratzeburg,1848; auronitens Ratzeburg,1852; turcicus Fahringer,1938; gunholdi Delucchi,1954; laevigata Delucchi,1954; tadici Delucchi,1954; cuspidigaster Yoshimoto,1973; truncatipennis Yoshimoto,1973; elmaellae Doğanlar,1980* TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
452. **Chrysolina affinis (Fabricius,1787)** (Chrysomelidae) Synonym(s): *affinis Fabricius,1787* DZ IT FR Si ES TN
453. **Chrysolina grossa (Fabricius,1792)** (Chrysomelidae) Synonym(s): *grossa Fabricius,1792; illita Weise,1884* IT Si DZ ES MA
454. **Chrysolina helopioides (Suffrian,1851)** (Chrysomelidae) Synonym(s): *helopioides Suffrian,1851* ES DZ
455. **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis Brullé,1836; ottomana Weise,1906* ES B-H HV AL TR IR Cc BG MK GR
456. **Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus Loew,1857* EG GR TR DZ ES Cn FR IT RU Am
457. **Cicada barbara (Stal,1866)** (Cicadidae) Synonym(s): *barbara Stal,1866* DZ IT Sa Si ES LY TN
458. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877* Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
459. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthemii Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954* AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
460. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912* AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
461. **Cicadetta argentata (Olivier,1790)** (Cicadidae) Synonym(s): *argentata Olivier,1790; atra Gomez-Menor,1957* FR IT Si ES
462. **Cicadetta brullei Fieber,1876** (Cicadidae) Synonym(s): *brullei Fieber,1876* MK FR GR IT ES YU
463. **Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola Brullé,1832* TR Cc DZ GR IT MA PT ES GG KG TJ TM
464. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876* Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
465. **Cicadetta varipes (Waltl,1837)** (Cicadidae) Synonym(s): *varipes Waltl,1837* PT ES
466. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis Panzer,1798; libanotica Horvath,1911; cissilvanica Haupt,1935; acuta Dlabola,1961* MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
467. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilitocephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
468. **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata Melichar,1904; bipunctella Matsumura,1908; zae China,1926* DZ ES Cn Md GR Cr CY EG IQ IL Pa JP JO LY TN TR PK
469. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey,1855; haagi Kirschbaum,1868; opacus Kirschbaum,1868; rubrotinctus Kirschbaum,1868; opacipennis Lethierry,1876; vittiventris Lethierry,1876; diluta Ferrari,1882; picta Ferrari,1882; minor Ferrari,1884; futilis Horvath,1909; unicolor Haupt,1927; haupti Zachvatkin,1935; viridiflavus Lindberg,1948; interibilis Lindberg,1948* AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU

470. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
471. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU
472. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
473. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
474. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynobatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
475. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
476. **Cixius simplex (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888 Cc DZ AT BL BG TR CZ DK FR DE GB HU IT NL PL RO ES AM AZ GG TJ YU
477. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 FR RU UA TM AT BG DE ES CH GR TR
478. **Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824 RU SK AM AZ Cc TM KK KG TR YU RO ES IT GR BG AT AD
479. **Clanoptilus (s.str.) spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus* Erichson,1840 PT IT ES TN
480. **Cleptes jordanicus Linsenmeier,1968** (Chrysididae) Synonym(s): *jordanicus* Linsenmeier,1968 JO TR ES
481. **Cleptes nigrinus Mercet,1904** (Chrysididae) Synonym(s): *nigrinus* Mercet,1904 ES IT
482. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
483. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761 US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
484. **Closterocerus cuprifrons (Erdős,1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdős,1954 HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
485. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
486. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae* Ferrière,1952; *fimbriata* Erdős,1956 HV FI DE HU IT JP ES SE CH UA RU YU TR
487. **Closterocerus violaceus (Askew,1999)** (Eulophidae) Synonym(s): *violaceus* Askew,1999 *nec* Hansson,1994 ES Cn
488. **Clytra atraphaxidis (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773; *deficiens* Weise,1900 ES HU RU Sb GR TR IR MN KP KR
489. **Clytra espanoli Daccordi & Petitpierre,1977** (Chrysomelidae) Synonym(s): *espanoli* Daccordi & Petitpierre,1977 ES
490. **Clytra quadripunctata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *quadripunctata* Linnaeus,1758 ES MN RU TR
491. **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means* Meigen,1826 AD FR ES DE PL CZ SK CH AT Cc
492. **Colotes hispanus Uhagon,1900** (Melyridae) Synonym(s): *hispanus* Uhagon,1900 ES
493. **Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836 LY TN DZ MA PT ES FR Co Sa IT Si AT HV GR Cr TR SY MK YU BG Cc GG MT

494. **Colotes punctatus (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840
MT TN DZ MA PT ES FR Co Sa IT Si HV GR TR
495. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus*
Schoenherr,1834; *melanographus* Fahreus,1840 ES FR TR EG RU Cc UA Cm IT SY DZ
496. **Coniosternum fluviale (Rondani,1867)** (Scathophagidae) Synonym(s): *fluviale*
Rondani,1867 AT AF IT ES TM
497. **Conocephalus (Anisoptera) concolor (Burmeister,1838)** (Tettigoniidae) Synonym(s):
concolor Burmeister,1838 ES EG IL Pa IQ Amara TR
498. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s):
fuscus Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor*
Bolivar,1878; *ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 PL DE
FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR
499. **Conocephalus (s.str.) conocephalus (Linnaeus,1767)** (Tettigoniidae) Synonym(s):
conocephalus Linnaeus,1767; *aethiopicus* Thunberg,1789; *hemipterus* Thunberg,1815 ES IT Sa
MG DZ MA TN LY EG SD ET SO KE ZR SN SL GA GM ZM ZW ZA MZ TZ AO BW UG CF CM NG NE TR
500. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821;
pictipennis Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849 Cc DZ AT BL BG CZ DK
FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU
501. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens*
Fabricius,1787 DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN
502. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus*
Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus*
Sahlberg,1871; *piceus* Scott,1875 AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT
RO ES SE SW TR LV MD UA YU IR
503. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764;
cavolini Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842;
persianus Miksic,1958 ES RU UA UZ TM TJ IR TR EG
504. **Coptocephala bistrinotata (Fabricius,1803)** (Chrysomelidae) Synonym(s): *bistrinotata*
Fabricius,1803; *trinotata* Forsberg,181; *espanoli* Pic,1933 MA ES
505. **Coptocephala brevicornis (Lefevre,1872)** (Chrysomelidae) Synonym(s): *brevicornis*
Lefevre,1872 PT ES
506. **Coptocephala linnaeana Petitpierre & Alonso Zarazaga,2000** (Chrysomelidae)
Synonym(s): *linnaeana* Petitpierre & Alonso Zarazaga,2000 DE FR ES IT
507. **Coptocephala plagioccephala (Fabricius,1792)** (Chrysomelidae) Synonym(s):
plagioccephala Fabricius,1792; *melanocephala* Olivier,1808; *externepunctata* Pic,1895; *tunisea*
Pic,1901; *andalusiaca* Pic,1918; *theryi* Pic,1918; *holoxantha* Peyerimhoff,1949 FR ES MA DZ TN
508. **Coptocephala scopolina (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *scopolina*
Linnaeus,1767; *floralis* Olivier,1791... ES FR Co IT Sa HV
509. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): AT BE CN CZ DK EE FI FR DE GB
HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH
510. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica* Meigen,1826;
geniculata Zetterstedt,1846; *alberta* Curran,1929 AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL
NO PL RU Ur SK SE CH CA
511. **Corynis italica (Lepeletier,1823)** (Cimbicidae) Synonym(s): *italica* Lepeletier,1823 ES FR
HV YU CH UA IT TR
512. **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974 *Apanteles ancilla*
Nixon,1974, Bull. ent. Res. 64: 453-525. TR BG DE IT IL Pa NL JP AT ES CH CZ YU
513. **Cotesia cupresus (Lylé,1925)** (Braconidae) Synonym(s): *cupresus* Lylé,1925 DE FI GB FR ES
NL LT HU TR
514. **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974 DE BE GB FI NL ES
IT HU RU
515. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839;
aquisgranensis Förster,1878; *fletcherii* Ashmead,1892 TR AT BG CA On CZ FR DE HU IT MD NL PL
RU SK ES SE GB US UZ
516. **Cratyna (s.str.) alpina (Mohrig & Menzel,1992)** (Sciaridae) Synonym(s): *alpina* Mohrig &
Menzel,1992 ES DE AT GR
517. **Cratyna (s.str.) betulae (Mohrig & Mamaev,1992)** (Sciaridae) Synonym(s): *betulae* Mohrig
& Mamaev,1992 ES GR BG
518. **Crepidodera aureola (Foudras,1860)** (Chrysomelidae) Synonym(s): *aureola* Foudras,1860
ES
519. **Cryptocephalus aquitanus Sassi,2001** (Chrysomelidae) Synonym(s): *aquitanus* Sassi,2001
FR Py ES
520. **Cryptocephalus asturiensis Heyden,1870** (Chrysomelidae) Synonym(s): *asturiensis*
Heyden,1870 ES

521. **Cryptocephalus aureolus Suffrian,1847** (Chrysomelidae) Synonym(s): *aureolus Suffrian,1847; illyricus Franz,1949* ES TR
522. **Cryptocephalus baeticus Suffrian,1847** (Chrysomelidae) Synonym(s): *baeticus Suffrian,1847* DZ MA ES
523. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus Linnaeus,1758; dispar Paykull,1799* ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR
524. **Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi Suffrian,1848* DE ES Cc KG RU BG PL TR
525. **Cryptocephalus pulchellus Suffrian,1848** (Chrysomelidae) Synonym(s): *pulchellus Suffrian,1848* FR ES IT
526. **Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus Fabricius,1792* DE ES BG PL Cc TR
527. **Cryptus subspinosus Burgst,1913** (Ichneumonidae) Synonym(s): *subspinosus Burgst,1913* TN DZ TR ES FR IT BG IL Pa
528. **Culicoides puncticollis (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis Becker,1903; impressus Kieffer,1918; distigma Kieffer,1922; donatiens Kieffer,1922; sciniphes Kieffer,1925; bipunctatus Vimmer,1932; tripunctatus Vimmer,1932; wenigi Vimmer,1932; flavitarsis Vimmer,1932; griseovittatus Vimmer,1932; vaurai Vimmer,1932* ES TR TN DZ EG IL Pa
529. **Culicoides subfagineus Delécolle & Ortega,1998** (Ceratopogonidae) Synonym(s): *subfagineus Delécolle & Ortega,1998* ES
530. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata Dejean,1822* MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur
531. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta Meigen,1824* TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU
532. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama Hartig,1840; mailleti Folliot,1964* ES FR GB IE BE DE AT PL UA HU B-H BG TR
533. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha Hartig,1840; indistincta Niblett,1948* PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT
534. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa Hartig,1840; verrucosus Schlechtendal,1870* PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR
535. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris Hartig,1840; similis Adler,1881; substituta Kinsey,1930* PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT
536. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus Fourcroy,1785; pubescentis Mayr,1881; ilicis Kieffer,1896; geminus Belizin & Maisuradze,1962; rusanovae Belizin & Maisuradze,1962* PT ES FR DE UA MD RO YU GR IT AT HU TR MK
537. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii Linnaeus,1758; scutellaris Olivier,1791; gallaecerasiformis Anthoine,1794; gallaeunidoniformis Anthoine,1794; folii Hartig,1840; flosculi Giraud,1868; giraudi Tschek,1869; taschenbergi Schlechtendal,1870* ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR
538. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856* EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ
539. **Cyrtosus cyanipennis (Erichson,1840)** (Melyridae) Synonym(s): *cyanipennis Erichson,1840* ES IT TN
540. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis Zetterstedt,1838* TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US NY YU
541. **Dasyhelea corinnae Gosseries,1991** (Ceratopogonidae) Synonym(s): *scutellata Meigen,1830 nec Say,1829; corinnae Gosseries,1991* FI DE HU ES BE GB NO
542. **Dasyhelea flavoscutellata (Zetterstedt,1850)** (Ceratopogonidae) Synonym(s): *flavoscutellata Zetterstedt,1850; egens Winnertz,1852; alonensis Strobl,1906; heracleae Kieffer,1919; halobia Kieffer,1924* NO DE ES GR
543. **Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema Fabricius,1781; punctatus Fabricius,1781; bohemicus Preyssler,1790; analis Fabricius,1794; cylindrica Fabricius,1794; nervosus Meigen,1804; liburnicus Germar,1817; fasciatus Meigen,1820; umbrosus Brullé,1832; sicanus Costa,1853; rubidus Hermann,1906* IR AL MK AT AZ Cc BE B-H BG HV CZ FR DE GR HU IT MA PL RO RU SK SS ES CH TR GB
544. **Dasyrhamphis nigrinus (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus Fabricius,1794; alexandrinus Wiedemann,1830* DZ ES FR IT TR IL Pa SY

545. **Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata Fabricius,1787*; *araratica Radoskovsky,1890*; *fastuosa Gribodo,1893* MA PT ES GR Rd TR IR IL Pa Cc IT Sa Si
546. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger Linnaeus,1761*; *villosus Olivier,1790*; *palustris Fiori,1906* ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
547. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus O.F.Müller,1776* SE DK AT BG CZ FR DE GR IT RO ES CH TR YU
548. **Dasytes staudingeri Schilsky,1897** (Melyridae) Synonym(s): *staudingeri Schilsky,1897* ES
549. **Dasytidius bourgeoisi (Schilsky,1896)** (Melyridae) Synonym(s): *bourgeoisi Schilsky,1896* MA ES?
550. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus,1758*; *rubicundus De Geer,1778*; *hastatus Fischer von Waldheim,1839*; *radiata Fischer von Waldheim,1846* TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN
551. **Deleproctophylla dusmeti Navas,1914** (Ascalaphidae) Synonym(s): *dusmeti Navas,1914* ES TR Cc AZ PK
552. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis Panzer,1796*; *dubia Panzer,1796 (praeocc.)*; *grisea Latreille,1804* AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
553. **Delphax inermis Ribaut,1934** (Delphacidae) Synonym(s): *inermis Ribaut,1934* AF DZ CY TR FR IL IT MA ES TN
554. **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852* Cn ES DZ EG JO Pet SO YE TR AF NP IN
555. **Denops albofasciatus (Charpentier,1825)** (Cleridae) Synonym(s): *albofasciatus Charpentier,1825* PT ES LY TR IL Pa
556. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens Piller & Mitterpacher,1783* AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
557. **Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa Brisout,1848*; *acuminata Brisout,1850*; *charpentieri Fieber,1853*; *elevata Fieber,1853*; *rudis Walker,1971*; *turcicus Demirsoy,1977* TR ES FR GR BG RO IR Cc
558. **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous Küster,1846*; *asiatica Hava,2002* FR Co PT ES IT Sa DZ IR JO SY TR
559. **Deronectes fosteri Aguilera & Ribera,1996** (Dytiscidae) Synonym(s): *fosteri Aguilera & Ribera,1996* ES Py
560. **Desmatoneura flavifrons (Becker,1915)** (Bombyliidae) Synonym(s): *appendiculatus Strobl,1910*; *flavifrons Becker,1915* TN IT ES
561. **Diaphorus gredleri Mik,[1881]** (Dolichopodidae) Synonym(s): *gredleri Mik,[1881]*; *flavomaculatus Strobl,1909* AT ES FR IT TN IL Pa
562. **Dibolia chevrolati Allard,1861** (Chrysomelidae) Synonym(s): *chevrolati Allard,1861* IT Si ES An GR Rd SY IL Pa EG TN DZ
563. **Dibolia dogueti Mohr,1981** (Chrysomelidae) Synonym(s): *dogueti Mohr,1981* ES
564. **Dibolia pelleti Allard,1860** (Chrysomelidae) Synonym(s): *pelleti Allard,1860* FR ES MA DZ
565. **Dibolia timida (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida Illiger,1807*; *eryngii Bach,1859*; *oranensis Pic,1909* DZ ES TR
566. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis Alexander,1975*; *meridiana Mendl,1988* IT Si PT ES RU Cc GG AM AZ TR IR
567. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata Boheman,1847* Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
568. **Dicronychus incanus (Erichson,1840)** (Elateridae) Synonym(s): *incanus Erichson,1840* PT ES FR IT BG TR
569. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea Linnaeus,1767*; *#aeuropaea Petagna,1787*; *europe Aucher-Elroy,1826*; *italica Kirschbaum,1868*; *lutea Lang,1942* Cc AF AL AT BL BG CN Uj CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
570. **Dictyophara lindbergi Metcalf,1955** (Dictyopharidae) Synonym(s): *acuminata Lindberg,1948*; *lindbergi Metcalf,1955* BG CY IT ES TR
571. **Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris Walker,1851* Cc PT ES GG KG KK TM UZ
572. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata Mulsant & Rey,1855*; *heydenii Kirschbaum,1868*; *curvata Matsumura,1910*;

- nemourensis* Matsumura,1910; *oertzeni* Matsumura,1910 AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
573. **Diglyphus chabrias** (Walker,1838) (Eulophidae) Synonym(s): *chabrias* Walker,1838 BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB
574. **Diglyphus crassinervis** Erdős,1958 (Eulophidae) Synonym(s): *crassinervis* Erdős,1958 Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE
575. **Diglyphus isaea** (Walker,1838) (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
576. **Dilophus antipedalis** Meigen,1818 (Bibionidae) Synonym(s): *antipedalis* Meigen,1818; *andalucianus* Strobl,1900 PT ES IT Sa
577. **Dilophus bispinosus** Lundström,1913 (Bibionidae) Synonym(s): *bispinosus* Lundström,1913 ES FR GB CH IT SS HU YU RO BG TR
578. **Dilophus febrilis** (Linnaeus,1758) (Bibionidae) Synonym(s): *febrilis* Linnaeus,1758; *spinatus* O.F.Müller,1764; *forcipata* Schrank,1803; *vulgaris* Meigen,1818 PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
579. **Dilophus femoratus** Meigen,1804 (Bibionidae) Synonym(s): *femoratus* Meigen,1804; *albipennis* Meigen,1830 PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO
580. **Dioctria hyalipennis** (Fabricius,1794) (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
581. **Dioctria meyeri** Nowicki,1867 (Asilidae) Synonym(s): *meyeri* Nowicki,1867 ES PL RU Sb AL TR
582. **Diorhabda elongata** (Brullé,1832) (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852 DZ MA TN LY PT ES IT AL B-H HV CY GR Cr BG MK EG LB Bei TR SY Cc AZ Da RU MN
583. **Diorhabda sublineata** (Lucas,1849) (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849 MA DZ TN ES PT EG IQ SN YE
584. **Diplocolenus abdominalis** (Fabricius,1803) (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803 DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KKL LV MD RU Sb UA YU
585. **Diplocolenus frauenfeldi** (Fieber,1869) (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965 AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
586. **Diplolepis eglanteriae** (Hartig,1840) (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869 PT ES FR GB NL DE SE PL AT HU RO IT TR
587. **Diplolepis mayri** (Schlechtendal,1877) (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882 ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
588. **Diplolepis rosae** (Linnaeus,1758) (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785 PT ES GB NL DE PL SE AT HU RO IT TR
589. **Diplolepis spinosissimae** (Giraud,1859) (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859 ES FR GB NL DE AT HU PL SE IT TR
590. **Ditropis pteridis** (Spinola,1839) (Delphacidae) Synonym(s): *pteridis* Spinola,1839 Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
591. **Ditropsis flavipes** (Signoret,1865) (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980 AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
592. **Dociostaurus (Kazakia) jagoi** Soltani,1978 (Acrididae) Synonym(s): *jagoi* Soltani,1978 DZ ES PT FR IT Sa Co CY SY IL Pa LB JO TR IR
593. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatus* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965 *Gryllus maroccanus* Thunberg,1815, Mem. Acad. Imp. Sci. St. Petersburg 5: 224. Neotype: Morocco (UZIU). MA PT ES FR Co LY GR BG RO Cc AZ AM GG TR IR AF KG RU
594. **Dociostaurus (Stauronotulus) crassiusculus** (Pantel,1886) (Acrididae) Synonym(s): *crassiusculus* Pantel,1886 CN Ui RU AF PK IR ES
595. **Docosia gilvipes** (Haliday,1856) (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856 ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
596. **Dolichovespula norwegica** (Fabricius,1781) (Vespidae) Synonym(s): *norwegica* Fabricius,1781 GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US

597. **Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris Scopoli,1763* ES Md DZ TN TR EG IL Pa IR GB CN MN
598. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
599. **Dorycera graminum (Fabricius,1794)** (Ulidiidae) Synonym(s): *graminum Fabricius,1794; thamnica Robineau-Desvoidy,1830; scalaris Loew,1868* AT DE HU FR Co ES HV PT GB IT PL CZ TR
600. **Dorycera grandis Rondani,1869** (Ulidiidae) Synonym(s): *grandis Rondani,1869* ES FR IT
601. **Dorycera maculipennis Macquart,1843** (Ulidiidae) Synonym(s): *maculipennis Macquart,1843* ES IT GR Rd CY
602. **Drosophila andalusiaca Strobl,1906** (Drosophilidae) Synonym(s): *andalusiaca Strobl,1906* ES TR
603. **Duilus seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa Lethierry,1874; irrorata A.Costa,1882; punctata Lallemand,1929* AF DZ CY EG TR IQ IL IT MA ES TN AZ TJ
604. **Dysaphis lappae (Koch,1854)** (Aphididae) Synonym(s): *lappae Koch,1854* ZA IR ES
605. **Eccoctopus longitarsis (Macquart,1838)** (Asilidae) Synonym(s): *longitarsis Macquart,1838; erythrogastrus Loew,1871; lucidus Becker,1907* IR DZ EG IQ IL Pa TN MA ES
606. **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans Rossi,1790* PT ES Co Sa Si IT AL Cr CY TR
607. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae Linnaeus,1758; laetifica Rey,1894; subcarnea Rey,1894; manca Ribaut,1936* AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
608. **Elampus sanzii Gogorza,1887** (Chrysididae) Synonym(s): *sanzii Gogorza,1887* ES TR SY IT RU
609. **Elasmus cyprianus Ferrière,1947** (Eulophidae) Synonym(s): *cyprianus Ferrière,1947* TR ES CY
610. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus Fonscolombe,1832; scutellaris Nees,1834; rhipicerus Förster,1841; giraudi Ferrière,1947* TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
611. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus Nees,1834; albipennis Thomson,1878* TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
612. **Elasmus phthorimaeae Ferrière,1947** (Eulophidae) Synonym(s): *phthorimaeae Ferrière,1947* TR CY ES TR AE YE
613. **Elasmus platydrae Ferrière,1935** (Eulophidae) Synonym(s): *platydrae Ferrière,1935; elongatus Ferrière,1947* TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
614. **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii Steffan,1962; steffani Viggiani,1967* TR HV FR R IL Pa IT ES SY AE
615. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor Rondani,1877; fumipennis Thomson,1878; vibicellae Ferrière,1947* TR Cc BG CZ DE HU IT MD SK ES SE
616. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi Giraud,1856* AT FI DE GR FR HU IT MD KG ES SE CH TR RU
617. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus Linnaeus,1758* TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
618. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens Fabricius,1794 (praeocc.); sulphurella Zetterstedt,1828; combibus Matsumura,1906; excisus Haupt,1917* DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
619. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii Westwood,1833; rufescens Westwood,1833; sickershusanus Nees,1834; antennalis Kieffer,1906; holochlora Kieffer,1906; hypochlora Kieffer,1906* ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
620. **Empidideicus hispanus François,1969** (Bombyliidae) Synonym(s): *hispanus François,1969* IT ES
621. **Empis (s.str.) lepidopus Meigen,1822** (Empididae) Synonym(s): *lepidopus Meigen,1822* TR DE IT HU NL CH ES
622. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes Fabricius,1794; obscurella Zetterstedt,1842* TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
623. **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens Paoli,1930; bifurcata Cerutti,1939; meridiana Zachvatkin,1946; minutissima Vilbaste,1961* AF AT BG CS EG FR DE GB IR IQ IL Pa IT JO LB LY MA NL PL RO ES SW TN TR CY GG Cc KK RU TJ TM UZ PK

624. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
625. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
626. **Empusa pennata (Thunberg,1815)** (Empusidae) Synonym(s): *clavata* Goeze,1778; *pauperata* Rossi,1783 nec F.,1781; *pennata* Thunberg,1815; *variabilis* Risso,1826; *egema* Charpentier,1841; *brachyptera* Fischer v. Waldheim,1846; *europaea* Fieber,1853; *occidentalis* Fieber,1853 DZ Cn LY MA TN ES PT Sa Si IT
627. **Encarsia inaron (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodus* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulden,1986 ES IT TR
628. **Encarsia leucaspidis (Mercet,1912)** (Aphelinidae) Synonym(s): *leucaspidis* Mercet,1912; *coniferarum* Ghesquière,1948 ES SE TR
629. **Encarsia lounsburyi (Berlese & Paoli,1916)** (Aphelinidae) Synonym(s): *lounsburyi* Berlese & Paoli,1916 ES Md TR
630. **Enicopus calcaratus Kiesenwetter,1859** (Melyridae) Synonym(s): *calcaratus* Kiesenwetter,1859 ES
631. **Enicopus confusus Jacquelin du Val,1860** (Melyridae) Synonym(s): *confusus* Jacquelin du Val,1860 ES
632. **Enicopus distinguendus Jacquelin du Val,1860** (Melyridae) Synonym(s): *distinguendus* Jacquelin du Val,1860 ES
633. **Enicopus pilosus (Scopoli,1763)** (Melyridae) Synonym(s): *pilosus* Scopoli,1763; *acutatus* Boieldieu,1859; *falculifer* Fairmaire,1859; *subvittatus* Fairmaire,1859 ES FR CH IT SS Si
634. **Enicopus vittatus Kiesenwetter,1859** (Melyridae) Synonym(s): *vittatus* Kiesenwetter,1859 ES
635. **Enicospilus incognitus Izquierdo,1983** (Ichneumonidae) Synonym(s): *incognitus* Izquierdo,1983 ES YU TR
636. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
637. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
638. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001 BG FR GR IT ES UA
639. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdös,1961; *fructicola* Gumowsky,1996 TR BG Cn HV FR DE HU NL ES SE UA GB YU
640. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdös,1951 TR BG HU MN RU ES SE GB
641. **Entedon marginalis Askew,2001** (Eulophidae) Synonym(s): *marginalis* Askew,2001 ES BG
642. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878 TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
643. **Entedon procioni Erdös,1944** (Eulophidae) Synonym(s): *procioni* Erdös,1944; *molybdaenus* Erdös,1944; *urticarü* Erdös,1951; *meliloti* Askew,1992 TR BG CZ FR DE HU NL RU SK ES SE UA GB
644. **Entedon thomsianus Erdös,1944** (Eulophidae) Synonym(s): *thomsianus* Erdös,1944 TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
645. **Eoferreola anatolica Piesner,1973** (Pompilidae) Synonym(s): *anatolica* Piesner,1973 TR HV FR GR IL Pa KG KK MK RU ES TM
646. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;... MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
647. **Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804 CH ES IT DE FR AT HU GR Cc TR
648. **Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia* Foudras,1860 TR ES IT SK UA HU YU Cc

649. **Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus Fabricius,1781; succintus Klug,1834; plicipennis Motschoulsky,1845; moroderi Baguena Corella,1935* ES MA DZ EG TR SD ZR SL SN ZA NG MG JP RU Us PK IN MM CN Sz TH TW VN ID Ja Ja PH PG
650. **Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus Mercet,1931; longipilus Khan & Shafee,1980* ES CY TR IN Up
651. **Eriopogon laniger (Meigen,1804)** (Asilidae) Synonym(s): *laniger Meigen,1804; flavescens Jaennicke,1867* DZ MA FR PT ES TN IR Ss
652. **Eriothrix furvus Kolomiets,1967** (Tachinidae) Synonym(s): *furvus Kolomiets,1967; tenebrosus Kolomiets,1967* ES
653. **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops Wiedemann,1818* PT ES FR Co IT Sa Si YU AL RO CY TR IR GR Cr Rd LB IL Pa SY EG LY TN MA Cc ZA NP PK IN
654. **Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus Rossi,1792* ES IT FR Co Sa Si MT GR Cr EG ZA TR AE IR
655. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax Linnaeus,1758; vulgaris Scopoli,1763; fuscus Scopoli,1763; porcinus De Geer,1776; arbustorum Schrank,1781; silvaticus Meigen,1822; vulpinus Meigen,1822* Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
656. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola Fallén,1806; chlorophana Herrich-Schäffer,1843; luteipes Prohaska,1923* AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR
657. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
658. **Euborellia annulipes (Lucas,1837)** (Labiduridae) Synonym(s): *annulipes Lucas,1837* ES TJ TR
659. **Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii Dufour,1861; bicolor Sichel,1866* ES AL AM Cc DZ TN GR IL Pa IT Sa JO TR KK
660. **Euchalcis unicolor (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor Lucas,1871; nuda Boucek,1952* DZ AM Cc ES IL Pa TR
661. **Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni Tschek,1871* DZ ES GR TR
662. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
663. **Euoniticellus pallens (Olivier,1789)** (Scarabaeidae) Synonym(s): *pallens Olivier,1789* MA DZ TN LY Cy EG Sa Co FR IT ES SN SO SA IR TM AF IN
664. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata Fabricius,1775; porrecta Fourcroy,1785; depressa Fabricius,1803; fuliginosa Peletier & Serville,1825; spathulata Germar,1838; producta Germar,1838; zelleri Kirschbaum,1868; marginata Signoret,1879; sinuata Lindberg,1948* AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR
665. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda Herrich-Schäffer,1837; zetterstedti Boheman,1845* AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU
666. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata Goeze,1778; nigropunctata Schrank,1781; carpini Fourcroy,1785; tripunctata Gmelin,1790; melanostica Gmelin,1790; picta Fabricius,1794; aureola Boheman,1845; petasitidis Ferrari,1882; impunctata Cerutti,1939; marginata Cerutti,1939* AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU
667. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata Linnaeus,1758; festiva Fabricius,1794; fulva Herrich-Schäffer,1836; interpuncta Cerutti,1939; nigerrima Cerutti,1939* AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU
668. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina Flor,1861; florida Ribaut,1936* AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA
669. **Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum Newman,1853; laureti Lindberg,1936* Az BE ES Cn CS FR GB GR IT Md NL PL PT SW TR TM
670. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae Curtis,1837* DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA
671. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum Hardy,1850; curtisii Flor,1861; catenata Rey,1894; confluens Rey,1894; continua Cerutti,1939* DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU

672. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae Fabricius,1803*; *tarsalis Curtis,1837*; *jucunda Hardy,1850 (praeocc.)*; *octonotata Hardy,1850*; *basalis Rey,1894*; *conjuncta Rey,1894*; *haupti Wagner,1935*; *deficiens Ribaut,1936*; *glomerata Ribaut,1936* AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU
673. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata Linnaeus,1758* DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU
674. **Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868*; *putoni Lethierry,1876*; *hipposideros Horvath,1892*; *decussata Ribaut,1936* AL BE? BG FR GR IR IT MA PT ES SW Cc AM GG TR YU
675. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna Germar,1831* DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU
676. **Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans Fabricius,1794* DZ FR GR MA ES TN
677. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata Perris,1857*; *vittata Fieber,1866*; *quadrivittata Kirschbaum,1868*; *livens Rey,1894*; *syriaca Dlabola,1965* Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU
678. **Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila Walker,1836* TR BG Cc HV FR DE GR HU IT KG MD MN ES GB RU YU
679. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris Ratzeburg,1852* IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
680. **Eurytoma lobopterae Erdös,1964** (Eurytomidae) Synonym(s): *lobopterae Erdös,1964* TR HV FR ES
681. **Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii Domenichini,1960* TR EG FR Co GR IT Sa Si DZ ES SY
682. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
683. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877*; *setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
684. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
685. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834*; *pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
686. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868*; *zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
687. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus Kirschbaum,1858*; *irrorartus Scott,1875*; *doderi Ferrari,1888*; *maculosus Rey,1891*; *duplex Rey,1894* DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
688. **Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius Ribaut,1952* BG FR IL Pa IT MN MA PT ES EG GR TR KG KK UZ IR
689. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806*; *incisus Kirschbaum,1858*; *obscurellus Kirschbaum,1858*; *pallidior Kirschbaum,1868*; *communis Edwards,1868*; *tessellatus Rey,1891*; *fusciventris Rey,1894*; *paradoxus Rey,1894*; *ochreata Haupt,1927*; *albingensis Wagner,1939*; *galiberti Ribaut,1952*; *subplebejus H.Müller,1954*; *superplebejus H.Müller,1954*; *aestivalis H.Müller,1954*; *vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
690. **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus Brullé,1832*; *nitidus Curtis,1833*; *stictopterus Flor,1861*; *ochrosomus Kirschbaum,1868*; *bilunaris Rey,1891*; *bilobatus Wagner,1952* AL DZ BG TR ES Cn FR DE GB GR HU IE IT JO MA NL PT ES SW TN AZ Cc UZ YU
691. **Eutolmus kiesenwetteri Loew,1854** (Asilidae) Synonym(s): *kiesenwetteri Loew,1854*; *implacidus Loew,1870* ES TR
692. **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata Pallas,1782*; *quadripunctata Fabricius,1801*; *bifasciata Schwarz,1808* ES IT Sa Si TR RU MN CY IR
693. **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata Olivier,1790* *Apalus sexmaculatus Olivier,1790, Encycl. méthod. 4: 166.* DZ ES IT Si CY TR TJ SY
694. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758*; *bicordata Scopoli,1763*; *hemiptera Piller & Mitterpacher,1783*; *moesta Zetterstedt,1828*; *nigroflavus Stal,1858*; *nigricans Matsumura,1911*; *miyakei Matsumura,1911*;

- xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929 AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
695. **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguy,1941; *peyerimhoffi* Burghel-Balacesco,1966 Cn PT ES FR Co DE GR BG CY TR
696. **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927 AL DZ ES Cn CY EG FR GR HU IR IQ IL Pa IT JO Md TR MA TN PT ES TJ ZA
697. **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930 AF DZ ES Cn EG IR IT JO LY IL Pa Md TN TR TM UZ
698. **Exopristus trigonumerus (Masi,1916)** (Torymidae) Synonym(s): *trigonumerus* Masi,1916 B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
699. **Exyston montanus Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus* Kerrich,1975 ES CH TR Cc KK
700. **Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883 DZ ES Cn FR GR IT MA IL ES SW TN RU
701. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897 AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
702. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794 UA CH AT ES FI IT YU AL BG GR TR
703. **Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897 BG TR FR IL Pa IT Sa MA ES YU
704. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868 AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
705. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US
706. **Forficula decipiens Gén ,1832** (Forficulidae) Synonym(s): *decipiens* Gén ,1832; *pallidicollis* Brull ,1832; *laminigera* Costa,1881; *brevis* Rambur,1838 ES TR
707. **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900 ES CY TR IT Si Sa B-H YU GR Cr Rd SY JO LB IL Pa IQ IR SA
708. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947 AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
709. **Galeatus maculatus (Herrich-Sch ffer,1838)** (Tingidae) Synonym(s): *maculatus* Herrich-Sch ffer,1838 ES FR BE DE PL CZ SK HU AT CH IT BY UA
710. **Galeatus major Puton,1886** (Tingidae) Synonym(s): *major* Puton,1886 ES IT Si
711. **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus* Saunders,1876 CV Cn SN ES GR CY TR
712. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775 AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU
713. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802 AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
714. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
715. **Geron gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936 FR Co IT Si GR Rd ES? IL Pa TR
716. **Geron halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis* Wiedemann,1820; *albidulus* Fran ois,1969 IT ?EG FR Co GR Sa LY? ES PT
717. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO SK SS ES SY TJ TM UZ YU
718. **Geron mystacinus Bezzi,1924** (Bombyliidae) Synonym(s): *mystacinus* Bezzi,1924 ES IL Pa SY
719. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
720. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793 TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US

721. **Glyphomerus tibialis Förster, 1856** (Torymidae) Synonym(s): *tibialis Förster, 1856* AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
722. **Glyphotriclis ornatus (Schiner, 1868)** (Asilidae) Synonym(s): *ornatus Schiner, 1868* ES FR
723. **Glyptomorpha baetica (Spinola, 1843)** (Braconidae) Synonym(s): *baetica Spinola, 1843* Bracon baeticus Spinola, 1843, Anns Soc. ent. Fr. 1 (2): 125. TR MA PT ES GR
724. **Gomphocerus sibiricus (Linnaeus, 1767)** *sibiricus Linnaeus, 1767; clavimanus Pallas, 1772; graecus Uvarov, 1931; helveticus Uvarov, 1931; hispanicus Uvarov, 1931; pyrenaicus Uvarov, 1931; turcicus Mistshenko, 1951* ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
725. **Gonia maculipennis Egger, 1862** (Tachinidae) Synonym(s): *maculipennis Egger, 1862* Gonia maculipennis Egger, 1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia minor". ES HU UA CY TR IL Pa TM
726. **Goniagnathus bolivari (Melichar, 1907)** (Cicadellidae) Synonym(s): *bolivari Melichar, 1907; hoberlandti Dlabola, 1957* IL Pa ES TR IR BG
727. **Goniagnathus brevis (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer, 1835; annulipes Lucas, 1849* AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
728. **Goniagnathus guttulinervis (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum, 1868; putoni Lethierry, 1874; laminatus Ivanoff, 1885; ferganensis Kusnezov, 1929* AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
729. **Granada imitans (Brunner von Wattenwyl, 1882)** (Acrididae) Synonym(s): *imitans Brunner von Wattenwyl, 1882* ES
730. **Graphocraerus ventralis (Fallén, 1806)** (Cicadellidae) Synonym(s): *ventralis Fallén, 1806; punctifrons Germar, 1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
731. **Graphogaster vestita Rondani, 1868** (Tachinidae) Synonym(s): *vestita Rondani, 1868* TR BG HV GR IT Si ES UA
732. **Graptodytes bilineatus (Sturm, 1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm, 1835; nigritarsis Sahlberg, 1882; hopffgarteni Schilsky, 1892; pervasus Gozis, 1914; narentinus Zimmermann, 1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
733. **Gravenhorstia (Kokujewiella) ibera (Ceballos, 1957)** (Ichneumonidae) Synonym(s): *ibera Ceballos, 1957* ES IL Pa TR
734. **Gryllomorpha (Gryllomorphella) uclensis Pantel, 1890** (Gryllidae) Synonym(s): *uclensis Pantel, 1890* ES FR DZ TN LY
735. **Gryllotalpa gryllotalpa (Linnaeus, 1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus, 1758; talpa Olivier, 1791; vulgaris Latreille, 1804* Gryllus gryllotalpa Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
736. **Grypotes puncticollis (Herrich-Schäffer, 1834)** (Cicadellidae) Synonym(s): *puncticollis Herrich-Schäffer, 1834; pinetellus Zetterstedt, 1840; fallax Kirschbaum, 1868* DZ AT BE CS DK FI FR DE GB IT NL NO PL PT ES TN TR EE LV UA YU
737. **Grypotes staurus Ivanoff, 1885** (Cicadellidae) Synonym(s): *staurus Ivanoff, 1885; australis Haupt, 1927* DZ ES Cn CY FR GR IL IT Sa Si LB MA PT TR YU
738. **Gyrinus caspius Ménétriés, 1832** (Gyrinidae) Synonym(s): *caspius Ménétriés, 1832* DK NO FI GB DE FR NL ES GR TR
739. **Habropogon appendiculatus Schiner, 1867** (Asilidae) Synonym(s): *appendiculatus Schiner, 1867; solox Enderlein, 1921* ES IL Pa MA EG
740. **Haematoloma dorsatum (Ahrens, 1812)** (Cercopidae) Synonym(s): *dorsatum Ahrens, 1812; quinquemaculata Germar, 1821; lugens Horvath, 1882* DZ BE FR DE GR IT NL PT ES SW TR YU
741. **Haltichella rufipes (Olivier, 1791)** (Chalcididae) Synonym(s): *rufipes Olivier, 1791; armata Panzer, 1801; bispinosa Fabricius, 1804; quadriens Kieffer, 1905* AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
742. **Hardya tenuis (Germar, 1821)** (Cicadellidae) Synonym(s): *tenuis Germar, 1821; badiellus Kirschbaum, 1868; fulvopicta Sahlberg, 1871; confusa Rey, 1894* AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
743. **Harmonia axyridis (Pallas, 1773)** (Coccinellidae) Synonym(s): *axyridis Pallas, 1773* Coccinella axyridis Pallas, 1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
744. **Harpalus (s.str.) affinis (Schrank, 1781)** (Carabidae) Synonym(s): *aeneus Fabricius, 1775; affinis Schrank, 1781; bifoveolatus Kuster, 1846; paganettii Flach, 1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY

745. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
746. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda Kirschbaum,1868; fasciaticollis Rey,1891; ecbalii Linnavuori,1962* AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
747. **Heliocorisa vermiculata (Puton,1874)** (Corixidae) Synonym(s): *vermiculata Puton,1874* DZ RU ES LY TN Cc IR TR
748. **Helius (s.str.) hispanicus Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus Lackschewitz,1928* TR ES GB GG Cc AM AZ IR
749. **Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans Gené,1836* GB ES IT FR TN GR TR
750. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758* TR Cc GG ES DE DK GB SE FI RU IR
751. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus Mulsant,1846* DK FI SE NO RU ES IT AT FR GB TR
752. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis Motschoulsky,1860* TR DZ GB DK FR DE IT MA PT ES SE TN
753. **Helophorus glacialis Villa,1883** (Helophoridae) Synonym(s): *glacialis Villa,1883* Cc SE FI DK ES TR
754. **Helophorus griseus Herbst,1793** (Helophoridae) Synonym(s): *griseus Herbst,1793* GB FR ES SE FI DK Cc TR
755. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854* DK SE FI RU ES Cc LB IL Pa IR TR
756. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
757. **Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus Fabricius,1776* RU SE FI IT ES DK IR TR
758. **Helophorus porculus Bedel,1881** (Helophoridae) Synonym(s): *porculus Bedel,1881* DZ NL ES FR DE TR
759. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis Kuwert,1887* DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
760. **Hemipenthes hamifera (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera Loew,1854* RU Sb Cc AZ AM GG GR CN Ui BG FR IT IR Si KK KG MN ES TJ TM UZ YU TR
761. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758; denigrata Linnaeus,1767; hirsuta Villers,1789; daemon Panzer,1797; bifasciata Meigen,1804; relata Walker,1852; uncinus Loew,1869; flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
762. **Hemipenthes vockerothi François,1969** (Bombyliidae) Synonym(s): *vockerothi François,1969* ES
763. **Hephathus freyi (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi Fieber,1868* DZ BG CZ FR IT MA ES TR YU AF IR
764. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus Herrich-Schäffer,1835; cretacea Fieber,1868* AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
765. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus Nylander,1856* AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
766. **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola Pérez,1890; copetica Morawitz,1892; aurantifer Cockerell,1931* MA DZ TN AT BG ES FR GR HV IT Sa Si MK PT SK SS KK KG TM CY IL Pa JO SY TR
767. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum Linnaeus,1758; xanthogastris Schrank,1802; mordax Schletterer,1889* AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
768. **Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis Lucas,1849* ES FR Co IT MK GR TR Cc KG NG SD SA LK
769. **Hermetia illucens (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens Linnaeus,1758* PT Cn ES FR CH IT MT HV AL TR
770. **Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela Fieber,1860* AT BG CZ RU IQ IL Pa ES IT HU EG PL RO YU TR GR
771. **Heteropogon manicatus (Meigen,1820)** (Asilidae) Synonym(s): *manicatus Meigen,1820* MA DZ FR Co ES TR
772. **Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus Wiedemann,1820* IR Fa ES PT JO IL Pa MA DZ TN TR

773. **Heterotropus nigrithorax François,1969** (Bombyliidae) Synonym(s): *nigrithorax François,1969* ES
774. **Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata Walker,1834; albomaculatus Lucas,1849; maculipennis Steffani,1887; modesta Silvestri,1907; erdoesi Boucek,1952; nipponica Habu,1960* DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP
775. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna Boucek,1952* HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
776. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor Walker,1834; pachycera Förster,1859* DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
777. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis Dufour & Perris,1840; dentiventris Morawitz,1877; hispanica Schmiedeknecht,1886; brunneipes Peters,1975; gilva Zanden,1994* AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
778. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta Schenck,1861 nec Latr.,1811; claviventris Thomson,1872; foveolata Schenck,1873; columba Warncke,1991* AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
779. **Hoplitis (Alcidamea) curtula (Pérez,1895)** (Megachilidae) Synonym(s): *curtula Pérez,1895; bofilli Pérez,1905* ES FR DZ MA
780. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana Kirby,1802; caulicola Schrank,1802; parvula Dufour & Perris,1840; bidenticulatus Costa,1863* AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
781. **Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis Nylander,1852; montivaga Morawitz,1872* AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN
782. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans Morawitz,1894; lineola Pérez,1895* AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
783. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata Dufour & Perris,1840; melanoleuca Benoist,1934; asensioi Tkalcu,1975* AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
784. **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata Latreille,1811; crenulata Morawitz,1871; pruinosa Destefani,1887; corsaria Warncke,1991; cretica Warncke,1991* AM Cc BG ES FR Co GR Cr HV IT Sa Si PT DZ MA TN CY IL Pa SY TR
785. **Hoplitis (Annosmia) tkalcuella Le Goff,2003** (Megachilidae) Synonym(s): *tkalcuella Le Goff,2003* ES
786. **Hoplitis (Anthocopa) antigae (Pérez,1895)** (Megachilidae) Synonym(s): *antigae Pérez,1895* ES FR DZ MA
787. **Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca Gerstaecker,1869; lanosa Pérez,1879* ES FR Co GR HV IT Si PT DZ LY TN IL Pa JO SY TR
788. **Hoplitis (Anthocopa) cristatula (Zanden,1990)** (Megachilidae) Synonym(s): *cristatula Fonscolombe,1846 nec Duf.,1841; cristatula Zanden,1990* ES FR Co IT Si DZ MA TN CN
789. **Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica Morawitz,1871* AL AD CH ES FR GR HU HV IT Sa MK SS TR
790. **Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi Friese,1895; linophila Westrich,2006* AT AM Cc ES FR Co GR HU RU SK TR
791. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris Latreille,1799; hyalinipennis Lepeletier,1841* AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
792. **Hoplitis (Anthocopa) perezii (Ferton,1895)** (Megachilidae) Synonym(s): *perezii Ferton,1895; convolvuli Ducke,1899* AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
793. **Hoplitis (Anthocopa) villosa (Schenck,1853)** (Megachilidae) Synonym(s): *villosa Schenck,1853; platycera Gerstaecker,1869* AT AL? AD BE CH CZ DE ES FR IT MK? NL RU SK SS TR?
794. **Hoplitis (Pentadentostmia) cadiza (Warncke,1991)** (Megachilidae) Synonym(s): *cadiza Warncke,1991* MA TN ES
795. **Hoplitis (Pentadentostmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons Morawitz,1872* AT AM Cc CZ HU IT MK RU SK SS ES CN Ui PK TR IN
796. **Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon Pérez,1879; carsophila Ducke,1899; seyrigi Benoist,1934* AL BG ES FR GR Cr HV IT PT SY TR

797. **Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871 GR AZ Cc BG ES FR IT Si TR
798. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalec,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
799. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
800. **Hoplitis (s.str.) benoisti (Alfken,1935)** (Megachilidae) Synonym(s): *morawitzi* Pérez,1879 *nec* Gerst.,1869; *benoisti* Alfken,1935; *grinincensis* Benoist,1969; *gregaria* Warncke,1992 ES FR Co HV IT Sa Si PT DZ MA TN
801. **Hoplitis (s.str.) insularis (Schmiedeknecht,1886)** (Megachilidae) Synonym(s): *insularis* Schmiedeknecht,1886; *vaulogeri* Pérez,1895 ES IT Sa Si DZ MA TN
802. **Hoplitis (s.str.) lepeletieri (Pérez,1879)** (Megachilidae) Synonym(s): *lepeletieri* Pérez,1879 AT CH DE ES FR HU IT RU SS
803. **Hoplitis (s.str.) loti (Morawitz,1867)** (Megachilidae) Synonym(s): *loti* Morawitz,1867; *morawitzi* Gerstaecker,1869; *difformis* Pérez,1879 AT CH CZ? DE ES FR HU HV IT RU SS
804. **Hoplitis (s.str.) marchali (Pérez,1902)** (Megachilidae) Synonym(s): *marchali* Pérez,1902 ES FR Co IT Si PT DZ MA TN
805. **Hoplitis (s.str.) mucida (Dours,1873)** (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929 CH ES FR IT Si PT DZ MA TN IL Pa JO
806. **Hoplitis (s.str.) ochraceicornis (Ferton,1902)** (Megachilidae) Synonym(s): *ochraceicornis* Ferton,1902; *seyrigi* Benoist,1969 AD ES FR IT MK PT Md
807. **Hoplitis (s.str.) ravouxi (Pérez,1902)** (Megachilidae) Synonym(s): *ravouxi* Pérez,1902; *rhinotropis* Pérez,1902; *brachyceros* Blüthgen,1920; *ebmeri* Zanden,1989 AT BE CH CZ DE ES FR HV IT Sa NL PT RO RU SK SS
808. **Hoplitis (Stenosmia) albatara (Warncke,1991)** (Megachilidae) Synonym(s): *albatara* Warncke,1991 ES
809. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
810. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
811. **Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882 AL AT BG TR CZ FR HU IL IT RO ES YU
812. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
813. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808 AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
814. **Hydrochus ibericus Valladares,1999** (Hydrochidae) Synonym(s): *ibericus* Valladares,1999 ES TR
815. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775 ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
816. **Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis* Erichson,1840 MT DZ ES FR CH Sa Si IT RO HV TR AL GR Rd
817. **Hysteropterum conspurcatum (Spinola,1939)** (Issidae) Synonym(s): *conspurcatum* Spinola,1939 BG CS HU RO ES YU
818. **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794 AL DZ AT BG ES Cn CY CS FR GR HU IT JO MA PT RO ES SW SY TN TR YU
819. **Hysteropterum nervosum Fieber,1877** (Issidae) Synonym(s): *nervosum* Fieber,1877 DZ GR IT IL ES YU
820. **Iassus lanio (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794 AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR
821. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868 AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
822. **Iberodorcadion fuliginator (Linnaeus,1758)** (Cerambycidae) Synonym(s): *fuliginator* Linnaeus,1758 ES FR DE IT
823. **Iberodorcadion molitor (Fabricius,1775)** (Cerambycidae) Synonym(s): *molitor* Fabricius,1775 FR ES

824. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956 *Limnobia pulchripennis* Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
825. **Idiocerus fasciatus Fieber,1868** (Cicadellidae) Synonym(s): *fasciatus* Fieber,1868 AT BE CS FR? DE HU ES AZ UA
826. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus* Fabricius,1775; *aurulentus* Kirschbaum,1868; *cupreus* Kirschbaum,1868 (*praeocc.*); *decipiens* Kirschbaum,1868; *kirschbaumi* Baker,1924; *lineolata* Ribaut,1952 AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspiya?) UA (Crimea) YU
827. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894 AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
828. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer,1835 BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
829. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis,1834; *adustus* Herrich-Schäffer,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
830. **Idiocerus vicinus Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898 AF AT FR DE GR Cr IT RU Da Cc ES TR IL Pa IR
831. **Idiomacromerus papaveris (Förster,1856)** (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989 TR AD AT HV CZ FR DE HU IL Pa IT MK MD ES YU IR Ab Oru Qz
832. **Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832 *Gryllus (Mantis) oratorius* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. ES MA EG DZ TN CY FR GR Cr IT TR JO IL Pa IR IN TD CA
833. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793 TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
834. **Issus coleopratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleopratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894 DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
835. **Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus* Fourcroy,1785; *luteus* Fieber,1876 AL FR GR IT ES TR YU
836. **Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri* Ahrens,1814; *climacus* Fieber,1876 TR AL FR GR IT PT ES YU
837. **Iubsoda stigmatica (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897; *strigosa* Matsumura,1910; *duffelsi* Dlabola,1974 IT Si HV YU CY FR GR ES TR
838. **Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917 AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU
839. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
840. **Josandrea sazi Navas,1910** (Nemopteridae) Synonym(s): *sazi* Navas,1910 ES Mu
841. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
842. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris* Fourcroy,1785 PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
843. **Krombeinella beaumonti (Invrea,1953)** (Mutillidae) Synonym(s): *beaumonti* Invrea,1953 TR RO IT Si ES PT MA
844. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
845. **Labia minor (Linnaeus,1758)** (Spongiphoridae) Synonym(s): *minor* Linnaeus,1758 ES FI KG UZ TR
846. **Labidostomis bolivari Antoine,1936** (Chrysomelidae) Synonym(s): *bolivari* Antoine,1936 ES MA

847. **Labidostomis ghilianii (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *ghilianii* Lacordaire,1848 ES
848. **Labidostomis hordei (Fabricius,1787)** (Chrysomelidae) Synonym(s): *hordei* Fabricius,1787 ES PT MA
849. **Labidostomis longimana (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *longimana* Linnaeus,1761; *pallida* Fourcroy,1785; *tridentata* Panzer,1793; *dalmatina* Lacordaire,1848; *uralensis* Lacordaire,1848; *glycyrrhizae* Becher,1880 ES MN RU Sb
850. **Labidostomis lucida (Germar,1824)** (Chrysomelidae) Synonym(s): *lucida* Germar,1824; *fulgida* Lacordaire,1848; *axillaris* Lacordaire,1848 ES SK RU
851. **Labidostomis lusitanica (Germar,1824)** (Chrysomelidae) Synonym(s): *lusitanica* Germar,1824 DZ ES FR IT Si
852. **Labidostomis nevadensis Daniel & Daniel,1904** (Chrysomelidae) Synonym(s): *nevadensis* Daniel & Daniel,1904 ES
853. **Labidostomis pallidipennis (Gebier,1830)** (Chrysomelidae) Synonym(s): *pallidipennis* Gebier,1830; *chalybeicornis* Brullé,1832; *longipennis* Gebier,1848 ES CN RU
854. **Labidura riparia (Pallas,1773)** (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905 ES TR RU Sb IQ Cc AZ TM TJ UZ KG MN
855. **Laburris quadratus (Forel,1864)** (Cicadellidae) Synonym(s): *quadratus* Forel,1864; *limbatus* Ferrari,1882; *atrata* Ribaut,1942; *deleta* Ribaut,1942 FR IT LY MA ES SW TN AM Cc
856. **Lachnaia cylindrica (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *cylindrica* Lacordaire,1848 ES PT FR IT Si DZ
857. **Lachnaia hirta (Fabricius,1801)** (Chrysomelidae) Synonym(s): *hirta* Fabricius,1801 DZ ES PT FR IT Si
858. **Lachnaia paradoxa (Olivier,1808)** (Chrysomelidae) Synonym(s): *paradoxa* Olivier,1808 MA DZ ES
859. **Lachnaia pseudobarathaea (Daniel & Daniel,1898)** (Chrysomelidae) Synonym(s): *pseudobarathaea* Daniel & Daniel,1898 ES
860. **Lachnaia pubescens (Dufour,1820)** (Chrysomelidae) Synonym(s): *pubescens* Dufour,1820 DZ ES FR Co Sa IT
861. **Lachnaia puncticollis Chevrolat,1840** (Chrysomelidae) Synonym(s): *puncticollis* Chevrolat,1840 DZ MA ES FR
862. **Lachnaia tristigma (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *tristigma* Lacordaire,1848 DZ ES FR IT
863. **Lachnaia variolosa (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *variolosa* Linnaeus,1767 DZ MA ES
864. **Lacon lepidopterus (Panzer,1801)** (Elateridae) Synonym(s): *lepidopterus* Panzer,1801; *aurosquamosus* Jagemann,1939 RU Sb ES FR CZ Cc TR
865. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
866. **Lamprohiza mulsanti (Kiesenwetter,1850)** (Lampyridae) Synonym(s): *farinesi* A.Villa & J.B.Villa,1838; *mulsanti* Kiesenwetter,1850; *peltata* Rey,1891 ES FR
867. **Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 *Cantharis noctiluca* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
868. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
869. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
870. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
871. **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930 IR Ss Kz Fa AZ Cc EG GR IL Pa IT KG MT ES TN RO TR
872. **Lasioglossum mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus*

- Warncke,1982 ES PT IT Sa Si HU HV SY EG JO Amm LY GR Rd Cr IL Pa Cc GG AM Eri Bak AZ RU UZ
Smk TJ FR TR IR Mz Elb Fa Shr Ha Kh TM Kp AF
873. **Lasioglossum albocinctum (Lucas,1846)** (Halictidae) Synonym(s): *albocinctum*
Lucas,1846 ES IT FR DE CH GR
874. **Lasioglossum bimaculatum (Dours,1872)** (Halictidae) Synonym(s): *bimaculatum*
Dours,1872; *perezi* Alfken,1907; *hispanicum* Blüthgen,1931 MA ES FR
875. **Lasioglossum callizonium (Pérez,1895)** (Halictidae) Synonym(s): *callizonium*
Pérez,1895; *mogadoricus* Cockerell,1937 PT ES FR MA EG IL Pa
876. **Lasioglossum costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum*
Kriechbaumer,1873; *alpestris* Morawitz,1877 MA FR DK ES PT Co DE PL MK IL Pa TR IR
877. **Lasioglossum discum (Smith,1853)** (Halictidae) Synonym(s): *discum* Smith,1853;
morbillosus Kriechbaumer,1873; *glasunovi* Cockrell,1924; FR Co Sa IT Si IL Pa TR AF MA DZ TN
ES FR
878. **Lasioglossum laevigatum (Kirby,1802)** (Halictidae) Synonym(s): *laevigatum*
Kirby,1802; *lugubris* Kirby,1802; *semicinctus* Förster,1860 GB RU Ur ES IR
879. **Lasioglossum lateralis (Brullé,1832)** (Halictidae) Synonym(s): *lateralis* Brullé,1832;
bifasciatus Brullé,1832; *ticinensis* Frey-Gessner,1903 ES FR CH HU TR GR
880. **Lasioglossum lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre*
Schenck,1853; *bisbistrigatus* Schenck,1853; *bicinctus* Schenck,1874; *decipiens* Perkins,1913;
sotschica Blüthgen,1931 ES IR
881. **Lasioglossum pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832 MA
FR ES BE DE CY IR
882. **Lasioglossum perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes*
Blüthgen,1934 IT Si Co GR ES MA DZ TR
883. **Lasioglossum quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum*
Kirby,1802 GB KG RU FI ES IR
884. **Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons*
Gyllenhal,1833 DE BG DZ DK FR GB ES IT Cc HU MK TR
885. **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877;
maculipes Melichar,1906; *oertzeni* Matsumura,1910 MA FR IT ES CY GR IL IT TR YU
886. **Leptochilus schachti Gusenleitner,1985** (Vespidae) Synonym(s): *schachti*
Gusenleitner,1985 ES
887. **Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La
Salle,2004 FR Co IT GR ES PT IL Pa TR JO SY IR IN TH VN DZ MA ET KE UG TZ KE
888. **Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica* De Geer,1776;
tipuloides Fabricius,1775; *livida* Geoffroy,1785; *fusca* Meigen,1804; *hispanica* Meigen,1838;
nigricornis Loew,1847; *dorsalis* Dahlbom,1851 MA DZ ES FR CZ HV B-H IT SS RU Sb IR Fa AZ Cc
889. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis*
Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP
KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
890. **Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): *parvidens*
Artobolevski,1929 ES SY DZ DK TR Rd CY
891. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera*
Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
892. **Libelloides hispanicus (Rambur,1842)** (Ascalaphidae) Synonym(s): *hispanicus*
Rambur,1842 ES
893. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus*
Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT
IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
894. **Lindbergina pandellei (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei*
Lethierry,1878; *spoliata* Horvath,1907 BG TR FR GB IT ES YU
895. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata*
Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862;
bipunctata Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP
NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
896. **Liposthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES
IT AT HU RO UA RU TR
897. **Lispe caesia Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826 MA DZ TN LY EG
Cn ES IT Sa Si DE PL CZ AT HU SY IL TR RU
898. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae) Synonym(s):
flavovariegata Lucas,1849; *lineolator* Aubert,1972 DZ CH BG ES FR GR IT RO RU YU AM Cc TR IR
899. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s):
perspicillator Gravenhorst,1829 TR DE AT ES HU IT YU MD KG

900. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul Fabricius,1794* ES MD UA RU Cc IT DZ TR
901. **Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri Pic,1923; antineae Peyerimhoff,1929; klapperichi Mohr,1962; furthi Gruev,1982* MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
902. **Longitarsus baeticus Leonhardi,1979** (Chrysomelidae) Synonym(s): *baeticus Leonhardi,1979* ES DZ
903. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus Leonhardi,1975* AT MA ES FR CH IT DE CZ SK YU UA TR
904. **Longitarsus flavicornis (Stephens,1831)** (Chrysomelidae) Synonym(s): *flavicornis Stephens,1831; rufescens Fowler,1890; citrinus Fuente,1910* GB IE FR BE ES MA DZ
905. **Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata Meigen,1824* RU Mo PT ES IT Sa Si HV B-H GR BG TR CY Cr MD EE LT IE
906. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845* GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
907. **Lucanus (Pseudolucanus) barbarossa Fabricius,1801** (Lucanidae) Synonym(s): *barbarossa Fabricius,1801* MA PT ES DZ TN
908. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica Olivier,1790 nec Linn.,1767; lusitanica Charpentier,1825; caucasica Motschoulsky,1854; collaris Motschoulsky,1854; mehadiensis Motschoulsky,1854; mingrelia Motschoulsky,1854; pontica Motschoulsky,1854; mentonensis Peragallo,1863; minor Baudi di Selve,1873; erythrocephalus E.Olivier,1885; papii Miksic,1969* AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
909. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus Scopoli,1763; fraxini Fabricius,1803; obscura Fabricius,1803; armeniaca Kolenati,1857; africana Metcalf,1955* Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
910. **Lytta vesicatoria (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria Linnaeus,1758* ES IT Sa Si Cc TR
911. **Machimus elegans (Loew,1849)** (Asilidae) Synonym(s): *elegans Loew,1849* TR IR Es ES
912. **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus Meigen,1820; obscurus Meigen,1820; genualis Zeller,1840* IR Kh AL AT BE B-H BG HV CZ FR DE GR SS ES IT KG PL RO SK CH NL TR GB
913. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus Loew,1849* IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
914. **Machiremisca decipiens (Wiedemann,1820)** (Asilidae) Synonym(s): *decipiens Wiedemann,1820; variegatus Meigen,1820; multicolor Schiner,1854; varispinus Strobl,1909* IR Es IT FR PT ES
915. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica Meigen,1824; microcera Robineau-Desvoidy,1830; olizon Walker,1849; torta Walker,1853; celebs Rondani,1859; atra Robineau-Desvoidy,1863; spinicincta Meade,1891; echinalis Pandelle,1895; fuscicularis Pandelle,1895; #preafica Kara,1999* BE DE Cc IL Pa UA GB BG ES RU TR
916. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris Rondani,1865; dumosum Pandellé,1895* AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
917. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar Fieber,1868* FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
918. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula Zetterstedt,1828* AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
919. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea Fieber,1868; viridiceps Wagner,1941* AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
920. **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei Fieber,1868; bipunctata Lethierry,1876; limbopunctata Reter,1885; ornata Lindberg,1926* DZ AT BG CS DK FR DE GR HU NL PL RO ES TN TR Cc GG KG RU Sb YU
921. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina Boheman,1852* DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
922. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata Boheman,1845; tibialis Scott,1874* AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
923. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata Silvestri,1920* TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU

924. **Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927
AF BG GR FR IT PT ES TR
925. **Macrosteles ramosus Ribaut,1952** (Cicadellidae) Synonym(s): *ramosus* Ribaut,1952;
quadricornis Lindberg,1954; *orientalis* Mitjaev,1969 nec Vilb.,1968 FR GR Md MA ES EH KG YU
926. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus*
Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta*
Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK
EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Gc Kmt KG
KK LV MD RU Sb UA UZ YU
927. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806;
fumatus Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW
KG KK LV RU UA YU
928. **Malachius lusitanicus Erichson,1840** (Melyridae) Synonym(s): *lusitanicus*
Erichson,1840 DZ ES
929. **Mantispa aphavelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s):
aphavelte U.Aspöck & H.Aspöck,1994; *#aphavexellte* Dobosz,2007 Mantispa aphavelte
U.Aspöck & H.Aspöck,1994, Annl n naturh. Mus. Wien 96B: 110-112, figs. Holotype ♂:
Griechenland: O-Samothraki, Anomeria 150m (NMW). TR Cc AM BG FR HV IT GR SL ES CH YU KG
MN CN RU Ur
930. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana*
Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb
ES SE CH SY TM YU UA
931. **Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824 AD AT BY
CZ FR DE HU IT PL RU SS ES CH TR
932. **Megabombus argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus*
Scopoli,1763; *sichelii* Radoszkowski,1859 FR IT AT HU TR IR RU Cc ES PL
933. **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
IR AF PK AM TR ES MA MR SA OM YE DJ IL Pa JO SY IQ KW Cr Rd GR CY
934. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919
DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
935. **Megaselia coetanea Schmitz,1929** (Phoridae) Synonym(s): *coetanea* Schmitz,1929
TR AT FI ES
936. **Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935 DE
AT CZ DK EE FR NL GB ES CH IE IT LT HU PT PL GR TR
937. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus*
Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA
NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
938. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus*
Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB
UZ
939. **Megastigmus dumicola Boucek,1982** (Torymidae) Synonym(s): *dumicola* Boucek,1982
IR FR ES
940. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871;
ballestrerii Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF
DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
941. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ?
scutata Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van
Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES
SE SW SY TN AZ EE GG LV RU UA YU
942. **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771;
melas Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata*
Ramme,1921 TR Cc RU ES FR AT PL RO IR KG MN
943. **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus*
Erichson,1841 TR AM Cc AT B-H HV CZ FR GG GR HU IT PT RO SK SL ES RU CH
944. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 LT IT GR MD RO RU
ES UA
945. **Melieria nana (Loew,1873)** (Ulidiidae) Synonym(s): *nana* Loew,1873 ES
946. **Melieria unicolor Loew,1854** (Ulidiidae) Synonym(s): *unicolor* Loew,1854 HU ES IT Si
947. **Meloe autumnalis Olivier,1792** (Meloidae) Synonym(s): *autumnalis* Olivier,1792 ES IT
Si Sa TR DZ Cc
948. **Meloe brevicollis Panzer,1793** (Meloidae) Synonym(s): *brevicollis* Panzer,1793 DZ ES
IT Sa Si TR RU KG TJ MN TM
949. **Meloe cavensis Petagna,1819** (Meloidae) Synonym(s): *cavensis* Petagna,1819;
purpurascens Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
ES FR GR TR IT Sa Si EG LY TN LB CY IQ IL Pa JO SY

950. **Meloe cicatricosus Leach,1815** (Meloidae) Synonym(s): *cicatricosus Leach,1815* ES TR
Cc IR AF RU GB
951. **Meloe ganglbaueri Apfelbeck,1907** (Meloidae) Synonym(s): *ganglbaueri Apfelbeck,1907*
ES IT Sa Si TR HV
952. **Meloe mediterraneus Müller,1925** (Meloidae) Synonym(s): *mediterraneus Müller,1925*
ES FR GB TR HU HV IT Si LY YU LB IL Pa JO
953. **Meloe proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus*
Linnaeus,1758 ES DZ IT Sa Si RU Sb Cc SY TR AF TJ KG
954. **Meloe rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus Marsham,1802* ES IT
RU DZ Cc TR TM
955. **Meloe tuccicus Rossi,1792** (Meloidae) Synonym(s): *tuccicus Rossi,1792*; *ruficornis*
Balbi,1897 Cn ES IT Sa Si AT HU TR Cc RU TM KG AF
956. **Meloe variegatus Donovan,1793** (Meloidae) Synonym(s): *variegatus Donovan,1793*;
#varigatus Özbek & Szaloki,1998 ES IT TR IR RU KK CN Ui
957. **Meloe violaceus Marsham,1802** (Meloidae) Synonym(s): *violaceus Marsham,1802* ES
TR FI RU
958. **Meria lineata Sichel,1859** (Tiphidae) Synonym(s): *lineata Sichel,1859* FR ES
959. **Meria tripunctata (Rossi,1790)** (Tiphidae) Synonym(s): *tripunctata Rossi,1790*;
sexfasciata Rossi,1792 AT IT FR ES Md HU AL TR IL Pa EG MA DZ
960. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans Egger,1860*;
obscuripennis Palma,1863; *knerii Mik,1883* MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT
AL GR YU LB Cr
961. **Merodon affinis Gil Collado,1930** (Syrphidae) Synonym(s): *affinis Gil Collado,1930* ES
962. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons Meigen,1822*;
grossus Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
963. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexexi Paramonov,1925*
DZ MA TN ES FR IT GR UA MN
964. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus Rossi,1790*; *spinipes*
Fabricius,1794; *serrulatus Wiedemann,1822*; *italicus Rondani,1845*; *rufitibius Rondani,1845*;
graecus Walker,1852; *aurifer Loew,1862*; *quadrilineatus Liouy,1864* DZ MA LY PT ES SE RU NL
BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
965. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes Fabricius,1781*;
clauda Villers,1789; *gravipes Rossi,1790*; *canipilus Rondani,1865*; *senilis Meigen,1822*; *albus*
Paramonov,1927; *ater Paramonov,1927*; *niger Paramonov,1927*; *sacki Paramonov,1937* MA DZ
PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
966. **Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes Sack,1913* ES FR CH AT
HU IT Si YU BG GR CY TR LB
967. **Merodon elegans Hurkmans,1993** (Syrphidae) Synonym(s): *elegans Hurkmans,1993*
IT Si FR ES DZ MA
968. **Merodon flavus Sack,1913** (Syrphidae) Synonym(s): *flavus Sack,1913* ES FR CZ CH IT HU
BG
969. **Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794*
ES FR IT Si YU AL TR BG RO PL IL Pa LY
970. **Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909*
PT ES FR Co IT YU BG TR IL Pa DZ MA MT
971. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis Sack,1913*; *affinis Gil*
Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR
972. **Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans Fabricius,1794* ES
FR IT YU GR Rd CY Cc BG IL Pa
973. **Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845*
ES FR AT GR HU IT YU PL CH TR
974. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis Strobl,1909*;
fuerteventurensis Barkemeyer,2002 ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
975. **Merodon ottomanus Hurkmans,1993** (Syrphidae) Synonym(s): *ottomanus*
Hurkmans,1993 *Merodon ottomanus Hurkmans,1993*, Tijdschr. Ent. 136: 161-162, figs. Holotype
♂: Turkey: [Şirnak Prov.]: Tanintanin Pass [E. of Uludere] 2200m 12.vi.1984 leg.J.A.W.Lucas
(ZMAN). ES TR
976. **Merodon parietum Wiedemann,1822** (Syrphidae) Synonym(s): *parietum*
Wiedemann,1822 PT ES FR GR
977. **Metaphycus ibericus (Mercet)** (Encyrtidae) Synonym(s): ES TR
978. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata Latreille,1792*;
formicaria Latreille,1792; *ichneumonides Latreille,1805*; *mutillaria Latreille,1806*; *sanvitali*
Latreille,1809; *italica Costa,1858* *articulata Latreille,1792* DZ AT BY BE BG HV CZ DK GB EE FI
FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM

979. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
980. **Microdontomerus annulatus (Spinola,1808)** (Torymidae) Synonym(s): *annulatus* Spinola,1808 IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
981. **Microdontomerus crassipes Boucek,1982** (Torymidae) Synonym(s): *crassipes* Boucek,1982 DZ ES
982. **Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua* Ruthe,1860 Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU
983. **Milichiella argyrogaster (Perris,1876)** (Milichiidae) Synonym(s): *argyrogaster* Perris,1876; *tiefii* Mik,1887 ES FR AT CZ SK HU RU US
984. **Milichiella iberica Carles-Tolra,2001** (Milichiidae) Synonym(s): *iberica* Carles-Tolra,2001 ES
985. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis* Loew,1866 AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
986. **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849 ES MA DZ TN LY EG TR Cc AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
987. **Mniophila muscorum (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum* Koch,1803 AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
988. **Mocuellus collinus (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
989. **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834 ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
990. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
991. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
992. **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae* Walker,1847 IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
993. **Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper* Sulzer,1776 ES FR Co IT AL CH RO GR SS BG HU PL MD
994. **Musaria rubropunctata (Goese,1777)** (Cerambycidae) Synonym(s): *rubropunctata* Goese,1777 FR ES IT DE
995. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
996. **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
997. **Mutilla europaea Linnaeus,1758** (Mutillidae) Synonym(s): *europaea* Linnaeus,1758 TR RU Ur Sb KG SE FI ES DZ
998. **Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787 TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
999. **Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840 ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
1000. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
1001. **Mylabris crocata (Pallas,1781)** (Meloidae) Synonym(s): *crocata* Pallas,1781 TR RU KG MN IR SY BG DE ES HU DE
1002. **Mylabris fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 *nec Fabr.*,1781; *fabricii* Sumakov,1924 TR Cc IL Pa RU KG UZ IR IT Si GR FE ES
1003. **Myopa buccata (Linnaeus,1758)** (Conopidae) Synonym(s): *buccata* Linnaeus,1758 ES FR IE GB BE NL DE DK CH IT Si HU RO SK CZ NO LT PL TR
1004. **Myopa dorsalis Fabricius,1794** (Conopidae) Synonym(s): *dorsalis* Fabricius,1794 ES FR BE NL DE DK PL SK CZ IT AT HU RO AL BG TR
1005. **Myopa picta Panzer,1798** (Conopidae) Synonym(s): *picta* Panzer,1798 ES FR BE DE PL SK CZ AT IT HU RO BG TR

1006. **Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798 MG IN IT GR Cr Rd PT ES Co Sa CY TR SY IQ IR IL Pa SA OM YE AF PK TM UZ TJ KG
1007. **Myrmeleon (Morter) inconspicuus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur,1842 ES GR IR TR
1008. **Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schlencki* Viereck,1903; *kutteri* Finzi,1926; *obscura* Finzi,1926; *subopaca* Arnoldi,1934 SE DK ES FR CH CZ BG TR GG Cc KK KG
1009. **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927 AT CZ SK HU DE CH RO AL SL HV B-H YU MK BG GR Cr IT Si FR ES PT TR MA TN LY EG
1010. **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887 AT CZ SK HU HV YU MK BG GR IT Si FR ES PT CY LB IL Pa TN EG
1011. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
1012. **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus* Costa,1847 CZ BG ES FR PT IT RO RU SK GR YU TR
1013. **Nanomutilla nada Argaman,1988** (Mutillidae) Synonym(s): *nada* Argaman,1988 ES
1014. **Nanomutilla vaucheri (Tournier,1895)** (Mutillidae) Synonym(s): *vaucheri* Tournier,1895 ES SY MA DZ
1015. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis* Fabricius,1801 AT BE CZ FR DE IT PL SK ES CH TR UA IR
1016. **Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata* Linnaeus,1767 FR GB IT PT ES TR DZ MA TN IR
1017. **Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum* Waltl,1835 ES PT MA DZ TN SY IL Pa
1018. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
1019. **Nemognatha chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina* Fabricius,1775; *#chrysomelira* Özbek & Szaloki,1998 ES IT Si Sa TR GR SY TM TJ
1020. **Nemoptera bipennis (Illiger,1812)** (Nemopteridae) Synonym(s): *bipennis* Illiger,1812 ES
1021. **Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859 TR IT Si CY ES YU BG GR RU Cc AM IL IR
1022. **Nemotelus (s.str.) atriceps Loew,1856** (Stratiomyidae) Synonym(s): *atraceps* Loew,1856; *longicornis* Lindner,1937 DZ FR PT ES TN TR
1023. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
1024. **Nealiturus alboflavovittatus (Lindberg,1954)** (Cicadellidae) Synonym(s): *alboflavovittatus* Lindberg,1954 ES Cn IR KG
1025. **Nealiturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscinonensis* Ribaut,1952; *infirmus* Young & Frazier,1954 IT FR LY MA RO ES EH TN TR RU KG TJ
1026. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
1027. **Nealiturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954 DZ ES Cn EG FR IR IL IT Si LY ES TN KG
1028. **Neochalcis fertoni (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952 DZ HV CY CZ SK FR Co HU IT KG MK MD MA RU ES Cc TN GB TR
1029. **Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916 HU IT IL Pa ES TR

1030. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
1031. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
1032. **Neophilaenus longiceps (Puton,1895)** (Cercopidae) Synonym(s): *longiceps* Puton,1895 DZ FR GB LY MA PT ES TN
1033. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
1034. **Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954 ES Cn Md FR IR IT JP TR GR Cr YU IR
1035. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
1036. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
1037. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
1038. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
1039. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reamurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
1040. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
1041. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrion* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
1042. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
1043. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN U_i Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU U_r Sb SK SL ES SE CH SY TM UA UZ YU
1044. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
1045. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
1046. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
1047. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
1048. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL

1049. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (praeocc.); *haupti* Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
1050. **Noxius curtirostris (Mulsant,1861)** (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861 AT IT ES FR TR
1051. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
1052. **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817 MA DZ TN LY PT ES IT FR BE NL DE CH PL CZ HU RO YU AL BG GR TR IL Pa KK TM TJ AF
1053. **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805 DZ TN ES FR IT CH YU RO BG AL GR TR CY IL Pa IR
1054. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
1055. **Nyctophila reichii (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du Val,1860 ES FR PT YU TR
1056. **Oberia oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
1057. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl
1058. **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822 MA DZ FR Co RO ES IT GR TR IL AF
1059. **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infusata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909 MA DZ TN ES IT AT CZ GR SY TR IL Cc GG AZ
1060. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 SE ES IT BG LT TR SY IL Pa RU Mo
1061. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873 MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG
1062. **Oedipoda germanica (Latreille,1804)** (Acrididae) Synonym(s): *germanica* Latreille,1804; *intermedia* Ramme,1913 ES FR DE AT TR YU HV
1063. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876 AL CZ FR HU IT PT RO ES TR KK TM UA UZ
1064. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927 Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU
1065. **Oliarus panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 DZ AT BE BG TR CZ GB FR DE IT PL RO ES TN RU YU
1066. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni* Stal,1863 GR HU IT RO ES UA UZ
1067. **Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916 AL GR CY IQ IL IT PT ES TR
1068. **Omocestus (s.str.) haemorrhoidalis (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928 ES FR CH DE DK PL EE LT RO IT AT HU CZ SK RU Cc TR KG CN Gn KP KR Sb
1069. **Omocestus (s.str.) petraeus (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967 FR ES IT CZ RO Cc TR RU KG Sb
1070. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 Gryllus rufipes Zetterstedt,1821, Orthoptera Suecicae: 89. Lectotype ♂: Sweden: Östergötland, Larketorp (MZLU Lund). SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG
1071. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (praeocc.); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU

1072. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
1073. **Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis* Klug,1835 **MA DZ TN LY Cy EG Co FR ES TR IL Pa**
1074. **Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900 **ES FR GR Rd RO HU AT TR SY IL Pa IR AF TM**
1075. **Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893 **BG GR HV AL TR CY SY IL Pa Hf IQ MA DZ TN ES FR IT Si**
1076. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798 **RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR**
1077. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
1078. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
1079. **Opatroides thoracicus Rosenh.,1856** (Tenebrionidae) Synonym(s): *thoracicus* Rosenh.,1856 **ES MA DZ**
1080. **Ophonus (s.str.) sabulicola (Panzer,1796)** (Carabidae) Synonym(s): *sabulicola* Panzer,1796 **ES TR**
1081. **Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942 **AF DZ BG ES Cn EG FR IQ IL IT Md MA TN TR YU**
1082. **Opsius scutellaris (Lethierry,1874)** (Cicadellidae) Synonym(s): *scutellaris* Lethierry,1874 **AF DZ ES Cn CN EG IL LY MA TN**
1083. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
1084. **Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927 **PT ES EG IQ IL Pa IR Md MA TR PK JP TW**
1085. **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001 **CY FR GR ES TR IL Pa JO LB SY**
1086. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
1087. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniiventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
1088. **Osmia (Allosmia) rutila Erichson,1835** (Megachilidae) Synonym(s): *rutila* Erichson,1835; *baetica* Spinola,1843; *xanthognatha* Pérez,1895 **ES DZ MA**
1089. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
1090. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK EG ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
1091. **Osmia (Helicosmia) cinctella Dours,1873** (Megachilidae) Synonym(s): *cinctella* Dours,1873 **GR Cr ES DZ**
1092. **Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988 **MK BG ES GR IL Pa JO SY Cc TR**
1093. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**

1094. **Osmia (Helicosmia) dusmeti Zanden,1998** (Megachilidae) Synonym(s): *dusmeti* Zanden,1998 ES
1095. **Osmia (Helicosmia) friesana Duce,1899** (Megachilidae) Synonym(s): *friesana* Duce,1899 ES MT IT Sa DZ EG? LY MA TN
1096. **Osmia (Helicosmia) heteracantha Pérez,1896** (Megachilidae) Synonym(s): *heteracantha* Pérez,1896; *ardeola* Warncke,1988 ES PT DZ TN
1097. **Osmia (Helicosmia) labialis Pérez,1879** (Megachilidae) Synonym(s): *labialis* Pérez,1879; *tornensis* Tkalcu,1975 AT CH DE ES FR IT MK PT SK TN
1098. **Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975 CH ES FR Co GR Cr HV IT Sa Si MT MK PT DZ Cn EG LY MA Md TN CY IL Pa JO TR
1099. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988 AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR
1100. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR
1101. **Osmia (Helicosmia) nasoproducta Ferton,1909** (Megachilidae) Synonym(s): *nasoproducta* Ferton,1909; *proboscidea* Benoist,1950 ES FR Co IT Sa MA
1102. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR
1103. **Osmia (Helicosmia) niveibarbis Pérez,1902** (Megachilidae) Synonym(s): *niveibarbis* Pérez,1902; *tarfensis* Saunder,1908 ES IT Si DZ MA TN
1104. **Osmia (Helicosmia) niveocincta Pérez,1879** (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895 ES FR GR IT Sa PT DZ MA IL? Pa?
1105. **Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885 ES FR Co IT Sa Si MT PT DZ EG LY MA TN IL Pa
1106. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR
1107. **Osmia (Helicosmia) tunensis (Fabricius,1787)** (Megachilidae) Synonym(s): *tunensis* Fabricius,1787; *tunetana* Gmelin,1790; *pseudourulenta* Dours,1873; *meridionalis* Gribodo,1894; *dissimilis* Friese,1899 Apis *tunensis* Fabricius,1787, Mant. Ins. 1: 304. Lectotype ♀: Tunisia, designated by Tkalcu (1970) (ZMUC Copenhagen). ES IT Si MT PT DZ EG LY MA TN
1108. **Osmia (Hemiosmia) argyropyga Pérez,1879** (Megachilidae) Synonym(s): *argyropyga* Pérez,1879; *entoprocta* Pérez,1879 ES FR IT PT MA
1109. **Osmia (Hemiosmia) balearica Schmiedeknecht,1886** (Megachilidae) Synonym(s): *balearica* Schmiedeknecht,1886 ES
1110. **Osmia (Hemiosmia) iberica Zanden,1987** (Megachilidae) Synonym(s): *iberica* Zanden,1987; *clanga* Warncke,1988 ES PT
1111. **Osmia (Hemiosmia) unicoloris Pérez,1895** (Megachilidae) Synonym(s): *unicoloris* Pérez,1895 ES PT MA
1112. **Osmia (Hoplosmia) anceyi Pérez,1879** (Megachilidae) Synonym(s): *anceyi* Pérez,1879; *biarmica* Zanden,1994 CH ES FR PT DZ MA TN
1113. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR
1114. **Osmia (Hoplosmia) fallax Pérez,1895** (Megachilidae) Synonym(s): *fallax* Pérez,1895 ES MA
1115. **Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879 AT AL AM Cc BG CH ES FR Co GR Cr HU HV IT Sa Si PT MK RO SK S MA CY IL Pa IR JO SY TR
1116. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR

1117. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreifformis* Radoszkowski,1882 AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR
1118. **Osmia (Melanosmia) alticola Benoist,1922** (Megachilidae) Synonym(s): *alticola* Benoist,1922 AT CH ES FR
1119. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
1120. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR
1121. **Osmia (Melanosmia) xanthomelana (Kirby,1802)** (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983 AT AD BE CH CZ DE DK ES FR GB GR HU HV IT NL PL RO RU SK SS
1122. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
1123. **Osmia (Nasutosmia) corniculata (Zanden,1989)** (Megachilidae) Synonym(s): *corniculata* Zanden,1989 ES DZ MA
1124. **Osmia (Nasutosmia) nasuta Friese,1899** (Megachilidae) Synonym(s): *nasuta* Friese,1899; *rhynchaena* Pérez,1905 ES FR DZ MA TN
1125. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN Ui
1126. **Osmia (Pyrosmia) cephalotes Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876 AM Cc AZ BG ES FR GG GR HU HV IT Si PT RO RU SS DZ LY TN MA TM CY IL Pa JO SY TR
1127. **Osmia (Pyrosmia) cyanoxantha Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992 AM Cc ES FR Co GR IT Si MK PT SS DZ MA TN CY IL Pa JO SY TR
1128. **Osmia (Pyrosmia) ferruginea Latreille,1811** (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882 ES FR Co IT Sa Si PT MT GR DZ EG LY MA TN CY IL Pa JO SY
1129. **Osmia (Pyrosmia) gallarum Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Fertton,1920 AT AL BG CH CZ DE ES FR GR HU HV IT MK PT PL RO RU SK SS DZ MA TN TR
1130. **Osmia (Pyrosmia) lobata Friese,1899** (Megachilidae) Synonym(s): *lobata* Friese,1899; *leucopyga* Ducke,1899 ES PT DZ MA TN IL Pa
1131. **Osmia (Pyrosmia) saxicola Ducke,1899** (Megachilidae) Synonym(s): *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992 ES FR GR CY Cr HV IT TJ IL Pa JO LB SY TR
1132. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lazarotae* Warncke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1133. **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992 AL BG DE ES FR Co GG Cc GR Cr HU HV IT Sa Si MK PT RU SS DZ LY MA IL Pa LB SY TR
1134. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1135. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1136. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN Ui CY IR TR

1137. **Osmia (s.str.) emarginata Lepeletier,1841** (Megachilidae) Synonym(s): *emarginata* Lepeletier,1841; *fusca* Benoist,1928 nec Chr.,1791; *infusca* Peters,1978 **BE ES FR Co IT Sa PT DZ MA**
1138. **Osmia (s.str.) tricornis Latreille,1811** (Megachilidae) Synonym(s): *tricornis* Latreille,1811 **AD ES FR Co IT Sa PT DZ Cn LY MA TN**
1139. **Osmia (Tergosmia) lunata Benoist,1928** (Megachilidae) Synonym(s): *lunata* Benoist,1928 **ES FR MA**
1140. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Fertton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 **AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR**
1141. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 **AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR**
1142. **Otiocephala opaca (Rosenhauer,1856)** (Chrysomelidae) Synonym(s): *opaca* Rosenhauer,1856 **ES DZ EG**
1143. **Otiotbraea avilai Vela & Bastazo,1993** (Chrysomelidae) Synonym(s): *avilai Vela & Bastazo,1993* **ES**
1144. **Otiotbraea filabrensis (Cobos,1957)** (Chrysomelidae) Synonym(s): *filabrensis* Cobos,1957 **ES**
1145. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohemica* Hrbacek,1945; *armata* Vaillant,1950 **DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR**
1146. **Pachybrachis (s.str.) anoguttatus Suffrian,1866** (Chrysomelidae) Synonym(s): *anoguttatus* Suffrian,1866 **ES**
1147. **Pachybrachis (s.str.) antigae Weise,1900** (Chrysomelidae) Synonym(s): *antigae* Weise,1900 **ES**
1148. **Pachybrachis (s.str.) aragonicus Tempere & Rapilly,1981** (Chrysomelidae) Synonym(s): *aragonicus* Tempere & Rapilly,1981 **ES**
1149. **Pachybrachis (s.str.) baeticus Weise,1882** (Chrysomelidae) Synonym(s): *baeticus* Weise,1882 **ES An**
1150. **Pachybrachis (s.str.) catalonicus Burlini,1968** (Chrysomelidae) Synonym(s): *catalonicus* Burlini,1968 **ES**
1151. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
1152. **Pachybrachis (s.str.) fulvipes Suffrian,1848** (Chrysomelidae) Synonym(s): *fulvipes* Suffrian,1848 **ES**
1153. **Pachybrachis (s.str.) hieroglyphicus (Laicharting,1781)** (Chrysomelidae) Synonym(s): *hieroglyphicus* Laicharting,1781; *tristis* Laicharting,1781; *histrion* Fabricius,1781; *apicalis* Rey,1883; *pseudoscriptus* Wagner,1927; *ictericus* Weise,1882; *italicus* Weise,1882... **AT IT ES RU Sb**
1154. **Pachybrachis (s.str.) korbi Weise,1891** (Chrysomelidae) Synonym(s): *korbi* Weise,1891 **ES**
1155. **Pachybrachis (s.str.) kraatzi Weise,1882** (Chrysomelidae) Synonym(s): *kraatzi* Weise,1882 **ES**
1156. **Pachybrachis (s.str.) lindbergi Burlini,1963** (Chrysomelidae) Synonym(s): *lindbergi* Burlini,1963 **ES**
1157. **Pachybrachis (s.str.) lineolatus Suffrian,1848** (Chrysomelidae) Synonym(s): *lineolatus* Suffrian,1848 **ES**
1158. **Pachybrachis (s.str.) pallidulus Suffrian,1851** (Chrysomelidae) Synonym(s): *pallidulus* Suffrian,1851; *suturalis* Weise,1882... **FR ES UA**
1159. **Pachybrachis (s.str.) petitpierrei Daccordi,1976** (Chrysomelidae) Synonym(s): *petitpierrei* Daccordi,1976 **ES**
1160. **Pachybrachis (s.str.) picus Weise,1882** (Chrysomelidae) Synonym(s): *picus* Weise,1882 **DE AT ES FR BE HU IT**
1161. **Pachybrachis (s.str.) planifrons Wagner,1927** (Chrysomelidae) Synonym(s): *planifrons* Wagner,1927 **ES**
1162. **Pachybrachis (s.str.) pradensis Marseul,1875** (Chrysomelidae) Synonym(s): *pradensis* Marseul,1875; *incallidus* Pic,1897; *obscurior* Pic,1898; *teruelensis* Pic,1913 **FR Py ES**
1163. **Pachybrachis (s.str.) pteromelas Graells,1858** (Chrysomelidae) Synonym(s): *pteromelas* Graells,1858 **ES**

1164. **Pachybrachis (s.str.) rondanus Burlini,1968** (Chrysomelidae) Synonym(s): *rondanus Burlini,1968* ES
1165. **Pachybrachis (s.str.) skopini Lopatin,1967** (Chrysomelidae) Synonym(s): *skopini Lopatin,1967* ES
1166. **Pachybrachis (s.str.) suffriani Schaufuss,1862** (Chrysomelidae) Synonym(s): *suffriani Schaufuss,1862* ES PT
1167. **Pachybrachis (s.str.) terminalis Suffrian,1849** (Chrysomelidae) Synonym(s): *terminalis Suffrian,1849* PT ES
1168. **Pachybrachis (s.str.) viedmai Burlini,1968** (Chrysomelidae) Synonym(s): *viedmai Burlini,1968* ES
1169. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra Panzer,[1798]; pachygaster Fallén,1817* SE PT ES BG UA Cc GG TR IL
1170. **Pachygaster maura Lindner,1939** (Stratiomyidae) Synonym(s): *maura Lindner,1939* MA ES PT TR
1171. **Palpares hispanus Hagen,1860** (Myrmeleonidae) Synonym(s): *hispanus Hagen,1860* ES
1172. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis Flor,1861; andropoginis Haupt,1924; graminis Haupt,1935; monticola Ribaut,1939; parvispinus Wagner,1947; hibernica Le Quesne,1964; orientalis Vilbaste,1965; lalahani Kalkandelen,1972* DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
1173. **Panorpa cognata Rambur,1842** (Panorpidae) Synonym(s): *cognata Rambur,1842* SS HV AL RO GB BE DK DE NL RU ES IT
1174. **Panorpa communis Linnaeus,1758** (Panorpidae) Synonym(s): *communis Linnaeus,1758; vulgaris Imhoff & Labram,1845* YU B-H HV MK GR BG RO Cc TR AD BE FR DE IT CH RU GB ES
1175. **Panorpa meridionalis Rambur,1842** (Panorpidae) Synonym(s): *meridionalis Rambur,1842* AD ES FR PT IT RO
1176. **Paracaloptenus bolivari Uvarov,1942** (Acrididae) Synonym(s): *bolivari Uvarov,1942* ES FR Py
1177. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus Erichson,1840* AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN
1178. **Paracinema tricolor (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor Thunberg,1815; sylvestris Thunberg,1815; superba Bolivar,1905; terminale Bolivar,1908; madecassa Key,1936; montana Key,1936; sudanensis Key,1936* DZ PT ES SA As TR MG SD ET TZ ZR
1179. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina Fallén,1820* AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
1180. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum Herrich-Schäffer,1837; lanceolatum Burmeister,1839* DZ CS FR DE IT MA PT ES TR AM AZ GG Cc KG KK TM UZ YU
1181. **Parageron gratus (Loew,1856)** (Bombyliidae) Synonym(s): *gratus Loew,1856* MA Cn ES IT EG JO
1182. **Parageron incisus (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus Wiedemann,1830* DZ FR IT GR MK MA PT ES TN YU
1183. **Parageron loewi (Becker,1906)** (Bombyliidae) Synonym(s): *loewi Becker,1906* ES IT
1184. **Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei Selys,1841; hageni Selys,1870; excelsus Costa,1884; atratus Selys,1885; rusticatus Fraser,1928* TR IT Si Sa ZR EG ET ER SY IL Pa Hf DZ TN ZA Kzu Nta UG ES PT Co MT Sk
1185. **Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons Fallén,1817; Pipiza albifrons Fallén,1817, Syrphici Svecicae (6): 60.* ES DE AT SE SS YU TR GB DK RU IR
1186. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes Fallén,1819; #ochroleuca Stephens,1829; filipes Robineau-Desvoidy,1830; fulva Robineau-Desvoidy,1830; bilineata Meigen,1838; hispanica Czerny,1909* AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
1187. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes Lepeletier,1845; cognata Costa,1858* DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR
1188. **Pedicia (Amalopis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta Meigen,1830* AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR
1189. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis Meigen,1804* AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR

1190. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
1191. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
1192. **Pegomya dulcamarae Wood,1913** (Anthomyiidae) Synonym(s): *dulcamarae* Wood,1913 ES
1193. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
1194. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1195. **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839 PT ES FR IT Sa Si AL GR Cr CY TR IL Pa Sk
1196. **Peirates stridulus (Fabricius,1787)** (Reduviidae) Synonym(s): *stridulus* Fabricius,1787 ES FR IT Sa
1197. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
1198. **Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901 MA DZ TN PT ES FR IT CH CZ HU RO YU BG AL GR TR AM AZ GG Cc IL Pa IR TM AF
1199. **Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835 MA DZ TN PT ES FR NL BE CH IT DE CZ PL AT HU RO YU BG AL GR TR Cc AZ GG IL Pa KK UZ TM TJ IR AF IN
1200. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1201. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1202. **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789 DZ MA TN LY EG ES PT FR TR CY SY AM Cc IQ JO SA IL Pa TJ TM IR UZ KG PK IN
1203. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
1204. **Perla bipunctata Pictet,1833** (Perlidae) Synonym(s): *bipunctata* Pictet,1833; *carlukiana* Klapalek,1907 MA ES PT FR BE NL DE PL EE LT CH Sa Co IT AT HU
1205. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
1206. **Perla marginata (Panzer,1799)** (Perlidae) Synonym(s): *maxima* Scopoli,1763; *marginata* Panzer,1799; *kheili* Navas,1909; *fraterna* Navas,1909; *asturica* Navas,1917; *guitarti* Navas,1921; *barcinonensis* Rambur,1842; *madritensis* Rambur,1842; *malaccensis* Rambur,1842; *hagenii* Pictet,1865; *luteipes* Klapalek,1921 ES FR NL DE PL CH AT HU SS HV YU MK IT TR
1207. **Perlamantis allibertii Guérin-Méneville,1843** (Amorphoscelidae) Synonym(s): *allibertii* Guérin-Méneville,1843; *tunetana* Bonnet & Finot,1884 FR ES DZ MA LY TN
1208. **Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): *areolator* Constantineanu & Constantineanu,1968 ES RO TR Cc AZ RU KG
1209. **Phaenotheriolum espanoli Gonzales,1969** (Anthribidae) Synonym(s): *espanoli* Gonzales,1969 ES
1210. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 *Gryllus falcata* Poda,1761, *Ins. Mus. Graec.: 52.* ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
1211. **Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana* Fieber,1853; *quadripunctata* Brunner von Wattenwyl,1878 *Phaneroptera nana* Fieber,1853, *Lotos 3: 173.* Type ♂: Portugal. PT ES FR IT Sa RO TR
1212. **Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma* Marshall,1898; *antennalis* Snoflak,1951 AT CY CZ GB FR IE IT NL PL ES
1213. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951 AT BE CZ GB GR IT NL PL ES SE Cc AZ DE

1214. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta Kokujev,1903* AT
CZ FR GR HU IR IT MN ES RU Sb US Cf
1215. **Phanerotoma ocellaria Kohl,1906** (Braconidae) Synonym(s): *ocellaria Kohl,1906*;
rjabovi Vojnovskaja-Krieger,1929; *media Shestakov,1930*; *desertorum Hedwig,1957*;
flavitestacea Fischer,1959 BE CY EG GB FR GR IR IL Pa LY SA Sk ES TR RU YU US Cf
1216. **Phaonia rufiventris (Scopoli,1763)** (Muscidae) Synonym(s): *rufiventris Scopoli,1763*;
populi Meigen,1826 ES Md FR Co DE PL CZ SK CH AT HU SY RU
1217. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa Harris,1780* DE AL
AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1218. **Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei*
Dupuis,1957 TR PT ES FR DE HU SK B-H CH IT BG GR
1219. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla Meigen,1824*
PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co
Sa Si Cr
1220. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera Egger,1860*
ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1221. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera*
Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1222. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa Fabricius,1798*
ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1223. **Phasia (s.str.) subcoleoptrata (Linnaeus,1767)** (Tachinidae) Synonym(s):
subcoleoptrata Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1224. **Phasia barbifrons Girschner,1887** (Tachinidae) Synonym(s): *barbifrons Girschner,1887*
ES FR GB BE NL DE PL RU CZ SK HU AT CH IT
1225. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili Draber-*
Monko,1965; *theodori Draber-Monko,1965* PT ES FR IT Co Si HU UA RU Cr CY
1226. **Phasia truncata Herting,1983** (Tachinidae) Synonym(s): *truncata Herting,1983* ES FR
1227. **Phasia venturii Draber-Monko,1965** (Tachinidae) Synonym(s): *venturii Draber-*
Monko,1965 PT ES FR GR Cr
1228. **Pheidole tristis Forel,1907** (Formicidae) Synonym(s): *tristis Forel,1907*; *cicatricosa*
Stitz,1917 ML DZ ES EG
1229. **Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus Melichar,1896*
AF AL CY GR IQ IT MA ES TR YU
1230. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius*
Linnaeus,1758; *leucophthalma Linnaeus,1758*; *lateralis Linnaeus,1758*; *leucocephala*
Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO
PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1231. **Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *triangulum*
Fabricius,1775 PT ES DE TR
1232. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps Meigen,1820*;
canescens Wiedemann,1820; *nudus Loew,1840*; *eletus Loew,1871*; *domesticus Ricardo,1920*;
pulcher Becker,1923; *marinus Becker,1923*; *orientalis Esipenko,1969* IR Kd AL AT AZ Cc BE B-H
HV CY CZ DE RU Sb Us FI FR DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
1233. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813 ES FR GB TR UA
1234. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813; *scopulorum Stephens,1836*; *charpentieri Zetterstedt,1840*; *tigrinus Brauer,1857*
NO SE FI RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
1235. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763 ES PT TR SS B-H UA
1236. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus*
Scopoli,1763; *pedemontanus Navas,1934* PT ES FR BE DE PL CZ SK HU RO SS B-H HV YU MK AL
BG GR CH AT IT Sa Co Cr TR
1237. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus*
Herrich-Schäffer,1838; *octopunctatus Burmeister,1838* AF AL DZ AT BG CS FR DE HU IR IR IT JO
MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ
1238. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus Perris,1857*;
maculatus Fieber,1866; *asiaticus Zachvatkin,1945*; *angorensis Zachvatkin,1945* AF DZ FR DE IR
IL Pa LY RO ES TR KG KK TM UA
1239. **Phorticus velutinus Puton,1895** (Nabidae) Synonym(s): *velutinus Puton,1895* CZ MA
ES SY TR
1240. **Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile Reitter,1881* IR
IQ CY GR PT ES DZ EG ER ET LY MA ZA ZW TN AF Cc IN SA SY TJ TM UZ

1241. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens Loew,1846*; *convergens Loew,1846* IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1242. **Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua Loew,1846* IT TR B-H HV FR GR IR IL Pa MK SS ES YU
1243. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedei Wiedemann,1820*; *maculata Wiedemann,1820*; *punctata Meigen,1835*; *zimmermanni Nowicki,1868*; *gaedei Engel,1933* IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1244. **Phthiria lacteipennis Strobl,1909** (Bombyliidae) Synonym(s): *lacteipennis Strobl,1909* FR ES
1245. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria Mikan,1796*; *nigra Meigen,1804*; *pygmaea Fabricius,1805*; *campestris Fallén,1815*; *major Strobl,1909* AM AZ Cc GG TR AT BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ GB
1246. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis Loew,1846*; *notata Bigot,1862* FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1247. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans Loew,1846*; *pallescens Engel,1933* AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1248. **Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum Hermann,1804* PT ES FR IE GB CH IT DE CZ AT HU RO BE YU AL GR TR CY Cc AZ GG JO IL Pa IR RU TM TJ KK AF
1249. **Phycotettix paryphantus (Lethierry,1878)** (Cicadellidae) Synonym(s): *paryphantus Lethierry,1878*; *abalia Ferrari,1884*; *rubrostriatus Loew,1885* DZ GR IT Sa MA ES TN
1250. **Phyllomorpha laciniatus (Villers,1789)** (Coreidae) Synonym(s): *laciniatus Villers,1789* ES FR IT Si Sa TR
1251. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis Horvath,1905* PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1252. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata Fabricius,1794*; *quadrinaculata Wolff,1804* ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1253. **Physatocheila delicatula Horvath,1903** (Tingidae) Synonym(s): *delicatula Horvath,1903*; *chanceli Bergevin,1920* ES
1254. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum Herrich-Schäffer,1838* ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1255. **Physatocheila pulchella Lindberg,1932** (Tingidae) Synonym(s): *pulchella Lindberg,1932* ES
1256. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii China,1952* ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1257. **Physetopoda punctata (Latreille,1792)** (Mutillidae) Synonym(s): *punctata Latreille,1792* HV HU RO IT Si Sa MT FR ES PT EG TN DZ MA TR
1258. **Physetopoda scutellaris (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris Latreille,1792* Cc AM AZ TR SS HV YU DE CZ SK AT CH RO HU IT Si FR ES
1259. **Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae Preyssler,1791* AT FR RU ES GB Cn Sb IR EG LY TN MA HU BE NL CH HV BG GR IT MD RO
1260. **Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea Meigen,1824* ES FR BE NL DE EE PL SK CZ HU AT CH IT RO BG TR
1261. **Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta Brullé,1832* ES FR CH AT CZ HU PL IT TR
1262. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes Fabricius,1781* ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
1263. **Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis Rondani,1865* ES IT Si GR Cr TR
1264. **Phytoecia erythrocnema Lucas,1849** (Cerambycidae) Synonym(s): *erythrocnema Lucas,1849* MA ES PT FR
1265. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens Linnaeus,1758*; *bilobus Schrank,1781*; *fuscoannulatus Stal,1858*; *longicollis Jakovlev,1902* AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
1266. **Picromerus nigridens (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridens Fabricius,1803*; *maculicornis Mulsant,1852* AL DZ AT GR Cr FR IT MA PT ES TR YU
1267. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei Kolenati,1857 nec Fieb.,1844*; *kolenatii Fieber,1861*; *caucasicum Péricart,1973* RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu

1268. **Piesma (Parapiesma) pupula Puton,1879** (Piesmatidae) Synonym(s): *pupula Puton,1879* DZ ES FR Co Sa HV
1269. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum Fieber,1844; dilatatus Jakovlev,1874; convexicollis Jakovlev,1874; rotundicollis Rey,1888; nigroscutellata Peneau,1921; chiniana Drake & Maa,1953; spergulariae Woodroffe,1966* DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1270. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae Becker,1867* ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1271. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes Horvath,1888* ES IT DE AT CZ HU MK BY BG UA RU KG
1272. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile Fieber,1844; brevicornis Rey,1888* PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1273. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum Wolff,1804; collaris Zetterstedt,1828; pedicularis Herrich-Schäffer,1830; stephensi Fieber,1844; pallidum Costa,1862; declivis Rey,1893; divergens Rey,1893* FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1274. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica Stephens,1829; maculatum Laporte,1833; laportei Fieber,1844; viridis Jakovlev,1871* MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1275. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes Fabricius,1781; genei Costa,1841* AT BE CN CZ DK FR DE GR HU IT JP KP KR NL PL PT RU Sb ES CH SY TR YU
1276. **Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata Macquart,1829* FI HU YU AT CH DE NL BE FR ES TR
1277. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus Fallén,1806; proteus Herrich-Schäffer,1834; pinastri Fieber,1885* DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES SE SW EE LV RU Sb YU
1278. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus Tavares,1901* PT ES FR IT MA AZ Cc IR IL Pa GR
1279. **Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis Fabricius,1798; cocciferae Lichtenstein,1877; ilicis Lichtenstein,1877; emereyi Mayr,1882; fusifex Mayr,1882; kiefferi Dalla & Torre & Kieffer,1910; niger Dalla & Torre & Kieffer,1910; lichtensteini Dalla & Torre & Kieffer,1910; lusitanicus Tavares,1926* PT ES FR IT TR
1280. **Platyceus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides Linnaeus,1758; azurea Dalla Torre,1879; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919* SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
1281. **Platyceus (Decorana) decorata Fieber,1853** (Tettigoniidae) Synonym(s): *decorata Fieber,1853; andalusicus Bolivar,1878; nadigiorum Werner,1932* ES MA
1282. **Platyceus (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata Goeze,1778; denticulata Panzer,1796; falcata Zetterstedt,1821; biedermani Wolff,1911; occidentalis Zeuner,1930; jerseyana Zeuner,1940* ES TR DE GR Cr
1283. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus Scott,1876* AT CS FR HU IT ES BG TR YU
1284. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1285. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1286. **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus A.Costa,1863* ES IT Si BG TR RU UA MD Cc AZ AM GG EG
1287. **Platypygus ridibundus (Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus Costa,1863* ES BG TR RU UA MD GG AZ AM Cc EG
1288. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869;* ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1289. **Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki Delvare,2005* IR Ke BJ BF CM GM GN CI FR MA PT OM ES SN SO ZA

1290. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833 IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1291. **Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini* Picard,1933 IR Ak Cn FR KG ES
1292. **Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foedratus* Kohl,1898; *omissus* Weyrauch,1939 ES YU MK TR FR IT GR AL DZ Cc IL Pa JO DZ AF
1293. **Polistes (s.str.) nimpha (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791 DE FR IT YU RO BG GR ES DZ DK GB BE NL CZ TR IL Pa
1294. **Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930 Md ES TR DZ EG IL IR
1295. **Polysarcus denticaudus (Charpentier,1825)** (Tettigoniidae) Synonym(s): *denticaudus* Charpentier,1825; *lixontensis* Saulcy,1887 FR ES HU TR
1296. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914 AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
1297. **Populicerus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (*praeocc.*); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839 DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1298. **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900 Cc RU Da DE RO HU MK BG ES
1299. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929 AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
1300. **Procraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1301. **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925 FR AT B-H GB BG CZ Co DE IE IT YU MA NO PL PT SK ES CH
1302. **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966 TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
1303. **Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor* Rambur,1842 DZ MA FR ES IT PT TR
1304. **Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *miriffica* Mulsant & Rey,1840 FR ES IT YU SY TR IL Pa
1305. **Protaetia (Netocia) opaca (Fabricius,1787)** (Scarabaeidae) Synonym(s): *opaca* Fabricius,1787 FR IT ES MA DZ TN LY Cy
1306. **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775 ES PT FR DZ LY Cy IT RU Sb BG GR TR SY LB IL Pa CY
1307. **Protonemura intricata (Ris,1902)** (Nemouridae) Synonym(s): *intricata* Ris,1902 ES GR TR
1308. **Protosmia (Chelostomopsis) capitata (Schletterer,1889)** (Megachilidae) Synonym(s): *capitata* Schletterer,1889; *mystax* Pérez,1895; *trilobatus* Friese,1897 ES PT DZ MA TN
1309. **Protosmia (Nanosmia) asensioi Griswold & Parker,1987** (Megachilidae) Synonym(s): *asensioi* Griswold & Parker,1987 ES
1310. **Protosmia (Nanosmia) minutula (Pérez,1896)** (Megachilidae) Synonym(s): *pumila* Pérez,1895 *nec* Cress.,1864; *minutula* Pérez,1896; *cataniae* Strand,1921 CH ES FR IT Si
1311. **Protosmia (s.str.) exenterata (Pérez,1895)** (Megachilidae) Synonym(s): *exenterata* Pérez,1895 ES FR IT Si PT DZ MA TN TR?
1312. **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871 BG ES FR GR HV IT RO SS Cc DZ MA CY JO SY TR
1313. **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895 ES DZ IL Pa JO SY TR
1314. **Protosmia (s.str.) stigmatica (Pérez,1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez,1895 ES FR GR MA DZ TR
1315. **Psamnotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU

1316. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
1317. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869 AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1318. **Pseudaraeopus bolivari (Melichar,1901)** (Delphacidae) Synonym(s): *bolivari* Melichar,1901 ES Cn EG IR IL PT ES
1319. **Pseudaraeopus lethierryi (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921 ES Cn CY FR IL YU GR Cr IT Si TR
1320. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 *Tenthredo amerinae* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555. PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1321. **Pseudosphegthes cinerea (Catelnau & Gory,1835)** (Cerambycidae) Synonym(s): *cinerea* Catelnau & Gory,1835 ES FR IT
1322. **Pseudoyersinia pauli (Bolivar,1898)** (Mantidae) Synonym(s): *pauli* Bolivar,1898 ES
1323. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948 CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
1324. **Psilothrix aureola (Kiesenwetter,1859)** (Melyridae) Synonym(s): *aureola* Kiesenwetter,1859 ES IT TN
1325. **Psilothrix illustris (Wollaston,1854)** (Melyridae) Synonym(s): *illustris* Wollaston,1854 ES Md
1326. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 SE DK DE Cn GR IT PT ES NL TR TN
1327. **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864 ES IT GR CY TR
1328. **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903 ES BG GR TR SY IL Pa LB IQ
1329. **Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974 ES PT RU Cc AM TR IL Pa MA DZ TN
1330. **Pycnopogon fasciculatus Loew,1847** (Asilidae) Synonym(s): *fasciculatus* Loew,1847 TR IR AL BG CZ ES FR GR IT RO YU AZ Cc SY IL Pa MA DZ TN
1331. **Pyrgomorpha conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791; *grylloides* Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931 MA Cn ES FR LY CY YE GH TR
1332. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
1333. **Rabdophaga clausilia (Bremi,1847)** (Cecidomyiidae) Synonym(s): *clausilia* Bremi,1847 ES CH AT HU RO PL
1334. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850 ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1335. **Rabdophaga karschi (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *karschi* Kieffer,1891 ES FR GB DE CZ
1336. **Rabdophaga pierreii (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *pierreii* Kieffer,1896 PT ES FR GB NL DE CZ PL HU RO BG IT
1337. **Rabdophaga salicis (Schränk,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schränk,1803 PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1338. **Rabdophaga salsolata Gagné,2004** (Cecidomyiidae) Synonym(s): *salsolata* Gagné,2004 ES
1339. **Rabdophaga setubalensis (Tavares,1902)** (Cecidomyiidae) Synonym(s): *setubalensis* Tavares,1902 PT ES Co
1340. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850 ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1341. **Ranissus discrepans Fieber,1866** (Dictyopharidae) Synonym(s): *discrepans* Fieber,1866 FR GR IT PT ES
1342. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
1343. **Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881 AT CS FR DE GB HU IQ IT JP MN MA NL RO ES TR Cc AZ YU

1344. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc
DZ AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1345. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s):
quinquecostatus Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus*
Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1346. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus*
Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP
KR MN NL RU Sb SE ES YU
1347. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ
AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH
UA MA SY IR TM
1348. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764
TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1349. **Rhizotrogus (Amphimallon) majalis (Razoumowsky,1789)** (Scarabaeidae)
Synonym(s): *majalis* Razoumowsky,1789 BE FR ES CH DE IT Co Sa CA US
1350. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus*
Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA
Cm TR HU UZ RO RU Sb IT Si TM YU
1351. **Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum*
Fabricius,1781; *hebraeum* Giordani & Soika,1952 Cn ES IT Si GR Cr TR OM IR EG JO
1352. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s):
decimusquartus Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari*
Fieber,1868; *fulvus* Rey,1894 AT BE BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM
AZ GG Cc TR KG MD RU UA UZ YU
1353. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus*
Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO
Cc ES SE SW TN RU KG KK MD UA YU TR
1354. **Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 nec
Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853 MA MR SN
TD TN DZ ES EG DZ IT LY MT GR TR CY AF IL Pa
1355. **Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811 TR
SY IL Pa JO IT Si MT FR ES PT MA DZ TN EG
1356. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761;
irmasanica Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL
NO SE FI EE LT UA Cm MD RU KG
1357. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-
Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
1358. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803;
scutellaris Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826;
hemorrhoidalis Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-
Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835;
albipennis Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840;
humeralis Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col
NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT
LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1359. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa*
Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT
ES RO Sa Si SK SE CH NL UA YU DZ MG
1360. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae)
Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD
NO PL RO TR SK ES SU CH NL UA YU
1361. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s):
melanura Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa
Si TR SK ES SE CH NL UA YU
1362. **Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae)
Synonym(s): *rondaniana* Rohdendorf,1937 AT BG TR HV CZ FR DE GR HU IT MK RO SK ES NL YU
1363. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s):
anaces Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1364. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae)
Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE
GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1365. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni*
Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH
NL UA

1366. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata Meigen,1826* TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1367. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius Linnaeus,1758; violaceus Scopoli,1763; caeruleicollis Meigen,1822; coeruleicollis Loew,1855; nubeculosus Zetterstedt,1842; minimus Zetterstedt,1849* ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
1368. **Saropogon fucatus Loew,1869** (Asilidae) Synonym(s): *fucatus Loew,1869* ES DZ IR Ss
1369. **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum Loew,1847; brachyterus Loew,1869; micropterus Loew,1869* TR IR Kz AL DZ B-H HV EG FR GR LY MA SS ES
1370. **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus Loew,1869* TN EG ES TR IR Es
1371. **Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata Macquart,1842* TR ES IR GB HU GR Cr
1372. **Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758* AL DZ EG BG Cn TR FR Co GR Cr CY IR IL Pa IT Si ES TN LY MT MA PT RO RU YU
1373. **Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis Latreille,1819* ES PT MA DZ TN LY EG IL Pa CY Rd GR TR MK IQ IR Cc AM
1374. **Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus,1758; crenatus De Geer,1778; impius Fabricius,1801; platychilus Fischer von Waldheim,1823; retusus Brullé,1832; europaeus Motschoulsky,1849; confluidens Fleisch.,1925* ES PT FR IT Si Sa Co AL GR HU BG TR RU MA DZ TN LY EG MR SD ER SY IL Pa AF IN RU Sb TM IQ IR
1375. **Scarabaeus semipunctatus Fabricius,1792** (Scarabaeidae) Synonym(s): *semipunctatus Fabricius,1792; substriatus Mulsant,1842; subinermis Mulsant,1842* ES TR
1376. **Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim,1822* RU TM KG ES FR Co Sa IT AL HU SK RO MK GR Rd BG AL RO TR Cc AM SY LB IL Pa CN MN KP KR
1377. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria Fabricius,1794* DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
1378. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus,1758; merdaria Fabricius,1794; asticha Szilady,1926* MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
1379. **Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838* MA DZ TN LY SD SA ES FR Co IT Sa Si MT CY EG IQ SY TR IR Ak Ab Fa Kz Es Cc AM IL Pa
1380. **Scaurus tristis Olivier,1795** (Tenebrionidae) Synonym(s): *tristis Olivier,1795; calcaratus Fabricius,1798; gracilicornis Fairmaire,1875; gracilipes Solier,1838; giganteus Küster,1848; lugens Küster,1848* FR ES TN IT Sa Si
1381. **Scaurus vicinus Solier,1838** (Tenebrionidae) Synonym(s): *vicinus Solier,1838* MA ES
1382. **Scolia fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax Eversmann,1849* ES FR IT GR TR TM
1383. **Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta Schrank,1781; bicincta Scopoli,1786; unifasciata Cyrillo,1787; alutus Nagy,1967; mongolina Nagy,1970* IT Sa Si TR PT ES MT CY FR Co CY KG
1384. **Scolia sexmaculata (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata Müller,1766; biguttata Fabricius,1804; violacea Panzer,1799; syriaca Klug,1832; hispanica Betrem,1935; beiruti Betrem,1935; montana Steinberg,1962; dionysopolis Tkalcu,1988* IT LB Bei ES TR DE GB
1385. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum Becker,1865; arundidis Becker,1865* Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
1386. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans Linnaeus,1758* AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1387. **Selinocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea Fabricius,1794 (praeocc.); obsoletus Germar,1817; punctatonervosus Stal,1854* AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1388. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea Melander & Spuler,1917* CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
1389. **Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea Dejean,1826* AZ AL AM Cc BG HV GG GR IT MK PT RU ES TR DZ EG LY MA TN AF CY
1390. **Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta Rambur,1840* AL BG DZ MA HV IQ IT ES TN TR
1391. **Sigilla dorsata (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata Fabricius,1798* IT Sa FR Co ES MA DZ TN EG TR

1392. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1393. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1394. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum* Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
1395. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1396. **Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus* Dejean,1831 AT BE B-H HV DE HU IT LU PT RO RU ES CH TR IR IL Pa NL YU
1397. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN UI
1398. **Smaragdina affinis (Illiger,1794)** (Chrysomelidae) Synonym(s): *affinis* Illiger,1794 ES
1399. **Smaragdina aurita (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *aurita* Linnaeus,1767 ES CN
1400. **Smaragdina clavareau (Jacobson,1906)** (Chrysomelidae) Synonym(s): *clavareau* Jacobson,1906 ES
1401. **Smaragdina cobosi (Codina,1963)** (Chrysomelidae) Synonym(s): *cobosi* Codina,1963 ES
1402. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 ES FR IT BG RO UA Cm TR
1403. **Smaragdina diversipes Letzner,1839** (Chrysomelidae) Synonym(s): *diversipes* Letzner,1839 FR ES Py RO
1404. **Smaragdina gratiosa (Lucas,1845)** (Chrysomelidae) Synonym(s): *gratiosa* Lucas,1845 ES MA DZ
1405. **Smaragdina reyi (Brisout,1886)** (Chrysomelidae) Synonym(s): *reyi* Brisout,1886 ES
1406. **Smicromyrmilla ariasi (André,1896)** (Mutillidae) Synonym(s): *ariasi* André,1896; *garciapavoni* Suarez,1975 ES MA
1407. **Smicromyrmilla miranda Nonveiller & Gros,1996** (Mutillidae) Synonym(s): *miranda* Nonveiller & Gros,1996 ES
1408. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
1409. **Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata* Meigen,1820 FR RU Tv ES DK GB UA Cm CN MN TR
1410. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1411. **Sphinginus lobatus (Olivier,1790)** (Melyridae) Synonym(s): *lobatus* Olivier,1790 FR PT ES DE CH IT Co Sa AT HU TN DZ
1412. **Sphodromantis viridis (Forskål,1775)** (Mantidae) Synonym(s): *viridis* Forskål,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933 DZ MA MR NE NG BF CM SN NA ES EG JO SA IL Pa YE ET LY MA TN MR SD SO SY CY UG TD
1413. **Stegelytra putoni Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *putoni* Mulsant & Rey,1855 PT FR ES YU TR
1414. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU KG MN
1415. **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861 IR AZ Cc Fa Kz AF RU TR IL Pa GR ES FR MA
1416. **Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris* Eschscholtz,1831 TR UA Cm ES DZ MA

1417. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae* Panzer,1799; *melanocephalus* Panzer,1799; *taraxaci* Panzer,1806; *villersi* Leach,1817; *henschi* Konow,1907
ES FR GB DE SE SK HU AT IT AL Co
1418. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremsi-Wolf,1849; *nigripes* Konow; *bleusei* Pic DZ
PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1419. **Sterictiphora gastrica (Klug,1814)** (Argidae) Synonym(s): *gastrica* Klug,1814; *terebralis* Enslin,1917 PT ES FR IT AT
1420. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR
1421. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820 IR Ss AT BG DE ES FR Co IT HU PT YU RU GG AZ AM Cc TR KK IL Pa MA DZ EG MT
1422. **Stichopogon schineri Koch,1872** (Asilidae) Synonym(s): *schineri* Koch,1872; *spinimanus* Pokorný,1887 IR Ss BG DE ES FR Co GR IT YU B-H HV MK SS MA CH
1423. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
1424. **Stratiomys hispanica (Pleske,1901)** (Stratiomyidae) Synonym(s): *hispanica* Pleske,1901 ES DZ
1425. **Stylosomus minutissimus (Germar,1823)** (Chrysomelidae) Synonym(s): *minutissimus* Germar,1823 ES PT YU
1426. **Suaris iberiensis Hölzel,1974** (Chrysopidae) Synonym(s): *iberiensis* Hölzel,1974 ES
1427. **Suillia variegata (Loew,1862)** (Heleomyzidae) Synonym(s): *variegata* Loew,1862 ES TR AZ RU Cc Kr Soc
1428. **Sybiostroma dufouri Macquart,1838** (Dolichopodidae) Synonym(s): *dufouri* Macquart,1838; *spathulata* Loew,1861 GR FR IT ES MK MA DZ
1429. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1430. **Sycophila binotata (Fonscolombe,1832)** (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832 IR Ak Ab BG HV FR IT ES RU
1431. **Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU
1432. **Sycophila iracemae Nieves Aldrey,1984** (Eurytomidae) Synonym(s): *iracemae* Nieves Aldrey,1984 ES FR IR
1433. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB
1434. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
1435. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
1436. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
1437. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn
1438. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
1439. **Synophrus politus Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843 PT ES IT Si AT CZ HU B-H HV YU RO BG GR TR
1440. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ

1441. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1442. **Systropha (s.str.) planidens Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysur* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977 ES FR AT TR
1443. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925 BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1444. **Tabanus rectus Loew,1858** (Tabanidae) Synonym(s): *rectus* Loew,1858; *ornatus* Jaennicke,1866 ES PT FR IT YU CH TR
1445. **Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 nec Scop.,1763; *#regluaris* Kılıç,1999 DZ MA TN PT ES FR IT YU RO GR BG CY IL Pa Js TR RU Cc GG AZ AM IQ IR
1446. **Tabanus rupium Brauer,1880** (Tabanidae) Synonym(s): *pusillus* Egger,1859 nec Macq.,1839; *rupium* Brauer,1880; *abazus* Bigot,1880; *alazinus* Bigot,1892; *lasios* Surcouf,1924; *hadjinicolaoui* Kröber,1936; *loewi* Muschamp,1939 DE CH AT ES FR IT YU RO AL GR MK RU TR Cc GG AZ AM IR
1447. **Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscanipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891 RO Cc TR TM UZ KK KG RU AM IR SK BG ES IL Pa
1448. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* Robineau-Desvoidy; *satanas* Zimin,1935 ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP
1449. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781 PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1450. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
1451. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ
1452. **Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831 AZ AM Cc BE BG HV CZ FR DE GG HU IT LU MK PT RO RU SK ES CH TR DZ KG SY TJ TM UZ
1453. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1454. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
1455. **Tarsostenus univittatus (Rossi,1792)** (Cleridae) Synonym(s): *univittatus* Rossi,1792 ES IT LY RU KP KR Cc AM Sb MN...
1456. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943 ES IQ Cc KG UZ TM PK TR
1457. **Tephritis postica (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844 *Trypeta postica* Loew,1844, [in] Germar, Z. Ent. 5: 393. ES FR Py IT DE CH TR GG Cc IR IL Pa KG KK CN Ui DZ
1458. **Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979 TR ES FR CY GR IL Pa
1459. **Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830 TR ES IT GR LB IL TN EG Sn KG
1460. **Tetanops contarinii Rondani,1869** (Ulidiidae) Synonym(s): *contarinii* Rondani,1869 ES
1461. **Tetanops corsicana Becker,1909** (Ulidiidae) Synonym(s): *corsicana* Becker,1909 FR Co IT Si ES TN
1462. **Tethina alboguttata (Strobl,1900)** (Tethinidae) Synonym(s): *alboguttata* Strobl,1900 Cn MA DZ ES TN
1463. **Tethina albosetulosa (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa* Strobl,1900; *beckeri* Strobl,1906; *albipila* Frey,1958; *albissima* Collin,1966; *diversa* Collin,1966; *mixta* Collin,1966 SN AT Az Cn ES EG BG DK GB FR IT
1464. **Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934 BG TR DE HU MN ES Cc

1465. **Tethina flavigenis (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis* Hendel,1934 **DK BG GB DE ES IT TN**
1466. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 **Az Cn ES FR TN GB SE IT BG GR Cr**
1467. **Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): *incisuralis* Macquart,1851; *pictipes* Becker,1903 **Cn CV EG ES FR SY GB**
1468. **Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris* Loew,1865 **DZ Az EG ES IT Si TN**
1469. **Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonerii* Munari,1981 **SN SC ZA TW BG EG ES IT TR BG**
1470. **Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici* Fitch,1859 **IR Th Elb CA BR RU ES US**
1471. **Tetrix bolivari (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901 **ES FR CZ YU SS B-H HV RO BG TR Cc RU KG TM UZ KK**
1472. **Tettigometra (Metroplaca) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii* Signoret,1866 **AL BG CS FR GR IL IT RO ES TR RU TJ YU**
1473. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophea* Lodos & Kalkandelen,1980 **Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU**
1474. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiatis* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 **AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR**
1475. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 **Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU**
1476. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 **DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU**
1477. **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876 **AF DZ CY TR EG IR IL IT JO MA PT ES SY TN AM AZ KG RU TJ TM UZ YU**
1478. **Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum,1868 **DZ IL ES SY TN**
1479. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 **DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU**
1480. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri* Horvath,1909 **DZ ES Cn MA ES TN TR KG UA Cm**
1481. **Tettigometra helferi Fieber,1865** (Tettigometridae) Synonym(s): *helferi* Fieber,1865 **GR ES SY**
1482. **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876 **DZ BE FR GR TR IT Si JO MA ES SY TN**
1483. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 **DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE**
1484. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 **ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT**
1485. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840 **AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR**
1486. **Thereva cinifera Meigen,1830** (Therevidae) Synonym(s): *cinifera* Meigen,1830; *subfasciata* Schummel,1839; *modesta* Becker,1922 **GB AT BE CZ DE DK ES FR NO NL PL RO CH FI TR JP**
1487. **Thereva fulva (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris* Meigen,1820 **AT CZ DE ES FR GB PL RU HU IT RO YU TR**
1488. **Thereva hispanica Strobl,1909** (Therevidae) Synonym(s): *hispanica* Strobl,1909 **ES**
1489. **Thereva plebeja (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Harris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913 **AT BE CH CZ DE DK ES FR GB HU GR TR IT NO NL PT PL RO CH FI RU UZ TJ KK TM Sb**
1490. **Thereva tristis (Loew,1847)** (Therevidae) Synonym(s): *tristis* Loew,1847 **TR ES PT IT**

1491. **Thereva tuberculata (Loew,1847)** (Therevidae) Synonym(s): *tuberculata* Loew,1847; *subtilis* Loew,1847; *algerica* Kröber,1913 MA DZ TR ES FR IT MT RO
1492. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata* Meigen,1820 TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb
1493. **Tibicina cisticola (Fairmaire,1855)** (Cicadidae) Synonym(s): *cisticola* Fairmaire,1855 FR Co IT Sa ES
1494. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876 Cicada *haematodes* Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1495. **Tibicina nigronevosa Fieber,1876** (Cicadidae) Synonym(s): *nigronevosa* Fieber,1876 FR Co PT ES CH Cc TR
1496. **Tibicina picta (Fabricius,1794)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790 (*praeocc.*); *picta* Fabricius,1794 *Tettigonia picta* Fabricius,1794, Ent. Syst. 4: 24, 27. DZ FR IT Sa ES
1497. **Tibicina quadrisignata (Hagen,1855)** (Cicadidae) Synonym(s): *quadriseignata* Hagen,1855 Cicada *haematodes quadriseignata* Hagen,1855, Stettin ent. Ztg. 16: 356. DZ ES Py ?Cc
1498. **Tibicina tomentosa (Olivier,1790)** (Cicadidae) Synonym(s): *tomentosa* Olivier,1790; *baetica* Rambur,1840 Cicada *tomentosa* Olivier,1790, Ency. Méth. V (Ins.): 759. Syntypes: France: "...en Provence & en Languedoc". FR ES PT IT Sa DE
1499. **Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata* Fieber,1861 DZ MA TN ES CY EG JO TR YU
1500. **Tingis torpida (Horvath,1906)** (Tingidae) Synonym(s): *torpida* Horvath,1906 FR ES DZ TR
1501. **Tipula (Lunatipula) bimacula Theowald,1980** (Tipulidae) Synonym(s): *bimacula* Theowald,1980 AL GR ES IT IR TR
1502. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 *Tipula lateralis* Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1503. **Tituboea biguttata (Olivier,1791)** (Chrysomelidae) Synonym(s): *biguttata* Olivier,1791 PT ES MA DZ IT Sa Si
1504. **Tituboea macropus (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800 TN ES AT AL TR Cc SY IR RU
1505. **Tituboea sexmaculata (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata* Fabricius,1781 DZ ES FR TR SY IR
1506. **Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex* Wiedemann,1820 PT ES TR SY TN
1507. **Torymoides kiesenwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenwetteri* Mayr,1874; *longicauda* Masi,1916 ES FR GB DE PL CZ SK HU IT B-H YU BG MK GR TR
1508. **Torymoides violaceus Nikolskaya,1954** (Torymidae) Synonym(s): *violaceus* Nikolskaya,1954; *bifasciatus* Szelenyi,1973 ES BG MD
1509. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 Ichneumon *bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1510. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum* Schrank,1781 IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1511. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK
1512. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1513. **Toya ibiturca Asche,1980** (Delphacidae) Synonym(s): *ibiturca* Asche,1980 ES GR TR
1514. **Toya obtusangula (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957 Co FR CY IT ES TR
1515. **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868 Cc AF AL DZ AT BG ES Cn CY CZ EG FR DE HU IR IQ IL IT JP JO LY MA PL PT RO ES TN TR RU GG KG KK MD TJ UZ
1516. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837 AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL

1517. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus Schrank,1781* AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1518. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952* AF FR GR Cr IT MA PT ES CH UA YU TR
1519. **Tribalus maroccanus Olexa,1980** (Histeridae) Synonym(s): *maroccanus Olexa,1980* MA ES IT Si
1520. **Tribalus scaphidiformis (Illiger,1807)** (Histeridae) Synonym(s): *scaphidiformis Illiger,1807* ES FR IT
1521. **Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis Fabricius,1787* ES IT Si YU AL Cr GR BG HV TR SY
1522. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata Meigen,1804* AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1523. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis Hartig,1841; megapteropsis Wriese,1900* PT ES DE PL UA MD RO HU AT IT TR
1524. **Trirhacus setulosus Fieber,1876** (Cixiidae) Synonym(s): *setulosus Fieber,1876* IT GR ES YU
1525. **Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata Loew,1865* TR HU MK FR IT Si ES TN
1526. **Tropiderinus munieri (Bedel,1882)** (Anthribidae) Synonym(s): *munieri Bedel,1882* DZ ES
1527. **Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis Mulsant & Rey,1855; elegans O.Costa,1834* AL DZ CY EG FR GR IL IT MA ES TN TR YU
1528. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis Petagna,1787* TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1529. **Tychius medicaginis Brisout,1862** (Curculionidae) Synonym(s): *medicaginis Brisout,1862* TR ES DZ KG
1530. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777; fasciata Tollin,1851* AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1531. **Ulidia apicalis Meigen,1826** (Uliidae) Synonym(s): *apicalis Meigen,1826* FR Co IT Si PT ES TN MA GR Rd
1532. **Ulidia megacephala Loew,1845** (Uliidae) Synonym(s): *megacephala Loew,1845* ES GR Rd TR SY MA
1533. **Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana M.Hering,1935* TR GB FR NO RU FI FR Py ES Cc Ur US
1534. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis Linnaeus,1758; dauci Fabricius,1787; leucocanthi Schrank,1803; hastatus Fabricius,1805; pugionata Meigen,1826; reamurii Robineau-Desvoidy,1830; sibynata Rondani,1870; sejuncta Becker,1907* TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
1535. **Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans Loew,1850* *Trypeta terebrans Loew,1850, Stettin ent. Ztg. 11: 53.* TR DE AT AZ Cc BG CZ FR ES HU MD PL RU GR
1536. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata Fabricius,1794; taeniolata Costa,1883* IT Si Sa ES FR DZ AM AZ GG Cc EG IR IL Pa KW KK LY MA ES TJ TN TM UZ
1537. **Usia (Micrusia) engeli Paramonov,1950** (Bombyliidae) Synonym(s): *engeli Paramonov,1950* ES IT
1538. **Usia (Micrusia) pusilla Meigen,1820** (Bombyliidae) Synonym(s): *pusilla Meigen,1820* DZ AT HV FR IT LY MA ES PT SS TN
1539. **Usia (Micrusia) versicolor (Fabricius,1787)** (Bombyliidae) Synonym(s): *versicolor Fabricius,1787; hyalipennis Macquart,1840* DZ B-H HV CY EG FR GR IT IR LY MK MT MA SS ES TN TR YU
1540. **Usia (s.str.) aenea (Rossi,1794)** (Bombyliidae) Synonym(s): *aenea Rossi,1794; dubia Kerteszi,1900* DZ AT BG HV CZ FR DE GR HU IT IR ES PT MA SS SK CH TR
1541. **Usia (s.str.) aeneoides Paramonov,1950** (Bombyliidae) Synonym(s): *aeneoides Paramonov,1950* ES IT
1542. **Usia (s.str.) angustifrons Becker,1906** (Bombyliidae) Synonym(s): *angustifrons Becker,1906; putilla Becker,1906* FR GR IT KK RU ES TJ TN TM

1543. **Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata Fabricius,1798*; *vicina Macquart,1840*; *#pubera Becker,1906*; *pubera Strobl,1906* **DZ Cc AM AZ GG IT Si B-H AT HV BG CZ FR GR HU IR MK LY MA PT SK SS ES CH TN YU**
1544. **Usia (s.str.) florea (Fabricius,1794)** (Bombyliidae) Synonym(s): *florea Fabricius,1794*; *cuprea Macquart,1834*; *gagathea Bigot,1892* **DZ FR ES MA TN IT Si KK TM TJ**
1545. **Usia (s.str.) ignorata Becker,1906** (Bombyliidae) Synonym(s): *ignorata Becker,1906* **DZ SD EG IL Pa MA ES TN SY**
1546. **Usia (s.str.) loewi Becker,1906** (Bombyliidae) Synonym(s): *loewi Becker,1906* **IT ES**
1547. **Usia (s.str.) martini François,1969** (Bombyliidae) Synonym(s): *martini François,1969* **ES**
1548. **Usia (s.str.) pallescens Becker,1906** (Bombyliidae) Synonym(s): *pallescens Becker,1906*; *ocellaris Malloch,1927* **ES TN FR PT**
1549. **Usia (s.str.) similis Paramonov,1950** (Bombyliidae) Synonym(s): *similis Paramonov,1950* **IT ES MT**
1550. **Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata Costa,1883* **DZ AM Cc AZ EG FR ES GG IR IL Pa IT Sa Si KW KK LY MA TN TJ TM UZ**
1551. **Usia (s.str.) vestita (Macquart,1846)** (Bombyliidae) Synonym(s): *vestita Macquart,1846* **DZ ES**
1552. **Utecha trivialis (Germar,1821)** (Cicadellidae) Synonym(s): *trivialis Germar,1821*; *decussata Germar,1821*; *lugens Germar,1821*; *germari Fieber,1872* **AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU**
1553. **Vachiria natolica Stal,1859** (Reduviidae) Synonym(s): *natolica Stal,1859* **PT ES LY EG TN TR IR**
1554. **Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata Fabricius,1787* **ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU**
1555. **Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus,1758*; *variegatus Scopoli,1763* **DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc**
1556. **Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon Fabricius,1794* **DZ AM Cc AZ HV FR GR GG IR IT LB SY ES YU TM**
1557. **Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea Becker,1916*; *latifrons Stein,1916* **ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR**
1558. **Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana Meigen,1804*; *quinquefasciata Wiedemann,1820* **DZ LY MT ES CH Cc GG AM AF AZ AT BG HV CZ EG FR Co GR IT Si MK IR MD RO RU SS**
1559. **Villa castellana (Strobl,1909)** (Bombyliidae) Synonym(s): *latipalpis Schnabl,1889*; *castellana Strobl,1909* **ES**
1560. **Villa ceballosi Andreu Rubio,1959** (Bombyliidae) Synonym(s): *umbraticola Assis-Fonseca,1957*; *ceballosi Andreu Rubio,1959* **IT Si ES MA**
1561. **Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *cingulum Wiedemann,1820* **AM AZ BE Cc FR GR GG IT Si ES PT YU**
1562. **Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera Zetterstedt,1845*; *claripennis Kowarz,1868* **ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA**
1563. **Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta Meigen,1835*; *steinii Schnabl,1888* **MA DZ ES FR Co IT GR**
1564. **Villa euzona (Loew,1869)** (Bombyliidae) Synonym(s): *euzona Loew,1869*; *dorsalis Schnabl,1888* **FR IT Si ES**
1565. **Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata Becker,1916* **ES FR GR CY HU IT Si MD RU UA**
1566. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis Kowarz,1883*; *corsicana Schnabl,1911* **Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA**
1567. **Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea Fabricius,1781*; *humilis Ruthe,1831* **BE CY CZ FR DE GR HU IT PL RO SK ES UA YU**
1568. **Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion Fabricius,1794*; *stolata Rondani,1866*; *senecio Loew,1869* **AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA**
1569. **Villa leucostoma (Meigen,1820)** (Bombyliidae) Synonym(s): *leucostoma Meigen,1820*; *confluens Stein,1914* **FR ES IT RO MD RU YU UA**
1570. **Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura Loew,1869* **ES AM Cc AZ GG GR IT Si TR IR AF KK MN RU TJ TM UZ YU**
1571. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta Meigen,1820* **AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU**
1572. **Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta Loew,1869*; *nana Becker,1916* **AF DZ AM Cc GG AZ BG CY FR GR IT Si Sa TR KK MA RO RU ES TJ TN TM UZ YU**

1573. **Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820
AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
1574. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820;
margaritifer Dufour,1833; *dolosa* Jaennicke,1867; *turbidus* Loew,1869 IT Si Cc AM AT AZ GG B-
H CN HV FR HU MN RO SS ES SE CH TJ TM YU
1575. **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis*
Schränk,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus*
Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR
UZ YU
1576. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni*
Schiner,1862 AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT
MD UA YU
1577. **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indisticta*
Harz,1979; *musicus* Harz,1979 Tridactylus pfaendleri Harz,1970, NachrBl. bayer. Ent. 19 (3): 56,
59. Holotype ♀: Austria: Neusiedler See. TR IL Pa JO ES AT CZ SK
1578. **Xya variegata (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809
Tridactylus variegatus Latreille,1809, Hist. nat. Crust. Ins. 4: 383. Lectotype ♀: France: Nice (ISNB
Brussels). FR ES CZ RO TR Cc RU KG IN
1579. **Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata* Meigen,1804
FR GB PL RO ES DK RU TR
1580. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea*
Fabricius,1805 TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
1581. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL
ES SE CH TR UA CY IR
1582. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758;
concinna Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea*
Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE
CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
1583. **Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta*
Fabricius,1792; *thoracica* Laporte,1840 DZ ES IT Si Sa TR SY IR TM
1584. **Zonitis immaculata (Olivier,1790)** (Meloidae) Synonym(s): *immaculata* Olivier,1790;
mutica Scriba,1790; *gibbicollis* Abeille de Perrin,1880 TR ES IT Sa Si GR
1585. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s):
hyperici Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD
RU UA UZ YU
1586. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant &
Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936;
nycthemera Ribaut,1936 DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU
1587. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata*
Lethierry,1869 AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
1588. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae* Fallén,1806 AT BE
BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
1589. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula*
Boheman,1845 AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU
1590. **Zyginidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s):
scutellaris Herrich-Schäffer,1838 AL DZ AT BE CS DK FR DE GB GR HU IT MA NL PT RO ES SW AM
AZ Cc MD RU Sb UZ YU

Synonymic and distributional list of the pterygot insects of Sweden

(Results of the Entomofauna of the World based upon info-system of the Cesa)

76

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Sweden (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 76. *Priamus* (suppl.) 18: 2744-2777.

In this study, totally 802 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Sweden recorded in info-system of the Cesa, total pterygot species of Sweden increase to 3517.

Key words: List, distribution, *pterygota*, *Insecta*, Sweden.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 802 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2715 recorded species of Lepidoptera from Sweden are found. Taking this information into consideration, total number of the pterygots may increase to 3517.

The study is still continuing, and the new results will be published within this Project.

1. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea* Klug,1829; *bifida* Thomson,1871; *bigens* Kangas,1946 **ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA**
2. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea* Linnaeus,1767 **GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc**
3. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 **BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU**
4. **Abraeus parvulus Aubé,1842** (Histeridae) Synonym(s): *parvulus* Aubé,1842 **DE FR FI IT AT PL RO SE SS CZ HU**
5. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 **AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU**
6. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 **TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA**
7. **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840 **ES FR DE SE FI PL CZ SK CH AT IT Si YU BG GR**
8. **Acrida bicolor (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *staliü* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949 **SL BF ZA ZR ET DZ EG FR SE TR BF IT**

9. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792 AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
10. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
11. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869 DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
12. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (*praeocc.*); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915 DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
13. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843 BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
14. **Agabus (Acatodes) lapponicus (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875 FI SE FR IT NO RU ES SZ TR MN
15. **Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833 AT BE BG CS FR DE GB GR HU IT NL PL PT ES SE AZ RU YU TR
16. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785 AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
17. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957 AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa It Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
18. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
19. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
20. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
21. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
22. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
23. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
24. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi* Dejean,1828 AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
25. **Agrilus (Anambus) buresi Obenberger,1935** (Buprestidae) Synonym(s): *buresi* Obenberger,1935 DE AL AT BE BG DZ CZ DK EE FO FR Cc GG Tbl NL ES SE IT KG LT NL HU NO PL RO RU YU GR TR
26. **Agrilus (s.str.) aurichalceus Redtenbacher,1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849 DE AL AT BG CZ FI FR Cc GG Tbl ES SE IT PL PT RO RU YU GR TR
27. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
28. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
29. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
30. **Alloborborus pallifrons (Fallén,1820)** (Sphaeroceridae) Synonym(s): *pallifrons* Fallén,1820; *flavipennis* Haliday,1836 AT BE CZ EE FI FR DE GB HU IT LT NL NO PL RO RU SE CH
31. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA
32. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
33. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
34. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU

35. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 **AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP**
36. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeyi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz**
37. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui**
38. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 **AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG**
39. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 **AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC**
40. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeyi,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jablorkoff & Khnzorian,1957 **AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR**
41. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui**
42. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui**
43. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 **AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM**
44. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 **Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ**
45. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919 **AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ**
46. **Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873 **AL AD AM Cc AT BE B-H BG HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD PL RO RU SK SL ES SE CH TR KG NL UZ**
47. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861 **AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL**
48. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeyi,1870 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui**
49. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944 **AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN**
50. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshvi* Lutschnik,1934; *kodymi* Jedlicka,1936; *tockoenis* Jedlicka,1936 **AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ**
51. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythropha* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924 **LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL**
52. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax*

- Gistel,1857; sarsi Munster,1927; melanochlora Lutshnik,1933; similatoides Jedlicka,1934; aequatorialis Baliani,1939* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
53. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans C.Zimmermann,1832; properans C.Zimmermann,1832; ougsburgeri Heer,1837; oculata Helliesen,1912; arnoldi Lutschnik,1934; bernhardti Schuler,1965; cerdanica Aubry,1970* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LU NO PL RO RU SK SL ES SE CH TR NL
54. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca Dejean,1828; complanata Dejean,1828; mesatlantica Antoine,1853; theryi Antoine,1853* AZ AL AM Cc AT B-H BG BY HV CZ DK FR GB DE GG GR IT MK MD PL RO RU ES SE CH TR DZ MA TN IR SY TM NL
55. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua Duftschmid,1812; liberta Duftschmid,1812; subaenea Sturm,1825; ruficornis Dejean,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
56. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis Duftschmid,1812* AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
57. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja Gyllenhal,1810; lapidicola Heer,1837; lenticularis Schiodte,1837; cylindrella Schiodte,1837; varicolor Heer,1838; tridens Morawitz,1862; noctivaga Hochhuth,1871; barnevillei Croissandeau,1893; brisouti Csiki,1929; punctibasis Jedlicka,1957* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
58. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1938* AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
59. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
60. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood,1837; flavus Ishii,1928; alboclavatus Ishii,1928* TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
61. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus Ratzeburg,1848* TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
62. **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum Linnaeus,1758; prostratum Scopoli,1763* DZ AT BG CH CZ DE DK ES FR Co IT GR PL SE RO RU Sb TR IR
63. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma Hartig,1841; cirratus Adler,1881; giraudi Wachtl,1882* PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
64. **Andricus curator Hartig,1840** (Cynipidae) Synonym(s): *curvator Hartig,1840; axillaris Hartig,1840; collaris Hartig,1840; curvata Förster,1869; dimidiatus Schenck,1863; fasciatus Schenck,1863; perfoliatus Schenck,1863; tegmentorum Schlechtendal,1870; lusitanicus Kieffer,1901* PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
65. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix Hartig,1840; gemmarum Lacaze-Duthiers,1853; gemmae Schenck,1863; foecundator Tavares,1918* PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
66. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator Hartig,1840; globuli Hartig,1840; inflatioides Belizin & Maisuradze,1962* PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
67. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis Linnaeus,1761; corticis Hartig,1840; brevicornis Hartig,1841; gemmatus Adler,1881; krajnovici Tavares,1901* PT ES FR GB IE DE DK SE PL UA MD RO HU TR
68. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis Fabricius,1789; noduli Hartig,1840; trilineatus Hartig,1840; parasiticus Hartig,1841; rugiscuta Thomson,1877; beirensis Tavares,1902* PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
69. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli Linnaeus,1761; autumnalis Hartig,1840; amentorum Hartig,1843; ramuli Schenck,1863; trifasciata Kieffer,1901* PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
70. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius Fonscolombe,1832; ferruginea Hartig,1840; occultus Tschek,1871; filigranata Dettmer,1925; villarubiae Tavares,1930* PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
71. **Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus Linnaeus,1758; fusca Linnaeus,1761; paganus Dahlbom,1843; propinquus SWmith,1879; delatorius Tournier,1890; immixtus Tournier,1890; macrurus Tournier,1890; pleuropicus Tournier,1890; tibialis Tournier,1890; valesicus Tournier,1890; holomelas Mantero,1905* PT ES FR GB NO SE RU BY RO PL DK DE CZ SK AT CH HV IT Co Sa Si AL GR BG TR CY
72. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis*

- Mulsant,1842; nigrinus Mulsant,1842; prusicus Czwalina,1884* PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
73. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
74. **Anthaxia (s.str.) manca (Linnaeus,1767)** (Buprestidae) Synonym(s): *manca Linnaeus,1767* DZ MA SE Cc AM TR
75. **Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigriritulum Friese,1917; suecicum Alfken,1927* SE FI RU Sb Ur CH UZ TJ MA DZ ES GR HU Cc AM TR
76. **Anthocomus fasciatus (Linnaeus,1758)** (Melyridae) Synonym(s): *fasciatus Linnaeus,1758* SE AT EE GE GR IT RO YU TR
77. **Anthocomus rufus (Herbst,1784)** (Melyridae) Synonym(s): *rufus Herbst,1784; coccineus Schaller* RU SE DK DE RO
78. **Anthocoris butleri Le Quense,1954** (Anthocoridae) Synonym(s): *butleri Le Quense,1954* ES FR GB SE BE NL DE CZ AT IR Elb Mz
79. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus Fieber,1836* FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR Es
80. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
81. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
82. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
83. **Anthomyia procellaris Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris Rondani,1866* C DK FI IT SE HU YU RU CN JP TR
84. **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster Wiedemann,1820* IT TR SY SE ES RU RO MD MT GR LY IR HU GG AZ AM Cc FR FI EG CN Sz Pkn Yu BG BE AT SD
85. **Anthrenus (Florilinus) olgae Kalik,1946** (Dermestidae) Synonym(s): *olgae Kalik,1946* AT BG CZ GB FI DE HU LT YU PL SK SE UA
86. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836* TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
87. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis Fabricius,1794* FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR
88. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata Linnaeus,1761 (praeocc.); rustica Fabricius,1775 (praeocc.); bicinctus Schrank,1776; ochromelas Gmelin,1790; variegata Fabricius,1794; striatella Fabricius,1794; transversa Fabricius,1798; strigata Turton,1802; pallidus Curtis,1836; cardui Curtis,1836; fasciatus Curtis,1836; obscurus Curtis,1836; rugosus Curtis,1836; sparsus Curtis,1836; unicolor Curtis,1836; pulverulenta Curtis,1837; adustus Hardy,1850; obtusifrons Kirschbaum,1868; signifrons Rey,1894; aestuarinus Edwards,1908; brevior Melichar,1914; alpinus Prohaska,1923; diminutus Ribaut,1952; centrossicus Zachvatkin,1952; ferganensis Dubovsky,1966* AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG KK LV MD RU Sb UA UZ YU
89. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus Linnaeus,1758; trifasciata De Geer,1773; tristriata Gmelin,1790; spuria Fallén,1806; obliquus Germar,1821; tricinctus Curtis,1836; simulans Ribaut,1952; major Duffield,1963* AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG KK LV MD RU Sb UA YU TR
90. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus Donovan,1799; rivularis Germar,1821* AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU
91. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus Fabricius,1794; arenicola Marshall,1866* AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU
92. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus Kirschbaum,1868; integer Wagner,1937* DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG KK LV UA YU

93. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae Fabricius,1775*; *fuscofasciata Goeze,1778*; *transversalis Fourcroy,1785*; *bistrigata Gmelin,1790*; *brunneobifasciatus Signoret,1879*; *vicarius Horvath,1897* AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU
94. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni Fallén,1805*; *fuscata Haupt,1925*; *umbrina Linnavuori,1950* Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb TM UA YU
95. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea Germar,1821* AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR
96. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
97. **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814*; *cylindricornis Thomson,1871*; *friesei Konow,1892*; *alfkeni Konow,1895*; ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
98. **Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus Walker,1839*; *amynus Walker,1839*; *conii Erdös,1954*; *rugosus Erdös,1954* CZ FR GR HU GB IE NL RU Us SK SE TR
99. **Aprostocetus catus (Walker,1839)** (Eulophidae) Synonym(s): *catus Walker,1839* CZ IE GB SE RU Us TR
100. **Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus Westwood,1833*; *tristis Nees,1834*; *phalis Walker,1839*; *trabea Walker,1839*; *mutilia Walker,1839*; *crassicauda Thomson,1878* AT BG CZ FR DE GR HU IE GB IT NL CN RU SK SE YU TR
101. **Aprostocetus coelarchus (Graham,1991)** (Eulophidae) Synonym(s): *coelarchus Graham,1991* TR CZ CN Yu SE GB YU
102. **Aprostocetus crino (Walker,1838)** (Eulophidae) Synonym(s): *crino Walker,1838*; *dispar Silvestri,1920*; *oecanthivorus Gahan,1932*; *compar Gahan,1932*; *dubius Bakkendorf,1955* AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
103. **Aprostocetus decrescens (Graham,1991)** (Eulophidae) Synonym(s): *decrescens Graham,1991* TR FR GB SE CN Kwa
104. **Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda Thomson,1878* GB FR DE CZ SK HU IT GR SE TR
105. **Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas Walker,1839* GR FR NL DE DK SE FI PL CZ SK IT YU TR
106. **Aprostocetus melasomae (Graham,1991)** (Eulophidae) Synonym(s): *melasomae Graham,1991* SE CZ TR
107. **Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris Walker,1839* TR PT ES FR GB NO SE DK DE CZ HU GR
108. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus Zetterstedt,1838* TR FR GB DK DE NO SE FI UA CZ HU IT GR
109. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope Walker,1839*; *agathocles Walker,1839*; *hippis Walker,1839*; *rapo Walker,1839* TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
110. **Aprostocetus terebrans Erdös,1954** (Eulophidae) Synonym(s): *terebrans Erdös,1954* TR GB FR NO SE DE CZ SK HU
111. **Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini Kostjukov,1976* DE KG MD NL RO RU At Us SE TJ GB UZ TR SE
112. **Aprostocetus tymbor (Walker,1839)** (Eulophidae) Synonym(s): *tymbor Walker,1839* TR GB FR NL SE PL CZ SK YU IT
113. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845*; *disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
114. **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1937* AT BG CS FR DE GB HU IT PL RO SE SW Cc GG MD YU
115. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
116. **Arge clavicornis (Fabricius,1781)** (Argidae) Synonym(s): *clavicornis Fabricius,1781*; *seljuki Benson,1968*; *fuscineris Lindqvist,1974* ES FR SE DE PL RU Sb DZ TR CA
117. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767*; *coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
118. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
119. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM

120. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817 GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
121. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
122. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
123. **Arma custos (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinesperata* Ahmad & Önder,1990 DZ PT ES FR IT DK SE RU Sb TR CN JP KP KR MN AT CZ B-H BE NL HU CH RO BG DE
124. **Arocephalus punctum (Flor,1861)** (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB IT NL NO PL ES SE TN EE LV RU
125. **Aromia moschata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758 Cc TR IR CZ SE
126. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
127. **Asilus crabroniformis Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758 IR DZ AT AZ BE B-H HV CZ FR DK FI DE HU IT MA NO PL RO SK RU SS ES SE CH NL TR GB
128. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
129. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
130. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
131. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
132. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
133. **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius* Fabricius,1775 MT DK SE PT RU Cc MA DZ IT Sa Si
134. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
135. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ
136. **Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878 TR BG CZ FR DE HU IT RU SE GB YU
137. **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954 ES FR GB NL DE SE CZ PL AT CH RO BG TR JO IL Pa Cc AZ
138. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB
139. **Bellardia pubicornis (Zetterstedt,1838)** (Calliphoridae) Synonym(s): *pubicornis* Zetterstedt,1838; *puberula* Zetterstedt,1838; *dolens* Zetterstedt,1838; *curvipes* Zetterstedt,1838 AT FI HU NO RU SE CH GB
140. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA
141. **Bellardia vespillo (Fabricius,1794)** (Calliphoridae) Synonym(s): *vespillo* Fabricius,1794; *borotinensis* Jacentkowsky,1944 CZ DK DE HU SE
142. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkowsky,1941 AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB
143. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
144. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP

145. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812* AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL
146. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837* AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU
147. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ
148. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ
149. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806* AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU SK SL SE CH TR UA KG NL JP MN YU
150. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795* AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
151. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866* AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA NL
152. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825* AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE CH UA IR KG NL YU AZ AM Cc GG RU TR
153. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum Say,1823* AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE CH TR UA DZ MA TN NL YU
154. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785* AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL PT RO RU SK SL ES SE CH TR UA MA TN IR NL
155. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821* AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
156. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
157. **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777* AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
158. **Bibio brunripes Fabricius,1794** (Bibionidae) Synonym(s): *rufipes Fabricius,1781 nec Linn.,1761; brunripes Fabricius,1794; umbellatum Zetterstedt,1838; fulvipes Zetterstedt,1838; fumipennis Walker,1848; inaequalis Loew,1864; fulvus Lundstrom,1910; jacobi Hardy,1938 nec Villen.,1924* CH AT DE PL AT SK HU RO NO SE FI IT
159. **Bibio clavipes Meigen,1818** (Bibionidae) Synonym(s): *clavipes Meigen,1818; dorsalis Meigen,1818; flavicollis Meigen,1818; ephippium Zetterstedt,1838; tancrei Duda,1930* ES FR GB IE SE NO FI EE RU PL DK DE HU CZ AT CH IT
160. **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930* PT ES FR GB BE NL DK DE SE EE PL CZ SK CH AT HU IT Sa Si GR TR
161. **Bibio johannis (Linnaeus,1767)** (Bibionidae) Synonym(s): *johannis Linnaeus,1767; marginalis Geoffroy,1785; pyri Fabricius,1794; hyalinus Meigen,1804; praecox Meigen,1804; nigrifemus Strobl,1900; jacobi Villeneuve,1924* ES FR GB IE BE NL DK DE NO SE FI EE RU PL CZ SK HU CH AT IT SI
162. **Bibio lanigerus Wiedemann,1818** (Bibionidae) Synonym(s): *lanigerus Wiedemann,1818; vernalis Meigen,1818* ES PT FR GB IE BE NL DE DK NO SE EE RU PL CZ SK HU CH IT
163. **Bibio leucopterus Meigen,1804** (Bibionidae) Synonym(s): *leucopterus Meigen,1804* GB IE FR BE NL DE DK SE PL CZ SK CH AT HU IT
164. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846* PT ES FR GB IE NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
165. **Bibio pomonae (Fabricius,1775)** (Bibionidae) Synonym(s): *pomonae Fabricius,1775; funestus Harris,1776; marcifulvipes De Geer,1776* GB IE ES FR BE NL DE DK NO SE FI EE RU PL CZ SK HU CH AT IT BG
166. **Bibio varipes Meigen,1830** (Bibionidae) Synonym(s): *?rufitarsis Meigen,1818; varipes Meigen,1830; atripes Duda,1930; ringdahli Duda,1930* ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT Co
167. **Bibio venosus Meigen,1804** (Bibionidae) Synonym(s): *venosus Meigen,1804* ES GB FR BE DK DE SE PL CZ SK HU CH AT

168. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaearbeariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* HArtig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928 **PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK BG GR AT IT TR**
169. **Blondelia nigripes (Fallén,1810)** (Tachinidae) Synonym(s): *nigripes* Fallén,1810 **SE TR JP**
170. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina* Horvath,1903; *teratocera* Kusnezov,1929 ; *turanica* Hovarth,1936; *ornata* Emeljanov,1962 **AT SE HU RU At Sb KG TM UA MN TR**
171. **Bombus lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975 **TR GB ES GR Cc PL DK NO SE FI RU YU**
172. **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978 **CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU**
173. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 **AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU**
174. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 **AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU**
175. **Borborillus uncinatus (Duda,1923)** (Sphaeroceridae) Synonym(s): *uncinatus* Duda,1923 **BE CN Uí CZ FI FR DE GB HU LT MN NL NO RO RU Sb SK SE CH YU**
176. **Borborillus vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860 **AT BE BG CZ DK EG EE FI FR Co DE GB HU IR IT LT JP LV NL NO PL RO RU SK ES SE CH YU**
177. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 **AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR**
178. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 **ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR**
179. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 **B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU**
180. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplesia* Crawford,1910; *jezoensis* Matsumura,1918... **AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP**
181. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898 **AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si MD NL RO SS ES SE TM UA RU YU TR JP**
182. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951; **AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bl UZ**
183. **Bracon (Glabrobracon) anthracinus (Nees,1834)** (Braconidae) Synonym(s): *anthracinus* Nees,1834 **CN MN KG TM Cc AZ RU TR GR IT YU HU PL SE AT DE BE ES FR GB**
184. **Bracon (Glabrobracon) atrator (Nees,1834)** (Braconidae) Synonym(s): *atrator* Nees,1834 **RU KG YU FI SE HU IT NL BE DE AT FR GB ES TR**
185. **Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus* Wesmael,1838 **JP KK TM RU RO YU CZ HU AT NL PL SE BE DE IT FR GB DZ TR**
186. **Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis* Thomson,1892 **RU YU HU PL SE FI AT FR GB TR**
187. **Bracon (Glabrobracon) obscurator (Nees,1812)** (Braconidae) Synonym(s): *obscurator* Nees,1812 **CN KG RU Sb Cc AZ YU HU RO IT CZ SE FI AT DK PL BE DE ES GB TR**
188. **Bracon (Glabrobracon) osculator (Nees,1812)** (Braconidae) Synonym(s): *osculator* Nees,1812 **MN Cc AZ RU Sb YU IT RO PL HU SE FI DK AT BE NL DE FR GB TR**

189. **Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella* Wesmael,1838 RU RO AL YU HU IT CH BE FI SE GB TR
190. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator* Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
191. **Bruchophagus astragali Fedoseeva,1954** (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954 IR Ab Oru Bk BG GG DE Cc HU KG MN RO RU SE TM
192. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
193. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
194. **Cacopsylla hippophaes (Förster,1848)** (Psyllidae) Synonym(s): *hippophaes* Förster,1848 SE Cc TR
195. **Calligypona reyi (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949 AT BE CZ DK FI FR DE GB HU IT MN NL PL SE RU EE TJ UZ YU TR
196. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775 AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA MR IQ KK KG SY TJ TM NL UZ
197. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
198. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Sauly,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
199. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
200. **Campiglossa difficilis Hendel,1927** (Tephritidae) Synonym(s): *difficilis* Hendel,1927; *tessellata* Zetterstedt,1847 TR AT FI FR IQ ES SE KK Py NO RO RU SY CN Ui Evi
201. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
202. **Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
203. **Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
204. **Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
205. **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
206. **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
207. **Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
208. **Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (*praeocc.*); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
209. **Cerapteroceris mirabilis Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876 ES GB FR RU SE CZ AT DE IT RO EG TR Cc GG Tbl MN
210. **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938 TR Cc AM LB SY IL Pa NL SE
211. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO
212. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR
213. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR

214. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
215. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus Gyllenhal,1837* AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA
216. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
217. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae Gyllenhal,1837* DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR
218. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis Paykull,1800* DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR
219. **Cheilosia proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): *proxima Zetterstedt,1843* TR SE
220. **Cheilosia soror (Zetterstedt,1843)** (Syrphidae) Synonym(s): *soror Zetterstedt,1843* SE TR
221. **Chelonus mucronatus Thomson,1874** (Braconidae) Synonym(s): *mucronatus Thomson,1874* SE CZ RU TR
222. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
223. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
224. **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata Metcalf,1943* Cc CZ DK FI FR DE GB HU IT NL NO PL RO SE EE GG KG UZ
225. **Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa Ribaut,1933* AT BG CS FI FR DE IT PL RO SE KG
226. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939* AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
227. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
228. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
229. **Choerades marginata (Linnaeus,1758)** (Asilidae) Synonym(s): *marginata Linnaeus,1758; nigra Scopoli,1763; media Müller,1765; aurea Olivier,1789; anthrax Meigen,1804; nigrifrons Megerle,1820; fulgida Meigen,1820; podagrica Meigen,1820; chrysocephala Meigen,1820; strandi Duda,1940* IR Ak Ab AL AT BE CZ DK GB YU FI FR DE HU IT NO PL RO SE CH NL
230. **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808* TR Cc AZ AM RU Da GG DZ CY GB SE IT Si RO HU
231. **Chorthippus (Chorthippus) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus Zetterstedt,1821; ochropa Stephens,1835; uchropa Stephens,1835* TR ES FR DE CH AT HU CZ SK IT HV YU B-H RO PL SE IL Pa JO SY RU Sb KG
232. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
233. **Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis Fabricius,1794; congener Paykull,1799; tetragramma Ménétériés,1832; hexastigma Mannerheim,1837; assimulans Schreiber,1843; aeruginosa Fügner,1891; heliophila Abeille,1893; inaequalis Reitter,1895;reitteri Kerremans,1900; tristis Abeille,1900; adusta Abeille,1901; carinithorax Obenberger,1916; heterochroa Obenberger,1916; laticollis Obenberger,1916; leonhardi Obenberger,1916; sibirica Obenberger,1916; reinecki Schirmer,1918; eurythorax Obenberger,1934; nevstyi Richter,1944* DE AL AT BE BG GR YU TN DZ CZ DK Cc AM EE FR MA NL IR ES SE CH IT LT HU EG NO UZ PL PT RO RU Sb TR
234. **Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma Linnaeus,1758; quadraticollis Abeille,1893; kerremansi Abeille,1894* DE AT BG CZ CN DK EE FI FR Cc GG Tbl GB SE CH IT JP HU NO PL RO RU TR YU
235. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes Walker,1839; orchestis Ratzeburg,1844; sauros Walker,1848; laeta Ratzeburg,1848; auronitens Ratzeburg,1852; turcicus Fahringer,1938; gunholdi Delucchi,1954; laevigata Delucchi,1954; tadici Delucchi,1954; cuspidigaster Yoshimoto,1973; truncatipennis Yoshimoto,1973; elmaellae Doğanlar,1980* TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col Fl NMx Ny Tx YU

236. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis Kowarz,1874* GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
237. **Cicadella viridis (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis Linnaeus,1758; arundinis Germar,1821; flavicatella Graaf,1854; concolor Haupt,1912* AL AT BE BG CN CS DK FI FR DE GB GR HU IE JP KP MN NL NO PL RO ES SE SW TR Cc AM AZ BY EE GG KG KK LV MD RU Sb UZ YU
238. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana Scopoli,1772; flavofenestrata Goeze,1778; schafferi Gmelin,1780; pygmaea Olivier,1790; dimidiata Fabricius,1803; anglica Samouelle,1819; parvula Walker,1850 (praeocc.); saxonica Hartwig,1857; megerlei Fieber,1876; longipennis Fieber,1876* Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
239. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori Sahlberg,1871; danensis Linnavuori,1962* CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
240. **Cicadula persimilis (Edwards,1920)** (Cicadellidae) Synonym(s): *persimilis Edwards,1920* AT BG CS FI FR DE GB IT NL NO PL SE SW KG LV RU
241. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata Fabricius,1794; strigipes Zetterstedt,1828; spilotcephala Hardy,1850* AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
242. **Cicadula quinquenotata (Boheman,1845)** (Cicadellidae) Synonym(s): *quinquenotata Boheman,1845* AT BG CS DK FI FR DE GB HU MN NL NO PL SE EE LV
243. **Cicindela campestris Linnaeus,1758** (Carabidae) Synonym(s): *campestris Linnaeus,1758* SE HV AL BG GR Rd Cr MA DZ TN IT Si Co Sa Md CY TR
244. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus Walker,1838; unifasciatus Förster,1841; caudatulus Thomson,1878* TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
245. **Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi Boucek,1959* TR DZ AT BG HV CZ FR GG Cc DE IR LB SE YU
246. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus Walker,1838; lineatus Förster,1841; nigrolineatus Crawford,1913; sanguinea Girault,1916; pulcherrimus Mercet,1916; donatellae Mariani,1942; hytomyzae Ishii,1953; novickyi Bakkendorf,1955* TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
247. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius Linnaeus,1767; nervosopunctata De Geer,1773; cynosbatis Fabricius,1775; dionysii Panzer,1796; dorsalis Hardy,1850; eurypterus Kirschbaum,1868; vulgaris Fieber,1876; fusca Fieber,1876* AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb
248. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus Kirschbaum,1868; intermedius Scott,1870; brachycranus Scott,1870; #distenguendus Lodos & Kalkandelen,1980* AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR
249. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus Linnaeus,1758; hemerobioides Schrank,1776; fasciata Fieber,1876; minor Ferrari,1885 (praeocc.); atavus Schumacher,1912; longispinus Wagner,1955* Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb
250. **Cixius similis Kirschbaum,1868** (Cixiidae) Synonym(s): *similis Kirschbaum,1868; albipennis Reuter,1880 (praeocc.); reuteri Metcalf,1936* Cc AT CZ DK FI FR DE GB HU IE IT NL NO PL SE EE GG KG LV RU
251. **Cleigastra apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis Meigen,1826* AT BE HV CZ DK EE FI FR DE GB HU IQ Mos IT LT MN NL NO PL RU Ur SK SE CH
252. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
253. **Closterocerus arvensis (Graham,1963)** (Eulophidae) Synonym(s): *arvensis Graham,1963* CZ DK FI GR RU SE GB YU TR
254. **Closterocerus chlorogaster (Erdős,1966)** (Eulophidae) Synonym(s): *chlorogaster Erdős,1966* HV CZ DK DE HU MD NL SE GB YUTR
255. **Closterocerus cuprifrons (Erdős,1954)** (Eulophidae) Synonym(s): *cuprifrons Erdős,1954* HV CZ FI GR HU MD NL RU SK ES SE GB YU TR
256. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; silvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU
257. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae Ferrière,1952; fimbriata Erdős,1956* HV FI DE HU IT JP ES SE CH UA RU YU TR
258. **Closterocerus turcicus (Nees,1834)** (Eulophidae) Synonym(s): *turcicus Nees,1834* CZ FR DE IN IE JP MD NL CN Gn Sz RU Us SE GB
259. **Coccophagus insidiator (Dalman,1826)** (Aphelinidae) Synonym(s): *insidiator Dalman,1826* SE TR

260. **Coccophagus scutellaris (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917 **SE TR AU**
261. **Coenorhinus interpunctatus (Stephens,1831)** (Atelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821 **DE BE BG DZ FR SE Cc KG RU Sb IT Si**
262. **Coenorhinus pauxillus (Germar,1824)** (Atelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933 **DE BG FR IN IR SE UA Cm Cc TR KG**
263. **Colladonus torneellus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt,1828; *oxalidis* Fieber,1875 **AT BE CN Mc DK GB FI FR DE HU IT KP KR MN NO PL RO SE CH TN RU TR**
264. **Coniosternum obscurum (Fallén,1819)** (Scathophagidae) Synonym(s): *obscurum* Fallén,1819; *minuta* Malloch,1935 **CA AL AT BE CZ EE FI FR DE GB MN NL NO PL RU Sb Us SK SE CH**
265. **Conocephalus (Anisoptera) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Boliuar,1878; *poncticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951 **PL DE FR ES GB IT Sa SE YU HV B-H BG RO RU Cc AZ AM GG KG MN TR**
266. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
267. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**
268. **Cordilura aberrans Becker,1894** (Scathophagidae) Synonym(s): *aberrans* Becker,1894 **FI MN NO RU Ur Sb SE**
269. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata* Zetterstedt,1846; *nigra* Robineau-Desvoidy,1830; *beringensis* Malloch,1923 **NO SE FR US AT CZ DE FI HU RU Sb SK SE**
270. **Cordilura ciliata Meigen,1826** (Scathophagidae) Synonym(s): *ciliata* Meigen,1826; *#umbrosa* Stephens,1829; *rubifrontata* Becker,1894 **RU Sb AT CZ DK EE FR FI DE GB HU IT NO NL PL RO CH SE**
271. **Cordilura picipes Meigen,1826** (Scathophagidae) Synonym(s): *picipes* Meigen,1826; *biseta* Loew,1864 **DK IT Si RU BE CZ EE DE GB FI MN HU NO NL PL SK SE CH**
272. **Cordilura picticornis Loew,1864** (Scathophagidae) Synonym(s): *picticornis* Loew,1864; *vierecki* Cresson,1918 **US NMx RU Sb Us SE FI GB**
273. **Cordilura proboscoidea Zetterstedt,1838** (Scathophagidae) Synonym(s): *proboscoidea* Zetterstedt,1838 **NO RU Sb SE US**
274. **Cordilura pubera auct.** (Scathophagidae) Synonym(s): **AT BE CN CZ DK EE FI FR DE GB HU IE LT MN NL NO PL RO RU Ur Sb Us SK ES SE CH**
275. **Cordilura pudica Meigen,1826** (Scathophagidae) Synonym(s): *pudica* Meigen,1826; *geniculata* Zetterstedt,1846; *alberta* Curran,1929 **AT BE CN CZ DK EE ES FI FR DE GB IE IT LT NL NO PL RU Ur SK SE CH CA**
276. **Cordilura rufimana Meigen,1826** (Scathophagidae) Synonym(s): *rufimana* Meigen,1826; *incerta* Zetterstedt,1838; *tibialis* Zetterstedt,1838 **RU Ur Sb AT CZ DK EE FI FR DE GB IE NL NO PL SE CA**
277. **Cordilura socialis Becker,1894** (Scathophagidae) Synonym(s): *pudica* Zetterstedt,1846 *nec* Meig.,1826; *socialis* Becker,1894; *freyi* Hackman,1956 **DK EE FI DE PL EU SE**
278. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
279. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 **AT FI DE NO PL SE Cc AZ EE KG LV RU UA**
280. **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885 **DE BG GB IT SE RU Sb HU TR**
281. **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885 **DE Cc AM AT MD CZ FR GB IC SE TR**
282. **Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974 **BG CZ HU TR CH SE**
283. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis* Walker,1839; *aquisgranensis* Förster,1878; *fletcherii* Ashmead,1892 **TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ**
284. **Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942 **FR NL DE CZ SK CH AT IT UA BG GR SE FI**
285. **Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853 **AL AT B-H HV CZ GB FI FR DE GR HU IT MK PL RU YU SS SK SE CH TR Cc**
286. **Culicoides distictus Kieffer,1916** (Ceratopogonidae) Synonym(s): *distictus* Kieffer,1916 **SE**
287. **Culicoides fascipennis (Staeger,1839)** (Ceratopogonidae) Synonym(s): *fascipennis* Staeger,1839; *distictus* Kieffer,1916; *albonotatus* Kieffer,1918; *turficola* Kieffer,1925 **DK EE SE TR**

288. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flaviphumus* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940 **DE UA BE EG RU SE LT TR IL Pa TW**
289. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 **TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO RU Us SK SS ES SE CH UA YU**
290. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 **PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR**
291. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 **PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT**
292. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaemidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 **ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR**
293. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838 **TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU**
294. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 **ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU**
295. **Dasytes plumbeus (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776 **SE DK AT BG CZ FR DE GR IT RO ES CH TR YU**
296. **Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846 **TR GB ES FR SE DE EE LT BY RU AT CZ HU RO YU B-H HV BG GR Cc AZ AM GG RU IR KG KK MN KP KR JP AF IQ SY LB IL Pa SA CN**
297. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 **AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU**
298. **Deltocephalus pulicaris (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894 **DZ AD AT BE BG CZ DK GB FI FR DE HU IT Si MN NL NO PL RO SE CH RU YU CA TR**
299. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783 **AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR**
300. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae) Synonym(s): *robusta* Lundstrom,1912 **HV CZ DK FI FR DE GB LT NO PL SK SS SE RU TR**
301. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 **Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU**
302. **Didysmachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 **TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG**
303. **Diglyphus chabrias (Walker,1838)** (Eulophidae) Synonym(s): *chabrias* Walker,1838 **BG TR Cn CZ DE HU IR Md NL NO PK RU Us Sh Sb SK ES SE GB**
304. **Diglyphus crassinervis Erdös,1958** (Eulophidae) Synonym(s): *crassinervis* Erdös,1958 **Cn BG CZ EG FR HU IR IQ IL Pa IT Si JO MD MA CN Gn Hpe Hun Ui Ti Yu Pkn TR PT SK ES SE GB YE**
305. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 **AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR**
306. **Diglyphus pachyneurus Graham,1963** (Eulophidae) Synonym(s): *pachyneurus* Graham,1963 **HV DE IT MD NL CN RU Sh Mag SE GB YE YU TR**
307. **Dilophus febrilis (Linnaeus,1758)** (Bibionidae) Synonym(s): *febrilis* Linnaeus,1758; *spinatus* O.F.Müller,1764; *forcipata* Schrank,1803; *vulgaris* Meigen,1818 **PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA**
308. **Dilophus femoratus Meigen,1804** (Bibionidae) Synonym(s): *femoratus* Meigen,1804; *albipennis* Meigen,1830 **PT ES FR GB IE SE NO FI RU PL DK DE NL BE CH AT IT Sa CZ SK HU RO**
309. **Dinocistus eupterus (Walker,1836)** (Pteromalidae) Synonym(s): *eupterus* Walker,1836; *dimidiatus* Walker,1836; *capitatus* Förster,1841; *lanceolatus* Ratzeburg,1848; *clypealis* Thomson,1878; *acutus* Provancher,1887; *polygraphi* Ashmead,1894; *ashmeadi* Crawford,1912; *pityogenis* Ishii,1938 **GB SE DE TR JP**

310. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla Meigen,1804; falleni Meigen,1820; atrata Meigen,1820; geniculata Meigen,1820* AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
311. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840; calceolatus Boheman,1845; tiaratus Fieber,1869* AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
312. **Diplolepis eglanteriae (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae Hartig,1840; rufipes Forster,1869* PT ES FR GB NL DE SE PL AT HU RO IT TR
313. **Diplolepis mayri (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri Schlechtendal,1877; orthopsinae Beijerinck,1882* ES PT FR GB NL DE SE PL AT IT TR GG Cc Tbl Bjo
314. **Diplolepis rosae (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae Linnaeus,1758; bedeguaris Fourcroy,1785* PT ES GB NL DE PL SE AT HU RO IT TR
315. **Diplolepis spinosissima (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissima Giraud,1859* ES FR GB NL DE AT HU PL SE IT TR
316. **Ditropis pteridis (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis Spinola,1839* Cc TR AL AT BL CY CZ DK FR GE GB IE IT NL NO PL PT ES SE SW GG YU
317. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes Haliday,1856* ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
318. **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae Wilkinson,1938* TR Cc AZ AT RU FI SE CZ GB
319. **Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae) Synonym(s): *cinctipes Wahlberg,1850* TR FI NO SE RU Ur Am Ya Us
320. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica Fabricius,1781* GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
321. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
322. **Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla Flor,1861* AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
323. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
324. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
325. **Drino vicina (Zetterstedt,1849)** (Tachinidae) Synonym(s): *vicina Zetterstedt,1849* SE TR
326. **Dufouria nigrita (Fallén,1810)** (Tachinidae) Synonym(s): *nigrita Fallén,1810* SE
327. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus Fieber,1869* AL AT BG S FI FR GB HU IT NO PL RO SE TR Cc AM GG YU
328. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae Edwards,1888; bidentata Edwards,1914; #avellana Lodos & Kalkandelen,1984* AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR
329. **Edwardsiana bergmani (Tullgren,1916)** (Cicadellidae) Synonym(s): *bergmani Tullgren,1916* AT BG CS DK FI FR DE GB MN NO PL SE SW
330. **Edwardsiana crataegi (Douglas,1876)** (Cicadellidae) Synonym(s): *crataegi Douglas,1876; australis Froggatt,1918; frogatti Baker,1925; oxyacanthae Ribaut,1925; cornuta Wagner,1947* AT BG CS DK FI FR DE GB HU NL PL RO SE SW KG KK MD UZ YU CA AU
331. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens Fabricius,1794; fratercula Edwards,1908; sororcula Ossiannilsson,1936* AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA
332. **Edwardsiana frustrator (Edwards,1908)** (Cicadellidae) Synonym(s): *frustrator Edwards,1908; solearis Ribaut,1931* CS DK FI FR DE GB NL PL SE SW Cc GG UA CA
333. **Edwardsiana geometrica (Schrank,1801)** (Cicadellidae) Synonym(s): *marginata Scopoli,1763 (praeooc.); marginella Gmelin,1790 (praeooc.); geometrica Schrank,1801; lineatella Fallén,1806; plagiata Hardy,1850* AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA
334. **Edwardsiana kemneri (Ossiannilsson,1942)** (Cicadellidae) Synonym(s): *kemneri Ossiannilsson,1942* CY CS MN RO SE
335. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi Edwards,1881; chromata Rey,1894; plurispinosa Wagner,1935* DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU
336. **Edwardsiana nigriloba (Edwards,1924)** (Cicadellidae) Synonym(s): *nigriloba Edwards,1924* BE BG CS FR DE GB PL SE
337. **Edwardsiana plebeja (Edwards,1914)** (Cicadellidae) Synonym(s): *plebeja Edwards,1914; divergens Ribaut,1931; orientalis Zachvatkin,1949* AT BG CS DK FI FR DE GB PL SE SW KG RU UZ YU
338. **Edwardsiana prunicola (Edwards,1914)** (Cicadellidae) Synonym(s): *prunicola Edwards,1914; barbata Ribaut,1931* AT BG CS DK FI FR DE GB HU IT? NL PL RO SE SW MD RU YU CA

339. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 AT BE BG CY CS DK FI FR DE GB HU IE IT SI JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU
340. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885 AT CS DK FI FR DE GB HU IR TR MN NL PL RO SE SW KG RU At
341. **Edwardsiana sociabilis (Ossiannilsson,1936)** (Cicadellidae) Synonym(s): *sociabilis* Ossiannilsson,1936 CS FI DE PL SE Cc GG
342. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa* Edwards,1914 CS DK FR DE GB NL PL SE TR RU At
343. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
344. **Elachertus pilosiscuta Boucek,1971** (Eulophidae) Synonym(s): *pilosiscuta* Boucek,1971 BG CZ DE RU SK SE GB YU
345. **Elachertus pulcher (Erdős,1961)** (Eulophidae) Synonym(s): *pulcher* Erdős,1961 TR AT AZ Cc HV CZ FR GG DE HU Md MD RU Us SK SE TW TM YE YU
346. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhipicerus* Förster,1841; *giraudi* Ferrière,1947 TR AT B-H HV CZ FR DE GR HU IT Si LB MD MA NL PT RO RU SK ES SE GB YU
347. **Elasmus nudus (Nees,1834)** (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU
348. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
349. **Elasmus unicolor (Rondani,1877)** (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947 TR Cc BG CZ DE HU IT MD SK ES SE
350. **Elasmus westwoodi Giraud,1856** (Eulophidae) Synonym(s): *westwoodi* Giraud,1856 AT FI DE GR FR HU IT MD KG ES SE CH TR RU
351. **Elater ferrugineus Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA
352. **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU
353. **Embolemus ruddii Westwood,1833** (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *rufescens* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906 ES FR BE NL NO SE FI DK DE CZ SK CH AT IT HU SS Si Sa EE LT GB BG
354. **Empis (s.str.) acinerea Chavala,1985** (Empididae) Synonym(s): *acinerea* Chavala,1985 TR CZ DK FI DE NL SK SE CH RU
355. **Empis (s.str.) caudatula Loew,1867** (Empididae) Synonym(s): *caudatula* Loew,1867 TR AT CZ DK FR DE GB HU LT NL NO PL SK SL SE CH
356. **Empis (s.str.) nigripes Fabricius,1794** (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obsurella* Zetterstedt,1842 TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU
357. **Empoasca solani (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU
358. **Empoasca vitis (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU
359. **Encarsia leucaspidis (Mercet,1912)** (Aphelinidae) Synonym(s): *leucaspidis* Mercet,1912; *coniferarum* Ghesquière,1948 ES SE TR
360. **Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884 AT AZ Cc B-H GB BG DK FI DE HU IR IE IT LT NO RU SS ES SE TR
361. **Enochrus (s.str.) melanocephalus (Olivier,1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792 DZ AT B-H GB HV DK EE FI FR DE HU IE IL Pa IT LT NL NO PL PT RU ES SE CH YU TR
362. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944 TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
363. **Entedon calcicola Graham,1971** (Eulophidae) Synonym(s): *calcicola* Graham,1971 TR DE SK SE GB YU
364. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdős,1961; *fructicola* Gumowsky,1996 TR BG Cn HV FR DE HU NL ES SE UA GB YU

365. **Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdős,1951 **TR BG HU MN RU ES SE GB**
366. **Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna* Walker,1839; *elongatus* Thomson,1878; *aselli* Erdős,1954 **TR BG CZ HU NL NO RU SK SE GB**
367. **Entedon leucopus Dalman,1820** (Eulophidae) Synonym(s): *leucopus* Dalman,1820 **SE**
368. **Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdős,1944; *longus* Boucek,1968 **TR BG DE HU IL Pa SE GB**
369. **Entedon pallicrus Erdős,1944** (Eulophidae) Synonym(s): *pallicrus* Erdős,1944 **TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ**
370. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878 **TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU**
371. **Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni* Erdős,1944; *molybdaenus* Erdős,1944; *urticarii* Erdős,1951; *meliloti* Askew,1992 **TR BG CZ FR DE HU NL RU SK ES SE UA GB**
372. **Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923 **AT BE CZ DK GB FI FR DE IT NL NO PL RO SE ES CH RU YU IR TR**
373. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (*praeocc.*); *lepidus* Boheman,1847; *tristis* Boheman,1847 **Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU**
374. **Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): *cyanella* Meigen,1826 **CZ SE GR UA TR**
375. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865 **ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU**
376. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943 **AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU**
377. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
378. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 **AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU**
379. **Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petastitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939 **AL DZ AT BE BG CS DK FI DE GB HU IT NL PL RO ES SE SW TR AM GG Cc LV RU MD YU**
380. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 **AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU**
381. **Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *upsilon* Cerutti,1939 **AT BG CS FI DE HU PL RO SE SW KG**
382. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 **AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA**
383. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 **AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU**
384. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 **DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU**
385. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 **AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU**
386. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 **AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU**
387. **Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936 **CY TR FI FR DE NL SE**
388. **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
389. **Eurytoma arctica Thomson,1875** (Eurytomidae) Synonym(s): *arctica* Thomson,1875 **IR AT BE HV CZ DE FI DE HU NO PL RU SK SE CH GB**

390. **Eurytoma blastophagi Hedqvist,1963** (Eurytomidae) Synonym(s): *blastophagi Hedqvist,1963* IR Ak DE NO CN RU SE
391. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris Ratzeburg,1852* IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB
392. **Eurytoma curculionum Mayr,1878** (Eurytomidae) Synonym(s): *curculionum Mayr,1878* TR AT B-H FR DE HU IN IT IR MK MA NO SE FI GB RU YU
393. **Eurytoma curta Walker,1832** (Eurytomidae) Synonym(s): *curta Walker,1832* TR AT FR DE HU MD NL SE GB
394. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio Boheman,1836* IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE
395. **Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta Mayr,1878* TR AT BG CZ DK FR DE GR HU IT MD NL RO SK ES SE CH GB RU YU IR Ab Oru
396. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
397. **Eurytoma serratulae (Fabricius,1798)** (Eurytomidae) Synonym(s): *serratulae Fabricius,1798; tristis Mayr,1878* TR AT BG CZ FR DE HU IT MD MA NL SE GB RU
398. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
399. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus Kirschbaum,1858* AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
400. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreatea Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
401. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929* AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
402. **Exechia separata Lundström,1912** (Mycetophilidae) Synonym(s): *separata Lundström,1912* DE EE FR FI NL GB SE LT HU PL RU Sb DZ TR
403. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta Herrich-Schäffer,1838; opaca Edwards,1888; inquinata Ribaut,1936* AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
404. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma Flor,1861; albofimbriata Fieber,1866; albolimbata Kirschbaum,1868* AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
405. **Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): *tripunctata Fallén,1823* SE FI RU CA DK PT TR
406. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger Marsham,1802* AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR TM
407. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius Linnaeus,1758* AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH UA CA
408. **Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma Fabricius,1793* TR IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
409. **Glyphomerus tibialis Förster,1856** (Torymidae) Synonym(s): *tibialis Förster,1856* AT HV CZ FI FR DE GR JO MK MD MN NL SK ES SE Cc GB RU YU TR
410. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis Fallén,1806; punctifrons Germar,1821* AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV MD RU Sb UA YU
411. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm,1835; nigritarsis Sahlberg,1882; hopffgarteni Schilsky,1892; pervasus Gozis,1914; narentinus Zimmermann,1915* AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG TR
412. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi Scott,1870; consanguinea Scott,1873; tschikoica Kusnezov,1929; bicolor Lindberg,1948; rubricarina Mitjaev,1967* CY CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
413. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus,1758; talpa Olivier,1791; vulgaris Latreille,1804* TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE

414. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis Czerny,1924* AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
415. **Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes Olivier,1791; armata Panzer,1801; bispinosa Fabricius,1804; quadriens Kieffer,1905* AT Cc HV CZ SK ZR FR DE HU IT Si KG NL MD RO RU ES SE GB YU TR
416. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis Germar,1821; badiellus Kirschbaum,1868; fulvopieta Sahlberg,1871; confusa Rey,1894* AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
417. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
418. **Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus Fabricius,1775; affinis Schrank,1781; bifoveolatus Kuster,1846; paganettii Flach,1907* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
419. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904* PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
420. **Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda Kirschbaum,1868; fasciaticollis Rey,1891; ecbalii Linnavuori,1962* AT BG CY CS FR DE IL IT PL RO SE ES SW Cc AM TR
421. **Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758* TR Cc GG ES DE DK GB SE FI RU IR
422. **Helophorus arvernicus Mulsant,1846** (Helophoridae) Synonym(s): *arvernicus Mulsant,1846* DK FI SE NO RU ES IT AT FR GB TR
423. **Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis Bedel,1881* TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
424. **Helophorus croaticus Kuwert,1886** (Helophoridae) Synonym(s): *croaticus Kuwert,1886* BE SE FI DE RU TR
425. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis Marsham,1802* GB FR DE AT UA Cc SE GB TR
426. **Helophorus flavipes Fabricius,1792** (Helophoridae) Synonym(s): *flavipes Fabricius,1792* SE GB RU TR
427. **Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis Motschoulsky,1860* TR DZ GB DK FR DE IT MA PT ES SE TN
428. **Helophorus glacialis Villa,1883** (Helophoridae) Synonym(s): *glacialis Villa,1883* Cc SE FI DK ES TR
429. **Helophorus griseus Herbst,1793** (Helophoridae) Synonym(s): *griseus Herbst,1793* GB FR ES SE FI DK Cc TR
430. **Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854* DK SE FI RU ES Cc LB IL Pa IR TR
431. **Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864* DZ GB FR ES RU SE DE GR TR KG
432. **Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus Fabricius,1775* SE DK FI RU DZ TR
433. **Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus Fabricius,1776* RU SE FI IT ES DK IR TR
434. **Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus Mulsant,1844* DK GB SE RU IT TR GR
435. **Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis Kuwert,1887* DZ GB DK FR DE IT MA NL PT RU ES SE TN TR
436. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus Linnaeus,1758; denigrata Linnaeus,1767; hirsuta Villers,1789; daemon Panzer,1797; bifasciata Meigen,1804; relata Walker,1852; uncinus Loew,1869; flavotomentosa Paramonov,1927* AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
437. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio Linnaeus,1758; semiatra Meigen,1820; morioides Say,1823* IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
438. **Hercostomus nanus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus Macquart,1827; minimus Zetterstedt,1849; angustus Loew,1857* SE BG TR UA MD
439. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata Fallén,1806 (praeocc.); domino Reuter,1880; hyomelas Csiki,1940; falleni Metcalf,1955* AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
440. **Hirticomus hispidus (Rossi,1792)** (Anthicidae) Synonym(s): *hispidus Rossi,1792* Cn DZ LT SE RU AF KG Sb TR

441. **Hockeria bifasciata Walker, 1834** (Chalcididae) Synonym(s): *bifasciata* Walker, 1834; *albomaculatus* Lucas, 1849; *maculipennis* Steffani, 1887; *modesta* Silvestri, 1907; *erdoesi* Boucek, 1952; *nipponica* Habu, 1960 **DZ AT Cn HV CZ SK FR GR HU IT Si LB SS ES SE YU TR JP**
442. **Hockeria unicolor Walker, 1834** (Chalcididae) Synonym(s): *unicolor* Walker, 1834; *pachycera* Förster, 1859 **DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR**
443. **Homalocephala albitarsis Zetterstedt, 1838** (Ulidiidae) Synonym(s): *albitarsis* Zetterstedt, 1838; *diopsides* Walker, 1849; *costalis* Walker, 1849 **CA On DE PL RU SE Am Us Sb Sh FI NO IT**
444. **Hoplitis (Alcidamea) mitis (Nylander, 1852)** (Megachilidae) Synonym(s): *mitis* Nylander, 1852; *montivaga* Morawitz, 1872 **AT AM Cc BE CH CZ ES FR FI GR HU IT PL RU SE SK S KG MN**
445. **Hydrobius arcticus Kuwert, 1890** (Hydrophilidae) Synonym(s): *arcticus* Kuwert, 1890 **FI NO RU SE TR**
446. **Hydrochara caraboides (Linnaeus, 1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus, 1758 **AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU**
447. **Hydrochus brevis (Herbst, 1793)** (Hydrochidae) Synonym(s): *brevis* Herbst, 1793 **TR AT BE GB CZ DK EE FI FR DE HU? IT LT NL NO PL RU SE CH**
448. **Hydrochus elongatus (Schaller, 1783)** (Hydrochidae) Synonym(s): *elongatus* Schaller, 1783; *cicindeloides* Marsham, 1802; *crenulatus* Motschoulsky, 1860; *sibiricus* Motschoulsky, 1860 **TR AT BE BY CZ DK FR GB DE HU IT LT PL RU Sb Us SK SE CH**
449. **Hydrochus ignicollis (Motschoulsky, 1860)** (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky, 1860 **AT BE GB CZ DK EE FI DE HU LT NO PL RU SE TR Cc**
450. **Hydrochus megaphallus Berge Henegouwen, 1988** (Hydrochidae) Synonym(s): *megaphallus* Berge Henegouwen, 1988 **TR NL GB AT BE BY CZ DK EE FI DE NO PL RO SE**
451. **Hydromya dorsalis (Fabricius, 1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius, 1775 **ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR**
452. **Iassus lanio (Linnaeus, 1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus, 1761; *brunnea* Fabricius, 1794 **AL AT BE CZ DK GB FI FR DE HU IT NL NO PL RO ES SE CH RU YU TR**
453. **Idiocerus herrichii Kirschbaum, 1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum, 1868 **AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU**
454. **Idiocerus lituratus (Fallén, 1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén, 1806; *dorsiger* Lepeletier & Audinet-Serville, 1825; *lineolatus* Lepeletier & Audinet-Serville, 1825; *maculipennis* Curtis, 1839; *rubrifrons* Rey, 1894 **AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU**
455. **Idiocerus nitidissimus (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer, 1835 **BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA**
456. **Idiocerus poecilus (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer, 1835 **AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU**
457. **Idiocerus stigmatalis Lewis, 1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis, 1834; *adustus* Herrich-Schäffer, 1837 **DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU**
458. **Idiodonus cruentatus (Panzer, 1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer, 1799; *simulans* Ribaut, 1952 **AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA**
459. **Ischnodes sanguinicollis (Panzer, 1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer, 1793 **TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY**
460. **Issus coleoptratus (Fabricius, 1781)** (Issidae) Synonym(s): *gibbosa* Goeze, 1778 (*praeocc.*); *coleoptratus* Fabricius, 1781; *pedestris* Fabricius, 1794; *maurus* Walker, 1851; *cribrellus* Rey, 1894 **DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU**
461. **Issus muscaeformis (Schrank, 1781)** (Issidae) Synonym(s): *muscaeformis* Schrank, 1781 **Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU**
462. **Jalla dumosa (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus, 1758; *nigriventris* Fieber, 1861; *anthracina* Jakovlev, 1885; *vidua* Horvath, 1917 **AF DZ AT AZ Cc BE BG CN CZ DK GB FR FI DE GR HU IR IT MA NL IL Pa PL RO RU Sb ES SE CH SY TN TR YU**
463. **Jassargus alpinus (Then, 1896)** (Cicadellidae) Synonym(s): *alpinus* Then, 1896 **AT BG CS FI FR DE IT PL RO SE MD UA**
464. **Jassargus distinguendus (Flor, 1861)** (Cicadellidae) Synonym(s): *distinguendus* Flor, 1861; *pseudocellaris* Flor, 1861; *mattiacellus* Kirschbaum, 1868; *parallelus* Fieber, 1869; *falleni* Fieber, 1869; *paleaceus* Sahlberg, 1871; *longiceps* Rey, 1894; *confinis* Rey, 1894; *kemneri* Ossiannilsson, 1935; *gallicus* Metcalf, 1955; *reji* Metcalf, 1955 **AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU**

465. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888 AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
466. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscostacea* Metcalf,1943 Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
467. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *varicollis* Rey,1894 Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
468. **Javesella salina (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *juncea* Haupt,1935 CZ DE MN PL SE TR RU At EE BG HU
469. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula* Germar,1818; *pascuorum* Ribaut,1934; *distincta* Metcalf,1943; *fulva* Metcalf,1943 AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
470. **Kelisia ribauti Wagner,1938** (Delphacidae) Synonym(s): *ribauti* Wagner,1938 Cc AF AT CY CZ DK FI FR DE GB IQ MA PL PT RO SE TR RU EE GG KG KK LV RU TJ UZ
471. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjavev,1963 BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
472. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén,1806; *viridipes* Curtis,1837 AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
473. **Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935 AT BE BG CS DK FI FR DE GB GR HU IT MN NL PL RO SE SW KG MD RU TR
474. **Labidostomis humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): *humeralis* Schneider,1792 FR SE TR RU
475. **Labidostomis tridentata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *tridentata* Linnaeus,1758; *kluczyckii* Nowicki,1872; *leithneri* Redtenbacher,1874 FR RU MN GB SE
476. **Laburris impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
477. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
478. **Lampoterma viride (Thomson,1876)** (Pteromalidae) Synonym(s): *viride* Thomson,1876 SE TR
479. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
480. **Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906 DZ TR IR Elb Mz AL AT BE CZ DK GB YU FR DE GR HU IT NO PL RO ES SE RU NL MN IN
481. **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758 IR Kh AT BE CH CZ SK DE DK ES FR GB IT NO PL RO SE FI YU RU Sb KG TR
482. **Lapposyrphus lapponicus (Zetterstedt,1838)** (Syrphidae) Synonym(s): *lapponicus* Zetterstedt,1838 SE TR
483. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
484. **Leptarthrus brevis (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804 IR Mz Elb AT AL BG CZ SK DE DK FR GB IT RO SE YU RU TR
485. **Leptogaster guttiventris Zetterstedt,1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt,1842; *cylindrica* sensu Meigen,1820 IR AT BE CZ DK GB FI FR DE HU PL RU SE CH NL
486. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915 TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
487. **Lestes barbarus (Fabricius,1798)** (Lestidae) Synonym(s): *barbarus* Fabricius,1798 TR SE CN Ui
488. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
489. **Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): *compta* Fallén,1810; *compta* Meigen,1824; *fulgeus* Meigen,1824; *heraclei* Robineau-Desvoidy,1830; *aestivalis* Robineau-Desvoidy,1830;

- borealis* Robineau-Desvoidy,1830; *longipes* Robineau-Desvoidy,1830; *oenanthis* Robineau-Desvoidy,1830; *humeralis* Robineau-Desvoidy,1863 CA US MX TR SE Cc MN GB RU Ur
490. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
491. **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849 IR Es GR BG CZ DE ES FR IT DK RO YU PL SE FI RU TN TR IL Pa
492. **Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota* Meigen,1824; *germanica* Robineau-Desvoidy,1830; *major* Schiner,1862 TR AT DE HU SE
493. **Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* Robineau-Desvoidy,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* Robineau-Desvoidy,1863; *laeta* Robineau-Desvoidy,1863; *villica* Robineau-Desvoidy,1863; *clausicella* Rondani,1865 SE GB TR Cc IL Pa MN KG RU
494. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis* Fallén,1810 HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
495. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola* Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
496. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
497. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
498. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
499. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris* Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
500. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828 AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
501. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
502. **Macropsis marginata (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda* Wagner,1950; *ossiannilssoni* Wagner,1950 AT CZ GB FR DE HU IT JP MN PL RO SE CH RU YU TR
503. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
504. **Macrosteles alpinus (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828 AT CZ GB FI FR DE IT MN NO SE CH RU TR
505. **Macrosteles cristatus (Ribaut,1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut,1927 AT BG CN CS DK FI FR DE GB HU IT MN NL NO PL RO SE SW EE KG KK LV
506. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec* Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU
507. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
508. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
509. **Macrosteles lividus (Edwards,1894)** (Cicadellidae) Synonym(s): *lividus* Edwards,1894 DK GB FI DE MN NL PL SE RU TR
510. **Macrosteles ossiannilssoni Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg,1954; *ossiannilssoni* Le Quense,1968 Cn CZ DK GB FI DE Md SE IR EG GR Cc TR
511. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
512. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
513. **Macrosteles sordidipennis (Stal,1858)** (Cicadellidae) Synonym(s): *sordidipennis* Stal,1858; *salina* Reitter,1886 AT CZ DK GB FI HU MN NL NO PL SE RU TR

514. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
515. **Macustus grisescens (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt,1828; *validinervis* Kirschbaum,1868; *cognatus* Douglas & Scott,1873 AT BG BE CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW EE Kmt KG LV RU Sb At CA
516. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
517. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
518. **Megachile (s.str.) pyrenaea Perez,1890** (Megachilidae) Synonym(s): *pyrenaea* Perez,1890 FI SE Cc TR
519. **Megadelphax sordidula (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943 DZ AT BE CZ FI FR DE HU IT MN NL PL RO SE CH TN RU TR YU
520. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
521. **Megaselia berndseni (Schmitz,1919)** (Phoridae) Synonym(s): *berndseni* Schmitz,1919 DE AT BE BG CZ DK FI FR NL GB SE CH ES IT HU PT PL AF TN TR
522. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
523. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum* Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV
524. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
525. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemanii* Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
526. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
527. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895; *piceae* Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
528. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
529. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinatum* Bigot,1884; *nigricorne* Stroble,1893 DZ US GB HU NL DE SE NO GR Cr TR
530. **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916 SE TR HV GR AM Cc RU Da AZ TM AF IR SY IL Pa JO
531. **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *serrulatus* Wiedemann,1822; *italicus* Rondani,1845; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Lioy,1864 DZ MA LY PT ES SE RU NL BE DE PL RO CZ CH IT Sa HU AT CY LB TR GR AL YU
532. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
533. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798 TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
534. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus* Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
535. **Metasyrphus corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776; *corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons* Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus* Macquart,1850; *topiarius* Walker,1851; *berber* Bigot,1884 DZ GB HU NL DE SE NO TR
536. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM

537. **Metopius (Tylopius) brevispinus Thomson, 1887** (Ichneumonidae) Synonym(s): *brevispinus Thomson, 1887* SE DE FR AT HU TR
538. **Micantulina (s.str.) micantula (Zetterstedt, 1840)** (Cicadellidae) Synonym(s): *micantula Zetterstedt, 1840; quinquepunctata Melichar, 1900; fieberi Metcalf, 1968* DZ AT CS DK FI MN NO PL SE SW GG Cc TR KG KK RU Sb At
539. **Microdntomerus annulatus (Spinola, 1808)** (Torymidae) Synonym(s): *annulatus Spinola, 1808* IR Elb Th AT BG HV CZ EG DE HU IT LY MD YU PK RO SK ES SE TR GB
540. **Microptilis cebes Nixon, 1970** (Braconidae) Synonym(s): *cebes Nixon, 1970* GR TR YU AT SE CZ TR MN
541. **Microptilis idia Nixon, 1970** (Braconidae) Synonym(s): *idia Nixon, 1970* DE SE CH TR
542. **Microptilis varipes Ruthe, 1860** (Braconidae) Synonym(s): *varipes Ruthe, 1860* Cc AZ DE FR YU TR AT PL RU MN Sb SE HU
543. **Microptilis vidua (Ruthe, 1860)** (Braconidae) Synonym(s): *vidua Ruthe, 1860* Cc AZ RU Da CY DE GR GB TR KG ES CH SE HU YU
544. **Milichia ludens Wahlberg, 1847** (Milichiidae) Synonym(s): *ludens Wahlberg, 1847; palposa Zetterstedt, 1848* SE FI RU DK DE PL SK CZHU AT IT GB GR EG
545. **Mniophila muscorum (Koch, 1803)** (Chrysomelidae) Synonym(s): *muscorum Koch, 1803* AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
546. **Mocuellus collinus (Boheman, 1850)** (Cicadellidae) Synonym(s): *collinus Boheman, 1850; aridellus Boheman, 1850; lateralis Sahlberg, 1871* AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Cc GG KG KK LV MD RU At Sb UA YU
547. **Mocydiopsis parvicauda Ribaut, 1939** (Cicadellidae) Synonym(s): *parvicauda Ribaut, 1939* AT BE BG TR CS FR DE GB IT NL SE
548. **Molobratia teutonius (Linnaeus, 1767)** (Asilidae) Synonym(s): *teutonius Linnaeus, 1767; marmoratus Geoffroy, 1785; teuton Macquart, 1834* ES FR BE NL DK DE SE PL CH IT SK SS HU B-H RO YU BG GR RU TR IR Es
549. **Monodontomerus aeneus (Fonscolombe, 1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe, 1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
550. **Monodontomerus obscurus Westwood, 1833** (Torymidae) Synonym(s): *obscurus Westwood, 1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
551. **Mosillus subsultans (Fabricius, 1794)** (Ephydriidae) Synonym(s): *subsultans Fabricius, 1794* AM Cc GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
552. **Muirodelphax aubei (Perris, 1857)** (Delphacidae) Synonym(s): *aubei Perris, 1857; cognata Fieber, 1866; protrusa Fieber, 1866; obsoleta Kirschbaum, 1868; obscurinervis Kirschbaum, 1868; altaicus Vilbaste, 1965* Cc AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
553. **Muscidifurax raptor Girault & Sanders, 1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders, 1910; perplexa Hedqvist, 1973* AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
554. **Muscina levida (Harris, 1780)** (Muscidae) Synonym(s): *levida Harris, 1780* DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Cc GG CN JP KG KK MN UZ Sb TJ Az Md Cn
555. **Mutilla europaea Linnaeus, 1758** (Mutillidae) Synonym(s): *europaea Linnaeus, 1758* TR RU Ur Sb KG SE FI ES DZ
556. **Mycomya (Cymomya) circumdata (Staeger, 1840)** (Mycetophilidae) Synonym(s): *circumdata Staeger, 1840* ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
557. **Myopa variegata Meigen, 1804** (Conopidae) Synonym(s): *variegata Meigen, 1804* FR BE NL DE DK PL CZ SK HU RO AT CH IT SE TR
558. **Myrmica schencki Viereck, 1903** (Formicidae) Synonym(s): *schencki Viereck, 1903; kutteri Finzi, 1926; obscura Finzi, 1926; subopaca Arnoldi, 1934* SE DK ES FR CH CZ BG TR GG Cc KK KG
559. **Myrmosa atra Panzer, 1801** (Mutillidae) Synonym(s): *melanocephala Fabricius, 1793 (praeooc.); atra Panzer, 1801; nigra Latreille, 1809, bicolor Baer, 1848; melanaria Blanchard, 1849; #rufomaculata Hoffer, 1938; erythrocephala Yarrow, 1954* SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
560. **Nemoura cinerea (Retzius, 1783)** (Nemouridae) Synonym(s): *cinerea Retzius, 1783; variegata Olivier, 1811; affinis Stephens, 1836; pallida Stephens, 1836; annulata Stephens, 1836; macrophthalma Pictet, 1836; pallipes Burmeister, 1839; lunata Rambur, 1842; castanea Kempny, 1898; lobuata Navas, 1918; bureschi Navas, 1929; caucasica Balinsky, 1950; turcica Zwick, 1972; iberica Zwick, 1972* PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
561. **Neoitamus cyanurus (Loew, 1849)** (Asilidae) Synonym(s): *tipuloides Harris, 1776; niger De Geer, 1776; aestivus Schrank, 1781; tabidus Meigen, 1820; cyanurus Loew, 1849* IR Mz Elb AT BE BG CZ DK FI FR DE GR HU IT IE PL RO RU SE CH NL TR TW
562. **Neophilaenus campestris (Fallén, 1805)** (Cercopidae) Synonym(s): *campestris Fallén, 1805; parvula Vismara, 1877; fasciatus Ferrari, 1882; obsoletus Ferrari, 1882; bimaculata Rey, 1894;*

- brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
563. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
564. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
565. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
566. **Netelia (s.str.) fuscicornis (Holmgren,1860)** (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888 ES PT FR GB BE NL DE SE FI CH AT IT CZ SK PL HU YU RO RU BG GR TR
567. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
568. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
569. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
570. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarum* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
571. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
572. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
573. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
574. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
575. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
576. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
577. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
578. **Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863 AZ AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR CI KG NL
579. **Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829 AZ AM Cc AT BE B-H BG HV CZ DK FR GB GG GR HU IT LS MK MD NO PL PT RU SK SL ES SE CH TR NL
580. **Nycteribia (s.str.) kolenatii Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *kolenatii* Theodor & Moscona,1954 IE GN DK NO SE FI NL PT FR IT AT CH DE PL CZ HU RO MK TR EE
581. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG
582. **Odinia boletina (Zetterstedt,1848)** (Odiniidae) Synonym(s): *boletina* Zetterstedt,1848 SE BG
583. **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846 SE PL DE ES IT GR RU TR IL IR AF CN MA DZ EG TM Sb TJ KK KG Kmt Sh Krl

584. **Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846 **SE ES IT BG LT TR SY IL Pa RU Mo**
585. **Ommatidiotus dissimilis (Fallén,1806)** (Calisclidae) Synonym(s): *dissimilis* Fallén,1806 **AT BE CZ DK FR DE HU IT MN NL PL RO SE CH RU TR**
586. **Omocestus (s.str.) rufipes (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852 **SE NO GB ES FR DE NL BE DK AT HU CZ SK IT PL Sa TR YU B-H HV YU RO BG RU Sb KG**
587. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schrank,1776 (*praecoc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868 **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU**
588. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscula* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944 **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
589. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870 **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
590. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833 **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
591. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792 **AL AT BE B-H BG HV CZ DK EN FI FR GB DE GR HU IT LA LS LT MD NO PL RO SK SL ES SE CH TR MA KG TJ NL UZ JP**
592. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
593. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781; *flavicans* Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 **TR DE BG CZ FR SE CH HU UA**
594. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
595. **Orthops basalis (Costa,1852)** (Miridae) Synonym(s): *basalis* Costa,1852 **TR IT FR AT YU CZ SE**
596. **Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859 **BG GR IT IL Pa TR DZ AT HV FR GB HU MK PL ES SE TN YU**
597. **Oscinella frit (Linnaeus,1758)** (Chloropidae) Synonym(s): *frit* Linnaeus,1758 **GB NL DE SE AU**
598. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
599. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR**
600. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 **AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US**
601. **Osmia (Melanosmia) laticeps Thomson,1872** (Megachilidae) Synonym(s): *laticeps* Thomson,1872; *hyperborea* Tkalcu,1983 **DE FI LT RU SE**
602. **Osmia (Melanosmia) maritima Friese,1885** (Megachilidae) Synonym(s): *maritima* Friese,1885 **DE DK FI NO NL PL RU SE MN**
603. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 **AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US**
604. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SK S UA Cc TR**
605. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 **AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN**
606. **Osmia (Melanosmia) svenssoni Tkalcu,1983** (Megachilidae) Synonym(s): *svenssoni* Tkalcu,1983 **FR SE**
607. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 **AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA**
608. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841;

- fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SKS UA CN UI
609. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
610. **Ossiannilssonola callosa (Then,1886)** (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914 AT BE BG CS DK FR DE GB NL PL RO SE YU
611. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869 SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA
612. **Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadina* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbacek,1945; *armata* Vaillant,1950 DE AL AT BE CZ AM Cc GG FR NL GB IE ES SE CH IT HU PL RO RU SK YU TR
613. **Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923 DE AT BE CZ DK SE GB EE FR IE CH LT HU PL RO SK TR
614. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
615. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 SE PT ES BG UA Cc GG TR IL
616. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA
617. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *alahani* Kalkandelen,1972 DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU
618. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU
619. **Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817 ES DE AT SE SS YU TR GB DK RU IR
620. **Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU
621. **Paralimnus rotundiceps (Lethierry,1885)** (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885 AT BE FI FR HU IT NO RO SE SW Cc GG RU? YU
622. **Parallelloma albipes (Fallén,1819)** (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* Robineau-Desvoidy,1830; *fulva* Robineau-Desvoidy,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909 AD AT BE BG CZ DK EE FI FR DE GB HU IE IT LT MN NL NO PL RO RU Ur Sb SK ES SE CH
623. **Parallelloma fuscipes (Zetterstedt,1838)** (Scathophagidae) Synonym(s): *fuscipes* Zetterstedt,1838; *dispar* Zetterstedt,1846; *fuscitibia* Rondani,1867 SE IT AT CH FI FR NO PL RU Ur Us
624. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA
625. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR
626. **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* Robineau-Desvoidy,1851; *rumicis* Hardy,1854; *jynx* Séguy,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941 AD AT BG Co Cr CY CZ DK NL BE GB IE FI DE HU GR IT LT Md NO PL RO RU Si SK ES SE CH MA DZ TN SY IL Pa KP KR JP Hkk CN
627. **Pegomya conformis (Fallén,1825)** (Anthomyiidae) Synonym(s): *conformis* Fallén,1825; *egens* Meigen,1826; *esuriens* Meigen,1826; *mimula* Zetterstedt,1845; *chenopodii* Rondani,1866; *rogenhoferi* Strobl,1880 NL BE DK DE SE
628. **Pegomya cunicularia (Rondani,1866)** (Anthomyiidae) Synonym(s): *cunicularia* Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922 Cn CZ FI HU IT GR NO MT RU SE DZ
629. **Pegomya testacea (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776 SE NO FI GB DK DE BE NL PL CZ HU FR ES IT BG GR Cr TR
630. **Peleteria rubescens Robineau-Desvoidy,1830** (Tachinidae) Synonym(s): *rubescens* Robineau-Desvoidy,1830; *nigricornis* Meigen,1838; *pulverulanata* Robineau-Desvoidy,1863 GB ES FR PT FI SE PL DE BG TR UZ MN IL Pa
631. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU

632. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH
TR UA IR IL Pa SA SY
633. **Phanerotoma dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805;
minor Snoflak,1951 AT BE CZ GB GR IT NL PL ES SE Cc AZ DE
634. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT
BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
635. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824
PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co
Sa Si Cr
636. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824
FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
637. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera*
Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
638. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES
FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
639. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s):
subcoleoprata Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
640. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius*
Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL
DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY?
TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
641. **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens*
Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923;
marinus Becker,1923; *orientalis* Esipenko,1969 IR Kd AL AT AZ Cc BE B-H HV CY CZ DE RU Sb Us FI FR
DE GR HU IE IL Pa IT MT MN NO PL PT RO SK SS ES SE CH NL TR GB
642. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus*
Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857 NO SE FI
RU EE PL DK DE CZ SK HU RO BG GR MK AL HV B-H YU SS AT CH IT Si BE FR ES PT GB IE
643. **Phrosia albilabris (Fabricius,1805)** (Scathophagidae) Synonym(s): *albilabris*
Fabricius,1805; *scirpi* Robineau-Desvoidy,1830; *albofasciata* Gimmerthal,1846 AZ Cc Len B-H IT YU AT
DZ BE CZ DK EE FI FR DE HU LT NL PL RO RU SK SE CH
644. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846;
convergens Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK
MD PL PT RO RU Sb SK SS ES SE CH UA YU
645. **Phthiria pulicaria (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra*
Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909 AM AZ Cc GG TR AT
BY BE DK EE FI FR DE GR HU IR IE IT KG KK LT MD MN MA NL NO PL RO RU Sb SK SE CH TJ ES TM UZ
GB
646. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952
ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
647. **Physocephala nigra (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776 GB FR
BE NL DE DK SE FI PL CZ AT HU IT TR
648. **Physocephala rufipes (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781
ES FR GB BE NL DE DK SE EE PL CZ SK AT CH HU IT Si RO BG TR
649. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758;
bilobus Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN
CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
650. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum*
Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata*
Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO
SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP
KR MN TW
651. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804;
collaris Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862;
declivis Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO
Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
652. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica*
Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES
FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM
TJ KG KK UZ CN Ui MN
653. **Pithyotettix abietinus (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806;
proteus Herrich-Schäfer,1834; *pinastri* Fieber,1885 DZ AT BE BG CS DK FI FR DE HU IT NL NO PL RO ES
SE SW EE LV RU Sb YU
654. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus*
Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL
NO PL RO SE SW MD RU Sb At UA TR

655. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919 SE FI DK GB NL BE FR ES DE PL CZ SK CH AT HU RO SS B-H YU BG TR SY RU IR MA TN CN Hun
656. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU
657. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962 AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
658. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
659. **Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchi* Gusenleitner,1976 IT FR BE DK CZ DZ YU TR Cc RU Sb Ur KG JP GB DK SE UZ Br AF IR AM Cc IL Pa JO CA AU
660. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758 AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
661. **Populicerus albicans (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914 AT CZ DK GB FR DE HU IT NL PL ES SE RU YU TR
662. **Procraerus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835 TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
663. **Protapanteles anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973 TR DE GB SE BG MN IT HU FI NL CH CZ
664. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914 AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
665. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
666. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925 AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
667. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925 AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA
668. **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937 AT BG CS FI DE HU NL NO PL RO SE LV RU Sb
669. **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU
670. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
671. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839 FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT
672. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798 TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
673. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758 PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
674. **Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis* Mayr,1874 IR Ak AT CZ MN RO SE UA GB
675. **Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris* Boheman,1834; *parellinus* Boheman,1834 DE SE CZ UA TR IR Ab Oru
676. **Pseudotorymus stachidis (Mayr,1874)** (Torymidae) Synonym(s): *stachidis* Mayr,1874 IR Fa AT HU SE
677. **Psilocephala imberbis (Fallén,1814)** (Therevidae) Synonym(s): *imberbis* Fallén,1814 SE FI
678. **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785 SE DK DE Cn GR IT PT ES NL TR TN
679. **Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hyoscyami* Linnaeus,1758 TR JP SE

680. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
681. **Rabdophaga albipennis (Loew,1850)** (Cecidomyiidae) Synonym(s): *albipennis* Loew,1850 GB NL DE CZ PL EE SE HU RO
682. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex* Kieffer,1891 PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
683. **Rabdophaga degeerii (Bremi,1847)** (Cecidomyiidae) Synonym(s): *degeerii* Bremi,1847 GB CH DE CZ HU SE
684. **Rabdophaga dubiosa Kieffer,1913** (Cecidomyiidae) Synonym(s): *dubia* Kieffer,1892; *dubiosa* Kieffer,1913 GB DE NL CZ FR PL HU RO SE FI EE
685. **Rabdophaga gemmicola (Kieffer,1896)** (Cecidomyiidae) Synonym(s): *gemmicola* Kieffer,1896 FR GB BE NL DE CZ HU RO RU SE FI EE
686. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850 ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
687. **Rabdophaga iteobia (Kieffer,1890)** (Cecidomyiidae) Synonym(s): *iteobia* Kieffer,1890 GB FR CH AT CZ DE PL HU YU RO RU SE FI EE
688. **Rabdophaga jaapi Rübssaamen,1916** (Cecidomyiidae) Synonym(s): *jaapi* Rübssaamen,1916 GB NL DE DK SE EE RU RO BG
689. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891; *rosariella* Kieffer,1896 FR GB DE AT CZ YU RO UA RU EE SE
690. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
691. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803 PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
692. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
693. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850 ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
694. **Rabdophaga viminalis (Westwood,1847)** (Cecidomyiidae) Synonym(s): *viminalis* Westwood,1847 GB NL DE SE
695. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA YU
696. **Rhacognathus punctatus (Linnaeus,1758)** (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785 AF AL AT BE BG CN CZ DK GB FI FR DE GR HU IT JP KP KR MN NL RU Sb SE ES YU
697. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH UA MA SY IR TM
698. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764 TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
699. **Rhynchites coeruleus (De Geer,1775)** (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliaria* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930 DE BG DK FR SE GB IR Cc TR JP RU Sb Us
700. **Rhyarochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778 GB SE Cc RU TR IR CN Ui
701. **Rhyarochromus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775 DK GB SE NO Cc TR
702. **Rhyarochromus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798 GB SE Cc CN Ui TR
703. **Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931 TR BG FR GB IT PT SE AZ Cc
704. **Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947 AT BE CS DK FR DE GB HU IR IE IL IT Sa Si NL NO PL PT SE SW TR AZ GG Cc RU YU AU CA
705. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
706. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
707. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG

708. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
709. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *nalis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *nalis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
710. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
711. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
712. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
713. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
714. **Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849 ES IT BG RU Cc TR IL Pa MN YU AT SE TJ
715. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR Cr
716. **Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794 DZ AT B-H CZ DK EE FI FR DE GB HU IE IL Pa IT LB Bei NL NO PL RU Ur Sb YU SK SS ES SE CH TN TR
717. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
718. **Scleroracus corniculus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA
719. **Scleroracus transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
720. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
721. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
722. **Sepsis fulgens Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826 SE FI NO RU Us AF TR
723. **Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925 TR AT DE DK SE NO FI GB FR PL HU AL GR Cr RU Sb Us MN JP Hkk TN DZ
724. **Sepsis violacea Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926 TN AT DE DK SE NO FI HU PL RU Sb Us MN JP PK TR IR Kh
725. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
726. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
727. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
728. **Spallanzania hebes (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820 SE TR
729. **Speudotetix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
730. **Spilogona dispar (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823 SE DE PL CZ SK CH AT HU TR Cc

731. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894 **DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU**
732. **Sterictiphora angelicae (Panzer,1799)** (Argidae) Synonym(s): *angelicae* Panzer,1799; *melanocephalus* Panzer,1799; *taraxaci* Panzer,1806; *villersi* Leach,1817; *henschi* Konow,1907 **ES FR GB DE SE SK HU AT IT AL Co**
733. **Sterictiphora geminata (Gmelin,1790)** (Argidae) Synonym(s): *geminata* Gmelin,1790; *costata* Fallén,1808; *pallipes* Leach,1817 **ES FR GB IE NO SE FI PL DK DE CZ SK HU CH AT IT B-H RO TR**
734. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata* Fabricius,1787 (*praecoc.*); *picturatus* Sahlberg,1842 **AL AT CN Uj CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU**
735. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943 **Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA**
736. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758 **ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG**
737. **Stratiomys singularior (Harris,[1776])** (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863 **GB DE SE NO RU Sb Us KG IR MN CN**
738. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968 **AT BE BG CN Mc CS DK FI FR DE GB HU IE IT SI JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU**
739. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876 **TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd It Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU**
740. **Sycophila flavicollis (Walker,1834)** (Eurytomidae) Synonym(s): *flavicollis* Walker,1834 **IR Kd Cc BG HV CZ DE HU NL PL RO SK ES SE GB YU**
741. **Sycophila submutica (Thomson,1876)** (Eurytomidae) Synonym(s): *submutica* Thomson,1876 **TR IR AD AT BE B-H BG HV CZ DK FI FR DE HU GR IQ KG MD NL MK RO YU SE ES CH GB**
742. **Sycophila variegata (Curtis,1831)** (Eurytomidae) Synonym(s): *variegata* Curtis,1831 **TR IR Lo Ak BG HV CZ FR HU IQ IT KP KR JP CN RO SK SE GB**
743. **Sympherta fuscicornis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790 **NL DE SE PL RU TR**
744. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916 **TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE UJ**
745. **Sympiesis euspilapterygis (Erdös,1958)** (Eulophidae) Synonym(s): *euspilapterygis* Erdös,1958 **TR AT BG CZ DE HU PL SE YU**
746. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1913; *fulvipes* Györfi,1941 **TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU**
747. **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787 **AT BE CZ DE DK ES FR Co GB IE NO NL PL RO SE CH YU RU Sb Us TR IL Pa SA MN MA DZ EG Az Md Cn**
748. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893 **PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR**
749. **Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829 **SE FI GB DE FR IT BG TR**
750. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798 **AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ**
751. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767 **PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR**
752. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 **TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US**
753. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis* Walker,1832 **IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB**
754. **Tachina (Eudromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761 **TR Cc SE GB Cc IL Pa MN JP DZ PL DE RU TJ Pm**

755. **Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* Robineau-Desvoidy; *satanas* Zimin,1935 **ES FR DE SE Cc CZ BG TR IL Pa SY LB MN JP**
756. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931 **AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU**
757. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812 **AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ**
758. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 **GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR**
759. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 **GB SE DE BE NL PL BY UA Cc KG CH AT HU TR**
760. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea* Loew,1856 **TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU**
761. **Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907 **Az Cn ES FR TN GB SE IT BG GR Cr**
762. **Tettigonia caudata (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940 **DE AT IT CZ HU RO TR Cc IR KK RU Sb FR ES SE**
763. **Tettigonia viridissima (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937 **DZ GB FR DE IT Sa SE EE LT BY RU HV B-H YU AL BG RO HU Cc AZ AM GG IR KG MN TR**
764. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917 **AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU**
765. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830 **ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT**
766. **Thereva unica (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *bipunctata* Meigen,1820 **TR AT BE CH CZ DE DK ES FR GB GR HU PT PL SE FI RO RU Sb**
767. **Thereva valida (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854 **TR AT BE CH CZ DE DK FR GB HU IT LX NO NL PL RO SE FI RU**
768. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990 **AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR**
769. **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848 **IR Kh AT AZ Cc BE B-H BG HV CZ DK FI FR DE HU IT NO PL RO RU SK SS SE CH NL GB TR**
770. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 **IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US**
771. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 **AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU**
772. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum* Schrank,1781 **IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB**
773. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833 **IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB**
774. **Torymus lapsanae (Hoffmeyer,1930)** (Torymidae) Synonym(s): *lapsanae* Hoffmeyer,1930 **IR Fa Elb Th HU FR UA SE**
775. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus* Walker,1833; *pallidicornis* Boheman,1834; *nanulus* Walker,1874 **CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon**
776. **Torymus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841 **AT AZ Cc BE BG Cc HV CZ DK FR DE HU IT KG KK MD NL PL RO RU Sh Kmt SK ES SE CH TR YU B-H MK**
777. **Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusus* Erichson,1837 **AL AT BE B-H BG HV CZ DK EN FA FR GB DE HU IC IE IT LA MK NO PL PT RO SK SL ES SE CH TR DZ MA MR TN NL**
778. **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781 **AZ AL Am Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ**

779. **Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874 AT BE BG CZ DK GB FI FR DE HU IQ IT MA NO PL SE CH TN RU YU GR IR TR
780. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa Kk
781. **Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881 AT BE MM CN CZ DK GB FI FR DE GR HU IN ID Ja IT KP KR NL NO PL RU Sb SE CH
782. **Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata* Fuesslin,1775 TR GB SE KG RU CN IN DZ IR
783. **Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavinervis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908 DZ BE BG CN CS DK FI FR DE GB HU IE IT MN NL PL RO SE SW Cc AM EE KG LV MD RU Sb At
784. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
785. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
786. **Ula (s.str.) mollissima Haliday,1833** (Pedicidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
787. **Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758 BE GB SE TR Cc MN IR IN Ch Kk Kg CN KP KR JP Hkk Hw AU NZ RU Ur Sb Us Am Sh Krl
788. **Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
789. **Villa longicornis Lyneborg,1965** (Bombyliidae) Synonym(s): *longicornis* Lyneborg,1965 DK FI FR HU NO SE
790. **Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820 AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
791. **Villa venusta (Meigen,1820)** (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifer* Dufour,1833; *dolosa* Jaenicke,1867; *turbidus* Loew,1869 IT Si Cc AM AT AZ GG B-H CN HV FR HU MN RO SS ES SE CH TJ TM YU
792. **Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes* Fabricius,1798 AT BE CZ GR HU PL SK SE TR YU
793. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777 AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
794. **Zaira cinerea (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea* Fallén,1810 TR SE JP
795. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851 AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN MM ID Ja Sum Bor IR BG YU US
796. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG Kk LV MD RU UA UZ YU
797. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785 AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG Kk LV MD RU UA UZ YU
798. **Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936; *pandellei* Ribaut,1936; *variegata* Ribaut,1936 AT CY CS DK FI FR DE GB MN NL NO PL PT RO SE SW KG YU TR
799. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata* Lethierry,1869 AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
800. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis* Rey,1891; *rhamnocola* Horvath,1903; *fulguralis* Matsumura,1908; *concinna* Edwards,1924; *inconstans* Ribaut,1936 AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
801. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae* Fallén,1806 AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
802. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula* Boheman,1845 AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU

Synonymic and distributional list of the pterygot insects of Ukraine

(Results of the Entomofauna of the World based upon info-system of the Cesa)

77

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Ukraine (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 77.
Priamus (suppl.) 18: 2778-2834.

In this study, totally 1420 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Ukraine recorded in info-system of the Cesa, total pterygot species of Ukraine increase to 4949.

Key words: List, distribution, *pterygota*, *Insecta*, Ukraine.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 1420 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 3529 recorded species of Lepidoptera from Ukraine are found. Taking this information into consideration, total number of the pterygots may increase to 4949.

The study is still continuing, and the new results will be published within this Project.

1. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae) Synonym(s): *carinatus* Duftschmid,1812 AL AT BE B-H BG HV CZ FR DE HU IT MD PL RO SK SL CH TR UA NL
2. **Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea* Klug,1829; *bifida* Thomson,1871; *bigens* Kangas,1946 ES FR GB BE DE CH IT AT CZ HU RO PL SE FI EE LT RU TR Cc UA
3. **Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea* Linnaeus,1767 GB IE FR BE NL DE DK SE FI RU UA PL RO CZ HU AT CH IT Si SS HV B-H BG MK TR Cc
4. **Ablattaria laevigata (Fabricius,1775)** (Silphidae) Synonym(s): *laevigata* Fabricius,1775 AZ Cc GG AM RU IR TM TR GR AL AT BE B-H BY HV CZ EE FR GB DE GG HU IT LT MK MD NL PL RO SK UA YU
5. **Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839 BG DK DE B-H GB FR GR IT YU NL AT PL RO MK RU SE CH SK SS ES CZ TR UA HU
6. **Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802 AL BE B-H BG DK DE GB EE FI GR IT YU HV LT MD NO NL AT PL RO RU SE CH SK ES CZ TR UA HU
7. **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824 TR AT BE BG HV CY CZ FR FI DE GR HU IT MK NL PL RO RU SK SS ES SE CH UA
8. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum,1868 AT FR DE IT RO GG Cc TR UA YU

9. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae) Synonym(s): *lindus Mercet,1921* TR AM AZ Cc BG CZ ET FR HU IN Or Up Ben IT MD NL RO SK ES TJ TM UA UZ YU
10. **Achalcus cinereus (Haliday,1851)** (Dolichopodidae) Synonym(s): *cinereus Haliday,1851; pygmaeus Zetterstedt,1855; depuytoraci Vaillant & Brunhes,1980* UA RO
11. **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus Dejean,1829* AZ AM Cc BE GG GR HU IT MK MD RO RU TR UA IR KG TM
12. **Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis Robineau-Desvoidy,1830; powelli Seguy,1930* AT AZ CZ AM Cc GG IR IL Pa CH Cn KG KK DZ HU MD UZ RU SY TJ TM UA TR
13. **Acritus homoeopathicus Wollaston,1857** (Histeridae) Synonym(s): *homoeopathicus Wollaston,1857* AL DK GB FR IT NL NO PL ES CZ UA
14. **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai Lewis,1879* ES BE DE GR FR UA
15. **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus Herbst,1792* AL BE B-H BG DK DE GB FR GR IT YU HV LT MD NO AT PL RO RU SE CH SK SS ES CZ TR UA HU
16. **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis Hoffmann,1803* AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
17. **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus Scopoli,1786; maculatum Olivier,1791; fasciatus Fabricius,1793; maderae Audinet-Serville,1838; inficitus Walker,1870; variegata Walker,1870; versicolor Burr,1898; biskrensis Maran,1958* Gryllus insubricus Scopoli,1786, Deliciae faunae et florum insubricae etc Ticini: 64. DZ MA TN ES FR IT HU GR Cr RO UA SA EG TR Cc GG AM IQ Bgd Er Shq CY IR AF PK BI SO
18. **Actina chalybea Meigen,1804** (Stratiomyidae) Synonym(s): *chalybea Meigen,1804; femoralis Meigen,1820; nigripes Meigen,1820; flavofemorata Meigen,1820; hirsuta Macquart,1834* ES FR DE CH AT CZ HU RO IT Si YU BG UA RU PL Cc GG AZ AM
19. **Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844* AZ AM GG TR Cc FR EE KG LT MD UA RU YU
20. **Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus Boheman,1847; micantulus Kirschbaum,1868; thoracicus Fieber,1869; mayri Fieber,1869* DZ AT BE CS FR DE GB HU IT KP NL PL RO SE SW TN TR KG RU Sb UA YU
21. **Adarrus ocellaris (Fallén,1806)** (Cicadellidae) Synonym(s): *ocellata Scopoli,1763 (praeocc.); ocellaris Fallén,1806; notatifrons Kirschbaum,1868; sachaninensis Matsumura,1915* DZ AT BE CN CS DK FI FR DE GB HU IE IT KP MN NL NO PL RO SE SW TN EE GG Cc Kmt KG LV MD RU Sb Sh UA CA
22. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
23. **Adontomerus robustus (Boucek,1969)** (Torymidae) Synonym(s): *robustus Boucek,1969* BG HU IT MK YU UA
24. **Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius Aubé,1843* BG DK DE GB FR IT YU AT PL SE SK CZ TR UA HU
25. **Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni Reitter,1876* BG GR IT YU AT PL RO SK CZ TR UA HU
26. **Agabus (Acatodes) congener (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener Thunberg,1794; foveolatus Mulsant & Godart,1860; venturii Bertolini,1870; funkii Seidlitz,1887; daisetsuzanus Kamiya,1938* AT BE BG BY HV CZ DK DE EE FI FR GB HU IT MK NL RU PL SK UA TR Cc GG AM KG MN CN JA
27. **Agabus (Acatodes) sturmii Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii Gyllenhal,1808; goedelii A.Villa & G.B.Villa,1833; fallax Munster,1932* AT BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc IT NL NO PL RU SK SL ES UA KG RU TR
28. **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus Olivier,1795* Cc AZ AM GG AL AT BE B-H BY BG HV CZ FR GB DE GR HU IT MK NL PL PT RO RU SK SL UA YU Cn DZ EG LY MA TN AF CN Ui CY IN Hp IQ IL Pa JO Ch KK LB PK SA SY TM UZ TR
29. **Agabus (Gaurodytes) caraboides Sharp,1882** (Dytiscidae) Synonym(s): *caraboides Sharp,1882; merkli Régimbart,1884* TR BG Cc GG MK UA IR LB SY
30. **Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus Brahm,1790; femoralis Paykull,1798; impressus Zoubkoff,1833; assimilis Sturm,1834; hochhuti Zaitsev,1908; transcaucasicus Zaitsev,1927* AL AT AM BE B-H BG BY HV CZ DK DE EE FI FR GB GG Cc HU IT MK MD NL NO PL PT ES RU SK SL SZ UA YU KG TR
31. **Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni Scholz,1920* BG GR RO RU UA TR
32. **Agallia venosa (Fourcroy,1785)** (Cicadellidae) Synonym(s): *venosa Fourcroy,1785* AL? DZ? AT BE ES? Cn CY? CS DK EG? FI FR DE GB GR? HU? IR? IE? IT MN? MA? NL NO PL PT? RO ES? SE SW TN? AM? AZ EE? GG? KG? KK LV RU? Cc TM UA UZ
33. **Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum Fieber,1877* FR GR IL IT Sa ES SY TN TR UA Cm
34. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H

- BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU
At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
35. **Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906 AL BG FR GR IR IL Pa IT Sa Si MA RO ES TR MD RU UA
36. **Agnetina senilis Klapalek,1921** (Perlidae) Synonym(s): *senilis* Klapalek,1921; *acutipennis* Klapalek,1921 GG Cc Tbl Bjo Ceh Kta Im UA Cm
37. **Agonum antennarium (Duftschmid,1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid,1812 AT B-H BG FR GR HU IT MD PL RO SK SL CH TR UA
38. **Agonum extensum Ménétrés,1849** (Carabidae) Synonym(s): *extensum* Ménétrés,1849 GR IT MD TR UA KG
39. **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae* Csiki,1931 AL AT B-H BG HV GG Cc GR HU MD RO RU SK TR UA IR
40. **Agonum gracile Sturm,1824** (Carabidae) Synonym(s): *gracile* Sturm,1824 AT BE BG CZ DK EN FI FR GB DE HU IE IT LT MD NO PL RU SK SL ES SE CH TR UA DZ JP NL
41. **Agonum hypocrita (Apfelbeck,1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904 Cc AZ AT B-H BG HV CZ DK FI FR DE GR HU IT MA MD PL RU SK SL ES SE TR UA
42. **Agonum longicorne Chaudoir,1846** (Carabidae) Synonym(s): *longicorne* Chaudoir,1846 Cc AZ AL AT B-H BG HV FR DE GR HU IT LA MD RO RU SK TR UA
43. **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812 Cc AZ AT BE B-H BG HV CZ DK EN FI FR DE GG GR HU IE IT LT MD PL PT RO RU SK ES SE CH TR UA MA TN IR KG
44. **Agonum marginatum (Linnaeus,1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus,1758 AT Cc AZ BE B-H BG HV CZ DK EN FI FR GB DE GR HU IE IT LT MD NO PL PT RU SK SL ES SE CH TR UA CI MA MR
45. **Agonum monachum (Duftschmid,1812)** (Carabidae) Synonym(s): *monachum* Duftschmid,1812 AT B-H BG HV CZ FR DE GR HU IT MD PL RU SK ES CH TR UA KG
46. **Agonum muelleri (Herbst,1784)** (Carabidae) Synonym(s): *muelleri* Herbst,1784 AL AT AZ BE B-H BG HV CZ DK EN FI FR GB DE HU IE IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA NL
47. **Agonum sexpunctatum (Linnaeus,1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus,1758 AT BE B-H BG HV CZ DK EN FI FR GB DE HU IT LS LT MA MD NO PL PT RU SK SL ES SE CH TR UA KG NL
48. **Agonum sordidum Dejean,1828** (Carabidae) Synonym(s): *sordidum* Dejean,1828 BE HV GR IT SL TR UA LY SY
49. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi* Dejean,1828 AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
50. **Agramma (s.str.) tropidopterum Flor,1860** (Tingidae) Synonym(s): *tropidopterum* Flor,1860 FI EE LT LV BY UA PL CZ DE
51. **Agrilus (Anambus) ater (Linnaeus,1767)** (Buprestidae) Synonym(s): *ater* Linnaeus,1767 AT CZ FI FR RO RU UA LT TR
52. **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835 TR DE AL AT Cc AZ BG DZ CZ AM MA FR Cr GR GG IR ES CH LB HU PL RO RU SK SY TN UA YU
53. **Agrilus (Anambus) obscuricollis Kiesenwetter,1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter,1857 TR DE AL AT DZ BG CZ FR ES CH Co IT HU RO RU UA YU GR
54. **Agrilus (s.str.) hyperici (Creutzer,1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer,1799 AL DE BE BG DZ CZ FR EE Cc GG Tbl PL PT RO RU UA YU GR TR
55. **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849 DE AL AT Cc AZ BG CZ AM FR Gg IR CH IT HU RO RU SK UA YU GR TR
56. **Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) Synonym(s): *tauricus* Heyden,1882 TR Cc UA Cm
57. **Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840 DZ AT BE BG TR CS DK FI FR DE GB IT MN NL NO PL SE SW Cc GG KG LV RU Sb UA
58. **Aguriahana stellulata (Burmeister,1841)** (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841 DZ AT BG CS DK FI FR DE GB IT JP NL NO PL RO SW TN LV MD RU UA
59. **Alebra albostriella (Fallén,1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936 DZ AT Az BE BG CS DK FR DE GB HU IE IL IT JO Md NL NO PL PT RO ES SE SW SY TR EE Cc GG LV MD RU UA YU
60. **Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallescens* Ribaut,1936; *brunnea* Ribaut,1936 DZ AT BE CS DK FR DE GB HU IT NL NO PL SE SW TR LV MD RU UA YU
61. **Allantus cinctus (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *cinctus* Linnaeus,1758; *cordigera* Geoffroy,1785; *togata* Zetterstedt,1840; *varipes* Audinet-Serville,1840; *neglectus* Zaddach,1859 Cc TR UA Cm IR KG MN CA
62. **Allophorocera ferruginea (Meigen,1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen,1824 TR AT BE GB BG CZ DK DE EE FI FR HU IT NL NO PL RO RU Us SK SE CH UA

63. **Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeocc.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868 AL AT BG GR Cr CS DK FR DE HU IT NL PL RO ES TN AM AZ Cc TR Gk LV MD UA YU RU
64. **Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872 AL DZ AT BE BG CS DK FI FR DE GB HU IT Si NL NO PL RO SE TN GG Cc TR KG LV MD RU Sb At UA YU
65. **Allygidius furcatus (Ferrari,1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari,1882 DZ AT CS FR HU IR IT IL PL RO Cc AM MD UA YU
66. **Allygus mayri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mayri* Kirschbaum,1868; *horvathi* Csiki,1940 AL BG CS HU IT RO Cc GG MD UA YU
67. **Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894 AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SE SW TN KG LV MD UA YU TR IR CA
68. **Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876 AT CZ GB FR DE GR IT Sa MA NL PL RO ES TN RU UA YU TR
69. **Alnetoidia alneti (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alneti* Dahlbom,1850; *coryli* Tollin,1851; *mali* Edwards,1851 AT BE BG CS DK FI FR DE GB IE IT JP NL NO PL PT RO ES SE SW EE Cc GG LV RU UA YU
70. **Amara ((Curtonotus) propinqua Ménériés,1832** (Carabidae) Synonym(s): *propinqua* Ménériés,1832; *bistriata* Putzeys,1866 AZ AM Cc BG GG MD RO RU TR UA IR KK KG TJ TM UZ MN
71. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935 AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
72. **Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *laticuscula* Poppus,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929 AZ AM Cc GG RU TR UA AF IR KK KG TJ Pm TM UZ CN Pkn Gn Ui Sz MN
73. **Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IC IE IT LT LU MK MD NO PL PT RO RU SK SS ES SE CH TJ TM TR UA UZ CN Gn Mc Ui Ti Qz
74. **Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK MD NO PL RO RU Ur SK SL ES SE CH TR UA CN Ui
75. **Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837 AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IE IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TR UA KG
76. **Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850 AT BE BG BY CZ DK EN FI FR DE HU LA LT NO PL RO RU SK SL SE CH TR UA IR KK KG NL UZ CN Pkn Gn Mc Sz Ui JP MN NC
77. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964 Cc AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD NO PL PT RO RU SK SL SZ TR UA CY IR KK KG TJ NL UZ CN Ui
78. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablokoff & Khnzorian,1957 AZ AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT NO PL RO RU SK SL ES SE CH UA TR
79. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IE IT LS LT MK MD NO PL RO RU SK SL ES SE CH TJ TM TR UA UZ CN Ui
80. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812 AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LT LU MK NO PL PT RO RU SK SL ES SE CH TM TR UA UZ CN Ui
81. **Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostrata* Chaudoir,1846 AZ AM Cc AT BE BG HV CZ DK FI FR DE GG GR HU IT LA MK MD PL RO RU SK SL ES SE TR UA IR TM
82. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951 Md MA Cn Az DZ AL AD AM Cc AZ GG AF AT BE B-H BG BY HV CZ DK

- EN FI FR GB DE GR HU IE IT LS LT LU MK MD NO PL PT RO RU SK CY EG IN Hp Up IQ IR IL Pa JO Ch KK
KG LY LB MT MK MD MN NL NP SE CH TJ TM TR TN UA UZ
83. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia A.Villa & G.B.Villa,1833*; *krekichii Schtzmair,1919* AZ AL AM Cc AT BE B-H BG HV CZ DK FR GB DE GG GR HU IT LU MK MD PL PT RO RU SK SL ES SE CH SY TR UA DZ
84. **Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta Dejean,1828*; *brunnicornis Heer,1837*; *aeruginosa Kolenati,1845*; *cyanocnamis Thomson,1857*; *ovalis Mulsant & Rey,1861* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL RO RU SK SL ES SE CH TR UA KG NL
85. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota Panzer,1796*; *acuminata Paykull,1898*; *aerata Stephens,1828*; *exculpta Hassmann,1866*; *raymondi Putzeys,1870* AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MA MK MD NO PL PT RO RU SK ES SE SY CH TJ TN TR UA CN Ui
86. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica C.Zimmermann,1832*; *bibula Antoine,1944* AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG HU IT LA LT LU NO PL PT RO RU SK ES SE TR UA MA AF KK KG NL CN Ui MN
87. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris Duftschmid,1812*; *cursor Sturm,1825*; *levis Sturm,1825*; *perplexa Dejean,1828*; *elegans Rylands,1841*; *humilis Casey,1918* AZ AL AD AM Cc AT BE B-H BG BY CZ DK EN FI FR GB DE GG GR HU IC IE IT LS LT LU MK MD TR IR RU TJ TM UA UZ CN Pkn Gn Sz Ui
88. **Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia Motschoulsky,1844*; *ovata Motschoulsky,1844*; *littorea Thomson,1857*; *motschoulskyi Heyden,1880*; *wuki Matcha,1922*; *bogatshvi Lutshnik,1934*; *kodymi Jedlicka,1936*; *tockoensis Jedlicka,1936* AZ AM Cc AT B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LT MD NO PL RU SK SL SE CH TR UA KG TJ UZ
89. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida Duftschmid,1812*; *erythrope Stephens,1828*; *gemina C.Zimmermann,1832*; *septentrionalis Curtis,1840*; *heydeni Schatzmayr,1909*; *chobauti Puel,1924* LA LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA DZ MA TN IR IQ KG NL
90. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata Fabricius,1792*; *trivialis Duftschmid,1812*; *pratensis Sturm,1825*; *incisa Germar,1841*; *adamantina Kolenati,1845*; *audax Gistel,1857*; *sarsi Munster,1927*; *melanochlora Lutshnik,1933*; *similatoides Jedlicka,1934*; *aequatorialis Baliani,1939* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR IE IT LS LT LU MK MD NO PL PT RO RU SK SL ES SE SY CH TJ TM TR UA UZ CN Gn Mc She Sz Ti Ui Yu
91. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans C.Zimmermann,1832*; *inderiensis Motschoulsky,1850*; *dagestana Jedlicka,1962* AZ AM Cc GG RO RU Da TR UA AF IR KG TJ TM UZ CN Gn Ui MN
92. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua Duftschmid,1812*; *liberta Duftschmid,1812*; *subaenea Sturm,1825*; *ruficornis Dejean,1828* AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MK MD NO PL RO RU SK SL ES SE CH TR UA UA CN Ui TJ TM
93. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis Duftschmid,1812* AZ AL AD AM Cc AT BE BG BY HV CZ DK EN FI FR DE GG GR HU IT LA LT MD NO PL RO RU SK ES SE CH TR UA UZ CN Ui TJ TM
94. **Amara (Zezea) chadoiri Schaum,1858** (Carabidae) Synonym(s): *chadoiri Schaum,1858*; *incognita Fassati,1946* AL AM Cc AT B-H BG BY HV CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA KK KG TM UZ
95. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes Audinet-Serville,1821*; *striatopunctatata Dejean,1828*; *valida Fairmaire,1859* AL AT BE B-H BG HV FR DE GR HU IT LU MK PL PT RO SK SL ES CH TR UA
96. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja Gyllenhal,1810*; *lapidicola Heer,1837*; *lenticularis Schiodte,1837*; *cylindrella Schiodte,1837*; *varicolor Heer,1838*; *tridens Morawitz,1862*; *noctivaga Hochhuth,1871*; *barnevillei Croissandeau,1893*; *brisouti Csiki,1929*; *punctibasis Jedlicka,1957* AT BE B-H BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MD NO PL RO RU SK SL ES SE CH TR UA KG NL CN Mc
97. **Ameles taurica (Jakovlev,1903)** (Mantidae) Synonym(s): *taurica Jakovlev,1903* UA Cm
98. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae) Synonym(s): *glabrata Fallén,1808*; *fulvipes Costa,1882*; *agilis Klug,1817*; *rufipes Audinet-Serville,1823*; *nigrisoma Norton,1862*; *abnormis Provancher,1885*; *potulenta MacGillvray,1923* RU Sb UA Cm TR Cc KG DZ MN CA
99. **Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopecias Pallas,1781*; *hirta Fabricius,1781*; *vulpes Fabricius,1792*; *vulpecula Truqui,1848*; *pyrrhothrix Dohrn,1885*; *griseovillosa Reitter,1903*; *obscurithorax Miksic,1955*; *bogoevskii Miksic,1955* GR TR UA Cc RU KG
100. **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti Ossiannilsson,1938* AL AT BE BG CS FI FR DE GB GR IT NL PL PT RO SE SW TR AM Cc EE MD RU UA YU
101. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764*; *lineola Fabricius,1781*; *nubecula Thunberg,1815*; *campanum Costa,1836*; *tataricum Burmeister,1838*; *albidiferum Walker,1870*; *indecisum Walker,1870*; *stuardoi Liebermann,1943* Gryllus aegyptium

- Linnaeus,1764, Museum Ludovicae Ulricae...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL
102. **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758 DZ ES FR IT SS MK AL GR BG Cc TR RO HU AT CH BE NL DK DE GB CZ PL NO EE LT BY UA Cm MD
103. **Anagyrus matritensis (Mercet,1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet,1921; *orbitalis* Ruschka,1923 AM AZ AT Cc Cn HV CZ DE HU KG MD MN RO RU TR ES TJ TN TM UA UZ YU
104. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
105. **Anagyrus schoenherri (Westwood,1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *alboclavatus* Ishii,1928 TR AM AZ Cc BY BG CZ DK DE EE FI FR HU IR IT JP MD MN NL CN Hn She PL RO RU Us SK SE UA GB YU
106. **Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus* Ratzeburg,1848 TR AT CA CZ FR DE HU IN IT JP NL SE UA GB
107. **Anastoechus caucasicus Paramonov,1930** (Bombyliidae) Synonym(s): *caucasicus* Paramonov,1930 AM AZ GG Cc MD RU UA
108. **Anastoechus mylabricida Zakhvatkin,1934** (Bombyliidae) Synonym(s): *mylabricida* Zakhvatkin,1934 Cc AZ AM GG MD UA RU
109. **Anastoechus setosus (Loew,1855)** (Bombyliidae) Synonym(s): *setosus* Loew,1855 BY EE LT MD RU UA
110. **Ancistronycha erichsoni Bach,1852** (Cantharidae) Synonym(s): *erichsoni* Bach,1852 TR AT CZ FR DE HU IT PL RO SK SS CH UA
111. **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859 IT Si AT SK CZ HU UA MD RO BG GR TR
112. **Andricus aries (Giraud,1859)** (Cynipidae) Synonym(s): *aries* Giraud,1859 GB DE IT AT SK CZ HU HV SS PL UA RO GR TR
113. **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859 IT AT B-H HU YU TR RO MD UA BG
114. **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882 PT ES FR BE NL BG IE NO SE FI RU UA MD RO PL DK DE SK HU AT SS YU BG TR
115. **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879 FR IT Si DE PL UA MD HU SK CZ AT B-H BG GR TR
116. **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901 IT AT HU YU RO BG UA PL TR GR IR
117. **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900 PT ES FR DE IT AT SK CZ HU B-H HV YU GR BG RO UA TR TN AZ Cc IR
118. **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898 FR IT AT B-H HU GR BG RO UA TR
119. **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899 GB FR BE NL DE DK PL UA RO BG GR YU HU SK CZ AT IT TR
120. **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegmentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901 PT ES GB FR BE NL DE DK NO SE UA MD RO PL SK CZ HU CH AT IT SS B-H HV YU MK GR BG TR
121. **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 nec Wachtl.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998 PT ES FR IT B-H AT HU MD RO UA BG GR TR
122. **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918 PT ES FR GB IE BE NL DE DK NO SE FI RU UA PL CZ HU AT IT SS B-H HV GR BG TR
123. **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859 IT AT B-H YU GR BG RO HU UA TR
124. **Andricus gallaeurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaeurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882 PT ES FR GB AT IT YU HU UA RO BG GR TR
125. **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905 AT CZ B-H HU UA BG TR
126. **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961 **Andricus grossulariae** Giraud,1859, Verh. zool.- bot. Ges. Wien 9: 358-359. PT ES FR GB DE PL UA CZ AT IT Si HU MD RO YU BG GR TR
127. **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843 IT Si AT CZ SK PL UA HU MD RO BG GR TR

128. **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus Hartig,1943* IT AT CZ B-H HU UA RO BG TR
129. **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator Hartig,1840; globuli Hartig,1840; inflatioides Belizin & Maisuradze,1962* PT FR GB BE NL DE DK NO SE FI PL UA MD RO CZ SK HU AT CH IT SS B-H HV YU BG GR TR
130. **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari Hartig,1843; circulans Mayr,1870; indigena Giraud,1909* PT ES FR GB BE NL DE DK PL UA RO MD CZ SK HU BG MK GR YU HV B-H SS IT TR
131. **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus Hartig,1840; vanheurni Docters van Leuween & Deukhuijzen-Maasland,1958* PT ES FR GB IE BE NL DE PL UA MD RO CZ SK HU AT IT SS B-H HV YU MK BG GR TR
132. **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus Hartig,1843; aestivalis Giraud,1859; lucidoserinaceus Kieffer,1901* GB FR DE IT CZ SK AT HU B-H HV YU AL GR BG RO MD UA PL TR IR
133. **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus Mayr,1870* IT AT PL UA HU RO BG GR TR
134. **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis Burgsdorf,1783; calicis Hartig,1843; cერი Beyerinck,1895; beyerincki Trotter,1899* FR GB BE NL DE DK BY EE LT UA CZ SK HU RO MD AT CH IT SS B-H HV YU MK BG GR TR
135. **Andricus quercuscorticis (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis Linnaeus,1761; corticis Hartig,1840; brevicornis Hartig,1841; gemmatus Adler,1881; krajnovici Tavares,1901* PT ES FR GB IE DE DK SE PL UA MD RO HU TR
136. **Andricus quercusradicis (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis Fabricius,1789; noduli Hartig,1840; trilineatus Hartig,1840; parasiticus Hartig,1841; rugiscuta Thomson,1877; beirensis Tavares,1902* PT ES FR GB IE DK NO SE FI PL UA MD RO HU B-H TR
137. **Andricus quercusramuli (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli Linnaeus,1761; autumnalis Hartig,1840; amentorum Hartig,1843; ramuli Schenck,1863; trifasciata Kieffer,1901* PT ES FR GB IE NO SE FI BE NL DK DE PL UA AT HU ME RO TR
138. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae Bosc,1792; quercustojae Fabricius,1793; argentea Hartig,1843; rosenhaueri Hartig,1856; kiefferi Cabrera,1897; tozae Kieffer,1898* PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR
139. **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius Fonscolombe,1832; ferruginea Hartig,1840; occultus Tschek,1871; filigranata Dettmer,1925; villarubiae Tavares,1930* PT ES FR GB IE SE DK DE PL UA CZ SK HU MD RO AT CH IT SS B-H HV YU BG GR TR AZ Cc IR DZ
140. **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola Giraud,1859* IT AT HU B-H YU BG RO UA PL TR
141. **Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): *austriaca Herbst,1783* AT UA RU TR
142. **Anisoplia (Chaetopteroptia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca Burmeister,1844* UA Cm RU SY IL Pa TR
143. **Anomala (Psammoscaphaeus) errans (Fabricius,1775)** (Scarabaeidae) Synonym(s): *errans Fabricius,1775* RU UA Cm
144. **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus Ferrari,1882; bipunctata Ferrari,1882* AL AT BG TR CS FR GR HU IT Sa PT RO ES TN UA YU
145. **Anoplotettix loewi (Horvath,1884)** (Cicadellidae) Synonym(s): *loewi Horvath,1884* UA Cm TR
146. **Anoplotrupes sterocorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *sterocorosus Scriba,1791; sylvaticus Panzer,1798; monticola Heer,1841; amoethysticus Mulsant,1842; juvenilis Mulsant,1842; nigrinus Mulsant,1842; prusicus Czuwalina,1884* PT ES FR GB IE BE NL CH AT SS B-H HV YU BG GR Co Sa Si MT AL MK RO IT MD UA Cm RU MY EE LT LV FI SE NO DE DK CZ SK HU TR
147. **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons Linnaeus,1758; costata Panzer,1799; affinis Fallén,1806; subrustica Fallén,1806; dispar Zetterstedt,1828; testudo Curtis,1833; costata Curtis,1837; concinna Curtis,1837; arcuatus Kirschbaum,1868; confusus Kirschbaum,1868; interruptus Scott,1873; polystolus Scott,1873; apicalis Signoret,1879; pelas Signoret,1879; fuliginosus Ferrari,1882; argus Rey,1891; bifasciatus Melichar,1896; limicola Edwards,1908; maculata Edwards,1908; irritans Wagner,1937; germari Wagner,1937; dimidiata Ribaut,1952; blotei Metcalf,1963* AL AT Az BE BG CS DK FI FR DE GB HU IE IL IT Md MA NL NO PL PT RO ES SE SW TN TR AM Cc LV RU UA YU
148. **Anoterostemma ivanoffi (Lethierry,1876)** (Cicadellidae) Synonym(s): *ivanoffi Lethierry,1876; fusca Ivanoff,1885; henschi Loew,1885* IT RO TR KG MD RU UA YU
149. **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema Fischer,1824* BG CY GR IL Pa SY LB TR UA
150. **Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772* DZ AT YU Cr GR CZ FR DE IT HU MA PT RU SK ES UA TR
151. **Anthaxia (Haplantaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790* AT YU BE Cr GR CY CZ FR DE HU IL Pa IT ES CH TR UA

152. **Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii Fabricius,1801* AT YU CY BG CZ HU IT SK TR UA
153. **Anthaxia (Haplanthaxia) olympica Kiesenwetter,1880** (Buprestidae) Synonym(s): *olympica Kiesenwetter,1880* AM CZ GG HU TR UA
154. **Anthaxia (Haplanthaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica Daniel,1903; horvathi Kaszab,1940* BG GR HU RO TR UA
155. **Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787* DZ AM Cc AT Cr GR FR HU IQ IT MA PT SK ES SY TR UA
156. **Anthaxia (Melanthaxia) nigrojubata Roubal,1913** (Buprestidae) Synonym(s): *nigrojubata Roubal,1913; incognita Bily,1974* AT YU CZ FR DE IT SK ES CH TR UA
157. **Anthaxia (s.str.) bicolor Faldermann,1835** (Buprestidae) Synonym(s): *bicolor Faldermann,1835* AM AZ GG Cc TR IR IQ IL Pa SY TM UA
158. **Anthaxia (s.str.) brevis Gory & Laporte,1839** (Buprestidae) Synonym(s): *brevis Gory & Laporte,1839* Cr GR TR CY IL Pa SY UA
159. **Anthaxia (s.str.) fulgurans (Schrank,1789)** (Buprestidae) Synonym(s): *fulgurans Schrank,1789* AM AT CZ Cc DE HU IT SK ES CH UA TR
160. **Anthaxia (s.str.) funerula (Illiger,1803)** (Buprestidae) Synonym(s): *funerula Illiger,1803* AM AT CZ GG FR Cc HU IT PR SK ES CH UA TR
161. **Anthaxia (s.str.) plicata Kiesenwetter,1859** (Buprestidae) Synonym(s): *plicata Kiesenwetter,1859* YU SK UA TR
162. **Anthaxia (s.str.) podolica Mannerheim,1837** (Buprestidae) Synonym(s): *podolica Mannerheim,1837* AT YU CZ FR DE HU IT SK UA
163. **Anthaxia (s.str.) salicis (Fabricius,1776)** (Buprestidae) Synonym(s): *salicis Fabricius,1776* DZ AT YU CZ FR DE HU IT MA PT SK ES CH TN TR UA
164. **Anthaxia (s.str.) semicuprea Küster,1851** (Buprestidae) Synonym(s): *semicuprea Küster,1851* AT YU CZ FR DE HU IT RU SK ES CH UA TR
165. **Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis Krynicky,1832; vandykeana Obenberger,1936* YU HU SK SY TR UA
166. **Anthidium (Archanthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens Morawitz,1872; maximum Friese,1931; verhoeffi Mavromoustakis,1955* UA Cm RU HU GR TM TR Cc SY IL Pa ZA
167. **Anthidium (Icteranthidium) laterale Latreille,1809** (Megachilidae) Synonym(s): *laterale Latreille,1809; scutellare Latreille,1809; quadrilobum Lepeletier,1841; auripes Eversmann,1852; annulare Schenck,1868; sexmaculatum Chevrier,1872; perrisii Dours,1873; ifranicum Cockerell,1931; confluens Alfken,1931* MA ES FR RU AT CH HU UA RU Ur BG Cc TR TM
168. **Anthocoris limbatus Fieber,1836** (Anthocoridae) Synonym(s): *limbatus Fieber,1836* FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT SS B-H YU RO BG IR ES
169. **Anthocoris minki Dohrn,1860** (Anthocoridae) Synonym(s): *minki Dohrn,1860; pistaciae Wagner,1957* ES PT FR GB BE NL DE PL BY UA CZ SK HU AT CH IT Si RU B-H YU BG GR CY DZ MA TN TR IR Mz Elb Fa Ke Kh Ss Ar Ak
170. **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis Fabricius,1794* MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
171. **Anthocoris nemorum (Linnaeus,1761)** (Anthocoridae) Synonym(s): *nemorum Linnaeus,1761* ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG TR IR Ak Fa Gor Gh Ha Es Ma Km Kd Mz Elb Th Ab Zj Yz CN
172. **Anthocoris pilosus (Jakovlev,1877)** (Anthocoridae) Synonym(s): *pilosus Jakovlev,1877* ES FR GB IE BE NL DE NO SE FI BY RU UA PL CZ SK HU CH AT IT B-H RO MD MK Cr BG IR Ar Ak Fa Gh Kh Mz Elb Se Shh Eh
173. **Anthomalachius spinosus (Erichson,1840)** (Melyridae) Synonym(s): *spinosus Erichson,1840* DZ ES FR DE AT IT HV YU GR UA RU AZ Cc
174. **Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus Abeille de Perrin,1885; vulneratus Abeille de Perrin,1891* FR GB AT DE IT RO HU UA Cm RU Aa Kra Cc TR IR KK KG UZ
175. **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus Wiedemann,1820* IT Si Sa TR AL Cc AM AZ GG AT B-H HV CZ EG FR DE GR Rd HU IR IL Pa LY MK MD MA PL RO RU SK SS ES CH SY TJ UA UZ
176. **Anthrax heteropyga (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga Sack,1909* IT FR Co GR IL Pa KK MK MD RO RU TJ TM UA UZ YU
177. **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus Strobl,1902* IT TR Cc AZ AM GG GR IL Pa KK MK RU TJ TM UA UZ YU
178. **Anthrax zonabriphagus (Portschinsky,1895)** (Bombyliidae) Synonym(s): *zonabriphagus Portschinsky,1895* BY EE KG LT MD RU Cc UA
179. **Anthrenus (Florinus) olgae Kalik,1946** (Dermestidae) Synonym(s): *olgae Kalik,1946* AT BG CZ GB FI DE HU LT YU PL SK SE UA
180. **Aphelinus varipes (Förster,1841)** (Aphelinidae) Synonym(s): *varipes Förster,1841; nigritus Howard,1908; toxopteraphidis Kurdjumov,1913* TR UA

181. **Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794 **FR GB BE NL DK DE NO SE FI EE PL SK CZ HU IT SS BY UA MD RO BG TR**
182. **Aphodius (Acrossus) depressus (Kugelann,1798)** (Scarabaeidae) Synonym(s): *depressus* Kugelann,1798 **RU Cc Ur Sb Us IT UA GG**
183. **Aphodius (Acrossus) luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775 **RU Cc Sb Us Ur UA Cm Kg Kk Tm Uz Tj**
184. **Aphodius (Acrossus) rufipes (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *rufipes* Linnaeus,1758 **RU Sb Us Am IT FI UA Cc GG KG**
185. **Aphodius (Aphodius) fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758 **RU Cc Ur Sb Us UA AM GG KG Kk Tm Uz**
186. **Aphodius (Bodilus) ictericus (Laicharting,1781)** (Scarabaeidae) Synonym(s): *ictericus* Laicharting,1781 **RU Cc Ur Sb HU UA Cm KG**
187. **Aphodius (Bodilus) lugens Creutzer,1799** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799 **RU Ur Cc UA Cm Kg Kk Tj Tm**
188. **Aphodius (Chilothorax) melanostictus W.Schmidt,1840** (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840 **RU Sb UA KG Kk Tm**
189. **Aphodius (Colobopterus) erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758 **RU Ur Sb Us UA KG Tm Uz**
190. **Aphodius (Copriformus) scrutator (Herbst,1789)** (Scarabaeidae) Synonym(s): *scrutator* Herbst,1789 **HU IT UA Cm RU**
191. **Aphodius (Eudolus) quadriguttatus (Herbst,1783)** (Scarabaeidae) Synonym(s): *quadriguttatus* Herbst,1783 **RU Ur UA Cm Tm Uz**
192. **Aphodius (Melaphodius) caspicus Ménériés,1823** (Scarabaeidae) Synonym(s): *caspicus* Ménériés,1823 **RU Sb Us UA KG**
193. **Aphodius (Melinopterus) prodromus (Brahm,1790)** (Scarabaeidae) Synonym(s): *prodromus* Brahm,1790 **UA RU Cc LT Ur Sb Us KG Tm**
194. **Aphodius (Nialus) varians Duftschmid,1805** (Scarabaeidae) Synonym(s): *varians* Duftschmid,1805 **RU Sb UA AZ Cc KG Tj**
195. **Aphodius (Oromus) alpinus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *alpinus* Scopoli,1763 **RU UA**
196. **Aphodius (Otophorus) haemorrhoidalis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *haemorrhoidalis* Linnaeus,1758 **IT UA RU Ur Sb Us Am Sh Krl**
197. **Aphodius (Teuchestes) fossor (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fossor* Linnaeus,1758 **RU Cc Ur Sb Us UA Cm KG**
198. **Aphrodes bicinctus (Schrank,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (*praeocc.*); *rustica* Fabricius,1775 (*praeocc.*); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966 **AF AL DZ AT BG CY CS DK FI FR DE GB GR Cr HU IE IT Sa Si Md MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ Cc EE GG KG Kk LV MD RU Sb UA UZ YU**
199. **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963 **AL AT BE BG CS DK FI FR DE GB GR HU IT IE IL NL NO PL PT RO ES SE SW AM AZ Cc EE KG Kk LV MD RU Sb UA YU TR**
200. **Aphrodes flavostriatus (Donovan,1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821 **AT BE BG CS DK FI FR DE GB IE IT NL NO PL RO SE EE GG AM TR Cc LV MD RU Sb UA UZ YU**
201. **Aphrodes histrionicus (Fabricius,1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866 **AL AT BE CY CS DK FI FR DE GB GR HU IE IT NL NO PL RO ES SE AM AZ GG Cc TR KG LV MD UA RU**
202. **Aphrodes nigrinus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrinus* Kirschbaum,1868; *integer* Wagner,1937 **DZ AT BE BG CS FR DE IT PL PT RO SE SW TR AZ Cc KG Kk LV UA YU**
203. **Aphrodes serratulae (Fabricius,1775)** (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897 **AT BE BG CS FR DE GB GR HU IT NL PL RO ES SE TN Cc GG UA YU**
204. **Aphrophora alni (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950 **Cc AL DZ AT BE BG CN CS DK FI DE GB GR Cr HU IE IT JP MN MA NL NO PL PT RO ES SE SW TR AM AZ EE GG KG LV MD RU Sb Tm UA YU**
205. **Aphrophora corticea Germar,1821** (Cercopidae) Synonym(s): *corticea* Germar,1821 **AL AT BE CZ DK DE FR IT NO PL PT ES SE CH UA YU TR**

206. **Aphrophora salicina (Goeze,1778)** (Cercopidae) Synonym(s): *salicina Goeze,1778* AL AT BE BG CS DK FR DE GB HU IE IT MA NL NO PL PT RO ES SE SW AM AZ Cc TR EE KG KK LV MD RU Sb UA UZ YU
207. **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus Kiesenwetter,1858* TR Cc AZ AT BE BG CZ FR GB DE PL RO SK RU UA CH
208. **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus Dejean,1825* AZ AM Cc BG IT RU TR UA IQ KG TJ TM MN
209. **Aprosthemata bifurcum (Klug,1834)** (Argidae) Synonym(s): *bifurcum Klug,1834* AT SK UA FI TR
210. **Aprosthemata melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum Klug,1814; cylindricornis Thomson,1871; friesei Konow,1892; alfkeni Konow,1895;* ES FR GB BE NL DE DK NO SE FI EE RU UA RO CZ SK HU CH AT IT B-H TR IR CN Ui Sb Cc
211. **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum Klug,1814; cylindricorne Thomson,1871; carpentieri Konow,1902* FR DE CZ AT IT HU B-H YU MK UA RU TR IL Pa Cc IR CN Ui Sb
212. **Aprosthemata tauricum Gussakovskii,1935** (Argidae) Synonym(s): *tauricum Gussakovskii,1935* UA
213. **Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus Zetterstedt,1838* TR FR GB DK DE NO SE FI UA CZ HU IT GR
214. **Aprostocetus sinope (Walker,1839)** (Eulophidae) Synonym(s): *sinope Walker,1839; agathocles Walker,1839; hippis Walker,1839; rapo Walker,1839* TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
215. **Aprostocetus zerovae (Kostjukov & Fursov,1987)** (Eulophidae) Synonym(s): *zerovae Kostjukov & Fursov,1987* UA RU
216. **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula Boheman,1845; disjuncta Ribaut,1931 (praeocc.)* AL AT BE BG CS DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TN TR Cc AZ GG KG LV MD RU Sb TJ UA YU
217. **Arboridia potentillae (Moravskaja,1948)** (Cicadellidae) Synonym(s): *potentillae Moravskaja,1948* BG PL RU UA
218. **Arboridia velata (Ribaut,1952)** (Cicadellidae) Synonym(s): *velata Ribaut,1952* BG CS FR DE HU NL PL RO SW MD RU UA YU
219. **Arboridia versuta (Melichar,1897)** (Cicadellidae) Synonym(s): *versuta Melichar,1897; spathulata Ribaut,1931* FR DE IT CH RU Sb UA YU TR
220. **Arge beckeri Tournier,1889** (Argidae) Synonym(s): *beckeri Tournier,1889* B-H YU MK HU UA TR
221. **Arge berberidis (Schrank,1802)** (Argidae) Synonym(s): *berberidis Schrank,1802* ES FR BE NL DK DE EE PL UA CZ SK HU MK BG B-H AT CH IT TR Cc
222. **Arge caucasica Tournier,1889** (Argidae) Synonym(s): *caucasica Tournier,1889* Cc SK RU UA B-H
223. **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris Linnaeus,1767* FR GB IE DK SE FI EE LY RU UA PL DE CZ SK CH AT IT HU B-H RO BG TR Cc MN CN Mc Sb Kmt
224. **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea Forster,1771; syriaca Mocsary,1880* PT ES FR GB FI EE RU UA RO PL DE NL CH AT CZ SK HU B-H IT Co Si HV YU BG MK GR AL CY TR LB SY Cc IR TM JP
225. **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis Linnaeus,1767; coeruleipennis Retzius,1783* ES FR GB BE NL DE DK SE FI RU EE PL UA RO CZ SK HU CH AT IT Co Sa Si B-H YU AL MK GR BG TR Cc Sb JP
226. **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi (Tischbein,1852* SK HU UA RO BG MK GR AL TR Cc
227. **Arge gracilicornis (Klug,1814)** (Argidae) Synonym(s): *gracilicornis Klug,1814* ES GB FR BE NL DK DE FI RU UA PL CZ SK HU RO B-H HV AL IT CH AT SS TR Sb IR JP
228. **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra Gmelin,1790; nigratarsis Klug,1834; fuliginata Konow,1907* PT ES FR GB BE NL DE PL BY UA RO CZ SK HU AT CH IT Si B-H HV YU AL MK BG GR Cr CY TR IR
229. **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes Retzius,1783* ES FR GB SE FI RU Sb EE PL RO UA CZ SK DK DE BE NL CH AT HU B-H HV YU IT AL MK GR TR Cc
230. **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus Gmelin,1790* PT ES FR BE NL GB NO SE FI RU Sb UA EE LT PL DK DE CZ SK HU AT CH IT Co Sa Si SS B-H HV RO YU MK BG GR AL Cr CY TR EG IL Pa LB Cc IR Ak TM
231. **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana Panzer,1798; flaviventris Fallén,1807; stephensii Leach,1817* GB ES FR BE NL DK DE SE FI RU UA RO BG YU AL MK B-H HU CZ SK PL CH AT IT Sa Si TR Cc Sb Kmt MN CN Mc JP
232. **Arge pallidinervis Gussakovskii,1935** (Argidae) Synonym(s): *pallidinervis Gussakovskii,1935* UA Cc
233. **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica Klug,1834* B-H HU SK UA RO MK BG TR Cc CN Ui
234. **Arge pullata (Zaddach,1859)** (Argidae) Synonym(s): *pullata Zaddach,1859* FR FI DK DE NL CH AT IT B-H YU MK RO UA RU BY TR Sb Sh JP

235. **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805 ES FR GB DK DE SE PL UA RU Us CZ HU RO CH AT IT Si B-H HV YU MK GR AL BG TR IL Pa
236. **Arge ustulata (Linnaeus,1758)** (Argidae) Synonym(s): *ustulata* Linnaeus,1758 PT ES FR GB IE DK BE NL DE NO SE FI EE LT BY RU UA PL CZ SK HU CH AT IT B-H Si YU BG TR
237. **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 nec Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837 GG RO GR RU Cc UA IR MA
238. **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838 GR Cr MD RO RU UA Cc Cm MA Cn
239. **Argyra atriceps Loew,1857** (Dolichopodidae) Synonym(s): *atriceps* Loew,1857 BG MD RO UA
240. **Argyra diaphana (Fabricius,1775)** (Dolichopodidae) Synonym(s): *diaphana* Fabricius,1775; *ludea* Harris,1776; *pellucens* Fallén,1823; *versicolor* Meigen,1824; *hirtipes* Curtis,1835 MD RU RO UA IR
241. **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838 AZ BG MD IL Pa RU Cc TR UA Cm Ur DZ
242. **Arocephalus languidus (Flor,1861)** (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939 AT BE BG CS DK FI FR DE HU IT NO PL RO SW TN TR GG Cc KG LV MD RU Sb UA
243. **Arthaldeus striifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868 AT BG CS DK FI FR DE GB HU IT NL PL RO ES SE TN EE GG LV MD RU UA YU
244. **Artianus interstitialis (Germar,1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar,1821; *diminutus* Kirschbaum,1858 AT CS FR DE HU IT PL RO Cc AZ TR KG KK MD RU TJ UA UZ YU
245. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868 BG CS HU IT RO TR Cc AM GG MD UA YU
246. **Asiraca clavicornis (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891 Cc AF AL AT BL BG CN Ui CY CZ FR DE GB HU IE IL IT MA NL PL PT RO ES SW TN AM AZ GG KG Cc TR KK LV MD RU TJ TM UA UZ YU
247. **Athalia bicolor Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville,1823 UA Cm TR Cc DZ RU
248. **Athalia circularis (Klug,1815)** (Tenthredinidae) Synonym(s): *circularis* Klug,1815; *lineolata* Audinet-Serville,1823; *bolivari* Dusmet,1896; *libertoides* Priesner,1928; *longifoliae* Kontuniemi,1951; *alpina* Chevin,1969 UA Cm TR RU MN CA CN JP
249. **Athalia cordata Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846 UA Cm TR GR Cr CY RU BY MD Cc GG AM AZ Cn DZ IL Pa
250. **Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
251. **Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
252. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781 AL BE B-H BG DK DE GB FR GR IT YU HV EE LT MD NO AT PL NL RO RU SE CH SK SS ES CZ TR UA HU
253. **Athous (Orthathous) bicolor (Goeze,1777)** (Elateridae) Synonym(s): *bicolor* Goeze,1777 UA
254. **Atrichopogon rostratus (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922 PL HU SK RO IT UA TR GR DE
255. **Atrichopogon winnertzi Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949 AM Cc TR KK IT SS BG MK GB BE FR AT HU DE PL CZ SK DK FI SE EE LT UA
256. **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979 TR IR Ab Oru UA RU KG KK TM TJ UZ
257. **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934 BG HV AM Cc FR IL Pa Cr GR ES UA Cm Co LB GR Rd IT Sa Si SY TR JO
258. **Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848 TR AT BE BG HV CZ FR DE HU IT Sa MD NL RO RU ES SE UA GB YU
259. **Badister bullatus (Schrank,1798)** (Carabidae) Synonym(s): *bullatus* Schrank,1798 AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG HU IT LT LU NO PL RO RU SK SL SE CH TR UA IR IQ KG NL UZ
260. **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891 CY IT JO YU UA RU TR IR

261. **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835 **AT BE CS DK FR DE GR HU IL IT Si NO? PL RO MD UA Cm YU TR**
262. **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952 **AF AL DZ BG CN CY CS DK FI FR DE GR GB HU IE IT KP MN NL NO PL SE SW TN TR Cc AM AZ EE GG KG KK LV MD RU Sb UA UZ**
263. **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955 **AL DZ ES Cn Md CY FR DE? IT IL JO MA ES TR GG Cc KK TJ UA UZ**
264. **Batracomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917 **AF AL AT BE BG CN U_i CS DK FR MN SW TR AM AZ GG Cc KG KK MD RU TJ UA UZ YU**
265. **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855 **IT TR AL AM AZ HV EG GR GG Cc IR KG LB MK MD RO RU SS SY UA UZ YU**
266. **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951 **AT BE Cc HV CZ FR DE GR HU IT IR KG MK MD MA SK ES SY TJ TM UA RU YU TR**
267. **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 **US Cc AM AZ BG CZ DK EE DE HU CH NO PL RO SK UA RU Sb Am Us**
268. **Bellardia grunini Schumann,1974** (Calliphoridae) Synonym(s): *grunini* Schumann,1974 **RU Or Ur Cc UA**
269. **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917 **BY Cc GG EE AL AD AT HV CZ DK FI FR DE HU IT NO PL RO RU YU SK ES SE CH UA GB**
270. **Bellardia polita (Mik,1884)** (Calliphoridae) Synonym(s): *polita* Mik,1884 **LT UA AT CZ DE HU PL SK ES**
271. **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983 **EE BY AL AM Cc AZ BG CN Mc CZ DK FI DE HU LT NO PL RO RU Ya Us SK SE CH UA**
272. **Bellardia viarum (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *viarum* Robineau-Desvoidy,1830; *pusilla* Meigen,1826; *aculeata* Pandellé,1896; *krameri* Müller,1922; *zetterstedti* Enderlein,1933; *longelobata* Jacentkovsky,1941 **AD AT BY CN CZ DK EE FI FR DE HU IT JP LT NO PL RO RU At SK ES SE UA GB**
273. **Bellardia vulgaris (Robineau-Desvoidy,1830)** (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 **US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB**
274. **Belopus (Centorus) procerus Mulsant,1854** (Tenebrionidae) Synonym(s): *procerus* Mulsant,1854 **TR MD UA Cm KG**
275. **Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876 **HU B-H HV BG FR DE GR IT Sa RU At SS SK TR UA**
276. **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950 **AT B-H BG CZ CY CH HU FR DE GR Cr HV IT PL PT RO SK ES TN MA DZ AM AZ Cc GG Tbl Eri IR IL Pa JO LB MT SY TR UA Cm MN PK IR IQ KK KG TJ TM UZ CN Pkn**
277. **Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825 **AZ Cc GG IQ AZ AM Cc AT B-H CZ DE GG GR HU IT MK MD PL RO RU SK SL TR UA SY YU**
278. **Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810 **AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LA LT LU MK MD NO RO RU SK SL ES SE CH TR UA MA NL JP**
279. **Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812 **AT BE B-H BG HV CZ DK FR GB DE GR HU IE IT LU MD RO RU SK SL ES SE CH TR UA KG NL**
280. **Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837 **AT BE B-H HV CZ DK FR GB DE GR HU IT LA MK MD PT RO RU SK SL ES SE TR UA KK KG NL YU**
281. **Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros* Herbst,1784 **AZ AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LS LT LU MK MD NO PT RO RU SK SL ES SE CH TR UA MA TN KK KG TJ NL UZ**
282. **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828 **AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LA LS LT LU MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IQ KK KG TJ TM NL UZ**
283. **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844 **AZ AM Cc BG GG GR MD RU SL TR UA AF IR IQ KG TJ TM UZ**
284. **Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum* Chaudoir,1846 **AZ AM Cc GG RU TR UA IR**

285. **Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae)
Synonym(s): *ephippium Marsham,1802* AT BE BG DK FR GB DE GR HU IT MD RO RU SK SL ES TR UA
MA TN NL
286. **Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s):
semipunctatum Donovan,1806 AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IT LA LT MD NO RO RU
SK SL SE CH TR UA KG NL JP MN YU
287. **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium*
Olivier,1795 AZ AL AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GR HU IE IT LA LT LU MK MD NO
PL PT RO RU SK SL ES SE CH TR UA DZ CI EG MA TN AF CY IR IL Pa KK KG TM NL UZ CN
288. **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s):
atlanticum Wollaston,1854 AZ AM Cc BG GG GR MD RU TR UA DZ EG MA TN CY IR IQ IL Pa KK KG SA
TJ TM UZ YE
289. **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum*
Dejean,1831 AL B-H BG HV FR GR IT MA MK RU SL TR UA EG LY CY
290. **Bembidion (Odontium) striatum (Fabricius,1792)** (Carabidae) Synonym(s): *striatum*
Fabricius,1792 AT B-H BG BY HV CZ DK EN FI FR DE HU IT LA LT MD PT RO RU SK SL ES CH TR UA
NC NL
291. **Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum*
Dejean,1831 AL AT B-H BG HV CZ GR HU MK MD RO RU SK SL TR UA YU AZ AM Cc IR SY
292. **Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii*
Crotch,1866 AT BE B-H BY CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO RU SK SL ES
SE CH TR UA NL
293. **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum*
Sturm,1825 AT BE BG BY HV CZ DK EN FI FR GB DE GR HU IE IT LA LT LU MK MD NO RO SK SL ES SE
CH UA IR KG NL YU AZ AM Cc GG RU TR
294. **Bembidion (Peryphus) tetracolum Say,1823** (Carabidae) Synonym(s): *tetracolum*
Say,1823 AT BE B-H BY HV CZ DK EN FI FR GB DE HU IE IT LS LU MK MD NO PT RO RU SK SL ES SE
CH TR UA DZ MA TN NL YU
295. **Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s):
lunulatum Geoffroy,1785 AT BE B-H BG BY HV CZ DK EN FR GB DE GR HU IE IT LA LT LU MA MD PL
PT RO RU SK SL ES SE CH TR UA MA TN IR NL
296. **Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s):
punctulatum Drapiez,1820 AZ AM Cc AT BE B-H BY HV CZ EN FI FR GB DE GG GR HU IE IT LA LT LU
MK MD PL PT RO RU SK SL ES CH TR UA DZ MA TN IR
297. **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s):
quadripustulatum Audinet-Serville,1821 AZ AM Cc AT BE B-H BY HV CZ FR GB DE GG GR HU IT LA LT
LU MK MD PL PT RO RU SK SL ES SE CH TR UA CY IQ IL Pa KK KG TJ TM NL UZ CN YU
298. **Bembidion (Talanus) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s):
subfasciatum Chaudoir,1850 BG HV CZ GR IT MD RO RU TR UA
299. **Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s):
bipunctatum Linnaeus,1761 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG GR HU IC IE
IT LA LS LT MK MD NO PT RO RU SK SL ES SE CH TR UA MA IR KK KG TJ NL UZ
300. **Bembidion (Trepanus) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s):
octomaculatum Goeze,1777 AZ AM Cc AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR HU IT LA LT LU
MK MD PT RO RU SK SL ES SE CH TR UA DZ MA TN IL Pa KK KG TJ TM NL UZ JP YU
301. **Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812*
AZ AM Cc AT BE BG BY HV CZ FR GB DE GG GR HU IE IT LA LT LU MK MD NO PL PT RO RU SK SL ES CH
TR UA NL
302. **Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767*;
nigroptera Geoffroy,1785; *nigritarsis Latreille,1805* AT BE CZ DE GB FI EE ES FR IT BG TR RU UA LT LV
Cc GG HU IE LT NL NO PL RO SK CH UA
303. **Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824* TR AT
BG HV CZ FR GR HU IT PL PT RO RU Us Si ES UA
304. **Bibio marci (Linnaeus,1758)** (Bibionidae) Synonym(s): *marci Linnaeus,1758*; *brevicornis*
Linnaeus,1758; *crassipes Harris,1776*; *funerosus Harris,1776*; *pusillus Macquart,1846* PT ES FR GB IE
NO SE FI RU UA EE PL DK DE CZ SK HU CH AT IT Sa Si TR
305. **Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791*; *aptera*
Bosc,1791; *gallaealveariformis Anthoine,1794*; *gallaecerebriformis Anthoine,1794*; *quercusterminalis*
Fabricius,1798; *terminalis HArtig,1840*; *codinae Tavares,1928*; *hispanica Tavares,1928*; *lusitanica*
Tavares,1928 PT ES FR GB IE BE NL DE DK NO SE FI RU PL UA MD RO HU SK CZ SS B-H HV YU MK
BG GR AT IT TR
306. **Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina Horvath,1903*;
teratocera Kusnezov,1929; *turanica Hovarth,1936*; *ornata Emeljanov,1962* *Anoterostemma corvina*
Horvath,1903, Ann. Hist.- nat. Mus. Natl. Hung. 1: 472-476. AT SE HU RU At Sb KG TM UA MN TR
307. **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis Fabricius,1794*
nec Oliv.,1789; *discoidea Fabricius,1794*; *charopus Lichtenstein,1796*; *thoracicus Fabricius,1805*; *analisis*
Thunberg,1827; *trichromus Paramonov,1955* DZ AM Cc AT AZ GG CN Ui CY EG FR GR HU IR IT IL Pa KG

- KK LB MD MN MA OM RU Sb ES SY TJ TN TR TM UA UZ BW BI TD ZR ER ET GM GH KE ZA Tva Lpo Kzu
Nta Mpu Fs Gau SZ TZ TG UG YE ZM ZW
308. **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849 AF AL DZ AM AT Cc AZ GG CZ EG FR DE GR HU IR IQ IL Pa IT Sa Si KG KW KK LB LY MD MA PL PT RO RU Sb SK ES SY TJ TN TR TM UA AE
309. **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855 AL AM Cc AT AZ GG BY BE B-H BG HV CZ EG EE FR GR HU IR IL Pa IT Si KG KW KK LB LT MK MT OM PL RO RU Sb SA SK SS ES CH SY TJ TR TM UA AE UZ YU
310. **Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855 AF AM Cc AZ GG B-H HV FR DE GR IR IY Si KG KK MK MD MA PL PT RO RU Sb SS ES TR TJ TM UA UZ
311. **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901 AM Cc AT AZ GG B-H HV TR CZ FR DE GR HU IR IT MD PL PT RO RU Sb SK SS ES CH UA YU
312. **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937 AM Cc AZ GG B-H HV EG GR Rd IR IL Pa IT JO MK MD RU Sb SS ES SY TR TN UA YU
313. **Bombylisoma melanocephalum (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846 DZ AM Cc AZ GG CZ FR HU IT MD PT RU Sb SK ES CH TN TR UA
314. **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804 AL AM Cc AT AZ GG B-H BG HV FR DE GR HU IR IT MK MD PL PT RO RU Sb SK SS ES CH SY TR UA YU
315. **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926 AM AT Cc AZ BG FR GR GG HU IR IT MD PL RO RU Sb SK ES CH TR UA
316. **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855 AL DZ AM Cc AZ GG BG HV EG GR HU IR IT Si LY MD RO RU Sb ES TR UA YU
317. **Bombylius (s.str.) ambustus Pallas & Wiedemann,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas & Wiedemann,1818; *dispar* Meigen,1820 **Bombylius ambustus Pallas & Wiedemann,1818, Zool. Mag., Kiel 1 (2): 21.** Type(s): Kazakhstan IT Si AL AM Cc AT AZ GG BY CN HV CZ EE FR DE GR HU KG KK LT MD MN PL RU Sb SK ES CH TJ TR TM UA UZ
318. **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796 AF DZ Cc AM AZ GG AT BY CY CZ EG EE EG DE FR HU IR IT Si KK LT LY MD MA PL PT RU SK ES CH TJ TR TM UA UZ
319. **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855 AF AM Cc AZ GG DE IR IL Pa MD RU SY TR UA
320. **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855 AL AM Cc AZ GG AT BY BE B-H BG HV CY CZ EE FR Co DE GR IT Si HU LT LY MT MD NL PL RO RU Sb SK SS ES CH SY TR TM GB UA YU
321. **Bombylius (s.str.) cinerarius (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *cinerarius* Pallas & Wiedemann,1818 AL AM Cc AZ GG AT B-H BG CN HV CY EG FR GR HU IR IT KG MK MD MN RO RU SK SS ES SY TR TM UA UZ YU
322. **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820 AL AM Cc AZ GG AT BE B-H BG HV CZ EG FR DE GR HU IL Pa IT MK MD PL RO RU SA SK SS ES CH TR UA YU
323. **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855 AL AM Cc AZ GG AT B-H HV CY FR DE GR HU IR IT MK MT MD PL PT RO RU Sb SS ES TR UA YU
324. **Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796 DZ AM Cc AT AZ GG BY BE HV CZ DK EE FI FR DE GR HU IT Si LT LY MD PL PT RO RU Sb SK ES CH TR GB UA YU
325. **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855 AF AM Cc AZ GG AT BY BE CY CZ EG EE FR Co DE GR HU IT Si Sa IL Pa LB IR KG KK LT MD MA PL RO RU Sb SK ES SY TJ TN TR TM UA UZ YU
326. **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820 AL AM Cc AZ GG AT B-H BG CN? HV CZ EG GR HU IR IQ IL Pa IT Sa Si KG KK MK MT MD PL PT RO RU Sb SA SK SS ES CH TJ TN TR TM UZ UA YU
327. **Bombylius (s.str.) kutshurganicus Paramonov,1926** (Bombyliidae) Synonym(s): *kutshurganicus* Paramonov,1926 UA GR MD KG PL RU
328. **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus panzer*,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978 AF AL AM AZ GG Cc DZ BY BE B-H HV BG CY CZ EG EE FR DE GR Rd HU IR IQ IL Pa IT Sa Si KG KK LT LB LY MK MT MD MA NL PL PT RO RU Sb SK SS ES SE CH SY TJ TN TR TM UA UZ YU

329. **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus paramonov*,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978 AF AL AM Cc AT AZ GG BY BE B-H BG HV CY CZ DK EE FI FR DE GR HU IR IT Sa Si KG KK LT MK MD MN NL NO PL PT RO ES SE CH TJ TM GB UA UZ YU
330. **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804 AL AM AZ Cc GG GR BG EG FR IT HU IR IL Pa MK MD RO RU Sb SA ES TR UA AE YU
331. **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932 DZ AM AZ Cc AT CZ EG DE GR IR IT Sa MD PL RO RU SK ES CH TR UA
332. **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926 AF AL DZ AM AZ Cc AT BE B-H BG HV CY CZ DK EG FR DE GR GG HU IR IQ IT Sa Si KG MK MD MA PL RO PT RU SK SS ES CH SY TJ TN TR TM UA
333. **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820 YE AL DZ AM AZ GG Cc GR EG FR DE HU IR IQ IL Pa IT Si LB KW MK MD OM PL RO RU SA ES SY TR UA AE
334. **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec* Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926 YE AL AM AZ GG Cc AT BG HV CY CZ FR GR Rd HU IR Ak Ab IL Pa IT Si LB MK MD OM PL RO RU SA SK ES SY TR TM UA
335. **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830 AM AZ GG Cc AT BE B-H BG HV CZ EE FR DE GR HU IT Si LT LB MK NL PL PT RO RU Sb SK SS ES CH UA YU
336. **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926 AL AM AZ Cc AT B-H BG CN HV CY EG FR GR GG HU IR IT KG MK MD MN RO RU Sb SK SS ES SY TR TM UA UZ YU
337. **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855 AL AM AZ BG CN CZ GR GG HU Cc IR IL Pa IR MK MD RO RU SK TJ TR UA YU
338. **Bootheca taurus (Oshanin,1870)** (Issidae) Synonym(s): *taurus* Oshanin,1870 Cc AZ MD UA
339. **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 *nec* Mtsch.,1864 AZ AL AM Cc BE FR GG GR PT RU ES TR UA DZ MA IR IQ SY TJ TM UZ
340. **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904 AZ AL AM Cc BG HV GG GR IT MD RU TR UA AF IQ KK KG SY TJ TM UZ
341. **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812 AZ AL AM Cc AT BE BG BY HV CZ EN FR DE GG GR HU IT LT LU MD PL PT RO RU SK SL ES TR UA IR IQ IL Pa KK KG
342. **Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834 AZ AL AM Cc BE FR GG GR HU IT RU SK ES TR UA KK KG TJ UZ
343. **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 *nec* Reiche,868; *alexandri* F.Battoni,1984 AZ AL AM Cc BG GR RU TR UA
344. **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758 AZ AL AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MD PL PT RO RU SK SL ES SE CH TR UA CY IR
345. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828 AZ AL AM Cc B-H BG HV GG GR HU MD RO RU TR UA AF IR IQ KK KG SY TJ TM UZ
346. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842 AZ AM Cc B-H BG HV CZ FR GG GR HU IT MD RO RU SK SL ES TR UA MA IR IQ KG
347. **Brachyceps laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835 DZ AT BE BG CS FR DE GR HU IT MA RO ES TN MD UA YU
348. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884 ES PT GB FR BE NL DE DK SE NO FI PL SK SS IT Sa Si AT YU CZ HU RO BG GR AL MD UA RU Cr CY TR
349. **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951 *Chalcis femorata* Panzer,1801, Faun. Ins. Germ. 84, fig.16. B-H BG Cc HV CY EG FR Co DE IT HU GR TR IN Hp Up Ben Ch ID Ja IL Pa IQ KG MK MD MN PK CN PH PL RO RU Sb Us SK ES SE CH UA GB YU
350. **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis*

- Matsumura,1918...* AU QAU B-H BG Cc Cn HV CY SK CZ SE ES FR DE IT Sa HU MD NL PL RO TR EG IN
SI Ben Up SY IL Pa RU Sb Us SS CH TH MY UA GB UZ YU KG JP
351. **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922
AT B-H Cc BG CZ SK FR DE IT MK MD UA YU TR
352. **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834;
obtusata Förster,1859; *walkeri* Dalla Torre,1898 AL AT HV CY CZ SK EG FR DE GR Cr HU IQ IL Pa IT Si
MD NL RO SS ES SE TM UA RU YU TR JP
353. **Brachymeria secundaria (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria*
Ruschka,1922; *tauriensis* Masi,1929 AT LT B-H BG HV CZ SK FR DE HU IT MD RO SK ES UA RU YU TR
IN Hp Ben KG JP
354. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834;
intermedia Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856;
scirropoda Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ
AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us
Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu Bi UZ
355. **Bracon (Glabrobracon) variator (Nees,1812)** (Braconidae) Synonym(s): *variator*
Nees,1812 CN MN RU Sb UA Cm RO TR IR YU CZ HU FI SE NL BE DE IT PL AT FR ES GB
356. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus*
Boheman,1836 IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
357. **Bruchophagus robiniae Zerova,1970** (Eurytomidae) Synonym(s): *robiniae* Zerova,1970 IR
Th AM Cc BG UA UZ
358. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi*
Gussakovskiy,1933 IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX
MD NL NZ PL PE RO RU SK TR UA US UZ YU
359. **Bryaxis curtisii (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis*
Karaman,1952 NO SE DK DE GB FR BE NL CG IT SK CZ PL BY HU MD RO UA YU SS B-H MK BG TR
360. **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis* Mulsant &
Rey,1855; *taeniops* Fieber,1868 AL DZ CY FR Co IT LY MA NL? ES TN UA YU TR
361. **Bulaea lichatschovi (Hummel,1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827
ES SS IT HU RO BG GR MK UA TR RU Ao
362. **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides*
Ménétriés,1832; *anthracinus* Faldermann,1835; *nigellus* Kiesenwetter,1858 RU Cc UA Cm TR TM AM SY
IL Pa
363. **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi*
Linnaeus,1767 RU Ur Sb Cc UA Cm GG TM IR SY IL Pa EG TR MA DZ TN LY
364. **Caliscelis affinis (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis* Fieber,1876 Cc BG RO
AM GG MD UA
365. **Callirhytis glandium (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859;
girardi Tavares,1902; *aestivalis* Nieves-Aldrey,1992 PT ES FR GB IT AT B-H HU RO PL UA TR
366. **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775
AZ AL AD AM Cc AT BE B-H BG BY HV CZ FR GB DE GG HU IT LU MK MD NO PL PT RO RU SK SL ES SE
CH TR UA MR IQ KK KG SY TJ TM NL UZ
367. **Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983 DE PL
FI BY UA RU Cc TM RO AT HU CZ YU AL GR
368. **Calopteryx taurica Selys-Longchamps,1853** (Calopterygidae) Synonym(s): *taurica* Selys-
Longchamps,1853 *Calopteryx splendens* var. *taurica* Selys-Longchamps,1853, Synopsis des
Calopterygines: 13. Type(s): Ukraine: Crimée. UA Cm Cc AM AZ RU Da TR
369. **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758;
colchicus Eichwald,1837 BE DK IT GB KG SE CH ES FR DE AT PL HU YU BG AL GR TR UA RU
370. **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758;
punctiventre Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922 AL BE B-H BG
HV CZ DK EN FI GB DE GR HU IE IT LT MK MD NO PL PT RO RU SK SL ES SE CH TR UA MA IR SY NL
371. **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758;
severum Chaudoir,1850 AZ AL AM Cc AT BE B-H BG HV CZ DK EN FR GB DE GR HU IT LT MK MD PL
PT RO SK SL ES SE CH TR UA MA TN CY IR KK KG SY
372. **Campiglossa grandinata (Rondani,1870)** (Tephritidae) Synonym(s): *grandinata*
Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschiński,1875; *beckeri* Rübsaamen,1910;
effingendea Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971; IR Ab Oru Cc RU Sb BY CN EE IT
KG LT MN UA
373. **Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata* Loew,1844;
producta Loew,1844 TR AZ Cc BY RU CN AM EE GG IL Pa Cn CY DZ LT MN MD UZ UA
374. **Cantharis annularis Ménétriés,1836** (Cantharidae) Synonym(s): *annularis* Ménétriés,1836
TR AL BG HV RU CZ DK FR DE AZ AM GG Cc MK RO SK ES CH UA YU IR KG MN IL Pa
375. **Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris* Fallén,1807 TR AM
AZ GG Cc BE BY AT CZ EE FR FI GB DE GR HU IT LT PL RO SK SS UA

376. **Cantharis lateralis** Linnaeus,1758 (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758 TR AT BE B-H BY HV RU CZ DK EE FI FR GB DE GG AM AZ Cc MK PL SK SS ES CH UA YU MA AF KK KG MN
377. **Cantharis livida** Linnaeus,1758 (Cantharidae) Synonym(s): *livida* Linnaeus,1758 TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
378. **Cantharis longicollis** Kiesenwetter,1852 (Cantharidae) Synonym(s): *longicollis* Kiesenwetter,1852 AT SK SS UA HU PL RO HV MK IT AL GR TR
379. **Cantharis nigra** De Geer,1774 (Cantharidae) Synonym(s): *nigra* De Geer,1774 TR AT BE BY HV RU CZ AM GG AZ Cc EE FI FR GB DE GR HU IT PL RO SK SE CH ES UA
380. **Cantharis pulicaria** Fabricius,1781 (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781 TR AL AT BG HV CZ FR DE GR NO HU IT LT MK PL IT SK ES SE CH UA
381. **Cantharis rufa** Linnaeus,1758 (Cantharidae) Synonym(s): *rufa* Linnaeus,1758 TR AT BE BG BY RU CZ DK EE FI FR GB DE YU HU IT GR PL RO SK ES SE CH UA AF KK KG MN KP KR CN Ui Mc TJ UZ
382. **Cantharis rustica** Fallén,1807 (Cantharidae) Synonym(s): *rustica* Fallén,1807 AL AT BE B-H BG BY HV RU Sb DK EE FR GB DE GR HU IT LT PL RO SS SE ES CH UA YU SY TR
383. **Capnodis carbonaria** (Klug,1829) (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926 YU GR BG TR UA Cm Cc GG AM CY EG IL Pa SY JO LB IR
384. **Capnodis tenebricosa** (Olivier,1790) (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcesei* Obenberger,1945; *morio* Obenberger,1945 DZ MA FR ES IT DE AL BG TR DZ YU RO Cc IR AF GG Tbl IQ IL Pa SY CY KG KK UZ TJ LB MD RO UA Cm RU
385. **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet.,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917 DE AL AT Cc AZ BG TR DZ MA CZ AM GG FR Co ES IL Pa IR CH SE IT KG CY LB MK HU MD RO PT UZ TJ TM UA YU GR SK RU
386. **Carabus (Procrustes) coriaceus** Linnaeus,1758 (Carabidae) Synonym(s): *coriaceus* Linnaeus,1758 AL AT BE B-H BY HV CZ DK EN FR GB DE GR HU IE IT LA LS LT LU MK MD NO PL RO RU SL CH TR UA SY NL
387. **Carabus (s.str.) granulatus** Linnaeus,1758 (Carabidae) Synonym(s): *granulatus* Linnaeus,1758 AZ AL AD AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IT LS LT LU MD NO PL RO RU SK SL ES SE CH TR UA KK KG NL JP
388. **Carabus intricatus** Linnaeus,1761 (Carabidae) Synonym(s): *intricatus* Linnaeus,1761 AL AT BE B-H BG BY HV CZ DK FR DE GR HU IT LU MK MD PL RO RU SK ES CH TR UA
389. **Cardiophorus (s.str.) dolini** Mardjanian,1985 (Elateridae) Synonym(s): *dolini* Mardjanian,1985 TR GR MK UA Cm
390. **Cardiophorus (s.str.) tenelloides** (Dolin,1960) (Elateridae) Synonym(s): *tenelloides* Dolin,1960 UA Cm
391. **Carinatodorcadion aethiops** (Scopoli,1763) (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951 AT CZ HU RO BG TR SS SK UA
392. **Carinatodorcadion carinatum** (Pallas,1771) (Cerambycidae) Synonym(s): *carinatum* Pallas,1771; *pigra* Schönherr,1817; *cinereopubescens* Breuning,1946 RU Ur Cc UA Cm KG TR
393. **Carinatodorcadion fulvum** (Scopoli,1763) (Cerambycidae) Synonym(s): *fulvum* Scopoli,1763; *sanguinolentus* Scopoli,1772; *frontale* Mulsant & Rey,1863 AT CZ HU YU BG SS SK UA
394. **Carpomya schieneri** (Loew,1856) (Tephritidae) Synonym(s): *schieneri* Loew,1856 TR AT BY BG CZ EE FR IL Pa Cc KG LT HU MN RU UA
395. **Centrotus cornutus** (Linnaeus,1758) (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955 AL AT BE BG CS DK FI FR DE GB GR HU IT NL NO PL PT RO ES SE TR Cc AM AZ EE GG KG LV MD RU Sb UA YU
396. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923 Cc DZ BG FR DE? GR IR IL Pa IT LB MA PT ES SW SY TR AM GG RU Da TM UA UZ
397. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917 Cc AL AT BG CS FR DE GR HU IT PL PT RO ES SW TR AZ GG MD RU UA YU
398. **Ceresa bubalus** (Fabricius,1794) (Membracidae) Synonym(s): *bubalus* Fabricius,1794 AL BG FR GR HU IT RO ES SW Cc AM AZ GG TR MD UA YU
399. **Ceroxys cinifera** Loew,1846 (Ulidiidae) Synonym(s): *cinifera* Loew,1846 RU Sr UA
400. **Ceroxys hortulana** (Rossi,1790) (Ulidiidae) Synonym(s): *hortulana* Rossi,1790 UA B-H HV MD FR RO

401. **Ceroxys munda (Loew,1868)** (Ulidiidae) Synonym(s): *munda* Loew,1868 **UA KG CN Ui RU**
402. **Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994 **RO UA RU FI SE GB FR HU IT KG TM EG CN B-H RO**
403. **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787 **PT ES FR IT MT GR Cr Cc TR UA Cm RU**
404. **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicorus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyssl.,1790; *piligera* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948 **IT LT BY UA Cm SS BG Cc GG AM TR RU Ur Sb KG KK TM IR UZ CN Ui**
405. **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792 **AF DZ AM GG AZ Cc DE AT BG CZ RU Da Sb DK EE MA FR FI NL GB IQ IR ES SE CH IT KG HU MD NO PL PT RO SY TN UA GR TR**
406. **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837 **AT BG CZ RU Da AM Cc GG FR ES CH KG HU MD PL RO YU TM UA GR TR**
407. **Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis* Schultze,1898 **AZ RU Da IR TR TM UZ UA**
408. **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787 **AF DE AL AZ Cc GG AM BE B-H BG DZ CZ CN MN MA DK EE FI FR HV NL GB IR ES SE CH IT KG CY TR KK HU MK NO PL PT RO RU Sb YU SS SK SY UA GR**
409. **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902 **DZ AM Cc GG KG UZ UA TR TM**
410. **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837 **DE AT BG CZ RU Da AM Cc GG GB FR IT KG CY LB HU MD PL RO SK SS TM TR UA**
411. **Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957 **DE AT BG CZ KG HU MK PL RO RU YU SK UA GR TR**
412. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802 **DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR**
413. **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837 **DE AZ BY BE BG DZ CZ Da Cc RU AM MA FR GG NL ES IL Pa CH IT HU MD PL PT RO SK SS TN TM TR UA GR**
414. **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837 **AF DE AT BY BE BG Da Cc RU AM EE FI FR GG NL GB ES SE IT KG HU MN MD NO UZ PL RO Sb SK TN TM TR UA**
415. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837 **DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA**
416. **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837 **DE AZ Cc AT CZ Da AM EE FR GG HV SE CH IT KG KK HU MD PL RO RU YU Sb SK TJ TN TM TR UA GR**
417. **Ceutorhynchus subpilosus Brisoth,1869** (Curculionidae) Synonym(s): *subpilosus* Brisoth,1869 **AT BG CZ AM Cc EE MA FR GG IT MD RO SK TR UA YU**
418. **Ceutorhynchus sulcatus Brisoth,1869** (Curculionidae) Synonym(s): *sulcatus* Brisoth,1869 **AT BY BG CZ EE GG HU MD PL RO RU SK SY UA TR**
419. **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800 **DE AL AZ Cc AT BY BE BG DZ CZ Da DK AM EE MA FI FR GG HV NL GB IQ IR ES IL Pa SE CH IT KG HU MD NO PL PT RO RU YU Sb SK SS SY TN TR TM UA GR**
420. **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903 **AF DE AZ Cc AT BG CZ Da RU AM FR GG GB IR IL Pa IT KG HU MD UZ PL RO YU Sb SY TJ TM UA TR**
421. **Cheilotoma erythrostroma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostroma* Faldermann,1837 **IT BG RO UA Cm Cc RU**
422. **Cheilotoma musciformis (Goeze,1777)** (Chrysomelidae) Synonym(s): *musciformis* Goeze,1777 **FR UA PL Cc**
423. **Cheironitis eumenes (Motschulsky,1859)** (Scarabaeidae) Synonym(s): *eumenes* Motschulsky,1859 **UA KG RU**
424. **Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842 **PT ES FR IT SS B-H HV BG AL MK GR HU YU UA Cm TR**
425. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802 **AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US**
426. **Chelostoma (Foveosmia) distinctum (Stöckhert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckhert,1929 **AT AD BE BG CH CZ DE EE FR FI GR HU HV IT LT MK NL PL RO RU SK SS UA Cc IR TM**
427. **Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868 **AL AD BG CH DE EE FR GR HU HV IT PL RU SK SS UA TR**

428. **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum Schletterer,1889* AZ GG Cc RU UA TM IR TR
429. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
430. **Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis Linnaeus,1758; maxillosa Linnaeus,1767; culmorum Lepeletier,1841; parumerinitus Alfken,1932* AT AL AM Cc BE BG CH CZ DE DK GB EE FR FI GR HU HV IT LT NL PL RO RU SS SK UA TR
431. **Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi Schletterer,1889* BG HV FR GR IT Si UA Cc TR IL Pa
432. **Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale Schletterer,1889; brevifurca Benoist,1935; subnitida Benoist,1935* HU TR AT BG CZ HV RO SK SS UA EE FR JO SY TR
433. **Chirotica decorator (Villers,1789)** (Ichneumonidae) Synonym(s): *decorator Villers,1789* TR UA
434. **Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): *kindermanni Chaudoir,1856* ST UA TJ UZ AZ AM Cc GG KG ST KG TR
435. **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FA FI FR GB DE GG HU IE IT LA LS LT LU MA MK MD NO PL RO RU SL ES SE CH TR UA KG NL
436. **Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus Schrank,1781* AL AD AT BE B-H BG BY HV CZ DK EN FA FR GB DE HU IE IT LS LU MA MK MD PL RU SK SL ES CH TR UA MR KG NL
437. **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783* AZ AL AD AM Cc AT BE B-H BG BY HV CZ DK EN FI FR DE GG HU IT LA LS LT LU MA MK MD NO PL RU SK SL ES SE CH TR UA MR KG TM NL UZ
438. **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792* AZ AL AD AM Cc AT B-H BG BY HV CZ FR GG GR HU IT MA MK MD RO RU SK SL ES TR UA DZ CI EG LY MA MR AF CY IR IQ IL Pa KK KG LB SY TJ TM UZ CN JP MN KR KP
439. **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826* AZ AM Cc B-H BG HV HU RO TR UA IR KG SY TJ TM UZ
440. **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812* AZ AL AM Cc B-H BG HV FR GG GR HU IT PT RO RU SK ES TR UA EG KG TJ TM UZ
441. **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829* AZ AL AM Cc B-H BG GG GR MK MD RO RU TR UA IR IQ IL Pa JO KG SY TJ TM UZ
442. **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820* AZ AL AM Cc B-H BG HV FR DE GG GR HU IT MK MD PT RO RU SK ES TR UA DZ MA TN KG
443. **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796* AZ AL AM Cc AT B-H BG BY HV CZ FR GG HU IT LT MK MD RO RU SK SL TR UA EG LY TN AF IR IQ KG SY TJ UZ
444. **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960* Cc ES Cn AT FR DE GB HU IR IE IT TN GG TR KG KK RU UA UZ YU MD AZ
445. **Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii Ossiannilsson,1939* AT BG CS FI FR DE HU IT NL PL SE EE KG LV MD UA YU TR RU At
446. **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884* BG CS GR IT RO TN TR AZ GG Cc KG KK RU UA
447. **Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula Fallén,1806* DZ AT BE BG CS DK FR DE GB HU IT NO PL RO ES SE SW KG KK LV MD RU Sb UA YU
448. **Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus Scopoli,1763* PT ES FR IT CZ TR MK AL GR BG RO HU AT CH DE SK PL EE LT BY RU UA Cm MD KG
449. **Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880* DE AT BE BG CZ FR IT Cc TR HU RO UA YU
450. **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii Rozkosny,1979* CZ SK IE GB BE NL DE CH AT IT HU RO RU UA Cc GG
451. **Chorthippus (Chorthippus) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus Zetterstedt,1821; pratorum Fieber,1852; explicatus Selys-Longchamps,1862; nigrolineatus Ivanov,1888; sylvestris Puschnig,1910; montana Chopard,1922; caffra Ramme,1923; fuliginosus Voroncovsky,1928; prasinolateralis Voroncovsky,1928; prasinoperficies Voroncovsky,1928; prasinus Voroncovsky,1928; viridis Voroncovsky,1928; aemulus Mishchenko,1951; geriberti Harz,1962; caffer Harz,1975* ES FR GB NO SE DE DK EE LT RO YU HV B-H BG CH AT CZ SK TR Cc UA RU KG Sb
452. **Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri Laporte & Gory,1837; consentacea Dejean,1836; multipunctata Campanyo,1863; quadridens Rey,1890; bedeli Pic,1930* DE AT BG DZ CZ FR Cc GG Tbl ES CH IT Co HU PL PT RO RU TR UA YU GR
453. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes*

- Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcius* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980
TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB
US Arz Col FI NMx Ny Tx YU
454. **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952 FR IT B-H HU BG RO UA Cm TR Cc RU Sb KG GG AM AZ Bak
455. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli,1763 TR Cc UA Cm RU Sb CN MN JP KP KR
456. **Chrysotus angulicornis Kowarz,1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874 GG RU Cc Da UA RO AT CZ FI FR IT LT PL SE CH IR
457. **Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes* Meigen,1824; *subfemoratus* Frey,1839; *callidus* Parent,1944 GG Cc AM AZ RO RU TR UA
458. **Chrysotus collini Parent,1923** (Dolichopodidae) Synonym(s): *collini* Parent,1923 AM AZ GG Cc UA RU TM
459. **Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes* Zetterstedt,1838; *amplicornis* Lowarz,1874; *kowarzi* Lundbeck,1912 RO TR UA RU Cc Ya Am KK CN
460. **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857 AM BG EG GG GR Cc IQ IL Pa RO RU TR UA
461. **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877 Cc AL AT CY CS EG FR GR HU IL Pa Js IT JO LB RO SW ES TN AM AZ GG IR TR RU TM UA YU
462. **Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954 AL BG CY CS FR GR IR IT LB IL GR Rd RO ES SW SY TR AZ UA YU
463. **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923 Cc BG IR IL Pa JO SY TR AM AZ GG RO RU Sb TM UA
464. **Cicadatra querula (Pallas,1773)** (Cicadidae) Synonym(s): *steveni* Stal,1854 (praeocc.); *querula* Pallas,1773; *paliuri* Kolenati,1857 Cc AF DZ FR IR IL Pa MN TN AM AZ GG KG KK RU TJ TM UA UZ
465. **Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876 Cc AT BE BG CN DK FI FR DE GB GR HU IT NO IL PL RO ES SE SW TR AZ GG KG MD RU Sb TJ UA YU
466. **Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961 MK AL AT BG CS FR DE GR HU IT MA PT RO ES TN KK MD RU Cc TR UA UZ
467. **Cicadula flori (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962 CZ DK EE FI FR DE HU IL Pa KG LT MN NO PL RU Us Sb SK SE CH UA TR
468. **Cicadula quadrinotata (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850 AL DZ AT BG TR ES Cn CN Mc CS FI FR DE GB HU IS IE IT Sa JP KP MN NL NO PL PT RO SE SW EE GG Cc KG KK LV MD RU Sb UA
469. **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766 FR GB BE NL IT SS AT CZ RO UA BG MK TR IL Pa
470. **Circulifer haematoceps (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *hapti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948 AF DZ AT ES Cn CY CS EG FR DE GR HU IR IT JO LB LY Md MN MA PL RO ES SY TN TR AM AZ GG Cc KG KK MD RU TM UA UZ YU
471. **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878 TR AT AZ Cc B-H BG HV CZ DE HU IR IE IL Pa IT JP KP KR LT MD NL CN PL RO RU Us SK ES SE UA GB YU
472. **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955 TR DZ AT AZ Cc B-H BG CA On Qb Cn HV CZ FR DE GR HU IE IQ IT Sa Si JP JO LT MK MD NL NO CN Pkn She Sha PL RO RU Us SK ES SE CH TN UA GB UA Cf Col YU
473. **Cixidia marginicollis (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839 AL AT CZ FR DE HU IT RO ES SW SY TR MD UA YU
474. **Cixidia pilatoi D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995 AT B-H BG CZ DE IT RO UA YU TR

475. **Cixius cunicularius (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynobatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876 **AL DZ AT BL CN CZ DK FN FR DE GB IE HU IT NO PL RO ES SE SW RU BY EE KG LV UA YU GG Sb**
476. **Cixius distinguendus Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distinguendus* Lodos & Kalkandelen,1980 **AT BG CZ FI FR DE GB IE IT NL NO PL SE RU KG LV EE UA YU TR**
477. **Cixius hispidus Logvinenko,1967** (Cixiidae) Synonym(s): *hispidus* Logvinenko,1967 **AZ Cc UA RU**
478. **Cixius nervosus (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955 **Cc AL DZ TN AT BL GB CZ DK FI FR DE HU IT JP MA NL NO PL RO ES SE SW RU AZ BY EE GG KG LV UA UZ YU MD Krl Sh Sb**
479. **Cixius ukrainica Logvinenko,1974** (Cixiidae) Synonym(s): **UA**
480. **Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790 **FR RU UA TM AT BG DE ES CH GR TR**
481. **Clanoptilus (s.str.) strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885 **TR UA Cm KK KG**
482. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889 **ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum**
483. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917 **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col Fl Ny Tx YE YU**
484. **Closterocerus lyonetae (Ferrière,1952)** (Eulophidae) Synonym(s): *lyonetae* Ferrière,1952; *fimbriata* Erdős,1956 **HV FI DE HU IT JP ES SE CH UA RU YU TR**
485. **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920 **IT Si RO UA BG TR Cc SY IQ IR RU**
486. **Clytra valeriana Ménétriés,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétriés,1832; *tetrastigma* Schmidt,1841; *#valerianae* Aydın & Kismali,1990 **YU GR BG TR Cc UA Cm IT Si RU IR**
487. **Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903 **DE BG FR GB IR Cc KG UA Cm MK SY TR TM**
488. **Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933 **DE BG FR IN IR SE UA Cm Cc TR KG**
489. **Coniocleonus excoriatus (Schoenherr,1834)** (Curculionidae) Synonym(s): *excoriatus* Schoenherr,1834; *melanographus* Fahreus,1840 **ES FR TR EG RU Cc UA Cm IT SY DZ**
490. **Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat* Boheman,1849 **Cc DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL RO ES SE TR EE GG LV MD RU UA YU**
491. **Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucescens* Hasbenli & Aktas,1995 **IT BG YU AL RU MD UA TR Cc GG AZ AM**
492. **Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens* Fabricius,1787 **DZ TN EG PT ES IT BE DE PL EE LT LV UA RU MD Cc TR AZ AM GG IR AF CN**
493. **Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875 **AL DZ AT Az BE BG CY CS DK FR DE GB GR HU IE IT Si NL PL PT RO ES SE SW TR LV MD UA YU IR**
494. **Copris hispanus (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958 **ES RU UA UZ TM TJ IR TR EG**
495. **Copris lunaris (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *lunaris* Linnaeus,1758; *bifidus* Poda,1761; *emarginatus* Olivier,1789; *belisama* Schrank,1798; *lunus* Schrank,1798; *castaneus* Mulsant,1842; *corniculatus* Mulsant,1842; *deletus* Mulsant,1842; *obliteratus* Mulsant,1842; *gistelianus* Gistel,1857; *jenisonianus* Gistel,1857 **GB DE FR YU LT RU UA Cm Cc KK KG TM**
496. **Coptocephala chalybaea (Germar,1824)** (Chrysomelidae) Synonym(s): *chalybaea* Germar,1824; *apicalis* Lacordaire,1848 **SK UA Cm Cc RU KG**
497. **Coptosoma scutellatum (Geoffroy,1785)** (Plataspidae) Synonym(s): *scutellatum* Geoffroy,1785 **TR UA Cm**
498. **Corynis italica (Lepeletier,1823)** (Cimbicidae) Synonym(s): *italica* Lepeletier,1823 **ES FR HV YU CH UA IT TR**
499. **Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969 **FR BE DE CH IT Si CZ AT HU SS RO BG AL MK GR RU UA EE LT SE FI TR Cc**
500. **Coryphalus gyllenhalii (Fallén,1826)** (Cicadellidae) Synonym(s): *gyllenhalii* Fallén,1826 **AT FI DE NO PL SE Cc AZ EE KG LV RU UA**

501. **Cotesia glabratus (Telenga,1955)** (Braconidae) Synonym(s): *glabratus* Telenga,1955 **BG Cc RU Da GG IL Pa DE TR KG UA**
502. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae* Riley,1887 **MX CA US GB DE YU TR CZ NL HU MD UA RU JP**
503. **Cratylus (s.str.) ambigua (Lengersdorf,1934)** (Sciariidae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942 **FR NL DE CZ SK CH AT IT UA BG GR SE FI**
504. **Cryptocephalus apicalis Gebler,1830** (Chrysomelidae) Synonym(s): *apicalis* Gebler,1830; *flavoguttatus* Suffrian,1847 **AT HU SK YU UA RU Sb**
505. **Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinuus* Suffrian,1853 **UA Cm BG TR Cc IR FR**
506. **Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799 **ES PT RU Sb AL BG UA Cm PL YU Cc KG KP KR DZ CN GR AZ TR**
507. **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808 **AT HU RO RU AL BG UA Cm PL YU TM Cc KG BG TR IR IL Pa JO**
508. **Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781 **RU Sb AL AZ BG AM Cc UA Cm PL TR YU KG CN GR IR IL Pa**
509. **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777 **RU Sb AL BG PL YU TR JO IL Pa DZ SA UA**
510. **Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus* Germar,1824 **RU Sb Cc KG AZ AM GG UA IR TR**
511. **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758 **RU Sb AL BG PL UA Cm YU Cc IR TR JO**
512. **Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819 **AL AZ AM Cc TR BG UA Cm PL GR RU Sb KG IR**
513. **Cryptocephalus octacasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891 **RU Sb AL BG UA Cm PL YU GR TR KG KK CN UZ Cc**
514. **Cryptocephalus octomaculatus Rossi,1790** (Chrysomelidae) Synonym(s): *octomaculatus* Rossi,1790 **FR UA TR**
515. **Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879 **TR AM AZ GG Cc IR SY GR BG HV YU MK RO UA Cm**
516. **Culicoides atripennis Shevchenko,1972** (Ceratopogonidae) Synonym(s): *atripennis* Shevchenko,1972 **UA**
517. **Culicoides pulicaris (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flavipilum* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940 **DE UA BE EG RU SE LT TR IL Pa TW**
518. **Culicoides setosus Gutsevich,1960** (Ceratopogonidae) Synonym(s): *setosus* Gutsevich,1960 **UA**
519. **Culicoides zhogolevi Remm,1968** (Ceratopogonidae) Synonym(s): *zhogolevi* Remm,1968 **UA**
520. **Cylindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822 **MA DZ PT ES IT Sa Si MT TN LY Co NL FR GR BG RO TR UA Cm RU Ur**
521. **Cylindromyia interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824 **TR AT BE B-H GB BG Co HV CZ DK DE EE FI FR HU IT LT NL NO PL RO Us SK SS ES SE CH UA YU**
522. **Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964 **ES FR GB IE BE DE AT PL UA HU B-H BG TR**
523. **Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948 **PT ES FR GB NL DE PL UA RO BG GR YU HV HU AT**
524. **Cynips divisa Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870 **PT ES FR GB IE BE NL DE DK SE FI RU UA MD RO YU HV SS GR IT Si AT CZ SK HU TR**
525. **Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930 **PT ES FR GB IE BE NL IT DK SE FI RU DE CH PL CZ SK HU UA RO BG GR YU HV B-H SS HU AT**
526. **Cynips quercus (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962 **PT ES FR DE UA MD RO YU GR IT AT HU TR MK**
527. **Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaemunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870 **ES FR GB IE BE NL DE DK NO SE FI EE RU CH IT AT CZ SK HU PL UA MD RO BG MK GR YU HV B-H SS TR**
528. **Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus* Loew,1856 **EG JO MA DZ AZ AM GG Cc TR IR GR IT Sa FR ES RU UA TM TJ**
529. **Dasyhelea ferculata Remm,1968** (Ceratopogonidae) Synonym(s): *ferculata* Remm,1968 **UA**

530. **Dasytes niger (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906 ES FR GB BE NL DE CH AT DK NO SE FI EE LT BY PL SZ CZ HU IT SS B-H YU UA MD RO BG GR RU
531. **Dasytiscus affinis Morawitz,1861** (Melyridae) Synonym(s): *affinis* Morawitz,1861 AF AL BG HV GR MK RU UA YU
532. **Delphax crassicornis (Panzer,1796)** (Delphacidae) Synonym(s): *crassicornis* Panzer,1796; *dubia* Panzer,1796 (*praeocc.*); *grisea* Latreille,1804 AT BL CZ DK FI DE HU IT JP NL PL RO ES SE TN RU AZ EE KG KK LV TJ UA YU
533. **Denticollis rubens Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783 AT BE B-H BG BY HV RU CZ DK EE FR DE Cc GG HU IT LT MD NO PL RO YU SK SL SE CH UA ES TR
534. **Dermestes (Dermestinus) intermedius Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951 AT BG CZ Cr CY DE GR HU IT MK RO SK UA TR
535. **Dermestes (Dermestinus) leopardinus Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855 BG HV TR YU Cc UA RU
536. **Derocrepis jailensis Heikertinger,1922** (Chrysomelidae) Synonym(s): *jailensis* Heikertinger,1922 UA Cm
537. **Derocrepis serbica (Kutschera,1860)** (Chrysomelidae) Synonym(s): *serbica* Kutschera,1860; *strangulata* Allard,1860; *bicolor* Weise,1886 HV YU RO BG GR UA Cm TR
538. **Diaphorus winthemi Meigen,1824** (Dolichopodidae) Synonym(s): *winthemi* Meigen,1824 RO UA RU Or Mo
539. **Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968 TR Cc AM RU KG BG HU RO SK UA IL Pa
540. **Dibolia russica Weise,1893** (Chrysomelidae) Synonym(s): *russica* Weise,1893 BY RU UA Cm SS HV
541. **Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): *goritiensis* Mik,1864 TR DZ UA Cm
542. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pedicidae) Synonym(s): *lucidipennis* Edwards,1921; *luteicolor* Alexander,1975 AT BE BG CZ FR DE GB IE IT MK PL RO YU SK SS CH UA TR
543. **Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri* Fieber,1866 Cc AM TR KG RU TJ UA UZ
544. **Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens* Kirschbaum,1868; *carpathica* Horvath,1884 AL AT BL BG CZ FR DE GB IT PL RO SW RU Cc KG UA
545. **Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847 Cc TR DZ AT BL BG CZ FI FR DE GB HU IT IE NL NO PL RO ES SE TN RU At EE GG KG LV MD UA YU
546. **Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942 Cc AF AL AT BL BG CN U_i CZ FR DE GR HU IT IQ PL PT RO ES SW TN RU TR AM AZ GG KG KK MD UA UZ YU
547. **Dictyophara multireticulata Mulsant & Rey,1855** (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis* Matsumura,1910; *oertzeni* Matsumura,1910 AL AT BG CZ FR GR TR HU IL IT PT RO ES AM AZ MD UA YU
548. **Didismachus picipes (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820 TR IR Fa AT AL CZ CH DK DE FR HU IT NO NL PL RO YU SE FI Cc AZ AM GG UA RU Sb KG
549. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN U_p IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
550. **Dikraneura variata Hardy,1850** (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus* Letherry,1850; *lenensis* Linnavuori,1953 AT BE CS DK FI DE GB GR HU IT NL PL RO SW TR KG LV RU Sb UA CA
551. **Dilophus febrilis (Linnaeus,1758)** (Bibionidae) Synonym(s): *febrilis* Linnaeus,1758; *spinatus* O.F.Müller,1764; *forcipata* Schrank,1803; *vulgaris* Meigen,1818 PT ES FR GB BE NL DK DE NO SE EE PL CZ SK AT HU IT Sa Si UA
552. **Dioctria atricapilla Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820 AT BE BG BY FR Co DK EE FI DE HU IT KG LT LV LX MD MN NL PL RO RU SE CH TR UA GB IR
553. **Dioctria flavipennis Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820 FR HU PL AT RO DE LT EE LV MD CZ BG TR IR Elb Mz MY CN TJ RU Sb UA TM UZ

554. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata Faldermann,1837* Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
555. **Diplocolenus abdominalis (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis Fabricius,1803* DZ AT BE BG CS DK FI DE GB HU IT KP MN MA NO PL RO ES SW Cc AM TR AZ EE Kmt KG KK LV MD RU Sb UA YU
556. **Diplocolenus bohemani (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *bohemani Zetterstedt,1840; calceolatus Boheman,1845; tiaratus Fieber,1869* AL DZ AT BE BG CS DK FI FR DE IT NO PL RO SE SW TN KG LV MD RU (Siberia) UA YU
557. **Diplocolenus frauenfeldi (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi Fieber,1869; altaicus Vilbaste,1965* AT BG CS FR DE HU IT MN RO ES TR KG KK MD RU Sb At Krl UA UZ
558. **Diplocolenus nigrifrons (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *nigrifrons Kirschbaum,1868; ensatus Then,1897* AL AT BG IT KG UA
559. **Diplocolenus quadrivirgatus (Horvath,1884)** (Cicadellidae) Synonym(s): *quadrivirgatus Horvath,1884; nasti Wagner,1939* BG RO UA
560. **Diplolepis fructuum (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum Rübsaamen,1895* TR GG Tbl Cc UA Cm
561. **Dirhinus hesperidum (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum Rossi,1790; cornigera Jurine,1807; imperialis Giraud,1863* AT B-H HV CZ SK FR HU IT MD RO DZ UA TR JP
562. **Ditropsis flavipes (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes Signoret,1865; nitida Haupt,1866; dlabolai Vilbaste,1980* AT CH BE CZ DK FR DE HU MN PL ES SW TR KG RU UA
563. **Docosia gilvipes (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes Haliday,1856* ES PT FR GB CH AT IT HU NL BE DE DK EE LT LV RU UA NO SE FI PL JP RU Sb Md GR BG Cr TR
564. **Dolichogenidea drusilla (Nixon,1972)** (Braconidae) Synonym(s): *drusilla Nixon,1972* Apanteles drusilla Nixon,1972, Bull. ent. Res. 61: 701-743. TR DE UA BG HU MN IT GB
565. **Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): *arbustorum Stannius,1831* RO Cc GG RU UA
566. **Dolichopus asiaticus Negrobov,1973** (Dolichopodidae) Synonym(s): *asiaticus Negrobov,1973* UA RU MN KK
567. **Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus Macquart,1827; macquarti Parent,1926; pseudocilifemoratus Stackelberg,1930* Cc AZ AM GG RO RU UA Cm TR KG At Us Sh
568. **Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): *claviger Stannius,1831* RO RU Cc At Us UA Cm To
569. **Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema Haliday,1832; fraternus Staeger,1842* BG GR IL Pa RO RU UA TR KG CN
570. **Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus Loew,1859* Cc GG AM BG IL Pa RO RU UA Cm TR TM TJ
571. **Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus Macquart,1827; vulgaris Stannius,1831* Cc AZ GG BG RO RU Ur UA TR KG MN UZ
572. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824* Cc GG BG GR RO RU UA TR CN MX
573. **Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis Wiedemann,1817* BG GG Cc RO UA RU
574. **Dolichopus signatus Meigen,1824** (Dolichopodidae) Synonym(s): *signatus Meigen,1824; argentifer Loew,1859* RO UA RU KG AF
575. **Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer Haliday,1832; pictipennis Wahlberg,1850; punctum Haliday,1851* Cc AM GG AZ BG GR RO RU UA Cm TR AF Az MA TM TJ UZ
576. **Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes Verrall,1875; aratriformis Becker,1890* BG GR TR RO UA
577. **Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis Horvath,1903* AL AD AT BG TR CS FR DE HU IT MN PL PT RO SE Cc AM KG MD RU Sb UA YU
578. **Doratura heterophylla Horvath,1903** (Cicadellidae) Synonym(s): *heterophylla Horvath,1903* AT BG GR IT RO TR MD UA UZ YU
579. **Doratura homophylla (Flor,1861)** (Cicadellidae) Synonym(s): *homophylla Flor,1861* AL AT BE BG CS DK FI FR DE HU IQ IT IL MN NL PL RO SE TR AM AZ Cc EE KG KK LV MD RU Sb UA UZ YU
580. **Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica Horvath,1897* AL AT BG CS DK FR DE GB HU IT NL PL RO SE TR KG KK MD UA UZ YU
581. **Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata Boheman,1847; macroptera Kusnezov,1928* AL DZ AT BE BG CS DK FI FR DE GB HU IT NL NO PL PT ES SE SW TN EE Cc GG TR KG KK LV MD RU Sb UA YU
582. **Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros Melichar,1902* CN Ui IR Cc AM GG TR KG RU TM UA UZ
583. **Dorcadion (Cribridorcadion) elegans Kraatz,1873** (Cerambycidae) Synonym(s): *elegans Kraatz,1873; crimeense Breuning,1946; kirghisicum Breuning,1946* RU Ur UA Cm

584. **Dorycera hybrida** Loew,1862 (Ulidiidae) Synonym(s): *hybrida* Loew,1862 **BG TR GR Cr FR UA LB Bei**
585. **Drosophila (s.str.) transversa** Fallén,1823 (Drosophilidae) Synonym(s): *transversa* Fallén,1823 **RO BG TR UA RU**
586. **Drosophila (Sophophora) subsilvestris** Hardy & Kaneshiro,1900 (Drosophilidae) Synonym(s): *subsilvestris* Hardy & Kaneshiro,1900 **RO UA**
587. **Dryodurgades dlabolai** Wagner,1963 (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963 **HU IT RU MD UA YU BG FR TR**
588. **Dysmachus bilobus** Loew,1871 (Asilidae) Synonym(s): *bilobus* Loew,1871 **YU RO Cc RU BG TR IR UA AZ AM GG**
589. **Dysmachus bimucronatus** (Loew,1854) (Asilidae) Synonym(s): *bimucronatus* Loew,1854 **IR AT BG CZ DE FR IT HU RO YU UA RU TR KG**
590. **Dysmachus fuscipennis** (Meigen,1820) (Asilidae) Synonym(s): *fuscipennis* Meigen,1820 **TR IR Fa AL BG CZ DE FR GR HU PL IT RO YU RU Sb UA Cc AZ AM GG KG**
591. **Dysmachus praemorsus** (Loew,1854) (Asilidae) Synonym(s): *praemorsus* Loew,1854 **AT AL BG DE FR HU PL RO UA TR IR Fa**
592. **Dysmachus stylifer** (Loew,1854) (Asilidae) Synonym(s): *stylifer* Loew,1854 **AT AL BG CZ DE FR GR HU IT PL RO YU UA RU Cc AZ AM GG TR IR**
593. **Ebaeus appendiculatus** Erichson,1840 (Melyridae) Synonym(s): *appendiculatus* Erichson,1840 **TR IT Si AT CZ RO BG UA Cm**
594. **Echthistus rufinervis** (Meigen,1820) (Asilidae) Synonym(s): *rufinervis* Meigen,1820 **IL Pa TR IR Fa AT BG CH CZ DE FR GR HU PL RO YU UA RU Sb KG**
595. **Edwardsiana avellanae** (Edwards,1888) (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984 **AT BG CS FI FR DE GB HU NL PL SE SW MD RU UA TR**
596. **Edwardsiana flavescens** (Fabricius,1794) (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936 **AT BG CS FR DE GB HU NL PL RO SE Cc GG TR MD RU UA**
597. **Edwardsiana frustrator** (Edwards,1908) (Cicadellidae) Synonym(s): *frustrator* Edwards,1908; *solearis* Ribaut,1931 **CS DK FI FR DE GB NL PL SE SW Cc GG UA CA**
598. **Edwardsiana geometrica** (Schränk,1801) (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (*praeocc.*); *marginella* Gmelin,1790 (*praeocc.*); *geometrica* Schränk,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850 **AT BE BG CS DK FI DE GB IE IT NL NO PL RO SE SW EE LV RU UA**
599. **Edwardsiana lethierryi** (Edwards,1881) (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935 **DZ AT BG CS DK FR DE GB HU IE IT MA NL PL RO SE SW TR Cc GG MD UA YU**
600. **Edwardsiana rosae** (Linnaeus,1758) (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936 **AT BE BG CY CS DK FI FR DE GB HU IE IT Si JP NL NO PL RO ES SE SW AZ Cc KG KK LV MD RU TJ UA TR UZ YU**
601. **Elasmus nudus** (Nees,1834) (Eulophidae) Synonym(s): *nudus* Nees,1834; *albipennis* Thomson,1878 **TR Cc Cn HV CZ FI FR DE HU IT MD PL RU SK ES SE CH TJ TM UA AE GB YE YU**
602. **Elater ferrugineus** Linnaeus,1758 (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758 **TR Cc AM AL AT BE B-H BG RU CZ DK DE FR GB GG GR HU IT MD NL RO SK ES SE CH UA**
603. **Elymana sulphurella** (Zetterstedt,1828) (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917 **DZ AT BE BG CN CY CS DK FI FR DE GB HU IE JP KP IT MA NL NO PL PT RO ES SE SW TR EE KG KK LV RU At Sb UA YU**
604. **Emelyanoviana mollicula** (Boheman,1845) (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876 **AL AT BE BG CS DK FI FR DE GB HU IT NL TN TR EE GG Cc KG LV MD RU UA YU**
605. **Empis (s.str.) nigripes** Fabricius,1794 (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscurilla* Zetterstedt,1842 **TR AT BE B-H BG CZ DK FR FI DE GB HU IT LT NL NO PL SK SL ES SE CH UA RU**
606. **Empoasca solani** (Curtis,1846) (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960 **AL DZ AT BE BG CS DK FI FR DE GB IT MN MA NL PL PT RO ES SE SW TN TR GG Cc KG MD RU UA YU**
607. **Empoasca vitis** (Göthe,1875) (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939 **DZ AT BE CN Mc CS DK EG FI FR DE GB HU IE IT Sa JP KP NL NO IL PL PT RO ES SE SW TN TR AM AZ Cc EE GG LV MD RU Sb Us TJ UA UZ YU**
608. **Enicopus hirtus** (Linnaeus,1767) (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787 **FR IT AT CZ SS HV AL RO MK GR BG UA Cm RU TR**
609. **Ensina sonchi** (Linnaeus,1767) (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemii* Robineau-Desvoidy,1830; *doronici* Robineau-Desvoidy,1830; *herbarum* Robineau-Desvoidy,1830; *linariae* Robineau-Desvoidy,1830; *pratensis* Robineau-Desvoidy,1830;

- scorzoneræ Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA
RU Sb Us CN Hw PE
610. **Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera Walker,1839; punctatus Thomson,1878; nigratarsis Erdős,1944* TR BG CZ DE HU IE MK L CN Gn RO RU SK SE UA GB
611. **Entedon biroï Erdős,1944** (Eulophidae) Synonym(s): *biroï Erdős,1944* TR BG CZ HU IR KG MD MN SK UA GB RU Sb UZ
612. **Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui Askew,2001* BG FR GR IT ES UA
613. **Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius Thomson,1878; cinereæ Erdős,1961; fructicola Gumovsky,1996* TR BG Cn HV FR DE HU NL ES SE UA GB YU
614. **Entedon marusiki Gumovsky,1999** (Eulophidae) Synonym(s): *marusiki Gumovsky,1999* HU KG RU Tv UA
615. **Entedon pallicus Erdős,1944** (Eulophidae) Synonym(s): *pallicus Erdős,1944* TR BG CZ GR FR HU KG MD NL RU SK SE UA GB UZ
616. **Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar Thomson,1878; subovatus Thomson,1878* TR BG HV CZ DE HU KG MD NL RU Sb ES SE UA GB YU
617. **Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni Erdős,1944; molybdaenus Erdős,1944; urticarii Erdős,1951; meliloti Askew,1992* TR BG CZ FR DE HU NL RU SK ES SE UA GB
618. **Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus Erdős,1944* TR AZ Cc BG GG FR DE HU GR MK RO RU ES TM UA
619. **Entedon ukrainicus Gumovsky,1999** (Eulophidae) Synonym(s): *ukrainicus Gumovsky,1999* UA
620. **Entomoscelis adonidis (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis Pallas,1771; abdominalis Netolitzki,1912* TR SY UA RU Sb CN IR KG CA MN PK
621. **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata Pallas,1771; fasciatus Eversmann,1849; variabilis Eversmann,1849 nec Ross.; hellmanni Eversmann,1849; micans Radoszkowski,1877; caucasica Radoszkowski,1889; rossica Radoszkowski,1889; lichtensteini Tournier,1895; claripennis Priesner,1966;...* MA DZ TN FR BG GR HU IT Si KG HV YU SS ES PT UA TR RU IL Pa EG JO LB SY Cc Da AZ IR TM Kp UZ
622. **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus Horvath,1903; imitatus Haupt,1924; byzantina Zachvatkin,1946; mira Zachvatkin,1946; insularis Lindberg,1948* AL CY GR CS FR HU IR IL Pa IR IT Sa Si RO TR Cc AM GG KG UA YU
623. **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime Charpentier,1840* TR IR IQ CY SY LB IL Pa JO AM Cc GR Rd BG UA Cm RU KG
624. **Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia Foudras,1860* TR ES IT SK UA HU YU Cc
625. **Erythria (s.str.) manderstjernii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *manderstjernii Kirschbaum,1868; dilatatus Fieber,1872* AT BE CS FR DE IT PL RO SW AZ Cc UA
626. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
627. **Eucharis adscendens (Fabricius,1787)** (Eucharitidae) Synonym(s): *adscendens Fabricius,1787; kollari Föster,1859* AT BY B-H HV CZ DE HU IT KG LT MD RO RU Da Cc SK UA GB YU Sb TR IR Ak Mrd
628. **Eucharis carinifera Gussakovsky,1940** (Eucharitidae) Synonym(s): *carinifera Gussakovsky,1940* KG AM Cc UA UZ YU IR
629. **Eucharis rugulosa Gussakovsky,1940** (Eucharitidae) Synonym(s): *rugulosa Gussakovsky,1940* IR Elb Th UA Cm RU
630. **Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata Fabricius,1794 (praeocc.); lepidus Boheman,1847; tristis Boheman,1847* Cc AT BL BG CZ DK FI FR DE GB HU IE IT MN NL NO PL RO SW SE RU Sb AZ EE GG KG KK LV UA UZ YU
631. **Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): *cyanella Meigen,1826* CZ SE GR UA TR
632. **Eudelus simillimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus Taschenberg,1865* ES FR GB NL DE SE FI NO PL CZ SK AT IT Co HU RO BG TR UA RU
633. **Eugalta cinctipes (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): *cinctipes Kriechbaumer,1899* UA Cm TR
634. **Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa Boheman,1845; asiracoides Forel,1858; obscura Metcalf,1943* AT BL CZ DK FI FR DE GB HU IT NL PL RO SE AZ Cc EE KG RU UA YU
635. **Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803* TR IR Ab AF AZ EE GG Cc CZ MA DZ GB IL Pa CH KG CY KK LT MD RU TJ TM UZ UA
636. **Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis Fabricius,1781; turcicus Giordani Soika,1952* MT TR UA Cm LB TN
637. **Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus Goeze,1777* RU Cc Ur Sb MD UA Cm GG KG KK TM UZ TJ

638. **Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948 **AL DZ AT BE ES Cn CY CS DK EG FI FR DE GB HU IQ IE IL IT MN MA NL NO PL PT RO ES SE SW SY TN TR AM AZ EE GG Cc KG KK LV MD RU Sb TJ UA UZ YU IR**
639. **Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845 **AT BE BG TR CS DK FR DE GB HU IT NL PL RO ES SE EE LV UA YU**
640. **Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer,1838; *gallica* Wagner,1939 **AT BG TR CS DK FR DE GB HU IT NL PL AM Cc KG MD RU UA**
641. **Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939 **AT BE BG CS DK FR DE GB HU IE IT NL NO PL RO ES SE SW GG Cc TR IR LV MD RU UA YU**
642. **Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (*praeocc.*); *austriaca* Metcalf,1968 **AT BE BG FR DE IT UA**
643. **Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936 **AT BG CS FR DE GB GR IT MA NL PL RO ES SW GG Cc TR LV MD RU TJ UA UZ YU CA**
644. **Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936 **AT BG CS DK FI FR FR DE GB IT NL PL RO SE SW KG LV MD RU Sb UA**
645. **Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888 **AL AT BE BG CS FR DE GB IT PL RO SW KG LV MD UA**
646. **Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837 **DZ AT BE BG TR CS DK FR DE GB GR HU IT MA NL PT RO ES SW SY TN Cc UA UZ? CA**
647. **Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868 **AT BE BG TR CS DK FI FR DE GB HU IE MN NL NO PL RO SE SW EE KG LV RU Sb UA YU**
648. **Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939 **DZ AT BE BG CS CY DK DE GB HU IE IT NL NO IL PL PT RO ES SE SW TR AM AZ GG Cc KG LV MD RU UA YU**
649. **Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834 **AT CS FI DE GB HU IT NL NO PL RO SW TR RU LV MD UA**
650. **Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926 **AT CS FR DE GB HU IT RO SE SW Cc TR GG UA YU**
651. **Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936 **AL AT BE BG CS DK FR DE GB HU IE IT NL NO PL PT RO ES SE SW AM GG TR KG LV MD RU Sb UA YU**
652. **Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758 **DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL PT RO ES SW EE LV MD RU UA YU**
653. **Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831 **DZ AT BE BG CS FI DE GB GR HU IT NL NO PL ES EE MD RU UA YU**
654. **Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886 **AT BE BG CS DK FR DE GB PL RO UA YU**
655. **Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969 **DZ AT BE BG CS DK FI FR DE GB HU IE KP NL NO LV MD RU Us UA YU**
656. **Eurybregma nigrolineata Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875 **AT CZ SL FR DE GB HU IT PL KG MD RU UA MN UZ TR**
657. **Euryrsa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965 **Cc TR AT BL BG CZ FR DE GB HU IE IT JO MN NL PL PT RO ES SE SW SY GG MD UA UZ YU**
658. **Eurytoma abdita Zerova,1995** (Eurytomidae) Synonym(s): *abdita* Zerova,1995 **IR Oru Ab KG RU UA**
659. **Eurytoma acroptilae Zerova,1986** (Eurytomidae) Synonym(s): *acroptilae* Zerova,1986 **IR Ab Ak KG TJ UA UZ**
660. **Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907 **TR AM AZ Cc B-H BG CY FR GG GR HU IL Pa JO LB MK RU Ao SY UA YU IR Yz**
661. **Eurytoma brunniventris Ratzeburg,1852** (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg,1852 **IR Kd Km Il Ab AT B-H BG HV CZ FR DE HU IT JP KP KR NL RO RU ES SE UA GB**
662. **Eurytoma goidanichi Boucek,1970** (Eurytomidae) Synonym(s): *goidanichi* Boucek,1970 **IR HV CZ DE IT MD MK RU SK UA TM YU**
663. **Eurytoma morio Boheman,1836** (Eurytomidae) Synonym(s): *morio* Boheman,1836 **IR Ak Es Th Elb Zj AT BE HV CZ DK FI FR DE HU IN IL Pa IT KG LB LT MD MN MA NL NO CN PL RO RU YU SK ES SE CH TM UA GB YE**

664. **Eurytoma pistaciae Rondani,1877** (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878* TR AT BG HV FR DE HU IT Sa IR Th Elb Ab KP KR JP CN Fkn RO RU ES CH UA GB
665. **Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri Schreiner,1908* TR AM GG Cc GR MD RO RU Ao Da UA
666. **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii Kirschbaum,1868; zetterstedti Melichar,1896* AT BG ES Cn CY CS DK FI FR DE GR HU IQ IT NO PL RO SE TN AM AZ Cc KG RU Sb UA UZ YU
667. **Euscelidius variegatus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *variegatus Kirschbaum,1858; irrorartus Scott,1875; doderi Ferrari,1888; maculosus Rey,1891; duplex Rey,1894* DZ AT Az BE BG ES Cn CS FR DE GB IT Sa Si MA NL PL PT ES TN AM AZ Cc MD RU Sb TJ UA YU
668. **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus Kirschbaum,1858* AL AT BG CS FI FR DE GR IQ IT Si NL NO PL PT RO SE TN TR EE RU UA YU
669. **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja Fallén,1806; incisus Kirschbaum,1858; obscurellus Kirschbaum,1858; pallidior Kirschbaum,1868; communis Edwards,1868; tessellatus Rey,1891; fusciventris Rey,1894; paradoxus Rey,1894; ochreatea Haupt,1927; albingensis Wagner,1939; galiberti Ribaut,1952; subplebejus H.Müller,1954; superplebejus H.Müller,1954; aestivalis H.Müller,1954; vernalis H.Müller,1954* AF AL DZ AT BE BG TR CY CS DK FR DE GB HU IR IE IL IT JO Md NL NO PL PT RO ES SE SW TN AM AZ KG GG Cc KK LV MD RU Sb UA UZ YU
670. **Euscelis venosus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *venosus Kirschbaum,1868* AT BE BG CS FR DE GB HU IT NL PL RO SW KG UA YU
671. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani Curran,1938; stackelbergi Kirvosheina & Kirvosheina,1995; freyi Kirvosheina & Kirvosheina,1997* HU UA US BG GR Cc TM IL Pa
672. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus Fabricius,1794; acuminalis Turton,1802; interstincta Fallén,1806; germari Curtis,1833* AF AT BE BG CS DK FI FR DE HU IE IT JP KP MN NL NO PL RO GG Cc TR KG LV MD RU Sb UA YU
673. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929* AL AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP Hkk KP MN NO PL RO ES SE SW EE GG Cc TR KG KK LV MD RU Sb UA YU
674. **Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): *elegantissimus Schmiedeknecht,1925; #clesantissimus Öncüler,1991* DE BG UA MD TR
675. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis Schmiedeknecht,1924* FR DE HU RO BG LT MD UA TR
676. **Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus Masi,1916* B-H HV CZ FR GR HU IT MK MD MN DZ RO SK ES Cc UA RU TR IR Ab Oru
677. **Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta Herrich-Schäffer,1838; opaca Edwards,1888; inquinata Ribaut,1936* AT BG CS DK FI FR DE GB HU NL NO PL RO SE SW GG Cc MD UA YU
678. **Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula Horvath,1897* AF CZ FR IT ES EG HU SL IR RO BG IQ TR Cc AM KG TJ YU RU UA TJ
679. **Fannia krimensis Ringdahl,1934** (Fanniidae) Synonym(s): *krimensis Ringdahl,1934* UA Cm
680. **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris Fabricius,1794* UA CH AT ES FI IT YU AL BG GR TR
681. **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii Stal,1864* AL AT BG CY CS FR DE GR HU IR IQ IT NL PL RO TR Cc AM AZ GG MD UA YU CA
682. **Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis Wagner,1963* BG CN Mc CS DE IL PL RO TR Cc GG KG KK LV RU UA UZ
683. **Florodelphax leptosoma (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma Flor,1861; albofimbriata Fieber,1866; albolimbata Kirschbaum,1868* AT BL CZ DK FI FR DE GB HU IE IT NL PL PT RO ES SE SW TR RU EE LV UA YU
684. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia Linnaeus,1758; dentata Fabricius,1775* ES FR SK HU BG UA BY RU KG TR TM CA US
685. **Frutioidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata Mulsant & Rey,1855; bactriana Zachvatkin,1947* AT BG CY FR GR IR IL IT JO PT ES SW TN TR Cc GG UA YU
686. **Galeatus cellularis Jakovlev,1884** (Tingidae) Synonym(s): *cellularis Jakovlev,1884* RU UA TR
687. **Galeatus maculatus (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *maculatus Herrich-Schäffer,1838* ES FR BE DE PL CZ SK HU AT CH IT BY UA
688. **Gampsocoris culicinus Seidenstücker,1948** (Berytidae) Synonym(s): *culicinus Seidenstücker,1948* DE CZ UA Cm SK TR
689. **Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae Fabricius,1775; okinawanus Matsumura,1775* AL DZ AT BE BG CN CS DK FR DE GB HU IR IT JP KP NL NO PL PT RO ES SW TR Cc GG KG MD RU Sb UA UZ YU

690. **Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
AL AT BE B-H BG BY HV RU CZ DK EE FR GB DE GR HU IT NL NO RO RU SK SS ES SE CH UA YU IR TR
TM
691. **Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius*
Linnaeus,1758 AD AT BE CZ DK EE FI FR DE GB HU IT LT MD NL NO PL PT RO TR RU SK SS ES SE CH
UA CA
692. **Geron asiaticus Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967;
paramonovi Greathead,2001 AM Cc UA TJ UZ
693. **Geron emiliae Zaitzev,1964** (Bombyliidae) Synonym(s): *emiliae* Zaitzev,1964 KG UA
694. **Geron krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis*
Paramonov,1929 UA Cm TR DZ AM AZ GG Cc AT B-H BG HV CY CZ FR GR HU IR LB KK MK MD PT RO
SK SS ES SY TJ TM UZ YU
695. **Geron michaili Zaitzev,1972** (Bombyliidae) Synonym(s): *michaili* Zaitzev,1972 DZ AM UA
EG MN TN TM
696. **Geron olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840 TR Cc
AM AZ GG HV CY GR Cr Rd IL Pa IR IT Si LB RO RU SA ES SY TM UA
697. **Gitona distigma Meigen,1830** (Drosophilidae) Synonym(s): *distigma* Meigen,1830 UA LT
TR
698. **Glyptomorpha discolor (Thunberg,1822)** (Braconidae) Synonym(s): *discolor*
Thunberg,1822 TR Cc UA Cm RO RU
699. **Gomphocerus sibiricus (Linnaeus,1767)** *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772;
graecus Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus*
Mistshenko,1951 ES FR DE AT CH CZ SK IT GR BG TR RU BY UA KG Us Kmt PK
700. **Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862
Gonia maculipennis Egger,1862, Verh. zool.- bot. Ges. Wien 12: 783. Syntypes: "Hungaria, Asia
minor". ES HU UA CY TR IL Pa TM
701. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-
Schäffer,1835; *annulipes* Lucas,1849 AL DZ AT BE BG CY CS FR DE HU IR IL Pa LB IT MA NL PL PT RO
ES SW TN TR Cc AM AZ GG KG KK MD RU TJ UA UZ YU
702. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s):
guttulinervis Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
AF DZ ES Cn CN EG FR HU IR IQ TR IL JO IT MA PT ES TN Cc AM KG RU UA UZ
703. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata*
Brüggemann,1873; *sempunctata* Joakimov,1904 TR SY RO PL YU UA RU Cc
704. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806;
punctifrons Germar,1821 AL AT BE BG TR CS DK FI FR DE HU IT NL NO PL RO ES SE SW TN EE KG LV
MD RU Sb UA YU
705. **Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita* Rondani,1868 TR
BG HV GR IT Si ES UA
706. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835;
nigritarsis Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915
AL AT BE B-H BG BY HV CZ DK FI FR GB DE GG GR Cc HU IE IT MK NL PL RU SK SL ES SE CH UA YU KG
TR
707. **Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870;
consanguinea Scott,1873; *tschikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967 CY
CZ DK DE GB HU IE MN NL PL SE EE KG LV RU At Sb UA
708. **Gryllomorpha (Gryllomorphella) miramae Medvedev,1933** (Gryllidae) Synonym(s):
miramae Medvedev,1933 GR BG UA KG
709. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa*
Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804 *Gryllus gryllotalpa* Linnaeus,1758, Syst.
Nat. (Edn. 10) 1: 428. Type(s): Europa. TN PT ES FR GB NL DE DK FI NO SE CH AT HU YU IT BG GR
RO RU UA TR IQ Bgd IR SA SY LB IL Pa RE
710. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis*
Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868 DZ AT BE CS DK FI FR DE
GB IT NL NO PL PT ES TN TR EE LV UA YU
711. **Gymnomus amplicornis (Czerny,1924)** (Heleomyzidae) Synonym(s): *amplicornis* Czerny,1924
AT BE RO GB SK FI HU PL DE UA EE CZ FR NL NO RU SE SK
712. **Gymnopleurus mopsus (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781 RU UA
KG TM TR IL Pa Cc YU MK BG IT HU FR SK MA DZ TN LY EG
713. **Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura*
Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923 RO RU MD UA TR Cc GG
AM AZ KG IQ IR AF UZ
714. **Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): *bejbienkoi* Dlabola,1959 Cc
GG KG RU UA
715. **Handianus ignoscus (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896 AL
AT BG CS DE HU IT PL RO TR KG MD TJ UA RU Us

716. **Handianus modestus (Melichar,1896)** (Cicadellidae) Synonym(s): *modestus* Melichar,1896
RO YU RU Sb TR UA
717. **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962 AT BG CS FR HU IL Pa JO PL PT RO TR Cc AZ GG KG MD RU TJ UA UZ YU IR
718. **Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894 AL? DZ AT BE ES Cn CS FI FR DE HU IT MA NL PL PT RO ES SE SW TN AZ GG Cc KG LV? RU UA YU
719. **Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT AT CH SS YU MK GR BG RO TR Co Sa AL CY
720. **Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904 PT ES FR BE NL GB IE SE NO FI DE DK EE LT LV MY RU Cc UA CZ SK SS HU IT Si AT CH SS YU MK GR Cr BG RO TR Co Sa AL CY
721. **Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957 TR Cc AM KG RU UA IR
722. **Helina arctata Collin,1953** (Muscidae) Synonym(s): *arctata* Collin,1953 AM Cc UA
723. **Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii* Adams,1817 UA Cm Cc TR IR CY
724. **Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata* Steven,1817 BG RO TR UA Cm Cc AM SY
725. **Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis* Marsham,1802 GB FR DE AT UA Cc SE GB TR
726. **Hemipenthes eversmanni Zaitzev,1966** (Bombyliidae) Synonym(s): *eversmanni* Zaitzev,1966 KG RU UA MD
727. **Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927 AF Cc AM AZ GG BY BE BG B-H CN Ui HV CZ DK EE HU IR IT Si KK KG LT MD MN NL NO PL PT RO RU SK SS ES SE CH TJ TR TM UZ UA YU
728. **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823 IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
729. **Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820 PL BG RU UA MD Cc AZ AM GG IL Pa LB DZ MA TN SY IT Si Sa TR CN Ui PK TM YU EG
730. **Hendrella winnertzi (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi* Frauenfeld,1864 TR CN KG KK MN MD UZ RU TJ TM UA
731. **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868 AL AT BE BG CZ FI FR DE GB HU IT JO MA NL IL PL PT RO ES SY AM AZ GG Cc TR KG KK LV MD RU Sb UA UZ YU
732. **Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961 RO TR Cc AM KG KK RU Da TM UA UZ
733. **Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869 AM Cc TR GR IQ UA Cm TN
734. **Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856 GR Cr GG Cc IL Pa RO RU TR UA Cm DZ CA
735. **Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens* Loew,1857 AZ Cc IL Pa RO RU UA
736. **Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus* Wiedemann,1817; *chaerophylli* Meigen,1824 AZ AM GG Cc RO RU Da Ur UA MA
737. **Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851 AM Cc BG GR TR UA RO TJ TM
738. **Hercostomus nanus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minimus* Zetterstedt,1849; *angustus* Loew,1857 SE BG TR UA MD
739. **Hercostomus nigriplantis (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis* Stannius,1831; *subsimplipices* Verrall,1912 AM Cc GG MD RO RU UA Cm
740. **Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856 AT BG CH CZ DE ES FR GR Cr HU HV IT Sa Si MK PT PL RO RU SK SS UA Cc DZ MA TN KG TR
741. **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastria* Schränk,1802; *mordax* Schletterer,1889 AT AL AM BE BG CH DE DK ES FR FI NL GG Cc GR HU HV IT Sa Si LT MK PL PT RO RU SK SS UA DZ KK KG CY IL Pa SY TR
742. **Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826 Cc AZ AT CZ AM EE GG IR CH KG LT HU MD RU UA TR

743. **Hesium domino (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praecoc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955 AL AT BE BG TR CS DK FI FR DE HU IT NO PL RO SE Cc AM GG LV MD RU UA
744. **Heteralonia megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937 AT IT Sa Si RU KG TR IL Pa TN EG IR TD GM GH MR NE NG SN SD YE PK AL AM Cc AM BG HV CY FR GR GG KK MK LY MT MD OM RO SA SS CH TJ TM UA AE UZ YU
745. **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952 HV CH CY CZ SK DE HU IL Pa KG MD RO RU ES TR YU UA
746. **Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859 DZ AT B-H BG Cn HV CZ SK FR GR HU IT Sa Si KG MD MA NL PL RO SN SS ES SE Cc UA RU Sb YU TR
747. **Holochelus (s.str.) aequinoctialis (Herbst,1790)** (Scarabaeidae) Synonym(s): *aequinoctialis* Herbst,1790 RU UA KG
748. **Holochelus (s.str.) tauricus (Blanchard,1850)** (Scarabaeidae) Synonym(s): *tauricus* Blanchard,1850 UA RU
749. **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994 AT AL AD AM Cc CH CZ DE ES FR GR Cr HU IT Sa Si MK PT RO RU SK S UA DZ Cn Md TN KG TJ TM CY IR JO SY TR
750. **Hoplitis (Alcidamea) caularis (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896 RU UA KG KK CN TM UZ SY TR
751. **Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991 AT AL BE BG CH CZ DE DK ES FR Co FI NL GB GR HU HV IT Sa Si LT MK PT PL RO RU SK SS UA Cc KG MN CN TR
752. **Hoplitis (Alcidamea) leucomelana (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelana* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GB HV IT Si Sa NL LT MK PT PL RO RU SK SS UA DZ KG KK CN TJ TR
753. **Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895 AT CH ES FR Co GR HU IT RO RU SK SS UA Cc YU DZ EG MA TN KG TJ UZ IL Pa JO TR
754. **Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975 AT BE AM CH Cc CZ DE ES FR DE GR HU HV IT Si LT PL RU SK S UA DZ EG MA KG UZ SY TR IR
755. **Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841 AT AL BE BG CH CZ DE ES FR GR HU IT Sa Si NL PT RO RU SK UA Cc KG CN TR
756. **Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899 AM Cc ES FR Co GR HV IT Si MK UA MA KK KG TJ TM UZ AF TR
757. **Hoplitis (Formicapis) maritima (Romankova,1985)** (Megachilidae) Synonym(s): *maritima* Romankova,1985 RU Us MN UA
758. **Hoplitis (Megalosmia) princeps (Morawitz,1872)** (Megachilidae) Synonym(s): *princeps* Morawitz,1872 KG MN CN RU UA HU
759. **Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974 AT AL AM Cc BE BG CH CZ DE DK ES FR Co GR HU HV IT Sa Si LT NL PT PL RU SK SS UA DZ MA TN LY KG TM TR
760. **Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959 Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US
761. **Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901 AT AL BG CZ FR Co GR Cr HV IT MK RO SK UA DZ? TR
762. **Hoplobasis (Eurasicesa) idiophallus (Savchenko,1973)** (Limoniidae) Synonym(s): *idiophallus* Savchenko,1973 CH SK UA RO BG
763. **Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876 Cc AT BG FR Co Sa Si GR HU IS IT YU PT RO ES TN TR AZ GG MD UA UZ TM
764. **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935 Cc AF AL DZ AT BG CY CZ FR DE HU IQ IL IT JO PT RO ES SW SY TN TR RU AZ GG KG KK MD TJ UA UZ YU
765. **Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758 PT ES FR GB BE NL DK CH IT Co Sa Si SS HV B-H YU MK AL BG GR TR RO MD UA RU Mo EE LT UA Cm
766. **Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae) Synonym(s): *ukrainica* Olsufjev,1952 RO TR UA

767. **Hydrochara caraboides (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides Linnaeus,1758* AL AT BE B-H BG TR HV CZ DK EE FI FR GB DE GR HU IT LT NL NO PL RO RU SK SS SE CH UA YU
768. **Hydrochara dichorama (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama Fairmaire,1829* BG TR CY CN GR HU IR IL Pa RU SY TJ TM UA UZ
769. **Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes Steven,1808* AF AT AZ Cc BG TR CN HV EG FR GG DE GR HU IQ IR IT KG LT MK MA PL RO RU SK SS ES TM UA UZ YU
770. **Hydrochus flavipennis Küster,1852** (Hydrochidae) Synonym(s): *flavipennis Küster,1852; foveostriatus Fairmaire,1859; obtusicollis Fairmaire,1877; filiformis Kuwert,1887; fuscipennis Kuwert,1887; testaceipennis Kuwert,1887* TR HV UA Cc AZ IL Pa
771. **Hydromya dorsalis (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775* ES FR IE GB BE NL DE DK CH IT Co Sa Si AT SK CZ HU SS YU HV MK RO UA RU EE LT LV FI SE NO AL GR BG Cr CY TR
772. **Hydrophorus balticus (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus Meigen,1824; chloropus Von Roser,1840* BG CY TR Cc GG GR IL Pa RO RU UA Cm
773. **Hydrophorus callostomus Loew,1857** (Dolichopodidae) Synonym(s): *callostomus Loew,1857* Cc AM RU Da Sb RO UA Cm
774. **Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox Lehmann,1822; inaequalipes Macquart,1834; schoenherri Zetterstedt,1843; cinereus Perris,1847; vagus Hutton,1901; breviventris Becker,1902* BG Cc Abk GG CY EG GR GG Cr IL Pa IQ TR RU UA Cm AU NZ
775. **Hygrobia hermanni (Fabricius,1775)** (Hygrobiidae) Synonym(s): *hermanni Fabricius,1775* DZ MA TN TR UA
776. **Hysteropterum tauricum Kusnezov,1926** (Issidae) Synonym(s): *tauricum Kusnezov,1926* BG UA
777. **Iassus scutellaris (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris Fieber,1868* AT BG CS FR DE GR HU IT NL PL RO ES TR MD UA YU
778. **Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides Nixon,1965* Apanteles lacteoides Nixon,1965, Bull. Br. Mus. Hist. (Ent.) Suppl. 2: 160. TR GR CZ CH Cc AM AZ KG MN UA DE GB FI AT HU
779. **Idiocera (s.str.) pulchripennis (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis Loew,1856; ?felicina Santos Abreu,1923; similior Alexander,1956* Limnobia pulchripennis Loew,1856, Progr. K. Realschule Meseritz 1856: 23. AL AT B-H BG CZ DK GR IT Si ES Cn CH UA RU Cc MA DZ EG TR AF GG AM AZ CY IL Pa IR TM TJ KK
780. **Idiocerus fasciatus Fieber,1868** (Cicadellidae) Synonym(s): *fasciatus Fieber,1868* AT BE CS FR? DE HU ES AZ UA
781. **Idiocerus fulgidus (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus Fabricius,1775; aurulentus Kirschbaum,1868; cupreus Kirschbaum,1868 (praeocc.); decipiens Kirschbaum,1868; kirschbaumi Baker,1924; lineolata Ribaut,1952* AT BE BG CS DK FR DE GB HU IT NL PL PT RO ES KG (Transcaspia?) UA (Crimea) YU
782. **Idiocerus herrichii Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii Kirschbaum,1868* AF AT BG CS FI FR DE GB HU IT NL? NO PL RO SE SW AM GG TR IR KG KK MD RU TJ UA UZ YU
783. **Idiocerus heydenii Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii Kirschbaum,1868* AT BG CS DK FR DE IT PL MD UA YU
784. **Idiocerus lituratus (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus Fallén,1806; dorsiger Lepeletier & Audinet-Serville,1825; lineolatus Lepeletier & Audinet-Serville,1825; maculipennis Curtis,1839; rubrifrons Rey,1894* AL AT BE BG CS DK FI FR DE GB HU IE IT MN MA NL NO PL PT RO ES SE SW TR Cc AM AZ EE KG LV MD RU Sb UA YU
785. **Idiocerus nitidissimus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus Herrich-Schäffer,1835* BE BG CS DK FI FR DE GB IT MN NL NO PL RO ES SE LV KG RU Sb UA
786. **Idiocerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835* AT BE BG CS DK FI FR DE GB HU IQ IT MA NO PL SE SW TN KG LV RU Sb TJ UA YU
787. **Idiocerus stigmatalis Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis Lewis,1834; adustus Herrich-Schäffer,1837* DZ AT BE BG TR CS DK FI FR DE GB HU IT NL NO PL ES SE LV UA YU
788. **Idiocerus vittifrons Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons Kirschbaum,1868* AT BE BG CS CY FR DE GB GR HU IT PL RO GG MD RU TJ UA YU
789. **Idiodonus cruentatus (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus Panzer,1799; simulans Ribaut,1952* AT BG CS FI FR DE GB IE IT KP MN MA NL NO PL RO SE SW EE KG LV RU Sb At Us Sh UA
790. **Idiomacromerus terebrator (Masi,1916)** (Torymidae) Synonym(s): *terebrator Masi,1916* IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
791. **Ischnodes sanguinicollis (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis Panzer,1793* TR AZ Cc AT BE B-H HV CZ DK FR GB DE GR HU IT MD PL RO SK SL ES SE CH UA JP IR SY
792. **Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum Gebler,1833* TR UA RU SY IR PK CN Ui MN

793. **Isocolus cirsii Diakontshuk,1987** (Cynipidae) Synonym(s): *cirsii Diakontshuk,1987* UA IR
794. **Isophya brunneri Retowski,1888** (Tettigoniidae) Synonym(s): *brunneri Retowski,1888; chersonensis Ramme,1920* UA Cm
795. **Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus Mannerheim,1825* UA Cm Cc TR SY IR
796. **Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894* DZ AT BE BG CS DK FR DE GB GR HU IE IT NL PL PT RO ES SE AZ Cc TR MD UA YU
797. **Issus muscaeformis (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis Schrank,1781* Cc AT BG CS DK FR DE GR HU IT NL NO PL RO SE AM GG UA YU
798. **Issus tendinosus Spinola,1839** (Issidae) Synonym(s): *tendinosus Spinola,1839* AL GR IT RO UA YU
799. **Jassargus alpinus (Then,1896)** (Cicadellidae) Synonym(s): *alpinus Then,1896* AT BG CS FI FR DE IT PL RO SE MD UA
800. **Jassargus distinguendus (Flor,1861)** (Cicadellidae) Synonym(s): *distinguendus Flor,1861; pseudocellaris Flor,1861; mattiacellus Kirschbaum,1868; parallelus Fieber,1869; falleni Fieber,1869; paleaceus Sahlberg,1871; longiceps Rey,1894; confinis Rey,1894; kemneri Ossiannilsson,1935; gallicus Metcalf,1955; reji Metcalf,1955* AT BE CS DK FI FR DE GB IS IE IT NL NO PL RO SE SW EE Cc AM LV RU Sb UA YU
801. **Jassargus obtusivalvis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis Kirschbaum,1868; picturatus Fieber,1869* AL DZ AT CS DK FR DE GR HU IT NL PL RO SW TR Cc AZ GG MD RU Sb UA YU
802. **Javesella dubia (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia Kirschbaum,1868; nitidipennis Kirschbaum,1868; pargasensis Reuter,1880; difficilis Edwards,1888* AT Az BE BG CY TR CZ DK FI FR DE GB IE IT Md MA NL NO PL RO SE RU At EE KG LT MD UA UZ
803. **Javesella obscurella (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella Boheman,1847; discreta Edwards,1888; fuscotestacea Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB HU IT IE MN NL NO PL RO SE SW TR EE GG LV MD RU UA YU
804. **Javesella pellucida (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida Fabricius,1794; striata Fabricius,1794; marginata Fabricius,1794; dispar Fallén,1806; suturalis Curtis,1837; ochroleuca Kirschbaum,1868; flavipennis Sahlberg,1871; obscura Fieber,1879; fuscicollis Rey,1891; varicollis Rey,1894* Az Cc DZ AT BE CZ DK FI FR DE GB HU IE IT LY MN MA NL NO PL RO ES SE SW TR RU Sb Us Sh EE GG KG KK LV MD UA UZ YU
805. **Kelisia guttula (Germar,1818)** (Delphacidae) Synonym(s): *guttula Germar,1818; pascuorum Ribaut,1934; distincta Metcalf,1943; fulva Metcalf,1943* AL DZ AT BL CZ DK FI FR DE GB HU IE IT NO PL PT RO ES SE SW TN AZ EE LV RU TJ UA YU
806. **Kermes roboris (Fourcroy,1785)** (Kermesidae) Synonym(s): *roboris Fourcroy,1785* PT ES FR GB NL DE PL UA MD AT CZ SK HU B-H IT Si TR
807. **Kriechbaumerella mansues (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues Nikol'skaya,1952* HV CY IQ IL Pa Cc UA RU TR
808. **Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis Tournier,1889* GR BG TR HV YU MK RO SK UA RU Cc
809. **Krombeinella wolffi (Invrea,1963)** (Mutillidae) Synonym(s): *wolffi Invrea,1963* YU BG UA TR RU AZ GG Cc
810. **Kyboasca bipunctata (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin,1871; frontalis Lethierry,1884; punctum Haupt,1912 (praeocc.); haupti Ribaut,1933; ulmicola Zachvatkin,1953* AT CN Mc CS DK? FI DE HU IT MN NL? PL RO AZ GG Cc TR KG KK MD RU Us UA UZ YU
811. **Kybos populi (Edwards,1908)** (Cicadellidae) Synonym(s): *populi Edwards,1908; tremulae Zachvatkin,1953; zaizanensis Mitjaev,1963* BE BG TR CS DK FI FR DE GB HU IT? MA? NL NO PL SE SW EE KG MD RU Sb UA
812. **Kybos smaragdulus (Fallén,1806)** (Cicadellidae) Synonym(s): *smaragdulus Fallén,1806; viridipes Curtis,1837* AT BE BG CS DK FI FR DE GB HU? IE IT NL NO PL PT RO ES SE SW AM Cc KG LV RU Sb At Sh TJ UA UZ YU
813. **Labidostomis beckeri Weise,1881** (Chrysomelidae) Synonym(s): *beckeri Weise,1881* UA RU At
814. **Labidostomis cyanicornis Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis Germar,1822* RO YU BG UA RU
815. **Labidostomis lepida Lefebvre,1872** (Chrysomelidae) Synonym(s): *lepida Lefebvre,1872* BY SK UA RU
816. **Labidostomis peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina Weise,1900* UA Cm Cc RU TM TR
817. **Laburrus abrotani Emelyanov,1962** (Cicadellidae) Synonym(s): *abrotani Emelyanov,1962* MN RU TR UA KG
818. **Laburrus handlirschi (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura,1900 (praeocc.); handlirschi Matsumura,1908; maculosus Vilbaste,1965* AF CS HU MN TR Cc AM AZ GG KG KK MD RU UA UZ

819. **Laburrus impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896 AT BG CN CS DK FR DE HU IT JP KP PL SE Cc GG TR KG LV MD RU Sb Us UA YU
820. **Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae) Synonym(s): *sericeus* Fischer von Waldheim,1824; *tauricus* Dejean,1828; *hepaticus* Faldermann,1836 UA RU Da AM Cc TR GG
821. **Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758 ES FR IT CH AL GR BG TR RO HU AT BE NL DE GB CZ SK PL NO SE FI LT EE BY UA MD RU KG
822. **Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833 NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR PL UA RU GG Cc US
823. **Lampyrus noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901 **Cantharis noctiluca** Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 400. Type(s): Europa. AT AL AM Cc GG GB GR HV BE B-H CZ DE FR FI HU IT MD NL NO PL PT ES RU SK UA YU
824. **Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943 Cc AF AL DZ AT BG ES Cn CN She Mc CZ FI FR DE GB HU IR IQ IL IT JP Hkk KP LB MN NL PL PT RO ES Md SE TN TR RU AM AZ EE GG KG KK LV MD TJ UA UZ YU JP
825. **Lasioglossum bicallosum (Morawitz,1873)** (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892 Cc UA GR TR IL Pa IR
826. **Lasioglossum euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum* Ebmer,1972 MA IT UA Cm AZ Cc IR
827. **Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767 AL AT BE BG CN CS DK FI FR DE GB HU IT NL NO PL PT RO SE SW AZ GG Cc MD RU UA YU TR
828. **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867 UA Cm TN CY IL Pa TR SY
829. **Leptochilus membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867 IL Pa IT YU UA RU Cc AM IR TR KG
830. **Lepyronia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896 Cc AF AL DZ AT BE BG CS DK FI FR DE GR HU IQ IT MN NL NO PL PT RO AM AZ EE TR GG KG KK LV MD RU Sb TJ UA UZ YU
831. **Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824 TR AD AT BG CZ FR DE GR HU IT PL PT RU Sa SK ES UA YU
832. **Liancalus virens (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805 SS Cc GG Abk BG CY GR Cr RO IL Pa RU TR UA Cm DZ Md MA TN KG KK TJ
833. **Libelloides macaronius (Scopoli,1763)** (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763 AT IT HU CZ SK YU UA TR Cc GG IR SY RU KG TJ KK CN Ui
834. **Limotettix striola (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966 AL DZ AT BE Az BG CN Gn Mc CY CS DK FI FR DE GB IT IE JP KP MN NL NO PL PT RO ES SE SW TR AZ Cc IR EE GG KG LV MD RU Sb UA YU CA
835. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae) Synonym(s): *sexpunctata* Fallén,1828 (praeocc.); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963 AT BE BG CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW TR KG RU Sb Us Krl UA YU CA
836. **Lipsthenes kernerii (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891 ES IT AT HU RO UA RU TR
837. **Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea* Loginova,1974 Cc UA Cm TR BG IL Pa DZ
838. **Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794 ES MD UA RU Cc IT DZ TR
839. **Longitarsus alfierii (Pic,1923)** (Chrysomelidae) Synonym(s): *alfierii* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982 MA DZ TR IL Pa JO IR AF BG GR Cr MK YU ES UA Cm Cc GG
840. **Longitarsus celticus Leonhardi,1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi,1975 AT MA ES FR CH IT DE CZ SK YU UA TR
841. **Longitarsus jailensis Heikertinger,1913** (Chrysomelidae) Synonym(s): *jailensis* Heikertinger,1913 UA Cm BG TR
842. **Longitarsus karlheinzii Warchalowski,1972** (Chrysomelidae) Synonym(s): *karlheinzii* Warchalowski,1972 TR IL Pa IR UA Cm
843. **Lucanus (.s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis*

- Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845
GB PT ES FR IT AT DE CZ YU B-H RO BG GR LB TR Cc GG RU UA Cm
844. **Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 *nec* Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelica* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969 AT B-H BG MK HV FR HU IT PT ES SS UA YU TR Cc SY EG
845. **Lycoriella solani (Winnertz,1871)** (Sciaridae) Synonym(s): *solani* Winnertz,1871 BE FI GB PL RU UA MN UZ Sb TR
846. **Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955 Cc AL AT CY CS FR DE GR HU IR IT PL PT RO ES SY SW TR AM AZ GG Cc IL Pa RU UA YU
847. **Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* Robineau-Desvoidy,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* Robineau-Desvoidy,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscicularis* Pandelle,1895; *#praefica* Kara,1999 BE DE Cc IL Pa UA GB BG ES RU TR
848. **Macronychia (Moschusa) agrestis (Fallén,1810)** (Sarcophagidae) Synonym(s): *agrestis* Fallén,1810 HU UA RU At Sb Us AT CZ DK EE FI FR DE NO PL SK SE
849. **Macronychia (Moschusa) alpestris Rondani,1865** (Sarcophagidae) Synonym(s): *alpestris* Rondani,1865; *dumosum* Pandellé,1895 AT CN Gn CZ FI FR DE HU IT KG LT MN PL RU Sb KS ES CH TJ UA
850. **Macronychia (Moschusa) griseola (Fallén,1820)** (Sarcophagidae) Synonym(s): *griseola* Fallén,1820; *viatica* Meigen,1824 AT BY CN CZ DK FI FR DE HU IE KG KK PL RU Ur Or Sb At SK SE CH TJ UA Cm GB TW
851. **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* Robineau-Desvoidy,1863; *villana* Robineau-Desvoidy,1863; *sylvestris* Rondani,1865 AD AT BE BG CN Pkn HV CY CZ EE FI FR DE HU IE IL Pa IT JP Hkk MT MD MN MA NL NO PL RU Ur Sb Cc Am Us Sh YU SK SE CH TJ UA GB
852. **Macronychia (s.str.) dolini Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *dolini* Verves & Khrokalo,2006 UA CZ RU Sj TM Kp
853. **Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941 IL Pa Jf GR CZ TR UA CN HU SK TM UZ
854. **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838 GB CZ HU UA Cm RU Sb At Am Us Sh Cc GG AZ KG AT DK EE FI FR DE IE IT JP Hkk JO SK SE CH CN Ti TM UZ KE ZA
855. **Macronychia (s.str.) substriginervis Verves & Khrokalo,2006** (Sarcophagidae) Synonym(s): *substriginervis* Verves & Khrokalo,2006 UA RU Sb TM UZ
856. **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868 FR HU IT ES TN Cc GG KG KK RU Sb AF UA YU
857. **Macropsis cerea (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870 AT BE CZ FI FR DE GB IE IT Sa NL NO PL RO SE RU At Sb UA TR MN
858. **Macropsis fuscineris (Boheman,1845)** (Cicadellidae) Synonym(s): *fuscineris* Boheman,1845 AT BE BG CN Ui CS DK FI FR DE GB HU IT NL NO PL RO SE KG MD RU Sb UA YU
859. **Macropsis fuscula (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *fuscula* Zetterstedt,1828 AL AT BE BG CS DK FI FR DE GB HU IQ IE IT JP NL NO PL RO ES SE SW AM LV KG RU Sb UA YU
860. **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941 AT BE CS FR DE GB HU MA PL RO ES TR GG Cc RU Sb UA YU
861. **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919 AT BG CS FR DE GB HU IT Sa MN NL PL TR Cc AM MD UA YU RU At IR
862. **Macropsis infuscata (J.Sahlberg,1871)** (Cicadellidae) Synonym(s): *infuscata* J.Sahlberg,1871 AT BG CS DK FI FR DE GB IT NL PL SE SW KG RU UA
863. **Macropsis prasina (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852 DZ? AT? BE? CN? CS DK FR? DE GB GR? HU? IT? JP? KP? NL NO? IL? PL PT? RO ES? SE SW? AM? AZ KG? MD? RU Sb TJ? UA? UZ? YU?
864. **Macropsis scutellata (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874 AF AT BE BG CN CY CS DK FR DE GB HU IR IE IT JP KP MA NL NO IL PL PT RO ES SW SY TR AZ GG LV RU Sb UA UZ YU
865. **Macropsis vestita Ribaut,1952** (Cicadellidae) Synonym(s): *vestita* Ribaut,1952 BG FR IT UA
866. **Macropsis viridineris Wagner,1950** (Cicadellidae) Synonym(s): *viridineris* Wagner,1950 CS DE IT Cc GG UA
867. **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec* Sett.,1875; *fieberi* Edwards,1889 AT BG CS FI FR DE GB IE MN NL NO PL RO SE TR Cc AM KG KK MD UA YU

868. **Macrosteles frontalis (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936 AT BE CZ GB FI FR DE HU IT NL NO PL RO SE CH RU LT UA YU TR
869. **Macrosteles halophilus (Horvath,1903)** (Cicadellidae) Synonym(s): *halophilus* Horvath,1903; *brevis* Matsumura,1908 BG IT RO MD UA YU
870. **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936 AF AL AT BG CN CS DK FI FR DE GB HU IS IT MN NL NO PL RO SE SW TR EE Cc GG KG KK LV MD UZ UA RU
871. **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933 AF BG CS DK FI DE GB GR HU IQ IL Pa IR IT NL PL RO SE TR Cc AZ KG KK TJ UA UZ YU
872. **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894 DZ AT Az BE BG ES Cn CN CY CS DK EG FI FR DE GB HU IS IR IE IL IT JP JO KP Md MN MA NL PL RO ES SE TN TR AM AZ EE GG Cc Kmt KG KK LV MD RU Sb UA UZ YU
873. **Macrosteles variatus (Fallén,1806)** (Cicadellidae) Synonym(s): *variatus* Fallén,1806; *fumatus* Herrich-Schäffer,1838 AT BE BG CS DK FI FR DE GB IT JP Hkk KP NL NO PL RO ES SE SW KG KK LV RU UA YU
874. **Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922 AT BG TR CS DK FI FR DE GB HU IT NL NO PL RO SW EE GG LV MD RU UA CA
875. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758 SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US
876. **Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): *bipustulatus* Linnaeus,1758 RU UA AT TR KG
877. **Malachius caramanicus (Pic,1912)** (Melyridae) Synonym(s): *caramanicus* Pic,1912 TR UA
878. **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966 AF? CY TR IT RO Cc AZ? UA YU TJ UZ
879. **Malenia sarmatica Anufriev,1966** (Derbidae) Synonym(s): *sarmatica* Anufriev,1966 Cc AZ GG UA Cm RU
880. **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758 *Gryllus religiosus* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 426. PL MK TR CY JO IQ Bgd TJ KG RU Sb MN Cc ET BF GH CM KE ZR MR NE SN SO SD TZ TG ZM ZW IR PK IN UZ TJ TM UA Cm HU RU Am Ur TH TW MY ID Ja Clb KP KR CN VN
881. **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982 AT AM Cc TR MA B-H BG HV CZ FR DE GR IR IT MN RO RU Sb ES SE CH SY TM YU UA
882. **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) Synonym(s): *pilicrus* Morawitz,1878 UA HU DE Cc RU TR
883. **Megachile (Xanthosarus) giraudi Gerstaecker,1869** (Megachilidae) Synonym(s): *giraudi* Gerstaecker,1869 HU UA DE SK TR
884. **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943 AT BL CZ DK FI FR DE GB HU IE IT JP MN NL NO PL RO SE RU Sb Cc At AZ EE KG LV UA YU
885. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795 IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US
886. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795; *transversus* Walker,1833; *collaris* Boheman,1834; *punctum* Förster,1841; *vexillum* Ratzeburg,1848; *cynorrhodi* Perris,1876; *nigroflavus* Hoffmeyer,1929 FR GB SE RU UA DK DE AT CZ SK MD RO PL B-H HV
887. **Megastigmus bipunctatus (Swederus,1795)** (Torymidae) Synonym(s): *bipunctatus* Swederus,1795 IR Qz AT BG CZ EE FI FR DE HU IT KG YU MA NL PL RO RU SK SS ES SE CH UA GB UZ
888. **Megastigmus dorsalis (Fabricius,1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemani* Ratzeburg,1848; *xanthopygus* Förster,1859 FR GB IE SE EE UA DE CZ SK HU RO YU HV B-H MK Co IT TR IR Lo Kd Ab BG DK IN MD NL CN RU
889. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
890. **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994 DE CH AT CZ UA TR IR Ab AM Cc AZ BG GG KG RU TJ TM
891. **Megastigmus stigmatizans (Fabricius,1798)** (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798 IR Lo Kd AT B-H BG HV CZ FR DE HU IT RU YU SK SS SE UA GB
892. **Megastigmus suspectus Borries,1895** (Torymidae) Synonym(s): *suspectus* Borries,1895; *piceae* Seitner,1916; *bornmuelleriana* Hussey,1957 GB IE FR DK DE CZ SK AT UA YU RO SE FI TR
893. **Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van

- Vollenhoven,1862; innotata Rey,1894 DZ AT BE BG CY CS DK FI DE GB HU IT NL NO PL PT RO ES SE SW SY TN AZ EE GG LV RU UA YU
894. **Melieria acuticornis (Loew,1854)** (Ulidiidae) Synonym(s): *acuticornis* Loew,1854 IT SI UA HU AT Wn HV PL RO RU Sr
895. **Melieria cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858 LT IT GR MD RO RU ES UA
896. **Melieria crassipennis (Fabricius,1794)** (Ulidiidae) Synonym(s): *crassipennis* Fabricius,1794 UA BY RU Sr
897. **Melieria nigratarsis Becker,1903** (Ulidiidae) Synonym(s): *nigratarsis* Becker,1903 UA CN Ui Ga IR Kh
898. **Melieria omissa (Meigen,1826)** (Ulidiidae) Synonym(s): *omissa* Meigen,1826 UA GR MD LT
899. **Melieria picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826 AT HV BG DE MD RO RU UA CA Als UA
900. **Meligethes tauricus Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *tauricus* Jelinek & Spornraft,1979 **Meligethes tauricus Jelinek & Spornraft,1979, Mitt. münch. ent. Ges. 68: 7-8, fig. Holotype ♂: Iran, leg. Waehner, (Mus. Frey). TR IR UA Cm**
901. **Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978 Cc GG BG UA Cm TR
902. **Meloe erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782 DZ IT Si TR Cc RU Sb UA Cm KG TJ TM IR AF
903. **Meloe glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910 TR Cc RU AF TM IR UA Cm
904. **Meloe rufiventris Germar,1817** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889 FR DE IT RU Cc TR GR HU PL RO UA LB LY JO IQ AF
905. **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883 MA PT ES DE CZ FR CH AT HU RO UA RU TR Cc AM IT AL GR YU LB Cr
906. **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930 PT ES FR DZ CH AT Co Sa Si IT YU GR BG RO UA Cm Cc AZ
907. **Merodon alexeji Paramonov,1925** (Syrphidae) Synonym(s): *alexeji* Paramonov,1925 DZ MA TN ES FR IT GR UA MN
908. **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937 MA DZ PT ES FR Co Sa Si IT AT CH SE HU GR Cr YU RO UA TR
909. **Merodon crassifemoris Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris* Paramonov,1925 UA Cm FR GR TR YU
910. **Merodon dzhalitae Paramonov,1927** (Syrphidae) Synonym(s): *dzhalitae* Paramonov,1927 UA Cm
911. **Merodon femoratoides Paramonov,1925** (Syrphidae) Synonym(s): *femoratoides* Paramonov,1925 DZ GR UA Cm TR
912. **Merodon karadaghensis Zimina,1989** (Syrphidae) Synonym(s): *karadaghensis* Zimina,1989 UA Cm
913. **Merodon longicornis Sack,1913** (Syrphidae) Synonym(s): *longicornis* Sack,1913; *affinis* Gil Collado,1930 MA DZ ES YU GR UA RU LB IL Pa SY TR
914. **Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis* Strobl,1909; *fuerteventurensis* Barkemeyer,2002 ES FR DZ CH AT GR BG UA Cm TR Cc IL Pa
915. **Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata* Illiger,1798 TR AL AM Cc AT BG HV RU CZ FR GB DE GG GR HU IT LT MK PL RO SK SS SE CH UA UY DZ IR
916. **Metalimnus formosus (Boheman,1845)** (Cicadellidae) Synonym(s): *formosus* Boheman,1845 AT BE BG CN CS FI FR DE GB HU IT MN NL PL RO SE SW AZ Cc EE LV MD RU Sb UA YU
917. **Metalimnus steini (Fieber,1869)** (Cicadellidae) Synonym(s): *steini* Fieber,1869 DE HU JP Cc AZ UA
918. **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792 DZ AT BY BE BG HV CZ DK GB EE FI FR DE GR HU IT LT KG NL NO PL RO RU Sb Us PT SK ES SE CH TR TJ UA TM
919. **Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884 AT BG CY CS FR DE GR IT Sa Si ES TR Cc AM GG KG RU UA YU
920. **Micantulina (Mulsantina) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucarii* Cerutti,1938; *impunctata* Cerutti,1938; *incompleta* Cerutti,1938 AT BG GR TR IT SW UA YU
921. **Microhoria terminata (Schmidt,1842)** (Anthicidae) Synonym(s): *terminata* Schmidt,1842 TR RU UA Cc TM

922. **Miltogramma drabermonkoi** Verves & Szpila,2008 (Sarcophagidae) Synonym(s): *drabermonkoi* Verves & Szpila,2008 UA
923. **Mioscirtus wagneri** (Kittary,1849) (Acrididae) Synonym(s): *wagneri* Kittary,1849 ES MA DZ TN LY EG TR Ce AZ IQ IR TM TJ UZ KG RU FI EE LT BY UA
924. **Mniophila muscorum** (Koch,1803) (Chrysomelidae) Synonym(s): *muscorum* Koch,1803 AL AT BE B-H BG FR Co HV CZ DK FR DE HU MK NO PL RO RU SK SS ES SE CH NL UA YU
925. **Mniophila taurica** Nadein,2009 (Chrysomelidae) Synonym(s): *taurica* Nadein,2009 UA Cm
926. **Mocuellus collinus** (Boheman,1850) (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871 AT BE BG CS DK FI FR DE GB HU IT Md MN NL NO PL RO ES SE SW Ce GG KG KK LV MD RU At Sb UA YU
927. **Mocuellus quadricornis** Dlabola,1949 (Cicadellidae) Synonym(s): *quadricornis* Dlabola,1949 AT CS HU PL RO TR MD UA
928. **Mocydia crocea** (Herrich-Schäffer,1837) (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868 AL DZ AT BE BG CY CS FR DE GB HU IE IT JO PL PT RO SW AM TR MD RU Da Cc UA YU IR
929. **Mocydiopsis attenuata** (Germar,1821) (Cicadellidae) Synonym(s): *attenuata* Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885 AL DZ AT BG CS DK FR DE GB HU IT LU NL PL RO SW TN Ce GG MD UA YU
930. **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927 TR MA DZ TN LY EG SA YE FR DE IT Sa GR RO BG SY LB IL Pa IQ Cc PL BY FI RU UA Cm IR AF TM UZ KK KG CN MN KP KR JP
931. **Mogangella secundaria** Dlabola,1958 (Cicadellidae) Synonym(s): *secundaria* Dlabola,1958 Ce GG TR IR RU UA
932. **Mogangella straminea** Dlabola,1957 (Cicadellidae) Synonym(s): *straminea* Dlabola,1957 TR KG MD UA
933. **Monodontomerus aeneus** (Fonscolombe,1832) (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832 IR AT AZ Ce CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
934. **Monodontomerus aereus** Walker,1834 (Torymidae) Synonym(s): *aereus* Walker,1834 TR IR Ab Qz AM Ce AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US
935. **Monodontomerus obscurus** Westwood,1833 (Torymidae) Synonym(s): *obscurus* Westwood,1833 TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
936. **Monodontomerus vicicellae** (Walker,1847) (Torymidae) Synonym(s): *vicicellae* Walker,1847 IR Elb Th Mz AT HV CZ FI FR DE HU IT MD MN NL MK RU YU SK ES UA GB
937. **Morimus funereus** Mulsant,1863 (Cerambycidae) Synonym(s): *funereus* Mulsant,1863 HU SK UA BG
938. **Morimus verecundus** (Faldermann,1836) (Cerambycidae) Synonym(s): *verecundus* Faldermann,1836 UA Cm TR Ce IR
939. **Mosillus subsultans** (Fabricius,1794) (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794 AM Ce GG Tbl TR AT BG CN Ti Mc CZ DK EG Sn EE DE GB GR Cr HU IL Pa JO IT KK KG LT MA PL RO RU SE CH TJ TN TM UA UZ YU AF Az Cn
940. **Muirodelphax aubei** (Perris,1857) (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965 Ce AF AT BL BG CZ DK FR DE GB IE IT HU MN NL PL PT SE TN TR RU At EE GG KG KK MD TJ UA UZ YU
941. **Musaria argus** (Frölich,1793) (Cerambycidae) Synonym(s): *argus* Frölich,1793 SK BG UA Cm
942. **Muscina levida** (Harris,1780) (Muscidae) Synonym(s): *levida* Harris,1780 DE AT AL BG CZ AM EE DK FI FR Co NL GB IE ES SE CH LT HU NO PL PT RO RU YU GR Cr UA IL Pa CY SY TR AZ Ce GG CN JP KG KK MN UZ Sb TJ Az Md Cn
943. **Mutilla quinquemaculata** Cyrillo,1787 (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787 TR SY IL Pa CY GR HV UA Cm IT Sa Si MT FR ES DZ EG
944. **Mycomya (Cymomya) circumdata** (Staeger,1840) (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840 ES FR GB IE SE FI RU EE LT LV UA PL DK DE CZ SK HU RO BG YU B-H SS IT
945. **Mycterodus (s.str.) confusus** Stal,1861 (Issidae) Synonym(s): *confusus* Stal,1861 Ce CS HU RO TR AZ GG UA YU
946. **Mycterodus (s.str.) immaculatus** (Fabricius,1794) (Issidae) Synonym(s): *immaculatus* Fabricius,1794 Ce AT BG CS FR GR HU IT RO SW TR AM AZ GG UA YU
947. **Mycterodus (s.str.) intricatus** Stal,1861 (Issidae) Synonym(s): *intricatus* Stal,1861; *jaltaicus* Dlabola,1958 Ce CY TR AZ GG UA
948. **Mycterodus orthocephalus** Ferrari,1885 (Issidae) Synonym(s): *orthocephalus* Ferrari,1885 IT RO MD UA Cm YU

949. **Myennis octopunctata (Coquebert,1798)** (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798 DE GB FR Co IT PL RO RU Sr UA Cm Us HU GR TR CH CZ SK KG Ur NL AD ES Cc AM Eri
950. **Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825 AF BL BG CZ FR DE HU IT NL PL RO SW TR RU AZ KG UA UZ YU
951. **Myrmica lacustris Ruzsky,1905** (Formicidae) Synonym(s): *lacustris* Ruzsky,1905 CZ UA TM KG AT
952. **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775 TR KG UZ SY GR BG YU MK AT HU RO UA RU
953. **Myrmilla (Pseudomutilla) vutshetitshi Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitshi* Skorikov,1927 TR SY GR BG AT RO UA
954. **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927 GR BG TR Cc RU Da GG AM AZ IR UA Cm
955. **Myrmilla (s.str.) corniculata (Sichel & Radoszowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869 FR GR SY Cc UA Cm TR IL Pa IR
956. **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885 GR BG MK RO UA RU GG Cc AM AZ TR UZ TM IR SY IL Pa
957. **Myrmosa atra Panzer,1801** (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (*praeooc.*); *atra* Panzer,1801; *nigra* Latreille,1809, *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954 SE GB IE BE NL DE PL EE BY UA AT CZ SK HU CH FR ES PT IT SL HV B-H YU RO RU Sb Ya TR KG KK IR?
958. **Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis* Fabricius,1801 AT BE CZ FR DE IT PL SK ES CH TR UA IR
959. **Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865 TR GG AM AZ Cc RU MN KG KK UZ TM IR CN Ui SY IL Pa BG GR SS HV YU B-H MK AL DE AT HU RO CZ SK UA RU Ur At IT Sa Si MT FR ES
960. **Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus* Loew,1846 RO BG UA TR
961. **Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871 GR IT YU RO BG AL RU UA Cc TR IL IR
962. **Nemoura carpathica Illies,1963** (Nemouridae) Synonym(s): *carpathica* Illies,1963 CZ SK RO TR UA
963. **Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972 PT ES BE NL DE GB NO SE FI RU EE LT LV BY DK PL RO AT CZ SK CH HU SS HV YU IT MK GR BG Cc TR UA
964. **Nemoura taurica Zhiltzova,1967** (Nemouridae) Synonym(s): *taurica* Zhiltzova,1967 TR Cc UA Cm
965. **Nealiturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834 AL AT BE BG CY CZ DK TR FR DE GR HU IT MD EE LT PL PT RO RU SA IT Si ES NL UA YU
966. **Nealiturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868 CZ FR DE GR HU IT UA TR
967. **Neodorcadion exornatum (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum* Frivaldsky,1835; *labyrinthicum* Thomson,1865; *balkanicum* Tournier,1872;... BG UA Cm TR
968. **Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963 Cc RU IR TR UA MD GG AZ AM
969. **Neophilaenus albipennis (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798 DZ AT BG CS FR DE HU IT PL RO TN RU Sb UA TR
970. **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894 Cc AL DZ AT BE CY CS DK FR DE GB GR HU IE IL IT JO MA NL NO PL PT RO ES SE TN TR AZ EE GG LV RU UA YU
971. **Neophilaenus exclamationis (Thunberg,1784)** (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784 AL DZ AT BG CS DK FI FR DE GB HU IT NO PL SE SW EE KG LV RU (Siberia) UA
972. **Neophilaenus lineatus (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965 AL DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE TN TR Cc EE KG KK LV MD RU Sb UA UZ
973. **Neophilaenus minor (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868 AL AT BE BG CS FI FR DE HU IT NL PL PT KG KK UA YU TR
974. **Neoxorides nitens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829 TR UA

975. **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924 AD AT BY BE B-H BG CZ EE FI FR DE GB GR HU IT LT MK YU NL NO PL RO SK SS ES SE CH UA RU GG AZ AM Cc TR Sh Kmt KG MN JP CN Mc
976. **Netelia (Paropheltes) caucasica (Kokujev,1899)** (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899 Cc BG RO UA RU PL DE AT FR
977. **Netelia (s.str.) testacea (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899 ES PT FR Sa Co BE NL GB DK DE AT CZ SK HU RO RU NO SE FI PL UA BG GR CY TR IN
978. **Netelia (Toxochiloides) krishtali Tolkanitz,1971** (Ichneumonidae) Synonym(s): *krishtali* Tolkanitz,1971 BG UA RU TR SY IR Cc
979. **Neuroterus albipes (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928 PT ES FR GB IE DK SE NO RU DE PL CZ HU UA RO MD BG YU B-H SS AT TR
980. **Neuroterus anthracinus (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882 PT ES FR BE NL GB IE NO SE EE RU UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT IT TR
981. **Neuroterus numismalis (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925 PT ES FR BE NL GB IE NO SE UA PL DE DK CZ SK HU MD RO BG MK GR YU HV B-H SS AT CH IT TR
982. **Neuroterus politus Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870 PT ES FR NL GB IE SE UA PL DE HU MD RO BG YU AT IT TR
983. **Neuroterus quercusbaccarum (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK CZ SK HU MD RO BG MK GR RU YU HV B-H SS AT CH IT TR
984. **Neuroterus tricolor Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928 PT ES FR BE NL GB IE NO SE FI EE UA PL DE DK SK HU MD RO BG MK GR RU YU HV SS AT CH IT TR
985. **Noeeta pupillata (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicosa* Robineau-Desvoidy,1830; *lineata* Macquart,1835 TR AZ Cc BY RU AM EE GG IT KG LT MN MD UA YU
986. **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774 TR AL AM Cc AT AZ BE B-H BG BY CN Ui Mc HV CZ DK EE FI FR DE GG GB GR HU IR IQ IE IL Pa IT JO Ch KG LT LB LT MK MD MN NL NO PL PT RU Ur Sb SK SL ES SE CH SY TM UA UZ YU
987. **Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776 TR AT BE B-H BG BY HV CY CZ DK EE FI FR DE GB HU IR IE IT Ch LT MK MD NL NO PL RU Sb SK SL SE UA YU
988. **Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826 AZ AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LA LT MD NO PL RU SK SL ES SE CH TR UA IR SY NL
989. **Notiophilus biguttatus (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779 AM Cc AT BE B-H BY HV CZ DK EN FA FI FR GB DE GG HU IC IE IT LA LS LT MK MD NO PL SK SL ES SE CH TR UA NL
990. **Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889 BG GR MD TR UA SY
991. **Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850 AZ AM Cc AT B-H BG CZ DE HU MK MD PL RO RU SK TR UA
992. **Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833 AT BE B-H BG HV FR GB DE HU IE IT MK SL ES CH TR UA MA NL
993. **Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912 DZ? AT BE BG CS DK FI FR DE GB HU IE IT? MN EE KG PL RO ES SW EE KG KK LV RU At Sb UA UZ TR
994. **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835 MA DZ TN LY EG PT ES FR BE CH DE CZ PL AT HU RO YU BG AL GR TR Cc IL Pa AZ GG UA TM IQ IR
995. **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853 MA DZ TN PT ES FR IT CH DE CZ HU RO YU AL BG GR TR CY IL Pa LB Cc AZ GG UA TM IR AF
996. **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758 PT ES FR IT SS MK AL GR BG TR RO HU AT CH BE NL DK DE GB CZ SK PL NO SE FI LT GB UA MD RU KG

997. **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica Strobl,1898; byzantina Strobl,1902; persica Pleske,1922* **GR IT Si BG GR TR UA RU Cc AZ IL IR**
998. **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856* **DZ PT FR DE AT CZ HU IT Sa HV B-H YU RO RU Sb FI UA Cm TR Cc SY LB IL Pa SA JO KG MN**
999. **Oedipoda caerulescens (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens Linnaeus,1758; coeruleipenne De Geer,1773; fasciata Stal,1873* **MA LY IT Sa ES PT FR DE CZ CH AT EE BY RO BG TR IR RU HU UA Cm Cc GG KK KG**
1000. **Oliarus concolor Fieber,1876** (Cixiidae) Synonym(s): *concolor Fieber,1876* **DZ GR TN Cc AZ KG KK RU Da TJ UA UZ**
1001. **Oliarus cuspidatus Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus Fieber,1876* **AL CZ FR HU IT PT RO ES TR KK TM UA UZ**
1002. **Oliarus obscurus (Signoret,1865)** (Cixiidae) Synonym(s): *obscurus Signoret,1865; signatus Fieber,1876* **EG FR IT Sa Cc AM AZ RU UA**
1003. **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens Germar,1821; stenocephalus Haupt,1917; suzeensis Matsumura,1910; modestus Haupt,1927* **Cc AF DZ CZ EG IR IL IT JO LY PT RO ES TR AM AZ GG KG KK MD RU TJ TM UA UZ YU**
1004. **Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850* **AL BG Cr GR HU MK MD RO UA YU TR**
1005. **Omaloplia (s.str.) kiritschenkoi (Medvedev,1952)** (Scarabaeidae) Synonym(s): *kiritschenkoi Medvedev,1952* **UA**
1006. **Omaloplia (s.str.) nigromarinata (Herbst,1786)** (Scarabaeidae) Synonym(s): *nigromarinata Herbst,1786; occidentalis Baraud,1965* **AT CZ DE HU LT PL RO SS SK UA YU**
1007. **Ommatidiotus falleni Stal,1863** (Caliscelidae) Synonym(s): *falleni Stal,1863* **GR HU IT RO ES UA UZ**
1008. **Oncopsis alni (Schrank,1801)** (Cicadellidae) Synonym(s): *fenestrata Schrank,1776 (praeocc.); ferrugineus Curtis,1837; heydenii Kirschbaum,1868* **AT BE CS DK FI FR DE GB HU IE IT JP NL NO PL RO ES SE SW AZ GG Cc TR LV RU Sb UA YU**
1009. **Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis Linnaeus,1761; diadema Fabricius,1794; triangularis Fabricius,1794; fruticola Fallén,1806; fuscula Gravenhorst,1807; nigritulus Zetterstedt,1828; obscurus Zetterstedt,1828; pallens Zetterstedt,1828; personatus Curtis,1837; pulchellus Curtis,1837; reticulatus Curtis,1837; frontalis Curtis,1837; capucinus Zetterstedt,1840; dubius Fieber,1868; ochraceus Rey,1894; transitus Rey,1894; hyalina Wagner,1944; luteomarginata Wagner,1944* **DZ AT BE BG CS DK FI FR DE GB HU IT IE MN NL NO PL PT RO ES SE SW SY TN TR AM IR EE GG KG KK LV MD RO RU Sb UA UZ YU**
1010. **Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis Zetterstedt,1840; frontalis Flor,1861; rufusculus Fieber,1868; brevicauda Thomson,1870* **AT BE BG CS DK FI FR DE GB GR HU IE IT JP MN NL NO PL RO SE SW EE KG LV RU Sb UA TR**
1011. **Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis Steven,1809* **RU Cc AM AZ TM SY IQ TR IR UA Cm**
1012. **Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790* **GB HU RU Cc Ur Sb MD UA GG AM KG TM SY TR IR**
1013. **Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas,1781* **RU Sb Am UA Cm KG KK HU YU TR IQ TM MN CN KP KR JP**
1014. **Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni Harold,1877* **TR BG MK GR RO UA HU**
1015. **Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus Sturm,1800* **HU SK UA Cm TR SY Cc IQ Cc**
1016. **Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s): *ovatus Linnaeus,1762* **RU MD UA Cm Cc BG TR Cc TM**
1017. **Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis Panzer,1798* **RU Ur Sb KG TM Cc TR PT ES FR IT CH DE AT PL YU MK HU CZ RO BG UA GR**
1018. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763* **YU UA Cm Cc AZ RU TR IR IQ AF TM**
1019. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**
1020. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis A.Villa & GB.Villa,1833* **AT B-H BG HV CZ EN FR DE GR HU IT LA MD PL RO RU SK SL ES SE TR UA TM**
1021. **Opsius cypriacus Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus Lindberg,1958* **CY TR IR UA Cm**
1022. **Opsius smaragdinus Emeljanov,1964** (Cicadellidae) Synonym(s): *smaragdinus Emeljanov,1964* **UA Cm TR**

1023. **Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981 **DZ AT Az AT BE ES Cn CY CS EG FR DE GB GR HU IT LY MA NL PL PT RO ES SE SW TN TR AM GG Cc MD RU TJ UA UZ YU**
1024. **Orellia distans (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847 **DE BY CZ FR IT LT HU RU UA TR**
1025. **Orellia punctata (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781; *flavicans* Robineau-Desvoidy,1830; *intermedia* Frauenfeld,1857 **TR DE BG CZ FR SE CH HU UA**
1026. **Orellia sticta (Gmelin,1790)** (Tephritidae) Synonym(s): *sticta* Gmelin,1790 **TR AT HU BG CZ DE FR SE RO CH UA AM AZ Cc SY KG KK RU Sb Us**
1027. **Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834 **Cc AZ BG CY GR IL Pa UA Cm DZ TN Md TZ**
1028. **Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758 **PT IT TR RU Cc Ur Sb Us UA Cm AM KG TJ CN Ui**
1029. **Osmia (Allosmia) melanura Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871 **AM Cc BG FR GR IT Si MK UA TR**
1030. **Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896 **AT AL AM Cc BE BG CH CZ DE ES FR Co DE GR IT Sa Si MK PT RO RU SK S UA DZ MA TN CN Ui IL Pa JO SY TR**
1031. **Osmia (Erythrosmia) andreoides Spinola,1808** (Megachilidae) Synonym(s): *andreoides* Spinola,1808 **AT AL BE BG CH CZ DE FR Cc GG GR Cr HU HV IT Sa Si PT RO RU SK SS UA DZ MA TN CY IL Pa TR**
1032. **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801 **AT AL AD AM Cc BE CH DE DK ES FR GB GG GR HU IT Sa IE LV LT MK NL NO PT PL RO RU SE FI SK SS UA IR LB TR**
1033. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864 **AT AL AM AZ Cc BE BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN**
1034. **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899 **AL BG ES FR GR Cr IT Sa Si MK RU UA Cc TM CY IL Pa LB TR IR**
1035. **Osmia (Helicosmia) fulviventris (Panzer,1798)** (Megachilidae) Synonym(s): *fulviventris* Panzer,1798 **CA Cc KG Cn Az UA Cm TR DZ CY**
1036. **Osmia (Helicosmia) leaiana (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkysi* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachtii* Warncke,1988 **AT AD AM BE BG CH CZ DE DK ES FR FI GB GG GR HU IT Si LT NL MK PL RO RU SK SS UA DZ MA TN KK TR IR**
1037. **Osmia (Helicosmia) melanogaster Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895 **AT AM Cc BG CZ DE ES FR Co GR HU HV IT Si MK RU SK SS UA DZ MA TN LY EG CN CY JO SY TR IR**
1038. **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914 **AT AL AZ Cc BE BG CH CZ DE DK ES FR Co GB GG GR HU HV IT Sa Si LV LT MK PT Az PL RO RU SK SS UA Cm DZ Cn EG LY MA Md TN CN CY IL Pa IR JO LB SY TR**
1039. **Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cineta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895 **AL ES FR Co GR Cr IT Sa Si PT UA Cm DZ EG MA CN Ui TM CY IL Pa IR JO SY TR**
1040. **Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979 **AT AL AM Cc BG CZ ES FR GR HV HU IT MK RU SK SS UA EG DZ? IL Pa JO SY TR**
1041. **Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868 **AL BG CH ES FR GR Cr HU IT Si MK PT RO RU SK SS UA DZ MA CY IL Pa JO SY TR**
1042. **Osmia (Hoplosmia) spinulosa (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882 **AT AD AM Cc BE BG CH CZ DE ES FI FR GB HU HV IT Si LV NL RU SE SK SS UA KK KG TR**
1043. **Osmia (Melanosmia) parietina Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887 **AT BE BG BY CH CZ DE DK ES EE FR FI GB GR HU IT LV LT NO NL PL RU SE SKS UA Cc TR**
1044. **Osmia (Melanosmia) pilicornis Smith,1846** (Megachilidae) Synonym(s): *pilicornis* Smith,1846 **AT BE CH CZ DE DK FR FI GB HU LT LV NL PL RU SE SK SS UA CN**
1045. **Osmia (Melanosmia) uncinata Gerstaecker,1869** (Megachilidae) Synonym(s): *uncinata* Gerstaecker,1869 **AT BE CH CZ DE DK FR FI GB IT LT LV NL PL RU SE SK SS UA**

1046. **Osmia (Metallinella) brevicornis (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935 AT AM Cc BG CH CZ DE DK ES FR GR HU IT LT MK PT PL RO RU SK S UA DZ MA KK KG TJ TM UZ CY IR TR
1047. **Osmia (Neosmia) bicolor (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917 AT AL BE BG CH CZ DE ES FR FI GB GG Cc HU IT LT PT PL RO RU SE SK S UA CN UI
1048. **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warneke,1992; *columbina* Zanden,1996 CH CZ DE ES FR Co GR Cr HU HV IT Sa Si MT MK PT RU SK SS UA DZ Cn EG LY MA TN CY IL Pa Js JO LB SY TR
1049. **Osmia (Pyrosmia) viridana Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984 AM Cc BG CH DE ES FR GR Cr HV IT MK RU SS UA DZ TN KK KG TJ UZ TM CY IL Pa JO SY TR
1050. **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899 AT AL AM Cc BE BG CH CZ DE DK ES FR Co FI GB GR HU HV IT Sa Si IE LT LV MK NO NL PT PL RO RU SK SS UA DZ MA TN KK KG RU TM CY TR SY IR
1051. **Osmia (s.str.) cerinthidis Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876 AT AM Cc GG Bjo CZ DE FR GR IT Si MK PL RO RU SK SS UA CN IR TR
1052. **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978 AT AM AD Cc BE CH CZ DE ES FR Co GG GR Cr HU IT Sa Si MK PL PT NL RO RU SK SS UA EG DZ TN TM CN UI CY IR TR
1053. **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978 AT AM Cc CH CZ DE GG GR HU IT Si MK PL RO RU SK SS UA IL Pa IR LB TR
1054. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *wolynica* Noskiewicz,1922 Osmia tergestensis Ducke,1897, Ent. Nachr. 23: 41-42. Triest/Italien. MA IT UA TR
1055. **Osmia (Tergosmia) tergestensis Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979 AT BG CH CZ ES FR GR HU IT PL SK SS UA EG MA TR
1056. **Osmylus elegantissimus Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951 TR? Cc UA RU AM AZ GG
1057. **Osmylus fulvicephalus (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763 AL AT BE B-H BG CZ DK EE GB FR GR NL HU IT IE LT MK PL RO RU ES SL SE CH UA YU TR
1058. **Osmylus multiguttatus McLachlan,1870** (Osmylidae) Synonym(s): *multiguttatus* McLachlan,1870 TR UA
1059. **Oxyaciura tibialis Robineau-Desvoidy,1830** (Tephritidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830; *gagates* Loew,1846 AF ET MA IR IL Pa KG KK CY DZ MD UZ RU SY TJ TM UA TR
1060. **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925 DK DE AT FR PL GR RU Cc AZ GG AM IR Ke AF MN CN KG KK UA TR YU HU PL RO CH IT
1061. **Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869 SE RU Cc AZ TR AF MN CN Ti YU UA CH DK EE FI NL GB CA
1062. **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862 RO GR CY RU UA Cc AZ TR IL LB
1063. **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938 SE DE FR GB Cc GG Tbl UZ Fe UA RU Sr Ur GR TR IL MN CN MA DZ
1064. **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* Robineau-Desvoidy,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847 TR AZ Cc AM GG EE BY LT KG MN RU Sb UA GR
1065. **Oxyna lutulenta Loew,1869** (Tephritidae) Synonym(s): *lutulenta* Loew,1869 TR KG MN MD RU UA

1066. **Oxyna nebulosa (Wiedemann,1817)** (Tephritidae) Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* Robineau-Desvoidy,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870 **TR BY CZ EE IL Pa LT MD RU UA**
1067. **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852 **ES FR AT CZ HU IT AL YU GR B-H BG UA Cm Cc TR RU Ur Sb**
1068. **Pachybrachis (s.str.) mendax Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962 **Cc RU Sb TR UA**
1069. **Pachybrachis (s.str.) pallidulus Suffrian,1851** (Chrysomelidae) Synonym(s): *pallidulus* Suffrian,1851; *suturalis* Weise,1882... **FR ES UA**
1070. **Pachybrachis (s.str.) scriptidorsum Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913 **BG RO UA CN RU Ur Cc Sb KP KR**
1071. **Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817 **SE PT ES BG UA Cc GG TR IL**
1072. **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861 **TR IT AT UA YU RO AL MK GR BG**
1073. **Paluda preysleri (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preysleri* Herrich-Schäffer,1838 **AT BE BG CS DK FI FR DE HU MN NL NO PL RO SE SW EE KG LV MD RU At Sb UA**
1074. **Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972 **DZ AT BG CS DK FI FR DE HU IE IT Sa MN NL NO PL PT RO ES SE TN TR Cc AZ EE GG KG LV MD RU Sb UA YU**
1075. **Paracardiophorus musculus (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840 **AT BG RU Sb CZ FR DE Cc GG TR GR HU IT LT RO PL SK ES CH UA DZ TN**
1076. **Paraclusia tigrina (Fallén,1820)** (Clusiidae) Synonym(s): *tigrina* Fallén,1820 **AT GB BG CZ DK DE FR FI HU IT RU LT NO RO SE SK ES CH UA YU**
1077. **Paralimnis phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897 **AT CS FI FR DE GB HU IR IL IT NL NO PL RO SE TR AM AZ Cc EE GG LV MD RU Sb UA YU**
1078. **Paralimnus pulchellus (Rey,1891)** (Cicadellidae) Synonym(s): *pulchellus* Rey,1891 **BE FR Cc AZ RU UA UZ**
1079. **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (*praeocc.*); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913 **AF AL BG CS CY DK FI FR DE GB HU IT MN NL NO PL RO SE TN TR Cc AZ GG LV MD RU UA**
1080. **Paramyrmosa brunnipes (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858 **DE PL BY UA CZ SK AT HU RO BG GR AL SL HV B-H YU MK IT FR ES PT RU Sb Cc AM TR**
1081. **Paraphilaenus notatus (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961 **TR Cc GG RU At KG KK TJ UA UZ FR**
1082. **Pedestredorcadion cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): *cinerarium* Fabricius,1787; *tricolor* Fischer von Waldheim,1806; *caucasicus* Küster,1847; *micans* Thomson,1867; *sericatum* Kraatz,1873; *amasinum* Pic,1898; *corallicorne* Pic,1904; *macropoides* Plavilstshikov,1932; *perroudi* Pic,1942; *paracinerarium* Breuning,1974 **AZ Cc IR Ak TR UA Cm**
1083. **Pedestredorcadion decipiens (Germar,1824)** (Cerambycidae) Synonym(s): *decipiens* Germar,1824 **UA Cm HU RO RU YU SK**
1084. **Pedestredorcadion equestre (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;... **MK BG UA Cm GR RO RU YU**
1085. **Pedestredorcadion mokrzeckii (Jakovlev,1902)** (Cerambycidae) Synonym(s): *mokrzeckii* Jakovlev,1902 **UA Cm**
1086. **Pedestredorcadion panticaepeum (Plavilstshikov,1951)** (Cerambycidae) Synonym(s): *panticaepeum* Plavilstshikov,1951 **UA Cm**
1087. **Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;... **AL AT BG CZ HU IT RO Ur SK UA YU TR**
1088. **Pedestredorcadion scopolii (Herbst,1784)** (Cerambycidae) Synonym(s): *scopolii* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;... **RU Sb HU BG AT CZ GR SK UA YU**
1089. **Pedestredorcadion sericatum (Sahlberg,1823)** (Cerambycidae) Synonym(s): *sericatum* Sahlberg,1823; *velutinum* Kraatz,1873 **UA Cm**
1090. **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830 **AL AD AT BE B-H BG CZ FR Co DE GB GR Cr HU IE IT Sa Si MK YU PL PT RO SK SS ES CH UA Cm GG AZ AM Cc CY LB TR**
1091. **Pedicia (Crunobia) littoralis (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804 **AT BE B-H BG HV CZ DK FR Co DE GB HU IE IT MK YU NL PL RO SK SS ES SE CH UA TR**

1092. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn RU SK SS ES TR UA GB US Cf Ut YE YU
1093. **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763 PT ES FR DE CH AT CZ SK UA ME RO HU YU HV B-H SS IT Sa Si AL MK BG GR CY IL Pa
1094. **Peltonotellus punctifrons Horvath,1895** (Caliscelidae) Synonym(s): *punctifrons* Horvath,1895 KG UA RU YU TR
1095. **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958 Cc AL CY HU IQ IL JO RO SY TR AM GG UA
1096. **Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978 AF AZ BG Cc GR HU RO RU SL SY TR UA YU
1097. **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835 AF AL DZ AT BL CN CY CZ DK FI FR DE GB GR HU IE IT MN NL PL RO ES SE SW TN TR AM AZ Cc EE KG KK RU TM UA UZ YU
1098. **Pentastiridius nanus (Ivanoff,1885)** (Cixiidae) Synonym(s): *nanus* Ivanoff,1885 UA TR
1099. **Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952 AL AT BE BG CS FR DE GR HU IT JP NL PL PT RO ES SW SY TN TR AZ Cc LV MD UA YU
1100. **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789 RU Cc UA Cm IQ TR IR IQ CY LB IL Pa
1101. **Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799 AZ AL AM Cc AT B-H BG BY HV CZ GB DE GG GR HU IE IT LA MK MD NO PL PT RO RU SK SL ES SE CH TR UA IR IL Pa SA SY
1102. **Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900 MA ES BE CH IT Si SS HV YU MK RO PL AT UA Cc GG AM AZ
1103. **Phaenotherion knirschi Breit,1912** (Anthribidae) Synonym(s): *knirschi* Breit,1912 UA Cm
1104. **Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933 Gryllus falcata Poda,1761, Ins. Mus. Graec.: 52. ES FR GB DE IT YU HU RO TR UA RU Cc KG CN KP KR JP
1105. **Phanerotoma (Bracotritoma) acuminata Szepliget,1908** (Braconidae) Synonym(s): *acuminata* Szepliget,1908 AT CZ GB IT FR NL RO Cc AZ UA Cm DE YU
1106. **Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780 DE AL AT BE BG CZ FR Co FI DK NL ES GB SE CH IE IT Si LT HU MT NO PL RO YU GR Cr TR UA CY Az
1107. **Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824 PT ES FR BE NL GB DK DE SE NO FI RU EE BY UA PL CZ SK HU CH IT AT SS B-H YU AL GR BG RO MD Co Sa Si Cr
1108. **Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860 ES FR NL DE PL UA HU CZ SK CH AT B-H GR BG
1109. **Phasia (s.str.) aurulans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824 FR BE NL DE SE NO FI RU BY PL UA CZ SK HU MD RO BG CH AT IT
1110. **Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794 ES FR GB IE SE FI EE RU UA PL DE CZ SK HU MD RO BG YU HV B-H GR SS IT CH AT
1111. **Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798 ES FR GB IE SE NO FI EE RU UA PL DE DK CZ SK HU MD RO BG HV YU B-H SS AT CH IT Co Si GR Cr CY
1112. **Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767 ES FR BE DE DK SE FI RU UA PL CZ SK HU B-H RO BG GR AT IT Si
1113. **Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili* Draber-Monko,1965; *theodori* Draber-Monko,1965 PT ES FR IT Co Si HU UA RU Cr CY
1114. **Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758 AF AL DZ AT Az BE BG CN CY CS DK FI FR DE GB GR Cr HU IQ IE IT JP MN MA NL NO PL PT RO ES SE SW SY? TN TR AM AZ Cc EE GG KG KK MD RU UA UZ YU
1115. **Philopotamus ludificatus McLachlan,1878** (Philopotamidae) Synonym(s): *ludificatus* McLachlan,1878 BE UA
1116. **Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813 ES FR GB TR UA
1117. **Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763 ES PT TR SS B-H UA
1118. **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838 AF AL DZ AT BG CS FR DE HU IR IR IT JO MA IL PT RO ES TR AM AZ Cc KG KK MD RU TJ UA UZ

1119. **Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945 AF DZ FR DE IR IL Pa LY RO ES TR KG KK TM UA
1120. **Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855 CN Mc CS FR HU IL IT JP KP RO Cc AZ TR IR MD UA YU
1121. **Phthiria canescens Loew,1846** (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846 IT Si AF AL AM AZ GG Cc AT BY B-H HV CZ DK EG EE FI FR DE GR HU IR LT MK MD PL PT RO RU Sb SK SS ES SE CH UA YU
1122. **Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933 IT TR AF AL DZ AT BY B-H BG HV CZ EG EE FR GR HU IR IL Pa LT MK MD MA PL RO RU Sb SS ES UA
1123. **Phthiria subnitens Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846 TR AL Cc AM AZ GG GR IT IR MD RO RU UA CY HV
1124. **Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862 FR Co AM AZ GG Cc HV GR IL Pa IT Si MD MA RO RU ES SY UA TN YU
1125. **Phthiria vagans Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescens* Engel,1933 AM AZ GG Cc BY HV EE FR GR HU IT Si IR IL Pa KK LT HU MK MD RO RU ES TJ TR TM UA UZ YU
1126. **Phyllognathus excavatus (Forster,1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster,1771; *hauseri* Reitter,1894 SN MA LY Cy Cn EG IL Pa UA Cm IR TM TJ
1127. **Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905 PT ES FR GB BE DE PL UA CZ SK CH AT IT Sa SS YU AL GR TR
1128. **Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrimaculata* Wolff,1804 ES FR BE NL DE DK NO FI EE LT LV BY UA PL RO BG HU AT CH SS IT
1129. **Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838 ES FR GB BE NL DK DE CZ SK AT CH IT SS B-H YU RO MD GR BG TR UA IL Pa
1130. **Physatocheila smreczynskii China,1952** (Tingidae) Synonym(s): *smreczynskii* China,1952 ES FR GB NO SE BE NL DE PL BY UA CZ AT HU IT SS
1131. **Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885 TR Cc AM AZ GG RU Da Sb At KG YU GR MK HV DE CZ SK AT CH HU RO UA FR IT Si
1132. **Physetopoda similis (Lelej,1984)** (Mutillidae) Synonym(s): *similis* Lelej,1984 TR AM AZ UA Cm Cc
1133. **Piesma (Parapiesma) kochiae (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867 Cc AM AZ Ur AT CZ HU RO YU BG GR UA KG Aa T-S TJ Pm KK TM UZ RU Ur Sb At Tv MN CN
1134. **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973 RO BG GR RU Or UA MD Cc AZ Kir TR KG UZ Fe TJ KK Ik CN Ui Cn ES MA DZ TN LY Cy IL Pa CY JO IQ Bgd PK Bl Qu
1135. **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966 DZ TN ES FR BE NL GB DK NO SE DE PL AT CZ HU CH IT Sa Co HV YU RO BG GR TR MD UA Cm Cc RU Ur Sb AZ AM UZ KG CN Mc KP KR MN TW
1136. **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867 ES FR NL DE DK CH AT IT CZ YU RO GR BG TR BY UA RU Cc Ur Sb Tv AZ AM UZ KG At MN CN
1137. **Piesma (Parapiesma) silenes (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes* Horvath,1888 ES IT DE AT CZ HU MK BY BG UA RU KG
1138. **Piesma (Parapiesma) variabile (Fieber,1844)** (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888 PT ES FR DE PL CZ AT IT HV GR UA RU BY Ur
1139. **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893 FR BE NL ES IT DE AT CH PL CZ RO YU AL BG GR UA TR SE NO Cc GG AZ AM RU Sb At Ya MN CN Ui Sz Gn KG KK TM UZ KP KR
1140. **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871 MA DZ TN GB PT ES FR BE NL DE DK SE NO PL HU CZ AT CH YU RO IT Sa Co MK GR BG TR Cc GG AZ AM UA RU Sb Ya Us TM TJ KG KK UZ CN Ui MN
1141. **Pimelia (Eurypimelia) subglobosa (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781 GR TR UA RU
1142. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929 AT BE CN CS DK FI FR DE GB GR HU IT MN NL NO PL RO SE SW MD RU Sb At UA TR
1143. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869 AL AT BG CY CS FR DE HU IT NO PL PT SE SW TR BG GR MD TJ UA YU

1144. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus Signoret,1880* EG FR IR IT MN IL TR Cc AM AZ GG KG RU UA YU
1145. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus De Geer,1773; flammigera Villers,1789; chosensis Matsumura,1915; parvulus Linnavuori,1962* AT BE BG CS DK FI FR DE GB HU IL IT Si KP NL NO PL PT RO ES SE SW TN TR Cc AZ EE GG KG LV MD RU Sb At UA YU
1146. **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus Puton,1877; turkistanicus Kusnezov,1927* AF MN Cc AM AZ TR KG KK RU TJ TM UA UZ
1147. **Platymetopius dorsofenestratus Dlabola,1958** (Cicadellidae) Synonym(s): *dorsofenestratus Dlabola,1958* BG CS RO UA YU
1148. **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958* AL DZ AT BG CS DK FR DE IT JO NL PL RO SE TR SY LB MD RU Sb UA YU IR
1149. **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus Herrich-Schäffer,1834; decipiens Horvath,1894* AT BG CS FR HU IT RO ES SW Cc AM GG KG KK MD UA UZ YU TR IR
1150. **Platypygus ridibundus (A.Costa,1863)** (Mythicomysiidae) Synonym(s): *ridibundus A.Costa,1863* ES IT Si BG TR RU UA MD Cc AZ AM GG EG
1151. **Platypygus ridibundus (Costa,1863)** (Mythicomysiidae) Synonym(s): *ridibundus Costa,1863* ES BG TR RU UA MD GG AZ AM Cc EG
1152. **Platystoma rufipes Meigen,1826** (Platystomidae) Synonym(s): *rufipes Meigen,1826* FR UA TR RU
1153. **Platystoma seminationis (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis Fabricius,1775; fulviventre Schrank,1781; biseta Loew,1868; vegetationis Rondani,1869;* ES GB BE NL DE DK CH AT IT HU CZ PL RU UA RO TR
1154. **Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus Creutzer,1796* MG DZ LY Cy RU MD UA Cc GG TM TJ MG TR
1155. **Pleurophorus variolosus (Kolenati,1846)** (Scarabaeidae) Synonym(s): *variolosus Kolenati,1846* RU UA KG TM TJ
1156. **Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum Walker,1833* IR Yz DZ AT BG HV CZ FR DE HU IN IT Md MD PL RO SK ES SY UA
1157. **Poecilobothrus comitalis (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis Kowarz,1867* AM Cc BG MD RO RU TR UA KG TJ
1158. **Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis Meigen,1824* BG Cc GG GR RO RU TR UA Cm IR UZ
1159. **Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis Chaudoir,1871* BE GR RU TR UA KG
1160. **Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus Dejean,1828* BE GR RO RU TR UA KG
1161. **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *labialis Robineau-Desvoidy,1863* TR DK FI DE UA SU RU US
1162. **Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo Linnaeus,1758* AL AT BY BE B-H BG HV CZ DK DE GG GB GR HU IT MK TR RU Cc UA SS SK SE CH YU
1163. **Populicer populii (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populii Linnaeus,1761; coryli Linnaeus,1761; biguttata Fabricius,1794 (praeocc.); stigma Germar,1821, marginata Lepeletier & Audinet-Serville,1825; aeneus Curtis,1839; effulgens Curtis,1839; sulphureus Curtis,1839* DZ AT BE CN Mc CS DK FI FR DE GB HU IT JP NL NO IL PL Pa PT RO ES TR Cc AZ EE KG LV RU Sb UA YU
1164. **Procallimus egregius (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *egregius Mulsant & Rey,1863* TR GR UA Cm
1165. **Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes Fonscolombe,1832; nebulosa Fonscolombe,1840; sexdentata Förster,1855; decipiens Masi,1929* AL DZ Cn HV CZ SK FR HU IT Si IR LY KG MK MD SS ES Cc TN UA RU YU TR
1166. **Proconura tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis Lacordaire,1835* TR AT BE B-H BG HV RU CZ DK FI FR GB DE GB GR HU IT LT MD NO PL RO SK SL ES SE CH UA YU
1167. **Prosimum (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes Roser,1840 (praeocc.); tomosvaryi Enderlein,1921; nigripes Enderlein,1925; balcanicum Enderlein,1929; canbalicum Smart,1944; pseudohirtipes Smart,1944; arvernense Grenier,1947; duodecimfiliatum Rubtsov,1955; maruashvili Machavariani,1966* TR AD DE AT Cc AM AZ BE B-H GB BG CZ FR GG GR HU IE IT Si MA PL PT RO YU SK SS ES CH UA
1168. **Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris Herbst,1786; aenea Scriba,1790; aeruginosa Herbst,1790; marmorata Fabricius,1792; punctatoundulata Petagna,1819; zoufali Roubal,1929; novaci Miksic,1954* DE RU Am HU CZ YU B-H KG UA TR
1169. **Protaetia (Potosia) cuprina (Motschulsky,1849)** (Scarabaeidae) Synonym(s): *rubrocuprea Mulsant & Rey,1842; cuprina Motschulsky,1849* RU Cc TR UA Cm
1170. **Protaetia (Potosia) metallica (Herbst,1782)** (Scarabaeidae) Synonym(s): *metallica Herbst,1782* RU Ur Sb FI LT UA KG

1171. **Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): *tauricola Popov,1961* UA Cm TR BG RU
1172. **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis Morawitz,1876; graffei Schmiedeknecht,1890* BG GG Tbl Cc GR HV IT MK RU SS UA IL Pa JO TR
1173. **Psammotettix (Rhyssenus) laevipennis Costa,1844** (Scarabaeidae) Synonym(s): *laevipennis Costa,1844* RU UA
1174. **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus Dahlbom,1850; breviceps Kirschbaum,1868; flavidus Fieber,1869; karafutonis Matsumura,1914* AL DZ AT BE BG ES Cn DK EG FI FR DE HU IT LY Md MN NO PL PT RO ES SE TR Cc AZ IR EE KK MD RU Sb UA UZ YU
1175. **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes Herrich-Schäffer,1834; citrinellus Kirschbaum,1868; sulphurellus Kirschbaum,1868; tristis Kirschbaum,1868; normani Scott,1881* AL DZ AT BE BG CS DK FI FR DE GB HU IE IT NL NO PL RO ES SE SW TR EE LV MD RU Sb UA YU
1176. **Psammotettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans Emelyanov,1964* KK KG UZ UA TR RU
1177. **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis Dahlbom,1850; eurylobus Kirschbaum,1868; heydeni Fieber,1872; thenii Edwards,1915; spathifer Ribaut,1925* AL AT BG GR Cr CS DK FI FR DE GB HU IE IT MN NL NO PL RO SE SW TR EE GG Cc KG KK LV MD RU UA UZ YU
1178. **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis Matsumura,1908; claudiopolitanus Matsumura,1910; similis Wagner,1947* AF AT CS FR DE HU MN RO Cc GG KG MD RU Sb TJ UA
1179. **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus Ribaut,1925* AL AD AT BG TR CS DK FI FR DE GB IE IT MO NL NO PL PT SE EE MD UA
1180. **Psammotettix orientalis Zachvatkin,1945** (Cicadellidae) Synonym(s): *orientalis Zachvatkin,1945; badghyzicus Zachvatkin,1945* Cc AZ TM UA
1181. **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps Horvath,1897* AT BG TR CS DE HU RO LV MD RU TJ UA
1182. **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis Kirschbaum,1868; fasciatus Fieber,1869* AF AT BG CS HU IL RO ES TR AM Cc AZ GG KG MD RU UA UZ
1183. **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis Ribaut,1925* AF BG CN Gn CY CS FR GR HU IR IT Sa Si MN PT RO TR Cc AM KG KK MD RU Sb UA UZ YU
1184. **Psammotettix salsuginosus Logvinenko,1961** (Cicadellidae) Synonym(s): *salsuginosus Logvinenko,1961* MD UA TR
1185. **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera Burmeister,1839* FR GB IE SE FI DK DE NL PL UA CZ CH AT HU RO BG SS IT
1186. **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus Gyllenhal,1839; coeruleus Fabricius,1798* TR DE BG DZ FR GB SE Cc KG KK UA Cm RU Sb
1187. **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae Linnaeus,1758 Tenthredo amerinae Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 555.* PT ES FR NL DE CH IT AT HU CZ PL SE FI EE LT YU RO MK BG UA TR Cc RU Sb KP KR
1188. **Pseudophlepsius binotatus (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus Signoret,1880* AF IQ MN AM AZ KG KK MD RU UA TJ UZ
1189. **Pseudotorymus euphorbiae Zerova & Seryogina,1999** (Torymidae) Synonym(s): *euphorbiae Zerova & Seryogina,1999* IR UA
1190. **Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis Mayr,1874* IR Ak AT CZ MN RO SE UA GB
1191. **Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris Boheman,1834; parrellinus Boheman,1834* DE SE CZ UA TR IR Ab Oru
1192. **Pseudotorymus pannonicus (Mayr,1874)** (Torymidae) Synonym(s): *pannonicus Mayr,1874* HU UA TR
1193. **Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti Steffan,1948; ferrierei Steffan,1948* CY CZ SK FR DE HU IT KG MA ES Cc UA RU TR
1194. **Psophus stridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus Linnaeus,1758; samniticus Baccetti,1958* TR Cc RU BY UA KG
1195. **Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *specularis Fischer von Waldheim,1839; inermis Ramme,1951* TR UA Cm Cc GG AZ RU AM Eri
1196. **Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii Fischer,1853; lateralis Costa,1855* TZ MG DZ MA TN LY SA IN LK TH KK KG TM UZ Cc TR UA Cm RO YU HV B-H HU CZ AT IY DE FR
1197. **Rabdophaga clavifex (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *clavifex Kieffer,1891* PT FR GB BE NL DE IT AT CZ HU YU RO UA RU EE SE PL
1198. **Rabdophaga giraudiana Kieffer,1898** (Cecidomyiidae) Synonym(s): *giraudiana Kieffer,1898* GB DE AT UA RO

1199. **Rabdophaga heterobia (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850
ES FR GB IE NL DE PL CZ CH AT IT HU YU RO UA RU EE SE FI TR
1200. **Rabdophaga pulvini (Kieffer,1891)** (Cecidomyiidae) Synonym(s): *pulvini* Kieffer,1891;
rosariella Kieffer,1896 FR GB DE AT CZ YU RO UA RU EE SE
1201. **Rabdophaga saliciperda (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda*
Dufour,1841 FR GB IE BE NL DE DK SE UA HU CZ RO YU PL EE CH IT BG TR
1202. **Rabdophaga salicis (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803
PT ES FR GB BE NL DE DK NO SE FI EE LT RU UA PL CZ HU RO BG YU IT AT CH TR
1203. **Rabdophaga strobilina (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847;
rosaria Loew,1850 PT FR GB IE BE NL DE DK NO SE FI RU UA CZ SK RO BG YU PL AT CH IT TR
1204. **Rabdophaga terminalis (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850
ES FR GB BE NL DE DK NO SE FI RU UA RO YU PL AT CH IT TR
1205. **Ramburiella turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s):
turcomana Fischer von Waldheim,1833; *formosus* Becker,1864 BG GR Cc RU KG UA Cm TR
1206. **Raphidia (Pretzmannia) euxina Navas,1915** (Raphidiidae) Synonym(s): *euxina*
Navas,1915 UA Cm
1207. **Raphidia (Turcoraphidia) amara H.Aspöck & U.Aspöck,1964** (Raphidiidae)
Synonym(s): *amara* H.Aspöck & U.Aspöck,1964 AL MK BG UA Cm TR
1208. **Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780 AL AD AT
BY BE GB Cn FR Co CY CZ DK EE FI DE GR HU IT LT MT MD NO PL PT ES RO TR Si Sa SK SE CH NL UA
YU
1209. **Recilia horvathi (Then,1896)** (Cicadellidae) Synonym(s): *horvathi* Then,1896 AT BG CS
DE IT MN RO TN GG Cc KG UA YU
1210. **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
AL AT BG GR Cr CN Mc CS FR DE HU IR IT JO Hk MA RO TR Cc AZ GG KG RU TJ TM UA YU
1211. **Reptalus (s.str.) melanochaetus (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus*
Fieber,1876; *fasciatus* Kusnezov,1928 Cc BG CZ FR HU IT RO TR AZ GG KG MD RU UA YU
1212. **Reptalus (s.str.) panzeri (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883 Cc DZ
AT BL BG CZ FR DE GB HU IT PL RO ES TN TR RU AM AZ GG KG UA YU
1213. **Reptalus (s.str.) quinquecostatus (Dufour,1833)** (Cixiidae) Synonym(s):
quinquecostatus Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus*
Kusnezov,1937 Cc AT BE BG CN CZ FR GR HU IT RO ES TR AM GG KG MD RU TJ UA YU
1214. **Reptalus (Trepalus) rufocarinatus (Kusnezov,1937)** (Cixiidae) Synonym(s):
rufocarinatus Kusnezov,1937; *bitinctus* Dlabola,1961 TR RU UA
1215. **Rhagoletis berberidis Jermey,1961** (Tephritidae) Synonym(s): *berberidis* Jermey,1961 TR
AT HU Cc RU SK CH UA
1216. **Rhagoletis flavicincta Enderlein,1934** (Tephritidae) Synonym(s): *flavicincta*
Enderlein,1934 IR Th Elb RU Sr UA KG KK TJ UZ
1217. **Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763 TR AZ
AL BE B-H BG BY HV RU CZ DK EE AM GG Cc FR GB DE GR HU IT LT MK PL NL PT RO SK SS SE ES CH
UA MA SY IR TM
1218. **Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764
TR AL AT BE B-H BG HV CZ DK GB DE GR FR HU IE IT NO PL RO SK SS ES SE CH UA YU
1219. **Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s):
solstitialis Linnaeus,1758 TR SY RU LT RU Sb Us UA Cm KK KG TJ TM UZ
1220. **Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus*
Olivier,1789 RU UA Cm TM Cc TR
1221. **Rhoananus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus*
Fieber,1869 AL AT CS IT Cc TR GG KG KK MD RU TJ UA UZ YU
1222. **Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763;
aurifer Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis*
Newskij,1929; *armeniacus* Zaitzev,1937 AF DE AZ Cc AM GG BG FR IQ GB IR KK KG UA Cm Co LB MK
UZ RU Sb SY TJ YU GR TR
1223. **Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758;
laetus Germar,1824; *circassicus* Voss,1938 DE BG DZ FR GB IR ES IL Pa Cc KG UA Cm TR HU UZ RO RU
Sb IT Si TM YU
1224. **Rhynchites giganteus Krynický,1832** (Attelabidae) Synonym(s): *giganteus* Krynický,1832
BG AM Cc TR FR IR IT UA Cm UZ IT Si RU Sb GR
1225. **Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus*
Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894 AT BE
BG CN Mc CS DK FR DE GB HU IT NL PL PT RO ES SW TN AM AZ GG Cc TR KG MD RU UA UZ YU
1226. **Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868;
trifasciatus Kirschbaum,1868 CN MN RU Cc KG KK TJ UA TR
1227. **Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965 AT
CZ SK IT MN KG TM RU UA TR
1228. **Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931 AT BG
CS FR DE GB HU RO SW AZ Cc UA Cm

1229. **Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882 AT BG CS DK FI FR DE GB IE IT NL NO PL RO SE SW EE GG Cc LV RU UA YU CA
1230. **Ribautodelphax affinis Logvinenko,1970** (Delphacidae) Synonym(s): *affinis* Logvinenko,1970 Cc GG UA Cm
1231. **Ribautodelphax albostriatus (Fieber,1866)** (Delphacidae) Synonym(s): *albostriatus* Fieber,1866; *distinguenda* Kirschbaum,1868 AT BL CY CZ DK FI FR DE HU IT MN NL NO PL PT RO Cc ES SE SW TN RU KG KK MD UA YU TR
1232. **Ricania japonica Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898 JP KP KR TR CN Cc GG UA
1233. **Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *torosa* Costa,1858; *duplex* Radoszkowski,1885 TR GG AZ AM Cc IR TM KG GR BG HV YU MK DE AT CZ SK UA RU Ur IT Sa Si MT FR
1234. **Rutpela maculata (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996 PT ES FR Co IT SS MK AL GR BG TR RO HU AT CH DE BE DK NL GB CZ SK PL NO SE FI EE LT UA Cm MD RU KG
1235. **Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894 AL AT BE CS DK FI FR DE GB HU IT NL NO PL RO SE SW Cc AZ TR EE KG LV MD RU Sb At UA CA
1236. **Saltella nigripes Robineau-Desvoidy,1830** (Sepsidae) Synonym(s): *nigripes* Robineau-Desvoidy,1830 AF IL Pa KG GG Cc RU Or Sb TJ TM AL CZ FR Co GR HU IT SK ES CH UA YU TR
1237. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
1238. **Saperda octopunctata (Scopoli,1772)** (Cerambycidae) Synonym(s): *octopunctata* Scopoli,1772 RU UA Cm CZ
1239. **Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819 AL AT BY BE GB BG Cn Co FR HV CY TR IL Pa CZ DK DE GR HU IT Md MD NO PL PT ES RO Sa Si SK SE CH NL UA YU DZ MG
1240. **Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896 AL AT BE GB BG HV CZ DK FI FR DE GR HU IT MK MD NO PL RO TR SK ES SU CH NL UA YU
1241. **Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826 AL AT BY BE GB BG Cn Co HV FR DE GR HU IT MK MT MD NO PL PT RO Sa Si TR SK ES SE CH NL UA YU
1242. **Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *portschinskyana* Rohdendorf,1937 BG FR GR IT Si UA YU TR
1243. **Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860 AL AT BE GB BG Co CZ FR DE GR HU IT MT MD PL RO SK CH NL UA YU TR
1244. **Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849 TR AT BE GB BG HV CZ FR DE HU IT PL SK ES CH NL UA
1245. **Sarcophaga (Liopygia) argyrostoma (Robineau-Desvoidy,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* Robineau-Desvoidy,1830 TR AL AT BE GB BG Cn HV CY CZ FR DK DE GR HU IT MK Md MD PL PT ES RO Si SK CH NL UA YU
1246. **Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922 AL AD AT BY BE BG CY CZ DK FR EE GR HU IT LT MD NO PL RO TR Sa Si SK ES SE CH NL UA
1247. **Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826 TR AL AT BY BE GB BG CZ DK EE FR DE GR HU IT LT MD NO PL RO SK ES SE NL UA YU
1248. **Scambus (s.str.) elegans (Woldstedt,1877)** (Ichneumonidae) Synonym(s): *elegans* Woldstedt,1877 TR Cc UA Cm
1249. **Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921 YU AL RO BG UA Cm GG Cc Soc GB TR
1250. **Scarabaeus armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849 RU Cc GG AM AZ GG TR GR MK CY UA IQ IR IL Pa SY EG
1251. **Schizoprymnus obscurus (Nees,1813)** (Braconidae) Synonym(s): *obscurus* Nees,1813 RU UA Cm IR TR
1252. **Scleroracis corniculus (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949 AT BG CN CS FI FR DE GB NL RO SE LV RU Sb Us UA CA

1253. **Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965 AT BG DK FI FR DE MN NO PL SE Cc AZ KG LV RU At Sb UA
1254. **Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadrincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Mucho,1962 FR IT Si YU HU UA BG GR CY Cc TR EG
1255. **Scolobates nigripennis Sichel,1860** (Ichneumonidae) Synonym(s): *nigripennis* Sichel,1860 TR UA Cm Cc
1256. **Scorlupella discolor (Germar,1821)** (Issidae) Synonym(s): *discolor* Germar,1821 Cc BG IT RO TR GG UA
1257. **Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865 Cc GR RO ES TR AM AZ GG KG KK RU TJ TM UA UZ
1258. **Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758 AT UA Cm FR ES GB HV DE NO PL RO SE AL HU RU TR Cc AM Eri CH IT NL LT GR
1259. **Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonervosus* Stal,1854 AL AT BG CS FR HU IR IT Sa Si MA RO ES TN TR AZ Cc MD UA YU
1260. **Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986 AL AT GR HU IL Pa IR IT TR RU UA YU
1261. **Sepsis biflexuosa Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguy,1932 BE FR HU TR AT FI NO SE Cn MA MN RU UA Cc TM Us CA
1262. **Serica (s.str.) brunnea (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *brunnea* Linnaeus,1758 RU Ur Sb Us UA KG
1263. **Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968 SE AT MY BE GB CN HV CZ DK EE FI FR DE GR HU IE IT Sa KG LT NL NO PL PT RO RU Ur Sb YU SS SK ES CH TR UA MN
1264. **Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *paludicola* Rivosecchi,1963 TR GB DZ AM Cc AT BY B-H CN CZ DK FI FR DE HU IE KG LT MK MN MA NL NO PL PT RO RU YU SK ES SE CH TN UA
1265. **Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) Synonym(s): *petricolum* Rivosecchi,1963 IT Sa Si B-H GB CY CZ FR Co GR Rd IE LY Md MA PT YU ES RU UA Cm
1266. **Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962 Cn DZ AD B-H GB CY CZ FI FR Co DE GR Cr Rd HU IE IL Pa IT Sa Si JO LY MK MT MA NO PT RO YU SK SS ES TN TR UA Cm
1267. **Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938 NO SE FI DK IE GB NL BE FR ES DE PL SK CH AT HU IT SL AL BG TR RU Cc Sb UA Cm KG MN CN Ui
1268. **Sisyphus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758 TR RU Am BG UA Cm Cc AM GG TM KP KR
1269. **Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848 ES FR IT BG RO UA Cm TR
1270. **Smaragdina xanthaspis (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis* Germar,1824 IT RO UA TR
1271. **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977 ES Az Cn CY EG IR TR IQ IL JO LB MA UA Cm YU
1272. **Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata* Meigen,1820 FR RU Tv ES DK GB UA Cm CN MN TR
1273. **Sorhoanus medius (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant & Rey,1855 BG FR IT SW KG KK RU Sb UA YU
1274. **Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837 DZ AT BE BG TR CS DK FI FR DE GB HU IE IT JP Hkk PL PT RO SE SW TN KG LV MD RU Kmt Krl At UA YU
1275. **Sphenella marginata (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814 DE TR RU Sb AZ AM GG Cc AF ES DZ AU ET ZA GB IL Pa CH Cn KE KG KK LT EG MD UZ TJ TM UG UA
1276. **Stenobothrus (s.str.) fischeri (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927 ES TR YU B-H HV BG Cc UA RU KG MN
1277. **Stenobothrus (s.str.) miramae Dirsh,1931** (Acrididae) Synonym(s): *miramae* Dirsh,1931 UA Cm KG TR

1278. **Stenocranus minutus (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus Fabricius,1787; lineola Germar,1818; longifrons Boheman,1847; farinosa Buckton,1890; illabatus Rey,1894* DZ AT BL BG CZ DK FI FR DE GB HU IE IT NL NO PL PT RO SW SE TN RU AM AZ Cc TR EE KG KK LV MD RU UA UZ YU
1279. **Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris Eschscholtz,1831* TR UA Cm ES DZ MA
1280. **Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae) Synonym(s): *quadraticollis Desbrochers,1881* TR UA Cm
1281. **Sterictiphora furcata (Villers,1789)** (Argidae) Synonym(s): *furcata Villers,1789; rubi Rossi,1790; rubiidaei Rossi,1790; inaequalis Bremi-Wolf,1849; nigripes Konow; bleusei Pic* DZ PT ES FR DE CZ SK AT IT B-H HV YU RO UA MK AL TR RU Ur SY IR
1282. **Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842* AL AT CN Ui CS FI FR DE HU IT PL RO SE TR KG KK LV MD RU Sb UA UZ YU
1283. **Stiroma bicarinata (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *bicarinata Herrich-Schäffer,1835; mutabilis Boheman,1847; nasalis Boheman,1847; nigra Metcalf,1943; alpha Metcalf,1943; vittata Metcalf,1943* Cc AT BL BG CZ DK FI FR DE GB IT MN NO PL RO SE SW TN RU Sb GG KG UA
1284. **Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata Linnaeus,1758* ES FR Co IT SS MK AL BG GR TR RO HU AT CH DE BE NL DK CZ SK PL NO SE FI EE LT BY GB UA MD RU KG
1285. **Stroggylocephalus agrestis (Fallén,1806)** (Cicadellidae) Synonym(s): *agrestis Fallén,1806; maculipes Curtis,1835; irroratus Curtis,1835; orientalis Vilbaste,1968* AT BE BG CN Mc CS DK FI FR DE GB HU IE IT Si JP KP NL PL RO SE AZ Cc EE KG KK LV RU Sb At UA UZ YU
1286. **Stylosomus flavus Marseul,1875** (Chrysomelidae) Synonym(s): *flavus Marseul,1875* TR YU UA RU
1287. **Sybistroma obscurella (Fallén,1823)** (Dolichopodidae) Synonym(s): *obscurella Fallén,1823; xanthogastra Meigen,1824; appendiculata Macquart,1827* Cc Abk GG GR RO RU UA Cm
1288. **Sycophila biguttata (Swederus,1795)** (Eurytomidae) Synonym(s): *biguttata Swederus,1795; obscura Curtis,1831; cooperi Curtis,1831; fasciatus Fonscolombe,1832; immaculata Walker,1832; semifasciata Walker,1834; signata Nees,1834; inaequalis Thomson,1876; strigifrons Thomson,1876* TR AT BE B-H BG Cc HV FR DE HU IR Ab Ak Th Elb Il Lo Km Kd IT Sa KG MK MD NL DZ PL RO RU Sb SS ES SE UA GB YU
1289. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle Walker,1848; nubeculatus Ratzeburg,1848; bifasciatus Thomson,1878; bimaculatipennis Girault,1912; bimaculatus Crawford,1913; meteori Girault,1916* TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
1290. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis Nees,1834; upupaenellae Bouché,1834; docilis Walker,1839; eneugamus Walker,1839; sithon Walker,1839; laticornis Ratzeburg,1848; punctipleura Thomson,1878; conicus Provancher,1887; nigrifemora Ashmead,1888; massassoit Crawford,1913; fulvipes Györfi,1941* TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf Fi Ny Tx YU
1291. **Synergus pallicornis Hartig,1841** (Cynipidae) Synonym(s): *pallicornis Hartig,1841; pallidicornis Dalla Torre,1893* PT ES FR GB NL DE DK SE PL UA RO HU AT CH IT B-H TR
1292. **Synophropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926* GR IL Pa IT JO TR AZ UA Cm Cc CY Cr HU LB RU
1293. **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis Illiger,1798* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE HU IE IT LA LS LT LU NO PL PT RU SK SL ES SE CH TR UA IL Pa KG NL UZ
1294. **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus Linnaeus,1767* PT ES FR GB SE DK DE BY UA PL CZ SK HU MD RO SS B-H HV AL MK BG GR CY CH AT IT Sa Si TR Cc IQ IR
1295. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis Walker,1832* IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
1296. **Tabanus quatuornatatus Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus Meigen,1820; labameanus Enderlein,1925* BE DE PL CZ CH AT HU PT ES FR IT YU RO BG AL GR TR RU UA MD GG Cc AZ AM IR MA TN
1297. **Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida Fabricius,1781* PT ES FR GB DE PL RU UA MD RO CZ SK HU CH AT IT Sa Si MT B-H YU BG GR Cr LT TR
1298. **Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931* AT BL CY CZ DK FR GE GB GR HU IE IT NL NO PL PT RO ES SE TN UA AZ TR YU
1299. **Tachycixius tigrinus Logvinenko,1971** (Cixiidae) Synonym(s): *tigrinus Logvinenko,1971* Cc AZ GG RU UA TM
1300. **Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus Duftschmid,1812* AZ AM Cc AT BE BG CZ DK EN FI FR GB DE GG GR HU IT LT LU MK NO PL PT RO RU SK ES SE CH TR UA DZ CI EG MA MR TN IR KG PA SY TJ TM NL UZ

1301. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828 AZ AM Cc AT BE BG BY HV CZ FR GB DE GG HU IE IT LT LU MK PL PT RO RU SK ES CH TR UA EG MA TN AF CY IR KA KK KG TJ TM NL UZ CN JP KP
1302. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) Synonym(s): *insignis* Stannius,1831 BG RO TR UA MA
1303. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius,1831; *litoreus* Haliday,1833; *obscuripes* Gertaecker,1864; *beckeri* Müller,1923 Cc Abk GG TR AM BG GR RO IL Pa RU SY UA Cm Cn
1304. **Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola* Loew,1857 GB SE AT IT BE FR GR HU SK RO BG UA Cc AM UZ KG TR
1305. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842 GB SE DE BE NL PL BY UA Cc KG CH AT HU TR
1306. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin,1947 GR Cr TR IR KG RU UA YU AF PK
1307. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961 BG CY EG FR GR IL IT LY RO ES TN TR AM KG RU UA
1308. **Tenthredo propinqua Klug,1817** (Tenthredinidae) Synonym(s): *propinqua* Klug,1817 TR RU UA Cc
1309. **Tenthredo vespiformis Schrank,1781** (Tenthredinidae) Synonym(s): *vespiformis* Schrank,1781 TR RU UA
1310. **Tenthredo zonula Klug,1817** (Tenthredinidae) Synonym(s): *zonula* Klug,1817; *fasciata* Scopoli,1763 *nec* Linn.,1758; *bifasciata* Geoffroy,1785; *bicictaflava* Christ,1791; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898 TR RU UA IR MD Cc AM IL SY LB
1311. **Tentyria taurica Tauscher,1812** (Tenebrionidae) Synonym(s): *taurica* Tauscher,1812; *fischeri* Solier,1835 UA Cm TR RU
1312. **Tephritis dioscurea (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea* Loew,1856 TR AT EE DE FR HU LT LV MD CH SE UA GG Cc AM RU
1313. **Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981 TR GR UA Cm AM AZ Cc KG KK UZ CY SY IQ LB JO IL Pa IR
1314. **Teratolytta dives (Brullé,1832)** (Meloidea) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894 TR HV YU MK AL GR BG RO UA AZ AM Cc IR SY Hal
1315. **Tetanops myopina Fallén,1820** (Ulidiidae) Synonym(s): *myopina* Fallén,1820 UA RU EE UA LT
1316. **Tetanops sintenisi Becker,1909** (Ulidiidae) Synonym(s): *sintenisi* Becker,1909 RU Us UA CN NL DE
1317. **Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae* Walker,1849 TR CA IT Md MX UA US IR Th Fa
1318. **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866 Cc BG GR IL IT JO PT RO TR AM GG RU Da UA YU
1319. **Tettigometra (Mitricephalus) eremi Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948 AF IR TR Cc AZ KG KK RU TJ TM UA UZ
1320. **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980 Cc AF AL DZ AT BE BG CS FR DE HU IL IT JO MN MA NL NO PL RO ES SY TN TR AM AZ GG KG MD RU Sb TJ UA UZ YU
1321. **Tettigometra (Mitricephalus) macrocephalus (Fieber,1865)** (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932 Cc TR AF AT BE CS FR DE GR RO SW AM GG KG RU UA
1322. **Tettigometra (s.str.) impressopunctata Dufour,1846** (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiata* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932 AL DZ AT BE CZ FR DE GB HU IT Sa Si PL PT RO ES CH TN RU UA YU TR
1323. **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903 Cc AT CY CS FR GR HU IT JO ES TR AZ GG KG KK MD RU TM UA YU
1324. **Tettigometra (s.str.) virescens (Panzer,1799)** (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804 DZ AT BE CS FR DE GR HU IT LY MA PL PT RO ES TN TR AZ LV UA YU
1325. **Tettigometra atra Hagenbach,1825** (Tettigometridae) Synonym(s): *atra* Hagenbach,1825 DZ AT BE CS FR DE HU IT MN PL RO ES SW TN TR Cc AM AZ KG LV RU Sb UA UZ YU
1326. **Tettigometra beckeri Horváth,1909** (Tettigometridae) Synonym(s): *beckeri* Horvath,1909 DZ ES Cn MA ES TN TR KG UA Cm

1327. **Tettigometra depressa Fieber,1865** (Tettigometridae) Synonym(s): *depressa Fieber,1865* DZ AT CS FR DE HU IR TR IT RO AM RU Sb UA YU
1328. **Tettigometra sordida Fieber,1865** (Tettigometridae) Synonym(s): *sordida Fieber,1865* Cc AT CZ FR HU IR RO TR GG KG RU Sb UA YU
1329. **Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäfer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tincta Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917* AT BE CY CS FI FR DE GB HU IE IT KP NL NO PL RO SE SW TN TR AM EE KG LV MD RU Sb UA YU
1330. **Thanasimus formicarius (Linnaeus,1758)** (Cleridae) Synonym(s): *formicarius Linnaeus,1758* RU UA Cm Cc TR
1331. **Thanatophilus sinuatus (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus Fabricius,1775* TR UA Cm SY IR TM
1332. **Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata Meigen,1830* ES FR IE GB BE NL DE DK SE FI NO HU PL CH IT Co Sa Si AL GR CY MK BG RO HV B-H YU CZ SS SK MD UA RU BY EE LT AT
1333. **Thereva apicalis Wiedemann,1821** (Therevidae) Synonym(s): *apicalis Wiedemann,1821; bivittata Loew,1840* AT CH CZ DE ES GR HU RO YU UA Cc RU UZ TJ KK TM Kp IQ TR
1334. **Thereva binotata (Loew,1847)** (Therevidae) Synonym(s): *binotata Loew,1847* IT MT MA TN RU TR UA
1335. **Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta Meigen,1820; taenita Meigen,1820; antheracoides Macquart,1840; arcuata Loew,1847* AT AL CH CZ DE DK FR GR HU IT PL RO YU UA RU TR LT SY IL Pa
1336. **Thereva fulvibarba Kröber,1912** (Therevidae) Synonym(s): *fulvibarba Kröber,1912* TR UA RU
1337. **Thereva nitidifrons Kröber,1913** (Therevidae) Synonym(s): *nitidifrons Kröber,1913* TR UA RU MN
1338. **Thereva strigata (Fabricius,1794)** (Therevidae) Synonym(s): *strigata Fabricius,1794; latistrigata Kröber,1913; thermophila Trojan,1970* AT CH BE CZ DE DK FR GB GR TR IT PL RO FI YU RU UA MA
1339. **Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes Scopoli,1763; sanguinea Fabricius,1803; helveola Germar,1821; viridinervis Fieber,1876* Cicada haematodes Scopoli,1763, Ent. Carn. 118. Cc AL AT BG CS FR DE GR HU IT IL PT RO ES SW TR AM AZ GG MD RU UA MK YU
1340. **Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveri Krynicky,1837* CH FR PT BG MK TR Cc GG UA Cm
1341. **Timia abstersa Loew,1873** (Ulidiidae) Synonym(s): *abstersa Loew,1873* RU Or LB UA MD KG IR MN Cc TJ
1342. **Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola Loew,1873* GR BG TR UA IL Pa
1343. **Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis Meigen,1804; itermedia Eiroa,1990* Tipula lateralis Meigen,1804, Klass. Besch. 1: 67. AL AD AT BY BE B-H BG HV CZ DK EE FI FR DE GB GR Cr Rd HU IE IT Si LT LV MK YU NL NO PL RO SK SS ES SE CH UA RU CY SY LB IL Pa TM KG Cc GG AM TR
1344. **Torymus arcella Graham & Gijswijt,1998** (Torymidae) Synonym(s): *arcella Graham & Gijswijt,1998* Torymus arcella Graham & Gijswijt,1998, Zool. Verh. 317: 53-54. Holotype ♀: Turkey: [İğdir Prov.], Serdarbulak, 5000" [Ağrı Dağı] leg. Guichard & Harvey (BMNH). TR UA KG
1345. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus Müller,1764* IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
1346. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris Linnaeus,1758; viridis Geoffroy,1785; aurata Christ,1791; elegans Boheman,1834; forsteri Ratzeburg,1844; divisus Walker,1871; rosarum Hoffmeyer,1929* Ichneumon bedeguaris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
1347. **Torymus cultratus Graham & Gijswijt,1998** (Torymidae) Synonym(s): *cultratus Graham & Gijswijt,1998* Torymus cultratus Graham & Gijswijt,1998, Zool. Verh. 317: 79-80. Holotype ♀: Turkey: Kütahya Prov., Murat Dağı 1700m 31.vii.1962, Guichard & Harvey leg. (BMNH). UA TR
1348. **Torymus cultriventris Ratzeburg,1844** (Torymidae) Synonym(s): *cultriventris Ratzeburg,1844* BE HV CZ DE HU NL PL SK TR UA GB YU
1349. **Torymus erucarum (Schrank,1781)** (Torymidae) Synonym(s): *erucarum Schrank,1781* IR Ab AT HV CZ FR DE HU IT MK MD NL PL PT RU YU SK ES SE UA GB
1350. **Torymus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii Walker,1833* IR Lo AZ Cc BE HV FR DE JP KP NL CN PL PT RU YU SK SE UA GB
1351. **Torymus lapsanae (Hoffmeyer,1930)** (Torymidae) Synonym(s): *lapsanae Hoffmeyer,1930* IR Fa Elb Th HU FR UA SE

1352. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus* Walker,1833; *pallidicornis* Boheman,1834; *nanulus* Walker,1874 CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
1353. **Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933 TR SD DZ AM AZ GG Cc AT BG HV CY CZ EG FR Co DE GR HU IR IT IL Pa Si KG KK LB LY MD MA RO RU SK SS ES CH TJ TM UA UZ
1354. **Toya simulans (Dlabola,1958)** (Delphacidae) Synonym(s): *simulans* Dlabola,1958 Cc GG KG TJ UA
1355. **Trapezonotus dispar (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883 MA DZ GB Cc AZ AM GG Aj Btm RU TR SY UA Cm YU CN Ui
1356. **Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831 AT B-H BG BY HV CZ FR DE GR HU IT LT MD PL RO RU SK SL TR UA
1357. **Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk,1781 AZ AL AM Cc AT BE B-H BG BY HV DK EN FI FR GB DE GG GR HU IE IT LA LT LU MA MK MD NO PL PT RO SK SL ES SE CH TR UA DZ EG MA AF CY IR IQ IL Pa JO KK KG LB SY TJ TM NL UZ
1358. **Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952 AF FR GR Cr IT MA PT ES CH UA YU TR
1359. **Trichius fasciatus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758 RU Cc Ur Sb Us Am Sh Krl FI LT UA KG TR
1360. **Trichius orientalis Reitter,1894** (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894 TR UA Cm SY GR
1361. **Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843 GR TR Cc AZ Kir IQ Mos UA Cm IR IL Pa SY JO
1362. **Trichodes punctatus Fischer,1829** (Cleridae) Synonym(s): *punctatus* Fischer,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843 TR BG GR Rd Cr UA Cm Cc IL Pa Hf CY IR
1363. **Tricyphona (s.str.) immaculata (Meigen,1804)** (Pediidae) Synonym(s): *immaculata* Meigen,1804 AD AT BE B-H BG CZ DK EE FI FR Co DE GB HU IE IT Si LT MK NL NO PL RO YU SK SS ES SE CH UA RU Cc GG AM AZ TR LB At KG Aa KK
1364. **Trigonaspis synaspis (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis* Hartig,1841; *megapteropsis* Wriese,1900 PT ES DE PL UA MD RO HU AT IT TR
1365. **Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis* Rjachovsky,1959; *rossicus* Rjachovsky,1959 MD RO BG IR MN UA SS LT EE RU TR
1366. **Trissolcus rufiventris (Mayr,1908)** (Scelionidae) Synonym(s): *rufiventris* Mayr,1908; *stshepetilnikova* Pubstov,1944; *rubriventris* Szabo,1959 MD IR Cc UA TR AZ AM GG DZ
1367. **Trissolcus vassilievi (Mayr,1903)** (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958 MD Cc AZ AM GG IR MN UA TR
1368. **Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepeletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787 TR GR BG HV YU MK UA Cm IT Si FR DZ
1369. **Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787 TR GG AZ AM Cc TM Kp IR SY IL Pa GR BG HV YU MK AL BE CH AT HU CZ RO UA RU IT Sa Si FR ES PT MA DZ EG
1370. **Tropinota (Epicometis) hirta (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767 AL TR SY LB IL Pa Cc YU RU UA Cm
1371. **Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoin,1993 AT BG CY CS FR HU IL IT RO TR Cc AM KK MD RU UA YU
1372. **Tshurtshurnella eugeniae Kusnezov,1927** (Issidae) Synonym(s): *eugeniae* Kusnezov,1927 UA Cm
1373. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinus* Fischer von Waldheim,1846; *#liliifolia* Bolivar,1877 **Locusta lilifolia** Fabricius,1793, Suppl. Ent. Syst. 2: 36. Type(s): Italy. TR CY FR IT Sa YU HV B-H HU RO BG Cc AZ AM GG UA Cm
1374. **Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (*praeocc.*); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936 AT BE BG CS DK FR DE GB HU IE IT NL PL RO SE SW LV MD RU TJ UA
1375. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tollin,1851 AT Az BE BG TR CS DK FR DE GB HU IE IT NL MN NO PL PT RO ES SE SW RU EE KG LV MD RU UA YU CA
1376. **Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945 **Ula mollissima** Haliday,1833, Ent. Mag. 1: 153. AT BE BG CZ DK FI FR Co DE GB HU IE IT LT NL NO PL RO SK SE CH UA RU Cc GG TR
1377. **Ulidia erythrophthalma Meigen,1826** (Uliidae) Synonym(s): *erythrophthalma* Meigen,1826 AT FR GR MD UA Cm

1378. **Ulidia nigripennis** Loew,1845 (Uliidiidae) Synonym(s): *nigripennis* Loew,1845 HU UA SK DE PL IT AT FR GR MD SK
1379. **Urophora affinis** (Frauenfeld,1857) (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR
1380. **Urophora aprica** (Fallén,1820) (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* Robineau-Desvoidy,1830; *scutellata* Rondani,1870 DE AZ Cc GG AM EE FR CZ CH IT LT MD RU UA TR
1381. **Urophora cuspidata** (Meigen,1826) (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zettstedt,1847 nec Linn.,1758 TR AZ AM Cc GG EE FR GB CH LT MD UZ RU UA
1382. **Urophora dzieduszyckii** Frauenfeld,1867 (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzickii* Frauenfeld,1867; *syriaca* Hendel,1927; *erichschmidti* M.Hering,1953 TR AT KG MD UA RU IL Pa LB SY
1383. **Urophora eriolepidis** (Loew,1856) (Tephritidae) Synonym(s): *eriolepidis* Loew,1856; *terebrans* Frauenfeld,1857 TR DE AZ Cc AM GG LT MD RU UA
1384. **Urophora macrura** (Loew,1855) (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870 *Trypeta macrura* Loew,1855, Stettin ent. Ztg. 16: 40. TR Cc AZ AM GG IL Pa EG DZ LT RU MD UA GR
1385. **Urophora maura** (Frauenfeld,1857) (Tephritidae) Synonym(s): *maura* Frauenfeld,1857 TR CZ CN Ui KK RU UA MD FR Co
1386. **Urophora quadrifasciata** (Meigen,1826) (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826 TR KG IL Pa IR DZ CA AZ Cc AM GG EE IQ GB MD SY RU UA
1387. **Urophora sirunaseva** (Hering,1938) (Tephritidae) Synonym(s): *sirunaseva* Hering,1938 GR Cr TR MD UA HU
1388. **Urophora solstitialis** (Linnaeus,1758) (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* Robineau-Desvoidy,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907 TR Cc AM AZ KG KK CN Ui RU Us Ya CA AU NZ ES CZ DZ EE LT CH IR GB MD UZ UA
1389. **Urophora stylata** (Fabricius,1775) (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805 AF TR UA AZ Cc GG AM RU Sb LT EE CZ GB IL Pa CH JP CA KG MD PK UA
1390. **Utecha trivialis** (Germar,1821) (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872 AL AT BE BG CY CS DK FR DE GB GR HU IT IL PL PT RO ES TR AZ AM GG Cc MD RU UA YU
1391. **Vadonia unipunctata** (Fabricius,1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787 ES FR IT GR BG TR RU AT CZ SK PL MD UA Cm RU
1392. **Valgus hemipterus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763 DZ ES RU Cc UA Cm KK DK BG FR DE GR IT RO YU TR Cc
1393. **Villa brunnea** Becker,1916 (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916 ES Cc GG AM AZ BG CY HV FR Co GR IR MD RU UA TR
1394. **Villa claripennis** (Kowarz,1868) (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868 ES AM AT Cc AZ B-H HV CZ FR GR HU IT Si KG MD PL RO RU SK UA
1395. **Villa fasciculata** Becker,1916 (Bombyliidae) Synonym(s): *fasciculata* Becker,1916 ES FR GR CY HU IT Si MD RU UA
1396. **Villa halteralis** (Kowarz,1883) (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911 Cc AM AZ GG AT BG Cn CZ FI FR Co DE GR HU IT Si MD PL RO RU SK SE ES CH UA
1397. **Villa humilis** (Ruthe,1831) (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831 BE CY CZ FR DE GR HU IT PL RO SK ES UA YU
1398. **Villa ixion** (Fabricius,1794) (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869 AT HV CY CZ FR GR HU IT LY MD MA PL RO SK SS ES CH UA
1399. **Villa leucostoma** (Meigen,1820) (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914 FR ES IT RO MD RU YU UA
1400. **Villa modesta** (Meigen,1820) (Bombyliidae) Synonym(s): *modesta* Meigen,1820 AL AM AZ Cc GG IT Si BE CZ DK FR DE GR HU IR IE PL ES SE UA GB YU
1401. **Villa occulta** (Wiedemann,1820) (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820 AM AZ GG Cc AT IT Si BY BG CZ DK EE FI FR DE GR HU KG LT MD PL RO RU ES UA YU
1402. **Villa ventruosa** (Loew,1869) (Bombyliidae) Synonym(s): *ventruosa* Loew,1869 IT Si Sa AM Cc AZ GG EG BG IR LY MD RO RU UA YU
1403. **Viridicerus ustulatus** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868 DZ AT BE BG CS FR DE GR HU IT JO LB MA PL RO ES SW TN KG KK MD RU UA TR UZ YU
1404. **Wohlfahrtia meigeni** (Schiner,1862) (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862 AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
1405. **Xorides** (Gonophonus) **annulator** (Fabricius,1804) (Ichneumonidae) Synonym(s): *annulator* Fabricius,1804 UA Cm TR
1406. **Xylotrechus capricornus** (Gebler,1830) (Cerambycidae) Synonym(s): *capricornus* Gebler,1830 SK UA RU CZ

1407. **Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea Fabricius,1805* TR BG HV CZ IT MT MD PT RO RU Sa Si SK ES UA YU
1408. **Yusufia acerina (Boucek,1972)** (Pteromalidae) Synonym(s): *acerina Boucek,1972* CZ UA DE RO
1409. **Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides Goeze,1777* AL AM Cc AT BE B-H BG BY HV CZ DK EN FI FR GB DE GG GR HU IE IT LT LU MK MD PL RO RU SK SL ES SE CH TR UA CY IR
1410. **Zygina (Hypericiella) hyperici (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *hyperici Herrich-Schäffer,1836* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE KG KK LV MD RU UA UZ YU
1411. **Zygina (s.str.) angusta Lethierry,1874** (Cicadellidae) Synonym(s): *angusta Lethierry,1874* AT BE BG FR DE HU IT NL PL RO SW Cc AZ GG RU Sb UA YU
1412. **Zygina (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera Fourcroy,1785* AT BE BG CY CS DK FI FR DE GB HU IE IT NL NO PL RO SE SW KG KK LV MD RU UA UZ YU
1413. **Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936* DZ BE CS FR DE GR TR IR HU IL IT MA PT ES TN MD UA YU
1414. **Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936* AT BG FR IT PT RO Cc TR GG UA YU
1415. **Zygina (s.str.) rubrovittata (Lethierry,1869)** (Cicadellidae) Synonym(s): *rubrovittata Lethierry,1869* AT BE BG CS DK FI FR DE GB NL NO PL ES SE EE LV UA RU YU
1416. **Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnocola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936* AT BG TR CS DK FI FR DE GB HU IT NL PL RO SE SW Cc GG UA YU
1417. **Zygina (s.str.) tiliae (Fallén,1806)** (Cicadellidae) Synonym(s): *tiliae Fallén,1806* AT BE BG CS DK FI FR DE GB HU IT NL NO PL ES SE SW Cc GG RU UA YU
1418. **Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944* BG HU IT LB PL SW UA? YU TR
1419. **Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930* AT BG CY CS FR DE GR IL IT PL TR UA Cm YU
1420. **Zyginidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845* AL BG CS FI DE HU IT Sa MN RO ES SE TR KG UA YU

Synonymic and distributional list of the pterygot insects of Argentina

(Results of the Entomofauna of the World based upon info-system of the Cesa)

78

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Argentina (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 78.
Priamus (suppl.) 18: 2835-2837.

In this study, totally 67 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Argentina recorded in info-system of the Cesa, total pterygot species of Argentina increase to 271.

Key words: List, distribution, *pterygota*, *Insecta*, Argentina.

Brief explanatory information:

Previously published article	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 67 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 204 recorded species of Lepidoptera from Argentina are found. Taking this information into consideration, total number of the pterygots may increase to 271.

The study is still continuing, and the new results will be published within this Project.

1. **Acronyches fenestratus Hermann,1921** (Asilidae) Synonym(s): *fenestratus Hermann,1921; giganteus Hull,1962* **PE BR AR PY**
2. **Aczelia argentina (Wulp,1882)** (Asilidae) Synonym(s): *argentina Wulp,1882* **AR**
3. **Aczelia infumata (Lynch Arribáizaga,1880)** (Asilidae) Synonym(s): *infumata Lynch Arribáizaga,1880* **AR**
4. **Aczelia tsacasi Papavero,1971** (Asilidae) Synonym(s): *tsacasi Papavero,1971* **AR**
5. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* **AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR**
6. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* **AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR**

7. **Allopongon anomalus (Carrera,1947)** (Asilidae) Synonym(s): *anomalus* Carrera,1947 **BR AR**
8. **Allopongon placidus (Wulp,1882)** (Asilidae) Synonym(s): *placidus* Wulp,1882 **AR**
9. **Allopongon tessellatus (Wiedemann,1828)** (Asilidae) Synonym(s): *tessellatus* Wiedemann,1828; *weyenberghi* Wulp,1882 **UY AR BR**
10. **Allopongon vittatus (Wiedemann,1828)** (Asilidae) Synonym(s): *vittatus* Wiedemann,1828; *longiungulatus* Macquart,1838; *annulitarsis* Rondani,1868; *gracilis* Bigot,1878 **UY AR BR**
11. **Alvarenga matilei Papavero,1971** (Asilidae) Synonym(s): *matilei* Papavero,1971 **AR**
12. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
13. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus,1758 **TR RU Sb Cc DZ BR UY AR**
14. **Anthrax ambigua (Lynch Arribalzaga,1873)** (Bombyliidae) Synonym(s): *ambigua* Lynch Arribalzaga,1873 **AR**
15. **Anthrax angulata Brethes,1909** (Bombyliidae) Synonym(s): *angulata* Brethes,1909 **AR**
16. **Anthrax aquilus Marston,1970** (Bombyliidae) Synonym(s): *aquilus* Marston,1970 **BR AR**
17. **Anthrax barbiventris Rondani,1868** (Bombyliidae) Synonym(s): *barbiventris* Rondani,1868 **AR**
18. **Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus* Say,1836 **Apanteles carpatus** Say,1836, Boston J. nat. Hist. 1 (3): 263. **TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz**
19. **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie* Wilkinson,1932 **Apanteles gallerie** Wilkinson,1932, *Stylops* 1: 139. **TR US AR MU IN FR HU IL Pa**
20. **Aphamartania breviventris (Macquart,1848)** (Asilidae) Synonym(s): *breviventris* Macquart,1848 **BR AR**
21. **Aphamartania maculipennis (Macquart,1838)** (Asilidae) Synonym(s): *maculipennis* Macquart,1838; *pritchardi* Carrera,1943 **BR AR**
22. **Aphamartania marga Pritchard,1941** (Asilidae) Synonym(s): *marga* Pritchard,1941 **AR**
23. **Aphestia nigra Bigot,1878** (Asilidae) Synonym(s): *nigra* Bigot,1878; *mexicana* Williston,1901; *andrenoides* Bromley,1934 **MX PE GY AR**
24. **Aphytis aonidiae (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae* Mercet,1911; *dubius* De Santis,1948; *intermedius* De Santis,1948; *citrinus* Compere,1955 **ES CY TR GG JP AR**
25. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964 **CL US Cf ES TR CY LB AR**
26. **Aphytis hispanicus (Mercet,1912)** (Aphelinidae) Synonym(s): *hispanicus* Mercet,1912; *argentinus* Brèthes,1916; *bovelli* Malenotti,1918 **AR ES TR**
27. **Apotinocerus brevistylatus (Wulp,1882)** (Asilidae) Synonym(s): *brevistylatus* Wulp,1882 **AR**
28. **Archiborborus albicans Richards,1931** (Sphaeroceridae) Synonym(s): *albicans* Richards,1931 **AR CL**
29. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 **IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US**
30. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 **IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU**
31. **Cales noacki Howard,1907** (Aphelinidae) Synonym(s): *noacki* Howard,1907; *pallidus* Brèthes,1914 **BR AR TR**
32. **Cardioptera sublobata (Audinet-Serville,1839)** (Mantidae) Synonym(s): *brachyptera* Burmeister,1838 *nec* Pallas,1773; *sublobata* Audinet-Serville,1839; *pilipes* Serville,1839 **AR BR VE GF GY**
33. **Culicoides austroparaensis Spinelli,2005** (Ceratopogonidae) Synonym(s): *austroparaensis* Spinelli,2005 **AR**
34. **Culicoides bachmanni Spinelli,2005** (Ceratopogonidae) Synonym(s): *bachmanni* Spinelli,2005 **AR**
35. **Culicoides biestroi Spinelli & Ronderos,1991** (Ceratopogonidae) Synonym(s): *biestroi* Spinelli & Ronderos,1991 **AR**
36. **Culicoides caridei (Brèthes,1912)** (Ceratopogonidae) Synonym(s): *caridei* Brèthes,1912 **AR**
37. **Culicoides chacoensis Spinelli & Wirth,1984** (Ceratopogonidae) Synonym(s): *chacoensis* Spinelli & Wirth,1984 **AR**
38. **Culicoides estevezae Ronderos & Spinelli,1994** (Ceratopogonidae) Synonym(s): *estevezae* Ronderos & Spinelli,1994 **AR**
39. **Culicoides ferreyrai Ronderos & Spinelli,1995** (Ceratopogonidae) Synonym(s): *ferreyrai* Ronderos & Spinelli,1995 **AR**
40. **Culicoides ichesi Ronderos & Spinelli,1995** (Ceratopogonidae) Synonym(s): *ichesi* Ronderos & Spinelli,1995 **AR**

41. **Culicoides patagoniensis Ronderos & Spinelli,1997** (Ceratopogonidae) Synonym(s): *patagoniensis Ronderos & Spinelli,1997* AR
42. **Dasyhelea andensis Ingram & Macfie,1931** (Ceratopogonidae) Synonym(s): *andensis Ingram & Macfie,1931* AR
43. **Dasyhelea argentinensis Kieffer,1925** (Ceratopogonidae) Synonym(s): *argentinensis Kieffer,1925* AR
44. **Dasyhelea cincta (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *cincta Coquillett,1901; albopicta Ingram & Macfie,1931; penthesileae Macfie,1935* US FI AR BR
45. **Dasyhelea correntina Ronderos & Díaz,2004** (Ceratopogonidae) Synonym(s): *correntina Ronderos & Díaz,2004* AR
46. **Dasyhelea filiductus Díaz & Spinell,2009** (Ceratopogonidae) Synonym(s): *filiductus Diaz & Spinell,2009* AR
47. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
48. **Eurytoma rosae Nees,1834** (Eurytomidae) Synonym(s): *rosae Nees,1834; pubicornis Boheman,1836* TR AD AR AM AT BE BG Cc CZ FI FR Co DE GR HU IR Ak Th Elb IT KG MY NL DZ CN PL RO SK ES SE CH GB RU YU
49. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis Pallas,1773* Coccinella axyridis Pallas,1773, Reise Russia 2: 726. GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
50. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus Gahan,1914* IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
51. **Latina bonariensis (Gemignani,1947)** (Eucharitidae) Synonym(s): *bonariensis Gemignani,1947* AR
52. **Latina rugosa (Torréns, Heraty & Fidalgo,2007)** (Eucharitidae) Synonym(s): *rugosa Torrén, Heraty & Fidalgo,2007* AR
53. **Latina vianai (Gemignani,1947)** (Eucharitidae) Synonym(s): *vianai Gemignani,1947* AR
54. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
55. **Macronychia (s.str.) aurifrons Hall,1937** (Sarcophagidae) Synonym(s): *aurifrons Hall,1937* AR
56. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
57. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri Gussakovsky,1933* IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
58. **Tucma fritzi Marshall,1996** (Sphaeroceridae) Synonym(s): *fritzi Marshall,1996* AR
59. **Tucma tucumana Mourgués-Schurter,1987** (Sphaeroceridae) Synonym(s): *tucumana Mourgués-Schurter,1987* AR
60. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
61. **Villa amasia (Wiedemann,1828)** (Bombyliidae) Synonym(s): *amasia Wiedemann,1828; transversa Stephens,1829; vicina Macquart,1840* AR BR UY
62. **Villa ambigua (Lynch Arribalzaga,1878)** (Bombyliidae) Synonym(s): *ambigua Lynch Arribalzaga,1878* AR
63. **Villa barbiventris (Rondani,1868)** (Bombyliidae) Synonym(s): *barbiventris Rondani,1868; fulvicornis Tiensuu,1936* AR
64. **Villa crepuscularis Lynch Arribalzaga,1878** (Bombyliidae) Synonym(s): *crepuscularis Lynch Arribalzaga,1878* AR
65. **Villa hilarii (Macquart,1840)** (Bombyliidae) Synonym(s): *hilarii Macquart,1840* AR BR
66. **Villa minerva Wiedemann,1828** (Bombyliidae) Synonym(s): *minerva Wiedemann,1828; costalis Wiedemann,1828* AR UY
67. **Villa miniata Oldroyd,1938** (Bombyliidae) Synonym(s): *miniata Oldroyd,1938* AR

Synonymic and distributional list of the pterygot insects of Brazil

(Results of the Entomofauna of the World based upon info-system of the Cesa)

79

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Brazil (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 79.

Priamus (suppl.) 18: 2838-2845.

In this study, totally 219 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Brazil recorded in info-system of the Cesa, total pterygot species of Brazil increase to 1424.

Key words: List, distribution, *pterygota*, *Insecta*, Brazil.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 219 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1205 recorded species of Lepidoptera from Brazil are found. Taking this information into consideration, total number of the pterygots may increase to 1424.

The study is still continuing, and the new results will be published within this Project.

1. **Abepalpus archytoides Townsend,1931** (Tachinidae) Synonym(s): *archytoides Townsend,1931* **BR**
2. **Abolodoris abdominalis Townsend,1934** (Tachinidae) Synonym(s): *abdominalis Townsend,1934* **BR**
3. **Acronyches alexanderi Papavero,1971** (Asilidae) Synonym(s): *alexanderi Papavero,1971* **BR**
4. **Acronyches fenestratulus Hermann,1921** (Asilidae) Synonym(s): *fenestratulus Hermann,1921; giganteus Hull,1962* **PE BR AR PY**
5. **Acronyches imitator Hermann,1921** (Asilidae) Synonym(s): *imitator Hermann,1921* **PY BR**
6. **Acronyches meruuna Papavero,1971** (Asilidae) Synonym(s): *meruuna Papavero,1971* **BR**
7. **Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus Schaller,1783* **SK GR TR DZ Cc BR**
8. **Allopogon anomalus (Carrera,1947)** (Asilidae) Synonym(s): *anomalus Carrera,1947* **BR AR**
9. **Allopogon argyrocinetus (Schiner,1867)** (Asilidae) Synonym(s): *argyrocinetus Schiner,1867; dimidiata Curran,1935* **BR**
10. **Allopogon basalis Curran,1935** (Asilidae) Synonym(s): *basalis Curran,1935* **BR**
11. **Allopogon castigans (Walker,1851)** (Asilidae) Synonym(s): *castigans Walker,1851; spitzii Carrera,1949* **BR**
12. **Allopogon equestris (Wiedemann,1828)** (Asilidae) Synonym(s): *equestris Wiedemann,1828; longipennis Thomson, 1869* **BR**
13. **Allopogon miles (Wiedemann,1828)** (Asilidae) Synonym(s): *miles Wiedemann,1828* **BR**

14. **Allopongon necans (Wiedemann,1828)** (Asilidae) Synonym(s): *necans* Wiedemann,1828; *asiloides* Bigot,1878 **BR**
15. **Allopongon tessellatus (Wiedemann,1828)** (Asilidae) Synonym(s): *tessellatus* Wiedemann,1828; *weyenberghi* Wulp,1882 **UY AR BR**
16. **Allopongon vittatus (Wiedemann,1828)** (Asilidae) Synonym(s): *vittatus* Wiedemann,1828; *longiungulatus* Macquart,1838; *annulitarsis* Rondani,1868; *gracilis* Bigot,1878 **UY AR BR**
17. **Alvarenga icarius Carrera,1960** (Asilidae) Synonym(s): *icarius* Carrera,1960 **BR**
18. **Amazonicesa¹³⁴ amazonensis (Piza,1958)** (Tettigoniidae) Synonym(s): *amazonensis* Piza,1958 **BR**
19. **Amblyonychus flavifasciatus (Macquart,1838)** (Asilidae) Synonym(s): *flavifasciatus* Macquart,1838 **SR BR**
20. **Amblyonychus gracilis (Macquart,1838)** (Asilidae) Synonym(s): *gracilis* Macquart,1838 **BR**
21. **Amblyonychus incisuralis (Macquart,1838)** (Asilidae) Synonym(s): *incisuralis* Macquart,1838 **BR**
22. **Amblyonychus nigripes (Fabricius,1787)** (Asilidae) Synonym(s): *nigripes* Fabricius,1787; *heydeni* Wiedemann,1828; *perfectus* Walker,1851; *brviusculus* Walker,1855; *t-nigripes* Macquart,1838 (*praeocc.*); *macquartii* Rondani,1848 **BR GY**
23. **Amblyonychus quatuorlineatus (Macquart,1838)** (Asilidae) Synonym(s): *quatuorlineatus* Macquart,1838 **BR**
24. **Amblyonychus substitula (Walker,1851)** (Asilidae) Synonym(s): *substitula* Walker,1851; *mitescens* Walker,1851; *barbiellini* Curran,1935 **BR PY**
25. **Amblyonychus trichonotus (Wiedemann,1828)** (Asilidae) Synonym(s): *trichonotus* Wiedemann,1828 **BR**
26. **Amblyonychus wiedemanni (Schiner,1867)** (Asilidae) Synonym(s): *wiedemanni* Schiner,1867 **BR**
27. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci* Girault,1915 **AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU**
28. **Anarmostus iopterus (Wiedemann,1828)** (Asilidae) Synonym(s): *iopterus* Wiedemann,1828; *albolineata* Macquart,1850 **BR GY PE BO**
29. **Andrenosoma batesi Bromley,1931** (Asilidae) Synonym(s): *batesi* Bromley,1931 **BR**
30. **Andrenosoma currani Bromley,1931** (Asilidae) Synonym(s): *currani* Bromley,1931 **BR**
31. **Andrenosoma cyrtophorum (Hermann,1912)** (Asilidae) Synonym(s): *cyrtophorum* Hermann,1912 **BR**
32. **Andrenosoma erythrogaster (Wiedemann,1828)** (Asilidae) Synonym(s): *erythrogaster* Wiedemann,1828; *contusa* Wiedemann,1828; *clausicella* Macquart,1850; *laticornis* Walker,1855 **BR PE GY MX GF**
33. **Andrenosoma erythropya (Wiedemann,1828)** (Asilidae) Synonym(s): *erythropya* Wiedemann,1828 **PE BR**
34. **Andrenosoma flamipennis Bromley,1931** (Asilidae) Synonym(s): *flamipennis* Bromley,1931 **SR VE GF BR**
35. **Andrenosoma heros Bromley,1931** (Asilidae) Synonym(s): *heros* Bromley,1931 **SR BR**
36. **Andrenosoma mesoxantha (Wiedemann,1828)** (Asilidae) Synonym(s): *mesoxantha* Wiedemann,1828 **BR**
37. **Andrenosoma olbus (Walker,1849)** (Asilidae) Synonym(s): *olbus* Walker,1849; *minos* Bromley,1931; *cyaniventris* Bromley,1934 **HN GT CR VE PE BR EC GY**
38. **Andrenosoma phoenicogaster (Hermann,1912)** (Asilidae) Synonym(s): *phoenicogaster* Hermann,1912 **BO PE BR PA**
39. **Andrenosoma purpurascens (Walker,1856)** (Asilidae) Synonym(s): *purpurascens* Walker,1856 **BR**
40. **Andrenosoma pyrrhacra (Wiedemann,1828)** (Asilidae) Synonym(s): *pyrrhacra* Wiedemann,1828 **BR**
41. **Andrenosoma pyrrhopyga (Wiedemann,1828)** (Asilidae) Synonym(s): *pyrrhopyga* Wiedemann,1828 **BR PE GY**
42. **Andrenosoma rubidapex (Hermann,1912)** (Asilidae) Synonym(s): *rubidapex* Hermann,1912; *elegans* Bromley,1934 **CR VE GY BR PE**
43. **Andrenosoma rufipennis (Wiedemann,1828)** (Asilidae) Synonym(s): *rufipennis* Wiedemann,1828 **GY BR SR VE**
44. **Andrenosoma subheros Bromley,1931** (Asilidae) Synonym(s): *subheros* Bromley,1931 **PY BR**
45. **Andrenosoma xanthocnemum (Wiedemann,1828)** (Asilidae) Synonym(s): *xanthocnemum* Wiedemann,1828 **MX PE VE BR**

¹³⁴ genus name established by the authors.

46. **Andricus quercustozae (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898 **PT ES FR IT AT HU B-H HV YU AL MK BR GR RO UA TR**
47. **Angela armata (De Haan,1842)** (Mantidae) Synonym(s): *armata* De Haan,1842 **BR CR EC GF PE CO**
48. **Angela guianensis Rehn,1906** (Mantidae) Synonym(s): *guianensis* Rehn,1906 **BO BR CR GF GY CO SR VE**
49. **Angela lemoulti (Chopard,1910)** (Mantidae) Synonym(s): *lemoulti* Chopard,1910 **BR GF VE CO**
50. **Angela peruviana (Giglio-Tos,1916)** (Mantidae) Synonym(s): *peruviana* Giglio-Tos,1916 **BR PE CO**
51. **Angela purpurascens (Olivier,1792)** (Mantidae) Synonym(s): *purpurascens* Olivier,1792 **BR GF SR PE CO**
52. **Angela quinque maculata (Olivier,1792)** (Mantidae) Synonym(s): *quinque maculata* Olivier,1792 **BR GF SR VE TT CO**
53. **Angela saussurii Giglio-Tos,1927** (Mantidae) Synonym(s): *saussurii* Giglio-Tos,1927 **BR GF SR VE**
54. **Angela subhyalina (Chopard,1914)** (Mantidae) Synonym(s): *subhyalina* Chopard,1914 **BO BR CO**
55. **Angela trifasciata Stal,1877** (Mantidae) Synonym(s): *trifasciata* Stal,1877 **BR CO VE**
56. **Annamyia maren Pritchard,1941** (Asilidae) Synonym(s): *maren* Pritchard,1941 **BR**
57. **Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus,1758 **TR RU Sb Cc DZ BR UY AR**
58. **Anthrax abbreviata (Wiedemann,1830)** (Bombyliidae) Synonym(s): *abbreviata* Wiedemann,1830 **BR PY**
59. **Anthrax angustipennis Macquart,1840** (Bombyliidae) Synonym(s): *angustipennis* Macquart,1840; *binotatus* Macquart,1840 **BR**
60. **Anthrax aquilus Marston,1970** (Bombyliidae) Synonym(s): *aquilus* Marston,1970 **BR AR**
61. **Anthrax austrinus Marston,1970** (Bombyliidae) Synonym(s): *austrinus* Marston,1970 **BR**
62. **Anthrax baliopteros Marston,1970** (Bombyliidae) Synonym(s): *baliopteros* Marston,1970 **BR**
63. **Anthrax caatingensis Marston,1970** (Bombyliidae) Synonym(s): *caatingensis* Marston,1970 **BR**
64. **Anthrax cathetodaithmos Marston,1970** (Bombyliidae) Synonym(s): *cathetodaithmos* Marston,1970 **MX PA CO PE BR**
65. **Anthrax cephus Fabricius,1805** (Bombyliidae) Synonym(s): *cephus* Fabricius,1805; *noctiluna* Walker,1849 **PA CR BR**
66. **Anthrax inaquosum Marston,1970** (Bombyliidae) Synonym(s): *inaquosum* Marston,1970 **BR**
67. **Anthrax macquarti Andretta & Carrera,1952** (Bombyliidae) Synonym(s): *trilineata* Meigen,1838; *macquarti* Andretta & Carrera,1952 **VE SR GF PE BO PY BR**
68. **Aphamartania breviventris (Macquart,1848)** (Asilidae) Synonym(s): *breviventris* Macquart,1848 **BR AR**
69. **Aphamartania maculipennis (Macquart,1838)** (Asilidae) Synonym(s): *maculipennis* Macquart,1838; *pritchardi* Carrera,1943 **BR AR**
70. **Aphestia annulipes (Macquart,1838)** (Asilidae) Synonym(s): *annulipes* Macquart,1838; *affinis* Macquart,1850; *brasiliensis* Schiner,1866; *calceata* Schiner,1867 **BR**
71. **Aphractia longicornis (Hermann,1912)** (Asilidae) Synonym(s): *longicornis* Hermann,1912 **BR**
72. **Aphractia rubida (Hermann,1912)** (Asilidae) Synonym(s): *rubida* Hermann,1912 **BR**
73. **Apoxyria americana Carrera,1955** (Asilidae) Synonym(s): *americana* Carrera,1955 **BR**
74. **Apoxyria apicata Schiner,1866** (Asilidae) Synonym(s): *apicata* Schiner,1866 **BR**
75. **Aquiarina¹³⁵ adustus (Aguiar,1998)** (Stephanidae) Synonym(s): *adustus* Aguiar,1998 **BR**
76. **Aquiarina angulicollis (Roman,1917)** (Stephanidae) Synonym(s): *angulicollis* Roman,1917 **BR**
77. **Aquiarina arctatus (Aguiar,1998)** (Stephanidae) Synonym(s): *arctatus* Aguiar,1998 **BR**
78. **Aquiarina carioca (Orfila,1960)** (Stephanidae) Synonym(s): *carioca* Orfila,1960 **BR**
79. **Aquiarina collarifer (Schletterer,1889)** (Stephanidae) Synonym(s): *collarifer* Schletterer,1889 **BR SR**
80. **Aquiarina cylindricus (Westwood,1851)** (Stephanidae) Synonym(s): *cylindricus* Westwood,1851 **BR**
81. **Aquiarina elimatus (Aguiar,1998)** (Stephanidae) Synonym(s): *elimatus* Aguiar,1998 **BR**
82. **Aquiarina erugatus (Aguiar,1998)** (Stephanidae) Synonym(s): *erugatus* Aguiar,1998 **BR**

¹³⁵ genus name established by the authors.

83. **Aquiarina erythrocephalus (Cameron,1887)** (Stephanidae) Synonym(s): *erythrocephalus Cameron,1887* **PA BR**
84. **Aquiarina limpidipennis (Schletterer,1889)** (Stephanidae) Synonym(s): *limpidipennis Schletterer,1889* **BR**
85. **Aquiarina macrurus (Schletterer,1889)** (Stephanidae) Synonym(s): *macrurus Schletterer,1889* **BR SR**
86. **Aquiarina marginalis (Schletterer,1889)** (Stephanidae) Synonym(s): *marginalis Schletterer,1889* **BR**
87. **Aquiarina orfilanus (Fritz & Scaramozzino,1993)** (Stephanidae) Synonym(s): *orfilanus Fritz & Scaramozzino,1993* **BR PE**
88. **Aquiarina ruficeps (Cameron,1887)** (Stephanidae) Synonym(s): *ruficeps Cameron,1887* **BR PA PE**
89. **Aquiarina simulator (Aguiar,1998)** (Stephanidae) Synonym(s): *simulator Aguiar,1998* **BR**
90. **Aquiarina submaculatus (Westwood,1851)** (Stephanidae) Synonym(s): *submaculatus Westwood,1851* **BR**
91. **Aquiarina tener (Schletterer,1889)** (Stephanidae) Synonym(s): *tener Schletterer,1889* **BR**
92. **Aquiarina validus (Aguiar,1998)** (Stephanidae) Synonym(s): *validus Aguiar,1998* **BR**
93. **Aquiarina velutinus (Aguiar,1998)** (Stephanidae) Synonym(s): *velutinus Aguiar,1998* **BR**
94. **Aquiarina villosus (Kieffer,1904)** (Stephanidae) Synonym(s): *villosus Kieffer,1904* **BR**
95. **Araripogon axelrodi Grimaldi,1990** (Asilidae) Synonym(s): *axelrodi Grimaldi,1990* **BR**
96. **Asilus brazilanus Koçak & Kemal,2008**¹³⁶ (Asilidae) Synonym(s): *tibialis Rondani,1850 nec Gimmerthal,1847; brazilanus Koçak & Kemal,2008* **Asilus brazilanus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 10 (nomen novum pro tibialis Rondani,1850 nec Gimmerthal,1847).** **BR**
97. **Bombylius (s.str.) abominalis Wiedemann,1828** (Bombyliidae) Synonym(s): *abominalis Wiedemann,1828; aurovittatus Macquart,1850* **BR UY**
98. **Bombylius (s.str.) bicinctus Wiedemann,1830** (Bombyliidae) Synonym(s): *bicinctus Wiedemann,1830* **BR**
99. **Bombylius (s.str.) caminaria Wiedemann,1830** (Bombyliidae) Synonym(s): *caminaria Wiedemann,1830* **BR**
100. **Cales noacki Howard,1907** (Aphelinidae) Synonym(s): *noacki Howard,1907; pallidus Brèthes,1914* **BR AR TR**
101. **Cardioptera minor Rehn,1916** (Mantidae) Synonym(s): *minor Rehn,1916* **BR**
102. **Cardioptera parva Beier,1942** (Mantidae) Synonym(s): *parva Beier,1942* **VE BR**
103. **Cardioptera squalodon Werner,1932** (Mantidae) Synonym(s): *squalodon Werner,1932* **BR SR**
104. **Cardioptera sublobata (Audinet-Serville,1839)** (Mantidae) Synonym(s): *brachyptera Burmeister,1838 nec Pallas,1773; sublobata Audinet-Serville,1839; pilipes Serville,1839* **AR BR VE GF GY**
105. **Cardioptera viridipennis Beier,1931** (Mantidae) Synonym(s): *viridipennis Beier,1931* **BR**
106. **Carivalia linki (Piza,1971)** (Tettigoniidae) Synonym(s): *linki Piza,1971* **BR**
107. **Cearacea**¹³⁷ **cearensis (Rehn,1917)** (Gryllidae) Synonym(s): *cearensis Rehn,1917* **BR**
108. **Cearacea nova (Rehn,1917)** (Gryllidae) Synonym(s): *nova Rehn,1917* **BR**
109. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
110. **Cesagaster**¹³⁹ **alba (Martin,1976)** (Asilidae) Synonym(s): *alba Martin,1976* **BR**
111. **Cesagaster breviventris (Rondani,1848)** (Asilidae) Synonym(s): *breviventris Rondani,1848* **BR**
112. **Cesagaster calceolata (Bigot,1878)** (Asilidae) Synonym(s): *calceolata Bigot,1878* **BR**
113. **Cesagaster fascipennis (Schiner,1867)** (Asilidae) Synonym(s): *fascipennis Schiner,1867* **BR**
114. **Choeradodis laticollis Audinet-Serville,1831** (Mantidae) Synonym(s): *laticollis Audinet-Serville,1831* **BR EC GF CO PE SR**
115. **Choeradodis rhomboidea Stoll,1813** (Mantidae) Synonym(s): *rhomboidea Stoll,1813* **BO BR GF SR**
116. **Choeradodis stalii Wood-Mason,1880** (Mantidae) Synonym(s): *stalii Wood-Mason,1880* **BR EC GF PA**

¹³⁶ specific name established by the authors.¹³⁷ genus name established by the authors.¹³⁸ genus name established by the authors.¹³⁹ genus name established by the authors.

117. **Colombiella** ¹⁴⁰ **planicephala (Rehn,1916)** (Mantidae) Synonym(s): *planicephala* Rehn,1916
BR
118. **Culicoides acotylus Lutz,1913** (Ceratopogonidae) Synonym(s): *acotylus* Lutz,1913;
panamericanus Fox,1947 BR MX
119. **Culicoides albuquerquei Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s):
albuquerquei Wirth & Blanton,1973 BR
120. **Culicoides amazonius Macfie,1935** (Ceratopogonidae) Synonym(s): *amazonius*
Macfie,1935 BR
121. **Culicoides antunesi Forattini,1954** (Ceratopogonidae) Synonym(s): *antunesi* Forattini,1954
BR
122. **Culicoides aragaoi Tavares & Luna Dias,1980** (Ceratopogonidae) Synonym(s): *aragaoi*
Tavares & Luna Dias,1980 BR
123. **Culicoides atripalpis Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *atripalpis* Wirth
& Blanton,1973 BR
124. **Culicoides bahiensis Barbosa,1947** (Ceratopogonidae) Synonym(s): *bahiensis* Barbosa,1947
BR
125. **Culicoides bambusicola Lutz,1913** (Ceratopogonidae) Synonym(s): *bambusicola* Lutz,1913
BR
126. **Culicoides barthi Tavares & Souza,1978** (Ceratopogonidae) Synonym(s): *barthi* Tavares &
Souza,1978 BR
127. **Culicoides batesi Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *batesi* Wirth &
Blanton,1973; *sanmartini* Wirth & Barreto,1978 BR CO
128. **Culicoides belemensis Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *belemensis*
Wirth & Blanton,1973 BR
129. **Culicoides brasilianum Forattini,1956** (Ceratopogonidae) Synonym(s): *brasilianum*
Forattini,1956 BR
130. **Culicoides carvalhoi Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *carvalhoi*
Wirth & Blanton,1973 BR
131. **Culicoides coutinhoi Barretto,1944** (Ceratopogonidae) Synonym(s): *coutinhoi* Barretto,1944
BR
132. **Culicoides cuiabai Wirth,1982** (Ceratopogonidae) Synonym(s): *cuiabai* Wirth,1982 BR
133. **Culicoides cylindricornis Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s):
cylindricornis Wirth & Blanton,1973 BR
134. **Culicoides deanei Felipe-Bauer & Wirth,1987** (Ceratopogonidae) Synonym(s): *deanei*
Felipe-Bauer & Wirth,1987 BR
135. **Culicoides debilipalpis Lutz,1913** (Ceratopogonidae) Synonym(s): *debilipalpis* Lutz,1913 BR
136. **Culicoides diffusus Spinelli,1993** (Ceratopogonidae) Synonym(s): *diffusus* Spinelli,1993 BR
137. **Culicoides duartei Tavares & Luna Dias,1980** (Ceratopogonidae) Synonym(s): *duartei*
Tavares & Luna Dias,1980 BR
138. **Culicoides espinolai Felipe-Bauer & Lourenco-de-Oliveira,1987** (Ceratopogonidae)
Synonym(s): *espinolai* Felipe-Bauer & Lourenco-de-Oliveira,1987 BR
139. **Culicoides felippebauerae Spinelli,2007** (Ceratopogonidae) Synonym(s): *felippebauerae*
Spinelli,2007 BR
140. **Culicoides fernandoi Tavares & Sousa,1979** (Ceratopogonidae) Synonym(s): *fernandoi*
Tavares & Sousa,1979 BR
141. **Culicoides fittkaui Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *fittkaui* Wirth &
Blanton,1973 BR
142. **Culicoides flavivenulus Costa Lima,1937** (Ceratopogonidae) Synonym(s): *flavivenulus* Costa
Lima,1937 BR
143. **Culicoides fluviatilis (Lutz,1914)** (Ceratopogonidae) Synonym(s): *fluviatilis* Lutz,1914 BR
144. **Culicoides freitasi Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *freitasi* Wirth &
Blanton,1973 BR
145. **Culicoides fusipalpis Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *fusipalpis* Wirth
& Blanton,1973 BR
146. **Culicoides goeldii Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *goeldii* Wirth &
Blanton,1973 BR
147. **Culicoides guamai Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *guamai* Wirth &
Blanton,1973 BR
148. **Culicoides guttatus (Coquillett,1904)** (Ceratopogonidae) Synonym(s): *guttatus*
Coquillett,1904 BR
149. **Culicoides horticola Lutz,1913** (Ceratopogonidae) Synonym(s): *horticola* Lutz,1913 BR
150. **Culicoides ignacioi Forattini,1957** (Ceratopogonidae) Synonym(s): *ignacioi* Forattini,1957 BR

¹⁴⁰ genus name established by the authors.

151. **Culicoides impusilloides Spinelli & Wirth,1984** (Ceratopogonidae) Synonym(s): *impusilloides Spinelli & Wirth,1984* **BR**
152. **Culicoides insignis Lutz,1913** (Ceratopogonidae) Synonym(s): *insignis Lutz,1913* **BR**
153. **Culicoides kampa Felipe-Bauer, Veras, Castellon & Moreira,2000** (Ceratopogonidae) Synonym(s): *kampa Felipe-Bauer, Veras, Castellon & Moreira,2000* **BR**
154. **Culicoides lenti Tavares & Luna Dias,1980** (Ceratopogonidae) Synonym(s): *lenti Tavares & Luna Dias,1980* **BR**
155. **Culicoides limai Barretto,1944** (Ceratopogonidae) Synonym(s): *limai Barretto,1944* **BR**
156. **Culicoides lobatoi Felipe-Bauer,1994** (Ceratopogonidae) Synonym(s): *lobatoi Felipe-Bauer,1994* **BR**
157. **Culicoides lopesi Barretto,1944** (Ceratopogonidae) Synonym(s): *lopesi Barretto,1944* **BR**
158. **Culicoides lutzi Costa Lima,1937** (Ceratopogonidae) Synonym(s): *lutzi Costa Lima,1937* **BR**
159. **Culicoides macieli Tavares & Ruiz,1980** (Ceratopogonidae) Synonym(s): *macieli Tavares & Ruiz,1980* **BR**
160. **Culicoides maruim Lutz,1913** (Ceratopogonidae) Synonym(s): *maruim Lutz,1913* **BR**
161. **Culicoides minasensis Felipe-Bauer,1987** (Ceratopogonidae) Synonym(s): *minasensis Felipe-Bauer,1987* **BR**
162. **Culicoides neoparaensis Tavares & Souza,1978** (Ceratopogonidae) Synonym(s): *neoparaensis Tavares & Souza,1978* **BR**
163. **Culicoides pachymerus Lutz,1914** (Ceratopogonidae) Synonym(s): *pachymerus Lutz,1914* **BR**
164. **Culicoides paraensis (Goeldi,1905)** (Ceratopogonidae) Synonym(s): *paraensis Goeldi,1905* **BR**
165. **Culicoides paramaruim Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *paramaruim Wirth & Blanton,1973* **BR**
166. **Culicoides paucienfuscatus Barbosa,1947** (Ceratopogonidae) Synonym(s): *paucienfuscatus Barbosa,1947* **BR**
167. **Culicoides pseudocrescentis Tavares & Luna Dias,1980** (Ceratopogonidae) Synonym(s): *pseudocrescentis Tavares & Luna Dias,1980* **BR**
168. **Culicoides pulchripennis Macfie,1939** (Ceratopogonidae) Synonym(s): *pulchripennis Macfie,1939* **BR**
169. **Culicoides pusillus Lutz,1913** (Ceratopogonidae) Synonym(s): *pusillus Lutz,1913* **BR**
170. **Culicoides rachoui Tavares & Souza,1978** (Ceratopogonidae) Synonym(s): *rachoui Tavares & Souza,1978* **BR**
171. **Culicoides recifei Barbosa,1947** (Ceratopogonidae) Synonym(s): *recifei Barbosa,1947* **BR**
172. **Culicoides recifensis Barbosa,1943** (Ceratopogonidae) Synonym(s): *recifensis Barbosa,1943* **BR**
173. **Culicoides reticulatus Lutz,1913** (Ceratopogonidae) Synonym(s): *reticulatus Lutz,1913* **BR**
174. **Culicoides ruizi Forattini,1954** (Ceratopogonidae) Synonym(s): *ruizi Forattini,1954* **BR**
175. **Culicoides saintjusti Tavares & Ruiz,1980** (Ceratopogonidae) Synonym(s): *saintjusti Tavares & Ruiz,1980* **BR**
176. **Culicoides setifer (Lutz,1913)** (Ceratopogonidae) Synonym(s): *setifer Lutz,1913* **BR**
177. **Culicoides tavaresi Felipe-Bauer & Wirth,1988** (Ceratopogonidae) Synonym(s): *tavaresi Felipe-Bauer & Wirth,1988* **BR**
178. **Culicoides todatangae Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *todatangae Wirth & Blanton,1973* **BR**
179. **Culicoides travassosi Forattini,1957** (Ceratopogonidae) Synonym(s): *travassosi Forattini,1957* **BR**
180. **Culicoides vernoni Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *vernoni Wirth & Blanton,1973* **BR**
181. **Culicoides wallacei Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *wallacei Wirth & Blanton,1973* **BR**
182. **Dasyhelea cincta (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *cincta Coquillett,1901; albopicta Ingram & Macfie,1931; penthesileae Macfie,1935* **US FI AR BR**
183. **Dasyhelea filibranchia (Lutz,1914)** (Ceratopogonidae) Synonym(s): *filibranchia Lutz,1914* **BR**
184. **Dasyhelea flavicauda Macfie,1939** (Ceratopogonidae) Synonym(s): *flavicauda Macfie,1939* **BR**
185. **Dasyhelea hippolytae Macfie,1935** (Ceratopogonidae) Synonym(s): *hippolytae Macfie,1935* **BR**
186. **Dasyhelea parahybae Macfie,1940** (Ceratopogonidae) Synonym(s): *parahybae Macfie,1940* **BR**
187. **Dasyhelea paulistana Forattini & Rabello,1957** (Ceratopogonidae) Synonym(s): *paulistana Forattini & Rabello,1957* **BR**
188. **Dasyhelea pumila Macfie,1939** (Ceratopogonidae) Synonym(s): *pumila Macfie,1939* **BR**

189. **Dasyhelea pusilla (Lutz,1913)** (Ceratopogonidae) Synonym(s): *pusilla* Lutz,1913 **BR**
190. **Dasyhelea soriai Wirth & Waugh,1976** (Ceratopogonidae) Synonym(s): *soriai* Wirth & Waugh,1976 **BR**
191. **Dasyhelea thalestris Macfie,1935** (Ceratopogonidae) Synonym(s): *thalestris* Macfie,1935 **BR**
192. **Dasyhelea viridans Forattini & Rabello,1957** (Ceratopogonidae) Synonym(s): *viridans* Forattini & Rabello,1957 **BR**
193. **Dasyhelea winderi Wirth & Waugh,1976** (Ceratopogonidae) Synonym(s): *winderi* Wirth & Waugh,1976 **BR**
194. **Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773
Coccinella axyridis Pallas,1773, *Reise Russia* 2: 726. **GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA**
195. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
196. **Leptotarsus (Kocia)¹⁴¹ gesneri (Enderlein,1912)** (Tipulidae) Synonym(s): *gesneri* Enderlein,1912 *Aldrovandia gesneri* Enderlein,1912, *Zool. Jb. Syst.* 32: 52. **BR**
197. **Macronychia (s.str.) lopesi Verves,1983** (Sarcophagidae) Synonym(s): *lopesi* Verves,1983 **BR**
198. **Macronychia (s.str.) ornata (Townsend,1917)** (Sarcophagidae) Synonym(s): *ornata* Townsend,1917 **BR**
199. **Melliera major (Saussure,1872)** (Mantidae) Synonym(s): *major* Saussure,1872; *atopogamia* Saussure,1892 **BR CR GT MX NI**
200. **Mnemosyne braziliensis Van Stalle,1987** (Cixiidae) Synonym(s): *braziliensis* Van Stalle,1987 **BR**
201. **Muhabbetiella¹⁴² ornata (Norrbon,1994)** (Tephritidae) Synonym(s): *ornata* Norrbom,1994 **EC CO BR**
202. **Muhabbetiella silvai (Lima,1947)** (Tephritidae) Synonym(s): *silvai* Lima,1947 **BR**
203. **Muhabbetiella¹⁴³ alboantennata (Lane,1946)** (Sciaridae) Synonym(s): *alboantennata* Lane,1946 **BR CR**
204. **Muhabbetiella fasciatella (Enderlein,1911)** (Sciaridae) Synonym(s): *fasciatella* Enderlein,1911 **CR BR**
205. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
206. **Pedinotus (s.str.) brasiliensis Szepligeti,1902** (Braconidae) Synonym(s): *brasiliensis* Szepligeti,1902 **BR**
207. **Retanathrips lagoenacollus (Moulton,1933)** (Thripidae) Synonym(s): *lagoenacollus* Moulton,1933 **BR**
208. **Saopauloa¹⁴⁴ difficilis (Piza,1974)** (Gryllidae) Synonym(s): *difficilis* Piza,1974 **BR**
209. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 **IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ**
210. **Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici* Fitch,1859 **IR Th Elb CA BR RU ES US**
211. **Tingicesa¹⁴⁵ anonae (Drake & Hambleton,1938)** (Tingidae) Synonym(s): *anonae* Drake & Hambleton,1938 **BR**
212. **Tingicesa rollinae (Drake & Hambleton,1934)** (Tingidae) Synonym(s): *rollinae* Drake & Hambleton,1934 **BR**
213. **Tropicophyllum¹⁴⁶ sentum (Grant,1958)** (Tettigoniidae) Synonym(s): *sentum* Grant,1958 **BR**
214. **Villa amasia (Wiedemann,1828)** (Bombyliidae) Synonym(s): *amasia* Wiedemann,1828; *transversa* Stephens,1829; *vicina* Macquart,1840 **AR BR UY**
215. **Villa hilarii (Macquart,1840)** (Bombyliidae) Synonym(s): *hilarii* Macquart,1840 **AR BR**
216. **Villa lineata Walker,1857** (Bombyliidae) Synonym(s): *lineata* Walker,1857 **BR**
217. **Villa obliqua Macquart,1834** (Bombyliidae) Synonym(s): *obliqua* Macquart,1834 **BR UY**
218. **Villa perimele Wiedemann,1828** (Bombyliidae) Synonym(s): *perimele* Wiedemann,1828 **BR UY**

¹⁴¹ subgenus name established by the authors.

¹⁴² genus name established by the authors.


¹⁴³ genus name established by the authors.

¹⁴⁴ genus name established by the authors.

¹⁴⁵ genus name established by the authors.

¹⁴⁶ genus name established by the authors.

- 219.** **Xystropeltis quadrilobata Terra,1991** (Mantidae) Synonym(s): *quadrilobata* Terra,1991
BR



Synonymic and distributional list of the pterygot insects of Chile

(Results of the Entomofauna of the World based upon info-system of the Cesa)

80

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Chile (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **80**.

Priamus (suppl.) 18: 2846-2848.

In this study, totally 73 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Chile recorded in info-sytem of the Cesa, total pterygot species of Chile increase to 225.

Key words: List, distribution, *pterygota*, *Insecta*, Chile.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 73 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 152 recorded species of Lepidoptera from Chile are found. Taking this information into consideration, total number of the pterygots may increase to 225.

The study is still continuing, and the new results will be published within this Project.

1. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
2. **Alyssomyia brevicornis (Philippi,1865)** (Asilidae) Synonym(s): *brevicornis Philippi,1865* CL PE
3. **Alyssomyia bulbosa Artigas,1970** (Asilidae) Synonym(s): *bulbosa Artigas,1970* CL
4. **Alyssomyia frayleana Artigas & Parra,2006** (Asilidae) Synonym(s): *frayleana Artigas & Parra,2006* CL
5. **Alyssomyia limariensis Artigas & Parra,2006** (Asilidae) Synonym(s): *limariensis Artigas & Parra,2006* CL
6. **Alyssomyia misera Artigas,1973** (Asilidae) Synonym(s): *misera Artigas,1973* CL
7. **Alyssomyia pampina Artigas,1970** (Asilidae) Synonym(s): *pampina Artigas,1970* CL
8. **Alyssomyia quinque maculata Artigas,1973** (Asilidae) Synonym(s): *quinque maculata Artigas,1973* CL
9. **Anacridium aegyptium (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium Linnaeus,1764; lineola Fabricius,1781; nubecula Thunberg,1815; campanum Costa,1836; tataricum Burmeister,1838; albidiferum Walker,1870; indecisum Walker,1870; stuardoi Liebermann,1943* Gryllus *aegyptium Linnaeus,1764, Museum Ludovicae Ulricaee...: 138. Type ♂: Egypt (UZIU Upsala). ES FR DE IT Sa LY EG Sn YE TR IR AF PK BG UA KG RU ZA CL*

10. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
11. **Andicesa**¹⁴⁷ **bicolor (Gonzalez,1992)** (Tachinidae) Synonym(s): *bicolor Gonzalez,1992* CL
12. **Andicesa coscaroni (Gonzalez,1992)** (Tachinidae) Synonym(s): *coscaroni Gonzalez,1992* CL
13. **Andrenosoma rufiventris (Blanchard,1852)** (Asilidae) Synonym(s): *rufiventris Blanchard,1852; calogastra Philippi,1865* CL
14. **Anthrax argentiflua Philippi,1865** (Bombyliidae) Synonym(s): *argentiflua Philippi,1865* CL
15. **Anthrax bellulus Philippi,1865** (Bombyliidae) Synonym(s): *bellulus Philippi,1865; fuscitibia Rondani,1867* CL
16. **Anthrax calogastra (Philippi,1865)** (Bombyliidae) Synonym(s): *calogastra Philippi,1865* CL
17. **Anthrax pallipes (Bigot,1892)** (Bombyliidae) Synonym(s): *pallipes Bigot,1892* CL
18. **Antrops truncipennis Enderlein,1909** (Sphaeroceridae) Synonym(s): *truncipennis Enderlein,1909* CL
19. **Aphytis chilensis Howard,1900** (Aphelinidae) Synonym(s): *chilensis Howard,1900; longiclavae Mercet,1910; capitisi Rust,1915; signiphoroides Brèthes,1916; riadi Delucchi,1964* CL US Cf ES TR CY LB AR
20. **Archiborborus albicans Richards,1931** (Sphaeroceridae) Synonym(s): *albicans Richards,1931* AR CL
21. **Barraza**¹⁴⁸ **crybeloplatus (Rentz & Gurney,1985)** (Tettigoniidae) Synonym(s): *crybeloplatus Rentz & Gurney,1985* CL
22. **Bombylius (s.str.) bellus Philippi,1865** (Bombyliidae) Synonym(s): *bellus Philippi,1865* CL
23. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
24. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
25. **Dasyhelea australis Wirth,1952** (Ceratopogonidae) Synonym(s): *australis Wirth,1952* CL
26. **Dasyhelea chilensis Ingram & Macfie,1931** (Ceratopogonidae) Synonym(s): *chilensis Ingram & Macfie,1931* CL
27. **Dasyhelea monticola Ingram & Macfie,1931** (Ceratopogonidae) Synonym(s): *monticola Ingram & Macfie,1931* CL
28. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus Gahan,1914* IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
29. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
30. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis Loew,1866* AF ES Cn Md US FI Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ
31. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US
32. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US
33. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* ARAU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
34. **Phthiria homochroma Hall,1976** (Bombyliidae) Synonym(s): *homochroma Hall,1976* CL
35. **Rcortesia**¹⁴⁹ **hispida (Cortés,1983)** (Tachinidae) Synonym(s): *hispida Cortés,1983* CL
36. **Systole albipennis Walker,1832** (Eurytomidae) Synonym(s): *albipennis Walker,1832* IR BG CA CL HV CZ FR DE HU IN IT MD YU NL RO SE CH UA GB
37. **Systole coriandri Gussakovskiy,1933** (Eurytomidae) Synonym(s): *coriandri Gussakovskiy,1933* IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
38. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793* Cn Az DZ TR Cc JO IR AF PK IN Ch KG Uk MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL AR
39. **Villa aquila Hall,1976** (Bombyliidae) Synonym(s): *aquila Hall,1976* CL
40. **Villa arenaria Hall,1976** (Bombyliidae) Synonym(s): *arenaria Hall,1976* CL
41. **Villa argentiflua (Philippi,1865)** (Bombyliidae) Synonym(s): *argentiflua Philippi,1865* CL

¹⁴⁷ genus name established by the authors.

¹⁴⁸ genus name established by the authors.

¹⁴⁹ genus name established by the authors.

42. **Villa bigoti Hall,1976** (Bombyliidae) Synonym(s): *bigoti Hall,1976* CL
43. **Villa caloptera Philippi,1865** (Bombyliidae) Synonym(s): *eriphthalma Zetterstedt,1860; caloptera Philippi,1865* CL
44. **Villa camposi Hall,1976** (Bombyliidae) Synonym(s): *camposi Hall,1976* CL
45. **Villa detecta (Walker,1852)** (Bombyliidae) Synonym(s): *detecta Walker,1852* CL PE
46. **Villa differens Hall,1976** (Bombyliidae) Synonym(s): *capensis Robineau-Desvoidy,1830; differens Hall,1976* CL
47. **Villa discolor Hall,1976** (Bombyliidae) Synonym(s): *merdivora Robineau-Dosvoidy,1830; discolor Hall,1976* CL
48. **Villa festiva (Philippi,1865)** (Bombyliidae) Synonym(s): *femorata Stephens,1829; festiva Philippi,1865* CL
49. **Villa flaivicrura Hall,1976** (Bombyliidae) Synonym(s): *flaivicrura Hall,1976* CL
50. **Villa flavicrura Hall,1976** (Bombyliidae) Synonym(s): *maculipennis Strom,1896; flavicrura Hall,1976* CL
51. **Villa fucata Hall,1976** (Bombyliidae) Synonym(s): *fucata Hall,1976* CL
52. **Villa fulvipes (Rondani,1863)** (Bombyliidae) Synonym(s): *fulvipes Rondani,1863* CL
53. **Villa guttapennis Hall,1976** (Bombyliidae) Synonym(s): *guttapennis Hall,1976* CL
54. **Villa hyalinipennis (Blanchard,1852)** (Bombyliidae) Synonym(s): *scutellaris Fallén,1825; hyalinipennis Blanchard,1852* CL
55. **Villa litoralis Hall,1976** (Bombyliidae) Synonym(s): *litoralis Hall,1976* CL
56. **Villa luculenta Seguy,1941** (Bombyliidae) Synonym(s): *luculenta Seguy,1941* CL MA
57. **Villa manillae Evenhuis,1994** (Bombyliidae) Synonym(s): *manillae Evenhuis,1994* CL
58. **Villa moerens Philippi,1865** (Bombyliidae) Synonym(s): *moerens Philippi,1865* CL
59. **Villa mutua Walker,1849** (Bombyliidae) Synonym(s): *mutua Walker,1849* CL
60. **Villa nigrocrura Hall,1976** (Bombyliidae) Synonym(s): *nigrocrura Hall,1976* CL
61. **Villa oldroydi Hall,1976** (Bombyliidae) Synonym(s): *oldroydi Hall,1976* CL
62. **Villa pallipes Bigot,1892** (Bombyliidae) Synonym(s): *pallipes Bigot,1892* CL
63. **Villa penai Hall,1976** (Bombyliidae) Synonym(s): *penai Hall,1976* CL
64. **Villa philippi (Rondani,1863)** (Bombyliidae) Synonym(s): *philippi Rondani,1863* CL
65. **Villa praeterita Oldroyd,1938** (Bombyliidae) Synonym(s): *praeterita Oldroyd,1938* CL
66. **Villa proxima Hall,1976** (Bombyliidae) Synonym(s): *proxima Hall,1976* CL
67. **Villa schineri Evenhuis,1978** (Bombyliidae) Synonym(s): *schineri Evenhuis,1978* CL
68. **Villa semifucata Hall,1976** (Bombyliidae) Synonym(s): *semifucata Hall,1976* CL
69. **Villa tarapacensis Hall,1976** (Bombyliidae) Synonym(s): *tarapacensis Hall,1976* CL
70. **Villa trifida Hall,1976** (Bombyliidae) Synonym(s): *trifida Hall,1976* CL
71. **Villa una Oldroyd,1938** (Bombyliidae) Synonym(s): *una Oldroyd,1938* CL
72. **Villa valparaisensis Hall,1976** (Bombyliidae) Synonym(s): *valparaisensis Hall,1976* CL
73. **Villa verdensis Oldroyd,1938** (Bombyliidae) Synonym(s): *verdensis Oldroyd,1938* CL

Synonymic and distributional list of the pterygot insects of Colombia

(Results of the Entomofauna of the World based upon info-system of the Cesa)

81

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Colombia (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **81**.

Priamus (suppl.) 18: 2849-2852.

In this study, totally 73 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Colombia recorded in info-system of the Cesa, total pterygot species of Colombia increase to 741.

Key words: List, distribution, *pterygota*, *Insecta*, Colombia.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 73 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 668 recorded species of Lepidoptera from Colombia are found. Taking this information into consideration, total number of the pterygots may increase to 741.

The study is still continuing, and the new results will be published within this Project.

1. **Albibarbefferia heteroptera (Macquart,1846)** (Asilidae) Synonym(s): *heteroptera Macquart,1846* **CO**
2. **Angela armata (De Haan,1842)** (Mantidae) Synonym(s): *armata De Haan,1842* **BR CR EC GF PE CO**
3. **Angela championi Saussure & Zehntner,1894** (Mantidae) Synonym(s): *championi Saussure & Zehntner,1894* **GT PA CO**
4. **Angela decolor (Chopard,1914)** (Mantidae) Synonym(s): *decolor Chopard,1914* **BO CO**
5. **Angela guianensis Rehn,1906** (Mantidae) Synonym(s): *guianensis Rehn,1906* **BO BR CR GF GY CO SR VE**
6. **Angela lemoulti (Chopard,1910)** (Mantidae) Synonym(s): *lemoulti Chopard,1910* **BR GF VE CO**
7. **Angela maxima (Chopard,1910)** (Mantidae) Synonym(s): *maxima Chopard,1910* **GF CO**
8. **Angela minor (Giglio-Tos,1916)** (Mantidae) Synonym(s): *minor Giglio-Tos,1916* **VE CO**
9. **Angela miranda Saussure,1871** (Mantidae) Synonym(s): *miranda Saussure,1871* **MX CO**

10. **Angela perpulchra Westwod,1889** (Mantidae) Synonym(s): *perpulchra Westwod,1889* **CR NI PA CO**
11. **Angela peruviana (Giglio-Tos,1916)** (Mantidae) Synonym(s): *peruviana Giglio-Tos,1916* **BR PE CO**
12. **Angela purpurascens (Olivier,1792)** (Mantidae) Synonym(s): *purpurascens Olivier,1792* **BR GF SR PE CO**
13. **Angela quinquemaculata (Olivier,1792)** (Mantidae) Synonym(s): *quinquemaculata Olivier,1792* **BR GF SR VE TT CO**
14. **Angela subhyalina (Chopard,1914)** (Mantidae) Synonym(s): *subhyalina Chopard,1914* **BO BR CO**
15. **Angela trifasciata Stal,1877** (Mantidae) Synonym(s): *trifasciata Stal,1877* **BR CO VE**
16. **Anthrax antica Walker,1852** (Bombyliidae) Synonym(s): *antica Walker,1852* **CO**
17. **Anthrax cathetodaithmos Marston,1970** (Bombyliidae) Synonym(s): *cathetodaithmos Marston,1970* **MX PA CO PE BR**
18. **Aphamartania flavipennis (Macquart,1846)** (Asilidae) Synonym(s): *flavipennis Macquart,1846* **CO**
19. **Aquiarina¹⁵⁰ colombiensis (Ceballos,1926)** (Stephanidae) Synonym(s): *colombiensis Ceballos,1926* **CO VE PA CR**
20. **Cardioptera nigridens Werner,1925** (Mantidae) Synonym(s): *nigridens Werner,1925* **GF CO**
21. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA**
22. **Choeradodis columbica Beier,1931** (Mantidae) Synonym(s): *columbica Beier,1931* **CO**
23. **Choeradodis laticollis Audinet-Serville,1831** (Mantidae) Synonym(s): *laticollis Audinet-Serville,1831* **BR EC GF CO PE SR**
24. **Choeradodis rhombicollis (Latreille,1803)** (Mantidae) Synonym(s): *rhombicollis Latreille,1803* **BZ CR EC GF GT CO MX NI PA PE**
25. **Choeradodis strumaria (Linnaeus,1758)** (Mantidae) Synonym(s): *strumaria Linnaeus,1758* **GF CO PE SR**
26. **Colombicesa¹⁵¹ elaborata (Hall,1933)** (Sarcophagidae) Synonym(s): *elaborata Hall,1933* **CO**
27. **Culicoides ameliae Browne,1980** (Ceratopogonidae) Synonym(s): *ameliae Browne,1980* **CO**
28. **Culicoides andicola Wirth & Lee,1967** (Ceratopogonidae) Synonym(s): *andicola Wirth & Lee,1967* **CO**
29. **Culicoides andinus Wirth & Lee,1967** (Ceratopogonidae) Synonym(s): *andinus Wirth & Lee,1967* **CO**
30. **Culicoides antioquiensis Spinelli,Santamaría,Cabrera,Ronderos & Suárez,2009** (Ceratopogonidae) Synonym(s): *antioquiensis Spinelli,Santamaría,Cabrera,Ronderos & Suárez,2009* **CO**
31. **Culicoides batesi Wirth & Blanton,1973** (Ceratopogonidae) Synonym(s): *batesi Wirth & Blanton,1973; sanmartini Wirth & Barreto,1978* **BR CO**
32. **Culicoides beaveri Wirth & Barreto,1978** (Ceratopogonidae) Synonym(s): *beaveri Wirth & Barreto,1978* **CO**
33. **Culicoides brownei Spinelli,1993** (Ceratopogonidae) Synonym(s): *brownei Spinelli,1993* **CO**
34. **Culicoides caldasi Browne,1980** (Ceratopogonidae) Synonym(s): *caldasi Browne,1980* **CO**
35. **Culicoides caucaensis Wirth & Lee,1967** (Ceratopogonidae) Synonym(s): *caucaensis Wirth & Lee,1967* **CO**
36. **Culicoides dalessandroi Wirth & Barreto,1978** (Ceratopogonidae) Synonym(s): *dalessandroi Wirth & Barreto,1978* **CO**
37. **Culicoides davidi Spinelli,1993** (Ceratopogonidae) Synonym(s): *davidi Spinelli,1993* **CO**
38. **Culicoides eldridgei Wirth & Barreto,1978** (Ceratopogonidae) Synonym(s): *eldridgei Wirth & Barreto,1978* **CO**
39. **Culicoides florenciae Messersmith,1972** (Ceratopogonidae) Synonym(s): *florenciae Messersmith,1972* **CO**
40. **Culicoides gabrieli Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009** (Ceratopogonidae) Synonym(s): *gabrieli Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009* **CO**
41. **Culicoides inermis Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009** (Ceratopogonidae) Synonym(s): *inermis Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009* **CO**

¹⁵⁰ genus name established by the authors

¹⁵¹ genus name established by the authors

42. **Culicoides marinkellei** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *marinkellei* Wirth & Lee,1967 CO
43. **Culicoides micayensis** Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009 (Ceratopogonidae) Synonym(s): *micayensis* Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009 CO
44. **Culicoides monticola** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *monticola* Wirth & Lee,1967 CO
45. **Culicoides nigrifemur** Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009 (Ceratopogonidae) Synonym(s): *nigrifemur* Spinelli, Santamaría, Cabrera, Ronderos & Suárez,2009 CO
46. **Culicoides orjuelai** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *orjuelai* Wirth & Lee,1967 CO
47. **Culicoides pabloi** Browne,1980 (Ceratopogonidae) Synonym(s): *pabloi* Browne,1980 CO
48. **Culicoides pancensis** Browne,1980 (Ceratopogonidae) Synonym(s): *pancensis* Browne,1980 CO
49. **Culicoides paraignacioi** Spinelli,1993 (Ceratopogonidae) Synonym(s): *paraignacioi* Spinelli,1993 CO
50. **Culicoides pichindensis** Browne,1980 (Ceratopogonidae) Synonym(s): *pichindensis* Browne,1980 CO
51. **Culicoides popayanensis** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *popayanensis* Wirth & Lee,1967 CO
52. **Culicoides puracensis** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *puracensis* Wirth & Lee,1967 CO
53. **Culicoides raposoensis** Wirth & Barreto,1978 (Ceratopogonidae) Synonym(s): *raposoensis* Wirth & Barreto,1978 CO
54. **Culicoides santanderi** Browne,1980 (Ceratopogonidae) Synonym(s): *santanderi* Browne,1980 CO
55. **Culicoides suarezi** Rodriguez & Wirth,1986 (Ceratopogonidae) Synonym(s): *suarezi* Rodriguez & Wirth,1986 CO
56. **Culicoides tamboensis** Wirth & Lee,1967 (Ceratopogonidae) Synonym(s): *tamboensis* Wirth & Lee,1967 CO
57. **Culicoides teretipalpis** Wirth & Barreto,1978 (Ceratopogonidae) Synonym(s): *teretipalpis* Wirth & Barreto,1978 CO
58. **Culicoides tidwelli** Spinelli,1993 (Ceratopogonidae) Synonym(s): *tidwelli* Spinelli,1993 CO
59. **Culicoides trapidoi** Wirth & Barreto,1978 (Ceratopogonidae) Synonym(s): *trapidoi* Wirth & Barreto,1978 CO
60. **Culicoides youngi** Wirth & Barreto,1978 (Ceratopogonidae) Synonym(s): *youngi* Wirth & Barreto,1978 CO
61. **Dasyhelea columbiana** (Kieffer,1917) (Ceratopogonidae) Synonym(s): *columbiana* Kieffer,1917 CO
62. **Dasyhelea santaemarthae** (Kieffer,1917) (Ceratopogonidae) Synonym(s): *santaemarthae* Kieffer,1917 CO
63. **Mnemosyne colombiae** Walker,1951 (Cixiidae) Synonym(s): *colombiae* Walker,1951 CO
64. **Muhabetiella**¹⁵² *ornata* (Norrbon,1994) (Tephritidae) Synonym(s): *ornata* Norrbom,1994 EC CO BR
65. **Muscidifurax raptor** Girault & Sanders,1910 (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 ARAU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
66. **Nahua**¹⁵³ *brevis* (Rubsamen,1894) (Sciaridae) Synonym(s): *brevis* Rubsaamen,1894 CO
67. **Ommatius colombius** Koçak & Kemal,2008¹⁵⁴ (Asilidae) Synonym(s): *rufipes* Macquart,1846 nec Macq.,1838; *colombius* Koçak & Kemal,2008 Ommatius colombius Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro rufipes Macquart,1846 nec Macq.,1838). CO
68. **Pedinotus** (s.str.) *colombianus* Enderlein (Braconidae) Synonym(s): CO
69. **Santandera**¹⁵⁵ *robusta* (Hebard,1927) (Tettigoniidae) Synonym(s): *robusta* Hebard,1927 CO
70. **Thespoides bolivari** Chopard,1916 (Mantidae) Synonym(s): *bolivari* Chopard,1916 CO
71. **Tropicophyllum**¹⁵⁶ *colosseum* (Brunner von Wattenwyl,1878) (Tettigoniidae) Synonym(s): *colosseum* Brunner von Wattenwyl,1878 CO

¹⁵² genus name established by the authors

¹⁵³ Nahua Koçak & Kemal,2009, Cent. ent. Stud., Misc. Pap. 147-148: 7 (nomen novum pro Aniarella Enderlein,1911 nec Bolivar,1906) from Colombia and Mexico.

¹⁵⁴ specific name established by the authors

¹⁵⁵ genus name established by the authors

¹⁵⁶ genus name established by the authors

72. **Villa colombiana Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *colombiana Evenhuis & Greathead,1999* **CO**
73. **Villa diminutiva (Macquart,1846)** (Bombyliidae) Synonym(s): *diminutiva Macquart,1846* **CO**



Synonymic and distributional list of the pterygot insects of Costa Rica

(Results of the Entomofauna of the World based upon info-system of the Cesa)

82

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Costa Rica (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **82**.

Priamus (suppl.) 18: 2853-2855.

In this study, totally 45 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Costa Rica recorded in info-system of the Cesa, total pterygot species of Costa Rica increase to 539.

Key words: List, distribution, *pterygota*, *Insecta*, Costa Rica.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 45 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 494 recorded species of Lepidoptera from Costa Rica are found. Taking this information into consideration, total number of the pterygots may increase to 539.

The study is still continuing, and the new results will be published within this Project.

1. **Acronyches plutactites Papavero,1971** (Asilidae) Synonym(s): *plutactites Papavero,1971* **CR**
2. **Amblyonychus trapezoidalis (Bellardi,1861)** (Asilidae) Synonym(s): *trapezoidalis Bellardi,1861* **MX GT NI CR GY PE US Tx**
3. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris Girault,1915* **IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US**
4. **Anagyrus zama Noyes & Menezes,2000** (Encyrtidae) Synonym(s): *zama Noyes & Menezes,2000* **CR**
5. **Andrenosoma olbus (Walker,1849)** (Asilidae) Synonym(s): *olbus Walker,1849; minos Bromley,1931; cyaniventris Bromley,1934* **HN GT CR VE PE BR EC GY**
6. **Andrenosoma rubidapex (Hermann,1912)** (Asilidae) Synonym(s): *rubidapex Hermann,1912; elegans Bromley,1934* **CR VE GY BR PE**
7. **Andrenosoma sarcophagum (Hermann,1912)** (Asilidae) Synonym(s): *sarcophagum Hermann,1912* **PE CR**
8. **Angela armata (De Haan,1842)** (Mantidae) Synonym(s): *armata De Haan,1842* **BR CR EC GF PE CO**

9. **Angela guianensis Rehn,1906** (Mantidae) Synonym(s): *guianensis Rehn,1906* **BO BR CR GF GY CO SR VE**
10. **Angela perpulchra Westwod,1889** (Mantidae) Synonym(s): *perpulchra Westwod,1889* **CR NI PA CO**
11. **Antenna rapax Stal,1877** (Mantidae) Synonym(s): *rapax Stal,1877; laurifolia Saussure,1892; costaricensis Beier,1931* **CR PA**
12. **Anthrax arethusa Osten Sacken,1886** (Bombyliidae) Synonym(s): *arethusa Osten Sacken,1886* **US MX GT CR**
13. **Anthrax cephus Fabricius,1805** (Bombyliidae) Synonym(s): *cephus Fabricius,1805; noctiluna Walker,1849* **PA CR BR**
14. **Aquiarina colombiensis (Ceballos,1926)** (Stephanidae) Synonym(s): *colombiensis Ceballos,1926* **CO VE PA CR**
15. **Aquiarina costaricensis (Aguilar,2004)** (Stephanidae) Synonym(s): *costaricensis Aguilar,2004* **CR VE**
16. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf Fl Hw CA**
17. **Cesathrix capillosa (Mohrig,2003)** (Sciaridae) Synonym(s): *capillosa Mohrig,2003* **CR**
18. **Cesathrix piliata (Mohrig,2003)** (Sciaridae) Synonym(s): *piliata Mohrig,2003* **CR**
19. **Choeradodis rhombicollis (Latreille,1803)** (Mantidae) Synonym(s): *rhombicollis Latreille,1803* **BZ CR EC GF GT CO MX NI PA PE**
20. **Cocconotus (Hondurasia) scabrifrons (Brunner von Wattenwyl,1895)** (Tettigoniidae) Synonym(s): *scabrifrons Brunner von Wattenwyl,1895; lineatifrons Brunner von Wattenwyl,1895* **HN GT NI CR PA**
21. **Costarica costaricensis (Carbonell,2002)** (Romaleidae) Synonym(s): *costaricensis Carbonell,2002* **CR**
22. **Culicoides annettae Spinelli & Borkent,2004** (Ceratopogonidae) Synonym(s): *annettae Spinelli & Borkent,2004* **CR**
23. **Culicoides cancer Hogue & Wirth,1968** (Ceratopogonidae) Synonym(s): *cancer Hogue & Wirth,1968* **CR**
24. **Culicoides chaverrii Spinelli & Borkent,2004** (Ceratopogonidae) Synonym(s): *chaverrii Spinelli & Borkent,2004* **CR**
25. **Culicoides cummingi Spinelli & Borkent,2004** (Ceratopogonidae) Synonym(s): *cummingi Spinelli & Borkent,2004* **CR**
26. **Culicoides zumbadoi Spinelli & Borkent,2004** (Ceratopogonidae) Synonym(s): *zumbadoi Spinelli & Borkent,2004* **CR**
27. **Gyranusoidea amasis Noyes,2000** (Encyrtidae) Synonym(s): *amasis Noyes,2000* **CR**
28. **Gyranusoidea janzeni Noyes,2000** (Encyrtidae) Synonym(s): *janzeni Noyes,2000* **CR**
29. **Hemipenthes galathea (Osten Sacken,1886)** (Bombyliidae) Synonym(s): *galathea Osten Sacken,1886* **CR**
30. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* **TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ**
31. **Melliera brevipes (Beier,1931) ? priority** (Mantidae) Synonym(s): *coerulans Saussure,1894; breviceps Beier,1930; brevipes Beier,1931;* **CR PA**
32. **Melliera chorotega Rehn,1935** (Mantidae) Synonym(s): *chorotega Rehn,1935* **CR MX**
33. **Melliera major (Saussure,1872)** (Mantidae) Synonym(s): *major Saussure,1872; atopogamia Saussure,1892* **BR CR GT MX NI**
34. **Muhabetiella parkeri (Norrbon,1994)** (Tephritidae) Synonym(s): *parkeri Norrbom,1994* **CR**
35. **Muhabetiella tau (Foote,1978)** (Tephritidae) Synonym(s): *tau Foote,1978* **MX GT CR**
36. **Muhabetiella acuta (Mohrig,2003)** (Sciaridae) Synonym(s): *acuta Mohrig,2003* **CR**
37. **Muhabetiella alboantennata (Lane,1946)** (Sciaridae) Synonym(s): *alboantennata Lane,1946* **BR CR**
38. **Muhabetiella fasciatella (Enderlein,1911)** (Sciaridae) Synonym(s): *fasciatella Enderlein,1911* **CR BR**
39. **Muhabetiella modica (Mohrig,2003)** (Sciaridae) Synonym(s): *modica Mohrig,2003* **CR**
40. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fl Ny Tx UY UZ VE**

41. **Noabennarella costaricensis Holzinger & Kunz,2006** (Cixiidae) Synonym(s): *costaricensis* Holzinger & Kunz,2006 **CR**
42. **Pedinotus (s.str.) niger Marsh,2002** (Braconidae) Synonym(s): *niger* Marsh,2002 **CR**
43. **Retanathrips funestus (Hood,1915)** (Thripidae) Synonym(s): *funestus* Hood,1915 **MX JM PR CR**
44. **Tropicophyllum maculosum (Bowen-Jones,2000)** (Tettigoniidae) Synonym(s): *maculosum* Bowen-Jones,2000 **CR**
45. **Xystropeltis lankesteri Rehn,1935** (Mantidae) Synonym(s): *lankesteri* Rehn,1935 **CR**



Synonymic and distributional list of the pterygot insects of Mexico

(Results of the Entomofauna of the World based upon info-system of the Cesa)

83

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Mexico (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **83**.
Priamus (suppl.) 18: 2856-2862.

In this study, totally 195 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Mexico recorded in info-system of the Cesa, total pterygot species of Mexico increase to 2374.

Key words: List, distribution, *pterygota*, *Insecta*, Mexico.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 195 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 2179 recorded species of Lepidoptera from Mexico are found. Taking this information into consideration, total number of the pterygots may increase to 2374.

The study is still continuing, and the new results will be published within this Project.

1. **Ablautus arnaudi Wilcox,1966** (Asilidae) Synonym(s): *arnaudi Wilcox,1966* **US Cf MX**
2. **Ablautus californicus Wilcox,1935** (Asilidae) Synonym(s): *californicus Wilcox,1935* **US MX**
3. **Ablautus coachellus Wilcox,1966** (Asilidae) Synonym(s): *coachellus Wilcox,1966* **US Arz Cf MX**
4. **Ablautus coquillettii Wilcox,1935** (Asilidae) Synonym(s): *coquillettii Wilcox,1935* **US Cf Arz NMx MX**
5. **Ablautus flavipes Coquillett,1904** (Asilidae) Synonym(s): *flavipes Coquillett,1904* **US Cf Arz MX**
6. **Ablautus mimus (Osten-Sacken,1877)** (Asilidae) Synonym(s): *mimus Osten-Sacken,1877* **US Cf Col MX**
7. **Ablautus trifarius Loew,1866** (Asilidae) Synonym(s): *trifarius Loew,1866* **US Cf MX**
8. **Acronyches maya Martin,1968** (Asilidae) Synonym(s): *maya Martin,1968* **MX**
9. **Acronyches rarus Martin,1968** (Asilidae) Synonym(s): *rarus Martin,1968* **MX**
10. **Acronyches westcotti Martin,1968** (Asilidae) Synonym(s): *westcotti Martin,1968* **MX**
11. **Alaetrinus aciculatus (Le Conte,1859)** (Tenebrionidae) Synonym(s): *aciculatus Le Conte,1859* **US Tx Cf MNx MX**

12. **Albibarbefferia albibarbis (Macquart,1838)** (Asilidae) Synonym(s): *albibarbis* Macquart,1838; *pumilus* Walker,1855 (*praeocc.*); *cinerascens* Bellardi,1861; *tricolor* Bellardi,1861; *furax* Williston,1885 **US Cf Ut Arz Col NMx Tx MX CA On BCo GT VE**
13. **Albibarbefferia armatus (Hine,1918)** (Asilidae) Synonym(s): *armatus* Hine,1918 **US Tx MX**
14. **Albibarbefferia bicolor (Bellardi,1861)** (Asilidae) Synonym(s): *bicolor* Bellardi,1861 **US Cf Arz NMx Ut MX**
15. **Albibarbefferia bimaculata (Bellardi,1861)** (Asilidae) Synonym(s): *bimaculata* Bellardi,1861 **MX**
16. **Albibarbefferia cingulata (Bellardi,1861)** (Asilidae) Synonym(s): *cingulata* Bellardi,1861 **MX**
17. **Albibarbefferia duncani Wilcox,1966** (Asilidae) Synonym(s): *duncani* Wilcox,1966 **US Arz MX**
18. **Albibarbefferia eximia (Bellardi,1861)** (Asilidae) Synonym(s): *eximia* Bellardi,1861 **MX**
19. **Albibarbefferia grandis (Hine,1919)** (Asilidae) Synonym(s): *grandis* Hine,1919 **US Cf Tx MX**
20. **Albibarbefferia marginata (Bellardi,1861)** (Asilidae) Synonym(s): *marginata* Bellardi,1861 **MX**
21. **Albibarbefferia peralta (Wilcox,1966)** (Asilidae) Synonym(s): *peralta* Wilcox,1966 **US Cf MX**
22. **Albibarbefferia quadrimaculata (Bellardi,1861)** (Asilidae) Synonym(s): *quadrimaculata* Bellardi,1861 **MX VE**
23. **Albibarbefferia sagax (Williston,1901)** (Asilidae) Synonym(s): *sagax* Williston,1901 **MX**
24. **Albibarbefferia sonorensis (Forbes,1987)** (Asilidae) Synonym(s): *sonorensis* Forbes,1987 **MX**
25. **Albibarbefferia vertebrata (Bromley,1940)** (Asilidae) Synonym(s): *vertebrata* Bromley,1940 **US Cf MX**
26. **Amblyonychus lateralis (Walker,1860)** (Asilidae) Synonym(s): *lateralis* Walker,1860 **MX**
27. **Amblyonychus ovatus (Martin,1867)** (Asilidae) Synonym(s): *ovatus* Martin,1867 **MX**
28. **Amblyonychus pulchellus (Bellardi,1861)** (Asilidae) Synonym(s): *pulchellus* Bellardi,1861 **MX**
29. **Amblyonychus trapezoidalis (Bellardi,1861)** (Asilidae) Synonym(s): *trapezoidalis* Bellardi,1861 **MX GT NI CR GY PE US Tx**
30. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000 **TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU**
31. **Andrenosoma cinctum (Bellardi,1861)** (Asilidae) Synonym(s): *cinctum* Bellardi,1861 **MX**
32. **Andrenosoma cinereum (Bellardi,1861)** (Asilidae) Synonym(s): *cinereum* Bellardi,1861 **MX**
33. **Andrenosoma corallia Martin,1966** (Asilidae) Synonym(s): *corallia* Martin,1966 **US Tx MX**
34. **Andrenosoma erax Bromley,1934** (Asilidae) Synonym(s): *erax* Bromley,1934 **MX GY**
35. **Andrenosoma erythrogaster (Wiedemann,1828)** (Asilidae) Synonym(s): *erythrogaster* Wiedemann,1828; *contusa* Wiedemann,1828; *clausicella* Macquart,1850; *laticornis* Walker,1855 **BR PE GY MX GF**
36. **Andrenosoma formidolosum (Walker,1860)** (Asilidae) Synonym(s): *formidolosum* Walker,1860 **MX GY NI PA**
37. **Andrenosoma fulvicaudum (Say,1823)** (Asilidae) Synonym(s): *fulvicaudum* Say,1823; *lutea* McAtee,1919 **US Cf Fl Ut Col NMx Tx MX CA BCo On Alb**
38. **Andrenosoma igneum Bromley,1929** (Asilidae) Synonym(s): *igneum* Bromley,1929 **GT US Tx MX**
39. **Andrenosoma rubidum (Williston,1901)** (Asilidae) Synonym(s): *rubidum* Williston,1901 **MX**
40. **Andrenosoma sexpunctata (Williston,1901)** (Asilidae) Synonym(s): *sexpunctata* Williston,1901 **MX**
41. **Andrenosoma xanthocnemum (Wiedemann,1828)** (Asilidae) Synonym(s): *xanthocnemum* Wiedemann,1828 **MX PE VE BR**
42. **Angela miranda Saussure,1871** (Mantidae) Synonym(s): *miranda* Saussure,1871 **MX CO**
43. **Anthrax agrippina Osten Sacken,1887** (Bombyliidae) Synonym(s): *agrippina* Osten Sacken,1887 **US MX Snr**
44. **Anthrax albofasciatus Macquart,1840** (Bombyliidae) Synonym(s): *analisis* Macquart,1835; *albofasciatus* Macquart,1840; *antecedens* Walker,1852 **CA Abt US Tx MX GT HN**
45. **Anthrax alcyon Say,1824** (Bombyliidae) Synonym(s): *alcyon* Say,1824 **US MX**
46. **Anthrax analis Say,1823** (Bombyliidae) Synonym(s): *analisis* Say,1823; *georgica* Macquart,1834; *latelimbatus* Bigot,1892; *occidentalis* Johnson,1913; *grossbecki* Johnson,1913; *freyi* Hackman,1956 **CA US MX HN**
47. **Anthrax arenosa (Coquillett,1892)** (Bombyliidae) Synonym(s): *rivularis* Robineau-Desvoidy,1830; *arenosa* Coquillett,1892; **US NMx MX**
48. **Anthrax arethusa Osten Sacken,1886** (Bombyliidae) Synonym(s): *arethusa* Osten Sacken,1886 **US MX GT CR**

49. **Anthrax artemesia Marston,1963** (Bombyliidae) Synonym(s): *artemesia Marston,1963* US
MX
50. **Anthrax astarte (Wiedemann,1830)** (Bombyliidae) Synonym(s): *astarte Wiedemann,1830*;
recta Walker,1852 MX HN
51. **Anthrax atriplex Marston,1970** (Bombyliidae) Synonym(s): *atriplex Marston,1970* US Tx MX
52. **Anthrax californicus Cole,1917** (Bombyliidae) Synonym(s): *californicus Cole,1917* US Cf MX
BcN
53. **Anthrax caliptera Say,1823** (Bombyliidae) Synonym(s): *caliptera Say,1823* US MX Dgo
54. **Anthrax castanea (Jaennicke,1867)** (Bombyliidae) Synonym(s): *castanea Jaennicke,1867*;
hirsuta Williston,1901 MX GT
55. **Anthrax cathetodaithmos Marston,1970** (Bombyliidae) Synonym(s): *cathetodaithmos*
Marston,1970 MX PA CO PE BR
56. **Anthrax ceria (Williston,1901)** (Bombyliidae) Synonym(s): *ceria Williston,1901* MX
57. **Anthrax flaviceps (Loew,1869)** (Bombyliidae) Synonym(s): *flaviceps Loew,1869*; *latipennis*
Becker,1894 US NMx Tx MX
58. **Anthrax palliata Loew,1869** (Bombyliidae) Synonym(s): *palliata Loew,1869* US MX
59. **Anthrax perplexa Coquillett,1887** (Bombyliidae) Synonym(s): *bertei Rondani,1867*; *perplexa*
Coquillett,1887 US Cf MX
60. **Anthrax willistoni (Coquillett,1887)** (Bombyliidae) Synonym(s): *latipalpis Meigen,1826*;
willistoni Coquillett,1887 US MX
61. **Apachekolos crinita Martin,1957** (Asilidae) Synonym(s): *crinita Martin,1957* US NMx Ari Cf
MX
62. **Apachekolos scapularis (Bigot,1878)** (Asilidae) Synonym(s): *scapularis Bigot,1878* US Cf Tx
MX
63. **Aphestia nigra Bigot,1878** (Asilidae) Synonym(s): *nigra Bigot,1878*; *mexicana Williston,1901*;
andrenoides Bromley,1934 MX PE GY AR
64. **Bombylius (s.str.) albopenicillatus Bigot,1892** (Bombyliidae) Synonym(s): *albopenicillatus*
Bigot,1892 US MX Tx
65. **Bombylius (s.str.) aleophilus (Hall & Evenhuis,1981)** (Bombyliidae) Synonym(s):
aleophilus Hall & Evenhuis,1981 US MX
66. **Bombylius (s.str.) anthophilus Evenhuis,1983** (Bombyliidae) Synonym(s): *anthophilus*
Evenhuis,1983 MX US Cf Arz
67. **Bombylius (s.str.) aureocookae Evenhuis,1984** (Bombyliidae) Synonym(s): *aureocookae*
Evenhuis,1984 MX
68. **Bombylius (s.str.) aureus (Evenhuis,1977)** (Bombyliidae) Synonym(s): *aureus Evenhuis,1977*
MX
69. **Bombylius (s.str.) aztec Evenhuis,1984** (Bombyliidae) Synonym(s): *aztec Evenhuis,1984* MX
70. **Bombylius (s.str.) ballmeri Hall & Evenhuis,1980** (Bombyliidae) Synonym(s): *ballmeri Hall*
& Evenhuis,1980 US Cf Arz MX
71. **Bombylius (s.str.) boharti Evenhuis,1984** (Bombyliidae) Synonym(s): *boharti Evenhuis,1984*
MX
72. **Bombylius (s.str.) breviabdominalis Evenhuis,1977** (Bombyliidae) Synonym(s):
breviabdominalis Evenhuis,1977 US Cf MX BcN
73. **Bombylius (s.str.) clio Williston,1901** (Bombyliidae) Synonym(s): *clio Williston,1901* MX GT
74. **Bombylius (s.str.) duncani Painter,1940** (Bombyliidae) Synonym(s): *duncani Painter,1940*
MX US Arz Cf NMx
75. **Bombylius (s.str.) facialis Cresson,1919** (Bombyliidae) Synonym(s): *facialis Cresson,1919*
MX US Arz Cf Col Ut NMx
76. **Bombylius (s.str.) fisheri Evenhuis,1984** (Bombyliidae) Synonym(s): *fisheri Evenhuis,1984*
MX GT NI
77. **Bombylius (s.str.) flavifacies Hall & Evenhuis,1980** (Bombyliidae) Synonym(s): *flavifacies*
Hall & Evenhuis,1980 MX US Cf
78. **Bombylius (s.str.) flavipilosus Cole,1923** (Bombyliidae) Synonym(s): *flavipilosus Cole,1923*
MX US Arz NMx
79. **Bombylius (s.str.) forbesi Evenhuis,1983** (Bombyliidae) Synonym(s): *forbesi Evenhuis,1983*
MX
80. **Bombylius (s.str.) frommerorum Hall & Evenhuis,1980** (Bombyliidae) Synonym(s):
#pallidus Bath,1974; *frommerorum Hall & Evenhuis,1980* MX US NMx Tx Arz
81. **Bombylius (s.str.) gossyporrhus Evenhuis,1984** (Bombyliidae) Synonym(s): *gossyporrhus*
Evenhuis,1984 MX
82. **Bombylius (s.str.) grandiosus Evenhuis,1984** (Bombyliidae) Synonym(s): *grandiosus*
Evenhuis,1984 MX
83. **Bombylius (s.str.) io Williston,1901** (Bombyliidae) Synonym(s): *io Williston,1901* MX
84. **Bombylius (s.str.) leberi Evenhuis,1984** (Bombyliidae) Synonym(s): *leberi Evenhuis,1984*
MX

85. **Bombylius (s.str.) marilynae Evenhuis,1984** (Bombyliidae) Synonym(s): *marilynae Evenhuis,1984* **MX**
86. **Bombylius (s.str.) mexicanus Wiedemann,1821** (Bombyliidae) Synonym(s): *mexicanus Wiedemann,1821; philadelphicus Macquart,1840; fulvibasis Macquart,1855* **MX US FI Ny**
87. **Bombylius (s.str.) plichtai Hall & Evenhuis,1980** (Bombyliidae) Synonym(s): *#nimisuppleo Bath,1974; plichtai Hall & Evenhuis,1980* **MX**
88. **Bombylius (s.str.) pulcherrimus Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *pulcher Evenhuis & Greathead,1980 nec Paint.,1926; pulcherrimus Evenhuis & Greathead,1999* **MX**
89. **Bombylius (s.str.) quadricolor Evenhuis,1984** (Bombyliidae) Synonym(s): *quadricolor Evenhuis,1984* **MX**
90. **Bombylius (s.str.) rhea Evenhuis,1984** (Bombyliidae) Synonym(s): *rhea Evenhuis,1984* **MX**
91. **Bombylius (s.str.) sylphae Evenhuis,1984** (Bombyliidae) Synonym(s): *sylphae Evenhuis,1984* **MX US Arz**
92. **Bombylius (s.str.) willistoni Evenhuis,1984** (Bombyliidae) Synonym(s): *willistoni Evenhuis,1984* **MX**
93. **Bombylius (s.str.) zircon Evenhuis,1984** (Bombyliidae) Synonym(s): *zircon Evenhuis,1984* **MX US Tx**
94. **Brachycyrtus ornatus Kriechbaumer,1880** (Ichneumonidae) Synonym(s): *ornatus Kriechbaumer,1880* **TR MX**
95. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* **IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU**
96. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* **Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
97. **Cesamexico constricticollis (Bates,1869)** (Scarabaeidae) Synonym(s): *constricticollis Bates,1869* **MX**
98. **Cesamorelosia bonasus (Reinhard,1964)** (Tachinidae) Synonym(s): *bonasus Reinhard,1964* **MX**
99. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* **DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA**
100. **Choeradodis rhombicollis (Latreille,1803)** (Mantidae) Synonym(s): *rhombicollis Latreille,1803* **BZ CR EC GF GT CO MX NI PA PE**
101. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crawford,1913; meridionalis Silvestri,1914; sylvia Girault,1917; camilli Girault,1917* **AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU**
102. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae Riley,1887* **MX CA US GB DE YU TR CZ NL HU MD UA RU JP**
103. **Culicoides acotylus Lutz,1913** (Ceratopogonidae) Synonym(s): *acotylus Lutz,1913; panamericanus Fox,1947* **BR MX**
104. **Culicoides alambiculorum Macfie,1948** (Ceratopogonidae) Synonym(s): *alambiculorum Macfie,1948* **MX**
105. **Culicoides albomaculus Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *albomaculus Root & Hoffman,1937* **MX**
106. **Culicoides bajensis Wirth & Moraes,1979** (Ceratopogonidae) Synonym(s): *bajensis Wirth & Moraes,1979* **MX**
107. **Culicoides bakeri Vargas,1954** (Ceratopogonidae) Synonym(s): *bakeri Vargas,1954* **MX**
108. **Culicoides blantoni Vargas & Wirth,1955** (Ceratopogonidae) Synonym(s): *blantoni Vargas & Wirth,1955* **MX**
109. **Culicoides cacozelus Macfie,1948** (Ceratopogonidae) Synonym(s): *cacozelus Macfie,1948* **MX**
110. **Culicoides copiosus Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *copiosus Root & Hoffman,1937* **MX**
111. **Culicoides daedalus Macfie,1948** (Ceratopogonidae) Synonym(s): *daedalus Macfie,1948* **MX**
112. **Culicoides dampfi Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *dampfi Root & Hoffman,1937* **MX**
113. **Culicoides donajii Vargas,1954** (Ceratopogonidae) Synonym(s): *donajii Vargas,1954* **MX**
114. **Culicoides elutus Macfie,1948** (Ceratopogonidae) Synonym(s): *elutus Macfie,1948* **MX**

115. **Culicoides filariferus Hoffman,1939** (Ceratopogonidae) Synonym(s): *filariferus Hoffman,1939* MX
116. **Culicoides insolatus Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *insolatus Wirth & Hubert,1960* MX
117. **Culicoides luteovenus Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *luteovenus Root & Hoffman,1937* MX
118. **Culicoides neghmei Vargas,1955** (Ceratopogonidae) Synonym(s): *neghmei Vargas,1955* MX
119. **Culicoides palpalis Macfie,1948** (Ceratopogonidae) Synonym(s): *palpalis Macfie,1948* MX
120. **Culicoides pampoikilus Macfie,1948** (Ceratopogonidae) Synonym(s): *pampoikilus Macfie,1948* MX
121. **Culicoides parascopus Wirth & Blanton,1978** (Ceratopogonidae) Synonym(s): *parascopus Wirth & Blanton,1978* MX
122. **Culicoides poikilonotus Macfie,1948** (Ceratopogonidae) Synonym(s): *poikilonotus Macfie,1948* MX
123. **Culicoides propinquus Macfie,1948** (Ceratopogonidae) Synonym(s): *propinquus Macfie,1948* MX
124. **Culicoides propriipennis Macfie,1948** (Ceratopogonidae) Synonym(s): *propriipennis Macfie,1948* MX
125. **Culicoides scopus Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *scopus Root & Hoffman,1937* MX
126. **Culicoides torridus Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *torridus Wirth & Hubert,1960* MX
127. **Culicoides verecundus Macfie,1948** (Ceratopogonidae) Synonym(s): *verecundus Macfie,1948* MX
128. **Culicoides wirthomyia Vargas,1953** (Ceratopogonidae) Synonym(s): *wirthomyia Vargas,1953* MX
129. **Dasyhelea azteca Huerta & Grogan,2006** (Ceratopogonidae) Synonym(s): *azteca Huerta & Grogan,2006* MX
130. **Dasyhelea bajensis Wirth,1978** (Ceratopogonidae) Synonym(s): *bajensis Wirth,1978* MX
131. **Dasyhelea cactorum Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *cactorum Wirth & Hubert,1960* MX
132. **Dasyhelea griseola Wirth,1978** (Ceratopogonidae) Synonym(s): *griseola Wirth,1978* MX
133. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii Silvestri,1913* AU NSw QAu BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
134. **Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes Scopoli,1763; pennitarsis Fallén,1823; planitarsis Meigen,1824* Ce GG BG GR RO RU UA TR CN MX
135. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus Nees,1834; argissa Walker,1839; eurybates Walker,1839; saon Walker,1839; opaculus Thomson,1878; coxalis Howard,1885; viridaeneus Cresson,1887; pini Gahan,1927* TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US Arz Cf Oh YU
136. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
137. **Euxesta stigmatias Loew,1873** (Ulidiidae) Synonym(s): *stigmatias Loew,1873* US MX BG
138. **Geron albidipennis Loew,1870** (Bombyliidae) Synonym(s): *albidipennis Loew,1870* MX US Arz Cf NMx Tx Ut
139. **Grylloides sigillatus (Walker,1869)** (Gryllidae) Synonym(s): *sigillatus Walker,1869* MX US CU DE IN
140. **Hemipenthes blanchardiana (Jaennicke,1867)** (Bombyliidae) Synonym(s): *blanchardiana Jaennicke,1867* MX US Cf Arz Tx
141. **Hemipenthes chimaera (Osten Sacken,1886)** (Bombyliidae) Synonym(s): *chimaera Osten Sacken,1886* MX US Arz
142. **Hemipenthes curtus (Loew,1869)** (Bombyliidae) Synonym(s): *curtus Loew,1869* US Cf Arz NMx Tx MX
143. **Hemipenthes eumenes (Osten Sacken,1886)** (Bombyliidae) Synonym(s): *eumenes Osten Sacken,1886* CA MX US Arz Cf Col Mon NMx PR
144. **Idiomacromerus perplexus (Gahan,1914)** (Torymidae) Synonym(s): *perplexus Gahan,1914* IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ
145. **Ischnus inquisitorius (Müller,1776)** (Ichneumonidae) Synonym(s): *inquisitorius Müller,1776* MX TR
146. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
147. **Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): *compta Fallén,1810; compta Meigen,1824; fulgeus Meigen,1824; heraclei Robineau-Desvoidy,1830; aestivalis Robineau-Desvoidy,1830;*

- borealis* Robineau-Desvoidy,1830; *longipes* Robineau-Desvoidy,1830; *oenanthis* Robineau-Desvoidy,1830; *humeralis* Robineau-Desvoidy,1863 CA US MX TR SE Cc MN GB RU Ur
148. **Litaneutria ocularis** Saussure,1892 (Mantidae) Synonym(s): *ocularis* Saussure,1892 MX US Tx
149. **Lucanus (Pseudolucanus) mazama** (LeConte,1861) (Lucanidae) Synonym(s): *mazama* LeConte,1861 US Ut MX
150. **Machimus nearcticus** Koçak & Kemal,2008 (Asilidae) Synonym(s): *occidentalis* Hine,1909 nec Philippi,1865; *nearcticus* Koçak & Kemal,2008 Machimus nearcticus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 12 (nomen novum pro *occidentalis* Hine,1909 nec Philippi,1865). US MX
151. **Macrorileya inopinata** (Silvestri,1920) (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920 TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU
152. **Megastigmus pistaciae** Walker,1871 (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877 ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US
153. **Melliera chorotega** Rehn,1935 (Mantidae) Synonym(s): *chorotega* Rehn,1935 CR MX
154. **Melliera major** (Saussure,1872) (Mantidae) Synonym(s): *major* Saussure,1872; *atopogamia* Saussure,1892 BR CR GT MX NI
155. **Muhabetiella quirozi** (Norrbon,1994) (Tephritidae) Synonym(s): *quirozi* Norrbom,1994 MX
156. **Muhabetiella tau** (Foote,1978) (Tephritidae) Synonym(s): *tau* Foote,1978 MX GT CR
157. **Muscidifurax raptor** Girault & Sanders,1910 (Pteromalidae) Synonym(s): *raptor* Girault & Sanders,1910; *perplexa* Hedqvist,1973 AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
158. **Nahua azteca** (Lane,1959) (Sciaridae) Synonym(s): *azteca* Lane,1959 MX
159. **Ommatius mexicanus** Koçak & Kemal,2008 (Asilidae) Synonym(s): *apicalis* Bellardi,1861 nec Wiedem.,1821; *mexicanus* Koçak & Kemal,2008 Ommatius mexicanus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro *apicalis* Bellardi,1861 nec Wiedem.,1821). MX
160. **Philonicus mexicanus** Koçak & Kemal,2008 (Asilidae) Synonym(s): *fuliginosus* Bellardi,1861 nec Panz.,1798; *mexicanus* Koçak & Kemal,2008 Philonicus mexicanus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 11 (nomen novum pro *fuliginosus* Bellardi,1861 nec Panzer,1798). MX
161. **Proctacanthella cesa** Koçak & Kemal,2008 (Asilidae) Synonym(s): *leucopogon* Williston,1893 nec Wied.,1828; *cesa* Koçak & Kemal,2008 Proctacanthella cesa Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 12 (nomen novum pro *leucopogon* Williston,1893 nec Wied.,1828). US MX
162. **Retanathrips chilticus** (Johansen,1986) (Thripidae) Synonym(s): *chilticus* Johansen,1986 MX
163. **Retanathrips funestus** (Hood,1915) (Thripidae) Synonym(s): *funestus* Hood,1915 MX JM PR CR
164. **Retanathrips inconstantis** (Johansen & Mojica,1986) (Thripidae) Synonym(s): *inconstantis* Johansen & Mojica,1986 MX
165. **Saltella sphondylii** (Schrank,1803) (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
166. **Sepsis neocynipsea** Melander & Spuler,1917 (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
167. **Tetramesa maderae** (Walker,1849) (Eurytomidae) Synonym(s): *maderae* Walker,1849 TR CA IT Md MX UA US IR Th Fa
168. **Toxophora maxima** Coquillett,1886 (Bombyliidae) Synonym(s): *maxima* Coquillett,1886 MX US Arz Cf NMx Tx
169. **Toxophora virgata** Osten Sacken,1877 (Bombyliidae) Synonym(s): *virgata* Osten Sacken,1877 MX US Arz Cf Col NMx Tx Ut
170. **Vespa orientalis** Linnaeus,1771 (Vespidae) Synonym(s): *orientalis* Linnaeus,1771 GR TR JO IR Cc AF KK MX
171. **Villa albicincta** Cole,1923 (Bombyliidae) Synonym(s): *albicincta* Cole,1923 MX
172. **Villa albicollaris** Cole,1923 (Bombyliidae) Synonym(s): *albicollaris* Cole,1923 MX
173. **Villa ariditata** Cole,1923 (Bombyliidae) Synonym(s): *ariditata* Cole,1923 MX
174. **Villa dianella** Painter & Painter,1962 (Bombyliidae) Synonym(s): *dianella* Painter & Painter,1962 MX GT

175. **Villa edititoides Painter,1933** (Bombyliidae) Synonym(s): *edititoides Painter,1933* **US MX**
176. **Villa flavicincta Cole,1923** (Bombyliidae) Synonym(s): *flavicincta Cole,1923* **MX**
177. **Villa fumicosta Painter & Painter,1962** (Bombyliidae) Synonym(s): *fumicosta Painter & Painter,1962* **US MX**
178. **Villa incisvia Painter & Painter,1962** (Bombyliidae) Synonym(s): *incisvia Painter & Painter,1962* **US MX**
179. **Villa martinorum Painter & Painter,1962** (Bombyliidae) Synonym(s): *martinorum Painter & Painter,1962* **MX**
180. **Villa meridionalis Cole,1923** (Bombyliidae) Synonym(s): *meridionalis Cole,1923* **BcN MX**
181. **Villa miscella (Coquillett,1887)** (Bombyliidae) Synonym(s): *miscella Coquillett,1887* **US MX BcN**
182. **Villa nitida Cole,1923** (Bombyliidae) Synonym(s): *nitida Cole,1923* **MX Snr**
183. **Villa nivea Cole,1923** (Bombyliidae) Synonym(s): *nivea Cole,1923* **BcN MX**
184. **Villa peninsularis Cole,1923** (Bombyliidae) Synonym(s): *peninsularis Cole,1923* **MX**
185. **Villa pima Painter & Painter,1962** (Bombyliidae) Synonym(s): *pima Painter & Painter,1962* **US MX**
186. **Villa psammia Cole,1960** (Bombyliidae) Synonym(s): *arenicola Cole,1923; psammia Cole,1960* **US Ut MX BcN**
187. **Villa quivera Painter,1933** (Bombyliidae) Synonym(s): *quivera Painter,1933* **US NMx MX Dgo**
188. **Villa sini Cole,1923** (Bombyliidae) Synonym(s): *sini Cole,1923* **US Cf MX BcN**
189. **Villa sonorensis Cole,1923** (Bombyliidae) Synonym(s): *sonorensis Cole,1923* **MX Snr**
190. **Villa vanduzeei Cole,1923** (Bombyliidae) Synonym(s): *vanduzeei Cole,1923* **US Ut Col Tx MX**
191. **Villa vastititas Cole,1923** (Bombyliidae) Synonym(s): *vastititas Cole,1923* **MX BcN**
192. **Villa yaqui Painter & Painter,1962** (Bombyliidae) Synonym(s): *yaqui Painter & Painter,1962* **US Arz MX**
193. **Vivamexico tamaulipeca (Trjapitzin & Myartseva,2004)** (Encyrtidae) Synonym(s): *tamaulipeca Trjapitzin & Myartseva,2004* **MX**
194. **Yersinia mexicana Saussure,1869** (Mantidae) Synonym(s): *mexicana Saussure,1869* **MX**
195. **Yersinops newboldi Hebard,1931** (Mantidae) Synonym(s): *newboldi Hebard,1931* **US Cf MX**

Synonymic and distributional list of the pterygot insects of Peru

(Results of the Entomofauna of the World based upon info-system of the Cesa)

84

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Peru (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 84.

Priamus (suppl.) 18: 2863-2865.

In this study, totally 61 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Peru recorded in info-sytem of the Cesa, total pterygot species of Peru increase to 932.

Key words: List, distribution, *pterygota*, *Insecta*, Peru.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 61 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 871 recorded species of Lepidoptera from Peru are found. Taking this information into consideration, total number of the pterygots may increase to 932.

The study is still continuing, and the new results will be published within this Project.

1. **Acronyches fenestratulus Hermann,1921** (Asilidae) Synonym(s): *fenestratulus Hermann,1921; giganteus Hull,1962* PE BR AR PY
2. **Alyssomyia brevicornis (Philippi,1865)** (Asilidae) Synonym(s): *brevicornis Philippi,1865* CL PE
3. **Amblyonychus annularis (Fabricius,1805)** (Asilidae) Synonym(s): *annularis Fabricius,1805* GY PE VE BO
4. **Amblyonychus horni (Bromley,1935)** (Asilidae) Synonym(s): *horni Bromley,1935* PE BO
5. **Amblyonychus titan (Carrera,1959)** (Asilidae) Synonym(s): *titan Carrera,1959* BO PE
6. **Amblyonychus trapezoidalis (Bellardi,1861)** (Asilidae) Synonym(s): *trapezoidalis Bellardi,1861* MX GT NI CR GY PE US Tx
7. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
8. **Anarmostus iopterus (Wiedemann,1828)** (Asilidae) Synonym(s): *iopterus Wiedemann,1828; albolineata Macquart,1850* BR GY PE BO
9. **Andicesa nitens (Townsend,1914)** (Tachinidae) Synonym(s): *nitens Townsend,1914* PE
10. **Andicesa puna (Townsend,1914)** (Tachinidae) Synonym(s): *puna Townsend,1914* PE

11. **Andrenosoma erythrogaster (Wiedemann,1828)** (Asilidae) Synonym(s): *erythrogaster* Wiedemann,1828; *contusa* Wiedemann,1828; *clausicella* Macquart,1850; *laticornis* Walker,1855 **BR PE GY MX GF**
12. **Andrenosoma erythropyga (Wiedemann,1828)** (Asilidae) Synonym(s): *erythropyga* Wiedemann,1828 **PE BR**
13. **Andrenosoma nigrum Bromley,1931** (Asilidae) Synonym(s): *nigrum* Bromley,1931 **PE EC**
14. **Andrenosoma olbus (Walker,1849)** (Asilidae) Synonym(s): *olbus* Walker,1849; *minos* Bromley,1931; *cyaniventris* Bromley,1934 **HN GT CR VE PE BR EC GY**
15. **Andrenosoma phoenicogaster (Hermann,1912)** (Asilidae) Synonym(s): *phoenicogaster* Hermann,1912 **BO PE BR PA**
16. **Andrenosoma pyrrophyga (Wiedemann,1828)** (Asilidae) Synonym(s): *pyrrophyga* Wiedemann,1828 **BR PE GY**
17. **Andrenosoma rubidapex (Hermann,1912)** (Asilidae) Synonym(s): *rubidapex* Hermann,1912; *elegans* Bromley,1934 **CR VE GY BR PE**
18. **Andrenosoma sarcophagum (Hermann,1912)** (Asilidae) Synonym(s): *sarcophagum* Hermann,1912 **PE CR**
19. **Andrenosoma xanthocnemum (Wiedemann,1828)** (Asilidae) Synonym(s): *xanthocnemum* Wiedemann,1828 **MX PE VE BR**
20. **Angela armata (De Haan,1842)** (Mantidae) Synonym(s): *armata* De Haan,1842 **BR CR EC GF PE CO**
21. **Angela peruviana (Giglio-Tos,1916)** (Mantidae) Synonym(s): *peruviana* Giglio-Tos,1916 **BR PE CO**
22. **Angela purpurascens (Olivier,1792)** (Mantidae) Synonym(s): *purpurascens* Olivier,1792 **BR GF SR PE CO**
23. **Anthrax brachialis (Thomson,1869)** (Bombyliidae) Synonym(s): *brachialis* Thomson,1869 **GS PE**
24. **Anthrax cathetodaithmos Marston,1970** (Bombyliidae) Synonym(s): *cathetodaithmos* Marston,1970 **MX PA CO PE BR**
25. **Anthrax macquarti Andretta & Carrera,1952** (Bombyliidae) Synonym(s): *trilineata* Meigen,1838; *macquarti* Andretta & Carrera,1952 **VE SR GF PE BO PY BR**
26. **Aphamartania digna Pritchard,1941** (Asilidae) Synonym(s): *digna* Pritchard,1941 **PE**
27. **Aphestia nigra Bigot,1878** (Asilidae) Synonym(s): *nigra* Bigot,1878; *mexicana* Williston,1901; *andrenoides* Bromley,1934 **MX PE GY AR**
28. **Aphractia vivax (Hermann,1912)** (Asilidae) Synonym(s): *vivax* Hermann,1912 **PE VE**
29. **Aquiarina carinatus (Elliot,1931)** (Stephanidae) Synonym(s): *carinatus* Elliot,1931 **PE**
30. **Aquiarina orfilanus (Fritz & Scaramozzino,1993)** (Stephanidae) Synonym(s): *orfilanus* Fritz & Scaramozzino,1993 **BR PE**
31. **Aquiarina ruficeps (Cameron,1887)** (Stephanidae) Synonym(s): *ruficeps* Cameron,1887 **BR PA PE**
32. **Aquiarina stenogulatus (Aguilar,1998)** (Stephanidae) Synonym(s): *stenogulatus* Aguilar,1998 **PE TT**
33. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman,1836 **IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US**
34. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933 **IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU**
35. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924 **Tephritis capitata** Wiedemann,1824, *Analecta entomologica*: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). **TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA**
36. **Cesagaster silacea (Martin,1976)** (Asilidae) Synonym(s): *silacea* Martin,1976 **PE**
37. **Cesaperua xanthomelanoides (Townsend,1934)** (Tachinidae) Synonym(s): *xanthomelanoides* Townsend,1934 **PE**
38. **Choeradodis laticollis Audinet-Serville,1831** (Mantidae) Synonym(s): *laticollis* Audinet-Serville,1831 **BR EC GF CO PE SR**
39. **Choeradodis rhombicollis (Latreille,1803)** (Mantidae) Synonym(s): *rhombicollis* Latreille,1803 **BZ CR EC GF GT CO MX NI PA PE**
40. **Choeradodis strumaria (Linnaeus,1758)** (Mantidae) Synonym(s): *strumaria* Linnaeus,1758 **GF CO PE SR**
41. **Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907 **TR AM Cc AU QAU WAU AZ BG Cn HV CZ ER ET HU IN IT Si KE LY MD MA NZ PK CN Pkn Hn Hpe Sha PE RO RU SK ES CH TZ TM AE UZ YE YU**

42. **Culicoides diversus Felipe-Bauer,2003** (Ceratopogonidae) Synonym(s): *diversus Felipe-Bauer,2003* PE
43. **Culicoides efferus Fox,1952** (Ceratopogonidae) Synonym(s): *efferus Fox,1952* PE
44. **Culicoides hitchcocki Spinelli & Wirth,1984** (Ceratopogonidae) Synonym(s): *hitchcocki Spinelli & Wirth,1984* PE
45. **Culicoides huaynacapaci Felipe-Bauer,2008** (Ceratopogonidae) Synonym(s): *huaynacapaci Felipe-Bauer,2008* PE
46. **Culicoides jurbergi Felipe-Bauer,2005** (Ceratopogonidae) Synonym(s): *jurbergi Felipe-Bauer,2005* PE
47. **Culicoides peruvianus Felipe-Bauer,2003** (Ceratopogonidae) Synonym(s): *peruvianus Felipe-Bauer,2003* PE
48. **Culicoides pseudoheliconiae Felipe-Bauer,2008** (Ceratopogonidae) Synonym(s): *pseudoheliconiae Felipe-Bauer,2008* PE
49. **Dasyhelea hirtipes (Kieffer,1917)** (Ceratopogonidae) Synonym(s): *hirtipes Kieffer,1917* PE
50. **Dasyhelea mediomunda Minaya,1978** (Ceratopogonidae) Synonym(s): *mediomunda Minaya,1978* PE
51. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii Silvestri,1913* AU NSW QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
52. **Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemii Robineau-Desvoidy,1830; doronici Robineau-Desvoidy,1830; herbarum Robineau-Desvoidy,1830; linariae Robineau-Desvoidy,1830; pratensis Robineau-Desvoidy,1830; scorzonerae Robineau-Desvoidy,1830* TR AZ Cc EE ET PH GG Hw GB IR IL Pa JP KG LT MD RU IT Si UA RU Sb Us CN Hw PE
53. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
54. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850* ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
55. **Grandcolasia bora (Desutter-Grandcolas,1992)** (Gryllidae) Synonym(s): *bora Desutter-Grandcolas,1992* PE
56. **Huseyinia desecata (Zettel,1990)** (Braconidae) Synonym(s): *desecata Zettel,1990* Fischeriella desecata Zettel,1990, Annln naturh. Mus. Wien 91B: 181-182, figs. Holotype ♀: Ecuador: Pichincha 47km s S.Domingo R. Palenque Station 200m 7.1975 (leg. Forsyth) (BRC Ottawa). EC PE
57. **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis Girault,1915* TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ CN PE SN SL ES SE TJ TM GB US RU UZ
58. **Muhabetiella obliqua (Hendel,1914)** (Tephritidae) Synonym(s): *obliqua Hendel,1914* PE BO PA
59. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* AR AU NSW QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE
60. **Tropicophyllum clausum (Grant,1958)** (Tettigoniidae) Synonym(s): *clausum Grant,1958* PE
61. **Villa detecta (Walker,1852)** (Bombyliidae) Synonym(s): *detecta Walker,1852* CL PE

Synonymic and distributional list of the pterygot insects of Surinam

(Results of the Entomofauna of the World based upon info-system of the Cesa)

85

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Surinam (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – **85**.
Priamus (suppl.) 18: 2866-2867.

In this study, totally 20 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Surinam recorded in info-system of the Cesa, total pterygot species of Surinam increase to 186.

Key words: List, distribution, *pterygota*, *Insecta*, Surinam.

Brief explanatory information:

Previously published article	no
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 20 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 166 recorded species of Lepidoptera from Surinam are found. Taking this information into consideration, total number of the pterygots may increase to 186.

The study is still continuing, and the new results will be published within this Project.

1. **Acronyches geosarginus Papavero,1971** (Asilidae) Synonym(s): *geosarginus Papavero,1971* **SR**
2. **Acronyches willistoni Hermann,1921** (Asilidae) Synonym(s): *willistoni Hermann,1921* **SR**
3. **Amblyonychus flavifasciatus (Macquart,1838)** (Asilidae) Synonym(s): *flavifasciatus Macquart,1838* **SR BR**
4. **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius Rossi,1790; variegatus Wiedemann,1818; pictus Wiedemann,1821* **AT AL FR GR IT RO TR YU KG SR IL Pa**
5. **Andrenosoma flamipennis Bromley,1931** (Asilidae) Synonym(s): *flamipennis Bromley,1931* **SR VE GF BR**
6. **Andrenosoma heros Bromley,1931** (Asilidae) Synonym(s): *heros Bromley,1931* **SR BR**
7. **Andrenosoma rufipennis (Wiedemann,1828)** (Asilidae) Synonym(s): *rufipennis Wiedemann,1828* **GY BR SR VE**
8. **Angela guianensis Rehn,1906** (Mantidae) Synonym(s): *guianensis Rehn,1906* **BO BR CR GF GY CO SR VE**
9. **Angela purpurascens (Olivier,1792)** (Mantidae) Synonym(s): *purpurascens Olivier,1792* **BR GF SR PE CO**

10. **Angela quinquemaculata (Olivier,1792)** (Mantidae) Synonym(s): *quinquemaculata Olivier,1792* **BR GF SR VE TT CO**
11. **Angela saussurii Giglio-Tos,1927** (Mantidae) Synonym(s): *saussurii Giglio-Tos,1927* **BR GF SR VE**
12. **Angela weneri Chopard,1914** (Mantidae) Synonym(s): *weneri Chopard,1914* **GF SR VE**
13. **Anthrax macquarti Andretta & Carrera,1952** (Bombyliidae) Synonym(s): *trilineata Meigen,1838; macquarti Andretta & Carrera,1952* **VE SR GF PE BO PY BR**
14. **Aquiarina ¹⁵⁷ collarifer (Schletterer,1889)** (Stephanidae) Synonym(s): *collarifer Schletterer,1889* **BR SR**
15. **Aquiarina macrurus (Schletterer,1889)** (Stephanidae) Synonym(s): *macrurus Schletterer,1889* **BR SR**
16. **Cardioptera squalodon Werner,1932** (Mantidae) Synonym(s): *squalodon Werner,1932* **BR SR**
17. **Choeradodis laticollis Audinet-Serville,1831** (Mantidae) Synonym(s): *laticollis Audinet-Serville,1831* **BR EC GF CO PE SR**
18. **Choeradodis rhomboidea Stoll,1813** (Mantidae) Synonym(s): *rhomboidea Stoll,1813* **BO BR GF SR**
19. **Choeradodis strumaria (Linnaeus,1758)** (Mantidae) Synonym(s): *strumaria Linnaeus,1758* **GF CO PE SR**
20. **Iris strigosa Stoll,1813** (Irididae) Synonym(s): *strigosa Stoll,1813; fasciata Olivier,1813* **SR**

¹⁵⁷ genus name established by the authors.

Synonymic and distributional list of the pterygot insects of United States

(Results of the Entomofauna of the World based upon info-system of the Cesa)

86

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of United States (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 86.

Priamus (suppl.) 18: 2868-2884.

In this study, totally 481 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of United States recorded in info-system of the Cesa, total pterygot species of United States increase to 2418.

Key words: List, distribution, *pterygota*, *Insecta*, United States.

Brief explanatory information:

Previously published article	yes
Previously published report	yes
Expedition made by the Cesa	no
Planned expeditions	no
Further planned publications	yes

In this study, totally 481 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 1937 recorded species of Lepidoptera from United States are found. Taking this information into consideration, total number of the pterygots may increase to 2418.

The study is still continuing, and the new results will be published within this Project.

1. **Ablautus arnaudi Wilcox,1966** (Asilidae) Synonym(s): *arnaudi Wilcox,1966* **US Cf MX**
2. **Ablautus basini Wilcox,1966** (Asilidae) Synonym(s): *basini Wilcox,1966* **US**
3. **Ablautus californicus Wilcox,1935** (Asilidae) Synonym(s): *californicus Wilcox,1935* **US MX**
4. **Ablautus coachellus Wilcox,1966** (Asilidae) Synonym(s): *coachellus Wilcox,1966* **US Arz Cf MX**
5. **Ablautus colei Wilcox,1966** (Asilidae) Synonym(s): *colei Wilcox,1966* **US**
6. **Ablautus coquillettii Wilcox,1935** (Asilidae) Synonym(s): *coquillettii Wilcox,1935* **US Cf Arz NMx MX**
7. **Ablautus flavipes Coquillett,1904** (Asilidae) Synonym(s): *flavipes Coquillett,1904* **US Cf Arz MX**
8. **Ablautus linsleyi Wilcox,1966** (Asilidae) Synonym(s): *linsleyi Wilcox,1966* **US Cf**
9. **Ablautus mimus (Osten-Sacken,1877)** (Asilidae) Synonym(s): *mimus Osten-Sacken,1877* **US Cf Col MX**
10. **Ablautus rubens Coquillett,1904** (Asilidae) Synonym(s): *rubens Coquillett,1904* **US**
11. **Ablautus rufotibialis Back,1909** (Asilidae) Synonym(s): *rufotibialis Back,1909* **US Tx Col Arz NMx Ut**

12. **Ablautus schlingeri Wilcox,1966** (Asilidae) Synonym(s): *schlingeri Wilcox,1966* US Cf
13. **Ablautus trifarius Loew,1866** (Asilidae) Synonym(s): *trifarius Loew,1866* US Cf MX
14. **Ablautus vanduzeei Wilcox,1935** (Asilidae) Synonym(s): *vanduzeei Wilcox,1935* US Cf
15. **Acantholespesia comstocki (Williston,1889)** (Tachinidae) Synonym(s): *comstocki Williston,1889* US Tx
16. **Acantholespesia signata (Aldrich & Webber,1924)** (Tachinidae) Synonym(s): *signata Aldrich & Webber,1924* US
17. **Acantholespesia texana (Aldrich & Webber,1924)** (Tachinidae) Synonym(s): *texana Aldrich & Webber,1924* US Tx Arz
18. **Adelencyrtus aulacaspidis (Bréthes,1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes,1914* AR Cc AZ BG CL HV CZ FR GG DE HU IT JP KG MG MD NZ CN Fkn RU Da SS ES CH UA GB US Cf YU TR
19. **Aegialia (Psammoporus) cylindrica (Eschscholtz,1822)** (Scarabaeidae) Synonym(s): *cylindrica Eschscholtz,1822* US
20. **Ageniaspis fuscicollis (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman,1820; cyanocephalus Bouché,1834; praysincola Silvestri,1907; anchyloperae De Santis,1957* AR AM AZ Cc B-H BG CA On HV CZ FI FR GG DE GR IR IE IL Pa IT Si KG KK KP KR LB LT MD MN MA NL CN PL PT RO RU At Am Us Sb To ES SE TN TM UA GB US UZ YU TR
21. **Agonum thoreyi Dejean,1828** (Carabidae) Synonym(s): *thoreyi Dejean,1828* AL AT BE B-H BG HV CZ DK EN FI FR GB DE IE IT LT MD NO PL RU SK SL ES SE CH TR UA KG NL US
22. **Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): *lineatus Linnaeus,1767* GR TR US NZ
23. **Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator Linnaeus,1758* GR TR DZ MN US
24. **Alaetrinus aciculatus (Le Conte,1859)** (Tenebrionidae) Synonym(s): *aciculatus Le Conte,1859* US Tx Cf MNx MX
25. **Albibarbefferia albibarbis (Macquart,1838)** (Asilidae) Synonym(s): *albibarbis Macquart,1838; pumilus Walker,1855 (praeocc.); cinerascens Bellardi,1861; tricolor Bellardi,1861; furax Williston,1885* US Cf Ut Arz Col NMx Tx MX CA On BCo GT VE
26. **Albibarbefferia armatus (Hine,1918)** (Asilidae) Synonym(s): *armatus Hine,1918* US Tx MX
27. **Albibarbefferia bicolor (Bellardi,1861)** (Asilidae) Synonym(s): *bicolor Bellardi,1861* US Cf Arz NMx Ut MX
28. **Albibarbefferia duncani Wilcox,1966** (Asilidae) Synonym(s): *duncani Wilcox,1966* US Arz MX
29. **Albibarbefferia grandis (Hine,1919)** (Asilidae) Synonym(s): *grandis Hine,1919* US Cf Tx MX
30. **Albibarbefferia incognita (Forbes,1987)** (Asilidae) Synonym(s): *incognita Forbes,1987* US
31. **Albibarbefferia leucocomus (Williston,1885)** (Asilidae) Synonym(s): *leucocomus Williston,1885* US Tx Col
32. **Albibarbefferia neosimilis (Forbes,1987)** (Asilidae) Synonym(s): *neosimilis Forbes,1987* US
33. **Albibarbefferia peralta (Wilcox,1966)** (Asilidae) Synonym(s): *peralta Wilcox,1966* US Cf MX
34. **Albibarbefferia tagax (Williston,1885)** (Asilidae) Synonym(s): *tagax Williston,1885; similis Williston,1885* US Arz Tx NMx
35. **Albibarbefferia vertebrata (Bromley,1940)** (Asilidae) Synonym(s): *vertebrata Bromley,1940* US Cf MX
36. **Albibarbefferia zonata (Hine,1919)** (Asilidae) Synonym(s): *zonata Hine,1919* US Arz Cf Ut NMx
37. **Amara (Amarocelia) erratica (Duftschmid,1812)** (Carabidae) Synonym(s): *erratica Duftschmid,1812; gracula Heer,1837; affinis Motschoulsky,1850; nivina Gistel,1857; rugulosa Gistel,1857; trophina Gistel,1857; xenechthum Gistel,1857; obscuricornis Motschoulsky,1859; caucasicola Lutschnik,1935* AZ AL AD AM Cc AT B-H BG HV CZ FI FR DE GG GR IT LS MK NO PL RO RU SK SL ES SE CH TR UA KK KG US CN Ui JP
38. **Amblyonychus trapezoidalis (Bellardi,1861)** (Asilidae) Synonym(s): *trapezoidalis Bellardi,1861* MX GT NI CR GY PE US Tx
39. **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis Mercet,1921; opacus Mercet,1921; aligarhensis Agarwal & Alam,1959; punctulatus Agarwal,1965; micans Noyes,2000* TR AM AZ Cn HV CZ FR GG GR HU IN Up ID Clb IR IL Pa IT Md MX MD NP CN Hn PT RO ES RU GB TM US Tx UZ YU
40. **Anagyrus fusciventris (Girault,1915)** (Encyrtidae) Synonym(s): *fusciventris Girault,1915* IR Fa AU CR CU GH Hw ID NZ IT PR CN TT US
41. **Anagyrus kivuensis Compere,1939** (Encyrtidae) Synonym(s): *kivuensis Compere,1939* ZR Kvu GH IN IL Pa CI KE SN ZA UG US Cf
42. **Anagyrus pseudococci (Girault,1915)** (Encyrtidae) Synonym(s): *pseudococci Girault,1915* AR AM AZ BR Cn CL ZR HV CY TR CG EG FR GM GG GH GY Hw HU IN IR IQ IL Pa IT Sa Si KE MD NL NG PK CN Fkn Kwa Hbe Hun She Sha Sz Yu PE PT RU RW SA SN ZA ES SE TJ TW TM UA GB US Cf Tx UY UZ YU
43. **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens Fabricius,1787; geometricus Burmeister,1835; aliena Westwood,1837; cinctum Montrouzer,1858; aculeata*

- Ellenreider,1862; ludovicianus Stoner,1917* CN TW JP PH ID Sum Ja Bor MY VN PG BD IN FJ RU Cc AZ TR SY IR ET MW ZA MZ SD ZR MG BW UG AU US
44. **Andrenosoma corallia** Martin,1966 (Asilidae) Synonym(s): *corallia* Martin,1966 US Tx MX
45. **Andrenosoma cruentum** (McAtee,1919) (Asilidae) Synonym(s): *cruentum* McAtee,1919; *crassa* Bromley,1929 US FI CU
46. **Andrenosoma fulvicaudum** (Say,1823) (Asilidae) Synonym(s): *fulvicaudum* Say,1823; *lutea* McAtee,1919 US Cf FI Ut Col NMx Tx MX CA BCo On Alb
47. **Andrenosoma hesperium** Martin,1966 (Asilidae) Synonym(s): *hesperium* Martin,1966 US Cf
48. **Andrenosoma igneum** Bromley,1929 (Asilidae) Synonym(s): *igneum* Bromley,1929 GT US Tx MX
49. **Andrenosoma sicarium** (McAtee,1919) (Asilidae) Synonym(s): *sicarium* McAtee,1919 US Tx
50. **Anthidium (s.str.) florentinum** (Fabricius,1775) (Megachilidae) Synonym(s): *florentinum* Fabricius,1775 US RU Sb TR SY Cc
51. **Anthocoris nemoralis** (Fabricius,1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794 MA DZ TN LY EG US ES PT FR GB IE BE NL DE DK NO SE FI BY RU UA PL CZ SK HU CH AT IT Sa Si SS B-H YU HV AL MK BG GR TR IR Ar Ak Fa Gor Gh Es Kh Mz Elb Th Zj Ma
52. **Anthrax agrippina** Osten Sacken,1887 (Bombyliidae) Synonym(s): *agrippina* Osten Sacken,1887 US MX Snr
53. **Anthrax albofasciatus** Macquart,1840 (Bombyliidae) Synonym(s): *analisis* Macquart,1835; *albofasciatus* Macquart,1840; *antecedens* Walker,1852 CA Abt US Tx MX GT HN
54. **Anthrax albosparsus** (Bigot,1892) (Bombyliidae) Synonym(s): *albosparsus* Bigot,1892 US Col
55. **Anthrax alcyon** Say,1824 (Bombyliidae) Synonym(s): *alcyon* Say,1824 US MX
56. **Anthrax analis** Macquart,1834 homonym (?) (Bombyliidae) Synonym(s): *analisis* Macquart,1834 *nec* Say,1823 US
57. **Anthrax analis** Say,1823 (Bombyliidae) Synonym(s): *analisis* Say,1823; *georgica* Macquart,1834; *latelimbatus* Bigot,1892; *occidentalis* Johnson,1913; *grossbecki* Johnson,1913; *freyi* Hackman,1956 CA US MX HN
58. **Anthrax arenosa** (Coquillett,1892) (Bombyliidae) Synonym(s): *rivularis* Robineau-Desvoidy,1830; *arenosa* Coquillett,1892; US NMx MX
59. **Anthrax arethusa** Osten Sacken,1886 (Bombyliidae) Synonym(s): *arethusa* Osten Sacken,1886 US MX GT CR
60. **Anthrax argentatus** (Cole,1919) (Bombyliidae) Synonym(s): *argentatus* Cole,1919 US Ws
61. **Anthrax argyropygus** Wiedemann,1828 (Bombyliidae) Synonym(s): *argyropygus* Wiedemann,1828; *contigua* Loew,1869 US
62. **Anthrax artemesia** Marston,1963 (Bombyliidae) Synonym(s): *artemesia* Marston,1963 US MX
63. **Anthrax atriplex** Marston,1970 (Bombyliidae) Synonym(s): *atriplex* Marston,1970 US Tx MX
64. **Anthrax aureosquamosus** Marston,1963 (Bombyliidae) Synonym(s): *aureosquamosus* Marston,1963 US Cf Ut
65. **Anthrax bigradata** (Loew,1869) (Bombyliidae) Synonym(s): *bigradata* Loew,1869 US Cf NMx CU BS
66. **Anthrax californicus** Cole,1917 (Bombyliidae) Synonym(s): *californicus* Cole,1917 US Cf MX BcN
67. **Anthrax caliptera** Say,1823 (Bombyliidae) Synonym(s): *caliptera* Say,1823 US MX Dgo
68. **Anthrax cascadiensis** Marston,1963 (Bombyliidae) Synonym(s): *cascadiensis* Marston,1963 CA BCo Abt US Cf Mto
69. **Anthrax flaviceps** (Loew,1869) (Bombyliidae) Synonym(s): *flaviceps* Loew,1869; *latipennis* Becker,1894 US NMx Tx MX
70. **Anthrax irroratus** Macquart,1840 homonym! (Bombyliidae) Synonym(s): *irroratus* Macquart,1840 *nec* Say,1823; *kobusi* Meijere,1908 US
71. **Anthrax kumarensis** (Alexander,1939) (Bombyliidae) Synonym(s): *aterrimus* Bigot,1892 *nec* Dolesch.,1858; *kumarensis* Alexander,1939 US Idp Knt Lou Vi FI CU
72. **Anthrax marstoni** Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *nitidus* Marston,1970 *nec* Austen,1937; *marstoni* Evenhuis & Greathead,1999 US Cf Arz
73. **Anthrax palliata** Loew,1869 (Bombyliidae) Synonym(s): *palliata* Loew,1869 US MX
74. **Anthrax perplexa** Coquillett,1887 (Bombyliidae) Synonym(s): *bertei* Rondani,1867; *perplexa* Coquillett,1887 US Cf MX
75. **Anthrax willistoni** (Coquillett,1887) (Bombyliidae) Synonym(s): *latipalpis* Meigen,1826; *willistoni* Coquillett,1887 US MX
76. **Anthrenus (Nathrenus) verbasci** (Linnaeus,1767) (Dermestidae) Synonym(s): *verbasci* Linnaeus,1767 TR US AU
77. **Anthrenus (s.str.) flavipes** LeConte,1854 (Dermestidae) Synonym(s): *flavipes* LeConte,1854 TR US AU
78. **Apachekolos confusio** Martin,1957 (Asilidae) Synonym(s): *confusio* Martin,1957 US Ari

79. **Apachekolos crinita** Martin,1957 (Asilidae) Synonym(s): *crinita* Martin,1957 US NMx Ari Cf MX
80. **Apachekolos scapularis** (Bigot,1878) (Asilidae) Synonym(s): *scapularis* Bigot,1878 US Cf Tx MX
81. **Apachekolos tenuipes** (Loew,1862) (Asilidae) Synonym(s): *tenuipes* Loew,1862 US Tx Ari Fl
82. **Apachekolos weslacensis** (Bromley,1951) (Asilidae) Synonym(s): *weslacensis* Bromley,1951 US Tx
83. **Apanteles carpatus** Say,1836 (Braconidae) Synonym(s): *carpatus* Say,1836 Apanteles carpatus Say,1836, Boston J. nat. Hist. 1 (3): 263. TR AR ZR ZA Ec FJ FI GB GH DE Hw JP MY NZ AT PR CH SE US TZ Zz
84. **Apanteles gallerie** Wilkinson,1932 (Braconidae) Synonym(s): *gallerie* Wilkinson,1932 Apanteles gallerie Wilkinson,1932, Stylops 1: 139. TR US AR MU IN FR HU IL Pa
85. **Aphelinus mali** (Haldeman,1851) (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocicolomiae* Risbec,1951 TR CY US FI GB IT SN IN Pj Hp Sml Klu Ch Ass Meg SI Ben Up
86. **Aphelinus semiflavus** Howard,1908 (Aphelinidae) Synonym(s): *semiflavus* Howard,1908; *brevipennis* Girault,1917 US Oh Col TR
87. **Aphytis abnormis** (Howard,1881) (Aphelinidae) Synonym(s): *abnormis* Howard,1881 US TR
88. **Aphytis chilensis** Howard,1900 (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964 CL US Cf ES TR CY LB AR
89. **Aphytis diaspidis** (Howard,1881) (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971 US FI CY TR MG AU QaU
90. **Aprostocetus ceroplastae** (Girault,1916) (Eulophidae) Synonym(s): *ceroplastae* Girault,1916 AU NSw EG FR IL Pa GR IT LB LY MG MU MA CN Fkn Yu ZA UG US FI TR
91. **Aprostocetus crino** (Walker,1838) (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955 AD BG HV CZ DK FR DE HU IE GB IT MD NL CN RU SK SE US Tx YU TR
92. **Aprostocetus sinope** (Walker,1839) (Eulophidae) Synonym(s): *sinope* Walker,1839; *agathocles* Walker,1839; *hippis* Walker,1839; *rapo* Walker,1839 TR DZ CA FR DE HU IE IT LT MD NL NZ SE UA GB US Ny YU
93. **Aradus cinnamomeus** Panzer,1806 (Aradidae) Synonym(s): *cinnamomeus* Panzer,1806; *leptopterus* Germar,1834; *perrisi* Dufour,1845; *albopunctatus* Scholtz,1846; *antennalis* Parshley,1922 IT TR US Tx CA BCo
94. **Attagenus (s.str.) brunneus** Faldermann,1835 (Dermestidae) Synonym(s): *brunneus* Faldermann,1835 DZ EG MA TN CA US AF PK KK TM UZ TR
95. **Attagenus (s.str.) unicolor** (Brahm,1791) (Dermestidae) Synonym(s): *unicolor* Brahm,1791 TR US AU
96. **Azelia gibbera** (Meigen,1826) (Muscidae) Synonym(s): *gibbera* Meigen,1826 US CA Als Qb DE PL CZ SK CH AT HU TR
97. **Bellardia bayeri** (Jacentkovsky,1937) (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937 US Cc AM AZ BG Cz DK EE DE HU CH NO PL RO SK UA RU Sb Am Us
98. **Bellardia vulgaris** (Robineau-Desvoidy,1830) (Calliphoridae) Synonym(s): *vulgaris* Robineau-Desvoidy,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948 US AM AT Cc BG HV CZ FI FR DE HU IT NL NO PL RO RU SK YU ES SE CH UA GB
99. **Blepharipa scutellata** (Robineau-Desvoidy,1830) (Tachinidae) Synonym(s): *scutellata* Robineau-Desvoidy,1830 US TR
100. **Bombylius (s.str.) aestivus** Johnson & Johnson,1975 (Bombyliidae) Synonym(s): *aestivus* Johnson & Johnson,1975 US Ut
101. **Bombylius (s.str.) albicapillus** Loew,1872 (Bombyliidae) Synonym(s): *albicapillus* Loew,1872; *heximaculatus* Johnson & Johnson,1975 US Cf Ut
102. **Bombylius (s.str.) albopenicillatus** Bigot,1892 (Bombyliidae) Synonym(s): *albopenicillatus* Bigot,1892 US MX Tx
103. **Bombylius (s.str.) aleophilus** (Hall & Evenhuis,1981) (Bombyliidae) Synonym(s): *aleophilus* Hall & Evenhuis,1981 US MX
104. **Bombylius (s.str.) altimya** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *fusculatus* Bath,1974; *altimya* Hall & Evenhuis,1980 US Cf
105. **Bombylius (s.str.) anthophilus** Evenhuis,1983 (Bombyliidae) Synonym(s): *anthophilus* Evenhuis,1983 MX US Cf Arz
106. **Bombylius (s.str.) anthophoroides** Evenhuis,1977 (Bombyliidae) Synonym(s): *anthophoroides* Evenhuis,1977 US Cf
107. **Bombylius (s.str.) arizonicus** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *arizonicus* Hall & Evenhuis,1980 US Arz
108. **Bombylius (s.str.) atriceps** Loew,1863 (Bombyliidae) Synonym(s): *atriceps* Loew,1863 US

109. **Bombylius (s.str.) aurifer** Osten Sacken,1877 (Bombyliidae) Synonym(s): *aurifer* Osten Sacken,1877 US Cf Col
110. **Bombylius (s.str.) auriferoides** Johnson & Johnson,1975 (Bombyliidae) Synonym(s): *auriferoides* Johnson & Johnson,1975 US Ut
111. **Bombylius (s.str.) austini** Painter,1933 (Bombyliidae) Synonym(s): *austini* Painter,1933 US Tx
112. **Bombylius (s.str.) balion** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *balion* Hall & Evenhuis,1980 US Cf Arz
113. **Bombylius (s.str.) ballmeri** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *ballmeri* Hall & Evenhuis,1980 US Cf Arz MX
114. **Bombylius (s.str.) breviabdominalis** Evenhuis,1977 (Bombyliidae) Synonym(s): *breviabdominalis* Evenhuis,1977 US Cf MX BeN
115. **Bombylius (s.str.) cachinnans** Osten Sacken,1877 (Bombyliidae) Synonym(s): *cachinnans* Osten Sacken,1877 US Cf
116. **Bombylius (s.str.) californicus** Evenhuis & Tabet,1981 (Bombyliidae) Synonym(s): *californicus* Evenhuis & Tabet,1981 US Cf
117. **Bombylius (s.str.) cinerivus** Painter,1962 (Bombyliidae) Synonym(s): *cinerivus* Painter,1962 US Cf
118. **Bombylius (s.str.) comanche** Painter,1962 (Bombyliidae) Synonym(s): *comanche* Painter,1962 US Col NMx Tx
119. **Bombylius (s.str.) curtirhynchus** Evenhuis,1978 (Bombyliidae) Synonym(s): *curtirhynchus* Evenhuis,1978 US Cf
120. **Bombylius (s.str.) diegoensis** Painter,1933 (Bombyliidae) Synonym(s): *diegoensis* Painter,1933 US Cf Arz
121. **Bombylius (s.str.) duncani** Painter,1940 (Bombyliidae) Synonym(s): *duncani* Painter,1940 MX US Arz Cf NMx
122. **Bombylius (s.str.) eboreus** Painter,1940 (Bombyliidae) Synonym(s): *eboreus* Painter,1940 US Cf Col NMx Tx
123. **Bombylius (s.str.) facialis** Cresson,1919 (Bombyliidae) Synonym(s): *facialis* Cresson,1919 MX US Arz Cf Col Ut NMx
124. **Bombylius (s.str.) flavifacies** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *flavifacies* Hall & Evenhuis,1980 MX US Cf
125. **Bombylius (s.str.) flavipilosus** Cole,1923 (Bombyliidae) Synonym(s): *flavipilosus* Cole,1923 MX US Arz NMx
126. **Bombylius (s.str.) fraudulentus** Johnson,1907 (Bombyliidae) Synonym(s): *fraudulentus* Johnson,1907 US
127. **Bombylius (s.str.) frommerorum** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *#pallidus* Bath,1974; *frommerorum* Hall & Evenhuis,1980 MX US NMx Tx Arz
128. **Bombylius (s.str.) fulvibasoides** Painter,1962 (Bombyliidae) Synonym(s): *fulvibasoides* Painter,1962 US
129. **Bombylius (s.str.) halli** Evenhuis & Tabet,1979 (Bombyliidae) Synonym(s): *halli* Evenhuis & Tabet,1979 US
130. **Bombylius (s.str.) japygus** Hall & Evenhuis,1980 (Bombyliidae) Synonym(s): *japygus* Hall & Evenhuis,1980 US Cf
131. **Bombylius (s.str.) kanabensis** Johnson & Johnson,1975 (Bombyliidae) Synonym(s): *kanabensis* Johnson & Johnson,1975 US Ut
132. **Bombylius (s.str.) lancifer** Osten Sacken,1877 (Bombyliidae) Synonym(s): *lancifer* Osten Sacken,1877 US Cf CA
133. **Bombylius (s.str.) lassenensis** Painter,1965 (Bombyliidae) Synonym(s): *lassenensis* Painter,1965 US Cf
134. **Bombylius (s.str.) macfarlandi** Evenhuis,1985 (Bombyliidae) Synonym(s): *macfarlandi* Evenhuis,1985 US Arz
135. **Bombylius (s.str.) major** Linnaeus,1758 (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978 CA Alb BCo On US Arz Cf Col Tx NMx BD IN Ass NP PK TH AL DZ AM AT AZ GG Cc BY BE B-H BG CN HV CY CZ DK EG EE FI FR Co DE GR HU IE IT Sa Si JP KG KP LT LY MT MK RO RU Sb Us NL NO MN MA SK SS ES SE CH TJ TR TN TM GB UZ YU
136. **Bombylius (s.str.) medorae** Painter,1940 (Bombyliidae) Synonym(s): *medorae* Painter,1940 US Tx
137. **Bombylius (s.str.) metopium** Osten Sacken,1877 (Bombyliidae) Synonym(s): *metopium* Osten Sacken,1877 US Cf Ut
138. **Bombylius (s.str.) mexicanus** Wiedemann,1821 (Bombyliidae) Synonym(s): *mexicanus* Wiedemann,1821; *philadelphicus* Macquart,1840; *fulvibasis* Macquart,1855 MX US FI Ny

139. **Bombylius (s.str.) mohavensis Evenhuis,1975** (Bombyliidae) Synonym(s): *mohavensis Evenhuis,1975* US Cf
140. **Bombylius (s.str.) painteri Evenhuis,1978** (Bombyliidae) Synonym(s): *painteri Evenhuis,1978* US Tx
141. **Bombylius (s.str.) pendens Cole,1919** (Bombyliidae) Synonym(s): *pendens Cole,1919* US CA Col Ut
142. **Bombylius (s.str.) phlogmodes Evenhuis,1984** (Bombyliidae) Synonym(s): *phlogmodes Evenhuis,1984* US Tx
143. **Bombylius (s.str.) pulchellus Loew,1863** (Bombyliidae) Synonym(s): *pulchellus Loew,1863; fascipennis Evenhuis,1978* CA US
144. **Bombylius (s.str.) pygmaeus Fabricius,1781** (Bombyliidae) Synonym(s): *pygmaeus Fabricius,1781; canadensis Curran,1933* CA US CN Pkn
145. **Bombylius (s.str.) quirinus Evenhuis,1984** (Bombyliidae) Synonym(s): *quirinus Evenhuis,1984* US Tx
146. **Bombylius (s.str.) sierra Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *#auritunicus Bath,1974; aureus Hall & Evenhuis,1980 nec Evenh.,1977; sierra Evenhuis & Greathead,1999* US Cf
147. **Bombylius (s.str.) silvus Cole,1919** (Bombyliidae) Synonym(s): *silvus Cole,1919* US
148. **Bombylius (s.str.) sylphae Evenhuis,1984** (Bombyliidae) Synonym(s): *sylphae Evenhuis,1984* MX US Arz
149. **Bombylius (s.str.) texanus Painter,1933** (Bombyliidae) Synonym(s): *texanus Painter,1933* US Tx
150. **Bombylius (s.str.) validus Loew,1863** (Bombyliidae) Synonym(s): *validus Loew,1863* US
151. **Bombylius (s.str.) vallicola Evenhuis & Tabet,1979** (Bombyliidae) Synonym(s): *vallicola Evenhuis & Tabet,1979* US Cf
152. **Bombylius (s.str.) varius Fabricius,1805** (Bombyliidae) Synonym(s): *varius Fabricius,1805* US FI Ny
153. **Bombylius (s.str.) washingtoniensis Evenhuis,1978** (Bombyliidae) Synonym(s): *washingtoniensis Evenhuis,1978* US
154. **Bombylius (s.str.) xanthothrix Evenhuis,1978** (Bombyliidae) Synonym(s): *#paramexicanus Bath,1974; xanthothrix Evenhuis,1978* US
155. **Bombylius (s.str.) zapataensis Evenhuis,1984** (Bombyliidae) Synonym(s): *zapataensis Evenhuis,1984* US Tx
156. **Bombylius (s.str.) zircon Evenhuis,1984** (Bombyliidae) Synonym(s): *zircon Evenhuis,1984* MX US Tx
157. **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis Walker,1834; intermedia Nees,1834; cingulata Walker,1834; distinguenda Walker,1834; rufofemorata Rosenhauer,1856; scirropoda Förster,1859; boops Thomson,1876; quettaensis Cameron,1906; turkestanica Masi,1951; Chalcis tibialis Walker,1834, Mon. Chalcid.: 29. Type: France: Paris (leg. Laporte). AL DZ AM Cc AZ AT B-H BG CA HV CY CZ SK FR Co DE GR HU IN Ch IR IQ IL Pa IT Sa LB MK KG MD MA NL PL PT RU Us Sb SS ES SE CH SY TN UA GB US Cf FI NMx Ny Tx TR PK Qu BI UZ*
158. **Bruchophagus gibbus (Boheman,1836)** (Eurytomidae) Synonym(s): *gibbus Boheman,1836* IR Kz AR AU AT AZ Cc BG CA CL FI DE HU IN IQ IT NL NZ CN PE RO RU SE UA GB US
159. **Bruchophagus roddi Gussakovskiy,1933** (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933* IR Ak Ab Ha Kd Th Zj Km TR AR AU AT BG CA CL CZ FR DE HU IN IQ IL Pa KG MX MD NL NZ PL PE RO RU SK TR UA US UZ YU
160. **Calliphora vicina Robineau-Desvoidy,1830** (Calliphoridae) Synonym(s): *vicina Robineau-Desvoidy,1830; monspeliaca Robineau-Desvoidy,1830; musca Robineau-Desvoidy,1830; nana Robineau-Desvoidy,1830; spitzbergensis Robineau-Desvoidy,1830; thuscia Walker,1849; rufifacies Macquart,1851; acuta Walker,1852; insidiosa Robineau-Desvoidy,1863* US TR ZA
161. **Callopiromyia annulipes (Loew,1873)** (Ulidiidae) Synonym(s): *annulipes Loew,1873* CA US CH
162. **Calopteryx aequabilis Say,1839** (Calopterygidae) Synonym(s): *aequabilis Say,1839; virginica Selys,1853; hudsonica Hagen,1875; yakima Hagen,1889; coloradicum Cockerell,1913; californicum Kennedy,1917* US Col Cf CA
163. **Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758* TR AZ AM GG Cc RU AL AT BE B-H HV BY BG GR RU EE LT FI FR DE GB HU IT MK PL PT RO SK SS ES SE CH UA YU MA IL Pa US
164. **Cedusa arizonensis Flynn & Kramer,1983** (Derbidae) Synonym(s): *arizonensis Flynn & Kramer,1983* US Arz
165. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR

- MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE
SA Sa Si PT NZ US Tx Cf FI Hw CA
166. **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus Marsham,1802* DE US AT BY BE BG DZ CZ Cc Da DK EE MA FI FR ZA GG NL GB ES IL Pa SE CH IT Cn KG CY LB HU MT MD NO PL PT RO RU YU SS SY TH TN TR UA JO GR
167. **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae Gyllenhal,1837* DE US BY BE B-H BG CZ CN Da Cc DK AM EE FI FR GG NL GB ES SE CH IT CA KG KK HU MX MN MD NO UZ PL PT RU Sb YU TN TR UA
168. **Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802* AT L BE BG CH CZ DE DK EE FR FI GB GR HV IT Si LT MK PL RO RU SK S UA DZ TR CA US
169. **Chelostoma (Gyrodromella) rapunculi (Lepeletier,1841)** (Megachilidae) Synonym(s): *rapunculi Lepeletier,1841; nigricornis Nylander,1848; inerme Eversmann,1852; casularum Chevrier,1872; archanensis Cockerell,1928; platyodonta Cockerell,1928* AT AD BE BG CH DE DK EE FI FR GG Cc GR HU HV LT MK PL RO RU SK SS UA DZ MA KG KK MN TM UZ TR CA US
170. **Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva Linnaeus,1758; rufa De Geer,1776; bilineata Walker,1849* IR BG CZ DK GB FI FR DE HU IT MN NO PL RO RU SE CH NL US CA
171. **Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus Walker,1839; erigone Walker,1839; inarus Walker,1839; matho Walker,1839; metella Walker,1839; nautes Walker,1839; orchestis Ratzeburg,1844; sauros Walker,1848; laeta Ratzeburg,1848; auronitens Ratzeburg,1852; turcicus Fahringer,1938; gunholdi Delucchi,1954; laevigata Delucchi,1954; tadici Delucchi,1954; cuspidigaster Yoshimoto,1973; truncatipennis Yoshimoto,1973; elmaellae Doğanlar,1980* TR AT B-H BG CA On Qb HV CZ DK FI FR DE GR HU IT Sa Si JP MK NL NO PL RO RU SK ES SE CH UA GB US Arz Col FI NMx Ny Tx YU
172. **Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889* ES FR Co IT RU GR NL DE BE SE FI PL HU AT CZ SK UA RO BG B-H Cc TR US ID Sum
173. **Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761* US FR DZ AT HU RO YU CH BG ES PT GB HV DK PL DE IT Si Cc TR RU
174. **Cleptes splendidus (Fabricius,1794)** (Chrysididae) Synonym(s): *splendidus Fabricius,1794* DZ FR IT US
175. **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus Westwood,1833; phaenna Walker,1839; lunatus Ratzeburg,1848; ovulorum Ratzeburg,1848; fullowayi Crauford,1913; meridionalis Silvestri,1914; sylvia Girault,1917; camilli Girault,1917* AT BG CA Alb On Qb Cn CZ DK ER ET FI FR DE GR GM Hw HU ID IR IQ IL Pa IT Si JM JO JP KG MK MY MX MD NL DZ NO CN Gn Yu PL RO RU SK ZA ES SD SE CH TW TR TM UA AE GB US Arz Cf Col FI Ny Tx YE YU
176. **Closterocerus violaceus Hansson,1994** (Eulophidae) Synonym(s): *violaceus Hansson,1994* US Cf
177. **Coccinella (s.str.) hieroglyphica Linnaeus,1758** (Coccinellidae) Synonym(s): *hieroglyphica Linnaeus,1758; mannerheimi Mulsant,1850; kirbyi Crotch,1874; humboldtiensis Nunenmacher,1912* IT US
178. **Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia Walker,1839; lecanii Fitch,1859; ater Howard,1881; cognatus Haword,1881; vividus Howard,1885; californicus Howard,1889; coccidis Girault,1917; corni Alam,1956; taxi Alam,1956* Aphelinus lycimnia Walker,1839, Monographia Chaciditum 1: 11. Type: Ireland. US Cf DE GB TR CY
179. **Collyria coxator (Villers,1789)** (Ichneumonidae) Synonym(s): *coxator Villers,1789; calcitrator Gravenhorst,1829* TR Cc RU US
180. **Cordilura atrata Zetterstedt,1846** (Scathophagidae) Synonym(s): *atrata Zetterstedt,1846; nigra Robineau-Desvoidy,1830; beringensis Malloch,1923* NO SE FR US AT CZ DE FI HU RU Sb SK SE
181. **Cordilura picticornis Loew,1864** (Scathophagidae) Synonym(s): *picticornis Loew,1864; vierecki Cresson,1918* US NMx RU Sb Us SE FI GB
182. **Cordilura proboscoidea Zetterstedt,1838** (Scathophagidae) Synonym(s): *proboscoidea Zetterstedt,1838* NO RU Sb SE US
183. **Cotesia hypantriae (Riley,1887)** (Braconidae) Synonym(s): *hypantriae Riley,1887* MX CA US GB DE YU TR CZ NL HU MD UA RU JP
184. **Cotinis nitida (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *nitida Linnaeus,1764* US
185. **Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae) Synonym(s): *nebulosa Zetterstedt,1828* TR KG RU Sb Sh Kmt Us US
186. **Crataepus marbis (Walker,1839)** (Eulophidae) Synonym(s): *marbis Walker,1839; aquisgranensis Förster,1878; fletcherii Ashmead,1892* TR AT BG CA On CZ FR DE HU IT MD NL PL RU SK ES SE GB US UZ
187. **Culicoides alachua Jamnback & Wirth,1963** (Ceratopogonidae) Synonym(s): *alachua Jamnback & Wirth,1963* US FI
188. **Culicoides alaskensis Wirth,1951** (Ceratopogonidae) Synonym(s): *alaskensis Wirth,1951* Als US
189. **Culicoides alexanderi Wirth & Hubert,1962** (Ceratopogonidae) Synonym(s): *alexanderi Wirth & Hubert,1962; pseudopiliferus Wirth & Hubert,1962* US
190. **Culicoides arboricola Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *arboricola Root & Hoffman,1937* US

191. **Culicoides arizonensis Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *arizonensis Wirth & Hubert,1960* **US Arz**
192. **Culicoides atchleyi Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *atchleyi Wirth & Blanton,1969* **US Als**
193. **Culicoides baueri Hoffman,1925** (Ceratopogonidae) Synonym(s): *baueri Hoffman,1925* **US**
194. **Culicoides beckae Wirth & Blanton,1967** (Ceratopogonidae) Synonym(s): *beckae Wirth & Blanton,1967* **US Fl**
195. **Culicoides bergi Cochrane,1973** (Ceratopogonidae) Synonym(s): *bergi Cochrane,1973* **US**
196. **Culicoides bicklei Wirth & Hubert,1962** (Ceratopogonidae) Synonym(s): *bicklei Wirth & Hubert,1962* **US**
197. **Culicoides bifidus Borkent,1996** (Ceratopogonidae) Synonym(s): *bifidus Borkent,1996* **US Nje**
198. **Culicoides biguttatus (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *biguttatus Coquillett,1901* **US**
199. **Culicoides bottimeri Wirth,1955** (Ceratopogonidae) Synonym(s): *bottimeri Wirth,1955* **US Tx**
200. **Culicoides boydi Wirth & Mullens,1992** (Ceratopogonidae) Synonym(s): *boydi Wirth & Mullens,1992* **US Cf**
201. **Culicoides brookmani Wirth,1952** (Ceratopogonidae) Synonym(s): *brookmani Wirth,1952* **US Cf**
202. **Culicoides butleri Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *butleri Wirth & Hubert,1960* **US Arz**
203. **Culicoides cacticola Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *cacticola Wirth & Hubert,1960* **US Cf**
204. **Culicoides calexicanus Wirth & Rowley,1971** (Ceratopogonidae) Synonym(s): *calexicanus Wirth & Rowley,1971* **US Cf**
205. **Culicoides californiensis Wirth & Blanton,1967** (Ceratopogonidae) Synonym(s): *californiensis Wirth & Blanton,1967* **US Cf**
206. **Culicoides carri Pierce,1966** (Ceratopogonidae) Synonym(s): *carri Pierce,1966* **US Cf**
207. **Culicoides casei Grogan & Szadziewski,1988** (Ceratopogonidae) Synonym(s): *casei Grogan & Szadziewski,1988* **US Nje**
208. **Culicoides cavaticus Wirth & Jones,1956** (Ceratopogonidae) Synonym(s): *cavaticus Wirth & Jones,1956* **US Cf**
209. **Culicoides chewaclae Glick & Mullen,1983** (Ceratopogonidae) Synonym(s): *chewaclae Glick & Mullen,1983* **US**
210. **Culicoides cochisensis Wirth & Blanton,1967** (Ceratopogonidae) Synonym(s): *cochisensis Wirth & Blanton,1967* **US Arz**
211. **Culicoides cockerellii (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *cockerellii Coquillett,1901; tristriatulus Hoffman,1925* **US Col Cf**
212. **Culicoides crepuscularis Malloch,1915** (Ceratopogonidae) Synonym(s): *crepuscularis Malloch,1915* **US**
213. **Culicoides davisii Wirth & Rowley,1971** (Ceratopogonidae) Synonym(s): *davisii Wirth & Rowley,1971* **US**
214. **Culicoides defoliarti Atchley & Wirth,1979** (Ceratopogonidae) Synonym(s): *defoliarti Atchley & Wirth,1979* **US Arz**
215. **Culicoides denticulatus Wirth & Hubert,1962** (Ceratopogonidae) Synonym(s): *denticulatus Wirth & Hubert,1962* **US**
216. **Culicoides doeringae Atchley,1967** (Ceratopogonidae) Synonym(s): *doeringae Atchley,1967* **US NMx**
217. **Culicoides eadsi Wirth & Blanton,1971** (Ceratopogonidae) Synonym(s): *eadsi Wirth & Blanton,1971* **US Tx**
218. **Culicoides edeni Wirth & Blanton,1974** (Ceratopogonidae) Synonym(s): *edeni Wirth & Blanton,1974* **US Fl**
219. **Culicoides elemiae Pappas & Pappas,1989** (Ceratopogonidae) Synonym(s): *elemiae Pappas & Pappas,1989* **US**
220. **Culicoides erikae Atchley & Wirth,1979** (Ceratopogonidae) Synonym(s): *erikae Atchley & Wirth,1979* **US NMx**
221. **Culicoides floridensis Beck,1951** (Ceratopogonidae) Synonym(s): *floridensis Beck,1951* **US Fl**
222. **Culicoides fossilis Pierce,1966** (Ceratopogonidae) Synonym(s): *fossilis Pierce,1966* **US Cf**
223. **Culicoides freeborni Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *freeborni Wirth & Blanton,1969* **US Cf**
224. **Culicoides grandensis Grogan & Phillips,2008** (Ceratopogonidae) Synonym(s): *grandensis Grogan & Phillips,2008* **US Ut**
225. **Culicoides hieroglyphicus Malloch,1915** (Ceratopogonidae) Synonym(s): *hieroglyphicus Malloch,1915* **US Arz**

226. **Culicoides hoguei Wirth & Moraes,1979** (Ceratopogonidae) Synonym(s): *hoguei Wirth & Moraes,1979* US Cf
227. **Culicoides husseyi Wirth & Blanton,1971** (Ceratopogonidae) Synonym(s): *husseyi Wirth & Blanton,1971* US FI
228. **Culicoides inyoensis Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *inyoensis Wirth & Blanton,1969* US Cf
229. **Culicoides jacksoni Atchley,1970** (Ceratopogonidae) Synonym(s): *jacksoni Atchley,1970* US NMx
230. **Culicoides jonesi Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *jonesi Wirth & Hubert,1960* US Tx
231. **Culicoides kettlei Breidenbaugh & Mullens,1999** (Ceratopogonidae) Synonym(s): *kettlei Breidenbaugh & Mullens,1999* US Cf
232. **Culicoides khalafi Beck,1957** (Ceratopogonidae) Synonym(s): *khalafi Beck,1957* US FI
233. **Culicoides knowltoni Beck,1956** (Ceratopogonidae) Synonym(s): *knowltoni Beck,1956* US FI
234. **Culicoides lahontan Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *lahontan Wirth & Blanton,1969* US Cf
235. **Culicoides laurae Pierce,1966** (Ceratopogonidae) Synonym(s): *laurae Pierce,1966* US Cf
236. **Culicoides leechi Wirth,1977** (Ceratopogonidae) Synonym(s): *leechi Wirth,1977* US Cf
237. **Culicoides lophortygis Atchley & Wirth,1975** (Ceratopogonidae) Synonym(s): *lophortygis Atchley & Wirth,1975* US Cf
238. **Culicoides luglani Jones & Wirth,1958** (Ceratopogonidae) Synonym(s): *luglani Jones & Wirth,1958* US Tx
239. **Culicoides megacanthus Palmer,1957** (Ceratopogonidae) Synonym(s): *megacanthus Palmer,1957* US Cf
240. **Culicoides melleus (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *melleus Coquillett,1901* US FI
241. **Culicoides mioceneus Pierce,1966** (Ceratopogonidae) Synonym(s): *mioceneus Pierce,1966* US Cf
242. **Culicoides mohave Wirth,1952** (Ceratopogonidae) Synonym(s): *mohave Wirth,1952* US Cf
243. **Culicoides monoensis Wirth,1952** (Ceratopogonidae) Synonym(s): *monoensis Wirth,1952* US Cf
244. **Culicoides mortivallis Wirth & Blanton,1971** (Ceratopogonidae) Synonym(s): *mortivallis Wirth & Blanton,1971* US Cf
245. **Culicoides mulrennani Beck,1957** (Ceratopogonidae) Synonym(s): *mulrennani Beck,1957* US FI
246. **Culicoides multidentatus Atchley & Wirth,1975** (Ceratopogonidae) Synonym(s): *multidentatus Atchley & Wirth,1975* US Cf
247. **Culicoides nanellus Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *nanellus Wirth & Blanton,1969* US Cf
248. **Culicoides nanus Root & Hoffman,1937** (Ceratopogonidae) Synonym(s): *nanus Root & Hoffman,1937* US
249. **Culicoides neofagineus Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *neofagineus Wirth & Blanton,1969* US Arz
250. **Culicoides neomontanus Wirth,1976** (Ceratopogonidae) Synonym(s): *montanus Wirth & Blanton,1969 nec Shakirzjanova,1962; neomontanus Wirth,1976* US Ut
251. **Culicoides neopulicaris Wirth,1955** (Ceratopogonidae) Synonym(s): *neopulicaris Wirth,1955* US Tx
252. **Culicoides novamexicanus Atchley,1967** (Ceratopogonidae) Synonym(s): *novamexicanus Atchley,1967* US NMx
253. **Culicoides occidentalis Wirth & Jones,1957** (Ceratopogonidae) Synonym(s): *occidentalis Wirth & Jones,1957* US Cf
254. **Culicoides parapiliferus Wirth & Blanton,1974** (Ceratopogonidae) Synonym(s): *parapiliferus Wirth & Blanton,1974* US Ny
255. **Culicoides pechumani Cochrane,1974** (Ceratopogonidae) Synonym(s): *pechumani Cochrane,1974* US Ny
256. **Culicoides pecosensis Wirth,1955** (Ceratopogonidae) Synonym(s): *pecosensis Wirth,1955* US Tx
257. **Culicoides posoensis Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *posoensis Wirth & Blanton,1969* US Cf
258. **Culicoides reevesi Wirth,1952** (Ceratopogonidae) Synonym(s): *reevesi Wirth,1952* US Cf
259. **Culicoides ryckmani Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *ryckmani Wirth & Hubert,1960* US Cf

260. **Culicoides saltonensis Wirth,1952** (Ceratopogonidae) Synonym(s): *saltonensis Wirth,1952* US Cf
261. **Culicoides sierrensis Wirth & Blanton,1969** (Ceratopogonidae) Synonym(s): *sierrensis Wirth & Blanton,1969* US Cf
262. **Culicoides sitiens Wirth & Hubert,1960** (Ceratopogonidae) Synonym(s): *sitiens Wirth & Hubert,1960* US Cf
263. **Culicoides sonorensis Wirth & Jones,1957** (Ceratopogonidae) Synonym(s): *sonorensis Wirth & Jones,1957* US Arz
264. **Culicoides sublettei Atchley,1967** (Ceratopogonidae) Synonym(s): *sublettei Atchley,1967* US NMx
265. **Culicoides tenuistylus Wirth,1952** (Ceratopogonidae) Synonym(s): *tenuistylus Wirth,1952* US Cf
266. **Culicoides tissoti Wirth & Blanton,1966** (Ceratopogonidae) Synonym(s): *tissoti Wirth & Blanton,1966* US FI
267. **Culicoides torreyae Wirth & Blanton,1971** (Ceratopogonidae) Synonym(s): *torreyae Wirth & Blanton,1971* US FI
268. **Culicoides unicolor (Coquillett,1905)** (Ceratopogonidae) Synonym(s): *unicolor Coquillett,1905* US Cf
269. **Culicoides usingeri Wirth,1952** (Ceratopogonidae) Synonym(s): *usingeri Wirth,1952* US Cf
270. **Culicoides vetustus Breidenbaugh & Mullens,1999** (Ceratopogonidae) Synonym(s): *vetustus Breidenbaugh & Mullens,1999* US Cf
271. **Culicoides wernerii Wirth & Blanton,1971** (Ceratopogonidae) Synonym(s): *wernerii Wirth & Blanton,1971* US Arz
272. **Dahlbominus fuscipennis (Zetterstedt,1838)** (Eulophidae) Synonym(s): *fuscipennis Zetterstedt,1838* TR AT BY BE B-H BG CA On Qb HV CZ FI GG Cc DE HU IT MD NL PL RU Us Sb SK SS ES SE GB US Ny YU
273. **Dasyhelea ampla Borkent,1997** (Ceratopogonidae) Synonym(s): *major Malloch,1915 (praeocc.); ampla Borkent,1997* US
274. **Dasyhelea ancora (Coquillett,1902)** (Ceratopogonidae) Synonym(s): *ancora Coquillett,1902* US FI
275. **Dasyhelea antiqua Palmer,1957** (Ceratopogonidae) Synonym(s): *antiqua Palmer,1957* US Cf
276. **Dasyhelea atrata Wirth,1952** (Ceratopogonidae) Synonym(s): *atrata Wirth,1952* US Cf
277. **Dasyhelea brevicornis Waugh & Wirth,1976** (Ceratopogonidae) Synonym(s): *brevicornis Waugh & Wirth,1976* US Ny
278. **Dasyhelea brevicosta Waugh & Wirth,1976** (Ceratopogonidae) Synonym(s): *brevicosta Waugh & Wirth,1976* US
279. **Dasyhelea brookmani Wirth,1952** (Ceratopogonidae) Synonym(s): *brookmani Wirth,1952* US Cf
280. **Dasyhelea browneae Pierce,1966** (Ceratopogonidae) Synonym(s): *browneae Pierce,1966* US Cf
281. **Dasyhelea calvescens Macfie,1938** (Ceratopogonidae) Synonym(s): *calvescens Macfie,1938* US Hw
282. **Dasyhelea chani Wirth & Linley,1990** (Ceratopogonidae) Synonym(s): *chani Wirth & Linley,1990* US FI
283. **Dasyhelea choneta Yu & Zou,2006** (Ceratopogonidae) Synonym(s): *choneta Yu & Zou,2006* US FI
284. **Dasyhelea cincta (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *cincta Coquillett,1901; albopicta Ingram & Macfie,1931; penthesileae Macfie,1935* US FI AR BR
285. **Dasyhelea dara Pierce,1966** (Ceratopogonidae) Synonym(s): *dara Pierce,1966* US Cf
286. **Dasyhelea digna Borkent,1997** (Ceratopogonidae) Synonym(s): *digna Borkent,1997* US Hw
287. **Dasyhelea excellentis Borkent,1997** (Ceratopogonidae) Synonym(s): *excellentis Borkent,1997* US Hw
288. **Dasyhelea festiva Wirth,1952** (Ceratopogonidae) Synonym(s): *festiva Wirth,1952* US Cf
289. **Dasyhelea flavifrons (Guérin-Ménéville,1833)** (Ceratopogonidae) Synonym(s): *flavifrons Guérin-Ménéville,1833; obscura Winnertz,1852 nec Walk.,1848; versicolor Winnertz,1852; dufouri Laboulbène,1869; hippocastani Mik,1888; brevitibialis Goetghebuer,1919; goetghebueri Kieffer,1919; sensualis Kieffer,1919; lignicola Kieffer,1919; paludicola Kieffer,1925; oppressa Thomsen,1935; septuosa Borkent,1997* FR DE AT BE GR HV CZ EE US Ny
290. **Dasyhelea grisea (Coquillett,1901)** (Ceratopogonidae) Synonym(s): *grisea Coquillett,1901; subcaerulea Thomsen,1935* US Ny
291. **Dasyhelea hawaiiensis Macfie,1934** (Ceratopogonidae) Synonym(s): *hawaiiensis Macfie,1934* US Hw

292. **Desmatoneura argentifrons Williston,1895** (Bombyliidae) Synonym(s): *argentifrons* Williston,1895 US Cf Tx
293. **Dictyonota tricornis (Schrank,1801)** (Tingidae) Synonym(s): *tricornis* Schrank,1801 US CV CA DZ IR TR RU Sb CN Ui
294. **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877 AT AZ Cc BE BG CA On Cn HV CZ DK ER ET FI FR GR HU IE IN Up IR IQ IL Pa IT Sa Si JO JP KP KR LT MK MD MN MA NL NZ DZ NO PK CN Pkn Fkn Gn Kwa Hbe Hun Hpe Yu She Ti Sz PL PT RU Us Sh Sb Ya SK S ES SE CH SY UA AE GB US Cf YE YU TR
295. **Dioctria hyalipennis (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Dda,1940 IR Ss DZ AT BE BG CZ DK GB FI YU FR IT PL RO RU ES CH NL TN CA US
296. **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837 Cc AZ Nv Ord AM GG SY Hal UA GR TR IQ IR PK TJ KK UZ AF Kab TM KG CN Ui Ku US Tx
297. **Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913 AU NSw QAU BO CV DO EG FJ Hw IL Pa IT MW MX NG PK PE PR RE TT TN US FI
298. **Doganlaria**¹⁵⁸ **daphne (Girault,1917)** (Pteromalidae) Synonym(s): *daphne* Girault,1917 *Dibrachys daphne* Girault,1917, Descr. Hym. chalcid.: 9. Lectotype: U.S.A., California (USNM). US Cf
299. **Dolichogenidea lacteicolor (Viereck,1911)** (Braconidae) Synonym(s): *lacteicolor* Viereck,1911 *Apanteles lacteicolor* Viereck,1911, Proc. U. S. Natn. Mus. 40: 475. TR US
300. **Dolichogenidea sicarius (Marshall,1885)** (Braconidae) Synonym(s): *sicarius* Marshall,1885 *Apanteles sicarius* Marshall,1885, Trans. ent. Soc. Lond. 1885: 209. TR US RO
301. **Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica* Fabricius,1781 GB DE FR ES IT Sa SE RU BG TR KG MN CN Ui Sb Sh CA Als US
302. **Drymeia alpicola (Rondani,1871)** (Muscidae) Synonym(s): *alpicola* Rondani,1871 CA US NMx DE PL SK CH AT TR CN
303. **Elachertus fenestratus Nees,1834** (Eulophidae) Synonym(s): *fenestratus* Nees,1834; *argissa* Walker,1839; *eurybates* Walker,1839; *saon* Walker,1839; *opaculus* Thomson,1878; *coxalis* Howard,1885; *viridaeneus* Cresson,1887; *pini* Gahan,1927 TR AT B-H CA On Qb HV CZ FR DE GR HU IT JP KP KR MX NL CN Pkn Hbe Sz Ti She Sha PL RU Sh Us Kmt Sb SK SE CH TJ TM GB US AR Cf Oh YU
304. **Elasmus platyedrae Ferrière,1935** (Eulophidae) Synonym(s): *platyedrae* Ferrière,1935; *elongatus* Ferrière,1947 TR AT AM Cc Cn HV CY CZ EG FR GG GR HU IN IT MK Md PT DZ SK ES SE AE US Tx YE YU
305. **Encarsia berlesei (Howard,1906)** (Aphelinidae) Synonym(s): *berlesei* Howard,1906 US TR
306. **Encarsia formosa Gahan,1924** (Aphelinidae) Synonym(s): *formosa* Gahan,1924 US TR
307. **Entedon ernobii Schauff,1988** (Eulophidae) Synonym(s): *ernobii* Schauff,1988 US Cf
308. **Entedon leucopus (Ashmead,1888)** (Eulophidae) Synonym(s): *leucopus* Ashmead,1888 *nee* Dalman,1820 CA On Qb US FI
309. **Epitrix hirtipennis (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis* Melsheimer,1847 TR GR BG IT US
310. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861 DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
311. **Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae) Synonym(s): *debachi* Rose & Rosen,1992 US Cf TR
312. **Eristalis tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822 Hw US Cf PT ES FR RU HU DE NL NO GR Cr TR AU NZ
313. **Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850 ES FR BG GR Cr DE HU IT YU MK MD RO SK TR IL Pa SY JO UA Cm RU CN US Cf PE AR AU ZA
314. **Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829 FR RU Ur Sb Cc KG SY AF MN US
315. **Euxesta pechumani Curran,1938** (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997 HU UA US BG GR Cc TM IL Pa
316. **Euxesta stigmatias Loew,1873** (Ulidiidae) Synonym(s): *stigmatias* Loew,1873 US MX BG
317. **Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775 ES FR SK HU BG UA BY RU KG TR TM CA US

¹⁵⁸ genus name established by the authors.

318. **Geron albidipennis** Loew,1870 (Bombyliidae) Synonym(s): *albidipennis* Loew,1870 **MX US**
Arz Cf NMx Tx Ut
319. **Glyphomerus stigma** (Fabricius,1793) (Torymidae) Synonym(s): *stigma* Fabricius,1793 **TR**
IR Ak Th Elb AD AT BG CA HV CZ FR DE GR HU IT JP KK NL RO RU YU SK ES SE CH GB US
320. **Grylloides sigillatus** (Walker,1869) (Gryllidae) Synonym(s): *sigillatus* Walker,1869 **MX**
US CU DE IN
321. **Grylloides supplicans** (Walker,1859) (Gryllidae) Synonym(s): *supplicans* Walker,1859 **GY US**
CU ET PK IN RU Us KP KR JP AU
322. **Harmonia axyridis** (Pallas,1773) (Coccinellidae) Synonym(s): *axyridis* Pallas,1773
Coccinella axyridis Pallas,1773, *Reise Russia 2: 726.* **GB FR BE NL DK DE PL CZ ES PT SE IT GR EG TR**
RU Sb KG UZ JP KP KR MN CN TW US FI Cf Ny Oh CA On AR BR ZA
323. **Heliophorus trivittatus** (Fabricius,1805) (Syrphidae) Synonym(s): *trivittatus*
Fabricius,1805 **TR GB NL US**
324. **Helophorus brevipalpis** Bedel,1881 (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881
TR Cc US DZ DK SE RU Ur FI LB SY IL Pa IR TR
325. **Hemipenthes bigradatus** (Loew,1869) (Bombyliidae) Synonym(s): *bigradatus* Loew,1869
CU PR JM US NMx Cf
326. **Hemipenthes blanchardiana** (Jaenicke,1867) (Bombyliidae) Synonym(s):
blanchardiana Jaenicke,1867 **MX US Cf Arz Tx**
327. **Hemipenthes chimaera** (Osten Sacken,1886) (Bombyliidae) Synonym(s): *chimaera*
Osten Sacken,1886 **MX US Arz**
328. **Hemipenthes comanche** (Painter,1962) (Bombyliidae) Synonym(s): *comanche*
Painter,1962 **US Arz Cf Col NMx Ut**
329. **Hemipenthes curtus** (Loew,1869) (Bombyliidae) Synonym(s): *curtus* Loew,1869 **US Cf**
Arz NMx Tx MX
330. **Hemipenthes eumenes** (Osten Sacken,1886) (Bombyliidae) Synonym(s): *eumenes* Osten
Sacken,1886 **CA MX US Arz Cf Col Mon NMx PR**
331. **Hemipenthes floridanus** (Macquart,1850) (Bombyliidae) Synonym(s): *floridanus*
Macquart,1850 **US FI**
332. **Hemipenthes morio** (Linnaeus,1758) (Bombyliidae) Synonym(s): *morio* Linnaeus,1758;
semiatra Meigen,1820; *morioides* Say,1823 **IT TR SE CH AT FR RU EE LT UA MD AZ AM GG Cc IR AL HV**
CY GR BG MK MD MA TM TJ UZ KK KG AF Sb US Arz Cf NMx CA TH CN Ui
333. **Hemipenthes pullatus** (Coquillett,1894) (Bombyliidae) Synonym(s): *pullatus*
Coquillett,1894 **US Arz Cf**
334. **Hoplitis (Formicapis) robusta** (Nylander,1848) (Megachilidae) Synonym(s): *robusta*
Nylander,1848 **AT CH FR FI IT RU MN CN CA US**
335. **Hoplitis (s.str.) anthocopoides** (Schenck,1853) (Megachilidae) Synonym(s):
anthocopoides Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901;
algerica Benoist,1959 **Cn AT AM Cc BE BG CH CZ DE DK ES PT PL RO RU SK SS UA DZ MA TN CA US**
336. **Hypsicera femoralis** (Geoffroy,1785) (Ichneumonidae) Synonym(s): *femoralis*
Geoffroy,1785 **TR AU TW US Hw**
337. **Idiomacromerus perplexus** (Gahan,1914) (Torymidae) Synonym(s): *perplexus*
Gahan,1914 **IR Qz AM Cc AR CA CL HU MX RO RU YU US UY UZ**
338. **Idiomacromerus terebrator** (Masi,1916) (Torymidae) Synonym(s): *terebrator* Masi,1916
IR Ab AM BG HV CZ FR DE HU IT MD NZ MK RO RU SK UA US UZ
339. **Lamprohiza splendidula** (Linnaeus,1767) (Lampyridae) Synonym(s): *splendidula*
Linnaeus,1767; *antiqua* Brullé,1832; *Villaret,1833* **NL BE DE CH CZ AT FR IT HU RO B-H HV YU MK GR**
PL UA RU GG Cc US
340. **Lasioglossum (Evylaeus) skorikovi** (Blüthgen,1929) (Halictidae) Synonym(s):
skorikovi Blüthgen,1929 **TM TR US Smk**
341. **Leptomastidea abnormis** (Girault,1915) (Encyrtidae) Synonym(s): *abnormis* Girault,1915
TR IR Fa DZ AR AU AZ Cc BE BR CA Cn CL CR CU CY DO EG FR GG GH GR Hw IT IN JP KE MA MX NL NZ
CN PE SN SL ES SE TJ TM GB US RU UZ
342. **Linnaemya compta** (Fallén,1810) (Tachinidae) Synonym(s): *compta* Fallén,1810; *compta*
Meigen,1824; *fulgeus* Meigen,1824; *heraclei* Robineau-Desvoidy,1830; *aestivalis* Robineau-Desvoidy,1830;
borealis Robineau-Desvoidy,1830; *longipes* Robineau-Desvoidy,1830; *oenanthis* Robineau-Desvoidy,1830;
humeralis Robineau-Desvoidy,1863 **CA US MX TR SE Cc MN GB RU Ur**
343. **Litaneutria borealis** (Brunner von Wattenwyl,1893) (Mantidae) Synonym(s): *borealis*
Brunner von Wattenwyl,1893 **CA US**
344. **Litaneutria longipennis** Beier,1929 (Mantidae) Synonym(s): *longipennis* Beier,1929 **CA**
US
345. **Litaneutria minor** (Scudder,1872) (Mantidae) Synonym(s): *minor* Scudder,1872 **US Arz**
Col FI Tx CA BCo
346. **Litaneutria obscura** Scudder,1896 (Mantidae) Synonym(s): *obscura* Scudder,1896 **US**
Arz Cf NMx Tx

347. **Litaneutria ocularis Saussure,1892** (Mantidae) Synonym(s): *ocularis Saussure,1892* **MX US Tx**
348. **Litaneutria pacifica Scudder,1896** (Mantidae) Synonym(s): *pacifica Scudder,1896* **US**
349. **Litaneutria skinneri Rehn,1907** (Mantidae) Synonym(s): *skinneri Rehn,1907* **US Arz NMx Tx**
350. **Lucanus (Pseudolucanus) capreolus (Linnaeus,1763)** (Lucanidae) Synonym(s): *capreolus Linnaeus,1763; dama Fabricius,1775; muticus Thunberg,1806; trigonus Thunberg,1806* **CA On Qb US Cf Tx Oh Ny**
351. **Lucanus (Pseudolucanus) mazama (LeConte,1861)** (Lucanidae) Synonym(s): *mazama LeConte,1861* **US Ut MX**
352. **Machimus nearcticus Koçak & Kemal,2008**¹⁵⁹ (Asilidae) Synonym(s): *occidentalis Hine,1909 nec Philippi,1865; nearcticus Koçak & Kemal,2008* **Machimus nearcticus Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 12 (nomen novum pro occidentalis Hine,1909 nec Philippi,1865).** **US MX**
353. **Macronychia (s.str.) aurata (Coquillett,1902)** (Sarcophagidae) Synonym(s): *aurata Coquillett,1902* **US Cf Fl CA BCo On**
354. **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata Silvestri,1920* **TR BG Cc HV CZ GG HU IT KG MX MD DZ RO SK ES TN US Tx RU YU**
355. **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus Linnaeus,1758* **SE AT DE GR IT RO CZ RU UA AM Cc TR KK KG US**
356. **Malachius blaisdelli Hopping,1939** (Melyridae) Synonym(s): *blaisdelli Hopping,1939* **US Cf**
357. **Malachius californicus Barrett,1931** (Melyridae) Synonym(s): *californicus Barrett,1931* **US Cf Arz**
358. **Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) Synonym(s): *rotundata Fabricius,1787* **Cc RU KG CA US NZ**
359. **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus Swederus,1795* **IR Elb Th AM Cc AT B-H BG HV CZ DK ET FI FR DE GR HU IR IQ IT JP KG MD YU MA NL NZ CN PL RO RU SK ES SO ZA SE CH TJ TM UA GB US**
360. **Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae Walker,1871; ballestrerii Rondani,1877* **ES FR IT Si YU B-H UA GR CY TR IR Ab Ak Fa Ha Es Kh Se Th Elb Zj Qz AF DZ AU BG HV IL Pa MA MX CN PT TN TM UA UZ US**
361. **Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum Linnaeus,1758; facultas Harris,1776; scalare Panzer,1797; mellarium Meigen,1822; melliturgus Meigen,1822; laevigatum Meigen,1822; minutum Macquart,1827; unicolor Macquart,1827; concolor Walker,1851; pruinatum Bigot,1884; nigricorne Stroble,1893* **DZ US GB HU NL DE SE NO GR Cr TR**
362. **Melanotus (s.str.) castanipes (Paykull,1800)** (Elateridae) Synonym(s): *castanipes Paykull,1800* **TR GR RU Sb US**
363. **Metcalfa pruinosa (Say,1830)** (Flatidae) Synonym(s): *pruinosa Say,1830* **US IT FR Co CH AT SL HV B-H CZ TR**
364. **Microgaster subcompleta Nees,1834** (Braconidae) Synonym(s): *subcompleta Nees,1834* **Microgaster subcompleta Nees,1834, Hym. Ichn. Affin. Mon. 1: 165.** **US Cc TR**
365. **Milichiella lacteipennis (Loew,1866)** (Milichiidae) Synonym(s): *lacteipennis Loew,1866* **AF ES Cn Md US Fl Cf Hw NMx Tx TW JM AU QAU SC FJ PR GU TZ AO CL EG NA OM JP MZ**
366. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus Fonscolombe,1832* **IR AT AZ Cc CA CL HV CZ FR GG DE HU IT KG RO RU ES SE UA GB US**
367. **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus Walker,1834* **TR IR Ab Qz AM Cc AT B-H BG CA HV CZ FR GG DE GR HU IT IN JP KG MD NL PL MK RO DZ SK YU CH UA GB US**
368. **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus Westwood,1833* **TR IR Az BG CA CL HV CZ DK EG FR DE HU IL Pa IN IT KG LB MD NL PK MK RU SK ES SE CH TM UA GB US**
369. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* **AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf FI Ny Tx UY UZ VE**
370. **Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nuchicornis Linnaeus,1758* **RU Sb KG TR Cc MN CA US On Qb BCo Ny**
371. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759* **RU Cc GG UA Cm IR TM UZ MA DZ TN SY IQ AF TR US Tx**
372. **Orizabrus clunalis (LeConte,1856)** (Scarabaeidae) Synonym(s): *clunalis LeConte,1856* **US**
373. **Osmia (Helicosmia) caerulescens (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens Linnaeus,1758; aenea Linnaeus,1761; superbus Harris,1776; muraria Retzius,1783; cuprea Geoffroy,1785; cyanea Fabricius,1793; purpurea Cresson,1864; rustica Cresson,1864* **AT AL AM AZ Cc BE**

¹⁵⁹ specific name established by the authors.

- BG CZ CH DE DK ES FR FI GB GG GR Cr HU HV IT Sa Si LT MT MK NL PL PT RO RU SK SS UA DZ EG MA TN KK KG CN TJ TM UZ CY IR JO SY TR CA US IN
374. **Osmia (Melanosmia) inermis (Zetterstedt,1838)** (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923 AT CH CZ DE ES FR FI SE GB GR HV IT LV MK PL RU CA US
375. **Osmia (Melanosmia) nigriventris (Zetterstedt,1838)** (Megachilidae) Synonym(s): *nigriventris* Zetterstedt,1838; *baicalensis* Radoszkowski,1867; *corticalis* Gerstaecker,1869 AT CH CZ DE FR FI IT LT LV NO PL RU SE SK MN CN CA US
376. **Pediobius metallicus (Nees,1834)** (Eulophidae) Synonym(s): *metallicus* Nees,1834; *acantha* Walker,1839; *caenus* Walker,1839 AT AZ Cc BG CA Cn HV CZ ET DE HU IN IQ IT Si JP JO KP KR Md MD NL NZ PK CN Pkn Gn LY SK SS ES TR UA GB US Cf Ut YE YU
377. **Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *bioculatus* Fabricius,1775; *clanda* Say,1825 US CZ FR DE RU YU
378. **Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903 AT CZ FR GR HU IR IT MN ES RU Sb US Cf
379. **Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959 BE CY EG GB FR GR IR IL Pa LY SK ES TR UA GB US Cf Ut YE YU
380. **Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823 US Oh CA On DE PL CZ SK AT HU SY
381. **Philopotamus aequalis Banks,1924** (Philopotamidae) Synonym(s): *aequalis* Banks,1924 US
382. **Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902 AL AF DZ AT AZ Cc BE CA CN CZ DK GB FI FR DE GR HU IE IT JP KP KR MN NL PL PT RU Sb ES SE CH TR US YU
383. **Plagiognathus flavipes (Provancher,1872)** (Miridae) Synonym(s): *flavipes* Provancher,1872; *elongatus* Knight,1923; *nigricornis elongatus* Knight,1923 US CA TR
384. **Pollenia labialis Robineau-Desvoidy,1863** (Calliphoridae) Synonym(s): *labialis* Robineau-Desvoidy,1863 TR DK FI DE UA SU RU US
385. **Popillia quadriguttata (Fabricius,1787)** (Scarabaeidae) Synonym(s): *quadriguttata* Fabricius,1787 RU Am Krl JP US
386. **Proctacanthella cesa Koçak & Kemal,2008**¹⁶⁰ (Asilidae) Synonym(s): *leucopogon* Williston,1893 nec Wied.,1828; *cesa* Koçak & Kemal,2008 Proctacanthella cesa Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 12 (nomen novum pro leucopogon Williston,1893 nec Wied.,1828). US MX
387. **Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): *tessellatum* Linnaeus,1758 GR TR Cc RU Sb US
388. **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908 BE BG DK FI FR DE GB IE IT NL NO PL SE TN KG RU TR Cc GG AM AZ IR CA US
389. **Psilochalcis mirabilis (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis* Boucek,1952 TR CZ SK HU KG RU US
390. **Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829 AF AL DZ AT BE BG Cc TR FR Co CY CZ DK GB DE GR HU IR IQ IT Sa IL Pa Ch MA MN NL PL PT RO RU Sb YU ES SE CH SY TN TJ US
391. **Rhizotrogus (Amphimallon) majalis (Razoumowsky,1789)** (Scarabaeidae) Synonym(s): *majalis* Razoumowsky,1789 BE FR ES CH DE IT Co Sa CA US
392. **Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* Robineau-Desvoidy,1830; *nana* Robineau-Desvoidy,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874; CA MX US Arz Cf Col NMx Tx Ut IR JP Hkk KG MN RU At Am Us Sb TJ TR TM AT BE CZ DK FI FR Co DE GB HU IE IT MK MT LT LV NL NO SE FI PL RO Cc Da SK ES SE CH UA YU
393. **Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823 TR US GB HU DE SE NO GR Cr
394. **Scambus (s.str.) brevicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brevicornis* Gravenhorst,1829 TR TN US MN
395. **Scaptomyza (s.str.) graminum (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823 YU RO BG TR EG US TW RU UZ GB DK Hw IN

¹⁶⁰ specific name established by the authors.

396. **Scathophaga stercoraria (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926 MA Cn AF AD AT B-H CN HV CZ DK EG EE FR FI DE GB HU IT JP KP KR IE LT MN NO NL PL RO RU Sb Us ES SK SE CH TN TR Cc ZA CA US
397. **Sepsis neocynipsea Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917 CA MX US AF AM Cc CN Sz JP KK KG MN RU At Am Sb Us TJ UZ AT CZ DE GB IE IT SK ES CH YU TR
398. **Sinodendron rugosum Mannerheim,1843** (Lucanidae) Synonym(s): *rugosum* Mannerheim,1843 CA BCo US Cf
399. **Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776 TR DZ US GB HU NL DE YU GR Cr RU Ur Sb Cc KG SY AF MN Az Cn Md
400. **Sphyracephala brevicornis (Say,1817)** (Diopsidae) Synonym(s): *brevicornis* Say,1817 CA Qb US Cf
401. **Sphyracephala subbifasciata Fitch,1955** (Diopsidae) Synonym(s): *subbifasciata* Fitch,1955 US Ny
402. **Sympiesis acalle (Walker,1848)** (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteor* Girault,1916 TR AZ Cc B-H BG CA On Qb Cn HV CZ DE HU IT JP KK KP KR MD NL RO RU SK ES SE CH TJ TM UA GB US Cf YE YU
403. **Sympiesis sericeicornis (Nees,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford,1913; *fulvipes* Györfi,1941 TR AM AZ Cc AT B-H BG CA On Qb Cn HV CZ FR DE GR Cr HU IR IL Pa IT Sa JP KG KP KR MK MD NL NO CN Pkn Gn Hun She Sha Sz Ti Yu PL RO RU Us Sb Kmt SK SS ES SE CH TJ TW UA GB US Cf FI Ny Tx YU
404. **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804 AT BE BG CH DE DK ES FR Co GB HU IT Si IE IL Pa NO NL PL PT YU RU FI TR DZ MA EG LB IR AF CN KP KR JP Az CA US
405. **Syrpitta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824 TR US NL DE NO HU GR Cr
406. **Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780 TR GB DE NL SE NO HU RU Ur Sb Cc KG AF MN KP KR JP US
407. **Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis* Meigen,1822 TR RU Ur Sb Cc IR MN AF KP KR JP US
408. **Systole coriandri Gussakovsky,1933** (Eurytomidae) Synonym(s): *coriandri* Gussakovsky,1933 IR AF AR BR BG CL IN JP MY MD DZ CN RO RU US UZ
409. **Tetramesa maderae (Walker,1849)** (Eurytomidae) Synonym(s): *maderae* Walker,1849 TR CA IT Md MX UA US IR Th Fa
410. **Tetramesa tritici (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici* Fitch,1859 IR Th Elb CA BR RU ES US
411. **Thricops diaphanus (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus* Wiedemann,1817 US Cf Als DE PL CZ SK CH AT HU TR JP
412. **Tingis auriculata (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847 US DZ RU IL Pa SY TR CN UI
413. **Torymus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764 IR Ak Kd AT BG CZ FR GG Cc DE HU MD NL RO SK SE UA GB US
414. **Torymus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929 *Ichneumon bedeguaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 567. AD AM Cc AZ GG BE BG CA On HV CZ DK FR GR HU IR Kd IT KK KG MD NL RO RU Da SK ES SE CH TJ TR TM UA GB US Arz Cf Col Or Ut YU
415. **Torymus nitidulus (Walker,1833)** (Torymidae) Synonym(s): *nitidulus* Walker,1833; *pallidicornis* Boheman,1834; *nanulus* Walker,1874 CZ DE HU MN CA NL CN RO RU Am Kmt Sb SE TR UA GB US Mon
416. **Toxophora maxima Coquillett,1886** (Bombyliidae) Synonym(s): *maxima* Coquillett,1886 MX US Arz Cf NMx Tx
417. **Toxophora vasta Coquillett,1891** (Bombyliidae) Synonym(s): *vasta* Coquillett,1891 US Arz Cf Col
418. **Toxophora virgata Osten Sacken,1877** (Bombyliidae) Synonym(s): *virgata* Osten Sacken,1877 MX US Arz Cf Col NMx Tx Ut
419. **Trogoderma granarium Everts,1898** (Dermestidae) Synonym(s): *granarium* Everts,1898 US AU TR
420. **Trogoderma inclusum LeConte,1854** (Dermestidae) Synonym(s): *inclusum* LeConte,1854; *tarsale* Riley,1894; *advena* Casey,1900; *obsolescens* Casey,1900; *frosti* Casey,1916; *nigrescans* Casey,1916; *brunnescens* Casey,1916 TR US RU RG IN
421. **Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857 AF DE AZ Cc GG CZ AM IR IL Pa CH KG KK US MD UZ RU TJ TM UA TR

422. **Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana* M.Hering,1935
TR GB FR NO RU FI FR Py ES Cc Ur US
423. **Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758 TR Cc IR TM
KG MN CN KP KR JP RU Ur Sb Am Us Sh CA US
424. **Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793
Cn Az DZ TR Cc JO IR AF PK IN Ch KG UK MN CN Ui Mc RU Ur Sb Am Us Sh KP KR AU NZ ZA CA US CL
AR
425. **Villa adusta (Loew,1869)** (Bombyliidae) Synonym(s): *adusta* Loew,1869; *simulata*
Walley,1932 US FI
426. **Villa aenea Coquillett,1887** (Bombyliidae) Synonym(s): *aenea* Coquillett,1887 US Cf Tx
427. **Villa agrippina Osten Sacken,1887** (Bombyliidae) Synonym(s): *agrippina* Osten
Sacken,1887 US Col Cf NMx
428. **Villa alternata (Say,1823)** (Bombyliidae) Synonym(s): *alternata* Say,1823 US
429. **Villa arenicola (Johnson,1908)** (Bombyliidae) Synonym(s): *arenicola* Johnson,1908 US
Ut
430. **Villa atra Painter,1926** (Bombyliidae) Synonym(s): *atra* Painter,1926 US Or NMx On CA
431. **Villa chromolepida Cole,1923** (Bombyliidae) Synonym(s): *chromolepida* Cole,1923 US Cf
432. **Villa connexa (Macquart,1855)** (Bombyliidae) Synonym(s): *connexa* Macquart,1855 US
433. **Villa consessor (Coquillett,1887)** (Bombyliidae) Synonym(s): *consessor* Coquillett,1887;
brumalis Long,1902 US Cf NMx CA BCo
434. **Villa edititoides Painter,1933** (Bombyliidae) Synonym(s): *edititoides* Painter,1933 US MX
435. **Villa Faustina (Osten Sacken,1887)** (Bombyliidae) Synonym(s): *faustina* Osten Sacken,1887
US Col Cf
436. **Villa fissa (Bigot,1892)** (Bombyliidae) Synonym(s): *tibialis* Robineau-Desvoidy,1830 nec
Stph.,1829; fissa Bigot,1892 US
437. **Villa flavocostalis Painter,1926** (Bombyliidae) Synonym(s): *flavocostalis* Painter,1926 US
Col Tx
438. **Villa fulviana (Say,1824)** (Bombyliidae) Synonym(s): *fulviana* Say,1824 US Cf NMx
439. **Villa fumicosta Painter & Painter,1962** (Bombyliidae) Synonym(s): *fumicosta* Painter &
Painter,1962 US MX
440. **Villa gemella (Coquillett,1892)** (Bombyliidae) Synonym(s): *gemella* Coquillett,1892 US Cf
441. **Villa gracilis (Macquart,1840)** (Bombyliidae) Synonym(s): *gracilis* Macquart,1840 US
442. **Villa harveyi (Hine,1904)** (Bombyliidae) Synonym(s): *harveyi* Hine,1904 CA BCo US Col
443. **Villa hermannloewi Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s):
hermannloewi Evenhuis & Greathead,1999 CA Abt US Arz Neb Col Wy
444. **Villa hypomelas (Macquart,1840)** (Bombyliidae) Synonym(s): *hypomelas* Macquart,1840
US CA Abt
445. **Villa incisvia Painter & Painter,1962** (Bombyliidae) Synonym(s): *incisvia* Painter &
Painter,1962 US MX
446. **Villa johnsoni Painter,1926** (Bombyliidae) Synonym(s): *hirtipennis* Malloch,1915; *johnsoni*
Painter,1926 US Ny
447. **Villa lateralis (Say,1823)** (Bombyliidae) Synonym(s): *lateralis* Say,1823 CA BCo US Cf FI
448. **Villa livia Osten Sacken,1887** (Bombyliidae) Synonym(s): *livia* Osten Sacken,1887 US Tx
Arz
449. **Villa miscella (Coquillett,1887)** (Bombyliidae) Synonym(s): *miscella* Coquillett,1887 US
MX BcN
450. **Villa molitor (Loew,1869)** (Bombyliidae) Synonym(s): *molitor* Loew,1869 US Cf
451. **Villa moneta Osten Sacken,1887** (Bombyliidae) Synonym(s): *moneta* Osten Sacken,1887
US Arz
452. **Villa mucorea (Loew,1869)** (Bombyliidae) Synonym(s): *mucorea* Loew,1869 CA BCo Abt
US Arz
453. **Villa myximyia Evenhuis,1978** (Bombyliidae) Synonym(s): *myximyia* Evenhuis,1978;
paramuscara Evenhuis & Hall,1987 US Cf Col CA BCo Abt
454. **Villa nebulo Coquillett,1887** (Bombyliidae) Synonym(s): *nebulo* Coquillett,1887 US Ws
455. **Villa nigra Cresson,1916** (Bombyliidae) Synonym(s): *nigra* Cresson,1916 US Col
456. **Villa nigricauda (Loew,1869)** (Bombyliidae) Synonym(s): *nigricauda* Loew,1869 US Col
457. **Villa nigropecta Cresson,1916** (Bombyliidae) Synonym(s): *nigropecta* Cresson,1916 US Ut
NMx
458. **Villa pima Painter & Painter,1962** (Bombyliidae) Synonym(s): *pima* Painter & Painter,1962
US MX
459. **Villa pretiosa (Coquillett,1887)** (Bombyliidae) Synonym(s): *pretiosa* Coquillett,1887 CA
BCo Abt US Ut
460. **Villa psammia Cole,1960** (Bombyliidae) Synonym(s): *arenicola* Cole,1923; *psammia*
Cole,1960 US Ut MX BcN

461. **Villa quivera Painter,1933** (Bombyliidae) Synonym(s): *quivera* Painter,1933 **US NMx MX**
Dgo
462. **Villa sabina Osten Sacken,1887** (Bombyliidae) Synonym(s): *sabina* Osten Sacken,1887 **US**
Arz
463. **Villa salebrosa Painter,1926** (Bombyliidae) Synonym(s): *salebrosa* Painter,1926 **US Ws Tx**
Io
464. **Villa scrobiculata (Loew,1869)** (Bombyliidae) Synonym(s): *scrobiculata* Loew,1869 **US**
Iln
465. **Villa semifulvipes Painter,1962** (Bombyliidae) Synonym(s): *semifulvipes* Painter,1962 **US**
Ws Cf Tx Vi Mch
466. **Villa shawii (Johnson,1908)** (Bombyliidae) Synonym(s): *shawii* Johnson,1908 **US Ny Msc**
467. **Villa sini Cole,1923** (Bombyliidae) Synonym(s): *sini* Cole,1923 **US Cf MX BcN**
468. **Villa squamigera Coquillett,1892** (Bombyliidae) Synonym(s): *squamigera* Coquillett,1892
US Cf
469. **Villa stenozona (Loew,1869)** (Bombyliidae) Synonym(s): *stenozona* Loew,1869; *disjuncta*
Becker,1916 **IT Si TR US Iln**
470. **Villa stenozonella Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *stenozonella*
Evenhuis & Greathead,1999 **US Iln**
471. **Villa supina (Coquillett,1887)** (Bombyliidae) Synonym(s): *supina* Coquillett,1887 **US Cf Ut**
Arz
472. **Villa terrena (Coquillett,1892)** (Bombyliidae) Synonym(s): *terrena* Coquillett,1892 **US Cf**
473. **Villa vacans (Coquillett,1887)** (Bombyliidae) Synonym(s): *vacans* Coquillett,1887 **US**
474. **Villa vanduzeei Cole,1923** (Bombyliidae) Synonym(s): *vanduzeei* Cole,1923 **US Ut Col Tx**
MX
475. **Villa yaqui Painter & Painter,1962** (Bombyliidae) Synonym(s): *yaqui* Painter &
Painter,1962 **US Arz MX**
476. **Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862
AT BE BG CZ DK FR DE HU IT MN CN US PL RO ES CH AZ Cc GG AM TR Sb Us KG EE LT MD UA YU
477. **Yersinops newboldi Hebard,1931** (Mantidae) Synonym(s): *newboldi* Hebard,1931 **US Cf**
MX
478. **Yersinops solitaria (Scudder,1896)** (Mantidae) Synonym(s): *solitaria* Scudder,1896; *minor*
Scudder & Cockerell,1904 **US Col**
479. **Yersinops sophronica (Rehn & Hebard,1908)** (Mantidae) Synonym(s): *sophronica* Rehn
& Hebard,1908 **US Arz**
480. **Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani*
Holmgren,1854 **TR Cc AM KG Aa TJ US**
481. **Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758;
concinna Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
AF DZ AT AZ Cc BE GB FI GR DE Cr NL SY IL Pa RU CN MN PK MA JP KP KR TW MY SE CH TR ES PT VN
MM ID Ja Sum Bor IR BG YU US

Synonymic and distributional list of the pterygot insects of Venezuela

(Results of the Entomofauna of the World based upon info-system of the Cesa)

87

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Synonymic and distributional list of the pterygot insects of Venezuela (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 87. *Priamus* (suppl.) 18: 2885-2887.

In this study, totally 63 species are listed. Synonymous names are arranged chronologically. Range of each species is given as codes. Together with the information on Lepidoptera of Venezuela recorded in info-system of the Cesa, total pterygot species of Venezuela increase to 570.

Key words: List, distribution, *pterygota*, *Insecta*, Venezuela.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	no
Planned expeditions	yes
Further planned publications	yes

In this study, totally 63 pterygot species are listed alphabetically. To each species, synonymous scientific names which are arranged chronologically, are attached. Nomenclaturally unavailable names, including incorrect spellings are marked with #. Ranges of the species are cited as in codes. Original references to some taxa are given in blue colour.

In info-system of the Cesa, totally 507 recorded species of Lepidoptera from Venezuela are found. Taking this information into consideration, total number of the pterygots may increase to 570.

The study is still continuing, and the new results will be published within this Project.

1. **Albibarbefferia albibarbis (Macquart,1838)** (Asilidae) Synonym(s): *albibarbis* Macquart,1838; *pumilus* Walker,1855 (*praeocc.*); *cinerascens* Bellardi,1861; *tricolor* Bellardi,1861; *furax* Williston,1885 **US Cf Ut Arz Col NMx Tx MX CA On BCo GT VE**
2. **Albibarbefferia quadrimaculata (Bellardi,1861)** (Asilidae) Synonym(s): *quadrimaculata* Bellardi,1861 **MX VE**
3. **Amblyonychus annularis (Fabricius,1805)** (Asilidae) Synonym(s): *annularis* Fabricius,1805 **GY PE VE BO**
4. **Amblyonychus yepezi (Carrera & Machado-Allison,1963)** (Asilidae) Synonym(s): *yepezi* Carrera & Machado-Allison,1963 **VE**
5. **Andrenosoma flamipennis Bromley,1931** (Asilidae) Synonym(s): *flamipennis* Bromley,1931 **SR VE GF BR**
6. **Andrenosoma olbus (Walker,1849)** (Asilidae) Synonym(s): *olbus* Walker,1849; *minos* Bromley,1931; *cyaniventris* Bromley,1934 **HN GT CR VE PE BR EC GY**

7. **Andrenosoma pygophora Schiner,1868** (Asilidae) Synonym(s): *pygophora Schiner,1868* VE
8. **Andrenosoma rubidapex (Hermann,1912)** (Asilidae) Synonym(s): *rubidapex Hermann,1912; elegans Bromley,1934* CR VE GY BR PE
9. **Andrenosoma rufipennis (Wiedemann,1828)** (Asilidae) Synonym(s): *rufipennis Wiedemann,1828* GY BR SR VE
10. **Andrenosoma xanthocnemum (Wiedemann,1828)** (Asilidae) Synonym(s): *xanthocnemum Wiedemann,1828* MX PE VE BR
11. **Angela guianensis Rehn,1906** (Mantidae) Synonym(s): *guianensis Rehn,1906* BO BR CR GF GY CO SR VE
12. **Angela lemoulti (Chopard,1910)** (Mantidae) Synonym(s): *lemoulti Chopard,1910* BR GF VE CO
13. **Angela minor (Giglio-Tos,1916)** (Mantidae) Synonym(s): *minor Giglio-Tos,1916* VE CO
14. **Angela quinque maculata (Olivier,1792)** (Mantidae) Synonym(s): *quinque maculata Olivier,1792* BR GF SR VE TT CO
15. **Angela saussurii Giglio-Tos,1927** (Mantidae) Synonym(s): *saussurii Giglio-Tos,1927* BR GF SR VE
16. **Angela trifasciata Stal,1877** (Mantidae) Synonym(s): *trifasciata Stal,1877* BR CO VE
17. **Angela wernerii Chopard,1914** (Mantidae) Synonym(s): *wernerii Chopard,1914* GF SR VE
18. **Anthrax macquarti Andretta & Carrera,1952** (Bombyliidae) Synonym(s): *trilineata Meigen,1838; macquarti Andretta & Carrera,1952* VE SR GF PE BO PY BR
19. **Aphamartania frauenfeldi Schiner,1866** (Asilidae) Synonym(s): *frauenfeldi Schiner,1866; panamensis Curran,1931* PA VE
20. **Aphractia vivax (Hermann,1912)** (Asilidae) Synonym(s): *vivax Hermann,1912* PE VE
21. **Aquiarina colombiensis (Ceballos,1926)** (Stephanidae) Synonym(s): *colombiensis Ceballos,1926* CO VE PA CR
22. **Aquiarina costaricensis (Aguiar,2004)** (Stephanidae) Synonym(s): *costaricensis Aguiar,2004* CR VE
23. **Cardioptera parva Beier,1942** (Mantidae) Synonym(s): *parva Beier,1942* VE BR
24. **Cardioptera sublobata (Audinet-Serville,1839)** (Mantidae) Synonym(s): *brachyptera Burmeister,1838 nec Pallas,1773; sublobata Audinet-Serville,1839; pilipes Serville,1839* AR BR VE GF GY
25. **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924* Tephritis capitata Wiedemann,1824, *Analecta entomologica: 55. Type ♂: "in mare indico" [South Africa: Cape Province] (ZMK). TR SY NL YU AL IL Pa IT JO LB Cn CY Cr GR EG FR DE ES ZA Ec Nta Kzu Dbn Elo Gau Pre Tva Lpo TZ TN DZ AO BI CM ZR EG GH GN KE Nai LY MG MA MZ NG SH SC BJ BF CV ET GA CI LR MW ML MR NE RE ST SN SD TG UG ZW BW BO BR UY VE CR CO EC GT Az AU MG Md MT MX PA PY PE SA Sa Si PT NZ US Tx Cf FI Hw CA*
26. **Culicoides alvarezii Ortiz,1957** (Ceratopogonidae) Synonym(s): *alvarezii Ortiz,1957* VE
27. **Culicoides arubae Fox & Hoffman,1944** (Ceratopogonidae) Synonym(s): *arubae Fox & Hoffman,1944* VE
28. **Culicoides aureus Ortiz,1951** (Ceratopogonidae) Synonym(s): *aureus Ortiz,1951; miyamotoi Wirth & Blanton,1953* VE PA
29. **Culicoides avilaensis Ortiz & Mirsa,1951** (Ceratopogonidae) Synonym(s): *avilaensis Ortiz & Mirsa,1951* VE
30. **Culicoides beebei Fox,1952** (Ceratopogonidae) Synonym(s): *beebei Fox,1952* VE
31. **Culicoides benarrochi Ortiz & Mirsa,1952** (Ceratopogonidae) Synonym(s): *benarrochi Ortiz & Mirsa,1952* VE
32. **Culicoides birabeni Cavalieri,1966** (Ceratopogonidae) Synonym(s): *birabeni Cavalieri,1966* VE
33. **Culicoides bricenoi Ortiz,1951** (Ceratopogonidae) Synonym(s): *bricenoi Ortiz,1951* VE
34. **Culicoides caprilesi Fox,1952** (Ceratopogonidae) Synonym(s): *caprilesi Fox,1952* VE
35. **Culicoides covagarciai Ortiz,1950** (Ceratopogonidae) Synonym(s): *covagarciai Ortiz,1950* VE
36. **Culicoides discrepans Ortiz & Mirsa,1951** (Ceratopogonidae) Synonym(s): *discrepans Ortiz & Mirsa,1951* VE
37. **Culicoides dominicii Ortiz,1951** (Ceratopogonidae) Synonym(s): *dominicii Ortiz,1951* VE
38. **Culicoides fernandesi Ortiz,1954** (Ceratopogonidae) Synonym(s): *fernandesi Ortiz,1954* VE
39. **Culicoides flochabonnenci Ortiz & Mirsa,1952** (Ceratopogonidae) Synonym(s): *flochabonnenci Ortiz & Mirsa,1952* VE
40. **Culicoides forattinii Ortiz,1961** (Ceratopogonidae) Synonym(s): *forattinii Ortiz,1961* VE
41. **Culicoides gabaldoni Ortiz,1954** (Ceratopogonidae) Synonym(s): *gabaldoni Ortiz,1954* VE
42. **Culicoides ginesi Ortiz,1951** (Ceratopogonidae) Synonym(s): *ginesi Ortiz,1951* VE
43. **Culicoides heliconiae Fox & Hoffman,1944** (Ceratopogonidae) Synonym(s): *heliconiae Fox & Hoffman,1944* VE
44. **Culicoides imitator Ortiz,1953** (Ceratopogonidae) Synonym(s): *imitator Ortiz,1953* VE

45. **Culicoides iriartei Fox,1952** (Ceratopogonidae) Synonym(s): *iriartei Fox,1952* VE
46. **Culicoides leopoldoi Ortiz,1951** (Ceratopogonidae) Synonym(s): *leopoldoi Ortiz,1951* VE
47. **Culicoides lichyi Floch & Abonnenc,1949** (Ceratopogonidae) Synonym(s): *lichyi Floch & Abonnenc,1949* VE
48. **Culicoides malariologiensis Perruolo,1990** (Ceratopogonidae) Synonym(s): *malariologiensis Perruolo,1990* VE
49. **Culicoides mirsae Ortiz,1953** (Ceratopogonidae) Synonym(s): *mirsae Ortiz,1953* VE
50. **Culicoides obnoxius Fox,1952** (Ceratopogonidae) Synonym(s): *obnoxius Fox,1952* VE
51. **Culicoides ocumarensis Ortiz,1950** (Ceratopogonidae) Synonym(s): *ocumarensis Ortiz,1950* VE
52. **Culicoides ortizi Fox,1952** (Ceratopogonidae) Synonym(s): *ortizi Fox,1952* VE
53. **Culicoides pifanoi Ortiz,1951** (Ceratopogonidae) Synonym(s): *pifanoi Ortiz,1951* VE
54. **Culicoides rangeli Ortiz & Mirsa,1952** (Ceratopogonidae) Synonym(s): *rangeli Ortiz & Mirsa,1952* VE
55. **Culicoides rodriguezi Ortiz,1968** (Ceratopogonidae) Synonym(s): *rodriguezi Ortiz,1968* VE
56. **Culicoides scorzai Ortiz,1956** (Ceratopogonidae) Synonym(s): *scorzai Ortiz,1956* VE
57. **Culicoides transferrans Ortiz,1953** (Ceratopogonidae) Synonym(s): *transferrans Ortiz,1953* VE
58. **Culicoides unetensis Perruolo,2001** (Ceratopogonidae) Synonym(s): *UNETENSIS Perruolo,2001* VE
59. **Culicoides venezuelensis Ortiz & Mirsa,1950** (Ceratopogonidae) Synonym(s): *venezuelensis Ortiz & Mirsa,1950* VE
60. **Culicoides yaracuyensis Ortiz,1959** (Ceratopogonidae) Synonym(s): *YARACUYENSIS Ortiz,1959* VE
61. **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus Linnaeus,1767; helvolus Klug,1834; punctatus Zoubkoff,1837; occidentalis Zoubkoff,1837; conicollis Wollaston,1861; subcoriaceus Wollaston,1861; subdiaphanus Wollaston,1861* DZ Md TM CV PE Cn US Tx Arz Cf CYBW EC EG IR KE MG MX NA PR ZW SA ZA SD AE VE
62. **Latina¹⁶¹ guriana (Heraty,2002)** (Eucharitidae) Synonym(s): *guriana Heraty,2002* VE
63. **Muscidifurax raptor Girault & Sanders,1910** (Pteromalidae) Synonym(s): *raptor Girault & Sanders,1910; perplexa Hedqvist,1973* AR AU NSw QAU BR BE CA Alb CL CO CR CZ DK FR DE Hw HU IL Pa IT JM KG KK KR MU MX MD MA NL NZ CN PE PR RO SK ZA ES SE TT GB US Cf Fl Ny Tx UY UZ VE

¹⁶¹ genus name established by the authors.

List of the valid names of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa)

88

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: List of the valid name of the pterygot insects of Middle East (*Results of the Entomofauna of the World, based upon info-system of the Cesa*) – 88. *Priamus* (suppl.) 18: 2888-3186.

In this study, the species list of the pterygot orders is arranged in two parts. In the first part, the pterygot orders (except Lepidoptera) are evaluated. Totally 12999 species are listed together with the family names. Similarly, a list of the Lepidoptera, composed of 7390 species recorded in Middle East, is given in the second part. Consequently, pterygot species, listed here based upon the info-system of the Cesa, increase to 20389, representing 17 pterygot orders found in the seven Middle East countries (Turkey, Iran, Iraq, Syria, Lebanon, Jordan, and Israel).

Key words: List, distribution, *pterygota*, *Insecta*, Middle East, Turkey, Iran, Iraq, Syria, Lebanon, Jordan, Israel.

Brief explanatory information:

Previously published articles	yes
Previously published report	no
Expedition made by the Cesa	yes
Planned expeditions	yes
Further planned publications	yes

Within the frame of the Cesa Project Entomofauna, totally 20389 species of the 17 pterygot orders inhabiting in the seven Middle East countries (Turkey, Iran, Iraq, Syria, Lebanon, Jordan, and Israel). This list reflects certainly only a small part of the total fauna; however the result obtained cannot be over overlooked as it is the first and comprehensive study on this subject. In the near future, more detailed, complete and revised list will be published in our serials.

In this article, the species list of the pterygot orders is arranged in two parts. In the first part, the pterygot orders (except Lepidoptera) are evaluated. Among the total species, the Turkish insect list is represented by 86%. This rate will certainly be reasonable, whenever the Arabian and Persian insect lists are completed. The lepidopteran list is relatively more complete. The Lepidoptera of Turkey is represented by 71% in the whole Middle East fauna. Both lists comprise the alphabetically arranged valid specific names of the taxa, found in the Middle East region, with their family names. Synonyms and the subspecies are omitted here.

Part 1

List of the valid names of the pterygot orders

1. **"Calligypona" obtusangula** Linnavuori,1957 (Delphacidae)
2. **"Megamelus" ornatipennis** Haupt,1927 (Delphacidae)
3. **Abacetus quadripustulatus** Peyron,1858 (Carabidae)
4. **Abax (Abacopercus) carinatus (Duftschmid,1812)** (Carabidae)
5. **Abgrallaspis cyanophylli (Signoret)** (Diaspididae)
6. **Abia aenea (Klug,1829)** (Cimbicidae)
7. **Abia sericea (Linnaeus,1767)** (Cimbicidae)
8. **Abiskomyia paravirgo** Goetghebuer,1936 (Chironomidae)
9. **Ablabemyia monilis (Linnaeus,1758)** (Chironomidae)
10. **Ablabemyia phatta (Egger,1896)** (Chironomidae)
11. **Ablabemyia sp.** (Chironomidae)
12. **Ablabesmyia longistyla** Fittkau,1962 (Chironomidae)
13. **Ablattaria arenaria (Kraatz,1876)** (Silphidae)
14. **Ablattaria laevigata (Fabricius,1775)** (Silphidae)
15. **Ablerus atomon (Walker,1847)** (Aphelinidae)
16. **Ablerus celsus (Walker,1839)** (Aphelinidae)
17. **Ablerus perspicuosus** Girault,1916 (Aphelinidae)
18. **Abraeus granulum** Erichson,1839 (Histeridae)
19. **Abraeus perpusillus (Marsham,1802)** (Histeridae)
20. **Abraeus roubali Olexa,1958** (Histeridae)
21. **Acalcarella nucus (Pankratova,1950)** (Chironomidae)
22. **Acanthaclisis baetica** Rambur,1842 (Myrmeleonidae)
23. **Acanthaclisis mesopotamica** Hölzel,1972 (Myrmeleonidae)
24. **Acanthaclisis occitanica (Villers,1789)** (Myrmeleonidae)
25. **Acanthaclisis occitanicum** Villers,1789 (Myrmeleonidae)
26. **Acanthaclisis pallida** McLachan,1887 (Myrmeleonidae)
27. **Acanthiophilus helianthi (Rossi,1790)** (Tephritidae)
28. **Acanthiophilus ramulosus** Loew,1844 (Tephritidae)
29. **Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae)
30. **Acanthodelphax spinosa (Fieber,1866)** (Delphacidae)
31. **Acanthodynerus giordanii Gusenleitner,1969** (Vespididae)
32. **Acantholepis frauenfeldi (Mayr,1855)** (Formicidae)
33. **Acanthomytilus cedricola** Balachowsky & Alkan (Diaspididae)
34. **Acanthopulvinaria orientalis (Nasonov)** (Coccidae)
35. **Acathrito robusta (Kröber,1929)** (Therevidae)
36. **Accanthopus velikensis (Piller & Mitterpacher,1783)** (Tenebrionidae)
37. **Acemya acuticornis (Meigen,1824)** (Tachinidae)
38. **Acericerus rotundifrons (Kirschbaum,1868)** (Cicadellidae)
39. **Achaeta algericus (Saussure,1877)** (Gryllidae)
40. **Achaeta burdigalensis (Latreille,1804)** (Gryllidae)
41. **Achaeta deserta (Pallas,1771)** (Gryllidae)
42. **Achaeta domestica (Linnaeus,1758)** (Gryllidae)
43. **Achaeta gossypii** Costa,1855 (Gryllidae)
44. **Achalcerinys lindus (Mercet,1921)** (Encyrtidae)
45. **Acidota brevis** Assing,2004 (Staphylinidae)
46. **Acidota crenata (Fabricius,1793)** (Staphylinidae)
47. **Acilius sulcatus (Linnaeus,1758)** (Dytiscidae)
48. **Acinipe davisii (Uvarov,1949)** (Pamphagidae)
49. **Acinopus ammophilus** Dejean,1829 (Carabidae)
50. **Acinopus megacephalus (P.Rossi,1794)** (Carabidae)
51. **Aciura coryli (Rossi,1790)** (Tephritidae)
52. **Aclypea undata (O.F.Müller,1776)** (Silphidae)
53. **Acmaeodera (s.str.) flavolineata** Laporte & Gory,1835 (Buprestidae)
54. **Acmaeodera (s.str.) transcaucasica** Semenov,1895 (Buprestidae)
55. **Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783)** (Buprestidae)
56. **Acmaeoderella (Euacmaeoderella) vetusta (Ménétriés,1832)** (Buprestidae)
57. **Acmaeoderella (Euacmaeoderella) villosula (Steven,1830)** (Buprestidae)
58. **Acompocoris pygmaeus (Fallén,1807)** (Anthocoridae)
59. **Aconosimus goricus (Dlabola,1958)** (Issidae)
60. **Aconura amitina (Melichar,1902)** (Cicadellidae)
61. **Aconura impicta (Linnavuori,1962)** (Cicadellidae)
62. **Aconura jakowlefi** Lethierry,1876 (Cicadellidae)

63. **Aconura oculata** (Lindberg,1948)
(Cicadellidae)
64. **Aconura volgensis** Lethierry,1876
(Cicadellidae)
65. **Aconurella prolixa** (Lethierry,1885)
(Cicadellidae)
66. **Acricotopus lucens** (Zetterstedt,1850)
(Chironomidae)
67. **Acrida anatolica** Dirsh,1949 (Acrididae)
68. **Acrida bicolor** (Thunberg,1815) (Acrididae)
69. **Acrida oxycephala** (Pallas,1771) (Acrididae)
70. **Acrida palaestina** Dirsh,1949 (Acrididae)
71. **Acritus minutus** (Herbst,1792) (Histeridae)
72. **Acritus nigricornis** (Hoffmann,1803)
(Histeridae)
73. **Acrochordomerus aeneus** Hermann,1920
(Asilidae)
74. **Acrochordomerus mediterraneus** Kovár &
Hradski,1995 (Asilidae)
75. **Acrodactyla quadrisculpta**
(Gravenhorst,1829) (Ichneumonidae)
76. **Acrolocha amabilis** (Heer,1841)
(Staphylinidae)
77. **Acromalachus clavicornis** (Peyron,1877)
(Melyridae)
78. **Acromalachus flexicornis** (Baudi di
Selve,1873) (Melyridae)
79. **Acrometopa servillea** (Brullé,1832)
(Tettigoniidae)
80. **Acrometopa syriaca** Brunner von
Wattenwyl,1878 (Tettigoniidae)
81. **Acropimpla didyma** (Gravenhorst,1829)
(Ichneumonidae)
82. **Acroricnus seductor** (Scopoli,1786)
(Ichneumonidae)
83. **Acroricnus stylator** (Thunberg,1822)
(Ichneumonidae)
84. **Acrorrhinium conspersum** Noualhier,1895
(Miridae)
85. **Acrospilus brevitalus** (Parent,1937)
(Dolichopodidae)
86. **Acrossus luridus** (Fabricius,1775)
(Scarabaeidae)
87. **Acrosternum heegeri** Fieber,1861
(Pentatomidae)
88. **Acrosternum millierei** (Mulsant &
Rey,1866) (Pentatomidae)
89. **Acrotylus insubricus** (Scopoli,1786)
(Acrididae)
90. **Acrotylus longipes** (Charpentier,1845)
(Acrididae)
91. **Acrotylus patruelis** (Herrich-
Schäffer,1838) (Acrididae)
92. **Actenodia confluens** (Reiche,1866)
(Meloidae)
93. **Actenodia perfuga** (Dvorak,1993) (Meloidae)
94. **Actenodia peyroni** (Reiche,1866) (Meloidae)
95. **Actinoptera discoidea** (Fallén,1814)
(Tephritidae)
96. **Actorthia olivierii** (Macquart,1840)
(Therevidae)
97. **Adalia (s.str.) bipunctata** (Linnaeus,1758)
(Coccinellidae)
98. **Adalia (s.str.) decempunctata**
(Linnaeus,1758) (Coccinellidae)
99. **Adalia (s.str.) fasciatopunctata**
Mulsant,1866 (Coccinellidae)
100. **Adarrus multinotatus** (Boheman,1847)
(Cicadellidae)
101. **Adarrus niphanticus** Logvinenko,1966
(Cicadellidae)
102. **Adelencyrtus aulacaspidis** (Bréthes,1914)
(Encyrtidae)
103. **Adelina turcica** (Reitter,1877)
(Tenebrionidae)
104. **Adelocera pygmaea** (Baudi,1871) (Elateridae)
105. **Adelocera schuberti** Platia & Gudenzi,2002
(Elateridae)
106. **Adelostoma (s.str.) hauseri** Reitter,1895
(Tenebrionidae)
107. **Adelostoma (s.str.) ovalipenne**
Chevrolat,1877 (Tenebrionidae)
108. **Adelostoma (s.str.) subtilis**
Reitter,1900 (Tenebrionidae)
109. **Adelostoma (s.str.) sulcatum**
Duponchel,1827 (Tenebrionidae)
110. **Adelostoma (Zarudnyomus) grande** Haag-
Rutenberg,1879 (Tenebrionidae)
111. **Adelphocoris lineolatus** (Goeze,1778)
(Miridae)
112. **Adelungia elegans** Melichar,1902
(Cicadellidae)
113. **Adeniana longiceps** (Puton,1887) (Cicadidae)
114. **Adeniana yotvataensis** Schedl,1999
(Cicadidae)
115. **Adenissus zahedanicus** Dlabola,1980
(Caliscelidae)
116. **Adesmia (Macradesmia) servillei**
Solier,1835 (Tenebrionidae)
117. **Adesmia (Oteroscelis) audouini** Solier,1835
(Tenebrionidae)
118. **Adesmia (Oteroscelis) bicarinata** Klug,1830
(Tenebrionidae)
119. **Adesmia (Oteroscelis) carinata** Miller,1861
(Tenebrionidae)
120. **Adesmia (Oteroscelis) elevata** Solier,1835
(Tenebrionidae)
121. **Adesmia (Oteroscelis) lacunosa** Klug,1830
(Tenebrionidae)
122. **Adesmia (s.str.) abbreviata** Klug,1830
(Tenebrionidae)
123. **Adesmia (s.str.) anatolica** Ganglbauer,1906
(Tenebrionidae)
124. **Adesmia (s.str.) anthracina** Klug,1830
(Tenebrionidae)
125. **Adesmia (s.str.) clathrata** Solier,1835
(Tenebrionidae)
126. **Adesmia (s.str.) devechii** Osculati,1844
(Tenebrionidae)
127. **Adesmia (s.str.) fagergreeni** Baudi,1874
(Tenebrionidae)
128. **Adesmia (s.str.) fischeri** Faldermann,1837
(Tenebrionidae)
129. **Adesmia (s.str.) gibbula** Reitter,1916
(Tenebrionidae)
130. **Adesmia (s.str.) maillei** Solier,1835
(Tenebrionidae)
131. **Adesmia (s.str.) mesopotamica**
Chevrolat,1877 (Tenebrionidae)
132. **Adesmia (s.str.) metallica** Klug,1830
(Tenebrionidae)
133. **Adesmia (s.str.) monilis** Klug,1830
(Tenebrionidae)
134. **Adesmia (s.str.) montana** Klug,1830
(Tenebrionidae)

135. **Adesmia (s.str.) procera** Miller,1861 (Tenebrionidae)
 136. **Adesmia (s.str.) ramburi** Solier,1835 (Tenebrionidae)
 137. **Adesmia (s.str.) tenebrosa** Solier,1835 (Tenebrionidae)
 138. **Adesmia (s.str.) ulcerosa** Klug,1830 (Tenebrionidae)
 139. **Adontomerus amygdali** (Boucek,1958) (Torymidae)
 140. **Adontomerus confusus** Askew,2000 (Torymidae)
 141. **Adontomerus crassipes** (Boucek,1982) (Torymidae)
 142. **Adontomerus impolitus** (Askew & Nieves-Aldrey,1988) (Torymidae)
 143. **Adoretus granulifrons** Fairmaire,1882 (Scarabaeidae)
 144. **Adoretus irakanus** Ohaus,1928 (Scarabaeidae)
 145. **Adoretus sterbae** Reitter,1909 (Scarabaeidae)
 146. **Adoxomyia dahlui** (Meigen,1830) (Stratiomyidae)
 147. **Adoxomyia obscuripennis** (Loew,1873) (Stratiomyidae)
 148. **Adoxomyia ruficornis** (Loew,1873) (Stratiomyidae)
 149. **Adrastus anatolicus** Platia & Schimmel,1991 (Elateridae)
 150. **Adrastus circassicus** Reitter,1896 (Elateridae)
 151. **Adrastus dolini** Welschmied,1978 (Elateridae)
 152. **Adrastus limbatus** (Fabricius,1776) (Elateridae)
 153. **Adrastus longicornis** Gurjeva,1976 (Elateridae)
 154. **Adrastus montanus** (Scopoli,1763) (Elateridae)
 155. **Adrastus pallens** (Fabricius,1792) (Elateridae)
 156. **Adrastus protractus** Roubal,1924 (Elateridae)
 157. **Adrastus rachifer** (Fourcroy,1785) (Elateridae)
 158. **Adrastus samedovi** Dolin & Agajev,1974 (Elateridae)
 159. **Aeletes atomarius** (Aubé,1843) (Histeridae)
 160. **Aeletes hopffgarteni** (Reitter,1876) (Histeridae)
 161. **Aelia acuminata** (Linnaeus,1758) (Pentatomidae)
 162. **Aelia albovittata** Fieber,1868 (Pentatomidae)
 163. **Aelia alticola** Kiritshenko,1914 (Pentatomidae)
 164. **Aelia rostrata** Boheman,1852 (Pentatomidae)
 165. **Aelia virgata** (Herrich-Schäffer,1841) (Pentatomidae)
 166. **Aeoloderma crucifer** (Rossi,1790) (Elateridae)
 167. **Aeoloderma obliterated** (Candeze,1859) (Elateridae)
 168. **Aeoloides atricapillus** (Germar,1824) (Elateridae)
 169. **Aeoloides figuratus** (Germar,1844) (Elateridae)
 170. **Aeoloides grisescens** (Germar,1844) (Elateridae)
 171. **Aeoloides sarmaticus** (Motschoulsky,1860) (Elateridae)
 172. **Aeolosomus rossi** (Germar,1844) (Elateridae)
 173. **Aeropedellus turcicus** Karabağ,1959 (Acrididae)
 174. **Aeropus sibiricus** (Linnaeus,1767) (Acrididae)
 175. **Aeshna affinis** Van Der Linden,1820 (Aeshnidae)
 176. **Aeshna cyanea** (O.F.Müller,1764) (Aeshnidae)
 177. **Aeshna isosceles** (O.F.Müller,1764) (Aeshnidae)
 178. **Aeshna juncea** (Linnaeus,1758) (Aeshnidae)
 179. **Aeshna mixta** Latreille,1805 (Aeshnidae)
 180. **Aeshna serrata** (Hagen,1856) (Aeshnidae)
 181. **Aethiessa mesopotamica** Burmeister,1842 (Scarabaeidae)
 182. **Aethiessa zarudnyi** Kiseritzkij,1939 (Scarabaeidae)
 183. **Afghanoleon flavomaculatus** Hölzel,1972 (Myrmeleonidae)
 184. **Agabus (Acatodes) bergi** Zaitzev,1913 (Dytiscidae)
 185. **Agabus (Acatodes) congener** (Thunberg,1794) (Dytiscidae)
 186. **Agabus (Acatodes) coxalis** Sharp,1882 (Dytiscidae)
 187. **Agabus (Acatodes) lapponicus** (Thomson,1867) (Dytiscidae)
 188. **Agabus (Acatodes) sturmii** Gyllenhal,1808 (Dytiscidae)
 189. **Agabus (Gaurodytes) biguttatus** (Olivier,1795) (Dytiscidae)
 190. **Agabus (Gaurodytes) bipustulatus** (Linnaeus,1767) (Dytiscidae)
 191. **Agabus (Gaurodytes) caraboides** Sharp,1882 (Dytiscidae)
 192. **Agabus (Gaurodytes) conspersus** (Marsham,1802) (Dytiscidae)
 193. **Agabus (Gaurodytes) didymus** (Olivier,1795) (Dytiscidae)
 194. **Agabus (Gaurodytes) dilatatus** (Brullé,1832) (Dytiscidae)
 195. **Agabus (Gaurodytes) faldermanni** Zaitzev,1927 (Dytiscidae)
 196. **Agabus (Gaurodytes) glacialis** Hochhuth,1846 (Dytiscidae)
 197. **Agabus (Gaurodytes) guttatus** (Paykull,1798) (Dytiscidae)
 198. **Agabus (Gaurodytes) nebulosus** (Forster,1771) (Dytiscidae)
 199. **Agabus (s.str.) labiatus** (Brahm,1790) (Dytiscidae)
 200. **Agabus (s.str.) zimmermanni** Scholz,1920 (Dytiscidae)
 201. **Agabus glacialis** Hochhuth,1846 (Dytiscidae)
 202. **Agabus paludosus** (Fabricius,1801) (Dytiscidae)
 203. **Agallia bispinata** (Dlabola,1957) (Cicadellidae)
 204. **Agallia consobrina** Curtis,1833 (Cicadellidae)
 205. **Agallia harrarensis** Melichar,1911 (Cicadellidae)

206. **Agallia hispanica** Horvath,1900 (Cicadellidae)
 207. **Agallia minuta** Melichar,1896 (Cicadellidae)
 208. **Agallia sabulicola** Lindberg,1948 (Cicadellidae)
 209. **Agallia venosa** (Fourcroy,1785) (Cicadellidae)
 210. **Agalmatium bilobum** (Fieber,1877) (Issidae)
 211. **Agalmatium flavescens** (Olivier,1791) (Issidae)
 212. **Agapanthia amicula** Holzschuh,1989 (Cerambycidae)
 213. **Agapanthia amitina** Holzschuh,1989 (Cerambycidae)
 214. **Agapanthia angelicae** Reitter,1898 (Cerambycidae)
 215. **Agapanthia coeruleipennis** Frivaldsky,1878 (Cerambycidae)
 216. **Agapanthia fallax** Holzschuh,1974 (Cerambycidae)
 217. **Agapanthia frivaldskyi** Ganglbauer,1884 (Cerambycidae)
 218. **Agapanthia kirbyi** (Gyllenhal,1817) (Cerambycidae)
 219. **Agapanthia lais** Reiche,1858 (Cerambycidae)
 220. **Agapanthia lateralis** Ganglbauer,1884 (Cerambycidae)
 221. **Agapanthia osmanlis** Reiche & Saulcy,1858 (Cerambycidae)
 222. **Agapanthia persica** Semenov,1893 (Cerambycidae)
 223. **Agapanthia persicola** Reitter,1894 (Cerambycidae)
 224. **Agapanthia pustulifera** Pic,1905 (Cerambycidae)
 225. **Agapanthia simplicicornis** Reitter,1898 (Cerambycidae)
 226. **Agapanthia suturalis** (Fabricius,1787) (Cerambycidae)
 227. **Agapanthia villosoviridescens** (De Geer,1775) (Cerambycidae)
 228. **Agapanthia violacea** (Fabricius,1775) (Cerambycidae)
 229. **Agapanthia walteri** Reitter,1898 (Cerambycidae)
 230. **Agapanthiola leucaspis** (Steven,1817) (Cerambycidae)
 231. **Agathidium (s.str.) namrunense Angelini,1998** (Leiodidae)
 232. **Ageniaspis citricola Logvinovskaya,1983** (Encyrtidae)
 233. **Ageniaspis fuscicollis** (Dalman,1820) (Encyrtidae)
 234. **Agenioideus apicalis** (Van der Linden,1827) (Pompilidae)
 235. **Agenioideus ciliatus** (Lepelletier,1845) (Pompilidae)
 236. **Agenioideus cinctellus** (Spinola,1808) (Pompilidae)
 237. **Agenioideus dichrous** (Brullé,1840) (Pompilidae)
 238. **Agenioideus excisus** (Morawitz,1890) (Pompilidae)
 239. **Agenioideus nubecula** (Costa,1874) (Pompilidae)
 240. **Agenioideus oasis** (Haupt,1962) (Pompilidae)
 241. **Agenioideus rhodosoma** (Kohl,1886) (Pompilidae)
 242. **Agenioideus ruficeps** (Eversmann,1849) (Pompilidae)
 243. **Agenioideus rytiphorus** (Kohl,1886) (Pompilidae)
 244. **Agenioideus sericeus** (Van der Linden,1827) (Pompilidae)
 245. **Agenioideus usurarius** (Tournier,1889) (Pompilidae)
 246. **Agenioideus vesanus** (Kohl,1907) (Pompilidae)
 247. **Aglena ornata** (Herrich-Schäffer,1838) (Cicadellidae)
 248. **Agnetina weneri** (Kempny,1908) (Perlidae)
 249. **Agolius bonvoulori** (Harold,1860) (Scarabaeidae)
 250. **Agonum antennarium** (Duftschmid,1812) (Carabidae)
 251. **Agonum chalconotum** Ménétrés,1832 (Carabidae)
 252. **Agonum extensum** Ménétrés,1849 (Carabidae)
 253. **Agonum gisellae** Csiki,1931 (Carabidae)
 254. **Agonum gracile** Sturm,1824 (Carabidae)
 255. **Agonum hypocrita** (Apfelbeck,1904) (Carabidae)
 256. **Agonum longicorne** Chaudoir,1846 (Carabidae)
 257. **Agonum lugens** (Duftschmid,1812) (Carabidae)
 258. **Agonum marginatum** (Linnaeus,1758) (Carabidae)
 259. **Agonum monachum** (Duftschmid,1812) (Carabidae)
 260. **Agonum muelleri** (Herbst,1784) (Carabidae)
 261. **Agonum nigrum** Dejean,1828 (Carabidae)
 262. **Agonum rugicolle** Chaudoir,1846 (Carabidae)
 263. **Agonum sexpunctatum** (Linnaeus,1758) (Carabidae)
 264. **Agonum sordidum** Dejean,1828 (Carabidae)
 265. **Agonum thoreyi** Dejean,1828 (Carabidae)
 266. **Agonum viridicupreum** (Goeze,1777) (Carabidae)
 267. **Agramma (s.str.) atricapillum** (Spinola,1837) (Tingidae)
 268. **Agramma (s.str.) blandulum** (Horvath,1905) (Tingidae)
 269. **Agramma (s.str.) confusum** (Puton,1879) (Tingidae)
 270. **Agramma (s.str.) intermedium** (Wagner,1941) (Tingidae)
 271. **Agria affinis** (Fallén,1817) (Sarcophagidae)
 272. **Agria mamillata** (Pandellé,1896) (Sarcophagidae)
 273. **Agrilinus constans** (Duftschmid,1805) (Scarabaeidae)
 274. **Agrilus (Anambus) ater** (Linnaeus,1767) (Buprestidae)
 275. **Agrilus (Anambus) buresi** Obenberger,1935 (Buprestidae)
 276. **Agrilus (Anambus) derasofasciatus** Lacordaire,1835 (Buprestidae)

277. *Agrilus (Anambus) obscuricollis*
Kiesenwetter, 1857 (Buprestidae)
278. *Agrilus (Anambus) roscidus*
Kiesenwetter, 1857 (Buprestidae)
279. *Agrilus (Anambus) sericans*
Kiesenwetter, 1857 (Buprestidae)
280. *Agrilus (s.str.) aurichalceus*
Redtenbacher, 1849 (Buprestidae)
281. *Agrilus (s.str.) hyperici* (Creutzer, 1799)
(Buprestidae)
282. *Agrilus (s.str.) lineolus*
Redtenbacher, 1849 (Buprestidae)
283. *Agrilus kutahyanus* Krolík, 2002
(Buprestidae)
284. *Agrilus rhoos* Krolík & Niehuis, 2003
(Buprestidae)
285. *Agriocnemis sania* Nielsen, 1959
(Coenagrionidae)
286. *Agriotes (s.str.) acuminatus*
(Stephens, 1830) (Elateridae)
287. *Agriotes (s.str.) adanensis* Pic, 1900
(Elateridae)
288. *Agriotes (s.str.) adlbaueri* Platia &
Schimmel, 1992 (Elateridae)
289. *Agriotes (s.str.) anatolicus* Platia, 2003
(Elateridae)
290. *Agriotes (s.str.) aquilus* Platia, 2003
(Elateridae)
291. *Agriotes (s.str.) audisioi* Platia &
Schimmel, 1992 (Elateridae)
292. *Agriotes (s.str.) barriersi* Cate &
Platia, 1997 (Elateridae)
293. *Agriotes (s.str.) brevis* Candeze, 1863
(Elateridae)
294. *Agriotes (s.str.) cilicensis* Platia &
Gundezi, 1998 (Elateridae)
295. *Agriotes (s.str.) colonnellii* Guglielmi &
Platia, 1985 (Elateridae)
296. *Agriotes (s.str.) conspicuus*
Schwarz, 1891 (Elateridae)
297. *Agriotes (s.str.) constrictus*
Reitter, 1900 (Elateridae)
298. *Agriotes (s.str.) crassiusculus* Platia &
Gundenzi, 1998 (Elateridae)
299. *Agriotes (s.str.) cribrithorax* Pic, 1910
(Elateridae)
300. *Agriotes (s.str.) defreinai* Platia &
Gundenzi, 1998 (Elateridae)
301. *Agriotes (s.str.) depressus* Schwarz, 1891
(Elateridae)
302. *Agriotes (s.str.) dusaneki* Platia &
Gundenzi, 1998 (Elateridae)
303. *Agriotes (s.str.) furlani* Platia, 2003
(Elateridae)
304. *Agriotes (s.str.) ganglbaueri*
Schwarz, 1891 (Elateridae)
305. *Agriotes (s.str.) goksunensis*
Platia, 2004 (Elateridae)
306. *Agriotes (s.str.) graecus* Franz, 1967
(Elateridae)
307. *Agriotes (s.str.) granulosus* Platia &
Gundenzi, 1992 (Elateridae)
308. *Agriotes (s.str.) gurgistanus*
(Faldermann, 1835) (Elateridae)
309. *Agriotes (s.str.) heydeni* Schwarz, 1891
(Elateridae)
310. *Agriotes (s.str.) informis* Schwarz, 1891
(Elateridae)
311. *Agriotes (s.str.) infuscatus*
Desbrochers, 1870 (Elateridae)
312. *Agriotes (s.str.) integricollis* Reitter, 1911
(Elateridae)
313. *Agriotes (s.str.) izmirensis* Cate &
Platia, 1997 (Elateridae)
314. *Agriotes (s.str.) karsantianus* Pic, 1910
(Elateridae)
315. *Agriotes (s.str.) kraatzi* Schwarz, 1891
(Elateridae)
316. *Agriotes (s.str.) laticida* (Faldermann, 1835)
(Elateridae)
317. *Agriotes (s.str.) leinfesti* Platia &
Gundenzi, 1998 (Elateridae)
318. *Agriotes (s.str.) lineatus* (Linnaeus, 1767)
(Elateridae)
319. *Agriotes (s.str.) litigiosus* (Rossi, 1792)
(Elateridae)
320. *Agriotes (s.str.) lizleri* Platia, 2003
(Elateridae)
321. *Agriotes (s.str.) lundbergi* Platia, 1989
(Elateridae)
322. *Agriotes (s.str.) mertliki* Platia, 2003
(Elateridae)
323. *Agriotes (s.str.) meticolus*
Candeze, 1863 (Elateridae)
324. *Agriotes (s.str.) modestus*
Kiesenwetter, 1858 (Elateridae)
325. *Agriotes (s.str.) nigropubens*
Reitter, 1904 (Elateridae)
326. *Agriotes (s.str.) nigror* Platia, 2003
(Elateridae)
327. *Agriotes (s.str.) nuceus* Fairmaire, 1866
(Elateridae)
328. *Agriotes (s.str.) obscurus*
(Linnaeus, 1758) (Elateridae)
329. *Agriotes (s.str.) paludum*
Kiesenwetter, 1859 (Elateridae)
330. *Agriotes (s.str.) petterssoni* Platia &
Gundenzi, 2000 (Elateridae)
331. *Agriotes (s.str.) pilosellus* (Schönherr, 1817)
(Elateridae)
332. *Agriotes (s.str.) propleuralis* Platia &
Gundenzi, 1998 (Elateridae)
333. *Agriotes (s.str.) proximus*
Schwarz, 1891 (Elateridae)
334. *Agriotes (s.str.) radula*
Desbrochers, 1875 (Elateridae)
335. *Agriotes (s.str.) reitteri* Schwarz, 1891
(Elateridae)
336. *Agriotes (s.str.) riesei* Platia, 2004
(Elateridae)
337. *Agriotes (s.str.) rufipalpis* (Brullé, 1832)
(Elateridae)
338. *Agriotes (s.str.) sameki* Platia, 2003
(Elateridae)
339. *Agriotes (s.str.) schuberti* Platia, 2004
(Elateridae)
340. *Agriotes (s.str.) schurmanni* Platia &
Gundenzi, 1998 (Elateridae)
341. *Agriotes (s.str.) sexualis* Platia, 2004
(Elateridae)
342. *Agriotes (s.str.) solai* Platia, 2004
(Elateridae)
343. *Agriotes (s.str.) sputator*
(Linnaeus, 1758) (Elateridae)
344. *Agriotes (s.str.) starcki* Schwarz, 1891
(Elateridae)

345. **Agriotes (s.str.) strigosus**
Kiesenwetter,1859 (Elateridae)
346. **Agriotes (s.str.) subsulcatus** Pic,1913
(Elateridae)
347. **Agriotes (s.str.) sylviae** Cate & Platia,1997
(Elateridae)
348. **Agriotes (s.str.) tauricus** Heyden,1882
(Elateridae)
349. **Agriotes (s.str.) tristiculus** Reitter,1906
(Elateridae)
350. **Agriotes (s.str.) turcicus** Candeze,1863
(Elateridae)
351. **Agriotes (s.str.) ustulatus** (Schaller,1783)
(Elateridae)
352. **Agriotes (s.str.) wernerii** Platia,2003
(Elateridae)
353. **Agriotes (s.str.) witzgalli** Platia &
Schimmel,1993 (Elateridae)
354. **Agromyza abiens** Zetterstedt,1848
(Agromyzidae)
355. **Agromyza albipennis** Meigen,1830
(Agromyzidae)
356. **Agromyza albitarsis** Meigen,1830
(Agromyzidae)
357. **Agromyza ambigua** Fallén,1823
(Agromyzidae)
358. **Agromyza anderssoni** Spencer,1976
(Agromyzidae)
359. **Agromyza anthracina** Meigen,1830
(Agromyzidae)
360. **Agromyza apfelbecki** Strobl,1902
(Agromyzidae)
361. **Agromyza bromi** Spencer,1966
(Agromyzidae)
362. **Agromyza felleri** M.Hering,1941
(Agromyzidae)
363. **Agromyza flavipennis** Hendel,1920
(Agromyzidae)
364. **Agromyza frontella** (Rondani,1875)
(Agromyzidae)
365. **Agromyza graminicola** Hendel,1931
(Agromyzidae)
366. **Agromyza hiemalis** Becker,1908
(Agromyzidae)
367. **Agromyza idaeiana** Hardy,1853
(Agromyzidae)
368. **Agromyza intermittens** Becker,1907
(Agromyzidae)
369. **Agromyza marionae** Griffiths,1963
(Agromyzidae)
370. **Agromyza megalopis** M.Hering,1933
(Agromyzidae)
371. **Agromyza myosotidis** Kaltenbach,1864
(Agromyzidae)
372. **Agromyza nana** Meigen,1830 (Agromyzidae)
373. **Agromyza nigrescens** Hendel,1920
(Agromyzidae)
374. **Agromyza nigripes** Meigen,1830
(Agromyzidae)
375. **Agromyza phylloposthia** Sasakawa,2008
(Agromyzidae)
376. **Agromyza pittodes** Hendel,1931
(Agromyzidae)
377. **Agromyza prespana** Spencer,1957
(Agromyzidae)
378. **Agromyza reptans** Fallén,1823
(Agromyzidae)
379. **Agromyza rondensis** Strobl,1900
(Agromyzidae)
380. **Agromyza trebinjensis** Strobl,1900
(Agromyzidae)
381. **Agrothereutes abbreviator** (Fabricius,1793)
(Ichneumonidae)
382. **Agrothereutes abbreviatus**
(Fabricius,1794) (Ichneumonidae)
383. **Agrothereutes fumipennis**
(Gravenhorst,1829) (Ichneumonidae)
384. **Agrothereutes hospes** (Tschek,1871)
(Ichneumonidae)
385. **Agrothereutes parvulus**
(Habermehl,1926) (Ichneumonidae)
386. **Agrothereutes tiloidalis** Kolarov &
Bayarslan,1994 (Ichneumonidae)
387. **Agrypnus crenicollis** (Ménétriés,1832)
(Elateridae)
388. **Agrypnus murinus** (Linnaeus,1758)
(Elateridae)
389. **Agrypnus sarikamisensis** Platia,
Yıldırım & Kesdek,2007 (Elateridae)
390. **Agrypon debilis** (Wesmael,1849)
(Ichneumonidae)
391. **Agrypon flaveolatum** (Gravenhorst,1807)
(Ichneumonidae)
392. **Agrypon flexorium** (Thunberg,1822)
(Ichneumonidae)
393. **Aguriahana germari** (Zetterstedt,1840)
(Cicadellidae)
394. **Aiolopus simulatrix** (Walker,1870)
(Acrididae)
395. **Aiolopus strepens** (Latreille,[1802])
(Acrididae)
396. **Aiolopus thalassinus** (Fabricius,1781)
(Acrididae)
397. **Akis elongata** Brullé,1832
(Tenebrionidae)
398. **Akis latreillei** Solier,1836 (Tenebrionidae)
399. **Akis opaca** Heyden,1897 (Tenebrionidae)
400. **Akis otoes** Fischer von Waldheim,1837
(Tenebrionidae)
401. **Akis spinosa** (Linnaeus,1764) (Tenebrionidae)
402. **Akis subtricotata** Redtenbacher,1850
(Tenebrionidae)
403. **Akotropis quercicola** Linnavuori,1962
(Achilidae)
404. **Alastor ardens** Kostylev,1935 (Vespidae)
405. **Alastor esfandarii** Giordani Soika,1970
(Vespidae)
406. **Alastor mediomaculatus** Giordani
Soika,1952 (Vespidae)
407. **Alastor mocsaryi** (André,1884)
(Vespidae)
408. **Alastor petheri** Kohl,1905 (Vespidae)
409. **Alastor ruficornis** Gusenleitner,2001
(Vespidae)
410. **Alastor schwarzi** Gusenleitner,1967
(Vespidae)
411. **Alastor thymbrinus** Blüthgen,1956
(Vespidae)
412. **Alatades trilineatus** Dlabola,1957
(Delphacidae)
413. **Alebra albostrigata** (Fallén,1826)
(Cicadellidae)
414. **Alebra wahlbergi** (Boheman,1845)
(Cicadellidae)

415. **Allantus balteatus (Klug,1818)**
(Tenthredinidae)
416. **Allantus basalis (Klug,1818)** (Tenthredinidae)
417. **Allantus cinctus (Linnaeus,1758)**
(Tenthredinidae)
418. **Allantus cingulatus (Scopoli,1763)**
(Tenthredinidae)
419. **Allantus didymus (Klug,1818)**
(Tenthredinidae)
420. **Allantus togatus (Panzer,1801)**
(Tenthredinidae)
421. **Allantus viennensis (Schrank,1781)**
(Tenthredinidae)
422. **Allodia (Brachycampta) pistillata**
(Lundström,1911) (Mycetophilidae)
423. **Allodiopsis rustica (Edwards,1941)**
(Mycetophilidae)
424. **Allodynerus delphinalis (Giraud,1866)**
(Vespidae)
425. **Allodynerus floricola (Saussure,1853)**
(Vespidae)
426. **Allodynerus nigricornis**
(Morawitz,1885) (Vespidae)
427. **Allodynerus rossii (Lepelletier,1841)**
(Vespidae)
428. **Alloerhynchus flavipes (Fieber,1836)**
(Nabidae)
429. **Allophorocera ferruginea**
(Meigen,1824) (Tachinidae)
430. **Alloplasta piceator (Thunberg,1822)**
(Ichneumonidae)
431. **Alloterra claviger (Kieffer)** (Pteromalidae)
432. **Allygidius atomarius (Fabricius,1794)**
(Cicadellidae)
433. **Allygidius commutatus Fieber,1872**
(Cicadellidae)
434. **Allygidius ectabanicus Logvinenko,1979**
(Cicadellidae)
435. **Allygidius furcatus (Ferrari,1882)**
(Cicadellidae)
436. **Allygus mixtus (Fabricius,1794)**
(Cicadellidae)
437. **Allygus modestus Scott,1876** (Cicadellidae)
438. **Alocoderus hydrochaeris**
(Fabricius,1798) (Scarabaeidae)
439. **Alocoderus machatschkei**
(Balthasar,1960) (Scarabaeidae)
440. **Alocoderus turbatus (Baudi,1870)**
(Scarabaeidae)
441. **Alomya debellator (Fabricius,1775)**
(Ichneumonidae)
442. **Alosimus abeillei (Escherich,1896)**
(Meloidae)
443. **Alosimus armeniacus**
(Faldermann,1837) (Meloidae)
444. **Alosimus castaneus Escherich,1896**
(Meloidae)
445. **Alosimus chalybaeus (Tauscher,1812)**
(Meloidae)
446. **Alosimus decolor (Abeille de Perrin,1880)** (Meloidae)
447. **Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae)
448. **Alosimus luteus (Waltl,1838)** (Meloidae)
449. **Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae)
450. **Alosimus pallidicollis (Gyllenhal,1806)**
(Meloidae)
451. **Alosimus reittedianus (Semenov,1990)**
(Meloidae)
452. **Alosimus smyrnensis (Maran,1942)**
(Meloidae)
453. **Alosimus syriacus (Linnaeus,1758)**
(Meloidae)
454. **Alosterna anatolica Adlbauer,1992**
(Cerambycidae)
455. **Alosterna scapularis (Heyden,1878)**
(Cerambycidae)
456. **Alosterna tabacicolor (De Geer,1775)**
(Cerambycidae)
457. **Alphitobius diaperinus (Panzer,1797)**
(Tenebrionidae)
458. **Alphitobius laevigatus (Fabricius,1781)**
(Tenebrionidae)
459. **Alphitophagus bifasciatus (Say,1823)**
(Tenebrionidae)
460. **Alphitophagus convexicollis**
Reitter,1911 (Tenebrionidae)
461. **Altica ancyrensis (Weise,1897)**
(Chrysomelidae)
462. **Altica bicarinata (Kutschera,1860)**
(Chrysomelidae)
463. **Altica brevicollis Foudras,1860**
(Chrysomelidae)
464. **Altica bulgharensis Kral,1969**
(Chrysomelidae)
465. **Altica carduorum (Guérin-Méneville,1858)** (Chrysomelidae)
466. **Altica cornivorax Kral,1969**
(Chrysomelidae)
467. **Altica deserticola (Weise,1889)**
(Chrysomelidae)
468. **Altica globicollis (Weise,1889)**
(Chrysomelidae)
469. **Altica graeca Kral,1966** (Chrysomelidae)
470. **Altica hamperi (Allard,1867)**
(Chrysomelidae)
471. **Altica impressicollis (Reiche,1862)**
(Chrysomelidae)
472. **Altica jarmilae Kral,1979** (Chrysomelidae)
473. **Altica lythri Aubé,1843** (Chrysomelidae)
474. **Altica oleracea (Linnaeus,1758)**
(Chrysomelidae)
475. **Altica palustris (Weise,1888)**
(Chrysomelidae)
476. **Altica pontica (Ogloblin,1925)**
(Chrysomelidae)
477. **Altica quercetorum Foudras,1860**
(Chrysomelidae)
478. **Altica tamaricis Schrank,1785**
(Chrysomelidae)
479. **Alydus calcaratus (Linnaeus,1758)**
(Alydidae)
480. **Amara ((Curtonotus) propinqua**
Ménétriés,1832 (Carabidae)
481. **Amara (Amarocelia) erratica**
(Duftschmid,1812) (Carabidae)
482. **Amara (Amathitis) abdominalis**
(Motschoulsky,1844) (Carabidae)
483. **Amara (Bradytus) apricaria**
(Paykull,1790) (Carabidae)
484. **Amara (Bradytus) consularis**
(Duftschmid,1812) (Carabidae)
485. **Amara (Bradytus) fulva**
(O.F.Müller,1776) (Carabidae)

486. **Amara (Bradytus) majuscula** (Chaudoir,1850) (Carabidae)
487. **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae)
488. **Amara (Celia) arenaria (Putzeys,1865)** (Carabidae)
489. **Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae)
490. **Amara (Celia) montana Dejean,1828** (Carabidae)
491. **Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae)
492. **Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae)
493. **Amara (Curtonotus) muchei Jedlicka,1962** (Carabidae)
494. **Amara (Euderocycla) abnormis Tschitscherine,1894** (Carabidae)
495. **Amara (Paracelia) cyrenaica Baliani,1928** (Carabidae)
496. **Amara (Paracelia) monochroa Hieke,2004** (Carabidae)
497. **Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae)
498. **Amara (radytus) crenata Dejean,1828** (Carabidae)
499. **Amara (s.str.) aenea (De Geer,1774)** (Carabidae)
500. **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae)
501. **Amara (s.str.) convexior Stephens,1828** (Carabidae)
502. **Amara (s.str.) curta Dejean,1828** (Carabidae)
503. **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae)
504. **Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae)
505. **Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae)
506. **Amara (s.str.) littorea Thomson,1857** (Carabidae)
507. **Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae)
508. **Amara (s.str.) lukasi Hejkal,2002** (Carabidae)
509. **Amara (s.str.) morio Ménétris,1832** (Carabidae)
510. **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae)
511. **Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae)
512. **Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae)
513. **Amara (Xenocelia) fusca Dejean,1828** (Carabidae)
514. **Amara (Xenocelia) fuscigena Hieke,1999** (Carabidae)
515. **Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae)
516. **Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae)
517. **Amara (Zezea) chaudierei Schaum,1858** (Carabidae)
518. **Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae)
519. **Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae)
520. **Amathomyia persiana Hermann,1912** (Asilidae)
521. **Amauromyza (Cephalomyza) flavifrons (Meigen,1830)** (Agromyzidae)
522. **Amauromyza (Cephalomyza) luteiceps (Hendel,1920)** (Agromyzidae)
523. **Amauromyza (s.str.) morionella (Zetterstedt,1848)** (Agromyzidae)
524. **Amblyellus hasdrubal (Kohl,1894)** (Pompilidae)
525. **Amblyopone denticulatum (Roger,1859)** (Formicidae)
526. **Amblytylus concolor Jakovlev,1877** (Miridae)
527. **Amblytylus luridus Hoberlandt,1961** (Miridae)
528. **Ameles crassinervis Dirsch,1927** (Mantidae)
529. **Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae)
530. **Ameles kervillei Bolivar,1911** (Mantidae)
531. **Ameles persa Bolivar,1911** (Mantidae)
532. **Ameles syriensis Giglio-Tos,1915** (Mantidae)
533. **Ametastegia glabrata (Fallén,1808)** (Tenthredinidae)
534. **Ametastegia pallipes (Spinola,1808)** (Tenthredinidae)
535. **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae)
536. **Amidorus obscurus (Fabricius,1792)** (Scarabaeidae)
537. **Amidorus tarsensis (Petrovitz,1967)** (Scarabaeidae)
538. **Amidorus thermicola (Sturm,1800)** (Scarabaeidae)
539. **Amiota (Phortica) goetzi Maca,1987** (Drosophilidae)
540. **Amiota (Phortica) semivirgo Maca,1977** (Drosophilidae)
541. **Amiota (Phortica) variegata (Fallén,1823)** (Drosophilidae)
542. **Ammobius rufus Lucas,1849** (Tenebrionidae)
543. **Ammoecius naviauxi (Baraud,1971)** (Scarabaeidae)
544. **Ammophila heydeni Dahlbom,1845** (Sphecidae)
545. **Ammophila sabulosa (Linnaeus,1758)** (Sphecidae)
546. **Ammothereva splendida (Kröber,1912)** (Therevidae)
547. **Amnodeis asiaticus Miller,1858** (Tenebrionidae)
548. **Amnodeis confluens Miller,1858** (Tenebrionidae)
549. **Amnodeis giganteus Reiche & Saulcy,1857** (Tenebrionidae)
550. **Amnodeis grandis Miller,1858** (Tenebrionidae)
551. **Amnodeis intermedius Reitter,1914** (Tenebrionidae)
552. **Amnodeis milleri Reitter,1914** (Tenebrionidae)
553. **Amobia oculata (Zetterstedt,1844)** (Sarcophagidae)
554. **Amobia signata (Meigen,1824)** (Sarcophagidae)

555. **Amorphoscelis pantherina** Roy,1966
(Amorphoscelidae)
556. **Ampedus adlbaueri** Schimmel,1990
(Elateridae)
557. **Ampedus aethiops** (Lacordaire,1835)
(Elateridae)
558. **Ampedus agajewi** Dolin,1970 (Elateridae)
559. **Ampedus agilis** Platia,2001 (Elateridae)
560. **Ampedus anatolicus** Platia &
Gudenzi,2002 (Elateridae)
561. **Ampedus balteatus** (Linnaeus,1758)
(Elateridae)
562. **Ampedus canaliculatus** (Reitter,1918)
(Elateridae)
563. **Ampedus cinnabarinus**
(Eschscholtz,1829) (Elateridae)
564. **Ampedus circassicus** (Reitter,1887)
(Elateridae)
565. **Ampedus decumanus** Gurjewa,1977
(Elateridae)
566. **Ampedus demaisonii** (Buysson,1898)
(Elateridae)
567. **Ampedus elegantulus** (Schönherr,1817)
(Elateridae)
568. **Ampedus elongatulus** (Fabricius,1787)
(Elateridae)
569. **Ampedus erythrogonus**
(P.W.Müller,1821) (Elateridae)
570. **Ampedus ganglbaueri** (Reitter,1889)
(Elateridae)
571. **Ampedus hirticollis** (Semenov,1891)
(Elateridae)
572. **Ampedus lubricus** (Buysson,1891)
(Elateridae)
573. **Ampedus nigerrimus** (Lacordaire,1835)
(Elateridae)
574. **Ampedus nigrinus** (Herbst,1784) (Elateridae)
575. **Ampedus nigroflavus** (Goeze,1777)
(Elateridae)
576. **Ampedus ocellatus** (Buysson,1891)
(Elateridae)
577. **Ampedus ochropterus** Germar,1844
(Elateridae)
578. **Ampedus platiai** Schimmel,1990
(Elateridae)
579. **Ampedus pomonae** (Stephens,1830)
(Elateridae)
580. **Ampedus pomorum** (Herbst,1784)
(Elateridae)
581. **Ampedus praeustus** (Fabricius,1792)
(Elateridae)
582. **Ampedus pulcher** (Baudi,1871)
(Elateridae)
583. **Ampedus punctatus** Schwarz,1893
(Elateridae)
584. **Ampedus resslii** Platia & Gudenzi,1999
(Elateridae)
585. **Ampedus rufipennis** (Stephens,1830)
(Elateridae)
586. **Ampedus samedovi** Dolin &
Ajajew,1983 (Elateridae)
587. **Ampedus sanguineus** (Linnaeus,1758)
(Elateridae)
588. **Ampedus sanguinolentus**
(Schrank,1776) (Elateridae)
589. **Ampedus schoettleri** Zeising &
Brunne,2003 (Elateridae)
590. **Ampedus sinuatus** Germar,1844
(Elateridae)
591. **Ampedus turcius** Platia & Kabalak,
Sert,2007 (Elateridae)
592. **Ampedus wachtangi** Dolin,1970
(Elateridae)
593. **Amphicoma (Eulasia) arctos**
(Pallas,1781) (Glaphyridae)
594. **Amphicoma (Eulasia) aurantiaca**
(Reitter,1890) (Glaphyridae)
595. **Amphicoma (Eulasia) azarbaijanica**
(Petrovitz,1980) (Glaphyridae)
596. **Amphicoma (Eulasia) bicolor**
Watl,1838 (Glaphyridae)
597. **Amphicoma (Eulasia) bodemeyeri**
Petrovitz,1965 (Glaphyridae)
598. **Amphicoma (Eulasia) bombylifformis**
(Pallas,1781) (Glaphyridae)
599. **Amphicoma (Eulasia) chrysopyga**
Faldermann,1835 (Glaphyridae)
600. **Amphicoma (Eulasia) corniculata**
Reitter,1903 (Glaphyridae)
601. **Amphicoma (Eulasia) diadema**
Reitter,1890 (Glaphyridae)
602. **Amphicoma (Eulasia) ernae**
Petrovitz,1962 (Glaphyridae)
603. **Amphicoma (Eulasia) hyrax**
Truqui,1848 (Glaphyridae)
604. **Amphicoma (Eulasia) jordanica**
Mitter,1992 (Glaphyridae)
605. **Amphicoma (Eulasia) kordestana**
(Mitter,2004) (Glaphyridae)
606. **Amphicoma (Eulasia) montana**
(Reitter,1890) (Glaphyridae)
607. **Amphicoma (Eulasia) naviauxi**
(Baraud,1971) (Glaphyridae)
608. **Amphicoma (Eulasia) nitidicollis**
(Reiche,1962) (Glaphyridae)
609. **Amphicoma (Eulasia) nitidinatis**
(Baraud,1990) (Glaphyridae)
610. **Amphicoma (Eulasia) persidis**
(Baraud,1990) (Glaphyridae)
611. **Amphicoma (Eulasia) praeusta**
(Champenois,1896) (Glaphyridae)
612. **Amphicoma (Eulasia) zaitzevi**
(Bogatchev,1947) (Glaphyridae)
613. **Amphicoma (Pygopleurus) akbesianus**
Petrovitz,1957 (Glaphyridae)
614. **Amphicoma (Pygopleurus) aleppensis**
Petrovitz,1957 (Glaphyridae)
615. **Amphicoma (Pygopleurus) anahitae**
Mitter,2001 (Glaphyridae)
616. **Amphicoma (Pygopleurus) anemoninus**
(Brullé,1832) (Glaphyridae)
617. **Amphicoma (Pygopleurus) angulatus**
Fairmaire,1884 (Glaphyridae)
618. **Amphicoma (Pygopleurus) banghaasi**
Reitter,1895 (Glaphyridae)
619. **Amphicoma (Pygopleurus) basalis**
Reitter,1890 (Glaphyridae)
620. **Amphicoma (Pygopleurus) besucheti**
Baraud,1989 (Glaphyridae)
621. **Amphicoma (Pygopleurus) bimaculatus**
Redtenbacher,1850 (Glaphyridae)
622. **Amphicoma (Pygopleurus) caesareae**
Baraud,1989 (Glaphyridae)
623. **Amphicoma (Pygopleurus) cirrius**
Petrovitz,1957 (Glaphyridae)

624. **Amphicoma (Pygopleurus) costatus** Petrovitz,1957 (Glaphyridae)
625. **Amphicoma (Pygopleurus) cyaneoviolaceus** Motschoulsky,1859 (Glaphyridae)
626. **Amphicoma (Pygopleurus) cyanescens** (Reitter,1890) (Glaphyridae)
627. **Amphicoma (Pygopleurus) demelti** Petrovitz,1967 (Glaphyridae)
628. **Amphicoma (Pygopleurus) despectus** Petrovitz,1957 (Glaphyridae)
629. **Amphicoma (Pygopleurus) deveui** (Montrueil & Serri,2007) (Glaphyridae)
630. **Amphicoma (Pygopleurus) diffusus** Petrovitz,1957 (Glaphyridae)
631. **Amphicoma (Pygopleurus) distinctus** Faldermann,1835 (Glaphyridae)
632. **Amphicoma (Pygopleurus) foina** (Reitter,1890) (Glaphyridae)
633. **Amphicoma (Pygopleurus) gordyenensis** Petrovitz,1971 (Glaphyridae)
634. **Amphicoma (Pygopleurus) hirsutus** (Brullé,1832) (Glaphyridae)
635. **Amphicoma (Pygopleurus) humeralis** (Brullé,1832) (Glaphyridae)
636. **Amphicoma (Pygopleurus) immundus** (Reitter,1903) (Glaphyridae)
637. **Amphicoma (Pygopleurus) israelitus** Muche,1963 (Glaphyridae)
638. **Amphicoma (Pygopleurus) kareli** Petrovitz,1962 (Glaphyridae)
639. **Amphicoma (Pygopleurus) katbehi** Sabatinelli,2008 (Glaphyridae)
640. **Amphicoma (Pygopleurus) keithi** Sabatinelli & Uliana,2009 (Glaphyridae)
641. **Amphicoma (Pygopleurus) koniae** Petrovitz,1957 (Glaphyridae)
642. **Amphicoma (Pygopleurus) labaumei** Petrovitz,1971 (Glaphyridae)
643. **Amphicoma (Pygopleurus) libanonensis** Petrovitz,1957 (Glaphyridae)
644. **Amphicoma (Pygopleurus) lyciensis** Petrovitz,1971 (Glaphyridae)
645. **Amphicoma (Pygopleurus) madenensis** Petrovitz,1968 (Glaphyridae)
646. **Amphicoma (Pygopleurus) mardiensis** Baraud,1989 (Glaphyridae)
647. **Amphicoma (Pygopleurus) medius** Petrovitz,1957 (Glaphyridae)
648. **Amphicoma (Pygopleurus) mithridates** Petrovitz,1962 (Glaphyridae)
649. **Amphicoma (Pygopleurus) orientalis** Petrovitz,1957 (Glaphyridae)
650. **Amphicoma (Pygopleurus) ottomanus** Baraud,1989 (Glaphyridae)
651. **Amphicoma (Pygopleurus) ponticus** Petrovitz,1957 (Glaphyridae)
652. **Amphicoma (Pygopleurus) pseudomedius** (Miksic,1964) (Glaphyridae)
653. **Amphicoma (Pygopleurus) psilotrichius** Faldermann,1835 (Glaphyridae)
654. **Amphicoma (Pygopleurus) rapuzzii** (Keith & Uliana,2008) (Glaphyridae)
655. **Amphicoma (Pygopleurus) resslii** Petrovitz,1963 (Glaphyridae)
656. **Amphicoma (Pygopleurus) rufovillosus** Reitter,1907 (Glaphyridae)
657. **Amphicoma (Pygopleurus) samai** Keith,2001 (Glaphyridae)
658. **Amphicoma (Pygopleurus) sexualis** Petrovitz,1968 (Glaphyridae)
659. **Amphicoma (Pygopleurus) simplex** Petrovitz,1963 (Glaphyridae)
660. **Amphicoma (Pygopleurus) syriacus** (Linnaeus,1758) (Glaphyridae)
661. **Amphicoma (Pygopleurus) tristis** Petrovitz,1968 (Glaphyridae)
662. **Amphicoma (Pygopleurus) vulpes** (Fabricius,1792) (Glaphyridae)
663. **Amphicoma (Pygopleurus) weilli** (Keith,2008) (Glaphyridae)
664. **Amphicoma (Pygopleurus) zagrosensis** (Nikodym & Kral,1998) (Glaphyridae)
665. **Amphicoma (Rudeulasia) anemurensis** Petrovitz,1964 (Glaphyridae)
666. **Amphicoma (Rudeulasia) baumanni** (Mitter,1996) (Glaphyridae)
667. **Amphicoma (Rudeulasia) carinata** (Baraud,1990) (Glaphyridae)
668. **Amphicoma (Rudeulasia) chalybaea** Faldermann,1835 (Glaphyridae)
669. **Amphicoma (Rudeulasia) dilutipennis** (Reitter,1890) (Glaphyridae)
670. **Amphicoma (Rudeulasia) eiselti** Petrovitz,1967 (Glaphyridae)
671. **Amphicoma (Rudeulasia) fastuosa** Reitter,1890 (Glaphyridae)
672. **Amphicoma (Rudeulasia) genei** Truqui,1848 (Glaphyridae)
673. **Amphicoma (Rudeulasia) harmonia** (Petrovitz,1968) (Glaphyridae)
674. **Amphicoma (Rudeulasia) hybrida** (Reitter,1890) (Glaphyridae)
675. **Amphicoma (Rudeulasia) japhoensis** (Petrovitz,1972) (Glaphyridae)
676. **Amphicoma (Rudeulasia) papaveris** (Sturm,1843) (Glaphyridae)
677. **Amphicoma (Rudeulasia) pietschmanni** (Breit,1919) (Glaphyridae)
678. **Amphicoma (Rudeulasia) pulchra** (Reitter,1890) (Glaphyridae)
679. **Amphicoma (Rudeulasia) rapillyi** (Baraud,1988) (Glaphyridae)
680. **Amphicoma (Rudeulasia) saccai** (Petrovitz,1972) (Glaphyridae)
681. **Amphicoma (Rudeulasia) speciosa** Champenois,1900 (Glaphyridae)
682. **Amphicoma (Rudeulasia) straussi** Ganglbauer,1905 (Glaphyridae)
683. **Amphicoma (s.str.) persica** Ganglbauer,1905 (Glaphyridae)
684. **Amphicoma (s.str.) purpureus** (Pic,1947) (Glaphyridae)
685. **Amphicoma (Vittateulasia) palmyrensis** (Mitter,1996) (Glaphyridae)
686. **Amphicoma (Vittateulasia) pareyssei** (Brullé,1832) (Glaphyridae)
687. **Amphicoma (Vittateulasia) vittata** (Fabricius,1775) (Glaphyridae)
688. **Amphinemura mirabilis** (Martynov,1928) (Nemouridae)
689. **Amphinemura standfussi** (Ris,1902) (Nemouridae)
690. **Amphinemura trialetica** Zhiltzova,1957 (Nemouridae)

691. **Amphisbetetus dorsatus** Becker,1913 (Asilidae)
692. **Amphisbetetus favillaceus** (Loew,1856) (Asilidae)
693. **Amphisbetetus gederati** Efflatoun,1937 (Asilidae)
694. **Amphisbetetus ruazi** Theodor,1980 (Asilidae)
695. **Anacaena limbata** (Fabricius,1792) (Hydrophilidae)
696. **Anacaena rufipes** (Guillebeau,1896) (Hydrophilidae)
697. **Anaceratagallia laevis** (Ribaut,1935) (Cicadellidae)
698. **Anaceratagallia ribauti** (Ossiannilsson,1938) (Cicadellidae)
699. **Anaceratagallia sinuata** (Mulsant & Rey,1855) (Cicadellidae)
700. **Anaceratagallia tianshanica** (Dubovsky,1970) (Cicadellidae)
701. **Anachalcis major** Boucek,1952 (Chalcididae)
702. **Anachalcis rubra** Steffan,1951 (Chalcididae)
703. **Anacridium aegyptium** (Linnaeus,1764) (Acrididae)
704. **Anadolua burri** Karabağ,1952 (Tettigoniidae)
705. **Anadolua davisii** Karabağ,1952 (Tettigoniidae)
706. **Anadolua rammei** Karabağ,1952 (Tettigoniidae)
707. **Anadolua schwarzi** Ramme,1939 (Tettigoniidae)
708. **Anadrymadusa adzharica** (Uvarov,1934) (Tettigoniidae)
709. **Anadrymadusa albomaculata** (Karabağ,1956) (Tettigoniidae)
710. **Anadrymadusa brevipennis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
711. **Anadrymadusa curvicercis** (Uvarov,1916) (Tettigoniidae)
712. **Anadrymadusa kosswigi** Karabağ,1975 (Tettigoniidae)
713. **Anadrymadusa ornatipennis** (Ramme,1926) (Tettigoniidae)
714. **Anadrymadusa recticauda** (Werner,1903) (Tettigoniidae)
715. **Anadrymadusa spinicercis** (Karabağ,1956) (Tettigoniidae)
716. **Anaglyptus arabicus** (Küster,1847) (Cerambycidae)
717. **Anaglyptus ganglbaueri** Reitter,1886 (Cerambycidae)
718. **Anaglyptus mysticus** (Linnaeus,1758) (Cerambycidae)
719. **Anagrus atomus** (Linnaeus) (Mymaridae)
720. **Anagrus aligarhensis** Agarwal & Alam,1959 (Encyrtidae)
721. **Anagrus fusciventris** (Girault,1915) (Encyrtidae)
722. **Anagrus kivuensis** Compere,1939 (Encyrtidae)
723. **Anagrus matritensis** (Mercet,1921) (Encyrtidae)
724. **Anagrus pseudococci** (Girault,1915) (Encyrtidae)
725. **Anagrus schoenherri** (Westwood,1837) (Encyrtidae)
726. **Ananconia mesopotamica** Reitter,1908 (Oedemeridae)
727. **Anaphes diana** (Girault) (Mymaridae)
728. **Anaprostocetus acuminatus** (Ratzeburg,1848) (Eulophidae)
729. **Anaprostocetus ankarensis** Gençer,2009 (Eulophidae)
730. **Anapulvinaria pistaciae** (Bodenheimer) (Coccidae)
731. **Anarolius bicolor** Theodor,1980 (Asilidae)
732. **Anarolius fronto** Loew,1873 (Asilidae)
733. **Anarolius jamshidi** Abbassian-Lintzen,1964 (Asilidae)
734. **Anarolius jubatus** Loew,1844 (Asilidae)
735. **Anarolius rufescens** Theodor,1980 (Asilidae)
736. **Anastatus bifasciatus** (Geoffroy) (Eupelmidae)
737. **Anastoechus araxis** Paramonov,1926 (Bombyliidae)
738. **Anastoechus aurifrons** Efflatoun,1945 (Bombyliidae)
739. **Anastoechus bahirae** Becker,1915 (Bombyliidae)
740. **Anastoechus exalbidus** (Wiedemann,1820) (Bombyliidae)
741. **Anastoechus fulvescens** Becker,1913 (Bombyliidae)
742. **Anastoechus hyrcanus** (Wiedemann,1818) (Bombyliidae)
743. **Anastoechus nigricirratu**s Becker,1913 (Bombyliidae)
744. **Anastoechus nitidulus** (Fabricius,1794) (Bombyliidae)
745. **Anastoechus nivifrons** (Walker,1871) (Bombyliidae)
746. **Anastoechus pulcher** Paramonov,1930 (Bombyliidae)
747. **Anastoechus retardatus** Bezzi,1924 (Bombyliidae)
748. **Anastoechus stramineus** (Wiedemann,1820) (Bombyliidae)
749. **Anastoechus trisignatus** Portschinsky,1881 (Bombyliidae)
750. **Anastoechus turanicus** Paramonov,1926 (Bombyliidae)
751. **Anastoechus turkmenorum** Paramonov,1930 (Bombyliidae)
752. **Anastoechus zimini** Paramonov,1940 (Bombyliidae)
753. **Anastrangalia Casey**,1924 (Cerambycidae)
754. **Anastrangalia dubia** (Scopoli,1763) (Cerambycidae)
755. **Anastrangalia montana** (Mulsant & Rey,1863) (Cerambycidae)
756. **Anastrangalia sanguinolenta** (Linnaeus,1761) (Cerambycidae)
757. **Anatella concava** Plassmann,1990 (Mycetophilidae)
758. **Anatolodus ignavus** (Dlabola,1981) (Issidae)
759. **Anatolodus musivus** Dlabola,1982 (Issidae)
760. **Anax immaculifrons** Rambur,1842 (Aeshnidae)
761. **Anax imperator** Leach,1815 (Aeshnidae)
762. **Anax parthenope** (Selys,1839) (Aeshnidae)
763. **Ancistrocerus antelope** (Panzer,1789) (Vespidae)

764. **Ancistrocerus auctus** (Fabricius,1793)
(Vespidae)
765. **Ancistrocerus biphaleratus** Saussure,1852
(Vespidae)
766. **Ancistrocerus claripennis**
Thomson,1874 (Vespidae)
767. **Ancistrocerus dusmetiolus** (Strand,1914)
(Vespidae)
768. **Ancistrocerus gazella** (Panzer,1798)
(Vespidae)
769. **Ancistrocerus nigricornis** (Curtis,1826)
(Vespidae)
770. **Ancistrocerus oviventris** (Wesmael,1836)
(Vespidae)
771. **Ancistrocerus parietinus** (Linnaeus,1761)
(Vespidae)
772. **Ancistrocerus parietum** (Linnaeus,1758)
(Vespidae)
773. **Ancistrocerus scoticus** (Curtis,1826)
(Vespidae)
774. **Ancistronycha erichsoni** Bach,1852
(Cantharidae)
775. **Ancistrura nigrovittata** (Brunner von
Wattenwyl,1878) (Tettigoniidae)
776. **Ancylorhynchus argyrogaster** (Séguy,1932)
(Asilidae)
777. **Ancylorhynchus bicolor** (Becker,1913)
(Asilidae)
778. **Ancylorhynchus brussensis** (Schiner,1867)
(Asilidae)
779. **Ancylorhynchus farinosus** Becker,1913
(Asilidae)
780. **Ancylorhynchus glaucius** (Rossi,1790)
(Asilidae)
781. **Ancylorhynchus longicornis** (Schiner,1867)
(Asilidae)
782. **Ancylorhynchus rufocinctus**
Séguy,1930 (Asilidae)
783. **Ancyrosoma leucogrammes**
(Gmelin,1790) (Pentatomidae)
784. **Andrallus spinidens** (Fabricius,1787)
(Pentatomidae)
785. **Andrena (Brachyandrena) alisadra**
Ariana et al.,2009 (Andrenidae)
786. **Andrena (Brachyandrena) colletiformis**
Morawitz,1874 (Andrenidae)
787. **Andrena (Brachyandrena) pinguis** Ariana
et al.,2009 (Andrenidae)
788. **Andrena (Brachyandrena)**
Pittioni,1948 (Andrenidae)
789. **Andrena (Notandrena) Pérez**,1890
(Andrenidae)
790. **Andrena (Notandrena) selcuki** Schechl
& Hazır,2008 (Andrenidae)
791. **Andrena abbreviata** Warncke,1972
(Andrenidae)
792. **Andrena acerba** Warncke,1967
(Andrenidae)
793. **Andrena aciculata** Morawitz,1886
(Andrenidae)
794. **Andrena acrana** Warncke,1967
(Andrenidae)
795. **Andrena aeneiventris** Morawitz,1872
(Andrenidae)
796. **Andrena albopicta** Radoszkowski,1874
(Andrenidae)
797. **Andrena alfkenella** Perkins,1914
(Andrenidae)
798. **Andrena alfkenelloides** Warncke,1965
(Andrenidae)
799. **Andrena allosa** (Andrenidae)
800. **Andrena anatolica** Alfken,1935
(Andrenidae)
801. **Andrena apiformis** Kriechbaumer,1873
(Andrenidae)
802. **Andrena argentata** Smith,1844
(Andrenidae)
803. **Andrena asiatica** Friese,1921
(Andrenidae)
804. **Andrena assimilis** Radoszkowski,1876
(Andrenidae)
805. **Andrena astica** Warncke,1967
(Andrenidae)
806. **Andrena athenensis** Warncke,1965
(Andrenidae)
807. **Andrena atrotegularis** Hedicke,1923
(Andrenidae)
808. **Andrena barbilabris** (Kirby,1802)
(Andrenidae)
809. **Andrena biarmica** Warncke,1975
(Andrenidae)
810. **Andrena bicolor** Fabricius,1775
(Andrenidae)
811. **Andrena bicolorata** (Rossi,1790)
(Andrenidae)
812. **Andrena biguttata** Friese,1922 (Andrenidae)
813. **Andrena bimaculata** (Kirby,1802)
(Andrenidae)
814. **Andrena bisulcata** Morawitz,1878
(Andrenidae)
815. **Andrena bonasia** Warncke,1969
(Andrenidae)
816. **Andrena butea** Warncke,1966 (Andrenidae)
817. **Andrena calandra** Warncke,1975
(Andrenidae)
818. **Andrena canaeae** Strand,1915
(Andrenidae)
819. **Andrena canohirta** (Friese,1922)
(Andrenidae)
820. **Andrena cantiaca** Warncke,1975
(Andrenidae)
821. **Andrena canuta** Warncke,1975 (Andrenidae)
822. **Andrena caprimulga** Warncke,1975
(Andrenidae)
823. **Andrena cara** (Andrenidae)
824. **Andrena carbonaria** (Linnaeus,1767)
(Andrenidae)
825. **Andrena castanea** Warncke,1975
(Andrenidae)
826. **Andrena caudata** Warncke,1966
(Andrenidae)
827. **Andrena chrysopus** Perez,1903
(Andrenidae)
828. **Andrena chrysopyga** Schenck,1853
(Andrenidae)
829. **Andrena ciconia** Warncke,1975
(Andrenidae)
830. **Andrena cinerea** Brulle,1832
(Andrenidae)
831. **Andrena cinereophila** Warncke,1965
(Andrenidae)
832. **Andrena cinnamonea** Warncke,1975
(Andrenidae)
833. **Andrena citrinella** Warncke,1967
(Andrenidae)

834. **Andrena clusia** Warncke,1966
(Andrenidae)
835. **Andrena clypeata** Brulle,1832
(Andrenidae)
836. **Andrena coitana** (Andrenidae)
837. **Andrena combaella** Warncke,1966
(Andrenidae)
838. **Andrena combinata** (Andrenidae)
839. **Andrena concinna** (Andrenidae)
840. **Andrena congruens**
Schmiedeknecht,1883 (Andrenidae)
841. **Andrena cordialis** Morawitz,1878
(Andrenidae)
842. **Andrena coromanda** Warncke,1975
(Andrenidae)
843. **Andrena crassana** Warncke,1965
(Andrenidae)
844. **Andrena crisa** Warncke,1975
(Andrenidae)
845. **Andrena crypta** Warncke,1975
(Andrenidae)
846. **Andrena cubiceps** Friese,1914
(Andrenidae)
847. **Andrena cubicepsella** Warncke,1975
(Andrenidae)
848. **Andrena curiosa** (Morawitz,1878)
(Andrenidae)
849. **Andrena curvungula** Thomson,1870
(Andrenidae)
850. **Andrena cussariensis** Morawitz,1886
(Andrenidae)
851. **Andrena cypria** Pittioni,1950 (Andrenidae)
852. **Andrena dauma** Warncke,1969
(Andrenidae)
853. **Andrena decipiens** Schenck,1859
(Andrenidae)
854. **Andrena dentiventris** Morawitz,1873
(Andrenidae)
855. **Andrena derbentina** Morawitz,1886
(Andrenidae)
856. **Andrena dorsalis** Brulle,1832
(Andrenidae)
857. **Andrena dorsata** (Kirby,1802)
(Andrenidae)
858. **Andrena dubiosa** Kohl,1905
(Andrenidae)
859. **Andrena elegans** Giraund,1863
(Andrenidae)
860. **Andrena enslinella** Stöckhert,1924
(Andrenidae)
861. **Andrena erberi** Morawitz,1872 (Andrenidae)
862. **Andrena erytrocnemis** Morawitz,1870
(Andrenidae)
863. **Andrena exquisita** Warncke,1975
(Andrenidae)
864. **Andrena fabalis** Warncke,1966
(Andrenidae)
865. **Andrena falcinella** Warncke,1969
(Andrenidae)
866. **Andrena ferox** Smith,1847 (Andrenidae)
867. **Andrena figurata** Morawitz,1866
(Andrenidae)
868. **Andrena flavipes** Panzer,1799
(Andrenidae)
869. **Andrena flavobila** Warncke,1975
(Andrenidae)
870. **Andrena florea** (Andrenidae)
871. **Andrena floricola** Eversmann,1852
(Andrenidae)
872. **Andrena florivaga** Eversmann,1852
(Andrenidae)
873. **Andrena forsterella** Osytshnjuk,1978
(Andrenidae)
874. **Andrena fratercula** Warncke,1975
(Andrenidae)
875. **Andrena fucata** Smith,1847
(Andrenidae)
876. **Andrena fuligula** Warncke,1966
(Andrenidae)
877. **Andrena fulvago** (Christ,1791) (Andrenidae)
878. **Andrena fulvitaris** Brulle,1832
(Andrenidae)
879. **Andrena fuscocalcarata**
Morawitz,1878 (Andrenidae)
880. **Andrena fuscosa** Erichson,1835
(Andrenidae)
881. **Andrena galbula** Warncke,1975
(Andrenidae)
882. **Andrena gallinula** Warncke,1975
(Andrenidae)
883. **Andrena garrula** Warncke,1965
(Andrenidae)
884. **Andrena garzetta** Warncke,1975
(Andrenidae)
885. **Andrena gazella** Friese,1922
(Andrenidae)
886. **Andrena gelriae** vd Vecht,1927
(Andrenidae)
887. **Andrena glabriventris** Alfken,1935
(Andrenidae)
888. **Andrena glandaria** Warncke,1975
(Andrenidae)
889. **Andrena glareola** Warncke,1969
(Andrenidae)
890. **Andrena glidia** Warncke,1965
(Andrenidae)
891. **Andrena gordia** Warncke,1975 (Andrenidae)
892. **Andrena grandilabris** Perez,1903
(Andrenidae)
893. **Andrena grava** Imhoff,1832
(Andrenidae)
894. **Andrena griseigena** Warncke,1975
(Andrenidae)
895. **Andrena gunaca** Warncke,1975
(Andrenidae)
896. **Andrena haemorrhoea** (Fabricius,1781)
(Andrenidae)
897. **Andrena helvola** (Linnaeus,1758)
(Andrenidae)
898. **Andrena henotica** Warncke,1975
(Andrenidae)
899. **Andrena hesperia** Smith,1853
(Andrenidae)
900. **Andrena hibernica** Warncke,1975
(Andrenidae)
901. **Andrena hova** Warncke,1975 (Andrenidae)
902. **Andrena humabilis** Warncke,1965
(Andrenidae)
903. **Andrena hybrida** Warncke,1975
(Andrenidae)
904. **Andrena hyemala** Warncke,1973
(Andrenidae)
905. **Andrena hystrix** (Andrenidae)
906. **Andrena immaculata** Warncke,1975
(Andrenidae)

907. **Andrena impunctata** Perez,1895
(Andrenidae)
908. **Andrena incisa** Eversmann,1852
(Andrenidae)
909. **Andrena incognita** Warncke,1975
(Andrenidae)
910. **Andrena induta** Morawitz,1895
(Andrenidae)
911. **Andrena intermedia** Thomson,1870
(Andrenidae)
912. **Andrena isabellina** Warncke,1969
(Andrenidae)
913. **Andrena ispida** Warncke,1966 (Andrenidae)
914. **Andrena janthina** Warncke,1975
(Andrenidae)
915. **Andrena kilikiae** Warncke,1969 (Andrenidae)
916. **Andrena konyella** Warncke,1975
(Andrenidae)
917. **Andrena kurda** Warncke,1975 (Andrenidae)
918. **Andrena labialis** (Kirby,1802) (Andrenidae)
919. **Andrena labiata** Fabricius,1781 (Andrenidae)
920. **Andrena lamiana** Warncke,1965
(Andrenidae)
921. **Andrena lateralis** Morawitz,1876
(Andrenidae)
922. **Andrena lathyri** Alfken,1899
(Andrenidae)
923. **Andrena laticeps** Morawitz,1876
(Andrenidae)
924. **Andrena lepida** Schenck,1861
(Andrenidae)
925. **Andrena limata** Smith,1853 (Andrenidae)
926. **Andrena limbata** Eversmann,1852
(Andrenidae)
927. **Andrena lunata** Warncke,1975
(Andrenidae)
928. **Andrena luscini**a Warncke,1975
(Andrenidae)
929. **Andrena magna** Warncke,1965
(Andrenidae)
930. **Andrena magunta** Warncke,1965
(Andrenidae)
931. **Andrena marginata** Fabricius,1776
(Andrenidae)
932. **Andrena medeninensis** Warncke,1965
(Andrenidae)
933. **Andrena melanota** Warncke,1975
(Andrenidae)
934. **Andrena melba** Warncke,1966
(Andrenidae)
935. **Andrena melittoides** Friese,1899
(Andrenidae)
936. **Andrena merula** Warncke,1969
(Andrenidae)
937. **Andrena minutula** (Kirby,1802)
(Andrenidae)
938. **Andrena minutuloides** Perkins,1914
(Andrenidae)
939. **Andrena mitis** Schmiedeknecht,1883
(Andrenidae)
940. **Andrena mollissima** Warncke,1975
(Andrenidae)
941. **Andrena monacha** Warncke,1965
(Andrenidae)
942. **Andrena mongolica** Morawitz,1880
(Andrenidae)
943. **Andrena monilia** Warncke,1967
(Andrenidae)
944. **Andrena morinella** Warncke,1975
(Andrenidae)
945. **Andrena morio** Brullé,1832 (Andrenidae)
946. **Andrena mucida** Kriechbaumer,1873
(Andrenidae)
947. **Andrena najadana** Warncke,1975
(Andrenidae)
948. **Andrena nasuta** Giraud,1863
(Andrenidae)
949. **Andrena nisoria** Warncke,1969
(Andrenidae)
950. **Andrena nitida** (Müller,1776)
(Andrenidae)
951. **Andrena nitidiuscula** Schenck,1853
(Andrenidae)
952. **Andrena niveata** (Friese,1887)
(Andrenidae)
953. **Andrena nobilis** Morawitz,1873
(Andrenidae)
954. **Andrena nubica** Warncke,1975
(Andrenidae)
955. **Andrena nucleola** Warncke,1972
(Andrenidae)
956. **Andrena ocreata** (Christ,1791)
(Andrenidae)
957. **Andrena oedinema** Warncke,1975
(Andrenidae)
958. **Andrena oenas** Warncke,1975
(Andrenidae)
959. **Andrena oralis** Morawitz,1876
(Andrenidae)
960. **Andrena oulskii** Radoszkowski,1867
(Andrenidae)
961. **Andrena ovatula** (Kirby,1802) (Andrenidae)
962. **Andrena oxyura** Warncke,1975
(Andrenidae)
963. **Andrena paganettina** Warncke,1965
(Andrenidae)
964. **Andrena pagophila** Warncke,1975
(Andrenidae)
965. **Andrena pallidicincta** Brullé,1832
(Andrenidae)
966. **Andrena paradisaea** Warncke,1975
(Andrenidae)
967. **Andrena parviceps** Kriechbaumer,1873
(Andrenidae)
968. **Andrena phoenicura** Warncke,1975
(Andrenidae)
969. **Andrena platalea** Warncke,1975
(Andrenidae)
970. **Andrena polita** Smith,1847 (Andrenidae)
971. **Andrena pontica** Warncke,1972 (Andrenidae)
972. **Andrena probata** Warncke,1972
(Andrenidae)
973. **Andrena proxima** (Kirby,1802)
(Andrenidae)
974. **Andrena puffina** Warncke,1975
(Andrenidae)
975. **Andrena pulicaria** Warncke,1975
(Andrenidae)
976. **Andrena punctatissima** Morawitz,186
(Andrenidae)
977. **Andrena purpureomicans** Alfken,1935
(Andrenidae)
978. **Andrena pyropygia** Kriechbaumer,1873
(Andrenidae)
979. **Andrena pyrozonata** Friese,1921
(Andrenidae)

980. **Andrena quadrimaculata** Friese,1921
(Andrenidae)
981. **Andrena querquedula** Warncke,1975
(Andrenidae)
982. **Andrena ramlehiana** Perez,1903
(Andrenidae)
983. **Andrena ranunculorum** Morawitz,1878
(Andrenidae)
984. **Andrena recurvirostra** Warncke,1975
(Andrenidae)
985. **Andrena rosae** Panzer,1801 (Andrenidae)
986. **Andrena rotundiabris** Morawitz,1878
(Andrenidae)
987. **Andrena rufomacula** Friese,1921
(Andrenidae)
988. **Andrena rufula** Schmiedeknecht,1883
(Andrenidae)
989. **Andrena rugothorace** Warncke,1965
(Andrenidae)
990. **Andrena rugulosa** Stöckhert,1935
(Andrenidae)
991. **Andrena rusticola** Warncke,1975
(Andrenidae)
992. **Andrena saettana** Warncke,1975
(Andrenidae)
993. **Andrena saturata** Warncke,1975
(Andrenidae)
994. **Andrena saxonica** Stöckhert,1935
(Andrenidae)
995. **Andrena schencki** Morawitz,1866
(Andrenidae)
996. **Andrena schlettereri** Friese,1896
(Andrenidae)
997. **Andrena schwarzi** Warncke,1975
(Andrenidae)
998. **Andrena scita** Eversmann,1852
(Andrenidae)
999. **Andrena sedentaria** Warncke,1975
(Andrenidae)
1000. **Andrena seitzii** Alfken,1935 (Andrenidae)
1001. **Andrena seminuda** Friese,1896
(Andrenidae)
1002. **Andrena semirubra** Morawitz,1876
(Andrenidae)
1003. **Andrena sericata** Imhoff,1866
(Andrenidae)
1004. **Andrena serraticornis** Warncke,1965
(Andrenidae)
1005. **Andrena sexguttata** Morawitz,1878
(Andrenidae)
1006. **Andrena sillata** Warncke,1975
(Andrenidae)
1007. **Andrena sobrina** Warncke,1975
(Andrenidae)
1008. **Andrena solitaria** Warncke,1975
(Andrenidae)
1009. **Andrena soror** Dours,1872 (Andrenidae)
1010. **Andrena stellaris** Warncke,1966
(Andrenidae)
1011. **Andrena stolidia** Warncke,1975
(Andrenidae)
1012. **Andrena stöckhertella** Pittioni,1948
(Andrenidae)
1013. **Andrena strepera** Warncke,1975
(Andrenidae)
1014. **Andrena symphyti**
Schmiedeknecht,1883 (Andrenidae)
1015. **Andrena synadelpha** Perkins,1914
(Andrenidae)
1016. **Andrena taprobana** Warncke,1975
(Andrenidae)
1017. **Andrena taraxaci** Giraud,1861
(Andrenidae)
1018. **Andrena tenuiformis** Pittioni,1950
(Andrenidae)
1019. **Andrena tenuis** Morawitz,1878
(Andrenidae)
1020. **Andrena testacea** Warncke,1975
(Andrenidae)
1021. **Andrena thomsoni** Ducke,1898
(Andrenidae)
1022. **Andrena tibialis** (Kirby,1802)
(Andrenidae)
1023. **Andrena toelgiana** Friese,1921
(Andrenidae)
1024. **Andrena tomora** Warncke,1975
(Andrenidae)
1025. **Andrena torda** Warncke,1966
(Andrenidae)
1026. **Andrena transitoria** Morawitz,1872
(Andrenidae)
1027. **Andrena trimmerana** (Kirby,1802)
(Andrenidae)
1028. **Andrena tringa** Warncke,1973
(Andrenidae)
1029. **Andrena trodica** Warncke,1975
(Andrenidae)
1030. **Andrena tscheki** Morawitz,1872
(Andrenidae)
1031. **Andrena ulula** Warncke,1969
(Andrenidae)
1032. **Andrena ungeri** Mavromoustakis,1952
(Andrenidae)
1033. **Andrena variabilis** Smith,1853
(Andrenidae)
1034. **Andrena venerabilis** Alfken,1935
(Andrenidae)
1035. **Andrena ventralis** Imhoff,1832
(Andrenidae)
1036. **Andrena ventricosa** Dours,1873
(Andrenidae)
1037. **Andrena vetula** Lepeletier,1841
(Andrenidae)
1038. **Andrena virgata** Warncke,1975
(Andrenidae)
1039. **Andrena volka** Warncke,1969
(Andrenidae)
1040. **Andrena wilhelmi** Schuberth,1995
(Andrenidae)
1041. **Andrena wilkella** (Kirby,1802)
(Andrenidae)
1042. **Andrena yelkouan** Warncke,1975
(Andrenidae)
1043. **Andrena zosteria** Warncke,1975
(Andrenidae)
1044. **Andrenosoma albibarbe** (Meigen,1820)
(Asilidae)
1045. **Andrenosoma atrum** (Linnaeus,1758)
(Asilidae)
1046. **Andrenosoma cornuta** Oldroyd,1972
(Asilidae)
1047. **Andrenosoma serratum** Hermann,1906
(Asilidae)
1048. **Andricus amblycerus** (Giraud,1859)
(Cynipidae)

1049. **Andricus amenti** Giraud,1859
(Cynipidae)
1050. **Andricus aries** (Giraud,1859) (Cynipidae)
1051. **Andricus askewi** Melika & Stone,2001
(Cynipidae)
1052. **Andricus bulgaricus** Vassileva &
Samnalieva,1977 (Cynipidae)
1053. **Andricus caliciformis** (Giraud,1859)
(Cynipidae)
1054. **Andricus callidoma** (Hartig,1841)
(Cynipidae)
1055. **Andricus caputmedusae** (Hartig,1843)
(Cynipidae)
1056. **Andricus cecconii** Kieffer,1901
(Cynipidae)
1057. **Andricus conglomeratus** (Giraud,1859)
(Cynipidae)
1058. **Andricus conificus** (Hartig,1843)
(Cynipidae)
1059. **Andricus coriarius** (Hartig,1843)
(Cynipidae)
1060. **Andricus coronatus** (Giraud,1859)
(Cynipidae)
1061. **Andricus corruptrix**
(Schlechtendal,1870) (Cynipidae)
1062. **Andricus curtisii** (Müller,1870)
(Cynipidae)
1063. **Andricus curvator** Hartig,1840
(Cynipidae)
1064. **Andricus cydoniae** Giraud,1859
(Cynipidae)
1065. **Andricus dentimitratus** (Rejto,1887)
(Cynipidae)
1066. **Andricus foecundatrix** (Hartig,1840)
(Cynipidae)
1067. **Andricus galeatus** (Giraud,1859)
(Cynipidae)
1068. **Andricus gallaearnaeformis**
(Fonscolombe,1832) (Cynipidae)
1069. **Andricus gemmeus** (Giraud,1859)
(Cynipidae)
1070. **Andricus glutinosus** (Giraud,1859)
(Cynipidae)
1071. **Andricus grossulariae** Giraud,1859
(Cynipidae)
1072. **Andricus hartigi** (Hartig,1843)
(Cynipidae)
1073. **Andricus hungaricus** Hartig,1943
(Cynipidae)
1074. **Andricus hystrix** Kieffer,1897
(Cynipidae)
1075. **Andricus infectorius** (Hartig,1843)
(Cynipidae)
1076. **Andricus inflator** Hartig,1840
(Cynipidae)
1077. **Andricus insanus** (Westwood,1837)
(Cynipidae)
1078. **Andricus kollari** (Hartig,1843)
(Cynipidae)
1079. **Andricus lignicolus** (Hartig,1840)
(Cynipidae)
1080. **Andricus lucidus** (Hartig,1843)
(Cynipidae)
1081. **Andricus malpighi** (Adler,1881)
(Cynipidae)
1082. **Andricus megalucidus** Melika, Stone,
Sadeghi & Pujade-Villar,2004 (Cynipidae)
1083. **Andricus megatruncicolus** Melika,2008
(Cynipidae)
1084. **Andricus mitratus** (Mayr,1870)
(Cynipidae)
1085. **Andricus moreae** (Graeffe,1905)
(Cynipidae)
1086. **Andricus multiplicatus** Giraud,1859
(Cynipidae)
1087. **Andricus polycerus** (Giraud,1859)
(Cynipidae)
1088. **Andricus pseudoaries** Melika, Stone,
Sadeghi,2008 (Cynipidae)
1089. **Andricus quercuscalicis**
(Burgsdorf,1783) (Cynipidae)
1090. **Andricus quercuscorticis**
(Linnaeus,1761) (Cynipidae)
1091. **Andricus quercusradicis**
(Fabricius,1789) (Cynipidae)
1092. **Andricus quercusramuli**
(Linnaeus,1761) (Cynipidae)
1093. **Andricus quercustozae** (Bosc,1792)
(Cynipidae)
1094. **Andricus schroeckingeri** Wachtl,1876
(Cynipidae)
1095. **Andricus seckendorffi** (Wachtl,1879)
(Cynipidae)
1096. **Andricus solitarius**
(Fonscolombe,1832) (Cynipidae)
1097. **Andricus stefanii** (Kieffer,1897)
(Cynipidae)
1098. **Andricus sternlichti** Bellido, Pujade-
Villar & Melika,2003 (Cynipidae)
1099. **Andricus theophrasteus** Trotter,1866
(Cynipidae)
1100. **Andricus tomentosus** (Trotter,1901)
(Cynipidae)
1101. **Andricus truncicola** (Giraud,1859)
(Cynipidae)
1102. **Anechura bipunctata** (Fabricius,1781)
(Forficulidae)
1103. **Anechura zubovskii** (Semenov,1901)
(Forficulidae)
1104. **Aneomochtherus acratu**s (Tsacas,1968)
(Asilidae)
1105. **Aneomochtherus aerifacies**
(Tsacas,1968) (Asilidae)
1106. **Aneomochtherus atripes**
(Oldroyd,1958) (Asilidae)
1107. **Aneomochtherus grisescens**
(Tsacas,1968) (Asilidae)
1108. **Aneomochtherus hermonensis**
(Theodor,1980) (Asilidae)
1109. **Aneomochtherus hungaricus**
(Engel,1927) (Asilidae)
1110. **Aneomochtherus illustris**
(Schiner,1867) (Asilidae)
1111. **Aneomochtherus libanonensis**
(Tsacas,1968) (Asilidae)
1112. **Aneomochtherus macropygus**
(Tsacas,1968) (Asilidae)
1113. **Aneomochtherus mesopotamicus**
(Janssens,1961) (Asilidae)
1114. **Aneomochtherus micrasiaticus**
(Tsacas,1968) (Asilidae)
1115. **Aneomochtherus mundus** (Loew,1849)
(Asilidae)
1116. **Aneomochtherus ochriventris**
(Loew,1854) (Asilidae)

1117. **Aneomochtherus perplexus**
(Becker,1923) (Asilidae)
1118. **Aneomochtherus petrishshevae**
(Stackelberg,1937) (Asilidae)
1119. **Aneomochtherus rhogmopygus**
(Tsacas,1965) (Asilidae)
1120. **Aneomochtherus soleus** (Tsacas,1968)
(Asilidae)
1121. **Aneuclis incidens** (Thomson,1889)
(Ichneumonidae)
1122. **Aneuclis melanarius** (Holmgren,1860)
(Ichneumonidae)
1123. **Aneurus avenius** (Dufour,1833)
(Aradidae)
1124. **Aneurus laevis** (Fabricius,1775)
(Aradidae)
1125. **Anicetus italicus** (Masi,1917) (Encyrtidae)
1126. **Anigrus vicinus Dlabola,1959**
(Meenoplidae)
1127. **Anillidius (s.str.) byzantinus** Casale,
M.Elonti & Giachino,1992 (Carabidae)
1128. **Anillidius (s.str.) coiffaiti** Jeannel,1955
(Carabidae)
1129. **Anillidius (s.str.) hobhousae**
Jaannel,1930 (Carabidae)
1130. **Anillidius (s.str.) pisidicus**
Jeannel,1937 (Carabidae)
1131. **Anillidius (s.str.) tauricus** Jeannel,1930
(Carabidae)
1132. **Anillidius (s.str.) turcicus**
J.Frivaldszky,1880 (Carabidae)
1133. **Anillidius (s.str.) uludagensis**
Schweiger,1965 (Carabidae)
1134. **Anisobas cingulatellus** Horstmann,1997
(Ichneumonidae)
1135. **Anisobas seyrigi** Heinrich,1933
(Ichneumonidae)
1136. **Anisochrya (Chrysoperla) carnea**
(Stephens,1836) (Chrysopidae)
1137. **Anisochrya (Chrysoperla) iranica**
(Hölzel,1967) (Chrysopidae)
1138. **Anisochrya (Cunctochrysa) albolineata**
(Killington,1935) (Chrysopidae)
1139. **Anisochrya (Cunctochrysa) baetica**
Hölzel,1972 (Chrysopidae)
1140. **Anisochrya (s.str.) clathrata**
(Schneider,1845) (Chrysopidae)
1141. **Anisochrya (s.str.) flavifrons**
(Brauer,1850) (Chrysopidae)
1142. **Anisochrya (s.str.) genei**
(Rambur,1842) (Chrysopidae)
1143. **Anisochrya (s.str.) subflavifrons**
(Tjeder,1949) (Chrysopidae)
1144. **Anisochrya (s.str.) sybaritica**
(McLachlan,1875) (Chrysopidae)
1145. **Anisochrya (s.str.) venosa**
(Rambur,1842) (Chrysopidae)
1146. **Anisochrya (s.str.) zelleri**
(Schneider,1851) (Chrysopidae)
1147. **Anisolabis maritima** (Géné,1832)
(Labiduridae)
1148. **Anisoplia (Autanisoplia) austriaca**
(Herbst,1783) (Scarabaeidae)
1149. **Anisoplia (Brancoplia) klapperichi**
Petrovitz,1971 (Scarabaeidae)
1150. **Anisoplia (Brancoplia) leucaspis**
Laporte,1840 (Scarabaeidae)
1151. **Anisoplia (Brancoplia) mesopotamica**
Pilleri,1954 (Scarabaeidae)
1152. **Anisoplia (Brancoplia) pumila**
Petrovitz,1973 (Scarabaeidae)
1153. **Anisoplia (Chaetopteropia) bidens**
Pilleri,1948 (Scarabaeidae)
1154. **Anisoplia (Chaetopteropia) cuprina**
Machatschke,1961 (Scarabaeidae)
1155. **Anisoplia (Chaetopteropia) gracilis**
Machatschke,1961 (Scarabaeidae)
1156. **Anisoplia (Chaetopteropia) inculta**
Erichson,1847 (Scarabaeidae)
1157. **Anisoplia (Chaetopteropia) libanensis**
Machatschke,1961 (Scarabaeidae)
1158. **Anisoplia (Chaetopteropia) muelleri**
Pilleri,1954 (Scarabaeidae)
1159. **Anisoplia (Chaetopteropia)**
obenbergeri Vsetecka,1941 (Scarabaeidae)
1160. **Anisoplia (Chaetopteropia) segetum**
(Herbst,1783) (Scarabaeidae)
1161. **Anisoplia (Chaetopteropia) syriaca**
Burmeister,1844 (Scarabaeidae)
1162. **Anisoplia (s.str.) phoenissa**
Zaitzev,1977 (Scarabaeidae)
1163. **Anisoplia (s.str.) signata**
Faldermann,1835 (Scarabaeidae)
1164. **Anisoplia (s.str.) tenebralis**
Burmeister,1844 (Scarabaeidae)
1165. **Anisoplia imitatrix** Apfelbeck,1909
(Scarabaeidae)
1166. **Anisoplia noahi** Petrovitz,1973
(Scarabaeidae)
1167. **Anisopogon hermanni** (Engel,1930)
(Asilidae)
1168. **Anisopogon parvum** Eflatoun,1937
(Asilidae)
1169. **Anisops sardeus** Herrich-Schäffer,1849
(Notonectidae)
1170. **Anisopteromalus calandrae** (Howard)
(Pteromalidae)
1171. **Anogcodes difformis** (Marseul,1857)
(Oedemeridae)
1172. **Anogcodes ferrugineus** (Schrank,1776)
(Oedemeridae)
1173. **Anogcodes fulvicollis** (Scopoli,1763)
(Oedemeridae)
1174. **Anogcodes geniculatus**
(W.Schmidt,1846) (Oedemeridae)
1175. **Anogcodes paradoxus**
(Faldermann,1837) (Oedemeridae)
1176. **Anogcodes ruficollis** (Fabricius,1781)
(Oedemeridae)
1177. **Anogcodes rufiventris** (Scopoli,1763)
(Oedemeridae)
1178. **Anogcodes seladonius** (Fabricius,1792)
(Oedemeridae)
1179. **Anogcodes ustulatus** (Scopoli,1763)
(Oedemeridae)
1180. **Anomala (s.str.) dubia** (Scopoli,1763)
(Scarabaeidae)
1181. **Anomala osmanlis** Blanchard,1851
(Scarabaeidae)
1182. **Anomala palestina** Pic,1905
(Scarabaeidae)
1183. **Anomalon cruentatum** (Geoffroy,1785)
(Ichneumonidae)
1184. **Anomalon foliator** (Fabricius,1798)
(Ichneumonidae)

1185. **Anoplistes chodjii** (Holzschuh,1974)
(Cerambycidae)
1186. **Anoplius aeruginosus** (Tournier,1890)
(Pompilidae)
1187. **Anoplius caviventris** (Aurivillius,1907)
(Pompilidae)
1188. **Anoplius concinnus** (Dahlbom,1845)
(Pompilidae)
1189. **Anoplius infuscatus** (Van der
Linden,1827) (Pompilidae)
1190. **Anoplius nigerrimus** (Scopoli,1763)
(Pompilidae)
1191. **Anoplius piliventris** (Morawitz,1889)
(Pompilidae)
1192. **Anoplius samariensis** (Pallas,1771)
(Pompilidae)
1193. **Anoplius schlettereri**
(Radoszkowski,1888) (Pompilidae)
1194. **Anoplius viaticus** (Linnaeus,1758)
(Pompilidae)
1195. **Anoplocerus elevatus** (Fieber,1861)
(Coreidae)
1196. **Anoplocerus luteus** (Fieber,1861)
(Coreidae)
1197. **Anoplodera Mulsant**,1839
(Cerambycidae)
1198. **Anoplodera rufipes** (Schaller,1783)
(Cerambycidae)
1199. **Anoplotettix eckerleini** Dlabola,1965
(Cicadellidae)
1200. **Anoplotettix fuscovenosus**
(Ferrari,1882) (Cicadellidae)
1201. **Anoplotettix kalkandeleni** Dlabola,1971
(Cicadellidae)
1202. **Anoplotettix kurdicus** Remane,1966
(Cicadellidae)
1203. **Anoplotettix Iodosianus** Dlabola,1987
(Cicadellidae)
1204. **Anoplotettix loewi** (Horvath,1884)
(Cicadellidae)
1205. **Anoplotettix novaki** Wagner,1959
(Cicadellidae)
1206. **Anoplotettix rodosicus** Dlabola,1974
(Cicadellidae)
1207. **Anoplotettix sahtyiancii** Dlabola,1970
(Cicadellidae)
1208. **Anoplotrupes sterocorosus**
(Scriba,1791) (Geotrupidae)
1209. **Anormogomphus kiritshenkoi**
Bartenev,1913 (Gomphidae)
1210. **Anoscopus albifrons** (Linnaeus,1758)
(Cicadellidae)
1211. **Anospilus orbitalis** (Costa,1863)
(Pompilidae)
1212. **Anostirus alexandri** Wurst,1995
(Elateridae)
1213. **Anostirus ataturki** Platia &
Gudenzi,2000 (Elateridae)
1214. **Anostirus eschscholtzi**
(Faldermann,1835) (Elateridae)
1215. **Anostirus gracilicollis** (Stierlin,1896)
(Elateridae)
1216. **Anostirus holtzi** (Schwarz,1902)
(Elateridae)
1217. **Anostirus incostatus** (Pic,1905)
(Elateridae)
1218. **Anostirus lederi** (Heyden,1878)
(Elateridae)
1219. **Anostirus nubilosus** Wurst &
Schimmel,1995 (Elateridae)
1220. **Anostirus purpureus** (Poda,1761)
(Elateridae)
1221. **Anostirus saltinii** Cate, Platia &
Schimmel,2002 (Elateridae)
1222. **Anostirus trivialis** Gurjeva,1988
(Elateridae)
1223. **Anostirus turcicus** Platia &
Mertlik,1996 (Elateridae)
1224. **Anoterostemma ivanoffi**
(Lethierry,1876) (Cicadellidae)
1225. **Anoxia (Mesanoxia) cypria**
Zurcher,1911 (Scarabaeidae)
1226. **Anoxia (Protanoxia) cingulata**
Marseul,1868 (Scarabaeidae)
1227. **Anoxia (Protanoxia) laevimaculata**
Petrovitz,1973 (Scarabaeidae)
1228. **Anoxia (Protanoxia) orientalis**
Krynicky,1832 (Scarabaeidae)
1229. **Anoxia (s.str.) asiatica**
Desbrochers,1872 (Scarabaeidae)
1230. **Anoxia (s.str.) maculiventris**
Reitter,1890 (Scarabaeidae)
1231. **Anoxia (s.str.) naviauxi** Baraud,1990
(Scarabaeidae)
1232. **Anoxioides bytinskisalzii** Petrovitz,1971
(Scarabaeidae)
1233. **Antepipona albosignata**
Gusenleitner,1986 (Vespidae)
1234. **Antepipona deflenda** (Saunders,1853)
(Vespidae)
1235. **Antepipona dentella** Gusenleitner,1991
(Vespidae)
1236. **Antepipona iconia** (Blüthgen,1951)
(Vespidae)
1237. **Antepipona insana** (Giordani
Soika,1943) (Vespidae)
1238. **Antepipona laevigata** (Blüthgen,1951)
(Vespidae)
1239. **Antepipona orbitalis** (Herrich-
Schäffer,1839) (Vespidae)
1240. **Antepipona osmanica**
Gusenleitner,1986 (Vespidae)
1241. **Antepipona tenuis** Gusenleitner,1988
(Vespidae)
1242. **Anterastes akdaghensis** Ramme,1951
(Tettigoniidae)
1243. **Anterastes anatolicus** Uvarov,1934
(Tettigoniidae)
1244. **Anterastes antitauricus** Çıplak,2004
(Tettigoniidae)
1245. **Anterastes babadaghi** Uvarov,1939
(Tettigoniidae)
1246. **Anterastes burri** Karabağ,1951
(Tettigoniidae)
1247. **Anterastes niger** Ünal,2000
(Tettigoniidae)
1248. **Anterastes serbicus** Brunner von
Wattenwyl,1882 (Tettigoniidae)
1249. **Anterastes tolunayi** Karabağ,1951
(Tettigoniidae)
1250. **Anterastes turcicus** Karabağ,1951
(Tettigoniidae)
1251. **Anterastes ucari** Çıplak,2004
(Tettigoniidae)
1252. **Anterastes uludaghensis** Karabağ,1950
(Tettigoniidae)

1253. *Anthaxia (Cratomerus) diadema* Fischer,1824 (Buprestidae)
1254. *Anthaxia (Cratomerus) eugeniae* Ganglbauer,1885 (Buprestidae)
1255. *Anthaxia (Cratomerus) hungarica* (Scopoli,1772) (Buprestidae)
1256. *Anthaxia (Cratomerus) krueperi* Ganglbauer,1885 (Buprestidae)
1257. *Anthaxia (Cratomerus) mirabilis* Zicharev,1918 (Buprestidae)
1258. *Anthaxia (Cratomerus) nupta* Kiesenwetter,1857 (Buprestidae)
1259. *Anthaxia (Cratomerus) scorzonerae* (Frivaldski,1838) (Buprestidae)
1260. *Anthaxia (Cratomerus) sponsa* Kiesenwetter,1857 (Buprestidae)
1261. *Anthaxia (Euanthaxia) anatolica* Chevrolat,1837 (Buprestidae)
1262. *Anthaxia (Haplantaxia) armeniaca* Obenberger,1929 (Buprestidae)
1263. *Anthaxia (Haplantaxia) bettagi* Niehuis,1983 (Buprestidae)
1264. *Anthaxia (Haplantaxia) bosdaghensis* Obenberger,1938 (Buprestidae)
1265. *Anthaxia (Haplantaxia) cavazzutii* Bily,1980 (Buprestidae)
1266. *Anthaxia (Haplantaxia) cichorii* (Olivier,1790) (Buprestidae)
1267. *Anthaxia (Haplantaxia) cylindrica* Abeille,1900 (Buprestidae)
1268. *Anthaxia (Haplantaxia) flavicomis* Abeille,1900 (Buprestidae)
1269. *Anthaxia (Haplantaxia) karsanthiana* Pic,1917 (Buprestidae)
1270. *Anthaxia (Haplantaxia) kiesenwetteri* Marseul,1865 (Buprestidae)
1271. *Anthaxia (Haplantaxia) laticeps* Abeille,1900 (Buprestidae)
1272. *Anthaxia (Haplantaxia) millefolii* (Fabricius,1801) (Buprestidae)
1273. *Anthaxia (Haplantaxia) mundula* Kiesenwetter,1857 (Buprestidae)
1274. *Anthaxia (Haplantaxia) niehuisi* Brandl,1987 (Buprestidae)
1275. *Anthaxia (Haplantaxia) olympica* Kiesenwetter,1880 (Buprestidae)
1276. *Anthaxia (Haplantaxia) ovaciki* Nacak,1994 (Buprestidae)
1277. *Anthaxia (Haplantaxia) parapleurialis* Obenberger,1929 (Buprestidae)
1278. *Anthaxia (Haplantaxia) praeclara* Mannerheim,1837 (Buprestidae)
1279. *Anthaxia (Haplantaxia) puella* Bily,1980 (Buprestidae)
1280. *Anthaxia (Haplantaxia) rossica* Daniel,1903 (Buprestidae)
1281. *Anthaxia (Haplantaxia) serena* Daniel,1903 (Buprestidae)
1282. *Anthaxia (Haplantaxia) umbellatarum* (Fabricius,1787) (Buprestidae)
1283. *Anthaxia (Haplantaxia) ursulae* Niehuis,1989 (Buprestidae)
1284. *Anthaxia (Melanthaxia) bilyi* Curletti,1984 (Buprestidae)
1285. *Anthaxia (Melanthaxia) caucasica* Abeille,1900 (Buprestidae)
1286. *Anthaxia (Melanthaxia) corinthia* Reiche & Saulcy,1856 (Buprestidae)
1287. *Anthaxia (Melanthaxia) godeti* Gory & Laporte,1839 (Buprestidae)
1288. *Anthaxia (Melanthaxia) masculina* Bily,1984 (Buprestidae)
1289. *Anthaxia (Melanthaxia) meregallii* Curletti & Magnali,1985 (Buprestidae)
1290. *Anthaxia (Melanthaxia) mysteriosa* Obenberger,1917 (Buprestidae)
1291. *Anthaxia (Melanthaxia) negrei* Cobos,1953 (Buprestidae)
1292. *Anthaxia (Melanthaxia) nigrojubata* Roubal,1913 (Buprestidae)
1293. *Anthaxia (Melanthaxia) obesa* Abeille,1900 (Buprestidae)
1294. *Anthaxia (Melanthaxia) pinguis* Kiesenwetter,1880 (Buprestidae)
1295. *Anthaxia (Melanthaxia) quadripunctata* (Linnaeus,1758) (Buprestidae)
1296. *Anthaxia (Melanthaxia) rugicollis* Lucas,1846 (Buprestidae)
1297. *Anthaxia (Melanthaxia) scurra* Bily & Brodsky,1982 (Buprestidae)
1298. *Anthaxia (Melanthaxia) sternalis* (Abeille,1895) (Buprestidae)
1299. *Anthaxia (Melanthaxia) tenella* Kiesenwetter,1858 (Buprestidae)
1300. *Anthaxia (Melanthaxia) truncata* Abeille,1900 (Buprestidae)
1301. *Anthaxia (s.str.) adyamana* Svoboda,1994 (Buprestidae)
1302. *Anthaxia (s.str.) amasina* Daniel,1903 (Buprestidae)
1303. *Anthaxia (s.str.) berytensis* Abeille,1895 (Buprestidae)
1304. *Anthaxia (s.str.) bicolor* Faldermann,1835 (Buprestidae)
1305. *Anthaxia (s.str.) brevis* Gory & Laporte,1839 (Buprestidae)
1306. *Anthaxia (s.str.) deaurata* (Gmelin,1788) (Buprestidae)
1307. *Anthaxia (s.str.) discicollis* Gory & Laporte,1839 (Buprestidae)
1308. *Anthaxia (s.str.) fulgurans* (Schrank,1789) (Buprestidae)
1309. *Anthaxia (s.str.) funerula* (Illiger,1803) (Buprestidae)
1310. *Anthaxia (s.str.) ghazi* Obenberger,1938 (Buprestidae)
1311. *Anthaxia (s.str.) hackeri* Frivaldsky,1884 (Buprestidae)
1312. *Anthaxia (s.str.) herbertschmidti* Novak,1992 (Buprestidae)
1313. *Anthaxia (s.str.) hypomelaena* (Illiger,1803) (Buprestidae)
1314. *Anthaxia (s.str.) irregularis* Abeille,1909 (Buprestidae)
1315. *Anthaxia (s.str.) kervillei* Thery,1939 (Buprestidae)
1316. *Anthaxia (s.str.) kurdistanica* Obenberger,1912 (Buprestidae)
1317. *Anthaxia (s.str.) lucens* Küster,1852 (Buprestidae)
1318. *Anthaxia (s.str.) manca* (Linnaeus,1767) (Buprestidae)
1319. *Anthaxia (s.str.) muliebris* Obenberger,1918 (Buprestidae)

1320. *Anthaxia* (s.str.) *myrmidon*
Abeille,1891 (Buprestidae)
1321. *Anthaxia* (s.str.) *nicricollis*
Abeille,1904 (Buprestidae)
1322. *Anthaxia* (s.str.) *novickii*
Obenberger,1938 (Buprestidae)
1323. *Anthaxia* (s.str.) *olivieri* Gory &
Laporte,1839 (Buprestidae)
1324. *Anthaxia* (s.str.) *passerini*
(Pecchioli,1837) (Buprestidae)
1325. *Anthaxia* (s.str.) *perrini*
Obenberger,1918 (Buprestidae)
1326. *Anthaxia* (s.str.) *platysoma* Abeille,1891
(Buprestidae)
1327. *Anthaxia* (s.str.) *plicata*
Kiesenwetter,1859 (Buprestidae)
1328. *Anthaxia* (s.str.) *rutilipennis*
Abeille,1891 (Buprestidae)
1329. *Anthaxia* (s.str.) *salicis* (Fabricius,1776)
(Buprestidae)
1330. *Anthaxia* (s.str.) *semicuprea*
Küster,1851 (Buprestidae)
1331. *Anthaxia* (s.str.) *shirasensis*
Obenberger,1940 (Buprestidae)
1332. *Anthaxia* (s.str.) *signaticollis*
(Krynicky,1832) (Buprestidae)
1333. *Anthaxia* (s.str.) *togata* Abeille,1882
(Buprestidae)
1334. *Anthaxia* (s.str.) *turcica* Svoboda,1994
(Buprestidae)
1335. *Anthaxia* (s.str.) *turcomanica*
Obenberger,1937 (Buprestidae)
1336. *Anthaxia* (s.str.) *winckleri*
Obenberger,1914 (Buprestidae)
1337. *Anthidium* (*Anthidiellum*)
breviusculum Pérez,1890 (Megachilidae)
1338. *Anthidium* (*Anthidiellum*) *clypeare*
Morawitz,1874 (Megachilidae)
1339. *Anthidium* (*Anthidiellum*) *insulare*
Morawitz,1873 (Megachilidae)
1340. *Anthidium* (*Anthidiellum*) *judaense*
(Mavromoustakis,1945) (Megachilidae)
1341. *Anthidium* (*Anthidiellum*) *nasicum*
Friese,1917 (Megachilidae)
1342. *Anthidium* (*Anthidiellum*) *strigatum*
(Panzer,1805) (Megachilidae)
1343. *Anthidium* (*Anthidiellum*) *strigatum*
(Panzer,1805) (Megachilidae)
1344. *Anthidium* (*Archanthidium*) *laticeps*
Morawitz,1873 (Megachilidae)
1345. *Anthidium* (*Archanthidium*)
pubescens (Morawitz,1872) (Megachilidae)
1346. *Anthidium* (*Exanthidium*) *eximium*
Giraud,1863 (Megachilidae)
1347. *Anthidium* (*Exanthidium*)
wahrmannicum Mavromoustakis,1933
(Megachilidae)
1348. *Anthidium* (*Icteranthidium*) *aequabile*
Morawitz,1896 (Megachilidae)
1349. *Anthidium* (*Icteranthidium*)
cimbiciforme (Smith,1854) (Megachilidae)
1350. *Anthidium* (*Icteranthidium*)
decoloratum Alfken,1932 (Megachilidae)
1351. *Anthidium* (*Icteranthidium*)
fedtschenkoi Morawitz,1875 (Megachilidae)
1352. *Anthidium* (*Icteranthidium*)
ferrugineum (Fabricius,1787) (Megachilidae)
1353. *Anthidium* (*Icteranthidium*)
grohmanni Spinola,1838 (Megachilidae)
1354. *Anthidium* (*Icteranthidium*) *laterale*
Latreille,1809 (Megachilidae)
1355. *Anthidium* (*Icteranthidium*)
limbiferum Morawitz,1875 (Megachilidae)
1356. *Anthidium* (*Icteranthidium*) *ovasi*
Warncke,1980 (Megachilidae)
1357. *Anthidium* (*Icteranthidium*) *urfanum*
Warncke,1980 (Megachilidae)
1358. *Anthidium* (*Mesanthidium*) *alternans*
Klug,1832 (Megachilidae)
1359. *Anthidium* (*Mesanthidium*) *carduele*
Morawitz,1876 (Megachilidae)
1360. *Anthidium* (*Mesanthidium*) *lebanense*
Mavromoustakis,1955 (Megachilidae)
1361. *Anthidium* (*Mesanthidium*) *pusillum*
Morawitz,1895 (Megachilidae)
1362. *Anthidium* (*Oxyanthidium*) *aculeatum*
Klug,1832 (Megachilidae)
1363. *Anthidium* (*Paraanthidium*) *dumerlei*
Warncke,1980 (Megachilidae)
1364. *Anthidium* (*Paraanthidium*)
interruptum (Fabricius,1781) (Megachilidae)
1365. *Anthidium* (*Proanthidium*)
anguliventre Morawitz,1888 (Megachilidae)
1366. *Anthidium* (*Proanthidium*) *eremicum*
Alfken,1938 (Megachilidae)
1367. *Anthidium* (*Proanthidium*)
oblongatum (Illiger,1806) (Megachilidae)
1368. *Anthidium* (*Proanthidium*) *rotundum*
Warncke,1980 (Megachilidae)
1369. *Anthidium* (*Proanthidium*)
undulatifforme Friese,1917 (Megachilidae)
1370. *Anthidium* (*Proanthidium*) *undulatum*
Dours,1873 (Megachilidae)
1371. *Anthidium* (*Pseudoanthidium*)
alpinum Morawitz,1874 (Megachilidae)
1372. *Anthidium* (*Pseudoanthidium*)
bytinskii Mavromoustakis,1948
(Megachilidae)
1373. *Anthidium* (*Pseudoanthidium*)
laturatum (Panzer,1801) (Megachilidae)
1374. *Anthidium* (*Pseudoanthidium*)
melanurum Klug,1832 (Megachilidae)
1375. *Anthidium* (*Pseudoanthidium*)
ochrognatum Alfken,1932 (Megachilidae)
1376. *Anthidium* (*Pseudoanthidium*)
reticulatum Mocsary,1884 (Megachilidae)
1377. *Anthidium* (*Rhodanthidium*)
acuminatum Mocsary,1884 (Megachilidae)
1378. *Anthidium* (*Rhodanthidium*) *buteum*
Warncke,1980 (Megachilidae)
1379. *Anthidium* (*Rhodanthidium*)
caturigense Giraud,1863 (Megachilidae)
1380. *Anthidium* (*Rhodanthidium*) *exsectum*
(Pasteels,1969) (Megachilidae)
1381. *Anthidium* (*Rhodanthidium*)
septemdentatum (Latreille,1809)
(Megachilidae)
1382. *Anthidium* (*Rhodanthidium*) *superbum*
Radoszkowski,1876 (Megachilidae)
1383. *Anthidium* (s.str.) *auritum* Klug,1832
(Megachilidae)
1384. *Anthidium* (s.str.) *caspicum*
Morawitz,1880 (Megachilidae)
1385. *Anthidium* (s.str.) *christianseni*
Mavromoustakis,1956 (Megachilidae)

1386. **Anthidium (s.str.) cingulatum**
Latreille,1809 (Megachilidae)
1387. **Anthidium (s.str.) dalmaticum**
Mocsary,1884 (Megachilidae)
1388. **Anthidium (s.str.) diadema**
Latreille,1809 (Megachilidae)
1389. **Anthidium (s.str.) florentinum**
(Fabricius,1775) (Megachilidae)
1390. **Anthidium (s.str.) gussakowskiji**
Mavromoustakis,1939 (Megachilidae)
1391. **Anthidium (s.str.) loti Perris,1852**
(Megachilidae)
1392. **Anthidium (s.str.) manicatum**
(Linnaeus,1758) (Megachilidae)
1393. **Anthidium (s.str.) punctatum**
Latreille,1809 (Megachilidae)
1394. **Anthidium (s.str.) spiniventre**
Friese,1899 (Megachilidae)
1395. **Anthidium (s.str.) taeniatum**
Latreille,1809 (Megachilidae)
1396. **Anthidium (s.str.) trispinosum**
Friese,1917 (Megachilidae)
1397. **Anthidium (Trachusa) byssina**
(Panzer,1804) (Megachilidae)
1398. **Anthobiodes turcicus (Medvedev,1975)**
(Chrysomelidae)
1399. **Anthobium abantense (Fagel,1968)**
(Staphylinidae)
1400. **Anthobium anatolicum (Fagel,1968)**
(Staphylinidae)
1401. **Anthobium atrocephalum**
(Gyllenhal,1827) (Staphylinidae)
1402. **Anthobium fuscum (Erichson,1839)**
(Staphylinidae)
1403. **Anthobium melanocephalum**
(Illiger,1794) (Staphylinidae)
1404. **Anthocomus equestris (Fabricius,1781)**
(Melyridae)
1405. **Anthocomus fasciatus (Linnaeus,1758)**
(Melyridae)
1406. **Anthocomus humeralis Morawitz,1861**
(Melyridae)
1407. **Anthocomus infasciatus Pic,1901**
(Melyridae)
1408. **Anthocomus miniatus (Kolenati,1846)**
(Melyridae)
1409. **Anthocomus pupillatus Abeille de**
Perrin,1890 (Melyridae)
1410. **Anthocomus smyrnensis Wittmer,1971**
(Melyridae)
1411. **Anthocomus thalassinus (Abeille de**
Perrin,1883) (Melyridae)
1412. **Anthocomus tricoloripennis Evers,1949**
(Melyridae)
1413. **Anthocoris angularis Reuter,1884**
(Anthocoridae)
1414. **Anthocoris butleri Le Quense,1954**
(Anthocoridae)
1415. **Anthocoris confusus Reuter,1884**
(Anthocoridae)
1416. **Anthocoris flavipes Reuter,1884**
(Anthocoridae)
1417. **Anthocoris gallarumulmi**
(DeGeer,1773) (Anthocoridae)
1418. **Anthocoris guentheri Péricart,2007**
(Anthocoridae)
1419. **Anthocoris limbatus Fieber,1836**
(Anthocoridae)
1420. **Anthocoris minki Dohrn,1860**
(Anthocoridae)
1421. **Anthocoris nemoralis (Fabricius,1794)**
(Anthocoridae)
1422. **Anthocoris nemorum (Linnaeus,1761)**
(Anthocoridae)
1423. **Anthocoris pilosus (Jakovlev,1877)**
(Anthocoridae)
1424. **Anthocoris poissoni Kiritshenko,1952**
(Anthocoridae)
1425. **Anthocoris sibiricus Reuter,1875**
(Anthocoridae)
1426. **Anthocoris simillimus Poppius,1909**
(Anthocoridae)
1427. **Anthocoris visci Douglas,1889**
(Anthocoridae)
1428. **Anthomalachius pseudospinosus**
(Medvedev,1964) (Melyridae)
1429. **Anthomalachius strangulatus (Abeille**
de Perrin,1885) (Melyridae)
1430. **Anthomyia Meigen,1803** (Anthomyiidae)
1431. **Anthomyia procellaris Rondani,1866**
(Anthomyiidae)
1432. **Anthophagus ilgazicus Coiffait,1981**
(Staphylinidae)
1433. **Anthophagus schatzmayri Koch,1933**
(Staphylinidae)
1434. **Anthophora aestivalis (Panzer,1801)**
(Apidae)
1435. **Anthophora agama Radoszkowski,1869**
(Apidae)
1436. **Anthophora albigena Lepeletier,1841**
(Apidae)
1437. **Anthophora atroalba Lepeletier,1841**
(Apidae)
1438. **Anthophora biciliata Lepeletier,1841**
(Apidae)
1439. **Anthophora borealis Morawitz,1864**
(Apidae)
1440. **Anthophora caucasicus Radoszkowski**
(Apidae)
1441. **Anthophora crassipes Lepeletier,1841**
(Apidae)
1442. **Anthophora crinipes Smith,1854**
(Apidae)
1443. **Anthophora fulvitaris Brullé,1832**
(Apidae)
1444. **Anthophora furcata (Panzer,1798)**
(Apidae)
1445. **Anthophora mucida Gribodo,1873**
(Apidae)
1446. **Anthophora orientalis Morawitz,1877**
(Apidae)
1447. **Anthophora parietina (Fabricius,1793)**
(Apidae)
1448. **Anthophora pedata Eversmann,1852**
(Apidae)
1449. **Anthophora plumipes (Pallas,1772)**
(Apidae)
1450. **Anthophora retusa (Linnaeus,1758)**
(Apidae)
1451. **Anthophora robusta (Klug,1817)**
(Apidae)
1452. **Anthophora rogenhoferi**
Morawitz,1872 (Apidae)
1453. **Anthophora syriaca Friese,1922** (Apidae)
1454. **Anthrax ammoni Zaitzev,1997**
(Bombyliidae)

1455. **Anthrax anthrax (Schrank,1781)**
(Bombyliidae)
1456. **Anthrax bezzianus Paramonov,1935**
(Bombyliidae)
1457. **Anthrax bezzii Paramonov,1957**
(Bombyliidae)
1458. **Anthrax binotatus Wiedemann,1820**
(Bombyliidae)
1459. **Anthrax brevis Becker & Stein,1913**
(Bombyliidae)
1460. **Anthrax candidapex (Austen,1937)**
(Bombyliidae)
1461. **Anthrax flavipes (Röder,1896)**
(Bombyliidae)
1462. **Anthrax flavus (Sack,1909)**
(Bombyliidae)
1463. **Anthrax heteropyga (Sack,1909)**
(Bombyliidae)
1464. **Anthrax leucogaster Wiedemann,1820**
(Bombyliidae)
1465. **Anthrax nitidus (Austen,1937)**
(Bombyliidae)
1466. **Anthrax palaestinus Zaitzev,1997**
(Bombyliidae)
1467. **Anthrax pilosulus Strobl,1902**
(Bombyliidae)
1468. **Anthrax sticticus Klug,1832**
(Bombyliidae)
1469. **Anthrax trifasciatus Meigen,1804**
(Bombyliidae)
1470. **Anthrax varius Fabricius,1794**
(Bombyliidae)
1471. **Anthrax virgo Egger,1859** (Bombyliidae)
1472. **Anthrenus (Anthrenodes) israelicus Hava,2004** (Dermestidae)
1473. **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae)
1474. **Anthrenus (Florilinus) caucasicus Reitter,1881** (Dermestidae)
1475. **Anthrenus (Florilinus) museum (Linnaeus,1761)** (Dermestidae)
1476. **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae)
1477. **Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae)
1478. **Anthrenus (Nathrenus) verbasci (Linnaeus,1767)** (Dermestidae)
1479. **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae)
1480. **Anthrenus (s.str.) flavipes LeConte,1854** (Dermestidae)
1481. **Anthrenus (s.str.) mesopotamicus Hava,2001** (Dermestidae)
1482. **Anthrenus (s.str.) munroi Hinton,1943** (Dermestidae)
1483. **Anthrenus (s.str.) picturatus Solsky,1876** (Dermestidae)
1484. **Anthrenus (s.str.) rotundulus Reitter,1889** (Dermestidae)
1485. **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae)
1486. **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae)
1487. **Anthrenus akbesianus Reitter,1899** (Dermestidae)
1488. **Anthrenus araraticus Zhantiev,1976** (Dermestidae)
1489. **Anthrenus zagrosensis Hava,2004** (Dermestidae)
1490. **Anthypna ciliata (Ménétriés,1836)** (Glaphyridae)
1491. **Antipalus truncatus (Loew,1849)** (Asilidae)
1492. **Antiphrisson adpressus (Loew,1849)** (Asilidae)
1493. **Antiphrisson angustifrons Loew,1849** (Asilidae)
1494. **Antiphrisson trifarius (Loew,1849)** (Asilidae)
1495. **Antocha (Orimargula) alpigena (Mik,1883)** (Limoniidae)
1496. **Antocha vitripennis (Meigen,1830)** (Limoniidae)
1497. **Antodynerus incomparabilis Giordani Soika,1970** (Vespidae)
1498. **Antonina graminis (Maskell)** (Pseudococcidae)
1499. **Anuraphis subterranea (Walker,1852)** (Aphididae)
1500. **Aonidia lauri (Bouche)** (Diaspididae)
1501. **Aonidiella aurantii (Maskell)** (Diaspididae)
1502. **Aonidiella citrina (Coquillett)** (Diaspididae)
1503. **Apalus apicalis Latreille,1804** (Meloidae)
1504. **Apalus bimaculatus (Linnaeus,1761)** (Meloidae)
1505. **Apalus bipunctatus Germar,1817** (Meloidae)
1506. **Apalus montanus Escherich,1897** (Meloidae)
1507. **Apalus necydalaecus (Pallas,1782)** (Meloidae)
1508. **Apalus spectabilis Schaum,1859** (Meloidae)
1509. **Apanteles aragatzi Tobias,1976** (Braconidae)
1510. **Apanteles ater (Ratzeburg,1852)** (Braconidae)
1511. **Apanteles atreus Nixon,1973** (Braconidae)
1512. **Apanteles brunnistigma Abdinbekova,1969** (Braconidae)
1513. **Apanteles carpatus Say,1836** (Braconidae)
1514. **Apanteles evanidus Papp,1975** (Braconidae)
1515. **Apanteles gallerie Wilkinson,1932** (Braconidae)
1516. **Apanteles hemara Nixon,1965** (Braconidae)
1517. **Apanteles ingenuoides Papp,1971** (Braconidae)
1518. **Apanteles kubensis Abdinbekova,1975** (Braconidae)
1519. **Apanteles myron Nixon,1973** (Braconidae)
1520. **Apanteles obscurus (Nees,1834)** (Braconidae)
1521. **Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae)
1522. **Apechthis quadridentata (Thomson,1877)** (Ichneumonidae)
1523. **Apethymus apicalis (Klug,1818)** (Tenthredinidae)

1524. **Aphaenogaster holtzi** Emery,1898
(Formicidae)
1525. **Aphaenogaster kervillei** Forel,1910
(Formicidae)
1526. **Aphaenogaster simonelli** Emery,1894
(Formicidae)
1527. **Aphaenogaster subterranea**
(**Latreille,1798**) (Formicidae)
1528. **Aphalara maculipennis** Loew,1886
(Psyllidae)
1529. **Aphanistes armatus** (Wesmael,1849)
(Ichneumonidae)
1530. **Aphanistes bellicosus** (Wesmael,1849)
(Ichneumonidae)
1531. **Aphasganophora armeniaca**
(**Boucek,1952**) (Chalcididae)
1532. **Aphelinoidea anatolica** Novicki,1936
(Trichogrammatidae)
1533. **Aphelinus asychis** Walker,1839
(Aphelinidae)
1534. **Aphelinus chaonia** Walker,1839
(Aphelinidae)
1535. **Aphelinus mali** (Haldeman,1851)
(Aphelinidae)
1536. **Aphelinus semiflavus** Howard,1908
(Aphelinidae)
1537. **Aphelinus varipes** (Förster,1841)
(Aphelinidae)
1538. **Aphelocheirus aestivalis**
(**Fabricius,1794**) (Aphelocheiridae)
1539. **Aphelocheirus kolenati**
Kiritshenko,1925 (Aphelocheiridae)
1540. **Aphelonema melichari** (Horvath,1897)
(Caliscelidae)
1541. **Aphelonyx cerricola** (Giraud,1859)
(Cynipidae)
1542. **Aphelonyx persica** Melika, Stone,
Sadeghi & Pujade-Villar,2004 (Cynipidae)
1543. **Aphidoletes aphidimyza**
(**Rondani,1847**) (Cecidomyiidae)
1544. **Aphis fabae** Scopoli,1763 (Aphididae)
1545. **Aphodius (Calamosternus) chobauti**
(**Clouet,1896**) (Scarabaeidae)
1546. **Aphodius (Erytus) persicus**
Petrovitz,1961 (Scarabaeidae)
1547. **Aphodius (Pseudacrossus) zuercheri**
Reitter,1908 (Scarabaeidae)
1548. **Aphodius fimetarius** (Linnaeus,1758)
(Scarabaeidae)
1549. **Aphodius foetidus** (Herbst,1783)
(Scarabaeidae)
1550. **Apholidoptera kurda** (Uvarov,1916)
(Tettigoniidae)
1551. **Apholidoptera pietschmanni**
(**Ebner,1912**) (Tettigoniidae)
1552. **Aphrodes albifrons** (Linnaeus,1758)
(Cicadellidae)
1553. **Aphrodes albiger** (Germar,1821)
(Cicadellidae)
1554. **Aphrodes angulaticeps** Emeljanov,1964
(Cicadellidae)
1555. **Aphrodes bicinctus** (Schrank,1776)
(Cicadellidae)
1556. **Aphrodes bifasciatus** (Linnaeus,1758)
(Cicadellidae)
1557. **Aphrodes elongatus** (Lethierry,1876)
(Cicadellidae)
1558. **Aphrodes flavostriatus** (Donovan,1799)
(Cicadellidae)
1559. **Aphrodes histrionicus** (Fabricius,1794)
(Cicadellidae)
1560. **Aphrodes makarovi** Zachvatkin,1948
(Cicadellidae)
1561. **Aphrodes nigrinus** (Kirschbaum,1868)
(Cicadellidae)
1562. **Aphrodes paralongus** Dlabola,1960
(Cicadellidae)
1563. **Aphrodes trifasciatus** (Hovarth,1897)
(Cicadellidae)
1564. **Aphrophora alni** (Fallén,1805)
(Cercopidae)
1565. **Aphrophora corticea** Germar,1821
(Cercopidae)
1566. **Aphrophora exoleta** Horvath,1901
(Cercopidae)
1567. **Aphrophora salicina** (Goeze,1778)
(Cercopidae)
1568. **Aphrosylus** Haliday,1851
(Dolichopodidae)
1569. **Aphrosylus parcearmatus** Parent,1925
(Dolichopodidae)
1570. **Aphthona abdominalis**
(**Duftschnid,1825**) (Chrysomelidae)
1571. **Aphthona alanyensis** Fritzlär,2004
(Chrysomelidae)
1572. **Aphthona atrovirens** (Förster,1849)
(Chrysomelidae)
1573. **Aphthona bergealoides** Fritzlär,2004
(Chrysomelidae)
1574. **Aphthona bonvouloiri** Allard,1861
(Chrysomelidae)
1575. **Aphthona crassicornis** Lopatin,1990
(Chrysomelidae)
1576. **Aphthona euphorbiae** (Schrank,1781)
(Chrysomelidae)
1577. **Aphthona flava** Guillebeau,1894
(Chrysomelidae)
1578. **Aphthona flaviceps** Allard,1859
(Chrysomelidae)
1579. **Aphthona franzi** Heikertinger,1944
(Chrysomelidae)
1580. **Aphthona fuentei** Reitter,1901
(Chrysomelidae)
1581. **Aphthona gracilis** Faldermann,1837
(Chrysomelidae)
1582. **Aphthona kuntzei** Roubal,1931
(Chrysomelidae)
1583. **Aphthona lutescens** (Gyllenhal,1808)
(Chrysomelidae)
1584. **Aphthona maculata** Allard,1876
(Chrysomelidae)
1585. **Aphthona nigriceps**
(**Redtenbacher,1842**) (Chrysomelidae)
1586. **Aphthona nigriscutis** Foudras,1860
(Chrysomelidae)
1587. **Aphthona nonstriata** (Goeze,1777)
(Chrysomelidae)
1588. **Aphthona ovata** Foudras,1860
(Chrysomelidae)
1589. **Aphthona pygmaea** Kutschera,1861
(Chrysomelidae)
1590. **Aphthona rugipennis** Ogloblin,1926
(Chrysomelidae)
1591. **Aphthona semicyanea** Allard,1859
(Chrysomelidae)

1592. **Aphthona syriaca** Heikertinger,1944
(Chrysomelidae)
1593. **Aphthona valachica** Heikertinger,1944
(Chrysomelidae)
1594. **Aphthona venustula** Kutschera,1861
(Chrysomelidae)
1595. **Aphycoides clavellatus** (Dalman)
(Encyrtidae)
1596. **Aphycus primus** (Mercet) (Encyrtidae)
1597. **Aphytis abnormis** (Howard,1881)
(Aphelinidae)
1598. **Aphytis aonidiae** (Mercet,1911)
(Aphelinidae)
1599. **Aphytis chilensis** Howard,1900
(Aphelinidae)
1600. **Aphytis chrysomphali** (Mercet,1912)
(Aphelinidae)
1601. **Aphytis diaspidis** (Howard,1881)
(Aphelinidae)
1602. **Aphytis hispanicus** (Mercet,1912)
(Aphelinidae)
1603. **Aphytis lepidosaphes** Compere,1955
(Aphelinidae)
1604. **Aphytis libanicus** Traboulsi,1969
(Aphelinidae)
1605. **Aphytis lingnanensis** Compere,1955
(Aphelinidae)
1606. **Aphytis maculicornis** (Masi,1911)
(Aphelinidae)
1607. **Aphytis melinus** DeBach,1959
(Aphelinidae)
1608. **Aphytis mytilaspidis** (Le Baron,1870)
(Aphelinidae)
1609. **Aphytis neuter** Yasnosh &
Myartseva,1971 (Aphelinidae)
1610. **Aphytis proclia** (Walker,1839)
(Aphelinidae)
1611. **Apiomyia bergenstammi** (Wachtl,1882)
(Cecidomyiidae)
1612. **Apion tauricum** Schubert,1963
(Apionidae)
1613. **Apis mellifera** Linnaeus,1758 (Apidae)
1614. **Apistomyia aphrodite** Zwick,1988
(Blephariceridae)
1615. **Apistomyia sp.** (Blephariceridae)
1616. **Aplidia akbesiana** Petrovitz,1971
(Scarabaeidae)
1617. **Aplidia baraudi** Sabatinelli,1991
(Scarabaeidae)
1618. **Aplidia caesarina** Reitter,1902
(Scarabaeidae)
1619. **Aplidia chaifensis** Kraatz,1882
(Scarabaeidae)
1620. **Aplidia dilatata** Reitter,1902
(Scarabaeidae)
1621. **Aplidia endroedii** Baraud,1988
(Scarabaeidae)
1622. **Aplidia fissa** Burmeister,1855
(Scarabaeidae)
1623. **Aplidia janczyki** Baraud,1988
(Scarabaeidae)
1624. **Aplidia joannis** Baraud,1988
(Scarabaeidae)
1625. **Aplidia lizleri** Keith,2000 (Scarabaeidae)
1626. **Aplidia nitidula** Kraatz,1882
(Scarabaeidae)
1627. **Aplidia petrovitzi** Baraud,1988
(Scarabaeidae)
1628. **Aplidia pilicollis** Petrovitz,1967
(Scarabaeidae)
1629. **Aplidia tarsensis** Kraatz,1882
(Scarabaeidae)
1630. **Aplidia villosicollis** Kraatz,1882
(Scarabaeidae)
1631. **Aplidia wernerii** Keith,2000
(Scarabaeidae)
1632. **Aplidia wewalkai** Petrovitz,1971
(Scarabaeidae)
1633. **Aplocnemus pertusus**
(Kiesenwetter,1859) (Melyridae)
1634. **Aplocnemus reitteri** (Schilsky,1894)
(Melyridae)
1635. **Aplocnemus syriacus** (Schilsky,1894)
(Melyridae)
1636. **Aplotarsus angustulus**
(Kiesenwetter,1858) (Elateridae)
1637. **Apoclea albipila** Becker,1913 (Asilidae)
1638. **Apoclea algira** (Linnaeus,1767) (Asilidae)
1639. **Apoclea conicera** Loew,1856 (Asilidae)
1640. **Apoclea continuata** Becker,1909
(Asilidae)
1641. **Apoclea femoralis** (Wiedemann,1828)
(Asilidae)
1642. **Apoclea helvipes** Loew,1873 (Asilidae)
1643. **Apoclea inarticulata** Theodor,1980
(Asilidae)
1644. **Apoclea micracantha** Loew,1856
(Asilidae)
1645. **Apoclea obscura** Theodor,1980
(Asilidae)
1646. **Apoclea parvula** Theodor,1980 (Asilidae)
1647. **Apoclea plurisetosa** Becker,1909
(Asilidae)
1648. **Apoclea treibensis** Theodor,1980
(Asilidae)
1649. **Apoclea trivialis** Loew,1873 (Asilidae)
1650. **Apoderus coryli** (Linnaeus,1758)
(Attelabidae)
1651. **Apodiphus amygdali** (Germar,1817)
(Pentatomidae)
1652. **Apolysis eremophila** Loew,1873
(Bombyliidae)
1653. **Apolysis fumipennis** (Loew,1844)
(Bombyliidae)
1654. **Apolysis superba** (Engel,1933)
(Bombyliidae)
1655. **Apophua bipunctaria** (Thunberg,1822)
(Ichneumonidae)
1656. **Apoplymus Fieber,1859** (Berytidae)
1657. **Apoplymus pectoralis** Fieber,1859
(Berytidae)
1658. **Aporinellus moestus** (Klug,1834)
(Pompilidae)
1659. **Aporinellus sexmaculatus**
(Spinola,1805) (Pompilidae)
1660. **Aporus bicolor** Spinola,1808
(Pompilidae)
1661. **Aporus pollux** (Kohl,1888) (Pompilidae)
1662. **Apotomus ctypeonitens** J.Müller,1943
(Carabidae)
1663. **Apotomus rufithorax** Pecchioli,1837
(Carabidae)
1664. **Apotomus testaceus** Dejean,1825
(Carabidae)
1665. **Aprosthemus bifurcum** (Klug,1834)
(Argidae)

1666. **Aprosthemella melanurum** (Klug,1814)
(Argidae)
1667. **Aprosthemella syrmiese** (Mocsary,1897)
(Argidae)
1668. **Aprosthemella tardum** (Klug,1814)
(Argidae)
1669. **Aprostocetus agevilleae** Graham,1987
(Eulophidae)
1670. **Aprostocetus agrus** (Walker,1839)
(Eulophidae)
1671. **Aprostocetus beyazus** Doğanlar,1992
(Eulophidae)
1672. **Aprostocetus bucculentus**
(Kostjukov,1978) (Eulophidae)
1673. **Aprostocetus catus** (Walker,1839)
(Eulophidae)
1674. **Aprostocetus caudatus** Westwood,1833
(Eulophidae)
1675. **Aprostocetus ceroplastae** (Girault,1916)
(Eulophidae)
1676. **Aprostocetus coelarchus**
(Graham,1991) (Eulophidae)
1677. **Aprostocetus cracens** Graham,1987
(Eulophidae)
1678. **Aprostocetus crino** (Walker,1838)
(Eulophidae)
1679. **Aprostocetus decrescens**
(Graham,1991) (Eulophidae)
1680. **Aprostocetus eriophyes** (Taylor,1909)
(Eulophidae)
1681. **Aprostocetus eurytomae** (Nees,1834)
(Eulophidae)
1682. **Aprostocetus forsteri** (Walker,1847)
(Eulophidae)
1683. **Aprostocetus holoxanthus**
(Graham,1991) (Eulophidae)
1684. **Aprostocetus levadiensis** Graham,1987
(Eulophidae)
1685. **Aprostocetus longicauda**
(Thomson,1878) (Eulophidae)
1686. **Aprostocetus lycidas** (Walker,1839)
(Eulophidae)
1687. **Aprostocetus melasomae**
(Graham,1991) (Eulophidae)
1688. **Aprostocetus neglectus**
(Domenichini,1957) (Eulophidae)
1689. **Aprostocetus pausiris** (Walker,1839)
(Eulophidae)
1690. **Aprostocetus productus** Graham,1987
(Eulophidae)
1691. **Aprostocetus pygmaeus**
(Zetterstedt,1838) (Eulophidae)
1692. **Aprostocetus sinope** (Walker,1839)
(Eulophidae)
1693. **Aprostocetus terebrans** Erdős,1954
(Eulophidae)
1694. **Aprostocetus toddaliae** (Risbec,1958)
(Eulophidae)
1695. **Aprostocetus trjapitzini**
(Kostjukov,1976) (Eulophidae)
1696. **Aprostocetus tymbus** (Walker,1839)
(Eulophidae)
1697. **Apsectrotamypus trifascipennis**
(Zetterstedt,1850) (Chironomidae)
1698. **Aptinus cordicollis** Chaudoir,1843
(Carabidae)
1699. **Aptus mirmicoides** Costa,1834 (Nabidae)
1700. **Aquarius paludum** (Fabricius,1794)
(Gerridae)
1701. **Aquarius ventralis** (Fieber,1860)
(Gerridae)
1702. **Arachnocephalus vestitus** A.Costa,1855
(Mogoplistidae)
1703. **Arachnospila anceps** (Wesmael,1851)
(Pompilidae)
1704. **Arachnospila angorana** (Wolf,1990)
(Pompilidae)
1705. **Arachnospila ausa** (Tournier,1890)
(Pompilidae)
1706. **Arachnospila clericalis**
(Morawitz,1889) (Pompilidae)
1707. **Arachnospila colpostoma** (Kohl,1886)
(Pompilidae)
1708. **Arachnospila conjungens** (Kohl,1898)
(Pompilidae)
1709. **Arachnospila consobrina**
(Dahlbom,1843) (Pompilidae)
1710. **Arachnospila esau** (Kohl,1886)
(Pompilidae)
1711. **Arachnospila fumipennis**
(Zetterstedt,1838) (Pompilidae)
1712. **Arachnospila fuscomarginata**
(Thomson,1870) (Pompilidae)
1713. **Arachnospila gibbomima** (Haupt,1929)
(Pompilidae)
1714. **Arachnospila hedickei** (Haupt,1929)
(Pompilidae)
1715. **Arachnospila holomelas** (Costa,1882)
(Pompilidae)
1716. **Arachnospila ionica** (Wolf,1964)
(Pompilidae)
1717. **Arachnospila minutula**
(Dahlbom,1843) (Pompilidae)
1718. **Arachnospila osmana** (Wolf,1999)
(Pompilidae)
1719. **Arachnospila pamira** (Haupt,1930)
(Pompilidae)
1720. **Arachnospila rufa** (Haupt,1927)
(Pompilidae)
1721. **Arachnospila silvana** (Kohl,1886)
(Pompilidae)
1722. **Arachnospila sogdiana**
(Morawitz,1893) (Pompilidae)
1723. **Arachnospila spissa** (Schioedte,1837)
(Pompilidae)
1724. **Arachnospila trivialis** (Dahlbom,1843)
(Pompilidae)
1725. **Arachnospila valesabnormis**
(Wolf,1965) (Pompilidae)
1726. **Arachnotheutes leucurus**
(Morawitz,1891) (Pompilidae)
1727. **Arachnotheutes minor** (Priesner,1955)
(Pompilidae)
1728. **Arachnotheutes rufithorax**
(Costa,1887) (Pompilidae)
1729. **Arachnotheutes signatipennis**
(Klug,1834) (Pompilidae)
1730. **Arachnotheutes squalidus**
(Haupt,1962) (Pompilidae)
1731. **Aradus betulae** (Linnaeus,1758)
(Aradidae)
1732. **Aradus brenskei** Reuter,1884 (Aradidae)
1733. **Aradus caucasicus** Kolenati,1856
(Aradidae)
1734. **Aradus cilicicum** Heiss,1990 (Aradidae)

1735. *Aradus cinnamomeus* Panzer,1806 (Aradidae)
1736. *Aradus conspicuus* Herrich-Schäffer,1835 (Aradidae)
1737. *Aradus corticalis* (Linnaeus,1758) (Aradidae)
1738. *Aradus crenatus* Say,1832 (Aradidae)
1739. *Aradus depressus* (Fabricius,1794) (Aradidae)
1740. *Aradus flavicornis* Dalman,1823 (Aradidae)
1741. *Aradus inopinus* Kirschbaum,1955 (Aradidae)
1742. *Aradus krueperi* Reitter,1884 (Aradidae)
1743. *Aradus muricatus* Hummel,1827 (Aradidae)
1744. *Aradus seidenstueckeri* Heiss,1989 (Aradidae)
1745. *Aradus versicolor* Herrich-Schäffer,1835 (Aradidae)
1746. *Arboridia adanae* (Dlabola,1957) (Cicadellidae)
1747. *Arboridia cantoreanica* Dworakowska,1970 (Cicadellidae)
1748. *Arboridia expansa* (Zachvatkin,1946) (Cicadellidae)
1749. *Arboridia hussaini* (Ghauri,1963) (Cicadellidae)
1750. *Arboridia ithaburensis* (Linnavuori,1962) (Cicadellidae)
1751. *Arboridia kermanshah* (Dlabola,1963) (Cicadellidae)
1752. *Arboridia parvula* (Boheman,1845) (Cicadellidae)
1753. *Arboridia versuta* (Melichar,1897) (Cicadellidae)
1754. *Arctoclavelia soikai* Wolf,1966 (Pompilidae)
1755. *Arctoconopa melampodia* (Loew,1873) (Limoniidae)
1756. *Arcyptera* (*Pararcyptera*) *labiata* (Brullé,1832) (Acrididae)
1757. *Arcyptera* (*Pararcyptera*) *microptera* (Fischer de Waldheim,1833) (Acrididae)
1758. *Arcyptera* (s.str.) *fusca* (Pallas,1773) (Acrididae)
1759. *Arenivaga cerverae* (Bolivar,1886) (Polyphagidae)
1760. *Arenivaga ebneri* (Chopard,1929) (Polyphagidae)
1761. *Arenivaga livida* (Brunner von Wattenwyl,1865) (Polyphagidae)
1762. *Arenocoris falleni* (Schilling,1829) (Coreidae)
1763. *Arenocoris latissimus* Seidenstücker,1960 (Coreidae)
1764. *Arenocoris waltlii* (Herrich-Schäffer,1835) (Coreidae)
1765. *Arge aurata* (Zaddach,1864) (Argidae)
1766. *Arge auripennis* Konow,1891 (Argidae)
1767. *Arge beckeri* Tournier,1889 (Argidae)
1768. *Arge berberidis* (Schränk,1802) (Argidae)
1769. *Arge ciliaris* (Linnaeus,1767) (Argidae)
1770. *Arge cingulata* Jakovlev (Argidae)
1771. *Arge clavicornis* (Fabricius,1781) (Argidae)
1772. *Arge cyanocrocea* (Forster,1771) (Argidae)
1773. *Arge enodis* (Linnaeus,1767) (Argidae)
1774. *Arge frivaldskyi* (Tischbein,1852) (Argidae)
1775. *Arge gracilicornis* (Klug,1814) (Argidae)
1776. *Arge impressifrons* Konow (Argidae)
1777. *Arge melanochra* (Gmelin,1790) (Argidae)
1778. *Arge nigripes* (Retzius,1783) (Argidae)
1779. *Arge ochropus* (Gmelin,1790) (Argidae)
1780. *Arge pagana* (Panzer,1798) (Argidae)
1781. *Arge persica* Gussakovskii,1935 (Argidae)
1782. *Arge pleuritica* (Klug,1834) (Argidae)
1783. *Arge pullata* (Zaddach,1859) (Argidae)
1784. *Arge pyrenaica* (André,1879) (Argidae)
1785. *Arge rustica* (Linnaeus,1758) (Argidae)
1786. *Arge scita* (Mocsary,1880) (Argidae)
1787. *Arge simulatrix* Konow,1887 (Argidae)
1788. *Arge ustulata* (Linnaeus,1758) (Argidae)
1789. *Argyra argentina* (Meigen,1824) (Dolichopodidae)
1790. *Argyra diaphana* (Fabricius,1775) (Dolichopodidae)
1791. *Argyra leucocephala* (Meigen,1824) (Dolichopodidae)
1792. *Argyra spoliata* Kowarz,1879 (Dolichopodidae)
1793. *Argyra vestita* (Wiedemann,1817) (Dolichopodidae)
1794. *Aritranis buccatus* (Tschek,1872) (Ichneumonidae)
1795. *Aritranis claviventris* (Kriechbaumer,1894) (Ichneumonidae)
1796. *Aritranis confector* (Gravenhorst,1829) (Ichneumonidae)
1797. *Aritranis director* (Thunberg,1824) (Ichneumonidae)
1798. *Aritranis fugitivus* (Gravenhorst,1829) (Ichneumonidae)
1799. *Aritranis graeffei* (Thomson,1896) (Ichneumonidae)
1800. *Aritranis longicauda* (Kriechbaumer,1873) (Ichneumonidae)
1801. *Aritranis nigrifemur* (Szepligeti,1916) (Ichneumonidae)
1802. *Aritranis nigripes* (Gravenhorst,1829) (Ichneumonidae)
1803. *Aritranis occisor* (Gravenhorst,1829) (Ichneumonidae)
1804. *Aritranis odoriferator* (Dufour & Perris,1840) (Ichneumonidae)
1805. *Aritranis quadriguttatus* (Gravenhorst,1829) (Ichneumonidae)
1806. *Arma custos* (Fabricius,1794) (Pentatomidae)
1807. *Arma insperata* Horvath,1899 (Pentatomidae)
1808. *Arocephalus languidus* (Flor,1861) (Cicadellidae)
1809. *Arocephalus longiceps* (Kirschbaum,1868) (Cicadellidae)
1810. *Aromia moschata* (Linnaeus,1758) (Cerambycidae)
1811. *Arotes albicinctus* Gravenhorst,1829 (Ichneumonidae)

1812. **Arrhenopeplus turcicus (Coiffait,1958)**
(Staphylinidae)
1813. **Arthrocnodax coryligallarum (Targioni-Tozzetti,1887)** (Cecidomyiidae)
1814. **Arthrolytus discoideus (Nees)**
(Pteromalidae)
1815. **Artianus interstitialis (Germar,1821)**
(Cicadellidae)
1816. **Artianus manderstjernii (Kirschbaum,1868)** (Cicadellidae)
1817. **Artvinia tschorochensis (Adelung,1907)**
(Tettigoniidae)
1818. **Asaphes suspensus (Nees,1834)**
(Pteromalidae)
1819. **Asaphes vulgaris Walker,1834**
(Pteromalidae)
1820. **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae)
1821. **Asaphidion (Asaphidion) ganglbaueri J.Müller,1921** (Carabidae)
1822. **Asaphidion (Asaphidion) nebulosum (P.Rossi,1792)** (Carabidae)
1823. **Asaphidion (Asaphidion) weiratheri Netolitzky,1935** (Carabidae)
1824. **Ascalaphodes canifrons (Westwood,1848)** (Ascalaphidae)
1825. **Ascalaphus dicax Walker,1853**
(Ascalaphidae)
1826. **Ascalaphus festivus (Rambur,1842)**
(Ascalaphidae)
1827. **Ascalaphus krueperi (Van der Weele,1909)** (Ascalaphidae)
1828. **Aschitus annulatus Erdös** (Encyrtidae)
1829. **Ascogaster armatus Wesmael,1835**
(Braconidae)
1830. **Ascogaster instabilis Wesmael,1835**
(Braconidae)
1831. **Ascogaster rufipes (Latreille,1809)**
(Braconidae)
1832. **Asiloephesus excisus (Loew,1848)**
(Asilidae)
1833. **Asilus barbarus Linnaeus,1758** (Asilidae)
1834. **Asilus crabroniformis Linnaeus,1758**
(Asilidae)
1835. **Asilus lucidus Pallas,1818** (Asilidae)
1836. **Asiotmethis limbatus (Charpentier,1845)** (Pamphagidae)
1837. **Asiotmethis turritus (Fischer von Waldheim,1833)** (Pamphagidae)
1838. **Asiraca clavicornis (Fabricius,1794)**
(Delphacidae)
1839. **Asmisapyga warnekei Kurzenko,1994**
(Sapygidae)
1840. **Asphingoderus elazigi Demirsoy,1977**
(Acrididae)
1841. **Asphingoderus uvarovites (Mishtshenko,1936)** (Acrididae)
1842. **Asphondylia anatolica Skuhrava & Çam,1998** (Cecidomyiidae)
1843. **Asphondylia gennadii (Marchal,1904)**
(Cecidomyiidae)
1844. **Asphondylia verbasci (Vallot,1827)**
(Cecidomyiidae)
1845. **Aspidiotus hedericola Leonardi**
(Diaspididae)
1846. **Aspidiotus nerii Bouche** (Diaspididae)
1847. **Aspilaspis viridis (Brullé,1835)**
(Nabidae)
1848. **Aspoeckina glaseri Hölzel,1972**
(Myrmeleonidae)
1849. **Aspoeckina uralensis Hölzel**
(Myrmeleonidae)
1850. **Aspoeckina glaseri Hölzel,1972**
(Myrmeleonidae)
1851. **Asterodiaspis ilicicola (Targioni Tozzetti)** (Asterolecaniidae)
1852. **Asterodiaspis quercicola (Bouche)**
(Asterolecaniidae)
1853. **Asterodiaspis variolasa (Ratzeburg)**
(Asterolecaniidae)
1854. **Astochia caspica Hermann,1917**
(Asilidae)
1855. **Astochia metatarsata Becker,1913**
(Asilidae)
1856. **Astochia sodalis (Wulp,1899)** (Asilidae)
1857. **Asymmetrasca decedens (Paoli,1932)**
(Cicadellidae)
1858. **Asynapta strobi (Kieffer,1920)**
(Cecidomyiidae)
1859. **Asyndetus connexus (Becker,1902)**
(Dolichopodidae)
1860. **Asyndetus izius Negrobov,1973**
(Dolichopodidae)
1861. **Asyndetus separatus (Becker,1902)**
(Dolichopodidae)
1862. **Athalia bicolor Audinet-Serville,1823**
(Tenthredinidae)
1863. **Athalia circularis (Klug,1815)**
(Tenthredinidae)
1864. **Athalia cordata Audinet-Serville,1823**
(Tenthredinidae)
1865. **Athalia liberta (Klug,1815)**
(Tenthredinidae)
1866. **Atherigona varia (Meigen,1826)**
(Muscidae)
1867. **Atherix dispar Bezzi,1909** (Athericidae)
1868. **Atherix erythrapsis Bezzi,1909**
(Athericidae)
1869. **Atholus bimaculatus (Linnaeus,1758)**
(Histeridae)
1870. **Atholus corvinus (Germar,1817)**
(Histeridae)
1871. **Atholus duodecimstriatus (Schrank,1781)** (Histeridae)
1872. **Athous (Euplathous) proximus (Hampe,1864)** (Elateridae)
1873. **Athous (Haplathous) carpathicus Reitter,1889** (Elateridae)
1874. **Athous (Haplathous) marginicollis Reitter,1890** (Elateridae)
1875. **Athous (Haplathous) subfuscus (O.F.Müller,1764)** (Elateridae)
1876. **Athous (Haplathous) turcicus Reitter,1905** (Elateridae)
1877. **Athous (Orthathous) acutangulus Fairmaire,1866** (Elateridae)
1878. **Athous (Orthathous) anaticus Platia,1989** (Elateridae)
1879. **Athous (Orthathous) apfelbecki Reitter,1905** (Elateridae)
1880. **Athous (Orthathous) artvinensis Platia, Yıldıırım & Kesdek,2007** (Elateridae)
1881. **Athous (Orthathous) audisioi Guglielmi & Platia,1985** (Elateridae)
1882. **Athous (Orthathous) barriersi Platia & Gudenzi,1996** (Elateridae)

1883. *Athous (Orthathous) benedikti* Platia, 2003 (Elateridae)
1884. *Athous (Orthathous) cavazzutii* Platia, 2003 (Elateridae)
1885. *Athous (Orthathous) daccordii* Guglielmi & Platia, 1985 (Elateridae)
1886. *Athous (Orthathous) dasycerus* Buysson, 1890 (Elateridae)
1887. *Athous (Orthathous) demirsoyi* Platia, Kabalak & Sert, 2007 (Elateridae)
1888. *Athous (Orthathous) dusanekei* Platia, 2003 (Elateridae)
1889. *Athous (Orthathous) edirnensis* Platia & Gudenzi, 2000 (Elateridae)
1890. *Athous (Orthathous) epirus* Stierlin, 1875 (Elateridae)
1891. *Athous (Orthathous) fragariae* Platia & Kovanci, 2005 (Elateridae)
1892. *Athous (Orthathous) freudei* Platia, 1989 (Elateridae)
1893. *Athous (Orthathous) frontalis* Platia & Schimmel, 1991 (Elateridae)
1894. *Athous (Orthathous) gianassoi* Platia & Gudenzi, 1996 (Elateridae)
1895. *Athous (Orthathous) graecus* Platia, 1989 (Elateridae)
1896. *Athous (Orthathous) gudenzi* Guglielmi & Platia, 1985 (Elateridae)
1897. *Athous (Orthathous) hajeki* Platia & Gudenzi, 2005 (Elateridae)
1898. *Athous (Orthathous) hetzeli* Platia, 2004 (Elateridae)
1899. *Athous (Orthathous) kovancii* Platia, 2003 (Elateridae)
1900. *Athous (Orthathous) lassallei* Platia & Gudenzi, 1996 (Elateridae)
1901. *Athous (Orthathous) malmusii* Platia & Gudenzi, 2000 (Elateridae)
1902. *Athous (Orthathous) margheritae* Guglielmi & Platia, 1985 (Elateridae)
1903. *Athous (Orthathous) mertliki* Platia & Gudenzi, 2002 (Elateridae)
1904. *Athous (Orthathous) paflagonensis* Platia & Gudenzi, 1998 (Elateridae)
1905. *Athous (Orthathous) ponticus* Platia & Gudenzi, 2007 (Elateridae)
1906. *Athous (Orthathous) propinquus* Buysson, 1889 (Elateridae)
1907. *Athous (Orthathous) ruffoi* Guglielmi & Platia, 1985 (Elateridae)
1908. *Athous (Orthathous) sabinellii* Guglielmi & Platia, 1985 (Elateridae)
1909. *Athous (Orthathous) sameki* Platia, 2003 (Elateridae)
1910. *Athous (Orthathous) senaci* Buysson, 1889 (Elateridae)
1911. *Athous (Orthathous) snizeki* Platia, 2004 (Elateridae)
1912. *Athous (Orthathous) svihlai* Platia & Gudenzi, 1998 (Elateridae)
1913. *Athous (Orthathous) tekkirazicus* Platia, 2003 (Elateridae)
1914. *Athous (Orthathous) tribertii* Guglielmi & Platia, 1985 (Elateridae)
1915. *Athous (Orthathous) warchalowski* Platia & Tarnawski, 1998 (Elateridae)
1916. *Athous (Orthathous) wewalkai* Platia, 1989 (Elateridae)
1917. *Athous (Orthathous) zanettii* Guglielmi & Platia, 1985 (Elateridae)
1918. *Athous (Orthathous) zbuzeki* Platia & Gudenzi, 2007 (Elateridae)
1919. *Athous (s.str.) haemorrhoidalis* (Fabricius, 1801) (Elateridae)
1920. *Athous (s.str.) nadoraz* Mertlik & Dusanek, 2006 (Elateridae)
1921. *Athous (s.str.) vittatus* (Fabricius, 1792) (Elateridae)
1922. *Athyrcia impressa* (van der Wulp, 1869) (Tachinidae)
1923. *Atomoscelis roubali* Hoberlandt, 1961 (Miridae)
1924. *Atranopsis bolognai* Casale & Vigna Taglianti, 1984 (Carabidae)
1925. *Atranus ruficollis* Gautier des Cottés, 1858 (Carabidae)
1926. *Atrichopogon flavolineatus* (Strobl, 1880) (Ceratopogonidae)
1927. *Atrichopogon rostratus* (Winnertz, 1852) (Ceratopogonidae)
1928. *Atrichopogon winnertzi* Goetghebuer, 1922 (Ceratopogonidae)
1929. *Atricops apollinis* Lindler, 1923 (Athericidae)
1930. *Atrococcus achilleae* (Kiritchenko) (Pseudococcidae)
1931. *Atrococcus indigenus* (Borchsenius) (Pseudococcidae)
1932. *Atrococcus paludinus* (Green) (Pseudococcidae)
1933. *Atrococcus parvulus* (Borchsenius) (Pseudococcidae)
1934. *Atrococcus saxatilis* (Ter-Grigorian) (Pseudococcidae)
1935. *Atrometoides winkleri* Fahringer, 1922 (Ichneumonidae)
1936. *Attaephilus rydhi* Ruzicka, 1997 (Leiodidae)
1937. *Attagenus (s.str.) bifasciatus* (Olivier, 1790) (Dermestidae)
1938. *Attagenus (s.str.) brunneus* Faldermann, 1835 (Dermestidae)
1939. *Attagenus (s.str.) ionicus* Zhantiev, 2005 (Dermestidae)
1940. *Attagenus (s.str.) jelineki* Hava, 2004 (Dermestidae)
1941. *Attagenus (s.str.) orientalis* Reitter, 1878 (Dermestidae)
1942. *Attagenus (s.str.) pantherinus* (Ahrens, 1814) (Dermestidae)
1943. *Attagenus (s.str.) quadrimaculatus* Kraatz, 1858 (Dermestidae)
1944. *Attagenus (s.str.) unicolor* (Brahm, 1791) (Dermestidae)
1945. *Attalus analis* (Panzer, 1796) (Melyridae)
1946. *Attalus mitlaensis* Wittmer, 1971 (Melyridae)
1947. *Attalus sicanus* Erichson, 1840 (Melyridae)
1948. *Attelabus nitens* (Scopoli, 1763) (Attelabidae)
1949. *Attelabus sulcifrons* (Argod, 1895) (Attelabidae)
1950. *Attelabus suturalis* Jekel, 1860 (Attelabidae)

1951. *Atylotus agricola* (Wiedemann,1826)
(Tabanidae)
1952. *Atylotus austeni* (Szilady,1915)
(Tabanidae)
1953. *Atylotus flavoguttatus* (Szilady,1915)
(Tabanidae)
1954. *Atylotus fulvus* (Meigen,1820)
(Tabanidae)
1955. *Atylotus hendrixi* Leclercq,1967
(Tabanidae)
1956. *Atylotus kerteszi* (Szilady,1915)
(Tabanidae)
1957. *Atylotus latistriatus* Brauer,1879
(Tabanidae)
1958. *Atylotus loewianus* (Villeneuve,1920)
(Tabanidae)
1959. *Atylotus plebeius* (Fallén,1817)
(Tabanidae)
1960. *Atylotus protidor* (Bogatshev &
Samedov,1949) (Tabanidae)
1961. *Atylotus pulchellus* (Loew,1858)
(Tabanidae)
1962. *Atylotus quadrifarius* (Loew,1874)
(Tabanidae)
1963. *Atylotus rusticus* (Linnaeus,1767)
(Tabanidae)
1964. *Atylotus venturii* Leclercq,1966
(Tabanidae)
1965. *Aulacaspis rosae* (Bouche) (Diaspididae)
1966. *Aulacidea acroptilonica*
Tyurebaev,1979 (Cynipidae)
1967. *Aulacidea irani* Melika & Gharaei,2006
(Cynipidae)
1968. *Aulagromyza buhri* (De Meijere,1938)
(Agromyzidae)
1969. *Aulagromyza hamata* (Hendel,1932)
(Agromyzidae)
1970. *Aulagromyza heringii* (Hendel,1920)
(Agromyzidae)
1971. *Aulagromyza orphana* (Hendel,1920)
(Agromyzidae)
1972. *Aulagromyza populi* (Kaltenbach,1864)
(Agromyzidae)
1973. *Aulagromyza trivittata* (Loew,1873)
(Agromyzidae)
1974. *Auletobius politus* Voss,1934
(Attelabidae)
1975. *Auletobius pubescens*
(Kiesenwetter,1852) (Attelabidae)
1976. *Aulogymnus skianeuros*
(Ratzeburg,1844) (Eulophidae)
1977. *Aulonogyrus concinnus* (Klug,1834)
(Gyrinidae)
1978. *Aulonogyrus striatus* (Fabricius,1792)
(Gyrinidae)
1979. *Auplopus albifrons* (Dalman,1823)
(Pompilidae)
1980. *Auplopus carbonarius* (Scopoli,1763)
(Pompilidae)
1981. *Auplopus rectus* (Haupt,1927)
(Pompilidae)
1982. *Austroagallia avicula* (Ribaut,1935)
(Cicadellidae)
1983. *Austroagallia quadricornis*
Linnavuori,1962 (Cicadellidae)
1984. *Austroagallia sinuata* (Mulsant &
Rey,1855) (Cicadellidae)
1985. *Austroasca (Jacobiasca) lybica*
(Bergevin & Zanon,1922) (Cicadellidae)
1986. *Austroasca (s.str.) vittata*
(Lethierry,1884) (Cicadellidae)
1987. *Austrolimnophila (s.str.) brevicellula*
Stary,1977 (Limoniidae)
1988. *Axinotarsus anaticus* Evers,1961
(Melyridae)
1989. *Aylax hypaei* Trotter,1913 (Cynipidae)
1990. *Azelia gibbera* (Meigen,1826) (Muscidae)
1991. *Baccha elongata* (Fabricius,1775)
(Syrphidae)
1992. *Bacillus sp.* (Phasmidae)
1993. *Bactericera albiventris* (Förster)
(Triozidae)
1994. *Bactericera femoralis* (Förster,1848)
(Triozidae)
1995. *Bactericera nigricornis* (Förster)
(Triozidae)
1996. *Badister bullatus* (Schrank,1798)
(Carabidae)
1997. *Baeoura alexanderi* Mendl &
Tjeder,1974 (Limoniidae)
1998. *Baeoura schachtii* Mendl,1986
(Limoniidae)
1999. *Bagrada stolidia* (Herrich-
Schäffer,1839) (Pentatomidae)
2000. *Balcanocerus alkani* (Wagner,1958)
(Cicadellidae)
2001. *Balcanocerus balcanicus*
(Horvath,1903) (Cicadellidae)
2002. *Balcanocerus brusinae* (Horvath,1891)
(Cicadellidae)
2003. *Balcanocerus larvatus* (Herrich-
Schäffer,1835) (Cicadellidae)
2004. *Balcanocerus ramallahicus*
(Dlabola,1965) (Cicadellidae)
2005. *Balclutha flavella* Linnavuori,1962
(Cicadellidae)
2006. *Balclutha hebe* (Kirkaldy,1906)
(Cicadellidae)
2007. *Balclutha nicolasi* (Lethierry,1876)
(Cicadellidae)
2008. *Balclutha pellucens* Horvath,1909
(Cicadellidae)
2009. *Balclutha punctata* (Fabricius,1775)
(Cicadellidae)
2010. *Balclutha rhenana* Wagner,1939
(Cicadellidae)
2011. *Balclutha rosea* (Scott,1876)
(Cicadellidae)
2012. *Balclutha rufofasciata* (Merino,1936)
(Cicadellidae)
2013. *Balclutha saltuella* (Kirschbaum,1868)
(Cicadellidae)
2014. *Banchopsis crassicornis* Rudow,1886
(Ichneumonidae)
2015. *Banchus crefeldensis* Ulbricht,1916
(Ichneumonidae)
2016. *Banchus falcatorius* (Fabricius,1775)
(Ichneumonidae)
2017. *Banchus palpalis* Ruthe,1859
(Ichneumonidae)
2018. *Banchus pictus* Fabricius,1798
(Ichneumonidae)
2019. *Banchus turcator* Aubert,1984
(Ichneumonidae)

2020. **Banchus volutatorius** (Linnaeus,1758)
(Ichneumonidae)
2021. **Bangasternus fausti** (Reitter,1890)
(Curculionidae)
2022. **Bangasternus orientalis**
(Capiomont,1873) (Curculionidae)
2023. **Bangasternus planifrons** (Brullé,1832)
(Curculionidae)
2024. **Barbitistes sp.n.** (Tettigoniidae)
2025. **Barichneumon manni**
(Kriechbaumer,1888) (Ichneumonidae)
2026. **Barylypa delictor** (Thunberg,1822)
(Ichneumonidae)
2027. **Barylypa uniguttata**
(Gravenhorst,1829) (Ichneumonidae)
2028. **Baryphora speciosa** Loew,1844
(Therevidae)
2029. **Baryscapus adalia** (Walker,1839)
(Eulophidae)
2030. **Baryscapus babiyl Doğanlar,1993**
(Eulophidae)
2031. **Baryscapus bruchidii** (Erdös)
(Eulophidae)
2032. **Baryscapus bruchivorus** (Gahan)
(Eulophidae)
2033. **Baryscapus bruchophagi** (Gahan)
(Eulophidae)
2034. **Baryscapus ceroplastophilus**
(Domenichini) (Eulophidae)
2035. **Baryscapus cirsicola** Graham
(Eulophidae)
2036. **Baryscapus crassicornis** (Erdös)
(Eulophidae)
2037. **Baryscapus दौरا** (Walker) (Eulophidae)
2038. **Baryscapus endemus** (Walker)
(Eulophidae)
2039. **Baryscapus euphorbiae** Graham
(Eulophidae)
2040. **Baryscapus evonymellae** Bouché
(Eulophidae)
2041. **Baryscapus fossarum** Graham
(Eulophidae)
2042. **Baryscapus galactopus** (Ratzeburg)
(Eulophidae)
2043. **Baryscapus garganus** (Domenichini)
(Eulophidae)
2044. **Baryscapus gaziantepensis**
Doğanlar,1993 (Eulophidae)
2045. **Baryscapus impeditus** (Nees)
(Eulophidae)
2046. **Baryscapus nigroviolaceus** (Nees)
(Eulophidae)
2047. **Baryscapus pallidae** Graham
(Eulophidae)
2048. **Baryscapus protasis** Graham
(Eulophidae)
2049. **Baryscapus servadeii** (Domenichini)
(Eulophidae)
2050. **Baryscapus spartifoliellae** Graham
(Eulophidae)
2051. **Baryscapus turionum** (Hartig)
(Eulophidae)
2052. **Barytarbes segmentarius**
(Gravenhorst,1829) (Ichneumonidae)
2053. **Barytarbes superbus**
Schmiedeknecht,1913 (Ichneumonidae)
2054. **Basilina mongolensis** Theodor,1966
(Nycteribiidae)
2055. **Basilina nana** Theodor & Moscona,1954
(Nycteribiidae)
2056. **Bathyplectes algerica** (Smit van
Burgst,1913) (Ichneumonidae)
2057. **Bathyplectes carinata** Horstmann,1974
(Ichneumonidae)
2058. **Bathyplectes carthagenensis** (Smit van
Burgst,1913) (Ichneumonidae)
2059. **Bathyplectes curculionis**
(Thomson,1887) (Ichneumonidae)
2060. **Bathyplectes exiguus**
(Gravenhorst,1829) (Ichneumonidae)
2061. **Bathyplectes rufipes** Horstmann,1974
(Ichneumonidae)
2062. **Bathyplectes rufiventror**
(Aubert,1979) (Ichneumonidae)
2063. **Bathysolen nubilus** (Fallén,1807)
(Coreidae)
2064. **Bathythrix claviger** (Taschenberg,1865)
(Ichneumonidae)
2065. **Bathythrix decipiens**
(Gravenhorst,1829) (Ichneumonidae)
2066. **Bathythrix lamina** (Thomson,1884)
(Ichneumonidae)
2067. **Batophila fallax** Weise,1888
(Chrysomelidae)
2068. **Batophila olexai** Kral,1964
(Chrysomelidae)
2069. **Batozonellus lacerticida** (Pallas,1771)
(Pompilidae)
2070. **Batracomorpha glaber** Haupt,1927
(Cicadellidae)
2071. **Batracomorpha irroratus** Lewis,1834
(Cicadellidae)
2072. **Batracomorpha signatus**
Lindberg,1923 (Cicadellidae)
2073. **Batrisodes buqueti** (Aubé,1833)
(Staphylinidae)
2074. **Batrisodes clypeatus** Besuchet,1981
(Staphylinidae)
2075. **Batrisodes insularis** (Baudi di
Selve,1870) (Staphylinidae)
2076. **Batrisodes oculus** (Aubé,1833)
(Staphylinidae)
2077. **Batrisodes taurus** Besuchet,1979
(Staphylinidae)
2078. **Bazarella subneglecta** (Tonnoir,1922)
(Psychodidae)
2079. **Beckerellus androgynus** (Loew,1855)
(Bombyliidae)
2080. **Beckidia zabolotzkii**
(Goetghebuer,1938) (Chironomidae)
2081. **Belaspida nigra** (Siebold,1856)
(Chalcididae)
2082. **Belaspida obscura** Masi,1916
(Chalcididae)
2083. **Bellardia nova** Rognes,2002
(Calliphoridae)
2084. **Bellardia tatica** (Enderlein,1933)
(Calliphoridae)
2085. **Belopus (Centorus) procerus**
Mulsant,1854 (Tenebrionidae)
2086. **Belopus (Centorus) turcicus**
(Kaszab,1959) (Tenebrionidae)
2087. **Belostoma cordofanum** Mayr,1853
(Belostomatidae)
2088. **Bembecinus acanthomerus**
(Morice,1911) (Crabronidae)

2089. **Bembecinus anatolicus** De
Beaumont,1968 (Crabronidae)
2090. **Bembecinus asiaticus**
(Gussakowski,1935) (Crabronidae)
2091. **Bembecinus asiaticus iranicus** Schmid-
Egger,2004 (Crabronidae)
2092. **Bembecinus asphaltites** De
Beaumont,1968 (Crabronidae)
2093. **Bembecinus birecikensis** Schmid-
Egger,2004 (Crabronidae)
2094. **Bembecinus bytinskii** De
Beaumont,1954 (Crabronidae)
2095. **Bembecinus cyprius** De Beaumont,1954
(Crabronidae)
2096. **Bembecinus gracilicornis**
(Handlirsch,1892) (Crabronidae)
2097. **Bembecinus guichardi** Schmid-
Egger,2004 (Crabronidae)
2098. **Bembecinus gusenleitneri** De
Beaumont,1967 (Crabronidae)
2099. **Bembecinus gynandromorphus**
(Handlirsch,1892) (Crabronidae)
2100. **Bembecinus hebraeus** De
Beaumont,1968 (Crabronidae)
2101. **Bembecinus heinrichi** Schmid-
Egger,2004 (Crabronidae)
2102. **Bembecinus henseni** Schmid-
Egger,2004 (Crabronidae)
2103. **Bembecinus hungaricus**
(Frigaldsky,1876) (Crabronidae)
2104. **Bembecinus innocens** De
Beaumont,1967 (Crabronidae)
2105. **Bembecinus khuzestani** Schmid-
Egger,2004 (Crabronidae)
2106. **Bembecinus meridionalis** A.Costa,1859
(Crabronidae)
2107. **Bembecinus niehuisi** Schmid-
Egger,2004 (Crabronidae)
2108. **Bembecinus nigrolabrum** Schmid-
Egger,2004 (Crabronidae)
2109. **Bembecinus peregrinus** (Smith,1856)
(Crabronidae)
2110. **Bembecinus revindicatus** Schulz,1911
(Crabronidae)
2111. **Bembecinus rhodius** De
Beaumont,1960 (Crabronidae)
2112. **Bembecinus schwarzi** De
Beaumont,1967 (Crabronidae)
2113. **Bembecinus tridens** (Fabricius,1781)
(Crabronidae)
2114. **Bembecinus urfanensis** Schmid-
Egger,2004 (Crabronidae)
2115. **Bembecinus validior** Gussakowski,1952
(Crabronidae)
2116. **Bembidion (Chlorodium) splendidum**
Sturm,1825 (Carabidae)
2117. **Bembidion (Diplocampa) assimile**
Gyllenhal,1810 (Carabidae)
2118. **Bembidion (Diplocampa) fumigatum**
(Duftschmid,1812) (Carabidae)
2119. **Bembidion (Diplocampa)**
skoraszewskyi Korge,1971 (Carabidae)
2120. **Bembidion (Emphanes) tenellum**
Erichson,1837 (Carabidae)
2121. **Bembidion (Euperyphus) combustum**
Ménétriés,1832 (Carabidae)
2122. **Bembidion (Euperyphus) fluviatile**
Dejean,1831 (Carabidae)
2123. **Bembidion (Euperyphus)**
parallelipenne Chaudoir,1850 (Carabidae)
2124. **Bembidion (Metallina) bodenheimeri**
Netolitzky,1935 (Carabidae)
2125. **Bembidion (Metallina) lampros**
(Herbst,1784) (Carabidae)
2126. **Bembidion (Metallina) properans**
(Stephens,1828) (Carabidae)
2127. **Bembidion (Microserrullula) apicale**
Ménétriés,1832 (Carabidae)
2128. **Bembidion (Microserrullula)**
quadricolle (Motschoulsky,1844) (Carabidae)
2129. **Bembidion (Neja) leucoscelis**
Chaudoir,1850 (Carabidae)
2130. **Bembidion (Neja) sporadicum**
Sahlberg,1903 (Carabidae)
2131. **Bembidion (Neja) torosum** Marggi &
Huber,1999 (Carabidae)
2132. **Bembidion (Nepha) caucasicum**
(Motschoulsky,1844) (Carabidae)
2133. **Bembidion (Nepha) hauserianum**
Netolitzky,1918 (Carabidae)
2134. **Bembidion (Nepha) menetriesii**
(Kolenati,1845) (Carabidae)
2135. **Bembidion (Nepha) pinkeri**
Netolitzky,1935 (Carabidae)
2136. **Bembidion (Nepha) retipenne**
J.Müller,1918 (Carabidae)
2137. **Bembidion (Nepha) rufimacula**
J.Müller,1918 (Carabidae)
2138. **Bembidion (Nepha) staneki**
Maran,1932 (Carabidae)
2139. **Bembidion (Nepha) tetragrammum**
Chaudoir,1846 (Carabidae)
2140. **Bembidion (Nepha) turcicum**
Gemminge & Harold,1868 (Carabidae)
2141. **Bembidion (Nepha) vseteckai**
Maran,1936 (Carabidae)
2142. **Bembidion (Notaphemphanes)**
ephippium (Marsham,1802) (Carabidae)
2143. **Bembidion (Notaphocampa) niloticum**
Dejean,1831 (Carabidae)
2144. **Bembidion (Notaphus) semipunctatum**
(Donovan,1806) (Carabidae)
2145. **Bembidion (Notaphus) varium**
(Olivier,1795) (Carabidae)
2146. **Bembidion (Ocydromus) atlanticum**
Wollaston,1854 (Carabidae)
2147. **Bembidion (Ocydromus) cordicolle**
Jacquelin du Val,1852 (Carabidae)
2148. **Bembidion (Ocydromus) decorum**
(Panzer,1799) (Carabidae)
2149. **Bembidion (Ocydromus) ispartanum**
Netolitzky,1930 (Carabidae)
2150. **Bembidion (Ocydromus) nemrutdagi**
Toledano & Rébl,2006 (Carabidae)
2151. **Bembidion (Ocydromus) siculum**
Dejean,1831 (Carabidae)
2152. **Bembidion (Ocyturanus) argaeicola**
Ganglbauer,1905 (Carabidae)
2153. **Bembidion (Ocyturanus) balcanicum**
Apfelbeck,1899 (Carabidae)
2154. **Bembidion (Ocyturanus) culminicola**
Piochard,1876 (Carabidae)
2155. **Bembidion (Ocyturanus) heinzi**
Korge,1971 (Carabidae)
2156. **Bembidion (Ocyturanus) parsorum**
Netolitzky,1934 (Carabidae)

2157. **Bembidion (Ocyturanus) praeustum**
Dejean,1831 (Carabidae)
2158. **Bembidion (Ocyturanus) signatipenne**
Jacquelin du Val,1852 (Carabidae)
2159. **Bembidion (Ocyturanus) tauricum**
J.Müller,1918 (Carabidae)
2160. **Bembidion (Ocyturanus) viduum**
Netolitzky,1910 (Carabidae)
2161. **Bembidion (Odontium) striatum**
(Fabricius,1792) (Carabidae)
2162. **Bembidion (Omoperyphus) caricum**
Sahlberg,1908 (Carabidae)
2163. **Bembidion (Omoperyphus)**
semibraccatum Netolitzky,1911 (Carabidae)
2164. **Bembidion (Peryphanes)**
castaneipenne Jacquelin du Val,1852
(Carabidae)
2165. **Bembidion (Peryphanes) dalmatinum**
Dejean,1831 (Carabidae)
2166. **Bembidion (Peryphanes) grandipenne**
Schaum,1862 (Carabidae)
2167. **Bembidion (Peryphanes) kulzeri**
Netolitzky,1935 (Carabidae)
2168. **Bembidion (Peryphanes) lacrimans**
Netolitzky,1935 (Carabidae)
2169. **Bembidion (Peryphanes) stephensii**
Crotch,1866 (Carabidae)
2170. **Bembidion (Peryphanes)**
weiratherianum Netolitzky,1932 (Carabidae)
2171. **Bembidion (Peryphiolus) monticola**
Sturm,1825 (Carabidae)
2172. **Bembidion (Peryphus) abbreviatum**
Solsky,1874 (Carabidae)
2173. **Bembidion (Peryphus) distinguendum**
Jacquelin du Val,1852 (Carabidae)
2174. **Bembidion (Peryphus) femoratum**
Sturm,1825 (Carabidae)
2175. **Bembidion (Peryphus) persicum**
Ménétriés,1832 (Carabidae)
2176. **Bembidion (Peryphus) tetracolum**
Say,1823 (Carabidae)
2177. **Bembidion (Philochthus) lunulatum**
Geoffroy,1785 (Carabidae)
2178. **Bembidion (Phyla) liliputanum**
(J.Sahlberg,1908) (Carabidae)
2179. **Bembidion (Phyla) phoeniceum** Huber
& Marggi,1997 (Carabidae)
2180. **Bembidion (Princidium) punctulatum**
Drapiez,1820 (Carabidae)
2181. **Bembidion (s.str.) humerale**
Sturm,1825 (Carabidae)
2182. **Bembidion (s.str.) quadripustulatum**
Audinet-Serville,1821 (Carabidae)
2183. **Bembidion (Talanus) subfasciatum**
Chaudoir,1850 (Carabidae)
2184. **Bembidion (Testediolum) armeniacum**
Chaudoir,1846 (Carabidae)
2185. **Bembidion (Testedium) bipunctatum**
(Linnaeus,1761) (Carabidae)
2186. **Bembidion (Trepanus) octomaculatum**
(Goeze,1777) (Carabidae)
2187. **Bembidion concoeruleum**
Netolitzky,1943 (Carabidae)
2188. **Bembidion tibiale** (Duftschmid,1812)
(Carabidae)
2189. **Benjaminia horstmanni** Wahl,1989
(Ichneumonidae)
2190. **Beraea alihosi** Sipahiler,2008
(Beraeidae)
2191. **Bergrothia saulcyi** (Reitter,1877)
(Staphylinidae)
2192. **Bergrothia solodovnikovi** Hlavac,2004
(Staphylinidae)
2193. **Beris clavipes** (Linnaeus,1767)
(Stratiomyidae)
2194. **Berosus (Enoplurus) bispinus** Reiche &
Saulcy,1856 (Hydrophilidae)
2195. **Berosus (Enoplurus) frontifoveatus**
Kuwert,1888 (Hydrophilidae)
2196. **Berosus (Enoplurus) fulvus**
Kuwert,1888 (Hydrophilidae)
2197. **Berosus (Enoplurus) jaechi** Schödl,1991
(Hydrophilidae)
2198. **Berosus (Enoplurus) spinosus**
(Steven,1808) (Hydrophilidae)
2199. **Berosus (s.str.) affinis** Brullé,1835
(Hydrophilidae)
2200. **Berosus (s.str.) byzantinus**
Ganglbauer,1904 (Hydrophilidae)
2201. **Berosus (s.str.) dispar** Reiche &
Saulcy,1856 (Hydrophilidae)
2202. **Berosus (s.str.) luridus** (Linnaeus,1761)
(Hydrophilidae)
2203. **Berosus (s.str.) signaticollis**
(Charpentier,1825) (Hydrophilidae)
2204. **Berytinus consimilis** (Horvath,1885)
(Berytidae)
2205. **Berytinus distinguendus** (Ferrari,1874)
(Berytidae)
2206. **Berytinus geniculatus** (Horvath,1885)
(Berytidae)
2207. **Berytinus minor** (Herrich-
Schäffer,1835) (Berytidae)
2208. **Berytinus montivagus** (Meyer-
Dür,1841) (Berytidae)
2209. **Berytinus nigrolineatus**
(Jakovlev,1904) (Berytidae)
2210. **Berytinus signoreti** (Fieber,1859)
(Berytidae)
2211. **Besseria lateritia** (Meigen,1824)
(Tachinidae)
2212. **Betarmon bisbimaculatus**
(Fabricius,1803) (Elateridae)
2213. **Bibio hortulanus** (Linnaeus,1758)
(Bibionidae)
2214. **Bibio marci** (Linnaeus,1758) (Bibionidae)
2215. **Biblopectus boveyi** Besuchet,1975
(Staphylinidae)
2216. **Biblopectus delhermi** Guillebeau,1888
(Staphylinidae)
2217. **Biblopectus hellenicus** Besuchet,1955
(Staphylinidae)
2218. **Biblopectus hungaricus** Besuchet,1955
(Staphylinidae)
2219. **Biblopectus jeanneli** Besuchet,1955
(Staphylinidae)
2220. **Biblopectus limatus** Normand,1939
(Staphylinidae)
2221. **Biblopectus parvulus** Besuchet,1975
(Staphylinidae)
2222. **Biblopectus pauxillus** Besuchet,1975
(Staphylinidae)
2223. **Biblopectus pusillus** (Denny,1825)
(Staphylinidae)

2224. **Biblopectus spinosus** Raffray,1914
(Staphylinidae)
2225. **Biblopectus subtilis** Besuchet,1975
(Staphylinidae)
2226. **Biblopectus tantulus** Besuchet,1975
(Staphylinidae)
2227. **Biblopectus tener** Besuchet,1975
(Staphylinidae)
2228. **Bibloporus variicolor** Reitter,1882
(Staphylinidae)
2229. **Bidessus anatolicus** Wewalka,1972
(Dytiscidae)
2230. **Bidessus calabricus** Guignot,1957
(Dytiscidae)
2231. **Bidessus delicatulus** (Schaum,1844)
(Dytiscidae)
2232. **Bidessus nasutus** Sharp,1887
(Dytiscidae)
2233. **Bidessus unistriatus** (Goeze,1777)
(Dytiscidae)
2234. **Biorhiza pallida** (Olivier,1791)
(Cynipidae)
2235. **Biralus equinus** (Faldermann,1835)
(Scarabaeidae)
2236. **Biralus menetriesi** (Ménétriés,1847)
(Scarabaeidae)
2237. **Biralus satellitius** (Herbst,1789)
(Scarabaeidae)
2238. **Bithia immaculata** (Herting,1971)
(Tachinidae)
2239. **Bithia maculifacies** Tschorsnig &
Kara,2002 (Tachinidae)
2240. **Bithia modesta** (Meigen,1824)
(Tachinidae)
2241. **Blaesoxipha calliste** Pape,1994
(Sarcophagidae)
2242. **Blaesoxipha cochlearis** (Pandellé,1894)
(Sarcophagidae)
2243. **Blaesoxipha lapidosa** Pape,1994
(Sarcophagidae)
2244. **Blaesoxipha laticornis** (Meigen,1826)
(Sarcophagidae)
2245. **Blaesoxipha lautaretensis**
(Villeneuve,1928) (Sarcophagidae)
2246. **Blaesoxipha lindneri** Rohdendorf,1937
(Sarcophagidae)
2247. **Blaesoxipha litoralis** (Villeneuve,1911)
(Sarcophagidae)
2248. **Blaesoxipha plumicornis**
(Zetterstedt,1859) (Sarcophagidae)
2249. **Blaesoxipha pygmaea**
(Zetterstedt,1845) (Sarcophagidae)
2250. **Blaesoxipha rufipes** (Macquart,1839)
(Sarcophagidae)
2251. **Blaesoxipha ungulata** (Pandellé,1896)
(Sarcophagidae)
2252. **Blakeius bipunctatus** (Latreille,1792)
(Mutillidae)
2253. **Blaps abbreviata** Ménétriés,1836
(Tenebrionidae)
2254. **Blaps adelae** Soldati & Soldati,1999
(Tenebrionidae)
2255. **Blaps ecaudata** Seidlitz,1893
(Tenebrionidae)
2256. **Blaps femoralis** Fischer,1844
(Tenebrionidae)
2257. **Blaps gigas** (Linnaeus,1767)
(Tenebrionidae)
2258. **Blaps graeca** Solier,1848 (Tenebrionidae)
2259. **Blaps jeanneli** Ferrer & Soldati,1999
(Tenebrionidae)
2260. **Blaps judaeorum** Miller,1861
(Tenebrionidae)
2261. **Blaps juliae** Allard,1880 (Tenebrionidae)
2262. **Blaps kaifensis** Seidlitz,1893
(Tenebrionidae)
2263. **Blaps koenigi** Seidlitz,1893
(Tenebrionidae)
2264. **Blaps lata** Seidlitz,1893 (Tenebrionidae)
2265. **Blaps lethifera** Marsham,1802
(Tenebrionidae)
2266. **Blaps lindbergi** Kaszab,1959
(Tenebrionidae)
2267. **Blaps longula** Reiche & Saulcy,1857
(Tenebrionidae)
2268. **Blaps mortisaga** (Linnaeus,1758)
(Tenebrionidae)
2269. **Blaps mucronata** Latreille,1804
(Tenebrionidae)
2270. **Blaps ocreata** Allard,1880
(Tenebrionidae)
2271. **Blaps platythorax** Gemminger,1870
(Tenebrionidae)
2272. **Blaps pterostapha** Ménétriés,1832
(Tenebrionidae)
2273. **Blaps punctostriata** Solier,1848
(Tenebrionidae)
2274. **Blaps rotundata** Solier,1848
(Tenebrionidae)
2275. **Blaps scabiosa** Baudi,1874
(Tenebrionidae)
2276. **Blaps seriata** Fischer von
Waldheim,1822 (Tenebrionidae)
2277. **Blaps spinosa** Allard,1880
(Tenebrionidae)
2278. **Blaps splichali** Gebien,1913
(Tenebrionidae)
2279. **Blaps taeniolata** Ménétriés,1832
(Tenebrionidae)
2280. **Blaps tenuicollis** Solier,1848
(Tenebrionidae)
2281. **Blaps tibialis** Reiche & Saulcy,1857
(Tenebrionidae)
2282. **Blaps tibiella** Seidlitz,1893
(Tenebrionidae)
2283. **Blapsidotes vicinus** (Gravenhorst,1829)
(Ichneumonidae)
2284. **Blastophaga psenes** (Linnaeus,1758)
(Agaonidae)
2285. **Blastothrix erythrosetha** (Walker)
(Encyrtidae)
2286. **Blastothrix gurselae** Japoshvili &
Karaca,2003 (Encyrtidae)
2287. **Blastothrix hungarica** Erdős (Encyrtidae)
2288. **Blastothrix longipennis** Howard
(Encyrtidae)
2289. **Blastothrix sericea** (Dalman)
(Encyrtidae)
2290. **Blastothrix turanica** Sugonjaev
(Encyrtidae)
2291. **Blatta orientalis** Linnaeus,1758
(Blattidae)
2292. **Blattella germanica** (Linnaeus,1767)
(Blattidae)
2293. **Blepharicera fasciata** (Westwood,1842)
(Blephariceridae)

2294. **Blepharidopterus angulatus** (Fallén,1807) (Miridae)
 2295. **Blepharipa scutellata** (Robineau-Desvoidy,1830) (Tachinidae)
 2296. **Blepharopsis mendica** (Fabricius,1775) (Empusidae)
 2297. **Blepisanis vittipennis** (Reich,1877) (Cerambycidae)
 2298. **Blitopertha (Asiopertha) arenicola** Mulsant,1870 (Scarabaeidae)
 2299. **Blitopertha (Asiopertha) fulvicornis** (Burmeister,1855) (Scarabaeidae)
 2300. **Blitopertha (Asiopertha) ganglbaueri** (Reitter,1885) (Scarabaeidae)
 2301. **Blitopertha (Asiopertha) nazarena** (Marseul,1878) (Scarabaeidae)
 2302. **Blitopertha (s.str.) nigripennis** (Burmeister,1855) (Scarabaeidae)
 2303. **Blitopertha (Trichopertha) hirtella** (Brullé,1832) (Scarabaeidae)
 2304. **Blondelia nigripes** (Fallén,1810) (Tachinidae)
 2305. **Bloodiella andalusica** Nowicki (Trichogrammatidae)
 2306. **Bobacella corvina** (Horvath,1903) (Cicadellidae)
 2307. **Bodenheimera rachelae** (Bodenheimer,1924) (Coccidae)
 2308. **Bodilopsis rufa** (Moll,1782) (Scarabaeidae)
 2309. **Bodilopsis sordida** (Fabricius,1775) (Scarabaeidae)
 2310. **Bodilus longispina** (Kuster,1854) (Scarabaeidae)
 2311. **Bodilus lugens** (Creutzer,1799) (Scarabaeidae)
 2312. **Bodilus nigriventris** (Reitter,1892) (Scarabaeidae)
 2313. **Bodilus punctipennis** (Erichson,1848) (Scarabaeidae)
 2314. **Bodilus sabaesus** (Peyerimhoff,1907) (Scarabaeidae)
 2315. **Bodilus vartiani** (Petrovitz,1965) (Scarabaeidae)
 2316. **Bolitophagus reticulatus** (Linnaeus,1767) (Tenebrionidae)
 2317. **Bolitophila saundersi** (Curtis,1836) (Bolitophilidae)
 2318. **Bolivaria brachyptera** (Pallas,1773) (Mantidae)
 2319. **Bolivaria kurda** Ramme,1951 (Mantidae)
 2320. **Bolua turkiyae** Ünal,1999 (Tettigoniidae)
 2321. **Bombomyia discoidea** (Fabricius,1794) (Bombyliidae)
 2322. **Bombomyia vertebralis** (Dufour,1833) (Bombyliidae)
 2323. **Bombus lucorum** Linnaeus,1761 (Apidae)
 2324. **Bombus terrestris** Linnaeus,1758 (Apidae)
 2325. **Bombylella atra** (Scopoli,1763) (Bombyliidae)
 2326. **Bombylella firjuzana** (Paramonov,1929) (Bombyliidae)
 2327. **Bombylella simulans** (Austen,1937) (Bombyliidae)
 2328. **Bombylella sp.n.** (Bombyliidae)
 2329. **Bombylisoma algrim** (Macquart,1840) (Bombyliidae)
 2330. **Bombylisoma brevisculum** (Loew,1855) (Bombyliidae)
 2331. **Bombylisoma croaticum** (Kertész,1901) (Bombyliidae)
 2332. **Bombylisoma flavibarbum** (Loew,1855) (Bombyliidae)
 2333. **Bombylisoma imitator** (Loew,1855) (Bombyliidae)
 2334. **Bombylisoma melanocephalum** (Fabricius,1794) (Bombyliidae)
 2335. **Bombylisoma minimum** (Scopoli,1771) (Bombyliidae)
 2336. **Bombylisoma nigriceps** (Loew,1862) (Bombyliidae)
 2337. **Bombylisoma simulator** (Loew,1855) (Bombyliidae)
 2338. **Bombylisoma tripunctatum** (Macquart,1840) (Bombyliidae)
 2339. **Bombylisoma tripunctatum** (Macquart,1840) (Bombyliidae)
 2340. **Bombylisoma turkmenicum** (Paramonov,1926) (Bombyliidae)
 2341. **Bombylisoma unicolor** (Loew,1855) (Bombyliidae)
 2342. **Bombylius (s.str.) aksarayensis** Hasbenli & Zaitzev,2000 (Bombyliidae)
 2343. **Bombylius (s.str.) alexandri** Paramonov,1940 (Bombyliidae)
 2344. **Bombylius (s.str.) ambustus** Pallas & Wiedemann,1818 (Bombyliidae)
 2345. **Bombylius (s.str.) analis** Olivier,1789 (Bombyliidae)
 2346. **Bombylius (s.str.) argentifacies** Austen,1937 (Bombyliidae)
 2347. **Bombylius (s.str.) callopterus** Loew,1855 (Bombyliidae)
 2348. **Bombylius (s.str.) candidifrons** Austen,1937 (Bombyliidae)
 2349. **Bombylius (s.str.) candidus** Loew,1855 (Bombyliidae)
 2350. **Bombylius (s.str.) canescens** Mikan,1796 (Bombyliidae)
 2351. **Bombylius (s.str.) cinerarius** (Pallas & Wiedemann,1818) (Bombyliidae)
 2352. **Bombylius (s.str.) cinerascens** Mikan,1796 (Bombyliidae)
 2353. **Bombylius (s.str.) citrinus** Loew,1855 (Bombyliidae)
 2354. **Bombylius (s.str.) crassitarsis** Paramonov,1940 (Bombyliidae)
 2355. **Bombylius (s.str.) discolor** Mikan,1796 (Bombyliidae)
 2356. **Bombylius (s.str.) fallax** Austen,1937 (Bombyliidae)
 2357. **Bombylius (s.str.) fimbriatus** Meigen,1820 (Bombyliidae)
 2358. **Bombylius (s.str.) flavicalcaratus** Lindner,1975 (Bombyliidae)
 2359. **Bombylius (s.str.) flavipes** Wiedemann,1828 (Bombyliidae)
 2360. **Bombylius (s.str.) flavisetosus** Abbasian-Lintzen,1965 (Bombyliidae)
 2361. **Bombylius (s.str.) floccosus** Loew,1857 (Bombyliidae)
 2362. **Bombylius (s.str.) fulvescens** Wiedemann,1820 (Bombyliidae)

2363. **Bombylius (s.str.) fuscus** Fabricius,1781 (Bombyliidae)
2364. **Bombylius (s.str.) iranicus** Paramonov,1940 (Bombyliidae)
2365. **Bombylius (s.str.) kugleri** Zaitsev,1995 (Bombyliidae)
2366. **Bombylius (s.str.) major** Linnaeus,1758 (Bombyliidae)
2367. **Bombylius (s.str.) medius** Linnaeus,1758 (Bombyliidae)
2368. **Bombylius (s.str.) mendax** Austen,1937 (Bombyliidae)
2369. **Bombylius (s.str.) minor** Linnaeus,1758 (Bombyliidae)
2370. **Bombylius (s.str.) modestus** Loew,1873 (Bombyliidae)
2371. **Bombylius (s.str.) mus** Bigot,1862 (Bombyliidae)
2372. **Bombylius (s.str.) niveus** Meigen,1804 (Bombyliidae)
2373. **Bombylius (s.str.) nubilus** Mikan,1796 (Bombyliidae)
2374. **Bombylius (s.str.) olgae** Zaitsev,1995 (Bombyliidae)
2375. **Bombylius (s.str.) olivierii** Macquart,1840 (Bombyliidae)
2376. **Bombylius (s.str.) pallidus** Abbassian-Lintzen,1965 (Bombyliidae)
2377. **Bombylius (s.str.) pericaustus** Loew,1873 (Bombyliidae)
2378. **Bombylius (s.str.) persicus** Paramonov,1926 (Bombyliidae)
2379. **Bombylius (s.str.) polypogon** Loew,1855 (Bombyliidae)
2380. **Bombylius (s.str.) posticus** Fabricius,1805 (Bombyliidae)
2381. **Bombylius (s.str.) proximocruciatu** Abbassian-Lintzen,1965 (Bombyliidae)
2382. **Bombylius (s.str.) pumilus** Meigen,1820 (Bombyliidae)
2383. **Bombylius (s.str.) punctipennis** Loew,1855 (Bombyliidae)
2384. **Bombylius (s.str.) repeteki** Paramonov,1940 (Bombyliidae)
2385. **Bombylius (s.str.) schaeuffelei** Lindner,1975 (Bombyliidae)
2386. **Bombylius (s.str.) shah** Paramonov,1940 (Bombyliidae)
2387. **Bombylius (s.str.) spinulosus** Hasbenli & Zaitsev,2000 (Bombyliidae)
2388. **Bombylius (s.str.) susianae** Abbassian-Lintzen,1965 (Bombyliidae)
2389. **Bombylius (s.str.) tephroleucus** Loew,1855 (Bombyliidae)
2390. **Bombylius (s.str.) trichurus** Pallas,1818 (Bombyliidae)
2391. **Bombylius (s.str.) venosus** Mikan,1796 (Bombyliidae)
2392. **Bombylius (s.str.) wadensis** Efflatoun,1945 (Bombyliidae)
2393. **Bombylius (s.str.) zarudnyi** Paramonov,1940 (Bombyliidae)
2394. **Bombylius (Zephyrectes) cinerarius** Pallas,1818 (Bombyliidae)
2395. **Bombylius (Zephyrectes) cruciatus** Fabricius,1798 (Bombyliidae)
2396. **Bombylius (Zephyrectes) quadrifarius** Loew,1855 (Bombyliidae)
2397. **Borborillus vitripennis** (Meigen,1830) (Sphaeroceridae)
2398. **Boreaphilus velox** (Heer,1839) (Staphylinidae)
2399. **Boriomyia arenata** Aspöck & Aspöck,1966 (Hemerobiidae)
2400. **Bothriomyrmex communista** (Santschi,1920) (Formicidae)
2401. **Bothriothorax clavicornis** (Dalman) (Encyrtidae)
2402. **Bothriothorax serratellus** (Dalman) (Encyrtidae)
2403. **Bothynoderes carinatus** (Zoubkoff,1829) (Curculionidae)
2404. **Bothynoderes carinicornis** Gyllenhal,1834 (Curculionidae)
2405. **Bothynoderes punctiventris** (Germar,1794) (Curculionidae)
2406. **Boveycantharis akschehirensis** Wittmer,1969 (Cantharidae)
2407. **Boveycantharis deserticola** Wittmer,1969 (Cantharidae)
2408. **Boveycantharis hetitica** Wittmer,1969 (Cantharidae)
2409. **Boveycantharis holzschuhi** Svihla,1999 (Cantharidae)
2410. **Boveycantharis mersinensis** Svihla,1999 (Cantharidae)
2411. **Boveycantharis phoeniciensis** Wittmer,1969 (Cantharidae)
2412. **Boveycantharis rufimana** (Ménétriés,1832) (Cantharidae)
2413. **Boveycantharis rufimanoides** Wittmer,1969 (Cantharidae)
2414. **Boveycantharis tatvanensis** Wittmer,1997 (Cantharidae)
2415. **Boveycantharis tauricola** Svihla,1999 (Cantharidae)
2416. **Boveycantharis tokatensis** (Pic,1898) (Cantharidae)
2417. **Brachemys brevipennis** (Laporte de Castelnau,1836) (Melyridae)
2418. **Brachemys heydeni** Flach,1895 (Melyridae)
2419. **Brachineura squamigera** (Winnertz,1853) (Cecidomyiidae)
2420. **Brachinus (Aploa) nobilis** (Dejean,1831) (Carabidae)
2421. **Brachinus (Brachynidius) ankarensis** Jedlicka,1962 (Carabidae)
2422. **Brachinus (Brachynidius) bodemeyeri** Apfelbeck,1904 (Carabidae)
2423. **Brachinus (Brachynidius) brevicollis** Motschoulsky,1844 (Carabidae)
2424. **Brachinus (Brachynidius) explodens** (Duftschmid,1812) (Carabidae)
2425. **Brachinus (Brachynidius) nigricornis** Gebler,1829 (Carabidae)
2426. **Brachinus (Brachynidius) sclopeta** (Fabricius,1792) (Carabidae)
2427. **Brachinus (Cnecostolus) bayardi** Dejean,1831 (Carabidae)
2428. **Brachinus (Cnecostolus) bipustulatus** (Quensel,1806) (Carabidae)
2429. **Brachinus (Cnecostolus) cruciatus** (Quensel,1806) (Carabidae)
2430. **Brachinus (Cnecostolus) exhalans** (Rossi,1792) (Carabidae)

2431. **Brachinus (Cnecostolus) hamatus**
Fischer von Waldheim,1828 (Carabidae)
2432. **Brachinus (s.str.) alexandri**
F.Battoni,1984 (Carabidae)
2433. **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae)
2434. **Brachinus (s.str.) crepitans**
(Linnaeus,1758) (Carabidae)
2435. **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae)
2436. **Brachinus (s.str.) ganglbaueri**
Apfelbeck,1904 (Carabidae)
2437. **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae)
2438. **Brachinus (subg.) bagdatensis Pic,1902**
(Carabidae)
2439. **Brachinus immaculicornis Dejean,1826**
(Carabidae)
2440. **Brachycarenum tigrinus**
(Schilling,1829) (Rhopalidae)
2441. **Brachycephalus exiguus (Horvath,1901)**
(Tettigometridae)
2442. **Brachyceraea brevicornis (Loew,1847)**
(Conopidae)
2443. **Brachycerus algirus Latreille,1807**
(Brachyceridae)
2444. **Brachycerus argillaceus Reiche,1857**
(Brachyceridae)
2445. **Brachycerus cribrarius Olivier,1807**
(Brachyceridae)
2446. **Brachycerus foveicollis Gyllenhal,1833**
(Brachyceridae)
2447. **Brachycerus foveifrons Bedel,1874**
(Brachyceridae)
2448. **Brachycerus freyi Zumpt,1937**
(Brachyceridae)
2449. **Brachycerus junix Herbst,1797**
(Brachyceridae)
2450. **Brachycerus lutosus Gyllenhal,1833**
(Brachyceridae)
2451. **Brachycerus orbipennis Reiche,1857**
(Brachyceridae)
2452. **Brachycerus plicatus Gyllenhal,1833**
(Brachyceridae)
2453. **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae)
2454. **Brachycerus sinuatus Olivier,1807**
(Brachyceridae)
2455. **Brachycerus undatus Fabricius,1798**
(Brachyceridae)
2456. **Brachycoleus decolor Reuter,1887**
(Miridae)
2457. **Brachycoleus scriptus (Fabricius,1803)**
(Miridae)
2458. **Brachycyrtus ornatus**
Kriechbaumer,1880 (Ichneumonidae)
2459. **Brachyesthes chrysomelina Costa,1875**
(Tenebrionidae)
2460. **Brachygluta abrupta Doderö,1919**
(Staphylinidae)
2461. **Brachygluta antalyana Brachat,2004**
(Staphylinidae)
2462. **Brachygluta balcanica (Saulcy,1878)**
(Staphylinidae)
2463. **Brachygluta cavernosa (Saulcy,1876)**
(Staphylinidae)
2464. **Brachygluta fossulata**
(Reichenbach,1816) (Staphylinidae)
2465. **Brachygluta foveola**
(Motschoulsky,1840) (Staphylinidae)
2466. **Brachygluta furcata**
(Motschoulsky,1835) (Staphylinidae)
2467. **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae)
2468. **Brachygluta jessica Brachat,2004**
(Staphylinidae)
2469. **Brachygluta kurdica Besuchet,2004**
(Staphylinidae)
2470. **Brachygluta nodosa**
(Motschoulsky,1835) (Staphylinidae)
2471. **Brachygluta paludosa (Peyron,1858)**
(Staphylinidae)
2472. **Brachygluta pamphylica Brachat,2004**
(Staphylinidae)
2473. **Brachygluta presli (Schmidt-Göbl,1838)** (Staphylinidae)
2474. **Brachygluta retowskii (Simon,1883)**
(Staphylinidae)
2475. **Brachygluta spinicoxis**
(Motschoulsky,1835) (Staphylinidae)
2476. **Brachygluta sursicauda**
(Ganglbauer,1900) (Staphylinidae)
2477. **Brachygluta transversalis**
(Schaum,1859) (Staphylinidae)
2478. **Brachygluta xanthoptera**
(Reichenbach,1816) (Staphylinidae)
2479. **Brachygnathellus loebli Zerche,1991**
(Staphylinidae)
2480. **Brachygonus frater Wurst,1995**
(Elateridae)
2481. **Brachygonus graciosus Platia & Schimmel,1991** (Elateridae)
2482. **Brachygonus hadullanus Wurst,1995**
(Elateridae)
2483. **Brachygonus megerlei**
(Lacordaire,1835) (Elateridae)
2484. **Brachygonus ruficepsoides Platia & Gudenzi,2002** (Elateridae)
2485. **Brachymeria aegyptiaca Masi,1931**
(Chalcididae)
2486. **Brachymeria albierus (Klug,1834)**
(Chalcididae)
2487. **Brachymeria femorata (Panzer,1801)**
(Chalcididae)
2488. **Brachymeria inermis**
(Fonscolombe,1840) (Chalcididae)
2489. **Brachymeria minuta (Linnaeus,1767)**
(Chalcididae)
2490. **Brachymeria moerens (Ruschka,1922)**
(Chalcididae)
2491. **Brachymeria obtusata (Förster,1859)**
(Chalcididae)
2492. **Brachymeria pseudorugosa Masi,1951**
(Chalcididae)
2493. **Brachymeria rugulosa (Förster,1859)**
(Chalcididae)
2494. **Brachymeria secundaria**
(Ruschka,1922) (Chalcididae)
2495. **Brachymeria tibialis (Walker,1834)**
(Chalcididae)
2496. **Brachymeria vitripennis (Förster,1859)**
(Chalcididae)
2497. **Brachynema virens (Klug,1845)**
(Pentatomidae)
2498. **Brachyodynerus kopetdagicus**
(Kostylev,1940) (Vespididae)

2499. **Brachyodynerus kUSDasi**
Gusenleitner,1967 (Vespididae)
2500. **Brachyodynerus quadrimaculatus**
(André,1884) (Vespidae)
2501. **Brachypipona schlaeflei**
Gusenleitner,2001 (Vespidae)
2502. **Brachypipona schmidtii**
(Gusenleitner,1967) (Vespidae)
2503. **Brachyptera ankara Kazanci,2000**
(Taeniopterygidae)
2504. **Brachyptera berkii Kazanci,2000**
(Taeniopterygidae)
2505. **Brachyptera demirsoyi Kazanci,1983**
(Taeniopterygidae)
2506. **Brachyptera sislii Kazanci,1983**
(Taeniopterygidae)
2507. **Brachyptera transcaucasica**
Zhiltzova,1956 (Taeniopterygidae)
2508. **Brachyptera zwicki Braasch &**
Joost,1971 (Taeniopterygidae)
2509. **Brachytarsina flavipennis**
Macquart,1851 (Streblidae)
2510. **Brachythemis fuscopalliata**
(Selys,1887) (Libellulidae)
2511. **Brachythemis leucosticta**
(Burmeister,1839) (Libellulidae)
2512. **Brachytron pratense (O.F.Müller,1764)**
(Aeshnidae)
2513. **Bracon (Asiabracon) amaculatus**
Beyarslan,1988 (Braconidae)
2514. **Bracon (Cyanopterobracon) illyricus**
(Marshall,1888) (Braconidae)
2515. **Bracon (Cyanopterobracon) oculatus**
Tobias,1957 (Braconidae)
2516. **Bracon (Cyanopterobracon) spectabilis**
(Telenga,1936) (Braconidae)
2517. **Bracon (Glabrobracon) angustiventris**
Tobias,1957 (Braconidae)
2518. **Bracon (Glabrobracon) anthracinus**
(Nees,1834) (Braconidae)
2519. **Bracon (Glabrobracon) atrator**
(Nees,1834) (Braconidae)
2520. **Bracon (Glabrobracon) delusorius**
Telenga,1936 (Braconidae)
2521. **Bracon (Glabrobracon) discoideus**
(Wesmael,1838) (Braconidae)
2522. **Bracon (Glabrobracon) fumipennis**
(Thomson,1892) (Braconidae)
2523. **Bracon (Glabrobracon) larvicida**
(Wesmael,1838) (Braconidae)
2524. **Bracon (Glabrobracon) maculiger**
(Wesmael,1838) (Braconidae)
2525. **Bracon (Glabrobracon) obscurator**
(Nees,1812) (Braconidae)
2526. **Bracon (Glabrobracon) osculator**
(Nees,1812) (Braconidae)
2527. **Bracon (Glabrobracon) piger**
(Wesmael,1838) (Braconidae)
2528. **Bracon (Glabrobracon) popovi**
Telenga,1936 (Braconidae)
2529. **Bracon (Glabrobracon) terebella**
(Wesmael,1838) (Braconidae)
2530. **Bracon (Glabrobracon) tshitsherini**
(Kokoujev,1904) (Braconidae)
2531. **Bracon (Glabrobracon) variator**
(Nees,1812) (Braconidae)
2532. **Bracon (Rostrobracon) Tobias,1957**
(Braconidae)
2533. **Bracon (Rostrobracon) urinator**
(Fabricius,1798) (Braconidae)
2534. **Bradyporus dasypus (Illiger,1800)**
(Tettigoniidae)
2535. **Bradysia neoreflex Mohrig &**
Roschmann,1996 (Sciaridae)
2536. **Brevicornu griseicollae (Staeger,1840)**
(Mycetophilidae)
2537. **Brevicornu verralli (Edwards,1925)**
(Mycetophilidae)
2538. **Brillia modesta (Meigen,1804)**
(Chironomidae)
2539. **Brinckochrysa amseli (Hölzel,1967)**
(Chrysopidae)
2540. **Brodskyana furcilla Majer,1996**
(Melyridae)
2541. **Brodskyana juncta Majer,1996**
(Melyridae)
2542. **Brodskyana lubrica Majer,1996**
(Melyridae)
2543. **Bruchophagus astragali**
Fedoseeva,1954 (Eurytomidae)
2544. **Bruchophagus gibbus (Boheman,1836)**
(Eurytomidae)
2545. **Bruchophagus glycyrrhizae**
Nikolskaya,1952 (Eurytomidae)
2546. **Bruchophagus mutabilis**
Nikolskaya,1952 (Eurytomidae)
2547. **Bruchophagus nikolskayae Zerova,1975**
(Eurytomidae)
2548. **Bruchophagus robiniae Zerova,1970**
(Eurytomidae)
2549. **Bruchophagus roddi**
Gussakovskiy,1933 (Eurytomidae)
2550. **Bruchophagus trjapitzini Zerova,2008**
(Eurytomidae)
2551. **Brucoscelis peculiaris (Horvath,1904)**
(Caliscelidae)
2552. **Brumus octosignatus (Gebler,1830)**
(Coccinellidae)
2553. **Brunnerella mirabilis Saussure,1888**
(Acrididae)
2554. **Bruntridactylus irremipes**
(Uvarov,1934) (Tridactylidae)
2555. **Bryaxis abastumanus (Reitter,1890)**
(Staphylinidae)
2556. **Bryaxis amasiae (Reitter,1890)**
(Staphylinidae)
2557. **Bryaxis anatolicus (Saulcy,1878)**
(Staphylinidae)
2558. **Bryaxis artvinensis Besuchet &**
Kurbatov,2007 (Staphylinidae)
2559. **Bryaxis assingi Besuchet &**
Kurbatov,2007 (Staphylinidae)
2560. **Bryaxis balabanus Besuchet &**
Kurbatov,2007 (Staphylinidae)
2561. **Bryaxis bodemeyeri (Reitter,1903)**
(Staphylinidae)
2562. **Bryaxis borckensis Besuchet &**
Kurbatov,2007 (Staphylinidae)
2563. **Bryaxis bulbifer (Reichenbach,1816)**
(Staphylinidae)
2564. **Bryaxis curtisii (Leach,1817)**
(Staphylinidae)
2565. **Bryaxis emendatus Besuchet &**
Kurbatov,2007 (Staphylinidae)
2566. **Bryaxis euryscapus Besuchet &**
Kurbatov,2007 (Staphylinidae)

2567. **Bryaxis immodicus** Besuchet & Kurbatov, 2007 (Staphylinidae)
2568. **Bryaxis khnzoriani** Besuchet, 1964 (Staphylinidae)
2569. **Bryaxis lazistanicus** Besuchet & Kurbatov, 2007 (Staphylinidae)
2570. **Bryaxis longipalpis** (Motschoulsky, 1835) (Staphylinidae)
2571. **Bryaxis meskischesianus** Meggiolaro, 1966 (Staphylinidae)
2572. **Bryaxis mohamedis** (Reitter, 1903) (Staphylinidae)
2573. **Bryaxis multiplex** Besuchet & Kurbatov, 2007 (Staphylinidae)
2574. **Bryaxis nivarius** Besuchet & Kurbatov, 2007 (Staphylinidae)
2575. **Bryaxis orcinus** Besuchet & Kurbatov, 2007 (Staphylinidae)
2576. **Bryaxis osellai** Besuchet & Kurbatov, 2007 (Staphylinidae)
2577. **Bryaxis pachyscelis** Besuchet & Kurbatov, 2007 (Staphylinidae)
2578. **Bryaxis polemon** Besuchet & Kurbatov, 2007 (Staphylinidae)
2579. **Bryaxis ponticus** Besuchet & Kurbatov, 2007 (Staphylinidae)
2580. **Bryaxis pulchrotibialis** Besuchet & Kurbatov, 2007 (Staphylinidae)
2581. **Bryaxis schuelkei** Besuchet & Kurbatov, 2007 (Staphylinidae)
2582. **Bryaxis schusteri** Neuhäuser-Happe, 1999 (Staphylinidae)
2583. **Bryaxis silvicola** Besuchet & Kurbatov, 2007 (Staphylinidae)
2584. **Bryaxis steindachneri** (Reitter, 1881) (Staphylinidae)
2585. **Bryaxis temporalis** Besuchet & Kurbatov, 2007 (Staphylinidae)
2586. **Bryaxis tenuicornis** Besuchet & Kurbatov, 2007 (Staphylinidae)
2587. **Bryaxis theanus** (Reitter, 1894) (Staphylinidae)
2588. **Bryaxis transitorius** Besuchet & Kurbatov, 2007 (Staphylinidae)
2589. **Bryaxis viti** Besuchet & Kurbatov, 2007 (Staphylinidae)
2590. **Bryaxis ypsilon** Besuchet & Kurbatov, 2007 (Staphylinidae)
2591. **Bryophaenocladus aff. brincki** (Freeman, 1955) (Chironomidae)
2592. **Bryophaenocladus rotundilobus** Caspers & Reiss, 1989 (Chironomidae)
2593. **Bryophaenocladus virgo** (Thienemann, 1941) (Chironomidae)
2594. **Buathra laborator** (Thunberg, 1824) (Ichneumonidae)
2595. **Buathra tarsoleuca** (Schrank, 1781) (Ichneumonidae)
2596. **Bubas bubaloides** Janssens, 1938 (Scarabaeidae)
2597. **Bubas bubalus** (Olivier, 1811) (Scarabaeidae)
2598. **Bubastia (Acrestia) ephialtes** (Linnavuori, 1971) (Issidae)
2599. **Bubastia (s.str.) suturale** (Fieber, 1877) (Issidae)
2600. **Bubastia (s.str.) transcaucasica** (Melichar, 1914) (Issidae)
2601. **Bubastia jatagana** Dlabola, 1982 (Issidae)
2602. **Bubopsis andromache** Aspöck, Aspöck & Hölzel, 1979 (Ascalaphidae)
2603. **Bubopsis hamatus** (Klug, 1834) (Ascalaphidae)
2604. **Bubopsis zarudnyi** Alexandrov-Martynov, 1926 (Ascalaphidae)
2605. **Bucephaloptera bolivari** Karabağ, 1950 (Tettigoniidae)
2606. **Bucephaloptera bucephala** (Brunner von Wattenwyl, 1882) (Tettigoniidae)
2607. **Bucephaloptera convergens** Karabağ, 1950 (Tettigoniidae)
2608. **Bucephaloptera robusta** Karabağ, 1956 (Tettigoniidae)
2609. **Bugraia ocularis** (Mulsant & Rey, 1855) (Cicadellidae)
2610. **Bulaea lichatschovi** (Hummel, 1827) (Coccinellidae)
2611. **Burriola sp.?** (Forficulidae)
2612. **Byctiscus betulae** (Linnaeus, 1758) (Attelabidae)
2613. **Byctiscus populi** (Linnaeus, 1758) (Attelabidae)
2614. **Bythinus balkanicus** Reitter, 1885 (Staphylinidae)
2615. **Bythinus gracilis** Motschoulsky, 1851 (Staphylinidae)
2616. **Bythinus parvipenis** Meggiolaro, 1966 (Staphylinidae)
2617. **Bythinus securiger** (Reichenbach, 1816) (Staphylinidae)
2618. **Bythinus vicinus** Besuchet, 1960 (Staphylinidae)
2619. **Cabirutus cavimanus** (Sahlberg, 1907) (Tenebrionidae)
2620. **Cabirutus cilicicus** (Sahlberg, 1907) (Tenebrionidae)
2621. **Cabirutus cribricollis** (Baudi, 1875) (Tenebrionidae)
2622. **Cabirutus gracilis** (Reitter, 1904) (Tenebrionidae)
2623. **Caccobius (s.str.) histeroides** (Ménétriés, 1832) (Scarabaeidae)
2624. **Caccobius (s.str.) mundus** (Ménétriés, 1838) (Scarabaeidae)
2625. **Caccobius (s.str.) schreberi** (Linnaeus, 1767) (Scarabaeidae)
2626. **Cacodmus vicinus** Horvath, 1934 (Cimicidae)
2627. **Cacopsylla hippophaes** (Förster, 1848) (Psyllidae)
2628. **Cacopsylla mali** (Schmidberger) (Psyllidae)
2629. **Cacopsylla mariannae** (Beava) (Psyllidae)
2630. **Cacopsylla peregrina** (Förster) (Psyllidae)
2631. **Cacopsylla pyri** (Linnaeus) (Psyllidae)
2632. **Caenoblaps kulzeri** Schuster, 1928 (Tenebrionidae)
2633. **Caenoblaps nitida** Schuster, 1920 (Tenebrionidae)
2634. **Caenocrepis arenicola** (Thomson) (Pteromalidae)
2635. **Caenocrepis bothynoderi** Gromakov (Pteromalidae)

2636. **Caenocryptus rufiventris** (Gravenhorst,1829) (Ichneumonidae)
2637. **Calais parreysi** (Steven,1830) (Elateridae)
2638. **Calamobius filum** (Rossi,1790) (Cerambycidae)
2639. **Calamosternus chobauti** (Clouet,1896) (Scarabaeidae)
2640. **Calamosternus granarius** (Linnaeus,1767) (Scarabaeidae)
2641. **Calamosternus hyxos** (Petrovitz,1962) (Scarabaeidae)
2642. **Calamosternus pseudounicolor** (Balthasar,1960) (Scarabaeidae)
2643. **Calamosternus trucidatus** (Harold,1863) (Scarabaeidae)
2644. **Calandrea Sama & Rapuzzi,1999** (Cerambycidae)
2645. **Calchaenesthes oblongomaculatus** (Guérin,1844) (Cerambycidae)
2646. **Cales noacki** Howard,1907 (Aphelinidae)
2647. **Caliadurgus fasciatellus** (Spinola,1808) (Pompilidae)
2648. **Caliaeschna microstigma** (Schneider,1845) (Aeshnidae)
2649. **Caliscelis wallengreni** (Stål,1863) (Caliscelidae)
2650. **Calisius salicis** Horvath,1913 (Aradidae)
2651. **Callicorixa raddei** (Kiritshenko & Jaczewski,1960) (Corixidae)
2652. **Calligypona reyi** (Fieber,1866) (Delphacidae)
2653. **Callimenus dilatatus** (Stal,1876) (Tettigoniidae)
2654. **Callimenus macrogaster** (Lefebvre,1831) (Tettigoniidae)
2655. **Callimoxys gracilis** (Brullé,1832) (Cerambycidae)
2656. **Callimus abdominalis** (Olivier,1795) (Cerambycidae)
2657. **Callimus akbesianus** (Pic,1892) (Cerambycidae)
2658. **Callimus angulatus** (Schrank,1789) (Cerambycidae)
2659. **Calliphora vicina** Robineau-Desvoidy,1830 (Calliphoridae)
2660. **Calliptamus barbarus** (Costa,1836) (Acrididae)
2661. **Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae)
2662. **Calliptamus italicus** (Linnaeus,1758) (Acrididae)
2663. **Calliptamus tenuicercis** Tarbinsky,1930 (Acrididae)
2664. **Callipteroma sexguttata** Motschulsky (Encyrtidae)
2665. **Callirhytis glandium** (Giraud,1859) (Cynipidae)
2666. **Callirhytis rufescens** (Mayr,1882) (Cynipidae)
2667. **Callisthenes (s.str.) brevisculus** (Mannerheim,1830) (Carabidae)
2668. **Callisthenes (s.str.) ewersmanni** (Chaudoir,1850) (Carabidae)
2669. **Callisthenes (s.str.) peksi** (Heinz & Pavesi,1994) (Carabidae)
2670. **Callisthenes (s.str.) persicus** (Géhin,1885) (Carabidae)
2671. **Callisthenes (s.str.) pesarinii** (Heinz & Pavesi,1994) (Carabidae)
2672. **Callistus (s.str.) lunatus** (Fabricius,1775) (Carabidae)
2673. **Callodictya krueperi** (Fieber,1876) (Dictyopharidae)
2674. **Callostoma oezbeki** Dils & Özbek,2006 (Bombyliidae)
2675. **Calopteryx hyalina** Martin,1909 (Calopterygidae)
2676. **Calopteryx intermedia** Selys,1887 (Calopterygidae)
2677. **Calopteryx mingrelica** Selys,1869 (Calopterygidae)
2678. **Calopteryx orientalis** Selys,1887 (Calopterygidae)
2679. **Calopteryx splendens** (Harris,1776) (Calopterygidae)
2680. **Calopteryx syriaca** Génée,1842 (Calopterygidae)
2681. **Calopteryx taurica** Selys-Longchamps,1853 (Calopterygidae)
2682. **Calopteryx virgo** (Linnaeus,1758) (Calopterygidae)
2683. **Calopteryx waterstoni** Schneider,1984 (Calopterygidae)
2684. **Calosoma adihinotus** Lassale,1992 (Carabidae)
2685. **Calosoma auropunctatum** Herbst,1784 (Carabidae)
2686. **Calosoma brevisculus** Mannerheim,1830 (Carabidae)
2687. **Calosoma eversmanni** Chaudoir,1850 (Carabidae)
2688. **Calosoma inquisitor** (Linnaeus,1758) (Carabidae)
2689. **Calosoma maderae** Fabricius,1775 (Carabidae)
2690. **Calosoma peksi** Heinz & Pavesi,1995 (Carabidae)
2691. **Calosoma persicus** Gehin,1885 (Carabidae)
2692. **Calosoma pesarinii** Heinz & Pavesi,1995 (Carabidae)
2693. **Calosoma sycophanta** (Linnaeus,1758) (Carabidae)
2694. **Calosota aestivalis** Curtis (Eupelmidae)
2695. **Calvia quatuordecimguttata** (Linnaeus,1758) (Coccinellidae)
2696. **Calycomyza humeralis** (von Roser,1840) (Agromyzidae)
2697. **Calydus escherichi** Reitter,1898 (Meloidae)
2698. **Calyptopsis amaroides** Baudi,1874 (Tenebrionidae)
2699. **Calyptopsis capnisiformis** Reitter,1903 (Tenebrionidae)
2700. **Calyptopsis capnisioides** Reitter,1896 (Tenebrionidae)
2701. **Calyptopsis clypeata** Faust,1875 (Tenebrionidae)
2702. **Calyptopsis deplanata** Faust,1875 (Tenebrionidae)
2703. **Calyptopsis escherichi** Reitter,1896 (Tenebrionidae)
2704. **Calyptopsis harpaloides** Baudi,1874 (Tenebrionidae)

2705. **Calyptopsis jeremias Reiche & Saulcy,1857** (Tenebrionidae)
2706. **Calyptopsis lineimargo Reitter,1896** (Tenebrionidae)
2707. **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae)
2708. **Calyptopsis punctiventris Baudi,1874** (Tenebrionidae)
2709. **Calyptopsis rosti Reitter,1896** (Tenebrionidae)
2710. **Calyptopsis solieri Reiche & Saulcy,1857** (Tenebrionidae)
2711. **Calyptopsis suleimargo Reitter,1896** (Tenebrionidae)
2712. **Calyptopsis capnisiformis Reitter,1903** (Tenebrionidae)
2713. **Calyptopsis emarginata Reitter,1889** (Tenebrionidae)
2714. **Caminara olivieri (Dejean,1831)** (Carabidae)
2715. **Campalita auropunctatum (Herbst,1782)** (Carabidae)
2716. **Campiglossa absinthii (Fabricius,1805)** (Tephritidae)
2717. **Campiglossa difficilis Hendel,1927** (Tephritidae)
2718. **Campiglossa grandinata (Rondani,1870)** (Tephritidae)
2719. **Campiglossa lederi (Hendel,1927)** (Tephritidae)
2720. **Campiglossa producta Loew,1844** (Tephritidae)
2721. **Campiglossa tesellata (Loew,1844)** (Tephritidae)
2722. **Camponotus aethiops (Latreille,1798)** (Formicidae)
2723. **Camponotus compressus (Fabricius,1787)** (Formicidae)
2724. **Camponotus dalmaticus (Nylander,1848)** (Formicidae)
2725. **Camponotus festai Emery,1894** (Formicidae)
2726. **Camponotus gestroi Emery,1878** (Formicidae)
2727. **Camponotus herculeanus (Linnaeus,1758)** (Formicidae)
2728. **Camponotus ionius Emery,1901** (Formicidae)
2729. **Camponotus jaliensis Dalla Torre,1893** (Formicidae)
2730. **Camponotus kiesenwetteri Roger,1859** (Formicidae)
2731. **Camponotus samius Forel,1888** (Formicidae)
2732. **Camponotus sylvaticus (Olivier,1792)** (Formicidae)
2733. **Campoplex difformis (Gmelin,1790)** (Ichneumonidae)
2734. **Campoplex granditor Aubert,1972** (Ichneumonidae)
2735. **Campoplex melanostictus Gravenhorst,1829** (Ichneumonidae)
2736. **Campoplex ramidulus (Brischke,1880)** (Ichneumonidae)
2737. **Campoplex tridentator Aubert,1972** (Ichneumonidae)
2738. **Camptocera glaberrima (Walker,1872)** (Lygaeidae)
2739. **Camptomyia pinicola Mamaev,1961** (Cecidomyiidae)
2740. **Camptopus bifasciatus Fieber,1864** (Alydidae)
2741. **Camptopus illustris Horvath,1899** (Alydidae)
2742. **Camptopus lateralis (Germar,1817)** (Alydidae)
2743. **Camptopus tragacanthae (Kolenati,1845)** (Alydidae)
2744. **Campylomma nicolasi Puton & Reuter,1883** (Miridae)
2745. **Campylosteira bosnica Horvath,1892** (Tingidae)
2746. **Campylosteira ciliata Fieber,1844** (Tingidae)
2747. **Cantacader quadricornis (Le Peletier & Serville,1828)** (Tingidae)
2748. **Cantharis akbesiana Pic,1906** (Cantharidae)
2749. **Cantharis annularis Ménétré,1836** (Cantharidae)
2750. **Cantharis flavilabris Fallén,1807** (Cantharidae)
2751. **Cantharis lateralis Linnaeus,1758** (Cantharidae)
2752. **Cantharis livida Linnaeus,1758** (Cantharidae)
2753. **Cantharis longicollis Kiesenwetter,1852** (Cantharidae)
2754. **Cantharis nigra De Geer,1774** (Cantharidae)
2755. **Cantharis pulicaria Fabricius,1781** (Cantharidae)
2756. **Cantharis rufa Linnaeus,1758** (Cantharidae)
2757. **Cantharis rustica Fallén,1807** (Cantharidae)
2758. **Cantharis smyrnensis Marseul,1864** (Cantharidae)
2759. **Cantharis ziganadagensis Wittmer,1971** (Cantharidae)
2760. **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae)
2761. **Capitetes ramulosa (Loew,1844)** (Tephritidae)
2762. **Capnia arensi Zhiltzova,1964** (Capniidae)
2763. **Capnia nigra (Pictet,1833)** (Capniidae)
2764. **Capnia sevanica Zhiltzova,1964** (Capniidae)
2765. **Capnia tuberculata Zhiltzova,1964** (Capniidae)
2766. **Capnodis carbonaria (Klug,1829)** (Buprestidae)
2767. **Capnodis cariosa (Pallas,1776)** (Buprestidae)
2768. **Capnodis excisa Ménétré,1849** (Buprestidae)
2769. **Capnodis henningii (Faldermann,1835)** (Buprestidae)
2770. **Capnodis marquardtii Reitter,1913** (Buprestidae)
2771. **Capnodis miliaris (Klug,1829)** (Buprestidae)
2772. **Capnodis porosa (Klug,1829)** (Buprestidae)
2773. **Capnodis semisuturalis Marseul,1865** (Buprestidae)

2774. **Capnodis tenebricosa** (Olivier,1790)
(Buprestidae)
2775. **Capnodis tenebrionis** (Linnaeus,1761)
(Buprestidae)
2776. **Carabus (Archicarabus) gotschii**
Chaudoir,1846 (Carabidae)
2777. **Carabus (Archicarabus) victor** Fischer
von Waldheim,1836 (Carabidae)
2778. **Carabus (Archicarabus) wiedemanni**
Ménétriés,1836 (Carabidae)
2779. **Carabus (Cechenochilus) boeberi**
Adams,1817 (Carabidae)
2780. **Carabus (Cechenochilus) lazorom**
Belousov & Zamotajlov,1999 (Carabidae)
2781. **Carabus (Heterocarabus) marietti** De
Cristoforis & Jan,1837 (Carabidae)
2782. **Carabus (Ischnocarabus) cychropalpus**
Peyron,1858 (Carabidae)
2783. **Carabus (Ischnocarabus) tenuitarsis**
Kraatz,1877 (Carabidae)
2784. **Carabus (Lamprostus) calleyi** Fischer
von Waldheim,1823 (Carabidae)
2785. **Carabus (Lamprostus) erenleriensis**
Schweiger,1966 (Carabidae)
2786. **Carabus (Lamprostus) hemprichi**
Dejean,1826 (Carabidae)
2787. **Carabus (Lamprostus) rabaroni**
Breuning,1964 (Carabidae)
2788. **Carabus (Lamprostus) robustus**
Deyrolle,1869 (Carabidae)
2789. **Carabus (Lamprostus) spinolai**
Cristoforis & Jan,1837 (Carabidae)
2790. **Carabus (Lamprostus) torosus**
Frivaldsky,1835 (Carabidae)
2791. **Carabus (Linnocarabus) clatratus**
Linnaeus,1761 (Carabidae)
2792. **Carabus (Lipaster) gorgus** Reitter,1898
(Carabidae)
2793. **Carabus (Lipaster) stjernvalli**
Mannerheim,1830 (Carabidae)
2794. **Carabus (Mimocarabus) maurus**
Adams,1817 (Carabidae)
2795. **Carabus (Mimocarabus) pumilio**
Küster,1846 (Carabidae)
2796. **Carabus (Morphocarabus)**
scabriusculus Olivier,1795 (Carabidae)
2797. **Carabus (Oreocarabus) cribratus**
Quensel,1806 (Carabidae)
2798. **Carabus (Oreocarabus) porrectangulus**
Géhin,1885 (Carabidae)
2799. **Carabus (Oxycarabus) saphyrinus** De
Cristofis & Jan,1837 (Carabidae)
2800. **Carabus (Pachycarabus) roseri**
Faldermann,1835 (Carabidae)
2801. **Carabus (Pachystus) ganymed**
Heinz,1975 (Carabidae)
2802. **Carabus (Pachystus) graecus**
Dejean,1826 (Carabidae)
2803. **Carabus (Pachystus) irmanus** Heinz
& Korge,1967 (Carabidae)
2804. **Carabus (Pachystus) pisidicus**
Peyron,1854 (Carabidae)
2805. **Carabus (Procerus) caucasicus**
Adams,1817 (Carabidae)
2806. **Carabus (Procerus) scabrosus**
Olivier,1795 (Carabidae)
2807. **Carabus (Procerus) sommeri**
Mannerheim,1844 (Carabidae)
2808. **Carabus (Procerus) syriacus**
Kollar,1843 (Carabidae)
2809. **Carabus (Procerus) transversalis**
Csiki,1927 (Carabidae)
2810. **Carabus (Procrustes) anatolicus**
Chaudoir,1857 (Carabidae)
2811. **Carabus (Procrustes) chevrolati**
Cristoforis & Jan,1837 (Carabidae)
2812. **Carabus (Procrustes) clypeatus**
Adams,1817 (Carabidae)
2813. **Carabus (Procrustes) coriaceus**
Linnaeus,1758 (Carabidae)
2814. **Carabus (Procrustes) impressus**
Klug,1832 (Carabidae)
2815. **Carabus (Procrustes) mulsantianus**
Morawitz,1886 (Carabidae)
2816. **Carabus (Procrustes) payapha**
White,1845 (Carabidae)
2817. **Carabus (Procrustes) piochardi**
Géhin,1883 (Carabidae)
2818. **Carabus (Procrustes) punctatus**
Castelnau,1835 (Carabidae)
2819. **Carabus (s.str.) granulatus**
Linnaeus,1758 (Carabidae)
2820. **Carabus (Sphodristocarabus) biroi**
Csiki,1927 (Carabidae)
2821. **Carabus (Sphodristocarabus)**
coruhnehriensis Cavazzuti,1990 (Carabidae)
2822. **Carabus (Sphodristocarabus)**
enigmaticus Heinz,1980 (Carabidae)
2823. **Carabus (Sphodristocarabus) georgia**
Cavazzuti,1984 (Carabidae)
2824. **Carabus (Sphodristocarabus) giachinoi**
Cavazzuti,1991 (Carabidae)
2825. **Carabus (Sphodristocarabus) gilnickii**
Deyrolle,1869 (Carabidae)
2826. **Carabus (Sphodristocarabus) heinzi**
Breuning,1964 (Carabidae)
2827. **Carabus (Sphodristocarabus) kurdicus**
Heinz,1975 (Carabidae)
2828. **Carabus (Sphodristocarabus)**
macrogonus Chaudoir,1847 (Carabidae)
2829. **Carabus (Sphodristocarabus) pavesii**
Cavazzuti,1992 (Carabidae)
2830. **Carabus (Sphodristocarabus) scovitzii**
Faldermann,1835 (Carabidae)
2831. **Carabus (Sphodristocarabus)**
tokatensis Roeschke,1898 (Carabidae)
2832. **Carabus (Sphodristocarabus) varians**
Fischer von Waldheim,1827 (Carabidae)
2833. **Carabus (Tomocarabus) convexus**
Fabricius,1775 (Carabidae)
2834. **Carabus (Tomocarabus) decolor**
Fischer von Waldheim,1823 (Carabidae)
2835. **Carabus (Tomocarabus) rumelicus**
Chaudoir,1867 (Carabidae)
2836. **Carabus (Tomocarabus) scabripennis**
Chaudoir,1867 (Carabidae)
2837. **Carabus (Tomocarabus) simardianus**
Deuve,1990 (Carabidae)
2838. **Carabus intricatus** Linnaeus,1761
(Carabidae)
2839. **Carabus legrandi** Deuve,1991 (Carabidae)
2840. **Carabus marietti** Cristoforis & Jan,1837
(Carabidae)
2841. **Carabus maurus** Adams,1817 (Carabidae)
2842. **Carabus merdeniki** Cavazzuti &
Korell,1992 (Carabidae)

2843. **Carabus montivagus Palliardi,1825**
(Carabidae)
2844. **Carabus omphreodes Reitter,1898**
(Carabidae)
2845. **Carabus pisidicus Peyron,1854**
(Carabidae)
2846. **Carabus pseudodepressus Machard,1988** (Carabidae)
2847. **Carabus pumilio Kuster,1846**
(Carabidae)
2848. **Carabus puschkini Adams,1817**
(Carabidae)
2849. **Carabus roseri Faldermann,1835**
(Carabidae)
2850. **Carabus saphyrinus Cristoforis & Jan,1837** (Carabidae)
2851. **Cardiastethus fasciventris (Garbiglietti,1869)** (Anthocoridae)
2852. **Cardiastethus nazarens Reuter,1884**
(Anthocoridae)
2853. **Cardiastethus pseudococci (E.Wagner,1951)** (Anthocoridae)
2854. **Cardiocladius capucinus (Zetterstedt,1850)** (Chironomidae)
2855. **Cardiocondyla elegans Emery,1869**
(Formicidae)
2856. **Cardiophorus (s.str.) acuminatus Platia & Gundezi,2002** (Elateridae)
2857. **Cardiophorus (s.str.) aemulus Platia & Gundezi,2002** (Elateridae)
2858. **Cardiophorus (s.str.) agilis Platia & Gundezi,2002** (Elateridae)
2859. **Cardiophorus (s.str.) akbesianus (Pic,1899)** (Elateridae)
2860. **Cardiophorus (s.str.) alepensis Pic,1914**
(Elateridae)
2861. **Cardiophorus (s.str.) alienus (Szombathy,1910)** (Elateridae)
2862. **Cardiophorus (s.str.) analis Schwarz,1892** (Elateridae)
2863. **Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae)
2864. **Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae)
2865. **Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae)
2866. **Cardiophorus (s.str.) bellus Platia & Gundezi,2000** (Elateridae)
2867. **Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae)
2868. **Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae)
2869. **Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae)
2870. **Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae)
2871. **Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae)
2872. **Cardiophorus (s.str.) eliasi Pic,1904**
(Elateridae)
2873. **Cardiophorus (s.str.) fossulatus Platia & Gundezi,2002** (Elateridae)
2874. **Cardiophorus (s.str.) frequens Platia & Gundezi,2002** (Elateridae)
2875. **Cardiophorus (s.str.) gramineus (Scopoli,1763)** (Elateridae)
2876. **Cardiophorus (s.str.) hayekae Platia & Gundezi,2002** (Elateridae)
2877. **Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae)
2878. **Cardiophorus (s.str.) imitator Platia & Gundezi,2002** (Elateridae)
2879. **Cardiophorus (s.str.) impressiventris Schwarz,1900** (Elateridae)
2880. **Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae)
2881. **Cardiophorus (s.str.) kindermanni Candeze,1860** (Elateridae)
2882. **Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae)
2883. **Cardiophorus (s.str.) laevis Platia & Gundezi,2002** (Elateridae)
2884. **Cardiophorus (s.str.) lundbergi Platia & Gundezi,2000** (Elateridae)
2885. **Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae)
2886. **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae)
2887. **Cardiophorus (s.str.) mertliki (Platia & Gundezi,1999)** (Elateridae)
2888. **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae)
2889. **Cardiophorus (s.str.) neuberti Platia & Gundezi,2002** (Elateridae)
2890. **Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae)
2891. **Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae)
2892. **Cardiophorus (s.str.) parvulus Platia & Gundezi,2000** (Elateridae)
2893. **Cardiophorus (s.str.) pavesii Platia & Gundezi,2000** (Elateridae)
2894. **Cardiophorus (s.str.) picinus Platia & Gundezi,2002** (Elateridae)
2895. **Cardiophorus (s.str.) picticollis (Kraatz,1882)** (Elateridae)
2896. **Cardiophorus (s.str.) plurimus Platia & Gundezi,2002** (Elateridae)
2897. **Cardiophorus (s.str.) procerus Platia & Gundezi,2002** (Elateridae)
2898. **Cardiophorus (s.str.) proprius Platia & Gundezi,2002** (Elateridae)
2899. **Cardiophorus (s.str.) reitteri (Schwarz,1891)** (Elateridae)
2900. **Cardiophorus (s.str.) resslii Platia & Gundezi,2002** (Elateridae)
2901. **Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae)
2902. **Cardiophorus (s.str.) ruficollis (Linnaeus,1758)** (Elateridae)
2903. **Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae)
2904. **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae)
2905. **Cardiophorus (s.str.) samai Platia & Gundezi,2000** (Elateridae)
2906. **Cardiophorus (s.str.) schuberti Platia & Gundezi,2002** (Elateridae)
2907. **Cardiophorus (s.str.) schurmanni Platia & Gundezi,2002** (Elateridae)
2908. **Cardiophorus (s.str.) somcheticus Schwarz,1896** (Elateridae)
2909. **Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae)
2910. **Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae)

2911. **Cardiophorus (s.str.) syriacus** (Linnaeus,1758) (Elateridae)
 2912. **Cardiophorus (s.str.) tenellus** Reiche,1856 (Elateridae)
 2913. **Cardiophorus (s.str.) turgidus** Erichson,1840 (Elateridae)
 2914. **Cardiophorus (s.str.) uncinatus** Platia & Gudenzi,2002 (Elateridae)
 2915. **Cardiophorus (s.str.) varius** Cate, Platia & Schimmel,2002 (Elateridae)
 2916. **Cardiophorus (s.str.) vestigialis** Erichson,1840 (Elateridae)
 2917. **Cardiophorus (s.str.) winkleri** Platia & Gudenzi,2002 (Elateridae)
 2918. **Cardiophorus (s.str.) witzgalli** Platia & Gudenzi,2002 (Elateridae)
 2919. **Cardiophorus (s.str.) zeisingi** Platia,2004 (Elateridae)
 2920. **Cardopostethus annulosus** Fieber,1859 (Berytidae)
 2921. **Cardoria scutellata** (Fabricius,1792) (Cerambycidae)
 2922. **Carinatodorcadion aethiops** (Scopoli,1763) (Cerambycidae)
 2923. **Carinatodorcadion boluense** Breuning,1962 (Cerambycidae)
 2924. **Carinatodorcadion carinatum** (Pallas,1771) (Cerambycidae)
 2925. **Carinatodorcadion ingeae** (Peks,1993) (Cerambycidae)
 2926. **Carlandrea syriaca** (Pic,1891) (Cerambycidae)
 2927. **Carpocoris absinthi** Wagner,1952 (Pentatomidae)
 2928. **Carpocoris coreanus** Distant,1899 (Pentatomidae)
 2929. **Carpocoris fuscispinus** (Boheman,1851) (Pentatomidae)
 2930. **Carpocoris lunulatus** (Goeze,1778) (Pentatomidae)
 2931. **Carpocoris mediterraneus** Tamanini,1958 (Pentatomidae)
 2932. **Carpocoris melanocerus** Mulsant,1852 (Pentatomidae)
 2933. **Carpocoris pudicus** (Poda,1761) (Pentatomidae)
 2934. **Carpocoris purpureipennis** (DeGeer,1773) (Pentatomidae)
 2935. **Carpomya schieneri** (Loew,1856) (Tephritidae)
 2936. **Carulaspis juniperi** (Bouche) (Diaspididae)
 2937. **Carulaspis minima** (Signoret) (Diaspididae)
 2938. **Casinaria tenuiventris** (Gravenhorst,1829) (Ichneumonidae)
 2939. **Cassida atrata** Fabricius,1787 (Chrysomelidae)
 2940. **Cassida bella** Faldermann,1837 (Chrysomelidae)
 2941. **Cassida brevis** Weise,1834 (Chrysomelidae)
 2942. **Cassida hablitziae** Motschoulsky,1838 (Chrysomelidae)
 2943. **Cassida margaritacea** Schaller,1783 (Chrysomelidae)
 2944. **Cassida palaestina** Reiche,1858 (Chrysomelidae)
 2945. **Cassida pannonica** Suffrian,1844 (Chrysomelidae)
 2946. **Cassida prasina** Illiger,1798 (Chrysomelidae)
 2947. **Cassida rubiginosa** Müller,1776 (Chrysomelidae)
 2948. **Cassida sanguinolenta** Müller,1776 (Chrysomelidae)
 2949. **Cassida saucia** Weise,1889 (Chrysomelidae)
 2950. **Cassida seraphina** Ménériés,1836 (Chrysomelidae)
 2951. **Cassida vibex** Linnaeus,1767 (Chrysomelidae)
 2952. **Cassida viridis** Linnaeus,1758 (Chrysomelidae)
 2953. **Cataglyphis kurdistanicus** Pisarski,1965 (Formicidae)
 2954. **Cataglyphis livida** André,1881 (Formicidae)
 2955. **Cataglyphis nodus** (Brullé,1832) (Formicidae)
 2956. **Cataglyphis viaticoides** André,1881 (Formicidae)
 2957. **Cataphronetis reitteri** Seidlitz,1893 (Tenebrionidae)
 2958. **Catolaccus ater** (Ratzeburg) (Pteromalidae)
 2959. **Catomus (s.str.) consentaneus** (Küster,1851) (Tenebrionidae)
 2960. **Catomus (s.str.) frivaldszkyi** (Seidlitz,1893) (Tenebrionidae)
 2961. **Catomus (Stenomacidius) anatolicus** Kaszab,1961 (Tenebrionidae)
 2962. **Catoplatus anticus** (Reuter,1880) (Tingidae)
 2963. **Catoplatus brevicornis** Akramovskaya & Golub,1973 (Tingidae)
 2964. **Catoplatus carthusianus** (Goeze,1778) (Tingidae)
 2965. **Catoplatus citrinus** Horvath,1897 (Tingidae)
 2966. **Catoplatus crassipes** (Fieber,1861) (Tingidae)
 2967. **Catoplatus distinctus** Montandon,1895 (Tingidae)
 2968. **Catoplatus fulvicornis** (Jakovlev,1890) (Tingidae)
 2969. **Catoplatus hilaris** (Horvath,1906) (Tingidae)
 2970. **Catoplatus horvathi** (Puton,1879) (Tingidae)
 2971. **Catoplatus nigriceps** Horvath,1905 (Tingidae)
 2972. **Catopomorphus (s.str.) cappadocianus** Ruzicka,1994 (Leiodidae)
 2973. **Cea pulicaris** Walker,1837 (Pteromalidae)
 2974. **Cebrio nigricollis** Laporte,1838 (Cebriionidae)
 2975. **Celes variabilis** (Pallas,1771) (Acrididae)
 2976. **Celonites cyprius** Saussure,1854 (Vespidae)
 2977. **Celonites foveolatus** Kostylev,1935 (Vespidae)
 2978. **Celonites hamanni** Gusenleitner,1973 (Vespidae)
 2979. **Celonites pictus** Richards,1962 (Vespidae)

2980. **Celonites rothschildi** Du Buysson,1906 (Vespidae)
2981. **Celonites rugiceps** Bischoff,1928 (Vespidae)
2982. **Celonites semenovi** Kostylev,1935 (Vespidae)
2983. **Celonites spinosus** Gusenleitner,1966 (Vespidae)
2984. **Centrocoris spiniger** (Fabricius,1781) (Coreidae)
2985. **Centrocoris variegatus** Kolenati,1845 (Coreidae)
2986. **Centrocoris volxemi** (Puton,1878) (Coreidae)
2987. **Centrotus cornutus** (Linnaeus,1758) (Membracidae)
2988. **Centrotus israelensis** Linnavuori,1962 (Membracidae)
2989. **Cephalochilus draco** Giordani & Soika,1970 (Vespidae)
2990. **Cephaloncus albozonatus** (Abeille de Perrin,1883) (Melyridae)
2991. **Cephaloncus karsensis** Wittmer,1995 (Melyridae)
2992. **Cephaloncus rhinocerus** (Marseul,1868) (Melyridae)
2993. **Cephalostenus demaisonii** Reitter,1903 (Tenebrionidae)
2994. **Cephalostenus elegans** Brullé,1832 (Tenebrionidae)
2995. **Cephalostenus orbicollis Ménétris**,1836 (Tenebrionidae)
2996. **Cephalota (s.str.) turcica** (Schaum,1859) (Carabidae)
2997. **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae)
2998. **Cephalota (Taenidia) deserticola** (Faldermann,1836) (Carabidae)
2999. **Cephalota (Taenidia) eiselti** (Mandl,1967) (Carabidae)
3000. **Ceraleptus gracilicornis** (Herrich-Schäffer,1835) (Coreidae)
3001. **Ceraleptus lividus** (Stein,1858) (Coreidae)
3002. **Ceraleptus obtusus** (Brullé,1839) (Coreidae)
3003. **Ceramius bureschi** Atanassov,1938 (Vespidae)
3004. **Ceramius caucasicus** André,1884 (Vespidae)
3005. **Ceramius palaestinensis** Giordani Soika,1957 (Vespidae)
3006. **Ceraninus antalyacus** Triapitsyn,2004 (Eulophidae)
3007. **Ceraninus bozovaensis** (Doğanlar,2003) (Eulophidae)
3008. **Ceraninus hirsutus** Doğanlar & Triapitsyn,2007 (Eulophidae)
3009. **Ceraninus menes** (Walker,1839) (Eulophidae)
3010. **Ceraninus pacuvius** (Walker,1841) (Eulophidae)
3011. **Cerapheles terminatus** (Ménétris,1832) (Melyridae)
3012. **Cerapheles zoelleri** Flach,1895 (Melyridae)
3013. **Cerapterocerus mirabilis** Westwood,1833 (Encyrtidae)
3014. **Ceratanisus funebris** (Reitter,1898) (Tenebrionidae)
3015. **Ceratanisus tristis** (Faldermann,1837) (Tenebrionidae)
3016. **Cerastistes dilaticornis** (Germar,1824) (Melyridae)
3017. **Ceratitidis (s.str.) capitata** (Wiedemann,1824) (Tephritidae)
3018. **Ceratitidis (s.str.)** Mac Leay,1829 (Tephritidae)
3019. **Ceratophygadeuon anurus** (Thomson,1884) (Ichneumonidae)
3020. **Ceratopogon koniae** Kieffer,1918 (Ceratopogonidae)
3021. **Cerchysiella planiscutellum** (Mercet) (Encyrtidae)
3022. **Cerchysius subplanus** (Dalman) (Encyrtidae)
3023. **Cercinthus griseus** (Fieber,1861) (Coreidae)
3024. **Cercion lindenii** (Selys,1840) (Coenagrionidae)
3025. **Cercopis distincta** (Melichar,1896) (Cercopidae)
3026. **Cercopis intermedia** Kirschbaum,1868 (Cercopidae)
3027. **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae)
3028. **Cercopis septemmaculata** (Melichar,1903) (Cercopidae)
3029. **Cercopis vulnerata** Rossi,1807 (Cercopidae)
3030. **Cercyon haemorrhoidalis** (Fabricius,1775) (Hydrophilidae)
3031. **Cercyon marinus** Thomson,1853 (Hydrophilidae)
3032. **Cercyon putricola** Wollaston,1867 (Hydrophilidae)
3033. **Cerdistus dactylopygus** Janssens,1968 (Asilidae)
3034. **Cerdistus debilis** Becker,1923 (Asilidae)
3035. **Cerdistus denticulatus** Loew,1849 (Asilidae)
3036. **Cerdistus erythruoides** Theodor,1980 (Asilidae)
3037. **Cerdistus manii** Schiner,1867 (Asilidae)
3038. **Ceresa bubalus** (Fabricius,1794) (Membracidae)
3039. **Ceriagrion tenellum** (De Villiers,1789) (Coenagrionidae)
3040. **Cerococcus perowskiae** Archangelskaya (Cerococcidae)
3041. **Cerocoma adamovichiana** (Piller & Mitterpacher,1783) (Meloidae)
3042. **Cerocoma albopilosa** Dvorak,1993 (Meloidae)
3043. **Cerocoma bodemeyeri** Reitter,1913 (Meloidae)
3044. **Cerocoma dahli** Kraatz,1863 (Meloidae)
3045. **Cerocoma ephesica** Reitter,1885 (Meloidae)
3046. **Cerocoma festiva** Faldermann,1837 (Meloidae)
3047. **Cerocoma gloriosa** Mulsant,1857 (Meloidae)
3048. **Cerocoma kunzei** Frivaldsky,1835 (Meloidae)

3049. *Cerocoma macedonica* Maran,1944 (Meloidae)
 3050. *Cerocoma malatyensis* Kaszab,1941 (Meloidae)
 3051. *Cerocoma marginiventris* Reitter,1889 (Meloidae)
 3052. *Cerocoma muehlfeldi* Gyllenhal,1817 (Meloidae)
 3053. *Cerocoma schaefferi* (Linnaeus,1758) (Meloidae)
 3054. *Cerocoma schreberi* Fabricius,1781 (Meloidae)
 3055. *Cerocoma scovitzii* Faldermann,1837 (Meloidae)
 3056. *Cerocoma syriaca* Abeille de Perrin,1880 (Meloidae)
 3057. *Cerocoma turcica* Pardo Alcaide,1977 (Meloidae)
 3058. *Cerodontha (Butomomyza) angulata* (Loew,1869) (Agromyzidae)
 3059. *Cerodontha (Butomomyza) pseuderrans* (Hendel,1931) (Agromyzidae)
 3060. *Cerodontha (Butomomyza) scutellaris* (von Roser,1840) (Agromyzidae)
 3061. *Cerodontha (Dizygomyza) bimaculata* (Meigen,1830) (Agromyzidae)
 3062. *Cerodontha (Poemyza) imbuta* (Meigen,1838) (Agromyzidae)
 3063. *Cerodontha (Poemyza) incisa* (Meigen,1830) (Agromyzidae)
 3064. *Cerodontha (Poemyza) lateralis* (Macquart,1835) (Agromyzidae)
 3065. *Cerodontha (Poemyza) pygmaea* (Meigen,1830) (Agromyzidae)
 3066. *Cerodontha (s.str.) denticornis* (Panzer,1806) (Agromyzidae)
 3067. *Cerodontha (s.str.) fulvipes* (Meigen,1830) (Agromyzidae)
 3068. *Cerodontha (s.str.) Rondani*,1861 (Agromyzidae)
 3069. *Ceropales albicincta* (Rossi,1790) (Pompilidae)
 3070. *Ceropales bipartita* Haupt,1962 (Pompilidae)
 3071. *Ceropales bogdanovi* Radoszkowski,1877 (Pompilidae)
 3072. *Ceropales cribrata* Costa,1881 (Pompilidae)
 3073. *Ceropales helvetica* Tournier,1889 (Pompilidae)
 3074. *Ceropales maculata* (Fabricius,1775) (Pompilidae)
 3075. *Ceropales maroccana* Beaumont,1947 (Pompilidae)
 3076. *Ceropales ruficornis* Gussakovskii,1931 (Pompilidae)
 3077. *Ceropales seraxensis* Radoszkowski,1893 (Pompilidae)
 3078. *Ceropales tectigera* Moczar,1987 (Pompilidae)
 3079. *Ceropales variegata* (Fabricius,1798) (Pompilidae)
 3080. *Ceroplastes floridensis* Comstock (Coccidae)
 3081. *Ceroplastes rusci* (Linnaeus) (Coccidae)
 3082. *Ceroplastes sinensis* Del Guercio (Coccidae)
 3083. *Certallum ebulinum* (Linnaeus,1767) (Cerambycidae)
 3084. *Certallum thoracicum* Sharp,1880 (Cerambycidae)
 3085. *Cesasphegiscus debskii* (Eflattoun,1924) (Tephritidae)
 3086. *Cetonia (s.str.) aeratula* Reitter,1891 (Scarabaeidae)
 3087. *Cetonia (s.str.) asiatica* Gory & Percheron,1833 (Scarabaeidae)
 3088. *Cetonia (s.str.) aurata* (Linnaeus,1761) (Scarabaeidae)
 3089. *Cetonia (s.str.) delangrei* Boucard,1893 (Scarabaeidae)
 3090. *Cetonia (s.str.) kemali* Delpont,1995 (Scarabaeidae)
 3091. *Cetonia (s.str.) sexguttata* Olsufiev,1916 (Scarabaeidae)
 3092. *Cetonia (s.str.) viridescens* Reitter,1891 (Scarabaeidae)
 3093. *Ceutorhynchus aenescens* Schultze,1895 (Curculionidae)
 3094. *Ceutorhynchus anatolicus* Schultze,1900 (Curculionidae)
 3095. *Ceutorhynchus assimilis* (Paykull,1792) (Curculionidae)
 3096. *Ceutorhynchus coarctatus* Gyllenhal,1837 (Curculionidae)
 3097. *Ceutorhynchus difficilis* Schultze,1898 (Curculionidae)
 3098. *Ceutorhynchus erysimi* (Fabricius,1787) (Curculionidae)
 3099. *Ceutorhynchus fabrilis* Faust,1887 (Curculionidae)
 3100. *Ceutorhynchus fallax* Boheman,1845 (Curculionidae)
 3101. *Ceutorhynchus languidus* Schultze,1902 (Curculionidae)
 3102. *Ceutorhynchus nanus* Gyllenhal,1837 (Curculionidae)
 3103. *Ceutorhynchus niyazii* Hoffmann,1957 (Curculionidae)
 3104. *Ceutorhynchus pallidactylus* (Marshall,1802) (Curculionidae)
 3105. *Ceutorhynchus picitarsis* Gyllenhal,1837 (Curculionidae)
 3106. *Ceutorhynchus pulvinatus* Gyllenhal,1837 (Curculionidae)
 3107. *Ceutorhynchus rapae* Gyllenhal,1837 (Curculionidae)
 3108. *Ceutorhynchus sophiae* Gyllenhal,1837 (Curculionidae)
 3109. *Ceutorhynchus subpilosus* Brisoth,1869 (Curculionidae)
 3110. *Ceutorhynchus sulcatus* Brisoth,1869 (Curculionidae)
 3111. *Ceutorhynchus sulcicollis* (Paykull,1800) (Curculionidae)
 3112. *Ceutorhynchus turbatus* Schultze,1903 (Curculionidae)
 3113. *Chaetarthria seminulum* (Herbst,1797) (Hydrophilidae)
 3114. *Chaetocladius* Kieffer,1911 (Chironomidae)
 3115. *Chaetocladius piger* (Goetghebuer,1913) (Chironomidae)
 3116. *Chaetocladius setosipennis* (Kieffer,1913) (Chironomidae)

3117. **Chaetocnema arenacea** (Allard,1860)
(Chrysomelidae)
3118. **Chaetocnema aridula** (Gyllenhal,1827)
(Chrysomelidae)
3119. **Chaetocnema breviscula**
(Faldermann,1884) (Chrysomelidae)
3120. **Chaetocnema chlorophana**
(Duftschmid,1825) (Chrysomelidae)
3121. **Chaetocnema concinna**
(Marsham,1802) (Chrysomelidae)
3122. **Chaetocnema conducta**
(Motschoulsky,1838) (Chrysomelidae)
3123. **Chaetocnema confusa** (Boheman,1851)
(Chrysomelidae)
3124. **Chaetocnema coyei** (Allard,1863)
(Chrysomelidae)
3125. **Chaetocnema hortensis** (Geoffroy,1785)
(Chrysomelidae)
3126. **Chaetocnema laevicollis**
(Thomson,1866) (Chrysomelidae)
3127. **Chaetocnema major** (Jaquelin du
Val,1852) (Chrysomelidae)
3128. **Chaetocnema mannerheimi**
(Gyllenhal,1827) (Chrysomelidae)
3129. **Chaetocnema montenegrina**
Heikertinger,1912 (Chrysomelidae)
3130. **Chaetocnema obesa** (Boieldieu,1859)
(Chrysomelidae)
3131. **Chaetocnema orientalis**
(Bauduer,1874) (Chrysomelidae)
3132. **Chaetocnema procerula**
(Rosenhauer,1856) (Chrysomelidae)
3133. **Chaetocnema sahlbergi**
(Gyllenhal,1859) (Chrysomelidae)
3134. **Chaetocnema scheffleri**
(Kutschera,1864) (Chrysomelidae)
3135. **Chaetocnema semicoerulea**
(Koch,1803) (Chrysomelidae)
3136. **Chaetocnema tibialis** (Illiger,1807)
(Chrysomelidae)
3137. **Chaetocnema turhalus** Iyriboz,1934 (?)
(Chrysomelidae)
3138. **Chaetococcus bambusae** (Maskell)
(Pseudococcidae)
3139. **Chaetococcus phragmitis** (Marchal)
(Pseudococcidae)
3140. **Chaetomalachus aeneolus** Majer,1989
(Melyridae)
3141. **Chaetomalachus cyanellus**
(Kiesenwetter,1863) (Melyridae)
3142. **Chaetomalachus dispar** Schilsky,1896
(Melyridae)
3143. **Chaetomalachus jelineki** Majer,1989
(Melyridae)
3144. **Chaetomalachus kotschyi**
Schilsky,1896 (Melyridae)
3145. **Chaetomalachus wittmeri** Majer,1989
(Melyridae)
3146. **Chaetorellia carthami** Stackelberg,1929
(Tephritidae)
3147. **Chaetorellia loricata** (Rondani,1870)
(Tephritidae)
3148. **Chaetostomella cylindrica** (Robineau-
Desvoidy,1830) (Tephritidae)
3149. **Chaetostricha steineri** (Nowicki)
(Trichogrammatidae)
3150. **Chalcophorella stigmatica**
(Schoenherr,1817) (Buprestidae)
3151. **Chalicodoma (Pseudomegachile)**
ericetorum (Lepelletier,1841) (Megachilidae)
3152. **Chalicodoma (Pseudomegachile)**
flavipes (Spinola,1838) (Megachilidae)
3153. **Chalicodoma (s.str.) parietina**
(Geoffroy,1785) (Megachilidae)
3154. **Charitopus fulviventris** Förster
(Encyrtidae)
3155. **Charopus crassicornis** Wittmer,1975
(Melyridae)
3156. **Charopus diversipennis** Pic,1906
(Melyridae)
3157. **Charopus madidus** Kiesenwetter,1863
(Melyridae)
3158. **Charopus philoctetes** Abeille de
Perrin,1885 (Melyridae)
3159. **Charora pentagrammica** Bolivar,1899
(Acrididae)
3160. **Chartocerus novitzkyi** (Domenichini)
(Signiphoridae)
3161. **Chartocerus subaeneus** (Förster)
(Signiphoridae)
3162. **Cheiloneurus claviger** Thomson
(Encyrtidae)
3163. **Cheiloneurus paralia** (Walker)
(Encyrtidae)
3164. **Cheiloneurus quercus** Mayr,1876
(Encyrtidae)
3165. **Cheilosia aerea** Dufour,1848 (Syrphidae)
3166. **Cheilosia albitarsis** (Meigen,1822)
(Syrphidae)
3167. **Cheilosia canicularis** (Panzer,1801)
(Syrphidae)
3168. **Cheilosia illustrata** (Harris,1776)
(Syrphidae)
3169. **Cheilosia proxima** (Zetterstedt,1843)
(Syrphidae)
3170. **Cheilosia rufipes** (Preyßler,1793)
(Syrphidae)
3171. **Cheilosia scutellata** (Fallén,1817)
(Syrphidae)
3172. **Cheilosia soror** (Zetterstedt,1843)
(Syrphidae)
3173. **Cheilosia urbana** (Meigen,1822)
(Syrphidae)
3174. **Cheilosia variabilis** (Panzer,1798)
(Syrphidae)
3175. **Cheilotoma beldei** Kasap,1984
(Chrysomelidae)
3176. **Cheilotoma fulvicollis** Sahlberg,1913
(Chrysomelidae)
3177. **Cheilotoma voriseki** Medvedev &
Kantner,2003 (Chrysomelidae)
3178. **Cheilotrichia (Empeda) cinerascens**
(Meigen,1804) (Limoniidae)
3179. **Cheirodes (Anemia) sardous** Gén e,1839
(Tenebrionidae)
3180. **Cheironitis furcifer** (Rossi,1792)
(Scarabaeidae)
3181. **Cheironitis hungaricus** (Herbst,1789)
(Scarabaeidae)
3182. **Cheironitis irroratus** (Rossi,1790)
(Scarabaeidae)
3183. **Cheironitis klapperichi** Ballion,1870
(Scarabaeidae)
3184. **Cheironitis moeris** (Pallas,1781)
(Scarabaeidae)

3185. **Cheironitis pamphilus**
(Ménétriés,1849) (Scarabaeidae)
3186. **Cheirpachus quadrum** (Fabricius)
(Pteromalidae)
3187. **Cheirosis acuminata** (Ménétriés,1832)
(Tenebrionidae)
3188. **Chelidura specifica** Steinmann,1989
(Labiduridae)
3189. **Chelonus beyarslani** Aydoğdu,2008
(Braconidae)
3190. **Chelonus carbonator** Marshall,1885
(Braconidae)
3191. **Chelonus erythrogaster** Lucas,1846
(Braconidae)
3192. **Chelonus gravenhorstii** (Nees,1813)
(Braconidae)
3193. **Chelonus inanitus** (Linnaeus,1767)
(Braconidae)
3194. **Chelonus mucronatus** Thomson,1874
(Braconidae)
3195. **Chelonus obscurator** Herrich-
Schäffer,1838 (Braconidae)
3196. **Chelostoma** (Foveosmia)
campanularum (Kirby,1802) (Megachilidae)
3197. **Chelostoma** (Foveosmia) **distinctum**
(Stöckhert,1929) (Megachilidae)
3198. **Chelostoma** (Foveosmia) **foveolatum**
(Morawitz,1868) (Megachilidae)
3199. **Chelostoma** (Foveosmia) **garrulum**
(Warncke,1991) (Megachilidae)
3200. **Chelostoma** (Foveosmia) **isabellinum**
(Warncke,1991) (Megachilidae)
3201. **Chelostoma** (Foveosmia) **josefi**
Schwarz & Gusenleitner,2000 (Megachilidae)
3202. **Chelostoma** (Foveosmia) **styriacum**
Schwarz & Gusenleitner,1999 (Megachilidae)
3203. **Chelostoma** (Foveosmia) **torquillum**
Warncke,1991 (Megachilidae)
3204. **Chelostoma** (Gyrodromella)
handlirschi Schletterer,1889 (Megachilidae)
3205. **Chelostoma** (Gyrodromella) **hebraeum**
(Benoist,1935) (Megachilidae)
3206. **Chelostoma** (Gyrodromella) **nasutum**
Pérez,1895 (Megachilidae)
3207. **Chelostoma** (Gyrodromella) **orientale**
Schletterer,1890 (Megachilidae)
3208. **Chelostoma** (Gyrodromella) **proximum**
Schletterer,1889 (Megachilidae)
3209. **Chelostoma** (Gyrodromella) **rapunculi**
(Lepeletier,1841) (Megachilidae)
3210. **Chelostoma** (s.str.) **diodon**
Schletterer,1889 (Megachilidae)
3211. **Chelostoma** (s.str.) **dolosum**
(Benoist,1935) (Megachilidae)
3212. **Chelostoma** (s.str.) **emarginatum**
(Nylander,1856) (Megachilidae)
3213. **Chelostoma** (s.str.) **florisomnis**
(Linnaeus,1758) (Megachilidae)
3214. **Chelostoma** (s.str.) **lucens**
(Benoist,1928) (Megachilidae)
3215. **Chelostoma** (s.str.) **mocsaryi**
Schletterer,1889 (Megachilidae)
3216. **Chelostoma** (s.str.) **transversum**
(Friese,1897) (Megachilidae)
3217. **Chelostoma** (subgen?) **ventrale**
Schletterer,1889 (Megachilidae)
3218. **Chiasmus conspurcatus** (Perris,1857)
(Cicadellidae)
3219. **Chilaspis israeli** Sternlicht,1968
(Cynipidae)
3220. **Chilaspis mayri** (Müllner,1901)
(Cynipidae)
3221. **Chilaspis nitida** (Giraud,1859)
(Cynipidae)
3222. **Chilocorus bipustulatus**
(Linnaeus,1758) (Coccinellidae)
3223. **Chilocorus renipustulatus**
(Scriba,1790) (Coccinellidae)
3224. **Chilo thorax discedens**
(A.Schmidt,1907) (Scarabaeidae)
3225. **Chilo thorax equitis**
(W.Koshantischikov,1912) (Scarabaeidae)
3226. **Chilo thorax hieroglyphicus** (Klug,1845)
(Scarabaeidae)
3227. **Chilo thorax hucklesbyi** (Paulian,1942)
(Scarabaeidae)
3228. **Chilo thorax lineolatus** (Illiger,1803)
(Scarabaeidae)
3229. **Chilo thorax melanostictus**
(W.Schmidt,1840) (Scarabaeidae)
3230. **Chilo thorax paykulli** (Bedel,1907)
(Scarabaeidae)
3231. **Chilo thorax xanthopterus**
(Balthasar,1938) (Scarabaeidae)
3232. **Chionaspis etrusca** Leonardi
(Diaspididae)
3233. **Chionaspis salicis** (Linnaeus)
(Diaspididae)
3234. **Chionotopus humeralis** (Reiche,1857)
(Melyridae)
3235. **Chironomus anthracinus**
(Zetterstedt,1855) (Chironomidae)
3236. **Chironomus plumosus** (Linnaeus,1758)
(Chironomidae)
3237. **Chironomus thummi** Kieffer,1911
(Chironomidae)
3238. **Chironomus viridicollis** Wulp,1877
(Chironomidae)
3239. **Chirotica decorator** (Villers,1789)
(Ichneumonidae)
3240. **Chirotica orientalis** Horstmann,1983
(Ichneumonidae)
3241. **Chirotica ruficeps** Horstmann,1983
(Ichneumonidae)
3242. **Chirotica terebrator** Horstmann,1983
(Ichneumonidae)
3243. **Chitona cretica** Fairmaire,1863
(Oedemeridae)
3244. **Chitona fucata** (Faldermann,1837)
(Oedemeridae)
3245. **Chitona incana** (W.Schmidt,1846)
(Oedemeridae)
3246. **Chlaenius** (Chlaeniellus) **differens**
Peyron,1858 (Carabidae)
3247. **Chlaenius** (Chlaeniellus) **kindermanni**
Chaudoir,1856 (Carabidae)
3248. **Chlaenius** (Chlaeniellus) **nigricornis**
(Fabricius,1787) (Carabidae)
3249. **Chlaenius** (Chlaeniellus) **nitidulus**
(Schrank,1781) (Carabidae)
3250. **Chlaenius** (Chlaeniellus) **tristis**
(Schaller,1783) (Carabidae)
3251. **Chlaenius** (Chlaeniellus) **vestitus**
(Paykull,1790) (Carabidae)
3252. **Chlaenius** (Chlaenites) **spoliatus**
(P.Rossi,1792) (Carabidae)

3253. **Chlaenius aeneocephalus** Dejean,1826
(Carabidae)
3254. **Chlaenius circumscriptus**
Duftschmid,1812 (Carabidae)
3255. **Chlaenius cruralis** Fischer von
Waldheim,1829 (Carabidae)
3256. **Chlaenius decipiens** L.Dufour,1820
(Carabidae)
3257. **Chlaenius festivus** (Panzer,1796)
(Carabidae)
3258. **Chlaenius viridis** Ménériés,1832
(Carabidae)
3259. **Chlidaspis asiatica** (Archangelskaya)
(Diaspididae)
3260. **Chloriona canariensis** Lindberg,1954
(Delphacidae)
3261. **Chloriona clavata** Dlabola,1960
(Delphacidae)
3262. **Chloriona flaveola** Lindberg,1948
(Delphacidae)
3263. **Chloriona ponticana** Asche,1982
(Delphacidae)
3264. **Chloriona sicula** Matsumura,1910
(Delphacidae)
3265. **Chloriona unicolor** (Herrich-
Schäffer,1835) (Delphacidae)
3266. **Chlorita brevispina** Linnavuori,1965
(Cicadellidae)
3267. **Chlorita eremophila** Linnavuori,1962
(Cicadellidae)
3268. **Chlorita moganica** (Dlabola,1957)
(Cicadellidae)
3269. **Chlorita osmanica** Dlabola,1971
(Cicadellidae)
3270. **Chlorita paolii** (Ossiannilsson,1939)
(Cicadellidae)
3271. **Chlorita tessellata** Lethierry,1884
(Cicadellidae)
3272. **Chlorita uvaroviana** Zachvatkin,1946
(Cicadellidae)
3273. **Chlorita vana** Dlabola,1971 (Cicadellidae)
3274. **Chlorocythus diversus** (Walker)
(Pteromalidae)
3275. **Chlorocythus phalaridis** Graham
(Pteromalidae)
3276. **Chlorocythus ultonicus** Graham
(Pteromalidae)
3277. **Chlorodynerus ypsilon** (Kostylev,1929)
(Vespidae)
3278. **Chloromyia speciosa** (Macquart,1834)
(Stratiomyidae)
3279. **Chloroperla zhiltzovae** Zwick,1967
(Chloroperlidae)
3280. **Chlorophorus adeli** Holzschuh,1974
(Cerambycidae)
3281. **Chlorophorus aegyptiacus**
(Fabricius,1775) (Cerambycidae)
3282. **Chlorophorus dinae** Rapuzzi &
Sama,1999 (Cerambycidae)
3283. **Chlorophorus dominici** Sama,1996
(Cerambycidae)
3284. **Chlorophorus figuratus** (Scopoli,1763)
(Cerambycidae)
3285. **Chlorophorus gratiosus** Marseul,1868
(Cerambycidae)
3286. **Chlorophorus nivipictus** Kraatz,1879
(Cerambycidae)
3287. **Chlorophorus sartor** (O.F.Müller,1766)
(Cerambycidae)
3288. **Chlorophorus trifasciatus**
(Fabricius,1781) (Cerambycidae)
3289. **Chlorophorus varius** (O.F.Müller,1766)
(Cerambycidae)
3290. **Chlorops persicus** Duda,1933
(Chloropidae)
3291. **Chlorops syriacus** Becker,1910
(Chloropidae)
3292. **Chloropsalta smaragdula** Haupt,1920
(Cicadidae)
3293. **Choerades fimbriata** (Meigen,1820)
(Asilidae)
3294. **Choerades fuliginosa** (Panzer,1798)
(Asilidae)
3295. **Choerades gilva** (Linnaeus,1758)
(Asilidae)
3296. **Choerades loewi** Lehr,1991 (Asilidae)
3297. **Choerades marginata** (Linnaeus,1758)
(Asilidae)
3298. **Choerades ursula** (Loew,1851) (Asilidae)
3299. **Choeras dorsalis** (Spinola,1808)
(Braconidae)
3300. **Chonostropheus tristis**
(Fabricius,1794) (Attelabidae)
3301. **Choragus sheppardi** Kirby,1818
(Anthribidae)
3302. **Choragus vittatus** Reitter,1885
(Anthribidae)
3303. **Choreia maculata** (Hoffer) (Encyrtidae)
3304. **Chorisops tibialis** (Meigen,1820)
(Stratiomyidae)
3305. **Chorosoma schillingi** Schummel,1829
(Rhopalidae)
3306. **Chorthippus (Chorthippus) brauneri**
Znojko,1928 (Acrididae)
3307. **Chorthippus (Chorthippus) dorsatus**
(Zetterstedt,1821) (Acrididae)
3308. **Chorthippus (Chorthippus) parallelus**
(Zetterstedt,1821) (Acrididae)
3309. **Chorthippus (Glyptobothrus)**
apricarius (Linnaeus,1758) (Acrididae)
3310. **Chorthippus (Glyptobothrus)**
biguttulus (Linnaeus,1758) (Acrididae)
3311. **Chorthippus (Glyptobothrus) binotatus**
(Charpentier,1825) (Acrididae)
3312. **Chorthippus (Glyptobothrus) bozdaghi**
Uvarov,1934 (Acrididae)
3313. **Chorthippus (Glyptobothrus) brunneus**
(Thunberg,1815) (Acrididae)
3314. **Chorthippus (Glyptobothrus)**
helverseni Mol,2003 (Acrididae)
3315. **Chorthippus (Glyptobothrus) ilkazi**
Uvarov,1934 (Acrididae)
3316. **Chorthippus (Glyptobothrus)**
kazdaghensis Mol & Çiplak,2005 (Acrididae)
3317. **Chorthippus (Glyptobothrus) labaumei**
Ramme,1926 (Acrididae)
3318. **Chorthippus (Glyptobothrus)**
longicornis (Latreille,1804) (Acrididae)
3319. **Chorthippus (Glyptobothrus)**
macrocerus (Fischer von Waldheim,1846)
(Acrididae)
3320. **Chorthippus (Glyptobothrus) mollis**
(Charpentier,1825) (Acrididae)
3321. **Chorthippus (Glyptobothrus) satunini**
Mistshenko,1951 (Acrididae)

3322. **Chorthippus (Glyptobothrus) taurensis**
Sirin & Cıplak,2005 (Acrididae)
3323. **Chorthippus (Glyptobothrus) vagans**
(Eversmann,1848) (Acrididae)
3324. **Chorthippus (s.str.) albomarginatus**
(De Geer,1773) (Acrididae)
3325. **Chorthippus (s.str.) dichrous**
(Eversmann,1859) (Acrididae)
3326. **Chorthippus (s.str.) loratus (Fischer**
von Waldheim,1846) (Acrididae)
3327. **Chorthippus (Stauroderus) scalaris**
(Fischer von Waldheim,1846) (Acrididae)
3328. **Chortinaspis subterranea (Lindinger)**
(Diaspididae)
3329. **Chovela (s.str.) fencli Ruzicka,1993**
(Leiodidae)
3330. **Chromatomyia ciliata (Hendel,1935)**
(Agromyzidae)
3331. **Chromatomyia fuscula**
(Zetterstedt,1838) (Agromyzidae)
3332. **Chromatomyia horticola**
(Goureau,1851) (Agromyzidae)
3333. **Chromatomyia luzulae**
(M.Hering,1924) (Agromyzidae)
3334. **Chromatomyia miliü (Kaltenbach,1864)**
(Agromyzidae)
3335. **Chromatomyia nigra (Meigen,1830)**
(Agromyzidae)
3336. **Chromatomyia scolopendri (Robineau-**
Desvoidy,1851) (Agromyzidae)
3337. **Chromatomyia succisae**
(M.Hering,1922) (Agromyzidae)
3338. **Chromoderus fasciatus**
(O.F.Müller,1776) (Curculionidae)
3339. **Chromovalgus peyroni (Mulsant &**
Wachanru,1852) (Scarabaeidae)
3340. **Chrysanthia chalcochroa**
Fairmaire,1892 (Oedemeridae)
3341. **Chrysanthia distinctithorax Pic,1904**
(Oedemeridae)
3342. **Chrysanthia flavipes Reitter,1889**
(Oedemeridae)
3343. **Chrysanthia varipes Kiesenwetter,1861**
(Oedemeridae)
3344. **Chrysobothris affinis (Fabricius,1794)**
(Buprestidae)
3345. **Chrysobothris chrysostigma**
(Linnaeus,1758) (Buprestidae)
3346. **Chrysobothris solieri Laporte &**
Gory,1837 (Buprestidae)
3347. **Chrysocharis amanus (Walker)**
(Eulophidae)
3348. **Chrysocharis debussyi Hansson**
(Eulophidae)
3349. **Chrysocharis gemma (Walker)**
(Eulophidae)
3350. **Chrysocharis idyia (Walker)**
(Eulophidae)
3351. **Chrysocharis laomedon (Walker)**
(Eulophidae)
3352. **Chrysocharis latifossa Hansson**
(Eulophidae)
3353. **Chrysocharis liriomyzae Delucchi**
(Eulophidae)
3354. **Chrysocharis mediana Förster**
(Eulophidae)
3355. **Chrysocharis nephereus (Walker,1839)**
(Eulophidae)
3356. **Chrysocharis pentheus (Walker)**
(Eulophidae)
3357. **Chrysocharis phryne (Walker)**
(Eulophidae)
3358. **Chrysocharis polyzo (Walker)**
(Eulophidae)
3359. **Chrysocharis pubicornis (Zetterstedt)**
(Eulophidae)
3360. **Chrysogaster chalybeata Meigen,1822**
(Syrphidae)
3361. **Chrysogaster coemeteriorum**
(Linnaeus,1758) (Syrphidae)
3362. **Chrysogaster tumescens (Loew,1854)**
(Syrphidae)
3363. **Chrysolampus thenae (Walker)**
(Perilampidae)
3364. **Chrysolina adzharica Lopatin,1988**
(Chrysomelidae)
3365. **Chrysolina aeneipennis (Reiche,1858)**
(Chrysomelidae)
3366. **Chrysolina amasiensis (Weise,1894)**
(Chrysomelidae)
3367. **Chrysolina americana (Linnaeus,1758)**
(Chrysomelidae)
3368. **Chrysolina anatolica (Dahlgren,1984)**
(Chrysomelidae)
3369. **Chrysolina anceyi (Marseul,1868)**
(Chrysomelidae)
3370. **Chrysolina armeniaca**
(Faldermann,1837) (Chrysomelidae)
3371. **Chrysolina bodemeyeri (Weise,1910)**
(Chrysomelidae)
3372. **Chrysolina brunneli (Demaission,1896)**
(Chrysomelidae)
3373. **Chrysolina cerealis (Linnaeus,1767)**
(Chrysomelidae)
3374. **Chrysolina chalcites (Germar,1824)**
(Chrysomelidae)
3375. **Chrysolina coeruleans (Scriba,1791)**
(Chrysomelidae)
3376. **Chrysolina compuncta (Weise,1898)**
(Chrysomelidae)
3377. **Chrysolina cuprina (Duftschmid,1825)**
(Chrysomelidae)
3378. **Chrysolina didymata (Scriba,1791)**
(Chrysomelidae)
3379. **Chrysolina dohrnii (Fairmaire,1865)**
(Chrysomelidae)
3380. **Chrysolina fastuosa (Scopoli,1763)**
(Chrysomelidae)
3381. **Chrysolina geminata (Paykull,1799)**
(Chrysomelidae)
3382. **Chrysolina graminis (Linnaeus,1758)**
(Chrysomelidae)
3383. **Chrysolina gypsophilae (Küster,1845)**
(Chrysomelidae)
3384. **Chrysolina haemoptera**
(Linnaeus,1758) (Chrysomelidae)
3385. **Chrysolina halysa Bechyne,1950**
(Chrysomelidae)
3386. **Chrysolina herbacea**
(Duftschmidt,1825) (Chrysomelidae)
3387. **Chrysolina hyperici (Forster,1771)**
(Chrysomelidae)
3388. **Chrysolina hyrcana (Weise,1884)**
(Chrysomelidae)
3389. **Chrysolina imperfecta (Breit,1920)**
(Chrysomelidae)

3390. **Chrysolina kataevi Lopatin,2000**
(Chrysolmelidae)
3391. **Chrysolina kulzeri Bechyne,1950**
(Chrysolmelidae)
3392. **Chrysolina limbata (Fabricius,1775)**
(Chrysolmelidae)
3393. **Chrysolina lurida (Linnaeus,1767)**
(Chrysolmelidae)
3394. **Chrysolina marginata (Linnaeus,1758)**
(Chrysolmelidae)
3395. **Chrysolina orientalis (Olivier,1807)**
(Chrysolmelidae)
3396. **Chrysolina palmyrensis Bechyne,1955**
(Chrysolmelidae)
3397. **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysolmelidae)
3398. **Chrysolina planicollis (Breit,1919)**
(Chrysolmelidae)
3399. **Chrysolina polita (Linnaeus,1758)**
(Chrysolmelidae)
3400. **Chrysolina reitteri (Weise,1884)**
(Chrysolmelidae)
3401. **Chrysolina ruffoi (Dacchordi,1971)**
(Chrysolmelidae)
3402. **Chrysolina sahlbergi (Ménétriés,1832)**
(Chrysolmelidae)
3403. **Chrysolina salviae (Germar,1824)**
(Chrysolmelidae)
3404. **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysolmelidae)
3405. **Chrysolina sellata (Weise,1894)**
(Chrysolmelidae)
3406. **Chrysolina staphylea (Linnaeus,1758)**
(Chrysolmelidae)
3407. **Chrysolina trapezicollis Bechyné,1952**
(Chrysolmelidae)
3408. **Chrysolina turca (Fairmaire,1865)**
(Chrysolmelidae)
3409. **Chrysolina varians (Schaller,1783)**
(Chrysolmelidae)
3410. **Chrysolina vernalis (Brullé,1836)**
(Chrysolmelidae)
3411. **Chrysolina wittmeri Medvedev,1975**
(Chrysolmelidae)
3412. **Chrysomalla roseri Förster**
(Perilampidae)
3413. **Chrysomalla stigmatica Boucek**
(Perilampidae)
3414. **Chrysomalla turcica Boucek**
(Perilampidae)
3415. **Chrysomela collaris Linnaeus,1758**
(Chrysolmelidae)
3416. **Chrysomela populi Linnaeus,1758**
(Chrysolmelidae)
3417. **Chrysomela saliceti (Weise,1884)**
(Chrysolmelidae)
3418. **Chrysomela tremulae Fabricius,1787**
(Chrysolmelidae)
3419. **Chrysomela vigintipunctata (Scopoli,1763)** (Chrysolmelidae)
3420. **Chrysomphalus aonidium (Linnaeus)**
(Diaspididae)
3421. **Chrysomphalus dictyospermi (Morgan)**
(Diaspididae)
3422. **Chrysomphalus pinnulifer (Maskell)**
(Diaspididae)
3423. **Chrysopa astarte Hölzel,1967**
(Chrysopidae)
3424. **Chrysopa curdica Hölzel,1967**
(Chrysopidae)
3425. **Chrysopa dorsalis Burmeister,1839**
(Chrysopidae)
3426. **Chrysopa dubitans McLachan,1887**
(Chrysopidae)
3427. **Chrysopa formosa Brauer,1850**
(Chrysopidae)
3428. **Chrysopa hungarica Klapalek,1899**
(Chrysopidae)
3429. **Chrysopa nigricostata Brauer,1850**
(Chrysopidae)
3430. **Chrysopa perla (Linnaeus,1758)**
(Chrysopidae)
3431. **Chrysopa septempunctata Wesmael,1841** (Chrysopidae)
3432. **Chrysopa viridana Schneider,1845**
(Chrysopidae)
3433. **Chrysopa walkeri McLachan,1893**
(Chrysopidae)
3434. **Chrysopilus pallipes (Loew,1869)**
(Rhagionidae)
3435. **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae)
3436. **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae)
3437. **Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae)
3438. **Chrysops (s.str.) caecutiens (Linnaeus,1761)** (Tabanidae)
3439. **Chrysops (s.str.) flavipes Meigen,1804**
(Tabanidae)
3440. **Chrysops (s.str.) italicus Meigen,1804**
(Tabanidae)
3441. **Chrysops (s.str.) relictus Meigen,1820**
(Tabanidae)
3442. **Chrysops (s.str.) sejunctus Szilady,1917**
(Tabanidae)
3443. **Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae)
3444. **Chrysotoxum festivum (Linnaeus,1758)**
(Syrphidae)
3445. **Chrysotoxum intermedium Meigen,1822** (Syrphidae)
3446. **Chrysotoxum parmense Rondani,1845**
(Syrphidae)
3447. **Chrysotus albibarbus Loew,1857**
(Dolichopodidae)
3448. **Chrysotus alpicola Strobl,1893**
(Dolichopodidae)
3449. **Chrysotus angulicornis Kowarz,1874**
(Dolichopodidae)
3450. **Chrysotus cilipes Meigen,1824**
(Dolichopodidae)
3451. **Chrysotus obscuripes Zetterstedt,1838**
(Dolichopodidae)
3452. **Chrysotus pennatus Lichtwardt,1902**
(Dolichopodidae)
3453. **Chrysotus suavis Loew,1857**
(Dolichopodidae)
3454. **Chunrocerus balcanicus (Horvath,1903)** (Cicadellidae)
3455. **Cicada lodosi Boulard,1979** (Cicadidae)
3456. **Cicada mordoganensis Boulard,1979**
(Cicadidae)
3457. **Cicada orni Linnaeus,1758** (Cicadidae)
3458. **Cicada permagna (Haupt,1917)**
(Cicadidae)

3459. **Cicadatra abdominalis**
Schumacher,1923 (Cicadidae)
3460. **Cicadatra adanai Kartal,1980** (Cicadidae)
3461. **Cicadatra atra (Oliver,1790)** (Cicadidae)
3462. **Cicadatra flava (Dlabola,1970)**
(Cicadidae)
3463. **Cicadatra flavicollis Horvath,1911**
(Cicadidae)
3464. **Cicadatra hagenica Dlabola,1987**
(Cicadidae)
3465. **Cicadatra hyalina (Fabricius,1798)**
(Cicadidae)
3466. **Cicadatra kermanica Dlabola,1970**
(Cicadidae)
3467. **Cicadatra longipennis**
Schumacher,1923 (Cicadidae)
3468. **Cicadatra persica Kirkaldy,1909**
(Cicadidae)
3469. **Cicadatra plagifera Schumacher,1923**
(Cicadidae)
3470. **Cicadatra platyptera Fieber,1876**
(Cicadidae)
3471. **Cicadatra querula (Pallas,1773)**
(Cicadidae)
3472. **Cicadatra ramanensis Linnavuori,1962**
(Cicadidae)
3473. **Cicadatra tenebrosa Fieber,1876**
(Cicadidae)
3474. **Cicadatra vulcania Dlabola &
Heller,1962** (Cicadidae)
3475. **Cicadatra zahedanica Dlabola,1970**
(Cicadidae)
3476. **Cicadella spectra (Distant,1908)**
(Cicadellidae)
3477. **Cicadella viridis (Linnaeus,1758)**
(Cicadellidae)
3478. **Cicadetta dimissa (Hagen,1856)**
(Cicadidae)
3479. **Cicadetta flaveola (Brullé,1832)**
(Cicadidae)
3480. **Cicadetta fraseri (China,1938)**
(Cicadidae)
3481. **Cicadetta hageni Fieber,1872** (Cicadidae)
3482. **Cicadetta mediterranea Fieber,1876**
(Cicadidae)
3483. **Cicadetta montana (Scopoli,1772)**
(Cicadidae)
3484. **Cicadetta musiva (Germar,1830)**
(Cicadidae)
3485. **Cicadetta parvula Fieber,1876**
(Cicadidae)
3486. **Cicadetta pilosa Horvath,1901**
(Cicadidae)
3487. **Cicadetta sibilatrix Horvath,1901**
(Cicadidae)
3488. **Cicadetta tumidifrons Horvath,1911**
(Cicadidae)
3489. **Cicadetta turcica (Schedl,2001)**
(Cicadidae)
3490. **Cicadivetta tibialis (Panzer,1798)**
(Cicadidae)
3491. **Cicadula divaricata Ribaut,1952**
(Cicadellidae)
3492. **Cicadula flori (Sahlberg,1871)**
(Cicadellidae)
3493. **Cicadula lineatopunctata**
(Matsumura,1908) (Cicadellidae)
3494. **Cicadula mesasiatica (Dubovsky,1966)**
(Cicadellidae)
3495. **Cicadula placida (Horvath,1897)**
(Cicadellidae)
3496. **Cicadula quadrinotata (Fabricius,1794)**
(Cicadellidae)
3497. **Cicadulella pallida (Haupt,1927)**
(Cicadellidae)
3498. **Cicadulina bipunctata (Melichar,1904)**
(Cicadellidae)
3499. **Cicadulina zae China,1926** (Cicadellidae)
3500. **Cicindela asiatica Audouin &
Brullé,1839** (Carabidae)
3501. **Cicindela campestris Linnaeus,1758**
(Carabidae)
3502. **Cicindela desertorum Dejean,1825**
(Carabidae)
3503. **Cicindela herbacea Klug,1832**
(Carabidae)
3504. **Cicindela sylvatica Linnaeus,1758**
(Carabidae)
3505. **Cicindela turkestanicoides**
W.Horn,1938 (Carabidae)
3506. **Cidnopus crassipes (Schwarz,1900)**
(Elateridae)
3507. **Cidnopus pilosus (Leske,1785)**
(Elateridae)
3508. **Cidnopus schurmanni Platia &
Gudenzi,1998** (Elateridae)
3509. **Cidnopus turcicus Platia,2004**
(Elateridae)
3510. **Cimbex quadrimaculatus**
(O.F.Müller,1766) (Cimbicidae)
3511. **Cimex lectularius Linnaeus,1758**
(Cimicidae)
3512. **Cionus caucasicus Reitter,1888**
(Curculionidae)
3513. **Cionus distinctus Desbrochers,1869**
(Curculionidae)
3514. **Cionus donckieri Pic,1898**
(Curculionidae)
3515. **Cionus hortulanus (Geoffroy,1785)**
(Curculionidae)
3516. **Cionus merkli Stierlich,1867**
(Curculionidae)
3517. **Cionus olens (Fabricius,1792)**
(Curculionidae)
3518. **Cionus olivieri Rosenschöld,1838**
(Curculionidae)
3519. **Cionus ponticus Bialooki,2006**
(Curculionidae)
3520. **Cionus pulverosus Gyllenhal,1838**
(Curculionidae)
3521. **Cionus schultzei Reitter,1904**
(Curculionidae)
3522. **Cionus thapsus (Fabricius,1792)**
(Curculionidae)
3523. **Cionus tuberculosus (Scopoli,1763)**
(Curculionidae)
3524. **Cionus unguatus Germar,1821**
(Curculionidae)
3525. **Cionus wanati Bialooki,2006**
(Curculionidae)
3526. **Cionus wittei Kiesenwetter,1851**
(Curculionidae)
3527. **Circulifer haematoceps (Mulsant &
Rey,1855)** (Cicadellidae)

3528. **Cirrospilus lyncus** Walker,1838
(Eulophidae)
3529. **Cirrospilus staryi** Boucek,1959
(Eulophidae)
3530. **Cirrospilus variegatus** (Masi,1907)
(Eulophidae)
3531. **Cirrospilus vittatus** Walker,1838
(Eulophidae)
3532. **Cixidia marginicollis** (Spinola,1839)
(Achilidae)
3533. **Cixidia mersinica** (Dlabola,1987)
(Achilidae)
3534. **Cixidia parnassia** (Stal,1859) (Achilidae)
3535. **Cixidia pilatoi** D'Urso &
Guglielmino,1995 (Achilidae)
3536. **Cixius distinguendus** Kirschbaum,1868
(Cixiidae)
3537. **Cixius pallipes** Fieber,1876 (Cixiidae)
3538. **Cixius persicus** Distant,1907 (Cixiidae)
3539. **Cixius remotus** Edwards,1888 (Cixiidae)
3540. **Cixius simplex** (Herrich-Schäffer,1835)
(Cixiidae)
3541. **Cladotanytarsus mancus** (Walker,1856)
(Chironomidae)
3542. **Clanoptilus (Hypoptilus) assimilis**
(Baudi di Selve,1873) (Melyridae)
3543. **Clanoptilus (Hypoptilus) erythroptilus**
(Erichson,1840) (Melyridae)
3544. **Clanoptilus (s.str.) affinis**
(Ménétriés,1832) (Melyridae)
3545. **Clanoptilus (s.str.) amanicola** (Abeille
de Perrin,1900) (Melyridae)
3546. **Clanoptilus (s.str.) ambiguus**
(Peyron,1877) (Melyridae)
3547. **Clanoptilus (s.str.) anatolicus**
(Wittmer,1986) (Melyridae)
3548. **Clanoptilus (s.str.) colasi**
(Wittmer,1967) (Melyridae)
3549. **Clanoptilus (s.str.) danieli** (Abeille de
Perrin,1893) (Melyridae)
3550. **Clanoptilus (s.str.) durandi**
(Pardo,1970) (Melyridae)
3551. **Clanoptilus (s.str.) elegans**
(Olivier,1790) (Melyridae)
3552. **Clanoptilus (s.str.) flabellicornis**
(Solsky,1880) (Melyridae)
3553. **Clanoptilus (s.str.) geniculatus**
(Germar,1824) (Melyridae)
3554. **Clanoptilus (s.str.) heliophilus**
(Peyron,1877) (Melyridae)
3555. **Clanoptilus (s.str.) malatyensis**
Wittmer,1988 (Melyridae)
3556. **Clanoptilus (s.str.) marginellus**
(Olivier,1790) (Melyridae)
3557. **Clanoptilus (s.str.) pherecles**
(Reitter,1898) (Melyridae)
3558. **Clanoptilus (s.str.) piceoterminalis**
(Pic,1911) (Melyridae)
3559. **Clanoptilus (s.str.) politus**
Wittmer,1988 (Melyridae)
3560. **Clanoptilus (s.str.) spinipennis**
(Erichson,1840) (Melyridae)
3561. **Clanoptilus (s.str.) strangulatus**
(Abeille de Perrin,1885) (Melyridae)
3562. **Clanoptilus (s.str.) viridanus**
(Mulsant,1852) (Melyridae)
3563. **Clanoptilus maculiventris**
(Chevrolat,1864) (Melyridae)
3564. **Claviger caspicus** Reitter,1882
(Staphylinidae)
3565. **Claviger ciscaucasicus** Reitter,1910
(Staphylinidae)
3566. **Claviger colchicus** Motschoulsky,1837
(Staphylinidae)
3567. **Claviger katharinae** Escherich,1897
(Staphylinidae)
3568. **Claviger lederi** Reitter,1877
(Staphylinidae)
3569. **Claviger merkli** Reitter,1885
(Staphylinidae)
3570. **Claviger olympicus** Escherich,1897
(Staphylinidae)
3571. **Claviger ottomanus** Escherich,1897
(Staphylinidae)
3572. **Claviger testaceus** Preysslner,1790
(Staphylinidae)
3573. **Cleigastra apicalis** (Meigen,1826)
(Scathophagidae)
3574. **Cleonis piger** (Scopoli,1763)
(Curculionidae)
3575. **Cleptes anatolensis** Moczar,2001
(Chrysididae)
3576. **Cleptes ignitus** (Fabricius,1787)
(Chrysididae)
3577. **Cleptes jordanicus** Linsenmeier,1968
(Chrysididae)
3578. **Cleptes nitidulus** (Fabricius,1793)
(Chrysididae)
3579. **Cleptes pallipes** Lapeletier,1806
(Chrysididae)
3580. **Cleptes putoni** Buysson,1886
(Chrysididae)
3581. **Cleptes semiauratus** (Linnaeus,1761)
(Chrysididae)
3582. **Cleptes turceyanus** Linsenmeier,1968
(Chrysididae)
3583. **Clerus mutillaeformis** Reitter,1895
(Cleridae)
3584. **Clerus mutillaroides** Reitter,1893
(Cleridae)
3585. **Clinodiplosis botularia**
(Winnertz,1853) (Cecidomyiidae)
3586. **Clinotanypus nervosus** (Meigen,1804)
(Chironomidae)
3587. **Clitobius ovatus** (Erichson,1843)
(Tenebrionidae)
3588. **Closterocerus arvensis** (Graham,1963)
(Eulophidae)
3589. **Closterocerus chlorogaster**
(Erdös,1966) (Eulophidae)
3590. **Closterocerus cuprifrons** (Erdös,1954)
(Eulophidae)
3591. **Closterocerus formosus**
Westwood,1833 (Eulophidae)
3592. **Closterocerus lyonetae** (Ferrière,1952)
(Eulophidae)
3593. **Clypeocampulum tibiale** Gauld,1976
(Ichneumonidae)
3594. **Clytra aliena** Weise,1897 (Chrysomelidae)
3595. **Clytra appendicina** Lacordaire,1848
(Chrysomelidae)
3596. **Clytra atraphaxidis** (Pallas,1773)
(Chrysomelidae)
3597. **Clytra binominata** Monros,1953
(Chrysomelidae)

3598. **Clytra bodemeyeri** Weise,1900
(Chrysomelidae)
3599. **Clytra cingulata** Weise,1898
(Chrysomelidae)
3600. **Clytra laeviuscula** (Ratzeburg,1837)
(Chrysomelidae)
3601. **Clytra nigrocincta** (Lacordaire,1848)
(Chrysomelidae)
3602. **Clytra novempunctata** Olivier,1808
(Chrysomelidae)
3603. **Clytra ovata** (Lacordaire,1848)
(Chrysomelidae)
3604. **Clytra quadripunctata** (Linnaeus,1758)
(Chrysomelidae)
3605. **Clytra valeriana** Ménétríés,1832
(Chrysomelidae)
3606. **Clytus arietis** (Linnaeus,1758)
(Cerambycidae)
3607. **Clytus arietis lederi** Ganglbauer,1881
(Cerambycidae)
3608. **Clytus ciliciensis** Chevrolat,1863
(Cerambycidae)
3609. **Clytus gulekanus** Pic,1904
(Cerambycidae)
3610. **Clytus kabateki** Sama,1997
(Cerambycidae)
3611. **Clytus kumalariensis** Johanides,2001
(Cerambycidae)
3612. **Clytus rhamnii** Germar,1817
(Cerambycidae)
3613. **Clytus schneideri** Kiesenwetter,1879
(Cerambycidae)
3614. **Clytus taurusiensis** (Pic,1903)
(Cerambycidae)
3615. **Cnemeplatia atropos** Costa,1847
(Tenebrionidae)
3616. **Coccidohystrix artemisiae**
(Kiritschenko,1937) (Pseudococcidae)
3617. **Coccinella** (Neococcinella)
undecimpunctata (Linnaeus,1758)
(Coccinellidae)
3618. **Coccinella** (s.str.) **distincta** Falderman
(Coccinellidae)
3619. **Coccinella** (s.str.) **septempunctata**
Linnaeus,1758 (Coccinellidae)
3620. **Coccinula quatuordecimpustulata**
(Linnaeus,1758) (Coccinellidae)
3621. **Coccinula sinuatomarginata**
(Faldermann,1837) (Coccinellidae)
3622. **Coccobius testaceus** (Masi,1909)
(Aphelinidae)
3623. **Coccophagoides moeris** (Walker,1839)
(Aphelinidae)
3624. **Coccophagus aterrimus** Vikberg,1966
(Aphelinidae)
3625. **Coccophagus differens** Yasnosh,1966
(Aphelinidae)
3626. **Coccophagus insidiator** (Dalman,1826)
(Aphelinidae)
3627. **Coccophagus kvavadze** Japoshvili &
Karaca,2002 (Aphelinidae)
3628. **Coccophagus lycimnia** (Walker,1839)
(Aphelinidae)
3629. **Coccophagus palaeolecanii**
Yasnosh,1957 (Aphelinidae)
3630. **Coccophagus piceae** Erdös,1956
(Aphelinidae)
3631. **Coccophagus proximus** Yasnosh,1956
(Aphelinidae)
3632. **Coccophagus scutellaris** (Dalman,1826)
(Aphelinidae)
3633. **Coccophagus spartanus** Japoshvili &
Karaca,2002 (Aphelinidae)
3634. **Coccus hesperidum** Linnaeus (Coccidae)
3635. **Coccus pseudomagnoliarum** (Kuwana)
(Coccidae)
3636. **Codophila varia** (Fabricius,1787)
(Pentatomidae)
3637. **Coelioxys** (**Allocoelioxys**) **afra**
Lepeletier,1841 (Megachilidae)
3638. **Coelioxys** (s.str.) **aurolimbat**
Förster,1853 (Megachilidae)
3639. **Coelopencyrtus callidii** (Jansson)
(Encyrtidae)
3640. **Coelopisthia caledonica** Askew
(Pteromalidae)
3641. **Coelosia fusca** Bezzi,1892
(Mycetophilidae)
3642. **Coelostoma orbiculare** (Fabricius,1775)
(Hydrophilidae)
3643. **Coelostoma transcasicum**
Reitter,1906 (Hydrophilidae)
3644. **Coenagrion hastulatum**
(Charpentier,1825) (Coenagrionidae)
3645. **Coenagrion lunulatum**
(Charpentier,1840) (Coenagrionidae)
3646. **Coenagrion ornatum** (Selys,1850)
(Coenagrionidae)
3647. **Coenagrion persicum** Lohmann,1993
(Coenagrionidae)
3648. **Coenagrion ponticum** (Bartenev,1929)
(Coenagrionidae)
3649. **Coenagrion puellum** (Linnaeus,1758)
(Coenagrionidae)
3650. **Coenagrion pulchellum** (Van Der
Linden,1825) (Coenagrionidae)
3651. **Coenagrion scitulum** (Rambur,1842)
(Coenagrionidae)
3652. **Coenagrion syriacum** (Morton,1924)
(Coenagrionidae)
3653. **Coenagrion vanbrinkae** Lohmann,1993
(Coenagrionidae)
3654. **Coenorrhinus aeneovirens**
(Marsham,1802) (Attelabidae)
3655. **Coenorrhinus aequatus**
(Linnaeus,1767) (Attelabidae)
3656. **Coenorrhinus cribripennis**
Desbrochers,1869 (Attelabidae)
3657. **Coenorrhinus cribrum**
(Desbrochers,1875) (Attelabidae)
3658. **Coenorrhinus germanicus**
(Herbst,1797) (Attelabidae)
3659. **Coenorrhinus pauxillus** (Germar,1824)
(Attelabidae)
3660. **Coenosia agromyzina** (Fallén,1825)
(Muscidae)
3661. **Coenosia nigridigita** Rondani,1866
(Muscidae)
3662. **Coenosia testacea** (Robineau-
Desvoidy,1830) (Muscidae)
3663. **Coenosia tigrina** (Fabricius,1775)
(Muscidae)
3664. **Colaphus apicalis** (Ménétriés,1849)
(Chrysomelidae)

3665. **Colaphus hoefti** (Ménétriés,1832)
(Chrysomelidae)
3666. **Colaphus sophiae** (Schaller,1783)
(Chrysomelidae)
3667. **Colladonus torneellus**
(Zetterstedt,1828) (Cicadellidae)
3668. **Colletes alfredjohni** Kuhlmann,2002
(Colletidae)
3669. **Colletes anatolicus** Noskiewicz,1959
(Colletidae)
3670. **Colletes ankaræ** Warncke,1978
(Colletidae)
3671. **Colletes arztbergi** Kuhlmann,2003
(Colletidae)
3672. **Colletes asiaticus** Kuhlmann,1999
(Colletidae)
3673. **Colletes cunicularius** (Linnaeus,1761)
(Colletidae)
3674. **Colletes edentulus** Noskiewicz,1936
(Colletidae)
3675. **Colletes glaber** Warncke,1978
(Colletidae)
3676. **Colletes hakkari** Kuhlmann,2002
(Colletidae)
3677. **Colletes hethiticus** Warncke,1978
(Colletidae)
3678. **Colletes hiekesenior** Kuhlmann,2003
(Colletidae)
3679. **Colletes iranicus** Noskiewicz,1962
(Colletidae)
3680. **Colletes judaicus** Noskiewicz,1955
(Colletidae)
3681. **Colletes ottomanus** Noskiewicz,1958
(Colletidae)
3682. **Colletes persicus** Warncke,1979
(Colletidae)
3683. **Colletes rozeni** Kuhlmann,2005
(Colletidae)
3684. **Colletes rubellus** Noskiewicz,1936
(Colletidae)
3685. **Colletes transitorius** Noskiewicz,1936
(Colletidae)
3686. **Colletes warncke** Kuhlmann,2002
(Colletidae)
3687. **Collyria coxator** (Villers,1789)
(Ichneumonidae)
3688. **Colobaea punctata** (Lundbeck,1923)
(Sciomyzidae)
3689. **Colobopterus erraticus** (Linnaeus,1758)
(Scarabaeidae)
3690. **Colotes cinctus** Motschoulsky,1853
(Melyridae)
3691. **Colotes flavicinctus** Marseul,1868
(Melyridae)
3692. **Colotes iranicus** Wittmer,1981
(Melyridae)
3693. **Colotes maculatus** (Castelnau du
Laporte,1836) (Melyridae)
3694. **Colotes obsoletus** Erichson,1840
(Melyridae)
3695. **Colotes punctatus** (Erichson,1840)
(Melyridae)
3696. **Colotes scutellaris** Pic,1919 (Melyridae)
3697. **Colotrechnus viridis** (Masi)
(Pteromalidae)
3698. **Colpa (s.str.) sexmaculata**
(Fabricius,1782) (Scoliidae)
3699. **Colpa interrupta** (Fabricius,1781)
(Scoliidae)
3700. **Colpa klugii** (Van der Linden,1827)
(Scoliidae)
3701. **Colpa quinquecincta** (Fabricius,1775)
(Scoliidae)
3702. **Colpoclypeus florus** (Walker,1839)
(Eulophidae)
3703. **Colpotrichia triclitor** (Aubert,1979)
(Ichneumonidae)
3704. **Colpotus byzantinicus** (Waltl,1838)
(Tenebrionidae)
3705. **Colpotus dentatus** Grimm &
Schawaller,2000 (Tenebrionidae)
3706. **Colpotus lassallei** Ferrer & Soldati,1999
(Tenebrionidae)
3707. **Colpotus punctipleuris** Reitter,1904
(Tenebrionidae)
3708. **Colpotus reitteri** Zürcher,1911
(Tenebrionidae)
3709. **Colpotus sulcatus** Ménétriés,1838
(Tenebrionidae)
3710. **Colpotus vogti** Koch,1944 (Tenebrionidae)
3711. **Colymbetes fuscus** (Linnaeus,1758)
(Dytiscidae)
3712. **Comperiella bifasciata** Howard
(Encyrtidae)
3713. **Compsilura concinnata** (Meigen,1824)
(Tachinidae)
3714. **Concavifer bolkarensis** Kartal,1981
(Cicadellidae)
3715. **Concavifer marmoratus** Dlabola,1960
(Cicadellidae)
3716. **Conchapelopia sp.** (Chironomidae)
3717. **Coniatus repandus** (Fabricius,1792)
(Curculionidae)
3718. **Coniatus tamarisci** (Fabricius,1787)
(Curculionidae)
3719. **Coniocleonus excoriatus**
(Schoenherr,1834) (Curculionidae)
3720. **Coniocleonus nigrosuturatus**
(Goeze,1777) (Curculionidae)
3721. **Coniopteryx (Xeroconiopteryx) ressl**
Rausch & H.Aspöck,1978 (Coniopterygidae)
3722. **Coniopteryx (Xeroconiopteryx)**
venustula Rausch & H.Aspöck,1978
(Coniopterygidae)
3723. **Coniopteryx (Xeroconiopteryx?) orba**
Rausch & H.Aspöck,1978 (Coniopterygidae)
3724. **Coniosternum mihalyii** Sifner,1975
(Scathophagidae)
3725. **Coniosternum moceki** Sifner,2004
(Scathophagidae)
3726. **Conocephalus (Anisoptera) concolor**
(Burmeister,1838) (Tettigoniidae)
3727. **Conocephalus (Anisoptera) dorsalis**
(Latreille,1804) (Tettigoniidae)
3728. **Conocephalus (Anisoptera) fuscus**
(Fabricius,1793) (Tettigoniidae)
3729. **Conocephalus (s.str.) conocephalus**
(Linnaeus,1767) (Tettigoniidae)
3730. **Conocephalus (s.str.) hastatus**
(Charpentier,1825) (Tettigoniidae)
3731. **Conocephalus (s.str.) kisi** Harz,1967
(Tettigoniidae)
3732. **Conogaster pruinosa** (Meigen,1824)
(Tachinidae)

3733. **Conomelus anceps** (Germar,1821)
(Delphacidae)
3734. **Conomelus odryssius** Dlabola,1965
(Delphacidae)
3735. **Conomorium patulum** (Walker)
(Pteromalidae)
3736. **Conomorium ptyocampae** Graham
(Pteromalidae)
3737. **Conophorus aktashi** Hasbenli, Koç &
Zaitzev,1998 (Bombyliidae)
3738. **Conophorus anatolicus** Zaitzev,1981
(Bombyliidae)
3739. **Conophorus asiaticus** Paramonov,1929
(Bombyliidae)
3740. **Conophorus bivittatus** (Loew,1862)
(Bombyliidae)
3741. **Conophorus glaucescens** (Loew,1863)
(Bombyliidae)
3742. **Conophorus gracilis** Dils & Özbek,2006
(Bombyliidae)
3743. **Conophorus nobilis** (Loew,1873)
(Bombyliidae)
3744. **Conophorus rossicus** Paramonov,1929
(Bombyliidae)
3745. **Conophorus simplex** Loew,1869
(Bombyliidae)
3746. **Conophorus syriacus** Paramonov,1929
(Bombyliidae)
3747. **Conophorus virescens** (Fabricius,1787)
(Bombyliidae)
3748. **Conops flavicaudus** (Bigot,1880)
(Conopidae)
3749. **Conops flavifrons** Meigen,1824
(Conopidae)
3750. **Conops flavipes** Linnaeus,1758
(Conopidae)
3751. **Conops insignis** Loew,1848 (Conopidae)
3752. **Conops quadrifasciatus** De Geer,1776
(Conopidae)
3753. **Conops silaceus** Wiedemann,1824
(Conopidae)
3754. **Conops tomentosus** Kröber,1916
(Conopidae)
3755. **Conops vesicularis** Linnaeus,1761
(Conopidae)
3756. **Conorhynchus nigrivittis** (Pallas,1781)
(Curculionidae)
3757. **Conosanus obsoletus**
(Kirschbaum,1858) (Cicadellidae)
3758. **Conosimus oshanini** Puton,1890
(Issidae)
3759. **Contarinia citri** Barnes,1944
(Cecidomyiidae)
3760. **Contarinia coryli** (Kaltenbach,1859)
(Cecidomyiidae)
3761. **Contarinia nasturtii** (Kieffer,1888)
(Cecidomyiidae)
3762. **Contarinia populi** (Rübsaamen,1917)
(Cecidomyiidae)
3763. **Contarinia pyrivora** (Riley,1886)
(Cecidomyiidae)
3764. **Contigaspis zillae** (Hall) (Diaspididae)
3765. **Copidosoma agrotis** (Fonscolombe)
(Encyrtidae)
3766. **Copidosoma aithya** (Walker)
(Encyrtidae)
3767. **Copidosoma boucheanum** Ratzeburg
(Encyrtidae)
3768. **Copidosoma breviclava** Hoffer
(Encyrtidae)
3769. **Copidosoma floridanum** (Ashmead)
(Encyrtidae)
3770. **Copidosoma hispanicum** (Mercet)
(Encyrtidae)
3771. **Copidosoma primulum** (Mercet)
(Encyrtidae)
3772. **Copidosoma truncatellum** (Dalman)
(Encyrtidae)
3773. **Copidosoma varicome** (Nees)
(Encyrtidae)
3774. **Copium adumbratum** (Horvath,1891)
(Tingidae)
3775. **Copium clavicorne** (Linnaeus,1758)
(Tingidae)
3776. **Copium teucarii** (Host,1788) (Tingidae)
3777. **Coppa huldaensis** (Linnavuori,1962)
(Dictyopharidae)
3778. **Copris felschei** Reitter,1893
(Scarabaeidae)
3779. **Copris hispanus** (Linnaeus,1764)
(Scarabaeidae)
3780. **Coptocephala crassipes** Lefevre,1876
(Chrysomelidae)
3781. **Coptocephala furthi** Medvedev,1992
(Chrysomelidae)
3782. **Coptocephala gebleri** Gebler,1841
(Chrysomelidae)
3783. **Coptocephala jaechi**
Warchalowski,1991 (Chrysomelidae)
3784. **Coptocephala judaea** Medvedev,1992
(Chrysomelidae)
3785. **Coptocephala rubicunda**
(Laicharting,1781) (Chrysomelidae)
3786. **Coptocephala simillima**
Lodewyckx,1995 (Chrysomelidae)
3787. **Coptosia bithynensis** Pic,1900
(Cerambycidae)
3788. **Coptosia ganglbaueri** (Pic,1951)
(Cerambycidae)
3789. **Coptosia sancta** Sama,2001
(Cerambycidae)
3790. **Coptosoma scutellatum** (Geoffroy,1785)
(Plataspidae)
3791. **Coraeus elatus** (Fabricius,1787)
(Buprestidae)
3792. **Coraeus rubi** (Linnaeus,1767)
(Buprestidae)
3793. **Cordicantharis iliaca** (Marseul,1864)
(Cantharidae)
3794. **Cordicantharis similis** Svihla,1999
(Cantharidae)
3795. **Cordicantharis wittmeri** Svihla,1999
(Cantharidae)
3796. **Cordulegaster bidentata** Selys,1843
(Cordulegasteridae)
3797. **Cordulegaster insignis** Schneider,1845
(Cordulegasteridae)
3798. **Cordulegaster picta** Selys,1854
(Cordulegasteridae)
3799. **Cordulia aenea** (Linnaeus,1758)
(Corduliidae)
3800. **Cordyla brevicornis** (Staeger,1840)
(Mycetophilidae)
3801. **Cordyla fusca** Meigen,1804
(Mycetophilidae)

3802. **Cordylepherus koenigi** (Abeille de Perrin,1900) (Melyridae)
3803. **Coremacera amoena** (Loew,1853) (Sciomyzidae)
3804. **Coremacera catenata** (Loew,1847) (Sciomyzidae)
3805. **Coremacera marginata** (Fabricius,1781) (Sciomyzidae)
3806. **Coremacera obscuripennis** (Loew,1845) (Sciomyzidae)
3807. **Coremacera trivittata** (Loew,1860) (Sciomyzidae)
3808. **Coreus marginatus** (Linnaeus,1758) (Coreidae)
3809. **Coriomeris affinis** (Herrich-Schäffer,1839) (Coreidae)
3810. **Coriomeris alpinus** (Horvath,1895) (Coreidae)
3811. **Coriomeris denticulatus** (Scopoli,1763) (Coreidae)
3812. **Coriomeris hirticornis** (Fabricius,1794) (Coreidae)
3813. **Coriomeris pallidus** (Reuter,1900) (Coreidae)
3814. **Coriomeris scabricornis** (Panzer,1809) (Coreidae)
3815. **Coriomeris spinolai** (Costa,1847) (Coreidae)
3816. **Coriomeris subglaber** Horvath,1917 (Coreidae)
3817. **Coriomeris vitticornis** Reuter,1900 (Coreidae)
3818. **Corixa affinis** Leach,1818 (Corixidae)
3819. **Corixa dentipes** Thomson,1869 (Corixidae)
3820. **Corixa jakowleffi** Horvath,1879 (Corixidae)
3821. **Corixa panzeri** (Fieber,1848) (Corixidae)
3822. **Corixa punctata** (Illiger,1807) (Corixidae)
3823. **Corizus brevicornis** Horvath,1917 (Rhopalidae)
3824. **Corizus fenestella** Horvath,1917 (Rhopalidae)
3825. **Corizus hyosecyami** (Linnaeus,1758) (Rhopalidae)
3826. **Corynis caucasica** (Mocsary,1886) (Cimbicidae)
3827. **Corynis concinna** (Stein,1876) (Cimbicidae)
3828. **Corynis frontina** (Konow,1905) (Cimbicidae)
3829. **Corynis haematica** Benson,1968 (Cimbicidae)
3830. **Corynis italica** (Lepelletier,1823) (Cimbicidae)
3831. **Corynis krueperi** (Stein,1876) (Cimbicidae)
3832. **Corynis lateralis** (Brullé,1832) (Cimbicidae)
3833. **Corynis obscura** (Fabricius,1775) (Cimbicidae)
3834. **Corynis orientalis** (Konow,1898) (Cimbicidae)
3835. **Corynis reticulata** Benson,1954 (Cimbicidae)
3836. **Corynis similis** (Mocsary,1880) (Cimbicidae)
3837. **Corynoneura scutellata** Thienemann,1944 (Chironomidae)
3838. **Corynoneura validicornis** Kieffer,1911 (Chironomidae)
3839. **Coryphiodes anatolicum** (Fagel,1971) (Staphylinidae)
3840. **Coryphium turcicum** Zerche,1993 (Staphylinidae)
3841. **Coryphium uludaghense** Fagel,1971 (Staphylinidae)
3842. **Corythucha arcuata** (Say,1832) (Tingidae)
3843. **Cosmoconus elongator** (Fabricius,1775) (Ichneumonidae)
3844. **Cossyphus tauricus** Steven,1882 (Tenebrionidae)
3845. **Cotesia ancilla** (Nixon,1974) (Braconidae)
3846. **Cotesia brevicollis** (Wesmael,1837) (Braconidae)
3847. **Cotesia calodetta** (Nixon,1974) (Braconidae)
3848. **Cotesia cupresus** (Lylé,1925) (Braconidae)
3849. **Cotesia geryonis** (Marshall,1885) (Braconidae)
3850. **Cotesia glabratus** (Telenga,1955) (Braconidae)
3851. **Cotesia hypantriae** (Riley,1887) (Braconidae)
3852. **Cotesia jucunda** (Marshall,1885) (Braconidae)
3853. **Cotesia kazak** (Telenga,1949) (Braconidae)
3854. **Cotesia kurdjumovi** (Telenga,1955) (Braconidae)
3855. **Cotesia lineola** (Curtis,1830) (Braconidae)
3856. **Cotesia melanoscela** (Ratzeburg,1844) (Braconidae)
3857. **Cotesia memnon** (Nixon,1974) (Braconidae)
3858. **Cotesia numen** (Nixon,1974) (Braconidae)
3859. **Cotesia orestes** (Nixon,1974) (Braconidae)
3860. **Cotesia pappi** İnanç,2002 (Braconidae)
3861. **Cotesia ruficrus** (Haliday,1834) (Braconidae)
3862. **Cotesia saltatoria** (Balevski,1980) (Braconidae)
3863. **Cotesia setebis** (Nixon,1974) (Braconidae)
3864. **Cotesia telengai** (Tobias,1972) (Braconidae)
3865. **Cotesia tenebrosa** (Papp,1976) (Braconidae)
3866. **Cotesia tetricus** (Reinhard,1880) (Braconidae)
3867. **Cotesia tibialis** (Curtis,1830) (Braconidae)
3868. **Cotesia vanessae** (Reinhard,1880) (Braconidae)
3869. **Cotesia villanus** Reinhard,1880 (Braconidae)
3870. **Cotihersiarches dirus** (Wesmael,1853) (Ichneumonidae)
3871. **Cowperia areolata** (Walker) (Encyrtidae)

3872. **Cranocapsus turcicus** Kiyak,1990
(Miridae)
3873. **Craspedolepta malachitica** (Dahlbom)
(Psyllidae)
3874. **Craspedolepta nebulosa**
(Zetterstedt,1828) (Psyllidae)
3875. **Craspedolepta pontica** (Dobreanu &
Manolache) (Psyllidae)
3876. **Crastina myricariae** Loginova (Psyllidae)
3877. **Crataepus marbis** (Walker,1839)
(Eulophidae)
3878. **Cratichneumon coruscator**
(Linnaeus,1758) (Ichneumonidae)
3879. **Cratichneumon fabricator**
(Fabricius,1793) (Ichneumonidae)
3880. **Cratichneumon viator** (Scopoli,1763)
(Ichneumonidae)
3881. **Craticulina tabaniformis**
(Fabricius,1805) (Sarcophagidae)
3882. **Creightonella (Metamegachile)**
albisecta (Klug,1817) (Megachilidae)
3883. **Cremastus crassicornis** Thomson,1880
(Ichneumonidae)
3884. **Cremastus tristator** Aubert,1970
(Ichneumonidae)
3885. **Crematogaster laestrygon** Emery,1869
(Formicidae)
3886. **Crematogaster scutellaris** (Olivier,1791)
(Formicidae)
3887. **Crematogaster sordidula**
(Nylander,1849) (Formicidae)
3888. **Creoleon lugdunensis** (Villers,1789)
(Myrmeleonidae)
3889. **Crepidodera aurata** (Marsham,1802)
(Chrysomelidae)
3890. **Crepidodera aurea** (Geoffroy,1785)
(Chrysomelidae)
3891. **Crepidodera fulvicornis**
(Fabricius,1792) (Chrysomelidae)
3892. **Crepidodera lamina** (Bedel,1901)
(Chrysomelidae)
3893. **Crepidodera nitidula** (Linnaeus,1758)
(Chrysomelidae)
3894. **Crepidodera plutus** (Latreille,1804)
(Chrysomelidae)
3895. **Cricotopus annulator**
Goetghebuer,1927 (Chironomidae)
3896. **Cricotopus bicinctus** (Meigen,1818)
(Chironomidae)
3897. **Cricotopus flavocinctus** (Kieffer,1924)
(Chironomidae)
3898. **Cricotopus fuscus** (Kieffer,1909)
(Chironomidae)
3899. **Cricotopus sylvestris** (Fabricius,1794)
(Chironomidae)
3900. **Cricotopus triannulatus**
(Macquart,1826) (Chironomidae)
3901. **Cricotopus tricinctus** (Meigen,1828)
(Chironomidae)
3902. **Cricotopus vieriensis**
Goetghebuer,1935 (Chironomidae)
3903. **Crobilocerus engeli** Geller-Grimm &
Hradski,1999 (Asilidae)
3904. **Crobilocerus megilliformis**
(Loew,1847) (Asilidae)
3905. **Crobilocerus spinosus** Theodor,1980
(Asilidae)
3906. **Croce schmidti** (Navas,1927)
(Nemopteridae)
3907. **Croce zarudnyi Alexandrov-**
Martynov,1930 (Nemopteridae)
3908. **Crocothemis erythraea** (Brullé,1832)
(Libellulidae)
3909. **Crocothemis servilia** (Drury,1770)
(Libellulidae)
3910. **Cryphaeus cornutus** Fischer von
Waldheim,1823 (Tenebrionidae)
3911. **Crypticus (Platycrypticus) castaneus**
Baudi,1876 (Tenebrionidae)
3912. **Crypticus (s.str.) gibbulus**
(Quensel,1806) (Tenebrionidae)
3913. **Crypticus (s.str.) pentheri** Reitter,1906
(Tenebrionidae)
3914. **Crypticus (s.str.) pettersoni** Ferrer &
Soldati,1999 (Tenebrionidae)
3915. **Crypticus (s.str.) quisquilius**
(Linnaeus,1761) (Tenebrionidae)
3916. **Crypticus (s.str.) tauri** Pic,1907
(Tenebrionidae)
3917. **Cryptobium chaudiroiri** Hochhuth,1851
(Staphylinidae)
3918. **Cryptobium fracticorne** (Paykull,1800)
(Staphylinidae)
3919. **Cryptobium iranoturkestanicum**
Scheerpeltz,1956 (Staphylinidae)
3920. **Cryptocephalus amasiensis** Weise,1894
(Chrysomelidae)
3921. **Cryptocephalus angorensis** Pic,1908
(Chrysomelidae)
3922. **Cryptocephalus araxidis** Weise,1898
(Chrysomelidae)
3923. **Cryptocephalus augustalisi** Pic,1913
(Chrysomelidae)
3924. **Cryptocephalus aureolus** Suffrian,1847
(Chrysomelidae)
3925. **Cryptocephalus ayvazi** Gök &
Sassi,2002 (Chrysomelidae)
3926. **Cryptocephalus bicolor**
Eschscholtz,1818 (Chrysomelidae)
3927. **Cryptocephalus bidorsalis**
Marseul,1875 (Chrysomelidae)
3928. **Cryptocephalus biguttatus**
(Scopoli,1763) (Chrysomelidae)
3929. **Cryptocephalus biledjekensis** Pic,1909
(Chrysomelidae)
3930. **Cryptocephalus bipunctatus**
(Linnaeus,1758) (Chrysomelidae)
3931. **Cryptocephalus concolor** Suffrian,1847
(Chrysomelidae)
3932. **Cryptocephalus connexus** Olivier,1808
(Chrysomelidae)
3933. **Cryptocephalus curda** Jacobson,1897
(Chrysomelidae)
3934. **Cryptocephalus dahdah** Marseul,1869
(Chrysomelidae)
3935. **Cryptocephalus dinae** Lopatin &
Chikatunov,2000 (Chrysomelidae)
3936. **Cryptocephalus elegantulus**
Gravenhorst,1807 (Chrysomelidae)
3937. **Cryptocephalus flavipes** Fabricius,1781
(Chrysomelidae)
3938. **Cryptocephalus fulvus** (Goeze,1777)
(Chrysomelidae)
3939. **Cryptocephalus hypochoeridis**
(Linnaeus,1758) (Chrysomelidae)

3940. **Cryptocephalus imperialis**
Laicharting,1781 (Chrysomelidae)
3941. **Cryptocephalus janthinus** Germar,1824
(Chrysomelidae)
3942. **Cryptocephalus labiatus**
(Linnaeus,1761) (Chrysomelidae)
3943. **Cryptocephalus moehringi** Weise,1884
(Chrysomelidae)
3944. **Cryptocephalus moraei**
(Linnaeus,1758) (Chrysomelidae)
3945. **Cryptocephalus ocellatus** Drapiez,1819
(Chrysomelidae)
3946. **Cryptocephalus octacasmus** Bedel,1891
(Chrysomelidae)
3947. **Cryptocephalus octomaculatus**
Rossi,1790 (Chrysomelidae)
3948. **Cryptocephalus paphlagonius** Sassi &
Kismali,2000 (Chrysomelidae)
3949. **Cryptocephalus parvulus** Müller,1776
(Chrysomelidae)
3950. **Cryptocephalus populi** Suffrian,1848
(Chrysomelidae)
3951. **Cryptocephalus prusias** Suffrian,1853
(Chrysomelidae)
3952. **Cryptocephalus pygmaeus**
Fabricius,1792 (Chrysomelidae)
3953. **Cryptocephalus sultani** Pic,1920
(Chrysomelidae)
3954. **Cryptocephalus trimaculatus**
(Rossi,1790) (Chrysomelidae)
3955. **Cryptocephalus tshorumae**
Tomov,1984 (Chrysomelidae)
3956. **Cryptocephalus turcicus** Suffrian,1847
(Chrysomelidae)
3957. **Cryptocephalus variceps** Weise,1884
(Chrysomelidae)
3958. **Cryptocheilus albosignatus**
Sustera,1924 (Pompilidae)
3959. **Cryptocheilus alternatus**
(Lepeletier,1845) (Pompilidae)
3960. **Cryptocheilus bequaerti** Sustera,1924
(Pompilidae)
3961. **Cryptocheilus confinis** Haupt,1926
(Pompilidae)
3962. **Cryptocheilus discolor** (Fabricius,1793)
(Pompilidae)
3963. **Cryptocheilus egregius**
(Lepeletier,1845) (Pompilidae)
3964. **Cryptocheilus elegans** (Spinola,1806)
(Pompilidae)
3965. **Cryptocheilus exiguus** Sustera,1924
(Pompilidae)
3966. **Cryptocheilus fabricii** (Van der
Linden,1827) (Pompilidae)
3967. **Cryptocheilus fischeri** (Spinola,1855)
(Pompilidae)
3968. **Cryptocheilus freygessneri** (Kohl,1883)
(Pompilidae)
3969. **Cryptocheilus gazella** Haupt,1962
(Pompilidae)
3970. **Cryptocheilus guttulatus** (Costa,1887)
(Pompilidae)
3971. **Cryptocheilus hebraeus** Sustera,1924
(Pompilidae)
3972. **Cryptocheilus ichneumonoides**
(Costa,1874) (Pompilidae)
3973. **Cryptocheilus infumatus** (Palma,1869)
(Pompilidae)
3974. **Cryptocheilus manchurianus**
Yasumatsu,1935 (Pompilidae)
3975. **Cryptocheilus nigroferrugineus**
(Sustera,1924) (Pompilidae)
3976. **Cryptocheilus notatus** (Rossi,1792)
(Pompilidae)
3977. **Cryptocheilus octomaculatus**
(Rossi,1790) (Pompilidae)
3978. **Cryptocheilus postscutellabus**
Wolf,1998 (Pompilidae)
3979. **Cryptocheilus propodeonitens**
Wolf,1998 (Pompilidae)
3980. **Cryptocheilus pseudonotatus**
Sustera,1913 (Pompilidae)
3981. **Cryptocheilus richardsi** Moczar,1953
(Pompilidae)
3982. **Cryptocheilus rubellus**
(Eversmann,1846) (Pompilidae)
3983. **Cryptocheilus rufatus** Priesner,1967
(Pompilidae)
3984. **Cryptocheilus stygium** Priesner,1967
(Pompilidae)
3985. **Cryptocheilus susterae** (Haupt,1930)
(Pompilidae)
3986. **Cryptocheilus tredecimmaculatus**
Haupt,1962 (Pompilidae)
3987. **Cryptocheilus variabilis** (Rossi,1790)
(Pompilidae)
3988. **Cryptocheilus variipennis** Sustera,1924
(Pompilidae)
3989. **Cryptocheilus versicolor** (Scopoli,1763)
(Pompilidae)
3990. **Cryptochironomus defectus**
Kieffer,1921 (Chironomidae)
3991. **Cryptocladopelma laccophila**
(Kieffer,1922) (Chironomidae)
3992. **Cryptococcus fagisuga** Lindinger
(Eriococcidae)
3993. **Cryptolaemus montrouzieri**
Mulsant,1853 (Coccinellidae)
3994. **Cryptopimpla caligata**
(Gravenhorst,1829) (Ichneumonidae)
3995. **Cryptopristus salviae** Zerova,2008
(Torymidae)
3996. **Cryptotendipes holsatus** Lenz,1941
(Chironomidae)
3997. **Cryptotrogus niveus** (Hampe,1852)
(Scarabaeidae)
3998. **Cryptotrogus weisei** Kraatz,1888
(Scarabaeidae)
3999. **Cryptus armator** Fabricius,1804
(Ichneumonidae)
4000. **Cryptus diana** Gravenhorst,1829
(Ichneumonidae)
4001. **Cryptus leucocheir** (Ratzeburg,1844)
(Ichneumonidae)
4002. **Cryptus minor** Gravenhorst,1829
(Ichneumonidae)
4003. **Cryptus spinosus** Gravenhorst,1829
(Ichneumonidae)
4004. **Cryptus spiralis** (Geoffroy,1785)
(Ichneumonidae)
4005. **Cryptus subspinosus** Burgst,1913
(Ichneumonidae)
4006. **Cryptus tuberculatus** Gravenhorst,1829
(Ichneumonidae)
4007. **Cryptus viduatorius** Fabricius,1804
(Ichneumonidae)

4008. **Cryptoptyx latipes (Rondani)**
(Pteromalidae)
4009. **Cryptoptyx robustus (Masi)** (Pteromalidae)
4010. **Ctenagenia ozbeki Wahis,2002**
(Pompilidae)
4011. **Ctenagenia vespiformis (Klug,1834)**
(Pompilidae)
4012. **Ctenicera pectinicornis**
(Linnaeus,1758) (Elateridae)
4013. **Ctenophora (s.str.) guttata Meigen,1818**
(Tipulidae)
4014. **Ctenopus sp.** (Meloidae)
4015. **Ctenota coerulea (Becker,1913)**
(Asilidae)
4016. **Ctenota molitrix Loew,1873** (Asilidae)
4017. **Ctenotilla caeca (Radoszkowski,1879)**
(Mutillidae)
4018. **Ctesias syriaca Ganglbauer,1904**
(Dermestidae)
4019. **Cueta beieri Hölzel,1969**
(Myrmeleonidae)
4020. **Cueta beieri Hölzel,1969**
(Myrmeleonidae)
4021. **Cueta kasyi Hölzel,1969** (Myrmeleonidae)
4022. **Cueta lineosa (Rambur,1842)**
(Myrmeleonidae)
4023. **Cueta lineosus (Rambur,1842)**
(Myrmeleonidae)
4024. **Cueta luteola Hölzel,1972**
(Myrmeleonidae)
4025. **Cueta modesta Hölzel,1972**
(Myrmeleonidae)
4026. **Cueta pallens (Klug,1834)**
(Myrmeleonidae)
4027. **Cueta parvula Hölzel,1968**
(Myrmeleonidae)
4028. **Cueta striata Kimmins,1943**
(Myrmeleonidae)
4029. **Culicoides achrayi Kettle & Lawson,1955** (Ceratopogonidae)
4030. **Culicoides agathensis Callot, Kremer & Rioux,1963** (Ceratopogonidae)
4031. **Culicoides albonotatus Kieffer,1918**
(Ceratopogonidae)
4032. **Culicoides azerbajdzhanicus Dzhafarov,1962** (Ceratopogonidae)
4033. **Culicoides badooshensis Khalaf,1961**
(Ceratopogonidae)
4034. **Culicoides baghdadensis Khalaf,1957**
(Ceratopogonidae)
4035. **Culicoides begueti Clastrier,1957**
(Ceratopogonidae)
4036. **Culicoides biarcuatus Vimmer,1932**
(Ceratopogonidae)
4037. **Culicoides bipunctatus Vimmer,1932**
(Ceratopogonidae)
4038. **Culicoides bodenheimeri Vimmer,1932**
(Ceratopogonidae)
4039. **Culicoides brunnicans Edwards,1939**
(Ceratopogonidae)
4040. **Culicoides bulbostylus Khalaf,1961**
(Ceratopogonidae)
4041. **Culicoides cataneii Clastrier,1957**
(Ceratopogonidae)
4042. **Culicoides circumscriptus Kieffer,1918**
(Ceratopogonidae)
4043. **Culicoides cubitalis Edwards,1939**
(Ceratopogonidae)
4044. **Culicoides derisor Callot & Kremer,1965** (Ceratopogonidae)
4045. **Culicoides distinctipennis Austen,1912**
(Ceratopogonidae)
4046. **Culicoides dzhafarovi Remm,1967**
(Ceratopogonidae)
4047. **Culicoides faghihi Navai,1971**
(Ceratopogonidae)
4048. **Culicoides fagineus Edwards,1939**
(Ceratopogonidae)
4049. **Culicoides fascipennis (Staeger,1839)**
(Ceratopogonidae)
4050. **Culicoides festivipennis Kieffer,1914**
(Ceratopogonidae)
4051. **Culicoides flavipulcaris Dzhafarov,1964** (Ceratopogonidae)
4052. **Culicoides flavitarsis Vimmer,1932**
(Ceratopogonidae)
4053. **Culicoides gejjelensis Dzhafarov,1964**
(Ceratopogonidae)
4054. **Culicoides griseovittatus Vimmer,1932**
(Ceratopogonidae)
4055. **Culicoides haranti Rioux, Descous & Pech,1959** (Ceratopogonidae)
4056. **Culicoides imicola Kieffer,1913**
(Ceratopogonidae)
4057. **Culicoides indistinctus Khalaf,1961**
(Ceratopogonidae)
4058. **Culicoides iranicus Navai,1971**
(Ceratopogonidae)
4059. **Culicoides iraqensis Khalaf,1957**
(Ceratopogonidae)
4060. **Culicoides judaeae Macfie,1933**
(Ceratopogonidae)
4061. **Culicoides jumineri Callot & Kremer,1969** (Ceratopogonidae)
4062. **Culicoides kasimi Khalaf,1961**
(Ceratopogonidae)
4063. **Culicoides kibunensis Tokunaga,1937**
(Ceratopogonidae)
4064. **Culicoides lailae Khalaf,1961**
(Ceratopogonidae)
4065. **Culicoides langeroni Kieffer,1921**
(Ceratopogonidae)
4066. **Culicoides longipennis Khalaf,1957**
(Ceratopogonidae)
4067. **Culicoides luteosignatus Vimmer,1932**
(Ceratopogonidae)
4068. **Culicoides maritimus Kieffer,1924**
(Ceratopogonidae)
4069. **Culicoides mesghalii Navai,1973**
(Ceratopogonidae)
4070. **Culicoides mesopotamiensis Patton,1920** (Ceratopogonidae)
4071. **Culicoides micromaculatus Vimmer,1932** (Ceratopogonidae)
4072. **Culicoides micromaculithorax Khalaf,1957** (Ceratopogonidae)
4073. **Culicoides montanus Shakirzjanova,1962** (Ceratopogonidae)
4074. **Culicoides mosulensis Khalaf,1957**
(Ceratopogonidae)
4075. **Culicoides mystacinus Vimmer,1932**
(Ceratopogonidae)
4076. **Culicoides newsteadi Austen,1921**
(Ceratopogonidae)
4077. **Culicoides nubeculosus (Meigen,1830)**
(Ceratopogonidae)

4078. **Culicoides obsoletus** (Meigen,1818)
(Ceratopogonidae)
4079. **Culicoides odiatus** Austen,1921
(Ceratopogonidae)
4080. **Culicoides pallidus** Khalaf,1957
(Ceratopogonidae)
4081. **Culicoides picturatus** Kremer &
Deduit,1961 (Ceratopogonidae)
4082. **Culicoides pictus** Khalaf,1961
(Ceratopogonidae)
4083. **Culicoides pseudopallidus** Khalaf,1961
(Ceratopogonidae)
4084. **Culicoides pulicaris** (Linnaeus,1758)
(Ceratopogonidae)
4085. **Culicoides pumilus** (Winnertz,1852)
(Ceratopogonidae)
4086. **Culicoides punctatus** (Meigen,1804)
(Ceratopogonidae)
4087. **Culicoides puncticollis** (Becker,1903)
(Ceratopogonidae)
4088. **Culicoides puripennis** Austen,1921
(Ceratopogonidae)
4089. **Culicoides quadrivittatus** Vimmer,1932
(Ceratopogonidae)
4090. **Culicoides quinquemaculatus**
Vimmer,1932 (Ceratopogonidae)
4091. **Culicoides riethi** Kieffer,1914
(Ceratopogonidae)
4092. **Culicoides riouxi** Callot & Kremer,1961
(Ceratopogonidae)
4093. **Culicoides saevanicus** Dzhafarov,1960
(Ceratopogonidae)
4094. **Culicoides salinarius** Kieffer,1914
(Ceratopogonidae)
4095. **Culicoides semimaculatus**
Clastrier,1958 (Ceratopogonidae)
4096. **Culicoides shahgudiani** Navai,1973
(Ceratopogonidae)
4097. **Culicoides shaklawensis** Khalaf,1957
(Ceratopogonidae)
4098. **Culicoides simulans** Vimmer,1932
(Ceratopogonidae)
4099. **Culicoides simulator** Edwards,1939
(Ceratopogonidae)
4100. **Culicoides subneglectus** Vimmer,1932
(Ceratopogonidae)
4101. **Culicoides tentorius** Austen,1921
(Ceratopogonidae)
4102. **Culicoides tripunctatus** Vimmer,1932
(Ceratopogonidae)
4103. **Culicoides trivittatus** Vimmer,1932
(Ceratopogonidae)
4104. **Culicoides truncorum** Edwards,1939
(Ceratopogonidae)
4105. **Culicoides univittatus** Vimmer,1932
(Ceratopogonidae)
4106. **Culicoides vavrai** Vimmer,1932
(Ceratopogonidae)
4107. **Culicoides vexans** (Staeger,1839)
(Ceratopogonidae)
4108. **Culicoides vidourensensis** Callot, Kremer,
Molet & Bach,1968 (Ceratopogonidae)
4109. **Culicoides vitreipennis** Austen,1921
(Ceratopogonidae)
4110. **Culicoides wenigi** Vimmer,1932
(Ceratopogonidae)
4111. **Cuneala amasiensis**
(Kriechbaumer,1869) (Tenthredinidae)
4112. **Cuneala confinis** (Konow,1886)
(Tenthredinidae)
4113. **Cuneala koehleri** Klug,1817
(Tenthredinidae)
4114. **Curculio crux** Fabricius,1776
(Curculionidae)
4115. **Curculio elephas** Gyllenhal,1836
(Curculionidae)
4116. **Curculio excellans** Khnzorian,1953
(Curculionidae)
4117. **Curculio glandium** Marsham,1802
(Curculionidae)
4118. **Curculio nucum** Linnaeus,1758
(Curculionidae)
4119. **Curculio pellitus** Boheman,1843
(Curculionidae)
4120. **Curculio pyrrhoceras** Marsham,1802
(Curculionidae)
4121. **Curculio salicivorus** Paykull,1792
(Curculionidae)
4122. **Curculio venosus** (Gravenhorst,1807)
(Curculionidae)
4123. **Cyamophila astragalicola**
(Gegechkori,1977) (Psyllidae)
4124. **Cyamophila glycyrrhizae** (Becker)
(Psyllidae)
4125. **Cyamophila stocklosai** Klimaszewski &
Lodos (Psyllidae)
4126. **Cybister (s.str.) tripunctatus**
(Olivier,1795) (Dytiscidae)
4127. **Cybister (Scaphinectes)**
lateralimarginalis (De Geer,1774)
(Dytiscidae)
4128. **Cylindera (Cicindina) arenaria**
(Fuessli,1775) (Carabidae)
4129. **Cylindera (Cicindina) pygmaea**
(Dejean,1825) (Carabidae)
4130. **Cylindera (Cicindina) sublacerata**
(Solsky,1874) (Carabidae)
4131. **Cylindera (Cicindina) trisignata**
(Dejean,1822) (Carabidae)
4132. **Cylindera (s.str.) germanica**
(Linnaeus,1758) (Carabidae)
4133. **Cylindromyia brassicaria**
(Fabricius,1775) (Tachinidae)
4134. **Cylindromyia intermedia**
(Meigen,1824) (Tachinidae)
4135. **Cylindromyia interrupta** (Meigen,1824)
(Tachinidae)
4136. **Cylindromyia montana** Kugler,1974
(Tachinidae)
4137. **Cylindromyia persica** Tschorsnig,2000
(Tachinidae)
4138. **Cylindronotus (Helopelius)**
aeneipennis (Allard,1876) (Tenebrionidae)
4139. **Cylindronotus (Odocnemis) anatolicus**
Pic,1899 (Tenebrionidae)
4140. **Cylindronotus (Odocnemis) caudatus**
Allard,1876 (Tenebrionidae)
4141. **Cylindronotus (Odocnemis) dasypus**
Seidlitz,1893 (Tenebrionidae)
4142. **Cylindronotus (Odocnemis) exararatus**
(Germar,1817) (Tenebrionidae)
4143. **Cylindronotus (Odocnemis) incultus**
Allard,1877 (Tenebrionidae)
4144. **Cylindronotus (Odocnemis) korbi**
Reitter,1901 (Tenebrionidae)

4145. **Cylindronotus (Odocnemis) nitidus**
Seidlitz,1893 (Tenebrionidae)
4146. **Cylindronotus (Odocnemis) opertus**
Reitter,1922 (Tenebrionidae)
4147. **Cylindronotus (Odocnemis) protinus**
Reitter,1900 (Tenebrionidae)
4148. **Cylindronotus (Odocnemis)**
seriegranatus Seidlitz,1893 (Tenebrionidae)
4149. **Cylindronotus (Odocnemis)**
tuberculiger Reiche & Sauley,1857
(Tenebrionidae)
4150. **Cylindronotus (Omaleis) amasiae**
Seidlitz,1896 (Tenebrionidae)
4151. **Cylindronotus (Omaleis)**
crenatostratus Allard,1877 (Tenebrionidae)
4152. **Cylindronotus (Omaleis) fundator**
Reitter,1908 (Tenebrionidae)
4153. **Cylindronotus (Omaleis) kurdistanus**
Reitter,1901 (Tenebrionidae)
4154. **Cylindronotus (Omaleis) scutellatus**
Reitter,1901 (Tenebrionidae)
4155. **Cylindronotus (s.str.) funestoides**
Reitter,1900 (Tenebrionidae)
4156. **Cylindronotus (s.str.) hoberlandti**
Kaszab,1960 (Tenebrionidae)
4157. **Cylindronotus (Stenomax) aeneus**
(Scopoli,1763) (Tenebrionidae)
4158. **Cyllenia rustica (Rossi,1790)**
(Bombyliidae)
4159. **Cymatia coleoprata (Fabricius,1777)**
(Corixidae)
4160. **Cymatia rogenhoferi (Fieber,1864)**
(Corixidae)
4161. **Cymodusa (s.str.) propodeata Kolarov**
& Yurtcan,2008 (Ichneumonidae)
4162. **Cynegetis impunctata (Linnaeus,1758)**
(Coccinellidae)
4163. **Cynegetis syriaca (Mader)** (Coccinellidae)
4164. **Cynips agama Hartig,1840** (Cynipidae)
4165. **Cynips cornifex Hartig,1843** (Cynipidae)
4166. **Cynips divisa Hartig,1840** (Cynipidae)
4167. **Cynips quercus (Fourcroy,1785)**
(Cynipidae)
4168. **Cynips quercusfolii (Linnaeus,1758)**
(Cynipidae)
4169. **Cyphogenia (Lechriomus) lucifuga**
(Adams,1817) (Tenebrionidae)
4170. **Cyphon abeillei Bourgeois,1884**
(Scirtidae)
4171. **Cyphon arietizans Nyholm,1970**
(Scirtidae)
4172. **Cyphon buceros Nyholm,1949** (Scirtidae)
4173. **Cyphon dinolabis Nyholm,1970**
(Scirtidae)
4174. **Cyphon euoplus Nyholm,1970** (Scirtidae)
4175. **Cyphon laevipennis Tournier,1868**
(Scirtidae)
4176. **Cyphon longispinus Nyholm,1968**
(Scirtidae)
4177. **Cyphon longiusculus Nyholm,1970**
(Scirtidae)
4178. **Cyphon ochraceus Stephens,1830**
(Scirtidae)
4179. **Cyphon osellai Klausnitzer,1989**
(Scirtidae)
4180. **Cyphon padi (Linnaeus,1758)** (Scirtidae)
4181. **Cyphon palustris Thomson,1855**
(Scirtidae)
4182. **Cyphon ponticus Nyholm,1976**
(Scirtidae)
4183. **Cyphon pubescens Fabricius,1792**
(Scirtidae)
4184. **Cyphon scurrula Nyholm,1970**
(Scirtidae)
4185. **Cyphon wittmeri Nyholm,1970**
(Scirtidae)
4186. **Cyphononyx flavicornis**
(Fabricius,1793) (Pompilidae)
4187. **Cyphonoxia praestabilis Reitter,1889**
(Scarabaeidae)
4188. **Cyrtisiopsis melleus (Loew,1856)**
(Mythicomyiidae)
4189. **Cyrtogaster vulgaris Walker**
(Pteromalidae)
4190. **Cyrtolabulus iranus (Giordani**
Soika,1968) (Vespidae)
4191. **Cyrtolabulus zarudnyi (Kostylev,1939)**
(Vespidae)
4192. **Cyrtonastes confusus Berti &**
Daccordi,1974 (Chrysomelidae)
4193. **Cyrtosus anceyi Abeille de Perrin,1869**
(Melyridae)
4194. **Cyrtosus cerealis Peyron,1877**
(Melyridae)
4195. **Cyrtosus corniculatus (Kraatz &**
Kiesenwetter,1864) (Melyridae)
4196. **Cyrtosus nitidicollis (Chevrolat,1873)**
(Melyridae)
4197. **Cytherea obscura Fabricius,1794**
(Bombyliidae)
4198. **Cytherea pallidipennis (Abbasian-**
Lintzen,1968) (Bombyliidae)
4199. **Cytherea speciosa Loew,1844**
(Bombyliidae)
4200. **Cytherea thyridophora Bezzi,1925**
(Bombyliidae)
4201. **Dactylolabis (Dactylolabis) jonica**
Lackschewitz,1940 (Limoniidae)
4202. **Dactylopius coccus Costa** (Dactylopiidae)
4203. **Dahlbominus fuscipennis**
(Zetterstedt,1838) (Eulophidae)
4204. **Dailognatha caraboides Solier,1835**
(Tenebrionidae)
4205. **Dailognatha carceli Solier,1835**
(Tenebrionidae)
4206. **Dailognatha crenata Reiche &**
Sauley,1857 (Tenebrionidae)
4207. **Dailognatha impressicollis Solier,1835**
(Tenebrionidae)
4208. **Dailognatha minuscula**
Desbrochers,1881 (Tenebrionidae)
4209. **Dailognatha planata Miller,1861**
(Tenebrionidae)
4210. **Dailognatha pumila Baudi,1874**
(Tenebrionidae)
4211. **Dailognatha quadricollis Brullé,1832**
(Tenebrionidae)
4212. **Dailognatha rugipleuris Reitter,1896**
(Tenebrionidae)
4213. **Dallognatha crenata Reiche &**
Sauley,1857 (Tenebrionidae)
4214. **Dallognatha pumila Baudi,1874**
(Tenebrionidae)
4215. **Dallognatha quadricollis Brullé,1832**
(Tenebrionidae)

4216. **Dallognatha rugipleuris** Reitter,1896
(Tenebrionidae)
4217. **Dalmannia marginata** (Meigen,1824)
(Conopidae)
4218. **Dalmannia punctata** (Fabricius,1794)
(Conopidae)
4219. **Dalopius marginatus** (Linnaeus,1758)
(Elateridae)
4220. **Dalopius radiculosus** Gurjeva,1964
(Elateridae)
4221. **Danacaea marginata** (Küster,1851)
(Melyridae)
4222. **Danacaea taurica** Baudi di Selve,1873
(Melyridae)
4223. **Danasoma fasciata** (Linnaeus,1758)
(Elateridae)
4224. **Dasineura affinis** (Kieffer,1886)
(Cecidomyiidae)
4225. **Dasineura crataegi** (Winnertz,1853)
(Cecidomyiidae)
4226. **Dasineura oleae** (Loew,1885)
(Cecidomyiidae)
4227. **Dasineura refescens** (Stefani,1896)
(Cecidomyiidae)
4228. **Dasineura rosae** (Bremi,1847)
(Cecidomyiidae)
4229. **Dasineura viciae** (Kieffer,1888)
(Cecidomyiidae)
4230. **Dasycerus crenatus** Motschoulsky,1839
(Staphylinidae)
4231. **Dasyhelea distalis** Kieffer,1918
(Ceratopogonidae)
4232. **Dasyhelea flaviscapula** Kieffer,1918
(Ceratopogonidae)
4233. **Dasyhelea scutellaris** Kieffer,1918
(Ceratopogonidae)
4234. **Dasyhelea trifasciata** Kieffer,1918
(Ceratopogonidae)
4235. **Dasyhippus escalerae** (Bolivar,1899)
(Acrididae)
4236. **Dasyhippus uvarovi** Karabağ,1953
(Acrididae)
4237. **Dasyphora albofasciata**
(Macquart,1839) (Muscidae)
4238. **Dasyphora penicillata** (Egger,1865)
(Muscidae)
4239. **Dasyphora pratorum** (Meigen,1826)
(Muscidae)
4240. **Dasyopogon diadema** (Fabricius,1781)
(Asilidae)
4241. **Dasyopogon geradi** Weinberg,1987
(Asilidae)
4242. **Dasyopogon irinelae** Weinberg,1986
(Asilidae)
4243. **Dasyopogon magisi** Tomasovic,1999
(Asilidae)
4244. **Dasyopogon octonotatus** Loew,1869
(Asilidae)
4245. **Dasyrhamphis anthracinus**
(Meigen,1820) (Tabanidae)
4246. **Dasyrhamphis ater** (Austen,1925)
(Tabanidae)
4247. **Dasyrhamphis carbonarius**
(Meigen,1820) (Tabanidae)
4248. **Dasyrhamphis insecutor** (Austen,1920)
(Tabanidae)
4249. **Dasyrhamphis nigrinus**
(Fabricius,1794) (Tabanidae)
4250. **Dasyrhamphis umbrinus**
(Meigen,1820) (Tabanidae)
4251. **Dasyscolia ciliata** (Fabricius,1787)
(Scoliidae)
4252. **Dasysyrphus albostriatus** (Fallén,1817)
(Syrphidae)
4253. **Dasysyrphus lunulatus** (Meigen,1822)
(Syrphidae)
4254. **Dasysyrphus pinastri** (De Geer,1776)
(Syrphidae)
4255. **Dasytes akbesianus** Pic,1894 (Melyridae)
4256. **Dasytes laevicollis** Schilsky,1897
(Melyridae)
4257. **Dasytes moniliatus** Kiesenwetter,1863
(Melyridae)
4258. **Dasytes murinus** Schilsky,1894
(Melyridae)
4259. **Dasytes orientalis** Schilsky,1894
(Melyridae)
4260. **Dasytes plumbeus** (O.F.Müller,1776)
(Melyridae)
4261. **Dasytes tardus** Schaufuss,1876
(Melyridae)
4262. **Dasytes torretassoi** Pic,1934 (Melyridae)
4263. **Dasytes virens** (Marsham,1802)
(Melyridae)
4264. **Dasytes vulpinus** Redtenbacher,1843
(Melyridae)
4265. **Dasytidius alfierii** (Wittmer,1935)
(Melyridae)
4266. **Dasytidius aurescens** Majer,1991
(Melyridae)
4267. **Dasytidius brevicornis** Majer,1996
(Melyridae)
4268. **Dasytidius congruens** Majer,1989
(Melyridae)
4269. **Dasytidius crassicornis** Majer,1996
(Melyridae)
4270. **Dasytidius fulvipes** (Reitter,1885)
(Melyridae)
4271. **Dasytidius funebris** Majer,1989
(Melyridae)
4272. **Dasytidius impar** Majer,1996 (Melyridae)
4273. **Dasytidius indutus** Kiesenwetter,1859
(Melyridae)
4274. **Dasytidius infinitus** Majer,1991
(Melyridae)
4275. **Dasytidius kalalovae** Majer,1991
(Melyridae)
4276. **Dasytidius laticollis** (Bourgeois,1885)
(Melyridae)
4277. **Dasytidius latissimus** Majer,1989
(Melyridae)
4278. **Dasytidius longiventris** Majer,1991
(Melyridae)
4279. **Dasytidius maceki** Majer,1991
(Melyridae)
4280. **Dasytidius malkini** Majer,1996
(Melyridae)
4281. **Dasytidius mantici** Majer (Melyridae)
4282. **Dasytidius nigripes** (Pic,1894)
(Melyridae)
4283. **Dasytidius opertus** Majer,1991
(Melyridae)
4284. **Dasytidius optivus** Majer,1989
(Melyridae)
4285. **Dasytidius persicus** (Pic,1926)
(Melyridae)

4286. **Dasytidius princeps** Majer,1991 (Melyridae)
4287. **Dasytidius prosperus** Majer,1989 (Melyridae)
4288. **Dasytidius quadricollis** (Schilsky,1896) (Melyridae)
4289. **Dasytidius quaesitus** Majer,1991 (Melyridae)
4290. **Dasytidius recticollis** Majer,1996 (Melyridae)
4291. **Dasytidius robustus** Majer,1991 (Melyridae)
4292. **Dasytidius subnudus** Majer,1991 (Melyridae)
4293. **Dasytidius subsyriacus** Majer,1991 (Melyridae)
4294. **Dasytidius syriacus** (Reitter,1885) (Melyridae)
4295. **Dasytidius transversus** Majer,1991 (Melyridae)
4296. **Dasytiscus abeillei** (Bourgeois,1885) (Melyridae)
4297. **Dasytiscus amasyanus** Majer,1996 (Melyridae)
4298. **Dasytiscus fallax** Majer,1988 (Melyridae)
4299. **Dasytiscus flaveolus** Reitter,1889 (Melyridae)
4300. **Dasytiscus hebraicus** Bourgeois,1883 (Melyridae)
4301. **Dasytiscus hladili** Majer,1988 (Melyridae)
4302. **Dasytiscus jordanicus** Majer,1988 (Melyridae)
4303. **Dasytiscus minimus** (J.Sahlberg,1903) (Melyridae)
4304. **Dasytiscus pallens** Majer,1988 (Melyridae)
4305. **Dasytiscus praecox** (Küster,1851) (Melyridae)
4306. **Dasytiscus rufipennis** Majer,1996 (Melyridae)
4307. **Dasytiscus schereri** Majer,1988 (Melyridae)
4308. **Dasytiscus simulator** Majer,1988 (Melyridae)
4309. **Decticus albifrons** (Fabricius,1793) (Tettigoniidae)
4310. **Decticus mithati** Ramme,1939 (Tettigoniidae)
4311. **Decticus verrucivorus** (Linnaeus,1758) (Tettigoniidae)
4312. **Delenda carthago** Croissandeau,1891 (Staphylinidae)
4313. **Deleproctophylla dusmeti** Navas,1914 (Ascalaphidae)
4314. **Deleproctophylla variegata** (Klug,1834) (Ascalaphidae)
4315. **Delia radicum** (Linnaeus,1758) (Anthomyiidae)
4316. **Deliphrosoma freudeorum** Zerche,1996 (Staphylinidae)
4317. **Deliphrosoma kopdagense Bordon**,1999 (Staphylinidae)
4318. **Deliphrosoma lindbergi** (Scheerpeltz,1958) (Staphylinidae)
4319. **Deliphrosoma lothari** Bordon,2000 (Staphylinidae)
4320. **Deliphrosoma mandli** (Scheerpeltz,1937) (Staphylinidae)
4321. **Deliphrosoma turcicum** Zerche,1997 (Staphylinidae)
4322. **Deliphrosoma weiratheri** (Scheerpeltz,1938) (Staphylinidae)
4323. **Deliphrosoma wunderlei** Zerche,1998 (Staphylinidae)
4324. **Delomerista pfankuchi** Brauns,1905 (Ichneumonidae)
4325. **Delphacodes audrasi** Ribaut,1954 (Delphacidae)
4326. **Delphacodes nastasi** Asche & Remane,1983 (Delphacidae)
4327. **Delphacodoides anaxarchi** (Muir,1926) (Delphacidae)
4328. **Delphax inermis** Ribaut,1934 (Delphacidae)
4329. **Delta dimidiatipenne** (Saussure,1852) (Vespidae)
4330. **Delta hottentottus** (Saussure,1852) (Vespidae)
4331. **Delta lepeletierii** (Saussure,1853) (Vespidae)
4332. **Delta Saussure**,[1855] (Vespidae)
4333. **Delta unguiculatum** (Villers,1789) (Vespidae)
4334. **Delta viatrix** (Nurse,1903) (Vespidae)
4335. **Deltocephalus pulicaris** (Fallén,1806) (Cicadellidae)
4336. **Demirsoyus salmani** Şirin & Çıplak,2004 (Acrididae)
4337. **Dendarus (Pandarinus) alleonis** Seidlitz,1893 (Tenebrionidae)
4338. **Dendarus (Pandarinus) armeniacus** Baudi,1876 (Tenebrionidae)
4339. **Dendarus (Pandarinus) caelatus** Brullé,1832 (Tenebrionidae)
4340. **Dendarus (Pandarinus) crenulatus** (Ménétriés,1832) (Tenebrionidae)
4341. **Dendarus (Pandarinus) dalmatinus** Germar,1824 (Tenebrionidae)
4342. **Dendarus (Pandarinus) foveolatus** Seidlitz,1893 (Tenebrionidae)
4343. **Dendarus (Pandarinus) impressus** Reiche & Sauley,1857 (Tenebrionidae)
4344. **Dendarus (Pandarinus) messenius** Brullé,1832 (Tenebrionidae)
4345. **Dendarus (Pandarinus) moesiacus** Mulsant & Rey,1854 (Tenebrionidae)
4346. **Dendarus (Pandarinus) oertzeni** Seidlitz,1893 (Tenebrionidae)
4347. **Dendarus (Pandarinus) orientalis** Seidlitz,1893 (Tenebrionidae)
4348. **Dendarus (Pandarinus) pauper** Mulsant,1854 (Tenebrionidae)
4349. **Dendarus (Pandarinus) piceus** (Olivier,1811) (Tenebrionidae)
4350. **Dendarus (Pandarinus) punctatus** Audinet-Serville,1825 (Tenebrionidae)
4351. **Dendarus (Pandarinus) reitteri** Seidlitz,1893 (Tenebrionidae)
4352. **Dendarus (Pandarinus) scrobiculatus** Seidlitz,1893 (Tenebrionidae)
4353. **Dendarus (Pandarinus) simplex** Seidlitz,1893 (Tenebrionidae)
4354. **Dendarus (Pandarinus) subopacus** Baudi,1881 (Tenebrionidae)

4355. **Dendarus (Pandarinus) syriacus**
Reiche & Saulcy, 1857 (Tenebrionidae)
4356. **Dendarus (Pandarinus) tenellus**
Mulsant & Rey, 1854 (Tenebrionidae)
4357. **Dendarus (Pandarinus) tibialis**
Seidlitz, 1893 (Tenebrionidae)
4358. **Dendarus (Pandarinus) torpidus**
Mulsant, 1854 (Tenebrionidae)
4359. **Dendarus (Pandarinus) vagans**
Siedlitz, 1893 (Tenebrionidae)
4360. **Dendarus (Pandarinus) sinuatus**
Mulsant, 1854 (Tenebrionidae)
4361. **Dendarus (Pandarinus) stygius**
Waltl, 1838 (Tenebrionidae)
4362. **Dendroleon pantherinus**
(Fabricius, 1787) (Myrmeleonidae)
4363. **Dendroleon pantherinus**
(Fabricius, 1787) (Myrmeleonidae)
4364. **Dendroxena quadrimaculata**
(Scopoli, 1772) (Silphidae)
4365. **Denops albofasciatus**
(Charpentier, 1825) (Cleridae)
4366. **Denticollis linearis (Linnaeus, 1758)**
(Elateridae)
4367. **Denticollis parallelicollis Aubé, 1850**
(Elateridae)
4368. **Denticollis rubens Piller & Mitterpacher, 1783**
(Elateridae)
4369. **Dentilla curtiventris (André, 1901)**
(Mutillidae)
4370. **Dentilla erronea (André, 1902)**
(Mutillidae)
4371. **Dentilla persica (Sichel & Radoszkowski, 1869)**
(Mutillidae)
4372. **Dentilla ursina (Nagy, 1972)**
(Mutillidae)
4373. **Deporaus betulae (Linnaeus, 1758)**
(Attelabidae)
4374. **Depressotetrix depressa (Brisout, 1848)**
(Tetrigidae)
4375. **Deraeocoris punctulatus (Fallén, 1807)**
(Miridae)
4376. **Deraeocoris rutilus (Herrich-Schäffer, 1838)**
(Miridae)
4377. **Derephysia foliacea (Fallén, 1807)**
(Tingidae)
4378. **Dericorys tibialis (Pallas, 1773)**
(Acrididae)
4379. **Dericorys uvarovi Ramme, 1930**
(Acrididae)
4380. **Derisa atratula Melichar, 1902**
(Flatidae)
4381. **Derisa pallida Fennah, 1964**
(Flatidae)
4382. **Dermestes (Dermestinus) coronatus**
Steven, 1808 (Dermestidae)
4383. **Dermestes (Dermestinus) frischi**
Kugelan, 1792 (Dermestidae)
4384. **Dermestes (Dermestinus) gyllenhali**
Castelnau, 1840 (Dermestidae)
4385. **Dermestes (Dermestinus) intermedius**
Kalik, 1951 (Dermestidae)
4386. **Dermestes (Dermestinus) kaszabi**
Kalik, 1950 (Dermestidae)
4387. **Dermestes (Dermestinus) lanarius**
Illiger, 1801 (Dermestidae)
4388. **Dermestes (Dermestinus) leopardinus**
Mulsant & Godart, 1855 (Dermestidae)
4389. **Dermestes (Dermestinus) maculatus**
DeGeer, 1774 (Dermestidae)
4390. **Dermestes (Dermestinus) murinus**
Linnaeus, 1758 (Dermestidae)
4391. **Dermestes (Dermestinus) sardous**
Küster, 1846 (Dermestidae)
4392. **Dermestes (Dermestinus) sibiricus**
Erichson, 1846 (Dermestidae)
4393. **Dermestes (Dermestinus) undulatus**
Brahm, 1790 (Dermestidae)
4394. **Dermestes (Montandonia) fuliginosus**
Rossi, 1792 (Dermestidae)
4395. **Dermestes (Montandonia) olivieri**
Lepesme, 1939 (Dermestidae)
4396. **Dermestes (s.str.) ater DeGeer, 1774**
(Dermestidae)
4397. **Dermestes (s.str.) bicolor**
Fabricius, 1781 (Dermestidae)
4398. **Dermestes (s.str.) lardarius**
Linnaeus, 1758 (Dermestidae)
4399. **Dermestes (s.str.) Linnaeus, 1758**
(Dermestidae)
4400. **Derocrepis anatolica Heikertinger, 1922**
(Chrysomelidae)
4401. **Derocrepis delangrei Pic, 1903**
(Chrysomelidae)
4402. **Derocrepis laterufa Pic, 1909**
(Chrysomelidae)
4403. **Derocrepis rufipes (Linnaeus, 1758)**
(Chrysomelidae)
4404. **Derocrepis serbica (Kutschera, 1860)**
(Chrysomelidae)
4405. **Derocrepis whiteheadi**
Warchalowski, 1998 (Chrysomelidae)
4406. **Deronectes doriae Sharp, 1882**
(Dytiscidae)
4407. **Deronectes elburs Fery, Köksal & Hosseinie, 2001**
(Dytiscidae)
4408. **Deronectes elmii Fery & Hosseinie, 1998**
(Dytiscidae)
4409. **Deronectes evelynae Fery & Hosseinie, 1998**
(Dytiscidae)
4410. **Deronectes hakkariensis**
Wewalka, 1989 (Dytiscidae)
4411. **Deronectes hendrichi Fery & Hosseinie, 1998**
(Dytiscidae)
4412. **Deronectes jaechi Wewalka, 1989**
(Dytiscidae)
4413. **Deronectes kinzelbachi Fery & Hosseinie, 1998**
(Dytiscidae)
4414. **Deronectes longipes Sharp, 1882**
(Dytiscidae)
4415. **Deronectes parvicollis (Schaum, 1864)**
(Dytiscidae)
4416. **Deronectes persicus Peschet, 1914**
(Dytiscidae)
4417. **Deronectes sahlbergi**
Zimmermann, 1932 (Dytiscidae)
4418. **Deronectes syriacus Wewalka, 1971**
(Dytiscidae)
4419. **Deronectes toledo Fery, Köksal & Hosseinie, 2001**
(Dytiscidae)
4420. **Deronectes wittmeri Wewalka, 1971**
(Dytiscidae)
4421. **Deronectes youngi Fery & Hosseinie, 1998**
(Dytiscidae)
4422. **Desmatoneura davidi Zaitzev, 1997**
(Bombyliidae)
4423. **Desmatoneura erythrostroma**
(Rondani, 1873) (Bombyliidae)

4424. **Desmatoneura kinereti** Zaitzev,1999
(Bombyliidae)
4425. **Diaclina fagi** (Panzer,1799)
(Tenebrionidae)
4426. **Diadegma apostata** (Gravenhorst,1829)
(Ichneumonidae)
4427. **Diadegma armilata** (Gravenhorst,1829)
(Ichneumonidae)
4428. **Diadegma chrysostictos** (Gmelin,1790)
(Ichneumonidae)
4429. **Diadegma claripennis** (Thomson,1887)
(Ichneumonidae)
4430. **Diadegma crassicornis**
(Gravenhorst,1829) (Ichneumonidae)
4431. **Diadegma crataegellae** (Thomson,1877)
(Ichneumonidae)
4432. **Diadegma fenestralis** (Holmgren,1860)
(Ichneumonidae)
4433. **Diadegma grisescens**
(Gravenhorst,1829) (Ichneumonidae)
4434. **Diadegma maculata**
(Gravenhorst,1829) (Ichneumonidae)
4435. **Diadegma pulchripes** (Kokujev,1915)
(Ichneumonidae)
4436. **Diadegma semiclausum** (Hellén,1949)
(Ichneumonidae)
4437. **Diadegma velox** (Holmgren,1860)
(Ichneumonidae)
4438. **Diaglyptellana punctata**
(Holmgren,1857) (Ichneumonidae)
4439. **Dialycera bimaculata** Luze,1906
(Staphylinidae)
4440. **Diamesa coronarunguis** Şahin,1991
(Chironomidae)
4441. **Diamesa discoloriventris** Şahin,1991
(Chironomidae)
4442. **Diamesa hozati** Şahin,1991
(Chironomidae)
4443. **Diamesa steinboecki**
(Goetghbuer,1933) (Chironomidae)
4444. **Diamesa stylata** Tchernovskii,1949
(Chironomidae)
4445. **Diamesa thienemanni** Kieffer,1911
(Chironomidae)
4446. **Diaparsis (Nanodiaparsis) apertus**
(Thomson,1889) (Ichneumonidae)
4447. **Diaperis boleti** (Linnaeus,1758)
(Tenebrionidae)
4448. **Diaphorus gredleri** Mik,[1881]
(Dolichopodidae)
4449. **Diaphorus hoffmannseggii** Meigen,1830
(Dolichopodidae)
4450. **Diaphorus nigricans** Meigen,1824
(Dolichopodidae)
4451. **Diaphorus varifrons** Becker,1918
(Dolichopodidae)
4452. **Diaspidiotus anatolicus** (Bodenheimer)
(Diaspididae)
4453. **Diaspidiotus armenicus** (Borchsenius)
(Diaspididae)
4454. **Diaspidiotus caucasicus** (Borchsenius)
(Diaspididae)
4455. **Diaspidiotus distinctus** (Leonardi)
(Diaspididae)
4456. **Diaspidiotus elaeagni** (Borchsenius)
(Diaspididae)
4457. **Diaspidiotus gigas** (Thiem & Gerneck)
(Diaspididae)
4458. **Diaspidiotus kaussarii** Balachowsky
(Diaspididae)
4459. **Diaspidiotus lenticularis** (Lindinger)
(Diaspididae)
4460. **Diaspidiotus marani** (Zahradnik)
(Diaspididae)
4461. **Diaspidiotus osborni** (Newell &
Cockerell) (Diaspididae)
4462. **Diaspidiotus ostreaeformis** (Curtis)
(Diaspididae)
4463. **Diaspidiotus perniciosus** (Comstock)
(Diaspididae)
4464. **Diaspidiotus prunorum** (Laing)
(Diaspididae)
4465. **Diaspidiotus pyri** (Lichtenstein)
(Diaspididae)
4466. **Diaspidiotus sulci** (Balachowsky)
(Diaspididae)
4467. **Diaspidiotus wuenni** (Lindinger)
(Diaspididae)
4468. **Diaspidiotus zonatus** (Frauenfeld)
(Diaspididae)
4469. **Diaspis boisduvalii** Signoret
(Diaspididae)
4470. **Diaspis bromeliae** (Kerner) (Diaspididae)
4471. **Diaspis echinocacti** (Bouche)
(Diaspididae)
4472. **Diaspis syriaca** Lindinger (Diaspididae)
4473. **Dibolia carpathica** Weise,1893
(Chrysomelidae)
4474. **Dibolia chevrolati** Allard,1861
(Chrysomelidae)
4475. **Dibolia cryptocephala** (Koch,1803)
(Chrysomelidae)
4476. **Dibolia cynoglossi** (Koch,1803)
(Chrysomelidae)
4477. **Dibolia depressiuscula** (Letzner,1847)
(Chrysomelidae)
4478. **Dibolia femoralis** Redtenbacher,1849
(Chrysomelidae)
4479. **Dibolia kralii** Mohr,1981 (Chrysomelidae)
4480. **Dibolia numidica** Doguet,1971
(Chrysomelidae)
4481. **Dibolia occultans** (Koch,1803)
(Chrysomelidae)
4482. **Dibolia phoenicia** Allard,1866
(Chrysomelidae)
4483. **Dibolia rufofemorata** Reitter,1896
(Chrysomelidae)
4484. **Dibolia rugulosa** Redtenbacher,1849
(Chrysomelidae)
4485. **Dibolia schillingii** (Letzner,1847)
(Chrysomelidae)
4486. **Dibolia timida** (Illiger,1807)
(Chrysomelidae)
4487. **Dibolia tricolor** Reitter,1899
(Chrysomelidae)
4488. **Dibolia zangezurica** Khnzorian,1968
(Chrysomelidae)
4489. **Dibrachoides dynastes** (Förster)
(Pteromalidae)
4490. **Dibrachys affinis** Masi (Pteromalidae)
4491. **Dibrachys boarmiae** (Walker)
(Pteromalidae)
4492. **Dibrachys cavus** (Walker) (Pteromalidae)
4493. **Dibrachys palandoekenus**
Doğanlar,1987 (Pteromalidae)

4494. **Dicaelotus montanus (Destefani,1886)** (Ichneumonidae)
4495. **Dicaelotus morosator Aubert,1969** (Ichneumonidae)
4496. **Dicaelotus rufilimbatus (Gravenhorst,1820)** (Ichneumonidae)
4497. **Dicarnosis hemiptera (Dalman)** (Encyrtidae)
4498. **Dicarnosis sugonjaevi Myartseva** (Encyrtidae)
4499. **Dicarnosis superba Mercet (Encyrtidae)**
4500. **Dichetophora obliterated (Fabricius,1805)** (Sciomyzidae)
4501. **Dichillus (Dichillinus) cylindricus Baudi,1874** (Tenebrionidae)
4502. **Dichillus (Dichillinus) duricornis Reitter,1886** (Tenebrionidae)
4503. **Dichillus (Dichillocerus) araxidis Reitter,1916** (Tenebrionidae)
4504. **Dichillus (Dichillocerus) crassicornis Allard,1869** (Tenebrionidae)
4505. **Dichillus (Dichillocerus) damascenus Reitter,1916** (Tenebrionidae)
4506. **Dichillus (Dichillocerus) pertusus Kiesenwetter,1861** (Tenebrionidae)
4507. **Dichillus (s.str.) carinatus Küster,1848** (Tenebrionidae)
4508. **Dichillus (s.str.) iranicus Kaszab,1963** (Tenebrionidae)
4509. **Dichillus (s.str.) subsetulosus Reitter,1886** (Tenebrionidae)
4510. **Dichomma dardanum (Steven,1829)** (Tenebrionidae)
4511. **Dichrogaster diatropus Townes,1983** (Ichneumonidae)
4512. **Dichrogaster liostylus (Thomson,1884)** (Ichneumonidae)
4513. **Dichrogaster modesta (Gravenhorst,1829)** (Ichneumonidae)
4514. **Dicranocephalus agilis (Scopoli,1763)** (Stenocephalidae)
4515. **Dicranocephalus albipes (Fabricius,1781)** (Stenocephalidae)
4516. **Dicranocephalus crassicornis (Horvath,1887)** (Stenocephalidae)
4517. **Dicranocephalus medius (Mulsant & Rey,1870)** (Stenocephalidae)
4518. **Dicranocephalus putoni (Horvath,1897)** (Stenocephalidae)
4519. **Dicranocephalus setulosus (Ferrari,1874)** (Stenocephalidae)
4520. **Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae)
4521. **Dicranomyia (Glochina) transsilvanica Lackschewitz,1928** (Limoniidae)
4522. **Dicranomyia (Melanolimonia) hamata Becker,1908** (Limoniidae)
4523. **Dicranomyia (Melanolimonia) morio (Fabricius,1787)** (Limoniidae)
4524. **Dicranomyia (Melanolimonia) rufiventris (Strobl,1900)** (Limoniidae)
4525. **Dicranomyia (Numantia) fusca (Meigen,1804)** (Limoniidae)
4526. **Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae)
4527. **Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae)
4528. **Dicranomyia (s.str.) kamakensis Stary,1993** (Limoniidae)
4529. **Dicranomyia (s.str.) livornica Lackschewitz,1928** (Limoniidae)
4530. **Dicranomyia (s.str.) lucida De Meijere,1918** (Limoniidae)
4531. **Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae)
4532. **Dicranomyia (s.str.) modesta (Meigen,1818)** (Limoniidae)
4533. **Dicranomyia (s.str.) ornata (Meigen,1818)** (Limoniidae)
4534. **Dicranomyia (s.str.) sera (Walker,1848)** (Limoniidae)
4535. **Dicranomyia (s.str.) signata Lackschewitz & Pagast,1941** (Limoniidae)
4536. **Dicranomyia (s.str.) signatella Stary & Freidberg,2007** (Limoniidae)
4537. **Dicranomyia (s.str.) ventralis (Schummel,1829)** (Limoniidae)
4538. **Dicranophragma (Brachylimnophila) adjunctum (Walker,1848)** (Limoniidae)
4539. **Dicranophragma (Brachylimnophila) nemorale (Meigen,1818)** (Limoniidae)
4540. **Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae)
4541. **Dicranoptycha (Ulugbekia) savtshenkoi Mendl,1976** (Limoniidae)
4542. **Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae)
4543. **Dicranota (Ludicia) lucidipennis (Edwards,1921)** (Pediidae)
4544. **Dicranota (Paradicranota) robusta Lundstrom,1912** (Pediidae)
4545. **Dicranotropis beckeri Fieber,1866** (Delphacidae)
4546. **Dicranotropis hamata (Boheman,1847)** (Delphacidae)
4547. **Dicrodiplosis pseudococci (Felt,1914)** (Cecidomyiidae)
4548. **Dicronychus adanensis (Pic,1908)** (Elateridae)
4549. **Dicronychus apteriformis Platia & Gudenzi,2004** (Elateridae)
4550. **Dicronychus bicolor Platia & Gudenzi,2004** (Elateridae)
4551. **Dicronychus bozdaghensis Platia & Gudenzi,2004** (Elateridae)
4552. **Dicronychus cinereus (Herbst,1784)** (Elateridae)
4553. **Dicronychus decorus (Faldermann,1835)** (Elateridae)
4554. **Dicronychus deminutus Platia & Gudenzi,2004** (Elateridae)
4555. **Dicronychus desbrochersi Platia & Gudenzi,2004** (Elateridae)
4556. **Dicronychus drureri (Pic,1908)** (Elateridae)
4557. **Dicronychus equiseti (Herbst,1784)** (Elateridae)
4558. **Dicronychus euxinus** (Elateridae)
4559. **Dicronychus exstinctus (Erichson,1840)** (Elateridae)
4560. **Dicronychus freudei Platia & Gudenzi,2007** (Elateridae)
4561. **Dicronychus gillerforsii Platia & Gudenzi,2004** (Elateridae)

4562. **Dicronychus iconiensis** (Pic,1908)
(Elateridae)
4563. **Dicronychus incanus** (Erichson,1840)
(Elateridae)
4564. **Dicronychus merkli** (Pic,1910)
(Elateridae)
4565. **Dicronychus mutilus** Platia &
Gudenzi,2004 (Elateridae)
4566. **Dicronychus obscuripennis** (Pic,1899)
(Elateridae)
4567. **Dicronychus pici** Platia &
Gudenzi,2004 (Elateridae)
4568. **Dicronychus rubripes** (Germar,1824)
(Elateridae)
4569. **Dicronychus senaci** Desbrochers,1870
(Elateridae)
4570. **Dicronychus turcicus** Platia &
Gudenzi,2004 (Elateridae)
4571. **Dicronychus variatus** Desbrochers,1875
(Elateridae)
4572. **Dicronychus versicolor** (Mulsant &
Guillebeau,1856) (Elateridae)
4573. **Dicrotendipes tritonus** (Kieffer,1916)
(Chironomidae)
4574. **Dietenidia bimaculata** (Linnaeus,1760)
(Tipulidae)
4575. **Dictyla echii** (Schrank,1782) (Tingidae)
4576. **Dictyla lupuli** (Herrich-Schäffer,1837)
(Tingidae)
4577. **Dictyla nassata** (Puton,1874) (Tingidae)
4578. **Dictyla platyoma** (Fieber,1861)
(Tingidae)
4579. **Dictyla putoni** (Montandon,1895)
(Tingidae)
4580. **Dictyla rotundata** (Herrich-
Schäffer,1835) (Tingidae)
4581. **Dictyla sima** Seidenstücker,1975
(Tingidae)
4582. **Dictyla triconula** (Seidenstücker,1954)
(Tingidae)
4583. **Dictyonota aridula** (Jakovlev,1902)
(Tingidae)
4584. **Dictyonota astragali** Stusak &
Önder,1982 (Tingidae)
4585. **Dictyonota lugubris** (Fieber,1861)
(Tingidae)
4586. **Dictyonota phoenicea**
Seidenstücker,1963 (Tingidae)
4587. **Dictyonota strichnocera** Fieber,1844
(Tingidae)
4588. **Dictyonota tricornis** (Schrank,1801)
(Tingidae)
4589. **Dictyophara albata** Dlabola &
Heller,1962 (Dictyopharidae)
4590. **Dictyophara asiatica** Melichar,1912
(Dictyopharidae)
4591. **Dictyophara avocetta** Oshanin,1879
(Dictyopharidae)
4592. **Dictyophara eremica** Linnavuori,1962
(Dictyopharidae)
4593. **Dictyophara europaea** (Linnaeus,1767)
(Dictyopharidae)
4594. **Dictyophara exoptata** Dlabola &
Heller,1962 (Dictyopharidae)
4595. **Dictyophara iranica** Linnavuori,1962
(Dictyopharidae)
4596. **Dictyophara kazeruna** Dlabola,1986
(Dictyopharidae)
4597. **Dictyophara lindbergi** Metcalf,1955
(Dictyopharidae)
4598. **Dictyophara multireticulata** Mulsant &
Rey,1855 (Dictyopharidae)
4599. **Dictyophara nizipa** Dlabola,1986
(Dictyopharidae)
4600. **Dictyophara pales** Linnavuori,1970
(Dictyopharidae)
4601. **Dictyophara pannonica** (Germar,1830)
(Dictyopharidae)
4602. **Dictyophara pazukii** (Dlabola,1984)
(Dictyopharidae)
4603. **Dictyophara striata** Oshanin,1879
(Dictyopharidae)
4604. **Dictyophara subsimilis**
Linnavuori,1953 (Dictyopharidae)
4605. **Dictyophara tangigharuha** Dlabola,1957
(Dictyopharidae)
4606. **Dictyophara xiphias** Puton,1884
(Dictyopharidae)
4607. **Dicyphus alkannae** Seidenstücker,1956
(Miridae)
4608. **Dicyrtomellus argenteus** Wahis,1982
(Pompilidae)
4609. **Dicyrtomellus dubitabilis**
(Saunders,1901) (Pompilidae)
4610. **Dicyrtomellus tomentosus**
(Priesner,1955) (Pompilidae)
4611. **Didismachus picipes** (Meigen,1820)
(Asilidae)
4612. **Dielocroce baudii** (Griffini,1895)
(Nemopteridae)
4613. **Dielocroce elegans** (Alexandrov-
Martynov,1930) (Nemopteridae)
4614. **Dielocroce ephemera**
(Gersträcker,1893) (Nemopteridae)
4615. **Dielocroce joppana** (Withycombe,1923)
(Nemopteridae)
4616. **Dielocroce modesta** Hölzel,1975
(Nemopteridae)
4617. **Dielocroce persica** (Alexandrov-
Martynov,1930) (Nemopteridae)
4618. **Dielocroce withycombei** (Navas,1926)
(Nemopteridae)
4619. **Diglyphus anadolucus** Doğanlar,1982
(Eulophidae)
4620. **Diglyphus chabrias** (Walker,1838)
(Eulophidae)
4621. **Diglyphus crassinervis** Erdös,1958
(Eulophidae)
4622. **Diglyphus isaea** (Walker,1838)
(Eulophidae)
4623. **Diglyphus pachyneurus** Graham,1963
(Eulophidae)
4624. **Dikraneura variata** Hardy,1850
(Cicadellidae)
4625. **Dilophus bispinosus** Lundström,1913
(Bibionidae)
4626. **Dinarmus acutus** (Thomson)
(Pteromalidae)
4627. **Dinarmus italicus** (Masi,1922)
(Pteromalidae)
4628. **Dinocistus eupterus** (Walker,1836)
(Pteromalidae)
4629. **Dioctria abdominalis** Becker,1923
(Asilidae)
4630. **Dioctria arcana** Richter,1966 (Asilidae)
4631. **Dioctria arthritica** Loew,1871 (Asilidae)

4632. **Dioctria atricapilla Meigen,1804**
(Asilidae)
4633. **Dioctria bithynica Janssens,1968**
(Asilidae)
4634. **Dioctria dispar Loew,1871** (Asilidae)
4635. **Dioctria flavipennis Meigen,1820**
(Asilidae)
4636. **Dioctria gracilis Meigen,1820** (Asilidae)
4637. **Dioctria hyalipennis (Fabricius,1794)**
(Asilidae)
4638. **Dioctria lenta Becker,1923** (Asilidae)
4639. **Dioctria linearis (Fabricius,1787)**
(Asilidae)
4640. **Dioctria lugens Loew,1873** (Asilidae)
4641. **Dioctria meyeri Nowicki,1867** (Asilidae)
4642. **Dioctria rufonigra Theodor,1980**
(Asilidae)
4643. **Dioctria striata Theodor,1980** (Asilidae)
4644. **Dioctria valida Loew,1856** (Asilidae)
4645. **Diogena fausta (Burmeister,1838)**
(Tettigoniidae)
4646. **Diogma dmitrii Paramonov,2005**
(Cylindrotomidae)
4647. **Diolcogaster alvearia (Fabricius,1798)**
(Braconidae)
4648. **Diolcogaster claritibia (Papp,1959)**
(Braconidae)
4649. **Diorhabda carinata (Faldermann,1837)**
(Chrysomelidae)
4650. **Diorhabda carinulata**
(**Desbrochers,1870**) (Chrysomelidae)
4651. **Diorhabda elongata (Brullé,1832)**
(Chrysomelidae)
4652. **Diorhabda fischeri (Faldermann,1837)**
(Chrysomelidae)
4653. **Diorhabda meridionalis Berti & Rapilly,1973** (Chrysomelidae)
4654. **Diorhabda octocostata Gahan,1896**
(Chrysomelidae)
4655. **Diorhabda persica (Faldermann,1837)**
(Chrysomelidae)
4656. **Diorhabda sublineata (Lucas,1849)**
(Chrysomelidae)
4657. **Diphyus luctatorius (Linnaeus,1758)**
(Ichneumonidae)
4658. **Diphyus mercatorius (Fabricius,1793)**
(Ichneumonidae)
4659. **Diphyus montivagans**
(**Berthoumieu,1896**) (Ichneumonidae)
4660. **Diphyus ochromelas (Gmelin,1790)**
(Ichneumonidae)
4661. **Diphyus palliatorius**
(**Gravenhorst,1829**) (Ichneumonidae)
4662. **Diphyus pseudomercator**
(Ichneumonidae)
4663. **Diphyus quadripunctorius**
(**Müller,1776**) (Ichneumonidae)
4664. **Diphyus quinquecinctus**
(**Kriechbaumer,1892**) (Ichneumonidae)
4665. **Diplacodes lefebvrei (Rambur,1842)**
(Libellulidae)
4666. **Diplazon laetatorius (Fabricius,1781)**
(Ichneumonidae)
4667. **Diplazon pectoratorius**
(**Thunberg,1822**) (Ichneumonidae)
4668. **Diplazon schachtii Diller,1986**
(Ichneumonidae)
4669. **Diplazon tetragonus Thunberg,1822**
(Ichneumonidae)
4670. **Diplazon tibiatorius (Thunberg,1822)**
(Ichneumonidae)
4671. **Diplocladius cultriger Kieffer,1908**
(Chironomidae)
4672. **Diplocolenus abdominalis**
(**Fabricius,1803**) (Cicadellidae)
4673. **Diplocolenus frauenfeldi (Fieber,1869)**
(Cicadellidae)
4674. **Diplolepis eglanteriae (Hartig,1840)**
(Cynipidae)
4675. **Diplolepis fructuum (Rübsaamen,1895)**
(Cynipidae)
4676. **Diplolepis mayri (Schlechtendal,1877)**
(Cynipidae)
4677. **Diplolepis rosae (Linnaeus,1758)**
(Cynipidae)
4678. **Diplolepis spinosissimae (Giraud,1859)**
(Cynipidae)
4679. **Diplorhoptum fugax (Latreille,1798)**
(Formicidae)
4680. **Dipogon (Deuteragenia) variegatus**
(**Linnaeus,1758**) (Pompilidae)
4681. **Dipogon sinan Wolf,1998** (Pompilidae)
4682. **Dirhinus cyprius Masi,1939** (Chalcididae)
4683. **Dirhinus giffardii Silvestri,1913**
(Chalcididae)
4684. **Dirhinus hesperidum (Rossi,1790)**
(Chalcididae)
4685. **Dirhinus wohlfahrtiae Ferrière,1935**
(Chalcididae)
4686. **Discodes aeneus (Dalman)** (Encyrtidae)
4687. **Discodes coccophagus (Ratzeburg)**
(Encyrtidae)
4688. **Discodes obscuriclavus Myartseva**
(Encyrtidae)
4689. **Discodes trjapitzini Herthveztian**
(Encyrtidae)
4690. **Discoelius dufourii Lepeletier,1841**
(Vespidae)
4691. **Discoptila beroni Popov,1974** (Gryllidae)
4692. **Discoptila brevis Bey-Bienko,1964**
(Gryllidae)
4693. **Discoptila fragosoi (Bolivar,1855)**
(Gryllidae)
4694. **Dissonomus politus Koch,1968**
(Tenebrionidae)
4695. **Dissonomus substriatus Reitter,1898**
(Tenebrionidae)
4696. **Distoleon curdicus Hölzel,1972**
(Myrmeleonidae)
4697. **Distoleon tetragrammicus**
(**Fabricius,1798**) (Myrmeleonidae)
4698. **Ditropis pteridis (Spinola,1839)**
(Delphacidae)
4699. **Ditropsis flavipes (Signoret,1865)**
(Delphacidae)
4700. **Dociostaurus (Kazakia) brevicollis**
(**Eversmann,1848**) (Acrididae)
4701. **Dociostaurus (Kazakia) jagoi**
Soltani,1978 (Acrididae)
4702. **Dociostaurus (Notostaurus) albicornis**
(**Eversmann,1848**) (Acrididae)
4703. **Dociostaurus (Notostaurus) anatolicus**
Krauss,1896 (Acrididae)
4704. **Dociostaurus (Notostaurus) cephalotes**
Uvarov,1924 (Acrididae)

4705. **Dociostaurus (Notostaurus) diamesus** Bei-Bienko,1948 (Acrididae)
4706. **Dociostaurus (Notostaurus) larensis** Soltani,1978 (Acrididae)
4707. **Dociostaurus (Notostaurus) plotnikovi** Uvarov,1921 (Acrididae)
4708. **Dociostaurus (s.str.) genei** (Ocskay,1832) (Acrididae)
4709. **Dociostaurus (s.str.) maroccanus** (Thunberg,1815) (Acrididae)
4710. **Dociostaurus (s.str.) salmani** Demirsoy,1977 (Acrididae)
4711. **Dociostaurus (Stauronotulus) cappadocicus** (Azam,1913) (Acrididae)
4712. **Dociostaurus (Stauronotulus) crassiusculus** (Pantel,1886) (Acrididae)
4713. **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae)
4714. **Docosia gilvipes** (Haliday,1856) (Mycetophilidae)
4715. **Docotettix cornutus** Ribaut,1948 (Cicadellidae)
4716. **Dolichogenidea anarsiae** (Faure & Alabouvetle,1924) (Braconidae)
4717. **Dolichogenidea breviventris** (Ratzeburg,1848) (Braconidae)
4718. **Dolichogenidea coleophorae** (Wilkinson,1938) (Braconidae)
4719. **Dolichogenidea drusilla** (Nixon,1972) (Braconidae)
4720. **Dolichogenidea immissus** (Papp,1977) (Braconidae)
4721. **Dolichogenidea infimus** (Haliday,1834) (Braconidae)
4722. **Dolichogenidea lacteicolor** (Viereck,1911) (Braconidae)
4723. **Dolichogenidea litae** (Nixon,1972) (Braconidae)
4724. **Dolichogenidea longicauda** (Wesmael,1837) (Braconidae)
4725. **Dolichogenidea longipalpis** (Reinhard,1880) (Braconidae)
4726. **Dolichogenidea mycale** (Nixon,1972) (Braconidae)
4727. **Dolichogenidea sicarius** (Marshall,1885) (Braconidae)
4728. **Dolichogenidea soikai** (Nixon,1972) (Braconidae)
4729. **Dolichomitus mesocentrus** (Gravenhorst,1829) (Ichneumonidae)
4730. **Dolichomitus messor** (Gravenhorst,1829) (Ichneumonidae)
4731. **Dolichomitus sericeus** (Hartig,1847) (Ichneumonidae)
4732. **Dolichomitus subglabratus** (Perkins,1843) (Ichneumonidae)
4733. **Dolichopeza (s.str.) graeca** Mannheims,1954 (Tipulidae)
4734. **Dolichopoda (s.str.) lycia** (Galvagni,2006) (Raphidophoridae)
4735. **Dolichopus cilifemoratus** Macquart,1827 (Dolichopodidae)
4736. **Dolichopus cinctipes** Wahlberg,1850 (Dolichopodidae)
4737. **Dolichopus diadema** Haliday,1832 (Dolichopodidae)
4738. **Dolichopus excisus** Loew,1859 (Dolichopodidae)
4739. **Dolichopus griseipennis** Stannius,1831 (Dolichopodidae)
4740. **Dolichopus lairdi** Olejnicek, Mohsen & Ouda,1995 (Dolichopodidae)
4741. **Dolichopus latilimbatus** Macquart,1827 (Dolichopodidae)
4742. **Dolichopus perversus** Loew,1871 (Dolichopodidae)
4743. **Dolichopus picipes** Meigen,1824 (Dolichopodidae)
4744. **Dolichopus plumipes** (Scopoli,1763) (Dolichopodidae)
4745. **Dolichopus sabinus** Haliday,1838 (Dolichopodidae)
4746. **Dolichopus sículus** Loew,1859 (Dolichopodidae)
4747. **Dolichopus signifer** Haliday,1832 (Dolichopodidae)
4748. **Dolichopus strigipes** Verrall,1875 (Dolichopodidae)
4749. **Dolichopus syriacus** Becker,1917 (Dolichopodidae)
4750. **Dolichopus thalhammeri** Knezy,1929 (Dolichopodidae)
4751. **Dolichovespula media** (Retzius,1783) (Vespidae)
4752. **Dolichovespula norwegica** (Fabricius,1781) (Vespidae)
4753. **Dolichovespula omissa** (Bischoff,1931) (Vespidae)
4754. **Dolichovespula sylvestris** (Scopoli,1763) (Vespidae)
4755. **Dolicopoda (s.str.) aranea** Bolivar,1899 (Raphidophoridae)
4756. **Dolicopoda (s.str.) euxina** Semenov,1901 (Raphidophoridae)
4757. **Dolicopoda (s.str.) noctivaga** Di Russo & Rampini,2007 (Raphidophoridae)
4758. **Dolicopoda (s.str.) pusilla** Bolivar,1899 (Raphidophoridae)
4759. **Dolicopoda (s.str.) sbordonii** Di Russo & Rampini,2006 (Raphidophoridae)
4760. **Dolycoris baccarum** (Linnaeus,1758) (Pentatomidae)
4761. **Donus audax** Faust,1887 (Curculionidae)
4762. **Donus comatus** (Boheman,1842) (Curculionidae)
4763. **Donus zoilus** (Scopoli,1763) (Curculionidae)
4764. **Doratulina acuticeps** (Ribaut,1948) (Cicadellidae)
4765. **Doratulina instabilis** (Ribaut,1948) (Cicadellidae)
4766. **Doratulina luxoriensis** (Linnavuori,1952) (Cicadellidae)
4767. **Doratulina pallifrons** (Horvath,1897) (Cicadellidae)
4768. **Doratura concors** Horvath,1903 (Cicadellidae)
4769. **Doratura exilis** Horvath,1903 (Cicadellidae)
4770. **Doratura heterophyla** Horvath,1903 (Cicadellidae)
4771. **Doratura homophyla** (Flor,1861) (Cicadellidae)
4772. **Doratura impudica** Horvath,1897 (Cicadellidae)

4773. **Doratura salina** Horvath,1903 (Cicadellidae)
 4774. **Doratura stylata** (Boheman,1847) (Cicadellidae)
 4775. **Doratura veneta** Dlabola,1969 (Cicadellidae)
 4776. **Doraturopsis heros** (Melichar,1902) (Cicadellidae)
 4777. **Dorcadion (Cribridorcadion) discodivisum** Pic,1939 (Cerambycidae)
 4778. **Dorcadion (Cribridorcadion) divisum** Germar,1839 (Cerambycidae)
 4779. **Dorcadion (Cribridorcadion) glaucum** Faldermann,1837 (Cerambycidae)
 4780. **Dorcadion (Cribridorcadion) janatai** Kadlec,2006 (Cerambycidae)
 4781. **Dorcadion (Cribridorcadion) marandense** Holzschuh,2007 (Cerambycidae)
 4782. **Dorcadion (Cribridorcadion) nurense** Danilevsky & Murzin,2009 (Cerambycidae)
 4783. **Dorcadion (Cribridorcadion) ressl** Holzschuh,2007 (Cerambycidae)
 4784. **Dorcadion (Cribridorcadion) serouensis** Kadlec,2006 (Cerambycidae)
 4785. **Dorcadion (Cribridorcadion) talyschense** Ganglbauer,1883 (Cerambycidae)
 4786. **Dorcadion (Cribridorcadion) tebriscum** Plavilstshikov,1951 (Cerambycidae)
 4787. **Dorcadion (Maculatodorcadion) triste** Frivaldsky,1845 (Cerambycidae)
 4788. **Dorcadion (s.str.) apicale** Thomson,1865 (Cerambycidae)
 4789. **Dorcadion (s.str.) faldermanni** Ganglbauer,1884 (Cerambycidae)
 4790. **Dorcadion (s.str.) nodicorne** Tournier,1872 (Cerambycidae)
 4791. **Dorcadion (s.str.) quadrimaculatum** Küster,1848 (Cerambycidae)
 4792. **Dorcadion (s.str.) serotinum** Thomson,1865 (Cerambycidae)
 4793. **Dorcus parallelopipedus** (Linnaeus,1758) (Lucanidae)
 4794. **Dorcus vavrai** Nonfried,1905 (Lucanidae)
 4795. **Dorycephalus baeri** Kuschakewisch,1866 (Cicadellidae)
 4796. **Dorycera graminum** (Fabricius,1794) (Ulidiidae)
 4797. **Dorycera hybrida** Loew,1862 (Ulidiidae)
 4798. **Dorysarthus mobilicornis** Puton,1895 (Dictyopharidae)
 4799. **Dorysarthus sumakovi** Oshanin,1908 (Dictyopharidae)
 4800. **Drasterius bimaculatus** (Rossi,1790) (Elateridae)
 4801. **Drino gilva** (Hartig,1838) (Tachinidae)
 4802. **Drino imberbis** (Wiedemann,1830) (Tachinidae)
 4803. **Drino inconspicua** (Meigen,1830) (Tachinidae)
 4804. **Drino vicina** (Zetterstedt,1849) (Tachinidae)
 4805. **Drosophila (Hirtodrosophila) cameraria** Haliday,1833 (Drosophilidae)
 4806. **Drosophila (Hirtodrosophila) confusa** Staeger,1844 (Drosophilidae)
 4807. **Drosophila (s.str.) immigrans** Sturtevant,1921 (Drosophilidae)
 4808. **Drosophila (s.str.) kuntzei** Duda,1924 (Drosophilidae)
 4809. **Drosophila (s.str.) phalerata** Meigen,1830 (Drosophilidae)
 4810. **Drosophila (s.str.) testacea** Roser,1840 (Drosophilidae)
 4811. **Drosophila (s.str.) transversa** Fallén,1823 (Drosophilidae)
 4812. **Drosophila (Scaptodrosophila) deflexa** Duda,1924 (Drosophilidae)
 4813. **Drosophila (Scaptodrosophila) rufifrons** Loew,1873 (Drosophilidae)
 4814. **Drosophila (Sophophora) ambigua** Pomini,1940 (Drosophilidae)
 4815. **Drosophila (Sophophora) melanogaster** Meigen,1830 (Drosophilidae)
 4816. **Drosophila (Sophophora) obscura** Fallén,1823 (Drosophilidae)
 4817. **Drosophila (Sophophora) simulans** Sturtevant,1919 (Drosophilidae)
 4818. **Drosophila (Sophophora) simulans** Sturtevant,1921 (Drosophilidae)
 4819. **Drosophila (Sophophora) subobscura** Collin,1936 (Drosophilidae)
 4820. **Drosophila (Sophophora) tristis** Fallén,1823 (Drosophilidae)
 4821. **Drosophila adusta** Loew,1862 (Drosophilidae)
 4822. **Drosophila amoena** Loew,1862 (Drosophilidae)
 4823. **Drosophila ampelophila** Loew,1862 (Drosophilidae)
 4824. **Drosophila andalusiaca** Strobl,1906 (Drosophilidae)
 4825. **Drosophila busckii** Coquillett,1901 (Drosophilidae)
 4826. **Drosophila buzzatii** Patterson & Wheeler,1942 (Drosophilidae)
 4827. **Drosophila flavicauda** Toda,1991 (Drosophilidae)
 4828. **Drosophila funebris** (Fabricius,1787) (Drosophilidae)
 4829. **Drosophila repleta** Wollaston,1858 (Drosophilidae)
 4830. **Drymadusa dorsalis** (Brullé,1832) (Tettigoniidae)
 4831. **Drymadusa limbata** Brunner von Wattenwyl,1882 (Tettigoniidae)
 4832. **Drymeia alpicola** (Rondani,1871) (Muscidae)
 4833. **Drymeia fasciculata** (Stein,1916) (Muscidae)
 4834. **Dryocosmus cerriphilus** Giraud,1859 (Cynipidae)
 4835. **Dryodurgades anatolicus** Dlabola,1957 (Cicadellidae)
 4836. **Dryodurgades dlabolai** Wagner,1963 (Cicadellidae)
 4837. **Dryodurgades reticulatus** (Herrich-Schäffer,1834) (Cicadellidae)
 4838. **Dryomyia circinans** (Giraud,1861) (Cecidomyiidae)
 4839. **Dufourea (Cyprirophites) armenia** Ebmer,1987 (Halictidae)
 4840. **Dufourea (Halictoides) graeca** Ebmer,1976 (Halictidae)
 4841. **Dufourea (Halictoides) pontica** (Warncke,1979) (Halictidae)

4842. **Dufourea (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae)
4843. **Dufourea (s.str.) caelestis Ebmer,1987** (Halictidae)
4844. **Dufourea (s.str.) wolffi Ebmer,1989** (Halictidae)
4845. **Dufouriellus ater (Dufour,1883)** (Anthocoridae)
4846. **Duilius bagdada (Dlabola,1952)** (Cixiidae)
4847. **Duilius seticulosa (Lethierry,1874)** (Cixiidae)
4848. **Duilius tamaricis (Puton & Lethierry,1887)** (Cixiidae)
4849. **Duilius verticilineata Dlabola,1965** (Cixiidae)
4850. **Duplachionaspis berlesii (Leonardi)** (Diaspididae)
4851. **Duplachionaspis natalensis (Maskell)** (Diaspididae)
4852. **Duplachionaspis noaeae (Hall)** (Diaspididae)
4853. **Durgula lycii Emeljanov,1964** (Cicadellidae)
4854. **Duroniella fracta (Krauss,1890)** (Acrididae)
4855. **Duroniella laticornis (Krauss,1909)** (Acrididae)
4856. **Dusona falcator (Fabricius,1775)** (Ichneumonidae)
4857. **Dusona inermis (Förster,1868)** (Ichneumonidae)
4858. **Dusona inteligator Aubert,1966** (Ichneumonidae)
4859. **Dusona oxyacanthae (Boie,1855)** (Ichneumonidae)
4860. **Dusona stragifex (Förster,1868)** (Ichneumonidae)
4861. **Dusona tricolorator Aubert,1970** (Ichneumonidae)
4862. **Dynaspidiotus abieticola (Koroneos)** (Diaspididae)
4863. **Dynaspidiotus abietis (Schrank)** (Diaspididae)
4864. **Dynaspidiotus atlanticus (Balachowsky)** (Diaspididae)
4865. **Dynaspidiotus britannicus (Newstead)** (Diaspididae)
4866. **Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae)
4867. **Dysaphis inulae Rezwani,2008** (Aphididae)
4868. **Dysaphis lappae (Koch,1854)** (Aphididae)
4869. **Dysepicritus rufescens (Costa,1847)** (Anthocoridae)
4870. **Dysmachus antipai Weinberg,1968** (Asilidae)
4871. **Dysmachus appendiculatus Schiner,1867** (Asilidae)
4872. **Dysmachus bifurcus (Loew,1848)** (Asilidae)
4873. **Dysmachus bilobus Loew,1871** (Asilidae)
4874. **Dysmachus bimucronatus (Loew,1854)** (Asilidae)
4875. **Dysmachus cephalenus Loew,1871** (Asilidae)
4876. **Dysmachus dasiproctus Loew,1871** (Asilidae)
4877. **Dysmachus fuscipennis (Meigen,1820)** (Asilidae)
4878. **Dysmachus praemorsus (Loew,1854)** (Asilidae)
4879. **Dysmachus safranboluticus Hasbenli & Geller-Grimm,1999** (Asilidae)
4880. **Dysmachus setiger (Loew,1848)** (Asilidae)
4881. **Dysmachus setipyga Becker,1923** (Asilidae)
4882. **Dysmachus stylifer (Loew,1854)** (Asilidae)
4883. **Dysmachus suludereae Hasbenli & Geller-Grimm,1999** (Asilidae)
4884. **Dysmachus transcaucasicus Richter,1962** (Asilidae)
4885. **Dysmachus tricuspis (Loew,1848)** (Asilidae)
4886. **Dysmachus zaitzevi Lehr,1996** (Asilidae)
4887. **Dytiscus circumflexus Fabricius,1781** (Dytiscidae)
4888. **Dytiscus dimidiatus Bergsträßer,1778** (Dytiscidae)
4889. **Dytiscus marginalis Linnaeus,1758** (Dytiscidae)
4890. **Dytiscus semisulcatus O.F.Müller,1776** (Dytiscidae)
4891. **Ebaeus anatolicus Wittmer,1986** (Melyridae)
4892. **Ebaeus appendiculatus Erichson,1840** (Melyridae)
4893. **Ebaeus baudueri Peyron,1877** (Melyridae)
4894. **Ebaeus bleusei Abeille de Perrin,1900** (Melyridae)
4895. **Ebaeus caspius Peyron,1877** (Melyridae)
4896. **Ebaeus coerulescens Erichson,1840** (Melyridae)
4897. **Ebaeus flavicornis Erichson,1840** (Melyridae)
4898. **Ebaeus flavobullatus Marseul,1868** (Melyridae)
4899. **Ebaeus medvedevi Wittmer,1970** (Melyridae)
4900. **Ebaeus rosinae Pic,1902** (Melyridae)
4901. **Ebaeus rubetorum Peyron,1877** (Melyridae)
4902. **Ebaeus turcicus Wittmer,1968** (Melyridae)
4903. **Ebaeus vesiculiger (Marseul,1868)** (Melyridae)
4904. **Ebarrius cognatus (Fieber,1869)** (Cicadellidae)
4905. **Ebnerodes toelgi (Ebner,1919)** (Pamphagidae)
4906. **Eccoptomera microps (Meigen,1830)** (Heleomyzidae)
4907. **Eccoptopus longitarsis (Macquart,1838)** (Asilidae)
4908. **Echthistus cognatus Loew,1849** (Asilidae)
4909. **Echthistus rufinervis (Meigen,1820)** (Asilidae)
4910. **Echthromyrmex platypterus McLachan,1867** (Myrmeleonidae)

4911. **Echthromyrmex sehitlerolmez Koçak & Kemal,2008** (Myrmeleionidae)
4912. **Echthronomas tricincta (Gravenhorst,1829)** (Ichneumonidae)
4913. **Echthroplexiella aeneiventris Mercet** (Encyrtidae)
4914. **Echthrus reluctator (Linnaeus,1758)** (Ichneumonidae)
4915. **Ectamenogonus montandoni (Buysson,1888)** (Elateridae)
4916. **Ectinus aterrimus (Linnaeus,1761)** (Elateridae)
4917. **Ectobius balcani Rammer,1923** (Blattidae)
4918. **Ectobius vittiventris Costa,1847** (Blattidae)
4919. **Ectomocoris melanogaster (Fieber,1861)** (Reduviidae)
4920. **Ectomocoris ululans (Rossi,1790)** (Reduviidae)
4921. **Ectophasia crassipennis (Fabricius,1794)** (Tachinidae)
4922. **Edwardsiana avellanae (Edwards,1888)** (Cicadellidae)
4923. **Edwardsiana flavescens (Fabricius,1794)** (Cicadellidae)
4924. **Edwardsiana iranica Zachvatkin,1947** (Cicadellidae)
4925. **Edwardsiana lethierryi (Edwards,1881)** (Cicadellidae)
4926. **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae)
4927. **Edwardsiana salicicola (Edwards,1885)** (Cicadellidae)
4928. **Edwardsiana spinigera (Edwards,1924)** (Cicadellidae)
4929. **Edwardsiana tersa (Edwards,1914)** (Cicadellidae)
4930. **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae)
4931. **Einfeldia carbonaria (Meigen,1804)** (Chironomidae)
4932. **Einfeldia dissidens (Walker,1856)** (Chironomidae)
4933. **Einfeldia sp.** (Chironomidae)
4934. **Elachertus fenestratus Nees,1834** (Eulophidae)
4935. **Elachertus pulcher (Erdős,1961)** (Eulophidae)
4936. **Elachiptera bimaculata (Loew,1845)** (Chloropidae)
4937. **Elaea richter Beier,1956** (Mantidae)
4938. **Elampus bidens (Förster,1853)** (Chrysididae)
4939. **Elampus sanzii Gogorza,1887** (Chrysididae)
4940. **Elaphrosyron heinrichi Haupt,1930** (Pompilidae)
4941. **Elaphrosyron paglianoi Wolf,1999** (Pompilidae)
4942. **Elasmotropis testacea (Herrich-Schäffer,1830)** (Tingidae)
4943. **Elasmus cyprianus Ferrière,1947** (Eulophidae)
4944. **Elasmus flabellatus (Fonscolombe,1832)** (Eulophidae)
4945. **Elasmus nudus (Nees,1834)** (Eulophidae)
4946. **Elasmus phthorimaeae Ferrière,1947** (Eulophidae)
4947. **Elasmus platyedrae Ferrière,1935** (Eulophidae)
4948. **Elasmus steffani Viggiani,1967** (Eulophidae)
4949. **Elasmus unicolor (Rondani,1877)** (Eulophidae)
4950. **Elasmus westwoodi Giraud,1856** (Eulophidae)
4951. **Elater ferrugineus Linnaeus,1758** (Elateridae)
4952. **Elater tauricus (Schwarz,1897)** (Elateridae)
4953. **Elathous buyssoni Reitter,1890** (Elateridae)
4954. **Elathous depressus Platia & Schimmel,1991** (Elateridae)
4955. **Elathous lizlerwernerii Mertlik & Dusanek,2006** (Elateridae)
4956. **Elathous mertliki Platia & Schimmel,1992** (Elateridae)
4957. **Elathous nigricans Platia & Schimmel,1991** (Elateridae)
4958. **Elathous pavesii Platia & Schimmel,1992** (Elateridae)
4959. **Elathous rufobasalis Wurst,1994** (Elateridae)
4960. **Elathous schwarzi Reitter,1905** (Elateridae)
4961. **Elathous smyrnensis Reitter,1905** (Elateridae)
4962. **Elathous syriacus (Schwarz,1903)** (Elateridae)
4963. **Elathous turcicus Platia & Gudenzi,2005** (Elateridae)
4964. **Elatophilus nigricornis (Zetterstedt,1838)** (Anthocoridae)
4965. **Elatophilus pachycnemis Horvath,1907** (Anthocoridae)
4966. **Eledona agaricola (Herbst,1784)** (Tenebrionidae)
4967. **Elinora asiatica Enslin,1910** (Tenthredinidae)
4968. **Elinora baetica Spinola,1843** (Tenthredinidae)
4969. **Elinora ornata André,1881** (Tenthredinidae)
4970. **Eliozeta helluo (Fabricius,1805)** (Tachinidae)
4971. **Ellipteroides (Protogonomyia) quadridens** (Limoniidae)
4972. **Ellipteroides (s.str.) bifastigatus Mendl,1987** (Limoniidae)
4973. **Elodes akbesianus Pic,1898** (Scirtidae)
4974. **Elodes eberti Klausnitzer,1970** (Scirtidae)
4975. **Elodes flavoangularis Klausnitzer,1990** (Scirtidae)
4976. **Elodes luteata Klausnitzer,1979** (Scirtidae)
4977. **Elodes megalopus Klausnitzer,2002** (Scirtidae)
4978. **Elodes microps Klausnitzer,2002** (Scirtidae)
4979. **Elodes minuta (Linnaeus,1767)** (Scirtidae)

4980. **Elodes persimilis** Klausnitzer,2002
(Scirtidae)
4981. **Elodes pseudominuta** Klausnitzer,1971
(Scirtidae)
4982. **Elodes sieberi** Klausnitzer,1973
(Scirtidae)
4983. **Elodes venustula** Klausnitzer,2002
(Scirtidae)
4984. **Eloeophila maculata** (Meigen,1804)
(Limoniidae)
4985. **Eloeophila miliaria** (Egger,1863)
(Limoniidae)
4986. **Elymana sulphurella** (Zetterstedt,1828)
(Cicadellidae)
4987. **Emblethis angustus** Montandon,1890
(Lygaeidae)
4988. **Emblethis brachynotus** Horvath,1907
(Lygaeidae)
4989. **Emblethis bullatus** Fieber,1861
(Lygaeidae)
4990. **Emblethis ciliatus** Horvath,1875
(Lygaeidae)
4991. **Emblethis denticollis** Hovarth,1878
(Lygaeidae)
4992. **Emblethis duplicatus**
Seidenstücker,1963 (Lygaeidae)
4993. **Emblethis griseus** (Wolff,1802)
(Lygaeidae)
4994. **Emblethis karamanus**
Seidenstücker,1963 (Lygaeidae)
4995. **Emblethis kareli** Hoberlandt,1955
(Lygaeidae)
4996. **Emblethis major** Montandon,1890
(Lygaeidae)
4997. **Emblethis osmanus** Seidenstücker,1962
(Lygaeidae)
4998. **Emblethis sabulosus**
Seidenstücker,1963 (Lygaeidae)
4999. **Emblethis setifer** Seidenstücker,1966
(Lygaeidae)
5000. **Emblethis verbasci** (Fabricius,1803)
(Lygaeidae)
5001. **Embrocerus turcicus** (Wittmer,1964)
(Melyridae)
5002. **Emelyanoviana mollicula**
(Boheman,1845) (Cicadellidae)
5003. **Emmepus bonnairii** Fairmaire,1883
(Cleridae)
5004. **Emmepus pallidipennis** Pic,1898
(Cleridae)
5005. **Empis (Euempis) tessellata**
Fabricius,1794 (Empididae)
5006. **Empis (Pachymeria) contigua**
(Loew,1864) (Empididae)
5007. **Empis (Pachymeria) mediterranea**
(Loew,1864) (Empididae)
5008. **Empis (Polyblepharis) haemorrhoidica**
Loew,1869 (Empididae)
5009. **Empis (Polyblepharis) lugubris**
Loew,1869 (Empididae)
5010. **Empis (s.str.) acinerea** Chavala,1985
(Empididae)
5011. **Empis (s.str.) caudatula** Loew,1867
(Empididae)
5012. **Empis (s.str.) curticoris** Collin,1960
(Empididae)
5013. **Empis (s.str.) discrepans** Collin,1960
(Empididae)
5014. **Empis (s.str.) inopinata** Collin,1960
(Empididae)
5015. **Empis (s.str.) insulata** Collin,1960
(Empididae)
5016. **Empis (s.str.) lepidopus** Meigen,1822
(Empididae)
5017. **Empis (s.str.) nigripes** Fabricius,1794
(Empididae)
5018. **Empis (s.str.) pexata** Collin,1960
(Empididae)
5019. **Empis (s.str.) tristis** Loew,1867
(Empididae)
5020. **Empoasca decipiens** Paoli,1930
(Cicadellidae)
5021. **Empoasca solani** (Curtis,1846)
(Cicadellidae)
5022. **Empoasca vitis** (Göthe,1875)
(Cicadellidae)
5023. **Empusa fasciata** Brullé,1836
(Empusidae)
5024. **Empusa hedenborgii** Stal,1877
(Empusidae)
5025. **Empusa pauperata** (Fabricius,1781)
(Empusidae)
5026. **Empusa pennicornis** (Pallas,1773)
(Empusidae)
5027. **Empusa uvarovi** Chopard,1921
(Empusidae)
5028. **Enallagma cyathigerum**
(Charpentier,1840) (Coenagrionidae)
5029. **Encarsia aspidiocola** (Mercet,1929)
(Aphelinidae)
5030. **Encarsia berleseii** (Howard,1906)
(Aphelinidae)
5031. **Encarsia citrina** (Craw,1891)
(Aphelinidae)
5032. **Encarsia formosa** Gahan,1924
(Aphelinidae)
5033. **Encarsia inaron** (Walker,1839)
(Aphelinidae)
5034. **Encarsia lahorensis** (Howard,1911)
(Aphelinidae)
5035. **Encarsia leucaspidis** (Mercet,1912)
(Aphelinidae)
5036. **Encarsia lounsburyi** (Berlese &
Paoli,1916) (Aphelinidae)
5037. **Encarsia perniciosi** (Tower,1913)
(Aphelinidae)
5038. **Encarsia sophia** (Girault & Dodd,1915)
(Aphelinidae)
5039. **Encarsia tricolor** Förster,1878
(Aphelinidae)
5040. **Enclisis ornaticeps** (Thomson,1885)
(Ichneumonidae)
5041. **Encyrtus aurantii** (Geoffroy)
(Encyrtidae)
5042. **Encyrtus infelix** (Embleton) (Encyrtidae)
5043. **Encyrtus infidus** (Rossi) (Encyrtidae)
5044. **Endasys brevis** (Gravenhorst,1829)
(Ichneumonidae)
5045. **Endasys erythrogaster**
(Gravenhorst,1829) (Ichneumonidae)
5046. **Endasys parviventris**
(Gravenhorst,1829) (Ichneumonidae)
5047. **Endasys plagiator** (Gravenhorst,1829)
(Ichneumonidae)
5048. **Endasys rubricator** (Thunberg,1822)
(Ichneumonidae)

5049. **Endochironomus tendens**
(Fabricius,1794) (Chironomidae)
5050. **Endomia concolor** (Desbrochers,1875)
(Anthicidae)
5051. **Engelepogon antiochienensis**
(Tsacas,1964) (Asilidae)
5052. **Engelepogon brunripes**
(Fabricius,1794) (Asilidae)
5053. **Engelepogon chrysophora**
(Tsacas,1964) (Asilidae)
5054. **Engelepogon cingulifer** (Becker,1913)
(Asilidae)
5055. **Engelepogon goedli** (Loew,1854)
(Asilidae)
5056. **Engelepogon ravus** (Loew,1871)
(Asilidae)
5057. **Enicopus hirtus** (Linnaeus,1767)
(Melyridae)
5058. **Enicospilus cerebrator** Aubert,1966
(Ichneumonidae)
5059. **Enicospilus cruciator** Victorov,1957
(Ichneumonidae)
5060. **Enicospilus incognitus** Izquierdo,1983
(Ichneumonidae)
5061. **Enicospilus ramidulus** (Linnaeus,1758)
(Ichneumonidae)
5062. **Enicospilus repentinus**
(Holmgren,1858) (Ichneumonidae)
5063. **Enicospilus tournieri** (Snellen van
Vollenhoven,1879) (Ichneumonidae)
5064. **Enochrus (Lumetus) ater**
(Kuwert,1888) (Hydrophilidae)
5065. **Enochrus (Lumetus) bicolor**
(Fabricius,1792) (Hydrophilidae)
5066. **Enochrus (Lumetus) fuscipennis**
(Thomson,1884) (Hydrophilidae)
5067. **Enochrus (Lumetus) salmonis**
(Sahlberg,1900) (Hydrophilidae)
5068. **Enochrus (Lumetus) segmentinotatus**
(Kuwert,1888) (Hydrophilidae)
5069. **Enochrus (Methyrus) nigrinus**
(Sharp,1872) (Hydrophilidae)
5070. **Enochrus (s.str.) melanocephalus**
(Olivier,1792) (Hydrophilidae)
5071. **Enoplops disciger** (Kolenati,1845)
(Coreidae)
5072. **Enoplops scapha** (Fabricius,1794)
(Coreidae)
5073. **Ensina sonchi** (Linnaeus,1767)
(Tephritidae)
5074. **Entedon abdera** Walker,1839
(Eulophidae)
5075. **Entedon angorensis** Gumovsky,1999
(Eulophidae)
5076. **Entedon biroi** Erdös,1944 (Eulophidae)
5077. **Entedon calcicola** Graham,1971
(Eulophidae)
5078. **Entedon cionobius** Thomson,1878
(Eulophidae)
5079. **Entedon fufius** Walker,1846
(Eulophidae)
5080. **Entedon hercyna** Walker,1839
(Eulophidae)
5081. **Entedon longus** Boucek,1968
(Eulophidae)
5082. **Entedon pallicus** Erdös,1944
(Eulophidae)
5083. **Entedon palvicalcar** Thomson,1878
(Eulophidae)
5084. **Entedon pinetorum** Ratzeburg,1852
(Eulophidae)
5085. **Entedon procioni** Erdös,1944
(Eulophidae)
5086. **Entedon sparetus** Walker,1839
(Eulophidae)
5087. **Entedon subpunctatus** [n.n.]
(Eulophidae)
5088. **Entedon thomsianus** Erdös,1944
(Eulophidae)
5089. **Entomobora crassitarsis** (Costa,1887)
(Pompilidae)
5090. **Entomobora fuscipennis** (Van der
Linden,1827) (Pompilidae)
5091. **Entomobora vomeriventrifera**
(Costa,1863) (Pompilidae)
5092. **Entomogonus (Delonurops) duchoni**
Reitter,1903 (Tenebrionidae)
5093. **Entomogonus (Delonurops) egregius**
Seidlitz,1893 (Tenebrionidae)
5094. **Entomogonus (Delonurops) obtusus**
Seidlitz,1893 (Tenebrionidae)
5095. **Entomogonus (Delonurops) peyroni**
(Reiche,1861) (Tenebrionidae)
5096. **Entomogonus (Delonurops) saphyrinus**
Allard,1876 (Tenebrionidae)
5097. **Entomogonus (Eutelogonus) davidis**
(Fairmaire,1884) (Tenebrionidae)
5098. **Entomogonus (Eutelogonus) nylanderi**
Ferrer & Soldati,1999 (Tenebrionidae)
5099. **Entomogonus (s.str.) angulicollis**
Mulsant & Wacherau,1852 (Tenebrionidae)
5100. **Entomoscelis adonidis** (Pallas,1771)
(Chrysomelidae)
5101. **Entomoscelis suturalis** Weise,1882
(Chrysomelidae)
5102. **Eoferreola anatolica** Piesner,1973
(Pompilidae)
5103. **Eoferreola anomala** (Piesner,1955)
(Pompilidae)
5104. **Eoferreola cyrenaica** (Guiglia,1941)
(Pompilidae)
5105. **Eoferreola distincta** (Smith,1855)
(Pompilidae)
5106. **Eoferreola erythraea** (Pallas,1773)
(Pompilidae)
5107. **Eoferreola manticata** (Pallas,1771)
(Pompilidae)
5108. **Eoferreola rhombica** (Christ,1791)
(Pompilidae)
5109. **Eoferreola thoracica** (Rossi,1794)
(Pompilidae)
5110. **Eohardya fraudulentus** (Horvath,1903)
(Cicadellidae)
5111. **Eoperla ochracea** (Kolbe,1885)
(Perlidae)
5112. **Epallage fatime** (Charpentier,1840)
(Calopterygidae)
5113. **Ephippiger ephippiger** (Fiebig,1784)
(Tettigoniidae)
5114. **Epicauta erythrocephala** (Pallas,1771)
(Meloidae)
5115. **Epiclerus alahanensis** Doğanlar,2003
(Tetracampidae)
5116. **Epiclerus guemenekus** Doğanlar,2003
(Tetracampidae)

5117. **Epiclerus panyas (Walker)**
(Tetracampidae)
5118. **Epiclerus tokatus Doğanlar,2003**
(Tetracampidae)
5119. **Epidiaspis gennadii (Leonardi)**
(Diaspididae)
5120. **Epidiaspis leperii (Signoret)**
(Diaspididae)
5121. **Epiphragma (Epiphragma) ocellare (Linnaeus,1761)** (Limoniidae)
5122. **Epistrophe elegans (Harris,1780)**
(Syrphidae)
5123. **Epistrophe grossulariae (Meigen,1822)**
(Syrphidae)
5124. **Episyron albonotatum (Van der Linden,1827)** (Pompilidae)
5125. **Episyron arrogans (Smith,1873)**
(Pompilidae)
5126. **Episyron candiotum Wahis,1966**
(Pompilidae)
5127. **Episyron coccineipes (Saunders,1904)**
(Pompilidae)
5128. **Episyron funerarium (Tournier,1889)**
(Pompilidae)
5129. **Episyron gallicum (Tournier,1889)**
(Pompilidae)
5130. **Episyron rufipes (Linnaeus,1758)**
(Pompilidae)
5131. **Episyrrhus balteatus (De Geer,1776)**
(Syrphidae)
5132. **Epitetracnemus intersectus (Fonscolombe)** (Encyrtidae)
5133. **Epitrix abeillei (Bauduer,1874)**
(Chrysomelidae)
5134. **Epitrix atropae Foudras,1860**
(Chrysomelidae)
5135. **Epitrix caucasica (Heitertinger,1950)**
(Chrysomelidae)
5136. **Epitrix dieckmanni (Mohr,1968)**
(Chrysomelidae)
5137. **Epitrix hirtipennis (Melsheimer,1847)**
(Chrysomelidae)
5138. **Epitrix intermedia Foudras,1860**
(Chrysomelidae)
5139. **Epitrix priesneri (Heikertinger,1950)**
(Chrysomelidae)
5140. **Epitrix pubescens (Koch,1803)**
(Chrysomelidae)
5141. **Erax grootaerti Tomasovic,2002**
(Asilidae)
5142. **Erax hayati Tomasovic,2002** (Asilidae)
5143. **Erax nigrosetosus Theodor,1980**
(Asilidae)
5144. **Erax nubeculus (Loew,1848)** (Asilidae)
5145. **Erax punctipennis (Meigen,1820)**
(Asilidae)
5146. **Erax tenuicornis (Loew,1848)** (Asilidae)
5147. **Erdoesina albuannulata (Ratzeburg)**
(Pteromalidae)
5148. **Erebunus farinosus (Becker,1913)**
(Asilidae)
5149. **Eremiaphila dagi Doğanlar,2007**
(Mantidae)
5150. **Eremiaphila genei Lefebvre,1835**
(Mantidae)
5151. **Eremiaphila hauensteini Werner,1905**
(Mantidae)
5152. **Eremippus angulatus Uvarov,1934**
(Acrididae)
5153. **Eremippus gracilis Uvarov,1934**
(Acrididae)
5154. **Eremippus haghghi Descamps,1967**
(Acrididae)
5155. **Eremippus kermanicus Mishtchenko,1976** (Acrididae)
5156. **Eremippus persicus Uvarov,1929**
(Acrididae)
5157. **Eremippus simplex (Eversmann,1859)**
(Acrididae)
5158. **Eremippus turcicus Ramme,1951**
(Acrididae)
5159. **Eremippus weidneri Demirsoy,1977**
(Acrididae)
5160. **Eremisca heleni (Eflatoun,1934)**
(Asilidae)
5161. **Eremisca shahgudiani Abbasian-Lintzen,1964** (Asilidae)
5162. **Eremocampe choresmiana Sugonjaev**
(Tetracampidae)
5163. **Eremopeza festiva (Saussure,1884)**
(Pamphagidae)
5164. **Eremopeza gibbera (Stal,1874)**
(Pamphagidae)
5165. **Eremopeza saussurei (Uvarov,1918)**
(Pamphagidae)
5166. **Eremoplana infelix Uvarov,1924**
(Mantidae)
5167. **Eremotylus marginatus (Jurine,1807)**
(Ichneumonidae)
5168. **Eretes griseus (Fabricius,1781)**
(Dytiscidae)
5169. **Eretes sticticus (Linnaeus,1767)**
(Dytiscidae)
5170. **Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae)
5171. **Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae)
5172. **Eretmocerus mundus Mercet,1931**
(Aphelinidae)
5173. **Eriborus terebrans (Gravenhorst,1829)**
(Ichneumonidae)
5174. **Eriocydnus aeneus Nikol'skaya**
(Encyrtidae)
5175. **Eriocydnus robustior Mercet** (Encyrtidae)
5176. **Eriococcus agropyri (Borchsenius)**
(Eriococcidae)
5177. **Eriococcus araucariae Maskell**
(Eriococcidae)
5178. **Eriococcus buxi (Boyer de Fonscolombe)** (Eriococcidae)
5179. **Eriococcus cingulatus Kiritchenko**
(Eriococcidae)
5180. **Eriococcus cynodontis Kiritchenko**
(Eriococcidae)
5181. **Eriococcus devoniensis (Green)**
(Eriococcidae)
5182. **Eriococcus greeni Newstead**
(Eriococcidae)
5183. **Eriococcus herbaceus (Danzig)**
(Eriococcidae)
5184. **Eriococcus laingi (Bodenheimer)**
(Eriococcidae)
5185. **Eriococcus micracanthus (Danzig)**
(Eriococcidae)

5186. **Eriococcus munroi** (Boratynski)
(Eriococcidae)
5187. **Eriococcus pseudinsignis** Green
(Eriococcidae)
5188. **Eriococcus roboris** Goux (Eriococcidae)
5189. **Eriococcus spurius** (Modeer)
(Eriococcidae)
5190. **Eriococcus tavnani** Goux (Eriococcidae)
5191. **Eriococcus thymi** (Schrank)
(Eriococcidae)
5192. **Eriococcus variabilis** Goux (Eriococcidae)
5193. **Eriococcus zernae** (Tereznikova)
(Eriococcidae)
5194. **Eriocnopa symplectoides**
(Kuntze,1914) (Limoniidae)
5195. **Eriocnopa trivialis** (Meigen,1818)
(Limoniidae)
5196. **Eriopeltis festucae** (Boyer de
Fonscolombe) (Coccidae)
5197. **Eriopogon laniger** (Meigen,1804)
(Asilidae)
5198. **Erioptera (Erioptera) fusculeta**
Edwards,1938 (Limoniidae)
5199. **Erioptera (Erioptera) lutea**
Meigen,1804 (Limoniidae)
5200. **Erioptera (Mesocyphona) bivittata**
(Loew,1873) (Limoniidae)
5201. **Eriothrix apenninus** (Rondani,1862)
(Tachinidae)
5202. **Eriothrix rufomaculatus** (De Geer,1776)
(Tachinidae)
5203. **Eristalinus (Eristalodes) taeniops**
(Wiedemann,1818) (Syrphidae)
5204. **Eristalinus (Lathyrrophthalmus) aeneus**
(Scopoli,1763) (Syrphidae)
5205. **Eristalinus (Lathyrrophthalmus)**
megacephalus (Rossi,1792) (Syrphidae)
5206. **Eristalinus (Lathyrrophthalmus)**
quinquestriatus (Fabricius,1794) (Syrphidae)
5207. **Eristalinus (s.str.) sepulchralis**
(Linnaeus,1758) (Syrphidae)
5208. **Eristalis (Eoseritalis) arbustorum**
(Linnaeus,1758) (Syrphidae)
5209. **Eristalis (Eoseritalis) jugorum**
Egger,1858 (Syrphidae)
5210. **Eristalis pertinax** (Scopoli,1763)
(Syrphidae)
5211. **Eristalis similis** (Fallén,1817) (Syrphidae)
5212. **Eristalis tenax** (Linnaeus,1758)
(Syrphidae)
5213. **Ernodes abanticus** Çakın,1983
(Beraeidae)
5214. **Ernodes anatolicus** Çakın,1983
(Beraeidae)
5215. **Ernodes orduensis** Sipahiler,2008
(Beraeidae)
5216. **Erodus (Dirosis) klugi** Allard,1864
(Tenebrionidae)
5217. **Erodus fabricii** Solier,1834
(Tenebrionidae)
5218. **Erodus orientalis** Brullé,1832
(Tenebrionidae)
5219. **Erromenus brunnicans**
(Gravenhorst,1829) (Ichneumonidae)
5220. **Erromenus melanotus**
(Gravenhorst,1829) (Ichneumonidae)
5221. **Erycia fasciata** Villeneuve,1924
(Tachinidae)
5222. **Erythria (s.str.) aureola** (Fallén,1806)
(Cicadellidae)
5223. **Erythromma najas** (Hansemann,1823)
(Coenagrionidae)
5224. **Erythromma viridulum**
(Charpentier,1840) (Coenagrionidae)
5225. **Esatanas shah** (Rondani,1873) (Asilidae)
5226. **Etorofus Matsushita**,1933
(Cerambycidae)
5227. **Etorofus pubescens** (Fabricius,1787)
(Cerambycidae)
5228. **Euaresta bullans** (Wiedemann,1830)
(Tephritidae)
5229. **Euboeus mimonti** (Boieldieu,1865)
(Tenebrionidae)
5230. **Euborellia annulipes** (Lucas,1837)
(Labiduridae)
5231. **Euborellia moesta** (Géné,1839)
(Labiduridae)
5232. **Eucalymnatus tessellatus** (Signoret)
(Coccidae)
5233. **Eucampsipoda aegyptia**
(Macquart,1851) (Nycteribiidae)
5234. **Eucera longicornis** (Linnaeus,1758)
(Apidae)
5235. **Euchalcis miegii** Dufour,1861
(Chalcididae)
5236. **Euchalcis unicolor** (Lucas,1871)
(Chalcididae)
5237. **Eucharis adscendens** (Fabricius,1787)
(Eucharitidae)
5238. **Eucharis anatolica** Boucek,1952
(Eucharitidae)
5239. **Eucharis carinifera** Gussakovsky,1940
(Eucharitidae)
5240. **Eucharis punctata** Förster,1859
(Eucharitidae)
5241. **Eucharis reticulata** Ruschka,1924
(Eucharitidae)
5242. **Eucharis rugulosa** Gussakovsky,1940
(Eucharitidae)
5243. **Eucharis turca** Nikol'skaya,1952
(Eucharitidae)
5244. **Euchorthippus declivus** (Brisout de
Barneville,1849) (Acrididae)
5245. **Euchorthippus pulvinatus** (Fischer von
Waldheim,1846) (Acrididae)
5246. **Euchorthippus transcaucasicus**
Tarbinski,1930 (Acrididae)
5247. **Eucremastoides angelovi** Kolarov,1980
(Ichneumonidae)
5248. **Eucremastus manni** (Tschek,1871)
(Ichneumonidae)
5249. **Eudasyphora cyanella** (Meigen,1826)
(Muscidae)
5250. **Eudelus simillimus** (Taschenberg,1865)
(Ichneumonidae)
5251. **Euderus agrili** Boucek (Eulophidae)
5252. **Euderus brevicornis** Boucek
(Eulophidae)
5253. **Euderus palustris** Erdös (Eulophidae)
5254. **Eugahania fumipennis** (Ratzeburg)
(Encyrtidae)
5255. **Eugalta cinctipes** (Kriechbaumer,1899)
(Ichneumonidae)
5256. **Euheptaulacus carinatus**
(Germar,1824) (Scarabaeidae)

5257. **Euheptaulacus sus** (Herbst,1783)
(Scarabaeidae)
5258. **Euides caspiana** (Dlabola,1961)
(Delphacidae)
5259. **Euidopsis truncata** Ribaut,1948
(Delphacidae)
5260. **Eukiefferiella alpestris**
Goetghebuer,1935 (Chironomidae)
5261. **Eukiefferiella brevicar** Kieffer,1929
(Chironomidae)
5262. **Eukiefferiella calvescens** Edw.,1929
(Chironomidae)
5263. **Eukiefferiella claripennis**
(Lundbeck,1898) (Chironomidae)
5264. **Eukiefferiella clypeata** Kieffer,1929
(Chironomidae)
5265. **Eukiefferiella discoloripes** Kieffer,1929
(Chironomidae)
5266. **Eulecanium ciliatum** (Douglas)
(Coccidae)
5267. **Eulecanium pistaciae** Borchsenius
(Coccidae)
5268. **Eulecanium rugulosum**
(Archangelskaya) (Coccidae)
5269. **Eulecanium takachioi** (Kuwana)
(Coccidae)
5270. **Eulecanium tiliae** (Linnaeus) (Coccidae)
5271. **Eulecanium transvittatum** (Green)
(Coccidae)
5272. **Euleia heraclei** (Linnaeus,1758)
(Tephritidae)
5273. **Eulophus larvarum** (Linnaeus)
(Eulophidae)
5274. **Eumecurus bourouensis**
(Linnavuori,1965) (Cixiidae)
5275. **Eumecurus gyaurus** (Dlabola,1957)
(Cixiidae)
5276. **Eumenes coarctatus** (Linnaeus,1758)
(Vespidae)
5277. **Eumenes coronatus** (Panzer,1799)
(Vespidae)
5278. **Eumenes dubius** Saussure,1852
(Vespidae)
5279. **Eumenes jarkandensis** Blüthgen,1938
(Vespidae)
5280. **Eumenes lunulatus** (Fabricius,1804)
(Vespidae)
5281. **Eumenes mediterraneus**
(Kriechbaumer,1879) (Vespidae)
5282. **Eumenes papillarius** (Christ,1791)
(Vespidae)
5283. **Eumenes pedunculatus** (Panzer,1799)
(Vespidae)
5284. **Eumenes pomiformis** (Fabricius,1781)
(Vespidae)
5285. **Eumenes punctaticlypeus** Giordani
Soika,1943 (Vespidae)
5286. **Eumenes sareptanus** André,1884
(Vespidae)
5287. **Eumenes subpomiformis**
Blüthgen,1938 (Vespidae)
5288. **Eumeros hissaricus** (Stackelberg,1949)
(Syrphidae)
5289. **Eumerus funeralis** Meigen,1822
(Syrphidae)
5290. **Eumerus strigatus** (Fallén,1817)
(Syrphidae)
5291. **Eumerus tricolor** (Fabricius,1798)
(Syrphidae)
5292. **Eunothrotes derjugini** Adelung,1907
(Pamphagidae)
5293. **Eunotus arreolatus** (Ratzeburg)
(Pteromalidae)
5294. **Euodynerus (Pareuodynerus) notatus**
(Jurine,1807) (Vespidae)
5295. **Euodynerus (Pareuodynerus) posticus**
(Herrich-Schäffer,1841) (Vespidae)
5296. **Euodynerus (Pareuodynerus)**
quadrifasciatus (Fabricius,1793) (Vespidae)
5297. **Euodynerus (s.str.) clathratus**
Blüthgen,1951 (Vespidae)
5298. **Euodynerus (s.str.) curictensis**
Blüthgen,1940 (Vespidae)
5299. **Euodynerus (s.str.) dantici**
(Rossi,1790) (Vespidae)
5300. **Euodynerus (s.str.) disconotatus**
(Lichtenstein,1884) (Vespidae)
5301. **Euodynerus (s.str.) fastidiosus**
(Saussure,1853) (Vespidae)
5302. **Euodynerus (s.str.) maxmillianus**
Gusenleitner,1998 (Vespidae)
5303. **Euodynerus (s.str.) semisaecularis**
Dalla Torre,1889 (Vespidae)
5304. **Euodynerus (s.str.) velutinus**
Blüthgen,1951 (Vespidae)
5305. **Euodynerus diversus** (Walker,1871)
(Vespidae)
5306. **Euodynerus hellenicus** Blüthgen,1942
(Vespidae)
5307. **Euoniticellus pallens** (Olivier,1789)
(Scarabaeidae)
5308. **Euoniticellus pallipes** (Fabricius,1781)
(Scarabaeidae)
5309. **Eupelix cuspidata** (Fabricius,1775)
(Cicadellidae)
5310. **Eupelmus annulatus** Nees (Eupelmidae)
5311. **Eupelmus microzonus** Förster
(Eupelmidae)
5312. **Eupelmus seculatus** (Ferrière)
(Eupelmidae)
5313. **Eupelmus urozonus** Dalman
(Eupelmidae)
5314. **Eupelmus vesicularis** (Retzius)
(Eupelmidae)
5315. **Eupeodes corollae** (Fabricius,1794)
(Syrphidae)
5316. **Eupeodes latifasciatus** (Macquart,1829)
(Syrphidae)
5317. **Eupeodes luniger** (Meigen,1822)
(Syrphidae)
5318. **Eupholidoptera akdeniz** Ünal &
Naskrecki,2002 (Tettigoniidae)
5319. **Eupholidoptera anatolica**
(Ramme,1930) (Tettigoniidae)
5320. **Eupholidoptera annulipes** (Brunner
von Wattenwyl,1882) (Tettigoniidae)
5321. **Eupholidoptera cypria** Ramme,1951
(Tettigoniidae)
5322. **Eupholidoptera demirsoyi** Salman,1983
(Tettigoniidae)
5323. **Eupholidoptera excisa** (Karabağ,1952)
(Tettigoniidae)
5324. **Eupholidoptera femorata** Çıplak,1999
(Tettigoniidae)

5325. **Eupholidoptera karabagi** Salman,1983
(Tettigoniidae)
5326. **Eupholidoptera krueperi**
(Ramme,1930) (Tettigoniidae)
5327. **Eupholidoptera maraschensis**
Salman,1983 (Tettigoniidae)
5328. **Eupholidoptera mersinensis**
Salman,1983 (Tettigoniidae)
5329. **Eupholidoptera prasina** (Brunner von
Wattenwyl,1882) (Tettigoniidae)
5330. **Eupholidoptera raggei** Salman,1983
(Tettigoniidae)
5331. **Eupholidoptera sevketi** (Ramme,1933)
(Tettigoniidae)
5332. **Eupholidoptera smyrnensis** (Brunner
von Wattenwyl,1882) (Tettigoniidae)
5333. **Eupholidoptera tahtalica**
(Uvarov,1949) (Tettigoniidae)
5334. **Eupholidoptera tasheliensis**
Çıplak,1999 (Tettigoniidae)
5335. **Eupholidoptera tauricola**
(Ramme,1930) (Tettigoniidae)
5336. **Eupholidoptera tucherti** Harz,1988
(Tettigoniidae)
5337. **Eupholidoptera unimacula**
Karabağ,1956 (Tettigoniidae)
5338. **Eupholidoptera wernerii** Ramme,1951
(Tettigoniidae)
5339. **Euphyllidorea dispar** (Meigen,1818)
(Limoniidae)
5340. **Euphyllidorea lineola** (Meigen,1804)
(Limoniidae)
5341. **Euphyllura phyllyreae** Förster (Psyllidae)
5342. **Euplectrus bicolor** (Swederus)
(Eulophidae)
5343. **Euplectrus ceresensis** Ferrière
(Eulophidae)
5344. **Euplectrus flavipes** (Fonscolombe)
(Eulophidae)
5345. **Euplectrus phthorimaeae** Ferrière
(Eulophidae)
5346. **Euplectus coreyreus** Meggiolaro,1966
(Staphylinidae)
5347. **Euplectus frater** Besuchet,1964
(Staphylinidae)
5348. **Euplectus karstenii** (Reichenbach,1816)
(Staphylinidae)
5349. **Euplectus kirbii** Denny,1825
(Staphylinidae)
5350. **Euplectus piceus** Motschoulsky,1835
(Staphylinidae)
5351. **Euplectus sanguineus** Denny,1825
(Staphylinidae)
5352. **Euplectus verticalis** Reitter,1884
(Staphylinidae)
5353. **Eupterycyba jucunda** (Herrich-
Schäffer,1837) (Cicadellidae)
5354. **Eupteryx adspersa** (Herrich-
Schäffer,1838) (Cicadellidae)
5355. **Eupteryx alticola** Ribaut,1936
(Cicadellidae)
5356. **Eupteryx atropunctata** (Goeze,1778)
(Cicadellidae)
5357. **Eupteryx aurata** (Linnaeus,1758)
(Cicadellidae)
5358. **Eupteryx collina** (Flor,1861)
(Cicadellidae)
5359. **Eupteryx cypria** (Ribaut,1948)
(Cicadellidae)
5360. **Eupteryx fahringeri** Melichar,1911
(Cicadellidae)
5361. **Eupteryx falculata** Ribaut,1936
(Cicadellidae)
5362. **Eupteryx filicum** (Newman,1853)
(Cicadellidae)
5363. **Eupteryx gyaurdagicus** Dlabola,1957
(Cicadellidae)
5364. **Eupteryx insulana** (Ribaut,1948)
(Cicadellidae)
5365. **Eupteryx iranica** Linnavuori,1953
(Cicadellidae)
5366. **Eupteryx melissae** Curtis,1837
(Cicadellidae)
5367. **Eupteryx nemoricola** Linnavuori,1962
(Cicadellidae)
5368. **Eupteryx notata** Curtis,1837
(Cicadellidae)
5369. **Eupteryx pavlovskii** Zachvatkin,1947
(Cicadellidae)
5370. **Eupteryx stachydearum** (Hardy,1850)
(Cicadellidae)
5371. **Eupteryx taborskyi** Dlabola,1957
(Cicadellidae)
5372. **Eupteryx tenella** (Fallén,1806)
(Cicadellidae)
5373. **Eupteryx thoulessi** Edwards,1926
(Cicadellidae)
5374. **Eupteryx urticae** (Fabricius,1803)
(Cicadellidae)
5375. **Eupteryx zelleri** (Kirschbaum,1868)
(Cicadellidae)
5376. **Eurhadina angulata** Linnavuori,1962
(Cicadellidae)
5377. **Eurhadina ribauti** Wagner,1935
(Cicadellidae)
5378. **Eurhadina untica** Dlabola,1967
(Cicadellidae)
5379. **Eurima astuta** Melichar,1902 (Flatidae)
5380. **Euripersia amnicola** Borchsenius
(Pseudococcidae)
5381. **Euroleon nostras** (Fourcroy,1785)
(Myrmeleonidae)
5382. **Euroleon nostras** (Fourcroy,1785)
(Myrmeleonidae)
5383. **Eurybregma dlabolai** Kalkandelen,1980
(Delphacidae)
5384. **Eurybregma nigrolineata** Scott,1875
(Delphacidae)
5385. **Eurychila tafratensis** (Bergevin,1920)
(Tettigometridae)
5386. **Eurydema blanda** Horvath,1803
(Pentatomidae)
5387. **Eurydema fieberi** Schummel,1836
(Pentatomidae)
5388. **Eurydema oleracea** (Linnaeus,1758)
(Pentatomidae)
5389. **Eurydema ornatum** (Linnaeus,1758)
(Pentatomidae)
5390. **Eurydema rugulosa** (Dohrn,1860)
(Pentatomidae)
5391. **Eurydema spectabilis** Horvath,1882
(Pentatomidae)
5392. **Eurydema ventralis** Kolenati,1846
(Pentatomidae)

5393. **Eurygaster integriceps** Puton,1881
(Scutellaridae)
5394. **Eurygaster maurus** (Linnaeus,1758)
(Scutellaridae)
5395. **Euryostola minor** Baudi,1875
(Tenebrionidae)
5396. **Euryproctus mundus**
(Gravenhorst,1829) (Ichneumonidae)
5397. **Euryproctus numidicus**
Schmiedeknecht (Ichneumonidae)
5398. **Eurysa lineata** (Perris,1857)
(Delphacidae)
5399. **Eurythyrea austriaca** (Linnaeus,1767)
(Buprestidae)
5400. **Eurytoma abdita** Zerova,1995
(Eurytomidae)
5401. **Eurytoma acroptilae** Zerova,1986
(Eurytomidae)
5402. **Eurytoma amygdali** Enderlein,1907
(Eurytomidae)
5403. **Eurytoma arctica** Thomson,1875
(Eurytomidae)
5404. **Eurytoma aspila** (Walker,1836)
(Eurytomidae)
5405. **Eurytoma blastophagi** Hedqvist,1963
(Eurytomidae)
5406. **Eurytoma brevicoxa** Zerova &
Çam,2003 (Eurytomidae)
5407. **Eurytoma brunniventris**
Ratzeburg,1852 (Eurytomidae)
5408. **Eurytoma calicotomae** Zerova,2005
(Eurytomidae)
5409. **Eurytoma caninae** Lotfalizadeh &
Delvare,2007 (Eurytomidae)
5410. **Eurytoma collina** Zerova,1984
(Eurytomidae)
5411. **Eurytoma curculionum** Mayr,1878
(Eurytomidae)
5412. **Eurytoma curta** Walker,1832
(Eurytomidae)
5413. **Eurytoma ghazvini** Zerova,2004
(Eurytomidae)
5414. **Eurytoma goidanichi** Boucek,1970
(Eurytomidae)
5415. **Eurytoma iranica** Narendran &
Lotfalizadeh,1999 (Eurytomidae)
5416. **Eurytoma iranicola** Zerova,2007
(Eurytomidae)
5417. **Eurytoma kemalpasensis** Narendran,
Tezcan & Civelek,1995 (Eurytomidae)
5418. **Eurytoma lactucae** Zerova,2008
(Eurytomidae)
5419. **Eurytoma lobopterae** Erdös,1964
(Eurytomidae)
5420. **Eurytoma martellii** Domenichini,1960
(Eurytomidae)
5421. **Eurytoma melikai** Zerova &
Seryogina,2009 (Eurytomidae)
5422. **Eurytoma morio** Boheman,1836
(Eurytomidae)
5423. **Eurytoma pistaciae** Rondani,1877
(Eurytomidae)
5424. **Eurytoma plotnikovi** Nikolskaya,1934
(Eurytomidae)
5425. **Eurytoma robusta** Mayr,1878
(Eurytomidae)
5426. **Eurytoma rosae** Nees,1834
(Eurytomidae)
5427. **Eurytoma schreineri** Schreiner,1908
(Eurytomidae)
5428. **Eurytoma scrophulariae** Zerova,1981
(Eurytomidae)
5429. **Eurytoma serratulae** (Fabricius,1798)
(Eurytomidae)
5430. **Eurytoma tokatensis** Doğanlar &
Çam,1991 (Eurytomidae)
5431. **Eurytoma turkezia** Zerova & Çam,2003
(Eurytomidae)
5432. **Eusapromyza martineki**
(Shatalkin,1999) (Leuxaniidae)
5433. **Eusapromyza multipunctata**
(Fallén,1820) (Leuxaniidae)
5434. **Euscelidia pallasii** (Wiedemann,1818)
(Asilidae)
5435. **Euscelidius mundus** (Haupt,1927)
(Cicadellidae)
5436. **Euscelidius obenbergeri** Dlabola,1957
(Cicadellidae)
5437. **Euscelidius schenkii**
(Kirschbaum,1868) (Cicadellidae)
5438. **Euscelis alsioides** Remane,1967
(Cicadellidae)
5439. **Euscelis alsius** Ribaut,1952 (Cicadellidae)
5440. **Euscelis distinguendus**
(Kirschbaum,1858) (Cicadellidae)
5441. **Euscelis incisus** (Kirschbaum,1858)
(Cicadellidae)
5442. **Euscelis lineolatus** Brullé,1832
(Cicadellidae)
5443. **Eusphalerum amplipenne** Coiffait,1976
(Staphylinidae)
5444. **Eusphalerum anatolicum** Coiffait,1976
(Staphylinidae)
5445. **Eusphalerum caucasicum**
(Bernhauer,1908) (Staphylinidae)
5446. **Eusphalerum celsum** (Luze,1910)
(Staphylinidae)
5447. **Eusphalerum densicolle**
(Bernhauer,1915) (Staphylinidae)
5448. **Eusphalerum densipenne**
(Fauvel,1900) (Staphylinidae)
5449. **Eusphalerum foveolatum** (Luze,1910)
(Staphylinidae)
5450. **Eusphalerum korbi** (Bernhauer,1903)
(Staphylinidae)
5451. **Eusphalerum osellai** Zanetti,1993
(Staphylinidae)
5452. **Eusphalerum primulae**
(Stephens,1834) (Staphylinidae)
5453. **Eusphalerum rectanguloides**
(Smetana,1967) (Staphylinidae)
5454. **Eusphalerum rufotestaceum**
(Motschoulsky,1860) (Staphylinidae)
5455. **Eusphalerum sareptanum**
(Eppelsheim,1878) (Staphylinidae)
5456. **Eusphalerum sorbi** (Gyllenhal,1810)
(Staphylinidae)
5457. **Eusphalerum transcaucasicum**
(Bernhauer,1902) (Staphylinidae)
5458. **Eustenancistrocerus amadanensis**
(Saussure,1855) (Vespidae)
5459. **Eustenancistrocerus israelensis**
Giordani Soika,1938 (Vespidae)
5460. **Eustenancistrocerus jerichoensis**
Bytinski-Salz,1956 (Vespidae)

5461. **Eustenopus villosus (Boheman,1843)**
(Curculionidae)
5462. **Eutagenia smyrnensis Solier,1838**
(Tenebrionidae)
5463. **Euthycera chaerophylli (Fabricius,1798)** (Sciomyzidae)
5464. **Euthycera flavostriata (Villeneuve,1911)**
(Sciomyzidae)
5465. **Euthycera stictica (Fabricius,1805)**
(Sciomyzidae)
5466. **Euthystira brachyptera (Ocskay,1826)**
(Acrididae)
5467. **Eutolmus apiculatus (Loew,1848)**
(Asilidae)
5468. **Eutolmus calopus (Loew,1848)** (Asilidae)
5469. **Eutolmus excisus (Loew,1848)** (Asilidae)
5470. **Eutolmus facialis (Loew,1848)** (Asilidae)
5471. **Eutolmus kiesenwetteri Loew,1854**
(Asilidae)
5472. **Eutolmus mordax (Loew,1848)**
(Asilidae)
5473. **Eutolmus palestinensis Theodor,1980**
(Asilidae)
5474. **Eutolmus parricida (Loew,1848)**
(Asilidae)
5475. **Eutolmus polypogon (Loew,1848)**
(Asilidae)
5476. **Eutolmus rufibarbis (Meigen,1820)**
(Asilidae)
5477. **Euxesta pechumani Curran,1938**
(Ulidiidae)
5478. **Euzonitis bifasciata Swarts,1808**
(Meloidae)
5479. **Euzonitis fluvipennis (Fabricius,1792)**
(Meloidae)
5480. **Euzonitis quadrimaculata (Pallas,1782)**
(Meloidae)
5481. **Euzonitis rubida (Ménétriés,1832)**
(Meloidae)
5482. **Euzonitis sexmaculata (Olivier,1790)**
(Meloidae)
5483. **Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae)
5484. **Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae)
5485. **Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae)
5486. **Evagetes dubius (Van der Linden,1827)**
(Pompilidae)
5487. **Evagetes elongatus Lepeletier,1845**
(Pompilidae)
5488. **Evagetes gibbulus Lepeletier,1845**
(Pompilidae)
5489. **Evagetes gusenleitneri Wolf,1988**
(Pompilidae)
5490. **Evagetes iconionus Wolf,1970**
(Pompilidae)
5491. **Evagetes pauli Haupt,1941** (Pompilidae)
5492. **Evagetes paulinus Wolf,1970**
(Pompilidae)
5493. **Evagetes pectinipes (Linnaeus,1758)**
(Pompilidae)
5494. **Evagetes pontomoravicus (Sustera,1938)** (Pompilidae)
5495. **Evagetes proximus (Dahlbom,1843)**
(Pompilidae)
5496. **Evagetes schwarzi (Priesner,1965)**
(Pompilidae)
5497. **Evagetes sculus (Lepeletier,1845)**
(Pompilidae)
5498. **Evagetes trispinosus (Kohl,1886)**
(Pompilidae)
5499. **Evagetes tumidosus (Tournier,1890)**
(Pompilidae)
5500. **Exaeretopus agropyri (Hadzibejli)**
(Coccidae)
5501. **Exaeretopus formiceticola Newstead**
(Coccidae)
5502. **Exaeretopus tritici Williams** (Coccidae)
5503. **Exechia fulva Santos Abreu,1920**
(Mycetophilidae)
5504. **Exechia fusca (Meigen,1804)**
(Mycetophilidae)
5505. **Exechia separata Lundström,1912**
(Mycetophilidae)
5506. **Exenterus ictericus (Gravenhorst,1829)**
(Ichneumonidae)
5507. **Exeristes roborator (Fabricius,1793)**
(Ichneumonidae)
5508. **Exetastes adpressorius (Thunberg,1822)** (Ichneumonidae)
5509. **Exetastes curvator Aubert,1977**
(Ichneumonidae)
5510. **Exetastes femorator Desvignes,1856**
(Ichneumonidae)
5511. **Exetastes illusor Gravenhorst,1829**
(Ichneumonidae)
5512. **Exetastes laevigator (Villers,1789)**
(Ichneumonidae)
5513. **Exeurytoma anatolica Çam,1998**
(Eurytomidae)
5514. **Exeurytoma caraganae Burks,1971**
(Eurytomidae)
5515. **Exeurytoma kebanensis Doğanlar,2005**
(Eurytomidae)
5516. **Exitianus capicola (Stal,1855)**
(Cicadellidae)
5517. **Exitianus fasciolatus (Melichar,1911)**
(Cicadellidae)
5518. **Exitianus nanus (Distant,1908)**
(Cicadellidae)
5519. **Exochomus nigromaculatus (Goeze,1777)** (Coccinellidae)
5520. **Exochomus quadripustulatus (Linnaeus,1758)** (Coccinellidae)
5521. **Exochostoma nitidum Macquart,1842**
(Stratiomyidae)
5522. **Exochostoma osellai Mason,1995**
(Stratiomyidae)
5523. **Exochus albicinctus Holmgren,1873**
(Ichneumonidae)
5524. **Exochus castaniventris Brauns,1896**
(Ichneumonidae)
5525. **Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae)
5526. **Exochus erkini Kolarov,1986**
(Ichneumonidae)
5527. **Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae)
5528. **Exochus mitratus Gravenhorst,1829**
(Ichneumonidae)
5529. **Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae)
5530. **Exopholidoptera brevifemora Ünal,1998** (Tettigoniidae)

5531. **Exopristoides dentatus** Boucek,1982
(Torymidae)
5532. **Exopristoides hypecoi** Zerova &
Stojanova,2004 (Torymidae)
5533. **Exopristus trigonomerus** (Masi,1916)
(Torymidae)
5534. **Exoprosopa baccha** Loew,1869
(Bombyliidae)
5535. **Exoprosopa chalybaea** Röder,1887
(Bombyliidae)
5536. **Exoprosopa dedecor** Loew,1871
(Bombyliidae)
5537. **Exoprosopa grandis**
(Wiedemann,1820) (Bombyliidae)
5538. **Exoprosopa jacchus** (Fabricius,1805)
(Bombyliidae)
5539. **Exoprosopa maenas** Loew,1869
(Bombyliidae)
5540. **Exoprosopa minois** Loew,1869
(Bombyliidae)
5541. **Exoprosopa minos** (Meigen,1804)
(Bombyliidae)
5542. **Exoprosopa normalis** Loew,1869
(Bombyliidae)
5543. **Exoprosopa onusta** (Walker,1852)
(Bombyliidae)
5544. **Exoprosopa pandora** (Fabricius,1805)
(Bombyliidae)
5545. **Exoprosopa pleskei** Paramonov,1928
(Bombyliidae)
5546. **Exoprosopa rutila** (Wiedemann,1818)
(Bombyliidae)
5547. **Exoprosopa subfasciata** Engel,1936
(Bombyliidae)
5548. **Exoprosopa turkestanica**
Paramonov,1925 (Bombyliidae)
5549. **Exorista larvarum** (Linnaeus,1758)
(Tachinidae)
5550. **Exorista rossica** Mesnil,1960
(Tachinidae)
5551. **Exorista segregata** (Rondani,1859)
(Tachinidae)
5552. **Exyston montanus** Kerrich,1975
(Ichneumonidae)
5553. **Exyston subnitidus** (Gravenhorst,1829)
(Ichneumonidae)
5554. **Eyprepocnemis plorans**
(Charpentier,1825) (Acrididae)
5555. **Eysarcoris aeneus** (Scopoli,1763)
(Pentatomidae)
5556. **Eysarcoris ventralis** (Westwood,1837)
(Pentatomidae)
5557. **Eysarcoris venutissimus**
(Schrank,1776) (Pentatomidae)
5558. **Falcidiopsis meridionalis** Dlabola,1983
(Issidae)
5559. **Falcidius anaticus** Dlabola,1979
(Issidae)
5560. **Falcidius apterus** (Fabricius,1794)
(Issidae)
5561. **Falcotoya minuscula** (Horvath,1897)
(Delphacidae)
5562. **Fallacia elegans** (Faldermann,1837)
(Cerambycidae)
5563. **Fallacia Mulsant & Rey,1863**
(Cerambycidae)
5564. **Fannia brinae** Albuquerque,1951
(Fanniidae)
5565. **Fannia canicularis** (Linnaeus,1761)
(Fanniidae)
5566. **Fannia scalaris** (Fabricius,1794)
(Fanniidae)
5567. **Fannia serena** (Fallén,1825) (Fanniidae)
5568. **Faronus depressus** Besuchet,1960
(Staphylinidae)
5569. **Faronus distinctus** Besuchet,1999
(Staphylinidae)
5570. **Faronus parallelus** Besuchet,1958
(Staphylinidae)
5571. **Fedtschenkia grossa** Saussure,1880
(Sapygidae)
5572. **Fedtschenkia libanoi** Guiglia,1966
(Sapygidae)
5573. **Fedtschenkia palaestinensis**
Guiglia,1963 (Sapygidae)
5574. **Feltiella acarisuga** (Vallot,1827)
(Cecidomyiidae)
5575. **Ferreola diffinis** (Lepeletier,1845)
(Pompilidae)
5576. **Ferreola dimidiata** (Van der
Linden,1827) (Pompilidae)
5577. **Ferreola sagax** (Kohl,1886) (Pompilidae)
5578. **Festella festae** (Giglio-Tos,1893)
(Tettigoniidae)
5579. **Festella rammei** Çıplak,2000
(Tettigoniidae)
5580. **Ficocyba ficaria** (Horvath,1897)
(Cicadellidae)
5581. **Fieberiella aschei** Meyer-Arndt,1988
(Cicadellidae)
5582. **Fieberiella chioscola** Meyer-Arndt,1988
(Cicadellidae)
5583. **Fieberiella florii** (Stal,1864)
(Cicadellidae)
5584. **Fieberiella gemelina** Dlabola,1965
(Cicadellidae)
5585. **Fieberiella lindbergi** Wagner,1963
(Cicadellidae)
5586. **Fieberiella macchiai** Linnavuori,1962
(Cicadellidae)
5587. **Fieberiella oenderi** Dlabola,1985
(Cicadellidae)
5588. **Fieberiella pallida** Melichar,1896
(Cicadellidae)
5589. **Fieberiella septentrionalis**
Wagner,1963 (Cicadellidae)
5590. **Fiorinia fioriniae** (Targioni Tozzetti)
(Diaspididae)
5591. **Flabellomalachus flabellatus**
(Frivaldsky,1835) (Melyridae)
5592. **Flabellotilloidea palaestina** (Pic,1900)
(Cleridae)
5593. **Flastena fumata** (Lindberg,1948)
(Delphacidae)
5594. **Flastena fumipennis** (Fieber,1866)
(Delphacidae)
5595. **Fleuria lacustris** Kieffer,1924
(Chironomidae)
5596. **Florodelphax leptosoma** (Flor,1861)
(Delphacidae)
5597. **Foersterella seyhanensis**
Doğanlar,2003 (Tetracampidae)
5598. **Forficula aetolica** Brunner von
Wattenwyl,1882 (Forficulidae)
5599. **Forficula auricularia** Linnaeus,1758
(Forficulidae)

5600. **Forficula decipiens** Gén \acute{e} ,1832
(Forficulidae)
5601. **Forficula lucasi** Dohrn,1865
(Forficulidae)
5602. **Forficula lurida** Fischer,1853
(Forficulidae)
5603. **Forficula senegalensis** Audinet-Serville,1839 (Forficulidae)
5604. **Forficula smyrnensis** Audinet-Serville,1839 (Forficulidae)
5605. **Forficula tomis** (Kolenati,1846)
(Forficulidae)
5606. **Formica cinereofusca** Karawajew,1919
(Formicidae)
5607. **Formica cunicularia** Latreille,1798
(Formicidae)
5608. **Formica fusca** Linnaeus,1758
(Formicidae)
5609. **Formica sanguinea** Latreille,1798
(Formicidae)
5610. **Formicomus ionicus** LaFert \acute{e} & S \acute{e} nectere,1847 (Anthicidae)
5611. **Frutioidia (s.str.) bisignata** (Mulsant & Rey,1855) (Cicadellidae)
5612. **Frutioidia (s.str.) sanguinosa** (Rey,1891) (Cicadellidae)
5613. **Furchadaspis zamiae** (Morgan)
(Diaspididae)
5614. **Galactopogon hispidus** Engel,1929
(Asilidae)
5615. **Galeatus cellularis** Jakovlev,1884
(Tingidae)
5616. **Galeatus scrophicus** Saunders,1876
(Tingidae)
5617. **Galiomyza violiphaga** (Hendel,1932)
(Agromyzidae)
5618. **Gambrus incubitor** (Linnaeus,1758)
(Ichneumonidae)
5619. **Gambrus inferus** Thomson,1896
(Ichneumonidae)
5620. **Gambrus opacus** Szepliget \acute{i} ,1916
(Ichneumonidae)
5621. **Gambrus tricolor** (Gravenhorst,1829)
(Ichneumonidae)
5622. **Gampsocleis acutipennis** Karabağ,1956
(Tettigoniidae)
5623. **Gampsocleis recticauda** Werner,1901
(Tettigoniidae)
5624. **Gampsocleis schelkovnikovae** Adelung,1916 (Tettigoniidae)
5625. **Gampsocoris culcinus** Seidenst \ddot{u} cker,1948 (Berytidae)
5626. **Gampsocoris enslini** Seidenst \ddot{u} cker,1953 (Berytidae)
5627. **Gampsocoris punctipes** (Germar,1822)
(Berytidae)
5628. **Gargara genistae** (Fabricius,1775)
(Membracidae)
5629. **Gastrancistrus glabellus** (Nees)
(Pteromalidae)
5630. **Gastrancistrus hirtulus** Graham
(Pteromalidae)
5631. **Gastrancistrus latifrons** (Thomson)
(Pteromalidae)
5632. **Gastrophysa polygona** (Linnaeus,1758)
(Chrysomelidae)
5633. **Gastrophysa viridula** (DeGeer,1775)
(Chrysomelidae)
5634. **Gelis cyanurus** (F \ddot{o} rster,1851)
(Ichneumonidae)
5635. **Gelis exareolatus** (F \ddot{o} rster,1851)
(Ichneumonidae)
5636. **Gelis instabilis** (F \ddot{o} rster,1851)
(Ichneumonidae)
5637. **Gelis sculpturator** Aubert,1977
(Ichneumonidae)
5638. **Genistaspis zelihae** Bodenheimer
(Diaspididae)
5639. **Geocoris arenarius** (Jakovlev,1867)
(Lygaeidae)
5640. **Geocoris atra** (Fabricius,1787)
(Lygaeidae)
5641. **Geocoris chloroticus** Puton,1888
(Lygaeidae)
5642. **Geocoris grylloides** (Linnaeus,1761)
(Lygaeidae)
5643. **Geocoris lineolus** (Rambur,1839)
(Lygaeidae)
5644. **Geocoris megacephalus** (Rossi,1790)
(Lygaeidae)
5645. **Geocoris pallidipennis** (Costa,1843)
(Lygaeidae)
5646. **Geodromicus anaticus** Fagel,1976
(Staphylinidae)
5647. **Geodromicus asiaticus** Bernhauer,1902
(Staphylinidae)
5648. **Geodromicus dubiosus** Fagel,1976
(Staphylinidae)
5649. **Geodromicus jarrigeanus** Fagel,1976
(Staphylinidae)
5650. **Geodromicus laticollis** Fagel,1976
(Staphylinidae)
5651. **Geodromicus major** (Motschoulsky,1860) (Staphylinidae)
5652. **Geodromicus ponticus** Fagel,1976
(Staphylinidae)
5653. **Geodromicus zwickianus** Fagel,1976
(Staphylinidae)
5654. **Geomantis larvoldes** Pantel,1896
(Mantidae)
5655. **Geomyza tripunctata** Fall \acute{e} n,1823
(Opomyzidae)
5656. **Geotrupes spiniger** (Marsham,1802)
(Geotrupidae)
5657. **Geotrupes stercorarius** (Linnaeus,1758) (Geotrupidae)
5658. **Gepella modesta** H \ddot{o} lzel,1968
(Myrmeleonidae)
5659. **Gepus buxtoni** Morton,1921
(Myrmeleonidae)
5660. **Gepus curvatus** Navas,1914
(Myrmeleonidae)
5661. **Gepus gibbosus** H \ddot{o} lzel,1968
(Myrmeleonidae)
5662. **Gepus invisus** Navas,1912
(Myrmeleonidae)
5663. **Germaria hermonensis** Kugler,1980
(Tachinidae)
5664. **Germaria obscuripennis** Tschorsnig,2000 (Tachinidae)
5665. **Geron efflatouni** Greathead,1999
(Bombyliidae)
5666. **Geron freidbergi** Zaitzev,1996
(Bombyliidae)
5667. **Geron gibbosus** (Olivier,1789)
(Bombyliidae)

5668. **Geron griseus** Zaitzev,1962 (Bombyliidae)
5669. **Geron kozlovi** Zaitzev,1972 (Bombyliidae)
5670. **Geron krymensis** Paramonov,1929 (Bombyliidae)
5671. **Geron longiventris** Efflatoun,1945 (Bombyliidae)
5672. **Geron macquarti** Greathead,1999 (Bombyliidae)
5673. **Geron mystacinus** Bezzi,1924 (Bombyliidae)
5674. **Geron olivierii** Macquart,1840 (Bombyliidae)
5675. **Geron ritae** Zaitzev,1996 (Bombyliidae)
5676. **Geron smirnovi** Zaitzev,1978 (Bombyliidae)
5677. **Geron syriacus** Zaitzev,2002 (Bombyliidae)
5678. **Gerris argentatus** Schummel,1832 (Gerridae)
5679. **Gerris asper** (Fieber,1860) (Gerridae)
5680. **Gerris caucasicus** Kanyukova,1982 (Gerridae)
5681. **Gerris costae** (Herrich-Schäffer,1850) (Gerridae)
5682. **Gerris gibbifer** Schummel,1832 (Gerridae)
5683. **Gerris lacustris** (Linnaeus,1758) (Gerridae)
5684. **Gerris maculatus** Tamanini,1946 (Gerridae)
5685. **Gerris palludum** Fabricius,1794 (Gerridae)
5686. **Gerris thoracicus** Schummel,1832 (Gerridae)
5687. **Gerris ventralis** Fieber,1860 (Gerridae)
5688. **Gillotia alboviridis** (Malloch,1915) (Chironomidae)
5689. **Ginsiana carpetana** (Mercet) (Encyrtidae)
5690. **Giraudia gyratoria** (Thunberg,1824) (Ichneumonidae)
5691. **Gitona distigma** Meigen,1830 (Drosophilidae)
5692. **Glbellula nobilis** Kertesz,1912 (Mythicomyiidae)
5693. **Glandulosa harzi** Gorochov,1996 (Gryllidae)
5694. **Glandulosa kinzelbachi** Harz,1979 (Gryllidae)
5695. **Glandulosa willemsei** Harz,1979 (Gryllidae)
5696. **Glaphyrus aulicus** Chevrolat,1854 (Glaphyridae)
5697. **Glaphyrus comosus** Harold,1869 (Glaphyridae)
5698. **Glaphyrus festivus** Ménétriés,1836 (Glaphyridae)
5699. **Glaphyrus luristanus** Reitter,1903 (Glaphyridae)
5700. **Glaphyrus micans** Faldermann,1835 (Glaphyridae)
5701. **Glaphyrus muticus** Reitter,1903 (Glaphyridae)
5702. **Glaphyrus onopordi** Reitter,1903 (Glaphyridae)
5703. **Glaphyrus rothi** Harold,1869 (Glaphyridae)
5704. **Glaphyrus superbus** Champenois,1898 (Glaphyridae)
5705. **Glaphyrus varians** Ménétriés,1836 (Glaphyridae)
5706. **Glaucoops hakkariensis** Schacht,1983 (Tabanidae)
5707. **Globicornis picta** (Küster,1851) (Dermestidae)
5708. **Glossocratus syriacus** (Horvath,1911) (Cicadellidae)
5709. **Glyphicnemis profligator** (Fabricius,1775) (Ichneumonidae)
5710. **Glyphicnemis vagabunda** (Gravenhorst,1829) (Ichneumonidae)
5711. **Glyphomerus aylax** Stojanova,2008 (Torymidae)
5712. **Glyphomerus flavabdomen** Zerova,2008 (Torymidae)
5713. **Glyphomerus stigma** (Fabricius,1793) (Torymidae)
5714. **Glyphomerus tibialis** Förster,1856 (Torymidae)
5715. **Glyphotmethis adaliae** (Uvarov,1928) (Pamphagidae)
5716. **Glyphotmethis dimorphus** (Uvarov,1934) (Pamphagidae)
5717. **Glyphotmethis efe** Ünal,2007 (Pamphagidae)
5718. **Glyphotmethis escherichi** (Krauss,1896) (Pamphagidae)
5719. **Glyphotmethis holtzi** (Werner,1901) (Pamphagidae)
5720. **Glyphotmethis inermis** (Uvarov,1934) (Pamphagidae)
5721. **Glyphotmethis ovipennis** (Uvarov,1934) (Pamphagidae)
5722. **Glyphotmethis sevketi** (Ramme,1951) (Pamphagidae)
5723. **Glyphotriclis impulvinatus** Oldroyd,1958 (Asilidae)
5724. **Glyptapanteles antione** (Nixon,1973) (Braconidae)
5725. **Glyptapanteles callidus** (Haliday,1834) (Braconidae)
5726. **Glyptapanteles eugeni** (Papp,1972) (Braconidae)
5727. **Glyptapanteles fulvipes** (Haliday,1834) (Braconidae)
5728. **Glyptomorpha baetica** (Spinola,1843) (Braconidae)
5729. **Glyptomorpha discolor** (Thunberg,1822) (Braconidae)
5730. **Glyptomorpha exculpta** Shestakov,1926 (Braconidae)
5731. **Glyptomorpha gracilis** (Szepligeti,1901) (Braconidae)
5732. **Glyptomorpha kasparyani** Tobias,1976 (Braconidae)
5733. **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae)
5734. **Gnaphalostetha bonvoisini** Reiche & Saulcy,1856 (Scarabaeidae)
5735. **Gnaphalostetha hiemalis** Baraud,1990 (Scarabaeidae)
5736. **Gnaptor prolixus** Fairmaire,1866 (Tenebrionidae)
5737. **Gnaptor spinimanus** (Pallas,1781) (Tenebrionidae)

5738. **Gnathocerus cornutus (Fabricius,1798)** (Tenebrionidae)
5739. **Gnorimus armeniacus Reitter,1887** (Scarabaeidae)
5740. **Gnorimus subcostatus Ménériés,1832** (Scarabaeidae)
5741. **Gnorimus variabilis (Linnaeus,1758)** (Scarabaeidae)
5742. **Goidanichium atrum Boucek** (Pteromalidae)
5743. **Gomphocerus sibiricus (Linnaeus,1767)**
5744. **Gomphus davidi Selys,1887** (Gomphidae)
5745. **Gomphus flavipes (Charpentier,1825)** (Gomphidae)
5746. **Gomphus kinzelbachi Schneider,1984** (Gomphidae)
5747. **Gomphus schneideri Selys,1850** (Gomphidae)
5748. **Gonaspidiotus seurati (Marchal)** (Diaspididae)
5749. **Gonia atra Meigen,1826** (Tachinidae)
5750. **Gonia atrata Bischoff** (Tachinidae)
5751. **Gonia bimaculata Wiedemann,1819** (Tachinidae)
5752. **Gonia foersteri Meigen,1838** (Tachinidae)
5753. **Gonia maculipennis Egger,1862** (Tachinidae)
5754. **Gonia olgae Rhodendorf,1927** (Tachinidae)
5755. **Gonia ornata Meigen,1826** (Tachinidae)
5756. **Gonia sicula (Robineau-Desvoidy,1830)** (Tachinidae)
5757. **Gonia umbipennis Herting,1958** (Tachinidae)
5758. **Goniagnathus bolivari (Melichar,1907)** (Cicadellidae)
5759. **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae)
5760. **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae)
5761. **Goniagnathus maculatus Emeljanov,1962** (Cicadellidae)
5762. **Goniagnathus palliatus (Lethierry,1887)** (Cicadellidae)
5763. **Gonioctena fornicata (Brüggemann,1873)** (Chrysomelidae)
5764. **Gonioctena linnaeana (Schrank,1781)** (Chrysomelidae)
5765. **Gonocephalum costatum Brullé,1832** (Tenebrionidae)
5766. **Gonocephalum granulatum (Fabricius,1791)** (Tenebrionidae)
5767. **Gonocephalum rusticum (Olivier,1811)** (Tenebrionidae)
5768. **Gonocephalum setulosum (Faldermann,1837)** (Tenebrionidae)
5769. **Gonocerus acuteangulatus (Goeze,1778)** (Coreidae)
5770. **Gonocerus imitator Reuter,1891** (Coreidae)
5771. **Gonocerus juniperi (Herrich-Schäffer,1839)** (Coreidae)
5772. **Gonomyia (s.str.) conoviensis Barnes,1924** (Limoniidae)
5773. **Gonomyia (s.str.) copulata (Becker,1908)** (Limoniidae)
5774. **Gonomyia (s.str.) sicula Lackschewitz,1940** (Limoniidae)
5775. **Graecopachys quadricollis (Brullé,1832)** (Tenebrionidae)
5776. **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae)
5777. **Graphocraerus ventralis (Fallén,1806)** (Cicadellidae)
5778. **Graphoderus cinereus (Linnaeus,1758)** (Dytiscidae)
5779. **Graphogaster vestita Rondani,1868** (Tachinidae)
5780. **Graphosoma lineatum (Linnaeus,1758)** (Pentatomidae)
5781. **Graphosoma semipunctatum (Fabricius,1775)** (Pentatomidae)
5782. **Graptodytes bilineatus (Sturm,1835)** (Dytiscidae)
5783. **Graptodytes veterator (Zimmermann,1918)** (Dytiscidae)
5784. **Grasseiteles ciliator Aubert,1968** (Ichneumonidae)
5785. **Gratidia kurda Uvarov,1944** (Phasmidae)
5786. **Gratidia turca Karabağ,1955** (Phasmidae)
5787. **Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae)
5788. **Gravenhorstia (Kokujewiella) ibera (Ceballos,1957)** (Ichneumonidae)
5789. **Gravenhorstia (Kokujewiella) vicaria Shestakov,1926** (Ichneumonidae)
5790. **Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae)
5791. **Greniera dobyi Beaucournu-Saguez & Braverman,1987** (Simuliidae)
5792. **Gryllomorpha (Gryllomorphella) antalya Gorochov,2009** (Gryllidae)
5793. **Gryllomorpha (Gryllomorphella) mira Gorochov,1993** (Gryllidae)
5794. **Gryllomorpha (Gryllomorphella) sternlichti Chopard,1963** (Gryllidae)
5795. **Gryllomorpha (s.str.) dalmatina (Ocskay,1832)** (Gryllidae)
5796. **Gryllomorpha (s.str.) pieperi Harz,1979** (Gryllidae)
5797. **Gryllomorpha (s.str.) syriaca Harz,1979** (Gryllidae)
5798. **Gryllomorpha (s.str.) willemsei Uvarov,1934** (Gryllidae)
5799. **Gryllotalpa africana Beauvois,1805** (Gryllotalpidae)
5800. **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae)
5801. **Gryllotalpa isfahan Ingrich, Nikouei & Hatami,2006** (Gryllotalpidae)
5802. **Gryllotalpa unispina Saussure,1884** (Gryllotalpidae)
5803. **Gryllus (s.str.) bimaculatus (De Geer,1773)** (Gryllidae)
5804. **Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae)
5805. **Gryllus (s.str.) urfaensis Gümüşsuyu,1978** (Gryllidae)
5806. **Grypocoris fieberi Douglas & Scott,1868** (Miridae)
5807. **Grypotes puncticollis (Herrich-Schäffer,1834)** (Cicadellidae)
5808. **Grypotes staurus Ivanoff,1885** (Cicadellidae)

5809. **Guanchia hincksi** (Burr,1947)
(Forficulidae)
5810. **Guanchia pubescens** (Géné,1837)
(Forficulidae)
5811. **Gueriniella serratulae** (Fabricius)
(Margarodidae)
5812. **Gugolzia bademia** Doğanlar,2004
(Pteromalidae)
5813. **Gunarus lapidicola** Küster,1850
(Tenebrionidae)
5814. **Gunarus nodicornis** Reitter,1922
(Tenebrionidae)
5815. **Gymnomerus laevipes** (Shuckard,1837)
(Vespidae)
5816. **Gymnopleurus flagellatus**
(Fabricius,1787) (Scarabaeidae)
5817. **Gymnopleurus geoffroyi** Fuessly,1785
(Scarabaeidae)
5818. **Gymnopleurus mopsus** (Pallas,1781)
(Scarabaeidae)
5819. **Gymnosoma clavata** (Rohdendorf,1947)
(Tachinidae)
5820. **Gymnosoma iranica** (Zimin,1966)
(Tachinidae)
5821. **Gymnosoma persica** (Mesnil,1952)
(Tachinidae)
5822. **Gyranusoidea indica** Shafee, Alam &
Agarwal,1975 (Encyrtidae)
5823. **Gyrinus caspius** Ménétrés,1832
(Gyrinidae)
5824. **Gyrinus dejeani** Brullé,1832 (Gyrinidae)
5825. **Gyrinus distinctus** Aubé,1836
(Gyrinidae)
5826. **Gyrinus suffriani** Scriba,1855 (Gyrinidae)
5827. **Habrolepis dalmanni** (Westwood)
(Encyrtidae)
5828. **Habrolepis italicus** Delucchi,1965
(Encyrtidae)
5829. **Habronyx heros** (Wesmael,1849)
(Ichneumonidae)
5830. **Habropogon aegyptius** Efflatoun,1937
(Asilidae)
5831. **Habropogon appendiculatus**
Schiner,1867 (Asilidae)
5832. **Habropogon decipiens** Theodor,1980
(Asilidae)
5833. **Habropogon doriae** Rondani,1873
(Asilidae)
5834. **Habropogon francoisi** Janssens,1969
(Asilidae)
5835. **Habropogon heteroneurus** Timon &
David,1951 (Asilidae)
5836. **Habropogon lineatus** Lehr,1960
(Asilidae)
5837. **Habropogon longiventris** Loew,1847
(Asilidae)
5838. **Habropogon montanus** Lehr,1960
(Asilidae)
5839. **Habropogon similimus** Theodor,1980
(Asilidae)
5840. **Habropogon spissipes** Hermann,1909
(Asilidae)
5841. **Habropogon theodori** Hradsky &
Geller-Grimm,2005 (Asilidae)
5842. **Habropogon verticalis** Becker,1913
(Asilidae)
5843. **Hadradactylus femoralis**
(Holmgren,1855) (Ichneumonidae)
5844. **Hadradactylus fugax**
(Gravenhorst,1829) (Ichneumonidae)
5845. **Hadradactylus typhae** (Geoffroy,1785)
(Ichneumonidae)
5846. **Haematobosca atripalpis** (Bezzi,1895)
(Muscidae)
5847. **Haematobosca stimulans**
(Meigen,1824) (Muscidae)
5848. **Haematoloma dorsatum** (Ahrens,1812)
(Cercopidae)
5849. **Haematopota bigoti** Gobert,1881
(Tabanidae)
5850. **Haematopota caenofrons** Kröber,1922
(Tabanidae)
5851. **Haematopota coolsi** Leclercq,1966
(Tabanidae)
5852. **Haematopota crassicornis**
Wahlberg,1848 (Tabanidae)
5853. **Haematopota delozi** Leclercq,1966
(Tabanidae)
5854. **Haematopota gallica** Szilady,1923
(Tabanidae)
5855. **Haematopota grandis** Macquart,1834
(Tabanidae)
5856. **Haematopota hennauxi** Leclercq,1967
(Tabanidae)
5857. **Haematopota italica** Meigen,1804
(Tabanidae)
5858. **Haematopota kemali** Szilady,1923
(Tabanidae)
5859. **Haematopota lambi** Willeneuve,1921
(Tabanidae)
5860. **Haematopota latebricola** Austen,1925
(Tabanidae)
5861. **Haematopota longantennata**
Olsufjev,1937 (Tabanidae)
5862. **Haematopota nubilis** Hauser,1960
(Tabanidae)
5863. **Haematopota ocelligera** Kröber,1922
(Tabanidae)
5864. **Haematopota pallens** Loew,1871
(Tabanidae)
5865. **Haematopota pandazisi** Kröber,1936
(Tabanidae)
5866. **Haematopota pavlovskii** Hauser,1960
(Tabanidae)
5867. **Haematopota pluvialis** (Linnaeus,1761)
(Tabanidae)
5868. **Haematopota scutellata** (Olsufjev,
Moucha & Chvala,1964) (Tabanidae)
5869. **Haematopota sewelli** Austen,1920
(Tabanidae)
5870. **Haematopota sobrina** Kröber,1922
(Tabanidae)
5871. **Haematopota subcylindrica**
Pandelle,1883 (Tabanidae)
5872. **Haematopota sumelae** Timmer,1984
(Tabanidae)
5873. **Haetosmia vechti** (Peters,1974)
(Megachilidae)
5874. **Haliplus variegatus** Sturm,1834
(Haliplidae)
5875. **Halocladius fucicola** (Edwards,1926)
(Chironomidae)
5876. **Halter halterata** (Forskål,1775)
(Nemopteridae)
5877. **Haltichella rufipes** (Olivier,1791)
(Chalcididae)

5878. **Halticoptera adanacus** Doğanlar,2006
(Pteromalidae)
5879. **Halticoptera aenea** (Walker)
(Pteromalidae)
5880. **Halticoptera circulus** (Walker)
(Pteromalidae)
5881. **Halticoptera crius** (Walker)
(Pteromalidae)
5882. **Halticoptera dimidiata** (Förster)
(Pteromalidae)
5883. **Halticoptera kemaliyensis**
Doğanlar,2006 (Pteromalidae)
5884. **Halticoptera laevigata** Thomson
(Pteromalidae)
5885. **Halticoptera longipetiolus** Hedqvist
(Pteromalidae)
5886. **Halticoptera patellana** (Dalman)
(Pteromalidae)
5887. **Halticoptera polita** (Walker)
(Pteromalidae)
5888. **Halticoptera poreia** (Walker)
(Pteromalidae)
5889. **Halticoptera sakipagai** Doğanlar,2006
(Pteromalidae)
5890. **Halticoptera yoncacus** Doğanlar,2006
(Pteromalidae)
5891. **Halticopterina moczari** Erdös
(Pteromalidae)
5892. **Halticopterina triannulata** Erdös
(Pteromalidae)
5893. **Handianus ignoscus** (Melichar,1896)
(Cicadellidae)
5894. **Handianus modestus** (Melichar,1896)
(Cicadellidae)
5895. **Handianus procerus** (Herrich-
Schäffer,1835) (Cicadellidae)
5896. **Haplomalachius akbesianus** (Pic,1898)
(Melyridae)
5897. **Haplomalachius flabellatus**
(Frigaldsky,1835) (Melyridae)
5898. **Haplomalachius karsensis**
Wittmer,1988 (Melyridae)
5899. **Haploprocta sulcicornis**
(Fabricius,1794) (Coreidae)
5900. **Haploprocta umbrina** Jakovlev,1882
(Coreidae)
5901. **Haplothrix captiosa** Majer,1989
(Melyridae)
5902. **Haplothrix chalif** Majer,1989 (Melyridae)
5903. **Haplothrix effusa** Majer,1989
(Melyridae)
5904. **Haplothrix mera** Majer,1989 (Melyridae)
5905. **Haplothrix prudeki** Majer,1996
(Melyridae)
5906. **Haplothrix pusilla** (Schilsky,1896)
(Melyridae)
5907. **Haplothrix soluta** Majer,1989
(Melyridae)
5908. **Haplothrix sp.** (Melyridae)
5909. **Hardya alpina** Wagner,1955
(Cicadellidae)
5910. **Hardya anatolica** Zachvatkin,1946
(Cicadellidae)
5911. **Hardya iranica** Zachvatkin,1946
(Cicadellidae)
5912. **Harmandiola cavernosa**
(Rübsaamen,1899) (Cecidomyiidae)
5913. **Harmandiola globuli**
(Rübsaamen,1889) (Cecidomyiidae)
5914. **Harmonia axyridis** (Pallas,1773)
(Coccinellidae)
5915. **Harmonia quadripunctata**
(Pontoppidan,1763) (Coccinellidae)
5916. **Harmonia quattuordecimpunctata**
(Linnaeus,1758) (Coccinellidae)
5917. **Harnischia fuscimana** Kieffer,1921
(Chironomidae)
5918. **Harnischia sp.** (Chironomidae)
5919. **Harpalus (Artabas) kadleci** (Kataev &
Wruse,1995) (Carabidae)
5920. **Harpalus (Artabas) petri**
(Tschitschérine,1902) (Carabidae)
5921. **Harpalus (Artabas) punctatostratus**
(Dejean,1829) (Carabidae)
5922. **Harpalus (Artabas) suturangulus**
(Reitter,1887) (Carabidae)
5923. **Harpalus (Artabas) szalliesi** (Kataev &
Wruse,1995) (Carabidae)
5924. **Harpalus (Harpalophonus)**
circumpunctatus (Chaudoir,1846)
(Carabidae)
5925. **Harpalus (Harpalophonus) hospes**
(Sturm,1818) (Carabidae)
5926. **Harpalus (Harpalophonus)**
kagyzmanicus Kataev,1984 (Carabidae)
5927. **Harpalus (s.str.) affinis** (Schrank,1781)
(Carabidae)
5928. **Harpalus (s.str.) albanicus**
Reitter,1900 (Carabidae)
5929. **Harpalus (s.str.) anatolicus**
Tschitschérine,1898 (Carabidae)
5930. **Harpalus (s.str.) angulatus**
Putzeys,1878 (Carabidae)
5931. **Harpalus (s.str.) anxioides** Kataev,1991
(Carabidae)
5932. **Harpalus (s.str.) anxius**
(Duftschmid,1812) (Carabidae)
5933. **Harpalus (s.str.) araraticus**
Mlynar,1979 (Carabidae)
5934. **Harpalus (s.str.) atratus** Latreille,1804
(Carabidae)
5935. **Harpalus (s.str.) attenuatus**
Stephens,1828 (Carabidae)
5936. **Harpalus (s.str.) autumnalis**
(Duftschmid,1812) (Carabidae)
5937. **Harpalus (s.str.) brachypterus**
Tschitschérine,1908 (Carabidae)
5938. **Harpalus (s.str.) caspius** Steven,1806
(Carabidae)
5939. **Harpalus (s.str.) compressus**
Motschoulsky,1844 (Carabidae)
5940. **Harpalus (s.str.) cupreus** Dejean,1829
(Carabidae)
5941. **Harpalus (s.str.) dimidiatus**
(Rossi,1790) (Carabidae)
5942. **Harpalus (s.str.) distinguendus**
(Duftschmid,1812) (Carabidae)
5943. **Harpalus (s.str.) euchlorus**
Ménétriés,1836 (Carabidae)
5944. **Harpalus (s.str.) flavicornis**
Dejean,1829 (Carabidae)
5945. **Harpalus (s.str.) fuscicornis**
Ménétriés,1832 (Carabidae)
5946. **Harpalus (s.str.) fuscipalpis**
Sturm,1818 (Carabidae)

5947. **Harpalus (s.str.) honestus** (Duftschmid,1812) (Carabidae)
5948. **Harpalus (s.str.) kazanensis** Jedlicka,1958 (Carabidae)
5949. **Harpalus (s.str.) latus** (Linnaeus,1758) (Carabidae)
5950. **Harpalus (s.str.) metallinus** Ménériés,1836 (Carabidae)
5951. **Harpalus (s.str.) oblitus** Dejean,1829 (Carabidae)
5952. **Harpalus (s.str.) pulvinatus** Ménériés,1848 (Carabidae)
5953. **Harpalus (s.str.) pygmaeus** Dejean,1829 (Carabidae)
5954. **Harpalus (s.str.) quadratus** Chaudoir,1846 (Carabidae)
5955. **Harpalus (s.str.) quadripunctatus** Dejean,1829 (Carabidae)
5956. **Harpalus (s.str.) quasianxius** Kataev,1989 (Carabidae)
5957. **Harpalus (s.str.) reflexus** Putzeys,1878 (Carabidae)
5958. **Harpalus (s.str.) rubripes** Duftschmid,1812 (Carabidae)
5959. **Harpalus (s.str.) rufipalpis** Sturm,1818 (Carabidae)
5960. **Harpalus (s.str.) saxicola** Dejean,1829 (Carabidae)
5961. **Harpalus (s.str.) serripes** (Quensel,1806) (Carabidae)
5962. **Harpalus (s.str.) smaragdinus** (Duftschmid,1812) (Carabidae)
5963. **Harpalus (s.str.) smyrnensis** Heyden,1888 (Carabidae)
5964. **Harpalus (s.str.) subcylindricus** Dejean,1829 (Carabidae)
5965. **Harpalus (s.str.) subtruncatus** Chaudoir,1846 (Carabidae)
5966. **Harpalus (s.str.) sulphuripes** Germar,1824 (Carabidae)
5967. **Harpalus (s.str.) taciturnus** Dejean,1829 (Carabidae)
5968. **Harpalus (s.str.) tardus** (Panzer,1797) (Carabidae)
5969. **Harpalus (s.str.) torosensis** Jedlicka,1961 (Carabidae)
5970. **Harpalus (s.str.) trichophorus** Tschitschérine,1897 (Carabidae)
5971. **Harpalus (s.str.) tristis** Tschitschérine,1898 (Carabidae)
5972. **Harpalus (s.str.) xanthopus** Gemminger & Harold,1868 (Carabidae)
5973. **Harpalus (s.str.) zabroides** Dejean,1829 (Carabidae)
5974. **Hartigiola annulipes** (Hartig,1839) (Cecidomyiidae)
5975. **Haterumelater fulvago** (Marseul,1868) (Elateridae)
5976. **Haterumelater languidus** (Buysson,1891) (Elateridae)
5977. **Hauptidia (Melicharidia) aridula** (Linnavuori,1956) (Cicadellidae)
5978. **Hauptidia (s.str.) cretacea** (Moravskaja,1948) (Cicadellidae)
5979. **Hauptidia (s.str.) distinguenda** (Kirschbaum,1868) (Cicadellidae)
5980. **Hauptidia (s.str.) rivularis** (Linnavuori,1962) (Cicadellidae)
5981. **Hauptidia (s.str.) stellata** (Ribaut,1948) (Cicadellidae)
5982. **Hebecnema fumosa** (Meigen,1826) (Muscidae)
5983. **Hebecnema umbratica** (Meigen,1826) (Muscidae)
5984. **Hecalus eximius** (Kirschbaum,1868) (Cicadellidae)
5985. **Hecalus glaucescens** (Fieber,1866) (Cicadellidae)
5986. **Hedyphanes elongatus** Allard,1876 (Tenebrionidae)
5987. **Hedyphanes upioides** (Faldermann,1837) (Tenebrionidae)
5988. **Helcostizus restaurator** (Fabricius,1775) (Ichneumonidae)
5989. **Heleomyza modesta** (Meigen,1838) (Heleomyzidae)
5990. **Helicoconis senganca** Rausch, H.Aspöck & U.Aspöck,1978 (Coniopterygidae)
5991. **Helina abdominalis** (Zetterstedt,1846) (Muscidae)
5992. **Helina atricolor** (Fallén,1825) (Muscidae)
5993. **Helina decipiens** Mihalyi,1974 (Muscidae)
5994. **Helina latitarsis** Ringdahl,1924 (Muscidae)
5995. **Helina obtusipennis** (Fallén,1823) (Muscidae)
5996. **Helina pubescens** (Stein,1893) (Muscidae)
5997. **Helina reversio** (Harris,1780) (Muscidae)
5998. **Helina setiventris** Ringdahl,1924 (Muscidae)
5999. **Helina tetrastigma** (Meigen,1826) (Muscidae)
6000. **Heliococcus bohemicus** Sulc (Pseudococcidae)
6001. **Heliococcus radicolica** Goux (Pseudococcidae)
6002. **Heliococcus saxatilis** Borchsenius (Pseudococcidae)
6003. **Heliococcus sulcii** Goux (Pseudococcidae)
6004. **Heliocorisa vermiculata** (Puton,1874) (Corixidae)
6005. **Helionidia biplagiata** (Haupt,1927) (Cicadellidae)
6006. **Helionidia himyarita** Zachvatkin,1946 (Cicadellidae)
6007. **Helionidia longifalx** (Linnavuori,1953) (Cicadellidae)
6008. **Heliophilus continuus** (Loew,1844) (Syrphidae)
6009. **Heliophilus hybridus** Loew,1846 (Syrphidae)
6010. **Heliophilus parallelus** (Harris,[1776]) (Syrphidae)
6011. **Heliophilus trivittatus** (Fabricius,1805) (Syrphidae)
6012. **Heliopteryx humeralis** (Kuthy,1907) (Acrididae)
6013. **Helius (s.str.) hispanicus** Lackschewitz,1928 (Limoniidae)
6014. **Helladia adelpha** (Ganglbauer,1884) (Cerambycidae)

6015. **Helladia armeniaca** Frivaldsky,1878
(Cerambycidae)
6016. **Helladia diademata** (Faldermann,1837)
(Cerambycidae)
6017. **Helladia ferrugata** (Ganglbauer,1884)
(Cerambycidae)
6018. **Helladia humeralis** (Waltl,1828)
(Cerambycidae)
6019. **Helladia imperialis** Sama &
Rejzek,2001 (Cerambycidae)
6020. **Helladia millefolii** (Adams,1817)
(Cerambycidae)
6021. **Helladia plasoni** Ganglbauer,1884
(Cerambycidae)
6022. **Helladia praetextata** (Steven,1817)
(Cerambycidae)
6023. **Helladia pretiosa** (Faldermann,1837)
(Cerambycidae)
6024. **Hellerina lycia** Galvagni,2006
(Raphidophoridae)
6025. **Hellwigiella nigripennis** Szepliget,1905
(Ichneumonidae)
6026. **Helophorus** (**Orphelophorus**) **turca**
İncekara,2008 (Helophoridae)
6027. **Helophorus abeillei** Guillebeau,1896
(Helophoridae)
6028. **Helophorus alternans** Gené,1836
(Helophoridae)
6029. **Helophorus aquaticus** (Linnaeus,1758)
(Helophoridae)
6030. **Helophorus armeniacus**
Ganglbauer,1901 (Helophoridae)
6031. **Helophorus arvernensis** Mulsant,1846
(Helophoridae)
6032. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
6033. **Helophorus brevipalpis** Bedel,1881
(Helophoridae)
6034. **Helophorus croaticus** Kuwert,1886
(Helophoridae)
6035. **Helophorus daedalus** Orchymont,1932
(Helophoridae)
6036. **Helophorus difficilis** Angus,1988
(Helophoridae)
6037. **Helophorus discrepans** Rey,1885
(Helophoridae)
6038. **Helophorus dorsalis** (Marsham,1802)
(Helophoridae)
6039. **Helophorus erzurumicus** İncekara,
Mart & Erman,2005 (Helophoridae)
6040. **Helophorus faustianus** Sharp,1916
(Helophoridae)
6041. **Helophorus flavipes** Fabricius,1792
(Helophoridae)
6042. **Helophorus frater** Orchymont,1926
(Helophoridae)
6043. **Helophorus fulgidicollis**
Motschoulsky,1860 (Helophoridae)
6044. **Helophorus glacialis** Villa,1883
(Helophoridae)
6045. **Helophorus griseus** Herbst,1793
(Helophoridae)
6046. **Helophorus guttulus**
Motschoulsky,1860 (Helophoridae)
6047. **Helophorus hilaris** Sharp,1916
(Helophoridae)
6048. **Helophorus hirsutiventris** Angus,1984
(Helophoridae)
6049. **Helophorus illustris** Sharp,1916
(Helophoridae)
6050. **Helophorus kirgisticus** Knisch,1914
(Helophoridae)
6051. **Helophorus lapponicus** Thomson,1854
(Helophoridae)
6052. **Helophorus lewisi** Angus,1985
(Helophoridae)
6053. **Helophorus liguricus** Angus,1970
(Helophoridae)
6054. **Helophorus longitarsis** Wollaston,1864
(Helophoridae)
6055. **Helophorus longitarsis** Wollaston,1864
(Helophoridae)
6056. **Helophorus maculatus**
Motschoulsky,1860 (Helophoridae)
6057. **Helophorus mervensis** Semenov,1900
(Helophoridae)
6058. **Helophorus micans** Falderman,1835
(Helophoridae)
6059. **Helophorus minutus** Fabricius,1775
(Helophoridae)
6060. **Helophorus montenegrinus**
Kuwert,1885 (Helophoridae)
6061. **Helophorus nanus** Sturm,1836
(Helophoridae)
6062. **Helophorus nubilus** Fabricius,1776
(Helophoridae)
6063. **Helophorus obscurus** Mulsant,1844
(Helophoridae)
6064. **Helophorus pallidipennis** Mulsant &
Wachanru,1852 (Helophoridae)
6065. **Helophorus paraminutus** Angus,1986
(Helophoridae)
6066. **Helophorus ponticus** Angus,1988
(Helophoridae)
6067. **Helophorus porculus** Bedel,1881
(Helophoridae)
6068. **Helophorus similis** Kuwert,1887
(Helophoridae)
6069. **Helophorus subarcuatus** Rey,1885
(Helophoridae)
6070. **Helophorus subcarinatus** Angus,1985
(Helophoridae)
6071. **Helophorus syriacus** Kuwert,1885
(Helophoridae)
6072. **Helophorus terminassianae**
Angus,1984 (Helophoridae)
6073. **Helophorus zagrosicus** Angus,1988
(Helophoridae)
6074. **Helops** (**Mesohelops**) **cyanipes**
Allard,1877 (Tenebrionidae)
6075. **Helops** (**s.str.**) **coeruleus**
(Linnaeus,1758) (Tenebrionidae)
6076. **Helops** (**s.str.**) **glabriventris**
Reitter,1885 (Tenebrionidae)
6077. **Helops** (**s.str.**) **rossii** Germar,1817
(Tenebrionidae)
6078. **Hemerobius friedeli** Aspöck &
Aspöck,1966 (Hemerobiidae)
6079. **Hemianax ephippiger**
(Burmeister,1839) (Aeshnidae)
6080. **Hemiberlesia lataniae** (Signoret)
(Diaspididae)
6081. **Hemiberlesia rapax** (Comstock)
(Diaspididae)
6082. **Hemicrepidius corvinus** (Reitter,1905)
(Elateridae)

6083. **Hemicrepidius hirtus** (Herbst,1784)
(Elateridae)
6084. **Hemicrepidius koenigi** Schwarz,1897
(Elateridae)
6085. **Hemicrepidius niger** (Linnaeus,1758)
(Elateridae)
6086. **Hemicrepidius nigritulus**
(Reitter,1890) (Elateridae)
6087. **Hemicrepidius schneideri**
(Kiesenwetter,1877) (Elateridae)
6088. **Hemicrepidius vulpeculus**
(Reitter,1890) (Elateridae)
6089. **Hemidendroides daglariensis**
(Young,2004) (Pyrochroidae)
6090. **Hemipenthes caucasica** Zaitzev,1966
(Bombyliidae)
6091. **Hemipenthes exoprosopoides**
Paramonov,1928 (Bombyliidae)
6092. **Hemipenthes gaudanicus**
Paramonov,1927 (Bombyliidae)
6093. **Hemipenthes hamifera** (Loew,1854)
(Bombyliidae)
6094. **Hemipenthes maurus** (Linnaeus,1758)
(Bombyliidae)
6095. **Hemipenthes morio** (Linnaeus,1758)
(Bombyliidae)
6096. **Hemipenthes praecisus** (Loew,1869)
(Bombyliidae)
6097. **Hemipenthes subvelutinus**
Zaitzev,1966 (Bombyliidae)
6098. **Hemipenthes tusheticus** Zaitzev,1966
(Bombyliidae)
6099. **Hemipenthes velutinus** (Meigen,1820)
(Bombyliidae)
6100. **Hemipepsis brunnea** (Klug,1834)
(Pompilidae)
6101. **Hemipepsis mauritanica**
(Linnaeus,1767) (Pompilidae)
6102. **Hemiptarsenus varicornis** (Grault)
(Eulophidae)
6103. **Hemiptarsenus zilahisebessi** Erdös
(Eulophidae)
6104. **Hemipterochilus aberrans**
(Morawitz,1885) (Vespidae)
6105. **Hemipterochilus bicoloricornis**
(Giordani Soika,1952) (Vespidae)
6106. **Hemitropis seticlosa** (Lethierry,1874)
(Cixiidae)
6107. **Hendrella winnertzi** (Frauenfeld,1864)
(Tephritidae)
6108. **Henosepilachna argus** (Geoffroy,1762)
(Coccinellidae)
6109. **Hephathus freyi** (Fieber,1868)
(Cicadellidae)
6110. **Hephathus nanus** (Herrich-
Schäffer,1835) (Cicadellidae)
6111. **Hephathus orientalis** Linnavuori,1953
(Cicadellidae)
6112. **Hephathus unicolor** (Lindberg,1926)
(Cicadellidae)
6113. **Hercostomus apollo** (Loew,1869)
(Dolichopodidae)
6114. **Hercostomus causicus**
Stackelberg,1933 (Dolichopodidae)
6115. **Hercostomus chetifer** (Walker,1849)
(Dolichopodidae)
6116. **Hercostomus convergens** (Loew,1857)
(Dolichopodidae)
6117. **Hercostomus costatus** (Loew,1857)
(Dolichopodidae)
6118. **Hercostomus gracilis** (Stannius,1831)
(Dolichopodidae)
6119. **Hercostomus leptocercus**
Stackelberg,1949 (Dolichopodidae)
6120. **Hercostomus libanicola** Parent,1933
(Dolichopodidae)
6121. **Hercostomus longiventris** (Loew,1857)
(Dolichopodidae)
6122. **Hercostomus nanus** (Macquart,1827)
(Dolichopodidae)
6123. **Hercostomus phoebus** Parent,1927
(Dolichopodidae)
6124. **Hercostomus varicoloris** Becker,1917
(Dolichopodidae)
6125. **Heriades (Michenerella) dalmaticus**
Maidl,1922 (Megachilidae)
6126. **Heriades (Michenerella) hissaricus**
Popov,1955 (Megachilidae)
6127. **Heriades (Michenerella) punctuliferus**
Schletterer,1889 (Megachilidae)
6128. **Heriades (Rhopaloheriades)**
clavicornis Morawitz,1875 (Megachilidae)
6129. **Heriades (s.str.) crenulatus**
Nylander,1856 (Megachilidae)
6130. **Heriades (s.str.) hierosolomitus**
Benoist,1935 (Megachilidae)
6131. **Heriades (s.str.) rubicola** Pérez,1890
(Megachilidae)
6132. **Heriades (s.str.) truncorum**
(Linnaeus,1758) (Megachilidae)
6133. **Heringia brevidens** (Egger,1865)
(Syrphidae)
6134. **Heringina Aczel**,1940 (Tephritidae)
6135. **Heringina guttata** (Fallén,1814)
(Tephritidae)
6136. **Hermaeophaga mercurialis**
(Fabricius,1792) (Chrysomelidae)
6137. **Hermaeophaga ruficollis** (Lucas,1849)
(Chrysomelidae)
6138. **Hermetia illucens** (Linnaeus,1758)
(Stratiomyidae)
6139. **Herophila tristis** (Linnaeus,1767)
(Cerambycidae)
6140. **Herpestomus brunnicornis**
(Gravenhorst,1829) (Ichneumonidae)
6141. **Hesium domino** (Reuter,1880)
(Cicadellidae)
6142. **Hesperocorixa castanea**
(Thomson,1869) (Corixidae)
6143. **Hesperocorixa linnaei** (Fieber,1848)
(Corixidae)
6144. **Hesperocorixa occulta** (Lundblad,1929)
(Corixidae)
6145. **Hesperocorixa parallela** (Fieber,1860)
(Corixidae)
6146. **Heteracris adspersa**
(Redtenbacher,1889) (Acrididae)
6147. **Heteracris littoralis** (Rambur,1838)
(Acrididae)
6148. **Heteracris pterostichus** (Fischer von
Waldheim,1833) (Acrididae)
6149. **Heteralonia megerlei** (Meigen,1820)
(Bombyliidae)
6150. **Heterischnus truncator**
(Fabricius,1798) (Ichneumonidae)

6151. **Heterocnemis (Celidotella) matthiesseni** Reitter,1909 (Scarabaeidae)
6152. **Heterococcopsis opertus** Borkhsenius (Pseudococcidae)
6153. **Heterococcus mudus** (Green) (Pseudococcidae)
6154. **Heterococcus tritici** (Kiritshenko) (Pseudococcidae)
6155. **Heterogaster affinis** Herrich-Schäffer,1835 (Lygaeidae)
6156. **Heteropogon lehri** Richter,1968 (Asilidae)
6157. **Heteropogon lugubris** Hermann,1906 (Asilidae)
6158. **Heteropogon manicatus** (Meigen,1820) (Asilidae)
6159. **Heteropogon manni** Loew,1854 (Asilidae)
6160. **Heteropogon nubilus** (Wiedemann,1820) (Asilidae)
6161. **Heteropogon ornatipes** Loew,1851 (Asilidae)
6162. **Heteropogon pyrinus** Hermann,1906 (Asilidae)
6163. **Heteropogon scoparius** Loew,1847 (Asilidae)
6164. **Heteropogon succinctus** Loew,1847 (Asilidae)
6165. **Heterotropus israeliensis** Zaitzev,2001 (Bombyliidae)
6166. **Heterotropus kaplanae** Zaitzev,2001 (Bombyliidae)
6167. **Heterotropus pyrus** Bowden,1967 (Bombyliidae)
6168. **Heterotropus taurus** Bowden,1967 (Bombyliidae)
6169. **Heterotropus zarudnyi** Paramonov,1947 (Bombyliidae)
6170. **Hexatoma (Cladolipes) simplex** (Loew,1865) (Limoniidae)
6171. **Hexatoma (Eriocera) chirothecata** (Scopoli,1763) (Limoniidae)
6172. **Hexatoma (s.str.) bicolor** (Meigen,1818) (Limoniidae)
6173. **Hexatoma (s.str.) fuscipennis** (Curtis,1836) (Limoniidae)
6174. **Hexomyza simplex** (Loew,1869) (Agromyzidae)
6175. **Hidryta sordida** (Tschek,1871) (Ichneumonidae)
6176. **Hierodula macrostigmata** Deelmann & Reinhold,1957 (Mantidae)
6177. **Hierodula transeucasica** Brunner von Wattenwyl,1878 (Mantidae)
6178. **Hilara bolkarensis** Çiftçi, Parvu & Hasbenli,2008 (Empididae)
6179. **Himacerus apterus** (Fabricius,1798) (Nabidae)
6180. **Himacerus dauricus** (Kiritschenko,1911) (Nabidae)
6181. **Himacerus maracandicus** (Reuter,1890) (Nabidae)
6182. **Himerta anatolica** (Schmiedeknecht,1913) (Ichneumonidae)
6183. **Hippodamia (Adonia) variegata** (Goeze,1777) (Coccinellidae)
6184. **Hippodamia (s.str.) tredecimpunctata** (Linnaeus,1758) (Coccinellidae)
6185. **Hippodamia (Semiadalia) undecimnotata** (Schneider,1792) (Coccinellidae)
6186. **Hippuriphila modeeri** (Linnaeus,1761) (Chrysomelidae)
6187. **Hirticomus hispidus** (Rossi,1792) (Anthicidae)
6188. **Hister quadrimaculatus** Linnaeus,1758 (Histeridae)
6189. **Hobbys stenonota** (Ratzeburg) (Pteromalidae)
6190. **Hockeria apani** Doğanlar,1990 (Chalcididae)
6191. **Hockeria bifasciata** Walker,1834 (Chalcididae)
6192. **Hockeria brachygaster** Boucek,1956 (Chalcididae)
6193. **Hockeria karatasensis** Boucek,1952 (Chalcididae)
6194. **Hockeria magna** Boucek,1952 (Chalcididae)
6195. **Hockeria mengenillarum** (Silvestri,1943) (Chalcididae)
6196. **Hockeria unicolor** Walker,1834 (Chalcididae)
6197. **Hofferia schmiedeknechti** (Schletterer,1889) (Megachilidae)
6198. **Holaptilon pusillum** Beier,1964 (Mantidae)
6199. **Holcostethus vernalis** (Wolff,1804) (Pentatomidae)
6200. **Holochelus (Miltotrogus) angustifrons** (Nonveiller,1965) (Scarabaeidae)
6201. **Holochelus (Miltotrogus) escherichi** Brenske,1897 (Scarabaeidae)
6202. **Holochelus (Miltotrogus) fallax** Marseul,1879 (Scarabaeidae)
6203. **Holochelus (Miltotrogus) mimicus** (Reitter,1902) (Scarabaeidae)
6204. **Holochelus (Miltotrogus) rapuzzii** Keith,2004 (Scarabaeidae)
6205. **Holochelus (Miltotrogus) syriacus** (Brenske,1886) (Scarabaeidae)
6206. **Holochelus (s.str.) gigas** (Sabatinelli,1977) (Scarabaeidae)
6207. **Holochelus (s.str.) pilicollis** (Gyllenhal,1817) (Scarabaeidae)
6208. **Holochelus (s.str.) setiventris** (Reitter,1902) (Scarabaeidae)
6209. **Holopogon albosetosus** Schiner,1867 (Asilidae)
6210. **Holopogon dimidiatus** (Meigen,1820) (Asilidae)
6211. **Holopogon fumipennis** (Meigen,1820) (Asilidae)
6212. **Holopogon hasbenlii** Tomasovic, Weyer & Dils,2009 (Asilidae)
6213. **Holopogon imbecillus** Loew,1871 (Asilidae)
6214. **Holopogon nigripennis** (Meigen,1820) (Asilidae)
6215. **Holopogon nigropilosus** Theodor,1980 (Asilidae)
6216. **Holopogon priscus** (Meigen,1820) (Asilidae)
6217. **Homalotylus flaminus** (Dalman) (Encyrtidae)

6218. **Homalotylus nigricornis** Mercet
(Encyrtidae)
6219. **Homalotylus quaylei** Timberlake
(Encyrtidae)
6220. **Homodela ismenia** (Gory,1833)
(Carabidae)
6221. **Homonotus sanguinolentus**
(Fabricius,1793) (Pompilidae)
6222. **Homoporus arestor** (Walker)
(Pteromalidae)
6223. **Homoporus fulviventris** (Walker)
(Pteromalidae)
6224. **Homoporus subniger** (Walker)
(Pteromalidae)
6225. **Homorocoryphus nitidulus**
(Scopoli,1786) (Tettigoniidae)
6226. **Hoplia (Decamera) bezdeki** Keith,2002
(Scarabaeidae)
6227. **Hoplia (Decamera) corniculata**
Reitter,1890 (Scarabaeidae)
6228. **Hoplitis (Alcidamea) abnormis**
Zanden,1992 (Megachilidae)
6229. **Hoplitis (Alcidamea) acanthophora**
(Morawitz,1875) (Megachilidae)
6230. **Hoplitis (Alcidamea) acuticornis**
(Dufour & Perris,1840) (Megachilidae)
6231. **Hoplitis (Alcidamea) antennata**
(Morawitz,1876) (Megachilidae)
6232. **Hoplitis (Alcidamea) arenivaga**
Zanden,1996 (Megachilidae)
6233. **Hoplitis (Alcidamea) bicallosa**
(Morawitz,1876) (Megachilidae)
6234. **Hoplitis (Alcidamea) bispinosa**
Zanden,1992 (Megachilidae)
6235. **Hoplitis (Alcidamea) caucasica**
(Friese,1920) (Megachilidae)
6236. **Hoplitis (Alcidamea) caularis**
(Morawitz,1875) (Megachilidae)
6237. **Hoplitis (Alcidamea) ciliaris**
(Pérez,1902) (Megachilidae)
6238. **Hoplitis (Alcidamea) claviventris**
(Thomson,1872) (Megachilidae)
6239. **Hoplitis (Alcidamea) decaocta**
(Warncke,1991) (Megachilidae)
6240. **Hoplitis (Alcidamea) fossulata**
(Mocsary,1883) (Megachilidae)
6241. **Hoplitis (Alcidamea) galbula**
(Warncke,1991) (Megachilidae)
6242. **Hoplitis (Alcidamea) garzetta**
(Warncke,1991) (Megachilidae)
6243. **Hoplitis (Alcidamea) hoppferi**
Tkalcu,1977 (Megachilidae)
6244. **Hoplitis (Alcidamea) irania**
(Warncke,1991) (Megachilidae)
6245. **Hoplitis (Alcidamea) leucomelana**
(Kirby,1802) (Megachilidae)
6246. **Hoplitis (Alcidamea) limassolica**
(Mavromoustakis,1937) (Megachilidae)
6247. **Hoplitis (Alcidamea) mollis**
Tkalcu,2000 (Megachilidae)
6248. **Hoplitis (Alcidamea) ozbeki**
Tkalcu,2000 (Megachilidae)
6249. **Hoplitis (Alcidamea) praestans**
(Morawitz,1894) (Megachilidae)
6250. **Hoplitis (Alcidamea) stellaris**
(Warncke,1991) (Megachilidae)
6251. **Hoplitis (Alcidamea) subbutea**
(Warncke,1991) (Megachilidae)
6252. **Hoplitis (Alcidamea) tricolor**
(Saunders,1908) (Megachilidae)
6253. **Hoplitis (Alcidamea) tridentata**
(Dufour & Perris,1840) (Megachilidae)
6254. **Hoplitis (Alcidamea) verruciventris**
(Morawitz,1886) (Megachilidae)
6255. **Hoplitis (Alcidamea) xanthoprymna**
(Warncke,1991) (Megachilidae)
6256. **Hoplitis (Annosmia) annulata**
(Latreille,1811) (Megachilidae)
6257. **Hoplitis (Annosmia) aqabaensis**
(Warncke,1991) (Megachilidae)
6258. **Hoplitis (Annosmia) cercomela**
(Warncke,1991) (Megachilidae)
6259. **Hoplitis (Annosmia) christae**
(Warncke,1991) (Megachilidae)
6260. **Hoplitis (Annosmia) chukar**
(Warncke,1991) (Megachilidae)
6261. **Hoplitis (Annosmia) elaziga**
(Warncke,1991) (Megachilidae)
6262. **Hoplitis (Annosmia) eremophila**
(Warncke,1991) (Megachilidae)
6263. **Hoplitis (Annosmia) fulica**
(Warncke,1991) (Megachilidae)
6264. **Hoplitis (Annosmia) gentilis**
(Warncke,1991) (Megachilidae)
6265. **Hoplitis (Annosmia) hierichonica**
(Mavromoustakis,1949) (Megachilidae)
6266. **Hoplitis (Annosmia) idaensis**
(Warncke,1991) (Megachilidae)
6267. **Hoplitis (Annosmia) israelica**
(Warncke,1991) (Megachilidae)
6268. **Hoplitis (Annosmia) leiocephala**
(Mavromoustakis,1954) (Megachilidae)
6269. **Hoplitis (Annosmia) mutica**
(Warncke,1991) (Megachilidae)
6270. **Hoplitis (Annosmia) parana**
(Warncke,1991) (Megachilidae)
6271. **Hoplitis (Annosmia) segura**
(Warncke,1991) (Megachilidae)
6272. **Hoplitis (Annosmia) sordida**
(Benoist,1929) (Megachilidae)
6273. **Hoplitis (Annosmia) uncaticornis**
(Staneek,1969) (Megachilidae)
6274. **Hoplitis (Annosmia) verhoeffi**
(Mavromoustakis,1954) (Megachilidae)
6275. **Hoplitis (Annosmia) zonalis**
(Pérez,1895) (Megachilidae)
6276. **Hoplitis (Anthocopa) agis**
(Benoist,1929) (Megachilidae)
6277. **Hoplitis (Anthocopa) anipuncta**
(Alfken,1935) (Megachilidae)
6278. **Hoplitis (Anthocopa) batyamae**
(Zanden,1986) (Megachilidae)
6279. **Hoplitis (Anthocopa) bifoveolata**
(Alfken,1935) (Megachilidae)
6280. **Hoplitis (Anthocopa) bipartita**
(Friese,1899) (Megachilidae)
6281. **Hoplitis (Anthocopa) bisulca**
(Gerstaecker,1869) (Megachilidae)
6282. **Hoplitis (Anthocopa) brevispina**
(Tkalcu,2000) (Megachilidae)
6283. **Hoplitis (Anthocopa) bytinskii**
(Mavromoustakis,1948) (Megachilidae)
6284. **Hoplitis (Anthocopa) cypriaca**
(Mavromoustakis,1938) (Megachilidae)
6285. **Hoplitis (Anthocopa) dalmatica**
(Morawitz,1871) (Megachilidae)

6286. *Hoplitis (Anthocopa) daniana* (Mavromoustakis,1949) (Megachilidae)
6287. *Hoplitis (Anthocopa) dukeana* (Kohl,1905) (Megachilidae)
6288. *Hoplitis (Anthocopa) furcula* (Morawitz,1875) (Megachilidae)
6289. *Hoplitis (Anthocopa) graeca* (Tkalcu,2000) (Megachilidae)
6290. *Hoplitis (Anthocopa) grumi* (Morawitz,1894) (Megachilidae)
6291. *Hoplitis (Anthocopa) hemisphaerica* (Alfken,1935) (Megachilidae)
6292. *Hoplitis (Anthocopa) idalia* (Mavromoustakis,1948) (Megachilidae)
6293. *Hoplitis (Anthocopa) jakovlevi* (Radoszkowski,1874) (Megachilidae)
6294. *Hoplitis (Anthocopa) jerichoensis* (Zanden,1996) (Megachilidae)
6295. *Hoplitis (Anthocopa) mocsaryi* (Friese,1895) (Megachilidae)
6296. *Hoplitis (Anthocopa) obtusa* (Friese,1899) (Megachilidae)
6297. *Hoplitis (Anthocopa) papaveris* (Latreille,1799) (Megachilidae)
6298. *Hoplitis (Anthocopa) perezi* (Ferton,1895) (Megachilidae)
6299. *Hoplitis (Anthocopa) picicornis* (Morawitz,1895) (Megachilidae)
6300. *Hoplitis (Anthocopa) pulchella* (Pérez,1895) (Megachilidae)
6301. *Hoplitis (Anthocopa) rubricrus* (Friese,1899) (Megachilidae)
6302. *Hoplitis (Anthocopa) rugidorsis* (Pérez,1895) (Megachilidae)
6303. *Hoplitis (Anthocopa) semirubra* (Friese,1899) (Megachilidae)
6304. *Hoplitis (Anthocopa) singularis* (Morawitz,1875) (Megachilidae)
6305. *Hoplitis (Anthocopa) unispina* (Alfken,1935) (Megachilidae)
6306. *Hoplitis (Anthocopa) urfensis* (Zanden,1984) (Megachilidae)
6307. *Hoplitis (Anthocopa) villosa* (Schenck,1853) (Megachilidae)
6308. *Hoplitis (Anthocopa) wadicola* (Alfken,1935) (Megachilidae)
6309. *Hoplitis (Anthocopa) wahrmani* (Mavromoustakis,1948) (Megachilidae)
6310. *Hoplitis (Anthocopa) yemasoyiae* (Mavromoustakis,1938) (Megachilidae)
6311. *Hoplitis (Bytinskia) erythrogastra* (Mavromoustakis,1954) (Megachilidae)
6312. *Hoplitis (Bytinskia) negevensis* (Warncke,1991) (Megachilidae)
6313. *Hoplitis (Bytinskia) parasitica* (Warncke,1991) (Megachilidae)
6314. *Hoplitis (Chlidoplitis) heinrichi* Zanden,1980 (Megachilidae)
6315. *Hoplitis (Chlidoplitis) illustris* Zanden,1992 (Megachilidae)
6316. *Hoplitis (Chlidoplitis) lysholmi* (Friese,1899) (Megachilidae)
6317. *Hoplitis (Chlidoplitis) onychophora* (Mavromoustakis,1939) (Megachilidae)
6318. *Hoplitis (Coloplitis) persica* (Warncke,1991) (Megachilidae)
6319. *Hoplitis (Megahoplitis) tigrina* (Morawitz,1871) (Megachilidae)
6320. *Hoplitis (Megalosmia) fulva* (Eversmann,1852) (Megachilidae)
6321. *Hoplitis (Micreriades) antalyae* Tkalcu,2000 (Megachilidae)
6322. *Hoplitis (Micreriades) lebanotica* (Mavromoustakis,1955) (Megachilidae)
6323. *Hoplitis (Micreriades) mazzucchi* (Schwarz & Gusenleitner,2005) (Megachilidae)
6324. *Hoplitis (Micreriades) pisidiae* Tkalcu,2000 (Megachilidae)
6325. *Hoplitis (Pentadentoscia) enslini* (Alfken,1935) (Megachilidae)
6326. *Hoplitis (Pentadentoscia) gallinula* (Warncke,1991) (Megachilidae)
6327. *Hoplitis (Pentadentoscia) helouanensis* (Friese,1899) (Megachilidae)
6328. *Hoplitis (Pentadentoscia) jejuna* Popov,1952 (Megachilidae)
6329. *Hoplitis (Pentadentoscia) karakalensis* (Popov,1936) (Megachilidae)
6330. *Hoplitis (Pentadentoscia) laevifrons* (Morawitz,1872) (Megachilidae)
6331. *Hoplitis (Pentadentoscia) meyeri* (Benoist,1934) (Megachilidae)
6332. *Hoplitis (Pentadentoscia) minor* (Morawitz,1877) (Megachilidae)
6333. *Hoplitis (Pentadentoscia) moricei* (Friese,1899) (Megachilidae)
6334. *Hoplitis (Pentadentoscia) nitidula* (Morawitz,1877) (Megachilidae)
6335. *Hoplitis (Pentadentoscia) pomarina* (Warncke,1991) (Megachilidae)
6336. *Hoplitis (Pentadentoscia) quinquespinosa* (Friese,1899) (Megachilidae)
6337. *Hoplitis (Pentadentoscia) ridibunda* (Warncke,1991) (Megachilidae)
6338. *Hoplitis (Pentadentoscia) rufopicta* (Morawitz,1875) (Megachilidae)
6339. *Hoplitis (Pentadentoscia) tringa* (Warncke,1991) (Megachilidae)
6340. *Hoplitis (Platosmia) africana* (Warncke,1990) (Megachilidae)
6341. *Hoplitis (Platosmia) alchata* (Warncke,1990) (Megachilidae)
6342. *Hoplitis (Platosmia) gerofita* (Warncke,1990) (Megachilidae)
6343. *Hoplitis (Platosmia) reticauda* (Stanek,1969) (Megachilidae)
6344. *Hoplitis (Prionohoplitis) brachypogon* (Pérez,1879) (Megachilidae)
6345. *Hoplitis (Prionohoplitis) campanularis* (Morawitz,1877) (Megachilidae)
6346. *Hoplitis (Prionohoplitis) curvipes* (Morawitz,1871) (Megachilidae)
6347. *Hoplitis (Prionohoplitis) eburnea* (Warncke,1991) (Megachilidae)
6348. *Hoplitis (Prionohoplitis) epeoliformis* (Ducke,1899) (Megachilidae)
6349. *Hoplitis (Prionohoplitis) grossepunctata* (Kohl,1905) (Megachilidae)
6350. *Hoplitis (s.str.) adunca* (Panzer,1798) (Megachilidae)
6351. *Hoplitis (s.str.) bombiformis* Zanden,1991 (Megachilidae)
6352. *Hoplitis (s.str.) carinata* (Stanek,1969) (Megachilidae)

6353. **Hoplitis (s.str.) erzurumensis**
Tkalcu,2000 (Megachilidae)
6354. **Hoplitis (s.str.) fertoni** (Pérez,1890)
(Megachilidae)
6355. **Hoplitis (s.str.) flabellifera**
(Morice,1901) (Megachilidae)
6356. **Hoplitis (s.str.) homalocera**
Zanden,1991 (Megachilidae)
6357. **Hoplitis (s.str.) improceros**
Zanden,1998 (Megachilidae)
6358. **Hoplitis (s.str.) lapidaria**
(Morawitz,1877) (Megachilidae)
6359. **Hoplitis (s.str.) libanensis**
(Morice,1901) (Megachilidae)
6360. **Hoplitis (s.str.) linguaria**
(Morawitz,1876) (Megachilidae)
6361. **Hoplitis (s.str.) manicata** (Morice,1901)
(Megachilidae)
6362. **Hoplitis (s.str.) monstrabilis**
Tkalcu,2000 (Megachilidae)
6363. **Hoplitis (s.str.) mucida** (Dours,1873)
(Megachilidae)
6364. **Hoplitis (s.str.) pallicornis**
(Friese,1895) (Megachilidae)
6365. **Hoplitis (s.str.) pici** (Friese,1899)
(Megachilidae)
6366. **Hoplitis (s.str.) semilinguaria**
Tkalcu,1992 (Megachilidae)
6367. **Hoplitis (s.str.) strymonia** Tkalcu,1999
(Megachilidae)
6368. **Hoplitis (s.str.) testaceozonata**
(Alfken,1935) (Megachilidae)
6369. **Hoplitis (Stenosmia) aravensis**
(Zanden,1992) (Megachilidae)
6370. **Hoplitis (Stenosmia) denticulata**
(Zanden,1992) (Megachilidae)
6371. **Hoplitis (Stenosmia) flavicornis**
(Morawitz,1877) (Megachilidae)
6372. **Hoplitis (Stenosmia) hartliebi**
(Friese,1899) (Megachilidae)
6373. **Hoplitis (Stenosmia) jordanica**
(Warncke,1991) (Megachilidae)
6374. **Hoplitis (Stenosmia) kotschisa**
(Warncke,1991) (Megachilidae)
6375. **Hoplitis (Tkalcu) paralias**
(Mavromoustakis,1954) (Megachilidae)
6376. **Hoplolabis (Parilisia) punctigera**
(Lackschewitz,1940) (Limoniidae)
6377. **Hoplopsis minuta** (Fabricius)
(Encyrtidae)
6378. **Hoplosathe frauenfeldi** (Loew,1856)
(Therevidae)
6379. **Horvathianella palliceps**
(Horvath,1897) (Delphacidae)
6380. **Hyalesthes askalensis** Hoch,1985
(Cixiidae)
6381. **Hyalesthes hani** Hoch,1985 (Cixiidae)
6382. **Hyalesthes luteipes** Fieber,1876
(Cixiidae)
6383. **Hyalesthes mavromoustakisi**
Dlabola,1959 (Cixiidae)
6384. **Hyalesthes mlokosiewiczii**
Signoret,1879 (Cixiidae)
6385. **Hyalesthes obsoletus** Signoret,1865
(Cixiidae)
6386. **Hyalesthes philesakis** Hoch &
Remane,1985 (Cixiidae)
6387. **Hyalesthes ponticorum** Hoch &
Remane,1985 (Cixiidae)
6388. **Hyalesthes scotti** Ferrari,1882 (Cixiidae)
6389. **Hyalesthes thracicus** Hoch,1985
(Cixiidae)
6390. **Hyalesthes veyseli** Hoch,1985 (Cixiidae)
6391. **Hyalesthes yozgaticus** Hoch &
Remane,1985 (Cixiidae)
6392. **Hyalochiton komaroffii**
(Jakovlev,1880) (Tingidae)
6393. **Hyalochiton multiseriatus**
(Reuter,1888) (Tingidae)
6394. **Hybometopia starcki** Ganglbauer,1889
(Cerambycidae)
6395. **Hybomitra acuminata** (Loew,1858)
(Tabanidae)
6396. **Hybomitra bimaculata**
(Macquart,1826) (Tabanidae)
6397. **Hybomitra caucasi** (Szilady,1923)
(Tabanidae)
6398. **Hybomitra caucasica** (Enderlein,1925)
(Tabanidae)
6399. **Hybomitra ciureai** (Seguy,1937)
(Tabanidae)
6400. **Hybomitra decora** (Loew,1858)
(Tabanidae)
6401. **Hybomitra distinguenda** (Verrall,1909)
(Tabanidae)
6402. **Hybomitra erberi** (Brauer,1880)
(Tabanidae)
6403. **Hybomitra expollicata** (Pandelle,1883)
(Tabanidae)
6404. **Hybomitra mendica** (Villeneuve,1912)
(Tabanidae)
6405. **Hybomitra micans** (Meigen,1804)
(Tabanidae)
6406. **Hybomitra muehlfeldi** (Brauer,1880)
(Tabanidae)
6407. **Hybomitra okayi** Leclercq,1967
(Tabanidae)
6408. **Hybomitra peculiaris** (Szilady,1914)
(Tabanidae)
6409. **Hybomitra pilosa** (Loew,1858)
(Tabanidae)
6410. **Hybomitra popovi** (Olsufjev,1937)
(Tabanidae)
6411. **Hybomitra tarandina** (Linnaeus,1758)
(Tabanidae)
6412. **Hybomitra tropica** (Linnaeus,1758)
(Tabanidae)
6413. **Hybomitra tuerkmendagensis** Kılıç &
Schacht,1995 (Tabanidae)
6414. **Hybomitra ukrainica** (Olsufjev,1952)
(Tabanidae)
6415. **Hycleus novemdecimpunctatus**
(Olivier,1811) (Meloidae)
6416. **Hycleus polymorphus** (Pallas,1771)
(Meloidae)
6417. **Hycleus scabiosae** (Olivier,1811)
(Meloidae)
6418. **Hycleus sexmaculatus** (Olivier,1811)
(Meloidae)
6419. **Hydaticus (Guignotites) ponticus**
Sharp,1882 (Dytiscidae)
6420. **Hydaticus (s.str.) transversalis**
(Pontopoddian,1763) (Dytiscidae)
6421. **Hydrellia griseola** (Fallén,1813)
(Ephydriidae)

6422. **Hydrobius arcticus** Kuwert,1890
(Hydrophilidae)
6423. **Hydrobius rufipes** (Linnaeus,1758)
(Hydrophilidae)
6424. **Hydrochara caraboides**
(Linnaeus,1758) (Hydrophilidae)
6425. **Hydrochara dichorama**
(Fairmaire,1829) (Hydrophilidae)
6426. **Hydrochara flavipes** (Steven,1808)
(Hydrophilidae)
6427. **Hydrochara major** İncekara, Mart,
Polat & Karaca,2009 (Hydrophilidae)
6428. **Hydrochus brevis** (Herbst,1793)
(Hydrochidae)
6429. **Hydrochus elongatus** (Schaller,1783)
(Hydrochidae)
6430. **Hydrochus flavipennis** Küster,1852
(Hydrochidae)
6431. **Hydrochus ibericus** Valladares,1999
(Hydrochidae)
6432. **Hydrochus ignicollis**
(Motschoulsky,1860) (Hydrochidae)
6433. **Hydrochus megaphallus** Berge
Henegouwen,1988 (Hydrochidae)
6434. **Hydrochus nodulifer** Reitter,1897
(Hydrochidae)
6435. **Hydrocyphon australis** Linder,1864
(Scirtidae)
6436. **Hydrocyphon deflexicollis** Müller,1821
(Scirtidae)
6437. **Hydrocyphon finitimus** Nyholm,1977
(Scirtidae)
6438. **Hydrocyphon Redtenbacher**,[1857]
(Scirtidae)
6439. **Hydrocyphon rivulorum** Nyholm,1977
(Scirtidae)
6440. **Hydrocyphon segregis** Nyholm,1972
(Scirtidae)
6441. **Hydrocyphon vicinans** Nyholm,1972
(Scirtidae)
6442. **Hydroglyphus geminus**
(Fabricius,1792) (Dytiscidae)
6443. **Hydroglyphus pubescens**
Gyllenhal,1808 (Dytiscidae)
6444. **Hydromya dorsalis** (Fabricius,1775)
(Sciomyzidae)
6445. **Hydrophilus atterimus**
Eschscholtz,1822 (Hydrophilidae)
6446. **Hydrophilus piceus** (Linnaeus,1758)
(Hydrophilidae)
6447. **Hydrophorus balticus** (Meigen,1824)
(Dolichopodidae)
6448. **Hydrophorus nilicola** Parent,1927
(Dolichopodidae)
6449. **Hydrophorus praecox** (Lehmann,1822)
(Dolichopodidae)
6450. **Hydroporus artvinensis** Fery &
Erman,2009 (Dytiscidae)
6451. **Hydroporus bodemeyeri**
Ganglbauer,1900 (Dytiscidae)
6452. **Hydroporus cagrankaya** Fery &
Erman,2009 (Dytiscidae)
6453. **Hydroporus discretus** Fairmaire &
Brisout,1859 (Dytiscidae)
6454. **Hydroporus erzurumensis** Erman &
Fery,2000 (Dytiscidae)
6455. **Hydroporus kozlovskii** Zaitzev,1927
(Dytiscidae)
6456. **Hydroporus lundbergi** Fery &
Erman,2009 (Dytiscidae)
6457. **Hydroporus marginatus**
(Duftschmid,1805) (Dytiscidae)
6458. **Hydroporus nigellus** Mannerheim,1853
(Dytiscidae)
6459. **Hydroporus palustris** (Linnaeus,1761)
(Dytiscidae)
6460. **Hydroporus planus** (Fabricius,1781)
(Dytiscidae)
6461. **Hydroporus pubescens**
(Gyllenhal,1808) (Dytiscidae)
6462. **Hydroporus sivrikaya** Fery &
Erman,2009 (Dytiscidae)
6463. **Hydroporus thracicus** Guéorguiev,1966
(Dytiscidae)
6464. **Hydroporus toledo** Fery &
Erman,2009 (Dytiscidae)
6465. **Hydrotaea albipuncta**
(Zetterstedt,1845) (Muscidae)
6466. **Hydrotaea armipes** (Fallén,1825)
(Muscidae)
6467. **Hydrotaea cyrtoneurina**
(Zetterstedt,1845) (Muscidae)
6468. **Hydrotaea dentipes** (Fabricius,1805)
(Muscidae)
6469. **Hydrotaea floccosa** Macquart,1835
(Muscidae)
6470. **Hydrotaea ignava** (Harris,1780)
(Muscidae)
6471. **Hydrotaea meridionalis**
Portschinsky,1882 (Muscidae)
6472. **Hydrotaea meteorica** (Linnaeus,1758)
(Muscidae)
6473. **Hydrotaea penicillata** (Rondani,1866)
(Muscidae)
6474. **Hydrovatus cuspidatus** (Kunze,1818)
(Dytiscidae)
6475. **Hygrobia hermanni** (Fabricius,1775)
(Hygrobiiidae)
6476. **Hygrotus (Coelambus) ahmeti** Hajek,
Fery & Erman,2005 (Dytiscidae)
6477. **Hygrotus (Coelambus) armeniacus**
(Zaitzev,1927) (Dytiscidae)
6478. **Hygrotus (Coelambus) confluens**
(Fabricius,1787) (Dytiscidae)
6479. **Hygrotus (Coelambus) enneagrammus**
(Ahrens,1833) (Dytiscidae)
6480. **Hygrotus (Coelambus)**
impressopunctatus (Schaller,1783)
(Dytiscidae)
6481. **Hygrotus (Coelambus) lernaeus**
(Schaum,1857) (Dytiscidae)
6482. **Hygrotus (Coelambus) marklini**
(Gyllenhal,1813) (Dytiscidae)
6483. **Hygrotus (Coelambus) pallidulus**
(Aubé,1850) (Dytiscidae)
6484. **Hygrotus (Coelambus)**
parallelogrammus (Ahrens,1812)
(Dytiscidae)
6485. **Hygrotus (Coelambus) saginatus**
(Schaum,1857) (Dytiscidae)
6486. **Hygrotus (s.str.) inaequalis**
(Fabricius,1777) (Dytiscidae)
6487. **Hymenalia brignolii** (Muche,1974)
(Tenebrionidae)
6488. **Hymenalia genuensis** Novak,2007
(Tenebrionidae)

6489. **Hymenalia iranica** Novak,2007
(Tenebrionidae)
6490. **Hymenalia lalai** Novak,2007
(Tenebrionidae)
6491. **Hypebaeus flavicollis** (Erichson,1840)
(Melyridae)
6492. **Hypera constans** (Boheman,1834)
(Curculionidae)
6493. **Hypera contaminata** (Herbst,1795)
(Curculionidae)
6494. **Hypera crinata** (Boheman,1834)
(Curculionidae)
6495. **Hypera cumanus** Petri,1901
(Curculionidae)
6496. **Hypera farinosa** Boheman,1842
(Curculionidae)
6497. **Hypera fasciculata** (Herbst,1795)
(Curculionidae)
6498. **Hypera jucundus** Capiomont,1868
(Curculionidae)
6499. **Hypera maculipennis** Fairmaire,1859
(Curculionidae)
6500. **Hypera meles** (Fabricius,1792)
(Curculionidae)
6501. **Hypera orientalis** Capiomont,1867
(Curculionidae)
6502. **Hypera pastinacae** (Rossi,1790)
(Curculionidae)
6503. **Hypera plantaginis** (De Geer,1775)
(Curculionidae)
6504. **Hypera punctata** (Fabricius,1775)
(Curculionidae)
6505. **Hypera rumicis** (Linnaeus,1758)
(Curculionidae)
6506. **Hypera striata** (Boheman,1834)
(Curculionidae)
6507. **Hypera trilineata** (Marsham,1802)
(Curculionidae)
6508. **Hypera variabilis** (Herbst,1795)
(Curculionidae)
6509. **Hypera viciae** (Gyllenhal,1813)
(Curculionidae)
6510. **Hyperaspis campestris** (Herbst,1783)
(Coccinellidae)
6511. **Hyperaspis campestris** (Herbst,1783)
(Coccinellidae)
6512. **Hyperaspis collaris** Fleischer,1900
(Coccinellidae)
6513. **Hyperaspis femorata**
(Motschoulsky,1837) (Coccinellidae)
6514. **Hyperaspis kansui** Uygun &
Fürsch,1981 (Coccinellidae)
6515. **Hyperaspis polita** Weise,1885
(Coccinellidae)
6516. **Hyperaspis pseudopustulata**
Mulsant,1853 (Coccinellidae)
6517. **Hyperaspis quadrimaculata**
Redtenbacher,1843 (Coccinellidae)
6518. **Hyperaspis reppensis** (Herbst,1783)
(Coccinellidae)
6519. **Hyperaspis syriaca** (Weise,1885)
(Coccinellidae)
6520. **Hyperaspis weisei** Jablonkoff &
Khnorian,1971 (Coccinellidae)
6521. **Hyperaspis wellschmiedi** Fürsch,1987
(Coccinellidae)
6522. **Hypnoidus anatolicus** Platia &
Gudenzi,2000 (Elateridae)
6523. **Hypocaccus (s.str.) brasiliensis**
(Paykull,1811) (Histeridae)
6524. **Hypocassida subferruginea**
(Schrank,1776) (Chrysomelidae)
6525. **Hypochrysa pernobilis** Tjeder,1967
(Chrysopidae)
6526. **Hypoganus inunctus** (Panzer,1795)
(Elateridae)
6527. **Hypoganus stepanovi** Denisova,1948
(Elateridae)
6528. **Hypolixus nubilosus** (Boheman,1836)
(Curculionidae)
6529. **Hyposoter didymator** (Thunberg,1822)
(Ichneumonidae)
6530. **Hyposoter discedens**
(Schmiedeknecht,1911) (Ichneumonidae)
6531. **Hyposoter ebeninus**
(Gravenhorst,1829) (Ichneumonidae)
6532. **Hyposoter ebenitor** Aubert,1972
(Ichneumonidae)
6533. **Hyposoter notatus** (Gravenhorst,1829)
(Ichneumonidae)
6534. **Hyposoter vulgaris** (Tschek,1871)
(Ichneumonidae)
6535. **Hypsicera anglicus**
(Schmiedeknecht,1925) (Ichneumonidae)
6536. **Hypsicera femoralis** (Geoffroy,1785)
(Ichneumonidae)
6537. **Hyssopus geniculatus** (Hartig)
(Eulophidae)
6538. **Hyssopus nigrutilus** (Zetterstedt)
(Eulophidae)
6539. **Hysteropterum asiaticum**
Lethierry,1878 (Issidae)
6540. **Hysteropterum despectum**
Linnavuori,1965 (Issidae)
6541. **Hysteropterum grylloides**
(Fabricius,1794) (Issidae)
6542. **Hysteropterum laminatum**
Horvath,1911 (Issidae)
6543. **Hysteropterum lesbicum** Dlabola,1980
(Issidae)
6544. **Hysteropterum nervosum** Fieber,1877
(Issidae)
6545. **Hysteropterum parvissimum**
Dlabola,1957 (Issidae)
6546. **Hysteropterum syriacum**
Melichar,1906 (Issidae)
6547. **Hysteropterum transcaasicum**
Melichar,1914 (Issidae)
6548. **Hysteropterum trifasciatum**
Linnavuori,1965 (Issidae)
6549. **Iassus lanio** (Linnaeus,1761)
(Cicadellidae)
6550. **Iassus pseudocerris** Abdul-Nour,1998
(Cicadellidae)
6551. **Iassus scutellaris** (Fieber,1868)
(Cicadellidae)
6552. **Ibalia leucospoides**
(Hochenwarth,1785) (Ibaliidae)
6553. **Icerya purchasi** Hempel (Margarodidae)
6554. **Ichneumon albicollis** Wesmael,1857
(Ichneumonidae)
6555. **Ichneumon alius** Tischbein,1879
(Ichneumonidae)
6556. **Ichneumon bucculentus** Wesmael,1844
(Ichneumonidae)

6557. **Ichneumon extensorius** Linnaeus,1758
(Ichneumonidae)
6558. **Ichneumon gracilentus** Wesmael,1844
(Ichneumonidae)
6559. **Ichneumon gracilicornis**
Gravenhorst,1829 (Ichneumonidae)
6560. **Ichneumon haematofemur**
Heinrich,1980 (Ichneumonidae)
6561. **Ichneumon ligatorius** Thunberg,1822
(Ichneumonidae)
6562. **Ichneumon minutorius** Desvignes,1856
(Ichneumonidae)
6563. **Ichneumon ostentator** Heinrich,1978
(Ichneumonidae)
6564. **Ichneumon proletarius** Wesmael,1848
(Ichneumonidae)
6565. **Ichneumon sarcitorius** Linnaeus,1758
(Ichneumonidae)
6566. **Ichneumon simulans** Tischbein,1873
(Ichneumonidae)
6567. **Ichneumon stramentarius**
Gravenhorst,1820 (Ichneumonidae)
6568. **Ichneumon stramentor** Rasnitsin,1984
(Ichneumonidae)
6569. **Ichneumon terminatorius**
Gravenhorst,1820 (Ichneumonidae)
6570. **Ichneumon veressi** (Kiss,1915)
(Ichneumonidae)
6571. **Ichneumon xanthorius** Forster,1771
(Ichneumonidae)
6572. **Iconella albinervis** (Tobias,1964)
(Braconidae)
6573. **Iconella lacteoides** (Nixon,1965)
(Braconidae)
6574. **Iconella laspeyresiella** (Papp,1972)
(Braconidae)
6575. **Iconella vindicia** (Nixon,1965)
(Braconidae)
6576. **Icosium tomentosum** Lucas,1854
(Cerambycidae)
6577. **Idastrandiella mucoreus** (Waltl,1838)
(Tenebrionidae)
6578. **Idiocera (s.str.) laterospina**
(Alexander,1975) (Limoniidae)
6579. **Idiocera (s.str.) pulchripennis**
(Loew,1856) (Limoniidae)
6580. **Idiocerus herrichii** Kirschbaum,1868
(Cicadellidae)
6581. **Idiocerus lituratus** (Fallén,1806)
(Cicadellidae)
6582. **Idiocerus poecilus** (Herrich-
Schäffer,1835) (Cicadellidae)
6583. **Idiocerus proximoriens** Dlabola,1965
(Cicadellidae)
6584. **Idiocerus stigmatalis** Lewis,1834
(Cicadellidae)
6585. **Idiocerus vicinus** Melichar,1898
(Cicadellidae)
6586. **Idiolispa analis** (Gravenhorst,1829)
(Ichneumonidae)
6587. **Idiomacromerus pannonicus**
(Ruschka,1923) (Torymidae)
6588. **Idiomacromerus papaveris**
(Förster,1856) (Torymidae)
6589. **Idiomacromerus perplexus**
(Gahan,1914) (Torymidae)
6590. **Idiomacromerus terebrator**
(Masi,1916) (Torymidae)
6591. **Idolus adrastoides** (Reitter,1888)
(Elateridae)
6592. **Idotarmonides anaticus**
(Candeze,1881) (Elateridae)
6593. **Idotarmonides rydhi** Platia &
Schimmel,1992 (Elateridae)
6594. **Ilisia maculata** (Meigen,1804)
(Limoniidae)
6595. **Illidops butalidis** (Marshall,1888)
(Braconidae)
6596. **Illidops naso** (Marshall,1888)
(Braconidae)
6597. **Illidops szabo** (Papp,1974) (Braconidae)
6598. **Illidops urgo** (Nixon,1965) (Braconidae)
6599. **Illidops vipio** (Reihard,1880)
(Braconidae)
6600. **Ilybius chalconatus** (Panzer,1796)
(Dytiscidae)
6601. **Ilybius fuliginosus** (Fabricius,1792)
(Dytiscidae)
6602. **Ilybius hulae** Wewalka,1984 (Dytiscidae)
6603. **Ilybius jaechi** (Fery & Nilsson,1993)
(Dytiscidae)
6604. **Ilybius quadriguttatus**
(Lacordaire,1835) (Dytiscidae)
6605. **Ilybius satunini** (Zaitzev,1913)
(Dytiscidae)
6606. **Ilybius wewalkai** (Fery & Nilsson,1993)
(Dytiscidae)
6607. **Ilyocoris cimicoides** (Linnaeus,1758)
(Naucoridae)
6608. **Imbecilla imbecilla** (Linnavuori,1962)
(Cicadellidae)
6609. **Iphthimulus truquii** (Marseul,1869)
(Tenebrionidae)
6610. **Iranoidricerus iranensis**
(Kimmins,1938) (Ascalaphidae)
6611. **Iranoleon darius** Hölzel,1972
(Myrmeleonidae)
6612. **Iranoleon electus** Hölzel,1968
(Myrmeleonidae)
6613. **Iranoleon septimus** Hölzel,1972
(Myrmeleonidae)
6614. **Iranoleon solus** Hölzel,1968
(Myrmeleonidae)
6615. **Iranoleon tigridis** Hölzel,1972
(Myrmeleonidae)
6616. **Iranoleon vartianae** Hölzel,1968
(Myrmeleonidae)
6617. **Iranopogon brandti** Timon-David,1955
(Asilidae)
6618. **Iris nana** Uvarov,1930 (Irididae)
6619. **Iris oratoria** (Linnaeus,1758) (Irididae)
6620. **Iris persa** Uvarov,1922 (Irididae)
6621. **Iris persiminima** Otte,2005 (Irididae)
6622. **Iris polystictica** Fischer v.
Waldheim,1846 (Irididae)
6623. **Irwinella palaestinensis** (Kröber,1932)
(Therevidae)
6624. **Ischnodes kadleci** Mertlik,2005
(Elateridae)
6625. **Ischnodes sanguinicollis** (Panzer,1793)
(Elateridae)
6626. **Ischnogasteroides picteti**
(Saussure,1852) (Vespidae)
6627. **Ischnogasteroides zarudnyi**
(Kostylev,1939) (Vespidae)

6628. *Ischnomera auripennis* (Reitter,1903)
(Oedemeridae)
6629. *Ischnomera caerulea* (Linnaeus,1758)
(Oedemeridae)
6630. *Ischnomera cinerascens*
(Pandellé,1867) (Oedemeridae)
6631. *Ischnomera cyanea* (Fabricius,1792)
(Oedemeridae)
6632. *Ischnomera erdemliensis* Svihla,1998
(Oedemeridae)
6633. *Ischnomera fulvicollis* (Reitter,1897)
(Oedemeridae)
6634. *Ischnomera fuscipennis* Svihla,1988
(Oedemeridae)
6635. *Ischnomera haemorrhoidalis*
(W.Schmidt,1846) (Oedemeridae)
6636. *Ischnomera lutescens* (Abeille de
Perrin,1892) (Oedemeridae)
6637. *Ischnomera maceki* Svihla,1988
(Oedemeridae)
6638. *Ischnomera partitipennis*
(Fairmaire,1892) (Oedemeridae)
6639. *Ischnomera sanguinicollis*
(Fabricius,1787) (Oedemeridae)
6640. *Ischnomera similis* (Svihla,1982)
(Oedemeridae)
6641. *Ischnomera sveci* (Svihla,2004)
(Oedemeridae)
6642. *Ischnura elegans* (Van Der
Linden,1820) (Coenagrionidae)
6643. *Ischnura evansi* Morton,1919
(Coenagrionidae)
6644. *Ischnura fountainei* (Morton,1905)
(Coenagrionidae)
6645. *Ischnura intermedia* Dumont,1974
(Coenagrionidae)
6646. *Ischnura pumilio* (Charpentier,1825)
(Coenagrionidae)
6647. *Ischnura senegalensis* (Rambur,1842)
(Coenagrionidae)
6648. *Ischnus agitator* (Olivier,1792)
(Ichneumonidae)
6649. *Ischnus inquisitorius* (Müller,1776)
(Ichneumonidae)
6650. *Ischnus migrator* (Fabricius,1775)
(Ichneumonidae)
6651. *Ischyronota desertorum* (Gebler,1833)
(Chrysomelidae)
6652. *Isidus letourneuxi* Pic,1902 (Elateridae)
6653. *Isidus moreli* Mulsant & Rey,1874
(Elateridae)
6654. *Islamocantharis* (s.str.) *diffusa*
Wittmer & Magis,1978 (Cantharidae)
6655. *Islamocantharis* (s.str.) *johanidesi*
Svihla,2004 (Cantharidae)
6656. *Islamocantharis* (s.str.) *orientalis*
Wittmer & Magis,1978 (Cantharidae)
6657. *Islamocantharis* (s.str.) *cilicia*
(Pic,1904) (Cantharidae)
6658. *Isocolus beheni* Melika &
Karimpour,2008 (Cynipidae)
6659. *Isocolus cirsii* Diakontshuk,1987
(Cynipidae)
6660. *Isocolus freidbergi* Melika,2008
(Cynipidae)
6661. *Isocolus karimpouri* Melika &
Tavakoli,2008 (Cynipidae)
6662. *Isodromus flaviscutum* Hoffer &
Trjapitzin (Encyrtidae)
6663. *Isodromus niger* Ashmead (Encyrtidae)
6664. *Isolabella graeca* (Verhoeff,1901)
(Spongiphoridae)
6665. *Isolaboides kosswigi* (Burr,1947)
(Spongiphoridae)
6666. *Isoperla armeniaca* Zhiltzova,1961
(Perlodidae)
6667. *Isoperla bithynica* (Kempny,1908)
(Perlodidae)
6668. *Isoperla rhododendri* Zhiltzova,1956
(Perlodidae)
6669. *Isophya acuminata* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6670. *Isophya amplipennis* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6671. *Isophya anatolica* Ramme,1951
(Tettigoniidae)
6672. *Isophya autumnalis* Karabağ,1962
(Tettigoniidae)
6673. *Isophya bicarinata* Karabağ,1957
(Tettigoniidae)
6674. *Isophya cania* Karabağ,1975
(Tettigoniidae)
6675. *Isophya hakkarica* Karabağ,1962
(Tettigoniidae)
6676. *Isophya hemiptera* Bei-Bienko,1954
(Tettigoniidae)
6677. *Isophya hospodar* (Saussure &
Pictet,1898) (Tettigoniidae)
6678. *Isophya ilkazi* Ramme,1951
(Tettigoniidae)
6679. *Isophya karabagi* Uvarov,1940
(Tettigoniidae)
6680. *Isophya karadenizensis* Ünal,2005
(Tettigoniidae)
6681. *Isophya kosswigi* Demirsoy,1974
(Tettigoniidae)
6682. *Isophya major* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6683. *Isophya mersinensis* Sevgili &
Çıplak,2006 (Tettigoniidae)
6684. *Isophya nervosa* Ramme,1951
(Tettigoniidae)
6685. *Isophya obenbergeri* Maran,1958
(Tettigoniidae)
6686. *Isophya pavelii* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6687. *Isophya pentheri* Ramme,1951
(Tettigoniidae)
6688. *Isophya rectipennis* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6689. *Isophya redtenbacheri* Adelung,1907
(Tettigoniidae)
6690. *Isophya reticulata* Ramme,1951
(Tettigoniidae)
6691. *Isophya rizeensis* Sevgili,2003
(Tettigoniidae)
6692. *Isophya rodsjankoi* Bolivar,1899
(Tettigoniidae)
6693. *Isophya salmani* Sevgili & Heller,2006
(Tettigoniidae)
6694. *Isophya savignyi* Brunner von
Wattenwyl,1878 (Tettigoniidae)
6695. *Isophya schneideri* Brunner von
Wattenwyl,1878 (Tettigoniidae)

6696. **Isophya sikorai** Ramme,1951
(Tettigoniidae)
6697. **Isophya speciosa** (Fivaldsky,1867)
(Tettigoniidae)
6698. **Isophya splendida** Naskrecki &
Ünal,1995 (Tettigoniidae)
6699. **Isophya staneki** Maran,1958
(Tettigoniidae)
6700. **Isophya stenocauda** Ramme,1951
(Tettigoniidae)
6701. **Isophya straubei** (Fieber,1853)
(Tettigoniidae)
6702. **Isophya sureyai** Ramme,1951
(Tettigoniidae)
6703. **Isophya thracica** Karabağ,1962
(Tettigoniidae)
6704. **Isophya triangularis** Brunner von
Wattenwyl,1891 (Tettigoniidae)
6705. **Isophya uludaghensis** Sevgili &
Heller,2003 (Tettigoniidae)
6706. **Isophya yaraligozi** Ünal,2003
(Tettigoniidae)
6707. **Isophya zernovi** Miram,1938
(Tettigoniidae)
6708. **Isotomus comptus** (Mannerheim,1825)
(Cerambycidae)
6709. **Issus coleoptratus** (Fabricius,1781)
(Issidae)
6710. **Issus dilatatus** (Fourcroy,1785) (Issidae)
6711. **Issus lauri** Ahrens,1814 (Issidae)
6712. **Italochrysa italica** (Rossi,1790)
(Chrysopidae)
6713. **Italochrysa vartianorum** Hölzel,1967
(Chrysopidae)
6714. **Iteomyia capreae** (Winnertz,1853)
(Cecidomyiidae)
6715. **Itopectis alternans** (Gravenhorts,1829)
(Ichneumonidae)
6716. **Itopectis maculator** (Fabricius,1775)
(Ichneumonidae)
6717. **Itopectis tunetana**
(Schmiedeknecht,1914) (Ichneumonidae)
6718. **Itopectis viduata** (Gravenhorst,1829)
(Ichneumonidae)
6719. **Iubsoda stigmatica** (Melichar,1897)
(Delphacidae)
6720. **Jaapiella chondrillae** Skuhrava,2005
(Cecidomyiidae)
6721. **Jalla dumosa** (Linnaeus,1758)
(Pentatomidae)
6722. **Jalla subcalcarata** Jakovlev,1885
(Pentatomidae)
6723. **Janetia cerris** (Kollar,1850)
(Cecidomyiidae)
6724. **Janetia szepligetii** Kieffer,1896
(Cecidomyiidae)
6725. **Janetiella lemeci** (Kieffer,1904)
(Cecidomyiidae)
6726. **Janetiella oenephila** (Haimhoffen,1875)
(Cecidomyiidae)
6727. **Japanagromyza salicifolii** (Collin,1911)
(Agromyzidae)
6728. **Jassargus kurdicus** Remane &
Schultz,1976 (Cicadellidae)
6729. **Jassargus obtusivalvis**
(Kirschbaum,1868) (Cicadellidae)
6730. **Javesella dubia** (Kirschbaum,1868)
(Delphacidae)
6731. **Javesella obscurella** (Boheman,1847)
(Delphacidae)
6732. **Javesella pellucida** (Fabricius,1794)
(Delphacidae)
6733. **Javesella salina** (Haupt,1924)
(Delphacidae)
6734. **Joostiella caucasica** Vaillant,1983
(Psychodidae)
6735. **Jothopogon leucomallus** (Loew,1871)
(Asilidae)
6736. **Jubrinia distincta** Linnavuori,1962
(Cicadellidae)
6737. **Jucancistrocerus citreodecoratus**
Giordani Soika,1970 (Vespidae)
6738. **Jucancistrocerus jucundus**
(Mocsary,1883) (Vespidae)
6739. **Jugurtia escalerae** Meade-Waldo,1910
(Vespidae)
6740. **Jugurtia eurycara** Kostylev,1935
(Vespidae)
6741. **Jugurtia irana** Kostylev,1935 (Vespidae)
6742. **Jugurtia jemenensis** Kostylev,1935
(Vespidae)
6743. **Jugurtia zarudnyi** Kostylev,1935
(Vespidae)
6744. **Julodella globithorax** (Steven,1830)
(Buprestidae)
6745. **Julodis abeillei** (Thery,1893)
(Buprestidae)
6746. **Julodis aequinoctialis** (Olivier,1790)
(Buprestidae)
6747. **Julodis andreae** (Olivier,1790)
(Buprestidae)
6748. **Julodis armeniaca** Marseul,1865
(Buprestidae)
6749. **Julodis ehrenbergi** Laporte,1835
(Buprestidae)
6750. **Julodis faldermanni** Mannerheim,1837
(Buprestidae)
6751. **Julodis peregrina** (Chevrolat,1838)
(Buprestidae)
6752. **Julodis rothi** (Storm,1843) (Buprestidae)
6753. **Julodis speculifera** Laporte &
Gory,1835 (Buprestidae)
6754. **Julodis syriaca** (Olivier,1790)
(Buprestidae)
6755. **Julodis zoufali** (Obenberger,1914)
(Buprestidae)
6756. **Katamenes dimidiatus** (Brullé,1832)
(Vespidae)
6757. **Katamenes flavigularis** (Blüthgen,1951)
(Vespidae)
6758. **Katamenes sichelii** (Saussure,1852)
(Vespidae)
6759. **Kelisia brucki** Fieber,1878 (Delphacidae)
6760. **Kelisia melanops** Fieber,1878
(Delphacidae)
6761. **Kelisia monoceros** Ribaut,1934
(Delphacidae)
6762. **Kelisia ribauti** Wagner,1938
(Delphacidae)
6763. **Kelisia yarkonensis** Linnavuori,1962
(Delphacidae)
6764. **Kermes bekiri** Bodenheimer,1953
(Kermesidae)
6765. **Kermes muhlisi** Bodenheimer,1941
(Kermesidae)

6766. **Kermes palestiniensis**
Balachowsky,1953 (Kermesidae)
6767. **Kermes roboris (Fourcroy,1785)**
(Kermesidae)
6768. **Kermes sadrii Bodenheimer,1953**
(Kermesidae)
6769. **Kermes safinazae Özkök,1941**
(Kermesidae)
6770. **Kermes vermilio Planchon,1864**
(Kermesidae)
6771. **Kervillea ancyrana Bergevin,1918**
(Issidae)
6772. **Kervillea gaziantepica Dlabola,1984**
(Issidae)
6773. **Kervillea parvissima (Dlabola,1957)**
(Issidae)
6774. **Kervillea parvissima (Dlabola,1957)**
(Issidae)
6775. **Kervillea placophorum (Horvath,1905)**
(Issidae)
6776. **Kervillea syriaca (Melichar,1906)**
(Issidae)
6777. **Klapperichicen acoloratus**
Dlabola,1960 (Cicadidae)
6778. **Klapperichicen turbatus**
(Melichar,1902) (Cicadidae)
6779. **Klapperichicen viridissima**
(Walker,1858) (Cicadidae)
6780. **Knemodrynerus euodyneroides**
Gusenleitner,1997 (Vespidae)
6781. **Knemodrynerus sinaicus (Giordani**
Soika,1939) (Vespidae)
6782. **Knutsonia truqui (Rondani,1868)**
(Sciomyzidae)
6783. **Knutsonia turcestanica (Hendel,1903)**
(Sciomyzidae)
6784. **Knutsonia unipunctata**
(Macquart,1849) (Sciomyzidae)
6785. **Kokujewia clementi Zirngiebl,1949**
(Argidae)
6786. **Kokujewia ectrapela Konow,1902**
(Argidae)
6787. **Koroglus disparalatus Ünal,2002**
(Tettigoniidae)
6788. **Korynetes coxalis Reitter,1894**
(Korynetidae)
6789. **Korynetes pusillus Klug,1842**
(Korynetidae)
6790. **Kreacpelopia binotata**
(Wiedemann,1817) (Chironomidae)
6791. **Kriechbaumerella mansues**
(Nikol'skaya,1952) (Chalcididae)
6792. **Krombeinella aramaea (Suarez,1963)**
(Mutillidae)
6793. **Krombeinella beaumonti (Invrea,1953)**
(Mutillidae)
6794. **Krombeinella gaullei (Invrea,1952)**
(Mutillidae)
6795. **Krombeinella hebraea (Suarez,1963)**
(Mutillidae)
6796. **Krombeinella longicollis**
(Tournier,1889) (Mutillidae)
6797. **Krombeinella wolffi (Invrea,1963)**
(Mutillidae)
6798. **Kropka unipunctata (Dlabola,1957)**
(Cicadellidae)
6799. **Ksenoplata quadrata Boucek**
(Pteromalidae)
6800. **Kurdia nesterovi Uvarov,1916**
(Tettigoniidae)
6801. **Kurdia uvarovi Karabağ,1975**
(Tettigoniidae)
6802. **Kuwanaspis pseudoleucaspsis (Kuwana)**
(Diaspididae)
6803. **Kyboasca bipunctata (Oshanin,1871)**
(Cicadellidae)
6804. **Kyboasca kiritshenkoi**
(Zachvatkin,1953) (Cicadellidae)
6805. **Kybos candelabricus Dlabola,1958**
(Cicadellidae)
6806. **Kybos populi (Edwards,1908)**
(Cicadellidae)
6807. **Kybos virgator (Ribaut,1933)**
(Cicadellidae)
6808. **Labia minor (Linnaeus,1758)**
(Spongiphoridae)
6809. **Labidostomis asiatica**
Faldermann,1837 (Chrysomelidae)
6810. **Labidostomis basanica Sahlberg,1913**
(Chrysomelidae)
6811. **Labidostomis brevipennis**
Faldermann,1837 (Chrysomelidae)
6812. **Labidostomis decipiens**
Faldermann,1837 (Chrysomelidae)
6813. **Labidostomis diversifrons**
Lefebvre,1876 (Chrysomelidae)
6814. **Labidostomis elegans Lefebvre,1876**
(Chrysomelidae)
6815. **Labidostomis hebraea**
(Lacordaire,1848) (Chrysomelidae)
6816. **Labidostomis humeralis**
(Schneider,1792) (Chrysomelidae)
6817. **Labidostomis karamanica Weise,1900**
(Chrysomelidae)
6818. **Labidostomis korbi Weise,1901**
(Chrysomelidae)
6819. **Labidostomis laeta Medvedev,1992**
(Chrysomelidae)
6820. **Labidostomis maculipennis**
Lefebvre,1870 (Chrysomelidae)
6821. **Labidostomis mesopotamica**
Heyden,1886 (Chrysomelidae)
6822. **Labidostomis metallica Lefebvre,1872**
(Chrysomelidae)
6823. **Labidostomis oertzeni Weise,1889**
(Chrysomelidae)
6824. **Labidostomis peregrina Weise,1900**
(Chrysomelidae)
6825. **Labidostomis propinqua**
Faldermann,1837 (Chrysomelidae)
6826. **Labidostomis rufa (Waltl,1838)**
(Chrysomelidae)
6827. **Labidostomis subfasciata Weise,1885**
(Chrysomelidae)
6828. **Labidostomis sulcicollis**
Lacordaire,1848 (Chrysomelidae)
6829. **Labidostomis testaceipes Pic,1904**
(Chrysomelidae)
6830. **Labidura riparia (Pallas,1773)**
(Labiduridae)
6831. **Laburrus abrotani Emelyanov,1962**
(Cicadellidae)
6832. **Laburrus handlirschi**
(Matsumura,1908) (Cicadellidae)
6833. **Laburrus impictifrons (Boheman,1852)**
(Cicadellidae)

6834. **Laccobius (Compsolaccobius) decorus** (Gyllenhal,1827) (Hydrophilidae)
6835. **Laccobius (Dimorpholaccobius) bipunctatus** (Fabricius,1775) (Hydrophilidae)
6836. **Laccobius (Dimorpholaccobius) chiesai Gentili,1982** (Hydrophilidae)
6837. **Laccobius (Dimorpholaccobius) halophilus** Gentili,1982 (Hydrophilidae)
6838. **Laccobius (Dimorpholaccobius) hauserianus** Knisch,1914 (Hydrophilidae)
6839. **Laccobius (Dimorpholaccobius) hindukuschi** Chiesa,1966 (Hydrophilidae)
6840. **Laccobius (Dimorpholaccobius) hoherlandti** Gentili,1982 (Hydrophilidae)
6841. **Laccobius (Dimorpholaccobius) hopaensis** Mart, İncekara & Erman,2003 (Hydrophilidae)
6842. **Laccobius (Dimorpholaccobius) lycius** Gentili & Whitehead,2000 (Hydrophilidae)
6843. **Laccobius (Dimorpholaccobius) obscuratus** Rottenberg,1874 (Hydrophilidae)
6844. **Laccobius (Dimorpholaccobius) sculptus** Orchymont,1936 (Hydrophilidae)
6845. **Laccobius (Dimorpholaccobius) scutellaris** Motschoulsky,1855 (Hydrophilidae)
6846. **Laccobius (Dimorpholaccobius) simulatrix** Orchymont,1932 (Hydrophilidae)
6847. **Laccobius (Dimorpholaccobius) sipylus** Orchymont,1939 (Hydrophilidae)
6848. **Laccobius (Dimorpholaccobius) striatulus** (Fabricius,1801) (Hydrophilidae)
6849. **Laccobius (Dimorpholaccobius) sulcatulus** Reitter,1909 (Hydrophilidae)
6850. **Laccobius (Dimorpholaccobius) syriacus** Guillebeau,1896 (Hydrophilidae)
6851. **Laccobius (Microlaccobius) alternus** Motschoulsky,1855 (Hydrophilidae)
6852. **Laccobius (Microlaccobius) exilis** Gentili,1974 (Hydrophilidae)
6853. **Laccobius (Microlaccobius) gracilis** Motschoulsky,1855 (Hydrophilidae)
6854. **Laccobius (Microlaccobius) orientalis** Knisch,1924 (Hydrophilidae)
6855. **Laccobius (Microlaccobius) quaesitus** Gentili,1988 (Hydrophilidae)
6856. **Laccobius (s.str.) albipes** Kuwert,1890 (Hydrophilidae)
6857. **Laccobius (s.str.) minutus** (Linnaeus,1758) (Hydrophilidae)
6858. **Laccophilus hyalinus** (De Geer,1774) (Dytiscidae)
6859. **Laccophilus minutus** (Linnaeus,1758) (Dytiscidae)
6860. **Laccophilus poecilus** Klug,1834 (Dytiscidae)
6861. **Lachnaia cerealis** (Olivier,1808) (Chrysomelidae)
6862. **Lachnaia sexpunctata** (Scopoli,1763) (Chrysomelidae)
6863. **Lacon candezei** Desbrochers,1875 (Elateridae)
6864. **Lacon delagrangi** Buysson,1891 (Elateridae)
6865. **Lacon gillerforsi** Platia & Schimmel,1994 (Elateridae)
6866. **Lacon graecus** Candeze,1857 (Elateridae)
6867. **Lacon ladae** Mertlik & Dusanek,2006 (Elateridae)
6868. **Lacon lepidopterus** (Panzer,1801) (Elateridae)
6869. **Lacon punctatus** (Herbst,1779) (Elateridae)
6870. **Lacon solai** Platia & Gudenzi,2000 (Elateridae)
6871. **Lacon unicolor** (Candeze,1874) (Elateridae)
6872. **Laemostenus (Pristonychus) amasiae** Semenov,1891 (Carabidae)
6873. **Laemostenus (Pristonychus) asiaminoris** Casale,1988 (Carabidae)
6874. **Laemostenus (Pristonychus) capitatus** Chaudoir,1854 (Carabidae)
6875. **Laemostenus (Pristonychus) cimmerius** (Fischer von Waldheim,1823) (Carabidae)
6876. **Laemostenus (Pristonychus) conspicuus** (Waltl,1838) (Carabidae)
6877. **Laemostenus (Pristonychus) elburzensis** Morvan,1981 (Carabidae)
6878. **Laemostenus (Pristonychus) lederi** (Reitter,1885) (Carabidae)
6879. **Laemostenus (Pristonychus) mannerheimi** (Kolenati,1845) (Carabidae)
6880. **Laemostenus (Pristonychus) pisidicus** J.Müller,1932 (Carabidae)
6881. **Laemostenus (Pristonychus) ponticus** Casale,1988 (Carabidae)
6882. **Laemostenus (Pristonychus) pretiosus** (Faldermann,1837) (Carabidae)
6883. **Laemostenus (Pristonychus) sciakyi** Casale & Vigna Taglianti,1999 (Carabidae)
6884. **Laemostenus (Pristonychus) sericeus** (Fischer von Waldheim,1824) (Carabidae)
6885. **Laena angorensis** Reitter,1899 (Tenebrionidae)
6886. **Laena appfelbecki** Schuster,1915 (Tenebrionidae)
6887. **Laena byzantina** Apfelbeck,1901 (Tenebrionidae)
6888. **Laena deplanata** Weise,1878 (Tenebrionidae)
6889. **Laena ferruginea** Küster,1846 (Tenebrionidae)
6890. **Laena ganglbaueri** Reitter,1906 (Tenebrionidae)
6891. **Laena graeca** Weise,1878 (Tenebrionidae)
6892. **Laena hopfgarteni** Weise,1878 (Tenebrionidae)
6893. **Laena kaufmanni** Reitter,1881 (Tenebrionidae)
6894. **Laena korbi** Heyden,1890 (Tenebrionidae)
6895. **Laena kraatzi** Weise,1878 (Tenebrionidae)
6896. **Laena liliputana** Kaszab,1968 (Tenebrionidae)
6897. **Laena lindbergi** Kaszab,1959 (Tenebrionidae)
6898. **Laena merkli** Weise,1883 (Tenebrionidae)
6899. **Laena obscuricornis** Reitter,1899 (Tenebrionidae)
6900. **Laena osmanlis** Reitter,1906 (Tenebrionidae)

6901. **Laena parvidens** Reitter,1899
(Tenebrionidae)
6902. **Laena pulchella** (Fischer,1824)
(Tenebrionidae)
6903. **Laena striolata** Reitter,1899
(Tenebrionidae)
6904. **Laena syriaca** Baudi,1876
(Tenebrionidae)
6905. **Laena theana** Reitter,1906
(Tenebrionidae)
6906. **Laena weisei** Reitter,1878
(Tenebrionidae)
6907. **Lamachus splendor** Aubert,1989
(Ichneumonidae)
6908. **Lamennaisia ambigua** (Nees)
(Encyrtidae)
6909. **Lamia textor** (Linnaeus,1758)
(Cerambycidae)
6910. **Laminacutus libanensis** Abdul-
Nour,2001 (Cicadellidae)
6911. **Laminanthrax olgae** Zaitzev,1999
(Bombyliidae)
6912. **Lampoterma viride** (Thomson,1876)
(Pteromalidae)
6913. **Lampropterus femoratus**
(Germar,1824) (Cerambycidae)
6914. **Lamprotatus truncatus** (Fonscolombe)
(Pteromalidae)
6915. **Lampyrus angustula** Fairmaire,1895
(Lampyridae)
6916. **Lampyrus berytensis** Fairmaire,1866
(Lampyridae)
6917. **Lampyrus caspica** (Motschoulsky,1854)
(Lampyridae)
6918. **Lampyrus nervosa** Olivier,1883
(Lampyridae)
6919. **Lampyrus pseudozenkeri**
Geisthardt,1999 (Lampyridae)
6920. **Lampyrus setosa** Geisthardt,1983
(Lampyridae)
6921. **Lampyroidea antennalis**
Gesithardt,1988 (Lampyridae)
6922. **Lampyroidea dispar** (Fairmaire,1857)
(Lampyridae)
6923. **Lampyroidea graeca** (Laporte de
Castelnau,1833) (Lampyridae)
6924. **Lampyroidea lucifer** (Reiche &
Saulcy,1857) (Lampyridae)
6925. **Lampyroidea maculata**
Geisthardt,2004 (Lampyridae)
6926. **Lampyroidea maculicollis** (Mulsant &
Wachanru,1852) (Lampyridae)
6927. **Lampyroidea nigrescens** E.Olivier,1884
(Lampyridae)
6928. **Lampyroidea persica** E.Olivier,1907
(Lampyridae)
6929. **Lampyroidea schneideri**
Geisthardt,1999 (Lampyridae)
6930. **Lampyroidea syriaca** A.Costa,1875
(Lampyridae)
6931. **Lampyroidea tenenbaumi** Pic,1928
(Lampyridae)
6932. **Lanelater judaicus** (Reiche &
Saulcy,1856) (Elateridae)
6933. **Lanelater persicus** (Candeze,1874)
(Elateridae)
6934. **Laodelphax striatellus** (Fallén,1826)
(Delphacidae)
6935. **Laphria aurea** (Fabricius,1794)
(Asilidae)
6936. **Laphria dimidiata** Macquart,1846
(Asilidae)
6937. **Laphria dizonias** Loew,1847 (Asilidae)
6938. **Laphria flava** (Linnaeus,1761) (Asilidae)
6939. **Laphria gibbosa** (Linnaeus,1758)
(Asilidae)
6940. **Laphria varia** Loew,1865 (Asilidae)
6941. **Laphystia anatolica** (Hermann,1920)
(Asilidae)
6942. **Laphystia dimidiata** Oldroyd,1958
(Asilidae)
6943. **Laphystia erberi** (Schiner,1865)
(Asilidae)
6944. **Laphystia latiuscula** Loew,1871 (Asilidae)
6945. **Laphystia lehri** Abbassian-Lintzen,1964
(Asilidae)
6946. **Laphystia sabulicola** Loew,1847
(Asilidae)
6947. **Lapposmittia parvibarba** Edwards,1939
(Chironomidae)
6948. **Lapposyrphus lapponicus**
(Zetterstedt,1838) (Syrphidae)
6949. **Larinus aeruginosus** Hochhuth,1851
(Curculionidae)
6950. **Larinus brenskei** Faust,1900
(Curculionidae)
6951. **Larinus brevis** (Herbst,1795)
(Curculionidae)
6952. **Larinus carinirostris** Gyllenhal,1836
(Curculionidae)
6953. **Larinus centaureae** (Olivier,1807)
(Curculionidae)
6954. **Larinus curtus** Hochhuth,1851
(Curculionidae)
6955. **Larinus cynarae** (Fabricius,1787)
(Curculionidae)
6956. **Larinus filiformis** Petri,1907
(Curculionidae)
6957. **Larinus flavescens** Germar,1824
(Curculionidae)
6958. **Larinus grisescens** Gyllenhal,1836
(Curculionidae)
6959. **Larinus jaceae** (Fabricius,1775)
(Curculionidae)
6960. **Larinus latus** (Herbst,1784)
(Curculionidae)
6961. **Larinus minutus** Gyllenhal,1836
(Curculionidae)
6962. **Larinus obtusus** Gyllenhal,1836
(Curculionidae)
6963. **Larinus onopordi** (Fabricius,1787)
(Curculionidae)
6964. **Larinus orientalis** Capiomont,1874
(Curculionidae)
6965. **Larinus ovaliformis** Capiomont,1874
(Curculionidae)
6966. **Larinus planus** (Fabricius,1792)
(Curculionidae)
6967. **Larinus rudicollis** Petri,1907
(Curculionidae)
6968. **Larinus rusticanus** Gyllenhal,1836
(Curculionidae)
6969. **Larinus sturnus** (Schaller,1878)
(Curculionidae)
6970. **Larinus syriacus** Gyllenhal,1836
(Curculionidae)

6971. **Larinus turbinatus** Gyllenhal,1836
(Curculionidae)
6972. **Larinus ursus** (Fabricius,1792)
(Curculionidae)
6973. **Lariophagus distinguendus** (Förster)
(Pteromalidae)
6974. **Larsia curticalcar** (Kieffer,1918)
(Chironomidae)
6975. **Lasiacantha capucina** (Germar,1836)
(Tingidae)
6976. **Lasiacantha gracilis** (Herrich-
Schäffer,1830) (Tingidae)
6977. **Lasiacantha hedenborgi** (Stal,1873)
(Tingidae)
6978. **Lasiambia albidipennis** (Strobl,1893)
(Chloropidae)
6979. **Lasiochalcidia dargelasii**
(Latreille,1805) (Chalcididae)
6980. **Lasioglossum** (Evylaeus) **araxanum**
(Blüthgen,1923) (Halictidae)
6981. **Lasioglossum** (Evylaeus) **imbecillum**
Ebmer,1974 (Halictidae)
6982. **Lasioglossum** (Evylaeus) **mesosclerum**
(Pérez,1903) (Halictidae)
6983. **Lasioglossum** (Evylaeus) **persicum**
(Cockerell,1919) (Halictidae)
6984. **Lasioglossum** (Evylaeus) **skorikovi**
(Blüthgen,1929) (Halictidae)
6985. **Lasioglossum** (s.str.) **caspicum**
(Morawitz,1873) (Halictidae)
6986. **Lasioglossum** (s.str.) **fallax**
(Morawitz,1874) (Halictidae)
6987. **Lasioglossum** (s.str.) **leucozonium**
(Schrank,1781) (Halictidae)
6988. **Lasioglossum acephaloides**
(Blüthgen,1931) (Halictidae)
6989. **Lasioglossum aegyptiellum**
(Strand,1909) (Halictidae)
6990. **Lasioglossum argaeum** (Blüthgen,1931)
(Halictidae)
6991. **Lasioglossum bicallosum**
(Morawitz,1873) (Halictidae)
6992. **Lasioglossum bischoffi** (Blüthgen,1931)
(Halictidae)
6993. **Lasioglossum callizonium** (Pérez,1895)
(Halictidae)
6994. **Lasioglossum cilicium** Ebmer,1972
(Halictidae)
6995. **Lasioglossum costulatum**
(Kriechbaumer,1873) (Halictidae)
6996. **Lasioglossum cristulum** (Pérez,1895)
(Halictidae)
6997. **Lasioglossum discum** (Smith,1853)
(Halictidae)
6998. **Lasioglossum eurasicum** Ebmer,1972
(Halictidae)
6999. **Lasioglossum euxinicum** Ebmer,1972
(Halictidae)
7000. **Lasioglossum fahringeri** Friese,1921
(Halictidae)
7001. **Lasioglossum glaciegenitum**
(Ebmer,1972) (Halictidae)
7002. **Lasioglossum laevigatum** (Kirby,1802)
(Halictidae)
7003. **Lasioglossum lateralis** (Brullé,1832)
(Halictidae)
7004. **Lasioglossum lativentre** (Schenck,1853)
(Halictidae)
7005. **Lasioglossum pallens** (Brullé,1832)
(Halictidae)
7006. **Lasioglossum perclavipes**
(Blüthgen,1934) (Halictidae)
7007. **Lasioglossum prunellum** Warncke,1975
(Halictidae)
7008. **Lasioglossum pseudocaspicum**
(Blüthgen,1923) (Halictidae)
7009. **Lasioglossum quadrinotatum**
(Kirby,1802) (Halictidae)
7010. **Lasioglossum sexnotatum** Kirby,1802
(Halictidae)
7011. **Lasioglossum solitarium** Warncke,1975
(Halictidae)
7012. **Lasioglossum subfasciatum**
Imhoff,1832 (Halictidae)
7013. **Lasioglossum tinnunculum**
Warncke,1982 (Halictidae)
7014. **Lasioglossum xanthopum** Kirby,1802
(Halictidae)
7015. **Lasioglossum zonulum** (Smith,1848)
(Halictidae)
7016. **Lasiopa balius** (Walker,1849)
(Stratiomyidae)
7017. **Lasiopa benoisti** Séguy,1930
(Stratiomyidae)
7018. **Lasiopa calva** (Meigen,1822)
(Stratiomyidae)
7019. **Lasiopa caucasica** (Pleske,1901)
(Stratiomyidae)
7020. **Lasiopa mannii** Mik,1882 (Stratiomyidae)
7021. **Lasiopa villosa** (Fabricius,1794)
(Stratiomyidae)
7022. **Lasiopogon pilosellus** Loew,1847
(Asilidae)
7023. **Lasiopogon tarsalis** Loew,1847 (Asilidae)
7024. **Lasioptera berlesiana** Paoli,1907
(Cecidomyiidae)
7025. **Lasioptera carophila** Loew,1874
(Cecidomyiidae)
7026. **Lasioptera eryngii** (Vallot,1829)
(Cecidomyiidae)
7027. **Lasioptera populnea** Wachtl,1883
(Cecidomyiidae)
7028. **Lasioptera rubi** (Schrank,1803)
(Cecidomyiidae)
7029. **Lasioptera turcica** Möhn,1968
(Cecidomyiidae)
7030. **Lasiorrhynchites cavifrons**
(Gyllenhal,1833) (Attelabidae)
7031. **Lasiorrhynchites praeustus**
(Boheman,1845) (Attelabidae)
7032. **Lasiorrhynchites sericeus**
(Herbst,1797) (Attelabidae)
7033. **Lasius alienus** (Förster,1850)
(Formicidae)
7034. **Lasius flavus** (Fabricius,1781)
(Formicidae)
7035. **Latematium cingulatum** Dlabola,1983
(Issidae)
7036. **Latheticus oryzae** Waterhouse,1880
(Tenebrionidae)
7037. **Latibulus argiolus** (Rossi,1790)
(Ichneumonidae)
7038. **Latilica antalyica** (Dlabola,1986)
(Issidae)
7039. **Latilica maculipes** (Melichar,1906)
(Issidae)

7040. **Latilica pictifrons** (Melichar,1906)
(Issidae)
7041. **Latilica quercus** (Lindberg,1948)
(Issidae)
7042. **Latilica retamae** (Linnavuori,1962)
(Issidae)
7043. **Latoliarus aither** Linnavuori,1971
(Cixiidae)
7044. **Lecanodiaspis sardoa** Targioni Tozzetti
(Lecanodiaspididae)
7045. **Lecanopsis turcica** (Bodenheimer)
(Coccidae)
7046. **Ledra aurita** (Linnaeus,1758)
(Cicadellidae)
7047. **Leia bimaculata** (Meigen,1804)
(Mycetophilidae)
7048. **Leichenum mucronatum** Küster,1849
(Tenebrionidae)
7049. **Leistus (Pogonophorus) hermonis**
Piochard,1875 (Carabidae)
7050. **Leistus (Pogonophorus) montanus**
Stephens,1828 (Carabidae)
7051. **Leistus (Pogonophorus) noesskei**
Banninger,1932 (Carabidae)
7052. **Leistus (Pogonophorus) parvicollis**
Chaudoir,1869 (Carabidae)
7053. **Leistus (Pogonophorus)**
rufomarginatus (Duftschmid,1812)
(Carabidae)
7054. **Leistus (Pogonophorus) spinibarbis**
(Fabricius,1775) (Carabidae)
7055. **Leistus (s.str.) caucasicus**
Chaudoir,1867 (Carabidae)
7056. **Leistus (s.str.) chadoiri** Perrault,1986
(Carabidae)
7057. **Leistus (s.str.) femoralis**
Chaudoir,1846 (Carabidae)
7058. **Leistus (s.str.) fulvibarbis** Dejean,1826
(Carabidae)
7059. **Leistus (s.str.) fulvus** Chaudoir,1846
(Carabidae)
7060. **Leistus (s.str.) ledouxi** Perrault,1986
(Carabidae)
7061. **Leistus (s.str.) oivitensis** Perrault,1974
(Carabidae)
7062. **Lejogaster splendida** (Meigen,1822)
(Syrphidae)
7063. **Lejogaster tarsata** (Megerle,1822)
(Syrphidae)
7064. **Lejops vittatus** (Meigen,1822)
(Syrphidae)
7065. **Leopoldius coronatus** (Rondani,1857)
(Conopidae)
7066. **Leopoldius pontifex** Hüttinger,1978
(Conopidae)
7067. **Lepidosaphes beckii** (Newman)
(Diaspididae)
7068. **Lepidosaphes conchiformis** (Gmelin)
(Diaspididae)
7069. **Lepidosaphes gloverii** (Packard)
(Diaspididae)
7070. **Lepidosaphes granati** Koroneos
(Diaspididae)
7071. **Lepidosaphes juniperi** Lindinger
(Diaspididae)
7072. **Lepidosaphes malicola** Borchsenius
(Diaspididae)
7073. **Lepidosaphes newsteadi** (Sulc)
(Diaspididae)
7074. **Lepidosaphes pinnaeformis** (Bouche)
(Diaspididae)
7075. **Lepidosaphes pistaciae** Archangelskaya
(Diaspididae)
7076. **Lepidosaphes serrifrons** (Leonardi)
(Diaspididae)
7077. **Lepidosaphes ulmi** (Linnaeus)
(Diaspididae)
7078. **Leptarthus brevirostris** (Meigen,1804)
(Asilidae)
7079. **Leptinotarsa decemlineata** (Say,1824)
(Chrysomelidae)
7080. **Leptochilus aegincticus**
Gusenleitner,1970 (Vespidae)
7081. **Leptochilus alpestris** (Saussure,1855)
(Vespidae)
7082. **Leptochilus bellus** Blüthgen,1955
(Vespidae)
7083. **Leptochilus fuscipes** Gusenleitner,1985
(Vespidae)
7084. **Leptochilus gemma** Giordani
Soika,1970 (Vespidae)
7085. **Leptochilus gusenleitneri** Yıldırım &
Özbek,1995 (Vespidae)
7086. **Leptochilus hethiticus**
Gusenleitner,1985 (Vespidae)
7087. **Leptochilus jordaneus**
Gusenleitner,1994 (Vespidae)
7088. **Leptochilus kemali** Gusenleitner,1977
(Vespidae)
7089. **Leptochilus limbiferus** (Morawitz,1867)
(Vespidae)
7090. **Leptochilus membranaceus**
(Morawitz,1867) (Vespidae)
7091. **Leptochilus mimulus**
Gusenleitner,1970 (Vespidae)
7092. **Leptochilus neutraliformis**
Gusenleitner,1977 (Vespidae)
7093. **Leptochilus neutralis** (Giordani
Soika,1943) (Vespidae)
7094. **Leptochilus nigroclypeus**
Gusenleitner,1985 (Vespidae)
7095. **Leptochilus ornatus**
Gusenleitner,1977 (Vespidae)
7096. **Leptochilus osmanicus**
Gusenleitner,1988 (Vespidae)
7097. **Leptochilus palandokenicus** Yıldırım &
Özbek,1995 (Vespidae)
7098. **Leptochilus regulus** Saussure,1855
(Vespidae)
7099. **Leptochilus resslis** Gusenleitner,1985
(Vespidae)
7100. **Leptochilus tarsatellus** Giordani
Soika,1970 (Vespidae)
7101. **Leptochilus tarsatifformis** (Giordani
Soika,1943) (Vespidae)
7102. **Leptochilus tussaci** Giordani
Soika,1986 (Vespidae)
7103. **Leptochilus villosus** Gusenleitner,2001
(Vespidae)
7104. **Leptocybe invasa** Fisher & La
Salle,2004 (Eulophidae)
7105. **Leptodelphax cyclops** Haupt,1927
(Delphacidae)
7106. **Leptodes (s.str.) lederi** Reitter
(Tenebrionidae)

7107. **Leptodes (s.str.) semenowi** Reitter
(Tenebrionidae)
7108. **Leptodes (s.str.) tschitscherini**
Semenov (Tenebrionidae)
7109. **Leptodiplosis polypori** (Loew,1850)
(Cecidomyiidae)
7110. **Leptodusa demirsoyi** (Karabağ,1975)
(Tettigoniidae)
7111. **Leptodusa expugnata** (Uvarov,1916)
(Tettigoniidae)
7112. **Leptodusa harzi** (Karabağ,1975)
(Tettigoniidae)
7113. **Leptodynerus arabicus** Giordani
Soika,1970 (Vespididae)
7114. **Leptogaster calceata** Engel,1925
(Asilidae)
7115. **Leptogaster cylindrica** (De Geer,1776)
(Asilidae)
7116. **Leptogaster gracilis** Loew,1847 (Asilidae)
7117. **Leptogaster guttiventris**
Zetterstedt,1842 (Asilidae)
7118. **Leptogaster helvola** Loew,1871 (Asilidae)
7119. **Leptogaster hermonensis**
Theodor,1980 (Asilidae)
7120. **Leptogaster montana** Theodor,1980
(Asilidae)
7121. **Leptogaster nartshukae** Lehr,1961
(Asilidae)
7122. **Leptogaster palparis** Loew,1847
(Asilidae)
7123. **Leptogaster pubicornis** Loew,1847
(Asilidae)
7124. **Leptogaster suleymani** Hasbenli,
Candan & Alpay,2006 (Asilidae)
7125. **Leptogaster theodori** Koçak &
Kemal,2008 (Asilidae)
7126. **Leptogaster truncata** Theodor,1980
(Asilidae)
7127. **Leptomastidea abnormis** (Girault,1915)
(Encyrtidae)
7128. **Leptomastix algerica** Trjapitzin
(Encyrtidae)
7129. **Leptomastix dactylopii** Howard
(Encyrtidae)
7130. **Leptomastix flava** Mercet (Encyrtidae)
7131. **Leptophyes albovittata** (Kollar,1833)
(Tettigoniidae)
7132. **Leptophyes bolivari** (Kirby,1906)
(Tettigoniidae)
7133. **Leptophyes helleri** Sevgili,2004
(Tettigoniidae)
7134. **Leptophyes iranica** (Ramme,1939)
(Tettigoniidae)
7135. **Leptophyes karanae** Naskrecki &
Ünal,1995 (Tettigoniidae)
7136. **Leptopternis gracilis**
(Eversmann,1848) (Acrididae)
7137. **Leptothorax muscorum**
(Nylander,1846) (Formicidae)
7138. **Leptura quadrifasciata** Linnaeus,1758
(Cerambycidae)
7139. **Lepyronia coleoptrata** (Linnaeus,1758)
(Cercopidae)
7140. **Lertha extensa** (Olivier,1811)
(Nemopteridae)
7141. **Lertha ledereri** (Selys-
Longchamps,1866) (Nemopteridae)
7142. **Lertha palmonii** Tjeder,1970
(Nemopteridae)
7143. **Lertha schmidti** (H.Aspöck, U.Aspöck &
Hölzel,1984) (Nemopteridae)
7144. **Lertha sheppardi** (Kirby,1904)
(Nemopteridae)
7145. **Leskia erevanica** Richter,1974
(Tachinidae)
7146. **Lestes barbarus** (Fabricius,1798)
(Lestidae)
7147. **Lestes dryas** Kirby,1890 (Lestidae)
7148. **Lestes macrostigma** (Eversmann,1836)
(Lestidae)
7149. **Lestes parvidens** Artobolevski,1929
(Lestidae)
7150. **Lestes sponsa** (Hansemann,1823)
(Lestidae)
7151. **Lestes virens** (Charpentier,1825)
(Lestidae)
7152. **Lestes viridis** (Van Der Linden,1825)
(Lestidae)
7153. **Lesteva binotata** Reitter,1901
(Staphylinidae)
7154. **Lesteva juno** Smetana,1967
(Staphylinidae)
7155. **Lesteva longoelytrata** (Goeze,1777)
(Staphylinidae)
7156. **Lesteva maculipennis** Luze,1903
(Staphylinidae)
7157. **Lesteva monticola** Kiesenwetter,1847
(Staphylinidae)
7158. **Lesteva punctata** Erichson,1839
(Staphylinidae)
7159. **Lesteva soror** Smetana,1967
(Staphylinidae)
7160. **Lesteva turcica** Smetana,1967
(Staphylinidae)
7161. **Lethocerus patruelis** (Stal,1854)
(Belostomatidae)
7162. **Leucaspis knemion** Hoke (Diaspididae)
7163. **Leucaspis lowi** Colvee (Diaspididae)
7164. **Leucaspis pini** (Hartig) (Diaspididae)
7165. **Leucaspis pusilla** Löw (Diaspididae)
7166. **Leucaspis riccae** Targioni Tozzetti
(Diaspididae)
7167. **Leucophenga maculata** (Dufour,1839)
(Drosophilidae)
7168. **Leucopsis silesiaca** Egger,1862
(Chamaemyiidae)
7169. **Leucorrhinia caudalis**
(Charpentier,1840) (Libellulidae)
7170. **Leucorrhinia pectoralis**
(Charpentier,1825) (Libellulidae)
7171. **Leucospis bifasciata** Klug (Leucopsidae)
7172. **Leucospis biguetina** Jurine (Leucopsidae)
7173. **Leucospis brevicauda** Fabricius
(Leucopsidae)
7174. **Leucospis dorsigera** Fabricius
(Leucopsidae)
7175. **Leucospis gigas** Fabricius (Leucopsidae)
7176. **Leucospis intermedia** Illiger
(Leucopsidae)
7177. **Leucostoma tetraptera** (Meigen,1824)
(Tachinidae)
7178. **Leuctra aculeata** Zwick,1982 (Leuctridae)
7179. **Leuctra anatolica** Kazancı,1986
(Leuctridae)

7180. **Leuctra antalyana** Vincon & Sivec,2001
(Leuctridae)
7181. **Leuctra artvinensis** Vincon & Sivec,2001 (Leuctridae)
7182. **Leuctra aspoekorum** Theischinger,1976 (Leuctridae)
7183. **Leuctra boluensis** Kazancı,1999 (Leuctridae)
7184. **Leuctra bozi** Vincon & Sivec,2001 (Leuctridae)
7185. **Leuctra brachyptera** Kazancı,1985 (Leuctridae)
7186. **Leuctra collaris** Martynov,1928 (Leuctridae)
7187. **Leuctra delamellata** Zhiltzova,1960 (Leuctridae)
7188. **Leuctra furcatella** Martynov,1928 (Leuctridae)
7189. **Leuctra fusca** (Linnaeus,1758) (Leuctridae)
7190. **Leuctra hippopus** Kempny,1899 (Leuctridae)
7191. **Leuctra karcali** Vincon & Sivec,2001 (Leuctridae)
7192. **Leuctra klapperichi** Muranyi,2005 (Leuctridae)
7193. **Leuctra kurui** Kazancı,1983 (Leuctridae)
7194. **Leuctra marilouae** Vincon & Sivec,2001 (Leuctridae)
7195. **Leuctra martynovi** Zhiltzova,1960 (Leuctridae)
7196. **Leuctra minuta** Zhiltzova,1960 (Leuctridae)
7197. **Leuctra sanainica** Zhiltzova,1960 (Leuctridae)
7198. **Leuctra schistocerca** Zwick,1971 (Leuctridae)
7199. **Leuctra sipahilerae** Vincon & Sivec,2001 (Leuctridae)
7200. **Leuctra theischingeri** Vincon & Sivec,2001 (Leuctridae)
7201. **Leuctra zangezurica** Zhiltzova,1960 (Leuctridae)
7202. **Leuctra zhiltzovae** Theischinger,1976 (Leuctridae)
7203. **Levitinia freidbergi** Beaucounu-Saguez & Braverman,1987 (Simuliidae)
7204. **Liancalus virens** (Scopoli,1763) (Dolichopodidae)
7205. **Libanissum talhouki** (Dlabola,1974) (Issidae)
7206. **Libelloides jungei** Aistleitner,1982 (Ascalaphidae)
7207. **Libelloides lacteus** (Brullé,1832) (Ascalaphidae)
7208. **Libelloides macaronius** (Scopoli,1763) (Ascalaphidae)
7209. **Libelloides ottomanus** (Germar,1817) (Ascalaphidae)
7210. **Libelloides rhomboideus** (Schneider,1845) (Ascalaphidae)
7211. **Libelloides syriacus** (McLachan,1871) (Ascalaphidae)
7212. **Libelloides ustulatus** (Eversmann,1850) (Ascalaphidae)
7213. **Libellula depressa** Linnaeus,1758 (Libellulidae)
7214. **Libellula fulva** O.F.Müller,1764 (Libellulidae)
7215. **Libellula pontica** Selys,1887 (Libellulidae)
7216. **Libellula quadrimaculata** Linnaeus,1758 (Libellulidae)
7217. **Lichtensia viburni** Signoret (Coccidae)
7218. **Liguropia juniperi** (Lethierry,1876) (Cicadellidae)
7219. **Limassolla pistaciae** (Linnavuori,1962) (Cicadellidae)
7220. **Limnia unguicornis** (Scopoli,1763) (Sciomyzidae)
7221. **Limnophora pandellei** Séguy,1923 (Muscidae)
7222. **Limnophora pulchriceps** (Loew,1860) (Muscidae)
7223. **Limnophyes prolongatus** Kieffer,1929 (Chironomidae)
7224. **Limnophyes pusillus** Eat.,1875 (Chironomidae)
7225. **Limnophyes transcausicus** Tchern.1949 (Chironomidae)
7226. **Limnoxenus niger** (Gmelin,1790) (Hydrophilidae)
7227. **Limobius borealis** (Paykull,1792) (Curculionidae)
7228. **Limonia eos** Stary & Savchenko,1976 (Limoniidae)
7229. **Limonia hercegovinae** (Strobl,1898) (Limoniidae)
7230. **Limonia macrostigma** (Schummel,1829) (Limoniidae)
7231. **Limonia nubeculosa** Meigen,1804 (Limoniidae)
7232. **Limonia nussbaumi** Stary & Freidberg,2007 (Limoniidae)
7233. **Limonia pannonica** (Kowarz,1868) (Limoniidae)
7234. **Limonia phragmitidis** (Schrank,1781) (Limoniidae)
7235. **Limonia subaequalis** Savchenko,1979 (Limoniidae)
7236. **Limonia taurica** (Strobl,1895) (Limoniidae)
7237. **Limonia trivittata** (Schummel,1829) (Limoniidae)
7238. **Limoniscus elegans** (Buysson,1891) (Elateridae)
7239. **Limoniscus violaceus** (P.Müller,1843) (Elateridae)
7240. **Limonius araratensis** (Faldermann,1835) (Elateridae)
7241. **Limonius minutus** (Linnaeus,1758) (Elateridae)
7242. **Limonius poneli** Leseigneur & Mertlik,2007 (Elateridae)
7243. **Limotettix striola** (Fallén,1806) (Cicadellidae)
7244. **Lindbergina pandellei** (Lethierry,1878) (Cicadellidae)
7245. **Lindbergina tarsalis** (Linnavuori,1962) (Cicadellidae)
7246. **Lindenia tetraphylla** (Van Der Linden,1825) (Gomphidae)
7247. **Lineaspis striata** (Newstead) (Diaspididae)

7248. **Linnaemya comta (Fallén,1810)**
(Tachinidae)
7249. **Linnaemya impudica (Rondani,1859)**
(Tachinidae)
7250. **Linnavuoriana sexmaculata (Hardy,1850)** (Cicadellidae)
7251. **Linyus exhortator (Fabricius,1793)**
(Ichneumonidae)
7252. **Liometopum microcephalum (Panzer,1798)** (Formicidae)
7253. **Liorhyssus hyalinus (Fabricius,1794)**
(Rhopalidae)
7254. **Liotryphon caudatus (Ratzeburg,1848)**
(Ichneumonidae)
7255. **Liponeura bithynica Zwick,1988**
(Blephariceridae)
7256. **Liponeura cinerascens Loew,1844**
(Blephariceridae)
7257. **Liponeura euryfrons Bischoff,1935**
(Blephariceridae)
7258. **Liponeura heidae Zwick,1972**
(Blephariceridae)
7259. **Liponeura lindneri Zwick,1972**
(Blephariceridae)
7260. **Liponeura mannheimsi Zwick,1972**
(Blephariceridae)
7261. **Liponeura osmanica Koç & Zwick,2006**
(Blephariceridae)
7262. **Liponeura tarnogradskyi Bischoff,1930**
(Blephariceridae)
7263. **Liponeura vinconi Zwick,2006**
(Blephariceridae)
7264. **Liposthenes kernerii (Wachtl,1891)**
(Cynipidae)
7265. **Lipsothrix nobilis Loew,1873**
(Limoniidae)
7266. **Liriomyza alyssi (M.Hering,1960)**
(Agromyzidae)
7267. **Liriomyza amarellae M.Hering,1963**
(Agromyzidae)
7268. **Liriomyza amoena (Meigen,1830)**
(Agromyzidae)
7269. **Liriomyza balcanica (Strobl,1900)**
(Agromyzidae)
7270. **Liriomyza brassicae (Riley,1884)**
(Agromyzidae)
7271. **Liriomyza bryoniae (Kaltenbach,1858)**
(Agromyzidae)
7272. **Liriomyza buhri M.Hering,1937**
(Agromyzidae)
7273. **Liriomyza cannabis Hendel,1931**
(Agromyzidae)
7274. **Liriomyza cardariae Sasakawa,2008**
(Agromyzidae)
7275. **Liriomyza centaureae M.Hering,1927**
(Agromyzidae)
7276. **Liriomyza cepae (M.Hering,1927)**
(Agromyzidae)
7277. **Liriomyza cicерina (Rondani,1875)**
(Agromyzidae)
7278. **Liriomyza congesta (Becker,1903)**
(Agromyzidae)
7279. **Liriomyza dracunculi M.Hering,1932**
(Agromyzidae)
7280. **Liriomyza eupatorii (Kaltenbach,1873)**
(Agromyzidae)
7281. **Liriomyza euphorbiae Martinez,1999**
(Agromyzidae)
7282. **Liriomyza flaveola (Fallén,1823)**
(Agromyzidae)
7283. **Liriomyza freyella Spencer,1976**
(Agromyzidae)
7284. **Liriomyza hieracivora Spencer,1971**
(Agromyzidae)
7285. **Liriomyza huidobrensis (Blanchard,1926)** (Agromyzidae)
7286. **Liriomyza orbona (Meigen,1830)**
(Agromyzidae)
7287. **Liriomyza pascuum (Meigen,1838)**
(Agromyzidae)
7288. **Liriomyza pedestris Hendel,1931**
(Agromyzidae)
7289. **Liriomyza pusilla (Meigen,1830)**
(Agromyzidae)
7290. **Liriomyza sativae Blanchard,1938**
(Agromyzidae)
7291. **Liriomyza strigata (Meigen,1830)**
(Agromyzidae)
7292. **Liriomyza trifolii (Burgess,1880)**
(Agromyzidae)
7293. **Liriomyza virgula Frey,1946**
(Agromyzidae)
7294. **Lispe apicalis Mik,1869** (Muscidae)
7295. **Lispe caesia Meigen,1826** (Muscidae)
7296. **Lispe elkantarae Becker,1907** (Muscidae)
7297. **Lispe longicollis Meigen,1826** (Muscidae)
7298. **Lispe nana Macquart,1835** (Muscidae)
7299. **Lispe tentaculata (De Geer,1776)**
(Muscidae)
7300. **Lissonota (Loxonota) flavovariegata (Lucas,1849)** (Ichneumonidae)
7301. **Lissonota (Loxonota) histrio (Fabricius,1798)** (Ichneumonidae)
7302. **Lissonota (s.str.) barbator Aubert,1972**
(Ichneumonidae)
7303. **Lissonota (s.str.) clypeator (Gravenhorst,1829)** (Ichneumonidae)
7304. **Lissonota (s.str.) compar Fonscolombe,1854** (Ichneumonidae)
7305. **Lissonota (s.str.) cruentator (Panzer,1809)** (Ichneumonidae)
7306. **Lissonota (s.str.) culiciformis Gravenhorst,1829** (Ichneumonidae)
7307. **Lissonota (s.str.) fundator (Thunberg,1822)** (Ichneumonidae)
7308. **Lissonota (s.str.) mutator Aubert,1969**
(Ichneumonidae)
7309. **Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae)
7310. **Lissonota (s.str.) parallela Gravenhorst,1829** (Ichneumonidae)
7311. **Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae)
7312. **Lissonota (s.str.) rufitarsis Szepliget,1899** (Ichneumonidae)
7313. **Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae)
7314. **Listrognathus (s.str.) furax (Tschek,1871)** (Ichneumonidae)
7315. **Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae)
7316. **Listrognathus mactator (Thunberg,1824)** (Ichneumonidae)
7317. **Listrognathus orientalis Horstmann,1989** (Ichneumonidae)

7318. **Lithodusa helverseni Heller,2009**
(Tettigoniidae)
7319. **Litus cynipseus Haliday** (Mymaridae)
7320. **Livia juncorum (Latreille)** (Psyllidae)
7321. **Livia mediterranea Loginova,1974**
(Psyllidae)
7322. **Livilla horvathi (Scott)** (Psyllidae)
7323. **Lixus anguinus (Linnaeus,1767)**
(Curculionidae)
7324. **Lixus angustatus (Fabricius,1775)**
(Curculionidae)
7325. **Lixus ascanii (Linnaeus,1767)**
(Curculionidae)
7326. **Lixus bardanae (Fabricius,1787)**
(Curculionidae)
7327. **Lixus cardui Olivier,1807** (Curculionidae)
7328. **Lixus circumcinctus Boheman,1836**
(Curculionidae)
7329. **Lixus cylindrus (Fabricius,1781)**
(Curculionidae)
7330. **Lixus elegantulus Boheman,1843**
(Curculionidae)
7331. **Lixus furcatus Olivier,1807**
(Curculionidae)
7332. **Lixus incanescens Boheman,1836**
(Curculionidae)
7333. **Lixus iridis Olivier,1807** (Curculionidae)
7334. **Lixus junci Boheman,1836**
(Curculionidae)
7335. **Lixus myagri Olivier,1807** (Curculionidae)
7336. **Lixus nordmanni Hochhuht,1847**
(Curculionidae)
7337. **Lixus obesus Petri,1904** (Curculionidae)
7338. **Lixus punctiventris Boheman,1836**
(Curculionidae)
7339. **Lixus rubicundus Zoubkoff,1833**
(Curculionidae)
7340. **Lixus scabricollis Boheman,1843**
(Curculionidae)
7341. **Lixus scolapax Boheman,1836**
(Curculionidae)
7342. **Lixus speciosus Miller,1861**
(Curculionidae)
7343. **Lixus subtilis Boheman,1836**
(Curculionidae)
7344. **Lixus vilis (Rossi,1790)** (Curculionidae)
7345. **Lobodera (Penthomagus) iners**
Ménétriés,1832 (Tenebrionidae)
7346. **Loboptera decipiens (Germar,1817)**
(Blattidae)
7347. **Lobosmittia invaginata (Caspers &**
Reiss,1989)
7348. **Lobthespis vignai La Greca &**
Lombardo,1987 (Mantidae)
7349. **Locusta migratoria (Linnaeus,1758)**
(Acrididae)
7350. **Loewinella virescens (Loew,1871)**
(Asilidae)
7351. **Lomatia belzebul (Fabricius,1794)**
(Bombyliidae)
7352. **Lonchoptera nerana Vaillant,1989**
(Lonchopteridae)
7353. **Longicoccus affinis (Ter-Grigorian)**
(Pseudococcidae)
7354. **Longicoccus clarus (Borkhsenius)**
(Pseudococcidae)
7355. **Longicoccus festucae (Koteja)**
(Pseudococcidae)
7356. **Longicoccus psammophilus (Koteja)**
(Pseudococcidae)
7357. **Longicoccus tongiventris**
(Borkhsenius) (Pseudococcidae)
7358. **Longitarsus absynthii Kutschera,1862**
(Chrysomelidae)
7359. **Longitarsus aeneicollis**
(Faldermann,1837) (Chrysomelidae)
7360. **Longitarsus albineus (Foudras,1860)**
(Chrysomelidae)
7361. **Longitarsus albus (Allard,1866)**
(Chrysomelidae)
7362. **Longitarsus alfierii (Pic,1923)**
(Chrysomelidae)
7363. **Longitarsus allotrophus Furth,1979**
(Chrysomelidae)
7364. **Longitarsus anaticus Weise,1900**
(Chrysomelidae)
7365. **Longitarsus anchusae (Paykull,1799)**
(Chrysomelidae)
7366. **Longitarsus angelikae Fritzlar,2001**
(Chrysomelidae)
7367. **Longitarsus angorensis Gruev &**
Kasap,1985 (Chrysomelidae)
7368. **Longitarsus aramaicus Leonardi,1979**
(Chrysomelidae)
7369. **Longitarsus artvinus Gruev &**
Aslan,1998 (Chrysomelidae)
7370. **Longitarsus atricillus (Linnaeus,1761)**
(Chrysomelidae)
7371. **Longitarsus aubozaorum Biondi,1997**
(Chrysomelidae)
7372. **Longitarsus audisioi Biondi,1992**
(Chrysomelidae)
7373. **Longitarsus ballotae (Marsham,1802)**
(Chrysomelidae)
7374. **Longitarsus barbarae Doguet &**
Bergeal,2002 (Chrysomelidae)
7375. **Longitarsus bertii Leonhardi,1973**
(Chrysomelidae)
7376. **Longitarsus brisouti Heikertinger,1912**
(Chrysomelidae)
7377. **Longitarsus bytinskii Furth,1979**
(Chrysomelidae)
7378. **Longitarsus callidus**
Warchalowski,1967 (Chrysomelidae)
7379. **Longitarsus celticus Leonhardi,1975**
(Chrysomelidae)
7380. **Longitarsus cerinthes (Schrank,1798)**
(Chrysomelidae)
7381. **Longitarsus corpulentus Weise,1887**
(Chrysomelidae)
7382. **Longitarsus debernardii**
Leonhardi,1979 (Chrysomelidae)
7383. **Longitarsus echii (Koch,1803)**
(Chrysomelidae)
7384. **Longitarsus emarginatus Weise,1890**
(Chrysomelidae)
7385. **Longitarsus eminus Furth,1979**
(Chrysomelidae)
7386. **Longitarsus eminus**
Warchalowski,1967 (Chrysomelidae)
7387. **Longitarsus exsoletus (Linnaeus,1758)**
(Chrysomelidae)
7388. **Longitarsus fallax Weise,1888**
(Chrysomelidae)
7389. **Longitarsus foudrasi Weise,1893**
(Chrysomelidae)

7390. **Longitarsus fuscoaeus**
Redtenbacher,1859 (Chrysomelidae)
7391. **Longitarsus ganglbaueri**
Haikertinger,1912 (Chrysomelidae)
7392. **Longitarsus hittita Biondi,1995**
(Chrysomelidae)
7393. **Longitarsus iconiensis Weise,1900**
(Chrysomelidae)
7394. **Longitarsus jacobaeae**
(Waterhouse,1858) (Chrysomelidae)
7395. **Longitarsus jailensis Heikertinger,1913**
(Chrysomelidae)
7396. **Longitarsus juncicola (Foudras,1860)**
(Chrysomelidae)
7397. **Longitarsus karlheinzi**
Warchalowski,1972 (Chrysomelidae)
7398. **Longitarsus kopdagiensis Gruev &**
Aslan,1998 (Chrysomelidae)
7399. **Longitarsus kutscherae (Rey,1892)**
(Chrysomelidae)
7400. **Longitarsus lateripunctatus**
Rosenhauer,1856 (Chrysomelidae)
7401. **Longitarsus ledouxi Doguet,1979**
(Chrysomelidae)
7402. **Longitarsus lewisii (Baly,1874)**
(Chrysomelidae)
7403. **Longitarsus linnaei (Duftschmid,1825)**
(Chrysomelidae)
7404. **Longitarsus longipennis**
Kutschera,1836 (Chrysomelidae)
7405. **Longitarsus luridus (Scopoli,1763)**
(Chrysomelidae)
7406. **Longitarsus lycopi (Foudras,1860)**
(Chrysomelidae)
7407. **Longitarsus melanocephalus (De**
Geer,1775) (Chrysomelidae)
7408. **Longitarsus membranaceus**
(Foudras,1860) (Chrysomelidae)
7409. **Longitarsus minusculus**
(Foudras,1860) (Chrysomelidae)
7410. **Longitarsus niger (Koch,1803)**
(Chrysomelidae)
7411. **Longitarsus nigrofasciatus**
(Goeze,1777) (Chrysomelidae)
7412. **Longitarsus nimrodi Furth,1979**
(Chrysomelidae)
7413. **Longitarsus obliteratus**
(Rosenhauer,1847) (Chrysomelidae)
7414. **Longitarsus ochroleucus**
(Marsham,1802) (Chrysomelidae)
7415. **Longitarsus parvulus (Paykull,1799)**
(Chrysomelidae)
7416. **Longitarsus pellucidus (Foudras,1860)**
(Chrysomelidae)
7417. **Longitarsus picicollis Weise,1900**
(Chrysomelidae)
7418. **Longitarsus pinguis Weise,1888**
(Chrysomelidae)
7419. **Longitarsus pratensis (Panzer,1794)**
(Chrysomelidae)
7420. **Longitarsus quadriguttatus**
(Pontoppidan,1765) (Chrysomelidae)
7421. **Longitarsus rectilineatus**
(Foudras,1860) (Chrysomelidae)
7422. **Longitarsus reichei (Allard,1860)**
(Chrysomelidae)
7423. **Longitarsus salviae Gruev,1975**
(Chrysomelidae)
7424. **Longitarsus scutellaris (Rey,1874)**
(Chrysomelidae)
7425. **Longitarsus succineus (Foudras,1860)**
(Chrysomelidae)
7426. **Longitarsus suturellus**
(Duftschmid,1825) (Chrysomelidae)
7427. **Longitarsus tabidus (Fabricius,1775)**
(Chrysomelidae)
7428. **Longitarsus trepidus**
Warchalowski,1973 (Chrysomelidae)
7429. **Longitarsus truncatellus Weise,1890**
(Chrysomelidae)
7430. **Longitarsus violentus Weise,1893**
(Chrysomelidae)
7431. **Lopezus fedtschenkoi (McLachan,1875)**
(Myrmeleonidae)
7432. **Lopholeucaspis japonica (Cockerell)**
(Diaspididae)
7433. **Lophops pallida Melichar,1902**
(Lophopidae)
7434. **Lophosia fasciata Meigen,1824**
(Tachinidae)
7435. **Lophyridia aphrodisia (Baudi,1864)**
(Carabidae)
7436. **Lophyridia caucasica (Adams,1817)**
(Carabidae)
7437. **Lophyridia concolor (Dejean,1822)**
(Carabidae)
7438. **Lophyridia fischeri (Adams,1817)**
(Carabidae)
7439. **Lophyridia hilariola (Bates,1874)**
(Carabidae)
7440. **Lophyridia littoralis (Fabricius,1787)**
(Carabidae)
7441. **Loxocnemis dentator (Fabricius,1794)**
(Coreidae)
7442. **Lublinia gediensis (Linnavuori,1962)**
(Cicadellidae)
7443. **Lucanus (.s.str.) cervus**
(Linnaeus,1758) (Lucanidae)
7444. **Lucanus (Pseudolucanus) xerxes**
Kral,2004 (Lucanidae)
7445. **Lucanus (s.str.) ibericus**
Motschoulsky,1845 (Lucanidae)
7446. **Luciola italica (Linnaeus,1758)**
(Lampyridae)
7447. **Luciola judaica E.Olivier,1884**
(Lampyridae)
7448. **Luciola kervillei E.Olivier,1909**
(Lampyridae)
7449. **Luciola lusitanica (Charpentier,1825)**
(Lampyridae)
7450. **Ludita fulvipennis (Smith,1879)**
(Tiphidae)
7451. **Ludita villosa (Fabricius,1793)**
(Tiphidae)
7452. **Lycoriella solani (Winnertz,1871)**
(Sciaridae)
7453. **Lyctocoris campestris (Fabricius,1794)**
(Anthocoridae)
7454. **Lyctocoris dimidiatus (Spinola,1837)**
(Anthocoridae)
7455. **Lydus algiricus (Linnaeus,1758)**
(Meloidae)
7456. **Lydus anatolicus Muche,1962** (Meloidae)
7457. **Lydus europaeus Escherich,1897**
(Meloidae)

7458. *Lydus gibbifer* Escherich,1896 (Meloidae)
7459. *Lydus humeralis* Gyllenhal,1817 (Meloidae)
7460. *Lydus pilicollis* Fairmaire,1892 (Meloidae)
7461. *Lydus tarsalis* Abeille de Perrin,1880 (Meloidae)
7462. *Lydus tenuitarsis* Abeille de Perrin,1880 (Meloidae)
7463. *Lydus trimaculatus* (Fabricius,1775) (Meloidae)
7464. *Lydus turcicus* Kaszab,1952 (Meloidae)
7465. *Lydus unicolor* Reitter,1887 (Meloidae)
7466. *Lygaeosoma anaticum* Seidenstücker,1960 (Lygaeidae)
7467. *Lygaeosoma erythropterum* (Puton,1876) (Lygaeidae)
7468. *Lygaeosoma reticulatum* (Herrich-Schäffer,1838) (Lygaeidae)
7469. *Lygaeus creticus* (Lucas,1854) (Lygaeidae)
7470. *Lygaeus equestris* (Linnaeus,1758) (Lygaeidae)
7471. *Lygus gemellatus* (Herrich-Schäffer,1835) (Miridae)
7472. *Lymantrichneumon disparis* (Poda,1761) (Ichneumonidae)
7473. *Lyphia tetrphylla* Fairmaire,1856 (Tenebrionidae)
7474. *Lyristes esfandiarii* Dlabola,1970 (Cicadidae)
7475. *Lyristes gemellus* Boulard,1988 (Cicadidae)
7476. *Lyristes isodol* Boulard,1988 (Cicadidae)
7477. *Lyristes plebejus* (Scopoli,1763) (Cicadidae)
7478. *Lysibia nana* (Gravenhorst,1829) (Ichneumonidae)
7479. *Lytta vesicatoria* (Linnaeus,1758) (Meloidae)
7480. *Maccevetus lutheri* Wagner,1953 (Rhopalidae)
7481. *Machimus albicapillus* Janssens,1968 (Asilidae)
7482. *Machimus annulipes* (Brullé,1832) (Asilidae)
7483. *Machimus aradensis* Theodor,1980 (Asilidae)
7484. *Machimus armipes* Becker,1913 (Asilidae)
7485. *Machimus atripes* Loew,1854 (Asilidae)
7486. *Machimus caliginosus* (Meigen,1820) (Asilidae)
7487. *Machimus cingulatus* (Fabricius,1781) (Asilidae)
7488. *Machimus cyanopus* (Loew,1849) (Asilidae)
7489. *Machimus elegans* (Loew,1849) (Asilidae)
7490. *Machimus fimbriatus* (Meigen,1804) (Asilidae)
7491. *Machimus fuscus* (Macquart,1839) (Asilidae)
7492. *Machimus gratiosus* Loew,1871 (Asilidae)
7493. *Machimus idiorrhymicus* Janssens,1960 (Asilidae)
7494. *Machimus leucocephalus* Janssens,1968 (Asilidae)
7495. *Machimus modestus* (Loew,1849) (Asilidae)
7496. *Machimus mystacinus* Becker,1923 (Asilidae)
7497. *Machimus nahalelensis* Theodor,1980 (Asilidae)
7498. *Machimus nevadensis* (Strobl,1909) (Asilidae)
7499. *Machimus planifacies* Becker,1923 (Asilidae)
7500. *Machimus rudis* Becker,1923 (Asilidae)
7501. *Machimus rusticus* (Meigen,1820) (Asilidae)
7502. *Machimus sareptanus* Becker,1923 (Asilidae)
7503. *Machimus senex* (Wiedemann,1820) (Asilidae)
7504. *Machimus setibarbus* (Loew,1849) (Asilidae)
7505. *Machimus tessellatus* Loew,1849 (Asilidae)
7506. *Machimus thoracicus* (Loew,1849) (Asilidae)
7507. *Machiremisca decipiens* (Wiedemann,1820) (Asilidae)
7508. *Macquartia chalconota* (Meigen,1824) (Tachinidae)
7509. *Macquartia praefica* (Meigen,1824) (Tachinidae)
7510. *Macquartia tenebricosa* (Meigen,1824) (Tachinidae)
7511. *Macquartia tessellum* Meigen,1824 (Tachinidae)
7512. *Macrocera fasciata* Meigen,1804 (Keroplastidae)
7513. *Macrocera lutea* Meigen,1804 (Keroplastidae)
7514. *Macrocera phalerata* Meigen,1818 (Keroplastidae)
7515. *Macrocoma doboszi* Borowiec,2005 (Chrysomelidae)
7516. *Macrodiplosis pustularis* (Bremi,1847) (Cecidomyiidae)
7517. *Macrodiplosis roboris* (Hardy,1854) (Cecidomyiidae)
7518. *Macroglens varicornis* (Haliday) (Pteromalidae)
7519. *Macrolenes dentipes* (Olivier,1808) (Chrysomelidae)
7520. *Macrolophus caliginosus* Wagner,1950 (Miridae)
7521. *Macrolophus melanotoma* (Costa,1852) (Miridae)
7522. *Macrolophus nubilis* (Herrich-Schäffer,1835) (Miridae)
7523. *Macromyrme binotata* (Radoszkowski,1879) (Mutillidae)
7524. *Macronemurus bilineatus* Brauer,1868 (Myrmeleonidae)
7525. *Macronychia (Moschusa) polyodon* (Meigen,1824) (Sarcophagidae)
7526. *Macronychia (s.str.) lemariei* Jacentkovsky,1941 (Sarcophagidae)
7527. *Macronychia (s.str.) striginervis* (Zetterstedt,1838) (Sarcophagidae)

7528. **Macrophya albicincta** (Schrank,1776)
(Tenthredinidae)
7529. **Macrophya annulata** Geoffroy,1785
(Tenthredinidae)
7530. **Macrophya blanda** Fabricius,1775
(Tenthredinidae)
7531. **Macrophya crassula** (Klug,1817)
(Tenthredinidae)
7532. **Macrophya cyrus** Benson,1954
(Tenthredinidae)
7533. **Macrophya diversipes** (Schrank,1782)
(Tenthredinidae)
7534. **Macrophya duodecimpunctata**
(Linnaeus,1758) (Tenthredinidae)
7535. **Macrophya erythrocnema** A.Costa,1859
(Tenthredinidae)
7536. **Macrophya militaris** Klug,1817
(Tenthredinidae)
7537. **Macrophya montana** (Scopoli,1763)
(Tenthredinidae)
7538. **Macrophya postica** Brullé,1832
(Tenthredinidae)
7539. **Macrophya rufipes** Linnaeus,1758
(Tenthredinidae)
7540. **Macrophya suberba** Tischbein,1852
(Tenthredinidae)
7541. **Macrophya teutonia** Panzer,1799
(Tenthredinidae)
7542. **Macropsidius ioculator** Dlabola,1963
(Cicadellidae)
7543. **Macropsidius sahlbergi** (Flor,1861)
(Cicadellidae)
7544. **Macropsis albae** Wagner,1950
(Cicadellidae)
7545. **Macropsis cerea** (Germar,1837)
(Cicadellidae)
7546. **Macropsis fuscula** (Zetterstedt,1828)
(Cicadellidae)
7547. **Macropsis glandacea** (Fieber,1868)
(Cicadellidae)
7548. **Macropsis graminea** (Fabricius,1798)
(Cicadellidae)
7549. **Macropsis marginata** (Herrich-
Schäffer,1836) (Cicadellidae)
7550. **Macropsis megerlei** (Fieber,1868)
(Cicadellidae)
7551. **Macropsis mendax** (Fieber,1868)
(Cicadellidae)
7552. **Macropsis multiguttata** Dlabola,1957
(Cicadellidae)
7553. **Macropsis prasina** (Boheman,1852)
(Cicadellidae)
7554. **Macropsis scutellata** (Boheman,1845)
(Cicadellidae)
7555. **Macropsis vicina** (Horvath,1897)
(Cicadellidae)
7556. **Macrorchis meditata** (Fallén,1825)
(Muscidae)
7557. **Macrorileya femorata** (Boucek,1952)
(Eurytomidae)
7558. **Macrorileya inopinata** (Silvestri,1920)
(Eurytomidae)
7559. **Macroscyotus brunneus**
(Fabricius,1803) (Cydnididae)
7560. **Macrosteles alpinus** (Zetterstedt,1828)
(Cicadellidae)
7561. **Macrosteles chobauti** Ribaut,1952
(Cicadellidae)
7562. **Macrosteles fieberi** (Edwards,1889)
(Cicadellidae)
7563. **Macrosteles forficula** (Ribaut,1927)
(Cicadellidae)
7564. **Macrosteles frontalis** (Scott,1875)
(Cicadellidae)
7565. **Macrosteles laevis** (Ribaut,1927)
(Cicadellidae)
7566. **Macrosteles lividus** (Edwards,1894)
(Cicadellidae)
7567. **Macrosteles oculatus** Dlabola,1952
(Cicadellidae)
7568. **Macrosteles ossiannilssoni**
Lindberg,1954 (Cicadellidae)
7569. **Macrosteles quadripunctulatus**
(Kirschbaum,1868) (Cicadellidae)
7570. **Macrosteles sexnotatus** (Fallén,1806)
(Cicadellidae)
7571. **Macrosteles sordidipennis** (Stal,1858)
(Cicadellidae)
7572. **Macrosteles viridigriseus**
(Edwards,1922) (Cicadellidae)
7573. **Macrostylus anatolicus**
Hoberlandt,1961 (Miridae)
7574. **Madotrogus** (?Micramphimallon)
nikolajevi Sabatinelli & Katbeh-Bader,2009
(Scarabaeidae)
7575. **Magwengiella flavescens** Bachmaier &
Diller,1985 (Ichneumonidae)
7576. **Malachiomimus laticeps** (Pic,1910)
(Melyridae)
7577. **Malachius aeneus** (Linnaeus,1758)
(Melyridae)
7578. **Malachius alepensis** (Melyridae)
7579. **Malachius anatolicus** Wittmer,1974
(Melyridae)
7580. **Malachius armeniacus** Ménétré,1832
(Melyridae)
7581. **Malachius artvinensis** Wittmer,1974
(Melyridae)
7582. **Malachius bingoelensis** Wittmer,1999
(Melyridae)
7583. **Malachius bipustulatus**
(Linnaeus,1758) (Melyridae)
7584. **Malachius caramanicus** (Pic,1912)
(Melyridae)
7585. **Malachius carnifex** Erichson,1840
(Melyridae)
7586. **Malachius coccineus** Waltl,1838
(Melyridae)
7587. **Malachius conformis** Erichson,1840
(Melyridae)
7588. **Malachius dama** Abeille,1888
(Melyridae)
7589. **Malachius demaisoni** Abeille de
Perrin,1900 (Melyridae)
7590. **Malachius ephippiger**
Redtenbacher,1843 (Melyridae)
7591. **Malachius faldermanni**
Faldermann,1836 (Melyridae)
7592. **Malachius fucatus** Peyron,1877
(Melyridae)
7593. **Malachius heliophilus** Peyron,1877
(Melyridae)
7594. **Malachius heydeni** Abeille de
Perrin,1882 (Melyridae)
7595. **Malachius kraussi** Reitter,1902
(Melyridae)

7596. **Malachius mariae** Abeille de Perrin,1885 (Melyridae)
7597. **Malachius oxyacanthae** Peyron,1877 (Melyridae)
7598. **Malachius palaestinus** Peyron,1877 (Melyridae)
7599. **Malachius pulcherrimus** (Pic,1909) (Melyridae)
7600. **Malachius rubidus** Erichson,1840 (Melyridae)
7601. **Malachius securiclatu**s Baudi,1873 (Melyridae)
7602. **Malachius semiaeneus** Abeille de Perrin,1891 (Melyridae)
7603. **Malachius stolatus** Mulsant & Godart,1855 (Melyridae)
7604. **Malachius suturalis** Motschoulsky,1854 (Melyridae)
7605. **Malachius truncaticornis** Abeille,1890 (Melyridae)
7606. **Maladera (Aserica) matrida** Argamon,1986 (Scarabaeidae)
7607. **Maladera (Cephaloserica) insanabilis** Brenske,1894 (Scarabaeidae)
7608. **Maladera (Eusericula) modesta** (Fairmaire,1881) (Scarabaeidae)
7609. **Maladera (Macroserica) allemandi** Keith,1998 (Scarabaeidae)
7610. **Maladera (Macroserica) angusta** Baraud,1990 (Scarabaeidae)
7611. **Maladera (Macroserica) armeniaca** Reitter,1896 (Scarabaeidae)
7612. **Maladera (Macroserica) attaliensis** Petrovitz,1969 (Scarabaeidae)
7613. **Maladera (Macroserica) besucheti** Baraud,1990 (Scarabaeidae)
7614. **Maladera (Macroserica) bruschi** Sabatinelli,1977 (Scarabaeidae)
7615. **Maladera (Macroserica) fusconitens** (Fairmaire,1892) (Scarabaeidae)
7616. **Maladera (Macroserica) lodosi** Baraud,1975 (Scarabaeidae)
7617. **Maladera (Macroserica) loebli** Baraud,1990 (Scarabaeidae)
7618. **Maladera (Macroserica) lyciensis** Petrovitz,1969 (Scarabaeidae)
7619. **Maladera (Macroserica) olivieri** Keith,1998 (Scarabaeidae)
7620. **Maladera (Macroserica) phoenicica** Petrovitz,1969 (Scarabaeidae)
7621. **Maladera (Macroserica) punctatissima** (Faldermann,1835) (Scarabaeidae)
7622. **Maladera (Macroserica) seleuciensis** Petrovitz,1969 (Scarabaeidae)
7623. **Maladera (Macroserica) syriaca** Petrovitz,1969 (Scarabaeidae)
7624. **Maladera (Macroserica) taurica** Petrovitz,1969 (Scarabaeidae)
7625. **Maladera (Macroserica) vignai** Sabatinelli,1977 (Scarabaeidae)
7626. **Maladera (Macroserica) wewalkai** Petrovitz,1969 (Scarabaeidae)
7627. **Malenia bosnica** (Horvath,1907) (Derbidae)
7628. **Malenia kilisica** Dlabola,1986 (Derbidae)
7629. **Malenia licea** Dlabola,1979 (Derbidae)
7630. **Malenia mesasiatica** Dubowsky,1965 (Derbidae)
7631. **Malthinus alemdagensis** Wittmer,1974 (Cantharidae)
7632. **Malthinus anaticus** Wittmer,1974 (Cantharidae)
7633. **Malthinus artvinensis** Wittmer,1978 (Cantharidae)
7634. **Malthinus bezdeki** Svihla,2002 (Cantharidae)
7635. **Malthinus brancuccii** Wittmer,1978 (Cantharidae)
7636. **Malthinus byzantinus** Wittmer,1974 (Cantharidae)
7637. **Malthinus ciraliensis** Svihla,2009 (Cantharidae)
7638. **Malthinus complexus** Wittmer,1993 (Cantharidae)
7639. **Malthinus conspicuus** Kiesenwetter,1852 (Cantharidae)
7640. **Malthinus cornutus** Wittmer,1974 (Cantharidae)
7641. **Malthinus corylicus** Wittmer,1974 (Cantharidae)
7642. **Malthinus crenaticeps** Wittmer,1974 (Cantharidae)
7643. **Malthinus elbursensis** Wittmer,1978 (Cantharidae)
7644. **Malthinus frantiseki** Svihla,2002 (Cantharidae)
7645. **Malthinus freyi** Wittmer,1974 (Cantharidae)
7646. **Malthinus furcatus** Wittmer,1974 (Cantharidae)
7647. **Malthinus hetiticus** Wittmer,1974 (Cantharidae)
7648. **Malthinus hulai** Svihla,2009 (Cantharidae)
7649. **Malthinus interruptus** Wittmer,1974 (Cantharidae)
7650. **Malthinus jordanicus** Wittmer,1974 (Cantharidae)
7651. **Malthinus kadleci** Svihla,2002 (Cantharidae)
7652. **Malthinus kaszabi** Wittmer,1974 (Cantharidae)
7653. **Malthinus lasistanus** Wittmer,1974 (Cantharidae)
7654. **Malthinus libenae** Svihla,2002 (Cantharidae)
7655. **Malthinus lundbergi** Svihla,1994 (Cantharidae)
7656. **Malthinus magisi** Wittmer,1974 (Cantharidae)
7657. **Malthinus malinkai** Svihla,2009 (Cantharidae)
7658. **Malthinus marashensis** Wittmer,1974 (Cantharidae)
7659. **Malthinus medianus** Wittmer,1974 (Cantharidae)
7660. **Malthinus mediterraneus** Wittmer,1974 (Cantharidae)
7661. **Malthinus mesopotamicus** Wittmer,1974 (Cantharidae)
7662. **Malthinus muehle**i Svihla,1990 (Cantharidae)
7663. **Malthinus nabataeicus** Wittmer,1974 (Cantharidae)
7664. **Malthinus pamphylicus** Wittmer,1974 (Cantharidae)

7665. **Malthinus petraensis** Wittmer,1971
(Cantharidae)
7666. **Malthinus prudeki** Svihla,2002
(Cantharidae)
7667. **Malthinus pseudoflaveolus**
Wittmer,1974 (Cantharidae)
7668. **Malthinus pseudointerruptus**
Wittmer,1974 (Cantharidae)
7669. **Malthinus rauschi** Wittmer,1978
(Cantharidae)
7670. **Malthinus ressl**i Wittmer,1978
(Cantharidae)
7671. **Malthinus rydhi** Wittmer,1993
(Cantharidae)
7672. **Malthinus samsunicus** Wittmer,1974
(Cantharidae)
7673. **Malthinus stanislavi** Svihla,2004
(Cantharidae)
7674. **Malthinus strangulatus** Wittmer,1974
(Cantharidae)
7675. **Malthinus walteri** Svihla,2002
(Cantharidae)
7676. **Malthinus wittmeri** Svihla,1998
(Cantharidae)
7677. **Malthinus zahradni**ki Svihla,2002
(Cantharidae)
7678. **Malthodes akbesianus** Pic,1901
(Cantharidae)
7679. **Malthodes amasiae** Wittmer,1971
(Cantharidae)
7680. **Malthodes andreasi** Svihla,2009
(Cantharidae)
7681. **Malthodes besucheti** Wittmer,1970
(Cantharidae)
7682. **Malthodes bucakensis** Wittmer,1970
(Cantharidae)
7683. **Malthodes denizlianus** Wittmer,1970
(Cantharidae)
7684. **Malthodes flagellatus** Svihla,2009
(Cantharidae)
7685. **Malthodes gillerforsi** Wittmer,1993
(Cantharidae)
7686. **Malthodes halabensis** Svihla,2002
(Cantharidae)
7687. **Malthodes heinertzi** Wittmer,1979
(Cantharidae)
7688. **Malthodes kirisensis** Svihla,2004
(Cantharidae)
7689. **Malthodes kopecky**i Svihla,2002
(Cantharidae)
7690. **Malthodes kopetzi** Svihla,2002
(Cantharidae)
7691. **Malthodes lycicus** Svihla,2009
(Cantharidae)
7692. **Malthodes malinkorum** Svihla,2009
(Cantharidae)
7693. **Malthodes mushensis** Wittmer,1997
(Cantharidae)
7694. **Malthodes olympicus** Svihla,2004
(Cantharidae)
7695. **Malthodes paveli** Svihla,2009
(Cantharidae)
7696. **Malthodes pergensis** Wittmer,1993
(Cantharidae)
7697. **Malthodes rauschorum** Wittmer,1997
(Cantharidae)
7698. **Malthodes rolciki** Svihla,1998
(Cantharidae)
7699. **Malthodes ruziclai** Svihla,2002
(Cantharidae)
7700. **Malthodes rydhi** Svihla,1994
(Cantharidae)
7701. **Malthodes turcicus** Kiesenwetter,1872
(Cantharidae)
7702. **Malthodes vavrai** Svihla,1998
(Cantharidae)
7703. **Malthodes walteri** Svihla,2002
(Cantharidae)
7704. **Malthodes weigeli** Svihla,2004
(Cantharidae)
7705. **Malthodes zahradni**ki Svihla,1998
(Cantharidae)
7706. **Malthodes zdeneki** Svihla,2009
(Cantharidae)
7707. **Manica rubida** (Latreille,1802)
(Formicidae)
7708. **Mannerheimia brevipennis**
(Motschoulsky,1860) (Staphylinidae)
7709. **Mantis religiosa** (Linnaeus,1758)
(Mantidae)
7710. **Mantispa adelungi** Navas,1912
(Mantispidae)
7711. **Mantispa aphavexelte** U.Aspöck &
H.Aspöck,1994 (Mantispidae)
7712. **Mantispa scabricollis** McLachlan,1875
(Mantispidae)
7713. **Mantispa styriaca** (Poda,1761)
(Mantispidae)
7714. **Mantura chrysanthemi** (Koch,1803)
(Chrysomelidae)
7715. **Mantura cylindrica** Miller,1880
(Chrysomelidae)
7716. **Mantura rustica** (Linnaeus,1767)
(Chrysomelidae)
7717. **Maracanda iranica** Hölzel,1968
(Myrmeleonidae)
7718. **Marchalina hellenica** (Gennadius)
(Margarodidae)
7719. **Margarinotus (Paralister)**
purpurascens (Herbst,1792) (Histeridae)
7720. **Marietta leopardina**
Motschoulsky,1863 (Aphelinidae)
7721. **Marietta picta** (André,1878)
(Aphelinidae)
7722. **Marthamea vitripennis**
(Burmeister,1839) (Perlidae)
7723. **Masaris aegytiacus** Meade-Waldo,1911
(Vespidae)
7724. **Masaris carli** Schulthess,1921 (Vespidae)
7725. **Masicera cuculliae** (Robineau-
Desvoidy,1830) (Tachinidae)
7726. **Matsucoccus josephi** Bodenheimer &
Harpaz (Margarodidae)
7727. **Matsucoccus pini** Green (Margarodidae)
7728. **Mayetiola destructor** (Say,1817)
(Cecidomyiidae)
7729. **Mayetiola hordei** Kieffer,1909
(Cecidomyiidae)
7730. **Mayridia formusula** Mercet (Encyrtidae)
7731. **Mayridia merceti** Trjapitzin (Encyrtidae)
7732. **Mayridia pulchra** Mercet (Encyrtidae)
7733. **Meconema thalassinum** (De Geer,1773)
(Tettigoniidae)
7734. **Mecostethus alliaceus** (Germar,1817)
(Acrididae)

7735. **Medecticus assimilis** (Fieber,1853)
(Tettigoniidae)
7736. **Medecticus goliath** Uvarov,1923
(Tettigoniidae)
7737. **Medina melania** (Meigen,1824)
(Tachinidae)
7738. **Meenoplus albosignatus** Fieber,1866
(Meenoplidae)
7739. **Megabombus argillaceus** (Scopoli,1763)
(Apidae)
7740. **Megabombus armeniacus**
(Radoszkowski,1877) (Apidae)
7741. **Megabombus humilis** (Illiger,1806)
(Apidae)
7742. **Megabombus mesomelas**
(Gerstaecker,1869) (Apidae)
7743. **Megabombus pascuorum**
(Scopoli,1763) (Apidae)
7744. **Megabombus zonatus** (Smith,1854)
(Apidae)
7745. **Megacephala euphratica** Dejean,1822
(Carabidae)
7746. **Megachile (Eutricharaea) apicalis**
Spinola,1808 (Megachilidae)
7747. **Megachile (Eutricharaea) deceptoria**
Perez,1890 (Megachilidae)
7748. **Megachile (Eutricharaea) pilidens**
Alfken,1924 (Megachilidae)
7749. **Megachile (s.str.) pilicrus**
Morawitz,1878 (Megachilidae)
7750. **Megachile (s.str.) pyrenaea** Perez,1890
(Megachilidae)
7751. **Megachile (Xanthosarus) giraudi**
Gerstaecker,1869 (Megachilidae)
7752. **Megachile (Xanthosarus) lagopoda**
(Linnaeus,1761) (Megachilidae)
7753. **Megachile (Xanthosarus) maritima**
(Kirby,1802) (Megachilidae)
7754. **Megadelphax sordidula** (Stål,1853)
(Delphacidae)
7755. **Megalocoleus dissimilis** (Reuter,1876)
(Miridae)
7756. **Megalocoleus exsanguis** (Herrich-
Schäffer,1835) (Miridae)
7757. **Megalomerium meridionale**
(Costa,1838) (Berytidae)
7758. **Megalonotus concors** (Hovarth,1878)
(Lygaeidae)
7759. **Megalonotus lynceus** (Fabricius,1775)
(Lygaeidae)
7760. **Megapenthes lugens**
(Redtenbacher,1842) (Elateridae)
7761. **Megapenthes rutilipennis**
Candeze,1859 (Elateridae)
7762. **Megarthus bellevoeyi** Saulcy,1862
(Staphylinidae)
7763. **Megarthus denticollis** (Beck,1817)
(Staphylinidae)
7764. **Megascolia maculata** (Drury,1773)
(Scoliidae)
7765. **Megaselia berndseni** (Schmitz,1919)
(Phoridae)
7766. **Megaselia coetanea** Schmitz,1929
(Phoridae)
7767. **Megaselia flavicans** Schmitz,1935
(Phoridae)
7768. **Megaselia onis** Mostovski &
Disney,2002 (Phoridae)
7769. **Megaselia plurispinulosa**
(Zetterstedt,1860) (Phoridae)
7770. **Megastigmus aculeatus**
(Swederus,1795) (Torymidae)
7771. **Megastigmus almusiensis**
Doğanlar,1989 (Torymidae)
7772. **Megastigmus bipunctatus**
(Swederus,1795) (Torymidae)
7773. **Megastigmus dorsalis** (Fabricius,1798)
(Torymidae)
7774. **Megastigmus dumicola** Boucek,1982
(Torymidae)
7775. **Megastigmus juniperi** Nikol'skaya,1952
(Torymidae)
7776. **Megastigmus pistaciae** Walker,1871
(Torymidae)
7777. **Megastigmus rosae** Boucek,1971
(Torymidae)
7778. **Megastigmus schimitscheki**
Novicky,1954 (Torymidae)
7779. **Megastigmus stigmatizans**
(Fabricius,1798) (Torymidae)
7780. **Megastigmus suspectus** Borries,1895
(Torymidae)
7781. **Megastigmus wachtli** Seitner,1916
(Torymidae)
7782. **Megatelus contractus** (Klug,1845)
(Scarabaeidae)
7783. **Megatelus contractus** (Klug,1845)
(Scarabaeidae)
7784. **Megischina adeliae** (Reitter,1890)
(Tenebrionidae)
7785. **Megischina armillata** (Brullé,1832)
(Tenebrionidae)
7786. **Megischina bozdaglariensis**
Novak,2006 (Tenebrionidae)
7787. **Megistopus flavicornis** (Rossi,1807)
(Myrmeleonidae)
7788. **Megophthalmus scabripennis**
Edwards,1915 (Cicadellidae)
7789. **Megophthalmus scanicus** (Fallén,1806)
(Cicadellidae)
7790. **Megulopa sahlbergorum** Lindberg,1924
(Cicadellidae)
7791. **Meigenia mutabilis** (Fallén,1810)
(Tachinidae)
7792. **Melanagromyza aeneoventris**
(Fallén,1823) (Agromyzidae)
7793. **Melanagromyza cunctans**
(Meigen,1830) (Agromyzidae)
7794. **Melanagromyza heracleana**
Zlobin,2005 (Agromyzidae)
7795. **Melanagromyza pubescens**
Hendel,1923 (Agromyzidae)
7796. **Melanagromyza tripolii** Spencer,1957
(Agromyzidae)
7797. **Melanagromyza vignalis** Spencer,1959
(Agromyzidae)
7798. **Melanaspis inopinata** (Leonardi)
(Diaspididae)
7799. **Melanimon kiritshenkoi** Reichart,1936
(Tenebrionidae)
7800. **Melanogryllus desertus** (Pallas,1771)
(Gryllidae)
7801. **Melanosoma bicolor** (Meigen,1824)
(Conopidae)
7802. **Melanostoma mellinum**
(Linnaeus,1758) (Syrphidae)

7803. **Melanostoma scalare** (Fabricius,1794)
(Syrphidae)
7804. **Melanotus (s.str.) aemulus**
(Erichson,1841) (Elateridae)
7805. **Melanotus (s.str.) armeniacus**
Schwarz,1891 (Elateridae)
7806. **Melanotus (s.str.) atricapillus**
Reitter,1891 (Elateridae)
7807. **Melanotus (s.str.) bajulus**
(Erichson,1841) (Elateridae)
7808. **Melanotus (s.str.) brignolii** Guglielmi &
Platia,1985 (Elateridae)
7809. **Melanotus (s.str.) brunripes**
(Germar,1824) (Elateridae)
7810. **Melanotus (s.str.) castanipes**
(Paykull,1800) (Elateridae)
7811. **Melanotus (s.str.) crassicollis**
(Erichson,1841) (Elateridae)
7812. **Melanotus (s.str.) dichrous**
(Erichson,1841) (Elateridae)
7813. **Melanotus (s.str.) fraseri** Platia &
Schimmel,1993 (Elateridae)
7814. **Melanotus (s.str.) fulvus** Reitter,1891
(Elateridae)
7815. **Melanotus (s.str.) fusciceps**
(Gyllenhal,1817) (Elateridae)
7816. **Melanotus (s.str.) monticola**
(Ménétriés,1832) (Elateridae)
7817. **Melanotus (s.str.) mutatus** Harold,1869
(Elateridae)
7818. **Melanotus (s.str.) osellai** Guglielmi &
Platia,1985 (Elateridae)
7819. **Melanotus (s.str.) punctolineatus**
(Pélerin,1829) (Elateridae)
7820. **Melanotus (s.str.) sobrinus**
(Ménétriés,1832) (Elateridae)
7821. **Melanotus (s.str.) tenebrosus**
(Erichson,1841) (Elateridae)
7822. **Melanotus (s.str.) turcicus** Platia &
Gudenzi,2002 (Elateridae)
7823. **Melanotus (s.str.) villosus**
(Fourcroy,1785) (Elateridae)
7824. **Melanotus (Spheniscosomus)**
cuneiformis (Baudi,1871) (Elateridae)
7825. **Meliboeus adlbaueri** Niehuis,1997
(Buprestidae)
7826. **Meliboeus amethystinus** (Olivier,1790)
(Buprestidae)
7827. **Melicharella proxima** Dlabola,1960
(Cicadellidae)
7828. **Meliera nigratarsis** Becker,1903
(Ulidiidae)
7829. **Meligethes ater** Brisout,1868
(Nitidulidae)
7830. **Meligethes devillei** Grouvelle,1912
(Nitidulidae)
7831. **Meligethes holzschuhi** Jelinek &
Spornraft,1979 (Nitidulidae)
7832. **Meligethes incanus** Sturm,1845
(Nitidulidae)
7833. **Meligethes interjectus** Jelinek &
Spornraft,1979 (Nitidulidae)
7834. **Meligethes jordanis** Jelinek &
Spornraft,1979 (Nitidulidae)
7835. **Meligethes maurus** Sturm,1845
(Nitidulidae)
7836. **Meligethes perceptus** Jelinek &
Spornraft,1979 (Nitidulidae)
7837. **Meligethes pheretra** Easton,1956
(Nitidulidae)
7838. **Meligethes tauricus** Jelinek &
Spornraft,1979 (Nitidulidae)
7839. **Meligethes umbrosus** Sturm,1845
(Nitidulidae)
7840. **Meligethes vomer** Kirejtschuk,1978
(Nitidulidae)
7841. **Meliscaeva auricollis** (Meigen,1822)
(Syrphidae)
7842. **Meloboris collector** (Thunberg,1822)
(Ichneumonidae)
7843. **Meloe autumnalis** Olivier,1792
(Meloidae)
7844. **Meloe bodemeyeri** Ganglbauer,1900
(Meloidae)
7845. **Meloe brevicollis** Panzer,1793 (Meloidae)
7846. **Meloe cavensis** Petagna,1819 (Meloidae)
7847. **Meloe cicatricosus** Leach,1815
(Meloidae)
7848. **Meloe deflexus** Reitter,1889 (Meloidae)
7849. **Meloe erythrocnemus** Pallas,1782
(Meloidae)
7850. **Meloe ganglbaueri** Apfelbeck,1907
(Meloidae)
7851. **Meloe glasunovi** Pliginski,1910
(Meloidae)
7852. **Meloe hungarus** Schrank,1776
(Meloidae)
7853. **Meloe mediterraneus** Müller,1925
(Meloidae)
7854. **Meloe olivieri** Chevrolat,1833 (Meloidae)
7855. **Meloe proscarabaeus** Linnaeus,1758
(Meloidae)
7856. **Meloe rufiventris** Germar,1817
(Meloidae)
7857. **Meloe rugosus** Marsham,1802
(Meloidae)
7858. **Meloe scabriusculus** Brandt &
Erichson,1832 (Meloidae)
7859. **Meloe tuccicus** Rossi,1792 (Meloidae)
7860. **Meloe variegatus** Donovan,1793
(Meloidae)
7861. **Meloe violaceus** Marsham,1802
(Meloidae)
7862. **Melolontha (s.str.) albida**
Frivaldsky,1835 (Scarabaeidae)
7863. **Melolontha (s.str.) anita** Reitter,1902
(Scarabaeidae)
7864. **Melolontha (s.str.) excisicauda**
Balthasar,1936 (Scarabaeidae)
7865. **Melolontha (s.str.) melolontha**
Linnaeus,1758 (Scarabaeidae)
7866. **Menephus cylindricus** (Herbst,1784)
(Tenebrionidae)
7867. **Mercetaspis halli** (Green) (Diaspididae)
7868. **Mercetaspis sureyanus** (Bodenheimer)
(Diaspididae)
7869. **Meria tripunctata** (Rossi,1790)
(Tiphidae)
7870. **Meringopus calescens**
(Gravenhorst,1829) (Ichneumonidae)
7871. **Meringopus cyanator**
(Gravenhorst,1829) (Ichneumonidae)
7872. **Meringopus nigerrimus**
(Fonscolombe,1850) (Ichneumonidae)
7873. **Meringopus pseudonymphus**
(Tschek,1872) (Ichneumonidae)

7874. **Meringopus titilator** (Linnaeus,1758)
(Ichneumonidae)
7875. **Merisus splendidus** Walker
(Pteromalidae)
7876. **Merodon aberrans** Egger,1860
(Syrphidae)
7877. **Merodon alagoezicus** Paramonov,1925
(Syrphidae)
7878. **Merodon altinosus** Hurkmans,1993
(Syrphidae)
7879. **Merodon ankylogaster** Hurkmans,1993
(Syrphidae)
7880. **Merodon aureotibia** Hurkmans,1993
(Syrphidae)
7881. **Merodon auronitens** Hurkmans,1993
(Syrphidae)
7882. **Merodon avidus** (Rossi,1790)
(Syrphidae)
7883. **Merodon biarcuatus** Curran,1939
(Syrphidae)
7884. **Merodon caudatus** Sack,1913 (Syrphidae)
7885. **Merodon clavipes** (Fabricius,1781)
(Syrphidae)
7886. **Merodon clunipes** Sack,1913 (Syrphidae)
7887. **Merodon crassifemoris**
Paramonov,1925 (Syrphidae)
7888. **Merodon cupreus** Hurkmans,1993
(Syrphidae)
7889. **Merodon distinctus** Palma,1863
(Syrphidae)
7890. **Merodon erivanicus** Paramonov,1925
(Syrphidae)
7891. **Merodon femoratoides**
Paramonov,1925 (Syrphidae)
7892. **Merodon femoratus** Sack,1913
(Syrphidae)
7893. **Merodon flaviventris** (Sack,1932)
(Syrphidae)
7894. **Merodon funestus** (Fabricius,1794)
(Syrphidae)
7895. **Merodon geniculatus** Strobl,1909
(Syrphidae)
7896. **Merodon hamifer** Sack,1913 (Syrphidae)
7897. **Merodon hirsutus** Sack,1913 (Syrphidae)
7898. **Merodon hypochrysos** Hurkmans,1993
(Syrphidae)
7899. **Merodon kaloceros** Hurkmans,1993
(Syrphidae)
7900. **Merodon loewi** Van der Gott,1964
(Syrphidae)
7901. **Merodon longicornis** Sack,1913
(Syrphidae)
7902. **Merodon lucasi** Hurkmans,1993
(Syrphidae)
7903. **Merodon marginicornis**
Hurkmans,1993 (Syrphidae)
7904. **Merodon nanus** (Sack,1913) (Syrphidae)
7905. **Merodon natans** (Fabricius,1794)
(Syrphidae)
7906. **Merodon nigratarsis** Rondani,1845
(Syrphidae)
7907. **Merodon nitidifrons** Hurkmans,1993
(Syrphidae)
7908. **Merodon obscuratarsis** Strobl,1909
(Syrphidae)
7909. **Merodon oidipous** Hurkmans,1993
(Syrphidae)
7910. **Merodon ottomanus** Hurkmans,1993
(Syrphidae)
7911. **Merodon persicus** Hurkmans,1993
(Syrphidae)
7912. **Merodon pruni** (Rossi,1790) (Syrphidae)
7913. **Merodon quadrinotatus** (Sack,1931)
(Syrphidae)
7914. **Merodon satdagensis** Hurkmans,1993
(Syrphidae)
7915. **Merodon schahti** Hurkmans,1993
(Syrphidae)
7916. **Merodon taniniensis** Hurkmans,1993
(Syrphidae)
7917. **Merodon telmateia** Hurkmans,1987
(Syrphidae)
7918. **Merodon testaceus** Sack,1913 (Syrphidae)
7919. **Merodon turkestanicus**
Paramonov,1926 (Syrphidae)
7920. **Merodon vandergooti** Hurkmans,1993
(Syrphidae)
7921. **Merodon velox** Loew,1869 (Syrphidae)
7922. **Merodon warnckeii** Hurkmans,1993
(Syrphidae)
7923. **Merodon xanthipous** Hurkmans,1993
(Syrphidae)
7924. **Mesagallia georgii** Zachvatkin,1946
(Cicadellidae)
7925. **Mesochorus nigripes** Ratzeburg,1852
(Ichneumonidae)
7926. **Mesochorus vittator** (Zetterstedt,1839)
(Ichneumonidae)
7927. **Mesoleptogaster cappadocia** Hasbenli
& Çağlar,2009 (Asilidae)
7928. **Mesoleptus filicornis** (Thomson,1884)
(Ichneumonidae)
7929. **Mesoleptus marginatus**
(Thomson,1884) (Ichneumonidae)
7930. **Mesomorpha longulus** (Reiche,1847)
(Tenebrionidae)
7931. **Mesonemurus steineri** Hölzel,1972
(Myrmeleonidae)
7932. **Mesophantia pallens** Melichar,1902
(Flatidae)
7933. **Mesopolobus diffinis** (Walker,1834)
(Pteromalidae)
7934. **Mesopolobus graminum** (Hardh,1950)
(Pteromalidae)
7935. **Mesopolobus incultus** (Walker,1874)
(Pteromalidae)
7936. **Mesopolobus laticornis** (Walker,1834)
(Pteromalidae)
7937. **Mesopolobus mediterraneus**
(Mayr,1903) (Pteromalidae)
7938. **Mesopolobus morys** (Walker,1848)
(Pteromalidae)
7939. **Mesopolobus nobilis** (Walker,1834)
(Pteromalidae)
7940. **Mesopolobus sericeus** (Forster,1770)
(Pteromalidae)
7941. **Mesopolobus teliformis** (Walker,1834)
(Pteromalidae)
7942. **Mesoptylus impictifrons**
(Horvath,1911) (Cercopidae)
7943. **Mesoptylus petrovi** (Grigoriev,1910)
(Cercopidae)
7944. **Mesostena puncticollis** Solier,1835
(Tenebrionidae)

7945. **Mesostenus albinotatus**
Gravenhorst,1829 (Ichneumonidae)
7946. **Mesostenus grammicus**
Gravenhorst,1829 (Ichneumonidae)
7947. **Mesostenus transfuga**
Gravenhorst,1829 (Ichneumonidae)
7948. **Messor semirufus** (**André,1881**)
(Formicidae)
7949. **Messor structor** (**Latreille,1798**)
(Formicidae)
7950. **Metacantharis araxicola** **Reitter,1891**
(Cantharidae)
7951. **Metacantharis clypeata** (**Illiger,1798**)
(Cantharidae)
7952. **Metacantharis kostali** **Wittmer,1997**
(Cantharidae)
7953. **Metacantharis taurigrada**
Bourgeois,1900 (Cantharidae)
7954. **Metacantharis torosensis** **Svihla,1999**
(Cantharidae)
7955. **Metacantharis walteri** **Svihla,1999**
(Cantharidae)
7956. **Metaclisa azurea** (**Waltl,1838**)
(Tenebrionidae)
7957. **Metacnephia persica** (**Rubtsov,1940**)
(Simuliidae)
7958. **Metacnephia subalpina** (**Rubtsov,1956**)
(Simuliidae)
7959. **Metacnephia subalpina** (**Rubtsov,1956**)
(Simuliidae)
7960. **Metacnephia terterjani** (**Rubtsov,1955**)
(Simuliidae)
7961. **Metadenopus ankaranus**
(Bodenheimer) (Pseudococcidae)
7962. **Metalimnobia (s.str.) bifasciata**
(Schränk,1781) (Limoniidae)
7963. **Metalimnobia (s.str.) quadrimaculata**
(Linnaeus,1761) (Limoniidae)
7964. **Metanotalia maderensis** (**Walker**)
(Encyrtidae)
7965. **Metaphycus asterolecanii** (**Mercet**)
(Encyrtidae)
7966. **Metaphycus bellae** **Trjapitzin**
(Encyrtidae)
7967. **Metaphycus delos Guerrieri & Noyes**
(Encyrtidae)
7968. **Metaphycus dispar** (**Mercet**) (Encyrtidae)
7969. **Metaphycus flavus** (**Howard**)
(Encyrtidae)
7970. **Metaphycus garmon Guerrieri & Noyes**
(Encyrtidae)
7971. **Metaphycus gennaroi Guerrieri & Noyes**
(Encyrtidae)
7972. **Metaphycus helvolus** (**Compere**)
(Encyrtidae)
7973. **Metaphycus ibericus** (**Mercet**)
(Encyrtidae)
7974. **Metaphycus insidiosus** (**Mercet**)
(Encyrtidae)
7975. **Metaphycus melanostomatus**
(Timberlake) (Encyrtidae)
7976. **Metaphycus petitus** (**Walker**)
(Encyrtidae)
7977. **Metaphycus piceus** **Hoffer** (Encyrtidae)
7978. **Metaphycus silvestrii** **Sugonjaev**
(Encyrtidae)
7979. **Metaphycus stagnarum** **Hoffer**
(Encyrtidae)
7980. **Metasyrphus corollae** (**Fabricius,1794**)
(Syrphidae)
7981. **Metcalfa pruinosa** (**Say,1830**) (Flatidae)
7982. **Methocha articulata** (**Latreille,1792**)
(Tiphidae)
7983. **Metopia argyrocephala** (**Meigen,1824**)
(Sarcophagidae)
7984. **Metopius (Ceratopius) dissectorius**
(Panzer,1805) (Ichneumonidae)
7985. **Metopius (Ceratopius) erythropus**
Kirechbaumer,1894 (Ichneumonidae)
7986. **Metopius (Peltocarus) croceicornis**
Thomson,1887 (Ichneumonidae)
7987. **Metopius (Peltocarus) dentatus**
(Fabricius,1779) (Ichneumonidae)
7988. **Metopius (Peltocarus) dirus**
Mocsary,1883 (Ichneumonidae)
7989. **Metopius (s.str.) fulvicornis**
Mocsary,1883 (Ichneumonidae)
7990. **Metopius (Tylopius) brevispinus**
Thomson,1887 (Ichneumonidae)
7991. **Metopius (Tylopius) leiopygus**
Förster,1859 (Ichneumonidae)
7992. **Metopius (Tylopius) pinatorius**
Brullé,1846 (Ichneumonidae)
7993. **Metopodia pilicornis** (**Pandellé,1895**)
(Sarcophagidae)
7994. **Metopomyza scutellata** (**Fallén,1823**)
(Agromyzidae)
7995. **Metopomyza xanthaspis** (**Loew,1858**)
(Agromyzidae)
7996. **Metopsia assingi** **Zerche,1998**
(Staphylinidae)
7997. **Metopsia similis** **Zerche,1998**
(Staphylinidae)
7998. **Metriocnemus cubitalis** **Kieffer,1911**
(Chironomidae)
7999. **Metrioptera (Bicolorana) bicolor**
(Philippi,1830) (Tettigoniidae)
8000. **Metrioptera (Bicolorana) burri**
Uvarov,1921 (Tettigoniidae)
8001. **Metrioptera (Broughtonia) arnoldi**
Ramme,1933 (Tettigoniidae)
8002. **Metrioptera (Roeseliana) bispina**
(Bolivar,1899) (Tettigoniidae)
8003. **Metrioptera (Roeseliana) fedschenkoi**
(Saussure,1874) (Tettigoniidae)
8004. **Metrioptera (Roeseliana) pylnovi**
Uvarov,1924 (Tettigoniidae)
8005. **Metrioptera (Vichetia) oblongicollis**
(Brunner von Wattenwyl,1882)
(Tettigoniidae)
8006. **Micantulina (Mulsantina) acuticeps**
(Linnavuori,1962) (Cicadellidae)
8007. **Micantulina (Mulsantina) stigmatipennis**
(Mulsant & Rey,1855)
(Cicadellidae)
8008. **Micantulina (Mulsantina) teucarii**
(Cerutti,1938) (Cicadellidae)
8009. **Micantulina (s.str.) micantula**
(Zetterstedt,1840) (Cicadellidae)
8010. **Microcara caspica** **Reitter,1889**
(Scirtidae)
8011. **Microcara Thomson,1859** (Scirtidae)
8012. **Microchelonus basalis** (**Curtis,1837**)
(Braconidae)
8013. **Microchelonus contracta** (**Nees,1834**)
(Braconidae)

8014. **Microchelonus hungarica**
(**Szepliget,1896**) (Braconidae)
8015. **Microchelonus nitens** (**Reinhard,1867**)
(Braconidae)
8016. **Microchelonus sulcata** (**Jurine,1807**)
(Braconidae)
8017. **Micrococcopsis elongatus** **Borkhsenius**
(Pseudococcidae)
8018. **Micrococcopsis stipae** **Borchsenius**
(Pseudococcidae)
8019. **Micrococcus inermis** (**Hall**)
(Pseudococcidae)
8020. **Micrococcus similis** **Leonardi**
(Micrococcidae)
8021. **Microcricotopus bicolor**
(**Zetterstedt,1850**) (Chironomidae)
8022. **Microdontomerus annulatus**
(**Spinola,1808**) (Torymidae)
8023. **Microdynerus anatolicus**
(**Blüthgen,1938**) (Vespidae)
8024. **Microdynerus appenninicus** **Giordani**
Soika,1960 (Vespidae)
8025. **Microdynerus confinis**
Gusenleitner,1979 (Vespidae)
8026. **Microdynerus curdistanicus**
Gusenleitner,1988 (Vespidae)
8027. **Microdynerus erzincanensis** **Yıldırım &**
Özbek,1995 (Vespidae)
8028. **Microdynerus eurasius** **Blüthgen,1938**
(Vespidae)
8029. **Microdynerus latro** **Blüthgen,1955**
(Vespidae)
8030. **Microdynerus microdynerus** (**Dalla**
Torre,1889) (Vespidae)
8031. **Microdynerus mirandus** (**Giordani**
Soika,1947) (Vespidae)
8032. **Microdynerus parvulus** (**Herrich-**
Schäffer,1838) (Vespidae)
8033. **Microdynerus saundersi** **Blüthgen,1955**
(Vespidae)
8034. **Microgaster alebion** **Nixon,1968**
(Braconidae)
8035. **Microgaster fischeri** **Papp,1960**
(Braconidae)
8036. **Microgaster fulvicornis** **Wesmael,1837**
(Braconidae)
8037. **Microgaster opheltes** **Nixon,1968**
(Braconidae)
8038. **Microgaster subcompleta** **Nees,1834**
(Braconidae)
8039. **Microhoria terminata** (**Schmidt,1842**)
(Anthicidae)
8040. **Microlarinus lareynii** (**Jacquilin du**
Val,1852) (Curculionidae)
8041. **Microlycus erdoesi** **Boucek** (Eulophidae)
8042. **Micromallosia heinzorum**
Holzschuh,1991 (Cerambycidae)
8043. **Micromallosia heydeni**
(**Ganglbauer,1888**) (Cerambycidae)
8044. **Micromallosia theresae** **Pic,1900**
(Cerambycidae)
8045. **Micronecta anatolica** **Lindberg,1922**
(Corixidae)
8046. **Micronecta griseola** (**Linnaeus,1758**)
(Corixidae)
8047. **Micronecta minutissima**
(**Linnaeus,1758**) (Corixidae)
8048. **Micronecta perplexa** **Horvath,1899**
(Corixidae)
8049. **Micronecta pusilla** (**Horvath,1895**)
(Corixidae)
8050. **Micronecta vitticeps** (**Horvath,1895**)
(Corixidae)
8051. **Micronecta wui** **Lundblad,1933**
(Corixidae)
8052. **Micropeplus fulvus** **Erichson,1840**
(Staphylinidae)
8053. **Micropeplus tesserula** **Curtis,1828**
(Staphylinidae)
8054. **Microphadnus insperatus**
Priesner,1967 (Pompilidae)
8055. **Microphadnus pumilus** (**Costa,1882**)
(Pompilidae)
8056. **Micropodisma koenigi** (**Burr,1913**)
(Acrididae)
8057. **Micropsectra curvicornis**
(**Tchernovskii,1949**) (Chironomidae)
8058. **Micropsectra notescens** (**Walker,1856**)
(Chironomidae)
8059. **Microptilis cebes** **Nixon,1970**
(Braconidae)
8060. **Microptilis deces** **Tobias,1964**
(Braconidae)
8061. **Microptilis decipiens** **Prell,1925**
(Braconidae)
8062. **Microptilis deprimator**
(**Fabricius,1798**) (Braconidae)
8063. **Microptilis docilis** (**Telenga,1964**)
(Braconidae)
8064. **Microptilis flavipalpis** **Brullé,1832**
(Braconidae)
8065. **Microptilis fordii** **Nixon,1970**
(Braconidae)
8066. **Microptilis heterocera** **Ruthe,1860**
(Braconidae)
8067. **Microptilis idia** **Nixon,1970** (Braconidae)
8068. **Microptilis mandibularis**
Thomson,1895 (Braconidae)
8069. **Microptilis marshallii** **Kokujev,1897**
(Braconidae)
8070. **Microptilis mediator** (**Haliday,1834**)
(Braconidae)
8071. **Microptilis naenia** **Nixon,1970**
(Braconidae)
8072. **Microptilis scrophulariae**
Szepliget,1898 (Braconidae)
8073. **Microptilis sofron** **Nixon,1970**
(Braconidae)
8074. **Microptilis spinolae** **Nees,1834**
(Braconidae)
8075. **Microptilis strenua** **Reinhard,1880**
(Braconidae)
8076. **Microptilis tristis** (**Nees,1834**)
(Braconidae)
8077. **Microptilis tuberculifer**
(**Wesmael,1837**) (Braconidae)
8078. **Microptilis varipes** **Ruthe,1860**
(Braconidae)
8079. **Microptilis vidua** (**Ruthe,1860**)
(Braconidae)
8080. **Micrositus opacus** **Reitter,1904**
(Tenebrionidae)
8081. **Microtelus careniceps** **Reiche &**
Saulcy,1857 (Tenebrionidae)
8082. **Microtelus limitis** **Reitter** (Tenebrionidae)

8083. **Microtelus persis Baudi** (Tenebrionidae)
8084. **Microtendipes chloris (Meigen,1804)**
(Chironomidae)
8085. **Microtendipes tarsalis (Walker,1856)**
(Chironomidae)
8086. **Microterys bellae Trjapitzin** (Encyrtidae)
8087. **Microterys cneus Trjapitzin & Sugonjaev** (Encyrtidae)
8088. **Microterys darevskii Trjapitzin**
(Encyrtidae)
8089. **Microterys hortulanus Erdös**
(Encyrtidae)
8090. **Microterys lunatus (Dalman)**
(Encyrtidae)
8091. **Microterys masii Silvestri** (Encyrtidae)
8092. **Microterys nietneri (Motschulsky)**
(Encyrtidae)
8093. **Microterys tricoloricornis (De Stefani)**
(Encyrtidae)
8094. **Microthespis dmitriewi Werner,1908**
(Mantidae)
8095. **Microvelia hozari (Hoberlandt,1948)**
(Veliidae)
8096. **Microvelia pygmaea (Dufour,1833)**
(Veliidae)
8097. **Microvelia reticulata (Burmeister,1835)**
(Veliidae)
8098. **Mikiola fagi (Hartig,1839)**
(Cecidomyiidae)
8099. **Mikiola orientalis Kieffer,1908**
(Cecidomyiidae)
8100. **Mikomya coryli (Kieffer,1901)**
(Cecidomyiidae)
8101. **Milesia crabroniformis (Fabricius,1775)**
(Syrphidae)
8102. **Milesia semiluctifera (Villers,1789)**
(Syrphidae)
8103. **Milichia sinaiensis Steyskal,1966**
(Milichiidae)
8104. **Milichia speciosa Meigen,1830**
(Milichiidae)
8105. **Milichiella argentiventris Hendel,1931**
(Milichiidae)
8106. **Milichiella sp.** (Milichiidae)
8107. **Miltogramma germari Meigen,1824**
(Sarcophagidae)
8108. **Miltogramma oestracea (Fallén,1820)**
(Sarcophagidae)
8109. **Miltogramma taeniata Meigen,1824**
(Sarcophagidae)
8110. **Miomantis paykulii Stal,1871** (Mantidae)
8111. **Mioscirtus wagneri (Kittary,1849)**
(Acrididae)
8112. **Miscogaster elegans Walker**
(Pteromalidae)
8113. **Miscogaster hortensis Walker**
(Pteromalidae)
8114. **Miscogaster rufipes Walker**
(Pteromalidae)
8115. **Misthenkotetrix brachyptera (Lucas,1849)**
(Tetrigidae)
8116. **Mniophila turcica Medvedev,1970**
(Chrysomelidae)
8117. **Mocuellus deminutus Dlabola,1981**
(Cicadellidae)
8118. **Mocuellus dlabolai Kalkandelen,1972**
(Cicadellidae)
8119. **Mocuellus foxi Kalkandelen,1972**
(Cicadellidae)
8120. **Mocuellus quadricornis Dlabola,1949**
(Cicadellidae)
8121. **Mocuellus zelihae Kalkandelen,1972**
(Cicadellidae)
8122. **Mocydia aegea Abdul-Nour,1988**
(Cicadellidae)
8123. **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae)
8124. **Mocydiopsis monticola Remane,1961**
(Cicadellidae)
8125. **Mocydiopsis parvicauda Ribaut,1939**
(Cicadellidae)
8126. **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae)
8127. **Modicogryllus (Promodicogryllus) bucharicus (Bei-Bienko,1933)** (Gryllidae)
8128. **Modicogryllus (s.str.) algirius (Saussure,1877)** (Gryllidae)
8129. **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae)
8130. **Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae)
8131. **Mogangella secundaria Dlabola,1958**
(Cicadellidae)
8132. **Mogangella straminea Dlabola,1957**
(Cicadellidae)
8133. **Mogoplistes brunneus Audinet-Serville,1839** (Mogoplistidae)
8134. **Mohelnaspis massilliensis (Goux)**
(Diaspididae)
8135. **Molobratia egregia (Loew,1869)**
(Asilidae)
8136. **Molobratia teutonius (Linnaeus,1767)**
(Asilidae)
8137. **Molophilus (s.str.) aduncus Stary,1978**
(Limoniidae)
8138. **Molophilus (s.str.) griseus (Meigen,1804)** (Limoniidae)
8139. **Molophilus (s.str.) obscurus (Meigen,1818)** (Limoniidae)
8140. **Molophilus (s.str.) ochraceus (Meigen,1818)** (Limoniidae)
8141. **Molophilus (s.str.) pleuralis De Meijere,1920** (Limoniidae)
8142. **Molophilus (s.str.) propinquus (Egger,1863)** (Limoniidae)
8143. **Monarthropalpus flavus (Schrank,1776)** (Cecidomyiidae)
8144. **Monodiscodes dimorphus (Mercet)**
(Encyrtidae)
8145. **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae)
8146. **Monodontomerus aereus Walker,1834**
(Torymidae)
8147. **Monodontomerus obscurus Westwood,1833** (Torymidae)
8148. **Monodontomerus vicicellae (Walker,1847)** (Torymidae)
8149. **Monomorium dentigerum (Roger,1862)** (Formicidae)
8150. **Monomorium kusnezowi Santschi,1928**
(Formicidae)
8151. **Monomorium minutum Mayr,1855**
(Formicidae)
8152. **Monopelopia tenuicalcar (Kieffer,1918)**
(Chironomidae)

8153. **Monorthochaeta adanaensis**
Doğanlar,2002 (Trichogrammatidae)
8154. **Monorthochaeta galatica** Nowicki,1935
(Trichogrammatidae)
8155. **Monosapyga clavicornis**
(Linnaeus,1758) (Sapygidae)
8156. **Monosteira lobulifera** Reuter,1888
(Tingidae)
8157. **Monosteira pardoi** E.Wagner,1961
(Tingidae)
8158. **Monosteira unicostata** (Mulsant &
Rey,1852) (Tingidae)
8159. **Monticorixa armeniaca** (Stys,1975)
(Corixidae)
8160. **Monticorixa** Stys,1975 (Corixidae)
8161. **Morellia hortorum** (Fallén,1817)
(Muscidae)
8162. **Morimus verecundus**
(Faldermann,1836) (Cerambycidae)
8163. **Mormia revisenda** (Eaton,1896)
(Psychodidae)
8164. **Morphacris fasciata** (Thunberg,1915)
(Acrididae)
8165. **Morsina persica** Melichar,1902
(Nogodinidae)
8166. **Mosillus subsultans** (Fabricius,1794)
(Ephydriidae)
8167. **Muirodelphax aubei** (Perris,1857)
(Delphacidae)
8168. **Mulsanteus guillebeui** (Mulsant &
Godart,1853) (Elateridae)
8169. **Mulsanteus manuelae** Platia &
Gudenzi,1998 (Elateridae)
8170. **Mulsanteus schaumii** (Candeze,1881)
(Elateridae)
8171. **Musaria anatolica** (Fuchs &
Breuning,1971) (Cerambycidae)
8172. **Musaria astarte** (Ganglbauer,1885)
(Cerambycidae)
8173. **Musaria kurdistanica** (Ganglbauer,1884)
(Cerambycidae)
8174. **Musaria puncticollis**
(Faldermann,1837) (Cerambycidae)
8175. **Musaria volgensis** (Kraatz,1883)
(Cerambycidae)
8176. **Musca autumnalis** De Geer,1776
(Muscidae)
8177. **Musca calleva** Walker,1849 (Muscidae)
8178. **Musca domestica** Linnaeus,1758
(Muscidae)
8179. **Musca larvipara** Portschinsky,1910
(Muscidae)
8180. **Musca osiris** Wiedemann,1830
(Muscidae)
8181. **Musca sorbens** Wiedemann,1830
(Muscidae)
8182. **Muscidifurax adanacus** Doğanlar,2007
(Pteromalidae)
8183. **Muscidifurax raptor** Girault &
Sanders,1910 (Pteromalidae)
8184. **Muscina levida** (Harris,1780) (Muscidae)
8185. **Muscina stabulans** (Fallén,1817)
(Muscidae)
8186. **Mustha gigantea** Horvath,1906
(Pentatomidae)
8187. **Mustha incana** Stal,1876 (Pentatomidae)
8188. **Mustha izmirensis** Memon &
Ahmad,2008 (Pentatomidae)
8189. **Mustha longispinis** Reuter,1890
(Pentatomidae)
8190. **Mustha morgani** Horvath,1906
(Pentatomidae)
8191. **Mustha serrata** (Fabricius,1803)
(Pentatomidae)
8192. **Mustha spinosula** (Lefebvre,1831)
(Pentatomidae)
8193. **Mustha vicina** Hoberlandt,1995
(Pentatomidae)
8194. **Mutilla europaea** Linnaeus,1758
(Mutillidae)
8195. **Mutilla quinque maculata** Cyrillo,1787
(Mutillidae)
8196. **Mutilla richterae** Lelej,1984 (Mutillidae)
8197. **Muzimes bitlisiensis** (Kaszab,1958)
(Meloidae)
8198. **Muzimes collaris** (Fabricius,1787)
(Meloidae)
8199. **Muzimes dersimensis** (Kaszab,1968)
(Meloidae)
8200. **Muzimes erivanicus** (Kaszab,1958)
(Meloidae)
8201. **Muzimes iranicus** (Maran,1942)
(Meloidae)
8202. **Muzimes maceki** (Dvorak,1983)
(Meloidae)
8203. **Muzimes obenbergeri** (Kaszab,1958)
(Meloidae)
8204. **Muzimes semiobscurus** (Pic,1898)
(Meloidae)
8205. **Muzimes strebai** (Maran,1940)
(Meloidae)
8206. **Muzimes tauricus** (Maran,1940)
(Meloidae)
8207. **Myathropa florea** (Linnaeus,1758)
(Syrphidae)
8208. **Mycetophila alea** Laffoon,1965
(Mycetophilidae)
8209. **Mycetophila blanda** Winnertz,1863
(Mycetophilidae)
8210. **Mycetophila fungorum** (DeGeer,1776)
(Mycetophilidae)
8211. **Mycetophila ocellus** Walker,1848
(Mycetophilidae)
8212. **Mycetophila pictula** Meigen,1830
(Mycetophilidae)
8213. **Mycetophila spectabilis** Winnertz,1863
(Mycetophilidae)
8214. **Mycetophila strigatoides**
(Landrock,1927) (Mycetophilidae)
8215. **Mycetophila trinotata** Staeger,1840
(Mycetophilidae)
8216. **Mycetophila unicolor** Stannius,1831
(Mycetophilidae)
8217. **Mycterodus (Aconosimus) marki**
Gnezdilov,2008 (Issidae)
8218. **Mycterodus (Aegaeum) phoenicicus**
Gnezdilov,2008 (Issidae)
8219. **Mycterodus (Aegaeum) syriacus**
Gnezdilov,2008 (Issidae)
8220. **Mycterodus (Comporodus)**
spenicordatus Dlabola,1983 (Issidae)
8221. **Mycterodus (Comporodus) tekneticus**
(Dlabola,1982) (Issidae)
8222. **Mycterodus (s.str.) alatus**
Logvinenko,1968 (Issidae)

8223. **Mycterodus (s.str.) anaticeps**
Puton,1895 (Issidae)
8224. **Mycterodus (s.str.) bicornutus**
Dlabola,1986 (Issidae)
8225. **Mycterodus (s.str.) confusus** Stal,1861
(Issidae)
8226. **Mycterodus (s.str.) denticulatus**
Lindberg,1948 (Issidae)
8227. **Mycterodus (s.str.) immaculatus**
(Fabricius,1794) (Issidae)
8228. **Mycterodus (s.str.) intricatus** Stal,1861
(Issidae)
8229. **Mycterodus (s.str.) lodosicus**
Dlabola,1980 (Issidae)
8230. **Mycterodus (s.str.) muticus**
Dlabola,1986 (Issidae)
8231. **Mycterodus (s.str.) osmanicus**
Dlabola,1971 (Issidae)
8232. **Mycterodus (s.str.) pozanticus**
Kartal,1983 (Issidae)
8233. **Mycterodus (s.str.) rostratulus**
Emeljanov,1964 (Issidae)
8234. **Mycterodus (Semirodus) ionus**
Gnezdilov & Drosopoulos,2004 (Issidae)
8235. **Mycterodus (Semirodus) johannesii**
Gnezdilov & Drosopoulos,2004 (Issidae)
8236. **Mycterodus (Semirodus) pallens**
Stal,1861 (Issidae)
8237. **Mycterodus anatolicus** Dlabola,1981
(Issidae)
8238. **Mycterodus anatolienis** Dlabola,1979
(Issidae)
8239. **Mycterodus arpadi** Dlabola,1977
(Issidae)
8240. **Mycterodus balikesiricus** Dlabola,1979
(Issidae)
8241. **Mycterodus capitatus** Dlabola,1982
(Issidae)
8242. **Mycterodus carpathicus**
Logvinenko,1974 (Issidae)
8243. **Mycterodus caucasicus** (Melichar,1906)
(Issidae)
8244. **Mycterodus drosopoulovi** Dlabola,1982
(Issidae)
8245. **Mycterodus efesicus** Dlabola,1971
(Issidae)
8246. **Mycterodus goricus** (Dlabola,1958)
(Issidae)
8247. **Mycterodus hakkaricus** Dlabola,1980
(Issidae)
8248. **Mycterodus hamatus** Dlabola,1971
(Issidae)
8249. **Mycterodus izmiticus** Dlabola,1979
(Issidae)
8250. **Mycterodus nasutus** (Herrich-
Schäffer,1835) (Issidae)
8251. **Mycterodus osellai** Dlabola,1977
(Issidae)
8252. **Mycterodus ovifrons** (Puton,1890)
(Issidae)
8253. **Mycterodus serbicus** Dlabola,1980
(Issidae)
8254. **Mycterodus spinicordatus** Dlabola,1982
(Issidae)
8255. **Mycterodus tekneticus** Dlabola,1982
(Issidae)
8256. **Mycterodus torosicus** Dlabola,1980
(Issidae)
8257. **Mycterodus ulukislanus** Dlabola,1983
(Issidae)
8258. **Mydaea urbana** (Meigen,1826)
(Muscidae)
8259. **Myennis octopunctata**
(Coquebert,1798) (Ulidiidae)
8260. **Mylabris apicenigra** Sumacov,1924
(Meloidae)
8261. **Mylabris bimaculata** Klug,1845
(Meloidae)
8262. **Mylabris calida** (Pallas,1781) (Meloidae)
8263. **Mylabris ciliciensis** Escherich,1899
(Meloidae)
8264. **Mylabris cincta** Olivier,1811 (Meloidae)
8265. **Mylabris cingulata** Faldermann,1837
(Meloidae)
8266. **Mylabris concolor** Marseul,1870
(Meloidae)
8267. **Mylabris crocata** (Pallas,1781)
(Meloidae)
8268. **Mylabris decempunctata** Fabricius,1781
(Meloidae)
8269. **Mylabris decore** Fivaldsky,1835
(Meloidae)
8270. **Mylabris emiliae** (Escherich,1899)
(Meloidae)
8271. **Mylabris externepunctata**
Faldermann,1832 (Meloidae)
8272. **Mylabris fabricii** Sumakov,1924
(Meloidae)
8273. **Mylabris festiva** (Pallas,1773) (Meloidae)
8274. **Mylabris flavipennis** Motschulsky,1872
(Meloidae)
8275. **Mylabris formosa** Welman,1910
(Meloidae)
8276. **Mylabris furcimakula** Sumakov,1915
(Meloidae)
8277. **Mylabris fusca** (Olivier,1811) (Meloidae)
8278. **Mylabris geminata** Fabricius,1798
(Meloidae)
8279. **Mylabris guerini** Chevrolat,1840
(Meloidae)
8280. **Mylabris humerosa** (Escherich,1899)
(Meloidae)
8281. **Mylabris laevicollis** Marseul,1870
(Meloidae)
8282. **Mylabris ledereri** Marseul,1870
(Meloidae)
8283. **Mylabris munda** Escherich,1897
(Meloidae)
8284. **Mylabris olivieri** Billberg,1813
(Meloidae)
8285. **Mylabris pentheri** Ganglbauer,1905
(Meloidae)
8286. **Mylabris polymorphus** (Pallas,1771)
(Meloidae)
8287. **Mylabris pusilla** Olivier,1811 (Meloidae)
8288. **Mylabris quadripunctata**
(Linnaeus,1767) (Meloidae)
8289. **Mylabris scabiosae** (Olivier,1811)
(Meloidae)
8290. **Mylabris serana** (Escherich,1897)
(Meloidae)
8291. **Mylabris sericea** Pallas,1782 (Meloidae)
8292. **Mylabris sexmaculata** (Olivier,1811)
(Meloidae)
8293. **Mylabris sinuata** Klug,1845 (Meloidae)

8294. **Mylabris steppensis** Dokhtouroff,1889 (Meloidae)
8295. **Mylabris suturalis** Pic,1898 (Meloidae)
8296. **Mylabris syriaca** Klug,1845 (Meloidae)
8297. **Mylabris variabilis** (Pallas,1782) (Meloidae)
8298. **Mylabris zebraea** (Marseul,1870) (Meloidae)
8299. **Myndus musivus** (Germar,1825) (Cixiidae)
8300. **Myoleja korneyevi** Han & Kütük,2006 (Tephritidae)
8301. **Myopa buccata** (Linnaeus,1758) (Conopidae)
8302. **Myopa dorsalis** Fabricius,1794 (Conopidae)
8303. **Myopa occulta** Wiedemann,1824 (Conopidae)
8304. **Myopa pallida** Kröber,1916 (Conopidae)
8305. **Myopa picta** Panzer,1798 (Conopidae)
8306. **Myopa variegata** Meigen,1804 (Conopidae)
8307. **Myophila meditabunda** (Fabricius,1781) (Muscidae)
8308. **Myopites apicatus** Freidberg,1979 (Tephritidae)
8309. **Myopites cypriacus** M.Hering,1938 (Tephritidae)
8310. **Myopotta rubripes** (Villeneuve,1909) (Conopidae)
8311. **Myriochile** (Monelica) **orientalis** (Dejean,1825) (Carabidae)
8312. **Myriochile** (s.str.) **melancholica** (Fabricius,1798) (Carabidae)
8313. **Myrmecaelurus acerbus** (Walker,1853) (Myrmeleonidae)
8314. **Myrmecaelurus laetus** (Klug,1834) (Myrmeleonidae)
8315. **Myrmecaelurus maior** McLachan,1875 (Myrmeleonidae)
8316. **Myrmecaelurus major** McLachlan,1875 (Myrmeleonidae)
8317. **Myrmecaelurus paghmanus** Hölzel,1969 (Myrmeleonidae)
8318. **Myrmecaelurus trigrammus** (Pallas,1781) (Myrmeleonidae)
8319. **Myrmecaelurus trigrammus** (Pallas,1781) (Myrmeleonidae)
8320. **Myrmecaelurus varians** Navas,1913 (Myrmeleonidae)
8321. **Myrmecophilus** (s.str.) **acervorum** (Panzer,1799) (Myrmecophilidae)
8322. **Myrmecophilus** (s.str.) **ochraceus** Fischer von Waldheim,1853 (Myrmecophilidae)
8323. **Myrmecophilus** (s.str.) **termitophilus** Maran,1959 (Myrmecophilidae)
8324. **Myrmeleon** (Morter) **circumcinctus** Tjeder,1963 (Myrmeleonidae)
8325. **Myrmeleon** (Morter) **hyalinus** (Olivier,1811) (Myrmeleonidae)
8326. **Myrmeleon** (Morter) **inconspicuus** (Rambur,1842) (Myrmeleonidae)
8327. **Myrmeleon** (Morter) **pseudohyalinus** Hölzel,1972 (Myrmeleonidae)
8328. **Myrmeleon** (s.str.) **formicarius** Linnaeus,1767 (Myrmeleonidae)
8329. **Myrmeleon** (s.str.) **noacki** Ohm,1965 (Myrmeleonidae)
8330. **Myrmeleon** (s.str.) **noacki** Ohm,1965 (Myrmeleonidae)
8331. **Myrmeleonostenus italicus** (Gravenhorts,1829) (Ichneumonidae)
8332. **Myrmeleotettix maculatus** (Thunberg,1815) (Acrididae)
8333. **Myrmica bergi** Ruzsky,1902 (Formicidae)
8334. **Myrmica lobicornis** Nylander,1846 (Formicidae)
8335. **Myrmica ravasini** Finzi,1923 (Formicidae)
8336. **Myrmica ruginodis** Nylander,1846 (Formicidae)
8337. **Myrmica scabrinodis** Nylander,1846 (Formicidae)
8338. **Myrmica schencki** Viereck,1903 (Formicidae)
8339. **Myrmica sulcinodis** Nylander,1846 (Formicidae)
8340. **Myrmilla** (Eurygnathilla) **emiliae** (Dalla Torre,1897) (Mutillidae)
8341. **Myrmilla** (Pseudomutilla) **atalanta** Nagy,1967 (Mutillidae)
8342. **Myrmilla** (Pseudomutilla) **filippovi** Lelej,1985 (Mutillidae)
8343. **Myrmilla** (Pseudomutilla) **glabrata** (Fabricius,1775) (Mutillidae)
8344. **Myrmilla** (Pseudomutilla) **vutshetitshi** Skorikov,1927 (Mutillidae)
8345. **Myrmilla** (s.str.) **anopla** Skorikov,1927 (Mutillidae)
8346. **Myrmilla** (s.str.) **astrabada** Skorikov,1927 (Mutillidae)
8347. **Myrmilla** (s.str.) **bilobicornis** Skorikov,1927 (Mutillidae)
8348. **Myrmilla** (s.str.) **calva** (Villers,1789) (Mutillidae)
8349. **Myrmilla** (s.str.) **caucasica** (Kolenati,1846) (Mutillidae)
8350. **Myrmilla** (s.str.) **corniculata** (Sichel & Radoszkowski,1869) (Mutillidae)
8351. **Myrmilla** (s.str.) **erythrocephala** (Latreille,1792) (Mutillidae)
8352. **Myrmilla** (s.str.) **lezginica** (Radoszkowski,1885) (Mutillidae)
8353. **Myrmosa atra** Panzer,1801 (Mutillidae)
8354. **Myxexoristops blondeli** (Robineau-Desvoidy,1830) (Tachinidae)
8355. **Nabis brevis** Scholtz,1846 (Nabidae)
8356. **Nabis capsiformis** Germar,1837 (Nabidae)
8357. **Nabis feroides** Remane,1953 (Nabidae)
8358. **Nabis fesus** (Linnaeus,1758) (Nabidae)
8359. **Nabis limbatus** Duda,1851 (Nabidae)
8360. **Nabis meridionalis** Kerzhner,1963 (Nabidae)
8361. **Nabis palifer** Seidenstücker,1954 (Nabidae)
8362. **Nabis provencalis** Remane,1953 (Nabidae)
8363. **Nabis pseudoferus** Remane,1949 (Nabidae)
8364. **Nabis punctatus** Costa,1847 (Nabidae)
8365. **Nabis rugosus** (Linnaeus,1758) (Nabidae)
8366. **Nabis sareptanus** Dohrn,1862 (Nabidae)

8367. *Nacerdes (s.str.) melanura* (Linnaeus,1758) (Oedemeridae)
8368. *Nacerdes (Xanthochroa) carniolica* (Gistel,1832) (Oedemeridae)
8369. *Nacerdes (Xanthochroa) raymondi* (Mulsant & Godart,1860) (Oedemeridae)
8370. *Nala lividipes* (Dufour,1828) (Labiduridae)
8371. *Nalassus dryadophilus* (Mustant,1854) (Tenebrionidae)
8372. *Nalassus plebejus* (Küster,1850) (Tenebrionidae)
8373. *Namunia lapidicola* Besuchet,1978 (Staphylinidae)
8374. *Namunia myrmecophila* Reitter,1884 (Staphylinidae)
8375. *Nanoclavelia leucoptera* (Dahlbom,1845) (Pompilidae)
8376. *Nanomutilla parila* (Nagy,1970) (Mutillidae)
8377. *Nanomutilla vaucheri* (Tournier,1895) (Mutillidae)
8378. *Nanomutilla yoca* (Nagy,1970) (Mutillidae)
8379. *Napomyza bellidis* Griffiths,1967 (Agromyzidae)
8380. *Napomyza carotae* Spencer,1966 (Agromyzidae)
8381. *Napomyza cichorii* Spencer,1966 (Agromyzidae)
8382. *Napomyza elegans* (Meigen,1830) (Agromyzidae)
8383. *Napomyza lateralis* (Fallén,1823) (Agromyzidae)
8384. *Nasonia vitripennis* (Walker) (Pteromalidae)
8385. *Naucoris maculatus* Fabricius,1798 (Naucoridae)
8386. *Neatus subaequalis* Reitter,1920 (Tenebrionidae)
8387. *Nebria (Eunebria) jarrigei* Ledoux & Roux,1991 (Carabidae)
8388. *Nebria (Eunebria) merkliana* Apfelbeck,1904 (Carabidae)
8389. *Nebria (Eunebria) nigerrima* Chaudoir,1846 (Carabidae)
8390. *Nebria (Eunebria) picicornis* (Fabricius,1801) (Carabidae)
8391. *Nebria (Eurynebria) complanata* (Linnaeus,1767) (Carabidae)
8392. *Nebria (s.str.) adjarica* Shilenkov,1983 (Carabidae)
8393. *Nebria (s.str.) alpicola* Motschoulsky,1865 (Carabidae)
8394. *Nebria (s.str.) araschinica* Reitter,1892 (Carabidae)
8395. *Nebria (s.str.) arcensis* Ledoux & Roux,1990 (Carabidae)
8396. *Nebria (s.str.) bonellii* M.F. Adams,1817 (Carabidae)
8397. *Nebria (s.str.) defreinai* Kirschenhofer,1981 (Carabidae)
8398. *Nebria (s.str.) deveuiana* Ledoux & Roux,1990 (Carabidae)
8399. *Nebria (s.str.) elliptipennis* Bates,1874 (Carabidae)
8400. *Nebria (s.str.) finissima* Ledoux & Roux,1990 (Carabidae)
8401. *Nebria (s.str.) fischeri* Faldermann,1836 (Carabidae)
8402. *Nebria (s.str.) glacialis* Ledoux & Roux,1999 (Carabidae)
8403. *Nebria (s.str.) glacilicola* Ledoux & Roux,2001 (Carabidae)
8404. *Nebria (s.str.) gotschii* Chaudoir,1846 (Carabidae)
8405. *Nebria (s.str.) hemprichi* Klug,1832 (Carabidae)
8406. *Nebria (s.str.) irregularis* Jedlicka,1965 (Carabidae)
8407. *Nebria (s.str.) korgei* Jedlicka,1965 (Carabidae)
8408. *Nebria (s.str.) mandibularis* Bates,1872 (Carabidae)
8409. *Nebria (s.str.) mirabilis* Ledoux & Roux,1990 (Carabidae)
8410. *Nebria (s.str.) pontica* Ledoux & Roux,1990 (Carabidae)
8411. *Nebria (s.str.) sinuosa* Ledoux & Roux,1990 (Carabidae)
8412. *Nebria (s.str.) thonitida* Ledoux & Roux,1990 (Carabidae)
8413. *Nebria (s.str.) turcica* Chaudoir,1843 (Carabidae)
8414. *Nebria (s.str.) walterheinzi* Ledoux & Roux,1990 (Carabidae)
8415. *Nebria (s.str.) wiedemanni* Fischer von Waldheim,1844 (Carabidae)
8416. *Nebria (Tyrrhenia) coiffaiti* Ledoux,1983 (Carabidae)
8417. *Nebria (Tyrrhenia) oramarensis* Shilenkov & Heinz,1984 (Carabidae)
8418. *Nebria (Tyrrhenia) testacea* Olivier,1811 (Carabidae)
8419. *Nebria (Tyrrhenia) uluderensis* Shilenkov & Heinz,1984 (Carabidae)
8420. *Nebrioporus airumilus* (Kolenati,1845) (Dytiscidae)
8421. *Nebrioporus suavis* (Sharp,1882) (Dytiscidae)
8422. *Nebrioporus turca* (Seidlitz,1887) (Dytiscidae)
8423. *Necremnus artynes* (Walker) (Eulophidae)
8424. *Necremnus croton* (Walker) (Eulophidae)
8425. *Necremnus leucarthros* (Nees) (Eulophidae)
8426. *Necremnus tidius* (Walker) (Eulophidae)
8427. *Necrobia ruficollis* (Fabricius,1775) (Korynetidae)
8428. *Necrobia rufipes* (DeGeer,1775) (Korynetidae)
8429. *Necrobinus defunctorum* (Waltl,1835) (Korynetidae)
8430. *Necrodes littoralis* (Linnaeus,1758) (Silphidae)
8431. *Nedroledon anatolicus* Navas,1914 (Myrmeleonidae)
8432. *Negastrius sabulicola* (Boheman,1851) (Elateridae)
8433. *Neides aduncus* Fieber,1859 (Berytidae)
8434. *Neides brevipennis* Puton,1895 (Berytidae)
8435. *Neides tipularius* (Linnaeus,1758) (Berytidae)

8436. **Nemeritis specularis** Horstmann,1975
(Ichneumonidae)
8437. **Nemeritis tuitor** Aubert,1986
(Ichneumonidae)
8438. **Nemka viduata** (Pallas,1773) (Mutillidae)
8439. **Nemognatha chrysomelina**
(Fabricius,1775) (Meloidae)
8440. **Nemolecanium aptii** (Bodenheimer)
(Coccidae)
8441. **Nemopoda nitidula** (Fallén,1820)
(Sepsidae)
8442. **Nemoptera aegyptiaca** Rambur,1842
(Nemopteridae)
8443. **Nemoptera coa** (Linnaeus,1758)
(Nemopteridae)
8444. **Nemoptera sinuata** Olivier,1811
(Nemopteridae)
8445. **Nemoraea pellucida** (Meigen,1824)
(Tachinidae)
8446. **Nemorilla maculosa** (Meigen,1824)
(Tachinidae)
8447. **Nemorius caucasicus** (Olsufjev,1937)
(Tabanidae)
8448. **Nemorius irritans** (Ricardo,1901)
(Tabanidae)
8449. **Nemorius oenderi** (Jezek,1990)
(Tabanidae)
8450. **Nemorius vitripennis** (Meigen,1820)
(Tabanidae)
8451. **Nemotelus (s.str.) anchora** Loew,1846
(Stratiomyidae)
8452. **Nemotelus (s.str.) argentifer**
Loew,1846 (Stratiomyidae)
8453. **Nemotelus (s.str.) armeniacus**
Pleske,1937 (Stratiomyidae)
8454. **Nemotelus (s.str.) atriceps** Loew,1856
(Stratiomyidae)
8455. **Nemotelus (s.str.) bipunctatus**
Loew,1846 (Stratiomyidae)
8456. **Nemotelus (s.str.) brachystomus**
Loew,1846 (Stratiomyidae)
8457. **Nemotelus (s.str.) brevirostris**
Meigen,1822 (Stratiomyidae)
8458. **Nemotelus (s.str.) curdistanus**
Szilady,1941 (Stratiomyidae)
8459. **Nemotelus (s.str.) mersinae**
Becker,1915 (Stratiomyidae)
8460. **Nemotelus (s.str.) notatus**
Zetterstedt,1842 (Stratiomyidae)
8461. **Nemotelus (s.str.) obscuripes**
Loew,1871 (Stratiomyidae)
8462. **Nemotelus (s.str.) pantherinus**
(Linnaeus,1758) (Stratiomyidae)
8463. **Nemotelus (s.str.) rudifraci**
(Berezovsky & Nartshuk,1993)
(Stratiomyidae)
8464. **Nemotelus (s.str.) signatus**
Fivaldsky,1855 (Stratiomyidae)
8465. **Nemotelus (s.str.) syriacus**
Lindner,1933 (Stratiomyidae)
8466. **Nemoura brevipennis** Martynov,1928
(Nemouridae)
8467. **Nemoura carpathica** Illies,1963
(Nemouridae)
8468. **Nemoura cinerea** (Retzius,1783)
(Nemouridae)
8469. **Nemoura flexuosa** Aubert,1949
(Nemouridae)
8470. **Nemoura martynovia** Claassen,1936
(Nemouridae)
8471. **Nemoura subtilis** Klapalek,1895
(Nemouridae)
8472. **Nemoura taurica** Zhiltzova,1967
(Nemouridae)
8473. **Nealiturus alboflavovittatus**
(Lindberg,1954) (Cicadellidae)
8474. **Nealiturus dubiosus**
(Matsumura,1908) (Cicadellidae)
8475. **Nealiturus fenestratus** (Herrich-
Schäffer,1834) (Cicadellidae)
8476. **Nealiturus guttulatus**
(Kirschbaum,1868) (Cicadellidae)
8477. **Nealiturus inscriptis** (Haupt,1927)
(Cicadellidae)
8478. **Nealiturus macchiae** Lindberg,1948
(Cicadellidae)
8479. **Nealiturus pulcher** (Haupt,1927)
(Cicadellidae)
8480. **Nealiturus tenellus** (Baker,1896)
(Cicadellidae)
8481. **Nealiturus transversalis** (Puton,1881)
(Cicadellidae)
8482. **Neoascia pavlovski** Stackelberg,1955
(Syrphidae)
8483. **Neoascia podagrica** (Fabricius,1775)
(Syrphidae)
8484. **Neoblemus (s.str.) gillerforsi**
Jeannel,1996 (Carabidae)
8485. **Neobodilus ghardimaouensis**
(Balthasar,1929) (Scarabaeidae)
8486. **Neobrachyglossum punctatum**
Kröber,1915 (Conopidae)
8487. **Neochalcis fertoni** (Kieffer,1899)
(Chalcididae)
8488. **Neochalcis hippotoides** (Masi,1916)
(Chalcididae)
8489. **Neocrepidodera crassicornis**
(Faldermann,1837) (Chrysomelidae)
8490. **Neocrepidodera ferruginea**
(Scopoli,1763) (Chrysomelidae)
8491. **Neocrepidodera impressa**
(Fabricius,1801) (Chrysomelidae)
8492. **Neocrepidodera motschulskyi**
Konstantinov,1991 (Chrysomelidae)
8493. **Neocrepidodera nigrifula**
(Gyllenhal,1813) (Chrysomelidae)
8494. **Neocrepidodera transversa**
(Marsham,1802) (Chrysomelidae)
8495. **Neodorcadion bilineatum**
(Germar,1824) (Cerambycidae)
8496. **Neodorcadion exornatoides**
Breuning,1962 (Cerambycidae)
8497. **Neodorcadion exornatum**
(Fivaldsky,1835) (Cerambycidae)
8498. **Neodorcadion laqueatum** (Waltl,1838)
(Cerambycidae)
8499. **Neodorcadion orientale**
Ganglbauer,1883 (Cerambycidae)
8500. **Neodorcadion pelleti** (Mulsant &
Rey,1863) (Cerambycidae)
8501. **Neoitamus cyanurus** (Loew,1849)
(Asilidae)
8502. **Neoitamus senectus** Richter,1963
(Asilidae)
8503. **Neoleria flavicornis** (Loew,1862)
(Heleomyzidae)

8504. **Neoleria pusilla** Loew,1862
(Heleomyzidae)
8505. **Neolimnys eberti** Dlabola,1964
(Cicadellidae)
8506. **Neolimnys egyptiacus**
(**Matsumura,1908**) (Cicadellidae)
8507. **Neolophonotus pegasus** (Loew,1858)
(Asilidae)
8508. **Neomargarodes festucae**
Archangelskaya (Margarodidae)
8509. **Neomochtherus albicans** (Loew,1849)
(Asilidae)
8510. **Neomochtherus auratus** Janssens,1968
(Asilidae)
8511. **Neomochtherus leclerqi** Janssens,1968
(Asilidae)
8512. **Neomusaria balcanica**
(**Frivaldsky,1835**) (Cerambycidae)
8513. **Neomusaria merkli** (Ganglbauer,1884)
(Cerambycidae)
8514. **Neomusaria salvicola** Holzschuh,1989
(Cerambycidae)
8515. **Neomusaria suworovi** (Pic,1906)
(Cerambycidae)
8516. **Neomusaria waltli** Sama,1991
(Cerambycidae)
8517. **Neomyia cornicina** (Fabricius,1781)
(Muscidae)
8518. **Neophilaenus albipennis**
(**Fabricius,1798**) (Cercopidae)
8519. **Neophilaenus campestris** (Fallén,1805)
(Cercopidae)
8520. **Neophilaenus lineatus** (Linnaeus,1758)
(Cercopidae)
8521. **Neophilaenus minor**
(**Kirschbaum,1868**) (Cercopidae)
8522. **Neoplagonotus bobelayei** (Brullé,1832)
(Cerambycidae)
8523. **Neopristilpophus insitivus**
(**Germar,1824**) (Elateridae)
8524. **Neotherevella citrina** (Becker,1902)
(Therevidae)
8525. **Neotournieria szypulai** Bialooki,2006
(Curculionidae)
8526. **Neotrichoporoides beyarslani**
Doğanlar,1993 (Eulophidae)
8527. **Neotrichoporoides biogradensis**
Graham (Eulophidae)
8528. **Neotrichoporoides cavigena** Graham
(Eulophidae)
8529. **Neotrichoporoides cynodontis**
(**Domenichini**) (Eulophidae)
8530. **Neotrichoporoides mediterraneus**
Graham (Eulophidae)
8531. **Neotrichoporoides szelenyii** (Erdős)
(Eulophidae)
8532. **Neotrichoporoides tokatensis**
Doğanlar,1993 (Eulophidae)
8533. **Neotrichoporoides viridimaculatus**
(**Fullaway**) (Eulophidae)
8534. **Neotrionymus monstatus** Borkhsenius
(Pseudococcidae)
8535. **Neottiglossa bifida** (Costa,1847)
(Pentatomidae)
8536. **Neottiglossa leporina** (Herrich-
Schäffer,1830) (Pentatomidae)
8537. **Neotypus melanocephalus**
(**Gmelin,1790**) (Ichneumonidae)
8538. **Neoxorides nitens** (Gravenhorst,1829)
(Ichneumonidae)
8539. **Nepa cinerea** Linnaeus,1758 (Nepidae)
8540. **Nepa rubra** Linnaeus,1758 (Nepidae)
8541. **Nepachys amaenus** (Peyron,1877)
(Melyridae)
8542. **Nepachys eximus** Peyron,1877
(Melyridae)
8543. **Nephotettix modulatus** Melichar,1912
(Cicadellidae)
8544. **Nephrotoma aculeata** (Loew,1871)
(Tipulidae)
8545. **Nephrotoma analis** (Schummel,1833)
(Tipulidae)
8546. **Nephrotoma appendiculata**
(**Pierre,1919**) (Tipulidae)
8547. **Nephrotoma beckeri** (Mannheims,1951)
(Tipulidae)
8548. **Nephrotoma cornicina** (Linnaeus,1758)
(Tipulidae)
8549. **Nephrotoma croceiventris**
(**Strobl,1909**) (Tipulidae)
8550. **Nephrotoma guestfalica**
(**Westhoff,1879**) (Tipulidae)
8551. **Nephrotoma minuscula**
(**Mannheims,1951**) (Tipulidae)
8552. **Nephrotoma nasuta** Oosterbroek,1975
(Tipulidae)
8553. **Nephrotoma nox** (Riedel,1910)
(Tipulidae)
8554. **Nephrotoma pratensis** (Linnaeus,1758)
(Tipulidae)
8555. **Nephrotoma quadrifaria**
(**Meigen,1804**) (Tipulidae)
8556. **Nephrotoma scalaris** (Meigen,1818)
(Tipulidae)
8557. **Nephrotoma theowaldi**
Oosterbroek,1978 (Tipulidae)
8558. **Nephus caneparis** Fürsch & Uygun,1980
(Coccinellidae)
8559. **Nephus hiecki** (Fürsch,1965)
(Coccinellidae)
8560. **Nephus includens** (Kirsch,1870)
(Coccinellidae)
8561. **Nephus kreissli** Fürsch & Uygun,1980
(Coccinellidae)
8562. **Nephus ludyi** Weise,1879 (Coccinellidae)
8563. **Nephus nigricans** Weise,1879
(Coccinellidae)
8564. **Nephus pallidus** (Fürsch,1980)
(Coccinellidae)
8565. **Nephus pandicus** Khnzorian,1970
(Coccinellidae)
8566. **Nephus ponticus** Khnzorian,1970
(Coccinellidae)
8567. **Nephus quadrimaculatus** (Herbst,1783)
(Coccinellidae)
8568. **Nesoclutha erythrocephala**
(**Ferrari,1882**) (Cicadellidae)
8569. **Netelia (Bessobates) latungula**
(**Thomson,1888**) (Ichneumonidae)
8570. **Netelia (Bessobates) virgata**
(**Fourcroy,1785**) (Ichneumonidae)
8571. **Netelia (Paropheltes) beschkovi**
Kolarov,1994 (Ichneumonidae)
8572. **Netelia (s.str.) fuscicornis**
(**Holmgren,1860**) (Ichneumonidae)

8573. **Netelia (s.str.) testacea** (Gravenhorst,1829) (Ichneumonidae)
8574. **Netelia (s.str.) valvator** Aubert,1968 (Ichneumonidae)
8575. **Netelia (Toxochiloides) krishtali** Tolkanitz,1971 (Ichneumonidae)
8576. **Neuroleon assimilis** (Navas,1914) (Myrmeleonidae)
8577. **Neuroleon egenus** (Navas,1914) (Myrmeleonidae)
8578. **Neuroleon occultus** (Navas,1914) (Myrmeleonidae)
8579. **Neuroterus albipes** (Schenck,1863) (Cynipidae)
8580. **Neuroterus anthracinus** (Curtis,1838) (Cynipidae)
8581. **Neuroterus gyulaigaraiae** Melika,2006 (Cynipidae)
8582. **Neuroterus lanuginosus** Giraud,1859 (Cynipidae)
8583. **Neuroterus minutulus** Giraud,1859 (Cynipidae)
8584. **Neuroterus numismalis** (Fourcroy,1785) (Cynipidae)
8585. **Neuroterus politus** Hartig,1840 (Cynipidae)
8586. **Neuroterus quercusbaccarum** (Linnaeus,1758) (Cynipidae)
8587. **Neuroterus tricolor** Hartig,1841 (Cynipidae)
8588. **Nevruzia flavoniger** (Majer,1991) (Melyridae)
8589. **Nezara viridula** (Linnaeus,1758) (Pentatomidae)
8590. **Nicrophorus antennatus** (Reitter,1885) (Silphidae)
8591. **Nicrophorus confusus** Portevin,1924 (Silphidae)
8592. **Nicrophorus fossor** Erichson,1837 (Silphidae)
8593. **Nicrophorus germanicus** (Linnaeus,1758) (Silphidae)
8594. **Nicrophorus humator** (Gleditsch,1767) (Silphidae)
8595. **Nicrophorus investigator** Zetterstedt,1824 (Silphidae)
8596. **Nicrophorus nigricornis** Faldermann,1835 (Silphidae)
8597. **Nicrophorus vespillo** (Linnaeus,1758) (Silphidae)
8598. **Nicrophorus vespilloides** Herbst,1784 (Silphidae)
8599. **Nicrophorus vestigator** Herschel,1807 (Silphidae)
8600. **Nicticoris wagneri** Hoberlandt,1961 (Miridae)
8601. **Nidularia balachowskii** Bodenheimer (Kermesidae)
8602. **Nidularia pulvinata** (Planchon) (Kermesidae)
8603. **Nigrotipula nigra** (Linnaeus,1758) (Tipulidae)
8604. **Nikanoria shohadae** Zerova,2008 (Eurytomidae)
8605. **Nilea anatolica** Mesnil,1954 (Tachinidae)
8606. **Nilomantis floweri** Werner,1907 (Iridopterygidae)
8607. **Nimboa asadeva** Rausch & H.Aspöck,1978 (Coniopterygidae)
8608. **Nimboa kasyi** Rausch & H.Aspöck,1978 (Coniopterygidae)
8609. **Nineta carinthiaca** (Hölzel,1965) (Chrysopidae)
8610. **Nineta flava** (Scopoli,1763) (Chrysopidae)
8611. **Nipaecoccus filamentosus** (Cockerell) (Pseudococcidae)
8612. **Nipaecoccus nipae** (Maskell) (Pseudococcidae)
8613. **Nisia nervosa** (Motschulsky,1863) (Meenoplidae)
8614. **Nocaracris cyanipes** (Fischer von Waldheim,1846) (Pamphagidae)
8615. **Nocaracris tecticollis** Ramme,1951 (Pamphagidae)
8616. **Nocarodes armenus** Ramme,1951 (Pamphagidae)
8617. **Nocarodes aserbus** Mistshenko,1951 (Pamphagidae)
8618. **Nocarodes balachowskyi** Descamps,1967 (Pamphagidae)
8619. **Nocarodes bicoloripes** Uvarov,1949 (Pamphagidae)
8620. **Nocarodes corrugatus** Mishchenko,1951 (Pamphagidae)
8621. **Nocarodes crispus** Mishchenko,1951 (Pamphagidae)
8622. **Nocarodes ebneri** Ramme,1951 (Pamphagidae)
8623. **Nocarodes gibbosus** Mishchenko,1951 (Pamphagidae)
8624. **Nocarodes humerosus** Mishchenko,1951 (Pamphagidae)
8625. **Nocarodes keredjensis** (Werner,1939) (Pamphagidae)
8626. **Nocarodes scabiosus** Mishchenko,1951 (Pamphagidae)
8627. **Nocarodes schelkovnikovi** Uvarov,1917 (Pamphagidae)
8628. **Nocarodes specialis** Mishchenko,1951 (Pamphagidae)
8629. **Nocarodes urmianus** Ramme,1939 (Pamphagidae)
8630. **Noeeta bisetosa** Merz,1992 (Tephritidae)
8631. **Noeeta crepidis** (Hering,1936) (Tephritidae)
8632. **Noeeta pupillata** (Fallén,1814) (Tephritidae)
8633. **Nohoveus atrifrons** Hölzel,1970 (Myrmeleonidae)
8634. **Nohoveus atrifrons** Hölzel,1970 (Myrmeleonidae)
8635. **Nohoveus fidelis** Hölzel,1968 (Myrmeleonidae)
8636. **Nohoveus palpalis** (Klapalek,1914) (Myrmeleonidae)
8637. **Nohoveus persicus** Navas,1929 (Myrmeleonidae)
8638. **Nomia (Clavinomia) clavicornis** Warncke,1980 (Halictidae)
8639. **Nomia (Crocisaspidia) callichlora** Cockerell,1911 (Halictidae)
8640. **Nomia (Crocisaspidia) muscatensis** Cockerell,1910 (Halictidae)
8641. **Nomia (Lobonomia) armata** Olivier,1811 (Halictidae)

8642. **Nomia (Lobonomia) flavolobata**
Cockerell,1911 (Halictidae)
8643. **Nomia (Lobonomia) lobata** Olivier,1811
(Halictidae)
8644. **Nomia (Nomiapis) diversipes**
Latreille,1802 (Halictidae)
8645. **Nomia (Nomiapis) equestris**
Gerstaecker,1872 (Halictidae)
8646. **Nomia (Nomiapis) femoralis**
Pallas,1773 (Halictidae)
8647. **Nomia (Nomiapis) fugax**
Morawitz,1878 (Halictidae)
8648. **Nomia (Nomiapis) unidentata**
Olivier,1811 (Halictidae)
8649. **Nomia (Nomiapis) urfana**
Warncke,1980 (Halictidae)
8650. **Nomia (Pseudapis) magretti**
Gribodo,1884 (Halictidae)
8651. **Nomia (Pseudapis) patellata**
Magretti,1884 (Halictidae)
8652. **Nomia anatolica** Warncke,1976
(Halictidae)
8653. **Nomia bytinski** Warncke,1976
(Halictidae)
8654. **Nomia diversipes** Latreille,1806
(Halictidae)
8655. **Nomia monstrosa** Costa,1861
(Halictidae)
8656. **Norbanus calabrus (Masi)** (Pteromalidae)
8657. **Norbanus cerasiops (Masi)**
(Pteromalidae)
8658. **Norbanus opscurus (Masi)**
(Pteromalidae)
8659. **Noterus clavicornis (De Geer,1774)**
(Noteridae)
8660. **Noterus clavicornis (De Geer,1774)**
(Noteridae)
8661. **Noterus crassicornis (O.F.Müller,1776)**
(Noteridae)
8662. **Nothochrysa turcius** Kovanci &
Canbulat,2007 (Chrysopidae)
8663. **Nothodes parvulus (Panzer,1799)**
(Elateridae)
8664. **Notiophilus aestuans** Dejean,1826
(Carabidae)
8665. **Notiophilus biguttatus (Fabricius,1779)**
(Carabidae)
8666. **Notiophilus danieli** Reitter,1897
(Carabidae)
8667. **Notiophilus germinyi** Fauvel,1863
(Carabidae)
8668. **Notiophilus interstitialis** Reitter,1889
(Carabidae)
8669. **Notiophilus laticollis** Chaudoir,1850
(Carabidae)
8670. **Notiophilus rufipes** Curtis,1829
(Carabidae)
8671. **Notiophilus substriatus**
C.R.Waterhouse,1833 (Carabidae)
8672. **Notonecta glauca** Linnaeus,1758
(Notonectidae)
8673. **Notonecta maculata** Fabricius,1794
(Notonectidae)
8674. **Notonecta marmorea** Fabricius,1803
(Notonectidae)
8675. **Notonecta meridionalis** Poisson,1926
(Notonectidae)
8676. **Notonecta obliqua** Gallen,1787
(Notonectidae)
8677. **Notonecta viridis** Delcourt,1909
(Notonectidae)
8678. **Notoxus angustulus** Krekich &
Strassoldo,1919 (Anthicidae)
8679. **Notus flavipennis (Zetterstedt,1828)**
(Cicadellidae)
8680. **Novadrymadusa karabagi** Demirsoy,
Salman & Sevgili,2002 (Tettigoniidae)
8681. **Noxius curtirostris (Mulsant,1861)**
(Anthribidae)
8682. **Nusa infumata (Loew,1851)** (Asilidae)
8683. **Nusa puella (Rondani,1873)** (Asilidae)
8684. **Nusa ramicosa (Loew,1871)** (Asilidae)
8685. **Nycteribia (Acrocholidia) vexata**
Westwood,1835 (Nycteribiidae)
8686. **Nycteribia (s.str.) kolenatii** Theodor &
Moscona,1954 (Nycteribiidae)
8687. **Nycteribia (s.str.) latreillii (Leach,1817)**
(Nycteribiidae)
8688. **Nycteribia (s.str.) pedicularia**
Latreille,1805 (Nycteribiidae)
8689. **Nycteribia (s.str.) schmidlii**
Schiner,1853 (Nycteribiidae)
8690. **Nyctia halterata (Panzer,1798)**
(Sarcophagidae)
8691. **Nyctia lugubris (Macquart,1843)**
(Sarcophagidae)
8692. **Nyctophila anatolica** Geisthardt,1982
(Lampyridae)
8693. **Nyctophila caucasica**
(Motschoulsky,1854) (Lampyridae)
8694. **Nyctophila incognita** Geisthardt,1982
(Lampyridae)
8695. **Nyctophila invenusta** Geisthardt,1983
(Lampyridae)
8696. **Nyctophila libani (Laporte de**
Castelnau,1833) (Lampyridae)
8697. **Nyctophila maculicollis**
(Fairmaire,1866) (Lampyridae)
8698. **Nyctophila pseudocaucausica**
Geisthardt,1982 (Lampyridae)
8699. **Nyctophila reichii (Jacquelin du**
Val,1860) (Lampyridae)
8700. **Nyctophila scabripennis** E.Olivier,1907
(Lampyridae)
8701. **Nyctophila syriaca (Baudi di**
Selve,1871) (Lampyridae)
8702. **Nymphorgerius curticeps**
(Linnavuori,1965) (Dictyopharidae)
8703. **Nymphorgerius gemmatus**
Horvath,1929 (Dictyopharidae)
8704. **Nyrma kervillea** Navas,1933
(Hemerobiidae)
8705. **Nysius cymoides (Spinola,1834)**
(Lygaeidae)
8706. **Nysius ericae (Schilling,1829)**
(Lygaeidae)
8707. **Oberea erythrocephala (Schrank,1776)**
(Cerambycidae)
8708. **Oberea linearis (Linnaeus,1761)**
(Cerambycidae)
8709. **Oberea oculata (Linnaeus,1758)**
(Cerambycidae)
8710. **Occathemus tarsalis** Svihla,1999
(Cantharidae)

8711. **Oceanaspidiotus spinosus (Comstock)**
(Diaspididae)
8712. **Ochreriades fasciatus (Friese,1899)**
(Megachilidae)
8713. **Ochrilidia acuta (Bolivar,1905)**
(Acrididae)
8714. **Ochrilidia filicornis (Krauss,1902)**
(Acrididae)
8715. **Ochrilidia obtusa (Salfi,1931)** (Acrididae)
8716. **Ochrilidia orientalis Salfi,1931**
(Acrididae)
8717. **Ochrilidia persica (Salfi,1931)**
(Acrididae)
8718. **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae)
8719. **Ochrilidia richteri Bei-Bienko,1960**
(Acrididae)
8720. **Ochrilidia tibialis (Fieber,1853)**
(Acrididae)
8721. **Ochrosis ventralis (Illiger,1807)**
(Chrysomelidae)
8722. **Ochterus marginatus (Latreille,1804)**
(Ochteridae)
8723. **Ochthebius (Asiabates) akbuluti Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
8724. **Ochthebius (Asiabates) limbicollis Reitter,1885** (Hydraenidae)
8725. **Ochthebius (Asiabates) oezkani Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
8726. **Ochthebius (s.str.) erzerumi Kuwert,1887** (Hydraenidae)
8727. **Ochthebius (s.str.) lividipennis Peyron,1885** (Hydraenidae)
8728. **Ochthebius (s.str.) meridionalis Rey,1885** (Hydraenidae)
8729. **Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae)
8730. **Ochthebius (s.str.) peisonis Ganglbauer,1901** (Hydraenidae)
8731. **Ochthebius (s.str.) pusillus Stephens,1835** (Hydraenidae)
8732. **Ochthebius (s.str.) virens Jäch,1992**
(Hydraenidae)
8733. **Ochthebius (s.str.) viridis Peyron,1885**
(Hydraenidae)
8734. **Odeles armilabris (Nyholm,1974)**
(Scirtidae)
8735. **Odinadiplosis amygdali (Anagnostopoulos,1929)** (Cecidomyiidae)
8736. **Odontocolon dentipes (Gmelin,1790)**
(Ichneumonidae)
8737. **Odontomesa fulva (Kieffer,1921)**
(Chironomidae)
8738. **Odontomyia angulata (Panzer,[1798])**
(Stratiomyidae)
8739. **Odontomyia cephalonica Strobl,1898**
(Stratiomyidae)
8740. **Odontomyia damascena Villeneuve,1912** (Stratiomyidae)
8741. **Odontomyia discolor Loew,1846**
(Stratiomyidae)
8742. **Odontomyia flavissima (Rossi,1790)**
(Stratiomyidae)
8743. **Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae)
8744. **Odontomyia ornata (Meigen,1822)**
(Stratiomyidae)
8745. **Odontotarsus plicatulus Hovarth,1906**
(Scutellaridae)
8746. **Odynerus alexandrinus Saussure,1853**
(Vespidae)
8747. **Odynerus melanocephalus (Gmelin,1790)** (Vespidae)
8748. **Odynerus palaestinensis Gusenleitner,1972** (Vespidae)
8749. **Odynerus poecilus Saussure,1856**
(Vespidae)
8750. **Odynerus spinipes (Linnaeus,1758)**
(Vespidae)
8751. **Oecanthus pellucens (Scopoli,1763)**
(Gryllidae)
8752. **Oecothea fenestralis (Fallén,1820)**
(Heleomyzidae)
8753. **Oedaleus decorus (Germar,1817)**
(Acrididae)
8754. **Oedemera (Oncomera) femoralis (Fabricius,1792)** (Oedemeridae)
8755. **Oedemera (Oncomera) flavicans (Fairmaire,1860)** (Oedemeridae)
8756. **Oedemera (Oncomera) natolica (Reiche,1862)** (Oedemeridae)
8757. **Oedemera (s.str.) artvinensis Svihla,1999** (Oedemeridae)
8758. **Oedemera (s.str.) atrata W.Schmidt,1846** (Oedemeridae)
8759. **Oedemera (s.str.) barbara (Fabricius,1792)** (Oedemeridae)
8760. **Oedemera (s.str.) brevipennis Ganglbauer,1881** (Oedemeridae)
8761. **Oedemera (s.str.) crassipes Ganglbauer,1881** (Oedemeridae)
8762. **Oedemera (s.str.) femorata (Scopoli,1763)** (Oedemeridae)
8763. **Oedemera (s.str.) flavipennis W.Schmidt,1846** (Oedemeridae)
8764. **Oedemera (s.str.) flavipes (Fabricius,1792)** (Oedemeridae)
8765. **Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae)
8766. **Oedemera (s.str.) merkli Seidlitz,1899**
(Oedemeridae)
8767. **Oedemera (s.str.) penicillata W.Schmidt,1846** (Oedemeridae)
8768. **Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae)
8769. **Oedemera (s.str.) pthysica (Scopoli,1763)** (Oedemeridae)
8770. **Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae)
8771. **Oedemera (s.str.) subrobusta (Nakane,1954)** (Oedemeridae)
8772. **Oedemera (s.str.) vilis Roubal,1917**
(Oedemeridae)
8773. **Oedemera (s.str.) virescens (Linnaeus,1767)** (Oedemeridae)
8774. **Oedipoda aurea Uvarov,1923** (Acrididae)
8775. **Oedipoda caerulescens (Linnaeus,1758)**
(Acrididae)
8776. **Oedipoda germanica (Latreille,1804)**
(Acrididae)
8777. **Oedipoda kurda Deschamps,1967**
(Acrididae)
8778. **Oedipoda miniata (Pallas,1771)**
(Acrididae)

8779. **Oedipoda schochi** Saussure,1884 (Acrididae)
8780. **Oenas afer** (Linnaeus,1767) (Meloidae)
8781. **Oenas armeniacus** Kaszab,1951 (Meloidae)
8782. **Oenas crassicornis** (Illiger,1800) (Meloidae)
8783. **Oenas tarsensis** Abeille de Perrin,1880 (Meloidae)
8784. **Oenas tenuicornis** Abeille de Perrin,1880 (Meloidae)
8785. **Oenopia conglobata** (Linnaeus,1758) (Coccinellidae)
8786. **Oenopia oncina** (Olivier,1808) (Coccinellidae)
8787. **Oiceoptoma thoracica** (Linnaeus,1758) (Silphidae)
8788. **Oldroydiana calceatus** (Oldroyd,1958) (Asilidae)
8789. **Olesicampe macellator** (Thunberg,1822) (Ichneumonidae)
8790. **Oliarus angustiformis** Linnavuori,1953 (Cixiidae)
8791. **Oliarus convergens** Melichar,1902 (Cixiidae)
8792. **Oliarus cuspidatus** Fieber,1876 (Cixiidae)
8793. **Oliarus nigrofurcatus** Signoret,1884 (Cixiidae)
8794. **Oliarus pallens** (Germar,1821) (Cixiidae)
8795. **Oliarus panzeri** (Loew,1883) (Cixiidae)
8796. **Oliarus roridus** Fieber,1876 (Cixiidae)
8797. **Oliarus torossicus** Dlabola,1957 (Cixiidae)
8798. **Oligodranes israeliensis** Zaitzev,1996 (Bombyliidae)
8799. **Oligodranes obscuripennis** Loew,1844 (Bombyliidae)
8800. **Oligopogon anatolicus** Geller-Grimm & Hradsky,2003 (Asilidae)
8801. **Oligopogon hybotinus** (Loew,1847) (Asilidae)
8802. **Oligopogon londti** Geller-Grimm & Hradsky,2003 (Asilidae)
8803. **Oligopogon nitidus** Eflattoun,1937 (Asilidae)
8804. **Oligopogon palestinensis** Theodor,1980 (Asilidae)
8805. **Oligopogon rufus** Geller-Grimm & Hradsky,2003 (Asilidae)
8806. **Oligosita collina** Walker (Trichogrammatidae)
8807. **Oligosita foersteri** Girault (Trichogrammatidae)
8808. **Oligosita pallida** Kryger (Trichogrammatidae)
8809. **Oligotrophus juniperinus** (Linnaeus,1758) (Cecidomyiidae)
8810. **Oligotrophus panteli** Kieffer,1898 (Cecidomyiidae)
8811. **Olophrum paphlagonicum** Coiffait,1978 (Staphylinidae)
8812. **Olophrum puncticolle** Eppelsheim,1880 (Staphylinidae)
8813. **Omalium allardii** Fairmaire & Bristout de Barneville,1859 (Staphylinidae)
8814. **Omalium assingi** Zanetti,2002 (Staphylinidae)
8815. **Omalium caesum** Gravenhorst,1806 (Staphylinidae)
8816. **Omalium cinnamomeum** Kraatz,1857 (Staphylinidae)
8817. **Omalium cribriceps** Fauvel,1900 (Staphylinidae)
8818. **Omalium falsum** Eppelsheim,1889 (Staphylinidae)
8819. **Omalium henroti** Coiffait,1976 (Staphylinidae)
8820. **Omalium littorale** Kraatz,1857 (Staphylinidae)
8821. **Omalium oxyacanthae** Gravenhorst,1806 (Staphylinidae)
8822. **Omalium rivulare** (Paykull,1789) (Staphylinidae)
8823. **Omalium rugatum** Mulsant & Rey,1880 (Staphylinidae)
8824. **Omalium saulcyi** Fauvel,1875 (Staphylinidae)
8825. **Omalium schuberti** Zanetti,2002 (Staphylinidae)
8826. **Omalium turcicum** Smetana,1967 (Staphylinidae)
8827. **Omalium wunderlei** Zanetti,2002 (Staphylinidae)
8828. **Omaloplia (s.str.) baraudi** (Galante,1985) (Scarabaeidae)
8829. **Omaloplia (s.str.) cerrutii** (Sabatinelli,1977) (Scarabaeidae)
8830. **Omaloplia (s.str.) diabolica** (Reitter,1887) (Scarabaeidae)
8831. **Omaloplia (s.str.) erebea** (Baraud,1965) (Scarabaeidae)
8832. **Omaloplia (s.str.) erythroptera** (Frivaldsky,1835) (Scarabaeidae)
8833. **Omaloplia (s.str.) gibbosa** (Baraud,1965) (Scarabaeidae)
8834. **Omaloplia (s.str.) hericus** (Chobaut,1907) (Scarabaeidae)
8835. **Omaloplia (s.str.) mutilata** (Fairmaire,1892) (Scarabaeidae)
8836. **Ommatidiotus dissimilis** (Fallén,1806) (Caliscelidae)
8837. **Ommatidiotus inconspicuus** Stål,1863 (Caliscelidae)
8838. **Ommatidiotus iranicus** Horvath,1905 (Caliscelidae)
8839. **Ommatidiotus longiceps** Puton,1896 (Caliscelidae)
8840. **Ommatidiotus viduus** Horvath,1905 (Caliscelidae)
8841. **Ommatissus binotatus** Fieber,1876 (Tropiduchidae)
8842. **Ommatius stackelbergi** (Richter,1960) (Asilidae)
8843. **Ommatius tenellus** Wulp,1899 (Asilidae)
8844. **Omocestus (s.str.) demokidovi** Ramme,1930 (Acrididae)
8845. **Omocestus (s.str.) haemorrhoidalis** (Charpentier,1825) (Acrididae)
8846. **Omocestus (s.str.) minutus** (Brullé,1832) (Acrididae)
8847. **Omocestus (s.str.) nanus** Uvarov,1934 (Acrididae)
8848. **Omocestus (s.str.) petraeus** (Brisout,1855) (Acrididae)

8849. *Omocestus* (s.str.) *rufipes* (Zetterstedt,1821) (Acrididae)
8850. *Omocestus* (s.str.) *ventralis* (Zetterstedt,1821) (Acrididae)
8851. *Omocestus* (s.str.) *viridulus* (Linnaeus,1758) (Acrididae)
8852. *Omophlus* (*Odontomophlus*) *lepturoides* (Fabricius,1787) (Tenebrionidae)
8853. *Omophlus* (*Odontomophlus*) *syriacus* Mulsant,1856 (Tenebrionidae)
8854. *Omophlus* (s.str.) *caucasicus* Kirsch,1869 (Tenebrionidae)
8855. *Omophlus* (s.str.) *ocularis* Kirsch,1869 (Tenebrionidae)
8856. *Omophlus* (s.str.) *turcicus* Kirsch,1869 (Tenebrionidae)
8857. *Oncopsis* *alni* (Schrank,1801) (Cicadellidae)
8858. *Oncopsis* *flavicollis* (Linnaeus,1761) (Cicadellidae)
8859. *Oncopsis* *tristis* (Zetterstedt,1840) (Cicadellidae)
8860. *Oncotylus* *setulosus* (Herrich-Schäffer,1837) (Miridae)
8861. *Oncotylus* *viridiflavus* (Goeze,1778) (Miridae)
8862. *Onitis* *alexis* Klug,1835 (Scarabaeidae)
8863. *Onitis* *damoetas* Steven,1806 (Scarabaeidae)
8864. *Onitis* *ezechias* Reiche & Saulcy,1856 (Scarabaeidae)
8865. *Onitis* *humerosus* (Pallas,1771) (Scarabaeidae)
8866. *Onthophagus* (*Amphionthophagus*) *falconii* Goidanich,1926 (Scarabaeidae)
8867. *Onthophagus* (*Euonthophagus*) *amyntas* (Olivier,1789) (Scarabaeidae)
8868. *Onthophagus* (*Euonthophagus*) *amyntas* *alces* (Fabricius,1792) (Scarabaeidae)
8869. *Onthophagus* (*Euonthophagus*) *atramentarius* (Ménétriés,1832) (Scarabaeidae)
8870. *Onthophagus* (*Euonthophagus*) *bedeli* (Reitter,1891) (Scarabaeidae)
8871. *Onthophagus* (*Euonthophagus*) *dorbignyi* Olsoufieff,1900 (Scarabaeidae)
8872. *Onthophagus* (*Euonthophagus*) *gibbosus* (Scriba,1790) (Scarabaeidae)
8873. *Onthophagus* (*Euonthophagus*) *sulcicollis* Reitter,1892 (Scarabaeidae)
8874. *Onthophagus* (*Euonthophagus*) *tissoni* Reitter,1906 (Scarabaeidae)
8875. *Onthophagus* (*Furconthophagus*) *furcatus* (Fabricius,1781) (Scarabaeidae)
8876. *Onthophagus* (*Palaeonthophagus*) *aleppensis* Redtenbacher,1843 (Scarabaeidae)
8877. *Onthophagus* (*Palaeonthophagus*) *anatolicus* Petrovitz,1962 (Scarabaeidae)
8878. *Onthophagus* (*Palaeonthophagus*) *angorensis* Petrovitz,1963 (Scarabaeidae)
8879. *Onthophagus* (*Palaeonthophagus*) *carpanetoi* Pittino,1982 (Scarabaeidae)
8880. *Onthophagus* (*Palaeonthophagus*) *coenobita* (Herbst,1783) (Scarabaeidae)
8881. *Onthophagus* (*Palaeonthophagus*) *cruciatus* (Ménétriés,1832) (Scarabaeidae)
8882. *Onthophagus* (*Palaeonthophagus*) *dacatrai* Pittino,2004 (Scarabaeidae)
8883. *Onthophagus* (*Palaeonthophagus*) *dorsosignatus* D'Orbigny,1898 (Scarabaeidae)
8884. *Onthophagus* (*Palaeonthophagus*) *fissicornis* Steven,1809 (Scarabaeidae)
8885. *Onthophagus* (*Palaeonthophagus*) *fissinasus* Fairmaire,1895 (Scarabaeidae)
8886. *Onthophagus* (*Palaeonthophagus*) *formaneki* Reitter,1897 (Scarabaeidae)
8887. *Onthophagus* (*Palaeonthophagus*) *fracticornis* (Preyssler,1790) (Scarabaeidae)
8888. *Onthophagus* (*Palaeonthophagus*) *gibbulus* (Pallas,1781) (Scarabaeidae)
8889. *Onthophagus* (*Palaeonthophagus*) *hermonensis* Baraud,1892 (Scarabaeidae)
8890. *Onthophagus* (*Palaeonthophagus*) *isikdaghensis* Pittino,2004 (Scarabaeidae)
8891. *Onthophagus* (*Palaeonthophagus*) *kindermanni* Harold,1877 (Scarabaeidae)
8892. *Onthophagus* (*Palaeonthophagus*) *lemur* (Fabricius,1781) (Scarabaeidae)
8893. *Onthophagus* (*Palaeonthophagus*) *lemuroides* D'Orbigny,1898 (Scarabaeidae)
8894. *Onthophagus* (*Palaeonthophagus*) *lucidus* (Sturm,1800) (Scarabaeidae)
8895. *Onthophagus* (*Palaeonthophagus*) *marginalis* Gebler,1817 (Scarabaeidae)
8896. *Onthophagus* (*Palaeonthophagus*) *nebulosus* Reiche,1864 (Scarabaeidae)
8897. *Onthophagus* (*Palaeonthophagus*) *novaki* Boucomont & Gillet,1927 (Scarabaeidae)
8898. *Onthophagus* (*Palaeonthophagus*) *nuchicornis* (Linnaeus,1758) (Scarabaeidae)
8899. *Onthophagus* (*Palaeonthophagus*) *opacicollis* Reitter,1893 (Scarabaeidae)
8900. *Onthophagus* (*Palaeonthophagus*) *osellai* Pittino,1982 (Scarabaeidae)
8901. *Onthophagus* (*Palaeonthophagus*) *ovatus* (Linnaeus,1762) (Scarabaeidae)
8902. *Onthophagus* (*Palaeonthophagus*) *parmatus* Reitter,1892 (Scarabaeidae)
8903. *Onthophagus* (*Palaeonthophagus*) *petrovitzianus* Pittino,2006 (Scarabaeidae)
8904. *Onthophagus* (*Palaeonthophagus*) *ponticus* Harold,1883 (Scarabaeidae)
8905. *Onthophagus* (*Palaeonthophagus*) *rakovici* Pittino,2004 (Scarabaeidae)
8906. *Onthophagus* (*Palaeonthophagus*) *ruficapillus* Brullé,1832 (Scarabaeidae)
8907. *Onthophagus* (*Palaeonthophagus*) *sacharovskii* Olsoufieff,1918 (Scarabaeidae)
8908. *Onthophagus* (*Palaeonthophagus*) *semicornis* (Panzer,1798) (Scarabaeidae)
8909. *Onthophagus* (*Palaeonthophagus*) *sericatus* Reitter,1893 (Scarabaeidae)
8910. *Onthophagus* (*Palaeonthophagus*) *speculifer* Solsky,1876 (Scarabaeidae)
8911. *Onthophagus* (*Palaeonthophagus*) *strabo* Reitter,1893 (Scarabaeidae)
8912. *Onthophagus* (*Palaeonthophagus*) *suermelii* Petrovitz,1963 (Scarabaeidae)
8913. *Onthophagus* (*Palaeonthophagus*) *suturellus* Brullé,1832 (Scarabaeidae)
8914. *Onthophagus* (*Palaeonthophagus*) *truchmenus* Kolenati,1846 (Scarabaeidae)

8915. **Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae)
8916. **Onthophagus (Palaeonthophagus) verticornis (Laicharting,1781)** (Scarabaeidae)
8917. **Onthophagus (s.str.) circulator Reitter,1891** (Scarabaeidae)
8918. **Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae)
8919. **Onthophagus (s.str.) pictus Reitter,1893** (Scarabaeidae)
8920. **Onthophagus (s.str.) sellatus Klug,1845** (Scarabaeidae)
8921. **Onthophagus (s.str.) simius Reitter,1893** (Scarabaeidae)
8922. **Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae)
8923. **Onychogomphus assimilis (Schneider,1845)** (Gomphidae)
8924. **Onychogomphus flexuosus (Schneider,1845)** (Gomphidae)
8925. **Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae)
8926. **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae)
8927. **Onychogomphus macrodon (Selys,1887)** (Gomphidae)
8928. **Onychopterocheilus grandiceps (Blüthgen,1955)** (Vespidae)
8929. **Onychopterocheilus hellenicus (Morawitz,1885)** (Vespidae)
8930. **Onychopterocheilus mena (Giordani Soika,1943)** (Vespidae)
8931. **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae)
8932. **Oochrotus glaber Demaison,1904** (Tenebrionidae)
8933. **Oodes (s.str.) gracilis A.Villa & GB.Villa,1833** (Carabidae)
8934. **Oodes (s.str.) helopioides Fabricius,1792** (Carabidae)
8935. **Ooencyrtus fecundus Ferrière & Voegelé** (Encyrtidae)
8936. **Ooencyrtus kuvanae (Howard)** (Encyrtidae)
8937. **Ooencyrtus masii (Mercet)** (Encyrtidae)
8938. **Ooencyrtus pityocampae (Mercet)** (Encyrtidae)
8939. **Ooencyrtus tardus (Ratzeburg)** (Encyrtidae)
8940. **Ooencyrtus telenomicida (Vassiliev)** (Encyrtidae)
8941. **Oomyzus scaposus (Thomson)** (Eulophidae)
8942. **Oomyzus sempronius (Erdös)** (Eulophidae)
8943. **Oopristus turkestanicus (Skriptshinsky,1929)** (Torymidae)
8944. **Opanthribus tessellatus (Boheman,1829)** (Anthribidae)
8945. **Opatroides angulatus Baudi,1875** (Tenebrionidae)
8946. **Opatroides curtulus Fairmaire,1892** (Tenebrionidae)
8947. **Opatroides judaicus Baudi,1881** (Tenebrionidae)
8948. **Opatroides punctulatus Brullé,1832** (Tenebrionidae)
8949. **Opatrum alternatum Küster,1849** (Tenebrionidae)
8950. **Opatrum geminatum Brullé,1832** (Tenebrionidae)
8951. **Opatrum obesum Olivier,1811** (Tenebrionidae)
8952. **Opatrum sabulosum (Linnaeus,1761)** (Tenebrionidae)
8953. **Opatrum verrucosum Germar,1817** (Tenebrionidae)
8954. **Opheltes glaucopterus (Linnaeus,1758)** (Ichneumonidae)
8955. **Ophiogomphus cecilia (Fourcroy,1785)** (Gomphidae)
8956. **Ophiomyia beckeri (Hendel,1923)** (Agromyzidae)
8957. **Ophiomyia cunctata (Hendel,1920)** (Agromyzidae)
8958. **Ophiomyia curvipalpis (Zetterstedt,1848)** (Agromyzidae)
8959. **Ophiomyia delphinii Hendel,1928** (Agromyzidae)
8960. **Ophiomyia galii M.Hering,1937** (Agromyzidae)
8961. **Ophiomyia inaequabilis (Hendel,1931)** (Agromyzidae)
8962. **Ophiomyia labiatarum M.Hering,1937** (Agromyzidae)
8963. **Ophiomyia maura (Meigen,1838)** (Agromyzidae)
8964. **Ophiomyia memorabilis Spencer,1974** (Agromyzidae)
8965. **Ophiomyia orbiculata (Hendel,1931)** (Agromyzidae)
8966. **Ophiomyia phaseoli (Tryon,1895)** (Agromyzidae)
8967. **Ophiomyia pinguis (Fallén,1820)** (Agromyzidae)
8968. **Ophiomyia pulicaria (Meigen,1830)** (Agromyzidae)
8969. **Ophiomyia submaura M.Hering,1926** (Agromyzidae)
8970. **Ophion bipictor Aubert,1980** (Ichneumonidae)
8971. **Ophion longigena Thomson,1888** (Ichneumonidae)
8972. **Ophion luteus (Linnaeus,1758)** (Ichneumonidae)
8973. **Ophion minutus Kriechbaumer,1879** (Ichneumonidae)
8974. **Ophion mirsa (Shestakov,1926)** (Ichneumonidae)
8975. **Ophion mocsaryi Brauns,1889** (Ichneumonidae)
8976. **Ophion obscuratus Fabricius,1798** (Ichneumonidae)
8977. **Ophion similis (Szepligeti,1905)** (Ichneumonidae)
8978. **Ophion ventricosus Gravenhorst,1829** (Ichneumonidae)
8979. **Ophonus (Hesperophonus) azureus (Fabricius,1775)** (Carabidae)
8980. **Ophonus (s.str.) sabulicola (Panzer,1796)** (Carabidae)
8981. **Opilo longipilis Fairmaire,1892** (Cleridae)
8982. **Opilo taeniatus (Klug,1842)** (Cleridae)
8983. **Opilo tilloides Chevrolat,1876** (Cleridae)

8984. **Oplodontha viridula** (Fabricius,1775)
(Stratiomyidae)
8985. **Opsilia coerulescens** (Scopoli,1763)
(Cerambycidae)
8986. **Opsimea ventralis** Miller,1880
(Oedemeridae)
8987. **Opsius cypriacus** Lindberg,1958
(Cicadellidae)
8988. **Opsius dagestanicus** Dlabola,1960
(Cicadellidae)
8989. **Opsius discessus** (Horvath,1911)
(Cicadellidae)
8990. **Opsius jucundus** (Lethierry,1871)
(Cicadellidae)
8991. **Opsius lethierryi** Wagner,1942
(Cicadellidae)
8992. **Opsius pallasi** (Lethierry,1874)
(Cicadellidae)
8993. **Opsius richteri** Dlabola,1960
(Cicadellidae)
8994. **Opsius scutellaris** (Lethierry,1874)
(Cicadellidae)
8995. **Opsius smaragdinus** Emeljanov,1964
(Cicadellidae)
8996. **Opsius stactogalus** Fieber,1866
(Cicadellidae)
8997. **Opsius tigripes** (Lethierry,1876)
(Cicadellidae)
8998. **Orchamus davisii** (Uvarov,1949)
(Pamphagidae)
8999. **Orchamus hebraeus** Uvarov,1942
(Pamphagidae)
9000. **Orchamus yersini** (Brunner von
Wattenwyl,1882) (Pamphagidae)
9001. **Orectochilus villosus** (Müller,1776)
(Gyrinidae)
9002. **Orellia colon** (Meigen,1826)
(Tephritidae)
9003. **Orellia distans** (Loew,1847) (Tephritidae)
9004. **Orellia falcata** (Scopoli,1763)
(Tephritidae)
9005. **Orellia punctata** (Schrank,1781)
(Tephritidae)
9006. **Orellia quadratula** (Loew,1869)
(Tephritidae)
9007. **Orellia steropea** (Rondani,1870)
(Tephritidae)
9008. **Orellia sticta** (Gmelin,1790) (Tephritidae)
9009. **Oreodytes davisii** (Curtis,1831)
(Dytiscidae)
9010. **Oreodytes septentrionalis**
(Gyllenhal,1826) (Dytiscidae)
9011. **Oreodytes septentrionalis**
(Gyllenhal,1826) (Dytiscidae)
9012. **Orestia loebli** Biondi,1992
(Chrysomelidae)
9013. **Orestia olympica** Frivaldsky,1884
(Chrysomelidae)
9014. **Orestia oselliana** Leonardi,1977
(Chrysomelidae)
9015. **Orius horvathi** (Reuter,1884)
(Anthocoridae)
9016. **Orius laevigatus** (Fieber,1860)
(Anthocoridae)
9017. **Orius minutus** (Linnaeus,1758)
(Anthocoridae)
9018. **Orius niger** (Wolff,1811) (Anthocoridae)
9019. **Orius pallidicornis** (Reuter,1884)
(Anthocoridae)
9020. **Orius vicinus** (Ribaut,1923)
(Anthocoridae)
9021. **Ormosia (s.str.) hederæ** (Curtis,1835)
(Limoniidae)
9022. **Ormyrus ardaahanensis** (Doğanlar,1991)
(Ormyridae)
9023. **Ormyrus bingoeliensis** Doğanlar,1991
(Ormyridae)
9024. **Ormyrus diffinis** (Fonscolombe)
(Ormyridae)
9025. **Ormyrus graciosus** (Förster) (Ormyridae)
9026. **Ormyrus kazovaensis** (Doğanlar,1991)
(Ormyridae)
9027. **Ormyrus nitidulus** (Fabricius)
(Ormyridae)
9028. **Ormyrus orientalis** Walker (Ormyridae)
9029. **Ormyrus tschami** (Doğanlar,1991)
(Ormyridae)
9030. **Ormyrus wachtli** Mayr (Ormyridae)
9031. **Ormyrus yeschilirmaka**
(Doğanlar,1991) (Ormyridae)
9032. **Oronothotes furvus** Mistshenko,1951
(Pamphagidae)
9033. **Orosius orientalis** (Matsumura,1914)
(Cicadellidae)
9034. **Orphilus beali** Zhantiev,2001
(Dermestidae)
9035. **Orthetrum albistylum** (Selys,1848)
(Libellulidae)
9036. **Orthetrum anceps** (Schneider,1845)
(Libellulidae)
9037. **Orthetrum brunneum**
(Fonscolombe,1837) (Libellulidae)
9038. **Orthetrum cancellatum**
(Linnaeus,1758) (Libellulidae)
9039. **Orthetrum chrysostigmum**
(Burmeister,1839) (Libellulidae)
9040. **Orthetrum coerulescens**
(Fabricius,1798) (Libellulidae)
9041. **Orthetrum ransonnetti** (Brauer,1865)
(Libellulidae)
9042. **Orthetrum sabina** (Drury,1770)
(Libellulidae)
9043. **Orthetrum taeniolum**
(Schneider,1845) (Libellulidae)
9044. **Orthetrum trinacrium** (Selys,1841)
(Libellulidae)
9045. **Orthezia urticae** (Linnaeus) (Ortheziidae)
9046. **Orthocentrus radialis** Thomson,1897
(Ichneumonidae)
9047. **Orthoceratium lacustre** (Scopoli,1763)
(Dolichopodidae)
9048. **Orthocladius luteipes**
(Goetghebuer,1921) (Chironomidae)
9049. **Orthocladius oblidens** (Walker,1856)
(Chironomidae)
9050. **Orthocladius rivulorum** (Kieffer,1911)
(Chironomidae)
9051. **Orthocladius thienemanni**
(Kieffer,1918) (Chironomidae)
9052. **Orthonevra frontalis** (Loew,1843)
(Syrphidae)
9053. **Orthopelma luteolator**
(Gravenhorst,1829) (Ichneumonidae)
9054. **Orthops basalis** (Costa,1852) (Miridae)

9055. *Orthotylus minutus* Jakovlev,1877 (Miridae)
9056. *Orthotylus nassatus* (Fabricius,1787) (Miridae)
9057. *Orthotylus virescens* (Douglas & Scott,1865) (Miridae)
9058. *Ortochile nigrocoerulea* Latreille,1809 (Dolichopodidae)
9059. *Oryctes* (*Oryctes*) *nasicornis* (Linnaeus,1758) (Scarabaeidae)
9060. *Oryctes* (*Rykanoryctes*) *agamemnon* Burmeister,1824 (Scarabaeidae)
9061. *Osbornellus macchiaie* (Lindberg,1948) (Cicadellidae)
9062. *Oscinella nartshukiana* Beschovski,1978 (Chloropidae)
9063. *Osmanius bathasari* (Petrovitz,1963) (Scarabaeidae)
9064. *Osmanius persicus* Branco & Baraud,1988 (Scarabaeidae)
9065. *Osmia* (*Allosmia*) *bischoffi* Atanassov,1938 (Megachilidae)
9066. *Osmia* (*Allosmia*) *lhotelleriei* Pérez,1887 (Megachilidae)
9067. *Osmia* (*Allosmia*) *melanura* Morawitz,1871 (Megachilidae)
9068. *Osmia* (*Allosmia*) *nuda* Friese,1899 (Megachilidae)
9069. *Osmia* (*Allosmia*) *rufohirta* Latreille,1811 (Megachilidae)
9070. *Osmia* (*Allosmia*) *rufotibialis* Friese,1920 (Megachilidae)
9071. *Osmia* (*Allosmia*) *sybarita* Smith,1853 (Megachilidae)
9072. *Osmia* (*Erythrosmia*) *andrenoides* Spinola,1808 (Megachilidae)
9073. *Osmia* (*Erythrosmia*) *erythrogastra* Ferton,1905 (Megachilidae)
9074. *Osmia* (*Helicosmia*) *aeruginosa* Warncke,1988 (Megachilidae)
9075. *Osmia* (*Helicosmia*) *alfkeni* Ducke,1899 (Megachilidae)
9076. *Osmia* (*Helicosmia*) *aquila* Warncke,1988 (Megachilidae)
9077. *Osmia* (*Helicosmia*) *aurulenta* (Panzer,1799) (Megachilidae)
9078. *Osmia* (*Helicosmia*) *breviata* Warncke,1988 (Megachilidae)
9079. *Osmia* (*Helicosmia*) *brevipes* Zanden,1994 (Megachilidae)
9080. *Osmia* (*Helicosmia*) *caerulescens* (Linnaeus,1758) (Megachilidae)
9081. *Osmia* (*Helicosmia*) *carinoclypearis* Wu,1985 (Megachilidae)
9082. *Osmia* (*Helicosmia*) *chrysaetos* Warncke,1988 (Megachilidae)
9083. *Osmia* (*Helicosmia*) *cinerea* Warncke,1988 (Megachilidae)
9084. *Osmia* (*Helicosmia*) *clypearis* Morawitz,1871 (Megachilidae)
9085. *Osmia* (*Helicosmia*) *damascena* Pérez,1911 (Megachilidae)
9086. *Osmia* (*Helicosmia*) *dimidiata* Morawitz,1870 (Megachilidae)
9087. *Osmia* (*Helicosmia*) *diomedia* Warncke,1988 (Megachilidae)
9088. *Osmia* (*Helicosmia*) *dives* Mocsary,1877 (Megachilidae)
9089. *Osmia* (*Helicosmia*) *dlabolae* Tkalcu,1978 (Megachilidae)
9090. *Osmia* (*Helicosmia*) *fasciata* Latreille,1811 (Megachilidae)
9091. *Osmia* (*Helicosmia*) *fulviventris* (Panzer,1798) (Megachilidae)
9092. *Osmia* (*Helicosmia*) *gutturalis* Warncke,1988 (Megachilidae)
9093. *Osmia* (*Helicosmia*) *heliaca* Warncke,1988 (Megachilidae)
9094. *Osmia* (*Helicosmia*) *laticella* Zanden,1986 (Megachilidae)
9095. *Osmia* (*Helicosmia*) *latreillei* (Spinola,1806) (Megachilidae)
9096. *Osmia* (*Helicosmia*) *lazulina* Benoist,1928 (Megachilidae)
9097. *Osmia* (*Helicosmia*) *leaiana* (Kirby,1802) (Megachilidae)
9098. *Osmia* (*Helicosmia*) *livida* Tkalcu,1978 (Megachilidae)
9099. *Osmia* (*Helicosmia*) *mediana* Engel,2006 (Megachilidae)
9100. *Osmia* (*Helicosmia*) *melanogaster* Spinola,1808 (Megachilidae)
9101. *Osmia* (*Helicosmia*) *milena* Tkalcu,1992 (Megachilidae)
9102. *Osmia* (*Helicosmia*) *mirhiji* Mavromoustakis,1957 (Megachilidae)
9103. *Osmia* (*Helicosmia*) *niveata* (Fabricius,1804) (Megachilidae)
9104. *Osmia* (*Helicosmia*) *niveocincta* Pérez,1879 (Megachilidae)
9105. *Osmia* (*Helicosmia*) *notata* (Fabricius,1804) (Megachilidae)
9106. *Osmia* (*Helicosmia*) *ocularis* Warncke,1988 (Megachilidae)
9107. *Osmia* (*Helicosmia*) *onocrotala* Warncke,1988 (Megachilidae)
9108. *Osmia* (*Helicosmia*) *palmyrae* Zanden,1998 (Megachilidae)
9109. *Osmia* (*Helicosmia*) *pennata* Warncke,1988 (Megachilidae)
9110. *Osmia* (*Helicosmia*) *peregrina* Warncke,1988 (Megachilidae)
9111. *Osmia* (*Helicosmia*) *saxatilis* Warncke,1988 (Megachilidae)
9112. *Osmia* (*Helicosmia*) *signata* Erichson,1835 (Megachilidae)
9113. *Osmia* (*Helicosmia*) *sogdiana* Morawitz,1875 (Megachilidae)
9114. *Osmia* (*Helicosmia*) *subcornuta* Morawitz,1875 (Megachilidae)
9115. *Osmia* (*Helicosmia*) *torquata* Warncke,1988 (Megachilidae)
9116. *Osmia* (*Hemiosmia*) *chrysolepta* Haeseler,2005 (Megachilidae)
9117. *Osmia* (*Hemiosmia*) *difficilis* Morawitz,1875 (Megachilidae)
9118. *Osmia* (*Hoplosmia*) *algae* (Tkalcu,1978) (Megachilidae)
9119. *Osmia* (*Hoplosmia*) *bidentata* Morawitz,1876 (Megachilidae)
9120. *Osmia* (*Hoplosmia*) *croatica* Friese,1893 (Megachilidae)
9121. *Osmia* (*Hoplosmia*) *distinguenda* (Tkalcu,1974) (Megachilidae)
9122. *Osmia* (*Hoplosmia*) *elegans* (Tkalcu,1992) (Megachilidae)

9123. *Osmia* (*Hoplosmia*) *hermonensis* (Tkalcu,1992) (Megachilidae)
 9124. *Osmia* (*Hoplosmia*) *ligurica* Morawitz,1868 (Megachilidae)
 9125. *Osmia* (*Hoplosmia*) *padri* (Tkalcu,1974) (Megachilidae)
 9126. *Osmia* (*Hoplosmia*) *pinguis* Pérez,1895 (Megachilidae)
 9127. *Osmia* (*Hoplosmia*) *scutellaris* Morawitz,1868 (Megachilidae)
 9128. *Osmia* (*Hoplosmia*) *spinigera* Latreille,1811 (Megachilidae)
 9129. *Osmia* (*Hoplosmia*) *spinulosa* (Kirby,1802) (Megachilidae)
 9130. *Osmia* (*Hoplosmia*) *warncke* (Tkalcu,1992) (Megachilidae)
 9131. *Osmia* (*Melanosmia*) *parietina* Curtis,1828 (Megachilidae)
 9132. *Osmia* (*Melanosmia*) *thoracica* Radoszkowsky,1874 (Megachilidae)
 9133. *Osmia* (*Metallinella*) *brevicornis* (Fabricius,1798) (Megachilidae)
 9134. *Osmia* (*Monosmia*) *apicata* Smith,1853 (Megachilidae)
 9135. *Osmia* (*Neosmia*) *cinnabarina* Pérez,1895 (Megachilidae)
 9136. *Osmia* (*Neosmia*) *gracilicornis* Pérez,1895 (Megachilidae)
 9137. *Osmia* (*Neosmia*) *jason* Benoist,1929 (Megachilidae)
 9138. *Osmia* (*Orientosmia*) *maxillaris* Morawitz,1875 (Megachilidae)
 9139. *Osmia* (*Ozbekosmia*) *avosetta* Warncke,1988 (Megachilidae)
 9140. *Osmia* (*Pyrosmia*) *amathusica* Mavromoustakis,1937 (Megachilidae)
 9141. *Osmia* (*Pyrosmia*) *avedata* Warncke,1992 (Megachilidae)
 9142. *Osmia* (*Pyrosmia*) *cephalotes* Morawitz,1870 (Megachilidae)
 9143. *Osmia* (*Pyrosmia*) *cyanoxantha* Pérez,1879 (Megachilidae)
 9144. *Osmia* (*Pyrosmia*) *dilaticornis* Morawitz,1875 (Megachilidae)
 9145. *Osmia* (*Pyrosmia*) *ferruginea* Latreille,1811 (Megachilidae)
 9146. *Osmia* (*Pyrosmia*) *forticornis* Zanden,1989 (Megachilidae)
 9147. *Osmia* (*Pyrosmia*) *gallarum* Spinola,1808 (Megachilidae)
 9148. *Osmia* (*Pyrosmia*) *gemmea* Pérez,1896 (Megachilidae)
 9149. *Osmia* (*Pyrosmia*) *hellados* Zanden,1984 (Megachilidae)
 9150. *Osmia* (*Pyrosmia*) *hermona* Warncke,1992 (Megachilidae)
 9151. *Osmia* (*Pyrosmia*) *laticauda* Stanek,1969 (Megachilidae)
 9152. *Osmia* (*Pyrosmia*) *lobata* Friese,1899 (Megachilidae)
 9153. *Osmia* (*Pyrosmia*) *moreensis* Zanden,1984 (Megachilidae)
 9154. *Osmia* (*Pyrosmia*) *nana* Morawitz,1874 (Megachilidae)
 9155. *Osmia* (*Pyrosmia*) *nigricollis* Warncke,1992 (Megachilidae)
 9156. *Osmia* (*Pyrosmia*) *oramara* Warncke,1992 (Megachilidae)
 9157. *Osmia* (*Pyrosmia*) *polkruga* Warncke,1992 (Megachilidae)
 9158. *Osmia* (*Pyrosmia*) *ramona* Warncke,1992 (Megachilidae)
 9159. *Osmia* (*Pyrosmia*) *saxicola* Ducke,1899 (Megachilidae)
 9160. *Osmia* (*Pyrosmia*) *submicans* Morawitz,1870 (Megachilidae)
 9161. *Osmia* (*Pyrosmia*) *tawildara* Warncke,1992 (Megachilidae)
 9162. *Osmia* (*Pyrosmia*) *teunissen* Zanden,1981 (Megachilidae)
 9163. *Osmia* (*Pyrosmia*) *versicolor* Latreille,1811 (Megachilidae)
 9164. *Osmia* (*Pyrosmia*) *viridana* Morawitz,1874 (Megachilidae)
 9165. *Osmia* (s.str.) *ariadne* Peters,1978 (Megachilidae)
 9166. *Osmia* (s.str.) *bicornis* (Linnaeus,1758) (Megachilidae)
 9167. *Osmia* (s.str.) *cerinthidis* Morawitz,1876 (Megachilidae)
 9168. *Osmia* (s.str.) *cornuta* (Latreille,1805) (Megachilidae)
 9169. *Osmia* (s.str.) *mustelina* Gerstaecker,1869 (Megachilidae)
 9170. *Osmia* (s.str.) *mutensis* Peters,1978 (Megachilidae)
 9171. *Osmia* (*Tergosmia*) *avosetta* Warncke,1988 (Megachilidae)
 9172. *Osmia* (*Tergosmia*) *glareola* Warncke,1988 (Megachilidae)
 9173. *Osmia* (*Tergosmia*) *glareola* Warncke,1988 (Megachilidae)
 9174. *Osmia* (*Tergosmia*) *pratincola* Warncke,1988 (Megachilidae)
 9175. *Osmia* (*Tergosmia*) *pratincola* Warncke,1988 (Megachilidae)
 9176. *Osmia* (*Tergosmia*) *rhodoensis* (Zanden,1983) (Megachilidae)
 9177. *Osmia* (*Tergosmia*) *rhodoensis* (Zanden,1983) (Megachilidae)
 9178. *Osmia* (*Tergosmia*) *tergestensis* Ducke,1897 (Megachilidae)
 9179. *Osmia* (*Tergosmia*) *tergestensis* Ducke,1897 (Megachilidae)
 9180. *Osmoderma* *brevipennis* Pic,1904 (Scarabaeidae)
 9181. *Osmylus* *cilicicus* Krüger,1913 (Osmylidae)
 9182. *Osmylus* *elegantissimus* Kozhantshikov,1951 (Osmylidae)
 9183. *Osmylus* *fulvicephalus* (Scopoli,1763) (Osmylidae)
 9184. *Osmylus* *multiguttatus* McLachlan,1870 (Osmylidae)
 9185. *Osphranteria* *coerulescens* Redtenbacher,[1849] (Cerambycidae)
 9186. *Osphranteria* *lata* Pic,1956 (Cerambycidae)
 9187. *Otlophorus* *inflammator* Aubert,1970 (Ichneumonidae)
 9188. *Oxyaciura* *tibialis* Robineau-Desvoidy,1830 (Tephritidae)
 9189. *Oxycara* *hegetericum* Reiche & Saulcy,1857 (Tenebrionidae)
 9190. *Oxycara* *laevigatum* Reiche & Saulcy,1857 (Tenebrionidae)

9191. **Oxycera pygmaeum** Reiche & Saulcy,1857 (Tenebrionidae)
9192. **Oxycarenus pallens** (Herrich-Schäffer,1850) (Lygaeidae)
9193. **Oxycera (Camptopelta) meigenii** Staeger,1844 (Stratiomyidae)
9194. **Oxycera (Camptopelta) nigricornis** Olivier,1812 (Stratiomyidae)
9195. **Oxycera (Camptopelta) nigrinus** Fallén,1817 (Stratiomyidae)
9196. **Oxycera galeata** (Lindner,1975) (Stratiomyidae)
9197. **Oxycera grata** Loew,1869 (Stratiomyidae)
9198. **Oxycera insolata** Kühbandner,1984 (Stratiomyidae)
9199. **Oxycera limbata** Loew,1862 (Stratiomyidae)
9200. **Oxycera pardalina** Meigen,1822 (Stratiomyidae)
9201. **Oxycera pygmaea** (Fallén,1817) (Stratiomyidae)
9202. **Oxycera quadrilineata** Üstüner & Hasbenli,2007 (Stratiomyidae)
9203. **Oxycera trilineata** (Linnaeus,1767) (Stratiomyidae)
9204. **Oxycera trispila** Bezzi,1909 (Stratiomyidae)
9205. **Oxycera turcica** Üstüner & Hasbenli,2004 (Stratiomyidae)
9206. **Oxyglypta rugosa** Ruschka (Pteromalidae)
9207. **Oxyilia argentata** (Ménétriés,1832) (Cerambycidae)
9208. **Oxyna flavipennis** (Loew,1844) (Tephritidae)
9209. **Oxyna guttatofasciata** (Loew,1850) (Tephritidae)
9210. **Oxyna lutulenta** Loew,1869 (Tephritidae)
9211. **Oxyna nebulosa** (Wiedemann,1817) (Tephritidae)
9212. **Oxyothespis persica** (Bolivar,1913) (Mantidae)
9213. **Oxyothespis wagneri** (Kittary,1849) (Mantidae)
9214. **Oxyrhachis caligula** Capener,1962 (Membracidae)
9215. **Oxyrhachis capaneri** Izzard,1953 (Membracidae)
9216. **Oxyrhachis egyptiana** Distant,1915 (Membracidae)
9217. **Oxyrhachis furva** Capener,1962 (Membracidae)
9218. **Oxyrhachis versicolor** Distant,1916 (Membracidae)
9219. **Oxythyrea abigail** Reiche,1856 (Scarabaeidae)
9220. **Oxythyrea albopicta** (Motschulsky,1845) (Scarabaeidae)
9221. **Oxythyrea cinctella** (Schaum,1841) (Scarabaeidae)
9222. **Oxythyrea cinctelloides** Reitter,1898 (Scarabaeidae)
9223. **Oxythyrea dulcis** Reitter,1898 (Scarabaeidae)
9224. **Oxythyrea funesta** (Poda,1761) (Scarabaeidae)
9225. **Oxythyrea noemi** Reiche & Saulcy,1856 (Scarabaeidae)
9226. **Ozирhincus anthemidis** Rübсаamen,1915 (Cecidomyiidae)
9227. **Ozирhincus longicollis** Rondani,1840 (Cecidomyiidae)
9228. **Ozирhincus millefolii** (Wachtl,1884) (Cecidomyiidae)
9229. **Pachyanthrax flavifacies** (Austen,1937) (Bombyliidae)
9230. **Pachyanthrax nimrodicus** Zaitzev,1999 (Bombyliidae)
9231. **Pachyanthrax telamon** (Loew,1869) (Bombyliidae)
9232. **Pachyanthrax unctus** (Loew,1869) (Bombyliidae)
9233. **Pachybrachis (s.str.) adaliensis** Weise,1886 (Chrysomelidae)
9234. **Pachybrachis (s.str.) akbesianus** Pic,1907 (Chrysomelidae)
9235. **Pachybrachis (s.str.) anatolicus** Lopatin,1985 (Chrysomelidae)
9236. **Pachybrachis (s.str.) bodemeyeri** Weise,1906 (Chrysomelidae)
9237. **Pachybrachis (s.str.) boreopersicus** Lopatin,1991 (Chrysomelidae)
9238. **Pachybrachis (s.str.) cordatus** Sassi & Schöller,2003 (Chrysomelidae)
9239. **Pachybrachis (s.str.) excisus** Weise,1897 (Chrysomelidae)
9240. **Pachybrachis (s.str.) fimbriolatus** (Suffrian,1848) (Chrysomelidae)
9241. **Pachybrachis (s.str.) freidbergi** Lopatin,1994 (Chrysomelidae)
9242. **Pachybrachis (s.str.) glycirrhizae** (Olivier,1808) (Chrysomelidae)
9243. **Pachybrachis (s.str.) jordanicus** Lopatin,1984 (Chrysomelidae)
9244. **Pachybrachis (s.str.) laticollis** Suffrian,1860 (Chrysomelidae)
9245. **Pachybrachis (s.str.) libanicola** Rey,1883 (Chrysomelidae)
9246. **Pachybrachis (s.str.) limbatus** (Ménétriés,1836) (Chrysomelidae)
9247. **Pachybrachis (s.str.) mardinensis** Weise,1900 (Chrysomelidae)
9248. **Pachybrachis (s.str.) mendax** Suffrian,1860 (Chrysomelidae)
9249. **Pachybrachis (s.str.) nigropunctatus** Suffrian,1854 (Chrysomelidae)
9250. **Pachybrachis (s.str.) nitidicollis** Weise,1894 (Chrysomelidae)
9251. **Pachybrachis (s.str.) peyroni** Pic,1914 (Chrysomelidae)
9252. **Pachybrachis (s.str.) pudicus** Lopatin,1984 (Chrysomelidae)
9253. **Pachybrachis (s.str.) rapillyi** Lopatin,1984 (Chrysomelidae)
9254. **Pachybrachis (s.str.) scripticollis** Faldermann,1837 (Chrysomelidae)
9255. **Pachybrachis (s.str.) sidonius** Pic,1914 (Chrysomelidae)
9256. **Pachybrachis (s.str.) sinuatus** Mulsant & Rey,1859 (Chrysomelidae)
9257. **Pachybrachis (s.str.) tessellatus** (Olivier,1791) (Chrysomelidae)
9258. **Pachybrachis (s.str.) velarum** Warchalowski,1998 (Chrysomelidae)
9259. **Pachybrachis (s.str.) vermicularis** Suffrian,1854 (Chrysomelidae)

9260. **Pachycerus cordiger** (Germar,1819)
(Curculionidae)
9261. **Pachycrepoideus vindemmiae**
(Rondani) (Pteromalidae)
9262. **Pachygaster atra** (Panzer,[1798])
(Stratiomyidae)
9263. **Pachygaster maura** Lindner,1939
(Stratiomyidae)
9264. **Pachyneuron ahlaense** Mani &
Saraswat (Pteromalidae)
9265. **Pachyneuron aphidis** (Bouché)
(Pteromalidae)
9266. **Pachyneuron erzurumicum**
Doğanlar,1986 (Pteromalidae)
9267. **Pachyneuron formosum** Walker)
(Pteromalidae)
9268. **Pachyneuron gibbiscuta** Thomson
(Pteromalidae)
9269. **Pachyneuron groenlandicum**
(Holmgren) (Pteromalidae)
9270. **Pachyneuron leucopiscida** Mani
(Pteromalidae)
9271. **Pachyneuron muscarum** (Linnaeus)
(Pteromalidae)
9272. **Pachyneuron nelsoni** Girault
(Pteromalidae)
9273. **Pachyprotasis rapae** Linne,1767
(Tenthredinidae)
9274. **Pachyscelis chrysomeloides**
(Olivier,1795) (Tenebrionidae)
9275. **Pachyscelis crinita** Solier,1836
(Tenebrionidae)
9276. **Pachyscelis metopotapha** (Fischer von
Waldheim,1832) (Tenebrionidae)
9277. **Pachyscelis musiva** (Ménétriés,1832)
(Tenebrionidae)
9278. **Pachyscelis pauxilla** Hampe,1852
(Tenebrionidae)
9279. **Pachyscelis persica** Redtenbacher,1850
(Tenebrionidae)
9280. **Pachyscelis quadricollis** Brullé,1832
(Tenebrionidae)
9281. **Pachyscelis rotundata** Kraatz,1865
(Tenebrionidae)
9282. **Pachyscelis villosa** (Drapiez,1820)
(Tenebrionidae)
9283. **Pachyscelis zophosioides** Baudi,1875
(Tenebrionidae)
9284. **Pachytodes cerambyciformis**
(Schrank,1781) (Cerambycidae)
9285. **Pachytodes erraticus** (Dalman,1817)
(Cerambycidae)
9286. **Pachytrachis gracilis** (Brunner von
Wattenwyl,1861) (Tettigoniidae)
9287. **Pagiphora annulata** (Brullé,1832)
(Cicadidae)
9288. **Pagiphora aschei** Kartal,1978 (Cicadidae)
9289. **Pagiphora yanni** Boulard,1993
(Cicadidae)
9290. **Paharia putoni** (Distant,1892)
(Cicadidae)
9291. **Pakabsidia heinzi** Wittmer,1978
(Cantharidae)
9292. **Palaeococcus fuscipennis** (Burmeister)
(Margarodidae)
9293. **Palaeolecanium bituberculatum**
(Signoret) (Coccidae)
9294. **Palaeolecanium kosswigi** Bodenheimer
(Coccidae)
9295. **Pales pavid** (Meigen,1824) (Tachinidae)
9296. **Palesisa nudioculata** Villeneuve,1929
(Tachinidae)
9297. **Palorus (Circomus) subdepressus**
Wollaston,1864 (Tenebrionidae)
9298. **Palorus (s.str.) depressus**
(Fabricius,1790) (Tenebrionidae)
9299. **Palorus orientalis** Fleischer,1900
(Tenebrionidae)
9300. **Palpares libelluloides** (Linnaeus,1764)
(Myrmeleonidae)
9301. **Palpares solidus** Gerstaecker,1893
(Myrmeleonidae)
9302. **Palpares turcicus** Koçak,1976
(Myrmeleonidae)
9303. **Paluda agropyri** Emelyanov,1962
(Cicadellidae)
9304. **Paluda vitripennis** (Flor,1861)
(Cicadellidae)
9305. **Panaphantus atomus**
Kiesenwetter,1858 (Staphylinidae)
9306. **Pangonius (Melanopangonius) funebris**
Macquart,1845 (Tabanidae)
9307. **Pangonius (Melanopangonius)**
haustellatus (Fabricius,1781) (Tabanidae)
9308. **Pangonius (s. str.) obscuratus**
Loew,1859 (Tabanidae)
9309. **Pangonius (s.str.) argentatus**
Szilady,1923 (Tabanidae)
9310. **Pangonius (s.str.) flavocinctus**
Szilady,1923 (Tabanidae)
9311. **Pangonius (s.str.) fulvipes** Loew,1859
(Tabanidae)
9312. **Pangonius (s.str.) lucidus** Szilady,1923
(Tabanidae)
9313. **Pangonius (s.str.) pyritosus** Loew,1859
(Tabanidae)
9314. **Pangonius (s.str.) rhynchocephalus**
Kröber,1921 (Tabanidae)
9315. **Pangonius (s.str.) variegatus**
(Fabricius,1805) (Tabanidae)
9316. **Panorpa aspoeki** Willmann,1973
(Panorpidae)
9317. **Panorpa caucasica** McLachlan,1869
(Panorpidae)
9318. **Panorpa communis** Linnaeus,1758
(Panorpidae)
9319. **Panorpa connexa** McLachlan,1869
(Panorpidae)
9320. **Panorpa germanica** Linnaeus,1758
(Panorpidae)
9321. **Panorpa hageniana** Willmann,1975
(Panorpidae)
9322. **Panorpa nigrirostris** McLachlan,1882
(Panorpidae)
9323. **Panorpa picta** Hagen,1863 (Panorpidae)
9324. **Panorpa pieperi** Willmann,1975
(Panorpidae)
9325. **Panorpa schweigeri** Willmann,1975
(Panorpidae)
9326. **Panorpa tatvana** Willmann,1974
(Panorpidae)
9327. **Panorpa thrakica** Willmann,1976
(Panorpidae)
9328. **Panorpa turcica** Willmann,1975
(Panorpidae)

9329. **Pantala flavescens (Fabricius,1798)**
(Libellulidae)
9330. **Pantorhaestes xanthostomus**
(Gravenhorst,1829) (Ichneumonidae)
9331. **Paracaloptenus caloptenoides**
(Brunner von Wattenwyl,1861) (Acrididae)
9332. **Paracardiophorus musculus**
(Erichson,1840) (Elateridae)
9333. **Parachironomus arcuatus**
(Goethebuer,1919) (Chironomidae)
9334. **Parachironomus longiforceps**
Kruseman,1933 (Chironomidae)
9335. **Paracinema tricolor (Thunberg,1815)**
(Acrididae)
9336. **Paracladius conversus (Walker,1856)**
(Chironomidae)
9337. **Paracladopelma nigrifulva**
Goetghebuuer,1942 (Chironomidae)
9338. **Paraclytus raddei (Ganglbauer,1881)**
(Cerambycidae)
9339. **Paraclytus reitteri (Ganglbauer,1881)**
(Cerambycidae)
9340. **Paraclytus sexguttatus (Adams,1817)**
(Cerambycidae)
9341. **Paracorixa concinna (Fieber,1848)**
(Corixidae)
9342. **Paracorymbia excisipes**
(Ménétriés,1832) (Cerambycidae)
9343. **Paracorymbia fulva (De Geer,1775)**
(Cerambycidae)
9344. **Paracorymbia sambucicola**
(Holzschuh,1982) (Cerambycidae)
9345. **Paracorymbia tonsa (K.Daniel & J.Daniel,1891)** (Cerambycidae)
9346. **Paracymus aeneus (Germar,1824)**
(Hydrophilidae)
9347. **Paradelphomyia (Oxyrhiza) senilis**
(Haliday,1833) (Limoniidae)
9348. **Paradorydium breviceps**
(Melichar,1902) (Cicadellidae)
9349. **Paradorydium dimorphum**
Linnavuori,1962 (Cicadellidae)
9350. **Paradorydium mustafai Demir,2005**
(Cicadellidae)
9351. **Paradorydium occidentale**
Lindberg,1954 (Cicadellidae)
9352. **Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae)
9353. **Paradrymadusa aksirayi Karabağ,1952**
(Tettigoniidae)
9354. **Paradrymadusa breviceps**
Karabağ,1956 (Tettigoniidae)
9355. **Paradrymadusa sordida Herman,1874**
(Tettigoniidae)
9356. **Parageron dimonicus Zaitzev,1996**
(Bombyliidae)
9357. **Parageron gratus (Loew,1856)**
(Bombyliidae)
9358. **Parageron negevi Zaitzev,1996**
(Bombyliidae)
9359. **Parageron punctipennis (Loew,1846)**
(Bombyliidae)
9360. **Parageron volkovitshi Zaitzev,1996**
(Bombyliidae)
9361. **Paragnetina transoxanica**
(Klapalek,1921) (Perlidae)
9362. **Paragomphus genei (Selys,1841)**
(Gomphidae)
9363. **Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae)
9364. **Paragus (Pandasyophtalmus) abrogans**
Goeldlin,1971 (Syrphidae)
9365. **Paragus (Pandasyophtalmus)**
coadunatus Rondani,1847 (Syrphidae)
9366. **Paragus (Pandasyophtalmus)**
constrictus Simic,1986 (Syrphidae)
9367. **Paragus (Pandasyophtalmus)**
haemorrhous Meigen,1822 (Syrphidae)
9368. **Paragus (Pandasyophtalmus) tibialis**
(Fallén,1817) (Syrphidae)
9369. **Paragus (s.str.) absidatus Goeldlin,1971**
(Syrphidae)
9370. **Paragus (s.str.) albifrons (Fallén,1817)**
(Syrphidae)
9371. **Paragus (s.str.) altomontanus**
Weyer,2010 (Syrphidae)
9372. **Paragus (s.str.) azureus Hull,1949**
(Syrphidae)
9373. **Paragus (s.str.) bicolor**
(Fabricius,1794) (Syrphidae)
9374. **Paragus (s.str.) bradescui**
Stanescu,1981 (Syrphidae)
9375. **Paragus (s.str.) cinctus Schiner & Egger,1853** (Syrphidae)
9376. **Paragus (s.str.) compeditus**
Wiedemann,1830 (Syrphidae)
9377. **Paragus (s.str.) faesi De Weyer,2000**
(Syrphidae)
9378. **Paragus (s.str.) kopdagensis Hayat & Claussen,1997** (Syrphidae)
9379. **Paragus (s.str.) oltenicus Stanescu,1977**
(Syrphidae)
9380. **Paragus (s.str.) peccioli Rondani,1857**
(Syrphidae)
9381. **Paragus (s.str.) quadrifasciatus**
Meigen,1822 (Syrphidae)
9382. **Paragus (s.str.) romanicus**
Stanescu,1992 (Syrphidae)
9383. **Paragymnomerus amitinorum**
Blüthgen,1938 (Vespidae)
9384. **Parakiefferiella coronata**
(Edwards,1929) (Chironomidae)
9385. **Parakiefferiella tenuilobata Caspers & Reiss,1989** (Chironomidae)
9386. **Paralauterboniella nigrohalteralis**
(Malloch,1915) (Chironomidae)
9387. **Paralimnellus cingulatus**
(Dlabola,1960) (Cicadellidae)
9388. **Paralimnus inexpectatus Dlabola,1961**
(Cicadellidae)
9389. **Paralimnus phragmitis**
(Boheman,1847) (Cicadellidae)
9390. **Paralimnus picturatus Haupt,1930**
(Cicadellidae)
9391. **Paramacroceps maculipennis**
Linnavuori,1962 (Cicadellidae)
9392. **Paramerina cingulata (Walker,1856)**
(Chironomidae)
9393. **Paramesodes lineaticollis**
(Distant,1908) (Cicadellidae)
9394. **Paramesus major Haupt,1927**
(Cicadellidae)
9395. **Paramesus obtusifrons (Stal,1853)**
(Cicadellidae)
9396. **Parametriocnemus sp.** (Chironomidae)

9397. **Parametricnemus stylatus** (Kieffer,1924) (Chironomidae)
 9398. **Paramyrmosa brunnipes** (Lepeletier,1845) (Mutillidae)
 9399. **Paramyrmosa radoszkowskyi** (Saussure,1880) (Mutillidae)
 9400. **Paramyrmosa Saussure,1880** (Mutillidae)
 9401. **Paranocaracris bulgaricus** (Ebner & Drenowsky,1930) (Pamphagidae)
 9402. **Paranocaracris citripes** (Uvarov,1949) (Pamphagidae)
 9403. **Paranocaracris elegans** Mistshenko,1951 (Pamphagidae)
 9404. **Paranocaracris rimansonae** (Uvarov,1918) (Pamphagidae)
 9405. **Paranocaracris rubripes** (Fischer von Waldheim,1846) (Pamphagidae)
 9406. **Paranocarodes atympanicus** Ramme,1951 (Pamphagidae)
 9407. **Paranocarodes beieri** (Ramme,1951) (Pamphagidae)
 9408. **Paranocarodes fieberi** (Brunner von Wattenwyl,1882) (Pamphagidae)
 9409. **Paranocarodes pahlagonicus** Ramme,1951 (Pamphagidae)
 9410. **Paranocarodes straubei** (Fieber,1853) (Pamphagidae)
 9411. **Paranocarodes sulcatus** (Bolivar,1912) (Pamphagidae)
 9412. **Paranothrotres asulcatus** Demirsoy,1973 (Pamphagidae)
 9413. **Paranothrotres eximius** Mistshenko,1951 (Pamphagidae)
 9414. **Paranothrotres gotvendicus** (Bolivar,1912) (Pamphagidae)
 9415. **Paranothrotres kosswigi** Demirsoy,1973 (Pamphagidae)
 9416. **Paranothrotres levis** Mistshenko,1951 (Pamphagidae)
 9417. **Paranothrotres opacus** (Brunner von Wattenwyl,1882) (Pamphagidae)
 9418. **Paraphamartania syriaca** (Schiner,1867) (Asilidae)
 9419. **Paraphilaenus notatus** (Mulsant & Rey,1855) (Cercopidae)
 9420. **Parapholidoptera antaliae** Nadig,1991 (Tettigoniidae)
 9421. **Parapholidoptera belen** Ünal,2006 (Tettigoniidae)
 9422. **Parapholidoptera bolkarensis** Çıplak,2000 (Tettigoniidae)
 9423. **Parapholidoptera castaneoviridis** (Brunner von Wattenwyl,1882) (Tettigoniidae)
 9424. **Parapholidoptera distincta** (Uvarov,1921) (Tettigoniidae)
 9425. **Parapholidoptera flexuosa** Karabağ,1961 (Tettigoniidae)
 9426. **Parapholidoptera grandis** (Karabağ,1952) (Tettigoniidae)
 9427. **Parapholidoptera intermixta** Karabağ,1961 (Tettigoniidae)
 9428. **Parapholidoptera karabagi** Demirsoy,1974 (Tettigoniidae)
 9429. **Parapholidoptera kosswigi** (Karabağ,1950) (Tettigoniidae)
 9430. **Parapholidoptera noxia** (Ramme,1930) (Tettigoniidae)
 9431. **Parapholidoptera punctifrons** (Burmeister,1839) (Tettigoniidae)
 9432. **Parapholidoptera salmani** Çıplak,2000 (Tettigoniidae)
 9433. **Parapholidoptera signata** (Brunner von Wattenwyl,1861) (Tettigoniidae)
 9434. **Parapholidoptera spinulosa** Karabağ,1956 (Tettigoniidae)
 9435. **Parapholidoptera syriaca** (Ramme,1930) (Tettigoniidae)
 9436. **Parapholidoptera willemsei** Katbeh Bader & Massa,2001 (Tettigoniidae)
 9437. **Parapholidoptera yoruka** Çıplak,2000 (Tettigoniidae)
 9438. **Parapholidoptera ziganensis** Karabağ,1964 (Tettigoniidae)
 9439. **Paraplagionotus floralis** (Pallas,1773) (Cerambycidae)
 9440. **Parapoecilimon antalyaensis** Karabağ,1975 (Tettigoniidae)
 9441. **Parapolybia escalarae** Meade-Waldo,1911 (Vespidae)
 9442. **Parapotes reticulatus** (Hovarth,1897) (Cicadellidae)
 9443. **Parasaissetia nigra** (Nietner) (Coccidae)
 9444. **Parasauleia trjapitzini** Hoffer (Encyrtidae)
 9445. **Parasyrphus punctulatus** (Verrall,1873) (Syrphidae)
 9446. **Paratanytarsus lauterborni** Kieffer,1918 (Chironomidae)
 9447. **Paratendipes albimanus** (Meigen,1818) (Chironomidae)
 9448. **Paratendipes demirsoyus** Şahin,1976 (Chironomidae)
 9449. **Paratendipes intermedius** Tchern.,1949 (Chironomidae)
 9450. **Paratettix iranica** Uvarov,1952 (Tetrigidae)
 9451. **Paratettix meridionalis** (Rambur,1838) (Tetrigidae)
 9452. **Parathrix anatolicus** (Reitter,1902) (Melyridae)
 9453. **Parathrix attonita** Majer,1990 (Melyridae)
 9454. **Parathrix bimetallicus** (Abeille,1894) (Melyridae)
 9455. **Parathrix facunda** Majer,1990 (Melyridae)
 9456. **Parathrix tristis** Majer,1996 (Melyridae)
 9457. **Paratinus femoralis** (Erichson,1840) (Melyridae)
 9458. **Paratrichocladus rufiventris** (Meigen,1830) (Chironomidae)
 9459. **Paravespa mimetica** (Schulthess,1924) (Vespidae)
 9460. **Pareumenes enslini** (Schulthess,1931) (Vespidae)
 9461. **Pareumenes laminatus** (Kriechbaumer,1879) (Vespidae)
 9462. **Parlatoreopsis longispina** (Newstead) (Diaspididae)
 9463. **Parlatoria crotonis** Douglas (Diaspididae)
 9464. **Parlatoria oleae** (Colvee) (Diaspididae)

9465. **Parlatoria parlatoriae (Sulc)**
(Diaspididae)
9466. **Parlatoria pergandii Comstock**
(Diaspididae)
9467. **Parlatoria ziziphi (Lucas)** (Diaspididae)
9468. **Parodontodynerus ephippium**
(Klug,1817) (Vespidae)
9469. **Paroniticellus festivus (Steven,1809)**
(Scarabaeidae)
9470. **Parthenolecanium tamaricis**
(Bodenheimer) (Coccidae)
9471. **Parthenolecanium corni (Bouche)**
(Coccidae)
9472. **Parthenolecanium persicae (Fabricius)**
(Coccidae)
9473. **Parthenolecanium pomeranicum**
(Kawecki) (Coccidae)
9474. **Parthenolecanium pruinatum**
(Coquillett) (Coccidae)
9475. **Parthenolecanium rufulum (Cockerell)**
(Coccidae)
9476. **Parvoacaecus (Parvoacaecus) anatolicus**
(Coiffait,1956) (Carabidae)
9477. **Parvoacaecus (Parvoacaecus) tokatensis**
(Vigna Taglianti,1976) (Carabidae)
9478. **Parvoacaecus (Parvoacaecus) turcicus**
(Coiffait,1956) (Carabidae)
9479. **Patroclodes sputator (Fabricius,1793)**
(Ichneumonidae)
9480. **Pausias martini (Puton,1890)**
(Pentatomidae)
9481. **Paussus (Cochliopaussus) turcicus**
Frivaldszky,1835 (Carabidae)
9482. **Pedestredorcadion accola**
(Heyden,1894) (Cerambycidae)
9483. **Pedestredorcadion albolineatum**
(Küster,1847) (Cerambycidae)
9484. **Pedestredorcadion albonotatum**
(Pic,1895) (Cerambycidae)
9485. **Pedestredorcadion amanense**
(Breuning,1943) (Cerambycidae)
9486. **Pedestredorcadion anatolicum**
(Pic,1900) (Cerambycidae)
9487. **Pedestredorcadion arcivagum**
(Thomson,1868) (Cerambycidae)
9488. **Pedestredorcadion ardashense**
(Breuning,1975) (Cerambycidae)
9489. **Pedestredorcadion bangi**
(Heyden,1894) (Cerambycidae)
9490. **Pedestredorcadion banjkovskyi**
(Plavilstshikov,1958) (Cerambycidae)
9491. **Pedestredorcadion beckeri**
(Kraatz,1873) (Cerambycidae)
9492. **Pedestredorcadion berytense**
(Breuning,1964) (Cerambycidae)
9493. **Pedestredorcadion biforme**
(Kraatz,1873) (Cerambycidae)
9494. **Pedestredorcadion bithyniense**
(Chevrolat,1856) (Cerambycidae)
9495. **Pedestredorcadion blanchardi**
(Mulsant & Rey,1863) (Cerambycidae)
9496. **Pedestredorcadion bodemeyeri**
(Daniel,1900) (Cerambycidae)
9497. **Pedestredorcadion boucardi (Pic,1942)**
(Cerambycidae)
9498. **Pedestredorcadion bouilloni (Breuning**
& Ruspoli,1975) (Cerambycidae)
9499. **Pedestredorcadion bozdaghense**
(Fairmaire,1866) (Cerambycidae)
9500. **Pedestredorcadion bremeri**
(Breuning,1981) (Cerambycidae)
9501. **Pedestredorcadion breuningi**
(Heyrovsky,1943) (Cerambycidae)
9502. **Pedestredorcadion brunicolle**
(Kraatz,1873) (Cerambycidae)
9503. **Pedestredorcadion bruno**
(Breuning,1964) (Cerambycidae)
9504. **Pedestredorcadion bulgharmaadense**
(Breuning,1946) (Cerambycidae)
9505. **Pedestredorcadion carinipenne**
(Pic,1900) (Cerambycidae)
9506. **Pedestredorcadion carolisturani**
(Breuning & Ruspoli,1971) (Cerambycidae)
9507. **Pedestredorcadion chopardi**
(Breuning,1948) (Cerambycidae)
9508. **Pedestredorcadion cinerarium**
(Fabricius,1787) (Cerambycidae)
9509. **Pedestredorcadion cingulatoides**
(Breuning,1946) (Cerambycidae)
9510. **Pedestredorcadion cingulatum**
(Ganglbauer,1883) (Cerambycidae)
9511. **Pedestredorcadion coiffaiti**
(Breuning,1962) (Cerambycidae)
9512. **Pedestredorcadion complanatum**
(Ganglbauer,1883) (Cerambycidae)
9513. **Pedestredorcadion condensatum**
(Küster,1852) (Cerambycidae)
9514. **Pedestredorcadion culminicola**
(Thomson,1868) (Cerambycidae)
9515. **Pedestredorcadion deyrollei**
(Ganglbauer,1883) (Cerambycidae)
9516. **Pedestredorcadion discomaculatum**
(Pic,1905) (Cerambycidae)
9517. **Pedestredorcadion drusoides**
(Breuning,1962) (Cerambycidae)
9518. **Pedestredorcadion drusum**
(Chevrolat,1870) (Cerambycidae)
9519. **Pedestredorcadion elbursense**
(Breuning,1943) (Cerambycidae)
9520. **Pedestredorcadion enricisturani**
(Breuning & Ruspoli,1971) (Cerambycidae)
9521. **Pedestredorcadion escherichi**
(Ganglbauer,1897) (Cerambycidae)
9522. **Pedestredorcadion ferruginipes**
(Ménétriés,1836) (Cerambycidae)
9523. **Pedestredorcadion gallipolitanum**
(Thomson,1867) (Cerambycidae)
9524. **Pedestredorcadion gebzeense**
(Breuning,1974) (Cerambycidae)
9525. **Pedestredorcadion glabricolle**
(Breuning,1943) (Cerambycidae)
9526. **Pedestredorcadion haemorrhoidale**
(Hampe,1852) (Cerambycidae)
9527. **Pedestredorcadion halepense**
(Kraatz,1873) (Cerambycidae)
9528. **Pedestredorcadion heinzi**
(Breuning,1964) (Cerambycidae)
9529. **Pedestredorcadion hellmanni**
(Ganglbauer,1883) (Cerambycidae)
9530. **Pedestredorcadion holtzi (Pic,1905)**
(Cerambycidae)
9531. **Pedestredorcadion holzschuhi**
(Breuning,1974) (Cerambycidae)
9532. **Pedestredorcadion iconiense**
(Dan.,1901) (Cerambycidae)

9533. **Pedestredorcasion impressicolle**
(Kraatz,1873) (Cerambycidae)
9534. **Pedestredorcasion impressicorne**
(Tournier,1872) (Cerambycidae)
9535. **Pedestredorcasion infernale (Mulsant & Rey,1863)** (Cerambycidae)
9536. **Pedestredorcasion iranicum**
(Breuning,1947) (Cerambycidae)
9537. **Pedestredorcasion ispartense**
(Breuning,1962) (Cerambycidae)
9538. **Pedestredorcasion kagyzmanicum**
(Suvorov,1915) (Cerambycidae)
9539. **Pedestredorcasion karsense**
(Suvorov,1915) (Cerambycidae)
9540. **Pedestredorcasion kasikoparanum**
(Pic,1902) (Cerambycidae)
9541. **Pedestredorcasion kollari**
(Kraatz,1873) (Cerambycidae)
9542. **Pedestredorcasion kurdistanum**
(Breuning,1944) (Cerambycidae)
9543. **Pedestredorcasion lameeri**
(Thery,1896) (Cerambycidae)
9544. **Pedestredorcasion ledereri**
(Thomson,1865) (Cerambycidae)
9545. **Pedestredorcasion ledouxi**
(Breuning,1974) (Cerambycidae)
9546. **Pedestredorcasion libanoticum**
(Kraatz,1873) (Cerambycidae)
9547. **Pedestredorcasion lineatopunctatum**
(Breuning,1944) (Cerambycidae)
9548. **Pedestredorcasion lodosi (Sabbadini & Pesarini,1992)** (Cerambycidae)
9549. **Pedestredorcasion lugubre**
(Kraatz,1873) (Cerambycidae)
9550. **Pedestredorcasion mesopotamicum**
(Breuning,1944) (Cerambycidae)
9551. **Pedestredorcasion nigrostriatum**
(Adlbauer,1982) (Cerambycidae)
9552. **Pedestredorcasion nitidum**
(Motschoulsky,1838) (Cerambycidae)
9553. **Pedestredorcasion niveisparsum**
(Thomson,1865) (Cerambycidae)
9554. **Pedestredorcasion obsoletum**
(Kraatz,1873) (Cerambycidae)
9555. **Pedestredorcasion olympicum**
(Ganglbauer,1882) (Cerambycidae)
9556. **Pedestredorcasion paraladikense**
(Breuning,1977) (Cerambycidae)
9557. **Pedestredorcasion parallelum**
(Küster,1847) (Cerambycidae)
9558. **Pedestredorcasion parcepunctatum**
(Breuning,1948) (Cerambycidae)
9559. **Pedestredorcasion pasquieri**
(Breuning,1974) (Cerambycidae)
9560. **Pedestredorcasion pedestre**
(Poda,1761) (Cerambycidae)
9561. **Pedestredorcasion piochardi**
(Kraatz,1873) (Cerambycidae)
9562. **Pedestredorcasion pluto**
(Thomson,1867) (Cerambycidae)
9563. **Pedestredorcasion preissi**
(Heyden,1894) (Cerambycidae)
9564. **Pedestredorcasion pseudinfernale**
(Breuning,1943) (Cerambycidae)
9565. **Pedestredorcasion pseudobithyniense**
(Breuning,1962) (Cerambycidae)
9566. **Pedestredorcasion pseudoholosericeum (Breuning,1962)**
(Cerambycidae)
9567. **Pedestredorcasion pseudonobile**
(Breuning,1946) (Cerambycidae)
9568. **Pedestredorcasion pseudopreissi**
(Breuning,1962) (Cerambycidae)
9569. **Pedestredorcasion punctipenne**
(Küster,1852) (Cerambycidae)
9570. **Pedestredorcasion pygmaeum**
(Breuning,1947) (Cerambycidae)
9571. **Pedestredorcasion regulare (Pic,1931)**
(Cerambycidae)
9572. **Pedestredorcasion rigattii**
(Breuning,1966) (Cerambycidae)
9573. **Pedestredorcasion rizeanum**
(Breuning & Villers,1967) (Cerambycidae)
9574. **Pedestredorcasion saucyi**
(Thomson,1865) (Cerambycidae)
9575. **Pedestredorcasion scabricolle**
(Dalman,1817) (Cerambycidae)
9576. **Pedestredorcasion sinopense**
(Breuning,1962) (Cerambycidae)
9577. **Pedestredorcasion smyrnensis**
(Linnaeus,1758) (Cerambycidae)
9578. **Pedestredorcasion sodale**
(Hampe,1852) (Cerambycidae)
9579. **Pedestredorcasion spectabile**
(Kraatz,1873) (Cerambycidae)
9580. **Pedestredorcasion spinense**
(Breuning,1962) (Cerambycidae)
9581. **Pedestredorcasion subatritarse**
(Breuning,1966) (Cerambycidae)
9582. **Pedestredorcasion subcinctellum**
(Breuning,1962) (Cerambycidae)
9583. **Pedestredorcasion subcorpulentum**
(Breuning,1946) (Cerambycidae)
9584. **Pedestredorcasion subsericatum**
(Pic,1901) (Cerambycidae)
9585. **Pedestredorcasion subvestitum**
(Daniel,1900) (Cerambycidae)
9586. **Pedestredorcasion syriense**
(Breuning,1943) (Cerambycidae)
9587. **Pedestredorcasion turcicum**
(Breuning,1963) (Cerambycidae)
9588. **Pedestredorcasion urmianum**
(Plavilstshikov,1937) (Cerambycidae)
9589. **Pedestredorcasion wagneri**
(Küster,1846) (Cerambycidae)
9590. **Pedicia (Amalopsis) occulta**
(Meigen,1830) (Pediidae)
9591. **Pedicia (Crunobia) littoralis**
(Meigen,1804) (Pediidae)
9592. **Pedicia (Crunobia) persica**
Alexander,1975 (Pediidae)
9593. **Pedicia (Crunobia) tjederi Mendl,1974**
(Pediidae)
9594. **Pedicia (Crunobia) zernyi**
(Lackschewitz,1940) (Pediidae)
9595. **Pedinpompilus atatuerki (Wolf,1960)**
(Pompilidae)
9596. **Pedinpompilus obscurus (Haupt,1962)**
(Pompilidae)
9597. **Pedinpompilus orbitalis (Haupt,1962)**
(Pompilidae)
9598. **Pedinpompilus paulinus (Wolf,1960)**
(Pompilidae)

9599. **Pedinompilus wolffi** (Priesner,1965)
(Pompilidae)
9600. **Pedinus (s.str.) anatolicus** Mulsant &
Rey,1853 (Tenebrionidae)
9601. **Pedinus (s.str.) bodemeyeri**
Reitter,1904 (Tenebrionidae)
9602. **Pedinus (s.str.) curvipes** Mulsant &
Rey,1853 (Tenebrionidae)
9603. **Pedinus (s.str.) fallax** Mulsant &
Rey,1853 (Tenebrionidae)
9604. **Pedinus (s.str.) femoralis**
(Linnaeus,1767) (Tenebrionidae)
9605. **Pedinus (s.str.) helopoides** Ahrens,1814
(Tenebrionidae)
9606. **Pedinus (s.str.) kiesenwetteri**
Seidlitz,1893 (Tenebrionidae)
9607. **Pedinus (s.str.) marani** Kaszab,1960
(Tenebrionidae)
9608. **Pedinus (s.str.) podager** Seidlitz,1893
(Tenebrionidae)
9609. **Pedinus (s.str.) quadratus** Brullé,1832
(Tenebrionidae)
9610. **Pedinus (s.str.) reitteri** Seidlitz,1893
(Tenebrionidae)
9611. **Pedinus (s.str.) schaumii** Mulsant &
Rey,1853 (Tenebrionidae)
9612. **Pedinus (s.str.) strabonis** Seidlitz,1893
(Tenebrionidae)
9613. **Pedinus (s.str.) subdepressus**
Brullé,1832 (Tenebrionidae)
9614. **Pedinus (s.str.) tauricus** Mulsant &
Rey,1853 (Tenebrionidae)
9615. **Pedinus (Vadalus) punctulatus** Mulsant
& **Rey,1853** (Tenebrionidae)
9616. **Pediobius bruchicida** (Rondani,1872)
(Eulophidae)
9617. **Pediobius cassidae** Erdős,1958
(Eulophidae)
9618. **Pediobius epigonus** (Walker,1839)
(Eulophidae)
9619. **Pediobius metallicus** (Nees,1834)
(Eulophidae)
9620. **Pediobius nigratarsis** (Thomson,1878)
(Eulophidae)
9621. **Pediobius pyrgo** (Walker,1839)
(Eulophidae)
9622. **Pediobius saulius** (Walker,1839)
(Eulophidae)
9623. **Pedostrangalia emmipoda**
(Mulsant,1863) (Cerambycidae)
9624. **Pedostrangalia kurda** Sama,1996
(Cerambycidae)
9625. **Pedostrangalia revestita**
(Linnaeus,1767) (Cerambycidae)
9626. **Pedostrangalia riccardoi**
Holzschuh,1984 (Cerambycidae)
9627. **Pedostrangalia tokatensis** Sama,1996
(Cerambycidae)
9628. **Pedostrangalia verticenigra** (Pic,1892)
(Cerambycidae)
9629. **Pegomya bicolor** (Wiedemann,1817)
(Anthomyiidae)
9630. **Pegomya testacea** (De Geer,1776)
(Anthomyiidae)
9631. **Peirates hybridus** (Scopoli,1763)
(Reduviidae)
9632. **Peirates strepitans** (Rambur,1839)
(Reduviidae)
9633. **Pelecocera scaevoides** (Fallén,1817)
(Syrphidae)
9634. **Peleteria rubescens** Robineau-
Desvoidy,1830 (Tachinidae)
9635. **Peliococcopsis priesneri** (Laing)
(Pseudococcidae)
9636. **Peliococcus chersonensis** (Kiritschenko)
(Pseudococcidae)
9637. **Peliococcus kimmericus** (Kiritschenko)
(Pseudococcidae)
9638. **Peliococcus manifactus** Borchsenius
(Pseudococcidae)
9639. **Peliococcus salviae** Hadzibejli
(Pseudococcidae)
9640. **Peliococcus tritubulatus** (Kiritschenko)
(Pseudococcidae)
9641. **Peliococcus turanicus** (Kiritschenko)
(Pseudococcidae)
9642. **Peltodytes caesus** (Duftschmid,1805)
(Halipidae)
9643. **Peltonotellus punctifrons** Horvath,1895
(Caliscelidae)
9644. **Penicillidia conspicua** Speiser,1901
(Nycteribiidae)
9645. **Penicillidia dufourii** (Westwood,1835)
(Nycteribiidae)
9646. **Pentacladia hatayensis** Doğanlar,2003
(Eupelmidae)
9647. **Pentacladocerus araraticus** (Trjapitzin)
(Encyrtidae)
9648. **Pentaphyllus chrysoloides**
(Rossi,1792) (Tenebrionidae)
9649. **Pentastira major** (Kirschbaum,1868)
(Cixiidae)
9650. **Pentastira megista** Emeljanov,1978
(Cixiidae)
9651. **Pentastira rorida** (Fieber,1876)
(Cixiidae)
9652. **Pentastira torossica** (Dlabola,1957)
(Cixiidae)
9653. **Pentastiridius leporinus**
(Linnaeus,1761) (Cixiidae)
9654. **Pentastiridius nanus** (Ivanoff,1885)
(Cixiidae)
9655. **Penthimia nigra** (Goeze,1778)
(Cicadellidae)
9656. **Penthimia scutellata** Melichar,1902
(Cicadellidae)
9657. **Pentodon algerinum** Herbst,1789
(Scarabaeidae)
9658. **Pentodon bidens** (Pallas,1771)
(Scarabaeidae)
9659. **Pentodon caminarium**
Faldermann,1835 (Scarabaeidae)
9660. **Pentodon idiota** (Herbst,1789)
(Scarabaeidae)
9661. **Pentodon quadridens** (Gebler,1845)
(Scarabaeidae)
9662. **Pentodon variolopunctatus**
Fairmaire,1879 (Scarabaeidae)
9663. **Perasis sussianae** Abbassian-
Lintzen,1964 (Asilidae)
9664. **Pericoma blandula** Eaton,1893
(Psychodidae)
9665. **Pericoma hakkariae** R.Wagner,1986
(Psychodidae)
9666. **Pericoma kariana** Vaillant,1978
(Psychodidae)

9667. **Pericoma orientalis** R.Wagner,1986
(Psychodidae)
9668. **Pericoma platystyla** R.Wagner,1986
(Psychodidae)
9669. **Pericoma tenuistylis** Vaillant,1978
(Psychodidae)
9670. **Perilampus aeneus** (Rossius)
(Perilampidae)
9671. **Perilampus catilus** (Argaman)
(Perilampidae)
9672. **Perileptus areolatus** (Creutzer,1799)
(Carabidae)
9673. **Perilissus dissimilitor** Aubert,1987
(Ichneumonidae)
9674. **Perilissus filicornis** (Gravenhorst,1829)
(Ichneumonidae)
9675. **Perilissus lutescens** Holmgren,1855
(Ichneumonidae)
9676. **Perilissus rufoniger**
(Gravenhorst,1829) (Ichneumonidae)
9677. **Perilissus spilonotus** (Stephens,1835)
(Ichneumonidae)
9678. **Perilissus tenebrator** Aubert,1987
(Ichneumonidae)
9679. **Periplaneta americana** (Linnaeus,1758)
(Blattidae)
9680. **Peripontius concolor**
(Desbrochers,1875) (Elateridae)
9681. **Peripontius crassus** (Buysson,1906)
(Elateridae)
9682. **Peripontius dentatus** Platia &
Schimmel,1991 (Elateridae)
9683. **Peripontius elegantulus** Platia,2003
(Elateridae)
9684. **Peripontius jagemanni** Platia &
Gudenzi,2000 (Elateridae)
9685. **Peripontius omissus** (Buysson,1889)
(Elateridae)
9686. **Peripontius saroveci** Platia,2003
(Elateridae)
9687. **Peripontius terminatus**
(Erichson,1842) (Elateridae)
9688. **Peripontius turcicus** Platia &
Tarnawski,1998 (Elateridae)
9689. **Perissana circularis** (Linnavuori,1952)
(Issidae)
9690. **Perissana jakowleffi** (Puton,1890)
(Issidae)
9691. **Perithous divinator** (Rossi,1790)
(Ichneumonidae)
9692. **Perithous scurra** (Panzer,1804)
(Ichneumonidae)
9693. **Perkinsiella dorsata** Melichar,1905
(Delphacidae)
9694. **Perkinsiella rivularis** Linnavuori,1964
(Delphacidae)
9695. **Perla caucasica** Guérin-Ménéville,1838
(Perlidae)
9696. **Perla illiesi** Braasch & Joost,1971
(Perlidae)
9697. **Perla kiritschenkoi** Zhiltzova,1961
(Perlidae)
9698. **Perla marginata** (Panzer,1799) (Perlidae)
9699. **Perla pallida** Guérin-Ménéville,1838
(Perlidae)
9700. **Perlamantispa perla** (Pallas,1772)
(Mantispidae)
9701. **Perlodes microcephala** (Pictet,1833)
(Perlodidae)
9702. **Pezodrymadusa affinis** (Bolivar,1899)
(Tettigoniidae)
9703. **Pezodrymadusa angorensis**
(Uvarov,1930) (Tettigoniidae)
9704. **Pezodrymadusa diffusa** (Ramme,1951)
(Tettigoniidae)
9705. **Pezodrymadusa indivisa** Karabağ,1961
(Tettigoniidae)
9706. **Pezodrymadusa konovi** (Bolivar,1899)
(Tettigoniidae)
9707. **Pezodrymadusa kurmana**
(Ramme,1939) (Tettigoniidae)
9708. **Pezodrymadusa lata** Karabağ,1961
(Tettigoniidae)
9709. **Pezodrymadusa magnifica**
(Werner,1901) (Tettigoniidae)
9710. **Pezodrymadusa sinuata** (Ramme,1951)
(Tettigoniidae)
9711. **Pezodrymadusa striolata**
(Ramme,1951) (Tettigoniidae)
9712. **Pezodrymadusa subinermis**
Karabağ,1961 (Tettigoniidae)
9713. **Pezodrymadusa uvarovi** Karabağ,1961
(Tettigoniidae)
9714. **Pezotettix anatolica** Uvarov,1934
(Acrididae)
9715. **Pezotettix cottoi** Dirsh,1949 (Acrididae)
9716. **Pezotettix curvicerca** Uvarov,1934
(Acrididae)
9717. **Pezotettix giornaie** (Rossi,1794)
(Acrididae)
9718. **Pezotettix judaica** Uvarov,1934
(Acrididae)
9719. **Pezotettix platycerca** Stal,1876
(Acrididae)
9720. **Pezotettix sorbini** Massa &
Fontana,1999 (Acrididae)
9721. **Phaedon armoraciae** (Linnaeus,1758)
(Chrysomelidae)
9722. **Phaedon cochleariae** (Fabricius,1792)
(Chrysomelidae)
9723. **Phaedon pyritosus** (Rossi,1792)
(Chrysomelidae)
9724. **Phaenolobus areolator**
(Constantineanu & Constantineanu,1968)
(Ichneumonidae)
9725. **Phaenolobus fulvicornis**
(Gravenhorst,1829) (Ichneumonidae)
9726. **Phaenolobus major** Szepligeti,1914
(Ichneumonidae)
9727. **Phaenolobus terebrator** (Scopoli,1763)
(Ichneumonidae)
9728. **Phaenotheriolum hispidum**
Frieser,1978 (Anthribidae)
9729. **Phaenotheriolum steindachneri**
(Fivaldsky,1883) (Anthribidae)
9730. **Phaenotheriolum villosum** Frieser,1978
(Anthribidae)
9731. **Phaenotherion bodemeyeri**
Wolfrum,1956 (Anthribidae)
9732. **Phaenotheriosoma adducta**
Frieser,1980 (Anthribidae)
9733. **Phaenotheriosoma besucheti**
Frieser,1978 (Anthribidae)
9734. **Phaenotheriosoma complanata**
Frieser,1980 (Anthribidae)

9735. **Phaenotheriosoma latifolia**
Frieser,1980 (Anthribidae)
9736. **Phaenotheriosoma loebli** Frieser,1978
(Anthribidae)
9737. **Phaenotheriosoma pselaphoides**
Frieser,1980 (Anthribidae)
9738. **Phaeogenes aff. rusticatus**
Wesmael,1844 (Ichneumonidae)
9739. **Phaeogenes corcirensis**
Berthoumieu,1901 (Ichneumonidae)
9740. **Phaeogenes nigridentis** Wesmael,1844
(Ichneumonidae)
9741. **Phaeogenes planifrons** Wesmael,1844
(Ichneumonidae)
9742. **Paestacoenitus bidentator**
Aubert,1979 (Ichneumonidae)
9743. **Phaiophantia jordanensis**
Linnavuori,1962 (Flatidae)
9744. **Phalacrotophora fasciata** (Fallén,1823)
(Phoridae)
9745. **Phaleria acuminata** Küster,1852
(Tenebrionidae)
9746. **Phaleria bimaculata** (Linnaeus,1767)
(Tenebrionidae)
9747. **Phaneroptera (Erdemia) erdemi** Koçak
& Kemal,2009 (Tettigoniidae)
9748. **Phaneroptera (Erdemia) hackeri**
Harz,1988 (Tettigoniidae)
9749. **Phaneroptera (s.str.) falcata**
(Poda,1761) (Tettigoniidae)
9750. **Phaneroptera (s.str.) nana** Fieber,1853
(Tettigoniidae)
9751. **Phaneroptera (s.str.) sparsa** Stal,1857
(Tettigoniidae)
9752. **Phanerotoma (Bracotritoma) capeki**
Achtelberg,1990 (Braconidae)
9753. **Phanerotoma (Bracotritoma)**
intermedia Achtelberg,1990 (Braconidae)
9754. **Phanerotoma (Bracotritoma)**
longiradialis Achtelberg,1990 (Braconidae)
9755. **Phanerotoma (Bracotritoma)**
permixtella Fischer,1968 (Braconidae)
9756. **Phanerotoma fracta** Kokujev,1903
(Braconidae)
9757. **Phanerotoma ocularia** Kohl,1906
(Braconidae)
9758. **Phanerotomella rufa** (Marshall,1898)
(Braconidae)
9759. **Phantia christophii** Rusiecka,1902
(Flatidae)
9760. **Phantia cylindricornis** Melichar,1902
(Flatidae)
9761. **Phantia ferganensis** Dubovskii,1966
(Flatidae)
9762. **Phantia flavida** Rusiecka,1902 (Flatidae)
9763. **Phantia helleri** Linnavuori,1962
(Flatidae)
9764. **Phantia lactea** Rusiecka,1902 (Flatidae)
9765. **Phantia putoni** Rusiecka,1902 (Flatidae)
9766. **Phantia ramana** Dlabola,1965 (Flatidae)
9767. **Phantia rubromarginata** Rusiecka,1902
(Flatidae)
9768. **Phantia subquadrata** (Herrich-
Schäffer,1838) (Flatidae)
9769. **Phantia viridula** Puton,1890 (Flatidae)
9770. **Phaonia cincta** (Zetterstedt,1846)
(Muscidae)
9771. **Phaonia kobica** Schnabl,1911 (Muscidae)
9772. **Phaonia laeta** (Fallén,1823) (Muscidae)
9773. **Phaonia rufiventris** (Scopoli,1763)
(Muscidae)
9774. **Phaonia subventa** (Harris,1780)
(Muscidae)
9775. **Phaonia tersa** Villeneuve,1936
(Muscidae)
9776. **Pharaonus varicoloris**
(Burmeister,1844) (Scarabaeidae)
9777. **Pharoscymnus beritensis** Weise,1884
(Coccinellidae)
9778. **Pharoscymnus ovoideus** Sicard,1929
(Coccinellidae)
9779. **Pharoscymnus pharoides** Marseul,1868
(Coccinellidae)
9780. **Phasia (Hyalomya) pandellei**
(Dupuis,1957) (Tachinidae)
9781. **Phasmena nasuta** Melichar,1902
(Issidae)
9782. **Phasmena telifera** Melichar,1902
(Issidae)
9783. **Pheidole arenarum** Ruzsky,1905
(Formicidae)
9784. **Pheidole jordanica** Sauley,1874
(Formicidae)
9785. **Pheidole orientalis** Emery,1915
(Formicidae)
9786. **Pheidole pallidula** (Nylander,1848)
(Formicidae)
9787. **Pheidole providens** (Sykes,1835)
(Formicidae)
9788. **Pheidole sinaitica** Mayr,1862
(Formicidae)
9789. **Phenacoccus aceris** (Signoret)
(Pseudococcidae)
9790. **Phenacoccus asphodeli** Goux
(Pseudococcidae)
9791. **Phenacoccus avenae** Borchsenius
(Pseudococcidae)
9792. **Phenacoccus bicerarius** Borchsenius
(Pseudococcidae)
9793. **Phenacoccus evelinae** (Tereznikova)
(Pseudococcidae)
9794. **Phenacoccus ferulae** Borchsenius
(Pseudococcidae)
9795. **Phenacoccus graminicola** Leonardi
(Pseudococcidae)
9796. **Phenacoccus hordei** (Lindeman)
(Pseudococcidae)
9797. **Phenacoccus interruptus** Green
(Pseudococcidae)
9798. **Phenacoccus karaberdi** Borchsenius &
Ter-Grigorian (Pseudococcidae)
9799. **Phenacoccus loiki** Danzig
(Pseudococcidae)
9800. **Phenacoccus phenacoccoides**
(Kiritshenko) (Pseudococcidae)
9801. **Phenacoccus pumilus** Kiritshenko
(Pseudococcidae)
9802. **Phenacoccus tergrigorianae**
Borchsenius (Pseudococcidae)
9803. **Phenacoccus transcausicus**
Hadzibejli (Pseudococcidae)
9804. **Phenacoccus yerushalmi** Ben-Dov
(Pseudococcidae)
9805. **Pherbellia cinerella** (Fallén,1820)
(Sciomyzidae)

9806. **Pherbellia dorsata** (Zetterstedt,1846)
(Sciomyzidae)
9807. **Pherbellia griseola** (Fallén,1820)
(Sciomyzidae)
9808. **Pherbellia grisescens** (Meigen,1830)
(Sciomyzidae)
9809. **Pherbellia lutheri** Rozkosny,1982
(Sciomyzidae)
9810. **Pherbellia nana** (Fallén,1820)
(Sciomyzidae)
9811. **Pherbellia schoenherri** (Fallén,1826)
(Sciomyzidae)
9812. **Pherbellia ventralis** (Fallén,1820)
(Sciomyzidae)
9813. **Pherbina coryleti** (Scopoli,1763)
(Sciomyzidae)
9814. **Pherbina intermedia** Verbeke,1948
(Sciomyzidae)
9815. **Pherbina mediterranea** Mayer,1953
(Sciomyzidae)
9816. **Philaenus signatus** Melichar,1896
(Cercopidae)
9817. **Philaenus spumarius** (Linnaeus,1758)
(Cercopidae)
9818. **Philanthus triangulum** (Fabricius,1775)
(Crabronidae)
9819. **Philbyella glareata** Dlabola & Heller,1962
(Nogodinidae)
9820. **Philipomyia aprica** (Meigen,1820)
(Tabanidae)
9821. **Philipomyia graeca** (Fabricius,1794)
(Tabanidae)
9822. **Philipomyia rohdendorfi**
(Olsufjev,1937) (Tabanidae)
9823. **Philipomyia zizaniae** (Leclercq,1966)
(Tabanidae)
9824. **Philippia follicularis** (Targioni Tozzetti)
(Coccidae)
9825. **Philodicus ponticus** (Bigot,1880)
(Asilidae)
9826. **Philodicus spectabilis** Loew,1871
(Asilidae)
9827. **Philonicus albiceps** (Meigen,1820)
(Asilidae)
9828. **Philopotamus achemenus** Schmid,1959
(Philopotamidae)
9829. **Philopotamus montanus**
(Donovan,1813) (Philopotamidae)
9830. **Philopotamus Stephens**,1829
(Philopotamidae)
9831. **Philopotamus tenuis** Martynov,1913
(Philopotamidae)
9832. **Philopotamus variegatus** (Scopoli,1763)
(Philopotamidae)
9833. **Philopotamus variegatus** (Scopoli,1763)
(Philopotamidae)
9834. **Philorirum sordidum** (Stephens,1834)
(Staphylinidae)
9835. **Philosepedon symmetricus**
R.Wagner,1986 (Psychodidae)
9836. **Philotheria lodosi** Dlabola,1979
(Dictyopharidae)
9837. **Phlebotomus (Adlerius) balcanicus**
Theodor,1958 (Psychodidae)
9838. **Phlebotomus (Adlerius) brevis** Theodor
& Mesghali,1964 (Psychodidae)
9839. **Phlebotomus (Adlerius) halepensis**
Theodor,1958 (Psychodidae)
9840. **Phlebotomus (Adlerius) kabulensis**
Artemiev,1978 (Psychodidae)
9841. **Phlebotomus (Adlerius) longiductus**
Parrot,1928 (Psychodidae)
9842. **Phlebotomus (Adlerius) salengensis**
Artemiev,1978 (Psychodidae)
9843. **Phlebotomus (Adlerius) simici**
Nitzulescu,1931 (Psychodidae)
9844. **Phlebotomus (Euphlebotomus)**
mesghali Seyedi-Rashti & Nadim,1970
(Psychodidae)
9845. **Phlebotomus (Euphlebotomus) nadimi**
Javadian,1997 (Psychodidae)
9846. **Phlebotomus (Larrousius) ilami**
Javadian,1997 (Psychodidae)
9847. **Phlebotomus (Larrousius) kandelakii**
Shurenkova,1929 (Psychodidae)
9848. **Phlebotomus (Larrousius) keshishtani**
Shurenkova,1936 (Psychodidae)
9849. **Phlebotomus (Larrousius) langeroni**
Nitzulescu,1930 (Psychodidae)
9850. **Phlebotomus (Larrousius) major**
Annandale,1910 (Psychodidae)
9851. **Phlebotomus (Larrousius) mascittii**
Grassi,1908 (Psychodidae)
9852. **Phlebotomus (Larrousius) neglectus**
Tonnoir,1921 (Psychodidae)
9853. **Phlebotomus (Larrousius) perfilewii**
Parrot,1930 (Psychodidae)
9854. **Phlebotomus (Larrousius) smirnovi**
Perfilew,1941 (Psychodidae)
9855. **Phlebotomus (Larrousius) syriacus**
Adler & Theodor,1930 (Psychodidae)
9856. **Phlebotomus (Larrousius) tobbsi** Adler
& Theodor,1930 (Psychodidae)
9857. **Phlebotomus (Larrousius) wenyoni**
Adler & Theodor,1930 (Psychodidae)
9858. **Phlebotomus (Paraphlebotomus)**
bergeroti Parrot,1934 (Psychodidae)
9859. **Phlebotomus (Paraphlebotomus)**
papatasi (Scopoli,1786) (Psychodidae)
9860. **Phlebotomus (Paraphlebotomus) salehi**
Mesghali,1965 (Psychodidae)
9861. **Phlebotomus (Synphlebotomus)**
ansarii Lewis,1958 (Psychodidae)
9862. **Phlebotomus (Synphlebotomus)**
eleanorae Sinton,1931 (Psychodidae)
9863. **Phlebotomus jacusieli** Theodor,1947
(Psychodidae)
9864. **Phlebotomus transcaucasicus**
Perfilew,1937 (Psychodidae)
9865. **Phlepsius intricatus** (Herrich-
Schäffer,1838) (Cicadellidae)
9866. **Phlepsius ornatus** (Perris,1857)
(Cicadellidae)
9867. **Phlepsius spinulosus** Wagner,1963
(Cicadellidae)
9868. **Phloeostiba lapponica**
(Zetterstedt,1838) (Staphylinidae)
9869. **Phlogotettix cyclops** (Mulsant &
Rey,1855) (Cicadellidae)
9870. **Phloiocopus andresi** Schenkling,1912
(Cleridae)
9871. **Phloiocopus basalis** (Klug,1842)
(Cleridae)
9872. **Pholidoptera aptera** (Fabricius,1793)
(Tettigoniidae)

9873. **Pholidoptera brevipes** Ramme,1939
(Tettigoniidae)
9874. **Pholidoptera fallax** (Fischer,1853)
(Tettigoniidae)
9875. **Pholidoptera femorata** (Fieber,1853)
(Tettigoniidae)
9876. **Pholidoptera grandis** Karabağ,1952
(Tettigoniidae)
9877. **Pholidoptera griseoptera** (De Geer,1773) (Tettigoniidae)
9878. **Pholidoptera guichardi** Karabağ,1961
(Tettigoniidae)
9879. **Pholidoptera kosswigi** Karabağ,1950
(Tettigoniidae)
9880. **Phonochorion artvinensis** Bei-Bienko,1954 (Tettigoniidae)
9881. **Phonochorion satunini** Uvarov,1916
(Tettigoniidae)
9882. **Phonochorion uvarovi** Karabağ,1956
(Tettigoniidae)
9883. **Phorbia securis** Tiensuu,1935
(Anthomyiidae)
9884. **Phorticus velutinus** Puton,1895
(Nabidae)
9885. **Phosphuga atrata** (Linnaeus,1758)
(Silphidae)
9886. **Phradis morionellus** (Holmgren,1860)
(Ichneumonidae)
9887. **Phradonoma alium** Hava,2006
(Dermestidae)
9888. **Phradonoma draco** Hava,2006
(Dermestidae)
9889. **Phradonoma hirsutum** (Reiche,1868)
(Dermestidae)
9890. **Phradonoma incognitum** Hava,2006
(Dermestidae)
9891. **Phradonoma jelineki** Hava,2006
(Dermestidae)
9892. **Phradonoma monarchus** Hava,2006
(Dermestidae)
9893. **Phradonoma nebulosum** Hava,2006
(Dermestidae)
9894. **Phradonoma nigrum** Hava,2006
(Dermestidae)
9895. **Phradonoma nobile** (Reitter,1881)
(Dermestidae)
9896. **Phradonoma simile** Hava,2006
(Dermestidae)
9897. **Phradonoma spectrum** Hava,2006
(Dermestidae)
9898. **Phradonoma villosulum** (Duftschmid,1825) (Dermestidae)
9899. **Phratora tibialis** (Suffrian,1851)
(Chrysomelidae)
9900. **Phratora vitellinae** (Linnaeus,1758)
(Chrysomelidae)
9901. **Phronia basalis** Winnertz,1863
(Mycetophilidae)
9902. **Phronia biarcuata** (Becker,1908)
(Mycetophilidae)
9903. **Phronia tenuis** Winnertz,1863
(Mycetophilidae)
9904. **Phronia willistoni** Dziedzicki,1889
(Mycetophilidae)
9905. **Phrosinella nasuta** (Meigen,1824)
(Sarcophagidae)
9906. **Phrosinella tadzhika** (Rodhendorf,1935) (Sarcophagidae)
9907. **Phryno vetula** (Meigen,1824)
(Tachinidae)
9908. **Phthiria canescens** Loew,1846
(Bombyliidae)
9909. **Phthiria conspicua** Loew,1846
(Bombyliidae)
9910. **Phthiria freidbergi** Zaitzev,2002
(Bombyliidae)
9911. **Phthiria gaedii** Wiedemann,1820
(Bombyliidae)
9912. **Phthiria inconspicua** Becker,1913
(Bombyliidae)
9913. **Phthiria pulchripes** Austen,1937
(Bombyliidae)
9914. **Phthiria pulicaria** (Mikan,1796)
(Bombyliidae)
9915. **Phthiria subnitens** Loew,1846
(Bombyliidae)
9916. **Phthiria subnitens** Loew,1846
(Bombyliidae)
9917. **Phthiria umbripennis** Loew,1846
(Bombyliidae)
9918. **Phthiria vagans** Loew,1846 (Bombyliidae)
9919. **Phthiria variceps** Austen,1937
(Bombyliidae)
9920. **Phthiria variegata** Austen,1937
(Bombyliidae)
9921. **Phthiria virgata** Austen,1937
(Bombyliidae)
9922. **Phthiridium biarticulatum** Hermann,1804 (Nycteribiidae)
9923. **Phtora reitteri** (Seidlitz,1894)
(Tenebrionidae)
9924. **Phycus insignis** (Loew,1874)
(Therevidae)
9925. **Phylidorea (s.str.) ferruginea** (Meigen,1818) (Limoniidae)
9926. **Phyllobrotica binotata** Ogloblin,1936
(Chrysomelidae)
9927. **Phyllodrepa caucasica** (Kolenati,1846)
(Staphylinidae)
9928. **Phyllodrepa floralis** (Paykull,1789)
(Staphylinidae)
9929. **Phyllodrepa vilis** (Erichson,1840)
(Staphylinidae)
9930. **Phyllodromica beybienkoi** Maran,1957
(Blattidae)
9931. **Phyllodromica brevipennis** (Fischer,1853) (Blattidae)
9932. **Phyllodromica graeca** (Brunner von Wattenwyl,1882) (Blattidae)
9933. **Phyllodromica larrinuai** (Bolivar,1881)
(Blattidae)
9934. **Phyllodromica marginata** (Schreber,1781) (Blattidae)
9935. **Phyllodromica pallida** (Brunner von Wattenwyl,1882) (Blattidae)
9936. **Phyllodromica polita** (Krauss,1888)
(Blattidae)
9937. **Phyllodromica znoikoi** Bei-Bienko,1938
(Blattidae)
9938. **Phyllognathus excavatus** (Forster,1771)
(Scarabaeidae)
9939. **Phyllolabis kocmani** Koç,2004
(Limoniidae)
9940. **Phyllomorphus laceratus** (Herrich-Schäffer,1835) (Coreidae)

9941. **Phyllomorphus laciniatus**
(Villers,1789) (Coreidae)
9942. **Phylloteles pictipennis** Loew,1844
(Sarcophagidae)
9943. **Phyllotreta acutecarinata**
Heikertinger,1941 (Chrysomelidae)
9944. **Phyllotreta astrachanica** Lopatin,1977
(Chrysomelidae)
9945. **Phyllotreta atra** (Fabricius,1775)
(Chrysomelidae)
9946. **Phyllotreta balcanica**
Heikertinger,1909 (Chrysomelidae)
9947. **Phyllotreta bolognai** Biondi,1992
(Chrysomelidae)
9948. **Phyllotreta caucasicola**
Heikertinger,1941 (Chrysomelidae)
9949. **Phyllotreta corrugata** Reiche,1858
(Chrysomelidae)
9950. **Phyllotreta cruciferae** (Goeze,1777)
(Chrysomelidae)
9951. **Phyllotreta dacica** Heikertinger,1941
(Chrysomelidae)
9952. **Phyllotreta diademata** Foudras,1860
(Chrysomelidae)
9953. **Phyllotreta egridirensis** Gruev &
Kasap,1985 (Chrysomelidae)
9954. **Phyllotreta erysimi** Weise,1900
(Chrysomelidae)
9955. **Phyllotreta fallaciosa** Heikertinger,1941
(Chrysomelidae)
9956. **Phyllotreta judaea** Pic,1901
(Chrysomelidae)
9957. **Phyllotreta latevittata** Kutschera,1860
(Chrysomelidae)
9958. **Phyllotreta maculicornis** Pic,1906
(Chrysomelidae)
9959. **Phyllotreta nemorum** (Linnaeus,1758)
(Chrysomelidae)
9960. **Phyllotreta nigripes** (Fabricius,1775)
(Chrysomelidae)
9961. **Phyllotreta nodicornis**
(Marsham,1802) (Chrysomelidae)
9962. **Phyllotreta ochripes** (Curtis,1837)
(Chrysomelidae)
9963. **Phyllotreta oltuensis** Gruev &
Aslan,1998 (Chrysomelidae)
9964. **Phyllotreta ozbeki** Gruev & Aslan,1998
(Chrysomelidae)
9965. **Phyllotreta pallidipennis** Reitter,1891
(Chrysomelidae)
9966. **Phyllotreta pontoaegica** Gruev,1982
(Chrysomelidae)
9967. **Phyllotreta praticola** Weise,1887
(Chrysomelidae)
9968. **Phyllotreta procera**
(Redtenbacher,1849) (Chrysomelidae)
9969. **Phyllotreta punctulata**
(Marsham,1802) (Chrysomelidae)
9970. **Phyllotreta sisymbrii** Weise,1888
(Chrysomelidae)
9971. **Phyllotreta striolata** (Fabricius,1803)
(Chrysomelidae)
9972. **Phyllotreta tetrastigma** (Comolli,1837)
(Chrysomelidae)
9973. **Phyllotreta toelgi** Heikertinger,1941
(Chrysomelidae)
9974. **Phyllotreta undulata** Kutschera,1860
(Chrysomelidae)
9975. **Phyllotreta variipennis**
(Boieldieu,1859) (Chrysomelidae)
9976. **Phyllotreta vilis** Weise,1888
(Chrysomelidae)
9977. **Phyllotreta vittula**
(Redtenbacher,1849) (Chrysomelidae)
9978. **Phyllotreta wiseana** Jacobson,1901
(Chrysomelidae)
9979. **Physatocheila confinis** Horvath,1905
(Tingidae)
9980. **Physatocheila dumetorum** (Herrich-
Schäffer,1838) (Tingidae)
9981. **Physatocheila municeps** Horvath,1903
(Tingidae)
9982. **Physemocis hartigi** (Liebel,1892)
(Cecidomyiidae)
9983. **Physetopoda daghestanica**
(Radoszkowski,1885) (Mutillidae)
9984. **Physetopoda punctata** (Latreille,1792)
(Mutillidae)
9985. **Physetopoda scutellaris** (Latreille,1792)
(Mutillidae)
9986. **Physetopoda similis** (Lelej,1984)
(Mutillidae)
9987. **Physiphora alceae** (Preysslner,1791)
(Ulidiidae)
9988. **Physiphora demandata**
(Fabricius,1798) (Ulidiidae)
9989. **Physocephala chrysorrhoea**
(Meigen,1824) (Conopidae)
9990. **Physocephala laticincta** (Brullé,1832)
(Conopidae)
9991. **Physocephala nigra** (De Geer,1776)
(Conopidae)
9992. **Physocephala rufipes** (Fabricius,1781)
(Conopidae)
9993. **Physocephala vaginalis** (Rondani,1865)
(Conopidae)
9994. **Physocephala zaitsevi** Zimina,1979
(Conopidae)
9995. **Physokermes piceae** (Schrank)
(Coccidae)
9996. **Phytodrymadusa armeniaca**
Ramme,1939 (Tettigoniidae)
9997. **Phytodrymadusa expugnata**
(Uvarov,1916) (Tettigoniidae)
9998. **Phytodrymadusa hakkarica**
Karabağ,1956 (Tettigoniidae)
9999. **Phytodrymadusa longipes** (Brunner
von Wattenwyl,1882) (Tettigoniidae)
10000. **Phytodrymadusa miramae**
(Uvarov,1929) (Tettigoniidae)
10001. **Phytoecia achilleae** Holzschuh,1971
(Cerambycidae)
10002. **Phytoecia behen** Sama & Rejzek,1999
(Cerambycidae)
10003. **Phytoecia caerulea** (Scopoli,1772)
(Cerambycidae)
10004. **Phytoecia geniculata** Mulsant,1863
(Cerambycidae)
10005. **Phytoecia icterica** (Schaller,1783)
(Cerambycidae)
10006. **Phytoecia kabateki** Sama,1996
(Cerambycidae)
10007. **Phytoecia katarinae** Holzschuh,1974
(Cerambycidae)
10008. **Phytoecia nepheloides** Sama,1997
(Cerambycidae)

10009. *Phytoecia pustulata* (Schrank,1776)
(Cerambycidae)
10010. *Phytoecia rufipes* (Olivier,1795)
(Cerambycidae)
10011. *Phytoecia virgula* (Charpentier,1825)
(Cerambycidae)
10012. *Phytoliriomyza arctica*
(Lundbeck,1901) (Agromyzidae)
10013. *Phytoliriomyza dorsata* (Siebke,1863)
(Agromyzidae)
10014. *Phytoliriomyza oasis* (Becker,1907)
(Agromyzidae)
10015. *Phytoliriomyza perpusilla*
(Meigen,1830) (Agromyzidae)
10016. *Phytomyza aconitophila* Hendel,1927
(Agromyzidae)
10017. *Phytomyza affinis* Fallén,1823
(Agromyzidae)
10018. *Phytomyza albipennis* (Fallén,1823)
(Agromyzidae)
10019. *Phytomyza angelicae* Kaltenbach,1872
(Agromyzidae)
10020. *Phytomyza aquilonia* Frey,1946
(Agromyzidae)
10021. *Phytomyza astrantiae* Hendel,1924
(Agromyzidae)
10022. *Phytomyza aurei* M.Hering,1931
(Agromyzidae)
10023. *Phytomyza brevifacies* Hendel,1934
(Agromyzidae)
10024. *Phytomyza cecidonomia* M.Hering,1937
(Agromyzidae)
10025. *Phytomyza chelonei* Spencer,1969
(Agromyzidae)
10026. *Phytomyza cirsii* Hendel,1923
(Agromyzidae)
10027. *Phytomyza clematidis* Kaltenbach,1859
(Agromyzidae)
10028. *Phytomyza continua* Hendel,1920
(Agromyzidae)
10029. *Phytomyza conyzae* M.Hering,1920
(Agromyzidae)
10030. *Phytomyza crassiseta* Zetterstedt,1860
(Agromyzidae)
10031. *Phytomyza fallaciosa* Brischke,1880
(Agromyzidae)
10032. *Phytomyza ferulae* M.Hering,1927
(Agromyzidae)
10033. *Phytomyza flavicornis* Fallén,1823
(Agromyzidae)
10034. *Phytomyza geminata* Sasakawa,2008
(Agromyzidae)
10035. *Phytomyza glabra* Hendel,1935
(Agromyzidae)
10036. *Phytomyza gymnostoma* Loew,1858
(Agromyzidae)
10037. *Phytomyza kaltenbachi* Hendel,1922
(Agromyzidae)
10038. *Phytomyza lappae* Goureau,1851
(Agromyzidae)
10039. *Phytomyza nigrifulva* Zetterstedt,1838
(Agromyzidae)
10040. *Phytomyza origani* M.Hering,1931
(Agromyzidae)
10041. *Phytomyza orobanchiae*
Kaltenbach,1864 (Agromyzidae)
10042. *Phytomyza petoei* M.Hering,1924
(Agromyzidae)
10043. *Phytomyza phillyreae* M.Hering,1930
(Agromyzidae)
10044. *Phytomyza plantaginis* Robineau-
Desvoidy,1851 (Agromyzidae)
10045. *Phytomyza podagrariae* M.Hering,1954
(Agromyzidae)
10046. *Phytomyza pubicornis* Hendel,1920
(Agromyzidae)
10047. *Phytomyza ranunculi* (Schrank,1803)
(Agromyzidae)
10048. *Phytomyza rostrata* M.Hering,1934
(Agromyzidae)
10049. *Phytomyza rufescens* von Roser,1840
(Agromyzidae)
10050. *Phytomyza rufipes* Meigen,1830
(Agromyzidae)
10051. *Phytomyza sii* M.Hering,1930
(Agromyzidae)
10052. *Phytomyza socia* Brischke,1880
(Agromyzidae)
10053. *Phytomyza spoliata* Strobl,1906
(Agromyzidae)
10054. *Phytomyza tenella* Meigen,1830
(Agromyzidae)
10055. *Phytomyza tetrasticha* Hendel,1927
(Agromyzidae)
10056. *Phytomyza thysselinivora*
M.Hering,1924 (Agromyzidae)
10057. *Picromerus bidens* (Linnaeus,1758)
(Pentatomidae)
10058. *Picromerus brachypterus* Ahmad &
Önder,1990 (Pentatomidae)
10059. *Picromerus conformis* (Herrich-
Schäffer,1841) (Pentatomidae)
10060. *Picromerus nigridens* (Fabricius,1803)
(Pentatomidae)
10061. *Picromerus pseudobidens* Ahmad &
Önder,1990 (Pentatomidae)
10062. *Piesma (Parapiesma) kolenatii*
(Fieber,1861) (Piesmatidae)
10063. *Piesma (Parapiesma) quadratum*
(Fieber,1844) (Piesmatidae)
10064. *Piesma (Parapiesma) salsolae*
(Becker,1867) (Piesmatidae)
10065. *Piesma (Parapiesma) tenellum*
Horvath,1906 (Piesmatidae)
10066. *Piesma (s.str.) capitatum* (Wolff,1804)
(Piesmatidae)
10067. *Piesma (s.str.) maculatum*
(Laporte,1833) (Piesmatidae)
10068. *Piezodorus lituratus* (Fabricius,1794)
(Pentatomidae)
10069. *Pignatellus friedeli* Hölzel,1972
(Myrmeleionidae)
10070. *Pignatellus irroratus* (Olivier,1811)
(Myrmeleionidae)
10071. *Pilaria discicollis* (Meigen,1818)
(Limoniidae)
10072. *Pimelia (Camphonota) repleta*
Reitter,1915 (Tenebrionidae)
10073. *Pimelia (Eurypimelia) akbesiana*
Fairmaire,1884 (Tenebrionidae)
10074. *Pimelia (Eurypimelia) anatolica*
Reitter,1915 (Tenebrionidae)
10075. *Pimelia (Eurypimelia) lendli*
Kaszab,1938 (Tenebrionidae)
10076. *Pimelia (Eurypimelia) subglobosa*
(Pallas,1781) (Tenebrionidae)

10077. **Pimelia (Eurypimelia) subglobosa polita Solier,1836** (Tenebrionidae)
10078. **Pimelia (Eurypimelia) subglobosa salaria Reitter,1915** (Tenebrionidae)
10079. **Pimelia (Eurypimelia) subglobosa verruculifera Solier,1836** (Tenebrionidae)
10080. **Pimelia (Eurypimelia) testudo Kraatz,1865** (Tenebrionidae)
10081. **Pimelia (Eurypimelia) timarchoides Ménériés,1836** (Tenebrionidae)
10082. **Pimelia (Gedeon) weneri Ganglbauer,1905** (Tenebrionidae)
10083. **Pimelia (Melanostola) bajula Klug,1830** (Tenebrionidae)
10084. **Pimelia (s.str.) robusta Kraatz,1865** (Tenebrionidae)
10085. **Pimelia angulata Fabricius,1775** (Tenebrionidae)
10086. **Pimelia atarnites Baudi,1875** (Tenebrionidae)
10087. **Pimelia cursor Ménériés,1832** (Tenebrionidae)
10088. **Pimelia damasei Sén.,1880** (Tenebrionidae)
10089. **Pimelia derasa Klug,1830** (Tenebrionidae)
10090. **Pimelia dubia Faldermann,1837** (Tenebrionidae)
10091. **Pimelia errans Miller,1861** (Tenebrionidae)
10092. **Pimelia gestroi Sénac,1884** (Tenebrionidae)
10093. **Pimelia gracilipes Sénac,1886** (Tenebrionidae)
10094. **Pimelia hierichontica Reiche & Saulcy,1857** (Tenebrionidae)
10095. **Pimelia kraatzi Sénac,1886** (Tenebrionidae)
10096. **Pimelia parallela Solier,1836** (Tenebrionidae)
10097. **Pimelia persica Baudi,1875** (Tenebrionidae)
10098. **Pimelia prolongata Miller,1861** (Tenebrionidae)
10099. **Pimelia puberula Chevrolat,1873** (Tenebrionidae)
10100. **Pimelia sericella Solier,1836** (Tenebrionidae)
10101. **Pimelia tuberculata Fischer von Waldheim,1832** (Tenebrionidae)
10102. **Pimpla hypochondriaca (Retzius,1783)** (Ichneumonidae)
10103. **Pimpla illecebrator (Villers,1799)** (Ichneumonidae)
10104. **Pimpla spuria Gravenhorst,1829** (Ichneumonidae)
10105. **Pimpla turionellae (Linnaeus,1758)** (Ichneumonidae)
10106. **Pinnaspis pentagona (Targioni-Tozzetti) (Diaspididae)**
10107. **Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae)
10108. **Piocoris erythrocephalus (P. & S.,1825)** (Lygaeidae)
10109. **Piocoris luridus (Fieber,1844)** (Lygaeidae)
10110. **Pion crassipes Holmgren,1857** (Ichneumonidae)
10111. **Pion fortipes (Gravenhorst,1829)** (Ichneumonidae)
10112. **Pionosomus engizekicus Kiyak,1995** (Lygaeidae)
10113. **Pipizella annulata (Macquart,1829)** (Syrphidae)
10114. **Pipizella elegantissima Lucas,1976** (Syrphidae)
10115. **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae)
10116. **Pittonotus simoni (Stierlin,1879)** (Elateridae)
10117. **Pittonotus theseus (Germar,1817)** (Elateridae)
10118. **Plagiodera versicolora (Laicharting,1781)** (Chrysomelidae)
10119. **Plagiognathus albipennis (Fallén,1829)** (Miridae)
10120. **Plagiognathus amygdali Linnavuori,1965** (Miridae)
10121. **Plagiognathus arbustorum (Fabricius,1794)** (Miridae)
10122. **Plagiognathus bipunctatus Reuter,1883** (Miridae)
10123. **Plagiognathus chrysanthemii (Wolff,1804)** (Miridae)
10124. **Plagiognathus flavipes (Provancher,1872)** (Miridae)
10125. **Plagiognathus fulvipennis (Kirschbaum,1856)** (Miridae)
10126. **Plagiognathus pictus (Fieber,1864)** (Miridae)
10127. **Plagiognathus raphani Wagner,1963** (Miridae)
10128. **Plagiognathus vitellinus (Scholtz,1847)** (Miridae)
10129. **Plagiolepis pallescens Forel,1888** (Formicidae)
10130. **Plagiolepis pygmaea (Latreille,1798)** (Formicidae)
10131. **Plagionotus arcuatus (Linnaeus,1758)** (Cerambycidae)
10132. **Plagionotus bartholomaei (Motschoulsky,1859)** (Cerambycidae)
10133. **Plagionotus detritus (Linnaeus,1758)** (Cerambycidae)
10134. **Plagionotus lugubris (Ménériés,1832)** (Cerambycidae)
10135. **Plagiotrochus csokai Melika & Pujade-Villar,2009** (Cynipidae)
10136. **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae)
10137. **Plagiotrochus quercusilicis (Fabricius,1798)** (Cynipidae)
10138. **Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae)
10139. **Planchonia arabidis Signoret** (Asterolecaniidae)
10140. **Planchonia zanthenes (Russel)** (Asterolecaniidae)
10141. **Planococcus citri (Risso)** (Pseudococcidae)
10142. **Planococcus ficus (Signoret)** (Pseudococcidae)
10143. **Planococcus vovae (Nasonov)** (Pseudococcidae)
10144. **Plastocerus angulosus (Germar,1845)** (Elateridae)

10145. **Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae)
10146. **Platambus maculatus (Linnaeus,1758)** (Dytiscidae)
10147. **Platneptis laeta (Walker)** (Pteromalidae)
10148. **Platycephala isinensis Kubik & Bartak,2008** (Chloropidae)
10149. **Platycerus caraboides (Linnaeus,1758)** (Lucanidae)
10150. **Platycerus caucasicus Parry,1864** (Lucanidae)
10151. **Platycerus delangrangei Fairmaire,1892** (Lucanidae)
10152. **Platycerus primigenius Weise,1960** (Lucanidae)
10153. **Platycerus senguni Schweiger,1966** (Lucanidae)
10154. **Platycheirus albimanus (Fabricius,1781)** (Syrphidae)
10155. **Platycheirus ambiguus (Fallén,1817)** (Syrphidae)
10156. **Platycheirus angustatus (Zetterstedt,1843)** (Syrphidae)
10157. **Platycheirus aurolateralis Stubbs,2002** (Syrphidae)
10158. **Platycheirus immaculatus Ohara,1980** (Syrphidae)
10159. **Platycheirus manicatus (Meigen,1822)** (Syrphidae)
10160. **Platycheirus nielsenii Vockeroth,1990** (Syrphidae)
10161. **Platycheirus occultus Goeldlin, Maibach & Speight,1990** (Syrphidae)
10162. **Platycheirus peltatus (Meigen,1822)** (Syrphidae)
10163. **Platycheirus scutatus (Meigen,1822)** (Syrphidae)
10164. **Platycheirus tarsalis (Schummel,1836)** (Syrphidae)
10165. **Platycleis (Decorana) buxtoni (Uvarov,1923)** (Tettigoniidae)
10166. **Platycleis (Decorana) capitata Uvarov,1917** (Tettigoniidae)
10167. **Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae)
10168. **Platycleis (Incertana) persica Uvarov,1917** (Tettigoniidae)
10169. **Platycleis (Montana) ankarensis (Karabağ,1950)** (Tettigoniidae)
10170. **Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae)
10171. **Platycleis (Montana) bifoveolata (Karabağ,1950)** (Tettigoniidae)
10172. **Platycleis (Montana) elegans (Uvarov,1934)** (Tettigoniidae)
10173. **Platycleis (Montana) helleri Çıplak & Taylan,2006** (Tettigoniidae)
10174. **Platycleis (Montana) kure Ünal,2006** (Tettigoniidae)
10175. **Platycleis (Montana) richteri Bei-Bienko,1958** (Tettigoniidae)
10176. **Platycleis (Montana) schereri Werner,1905** (Tettigoniidae)
10177. **Platycleis (Montana) taurica Bolivar,1899** (Tettigoniidae)
10178. **Platycleis (Montana) uvarovi (Karabağ,1950)** (Tettigoniidae)
10179. **Platycleis (s.str.) affinis Fieber,1853** (Tettigoniidae)
10180. **Platycleis (s.str.) albopunctata (Goetze,1778)** (Tettigoniidae)
10181. **Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae)
10182. **Platycleis (s.str.) grisea (Fabricius,1781)** (Tettigoniidae)
10183. **Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae)
10184. **Platycleis (Sepiana) sepium (Yersin,1854)** (Tettigoniidae)
10185. **Platycleis (Sporadiana) sporadarum Werner,1933** (Tettigoniidae)
10186. **Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae)
10187. **Platycleis (Squamiana) kurmana (Ramme,1951)** (Tettigoniidae)
10188. **Platycleis (Squamiana) melendisensis Çıplak,2002** (Tettigoniidae)
10189. **Platycleis (Squamiana) salmani Çıplak,2002** (Tettigoniidae)
10190. **Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae)
10191. **Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae)
10192. **Platycleis (Squamiana) weidneri Demirsoy,1974** (Tettigoniidae)
10193. **Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae)
10194. **Platycleis (Tessellana) tessellata (Charpentier,1825)** (Tettigoniidae)
10195. **Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae)
10196. **Platycleis (Yalvaciana) yalvacii (Demirsoy,1974)** (Tettigoniidae)
10197. **Platycnemis dealbata Selys,1863** (Platycnemidae)
10198. **Platycnemis kervillei (Martin,1909)** (Platycnemidae)
10199. **Platycnemis pennipes (Pallas,1771)** (Platycnemidae)
10200. **Platydema europaeum Laporte & Brullé,1831** (Tenebrionidae)
10201. **Platymetopius (Quernus) curvatus Dlabola,1974** (Cicadellidae)
10202. **Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae)
10203. **Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae)
10204. **Platymetopius (s.str.) enatus Dlabola,1974 (?)** (Cicadellidae)
10205. **Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae)
10206. **Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae)
10207. **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae)
10208. **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae)
10209. **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae)
10210. **Platymetopius centralasiae Dlabola,1960** (Cicadellidae)
10211. **Platymetopius chloroticus Puton,1877** (Cicadellidae)
10212. **Platymetopius complicatus Nast,1972** (Cicadellidae)

10213. **Platymetopius cruentatus** Haupt,1927 (Cicadellidae)
10214. **Platymetopius distinctus** Melichar,1902 (Cicadellidae)
10215. **Platymetopius exhereditus** Dlabola & Heller,1962 (Cicadellidae)
10216. **Platymetopius major** (Kirschbaum,1868) (Cicadellidae)
10217. **Platymetopius quercicola** Linnavuori,1962 (Cicadellidae)
10218. **Platymetopius quercinus** Dlabola,1974 (Cicadellidae)
10219. **Platymetopius retamae** Linnavuori,1962 (Cicadellidae)
10220. **Platymetopius rostratus** (Herrich-Schäffer,1834) (Cicadellidae)
10221. **Platymetopius safavii** Dlabola,1971 (Cicadellidae)
10222. **Platymetopius shirazicus** Dlabola,1974 (Cicadellidae)
10223. **Platymyrmilla quinquefasciata** (Olivier,1811) (Mutillidae)
10224. **Platynaspis luteorubra** (Goeze,1777) (Coccinellidae)
10225. **Platynocheilus cuprifrons** (Nees) (Tetracampidae)
10226. **Platynocheilus karsensis** Doğanlar,2003 (Tetracampidae)
10227. **Platyplectrus bouceki** (Erdős) (Eulophidae)
10228. **Platypleura testacea** (Walker,1858) (Cicadidae)
10229. **Platyproctus agraphopteron** Bergevin,1932 (Cicadellidae)
10230. **Platyproctus roseovittatus** Dlabola,1960 (Cicadellidae)
10231. **Platypygus bellus** Loew,1869 (Mythicomyiidae)
10232. **Platypygus chrysanthemi** Loew,1844 (Mythicomyiidae)
10233. **Platypygus chrysanthemi** Loew,1844 (Mythicomyiidae)
10234. **Platypygus kurdorum** Paramonov,1929 (Mythicomyiidae)
10235. **Platypygus melleus** Loew,1856 (Mythicomyiidae)
10236. **Platypygus ridibundus** (A.Costa,1863) (Mythicomyiidae)
10237. **Platypygus ridibundus** (Costa,1863) (Mythicomyiidae)
10238. **Platystoma aenescens** Loew,1868 (Platystomidae)
10239. **Platystoma arcuatum** Loew,1856 (Platystomidae)
10240. **Platystoma chrysotoxum** Hendel,1913 (Platystomidae)
10241. **Platystoma rufipes** Meigen,1826 (Platystomidae)
10242. **Platystoma seminationis** (Fabricius,1775) (Platystomidae)
10243. **Platyura marginata** Meigen,1804 (Keroplidae)
10244. **Plea atomaria** (Pallas,1771) (Pleidae)
10245. **Plea leachi** Mc Gregor,1899 (Pleidae)
10246. **Plea minutissima** Leach,1817 (Pleidae)
10247. **Plectophloeus erichsoni** Machulka,1929 (Staphylinidae)
10248. **Plectophloeus nitidus** (Fairmaire,1858) (Staphylinidae)
10249. **Plectophloeus nubigenus** (Reitter,1877) (Staphylinidae)
10250. **Pleolophus brachypterus** (Gravenhorst,1829) (Ichneumonidae)
10251. **Pleurophorus caesus** (Creutzer,1796) (Scarabaeidae)
10252. **Pnigalio agraulis** (Walker) (Eulophidae)
10253. **Pnigalio longulus** (Zetterstedt) (Eulophidae)
10254. **Pnigalio pectinicornis** (Linnaeus) (Eulophidae)
10255. **Pnigalio soemius** (Walker) (Eulophidae)
10256. **Pochazia umbrata** Melichar,1896 (Ricaniidae)
10257. **Podagenia crassipes** Priesner,1973 (Pompilidae)
10258. **Podagenia Priesner,1973** (Pompilidae)
10259. **Podagrica fuscicornis** (Linnaeus,1767) (Chrysomelidae)
10260. **Podagrica malvae** (Illiger,1807) (Chrysomelidae)
10261. **Podagrica menetriesi** (Faldermann,1837) (Chrysomelidae)
10262. **Podagrion bouceki** Delvare,2005 (Torymidae)
10263. **Podagrion pachymerum** (Walker,1833) (Torymidae)
10264. **Podagrion splendens** Spinola,1811 (Torymidae)
10265. **Podagrionella caudata** Narendran,1994 (Torymidae)
10266. **Podagrionella eremiaphilae** O.Doğanlar & M.Doğanlar,2009 (Torymidae)
10267. **Podagrionella konyaensis** O.Doğanlar & M.Doğanlar,2009 (Torymidae)
10268. **Podagrionella lichtensteini** (Picard,1933) (Torymidae)
10269. **Podeonius acuticornis** (Germar,1824) (Elateridae)
10270. **Podisma pedestris** (Linnaeus,1758) (Acrididae)
10271. **Podisma syriaca** (Brunner von Wattenwyl,1861) (Acrididae)
10272. **Poecilagenia Haupt,1926** (Pompilidae)
10273. **Poecilagenia sculpturata** (Kohl,1898) (Pompilidae)
10274. **Poecilimon adentatus** Ramme,1933 (Tettigoniidae)
10275. **Poecilimon amissus** Brunner von Wattenwyl,1878 (Tettigoniidae)
10276. **Poecilimon anatolicus** Ramme,1933 (Tettigoniidae)
10277. **Poecilimon angulatus** Uvarov,1939 (Tettigoniidae)
10278. **Poecilimon ataturki** Ünal,1999 (Tettigoniidae)
10279. **Poecilimon azdavayi** Ünal,2003 (Tettigoniidae)
10280. **Poecilimon bidens** Retowski,1889 (Tettigoniidae)
10281. **Poecilimon bilgeri** Karabağ,1953 (Tettigoniidae)
10282. **Poecilimon birandi** Karabağ,1950 (Tettigoniidae)
10283. **Poecilimon bischoffi** Ramme,1933 (Tettigoniidae)

10284. **Poecilimon bosporicus** Brunner von Wattenwyl,1878 (Tettigoniidae)
10285. **Poecilimon brunneri** (Frivaldsky,1867) (Tettigoniidae)
10286. **Poecilimon celebi** Karabağ,1953 (Tettigoniidae)
10287. **Poecilimon cervoides** Karabağ,1964 (Tettigoniidae)
10288. **Poecilimon cervus** Karabağ,1950 (Tettigoniidae)
10289. **Poecilimon concinnus** Brunner von Wattenwyl,1878 (Tettigoniidae)
10290. **Poecilimon davisii** Karabağ,1953 (Tettigoniidae)
10291. **Poecilimon demirsoyi** Sevgili,2001 (Tettigoniidae)
10292. **Poecilimon djakonovi** Miram,1938 (Tettigoniidae)
10293. **Poecilimon doga** Ünal,2004 (Tettigoniidae)
10294. **Poecilimon ege** Ünal,2005 (Tettigoniidae)
10295. **Poecilimon ersisi** Salman,1978 (Tettigoniidae)
10296. **Poecilimon eskishehirensis** Ünal,2003 (Tettigoniidae)
10297. **Poecilimon excisus** Karabağ,1950 (Tettigoniidae)
10298. **Poecilimon glandifer** Karabağ,1950 (Tettigoniidae)
10299. **Poecilimon guichardi** Karabağ,1964 (Tettigoniidae)
10300. **Poecilimon hamatus** Brunner von Wattenwyl,1878 (Tettigoniidae)
10301. **Poecilimon harveyi** Karabağ,1964 (Tettigoniidae)
10302. **Poecilimon hatti** Ünal,2004 (Tettigoniidae)
10303. **Poecilimon haydari** Ramme,1951 (Tettigoniidae)
10304. **Poecilimon heinrichi** Ramme,1951 (Tettigoniidae)
10305. **Poecilimon inflatus** Brunner von Wattenwyl,1891 (Tettigoniidae)
10306. **Poecilimon iucundus** Ünal,2003 (Tettigoniidae)
10307. **Poecilimon izmirnensis** Ramme,1933 (Tettigoniidae)
10308. **Poecilimon karabagi** (Ramme,1942) (Tettigoniidae)
10309. **Poecilimon karabukensis** Ünal,2003 (Tettigoniidae)
10310. **Poecilimon karakushi** Ünal,2003 (Tettigoniidae)
10311. **Poecilimon kocaki** Ünal,1999 (Tettigoniidae)
10312. **Poecilimon kutahiensis** Werner,1901 (Tettigoniidae)
10313. **Poecilimon ledereri** Ramme,1933 (Tettigoniidae)
10314. **Poecilimon lodosi** Harz,1975 (Tettigoniidae)
10315. **Poecilimon luschni** Ramme,1933 (Tettigoniidae)
10316. **Poecilimon marmaraensis** Naskrecki,1992 (Tettigoniidae)
10317. **Poecilimon martinae** Heller,2004 (Tettigoniidae)
10318. **Poecilimon minutus** Karabağ,1975 (Tettigoniidae)
10319. **Poecilimon miramae** Ramme,1933 (Tettigoniidae)
10320. **Poecilimon mytilenensis** Werner,1932 (Tettigoniidae)
10321. **Poecilimon naskrecki** Ünal,2001 (Tettigoniidae)
10322. **Poecilimon neglectus** Ramme,1931 (Tettigoniidae)
10323. **Poecilimon obtusicercus** Heller, Sevgili & Reinhold,2008 (Tettigoniidae)
10324. **Poecilimon pergamicus** Brunner von Wattenwyl,1891 (Tettigoniidae)
10325. **Poecilimon pulcher** Brunner von Wattenwyl,1891 (Tettigoniidae)
10326. **Poecilimon rammei** Miram,1938 (Tettigoniidae)
10327. **Poecilimon sanctipauli** Brunner von Wattenwyl,1878 (Tettigoniidae)
10328. **Poecilimon schmidti** (Fieber,1853) (Tettigoniidae)
10329. **Poecilimon serratus** Karabağ,1962 (Tettigoniidae)
10330. **Poecilimon similis** Retowski,1889 (Tettigoniidae)
10331. **Poecilimon sureyanus** Uvarov,1930 (Tettigoniidae)
10332. **Poecilimon syriacus** Brunner von Wattenwyl,1891 (Tettigoniidae)
10333. **Poecilimon tauricola** Ramme,1951 (Tettigoniidae)
10334. **Poecilimon tevfikarabagi** Ünal,2005 (Tettigoniidae)
10335. **Poecilimon thoracicus** (Fieber,1853) (Tettigoniidae)
10336. **Poecilimon toros** Ünal,2003 (Tettigoniidae)
10337. **Poecilimon tricuspis** Miram,1926 (Tettigoniidae)
10338. **Poecilimon tschorochensis** Adelung,1907 (Tettigoniidae)
10339. **Poecilimon turciae** (Ramme,1951) (Tettigoniidae)
10340. **Poecilimon turcicus** Karabağ,1950 (Tettigoniidae)
10341. **Poecilimon unispinosus** Brunner von Wattenwyl,1878 (Tettigoniidae)
10342. **Poecilimon uvarovi** Ramme,1933 (Tettigoniidae)
10343. **Poecilimon variicercis** Miram,1938 (Tettigoniidae)
10344. **Poecilimon xenocercus** Karabağ,1956 (Tettigoniidae)
10345. **Poecilimon zimmeri** Ramme,1933 (Tettigoniidae)
10346. **Poecilimon zonatus** Bolivar,1899 (Tettigoniidae)
10347. **Poecilimonella armeniaca** Uvarov,1921 (Tettigoniidae)
10348. **Poecilobothrus basilicus** (Loew,1869) (Dolichopodidae)
10349. **Poecilobothrus comitalis** (Kowarz,1867) (Dolichopodidae)
10350. **Poecilobothrus regalis** (Meigen,1824) (Dolichopodidae)
10351. **Poemenia hectica** (Gravenhorst,1829) (Ichneumonidae)

10352. **Pogonistes convexicollis** Chaudoir,1871
(Carabidae)
10353. **Pogonistes liliputanus** Apfelbeck,1904
(Carabidae)
10354. **Pogonistes rufoaeneus** Dejean,1828
(Carabidae)
10355. **Pogonosoma maroccanum**
(Fabricius,1794) (Asilidae)
10356. **Polistes (s.str.) associus** (Kohl,1898)
(Vespidae)
10357. **Polistes (s.str.) atrimandibularis**
(Zimmermann,1930) (Vespidae)
10358. **Polistes (s.str.) biglumis**
(Linnaeus,1758) (Vespidae)
10359. **Polistes (s.str.) bischoffi**
(Weyrauch,1937) (Vespidae)
10360. **Polistes (s.str.) dominulus** (Christ,1791)
(Vespidae)
10361. **Polistes (s.str.) gallicus** (Linnaeus,1767)
(Vespidae)
10362. **Polistes (s.str.) iranans** Guiglia,1976
(Vespidae)
10363. **Polistes (s.str.) nimpha** (Christ,1791)
(Vespidae)
10364. **Polistes (s.str.) sulcifer**
(Zimmermann,1930) (Vespidae)
10365. **Pollenia labialis** Robineau-Desvoidy,1863 (Calliphoridae)
10366. **Pollinia pollini** (A.Costa)
(Asterolecaniidae)
10367. **Polycoelogastridion sexcostatum**
(Motschoulsky,1858) (Tenebrionidae)
10368. **Polymerus cognatus** (Fieber,1858)
(Miridae)
10369. **Polymerus vulneratus** (Wolff,1801)
(Miridae)
10370. **Polypedilum aberrans**
(Tchernovskii,1949) (Chironomidae)
10371. **Polypedilum bicrenatum** Kieffer,1911
(Chironomidae)
10372. **Polypedilum brevantennatum**
(Tchern.,1949) (Chironomidae)
10373. **Polypedilum convictum** (Walker,1856)
(Chironomidae)
10374. **Polypedilum laetum** (Meigen,1818)
(Chironomidae)
10375. **Polypedilum pedestre** (Meigen,1818)
(Chironomidae)
10376. **Polyphaga aegyptiaca** (Linnaeus,1758)
(Polyphagidae)
10377. **Polyphonus laevigatus** Loew,1848
(Asilidae)
10378. **Polyphylla (s.str.) fullo** (Linnaeus,1758)
(Scarabaeidae)
10379. **Polyphylla (s.str.) olivieri** (Laporte de
Castelnau,1840) (Scarabaeidae)
10380. **Polysarca unguolata** (Wiedemann,1818)
(Asilidae)
10381. **Polysarca violacea** Schiner,1867
(Asilidae)
10382. **Polysarcus denticaudus**
(Charpentier,1825) (Tettigoniidae)
10383. **Polysarcus elbursianus** (Uvarov,1929)
(Tettigoniidae)
10384. **Polysarcus zacharovi**
(Stschelkanovcev,1909) (Tettigoniidae)
10385. **Polytribax rufipes** (Gravenhorst,1829)
(Ichneumonidae)
10386. **Pompilus cinereus** (Fabricius,1787)
(Pompilidae)
10387. **Pontoperla teberdinica** (Balinsky,1950)
(Chloroperlidae)
10388. **Poophilus costalis** (Walker,1851)
(Cercopidae)
10389. **Poophilus nebulosus** (Lethierry,1876)
(Cercopidae)
10390. **Populicerus albicans**
(Kirschbaum,1868) (Cicadellidae)
10391. **Populicerus populi** (Linnaeus,1761)
(Cicadellidae)
10392. **Populicerus sharifi** Dlabola,1977
(Cicadellidae)
10393. **Porphyrophora hamelii** Brandt
(Margarodidae)
10394. **Porphyrophora minuta** Borchsenius
(Margarodidae)
10395. **Porphyrophora polonica** (Linnaeus)
(Margarodidae)
10396. **Porphyrophora tritici** (Bodenheimer)
(Margarodidae)
10397. **Porthmidius austriacus** (Schrank,1781)
(Elateridae)
10398. **Potamaurops dentatithorax** (Pic,1900)
(Staphylinidae)
10399. **Potthastia gaedii** (Meigen,1818)
(Chironomidae)
10400. **Potthastia sp.** (Chironomidae)
10401. **Prasocuris junci** (Brahm,1790)
(Chrysomelidae)
10402. **Priocnemis agilis** (Shuckard,1837)
(Pompilidae)
10403. **Priocnemis coriacea** Dahlbom,1843
(Pompilidae)
10404. **Priocnemis costai** Costa,1887
(Pompilidae)
10405. **Priocnemis diversa** Junco,1946
(Pompilidae)
10406. **Priocnemis enslini** (Pompilidae)
10407. **Priocnemis exaltata** (Fabricius,1775)
(Pompilidae)
10408. **Priocnemis fahringeri** Wolf,1963
(Pompilidae)
10409. **Priocnemis fallax** Verhoeff,1892
(Pompilidae)
10410. **Priocnemis fastigiata** Haupt,1934
(Pompilidae)
10411. **Priocnemis fennica** Haupt,1927
(Pompilidae)
10412. **Priocnemis gracilis** Haupt,1927
(Pompilidae)
10413. **Priocnemis hankoi** Moczar,1944
(Pompilidae)
10414. **Priocnemis hyalinata** Fabricius,1793
(Pompilidae)
10415. **Priocnemis massaliensis** Soyer,1945
(Pompilidae)
10416. **Priocnemis minuta** (Van der
Linden,1827) (Pompilidae)
10417. **Priocnemis parvula** Dahlbom,1845
(Pompilidae)
10418. **Priocnemis perturbator** (Harris,1776)
(Pompilidae)
10419. **Priocnemis pillichii** Priesner,1960
(Pompilidae)
10420. **Priocnemis propinqua**
(Lepeletier,1847) (Pompilidae)

10421. **Priocnemis pusilla** (Schioedte,1837)
(Pompilidae)
10422. **Priocnemis rugosa** Susterer,1922
(Pompilidae)
10423. **Priocnemis schioedtei** Haupt,1926
(Pompilidae)
10424. **Priocnemis sulci** Balthasar,1943
(Pompilidae)
10425. **Priocnemis vulgaris** (Dufour,1841)
(Pompilidae)
10426. **Prionocyphon ornatus** Abeille,1881
(Scirtidae)
10427. **Prionocyphon** Redtenbacher,1858
(Scirtidae)
10428. **Prionosthenus (Lavivertex) iranicus**
Werner,1939 (Pamphagidae)
10429. **Prionosthenus (Lavivertex) liebmanni**
Werner,1939 (Pamphagidae)
10430. **Prionosthenus (s.str.) baalbekianus**
Werner,1939 (Pamphagidae)
10431. **Prionosthenus (s.str.) galericulatus**
(Stal,1876) (Pamphagidae)
10432. **Prionosthenus (s.str.) gueleni**
Karabağ,1956 (Pamphagidae)
10433. **Prionosthenus (s.str.) lebanicus**
Dirsh,1950 (Pamphagidae)
10434. **Prionosthenus (s.str.) syriacus** (Brisout
de Barneville,1855) (Pamphagidae)
10435. **Prionotropis maculinervis** (Stal,1878)
(Pamphagidae)
10436. **Priopoda stictica** (Fabricius,1799)
(Ichneumonidae)
10437. **Pristaulacus gloriator** (Fabricius,1804)
(Aulacidae)
10438. **Pristaulacus obscuripennis**
(Westwood,1841) (Aulacidae)
10439. **Pristomerus armatus** (Lucas,1849)
(Ichneumonidae)
10440. **Pristomerus vulnerator** (Panzer,1799)
(Ichneumonidae)
10441. **Probaticus (Pelorinus) adimonius**
(Allard,1876) (Tenebrionidae)
10442. **Probaticus (Pelorinus) bodemeyeri**
Reitter,1900 (Tenebrionidae)
10443. **Probaticus (Pelorinus) corrugatus**
Seidlitz,1893 (Tenebrionidae)
10444. **Probaticus (Pelorinus) corrugosus**
Seidlitz,1896 (Tenebrionidae)
10445. **Probaticus (Pelorinus) dorsalis**
(Allard,1877) (Tenebrionidae)
10446. **Probaticus (Pelorinus) granicollis**
Seidlitz,1896 (Tenebrionidae)
10447. **Probaticus (Pelorinus) granipennis**
(Allard,1876) (Tenebrionidae)
10448. **Probaticus (Pelorinus) granosus**
Seidlitz,1896 (Tenebrionidae)
10449. **Probaticus (Pelorinus) maurus**
(Waltl,1838) (Tenebrionidae)
10450. **Probaticus (Pelorinus) pentheri**
Reitter,1905 (Tenebrionidae)
10451. **Probaticus (Pelorinus) peropacus**
Reitter,1901 (Tenebrionidae)
10452. **Probaticus (Pelorinus) picianus**
Reitter,1907 (Tenebrionidae)
10453. **Probaticus (Pelorinus) priapus**
Seidlitz,1896 (Tenebrionidae)
10454. **Probaticus (Pelorinus) tarsatus**
(Küster,1850) (Tenebrionidae)
10455. **Probaticus (Pelorinus) tenebricosus**
(Brullé,1832) (Tenebrionidae)
10456. **Probaticus (Pelorinus) theanus**
Reitter,1901 (Tenebrionidae)
10457. **Probaticus (s.str.) tentyrioides**
(Küster,1851) (Tenebrionidae)
10458. **Probles (Euporizon) exilis**
(Holmgren,1860) (Ichneumonidae)
10459. **Probles (Euporizon) rufipes**
(Holmgren,1860) (Ichneumonidae)
10460. **Probrugmanniella phillyreae**
(Tavares,1907) (Cecidomyiidae)
10461. **Procallimus egregius** (Mulsant &
Rey,1863) (Cerambycidae)
10462. **Proceps acicularis** Mulsant & Rey,1855
(Cicadellidae)
10463. **Procladius sp.** (Chironomidae)
10464. **Proconura nigripes**
(Fonscolombe,1832) (Chalcididae)
10465. **Prokraerus bicolor** Platia &
Gudenzi,2002 (Elateridae)
10466. **Prokraerus carinifrons**
(Desbrochers,1875) (Elateridae)
10467. **Prokraerus levantinus** Platia &
Gudenzi,2007 (Elateridae)
10468. **Prokraerus tibialis** (Lacordaire,1835)
(Elateridae)
10469. **Prodiamesa olivacea** (Meigen,1818)
(Chironomidae)
10470. **Prodiaspis tamaricicola** (Malenotti)
(Diaspididae)
10471. **Proformica kobachidzei** Arnoldi,1968
(Formicidae)
10472. **Promachus canus** (Wiedemann,1818)
(Asilidae)
10473. **Promachus griseiventris** Becker,1913
(Asilidae)
10474. **Promachus leoninus** Loew,1848
(Asilidae)
10475. **Promachus microlabis** Loew,1857
(Asilidae)
10476. **Promachus mustelus** Loew,1854
(Asilidae)
10477. **Promachus rectangularis** Loew,1854
(Asilidae)
10478. **Promethes sulcator**
(Gravenhorst,1829) (Ichneumonidae)
10479. **Pronotalia carlinarum** (Szelényi &
Erdős) (Eulophidae)
10480. **Pronotalia erzurumica** Doğanlar,1993
(Eulophidae)
10481. **Pronotalia fiorii** (Domenichini)
(Eulophidae)
10482. **Pronotalia hungarica** (Erdős)
(Eulophidae)
10483. **Pronotalia tortumensis** Doğanlar,1993
(Eulophidae)
10484. **Propomacrus bimucronatus**
(Pallas,1781) (Scarabaeidae)
10485. **Propylea quatuordecimpunctata**
(Linnaeus,1758) (Coccinellidae)
10486. **Prosimulium (s.str.) fulvipes**
Edwards,1921 (Simuliidae)
10487. **Prosimulium (s.str.) rachiliense**
Djafarov,1954 (Simuliidae)
10488. **Prosimulium (s.str.) tomosvaryi**
(Enderlein,1921) (Simuliidae)

10489. *Prosodes (Dilopersina) chorassanica*
G.Medvedev,1996 (Tenebrionidae)
10490. *Prosodes (Dilopersina) cribrella*
(Baudi,1874) (Tenebrionidae)
10491. *Prosodes (Dilopersina) exilis*
G.Medvedev,1996 (Tenebrionidae)
10492. *Prosodes (Dilopersina) jakowlewi*
Semenov,1894 (Tenebrionidae)
10493. *Prosodes (Dilopersina) mithras*
Reitter,1904 (Tenebrionidae)
10494. *Prosodes (Dilopersina) parthenica*
G.Medvedev,1996 (Tenebrionidae)
10495. *Prosodes (Meropersina) amica*
G.Medvedev,2001 (Tenebrionidae)
10496. *Prosodes (Meropersina) fabiani*
G.Medvedev & Merkl,2005 (Tenebrionidae)
10497. *Prosodes (Meropersina) laevigata*
(Baudi,1874) (Tenebrionidae)
10498. *Prosodes (Meropersina) vermiculosa*
Reitter,1909 (Tenebrionidae)
10499. *Prosodes (Meropersina) vigi*
G.Medvedev & Merkl,2005 (Tenebrionidae)
10500. *Prosodes (Prosodoscelis) solskyi*
Faust,1875 (Tenebrionidae)
10501. *Prostemma aeneicolle* Stein,1857
(Nabidae)
10502. *Prostemma bicolor* Rambur,1842
(Nabidae)
10503. *Prostemma guttula* (Fabricius,1787)
(Nabidae)
10504. *Prostemma krueperi* Stein,1878
(Nabidae)
10505. *Prostemma sanguineum* Rossi,1790
(Nabidae)
10506. *Prosternon syriacum* (Buysson,1891)
(Elateridae)
10507. *Prosternon tessellatum*
(Linnaeus,1758) (Elateridae)
10508. *Protaetia (Calopototia) ignisternum*
Reitter,1891 (Scarabaeidae)
10509. *Protaetia (Cetonischema) speciosa*
(Adams,1817) (Scarabaeidae)
10510. *Protaetia (Eupotosia) affinis*
(Andersch,1797) (Scarabaeidae)
10511. *Protaetia (Eupotosia) miriffica*
(Mulsant & Rey,1840) (Scarabaeidae)
10512. *Protaetia (Foveopototia) judith*
(Reiche,1871) (Scarabaeidae)
10513. *Protaetia (Liocola) lugubris*
(Herbst,1786) (Scarabaeidae)
10514. *Protaetia (Netocia) hungarica*
(Herbst,1790) (Scarabaeidae)
10515. *Protaetia (Netocia) persica*
(Kraatz,1886) (Scarabaeidae)
10516. *Protaetia (Netocia) sibirica*
(Gebler,1829) (Scarabaeidae)
10517. *Protaetia (Netocia) trojana* (Gory &
Percheron,1833) (Scarabaeidae)
10518. *Protaetia (Netocia) zagrosica* (Alexis &
Delpont,2001) (Scarabaeidae)
10519. *Protaetia (Potosia) angustata*
(Germar,1817) (Scarabaeidae)
10520. *Protaetia (Potosia) besucheti* Alexis &
Delpont,1996 (Scarabaeidae)
10521. *Protaetia (Potosia) cuprea*
(Fabricius,1775) (Scarabaeidae)
10522. *Protaetia (Potosia) cuprina*
(Motschulsky,1849) (Scarabaeidae)
10523. *Protaetia (Potosia) fausti* Kraatz,1891
(Scarabaeidae)
10524. *Protaetia (Potosia) funebris* (Gory &
Percheron,1833) (Scarabaeidae)
10525. *Protaetia (Potosia) hieroglyphica*
(Ménétriés,1832) (Scarabaeidae)
10526. *Protaetia (Potosia) jelineki*
Petrovitz,1981 (Scarabaeidae)
10527. *Protaetia (Potosia) splendidula*
(Faldermann,1835) (Scarabaeidae)
10528. *Protaetia (Potosia) vidua* (Gory &
Perchenson,1833) (Scarabaeidae)
10529. *Protapalochrus flavolimbatus* (Mulsant
& Rey,1853) (Melyridae)
10530. *Protapanteles anchiades* (Nixon,1973)
(Braconidae)
10531. *Proteinus atomarius* Erichson,1840
(Staphylinidae)
10532. *Proteinus brachypterus*
(Fabricius,1792) (Staphylinidae)
10533. *Proteinus creticus* Assing,2004
(Staphylinidae)
10534. *Proteinus meuseli* Dauphin,1999
(Staphylinidae)
10535. *Proteinus ovalis* Stephens,1834
(Staphylinidae)
10536. *Proteinus utrarius* Assing,2004
(Staphylinidae)
10537. *Proteinus zanettii* Dauphin,1999
(Staphylinidae)
10538. *Protomiltogramma fasciata*
(Meigen,1824) (Sarcophagidae)
10539. *Protonemura bacuriana*
Zhiltzova,1957 (Nemouridae)
10540. *Protonemura besucheti* Zwick,1971
(Nemouridae)
10541. *Protonemura bifida* Martynov,1928
(Nemouridae)
10542. *Protonemura bithynica* Aubert,1964
(Nemouridae)
10543. *Protonemura capitata* Martynov,1928
(Nemouridae)
10544. *Protonemura dilatata* Martynov,1928
(Nemouridae)
10545. *Protonemura elbourzi* Aubert,1964
(Nemouridae)
10546. *Protonemura eumontana*
Zhiltzova,1957 (Nemouridae)
10547. *Protonemura fusunae* Vinçon &
Ravizza,1999 (Nemouridae)
10548. *Protonemura gladifera* Balinsky,1950
(Nemouridae)
10549. *Protonemura intricata* (Ris,1902)
(Nemouridae)
10550. *Protonemura izmiriana* Vinçon &
Zhiltzova,2004 (Nemouridae)
10551. *Protonemura libanica* Aubert,1964
(Nemouridae)
10552. *Protonemura libanocypria* Zwick,1967
(Nemouridae)
10553. *Protonemura mattheyi* (Aubert,1956)
(Nemouridae)
10554. *Protonemura microstyla*
Martynov,1928 (Nemouridae)
10555. *Protonemura oreas* Martynov,1928
(Nemouridae)
10556. *Protonemura praecox* (Morton,1894)
(Nemouridae)

10557. **Protonemura ressl**i Zwick,1971
(Nemouridae)
10558. **Protonemura teberdensis**
Zhiltzova,1958 (Nemouridae)
10559. **Protonemura triangulata**
Martynov,1928 (Nemouridae)
10560. **Protonemura waliabadi** Aubert,1964
(Nemouridae)
10561. **Protonemura zernyi** Aubert,1964
(Nemouridae)
10562. **Protosmia (Chelostomopsis) longiceps**
(Friese,1899) (Megachilidae)
10563. **Protosmia (Nanosmia) limbata**
(Benoist,1935) (Megachilidae)
10564. **Protosmia (Nanosmia) pulex**
(Benoist,1935) (Megachilidae)
10565. **Protosmia (s.str.) exenterata**
(Pérez,1895) (Megachilidae)
10566. **Protosmia (s.str.) glutinosa**
(Giraud,1871) (Megachilidae)
10567. **Protosmia (s.str.) humeralis**
(Pérez,1895) (Megachilidae)
10568. **Protosmia (s.str.) magnicapitis**
(Stanek,1969) (Megachilidae)
10569. **Protosmia (s.str.) monstrosa**
(Pérez,1895) (Megachilidae)
10570. **Protosmia (s.str.) paradoxa**
(Friese,1899) (Megachilidae)
10571. **Protosmia (s.str.) sideritis** Tkalcu,1978
(Megachilidae)
10572. **Protosmia (s.str.) stigmatica**
(Pérez,1895) (Megachilidae)
10573. **Protosmia (s.str.) tauricola** Popov,1961
(Megachilidae)
10574. **Protosmia (s.str.) tiflensis**
(Morawitz,1876) (Megachilidae)
10575. **Protosmia judaica**
(Mavromoustakis,1948) (Megachilidae)
10576. **Psacadina verbekei** Rozkosny,1975
(Sciomyzidae)
10577. **Psacasta marmottani** Puton,1887
(Scutellaridae)
10578. **Psallus atomosus** Reuter,1878 (Miridae)
10579. **Psallus carduelus** Horvath,1888
(Miridae)
10580. **Psallus pumilus** (Jakovlev,1876)
(Miridae)
10581. **Psammotettix adriaticus** Wagner,1959
(Cicadellidae)
10582. **Psammotettix alienus** (Dahlbom,1850)
(Cicadellidae)
10583. **Psammotettix cephalotes** (Herrich-
Schäffer,1834) (Cicadellidae)
10584. **Psammotettix cerinus** (Lindberg,1948)
(Cicadellidae)
10585. **Psammotettix comitans**
Emelyanov,1964 (Cicadellidae)
10586. **Psammotettix confinis** (Dahlbom,1850)
(Cicadellidae)
10587. **Psammotettix helvolus**
(Kirschbaum,1868) (Cicadellidae)
10588. **Psammotettix majusculus**
Linnavuori,1951 (Cicadellidae)
10589. **Psammotettix nodosus** (Ribaut,1925)
(Cicadellidae)
10590. **Psammotettix ornaticeps**
(Horvath,1897) (Cicadellidae)
10591. **Psammotettix pictipennis**
(Kirschbaum,1868) (Cicadellidae)
10592. **Psammotettix prolongatus**
Dlabola,1979 (Cicadellidae)
10593. **Psammotettix provincialis**
(Ribaut,1925) (Cicadellidae)
10594. **Psammotettix salsuginosus**
Logvinenko,1961 (Cicadellidae)
10595. **Psammotettix striatus** (Linnaeus,1758)
(Cicadellidae)
10596. **Psammotettix transcaucasicus**
Dlabola,1961 (Cicadellidae)
10597. **Psectrocladius calcaratus**
(Edwards,1929) (Chironomidae)
10598. **Psectrocladius dilatatus** (Wulp,1877)
(Chironomidae)
10599. **Psectrocladius ishimicus** Tchern.,1949
(Chironomidae)
10600. **Psectrocladius psilopterus** Kieffer,1906
(Chironomidae)
10601. **Psectrocladius serpentrionalis**
Tchern.,1949 (Chironomidae)
10602. **Psectrocladius stratiotis** Kieffer,1911
(Chironomidae)
10603. **Psectrocladius ventricosus** Kieffer,1911
(Chironomidae)
10604. **Psectrotanypus varius** (Fabricius,1787)
(Chironomidae)
10605. **Pselaphorhynchites nanus**
(Paykull,1792) (Attelabidae)
10606. **Pselaphorhynchites tomentosus**
(Gyllenhal,1839) (Attelabidae)
10607. **Pseudagrion syriacum** (Selys,1887)
(Coenagrionidae)
10608. **Pseudagriotes holtzi** Schwarz,1896
(Elateridae)
10609. **Pseudanostirus jasoni** Dolin &
Chantladze,1987 (Elateridae)
10610. **Pseudaraeopus bolivari**
(Melichar,1901) (Delphacidae)
10611. **Pseudaraeopus curtulus** Dlabola,1960
(Delphacidae)
10612. **Pseudaraeopus frontalis**
(Lindberg,1958) (Delphacidae)
10613. **Pseudaraeopus iranicus** Dlabola,1960
(Delphacidae)
10614. **Pseudaraeopus lethierryi** (Mulsant &
Rey,1879) (Delphacidae)
10615. **Pseudepipona (Deuterepipona)**
ankarensis Giordani Soika,1970 (Vespidae)
10616. **Pseudepipona (Deuterepipona) ionia**
(Saussure,1855) (Vespidae)
10617. **Pseudepipona (s.str.) lativentris**
(Saussure,1855) (Vespidae)
10618. **Pseudepipona (s.str.) pseudominuta**
Gusenleitner,1972 (Vespidae)
10619. **Pseudepipona herrichii**
(Saussure,[1856]) (Vespidae)
10620. **Pseuderimerus irani** Zerova &
Seryogina,2008 (Torymidae)
10621. **Pseudexechia trisignata**
(Edwards,1913) (Mycetophilidae)
10622. **Pseudimares iris** Kimmins,1933
(Myrmeleonidae)
10623. **Pseudocatolaccus nitescens** (Walker)
(Pteromalidae)
10624. **Pseudoceles karadagi** Demirsoy,1977
(Acrididae)

10625. **Pseudocoles ledereri** (Saussure,1884) (Acrididae)
 10626. **Pseudocoles obscurus** (Uvarov,1927) (Acrididae)
 10627. **Pseudocoles oedipoides** Bolivar,1899 (Acrididae)
 10628. **Pseudochermes fraxini** (Kaltenbach) (Eriococcidae)
 10629. **Pseudoclavellaria amerinae** (Linnaeus,1758) (Cimbicidae)
 10630. **Pseudococcobius obenbergeri** (Novickii) (Encyrtidae)
 10631. **Pseudococcus laingi** Bodenheimer (Pseudococcidae)
 10632. **Pseudococcus longispinus** (Targioni Tozzetti) (Pseudococcidae)
 10633. **Pseudococcus viburni** (Signoret) (Pseudococcidae)
 10634. **Pseudocrepidophorus concavifrons** Wurst,1994 (Elateridae)
 10635. **Pseudocrepidophorus flavescens** (Eschscholtz,1818) (Elateridae)
 10636. **Pseudodiamesa nivosa** (Goetghebuer,1932) (Chironomidae)
 10637. **Pseudodiamesa orientalis** Chern.,1949 (Chironomidae)
 10638. **Pseudoleria pectinata** (Loew,1872) (Heleomyzidae)
 10639. **Pseudoliarus fuscofasciatus** (Melichar,1902) (Cixiidae)
 10640. **Pseudoliarus palaestinus** Linnavuori,1962 (Cixiidae)
 10641. **Pseudoligosa gracilior** (Nowicki,1935) (Trichogrammatidae)
 10642. **Pseudoligosa paphlagonica** (Nowicki,1935) (Trichogrammatidae)
 10643. **Pseudolimnophila** (s.str.) **sepium** (Verrall,1886) (Limoniidae)
 10644. **Pseudolynchia canariensis** (Macquart,1839) (Hippoboscidae)
 10645. **Pseudomogoplistes squamiger** (Fischer von Waldheim,1853) (Mogoplistidae)
 10646. **Pseudomogoplistes turcicus** Gorochoy,1995 (Mogoplistidae)
 10647. **Pseudonapomyza atra** (Meigen,1830) (Agromyzidae)
 10648. **Pseudonapomyza europaea** Spencer,1973 (Agromyzidae)
 10649. **Pseudonapomyza hispanica** Spencer,1973 (Agromyzidae)
 10650. **Pseudonapomyza pyriformis** Sasakawa,2008 (Agromyzidae)
 10651. **Pseudonapomyza spicata** (Malloch,1914) (Agromyzidae)
 10652. **Pseudonapomyza spinosa** Spencer,1973 (Agromyzidae)
 10653. **Pseudonapomyza strobliana** Spencer,1973 (Agromyzidae)
 10654. **Pseudoneuroterus macropterus** (Hartig,1843) (Cynipidae)
 10655. **Pseudoophonus rufipes** (DeGeer,1774) (Carabidae)
 10656. **Pseudophlepsius binotatus** (Signoret,1880) (Cicadellidae)
 10657. **Pseudophotopsis aegyptiaca** (Bischoff,1920) (Mutillidae)
 10658. **Pseudophotopsis binghami** (Bischoff,1920) (Mutillidae)
 10659. **Pseudophotopsis brachythorax** (Skorikov,1935) (Mutillidae)
 10660. **Pseudophotopsis caspica** (Radoszkowski,1885) (Mutillidae)
 10661. **Pseudophotopsis caucasica** (Radoszkowski,1885) (Mutillidae)
 10662. **Pseudophotopsis fumata** Bischoff,1920 (Mutillidae)
 10663. **Pseudophotopsis irana** (Skorikov,1935) (Mutillidae)
 10664. **Pseudophotopsis kermana** Skorikov,1935 (Mutillidae)
 10665. **Pseudophotopsis komarovii** (Radoszkowski,1885) (Mutillidae)
 10666. **Pseudophotopsis maura** Bischoff,1920 (Mutillidae)
 10667. **Pseudophotopsis pavlovskiy** Skorikov,1935 (Mutillidae)
 10668. **Pseudophotopsis schachruda** (Skorikov,1935) (Mutillidae)
 10669. **Pseudophotopsis syriaca** (André,1900) (Mutillidae)
 10670. **Pseudoplectus perplexus** (Jacquelin du Val,1854) (Staphylinidae)
 10671. **Pseudopompilus humboldti** (Dahlbom,1845) (Pompilidae)
 10672. **Pseudosavalania karabagi** Demirsoy,1973 (Pamphagidae)
 10673. **Pseudosmittia gracilis** (Goetghebuer,1929) (Chironomidae)
 10674. **Pseudosphegistes longitarsus** Holzschuh,1974 (Cerambycidae)
 10675. **Pseudosphegistes samai** Danilevsky,2000 (Cerambycidae)
 10676. **Pseudosymmorphus adnexus** (Gusenleitner,1969) (Vespidae)
 10677. **Pseudosymmorphus moricei** (Schulthess,1925) (Vespidae)
 10678. **Pseudosymmorphus prophetus** (Giordani Soika,1952) (Vespidae)
 10679. **Pseudotorymus euphorbiae** Zerova & Seryogina,1999 (Torymidae)
 10680. **Pseudotorymus medicaginis** (Mayr,1874) (Torymidae)
 10681. **Pseudotorymus militaris** (Boheman,1834) (Torymidae)
 10682. **Pseudotorymus pannonicus** (Mayr,1874) (Torymidae)
 10683. **Pseudotorymus regalis** Askew,2006 (Torymidae)
 10684. **Pseudotorymus sapphyrinus** (Fonscolombe,1832) (Torymidae)
 10685. **Pseudotorymus stachidis** (Mayr,1874) (Torymidae)
 10686. **Pseudotrematodes frivaldskiyi** (Ménétriés,1836) (Scarabaeidae)
 10687. **Pseudovadonia livida** (Fabricius,1776) (Cerambycidae)
 10688. **Psiliglossa anatolica** Giordani Soika,1979 (Vespidae)
 10689. **Psiliglossa odyneroides** (Saunders,1872) (Vespidae)
 10690. **Psilocera obscura** Walker (Pteromalidae)
 10691. **Psilochalcis benoisti** (Steffan,1948) (Chalcididae)
 10692. **Psilochalcis mirabilis** (Boucek,1952) (Chalcididae)

10693. **Psilochalcis nigerrima** (Masi)
(Chalcididae)
10694. **Psilochalcis nitida** (Boucek)
(Chalcididae)
10695. **Psilochalcis rufitarsis** (Lliger)
(Chalcididae)
10696. **Psilochalcis subaenea** (Masi)
(Chalcididae)
10697. **Psilochalcis subarmata** (Förster)
(Chalcididae)
10698. **Psilocurus hypopygialis**
(Paramonov,1930) (Asilidae)
10699. **Psilodiamesa spitzbergensis** Kieffer &
Thienemann,1919 (Chironomidae)
10700. **Psilonotus achaeus** Walker
(Pteromalidae)
10701. **Psilonotus adamas** Walker
(Pteromalidae)
10702. **Psilonotus hortensia** Walker
(Pteromalidae)
10703. **Psilophrys bella** Japoshvili &
Noyes,2006 (Encyrtidae)
10704. **Psilophrys ghilarovi** Japoshvili,2005
(Encyrtidae)
10705. **Psilophrys tenuicornis** Graham,1969
(Encyrtidae)
10706. **Psilothrix viridicoerulea**
(Geoffroy,1785) (Melyridae)
10707. **Psophus stridulus** (Linnaeus,1758)
(Acrididae)
10708. **Psorodonotus anatolicus** Karabağ,1952
(Tettigoniidae)
10709. **Psorodonotus caucasicus** (Fischer von
Waldheim,1846) (Tettigoniidae)
10710. **Psorodonotus davisii** Karabağ,1956
(Tettigoniidae)
10711. **Psorodonotus ebneri** Karabağ,1952
(Tettigoniidae)
10712. **Psorodonotus rugulosus** Karabağ,1952
(Tettigoniidae)
10713. **Psorodonotus specularis** (Fischer von
Waldheim,1839) (Tettigoniidae)
10714. **Psorodonotus venosus** (Fischer von
Waldheim,1839) (Tettigoniidae)
10715. **Psychoda cinerea** Banks,1834
(Psychodidae)
10716. **Psychophagus omnivorus** (Walker)
(Pteromalidae)
10717. **Psyllaephagus caillardiae** Sugonjaev
(Encyrtidae)
10718. **Psyllaephagus elaeagni** Trjapitzin
(Encyrtidae)
10719. **Psyllaephagus euphyllurae** (Masi)
(Encyrtidae)
10720. **Psyllaephagus pistaciae** Ferrière
(Encyrtidae)
10721. **Psyllaephagus procerus** (Mercet)
(Encyrtidae)
10722. **Psyllaephagus pulchellus** (Mercet)
(Encyrtidae)
10723. **Psyllaephagus tokgaevi** Myartseva
(Encyrtidae)
10724. **Psylliodes affinis** (Paykull,1799)
(Chrysomelidae)
10725. **Psylliodes aristus** Jablokov-
Khnzorian,1962 (Chrysomelidae)
10726. **Psylliodes attenuatus** (Koch,1803)
(Chrysomelidae)
10727. **Psylliodes chalcomerus** (Illiger,1807)
(Chrysomelidae)
10728. **Psylliodes chrysocephalus**
(Linnaeus,1758) (Chrysomelidae)
10729. **Psylliodes circumdatus**
(Redtenbacher,1842) (Chrysomelidae)
10730. **Psylliodes cupreus** (Koch,1803)
(Chrysomelidae)
10731. **Psylliodes dulcamarae** (Koch,1803)
(Chrysomelidae)
10732. **Psylliodes ellipticus** Allard,1861
(Chrysomelidae)
10733. **Psylliodes hyoscyami** (Linnaeus,1758)
(Chrysomelidae)
10734. **Psylliodes illyricus** Leonardi &
Gruev,1993 (Chrysomelidae)
10735. **Psylliodes inflatus** Reiche,1856
(Chrysomelidae)
10736. **Psylliodes instabilis** Foudras,1860
(Chrysomelidae)
10737. **Psylliodes isatidis** Heikertinger,1912
(Chrysomelidae)
10738. **Psylliodes kiesenwetteri**
Kutschera,1867 (Chrysomelidae)
10739. **Psylliodes luteolus** (O.F.Müller,1776)
(Chrysomelidae)
10740. **Psylliodes marcidus** (Illiger,1807)
(Chrysomelidae)
10741. **Psylliodes milleri** Kutschera,1864
(Chrysomelidae)
10742. **Psylliodes napi** (Fabricius,1792)
(Chrysomelidae)
10743. **Psylliodes ozisiki** Leonardi &
Arnold,1995 (Chrysomelidae)
10744. **Psylliodes pallidicolor** Pic,1903
(Chrysomelidae)
10745. **Psylliodes sauleyi** Allard,1867
(Chrysomelidae)
10746. **Psylliodes sophiae** Heikertinger,1914
(Chrysomelidae)
10747. **Psylliodes tauricus** Leonardi,1971
(Chrysomelidae)
10748. **Psylliodes testaceoconcolor**
Heikertinger,1926 (Chrysomelidae)
10749. **Psylliodes validus** Weise,1889
(Chrysomelidae)
10750. **Psylliodes vindobonensis**
Heikertinger,1914 (Chrysomelidae)
10751. **Psyllobora vigintiduopunctata**
(Linnaeus,1758) (Coccinellidae)
10752. **Psyllopsis fraxinicola** (Förster)
(Psyllidae)
10753. **Pterandrophysalis levantina**
Nowicki,1935 (Trichogrammatidae)
10754. **Pterella grisea** (Meigen,1824)
(Sarcophagidae)
10755. **Pterocheilus atrohirtus** Morawitz,1885
(Vespidae)
10756. **Pterocheilus coccineus** André,1884
(Vespidae)
10757. **Pterocheilus fausti** Morawitz,1873
(Vespidae)
10758. **Pterocheilus mavromoustakisi**
Giordani Soika,1979 (Vespidae)
10759. **Pterocheilus tenebricosus**
Gusenleitner,1998 (Vespidae)
10760. **Pteromalus albipennis** Walker
(Pteromalidae)

10761. **Pteromalus apum (Retzius)**
(Pteromalidae)
10762. **Pteromalus bedeguaris (Thomson)**
(Pteromalidae)
10763. **Pteromalus bifoveolatus Förster**
(Pteromalidae)
10764. **Pteromalus chrysos Walker**
(Pteromalidae)
10765. **Pteromalus cionobius (Erdös)**
(Pteromalidae)
10766. **Pteromalus elevatus (Walker)**
(Pteromalidae)
10767. **Pteromalus intermedius (Walker)**
(Pteromalidae)
10768. **Pteromalus platyphilus Walker**
(Pteromalidae)
10769. **Pteromalus puparum (Linnaeus)**
(Pteromalidae)
10770. **Pteromalus semotus (Walker)**
(Pteromalidae)
10771. **Pteromalus sequester Walker**
(Pteromalidae)
10772. **Pteronemobius (s.str.) heydeni**
(Fischer,1853) (Gryllidae)
10773. **Pteronemobius (s.str.) heydenii**
(Fischer,1853) (Gryllidae)
10774. **Pteronemobius gracilis Jakovleff,1871**
(Gryllidae)
10775. **Pteroptrix bicolor (Howard,1898)**
(Aphelinidae)
10776. **Pteroptrix lauri (Mercet,1911)**
(Aphelinidae)
10777. **Pteropyx hyalinus Haupt,1927**
(Cicadellidae)
10778. **Ptygippus brachypterus**
Mistshenko,1951 (Acrididae)
10779. **Ptyngidricerus albardanus**
(McLachan,1891) (Ascalaphidae)
10780. **Ptyngidricerus albardanus albardanus**
(McLachan,1891) (Ascalaphidae)
10781. **Ptyngidricerus albardanus**
pterostygmatum Alexandrov-Martynov,1926
(Ascalaphidae)
10782. **Ptyngidricerus venustus (Tjeder &**
Waterson,1977) (Ascalaphidae)
10783. **Puer maculatus (Olivier,1789)**
(Ascalaphidae)
10784. **Puklina gelincika Doğanlar,1993**
(Eulophidae)
10785. **Pulvinaria floccifera (Westwood)**
(Coccidae)
10786. **Pulvinaria terrestris Borchsenius**
(Coccidae)
10787. **Pulvinariella mesembryanthemi**
(Vallot) (Coccidae)
10788. **Purpuricenens budensis (Götz,1783)**
(Cerambycidae)
10789. **Purpuricenens caucasicus Pic,1902**
(Cerambycidae)
10790. **Purpuricenens cornifrons Sabbadini &**
Pesarini,1992 (Cerambycidae)
10791. **Purpuricenens dalmatinus Sturm,1843**
(Cerambycidae)
10792. **Purpuricenens desfontainei**
(Fabricius,1792) (Cerambycidae)
10793. **Purpuricenens deyrollei Thomson,1867**
(Cerambycidae)
10794. **Purpuricenens kaehleri (Linnaeus,1758)**
(Cerambycidae)
10795. **Purpuricenens longevittatus Pic,1941**
(Cerambycidae)
10796. **Purpuricenens nabateus Sama,1998**
(Cerambycidae)
10797. **Purpuricenens nigronotatus Pic,1907**
(Cerambycidae)
10798. **Purpuricenens nudicollis Demelt,1968**
(Cerambycidae)
10799. **Purpuricenens sasanus Kadlec,2006**
(Cerambycidae)
10800. **Purpuricenens talyshensis Reitter,1914**
(Cerambycidae)
10801. **Purpuricenens tommasoii Sama,2001**
(Cerambycidae)
10802. **Purpuricenens wachanrui Levrat,1858**
(Cerambycidae)
10803. **Puto palinuri Marotta & Tranfaglia**
(Pseudococcidae)
10804. **Puto pilosellae (Sulc)** (Pseudococcidae)
10805. **Puto superbus (Leonardi)**
(Pseudococcidae)
10806. **Pycnocyptodes reticulator Aubert,1971**
(Ichneumonidae)
10807. **Pycnocyptus claviventris**
Kriechbaumer,1894 (Ichneumonidae)
10808. **Pycnocyptus rarus (Habermehl,1920)**
(Ichneumonidae)
10809. **Pycnomalla splendens (Fabricius,1787)**
(Stratiomyidae)
10810. **Pycnopogon fasciculatus Loew,1847**
(Asilidae)
10811. **Pycnopogon hirsutus Becker,1913**
(Asilidae)
10812. **Pycnopogon leucostomus Engel,1930**
(Asilidae)
10813. **Pycnopogon melanostomus Loew,1874**
(Asilidae)
10814. **Pycnopogon mixtus (Loew,1847)**
(Asilidae)
10815. **Pycnopogon pallidipennis (Brullé,1833)**
(Asilidae)
10816. **Pygmaeolus turcicus Kolarov,1993**
(Ichneumonidae)
10817. **Pyracon nactor Aubert,1986**
(Ichneumonidae)
10818. **Pyrellia vivida Robineau-Desvoidy,1830**
(Muscidae)
10819. **Pyrgodera armata (Fischer von**
Waldheim,1820) (Acrididae)
10820. **Pyrgomorpha cognata Krauss,1877**
(Pyrgomorphidae)
10821. **Pyrgomorpha conica (Olivier,1791)**
(Pyrgomorphidae)
10822. **Pyrgomorpha guentheri Burr,1899**
(Pyrgomorphidae)
10823. **Pyrobombus niveatus**
(Kriechbaumer,1870) (Apidae)
10824. **Pyrrhocoris apterus (Linnaeus,1758)**
(Pyrrhocoridae)
10825. **Pyrrhocoris marginatus**
(Kolenati,1845) (Pyrrhocoridae)
10826. **Pyrrhocoris niger Reuter,1888**
(Pyrrhocoridae)
10827. **Pyrrhosoma nymphula (Sulzer,1776)**
(Coenagrionidae)

10828. *Quadrastylum aylae* Dlabola,1987 (Issidae)
10829. *Quadrastylum basiniger* Dlabola,1987 (Issidae)
10830. *Quadrastylum beysehircum* Dlabola,1983 (Issidae)
10831. *Quadrastylum campanuliforme* Dlabola,1979 (Issidae)
10832. *Quadrastylum coronatum* (Loginenkova,1977) (Issidae)
10833. *Quadrastylum insulanum* Dlabola,1983 (Issidae)
10834. *Quadrastylum jahjai* Dlabola,1983 (Issidae)
10835. *Quadrastylum kulaicum* Dlabola,1983 (Issidae)
10836. *Quadrastylum lodosicum* Dlabola,1983 (Issidae)
10837. *Quadrastylum scoleogramma* (Fieber,1877) (Issidae)
10838. *Quadrastylum tarsusanum* Dlabola,1989 (Issidae)
10839. *Quadrastylum tekirdagicum* Dlabola,1982 (Issidae)
10840. *Quartinia atrata* Gusenleitner,1998 (Vespidae)
10841. *Quartinia candida* Gusenleitner,1997 (Vespidae)
10842. *Quartinia separata* Gusenleitner,1997 (Vespidae)
10843. *Quartinia soikai* Richards,1962 (Vespidae)
10844. *Quasimus minutissimus* (Germar,1817) (Elateridae)
10845. *Quilnus parvicollis* Stal,1873 (Aradidae)
10846. *Rabdophaga heterobia* (Loew,1850) (Cecidomyiidae)
10847. *Rabdophaga saliciperda* (Dufour,1841) (Cecidomyiidae)
10848. *Rabdophaga salicis* (Schränk,1803) (Cecidomyiidae)
10849. *Rabdophaga strobilina* (Bremi,1847) (Cecidomyiidae)
10850. *Rabdophaga terminalis* (Loew,1850) (Cecidomyiidae)
10851. *Raiboscelis azureus* (Brullé,1832) (Tenebrionidae)
10852. *Raiboscelis coelestinus* (Waltl,1838) (Tenebrionidae)
10853. *Raiboscelis eleodinus* (Reiche,1861) (Tenebrionidae)
10854. *Raiboscelis latimargo* Seidlitz,1896 (Tenebrionidae)
10855. *Raiboscelis syriacus* (Reiche,1861) (Tenebrionidae)
10856. *Ramburiella bolivari* (Kuthy,1907) (Acrididae)
10857. *Ramburiella turcomana* (Fischer von Waldheim,1833) (Acrididae)
10858. *Rammehippus turcicus* (Ramme,1939) (Acrididae)
10859. *Rammehippus turcicus* (Ramme,1939) (Acrididae)
10860. *Rammeola anatolica* Uvarov,1934 (Tettigoniidae)
10861. *Rammepodisma natoliae* (Ramme,1939) (Acrididae)
10862. *Ranatra linearis* (Linnaeus,1758) (Nepidae)
10863. *Ranissus anaticus* Kartal,1987 (Dictyopharidae)
10864. *Ranissus leptopus* Fieber,1866 (Dictyopharidae)
10865. *Ranissus punctiger* (Horvath,1905) (Dictyopharidae)
10866. *Rantus suturalis* (Macleay,1825) (Dytiscidae)
10867. *Raphidia (Caucasoraphidia) caucasica* Esben-Petersen,1913 (Raphidiidae)
10868. *Raphidia (Caucasoraphidia) ressliana* H.Aspöck & U.Aspöck,1970 (Raphidiidae)
10869. *Raphidia (Magnoraphidia) robusta* Aspöck & Aspöck,1966 (Raphidiidae)
10870. *Raphidia (Parvoraphidia) microstigma* Stein,1863 (Raphidiidae)
10871. *Raphidia (Phidiara) noane* H.Aspöck & U.Aspöck,1966 (Raphidiidae)
10872. *Raphidia (Phidiara) prophetica* H.Aspöck & U.Aspöck,1964 (Raphidiidae)
10873. *Raphidia (Phidiara) raddai* U.Aspöck & H.Aspöck,1969 (Raphidiidae)
10874. *Raphidia (Phidiara) remane* H.Aspöck, U.Aspöck & Şengonca,1976 (Raphidiidae)
10875. *Raphidia (Phidiara) resslia* H.Aspöck & U.Aspöck,1964 (Raphidiidae)
10876. *Raphidia (Phidiara) vartianorum* H.Aspöck & U.Aspöck,1968 (Raphidiidae)
10877. *Raphidia (Pontoraphidia) pontica* Albarda,1891 (Raphidiidae)
10878. *Raphidia (s.str.) beieri* H.Aspöck & U.Aspöck,1964 (Raphidiidae)
10879. *Raphidia (s.str.) ophiopsis* Linnaeus,1758 (Raphidiidae)
10880. *Raphidia (Turcoraphidia) acerba* H.Aspöck & U.Aspöck,1966 (Raphidiidae)
10881. *Raphidia (Turcoraphidia) amara* H.Aspöck & U.Aspöck,1964 (Raphidiidae)
10882. *Raphidia (Turcoraphidia) fuscinata* H.Aspöck & U.Aspöck,1964 (Raphidiidae)
10883. *Raphidia (Turcoraphidia) hethitica* H.Aspöck, U.Aspöck & Rausch,1984 (Raphidiidae)
10884. *Raphidia adanana* Albarda,1891 (Raphidiidae)
10885. *Raphidia cypria* Navas,1931 (Raphidiidae)
10886. *Raphidia wittmeri* H.Aspöck & U.Aspöck,1970 (Raphidiidae)
10887. *Raphigaster nebulosa* (Poda,1761) (Pentatomidae)
10888. *Raphiglossa eumenoides* Saunders,1850 (Vespidae)
10889. *Ratzeburgiola cristatus* (Ratzeburg) (Eulophidae)
10890. *Ratzeburgiola incompleta* Bouček (Eulophidae)
10891. *Ravinia pernix* (Harris,1780) (Sarcophagidae)
10892. *Recilia angustisectus* (Linnavuori,1962) (Cicadellidae)
10893. *Recilia coronifera* (Marshall,1866) (Cicadellidae)
10894. *Recilia jordanica* Dlabola,1965 (Cicadellidae)

10895. **Recilia schmidtgeni** (Wagner,1939)
(Cicadellidae)
10896. **Reduvius pallipes** (Klug,1839)
(Reduviidae)
10897. **Reichenbachia chevrieri** (Aubé,1844)
(Staphylinidae)
10898. **Reitterelater dubius** Platia & Cate,1990
(Elateridae)
10899. **Reminasus ephippium** (Macquart,1855)
(Asilidae)
10900. **Reptalus (s.str.) horridus**
(Linnavuori,1962) (Cixiidae)
10901. **Reptalus (s.str.) melanochaetus**
(Fieber,1876) (Cixiidae)
10902. **Reptalus (s.str.) oleae** Dlabola,1987
(Cixiidae)
10903. **Reptalus (s.str.) panzeri** (Loew,1883)
(Cixiidae)
10904. **Reptalus (s.str.) quinquecostatus**
(Dufour,1833) (Cixiidae)
10905. **Reptalus (Trepalus) rufocarinatus**
(Kusnezov,1937) (Cixiidae)
10906. **Resseliella oleisuga** (Targioni-
Tozzetti,1886) (Cecidomyiidae)
10907. **Resseliella piceae** Seitner,1906
(Cecidomyiidae)
10908. **Resseliella theobaldi** (Barnes,1927)
(Cecidomyiidae)
10909. **Rexa raddai** (Hölzel,1966) (Chrysopidae)
10910. **Rhabdiopteryx doiranensis**
Ikomonov,1983 (Taeniopterygidae)
10911. **Rhabdogaster cinerascens** (Wulp,1899)
(Asilidae)
10912. **Rhabdomastix (s.str.) filata** Stary,2004
(Limoniidae)
10913. **Rhacocleis acutangula** Karabağ,1957
(Tettigoniidae)
10914. **Rhacocleis anatolica** Werner,1933
(Tettigoniidae)
10915. **Rhacocleis germanica** (Herrich-
Schäffer,1840) (Tettigoniidae)
10916. **Rhacocleis tuberculata** Karabağ,1978
(Tettigoniidae)
10917. **Rhacocleis turcica** (Uvarov,1930)
(Tettigoniidae)
10918. **Rhadinus megalonix** Loew,1856
(Asilidae)
10919. **Rhagio albipilosus** Becker,1821
(Rhagionidae)
10920. **Rhagio libanonicus** Szilady,1934
(Rhagionidae)
10921. **Rhagio maculipennis** (Loew,1854)
(Rhagionidae)
10922. **Rhagio notatus** Meigen,1820
(Rhagionidae)
10923. **Rhagio sordidus** (Loew,1862)
(Rhagionidae)
10924. **Rhagio turcicus** Lindler,1930
(Rhagionidae)
10925. **Rhagoletis berberidis** Jermy,1961
(Tephritidae)
10926. **Rhagoletis cerasi** (Linnaeus,1758)
(Tephritidae)
10927. **Rhagoletis flavicincta** Enderlein,1934
(Tephritidae)
10928. **Rhagoletis flavigenualis** M.Hering,1958
(Tephritidae)
10929. **Rhagonycha adanensis** Dahlgren,1968
(Cantharidae)
10930. **Rhagonycha anatolica** Dahlgren,1968
(Cantharidae)
10931. **Rhagonycha antennata** Svihla,2004
(Cantharidae)
10932. **Rhagonycha benedikti** Svihla,2002
(Cantharidae)
10933. **Rhagonycha brancuccii** Svihla,1993
(Cantharidae)
10934. **Rhagonycha carolusi** Svihla,1993
(Cantharidae)
10935. **Rhagonycha catei** Svihla,1993
(Cantharidae)
10936. **Rhagonycha chtaurana** Svihla,1977
(Cantharidae)
10937. **Rhagonycha curvipes** Svihla,2005
(Cantharidae)
10938. **Rhagonycha duplicata** Dahlgren,1968
(Cantharidae)
10939. **Rhagonycha dvoraki** Svihla,1995
(Cantharidae)
10940. **Rhagonycha fulva** (Scopoli,1763)
(Cantharidae)
10941. **Rhagonycha fulvaliena** Svihla,1995
(Cantharidae)
10942. **Rhagonycha ghilanensis** Dahlgren,1985
(Cantharidae)
10943. **Rhagonycha hyrcana** Svihla,2002
(Cantharidae)
10944. **Rhagonycha icelica** Svihla,1995
(Cantharidae)
10945. **Rhagonycha iranica** Wittmer,1972
(Cantharidae)
10946. **Rhagonycha kadleci** Svihla,2002
(Cantharidae)
10947. **Rhagonycha karsensis** Svihla,1995
(Cantharidae)
10948. **Rhagonycha kiesenwetteri**
Marseul,1864 (Cantharidae)
10949. **Rhagonycha kronbladi** Svihla,1993
(Cantharidae)
10950. **Rhagonycha kurdistana** Svihla,1983
(Cantharidae)
10951. **Rhagonycha lundbergi** Svihla,1993
(Cantharidae)
10952. **Rhagonycha lutea** (O.F.Müller,1764)
(Cantharidae)
10953. **Rhagonycha maceki** Svihla,1983
(Cantharidae)
10954. **Rhagonycha morvani** Wittmer,1974
(Cantharidae)
10955. **Rhagonycha nurdagensis** Wittmer,1972
(Cantharidae)
10956. **Rhagonycha osellai** Svihla,1993
(Cantharidae)
10957. **Rhagonycha paflagonica** Svihla,2004
(Cantharidae)
10958. **Rhagonycha pamphylica** Wittmer,1972
(Cantharidae)
10959. **Rhagonycha pseudorossica**
Kazantsev,1992 (Cantharidae)
10960. **Rhagonycha rassouli** Wittmer,1981
(Cantharidae)
10961. **Rhagonycha ruzickai** Svihla,1993
(Cantharidae)
10962. **Rhagonycha rydhi** Svihla,1993
(Cantharidae)

10963. **Rhagonycha schneideri** Svihla,2006 (Cantharidae)
10964. **Rhagonycha stanislavi** Svihla,2002 (Cantharidae)
10965. **Rhagonycha syriaca** Dahlgren,1968 (Cantharidae)
10966. **Rhagonycha turcica** Wittmer,1972 (Cantharidae)
10967. **Rhagonycha vartiani** Svihla,1993 (Cantharidae)
10968. **Rhagonycha walteri** Svihla,1993 (Cantharidae)
10969. **Rhamphomyia (Holoclera) biserialis** Collin,1960 (Empididae)
10970. **Rhamphomyia (Holoclera) tenuipes** Becker,1907 (Empididae)
10971. **Rhamphomyia (Lundstroemiella) cimrmani** Bartak,2006 (Empididae)
10972. **Rhamphomyia (Pararhamphomyia) intersita** Collin,1960 (Empididae)
10973. **Rhamphomyia (Pararhamphomyia) sulcatella** Collin,1926 (Empididae)
10974. **Rhamphomyia (s.str.) furmani** Bartak & Stepan,2009 (Empididae)
10975. **Rhamphomyia (s.str.) hermonensis** Bartak & Stepan,2009 (Empididae)
10976. **Rhamphomyia (s.str.) karamanensis** Bartak, Çiftçi & Hasbenli,2007 (Empididae)
10977. **Rhaphitelus maculatus** Walker (Pteromalidae)
10978. **Rheocricotopus gouini** (Goetghebuer,1927) (Chironomidae)
10979. **Rheotanytarsus exiguus** Joh.,1937 (Chironomidae)
10980. **Rhinopelte crassicornis** (Nees) (Eulophidae)
10981. **Rhingia campestris** Meigen,1822 (Syrphidae)
10982. **Rhinocyllus conicus** (Frölich,1792) (Curculionidae)
10983. **Rhissolepus aspinosus** Dlabola,1982 (Issidae)
10984. **Rhizaspidotus canariensis** (Lindinger) (Diaspididae)
10985. **Rhizaspidotus donacis** (Leonardi) (Diaspididae)
10986. **Rhizopulvinaria artemisiae** (Signoret) (Coccidae)
10987. **Rhizopulvinaria halli** Borchsenius (Coccidae)
10988. **Rhizopulvinaria pyrethri** Borchsenius (Coccidae)
10989. **Rhizopulvinaria spinifera** Borchsenius (Coccidae)
10990. **Rhizopulvinaria turkestanica** (Archangelskaya) (Coccidae)
10991. **Rhizopulvinaria viridis** Borchsenius (Coccidae)
10992. **Rhizotrogus (Amphimallon) caucasicum** (Gyllenhal,1817) (Scarabaeidae)
10993. **Rhizotrogus (Amphimallon) jedlickai** Balthasar,1936 (Scarabaeidae)
10994. **Rhizotrogus (Amphimallon) leuthneri** Reitter,1902 (Scarabaeidae)
10995. **Rhizotrogus (Amphimallon) solstitialis** (Linnaeus,1758) (Scarabaeidae)
10996. **Rhizotrogus (s.str.) aestivus** (Olivier,1789) (Scarabaeidae)
10997. **Rhizotrogus (s.str.) schaufussi** Brenske,1891 (Scarabaeidae)
10998. **Rhoananus hypochlorus** (Fieber,1869) (Cicadellidae)
10999. **Rhodococcus perornatus** (Cockerell & Parrott) (Coccidae)
11000. **Rhodus cyprius** (Houard,1919) (Cynipidae)
11001. **Rhogogaster chlorosoma** Benson,1943 (Tenthredinidae)
11002. **Rhopalicus guttatus** (Ratzeburg) (Pteromalidae)
11003. **Rhopalicus tutella** (Walker) (Pteromalidae)
11004. **Rhopalomyia artemisiae** (Bouche,1834) (Cecidomyiidae)
11005. **Rhopalomyia baccarum** (Wachtl,1883) (Cecidomyiidae)
11006. **Rhopalomyia saissanica** Fedotova,1999 (Cecidomyiidae)
11007. **Rhopalus rufus** Schilling,1829 (Rhopalidae)
11008. **Rhopus flavidus** (Mercet) (Encyrtidae)
11009. **Rhynchites aereipennis** Desbrochers,1895 (Attelabidae)
11010. **Rhynchites auratus** (Scopoli,1763) (Attelabidae)
11011. **Rhynchites bacchus** (Linnaeus,1758) (Attelabidae)
11012. **Rhynchites coeruleus** (De Geer,1775) (Attelabidae)
11013. **Rhynchites giganteus** Krynický,1832 (Attelabidae)
11014. **Rhynchites hajastanicus** Ter-Minacian,1965 (Attelabidae)
11015. **Rhynchites hungaricus** (Herbst,1784) (Attelabidae)
11016. **Rhynchites lenaeus** Faust,1891 (Attelabidae)
11017. **Rhynchites lodosi** Voss,1973 (Attelabidae)
11018. **Rhynchites purpureipennis** Voss,1973 (Attelabidae)
11019. **Rhynchites smyrnensis** Desbrochers,1869 (Attelabidae)
11020. **Rhynchites trojanus** Gyllenhal,1839 (Attelabidae)
11021. **Rhynchium oculatum** (Fabricius,1781) (Vespidae)
11022. **Rhynocoris annulatus** (Linnaeus,1758) (Reduviidae)
11023. **Rhynocoris flavolimbatus** (Jakovlev,1889) (Reduviidae)
11024. **Rhynocoris iracundus** (Poda,1761) (Reduviidae)
11025. **Rhynocoris punctiventris** Herrich-Schäffer,1846 (Reduviidae)
11026. **Rhynocoris rubrogularis** (Horvath,1880) (Reduviidae)
11027. **Rhyparochromus alboacuminatus** (Goeze,1778) (Lygaeidae)
11028. **Rhyparochromus confusus** (Reuter,1886) (Lygaeidae)
11029. **Rhyparochromus consors** (Horvath,1878) (Lygaeidae)
11030. **Rhyparochromus immaculatus** (Rey,1920) (Lygaeidae)

11031. **Rhyparochromus inarimensis** (Costa,1860) (Lygaeidae)
 11032. **Rhyparochromus lynceus** (Fabricius,1775) (Lygaeidae)
 11033. **Rhyparochromus minusculatus** (Reuter,1885) (Lygaeidae)
 11034. **Rhyparochromus phoeniceus** (Rossi,1794) (Lygaeidae)
 11035. **Rhyparochromus pineti** (Herrich-Schäffer,1839) (Lygaeidae)
 11036. **Rhyparochromus pini** (Linnaeus,1758) (Lygaeidae)
 11037. **Rhyparochromus quadratus** (Fabricius,1798) (Lygaeidae)
 11038. **Rhyparochromus reuteri** (Horvath,1885) (Lygaeidae)
 11039. **Rhyparochromus saturnius** (Rossi,1790) (Lygaeidae)
 11040. **Rhyparochromus tristis** Fieber,1861 (Lygaeidae)
 11041. **Rhyparochromus validus** (Horvath,1875) (Lygaeidae)
 11042. **Rhyparochromus vulgaris** (Schilling,1829) (Lygaeidae)
 11043. **Rhyparochromus zarudnyi** (Jakovlev,1905) (Lygaeidae)
 11044. **Rhyssa persuasoria** (Linnaeus,1758) (Ichneumonidae)
 11045. **Rhytidodus boluicus** Dlabola,1970 (Cicadellidae)
 11046. **Rhytidodus decimusquartus** (Schrank,1776) (Cicadellidae)
 11047. **Rhytidodus nobilis** (Fieber,1868) (Cicadellidae)
 11048. **Rhytidodus wagneri** Dlabola,1965 (Cicadellidae)
 11049. **Ribautiana alces** (Ribaut,1931) (Cicadellidae)
 11050. **Ribautiana cruciata** (Ribaut,1931) (Cicadellidae)
 11051. **Ribautiana ognevi** (Zachvatkin,1948) (Cicadellidae)
 11052. **Ribautiana tenerrima** (Herrich-Schäffer,1834) (Cicadellidae)
 11053. **Ribautodelphax albostratus** (Fieber,1866) (Delphacidae)
 11054. **Ribautodelphax collinus** (Boheman,1847) (Delphacidae)
 11055. **Ribautodelphax libanonensis** Den Bieman,1987 (Delphacidae)
 11056. **Ribautodelphax pallens** (Stål,1854) (Delphacidae)
 11057. **Ribautodelphax pungens** (Ribaut,1953) (Delphacidae)
 11058. **Ricania aylae** Dlabola,1983 (Ricaniidae)
 11059. **Ricania hedenborgi** Stal,1865 (Ricaniidae)
 11060. **Ricania japonica** Melichar,1898 (Ricaniidae)
 11061. **Ricania soraya** Dlabola,1983 (Ricaniidae)
 11062. **Rileyia doganlari** Çam,2003 (Eurytomidae)
 11063. **Ripersiella Kaydani** Konczne Benedicty & Kozar (Pseudococcidae)
 11064. **Ripersiella periolana** Goux (Pseudococcidae)
 11065. **Rivetina asiatica** Mistchenko,1967 (Mantidae)
 11066. **Rivetina baetica** (Rambur,1838) (Mantidae)
 11067. **Rivetina balcanica** La Greca & Lombardo,1982 (Mantidae)
 11068. **Rivetina byblica** La Greca & Lombardo,1982 (Mantidae)
 11069. **Rivetina caucasica** (Saussure,1871) (Mantidae)
 11070. **Rivetina dolichoptera** (Schulthess-Rechberg,1894) (Mantidae)
 11071. **Rivetina excellens** Beier,1956 (Mantidae)
 11072. **Rivetina inermis** (Uvarov,1923) (Mantidae)
 11073. **Rivetina laticollis** La Greca & Lombardo,1982 (Mantidae)
 11074. **Rivetina rhombicollis** La Greca & Lombardo,1982 (Mantidae)
 11075. **Rivetina syriaca** (Saussure,1869) (Mantidae)
 11076. **Robackia demeijerei** (Kruseman,1933) (Chironomidae)
 11077. **Rodolia cardinalis** Mulsant,1850 (Coccinellidae)
 11078. **Rondania cucullata** Robineau-Desvoidy,1850 (Tachinidae)
 11079. **Ronisia brutia** (Petagna,1787) (Mutillidae)
 11080. **Ronisia marocana** (Olivier,1811) (Mutillidae)
 11081. **Roptrocerus xylophagorum** (Ratzeburg) (Pteromalidae)
 11082. **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae)
 11083. **Rutpela maculata** (Poda,1761) (Cerambycidae)
 11084. **Rybaxis diabolica** Reitter,1884 (Staphylinidae)
 11085. **Rybaxis gigas** (Baudi di Delve,1870) (Staphylinidae)
 11086. **Rybaxis longicornis** (Leach,1817) (Staphylinidae)
 11087. **Rymosia cretensis** Lundström,1911 (Mycetophilidae)
 11088. **Rymosia pseudocretensis** Burgehele-Balancesco,1966 (Mycetophilidae)
 11089. **Rykyucardiophorus mertliki** Platia & Gudenzi,1999 (Elateridae)
 11090. **Saga beieri** Kaltenbach,1967 (Tettigoniidae)
 11091. **Saga campbelli** Uvarov,1921 (Tettigoniidae)
 11092. **Saga cappadocica** Werner,1903 (Tettigoniidae)
 11093. **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae)
 11094. **Saga ledereri** Saussure,1888 (Tettigoniidae)
 11095. **Saga longicaudata** Krauss,1879 (Tettigoniidae)
 11096. **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae)
 11097. **Saga ornata** Burmeister,1838 (Tettigoniidae)
 11098. **Saga puella** Werner,1901 (Tettigoniidae)
 11099. **Saga rhodiensis** Salfi,1929 (Tettigoniidae)
 11100. **Sagatus punctifrons** (Fallén,1826) (Cicadellidae)
 11101. **Saissetia coffeae** (Walker) (Coccidae)

11102. **Saissetia oleae** (Olivier) (Coccidae)
11103. **Salentia fuscipennis** A.Costa,1857 (Therevidae)
11104. **Salentia nigripes** (Kröber,1912) (Therevidae)
11105. **Salicicola archangelskyae** (Lindinger) (Diaspididae)
11106. **Salicicola kermanensis** (Lindinger) (Diaspididae)
11107. **Salicicola pistaciae** (Lindinger) (Diaspididae)
11108. **Saltella nigripes** Robineau-Desvoidy,1830 (Sepsidae)
11109. **Saltella sphondylii** (Schrank,1803) (Sepsidae)
11110. **Salticella fasciata** (Meigen,1830) (Sciomyzidae)
11111. **Saperda maculosa** Ménétrés,1832 (Cerambycidae)
11112. **Saperda quercus** Charpentier,1825 (Cerambycidae)
11113. **Saperda scalaris** (Linnaeus,1758) (Cerambycidae)
11114. **Saprinus calatravensis** Fuente,1899 (Histeridae)
11115. **Saprinus maculatus** (Rossi,1792) (Histeridae)
11116. **Saprinus subnitescens** Bickhardt,1909 (Histeridae)
11117. **Sapromyza freidbergi** Yarom,1990 (Leuxaniidae)
11118. **Sapromyza gozmanyi** Papp,1981 (Leuxaniidae)
11119. **Sapromyza intonsa** Loew,1847 (Leuxaniidae)
11120. **Sapromyza intonsina** Yarom,1990 (Leuxaniidae)
11121. **Sapromyza laszlopappi** Merz,2000 (Leuxaniidae)
11122. **Sapyga (Polosapyga) singla** Kurzenko,1994 (Sapygidae)
11123. **Sapyga (s.str.) caucasica** Radoszkowski,1880 (Sapygidae)
11124. **Sapyga (s.str.) gusenleitneri** Kurzenko,1994 (Sapygidae)
11125. **Sapyga (s.str.) morawitzi** Turner,1911 (Sapygidae)
11126. **Sapyga (s.str.) mutica** Kurzenko,1994 (Sapygidae)
11127. **Sapyga (s.str.) pulcherrima** Morawitz,1894 (Sapygidae)
11128. **Sapyga (s.str.) quinquepunctata** (Fabricius,1781) (Sapygidae)
11129. **Sapyga (s.str.) similis** (Fabricius,1793) (Sapygidae)
11130. **Sapygina decemguttata** (Jurine,1807) (Sapygidae)
11131. **Sapygina maloasiatica** Kurzenko,1994 (Sapygidae)
11132. **Sapygina schwarzi** Kurzenko,1994 (Sapygidae)
11133. **Sarcophaga (Bercaea) africa** (Wiedemann,1819) (Sarcophagidae)
11134. **Sarcophaga (Discachaeta) cucullans** Pandellé,1896 (Sarcophagidae)
11135. **Sarcophaga (Helicophagella) bellae** Lehrer,2000 (Sarcophagidae)
11136. **Sarcophaga (Helicophagella) crassimargo** Pandellé,1896 (Sarcophagidae)
11137. **Sarcophaga (Helicophagella) dreyfusi** (Lehrer,1994) (Sarcophagidae)
11138. **Sarcophaga (Helicophagella) melanura** Meigen,1826 (Sarcophagidae)
11139. **Sarcophaga (Helicophagella) novercoides** Böttcher,1913 (Sarcophagidae)
11140. **Sarcophaga (Heteronychia) bezziana** Böttcher,1913 (Sarcophagidae)
11141. **Sarcophaga (Heteronychia) consanguinea** Rondani,1860 (Sarcophagidae)
11142. **Sarcophaga (Heteronychia) filia** Rondani,1860 (Sarcophagidae)
11143. **Sarcophaga (Heteronychia) haemorrhoea** Meigen,1826 (Sarcophagidae)
11144. **Sarcophaga (Heteronychia) haemorrhoides** Böttcher,1913 (Sarcophagidae)
11145. **Sarcophaga (Heteronychia) kerteszi** Villeneuve,1912 (Sarcophagidae)
11146. **Sarcophaga (Heteronychia) minima** Rondani,1860 (Sarcophagidae)
11147. **Sarcophaga (Heteronychia) mutila** Villeneuve,1912 (Sarcophagidae)
11148. **Sarcophaga (Heteronychia) rondaniana** (Rohdendorf,1937) (Sarcophagidae)
11149. **Sarcophaga (Heteronychia) schineri** Bezzi,1891 (Sarcophagidae)
11150. **Sarcophaga (Heteronychia) setinervis** Rondani,1860 (Sarcophagidae)
11151. **Sarcophaga (Heteronychia) siciliensis** Böttcher,1913 (Sarcophagidae)
11152. **Sarcophaga (Heteronychia) taurica** (Rohdendorf,1937) (Sarcophagidae)
11153. **Sarcophaga (Heteronychia) thirionae** (Lehrer,1976) (Sarcophagidae)
11154. **Sarcophaga (Heteronychia) vagans** Meigen,1826 (Sarcophagidae)
11155. **Sarcophaga (Heteronychia) zhelochovtzevi** (Rohdendorf,1925) (Sarcophagidae)
11156. **Sarcophaga (Krameromyia) anaces** Walker,1849 (Sarcophagidae)
11157. **Sarcophaga (Liopygia) argyrostoma** (Robineau-Desvoidy,1830) (Sarcophagidae)
11158. **Sarcophaga (Liopygia) crassipalpis** Macquart,1839 (Sarcophagidae)
11159. **Sarcophaga (Liosarcophaga) emdeni** (Rohdendorf,1969) (Sarcophagidae)
11160. **Sarcophaga (Liosarcophaga) portschinskyi** (Rohdendorf,1937) (Sarcophagidae)
11161. **Sarcophaga (Mehria) sexpunctata** (Fabricius,1794) (Sarcophagidae)
11162. **Sarcophaga (Myorhina) nigriventris** Meigen,1826 (Sarcophagidae)
11163. **Sarcophaga (Myorhina) soror** Rondani,1860 (Sarcophagidae)
11164. **Sarcophaga (Pandelleisca) similis** Meade,1876 (Sarcophagidae)
11165. **Sarcophaga (Parasarcophaga) albiceps** Meigen,1826 (Sarcophagidae)
11166. **Sarcophaga (Parasarcophaga) hirtipes** Wiedemann,1830 (Sarcophagidae)
11167. **Sarcophaga (Phytosarcophaga) destructor** Malloch,1929 (Sarcophagidae)

11168. *Sarcophaga (Pseudothyrsocnema) spinosa* Villeneuve,1912 (Sarcophagidae)
 11169. *Sarcophaga (Rosellea) aratrix* Pandellé,1896 (Sarcophagidae)
 11170. *Sarcophaga (s.str.) bergi* Rohdendorf,1937 (Sarcophagidae)
 11171. *Sarcophaga (s.str.) lasiostyla* Macquart,1843 (Sarcophagidae)
 11172. *Sarcophaga (s.str.) lehmanni* Müller,1922 (Sarcophagidae)
 11173. *Sarcophaga (s.str.) variegata* (Scopoli,1763) (Sarcophagidae)
 11174. *Sarcophaga (Sarcotachinella) sinuata* Meigen,1826 (Sarcophagidae)
 11175. *Sarcophaga (Thyrsocnema) incisilobata* Pandellé,1896 (Sarcophagidae)
 11176. *Sarcophila latifrons* (Fallén,1817) (Sarcophagidae)
 11177. *Sargus cuprarius* (Linnaeus,1758) (Stratiomyidae)
 11178. *Sargus maculatus* (Lindner,1936) (Stratiomyidae)
 11179. *Saropogon alternatus* Loew,1873 (Asilidae)
 11180. *Saropogon bijani* Abbassian-Lintzen,1964 (Asilidae)
 11181. *Saropogon clausus* Becker,1906 (Asilidae)
 11182. *Saropogon dasynotus* Loew,1871 (Asilidae)
 11183. *Saropogon distinctus* Becker,1906 (Asilidae)
 11184. *Saropogon ehrenbergii* Loew,1851 (Asilidae)
 11185. *Saropogon eucerus* (Loew,1847) (Asilidae)
 11186. *Saropogon fucatus* Loew,1869 (Asilidae)
 11187. *Saropogon gigas* Becker,1913 (Asilidae)
 11188. *Saropogon jugulum* (Loew,1847) (Asilidae)
 11189. *Saropogon leucocephalus* (Meigen,1820) (Asilidae)
 11190. *Saropogon longicornis* (Macquart,1838) (Asilidae)
 11191. *Saropogon luctuosus* (Wiedemann,1820) (Asilidae)
 11192. *Saropogon melampygu* (Loew,1851) (Asilidae)
 11193. *Saropogon mofidii* Abbassian-Lintzen,1964 (Asilidae)
 11194. *Saropogon platynotus* (Loew,1847) (Asilidae)
 11195. *Saropogon pollinosus* Loew,1869 (Asilidae)
 11196. *Saropogon verticalis* Oldroyd,1958 (Asilidae)
 11197. *Saropogon vestitus* (Wiedemann,1828) (Asilidae)
 11198. *Satanas gigas* (Eversmann,1855) (Asilidae)
 11199. *Satchelliella canescens* (Meigen,1804) (Psychodidae)
 11200. *Satchelliella malickyi* Vaillant,1981 (Psychodidae)
 11201. *Satchelliella schachtii* R.Wagner,1986 (Psychodidae)
 11202. *Sathon falcatus* (Nees,1834) (Braconidae)
 11203. *Scaeva albomaculata* (Macquart,1842) (Syrphidae)
 11204. *Scaeva dignota* (Rondani,1857) (Syrphidae)
 11205. *Scaeva pyrastris* (Linnaeus,1758) (Syrphidae)
 11206. *Scaeva selenitica* (Meigen,1822) (Syrphidae)
 11207. *Scambus (Atelophadnus) rufator* Aubert,1963 (Ichneumonidae)
 11208. *Scambus (Endromopoda) detritus* (Holmgren,1960) (Ichneumonidae)
 11209. *Scambus (s.str.) brevicornis* (Gravenhorst,1829) (Ichneumonidae)
 11210. *Scambus (s.str.) calobatus* (Gravenhorst,1829) (Ichneumonidae)
 11211. *Scambus (s.str.) elegans* (Woldstedt,1877) (Ichneumonidae)
 11212. *Scambus (s.str.) pomorum* (Ratzeburg,1848) (Ichneumonidae)
 11213. *Scantius aegyptius* (Linnaeus,1758) (Pyrrhocoridae)
 11214. *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt,1847) (Drosophilidae)
 11215. *Scaptomyza (s.str.) flava* (Fallén,1823) (Drosophilidae)
 11216. *Scaptomyza (s.str.) graminum* (Fallén,1823) (Drosophilidae)
 11217. *Scarabaeus armeniacus* Ménétrés,1832 (Scarabaeidae)
 11218. *Scarabaeus irakensis* Stolfa,1938 (Scarabaeidae)
 11219. *Scarabaeus pius* (Illiger,1803) (Scarabaeidae)
 11220. *Scarabaeus puncticollis* (Latreille,1819) (Scarabaeidae)
 11221. *Scarabaeus sacer* Linnaeus,1758 (Scarabaeidae)
 11222. *Scarabaeus semipunctatus* Fabricius,1792 (Scarabaeidae)
 11223. *Scarabaeus typhon* (Fischer von Waldheim,1822) (Scarabaeidae)
 11224. *Scarabaeus variolosus* Fabricius,1787 (Scarabaeidae)
 11225. *Scarabaeus winkleri* Stolfa,1938 (Scarabaeidae)
 11226. *Scarabaeus zagrosensis* Montreuil,2006 (Scarabaeidae)
 11227. *Scarodytes halensis* (Fabricius,1787) (Dytiscidae)
 11228. *Scathophaga lutaria* (Fabricius,1794) (Scathophagidae)
 11229. *Scathophaga staryi* Sifner,2000 (Scathophagidae)
 11230. *Scathophaga stercoraria* (Linnaeus,1758) (Scathophagidae)
 11231. *Scaurus atratus* Fabricius,1775 (Tenebrionidae)
 11232. *Scaurus barbarus* Solier,1836 (Tenebrionidae)
 11233. *Scaurus macricollis* Allard,1882 (Tenebrionidae)
 11234. *Scaurus puncticollis* Solier,1838 (Tenebrionidae)
 11235. *Sceptonia cryptocauda* Chandler,1991 (Mycetophilidae)
 11236. *Sceptonia flavipuncta* Edwards,1925 (Mycetophilidae)

11237. **Sceptonia intestata** Plassmann & Schacht,1990 (Mycetophilidae)
11238. **Sceptonia membranacea** Edwards,1925 (Mycetophilidae)
11239. **Schistocerca gregaria** (Forsk.,1775) (Acrididae)
11240. **Schistonyx modestus** Priesner,1967 (Pompilidae)
11241. **Schizodactylus inexpectatus** (Werner,1901) (Schizodactylidae)
11242. **Schizonotus sieboldi** (Ratzeburg) (Pteromalidae)
11243. **Schizoprymnus brevicornis** (Herrich-Schäffer,1838) (Braconidae)
11244. **Schizoprymnus obscurus** (Nees,1813) (Braconidae)
11245. **Schizoprymnus ozlemae** Beyarslan,1988 (Braconidae)
11246. **Schoenomyza litorella** (Fallén,1823) (Muscidae)
11247. **Schoutedenomyia superba** (Kröber,1912) (Therevidae)
11248. **Schulmeisteri schulmeisteri** Harz,1992 (Tettigoniidae)
11249. **Sciapteryx circassica** Dovnar-Zapolski,1930 (Tenthredinidae)
11250. **Sciapteryx laeta** Konow,1891 (Tenthredinidae)
11251. **Scintharista notabilis** (Walker,1870) (Acrididae)
11252. **Scintharista notabilis** (Walker,1870) (Acrididae)
11253. **Sciocoris deltocephalus** Fieber,1861 (Pentatomidae)
11254. **Sciocoris hoferlandi** Wagner,1954 (Pentatomidae)
11255. **Sciocoris luteolus** Fieber,1861 (Pentatomidae)
11256. **Sciocoris macrocephalus** Fieber,1851 (Pentatomidae)
11257. **Sciocoris maculatus** Fieber,1851 (Pentatomidae)
11258. **Sciocoris microphthalmus** Flor,1860 (Pentatomidae)
11259. **Sciocoris ochraceus** Fieber,1861 (Pentatomidae)
11260. **Sciomyza testacea** Macquart,1835 (Sciomyzidae)
11261. **Sciophila delphis** Chandler,2001 (Mycetophilidae)
11262. **Sciophila muglolutea** Bechev & Koç,2006 (Mycetophilidae)
11263. **Sciophila sp.** (Mycetophilidae)
11264. **Sciophila turcolutea** Bechev & Koç,2006 (Mycetophilidae)
11265. **Scirtes haemisphaericus** (Linnaeus,1767) (Scirtidae)
11266. **Scirtes Illiger**,1807 (Scirtidae)
11267. **Scirtes orbicularis** (Panzer,1793) (Scirtidae)
11268. **Scleron carinatum** Baudi,1875 (Tenebrionidae)
11269. **Scleron fossulatum** Mulsant & Wachenrau,1852 (Tenebrionidae)
11270. **Scleron multistriatum** (Forskall,1775) (Tenebrionidae)
11271. **Scleroprocta balcanica** Stary,1976 (Limoniidae)
11272. **Scleroracrus decumanus** (Kontkanen,1949) (Cicadellidae)
11273. **Scolia anatoliae** Osten,2004 (Scoliidae)
11274. **Scolia asiella** Betrem,1935 (Scoliidae)
11275. **Scolia erivanensis** (Radoszkowski,1876) (Scoliidae)
11276. **Scolia fallax** Eversmann,1849 (Scoliidae)
11277. **Scolia galbula** (Pallas,1771) (Scoliidae)
11278. **Scolia hirta** (Schrank,1781) (Scoliidae)
11279. **Scolia insubrica** (Scopoli,1786) (Scoliidae)
11280. **Scolia sexmaculata** (Müller,1766) (Scoliidae)
11281. **Scolia turkestanica** Betrem,1935 (Scoliidae)
11282. **Scoliophthalmus civeleki** Deeming,2006 (Chloropidae)
11283. **Scoliophthalmus trapezoides** Becker,1903 (Chloropidae)
11284. **Scolobates nigripennis** Sichel,1860 (Ichneumonidae)
11285. **Scorlupella amica** Dlabola,1984 (Issidae)
11286. **Scorlupella assimile** (Horvath,1905) (Issidae)
11287. **Scorlupella bouldardi** Dlabola,1984 (Issidae)
11288. **Scorlupella corumica** Dlabola,1982 (Issidae)
11289. **Scorlupella discolor** (Germar,1821) (Issidae)
11290. **Scorlupella montana** (Becker,1865) (Issidae)
11291. **Scorlupella pontica** Dlabola,1982 (Issidae)
11292. **Scotodrymadusa annulicornis** (Uvarov,1922) (Tettigoniidae)
11293. **Scotodrymadusa ebneri** Ramme,1939 (Tettigoniidae)
11294. **Scotodrymadusa maculata** (Ebner,1912) (Tettigoniidae)
11295. **Scotodrymadusa ozkani** Erman & Salman,1990 (Tettigoniidae)
11296. **Scotodrymadusa persa** (Uvarov,1917) (Tettigoniidae)
11297. **Scotodrymadusa persica** (Chopard,1921) (Tettigoniidae)
11298. **Scotodrymadusa philbyi** (Uvarov,1927) (Tettigoniidae)
11299. **Scotodrymadusa syriaca** (Pictet,1888) (Tettigoniidae)
11300. **Scotoplectus ponticus** Besuchet,1975 (Staphylinidae)
11301. **Scutellista caerulea** (Fonscolombe) (Pteromalidae)
11302. **Scylaticus elamiensis** Abbassian-Lintzen,1964 (Asilidae)
11303. **Scymnus apetzi** Mulsant,1846 (Coccinellidae)
11304. **Scymnus araraticus** Jablakoff & Khnzorian,1969 (Coccinellidae)
11305. **Scymnus auritus** (Thunberg,1795) (Coccinellidae)
11306. **Scymnus levailanti** Mulsant,1850 (Coccinellidae)
11307. **Scymnus pallipediformis** Günther,1958 (Coccinellidae)
11308. **Scymnus quadriguttatus** Capra,1924 (Coccinellidae)

11309. **Scymnus rubromaculatus (Goeze,1778)**
(Coccinellidae)
11310. **Scymnus subvillosus (Goeze,1777)**
(Coccinellidae)
11311. **Scymnus suturalis (Thunberg,1795)**
(Coccinellidae)
11312. **Scythia craniumequinum Kiritchenko**
(Coccidae)
11313. **Scytomedes haemorrhoidalis**
(Fabricius,1794) (Asilidae)
11314. **Seioptera vibrans (Linnaeus,1758)**
(Ulidiidae)
11315. **Selatosomus (Pristilophus)**
melancholicus (Elateridae)
11316. **Selatosomus (s.str.) aeneus**
(Linnaeus,1758) (Elateridae)
11317. **Selatosomus (s.str.) amplicollis**
(Germar,1843) (Elateridae)
11318. **Selatosomus (s.str.) armeniacus**
Dolin,1982 (Elateridae)
11319. **Selatosomus (s.str.) atratus**
(Ballion,1878) (Elateridae)
11320. **Selatosomus (s.str.) beysehiricus**
Mertlik,2000 (Elateridae)
11321. **Selatosomus (s.str.) caucasicus**
(Ménétriés,1879) (Elateridae)
11322. **Selatosomus (s.str.) latissimus**
Reitter,1910 (Elateridae)
11323. **Selatosomus (s.str.) latus**
(Fabricius,1801) (Elateridae)
11324. **Selatosomus (s.str.) pecirkanus**
Reitter,1910 (Elateridae)
11325. **Selatosomus (s.str.) punctipennis**
Reitter,1910 (Elateridae)
11326. **Selatosomus (s.str.) sameki**
Mertlik,2000 (Elateridae)
11327. **Selatosomus (Warchalowskianus)**
ampliformis Reitter,1910 (Elateridae)
11328. **Selatosomus (Warchalowskianus)**
barlaensis Mertlik,2000 (Elateridae)
11329. **Selenocephalus amasyicus Dlabola,1977**
(Cicadellidae)
11330. **Selenocephalus anatolicus**
Dlabola,1957 (Cicadellidae)
11331. **Selenocephalus ankarae Dlabola,1957**
(Cicadellidae)
11332. **Selenocephalus armeniacus**
Lindberg,1960 (Cicadellidae)
11333. **Selenocephalus bytinskii Lindberg,1953**
(Cicadellidae)
11334. **Selenocephalus deserticola**
Linnavuori,1962 (Cicadellidae)
11335. **Selenocephalus flavicosta**
Linnavuori,1962 (Cicadellidae)
11336. **Selenocephalus kalalae Dlabola,1952**
(Cicadellidae)
11337. **Selenocephalus nervosus**
Lindberg,1948 (Cicadellidae)
11338. **Selenocephalus obsoletus**
(Germar,1817) (Cicadellidae)
11339. **Selenocephalus pallens Lindberg,1948**
(Cicadellidae)
11340. **Selenocephalus pallidus**
Kirschbaum,1868 (Cicadellidae)
11341. **Selenocephalus planus (Turton,1802)**
(Cicadellidae)
11342. **Selenocephalus sirvadi Dlabola,1965**
(Cicadellidae)
11343. **Selenocephalus stenopterus**
Signoret,1880 (Cicadellidae)
11344. **Selenocephalus striatus**
(Lindberg,1953) (Cicadellidae)
11345. **Selenocephalus tapan Dlabola,1981**
(Cicadellidae)
11346. **Selenocephalus uvarovi**
Zachvatkin,1946 (Cicadellidae)
11347. **Selysiotemis nigra (Van Der**
Linden,1825) (Libellulidae)
11348. **Semiolachra petiolata (Graul)**
(Eulophidae)
11349. **Semnosia caucasica (Pic,1898)**
(Cerambycidae)
11350. **Semnosia herminae (Reitter,1890)**
(Cerambycidae)
11351. **Semnosia imperatrix (Abeille de**
Perrin,1885) (Cerambycidae)
11352. **Semnosia imperatrix imperatrix**
(Abeille de Perrin,1885) (Cerambycidae)
11353. **Semnosia interrupta (Pic,1905)**
(Cerambycidae)
11354. **Semnosia mirabilis (Faldermann,1837)**
(Cerambycidae)
11355. **Semnosia scovitzi (Faldermann,1837)**
(Cerambycidae)
11356. **Senometopia separata (Rondani,1859)**
(Tachinidae)
11357. **Senotainia albifrons (Rondani,1860)**
(Sarcophagidae)
11358. **Senotainia conica (Fallén,1810)**
(Sarcophagidae)
11359. **Senotainia tricuspis (Meigen,1838)**
(Sarcophagidae)
11360. **Sepedon spegea (Fabricius,1781)**
(Sciomyzidae)
11361. **Sepedon spinipes (Scopoli,1763)**
(Sciomyzidae)
11362. **Sepiana sepia (Yersin,1854)**
(Tettigoniidae)
11363. **Sepsis barbata Becker,1907 (Sepsidae)**
11364. **Sepsis biflexuosa Strobl,1893 (Sepsidae)**
11365. **Sepsis fissa Becker,1903 (Sepsidae)**
11366. **Sepsis fulgens Hoffmannsegg,1826**
(Sepsidae)
11367. **Sepsis lateralis Wiedemann,1830**
(Sepsidae)
11368. **Sepsis neocynipsea Melander &**
Spuler,1917 (Sepsidae)
11369. **Sepsis nigripes Meigen,1826 (Sepsidae)**
11370. **Sepsis pseudomonostigma Ursu,1969**
(Sepsidae)
11371. **Sepsis punctum (Fabricius,1794)**
(Sepsidae)
11372. **Sepsis thoracica (Robineau-**
Desvoidy,1830) (Sepsidae)
11373. **Sepsis violacea Meigen,1826 (Sepsidae)**
11374. **Sergentomyia (Grassomyia) dreyfussi**
Theodor & Mesghali,1964 (Psychodidae)
11375. **Sergentomyia (Grassomyia) dreyfussi**
turkestanica Theodor & Mesghali,1964
(Psychodidae)
11376. **Sergentomyia (Grassomyia) indica**
(Theodor,1931) (Psychodidae)
11377. **Sergentomyia (Grassomyia)**
squamipleuris (Newstead,1912)
(Psychodidae)

11378. *Sergentomyia (Parrotomyia) africana* (Newstead,1912) (Psychodidae)
 11379. *Sergentomyia (Parrotomyia) baghdadis* (Adler & Theodor,1929) (Psychodidae)
 11380. *Sergentomyia (Parrotomyia) bailyi* (Sinton,1931) (Psychodidae)
 11381. *Sergentomyia (Parrotomyia) grekovi* (Chodukin,1929) (Psychodidae)
 11382. *Sergentomyia (Parrotomyia) palestinensis* (Adler & Theodor,1927) (Psychodidae)
 11383. *Sergentomyia (Parrotomyia) sogdiana* (Parrot,1929) (Psychodidae)
 11384. *Sergentomyia (Parrotomyia) sumbarica* (Perfiliew,1933) (Psychodidae)
 11385. *Sergentomyia (Parvidens) iranica* (Lewis & Mesghali,1961) (Psychodidae)
 11386. *Sergentomyia (Rondonomyia) dolichopus* (Abonnene & Courtois,1970) (Psychodidae)
 11387. *Sergentomyia (Rondonomyia) hodgsoni* (Sinton,1933) (Psychodidae)
 11388. *Sergentomyia (Rondonomyia) pawlowskyi* (Perfiliew,1933) (Psychodidae)
 11389. *Sergentomyia (s.str.) antennata* (Newstead,1912) (Psychodidae)
 11390. *Sergentomyia (s.str.) dentata* (Sinton,1933) (Psychodidae)
 11391. *Sergentomyia (s.str.) mervynae* Pringle,1953 (Psychodidae)
 11392. *Sergentomyia (s.str.) sintoni* (Pringle,1953) (Psychodidae)
 11393. *Sergentomyia (s.str.) theodori* (Parrot,1942) (Psychodidae)
 11394. *Sergentomyia (Sintonius) adleri* (Theodor,1933) (Psychodidae)
 11395. *Sergentomyia (Sintonius) christophersi* (Sinton,1927) (Psychodidae)
 11396. *Sergentomyia (Sintonius) tiberiadis* (Adler, Theodor & Lourie,1930) (Psychodidae)
 11397. *Sericomyia silentis* (Harris,1776) (Syrphidae)
 11398. *Setapius barajus* (Dlabola,1957) (Cixiidae)
 11399. *Setapius brinki* Dlabola,1988 (Cixiidae)
 11400. *Setapius klapperichianus* Dlabola,1988 (Cixiidae)
 11401. *Setapius lindbergi* (Dlabola,1957) (Cixiidae)
 11402. *Setapius niyazicus* (Dlabola,1985) (Cixiidae)
 11403. *Shelfordella tartara* (Saussure,1874) (Blattidae)
 11404. *Siagona (Siagona) europaea* Dejean,1826 (Carabidae)
 11405. *Sialis morio* Klingstedt,1932 (Sialidae)
 11406. *Sialis nigripes* Pictet,1865 (Sialidae)
 11407. *Sicus caucasicus* Zimina,1963 (Conopidae)
 11408. *Sicus ferrugineus* (Linnaeus,1761) (Conopidae)
 11409. *Sicus nigritarsis* Zimina,1975 (Conopidae)
 11410. *Sigalphus irrorator* (Fabricius,1775) (Braconidae)
 11411. *Sigara albiventris* (Horvath,1911) (Corixidae)
 11412. *Sigara assimilis* (Fieber,1848) (Corixidae)
 11413. *Sigara daghestanica* Jansson,1983 (Corixidae)
 11414. *Sigara falleni* (Fieber,1848) (Corixidae)
 11415. *Sigara iactans* Jansson,1983 (Corixidae)
 11416. *Sigara kervillei* (Poisson,1927) (Corixidae)
 11417. *Sigara lateralis* Leach,1818 (Corixidae)
 11418. *Sigara limitata* (Fieber,1848) (Corixidae)
 11419. *Sigara mayri* (Fieber,1860) (Corixidae)
 11420. *Sigara nigrolineata* (Fieber,1848) (Corixidae)
 11421. *Sigara samani* Hoberlandt,1948 (Corixidae)
 11422. *Sigara scripta* (Rambur,1840) (Corixidae)
 11423. *Sigara striata* (Linnaeus,1758) (Corixidae)
 11424. *Sigilla dorsata* (Fabricius,1798) (Mutillidae)
 11425. *Sigmophora brevicornis* (Panzer) (Eulophidae)
 11426. *Silifka fatima* Argaman & Özbek,1992 (Tiphidae)
 11427. *Silpha obscura* Linnaeus,1758 (Silphidae)
 11428. *Silpha tristis* Illiger,1798 (Silphidae)
 11429. *Silvius (Heterosilvius) peculiaris* Olsuljev,1971 (Tabanidae)
 11430. *Silvius (s.str.) algerus* Meigen,1930 (Tabanidae)
 11431. *Silvius (s.str.) alpinus* (Scopoli,1763) (Tabanidae)
 11432. *Silvius (s.str.) inflaticornis* Austen,1925 (Tabanidae)
 11433. *Silvius (s.str.) latifrons* Olsuljev,1937 (Tabanidae)
 11434. *Silvius (s.str.) ochraceus* Loew,1858 (Tabanidae)
 11435. *Silvius (s.str.) variegatus* (Fabricius,1805) (Tabanidae)
 11436. *Simulium (Boophthora) erythrocephalum* (De Geer,1776) (Simuliidae)
 11437. *Simulium (Byssodon) buxtoni* Austen,1923 (Simuliidae)
 11438. *Simulium (Byssodon) heptapotamicum* Rubtsov,1940 (Simuliidae)
 11439. *Simulium (Eusimulium) angustipes* Edwards,1915 (Simuliidae)
 11440. *Simulium (Eusimulium) paucicuspis* Rubtsov,1947 (Simuliidae)
 11441. *Simulium (Eusimulium) reginae* Terteryan,1949 (Simuliidae)
 11442. *Simulium (Eusimulium) velutinum* (Santos Abreu,1922) (Simuliidae)
 11443. *Simulium (Montisimulium) alizadei* (Djafarov,1954) (Simuliidae)
 11444. *Simulium (Nevermannia) angustitarse* (Lundström,1911) (Simuliidae)
 11445. *Simulium (Nevermannia) costatum* Friederichs,1920 (Simuliidae)
 11446. *Simulium (Nevermannia) cryophilum* (Rubtsov,1959) (Simuliidae)
 11447. *Simulium (Nevermannia) djafarovi* (Rubtsov,1962) (Simuliidae)

11448. *Simulium (Nevermannia) florae* (Djafarov,1954) (Simuliidae)
11449. *Simulium (Nevermannia) lundstromi* (Enderlein,1921) (Simuliidae)
11450. *Simulium (Nevermannia) vernum* Macquart,1826 (Simuliidae)
11451. *Simulium (Obuchovia) auricoma* Meigen,1818 (Simuliidae)
11452. *Simulium (Obuchovia) margaritae* (Rubtsov,1956) (Simuliidae)
11453. *Simulium (Obuchovia) popowae* Rubtsov,1940 (Simuliidae)
11454. *Simulium (Obuchovia) transcasicum* Enderlein,1921 (Simuliidae)
11455. *Simulium (s.str.) alajense* (Rubtsov,1956) (Simuliidae)
11456. *Simulium (s.str.) aureofulgens* Terteryan,1949 (Simuliidae)
11457. *Simulium (s.str.) baracorne* Smart,1944 (Simuliidae)
11458. *Simulium (s.str.) bergi* Rubtsov,1956 (Simuliidae)
11459. *Simulium (s.str.) bezzii* (Corti,1914) (Simuliidae)
11460. *Simulium (s.str.) bukowskii* Rubtsov,1940 (Simuliidae)
11461. *Simulium (s.str.) debacii* Terteryan,1952 (Simuliidae)
11462. *Simulium (s.str.) fontanum* Terteryan,1952 (Simuliidae)
11463. *Simulium (s.str.) kerisorum* (Rubtsov,1956) (Simuliidae)
11464. *Simulium (s.str.) kiritshenkoi* Rubtsov,1940 (Simuliidae)
11465. *Simulium (s.str.) monticoloides* (Rubtsov,1956) (Simuliidae)
11466. *Simulium (s.str.) morsitans* Edwards,1915 (Simuliidae)
11467. *Simulium (s.str.) niha* Guidicelli & Dia,1986 (Simuliidae)
11468. *Simulium (s.str.) noelleri* Friederichs,1920 (Simuliidae)
11469. *Simulium (s.str.) ornatum* Meigen,1818 (Simuliidae)
11470. *Simulium (s.str.) pulchripes* Austen,1925 (Simuliidae)
11471. *Simulium (s.str.) variegatum* Meigen,1818 (Simuliidae)
11472. *Simulium (Wilhelmia) balcanicum* (Enderlein,1924) (Simuliidae)
11473. *Simulium (Wilhelmia) equinum* (Linnaeus,1758) (Simuliidae)
11474. *Simulium (Wilhelmia) lineatum* (Meigen,1804) (Simuliidae)
11475. *Simulium (Wilhelmia) paraequinum* Puri,1933 (Simuliidae)
11476. *Simulium (Wilhelmia) pseudequinum* Seguy,1921 (Simuliidae)
11477. *Sinarachna anomala* (Holmgren,1860) (Ichneumonidae)
11478. *Sinechostictus (s.str.) effluviurus* (Peyron,1858) (Carabidae)
11479. *Sinechostictus (s.str.) elongatus* (Dejean,1831) (Carabidae)
11480. *Sinodendron cylindricum* (Linnaeus,1758) (Lucanidae)
11481. *Sinodendron persicum* Reitter,1902 (Lucanidae)
11482. *Sinometa besucheti* Wittmer,1969 (Cantharidae)
11483. *Sinophorus nigritellus* (Thomson,1887) (Ichneumonidae)
11484. *Sinophorus pleuralis* (Thomson,1887) (Ichneumonidae)
11485. *Sinophorus sticticale* Sanborne,1984 (Ichneumonidae)
11486. *Sinophorus xanthostomus* (Gravenhorst,1829) (Ichneumonidae)
11487. *Siphonoperla burmeisteri* (Pictet,1841) (Chloroperlidae)
11488. *Siphonoperla hajastanica* (Zhiltzova,1961) (Chloroperlidae)
11489. *Siphonoperla libanica* Alouf,1992 (Chloroperlidae)
11490. *Siphonoperla taurica* (Pictet,1841) (Chloroperlidae)
11491. *Sisyphus schaefferi* (Linnaeus,1758) (Scarabaeidae)
11492. *Sitophagus hololeptoides* Laporte,1840 (Tenebrionidae)
11493. *Skorikovia anatolica* Lelej,2009 (Mutillidae)
11494. *Skorikovia elongata* (Radoszkowski,1885) (Mutillidae)
11495. *Skorikovia radoszkowskii* (Skorikov,1935) (Mutillidae)
11496. *Skorikovia transcaucasica* (Lelej,1985) (Mutillidae)
11497. *Smaragdina amasina* (Pic,1897) (Chrysomelidae)
11498. *Smaragdina chloris* (Lacordaire,1848) (Chrysomelidae)
11499. *Smaragdina clypealis* (Medvedev,1992) (Chrysomelidae)
11500. *Smaragdina concolor* (Fabricius,1792) (Chrysomelidae)
11501. *Smaragdina djebellina* (Lefebvre,1872) (Chrysomelidae)
11502. *Smaragdina flavicollis* (Charpentier,1825) (Chrysomelidae)
11503. *Smaragdina furthi* Erber & Medvedev,1999 (Chrysomelidae)
11504. *Smaragdina judaica* (Lefebvre,1872) (Chrysomelidae)
11505. *Smaragdina limbata* (Steven,1806) (Chrysomelidae)
11506. *Smaragdina scutellaris* (Lefebvre,1872) (Chrysomelidae)
11507. *Smaragdina tibialis* (Brullé,1832) (Chrysomelidae)
11508. *Smaragdina unipunctata* (Olivier,1808) (Chrysomelidae)
11509. *Smaragdina vaulogeri* (Pic,1894) (Chrysomelidae)
11510. *Smaragdina viridana* (Lacordaire,1848) (Chrysomelidae)
11511. *Smaragdina xanthaspis* (Germar,1824) (Chrysomelidae)
11512. *Sogatella vibix* (Haupt,1927) (Delphacidae)
11513. *Solskyana villiger* (Solsky,1881) (Elateridae)
11514. *Solter felderi* Navas,1912 (Myrmeleonidae)
11515. *Solter gaudryi* Navas,1914 (Myrmeleonidae)

11516. **Solter hardei** Hölzel,1968
(Myrmeleonidae)
11517. **Solter iranensis** Hölzel,1967
(Myrmeleonidae)
11518. **Solter ledereri** Navas,1912
(Myrmeleonidae)
11519. **Solter resslı** Hölzel,1972 (Myrmeleonidae)
11520. **Solter robustus** Hölzel,1972
(Myrmeleonidae)
11521. **Solter varıanae** Hölzel,1967
(Myrmeleonidae)
11522. **Solva marginata** (Meigen,1820)
(Xylomyidae)
11523. **Somatochlora borisi** Marinov,2001
(Corduliidae)
11524. **Somatochlora flavomaculata** (Van Der
Linden,1825) (Corduliidae)
11525. **Somatochlora meridionalis**
Nielsen,1935 (Corduliidae)
11526. **Spalangia fuscipes** Nees,1834
(Pteromalidae)
11527. **Spalangia subpunctata** Förster,1850
(Pteromalidae)
11528. **Spallanzania hebes** (Fallén,1820)
(Tachinidae)
11529. **Sparedrus testaceus** (Andersch,1797)
(Oedemeridae)
11530. **Spathocera dalmani** (Schilling,1829)
(Coreidae)
11531. **Spathocera lobata** (Herrich-
Schäffer,1842) (Coreidae)
11532. **Spathocera tenuicornis** Jakovlev,1882
(Coreidae)
11533. **Spathulina sicula** Rondani,1856
(Tephritidae)
11534. **Spazigaster ambulans** (Fabricius,1798)
(Syrphidae)
11535. **Speudotettix subfuscus** (Fallén,1806)
(Cicadellidae)
11536. **Sphaeridium substriatum**
Faldermann,1838 (Hydrophilidae)
11537. **Sphaeroderma rubidum** (Graells,1858)
(Chrysomelidae)
11538. **Sphaerolecanium prunastri** (Boyer de
Fonscolombe) (Coccidae)
11539. **Sphaerophoria loewi** Zetterstedt,1843
(Syrphidae)
11540. **Sphaerophoria rueppelli**
Wiedemann,1830 (Syrphidae)
11541. **Sphaerophoria scripta** (Linnaeus,1758)
(Syrphidae)
11542. **Sphaerophoria turkmenica**
Bankowska,1964 (Syrphidae)
11543. **Sphegigaster aculeata** (Walker,1833)
(Pteromalidae)
11544. **Sphegigaster brevicornis**
(Walker,1833) (Pteromalidae)
11545. **Sphegigaster pallicornis** (Spinola,1808)
(Pteromalidae)
11546. **Sphegigaster pedunculiventris**
(Spinola,1808) (Pteromalidae)
11547. **Sphegina clunipes** (Fallén,1816)
(Syrphidae)
11548. **Sphenella marginata** (Fallén,1814)
(Tephritidae)
11549. **Sphenometopa bifasciata** (Brauer &
Bergenstamm,1891) (Sarcophagidae)
11550. **Sphenometopa claripennis**
Villeneuve,1933 (Sarcophagidae)
11551. **Sphenometopa manni** (Brauer &
Bergenstamm,1891) (Sarcophagidae)
11552. **Sphenometopa steinii** (Schiner,1862)
(Sarcophagidae)
11553. **Sphenophyma rugulosa** (Stal,1876)
(Acrididae)
11554. **Sphex flavipennis** Fabricius,1793
(Sphecidae)
11555. **Sphingonotus (s.str.) coerulipes**
Uvarov,1922 (Acrididae)
11556. **Sphingonotus (s.str.) nebulosus**
(Fischer von Waldheim,1846) (Acrididae)
11557. **Sphingonotus (s.str.) octofasciata**
Audinet-Serville,1839 (Acrididae)
11558. **Sphingonotus (s.str.) pilosus**
Saussure,1884 (Acrididae)
11559. **Sphingonotus (s.str.) rubescens**
(Walker,1870) (Acrididae)
11560. **Sphingonotus (s.str.) theodori**
Uvarov,1923 (Acrididae)
11561. **Sphingonotus (s.str.) turcicus**
Uvarov,1930 (Acrididae)
11562. **Sphingonotus (Sphingoderus)**
carinatus (Saussure,1888) (Acrididae)
11563. **Sphingonotus (Sphingonotus)**
coerulans (Acrididae)
11564. **Sphingonotus caerulans**
(Linnaeus,1767) (Acrididae)
11565. **Sphingonotus coerulipes** Uvarov,1922
(Acrididae)
11566. **Sphingonotus pilosus** Saussure,1884
(Acrididae)
11567. **Sphingonotus rubescens** (Walker,1870)
(Acrididae)
11568. **Sphodromantis trimacula**
(Saussure,1870) (Mantidae)
11569. **Sphodromantis viridis** (Forsk.,1775)
(Mantidae)
11570. **Spilococcus mamillariae** (Bouche)
(Pseudococcidae)
11571. **Spilogona biseriata** (Stein,1916)
(Muscidae)
11572. **Spilogona carbonella** (Zetterstedt,1845)
(Muscidae)
11573. **Spilogona dispar** (Fallén,1823)
(Muscidae)
11574. **Spilostethus pandurus** (Scopoli,1763)
(Lygaeidae)
11575. **Spilostethus saxatilis** (Scopoli,1763)
(Lygaeidae)
11576. **Spinococcus morrisoni** (Kiritshenko)
(Pseudococcidae)
11577. **Spintherus dubius** (Nees) (Pteromalidae)
11578. **Spogostylum isis** (Meigen,1820)
(Bombyliidae)
11579. **Sporadiana brevipes** (Uvarov,1934)
(Tettigoniidae)
11580. **Squamiana kurmana** Ramme,1951
(Tettigoniidae)
11581. **Stryphophagus aphidivorus** (Mayr)
(Encyrtidae)
11582. **Stagonomus amoenus** (Brullé,1832)
(Pentatomidae)
11583. **Stagonomus bipunctatus**
(Linnaeus,1758) (Pentatomidae)
11584. **Stalia major** Costa,1840 (Nabidae)

11585. **Stauroderus scalaris** (Fischer von Waldheim,1846) (Acrididae)
11586. **Stegastopsis babylonica** Kraatz,1865 (Tenebrionidae)
11587. **Stegastopsis crassicornis** Baudi,1874 (Tenebrionidae)
11588. **Stegastopsis microderoides** Reitter,1898 (Tenebrionidae)
11589. **Stegastopsis persica** Baudi,1874 (Tenebrionidae)
11590. **Stegelytra albofasciata** Linnavuori,1962 (Cicadellidae)
11591. **Stegelytra putoni** Mulsant & Rey,1855 (Cicadellidae)
11592. **Stegelytra sororcula** Dlabola,1974 (Cicadellidae)
11593. **Stempellina bausei** (Kieffer,1911) (Chironomidae)
11594. **Stenagostus rhombeus** (Olivier,1790) (Elateridae)
11595. **Stenagostus rosti** (Schwarz,1897) (Elateridae)
11596. **Stenagostus zuercheri** Reitter,1909 (Elateridae)
11597. **Stenarella domator** (Poda,1761) (Ichneumonidae)
11598. **Stenares irroratus** (Navas,1912) (Myrmeleonidae)
11599. **Stenerella domator** (Poda,1761) (Ichneumonidae)
11600. **Stenobothrus (Crotalacris) bozcuki** Cıplak,1994 (Acrididae)
11601. **Stenobothrus (Crotalacris) selmae** Ünal,1999 (Acrididae)
11602. **Stenobothrus (s.str.) burri** Karabağ,1953 (Acrididae)
11603. **Stenobothrus (s.str.) derrai** Harz,1988 (Acrididae)
11604. **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae)
11605. **Stenobothrus (s.str.) graecus** Ramme,1926 (Acrididae)
11606. **Stenobothrus (s.str.) lineatus** (Panzer,1796) (Acrididae)
11607. **Stenobothrus (s.str.) miramae** Dirsh,1931 (Acrididae)
11608. **Stenobothrus (s.str.) nigromaculatus** (Herrich-Schäffer,1840) (Acrididae)
11609. **Stenobothrus (s.str.) stigmaticus** (Rambur,1839) (Acrididae)
11610. **Stenobothrus (s.str.) zubovskii** Bolivar,1899 (Acrididae)
11611. **Stenobothrus (Stenobothrodes) sviridenkoi** Ramme,1930 (Acrididae)
11612. **Stenobothrus (Stenobothrodes) werneri** Adelung,1907 (Acrididae)
11613. **Stenocranus minutus** (Fabricius,1787) (Delphacidae)
11614. **Stenocranus pallidus** Linnavuori,1962 (Delphacidae)
11615. **Stenodema trispinosum** Reuter,1904 (Miridae)
11616. **Stenodera anatolica** Frivaldsky,1884 (Meloidae)
11617. **Stenodera caucasica** (Pallas,1781) (Meloidae)
11618. **Stenodera coeruleiceps** Fairmaire,1892 (Meloidae)
11619. **Stenodera oculifera** Abeille de Perrin,1880 (Meloidae)
11620. **Stenodera puncticollis** (Chevrolat,1829) (Meloidae)
11621. **Stenodynerus aequisculptus** (Kostylev,1940) (Vespidae)
11622. **Stenodynerus bluethgeni** Van der Vecht,1971 (Vespidae)
11623. **Stenodynerus chevrieranus** (Saussure,1855) (Vespidae)
11624. **Stenodynerus chitgarensis** Giordani Soika (Vespidae)
11625. **Stenodynerus claviger** Gusenleitner,1981 (Vespidae)
11626. **Stenodynerus fastidiosissimus** (Saussure,1855) (Vespidae)
11627. **Stenodynerus orenburgensis** (André,1884) (Vespidae)
11628. **Stenodynerus pannosus** Gusenleitner,1985 (Vespidae)
11629. **Stenodynerus simulatus** Gusenleitner,1981 (Vespidae)
11630. **Stenoheriades asiaticus** (Friese,1921) (Megachilidae)
11631. **Stenoheriades eingeddicus** Griswold,1994 (Megachilidae)
11632. **Stenoheriades hofferi** (Tkalcu,1984) (Megachilidae)
11633. **Stenomalina communis** (Nees) (Pteromalidae)
11634. **Stenomalina favorinus** (Walker) (Pteromalidae)
11635. **Stenomalina laticeps** (Walker) (Pteromalidae)
11636. **Stenomarcus affinitor** Aubert,1981 (Ichneumonidae)
11637. **Stenometopiellus angorensis** Zachvatkin,1946 (Cicadellidae)
11638. **Stenometopiellus macilentus** (Horvath,1904) (Cicadellidae)
11639. **Stenonemobius (s.str.) gracilis** (Jakovleff,1871) (Gryllidae)
11640. **Stenopogon callosus** (Pallas,1818) (Asilidae)
11641. **Stenopogon coracinus** (Loew,1847) (Asilidae)
11642. **Stenopogon elongatus** (Meigen,1804) (Asilidae)
11643. **Stenopogon flavibarbis** Enderlein,1934 (Asilidae)
11644. **Stenopogon heteroneurus** (Macquart,1838) (Asilidae)
11645. **Stenopogon junceus** (Wiedemann,1820) (Asilidae)
11646. **Stenopogon laevigatus** (Loew,1851) (Asilidae)
11647. **Stenopogon milvus** (Loew,1847) (Asilidae)
11648. **Stenopogon mollis** Loew,1868 (Asilidae)
11649. **Stenopogon nataliae** Richter,1963 (Asilidae)
11650. **Stenopogon nigriventris** Loew,1868 (Asilidae)
11651. **Stenopogon roederii** Bezzi,1895 (Asilidae)
11652. **Stenopogon rufescens** Theodor,1980 (Asilidae)

11653. **Stenopogon rufipilus (Loew,1873)**
(Asilidae)
11654. **Stenopogon sabaudus (Fabricius,1794)**
(Asilidae)
11655. **Stenopogon sciron (Loew,1873)**
(Asilidae)
11656. **Stenopogon strataegus Gerstaecker,1862** (Asilidae)
11657. **Stenopogon xanthotricus (Brullé,1832)**
(Asilidae)
11658. **Stenopterus atricornis Pic,1891**
(Cerambycidae)
11659. **Stenopterus kraatzi (Pic,1892)**
(Cerambycidae)
11660. **Stenopterus rufus (Linnaeus,1767)**
(Cerambycidae)
11661. **Stenoria analis Schaum,1859** (Meloidae)
11662. **Stenosis comata Reiche & Saulcy,1857**
(Tenebrionidae)
11663. **Stenosis diana Sahlberg,1908**
(Tenebrionidae)
11664. **Stenosis dilutipes Reitter,1887**
(Tenebrionidae)
11665. **Stenosis esau Sahlberg,1908**
(Tenebrionidae)
11666. **Stenosis fulvipes Reiche & Saulcy,1857**
(Tenebrionidae)
11667. **Stenosis intermedia (Solier,1838)**
(Tenebrionidae)
11668. **Stenosis orientalis Brullé,1832**
(Tenebrionidae)
11669. **Stenosis punctiventris Eschscholtz,1831**
(Tenebrionidae)
11670. **Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae)
11671. **Stenosis sardoa (Küster,1848)**
(Tenebrionidae)
11672. **Stenosis silvestrii Koch,1935**
(Tenebrionidae)
11673. **Stenosis sulcata Miller,1861**
(Tenebrionidae)
11674. **Stenurella bifasciata (O.F.Müller,1776)**
(Cerambycidae)
11675. **Stenurella melanura (Fabricius,1792)**
(Cerambycidae)
11676. **Stephanitis caucasica Kiritschenko,1939** (Tingidae)
11677. **Stephanitis oschanini Vasiliev,1935**
(Tingidae)
11678. **Stephanitis pyri (Fabricius,1775)**
(Tingidae)
11679. **Stephanitis Stal,1873** (Tingidae)
11680. **Stephanodes similis (Förster)**
(Mymaridae)
11681. **Stephanolasca chrysophlebia Navas,1913** (Ascalaphidae)
11682. **Sterictiphora furcata (Villers,1789)**
(Argidae)
11683. **Sterictiphora geminata (Gmelin,1790)**
(Argidae)
11684. **Sternoplax (Pachysternoplax) nicomedia (Reitter,1832)** (Tenebrionidae)
11685. **Stethophyma grossum (Linnaeus,1758)**
(Acrididae)
11686. **Stethorus gilvifrons (Mulsant,1850)**
(Coccinellidae)
11687. **Stethorus punctillum Weise,1891**
(Coccinellidae)
11688. **Stibula cyniformis (Rossi)** (Eucharitidae)
11689. **Stibula vitripennis Masi** (Eucharitidae)
11690. **Stichopogon albellus Loew,1856**
(Asilidae)
11691. **Stichopogon albofasciatus (Meigen,1820)** (Asilidae)
11692. **Stichopogon auritinctus Abbassian-Lintzen,1964** (Asilidae)
11693. **Stichopogon caucasicus Bezzi,1910**
(Asilidae)
11694. **Stichopogon chrysostoma Schiner,1867**
(Asilidae)
11695. **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae)
11696. **Stichopogon inaequalis Loew,1847**
(Asilidae)
11697. **Stichopogon scaliger Loew,1847**
(Asilidae)
11698. **Stichopogon schineri Koch,1872**
(Asilidae)
11699. **Stictocephala alta (Walker,1851)**
(Membracidae)
11700. **Stictochironomus sp.1** (Chironomidae)
11701. **Stictochironomus sp.2** (Chironomidae)
11702. **Stictocoris picturatus (Sahlberg,1842)**
(Cicadellidae)
11703. **Stictoleptura cordigera (Fuesslin,1775)**
(Cerambycidae)
11704. **Stictoleptura deyrollei (Pic,1895)**
(Cerambycidae)
11705. **Stictoleptura erythroptera (Hagenbach,1822)** (Cerambycidae)
11706. **Stictoleptura heydeni (Ganglbauer,1889)** (Cerambycidae)
11707. **Stictoleptura rufa (Brullé,1832)**
(Cerambycidae)
11708. **Stictoleptura tesserula (Charpentier,1825)** (Cerambycidae)
11709. **Stictoleptura tripartita (Heyden,1889)**
(Cerambycidae)
11710. **Stictopleurus pictus (Fieber,1861)**
(Rhopalidae)
11711. **Stictopleurus riveti Royer,1923**
(Rhopalidae)
11712. **Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae)
11713. **Stilpnus adanensis Kolarov & Beyarslan,1994** (Ichneumonidae)
11714. **Stiphrolamyra pleskei (Becker,1913)**
(Asilidae)
11715. **Stiphrolamyra rubicunda Oldroyd,1947**
(Asilidae)
11716. **Stiphrolamyra sinaitica Theodor,1980**
(Asilidae)
11717. **Stomina iners (Meigen,1838)**
(Tachinidae)
11718. **Stomorhina lunata (Fabricius,1805)**
(Calliphoridae)
11719. **Stomoxys calcitrans (Linnaeus,1758)**
(Muscidae)
11720. **Stonemyia caucasia (Kröber,1921)**
(Tabanidae)
11721. **Stonemyia tigris (Bigot,1880)**
(Tabanidae)
11722. **Strangalia attenuata (Linnaeus,1758)**
(Cerambycidae)
11723. **Stratiomys armeniaca Bigot,1879**
(Stratiomyidae)

11724. **Stratiomys cenisia** Meigen,1822
(Stratiomyidae)
11725. **Stratiomys chamaeleon**
(Linnaeus,1758) (Stratiomyidae)
11726. **Stratiomys longicornis** (Scopoli,1763)
(Stratiomyidae)
11727. **Stratiomys nigerrima** (Szilady,1941)
(Stratiomyidae)
11728. **Stratiomys nobilis** Loew,1871
(Stratiomyidae)
11729. **Stratiomys ruficornis** (Macquart,1838)
(Stratiomyidae)
11730. **Stratiomys singularior** (Harris,[1776])
(Stratiomyidae)
11731. **Stratiomys viridis** (Paramonov,1926)
(Stratiomyidae)
11732. **Stratiomys vittipennis** (Lindler,1937)
(Stratiomyidae)
11733. **Stratiomys zarudnyi** (Pleske,1899)
(Stratiomyidae)
11734. **Streptanus albanicus** (Horvath,1916)
(Cicadellidae)
11735. **Strobilotoma typhaecornis**
(Fabricius,1803) (Coreidae)
11736. **Strongyloopsis abdominalis**
Kasparyan,1974 (Ichneumonidae)
11737. **Stylascalaphus fabiani** Meszaros &
Abraham,2005 (Ascalaphidae)
11738. **Stylosomus erythrocephalus**
Suffrian,1853 (Chrysomelidae)
11739. **Stylosomus flavus** Marseul,1875
(Chrysomelidae)
11740. **Stylosomus Lacordaire**,1845
(Chrysomelidae)
11741. **Symphalus rubrolineatus** (Stal,1855)
(Cicadellidae)
11742. **Suarius nanus** (McLachan,1893)
(Chrysopidae)
11743. **Suarius vanensis** (Hölzel,1967)
(Chrysopidae)
11744. **Subcoccinella vigintiquatuor punctata**
(Linnaeus,1758) (Coccinellidae)
11745. **Suhalasca fuscostigma** Navas,1925
(Ascalaphidae)
11746. **Suillia affinis** (Meigen,1830)
(Heleomyzidae)
11747. **Suillia bistrigata** (Loew,1862)
(Heleomyzidae)
11748. **Suillia humilis** (Meigen,1830)
(Heleomyzidae)
11749. **Suillia pallida** (Fallén,1820)
(Heleomyzidae)
11750. **Suillia variegata** (Loew,1862)
(Heleomyzidae)
11751. **Suillia villeneuvei** Czerny,1927
(Heleomyzidae)
11752. **Sulamicerus ancorarius** (Dlabola,1964)
(Cicadellidae)
11753. **Sulamicerus stali** (Fieber,1868)
(Cicadellidae)
11754. **Sulcicnephia znoikoi** (Rubtsov,1940)
(Simuliidae)
11755. **Sureyaella bella** Uvarov,1934
(Tettigoniidae)
11756. **Sybistroma discipes** (Germar,1821)
(Dolichopodidae)
11757. **Sybistroma golanica** (Gricharov,2000)
(Dolichopodidae)
11758. **Sybistroma impar** (Rondani,1843)
(Dolichopodidae)
11759. **Sybistroma israelensis**
(Gricharov,2000) (Dolichopodidae)
11760. **Sybistroma nodicornis** Meigen,1824
(Dolichopodidae)
11761. **Sycophila biguttata** (Swederus,1795)
(Eurytomidae)
11762. **Sycophila binotata** (Fonscolombe,1832)
(Eurytomidae)
11763. **Sycophila flavicollis** (Walker,1834)
(Eurytomidae)
11764. **Sycophila iracemae** Nieves Aldrey,1984
(Eurytomidae)
11765. **Sycophila submutica** (Thomson,1876)
(Eurytomidae)
11766. **Sycophila variegata** (Curtis,1831)
(Eurytomidae)
11767. **Symmorphus bifasciatus**
(Linnaeus,1761) (Vespidae)
11768. **Symmorphus connexus** (Curtis,1826)
(Vespidae)
11769. **Symmorphus crassicornis**
(Panzer,1798) (Vespidae)
11770. **Symmorphus gracilis** (Brullé,1832)
(Vespidae)
11771. **Symmorphus murarius**
(Linnaeus,1758) (Vespidae)
11772. **Sympecma annulata** (Selys,1887)
(Lestidae)
11773. **Sympecma fusca** (Van Der
Linden,1820) (Lestidae)
11774. **Sympetrum arenicolor** Jödicke,1994
(Libellulidae)
11775. **Sympetrum danae** (Sulzer,1776)
(Libellulidae)
11776. **Sympetrum depressiusculum**
(Selys,1841) (Libellulidae)
11777. **Sympetrum flaveolum** (Linnaeus,1758)
(Libellulidae)
11778. **Sympetrum fonscolombii** (Selys,1840)
(Libellulidae)
11779. **Sympetrum haritonovi** Borisov,1983
(Libellulidae)
11780. **Sympetrum meridionale** (Selys,1841)
(Libellulidae)
11781. **Sympetrum pedemontanum**
(Allioni,1766) (Libellulidae)
11782. **Sympetrum sanguineum**
(O.F.Müller,1764) (Libellulidae)
11783. **Sympetrum striolatum**
(Charpentier,1840) (Libellulidae)
11784. **Sympetrum vulgatum** (Linnaeus,1758)
(Libellulidae)
11785. **Sympherta fuscicornis** (Gmelin,1790)
(Ichneumonidae)
11786. **Symphypyga impressa** (Melichar,1902)
(Cicadellidae)
11787. **Symphypyga melichari** Kusnezov,1929
(Cicadellidae)
11788. **Symphypyga prodigiosa**
(Melichar,1902) (Cicadellidae)
11789. **Sympiesis acalle** (Walker,1848)
(Eulophidae)
11790. **Sympiesis albiflava** Fahringer,1944
(Eulophidae)
11791. **Sympiesis euspilapterygis** (Erdös,1958)
(Eulophidae)

11792. *Sympiesis sericeicornis* (Nees,1834)
(Eulophidae)
11793. *Sympiesis turcica* Fahringer,1938
(Eulophidae)
11794. *Symplecta (Psiloconopa) stictica*
(Meigen,1818) (Limoniidae)
11795. *Symplecta (s.str.) hybrida*
(Meigen,1804) (Limoniidae)
11796. *Symplecta (Trimicra) pilipes*
(Fabricius,1787) (Limoniidae)
11797. *Synaptus filiformis* (Fabricius,1781)
(Elateridae)
11798. *Syndiamesa magnifipedis* Şahin,1991
(Chironomidae)
11799. *Synechocryptus mactator*
(Tschek,1870) (Ichneumonidae)
11800. *Synergus pallicornis* Hartig,1841
(Cynipidae)
11801. *Syneuodynerus egregius* (Herrich-
Schäffer,1839) (Vespidae)
11802. *Syneuodynerus erichi*
Gusenleitner,1967 (Vespidae)
11803. *Syneuodynerus sigberti*
(Gusenleitner,1967) (Vespidae)
11804. *Synomelix albigipes* (Gravenhorst,1829)
(Ichneumonidae)
11805. *Synophrus politus* Hartig,1843
(Cynipidae)
11806. *Synophropsis lauri* (Horvath,1897)
(Cicadellidae)
11807. *Syntomopus incisus* Thomson
(Pteromalidae)
11808. *Syntomopus incurvus* Walker
(Pteromalidae)
11809. *Synuchus (Synuchus) vivalis*
Illiger,1798 (Carabidae)
11810. *Syriolytta vulneratus* (Fairmaire,1892)
(Meloidea)
11811. *Syrpitta flaviventris* Macquart,1842
(Syrphidae)
11812. *Syrpitta pipiens* (Linnaeus,1758)
(Syrphidae)
11813. *Syromastus rhombeus* (Linnaeus,1767)
(Coreidae)
11814. *Syrphoctonus bifoveolatus*
(Kriechbaumer,1895) (Ichneumonidae)
11815. *Syrphoctonus signatus*
(Gravenhorst,1829) (Ichneumonidae)
11816. *Syrphoctonus tarsatorius*
(Panzer,1809) (Ichneumonidae)
11817. *Syrphophilus bizonatus*
(Gravenhorst,1829) (Ichneumonidae)
11818. *Syrphus ribesii* (Linnaeus,1758)
(Syrphidae)
11819. *Syrphus vitripennis* Meigen,1822
(Syrphidae)
11820. *Systasis encyrtoides* Walker
(Pteromalidae)
11821. *Systoechus gradatus*
(Wiedemann,1820) (Bombyliidae)
11822. *Systole albipennis* Walker,1832
(Eurytomidae)
11823. *Systole brunnicornis* Zerova &
Çam,2003 (Eurytomidae)
11824. *Systole coriandri* Gussakovsky,1933
(Eurytomidae)
11825. *Systole foeniculi* Otten,1941
(Eurytomidae)
11826. *Systole minima* Zerova & Çam,2003
(Eurytomidae)
11827. *Systole plana* Zerova & Çam,2004
(Eurytomidae)
11828. *Systole tokata* Zerova & Çam,2004
(Eurytomidae)
11829. *Systropha (s.str.) hirsuta* Spinola,1839
(Halictidae)
11830. *Systropha (s.str.) iranica* Popov,1967
(Halictidae)
11831. *Systropha (s.str.) planidens*
Giraud,1861 (Halictidae)
11832. *Systropha (s.str.) villosa* Ebmer,1978
(Halictidae)
11833. *Systropus (s.str.) annulatus* Engel,1932
(Bombyliidae)
11834. *Syzeuctus tenuifasciatus*
Schmiedeknecht,1900 (Ichneumonidae)
11835. *Syzeuctus turcator* Aubert,1984
(Ichneumonidae)
11836. *Tabanus accensus* Austen,1927
(Tabanidae)
11837. *Tabanus aidini* Kröber,1928 (Tabanidae)
11838. *Tabanus alvarengia* Schacht,1987
(Tabanidae)
11839. *Tabanus anaticus* Osufjev, Moucha &
Chvala,1967 (Tabanidae)
11840. *Tabanus anthrax* Olsufjev,1937
(Tabanidae)
11841. *Tabanus arabicus* Macquart,1839
(Tabanidae)
11842. *Tabanus armeniacus* (Kröber,1928)
(Tabanidae)
11843. *Tabanus atropathenicus* Olsufjev,1937
(Tabanidae)
11844. *Tabanus autumnalis* Linnaeus,1761
(Tabanidae)
11845. *Tabanus bifarius* Loew,1858 (Tabanidae)
11846. *Tabanus bovinus* Linnaeus,1758
(Tabanidae)
11847. *Tabanus brianii* Leclercq,1962
(Tabanidae)
11848. *Tabanus bromiolus* Szilady,1923
(Tabanidae)
11849. *Tabanus bromius* Linnaeus,1758
(Tabanidae)
11850. *Tabanus brunnescens* Szilady,1917
(Tabanidae)
11851. *Tabanus canipalpis* Bigot,1892
(Tabanidae)
11852. *Tabanus caucasicus* Kröber,1925
(Tabanidae)
11853. *Tabanus cordiger* Meigen,1820
(Tabanidae)
11854. *Tabanus cuculus* Szilady,1923
(Tabanidae)
11855. *Tabanus darimonti* Leclercq,1964
(Tabanidae)
11856. *Tabanus decipiens* Kröber,1928
(Tabanidae)
11857. *Tabanus eggeri* Schiner,1868
(Tabanidae)
11858. *Tabanus exclusus* Pandella,1883
(Tabanidae)
11859. *Tabanus fraseri* Austen,1925 (Tabanidae)
11860. *Tabanus glaucopsis* Meigen,1820
(Tabanidae)

11861. **Tabanus golovi Olsufjev,1936**
(Tabanidae)
11862. **Tabanus grandis Szilady,1923**
(Tabanidae)
11863. **Tabanus ilchanii Jezek,1981** (Tabanidae)
11864. **Tabanus indrae Hauser,1939** (Tabanidae)
11865. **Tabanus karaosus Timmer,1984**
(Tabanidae)
11866. **Tabanus laetetinctus Becker,1913**
(Tabanidae)
11867. **Tabanus leleani Austen,1920** (Tabanidae)
11868. **Tabanus lunatus Fabricius,1794**
(Tabanidae)
11869. **Tabanus maculicornis Zetterstedt,1842**
(Tabanidae)
11870. **Tabanus martinii Kröber,1928**
(Tabanidae)
11871. **Tabanus mianjagalensis Jezek,1981**
(Tabanidae)
11872. **Tabanus miki Brauer,1880** (Tabanidae)
11873. **Tabanus mouchai Leclercq,1962**
(Tabanidae)
11874. **Tabanus nemoralis Meigen,1820**
(Tabanidae)
11875. **Tabanus obsolescens Pandelle,1883**
(Tabanidae)
11876. **Tabanus olsufjevi Hauser,1960**
(Tabanidae)
11877. **Tabanus oppugnator Austen,1925**
(Tabanidae)
11878. **Tabanus paradoxus Jaennicke,1866**
(Tabanidae)
11879. **Tabanus portschinskii Olsufjev,1937**
(Tabanidae)
11880. **Tabanus prometheus Szilady,1923**
(Tabanidae)
11881. **Tabanus quatuornatus Meigen,1820**
(Tabanidae)
11882. **Tabanus rectus Loew,1858** (Tabanidae)
11883. **Tabanus regularis Jaennicke,1866**
(Tabanidae)
11884. **Tabanus rupium Brauer,1880**
(Tabanidae)
11885. **Tabanus semiargenteus Olsufjev,1937**
(Tabanidae)
11886. **Tabanus shannonellus Kröber,1936**
(Tabanidae)
11887. **Tabanus shekovnikovi Paramanov,1934**
(Tabanidae)
11888. **Tabanus spectabilis Loew,1858**
(Tabanidae)
11889. **Tabanus spodopteroideus Olsufjev,
Moucha & Chvala,1969** (Tabanidae)
11890. **Tabanus spodopterus Meigen,1820**
(Tabanidae)
11891. **Tabanus subparadoxus Olsufjev,1937**
(Tabanidae)
11892. **Tabanus sudeticus Zeller,1842**
(Tabanidae)
11893. **Tabanus swiridowi Portschinsky,1882**
(Tabanidae)
11894. **Tabanus tergestinus Egger,1859**
(Tabanidae)
11895. **Tabanus tinctus Walker,1850**
(Tabanidae)
11896. **Tabanus unifasciatus Loew,1858**
(Tabanidae)
11897. **Tabanus yasujensis Bogatshev &
Samedov,1949** (Tabanidae)
11898. **Tachina (Echinogaster) praeceps
Meigen,1824** (Tachinidae)
11899. **Tachina (Eudoromyia) fera
(Linnaeus,1761)** (Tachinidae)
11900. **Tachina (Eudoromyia) magnicornis
Zetterstedt,1844** (Tachinidae)
11901. **Tachina (Eudoromyia) nupta
Rondani,1859** (Tachinidae)
11902. **Tachina (Servillia) lurida
(Fabricius,1781)** (Tachinidae)
11903. **Tachina grossa (Linnaeus,1758)**
(Tachinidae)
11904. **Tachorga recurviceps
(Linnavuori,1956)** (Dictyopharidae)
11905. **Tachyagetes aegyptiacus
(Priesner,1955)** (Pompilidae)
11906. **Tachyagetes alicantus Wolf,1987**
(Pompilidae)
11907. **Tachyagetes bytinskii Haupt,1962**
(Pompilidae)
11908. **Tachyagetes exortivus Wolf,1987**
(Pompilidae)
11909. **Tachyagetes filicornis (Tornier,1890)**
(Pompilidae)
11910. **Tachyagetes furvescens Wahis,1970**
(Pompilidae)
11911. **Tachyagetes gusenleitneri
(Priesner,1973)** (Pompilidae)
11912. **Tachyagetes kebdanus Wolf,1987**
(Pompilidae)
11913. **Tachyagetes konyanus Wolf,1987**
(Pompilidae)
11914. **Tachyagetes kusdasi Priesner,1965**
(Pompilidae)
11915. **Tachyagetes leucocnemis Haupt,1930**
(Pompilidae)
11916. **Tachyagetes navalperalus Wolf,1987**
(Pompilidae)
11917. **Tachyagetes nomadaschwarzi
Wolf,1987** (Pompilidae)
11918. **Tachyagetes turcoturanicus Wolf,1986**
(Pompilidae)
11919. **Tachyancistrocerus komarowi
(Morawitz,1885)** (Vespidae)
11920. **Tachyancistrocerus rhodensis
(Saussure,1855)** (Vespidae)
11921. **Tachyancistrocerus schmidtii
(Kokujev,1912)** (Vespidae)
11922. **Tachyancistrocerus syriacus Giordani
& Soika,1970** (Vespidae)
11923. **Tachycixius bidentifer Dlabola,1971**
(Cixiidae)
11924. **Tachycixius creticus Dlabola,1974**
(Cixiidae)
11925. **Tachycixius desertorum (Fieber,1876)**
(Cixiidae)
11926. **Tachycixius logvinenkovae
Dlabola,1974** (Cixiidae)
11927. **Tachycixius perarmatus
(Linnavuori,1962)** (Cixiidae)
11928. **Tachycixius pilosus (Olivier,1791)**
(Cixiidae)
11929. **Tachys (Eotachys) bistratus
(Duftschmid,1812)** (Carabidae)
11930. **Tachys (Eotachys) fulvicollis
(Dejean,1831)** (Carabidae)

11931. **Tachys (Eotachys) jeannei** Coulon,2004 (Carabidae)
11932. **Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae)
11933. **Tachys (Eotachys) transcausicus Coulon,2004** (Carabidae)
11934. **Tachys (Eotachys) trechoderus Coulon,2004** (Carabidae)
11935. **Tachytrechus beckeri** Lichtwardt,1917 (Dolichopodidae)
11936. **Tachytrechus insignis (Stannius,1831)** (Dolichopodidae)
11937. **Tachytrechus kowarzi** Mik,1864 (Dolichopodidae)
11938. **Tachytrechus notatus (Stannius,1831)** (Dolichopodidae)
11939. **Tachytrechus planitarsis** Becker,1907 (Dolichopodidae)
11940. **Tachytrechus ripicola** Loew,1857 (Dolichopodidae)
11941. **Tachytrechus tessellatus (Macquart,1842)** (Dolichopodidae)
11942. **Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae)
11943. **Tamaricella adspersa (Haupt,1927)** (Cicadellidae)
11944. **Tamaricella anbarabada (Dlabola,1960)** (Cicadellidae)
11945. **Tamaricella complicata Dworakowska,1972** (Cicadellidae)
11946. **Tamaricella cypria (Ribaut,1948)** (Cicadellidae)
11947. **Tamaricella remanei Dworakowska,1971** (Cicadellidae)
11948. **Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae)
11949. **Tamaricella tamaricis (Puton,1872)** (Cicadellidae)
11950. **Tamaricella tangigharuha (Dlabola,1957)** (Cicadellidae)
11951. **Tanyproctus carbonarius Faldermann,1835** (Scarabaeidae)
11952. **Tanypus kraatzii** Kieffer,1913 (Chironomidae)
11953. **Tanypus punctipennis** Meigen,1818 (Chironomidae)
11954. **Tanypus vilipennis (Kieffer,1918)** (Chironomidae)
11955. **Tanytarsus arduennensis Goetghebuer,1913** (Chironomidae)
11956. **Tanytarsus gregarius** Kieffer,1911 (Chironomidae)
11957. **Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae)
11958. **Taphoxenus (Lychnifugus) cerberus Ganglbauer,1905** (Carabidae)
11959. **Tapinoma erraticum (Latreille,1798)** (Formicidae)
11960. **Targionia nigra** Signoret (Diaspididae)
11961. **Targionia vitis (Signoret)** (Diaspididae)
11962. **Tartarogryllus tartarus (Saussure,1874)** (Gryllidae)
11963. **Taxigramma elegantula (Zetterstedt,1844)** (Sarcophagidae)
11964. **Taxigramma heteroneura (Meigen,1830)** (Sarcophagidae)
11965. **Taxomyia taxi (Inchbald,1861)** (Cecidomyiidae)
11966. **Tbilisica anatolica** Kartal,1983 (Cicadellidae)
11967. **Teles eutymi** Mulsant & Godart,1876 (Tenebrionidae)
11968. **Telostegus cretensis** Priesner,1965 (Pompilidae)
11969. **Telostegus excisus (Haupt,1930)** (Pompilidae)
11970. **Telostegus fumigatus (Klug,1834)** (Pompilidae)
11971. **Telostegus imitator** Priesner,1955 (Pompilidae)
11972. **Telostegus inermis (Brullé,1832)** (Pompilidae)
11973. **Temelucha anatolica (Sedivy,1959)** (Ichneumonidae)
11974. **Temelucha confluens (Gravenhorst,1829)** (Ichneumonidae)
11975. **Temelucha decorata (Gravenhorst,1829)** (Ichneumonidae)
11976. **Temelucha meridionellator Aubert,1981** (Ichneumonidae)
11977. **Temelucha observator** Aubert,1966 (Ichneumonidae)
11978. **Temelucha tricolorata (Sedivy,1968)** (Ichneumonidae)
11979. **Temnostethus dacicus (Puton,1888)** (Anthocoridae)
11980. **Temnostethus longirostris (Horvath,1907)** (Anthocoridae)
11981. **Temnostethus pusillus (Herrich-Schäffer,1835)** (Anthocoridae)
11982. **Temnostethus reduvinus (Herrich-Schäffer,1835)** (Anthocoridae)
11983. **Temnostethus tibialis** Reuter,1888 (Anthocoridae)
11984. **Temnostethus wichmanni E.Wagner,1961** (Anthocoridae)
11985. **Tenebrio molitor** Linnaeus,1758 (Tenebrionidae)
11986. **Tenebrio obscurus** Fabricius,1792 (Tenebrionidae)
11987. **Tenebrio syriacus** Zoufal,1892 (Tenebrionidae)
11988. **Tenthredo acerrima** Benson,1952 (Tenthredinidae)
11989. **Tenthredo albiventris** Moscard,1880 (Tenthredinidae)
11990. **Tenthredo albopicta** Puls,1870 (Tenthredinidae)
11991. **Tenthredo arcuata** Forster,1771 (Tenthredinidae)
11992. **Tenthredo caligator** Eversmann,1847 (Tenthredinidae)
11993. **Tenthredo caucasica** Eversmann,1847 (Tenthredinidae)
11994. **Tenthredo colon** Klug,1817 (Tenthredinidae)
11995. **Tenthredo costata** Klug,1817 (Tenthredinidae)
11996. **Tenthredo discophora** Konow,1896 (Tenthredinidae)
11997. **Tenthredo excellens** Konow,1886 (Tenthredinidae)
11998. **Tenthredo flavipennis (Brullé,1832)** (Tenthredinidae)
11999. **Tenthredo frauenfeldii** Giraud,1857 (Tenthredinidae)

12000. **Tenthredo hyrcana** Benson,1968
(Tenthredinidae)
12001. **Tenthredo liturata** (Mocsary,1886)
(Tenthredinidae)
12002. **Tenthredo livida** Linnaeus,1758
(Tenthredinidae)
12003. **Tenthredo luteipennis** Eversmann,1847
(Tenthredinidae)
12004. **Tenthredo maculata** Geoffroy,1785
(Tenthredinidae)
12005. **Tenthredo mesomelas** Linnaeus,1758
(Tenthredinidae)
12006. **Tenthredo notha** Klug,1817
(Tenthredinidae)
12007. **Tenthredo omissa** Förster,1844
(Tenthredinidae)
12008. **Tenthredo propinqua** Klug,1817
(Tenthredinidae)
12009. **Tenthredo scrophulariae**
Linnaeus,1758 (Tenthredinidae)
12010. **Tenthredo thompsoni** Curtis,1839
(Tenthredinidae)
12011. **Tenthredo vespa** Retzius,1783
(Tenthredinidae)
12012. **Tenthredo vespiformis** Schrank,1781
(Tenthredinidae)
12013. **Tenthredo zonula** Klug,1817
(Tenthredinidae)
12014. **Tenthredopsis albonotata** (Brullé,1832)
(Tenthredinidae)
12015. **Tenthredopsis festiva** Konow,1890
(Tenthredinidae)
12016. **Tenthredopsis harveyi** Benson,1968
(Tenthredinidae)
12017. **Tenthredopsis nassata** Linnaeus,1767
(Tenthredinidae)
12018. **Tenthredopsis nigella** Konow,1891
(Tenthredinidae)
12019. **Tenthredopsis sordida** Klug,1817
(Tenthredinidae)
12020. **Tenthredopsis tessellata** Klug,1817
(Tenthredinidae)
12021. **Tentyria collatina** Reiche & Sauley,1857
(Tenebrionidae)
12022. **Tentyria cylindrica** Solier,1835
(Tenebrionidae)
12023. **Tentyria cypria** Kraatz,1865
(Tenebrionidae)
12024. **Tentyria discicollis** Reiche &
Sauley,1857 (Tenebrionidae)
12025. **Tentyria herculeana** Reiche &
Sauley,1857 (Tenebrionidae)
12026. **Tentyria laticollis** Kraatz,1865
(Tenebrionidae)
12027. **Tentyria parallela** Baudi,1874
(Tenebrionidae)
12028. **Tentyria puncticeps** Miller,1861
(Tenebrionidae)
12029. **Tentyria rotundata** Brullé,1832
(Tenebrionidae)
12030. **Tentyria taurica** Tauscher,1812
(Tenebrionidae)
12031. **Tentyria tessulata** Tauscher,1812
(Tenebrionidae)
12032. **Tentyria wiedemanni** Ménériés,1838
(Tenebrionidae)
12033. **Tephritis acanthiophilopsis**
Hering,1938 (Tephritidae)
12034. **Tephritis brachyurus** (Loew)
(Tephritidae)
12035. **Tephritis carmen** Hering,1937
(Tephritidae)
12036. **Tephritis cometa** (Loew,1856)
(Tephritidae)
12037. **Tephritis conjuncta** (Loew,1844)
(Tephritidae)
12038. **Tephritis dioscorea** (Loew,1856)
(Tephritidae)
12039. **Tephritis divisa** Rondani,1871
(Tephritidae)
12040. **Tephritis erdemlii** Kütük,2008
(Tephritidae)
12041. **Tephritis fallax** (Loew,1844)
(Tephritidae)
12042. **Tephritis formosa** (Loew,1844)
(Tephritidae)
12043. **Tephritis frauenfeldi** Hendel,1927
(Tephritidae)
12044. **Tephritis hurvitzi** Freidberg,1981
(Tephritidae)
12045. **Tephritis hyoscyami** (Linnaeus,1758)
(Tephritidae)
12046. **Tephritis mariannae** Merz,1992
(Tephritidae)
12047. **Tephritis matricariae** (Loew,1844)
(Tephritidae)
12048. **Tephritis merzi** Freidberg &
Kütük,2002 (Tephritidae)
12049. **Tephritis nigricauda** (Loew,1856)
(Tephritidae)
12050. **Tephritis poecilura** Loew,1869
(Tephritidae)
12051. **Tephritis postica** (Loew,1844)
(Tephritidae)
12052. **Tephritis praecox** (Loew,1844)
(Tephritidae)
12053. **Tephritis pulchra** (Loew,1844)
(Tephritidae)
12054. **Tephritis recurrens** Loew,1869
(Tephritidae)
12055. **Tephritis sauteri** Merz,1992 (Tephritidae)
12056. **Tephritis separata** Rondani,1871
(Tephritidae)
12057. **Tephritis simplex** (Loew,1844)
(Tephritidae)
12058. **Tephritis valida** (Loew,1858)
(Tephritidae)
12059. **Tephritis vespertina** (Loew,1844)
(Tephritidae)
12060. **Tephritomyia lauta** (Loew,1869)
(Tephritidae)
12061. **Tephrochlamys laeta** (Meigen,1830)
(Heleomyzidae)
12062. **Tephrochlamys rufiventris**
(Meigen,1830) (Heleomyzidae)
12063. **Teratolytta carlae** Bologna,2006
(Meloidae)
12064. **Teratolytta dives** (Brullé,1832)
(Meloidae)
12065. **Teratolytta dvoraki** Bologna,2006
(Meloidae)
12066. **Teratolytta flavipes** (Mulsant &
Rey,1858) (Meloidae)
12067. **Teratolytta gentilis** (Frivaldsky,1877)
(Meloidae)

12068. *Teratolytta kulzeri* Kaszab,1958 (Meloidae)
 12069. *Teratolytta monticola* Bologna,2006 (Meloidae)
 12070. *Teratolytta optabilis* (Faldermann,1832) (Meloidae)
 12071. *Teratolytta senilis* (Abeille de Perrin,1895) (Meloidae)
 12072. *Teratolytta taurica* Bologna,2006 (Meloidae)
 12073. *Teratolytta tricolor* (Haag-Rutenberg,1880) (Meloidae)
 12074. *Teratolytta vanensis* Kaszab,1968 (Meloidae)
 12075. *Terellia* (*Cerajocera*) *yukseli* Kütük,2009 (Tephritidae)
 12076. *Terellia ceratocera* Hendel,1913 (Tephritidae)
 12077. *Terellia fuscicornis* (Loew,1844) (Tephritidae)
 12078. *Terellia gynaecochroma* (M.Hering,1936) (Tephritidae)
 12079. *Terellia luteola* (Wiedemann,1830) (Tephritidae)
 12080. *Terellia nigripalpis* Hendel,1927 (Tephritidae)
 12081. *Terellia quadratula* (Loew,1869) (Tephritidae)
 12082. *Terellia ruficauda* (Fabricius,1794) (Tephritidae)
 12083. *Terellia serratulae* (Linnaeus,1758) (Tephritidae)
 12084. *Terellia virens* (Loew,1846) (Tephritidae)
 12085. *Terellia zerovae* Korneyev,1985 (Tephritidae)
 12086. *Tetanocera arrogans* Meigen,1830 (Sciomyzidae)
 12087. *Tetanocera elata* (Fabricius,1781) (Sciomyzidae)
 12088. *Tetanocera ferruginea* Fallén,1820 (Sciomyzidae)
 12089. *Tetanocera montana* Day,1881 (Sciomyzidae)
 12090. *Tetanocera punctifrons* Rondani,1868 (Sciomyzidae)
 12091. *Tetanops laticeps* Loew,1868 (Ulidiidae)
 12092. *Tetartopeus adanensis* Assing,2004 (Staphylinidae)
 12093. *Tetartopeus czwalinai* (Jakobson,1909) (Staphylinidae)
 12094. *Tetartopeus persicus* Coiffait (Staphylinidae)
 12095. *Tetartopeus rufonitidus* (Reitter,1909) (Staphylinidae)
 12096. *Tetartopeus stylifer* (Reitter,1909) (Staphylinidae)
 12097. *Tetartopeus tezcani* Anlaş,2009 (Staphylinidae)
 12098. *Tetartostylus illyricus* (Kirschbaum,1868) (Cicadellidae)
 12099. *Tethina acrostichalis* Freidberg & Beschovsky,1996 (Tethinidae)
 12100. *Tethina czernyi* (Hendel,1934) (Tethinidae)
 12101. *Tethina guttata* Freidberg & Beschovski,1996 (Tethinidae)
 12102. *Tethina incisuralis* (Macquart,1851) (Tethinidae)
 12103. *Tethina karatasensis* Munari,1981 (Tethinidae)
 12104. *Tethina nigripes* Czerny,1928 (Tethinidae)
 12105. *Tethina ochracea* (Hendel,1913) (Tethinidae)
 12106. *Tethina shalom* Freidberg & Beschovski,1996 (Tethinidae)
 12107. *Tetracnemus heydeni* (Mayr) (Encyrtidae)
 12108. *Tetracnemus terminassianae* Herthvitzian (Encyrtidae)
 12109. *Tetramesa anatolica* Zerova & Çam (Eurytomidae)
 12110. *Tetramesa leucospae* Zerova & Madjdzadeh,2005 (Eurytomidae)
 12111. *Tetramesa maderae* (Walker,1849) (Eurytomidae)
 12112. *Tetramesa persica* (Hedicke,1921) (Eurytomidae)
 12113. *Tetramesa tritici* (Fitch,1859) (Eurytomidae)
 12114. *Tetramorium caespitum* (Linnaeus,1758) (Formicidae)
 12115. *Tetramorium lucidula* Emery,1909 (Formicidae)
 12116. *Tetramorium schmidti* Forel,1904 (Formicidae)
 12117. *Tetramorium sculptum* Poldi,1975 (Formicidae)
 12118. *Tetramorium semilaeve* André,1883 (Formicidae)
 12119. *Tetratetrix nutans* (Hagenbach,1822) (Tetrigidae)
 12120. *Tetrigus cyprius* Baudi,1871 (Elateridae)
 12121. *Tetrix bolivari* (Sauley,1901) (Tetrigidae)
 12122. *Tetrix ceperoi* (Bolivar,1887) (Tetrigidae)
 12123. *Tetrix subulata* (Linnaeus,1758) (Tetrigidae)
 12124. *Tetrix tenuicornis* Sahlberg,1893 (Tetrigidae)
 12125. *Tetrix tuerki* (Krauss,1876) (Tetrigidae)
 12126. *Tetrops warnckeii* Holzschuh,1977 (Cerambycidae)
 12127. *Tettigometra* (*Hystrigonia*) *hexaspina* Kolenati,1857 (Tettigometridae)
 12128. *Tettigometra* (*Metroplaca*) *baranii* Signoret,1866 (Tettigometridae)
 12129. *Tettigometra* (*Metroplaca*) *longicornis* (Signoret,1866) (Tettigometridae)
 12130. *Tettigometra* (*Mitricephalus*) *eremi* Lindberg,1948 (Tettigometridae)
 12131. *Tettigometra* (*Mitricephalus*) *leucophaea* (Preyssler,1792) (Tettigometridae)
 12132. *Tettigometra* (*Mitricephalus*) *macrocephalus* (Fieber,1865) (Tettigometridae)
 12133. *Tettigometra* (s.str.) *impressopunctata* Dufour,1846 (Tettigometridae)
 12134. *Tettigometra* (s.str.) *sulphurea* Mulsant-Rey,1855 (Tettigometridae)
 12135. *Tettigometra* (s.str.) *virescens* (Panzer,1799) (Tettigometridae)
 12136. *Tettigometra* (*Stirometra*) *costulata* Fieber,1865 (Tettigometridae)
 12137. *Tettigometra afra* Kirschbaum,1868 (Tettigometridae)

12138. *Tettigometra angulata* Lindberg,1948
(Tettigometridae)
12139. *Tettigometra atra* Hagenbach,1825
(Tettigometridae)
12140. *Tettigometra atrata* Fieber,1872
(Tettigometridae)
12141. *Tettigometra beckeri* Horváth,1909
(Tettigometridae)
12142. *Tettigometra contracta* Lindberg,1948
(Tettigometridae)
12143. *Tettigometra depressa* Fieber,1865
(Tettigometridae)
12144. *Tettigometra helferi* Fieber,1865
(Tettigometridae)
12145. *Tettigometra impressifrons* Mulsant-
Rey,1855 (Tettigometridae)
12146. *Tettigometra lyncea* Horvath,1903
(Tettigometridae)
12147. *Tettigometra sordida* Fieber,1865
(Tettigometridae)
12148. *Tettigometra varia* Fieber,1865
(Tettigometridae)
12149. *Tettigometra vitellina* Fieber,1865
(Tettigometridae)
12150. *Tettigonia acutipennis* Ebner,1946
(Tettigoniidae)
12151. *Tettigonia caudata* (Charpentier,1845)
(Tettigoniidae)
12152. *Tettigonia turcica* Ramme,1951
(Tettigoniidae)
12153. *Tettigonia viridissima* (Linnaeus,1758)
(Tettigoniidae)
12154. *Thamnotettix* (*Loepotettix*) *exemtus*
Melichar,1896 (Cicadellidae)
12155. *Thamnotettix* (*Loepotettix*) *lutfi*
Demir,2006 (Cicadellidae)
12156. *Thamnotettix* (*s.str.*) *confinis*
Zetterstedt,1828 (Cicadellidae)
12157. *Thamnotettix* (*s.str.*) *creticus*
Dlabola,1974 (Cicadellidae)
12158. *Thamnotettix* (*s.str.*) *dilutior*
(Kirschbaum,1868) (Cicadellidae)
12159. *Thamnotettix* (*s.str.*) *klapperichi*
Dlabola,1965 (Cicadellidae)
12160. *Thamnotettix* (*s.str.*) *wittmeri*
Dlabola,1971 (Cicadellidae)
12161. *Thamnotettix* (*s.str.*) *zelleri*
(Kirschbaum,1868) (Cicadellidae)
12162. *Thamnotettix affinis* Fieber,1885
(Cicadellidae)
12163. *Thamnotettix allygidioides*
Linnavuori,1953 (Cicadellidae)
12164. *Thamnotettix gazella* Emeljanov,1962
(Cicadellidae)
12165. *Thamnotettix lacteus* Melichar,1902
(Cicadellidae)
12166. *Thamnotettix loratus* Horvath,1911
(Cicadellidae)
12167. *Thamnotettix minoidis* Dlabola,1974
(Cicadellidae)
12168. *Thamnotettix seclusus* Linnavuori,1958
(Cicadellidae)
12169. *Thamnotettix thrax* Dlabola,1965
(Cicadellidae)
12170. *Thamnotettix wittmeri* Dlabola,1971
(Cicadellidae)
12171. *Thanasimus formicarius*
(Linnaeus,1758) (Cleridae)
12172. *Thanatophilus rugosus* (Linnaeus,1758)
(Silphidae)
12173. *Thanatophilus sinuatus*
(Fabricius,1775) (Silphidae)
12174. *Thaneroclerus buqueti* Lefebvre,1835
(Thanerocleridae)
12175. *Thecodiplosis* sp. (Cecidomyiidae)
12176. *Thecophora atra* (Fabricius,1775)
(Conopidae)
12177. *Thecophora distincta*
(Wiedemann,1824) (Conopidae)
12178. *Thecophora fulvipes* (Robineau-
Desvoidy,1830) (Conopidae)
12179. *Thecophora pusilla* (Meigen,1824)
(Conopidae)
12180. *Thelymorpha marmorata*
(Fabricius,1805) (Tachinidae)
12181. *Themira annulipes* (Meigen,1826)
(Sepsidae)
12182. *Themira minor* (Haliday,1833)
(Sepsidae)
12183. *Theocolax elegans* (Westwood,1874)
(Pteromalidae)
12184. *Theophilea cylindricollis* Pic,1895
(Cerambycidae)
12185. *Thereva affinis* Kröber,1913 (Therevidae)
12186. *Thereva albohirta* Kröber,1912
(Therevidae)
12187. *Thereva apicalis* Wiedemann,1821
(Therevidae)
12188. *Thereva aurata* (Loew,1854) (Therevidae)
12189. *Thereva binotata* (Loew,1847)
(Therevidae)
12190. *Thereva cincta* Meigen,1820 (Therevidae)
12191. *Thereva cinifera* Meigen,1830
(Therevidae)
12192. *Thereva claripennis* (Loew,1847)
(Therevidae)
12193. *Thereva flavescens* (Loew,1847)
(Therevidae)
12194. *Thereva fulva* (Meigen,1804)
(Therevidae)
12195. *Thereva fulvibarba* Kröber,1912
(Therevidae)
12196. *Thereva glaucescens* Kröber,1912
(Therevidae)
12197. *Thereva handlirschi* Kröber,1912
(Therevidae)
12198. *Thereva hirta* Kröber,1913 (Therevidae)
12199. *Thereva lanata* Zetterstedt,1838
(Therevidae)
12200. *Thereva neglecta* Kröber,1912
(Therevidae)
12201. *Thereva nitidifrons* Kröber,1913
(Therevidae)
12202. *Thereva pilifrons* Kröber,1912
(Therevidae)
12203. *Thereva plebeja* (Linnaeus,1758)
(Therevidae)
12204. *Thereva semirufa* Kröber,1912
(Therevidae)
12205. *Thereva strigata* (Fabricius,1794)
(Therevidae)
12206. *Thereva tristis* (Loew,1847) (Therevidae)
12207. *Thereva tuberculata* (Loew,1847)
(Therevidae)
12208. *Thereva unica* (Harris,1780)
(Therevidae)

12209. *Thereva valida* (Loew,1847) (Therevidae)
12210. *Therion circumflexum* (Linnaeus,1758) (Ichneumonidae)
12211. *Theriopectes carabaghensis* (Potschinsky,1877) (Tabanidae)
12212. *Theriopectes gigas* (Herbst,1787) (Tabanidae)
12213. *Theriopectes tricolor* Zeller,1842 (Tabanidae)
12214. *Theronia atalantae* (Poda,1761) (Ichneumonidae)
12215. *Therospocus hemipterus* (Fabricius,1793) (Ichneumonidae)
12216. *Therospocus subzonatus* (Gravenhorst,1829) (Ichneumonidae)
12217. *Thibetoides acerbus* Victorov,1964 (Ichneumonidae)
12218. *Thienemanniella clavicornis* Kieffer,1911 (Chironomidae)
12219. *Thienemanniella* sp. (Chironomidae)
12220. *Thienemanniella vittata* Edwards,1929 (Chironomidae)
12221. *Thienemannimyia lentiginosa* (Fries,1830) (Chironomidae)
12222. *Thinodytes cyzicus* (Walker) (Pteromalidae)
12223. *Thornburghiella quezeli* (Vaillant,1956) (Psychodidae)
12224. *Thricops aculeipes* (Zetterstedt,1838) (Muscidae)
12225. *Thricops diaphanus* (Wiedemann,1817) (Muscidae)
12226. *Thricops nigrifrons* (Robineau-Desvoidy,1830) (Muscidae)
12227. *Thricops nigritellus* (Zetterstedt,1838) (Muscidae)
12228. *Thricops simplex* (Wiedemann,1817) (Muscidae)
12229. *Thricops sudeticus* (Schnabl,1888) (Muscidae)
12230. *Thrybius praedator* (Rossi,1792) (Ichneumonidae)
12231. *Thyridanthrax incanus* (Klug,1832) (Bombyliidae)
12232. *Thyridanthrax lotus* (Loew,1869) (Bombyliidae)
12233. *Thyridanthrax mutilus* (Loew,1869) (Bombyliidae)
12234. *Thyridanthrax perspicillaris* (Loew,1869) (Bombyliidae)
12235. *Thyridanthrax polyphemus* (Wiedemann,1820) (Bombyliidae)
12236. *Thysanus ater* Walker (Signiphoridae)
12237. *Tibicina fieberi* Puissant & Sueur,2002 (Cicadidae)
12238. *Tibicina haematodes* (Scopoli,1763) (Cicadidae)
12239. *Tibicina nigronevosa* Fieber,1876 (Cicadidae)
12240. *Tibicina serhadensis* Koçak & Kemal,2010 (Cicadidae)
12241. *Tibicina steveni* (Krynicky,1837) (Cicadidae)
12242. *Tilloidea transversalis* (Charpentier,1825) (Cleridae)
12243. *Tillus pallidipennis* Bielz,1850 (Cleridae)
12244. *Tillus pectinicornis* Abeille de Perrin,1892 (Cleridae)
12245. *Tillus pectinicornis* Abeille,1892 (Cleridae)
12246. *Timarcha hummeli* Faldermann,1837 (Chrysomelidae)
12247. *Timaspis irani* Tavakoli & Melika,2006 (Cynipidae)
12248. *Timaspis lorestanicus* Tavakoli & Melika,2006 (Cynipidae)
12249. *Timia abstersa* Loew,1873 (Ulidiidae)
12250. *Tingis angustata* (Herrich-Schäffer,1838) (Tingidae)
12251. *Tingis auriculata* (Costa,1847) (Tingidae)
12252. *Tingis ballotae* Seidenstücker,1970 (Tingidae)
12253. *Tingis cappadocica* Horvath,1906 (Tingidae)
12254. *Tingis cardui* (Linnaeus,1758) (Tingidae)
12255. *Tingis caucasica* (Jakovlev,1880) (Tingidae)
12256. *Tingis ciliaris* (Puton,1879) (Tingidae)
12257. *Tingis demissa* Horvath,1906 (Tingidae)
12258. *Tingis elongata* (Fieber,1861) (Tingidae)
12259. *Tingis geniculata* (Fieber,1844) (Tingidae)
12260. *Tingis grisea* Germar,1835 (Tingidae)
12261. *Tingis griseola* (Puton,1879) (Tingidae)
12262. *Tingis hellenica* (Puton,1877) (Tingidae)
12263. *Tingis kerzhneri* Golub,2006 (Tingidae)
12264. *Tingis ottomana* Péricart & Önder,1982 (Tingidae)
12265. *Tingis pauperata* (Puton,1879) (Tingidae)
12266. *Tingis pilosa* Hummel,1825 (Tingidae)
12267. *Tingis pusilla* (Jakovlev,1874) (Tingidae)
12268. *Tingis ragusana* (Fieber,1861) (Tingidae)
12269. *Tingis reticulata* Herrich-Schäffer,1835 (Tingidae)
12270. *Tingis reuteri* Horvath,1906 (Tingidae)
12271. *Tingis rotundicollis* (Jakovlev,1883) (Tingidae)
12272. *Tingis sideritis* Stusak,1973 (Tingidae)
12273. *Tingis stepposa* Golub,1977 (Tingidae)
12274. *Tingis stupidula* Horvath,1906 (Tingidae)
12275. *Tingis torpida* (Horvath,1906) (Tingidae)
12276. *Tingis valida* (Puton,1878) (Tingidae)
12277. *Tiphia minuta* Van der Linden,1827 (Tiphidae)
12278. *Tipula (Acutipula) aktashi* Koç, Hasbenli & De Jong,1998 (Tipulidae)
12279. *Tipula (Acutipula) fulvipennis* De Geer,1776 (Tipulidae)
12280. *Tipula (Acutipula) isparta* Vermoolen,1983 (Tipulidae)
12281. *Tipula (Acutipula) latifurca* Vermoolen,1983 (Tipulidae)
12282. *Tipula (Acutipula) nigroantennata* Savchenko,1961 (Tipulidae)
12283. *Tipula (Beringotipula) unca* Wiedemann,1817 (Tipulidae)
12284. *Tipula (Dendrotipula) flavolineata* Meigen,1804 (Tipulidae)
12285. *Tipula (Emodotipula) obscuriventris* Strobl,1900 (Tipulidae)
12286. *Tipula (Lunatipula) acudens* Theischinger,1977 (Tipulidae)
12287. *Tipula (Lunatipula) adapazariensis* Theischinger,1987 (Tipulidae)

12288. *Tipula (Lunatipula) adusta*
Savchenko,1954 (Tipulidae)
12289. *Tipula (Lunatipula) anthe*
Mannheims,1968 (Tipulidae)
12290. *Tipula (Lunatipula) antilope*
Theischinger,1977 (Tipulidae)
12291. *Tipula (Lunatipula) arnoldii*
Savchenko,1957 (Tipulidae)
12292. *Tipula (Lunatipula) artemis*
Theischinger,1977 (Tipulidae)
12293. *Tipula (Lunatipula) astigma*
Savchenko,1968 (Tipulidae)
12294. *Tipula (Lunatipula) auriculata*
Mannheims,1963 (Tipulidae)
12295. *Tipula (Lunatipula) bimacula*
Theowald,1980 (Tipulidae)
12296. *Tipula (Lunatipula) borysthenica*
Savchenko,1954 (Tipulidae)
12297. *Tipula (Lunatipula) brinki*
Theischinger,1987 (Tipulidae)
12298. *Tipula (Lunatipula) canakkalensis*
Theischinger,1987 (Tipulidae)
12299. *Tipula (Lunatipula) carens*
Theischinger,1987 (Tipulidae)
12300. *Tipula (Lunatipula) cedrophila*
Mannheims,1963 (Tipulidae)
12301. *Tipula (Lunatipula) chelifera*
Savchenko,1964 (Tipulidae)
12302. *Tipula (Lunatipula) christophi*
Theischinger,1982 (Tipulidae)
12303. *Tipula (Lunatipula) cillibema* Koç,2004
(Tipulidae)
12304. *Tipula (Lunatipula) cinerella*
Pierre,1919 (Tipulidae)
12305. *Tipula (Lunatipula) cirratula*
Oosterbroek,1997 (Tipulidae)
12306. *Tipula (Lunatipula) curvata*
Theischinger,1977 (Tipulidae)
12307. *Tipula (Lunatipula) decolor*
Mannheims,1963 (Tipulidae)
12308. *Tipula (Lunatipula) dedecor* Loew,1873
(Tipulidae)
12309. *Tipula (Lunatipula) didymotes*
Theischinger,1977 (Tipulidae)
12310. *Tipula (Lunatipula) dracula*
Theischinger,1977 (Tipulidae)
12311. *Tipula (Lunatipula) emmahelene*
Theischinger,1980 (Tipulidae)
12312. *Tipula (Lunatipula) franzressli*
Theischinger,1982 (Tipulidae)
12313. *Tipula (Lunatipula) furcula*
Mannheims,1954 (Tipulidae)
12314. *Tipula (Lunatipula) gebze* Koç,
Hasbenli & Vogtenhuber,2007 (Tipulidae)
12315. *Tipula (Lunatipula) helvola* Loew,1873
(Tipulidae)
12316. *Tipula (Lunatipula) horsti*
Theischinger,1982 (Tipulidae)
12317. *Tipula (Lunatipula) huberti*
Theischinger,1982 (Tipulidae)
12318. *Tipula (Lunatipula) iliensis*
Mannheims,1965 (Tipulidae)
12319. *Tipula (Lunatipula) istriana* Erhan &
Theowald,1961 (Tipulidae)
12320. *Tipula (Lunatipula) jaroslavi* Koç,2007
(Tipulidae)
12321. *Tipula (Lunatipula) kerkis*
Theischinger,1977 (Tipulidae)
12322. *Tipula (Lunatipula) kreissli*
Theischinger,1987 (Tipulidae)
12323. *Tipula (Lunatipula) kumerloevei*
Mannheims,1968 (Tipulidae)
12324. *Tipula (Lunatipula) kybele*
Mannheims,1968 (Tipulidae)
12325. *Tipula (Lunatipula) lucasi*
Theischinger,1987 (Tipulidae)
12326. *Tipula (Lunatipula) mendli*
Martinovsky,1976 (Tipulidae)
12327. *Tipula (Lunatipula) micropeliostigma*
Mannheims,1965 (Tipulidae)
12328. *Tipula (Lunatipula) montifer*
Theischinger,1977 (Tipulidae)
12329. *Tipula (Lunatipula) murati* Koç,2004
(Tipulidae)
12330. *Tipula (Lunatipula) musensis*
Theischinger,1987 (Tipulidae)
12331. *Tipula (Lunatipula) neutra*
Theischinger,1982 (Tipulidae)
12332. *Tipula (Lunatipula) nigdeensis*
Bischof,1905 (Tipulidae)
12333. *Tipula (Lunatipula) oorschotorum*
Theischinger,1987 (Tipulidae)
12334. *Tipula (Lunatipula) oosterbroeki*
Koç,2007 (Tipulidae)
12335. *Tipula (Lunatipula) ornithogona*
Theischinger,1982 (Tipulidae)
12336. *Tipula (Lunatipula) osmana*
Mannheims,1963 (Tipulidae)
12337. *Tipula (Lunatipula) palifera*
Mannheims,1965 (Tipulidae)
12338. *Tipula (Lunatipula) paravelox*
Theischinger,1987 (Tipulidae)
12339. *Tipula (Lunatipula) peliostigma*
Schummel,1833 (Tipulidae)
12340. *Tipula (Lunatipula) peteri*
Theischinger,1979 (Tipulidae)
12341. *Tipula (Lunatipula) pseudolunata*
Theischinger,1980 (Tipulidae)
12342. *Tipula (Lunatipula) pseudopeliostigma*
Mannheims,1965 (Tipulidae)
12343. *Tipula (Lunatipula) pseudowolfi*
Theischinger,1979 (Tipulidae)
12344. *Tipula (Lunatipula) quinquespinis*
Theischinger,1980 (Tipulidae)
12345. *Tipula (Lunatipula) renate*
Theischinger,1982 (Tipulidae)
12346. *Tipula (Lunatipula) rhodolivida*
Theowald,1972 (Tipulidae)
12347. *Tipula (Lunatipula) rhynchos*
Theischinger,1977 (Tipulidae)
12348. *Tipula (Lunatipula) russula*
Theischinger,1977 (Tipulidae)
12349. *Tipula (Lunatipula) rutila*
Savchenko,1952 (Tipulidae)
12350. *Tipula (Lunatipula) sciurus*
Theischinger,1977 (Tipulidae)
12351. *Tipula (Lunatipula) selenis* Loew,1873
(Tipulidae)
12352. *Tipula (Lunatipula) semipeliostigma*
Mannheims,1965 (Tipulidae)
12353. *Tipula (Lunatipula) sepiaformis*
Vogtenhuber,2002 (Tipulidae)
12354. *Tipula (Lunatipula) soosi*
Mannheims,1954 (Tipulidae)
12355. *Tipula (Lunatipula) sternalis*
Theischinger,1977 (Tipulidae)

12356. *Tipula (Lunatipula) strigosa*
Savchenko,1952 (Tipulidae)
12357. *Tipula (Lunatipula) subacuminata*
Mannheims,1963 (Tipulidae)
12358. *Tipula (Lunatipula) substernalis*
Oosterbroek,1997 (Tipulidae)
12359. *Tipula (Lunatipula) subvelox*
Savchenko,1968 (Tipulidae)
12360. *Tipula (Lunatipula) teunisseni*
Theischinger,1979 (Tipulidae)
12361. *Tipula (Lunatipula) theia*
Mannheims,1963 (Tipulidae)
12362. *Tipula (Lunatipula) tibonella*
Theischinger,1977 (Tipulidae)
12363. *Tipula (Lunatipula) transmarmarensis*
Koç, Aktaş & Oosterbroek,1996 (Tipulidae)
12364. *Tipula (Lunatipula) trapeza*
Theischinger,1982 (Tipulidae)
12365. *Tipula (Lunatipula) truncata* Loew,1873
(Tipulidae)
12366. *Tipula (Lunatipula) turca*
Mannheims,1963 (Tipulidae)
12367. *Tipula (Lunatipula) turcolivida*
Mannheims,1968 (Tipulidae)
12368. *Tipula (Lunatipula) turgida*
Oosterbroek,1997 (Tipulidae)
12369. *Tipula (Lunatipula) ulrike*
Theischinger,1982 (Tipulidae)
12370. *Tipula (Lunatipula) unicornis*
Theischinger,1977 (Tipulidae)
12371. *Tipula (Lunatipula) ursulae*
Mannheims,1965 (Tipulidae)
12372. *Tipula (Lunatipula) vermooleni*
Theischinger,1987 (Tipulidae)
12373. *Tipula (Lunatipula) verrucosa*
Pierre,1919 (Tipulidae)
12374. *Tipula (Lunatipula) vogtenhuberi*
Theischinger,1979 (Tipulidae)
12375. *Tipula (Lunatipula) vulpecula*
Theischinger,1979 (Tipulidae)
12376. *Tipula (Lunatipula) zaitzevi*
Savchenko,1952 (Tipulidae)
12377. *Tipula (Mediotipula) anatoliensis*
Theowald,1978 (Tipulidae)
12378. *Tipula (Mediotipula) stigmatella*
Schummel,1833 (Tipulidae)
12379. *Tipula (Pterelachisus) aspoECKi*
Vogtenhuber,2004 (Tipulidae)
12380. *Tipula (Pterelachisus) luteobasalis*
Savchenko,1964 (Tipulidae)
12381. *Tipula (Pterelachisus) varipennis*
Meigen,1818 (Tipulidae)
12382. *Tipula (Savtshenkia) obsoleta*
Meigen,1818 (Tipulidae)
12383. *Tipula (Savtshenkia) rufina*
Meigen,1818 (Tipulidae)
12384. *Tipula (Savtshenkia) serrulifera*
Alexander,1942 (Tipulidae)
12385. *Tipula (Schummelia) ahrensi*
Savchenko,1957 (Tipulidae)
12386. *Tipula (Schummelia) variicornis*
Schummel,1833 (Tipulidae)
12387. *Tipula (Tipula) italica*
Lackschewitz,1930 (Tipulidae)
12388. *Tipula (Tipula) orientalis*
Lackschewitz,1930 (Tipulidae)
12389. *Tipula (Vestiplex) kosswigi*
Mannheims,1953 (Tipulidae)
12390. *Tipula (Vestiplex) pallidicosta*
Pierre,1924 (Tipulidae)
12391. *Tipula (Vestiplex) semivittata*
Savchenko,1960 (Tipulidae)
12392. *Tipula (Yamatotipula) caesia*
Schummel,1833 (Tipulidae)
12393. *Tipula (Yamatotipula) caucasimontana*
Savchenko,1955 (Tipulidae)
12394. *Tipula (Yamatotipula) guentheri*
Oosterbroek,1994 (Tipulidae)
12395. *Tipula (Yamatotipula) iranensis*
Theowald,1978 (Tipulidae)
12396. *Tipula (Yamatotipula) lateralis*
Meigen,1804 (Tipulidae)
12397. *Tipula (Yamatotipula) submontium*
Theowald & Oosterbroek,1981 (Tipulidae)
12398. *Tituboea chikatunovi* (Lopatin,1995)
(Chrysomelidae)
12399. *Tituboea decemguttata* (Walker,1871)
(Chrysomelidae)
12400. *Tituboea israelita* (Medvedev,1992)
(Chrysomelidae)
12401. *Tituboea macropus* (Illiger,1800)
(Chrysomelidae)
12402. *Tituboea sexmaculata* (Fabricius,1781)
(Chrysomelidae)
12403. *Tituboea testaceiventris* (Pic,1913)
(Chrysomelidae)
12404. *Tmethis pulchripennis* Audinet-
Serville,1839 (Pamphagidae)
12405. *Tolmerus angustifrons* (Loew,1849)
(Asilidae)
12406. *Tolmerus cingulatus* (Fabricius,1781)
(Asilidae)
12407. *Tolmerus facialis* Becker,1913 (Asilidae)
12408. *Tolmerus muhabbet Koçak*,2008
(Asilidae)
12409. *Tolmerus paganus* Becker,1923
(Asilidae)
12410. *Tolmerus senex* (Wiedemann,1820)
(Asilidae)
12411. *Tolmerus tivonensis* Theodor,1980
(Asilidae)
12412. *Tolmerus turcicus Koçak &*
Kemal,2008 (Asilidae)
12413. *Tolphorea kurdistanicus* Platia &
Gudenzi,1996 (Elateridae)
12414. *Tolphorea pallida* Platia,2004
(Elateridae)
12415. *Tolphorea turcica* Platia &
Gudenzi,2000 (Elateridae)
12416. *Tomicobia promulus* (Walker)
(Pteromalidae)
12417. *Tonnoiriella turcica* R. Wagner,1986
(Psychodidae)
12418. *Torymoides dispar* (Masi,1916)
(Torymidae)
12419. *Torymoides kiesenwetteri* (Mayr,1874)
(Torymidae)
12420. *Torymoides yumurtalikiensis*
(Doğanlar,1989) (Torymidae)
12421. *Torymus arcella* Graham &
Gijswijt,1998 (Torymidae)
12422. *Torymus auratus* (Müller,1764)
(Torymidae)
12423. *Torymus bedeguaris* (Linnaeus,1758)
(Torymidae)

12424. **Torymus cultratus** Graham & Gijswijt,1998 (Torymidae)
 12425. **Torymus cultriventris** Ratzeburg,1844 (Torymidae)
 12426. **Torymus erucarum** (Schrank,1781) (Torymidae)
 12427. **Torymus geranii** (Walker,1833) (Torymidae)
 12428. **Torymus lapsanae** (Hoffmeyer,1930) (Torymidae)
 12429. **Torymus nitidulus** (Walker,1833) (Torymidae)
 12430. **Torymus rubi** (Schrank,1781) (Torymidae)
 12431. **Townsendiellomyia nidicola** (Townsend,1908) (Tachinidae)
 12432. **Toxophora bezzii** Paramonov,1933 (Bombyliidae)
 12433. **Toxophora deserta** Paramonov,1933 (Bombyliidae)
 12434. **Toxophora epargyra** Hermann,1907 (Bombyliidae)
 12435. **Toxophora fasciculata** (Villers,1789) (Bombyliidae)
 12436. **Toya ibiturca** Ashe,1980 (Delphacidae)
 12437. **Toya obtusangula** (Linnavuori,1957) (Delphacidae)
 12438. **Toya propinqua** (Fieber,1866) (Delphacidae)
 12439. **Trabutina crassispinosa** Borchsenius (Pseudococcidae)
 12440. **Trabutina mannipara** (Hemprich & Ehrenberg) (Pseudococcidae)
 12441. **Trachyderma christophi** Faust,1875 (Tenebrionidae)
 12442. **Trachyderma darwini** Faust,1875 (Tenebrionidae)
 12443. **Trachyderma hispida** (Forsk.,1775) (Tenebrionidae)
 12444. **Trachyderma lima** (Petagna,1819) (Tenebrionidae)
 12445. **Trachyderma parvicollis** Baudi,1875 (Tenebrionidae)
 12446. **Trachyderma philistina** Reich & Saulcy,1857 (Tenebrionidae)
 12447. **Trachyderma robusta** Faust,1875 (Tenebrionidae)
 12448. **Trachyderma setosa** (Fischer,1819) (Tenebrionidae)
 12449. **Trachyscelis aphodioides** Latreille,1809 (Tenebrionidae)
 12450. **Trapezonotus arenarius** (Linnaeus,1758) (Lygaeidae)
 12451. **Trapezonotus dispar** (Stal,1872) (Lygaeidae)
 12452. **Trapezonotus quadratus** (Fabricius,1798) (Lygaeidae)
 12453. **Trapezonotus ullrichi** (Fieber,1836) (Lygaeidae)
 12454. **Technites flavipes** (Mercet) (Encyrtidae)
 12455. **Technites psyllae** (Ruschka) (Encyrtidae)
 12456. **Trechus (s.str.) austriacus** Dejean,1831 (Carabidae)
 12457. **Trechus (s.str.) crucifer** Piochard,1876 (Carabidae)
 12458. **Trechus (s.str.) ilgazicus** Pawlowski,1976 (Carabidae)
 12459. **Trechus (s.str.) kackardagi** Pawlowski,1978 (Carabidae)
 12460. **Trechus (s.str.) machardi** Jeanne,1976 (Carabidae)
 12461. **Trechus (s.str.) melanocephalus** Kolenati,1845 (Carabidae)
 12462. **Trechus (s.str.) michaeli** Pawlowski,1978 (Carabidae)
 12463. **Trechus (s.str.) obtusus** Erichson,1837 (Carabidae)
 12464. **Trechus (s.str.) osmanilis** K.Daniel & J.Daniel,1902 (Carabidae)
 12465. **Trechus (s.str.) pamphylicus** Jeanne,1996 (Carabidae)
 12466. **Trechus (s.str.) quadristriatus** (Schrank,1781) (Carabidae)
 12467. **Trechus (s.str.) sauleyanus** Csiki,1928 (Carabidae)
 12468. **Trechus (s.str.) ulrichi** Pawlowski,1976 (Carabidae)
 12469. **Trechus (s.str.) urartaeus** Pavesi & Sciaky,1994 (Carabidae)
 12470. **Trechus (s.str.) witkowskii** Pawlowski,1978 (Carabidae)
 12471. **Trechus (s.str.) ziganensis** Jeanne,1976 (Carabidae)
 12472. **Trematopygus triangulator** Aubert,1981 (Ichneumonidae)
 12473. **Tremissus Besuchet**,1981 (Staphylinidae)
 12474. **Tremulicerus mesopyrrhus** (Kirschbaum,1868) (Cicadellidae)
 12475. **Tremulicerus poecilus** (Herrich-Schäffer,1835) (Cicadellidae)
 12476. **Tremulicerus vitreus** (Fabricius,1803) (Cicadellidae)
 12477. **Triaspis caudatus** (Nees,1813) (Braconidae)
 12478. **Triaspis flavipalpis** Wesmael,1835 (Braconidae)
 12479. **Tribalus anatolicus** Olexa,1980 (Histeridae)
 12480. **Tribalus olexai** Lackner,2004 (Histeridae)
 12481. **Tribatus creticus** Reitter,1884 (Staphylinidae)
 12482. **Tribolium castaneum** (Herbst,1797) (Tenebrionidae)
 12483. **Tribolium confusum** Jacquelin du Val,1868 (Tenebrionidae)
 12484. **Tribolium destructor** Uyttenboogaart,1933 (Tenebrionidae)
 12485. **Tribolium madens** Charpentier,1825 (Tenebrionidae)
 12486. **Trichardis leucocomus** (Wulp,1899) (Asilidae)
 12487. **Trichardopsis richteri** Oldroyd,1958 (Asilidae)
 12488. **Trichius abdominalis** Ménériés,1832 (Scarabaeidae)
 12489. **Trichius fasciatus** (Linnaeus,1758) (Scarabaeidae)
 12490. **Trichius orientalis** Reitter,1894 (Scarabaeidae)
 12491. **Trichius sexualis** Bedel,1906 (Scarabaeidae)
 12492. **Trichodes affinis** Chevrolat,1843 (Cleridae)

12493. **Trichodes alberti** Escherich,1893
(Cleridae)
12494. **Trichodes apiarius** (Linnaeus,1758)
(Cleridae)
12495. **Trichodes crabroniformis**
Fabricius,1787 (Cleridae)
12496. **Trichodes cyprius** Reitter,1893
(Cleridae)
12497. **Trichodes dilatipennis** Reitter,1893
(Cleridae)
12498. **Trichodes ephippiger** Chevrolat,1874
(Cleridae)
12499. **Trichodes flavotarsis** Gerstmeier,1985
(Cleridae)
12500. **Trichodes ganglbaueri** Escherich,1893
(Cleridae)
12501. **Trichodes heydeni** Escherich (Cleridae)
12502. **Trichodes inermis** Reitter,1893
(Cleridae)
12503. **Trichodes insignis** Fischer,1829
(Cleridae)
12504. **Trichodes laminatus** Chevrolat,1843
(Cleridae)
12505. **Trichodes longicollis** Gerstmeier,1985
(Cleridae)
12506. **Trichodes longissimus** (Abeille de
Perrin,1881) (Cleridae)
12507. **Trichodes nobilis** Klug,1842 (Cleridae)
12508. **Trichodes oberthueri**
Champenois,1900 (Cleridae)
12509. **Trichodes olivieri** (Chevrolat,1843)
(Cleridae)
12510. **Trichodes pulcherrimus**
Escherich,1892 (Cleridae)
12511. **Trichodes punctatus** Fischer,1829
(Cleridae)
12512. **Trichodes quadriguttatus** Adams,1817
(Cleridae)
12513. **Trichodes reichei** Mulsant & Rey,1863
(Cleridae)
12514. **Trichodes rubrolimbatus**
Chevrolat,1876 (Cleridae)
12515. **Trichodes sexpustulatus**
Chevrolat,1874 (Cleridae)
12516. **Trichodes sipylus** (Linnaeus,1758)
(Cleridae)
12517. **Trichodes suspectus** Escherich,1892
(Cleridae)
12518. **Trichodes syriacus** Spinola,1844
(Cleridae)
12519. **Trichodes tauricus** Zimmermann,1971
(Cleridae)
12520. **Trichodes viridiaureus** (Abeille,1881)
(Cleridae)
12521. **Trichogramma brassicae** Bezdenko
(Trichogrammatidae)
12522. **Trichogramma buluti** Bulut &
Kılınçer,1991 (Trichogrammatidae)
12523. **Trichogramma cacaeciae** Marchal,1927
(Trichogrammatidae)
12524. **Trichogramma dendrolimi**
Matsumura,1926 (Trichogrammatidae)
12525. **Trichogramma embryophagum**
(Hartig,1838) (Trichogrammatidae)
12526. **Trichogramma evanescens**
Westwood,1833 (Trichogrammatidae)
12527. **Trichogramma kilinceri** Bulut &
Kılınçer,1991 (Trichogrammatidae)
12528. **Trichogramma pintoii** Voegelé,1982
(Trichogrammatidae)
12529. **Trichogramma turkeiensis** Bulut &
Kılınçer,1991 (Trichogrammatidae)
12530. **Trichogramma turkestanicum**
Meyer,1940 (Trichogrammatidae)
12531. **Trichomalopsis hemiptera** (Walker)
(Pteromalidae)
12532. **Trichomalopsis littoralis** (Graham)
(Pteromalidae)
12533. **Trichomalopsis peregrina** (Graham)
(Pteromalidae)
12534. **Trichomalus apertus** (Walker)
(Pteromalidae)
12535. **Trichomalus campestris** (Walker)
(Pteromalidae)
12536. **Trichomalus elongatus** Delucchi &
Graham (Pteromalidae)
12537. **Trichomalus fulvipes** (Walker)
(Pteromalidae)
12538. **Trichomalus helvipes** (Walker)
(Pteromalidae)
12539. **Trichomalus nanus** (Walker)
(Pteromalidae)
12540. **Trichomalus posticus** (Walker)
(Pteromalidae)
12541. **Trichomalus rufinus** (Walker)
(Pteromalidae)
12542. **Trichomasthus albimanus** Thomson
(Encyrtidae)
12543. **Trichomeloe conicicollis** (Reitter,1907)
(Meloidae)
12544. **Trichomeloe sericellus** (Reiche &
Saulcy,1857) (Meloidae)
12545. **Trichomma enecator** (Rossi,1790)
(Ichneumonidae)
12546. **Triclis olivaceus** Loew,1851 (Asilidae)
12547. **Triclistus lativentris** Thomson,1887
(Ichneumonidae)
12548. **Triclistus podagricus**
(Gravenhorst,1829) (Ichneumonidae)
12549. **Tricyphona (s.str.) immaculata**
(Meigen,1804) (Pedicidae)
12550. **Tricyphona (s.str.) zwicki** Mendl,1973
(Pedicidae)
12551. **Tridactylus fasciatus** Guérin,1829
(Tridactylidae)
12552. **Tridactylus irremipes** Uvarov,1934
(Tridactylidae)
12553. **Trieces tricarinatus** (Holmgren,1856)
(Ichneumonidae)
12554. **Triecphorella geniculata**
(Horvath,1881) (Cercopidae)
12555. **Triglena virescens** Fieber,1876
(Cicadidae)
12556. **Trigonaspis synaspis** (Hartig,1841)
(Cynipidae)
12557. **Trigonidium (s.str.) cicindeloides**
Rambur,1839 (Gryllidae)
12558. **Trigonocera rivosa** Becker,1902
(Dolichopodidae)
12559. **Trigonotylus pallidicornis** Reuter,1899
(Miridae)
12560. **Trimium caucasicum** Kolenati,1846
(Staphylinidae)
12561. **Trimium libani** Sahlberg,1908
(Staphylinidae)

12562. **Triodontella asiatica** (Brenske,1890)
(Scarabaeidae)
12563. **Triodontella brunneipennis**
(Sahlberg,1908) (Scarabaeidae)
12564. **Triodontella dalmatica** (Baraud,1962)
(Scarabaeidae)
12565. **Triodontella demelti** Petrovitz,1962
(Scarabaeidae)
12566. **Triodontella difformipes**
(Fairmaire,1892) (Scarabaeidae)
12567. **Triodontella dispar** (Fairmaire,1892)
(Scarabaeidae)
12568. **Triodontella eggeri** (Rey,1999)
(Scarabaeidae)
12569. **Triodontella flavimana**
(Burmeister,1855) (Scarabaeidae)
12570. **Triodontella lateristria** (Reitter,1889)
(Scarabaeidae)
12571. **Triodontella preissi** Keith,2001
(Scarabaeidae)
12572. **Trionymus aberrans** Goux
(Pseudococcidae)
12573. **Trionymus cressae** (Hall)
(Pseudococcidae)
12574. **Trionymus multivorus** (Kiritshenko)
(Pseudococcidae)
12575. **Trionymus perrisii** (Signoret)
(Pseudococcidae)
12576. **Trioza urticae** (Linnaeus) (Triozidae)
12577. **Trissemus antennatus** (Aubé,1833)
(Staphylinidae)
12578. **Trissemus dentipes** (Baudi di
Selve,1870) (Staphylinidae)
12579. **Trissemus montanus** (Saulcy,1876)
(Staphylinidae)
12580. **Trissemus mundicornis** (Pic,1904)
(Staphylinidae)
12581. **Trissemus munganasti** (Reitter,1905)
(Staphylinidae)
12582. **Trissolcus djadetchko**
(Rjachovsky,1959) (Scelionidae)
12583. **Trissolcus grandis** (Thomson,1860)
(Scelionidae)
12584. **Trissolcus manteroi** (Kieffer,1909)
(Scelionidae)
12585. **Trissolcus pseudoturesis**
(Rjachovsky,1959) (Scelionidae)
12586. **Trissolcus rufiventris** (Mayr,1908)
(Scelionidae)
12587. **Trissolcus semistriatus** (Nees,1834)
(Scelionidae)
12588. **Trissolcus simoni** (Mayr,1897)
(Scelionidae)
12589. **Trissolcus vassilievi** (Mayr,1903)
(Scelionidae)
12590. **Trissopelopia flavida** Kieffer,1923
(Chironomidae)
12591. **Trithemis annulata** (P. de
Beauvais,1807) (Libellulidae)
12592. **Trithemis arteriosa** (Burmeister,1839)
(Libellulidae)
12593. **Trithemis festiva** (Rambur,1842)
(Libellulidae)
12594. **Trixoscelis approximata** (Loew,1865)
(Trixoscelidae)
12595. **Trixoscelis frontalis** (Fallén,1830)
(Trixoscelidae)
12596. **Trixoscelis obscurella** (Meigen,1830)
(Trixoscelidae)
12597. **Trixoscelis pedestris** (Loew,1865)
(Trixoscelidae)
12598. **Trixoscelis vikhrevi** Woznica,2007
(Trixoscelidae)
12599. **Trjapitzinia leucomae** Dzhankmen
(Pteromalidae)
12600. **Trochiscocoris rotundatus**
Horvath,1895 (Pentatomidae)
12601. **Troglocimmerites (s.str.) pasquinii**
Vigna Taglianti,1977 (Carabidae)
12602. **Troglophilus (s.str.) adamovici** Us,1974
(Raphidophoridae)
12603. **Troglophilus (s.str.) bicakcii** Rampini &
Di Russo,2003 (Raphidophoridae)
12604. **Troglophilus (s.str.) escalerae**
Bolivar,1899 (Raphidophoridae)
12605. **Troglophilus (s.str.) gajaci** Us,1974
(Raphidophoridae)
12606. **Troglophilus (s.str.) tatyanae** Di Russo
& Rampini,2007 (Raphidophoridae)
12607. **Troglops colasi** Wittmer,1968
(Melyridae)
12608. **Troglops hatayensis** Wittmer,1974
(Melyridae)
12609. **Troglops orientalis** Abeille de
Perrin,1881 (Melyridae)
12610. **Troglops semiinervis** Wittmer,1970
(Melyridae)
12611. **Trogoderma granarium** Everts,1898
(Dermestidae)
12612. **Trogoderma inclusum** LeConte,1854
(Dermestidae)
12613. **Trogoderma versicolor** (Creutzer,1799)
(Dermestidae)
12614. **Tromatobia ornata** (Gravenhorst,1829)
(Ichneumonidae)
12615. **Tromatobia variabilis** (Holmgren,1856)
(Ichneumonidae)
12616. **Tropiderinus interruptus**
(Reitter,1889) (Anthribidae)
12617. **Tropidocephala andropogonis**
Horvath,1895 (Delphacidae)
12618. **Tropidocephala prasina** Melichar,1902
(Delphacidae)
12619. **Tropidocephala tuberipennis** (Mulsant
& Rey,1855) (Delphacidae)
12620. **Tropidodynerus interruptus**
(Brullé,1832) (Vespidae)
12621. **Tropidomyia aureifacies** Kröber,1915
(Conopidae)
12622. **Tropidopola cylindrica**
(Marschall,1836) (Acrididae)
12623. **Tropidopola cylindrica cylindrica**
(Marschall,1836) (Acrididae)
12624. **Tropidopola cylindrica iranica**
Uvarov,1933 (Acrididae)
12625. **Tropidopola cylindrica obtusa**
Uvarov,1922 (Acrididae)
12626. **Tropidopola graeca** Uvarov,1926
(Acrididae)
12627. **Tropidopola longicornis** (Fieber,1853)
(Acrididae)
12628. **Tropidopola syriaca** Walker,1871
(Acrididae)
12629. **Tropidopola turanica** Uvarov,1926
(Acrididae)

12630. **Tropidotilla grisescens**
(Lepeletier,1845) (Mutillidae)
12631. **Tropidotilla litoralis** (Petagna,1787)
(Mutillidae)
12632. **Tropidotilla sareptana** (André,1901)
(Mutillidae)
12633. **Tropidotilla semirufa** (André,1893)
(Mutillidae)
12634. **Tropinota (Epicometis) hirta**
(Poda,1761) (Scarabaeidae)
12635. **Tropinota (Epicometis) ilariae**
Dutto,2007 (Scarabaeidae)
12636. **Tropinota (Epicometis) villiersi**
Baraud,1984 (Scarabaeidae)
12637. **Tropinota (s.str.) hirtiformis**
Reitter,1913 (Scarabaeidae)
12638. **Tropinota (s.str.) squalida**
(Scopoli,1763) (Scarabaeidae)
12639. **Tropinota (s.str.) vittula** Reiche &
Saulcy,1856 (Scarabaeidae)
12640. **Tropistethus fasciatus** Ferrari,1874
(Lygaeidae)
12641. **Tropistethus majusculus** Horvath,1881
(Lygaeidae)
12642. **Trupanea amoena** (Frauenfeld,1857)
(Tephritidae)
12643. **Trupanea stellata** (Fuesslin,1775)
(Tephritidae)
12644. **Truxalis eximia** Eichwald,1830
(Acrididae)
12645. **Truxalis fitzgeraldi** Dirsh,1950
(Acrididae)
12646. **Truxalis mesopotamica** Dirsh,1951
(Acrididae)
12647. **Truxalis nasuta** (Linnaeus,1758)
(Acrididae)
12648. **Truxalis obesa** Bei-Bienko,1960
(Acrididae)
12649. **Truxalis robusta** (Uvarov,1916)
(Acrididae)
12650. **Trychosis atripes** (Gravenhorst,1829)
(Ichneumonidae)
12651. **Trychosis legator** (Thunberg,1824)
(Ichneumonidae)
12652. **Trychosis neglecta** (Tschek,1870)
(Ichneumonidae)
12653. **Trychosis pauper** (Tschek,1871)
(Ichneumonidae)
12654. **Trychosis priesneri** Rossem,1971
(Ichneumonidae)
12655. **Trychosis trisator** (Tschek,1871)
(Ichneumonidae)
12656. **Trypetimorpha occidentalis** Huang &
Bourgoin,1993 (Tropiduchidae)
12657. **Trypetimorpha pilosa** Horvath,1907
(Tropiduchidae)
12658. **Trypetoptera punctulata** (Scopoli,1763)
(Sciomyzidae)
12659. **Tryphon (s.str.) rutilator**
(Linnaeus,1761) (Ichneumonidae)
12660. **Tryphon (s.str.) signator**
Gravenhorst,1829 (Ichneumonidae)
12661. **Tryphon (s.str.) trochanteratus**
Holmgren,1855 (Ichneumonidae)
12662. **Tryphon (s.str.) zavreli** Gregor,1939
(Ichneumonidae)
12663. **Tryphon auricularis** Thomson,1883
(Ichneumonidae)
12664. **Tshurtshurnella acuta**
(Linnavuori,1965) (Issidae)
12665. **Tshurtshurnella adana** Dlabola,1986
(Issidae)
12666. **Tshurtshurnella alanyana** Dlabola,1982
(Issidae)
12667. **Tshurtshurnella aschei** Kartal,1985
(Issidae)
12668. **Tshurtshurnella bicornuta**
Dlabola,1983 (Issidae)
12669. **Tshurtshurnella bozarmutica**
Kartal,1985 (Issidae)
12670. **Tshurtshurnella campestre**
(Lindberg,1948) (Issidae)
12671. **Tshurtshurnella cappodocica**
(Dlabola,1981) (Issidae)
12672. **Tshurtshurnella carica** Gnezdilov,2002
(Issidae)
12673. **Tshurtshurnella despecta**
(Linnavuori,1965) (Issidae)
12674. **Tshurtshurnella diyarbakira**
Dlabola,1980 (Issidae)
12675. **Tshurtshurnella edremitica**
Dlabola,1982 (Issidae)
12676. **Tshurtshurnella elmalica** Kartal,1985
(Issidae)
12677. **Tshurtshurnella extrema** Dlabola,1980
(Issidae)
12678. **Tshurtshurnella hani** Gnezdilov,2002
(Issidae)
12679. **Tshurtshurnella kalkandelenica**
Dlabola,1982 (Issidae)
12680. **Tshurtshurnella linnavuorii**
Dlabola,1982 (Issidae)
12681. **Tshurtshurnella lodosi** Dlabola,1979
(Issidae)
12682. **Tshurtshurnella longispinosa**
(Linnavuori,1962) (Issidae)
12683. **Tshurtshurnella mysica**
Gnezdilov,2002 (Issidae)
12684. **Tshurtshurnella peloponica**
Dlabola,1979 (Issidae)
12685. **Tshurtshurnella ramosa** Dlabola,1982
(Issidae)
12686. **Tshurtshurnella rhombica**
Dlabola,1982 (Issidae)
12687. **Tshurtshurnella serapae** Kartal,1985
(Issidae)
12688. **Tshurtshurnella trifasciata**
(Linnavuori,1965) (Issidae)
12689. **Tshurtshurnella uvarovi**
Gnezdilov,2002 (Issidae)
12690. **Tshurtshurnella ventricornis**
Dlabola,1986 (Issidae)
12691. **Tshurtshurnella verbasci** Dlabola,1983
(Issidae)
12692. **Tshurtshurnella yozgatica** Kartal,1985
(Issidae)
12693. **Tshurtshurnella zebrina** Dlabola,1985
(Issidae)
12694. **Tuponia eckerleini** Wagner,1955
(Miridae)
12695. **Tuponia hippophaes** (Fieber,1861)
(Miridae)
12696. **Turanogryllus aelleni** (Chopard,1954)
(Gryllidae)
12697. **Turcicornis kopecky** Hava,2000
(Dermestidae)

12698. **Turka cervinus (Loew,1856)** (Asilidae)
12699. **Turka tridentatus (Loew,1871)** (Asilidae)
12700. **Turkanillus (Turkanillus) strinatii Coiffait,1956** (Carabidae)
12701. **Tychius argentatus Chevrolat,1859** (Curculionidae)
12702. **Tychius aurarius Boheman,1843** (Curculionidae)
12703. **Tychius aureolus Kiesenwetter,1851** (Curculionidae)
12704. **Tychius balcanicus (Penecke,1922)** (Curculionidae)
12705. **Tychius bicolor Brisout,1862** (Curculionidae)
12706. **Tychius brevisculus Desbrochers,1873** (Curculionidae)
12707. **Tychius caldarai Dieckmann,1986** (Curculionidae)
12708. **Tychius consputus Kiesenwetter,1864** (Curculionidae)
12709. **Tychius cuprifer (Panzer,1799)** (Curculionidae)
12710. **Tychius eldae Caldara,1990** (Curculionidae)
12711. **Tychius festivus (Faust,1884)** (Curculionidae)
12712. **Tychius flavus Becker,1864** (Curculionidae)
12713. **Tychius graecus Kiesenwetter,1864** (Curculionidae)
12714. **Tychius grenieri Brisout,1861** (Curculionidae)
12715. **Tychius hirtellus Tournier,1873** (Curculionidae)
12716. **Tychius medicaginis Brisout,1862** (Curculionidae)
12717. **Tychius meliloti Stephens,1831** (Curculionidae)
12718. **Tychius ochraceus Tournier,1873** (Curculionidae)
12719. **Tychius picirostris (Fabricius,1787)** (Curculionidae)
12720. **Tychius polylineatus (Germar,1824)** (Curculionidae)
12721. **Tychius ruscicus Desbrochers,1908** (Curculionidae)
12722. **Tychius squamulatus Gyllenhal,1836** (Curculionidae)
12723. **Tychius stephensi Schoenherr,1836** (Curculionidae)
12724. **Tychius striatulus Gyllenhal,1836** (Curculionidae)
12725. **Tychius thoracicus Boheman,1843** (Curculionidae)
12726. **Tychobythinus vignai Besuchet,1978** (Staphylinidae)
12727. **Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae)
12728. **Tylopsis peneri Ragge,1974** (Tettigoniidae)
12729. **Typhlocyba quercus (Fabricius,1777)** (Cicadellidae)
12730. **Tytthaspis sedecimpunctata (Linnaeus,1758)** (Coccinellidae)
12731. **Udenopogon inscriptus Becker,1913** (Asilidae)
12732. **Ufens similis (Kryger)** (Trichogrammatidae)
12733. **Ufensia foersteri (Kryger)** (Trichogrammatidae)
12734. **Ula (s.str.) mollissima Haliday,1833** (Pediidae)
12735. **Ulidia megacephala Loew,1845** (Uliidiidae)
12736. **Ulidia ruficeps Becker,1913** (Uliidiidae)
12737. **Ulidia wadicola Steyskal,1968** (Uliidiidae)
12738. **Uliidiopsis mirabilis Hennig,1939** (Uliidiidae)
12739. **Uloma cypreaea Kraatz,1873** (Tenebrionidae)
12740. **Unaspis euonymi (Comstock)** (Diaspididae)
12741. **Unkanodes latespinosa (Dlabola,1957)** (Delphacidae)
12742. **Urentius chobauti Horvath,1907** (Tingidae)
12743. **Urophora affinis (Frauenfeld,1857)** (Tephritidae)
12744. **Urophora aprica (Fallén,1820)** (Tephritidae)
12745. **Urophora cuspidata (Meigen,1826)** (Tephritidae)
12746. **Urophora doganlari Kütük,2006** (Tephritidae)
12747. **Urophora dzieduszyckii Frauenfeld,1867** (Tephritidae)
12748. **Urophora eriolepidis (Loew,1856)** (Tephritidae)
12749. **Urophora hani Kütük,2009** (Tephritidae)
12750. **Urophora jaceana (M.Hering,1935)** (Tephritidae)
12751. **Urophora jaculata Rondani,1870** (Tephritidae)
12752. **Urophora macrura (Loew,1855)** (Tephritidae)
12753. **Urophora maura (Frauenfeld,1857)** (Tephritidae)
12754. **Urophora mauritanica Macquart,1851** (Tephritidae)
12755. **Urophora neuenschwanderi Freidberg,1982** (Tephritidae)
12756. **Urophora pauperata (Zaitzev,1945)** (Tephritidae)
12757. **Urophora phaeocera (M.Hering,1961)** (Tephritidae)
12758. **Urophora quadrifasciata (Meigen,1826)** (Tephritidae)
12759. **Urophora sirunaseva (Hering,1938)** (Tephritidae)
12760. **Urophora solstitialis (Linnaeus,1758)** (Tephritidae)
12761. **Urophora sp.** (Tephritidae)
12762. **Urophora stylata (Fabricius,1775)** (Tephritidae)
12763. **Urophora tenuior Hendel,1910** (Tephritidae)
12764. **Urophora terebrans (Loew,1850)** (Tephritidae)
12765. **Urytalpa chandleri Bechev & Koç,2008** (Keroplastidae)
12766. **Uscana johnstoni (Waterston)** (Trichogrammatidae)
12767. **Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae)
12768. **Usia (Micrusia) forcipata Brullé,1833** (Bombyliidae)

12769. *Usia (Micrusia) sicula* Egger,1859 (Bombyliidae)
 12770. *Usia (Micrusia) versicolor (Fabricius,1787)* (Bombyliidae)
 12771. *Usia (s.str.) aenea (Rossi,1794)* (Bombyliidae)
 12772. *Usia (s.str.) atrata (Fabricius,1798)* (Bombyliidae)
 12773. *Usia (s.str.) bicolor* Macquart,1855 (Bombyliidae)
 12774. *Usia (s.str.) calva* Loew,1869 (Bombyliidae)
 12775. *Usia (s.str.) carmelitensis* Becker,1906 (Bombyliidae)
 12776. *Usia (s.str.) crinipes* Becker,1906 (Bombyliidae)
 12777. *Usia (s.str.) ignorata* Becker,1906 (Bombyliidae)
 12778. *Usia (s.str.) incognita* Paramonov,1950 (Bombyliidae)
 12779. *Usia (s.str.) lata* Loew,1846 (Bombyliidae)
 12780. *Usia (s.str.) syriaca* Paramonov,1950 (Bombyliidae)
 12781. *Usia (s.str.) taeniolata* Costa,1883 (Bombyliidae)
 12782. *Utecha trivialis* (Germar,1821) (Cicadellidae)
 12783. *Uvarovistia (s.str.) bakhtiara (Uvarov,1934)* (Tettigoniidae)
 12784. *Uvarovistia (s.str.) iraka (Uvarov,1934)* (Tettigoniidae)
 12785. *Uvarovistia (s.str.) rammei* Katbeh-Bader & Massa,2001 (Tettigoniidae)
 12786. *Uvarovistia (s.str.) satunini (Uvarov,1916)* (Tettigoniidae)
 12787. *Uvarovistia (s.str.) zebra (Uvarov,1916)* (Tettigoniidae)
 12788. *Vachiria deserta* (Becker,1867) (Reduviidae)
 12789. *Vachiria natalica* Stal,1859 (Reduviidae)
 12790. *Vadonia bisignata* (Brullé,1832) (Cerambycidae)
 12791. *Vadonia instigmata* (Pic,1889) (Cerambycidae)
 12792. *Vadonia moesiaca* (K.Daniel & J.Daniel,1891) (Cerambycidae)
 12793. *Vadonia soror* Holzschuh,1981 (Cerambycidae)
 12794. *Vadonia unipunctata* (Fabricius,1787) (Cerambycidae)
 12795. *Vadonia unipunctata* (Fabricius,1787) (Cerambycidae)
 12796. *Valgus hemipterus* (Linnaeus,1758) (Scarabaeidae)
 12797. *Velia (Plesiovelia) affinis* Kolenati,1856 (Veliidae)
 12798. *Velia (Plesiovelia) kitishenkoi Tamanini,1958* (Veliidae)
 12799. *Velia (Plesiovelia) mancinii Tamanini,1947* (Veliidae)
 12800. *Velia (s.str.) rivulorum* (Fabricius,1775) (Veliidae)
 12801. *Velia mariae* Tamanini,1971 (Veliidae)
 12802. *Velia nervosa* Horvath,1896 (Veliidae)
 12803. *Ventocoris trigonus* (Krynicky,1871) (Pentatomidae)
 12804. *Venturia anatolica* Horstmann,1986 (Ichneumonidae)
 12805. *Venturia canescens* (Gravenhorst,1829) (Ichneumonidae)
 12806. *Verdanus artvinensis* Güçlü,2009 (Cicadellidae)
 12807. *Verdanus bekiri* (Kalkandelen,1972) (Cicadellidae)
 12808. *Verdanus gazelicornis* (Dlabola,1980) (Cicadellidae)
 12809. *Verdanus hardei* (Dlabola,1980) (Cicadellidae)
 12810. *Verdanus melichari* (Dlabola,1951) (Cicadellidae)
 12811. *Verdanus pazoukii* (Dlabola,1980) (Cicadellidae)
 12812. *Vermileo vermileo* (Linnaeus,1758) (Vermileonidae)
 12813. *Vespa crabro* Linnaeus,1758 (Vespidae)
 12814. *Vespa orientalis* Linnaeus,1771 (Vespidae)
 12815. *Vespula germanica* (Fabricius,1793) (Vespidae)
 12816. *Vespula rufa* (Linnaeus,1758) (Vespidae)
 12817. *Vespula vulgaris* (Linnaeus,1758) (Vespidae)
 12818. *Vibidia duodecimguttata* (Poda,1761) (Coccinellidae)
 12819. *Villa abbadon* (Fabricius,1794) (Bombyliidae)
 12820. *Villa albula* (Loew,1869) (Bombyliidae)
 12821. *Villa atricauda* (Austen,1937) (Bombyliidae)
 12822. *Villa bivirgata* Austen,1937 (Bombyliidae)
 12823. *Villa bizonata* Becker,1916 (Bombyliidae)
 12824. *Villa bombiformis* Becker,1916 (Bombyliidae)
 12825. *Villa brunnea* Becker,1916 (Bombyliidae)
 12826. *Villa cana* (Meigen,1804) (Bombyliidae)
 12827. *Villa chorassani* (Becker & Stein,1913) (Bombyliidae)
 12828. *Villa cingulata* (Meigen,1804) (Bombyliidae)
 12829. *Villa circumdata* (Meigen,1820) (Bombyliidae)
 12830. *Villa clarissima* (Loew,1857) (Bombyliidae)
 12831. *Villa deludens* François,1966 (Bombyliidae)
 12832. *Villa fallax* Austen,1937 (Bombyliidae)
 12833. *Villa haesitans* Becker,1916 (Bombyliidae)
 12834. *Villa hottentotta* (Linnaeus,1758) (Bombyliidae)
 12835. *Villa insignis* Austen,1937 (Bombyliidae)
 12836. *Villa kuehlhorni* François,1969 (Bombyliidae)
 12837. *Villa melanura* (Loew,1869) (Bombyliidae)
 12838. *Villa merlei* François,1969 (Bombyliidae)
 12839. *Villa modesta* (Meigen,1820) (Bombyliidae)
 12840. *Villa multibalteata* Austen,1936 (Bombyliidae)
 12841. *Villa niphobleta* (Loew,1869) (Bombyliidae)
 12842. *Villa pygarga* (Loew,1868) (Bombyliidae)

12843. *Villa quinquefasciata* (Wiedemann,1820) (Bombyliidae)
12844. *Villa senecio* (Loew,1869) (Bombyliidae)
12845. *Villa sesivora* Greathead & Karimpour,2006 (Bombyliidae)
12846. *Villa stenozona* (Loew,1869) (Bombyliidae)
12847. *Villa tomentosa* Becker,1916 (Bombyliidae)
12848. *Villa turcomanus* (Paramonov,1927) (Bombyliidae)
12849. *Villa ventruosa* (Loew,1869) (Bombyliidae)
12850. *Viridicerus ustulatus* (Mulsant & Rey,1855) (Cicadellidae)
12851. *Volucella inanis* (Linnaeus,1758) (Syrphidae)
12852. *Volucella pellucens* (Linnaeus,1758) (Syrphidae)
12853. *Volucella zonaria* (Poda,1761) (Syrphidae)
12854. *Wachtliella ericina* (Loew,1885) (Cecidomyiidae)
12855. *Wainia (Caposmia) eremoplana* (Mavromoustakis,1949) (Megachilidae)
12856. *Webbsianus ochreicolor* Dlabola,1983 (Issidae)
12857. *Wichmannia decorata* Ruschka,1916 (Eulophidae)
12858. *Wohlfahrtia bella* (Macquart,1839) (Sarcophagidae)
12859. *Wohlfahrtia magnifica* (Schiner,1862) (Sarcophagidae)
12860. *Wohlfahrtia meigeni* (Schiner,1862) (Sarcophagidae)
12861. *Xanthochroina auberti* (Abeille de Perrin,1876) (Oedemeridae)
12862. *Xanthogramma pedissequum* (Harris,1776) (Syrphidae)
12863. *Xenaporus schmidti* Priesner,1967 (Pompilidae)
12864. *Xenion ignitum* (Kraatz,1875) (Carabidae)
12865. *Xenoschesis (s.str.) fulvipes* (Gravenhorst,1829) (Ichneumonidae)
12866. *Xeramoeba lepida* (Hermann,1907) (Bombyliidae)
12867. *Xeramoeba oophaga* (Zakhvatkin,1931) (Bombyliidae)
12868. *Xeramoeba pallipes* (Loew,1869) (Bombyliidae)
12869. *Xeramoeba ramsesi* (Paramonov,1935) (Bombyliidae)
12870. *Xeramoeba sabulonis* (Becker,1906) (Bombyliidae)
12871. *Xeramoeba semirufa* (Sack,1903) (Bombyliidae)
12872. *Xerohippus alkani* Karabağ,1953 (Acrididae)
12873. *Xerohippus anatolicus* Ramme,1951 (Acrididae)
12874. *Xerohippus azami* (Bolivar,1901) (Acrididae)
12875. *Xerohippus palaestinus* Uvarov,1942 (Acrididae)
12876. *Xerohippus syriacus* (Bolivar,1911) (Acrididae)
12877. *Xestocephalus guttulatus* (Motschulsky,1859) (Cicadellidae)
12878. *Xorides (Gonophonus) annulator* (Fabricius,1804) (Ichneumonidae)
12879. *Xorides (Moerophora) rufipes* (Gravenhorst,1829) (Ichneumonidae)
12880. *Xorides (s.str.) filiformis* (Gravenhorst,1829) (Ichneumonidae)
12881. *Xorides (s.str.) fuligator* (Thunberg,1822) (Ichneumonidae)
12882. *Xorides (s.str.) gracilicornis* (Gravenhorst,1829) (Ichneumonidae)
12883. *Xorides (s.str.) gravenhorstii* (Curtis,1831) (Ichneumonidae)
12884. *Xorides (s.str.) praecatorius* (Fabricius,1793) (Ichneumonidae)
12885. *Xya pfaendleri* (Harz,1970) (Tridactylidae)
12886. *Xya variegata* (Latreille,1809) (Tridactylidae)
12887. *Xylocopa iris* (Christ,1791) (Apidae)
12888. *Xylocopa valga* Gerstaecker,1872 (Apidae)
12889. *Xylocopa violacea* (Linnaeus,1758) (Apidae)
12890. *Xylocoris cursitans* (Fallén,1807) (Anthocoridae)
12891. *Xylocoris flavipes* (Reuter,1875) (Anthocoridae)
12892. *Xylocoris galactinus* (Fieber,1836) (Anthocoridae)
12893. *Xylocoris maculipennis* Baerensprung,1858 (Anthocoridae)
12894. *Xylocoris obliquus* Costa,1852 (Anthocoridae)
12895. *Xylodromus testaceus* (Erichson,1840) (Staphylinidae)
12896. *Xylomya maculata* (Meigen,1804) (Xylomyidae)
12897. *Xylomya trinotata* (Bigot,1880) (Xylomyidae)
12898. *Xylota segnis* (Linnaeus,1758) (Syrphidae)
12899. *Xylota sylvarum* (Linnaeus,1758) (Syrphidae)
12900. *Xylotrechus antilope* (Schönherr,1817) (Cerambycidae)
12901. *Xylotrechus arvicola* (Olivier,1795) (Cerambycidae)
12902. *Xylotrechus ilamensis* Holzschuh,1979 (Cerambycidae)
12903. *Xylotrechus rusticus* (Linnaeus,1758) (Cerambycidae)
12904. *Xylotrechus sieversi* Ganglbauer,1890 (Cerambycidae)
12905. *Xyphosia conspiciua* (Loew,1869) (Tephritidae)
12906. *Xyphosia miliaria* (Schrank,1781) (Tephritidae)
12907. *Xysta holocericea* (Fabricius,1805) (Tachinidae)
12908. *Zabrachypus tenuiabdominalis* (Uchida,19141) (Ichneumonidae)
12909. *Zabrus aciculatus* Schaum,1864 (Carabidae)
12910. *Zabrus aurichalceus* M.F.Adams,1817 (Carabidae)

12911. **Zabrus chalceus** Faldermann,1836
(Carabidae)
12912. **Zabrus morio** Mandrias,1832
(Carabidae)
12913. **Zabrus spinipes** (Fabricius,1798)
(Carabidae)
12914. **Zabrus tenebrioides** (Goeze,1777)
(Carabidae)
12915. **Zaglyptus varipes** (Gravenhorst,1829)
(Ichneumonidae)
12916. **Zaira cinerea** (Fallén,1810) (Tachinidae)
12917. **Zalutschia korosienis** (Tchern.,1949)
(Chironomidae)
12918. **Zalutschia megastylus** (Shil.,1971)
(Chironomidae)
12919. **Zaomma lambinus** (Walker) (Encyrtidae)
12920. **Zaplethocornia procurator**
(Gravenhorst,1829) (Ichneumonidae)
12921. **Zarudnya fusca** Melichar,1902 (Flatidae)
12922. **Zarudnya interstitialis** Melichar,1902
(Flatidae)
12923. **Zatypota bohemani** (Holmgren,1854)
(Ichneumonidae)
12924. **Zatypota percontatoria** (Müller,1776)
(Ichneumonidae)
12925. **Zavrelia pentatoma** Kieffer &
Bause,1914 (Chironomidae)
12926. **Zavrelimyia melanura** (Meigen,1818)
(Chironomidae)
12927. **Zercanus rubroocellatus** Dlabola,1965
(Cicadellidae)
12928. **Zeuxia zejana** Kolomiets,1971
(Tachinidae)
12929. **Zibus leicocephalus** (Aubé,1833)
(Staphylinidae)
12930. **Zicrona caerulea** (Linnaeus,1758)
(Pentatomidae)
12931. **Zodion cinereum** (Fabricius,1794)
(Conopidae)
12932. **Zodion erythrurum** Rondani,1865
(Conopidae)
12933. **Zodion notatum** (Meigen,1804)
(Conopidae)
12934. **Zonitis flava** Fabricius,1775 (Meloidae)
12935. **Zonitis gibbicollis** Abeille de
Perrin,1880 (Meloidae)
12936. **Zonitis immaculata** (Olivier,1790)
(Meloidae)
12937. **Zonitis microcephala** Escherich,1889
(Meloidae)
12938. **Zonitis nana** Ragusa,1882 (Meloidae)
12939. **Zonitis nigriventris** Motschulsky,1845
(Meloidae)
12940. **Zonitis ruficollis** Frivaldsky,1877
(Meloidae)
12941. **Zophosis (Oculosis) dilatata**
Deyrolle,1867 (Tenebrionidae)
12942. **Zophosis (Oculosis) punctata**
Brullé,1832 (Tenebrionidae)
12943. **Zophosis (Septentriophosis) oblonga**
Solier,1834 (Tenebrionidae)
12944. **Zophosis (Septentriophosis) rugosa**
Faldermann,1837 (Tenebrionidae)
12945. **Zophosis aelanitica** Peyerimhoff,1907
(Tenebrionidae)
12946. **Zophosis asiatica** Miller,1861
(Tenebrionidae)
12947. **Zophosis bicarinata** Solier,1834
(Tenebrionidae)
12948. **Zophosis carinata** Solier,1834
(Tenebrionidae)
12949. **Zophosis cognata** Miller,1861
(Tenebrionidae)
12950. **Zophosis farinosa** Blair (Tenebrionidae)
12951. **Zophosis hydrobiiformis** Reitter,1916
(Tenebrionidae)
12952. **Zophosis orientalis** Deyrolle,1867
(Tenebrionidae)
12953. **Zophosis osmanlis** Deyrolle,1872
(Tenebrionidae)
12954. **Zophosis persica** Kraatz,1882
(Tenebrionidae)
12955. **Zophosis personata** Erichson,1841
(Tenebrionidae)
12956. **Zophosis plana** (Fabricius,1792)
(Tenebrionidae)
12957. **Zophosis punctulata** Olivier,1795
(Tenebrionidae)
12958. **Zophosis pygmaea** Solier,1834
(Tenebrionidae)
12959. **Zorochros alysidotus**
(Kiesenwetter,1858) (Elateridae)
12960. **Zorochros anatolicus** Dolin &
Mertlik,2002 (Elateridae)
12961. **Zorochros araxicola** (Reitter,1895)
(Elateridae)
12962. **Zorochros caucasicus** Jagemann,1939
(Elateridae)
12963. **Zorochros georgicus** Dolin &
Tschatlandze,1980 (Elateridae)
12964. **Zorochros heyrovskyi** Roubal,1940
(Elateridae)
12965. **Zorochros kopecky** Platia &
Gudenzi,1998 (Elateridae)
12966. **Zorochros kurdicus** Dolin &
Mertlik,2002 (Elateridae)
12967. **Zorochros meridionalis** (Laporte,1840)
(Elateridae)
12968. **Zorochros minimus** (Lacordaire,1835)
(Elateridae)
12969. **Zorochros murinus** (Reitter,1895)
(Elateridae)
12970. **Zorochros nanus** (Gurjeva,1963)
(Elateridae)
12971. **Zorochros pallicrus**
(Desbrochers,1875) (Elateridae)
12972. **Zorochros pilosellus** (Reitter,1895)
(Elateridae)
12973. **Zorochros quadriguttatus**
(Laporte,1840) (Elateridae)
12974. **Zorochros recellentus** Dolin,1995
(Elateridae)
12975. **Zorochros stibicki** (Leseigneur,1970)
(Elateridae)
12976. **Zygina (Hypericiella) nebulosa**
(Ribaut,1948) (Cicadellidae)
12977. **Zygina (s.str.) discolor** Horvath,1897
(Cicadellidae)
12978. **Zygina (s.str.) karatasa** (Dlabola,1957)
(Cicadellidae)
12979. **Zygina (s.str.) krueperi** Fieber,1884
(Cicadellidae)
12980. **Zygina (s.str.) nivea** (Mulsant &
Rey,1855) (Cicadellidae)

- | | |
|--|--|
| <p>12981. <i>Zygina</i> (s.str.) <i>ordinaria</i> (Ribaut,1936) (Cicadellidae)
12982. <i>Zygina</i> (s.str.) <i>rhamni</i> Ferrari,1882 (Cicadellidae)
12983. <i>Zygina</i> (s.str.) <i>rorida</i> (Mulsant & Rey,1855) (Cicadellidae)
12984. <i>Zygina</i> (s.str.) <i>suavis</i> Rey,1891 (Cicadellidae)
12985. <i>Zygina</i> (s.str.) <i>tithide</i> Ferrari,1882 (Cicadellidae)
12986. <i>Zyginella</i> <i>pulchra</i> Loew,1885 (Cicadellidae)
12987. <i>Zyginidia</i> (Anatolidia) <i>obesa</i> Zachvatkin,1937 (Cicadellidae)
12988. <i>Zyginidia</i> (Anatolidia) <i>rostrata</i> Zachvatkin,1937 (Cicadellidae)
12989. <i>Zyginidia</i> (s.str.) <i>artvinicus</i> Kalkandelen,1985 (Cicadellidae)
12990. <i>Zyginidia</i> (s.str.) <i>bafranicus</i> Kalkandelen,1985 (Cicadellidae)</p> | <p>12991. <i>Zyginidia</i> (s.str.) <i>emrea</i> Kalkandelen,1985 (Cicadellidae)
12992. <i>Zyginidia</i> (s.str.) <i>eremita</i> Zachvatkin,1953 (Cicadellidae)
12993. <i>Zyginidia</i> (s.str.) <i>karadenizicus</i> Kalkandelen,1985 (Cicadellidae)
12994. <i>Zyginidia</i> (s.str.) <i>pullula</i> (Boheman,1845) (Cicadellidae)
12995. <i>Zyginidia</i> (s.str.) <i>sohrab</i> Zachvatkin,1947 (Cicadellidae)
12996. <i>Zygiobia</i> <i>carpini</i> (Loew,1874) (Cecidomyiidae)
12997. <i>Zygomysia</i> <i>valida</i> Winnertz,1863 (Mycetophilidae)
12998. <i>Zygonyx</i> <i>torridus</i> (Kirby,1889) (Libellulidae)
12999. <i>Zyziphoides</i> <i>virens</i> (Haupt,1927) (Cicadellidae)</p> |
|--|--|

Part 2

List of the valid names of the order Lepidoptera

- | | |
|---|--|
| <p>1. "<i>Argyroploce</i>" <i>ottomana</i> Obratzsov,1952 (Tortricidae)
2. "<i>Argyroploce</i>" <i>vandarbana</i> Osthelder,1938 (Tortricidae)
3. "<i>Chloroclystis</i>" <i>palaeartica</i> Brandt,1938 (Geometridae)
4. <i>Abraxas</i> (<i>Calospilos</i>) <i>pantaria</i> (Linnaeus,1767) (Geometridae)
5. <i>Abraxas</i> (<i>Calospilos</i>) <i>sylvata</i> (Scopoli,1763) (Geometridae)
6. <i>Abraxas</i> (s.str.) <i>grossulariatus</i> (Linnaeus,1758) (Geometridae)
7. <i>Abraxas</i> <i>wehrlii</i> Bytinski-Salz & Brandt,1937 (Geometridae)
8. <i>Abrostola</i> <i>agnorista</i> Dufay,1956 (Noctuidae)
9. <i>Abrostola</i> <i>asclepiadis</i> (Lang,1789) (Noctuidae)
10. <i>Abrostola</i> <i>clarissa</i> (Staudinger,1900) (Noctuidae)
11. <i>Abrostola</i> <i>hyrcanica</i> Hacker,2002 (Noctuidae)
12. <i>Abrostola</i> <i>tripartita</i> (Hufnagel,1766) (Noctuidae)
13. <i>Abrostola</i> <i>triplasia</i> (Linnaeus,1758) (Noctuidae)
14. <i>Acalyptis</i> <i>pistaciae</i> Nieukerken,2007 (Nepticulidae)</p> | <p>15. <i>Acalyptis</i> <i>platani</i> (Müller-Rutz,1934) (Nepticulidae)
16. <i>Acantholipes</i> <i>circumdata</i> (Walker,1858) (Noctuidae)
17. <i>Acantholipes</i> <i>regularis</i> (Hübner,[1813]) (Noctuidae)
18. <i>Acantholipes</i> <i>regulatrix</i> Wiltshire,1961 (Noctuidae)
19. <i>Acanthophila</i> <i>alacella</i> (Zeller,1839) (Gelechiidae)
20. <i>Acanthopsyche</i> <i>atra</i> (Linnaeus,1767) (Psychidae)
21. <i>Acanthovalva</i> <i>inconspicuaris</i> (Hübner,[1819]) (Geometridae)
22. <i>Acentria</i> <i>nivea</i> Olivier,1791 (Pyralidae)
23. <i>Acherontia</i> <i>atropos</i> (Linnaeus,1758) (Sphingidae)
24. <i>Acherontia</i> <i>styx</i> (Westwood,1847) (Sphingidae)
25. <i>Achlya</i> <i>flavicornis</i> (Linnaeus,1758) (Thyatiridae)
26. <i>Achroia</i> <i>grisella</i> (Fabricius,1794) (Pyralidae)
27. <i>Achrosis</i> <i>berytana</i> (Rebel,1911) (Geometridae)
28. <i>Achyra</i> <i>nudalis</i> (Hübner,1796) (Pyralidae)
29. <i>Achyra</i> <i>ochrofascialis</i> (Christoph,1882) (Pyralidae)</p> |
|---|--|

30. **Achyra ustrinalis (Christoph,1877)** (Pyrilidae)
31. **Acleris boscanoides Razowski,1959** (Tortricidae)
32. **Acleris comariana (Lienig & Zeller,1846)** (Tortricidae)
33. **Acleris cristana ([Denis & Schiffermüller],1775)** (Tortricidae)
34. **Acleris hastiana (Linnaeus,1758)** (Tortricidae)
35. **Acleris hippophaeana (Heyden,1865)** (Tortricidae)
36. **Acleris kochiella (Goeze,1783)** (Tortricidae)
37. **Acleris lacordairana (Duponchel,1836)** (Tortricidae)
38. **Acleris literana (Linnaeus,1758)** (Tortricidae)
39. **Acleris logiana (Clerck,1759)** (Tortricidae)
40. **Acleris napaea (Meyrick,1912)** (Tortricidae)
41. **Acleris notana (Donovan,1806)** (Tortricidae)
42. **Acleris osthelderi Obraztsov,1949** (Tortricidae)
43. **Acleris permutana (Duponchel,1836)** (Tortricidae)
44. **Acleris quercinana (Zeller,1849)** (Tortricidae)
45. **Acleris rhombana ([Denis & Schiffermüller],1775)** (Tortricidae)
46. **Acleris scabrana ([Denis & Schiffermüller],1775)** (Tortricidae)
47. **Acleris schalleriana (Linnaeus,1761)** (Tortricidae)
48. **Acleris sparsana ([Denis & Schiffermüller],1775)** (Tortricidae)
49. **Acleris undulana (Walsingham,1900)** (Tortricidae)
50. **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae)
51. **Acompsia cinerella (Clerck,1759)** (Gelechiidae)
52. **Acontia biskrensis (Oberthür,1887)** (Noctuidae)
53. **Acontia hortensis Swinhoe,1884** (Noctuidae)
54. **Acontia lucida (Hufnagel,1766)** (Noctuidae)
55. **Acontia opalinoides Guenée,1852** (Noctuidae)
56. **Acontia titania (Esper,[1798])** (Noctuidae)
57. **Acontia umbrigerana (R.Felder & Rogenhofer,[1875])** (Noctuidae)
58. **Acossus terebrus (Denis,1785)** (Cossidae)
59. **Acrapex taurica (Staudinger,1900)** (Noctuidae)
60. **Acrobasis atrisquamella Ragonot,1887** (Pyrilidae)
61. **Acrobasis bithynella Zeller,1848** (Pyrilidae)
62. **Acrobasis centunculella (Mann,1859)** (Pyrilidae)
63. **Acrobasis consociella (Hübner,[1813])** (Pyrilidae)
64. **Acrobasis glaucella Staudinger,1859** (Pyrilidae)
65. **Acrobasis nigribasalis Amsel,1953** (Pyrilidae)
66. **Acrobasis obliqua (Zeller,1847)** (Pyrilidae)
67. **Acrobasis obtusella (Hübner,1796)** (Pyrilidae)
68. **Acrobasopsis ? mabilleella (Lucas)** (Pyrilidae)
69. **Acrobyla draudti (Brandt,1939)** (Noctuidae)
70. **Acrobyla kneuckeri (Rebel,1903)** (Noctuidae)
71. **Acrocercops brongniardella (Fabricius,1798)** (Gracillariidae)
72. **Acrocercops cocciferella (Chrétien,1910)** (Gracillariidae)
73. **Acrocercops iraniana Triberti,1990** (Gracillariidae)
74. **Acrocercops tacita Triberti,2001** (Gracillariidae)
75. **Acrolepiopsis vesperella (Zeller,1850)** (Yponomeutidae)
76. **Acronicta (s.str.) leporina (Linnaeus,1758)** (Noctuidae)
77. **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae)
78. **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae)
79. **Acronicta (Triaena) alni (Linnaeus,1767)** (Noctuidae)
80. **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae)
81. **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae)
82. **Acronicta (Triaena) solimana Draudt,1938** (Noctuidae)
83. **Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae)
84. **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae)
85. **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae)
86. **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae)
87. **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae)
88. **Acronicta (Viminia) saadi Brandt,1938** (Noctuidae)
89. **Actebia praecox (Linnaeus,1758)** (Noctuidae)
90. **Actenia beatalis Kalchberg,1897** (Pyrilidae)
91. **Actenia brunnealis (Treitschke,1829)** (Pyrilidae)
92. **Actenia honestalis (Treitschke,1829)** (Pyrilidae)
93. **Actenia persica Amsel,1949** (Pyrilidae)
94. **Acteniopsis kurdistanella Amsel,1959** (Pyrilidae)
95. **Actinotia polyodon (Clerck,1759)** (Noctuidae)
96. **Actinotia radiosa (Esper,[1804])** (Noctuidae)
97. **Adaina microdactyla (Hübner,[1813])** (Pterophoridae)
98. **Adela alurgis Kozlov,2006** (Adelidae)
99. **Adela antilyca (Meyrick,1936)** (Adelidae)
100. **Adela argyrospila Meyrick,1924** (Adelidae)
101. **Adela auricella Ragonot,1874** (Adelidae)
102. **Adela australis (Heydenreich,1851)** (Adelidae)
103. **Adela chlorista (Meyrick,1912)** (Adelidae)
104. **Adela croesella (Scopoli,1763)** (Adelidae)
105. **Adela glabrata (Meyrick,1922)** (Adelidae)
106. **Adela mazzolella (Hübner,[1801])** (Adelidae)
107. **Adela reaumurella (Linnaeus,1758)** (Adelidae)
108. **Adela repetitella Mann,1861** (Adelidae)
109. **Adscita (s.str.) capitalis (Staudinger,1878)** (Zygaenidae)
110. **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae)

111. **Adscita (s.str.) statices (Linnaeus,1758)** (Zygaenidae)
112. **Adscita (s.str.) storaiae (Tarmann,1977)** (Zygaenidae)
113. **Adscita (Tarmannita) manni (Lederer,1853)** (Zygaenidae)
114. **Aedia cana (Brandt,1939)** (Noctuidae)
115. **Aedia funesta (Esper,[1786])** (Noctuidae)
116. **Aedia leucomelas (Linnaeus,1758)** (Noctuidae)
117. **Aedophron monotonia Amsel,1935** (Noctuidae)
118. **Aedophron phlebophora Lederer,1858** (Noctuidae)
119. **Aedophron rhodites (Eversmann,1851)** (Noctuidae)
120. **Aedophron sumorita Ronkay,2002** (Noctuidae)
121. **Aegle diatemna Boursin,1962** (Noctuidae)
122. **Aegle exquisita Boursin,1969** (Noctuidae)
123. **Aegle gratiosa (Staudinger,1892)** (Noctuidae)
124. **Aegle kaekeritziana (Hübner,[1799])** (Noctuidae)
125. **Aegle nubila (Staudinger,1892)** (Noctuidae)
126. **Aegle ottoi (Schawerda,1923)** (Noctuidae)
127. **Aegle rebeli Schawerda,1923** (Noctuidae)
128. **Aegle semicana (Esper,[1798])** (Noctuidae)
129. **Aegle subflava (Erschoff,1874)** (Noctuidae)
130. **Aeglotis argentalis (Christoph,1887)** (Pyrilidae)
131. **Aeschremon belutschistanalis Amsel,1959** (Pyrilidae)
132. **Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyrilidae)
133. **Aeschremon tenalis Amsel,1961** (Pyrilidae)
134. **Aethes argyropsila Karisch,2005** (Tortricidae)
135. **Aethes bilbaensis (Rössler,1877)** (Tortricidae)
136. **Aethes capnospila (Meyrick,1912)** (Tortricidae)
137. **Aethes caucasica (Amsel,1959)** (Tortricidae)
138. **Aethes cremonana (Ragonot,1894)** (Tortricidae)
139. **Aethes deaurana (Peyerimhoff,1877)** (Tortricidae)
140. **Aethes destituta Razowski,1983** (Tortricidae)
141. **Aethes dilucidana (Stephens,1852)** (Tortricidae)
142. **Aethes eberti Sutter & Karisch,2004** (Tortricidae)
143. **Aethes eryngiella (Vallot,1829)** (Tortricidae)
144. **Aethes ferruginea (Walsingham,1900)** (Tortricidae)
145. **Aethes francillana (Fabricius,1794)** (Tortricidae)
146. **Aethes hartmanniana (Clerck,1759)** (Tortricidae)
147. **Aethes iranica Razowski,1963** (Tortricidae)
148. **Aethes kandovana Alipanah,2009** (Tortricidae)
149. **Aethes kasyi Razowski,1962** (Tortricidae)
150. **Aethes kindermanniana (Treitschke,1830)** (Tortricidae)
151. **Aethes lateritia Razowski,1970** (Tortricidae)
152. **Aethes luteopictana (Kennel,1900)** (Tortricidae)
153. **Aethes lygrana Karisch,1992** (Tortricidae)
154. **Aethes margaritana (Haworth,[1811])** (Tortricidae)
155. **Aethes margaritifera Falkovitsh,1963** (Tortricidae)
156. **Aethes margarotana (Duponchel,1836)** (Tortricidae)
157. **Aethes mauritanica (Walsingham,1898)** (Tortricidae)
158. **Aethes moribundana (Staudinger,1859)** (Tortricidae)
159. **Aethes munda Karisch,2003** (Tortricidae)
160. **Aethes nefandana (Kennel,1899)** (Tortricidae)
161. **Aethes pannosana (Kennel,1913)** (Tortricidae)
162. **Aethes pardaliana (Kennel,1899)** (Tortricidae)
163. **Aethes persica Razowski,1963** (Tortricidae)
164. **Aethes prangana (Kennel,1900)** (Tortricidae)
165. **Aethes sanguinana (Treitschke,1830)** (Tortricidae)
166. **Aethes scabidulana (Lederer,1855)** (Tortricidae)
167. **Aethes shakibai Huemer & Wieser,2004** (Tortricidae)
168. **Aethes smeathmanniana (Fabricius,1781)** (Tortricidae)
169. **Aethes speciosa Razowski,1962** (Tortricidae)
170. **Aethes spirana (Kennel,1899)** (Tortricidae)
171. **Aethes tesserana ([Denis & Schiffermüller],1775)** (Tortricidae)
172. **Aethes tornella (Walsingham,1898)** (Tortricidae)
173. **Aethes williana (Brahm,1791)** (Tortricidae)
174. **Aethes xanthina Falkovitsh,1963** (Tortricidae)
175. **Africalpe falkneri Hacker & Ebert,2002** (Noctuidae)
176. **Africalpe intrusa C.G.Krüger,1939** (Noctuidae)
177. **Africalpe vagabunda (Swinhoe,1884)** (Noctuidae)
178. **Agapeta hamana (Linnaeus,1758)** (Tortricidae)
179. **Agapeta zoegana (Linnaeus,1767)** (Tortricidae)
180. **Agdistis (Adenistis) adenensis Amsel,1961** (Pterophoridae)
181. **Agdistis (Adenistis) bellissima Arenberger,1975** (Pterophoridae)
182. **Agdistis (Adenistis) caradjai Arenberger,1975** (Pterophoridae)
183. **Agdistis (Adenistis) olei Arenberger,1976** (Pterophoridae)
184. **Agdistis (Adenistis) sissia Arenberger,1987** (Pterophoridae)
185. **Agdistis (Frankistis) frankeniae (Zeller,1847)** (Pterophoridae)
186. **Agdistis (Frankistis) halodelta Meyrick,1925** (Pterophoridae)
187. **Agdistis (Frankistis) mevlaniella Arenberger,1972** (Pterophoridae)
188. **Agdistis (Frankistis) paralia (Zeller,1847)** (Pterophoridae)
189. **Agdistis (Meridistis) intermedia Caradja,1920** (Pterophoridae)
190. **Agdistis (Meridistis) meridionalis (Zeller,1847)** (Pterophoridae)

191. **Agdistis (Pardistis) insidiatrix** Meyrick,1936 (Pterophoridae)
 192. **Agdistis (Pardistis) parvella** Amsel,1958 (Pterophoridae)
 193. **Agdistis (Pardistis) tenera** Arenberger,1976 (Pterophoridae)
 194. **Agdistis (s.str.) adactyla** (Hübner,[1819]) (Pterophoridae)
 195. **Agdistis (s.str.) heydeni** (Zeller,1852) (Pterophoridae)
 196. **Agdistis (s.str.) nanodes** Meyrick,1906 (Pterophoridae)
 197. **Agdistis (s.str.) nigra** Amsel,1955 (Pterophoridae)
 198. **Agdistis (s.str.) protai** Arenberger,1973 (Pterophoridae)
 199. **Agdistis (s.str.) pygmaea** Amsel,1955 (Pterophoridae)
 200. **Agdistis (s.str.) satanas** Millière,1876 (Pterophoridae)
 201. **Agdistis (Tamaristis) arabica** Amsel,1958 (Pterophoridae)
 202. **Agdistis (Tamaristis) tamaricis** (Zeller,1847) (Pterophoridae)
 203. **Agdistis urmijensis** Zagulyaev,1995 (Pterophoridae)
 204. **Aglais urticae** (Linnaeus,1758) (Argynnidae)
 205. **Aglia tau** (Linnaeus,1758) (Saturniidae)
 206. **Aglossa asiatica** Erschoff,1871 (Pyrilidae)
 207. **Aglossa caprealis** (Hübner,[1809]) (Pyrilidae)
 208. **Aglossa exsucealis** Lederer,1863 (Pyrilidae)
 209. **Aglossa pinguinalis** (Linnaeus,1758) (Pyrilidae)
 210. **Aglossa signicostalis** Staudinger,1871 (Pyrilidae)
 211. **Agnippe haberlandi** (Amsel,1961) (Gelechiidae)
 212. **Agnippe penicillata** (Amsel,1961) (Gelechiidae)
 213. **Agnippe pseudolella** (Christoph,1888) (Gelechiidae)
 214. **Agonopterix adpersella** (Kollar,1832) (Oecophoridae)
 215. **Agonopterix alstromeriana** (Clerck,1759) (Oecophoridae)
 216. **Agonopterix assimilella** (Treitschke,1832) (Oecophoridae)
 217. **Agonopterix atomella** ([Denis & Schiffmüller],1775) (Oecophoridae)
 218. **Agonopterix cachritis** (Staudinger,1859) (Oecophoridae)
 219. **Agonopterix capreolella** (Zeller,1839) (Oecophoridae)
 220. **Agonopterix cervariella** (Constant,1885) (Oecophoridae)
 221. **Agonopterix cnicella** (Treitschke,1832) (Oecophoridae)
 222. **Agonopterix comitella** (Lederer,1855) (Oecophoridae)
 223. **Agonopterix curvipunctosa** (Haworth,[1811]) (Oecophoridae)
 224. **Agonopterix dideganella** Amsel,1972 (Oecophoridae)
 225. **Agonopterix ferocella** (Chrétien,1910) (Oecophoridae)
 226. **Agonopterix funebrella** Caradja,1920 (Oecophoridae)
 227. **Agonopterix furvella** (Treitschke,1832) (Oecophoridae)
 228. **Agonopterix imbutella** Christoph,1888 (Oecophoridae)
 229. **Agonopterix irrorata** (Staudinger,1870) (Oecophoridae)
 230. **Agonopterix kaekeritziana** (Linnaeus,1767) (Oecophoridae)
 231. **Agonopterix laterella** ([Denis & Schiffmüller],1775) (Oecophoridae)
 232. **Agonopterix latipennella** (Zerny,1934) (Oecophoridae)
 233. **Agonopterix liodryas** (Meyrick,1921) (Oecophoridae)
 234. **Agonopterix miyanella** Amsel,1972 (Oecophoridae)
 235. **Agonopterix nanatella** (Stainton,1849) (Oecophoridae)
 236. **Agonopterix nervosa** (Haworth,[1811]) (Oecophoridae)
 237. **Agonopterix nodiflorella** (Millière,1866) (Oecophoridae)
 238. **Agonopterix novaspersella** (Spuler,1910) (Oecophoridae)
 239. **Agonopterix occaecata** (Meyrick,1921) (Oecophoridae)
 240. **Agonopterix ocellana** (Fabricius,1775) (Oecophoridae)
 241. **Agonopterix pallorella** (Zeller,1839) (Oecophoridae)
 242. **Agonopterix pavida** (Meyrick,1913) (Oecophoridae)
 243. **Agonopterix purpurea** (Haworth,[1811]) (Oecophoridae)
 244. **Agonopterix ramosella** Stainton,1867 (Oecophoridae)
 245. **Agonopterix remota** (Meyrick,1921) (Oecophoridae)
 246. **Agonopterix rotundella** (Douglas,1846) (Oecophoridae)
 247. **Agonopterix rutana** (Fabricius,1794) (Oecophoridae)
 248. **Agonopterix squamosa** (Mann,1864) (Oecophoridae)
 249. **Agonopterix subpropinquella** (Stainton,1849) (Oecophoridae)
 250. **Agonopterix subumbellana** Hannemann,1959 (Oecophoridae)
 251. **Agonopterix thapsiella** (Zeller,1847) (Oecophoridae)
 252. **Agonopterix vendettella** (Chrétien,1908) (Oecophoridae)
 253. **Agonopterix xyleuta** (Meyrick,1913) (Oecophoridae)
 254. **Agrapha accentifera** (Lefèbvre,1827) (Noctuidae)
 255. **Agriopis ankeraria** (Staudinger,1861) (Geometridae)
 256. **Agriopis brumaria** (Borkhausen,1794) (Geometridae)
 257. **Agriphila bleszynskiella** Amsel,1961 (Pyrilidae)
 258. **Agriphila brionella** (Zerny,1914) (Pyrilidae)
 259. **Agriphila cyrenaicella** (Ragonot,1887) (Pyrilidae)

260. *Agriphila deliella* (Hübner,[1813]) (Pyrilidae)
261. *Agriphila geniculea* (Haworth,[1811]) (Pyrilidae)
262. *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pyrilidae)
263. *Agriphila latistria* (Haworth,[1811]) (Pyrilidae)
264. *Agriphila melike* Kemal & Koçak,2004 (Pyrilidae)
265. *Agriphila microselasella* Bleszynski,1959 (Pyrilidae)
266. *Agriphila paleatella* (Zeller,1847) (Pyrilidae)
267. *Agriphila straminella* ([Denis & Schiffermüller],1775) (Pyrilidae)
268. *Agriphila tersella* (Lederer,1855) (Pyrilidae)
269. *Agriphila tolli* (Bleszynski,1952) (Pyrilidae)
270. *Agriphila trabeatella* (Herrich-Schäffer,[1848]) (Pyrilidae)
271. *Agriphila tristella* ([Denis & Schiffermüller],1775) (Pyrilidae)
272. *Agriphiloides longipalpellus* Bleszynski,1965 (Pyrilidae)
273. *Agrilus convolvuli* (Linnaeus,1758) (Sphingidae)
274. *Agrochola (Alpichola) egorovi* (O.Bang-Haas,1934) (Noctuidae)
275. *Agrochola (Alpichola) elbursica* L.Ronkay & Gyulai,2006 (Noctuidae)
276. *Agrochola (Alpichola) fibigeri* Hacker & Moberg,1989 (Noctuidae)
277. *Agrochola (Alpichola) janhillmanni* Hacker & Moberg,1989 (Noctuidae)
278. *Agrochola (Alpichola) lactiflora* (Draudt,1934) (Noctuidae)
279. *Agrochola (Alpichola?) gratiosa* (Staudinger,1882) (Noctuidae)
280. *Agrochola (Anchoscelis) consueta* (Herrich-Schäffer,[1852]) (Noctuidae)
281. *Agrochola (Anchoscelis) deleta* (Staudinger,1881) (Noctuidae)
282. *Agrochola (Anchoscelis) fuscomixta* L.Ronkay & Gyulai,2006 (Noctuidae)
283. *Agrochola (Anchoscelis) helvola* (Linnaeus,1758) (Noctuidae)
284. *Agrochola (Anchoscelis) humilis* (Fabricius,1787) (Noctuidae)
285. *Agrochola (Anchoscelis) hypotaenia* (Bytinski-Salz,1936) (Noctuidae)
286. *Agrochola (Anchoscelis) imitata* Ronkay,1984 (Noctuidae)
287. *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841]) (Noctuidae)
288. *Agrochola (Anchoscelis) litura* (Linnaeus,1761) (Noctuidae)
289. *Agrochola (Anchoscelis) lota* (Clerck,1759) (Noctuidae)
290. *Agrochola (Anchoscelis) luteogrisea* (W.Warren,1911) (Noctuidae)
291. *Agrochola (Anchoscelis) macilenta* (Hübner,[1809]) (Noctuidae)
292. *Agrochola (Anchoscelis) nitida* (Fabricius,1787) (Noctuidae)
293. *Agrochola (Anchoscelis) occulta* Hacker,1996 (Noctuidae)
294. *Agrochola (Anchoscelis) oropotamica* (Wiltshire,1941) (Noctuidae)
295. *Agrochola (Anchoscelis) osthelderi* Boursin,1951 (Noctuidae)
296. *Agrochola (Anchoscelis) pauli* (Staudinger,1892) (Noctuidae)
297. *Agrochola (Anchoscelis) plumbea* (Wiltshire,1941) (Noctuidae)
298. *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879) (Noctuidae)
299. *Agrochola (Anchoscelis) sairtana* Derra,1990 (Noctuidae)
300. *Agrochola (Anchoscelis) scabra* (Staudinger,1892) (Noctuidae)
301. *Agrochola (Anchoscelis) schreieri* Hacker & Weigert,1986 (Noctuidae)
302. *Agrochola (Fivaldskyola) mansueta* (Herrich-Schäffer,[1850]) (Noctuidae)
303. *Agrochola (Fivaldskyola) staudingeri* Ronkay,1984 (Noctuidae)
304. *Agrochola (Propenistra) laevis* (Hübner,[1803]) (Noctuidae)
305. *Agrochola (s.str.) pistacina* (Goeze,1781) (Noctuidae)
306. *Agrochola (Sunira) circellaris* (Hufnagel,1766) (Noctuidae)
307. *Agrotera nemoralis* (Scopoli,1763) (Pyrilidae)
308. *Agrotis (Crassagrotis) bigramma* (Esper,[1790]) (Noctuidae)
309. *Agrotis (Crassagrotis) obesa* (Boisduval,1829) (Noctuidae)
310. *Agrotis (Putagrotis) herzogi* (Rebel,1911) (Noctuidae)
311. *Agrotis (Putagrotis) puta* (Hübner,[1803]) (Noctuidae)
312. *Agrotis (Putagrotis) syricola* Berio,1936 (Noctuidae)
313. *Agrotis (s.str.) alexandriensis* Bethune-Baker,1894 (Noctuidae)
314. *Agrotis (s.str.) biconicus* Kollar,[1844] (Noctuidae)
315. *Agrotis (s.str.) bifurca* Staudinger,1881 (Noctuidae)
316. *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller],1775) (Noctuidae)
317. *Agrotis (s.str.) clavis* (Hufnagel,1766) (Noctuidae)
318. *Agrotis (s.str.) desertorum* Boisduval,1840 (Noctuidae)
319. *Agrotis (s.str.) exclamationis* (Linnaeus,1758) (Noctuidae)
320. *Agrotis (s.str.) haifae* Staudinger,1897 (Noctuidae)
321. *Agrotis (s.str.) ipsilon* (Hufnagel,1766) (Noctuidae)
322. *Agrotis (s.str.) lupinus* Brandt,1941 (Noctuidae)
323. *Agrotis (s.str.) margelanoides* Boursin,1944 (Noctuidae)
324. *Agrotis (s.str.) psammocharis* Boursin,1950 (Noctuidae)
325. *Agrotis (s.str.) sardzeana* Brandt,1941 (Noctuidae)
326. *Agrotis (s.str.) scruposa* (Draudt,1936) (Noctuidae)
327. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775) (Noctuidae)

328. **Agrotis (s.str.) trux** (Hübner,[1824])
(Noctuidae)
329. **Akbesia davidi** (Oberthür,1884)
(Sphingidae)
330. **Alabonia staintoniella** (Zeller,1850)
(Oecophoridae)
331. **Albarracina warionis** (Oberthür,1881)
(Lymantriidae)
332. **Albocosta musiva** (Hübner,[1803])
(Noctuidae)
333. **Alcis fredei** (Wehrli,1941) (Geometridae)
334. **Alcis repandata** (Linnaeus,1758)
(Geometridae)
335. **Aleimma loeflingianum**
(Linnaeus,1758) (Tortricidae)
336. **Aleucis distinctata** (Herrich-Schäffer,[1839]) (Geometridae)
337. **Aleucis mimetes** (Wehrli,1932)
(Geometridae)
338. **Aleucis orientalis** (Staudinger,1892)
(Geometridae)
339. **Alisa amseli** Ganev & Hacker,1984
(Pyrilidae)
340. **Alloclementia devotella** Rebel,1893
(Incurvariidae)
341. **Alloclita albocinctella** (Chrétien,1915)
(Cosmopterigidae)
342. **Alloclita deprinsi** Koster & Sinev,2003
(Cosmopterigidae)
343. **Alloclita haifensis** Rebel,1911
(Cosmopterigidae)
344. **Alloclita recisella** Staudinger,1859
(Cosmopterigidae)
345. **Allophyes asiatica** (Staudinger,1892)
(Noctuidae)
346. **Allophyes benedictina**
(Staudinger,1892) (Noctuidae)
347. **Allophyes metaxys** Boursin,1953 (Noctuidae)
348. **Allophyes oxyacanthae** (Linnaeus,1758)
(Noctuidae)
349. **Allophyes renalis** (Wiltshire,1941)
(Noctuidae)
350. **Allotalanta autophaea** Meyrick,1913
(Cosmopterigidae)
351. **Allophia combustella** (Herrich-Schäffer,[1855]) (Pyrilidae)
352. **Alsophila aceraria** ([Denis & Schiffermüller],1775) (Geometridae)
353. **Alsophila hirsutaria** (Fabricius,1781)
(Geometridae)
354. **Altenia scriptella** (Hübner,1796)
(Gelechiidae)
355. **Altenia wagneriella** (Rebel,1926)
(Gelechiidae)
356. **Alucita cancellata** (Meyrick,1908)
(Alucitidae)
357. **Alucita cinnerethella** Amsel,1935 (Alucitidae)
358. **Alucita cymatodactyla** Zeller,1852
(Alucitidae)
359. **Alucita desmodactyla** Zeller,1847
(Alucitidae)
360. **Alucita grammodactyla** Zeller,1841
(Alucitidae)
361. **Alucita hexadactyla** Linnaeus,1758
(Alucitidae)
362. **Alucita huebneri** Wallengren,1859
(Alucitidae)
363. **Alucita iranensis** Scholz & Jäckh,1994
(Alucitidae)
364. **Alucita klimeschi** Scholz,1997
(Alucitidae)
365. **Alucita major** (Rebel,1906) (Alucitidae)
366. **Alucita palodactyla** Zeller,1847
(Alucitidae)
367. **Alucita pseudohuebneri** Scholz,1997
(Alucitidae)
368. **Alucita tridentata** Scholz & Jäckh,1994
(Alucitidae)
369. **Alucita zonodactyla** Zeller,1847
(Alucitidae)
370. **Amata aequipuncta** (Turati,1917)
(Ctenuchidae)
371. **Amata antiochena** (Lederer,1861)
(Ctenuchidae)
372. **Amata aserbeidjana** (De Freina,1982)
(Ctenuchidae)
373. **Amata caspia** (Staudinger,1877)
(Ctenuchidae)
374. **Amata hakkariana** (De Freina,1982)
(Ctenuchidae)
375. **Amata harandii** De Freina & Naderi,2008
(Ctenuchidae)
376. **Amata higginsii** (Wiltshire,1958)
(Ctenuchidae)
377. **Amata kruegeri** (Ragusa,1904) (Ctenuchidae)
378. **Amata libanotica** (A.Bang-Haas,1906)
(Ctenuchidae)
379. **Amata mestrallii** (Bugnion,1837)
(Ctenuchidae)
380. **Amata persica** (Kollar,[1849])
(Ctenuchidae)
381. **Amata phegea** (Linnaeus,1758) (Ctenuchidae)
382. **Amata rossica** (Turati,1917)
(Ctenuchidae)
383. **Amata sintenisi** (Standfuss,1892)
(Ctenuchidae)
384. **Amata tanina** (De Freina,1982)
(Ctenuchidae)
385. **Amata taurica** (Turati,1917)
(Ctenuchidae)
386. **Amata transcaspica** Obratzsov,1941
(Ctenuchidae)
387. **Amata tricingulata** (Culot,1909)
(Ctenuchidae)
388. **Amata turbida** (Turati,1917)
(Ctenuchidae)
389. **Amata wiltshirei** Bytinski-Salz,1939
(Ctenuchidae)
390. **Amaurophanes stigmosalis** (Herrich-Schäffer,[1848]) (Pyrilidae)
391. **Ambia thyridialis** (Lederer,1855) (Pyrilidae)
392. **Amblyncus nervosellus** Amsel,1953
(Pyrilidae)
393. **Amblyptilia acanthadactyla**
(Hübner,[1813]) (Pterophoridae)
394. **Amechedia herlina** Roesler,1989
(Pyrilidae)
395. **Amephana aurita** (Fabricius,1787)
(Noctuidae)
396. **Amephana dalmatica** (Rebel,1919)
(Noctuidae)
397. **Amicta jordana** (Staudinger,1899)
(Psychidae)
398. **Amicta murina** (Klug,1832) (Psychidae)

399. **Amicta quadrangularis** (Christoph,1873) (Psychidae)
 400. **Amicta sericata** Hättenschwiler & Alemansoor,2006 (Psychidae)
 401. **Ammonoconia anonyma** Ronkay & Varga,1984 (Noctuidae)
 402. **Ammonoconia caecimacula** (Fabricius,1787) (Noctuidae)
 403. **Ammonoconia senex** (Geyer,[1828]) (Noctuidae)
 404. **Amorphogynia necessaria** (Zeller,1849) (Geometridae)
 405. **Amphipoea maryamae** Zahiri & Fibiger,2006 (Noctuidae)
 406. **Amphipoea ocullea** (Linnaeus,1761) (Noctuidae)
 407. **Amphipyra anophthalma** Boursin,1963 (Noctuidae)
 408. **Amphipyra berbera** Rungs,1949 (Noctuidae)
 409. **Amphipyra boursini** Hacker,1998 (Noctuidae)
 410. **Amphipyra livida** ([Denis & Schiffermüller],1775) (Noctuidae)
 411. **Amphipyra micans** Lederer,1857 (Noctuidae)
 412. **Amphipyra molybdea** Christoph,1867 (Noctuidae)
 413. **Amphipyra perflua** (Fabricius,1787) (Noctuidae)
 414. **Amphipyra pyramidea** (Linnaeus,1758) (Noctuidae)
 415. **Amphipyra stix** Herrich-Schäffer,[1850] (Noctuidae)
 416. **Amphipyra submicans** Kuznetsov,1958 (Noctuidae)
 417. **Amphipyra tetra** (Fabricius,1787) (Noctuidae)
 418. **Amphipyra tragopoginis** (Clerck,1759) (Noctuidae)
 419. **Amphipyra turcomana** Staudinger,1888 (Noctuidae)
 420. **Amphithrix sublineatella** (Staudinger,1859) (Pyralidae)
 421. **Amphixystis islamella** (Turati,1927) (Tineidae)
 422. **Amselia heringi** (Amsel,1935) (Pyralidae)
 423. **Amselina cedeștiella** (Zeller,1868) (Autostichidae)
 424. **Amselina emir** (Gozmany,1961) (Autostichidae)
 425. **Amselina minorita** (Gozmany,1968) (Autostichidae)
 426. **Amselina olympi** (Gozmany,1957) (Autostichidae)
 427. **Amselina parapsesta** Gozmany,1986 (Autostichidae)
 428. **Anacampsis malella** Amsel,1959 (Gelechiidae)
 429. **Anacampsis obscurella** ([Denis & Schiffermüller],1775) (Gelechiidae)
 430. **Anacampsis panormitella** (Caradja,1920) (Gelechiidae)
 431. **Anacampsis populella** (Clerck,1759) (Gelechiidae)
 432. **Anacampsis scintillella** (Fischer v. Röslerstamm,1841) (Gelechiidae)
 433. **Anacampsis timidella** (Wocke,1887) (Gelechiidae)
 434. **Anania funebris** (Ström,1768) (Pyralidae)
 435. **Anania verbascata** (Fabricius,1787) (Pyralidae)
 436. **Anaplectoides prasina** (Goeze,1781) (Noctuidae)
 437. **Anarpia incertalis** (Duponchel,1832) (Pyralidae)
 438. **Anarpia iranella** (Zerny,1939) (Pyralidae)
 439. **Anarsia (Ananarsia) acaciae** Walsingham,1896 (Gelechiidae)
 440. **Anarsia (Ananarsia) aleurodes** Meyrick,1922 (Gelechiidae)
 441. **Anarsia (Ananarsia) arachniota** Meyrick,1925 (Gelechiidae)
 442. **Anarsia (Ananarsia) belutschistanella** (Amsel,1959) (Gelechiidae)
 443. **Anarsia (Ananarsia) lineatella** Zeller,1839 (Gelechiidae)
 444. **Anarsia (s.str.) eburnella** (Christoph,1887) (Gelechiidae)
 445. **Anarsia (s.str.) halimodendri** (Christoph,1877) (Gelechiidae)
 446. **Anarsia (s.str.) libanoticella** Amsel,1967 (Gelechiidae)
 447. **Anarsia (s.str.) spartiella** (Schrank,1802) (Gelechiidae)
 448. **Anatrachyntis rileyi** (Walsingham,1882) (Cosmopterigidae)
 449. **Anchinia grandis** Stainton,1867 (Oecophoridae)
 450. **Anchinia laureolella** Herrich-Schäffer,1854 (Oecophoridae)
 451. **Ancylis achatana** ([Denis & Schiffermüller],1775) (Tortricidae)
 452. **Ancylis apicella** ([Denis & Schiffermüller],1775) (Tortricidae)
 453. **Ancylis badiana** ([Denis & Schiffermüller],1775) (Tortricidae)
 454. **Ancylis comptana** (Frölich,1828) (Tortricidae)
 455. **Ancylis geminana** (Donovan,1806) (Tortricidae)
 456. **Ancylis laetana** (Fabricius,1775) (Tortricidae)
 457. **Ancylis mitterbacheriana** ([Denis & Schiffermüller],1775) (Tortricidae)
 458. **Ancylis obtusana** (Haworth,[1811]) (Tortricidae)
 459. **Ancylis paludana** (Barrett,1871) (Tortricidae)
 460. **Ancylis selenana** (Guenée,1845) (Tortricidae)
 461. **Ancylis transientana** Filipjev,1926 (Tortricidae)
 462. **Ancylis uncella** ([Denis & Schiffermüller],1775) (Tortricidae)
 463. **Ancylis unculana** (Haworth,[1811]) (Tortricidae)
 464. **Ancylodes pallens** Ragonot,1887 (Pyralidae)
 465. **Ancylodes staminella** (Christoph,1877) (Pyralidae)
 466. **Ancylolomia bituberosella** Amsel,1959 (Pyralidae)
 467. **Ancylolomia disparalis** (Hübner,[1825]) (Pyralidae)

468. **Ancylolomia indica** R.Felder & Rogenhofer,1875 (Pyralidae)
469. **Ancylolomia micropalpella** Amsel,1951 (Pyralidae)
470. **Ancylolomia palpella** ([Denis & Schiffermüller],1775) (Pyralidae)
471. **Ancylolomia paraetoniella** Turati,1924 (Pyralidae)
472. **Ancylolomia pectinatella** (Zeller,1847) (Pyralidae)
473. **Ancylolomia tentaculella** (Hübner,1796) (Pyralidae)
474. **Ancylolomia tripolitella** Rebel,1909 (Pyralidae)
475. **Ancylolomia westwoodi** Zeller,1863 (Pyralidae)
476. **Ancylosis (Cabotia) lacteicostella** (Ragonot,1887) (Pyralidae)
477. **Ancylosis (Cabotia) leucocephala** (Staudinger,1879) (Pyralidae)
478. **Ancylosis (Cabotia) oblitella** (Zeller,1848) (Pyralidae)
479. **Ancylosis (Heterographis) acrobasella** (Rebel,1927) (Pyralidae)
480. **Ancylosis (Heterographis) albicosta** (Staudinger,1870) (Pyralidae)
481. **Ancylosis (Heterographis) candidatella** (Lederer,1858) (Pyralidae)
482. **Ancylosis (Heterographis) canella** Roesler,1973 (Pyralidae)
483. **Ancylosis (Heterographis) convexella** (Lederer,1855) (Pyralidae)
484. **Ancylosis (Heterographis) costistrigella** (Ragonot,1890) (Pyralidae)
485. **Ancylosis (Heterographis) dideganella** Roesler,1973 (Pyralidae)
486. **Ancylosis (Heterographis) externella** Roesler,1971 (Pyralidae)
487. **Ancylosis (Heterographis) faustinella** (Zeller,1867) (Pyralidae)
488. **Ancylosis (Heterographis) geminella** (Amsel,1961) (Pyralidae)
489. **Ancylosis (Heterographis) gracilella** Ragonot,1887 (Pyralidae)
490. **Ancylosis (Heterographis) harmoniella** (Ragonot,1887) (Pyralidae)
491. **Ancylosis (Heterographis) hellenica** (Staudinger,1870) (Pyralidae)
492. **Ancylosis (Heterographis) kazerunella** Roesler,1973 (Pyralidae)
493. **Ancylosis (Heterographis) muliebris** (Meyrick,1937) (Pyralidae)
494. **Ancylosis (Heterographis) nigripunctella** (Staudinger,1879) (Pyralidae)
495. **Ancylosis (Heterographis) nubeculella** (Ragonot,1887) (Pyralidae)
496. **Ancylosis (Heterographis) pallida** (Staudinger,1870) (Pyralidae)
497. **Ancylosis (Heterographis) pectinatella** Ragonot,1887 (Pyralidae)
498. **Ancylosis (Heterographis) pseudocandidatella** (Amsel,1935) (Pyralidae)
499. **Ancylosis (Heterographis) pyrethrella** (Herrich-Schäffer,1860) (Pyralidae)
500. **Ancylosis (Heterographis) rhodochrella** (Herrich-Schäffer,1855) (Pyralidae)
501. **Ancylosis (Heterographis) roscidella** (Eversmann,1844) (Pyralidae)
502. **Ancylosis (Heterographis) sabulosella** (Staudinger,1879) (Pyralidae)
503. **Ancylosis (Heterographis) samaritanella** (Zeller,1867) (Pyralidae)
504. **Ancylosis (Heterographis) smeczella** Roesler,1973 (Pyralidae)
505. **Ancylosis (Heterographis) syrtella** (Ragonot,1887) (Pyralidae)
506. **Ancylosis (Heterographis) umbrilimbella** (Ragonot,1901) (Pyralidae)
507. **Ancylosis (Heterographis) xylinema** (Staudinger,1870) (Pyralidae)
508. **Ancylosis (s.str.) cinnamomella** (Duponchel,1836) (Pyralidae)
509. **Ancylosis (s.str.) dryadella** (Ragonot,1887) (Pyralidae)
510. **Ancylosis (s.str.) dumetella** (Ragonot,1887) (Pyralidae)
511. **Ancylosis (s.str.) iranella** Ragonot,1887 (Pyralidae)
512. **Ancylosis (s.str.) maculifera** Staudinger,1870 (Pyralidae)
513. **Ancylosis (s.str.) ochricostella** Ragonot,1887 (Pyralidae)
514. **Ancylosis (s.str.) sareptella** (Herrich-Schäffer,1860) (Pyralidae)
515. **Ancylosis (s.str.) turaniella** Ragonot,1887 (Pyralidae)
516. **Ancylosis (s.str.) uncinatella** (Ragonot,1890) (Pyralidae)
517. **Ancylosis (Syria) arenosella** (Staudinger,1859) (Pyralidae)
518. **Ancylosis (Syria) biflexella** (Lederer,1855) (Pyralidae)
519. **Ancylosis (Syria) limoniella** (Chrétien,1911) (Pyralidae)
520. **Ancylosis (Syria) obscuripunctella** Roesler,1973 (Pyralidae)
521. **Ancylosis (Syria) sulcatella** (Christoph,1877) (Pyralidae)
522. **Ancylosis (Syria) sulcatella sulcatella** Christoph,1877 (Pyralidae)
523. **Ancylosis albicostella** Amsel,1951 (Pyralidae)
524. **Ancylsoma substratellum** (Christoph,1877) (Pyralidae)
525. **Anephoteryx designella** Amsel,1955 (Pyralidae)
526. **Anerastia lotella** (Hübner,[1813]) (Pyralidae)
527. **Angerona prunaria** (Linnaeus,1758) (Geometridae)
528. **Angustalius malacellus** (Duponchel,1836) (Pyralidae)
529. **Anomis sabulifera** (Guenée,1852) (Noctuidae)
530. **Antarchaea baischi** Hacker,1996 (Noctuidae)
531. **Antarchaea conicephala** (Staudinger,1870) (Noctuidae)
532. **Antarchaea erubescens** (A.Bang-Haas,1910) (Noctuidae)
533. **Antarchaea numisma** (Hübner,[1803]) (Noctuidae)
534. **Antennola impura** (Mann,1862) (Noctuidae)

535. **Anthene amarah** (Guérin-Méneville,1849) (Lycaenidae)
536. **Anthocharis cardamines** (Linnaeus,1758) (Pieridae)
537. **Anthocharis carolinae** Back,[2006] (Pieridae)
538. **Anthocharis damone** Boisduval,1836 (Pieridae)
539. **Anthocharis gruneri** Herrich-Schäffer,[1851] (Pieridae)
540. **Anthophila fabriciana** (Linnaeus,1767) (Choreutidae)
541. **Anthophilopsis baphialis** (Staudinger,1870) (Pyrilidae)
542. **Anthophilopsis moeschleri** (Christoph,1862) (Pyrilidae)
543. **Anthraxia eriopoda** (Herrich-Schäffer,[1851]) (Noctuidae)
544. **Anticlea badiata** (Lang,1789) (Geometridae)
545. **Anticlea callidaria** (De Joannis,1891) (Geometridae)
546. **Anticlea derivata** ([Denis & Schiffermüller],1775) (Geometridae)
547. **Antigastra catalaunalis** (Duponchel,1833) (Pyrilidae)
548. **Antitype chi** (Linnaeus,1758) (Noctuidae)
549. **Antitype chionodes** Boursin,1968 (Noctuidae)
550. **Antitype jonis** (Lederer,1865) (Noctuidae)
551. **Antitype suda** (Geyer,[1832]) (Noctuidae)
552. **Anumeta arabiae** Wiltshire,1961 (Noctuidae)
553. **Anumeta arax** Fibiger,1995 (Noctuidae)
554. **Anumeta asiatica** Wiltshire,1961 (Noctuidae)
555. **Anumeta atrosignata** Walker,1858 (Noctuidae)
556. **Anumeta cestis** (Ménétriés,1848) (Noctuidae)
557. **Anumeta hilgerti** Rothschild,1909 (Noctuidae)
558. **Anumeta sabulosa** Rothschild,1913 (Noctuidae)
559. **Anumeta spilota** (Erschoff,1874) (Noctuidae)
560. **Anumeta straminea** (A.Bang-Haas,1906) (Noctuidae)
561. **Anydrophila banghaasi** Brandt,1939 (Noctuidae)
562. **Anydrophila distincta** Brandt,1939 (Noctuidae)
563. **Anydrophila fouadi** Wiltshire,1947 (Noctuidae)
564. **Anydrophila hoerhammeri** Brandt,1939 (Noctuidae)
565. **Anydrophila sirdar** Brandt,1939 (Noctuidae)
566. **Anydrophila stuebeli** (Calberla,1891) (Noctuidae)
567. **Apamea anceps** ([Denis & Schiffermüller],1775) (Noctuidae)
568. **Apamea aquila** Donzel,1837 (Noctuidae)
569. **Apamea crenata** (Hufnagel,1766) (Noctuidae)
570. **Apamea epomidion** (Haworth,1809) (Noctuidae)
571. **Apamea euxinia** Hacker,1985 (Noctuidae)
572. **Apamea ferrago** (Eversmann,1837) (Noctuidae)
573. **Apamea furva** ([Denis & Schiffermüller],1775) (Noctuidae)
574. **Apamea illyria** Freyer,1846 (Noctuidae)
575. **Apamea indiges** (Turati,1926) (Noctuidae)
576. **Apamea lateritia** (Hufnagel,1766) (Noctuidae)
577. **Apamea leucodon** (Eversmann,1837) (Noctuidae)
578. **Apamea lithoxylaea** (Fabricius,1787) (Noctuidae)
579. **Apamea maraschi** (Draudt,1934) (Noctuidae)
580. **Apamea monoglypha** (Hufnagel,1766) (Noctuidae)
581. **Apamea oblonga** (Haworth,[1809]) (Noctuidae)
582. **Apamea platinea** (Treitschke,1825) (Noctuidae)
583. **Apamea polyglypha** (Staudinger,1892) (Noctuidae)
584. **Apamea pyxina** (A.Bang-Haas,1910) (Noctuidae)
585. **Apamea remissa** (Hübner,[1809]) (Noctuidae)
586. **Apamea rjaboviana** Mikkola, Varga & Lafontaine, (Noctuidae)
587. **Apamea scolopacina** (Esper,1788) (Noctuidae)
588. **Apamea sicula** (Turati,1909) (Noctuidae)
589. **Apamea sordens** (Hufnagel,1766) (Noctuidae)
590. **Apamea sublustris** (Esper,[1788]) (Noctuidae)
591. **Apamea syriaca** (Osthelder,1933) (Noctuidae)
592. **Apamea unanimis** (Hübner,[1813]) (Noctuidae)
593. **Apamea zeta** (Treitschke,1825) (Noctuidae)
594. **Apatema fasciatum** (Stainton,1859) (Autostichidae)
595. **Apatema mediopallidum** Walsingham,1900 (Autostichidae)
596. **Apatetris mirabella** Staudinger,1879 (Gelechiidae)
597. **Apatura ilia** ([Denis & Schiffermüller],1775) (Argynnididae)
598. **Apatura metis** Freyer,1829 (Argynnididae)
599. **Apaustis rupicola** ([Denis & Schiffermüller],1775) (Noctuidae)
600. **Apeira syringaria** (Linnaeus,1758) (Geometridae)
601. **Aphantopus hyperantus** (Linnaeus,1758) (Satyridae)
602. **Aphelia** (s.str.) **viburniana** (Fabricius,1787) (Tortricidae)
603. **Aphelia** (Zelotherses) **christophi** Obratzsov,1955 (Tortricidae)
604. **Aphelia** (Zelotherses) **conscia** Razowski,1981 (Tortricidae)
605. **Aphelia** (Zelotherses) **euxina** (Djakonov,1929) (Tortricidae)
606. **Aphelia** (Zelotherses) **galilaica** Obratzsov,1968 (Tortricidae)
607. **Aphelia** (Zelotherses) **icteratana** (Staudinger,1880) (Tortricidae)

608. *Aphelia (Zelothereses) ignoratana* (Staudinger,1880) (Tortricidae)
 609. *Aphelia (Zelothereses) imperfectana* (Lederer,1858) (Tortricidae)
 610. *Aphelia (Zelothereses) insincera* (Meyrick,1912) (Tortricidae)
 611. *Aphelia (Zelothereses) ochreana* (Hübner,[1799]) (Tortricidae)
 612. *Aphelia (Zelothereses) paleana* (Hübner,1793) (Tortricidae)
 613. *Aphomia opticogramma* (Meyrick,1936) (Pyrilidae)
 614. *Aphomia sapozhnikovi* (Krulikovsky,1909) (Pyrilidae)
 615. *Aphomia sociella* (Linnaeus,1758) (Pyrilidae)
 616. *Aphomia unicolor* (Staudinger,1870) (Pyrilidae)
 617. *Apiletria (Aretascetis) apaurta* Gozmany,1965 (Autostichidae)
 618. *Apiletria (Aretascetis) endoperena* (Meyrick,1936) (Autostichidae)
 619. *Apiletria (Aretascetis) murcidella* (Christoph,1876) (Autostichidae)
 620. *Apiletria (Aretascetis) purulentella* Stainton,1867 (Autostichidae)
 621. *Apiletria (s.str.) luella* Lederer,1855 (Autostichidae)
 622. *Apiletria (Xystoceros) artaxerxes* Gozmany,1965 (Autostichidae)
 623. *Apiletria (Xystoceros) nervosa* Stainton,1867 (Autostichidae)
 624. *Aplasta ononaria* (Fuessly,1783) (Geometridae)
 625. *Aplocera annexata* (Freyer,[1830]) (Geometridae)
 626. *Aplocera columbata* (Metzner,1845) (Geometridae)
 627. *Aplocera dervenaria* Mentzer,1981 (Geometridae)
 628. *Aplocera efformata* (Guenée,[1858]) (Geometridae)
 629. *Aplocera fraternata* (Herrich-Schäffer,1861) (Geometridae)
 630. *Aplocera fraudulentata* (Herrich-Schäffer,1861) (Geometridae)
 631. *Aplocera guneyi* Riemis,1992 (Geometridae)
 632. *Aplocera mundata* (Staudinger,1892) (Geometridae)
 633. *Aplocera mundulata* (Guenée,[1858]) (Geometridae)
 634. *Aplocera musculata* (Staudinger,1892) (Geometridae)
 635. *Aplocera numidaria* (Herrich-Schäffer,[1852]) (Geometridae)
 636. *Aplocera obsitaria* (Lederer,1853) (Geometridae)
 637. *Aplocera opificata* (Lederer,1870) (Geometridae)
 638. *Aplocera palumbata* Mentzer,1981 (Geometridae)
 639. *Aplocera plagiata* (Linnaeus,1758) (Geometridae)
 640. *Aplocera simplicata* (Treitschke,1835) (Geometridae)
 641. *Aplocera uniformata* (Urbahn,1971) (Geometridae)
 642. *Apocheima hispidarium* ([Denis & Schiffermüller],1775) (Geometridae)
 643. *Apochima diaphanaria* (Püngeler,1904) (Geometridae)
 644. *Apochima flabellaria* (Heeger,1838) (Geometridae)
 645. *Apoda limacodes* (Hufnagel,1766) (Limacodidae)
 646. *Apodia bifractella* (Duponchel,1843) (Gelechiidae)
 647. *Apomyelois ceratoniae* (Zeller,1839) (Pyrilidae)
 648. *Apomyelois demawendella* (Zerny,1939) (Pyrilidae)
 649. *Apomyelois schaeuffelella* Amsel,1959 (Pyrilidae)
 650. *Apopetes noe* L.Ronkay,1990 (Noctuidae)
 651. *Apopetes phantasma* (Eversmann,1843) (Noctuidae)
 652. *Apopetes spectrum* (Esper,[1787]) (Noctuidae)
 653. *Aporia (Metapororia) leucodice* (Eversmann,1843) (Pieridae)
 654. *Aporia (s.str.) crataegi* (Linnaeus,1758) (Pieridae)
 655. *Aporodes ? pygmaealis* Amsel,1961 (Pyrilidae)
 656. *Aporodes floralis* (Hübner,[1809]) (Pyrilidae)
 657. *Aporodes nepticulalis* Hofmann,[1898] (Pyrilidae)
 658. *Aporophyla australis* (Boisduval,1829) (Noctuidae)
 659. *Aporophyla canescens* (Duponchel,1826) (Noctuidae)
 660. *Aporophyla dipsalea* Wiltshire,1941 (Noctuidae)
 661. *Aporophyla lutulenta* ([Denis & Schiffermüller],1775) (Noctuidae)
 662. *Aporophyla nigra* (Haworth,[1809]) (Noctuidae)
 663. *Apostibes griseolineata* Walsingham,1907 (Scythridae)
 664. *Apotomis capreana* (Hübner,[1817]) (Tortricidae)
 665. *Approaerema anthyllidella* (Hübner,[1813]) (Gelechiidae)
 666. *Aproceratia rhexogramma* (Meyrick,1937) (Pyrilidae)
 667. *Aprominta aga* Gozmany,1962 (Autostichidae)
 668. *Aprominta aladdin* Gozmany,1963 (Autostichidae)
 669. *Aprominta arenbergeri* Gozmany,1968 (Autostichidae)
 670. *Aprominta bifasciata* (Staudinger,1870) (Autostichidae)
 671. *Aprominta designatella* (Herrich-Schäffer,[1855]) (Autostichidae)
 672. *Aprominta syriacella* Ragonot,1895 (Autostichidae)
 673. *Apterona crenulella* (Bruand,1853) (Psychidae)
 674. *Apterona helicoidella* (Vallot,1827) (Psychidae)
 675. *Apyrausta persicalis* Amsel,1951 (Pyrilidae)

676. **Araeopteron ecphaea** (Hampson,1914)
(Noctuidae)
677. **Araschnia levana** (Linnaeus,1758)
(Argynnidae)
678. **Archanaara algae** (Esper,[1789])
(Noctuidae)
679. **Archanaara dissoluta** (Treitschke,1825)
(Noctuidae)
680. **Archanaara geminipuncta**
(Haworth,1809) (Noctuidae)
681. **Archanaara insoluta** W.Warren,1911
(Noctuidae)
682. **Archanaara sparganii** (Esper,[1790])
(Noctuidae)
683. **Archanaara wiltshirei** Bytinski-Salz,1936
(Noctuidae)
684. **Archiearis notha** (Hübner,[1803])
(Geometridae)
685. **Archiearis parthenias** (Linnaeus,1761)
(Geometridae)
686. **Archiephestia adpiscinella**
(Chrétien,1911) (Pyrilidae)
687. **Archips crataeganus** (Hübner,[1799])
(Tortricidae)
688. **Archips podanus** (Scopoli,1763)
(Tortricidae)
689. **Archips rosanus** (Linnaeus,1758)
(Tortricidae)
690. **Archips xylosteanus** (Linnaeus,1758)
(Tortricidae)
691. **Archon apollinaris** (Staudinger,[1892])
(Papilionidae)
692. **Archon apollinus** (Herbst,1798)
(Papilionidae)
693. **Archon bostanchii** De Freina &
Naderi,2003 (Papilionidae)
694. **Arctia (Epicallia) villica**
(Linnaeus,1758) (Arctiidae)
695. **Arctia (Eucharha) festiva**
(Hufnagel,1766) (Arctiidae)
696. **Arctia (s.str.) caja** (Linnaeus,1758)
(Arctiidae)
697. **Arctia (s.str.) flavia** (Fuessly,1779)
(Arctiidae)
698. **Arctornis l-nigrum** (Müller,1764)
(Lymantriidae)
699. **Ardekania farsella** Amsel,1951
(Pyrilidae)
700. **Arenipses sabella** Hampson,1901
(Pyrilidae)
701. **Arenostola delattini** Wiltshire,1953
(Noctuidae)
702. **Arenostola deserticola**
(Staudinger,1900) (Noctuidae)
703. **Arenostola phragmitidis**
(Hübner,[1803]) (Noctuidae)
704. **Arenostola unicolor** W.Warren,1914
(Noctuidae)
705. **Arethusana arethusana** ([Denis &
Schifferrmüller],1775) (Satyridae)
706. **Argina astrea** (Drury,[1773]) (Arctiidae)
707. **Argynnis (Fabriciana) adippe**
(Rottemburg,1775) (Argynnidae)
708. **Argynnis (Fabriciana) niobe**
(Linnaeus,1758) (Argynnidae)
709. **Argynnis (Pandoriana) pandora**
([Denis & Schifferrmüller],1775) (Argynnidae)
710. **Argynnis (s.str.) paphia** (Linnaeus,1758)
(Argynnidae)
711. **Argynnis (Speyeria) aglaja** (Linnaeus,1758)
(Argynnidae)
712. **Argynnis (Speyeria) alexandra**
Ménétriés,1832 (Argynnidae)
713. **Argyresthia (Blastotere) impura**
(Staudinger,1879) (Yponomeutidae)
714. **Argyresthia (s.str.) abdominalis** Zeller,1839
(Yponomeutidae)
715. **Argyresthia (s.str.) conjugella** Zeller,1839
(Yponomeutidae)
716. **Argyresthia (s.str.) mirabiella** Toll,1947
(Yponomeutidae)
717. **Argyresthia (s.str.) pretiosa**
Staudinger,1879 (Yponomeutidae)
718. **Argyresthia (s.str.) pruniella** (Clerck,1759)
(Yponomeutidae)
719. **Argyresthia (s.str.) spinosella**
Stainton,1849 (Yponomeutidae)
720. **Argyrospila succinea** (Esper,[1798])
(Noctuidae)
721. **Argyrotaenia ljungiana** (Thunberg,1797)
(Tortricidae)
722. **Arimania komaroffi** (Ragonot,1888)
(Pyrilidae)
723. **Aristotelia baltica** A.Sulcs & I.Sulcs,1983
(Gelechiidae)
724. **Aristotelia cupreella** Zerny,1934
(Gelechiidae)
725. **Aristotelia decoratella** (Staudinger,1880)
(Gelechiidae)
726. **Aristotelia decurtella** (Hübner,[1813])
(Gelechiidae)
727. **Aristotelia euprepella** Zerny,1934
(Gelechiidae)
728. **Aristotelia fervidella** Mann,1864
(Gelechiidae)
729. **Aristotelia jactatrix** Meyrick,1926
(Gelechiidae)
730. **Aristotelia osthelderi** Rebel,1935
(Gelechiidae)
731. **Aristotelia pancaliella** (Staudinger,1871)
(Gelechiidae)
732. **Aristotelia parvula** (Staudinger,1879)
(Gelechiidae)
733. **Aristotelia punctatella** (Staudinger,1879)
(Gelechiidae)
734. **Aristotelia retusella** Rebel,1891 (Gelechiidae)
735. **Aristotelia servella** Zeller,1839 (Gelechiidae)
736. **Aristotelia striatopunctella** Rebel,1891
(Gelechiidae)
737. **Aristotelia subericinella** (Duponchel,1843)
(Gelechiidae)
738. **Aristotelia unifasciella** Rebel,1929
(Gelechiidae)
739. **Armada clio** (Staudinger,1884)
(Noctuidae)
740. **Armada dentata** (Staudinger,1884)
(Noctuidae)
741. **Armada fletcheri** Wiltshire,1961 (Noctuidae)
742. **Armada heliothidia** (Hampson,1896)
(Noctuidae)
743. **Armada maritima** Brandt,1939 (Noctuidae)
744. **Armada panaceorum** (Ménétriés,1849)
(Noctuidae)
745. **Aroga aristotelis** (Millière,1875)
(Gelechiidae)

746. **Aroga flavicomella** (Zeller,1839)
(Gelechiidae)
747. **Aroga pascuicola** (Staudinger,1871)
(Gelechiidae)
748. **Aroga peperistis** (Meyrick,1926)
(Gelechiidae)
749. **Aroga velocella** (Zeller,1839)
(Gelechiidae)
750. **Arragonia anatolica** Gozmany,1986
(Autostichidae)
751. **Arsissa aksuella** (Caradja,1910) (Pyrilidae)
752. **Arsissa divaricella** (Ragonot,1887)
(Pyrilidae)
753. **Arsissa leucomixtella** (Ragonot,1887)
(Pyrilidae)
754. **Arsissa milka** Roesler,1990 (Pyrilidae)
755. **Arsissa miridella** (Ragonot,1893) (Pyrilidae)
756. **Arsissa ramosella** (Herrich-Schäffer,[1855]) (Pyrilidae)
757. **Artiora evonymaria** (Hübner,[1799])
(Geometridae)
758. **Asalebria (Exophora) alida**
Roesler,1988 (Pyrilidae)
759. **Asalebria (Exophora) exasperata**
(Staudinger,1879) (Pyrilidae)
760. **Asalebria (Exophora) florella**
(Mann,1862) (Pyrilidae)
761. **Asalebria (s.str.) amphipyrria**
(Meyrick,1937) (Pyrilidae)
762. **Asalebria (s.str.) argyrophanes**
(Meyrick,1937) (Pyrilidae)
763. **Asalebria (s.str.) venustella**
(Ragonot,1887) (Pyrilidae)
764. **Asarta ciliciella** Staudinger,1879
(Pyrilidae)
765. **Asarta firusella** Amsel,1961 (Pyrilidae)
766. **Asbolistis chthoniopa** Meyrick,1936
(Gelechiidae)
767. **Ascalenia acaciella** Chrétien,1915
(Cosmopterigidae)
768. **Ascalenia antiqua** Meyrick,1925
(Cosmopterigidae)
769. **Ascalenia callynella** Kasy,1968
(Cosmopterigidae)
770. **Ascalenia echidnias** (Meyrick,1891)
(Cosmopterigidae)
771. **Ascalenia imbella** Kasy,1974
(Cosmopterigidae)
772. **Ascalenia jerichoella** (Amsel,1935)
(Cosmopterigidae)
773. **Ascalenia kairaella** Kasy,1969
(Cosmopterigidae)
774. **Ascalenia pachnodes** (Meyrick,1917)
(Cosmopterigidae)
775. **Ascalenia signatella** Chrétien,1915
(Cosmopterigidae)
776. **Ascalenia sirjanella** Kasy,1975
(Cosmopterigidae)
777. **Ascalenia vanella** (Frey,1860)
(Cosmopterigidae)
778. **Ascalenia vanelloides** Gerasimov,1930
(Cosmopterigidae)
779. **Ascalenia viviparella** Kasy,1969
(Cosmopterigidae)
780. **Ascotis selenaria** ([Denis &
Schifferrmüller],[1775]) (Geometridae)
781. **Asketria cervinana** (Caradja,1916)
(Tortricidae)
782. **Asovia maeoticaria** (Alpheraky,1876)
(Geometridae)
783. **Asphalia ruficollis** (Fabricius,1787)
(Thyatiidae)
784. **Aspilapteryx (s.str.) magna**
Triberti,1985 (Gracillariidae)
785. **Aspilapteryx (s.str.) tringipennella**
(Zeller,1839) (Gracillariidae)
786. **Aspilapteryx (Sabulopteryx) inquinata**
Triberti,1985 (Gracillariidae)
787. **Aspilapteryx (Sabulopteryx) limosella**
(Duponchel,1844) (Gracillariidae)
788. **Aspitates ochrearia** (Rossi,1794)
(Geometridae)
789. **Assara turciella** Roesler,1973 (Pyrilidae)
790. **Asteroscopus sphinx** (Hufnagel,1766)
(Noctuidae)
791. **Asteroscopus syriaca** (W. Warren,1910)
(Noctuidae)
792. **Asthena albulata** (Hufnagel,1767)
(Geometridae)
793. **Asthena chionata** (Lederer,1870)
(Geometridae)
794. **Ateliotum arabicum** G.Petersen,1961
(Tineidae)
795. **Ateliotum confusum** G.Petersen,1966
(Tineidae)
796. **Ateliotum hungaricellum** Zeller,1839
(Tineidae)
797. **Ateliotum petrinellum** (Herrich-Schäffer,1853) (Tineidae)
798. **Ateliotum syriacum** (Caradja,1920)
(Tineidae)
799. **Ateliotum taurensis** Zagulyaev,1966
(Tineidae)
800. **Atemelia torquatella** (Lienig &
Zeller,1846) (Yponomeutidae)
801. **Aterpia anderegana** Guenée,1845
(Tortricidae)
802. **Aterpia flavens** Falkovitsh,1966
(Tortricidae)
803. **Atethmia ambusta** (Fabricius,1787)
(Noctuidae)
804. **Atethmia centrigo** (Haworth,[1809])
(Noctuidae)
805. **Atethmia obscura** Osthelder,1933
(Noctuidae)
806. **Atethmia pinkeri** (Boursin,1970)
(Noctuidae)
807. **Atethmia sinuata** L.Ronkay &
Gyulai,2006 (Noctuidae)
808. **Athetis furvula** (Hübner,[1808])
(Noctuidae)
809. **Athetis gluteosa** (Treitschke,1835)
(Noctuidae)
810. **Athetis pallustris** (Hübner,[1808])
(Noctuidae)
811. **Athrips amoenella** (Frey,1882) (Gelechiidae)
812. **Athrips nigricostella** (Duponchel,1842)
(Gelechiidae)
813. **Athrips rancidella** (Herrich-Schäffer,[1854]) (Gelechiidae)
814. **Atolmis rubricollis** (Linnaeus,1758)
(Arctiidae)
815. **Atomorpha hedemanni** (Christoph,1885)
(Geometridae)
816. **Atralata albofascialis** (Treitschke,1829)
(Pyrilidae)

817. *Atremaea lonchoptera* Staudinger, 1871 (Gelechiidae)
818. *Atypha pulmonaris* (Esper, [1790]) (Noctuidae)
819. *Auchmis* (s.str.) *detersa* (Esper, [1791]) (Noctuidae)
820. *Auchmis* (s.str.) *peterseni* (Christoph, 1887) (Noctuidae)
821. *Augasma aeratellum* (Zeller, 1839) (Coleophoridae)
822. *Augasma nitens* Amsel, 1935 (Coleophoridae)
823. *Autographa aemula* ([Denis & Schiffermüller], 1775) (Noctuidae)
824. *Autographa bractea* ([Denis & Schiffermüller], 1775) (Noctuidae)
825. *Autographa camptosema* (Hampson, 1913) (Noctuidae)
826. *Autographa gamma* (Linnaeus, 1758) (Noctuidae)
827. *Autographa jota* (Linnaeus, 1758) (Noctuidae)
828. *Autophila* (*Cheirophanes*) *anaphanes* Boursin, 1940 (Noctuidae)
829. *Autophila* (*Cheirophanes*) *cataphanes* (Hübner, [1813]) (Noctuidae)
830. *Autophila* (*Cheirophanes*) *chamaephanes* Boursin, 1940 (Noctuidae)
831. *Autophila* (*Cheirophanes*) *cymaenotaenia* Boursin, 1940 (Noctuidae)
832. *Autophila* (*Cheirophanes*) *gracilis* (Staudinger, 1874) (Noctuidae)
833. *Autophila* (*Cheirophanes*) *ligaminosa* (Eversmann, 1851) (Noctuidae)
834. *Autophila* (*Cheirophanes*) *pauli* Boursin, 1940 (Noctuidae)
835. *Autophila* (*Cheirophanes*) *plattneri* Boursin, 1955 (Noctuidae)
836. *Autophila* (s.str.) *asiatica* (Staudinger, 1888) (Noctuidae)
837. *Autophila* (s.str.) *banghaasi* Boursin, 1940 (Noctuidae)
838. *Autophila* (s.str.) *cerealis* (Staudinger, 1871) (Noctuidae)
839. *Autophila* (s.str.) *cinnamonea* L. Ronkay, 1989 (Noctuidae)
840. *Autophila* (s.str.) *depressa* (Püngeler, 1914) (Noctuidae)
841. *Autophila* (s.str.) *dilucida* (Hübner, [1808]) (Noctuidae)
842. *Autophila* (s.str.) *einsleri* Amsel, 1935 (Noctuidae)
843. *Autophila* (s.str.) *eurytaenia* Boursin, 1963 (Noctuidae)
844. *Autophila* (s.str.) *hirsuta* (Staudinger, 1870) (Noctuidae)
845. *Autophila* (s.str.) *iranica* L. Ronkay, 1989 (Noctuidae)
846. *Autophila* (s.str.) *libanotica* (Staudinger, 1901) (Noctuidae)
847. *Autophila* (s.str.) *limbata* (Staudinger, 1871) (Noctuidae)
848. *Autophila* (s.str.) *sinesafida* Wiltshire, 1952 (Noctuidae)
849. *Autophila* (s.str.) *subfusca* (Christoph, 1893) (Noctuidae)
850. *Autophila* (s.str.) *vespertalis* (Staudinger, 1896) (Noctuidae)
851. *Auxacia bilineella* (Ragonot, 1887) (Pyralidae)
852. *Axia* (*Epicimelia*) *theresia* (Korb, 1900) (Cimeliidae)
853. *Axia* (s.str.) *olga* Staudinger, 1900 (Cimeliidae)
854. *Axiopoena karelini* Ménétrés, 1863 (Arctiidae)
855. *Axiopoena maura* (Eichwald, 1830) (Arctiidae)
856. *Axylia putris* (Linnaeus, 1761) (Noctuidae)
857. *Azonus* (s.str.) *jesous* (Guérin-Méneville, 1849) (Lycaenidae)
858. *Azonus* (s.str.) *ubaldus* (Stoll, [1782]) (Lycaenidae)
859. *Azerturkia signatoria* (Christoph, 1893) (Lymantriidae)
860. *Azygophleps regia* (Staudinger, 1892) (Cossidae)
861. *Bactra* (*Chiloides*) *simpliciana* Chrétien, 1915 (Tortricidae)
862. *Bactra* (*Chiloides*) *venosana* (Zeller, 1847) (Tortricidae)
863. *Bactra* (s.str.) *baetrana* (Kennel, 1901) (Tortricidae)
864. *Bactra* (s.str.) *fumosana* Kennel, 1900 (Tortricidae)
865. *Bactra* (s.str.) *furfurana* (Haworth, [1811]) (Tortricidae)
866. *Bactra* (s.str.) *graminivora* Meyrick, 1922 (Tortricidae)
867. *Bactra* (s.str.) *lancealana* (Hübner, [1799]) (Tortricidae)
868. *Bactra* (s.str.) *longiqua* Diakonoff, 1959 (Tortricidae)
869. *Bactra* (s.str.) *robustana* (Christoph, 1872) (Tortricidae)
870. *Bactrianoscythris satyrella* (Staudinger, 1880) (Scythridae)
871. *Bagdadia irakella* Amsel, 1949 (Gelechiidae)
872. *Bankesia pallida* (Staudinger, 1879) (Psychidae)
873. *Barbara herrichiana* Obraztsov, 1960 (Tortricidae)
874. *Barbara osmana* Obraztsov, 1952 (Tortricidae)
875. *Basistriga flammata* ([Denis & Schiffermüller], 1775) (Noctuidae)
876. *Batia lunaris* (Haworth, [1828]) (Oecophoridae)
877. *Batrachedra amydraula* Meyrick, 1916 (Batrachedridae)
878. *Batrachedra philocarpa* Meyrick, 1921 (Batrachedridae)
879. *Bazaria gilvella* (Ragonot, 1887) (Pyralidae)
880. *Bazaria kuranella* (Amsel, 1970) (Pyralidae)
881. *Bazaria leuchochrella* (Herrich-Schäffer, [1855]) (Pyralidae)
882. *Bazaria nomiella* (Ragonot, 1887) (Pyralidae)
883. *Bazaria pempeliella* Ragonot, 1893 (Pyralidae)
884. *Bazaria sieversi* (Christoph, 1877) (Pyralidae)

885. **Bazaria turensis** Ragonot,1887
(Pyrilidae)
886. **Bedellia somnulentella** (Zeller,1847)
(Lyonetiidae)
887. **Behounekia freyeri** (Frivaldsky,1835)
(Noctuidae)
888. **Belenois aurota** (Fabricius,1793)
(Pieridae)
889. **Belutchistania squamalis** Amsel,1951
(Pyrilidae)
890. **Bembecia (Ductispina) transcaucasica**
(Staudinger,1891) (Sesiidae)
891. **Bembecia (Pseudosphecia) stiziformis**
(Herrich-Schäffer,1851) (Sesiidae)
892. **Bembecia aladagica** Gorbunov &
K.Spatenka,2001 (Sesiidae)
893. **Bembecia albanensis** (Rebel,1918)
(Sesiidae)
894. **Bembecia apyra** (Le Cerf,1937) (Sesiidae)
895. **Bembecia buxea** Gorbunov,1989
(Sesiidae)
896. **Bembecia gegamica** Gorbunov,1991
(Sesiidae)
897. **Bembecia hofmanni** Kallies &
K.Spatenka,2003 (Sesiidae)
898. **Bembecia ichneumoniformis** ([Denis &
Schifferrmüller],1775) (Sesiidae)
899. **Bembecia illustris** (Rebel,1901)
(Sesiidae)
900. **Bembecia lomataeformis** Lederer,1853
(Sesiidae)
901. **Bembecia molleti** Kallies &
K.Spatenka,2003 (Sesiidae)
902. **Bembecia parthica** (Lederer,1870)
(Sesiidae)
903. **Bembecia peterseni** K.Spatenka,1997
(Sesiidae)
904. **Bembecia pontica** (Staudinger,1891)
(Sesiidae)
905. **Bembecia priesneri** Kallies et al.,1998
(Sesiidae)
906. **Bembecia sanguinolenta**
(Lederer,1853) (Sesiidae)
907. **Bembecia scopigera** (Scopoli,1763)
(Sesiidae)
908. **Bembecia staryi** K.Spatenka &
Gorbunov,1992 (Sesiidae)
909. **Bembecia syzcyjovi** Gorbunov,1990
(Sesiidae)
910. **Bembecia uroceriformis** (Treitschke,1834)
(Sesiidae)
911. **Bembecia zuvandica** Gorbunov,1987
(Sesiidae)
912. **Bena bicolorana** (Fuessly,1775) (Noctuidae)
913. **Benderia talhouki** Amsel,1949 (Pyrilidae)
914. **Benshirachia paradoxa** Gyulai, Varga &
L.Ronkay,2002 (Noctuidae)
915. **Bifascia nigralbella** (Chrétien,1915)
(Mompidae)
916. **Bifascioides leucomelanellus** (Rebel,1917)
(Mompidae)
917. **Bifascioides yemenellus** (Amsel,1961)
(Mompidae)
918. **Bijugis bombycella** ([Denis &
Schifferrmüller],1775) (Psychidae)
919. **Bijugis pectinella** ([Denis &
Schifferrmüller],1775) (Psychidae)
920. **Biston achyrus** Wehrli,1936
(Geometridae)
921. **Biston betularius** (Linnaeus,1758)
(Geometridae)
922. **Biston stratarius** (Hufnagel,1767)
(Geometridae)
923. **Blastobasis phycidella** (Zeller,1839)
(Blastobasidae)
924. **Blastodacna libanotica** Diakonoff,1939
(Agonoxenidae)
925. **Bocchoris bleusei** (Oberthür,1887)
(Pyrilidae)
926. **Boloria (Clossiana) dia** (Linnaeus,1767)
(Argynnidae)
927. **Boloria (Clossiana) euphrosyne**
(Linnaeus,1758) (Argynnidae)
928. **Boloria (Proclossiana) eunomia**
(Esper,[1799]) (Argynnidae)
929. **Boloria (s.str.) caucasica**
(Lederer,1852) (Argynnidae)
930. **Boloria (s.str.) graeca**
(Staudinger,1870) (Argynnidae)
931. **Bombyx mori** (Linnaeus,1758) (Bombycidae)
932. **Borbo borbonica** (Boisduval,1833)
(Hesperiidae)
933. **Borkhausenien ? cinerariella** Mann,1859
(Oecophoridae)
934. **Borkhausenien ? coeruleopicta**
Christoph,1888 (Oecophoridae)
935. **Borkhausenien ? haasi** Rebel,1902
(Oecophoridae)
936. **Borkhausenien minutella**
(Linnaeus,1758) (Oecophoridae)
937. **Borkhausenien osthelderi** Rebel,1935
(Oecophoridae)
938. **Borkhausenien trigutta**
(Christoph,1888) (Oecophoridae)
939. **Bostra atomalis** Amsel (Pyrilidae)
940. **Bostra bifascialis** Amsel,1950 (Pyrilidae)
941. **Bostra comealis** Amsel,1951 (Pyrilidae)
942. **Bostra farsalis** Amsel,1950 (Pyrilidae)
943. **Bostra fuscella** Amsel,1959 (Pyrilidae)
944. **Bostra kirmanialis** Amsel,1961
(Pyrilidae)
945. **Bostra laristanalis** Amsel,1961
(Pyrilidae)
946. **Bostra luteocostalis** Amsel,1950
(Pyrilidae)
947. **Bostra marginalis** Rothschild,1921
(Pyrilidae)
948. **Bostra minimalis** Amsel,1949 (Pyrilidae)
949. **Bostra pseudospaniella** Amsel,1951
(Pyrilidae)
950. **Bostra shirazalis** Amsel,1961 (Pyrilidae)
951. **Boursinia deceptrix** (Staudinger,1900)
(Noctuidae)
952. **Boursinia discordans** (Boursin,1940)
(Noctuidae)
953. **Boursinia ferdovsi** (Brandt,1941)
(Noctuidae)
954. **Boursinia oxygramma** Brandt,1938
(Noctuidae)
955. **Boursinia symmicta** Brandt,1938
(Noctuidae)
956. **Brachmia blandella** (Fabricius,1798)
(Gelechiidae)
957. **Brachodes anatolicus** Kallies,2001
(Brachodidae)

958. **Brachodes appendiculata** (Esper,[1783]) (Brachodidae)
 959. **Brachodes araxella** Zagulyaev,1999 (Brachodidae)
 960. **Brachodes beryti** (Stainton,1867) (Brachodidae)
 961. **Brachodes buxeus** Kallies,2001 (Brachodidae)
 962. **Brachodes candefacta** (Lederer,1858) (Brachodidae)
 963. **Brachodes compar** (Staudinger,1879) (Brachodidae)
 964. **Brachodes dispar** (Herrich-Schäffer,[1854]) (Brachodidae)
 965. **Brachodes elbursiensis** Zagulyaev,1999 (Brachodidae)
 966. **Brachodes formosus** (Amsel,1953) (Brachodidae)
 967. **Brachodes fulguritus** (Fischer v. Waldheim,1832) (Brachodidae)
 968. **Brachodes keredjella** (Amsel,1953) (Brachodidae)
 969. **Brachodes mesopotamicus** (Amsel,1949) (Brachodidae)
 970. **Brachodes monotonus** (Amsel,1953) (Brachodidae)
 971. **Brachodes nana** (Treitschke,1834) (Brachodidae)
 972. **Brachodes orientalis** (Rebel,1905) (Brachodidae)
 973. **Brachodes pumilus** (Ochsenheimer,1808) (Brachodidae)
 974. **Brachodes radiatus** (Christoph,1873) (Brachodidae)
 975. **Brachodes rhagensis** (Lederer,1869) (Brachodidae)
 976. **Brachodes tristis** (Staudinger,1879) (Brachodidae)
 977. **Brachygalea albolineata** (Blachier,1905) (Noctuidae)
 978. **Brachygalea kalchbergi** (Staudinger,1897) (Noctuidae)
 979. **Brachygalea miskoi** Ronkay,1997 (Noctuidae)
 980. **Brachyglossina chaspia** Brandt,1938 (Geometridae)
 981. **Brachyglossina sciasmatica** Brandt,1941 (Geometridae)
 982. **Brachyglossina staudingeri** L.B.Prout,1932 (Geometridae)
 983. **Brachylomia uralensis** (W.Warren,1910) (Noctuidae)
 984. **Brachylomia viminalis** (Fabricius,1777) (Noctuidae)
 985. **Bradyrrhoa cantenerella** (Duponchel,1837) (Pyrilidae)
 986. **Bradyrrhoa confiniella** Zeller,1848 (Pyrilidae)
 987. **Bradyrrhoa gilveolella** (Treitschke,1833) (Pyrilidae)
 988. **Bradyrrhoa mesobaphella** Ragonot,1888 (Pyrilidae)
 989. **Bradyrrhoa trapezella** (Duponchel,1836) (Pyrilidae)
 990. **Brahmaea** (s.str.) **christophi** Staudinger,1879 (Brahmaeidae)
 991. **Brahmaea** (s.str.) **ledereri** Rogenhofer,1873 (Brahmaeidae)
 992. **Brandtaxia discalis** (Brandt,1941) (Noctuidae)
 993. **Brandtina albonigra** Bytinski-Salz & Brandt,1937 (Noctuidae)
 994. **Brenthis daphne** (Bergsträsser,1780) (Argynnidae)
 995. **Brenthis hecate** ([Denis & Schiffermüller],1775) (Argynnidae)
 996. **Brenthis ino** (Rottemburg,1775) (Argynnidae)
 997. **Brenthis mofidii** Wyatt,1968 (Argynnidae)
 998. **Brintesia circe** (Fabricius,1775) (Satyridae)
 999. **Bruandia reticulatella** (Bruand,1853) (Psychidae)
 1000. **Bryomima carducha** Staudinger,1900 (Noctuidae)
 1001. **Bryomima defreina** Hacker,[1987] (Noctuidae)
 1002. **Bryomima dilutior** Schwingenschuss,1937 (Noctuidae)
 1003. **Bryomima hakkariensis** De Freina & Hacker,1985 (Noctuidae)
 1004. **Bryomima luteosordida** Osthelder,1933 (Noctuidae)
 1005. **Bryophilopsis roederi** (Standfuss,1892) (Noctuidae)
 1006. **Bryotropha affinis** (Haworth,1828) (Gelechiidae)
 1007. **Bryotropha arabica** Amsel,1952 (Gelechiidae)
 1008. **Bryotropha azovica** Bidzilya,1996 (Gelechiidae)
 1009. **Bryotropha desertella** (Douglas,1850) (Gelechiidae)
 1010. **Bryotropha domestica** (Haworth,1828) (Gelechiidae)
 1011. **Bryotropha dryadella** (Zeller,1850) (Gelechiidae)
 1012. **Bryotropha hendrikseni** Karsholt & Rutten,2005 (Gelechiidae)
 1013. **Bryotropha horribilis** Karsholt & Rutten,2005 (Gelechiidae)
 1014. **Bryotropha hulli** Karsholt & Rutten,2005 (Gelechiidae)
 1015. **Bryotropha plebejella** (Zeller,1847) (Gelechiidae)
 1016. **Bryotropha sabulosella** (Rebel,1905) (Gelechiidae)
 1017. **Bryotropha senectella** (Zeller,1839) (Gelechiidae)
 1018. **Bryotropha similis** (Stainton,1854) (Gelechiidae)
 1019. **Bryotropha sutteri** Karsholt & Rutten,2005 (Gelechiidae)
 1020. **Bryotropha tachyptilella** (Rebel,1916) (Gelechiidae)
 1021. **Bryotropha terrella** ([Denis & Schiffermüller],1775) (Gelechiidae)
 1022. **Bucculatrix albedinella** (Zeller,1839) (Bucculatricidae)
 1023. **Bucculatrix albella** Stainton,1867 (Bucculatricidae)
 1024. **Bucculatrix anthemidella** Deschka,1972 (Bucculatricidae)
 1025. **Bucculatrix basifuscella** Staudinger,1880 (Bucculatricidae)

1026. **Bucculatrix bechsteinella** (Bechstein & Scharfenberg,1805) (Bucculatricidae)
 1027. **Bucculatrix endospiralis** Deschka,1981 (Bucculatricidae)
 1028. **Bucculatrix infans** Staudinger,1880 (Bucculatricidae)
 1029. **Bucculatrix iranica** Deschka,1981 (Bucculatricidae)
 1030. **Bucculatrix nigricomella** (Zeller,1839) (Bucculatricidae)
 1031. **Bucculatrix oppositella** Staudinger,1880 (Bucculatricidae)
 1032. **Bucculatrix pseudosylvella** Rebel,1941 (Bucculatricidae)
 1033. **Bucculatrix ramallahensis** Amsel,1935 (Bucculatricidae)
 1034. **Bucculatrix telavivella** Amsel,1935 (Bucculatricidae)
 1035. **Bucculatrix ulmella** Zeller,1848 (Bucculatricidae)
 1036. **Bucculatrix zizyphella** Chrétien,1907 (Bucculatricidae)
 1037. **Bufoidia ledereri** (Koçak,1981) (Lasiocampidae)
 1038. **Bupalus piniarius** (Linnaeus,1758) (Geometridae)
 1039. **Buszkoiana capnodactyla** (Zeller,1841) (Pterophoridae)
 1040. **Cabera exanthemata** (Scopoli,1763) (Geometridae)
 1041. **Cabera pusaria** (Linnaeus,1758) (Geometridae)
 1042. **Cacochroa permixtella** (Herrich-Schäffer,[1855]) (Oecophoridae)
 1043. **Cacoecimorpha pronubana** (Hübner,[1799]) (Tortricidae)
 1044. **Cadra abstersella** (Zeller,1847) (Pyrilidae)
 1045. **Cadra amselella** Roesler,1965 (Pyrilidae)
 1046. **Cadra calidella** (Guenée,1845) (Pyrilidae)
 1047. **Cadra cautella** (Walker,1863) (Pyrilidae)
 1048. **Cadra delattinella** Roesler,1965 (Pyrilidae)
 1049. **Cadra figulilella** (Gregson,1871) (Pyrilidae)
 1050. **Cadra furcatella** (Herrich-Schäffer,[1849]) (Pyrilidae)
 1051. **Caina inanitella** (Ragonot,1888) (Pyrilidae)
 1052. **Calamia metamorpha** (Boursin,1960) (Noctuidae)
 1053. **Calamia staudingeri** Warnecke,1941 (Noctuidae)
 1054. **Calamochrous acutellus** (Eversmann,1842) (Pyrilidae)
 1055. **Calamodes subscudularia** (Turati,1919) (Geometridae)
 1056. **Calamotropha hierichuntica** Zeller,1867 (Pyrilidae)
 1057. **Calamotropha paludella** (Hübner,[1824]) (Pyrilidae)
 1058. **Callierges ramosa** (Esper,[1786]) (Noctuidae)
 1059. **Callimorpha dominula** (Linnaeus,1758) (Arctiidae)
 1060. **Callistege mi** (Clerck,1759) (Noctuidae)
 1061. **Callisto denticulella** (Thunberg,1794) (Gracillariidae)
 1062. **Calliteara pudibunda** (Linnaeus,1758) (Lymnantiidae)
 1063. **Callitomis dimorpha** Bytinski-Salz,1939 (Ctenuchidae)
 1064. **Callophrys chalybeitincta** Sovinsky,1905 (Lycaenidae)
 1065. **Callophrys mystaphia** Miller,1913 (Lycaenidae)
 1066. **Callophrys naderii** Ten Hagen,2008 (Lycaenidae)
 1067. **Callophrys paulae** Pfeiffer,1932 (Lycaenidae)
 1068. **Callophrys rubi** (Linnaeus,1758) (Lycaenidae)
 1069. **Callophrys suaveola** (Staudinger,1881) (Lycaenidae)
 1070. **Callopietria juvenina** (Stoll,[1782]) (Noctuidae)
 1071. **Callopietria latreillei** (Duponchel,1827) (Noctuidae)
 1072. **Calocucullia celsiae** (Herrich-Schäffer,1850) (Noctuidae)
 1073. **Calophasia angularis** Chrétien,1911 (Noctuidae)
 1074. **Calophasia barthae** F.Wagner,1929 (Noctuidae)
 1075. **Calophasia lunula** (Hufnagel,1766) (Noctuidae)
 1076. **Calophasia opalina** (Esper,[1796]) (Noctuidae)
 1077. **Calophasia platyptera** (Esper,[1788]) (Noctuidae)
 1078. **Calophasia sinaica** (Wiltshire,1948) (Noctuidae)
 1079. **Caloptilia (Povolnya) leucapennella** (Stephens,1835) (Gracillariidae)
 1080. **Caloptilia (s.str.) alchimiella** (Scopoli,1763) (Gracillariidae)
 1081. **Caloptilia (s.str.) braccatella** (Staudinger,1870) (Gracillariidae)
 1082. **Caloptilia (s.str.) coruscans** (Walsingham,1907) (Gracillariidae)
 1083. **Caloptilia (s.str.) cuculipennella** (Hübner,1796) (Gracillariidae)
 1084. **Caloptilia (s.str.) elongella** (Linnaeus,1761) (Gracillariidae)
 1085. **Caloptilia (s.str.) fidella** (Reutti,1853) (Gracillariidae)
 1086. **Caloptilia (s.str.) fribergensis** (Fritzsche,1871) (Gracillariidae)
 1087. **Caloptilia (s.str.) hemidactylella** ([Denis & Schiffermüller],1775) (Gracillariidae)
 1088. **Caloptilia (s.str.) onustella** (Hübner,[1813]) (Gracillariidae)
 1089. **Caloptilia (s.str.) pallescens** (Staudinger,1880) (Gracillariidae)
 1090. **Caloptilia (s.str.) rhodinella** (Herrich-Schäffer,[1854]) (Gracillariidae)
 1091. **Caloptilia (s.str.) robustella** Jäckh,1972 (Gracillariidae)
 1092. **Caloptilia (s.str.) roscipennella** (Hübner,1796) (Gracillariidae)
 1093. **Caloptilia (s.str.) stigmatella** (Fabricius,1781) (Gracillariidae)

1094. *Calybites phasianipennella* (Hübner,[1813]) (Gracillariidae)
1095. *Calybites quadrisignella* (Zeller,1839) (Gracillariidae)
1096. *Calyciphora golestonica* Alipanah & Ustjuzhanin,2005 (Pterophoridae)
1097. *Calyciphora homiodactyla* (Kasy,1960) (Pterophoridae)
1098. *Calyciphora maraschella* Zagulyaev,1986 (Pterophoridae)
1099. *Calyciphora nephelodactyla* (Eversmann,1844) (Pterophoridae)
1100. *Calyciphora xanthodactyla* (Treitschke,1833) (Pterophoridae)
1101. *Calyciphora xerodactyla* (Zeller,1841) (Pterophoridae)
1102. *Calycobathra acarpa* Meyrick,1891 (Cosmopterigidae)
1103. *Calycobathra sahidanella* Kasy,1968 (Cosmopterigidae)
1104. *Calycobathra striatella* Kasy,1968 (Cosmopterigidae)
1105. *Calymma communimacula* ([Denis & Schiffermüller],1775) (Noctuidae)
1106. *Calyptra thalictri* (Borkhausen,1790) (Noctuidae)
1107. *Campaea margaritaria* (Linnaeus,1761) (Geometridae)
1108. *Camptogramma bilineatum* (Linnaeus,1758) (Geometridae)
1109. *Camptogramma grisescens* (Staudinger,1892) (Geometridae)
1110. *Candiope sahariensis* (Rothschild,1921) (Pyralidae)
1111. *Canephora caucasica* (A.Bang-Haas,1912) (Psychidae)
1112. *Canephora febretta* (Boyer de Fonscolombe,1835) (Psychidae)
1113. *Canephora hirsuta* (Poda,1761) (Psychidae)
1114. *Canephora inquinata* (Lederer,1858) (Psychidae)
1115. *Canephora jordana* (Staudinger,1899) (Psychidae)
1116. *Canephora lutea* (Staudinger,1871) (Psychidae)
1117. *Canephora senex* (Staudinger,1871) (Psychidae)
1118. *Canephora shahkuhensis* (Heylaerts,1885) (Psychidae)
1119. *Canephora sp.?* (Psychidae)
1120. *Canephora taurica* (Wehrli,1932) (Psychidae)
1121. *Canephora villosa* (Brandt,1938) (Psychidae)
1122. *Canephora villosella* (Ochsenheimer,1810) (Psychidae)
1123. *Capperia britannioidactyla* (Gregson,1869) (Pterophoridae)
1124. *Capperia celeusi* (Frey,1886) (Pterophoridae)
1125. *Capperia fletcheri* Adamczewski,1951 (Pterophoridae)
1126. *Capperia fusca* (Hofmann,1898) (Pterophoridae)
1127. *Capperia hellenica* Adamczewski,1951 (Pterophoridae)
1128. *Capperia maratonica* Adamczewski,1951 (Pterophoridae)
1129. *Capperia marginella* (Zeller,1847) (Pterophoridae)
1130. *Capperia polonica* Adamczewski,1951 (Pterophoridae)
1131. *Capperia salanga* Arenberger,1995 (Pterophoridae)
1132. *Capperia tamsi* Adamczewski,1951 (Pterophoridae)
1133. *Capperia trichodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae)
1134. *Capperia washbourni* Adamczewski,1951 (Pterophoridae)
1135. *Capricornia boisduvaliana* (Duponchel,1836) (Tortricidae)
1136. *Caradrina (Boursinidrina) brandti* (Boursin,1939) (Noctuidae)
1137. *Caradrina (Boursinidrina) hemipentha* (Boursin,1939) (Noctuidae)
1138. *Caradrina (Boursinidrina) oberthueri* (Rothschild,1913) (Noctuidae)
1139. *Caradrina (Boursinidrina) panurgia* (Boursin,1939) (Noctuidae)
1140. *Caradrina (Boursinidrina) parvaspersa* (Boursin,1936) (Noctuidae)
1141. *Caradrina (Boursinidrina) pseudadelpha* (Boursin,1939) (Noctuidae)
1142. *Caradrina (Boursinidrina) pulvis* (Boursin,1939) (Noctuidae)
1143. *Caradrina (Boursinidrina) rjabovi* (Boursin,1936) (Noctuidae)
1144. *Caradrina (Boursinidrina) soudanensis* (Hampson,1918) (Noctuidae)
1145. *Caradrina (Boursinidrina) stenoptera* (Boursin,1939) (Noctuidae)
1146. *Caradrina (Boursinidrina) surchica* (Boursin,1937) (Noctuidae)
1147. *Caradrina (Boursinidrina) syriaca* (Staudinger,1892) (Noctuidae)
1148. *Caradrina (Boursinidrina) wiltshirei* (Boursin,1936) (Noctuidae)
1149. *Caradrina (Eremodrina) adriennea* Hacker & Gyulai,2004 (Noctuidae)
1150. *Caradrina (Eremodrina) alferii* (Boursin,1937) (Noctuidae)
1151. *Caradrina (Eremodrina) altissima* Hacker,2004 (Noctuidae)
1152. *Caradrina (Eremodrina) armeniaca* (Boursin,1936) (Noctuidae)
1153. *Caradrina (Eremodrina) asymmetrica* (Boursin,1936) (Noctuidae)
1154. *Caradrina (Eremodrina) avis* (Pinker,1980) (Noctuidae)
1155. *Caradrina (Eremodrina) belucha* (Swinhoe,1885) (Noctuidae)
1156. *Caradrina (Eremodrina) casearia* (Staudinger,1900) (Noctuidae)
1157. *Caradrina (Eremodrina) didyma* (Boursin,1939) (Noctuidae)
1158. *Caradrina (Eremodrina) doleropsis* (Boursin,1939) (Noctuidae)
1159. *Caradrina (Eremodrina) draudti* (Boursin,1936) (Noctuidae)
1160. *Caradrina (Eremodrina) eremocosma* (Boursin,1937) (Noctuidae)
1161. *Caradrina (Eremodrina) eucrinospila* (Boursin,1936) (Noctuidae)

1162. *Caradrina (Eremodrina) ferghana* (Staudinger,1892) (Noctuidae)
 1163. *Caradrina (Eremodrina) filipjevi* (Boursin,1936) (Noctuidae)
 1164. *Caradrina (Eremodrina) flava* (Oberthür,1876) (Noctuidae)
 1165. *Caradrina (Eremodrina) gilva* (Donzel,1837) (Noctuidae)
 1166. *Caradrina (Eremodrina) hedychroa* (Boursin,1936) (Noctuidae)
 1167. *Caradrina (Eremodrina) hypocnephias* (Boursin,1968) (Noctuidae)
 1168. *Caradrina (Eremodrina) inopinata* Hacker,2004 (Noctuidae)
 1169. *Caradrina (Eremodrina) inumbrata* (Staudinger,1900) (Noctuidae)
 1170. *Caradrina (Eremodrina) isfahana* Hacker,2004 (Noctuidae)
 1171. *Caradrina (Eremodrina) kravchenkoi* Hacker,2004 (Noctuidae)
 1172. *Caradrina (Eremodrina) melanura* (Alpheraky,1897) (Noctuidae)
 1173. *Caradrina (Eremodrina) melanurina* (Staudinger,1901) (Noctuidae)
 1174. *Caradrina (Eremodrina) nadir* (Boursin,1957) (Noctuidae)
 1175. *Caradrina (Eremodrina) oberthuerei* (Rothschild,1913) (Noctuidae)
 1176. *Caradrina (Eremodrina) parthica* Hacker,2004 (Noctuidae)
 1177. *Caradrina (Eremodrina) pertinax* (Staudinger,1879) (Noctuidae)
 1178. *Caradrina (Eremodrina) phanosciera* (Boursin,1939) (Noctuidae)
 1179. *Caradrina (Eremodrina) pseudalbina* (Boursin,1942) (Noctuidae)
 1180. *Caradrina (Eremodrina) salzi* (Boursin,1936) (Noctuidae)
 1181. *Caradrina (Eremodrina) sarhadica* (Boursin,1942) (Noctuidae)
 1182. *Caradrina (Eremodrina) singularis* Hacker,2004 (Noctuidae)
 1183. *Caradrina (Eremodrina) turatii* (Boursin,1936) (Noctuidae)
 1184. *Caradrina (Eremodrina) vicina* (Staudinger,1870) (Noctuidae)
 1185. *Caradrina (Eremodrina) xanthorhoda* Boursin,1937 (Noctuidae)
 1186. *Caradrina (Eremodrina) zagrobia* Hacker,2004 (Noctuidae)
 1187. *Caradrina (Eremodrina) zernyi* (Boursin,1936) (Noctuidae)
 1188. *Caradrina (Kalchbergiana) ingrata* (Staudinger,1897) (Noctuidae)
 1189. *Caradrina (Levantrina) bodenheimeri* (Draudt,1934) (Noctuidae)
 1190. *Caradrina (Paradrina) abruzzensis* (Draudt,1933) (Noctuidae)
 1191. *Caradrina (Paradrina) amseli* (Boursin,1936) (Noctuidae)
 1192. *Caradrina (Paradrina) atriluna* Guenée,1852 (Noctuidae)
 1193. *Caradrina (Paradrina) boursini* (F.Wagner,1936) (Noctuidae)
 1194. *Caradrina (Paradrina) clavipalpis* (Scopoli,1763) (Noctuidae)
 1195. *Caradrina (Paradrina) flava* (Oberthür,1876) (Noctuidae)
 1196. *Caradrina (Paradrina) flavirena* (Guenée,1852) (Noctuidae)
 1197. *Caradrina (Paradrina) fulvafusca* Hacker,2004 (Noctuidae)
 1198. *Caradrina (Paradrina) hypostigma* (Boursin,1932) (Noctuidae)
 1199. *Caradrina (Paradrina) poecila* (Boursin,1939) (Noctuidae)
 1200. *Caradrina (Paradrina) scotoptera* (Püngeler,1914) (Noctuidae)
 1201. *Caradrina (Paradrina) selini* (Boisduval,1840) (Noctuidae)
 1202. *Caradrina (Paradrina) suscijania* Mentzer,1981 (Noctuidae)
 1203. *Caradrina (Paradrina) wullschlegeli* (Püngeler,1903) (Noctuidae)
 1204. *Caradrina (Paradrina) zandi* (Wiltshire,1952) (Noctuidae)
 1205. *Caradrina (Platyperigea) albina* (Eversmann,1848) (Noctuidae)
 1206. *Caradrina (Platyperigea) aspersa* (Rambur,1834) (Noctuidae)
 1207. *Caradrina (Platyperigea) kadenii* (Freyer,1836) (Noctuidae)
 1208. *Caradrina (Platyperigea) khorassana* (Boursin,1942) (Noctuidae)
 1209. *Caradrina (Platyperigea) montana* (Bremer,1861) (Noctuidae)
 1210. *Caradrina (Platyperigea) terrea* (Freyer,[1840]) (Noctuidae)
 1211. *Caradrina (Platyperigea) warneckei* (Boursin,1936) (Noctuidae)
 1212. *Caradrina (s.str.) agrotina* (Staudinger,1892) (Noctuidae)
 1213. *Caradrina (s.str.) morpheus* (Hufnagel,1766) (Noctuidae)
 1214. *Caradrina (Weigertrina) diabolica* (Boursin,1942) (Noctuidae)
 1215. *Carcharodus (Lavatheria) lavatherae* (Esper,[1783]) (Hesperiidae)
 1216. *Carcharodus (Lavatheria) stauderi* Reverdin,1913 (Hesperiidae)
 1217. *Carcharodus (Reverdinus) dravira* (Moore,1874) (Hesperiidae)
 1218. *Carcharodus (Reverdinus) flocciferus* (Zeller,1847) (Hesperiidae)
 1219. *Carcharodus (Reverdinus) orientalis* Reverdin,1913 (Hesperiidae)
 1220. *Carcharodus (s.str.) alcaeae* (Esper,[1780]) (Hesperiidae)
 1221. *Carcharodus (s.str.) swinhoei* E.Y.Watson,1893 (Hesperiidae)
 1222. *Carcina quercana* (Fabricius,1775) (Oecophoridae)
 1223. *Cardepija affinis* Rothschild,1913 (Noctuidae)
 1224. *Cardepija arenaria* (Hampson,1905) (Noctuidae)
 1225. *Cardepija arenbergeri* Pinker,1974 (Noctuidae)
 1226. *Cardepija deserticola* Hampson,1905 (Noctuidae)
 1227. *Cardepija halophila* Hacker,1998 (Noctuidae)
 1228. *Cardepija hartigi* Parenzan,1981 (Noctuidae)
 1229. *Cardepija irrisor* (Erschoff,1874) (Noctuidae)

1230. *Cardepia oleagina* Hacker,1998
(Noctuidae)
1231. *Cardepia sociabilis* (Graslin,1850)
(Noctuidae)
1232. *Carpatolechia fugitivella* (Zeller,1839)
(Gelechiidae)
1233. *Carpatolechia humeralis* (Zeller,1839)
(Gelechiidae)
1234. *Carpatolechia notatella*
(Hübner,[1813]) (Gelechiidae)
1235. *Carpatolechia proximella*
(Hübner,1796) (Gelechiidae)
1236. *Carposina berberidella* Herrich-
Schäffer,[1854] (Carposinidae)
1237. *Carposina ekbatana* Amsel,1978
(Carposinidae)
1238. *Carposina roesleri* Amsel,1977
(Carposinidae)
1239. *Carposina scirrhosella* Herrich-
Schäffer,[1854] (Carposinidae)
1240. *Carsia lythoxylata* (Hübner,[1799])
(Geometridae)
1241. *Carterocephalus palaemon*
(Pallas,1771) (Hesperiidae)
1242. *Caryocolum albithoracellum*
Huemer,1989 (Gelechiidae)
1243. *Caryocolum amaurellum*
(M.Hering,1924) (Gelechiidae)
1244. *Caryocolum anatolicum* Huemer,1989
(Gelechiidae)
1245. *Caryocolum horoscopa* Meyrick,1926
(Gelechiidae)
1246. *Caryocolum iranicum* Huemer,1989
(Gelechiidae)
1247. *Caryocolum junctellum* (Douglas,1851)
(Gelechiidae)
1248. *Caryocolum leucomelanellum*
(Zeller,1839) (Gelechiidae)
1249. *Caryocolum petrophilum*
(Priessecker,1914) (Gelechiidae)
1250. *Caryocolum proximum*
(Haworth,[1828]) (Gelechiidae)
1251. *Caryocolum schleichi* (Christoph,1872)
(Gelechiidae)
1252. *Casama vilis* (Walker,1865)
(Lymantriidae)
1253. *Casilda antophilaria* (Hübner,[1813])
(Geometridae)
1254. *Casilda consecraria* (Staudinger,1871)
(Geometridae)
1255. *Casilda rosearia* (Treitschke,1828)
(Geometridae)
1256. *Cataclysmes riguata* (Hübner,[1813])
(Geometridae)
1257. *Cataclysta lemnata* (Linnaeus,1758)
(Pyrilidae)
1258. *Catamecia jordana* Staudinger,1898
(Noctuidae)
1259. *Catamecia minima* (Swinhoe,1889)
(Noctuidae)
1260. *Cataonia erubescens* (Christoph,1877)
(Pyrilidae)
1261. *Cataonia mauritanica* Amsel,1953
(Pyrilidae)
1262. *Catarhoe arachne* Wiltshire,1967
(Geometridae)
1263. *Catarhoe basochesiata*
(Duponchel,1831) (Geometridae)
1264. *Catarhoe cuculata* (Hufnagel,1767)
(Geometridae)
1265. *Catarhoe cupreata* (Herrich-
Schäffer,1839) (Geometridae)
1266. *Catarhoe hortulanaria*
(Staudinger,1879) (Geometridae)
1267. *Catarhoe mosulensis* (Schawerda,1924)
(Geometridae)
1268. *Catarhoe permixtaria* (Guenée,[1858])
(Geometridae)
1269. *Catarhoe putridaria* (Herrich-
Schäffer,[1852]) (Geometridae)
1270. *Catarhoe rubidata* ([Denis &
Schiffmüller],1775) (Geometridae)
1271. *Catarhoe semnana* Wiltshire,1970
(Geometridae)
1272. *Catarhoe tangaba* (Wiltshire,1952)
(Geometridae)
1273. *Catastia acraspedella* (Staudinger,1879)
(Pyrilidae)
1274. *Catastia marginea* ([Denis &
Schiffmüller],1775) (Pyrilidae)
1275. *Catephia alchymista* ([Denis &
Schiffmüller],1775) (Noctuidae)
1276. *Catephia cana* (Brandt,1939) (Noctuidae)
1277. *Catharia pyrenaealis*
(Duponchel,[1843]) (Pyrilidae)
1278. *Catocala (Ephesia) eutychea*
(Treitschke,1835) (Noctuidae)
1279. *Catocala (Ephesia) nymphaea*
(Esper,[1787]) (Noctuidae)
1280. *Catocala (Ephesia) separata*
Freyer,1848 (Noctuidae)
1281. *Catocala (s.str.) abacta*
Staudinger,1900 (Noctuidae)
1282. *Catocala (s.str.) brandti* Hacker &
Kautt,1999 (Noctuidae)
1283. *Catocala (s.str.) catei* Weisert,1998
(Noctuidae)
1284. *Catocala (s.str.) conjuncta*
(Esper,[1787]) (Noctuidae)
1285. *Catocala (s.str.) conversa* (Esper,1783)
(Noctuidae)
1286. *Catocala (s.str.) deducta*
Eversmann,1843 (Noctuidae)
1287. *Catocala (s.str.) dilecta*
(Hübner,[1808]) (Noctuidae)
1288. *Catocala (s.str.) disjuncta*
(Geyer,[1828]) (Noctuidae)
1289. *Catocala (s.str.) diversa* (Geyer,[1828])
(Noctuidae)
1290. *Catocala (s.str.) editarevayae*
G.C.Müller et al.,2008 (Noctuidae)
1291. *Catocala (s.str.) elocata* (Esper,[1787])
(Noctuidae)
1292. *Catocala (s.str.) fraxini* (Linnaeus,1758)
(Noctuidae)
1293. *Catocala (s.str.) fredii* Bytinski-Salz &
Brandt,1937 (Noctuidae)
1294. *Catocala (s.str.) fulminea*
(Scopoli,1763) (Noctuidae)
1295. *Catocala (s.str.) hymenaea* ([Denis &
Schiffmüller],1775) (Noctuidae)
1296. *Catocala (s.str.) lesbia* Christoph,1887
(Noctuidae)
1297. *Catocala (s.str.) lupina* Herrich-
Schäffer,[1851] (Noctuidae)

1298. *Catocala* (s.str.) *luscinia* Brandt,1938 (Noctuidae)
1299. *Catocala* (s.str.) *mesopotamica* Kuznesov,1903 (Noctuidae)
1300. *Catocala* (s.str.) *neonympha* (Esper,[1805]) (Noctuidae)
1301. *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae)
1302. *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae)
1303. *Catocala* (s.str.) *olgaorlovae* Kravchenko et al.,2008 (Noctuidae)
1304. *Catocala* (s.str.) *optima* Staudinger,1888 (Noctuidae)
1305. *Catocala* (s.str.) *persimilis* W.Warren,1888 (Noctuidae)
1306. *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller],1775) (Noctuidae)
1307. *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae)
1308. *Catocala* (s.str.) *puerperoides* Zahiri et al.,2008 (Noctuidae)
1309. *Catocala* (s.str.) *sponsa* (Linnaeus,1767) (Noctuidae)
1310. *Catocala* (s.str.) *timur* A.Bang-Haas,1907 (Noctuidae)
1311. *Catocala* (s.str.) *viivannae* Hacker & Kautt,1996 (Noctuidae)
1312. *Catocala* (s.str.) *weiserti* Hacker,1999 (Noctuidae)
1313. *Catocala* (s.str.) *wolffi* Hacker,1999 (Noctuidae)
1314. *Catopsilia* *florella* (Fabricius,1775) (Pieridae)
1315. *Catopta* *brandti* Bryk,1947 (Cossidae)
1316. *Catopta* *kendevanensis* Daniel,1937 (Cossidae)
1317. *Catopta* *thrips* (Hübner,[1818]) (Cossidae)
1318. *Catopta* *zoroastres* (Groum-Grshimailo,1902) (Cossidae)
1319. *Catoptria* *ciliciella* (Rebel,1893) (Pyralidae)
1320. *Catoptria* *colchicella* (Lederer,1870) (Pyralidae)
1321. *Catoptria* *confusella* (Staudinger,1881) (Pyralidae)
1322. *Catoptria* *dimorphella* (Staudinger,1881) (Pyralidae)
1323. *Catoptria* *falsella* ([Denis & Schiffermüller],1775) (Pyralidae)
1324. *Catoptria* *hilarella* (Caradja,1925) (Pyralidae)
1325. *Catoptria* *incertella* (Herrich-Schäffer,[1852]) (Pyralidae)
1326. *Catoptria* *laevigatella* (Lederer,1870) (Pyralidae)
1327. *Catoptria* *lithargyrella* (Hübner,1796) (Pyralidae)
1328. *Catoptria* *mytilella* (Hübner,[1805]) (Pyralidae)
1329. *Catoptria* *pfeifferi* (Osthelder,1938) (Pyralidae)
1330. *Catoptria* *pinella* (Linnaeus,1758) (Pyralidae)
1331. *Catoptria* *verella* (Zincken,1817) (Pyralidae)
1332. *Cauchas* *anatolica* (Rebel,1902) (Adelidae)
1333. *Cauchas* *fibulella* ([Denis & Schiffermüller],1775) (Adelidae)
1334. *Cauchas* *florella* (Staudinger,1871) (Adelidae)
1335. *Cauchas* *leucocerella* (Scopoli,1763) (Adelidae)
1336. *Cauchas* *rufifrontella* (Treitschke,1833) (Adelidae)
1337. *Cauchas* *rufimitrella* (Scopoli,1763) (Adelidae)
1338. *Cauchas* *tridesma* (Meyrick,1912) (Adelidae)
1339. *Caulastrocecis* *interstratella* (Christoph,1873) (Gelechiidae)
1340. *Cecryphalus* *nubila* (Staudinger,1895) (Cossidae)
1341. *Celaena* *haworthii* (Curtis,1829) (Noctuidae)
1342. *Celastrina* *argiolus* (Linnaeus,1758) (Lycaenidae)
1343. *Celypha* *anatoliana* (Caradja,1916) (Tortricidae)
1344. *Celypha* *aurofasciana* (Haworth,[1811]) (Tortricidae)
1345. *Celypha* *cespitana* (Hübner,[1817]) (Tortricidae)
1346. *Celypha* *flavipalpana* (Herrich-Schäffer,[1851]) (Tortricidae)
1347. *Celypha* *rivulana* (Scopoli,1763) (Tortricidae)
1348. *Celypha* *rurestrana* (Duponchel,1843) (Tortricidae)
1349. *Celypha* *striana* ([Denis & Schiffermüller],1775) (Tortricidae)
1350. *Celypha* *woodiana* (Barrett,1882) (Tortricidae)
1351. *Cephalispheira* *denisella* ([Denis & Schiffermüller],1775) (Oecophoridae)
1352. *Cephalispheira* *sordidella* (Hübner,1796) (Oecophoridae)
1353. *Cephalispheira* *sp.* (Oecophoridae)
1354. *Cephimallota* *angusticostella* (Zeller,1839) (Tineidae)
1355. *Cephimallota* *crassiflavella* (Bruand,1851) (Tineidae)
1356. *Cephimallota* *praetoriella* (Christoph,1872) (Tineidae)
1357. *Cephimallota* *tunesiella* (Zagulyaev,1966) (Tineidae)
1358. *Cepphis* *advenaria* (Hübner,[1799]) (Geometridae)
1359. *Cerapteryx* *graminis* (Linnaeus,1758) (Noctuidae)
1360. *Cerapteryx* *megala* (Alpheraky,1882) (Noctuidae)
1361. *Cerastis* *rubricosa* (Fabricius,1787) (Noctuidae)
1362. *Ceratoxanthia* *argentomixtana* (Staudinger,1870) (Tortricidae)
1363. *Ceratuncus* *affinitellus* (Rebel,1901) (Tineidae)
1364. *Ceratuncus* *danubiellus* (Mann,1866) (Tineidae)
1365. *Cerocala* *sana* Staudinger,1901 (Noctuidae)

1366. *Cerura* (s.str.) *himalayana* Moore,1888 (Notodontidae)
 1367. *Cerura* (s.str.) *intermedia* (Teich,1896) (Notodontidae)
 1368. *Cerura* (s.str.) *vinula* (Linnaeus,1758) (Notodontidae)
 1369. *Ceutholopha isidis* (Zeller,1867) (Pyralidae)
 1370. *Ceuthomadarus chthoniopa* (Meyrick,1936) (Lecithoceridae)
 1371. *Ceuthomadarus croesus* Gozmany, (Lecithoceridae)
 1372. *Ceuthomadarus tenebrionellus* Mann,1864 (Lecithoceridae)
 1373. *Chamaesphecia adelpha* Le Cerf,1938 (Sesiidae)
 1374. *Chamaesphecia albiventris* Lederer,1853 (Sesiidae)
 1375. *Chamaesphecia alysoniformis* (Herrich-Schäffer,1846) (Sesiidae)
 1376. *Chamaesphecia anatolica* Schwingenschuss,1938 (Sesiidae)
 1377. *Chamaesphecia annellata* (Zeller,1847) (Sesiidae)
 1378. *Chamaesphecia anthracias* Le Cerf,1937 (Sesiidae)
 1379. *Chamaesphecia astatifomis* (Herrich-Schäffer,1846) (Sesiidae)
 1380. *Chamaesphecia aurifera* (Romanoff,1885) (Sesiidae)
 1381. *Chamaesphecia azonos* (Lederer,1855) (Sesiidae)
 1382. *Chamaesphecia bibioniformis* (Esper,[1800]) (Sesiidae)
 1383. *Chamaesphecia chalciformis* (Esper,[1804]) (Sesiidae)
 1384. *Chamaesphecia colpiformis* (Staudinger,1856) (Sesiidae)
 1385. *Chamaesphecia diabarensis* Gorbunov,1987 (Sesiidae)
 1386. *Chamaesphecia doleriformis* (Herrich-Schäffer,1846) (Sesiidae)
 1387. *Chamaesphecia doryceraeformis* (Lederer,1853) (Sesiidae)
 1388. *Chamaesphecia dumonti* Le Cerf,1922 (Sesiidae)
 1389. *Chamaesphecia elampiformis* (Herrich-Schäffer,1851) (Sesiidae)
 1390. *Chamaesphecia empiformis* (Esper,[1783]) (Sesiidae)
 1391. *Chamaesphecia euceraeformis* (Ochsenheimer,1816) (Sesiidae)
 1392. *Chamaesphecia fredii* Le Cerf,1938 (Sesiidae)
 1393. *Chamaesphecia gorbunovi* K.Spatenka,1992 (Sesiidae)
 1394. *Chamaesphecia haberhaueri* (Staudinger,1878) (Sesiidae)
 1395. *Chamaesphecia inexpectata* (Le Cerf,1938) (Sesiidae)
 1396. *Chamaesphecia iranica* Le Cerf,1937 (Sesiidae)
 1397. *Chamaesphecia keili* Kallies & K.Spatenka,2003 (Sesiidae)
 1398. *Chamaesphecia leucoconemis* Le Cerf,1938 (Sesiidae)
 1399. *Chamaesphecia leucoparea* (Lederer,1871) (Sesiidae)
 1400. *Chamaesphecia leucopsiformis* (Esper,1800) (Sesiidae)
 1401. *Chamaesphecia masariformis* (Ochsenheimer,1808) (Sesiidae)
 1402. *Chamaesphecia mezentzevi* Gorbunov,1989 (Sesiidae)
 1403. *Chamaesphecia minor* (Staudinger,1856) (Sesiidae)
 1404. *Chamaesphecia mirza* Le Cerf,1938 (Sesiidae)
 1405. *Chamaesphecia morosa* Le Cerf,1937 (Sesiidae)
 1406. *Chamaesphecia nigrifrons* (Le Cerf,1911) (Sesiidae)
 1407. *Chamaesphecia odyneriformis* (Herrich-Schäffer,1846) (Sesiidae)
 1408. *Chamaesphecia ophimontana* Gorbunov,1991 (Sesiidae)
 1409. *Chamaesphecia oxybeliformis* (Herrich-Schäffer,1846) (Sesiidae)
 1410. *Chamaesphecia palustris* Kautz,1927 (Sesiidae)
 1411. *Chamaesphecia proximata* (Staudinger,1871) (Sesiidae)
 1412. *Chamaesphecia regula* (Staudinger,1891) (Sesiidae)
 1413. *Chamaesphecia ruficoronata* Kallies, Petersen & Riefenstahl,1998 (Sesiidae)
 1414. *Chamaesphecia schmidtiformis* (Freyer,1836) (Sesiidae)
 1415. *Chamaesphecia schwingenschussi* (Le Cerf,1937) (Sesiidae)
 1416. *Chamaesphecia sefid* Le Cerf,1938 (Sesiidae)
 1417. *Chamaesphecia tahira* Kallies & Petersen,1995 (Sesiidae)
 1418. *Chamaesphecia tenthrediniformis* ([Denis & Schiffermüller],1775) (Sesiidae)
 1419. *Chamaesphecia thomyris* Le Cerf,1938 (Sesiidae)
 1420. *Chamaesphecia thracica* Z.Lastuvka,1983 (Sesiidae)
 1421. *Chamaesphecia turbida* Le Cerf,1937 (Sesiidae)
 1422. *Chamaesphecia xantho* Le Cerf,1937 (Sesiidae)
 1423. *Chamaesphecia zarathustra* Gorbunov & K.Spatenka,1992 (Sesiidae)
 1424. *Chamaesphecia zimmermanni* (Lederer,1872) (Sesiidae)
 1425. *Characoma nilotica* (Rogenhofer,1882) (Noctuidae)
 1426. *Charadraula cassandra* Gozmany,1967 (Autostichidae)
 1427. *Charadraula parcella* (Lederer,1855) (Autostichidae)
 1428. *Charanyca trigrammica* (Hufnagel,1766) (Noctuidae)
 1429. *Charaxes jasius* (Linnaeus,1767) (Argynnidae)
 1430. *Chazara* (*Neochazara*) *anthe* (Hoffmannsegg,1804) (Satyridae)
 1431. *Chazara* (*Neochazara*) *enervata* (Staudinger,1881) (Satyridae)
 1432. *Chazara* (s.str.) *bischoffi* (Herrich-Schäffer,[1846]) (Satyridae)
 1433. *Chazara* (s.str.) *briseis* (Linnaeus,1764) (Satyridae)

1434. **Chazara (s.str.) egina** (Staudinger,[1892]) (Satyridae)
 1435. **Chazara (s.str.) kaufmanni** (Erschoff,1874) (Satyridae)
 1436. **Chazara (s.str.) sieversi** (Christoph,1885) (Satyridae)
 1437. **Chazaria incarnata** (Freyer,1838) (Noctuidae)
 1438. **Chelis maculosa** (Gerning,1780) (Arctiidae)
 1439. **Chelis reticulata** (Christoph,1887) (Arctiidae)
 1440. **Chemerina caliginearia** (Rambur,1833) (Geometridae)
 1441. **Chersotis (Cyrebia) adili** (Koçak,1987) (Noctuidae)
 1442. **Chersotis (Cyrebia) anachoreta** (Herrich-Schäffer,[1851]) (Noctuidae)
 1443. **Chersotis (Cyrebia) luperinoides** Guenée,1852 (Noctuidae)
 1444. **Chersotis (s.str.) alpestris** (Boisduval,[1837]) (Noctuidae)
 1445. **Chersotis (s.str.) anatolica** (Draudt,1936) (Noctuidae)
 1446. **Chersotis (s.str.) andereggi** (Boisduval,[1837]) (Noctuidae)
 1447. **Chersotis (s.str.) binaloudi** Brandt,1941 (Noctuidae)
 1448. **Chersotis (s.str.) capnistis** (Lederer,1872) (Noctuidae)
 1449. **Chersotis (s.str.) cryptographa** Varga & Gyulai,2002 (Noctuidae)
 1450. **Chersotis (s.str.) cuprea** ([Denis & Schiffermüller],1775) (Noctuidae)
 1451. **Chersotis (s.str.) eberti** Dufay & Varga,1995 (Noctuidae)
 1452. **Chersotis (s.str.) ebertorum** Koçak,1980 (Noctuidae)
 1453. **Chersotis (s.str.) elegans** (Eversmann,1837) (Noctuidae)
 1454. **Chersotis (s.str.) fimbriola** (Esper,[1798]) (Noctuidae)
 1455. **Chersotis (s.str.) firdussi** Schwingenschuss,1937 (Noctuidae)
 1456. **Chersotis (s.str.) friedeli** Pinker,1974 (Noctuidae)
 1457. **Chersotis (s.str.) glebosa** (Staudinger,1900) (Noctuidae)
 1458. **Chersotis (s.str.) gratissima** (Corti,1932) (Noctuidae)
 1459. **Chersotis (s.str.) hahni** (Christoph,1885) (Noctuidae)
 1460. **Chersotis (s.str.) illauta** (Draudt,1936) (Noctuidae)
 1461. **Chersotis (s.str.) juvenis** (Staudinger,1901) (Noctuidae)
 1462. **Chersotis (s.str.) laeta** (Rebel,1904) (Noctuidae)
 1463. **Chersotis (s.str.) larixia** (Guenée,1852) (Noctuidae)
 1464. **Chersotis (s.str.) margaritacea** (Villers,1789) (Noctuidae)
 1465. **Chersotis (s.str.) multangula** (Hübner,[1803]) (Noctuidae)
 1466. **Chersotis (s.str.) nitens** Brandt,1941 (Noctuidae)
 1467. **Chersotis (s.str.) rectangula** (Fabricius,1787) (Noctuidae)
 1468. **Chersotis (s.str.) ronkayorum** Fibiger Hacker & Varga,1992 (Noctuidae)
 1469. **Chersotis (s.str.) sarhada** Brandt,1941 (Noctuidae)
 1470. **Chersotis (s.str.) semna** (Püngeler,1906) (Noctuidae)
 1471. **Chersotis (s.str.) stenographa** Varga,1979 (Noctuidae)
 1472. **Chersotis (s.str.) sterilis** (Brandt,1938) (Noctuidae)
 1473. **Chersotis (s.str.) zukowskyi** (Draudt,1936) (Noctuidae)
 1474. **Chesias leuconeura** L.B.Prout,1931 (Geometridae)
 1475. **Chesias rufata** (Fabricius,1775) (Geometridae)
 1476. **Chesistege korbi** (Bohatsch,1909) (Geometridae)
 1477. **Chiasmia (Godonela) aestimaria** (Hübner,[1809]) (Geometridae)
 1478. **Chiasmia (Godonela) cesa** Kemal & Koçak,2009 (Geometridae)
 1479. **Chiasmia (Godonela) syriacaria** (Staudinger,1871) (Geometridae)
 1480. **Chiasmia (Godonela) tenuiata** (Staudinger,1901) (Geometridae)
 1481. **Chiasmia clathrata** (Linnaeus,1758) (Geometridae)
 1482. **Chiasmia latimarginaria** (Rebel,1907) (Geometridae)
 1483. **Chilades (Freyeria) trochylus** (Freyer,[1843]) (Lycaenidae)
 1484. **Chilades (Lachides) galba** (Lederer,1855) (Lycaenidae)
 1485. **Chilades (s.str.) parrhasius** (Fabricius,1793) (Lycaenidae)
 1486. **Chilo agamemnon** Bleszynski,1962 (Pyralidae)
 1487. **Chilo luteellus** (Motschulsky,1866) (Pyralidae)
 1488. **Chilo phragmitellus** (Hübner,[1810]) (Pyralidae)
 1489. **Chilo pulverosellus** Ragonot,1895 (Pyralidae)
 1490. **Chilo suppressalis** Walker,1863 (Pyralidae)
 1491. **Chilodes maritima** (Tauscher,1806) (Noctuidae)
 1492. **Chionodes distinctella** (Zeller,1839) (Gelechiidae)
 1493. **Chionodes fumatella** (Douglas,1850) (Gelechiidae)
 1494. **Chionoxantha margarita** Brandt,1938 (Noctuidae)
 1495. **Chionoxantha minutissima** Hacker & Ebert,2002 (Noctuidae)
 1496. **Chionoxantha nobilis** Hacker & Ebert,2002 (Noctuidae)
 1497. **Chionoxantha staudingeri** (Standfuss,1892) (Noctuidae)
 1498. **Chloantha elbursica** (Boursin,1968) (Noctuidae)
 1499. **Chloantha hypericii** (Fabricius,1787) (Noctuidae)
 1500. **Chlorissa asphaleia** Wiltshire,1966 (Geometridae)
 1501. **Chlorissa cloraria** (Hübner,[1813]) (Geometridae)

1502. **Chlorissa pretiosaria** Staudinger,1877
(Geometridae)
1503. **Chlorissa viridata** (Linnaeus,1758)
(Geometridae)
1504. **Chloroclysta guriata** (Emich,1873)
(Geometridae)
1505. **Chloroclysta miata** (Linnaeus,1758)
(Geometridae)
1506. **Chloroclysta siterata** (Hufnagel,1767)
(Geometridae)
1507. **Chloroclysta truncata** (Hufnagel,1767)
(Geometridae)
1508. **Chloroclystis v-ata** (Haworth,1809)
(Geometridae)
1509. **Chondrostega aurivillii** Püngeler,1902
(Lasiocampidae)
1510. **Chondrostega darius** Wiltshire,1952
(Lasiocampidae)
1511. **Chondrostega fascianum**
Staudinger,1892 (Lasiocampidae)
1512. **Chondrostega osthelderi** Püngeler,1925
(Lasiocampidae)
1513. **Chondrostega pastranum** Lederer,1858
(Lasiocampidae)
1514. **Chondrostega pauli** Gaede,1932
(Lasiocampidae)
1515. **Choreutis aegyptiaca** (Zeller,1867)
(Choreutidae)
1516. **Choreutis muhabbet** Koçak,2008
(Choreutidae)
1517. **Choreutis nemorana** (Hübner,[1799])
(Choreutidae)
1518. **Choreutis pariana** (Clerck,1759)
(Choreutidae)
1519. **Choristoneura diversana**
(Hübner,[1817]) (Tortricidae)
1520. **Choristoneura hebenstreitella**
(Müller,1764) (Tortricidae)
1521. **Choristoneura jecorana** (Kennel,1899)
(Tortricidae)
1522. **Choristoneura lafauryana**
(Ragonot,1875) (Tortricidae)
1523. **Choristoneura murinana**
(Hübner,[1799]) (Tortricidae)
1524. **Chortodes morrisii** (Dale,1837)
(Noctuidae)
1525. **Chrysoclista linneella** (Clerck,1759)
(Agonoxenidae)
1526. **Chrysocrambus craterellus**
(Scopoli,1763) (Pyrilidae)
1527. **Chrysocrambus linetellus**
(Fabricius,1781) (Pyrilidae)
1528. **Chrysocrambus syriellus** (Zerny,1934)
(Pyrilidae)
1529. **Chrysocraspeda charites**
(Oberthür,1916) (Geometridae)
1530. **Chrysodeixis chalcites** (Esper,[1789])
(Noctuidae)
1531. **Chrysodeixis eriosoma**
(Doubleday,1843) (Noctuidae)
1532. **Chrysoesthia drurella** (Fabricius,1775)
(Gelechiidae)
1533. **Chrysoesthia sexguttella**
(Thunberg,1794) (Gelechiidae)
1534. **Chrysoteuchia culmella**
(Linnaeus,1758) (Pyrilidae)
1535. **Cidaria fulvata** (Forster,1771)
(Geometridae)
1536. **Cigaritis acamas** (Klug,1834)
(Lycaenidae)
1537. **Cigaritis cilissa** Lederer,1861
(Lycaenidae)
1538. **Cigaritis epargyros** (Eversmann,1854)
(Lycaenidae)
1539. **Cigaritis myrmecophila** Dumont,1922
(Lycaenidae)
1540. **Cigaritis uighurica** Kemal &
Koçak,2005 (Lycaenidae)
1541. **Cilix asiatica** A.Bang-Haas,1907
(Drepanidae)
1542. **Cilix glaucata** (Scopoli,1763)
(Drepanidae)
1543. **Cinglis humifusaria** (Eversmann,1837)
(Geometridae)
1544. **Cinnerethica optodes** (Meyrick,1922)
(Tineidae)
1545. **Cirriphora pharaonana** (Kollar,1858)
(Tortricidae)
1546. **Clarina kotschyi** (Kollar,[1849])
(Sphingidae)
1547. **Clarina syriaca** (Lederer,1855)
(Sphingidae)
1548. **Clelea fusca** (Leech,1887) (Zygaenidae)
1549. **Cleoceris scoriacea** (Esper,[1789])
(Noctuidae)
1550. **Cleonymia (s.str.) baetica**
(Rambur,1837) (Noctuidae)
1551. **Cleonymia (s.str.) chabordis**
(Oberthür,1876) (Noctuidae)
1552. **Cleonymia (s.str.) pectinicornis**
(Staudinger,1859) (Noctuidae)
1553. **Cleonymia (s.str.) warionis**
(Oberthür,1876) (Noctuidae)
1554. **Cleonymia (Serryvania) fatima**
(A.Bang-Haas,1907) (Noctuidae)
1555. **Cleonymia (Serryvania) opposita**
(Lederer,1870) (Noctuidae)
1556. **Cleonymia jubata** (Oberthür,1890)
(Noctuidae)
1557. **Cleora cinctaria** ([Denis &
Schiffermüller],1775) (Geometridae)
1558. **Cleorodes lichenarius** (Hufnagel,1767)
(Geometridae)
1559. **Clepsis consimilana** (Hübner,[1817])
(Tortricidae)
1560. **Clepsis dumicolana** (Zeller,1847)
(Tortricidae)
1561. **Clepsis neglectana** (Herrich-
Schäffer,1851) (Tortricidae)
1562. **Clepsis oblimatana** (Kennel,1901)
(Tortricidae)
1563. **Clepsis pallidana** (Fabricius,1776)
(Tortricidae)
1564. **Clepsis rurinana** (Linnaeus,1758)
(Tortricidae)
1565. **Clepsis senecionana** (Hübner,[1819])
(Tortricidae)
1566. **Clepsis soriana** (Kennel,1899)
(Tortricidae)
1567. **Clepsis spectrana** (Treitschke,1830)
(Tortricidae)
1568. **Cleta filacearia** (Herrich-
Schäffer,[1847]) (Geometridae)
1569. **Cleta perpusillaria** (Eversmann,1847)
(Geometridae)

1570. *Clostera anachoreta* (Fabricius,1787) (Notodontidae)
 1571. *Clostera anastomosis* (Linnaeus,1758) (Notodontidae)
 1572. *Clostera curtula* (Linnaeus,1758) (Notodontidae)
 1573. *Clostera pigra* (Hufnagel,1766) (Notodontidae)
 1574. *Clytie* (*Hypoglaucitis*) *distincta* (A.Bang-Haas,1907) (Noctuidae)
 1575. *Clytie* (*Hypoglaucitis*) *infrequens* (Swinhoe,1884) (Noctuidae)
 1576. *Clytie* (s.str.) *arenosa* Rothschild,1913 (Noctuidae)
 1577. *Clytie* (s.str.) *delunaris* (Staudinger,1889) (Noctuidae)
 1578. *Clytie* (s.str.) *devia* (Swinhoe,1884) (Noctuidae)
 1579. *Clytie* (s.str.) *gracilis* (A.Bang-Haas,1907) (Noctuidae)
 1580. *Clytie* (s.str.) *haifae* (Habich,1905) (Noctuidae)
 1581. *Clytie* (s.str.) *illunaris* (Hübner,[1813]) (Noctuidae)
 1582. *Clytie* (s.str.) *sancta* (Staudinger,1898) (Noctuidae)
 1583. *Clytie* (s.str.) *scotorrhiza* Hampson,1913 (Noctuidae)
 1584. *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae)
 1585. *Clytie* (s.str.) *terrulenta* (Christoph,1893) (Noctuidae)
 1586. *Cnaemidophorus rhododactylus* (Fabricius,1787) (Pterophoridae)
 1587. *Cnephasia* (*Cnephasiella*) *abrasana* (Duponchel,1843) (Tortricidae)
 1588. *Cnephasia* (*Cnephasiella*) *incertana* (Treitschke,1835) (Tortricidae)
 1589. *Cnephasia* (s.str.) *asiatica* Kuznetsov,1956 (Tortricidae)
 1590. *Cnephasia* (s.str.) *asseclana* ([Denis & Schiffermüller],1775) (Tortricidae)
 1591. *Cnephasia* (s.str.) *bizensis* Razowski,1953 (Tortricidae)
 1592. *Cnephasia* (s.str.) *chrysantheana* (Duponchel,1843) (Tortricidae)
 1593. *Cnephasia* (s.str.) *communana* (Herrich-Schäffer,[1851]) (Tortricidae)
 1594. *Cnephasia* (s.str.) *cupressivorana* (Staudinger,1871) (Tortricidae)
 1595. *Cnephasia* (s.str.) *facetana* Kennel,1901 (Tortricidae)
 1596. *Cnephasia* (s.str.) *fragosana* (Zeller,1847) (Tortricidae)
 1597. *Cnephasia* (s.str.) *graecana* Rebel,1902 (Tortricidae)
 1598. *Cnephasia* (s.str.) *grandis* (Osthelder,1938) (Tortricidae)
 1599. *Cnephasia* (s.str.) *helenica* Obratzsov,1950 (Tortricidae)
 1600. *Cnephasia* (s.str.) *heringi* Razowski,1958 (Tortricidae)
 1601. *Cnephasia* (s.str.) *kenneli* Obratzsov,1956 (Tortricidae)
 1602. *Cnephasia* (s.str.) *korvaci* Razowski,1965 (Tortricidae)
 1603. *Cnephasia* (s.str.) *lineata* (Walsingham,1900) (Tortricidae)
 1604. *Cnephasia* (s.str.) *longana* (Haworth,[1811]) (Tortricidae)
 1605. *Cnephasia* (s.str.) *maraschana* Caradja,1916 (Tortricidae)
 1606. *Cnephasia* (s.str.) *nigripunctana* Amsel,1959 (Tortricidae)
 1607. *Cnephasia* (s.str.) *orientana* (Alpheraky,1877) (Tortricidae)
 1608. *Cnephasia* (s.str.) *oxyacanthana* (Herrich-Schäffer,[1851]) (Tortricidae)
 1609. *Cnephasia* (s.str.) *pasiuana* (Hübner,[1799]) (Tortricidae)
 1610. *Cnephasia* (s.str.) *pirizanica* Razowski,1965 (Tortricidae)
 1611. *Cnephasia* (s.str.) *regifica* Razowski,1971 (Tortricidae)
 1612. *Cnephasia* (s.str.) *sabulosa definita* Filipjev (Tortricidae)
 1613. *Cnephasia* (s.str.) *sedana* (Constant,1884) (Tortricidae)
 1614. *Cnephasia* (s.str.) *semibrunneata* De Joannis,1891 (Tortricidae)
 1615. *Cnephasia* (s.str.) *stephensiana* (Doubleday,1849) (Tortricidae)
 1616. *Cnephasia* (s.str.) *tianshanica* Filipjev,1934 (Tortricidae)
 1617. *Cnephasia* (s.str.) *tofina* (Meyrick,1922) (Tortricidae)
 1618. *Cnephasia* (s.str.) *transcaspica* Filipjev (Tortricidae)
 1619. *Cnephasia* (s.str.) *tristrami* (Walsingham,1900) (Tortricidae)
 1620. *Cnephasia* (s.str.) *uniformana* Caradja,1916 (Tortricidae)
 1621. *Cnephasia* (s.str.) *venusta* Razowski,1971 (Tortricidae)
 1622. *Cnephasia* (s.str.) *virginana* (Kennel,1899) (Tortricidae)
 1623. *Cnestrognophos libanoticus* (Wehrli,1931) (Geometridae)
 1624. *Coccidiphila gerasimovi* Danilevsky,1950 (Cosmopterigidae)
 1625. *Coccidiphila ledereriella* (Zeller,1850) (Cosmopterigidae)
 1626. *Cochylidia heydeniana* (Herrich-Schäffer,[1851]) (Tortricidae)
 1627. *Cochylidia implicitana* (Wocke,1856) (Tortricidae)
 1628. *Cochylidia rupicola* (Curtis,1834) (Tortricidae)
 1629. *Cochylimorpha alternana* (Stephens,1834) (Tortricidae)
 1630. *Cochylimorpha armeniana* (Joannis,1891) (Tortricidae)
 1631. *Cochylimorpha asiana* (Kennel,1899) (Tortricidae)
 1632. *Cochylimorpha blandana* (Eversmann,1844) (Tortricidae)
 1633. *Cochylimorpha brandti* Razowski,1963 (Tortricidae)
 1634. *Cochylimorpha chionella* (Schawerda,1924) (Tortricidae)
 1635. *Cochylimorpha cultana* (Lederer,1855) (Tortricidae)
 1636. *Cochylimorpha decolorella* (Zeller,1839) (Tortricidae)
 1637. *Cochylimorpha diana* (Kennel,1899) (Tortricidae)

1638. *Cochylimorpha discolorana*
Kennel,1899 (Tortricidae)
1639. *Cochylimorpha eburneana*
(Kennel,1899) (Tortricidae)
1640. *Cochylimorpha elegans*
(Razowski,1963) (Tortricidae)
1641. *Cochylimorpha elongana* (Fischer v.
Röslerstamm,1839) (Tortricidae)
1642. *Cochylimorpha fluens* (Razowski,1970)
(Tortricidae)
1643. *Cochylimorpha fucosa* (Razowski,1970)
(Tortricidae)
1644. *Cochylimorpha halophilana*
(Christoph,1882) (Tortricidae)
1645. *Cochylimorpha hilarana* (Herrich-
Schäffer,[1851]) (Tortricidae)
1646. *Cochylimorpha kurdistana*
(Amsel,1959) (Tortricidae)
1647. *Cochylimorpha langeana*
(Kalchberg,1897) (Tortricidae)
1648. *Cochylimorpha meridiana*
(Staudinger,1859) (Tortricidae)
1649. *Cochylimorpha meridiolana*
(Ragonot,1894) (Tortricidae)
1650. *Cochylimorpha nodulana*
(Möschler,1862) (Tortricidae)
1651. *Cochylimorpha nomadana*
(Erschoff,1874) (Tortricidae)
1652. *Cochylimorpha pirizanica*
(Razowski,1963) (Tortricidae)
1653. *Cochylimorpha pyramidana*
(Staudinger,1871) (Tortricidae)
1654. *Cochylimorpha scrophulana*
(Razowski,1963) (Tortricidae)
1655. *Cochylimorpha simulata*
(Razowski,1970) (Tortricidae)
1656. *Cochylimorpha sparsana*
(Staudinger,1880) (Tortricidae)
1657. *Cochylimorpha straminea*
(Haworth,[1811]) (Tortricidae)
1658. *Cochylimorpha thomasi* Karisch,2003
(Tortricidae)
1659. *Cochylimorpha wiltshirei*
Razowski,1963 (Tortricidae)
1660. *Cochylis aestiva* (Walsingham,1900)
(Tortricidae)
1661. *Cochylis apricana* Kennel,1899
(Tortricidae)
1662. *Cochylis atricapitana* (Stephens,1852)
(Tortricidae)
1663. *Cochylis defessana* Mann,1861
(Tortricidae)
1664. *Cochylis epilinana* Duponchel,1842
(Tortricidae)
1665. *Cochylis hybridella* (Hübner,[1813])
(Tortricidae)
1666. *Cochylis maestana* (Kennel,1899)
(Tortricidae)
1667. *Cochylis militariana* Derra,1991
(Tortricidae)
1668. *Cochylis nana* (Haworth,[1811])
(Tortricidae)
1669. *Cochylis pallidana* Zeller,1847
(Tortricidae)
1670. *Cochylis piana* (Kennel,1899)
(Tortricidae)
1671. *Cochylis posterana* Zeller,1847
(Tortricidae)
1672. *Cochylis roseana* (Haworth,[1811])
(Tortricidae)
1673. *Cochylis salebrana* Mann,1862
(Tortricidae)
1674. *Cochylis similana* Razowski,1963
(Tortricidae)
1675. *Cochylis suaveolana* Fuchs,1903
(Tortricidae)
1676. *Coenina collenettei* L.B.Prout,1931
(Geometridae)
1677. *Coenina dentataria* Swinhoe,1904
(Geometridae)
1678. *Coenina islamitica* Amsel,1935
(Geometridae)
1679. *Coenina paulusi* (Rebel,1906)
(Geometridae)
1680. *Coenonympha* (Lyela) *myops*
(Staudinger,1881) (Satyridae)
1681. *Coenonympha* (s.str.) *arcania*
(Linnaeus,1761) (Satyridae)
1682. *Coenonympha* (s.str.) *glycerion*
(Borkhausen,1788) (Satyridae)
1683. *Coenonympha* (s.str.) *leander*
(Fabricius,1787) (Satyridae)
1684. *Coenonympha* (s.str.) *pamphilus*
(Linnaeus,1758) (Satyridae)
1685. *Coenonympha* (s.str.) *pamphilus*
pamphilus (Linnaeus,1758) (Satyridae)
1686. *Coenonympha* (s.str.) *saadi*
(Kollar,[1849]) (Satyridae)
1687. *Coenonympha* (s.str.) *symphita*
Lederer,1870 (Satyridae)
1688. *Coenophila miniago* (Freyer,[1839])
(Noctuidae)
1689. *Coleophora abbasella* Baldizzone,1994
(Coleophoridae)
1690. *Coleophora acanthophyllii*
(Falkovitsh,1989) (Coleophoridae)
1691. *Coleophora accadica* Baldizzone,1994
(Coleophoridae)
1692. *Coleophora aculeata* Baldizzone,1994
(Coleophoridae)
1693. *Coleophora adelogrammella*
Zeller,1849 (Coleophoridae)
1694. *Coleophora adjectella* Herrich-
Schäffer,1861 (Coleophoridae)
1695. *Coleophora adjunctella*
Hodgkinson,1882 (Coleophoridae)
1696. *Coleophora adlecta* Baldizzone,1994
(Coleophoridae)
1697. *Coleophora aegyptiacae*
Walsingham,1907 (Coleophoridae)
1698. *Coleophora aequalella* Christoph,1872
(Coleophoridae)
1699. *Coleophora aervae* Baldizzone,1994
(Coleophoridae)
1700. *Coleophora agnatella* Toll,1960
(Coleophoridae)
1701. *Coleophora agrianella* Rebel,1934
(Coleophoridae)
1702. *Coleophora agridensis* Baldizzone,2001
(Coleophoridae)
1703. *Coleophora alabardata* Baldizzone,1994
(Coleophoridae)
1704. *Coleophora albella* (Thunberg,1788)
(Coleophoridae)
1705. *Coleophora albicans* Zeller,1849
(Coleophoridae)

1706. *Coleophora albicostella*
(Duponchel,1842) (Coleophoridae)
1707. *Coleophora albidorsella* Toll,1942
(Coleophoridae)
1708. *Coleophora albiochrella* Toll &
Amsel,1967 (Coleophoridae)
1709. *Coleophora albipennella*
Staudinger,1879 (Coleophoridae)
1710. *Coleophora albostraminata* Toll,1960
(Coleophoridae)
1711. *Coleophora albotitae* Rebel,1935
(Coleophoridae)
1712. *Coleophora alcyonipennella*
(Kollar,1832) (Coleophoridae)
1713. *Coleophora alticolella* Zeller,1849
(Coleophoridae)
1714. *Coleophora amasicola* Toll,1942
(Coleophoridae)
1715. *Coleophora amasiella* Stainton,1867
(Coleophoridae)
1716. *Coleophora amentastra* Falkovitsh,1972
(Coleophoridae)
1717. *Coleophora amethystinella*
Ragonot,1885 (Coleophoridae)
1718. *Coleophora ammophora*
(Falkovitsh,1989) (Coleophoridae)
1719. *Coleophora amphorella*
Baldizzone,1994 (Coleophoridae)
1720. *Coleophora amseliella* Toll &
Amsel,1967 (Coleophoridae)
1721. *Coleophora aporiella* Baldizzone,1989
(Coleophoridae)
1722. *Coleophora arachnias* Meyrick,1922
(Coleophoridae)
1723. *Coleophora arachosiae*
Baldizzone,1994 (Coleophoridae)
1724. *Coleophora arenbergeri* Glaser,1981
(Coleophoridae)
1725. *Coleophora argentifimbriata*
Walsingham,1907 (Coleophoridae)
1726. *Coleophora argentipennella*
Duponchel,1838 (Coleophoridae)
1727. *Coleophora argentula* (Stephens,1834)
(Coleophoridae)
1728. *Coleophora argyrella* Herrich-
Schäffer,1861 (Coleophoridae)
1729. *Coleophora armeniae* Baldizzone &
Patzak,1991 (Coleophoridae)
1730. *Coleophora asiaeminoris* Toll,1952
(Coleophoridae)
1731. *Coleophora asperginella*
Christoph,1862 (Coleophoridae)
1732. *Coleophora assyriae* Baldizzone,1994
(Coleophoridae)
1733. *Coleophora asthenella* Constant,1893
(Coleophoridae)
1734. *Coleophora astragalella* Zeller,1849
(Coleophoridae)
1735. *Coleophora audeoudi* Rebel,1935
(Coleophoridae)
1736. *Coleophora badiipennella*
(Duponchel,1843) (Coleophoridae)
1737. *Coleophora bagorella* (Falkovitsh,1977)
(Coleophoridae)
1738. *Coleophora baischi* Baldizzone,2007
(Coleophoridae)
1739. *Coleophora ballotella* (Fischer v.
Röslerstamm,1839) (Coleophoridae)
1740. *Coleophora basimaculella* Mann,1864
(Coleophoridae)
1741. *Coleophora bedella* Falkovitsh,1976
(Coleophoridae)
1742. *Coleophora beduina* Baldizzone,1987
(Coleophoridae)
1743. *Coleophora berlandella* Toll,1956
(Coleophoridae)
1744. *Coleophora bernoulliella* (Goeze,1783)
(Coleophoridae)
1745. *Coleophora bilineatella* Zeller,1849
(Coleophoridae)
1746. *Coleophora bilineella* Herrich-
Schäffer,1855 (Coleophoridae)
1747. *Coleophora bitlisella* Baldizzone,1994
(Coleophoridae)
1748. *Coleophora bivittella* Staudinger,1879
(Coleophoridae)
1749. *Coleophora bornicensis* Fuchs,1886
(Coleophoridae)
1750. *Coleophora botaurella* Herrich-
Schäffer,1861 (Coleophoridae)
1751. *Coleophora breviuscula*
Staudinger,1880 (Coleophoridae)
1752. *Coleophora caelebipennella* Zeller,1839
(Coleophoridae)
1753. *Coleophora caespititiella* Zeller,1839
(Coleophoridae)
1754. *Coleophora calycotomella*
Stainton,1869 (Coleophoridae)
1755. *Coleophora canariipennella* Toll,1959
(Coleophoridae)
1756. *Coleophora capella* Baldizzone,1990
(Coleophoridae)
1757. *Coleophora capillata* Baldizzone,1994
(Coleophoridae)
1758. *Coleophora cappadociae*
Baldizzone,1994 (Coleophoridae)
1759. *Coleophora carmaniae* Baldizzone,1994
(Coleophoridae)
1760. *Coleophora cartilaginella*
Christoph,1872 (Coleophoridae)
1761. *Coleophora caucasica* Stainton,1867
(Coleophoridae)
1762. *Coleophora celsa* Baldizzone,1994
(Coleophoridae)
1763. *Coleophora chamaedriella*
Bruand,1852 (Coleophoridae)
1764. *Coleophora changaica* Reznik,1975
(Coleophoridae)
1765. *Coleophora cherasforella*
Baldizzone,2001 (Coleophoridae)
1766. *Coleophora christenseni*
Baldizzone,1983 (Coleophoridae)
1767. *Coleophora colutella* (Fabricius,1794)
(Coleophoridae)
1768. *Coleophora confusa* Staudinger,1880
(Coleophoridae)
1769. *Coleophora congeriella*
Staudinger,1859 (Coleophoridae)
1770. *Coleophora conspersa* Baldizzone &
Tabell,1999 (Coleophoridae)
1771. *Coleophora conspicuella* Zeller,1849
(Coleophoridae)
1772. *Coleophora conyzae* Zeller,1868
(Coleophoridae)
1773. *Coleophora coracipennella*
(Hübner,1796) (Coleophoridae)

1774. *Coleophora coronata* Baldizzone,1994
(Coleophoridae)
1775. *Coleophora coronillae* Zeller,1849
(Coleophoridae)
1776. *Coleophora corsicella*
Walsingham,1898 (Coleophoridae)
1777. *Coleophora cracella* Vallot,1835
(Coleophoridae)
1778. *Coleophora crepidinella* Zeller,1847
(Coleophoridae)
1779. *Coleophora crispella* Baldizzone,1994
(Coleophoridae)
1780. *Coleophora cuprariella* Zeller,1847
(Coleophoridae)
1781. *Coleophora currucipennella*
Zeller,1839 (Coleophoridae)
1782. *Coleophora cyrniella* Rebel,1926
(Coleophoridae)
1783. *Coleophora daeva* Baldizzone,1994
(Coleophoridae)
1784. *Coleophora daglarica* Baldizzone &
Tabell,1999 (Coleophoridae)
1785. *Coleophora darica* Baldizzone,1994
(Coleophoridae)
1786. *Coleophora deauratella* Lienig &
Zeller,1846 (Coleophoridae)
1787. *Coleophora delicatella* Toll &
Amsel,1967 (Coleophoridae)
1788. *Coleophora denigrella* Gerasimov,1930
(Coleophoridae)
1789. *Coleophora dentatella* Toll &
Amsel,1967 (Coleophoridae)
1790. *Coleophora derbendella*
Baldizzone,1994 (Coleophoridae)
1791. *Coleophora dianthi* Herrich-
Schäffer,1855 (Coleophoridae)
1792. *Coleophora didymella* Chrétien,1899
(Coleophoridae)
1793. *Coleophora dignella* Toll,1961
(Coleophoridae)
1794. *Coleophora discomaculella* Toll &
Amsel,1967 (Coleophoridae)
1795. *Coleophora discordella* Zeller,1849
(Coleophoridae)
1796. *Coleophora ditella* Zeller,1849
(Coleophoridae)
1797. *Coleophora dracontea* Baldizzone,1994
(Coleophoridae)
1798. *Coleophora dubiella* Baker,1888
(Coleophoridae)
1799. *Coleophora dylineella* Amsel,1935
(Coleophoridae)
1800. *Coleophora echinacea* Falkovitsh,1972
(Coleophoridae)
1801. *Coleophora echinella* Staudinger,1879
(Coleophoridae)
1802. *Coleophora egenella* Toll,1952
(Coleophoridae)
1803. *Coleophora eilatica* Baldizzone,1994
(Coleophoridae)
1804. *Coleophora eilatica* Baldizzone,1994
(Coleophoridae)
1805. *Coleophora elamita* Baldizzone,1994
(Coleophoridae)
1806. *Coleophora elbursella* Baldizzone,1994
(Coleophoridae)
1807. *Coleophora epijudaica* Amsel,1935
(Coleophoridae)
1808. *Coleophora erratella* Toll & Amsel,1967
(Coleophoridae)
1809. *Coleophora etrusca* Baldizzone,1990
(Coleophoridae)
1810. *Coleophora eumorphella*
Baldizzone,1994 (Coleophoridae)
1811. *Coleophora eupreta* Walsingham,1907
(Coleophoridae)
1812. *Coleophora ferruginea* Baldizzone,1994
(Coleophoridae)
1813. *Coleophora filaginella* Fuchs,1881
(Coleophoridae)
1814. *Coleophora fiorii* Toll,1953
(Coleophoridae)
1815. *Coleophora flamma* Baldizzone,1994
(Coleophoridae)
1816. *Coleophora flaviella* Mann,1857
(Coleophoridae)
1817. *Coleophora flavilineella* Toll,1952
(Coleophoridae)
1818. *Coleophora flavipennella*
(Duponchel,1843) (Coleophoridae)
1819. *Coleophora follicularis* (Vallot,1802)
(Coleophoridae)
1820. *Coleophora fretella* Zeller,1847
(Coleophoridae)
1821. *Coleophora fringillella* Zeller,1839
(Coleophoridae)
1822. *Coleophora frischella* (Linnaeus,1758)
(Coleophoridae)
1823. *Coleophora fulgidella* Toll &
Amsel,1967 (Coleophoridae)
1824. *Coleophora fuscicornis* Zeller,1847
(Coleophoridae)
1825. *Coleophora fuscinervella* Toll,1956
(Coleophoridae)
1826. *Coleophora fuscoaenea* Toll,1952
(Coleophoridae)
1827. *Coleophora fuscociliella* Zeller,1849
(Coleophoridae)
1828. *Coleophora galbulipennella* Zeller,1838
(Coleophoridae)
1829. *Coleophora galligena* Falkovitsh,1970
(Coleophoridae)
1830. *Coleophora gallipennella*
(Hübner,1796) (Coleophoridae)
1831. *Coleophora ganglionella*
Baldizzone,1994 (Coleophoridae)
1832. *Coleophora gaviaepennella* Toll,1952
(Coleophoridae)
1833. *Coleophora gazella* Toll,1952
(Coleophoridae)
1834. *Coleophora gedrosiae* Baldizzone,1994
(Coleophoridae)
1835. *Coleophora genistae* Stainton,1857
(Coleophoridae)
1836. *Coleophora ghorella* Amsel,1955
(Coleophoridae)
1837. *Coleophora glaucicolella* Wood,1892
(Coleophoridae)
1838. *Coleophora goluensis* Baldizzone,1994
(Coleophoridae)
1839. *Coleophora granulosella*
Staudinger,1880 (Coleophoridae)
1840. *Coleophora gryphipennella*
(Hübner,1796) (Coleophoridae)
1841. *Coleophora gurunensis*
Baldizzone,1994 (Coleophoridae)

1842. *Coleophora gymnocarpella*
Walsingham,1907 (Coleophoridae)
1843. *Coleophora haoma* Baldizzone,1994
(Coleophoridae)
1844. *Coleophora hartigi* Toll,1944
(Coleophoridae)
1845. *Coleophora helianthemella*
Millière,1870 (Coleophoridae)
1846. *Coleophora helvolella* Baldizzone,1994
(Coleophoridae)
1847. *Coleophora hemerobiella*
(Scopoli,1763) (Coleophoridae)
1848. *Coleophora heringi* Toll,1952
(Coleophoridae)
1849. *Coleophora herniariae* Baldizzone,2001
(Coleophoridae)
1850. *Coleophora hieratica* Baldizzone,1994
(Coleophoridae)
1851. *Coleophora hieronella* Zeller,1849
(Coleophoridae)
1852. *Coleophora horridula* Baldizzone,2001
(Coleophoridae)
1853. *Coleophora hospitiella* Chrétien,1915
(Coleophoridae)
1854. *Coleophora hystricella* Toll,1957
(Coleophoridae)
1855. *Coleophora iljiniae* (Falkovitsh,1989)
(Coleophoridae)
1856. *Coleophora inclita* Baldizzone,1994
(Coleophoridae)
1857. *Coleophora inequidentella* Toll &
Amsel,1967 (Coleophoridae)
1858. *Coleophora inflatae* Stainton,1857
(Coleophoridae)
1859. *Coleophora inopinata* Baldizzone,1994
(Coleophoridae)
1860. *Coleophora inusitatella* Caradja,1920
(Coleophoridae)
1861. *Coleophora iranella* Toll,1959
(Coleophoridae)
1862. *Coleophora isomoera* Falkovitsh,1972
(Coleophoridae)
1863. *Coleophora ispartae* Baldizzone,1994
(Coleophoridae)
1864. *Coleophora ivrizensis* Baldizzone,1994
(Coleophoridae)
1865. *Coleophora jerusalemella* Toll,1942
(Coleophoridae)
1866. *Coleophora judaica* Amsel,1935
(Coleophoridae)
1867. *Coleophora kandymella*
Falkovitsh,1988 (Coleophoridae)
1868. *Coleophora karakurti* Baldizzone,1994
(Coleophoridae)
1869. *Coleophora kasyi* Toll,1961
(Coleophoridae)
1870. *Coleophora kautzi* Rebel,1933
(Coleophoridae)
1871. *Coleophora kitella* Baldizzone,1994
(Coleophoridae)
1872. *Coleophora klimeschiella* Toll,1952
(Coleophoridae)
1873. *Coleophora kotalensis* Baldizzone,1994
(Coleophoridae)
1874. *Coleophora kroneella* Fuchs,1899
(Coleophoridae)
1875. *Coleophora kuehnella* (Goetze,1783)
(Coleophoridae)
1876. *Coleophora lagopella* Baldizzone,2001
(Coleophoridae)
1877. *Coleophora lasiocharis* Meyrick,1931
(Coleophoridae)
1878. *Coleophora lasloella* Baldizzone,1982
(Coleophoridae)
1879. *Coleophora lassella* Staudinger,1859
(Coleophoridae)
1880. *Coleophora laticostella* Mann,1859
(Coleophoridae)
1881. *Coleophora lebedella* (Falkovitsh,1982)
(Coleophoridae)
1882. *Coleophora libanella* Baldizzone,1994
(Coleophoridae)
1883. *Coleophora limosipennella*
(Duponchel,1843) (Coleophoridae)
1884. *Coleophora lineariella* Zeller,1849
(Coleophoridae)
1885. *Coleophora lixella* Zeller,1849
(Coleophoridae)
1886. *Coleophora longiductella*
Baldizzone,1989 (Coleophoridae)
1887. *Coleophora lusciniapennella*
(Treitschke,1833) (Coleophoridae)
1888. *Coleophora luteolella* Staudinger,1880
(Coleophoridae)
1889. *Coleophora lutipennella* (Zeller,1838)
(Coleophoridae)
1890. *Coleophora lycaoniae* Baldizzone,1994
(Coleophoridae)
1891. *Coleophora machinopsis* Meyrick,1936
(Coleophoridae)
1892. *Coleophora macilenta* Falkovitsh,1972
(Coleophoridae)
1893. *Coleophora magnatella* Toll,1959
(Coleophoridae)
1894. *Coleophora makuensis*
Baldizzone,1994 (Coleophoridae)
1895. *Coleophora malatiella* Toll,1952
(Coleophoridae)
1896. *Coleophora maritimella* Newman,1863
(Coleophoridae)
1897. *Coleophora mausolella* Chrétien,1908
(Coleophoridae)
1898. *Coleophora mayrella* (Hübner,[1813])
(Coleophoridae)
1899. *Coleophora medelichensis* Krone,1908
(Coleophoridae)
1900. *Coleophora mediae* Baldizzone,1990
(Coleophoridae)
1901. *Coleophora microalbella* Amsel,1935
(Coleophoridae)
1902. *Coleophora micronotella* Toll,1956
(Coleophoridae)
1903. *Coleophora milvipennis* Zeller,1839
(Coleophoridae)
1904. *Coleophora miniaxella* Toll,1952
(Coleophoridae)
1905. *Coleophora miserella* Staudinger,1880
(Coleophoridae)
1906. *Coleophora monstrosa*
Baldizzone,1994 (Coleophoridae)
1907. *Coleophora mucronata*
Baldizzone,1994 (Coleophoridae)
1908. *Coleophora namakella* Amsel,1977
(Coleophoridae)
1909. *Coleophora narbonensis*
Baldizzone,1990 (Coleophoridae)

1910. **Coleophora necessaria**
Staudinger,1880 (Coleophoridae)
1911. **Coleophora nigridorsella** Amsel,1935
(Coleophoridae)
1912. **Coleophora nitidipennella** Toll &
Amsel,1967 (Coleophoridae)
1913. **Coleophora niveicostella** Zeller,1839
(Coleophoridae)
1914. **Coleophora niveistrigella** Heinemann &
Wocke,[1877] (Coleophoridae)
1915. **Coleophora niveopictella** Toll,1952
(Coleophoridae)
1916. **Coleophora noeae** (Falkovitsh,1989)
(Coleophoridae)
1917. **Coleophora nomgona** Falkovitsh,1975
(Coleophoridae)
1918. **Coleophora nurmahal** Toll,1957
(Coleophoridae)
1919. **Coleophora nutantella** Mühlig &
Frey,1857 (Coleophoridae)
1920. **Coleophora obliterata** Toll,1952
(Coleophoridae)
1921. **Coleophora obtectella** Zeller,1849
(Coleophoridae)
1922. **Coleophora obviella** Rebel,1914
(Coleophoridae)
1923. **Coleophora occatella** Staudinger,1880
(Coleophoridae)
1924. **Coleophora ochrea** (Haworth,[1828])
(Coleophoridae)
1925. **Coleophora ochripennella** Zeller,1849
(Coleophoridae)
1926. **Coleophora onobrychiella** Zeller,1849
(Coleophoridae)
1927. **Coleophora onopordiella** Zeller,1849
(Coleophoridae)
1928. **Coleophora oriolella** Zeller,1849
(Coleophoridae)
1929. **Coleophora ornatipennella**
(Hübner,1796) (Coleophoridae)
1930. **Coleophora ovata** Baldizzzone,1994
(Coleophoridae)
1931. **Coleophora pachyderma**
Baldizzzone,1994 (Coleophoridae)
1932. **Coleophora pallidata** Toll,1959
(Coleophoridae)
1933. **Coleophora paphlagoniae**
Baldizzzone,1994 (Coleophoridae)
1934. **Coleophora paraptarmica** Toll &
Amsel,1967 (Coleophoridae)
1935. **Coleophora paravestalella**
Baldizzzone,1994 (Coleophoridae)
1936. **Coleophora parcella** Toll,1952
(Coleophoridae)
1937. **Coleophora parthenica** Meyrick,1891
(Coleophoridae)
1938. **Coleophora parthica** Baldizzzone,1994
(Coleophoridae)
1939. **Coleophora partitella** Zeller,1849
(Coleophoridae)
1940. **Coleophora parvicuprella** Baldizzzone &
Tabell,2006 (Coleophoridae)
1941. **Coleophora passeripennella**
Baldizzzone,2001 (Coleophoridae)
1942. **Coleophora pauperculella** Toll,1956
(Coleophoridae)
1943. **Coleophora pellicornella** Zerny,1930
(Coleophoridae)
1944. **Coleophora pennella** ([Denis &
Schiffmüller],1775) (Coleophoridae)
1945. **Coleophora persana** Baldizzzone,1990
(Coleophoridae)
1946. **Coleophora petraea** Falkovitsh,1972
(Coleophoridae)
1947. **Coleophora phlomidella**
Christoph,1862 (Coleophoridae)
1948. **Coleophora phlomidis** Stainton,1867
(Coleophoridae)
1949. **Coleophora phoenicia** Baldizzzone,1994
(Coleophoridae)
1950. **Coleophora phrygiae** Baldizzzone,1994
(Coleophoridae)
1951. **Coleophora poecilella**
Walsingham,1907 (Coleophoridae)
1952. **Coleophora poliacantha**
Baldizzzone,2001 (Coleophoridae)
1953. **Coleophora praecipua**
Walsingham,1907 (Coleophoridae)
1954. **Coleophora preisseckeri** Toll,1942
(Coleophoridae)
1955. **Coleophora propinqua**
Staudinger,1880 (Coleophoridae)
1956. **Coleophora propinquoides**
Baldizzzone,1994 (Coleophoridae)
1957. **Coleophora protecta** Walsingham,1907
(Coleophoridae)
1958. **Coleophora pseudociconiella** Toll,1952
(Coleophoridae)
1959. **Coleophora ptarmica** Walsingham,1910
(Coleophoridae)
1960. **Coleophora pyrenaica** Baldizzzone,1980
(Coleophoridae)
1961. **Coleophora pyrrhulipennella**
Zeller,1839 (Coleophoridae)
1962. **Coleophora quadristraminella**
Toll,1961 (Coleophoridae)
1963. **Coleophora qulikushella** Toll,1959
(Coleophoridae)
1964. **Coleophora reisseri** Rebel,1926
(Coleophoridae)
1965. **Coleophora rhinoceros**
Baldizzzone,2001 (Coleophoridae)
1966. **Coleophora riffelensis** Rebel,1913
(Coleophoridae)
1967. **Coleophora rostrata** Baldizzzone,1994
(Coleophoridae)
1968. **Coleophora salicorniae** Heinemann &
Wocke,1877 (Coleophoridae)
1969. **Coleophora salsolella** Chrétien,1915
(Coleophoridae)
1970. **Coleophora sarehma** Toll,1956
(Coleophoridae)
1971. **Coleophora sarobiensis** Toll &
Amsel,1967 (Coleophoridae)
1972. **Coleophora saxicolella**
(Duponchel,1843) (Coleophoridae)
1973. **Coleophora schahkuhensis** Toll,1952
(Coleophoridae)
1974. **Coleophora schaufferella** Toll,1959
(Coleophoridae)
1975. **Coleophora serinipennella**
Christoph,1872 (Coleophoridae)
1976. **Coleophora serpylletorum** Hering,1889
(Coleophoridae)
1977. **Coleophora serratella** (Linnaeus,1761)
(Coleophoridae)

1978. **Coleophora serratulella** Herrich-Schäffer,1855 (Coleophoridae)
1979. **Coleophora silenella** Herrich-Schäffer,1855 (Coleophoridae)
1980. **Coleophora simplex** Baldizzone,1994 (Coleophoridae)
1981. **Coleophora sobria** Baldizzone,1994 (Coleophoridae)
1982. **Coleophora sobrinella** Toll,1944 (Coleophoridae)
1983. **Coleophora soffneriella** Toll,1961 (Coleophoridae)
1984. **Coleophora sogdianae** Baldizzone,1994 (Coleophoridae)
1985. **Coleophora spiniferella** Toll,1952 (Coleophoridae)
1986. **Coleophora squamella** Constant,1885 (Coleophoridae)
1987. **Coleophora squamosella** Stainton,1856 (Coleophoridae)
1988. **Coleophora stramentella** Zeller,1849 (Coleophoridae)
1989. **Coleophora strophingella** Baldizzone,1994 (Coleophoridae)
1990. **Coleophora subochracea** Toll,1952 (Coleophoridae)
1991. **Coleophora subparcella** Toll & Amsel,1967 (Coleophoridae)
1992. **Coleophora subula** (Falkovitsh,1993) (Coleophoridae)
1993. **Coleophora swatensis** Baldizzone,1994 (Coleophoridae)
1994. **Coleophora symphistropha** Reznik,1976 (Coleophoridae)
1995. **Coleophora synchrona** Falkovitsh,1988 (Coleophoridae)
1996. **Coleophora syriaca** Toll,1942 (Coleophoridae)
1997. **Coleophora tabelli** Baldizzone,2001 (Coleophoridae)
1998. **Coleophora taeniipennella** Herrich-Schäffer,1855 (Coleophoridae)
1999. **Coleophora tamesis** Waters,1929 (Coleophoridae)
2000. **Coleophora tanaceti** Mühlig,1865 (Coleophoridae)
2001. **Coleophora taurica** Baldizzone,1994 (Coleophoridae)
2002. **Coleophora tauricella** Staudinger,1880 (Coleophoridae)
2003. **Coleophora taygeti** Baldizzone,1983 (Coleophoridae)
2004. **Coleophora teheranella** Baldizzone,1994 (Coleophoridae)
2005. **Coleophora testudo** Falkovitsh,1973 (Coleophoridae)
2006. **Coleophora tetraciliata** Baldizzone,2007 (Coleophoridae)
2007. **Coleophora therinella** Tengström,1848 (Coleophoridae)
2008. **Coleophora thymi** Hering,1942 (Coleophoridae)
2009. **Coleophora tollamseliella** Oudejans,1971 (Coleophoridae)
2010. **Coleophora treskaensis** Toll & Amsel,1967 (Coleophoridae)
2011. **Coleophora trifariella** Zeller,1849 (Coleophoridae)
2012. **Coleophora trifissella** Rebel,1910 (Coleophoridae)
2013. **Coleophora trifolii** (Curtis,1832) (Coleophoridae)
2014. **Coleophora trigeminella** Fuchs,1881 (Coleophoridae)
2015. **Coleophora trimaculella** Baldizzone,2001 (Coleophoridae)
2016. **Coleophora tringella** Baldizzone,1988 (Coleophoridae)
2017. **Coleophora tripeniella** Baldizzone,1994 (Coleophoridae)
2018. **Coleophora tristella** Staudinger,1879 (Coleophoridae)
2019. **Coleophora tsherkesi** Falkovitsh,1970 (Coleophoridae)
2020. **Coleophora turca** Baldizzone,1994 (Coleophoridae)
2021. **Coleophora univittella** Staudinger,1880 (Coleophoridae)
2022. **Coleophora uralensis** Toll,1961 (Coleophoridae)
2023. **Coleophora valesianella** Zeller,1849 (Coleophoridae)
2024. **Coleophora versurella** Zeller,1849 (Coleophoridae)
2025. **Coleophora vestianella** (Linnaeus,1758) (Coleophoridae)
2026. **Coleophora vibicella** (Hübner,[1813]) (Coleophoridae)
2027. **Coleophora vibicigerella** Zeller,1839 (Coleophoridae)
2028. **Coleophora vicinella** Zeller,1849 (Coleophoridae)
2029. **Coleophora virgatella** Zeller,1849 (Coleophoridae)
2030. **Coleophora vulnerariae** Zeller,1839 (Coleophoridae)
2031. **Coleophora vulpecula** Zeller,1849 (Coleophoridae)
2032. **Coleophora walsinghami** Baldizzone,1990 (Coleophoridae)
2033. **Coleophora wiltshirei** Toll,1959 (Coleophoridae)
2034. **Coleophora wockeella** Zeller,1849 (Coleophoridae)
2035. **Coleophora xanthoargentea** Toll,1959 (Coleophoridae)
2036. **Coleophora zagrosella** Baldizzone,1994 (Coleophoridae)
2037. **Coleophora zelleriella** Heinemann,1854 (Coleophoridae)
2038. **Coleophora zernyi** Toll,1944 (Coleophoridae)
2039. **Coleophora zhusani** Falkovitsh,1972 (Coleophoridae)
2040. **Coleophora zofodella** Baldizzone,2001 (Coleophoridae)
2041. **Colias (Eriocolias) chrysotheme** (Esper,[1781]) (Pieridae)
2042. **Colias (Eriocolias) crocea** (Fourcroy,1785) (Pieridae)
2043. **Colias (Eriocolias) crocea crocea** (Fourcroy,1785) (Pieridae)
2044. **Colias (Eriocolias) thisoa** Ménétériés,1832 (Pieridae)
2045. **Colias (Eriocolias) wiskotti** Staudinger,1882 (Pieridae)

2046. *Colias (Neocolias) aurorina* Herrich-Schäffer, [1850] (Pieridae)
2047. *Colias (Neocolias) caucasica* Staudinger, 1871 (Pieridae)
2048. *Colias (Neocolias) chlorocoma* Christoph, 1888 (Pieridae)
2049. *Colias (Neocolias) erate* (Esper, [1805]) (Pieridae)
2050. *Colias (Neocolias) libanotica* Lederer, 1858 (Pieridae)
2051. *Colias (Neocolias) sagartia* Lederer, 1869 (Pieridae)
2052. *Colias (s.str.) alfacariensis* Ribbe, 1905 (Pieridae)
2053. *Colias (s.str.) hyale* (Linnaeus, 1758) (Pieridae)
2054. *Colobochyla (Caspicastra) platyzona* (Lederer, 1870) (Noctuidae)
2055. *Colobochyla (s.str.) salicalis* ([Denis & Schiffermüller], 1775) (Noctuidae)
2056. *Colocasia coryli* (Linnaeus, 1758) (Noctuidae)
2057. *Coloptilia conchylidella* (Hofmann, [1898]) (Gelechiidae)
2058. *Colostygia olivata* ([Denis & Schiffermüller], 1775) (Geometridae)
2059. *Colostygia pectinataria* (Knoch, 1781) (Geometridae)
2060. *Colotis (s.str.) amatus* (Fabricius, 1775) (Pieridae)
2061. *Colotis (s.str.) aurora* (Cramer, [1780]) (Pieridae)
2062. *Colotis (s.str.) chrysonome* (Klug, 1829) (Pieridae)
2063. *Colotis (s.str.) eborea* (Stoll, [1781]) (Pieridae)
2064. *Colotis (s.str.) etrida* (Boisduval, 1836) (Pieridae)
2065. *Colotis (s.str.) evagore* (Klug, 1829) (Pieridae)
2066. *Colotis (s.str.) fausta* (Olivier, [1804]) (Pieridae)
2067. *Colotis (s.str.) liagore* (Klug, 1829) (Pieridae)
2068. *Colotis (s.str.) phisadius* (Godart, [1819]) (Pieridae)
2069. *Colotis (s.str.) protractus* (Butler, 1876) (Pieridae)
2070. *Colotis (s.str.) vestalis* (Butler, 1876) (Pieridae)
2071. *Colotois furcata* Hausmann, 1995 (Geometridae)
2072. *Colotois pennaria* (Linnaeus, 1761) (Geometridae)
2073. *Comibaena bajularia* ([Denis & Schiffermüller], 1775) (Geometridae)
2074. *Comibaena serrulata* D.S. Fletcher, 1963 (Geometridae)
2075. *Concordaxis convergens* Gozmany, (Lecithoceridae)
2076. *Condica conducta* (Walker, 1857) (Noctuidae)
2077. *Condica palaestinensis* (Staudinger, 1895) (Noctuidae)
2078. *Condica viscosa* (Freyer, 1831) (Noctuidae)
2079. *Conistra (Dasycampa) erythrocephala* (Fabricius, 1787) (Noctuidae)
2080. *Conistra (Dasycampa) rubiginea* (Fabricius, 1787) (Noctuidae)
2081. *Conistra (s.str.) acutula* (Staudinger, 1892) (Noctuidae)
2082. *Conistra (s.str.) asiatica* Pinker, 1980 (Noctuidae)
2083. *Conistra (s.str.) chajami* Hacker & Weigert, 1986 (Noctuidae)
2084. *Conistra (s.str.) kasyi* Boursin, 1963 (Noctuidae)
2085. *Conistra (s.str.) ligula* (Esper, 1791) (Noctuidae)
2086. *Conistra (s.str.) metria* Boursin, 1940 (Noctuidae)
2087. *Conistra (s.str.) ragusae* (Failla-Tedaldi, 1890) (Noctuidae)
2088. *Conistra (s.str.) rubiginosa* (Scopoli, 1763) (Noctuidae)
2089. *Conistra (s.str.) rubricans* Fibiger, 1997 (Noctuidae)
2090. *Conistra (s.str.) torrida* (Lederer, 1857) (Noctuidae)
2091. *Conistra (s.str.) vaccinii* (Linnaeus, 1761) (Noctuidae)
2092. *Conistra (s.str.) veronicae* (Hübner, [1813]) (Noctuidae)
2093. *Conobathra celticola* (Staudinger, 1879) (Pyrilidae)
2094. *Conobathra repandana* (Fabricius, 1798) (Pyrilidae)
2095. *Conobathra tumidana* ([Denis & Schiffermüller], 1775) (Pyrilidae)
2096. *Conobathra xanthogramma* (Staudinger, 1870) (Pyrilidae)
2097. *Coptotriche angusticollella* (Duponchel, 1843) (Tischeriidae)
2098. *Coptotriche marginea* (Haworth, [1828]) (Tischeriidae)
2099. *Corecyra cephalonica* (Stainton, 1866) (Pyrilidae)
2100. *Cornifrons ulceratalis* Lederer, 1858 (Pyrilidae)
2101. *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae)
2102. *Coscinia cribraria* (Linnaeus, 1758) (Arctiidae)
2103. *Cosmia (Calymnia) trapezina* (Linnaeus, 1758) (Noctuidae)
2104. *Cosmia (s.str.) affinis* (Linnaeus, 1767) (Noctuidae)
2105. *Cosmia (s.str.) confinis* Herrich-Schäffer, [1849] (Noctuidae)
2106. *Cosmia (s.str.) diffinis* (Linnaeus, 1767) (Noctuidae)
2107. *Cosmopterix attenuatella* (Walker, 1864) (Cosmopterigidae)
2108. *Cosmopterix coryphaea* Walsingham, 1908 (Cosmopterigidae)
2109. *Cosmopterix crassicervicella* Chrétien, 1896 (Cosmopterigidae)
2110. *Cosmopterix phragmitidis* Amsel, 1935 (Cosmopterigidae)
2111. *Cosmopterix salahinella* Chrétien, 1907 (Cosmopterigidae)
2112. *Cosmopterix schmidiella* (Frey, 1856) (Cosmopterigidae)
2113. *Cosmopterix scribaiella* Zeller, 1850 (Cosmopterigidae)

2114. **Cosmopterix zieglerella** (Hübner,[1810]) (Cosmopterigidae)
2115. **Cosmorhoe ocellata** (Linnaeus,1758) (Geometridae)
2116. **Cossulus argentatus** (Staudinger,1887) (Cossidae)
2117. **Cossulus herzi** (Alpheraky,1893) (Cossidae)
2118. **Cossulus irani** (Daniel,1937) (Cossidae)
2119. **Cossulus lena** Yakovlev,2008 (Cossidae)
2120. **Cossulus lignosus** (Brandt,1938) (Cossidae)
2121. **Cossulus mollis** (Christoph,1887) (Cossidae)
2122. **Cossulus mucosus** (Christoph,1884) (Cossidae)
2123. **Cossulus nedretus** De Freina & Yakovlev,2005 (Cossidae)
2124. **Cossulus putridus** (Christoph,1887) (Cossidae)
2125. **Cossulus strioliger** (Alpheraky,1893) (Cossidae)
2126. **Cossulus turcomanicus** (Christoph,1893) (Cossidae)
2127. **Cossus araraticus** Teich,1896 (Cossidae)
2128. **Cossus cossus** (Linnaeus,1758) (Cossidae)
2129. **Cossus divisa** Rothschild,1912 (Cossidae)
2130. **Cossus funkei** (Röber,1896) (Cossidae)
2131. **Cossus hyrcanus** Christoph,1888 (Cossidae)
2132. **Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae)
2133. **Crambus heringiellus** Herrich-Schäffer,[1848] (Pyrilidae)
2134. **Crambus lathoniellus** (Zincken,1817) (Pyrilidae)
2135. **Crambus pascuellus** (Linnaeus,1758) (Pyrilidae)
2136. **Crambus perlellus** (Scopoli,1763) (Pyrilidae)
2137. **Crambus pratellus** (Linnaeus,1758) (Pyrilidae)
2138. **Crambus scoticus** Westwood,1849 (Pyrilidae)
2139. **Craniophora fasciata** (Moore,[1884]) (Noctuidae)
2140. **Craniophora ligustri** (Fabricius,1787) (Noctuidae)
2141. **Craniophora melanisans** Wiltshire,1980 (Noctuidae)
2142. **Craniophora pontica** (Staudinger,1879) (Noctuidae)
2143. **Creataloum arabicum** (Hampson,1896) (Arctiidae)
2144. **Cretonotos gangis** (Linnaeus,1763) (Arctiidae)
2145. **Crocalia aglossalis** Ragonot,1892 (Pyrilidae)
2146. **Crocallis (s.str.) elinguaris** (Linnaeus,1758) (Geometridae)
2147. **Crocallis (s.str.) inexpectata** Warnecke,1940 (Geometridae)
2148. **Crocallis (s.str.) tusciaria** (Borkhausen,1793) (Geometridae)
2149. **Crociodomia pavonana** (Fabricius,1794) (Pyrilidae)
2150. **Crociosema plebejana** Zeller,1847 (Tortricidae)
2151. **Croesia bergmanniana** (Linnaeus,1758) (Tortricidae)
2152. **Croesia forsskaleana** (Linnaeus,1758) (Tortricidae)
2153. **Croesia holmiana** (Linnaeus,1758) (Tortricidae)
2154. **Crombrugghia distans** (Zeller,1847) (Pterophoridae)
2155. **Crombrugghia kollari** (Stainton,1851) (Pterophoridae)
2156. **Crombrugghia laeta** (Zeller,1847) (Pterophoridae)
2157. **Crombrugghia propedistans** (Bigot & Picard,1988) (Pterophoridae)
2158. **Crombrugghia tristis** (Zeller,1839) (Pterophoridae)
2159. **Crossobela trinotella** (Herrich-Schäffer,[1856]) (Gelechiidae)
2160. **Crossotocera wagnerella** Zerny,1930 (Oecophoridae)
2161. **Cryopega bajaria** ([Denis & Schiffermüller],1775) (Geometridae)
2162. **Cryphia (Bryoleuca) amseli** Boursin,1952 (Noctuidae)
2163. **Cryphia (Bryoleuca) argentacea** (Bytinsky-Salz & Brandt,1937) (Noctuidae)
2164. **Cryphia (Bryoleuca) dolopsis** (Hampson,1908) (Noctuidae)
2165. **Cryphia (Bryoleuca) ereptricula** (Treitschke,1825) (Noctuidae)
2166. **Cryphia (Bryoleuca) eucta** (Hampson,1908) (Noctuidae)
2167. **Cryphia (Bryoleuca) labecula** (Lederer,1855) (Noctuidae)
2168. **Cryphia (Bryoleuca) microphysa** Boursin,1952 (Noctuidae)
2169. **Cryphia (Bryoleuca) orthogramma** Boursin,1954 (Noctuidae)
2170. **Cryphia (Bryoleuca) petrea** (Guenée,1852) (Noctuidae)
2171. **Cryphia (Bryoleuca) petricolor** (Lederer,1870) (Noctuidae)
2172. **Cryphia (Bryoleuca) raddei** Boursin,1953 (Noctuidae)
2173. **Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller],1775) (Noctuidae)
2174. **Cryphia (Bryoleuca) ravula** (Hübner,[1813]) (Noctuidae)
2175. **Cryphia (Bryoleuca) rectilinea** (W.Warren,1909) (Noctuidae)
2176. **Cryphia (Bryoleuca) remanei** Heydemann & Schulte,1963 (Noctuidae)
2177. **Cryphia (Bryoleuca) seladona** (Christoph,1885) (Noctuidae)
2178. **Cryphia (Bryoleuca) tephrocharis** Boursin,1954 (Noctuidae)
2179. **Cryphia (Bryoleuca) thamanaea** (Hampson,1908) (Noctuidae)
2180. **Cryphia (Bryophila) centralis** (Draudt,1931) (Noctuidae)
2181. **Cryphia (Bryophila) eucharista** Boursin,1960 (Noctuidae)
2182. **Cryphia (Bryophila) idonea** (Christoph,1893) (Noctuidae)
2183. **Cryphia (Bryophila) klapperichi** Boursin,1960 (Noctuidae)

2184. *Cryphia (Bryophila) maeonis* (Lederer,1865) (Noctuidae)
 2185. *Cryphia (Bryophila) occidentalis* (Osthelder,1933) (Noctuidae)
 2186. *Cryphia (Bryophila) paulina* (Staudinger,1892) (Noctuidae)
 2187. *Cryphia (Bryophila) salomonis* Boursin,1954 (Noctuidae)
 2188. *Cryphia (Bryopsis) amasina* (Draudt,1931) (Noctuidae)
 2189. *Cryphia (Bryopsis) muralis* (Forster,1771) (Noctuidae)
 2190. *Cryphia (Euthales) algae* (Fabricius,1775) (Noctuidae)
 2191. *Cryphia (Euthales) ochsi* (Boursin,1941) (Noctuidae)
 2192. *Cryphia (s.str.) receptricula* (Hübner,[1803]) (Noctuidae)
 2193. *Crypsotidia maculifera* (Staudinger,1898) (Noctuidae)
 2194. *Cryptoblabes gnidiella* (Millière,1867) (Pyrilidae)
 2195. *Cryptocoehylis conjunctana* (Mann,1864) (Tortricidae)
 2196. *Cucullia (s.str.) absinthii* (Linnaeus,1761) (Noctuidae)
 2197. *Cucullia (s.str.) anifurca* (Goeze,1781) (Noctuidae)
 2198. *Cucullia (s.str.) argentina* (Fabricius,1787) (Noctuidae)
 2199. *Cucullia (s.str.) asteris* ([Denis & Schiffermüller],1775) (Noctuidae)
 2200. *Cucullia (s.str.) behouneki* Hacker & Ronkay,1988 (Noctuidae)
 2201. *Cucullia (s.str.) boryphora* Fischer v. Waldheim,1840 (Noctuidae)
 2202. *Cucullia (s.str.) calendulae* Treitschke,1835 (Noctuidae)
 2203. *Cucullia (s.str.) chamomillae* ([Denis & Schiffermüller],1775) (Noctuidae)
 2204. *Cucullia (s.str.) cineracea* Freyer,1841 (Noctuidae)
 2205. *Cucullia (s.str.) citella* G.Ronkay & L.Ronkay,1987 (Noctuidae)
 2206. *Cucullia (s.str.) dracunculi* (Hübner,[1813]) (Noctuidae)
 2207. *Cucullia (s.str.) faucicola* Wiltshire,1943 (Noctuidae)
 2208. *Cucullia (s.str.) gnaphalii* (Hübner,[1813]) (Noctuidae)
 2209. *Cucullia (s.str.) hemidiaphana* Graeser,1892 (Noctuidae)
 2210. *Cucullia (s.str.) improba* Christoph,1885 (Noctuidae)
 2211. *Cucullia (s.str.) kasyi* Wiltshire,1976 (Noctuidae)
 2212. *Cucullia (s.str.) khorassana* Brandt,1941 (Noctuidae)
 2213. *Cucullia (s.str.) leptographa* Reisser,1958 (Noctuidae)
 2214. *Cucullia (s.str.) lucifuga* (Hübner,[1803]) (Noctuidae)
 2215. *Cucullia (s.str.) macara* Rebel,1948 (Noctuidae)
 2216. *Cucullia (s.str.) magnifica* Freyer,1839 (Noctuidae)
 2217. *Cucullia (s.str.) maracandica* Staudinger,1888 (Noctuidae)
 2218. *Cucullia (s.str.) mixta* Freyer,1841 (Noctuidae)
 2219. *Cucullia (s.str.) petrophila* G.Ronkay & L.Ronkay,1998 (Noctuidae)
 2220. *Cucullia (s.str.) ronkayi* Hacker & Pinker,1987 (Noctuidae)
 2221. *Cucullia (s.str.) santolinae* Rambur,1834 (Noctuidae)
 2222. *Cucullia (s.str.) santonici* (Hübner,[1813]) (Noctuidae)
 2223. *Cucullia (s.str.) tanaceti* (Goeze,1781) (Noctuidae)
 2224. *Cucullia (s.str.) tecca* Püngeler,1906 (Noctuidae)
 2225. *Cucullia (s.str.) umbratica* (Linnaeus,1758) (Noctuidae)
 2226. *Cucullia (s.str.) xeranthemi* Boisduval,1840 (Noctuidae)
 2227. *Cucullia (Shargacucullia) armena* G.Ronkay & L.Ronkay,1986 (Noctuidae)
 2228. *Cucullia (Shargacucullia) barthae* Boursin,1933 (Noctuidae)
 2229. *Cucullia (Shargacucullia) blattariae* (Esper,[1790]) (Noctuidae)
 2230. *Cucullia (Shargacucullia) gozmanyi* G.Ronkay & L.Ronkay,1994 (Noctuidae)
 2231. *Cucullia (Shargacucullia) lanceolata* (Villers,1789) (Noctuidae)
 2232. *Cucullia (Shargacucullia) lychnitis* (Rambur,1833) (Noctuidae)
 2233. *Cucullia (Shargacucullia) osthelderi* Boursin,1933 (Noctuidae)
 2234. *Cucullia (Shargacucullia) prenanthis* Boisduval,1840 (Noctuidae)
 2235. *Cucullia (Shargacucullia) scrophulariae* ([Denis & Schiffermüller],1775) (Noctuidae)
 2236. *Cucullia (Shargacucullia) strigicosta* Boursin,1940 (Noctuidae)
 2237. *Cucullia (Shargacucullia) verbasci* (Linnaeus,1758) (Noctuidae)
 2238. *Culpinia prouti* (Thierry-Mieg,1913) (Geometridae)
 2239. *Cupedia cupediella* (Herrich-Schäffer,1855) (Gracillariidae)
 2240. *Cupido (Everes) alcetas* (Hoffmannsegg,1804) (Lycaenidae)
 2241. *Cupido (Everes) argiades* (Pallas,1771) (Lycaenidae)
 2242. *Cupido (Everes) decoloratus* (Staudinger,1886) (Lycaenidae)
 2243. *Cupido (s.str.) minimus* (Fuessly,1775) (Lycaenidae)
 2244. *Cupido (s.str.) osiris* (Meigen,[1829]) (Lycaenidae)
 2245. *Cupido (s.str.) staudingeri* (Christoph,1873) (Lycaenidae)
 2246. *Cybalomia fractilinealis* (Christoph,1873) (Pyrilidae)
 2247. *Cybalomia haplogramma* Meyrick,1936 (Pyrilidae)
 2248. *Cybalomia lutosalis* (Mann,1862) (Pyrilidae)
 2249. *Cybalomia pentadalis* (Lederer,1855) (Pyrilidae)
 2250. *Cybalomia triplacogramma* Meyrick,1937 (Pyrilidae)

2251. *Cybosia mesomella* (Linnaeus,1758)
(Arctiidae)
2252. *Cyclophora albiocellaria* (Hübner,1789)
(Geometridae)
2253. *Cyclophora albipunctata*
(Hufnagel,1767) (Geometridae)
2254. *Cyclophora annularia* (Fabricius,1775)
(Geometridae)
2255. *Cyclophora linearia* (Hübner,[1799])
(Geometridae)
2256. *Cyclophora pendularia* (Clerck,1759)
(Geometridae)
2257. *Cyclophora porata* (Linnaeus,1767)
(Geometridae)
2258. *Cyclophora punctaria* (Linnaeus,1758)
(Geometridae)
2259. *Cyclophora pupillaria*
(Hübner,[1799]) (Geometridae)
2260. *Cyclophora quercimontaria*
(Bastelberger,1897) (Geometridae)
2261. *Cyclophora ruficiliaria* (Herrich-
Schäffer,[1855]) (Geometridae)
2262. *Cyclophora suppunctaria* (Zeller,1847)
(Geometridae)
2263. *Cydia adenocarpi* (Ragonot,1875)
(Tortricidae)
2264. *Cydia adjunctana* (Kennel,1901)
(Tortricidae)
2265. *Cydia alienana* Caradja,1916 (Tortricidae)
2266. *Cydia amplana* (Hübner,[1799])
(Tortricidae)
2267. *Cydia bagdadiana* (Amsel,1949)
(Tortricidae)
2268. *Cydia blackmoreana*
(Walsingham,1903) (Tortricidae)
2269. *Cydia caecana* (Schläger,1847)
(Tortricidae)
2270. *Cydia coluteana* (Amsel,1959)
(Tortricidae)
2271. *Cydia compositella* (Fabricius,1775)
(Tortricidae)
2272. *Cydia conicolana* (Heylaerts,1874)
(Tortricidae)
2273. *Cydia coniferana* (Saxesen,1840)
(Tortricidae)
2274. *Cydia coronillana* (Lienig &
Zeller,1846) (Tortricidae)
2275. *Cydia damascana* (Razowski,1966)
(Tortricidae)
2276. *Cydia delineana* (Walker,1863)
(Tortricidae)
2277. *Cydia difficilana* (Walsingham,1900)
(Tortricidae)
2278. *Cydia duplicana* (Zetterstedt,1839)
(Tortricidae)
2279. *Cydia exosticha* (Meyrick,1936)
(Tortricidae)
2280. *Cydia farsica* (Danilevski &
Kuznetsov,1968) (Tortricidae)
2281. *Cydia fissana* (Frölich,1828) (Tortricidae)
2282. *Cydia funebrana* (Treitschke,1835)
(Tortricidae)
2283. *Cydia gemmiferana* (Treitschke,1835)
(Tortricidae)
2284. *Cydia honorana* (Herrich-
Schäffer,1851) (Tortricidae)
2285. *Cydia inquinatana* (Hübner,[1799])
(Tortricidae)
2286. *Cydia janthinana* (Duponchel,1843)
(Tortricidae)
2287. *Cydia junctistrigana*
(Walsingham,1900) (Tortricidae)
2288. *Cydia jungiella* (Linnaeus,1761)
(Tortricidae)
2289. *Cydia larseni* (Rebel,1903) (Tortricidae)
2290. *Cydia leucogrammana* (Hofmann,1898)
(Tortricidae)
2291. *Cydia lunulana* ([Denis &
Schifferrmüller],1775) (Tortricidae)
2292. *Cydia maxima* (Kuznetsov,1973)
(Tortricidae)
2293. *Cydia microgrammana* (Guenée,1845)
(Tortricidae)
2294. *Cydia molesta* (Busck,1916) (Tortricidae)
2295. *Cydia nebritana* (Treitschke,1830)
(Tortricidae)
2296. *Cydia nigricana* (Fabricius,1794)
(Tortricidae)
2297. *Cydia orobana* (Treitschke,1830)
(Tortricidae)
2298. *Cydia oxytropidis* (Martini,1912)
(Tortricidae)
2299. *Cydia pallifrontana* (Lienig &
Zeller,1846) (Tortricidae)
2300. *Cydia persica* (Danilevskii &
Kuznetsov,1968) (Tortricidae)
2301. *Cydia phalacris* (Meyrick,1912)
(Tortricidae)
2302. *Cydia plumbiferana* (Staudinger,1870)
(Tortricidae)
2303. *Cydia pomonella* (Linnaeus,1758)
(Tortricidae)
2304. *Cydia pyrivora* Danilevsky,1947
(Tortricidae)
2305. *Cydia selenana* (Zeller,1847)
(Tortricidae)
2306. *Cydia selliferana* (Kennel,1901)
(Tortricidae)
2307. *Cydia sinana* (C.Felder &
Rogenhofer,1875) (Tortricidae)
2308. *Cydia strobilella* (Linnaeus,1758)
(Tortricidae)
2309. *Cydia succedana* ([Denis &
Schifferrmüller],1775) (Tortricidae)
2310. *Cydia tenebrosana* (Duponchel,1843)
(Tortricidae)
2311. *Cydia triangulella* (Goeze,1783)
(Tortricidae)
2312. *Cydia turciana* Chambon,1993
(Tortricidae)
2313. *Cydia ulicetana* (Haworth,[1811])
(Tortricidae)
2314. *Cyallaraxis cambyses* Gozmany,2000
(Autostichidae)
2315. *Cyallaraxis cyrus* Gozmany,2000
(Autostichidae)
2316. *Cymatophorima diluta* ([Denis &
Schifferrmüller],1775) (Thyatiridae)
2317. *Cymbalophora oetzeni* (Lederer,1855)
(Arctiidae)
2318. *Cymbalophora rivularis*
(Ménétriés,1832) (Arctiidae)
2319. *Cynaeda dentalis* ([Denis &
Schifferrmüller],1775) (Pyralidae)
2320. *Cynaeda furiosa* Hampson,1900
(Pyralidae)

2321. **Cynaeda gigantea** (Wocke,1871)
(Pyrilidae)
2322. **Dahlia triquetrella** (Hübner,[1813])
(Psychidae)
2323. **Danaus (Anosia) chrysippus**
(Linnaeus,1758) (Danaiidae)
2324. **Danaus (Anosia) dorippus** (Klug,1845)
(Danaiidae)
2325. **Daphnis nerii** (Linnaeus,1758)
(Sphingidae)
2326. **Daria coenosella** Ragonot,1888
(Pyrilidae)
2327. **Dasycorsa modesta** (Staudinger,1879)
(Geometridae)
2328. **Dasypolia (Dasymixis) diva** L.Ronkay &
Varga,1990 (Noctuidae)
2329. **Dasypolia (s.str.) altissima** Hacker &
Moberg,1988 (Noctuidae)
2330. **Dasypolia (s.str.) dichroa** L.Ronkay &
Varga,1985 (Noctuidae)
2331. **Dasypolia (s.str.) ferdinandi** Rühl,1892
(Noctuidae)
2332. **Dasypolia (s.str.) fibigeri** Hacker &
Moberg,1988 (Noctuidae)
2333. **Dasypolia (s.str.) ipaykala** L.Ronkay,
Varga & Hreblay,1998 (Noctuidae)
2334. **Dasypolia (s.str.) templi**
(Thunberg,1792) (Noctuidae)
2335. **Dasypolia (s.str.) vera** L.Ronkay &
Szaboky,1995 (Noctuidae)
2336. **Dattinia affinis** Rothschild,1921
(Pyrilidae)
2337. **Dattinia argentalis** Hampson,1900
(Pyrilidae)
2338. **Dattinia benderalis** (Amsel,1949)
(Pyrilidae)
2339. **Dattinia brandti** (Amsel,1949)
(Pyrilidae)
2340. **Dattinia canifusalis** Hampson,1900
(Pyrilidae)
2341. **Dattinia colchicaloides** Amsel,1949
(Pyrilidae)
2342. **Dattinia conformalis** Amsel,1949
(Pyrilidae)
2343. **Dattinia hyrcanalis** Amsel,1951
(Pyrilidae)
2344. **Dattinia indistinctalis** (Amsel,1949)
(Pyrilidae)
2345. **Dattinia infascialis** (Amsel,1949)
(Pyrilidae)
2346. **Dattinia iranalis** Amsel,1949 (Pyrilidae)
2347. **Dattinia jordanalis** Rebel,1903
(Pyrilidae)
2348. **Dattinia llobalis** Chrétien,1915 (Pyrilidae)
2349. **Dattinia llobalis fredii** Amsel,1949
(Pyrilidae)
2350. **Dattinia mavromoustakisi** Rebel,1928
(Pyrilidae)
2351. **Dattinia metasialis** (Amsel,1953)
(Pyrilidae)
2352. **Dattinia mimicalis** Amsel,1951
(Pyrilidae)
2353. **Dattinia persinualis** Hampson,1900
(Pyrilidae)
2354. **Dattinia poliopastalis** Hampson,1900
(Pyrilidae)
2355. **Dattinia povolnyi** Amsel,1975 (Pyrilidae)
2356. **Dattinia proximalis** (Christoph,1882)
(Pyrilidae)
2357. **Dattinia rara** (Amsel,1935) (Pyrilidae)
2358. **Dattinia rectangula** Amsel,1949
(Pyrilidae)
2359. **Dattinia sardzealis** Amsel,1951
(Pyrilidae)
2360. **Dattinia sinaica** (Rebel,1903) (Pyrilidae)
2361. **Dattinia strictalis** (Amsel,1949)
(Pyrilidae)
2362. **Dattinia subargentalis** (Amsel,1949)
(Pyrilidae)
2363. **Dattinia variabilis** (Zerny,1930)
(Pyrilidae)
2364. **Dattinia wiltshirei** Amsel,1949
(Pyrilidae)
2365. **Deilephila elpenor** (Linnaeus,1758)
(Sphingidae)
2366. **Deilephila porcellus** (Linnaeus,1758)
(Sphingidae)
2367. **Deilephila suellus** Staudinger,1878
(Sphingidae)
2368. **Deltophora maculata** (Staudinger,1879)
(Gelechiidae)
2369. **Deltophora stictella** (Rebel,1927)
(Gelechiidae)
2370. **Deltote bankiana** (Fabricius,1775)
(Noctuidae)
2371. **Deltote delicatula** (Christoph,1882)
(Noctuidae)
2372. **Deltote iranica** (Kotzsch,1940)
(Noctuidae)
2373. **Dendrolimus pini** (Linnaeus,1758)
(Lasiocampidae)
2374. **Denisia similella** (Hübner,1796)
(Oecophoridae)
2375. **Dentitegumia afghanella** Amsel,1970
(Pyrilidae)
2376. **Dentitegumia dhana** Roesler,1989
(Pyrilidae)
2377. **Dentitegumia nigrigranella**
(Ragonot,1890) (Pyrilidae)
2378. **Dentitegumia sirjana** Roesler,1989
(Pyrilidae)
2379. **Depressaria amblyopa** Meyrick,1921
(Oecophoridae)
2380. **Depressaria badiella** (Hübner,1796)
(Oecophoridae)
2381. **Depressaria beckmanni**
Heinemann,1870 (Oecophoridae)
2382. **Depressaria cervicella** Herrich-
Schäffer,1854 (Oecophoridae)
2383. **Depressaria chaerophylli** Zeller,1839
(Oecophoridae)
2384. **Depressaria chlorothorax** Meyrick,1921
(Oecophoridae)
2385. **Depressaria coenosella** Zerny,1939
(Oecophoridae)
2386. **Depressaria corticinella** Zeller,1854
(Oecophoridae)
2387. **Depressaria daucivorella** Ragonot,1889
(Oecophoridae)
2388. **Depressaria depressana**
(Fabricius,1775) (Oecophoridae)
2389. **Depressaria despoliatella** Erschoff,1874
(Oecophoridae)
2390. **Depressaria discipunctella** Herrich-
Schäffer,1854 (Oecophoridae)

2391. **Depressaria douglasella** Stainton,1849
(Oecophoridae)
2392. **Depressaria eryngiella** Millière,1881
(Oecophoridae)
2393. **Depressaria erzurumella** Lvovsky,1996
(Oecophoridae)
2394. **Depressaria floridella** Mann,1864
(Oecophoridae)
2395. **Depressaria fuscovirgatella**
Heinemann,1967 (Oecophoridae)
2396. **Depressaria hannemanniana**
Lvovksy,1990 (Oecophoridae)
2397. **Depressaria hirtipalpis** Zeller,1854
(Oecophoridae)
2398. **Depressaria hofmanni** Stainton,1861
(Oecophoridae)
2399. **Depressaria ivinskisi** Lvovsky,1990
(Oecophoridae)
2400. **Depressaria macrotrichella** Rebel,1917
(Oecophoridae)
2401. **Depressaria marcella** Rebel,1901
(Oecophoridae)
2402. **Depressaria obolucha** Meyrick,1936
(Oecophoridae)
2403. **Depressaria pastinacella**
(Duponchel,1838) (Oecophoridae)
2404. **Depressaria pavidata** Meyrick,1913
(Oecophoridae)
2405. **Depressaria peregrinella**
Hannemann,1967 (Oecophoridae)
2406. **Depressaria pimpinellae** Zeller,1839
(Oecophoridae)
2407. **Depressaria sordidatella**
Tengström,1848 (Oecophoridae)
2408. **Depressaria tenebricosa** Zeller,1854
(Oecophoridae)
2409. **Depressaria velox** Staudinger,1859
(Oecophoridae)
2410. **Depressaria veneficella** Zeller,1847
(Oecophoridae)
2411. **Depressaria xyleuta** Meyrick,1913
(Oecophoridae)
2412. **Depressaria zelleri** Staudinger,1879
(Oecophoridae)
2413. **Deroxena venosulella** (Möschler,1862)
(Autostichidae)
2414. **Deserticossus arenicola**
(Staudinger,1879) (Cossidae)
2415. **Desertoplusia bella** (Christoph,1887)
(Noctuidae)
2416. **Desertoplusia colornata** Varga &
L.Ronkay,1991 (Noctuidae)
2417. **Deudorix (Virachola) livia** (Klug,1834)
(Lycaenidae)
2418. **Deuterotinea axiurga** (Meyrick,1922)
(Eriocottidae)
2419. **Deuterotinea balcanica** Zagulyaev,1972
(Eriocottidae)
2420. **Deuterotinea casanella**
(Eversmann,1844) (Eriocottidae)
2421. **Deuterotinea palaestinensis**
Rebel,1900 (Eriocottidae)
2422. **Deuterotinea syriaca** Lederer,1857
(Eriocottidae)
2423. **Dextellia dorsilineella** (Amsel,1935)
(Gracillariidae)
2424. **Diachrysia chrysitis** (Linnaeus,1758)
(Noctuidae)
2425. **Diachrysia chryson** (Esper,[1789])
(Noctuidae)
2426. **Diachrysia tutti** (Kostrowicki,1961)
(Noctuidae)
2427. **Diacrisia sannio** (Linnaeus,1758)
(Arctiidae)
2428. **Diadochia stigmatica** Wiltshire,1984
(Noctuidae)
2429. **Dialectica imperialella** (Zeller,1847)
(Gracillariidae)
2430. **Dialectica scalarrella** (Zeller,1850)
(Gracillariidae)
2431. **Diaphania indica** (Saunders,1851)
(Pyrilidae)
2432. **Diaphora mendica** (Linnaeus,1761)
(Arctiidae)
2433. **Diarsia brunnea** ([Denis &
Schifferrmüller],1775) (Noctuidae)
2434. **Diarsia florida** (Schmidt,1859)
(Noctuidae)
2435. **Diarsia mendica** (Fabricius,1775)
(Noctuidae)
2436. **Diarsia rubi** (Vieweg,1790) (Noctuidae)
2437. **Diasemia reticularis** (Linnaeus,1761)
(Pyrilidae)
2438. **Diasemiopsis ramburialis**
(Duponchel,1831) (Pyrilidae)
2439. **Dicallomera fascelina** (Linnaeus,1758)
(Lymantriidae)
2440. **Diceratura ostrinana** (Guenée,1845)
(Tortricidae)
2441. **Diceratura porrectana** Djakonov,1929
(Tortricidae)
2442. **Diceratura rhodograpta** Djakonov,1929
(Tortricidae)
2443. **Diceratura roseofasciana** (Mann,1855)
(Tortricidae)
2444. **Diceratura teheranica** Razowski,1970
(Tortricidae)
2445. **Dicerogastra chersotoides**
(Wiltshire,1956) (Noctuidae)
2446. **Dichagyris (Grisyigoga) candelisequa**
([Denis & Schifferrmüller],1775) (Noctuidae)
2447. **Dichagyris (s.str.) achtalensis**
(Kozhantshikov,1929) (Noctuidae)
2448. **Dichagyris (s.str.) amoena**
(Staudinger,1892) (Noctuidae)
2449. **Dichagyris (s.str.) anastasia**
(Draudt,1936) (Noctuidae)
2450. **Dichagyris (s.str.) argentea**
(Kozhantshikov,1929) (Noctuidae)
2451. **Dichagyris (s.str.) armeniaca**
Kozhantshikov,1929 (Noctuidae)
2452. **Dichagyris (s.str.) boursini** Brandt,1941
(Noctuidae)
2453. **Dichagyris (s.str.) cataleipa** Varga,1993
(Noctuidae)
2454. **Dichagyris (s.str.) celebrata**
(Alpheraky,1897) (Noctuidae)
2455. **Dichagyris (s.str.) contermina**
(Corti,1929) (Noctuidae)
2456. **Dichagyris (s.str.) devota**
(Christoph,1884) (Noctuidae)
2457. **Dichagyris (s.str.) elbursica**
(Draudt,1937) (Noctuidae)
2458. **Dichagyris (s.str.) erubescens**
(Staudinger,1892) (Noctuidae)

2459. *Dichagyris (s.str.) forficula* (Eversmann,1851) (Noctuidae)
 2460. *Dichagyris (s.str.) fredei* (Brandt,1938) (Noctuidae)
 2461. *Dichagyris (s.str.) griseotincta* (Wagner,1931) (Noctuidae)
 2462. *Dichagyris (s.str.) grisescens* Staudinger,1879 (Noctuidae)
 2463. *Dichagyris (s.str.) gyulaiivani* Gyulai & Varga,2002 (Noctuidae)
 2464. *Dichagyris (s.str.) humilis* (Boursin,1940) (Noctuidae)
 2465. *Dichagyris (s.str.) ilseae* Stangelmaier & Wieser & Fibiger,2003 (Noctuidae)
 2466. *Dichagyris (s.str.) imperator* (A.Bang-Haas,1912) (Noctuidae)
 2467. *Dichagyris (s.str.) jacobsoni* Kozhantshikov,1929 (Noctuidae)
 2468. *Dichagyris (s.str.) leucomelas* Brandt,1941 (Noctuidae)
 2469. *Dichagyris (s.str.) melanura* (Kollar,1846) (Noctuidae)
 2470. *Dichagyris (s.str.) melanuroides* Kozhantshikov,1930 (Noctuidae)
 2471. *Dichagyris (s.str.) multicuspis* (Eversmann,1852) (Noctuidae)
 2472. *Dichagyris (s.str.) paisa* (Brandt,1938) (Noctuidae)
 2473. *Dichagyris (s.str.) pfeifferi* (Corti & Draudt,1933) (Noctuidae)
 2474. *Dichagyris (s.str.) poecilopetala* (Varga,1979) (Noctuidae)
 2475. *Dichagyris (s.str.) psammochroa* (Boursin,1940) (Noctuidae)
 2476. *Dichagyris (s.str.) renigera* (Hübner,[1808]) (Noctuidae)
 2477. *Dichagyris (s.str.) singularis* (Staudinger,1877) (Noctuidae)
 2478. *Dichagyris (s.str.) squalidior* (Staudinger,1901) (Noctuidae)
 2479. *Dichagyris (s.str.) squalorum* (Eversmann,1856) (Noctuidae)
 2480. *Dichagyris (s.str.) taftana* Brandt,1941 (Noctuidae)
 2481. *Dichagyris (s.str.) terminicineta* (Corti & Draudt,1933) (Noctuidae)
 2482. *Dichagyris (s.str.) tyrannus* (A.Bang-Haas,1912) (Noctuidae)
 2483. *Dichagyris (s.str.) vallesiaca* (Boisduval,[1837]) (Noctuidae)
 2484. *Dichagyris (s.str.) wilsoni* Fibiger,2002 (Noctuidae)
 2485. *Dichagyris (s.str.) zeituna* (Staudinger,1900) (Noctuidae)
 2486. *Dichagyris (Yigoga) acutijuxta* (Boursin,1957) (Noctuidae)
 2487. *Dichagyris (Yigoga) celsicola* (Bellier,1858) (Noctuidae)
 2488. *Dichagyris (Yigoga) disturbans* (Püngeler,1914) (Noctuidae)
 2489. *Dichagyris (Yigoga) eureteocles* (Boursin,1940) (Noctuidae)
 2490. *Dichagyris (Yigoga) flavina* (Herrich-Schäffer,[1852]) (Noctuidae)
 2491. *Dichagyris (Yigoga) forcipula* ([Denis & Schiffermüller],1775) (Noctuidae)
 2492. *Dichagyris (Yigoga) gracilis* (F.Wagner,1929) (Noctuidae)
 2493. *Dichagyris (Yigoga) hackeri* (Fibiger,1992) (Noctuidae)
 2494. *Dichagyris (Yigoga) iranicola* (Kocak,1980) (Noctuidae)
 2495. *Dichagyris (Yigoga) latipennis* (Püngeler,1909) (Noctuidae)
 2496. *Dichagyris (Yigoga) libanicola* (Corti & Draudt,1933) (Noctuidae)
 2497. *Dichagyris (Yigoga) lupinus* (Brandt,1941) (Noctuidae)
 2498. *Dichagyris (Yigoga) lutescens* (Eversmann,1844) (Noctuidae)
 2499. *Dichagyris (Yigoga) nachadira* (Brandt,1941) (Noctuidae)
 2500. *Dichagyris (Yigoga) nigrescens* (Hofner,1888) (Noctuidae)
 2501. *Dichagyris (Yigoga) orientis* (Alpheraky,1882) (Noctuidae)
 2502. *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae)
 2503. *Dichagyris (Yigoga) serraticornis* (Staudinger,1898) (Noctuidae)
 2504. *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775) (Noctuidae)
 2505. *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae)
 2506. *Dichagyris (Yigoga) soror* Fibiger,1997 (Noctuidae)
 2507. *Dichagyris (Yigoga) stigmatula* (Kozhantshikov,1937) (Noctuidae)
 2508. *Dichagyris (Yigoga) strenua* (Corti,1926) (Noctuidae)
 2509. *Dichagyris (Yigoga) truculenta* (Lederer,1853) (Noctuidae)
 2510. *Dichagyris (Yigoga) unifica* (Kozhantshikov,1937) (Noctuidae)
 2511. *Dichagyris (Yigoga) weigerti* Hacker & Varga,1990 (Noctuidae)
 2512. *Dichagyris (Yigoga) wiltshirei* (Boursin,1936) (Noctuidae)
 2513. *Dichagyris (Yigoga) zagroica* Hacker & Ebert,2002 (Noctuidae)
 2514. *Dichelia alexiana* (Kennel,1919) (Tortricidae)
 2515. *Dichelia cedricola* (Diakonoff,1974) (Tortricidae)
 2516. *Dichelia histrionana* (Frölich,1828) (Tortricidae)
 2517. *Dichomeris apludella* (Lederer,1869) (Gelechiidae)
 2518. *Dichomeris barbella* ([Denis & Schiffermüller],1775) (Gelechiidae)
 2519. *Dichomeris bodenheimeri* (Rebel,1926) (Gelechiidae)
 2520. *Dichomeris centracma* Meyrick,1923 (Gelechiidae)
 2521. *Dichomeris derasella* ([Denis & Schiffermüller],1775) (Gelechiidae)
 2522. *Dichomeris juniperella* (Linnaeus,1761) (Gelechiidae)
 2523. *Dichomeris lamprostoma* (Zeller,1847) (Gelechiidae)
 2524. *Dichomeris limosella* (Schläger,1849) (Gelechiidae)
 2525. *Dichomeris pudicella* (Mann,1861) (Gelechiidae)
 2526. *Dichomeris syndyas* Meyrick,1926 (Gelechiidae)

2527. **Dichonia (Griposia) aprilina** (Linnaeus,1758) (Noctuidae)
 2528. **Dichonia (Griposia) jahannamah** Fibiger, Stangelmaier, Wieser & Zahiri,2008 (Noctuidae)
 2529. **Dichonia (Griposia) pinkeri** Kobes,1973 (Noctuidae)
 2530. **Dichonia (Griposia) wegneri** Kobes & Fibiger,2003 (Noctuidae)
 2531. **Dichonia (s.str.) aeruginea** (Hübner,[1803]) (Noctuidae)
 2532. **Dichonia (s.str.) convergens** ([Denis & Schiffermüller],1775) (Noctuidae)
 2533. **Dichrorampha acuminatana** (Lienig & Zeller,1846) (Tortricidae)
 2534. **Dichrorampha agilana** (Tengström,1848) (Tortricidae)
 2535. **Dichrorampha alpinana** (Treitschke,1830) (Tortricidae)
 2536. **Dichrorampha caucasica** (Danilevsky,1948) (Tortricidae)
 2537. **Dichrorampha cinerosana** (Herrich-Schäffer,1851) (Tortricidae)
 2538. **Dichrorampha coniana** Obratzov,1953 (Tortricidae)
 2539. **Dichrorampha eximia** (Danilevsky,1948) (Tortricidae)
 2540. **Dichrorampha gruneriana** (Herrich-Schäffer,1851) (Tortricidae)
 2541. **Dichrorampha iranica** Danilevskii & Kuznetsov,1968 (Tortricidae)
 2542. **Dichrorampha ligulana** (Herrich-Schäffer,1851) (Tortricidae)
 2543. **Dichrorampha petiverella** (Linnaeus,1758) (Tortricidae)
 2544. **Dichrorampha plumbagana** (Treitschke,1830) (Tortricidae)
 2545. **Dichrorampha plumbana** (Scopoli,1763) (Tortricidae)
 2546. **Dichrorampha proxima** (Danilevsky,1948) (Tortricidae)
 2547. **Dichrorampha sequana** (Hübner,[1799]) (Tortricidae)
 2548. **Dichrorampha simpliciana** (Haworth,1811) (Tortricidae)
 2549. **Dichrorampha vancouverana** McDunnough,1935 (Tortricidae)
 2550. **Dicranura ulmi** ([Denis & Schiffermüller],1775) (Notodontidae)
 2551. **Dicrognophos amanensis** (Wehrli,1934) (Geometridae)
 2552. **Dicycla oo** (Linnaeus,1758) (Noctuidae)
 2553. **Dieida ledereri** Staudinger,1871 (Cossidae)
 2554. **Digitivalva (Inuliphila) occidentella** (Klimesch,1956) (Yponomeutidae)
 2555. **Digitivalva (Inuliphila) pulicariae** (Klimesch,1956) (Yponomeutidae)
 2556. **Digitivalva (Inuliphila) wolfschlaegeri** (Klimesch,1956) (Yponomeutidae)
 2557. **Digitivalva (s.str.) excussella** (Erschoff,1874) (Yponomeutidae)
 2558. **Digitivalva falkneri** Amsel,1974 (Yponomeutidae)
 2559. **Digitivalva glaseri** Gaedike,1971 (Yponomeutidae)
 2560. **Digitivalva reticulella** (Hübner,1796) (Yponomeutidae)
 2561. **Digitivalva sp.** (Yponomeutidae)
 2562. **Digrammia jordanaria** (Staudinger,1901) (Geometridae)
 2563. **Digrammia rippertaria** (Duponchel,1830) (Geometridae)
 2564. **Dilacinia badialis** Amsel,1961 (Pyrilidae)
 2565. **Diloba caeruleocephala** (Linnaeus,1758) (Noctuidae)
 2566. **Dioryctria abietella** (Fabricius,1787) (Pyrilidae)
 2567. **Dioryctria mendacella** (Staudinger,1859) (Pyrilidae)
 2568. **Dioryctria pineae** (Staudinger,1859) (Pyrilidae)
 2569. **Dioryctria simplicella** Heinemann,1863 (Pyrilidae)
 2570. **Dioryctria sylvestrella** (Ratzeburg,1840) (Pyrilidae)
 2571. **Dipchaspecia consobrina** (Le Cerf,1938) (Sesiidae)
 2572. **Dipchaspecia intermedia** K.Spatenka,1997 (Sesiidae)
 2573. **Dipchaspecia kopica** Gorbunov & Spatenka,2001 (Sesiidae)
 2574. **Dipchaspecia lanipes** (Lederer,1863) (Sesiidae)
 2575. **Dipchaspecia naumanni** Gorbunov,1991 (Sesiidae)
 2576. **Dipchaspecia sertavula** Bartsch & Spatenka,2002 (Sesiidae)
 2577. **Dipchaspecia turkmena** Gorbunov,1994 (Sesiidae)
 2578. **Dipleurina lacustrata** (Panzer,1804) (Pyrilidae)
 2579. **Diplodoma laichartingella** (Goeze,1783) (Psychidae)
 2580. **Dirhinosisia arnoldiella** (Rebel,1905) (Gelechiidae)
 2581. **Dirhinosisia cervinella** (Eversmann,1844) (Gelechiidae)
 2582. **Dirhinosisia nitidula** (Stainton,1867) (Gelechiidae)
 2583. **Dirhinosisia unifasciella** (Rebel,1929) (Gelechiidae)
 2584. **Discestra (Cardepija) fixseni** (Christoph,1882) (Noctuidae)
 2585. **Dissoctena granigerella** Staudinger,1859 (Psychidae)
 2586. **Ditula angustiorana** (Haworth,[1811]) (Tortricidae)
 2587. **Diurnea fagella** ([Denis & Schiffermüller],1775) (Oecophoridae)
 2588. **Dolbina elegans** (A.Bang-Haas,1912) (Sphingidae)
 2589. **Dolicharthria bruguieralis** (Duponchel,1833) (Pyrilidae)
 2590. **Dolicharthria punctalis** ([Denis & Schiffermüller],1775) (Pyrilidae)
 2591. **Donacaula mucronella** ([Denis & Schiffermüller],1775) (Pyrilidae)
 2592. **Donaspastus djinn** Gozmany,1963 (Autostichidae)
 2593. **Drasteria austera** (John,1921) (Noctuidae)
 2594. **Drasteria cailino** (Lefèbvre,1827) (Noctuidae)
 2595. **Drasteria caucasica** (Kolenati,1846) (Noctuidae)

2596. **Drasteria flexuosa** (Ménétriés,1848)
(Noctuidae)
2597. **Drasteria herzi** (Alpheraky,1895)
(Noctuidae)
2598. **Drasteria kabylaria** (A.Bang-
Haas,1906) (Noctuidae)
2599. **Drasteria oranensis** Rothschild,1920
(Noctuidae)
2600. **Drasteria picta** (Christoph,1877)
(Noctuidae)
2601. **Drasteria rada** (Boisduval,1848)
(Noctuidae)
2602. **Drasteria saisani** (Staudinger,1882)
(Noctuidae)
2603. **Drasteria sequax** (Staudinger,1901)
(Noctuidae)
2604. **Drasteria sesquilina** (Staudinger,1888)
(Noctuidae)
2605. **Drasteria sesquistria**
(Eversmann,1854) (Noctuidae)
2606. **Drasteria sinuosa** (Staudinger,1884)
(Noctuidae)
2607. **Drasteria tenera** (Staudinger,1877)
(Noctuidae)
2608. **Drasteria yerburyi** (Butler,1892)
(Noctuidae)
2609. **Drasteroides leprosa** (Brandt,1938)
(Noctuidae)
2610. **Drasteroides limata** (Christoph,1884)
(Noctuidae)
2611. **Drasteroides medialis** (Hampson,1908)
(Noctuidae)
2612. **Drepana falcataria** (Linnaeus,1758)
(Drepanidae)
2613. **Drepanopterula limaria**
(Christoph,1885) (Geometridae)
2614. **Drymonia dodonaea** ([Denis &
Schiffmüller],1775) (Notodontidae)
2615. **Drymonia moyarii** (Ebert,1971)
(Notodontidae)
2616. **Drymonia obliterata** (Esper,[1785])
(Notodontidae)
2617. **Drymonia querna** (Fabricius,1787)
(Notodontidae)
2618. **Drymonia ruficornis** (Hufnagel,1766)
(Notodontidae)
2619. **Drymonia velitaris** (Hufnagel,1766)
(Notodontidae)
2620. **Dryobota labecula** (Esper,[1788])
(Noctuidae)
2621. **Dryobotodes (Dichonioxa) tenebrosa**
(Esper,[1789]) (Noctuidae)
2622. **Dryobotodes (s.str.) carbonis**
(F.Wagner,1931) (Noctuidae)
2623. **Dryobotodes (s.str.) eremita**
(Fabricius,1775) (Noctuidae)
2624. **Dryobotodes (s.str.) glaucus** L.Ronkay
& Gyulai,2006 (Noctuidae)
2625. **Dryobotodes (s.str.) monochroma**
(Esper,1790) (Noctuidae)
2626. **Dryobotodes (s.str.) servadeii**
Parenzan,1982 (Noctuidae)
2627. **Duponchelia fovealis** (Zeller,1847)
(Pyrilidae)
2628. **Duzulla subhyalinalis** (Hampson,1900)
(Pyrilidae)
2629. **Dypterygia scabriuscula**
(Linnaeus,1758) (Noctuidae)
2630. **Dysauxes (Adauctis) punctata**
(Fabricius,1781) (Ctenuchidae)
2631. **Dysauxes (s.str.) ancilla**
(Linnaeus,1767) (Ctenuchidae)
2632. **Dysauxes (s.str.) famula** (Freyer,1836)
(Ctenuchidae)
2633. **Dysauxes (s.str.) fraterna** Ignatyev &
Zolotuhin,2006 (Ctenuchidae)
2634. **Dysauxes (s.str.) parvigutta**
(Christoph,1889) (Ctenuchidae)
2635. **Dysauxes (s.str.) syntomida**
(Staudinger,1892) (Ctenuchidae)
2636. **Dyscia (Calodyscia) innocentaria**
(Christoph,1885) (Geometridae)
2637. **Dyscia (s.str.) conspersaria** ([Denis &
Schiffmüller],1775) (Geometridae)
2638. **Dyscia (s.str.) lentiscaria** (Donzel,1837)
(Geometridae)
2639. **Dyscia (Warneckeella) malatyana**
(Wehrli,1934) (Geometridae)
2640. **Dyseriocrania subpurpurella**
(Haworth,[1828]) (Eriocraniidae)
2641. **Dysmilichia bicolor** (Chrétien,1913)
(Noctuidae)
2642. **Dysmilichia bicyclica**
(Staudinger,1888) (Noctuidae)
2643. **Dysmilichia erastrionides** Brandt,1938
(Noctuidae)
2644. **Dysmilichia gigantea** Brandt,1941
(Noctuidae)
2645. **Dysmilichia mira** (Brandt,1938)
(Noctuidae)
2646. **Dysmilichia phaulopsis** Brandt,1938
(Noctuidae)
2647. **Dyspessa alipanahae** Yakovlev,2008
(Cossidae)
2648. **Dyspessa arabeska** Yakovlev,2005
(Cossidae)
2649. **Dyspessa argaensis** Rebel,1902
(Cossidae)
2650. **Dyspessa ariadne** Yakovlev,2008
(Cossidae)
2651. **Dyspessa artemis** Yakovlev,2008
(Cossidae)
2652. **Dyspessa blonda** Yakovlev,2008
(Cossidae)
2653. **Dyspessa cerberus** Daniel,1939
(Cossidae)
2654. **Dyspessa defreinai** Yakovlev,2008
(Cossidae)
2655. **Dyspessa elbursensis** Daniel,1964
(Cossidae)
2656. **Dyspessa emilia** (Staudinger,1879)
(Cossidae)
2657. **Dyspessa hethitica** Daniel,1932
(Cossidae)
2658. **Dyspessa infuscata** (Staudinger,1892)
(Cossidae)
2659. **Dyspessa kabylaria** A.Bang-Haas,1906
(Cossidae)
2660. **Dyspessa pallidata** Staudinger,1901
(Cossidae)
2661. **Dyspessa salicicola** (Eversmann,1848)
(Cossidae)
2662. **Dyspessa serica** Brandt,1938 (Cossidae)
2663. **Dyspessa stroehlei** Yakovlev,2008
(Cossidae)

2664. *Dyspessa tsvetaevi* Yakovlev, 2008 (Cossidae)
2665. *Dyspessa tyumasevae* Yakovlev, 2008 (Cossidae)
2666. *Dyspessa ulula* (Borkhausen, 1790) (Cossidae)
2667. *Dyspessa wagneri* Schwingenschuss, 1939 (Cossidae)
2668. *Dyspessa wiltshirei* Daniel, 1938 (Cossidae)
2669. *Dyspessa zurvan* Yakovlev, 2008 (Cossidae)
2670. *Dyspessacossus fereidun* Groum-Grshimailo, 1895 (Cossidae)
2671. *Dyspessacossus hadjinensis* Daniel, 1953 (Cossidae)
2672. *Dysspastus cinerascens* Gozmany, 1968 (Autostichidae)
2673. *Dysspastus undecimpunctellus* (Mann, 1864) (Autostichidae)
2674. *Eana* (*Eutrachia*) *goiana* (Linnaeus, 1761) (Tortricidae)
2675. *Eana* (s.str.) *incanana* (Stephens, 1852) (Tortricidae)
2676. *Eana* (s.str.) *penziana* (Thunberg, 1791) (Tortricidae)
2677. *Earias chlorophyllana* Staudinger, 1892 (Noctuidae)
2678. *Earias clorana* (Linnaeus, 1761) (Noctuidae)
2679. *Earias insulana* (Boisduval, 1833) (Noctuidae)
2680. *Earias irakana* Wiltshire, 1936 (Noctuidae)
2681. *Earias syriacana* Bartel, 1903 (Noctuidae)
2682. *Earias vernana* (Fabricius, 1787) (Noctuidae)
2683. *Earias vittella* (Fabricius, 1794) (Noctuidae)
2684. *Ebertartia nordstroemi* (Brandt, 1947) (Arctiidae)
2685. *Ebulea crocealis* (Hübner, 1796) (Pyrilidae)
2686. *Ebulea testacealis* (Zeller, 1847) (Pyrilidae)
2687. *Ecbatania alvandella* Amsel, 1961 (Pyrilidae)
2688. *Ecbatania holopyrrhella* (Ragonot, 1888) (Pyrilidae)
2689. *Eccopisa effractella* Zeller, 1848 (Pyrilidae)
2690. *Ecliptopera silaceata* ([Denis & Schiffermüller], 1775) (Geometridae)
2691. *Ecpyrrhorrhoe diffusalis* (Guenée, 1854) (Pyrilidae)
2692. *Ecpyrrhorrhoe rubiginalis* (Hübner, 1796) (Pyrilidae)
2693. *Ecpyrrhorrhoe rubiginalis microlimbalis* Amsel, 1959 (Pyrilidae)
2694. *Ectoedemia* (*Etainia*) *sericopeza* (Zeller, 1839) (Nepticulidae)
2695. *Ectoedemia* (*Fomoria*) *deegeri* Nieuekerken, 2008 (Nepticulidae)
2696. *Ectoedemia* (*Fomoria*) *luisae* (Klimesch, 1978) (Nepticulidae)
2697. *Ectoedemia* (s.str.) *arcuatella* (Herrich-Schäffer, 1855) (Nepticulidae)
2698. *Ectoedemia* (s.str.) *caradjai* (M. Hering, 1932) (Nepticulidae)
2699. *Ectoedemia* (s.str.) *suberis* (Stainton, 1869) (Nepticulidae)
2700. *Ectoedemia* (s.str.) *terebinthivora* (Klimesch, 1975) (Nepticulidae)
2701. *Ectropis bistortata* (Goeze, 1781) (Geometridae)
2702. *Egira anatolica* (Hering, 1933) (Noctuidae)
2703. *Egira conspicillaris* (Linnaeus, 1758) (Noctuidae)
2704. *Egira fatima* Hreblay, 1994 (Noctuidae)
2705. *Egira tabori* Hreblay, 1994 (Noctuidae)
2706. *Eicomorpha antiqua* Staudinger, 1888 (Noctuidae)
2707. *Eicomorpha kurdestanica* De Freina & Hacker, 1985 (Noctuidae)
2708. *Eidophasia messingiella* (Fischer v. Röslerstamm, 1840) (Yponomeutidae)
2709. *Eidophasia syenitella* (Heydenreich, 1851) (Yponomeutidae)
2710. *Eidophasia tauricella* Staudinger, 1879 (Yponomeutidae)
2711. *Eilema caniola* (Hübner, [1808]) (Arctiidae)
2712. *Eilema complana* (Linnaeus, 1758) (Arctiidae)
2713. *Eilema costalis* (Zeller, 1847) (Arctiidae)
2714. *Eilema griseola* (Hübner, [1803]) (Arctiidae)
2715. *Eilema lurideola* (Zincken, 1817) (Arctiidae)
2716. *Eilema lutarella* (Linnaeus, 1758) (Arctiidae)
2717. *Eilema palliatella* (Scopoli, 1763) (Arctiidae)
2718. *Eilema pseudocomplana* (Daniel, 1939) (Arctiidae)
2719. *Eilema pygmaeola* (Doubleday, 1847) (Arctiidae)
2720. *Eilema sororcula* (Hufnagel, 1766) (Arctiidae)
2721. *Eilicrinia cordiaria* (Hübner, 1790) (Geometridae)
2722. *Eilicrinia subcordaria* (Herrich-Schäffer, [1852]) (Geometridae)
2723. *Eilicrinia trinotata* (Metzner, 1845) (Geometridae)
2724. *Elachista adscitella* Stainton, 1851 (Elachistidae)
2725. *Elachista albifrontella* (Hübner, [1817]) (Elachistidae)
2726. *Elachista anatoliensis* Traugott-Olsen, 1990 (Elachistidae)
2727. *Elachista anserinella* Zeller, 1839 (Elachistidae)
2728. *Elachista argentella* (Clerck, 1759) (Elachistidae)
2729. *Elachista atrisquamosa* Staudinger, 1880 (Elachistidae)
2730. *Elachista bisulcella* (Duponchel, 1843) (Elachistidae)
2731. *Elachista blancella* Traugott-Olsen, 1992 (Elachistidae)
2732. *Elachista canapennella* (Hübner, [1813]) (Elachistidae)

2733. **Elachista chionella** Mann,1861
(Elachistidae)
2734. **Elachista chrysodesmella** Zeller,1850
(Elachistidae)
2735. **Elachista cingillella** (Herrich-
Schäffer,[1855]) (Elachistidae)
2736. **Elachista collitella** (Duponchel,1843)
(Elachistidae)
2737. **Elachista contaminatella** Zeller,1847
(Elachistidae)
2738. **Elachista deceptricula** Staudinger,1880
(Elachistidae)
2739. **Elachista disemiella** Zeller,1847
(Elachistidae)
2740. **Elachista dispilella** Zeller,1839
(Elachistidae)
2741. **Elachista festucicolella** Zeller,1853
(Elachistidae)
2742. **Elachista flavescens** Parenti,1981
(Elachistidae)
2743. **Elachista gangabella** Zeller,1850
(Elachistidae)
2744. **Elachista gebzeensis** Traugott-
Olsen,1990 (Elachistidae)
2745. **Elachista gleichenella** (Fabricius,1781)
(Elachistidae)
2746. **Elachista griseella** (Duponchel,1843)
(Elachistidae)
2747. **Elachista incanella** Herrich-
Schäffer,[1855] (Elachistidae)
2748. **Elachista kleini** Amsel,1935
(Elachistidae)
2749. **Elachista maculata** Parenti,1978
(Elachistidae)
2750. **Elachista maculicerusella** Bruand,1849
(Elachistidae)
2751. **Elachista melancholica** Frey,1859
(Elachistidae)
2752. **Elachista minusculella** Traugott-
Olsen,1992 (Elachistidae)
2753. **Elachista nuraghella** Amsel,1951
(Elachistidae)
2754. **Elachista ohridella** Parenti,2001
(Elachistidae)
2755. **Elachista pollinariella** Zeller,1839
(Elachistidae)
2756. **Elachista pollutella** (Duponchel,1844)
(Elachistidae)
2757. **Elachista pollutissima** Staudinger,1880
(Elachistidae)
2758. **Elachista pullicomella** Zeller,1839
(Elachistidae)
2759. **Elachista revinctella** Zeller,1850
(Elachistidae)
2760. **Elachista rudectella** Stainton,1851
(Elachistidae)
2761. **Elachista rufocinerea**
(Haworth,[1828]) (Elachistidae)
2762. **Elachista squamosella**
(Duponchel,1843) (Elachistidae)
2763. **Elachista turkensis** Traugott-
Olsen,1990 (Elachistidae)
2764. **Elachista unifasciella** (Haworth,[1828])
(Elachistidae)
2765. **Elachista vegliae** Parenti,1978
(Elachistidae)
2766. **Elaphria venustula** (Hübner,1790)
(Noctuidae)
2767. **Electrophaes corylata** (Thunberg,1792)
(Geometridae)
2768. **Elegia fallax** (Staudinger,1881)
(Pyralidae)
2769. **Elophila hederalis** Amsel,1935
(Pyralidae)
2770. **Elophila nymphaeata** (Linnaeus,1758)
(Pyralidae)
2771. **Ematheudes persicella** (Amsel,1961)
(Pyralidae)
2772. **Ematheudes pseudopunctellus**
Ragonot,1888 (Pyralidae)
2773. **Ematheudes punctellus**
(Treitschke,1833) (Pyralidae)
2774. **Ematheudes varicellus** Ragonot,1887
(Pyralidae)
2775. **Ematheudes vitellinellus** Ragonot,1887
(Pyralidae)
2776. **Ematurga atomaria** (Linnaeus,1758)
(Geometridae)
2777. **Emmalocera leucosarca** Meyrick,1937
(Pyralidae)
2778. **Emmalocera lucidicostella**
Ragonot,1888 (Pyralidae)
2779. **Emmalocera monochromella**
Ragonot,1888 (Pyralidae)
2780. **Emmelia trabealis** (Scopoli,1763)
(Noctuidae)
2781. **Emmelina argoteles** (Meyrick,1922)
(Pterophoridae)
2782. **Emmelina monodactyla**
(Linnaeus,1758) (Pterophoridae)
2783. **Emprepes belutschistanalis** Amsel,1961
(Pyralidae)
2784. **Emprepes chirazalis** Amsel,1949
(Pyralidae)
2785. **Emprepes coa** (Meyrick,1936)
(Pyralidae)
2786. **Emprepes flavomarginalis**
(Amsel,1951) (Pyralidae)
2787. **Emprepes mirabilis** Amsel,1959
(Pyralidae)
2788. **Emprepes palealis** Amsel,1949
(Pyralidae)
2789. **Emprepes russulalis** (Christoph,1877)
(Pyralidae)
2790. **Enanthyperythra legataria** (Herrich-
Schäffer,[1852]) (Geometridae)
2791. **Enargia abluta** (Hübner,[1808])
(Noctuidae)
2792. **Enargia paleacea** (Esper,[1788])
(Noctuidae)
2793. **Enargia pinkeri** De Freina &
Hacker,1985 (Noctuidae)
2794. **Enarmonia formosana** (Scopoli,1763)
(Tortricidae)
2795. **Enconista exustaria** Staudinger,1897
(Geometridae)
2796. **Endothenia ericetana** (Humphreys &
Westwood,1845) (Tortricidae)
2797. **Endothenia gentianaean**
(Hübner,[1799]) (Tortricidae)
2798. **Endothenia lapideana** (Herrich-
Schäffer,[1851]) (Tortricidae)
2799. **Endothenia marginana**
(Haworth,[1811]) (Tortricidae)
2800. **Endothenia nigricostana**
(Haworth,[1811]) (Tortricidae)

2801. **Endothenia oblongana** (Haworth,[1811]) (Tortricidae)
 2802. **Endothenia quadrimaculana** (Haworth,1811) (Tortricidae)
 2803. **Endothenia sororiana** (Herrich-Schäffer,[1851]) (Tortricidae)
 2804. **Endotricha flammealis** ([Denis & Schiffermüller],1775) (Pyrilidae)
 2805. **Endromis versicolora** (Linnaeus,1758) (Endromidae)
 2806. **Endrosia sarcitrella** (Linnaeus,1758) (Oecophoridae)
 2807. **Ennomos (Deuteronomos) erosarius** (Hübner,1790) (Geometridae)
 2808. **Ennomos (Deuteronomos) fraxineti** Wiltshire,1947 (Geometridae)
 2809. **Ennomos (Deuteronomos) freidbergi** Hausmann,1997 (Geometridae)
 2810. **Ennomos (Deuteronomos) fuscantarius** (Haworth,1809) (Geometridae)
 2811. **Ennomos (Deuteronomos) quercarius** (Hübner,[1813]) (Geometridae)
 2812. **Ennomos (s.str.) effractarius** Freyer,[1842] (Geometridae)
 2813. **Ennomos (s.str.) quercinarius** (Hufnagel,1767) (Geometridae)
 2814. **Ennomos (s.str.) zandi** Wiltshire,1947 (Geometridae)
 2815. **Enolmis acanthella** (Godart,1824) (Scythridae)
 2816. **Enolmis desidella** (Lederer,1855) (Scythridae)
 2817. **Enscepastra machinopis** Meyrick,1936 (Coleophoridae)
 2818. **Entephria caesiata** ([Denis & Schiffermüller],1775) (Geometridae)
 2819. **Entephria catochra** (L.B.Prout,1939) (Geometridae)
 2820. **Entephria ignorata** (Staudinger,1892) (Geometridae)
 2821. **Eochorica balcanica** (Rebel,1919) (Psychidae)
 2822. **Eogenes alcides** Herrich-Schäffer,[1852] (Hesperiidae)
 2823. **Eogenes lesliei** Evans,1926 (Hesperiidae)
 2824. **Eosolenobia manni** (Zeller,1852) (Psychidae)
 2825. **Epactoctena octogenalis** (Lederer,1863) (Pyrilidae)
 2826. **Epagoze grotiana** (Fabricius,1781) (Tortricidae)
 2827. **Epascestria peltaloides** (Rebel,1932) (Pyrilidae)
 2828. **Epascestria pustulalis** (Hübner,[1823]) (Pyrilidae)
 2829. **Epatolmis caesarea** (Goeze,1781) (Arctiidae)
 2830. **Epermenia (Calotripis) aequidentella** (Hofmann,1867) (Epermeniidae)
 2831. **Epermenia (Calotripis) chaerophyllella** (Goeze,1783) (Epermeniidae)
 2832. **Epermenia (Calotripis) insecurella** (Stainton,1849) (Epermeniidae)
 2833. **Epermenia (Calotripis) strictella** (Wocke,1867) (Epermeniidae)
 2834. **Epermenia (Cataplectica) iniquella** (Wocke,1867) (Epermeniidae)
 2835. **Epermenia (s.str.) ochreomaculella** (Millière,1854) (Epermeniidae)
 2836. **Epermenia (s.str.) orientalis** Gaedike,1966 (Epermeniidae)
 2837. **Epermenia (s.str.) pontificella** (Hübner,1796) (Epermeniidae)
 2838. **Epermenia (s.str.) wockeella** (Staudinger,1880) (Epermeniidae)
 2839. **Epharmottomena eremophila** (Rebel,1895) (Noctuidae)
 2840. **Epharmottomena gelida** (Brandt,1939) (Noctuidae)
 2841. **Epharmottomena leucodonta** (Hampson,1926) (Noctuidae)
 2842. **Epharmottomena nana** (Staudinger,1884) (Noctuidae)
 2843. **Epharmottomena tenera** (Brandt,1939) (Noctuidae)
 2844. **Ephedrophila jordanalis** (Rebel,1902) (Pyrilidae)
 2845. **Ephelis cruentalis** (Geyer,[1832]) (Pyrilidae)
 2846. **Ephestia (Anagasta) abnormallella** (Ragonot,1887) (Pyrilidae)
 2847. **Ephestia (Anagasta) cypriusella** Roesler,1965 (Pyrilidae)
 2848. **Ephestia (Anagasta) gilvella** Roesler,1970 (Pyrilidae)
 2849. **Ephestia (Anagasta) kuehniella** Zeller,1879 (Pyrilidae)
 2850. **Ephestia (Anagasta) welseriella** (Zeller,1848) (Pyrilidae)
 2851. **Ephestia (s.str.) disparella** Hampson,1901 (Pyrilidae)
 2852. **Ephestia (s.str.) elutella** (Hübner,1796) (Pyrilidae)
 2853. **Ephestia (s.str.) parasitella** Staudinger,1859 (Pyrilidae)
 2854. **Ephysteris (Microcraspedus) deserticolella** (Staudinger,1871) (Gelechiidae)
 2855. **Ephysteris (Microcraspedus) diminutella** (Zeller,1847) (Gelechiidae)
 2856. **Ephysteris (Ochrodia) subdiminutella** (Stainton,1967) (Gelechiidae)
 2857. **Ephysteris (Opacopsis) atalopis** (Meyrick,1918) (Gelechiidae)
 2858. **Ephysteris (Opacopsis) flavida** Povolny,1969 (Gelechiidae)
 2859. **Ephysteris (Opacopsis) ruth** Povolny,1977 (Gelechiidae)
 2860. **Ephysteris (Opacopsis) speciosa** Povolny,1977 (Gelechiidae)
 2861. **Ephysteris (s.str.) promptella** (Staudinger,1859) (Gelechiidae)
 2862. **Epiblema costipunctana** (Haworth,[1811]) (Tortricidae)
 2863. **Epiblema foenellum** (Linnaeus,1758) (Tortricidae)
 2864. **Epiblema gammana** (Mann,1866) (Tortricidae)
 2865. **Epiblema graphana** (Treitschke,1835) (Tortricidae)
 2866. **Epiblema hepaticana** (Treitschke,1835) (Tortricidae)
 2867. **Epiblema junctana** (Herrich-Schäffer,1856) (Tortricidae)
 2868. **Epiblema obscurana** (Herrich-Schäffer,1851) (Tortricidae)

2869. **Epiblema psychrodora** (Meyrick,1936)
(Tortricidae)
2870. **Epiblema scutulana** ([Denis & Schiffermüller],1775) (Tortricidae)
2871. **Epiblema sticticana** (Fabricius,1794)
(Tortricidae)
2872. **Epiblema turbidana** (Treitschke,1835)
(Tortricidae)
2873. **Epicallima formosella** ([Denis & Schiffermüller],1775) (Oecophoridae)
2874. **Epicallima icterinella** (Mann,1867)
(Oecophoridae)
2875. **Epichalcia amasiella** Roesler,1969
(Pyrilidae)
2876. **Epichnopterix plumella** ([Denis & Schiffermüller],1775) (Psychidae)
2877. **Epidauria discella** Ragonot,1901
(Pyrilidae)
2878. **Epidauria phoeniciella** Ragonot,1895
(Pyrilidae)
2879. **Epidauria strigosa** (Staudinger,1879)
(Pyrilidae)
2880. **Epidauria transversariella**
(Zeller,1848) (Pyrilidae)
2881. **Epiepischnia keredjella** Amsel,1953
(Pyrilidae)
2882. **Epiepischnia pseudolydella** Amsel,1953
(Pyrilidae)
2883. **Epilecta linogrisea** ([Denis & Schiffermüller],1775) (Noctuidae)
2884. **Epilobophora sabinata** (Geyer,[1831])
(Geometridae)
2885. **Epimecia ustula** (Freyer,1835)
(Noctuidae)
2886. **Epimetasia abbasalis** Amsel,1974
(Pyrilidae)
2887. **Epimetasia albalis** Amsel,1959
(Pyrilidae)
2888. **Epimetasia vestalis** (Ragonot,1894)
(Pyrilidae)
2889. **Epinotia abbreviana** (Fabricius,1794)
(Tortricidae)
2890. **Epinotia brunnichiana** (Linnaeus,1767)
(Tortricidae)
2891. **Epinotia cruciana** (Linnaeus,1761)
(Tortricidae)
2892. **Epinotia dalmatana** (Rebel,1891)
(Tortricidae)
2893. **Epinotia deruptana** (Kennel,1901)
(Tortricidae)
2894. **Epinotia festivana** (Hübner,[1799])
(Tortricidae)
2895. **Epinotia fraternana** (Haworth,[1811])
(Tortricidae)
2896. **Epinotia immundana** (Fischer v. Röslerstamm,1839) (Tortricidae)
2897. **Epinotia infessana** (Walsingham,1900)
(Tortricidae)
2898. **Epinotia kochiana** Herrich-Schäffer,[1851] (Tortricidae)
2899. **Epinotia nemorivaga** (Tengström,1848)
(Tortricidae)
2900. **Epinotia nigricana** (Herrich-Schäffer,[1851]) (Tortricidae)
2901. **Epinotia nisella** (Clerck,1759)
(Tortricidae)
2902. **Epinotia ramella** (Linnaeus,1758)
(Tortricidae)
2903. **Epinotia solandriana** (Linnaeus,1758)
(Tortricidae)
2904. **Epinotia tenerana** ([Denis & Schiffermüller],1775) (Tortricidae)
2905. **Epinotia tetraquetra** (Haworth,1811)
(Tortricidae)
2906. **Epinotia thapsiana** (Zeller,1847)
(Tortricidae)
2907. **Epione repandaria** (Hufnagel,1767)
(Geometridae)
2908. **Epione vespertaria** (Linnaeus,1767)
(Geometridae)
2909. **Epiparthia constituta** Roesler,1989
(Pyrilidae)
2910. **Epiparthia dattinella** (Ragonot,1887)
(Pyrilidae)
2911. **Epiparthia simplicialis**
(Rothschild,1921) (Pyrilidae)
2912. **Epiparthia vasta** Amsel,1935 (Pyrilidae)
2913. **Epipsammia accurata** (Christoph,1882)
(Noctuidae)
2914. **Epipsammia cretacea**
(Staudinger,1888) (Noctuidae)
2915. **Epipsammia fixseni** (Christoph,1893)
(Noctuidae)
2916. **Epirrhoe alternata** (Müller,1764)
(Geometridae)
2917. **Epirrhoe galiata** ([Denis & Schiffermüller],1775) (Geometridae)
2918. **Epirrhoe molluginata** (Hübner,[1813])
(Geometridae)
2919. **Epirrhoe rivata** (Hübner,[1813])
(Geometridae)
2920. **Epirrhoe tristata** (Linnaeus,1758)
(Geometridae)
2921. **Epirrita dilutata** ([Denis & Schiffermüller],1775) (Geometridae)
2922. **Episcardia (Bilobatana) caerulipennis**
(Erschoff,1874) (Tineidae)
2923. **Episcardia (Bilobatana) fuscoviolacella**
(Ragonot,1895) (Tineidae)
2924. **Episcardia (Bilobatana) violacea**
(Christoph,1888) (Tineidae)
2925. **Episcardia (s.str.) lardatella**
(Lederer,1858) (Tineidae)
2926. **Epischnia adultella** (Zeller,1848)
(Pyrilidae)
2927. **Epischnia albella** Amsel,1953 (Pyrilidae)
2928. **Epischnia asteris** Staudinger,1870
(Pyrilidae)
2929. **Epischnia christophori** Ragonot,1887
(Pyrilidae)
2930. **Epischnia cretaciella** Mann,1869
(Pyrilidae)
2931. **Epischnia cuculliella** Ragonot,1887
(Pyrilidae)
2932. **Epischnia illotella** Zeller,1839
(Pyrilidae)
2933. **Epischnia leucoloma** (Herrich-Schäffer,[1849]) (Pyrilidae)
2934. **Epischnia leucomixtella** Ragonot,1887
(Pyrilidae)
2935. **Epischnia masticella** Ragonot,1887
(Pyrilidae)
2936. **Epischnia muscidella** Ragonot,1887
(Pyrilidae)
2937. **Epischnia parvella** Amsel,1953
(Pyrilidae)

2938. **Epischnia prodromella** (Hübner,[1799]) (Pyrilidae)
 2939. **Epischnia soritella** Lederer,1858 (Pyrilidae)
 2940. **Epischnia stenopterella** Rebel,1910 (Pyrilidae)
 2941. **Epischnopsis nervosella** (Ragonot,1887) (Pyrilidae)
 2942. **Epischnopsis oculatella** (Ragonot,1887) (Pyrilidae)
 2943. **Episcythrastis tabidella** (Mann,1864) (Pyrilidae)
 2944. **Episcythrastis tetricella** ([Denis & Schiffermüller],1775) (Pyrilidae)
 2945. **Episcythrhis halperini** Passerin d'Entrèves,1990 (Scythridae)
 2946. **Episcythrhis walsinghami** Passerin d'Entrèves,1991 (Scythridae)
 2947. **Episema amasina** (Hampson,1906) (Noctuidae)
 2948. **Episema didymogramma** (Boursin,1955) (Noctuidae)
 2949. **Episema glaucina** (Esper,[1789]) (Noctuidae)
 2950. **Episema korsakovi** (Christoph,1885) (Noctuidae)
 2951. **Episema lederi** Christoph,1885 (Noctuidae)
 2952. **Episema lemoniopsis** Hacker,2001 (Noctuidae)
 2953. **Episema tamardayanae** Fibiger, Kravchenko, Mooser, Li & Müller,2006 (Noctuidae)
 2954. **Episema tersa** ([Denis & Schiffermüller],1775) (Noctuidae)
 2955. **Episema ulriki** Fibiger, Kravchenko, Mooser, Li & Müller,2006 (Noctuidae)
 2956. **Epitherina bahmana** (Wiltshire,1943) (Geometridae)
 2957. **Epitherina ghirshimani** (Wiltshire,1944) (Geometridae)
 2958. **Epitherina rhodopoleos** Wehrli,1938 (Geometridae)
 2959. **Erannis caspica** Laszlo,2003 (Geometridae)
 2960. **Erannis declinans** (Staudinger,1879) (Geometridae)
 2961. **Erannis defoliaria** (Linnaeus,1761) (Geometridae)
 2962. **Eratophyes amasiella** (Herrich-Schäffer,[1855]) (Oecophoridae)
 2963. **Erebia aethiops** (Esper,[1777]) (Satyridae)
 2964. **Erebia graucasica** Jachontov,1909 (Satyridae)
 2965. **Erebia hewitsonii** Lederer,1864 (Satyridae)
 2966. **Erebia iranica** Groum-Grshimailo,1895 (Satyridae)
 2967. **Erebia ligea** (Linnaeus,1758) (Satyridae)
 2968. **Erebia medusa** ([Denis & Schiffermüller],1775) (Satyridae)
 2969. **Erebia melancholica** Herrich-Schäffer,[1846] (Satyridae)
 2970. **Erebia ottomana** Herrich-Schäffer,[1847] (Satyridae)
 2971. **Eremica effendi** Gozmany,1963 (Autostichidae)
 2972. **Eremica eremita** Gozmany,1963 (Autostichidae)
 2973. **Eremica wiltshirei** Gozmany,1963 (Autostichidae)
 2974. **Eremicola semitica** Amsel,1935 (Tineidae)
 2975. **Eremobastis judaica** (Staudinger,1898) (Noctuidae)
 2976. **Eremobia asiatica** Draudt,1936 (Noctuidae)
 2977. **Eremobina pabulatricula** (Brahm,1791) (Noctuidae)
 2978. **Eremocossus vaulogeri** (Staudinger,1897) (Cossidae)
 2979. **Eremohadena arvicola** (Christoph,1887) (Noctuidae)
 2980. **Eremohadena toerpexa** L.Ronkay & Gyulai,2006 (Noctuidae)
 2981. **Eremopola lenis** (Staudinger,1892) (Noctuidae)
 2982. **Eremotrachea bacheri** (Püngeler,1902) (Noctuidae)
 2983. **Eretmocera medinella** (Staudinger,1859) (Scythridae)
 2984. **Eriocottis fuscanelia** Zeller,1847 (Eriocottidae)
 2985. **Eriocottis paradoxella** (Staudinger,1859) (Eriocottidae)
 2986. **Eriogaster acanthophylli** Christoph,1882 (Lasiocampidae)
 2987. **Eriogaster catax** (Linnaeus,1758) (Lasiocampidae)
 2988. **Eriogaster czipkai** De Lajonquière,1975 (Lasiocampidae)
 2989. **Eriogaster henkei** (Staudinger,1879) (Lasiocampidae)
 2990. **Eriogaster lanestris** (Linnaeus,1758) (Lasiocampidae)
 2991. **Eriogaster neogena** (Fischer de Waldheim,1824) (Lasiocampidae)
 2992. **Eriogaster nippei** De Freina,1988 (Lasiocampidae)
 2993. **Eriogaster pfeifferi** Daniel,1932 (Lasiocampidae)
 2994. **Eriogaster philippsi** Bartel,1911 (Lasiocampidae)
 2995. **Eriogaster rimicola** (Schrank,1802) (Lasiocampidae)
 2996. **Eriopsela quadrana** (Hübner,[1813]) (Tortricidae)
 2997. **Eriopygodes discalis** Brandt,1938 (Noctuidae)
 2998. **Eriopygodes imbecilla** (Fabricius,1794) (Noctuidae)
 2999. **Erynnis (Hesperopegasus) marloyi** (Boisduval,[1834]) (Hesperiidae)
 3000. **Erynnis (s.str.) elbursina** (Bytinski-Salz & Brandt,1937) (Hesperiidae)
 3001. **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae)
 3002. **Esperarge (s.str.) clymene** (Fabricius,1787) (Satyridae)
 3003. **Esperia imitatrix** (Zeller,1847) (Oecophoridae)
 3004. **Esperia intermediella** (Stainton,1867) (Oecophoridae)
 3005. **Esperia oliviella** (Fabricius,1794) (Oecophoridae)

3006. **Esperia sulphurella** (Fabricius,1775)
(Oecophoridae)
3007. **Estimata cacumena** (Brandt,1938)
(Noctuidae)
3008. **Eteobalea albiapicella**
(Duponchel,1843) (Cosmopterigidae)
3009. **Eteobalea amseli** (Osthelder,1940)
(Cosmopterigidae)
3010. **Eteobalea dohrnii** (Zeller,1847)
(Cosmopterigidae)
3011. **Eteobalea intermediella** (Riedl,1966)
(Cosmopterigidae)
3012. **Eteobalea isabellella** (Costa,1836)
(Cosmopterigidae)
3013. **Eteobalea serratella** (Treitschke,1833)
(Cosmopterigidae)
3014. **Eteobalea siciliae** (Riedl,1966)
(Cosmopterigidae)
3015. **Eteobalea sumptuosella** (Lederer,1855)
(Cosmopterigidae)
3016. **Eteobalea thaumatella**
(Walsingham,1907) (Cosmopterigidae)
3017. **Eteobalea tririvella** (Staudinger,1871)
(Cosmopterigidae)
3018. **Ethmia alba** (Amsel,1949) (Ethmiidae)
3019. **Ethmia amasina** (Staudinger,1879)
(Ethmiidae)
3020. **Ethmia aurifluella** (Hübner,[1810])
(Ethmiidae)
3021. **Ethmia bipunctella** (Fabricius,1775)
(Ethmiidae)
3022. **Ethmia candidella** (Alpheraky,1908)
(Ethmiidae)
3023. **Ethmia caradjae** (Rebel,1907)
(Ethmiidae)
3024. **Ethmia chrysopyga** (Zeller,1844)
(Ethmiidae)
3025. **Ethmia cirrhocnemis** (Lederer,1870)
(Ethmiidae)
3026. **Ethmia defreinae** Ganey,1984
(Ethmiidae)
3027. **Ethmia derbendella** Sattler,1967
(Ethmiidae)
3028. **Ethmia distigmatella** (Erschoff,1874)
(Ethmiidae)
3029. **Ethmia dodecea** (Haworth,[1828])
(Ethmiidae)
3030. **Ethmia flavianella** (Treitschke,1832)
(Ethmiidae)
3031. **Ethmia fumidella** (Wocke,1850)
(Ethmiidae)
3032. **Ethmia haemorrhoidella**
(Eversmann,1844) (Ethmiidae)
3033. **Ethmia hakkarica** Koçak,1986
(Ethmiidae)
3034. **Ethmia infelix** Meyrick,1914 (Ethmiidae)
3035. **Ethmia interposita** Sattler,1967
(Ethmiidae)
3036. **Ethmia iranella** Zerny,1940 (Ethmiidae)
3037. **Ethmia lecmima** Sattler,1967 (Ethmiidae)
3038. **Ethmia lepidella** (Chrétien,1907)
(Ethmiidae)
3039. **Ethmia lybiella** (Ragonot,1892)
(Ethmiidae)
3040. **Ethmia pseudoscythrella** (Rebel,1902)
(Ethmiidae)
3041. **Ethmia pusiella** (Linnaeus,1758)
(Ethmiidae)
3042. **Ethmia quadrillella** (Goeze,1783)
(Ethmiidae)
3043. **Ethmia quadrinotella** (Mann,1861)
(Ethmiidae)
3044. **Ethmia rothschildi** (Rebel,1912)
(Ethmiidae)
3045. **Ethmia similis** Sattler,1967 (Ethmiidae)
3046. **Ethmia suspecta** Sattler,1867
(Ethmiidae)
3047. **Ethmia terminella** T.B.Fletcher,1938
(Ethmiidae)
3048. **Ethmia treitschkeella**
(Staudinger,1879) (Ethmiidae)
3049. **Ethmia tripunctella** (Staudinger,1879)
(Ethmiidae)
3050. **Ethmia vittabella** (Christoph,1877)
(Ethmiidae)
3051. **Ethmia wursteri** Amsel,1956 (Ethmiidae)
3052. **Etiella zinckenella** (Treitschke,1832)
(Pyralidae)
3053. **Euapatura mirza** Ebert,1971 (Argynniidae)
3054. **Eublemma (albida-gr.) albida**
(Duponchel,1843) (Noctuidae)
3055. **Eublemma (albida-gr.) argentifera**
Hacker & Fibiger,2002 (Noctuidae)
3056. **Eublemma (albida-gr.) compuncta**
(Lederer,1872) (Noctuidae)
3057. **Eublemma (albida-gr.) draudti**
(Bytinski-Salz & Brandt,1937) (Noctuidae)
3058. **Eublemma (albida-gr.) gratissima**
(Staudinger,1892) (Noctuidae)
3059. **Eublemma (albida-gr.) hansa** (Herrich-
Schäffer,[1851]) (Noctuidae)
3060. **Eublemma (albida-gr.) jocularis**
(Christoph,1877) (Noctuidae)
3061. **Eublemma (albida-gr.) munda**
(Christoph,1884) (Noctuidae)
3062. **Eublemma (albida-gr.) straminea**
(Staudinger,1892) (Noctuidae)
3063. **Eublemma (bifasciata-gr.) bifasciata**
(Moore,1881) (Noctuidae)
3064. **Eublemma (bulla-gr.) albivestalis**
(Hampson,1910) (Noctuidae)
3065. **Eublemma (bulla-gr.) bulla**
(Swinhoe,1884) (Noctuidae)
3066. **Eublemma (bulla-gr.) conistrotta**
Hampson,1910 (Noctuidae)
3067. **Eublemma (bulla-gr.) lutosa**
Staudinger,1892 (Noctuidae)
3068. **Eublemma (bulla-gr.) pura**
(Hübner,[1813]) (Noctuidae)
3069. **Eublemma (bulla-gr.) subvenata**
(Staudinger,1892) (Noctuidae)
3070. **Eublemma (bulla-gr.) suppura**
(Staudinger,1892) (Noctuidae)
3071. **Eublemma (candidana-gr.) aureola**
Fibiger & Hacker,2002 (Noctuidae)
3072. **Eublemma (candidana-gr.) candidana**
(Fabricius,1794) (Noctuidae)
3073. **Eublemma (candidana-gr.) minutata**
(Fabricius,1794) (Noctuidae)
3074. **Eublemma (candidana-gr.) ochreola**
(Staudinger,1900) (Noctuidae)
3075. **Eublemma (candidana-gr.) taftana**
(Brandt,1941) (Noctuidae)
3076. **Eublemma (candidana-gr.) viridula**
(Guenée,1841) (Noctuidae)

3077. *Eublemma (candidana-gr.) wagneri* (Herrich-Schäffer,1851) (Noctuidae)
 3078. *Eublemma (chlorotica-gr.) chlorotica* (Lederer,1858) (Noctuidae)
 3079. *Eublemma (chlorotica-gr.) pseudoviridis* (Brandt,1939) (Noctuidae)
 3080. *Eublemma (Coccidiphaga) scitula* (Rambur,1833) (Noctuidae)
 3081. *Eublemma (cochylioides-gr.) cochylioides* (Guenée,1852) (Noctuidae)
 3082. *Eublemma (debilis-gr.) deserti* (Rothschild,1909) (Noctuidae)
 3083. *Eublemma (debilis-gr.) microptera* (Brandt,1939) (Noctuidae)
 3084. *Eublemma (debilis-gr.) murati* (Brandt,1939) (Noctuidae)
 3085. *Eublemma (gayneri-gr.) fredii* Fibiger & Hacker,2002 (Noctuidae)
 3086. *Eublemma (gayneri-gr.) gayneri* (Rothschild,1901) (Noctuidae)
 3087. *Eublemma (Glossodice) agnella* (Brandt,1938) (Noctuidae)
 3088. *Eublemma (Glossodice) apicipunctalis* (Brandt,1939) (Noctuidae)
 3089. *Eublemma (Glossodice) polygramma* (Duponchel,[1842]) (Noctuidae)
 3090. *Eublemma (Glossodice) pseudepistrota* (Brandt,1938) (Noctuidae)
 3091. *Eublemma (Honeyania) ragusana* (Freyer,1844) (Noctuidae)
 3092. *Eublemma (kruegeri-gr.) kruegeri* (Wiltshire,1970) (Noctuidae)
 3093. *Eublemma (ostrina-gr.) illota* (Christoph,1887) (Noctuidae)
 3094. *Eublemma (ostrina-gr.) ostrina* (Hübner,[1808]) (Noctuidae)
 3095. *Eublemma (pallidula-gr.) boursini* (Bytinski-Salz & Brandt,1937) (Noctuidae)
 3096. *Eublemma (pallidula-gr.) pallidula* (Herrich-Schäffer,1856) (Noctuidae)
 3097. *Eublemma (pallidula-gr.) uniformis* (Staudinger,1879) (Noctuidae)
 3098. *Eublemma (pallidula-gr.) virginalis* (Oberthür,1881) (Noctuidae)
 3099. *Eublemma (parva-gr.) cyrenaica* (Turati,1924) (Noctuidae)
 3100. *Eublemma (parva-gr.) parva* (Hübner,[1808]) (Noctuidae)
 3101. *Eublemma (parva-gr.) parvoides* (Brandt,1939) (Noctuidae)
 3102. *Eublemma (parva-gr.) thermobasis* Hampson,1910 (Noctuidae)
 3103. *Eublemma (rosina-gr.) amoena* (Hübner,[1803]) (Noctuidae)
 3104. *Eublemma (rosina-gr.) caelestis* (Brandt,1938) (Noctuidae)
 3105. *Eublemma (rosina-gr.) panonica* (Freyer,1840) (Noctuidae)
 3106. *Eublemma (rosina-gr.) parallela* (Freyer,1842) (Noctuidae)
 3107. *Eublemma (rosina-gr.) purpurina* ([Denis & Schiffermüller],1775) (Noctuidae)
 3108. *Eublemma (rosina-gr.) pusilla* (Eversmann,1834) (Noctuidae)
 3109. *Eublemma (rosina-gr.) rosina* (Hübner,[1803]) (Noctuidae)
 3110. *Eublemma (siticulosa-gr.) albina* (Staudinger,1898) (Noctuidae)
 3111. *Eublemma (siticulosa-gr.) leucota* Hampson,1910 (Noctuidae)
 3112. *Eublemma (siticulosa-gr.) nives* (Brandt,1938) (Noctuidae)
 3113. *Eublemma (siticulosa-gr.) siticulosa* (Lederer,1858) (Noctuidae)
 3114. *Eublemma fugitiva* (Christoph,1877) (Noctuidae)
 3115. *Eublemma peralba* (Schawerda,1923) (Noctuidae)
 3116. *Eublemma suppuncta* (Staudinger,1892) (Noctuidae)
 3117. *Eublemma transmittens* (Christoph,1893) (Noctuidae)
 3118. *Eucampyla dealbatella* (Erschoff,1874) (Pyralidae)
 3119. *Eucarphia vinetella* (Fabricius,1787) (Pyralidae)
 3120. *Eucarta amethystina* (Hübner,[1803]) (Noctuidae)
 3121. *Euchalcia (Pseudochalcia) kitchingi* Hacker & Ronkay,1992 (Noctuidae)
 3122. *Euchalcia (s.str.) annemaria* De Freina & Hacker,1985 (Noctuidae)
 3123. *Euchalcia (s.str.) armeniae* Dufay,1966 (Noctuidae)
 3124. *Euchalcia (s.str.) augusta* (Staudinger,1892) (Noctuidae)
 3125. *Euchalcia (s.str.) biezankoi* (Alberti,1965) (Noctuidae)
 3126. *Euchalcia (s.str.) chalcophanes* Dufay,1963 (Noctuidae)
 3127. *Euchalcia (s.str.) cuprescens* Dufay,1966 (Noctuidae)
 3128. *Euchalcia (s.str.) dorsiflava* (Standfuss,1892) (Noctuidae)
 3129. *Euchalcia (s.str.) emichi* (Rogenhofer,1873) (Noctuidae)
 3130. *Euchalcia (s.str.) hedeia* Dufay,1978 (Noctuidae)
 3131. *Euchalcia (s.str.) hyrcaniae* Dufay,1963 (Noctuidae)
 3132. *Euchalcia (s.str.) incredibilis* Hacker & Ebert,2002 (Noctuidae)
 3133. *Euchalcia (s.str.) kautti* Hacker & Ronkay,1992 (Noctuidae)
 3134. *Euchalcia (s.str.) maria* (Staudinger,1892) (Noctuidae)
 3135. *Euchalcia (s.str.) modestoides* Poole,1989 (Noctuidae)
 3136. *Euchalcia (s.str.) olga* Kravchenko, Müller, Fibiger, Mooser & L.Ronkay,2006 (Noctuidae)
 3137. *Euchalcia (s.str.) paulina* (Staudinger,1892) (Noctuidae)
 3138. *Euchalcia (s.str.) siderifera* (Eversmann,1846) (Noctuidae)
 3139. *Euchalcia (s.str.) stilpna* Dufay,1969 (Noctuidae)
 3140. *Euchalcia (s.str.) taurica* (Osthelder,1933) (Noctuidae)
 3141. *Euchalcia (s.str.) variabilis* (Piller & Mitterpacher,1783) (Noctuidae)
 3142. *Euchalcia (s.str.) viridis* (Staudinger,1901) (Noctuidae)
 3143. *Euchloe (Elphinstonia) charlonia* (Donzel,1842) (Pieridae)

3144. **Euchloe (Elphinstonia) lessei Bernardi,1957** (Pieridae)
 3145. **Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae)
 3146. **Euchloe (Elphinstonia) tomyris Christoph,1884** (Pieridae)
 3147. **Euchloe (Elphinstonia) transcaspica (Staudinger,[1892])** (Pieridae)
 3148. **Euchloe (Elphinstonia) ziyani Leestmans & Back,2001** (Pieridae)
 3149. **Euchloe (s.str.) aegyptiaca Verity,[1911]** (Pieridae)
 3150. **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae)
 3151. **Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae)
 3152. **Euchloe (s.str.) crameri Butler,1869** (Pieridae)
 3153. **Euchloe (s.str.) falloui (Allard,1867)** (Pieridae)
 3154. **Euchoeca nebulata (Scopoli,1763)** (Geometridae)
 3155. **Euchromius anapiellus (Zeller,1847)** (Pyrilidae)
 3156. **Euchromius bellus (Hübner,1796)** (Pyrilidae)
 3157. **Euchromius bleszynskiellus Popescu-Gorj,1964** (Pyrilidae)
 3158. **Euchromius cambridgei (Zeller,1867)** (Pyrilidae)
 3159. **Euchromius cochlearellus (Amsel,1949)** (Pyrilidae)
 3160. **Euchromius gratiosellus (Caradja,1910)** (Pyrilidae)
 3161. **Euchromius jaxartellus (Erschoff,1874)** (Pyrilidae)
 3162. **Euchromius keredjellus (Amsel,1949)** (Pyrilidae)
 3163. **Euchromius malekalis Amsel,1961** (Pyrilidae)
 3164. **Euchromius ocelleus (Haworth,[1811])** (Pyrilidae)
 3165. **Euchromius pulverosus (Christoph,1887)** (Pyrilidae)
 3166. **Euchromius ramburiellus (Duponchel,1836)** (Pyrilidae)
 3167. **Euchromius rayatellus (Amsel,1949)** (Pyrilidae)
 3168. **Euchromius siuxellus Ganev & Hacker,1986** (Pyrilidae)
 3169. **Euchromius superbellus (Zeller,1849)** (Pyrilidae)
 3170. **Euchromius vinculellus (Zeller,1847)** (Pyrilidae)
 3171. **Euclasta (Proteuclasta) mirabilis Amsel,1949** (Pyrilidae)
 3172. **Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyrilidae)
 3173. **Euclidia glyphica (Linnaeus,1758)** (Noctuidae)
 3174. **Eucosma agnatana (Christoph,1872)** (Tortricidae)
 3175. **Eucosma albidulana (Herrich-Schäffer,[1851])** (Tortricidae)
 3176. **Eucosma aspidiscana (Hübner,[1817])** (Tortricidae)
 3177. **Eucosma cana (Haworth,1811)** (Tortricidae)
 3178. **Eucosma coagulana (Kennel,1901)** (Tortricidae)
 3179. **Eucosma conformana (Mann,1872)** (Tortricidae)
 3180. **Eucosma conterminana (Guenée,1845)** (Tortricidae)
 3181. **Eucosma directa Meyrick,1912** (Tortricidae)
 3182. **Eucosma ephedrana Christoph,1877** (Tortricidae)
 3183. **Eucosma eremodora Meyrick,1932** (Tortricidae)
 3184. **Eucosma esmodes Meyrick,1937** (Tortricidae)
 3185. **Eucosma fulvana (Stephens,1834)** (Tortricidae)
 3186. **Eucosma gypsatana (Kennel,1921)** (Tortricidae)
 3187. **Eucosma hohenwartiana ([Denis & Schiffermüller],1775)** (Tortricidae)
 3188. **Eucosma jerusalemiana (Amsel,1935)** (Tortricidae)
 3189. **Eucosma kurdistanica (Amsel,1959)** (Tortricidae)
 3190. **Eucosma metzneriana (Treitschke,1830)** (Tortricidae)
 3191. **Eucosma paetulana (Kennel,1901)** (Tortricidae)
 3192. **Eucosma persiae Razowski,1963** (Tortricidae)
 3193. **Eucosma psychrodora (Meyrick,1936)** (Tortricidae)
 3194. **Eucosma pupillana (Clerck,1759)** (Tortricidae)
 3195. **Eucosma recentana (Zerny,1933)** (Tortricidae)
 3196. **Eucosma sparsana (Rebel,1935)** (Tortricidae)
 3197. **Eucosma tetraplana (Möschler,1866)** (Tortricidae)
 3198. **Eucosma urbana (Kennel,1901)** (Tortricidae)
 3199. **Eucrostes indigenata (Villers,1789)** (Geometridae)
 3200. **Eudarcia (Abchagleris) glaseri (G.Petersen,1967)** (Tineidae)
 3201. **Eudarcia (Obesoceras) forsteri G.Petersen,1964** (Tineidae)
 3202. **Eudarcia (Obesoceras) turcica Gaedike,1997** (Tineidae)
 3203. **Eudemis (s.str.) porphyra (Hübner,[1799])** (Tortricidae)
 3204. **Eudemis (s.str.) profundana ([Denis & Schiffermüller],1775)** (Tortricidae)
 3205. **Eudemopsis purpurissatana (Kennel,1901)** (Tortricidae)
 3206. **Eudiaphora turensis (Erschoff,1874)** (Arctiidae)
 3207. **Eudissoctena paulusella (Caradja)** (Psychidae)
 3208. **Eudonia angustea (Curtis,1827)** (Pyrilidae)
 3209. **Eudonia delunella (Stainton,1849)** (Pyrilidae)
 3210. **Eudonia lineola (Curtis,1827)** (Pyrilidae)
 3211. **Eudonia mercurella (Linnaeus,1758)** (Pyrilidae)

3212. **Eudonia murana** (Curtis,1827)
(Pyrilidae)
3213. **Eudonia obsoleta** (Staudinger,1879)
(Pyrilidae)
3214. **Eudonia phaeoleuca** (Zeller,1846)
(Pyrilidae)
3215. **Eudonia piroformis** (Amsel,1949)
(Pyrilidae)
3216. **Eudonia speideli** Leraut,1982 (Pyrilidae)
3217. **Eudonia truncicolella** (Stainton,1849)
(Pyrilidae)
3218. **Eugnorisma (Metagnorisma) depuncta**
(Linnaeus,1761) (Noctuidae)
3219. **Eugnorisma (Metagnorisma) heuristica**
Varga & Ronkay,1987 (Noctuidae)
3220. **Eugnorisma (Metagnorisma) pontica**
(Staudinger,1892) (Noctuidae)
3221. **Eugnorisma (Metagnorisma) rafidain**
(Boursin,1936) (Noctuidae)
3222. **Eugnorisma (s.str.) chaldaica**
(Boisduval,1840) (Noctuidae)
3223. **Eugnorisma (s.str.) eminens**
(Lederer,1855) (Noctuidae)
3224. **Eugnorisma (s.str.) enargiaris**
(Draudt,1936) (Noctuidae)
3225. **Eugnorisma (s.str.) insignata**
(Lederer,1853) (Noctuidae)
3226. **Eugnorisma (s.str.) kurdistana** Hacker,
Kuhna & Gross,1986 (Noctuidae)
3227. **Eugnorisma (s.str.) leuconeura**
(Hampson,1918) (Noctuidae)
3228. **Eugnorisma (s.str.) persago** Gyulai &
L.Ronkay,2006 (Noctuidae)
3229. **Eugnorisma (s.str.) semiramis**
(Boursin,1940) (Noctuidae)
3230. **Eugnorisma (s.str.) spodia**
(Püngeler,1900) (Noctuidae)
3231. **Eugnosta lathoniana** (Hübner,[1800])
(Tortricidae)
3232. **Eugnosta magnificana** (Rebel,1914)
(Tortricidae)
3233. **Euhagena parariformis** (Lederer,1858)
(Sesiidae)
3234. **Eulamprotes atrella** ([Denis &
Schiffmüller],1775) (Gelechiidae)
3235. **Eulamprotes wilkella** (Linnaeus,1758)
(Gelechiidae)
3236. **Eulithis populata** (Linnaeus,1758)
(Geometridae)
3237. **Eulithis prunata** (Linnaeus,1758)
(Geometridae)
3238. **Eulithis pyraliata** ([Denis &
Schiffmüller],1775) (Geometridae)
3239. **Eulithis roessleraria** (Staudinger,1871)
(Geometridae)
3240. **Eulocastra bryophiloides** Brandt,1938
(Noctuidae)
3241. **Eulocastra diaphora** (Staudinger,1879)
(Noctuidae)
3242. **Eulocastra tamsina** Wiltshire,1948
(Noctuidae)
3243. **Eulocastra tapina** Hampson,1910
(Noctuidae)
3244. **Eumasia libanotica** Zagulyaev,1995
(Psychidae)
3245. **Eumasia parietariella**
(Heydenreich,1851) (Psychidae)
3246. **Eumasia syriaca** (Caradja,1920)
(Psychidae)
3247. **Eumera hoeferi** Wehrli,1934
(Geometridae)
3248. **Eumera regina** Staudinger,1892
(Geometridae)
3249. **Eumera schitlerolmez** Kemal &
Koçak,2009 (Geometridae)
3250. **Eumera turcosyrica** Wehrli,1932
(Geometridae)
3251. **Euphydryas (Eurodryas) aurinia**
(Rottentburg,1775) (Argynnidae)
3252. **Euphydryas (Eurodryas) orientalis**
(Herrich-Schäffer,[1845]) (Argynnidae)
3253. **Euphydryas (Hypodryas) iduna**
(Dalman,1816) (Argynnidae)
3254. **Euphyia adumbraria** (Herrich-
Schäffer,1852) (Geometridae)
3255. **Euphyia biangulata** (Haworth,[1809])
(Geometridae)
3256. **Euphyia chalusata** Wiltshire,1970
(Geometridae)
3257. **Euphyia farsica** Brandt,1941
(Geometridae)
3258. **Euphyia frustata** (Treitschke,1828)
(Geometridae)
3259. **Euphyia obvallata** (Lederer,1870)
(Geometridae)
3260. **Euphyia scopulata** (Brandt,1938)
(Geometridae)
3261. **Euphyia sintenisi** (Staudinger,1892)
(Geometridae)
3262. **Eupithecia abbreviata** Stephens,1831
(Geometridae)
3263. **Eupithecia abietaria** (Goeze,1781)
(Geometridae)
3264. **Eupithecia accurata** Staudinger,1892
(Geometridae)
3265. **Eupithecia achyrdaghica** Wehrli,1929
(Geometridae)
3266. **Eupithecia actaeata** Walderdorff,1869
(Geometridae)
3267. **Eupithecia adjemica** Brandt,1941
(Geometridae)
3268. **Eupithecia adscriptaria**
Staudinger,1871 (Geometridae)
3269. **Eupithecia aduncata** Brandt,1938
(Geometridae)
3270. **Eupithecia aequabila** Brandt,1938
(Geometridae)
3271. **Eupithecia albertiata** Schütze,1961
(Geometridae)
3272. **Eupithecia albosparsata** Joannis,1891
(Geometridae)
3273. **Eupithecia alliardia** Staudinger,1870
(Geometridae)
3274. **Eupithecia amasina** Bohatsch,1893
(Geometridae)
3275. **Eupithecia antalica** Mironov,2001
(Geometridae)
3276. **Eupithecia aradjouna** Brandt,1938
(Geometridae)
3277. **Eupithecia arenbergeri** Pinker,1976
(Geometridae)
3278. **Eupithecia asperata** Brandt,1938
(Geometridae)
3279. **Eupithecia bastelbergeri** Dietze,1913
(Geometridae)

3280. **Eupithecia biornata** Christoph,1867
(Geometridae)
3281. **Eupithecia breviculata** (Donzel,1837)
(Geometridae)
3282. **Eupithecia brunneata** Staudinger,1900
(Geometridae)
3283. **Eupithecia bytinskii** L.B.Prout,1938
(Geometridae)
3284. **Eupithecia caeruleata** Favre,1899
(Geometridae)
3285. **Eupithecia calligraphata** Wagner,1929
(Geometridae)
3286. **Eupithecia cerussaria** (Lederer,1855)
(Geometridae)
3287. **Eupithecia cheituna** Brandt,1938
(Geometridae)
3288. **Eupithecia convallata** Brandt,1938
(Geometridae)
3289. **Eupithecia costisignata** Dietze,1904
(Geometridae)
3290. **Eupithecia cucullaria** (Rebel,1901)
(Geometridae)
3291. **Eupithecia decipiens** W.Petersen,1910
(Geometridae)
3292. **Eupithecia demetata** Christoph,1885
(Geometridae)
3293. **Eupithecia denotata** (Hübner,[1813])
(Geometridae)
3294. **Eupithecia denticulata**
(**Treitschke,1828**) (Geometridae)
3295. **Eupithecia deverrata** Dietze,1910
(Geometridae)
3296. **Eupithecia distinctaria** Herrich-
Schäffer,[1848] (Geometridae)
3297. **Eupithecia dodoneata** Guenée,[1858]
(Geometridae)
3298. **Eupithecia dubiosa** Dietze,1910
(Geometridae)
3299. **Eupithecia eberti** Vojnits,1978
(Geometridae)
3300. **Eupithecia edaphopteryx** Vojnits,1988
(Geometridae)
3301. **Eupithecia elbursi** Vojnits,1988
(Geometridae)
3302. **Eupithecia elbursiata** Schütze,1960
(Geometridae)
3303. **Eupithecia ericeata** (Rambur,1833)
(Geometridae)
3304. **Eupithecia euxinata** Bohatsch,1893
(Geometridae)
3305. **Eupithecia exactata** Staudinger,1882
(Geometridae)
3306. **Eupithecia expallidata** Doubleday,1856
(Geometridae)
3307. **Eupithecia extensaria** (Freyer,1844)
(Geometridae)
3308. **Eupithecia extraversaria** Herrich-
Schäffer,[1852] (Geometridae)
3309. **Eupithecia extremata** (Fabricius,1787)
(Geometridae)
3310. **Eupithecia forsterata** Schütze,1960
(Geometridae)
3311. **Eupithecia frontosa** Brandt,1941
(Geometridae)
3312. **Eupithecia furcata** Staudinger,1879
(Geometridae)
3313. **Eupithecia fuscicostata** Christoph,1887
(Geometridae)
3314. **Eupithecia fuscopunctata** Brandt,1938
(Geometridae)
3315. **Eupithecia gemellata** Herrich-
Schäffer,1861 (Geometridae)
3316. **Eupithecia graphata** (Treitschke,1828)
(Geometridae)
3317. **Eupithecia gratiosata** Herrich-
Schäffer,1861 (Geometridae)
3318. **Eupithecia gueneata** Millière,1862
(Geometridae)
3319. **Eupithecia hannemanni** Vojnits &
Laever,1973 (Geometridae)
3320. **Eupithecia harenosa** Brandt,1938
(Geometridae)
3321. **Eupithecia haworthiata**
Doubleday,1856 (Geometridae)
3322. **Eupithecia husseini** Brandt,1938
(Geometridae)
3323. **Eupithecia icterata** (Villers,1789)
(Geometridae)
3324. **Eupithecia impurata** (Hübner,[1813])
(Geometridae)
3325. **Eupithecia inconspicua**
Bohatsch,1893 (Geometridae)
3326. **Eupithecia indigata** (Hübner,[1813])
(Geometridae)
3327. **Eupithecia inexercita** Vojnits,1982
(Geometridae)
3328. **Eupithecia innotata** (Hufnagel,1767)
(Geometridae)
3329. **Eupithecia insigniata** (Hübner,1790)
(Geometridae)
3330. **Eupithecia intricata** Zetterstedt,[1839]
(Geometridae)
3331. **Eupithecia inturbata** (Hübner,[1817])
(Geometridae)
3332. **Eupithecia iranica** Koçak & Kemal,2001
(Geometridae)
3333. **Eupithecia irriguata** (Hübner,[1813])
(Geometridae)
3334. **Eupithecia jizlensis** Wiltshire,1986
(Geometridae)
3335. **Eupithecia karadaghensis**
Mironov,1988 (Geometridae)
3336. **Eupithecia keredjana** Brandt,1938
(Geometridae)
3337. **Eupithecia kunzi** Pinker,1976
(Geometridae)
3338. **Eupithecia lacteolata** Dietze,1906
(Geometridae)
3339. **Eupithecia laquaearia** Herrich-
Schäffer,[1848] (Geometridae)
3340. **Eupithecia laterata** Dietze,1904
(Geometridae)
3341. **Eupithecia limbata** Staudinger,1879
(Geometridae)
3342. **Eupithecia linariata** (Fabricius,1787)
(Geometridae)
3343. **Eupithecia lutosaria** Bohatsch,1893
(Geometridae)
3344. **Eupithecia mahomedana** Brandt,1938
(Geometridae)
3345. **Eupithecia marasa** Wehrli,1932
(Geometridae)
3346. **Eupithecia marginata** Staudinger,1892
(Geometridae)
3347. **Eupithecia mekrana** Brandt,1941
(Geometridae)

3348. *Eupithecia mesogrammata* Dietze, 1908 (Geometridae)
3349. *Eupithecia millefoliata* Roesler, 1866 (Geometridae)
3350. *Eupithecia minusculata* (Alpheraky, 1883) (Geometridae)
3351. *Eupithecia mirificata* Brandt, 1938 (Geometridae)
3352. *Eupithecia montanata* Brandt, 1938 (Geometridae)
3353. *Eupithecia mystica* Dietze, 1910 (Geometridae)
3354. *Eupithecia nachadira* Brandt, 1941 (Geometridae)
3355. *Eupithecia nanata* (Hübner, [1813]) (Geometridae)
3356. *Eupithecia nigritaria* Staudinger, 1879 (Geometridae)
3357. *Eupithecia novata* Dietze, 1903 (Geometridae)
3358. *Eupithecia oblongata* (Thunberg, 1784) (Geometridae)
3359. *Eupithecia obtinens* Brandt, 1941 (Geometridae)
3360. *Eupithecia ochridata* Schütze & Pinker, 1968 (Geometridae)
3361. *Eupithecia ochrovittata* Christoph, 1887 (Geometridae)
3362. *Eupithecia opistographata* Dietze, 1906 (Geometridae)
3363. *Eupithecia orphnata* W. Petersen, 1909 (Geometridae)
3364. *Eupithecia oxycedrata* (Rambur, 1833) (Geometridae)
3365. *Eupithecia parallelaria* Bohatsch, 1893 (Geometridae)
3366. *Eupithecia pfeifferata* Schütze, 1960 (Geometridae)
3367. *Eupithecia pfeifferi* Wehrli, 1929 (Geometridae)
3368. *Eupithecia pimpinellata* (Hübner, [1813]) (Geometridae)
3369. *Eupithecia pinkeri* Mironov, 1991 (Geometridae)
3370. *Eupithecia plumbeolata* (Haworth, [1809]) (Geometridae)
3371. *Eupithecia problematicata* Schütze, 1960 (Geometridae)
3372. *Eupithecia pseudocastigata* Pinker, 1976 (Geometridae)
3373. *Eupithecia pseudoicterata* Schütze, 1960 (Geometridae)
3374. *Eupithecia pulchellata* Stephens, 1831 (Geometridae)
3375. *Eupithecia pusillata* (Fabricius, 1787) (Geometridae)
3376. *Eupithecia pyreneata* Mabilie, 1871 (Geometridae)
3377. *Eupithecia quercetica* L.B. Prout, 1938 (Geometridae)
3378. *Eupithecia reisserata* Pinker, 1976 (Geometridae)
3379. *Eupithecia relativa* Vojnits, 1982 (Geometridae)
3380. *Eupithecia relaxata* Dietze, 1904 (Geometridae)
3381. *Eupithecia ridiculata* Brandt, 1938 (Geometridae)
3382. *Eupithecia satyrata* (Hübner, [1813]) (Geometridae)
3383. *Eupithecia scalptata* Christoph, 1885 (Geometridae)
3384. *Eupithecia schiefereri* Dietze, 1904 (Geometridae)
3385. *Eupithecia scopariata* (Rambur, 1833) (Geometridae)
3386. *Eupithecia sectila* Brandt, 1938 (Geometridae)
3387. *Eupithecia semigraphata* Bruand, [1847] (Geometridae)
3388. *Eupithecia separata* Staudinger, 1879 (Geometridae)
3389. *Eupithecia siata* Brandt, 1938 (Geometridae)
3390. *Eupithecia silenata* Assmann, 1848 (Geometridae)
3391. *Eupithecia silenicolata* Mabilie, 1867 (Geometridae)
3392. *Eupithecia simpliciatata* Haworth, [1809] (Geometridae)
3393. *Eupithecia spadiceata* Zerny, 1933 (Geometridae)
3394. *Eupithecia spissilineata* (Metzner, 1846) (Geometridae)
3395. *Eupithecia subfenestrata* Staudinger, 1892 (Geometridae)
3396. *Eupithecia subfuscata* (Haworth, [1809]) (Geometridae)
3397. *Eupithecia subsequaria* Herrich-Schäffer, [1852] (Geometridae)
3398. *Eupithecia subtilis* Dietze, 1910 (Geometridae)
3399. *Eupithecia subumbrata* ([Denis & Schiffermüller], 1775) (Geometridae)
3400. *Eupithecia subvaticina* Vojnits, 1982 (Geometridae)
3401. *Eupithecia subvulgata* Vojnits, 1982 (Geometridae)
3402. *Eupithecia succenturiata* (Linnaeus, 1758) (Geometridae)
3403. *Eupithecia sutiliata* Christoph, 1877 (Geometridae)
3404. *Eupithecia syriacata* Staudinger, 1879 (Geometridae)
3405. *Eupithecia tantillaria* Boisduval, 1840 (Geometridae)
3406. *Eupithecia tarensis* Schwingenschuss, 1939 (Geometridae)
3407. *Eupithecia tenuiata* (Hübner, [1813]) (Geometridae)
3408. *Eupithecia terrenata* Dietze, 1904 (Geometridae)
3409. *Eupithecia tesserata* Brandt, 1938 (Geometridae)
3410. *Eupithecia tricerata* Wiltshire, 1990 (Geometridae)
3411. *Eupithecia tripunctaria* Herrich-Schäffer, [1852] (Geometridae)
3412. *Eupithecia trisignaria* Herrich-Schäffer, 1848 (Geometridae)
3413. *Eupithecia ultimaria* Boisduval, 1840 (Geometridae)
3414. *Eupithecia undata* (Freyer, [1840]) (Geometridae)
3415. *Eupithecia undulifera* Schwingenschuss, 1939 (Geometridae)

3416. **Eupithecia unedonata (Mabille,1868)**
(Geometridae)
3417. **Eupithecia variostrigata**
Alpheraky,1876 (Geometridae)
3418. **Eupithecia venosata (Fabricius,1787)**
(Geometridae)
3419. **Eupithecia vulgata (Haworth,[1809])**
(Geometridae)
3420. **Eupithecia xanthomixta Vojnits,1988**
(Geometridae)
3421. **Eupithecia yathomi Hausmann,1991**
(Geometridae)
3422. **Euplagia quadripunctaria (Poda,1761)**
(Arctiidae)
3423. **Euplagia splendidior (Tams,1922)**
(Arctiidae)
3424. **Euplexia lucipara (Linnaeus,1758)**
(Noctuidae)
3425. **Euplocamus anthracinalis**
(Scopoli,1763) (Tineidae)
3426. **Euplocamus delagrangi Ragonot,1895**
(Tineidae)
3427. **Euplocamus ophisus (Cramer,[1779])**
(Tineidae)
3428. **Euplocamus schaeferi Amsel,1959**
(Tineidae)
3429. **Eupoecilia ambiguella (Hübner,1796)**
(Tortricidae)
3430. **Eupoecilia angustana (Hübner,[1799])**
(Tortricidae)
3431. **Euproctis boulifa Dumont,1922**
(Lymantriidae)
3432. **Euproctis chrysorrhoea**
(Linnaeus,1758) (Lymantriidae)
3433. **Euproctis karghalica Moore,1878**
(Lymantriidae)
3434. **Euproctis melania (Staudinger,1892)**
(Lymantriidae)
3435. **Euproctis similis (Fuessly,1775)**
(Lymantriidae)
3436. **Eupsilia transversa (Hufnagel,1766)**
(Noctuidae)
3437. **Eurhodope (Eurhobasis) aeneella**
(Zerny,1914) (Pyralidae)
3438. **Eurhodope (Eurhobasis) cinerea**
(Staudinger,1879) (Pyralidae)
3439. **Eurhodope (Eurhobasis) lutescentella**
(Caradja,1916) (Pyralidae)
3440. **Eurhodope (s.str.) concinnalis**
(Christoph,1882) (Pyralidae)
3441. **Eurhodope (s.str.) hyrcanella**
(Amsel,1953) (Pyralidae)
3442. **Eurhodope (s.str.) incensella**
(Staudinger,1859) (Pyralidae)
3443. **Eurhodope (s.str.) incompta**
(Zeller,1847) (Pyralidae)
3444. **Eurhodope (s.str.) maydina**
Roesler,1988 (Pyralidae)
3445. **Eurhodope (s.str.) mira Amsel,1953**
(Pyralidae)
3446. **Eurhodope (s.str.) monogrammos**
(Zeller,1867) (Pyralidae)
3447. **Eurhodope (s.str.) rosella**
(Scopoli,1763) (Pyralidae)
3448. **Eurhodope (s.str.) sielmannella**
Roesler,1969 (Pyralidae)
3449. **Eurodachtha flavissimella (Mann,1862)**
(Lecithoceridae)
3450. **Eurodachtha nigralba Gozmany,1978**
(Lecithoceridae)
3451. **Eurois occulta (Linnaeus,1758)**
(Noctuidae)
3452. **Eurrhpara hortulata (Linnaeus,1758)**
(Pyralidae)
3453. **Eurrhysis cacuminalis**
(Eversmann,1843) (Pyralidae)
3454. **Eurrhysis elbursana (Amsel,1961)**
(Pyralidae)
3455. **Eurrhysis gutturalis (Herrich-**
Schäffer,1848) (Pyralidae)
3456. **Eurrhysis pollinalis ([Denis &**
Schifferrmüller],1775) (Pyralidae)
3457. **Eurrhysis sartalis (Hübner,[1813])**
(Pyralidae)
3458. **Euspilapteryx auroguttella**
Stephens,1835 (Gracillariidae)
3459. **Eustroma mardinata**
(Staudinger,[1895]) (Geometridae)
3460. **Eutelia adoratrix (Staudinger,1892)**
(Noctuidae)
3461. **Eutelia adulatrix (Hübner,[1813])**
(Noctuidae)
3462. **Euxoa (Chorisagrotis) adumbrata**
(Eversmann,1842) (Noctuidae)
3463. **Euxoa (Chorizagrotis) lidia (Stoll,1782)**
(Noctuidae)
3464. **Euxoa (Orosagrotis) difficillima**
(Draudt,1937) (Noctuidae)
3465. **Euxoa (Orosagrotis) foeda**
(Lederer,1855) (Noctuidae)
3466. **Euxoa (Orosagrotis) nomas**
(Erschoff,1874) (Noctuidae)
3467. **Euxoa (Pleonectopoda) hilaris**
(Freyer,1838) (Noctuidae)
3468. **Euxoa (Pleonectopoda) inclusa**
Corti,1931 (Noctuidae)
3469. **Euxoa (Pleonectopoda) rjabovi**
Kozhantshikov,1929 (Noctuidae)
3470. **Euxoa (s.str.) abualisinai Varga &**
Gyulai,2002 (Noctuidae)
3471. **Euxoa (s.str.) adjemi Brandt,1941**
(Noctuidae)
3472. **Euxoa (s.str.) albiorboides Poole,1989**
(Noctuidae)
3473. **Euxoa (s.str.) anaemica Draudt,1936**
(Noctuidae)
3474. **Euxoa (s.str.) anarmodia**
(Staudinger,1897) (Noctuidae)
3475. **Euxoa (s.str.) anatolica Draudt,1936**
(Noctuidae)
3476. **Euxoa (s.str.) aneucta Brandt,1938**
(Noctuidae)
3477. **Euxoa (s.str.) aquilina ([Denis &**
Schifferrmüller],1775) (Noctuidae)
3478. **Euxoa (s.str.) armena**
(Eversmann,1856) (Noctuidae)
3479. **Euxoa (s.str.) basigramma**
(Staudinger,1870) (Noctuidae)
3480. **Euxoa (s.str.) birivia ([Denis &**
Schifferrmüller],1775) (Noctuidae)
3481. **Euxoa (s.str.) canariensis Rebel,1902**
(Noctuidae)
3482. **Euxoa (s.str.) cespitis (Swinhoe,1885)**
(Noctuidae)
3483. **Euxoa (s.str.) christophi**
(Staudinger,1870) (Noctuidae)

3484. *Euxoa* (s.str.) *conspicua* (Hübner,[1824]) (Noctuidae)
 3485. *Euxoa* (s.str.) *cos* (Hübner,[1824]) (Noctuidae)
 3486. *Euxoa* (s.str.) *decora* ([Denis & Schiffermüller],1775) (Noctuidae)
 3487. *Euxoa* (s.str.) *designata* Brandt,1941 (Noctuidae)
 3488. *Euxoa* (s.str.) *distinguenda* (Lederer,1857) (Noctuidae)
 3489. *Euxoa* (s.str.) *dsheiron* Brandt,1938 (Noctuidae)
 3490. *Euxoa* (s.str.) *ebadhadiani* Gyulai & Varga,2002 (Noctuidae)
 3491. *Euxoa* (s.str.) *emamrezai* Varga & Gyulai,2002 (Noctuidae)
 3492. *Euxoa* (s.str.) *eremopersa* Gyulai & Varga,2006 (Noctuidae)
 3493. *Euxoa* (s.str.) *eruta* (Hübner,[1817]) (Noctuidae)
 3494. *Euxoa* (s.str.) *glabella* (Wagner,1930) (Noctuidae)
 3495. *Euxoa* (s.str.) *hastifera* (Donzel,1847) (Noctuidae)
 3496. *Euxoa* (s.str.) *heringi* Christoph,1877 (Noctuidae)
 3497. *Euxoa* (s.str.) *homicida* (Staudinger,1900) (Noctuidae)
 3498. *Euxoa* (s.str.) *luteomixta* (F.Wagner,1932) (Noctuidae)
 3499. *Euxoa* (s.str.) *mobergi* Fibiger,1990 (Noctuidae)
 3500. *Euxoa* (s.str.) *montivaga* Fibiger,1997 (Noctuidae)
 3501. *Euxoa* (s.str.) *mustelina* (Christoph,1877) (Noctuidae)
 3502. *Euxoa* (s.str.) *nigricans* (Linnaeus,1761) (Noctuidae)
 3503. *Euxoa* (s.str.) *nigrofusca* (Esper,[1788]) (Noctuidae)
 3504. *Euxoa* (s.str.) *obelisca* ([Denis & Schiffermüller],1775) (Noctuidae)
 3505. *Euxoa* (s.str.) *ochrogaster* (Guenée,1852) (Noctuidae)
 3506. *Euxoa* (s.str.) *oranaria* (A.Bang-Haas,1906) (Noctuidae)
 3507. *Euxoa* (s.str.) *perierga* Brandt,1938 (Noctuidae)
 3508. *Euxoa* (s.str.) *recussa* (Hübner,[1817]) (Noctuidae)
 3509. *Euxoa* (s.str.) *robiginosa* (Staudinger,[1895]) (Noctuidae)
 3510. *Euxoa* (s.str.) *rubrior* Pinker,1980 (Noctuidae)
 3511. *Euxoa* (s.str.) *sabuletorum* (Boisduval,1840) (Noctuidae)
 3512. *Euxoa* (s.str.) *scurrilis* Draudt,1937 (Noctuidae)
 3513. *Euxoa* (s.str.) *segnilis* (Duponchel,1836) (Noctuidae)
 3514. *Euxoa* (s.str.) *shahabbasi* Gyulai & Varga,2002 (Noctuidae)
 3515. *Euxoa* (s.str.) *sigmata* Kozhantshikov,1928 (Noctuidae)
 3516. *Euxoa* (s.str.) *subdecora* Hampson,1903 (Noctuidae)
 3517. *Euxoa* (s.str.) *sulcifera* (Christoph,1893) (Noctuidae)
 3518. *Euxoa* (s.str.) *temera* (Hübner,[1808]) (Noctuidae)
 3519. *Euxoa* (s.str.) *triaena* Kozhantshikov,1929 (Noctuidae)
 3520. *Euxoa* (s.str.) *tritici* (Linnaeus,1761) (Noctuidae)
 3521. *Euxoa* (s.str.) *vitta* (Esper,[1789]) (Noctuidae)
 3522. *Euxoa* (s.str.) *waltharii* (Corti,1931) (Noctuidae)
 3523. *Euxoa* (s.str.) *zernyi* Boursin,1944 (Noctuidae)
 3524. *Euzophera* (Cymbalorissa) *fuliginosella* (Heinemann,1865) (Pyralidae)
 3525. *Euzophera* (s.str.) *albicostalis* Hampson,1903 (Pyralidae)
 3526. *Euzophera* (s.str.) *alpherakyella* Ragonot,1887 (Pyralidae)
 3527. *Euzophera* (s.str.) *bigella* (Zeller,1848) (Pyralidae)
 3528. *Euzophera* (s.str.) *cinerosella* (Zeller,1839) (Pyralidae)
 3529. *Euzophera* (s.str.) *comeella* Roesler,1973 (Pyralidae)
 3530. *Euzophera* (s.str.) *costivittella* Ragonot,1887 (Pyralidae)
 3531. *Euzophera* (s.str.) *derbendicola* Roesler,1973 (Pyralidae)
 3532. *Euzophera* (s.str.) *eburnella* Amsel,1954 (Pyralidae)
 3533. *Euzophera* (s.str.) *empistocles* Roesler,1969 (Pyralidae)
 3534. *Euzophera* (s.str.) *fibigerella* Asselbergs,1997 (Pyralidae)
 3535. *Euzophera* (s.str.) *flagella* (Lederer,1869) (Pyralidae)
 3536. *Euzophera* (s.str.) *formosella* (Rebel,1910) (Pyralidae)
 3537. *Euzophera* (s.str.) *hulli* Asselbergs,2009 (Pyralidae)
 3538. *Euzophera* (s.str.) *imperfectella* Ragonot,1895 (Pyralidae)
 3539. *Euzophera* (s.str.) *lactiflora* Meyrick,1937 (Pyralidae)
 3540. *Euzophera* (s.str.) *luculentella* Ragonot,1888 (Pyralidae)
 3541. *Euzophera* (s.str.) *lunulella* (Costa,1836) (Pyralidae)
 3542. *Euzophera* (s.str.) *osseatella* (Treitschke,1832) (Pyralidae)
 3543. *Euzophera* (s.str.) *pinguis* (Haworth,[1811]) (Pyralidae)
 3544. *Euzophera* (s.str.) *pulchella* Ragonot,1887 (Pyralidae)
 3545. *Euzophera* (s.str.) *rubricetella* (Herrich-Schäffer,1855) (Pyralidae)
 3546. *Euzophera* (s.str.) *subcribrella* Ragonot,1887 (Pyralidae)
 3547. *Euzophera* (s.str.) *subnitidella* Ragonot,1887 (Pyralidae)
 3548. *Euzophera* (s.str.) *umbrosella* (Staudinger,1879) (Pyralidae)
 3549. *Euzopherodes charlottae* (Rebel,1914) (Pyralidae)
 3550. *Euzopherodes lutisignella* (Mann,1869) (Pyralidae)
 3551. *Euzopherodes pusilla* (Mabille,1906) (Pyralidae)

3552. **Euzopherodes vapidella** (Mann,1857)
(Pyrilidae)
3553. **Evergestis aenealis** ([Denis & Schiffermüller],1775) (Pyrilidae)
3554. **Evergestis affinis** Amsel,1951 (Pyrilidae)
3555. **Evergestis bifascialis** (Guenée,1849)
(Pyrilidae)
3556. **Evergestis boursini** Amsel,1938
(Pyrilidae)
3557. **Evergestis caesialis** Herrich-Schäffer,[1855] (Pyrilidae)
3558. **Evergestis desertalis** (Hübner,[1813])
(Pyrilidae)
3559. **Evergestis elbursalis** Amsel,1961
(Pyrilidae)
3560. **Evergestis extimalis** (Scopoli,1763)
(Pyrilidae)
3561. **Evergestis flavifuscalis** Rebel,1903
(Pyrilidae)
3562. **Evergestis forficalis** (Linnaeus,1758)
(Pyrilidae)
3563. **Evergestis frumentalis** (Linnaeus,1761)
(Pyrilidae)
3564. **Evergestis grummi** (Christoph,1885)
(Pyrilidae)
3565. **Evergestis hyrcanalis** Amsel,1961
(Pyrilidae)
3566. **Evergestis infirmalis** (Staudinger,1870)
(Pyrilidae)
3567. **Evergestis isatidalis** (Duponchel,1833)
(Pyrilidae)
3568. **Evergestis laristanalis** Amsel,1961
(Pyrilidae)
3569. **Evergestis limbata** (Linnaeus,1767)
(Pyrilidae)
3570. **Evergestis manglisalis** Erschoff,1877
(Pyrilidae)
3571. **Evergestis mundalis** (Guenée,1854)
(Pyrilidae)
3572. **Evergestis nomadalis** Lederer,1871
(Pyrilidae)
3573. **Evergestis pallidata** (Hufnagel,1767)
(Pyrilidae)
3574. **Evergestis pechi** (Bethune-Baker,1885)
(Pyrilidae)
3575. **Evergestis petasalis** Zerny,1939
(Pyrilidae)
3576. **Evergestis politalis** ([Denis & Schiffermüller],1775) (Pyrilidae)
3577. **Evergestis russulatalis**
(Hampson,1900) (Pyrilidae)
3578. **Evergestis segetalis** (Herrich-Schäffer,1851) (Pyrilidae)
3579. **Evergestis serratalis** (Staudinger,1870)
(Pyrilidae)
3580. **Evergestis shirazalis** Amsel,1953
(Pyrilidae)
3581. **Evergestis sophialis** (Fabricius,1787)
(Pyrilidae)
3582. **Evergestis subfuscalis**
(Staudinger,1870) (Pyrilidae)
3583. **Evergestis tenuiscriptalis** Rebel,1903
(Pyrilidae)
3584. **Evergestis umbrosalis** (Fischer v. Röslerstamm,[1842]) (Pyrilidae)
3585. **Evergestis vagabundalis**
(Christoph,1887) (Pyrilidae)
3586. **Evisa schawerdae** Reisser,1930
(Noctuidae)
3587. **Exaeretia ledereri** (Zeller,1854)
(Oecophoridae)
3588. **Exaeretia lutosella** (Herrich-Schäffer,[1854]) (Oecophoridae)
3589. **Exaeretia nigromaculata**
Hannemann,1989 (Oecophoridae)
3590. **Exophyla rectangularis** (Geyer,[1828])
(Noctuidae)
3591. **Fabiola pokorny** (Nickerl,1864)
(Oecophoridae)
3592. **Falseuncaria ruficiliana**
(Haworth,[1811]) (Tortricidae)
3593. **Faveria dionysia** (Zeller,1846)
(Pyrilidae)
3594. **Faveria nigroanal** (Amsel,1959)
(Pyrilidae)
3595. **Faveria pseudovasta** (Amsel) (Pyrilidae)
3596. **Faveria tchahabarella** (Amsel,1950)
(Pyrilidae)
3597. **Faveria tchourouma** (Amsel,1961)
(Pyrilidae)
3598. **Faveria tephresella** (Amsel,1959)
(Pyrilidae)
3599. **Fermocelina cubiculella**
(Staudinger,1859) (Tineidae)
3600. **Fermocelina iranica** G.Petersen & Gaedike,1984 (Tineidae)
3601. **Fermocelina latiusculella**
(Stainton,1867) (Tineidae)
3602. **Fermocelina leucelioides** (Amsel,1935)
(Tineidae)
3603. **Filatima spurcella** (Duponchel,1843)
(Gelechiidae)
3604. **Fredina esmeralda** Brandt,1939
(Noctuidae)
3605. **Friedlanderia cicatricella**
(Hübner,[1824]) (Pyrilidae)
3606. **Fulvoclysia arguta** Razowski,1968
(Tortricidae)
3607. **Fulvoclysia aulica** Razowski,1968
(Tortricidae)
3608. **Fulvoclysia defectana** (Lederer,1870)
(Tortricidae)
3609. **Fulvoclysia dictyodana**
(Staudinger,1880) (Tortricidae)
3610. **Fulvoclysia forsteri** (Osthelder,1938)
(Tortricidae)
3611. **Fulvoclysia nerminae** Koçak,1982
(Tortricidae)
3612. **Fulvoclysia pallorana** (Lederer,1864)
(Tortricidae)
3613. **Fulvoclysia proxima** Razowski,1970
(Tortricidae)
3614. **Fulvoclysia subdolana** (Kennel,1901)
(Tortricidae)
3615. **Furcula bicuspis** (Borkhausen,1790)
(Notodontidae)
3616. **Furcula bifida** (Brahm,1787)
(Notodontidae)
3617. **Furcula danieli** Schintlmeister,1998
(Notodontidae)
3618. **Furcula furcula** (Linnaeus,1761)
(Notodontidae)
3619. **Furcula interrupta** Christoph,1867
(Notodontidae)

3620. *Furcula turbida* (Brandt,1938)
(Notodontidae)
3621. *Galleria mellonella* (Linnaeus,1758)
(Pyralidae)
3622. *Gastropacha* (s.str.) *populifolia*
(Esper,[1782]) (Lasiocampidae)
3623. *Gastropacha* (s.str.) *quercifolia*
(Linnaeus,1758) (Lasiocampidae)
3624. *Gegenes nostrodamus* (Fabricius,1793)
(Hesperiidae)
3625. *Gegenes pumilio* (Hoffmannsegg,1804)
(Hesperiidae)
3626. *Geina didactyla* (Linnaeus,1758)
(Pterophoridae)
3627. *Gelechia basipunctella* Herrich-
Schäffer,[1854] (Gelechiidae)
3628. *Gelechia dujardini* Huemer,1991
(Gelechiidae)
3629. *Gelechia hippophaella* (Schrank,1802)
(Gelechiidae)
3630. *Gelechia invenustella* Berg.,1875
(Gelechiidae)
3631. *Gelechia pistaciae* Filipjev,1934
(Gelechiidae)
3632. *Gelechia repetitrix* Meyrick,1931
(Gelechiidae)
3633. *Gelechia rhombelliformis*
Staudinger,1871 (Gelechiidae)
3634. *Gelechia sabinella* (Zeller,1839)
(Gelechiidae)
3635. *Gelechia scotinella* Herrich-
Schäffer,[1854] (Gelechiidae)
3636. *Gelechia senticetella* (Staudinger,1859)
(Gelechiidae)
3637. *Gelechia stramentella* (Rebel,1935)
(Gelechiidae)
3638. *Geometra papilionaria* (Linnaeus,1758)
(Geometridae)
3639. *Gisilia stereodoxa* (Meyrick,1925)
(Cosmopterigidae)
3640. *Glaucoccharis euchromiella*
(Ragonot,1895) (Pyralidae)
3641. *Glaucopsyche* (Apelles) *astraea*
(Freyer,[1851]) (Lycaenidae)
3642. *Glaucopsyche* (Apelles) *hazeri*
Karbalaye & Harandi,2007 (Lycaenidae)
3643. *Glaucopsyche* (Iolana) *alfierii*
Wiltshire,1948 (Lycaenidae)
3644. *Glaucopsyche* (Iolana) *andreasii*
(Sheljuzhko,1919) (Lycaenidae)
3645. *Glaucopsyche* (Iolana) *arjanica*
Rose,1979 (Lycaenidae)
3646. *Glaucopsyche* (Iolana) *kermani*
(Dumont,2004) (Lycaenidae)
3647. *Glaucopsyche* (Iolana) *lessei*
Bernardi,1964 (Lycaenidae)
3648. *Glaucopsyche* (s.str.) *aeruginosa*
(Staudinger,1881) (Lycaenidae)
3649. *Glaucopsyche* (s.str.) *alexis* (Poda,1761)
(Lycaenidae)
3650. *Glaucopsyche* (s.str.) *seminigra*
Howarth & Povolny,1976 (Lycaenidae)
3651. *Glossotrophia* (*Bicalcarella*) *terminata*
Wiltshire,1966 (Geometridae)
3652. *Glossotrophia* (*Libanonia*) *sacraría*
(A.Bang-Haas,1910) (Geometridae)
3653. *Glossotrophia* (s.str.) *asiatica*
Brandt,1938 (Geometridae)
3654. *Glossotrophia* (s.str.) *bullata*
Vojnits,1986 (Geometridae)
3655. *Glossotrophia* (s.str.) *chalcographata*
Brandt,1938 (Geometridae)
3656. *Glossotrophia* (s.str.) *confinaria*
(Herrich-Schäffer,[1847]) (Geometridae)
3657. *Glossotrophia* (s.str.) *diffinaria*
L.B.Prout,1913 (Geometridae)
3658. *Glossotrophia* (s.str.) *eurata*
L.B.Prout,1913 (Geometridae)
3659. *Glossotrophia* (s.str.) *gracilis*
Brandt,1941 (Geometridae)
3660. *Glossotrophia* (s.str.) *orbeorum*
Hausmann,1996 (Geometridae)
3661. *Glossotrophia* (s.str.) *origalis*
Brandt,1941 (Geometridae)
3662. *Glyphipterix bifasciella* Amsel,1959
(Glyphipterygidae)
3663. *Glyphipterix equitella* (Scopoli,1763)
(Glyphipterygidae)
3664. *Glyphipterix forsterella*
(Fabricius,1781) (Glyphipterygidae)
3665. *Glyphipterix persica* Diakonoff,1979
(Glyphipterygidae)
3666. *Glyphipterix simplicella*
(Stephens,1834) (Glyphipterygidae)
3667. *Glyphipterix thrasonella* (Scopoli,1763)
(Glyphipterygidae)
3668. *Glyphipterix umbilici* Hering,1927
(Glyphipterygidae)
3669. *Gnamptonyx innexa* (Walker,1858)
(Noctuidae)
3670. *Gnopharmia cataleucaria*
(Staudinger,1901) (Geometridae)
3671. *Gnopharmia colchidaria*
(Lederer,1870) (Geometridae)
3672. *Gnopharmia crema* Wehrli,1939
(Geometridae)
3673. *Gnopharmia inermis* Wiltshire,1967
(Geometridae)
3674. *Gnopharmia irakensis* Wehrli,1938
(Geometridae)
3675. *Gnopharmia kasrunensis* Wehrli,1939
(Geometridae)
3676. *Gnopharmia objectaria*
Staudinger,1892 (Geometridae)
3677. *Gnopharmia rubraria* Staudinger,1892
(Geometridae)
3678. *Gnopharmia sinesefida* Wehrli,1941
(Geometridae)
3679. *Gnophos* (*Cnestrognophos*) *adjectarius*
Staudinger,1898 (Geometridae)
3680. *Gnophos* (*Cnestrognophos*) *ali*
Brandt,1938 (Geometridae)
3681. *Gnophos* (*Cnestrognophos*) *anthina*
Wehrli,1953 (Geometridae)
3682. *Gnophos* (*Cnestrognophos*) *libanoticus*
Wehrli,1931 (Geometridae)
3683. *Gnophos* (*Cnestrognophos*) *rjabovi*
Wehrli,1929 (Geometridae)
3684. *Gnophos* (*Cnestrognophos*) *stachyphorus*
Wehrli,1936 (Geometridae)
3685. *Gnophos* (*Cnestrognophos*) *subtilus*
Brandt,1938 (Geometridae)
3686. *Gnophos* (*Cnestrognophos*) *taftanus*
Brandt,1941 (Geometridae)
3687. *Gnophos* (*Dicrognophos*) *amanensis*
Wehrli,1934 (Geometridae)

3688. **Gnophos (Dicrognophos) anophaeus** Wehrli,1939 (Geometridae)
 3689. **Gnophos (Dicrognophos) brandtorum** Wehrli,1941 (Geometridae)
 3690. **Gnophos (Dicrognophos) choristus** Wehrli,1939 (Geometridae)
 3691. **Gnophos (Dicrognophos) culminatus** Brandt,1938 (Geometridae)
 3692. **Gnophos (Dicrognophos) elahi** Brandt,1938 (Geometridae)
 3693. **Gnophos (Dicrognophos) eurytiches** Brandt,1941 (Geometridae)
 3694. **Gnophos (Dicrognophos) gorgatus** Brandt,1938 (Geometridae)
 3695. **Gnophos (Dicrognophos) orthogonius** Wehrli,1939 (Geometridae)
 3696. **Gnophos (Dicrognophos) pseudosnelleni** (Rjabov,1964) (Geometridae)
 3697. **Gnophos (Dicrognophos) sartatus** (Treitschke,1827) (Geometridae)
 3698. **Gnophos (Dicrognophos) snelleni** Christoph,1887 (Geometridae)
 3699. **Gnophos (Dicrognophos) wiltshirei** Wehrli,1938 (Geometridae)
 3700. **Gnophos (Euchrognophos) symmictus** Wehrli,1953 (Geometridae)
 3701. **Gnophos (Organognophos) asymmetricus** Wehrli,1936 (Geometridae)
 3702. **Gnophos (Organognophos) wanensis** Wehrli,1936 (Geometridae)
 3703. **Gnophos (s.str.) argillatus** Brandt,1938 (Geometridae)
 3704. **Gnophos (s.str.) ciscaucasius** Rjabov,1964 (Geometridae)
 3705. **Gnophos (s.str.) obfuscatus** ([Denis & Schiffermüller],1775) (Geometridae)
 3706. **Gnophos (Sacrognophos) sacrarius** Staudinger,[1895] (Geometridae)
 3707. **Gnophos (Trilobignophos) pollinarius** Christoph,1887 (Geometridae)
 3708. **Gnophos pelengi** Brandt,1938 (Geometridae)
 3709. **Gnophosema isometra** (W.Warren,1888) (Geometridae)
 3710. **Gnophosema palumba** Brandt,1938 (Geometridae)
 3711. **Gnorimoschema antiquum** Povolny,1966 (Gelechiidae)
 3712. **Gnorimoschema elbursicum** Povolny,1984 (Gelechiidae)
 3713. **Gnorimoschema herbichii** (Nowicki,1864) (Gelechiidae)
 3714. **Gnorimoschema tetrameris** (Meyrick,1926) (Gelechiidae)
 3715. **Gonepteryx (Isogonepteryx) cleopatra** (Linnaeus,1767) (Pieridae)
 3716. **Gonepteryx (s.str.) farinosa** (Zeller,1847) (Pieridae)
 3717. **Gonepteryx (s.str.) rhamni** (Linnaeus,1758) (Pieridae)
 3718. **Goniodoma auroguttella** (Fischer v. Röslerstamm,1841) (Coleophoridae)
 3719. **Gonospileia munita** (Hübner,[1813]) (Noctuidae)
 3720. **Gonospileia triquetra** ([Denis & Schiffermüller],1775) (Noctuidae)
 3721. **Gortyna cervago** Eversmann,1844 (Noctuidae)
 3722. **Gortyna flavago** ([Denis & Schiffermüller],1775) (Noctuidae)
 3723. **Gortyna golestanensis** Fibiger & Zahiri,2007 (Noctuidae)
 3724. **Gortyna hethitica** Hacker,Kuhna & Gross,1986 (Noctuidae)
 3725. **Gortyna moesiaca** Herrich-Schäffer,[1849] (Noctuidae)
 3726. **Gortyna osmana** Hacker & Kuhna,1986 (Noctuidae)
 3727. **Gozmanya crassa** (Amsel,1935) (Pyralidae)
 3728. **Gracillaria syringella** (Fabricius,1794) (Gracillariidae)
 3729. **Grammodes bifasciata** (Petagna,1786) (Noctuidae)
 3730. **Grammodes paerambar** Brandt,1939 (Noctuidae)
 3731. **Grammodes stolidia** (Fabricius,1775) (Noctuidae)
 3732. **Graphantha (Dysgraphhadena) commoda** (Staudinger,1889) (Noctuidae)
 3733. **Graphiphora augur** (Fabricius,1775) (Noctuidae)
 3734. **Gravitarmata margarotana** (Heinemann,1863) (Tortricidae)
 3735. **Gymnancyla (Dentinodia) craticulella** (Ragonot,1887) (Pyralidae)
 3736. **Gymnancyla (s.str.) canella** ([Denis & Schiffermüller],1775) (Pyralidae)
 3737. **Gymnancyla (Spermatophthora) hornigii** (Lederer,1852) (Pyralidae)
 3738. **Gymnoscelis dearmata** (Dietze,1904) (Geometridae)
 3739. **Gymnoscelis rufifasciata** (Haworth,[1809]) (Geometridae)
 3740. **Gynnidomorpha permixtana** ([Denis & Schiffermüller],1775) (Tortricidae)
 3741. **Gypsochaes baptodactylus** (Zeller,1850) (Pterophoridae)
 3742. **Gypsochroa renitidata** (Hübner,[1817]) (Geometridae)
 3743. **Gypsonoma aceriana** (Duponchel,1843) (Tortricidae)
 3744. **Gypsonoma dealbana** (Frölich,1828) (Tortricidae)
 3745. **Gypsonoma euphraticana** (Amsel,1935) (Tortricidae)
 3746. **Gypsonoma minutana** (Hübner,[1799]) (Tortricidae)
 3747. **Gypsonoma nitidulana** (Lienig & Zeller,1846) (Tortricidae)
 3748. **Gypsonoma obratsovi** Amsel,1959 (Tortricidae)
 3749. **Gypsonoma ochrotona** Razowski,1963 (Tortricidae)
 3750. **Gypsonoma simulantana** (Staudinger,1879) (Tortricidae)
 3751. **Gypsonoma sociana** (Haworth,[1811]) (Tortricidae)
 3752. **Habrosyne pyritoides** (Hufnagel,1766) (Thyatiridae)
 3753. **Hada persa** (Alpheraky,1897) (Noctuidae)
 3754. **Hada plebeja** (Linnaeus,1761) (Noctuidae)
 3755. **Hadena (Anepia) avempacei** (Tams,1925) (Noctuidae)

3756. *Hadena (Anepia) esperi* Hacker,1992 (Noctuidae)
 3757. *Hadena (Anepia) irregularis* (Hufnagel,1766) (Noctuidae)
 3758. *Hadena (Anepia) musculina* (Staudinger,1892) (Noctuidae)
 3759. *Hadena (Anepia) neglecta* Hacker,1992 (Noctuidae)
 3760. *Hadena (Anepia) perplexa* ([Denis & Schiffermüller],1775) (Noctuidae)
 3761. *Hadena (Anepia) sancta* (Staudinger,1859) (Noctuidae)
 3762. *Hadena (Anepia) silenes* (Hübner,[1822]) (Noctuidae)
 3763. *Hadena (Anepia) syriaca* (Osthelder,1933) (Noctuidae)
 3764. *Hadena (Anepia) wolfi* Hacker,1992 (Noctuidae)
 3765. *Hadena (Enterpia) laudeti* (Boisduval,1840) (Noctuidae)
 3766. *Hadena (Enterpia) picturata* (Alpheraky,1882) (Noctuidae)
 3767. *Hadena (Enterpia) roseocandida* Hacker,1996 (Noctuidae)
 3768. *Hadena (Maschukia) lypra* (Püngeler,1904) (Noctuidae)
 3769. *Hadena (Maschukia) pumila* (Staudinger,1879) (Noctuidae)
 3770. *Hadena (Pinkericola) cappadocia* Hacker,1987 (Noctuidae)
 3771. *Hadena (Pinkericola) inexpectata* Varga,1979 (Noctuidae)
 3772. *Hadena (Pinkericola) pygmaea* (Boursin,1962) (Noctuidae)
 3773. *Hadena (Pinkericola) tephroleuca* (Boisduval,1833) (Noctuidae)
 3774. *Hadena (Pinkericola) vulpecula* (Brandt,1938) (Noctuidae)
 3775. *Hadena (Pronotestra) silenides* (Staudinger,1895) (Noctuidae)
 3776. *Hadena (s.str.(Albimaculia)) adriana* (Schawerda,1921) (Noctuidae)
 3777. *Hadena (s.str.(Albimaculia)) albimacula* (Borkhausen,1792) (Noctuidae)
 3778. *Hadena (s.str.(Albimaculia)) cavalla* Pinker,1980 (Noctuidae)
 3779. *Hadena (s.str.(Albimaculia)) defreina* Hacker, Kuhna & Gross,1986 (Noctuidae)
 3780. *Hadena (s.str.(Albimaculia)) gueneei* (Staudinger,1901) (Noctuidae)
 3781. *Hadena (s.str.(Albimaculia)) humilis* (Christoph,1893) (Noctuidae)
 3782. *Hadena (s.str.(Albimaculia)) secreta* Hacker,1996 (Noctuidae)
 3783. *Hadena (s.str.(Anatolidena)) danilewskyi* Hacker,1996 (Noctuidae)
 3784. *Hadena (s.str.(Anatolidena)) draudti* (Brandt,1938) (Noctuidae)
 3785. *Hadena (s.str.(Anatolidena)) elbursica* Hacker,1996 (Noctuidae)
 3786. *Hadena (s.str.(Anatolidena)) mesolampra* (Brandt,1938) (Noctuidae)
 3787. *Hadena (s.str.(Anatolidena)) nebulosa* Hacker,1996 (Noctuidae)
 3788. *Hadena (s.str.(Anatolidena)) pfeifferi* (Draudt,1934) (Noctuidae)
 3789. *Hadena (s.str.(Anatolidena)) ronkayorum* Hacker,1996 (Noctuidae)
 3790. *Hadena (s.str.(Anatolidena)) staudingeri* (F.Wagner,1931) (Noctuidae)
 3791. *Hadena (s.str.(Caeshadena)) caesia* ([Denis & Schiffermüller],1775) (Noctuidae)
 3792. *Hadena (s.str.(Caeshadena)) vanensis* Hacker,1996 (Noctuidae)
 3793. *Hadena (s.str.(Clarhadena)) cimelia* (Brandt,1938) (Noctuidae)
 3794. *Hadena (s.str.(Clarhadena)) clara* (Staudinger,1901) (Noctuidae)
 3795. *Hadena (s.str.(Clarhadena)) drenowski* (Rebel,1930) (Noctuidae)
 3796. *Hadena (s.str.(Clarhadena)) hyrcanoides* Hacker,1996 (Noctuidae)
 3797. *Hadena (s.str.(Clarhadena)) pseudoclara* Hacker,1996 (Noctuidae)
 3798. *Hadena (s.str.(Clarhadena)) subhyrcana* Hacker,1996 (Noctuidae)
 3799. *Hadena (s.str.(Dianthoecia)) bicurris* (Hufnagel,1766) (Noctuidae)
 3800. *Hadena (s.str.(Dianthoecia)) impressa* (Esper,[1790]) (Noctuidae)
 3801. *Hadena (s.str.(Filograna)) filograna* (Esper,[1788]) (Noctuidae)
 3802. *Hadena (s.str.(Hadenobilis)) albertii* Hacker,1996 (Noctuidae)
 3803. *Hadena (s.str.(Hadenobilis)) chrysographa* Hacker,1996 (Noctuidae)
 3804. *Hadena (s.str.(Hadenobilis)) germaniciae* Boursin,1959 (Noctuidae)
 3805. *Hadena (s.str.(Hadenobilis)) melanochroa* (Staudinger,1892) (Noctuidae)
 3806. *Hadena (s.str.(Hadenobilis)) nobilis* Hacker,1996 (Noctuidae)
 3807. *Hadena (s.str.(Hadenobilis)) perpetua* Hacker,1996 (Noctuidae)
 3808. *Hadena (s.str.(Hadenobilis)) tristis* (Draudt,1934) (Noctuidae)
 3809. *Hadena (s.str.(Hadenobilis)) vulcanica* (Turati,1907) (Noctuidae)
 3810. *Hadena (s.str.(Luteocincta)) femina* Hacker,1996 (Noctuidae)
 3811. *Hadena (s.str.(Luteocincta)) lucida* (Brandt,1938) (Noctuidae)
 3812. *Hadena (s.str.(Luteocincta)) persimilis* Hacker,1996 (Noctuidae)
 3813. *Hadena (s.str.(Luteocincta)) thecaphaga* (Draudt,1937) (Noctuidae)
 3814. *Hadena (s.str.(Luteocincta)) wehrlii* (Draudt,1934) (Noctuidae)
 3815. *Hadena (s.str.(Magnifica)) magnifica* Hacker,1996 (Noctuidae)
 3816. *Hadena (s.str.(Magnolihadena)) magnolii* (Boisduval,1828) (Noctuidae)
 3817. *Hadena (s.str.(Miselia)) compta* ([Denis & Schiffermüller],1775) (Noctuidae)
 3818. *Hadena (s.str.(Montanohadena)) fibigeri* Hacker,1996 (Noctuidae)
 3819. *Hadena (s.str.(Montanohadena)) montana* (Brandt,1941) (Noctuidae)
 3820. *Hadena (s.str.(Montanohadena)) praetermissa* Hacker,1996 (Noctuidae)
 3821. *Hadena (s.str.(Montanohadena)) pseudohyrcana* De Freina & Hacker,1985 (Noctuidae)
 3822. *Hadena (s.str.(Montanohadena)) purpurea* Hacker,1996 (Noctuidae)

3823. **Hadena (s.str.(Montanohadena)) virescens** Hacker,1996 (Noctuidae)
 3824. **Hadena (s.str.(Turkihadena)) bactriana** Hacker,1996 (Noctuidae)
 3825. **Hadena (s.str.(Turkihadena)) rjabovi** (Idrisov,1961) (Noctuidae)
 3826. **Hadena (s.str.(Zeteolyga)) confusa** (Hufnagel,1766) (Noctuidae)
 3827. **Hadena (s.str.(Zeteolyga)) pseudodealbata** Hacker,1988 (Noctuidae)
 3828. **Haderonia lupa** (Christoph,1893) (Noctuidae)
 3829. **Hadjina cinerea** Hampson,1909 (Noctuidae)
 3830. **Hadjina lutosa** Staudinger,1892 (Noctuidae)
 3831. **Hadula (Aglossestra) deserticola** (Hampson,1905) (Noctuidae)
 3832. **Hadula (Calocestra (Dianthus)) dianthi** (Tauscher,1809) (Noctuidae)
 3833. **Hadula (Calocestra (Hadufurca)) colletti** (Schneider,1876) (Noctuidae)
 3834. **Hadula (Calocestra (Hadumendax)) hoplites** (Staudinger,1901) (Noctuidae)
 3835. **Hadula (Calocestra (Hadumendax)) mendax** (Staudinger,1879) (Noctuidae)
 3836. **Hadula (Calocestra (Hadumendax)) mendica** (Staudinger,[1895]) (Noctuidae)
 3837. **Hadula (Calocestra (Hadupugnax)) latemarginata** (Wiltshire,1976) (Noctuidae)
 3838. **Hadula (Calocestra (Hadupugnax)) odontites** (Boisduval,1829) (Noctuidae)
 3839. **Hadula (Calocestra (Hadupugnax)) pugnax** (Hübner,[1824]) (Noctuidae)
 3840. **Hadula (Calocestra (Hadutrifolium)) trifolii** (Hufnagel,1766) (Noctuidae)
 3841. **Hadula (Calocestra (Stigmosa)) stigmosa** (Christoph,1887) (Noctuidae)
 3842. **Hadula (Cardiestra) eremistis** (Püngeler,1904) (Noctuidae)
 3843. **Hadula (Cardiestra) vassilinini** (O.Bang-Haas,1927) (Noctuidae)
 3844. **Hadula (Cardiestra) vassilinini deserta** Gyulai,2002 (Noctuidae)
 3845. **Hadula (Ptochicestra) osmana** Hacker,1998 (Noctuidae)
 3846. **Hadula (Ptochicestra) ptochica** (Püngeler,1900) (Noctuidae)
 3847. **Hadula (s.str. (Habulorum)) engedina** Hacker,1998 (Noctuidae)
 3848. **Hadula (s.str. (Habulorum)) sabulorum** (Alpheraky,1882) (Noctuidae)
 3849. **Haemerosia ionochlora** Ronkay, Varga & Hreblay,1998 (Noctuidae)
 3850. **Haemerosia renalis** (Hübner,[1813]) (Noctuidae)
 3851. **Hafisia lundbladi** Amsel,1950 (Pyrilidae)
 3852. **Hakkaria varga** (Hacker,[1987]) (Noctuidae)
 3853. **Hamearis lucina** (Linnaeus,1758) (Riodinidae)
 3854. **Hannemannaia tacapella** (Ragonot,1887) (Pyrilidae)
 3855. **Haplochrois sinevi** (Baldizzone,1993) (Agonoxenidae)
 3856. **Haplochrois theae** (Kuznetsov,1916) (Agonoxenidae)
 3857. **Haplotinea ditella** (Pierce & Diakonoff,1938) (Tineidae)
 3858. **Hapsifera asiatica** Amsel,1949 (Tineidae)
 3859. **Hapsifera luridella** Zeller,1847 (Tineidae)
 3860. **Hapsifera multiguttella** (Ragonot,1895) (Tineidae)
 3861. **Harpagidia magnetella** (Staudinger,[1871]) (Gelechiidae)
 3862. **Harpella eseliensis** ? Rebel,1908 (Oecophoridae)
 3863. **Harpella forficella** (Scopoli,1763) (Oecophoridae)
 3864. **Harpyia milhauseri** (Fabricius,1775) (Notodontidae)
 3865. **Hecatera bicolorata** (Hufnagel,1766) (Noctuidae)
 3866. **Hecatera cappa** (Hübner,[1809]) (Noctuidae)
 3867. **Hecatera rhodocharis** (Brandt,1938) (Noctuidae)
 3868. **Hecatera spinaciae** (Vieweg,1790) (Noctuidae)
 3869. **Hecatera weissi** (Draudt,1934) (Noctuidae)
 3870. **Hecestoptera kyra** Gozmany,1961 (Autostichidae)
 3871. **Hedma iranica** (Povolny,1976) (Gelechiidae)
 3872. **Hedma micradelpha** (Walsingham,1900) (Gelechiidae)
 3873. **Hedma microcasis** (Meyrick,1929) (Gelechiidae)
 3874. **Hedma rhamnifoliae** (Amsel & M.Hering,1931) (Gelechiidae)
 3875. **Hedya dimidiana** (Clerck,1759) (Tortricidae)
 3876. **Hedya nubiferana** (Haworth,[1811]) (Tortricidae)
 3877. **Hedya ochroleucana** (Frölich,1828) (Tortricidae)
 3878. **Hedya pruniana** (Hübner,[1799]) (Tortricidae)
 3879. **Hedya salicella** (Linnaeus,1758) (Tortricidae)
 3880. **Heinemannia festivella** ([Denis & Schiffermüller],1775) (Agonoxenidae)
 3881. **Heinemannia laspeyrella** (Hübner,1796) (Agonoxenidae)
 3882. **Helicoverpa armigera** (Hübner,[1808]) (Noctuidae)
 3883. **Helicoverpa armigera armigera** (Hübner,[1808]) (Noctuidae)
 3884. **Heliocheilus confertissima** (Walker,1865) (Noctuidae)
 3885. **Heliodines roesella** (Linnaeus,1758) (Heliodinidae)
 3886. **Heliomata glarearia** (Brahm,1791) (Geometridae)
 3887. **Heliophobus reticulata** (Goeze,1781) (Noctuidae)
 3888. **Heliophobus unicolor** (Alpheraky,1889) (Noctuidae)
 3889. **Heliorthela ophideresana** (Walker,1863) (Pyrilidae)
 3890. **Heliorthela wulfeniana** (Scopoli,1763) (Pyrilidae)

3891. **Heliothis (Masalia) albida** (Hampson,1905) (Noctuidae)
 3892. **Heliothis (Masalia) perstriata** (Hampson,1903) (Noctuidae)
 3893. **Heliothis (Masalia) philbyi** (Brandt,1941) (Noctuidae)
 3894. **Heliothis maritima** Graslin,1855 (Noctuidae)
 3895. **Heliothis nubigera** Herrich-Schäffer,[1851] (Noctuidae)
 3896. **Heliothis ononis** (Fabricius,1787) (Noctuidae)
 3897. **Heliothis peltigera** ([Denis & Schiffermüller],1775) (Noctuidae)
 3898. **Heliothis viriplaca** (Hufnagel,1766) (Noctuidae)
 3899. **Hellinsia carphodactyla** (Hübner,[1813]) (Pterophoridae)
 3900. **Hellinsia inulae** (Zeller,1852) (Pterophoridae)
 3901. **Hellinsia lienigiana** (Zeller,1852) (Pterophoridae)
 3902. **Hellinsia osteodactylus** (Zeller,1841) (Pterophoridae)
 3903. **Hellinsia pectodactyla** (Staudinger,1859) (Pterophoridae)
 3904. **Hellinsia scholastica** (Meyrick,1924) (Pterophoridae)
 3905. **Hellula khorassanalis** (Amsel,1950) (Pyrilidae)
 3906. **Hellula undalis** (Fabricius,1781) (Pyrilidae)
 3907. **Hemaris (Cochrania) croatica** (Esper,[1779]) (Sphingidae)
 3908. **Hemaris (Cochrania) ducalis** (Staudinger,1887) (Sphingidae)
 3909. **Hemaris (Eitschbergera) galunae** Eitschberger, Müller & Kravchenko,2005 (Sphingidae)
 3910. **Hemaris (Eitschbergera) molli** Eitschberger, Müller & Kravchenko,2005 (Sphingidae)
 3911. **Hemaris (Eitschbergera) tityus** (Linnaeus,1758) (Sphingidae)
 3912. **Hemaris (s.str.) dentata** (Staudinger,1887) (Sphingidae)
 3913. **Hemaris (s.str.) fuciformis** (Linnaeus,1758) (Sphingidae)
 3914. **Hemaris (s.str.) syra** (Daniel,1939) (Sphingidae)
 3915. **Hemiexarnis berezskii** (Kozhantshikov,1937) (Noctuidae)
 3916. **Hemistola chrysoprasaria** (Esper,[1794]) (Geometridae)
 3917. **Hemitheia aestivaria** (Hübner,1789) (Geometridae)
 3918. **Heosphora ramulosella** Ragonot,1895 (Pyrilidae)
 3919. **Hepialus humuli** (Linnaeus,1758) (Hepialidae)
 3920. **Heptapotamia eustratii** Alpheraky,1882 (Noctuidae)
 3921. **Heringita amselina** (Gozmany,1967) (Autostichidae)
 3922. **Herminia grisealis** ([Denis & Schiffermüller],1775) (Noctuidae)
 3923. **Herminia nigricaria** Osthelder,1933 (Noctuidae)
 3924. **Herminia proxima** Christoph,1893 (Noctuidae)
 3925. **Herminia tarsicrinalis** (Knoch,1782) (Noctuidae)
 3926. **Herminia tarsipennalis** Treitschke,1835 (Noctuidae)
 3927. **Herminia tenuialis** (Rebel,1899) (Noctuidae)
 3928. **Herpetogramma fascinalis** (Amsel,1950) (Pyrilidae)
 3929. **Herpetogramma licarsalis** (Walker,1859) (Pyrilidae)
 3930. **Hesperia comma** (Linnaeus,1758) (Hesperiidae)
 3931. **Heterobapta plumellata** Wiltshire,1943 (Geometridae)
 3932. **Heteroculpinia pasargades** (Brandt,1938) (Geometridae)
 3933. **Heteroculpinia prouti** (Brandt,1938) (Geometridae)
 3934. **Heterogenea asella** ([Denis & Schiffermüller],1775) (Limacodidae)
 3935. **Heterographa puengeleri** Bartel,1904 (Noctuidae)
 3936. **Heterographa tetrastigma** Brandt,1941 (Noctuidae)
 3937. **Heterographa zelleri** (Christoph,1877) (Noctuidae)
 3938. **Heterolocha laminaria** (Herrich-Schäffer,[1852]) (Geometridae)
 3939. **Heteropalpia acrosticta** (Püngeler,1904) (Noctuidae)
 3940. **Heteropalpia vetusta** (Walker,1865) (Noctuidae)
 3941. **Heteropalpia witshirei** Hacker & Ebert,2002 (Noctuidae)
 3942. **Heterophysa dumetorum** (Geyer,1834) (Noctuidae)
 3943. **Heteropterus morpheus** (Pallas,1771) (Hesperiidae)
 3944. **Hierochthonia pulverata** (W.Warren,1901) (Geometridae)
 3945. **Hierochthonia semitaria** (Püngeler,1902) (Geometridae)
 3946. **Himalistra tahiricola** Ronkay & Hreblay,1994 (Noctuidae)
 3947. **Hipparchia (Neohipparchia) fatua** (Freyer,1844) (Satyridae)
 3948. **Hipparchia (Neohipparchia) parisatis** (Kollar,[1849]) (Satyridae)
 3949. **Hipparchia (Neohipparchia) statilinus** (Hufnagel,1766) (Satyridae)
 3950. **Hipparchia (Parahipparchia) aristaeus** (Bonelli,1826) (Satyridae)
 3951. **Hipparchia (Parahipparchia) mersina** (Staudinger,1871) (Satyridae)
 3952. **Hipparchia (Parahipparchia) pellucida** (Stauder,1924) (Satyridae)
 3953. **Hipparchia (Parahipparchia) turemenica** (Heydemann,1942) (Satyridae)
 3954. **Hipparchia (Parahipparchia) volgensis** (Mazochin-Porshnjakov,1952) (Satyridae)
 3955. **Hipparchia (Pseudotergumia) pisidice** (Klug,1832) (Satyridae)
 3956. **Hipparchia (s.str.) fagi** (Scopoli,1763) (Satyridae)
 3957. **Hipparchia (s.str.) syriaca** (Staudinger,1871) (Satyridae)

3958. **Hippotion celerio** (Linnaeus,1758)
(Sphingidae)
3959. **Hippotion osiris** (Dalman,1823)
(Sphingidae)
3960. **Hodgesiella christophi** Koster &
Sinev,2003 (Cosmopterigidae)
3961. **Holcocerus drangianicus** Groum-
Grshimailo,1902 (Cossidae)
3962. **Holcocerus gloriosus** (Erschoff,1874)
(Cossidae)
3963. **Holcocerus holosericeus**
(Staudinger,1884) (Cossidae)
3964. **Holcocerus iranicus** Austaut,1897
(Cossidae)
3965. **Holcocerus marmoratus** Austaut,1897
(Cossidae)
3966. **Holcocerus mus** Groum-
Grshimailo,1902 (Cossidae)
3967. **Holcocerus nobilis** (Staudinger,1884)
(Cossidae)
3968. **Holcocerus tancrei** Püngeler,1898
(Cossidae)
3969. **Holcocerus volgensis** Christoph,1893
(Cossidae)
3970. **Holcocerus witti** Yakovlev, Saidaitis &
Ivinkis,2007 (Cossidae)
3971. **Holcocerus zarudnyi** Groum-
Grshimailo,1902 (Cossidae)
3972. **Holcopogon bubulcellus**
(Staudinger,1859) (Autostichidae)
3973. **Holcopogon croesus** Gozmany,2000
(Autostichidae)
3974. **Holoscolia berytella** Rebel,1902
(Oecophoridae)
3975. **Holoscolia huebneri** Koçak,1980
(Oecophoridae)
3976. **Holoscolia majorella** Rebel,1902
(Oecophoridae)
3977. **Holoterpna diagrapharia**
Püngeler,1900 (Geometridae)
3978. **Holoterpna pruinosata**
(Staudinger,1898) (Geometridae)
3979. **Homaloxestis briantiella** (Turati,1879)
(Lecithoceridae)
3980. **Homaloxestis hades** Gozmany,1978
(Lecithoceridae)
3981. **Homoeosoma (Anhomoeosoma)**
nimbellum (Duponchel,1837) (Pyrilidae)
3982. **Homoeosoma (s.str.) achroellum**
Ragonot,1887 (Pyrilidae)
3983. **Homoeosoma (s.str.) calcellum**
Ragonot,1887 (Pyrilidae)
3984. **Homoeosoma (s.str.) candefactum**
Ragonot,1887 (Pyrilidae)
3985. **Homoeosoma (s.str.) capsitanellum**
Chrétien,1911 (Pyrilidae)
3986. **Homoeosoma (s.str.) inustellum**
Ragonot,1884 (Pyrilidae)
3987. **Homoeosoma (s.str.) nebulellum**
([Denis & Schiffermüller],1775) (Pyrilidae)
3988. **Homoeosoma (s.str.) obatricostellum**
Ragonot,1887 (Pyrilidae)
3989. **Homoeosoma (s.str.) sinuellum**
(Fabricius,1794) (Pyrilidae)
3990. **Homoeosoma (s.str.) subalbatellum**
(Mann,1864) (Pyrilidae)
3991. **Hoplodrina ambigua** ([Denis &
Schiffermüller],1775) (Noctuidae)
3992. **Hoplodrina blanda** ([Denis &
Schiffermüller],1775) (Noctuidae)
3993. **Hoplodrina levis** (Staudinger,1888)
(Noctuidae)
3994. **Hoplodrina octogenaria** (Goeze,1781)
(Noctuidae)
3995. **Hoplodrina pfeifferi** (Boursin,1932)
(Noctuidae)
3996. **Hoplodrina respersa** ([Denis &
Schiffermüller],1775) (Noctuidae)
3997. **Hoplodrina superstes**
(Ochsenheimer,1816) (Noctuidae)
3998. **Hoplotarache binominata**
(Butler,1892) (Noctuidae)
3999. **Hoplotarache caeruleopicta**
Hampson,1916 (Noctuidae)
4000. **Hoplotarache sordescens**
(Staudinger,1895) (Noctuidae)
4001. **Horisme corticata** (Treitschke,1835)
(Geometridae)
4002. **Horisme tersata** ([Denis &
Schiffermüller],1775) (Geometridae)
4003. **Horisme vitalbata** (Hübner,[1799])
(Geometridae)
4004. **Horridopalpus moranella**
(Chrétien,1907) (Oecophoridae)
4005. **Horridopalpus radiatus**
(Staudinger,1879) (Oecophoridae)
4006. **Hoyosia cretica** (Rebel,1906)
(Limacodidae)
4007. **Hydrelia flammeolaria** (Hufnagel,1767)
(Geometridae)
4008. **Hydria cervinalis** (Scopoli,1763)
(Geometridae)
4009. **Hydria undulata** (Linnaeus,1758)
(Geometridae)
4010. **Hydriomena coerulea** (Fabricius,1777)
(Geometridae)
4011. **Hydriomena furcata** (Thunberg,1784)
(Geometridae)
4012. **Hydriomena ruberata** (Freyer,[1831])
(Geometridae)
4013. **Hydriris ornatalis** (Duponchel,1832)
(Pyrilidae)
4014. **Hylaea cedricola** (Wehrli,1929)
(Geometridae)
4015. **Hylaea fasciaria** (Linnaeus,1758)
(Geometridae)
4016. **Hylaea pinicolaria** (Bellier,1861)
(Geometridae)
4017. **Hyles centralasiae** Staudinger,1887
(Sphingidae)
4018. **Hyles conspicua** (Rothschild &
Jordan,1903) (Sphingidae)
4019. **Hyles euphorbiae** (Linnaeus,1758)
(Sphingidae)
4020. **Hyles gallii** (Rottemburg,1775)
(Sphingidae)
4021. **Hyles hippophaes** (Esper,[1789])
(Sphingidae)
4022. **Hyles livornica** (Esper,[1780])
(Sphingidae)
4023. **Hyles livornica livornica** (Esper,[1780])
(Sphingidae)
4024. **Hyles nicaea** (Prunner,1798)
(Sphingidae)
4025. **Hyles robertsi** (Butler,1880)
(Sphingidae)

4026. **Hyles siehei** (Püngeler,1903)
(Sphingidae)
4027. **Hyles vespertilio** (Esper,[1780])
(Sphingidae)
4028. **Hyles zygophylli** (Ochsenheimer,1808)
(Sphingidae)
4029. **Hypatopa inunctella** (Zeller,1839)
(Blastobasidae)
4030. **Hypena (Jussalypena) laceratalis**
Walker,[1859] (Noctuidae)
4031. **Hypena (Ophiuche) lividalis**
(Hübner,1796) (Noctuidae)
4032. **Hypena (s.str.) obsitalis**
(Hübner,[1813]) (Noctuidae)
4033. **Hypena indicatalis** Walker,[1859]
(Noctuidae)
4034. **Hypena munitalis** Mann,1861
(Noctuidae)
4035. **Hypena obesalis** Treitschke,1829
(Noctuidae)
4036. **Hypena opulenta** (Christoph,1877)
(Noctuidae)
4037. **Hypena palpalis** (Hübner,1796)
(Noctuidae)
4038. **Hypena proboscidalis** (Linnaeus,1758)
(Noctuidae)
4039. **Hypena rostralis** (Linnaeus,1758)
(Noctuidae)
4040. **Hypenodes anatolica**
Schwingschuss,1938 (Noctuidae)
4041. **Hypenodes humidalis** Doubleday,1850
(Noctuidae)
4042. **Hypenodes kalchbergi** Staudinger,1876
(Noctuidae)
4043. **Hypenodes orientalis** Staudinger,1901
(Noctuidae)
4044. **Hypenodes orientis** Brandt,1938
(Noctuidae)
4045. **Hypercallia citrinalis** (Scopoli,1763)
(Oecophoridae)
4046. **Hyperlais benderalis** Amsel,1960
(Pyrallidae)
4047. **Hyperlais dulcinalis** (Treitschke,1835)
(Pyrallidae)
4048. **Hyperlais nemausalis**
(Duponchel,1834) (Pyrallidae)
4049. **Hypermnestra helios** (Nickerl,1846)
(Papilionidae)
4050. **Hypersynoides submarginata**
(Walker,1865) (Noctuidae)
4051. **Hyperythra swinhoei** Butler,1880
(Geometridae)
4052. **Hypeuthina fulgurita** Lederer,1855
(Noctuidae)
4053. **Hyphantria cunea** (Drury,[1773])
(Arctiidae)
4054. **Hyphoraia aulica** (Linnaeus,1758)
(Arctiidae)
4055. **Hypochalcia ahenella** ([Denis &
Schiffermüller],1775) (Pyrallidae)
4056. **Hypochalcia decorella** (Hübner,[1810])
(Pyrallidae)
4057. **Hypochalcia dignella** (Hübner,1796)
(Pyrallidae)
4058. **Hypochalcia fasciatella**
Staudinger,1881 (Pyrallidae)
4059. **Hypochalcia rayatella** Amsel,1959
(Pyrallidae)
4060. **Hypodaria myeloisiformis**
(Hartig,1937) (Pyrallidae)
4061. **Hypolimnas misippus** (Linnaeus,1764)
(Argynniidae)
4062. **Hypomecis momaria** (Guenée,[1858])
(Geometridae)
4063. **Hypomecis punctinalis** (Scopoli,1763)
(Geometridae)
4064. **Hypomecis roboraria** (Fabricius,1787)
(Geometridae)
4065. **Hyponephele (s.str. (Caspinephele))**
dysdora (Lederer,1869) (Satyridae)
4066. **Hyponephele (s.str. (Ereminephele))**
capella (Christoph,1877) (Satyridae)
4067. **Hyponephele (s.str. (Ereminephele))**
fusca (Stshetkin,1960) (Satyridae)
4068. **Hyponephele (s.str. (Ereminephele))**
huebneri Koçak,1980 (Satyridae)
4069. **Hyponephele (s.str. (Ereminephele))**
naricina (Staudinger,1870) (Satyridae)
4070. **Hyponephele (s.str. (Ereminephele))**
naricoides Gross,1977 (Satyridae)
4071. **Hyponephele (s.str. (Iranonephele))**
amardaea (Lederer,1869) (Satyridae)
4072. **Hyponephele (s.str. (Iranonephele))**
kocaki Eckweiler,1978 (Satyridae)
4073. **Hyponephele (s.str. (Tengrinephele))**
cadusia (Lederer,1869) (Satyridae)
4074. **Hyponephele (s.str. (Turaninephele))**
comara (Lederer,1871) (Satyridae)
4075. **Hyponephele (s.str. (Turaninephele))**
davendra (Moore,1865) (Satyridae)
4076. **Hyponephele (s.str. (Turaninephele))**
shirazica Carbonell,1997 (Satyridae)
4077. **Hyponephele (s.str. (Turaninephele))**
urartua De Freina & Aussem,[1987]
(Satyridae)
4078. **Hyponephele (s.str. (Turaninephele))**
wagneri (Herrich-Schäffer,[1846])
(Satyridae)
4079. **Hyponephele (s.str.) hasantahsin**
Koçak & Kemal,2002 (Satyridae)
4080. **Hyponephele (s.str.) interposita**
(Erschoff,1874) (Satyridae)
4081. **Hyponephele (s.str.) lupina**
(Costa,[1836]) (Satyridae)
4082. **Hyponephele (s.str.) lycaon**
(Rottemburg,1775) (Satyridae)
4083. **Hyponephele (s.str.) lycaonoides**
Weiss,1978 (Satyridae)
4084. **Hyponephele (s.str.) zuvandica**
Samodurov & Koroljev,1996 (Satyridae)
4085. **Hypopta murati** Brandt [MS] (Cossidae)
4086. **Hyporatasa allotriella** (Herrich-
Schäffer,1855) (Pyrallidae)
4087. **Hyposcotis (?) mutilata**
(Staudinger,1879) (Geometridae)
4088. **Hyposcotis (Charissa) certhiata** (Rebel
& Zerny,1931) (Geometridae)
4089. **Hyposcotis (Charissa) obscurata**
([Denis & Schiffermüller],1775)
(Geometridae)
4090. **Hyposcotis (Euchrognophos)**
annubilata Christoph,1885 (Geometridae)
4091. **Hyposcotis (Euchrognophos) dubitaria**
(Staudinger,1892) (Geometridae)
4092. **Hyposcotis (Euchrognophos)**
mucidaria (Hübner,[1799]) (Geometridae)

4093. **Hyposcotis (Euchrognophos) nannodes** (Wehrli,1936) (Geometridae)
 4094. **Hyposcotis (Euchrognophos) subtaurica** (Wehrli,1932) (Geometridae)
 4095. **Hyposcotis (Euchrognophos) variegata** (Duponchel,1830) (Geometridae)
 4096. **Hyposcotis (Kemtrognohos) ambiguata** (Duponchel,1830) (Geometridae)
 4097. **Hyposcotis (Kemtrognohos) mardinaria** Staudinger,1901 (Geometridae)
 4098. **Hyposcotis (Kemtrognohos) onustaria** (Herrich-Schäffer,[1852]) (Geometridae)
 4099. **Hyposcotis (Kemtrognohos) zeitunaria** (Staudinger,1901) (Geometridae)
 4100. **Hyposcotis (Neognophina) pfeifferi** Wehrli,1926 (Geometridae)
 4101. **Hyposcotis (Rhopalognophos) glaucinaria** (Hübner,[1799]) (Geometridae)
 4102. **Hypotia colchicalis** (Herrich-Schäffer,[1855]) (Pyrilidae)
 4103. **Hypotia concatenalis** Lederer,1858 (Pyrilidae)
 4104. **Hypotia corticalis** ([Denis & Schiffermüller],1775) (Pyrilidae)
 4105. **Hypotia fuscisectalis** Hampson,1900 (Pyrilidae)
 4106. **Hypotia infulalis** Lederer,1858 (Pyrilidae)
 4107. **Hypotia mesopotamica** (Amsel,1955) (Pyrilidae)
 4108. **Hyppa rectilinea** (Esper,[1788]) (Noctuidae)
 4109. **Hypsopygia costalis** (Fabricius,1775) (Pyrilidae)
 4110. **Hypsopygia mauritalis** (Boisduval,1833) (Pyrilidae)
 4111. **Hypsotropa ichorella** (Lederer,1855) (Pyrilidae)
 4112. **Hypsotropa limbella** Zeller,1848 (Pyrilidae)
 4113. **Hypsotropa paucipunctella** Ragonot,1895 (Pyrilidae)
 4114. **Hypsotropa syriacella** Ragonot,1888 (Pyrilidae)
 4115. **Hypsotropa vulneratella** (Zeller,1847) (Pyrilidae)
 4116. **Hyssia cavernosa** (Eversmann,1852) (Noctuidae)
 4117. **Hysterophora maculosana** (Haworth,[1811]) (Tortricidae)
 4118. **Idaea adherbariata** (Staudinger,1898) (Geometridae)
 4119. **Idaea admiranda** Hausmann,2004 (Geometridae)
 4120. **Idaea affinitata** (A.Bang-Haas,1907) (Geometridae)
 4121. **Idaea albitorquata** (Püngeler,1909) (Geometridae)
 4122. **Idaea allongata** (Staudinger,1898) (Geometridae)
 4123. **Idaea aureolaria** ([Denis & Schiffermüller],1775) (Geometridae)
 4124. **Idaea aversata** (Linnaeus,1758) (Geometridae)
 4125. **Idaea bilinearia** (Fuchs,1889) (Geometridae)
 4126. **Idaea biselata** (Hufnagel,1767) (Geometridae)
 4127. **Idaea brevitarsata** Hausmann,1991 (Geometridae)
 4128. **Idaea camparia** (Herrich-Schäffer,[1852]) (Geometridae)
 4129. **Idaea capnaria** (Püngeler,1909) (Geometridae)
 4130. **Idaea cervantaria** (Millière,1869) (Geometridae)
 4131. **Idaea circuitaria** (Hübner,[1819]) (Geometridae)
 4132. **Idaea consanguinaria** (Lederer,1853) (Geometridae)
 4133. **Idaea consociata** (Staudinger,1900) (Geometridae)
 4134. **Idaea consolidata** (Lederer,1853) (Geometridae)
 4135. **Idaea degeneraria** (Hübner,[1799]) (Geometridae)
 4136. **Idaea determinata** (Staudinger,1876) (Geometridae)
 4137. **Idaea detritaria** (Staudinger,1897) (Geometridae)
 4138. **Idaea dilutaria** (Hübner,[1799]) (Geometridae)
 4139. **Idaea dimidiata** (Hufnagel,1767) (Geometridae)
 4140. **Idaea distinctaria** (Boisduval,1840) (Geometridae)
 4141. **Idaea elongaria** (Rambur,1833) (Geometridae)
 4142. **Idaea emargianata** (Linnaeus,1758) (Geometridae)
 4143. **Idaea epaphrodita** (Wehrli,1934) (Geometridae)
 4144. **Idaea eremica** (Brandt,1941) (Geometridae)
 4145. **Idaea fathmaria** (Oberthür,1876) (Geometridae)
 4146. **Idaea filicata** (Hübner,[1799]) (Geometridae)
 4147. **Idaea flaveolaria** (Hübner,[1809]) (Geometridae)
 4148. **Idaea fractilineata** (Zeller,1847) (Geometridae)
 4149. **Idaea fuscovenosa** (Goeze,1781) (Geometridae)
 4150. **Idaea gracilipennis** (W.Warren,1901) (Geometridae)
 4151. **Idaea holliata** (Homberg,1909) (Geometridae)
 4152. **Idaea humiliata** (Hufnagel,1767) (Geometridae)
 4153. **Idaea illustris** (Brandt,1941) (Geometridae)
 4154. **Idaea improbata** (Staudinger,1898) (Geometridae)
 4155. **Idaea inclinata** (Lederer,1855) (Geometridae)
 4156. **Idaea infirmaria** (Rambur,1833) (Geometridae)
 4157. **Idaea inquinata** (Scopoli,1763) (Geometridae)
 4158. **Idaea intermedia** (Staudinger,1879) (Geometridae)
 4159. **Idaea jacobii** Hausmann,1991 (Geometridae)
 4160. **Idaea laevigata** (Scopoli,1763) (Geometridae)

4161. **Idaea leipnitzii** Hausmann,2004
(Geometridae)
4162. **Idaea longaria** (Herrich-Schäffer,1852)
(Geometridae)
4163. **Idaea mancipiata** (Staudinger,1871)
(Geometridae)
4164. **Idaea mareotica** (Draudt,1912)
(Geometridae)
4165. **Idaea maritimaria** (Bruand,1846)
(Geometridae)
4166. **Idaea maronitaria** (Zerny,1933)
(Geometridae)
4167. **Idaea metohiensis** (Rebel,1900)
(Geometridae)
4168. **Idaea mimetes** (Brandt,1941)
(Geometridae)
4169. **Idaea mimosaria** (Herrich-Schäffer,1852) (Geometridae)
4170. **Idaea moniliata** ([Denis & Schiffermüller],1775) (Geometridae)
4171. **Idaea muricata** (Hufnagel,1767)
(Geometridae)
4172. **Idaea nitidata** (Herrich-Schäffer,1861)
(Geometridae)
4173. **Idaea obsoletaria** (Rambur,1833)
(Geometridae)
4174. **Idaea ochrata** (Scopoli,1763)
(Geometridae)
4175. **Idaea ortali** Hausmann,1991
(Geometridae)
4176. **Idaea ossiculata** (Lederer,1871)
(Geometridae)
4177. **Idaea ostrinaria** (Hübner,[1813])
(Geometridae)
4178. **Idaea palaestinensis** (Sterneck,1933)
(Geometridae)
4179. **Idaea pallidata** ([Denis & Schiffermüller],1775) (Geometridae)
4180. **Idaea pectinata** (Sterneck,1933)
(Geometridae)
4181. **Idaea peluraria** (Reisser,1939)
(Geometridae)
4182. **Idaea persica** (Brandt,1941)
(Geometridae)
4183. **Idaea persidis** (Wiltshire,1966)
(Geometridae)
4184. **Idaea politaria** (Hübner,[1799])
(Geometridae)
4185. **Idaea praetineata** Hausmann,1994
(Geometridae)
4186. **Idaea proclivata** (Fuchs,1902)
(Geometridae)
4187. **Idaea purpureomarginata** (Bohatsch,1880) (Geometridae)
4188. **Idaea ronkayi** (Vojnits,1986)
(Geometridae)
4189. **Idaea roseofasciata** (Christoph,1882)
(Geometridae)
4190. **Idaea rufaria** (Hübner,[1799])
(Geometridae)
4191. **Idaea ruficostata** Zeller,1847
(Geometridae)
4192. **Idaea rusticata** ([Denis & Schiffermüller],1775) (Geometridae)
4193. **Idaea saida** (Wiltshire,1968)
(Geometridae)
4194. **Idaea sanctaria** (Staudinger,1900)
(Geometridae)
4195. **Idaea seriata** (Schrank,1802)
(Geometridae)
4196. **Idaea sericeata** (Hübner,[1813])
(Geometridae)
4197. **Idaea serpentata** (Hufnagel,1767)
(Geometridae)
4198. **Idaea sodaliaria** (Herrich-Schäffer,[1852]) (Geometridae)
4199. **Idaea sordida** (Rothschild,1913)
(Geometridae)
4200. **Idaea straminata** (Borkhausen,1794)
(Geometridae)
4201. **Idaea striolata** (Staudinger,1892)
(Geometridae)
4202. **Idaea subpurpurata** (Staudinger,1900)
(Geometridae)
4203. **Idaea subsericeata** (Haworth,[1809])
(Geometridae)
4204. **Idaea sylvestriaria** (Hübner,[1799])
(Geometridae)
4205. **Idaea taurica** (A.Bang-Haas,1907)
(Geometridae)
4206. **Idaea textaria** (Lederer,1861)
(Geometridae)
4207. **Idaea tineata** (Thierry-Mieg,1911)
(Geometridae)
4208. **Idaea trigeminata** (Haworth,[1809])
(Geometridae)
4209. **Idaea troglodytaria** (Herrich-Schäffer,[1852]) (Geometridae)
4210. **Idaea wiltshirei** (Brandt,1938)
(Geometridae)
4211. **Idaea wittmeri** Wiltshire,1982
(Geometridae)
4212. **Idata cecilia** (Vallantin,1894) (Satyridae)
4213. **Idia calvaria** ([Denis & Schiffermüller],1775) (Noctuidae)
4214. **Inachis io** (Linnaeus,1758) (Argynnidiae)
4215. **Incurvaria masculella** ([Denis & Schiffermüller],1775) (Incurvariidae)
4216. **Infurcitinea albicomella** (Stainton,1851) (Tineidae)
4217. **Infurcitinea amseli** G.Petersen,1957
(Tineidae)
4218. **Infurcitinea anatolica** G.Petersen,1968
(Tineidae)
4219. **Infurcitinea brunneopterella** G.Petersen,1964 (Tineidae)
4220. **Infurcitinea fasciella** Gaedike,1983
(Tineidae)
4221. **Infurcitinea frustigerella** (Walsingham,1907) (Tineidae)
4222. **Infurcitinea graeca** Gaedike,1983
(Tineidae)
4223. **Infurcitinea iranensis** G.Petersen,1964
(Tineidae)
4224. **Infurcitinea karmeliella** (Amsel,1935)
(Tineidae)
4225. **Infurcitinea megalopterella** G.Petersen,1964 (Tineidae)
4226. **Infurcitinea nedae** Gaedike,1983
(Tineidae)
4227. **Infurcitinea nigropluviella** (Walsingham,1907) (Tineidae)
4228. **Infurcitinea obscuroides** Gaedike,1983
(Tineidae)
4229. **Infurcitinea rumelicella** (Rebel,1903)
(Tineidae)

4230. **Infurcitinea tauridella** G.Petersen,1968 (Tineidae)
 4231. **Infurcitinea teheranensis** G.Petersen,1971 (Tineidae)
 4232. **Infurcitinea tribertii** Gaedike,1983 (Tineidae)
 4233. **Infurcitinea turcica** G.Petersen,1968 (Tineidae)
 4234. **Inotica gaesata** Meyrick,1913 (Gelechiidae)
 4235. **Iolaus (Epamera) glaucus** (Butler,[1886]) (Lycaenidae)
 4236. **Iphiclides podalirius** (Linnaeus,1758) (Papilionidae)
 4237. **Ipimorpha retusa** (Linnaeus,1761) (Noctuidae)
 4238. **Ipimorpha subtusa** (Fabricius,1787) (Noctuidae)
 4239. **Iranada ornata** (Brandt,1938) (Noctuidae)
 4240. **Iranada tarachoides** (Bytinski-Salz & Brandt,1937) (Noctuidae)
 4241. **Iranada turcorum** (Zerny,1915) (Noctuidae)
 4242. **Iranada venusta** (Brandt,1939) (Noctuidae)
 4243. **Iranada versicolor** (Brandt,1939) (Noctuidae)
 4244. **Iranarpia albalis** (Amsel,1961) (Pyrilidae)
 4245. **Iranarpia silacealis** (Amsel,1951) (Pyrilidae)
 4246. **Iraniodes bilinealis** Amsel,1961 (Pyrilidae)
 4247. **Isauria dilucidella** (Duponchel,1836) (Pyrilidae)
 4248. **Ischnophanes bifurcata** Baldizzone,1994 (Coleophoridae)
 4249. **Isoceras bipunctatum** (Staudinger,1887) (Cossidae)
 4250. **Isoceras huberi** Eitschberger & Ströhle,1987 (Cossidae)
 4251. **Isophrictis anthemidella** (Wocke,1871) (Gelechiidae)
 4252. **Isophrictis invisella** (Constant,1885) (Gelechiidae)
 4253. **Isophrictis kefersteiniellus** (Zeller,1850) (Gelechiidae)
 4254. **Isophrictis lineatellus** (Zeller,1850) (Gelechiidae)
 4255. **Isophrictis striatella** ([Denis & Schiffermüller],1775) (Gelechiidae)
 4256. **Isotrias hybridana** (Hübner,[1817]) (Tortricidae)
 4257. **Isotrias rectifasciana** (Haworth,[1811]) (Tortricidae)
 4258. **Issoria lathonia** (Linnaeus,1758) (Argynnidae)
 4259. **Issoria lathonia lathonia** (Linnaeus,1758) (Argynnidae)
 4260. **Istrianis brucinella** (Mann,1872) (Gelechiidae)
 4261. **Istrianis femoralis** (Staudinger,1876) (Gelechiidae)
 4262. **Isturgia berytaria** (Staudinger,1892) (Geometridae)
 4263. **Isturgia exustaria** (Staudinger,1898) (Geometridae)
 4264. **Isturgia perviaria** (Lederer,1855) (Geometridae)
 4265. **Isturgia perviaria perviaria** (Lederer,1855) (Geometridae)
 4266. **Isturgia sublimbata** (Butler,1885) (Geometridae)
 4267. **Isturgia tengistanica** (Brandt,1938) (Geometridae)
 4268. **Itame vincularia** (Hübner,[1813]) (Geometridae)
 4269. **Iwaruna biguttella** (Duponchel,1843) (Gelechiidae)
 4270. **Janthinea divalis** Staudinger,1892 (Noctuidae)
 4271. **Janthinea friwaldskii** (Duponchel,1835) (Noctuidae)
 4272. **Jodia croceago** (Fabricius,1787) (Noctuidae)
 4273. **Jodis lactearia** (Linnaeus,1758) (Geometridae)
 4274. **Jordanisca tenuisaria** (Staudinger,1900) (Geometridae)
 4275. **Jordanita (Lucasiterna) subsolana** (Staudinger,1862) (Zygaenidae)
 4276. **Jordanita (Praviela) anatolica** (Naufock,1929) (Zygaenidae)
 4277. **Jordanita (Rjabovia) horni** (Alberti,1937) (Zygaenidae)
 4278. **Jordanita (Roccia) budensis** (Speyer & Speyer,1858) (Zygaenidae)
 4279. **Jordanita (Roccia) hector** (Jordan,1909) (Zygaenidae)
 4280. **Jordanita (Roccia) kurdica** (Tarmann,1987) (Zygaenidae)
 4281. **Jordanita (Roccia) paupera** (Christoph,1887) (Zygaenidae)
 4282. **Jordanita (Roccia) staudingeri** Alberti,1954 (Zygaenidae)
 4283. **Jordanita (Roccia) volgensis** (Möschler,1862) (Zygaenidae)
 4284. **Jordanita (s.str.) chloronota** Staudinger,1870 (Zygaenidae)
 4285. **Jordanita (s.str.) chloros** (Hübner,[1813]) (Zygaenidae)
 4286. **Jordanita (s.str.) globulariae** (Hübner,1793) (Zygaenidae)
 4287. **Jordanita (s.str.) graeca** (Jordan,1907) (Zygaenidae)
 4288. **Jordanita (s.str.) syriaca** (Alberti,1937) (Zygaenidae)
 4289. **Jordanita (s.str.) tenuicornis** (Zeller,1847) (Zygaenidae)
 4290. **Jordanita (Tremewania) notata** (Zeller,1847) (Zygaenidae)
 4291. **Kalliesia irana** Sobczyk,2004 (Psychidae)
 4292. **Karmanica bandarabbasa** Hacker & Ebert,2002 (Noctuidae)
 4293. **Karmanica chosroes** (Brandt,1938) (Noctuidae)
 4294. **Karmanica cyros** Hacker & Ebert,2002 (Noctuidae)
 4295. **Karmanica magnifica** Hacker & Ebert,2002 (Noctuidae)
 4296. **Karwandania chimabacchella** Amsel,1959 (Oecophoridae)
 4297. **Katha depressa** (Esper,[1787]) (Arctiidae)
 4298. **Katja mira** Amsel,1951 (Pyrilidae)

4299. **Kenneliola fagiglandana** (Zeller,1841)
(Tortricidae)
4300. **Kenneliola molybdana** Constant,1884
(Tortricidae)
4301. **Keradere lepidella** (Ragonot,1887)
(Pyralidae)
4302. **Keradere tengstroemiella**
(Erschoff,1874) (Pyralidae)
4303. **Kerbela monotona** Amsel,1949
(Pyralidae)
4304. **Kerbela turcomanica** (Christoph,1877)
(Pyralidae)
4305. **Kermania pistaciella** Amsel,1964
(Tineidae)
4306. **Kessleria (Hofmannia) saxifragae**
(Stainton,1868) (Yponomeutidae)
4307. **Kessleria (s.str.) caucasica** Friese,1960
(Yponomeutidae)
4308. **Kessleria (s.str.) osyridellus**
Stainton,1869 (Yponomeutidae)
4309. **Khorassania compositella**
(Treitschke,1835) (Pyralidae)
4310. **Khorassania hartigi** Amsel,1951
(Pyralidae)
4311. **Khuzistania richteri** Amsel,1959
(Pyralidae)
4312. **Kirinia (Melike) roxelana**
(Cramer,[1777]) (Satyridae)
4313. **Klimeschia cinereipunctella** (Turati &
Fiori,1930) (Douglassiidae)
4314. **Klimeschia transversella** (Zeller,1839)
(Douglassiidae)
4315. **Klimeschia vibratoriella** (Mann,1862)
(Douglassiidae)
4316. **Knappetra fasciata** (Walker,1855)
(Lymantriidae)
4317. **Korscheltellus lupulinus**
(Linnaeus,1758) (Hepialidae)
4318. **Kotchevnik modestus**
(Staudinger,1887) (Cossidae)
4319. **Kotchevnik tapinus** (Püngeler,1898)
(Cossidae)
4320. **Krombia belutschistanalis** Amsel,1961
(Pyralidae)
4321. **Krombia minimella** Amsel,1961
(Pyralidae)
4322. **Krombia pulchella** Amsel,1949
(Pyralidae)
4323. **Kuchleria gisisi** Hausmann,1995
(Geometridae)
4324. **Kullashara kalifella** (Amsel,1949)
(Autostichidae)
4325. **Lacanobia (Dianobia) dissimilis**
(Knoch,1781) (Noctuidae)
4326. **Lacanobia (Dianobia) histrio**
(Goeze,1781) (Noctuidae)
4327. **Lacanobia (Dianobia) obvia**
(Eversmann,1856) (Noctuidae)
4328. **Lacanobia (Dianobia) thalassina**
(Hufnagel,1766) (Noctuidae)
4329. **Lacanobia (Diataraxia) aliena**
(Hübner,[1809]) (Noctuidae)
4330. **Lacanobia (Diataraxia) blenna**
(Hübner,[1824]) (Noctuidae)
4331. **Lacanobia (Diataraxia) oleracea**
(Linnaeus,1758) (Noctuidae)
4332. **Lacanobia (Diataraxia) praedita**
(Hübner,[1813]) (Noctuidae)
4333. **Lacanobia (Diataraxia) softa**
(Staudinger,1898) (Noctuidae)
4334. **Lacanobia (Diataraxia) splendens**
(Hübner,[1808]) (Noctuidae)
4335. **Lacanobia (s.str.) w-latinum**
(Hufnagel,1766) (Noctuidae)
4336. **Lacydes spectabilis** (Tauscher,1806)
(Arctiidae)
4337. **Lallia apicinotella** Chrétien,1915
(Cosmopterigidae)
4338. **Lambaesia fumosella** (Ragonot,1887)
(Pyralidae)
4339. **Lambaesia pistrinariella**
(Ragonot,1887) (Pyralidae)
4340. **Lambaesia straminella** (Zerny,1914)
(Pyralidae)
4341. **Lamoria anella** ([Denis &
Schifferrmüller],1775) (Pyralidae)
4342. **Lamoria brevinavevella** Zerny,1934
(Pyralidae)
4343. **Lamoria jordanis** Ragonot,1901
(Pyralidae)
4344. **Lamoria melanophlebia** Ragonot,1888
(Pyralidae)
4345. **Lamoria ruficostella** Ragonot,1888
(Pyralidae)
4346. **Lampides boeticus** (Linnaeus,1767)
(Lycaenidae)
4347. **Lampronia corticella** (Linnaeus,1758)
(Prodoxidae)
4348. **Lampronia koernerella** (Zeller,1839)
(Prodoxidae)
4349. **Lampronia rupella** ([Denis &
Schifferrmüller],1775) (Prodoxidae)
4350. **Lampropteryx suffumata** ([Denis &
Schifferrmüller],1775) (Geometridae)
4351. **Lamprosticta culta** ([Denis &
Schifferrmüller],1775) (Noctuidae)
4352. **Laothoe populeti** (Bienert,[1870])
(Sphingidae)
4353. **Larentia clavaria** Haworth,[1809]
(Geometridae)
4354. **Larerannis aurantiaria**
(Hübner,[1799]) (Geometridae)
4355. **Larerannis marginaria** (Fabricius,1777)
(Geometridae)
4356. **Laristania sardzella** Amsel,1951
(Pyralidae)
4357. **Lasiocampa concolor** (Christoph,1893)
(Lasiocampidae)
4358. **Lasiocampa decolorata** (Klug,1832)
(Lasiocampidae)
4359. **Lasiocampa eversmanni**
(Kindermann,1843) (Lasiocampidae)
4360. **Lasiocampa grandis** (Rogenhofer,1891)
(Lasiocampidae)
4361. **Lasiocampa grisea** Grünberg,1911
(Lasiocampidae)
4362. **Lasiocampa josua** (Staudinger,[1896])
(Lasiocampidae)
4363. **Lasiocampa nana** (Staudinger,1887)
(Lasiocampidae)
4364. **Lasiocampa piontkovskii**
Sheljuzhko,1943 (Lasiocampidae)
4365. **Lasiocampa quercus** (Linnaeus,1758)
(Lasiocampidae)
4366. **Lasiocampa serrula** (Guenée,1858)
(Lasiocampidae)

4367. **Lasiocampa terreni** (Herrich-Schäffer,1847) (Lasiocampidae)
4368. **Lasiocampa trifolii** ([Denis & Schiffermüller],1775) (Lasiocampidae)
4369. **Lasiommata adrastoides** (Bienert,1870) (Satyridae)
4370. **Lasiommata maera** (Linnaeus,1758) (Satyridae)
4371. **Lasiommata megera** (Linnaeus,1767) (Satyridae)
4372. **Lasiommata menava** Moore,1865 (Satyridae)
4373. **Lasiommata petropolitana** (Fabricius,1787) (Satyridae)
4374. **Lasiommata zagrossica** Lukhtanov & Dantchenko,2005 (Satyridae)
4375. **Lasionycta draudti** (F.Wagner,1936) (Noctuidae)
4376. **Lasionycta proxima** (Hübner,[1809]) (Noctuidae)
4377. **Laspeyria flexula** ([Denis & Schiffermüller],1775) (Noctuidae)
4378. **Lathronympha strigana** (Fabricius,1775) (Tortricidae)
4379. **Latoia inexpectata** (Staudinger,1895) (Limacodidae)
4380. **Lecithocera anatolica** Gozmany,1978 (Lecithoceridae)
4381. **Lecithocera nigrana** (Duponchel,1836) (Lecithoceridae)
4382. **Lecithocera persica** Gozmany,1978 (Lecithoceridae)
4383. **Lecithocera syriella** Gozmany,1978 (Lecithoceridae)
4384. **Lecithocera turcica** Gozmany & Mey,2005 (Lecithoceridae)
4385. **Lecithocera vartiani** Gozmany,1978 (Lecithoceridae)
4386. **Ledereragrotis multifida** (Lederer,1870) (Noctuidae)
4387. **Lemonia balcanica** Herrich-Schäffer,[1843] (Lemoniidae)
4388. **Lemonia ballioni** (Christoph,1888) (Lemoniidae)
4389. **Lemonia beirutica** Daniel,1965 (Lemoniidae)
4390. **Lemonia dumi** (Linnaeus,1761) (Lemoniidae)
4391. **Lemonia pauli** Staudinger,[1895] (Lemoniidae)
4392. **Lemonia peilei** Rothschild,1921 (Lemoniidae)
4393. **Lemonia pia** Püngeler,1902 (Lemoniidae)
4394. **Lemonia sacrosancta** Püngeler,1902 (Lemoniidae)
4395. **Lemonia taraxaconis** (Gmelin,1790) (Lemoniidae)
4396. **Lenyra simonyi** (Rebel,1899) (Sesiidae)
4397. **Lepidogma jordanalis** Rebel,1902 (Pyrilidae)
4398. **Lepidogma tamaricalis** (Mann,1873) (Pyrilidae)
4399. **Leptarchis intervacatalis** (Christoph,1877) (Pyrilidae)
4400. **Leptidea duponcheli** (Staudinger,1871) (Pieridae)
4401. **Leptidea morsei** (Fenton,1881) (Pieridae)
4402. **Leptidea sinapis** (Linnaeus,1758) (Pieridae)
4403. **Leptidea sinapis sinapis** (Linnaeus,1758) (Pieridae)
4404. **Leptotes pirithous** (Linnaeus,1767) (Lycaenidae)
4405. **Leucania comma** (Linnaeus,1761) (Noctuidae)
4406. **Leucania herrichi** Herrich-Schäffer,[1849] (Noctuidae)
4407. **Leucania joannisi** Boursin & Rungs,1952 (Noctuidae)
4408. **Leucania loreyi** (Duponchel,1827) (Noctuidae)
4409. **Leucania obsoleta** (Hübner,[1803]) (Noctuidae)
4410. **Leucania palaestinae** Staudinger,1897 (Noctuidae)
4411. **Leucania punctosa** (Treitschke,1825) (Noctuidae)
4412. **Leucania putrescens** (Hübner,[1824]) (Noctuidae)
4413. **Leucania zaeae** (Duponchel,1827) (Noctuidae)
4414. **Leucochlaena fallax** (Staudinger,1870) (Noctuidae)
4415. **Leucochlaena hoerhammeri** (Wagner,1931) (Noctuidae)
4416. **Leucochlaena jordana** Draudt,1934 (Noctuidae)
4417. **Leucochlaena muscosa** (Staudinger,1892) (Noctuidae)
4418. **Leucoma salicis** (Linnaeus,1758) (Lymantriidae)
4419. **Leucoma wiltshirei** Collenette,1938 (Lymantriidae)
4420. **Leucoptera laburnella** (Stainton,1851) (Lyonetiidae)
4421. **Leucoptera malifoliella** (Costa,[1836]) (Lyonetiidae)
4422. **Libanopacha schwingenschussi** Zerny,1933 (Lasiocampidae)
4423. **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae)
4424. **Lichenotinea pustulatella** (Zeller,1852) (Tineidae)
4425. **Ligdia adustata** (Fabricius,1787) (Geometridae)
4426. **Ligdia coctata** Guenée,[1858] (Geometridae)
4427. **Ligdia lassulata** (Rogenhofer,1873) (Geometridae)
4428. **Limenitis (Azuritis) reducta** Staudinger,1901 (Argynniidae)
4429. **Limenitis (Ladoga) camilla** (Linnaeus,1764) (Argynniidae)
4430. **Limnaecia combota** Meyrick,1921 (Cosmopterigidae)
4431. **Lipoptycha grueneriana** Herrich-Schäffer,[1851] (Tortricidae)
4432. **Lithophane lapidea** (Hübner,[1808]) (Noctuidae)
4433. **Lithophane ledereri** (Staudinger,1892) (Noctuidae)
4434. **Lithophane merckii** (Rambur,1832) (Noctuidae)
4435. **Lithophane ornitopus** (Hufnagel,1766) (Noctuidae)

4436. **Lithophane semibrunnea** (Haworth,1809) (Noctuidae)
 4437. **Lithophane socia** (Hufnagel,1766) (Noctuidae)
 4438. **Lithophasia cyaxares** Wiltshire,1957 (Noctuidae)
 4439. **Lithophasia quadrivirgula** (Mabille,1888) (Noctuidae)
 4440. **Lithophasia venosula** Staudinger,1892 (Noctuidae)
 4441. **Lithosia quadra** (Linnaeus,1758) (Arctiidae)
 4442. **Lithostege ancyrana** L.B.Prout,1938 (Geometridae)
 4443. **Lithostege bifissana** Rebel,1911 (Geometridae)
 4444. **Lithostege bosporaria** (Herrich-Schäffer,[1848]) (Geometridae)
 4445. **Lithostege buxtoni** L.B.Prout,1920 (Geometridae)
 4446. **Lithostege dissocyma** L.B.Prout,1938 (Geometridae)
 4447. **Lithostege farinata** (Hufnagel,1767) (Geometridae)
 4448. **Lithostege flavicornata** (Zeller,1847) (Geometridae)
 4449. **Lithostege griseata** ([Denis & Schiffermüller],1775) (Geometridae)
 4450. **Lithostege infusata** Eversmann,1837 (Geometridae)
 4451. **Lithostege notata** A.Bang-Haas,1906 (Geometridae)
 4452. **Lithostege palaestinensis** Amsel,1935 (Geometridae)
 4453. **Lithostege witzenmanni** Standfuss,1892 (Geometridae)
 4454. **Lobesia (s.str.) andereggiana** (Herrich-Schäffer,1851) (Tortricidae)
 4455. **Lobesia (s.str.) artemisiana** (Zeller,1847) (Tortricidae)
 4456. **Lobesia (s.str.) attributana** (Kennel,1901) (Tortricidae)
 4457. **Lobesia (s.str.) bicinctana** (Duponchel,1844) (Tortricidae)
 4458. **Lobesia (s.str.) cinerariae** (Nolcken,1882) (Tortricidae)
 4459. **Lobesia (s.str.) fictana** (Kennel,1901) (Tortricidae)
 4460. **Lobesia (s.str.) glebifera** (Meyrick,1912) (Tortricidae)
 4461. **Lobesia (s.str.) indusiana** (Zeller,1847) (Tortricidae)
 4462. **Lobesia (s.str.) littoralis** (Westwood & Humphreys,1845) (Tortricidae)
 4463. **Lobesia (s.str.) porrectana** (Zeller,1847) (Tortricidae)
 4464. **Lobesia (s.str.) quaggana** (Mann,1855) (Tortricidae)
 4465. **Lobesia (s.str.) reliquana** (Hübner,[1825]) (Tortricidae)
 4466. **Lobesia (s.str.) serangodes** (Meyrick,1920) (Tortricidae)
 4467. **Lobesia (s.str.) subherculeana** (Filipjev,1925) (Tortricidae)
 4468. **Lobesia (s.str.) vitisana** (Jacquin,1788) (Tortricidae)
 4469. **Lobesiodes euphorbiana** (Freyer,1842) (Tortricidae)
 4470. **Lobesiodes occidentis** Falkovitsh,1970 (Tortricidae)
 4471. **Lomaspilis marginata** (Linnaeus,1758) (Geometridae)
 4472. **Lomaspilis opis** (Butler,1878) (Geometridae)
 4473. **Lomographa bimaculata** (Fabricius,1775) (Geometridae)
 4474. **Lomographa temerata** ([Denis & Schiffermüller],1775) (Geometridae)
 4475. **Lophoterges (Fibigeres) hoerhammeri** (Wagner,1931) (Noctuidae)
 4476. **Lophoterges (Fibigeres) mariannae** Fibiger,2001 (Noctuidae)
 4477. **Loxostege aeruginalis** (Hübner,1796) (Pyralidae)
 4478. **Loxostege clathralis** (Hübner,[1813]) (Pyralidae)
 4479. **Loxostege delibatica** Szent-Ivány & Uhrik-Meszáros,1942 (Pyralidae)
 4480. **Loxostege emiralis** (Oberthür,1888) (Pyralidae)
 4481. **Loxostege farsalis** Amsel,1950 (Pyralidae)
 4482. **Loxostege flavivenalis** (Hampson,1913) (Pyralidae)
 4483. **Loxostege foviferalis** (Hampson,1900) (Pyralidae)
 4484. **Loxostege halil** Kemal & Koçak,2007 (Pyralidae)
 4485. **Loxostege malekalis** Amsel,1950 (Pyralidae)
 4486. **Loxostege massalis** (Walker,1859) (Pyralidae)
 4487. **Loxostege mira** Amsel,1951 (Pyralidae)
 4488. **Loxostege mucosalis** (Herrich-Schäffer,[1848]) (Pyralidae)
 4489. **Loxostege scalaris** (Christoph,1877) (Pyralidae)
 4490. **Loxostege sticticalis** (Linnaeus,1761) (Pyralidae)
 4491. **Loxostege straminealis** (Hampson,1900) (Pyralidae)
 4492. **Loxostege turbidalis** (Treitschke,1829) (Pyralidae)
 4493. **Loxostege wagneri** Zerny,1929 (Pyralidae)
 4494. **Lozotaenia djakonovi** Danilevsky,1963 (Tortricidae)
 4495. **Lozotaenia forsterana** (Fabricius,1781) (Tortricidae)
 4496. **Lozotaeniodes cupressana** (Duponchel,1836) (Tortricidae)
 4497. **Lulavia multipunctata** (Staudinger,1898) (Geometridae)
 4498. **Luperina diversa** (Staudinger,1892) (Noctuidae)
 4499. **Luperina dumerilii** (Duponchel,1826) (Noctuidae)
 4500. **Luperina koshantschikovi** (Püngeler,1914) (Noctuidae)
 4501. **Luperina rjabovi** (Kljutschko,1967) (Noctuidae)
 4502. **Luperina rubella** (Duponchel,1835) (Noctuidae)
 4503. **Luperina testacea** ([Denis & Schiffermüller],1775) (Noctuidae)

4504. *Lycaena (Alciphronia) alciphron* (Rottemburg,1775) (Lycaenidae)
 4505. *Lycaena (Heodes) ottomanus* (Lefèbvre,[1830]) (Lycaenidae)
 4506. *Lycaena (Heodes) virgaureae* (Linnaeus,1758) (Lycaenidae)
 4507. *Lycaena (Hyrceanana) caspius* (Lederer,1869) (Lycaenidae)
 4508. *Lycaena (Loweia) tityrus* (Poda,1761) (Lycaenidae)
 4509. *Lycaena (Margelycaena) euphratica* (Eckweiler,1989) (Lycaenidae)
 4510. *Lycaena (Palaeochrysophanus) candens* (Herrich-Schäffer,[1845]) (Lycaenidae)
 4511. *Lycaena (Phoenicurusia) phoenicurus* (Lederer,1870) (Lycaenidae)
 4512. *Lycaena (s.str.) phlaeas* (Linnaeus,1761) (Lycaenidae)
 4513. *Lycaena (Thersamolycaena) dispar* ([Haworth],1802) (Lycaenidae)
 4514. *Lycaena (Thersamonia) asabinus* (Gerhard,[1850]) (Lycaenidae)
 4515. *Lycaena (Thersamonia) kefersteinii* (Gerhard,[1850]) (Lycaenidae)
 4516. *Lycaena (Thersamonia) kurdistanicus* (Riley,1921) (Lycaenidae)
 4517. *Lycaena (Thersamonia) lampon* (Lederer,1870) (Lycaenidae)
 4518. *Lycaena (Thersamonia) lamponides* (Staudinger,1901) (Lycaenidae)
 4519. *Lycaena (Thersamonia) thersamon* (Esper,[1784]) (Lycaenidae)
 4520. *Lycaena (Thersamonia) thetis* (Klug,1834) (Lycaenidae)
 4521. *Lycia graecarius* (Staudinger,1861) (Geometridae)
 4522. *Lycia hirtaria* (Linnaeus,1761) (Geometridae)
 4523. *Lycia pomonaria* (Hübner,1790) (Geometridae)
 4524. *Lycia suleimania* (Wehrli,1938) (Geometridae)
 4525. *Lycia zonaria* ([Denis & Schiffermüller],1775) (Geometridae)
 4526. *Lycophorus ankarensis* (Rebel,1931) (Noctuidae)
 4527. *Lycophorus tischendorfi* (Püngeler,1915) (Noctuidae)
 4528. *Lycophorus villosus* (Alpheraky,1887) (Noctuidae)
 4529. *Lygephila craccae* (Fabricius,1787) (Noctuidae)
 4530. *Lygephila fereidun* Wiltshire,1961 (Noctuidae)
 4531. *Lygephila lubrica* (Freyer,1842) (Noctuidae)
 4532. *Lygephila ludicra* (Hübner,1790) (Noctuidae)
 4533. *Lygephila lusoria* (Linnaeus,1758) (Noctuidae)
 4534. *Lygephila pallida* (A.Bang-Haas,1907) (Noctuidae)
 4535. *Lygephila pastinum* (Treitschke,1826) (Noctuidae)
 4536. *Lygephila procax* (Hübner,[1813]) (Noctuidae)
 4537. *Lygephila schachtii* Behounek & Hacker,1986 (Noctuidae)
 4538. *Lygephila subpicata* Wiltshire,1971 (Noctuidae)
 4539. *Lygephila viciae* (Hübner,[1822]) (Noctuidae)
 4540. *Lymantria dispar* (Linnaeus,1758) (Lymantriidae)
 4541. *Lymantria monacha* (Linnaeus,1758) (Lymantriidae)
 4542. *Lyonetia clerkella* (Linnaeus,1758) (Lyonetiidae)
 4543. *Lyonetia prunifoliella* (Hübner,1796) (Lyonetiidae)
 4544. *Lythria cruentaria* (Hufnagel,1767) (Geometridae)
 4545. *Lythria purpuraria* (Linnaeus,1758) (Geometridae)
 4546. *Macaria alternata* ([Denis & Schiffermüller],1775) (Geometridae)
 4547. *Macaria liturata* (Linnaeus,1761) (Geometridae)
 4548. *Macaria signaria* (Hübner,[1809]) (Geometridae)
 4549. *Macaria wauaria* (Linnaeus,1758) (Geometridae)
 4550. *Macdunnoughia confusa* (Stephens,1850) (Noctuidae)
 4551. *Macroglossum stellatarum* (Linnaeus,1758) (Sphingidae)
 4552. *Macroglossum stellatarum stellatarum* (Linnaeus,1758) (Sphingidae)
 4553. *Macrothylacia rubi* (Linnaeus,1758) (Lasiocampidae)
 4554. *Makrania belutschistanella* Amsel,1959 (Pyralidae)
 4555. *Malacosoma alpicola* Staudinger,1870 /*primum* Staudinger,1887 (Lasiocampidae)
 4556. *Malacosoma castrensis* (Linnaeus,1758) (Lasiocampidae)
 4557. *Malacosoma neustrium* (Linnaeus,1758) (Lasiocampidae)
 4558. *Malacosoma paralellum* Staudinger,1887 (Lasiocampidae)
 4559. *Mamestra brassicae* (Linnaeus,1758) (Noctuidae)
 4560. *Maniola (s.str.) jurtina* (Linnaeus,1758) (Satyridae)
 4561. *Maniola (s.str.) megala* (Oberthür,1909) (Satyridae)
 4562. *Maniola (Telmessiola) halicarnassus* Thomson,1990 (Satyridae)
 4563. *Maniola (Telmessiola) telmessia* (Zeller,1847) (Satyridae)
 4564. *Maraschia grisescens* Osthelder,1933 (Noctuidae)
 4565. *Marasmarcha ehrenbergiana* Zeller,1841 (Pterophoridae)
 4566. *Marasmarcha leucocrossa* Meyrick,1936 (Pterophoridae)
 4567. *Mardinia ferrealis* (Hampson,1900) (Pyralidae)
 4568. *Mardinia ossealis* (Staudinger,1879) (Pyralidae)
 4569. *Margaretania superba* Amsel,1961 (Pyralidae)
 4570. *Margelana brunnea* Fibiger, Zahiri & Kononenko,2007 (Noctuidae)

4571. *Margelana flavidior* Wagner,1831
(Noctuidae)
4572. *Margelana ochrea* Brandt,1941
(Noctuidae)
4573. *Margelana versicolor* Staudinger,1888
(Noctuidae)
4574. *Marsipiophora christophi*
(Erschoff,1874) (Noctuidae)
4575. *Marumba quercus* ([Denis &
Schifferrmüller],1775) (Sphingidae)
4576. *Mecyna albalis* Amsel,1961 (Pyrilidae)
4577. *Mecyna amasialis* (Staudinger,1879)
(Pyrilidae)
4578. *Mecyna asinalis* (Hübner,[1819])
(Pyrilidae)
4579. *Mecyna auralis* (Peyerimhoff,1872)
(Pyrilidae)
4580. *Mecyna biternalis* (Mann,1862)
(Pyrilidae)
4581. *Mecyna flavalis* ([Denis &
Schifferrmüller],1775) (Pyrilidae)
4582. *Mecyna grisealis* Amsel,1961 (Pyrilidae)
4583. *Mecyna indistinctalis* Amsel,1961
(Pyrilidae)
4584. *Mecyna lutealis* (Duponchel,1833)
(Pyrilidae)
4585. *Mecyna lutulentalis* (Lederer,1858)
(Pyrilidae)
4586. *Mecyna pontica* (Staudinger,1879)
(Pyrilidae)
4587. *Mecyna sefidalis* (Amsel,1950)
(Pyrilidae)
4588. *Mecyna subsequalis* (Herrich-
Schäffer,1851) (Pyrilidae)
4589. *Mecyna trinalis* ([Denis &
Schifferrmüller],1775) (Pyrilidae)
4590. *Megacraspedus argyroneurellus*
Staudinger,1876 (Gelechiidae)
4591. *Megacraspedus attritellus*
Staudinger,1871 (Gelechiidae)
4592. *Megacraspedus imparellus* (Fischer v.
Röslerstamm,1843) (Gelechiidae)
4593. *Megacraspedus incertellus* Rebel,1930
(Gelechiidae)
4594. *Megacraspedus monolorellus*
Rebel,1905 (Gelechiidae)
4595. *Megacraspedus separatellus* (Fischer v.
Röslerstamm,1843) (Gelechiidae)
4596. *Megalodes eximia* (Freyer,1845)
(Noctuidae)
4597. *Megalophanes viciella* ([Denis &
Schifferrmüller],1775) (Psychidae)
4598. *Megalorhipida leucodactyla*
(Fabricius,1794) (Pterophoridae)
4599. *Megalycinia engys* Wehrli,1939
(Geometridae)
4600. *Megalycinia scalaria* (Christoph,1893)
(Geometridae)
4601. *Meganephria bimaculosa*
(Linnaeus,1767) (Noctuidae)
4602. *Meganola albula* ([Denis &
Schifferrmüller],1775) (Noctuidae)
4603. *Meganola gigantula* (Staudinger,1879)
(Noctuidae)
4604. *Meganola nanula* (Wiltshire,1961)
(Noctuidae)
4605. *Meganola strigula* ([Denis &
Schifferrmüller],1775) (Noctuidae)
4606. *Meganola taurica* (Daniel,1935)
(Noctuidae)
4607. *Meganola togatualis* (Hübner,1796)
(Noctuidae)
4608. *Megasis hyrcanella* Ragonot,1893
(Pyrilidae)
4609. *Megasis libanoticella* Zerny,1934
(Pyrilidae)
4610. *Megasis mimeticella* (Staudinger,1879)
(Pyrilidae)
4611. *Megasis rippertella* (Zeller,1839)
(Pyrilidae)
4612. *Megasymmoca forsteri* Gozmany,1963
(Autostichidae)
4613. *Megasymmoca maga* Gozmany,1963
(Autostichidae)
4614. *Megasymmoca mithra* Gozmany,1963
(Autostichidae)
4615. *Megasymmoca mithridates*
Gozmany,1963 (Autostichidae)
4616. *Megasymmoca persica* Gozmany,1963
(Autostichidae)
4617. *Megasymmoca sahname* Gozmany,1963
(Autostichidae)
4618. *Megasymmoca satrapa* Gozmany,1963
(Autostichidae)
4619. *Megasymmoca sheherezade*
Gozmany,1963 (Autostichidae)
4620. *Megasymmoca sindbad* Gozmany,1963
(?) (Autostichidae)
4621. *Meharia semilactea* (W.Warren &
Rothschild,1905) (Cossidae)
4622. *Mekrania punctalis* Brandt,1941
(Noctuidae)
4623. *Melanargia (Parce) russiae*
(Esper,[1784]) (Satyridae)
4624. *Melanargia (s.str.) evartianae*
Wagener,1976 (Satyridae)
4625. *Melanargia (s.str.) galathea*
(Linnaeus,1758) (Satyridae)
4626. *Melanargia (s.str.) sadjarii* Carbonell &
Naderi,2006 (Satyridae)
4627. *Melanargia (Turcargia) grumi*
Standfuss,1892 (Satyridae)
4628. *Melanargia (Turcargia) hylata*
(Ménétriés,1832) (Satyridae)
4629. *Melanargia (Turcargia) larissa*
(Geyer,[1828]) (Satyridae)
4630. *Melanargia (Turcargia) meda* Groum-
Grshimailo,1895 (Satyridae)
4631. *Melanargia (Turcargia) syriaca*
(Oberthür,1894) (Satyridae)
4632. *Melanargia (Turcargia) teneates*
(Ménétriés,1832) (Satyridae)
4633. *Melanargia (Turcargia) titea*
(Klug,1832) (Satyridae)
4634. *Melanchra persicariae* (Linnaeus,1761)
(Noctuidae)
4635. *Melanchra pisi* (Linnaeus,1758)
(Noctuidae)
4636. *Melanthia procellata* ([Denis &
Schifferrmüller],1775) (Geometridae)
4637. *Melasina lugubris* (Hübner,1793)
(Psychidae)
4638. *Melasina punctata* (Herrich-
Schäffer,[1855]) (Psychidae)
4639. *Melathrix praetextella* (Christoph,1877)
(Pyrilidae)

4640. *Melitaea (Cinclidia) (phoebe) phoebe* (Goeze,1779) (Argynnidae)
 4641. *Melitaea (Cinclidia) (phoebe) punica* Oberthür,1876 (Argynnidae)
 4642. *Melitaea (Cinclidia) collina* Lederer,1861 (Argynnidae)
 4643. *Melitaea (Cinclidia) consulis* Wiltshire,1941 (Argynnidae)
 4644. *Melitaea (Cinclidia) turkmanica* Higgins,1940 (Argynnidae)
 4645. *Melitaea (Didymaeformis) casta* Kollar,[1849] (Argynnidae)
 4646. *Melitaea (Didymaeformis) deserticola* Kirby,1877 (Argynnidae)
 4647. *Melitaea (Didymaeformis) didyma* (Esper,[1779]) (Argynnidae)
 4648. *Melitaea (Didymaeformis) fascelis* (Fabricius,1787) (Argynnidae)
 4649. *Melitaea (Didymaeformis) fergana* Staudinger,1882 (Argynnidae)
 4650. *Melitaea (Didymaeformis) interrupta* Kolenati,1846 (Argynnidae)
 4651. *Melitaea (Didymaeformis) jitka* D.Weiss & Major,2000 (Argynnidae)
 4652. *Melitaea (Didymaeformis) persea* Kollar,[1849] (Argynnidae)
 4653. *Melitaea (Didymaeformis) saxatilis* Christoph,1873 (Argynnidae)
 4654. *Melitaea (Mellicta) athalia* (Rottemburg,1775) (Argynnidae)
 4655. *Melitaea (Mellicta) aurelia* (Nickerl,1850) (Argynnidae)
 4656. *Melitaea (Mellicta) britomartis* (Assmann,1847) (Argynnidae)
 4657. *Melitaea (Mellicta) caucasogenita* Verity,1930 (Argynnidae)
 4658. *Melitaea (s.str.) arduinna* (Fabricius,1787) (Argynnidae)
 4659. *Melitaea (s.str.) cinxia* (Linnaeus,1758) (Argynnidae)
 4660. *Melitaea (s.str.) diamina* (Lang,1789) (Argynnidae)
 4661. *Melitaea sarvistana* Wiltshire,1941 (Argynnidae)
 4662. *Mendesia echiella* Joannis,1902 (Elachistidae)
 4663. *Menophra abruptaria* (Thunberg,1792) (Geometridae)
 4664. *Menophra berenicidaria* (Turati,1924) (Geometridae)
 4665. *Merrifieldia baliodactyla* (Zeller,1841) (Pterophoridae)
 4666. *Merrifieldia brandti* (Arenberger,1981) (Pterophoridae)
 4667. *Merrifieldia calcaria* (Lederer,1870) (Pterophoridae)
 4668. *Merrifieldia caspia* (Lederer,1870) (Pterophoridae)
 4669. *Merrifieldia deprinsi* (Arenberger,1990) (Pterophoridae)
 4670. *Merrifieldia diwani* (Arenberger,1981) (Pterophoridae)
 4671. *Merrifieldia farsi* (Arenberger,1981) (Pterophoridae)
 4672. *Merrifieldia leucodactyla* ([Denis & Schiffermüller],1775) (Pterophoridae)
 4673. *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae)
 4674. *Merrifieldia rayatella* (Amsel,1959) (Pterophoridae)
 4675. *Merrifieldia tridactyla* (Linnaeus,1758) (Pterophoridae)
 4676. *Merulempista cingillella* (Zeller,1846) (Pyralidae)
 4677. *Mesapamea (Resapamea) hedeni* (Graeser,1888) (Noctuidae)
 4678. *Mesapamea (s.str.) didyma* (Esper,[1788]) (Noctuidae)
 4679. *Mesapamea (s.str.) secalis* (Linnaeus,1758) (Noctuidae)
 4680. *Mesapamea (s.str.) vaskeni* Varga,1979 (Noctuidae)
 4681. *Mesocrambus candidellus* (Herrich-Schäffer,[1848]) (Pyralidae)
 4682. *Mesocrambus tamsi* Bleszynski,1960 (Pyralidae)
 4683. *Mesogona acetosellae* (Goeze,1781) (Noctuidae)
 4684. *Mesogona oxalina* (Hübner,[1803]) (Noctuidae)
 4685. *Mesoligia furuncula* ([Denis & Schiffermüller],1775) (Noctuidae)
 4686. *Mesoligia literosa* (Haworth,[1809]) (Noctuidae)
 4687. *Mesophleps corsicella* (Herrich-Schäffer,[1856]) (Gelechiidae)
 4688. *Mesophleps silacella* (Hübner,1796) (Gelechiidae)
 4689. *Mesoplus contrita* (Christoph,1884) (Noctuidae)
 4690. *Metachrostis dardouini* (Boisduval,1840) (Noctuidae)
 4691. *Metachrostis sefidi* (Brandt,1938) (Noctuidae)
 4692. *Metachrostis velocior* (Staudinger,1892) (Noctuidae)
 4693. *Metachrostis velox* (Hübner,[1813]) (Noctuidae)
 4694. *Metacrambus carectellus* (Zeller,1847) (Pyralidae)
 4695. *Metacrambus jugaraicae* Bleszynski,1965 (Pyralidae)
 4696. *Metacrambus kurdistanellus* (Amsel,1959) (Pyralidae)
 4697. *Metaegle gratiosa* (Staudinger,1892) (Noctuidae)
 4698. *Metaegle pallida* (Staudinger,1892) (Noctuidae)
 4699. *Metaeuchromius yusufeliensis* Nuss & Speidel,1999 (Pyralidae)
 4700. *Metallosticha aignerii* (Amsel,1935) (Pyralidae)
 4701. *Metallosticha argyrogrammos* (Zeller,1847) (Pyralidae)
 4702. *Metallostichodes bicolorella* (Heinemann,1864) (Pyralidae)
 4703. *Metallostichodes nigrocyanella* (Constant,1865) (Pyralidae)
 4704. *Metallostichodes vinaceella* (Ragonot,1895) (Pyralidae)
 4705. *Metalopha (Antholopha) gloriosa* (Staudinger,1892) (Noctuidae)
 4706. *Metalopha (s.str.) ingloria* Draudt,1933 (Noctuidae)
 4707. *Metalopha (s.str.) ionodoxa* Ronkay,1990 (Noctuidae)

4708. **Metallopha (s.str.) liturata** (Christoph,1887) (Noctuidae)
 4709. **Metanarsia (s.str.) modesta** Staudinger,1871 (Gelechiidae)
 4710. **Metanarsia incertella** (Herrich-Schäffer,1861) (Gelechiidae)
 4711. **Metasia (Clasperia) ophialis** (Treitschke,1829) (Pyrilidae)
 4712. **Metasia (s.str.) albicostalis** Hampson,1900 (Pyrilidae)
 4713. **Metasia (s.str.) alvandalis** Amsel,1961 (Pyrilidae)
 4714. **Metasia (s.str.) belutschistanalis** Amsel,1961 (Pyrilidae)
 4715. **Metasia (s.str.) carnealis** (Treitschke,1829) (Pyrilidae)
 4716. **Metasia (s.str.) continualis** Amsel,1961 (Pyrilidae)
 4717. **Metasia (s.str.) farsalis** Amsel,1961 (Pyrilidae)
 4718. **Metasia (s.str.) inustalis** Ragonot,1894 (Pyrilidae)
 4719. **Metasia (s.str.) kurdistanalis** Amsel,1961 (Pyrilidae)
 4720. **Metasia (s.str.) laristanalis** Amsel,1961 (Pyrilidae)
 4721. **Metasia (s.str.) mendicalis** (Staudinger,1879) (Pyrilidae)
 4722. **Metasia (s.str.) rosealis** Ragonot,1895 (Pyrilidae)
 4723. **Metasia (s.str.) sefidalis** Amsel,1961 (Pyrilidae)
 4724. **Metasia (s.str.) subtilialis** Caradja,1917 (Pyrilidae)
 4725. **Metasia (s.str.) supandalis** (Hübner,[1823]) (Pyrilidae)
 4726. **Metasia (s.str.) virginalis** Ragonot,1894 (Pyrilidae)
 4727. **Metaxmeste sericatalis** (Herrich-Schäffer,[1848]) (Pyrilidae)
 4728. **Metendothenia atropunctana** (Zetterstedt,1839) (Tortricidae)
 4729. **Metopistis erschoffi** (Christoph,1884) (Noctuidae)
 4730. **Metopistis picturata** (Rothschild,1909) (Noctuidae)
 4731. **Metopoceras (s.str.) delicata** (Staudinger,1898) (Noctuidae)
 4732. **Metopoceras (s.str.) omar** (Oberthür,1887) (Noctuidae)
 4733. **Metopoceras (s.str.) philbyi** Wiltshire,1980 (Noctuidae)
 4734. **Metopoceras (s.str.) pilleti** Boursin,1932 (Noctuidae)
 4735. **Metopoceras (s.str.) solituda** (Brandt,1938) (Noctuidae)
 4736. **Metopodicha antherici** (Christoph,1884) (Noctuidae)
 4737. **Metopodicha ernesti** Draudt,1936 (Noctuidae)
 4738. **Metoponrhis albirena** (Christoph,1887) (Noctuidae)
 4739. **Metoponrhis karakumensis** (Gerasimov,1931) (Noctuidae)
 4740. **Metopoplus boursini** Brandt,1938 (Noctuidae)
 4741. **Metopoplus excelsa** (Christoph,1885) (Noctuidae)
 4742. **Metriotes lutarea** (Haworth,[1828]) (Coleophoridae)
 4743. **Metzneria aestivella** (Zeller,1839) (Gelechiidae)
 4744. **Metzneria agraphella** (Ragonot,1895) (Gelechiidae)
 4745. **Metzneria aprilella** (Herrich-Schäffer,[1854]) (Gelechiidae)
 4746. **Metzneria artificella** (Herrich-Schäffer,1861) (Gelechiidae)
 4747. **Metzneria aspretella** (Lederer,1869) (Gelechiidae)
 4748. **Metzneria castiliella** (Möschler,1866) (Gelechiidae)
 4749. **Metzneria diamondi** Amsel,1949 (Gelechiidae)
 4750. **Metzneria diffusella** Englert,1974 (Gelechiidae)
 4751. **Metzneria ehikeella** Gozmany,1954 (Gelechiidae)
 4752. **Metzneria intestinella** (Mann,1864) (Gelechiidae)
 4753. **Metzneria lappella** (Linnaeus,1758) (Gelechiidae)
 4754. **Metzneria littorella** (Douglas,1850) (Gelechiidae)
 4755. **Metzneria metzneriella** Stainton,1851 (Gelechiidae)
 4756. **Metzneria neuropterella** Zeller,1839 (Gelechiidae)
 4757. **Metzneria paucipunctella** (Zeller,1839) (Gelechiidae)
 4758. **Metzneria santolinella** (Amsel,1936) (Gelechiidae)
 4759. **Metzneria subflavella** Englert,1974 (Gelechiidae)
 4760. **Metzneria tenuiella** (Mann,1864) (Gelechiidae)
 4761. **Metzneria varennei** Nel,1997 (Gelechiidae)
 4762. **Micriantha decorata** (Frivaldsky,1845) (Noctuidae)
 4763. **Microbaena pulchra** (Staudinger,1898) (Geometridae)
 4764. **Microloxia herbaria** (Hübner,[1813]) (Geometridae)
 4765. **Micronola karsholti** (Fibiger,1997) (Miconoctuidae)
 4766. **Micronola wadicola** Amsel,1935 (Miconoctuidae)
 4767. **Micropterigina amasiella** (Staudinger,1880) (Micropterigidae)
 4768. **Micropterix allionella** (Fabricius,1794) (Micropterigidae)
 4769. **Micropterix aruncella** (Scopoli,1763) (Micropterigidae)
 4770. **Micropterix aureatella** (Scopoli,1763) (Micropterigidae)
 4771. **Micropterix klimeschi** J.Heath,1973 (Micropterigidae)
 4772. **Micropterix maschukella** Alpheraky,1876 (Micropterigidae)
 4773. **Micropterix paykullella** (Fabricius,1794) (Micropterigidae)
 4774. **Micropterix rothenbachii** (Frey,1856) (Micropterigidae)
 4775. **Micropterix schaefferi** J.Heath,1975 (Micropterigidae)

4776. **Micropterix uxoria** Walsingham,1919 (Micropterigidae)
 4777. **Microstega praepetalis** (Lederer,1869) (Pyrilidae)
 4778. **Microxestis wutzdorffi** (Püngeler,1907) (Noctuidae)
 4779. **Micrurapteryx kollariella** (Zeller,1839) (Gracillariidae)
 4780. **Micrurapteryx parvula** Amsel,1935 (Gracillariidae)
 4781. **Micrurapteryx sophorivora** Kuznetsov & Tristan,1985 (Gracillariidae)
 4782. **Millieria dolosana** (Herrich-Schäffer,[1854]) (Choreutidae)
 4783. **Miltochrista miniata** (Forster,1771) (Arctiidae)
 4784. **Mimas tiliae** (Linnaeus,1758) (Sphingidae)
 4785. **Mimudea bipunctalis** (Herrich-Schäffer,1851) (Pyrilidae)
 4786. **Mimudea confinalis** (Lederer,1858) (Pyrilidae)
 4787. **Mimudea institalis** (Hübner,[1819]) (Pyrilidae)
 4788. **Mimudea languidalis** (Eversmann,1842) (Pyrilidae)
 4789. **Mimudea lutealis** (Hübner,[1809]) (Pyrilidae)
 4790. **Mimudea nebulalis** (Hübner,1796) (Pyrilidae)
 4791. **Mimudea perfervidalis** (Hampson,1900) (Pyrilidae)
 4792. **Mimudea pyraustiformis** (Toll,1947) (Pyrilidae)
 4793. **Mimudea silvalis** (De Joannis,1891) (Pyrilidae)
 4794. **Minetia crinitella** Herrich-Schäffer,[1855] (Oecophoridae)
 4795. **Minoa murinata** (Scopoli,1763) (Geometridae)
 4796. **Minois dryas** (Scopoli,1763) (Satyridae)
 4797. **Minucia bimaculata** Osthelder,1933 (Noctuidae)
 4798. **Mirificarma (s.str. (Interrupta)) lentiginosella** (Zeller,1839) (Gelechiidae)
 4799. **Mirificarma (s.str. (Interrupta)) ocellinella** (Chrétien,1915) (Gelechiidae)
 4800. **Mirificarma (s.str. (s.str.)) aflavella** (Amsel,1935) (Gelechiidae)
 4801. **Mirificarma (s.str. (s.str.)) eburnella** ([Denis & Schiffermüller],1775) (Gelechiidae)
 4802. **Mirificarma (s.str. (s.str.)) flavella** (Duponchel,[1844]) (Gelechiidae)
 4803. **Mirificarma (s.str. (s.str.)) maculatella** (Hübner,1796) (Gelechiidae)
 4804. **Mirificarma (s.str. (s.str.)) rhodoptera** (Mann,1866) (Gelechiidae)
 4805. **Mnesixena pectinalis** (Herrich-Schäffer,1838) (Pyrilidae)
 4806. **Mniotype adusta** (Esper,[1790]) (Noctuidae)
 4807. **Mniotype buxtoni** (Rothschild,1921) (Noctuidae)
 4808. **Mniotype fabulosa** Benedek & L.Ronkay,2002 (Noctuidae)
 4809. **Mniotype johanna** (Staudinger,1898) (Noctuidae)
 4810. **Mniotype solieri** (Boisduval,1840) (Noctuidae)
 4811. **Moma alpium** (Osbeck,1778) (Noctuidae)
 4812. **Mompha (Anybia) epilobiella** (Roemer,1794) (Momphidae)
 4813. **Mompha (Lophoptilus) miscella** ([Denis & Schiffermüller],1775) (Momphidae)
 4814. **Mompha (s.str.) divisella** Herrich-Schäffer,1854 (Momphidae)
 4815. **Mompha (s.str.) lacteella** (Stephens,1834) (Momphidae)
 4816. **Mompha (s.str.) ochraceella** (Curtis,1839) (Momphidae)
 4817. **Mompha (s.str.) subbistrigella** (Haworth,[1828]) (Momphidae)
 4818. **Monochroa arundinetella** (Stainton,1858) (Gelechiidae)
 4819. **Monochroa lutulentella** (Zeller,1839) (Gelechiidae)
 4820. **Monochroa melagonella** (Constant,1895) (Gelechiidae)
 4821. **Monochroa servella** (Zeller,1839) (Gelechiidae)
 4822. **Monochroa tenebrella** (Hübner,[1817]) (Gelechiidae)
 4823. **Monopis crocicapitella** (Clemens,1859) (Tineidae)
 4824. **Monopis desertella** Amsel,1935 (Tineidae)
 4825. **Monopis imella** (Hübner,[1813]) (Tineidae)
 4826. **Monopis laevigella** ([Denis & Schiffermüller],1775) (Tineidae)
 4827. **Monopis meleodes** Meyrick,1917 (Tineidae)
 4828. **Monopis monachella** (Hübner,1796) (Tineidae)
 4829. **Monopis obiella** ([Denis & Schiffermüller],1775) (Tineidae)
 4830. **Montescardia tessulatellus** (Lienig & Zeller,1846) (Tineidae)
 4831. **Mormo maura** (Linnaeus,1758) (Noctuidae)
 4832. **Morphaga (choragella-gr.) choragella** ([Denis & Schiffermüller],1775) (Tineidae)
 4833. **Morphaga (morella-gr.) morella** (Duponchel,1838) (Tineidae)
 4834. **Morphagoides iranensis** G.Petersen,1960 (Tineidae)
 4835. **Muschampia hieromax** (Hemming,1932) (Hesperiidae)
 4836. **Muschampia nomas** (Lederer,1855) (Hesperiidae)
 4837. **Muschampia plurimacula** (Christoph,1893) (Hesperiidae)
 4838. **Muschampia poggei** (Lederer,1858) (Hesperiidae)
 4839. **Muschampia proteides** (F.Wagner,1929) (Hesperiidae)
 4840. **Muschampia proteus** (Staudinger,1886) (Hesperiidae)
 4841. **Muschampia proto** (Ochsenheimer,1808) (Hesperiidae)
 4842. **Muschampia tersa** Evans,1949 (Hesperiidae)
 4843. **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae)

4844. *Muscula muscula* (Staudinger,1899) (Arctiidae)
 4845. *Mutuuraia pictoralis* (Zerny,1934) (Pyrilidae)
 4846. *Mutuuraia terrealis* (Treitschke,1829) (Pyrilidae)
 4847. *Myana sapor* Swinhoe,1884 (Noctuidae)
 4848. *Myelois* (*Gnathogutta*) *circumdatella* Lederer,1858 (Pyrilidae)
 4849. *Myelois* (*Gnathogutta*) *luticornella* (Ragonot,1887) (Pyrilidae)
 4850. *Myelois* (*Gnathogutta*) *osseella* (Ragonot,1887) (Pyrilidae)
 4851. *Myelois* (*Gnathogutta*) *pluripunctella* (Ragonot,1887) (Pyrilidae)
 4852. *Myelois* (*Gnathogutta*) *pumicosa* Lederer,1855 (Pyrilidae)
 4853. *Myelois* (*Gnathogutta*) *umbratella* (Treitschke,1832) (Pyrilidae)
 4854. *Myelois* (s.str.) ? *marginepunctella* Amsel,1959 (Pyrilidae)
 4855. *Myelois* (s.str.) *circumvoluta* (Fourcroy,1785) (Pyrilidae)
 4856. *Myelois* (s.str.) *conformella* Amsel,1951 (Pyrilidae)
 4857. *Myelois* (s.str.) *constans* Amsel,1951 (Pyrilidae)
 4858. *Myelois* (s.str.) *cribratella* Zeller,1847 (Pyrilidae)
 4859. *Myelois* (s.str.) *fuscicostella* Mann,1861 (Pyrilidae)
 4860. *Myelois* (s.str.) *margaritella* Turati,1930 (Pyrilidae)
 4861. *Myelois* (s.str.) *micropunctella* Amsel,1951 (Pyrilidae)
 4862. *Myelois* (s.str.) *multiflorella* Ragonot,1887 (Pyrilidae)
 4863. *Myelois* (s.str.) *quadripunctella* Zerny,1914 (Pyrilidae)
 4864. *Myelois* (s.str.) *synclina* Meyrick,1937 (Pyrilidae)
 4865. *Myinodes shohami* Hausmann,1994 (Geometridae)
 4866. *Mylothra christophi* Gozmany,1967 (Autostichidae)
 4867. *Mylothra megalomera* Gozmany (Autostichidae)
 4868. *Mylothra pyrrhella* Ragonot,1895 (Autostichidae)
 4869. *Myrlaea albistrigata* (Staudinger,1881) (Pyrilidae)
 4870. *Myrlaea epischniella* (Staudinger,1879) (Pyrilidae)
 4871. *Myrlaea kurdistanica* Amsel,1959 (Pyrilidae)
 4872. *Myrlaea mimicalis* (Amsel,1950) (Pyrilidae)
 4873. *Myrlaea nigrosquamalis* (Amsel,1950) (Pyrilidae)
 4874. *Myrlaea pittonii* (Amsel,1950) (Pyrilidae)
 4875. *Myrmecozela* (*Flavida*) *gigantea* (Christoph,1873) (Tineidae)
 4876. *Myrmecozela* (*Flavida*) *insignis* Amsel,1935 (Tineidae)
 4877. *Myrmecozela* (*Flavida*) *lutosella* (Eversmann,1844) (Tineidae)
 4878. *Myrmecozela* (*Promasia*) *parnassiella* (Rebel,1915) (Tineidae)
 4879. *Mythimna* (*Aletia*) *alopecuri* (Boisduval,1840) (Noctuidae)
 4880. *Mythimna* (*Aletia*) *andereggii* (Boisduval,1840) (Noctuidae)
 4881. *Mythimna* (*Aletia*) *citrinotata* (Hampson,1905) (Noctuidae)
 4882. *Mythimna* (*Aletia*) *congrua* (Hübner,[1817]) (Noctuidae)
 4883. *Mythimna* (*Aletia*) *conigera* ([Denis & Schiffermüller],1775) (Noctuidae)
 4884. *Mythimna* (*Aletia*) *consanguis* (Guenée,1852) (Noctuidae)
 4885. *Mythimna* (*Aletia*) *deserticola* (Bartel,1903) (Noctuidae)
 4886. *Mythimna* (*Aletia*) *impura* (Hübner,[1808]) (Noctuidae)
 4887. *Mythimna* (*Aletia*) *l-album* (Linnaeus,1767) (Noctuidae)
 4888. *Mythimna* (*Aletia*) *pallens* (Linnaeus,1758) (Noctuidae)
 4889. *Mythimna* (*Aletia*) *prominens* Walker,1856 (Noctuidae)
 4890. *Mythimna* (*Aletia*) *pudorina* ([Denis & Schiffermüller],1775) (Noctuidae)
 4891. *Mythimna* (*Aletia*) *sassanidica* (Hacker,1986) (Noctuidae)
 4892. *Mythimna* (*Aletia*) *scirpi* (Duponchel,1836) (Noctuidae)
 4893. *Mythimna* (*Aletia*) *sicula* (Treitschke,1835) (Noctuidae)
 4894. *Mythimna* (*Aletia*) *straminea* (Treitschke,1825) (Noctuidae)
 4895. *Mythimna* (*Aletia*) *vitellina* (Hübner,[1808]) (Noctuidae)
 4896. *Mythimna* (*Anapoma*) *riparia* (Rambur,1829) (Noctuidae)
 4897. *Mythimna* (*Hyphilare*) *albipuncta* (Fabricius,1787) (Noctuidae)
 4898. *Mythimna* (*Hyphilare*) *ferrago* (Fabricius,1787) (Noctuidae)
 4899. *Mythimna* (*Morphopoliana*) *languida* (Walker,1858) (Noctuidae)
 4900. *Mythimna* (*Pseudaletia*) *unipuncta* (Haworth,[1809]) (Noctuidae)
 4901. *Mythimna joannisi* Boursin & Rungs,1952 (Noctuidae)
 4902. *Naenia typica* (Linnaeus,1758) (Noctuidae)
 4903. *Narraga cappadocica* Herbulot,1943 (Geometridae)
 4904. *Narraga fasciolaria* (Hufnagel,1767) (Geometridae)
 4905. *Nascia cilialis* (Hübner,1796) (Pyrilidae)
 4906. *Nebrarctia semiramis* (Staudinger,1892) (Arctiidae)
 4907. *Nebula achromaria* (La Harpe,1853) (Geometridae)
 4908. *Nebula adlata* (Staudinger,[1895]) (Geometridae)
 4909. *Nebula apiciata* (Staudinger,1892) (Geometridae)
 4910. *Nebula approximata* (Staudinger,1879) (Geometridae)
 4911. *Nebula ibericata* (Staudinger,1871) (Geometridae)

4912. **Nebula impunctata (Staudinger,1879)**
(Geometridae)
4913. **Nebula juvenilata (Zerny,1933)**
(Geometridae)
4914. **Nebula khorassana (Brandt,1941)**
(Geometridae)
4915. **Nebula longipennis (Brandt,1941)**
(Geometridae)
4916. **Nebula ludificata (Staudinger,1870)**
(Geometridae)
4917. **Nebula reclamata (L.B.Prout,1914)**
(Geometridae)
4918. **Nebula saidabadi (Brandt,1941)**
(Geometridae)
4919. **Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae)
4920. **Nebula schneideraria (Lederer,1855)**
(Geometridae)
4921. **Nebula senectaria (Herrich-Schäffer,[1852])** (Geometridae)
4922. **Nebula senectaria sultana (Schwingenschuss,1939)** (Geometridae)
4923. **Nebula vartianata (Wiltshire,1970)**
(Geometridae)
4924. **Necrothalassia compsius (Walsingham,1907)** (Scythridae)
4925. **Nemapogon anatolica Gaedike,1986**
(Tineidae)
4926. **Nemapogon arenbergeri Gaedike,1986**
(Tineidae)
4927. **Nemapogon brandti Gaedike,1986**
(Tineidae)
4928. **Nemapogon cloacella (Haworth,[1828])**
(Tineidae)
4929. **Nemapogon gliriella (Heyden,1865)**
(Tineidae)
4930. **Nemapogon granella (Linnaeus,1758)**
(Tineidae)
4931. **Nemapogon gravosaella G.Petersen,1957** (Tineidae)
4932. **Nemapogon hungarica Gozmany,1960**
(Tineidae)
4933. **Nemapogon inconditella (Lucas,1956)**
(Tineidae)
4934. **Nemapogon kasyi Gaedike,1986**
(Tineidae)
4935. **Nemapogon levantina G.Petersen,1961**
(Tineidae)
4936. **Nemapogon quercicolella (Zeller,1852)**
(Tineidae)
4937. **Nemapogon ruricolella (Stainton,1859)**
(Tineidae)
4938. **Nemapogon signatella G.Petersen,1957**
(Tineidae)
4939. **Nemapogon teberdella Zagulyaev,1963**
(Tineidae)
4940. **Nemapogon variatella (Clemens,1859)**
(Tineidae)
4941. **Nemapogon vartianae Gaedike,1986**
(Tineidae)
4942. **Nematopogon adansoniella (Villers,1789)** (Adelidae)
4943. **Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae)
4944. **Nematopogon robertella (Clerck,1759)**
(Adelidae)
4945. **Nematopogon schwarziella Zeller,1839**
(Adelidae)
4946. **Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae)
4947. **Nemophora barbatella (Zeller,1847)**
(Adelidae)
4948. **Nemophora chrysochraon (Razowski,1978)** (Adelidae)
4949. **Nemophora cupriacella (Hübner,[1819])** (Adelidae)
4950. **Nemophora dumerilella (Duponchel,1839)** (Adelidae)
4951. **Nemophora eretna Kemal & Koçak,2006** (Adelidae)
4952. **Nemophora fasciella (Fabricius,1775)**
(Adelidae)
4953. **Nemophora istrianella (Heydenreich,1851)** (Adelidae)
4954. **Nemophora metallica (Poda,1761)**
(Adelidae)
4955. **Nemophora mollella (Hübner,[1813])**
(Adelidae)
4956. **Nemophora prodigella (Zeller,1853)**
(Adelidae)
4957. **Nemophora raddella (Hübner,1793)**
(Adelidae)
4958. **Neocrambus wolfschlaegeri (Schawerda,1937)** (Pyralidae)
4959. **Neofaculta confidella Rebel,1935**
(Gelechiidae)
4960. **Neofaculta ericetella (Geyer,[1832])**
(Gelechiidae)
4961. **Neofriseria peliella (Treitschke,1835)**
(Gelechiidae)
4962. **Neofriseria szeptrophora (Meyrick,1926)** (Gelechiidae)
4963. **Neofriseria singula (Staudinger,1876)**
(Gelechiidae)
4964. **Neognopharmia hoerhammeri (Brandt,1938)** (Geometridae)
4965. **Neognopharmia stevenaria (Boisduval,1840)** (Geometridae)
4966. **Neoharpyia pulcherrima Brandt,1938**
(Notodontidae)
4967. **Neosphaleroptera nubilana (Hübner,[1799])** (Tortricidae)
4968. **Nephopterix ardekanella Amsel,1951**
(Pyralidae)
4969. **Nephopterix cleopatrella Ragonot,1887**
(Pyralidae)
4970. **Nephopterix cornutella Amsel,1951**
(Pyralidae)
4971. **Nephopterix divisella (Duponchel,1842)** (Pyralidae)
4972. **Nephopterix eustatica Meyrick,1937**
(Pyralidae)
4973. **Nephopterix gregella Eversmann,1844**
(Pyralidae)
4974. **Nephopterix macrocirtensis Amsel,1953** (Pyralidae)
4975. **Nephopterix melanotaeniella Ragonot,1888** (Pyralidae)
4976. **Nephopterix minimella Amsel,1953**
(Pyralidae)
4977. **Nephopterix oxybiella Amsel,1950**
(Pyralidae)
4978. **Nephopterix rectangulella Amsel,1950**
(Pyralidae)
4979. **Neptis (s.str.) rivularis (Scopoli,1763)**
(Argynnidae)

4980. **Neromia pulvereisparsa**
Hampson,1896 (Geometridae)
4981. **Neromia simplex** **Brandt,1938**
(Geometridae)
4982. **Netrocercora quadrangula**
(Eversmann,1844) (Noctuidae)
4983. **Neurothaumasia ankerella**
(Mann,1867) (Tineidae)
4984. **Neurothaumasia fasciata**
G.Petersen,1959 (Tineidae)
4985. **Neurothaumasia macedonica**
G.Petersen,1962 (Tineidae)
4986. **Nezonycta obtusa** **Varga & Ronkay,1991**
(Noctuidae)
4987. **Nezonycta pusilla** (**Püngeler,1900**)
(Noctuidae)
4988. **Niditinea fuscella** (**Linnaeus,1758**)
(Tineidae)
4989. **Niditinea piercella** (**Bentick,1935**)
(Tineidae)
4990. **Niditinea tugurialis** (**Meyrick,1932**)
(Tineidae)
4991. **Niphonympha albella** (**Zeller,1847**)
(Yponomeutidae)
4992. **Noctua (Divaena) haywardi**
(Tams,1926) (Noctuidae)
4993. **Noctua (Euschesis) interjecta**
(Hübner,[1803]) (Noctuidae)
4994. **Noctua (Euschesis) janthina** (**[Denis & Schiffermüller,1775]**) (Noctuidae)
4995. **Noctua (Lampra) fimbriata**
(Schreber,1759) (Noctuidae)
4996. **Noctua (Lampra) tirrenica** (**Biebinger, Speidel & Hanigk,1983**) (Noctuidae)
4997. **Noctua (Latanoctua) orbona**
(Hufnagel,1766) (Noctuidae)
4998. **Noctua (Paranoctua) comes**
(Hübner,[1813]) (Noctuidae)
4999. **Noctua (Paranoctua) interposita**
(Hübner,1790) (Noctuidae)
5000. **Noctua (Paranoctua) warreni**
(Lödl,1987) (Noctuidae)
5001. **Noctua (s.str.) pronuba**
(Linnaeus,1758) (Noctuidae)
5002. **Noctua (s.str.) tertia** **Mentzer, Moberg & Fibiger,1991** (Noctuidae)
5003. **Noctuella escherichi** **Hofmann,[1898]**
(Pyrilidae)
5004. **Noctuella mardinalis** **Staudinger,1892**
(Pyrilidae)
5005. **Noctuella rebeli** **Amsel,1935** (Pyrilidae)
5006. **Noctuella superba** (**Freyer,[1844]**)
(Pyrilidae)
5007. **Noctuella vespertalis** **Herrich-Schäffer,[1855]** (Pyrilidae)
5008. **Nodaria nodosalis** (**Herrich-Schäffer,[1851]**) (Noctuidae)
5009. **Nola chlamitulalis** (**Hübner,[1813]**)
(Noctuidae)
5010. **Nola cicatricalis** (**Treitschke,1835**)
(Noctuidae)
5011. **Nola confusalis** (**Herrich-Schäffer,1847**) (Noctuidae)
5012. **Nola cristatula** (**Hübner,1793**)
(Noctuidae)
5013. **Nola cucullatella** (**Linnaeus,1758**)
(Noctuidae)
5014. **Nola harouni** (**Wiltshire,1951**)
(Noctuidae)
5015. **Nola karelica** (**Tengström,1869**)
(Noctuidae)
5016. **Nola ronkayorum** **Beshkov,2006**
(Noctuidae)
5017. **Nola squalida** **Staudinger,1871**
(Noctuidae)
5018. **Nola subchlamydula** **Staudinger,1870**
(Noctuidae)
5019. **Nomophila noctuella** (**[Denis & Schiffermüller],1775**) (Pyrilidae)
5020. **Nonagria puengeleri** (**Schawerda,1924**)
(Noctuidae)
5021. **Nonagria typhae** (**Thunberg,1784**)
(Noctuidae)
5022. **Nothris congressariella** (**Bruand,1858**)
(Gelechiidae)
5023. **Nothris sabulosella** **Rebel,1935**
(Gelechiidae)
5024. **Nothris sulcella** **Staudinger,1879**
(Gelechiidae)
5025. **Nothris verbascella** (**Brahm,1791**)
(Gelechiidae)
5026. **Notocelia aquana** (**Hübner,[1799]**)
(Tortricidae)
5027. **Notocelia cynosbatella** (**Linnaeus,1758**)
(Tortricidae)
5028. **Notocelia incarnatana** (**Hübner,[1800]**)
(Tortricidae)
5029. **Notocelia punicana** **Kuznetsov,1956**
(Tortricidae)
5030. **Notocelia trimaculana**
(Haworth,[1811]) (Tortricidae)
5031. **Notocelia uddmanniana**
(Linnaeus,1758) (Tortricidae)
5032. **Notodonta dromedarius**
(Linnaeus,1758) (Notodontidae)
5033. **Notodonta tritophus** (**[Denis & Schiffermüller],1775**) (Notodontidae)
5034. **Notodonta ziczac** (**Linnaeus,1758**)
(Notodontidae)
5035. **Novotinea fasciata** (**Staudinger,1879**)
(Tineidae)
5036. **Nudaria mundana** (**Linnaeus,1761**)
(Arctiidae)
5037. **Nychiodes (Comeesia) admirabilia**
Brandt,1938 (Geometridae)
5038. **Nychiodes (Eunychiodes) agatcha**
Brandt,1938 (Geometridae)
5039. **Nychiodes (Eunychiodes) amygdalaria**
(Herrich-Schäffer,[1848]) (Geometridae)
5040. **Nychiodes (Eunychiodes) divergaria**
(Staudinger,1892) (Geometridae)
5041. **Nychiodes (Eunychiodes) farinosa**
Brandt,1938 (Geometridae)
5042. **Nychiodes (Eunychiodes) leviata**
Brandt,1938 (Geometridae)
5043. **Nychiodes (Eunychiodes) subfusca**
Brandt,1938 (Geometridae)
5044. **Nychiodes (Eunychiodes) subvirida**
Brandt,1938 (Geometridae)
5045. **Nychiodes (Eunychiodes) variabila**
Brandt,1938 (Geometridae)
5046. **Nychiodes (Fritzwagneria) dalmatina**
F.Wagner,1909 (Geometridae)
5047. **Nychiodes (Fritzwagneria) palaestinensis**
F.Wagner,1919 (Geometridae)

5048. *Nychiodes (Fritzwagneria) persuavis* Wehrli,1929 (Geometridae)
 5049. *Nychiodes (Fritzwagneria) rayatica* Wiltshire,1957 (Geometridae)
 5050. *Nychiodes (Fritzwagneria) waltheri* F.Wagner,1919 (Geometridae)
 5051. *Nychiodes (s.str.) obscuraria* (Villers,1789) (Geometridae)
 5052. *Nychiodes muelleri* Hausmann,1991 (Geometridae)
 5053. *Nyctegretis lineana* (Scopoli,1786) (Pyrilidae)
 5054. *Nyctegretis ruminella* Harpe,1860 (Pyrilidae)
 5055. *Nyctegretis triangulella* Ragonot,1901 (Pyrilidae)
 5056. *Nycteola asiatica* (Krulikovsky,1904) (Noctuidae)
 5057. *Nycteola columbana* (Turner,1925) (Noctuidae)
 5058. *Nycteola eremostola* Dufay,1961 (Noctuidae)
 5059. *Nycteola revayana* (Scopoli,1772) (Noctuidae)
 5060. *Nycteola siculana* (Fuchs,1899) (Noctuidae)
 5061. *Nyctocyrra fraudatrix* Gozmany,1978 (Lecithoceridae)
 5062. *Nymphalis antiopa* (Linnaeus,1758) (Argynnididae)
 5063. *Nymphalis polychloros* (Linnaeus,1758) (Argynnididae)
 5064. *Nymphalis vaualbum* ([Denis & Schiffermüller],1775) (Argynnididae)
 5065. *Nymphalis xanthomelas* (Esper,[1781]) (Argynnididae)
 5066. *Nymphula nigrolinealis* Pryer,1877 (Pyrilidae)
 5067. *Nymphula nitidulata* (Hufnagel,1767) (Pyrilidae)
 5068. *Nymphulosis arcanella* Amsel,1959 (Pyrilidae)
 5069. *Nyssiodes rhodopolitis* Wehrli,1939 (Geometridae)
 5070. *Oar pratana* (Fabricius,1794) (Geometridae)
 5071. *Ochlodes hyrcanus* (Christoph,1893) (Hesperiidae)
 5072. *Ochlodes venatus* (Bremer & Grey,[1852]) (Hesperiidae)
 5073. *Ochlodes venatus faunus* (Turati,1905) (Hesperiidae)
 5074. *Ochodontia adustaria* Fischer de Waldheim,1840 (Geometridae)
 5075. *Ochromolopis icrella* (Hübner,[1813]) (Epermeniidae)
 5076. *Ochromolopis stantonellus* (Millière,1869) (Epermeniidae)
 5077. *Ochropleura leucogaster* (Freyer,1831) (Noctuidae)
 5078. *Ochropleura plecta* (Linnaeus,1761) (Noctuidae)
 5079. *Ochsenheimeria taurella* ([Denis & Schiffermüller],1775) (Yponomeutidae)
 5080. *Ochsenheimeria vacuella* Fischer v. Röslerstamm,1842 (Yponomeutidae)
 5081. *Ocnerogyia amanda* Staudinger,[1892] (Lymantriidae)
 5082. *Ocnogyna (s.str.) armena* Staudinger,1871 (Arctiidae)
 5083. *Ocnogyna (s.str.) bellieri* (Lederer,1855) (Arctiidae)
 5084. *Ocnogyna (s.str.) herrichi* Staudinger,1879 (Arctiidae)
 5085. *Ocnogyna (s.str.) loewii* (Zeller,1846) (Arctiidae)
 5086. *Ocnogyna (Somatotrichia) anatolica* Witt,1980 (Arctiidae)
 5087. *Ocnogyna (Somatotrichia) parasita* (Hübner,1790) (Arctiidae)
 5088. *Ocrisiodes alphetopis* (Meyrick,1937) (Pyrilidae)
 5089. *Ocrisiodes antiopa* Roesler,1988 (Pyrilidae)
 5090. *Ocrisiodes atmologa* (Meyrick,1937) (Pyrilidae)
 5091. *Ocrisiodes bamella* (Amsel,1958) (Pyrilidae)
 5092. *Ocrisiodes dispergella* (Ragonot,1887) (Pyrilidae)
 5093. *Ocrisiodes minimella* (Amsel,1970) (Pyrilidae)
 5094. *Ocrisiodes occulta* Roesler,1990 (Pyrilidae)
 5095. *Ocrisiodes polptychella* (Ragonot,1887) (Pyrilidae)
 5096. *Ocrisiodes ruptifasciella* (Ragonot,1887) (Pyrilidae)
 5097. *Ocrisiodes senganella* (Amsel,1961) (Pyrilidae)
 5098. *Ocrisiodes sesamella* Roesler,1988 (Pyrilidae)
 5099. *Ocrisiodes taftanella* (Amsel,1950) (Pyrilidae)
 5100. *Odezia atrata* (Linnaeus,1758) (Geometridae)
 5101. *Odice arcuinna* (Hübner,1790) (Noctuidae)
 5102. *Odice keyserlingi* (Bienert,1870) (Noctuidae)
 5103. *Odice kuelekana* (Staudinger,1871) (Noctuidae)
 5104. *Odice suava* (Hübner,[1813]) (Noctuidae)
 5105. *Odites (Gozmaniola) kollarella* (Costa,[1836]) (Lecithoceridae)
 5106. *Odonestis pruni* (Linnaeus,1758) (Lasiocampidae)
 5107. *Odontelia margiana* (Püngeler,1901) (Noctuidae)
 5108. *Odontestis ? dubiosa* (Brandt,1941) (Noctuidae)
 5109. *Odontognophos zacharius* (Staudinger,1879) (Geometridae)
 5110. *Odontopera bidentata* (Linnaeus,1761) (Geometridae)
 5111. *Oecia oecophila* (Staudinger,1876) (Autostichidae)
 5112. *Oecophora (Oecophoreola) kindermanni* (Herrich-Schäffer,[1852]) (Oecophoridae)
 5113. *Oecophora (s.str.) bractella* (Linnaeus,1758) (Oecophoridae)
 5114. *Oegoconia caradjai* Popescu-Gorj & Capuse,1965 (Autostichidae)
 5115. *Oegoconia deauratella* (Herrich-Schäffer,[1854]) (Autostichidae)

5116. **Oidaematophorus didactylites** (Ström,1783) (Pterophoridae)
 5117. **Oidaematophorus lithodactylus** (Treitschke,1833) (Pterophoridae)
 5118. **Olepa schleini** Witt, G.C.Müller, Kravchenko, M.A.Miller, Hausmann & Speidel,2005 (Arctiidae)
 5119. **Olethreutes (Argyroploce) ? plumbiferana** Kennel,1916 (Tortricidae)
 5120. **Olethreutes (Argyroploce) delitana** (Staudinger,1879) (Tortricidae)
 5121. **Olethreutes (Argyroploce) ernestiana** (Obratzsov,1961) (Tortricidae)
 5122. **Olethreutes (Argyroploce) kurdistanana** Amsel,1959 (Tortricidae)
 5123. **Olethreutes (Argyroploce) lacunana** ([Denis & Schiffermüller],1775) (Tortricidae)
 5124. **Olethreutes (Argyroploce) metallicana** (Hübner,[1799]) (Tortricidae)
 5125. **Olethreutes (Argyroploce) pfeifferiana** (Obratzsov,1961) (Tortricidae)
 5126. **Olethreutes (Argyroploce) rhetorica** (Meyrick,1920) (Tortricidae)
 5127. **Olethreutes (Argyroploce) stibiana** (Guenée,1845) (Tortricidae)
 5128. **Olethreutes (s.str.) arcuana** (Linnaeus,1761) (Tortricidae)
 5129. **Olethreutes (s.str.) doubledayana** (Barrett,1872) (Tortricidae)
 5130. **Olethreutes (s.str.) obsoletana** (Zetterstedt,1839) (Tortricidae)
 5131. **Olethreutes (s.str.) umbrosana** (Freyer,1842) (Tortricidae)
 5132. **Oligia latruncula** ([Denis & Schiffermüller],1775) (Noctuidae)
 5133. **Oligia pseudodubia** Rezbanyai-Reser,1997 (Noctuidae)
 5134. **Oligia strigilis** (Linnaeus,1758) (Noctuidae)
 5135. **Oligia suleiman** Rezbanyai-Reser,1997 (Noctuidae)
 5136. **Oligia turcia** Rezbanyai-Reser,1997 (Noctuidae)
 5137. **Oligia vandarban** Rezbanyai-Reser,1997 (Noctuidae)
 5138. **Oligia versicolor** (Borkhausen,1792) (Noctuidae)
 5139. **Olindia schumacherana** (Fabricius,1787) (Tortricidae)
 5140. **Olivenebula subsericata** (Herrich-Schäffer,1861) (Noctuidae)
 5141. **Omia raphaeli** Kettner,2004 (Noctuidae)
 5142. **Omphalophana anatolica** (Lederer,1857) (Noctuidae)
 5143. **Omphalophana antirrhinii** (Hübner,[1803]) (Noctuidae)
 5144. **Omphalophana durnalayana** Osthelder,1933 (Noctuidae)
 5145. **Omphalophana pauli** (Staudinger,1892) (Noctuidae)
 5146. **Omphalophana serrulata** L.Ronkay & Gyulai,2006 (Noctuidae)
 5147. **Oncocera semirubella** (Scopoli,1763) (Pyrallidae)
 5148. **Oncocnemis arenbergeri** Hacker & Lödl,1989 (Noctuidae)
 5149. **Oncocnemis campicola** Lederer,1853 (Noctuidae)
 5150. **Oncocnemis confusa** (Freyer,[1839]) (Noctuidae)
 5151. **Oncocnemis erythroptosis** Brandt,1938 (Noctuidae)
 5152. **Oncocnemis exacta** Christoph,1887 (Noctuidae)
 5153. **Oncocnemis fuscipicta** Wiltshire,1976 (Noctuidae)
 5154. **Oncocnemis idioglypha** Brandt,1938 (Noctuidae)
 5155. **Oncocnemis nigricula** (Eversmann,1847) (Noctuidae)
 5156. **Oncocnemis strioligera** Lederer,1853 (Noctuidae)
 5157. **Onebala lamprostoma** (Zeller,1847) (Gelechiidae)
 5158. **Operophtera brumata** (Linnaeus,1758) (Geometridae)
 5159. **Operophtera fagata** (Scharfenberg,1805) (Geometridae)
 5160. **Ophiusa lunaris** (Goeze,1781) (Noctuidae)
 5161. **Ophiusa tirhaca** (Cramer,[1777]) (Noctuidae)
 5162. **Ophiusa wiskotti** (Püngeler,1902) (Noctuidae)
 5163. **Opigena huberi** Hacker,1999 (Noctuidae)
 5164. **Opigena polygona** (Fabricius,1787) (Noctuidae)
 5165. **Opisthograptis luteolata** (Linnaeus,1758) (Geometridae)
 5166. **Opisthograptis niko** (Christoph,1893) (Geometridae)
 5167. **Opogona tamsi** Gerasimov,1930 (Tineidae)
 5168. **Opostega salaciella** (Treitschke,1833) (Opostegidae)
 5169. **Opostega spatulella** Herrich-Schäffer,[1855] (Opostegidae)
 5170. **Opsibotys fuscalis** ([Denis & Schiffermüller],1775) (Pyrallidae)
 5171. **Orectis proboscidata** (Herrich-Schäffer,1851) (Noctuidae)
 5172. **Orgyia antiqua** (Linnaeus,1758) (Lymantriidae)
 5173. **Orgyia dubia** (Tauscher,1806) (Lymantriidae)
 5174. **Orgyia trigotephras** Boisduval,1829 (Lymantriidae)
 5175. **Oria muscosa** (Hübner,[1808]) (Noctuidae)
 5176. **Ornathalva antipyraxis** (Meyrick,1925) (Gelechiidae)
 5177. **Ornathalva caecigena** (Meyrick,1918) (Gelechiidae)
 5178. **Ornathalva erubescens** (Walsingham,1904) (Gelechiidae)
 5179. **Ornathalva heluanensis** (Debski,1913) (Gelechiidae)
 5180. **Ornathalva longiductella** Sattler,1967 (Gelechiidae)
 5181. **Ornathalva macrosignella** Sattler,1967 (Gelechiidae)
 5182. **Ornathalva mixolitha** (Meyrick,1918) (Gelechiidae)
 5183. **Ornathalva ochraceofusca** Sattler,1967 (Gelechiidae)

5184. **Ornativalka ornatella** Sattler,1967 (Gelechiidae)
 5185. **Ornativalka plutelliformis** (Staudinger,1859) (Gelechiidae)
 5186. **Ornativalka pseudotamaricella** Sattler,1967 (Gelechiidae)
 5187. **Ornativalka roseosuffusella** Sattler,1967 (Gelechiidae)
 5188. **Ornativalka serratisignella** Sattler,1967 (Gelechiidae)
 5189. **Ornativalka sieversi** (Staudinger,1871) (Gelechiidae)
 5190. **Ornativalka triangulella** Sattler,1967 (Gelechiidae)
 5191. **Ornativalka zonella** (Chrétien,1917) (Gelechiidae)
 5192. **Ortaliella palaestinensis** (Calberla,1891) (Geometridae)
 5193. **Ortaliella stonei** (Hausmann,1991) (Geometridae)
 5194. **Ortholepis betulae** (Goeze,1778) (Pyrilidae)
 5195. **Orthonama obstipata** (Fabricius,1794) (Geometridae)
 5196. **Orthonama vittata** (Borkhausen,1794) (Geometridae)
 5197. **Orthopygia almanalis** (Rebel,1917) (Pyrilidae)
 5198. **Orthopygia fulvociliaris** Duponchel,1834 (Pyrilidae)
 5199. **Orthopygia glaucinalis** (Linnaeus,1758) (Pyrilidae)
 5200. **Orthopygia incarnatalis** Zeller,1847 (Pyrilidae)
 5201. **Orthopygia rubidalis** ([Denis & Schiffermüller],1775) (Pyrilidae)
 5202. **Orthosia (Dioszeghyana) schmidti** (Díószeghy,1935) (Noctuidae)
 5203. **Orthosia (Monima) cerasi** (Fabricius,1775) (Noctuidae)
 5204. **Orthosia (Monima) dalmatica** (Wagner,1909) (Noctuidae)
 5205. **Orthosia (Monima) imitabilis** Hreblay,1993 (Noctuidae)
 5206. **Orthosia (Monima) populeti** (Fabricius,1781) (Noctuidae)
 5207. **Orthosia (Monima) pulverulenta** (Esper,[1786]) (Noctuidae)
 5208. **Orthosia (s.str.) incerta** (Hufnagel,1766) (Noctuidae)
 5209. **Orthosia (Semiophora) gothica** (Linnaeus,1758) (Noctuidae)
 5210. **Orthosia cypriaca** Hacker,1996 (Noctuidae)
 5211. **Orthosia gracilis** (Fabricius,1787) (Noctuidae)
 5212. **Orthosia rubricosa** (Esper,[1786]) (Noctuidae)
 5213. **Orthostixis calcularia** Lederer,1853 (Geometridae)
 5214. **Orthostixis cribraria** (Hübner,[1799]) (Geometridae)
 5215. **Orthotaenia undulana** ([Denis & Schiffermüller],1775) (Tortricidae)
 5216. **Osminia fenusaeformis** (Herrich-Schäffer,1852) (Sesiidae)
 5217. **Ostheldera arne** L.Ronkay & Varga,1994 (Noctuidae)
 5218. **Ostheldera gracilis** (Osthelder,1933) (Noctuidae)
 5219. **Ostheldera persa** L.Ronkay & Varga,1994 (Noctuidae)
 5220. **Osthelderiella amardiana** Obratzsov,1961 (Tortricidae)
 5221. **Ostrinia appositionalis** (Lederer,1858) (Pyrilidae)
 5222. **Ostrinia nubilalis** (Hübner,1796) (Pyrilidae)
 5223. **Ostrinia persica** Mutuura & Munroe,1970 (Pyrilidae)
 5224. **Oulobophora externata** Freyer,1846 (Geometridae)
 5225. **Oulobophora internata** (Püngeler,1888) (Geometridae)
 5226. **Ourapteryx falciformis** Inoue,1993 (Geometridae)
 5227. **Ourapteryx malatyeni** Wehrli,1936 (Geometridae)
 5228. **Ourapteryx persica** Ménétríés,1832 (Geometridae)
 5229. **Ourapteryx sambucaria** (Linnaeus,1758) (Geometridae)
 5230. **Oxybia transversella** (Duponchel,1836) (Pyrilidae)
 5231. **Oxypteron homsana** Amsel,1954 (Tortricidae)
 5232. **Oxypteron impar** Staudinger,1871 (Tortricidae)
 5233. **Oxypteron palmoni** (Amsel,1940) (Tortricidae)
 5234. **Oxypteryx jordanella** Rebel,1911 (Gelechiidae)
 5235. **Oxyptilus chrysodactylus** ([Denis & Schiffermüller],1775) (Pterophoridae)
 5236. **Oxyptilus ericetorum** (Zeller,1844) (Pterophoridae)
 5237. **Oxyptilus parvidactylus** (Haworth,[1811]) (Pterophoridae)
 5238. **Oxyptilus pilosellae** (Zeller,1841) (Pterophoridae)
 5239. **Oxytripia orbiculosa** (Esper,1799) (Noctuidae)
 5240. **Oxytripia stephania** Sutton,[1964] (Noctuidae)
 5241. **Ozarba lascivalis** (Lederer,1855) (Noctuidae)
 5242. **Ozarba moldavicola** (Herrich-Schäffer,[1851]) (Noctuidae)
 5243. **Ozarba sancta** (Staudinger,1900) (Noctuidae)
 5244. **Pachyarthra brandti** G.Petersen,1966 (Tineidae)
 5245. **Pachyarthra iranica** G.Petersen & Gaedike,1984 (Tineidae)
 5246. **Pachyarthra mediterranea** (Baker,1894) (Tineidae)
 5247. **Pachynemia hippocastanaria** (Hübner,[1799]) (Geometridae)
 5248. **Pachypasa otus** (Drury,[1773]) (Lasiocampidae)
 5249. **Paidia (Conjuncta) conjuncta** (Staudinger,1892) (Arctiidae)
 5250. **Paidia (s.str.) albescens** (Staudinger,1892) (Arctiidae)
 5251. **Paidia (s.str.) cinerascens** (Herrich-Schäffer,[1847]) (Arctiidae)

5252. **Paidia (s.str.) elegantia** De Freina & Witt,2004 (Arctiidae)
5253. **Paidia (s.str.) rica** (Freyer,[1855]) (Arctiidae)
5254. **Palmitia massilialis** (Duponchel,1832) (Pyrilidae)
5255. **Palpita testalis** (Fabricius,1794) (Pyrilidae)
5256. **Palpita vitrealis** (Rossi,1794) (Pyrilidae)
5257. **Palpusopsis roseella** Amsel,1959 (Pyrilidae)
5258. **Palumbina guerinii** (Stainton,[1857]) (Gelechiidae)
5259. **Pammene albuginana** (Guenée,1845) (Tortricidae)
5260. **Pammene amygdalana** (Duponchel,1842) (Tortricidae)
5261. **Pammene blockiana** (Herrich-Schäffer,[1851]) (Tortricidae)
5262. **Pammene caliginosa** Kuznetsov,1972 (Tortricidae)
5263. **Pammene crataegophila** Amsel,1935 (Tortricidae)
5264. **Pammene fasciana** (Linnaeus,1761) (Tortricidae)
5265. **Pammene festiva** Kuznetsov,1972 (Tortricidae)
5266. **Pammene gallicolana** (Lienig & Zeller,1846) (Tortricidae)
5267. **Pammene germmana** (Hübner,[1799]) (Tortricidae)
5268. **Pammene insulana** (Guenée,1845) (Tortricidae)
5269. **Pammene luedersiana** (Sorhagen,1885) (Tortricidae)
5270. **Pammene mariana** (Zerny,1920) (Tortricidae)
5271. **Pammene nannodes** Walsingham,1900 (Tortricidae)
5272. **Pammene nigritana** (Mann,1862) (Tortricidae)
5273. **Pammene oxsenheimeriana** (Lienig & Zeller,1846) (Tortricidae)
5274. **Pammene pulchella** Amsel,1935 (Tortricidae)
5275. **Pammene pullana** Kuznetsov,1986 (Tortricidae)
5276. **Pammene regiana** (Zeller,1849) (Tortricidae)
5277. **Pammene rhediella** (Linnaeus,1761) (Tortricidae)
5278. **Pammene splendidulana** (Guenée,1845) (Tortricidae)
5279. **Pammene trauniana** ([Denis & Schiffermüller],1775) (Tortricidae)
5280. **Pamparama acuta** (Freyer,[1837]) (Noctuidae)
5281. **Pancalia leuwenhoekella** (Linnaeus,1761) (Cosmopterigidae)
5282. **Pancalia nodosella** (Bruand,[1850]) (Cosmopterigidae)
5283. **Pancalia schwarzella** (Fabricius,1798) (Cosmopterigidae)
5284. **Panchrysia aurea** (Hübner,[1803]) (Noctuidae)
5285. **Pandemis cerasana** (Hübner,1786) (Tortricidae)
5286. **Pandemis chondrillana** (Herrich-Schäffer,1860) (Tortricidae)
5287. **Pandemis cinnamomeana** (Treitschke,1830) (Tortricidae)
5288. **Pandemis corylana** (Fabricius,1794) (Tortricidae)
5289. **Pandemis dumetana** (Treitschke,1835) (Tortricidae)
5290. **Pandemis heparana** ([Denis & Schiffermüller],1775) (Tortricidae)
5291. **Panemeria tenebrata** (Scopoli,1763) (Noctuidae)
5292. **Panolis flammea** ([Denis & Schiffermüller],1775) (Noctuidae)
5293. **Panstegia aerealis** (Hübner,1793) (Pyrilidae)
5294. **Panstegia limbopunctalis** (Herrich-Schäffer,[1849]) (Pyrilidae)
5295. **Panstegia meciti** Koçak,1987 (Pyrilidae)
5296. **Panthea coenobita** (Esper,1785) (Noctuidae)
5297. **Papestra biren** (Goeze,1781) (Noctuidae)
5298. **Papilio (s.str. (Alexanoria)) alexanor** Esper,[1800] (Papilionidae)
5299. **Papilio (s.str.) machaon** Linnaeus,1758 (Papilionidae)
5300. **Papilio (s.str.) saharae** Oberthür,1879 (Papilionidae)
5301. **Paraboarmia viertlii** (Bohatsch,1883) (Geometridae)
5302. **Paracapperia anatolica** (Caradja,1920) (Pterophoridae)
5303. **Paracentropus cyrus** (Brandt,1938) (Noctuidae)
5304. **Paracolax tristalis** (Fabricius,1794) (Noctuidae)
5305. **Paracorsia ? rudalis** (Zerny,1939) (Pyrilidae)
5306. **Paracorsia repandalis** ([Denis & Schiffermüller],1775) (Pyrilidae)
5307. **Paracossulus thrips** (Hübner,[1818]) (Cossidae)
5308. **Paradarisa consonaria** (Hübner,[1799]) (Geometridae)
5309. **Paradrymonia vittata** (Staudinger,1892) (Notodontidae)
5310. **Paraegle ochracea** (Erschoff,1874) (Noctuidae)
5311. **Paraegle subochracea** (Staudinger,1892) (Noctuidae)
5312. **Paraemporia monotona** Amsel,1951 (Pyrilidae)
5313. **Parahypopta caestrum** (Hübner,[1808]) (Cossidae)
5314. **Paralaodamia difficilis** Balinsky,1994 (Pyrilidae)
5315. **Paralipsa gularis** (Zeller,1877) (Pyrilidae)
5316. **Parallelia algira** (Linnaeus,1767) (Noctuidae)
5317. **Parallelia orbata** Berio,1955 (Noctuidae)
5318. **Parallelia rogenhoferi** (Bohatsch,1880) (Noctuidae)
5319. **Parallelia torrida** (Guenée,1852) (Noctuidae)
5320. **Paramaxillaria meretrix** (Staudinger,1879) (Pyrilidae)

5321. **Paramecyna dimorphalis** Amsel,1961
(Pyrilidae)
5322. **Paramesia gnomana** (Clerck,1759)
(Tortricidae)
5323. **Paranephoterix adelphella** (Fischer v.
Röslerstamm,[1836]) (Pyrilidae)
5324. **Paranthrene diaphana** Dalla-Torre &
Strand,1925 (Sesiidae)
5325. **Paranthrene insolita** Le Cerf,1914
(Sesiidae)
5326. **Paranthrene tabaniformis**
(Rottemburg,1775) (Sesiidae)
5327. **Paraplatyptilia metzneri** (Zeller,1841)
(Pterophoridae)
5328. **Parapodia sinaica** (Frauenfeld,1859)
(Gelechiidae)
5329. **Parapohnyx affinalis** (Guenée,1854)
(Pyrilidae)
5330. **Parapohnyx stratiotatum**
(Linnaeus,1758) (Pyrilidae)
5331. **Pararge aegeria** (Linnaeus,1758)
(Satyridae)
5332. **Pararhodobates syriacus**
(Lederer,1857) (Tineidae)
5333. **Parascotia detersa** (Staudinger,1892)
(Noctuidae)
5334. **Parascotia fuliginaria** (Linnaeus,1761)
(Noctuidae)
5335. **Parascotia robiginosa**
(Staudinger,1892) (Noctuidae)
5336. **Parasefidia benderella** Amsel,1950
(Pyrilidae)
5337. **Parasefidia comeella** (Amsel,1951)
(Pyrilidae)
5338. **Parasefidia khorassanella** (Amsel,1950)
(Pyrilidae)
5339. **Parasemia plantaginis** (Linnaeus,1758)
(Arctiidae)
5340. **Parastenolechia nigrinotella**
(Zeller,1847) (Gelechiidae)
5341. **Parastichtis corticea** (Esper,[1800])
(Noctuidae)
5342. **Parastichtis suspecta** (Hübner,[1817])
(Noctuidae)
5343. **Paraswammerdamia iranella**
Friese,1960 (Yponomeutidae)
5344. **Paraswammerdamia lutarea**
(Haworth,[1828]) (Yponomeutidae)
5345. **Paratalanta cultralis** (Staudinger,1867)
(Pyrilidae)
5346. **Paratalanta hyalinalis** (Hübner,1796)
(Pyrilidae)
5347. **Paratalanta pandalis** (Hübner,[1825])
(Pyrilidae)
5348. **Paratinea irakella** G.Petersen,1959
(Tineidae)
5349. **Paratinea merdella** (Zeller,1847)
(Tineidae)
5350. **Paratinea striaticostella**
G.Petersen,1959 (Tineidae)
5351. **Pardoxia graellsii** (Feisthamel,1837)
(Noctuidae)
5352. **Parectropis similaria** (Hufnagel,1767)
(Geometridae)
5353. **Pareulype berberata** (Fabricius,1787)
(Geometridae)
5354. **Parexarnis ala** (Staudinger,1881)
(Noctuidae)
5355. **Parexarnis damnata** (Draudt,1937)
(Noctuidae)
5356. **Parexarnis figulina** (Draudt,1936)
(Noctuidae)
5357. **Parexarnis obsoleta** (Corti,1933)
(Noctuidae)
5358. **Parexarnis sollers** (Christoph,1877)
(Noctuidae)
5359. **Parexarnis squalida** (Guenée,1852)
(Noctuidae)
5360. **Parexarnis taurica** (Staudinger,1879)
(Noctuidae)
5361. **Parnassius (Driopa) mnemosyne**
(Linnaeus,1758) (Papilionidae)
5362. **Parnassius (Driopa) nordmanni**
[Ménétries],[1850] (Papilionidae)
5363. **Parnassius (s.str.) apollo**
(Linnaeus,1758) (Papilionidae)
5364. **Parocneria audeoudi** (Brandt,1938)
(Lymantriidae)
5365. **Parocneria detrita** (Esper,[1785])
(Lymantriidae)
5366. **Parocneria iranica** (Brandt,1938)
(Lymantriidae)
5367. **Parocneria nora** (Staudinger,1895)
(Lymantriidae)
5368. **Parocneria raddei** (Christoph,1885)
(Lymantriidae)
5369. **Parocneria samarita** (Staudinger,1895)
(Lymantriidae)
5370. **Parocneria terebinthi** (Freyer,[1838])
(Lymantriidae)
5371. **Parocneria terebynthina**
(Staudinger,[1895]) (Lymantriidae)
5372. **Parocneria toelgi** (Rebel,1917)
(Lymantriidae)
5373. **Paropta paradoxus** (Herrich-
Schäffer,1851) (Cossidae)
5374. **Parornix anglicella** (Stainton,1850)
(Gracillariidae)
5375. **Parornix anguliferella** (Zeller,1847)
(Gracillariidae)
5376. **Parornix devoniella** (Stainton,1850)
(Gracillariidae)
5377. **Parornix finitimella** (Zeller,1850)
(Gracillariidae)
5378. **Parornix oculata** Triberti,1979
(Gracillariidae)
5379. **Parornix persicella** Danilevsky,1955
(Gracillariidae)
5380. **Parornix torquillella** (Zeller,1850)
(Gracillariidae)
5381. **Pasiphila chloerata** (Mabille,1870)
(Geometridae)
5382. **Pasiphila debiliata** (Hübner,[1817])
(Geometridae)
5383. **Pasiphila hyrcanica** Viidalepp &
Mironov,2006 (Geometridae)
5384. **Pasiphila rectangulata** (Linnaeus,1758)
(Geometridae)
5385. **Pechipogo strigilata** (Linnaeus,1758)
(Noctuidae)
5386. **Pecteneremus albella** (Amsel,1959)
(Autostichidae)
5387. **Pecteneremus brandti** Gozmany
(Autostichidae)
5388. **Pecteneremus pilatus** Gozmany,1963
(Autostichidae)

5389. **Pectinophora gossypiella** (Saunders,1844) (Gelechiidae)
5390. **Pediasia alcmena** Bleszynski,1965 (Pyrilidae)
5391. **Pediasia aridella** (Thunberg,1788) (Pyrilidae)
5392. **Pediasia aridelloides** Bleszynski,1965 (Pyrilidae)
5393. **Pediasia contaminella** (Hübner,1796) (Pyrilidae)
5394. **Pediasia desertella** (Lederer,1855) (Pyrilidae)
5395. **Pediasia epineura** (Meyrick,1883) (Pyrilidae)
5396. **Pediasia fascelinella** (Hübner,[1813]) (Pyrilidae)
5397. **Pediasia luteella** ([Denis & Schiffermüller],1775) (Pyrilidae)
5398. **Pediasia matricella** (Treitschke,1832) (Pyrilidae)
5399. **Pediasia numidella** (Rebel,1903) (Pyrilidae)
5400. **Pediasia persella** (Toll,1947) (Pyrilidae)
5401. **Pediasia phrygia** Fazekas,1990 (Pyrilidae)
5402. **Pediasia pseudopersella** Bleszynski,1959 (Pyrilidae)
5403. **Pediasia serraticornis** (Hampson,1900) (Pyrilidae)
5404. **Pellonia vibicaria** (Linnaeus,1761) (Geometridae)
5405. **Pelochrista agrestana** (Treitschke,1830) (Tortricidae)
5406. **Pelochrista arabescana** (Eversmann,1844) (Tortricidae)
5407. **Pelochrista caecimaculana** (Hübner,[1799]) (Tortricidae)
5408. **Pelochrista hepatariana** (Herrich-Schäffer,[1851]) (Tortricidae)
5409. **Pelochrista infidana** (Hübner,[1824]) (Tortricidae)
5410. **Pelochrista invisitana** Kuznetsov,1986 (Tortricidae)
5411. **Pelochrista medullana** (Staudinger,1880) (Tortricidae)
5412. **Pelochrista modicana** (Zeller,1847) (Tortricidae)
5413. **Pelochrista mollitana** (Zeller,1847) (Tortricidae)
5414. **Pelochrista prae fractana** (Kennel,1901) (Tortricidae)
5415. **Pelopidas mathias** (Fabricius,1798) (Hesperiidae)
5416. **Pelopidas thrax** (Hübner,[1821]) (Hesperiidae)
5417. **Pelosia muscerda** (Hufnagel,1766) (Arctiidae)
5418. **Pelosia obtusa** Herrich-Schäffer,[1847] (Arctiidae)
5419. **Pelurga comitata** (Linnaeus,1758) (Geometridae)
5420. **Pempelia acrobasella** (Amsel,1950) (Pyrilidae)
5421. **Pempelia alpigenella** (Duponchel,1836) (Pyrilidae)
5422. **Pempelia ambustiella** Ragonot,1887 (Pyrilidae)
5423. **Pempelia amoenella** (Zeller,1848) (Pyrilidae)
5424. **Pempelia argillaceella** (Osthelder,1934) (Pyrilidae)
5425. **Pempelia arimanella** (Amsel,1951) ? (Pyrilidae)
5426. **Pempelia brephiella** (Staudinger,1879) (Pyrilidae)
5427. **Pempelia caspiella** (Amsel,1959) (Pyrilidae)
5428. **Pempelia cirtensis** Ragonot,1890 (Pyrilidae)
5429. **Pempelia coremetella** Amsel (Pyrilidae)
5430. **Pempelia decentella** ? (Ragonot,1887) (Pyrilidae)
5431. **Pempelia diffusa** Staudinger,1881 (Pyrilidae)
5432. **Pempelia formosa** (Haworth,[1811]) (Pyrilidae)
5433. **Pempelia geminella** (Eversmann,1844) (Pyrilidae)
5434. **Pempelia genistella** (Duponchel,1836) (Pyrilidae)
5435. **Pempelia gracilis** Rothschild (Pyrilidae)
5436. **Pempelia intricatella** Ragonot,1887 (Pyrilidae)
5437. **Pempelia johannella** (Caradja,1917) (Pyrilidae)
5438. **Pempelia morosalis** (Saalmüller,1880) (Pyrilidae)
5439. **Pempelia numidella** Ragonot,1890 (Pyrilidae)
5440. **Pempelia obductella** Zeller,1839 (Pyrilidae)
5441. **Pempelia obscurella** (Osthelder,1934) (Pyrilidae)
5442. **Pempelia orcella** Ragonot,1887 (Pyrilidae)
5443. **Pempelia palumbella** ([Denis & Schiffermüller],1775) (Pyrilidae)
5444. **Pempelia placidella** (Zerny,1929) (Pyrilidae)
5445. **Pempelia romanoffella** (Ragonot,1887) (Pyrilidae)
5446. **Pempelia semiusta** Hampson (Pyrilidae)
5447. **Pempelia serratella** (Ragonot,1893) (Pyrilidae)
5448. **Pempelia sordida** Staudinger,1879 (Pyrilidae)
5449. **Pempelia thymiella** Zeller,1846 (Pyrilidae)
5450. **Pempelia tshahabarella** (Amsel,1950) (Pyrilidae)
5451. **Pempeliella dilutella** ([Denis & Schiffermüller],1775) (Pyrilidae)
5452. **Pempeliella ornatella** ([Denis & Schiffermüller],1775) (Pyrilidae)
5453. **Pempeliella sororiella** (Zeller,1839) (Pyrilidae)
5454. **Penestoglossa tauricella** Rebel,1935 (Psychidae)
5455. **Pennisetia hylaeiformis** (Laspeyres,1801) (Sesiidae)
5456. **Perconia strigillaria** (Hübner,1787) (Geometridae)
5457. **Peribatodes correptarius** (Zeller,1847) (Geometridae)

5458. **Peribatodes ilicarius** (Geyer,1833)
(Geometridae)
5459. **Peribatodes rhomboidarius** [Denis & Schiffermüller],1775) (Geometridae)
5460. **Peribatodes secundarius** ([Denis & Schiffermüller],1775) (Geometridae)
5461. **Peribatodes umbrarius** (Hübner,[1809]) (Geometridae)
5462. **Periclepsis cinctana** ([Denis & Schiffermüller],1775) (Tortricidae)
5463. **Pericyma albidentaria** (Freyer,1842) (Noctuidae)
5464. **Pericyma signata** Brandt,1939 (Noctuidae)
5465. **Pericyma squalens** Lederer,1855 (Noctuidae)
5466. **Peridea anceps** (Goeze,1781) (Notodontidae)
5467. **Peridea korbi** (Rebel,1918) (Notodontidae)
5468. **Peridea murina** Kiriakoff,1974 (Notodontidae)
5469. **Peridroma saucia** (Hübner,[1808]) (Noctuidae)
5470. **Perigrapha (Anorthoa) munda** ([Denis & Schiffermüller],1775) (Noctuidae)
5471. **Perigrapha (Opacographa (s.str.)) cilissa** Püngeler,1917 (Noctuidae)
5472. **Perigrapha (Opacographa (s.str.)) mithras** (Wiltshire,1941) (Noctuidae)
5473. **Perigrapha (Opacographa (Turcographa)) mundoides** (Boursin,1940) (Noctuidae)
5474. **Perigrapha (Opacographa (Turcographa)) rorida** (Frivaldsky,1835) (Noctuidae)
5475. **Perigrapha (Opacographa (Turcographa)) wolfi** (Hacker,1988) (Noctuidae)
5476. **Perigrapha (s.str.) i-cinctum** ([Denis & Schiffermüller],1775) (Noctuidae)
5477. **Perigrapha gyuriani** Benedek & L.Ronkay,2001 (Noctuidae)
5478. **Periphanes delphinii** (Linnaeus,1758) (Noctuidae)
5479. **Periphanes victorina** (Sodoffsky,1849) (Noctuidae)
5480. **Perissomastix (Aphrodoxa) cornuta** (G.Petersen,1959) (Tineidae)
5481. **Perissomastix (Aphrodoxa) falcata** G.Petersen,1988 (Tineidae)
5482. **Perissomastix (Aphrodoxa) flava** (G.Petersen,1960) (Tineidae)
5483. **Perissomastix (Aphrodoxa) peterseni** (Amsel,1959) (Tineidae)
5484. **Perissomastix (Aphrodoxa) wiltshirella** (G.Petersen,1964) (Tineidae)
5485. **Perissomastix (s.str.) biskraella** (Rebel,1901) (Tineidae)
5486. **Perissomastix (s.str.) crassicornella** (Zeller,1847) (Tineidae)
5487. **Perissomastix (s.str.) nigriceps** W.Warren & Rothschild,1905 (Tineidae)
5488. **Perissomastix (s.str.) palaestinella** (Amsel,1956) (Tineidae)
5489. **Perissomastix (s.str.) taeniaecornis** (Walsingham,1896) (Tineidae)
5490. **Perittia huemeri** (Traugott-Olsen,1990) (Elachistidae)
5491. **Perittia junnilaisella** Kaila,2009 (Elachistidae)
5492. **Perittia karadaghella** Sinev & Budashkin,1991 (Elachistidae)
5493. **Perittia mucronata** (Parenti,2001) (Elachistidae)
5494. **Perittia ravida** Kaila,2009 (Elachistidae)
5495. **Perizoma albulata** ([Denis & Schiffermüller],1775) (Geometridae)
5496. **Perizoma alchemillata** (Linnaeus,1758) (Geometridae)
5497. **Perizoma bifaciata** (Haworth,1809) (Geometridae)
5498. **Perizoma blandiata** ([Denis & Schiffermüller],1775) (Geometridae)
5499. **Perizoma flavofasciata** (Thunberg,1792) (Geometridae)
5500. **Perizoma gigas** Wiltshire,1976 (Geometridae)
5501. **Perizoma hydrata** (Treitschke,1829) (Geometridae)
5502. **Perizoma lugdunaria** (Herrich-Schäffer,1855) (Geometridae)
5503. **Perizoma onurcani** Can & Mironov,2006 (Geometridae)
5504. **Perizoma parahydrata** Alberti,1969 (Geometridae)
5505. **Perizoma verberata** (Scopoli,1763) (Geometridae)
5506. **Petalographis orientalis** (G.Petersen,1961) (Tineidae)
5507. **Petrophora chlorosata** (Scopoli,1763) (Geometridae)
5508. **Pexicopia malvella** (Hübner,[1805]) (Gelechiidae)
5509. **Phaiogramma etruscaria** (Zeller,1849) (Geometridae)
5510. **Phaiogramma faustinata** (Millière,1868) (Geometridae)
5511. **Phaiogramma polemia** (L.B.Prout,1920) (Geometridae)
5512. **Phalacropteryx bruandi** (Lederer,1855) (Psychidae)
5513. **Phalera bucephala** (Linnaeus,1758) (Notodontidae)
5514. **Phalera bucephaloides** (Ochsenheimer,1810) (Notodontidae)
5515. **Phalonidia acutana** (Kennel,1913) (Tortricidae)
5516. **Phalonidia albipalpana** (Zeller,1847) (Tortricidae)
5517. **Phalonidia amasiana** (Ragonot,1894) (Tortricidae)
5518. **Phalonidia contractana** (Zeller,1847) (Tortricidae)
5519. **Phalonidia manniana** (Fischer v. Röslerstamm,1839) (Tortricidae)
5520. **Phaneta pauperana** (Duponchel,1843) (Tortricidae)
5521. **Phaselia deliciosaria** (Lederer,1855) (Geometridae)
5522. **Phaselia joestleinae** Hausmann,1996 (Geometridae)
5523. **Phaselia serrularia** (Eversmann,1847) (Geometridae)

5524. **Phaulernis fulviguttella** (Zeller,1839)
(Epermeniidae)
5525. **Phengaris arion** (Linnaeus,1758)
(Lycaenidae)
5526. **Phengaris nausithous**
(Bergsträßer,[1779]) (Lycaenidae)
5527. **Phengaris rebeli** (Hirschke,1904)
(Lycaenidae)
5528. **Pheosia grummi** (Christoph,1885)
(Notodontidae)
5529. **Pheosia teheranica** Daniel,1965
(Notodontidae)
5530. **Pheosia tremula** (Linnaeus,1761)
(Notodontidae)
5531. **Phibalapteryx virgata** (Hufnagel,1767)
(Geometridae)
5532. **Phigalia pedaria** (Fabricius,1787)
(Geometridae)
5533. **Philedone gerningana** ([Denis &
Schifferrmüller],1775) (Tortricidae)
5534. **Philereme senescens** (Staudinger,1892)
(Geometridae)
5535. **Philereme transversata**
(Hufnagel,1767) (Geometridae)
5536. **Philereme vetulata** ([Denis &
Schifferrmüller],1775) (Geometridae)
5537. **Phleboeis sureyae** (Rebel,1931)
(Noctuidae)
5538. **Phlogophora meticulosa**
(Linnaeus,1758) (Noctuidae)
5539. **Phlogophora scita** (Hübner,1790)
(Noctuidae)
5540. **Phlyctaenia coronata** (Hufnagel,1767)
(Pyalidae)
5541. **Phlyctaenia perlucidalis**
(Hübner,[1809]) (Pyalidae)
5542. **Phlyctaenomorpha sinuosalis** (Le
Cerf,1910) (Pyalidae)
5543. **Phoebophilus veternosa**
(Püngeler,1907) (Noctuidae)
5544. **Photedes captiuncula** (Treitschke,1825)
(Noctuidae)
5545. **Photedes delattini** (Wiltshire,1953)
(Noctuidae)
5546. **Photedes extrema** (Hübner,[1809])
(Noctuidae)
5547. **Photedes fluxa** (Hübner,[1809])
(Noctuidae)
5548. **Photoscotosia antitypa** Brandt,1941
(Geometridae)
5549. **Phragmacossia albida** (Erschoff,1874)
(Cossidae)
5550. **Phragmacossia libani** Daniel,1933
(Cossidae)
5551. **Phragmacossia tigrisia** Schawerda,1924
(Cossidae)
5552. **Phragmataecia castaneae**
(Hübner,1790) (Cossidae)
5553. **Phragmataecia territa** Staudinger,1878
(Cossidae)
5554. **Phragmatobia fuliginosa**
(Linnaeus,1758) (Arctiidae)
5555. **Phragmatobia placida**
(Frivaldsky,1835) (Arctiidae)
5556. **Phtheochroa chalcantha** (Meyrick,1912)
(Tortricidae)
5557. **Phtheochroa decipiens**
(Walsingham,1900) (Tortricidae)
5558. **Phtheochroa dodrantaria**
Razowski,1970 (Tortricidae)
5559. **Phtheochroa duponchelana**
(Duponchel,1843) (Tortricidae)
5560. **Phtheochroa imitana** Derra,1991
(Tortricidae)
5561. **Phtheochroa jerichoana** (Amsel,1935)
(Tortricidae)
5562. **Phtheochroa larseni** Huemer,1990
(Tortricidae)
5563. **Phtheochroa osthelderi** Huemer,1990
(Tortricidae)
5564. **Phtheochroa procerana** (Lederer,1853)
(Tortricidae)
5565. **Phtheochroa purana** (Guenée,1845)
(Tortricidae)
5566. **Phtheochroa purissima**
(Osthelder,1938) (Tortricidae)
5567. **Phtheochroa rugosana** (Hübner,[1799])
(Tortricidae)
5568. **Phtheochroa schreibersiana**
(Frölich,1828) (Tortricidae)
5569. **Phtheochroa schreieri** Derra,1991
(Tortricidae)
5570. **Phtheochroa sodaliana** (Haworth,1811)
(Tortricidae)
5571. **Phtheochroa syrtana** (Ragonot,1888)
(Tortricidae)
5572. **Phtheochroa thiana** Staudinger,[1900]
(Tortricidae)
5573. **Phtheochroa unionana** (Kennel,1900)
(Tortricidae)
5574. **Phtheochroa variolosana**
(Christoph,1887) (Tortricidae)
5575. **Phycita ardekanella** Amsel,1950
(Pyalidae)
5576. **Phycita balutschistanella** Amsel,1950
(Pyalidae)
5577. **Phycita comeella** Amsel,1950 (Pyalidae)
5578. **Phycita coronatella** (Guenée,1845)
(Pyalidae)
5579. **Phycita diaphana** (Staudinger,1870)
(Pyalidae)
5580. **Phycita eremica** Amsel,1935 (Pyalidae)
5581. **Phycita kurdistanella** Amsel,1953
(Pyalidae)
5582. **Phycita macrodontella** (Ragonot,1887)
(Pyalidae)
5583. **Phycita meliella** (Mann,1864) (Pyalidae)
5584. **Phycita metzneri** (Zeller,1846)
(Pyalidae)
5585. **Phycita mianella** Amsel,1950 (Pyalidae)
5586. **Phycita pedisignella** Ragonot,1887
(Pyalidae)
5587. **Phycita poteriella** (Zeller,1846)
(Pyalidae)
5588. **Phycita roborella** ([Denis &
Schifferrmüller],1775) (Pyalidae)
5589. **Phycita strigata** (Staudinger,1879)
(Pyalidae)
5590. **Phycita taftanella** Amsel,1950 (Pyalidae)
5591. **Phycitodes albatella** (Ragonot,1887)
(Pyalidae)
5592. **Phycitodes albiovittella** (Ragonot,1888)
(Pyalidae)
5593. **Phycitodes binaevella** (Hübner,[1813])
(Pyalidae)

5594. **Phycitodes binaloudella** (Amsel,1961)
(Pyrilidae)
5595. **Phycitodes carlinella**
(Heinemann,1865) (Pyrilidae)
5596. **Phycitodes inquinatella** (Ragonot,1887)
(Pyrilidae)
5597. **Phycitodes lacteella** (Rothschild,1915)
(Pyrilidae)
5598. **Phycitodes nigrilimbella**
(Ragonot,1887) (Pyrilidae)
5599. **Phycitodes popescugorji** (Roesler,1967)
(Pyrilidae)
5600. **Phycitodes saxicola** (Vaughan,1870)
(Pyrilidae)
5601. **Phycitodes tenella** (Amsel,1935)
(Pyrilidae)
5602. **Phycodes chalcocrossa** Meyrick,1909
(Brachodidae)
5603. **Phycodes radiata** (Ochsenheimer,1808)
(Brachodidae)
5604. **Phyllobrostis (s.str.) farsensis**
Mey,2006 (Lyonetiidae)
5605. **Phyllocnistis citrella** Stainton,1856
(Gracillariidae)
5606. **Phyllocnistis saligna** (Zeller,1839)
(Gracillariidae)
5607. **Phyllocnistis unipunctella**
(Stephens,1834) (Gracillariidae)
5608. **Phylloidesma (s.str.) farahae**
Lajonquière,1963 (Lasiocampidae)
5609. **Phylloidesma (s.str.) glasunowi** Groum-
Grshimailo,1895 (Lasiocampidae)
5610. **Phylloidesma (s.str.) tremulifolium**
(Hübner,[1810]) (Lasiocampidae)
5611. **Phylloметра culminaria**
(Eversmann,1843) (Geometridae)
5612. **Phyllonorycter abrasella**
(Duponchel,1843) (Gracillariidae)
5613. **Phyllonorycter acaciella**
(Duponchel,1843) (Gracillariidae)
5614. **Phyllonorycter acerifoliella**
(Zeller,1839) (Gracillariidae)
5615. **Phyllonorycter anatolica**
(Deschka,1970) (Gracillariidae)
5616. **Phyllonorycter armeniella**
(Kuznetsov,1958) (Gracillariidae)
5617. **Phyllonorycter belotella**
(Staudinger,1859) (Gracillariidae)
5618. **Phyllonorycter blancardella**
(Fabricius,1781) (Gracillariidae)
5619. **Phyllonorycter corylifoliella**
(Hübner,1796) (Gracillariidae)
5620. **Phyllonorycter deleta**
(Staudinger,1880) (Gracillariidae)
5621. **Phyllonorycter emberizaepennella**
(Bouché,1834) (Gracillariidae)
5622. **Phyllonorycter esperella** (Goeze,1783)
(Gracillariidae)
5623. **Phyllonorycter flava** Deschka,1975
(Gracillariidae)
5624. **Phyllonorycter fraxinella** (Zeller,1846)
(Gracillariidae)
5625. **Phyllonorycter gerasimovi**
(M.Hering,1930) (Gracillariidae)
5626. **Phyllonorycter harrisella**
(Linnaeus,1761) (Gracillariidae)
5627. **Phyllonorycter helianthemella**
(Herrich-Schäffer,1861) (Gracillariidae)
5628. **Phyllonorycter iranica** Deschka,1979
(Gracillariidae)
5629. **Phyllonorycter kleemannella**
(Fabricius,1781) (Gracillariidae)
5630. **Phyllonorycter kuhlweiniella**
(Zeller,1839) (Gracillariidae)
5631. **Phyllonorycter kusdasi** (Deschka,1970)
(Gracillariidae)
5632. **Phyllonorycter lantanella**
(Schrank,1802) (Gracillariidae)
5633. **Phyllonorycter lautella** (Zeller,1846)
(Gracillariidae)
5634. **Phyllonorycter libanotica**
(Deschka,1972) (Gracillariidae)
5635. **Phyllonorycter macrantherella**
(Kuznetsov,1961) (Gracillariidae)
5636. **Phyllonorycter maestingella**
(Müller,1764) (Gracillariidae)
5637. **Phyllonorycter mannii** (Zeller,1846)
(Gracillariidae)
5638. **Phyllonorycter mespilella**
(Hübner,[1805]) (Gracillariidae)
5639. **Phyllonorycter messaniella**
(Zeller,1846) (Gracillariidae)
5640. **Phyllonorycter millierella**
(Staudinger,1871) (Gracillariidae)
5641. **Phyllonorycter muelleriella**
(Zeller,1839) (Gracillariidae)
5642. **Phyllonorycter nivalis** Deschka,1986
(Gracillariidae)
5643. **Phyllonorycter oxyacanthae**
(Frey,1855) (Gracillariidae)
5644. **Phyllonorycter platani**
(Staudinger,1870) (Gracillariidae)
5645. **Phyllonorycter populifoliella**
(Treitschke,1833) (Gracillariidae)
5646. **Phyllonorycter pyrispinosae**
Deschka,1986 (Gracillariidae)
5647. **Phyllonorycter quercifoliella**
(Zeller,1839) (Gracillariidae)
5648. **Phyllonorycter quercus** (Amsel &
Hering,1931) (Gracillariidae)
5649. **Phyllonorycter roboris** (Zeller,1839)
(Gracillariidae)
5650. **Phyllonorycter schreberella**
(Fabricius,1781) (Gracillariidae)
5651. **Phyllonorycter spinicolella**
(Zeller,1846) (Gracillariidae)
5652. **Phyllonorycter trifasciella**
(Haworth,[1828]) (Gracillariidae)
5653. **Phyllonorycter turanica**
(Gerasimov,1931) (Gracillariidae)
5654. **Phyllophila melacheila**
(Staudinger,1896) (Noctuidae)
5655. **Phyllophila obliterated** (Rambur,1833)
(Noctuidae)
5656. **Phytometra viridaria** (Clerck,1759)
(Noctuidae)
5657. **Pieris (Artogeia) bowdeni**
Eitschberger,[1984] (Pieridae)
5658. **Pieris (Artogeia) bryoniae**
(Hübner,[1804]) (Pieridae)
5659. **Pieris (Artogeia) ergane** (Geyer,[1828])
(Pieridae)
5660. **Pieris (Artogeia) krueperi**
Staudinger,1860 (Pieridae)
5661. **Pieris (Artogeia) mannii** (Mayer,1851)
(Pieridae)

5662. **Pieris (Artogeia) persis** Verity,1922
(Pieridae)
5663. **Pieris (Artogeia) pseudorapae**
Verity,1908 (Pieridae)
5664. **Pieris (Artogeia) rapae** (Linnaeus,1758)
(Pieridae)
5665. **Pieris (s.str.) brassicae** (Linnaeus,1758)
(Pieridae)
5666. **Pieris (s.str.) brassicae brassicae**
(Linnaeus,1758) (Pieridae)
5667. **Pima boisduvaliella** (Guenée,1845)
(Pyrilidae)
5668. **Pingasa lahaye**i (Oberthür,1887)
(Geometridae)
5669. **Pingasa multispurcata** L.B.Prout,1913
(Geometridae)
5670. **Piniphila bifasciana** (Haworth,1811)
(Tortricidae)
5671. **Placodoma palaestinella** (Rebel,1902)
(Psychidae)
5672. **Plagodis pulveraria** (Linnaeus,1758)
(Geometridae)
5673. **Platyedra bathrosticta** (Meyrick,1936)
(Gelechiidae)
5674. **Platyedra subcinerea** (Haworth,[1828])
(Gelechiidae)
5675. **Platyptilia calodactyla** ([Denis &
Schifferrmüller],1775) (Pterophoridae)
5676. **Platyptilia chondrodactyla**
Caradja,1920 (Pterophoridae)
5677. **Platyptilia farfarella** Zeller,1867
(Pterophoridae)
5678. **Platyptilia gonodactyla** ([Denis &
Schifferrmüller],1775) (Pterophoridae)
5679. **Platyptilia irakella** Amsel,1959
(Pterophoridae)
5680. **Platyptilia tetradactyla** (Linnaeus,1758)
(Pterophoridae)
5681. **Plebejus (Kretania) carmon**
(Gerhard,[1851]) (Lycaenidae)
5682. **Plebejus (Kretania) iranicus**
(Forster,1938) (Lycaenidae)
5683. **Plebejus (Lycaeides) argyrognomon**
(Bergsträßer,[1779]) (Lycaenidae)
5684. **Plebejus (Lycaeides) christophi**
(Staudinger,1874) (Lycaenidae)
5685. **Plebejus (Lycaeides) idas**
(Linnaeus,1761) (Lycaenidae)
5686. **Plebejus (Lycaeides) maracandicus**
(Erschoff,1874) (Lycaenidae)
5687. **Plebejus (Plebejides) modicus**
Verity,1935 (Lycaenidae)
5688. **Plebejus (Plebejides) nichollae**
(Elwes,1901) (Lycaenidae)
5689. **Plebejus (Plebejides) philbyi**
Graves,1925 (Lycaenidae)
5690. **Plebejus (Plebejides) sephirus**
(Frivaldszky,1835) (Lycaenidae)
5691. **Plebejus (Plebejides) zephyrinus**
(Christoph,1884) (Lycaenidae)
5692. **Plebejus (s.str.) argus** (Linnaeus,1758)
(Lycaenidae)
5693. **Plecoptera inquinata** (Lederer,1857)
(Noctuidae)
5694. **Plecoptera reflexa** Guenée,1852
(Noctuidae)
5695. **Plemyria rubiginata** ([Denis &
Schifferrmüller],1775) (Geometridae)
5696. **Pleuroptya balteata** (Fabricius,1798)
(Pyrilidae)
5697. **Pleuroptya ruralis** (Scopoli,1763)
(Pyrilidae)
5698. **Pleurota amaniella** Mann,1873
(Oecophoridae)
5699. **Pleurota aristella** (Linnaeus,1767)
(Oecophoridae)
5700. **Pleurota armeniella** Caradja,1920
(Oecophoridae)
5701. **Pleurota bicostella** (Clerck,1759)
(Oecophoridae)
5702. **Pleurota christophi** Lvovskiy,1993
(Oecophoridae)
5703. **Pleurota contristatella** Mann,1867
(Oecophoridae)
5704. **Pleurota delattinia** H.Back,1973
(Oecophoridae)
5705. **Pleurota elegans** Stainton,1867
(Oecophoridae)
5706. **Pleurota eremica** H.Back,1973
(Oecophoridae)
5707. **Pleurota ericella** (Duponchel,1839)
(Oecophoridae)
5708. **Pleurota eximia** Lederer,1861
(Oecophoridae)
5709. **Pleurota generosella** Rebel,1900
(Oecophoridae)
5710. **Pleurota gnathella** H.Back,1973
(Oecophoridae)
5711. **Pleurota indecorella** Rebel,1917
(Oecophoridae)
5712. **Pleurota irakella** Amsel,1959
(Oecophoridae)
5713. **Pleurota issicella** Staudinger,1880
(Oecophoridae)
5714. **Pleurota kerbelella** Amsel,1949
(Oecophoridae)
5715. **Pleurota largella** Lederer,1855
(Oecophoridae)
5716. **Pleurota lineata** Toll,1947 (Oecophoridae)
5717. **Pleurota malatya** H.Back,1973
(Oecophoridae)
5718. **Pleurota media** H.Back,1973
(Oecophoridae)
5719. **Pleurota metricella** (Zeller,1847)
(Oecophoridae)
5720. **Pleurota montalbella** Zerny,1934
(Oecophoridae)
5721. **Pleurota persica** H.Back,1973
(Oecophoridae)
5722. **Pleurota platyrrhoa** Meyrick,1923
(Oecophoridae)
5723. **Pleurota proteella** Staudinger,1880
(Oecophoridae)
5724. **Pleurota pungitiella** Herrich-
Schäffer,[1854] (Oecophoridae)
5725. **Pleurota pyropella** ([Denis &
Schifferrmüller],1775) (Oecophoridae)
5726. **Pleurota semiticella** Amsel,1959
(Oecophoridae)
5727. **Pleurota simplex** Staudinger,1880
(Oecophoridae)
5728. **Pleurota sparella** (Lederer,1855)
(Oecophoridae)
5729. **Pleurota sublustrella** (Mann,1872)
(Oecophoridae)

5730. **Pleurota subpyropella** Staudinger,1880 (Oecophoridae)
5731. **Pleurota syriaca** Staudinger,1880 (Oecophoridae)
5732. **Pleurota tetrargyra** Meyrick,1928 (Oecophoridae)
5733. **Pleurota tristatella** Staudinger,1871 (Oecophoridae)
5734. **Pleurota tristictella** Seebold,1898 (Oecophoridae)
5735. **Pleurota wiltshirei** Amsel,1949 (Oecophoridae)
5736. **Plodia interpunctella** (Hübner,[1813]) (Pyrilidae)
5737. **Plusia festucae** (Linnaeus,1758) (Noctuidae)
5738. **Plusidia cheiranthi** (Tauscher,1809) (Noctuidae)
5739. **Plutella (Anadetia) porrectella** (Linnaeus,1758) (Yponomeutidae)
5740. **Plutella (s.str.) xylostella** (Linnaeus,1758) (Yponomeutidae)
5741. **Poecilocampa alpina** (Frey & Wullschlegel,1874) (Lasiocampidae)
5742. **Pogochaetia ocyroidella** Walsingham,1900 (Gelechiidae)
5743. **Pogochaetia solitaria** Staudinger,1879 (Gelechiidae)
5744. **Polia bombycina** (Hufnagel,1766) (Noctuidae)
5745. **Polia nebulosa** (Hufnagel,1766) (Noctuidae)
5746. **Polia sagittigera** (Hufnagel,1766) (Noctuidae)
5747. **Polia serratilinea** Ochsenheimer,1816 (Noctuidae)
5748. **Polychrysis moneta** (Fabricius,1787) (Noctuidae)
5749. **Polygonia (Comma) c-album** (Linnaeus,1758) (Argynnididae)
5750. **Polygonia (Comma) egea** (Cramer,[1775]) (Argynnididae)
5751. **Polyhymno abaiella** Amsel,1974 (Gelechiidae)
5752. **Polymitia eximipalpella** (Gerasimov,1930) (Gracillariidae)
5753. **Polymitia laristana** Triberti,1986 (Gracillariidae)
5754. **Polymixis (Bischoffia) apora** (Staudinger,1898) (Noctuidae)
5755. **Polymixis (Bischoffia) bischoffi** (Herrich-Schäffer,1850) (Noctuidae)
5756. **Polymixis (Brandticola) dubiosa** (Brandt,1938) (Noctuidae)
5757. **Polymixis (Eremophysa) apothaina** (Brandt,1938) (Noctuidae)
5758. **Polymixis (Eremophysa) epiphlebs** (Turati & C.G.Krüger,1936) (Noctuidae)
5759. **Polymixis (Eremophysa) gracilis** (Brandt,1941) (Noctuidae)
5760. **Polymixis (Eremophysa) hedygramma** (Brandt,1941) (Noctuidae)
5761. **Polymixis (Eremophysa) scrophulariae** (Wiltshire,1952) (Noctuidae)
5762. **Polymixis (Eumichtis) lea** (Staudinger,1898) (Noctuidae)
5763. **Polymixis (Eumichtis) pirkadatka** L.Ronkay & Gyulai,2006 (Noctuidae)
5764. **Polymixis (Myxinia) chrysographa** (F.Wagner,1931) (Noctuidae)
5765. **Polymixis (Myxinia) perchrysa** Hacker & Ronkay,1992 (Noctuidae)
5766. **Polymixis (Myxinia) philippsi** (Püngeler,1911) (Noctuidae)
5767. **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae)
5768. **Polymixis (Parabrachionycha) atossa** (Wiltshire,1941) (Noctuidae)
5769. **Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae)
5770. **Polymixis (s.str.) ancepsoides** Poole,1989 (Noctuidae)
5771. **Polymixis (s.str.) juditha** (Staudinger,1898) (Noctuidae)
5772. **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae)
5773. **Polymixis (s.str.) paravarga** Ronkay,1990 (Noctuidae)
5774. **Polymixis (s.str.) polymita** (Linnaeus,1761) (Noctuidae)
5775. **Polymixis (s.str.) rebecca** (Staudinger,1892) (Noctuidae)
5776. **Polymixis (s.str.) rjabovi** (Boursin,1944) (Noctuidae)
5777. **Polymixis (s.str.) rosinae** (Bohatsch,1909) (Noctuidae)
5778. **Polymixis (s.str.) subvenusta** (Püngeler,1906) (Noctuidae)
5779. **Polymixis (s.str.) xanthomista** (Hübner,[1819]) (Noctuidae)
5780. **Polymixis (s.str.) zagrobia** (Wiltshire,1941) (Noctuidae)
5781. **Polymixis (Serpmixis) serpentina** (Treitschke,1825) (Noctuidae)
5782. **Polymixis aphrodite** Fibiger,1997 (Noctuidae)
5783. **Polymixis crinomima** (Wiltshire,1946) (Noctuidae)
5784. **Polymixis fibrillata** L.Ronkay & Gyulai,2006 (Noctuidae)
5785. **Polymona aboleta** (Staudinger,1895) (Lymantriidae)
5786. **Polymona amabilis** (Christoph,1887) (Lymantriidae)
5787. **Polymona daraba** (Wiltshire,1952) (Lymantriidae)
5788. **Polymona destituta** (Staudinger,1892) (Lymantriidae)
5789. **Polymona griseipennis** (Kozhantshikov,1950) (Lymantriidae)
5790. **Polymona komarovi** (Christoph,1882) (Lymantriidae)
5791. **Polymona lapidicola** (Herrich-Schäffer,[1852]) (Lymantriidae)
5792. **Polyocha cremoricosta** Ragonot,1895 (Pyrilidae)
5793. **Polyocha venosa** (Zeller,1847) (Pyrilidae)
5794. **Polyommatus (Agriades (s.str.)) aegagrus** (Christoph,1873) (Lycaenidae)
5795. **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval,1840) (Lycaenidae)
5796. **Polyommatus (Albulina (Plebejidea)) afshar** (Eckweiler,1998) (Lycaenidae)

5797. **Polyommatus (Albulina (Plebejidea) callaghani (Carbonell & Naderi,2007)** (Lycaenidae)
5798. **Polyommatus (Albulina (Plebejidea) ferganus (Staudinger,1881)** (Lycaenidae)
5799. **Polyommatus (Albulina (Plebejidea) loewii (Zeller,1847)** (Lycaenidae)
5800. **Polyommatus (Albulina (Plebejidea) miris (Staudinger,1881)** (Lycaenidae)
5801. **Polyommatus (Albulina (Plebejidea) rosei (Eckweiler,1989)** (Lycaenidae)
5802. **Polyommatus (Albulina (Vacciniina) alcedo (Christoph,1877)** (Lycaenidae)
5803. **Polyommatus (Albulina (Vacciniina) morgianus (Kirby,1871)** (Lycaenidae)
5804. **Polyommatus (Albulina (Vacciniina) sieversii (Christoph,1873)** (Lycaenidae)
5805. **Polyommatus (Albulina (Vacciniina) vaneki (Weidenhoffer & Klir,2000)** (Lycaenidae)
5806. **Polyommatus (Aricia (Eumedonia) eumedon (Esper,[1780])** (Lycaenidae)
5807. **Polyommatus (Aricia (Pseudoaricia) hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae)
5808. **Polyommatus (Aricia (Pseudoaricia) isauricus (Staudinger,1871)** (Lycaenidae)
5809. **Polyommatus (Aricia (Pseudoaricia) teberdinus (Sheljuzhko,1934)** (Lycaenidae)
5810. **Polyommatus (Aricia (Pseudoaricia) torulensis Hesselbarth & Siepe,1993** (Lycaenidae)
5811. **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae)
5812. **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae)
5813. **Polyommatus (Aricia (Ultraaricia) anterus (Freyer,[1838])** (Lycaenidae)
5814. **Polyommatus (Aricia (Ultraaricia) bassoni (T.Larsen,1974)** (Lycaenidae)
5815. **Polyommatus (Aricia (Ultraaricia) crassipunctus (Christoph,1893)** (Lycaenidae)
5816. **Polyommatus (Aricia (Ultraaricia) vandarbani (Pfeiffer,1937)** (Lycaenidae)
5817. **Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer,[1851])** (Lycaenidae)
5818. **Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997)** (Lycaenidae)
5819. **Polyommatus (s.str. (Agrodiaetus (Actisia))) bilgini (Dantchenko & Lukhtanov,2002)** (Lycaenidae)
5820. **Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998)** (Lycaenidae)
5821. **Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae)
5822. **Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002)** (Lycaenidae)
5823. **Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae)
5824. **Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)** (Lycaenidae)
5825. **Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000** (Lycaenidae)
5826. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae)
5827. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae)
5828. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus (Brandt,1938)** (Lycaenidae)
5829. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae)
5830. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae)
5831. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae)
5832. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae)
5833. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) khorasanensis (Carbonell,2001)** (Lycaenidae)
5834. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) paulae Wiemers & De Prins,2004** (Lycaenidae)
5835. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae)
5836. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) urmiaensis Schurian & Ten Hagen,2003** (Lycaenidae)
5837. **Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi (Rose & Schurian,[1978])** (Lycaenidae)
5838. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae)
5839. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae)
5840. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae)
5841. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae)
5842. **Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani (Le Cerf,[1910])** (Lycaenidae)
5843. **Polyommatus (s.str. (Agrodiaetus (Damaia))) dama (Staudinger,[1892])** (Lycaenidae)
5844. **Polyommatus (s.str. (Agrodiaetus (Damaia))) deebi (T.Larsen,1974)** (Lycaenidae)
5845. **Polyommatus (s.str. (Agrodiaetus (Damaia))) hamadanensis (De Lesse,1959)** (Lycaenidae)
5846. **Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851])** (Lycaenidae)

5847. **Polyommatus (s.str. (Agrodiaetus (Damaia))) larseni** (Carbonell,1994) (Lycaenidae)
5848. **Polyommatus (s.str. (Agrodiaetus (Damaia))) lycius** (Carbonell,1996) (Lycaenidae)
5849. **Polyommatus (s.str. (Agrodiaetus (Damaia))) poseidon** (Herrich-Schäffer,[1851]) (Lycaenidae)
5850. **Polyommatus (s.str. (Agrodiaetus (Damaia))) sennanensis** (De Lesse,1959) (Lycaenidae)
5851. **Polyommatus (s.str. (Agrodiaetus (Damaia))) theresiae** Schurian et al.,1992 (Lycaenidae)
5852. **Polyommatus (s.str. (Agrodiaetus (Juldus))) faramarzii** Skala,2001 (Lycaenidae)
5853. **Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides** (Staudinger,1886) (Lycaenidae)
5854. **Polyommatus (s.str. (Agrodiaetus (Juldus))) shahrami** Skala,2001 (Lycaenidae)
5855. **Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis** (De Lesse,1963) (Lycaenidae)
5856. **Polyommatus (s.str. (Agrodiaetus (Musa))) erzindjanensis** (Carbonell,2002) (Lycaenidae)
5857. **Polyommatus (s.str. (Agrodiaetus (Musa))) maraschi** (Forster,1956) (Lycaenidae)
5858. **Polyommatus (s.str. (Agrodiaetus (Musa))) musa** Koçak & Hosseinpour,1996 (Lycaenidae)
5859. **Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi** (Brandt,1938) (Lycaenidae)
5860. **Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri** (Forster,1956) (Lycaenidae)
5861. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi** (De Lesse,1962) (Lycaenidae)
5862. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra** Evans,1932 (Lycaenidae)
5863. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri** Ten Hagen,1998 (Lycaenidae)
5864. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii** (Lederer,1869) (Lycaenidae)
5865. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias** (Lederer,1871) (Lycaenidae)
5866. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausschuriani** Ten Hagen,1999 (Lycaenidae)
5867. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) sephidarensis** Karbalaye,2008 (Lycaenidae)
5868. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis** Ten Hagen & Eckweiler,2001 (Lycaenidae)
5869. **Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni** Schurian & Eckweiler,1999 (Lycaenidae)
5870. **Polyommatus (s.str. (Agrodiaetus (Peileia))) peilei** (Bethune-Baker,1921) (Lycaenidae)
5871. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi** (De Lesse,1959) (Lycaenidae)
5872. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius** Eckweiler & Ten Hagen,1998 (Lycaenidae)
5873. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim** Koçak & Kemal,2001 (Lycaenidae)
5874. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon** Eckweiler & Rose,1993 (Lycaenidae)
5875. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon** (Staudinger,1899) (Lycaenidae)
5876. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia** (Herrich-Schäffer,[1847]) (Lycaenidae)
5877. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii** (De Lesse,1963) (Lycaenidae)
5878. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis** (Christoph,1877) (Lycaenidae)
5879. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus** (Christoph,1877) (Lycaenidae)
5880. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani** Dantchenko & Lukhtanov,1994 (Lycaenidae)
5881. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri** (De Lesse,1960) (Lycaenidae)
5882. **Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis** (De Lesse,1957) (Lycaenidae)
5883. **Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles** (Herrich-Schäffer,[1844]) (Lycaenidae)
5884. **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon** ([Denis & Schiffermüller],1775) (Lycaenidae)
5885. **Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli** (Dantchenko & Lukhtanov,2002) (Lycaenidae)
5886. **Polyommatus (s.str. (Agrodiaetus (s.str.))) putnami** (Dantchenko & Lukhtanov,2002) (Lycaenidae)
5887. **Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi** (Brandt,1938) (Lycaenidae)
5888. **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) altivagans** (Forster,1956) (Lycaenidae)
5889. **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) anticarmon** (Koçak,1983) (Lycaenidae)
5890. **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) arasbarani** (Carbonell & Naderi,2000) (Lycaenidae)
5891. **Polyommatus (s.str. (Agrodiaetus (Transcaspium))) aserbeidschanus** (Forster,1956) (Lycaenidae)

5892. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) caeruleus (Staudinger,1871)** (Lycaenidae)
5893. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) dizinensis (Schurian,1982)** (Lycaenidae)
5894. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) elbursicus (Forster,1956)** (Lycaenidae)
5895. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) eurypilos (Gerhard,[1851])** (Lycaenidae)
5896. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) guezelmavi Olivier et al.,1999** (Lycaenidae)
5897. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) huberti (Carbonell,1993)** (Lycaenidae)
5898. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) kendeveni (Forster,1956)** (Lycaenidae)
5899. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) ninae (Forster,1956)** (Lycaenidae)
5900. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) pierceae (Lukhtanov & Dantchenko,2002)** (Lycaenidae)
5901. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) schuriani (Rose,1978)** (Lycaenidae)
5902. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae)
5903. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) transcaspicus (Heyne,[1895])** (Lycaenidae)
5904. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) turcicola (Koçak,1977)** (Lycaenidae)
5905. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) turcicus (Koçak,1977)** (Lycaenidae)
5906. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) zapvadi (Carbonell,1993)** (Lycaenidae)
5907. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) zarathustra Eckweiler,1997** (Lycaenidae)
5908. **Polyommatus (s.str. (Agrodiaetus (Transcaspius))) zardensis Schurian & Ten Hagen,2001** (Lycaenidae)
5909. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze (Carbonell,2000)** (Lycaenidae)
5910. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae)
5911. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins,1991** (Lycaenidae)
5912. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) shahkuhensis V.Lukhtanov, Shapoval & Dantchenko,2008** (Lycaenidae)
5913. **Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes (Staudinger,1899)** (Lycaenidae)
5914. **Polyommatus (s.str. (Agrodiaetus)) cilicinus (Charmieux,2008)** (Lycaenidae)
5915. **Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)** (Lycaenidae)
5916. **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae)
5917. **Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae)
5918. **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae)
5919. **Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae)
5920. **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae)
5921. **Polyommatus (s.str. (Lysandra)) dezinus Freina & Witt,1983** (Lycaenidae)
5922. **Polyommatus (s.str. (Lysandra)) ossmar (Gerhard,[1851])** (Lycaenidae)
5923. **Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae)
5924. **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae)
5925. **Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae)
5926. **Polyommatus (s.str. (Neolysandra)) coronus (Verity,1936)** (Lycaenidae)
5927. **Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae)
5928. **Polyommatus (s.str. (Neolysandra)) ellisoni (Pfeiffer,1931)** (Lycaenidae)
5929. **Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae)
5930. **Polyommatus (s.str. (Neolysandra)) fereiduna Skala,2002** (Lycaenidae)
5931. **Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae)
5932. **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae)
5933. **Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])** (Lycaenidae)
5934. **Polyommatus (s.str. (Sublysandria)) aedon (Christoph,1877)** (Lycaenidae)
5935. **Polyommatus (s.str. (Sublysandria)) cornelius (Freyer,[1850])** (Lycaenidae)
5936. **Polyommatus (s.str. (Sublysandria)) isauricoides (Graves,1923)** (Lycaenidae)
5937. **Polyommatus (s.str. (Sublysandria)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae)
5938. **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae)
5939. **Polyommatus (s.str.) bollandi Dumont,1998** (Lycaenidae)
5940. **Polyommatus (s.str.) buzulmavi Carbonell,1991** (Lycaenidae)
5941. **Polyommatus (s.str.) ciloicus De Freina & Witt,1983** (Lycaenidae)
5942. **Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae)
5943. **Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae)
5944. **Polyommatus (s.str.) erotulus Nekrutenko,1985** (Lycaenidae)
5945. **Polyommatus (s.str.) forsteri (Pfeiffer,1938)** (Lycaenidae)

5946. **Polyommatus (s.str.) icarus**
(**Rottemburg,1775**) (Lycaenidae)
5947. **Polyommatus (s.str.) juno**
Hemming,1933 (Lycaenidae)
5948. **Polyommatus (s.str.) persicus**
(**Bienert,1870**) (Lycaenidae)
5949. **Polyphaenis monophaenis Brandt,1938**
(Noctuidae)
5950. **Polyphaenis propinqua**
Staudinger,1895 (Noctuidae)
5951. **Polyphaenis viridis (De Villers,1789)**
(Noctuidae)
5952. **Polyploca korbi Rebel,1901** (Thyatiridae)
5953. **Polygogon lunalis (Scopoli,1763)**
(Noctuidae)
5954. **Polygogon plumigeralis**
(**Hübner,[1825]**) (Noctuidae)
5955. **Polygogon schwingenschussi**
(**Wagner,1937**) (Noctuidae)
5956. **Polygogon tentacularia**
(**Linnaeus,1758**) (Noctuidae)
5957. **Polygogon zelleralis (Wocke,1850)**
(Noctuidae)
5958. **Polytela cliens (R.Felder &**
Rogenhofer,1874) (Noctuidae)
5959. **Pontia callidice (Hübner,[1800])**
(Pieridae)
5960. **Pontia chloridice (Hübner,[1813])**
(Pieridae)
5961. **Pontia daplidice (Linnaeus,1758)**
(Pieridae)
5962. **Pontia edusa (Fabricius,1777)** (Pieridae)
5963. **Pontia glauconome Klug,1829** (Pieridae)
5964. **Porritia galactodactyla ([Denis &**
Schiffmüller],1775) (Pterophoridae)
5965. **Porritia imbecilla (Meyrick,1925)**
(Pterophoridae)
5966. **Powellinia boetica (Rambur,1837)**
(Noctuidae)
5967. **Powellinia carthalina (Christoph,1893)**
(Noctuidae)
5968. **Powellinia lasserei (Oberthür,1881)**
(Noctuidae)
5969. **Powellinia margelanoides**
(**Boursin,1944**) (Noctuidae)
5970. **Powellinia pierreti (Bugnion,1837)**
(Noctuidae)
5971. **Praeepischnia iranella Amsel,1953**
(Pyralidae)
5972. **Praeepischnia lydella (Lederer,1865)**
(Pyralidae)
5973. **Praeepischnia taftanella Amsel,1953**
(Pyralidae)
5974. **Praelongicera palaestinella**
(**Amsel,1956**) (Tineidae)
5975. **Praestilbia armeniaca Staudinger,1892**
(Noctuidae)
5976. **Praezygaena afghana (Moore,1859)**
(Zygaenidae)
5977. **Prays fraxinella (Bjerkander,1784)**
(Yponomeutidae)
5978. **Prays oleae (Bernard,1788)**
(Yponomeutidae)
5979. **Precis (Junonia) almana**
(**Linnaeus,1758**) (Argynnidae)
5980. **Precis (Junonia) hierta**
(**Fabricius,1798**) (Argynnidae)
5981. **Precis (Junonia) orithya**
(**Linnaeus,1758**) (Argynnidae)
5982. **Princeps (s.str. (s.str.)) demoleus**
(**Linnaeus,1758**) (Papilionidae)
5983. **Prionapteryx endoleuca**
(**Hampson,1919**) (Pyralidae)
5984. **Prionapteryx margherita**
(**Bleszynski,1965**) (Pyralidae)
5985. **Prionapteryx obeliscota (Meyrick,1936)**
(Pyralidae)
5986. **Prionapteryx soudanensis**
(**Hampson,1919**) (Pyralidae)
5987. **Prionapteryx strioliger**
(**Rothschild,1913**) (Pyralidae)
5988. **Pristathria akbarella (Ragonot,1888)**
(Pyralidae)
5989. **Pristocerella solskyi (Christoph,1877)**
(Pyralidae)
5990. **Problepsis ocellata (Frivaldszky,1845)**
(Geometridae)
5991. **Procapperia kuldshaensis**
(**Rebel,1914**) (Pterophoridae)
5992. **Procapperia maculata (Constant,1865)**
(Pterophoridae)
5993. **Proceratia caesariella Ragonot,1901**
(Pyralidae)
5994. **Proceratia fulvostrigella**
(**Eversmann,1844**) (Pyralidae)
5995. **Prochlidonia ochromixtana**
(**Kennel,1913**) (Tortricidae)
5996. **Prochoreutis myllerana**
(**Fabricius,1794**) (Choreutidae)
5997. **Prochoreutis sehestediana**
(**Fabricius,1777**) (Choreutidae)
5998. **Prochoreutis stellaris (Zeller,1847)**
(Choreutidae)
5999. **Prochoristis capparidis**
(**Christoph,1876**) (Pyralidae)
6000. **Prochoristis crudalis (Lederer,1863)**
(Pyralidae)
6001. **Prochoristis rupicapralis**
(**Lederer,1855**) (Pyralidae)
6002. **Prodotis boisdeffrii (Oberthür,1867)**
(Noctuidae)
6003. **Prolais elbursalis Amsel,1961** (Pyralidae)
6004. **Prolita sexpunctella (Fabricius,1794)**
(Gelechiidae)
6005. **Prolita solutella (Zeller,1839)**
(Gelechiidae)
6006. **Prophtasia platycerella Ragonot,1887**
(Pyralidae)
6007. **Propiomorpha rhodophana (Herrich-**
Schäffer,[1851]) (Tortricidae)
6008. **Prorophora (Epischidia) afghanella**
Roesler,1973 (Pyralidae)
6009. **Prorophora (Epischidia) albunculella**
(**Staudinger,1879**) (Pyralidae)
6010. **Prorophora (Epischidia) senganella**
(**Amsel,1951**) (Pyralidae)
6011. **Prorophora (s.str.) curvibasella**
Ragonot,1887 (Pyralidae)
6012. **Proserpinus proserpinus (Pallas,1772)**
(Sphingidae)
6013. **Protasis punctella (Costa,[1836])**
(Oecophoridae)
6014. **Protorebia afra (Fabricius,1787)**
(Satyridae)

6015. **Proterospastis merdella** (Zeller,1847) (Tineidae)
6016. **Proteuchloris neriaris** (Herrich-Schäffer,[1852]) (Geometridae)
6017. **Protexarnis confinis** (Staudinger,1881) (Noctuidae)
6018. **Protexarnis opisoleuca** (Staudinger,1881) (Noctuidae)
6019. **Protexarnis persica** (Staudinger,1897) (Noctuidae)
6020. **Protexarnis squalidiformis** (Corti & Draudt,1933) (Noctuidae)
6021. **Protodeltote pygarga** (Hufnagel,1766) (Noctuidae)
6022. **Protorhoe corollaria** (Herrich-Schäffer,[1848]) (Geometridae)
6023. **Protorhoe renodata** (Püngeler,1909) (Geometridae)
6024. **Protorhoe unicata** (Guenée,[1858]) (Geometridae)
6025. **Protoschinia scutosa** ([Denis & Schiffermüller],1775) (Noctuidae)
6026. **Proutictis artesiaria** ([Denis & Schiffermüller],1775) (Geometridae)
6027. **Proxenus hospes** (Freyer,[1831]) (Noctuidae)
6028. **Proxenus lepigone** (Möschler,1860) (Noctuidae)
6029. **Psammotis pulveralis** (Hübner,1796) (Pyralidae)
6030. **Psara pallidalis** (Hampson,1913) (Pyralidae)
6031. **Pselnophorus poggei** (Mann,1862) (Pterophoridae)
6032. **Psephologa centrogramma** Meyrick,1921 (Tineidae)
6033. **Pseudamelia rogana** Guenée,1845 (Tortricidae)
6034. **Pseudargyrotoza conwagana** (Fabricius,1775) (Tortricidae)
6035. **Pseudascalenia abbasella** Kasy,1974 (Cosmopterigidae)
6036. **Pseudatemelia sordida** (Staudinger,1879) (Oecophoridae)
6037. **Pseudenargia deleta** (Osthelder,1933) (Noctuidae)
6038. **Pseudenargia regina** (Staudinger,1892) (Noctuidae)
6039. **Pseudeulia asinana** (Hübner,[1799]) (Tortricidae)
6040. **Pseudeustrotia candidula** ([Denis & Schiffermüller],1775) (Noctuidae)
6041. **Pseudeustrotia deceptoris** (Scopoli,1763) (Noctuidae)
6042. **Pseudobissetia terrestrella** (Christoph,1885) (Pyralidae)
6043. **Pseudochazara (Achazara) anthelea** (Hübner,[1824]) (Satyridae)
6044. **Pseudochazara (Achazara) telephassa** (Geyer,[1827]) (Satyridae)
6045. **Pseudochazara (s.str.) aurantiaca** (Staudinger,1871) (Satyridae)
6046. **Pseudochazara (s.str.) beroe** (Freyer,[1843]) (Satyridae)
6047. **Pseudochazara (s.str.) daghestana** (Holik,1955) (Satyridae)
6048. **Pseudochazara (s.str.) geyeri** (Herrich-Schäffer,[1846]) (Satyridae)
6049. **Pseudochazara (s.str.) guriensis** (Staudinger,[1878]) (Satyridae)
6050. **Pseudochazara (s.str.) kopetdaghi** Dubatolov,1989 (Satyridae)
6051. **Pseudochazara (s.str.) lydia** (Staudinger,1878) (Satyridae)
6052. **Pseudochazara (s.str.) mamurra** (Herrich-Schäffer,[1846]) (Satyridae)
6053. **Pseudochazara (s.str.) mniszecii** (Herrich-Schäffer,[1851]) (Satyridae)
6054. **Pseudochazara (s.str.) pelopea** (Klug,1832) (Satyridae)
6055. **Pseudochazara (s.str.) schakuhensis** (Staudinger,1881) (Satyridae)
6056. **Pseudochazara (s.str.) tekkensis** (Heyne,[1895]) (Satyridae)
6057. **Pseudochazara (s.str.) xerxes** (Gross & Ebert,1975) (Satyridae)
6058. **Pseudocinglis benigna** (Brandt,1941) (Geometridae)
6059. **Pseudocinglis benigna benigna** (Brandt,1941) (Geometridae)
6060. **Pseudocinglis benigna nigromaculata** Hausmann,1994 (Geometridae)
6061. **Pseudococcyx tessulatana** (Staudinger,1871) (Tortricidae)
6062. **Pseudocopicucullia syrtana** (Mabille,1888) (Noctuidae)
6063. **Pseudohadena (Jaxartia) jordana** (Staudinger,1900) (Noctuidae)
6064. **Pseudohadena (Jaxartia) magnitudinis** Hacker & Ebert,2002 (Noctuidae)
6065. **Pseudohadena (Jaxartia) pseudamoena** (Boursin,1944) (Noctuidae)
6066. **Pseudohadena (s.str.) chenopodiphaga** (Rambur,1832) (Noctuidae)
6067. **Pseudohadena (s.str.) coluteae** (Bienert,1870) (Noctuidae)
6068. **Pseudohadena (s.str.) eibinevoi** Fibiger, Kravchenko, Li, Mooser & C.G.Müller,2006 (Noctuidae)
6069. **Pseudohadena (s.str.) idumaea** Püngeler,1902 (Noctuidae)
6070. **Pseudohadena (s.str.) impedita** (Christoph,1887) (Noctuidae)
6071. **Pseudohadena (s.str.) laciniosa** (Christoph,1887) (Noctuidae)
6072. **Pseudohadena (s.str.) megaptera** Boursin,1970 (Noctuidae)
6073. **Pseudohadena (s.str.) minuta** Püngeler,1900 (Noctuidae)
6074. **Pseudohadena (s.str.) rjabovi** Boursin,1970 (Noctuidae)
6075. **Pseudohadena (s.str.) roseotinctoides** Poole,1989 (Noctuidae)
6076. **Pseudoips prasinana** (Linnaeus,1758) (Noctuidae)
6077. **Pseudoligia lucifer** L.Ronkay & Gyulai,2006 (Noctuidae)
6078. **Pseudopanthera macularia** (Linnaeus,1758) (Geometridae)
6079. **Pseudopanthera syriacata** (Guenée,1852) (Geometridae)
6080. **Pseudophilotes abencerragus** (Pierret,1837) (Lycaenidae)
6081. **Pseudophilotes vicrama** (Moore,1865) (Lycaenidae)

6082. **Pseudopostega auritella**
(Hübner,[1813]) (Opostegidae)
6083. **Pseudopostega crepusculella**
(Zeller,1839) (Opostegidae)
6084. **Pseudosciaphila branderiana**
(Linnaeus,1758) (Tortricidae)
6085. **Pseudosphronia catharurga**
(Meyrick,1923) (Gelechiidae)
6086. **Pseudosterrha paulula** (Swinhoe,1886)
(Geometridae)
6087. **Pseudosterrha rufistrigata**
(Hampson,1896) (Geometridae)
6088. **Pseudoswammerdamia combinella**
(Hübner,1786) (Yponomeutidae)
6089. **Pseudoteleia nigrosquamella**
Amsel,1959 (Gelechiidae)
6090. **Pseudotelphusa istrella** (Mann,1866)
(Gelechiidae)
6091. **Pseudotelphusa paripunctella**
(Thunberg,1794) (Gelechiidae)
6092. **Pseudotelphusa scalella** (Scopoli,1763)
(Gelechiidae)
6093. **Pseudoterpna coronillaria**
(Hübner,[1817]) (Geometridae)
6094. **Pseudoterpna pruinata** (Hufnagel,1767)
(Geometridae)
6095. **Pseudozarba bipartita** (Herrich-
Schäffer,1850) (Noctuidae)
6096. **Pseudozarba mesozona**
(Hampson,1896) (Noctuidae)
6097. **Psoricoptera gibbosella** (Zeller,1839)
(Gelechiidae)
6098. **Psorosa albunculella** Ragonot,1901
(Pyralidae)
6099. **Psorosa dahliella** (Treitschke,1832)
(Pyralidae)
6100. **Psorosa maraschella** Caradja,1910
(Pyralidae)
6101. **Psorosa mechedella** Amsel,1953
(Pyralidae)
6102. **Psorosa nucleolella** (Möschler,1866)
(Pyralidae)
6103. **Psorosa ochrifasciella** Ragonot,1887
(Pyralidae)
6104. **Psorosodes dalakiella** Amsel,1953
(Pyralidae)
6105. **Psyche casta** (Pallas,1767) (Psychidae)
6106. **Psyche crassiorella** (Bruand,[1851])
(Psychidae)
6107. **Psyche libanotica** (Zerny,1933)
(Psychidae)
6108. **Psyche rassei** (Siedler,1975) (Psychidae)
6109. **Psyche syriaca** (Rebel,1917) (Psychidae)
6110. **Pterolonche** (Gomezustillus)
kurdistanella Amsel,1959 (Pterolonchidae)
6111. **Pterolonche** (Gomezustillus)
pulverulenta Zeller, 1847 (Pterolonchidae)
6112. **Pterolonche** (s.str.) **albescens**
Zeller,1847 (Pterolonchidae)
6113. **Pterolonche** (s.str.) **inspersa**
Staudinger,1859 (Pterolonchidae)
6114. **Pterophorus caspius** Lederer,1870
(Pterophoridae)
6115. **Pterophorus djebeli** Arenberger,1981
(Pterophoridae)
6116. **Pterophorus indocta** (Meyrick,1913)
(Pterophoridae)
6117. **Pterophorus ischnodactylus**
(Treitschke,1835) (Pterophoridae)
6118. **Pterophorus pentadactylus**
(Linnaeus,1758) (Pterophoridae)
6119. **Pterophorus subalternans**
(Lederer,1869) (Pterophoridae)
6120. **Pterophorus terrenus** Meyrick,1936
(Pterophoridae)
6121. **Pterostoma palpinum** (Linnaeus,1761)
(Notodontidae)
6122. **Pterothrixidia ancycensis** Amsel,1953
(Pyralidae)
6123. **Pterothrixidia caucasiella**
(Ragonot,1888) (Pyralidae)
6124. **Pterothrixidia contectella** (Zeller,1848)
(Pyralidae)
6125. **Pterothrixidia fimbriatella**
(Zeller,1848) (Pyralidae)
6126. **Pterothrixidia impurella**
(Duponchel,1836) (Pyralidae)
6127. **Pterothrixidia orientella**
(Ragonot,1893) (Pyralidae)
6128. **Pterothrixidia osmanella** Amsel,1953
(Pyralidae)
6129. **Pterothrixidia rufella**
(Duponchel,1836) (Pyralidae)
6130. **Ptilocephala** (Deuterohyalina) **albida**
(Esper,[1786]) (Psychidae)
6131. **Ptilocephala** (s.str.) **muscella** ([Denis &
Schifferrmüller],1775) (Psychidae)
6132. **Ptilodon capucina** (Linnaeus,1758)
(Notodontidae)
6133. **Ptilodontella cucullina** ([Denis &
Schifferrmüller],1775) (Notodontidae)
6134. **Ptilodontella saerdabensis** Daniel,1938
(Notodontidae)
6135. **Ptocheuusa campicolella** (Mann,1857)
(Gelechiidae)
6136. **Ptocheuusa inopella** (Zeller,1839)
(Gelechiidae)
6137. **Ptocheuusa paupella** (Zeller,1847)
(Gelechiidae)
6138. **Ptycholoma erschoffi** (Christoph,1877)
(Tortricidae)
6139. **Ptycholoma lecheana** (Linnaeus,1758)
(Tortricidae)
6140. **Ptyonocera proteroleuca** Meyrick,1937
(Pyralidae)
6141. **Pungeleria capreolaria** (Fabricius,1787)
(Geometridae)
6142. **Pydna badiaria** (Freyer,[1841])
(Geometridae)
6143. **Pydna bahara** (Brandt,1938)
(Geometridae)
6144. **Pydna iranica** (Schwingenschuss,1939)
(Geometridae)
6145. **Pyla fusca** (Haworth,[1811]) (Pyralidae)
6146. **Pyralis farinalis** (Linnaeus,1758)
(Pyralidae)
6147. **Pyralis imperialis** Caradja,1917
(Pyralidae)
6148. **Pyralis juengeri** Amsel,1953 (Pyralidae)
6149. **Pyralis kacheticalis** Christoph,1893
(Pyralidae)
6150. **Pyralis narynensis** Zerny,1914
(Pyralidae)
6151. **Pyralis perversalis** Herrich-
Schäffer,1849 (Pyralidae)

6152. *Pyralis regalis* [Denis & Schiffermüller],1775 (Pyralidae)
 6153. *Pyrasia gutturalis* (Staudinger,1879) (Pyralidae)
 6154. *Pyrausta (Haematia) castalis* Treitschke,1829 (Pyralidae)
 6155. *Pyrausta (Haematia) cingulata* (Linnaeus,1758) (Pyralidae)
 6156. *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyralidae)
 6157. *Pyrausta (Haematia) perkeo* Amsel,1970 (Pyralidae)
 6158. *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767) (Pyralidae)
 6159. *Pyrausta (Haematia) taftanalisis* Amsel,1961 (Pyralidae)
 6160. *Pyrausta (Haematia) virginalis* (Duponchel,1832) (Pyralidae)
 6161. *Pyrausta (s.str.) amatalis* Rebel,1903 (Pyralidae)
 6162. *Pyrausta (s.str.) aurata* (Scopoli,1763) (Pyralidae)
 6163. *Pyrausta (s.str.) cuprinalis* Ragonot,1895 (Pyralidae)
 6164. *Pyrausta (s.str.) falcatalis* (Guenée,1854) (Pyralidae)
 6165. *Pyrausta (s.str.) inciae* Koçak,1982 (Pyralidae)
 6166. *Pyrausta (s.str.) ledereri* (Staudinger,1870) (Pyralidae)
 6167. *Pyrausta (s.str.) nigrata* (Scopoli,1763) (Pyralidae)
 6168. *Pyrausta (s.str.) obfuscata* (Scopoli,1763) (Pyralidae)
 6169. *Pyrausta (s.str.) ostrinalis* (Hübner,1796) (Pyralidae)
 6170. *Pyrausta (s.str.) pachyceralis* Hampson,1900 (Pyralidae)
 6171. *Pyrausta (s.str.) pauperalis* (Staudinger,1879) (Pyralidae)
 6172. *Pyrausta (s.str.) pavidalis* Zerny,1934 (Pyralidae)
 6173. *Pyrausta (s.str.) purpuralis* (Linnaeus,1758) (Pyralidae)
 6174. *Pyrausta (s.str.) trimaculalis* (Staudinger,1867) (Pyralidae)
 6175. *Pyrausta (s.str.) zeitunalis* Caradja,1917 (Pyralidae)
 6176. *Pyrausta laristanalis* Amsel,1961 (Pyralidae)
 6177. *Pyrausta shirazalis* Amsel,1961 (Pyralidae)
 6178. *Pyraustimorpha inexpectata* Koçak & Seven,1995 (Pyralidae)
 6179. *Pyraustimorpha sp.n.* (Pyralidae)
 6180. *Pyrgus aladaghensis* De Prins & Poorten,1995 (Hesperiidae)
 6181. *Pyrgus alveus* (Hübner,[1803]) (Hesperiidae)
 6182. *Pyrgus armoricanus* (Oberthür,1910) (Hesperiidae)
 6183. *Pyrgus bolhariensis* De Prins & Poorten,1995 (Hesperiidae)
 6184. *Pyrgus carthami* (Hübner,[1813]) (Hesperiidae)
 6185. *Pyrgus cinarae* (Rambur,[1839]) (Hesperiidae)
 6186. *Pyrgus cirsii* (Rambur,[1839]) (Hesperiidae)
 6187. *Pyrgus jupei* (Alberti,1967) (Hesperiidae)
 6188. *Pyrgus malvae* (Linnaeus,1758) (Hesperiidae)
 6189. *Pyrgus melotis* (Duponchel,[1834]) (Hesperiidae)
 6190. *Pyrgus serratulae* (Rambur,[1839]) (Hesperiidae)
 6191. *Pyrgus sidae* (Esper,[1784]) (Hesperiidae)
 6192. *Pyrocleptria cora* (Eversmann,1837) (Noctuidae)
 6193. *Pyroderces argyrogrammos* (Zeller,1847) (Cosmopterigidae)
 6194. *Pyroderces caesaris* Gozmany,1957 (Cosmopterigidae)
 6195. *Pyrois cinnamomea* (Goeze,1781) (Noctuidae)
 6196. *Pyrois effusa* (Boisduval,1828) (Noctuidae)
 6197. *Pyronia tithonus* (Linnaeus,1771) (Satyridae)
 6198. *Pyropteron atypica* Kallies & K.Spatenka,2003 (Sesiidae)
 6199. *Pyropteron chrysidiformis* (Esper,[1782]) (Sesiidae)
 6200. *Pyropteron minianiformis* (Freyer,1843) (Sesiidae)
 6201. *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae)
 6202. *Pyrrhia treitschki* (Frivaldszky,1835) (Noctuidae)
 6203. *Pyrrhia umbra* (Hufnagel,1766) (Noctuidae)
 6204. *Quercusia quercus* (Linnaeus,1758) (Lycanidae)
 6205. *Ramphis libanoticus* Riedl,1969 (Cosmopterigidae)
 6206. *Raparna erubescens* (A.Bang-Haas,1910) (Noctuidae)
 6207. *Raphimetopus ablutellus* (Zeller,1839) (Pyralidae)
 6208. *Rebelia surientella* (Bruand,1858) (Psychidae)
 6209. *Recophora beata* (Staudinger,1892) (Noctuidae)
 6210. *Recophora hreblayi* Hacker & L.Ronkay,2002 (Noctuidae)
 6211. *Recurvaria leucatella* (Linnaeus,1761) (Gelechiidae)
 6212. *Recurvaria nanella* ([Denis & Schiffermüller],1775) (Gelechiidae)
 6213. *Reisserita chrysoptera* (Herrich-Schäffer,[1854]) (Tineidae)
 6214. *Reisserita relicinella* (Zeller,1839) (Tineidae)
 6215. *Reisseronia flavociliella* (Mann,1864) (Psychidae)
 6216. *Repetekiodes acervella* (Erschoff,1874) (Pyralidae)
 6217. *Reskovitsia alborivulalis* (Eversmann,1843) (Pyralidae)
 6218. *Resulia innotata* (Walker,1855) (Lymantriidae)
 6219. *Rethera brandti* O.Bang-Haas,1937 (Sphingidae)

6220. **Rethera komarovi** (Christoph,1885)
(Sphingidae)
6221. **Rhabdophera arefacta** (Swinhoe,1884)
(Noctuidae)
6222. **Rhabinopteryx subtilis** (Mabille,1888)
(Noctuidae)
6223. **Rhagades (Naufockia) brandti**
(Alberti,1938) (Zygaenidae)
6224. **Rhagades (Wiegelia) amasina** (Herrich-Schäffer,1851) (Zygaenidae)
6225. **Rhagades (Wiegelia) tarmanni**
Keil,1999 (Zygaenidae)
6226. **Rhegmaphila alpina** (Bellier,1881)
(Notodontidae)
6227. **Rheumaptera hastata** (Linnaeus,1758)
(Geometridae)
6228. **Rheumaptera montivagata**
Duponchel,1830 (Geometridae)
6229. **Rhigognostis annulatella** (Curtis,1832)
(Yponomeutidae)
6230. **Rhigognostis senilella**
(Zetterstedt,[1839]) (Yponomeutidae)
6231. **Rhizedra lutosa** (Hübner,[1803])
(Noctuidae)
6232. **Rhodobates laevigatellus** (Herrich-Schäffer,[1854]) (Tineidae)
6233. **Rhodobates nodicornellus** (Rebel,1911)
(Tineidae)
6234. **Rhodobates pallipalpellus** Rebel,1901
(Tineidae)
6235. **Rhodobates transjordanus** Amsel,1935
(Tineidae)
6236. **Rhodometra sacraria** (Linnaeus,1767)
(Geometridae)
6237. **Rhodophaea (?) taftanella** Amsel,1950
(Pyrilidae)
6238. **Rhodostrophia abscisaria** Brandt,1941
(Geometridae)
6239. **Rhodostrophia auctata**
(Staudinger,1879) (Geometridae)
6240. **Rhodostrophia calabra** (Petagna,1786)
(Geometridae)
6241. **Rhodostrophia cuprinaria**
(Christoph,1876) (Geometridae)
6242. **Rhodostrophia discopunctata**
Amsel,1935 (Geometridae)
6243. **Rhodostrophia furialis** Brandt,1941
(Geometridae)
6244. **Rhodostrophia nesam** Brandt,1938
(Geometridae)
6245. **Rhodostrophia nubifera** Brandt,1941
(Geometridae)
6246. **Rhodostrophia peripheres**
L.B.Prout,1938 (Geometridae)
6247. **Rhodostrophia sieversi**
(Christoph,1882) (Geometridae)
6248. **Rhodostrophia sp.n.** (Geometridae)
6249. **Rhodostrophia tabestana** Trusch &
Hausmann,2007 (Geometridae)
6250. **Rhodostrophia tabidaria** (Zeller,1847)
(Geometridae)
6251. **Rhodostrophia terrestraria**
(Lederer,1869) (Geometridae)
6252. **Rhodostrophia tumulosa** Brandt,1938
(Geometridae)
6253. **Rhopobota myrtilana** (Humphreys &
Westwood,1845) (Tortricidae)
6254. **Rhopobota safidana** (Razowski,1963)
(Tortricidae)
6255. **Rhopobota stagnana** ([Denis &
Schifferrmüller],1775) (Tortricidae)
6256. **Rhoptria asperaria** (Hübner,[1817])
(Geometridae)
6257. **Rhoptria dolosaria** (Herrich-Schäffer,[1848]) (Geometridae)
6258. **Rhoptria mardinata** (Staudinger,1900)
(Geometridae)
6259. **Rhyacia (Epipsilia) cervantes**
(Reisser,1935) (Noctuidae)
6260. **Rhyacia (Epipsilia) latens**
(Hübner,[1809]) (Noctuidae)
6261. **Rhyacia (s.str.) arenacea**
(Hampson,1907) (Noctuidae)
6262. **Rhyacia (s.str.) gabori** Varga,1996
(Noctuidae)
6263. **Rhyacia (s.str.) helvetina**
(Boisduval,1833) (Noctuidae)
6264. **Rhyacia (s.str.) lucipeta** ([Denis &
Schifferrmüller],1775) (Noctuidae)
6265. **Rhyacia (s.str.) nyctimerina**
(Staudinger,1888) (Noctuidae)
6266. **Rhyacia (s.str.) nyctimerides** (O.Bang-Haas,1922) (Noctuidae)
6267. **Rhyacia (s.str.) oxytheca** Boursin,1957
(Noctuidae)
6268. **Rhyacia (s.str.) simulans**
(Hufnagel,1766) (Noctuidae)
6269. **Rhyacia (s.str.) subdecora**
(Staudinger,1888) (Noctuidae)
6270. **Rhyacionia buoliana** ([Denis &
Schifferrmüller],1775) (Tortricidae)
6271. **Rhyacionia pinicolana**
(Doubleday,1849) (Tortricidae)
6272. **Rhyacionia pinivorana** (Lienig &
Zeller,1846) (Tortricidae)
6273. **Rhynchina obliquialis** (Kollar,1844)
(Noctuidae)
6274. **Rhypagla lacernaria** (Hübner,[1813])
(Noctuidae)
6275. **Rhyparia purpurata** (Linnaeus,1758)
(Arctiidae)
6276. **Rileyiana fovea** (Treitschke,1825)
(Noctuidae)
6277. **Rivula sericealis** (Scopoli,1763)
(Noctuidae)
6278. **Rivula tanitalis** Rebel,1912 (Noctuidae)
6279. **Roeslerstammia pronubella** ([Denis &
Schifferrmüller],1775) (Roeslerstammiidae)
6280. **Rubrapterus bavius** (Eversmann,1832)
(Lycaenidae)
6281. **Rusina ferrosqualida** Simonyi,1996
(Noctuidae)
6282. **Rusina ferruginea** (Esper,[1785])
(Noctuidae)
6283. **Saluria chehirella** Zerny,1929 (Pyrilidae)
6284. **Saluria maculivittella** Ragonot,1887
(Pyrilidae)
6285. **Saluria pulverosa** Hampson (Pyrilidae)
6286. **Saragossa siccanorum**
(Staudinger,1870) (Noctuidae)
6287. **Saturnia (Heraea) cephalariae**
(Romanoff,1885) (Saturniidae)
6288. **Saturnia (Heraea) pavonia**
(Linnaeus,1758) (Saturniidae)

6289. *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775) (Saturniidae)
6290. *Saturnia (Neoris) naessigi* (De Freina,1992) (Saturniidae)
6291. *Saturnia (Neoris) shadulla* (Moore,1872) (Saturniidae)
6292. *Saturnia (Perisomena) caecigena* Kupido,1825 (Saturniidae)
6293. *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775) (Saturniidae)
6294. *Satyrium (Nordmannia) abdominalis* (Gerhard,[1850]) (Lycaenidae)
6295. *Satyrium (Nordmannia) acaciae* (Fabricius,1787) (Lycaenidae)
6296. *Satyrium (Nordmannia) armenum* (Rebel,1901) (Lycaenidae)
6297. *Satyrium (Nordmannia) ilicis* (Esper,[1779]) (Lycaenidae)
6298. *Satyrium (Nordmannia) marcidum* (Riley,1921) (Lycaenidae)
6299. *Satyrium (Nordmannia) myrtale* (Klug,1834) (Lycaenidae)
6300. *Satyrium (Nordmannia) zabni* Oorschot & Brink,1991 (Lycaenidae)
6301. *Satyrium (Strymonidia) spini* (Fabricius,1787) (Lycaenidae)
6302. *Satyrium (Strymonidia) w-album* (Knoch,1782) (Lycaenidae)
6303. *Satyrium (Superflua) hyrcanicum* (Riley,1939) (Lycaenidae)
6304. *Satyrium (Superflua) ledereri* (Boisduval,1848) (Lycaenidae)
6305. *Satyrium (Superflua) lunulatum* (Erschoff,1874) (Lycaenidae)
6306. *Satyrium (Superflua) persepolis* (Eckweiler & Ten Hagen,2003) (Lycaenidae)
6307. *Satyrium (Superflua) sassanides* (Kollar,[1849]) (Lycaenidae)
6308. *Satyrus (Asatyrus (Asatyrodes)) atlanteus* (Verity,1927) (Satyridae)
6309. *Satyrus (Asatyrus (s.str.)) amasinus* Staudinger,1861 (Satyridae)
6310. *Satyrus (Asatyrus (s.str.)) daubi* Gross & Ebert,1975 (Satyridae)
6311. *Satyrus (Asatyrus (s.str.)) ferulus* (Fabricius,1793) (Satyridae)
6312. *Satyrus (Asatyrus (s.str.)) iranicus* Schwingenschuss,1939 (Satyridae)
6313. *Satyrus (Asatyrus (s.str.)) nanus* Staudinger,1886 (Satyridae)
6314. *Satyrus (s.str.(s.str.)) astyages* Skala,2003 (Satyridae)
6315. *Satyrus (s.str.(s.str.)) favonius* Staudinger,[1892] (Satyridae)
6316. *Satyrus (s.str.(s.str.)) parthicus* Lederer,1869 (Satyridae)
6317. *Sauterina hofmanniella* (Schleich,1867) (Gracillariidae)
6318. *Schiffermuelleria irroratella* (Staudinger,1879) (Oecophoridae)
6319. *Schiffermuelleria schaefferella* (Linnaeus,1758) (Oecophoridae)
6320. *Schinia cardui* (Hübner,1790) (Noctuidae)
6321. *Schinia cognata* (Freyer,[1833]) (Noctuidae)
6322. *Schinia imperialis* (Staudinger,1871) (Noctuidae)
6323. *Schinia purpurascens* (Tauscher,1809) (Noctuidae)
6324. *Schistostege nubilaria* (Hübner,[1799]) (Geometridae)
6325. *Schneidereria pistacicola* (Danilevsky,1955) (Gelechiidae)
6326. *Schneidereria pistaciella* Weber,1957 (Gelechiidae)
6327. *Schoenobius alpherakyi* Staudinger,1874 (Pyralidae)
6328. *Schoenobius gigantellus* ([Denis & Schiffermüller],1775) (Pyralidae)
6329. *Schoenobius incertellus* (Walker,1863) (Pyralidae)
6330. *Schoenobius niloticus* Zeller,1867 (Pyralidae)
6331. *Schrankia balneorum* (Alpherakya,1880) (Noctuidae)
6332. *Schrankia costaestrigalis* (Stephens,1834) (Noctuidae)
6333. *Schrankia taenialis* (Hübner,[1809]) (Noctuidae)
6334. *Schreckensteiniella festaliella* (Hübner,[1819]) (Schreckensteiniidae)
6335. *Sciota (Ciliocerodes) belutschistanella* (Amsel,1961) (Pyralidae)
6336. *Sciota (Ciliocerodes) coenulentella* (Zeller,1846) (Pyralidae)
6337. *Sciota (Clasperopsis) fumella* (Eversmann,1844) (Pyralidae)
6338. *Sciota (s.str.) hostilis* (Stephens,1834) (Pyralidae)
6339. *Sciota (s.str.) imperialella* (Ragonot,1887) (Pyralidae)
6340. *Sciota (s.str.) insignella* (Mann,1862) (Pyralidae)
6341. *Sciota (s.str.) rhenella* (Zincken,1818) (Pyralidae)
6342. *Scirpophaga magnella* De Joannis,1929 (Pyralidae)
6343. *Scirpophaga praelata* (Scopoli,1763) (Pyralidae)
6344. *Sclerobiodes persica* Amsel,1951 (Pyralidae)
6345. *Sclerocona acutella* (Eversmann,1842) (Pyralidae)
6346. *Scodiomima crocallaria* Staudinger,1892 (Geometridae)
6347. *Scodiomima gyulai* Weisert,2009 (Geometridae)
6348. *Scodionista amoritaria* (Püngeler,1902) (Geometridae)
6349. *Scodionyx mysticus* Staudinger,1900 (Noctuidae)
6350. *Scoliopteryx libatrix* (Linnaeus,1758) (Noctuidae)
6351. *Scolitantides orion* (Pallas,1771) (Lycaenidae)
6352. *Scoparia absconditalis* Christoph,1887 (Pyralidae)
6353. *Scoparia ambigualis* (Treitschke,1829) (Pyralidae)
6354. *Scoparia basistrigalis* Knaggs,1866 (Pyralidae)
6355. *Scoparia ingrattella* (Zeller,1846) (Pyralidae)
6356. *Scoparia luteolaris* (Scopoli,1772) (Pyralidae)

6357. **Scoparia manifestella** (Herrich-Schäffer,1848) (Pyrilidae)
6358. **Scoparia obsoleta** Staudinger,1879 (Pyrilidae)
6359. **Scoparia perplexella** (Zeller,1839) (Pyrilidae)
6360. **Scoparia poliophaealis** Hampson,1907 (Pyrilidae)
6361. **Scoparia pyralella** ([Denis & Schiffermüller],1775) (Pyrilidae)
6362. **Scoparia saerdabella** Osthelder,1938 (Pyrilidae)
6363. **Scoparia subfusca bicornutella** Amsel,1953 (Pyrilidae)
6364. **Scoparia subfusca** Haworth,[1811] (Pyrilidae)
6365. **Scopula adelpharia** (Püngeler,1894) (Geometridae)
6366. **Scopula albiceraria** (Herrich-Schäffer,1847) (Geometridae)
6367. **Scopula amseli** Wiltshire,1967 (Geometridae)
6368. **Scopula ansulata** (Lederer,1871) (Geometridae)
6369. **Scopula beckeraria** (Lederer,1853) (Geometridae)
6370. **Scopula congruata** (Zeller,1847) (Geometridae)
6371. **Scopula decolor** (Staudinger,1898) (Geometridae)
6372. **Scopula decorata** ([Denis & Schiffermüller],1775) (Geometridae)
6373. **Scopula donovani** (Distant,1892) (Geometridae)
6374. **Scopula drenowskii** Sterneck,1941 (Geometridae)
6375. **Scopula flaccidaria** (Zeller,1852) (Geometridae)
6376. **Scopula floslactata** (Haworth,1809) (Geometridae)
6377. **Scopula hoerhammeri** Brandt,1941 (Geometridae)
6378. **Scopula imitaria** (Hübner,[1799]) (Geometridae)
6379. **Scopula immistaria** (Herrich-Schäffer,[1852]) (Geometridae)
6380. **Scopula immorata** (Linnaeus,1758) (Geometridae)
6381. **Scopula immutata** (Linnaeus,1758) (Geometridae)
6382. **Scopula incanata** (Linnaeus,1758) (Geometridae)
6383. **Scopula iranaria** Bytinski-Salz & Brandt,1937 (Geometridae)
6384. **Scopula lactarioides** Brandt,1941 (Geometridae)
6385. **Scopula lehmanni** Hausmann,1991 (Geometridae)
6386. **Scopula luridata** (Zeller,1847) (Geometridae)
6387. **Scopula marginepunctata** (Goeze,1781) (Geometridae)
6388. **Scopula minorata** (Boisduval,1833) (Geometridae)
6389. **Scopula nigropunctata** (Hufnagel,1767) (Geometridae)
6390. **Scopula ochraceata** (Staudinger,1901) (Geometridae)
6391. **Scopula orientalis** (Alpheraky,1876) (Geometridae)
6392. **Scopula ornata** (Scopoli,1763) (Geometridae)
6393. **Scopula pseudohonestata** (Wehrli,1926) (Geometridae)
6394. **Scopula rubiginata** (Hufnagel,1767) (Geometridae)
6395. **Scopula submutata** (Treitschke,1828) (Geometridae)
6396. **Scopula subtilata** (Christoph,1867) (Geometridae)
6397. **Scopula tessellaria** (Boisduval,1840) (Geometridae)
6398. **Scopula transcaspica** L.B.Prout,1935 (Geometridae)
6399. **Scopula turbulentaria** (Staudinger,1870) (Geometridae)
6400. **Scopula vigilata** (Wagner,1926) (Geometridae)
6401. **Scopula virgulata** ([Denis & Schiffermüller],1775) (Geometridae)
6402. **Scopuloides origalis** (Brandt,1941) (Geometridae)
6403. **Scopuloides origalis origalis** (Brandt,1941) (Geometridae)
6404. **Scotochrosta pulla** ([Denis & Schiffermüller],1775) (Noctuidae)
6405. **Scotomera caesarealis** (Ragonot,1891) (Pyrilidae)
6406. **Scotomera tacapealis** (Ragonot,1891) (Pyrilidae)
6407. **Scotomera tristis** Butler,1881 (Pyrilidae)
6408. **Scotomerodes syriacalis** Ragonot,1895 (Pyrilidae)
6409. **Scotopteryx aelptes** (L.B.Prout,1937) (Geometridae)
6410. **Scotopteryx alpherakii** (Erschoff,1877) (Geometridae)
6411. **Scotopteryx bipunctaria** ([Denis & Schiffermüller],1775) (Geometridae)
6412. **Scotopteryx chenopodiata** (Linnaeus,1758) (Geometridae)
6413. **Scotopteryx coarctaria** ([Denis & Schiffermüller],1775) (Geometridae)
6414. **Scotopteryx diana** Riemis,1997 (Geometridae)
6415. **Scotopteryx elbursica** (Bytinski-Salz & Brandt,1937) (Geometridae)
6416. **Scotopteryx fuscofasciata** (Brandt,1938) (Geometridae)
6417. **Scotopteryx langi** (Christoph,1885) (Geometridae)
6418. **Scotopteryx luridata** (Hufnagel,1767) (Geometridae)
6419. **Scotopteryx moeniata** (Scopoli,1763) (Geometridae)
6420. **Scotopteryx mucronata** (Scopoli,1763) (Geometridae)
6421. **Scotopteryx nebulata** (A.Bang-Haas,1907) (Geometridae)
6422. **Scotopteryx octodurensis** (Favre,1903) (Geometridae)
6423. **Scotopteryx sterilis** (L.B.Prout,1938) (Geometridae)
6424. **Scotopteryx subvicinaria** (Staudinger,1892) (Geometridae)

6425. *Scotopteryx vicinaria* (Duponchel,1830) (Geometridae)
 6426. *Scrobipalpa (Ergasiola) ergasima* (Meyrick,1916) (Gelechiidae)
 6427. *Scrobipalpa (Ilseopsis) acuminatella* (Sircom,1850) (Gelechiidae)
 6428. *Scrobipalpa (Ilseopsis) argenteonigra* Povolny,1972 (Gelechiidae)
 6429. *Scrobipalpa (Ilseopsis) artemisiella* (Treitschke,1833) (Gelechiidae)
 6430. *Scrobipalpa (Ilseopsis) atriplicella* (Fischer v. Röslerstamm,1841) (Gelechiidae)
 6431. *Scrobipalpa (Ilseopsis) bazae* Povolny,1977 (Gelechiidae)
 6432. *Scrobipalpa (Ilseopsis) brandti* Povolny,1972 (Gelechiidae)
 6433. *Scrobipalpa (Ilseopsis) bryophiloides* Povolny,1966 (Gelechiidae)
 6434. *Scrobipalpa (Ilseopsis) chetitica* Povolny,1974 (Gelechiidae)
 6435. *Scrobipalpa (Ilseopsis) divisella* (Rebel,1936) (Gelechiidae)
 6436. *Scrobipalpa (Ilseopsis) eremica* Povolny,1967 (Gelechiidae)
 6437. *Scrobipalpa (Ilseopsis) erichi* Povolny,1964 (Gelechiidae)
 6438. *Scrobipalpa (Ilseopsis) fraterna* Povolny,1969 (Gelechiidae)
 6439. *Scrobipalpa (Ilseopsis) gallincolella* (Mann,1872) (Gelechiidae)
 6440. *Scrobipalpa (Ilseopsis) grossa* Povolny,1966 (Gelechiidae)
 6441. *Scrobipalpa (Ilseopsis) heratella* Povolny,1967 (Gelechiidae)
 6442. *Scrobipalpa (Ilseopsis) indignella* (Staudinger,1879) (Gelechiidae)
 6443. *Scrobipalpa (Ilseopsis) kasyvartianella* Povolny,1967 (Gelechiidae)
 6444. *Scrobipalpa (Ilseopsis) magnificella* Povolny,1967 (Gelechiidae)
 6445. *Scrobipalpa (Ilseopsis) nitentella* (Fuchs,1902) (Gelechiidae)
 6446. *Scrobipalpa (Ilseopsis) obsoletella* (Fischer v. Röslerstamm,1841) (Gelechiidae)
 6447. *Scrobipalpa (Ilseopsis) ocellatella* (Boyd,1858) (Gelechiidae)
 6448. *Scrobipalpa (Ilseopsis) optima* Povolny,1969 (Gelechiidae)
 6449. *Scrobipalpa (Ilseopsis) otregata* Povolny,1972 (Gelechiidae)
 6450. *Scrobipalpa (Ilseopsis) pseudobsoletella* (Gregor & Povolny,1955) (Gelechiidae)
 6451. *Scrobipalpa (Ilseopsis) pulchra* Povolny,1967 (Gelechiidae)
 6452. *Scrobipalpa (Ilseopsis) remota* Povolny,1972 (Gelechiidae)
 6453. *Scrobipalpa (Ilseopsis) scrobipalpulina* Povolny,1967 (Gelechiidae)
 6454. *Scrobipalpa (Ilseopsis) semnani* Povolny,1967 (Gelechiidae)
 6455. *Scrobipalpa (Ilseopsis) smithi* Povolny & Bradley,1964 (Gelechiidae)
 6456. *Scrobipalpa (Ilseopsis) substricta* Povolny,1967 (Gelechiidae)
 6457. *Scrobipalpa (Ilseopsis) traganella* (Chrétien,1915) (Gelechiidae)
 6458. *Scrobipalpa (Ilseopsis) vartianorum* Povolny,1968 (Gelechiidae)
 6459. *Scrobipalpa (Ilseopsis) vladimiri* Povolny,1966 (Gelechiidae)
 6460. *Scrobipalpa (Ilseopsis) voltinelloides* Povolny,1967 (Gelechiidae)
 6461. *Scrobipalpa (Ilseopsis) wiltshirei* Povolny,1966 (Gelechiidae)
 6462. *Scrobipalpa (s.str.) albostriata* Povolny,1977 (Gelechiidae)
 6463. *Scrobipalpa (s.str.) anatolica* Povolny,1973 (Gelechiidae)
 6464. *Scrobipalpa (s.str.) aptatella* (Walker,1864) (Gelechiidae)
 6465. *Scrobipalpa (s.str.) cryptica* Povolny,1969 (Gelechiidae)
 6466. *Scrobipalpa (s.str.) cultrata* Povolny,1971 (Gelechiidae)
 6467. *Scrobipalpa (s.str.) filia* Povolny,1969 (Gelechiidae)
 6468. *Scrobipalpa (s.str.) griseofusella* (Toll,1947) (Gelechiidae)
 6469. *Scrobipalpa (s.str.) halophila* Povolny,1973 (Gelechiidae)
 6470. *Scrobipalpa (s.str.) helmuti* Povolny,1977 (Gelechiidae)
 6471. *Scrobipalpa (s.str.) heretica* Povolny,1973 (Gelechiidae)
 6472. *Scrobipalpa (s.str.) laisınca* Povolny,1976 (Gelechiidae)
 6473. *Scrobipalpa (s.str.) lutea* Povolny,1977 (Gelechiidae)
 6474. *Scrobipalpa (s.str.) meteorica* Povolny,1984 (Gelechiidae)
 6475. *Scrobipalpa (s.str.) nana* Povolny,1973 (Gelechiidae)
 6476. *Scrobipalpa (s.str.) richteri* Povolny,1968 (Gelechiidae)
 6477. *Scrobipalpa (s.str.) vicaria* (Meyrick,1921) (Gelechiidae)
 6478. *Scrobipalpula psilella* (Herrich-Schäffer,[1854]) (Gelechiidae)
 6479. *Scythocentropus eberti* Hacker,2001 (Noctuidae)
 6480. *Scythocentropus inquinata* (Mabille,1888) (Noctuidae)
 6481. *Scythris (aerariella-gr.) aerariella* (Herrich-Schäffer,[1854]) (Scythridae)
 6482. *Scythris (aerariella-gr.) anomaloptera* (Staudinger,1880) (Scythridae)
 6483. *Scythris (aerariella-gr.) flaviventrella* (Herrich-Schäffer,1855) (Scythridae)
 6484. *Scythris (aerariella-gr.) hungaricella* Rebel,1917 (Scythridae)
 6485. *Scythris (aerariella-gr.) imperiella* Jäckh,1978 (Scythridae)
 6486. *Scythris (aerariella-gr.) jaeckhi* Bengtsson,1989 (Scythridae)
 6487. *Scythris (aerariella-gr.) popescugorji* Passerin d'Entrèves,1984 (Scythridae)
 6488. *Scythris (bagdadiella-gr.) bagdadiella* Amsel,1949 (Scythridae)
 6489. *Scythris (camelella-gr.) camelella* Walsingham,1907 (Scythridae)
 6490. *Scythris (canescens-gr.) canescens* (Staudinger,1880) (Scythridae)
 6491. *Scythris (canescens-gr.) curlettii* Bengtsson,1997 (Scythridae)

6492. *Scythris (canescens-gr.) eucharis* Walshingham,1907 (Scythridae)
 6493. *Scythris (canescens-gr.) senecai* Bengtsson,1997 (Scythridae)
 6494. *Scythris (canescens-gr.) tessulatella* Rebel,1903 (Scythridae)
 6495. *Scythris (Catascythris) kebiarella* (Amsel,1935) (Scythridae)
 6496. *Scythris (cicadella-gr.) moldavicella* Caradja,1905 (Scythridae)
 6497. *Scythris (cicadella-gr.) potentillella* (Zeller,1847) (Scythridae)
 6498. *Scythris (crypta-gr.) crypta* Hannemann,1961 (Scythridae)
 6499. *Scythris (decrepidella-gr.) decrepidella* Bengtsson,1997 (Scythridae)
 6500. *Scythris (elegantella-gr.) limbella* (Fabricius,1775) (Scythridae)
 6501. *Scythris (fallacella-gr.) fallacella* (Schläger,1847) (Scythridae)
 6502. *Scythris (fuscoaenea-gr.) dissimilella* (Herrich-Schäffer,1855) (Scythridae)
 6503. *Scythris (fuscoaenea-gr.) tenuivittella* (Stainton,1867) (Scythridae)
 6504. *Scythris (fuscoaenea-gr.) vittella* (Costa,[1836]) (Scythridae)
 6505. *Scythris (grandipennis-gr.) cupreella* (Staudinger,1859) (Scythridae)
 6506. *Scythris (grandipennis-gr.) tabidella* (Herrich-Schäffer,[1854]) (Scythridae)
 6507. *Scythris (gravatella-gr.) gravatella* (Zeller,1847) (Scythridae)
 6508. *Scythris (inclusella-gr.) inclusella* Lederer,1855 (Scythridae)
 6509. *Scythris (inertella-gr.) ethmiella* Amsel,1974 (Scythridae)
 6510. *Scythris (inertella-gr.) inertella* (Zeller,1855) (Scythridae)
 6511. *Scythris (laminella-gr.) braschiella* (Hofmann,1897) (Scythridae)
 6512. *Scythris (monochreella-gr.) monochreella* Ragonot,1896 (Scythridae)
 6513. *Scythris (mus-gr.) mus* Walsingham,1898 (Scythridae)
 6514. *Scythris (obscurella-gr.) amphonycella* (Geyer,[1836]) (Scythridae)
 6515. *Scythris (obscurella-gr.) cuspidella* ([Denis & Schiffermüller],1775) (Scythridae)
 6516. *Scythris (obscurella-gr.) obscurella* (Scopoli,1763) (Scythridae)
 6517. *Scythris (pascuella-gr.) aciella* Bengtsson,1997 (Scythridae)
 6518. *Scythris (pascuella-gr.) albidella* (Stainton,1867) (Scythridae)
 6519. *Scythris (pascuella-gr.) flavidella* Preissecker,1911 (Scythridae)
 6520. *Scythris (pascuella-gr.) pascuella* (Zeller,1855) (Scythridae)
 6521. *Scythris (pascuella-gr.) pudorinella* (Möschler,1866) (Scythridae)
 6522. *Scythris (pascuella-gr.) subaerariella* (Stainton,1867) (Scythridae)
 6523. *Scythris (pascuella-gr.) tabescentella* (Staudinger,1880) (Scythridae)
 6524. *Scythris (passerini-gr.) passerini* Bengtsson,1997 (Scythridae)
 6525. *Scythris (platypyga-gr.) platypyga* (Staudinger,1880) (Scythridae)
 6526. *Scythris (pulicella-gr.) langohri* Passerin d'Entrèves,1990 (Scythridae)
 6527. *Scythris (punctivittella-gr.) emichi* (Anker,1870) (Scythridae)
 6528. *Scythris (punctivittella-gr.) punctivittella* (Costa,[1836]) (Scythridae)
 6529. *Scythris (scopolella-gr.) apicalis* (Zeller,1847) (Scythridae)
 6530. *Scythris (scopolella-gr.) flabella* (Mann,1861) (Scythridae)
 6531. *Scythris (seliniella-gr.) seliniella* (Zeller,1839) (Scythridae)
 6532. *Scythris (seliniella-gr.) subseliniella* (Heinemann,1876) (Scythridae)
 6533. *Scythris (subfasciata-gr.) friedeli* Bengtsson,1997 (Scythridae)
 6534. *Scythris (subfasciata-gr.) subfasciata* (Staudinger,1880) (Scythridae)
 6535. *Scythris alceella* Junnilainen,2002 (Scythridae)
 6536. *Scythris aristidella* (Rebel,1902) (Scythridae)
 6537. *Scythris asiatica* (Staudinger,1880) (Scythridae)
 6538. *Scythris balanophora* Meyrick,1916 (Scythridae)
 6539. *Scythris basistrigella* (Staudinger,1880) (Scythridae)
 6540. *Scythris biacutella* Bengtsson,2002 (Scythridae)
 6541. *Scythris canceroides* Bengtsson,1997 (Scythridae)
 6542. *Scythris capitalis* (Erschoff,1874) (Scythridae)
 6543. *Scythris caramani* (Staudinger,1880) (Scythridae)
 6544. *Scythris cucullella* Bengtsson,2002 (Scythridae)
 6545. *Scythris deprinsi* Bengtsson,2005 (Scythridae)
 6546. *Scythris discimaculella* Rebel,1936 (Scythridae)
 6547. *Scythris divergens* Bengtsson,2005 (Scythridae)
 6548. *Scythris farsi* Passerin d'Entrèves & Roggero,2009 (Scythridae)
 6549. *Scythris fissurella* Bengtsson,1997 (Scythridae)
 6550. *Scythris ghaemii* Bengtsson & Huemer,2003 (Scythridae)
 6551. *Scythris hebesella* Nupponen,2005 (Scythridae)
 6552. *Scythris hyalinella* Caradja,1920 (Scythridae)
 6553. *Scythris iconiensis* Rebel,1903 (Scythridae)
 6554. *Scythris lagomorphella* Junnilainen,2002 (Scythridae)
 6555. *Scythris linnavuorii* Bengtsson,2005 (Scythridae)
 6556. *Scythris lychnitis* Meyrick,1918 (Scythridae)
 6557. *Scythris nivicolor* Meyrick,1916 (Scythridae)
 6558. *Scythris ottomana* Jäckh,1978 (Scythridae)
 6559. *Scythris paelopyga* (Staudinger,1880) (Scythridae)

6560. **Scythris pangalactis** Meyrick,1933 (Scythridae)
6561. **Scythris parachalca** Meyrick,1916 (Scythridae)
6562. **Scythris pfeifferella** Rebel,1935 (Scythridae)
6563. **Scythris ruehli** Gozmany,1960 (Scythridae)
6564. **Scythris schreieri** Bengtsson,1996 (Scythridae)
6565. **Scythris senescens** Stainton,1854 (Scythridae)
6566. **Scythris shafferi** Bengtsson,2005 (Scythridae)
6567. **Scythris sinuosella** Bengtsson,2002 (Scythridae)
6568. **Scythris subclavella** Rebel,1901 (Scythridae)
6569. **Scythris subparachalca** Bengtsson,2002 (Scythridae)
6570. **Scythris tabelli** Junnilainen,2002 (Scythridae)
6571. **Scythris tenuisquamata** (Staudinger,1880) (Scythridae)
6572. **Scythris triguttella** Zeller,1839 (Scythridae)
6573. **Scythris trinummulata** Meyrick,1922 (Scythridae)
6574. **Scythris triochrias** Meyrick,1916 (Scythridae)
6575. **Scythris tuzensis** Bengtsson,2005 (Scythridae)
6576. **Scythris unguicella** Bengtsson,2005 (Scythridae)
6577. **Scythris unimaculella** Rebel,1905 (Scythridae)
6578. **Scythris valgella** Bengtsson,2002 (Scythridae)
6579. **Scythris vernusella** Jäckh,1978 (Scythridae)
6580. **Scythrocentropus misella** (Püngeler,1907) (Noctuidae)
6581. **Sefidia clasperella** Asselbergs,1994 (Pyrilidae)
6582. **Sefidia persica** Amsel,1950 (Pyrilidae)
6583. **Selagia argyrella** ([Denis & Schiffermüller],1775) (Pyrilidae)
6584. **Selagia dissimilella** Ragonot,1887 (Pyrilidae)
6585. **Selagia spadicella** (Hübner,1796) (Pyrilidae)
6586. **Selagia subochrella** (Herrich-Schäffer,1849) (Pyrilidae)
6587. **Selania friganosa** Kuznetsov,1968 (Tortricidae)
6588. **Selania leplastriana** (Curtis,1831) (Tortricidae)
6589. **Selenia dentaria** (Fabricius,1775) (Geometridae)
6590. **Selenia forsteri** Wehrli,1941 (Geometridae)
6591. **Selenia lunularia** (Hübner,1788) (Geometridae)
6592. **Selepa docilis** Butler,1881 (Noctuidae)
6593. **Seleucia semirosella** Ragonot,1887 (Pyrilidae)
6594. **Selidosema brunnearium** (Villers,1789) (Geometridae)
6595. **Selidosema combustarium** Püngeler,1904 (Geometridae)
6596. **Selidosema jowzakensis** Weisert,2009 (Geometridae)
6597. **Selidosema plumarium** ([Denis & Schiffermüller],1775) (Geometridae)
6598. **Semagystia cuhensis** De Freina,1994 (Cossidae)
6599. **Semagystia enigma** Yakovlev,2007 (Cossidae)
6600. **Semioscopis osthelderi** Rebel,1935 (Oecophoridae)
6601. **Semiothisa sengana** (Brandt,1940) (Geometridae)
6602. **Semiothisa wehrlii** (Brandt,1940) (Geometridae)
6603. **Semitocossus johannes** (Staudinger,1899) (Cossidae)
6604. **Sena cuneata** (Brandt,1938) (Lasiocampidae)
6605. **Sena proxima** (Staudinger,1894) (Lasiocampidae)
6606. **Sena sordida** (Erschoff,1874) (Lasiocampidae)
6607. **Sengania ruhmekorfi** Amsel,1951 (Pyrilidae)
6608. **Serrulacera serraticornella** (Zeller,1839) (Pyrilidae)
6609. **Sesamia boursini** (Wiltshire,1957) (Noctuidae)
6610. **Sesamia cretica** Lederer,1857 (Noctuidae)
6611. **Sesamia ilonae** Hacker,2001 (Noctuidae)
6612. **Sesamia inferens** (Walker,1856) (Noctuidae)
6613. **Sesamia lacteola** (Christoph,1893) (Noctuidae)
6614. **Sesamia nonagrioides** (Lefèbvre,1827) (Noctuidae)
6615. **Sesamia rungsi** Boursin,1957 (Noctuidae)
6616. **Sesia apiformis** (Clerck,1759) (Sesiidae)
6617. **Sesia bembeciformis** (Hübner,[1806]) (Sesiidae)
6618. **Sesia melanocephala** Dalman,1816 (Sesiidae)
6619. **Sesia pimplaeformis** Oberthür,1872 (Sesiidae)
6620. **Setina aurata** (Ménétriés,1832) (Arctiidae)
6621. **Setina flavicans** (Geyer,[1836]) (Arctiidae)
6622. **Setina roscida** ([Denis & Schiffermüller],1775) (Arctiidae)
6623. **Setoctena dentula** (Lederer,1870) (Noctuidae)
6624. **Siclobola micromys** (Stringer,1929) (Tortricidae)
6625. **Siclobola neglectana** (Herrich-Schäffer,[1851]) (Tortricidae)
6626. **Siderea superbella** (Zeller,1839) (Gelechiidae)
6627. **Sideridis (Aneda) rivularis** (Fabricius,1775) (Noctuidae)
6628. **Sideridis (Conisania) capsivora** (Draudt,1933) (Noctuidae)
6629. **Sideridis (Conisania) vidua** (Staudinger,1888) (Noctuidae)

6630. **Sideridis (Luteohadena) literata** (Fischer v. Waldheim,1840) (Noctuidae)
 6631. **Sideridis (Luteohadena) luteago** ([Denis & Schiffermüller],1775) (Noctuidae)
 6632. **Sideridis (s.str.) egena** (Lederer,1853) (Noctuidae)
 6633. **Sideridis (s.str.) implexa** (Hübner,[1809]) (Noctuidae)
 6634. **Sideridis (s.str.) lampra** (Schawerda,1913) (Noctuidae)
 6635. **Sideridis (s.str.) turbida** (Esper,[1790]) (Noctuidae)
 6636. **Simplicia rectalis** (Eversmann,1842) (Noctuidae)
 6637. **Simyra albovenosa** (Goeze,1781) (Noctuidae)
 6638. **Simyra dentinosa** Freyer,1839 (Noctuidae)
 6639. **Simyra nervosa** ([Denis & Schiffermüller],1775) (Noctuidae)
 6640. **Siona lineata** (Scopoli,1763) (Geometridae)
 6641. **Sitochroa concoloralis** (Lederer,1857) (Pyrilidae)
 6642. **Sitochroa palealis** ([Denis & Schiffermüller],1775) (Pyrilidae)
 6643. **Sitochroa verticalis** (Linnaeus,1758) (Pyrilidae)
 6644. **Sitotroga cerealella** (Olivier,1789) (Gelechiidae)
 6645. **Smerinthus kindermanni** Lederer,1852 (Sphingidae)
 6646. **Smerinthus ocellatus** (Linnaeus,1758) (Sphingidae)
 6647. **Somatina wiltshirei** L.B.Prout,1938 (Geometridae)
 6648. **Sophronia consanguinella** Herrich-Schäffer,[1855] (Gelechiidae)
 6649. **Sophronia finitimella** Rebel,1905 (Gelechiidae)
 6650. **Sophronia humerella** ([Denis & Schiffermüller],1775) (Gelechiidae)
 6651. **Sophronia illustrella** (Hübner,1796) (Gelechiidae)
 6652. **Sophronia sagittans** Meyrick,1923 (Gelechiidae)
 6653. **Sorhagenia fibigeri** Koster & Sinev,2003 (Cosmopterigidae)
 6654. **Sorhagenia lophyrella** (Douglas,1846) (Cosmopterigidae)
 6655. **Sorhagenia rhamniiella** (Zeller,1839) (Cosmopterigidae)
 6656. **Sorhagenia taurensis** Koster & Sinev,2003 (Cosmopterigidae)
 6657. **Spaelotis degeniata** (Christoph,1876) (Noctuidae)
 6658. **Spaelotis demavendi** (F.Wagner,1937) (Noctuidae)
 6659. **Spaelotis ravida** ([Denis & Schiffermüller],1775) (Noctuidae)
 6660. **Spaelotis senna** (Freyer,1829) (Noctuidae)
 6661. **Sparganothis pilleriana** ([Denis & Schiffermüller],1775) (Tortricidae)
 6662. **Spatialia argentina** ([Denis & Schiffermüller],1775) (Notodontidae)
 6663. **Sphingonaepiopsis gorgoniades** (Hübner,[1819]) (Sphingidae)
 6664. **Sphingonaepiopsis nana** (Walker,1856) (Sphingidae)
 6665. **Sphinx ligustri** Linnaeus,1758 (Sphingidae)
 6666. **Sphinx pinastri** Linnaeus,1758 (Sphingidae)
 6667. **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae)
 6668. **Spialia (s.str.) doris** (Walker,1870) (Hesperiidae)
 6669. **Spialia (s.str.) geron** (E.Y.Watson,1893) (Hesperiidae)
 6670. **Spialia (s.str.) osthelderi** (Pfeiffer,1932) (Hesperiidae)
 6671. **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae)
 6672. **Spialia (s.str.) struvei** (Püngeler,1914) (Hesperiidae)
 6673. **Spilarctia lutea** (Hufnagel,1766) (Arctiidae)
 6674. **Spilonota ocellana** ([Denis & Schiffermüller],1775) (Tortricidae)
 6675. **Spilosoma lubricipedum** (Linnaeus,1758) (Arctiidae)
 6676. **Spilosoma urticae** (Esper,[1789]) (Arctiidae)
 6677. **Spiris striata** (Linnaeus,1758) (Arctiidae)
 6678. **Spodoptera cilium** Guenée,1852 (Noctuidae)
 6679. **Spodoptera exiguum** (Hübner,[1808]) (Noctuidae)
 6680. **Spodoptera littoralis** (Boisduval,1833) (Noctuidae)
 6681. **Spodoptera liturum** (Fabricius,1775) (Noctuidae)
 6682. **Spodoptera mauritium** (Boisduval,1833) (Noctuidae)
 6683. **Spoladea recurvalis** (Fabricius,1775) (Pyrilidae)
 6684. **Spudaea castanea** Osthelder,1933 (Noctuidae)
 6685. **Spuleria flavicaput** (Haworth,1828) (Agonoxenidae)
 6686. **Spulerina simploniella** (Fischer v. Röslerstamm,1840) (Gracillariidae)
 6687. **Stagmatophora anonymella** (Riedl,1965) (Cosmopterigidae)
 6688. **Stagmatophora auriferella** (Walker,1864) (Cosmopterigidae)
 6689. **Stagmatophora beata** (Walsingham,1907) (Cosmopterigidae)
 6690. **Stamnodes depeculata** (Lederer,1870) (Geometridae)
 6691. **Standfussiana defessa** (Lederer,1858) (Noctuidae)
 6692. **Standfussiana lucerneae** (Linnaeus,1758) (Noctuidae)
 6693. **Standfussiana nictymera** (Boisduval,[1837]) (Noctuidae)
 6694. **Stangeia siceliota** (Zeller,1847) (Pterophoridae)
 6695. **Stathmopoda auriferella** (Walker,1864) (Stathmopodidae)
 6696. **Stathmopoda diplaspis** (Meyrick,1887) (Stathmopodidae)
 6697. **Staudingeria (s.str.) aspilatella** (Ragonot,1887) (Pyrilidae)

6698. *Staudingeria* (s.str.) *brunneella* **Chrétien,1911** (Pyrilidae)
6699. *Staudingeria* (s.str.) *deserticola* (**Staudinger,1870**) (Pyrilidae)
6700. *Staudingeria* (s.str.) *eremicola* (**Amsel,1935**) (Pyrilidae)
6701. *Staudingeria* (s.str.) *holophaella* **Rebel,1903** (Pyrilidae)
6702. *Staudingeria* (s.str.) *khuzistanella* **Amsel,1959** (Pyrilidae)
6703. *Staudingeria* (s.str.) *monella* **Roesler,1973** (Pyrilidae)
6704. *Staudingeria* (s.str.) *morbosella* (**Staudinger,1879**) (Pyrilidae)
6705. *Staudingeria* (s.str.) *partitella* **Ragonot,1887** (Pyrilidae)
6706. *Staudingeria* (s.str.) *persicella* **Amsel,1961** (Pyrilidae)
6707. *Staudingeria* (s.str.) *yerburii* (**Butler,1884**) (Pyrilidae)
6708. *Stauropus* *fagi* (**Linnaeus,1758**) (Notodontidae)
6709. *Stegania* *dalmataria* (**Guenée,[1858]**) (Geometridae)
6710. *Stegania* *dilectaria* (**Hübner,1790**) (Geometridae)
6711. *Stegania* *trimaculata* (**Villers,1789**) (Geometridae)
6712. *Stemmatophora* *combustalis* (**Fischer v. Röslerstamm,[1842]**) (Pyrilidae)
6713. *Stemmatophora* *schwingenschussi* **Zerny,1939** (Pyrilidae)
6714. *Stemmatophora* *subustalis* **Lederer,1853** (Pyrilidae)
6715. *Stenodacma* *iranella* **Amsel,1959** (Pterophoridae)
6716. *Stenodacma* *wahlbergi* (**Zeller,1851**) (Pterophoridae)
6717. *Stenodrina* *aeschista* **Boursin,1937** (Noctuidae)
6718. *Stenodrina* *agramma* **Brandt,1938** (Noctuidae)
6719. *Stenoecia* *dos* (**Freyer,1838**) (Noctuidae)
6720. *Stenoecia* *raphaeli* **Kettner,2004** (Noctuidae)
6721. *Stenolechia* *gemmella* (**Linnaeus,1758**) (Gelechiidae)
6722. *Stenolechia* *sagittella* **Caradja,1920** (Gelechiidae)
6723. *Stenolechoides* *pseudogemmellus* **Elsner,[1996]** (Gelechiidae)
6724. *Stenoptilia* *arida* (**Zeller,1847**) (Pterophoridae)
6725. *Stenoptilia* *bipunctidactyla* (**Scopoli,1763**) (Pterophoridae)
6726. *Stenoptilia* *coprodactyla* (**Stainton,1851**) (Pterophoridae)
6727. *Stenoptilia* *elkefi* **Arenberger,1984** (Pterophoridae)
6728. *Stenoptilia* *lucasi* **Arenberger,1990** (Pterophoridae)
6729. *Stenoptilia* *mannii* (**Zeller,1852**) (Pterophoridae)
6730. *Stenoptilia* *pterodactyla* (**Linnaeus,1761**) (Pterophoridae)
6731. *Stenoptilia* *serotina* (**Zeller,1852**) (Pterophoridae)
6732. *Stenoptilia* *stigmatodactyla* (**Zeller,1852**) (Pterophoridae)
6733. *Stenoptilia* *wagneri* **Zerny,1939** (Pterophoridae)
6734. *Stenoptilia* *zophodactyla* (**Duponchel,1838**) (Pterophoridae)
6735. *Stenoptilodes* *taprobanes* (**R.Felder & Rogenhofer,1875**) (Pterophoridae)
6736. *Stenovalva* *disclusa* (**Meyrick,1923**) (Gelechiidae)
6737. *Stephensia* *abbreviatella* (**Stainton,1851**) (Elachistidae)
6738. *Stephensia* *brunnichella* (**Linnaeus,1767**) (Elachistidae)
6739. *Stichobasis* *mima* **Bourgogne,1939** (Psychidae)
6740. *Stigmella* *aceris* (**Frey,1857**) (Nepticulidae)
6741. *Stigmella* *atricapitella* (**Haworth,1828**) (Nepticulidae)
6742. *Stigmella* *azaroli* (**Klimesch,1978**) (Nepticulidae)
6743. *Stigmella* *basiguttella* (**Heinemann,1862**) (Nepticulidae)
6744. *Stigmella* *bicuspidata* **Nieukerken & Johansson,2003** (Nepticulidae)
6745. *Stigmella* *carpinella* (**Heinemann,1862**) (Nepticulidae)
6746. *Stigmella* *centifoliella* (**Zeller,1848**) (Nepticulidae)
6747. *Stigmella* *cocciferae* **Nieukerken & Johansson,2003** (Nepticulidae)
6748. *Stigmella* *divina* **Puplesis, Diskus & Van Nieukerken,1997** (Nepticulidae)
6749. *Stigmella* *dorsiguttella* (**Johansson,1971**) (Nepticulidae)
6750. *Stigmella* *eberhardi* (**Johansson,1971**) (Nepticulidae)
6751. *Stigmella* *fagella* **Heinemann,1862** (Nepticulidae)
6752. *Stigmella* *fasciata* **Nieukerken & Johansson,2003** (Nepticulidae)
6753. *Stigmella* *macrolepidella* (**Klimesch,1978**) (Nepticulidae)
6754. *Stigmella* *mespilicola* (**Frey,1856**) (Nepticulidae)
6755. *Stigmella* *minusculella* **Herrich-Schäffer,[1855]** (Nepticulidae)
6756. *Stigmella* *muricatella* **Klimesch,1978** (Nepticulidae)
6757. *Stigmella* *paliurella* (**Klimesch,1940**) (Nepticulidae)
6758. *Stigmella* *prunetorum* (**Stainton,1855**) (Nepticulidae)
6759. *Stigmella* *pyrellicola* **Klimesch,1978** (Nepticulidae)
6760. *Stigmella* *rhamnophila* (**Amsel,1934**) (Nepticulidae)
6761. *Stigmella* *roborella* (**Johansson,1971**) (Nepticulidae)
6762. *Stigmella* *ruficapitella* (**Haworth,[1828]**) (Nepticulidae)
6763. *Stigmella* *samiatella* (**Zeller,1839**) (Nepticulidae)
6764. *Stigmella* *szoeciella* (**Borkowski,1972**) (Nepticulidae)
6765. *Stigmella* *trojana* **Z.Lastuvka & A.Lastuvka,1998** (Nepticulidae)

6766. **Stigmella zangherii** (Klimesch,1951)
(Nepticulidae)
6767. **Stilbia syriaca** Staudinger,1892
(Noctuidae)
6768. **Stilbina (s.str.) hypaenides**
Staudinger,1892 (Noctuidae)
6769. **Stiphrometasia monialis**
(Erschoff,1871) (Pyrilidae)
6770. **Stiphrometasia sancta**
(Hampson,1900) (Pyrilidae)
6771. **Stoermeriana nabataea** De Freina,2002
(Lasiocampidae)
6772. **Stomopteryx detersella** (Zeller,1847)
(Gelechiidae)
6773. **Stomopteryx pallidella** Amsel,1959
(Gelechiidae)
6774. **Stomopteryx remissella** (Zeller,1847)
(Gelechiidae)
6775. **Stomphastis conflua** (Meyrick,1914)
(Gracillariidae)
6776. **Streblote alpherakyi** (Christoph,1885)
(Lasiocampidae)
6777. **Streblote repanda** (Hübner,[1808])
(Lasiocampidae)
6778. **Streblote siva** (Lefèbvre,1827)
(Lasiocampidae)
6779. **Streyella anguinella** (Herrich-
Schäffer,1861) (Gelechiidae)
6780. **Strophedra nitidana** (Fabricius,1794)
(Tortricidae)
6781. **Strophedra weirana** (Douglas,1850)
(Tortricidae)
6782. **Struempelia renatella** Amsel,1977
(Gelechiidae)
6783. **Stueningia poggearia** (Lederer,1855)
(Geometridae)
6784. **Stueningia wolfi** Hausmann,1993
(Geometridae)
6785. **Stygia mosulensis** Daniel,1965 (Cossidae)
6786. **Stygioides colchica** (Herrich-
Schäffer,[1851]) (Cossidae)
6787. **Stygioides tricolor** (Lederer,1858)
(Cossidae)
6788. **Sultania lophotalis** (Hampson,1900)
(Pyrilidae)
6789. **Sumeria dipotamica** Tams,1938
(Notodontidae)
6790. **Susia designella** (Amsel,1955) (Pyrilidae)
6791. **Susia uberalis** (Swinhoe,1884)
(Pyrilidae)
6792. **Swammerdamia caesiella**
(Hübner,1796) (Yponomeutidae)
6793. **Symmocantha sparsella** (De
Joannis,1891) (Autostichidae)
6794. **Symmoca caliginella** Mann,1867
(Autostichidae)
6795. **Symmoca contristella** Caradja,1920
(Autostichidae)
6796. **Symmoca costobscurella** Amsel,1950
(Autostichidae)
6797. **Symmoca deprinsi** Gozmany,2001
(Autostichidae)
6798. **Symmoca fuscella** Amsel,1959
(Autostichidae)
6799. **Symmoca libanicolella** Zerny,1934
(Autostichidae)
6800. **Symmoca longipalpella** Rebel,1914
(Autostichidae)
6801. **Symmoca salinata** Gozmany,1986
(Autostichidae)
6802. **Symmoca straminella** Gozmany,1986
(Autostichidae)
6803. **Symmoca striolatella** Gozmany,1963
(Autostichidae)
6804. **Symmoca vitiosella** Zeller,1868
(Autostichidae)
6805. **Synansphecica affinis** (Staudinger,1856)
(Sesiidae)
6806. **Synansphecica cirgisa** (Bartel,1912)
(Sesiidae)
6807. **Synansphecica leucomelaena**
(Zeller,1847) (Sesiidae)
6808. **Synansphecica manni** (Lederer,1853)
(Sesiidae)
6809. **Synansphecica muscaeformis**
(Esper,[1783]) (Sesiidae)
6810. **Synanthedon andrenaeformis**
(Laspeyres,1801) (Sesiidae)
6811. **Synanthedon armeniacum**
Gorbunov,1991 (Sesiidae)
6812. **Synanthedon caucasica** Gorbunov,1986
(Sesiidae)
6813. **Synanthedon cephiformis**
(Ochsenheimer,1808) (Sesiidae)
6814. **Synanthedon colchidensis** K.Spatenka
& Gorbunov,1992 (Sesiidae)
6815. **Synanthedon conopiformis**
(Esper,[1782]) (Sesiidae)
6816. **Synanthedon culciformis**
(Linnaeus,1758) (Sesiidae)
6817. **Synanthedon formicaeformis**
(Esper,[1783]) (Sesiidae)
6818. **Synanthedon myopaeformis**
(Borkhausen,1789) (Sesiidae)
6819. **Synanthedon pamphyla** Kallies,2003
(Sesiidae)
6820. **Synanthedon pipiziforme** Lederer,1855
(Sesiidae)
6821. **Synanthedon rubiana** Kallies,
M.Petersen & Riefenstahl,1998 (Sesiidae)
6822. **Synanthedon spuleri** (Fuchs,1908)
(Sesiidae)
6823. **Synanthedon stomoxiformis**
(Hübner,1790) (Sesiidae)
6824. **Synanthedon syriaca** Spatenka,2001
(Sesiidae)
6825. **Synanthedon tipuliformis** (Clerck,1759)
(Sesiidae)
6826. **Synanthedon vespiformis**
(Linnaeus,1761) (Sesiidae)
6827. **Synaphe antennalis** (Fabricius,1794)
(Pyrilidae)
6828. **Synaphe armenialis** (Lederer,1870)
(Pyrilidae)
6829. **Synaphe asiatica** Obraztsov,1952
(Pyrilidae)
6830. **Synaphe berytalis** Ragonot,1888
(Pyrilidae)
6831. **Synaphe bombycalis** ([Denis &
Schiffermüller],1775) (Pyrilidae)
6832. **Synaphe chellalalis** (Hampson,1900)
(Pyrilidae)
6833. **Synaphe consecratalis** (Lederer,1855)
(Pyrilidae)
6834. **Synaphe moldavica** (Esper,[1789])
(Pyrilidae)

6835. **Synaphe morbidalis** (Guenée,1849)
(Pyrilidae)
6836. **Synaphe punctalis** (Fabricius,1775)
(Pyrilidae)
6837. **Synaphe syriaca** (Rebel,1903) (Pyrilidae)
6838. **Synaphe unifascialis** (Amsel,1961)
(Pyrilidae)
6839. **Synaphe uxorialis** (Lederer,1858)
(Pyrilidae)
6840. **Synchordaxis pardalis** Gozmany
(Lecithoceridae)
6841. **Synclera ? interruptalis** Amsel,1950
(Pyrilidae)
6842. **Synclera traducalis** (Zeller,1852)
(Pyrilidae)
6843. **Syncopacma captivella** (Herrich-
Schäffer,[1854]) (Gelechiidae)
6844. **Syncopacma cinctella** (Clerck,1759)
(Gelechiidae)
6845. **Syncopacma cincticulella**
(Bruand,1850) (Gelechiidae)
6846. **Syncopacma coronilella**
(Treitschke,1833) (Gelechiidae)
6847. **Syncopacma maraschella**
(Caradja,1920) (Gelechiidae)
6848. **Syncopacma patruella** (Mann,1857)
(Gelechiidae)
6849. **Syncopacma polychromella**
(Rebel,1902) (Gelechiidae)
6850. **Syncopacma rebeliella** (Caradja,1920)
(Gelechiidae)
6851. **Syncopacma sangiella** (Stainton,1863)
(Gelechiidae)
6852. **Syncopacma semicostella**
(Staudinger,1871) (Gelechiidae)
6853. **Syncopacma splendens**
(Staudinger,1881) (Gelechiidae)
6854. **Syncopacma syncrita** (Meyrick,1926)
(Gelechiidae)
6855. **Syncopacma taeniolella** (Zeller,1839)
(Gelechiidae)
6856. **Syndemis musculana** (Hübner,[1799])
(Tortricidae)
6857. **Syngrapha interrogationis**
(Linnaeus,1758) (Noctuidae)
6858. **Synopsia sociaria** (Hübner,[1799])
(Geometridae)
6859. **Synopsidia phasidaria**
(Rogenhofer,1873) (Geometridae)
6860. **Synoria antiquella** (Herrich-
Schäffer,[1855]) (Pyrilidae)
6861. **Syrianarpia kasyi** Leraut,1984
(Pyrilidae)
6862. **Syrianarpia osthelderi** Leraut,1982
(Pyrilidae)
6863. **Syringopais temperatella**
(Lederer,1855) (Deoclonidae)
6864. **Syssymoca sahib** Gozmany,1963
(Autostichidae)
6865. **Tabulaephorus decipiens**
(Lederer,1870) (Pterophoridae)
6866. **Tabulaephorus djebeli**
(Arenberger,1981) (Pterophoridae)
6867. **Tabulaephorus parthicus**
(Lederer,1870) (Pterophoridae)
6868. **Tabulaephorus punctinervis**
(Constant,1885) (Pterophoridae)
6869. **Taftania oxycyma** (Meyrick,1937)
(Pyrilidae)
6870. **Taleporia pseudoimprovisella** Freina &
Witt,1984 (Psychidae)
6871. **Taleporia tubulosa** (Retzius,1783)
(Psychidae)
6872. **Talis quercella** ([Denis &
Schifferrmüller],1775) (Pyrilidae)
6873. **Talis renatae** Ganey & Hacker,1984
(Pyrilidae)
6874. **Tamsola tarda** Wiltshire,1946
(Noctuidae)
6875. **Tarachephia hueberi** (Erschoff,1874)
(Noctuidae)
6876. **Tarucus (s.str.) balkanicus**
(Freyer,[1843]) (Lycaenidae)
6877. **Tarucus (s.str.) rosaceus**
(Austaut,1885) (Lycaenidae)
6878. **Tathorhynchus exsiccatus**
(Lederer,1855) (Noctuidae)
6879. **Tebenna bjerkandrella**
(Borgström,1784) (Choreutidae)
6880. **Tebenna micalis** (Mann,1857)
(Choreutidae)
6881. **Tegostoma albizonalis** Hampson,1900
(Pyrilidae)
6882. **Tegostoma comparalis** (Hübner,1796)
(Pyrilidae)
6883. **Tegostoma confluentalis** Hampson,1913
(Pyrilidae)
6884. **Tegostoma marginalis** Amsel,1961
(Pyrilidae)
6885. **Tegostoma mossulalis** Amsel,1949
(Pyrilidae)
6886. **Tegostoma paralis** Hampson,1900
(Pyrilidae)
6887. **Tegostoma perlepidalis** (Guenée,1854)
(Pyrilidae)
6888. **Tegostoma perlepidalis apurpurealis**
Amsel,1970 (Pyrilidae)
6889. **Tegostoma uniforma** Amsel,1951
(Pyrilidae)
6890. **Teinoptera culminifera** Calberla,1891
(Noctuidae)
6891. **Teinoptera gafsana** (Blachier,1905)
(Noctuidae)
6892. **Teinoptera oliva** (Staudinger,[1895])
(Noctuidae)
6893. **Teinoptera olivina** (Herrich-
Schäffer,[1852]) (Noctuidae)
6894. **Telechrysis tripuncta** (Haworth,[1828])
(Oecophoridae)
6895. **Teleiodes cisti** (Stainton,1869)
(Gelechiidae)
6896. **Teleiodes luculella** (Hübner,[1813])
(Gelechiidae)
6897. **Teleiodes squamodorella** (Amsel,1935)
(Gelechiidae)
6898. **Teleiodes vulgella** ([Denis &
Schifferrmüller],1775) (Gelechiidae)
6899. **Teleiopsis bagriotella**
(Duponchel,1840) (Gelechiidae)
6900. **Teleiopsis diffinis** (Haworth,[1828])
(Gelechiidae)
6901. **Teleiopsis latisacculus** Pitkin,1988
(Gelechiidae)
6902. **Teleiopsis rosabella** (Fologne,1862)
(Gelechiidae)

6903. **Teleiopsis sarcochroma** (Walsingham,1900) (Gelechiidae)
6904. **Teleiopsis terebinthinella** (Herrich-Schäffer,[1856]) (Gelechiidae)
6905. **Telphusa comedonella** (Staudinger,1880) (Gelechiidae)
6906. **Telphusa mersinella** (Staudinger,1879) (Gelechiidae)
6907. **Telphusa pistaciae** Sattler,1982 (Gelechiidae)
6908. **Telphusa praedicata** Meyrick,1923 (Gelechiidae)
6909. **Tenuipenna simlicella** Amsel,1959 (Cosmopterigidae)
6910. **Tephрина sp.n.** (Geometridae)
6911. **Tephрина arenacearia** ([Denis & Schiffermüller],1775) (Geometridae)
6912. **Tephрина hopfferaria** (Staudinger,1879) (Geometridae)
6913. **Tephрина murinaria** ([Denis & Schiffermüller],1775) (Geometridae)
6914. **Tephрина suleiman** (Wehrli,1936) (Geometridae)
6915. **Tephris diversella** Amsel,1950 (Pyrilidae)
6916. **Tephris stenopterella** Amsel,1949 (Pyrilidae)
6917. **Tephris verrucella** (Ragonot,1887) (Pyrilidae)
6918. **Tephronia fumosata** (Hausmann,1995) (Geometridae)
6919. **Tephronia oppositaria** Mann,1864 (Geometridae)
6920. **Tephronia sepiaria** (Hufnagel,1767) (Geometridae)
6921. **Tephroniopsis geometridalis** Amsel,1961 (Pyrilidae)
6922. **Tethea ocularis** (Linnaeus,1767) (Thyatiridae)
6923. **Tethea or** ([Denis & Schiffermüller],1775) (Thyatiridae)
6924. **Thalera fimbrialis** (Scopoli,1763) (Geometridae)
6925. **Thaleropsis ionia** (Eversmann,1851) (Argynnidae)
6926. **Thalpophila matura** (Hufnagel,1766) (Noctuidae)
6927. **Thargelia attila** L.Ronkay & Gyulai,2006 (Noctuidae)
6928. **Thargelia balazsi** L.Ronkay & Gyulai,2006 (Noctuidae)
6929. **Thargelia gigantea** Rebel,1909 (Noctuidae)
6930. **Thaumetopoea (s.str.) jordana** (Staudinger,1895) (Thaumetopoeidae)
6931. **Thaumetopoea (s.str.) libanotica** Kiriakoff & Talhouk,1975 (Thaumetopoeidae)
6932. **Thaumetopoea (s.str.) processionea** (Linnaeus,1758) (Thaumetopoeidae)
6933. **Thaumetopoea (s.str.) solitaria** (Freyer,[1838]) (Thaumetopoeidae)
6934. **Thaumetopoea (Traumatocampa) ispartaensis** (M.Doğanlar & Avcı,2001) (Thaumetopoeidae)
6935. **Thaumetopoea (Traumatocampa) pinivora** Treitschke,1834 (Thaumetopoeidae)
6936. **Thaumetopoea (Traumatocampa) pityocampa** ([Denis & Schiffermüller],1775) (Thaumetopoeidae)
6937. **Thaumetopoea (Traumatocampa) sedirica** (M.Doğanlar,2005) (Thaumetopoeidae)
6938. **Thaumetopoea (Traumatocampa) torosica** (M.Doğanlar,2005) (Thaumetopoeidae)
6939. **Thaumetopoea (Traumatocampa) wilkinsoni** Tams,1925 (Thaumetopoeidae)
6940. **Thecla betulae** (Linnaeus,1758) (Lycaenidae)
6941. **Thera (Pennithera) firmata** (Hübner,[1822]) (Geometridae)
6942. **Thera (s.str.) britannica** (Turner,1925) (Geometridae)
6943. **Thera (s.str.) cognata** (Thunberg,1792) (Geometridae)
6944. **Thera (s.str.) cupressata** (Geyer,[1831]) (Geometridae)
6945. **Thera (s.str.) juniperata** (Linnaeus,1758) (Geometridae)
6946. **Thera (s.str.) obeliscata** (Hübner,1787) (Geometridae)
6947. **Thera (s.str.) variata** ([Denis & Schiffermüller],1775) (Geometridae)
6948. **Therapis flavicaria** ([Denis & Schiffermüller],1775) (Geometridae)
6949. **Therapne obsoletalis** (Mann,1864) (Pyrilidae)
6950. **Theresimima ampellophaga** (Bayle-Barelle,1808) (Zygaenidae)
6951. **Theretra alecto** (Linnaeus,1758) (Sphingidae)
6952. **Theretra alecto alecto** (Linnaeus,1758) (Sphingidae)
6953. **Theria rupicapraria** ([Denis & Schiffermüller],1775) (Geometridae)
6954. **Thetidia bilineata** Hausmann,1991 (Geometridae)
6955. **Thetidia crucigerata** (Christoph,1887) (Geometridae)
6956. **Thetidia euryrithra** (L.B.Prout,1935) (Geometridae)
6957. **Thetidia fulminaria** (Lederer,1870) (Geometridae)
6958. **Thetidia persica** Hausmann,1996 (Geometridae)
6959. **Thetidia prasinaria** (Eversmann,1837) (Geometridae)
6960. **Thetidia recta** (Brandt,1941) (Geometridae)
6961. **Thetidia silvia** Hausmann,1991 (Geometridae)
6962. **Thetidia smaragdaria** (Fabricius,1787) (Geometridae)
6963. **Thiacidas postica** Walker,1855 (Noctuidae)
6964. **Thiodia anatoliana** Kennel,1916 (Tortricidae)
6965. **Thiodia citrana** (Hübner,[1799]) (Tortricidae)
6966. **Thiodia confusana** Kuznetsov,1972 (Tortricidae)
6967. **Thiodia couleruana** (Duponchel,1835) (Tortricidae)

6968. **Thiodia elbursica** Kuznetsov,1972
(Tortricidae)
6969. **Thiodia fessana** (Mann,1873)
(Tortricidae)
6970. **Thiodia hyrcana** Kuznetsov,1976
(Tortricidae)
6971. **Thiodia torridana** (Lederer,1859)
(Tortricidae)
6972. **Thiodia trochillana** (Frölich,1828)
(Tortricidae)
6973. **Thisanotia chrysonuchella**
(Scopoli,1763) (Pyrilidae)
6974. **Tholera cespitis** (Goeze,1781)
(Noctuidae)
6975. **Tholera decimalis** (Poda,1761)
(Noctuidae)
6976. **Tholera hilaris** (Staudinger,1901)
(Noctuidae)
6977. **Thoepetis galleriellus** (Ragonot,1892)
(Pyrilidae)
6978. **Thospia crassipalpella** Ragonot,1888
(Pyrilidae)
6979. **Thospia permixtella** Ragonot,1888
(Pyrilidae)
6980. **Thospia trifasciella** (Ragonot,1887)
(Pyrilidae)
6981. **Thria robusta** Walker,[1858] (Noctuidae)
6982. **Thumatha senex** (Hübner,[1808])
(Arctiidae)
6983. **Thyatira batis** (Linnaeus,1758)
(Thyatiridae)
6984. **Thyatira bodemeyeri** O.Bang-
Haas,1934 (Thyatiridae)
6985. **Thyatira hedemanni** Christoph,1885
(Thyatiridae)
6986. **Thymelicus acteon** (Rottemburg,1775)
(Hesperiidae)
6987. **Thymelicus hyrax** (Lederer,1861)
(Hesperiidae)
6988. **Thymelicus lineolus**
(Ochsenheimer,1808) (Hesperiidae)
6989. **Thymelicus lineolus lineolus**
(Ochsenheimer,1808) (Hesperiidae)
6990. **Thymelicus novus** (Reverdin,1916)
(Hesperiidae)
6991. **Thymelicus sylvestris** (Poda,1761)
(Hesperiidae)
6992. **Thyridiphora furia** (Swinhoe,1884)
(Pyrilidae)
6993. **Thyris fenestrella** (Scopoli,1763)
(Thyridae)
6994. **Thysanoplusia (Daubeiplusia) daubei**
(Boisduval,1840) (Noctuidae)
6995. **Thysanoplusia (s.str.) orichalcea**
(Fabricius,1775) (Noctuidae)
6996. **Tila sequanda** Povolny,1974 (Gelechiidae)
6997. **Timandra comae** Schmidt,1931
(Geometridae)
6998. **Timandra griseata** W.Petersen,1902
(Geometridae)
6999. **Tinagma anchusellum** (Benander,1936)
(Douglasiidae)
7000. **Tinagma balteolellum** (Fischer v.
Röslerstamm,1841) (Douglasiidae)
7001. **Tinagma bledellum** (Chrétien,1916)
(Douglasiidae)
7002. **Tinagma columbellum**
(Staudinger,1880) (Douglasiidae)
7003. **Tinagma grisescens** Stainton,1867
(Douglasiidae)
7004. **Tinagma minutissimum**
(Staudinger,1880) (Douglasiidae)
7005. **Tinagma ocerostomellum**
(Stainton,1850) (Douglasiidae)
7006. **Tinea basifasciella** Ragonot,1895
(Tineidae)
7007. **Tinea columbariella** Wocke,1877
(Tineidae)
7008. **Tinea murariella** Staudinger,1859
(Tineidae)
7009. **Tinea omichlopis** Meyrick,1928
(Tineidae)
7010. **Tinea pellionella** Linnaeus,1758
(Tineidae)
7011. **Tinea rostrata** G.Petersen,1966
(Tineidae)
7012. **Tinea semifulvella** Haworth,[1828]
(Tineidae)
7013. **Tinea subalbidella** Stainton,1867
(Tineidae)
7014. **Tinea translucens** Meyrick,1917
(Tineidae)
7015. **Tinea trinotella** Thunberg,1794
(Tineidae)
7016. **Tineola bisselliella** (Hummel,1823)
(Tineidae)
7017. **Tinthia brosiiformis** (Hübner,[1813])
(Sesiidae)
7018. **Tinthia cingulata** (Staudinger,1870)
(Sesiidae)
7019. **Tinthia hoplisiformis** (Mann,1864)
(Sesiidae)
7020. **Tinthia mianjanggalica** Lastuvka,1997
(Sesiidae)
7021. **Tinthia myrmosaeformis** (Herrich-
Schäffer,1846) (Sesiidae)
7022. **Tinthia tineiformis** (Esper,[1789])
(Sesiidae)
7023. **Tischeria dodonaea** Stainton,1858
(Tischeriidae)
7024. **Tischeria ekebladella**
(Bjerkander,1795) (Tischeriidae)
7025. **Tischeria rubiphagella** Amsel,1935
(Tischeriidae)
7026. **Titanio caradjae** (Rebel,1902) (Pyrilidae)
7027. **Titanio hyrcanella** Amsel,1950
(Pyrilidae)
7028. **Titanio nanalis** (Christoph,1888)
(Pyrilidae)
7029. **Titanio nissalis** Amsel,1951 (Pyrilidae)
7030. **Titanio normalis** (Hübner,1796)
(Pyrilidae)
7031. **Titanio venustalis** (Lederer,1855)
(Pyrilidae)
7032. **Tolliella fulguritella** (Ragonot,1895)
(Cosmopterigidae)
7033. **Tomares (nogelii) dobrogensis**
(Caradja,1895) (Lycaenidae)
7034. **Tomares (nogelii) nesimachus**
(Oberthür,1893) (Lycaenidae)
7035. **Tomares (nogelii) nogelii**
(Freyer,[1851]) (Lycaenidae)
7036. **Tomares callimachus**
(Eversmann,1848) (Lycaenidae)
7037. **Tomares desinens** Nekrutenko &
Effendi,1980 (Lycaenidae)

7038. **Tomares romanovi** (Christoph,1882)
(Lycaenidae)
7039. **Tortilia charadritis** (Meyrick,1924)
(Stathmopodidae)
7040. **Tortilia flavella** Chrétien,1908
(Stathmopodidae)
7041. **Tortilia graeca** Kasy,1981
(Stathmopodidae)
7042. **Tortilia pallidella** Kasy,1973
(Stathmopodidae)
7043. **Tortilia sp.** (Stathmopodidae)
7044. **Tortricodes selma** Koçak,1991
(Tortricidae)
7045. **Tortrix viridana** (Linnaeus,1758)
(Tortricidae)
7046. **Tosirips magyarus** Razowski,1987
(Tortricidae)
7047. **Trachea atriplicis** (Linnaeus,1758)
(Noctuidae)
7048. **Trachycera advenella** (Zincken,1818)
(Pyrilidae)
7049. **Trachycera bouchirella** (Amsel,1951)
(Pyrilidae)
7050. **Trachycera dulcella** (Zeller,1848)
(Pyrilidae)
7051. **Trachycera eburnella** (Amsel,1953)
(Pyrilidae)
7052. **Trachycera farsella** (Amsel,1950)
(Pyrilidae)
7053. **Trachycera khachella** (Amsel,1950)
(Pyrilidae)
7054. **Trachycera legatea** (Haworth,[1811])
(Pyrilidae)
7055. **Trachycera marmorea**
(Haworth,[1811]) (Pyrilidae)
7056. **Trachycera mirabiella** (Toll,1948)
(Pyrilidae)
7057. **Trachycera mirabilella** (Toll,1948)
(Pyrilidae)
7058. **Trachycera niveicinctella**
(Ragonot,1887) (Pyrilidae)
7059. **Trachycera persicella** (Amsel,1951)
(Pyrilidae)
7060. **Trachycera praefectella** (Zerny,1936)
(Pyrilidae)
7061. **Trachycera suavella** (Zincken,1818)
(Pyrilidae)
7062. **Trachycera zamantha** Roesler,1987
(Pyrilidae)
7063. **Trachylepidia fructicassella**
(Ragonot,1887) (Pyrilidae)
7064. **Trachysmia aureopunctana**
(Ragonot,1894) (Tortricidae)
7065. **Trachysmia decipiens**
(Walsingham,1900) (Tortricidae)
7066. **Trachysmia lucentana** (Kennel,1899)
(Tortricidae)
7067. **Trachysmia palpana** (Ragonot,1894)
(Tortricidae)
7068. **Tragonitis cristella** (Hübner,1796)
(Pyrilidae)
7069. **Trepteryx pertusalis** (Geyer,[1832])
(Pyrilidae)
7070. **Triaxomera fulvimitrella**
(Sodoffsky,1830) (Tineidae)
7071. **Triaxomera parasitella** (Hübner,1796)
(Tineidae)
7072. **Trichiura (Giselea) pistaciae**
(Wiltshire,1952) (Lasiocampidae)
7073. **Trichiura (s.str.) brandstetteri**
Zolotuhin & Saldaitis,2009 (Lasiocampidae)
7074. **Trichiura (s.str.) castiliana**
(Spuler,1908) (Lasiocampidae)
7075. **Trichiura (s.str.) crataegi**
(Linnaeus,1758) (Lasiocampidae)
7076. **Trichiura (s.str.) kopetdagi** Dubatolov
& Zolotuhin,1992 (Lasiocampidae)
7077. **Trichiura (s.str.) mirzayani** Ebert,1971
(Lasiocampidae)
7078. **Trichiura (s.str.) sapor** Wiltshire,1946
(Lasiocampidae)
7079. **Trichiura (s.str.) stroehlei**
Zolotuhin,2007 (Lasiocampidae)
7080. **Trichiura (s.str.) verenae** Witt,1981
(Lasiocampidae)
7081. **Trichodezia haberhaueri**
(Lederer,1864) (Geometridae)
7082. **Trichophaga bipartitella**
(Ragonot,1892) (Tineidae)
7083. **Trichophaga tapetzella** (Linnaeus,1758)
(Tineidae)
7084. **Trichoplusia circumscripta**
(Freyer,1831) (Noctuidae)
7085. **Trichoplusia exquisatella** (Strand,1916)
(Noctuidae)
7086. **Trichoplusia exquisita** (R.Felder &
Rogenhofer,1874) (Noctuidae)
7087. **Trichoplusia ni** (Hübner,[1803])
(Noctuidae)
7088. **Trifurcula (Glaucolepis) albiflorella**
Klimesch,1978 (Nepticulidae)
7089. **Trifurcula (Glaucolepis) melanoptera**
van Nieukerken & Puplesis,1991
(Nepticulidae)
7090. **Trifurcula (Levarchama) eurema**
(Tutt,1899) (Nepticulidae)
7091. **Trifurcula (s.str.) pallidella**
(Duponchel,1843) (Nepticulidae)
7092. **Trifurcula (s.str.) subnitidella**
(Duponchel,1843) (Nepticulidae)
7093. **Trigonodes hyppasia** (Cramer,1779)
(Noctuidae)
7094. **Trigonuncus euergestalis** Amsel,1953
(Pyrilidae)
7095. **Trigonuncus inglorialis**
(Hampson,1900) (Pyrilidae)
7096. **Trigonuncus nissalis** Amsel,1950
(Pyrilidae)
7097. **Triodia amasina** (Herrich-
Schäffer,[1851]) (Hepialidae)
7098. **Triodia sylvina** (Linnaeus,1761)
(Hepialidae)
7099. **Triphosa agnata** Le Cerf,1918
(Geometridae)
7100. **Triphosa dubitata** (Linnaeus,1758)
(Geometridae)
7101. **Triphosa sabaudiata** (Duponchel,1830)
(Geometridae)
7102. **Triphosa taochata** Lederer,1870
(Geometridae)
7103. **Triphysa phryne** (Pallas,1771) (Satyridae)
7104. **Trisateles emortualis** ([Denis &
Schifferrmüller],1775) (Noctuidae)
7105. **Trissonca crocotoxa** Meyrick,1937
(Pyrilidae)


7106. **Trissonca muliebris** Meyrick,1937 (Pyralidae)
7107. **Trissonca oblitella** (Zeller,1848) (Pyralidae)
7108. **Trissonca polycapna** Meyrick,1937 (Pyralidae)
7109. **Tubuliferola flavifrontella** ([Denis & Schiffermüller],1775) (Oecophoridae)
7110. **Tulaya margelana** (Bethune-Baker,1893) (Pyralidae)
7111. **Tulaya staudingeri** (Bethune-Baker,1893) (Pyralidae)
7112. **Turanana anisophtalma** (Kollar,[1849]) (Lycaenidae)
7113. **Turanana cytis** (Christoph,1877) (Lycaenidae)
7114. **Turanana dushak** Dubatolov,1989 (Lycaenidae)
7115. **Turanana endymion** (Freyer,[1850]) (Lycaenidae)
7116. **Turanana taygetica** (Rebel,1902) (Lycaenidae)
7117. **Turania pentodonalis** (Erschoff,1874) (Pyralidae)
7118. **Turatia iranica** Gozmany,2000 (Autostichidae)
7119. **Turatia psammella** (Amsel,1935) (Autostichidae)
7120. **Turcopalpa africana** (Povolny,1968) (Gelechiidae)
7121. **Turcopalpa glaseri** Povolny,1973 (Gelechiidae)
7122. **Tyria jacobaeae** (Linnaeus,1758) (Arctiidae)
7123. **Tyta luctuosa** ([Denis & Schiffermüller],1775) (Noctuidae)
7124. **Tyroca dispar** (Püngeler,1904) (Noctuidae)
7125. **Tyroca fasciolata** (W.Warren,1905) (Noctuidae)
7126. **Tyroca leucoptera** (Hampson,1896) (Noctuidae)
7127. **Udea albescensalis** (Hampson,1900) (Pyralidae)
7128. **Udea ardekanalis** Amsel,1961 (Pyralidae)
7129. **Udea ferrugalis** (Hübner,1796) (Pyralidae)
7130. **Udea fimbriatralis** (Duponchel,1834) (Pyralidae)
7131. **Udea fulvalis** (Hübner,[1809]) (Pyralidae)
7132. **Udea mechedalis** (Amsel,1950) (Pyralidae)
7133. **Udea numeralis** (Hübner,1796) (Pyralidae)
7134. **Udea olivalis** ([Denis & Schiffermüller],1775) (Pyralidae)
7135. **Udea rhododendronalis** (Duponchel,1834) (Pyralidae)
7136. **Udea vestalis** (Hampson,1900) (Pyralidae)
7137. **Uliaria rasilella** (Herrich-Schäffer,[1854]) (Gelechiidae)
7138. **Ulochlaena gemmifera** Hacker,2001 (Noctuidae)
7139. **Ulochlaena hirta** (Hübner,[1813]) (Noctuidae)
7140. **Ulotricha egregialis** (Herrich-Schäffer,1838) (Pyralidae)
7141. **Uncinus hypogryphellus** Amsel,1951 (Pyralidae)
7142. **Uresiphita polygonalis** ([Denis & Schiffermüller],1775) (Pyralidae)
7143. **Utetheisa (s.str.) lotrix** (Cramer,[1777]) (Arctiidae)
7144. **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae)
7145. **Valeria carducha** (Wiltshire,1957) (Noctuidae)
7146. **Valeria kartalea** Kuhna & Schmitz,1997 (Noctuidae)
7147. **Valeria oleagina** (Esper,[1786]) (Noctuidae)
7148. **Valeria schreieri** Hacker & Ebert,2002 (Noctuidae)
7149. **Valerietta boursini** De Freina & Hacker,1985 (Noctuidae)
7150. **Valerietta forsteri** Draudt,1938 (Noctuidae)
7151. **Valerietta niphopasta** (Hampson,1906) (Noctuidae)
7152. **Valva pseudodiscomaculella** (Amsel,1935) (Pyralidae)
7153. **Vanessa (Cynthia) cardui** (Linnaeus,1758) (Argynnidae)
7154. **Vanessa (s.str.) atalanta** (Linnaeus,1758) (Argynnidae)
7155. **Vanessa (s.str.) atalanta atalanta** (Linnaeus,1758) (Argynnidae)
7156. **Vartiania senganensis** (Daniel,1949) (Cossidae)
7157. **Vartiania zarathustra** Yakovlev,2005 (Cossidae)
7158. **Venusia blomeri** (Curtis,1832) (Geometridae)
7159. **Victoria eremita** Hausmann,1993 (Geometridae)
7160. **Victoria plantei** Herbulot,[1977] (Geometridae)
7161. **Victrix (Rasihia) boursini** (Draudt,1936) (Noctuidae)
7162. **Victrix (Rasihia) commixta** (W.Warren,1909) (Noctuidae)
7163. **Victrix (Rasihia) conspersa** (Christoph,1893) (Noctuidae)
7164. **Victrix (Rasihia) duelduelica** (Osthelder,1932) (Noctuidae)
7165. **Victrix (Rasihia) hackeri** Varga & Ronkay,1991 (Noctuidae)
7166. **Victrix (Rasihia) klapperichi** Hacker,2001 (Noctuidae)
7167. **Victrix (Rasihia) macrosema** (Boursin,1957) (Noctuidae)
7168. **Victrix (Rasihia) marginelota** (de Joannis,1888) (Noctuidae)
7169. **Victrix (Rasihia) sassanica** Wiltshire,1961 (Noctuidae)
7170. **Victrix (Rasihia) tabora** (Staudinger,1892) (Noctuidae)
7171. **Victrix (s.str.) artaxias** Varga & Ronkay,1989 (Noctuidae)
7172. **Victrix (s.str.) gracilis** (Wagner,1931) (Noctuidae)
7173. **Victrix (s.str.) karsiana** Staudinger,1879 (Noctuidae)

7174. **Victrix (s.str.) pinkeri** Hacker & Lödl,1989 (Noctuidae)
7175. **Victrix sp.** (Noctuidae)
7176. **Vietteia terstrigella** (Christoph,1877) (Pyrilidae)
7177. **Vladimirea (Distinxia) amseli** Povolny,1967 (Gelechiidae)
7178. **Vladimirea (s.str.) glebicolorella** (Erschoff,1874) (Gelechiidae)
7179. **Vladimirea (s.str.) kahirica** Povolny,1969 (Gelechiidae)
7180. **Vladimirea (s.str.) magna** Povolny,1969 (Gelechiidae)
7181. **Vladimirea (s.str.) stepicola** Povolny,1976 (Gelechiidae)
7182. **Vladimirea (s.str.) zygophylli** Kuznetsov,1960 (Gelechiidae)
7183. **Vladimirea (s.str.) zygophyllivorella** Kuznetsov,1960 (Gelechiidae)
7184. **Vulcaniella anatolica** Koster & Sinev,2003 (Cosmopterigidae)
7185. **Vulcaniella caucasica** Sinev,1986 (Cosmopterigidae)
7186. **Vulcaniella cognatella** Riedl,1991 (Cosmopterigidae)
7187. **Vulcaniella fiordalisa** (Petry,1904) (Cosmopterigidae)
7188. **Vulcaniella glaseri** (Riedl,1966) (Cosmopterigidae)
7189. **Vulcaniella grabowiella** (Staudinger,1859) (Cosmopterigidae)
7190. **Vulcaniella grandiferella** Sinev,1986 (Cosmopterigidae)
7191. **Vulcaniella karadaghella** Sinev,1986 (Cosmopterigidae)
7192. **Vulcaniella pomposella** (Zeller,1839) (Cosmopterigidae)
7193. **Vulcaniella pontica** Koster & Sinev,2003 (Cosmopterigidae)
7194. **Vulcaniella schultzenborffi** (Amsel,1958) (Cosmopterigidae)
7195. **Watsonalla binaria** (Hufnagel,1767) (Drepanidae)
7196. **Watsonalla cultraria** (Fabricius,1775) (Drepanidae)
7197. **Watsonalla uncinula** (Borkhausen,1790) (Drepanidae)
7198. **Watsonarcia deserta** (Bartel,1902) (Arctiidae)
7199. **Wegneria panchalcella** (Staudinger,1871) (Tineidae)
7200. **Wehriola revocaria** (Staudinger,1892) (Geometridae)
7201. **Wheeleria elbursi** (Arenberger,1981) (Pterophoridae)
7202. **Wheeleria ivae** (Kasy,1960) (Pterophoridae)
7203. **Wheeleria kabuli** (Arenberger,1981) (Pterophoridae)
7204. **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae)
7205. **Wheeleria phlomidis** (Staudinger,1871) (Pterophoridae)
7206. **Wheeleria sobeidae** (Arenberger,1981) (Pterophoridae)
7207. **Wheeleria spilodactyla** (Curtis,1827) (Pterophoridae)
7208. **Wiltshireola disrupta** (Wiltshire,1952) (Noctuidae)
7209. **Wiltshireola praecipua** Hacker & Kravchenko,2001 (Noctuidae)
7210. **Wiltshirocossus aries** (Püngeler,1902) (Cossidae)
7211. **Xanthia (Cirrha) gilvago** ([Denis & Schiffermüller],1775) (Noctuidae)
7212. **Xanthia (Cirrha) ocellaris** (Borkhausen,1792) (Noctuidae)
7213. **Xanthia (Tiliacea) aurago** ([Denis & Schiffermüller],1775) (Noctuidae)
7214. **Xanthia (Tiliacea) citrago** (Linnaeus,1758) (Noctuidae)
7215. **Xanthia (Tiliacea) cypreago** (Hampson,1906) (Noctuidae)
7216. **Xanthia icteritia** (Hufnagel,1766) (Noctuidae)
7217. **Xanthia sulphurago** ([Denis & Schiffermüller],1775) (Noctuidae)
7218. **Xanthia togata** (Esper,1788) (Noctuidae)
7219. **Xanthocrambus argentarius** (Staudinger,1867) (Pyrilidae)
7220. **Xanthocrambus saxonellus** (Zincken,1821) (Pyrilidae)
7221. **Xanthodes albago** (Fabricius,1794) (Noctuidae)
7222. **Xanthorhoe acutangulata** (Christoph,1887) (Geometridae)
7223. **Xanthorhoe biriviata** (Borkhausen,1794) (Geometridae)
7224. **Xanthorhoe decoloraria** (Esper,[1806]) (Geometridae)
7225. **Xanthorhoe designata** (Hufnagel,1767) (Geometridae)
7226. **Xanthorhoe ferrugata** (Clerck,1759) (Geometridae)
7227. **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae)
7228. **Xanthorhoe inconsiderata** (Staudinger,1892) (Geometridae)
7229. **Xanthorhoe montanata** ([Denis & Schiffermüller],1775) (Geometridae)
7230. **Xanthorhoe oxybiata** (Millière,1872) (Geometridae)
7231. **Xanthorhoe peribleta** (Brandt,1941) (Geometridae)
7232. **Xanthorhoe pseudogaliata** (Staudinger,1898) (Geometridae)
7233. **Xanthorhoe quadrifasciata** (Linnaeus,1761) (Geometridae)
7234. **Xanthorhoe rectifasciaria** (Lederer,1853) (Geometridae)
7235. **Xanthorhoe rhodoides** (Brandt,1941) (Geometridae)
7236. **Xanthorhoe spadicearia** ([Denis & Schiffermüller],1775) (Geometridae)
7237. **Xanthorhoe wiltshirei** (Brandt,1941) (Geometridae)
7238. **Xanthothrix callicore** (Staudinger,1871) (Noctuidae)
7239. **Xenochlorodes albicostaria** Brandt,1938 (Geometridae)
7240. **Xenochlorodes beryllaria** (Mann,1853) (Geometridae)
7241. **Xenochlorodes graminaria** (Kollar,[1849]) (Geometridae)

7242. *Xenochlorodes olympiaria* (Herrich-Schäffer,[1852] (Geometridae)
7243. *Xenolechia aethiops* (Humphreys & Westwood,1845) (Gelechiidae)
7244. *Xenolechia pseudovulgella* Huemer & Karsholt,1999 (Gelechiidae)
7245. *Xenophysa huberi* Varga,1989 (Noctuidae)
7246. *Xenophysa junctimacula* (Christoph,1887) (Noctuidae)
7247. *Xenoplaxa seraf* Gozmany,1963 (Autostichidae)
7248. *Xerocnephasia rigana* (Sodoffsky,1829) (Tortricidae)
7249. *Xestia* (*Megasema*) *ashworthii* (Doubleday,1855) (Noctuidae)
7250. *Xestia* (*Megasema*) *c-nigrum* (Linnaeus,1758) (Noctuidae)
7251. *Xestia* (*Megasema*) *ditrapezium* ([Denis & Schiffermüller],1775) (Noctuidae)
7252. *Xestia* (*Megasema*) *triangulum* (Hufnagel,1766) (Noctuidae)
7253. *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775) (Noctuidae)
7254. *Xestia* (s.str.) *castanea* (Esper,[1798]) (Noctuidae)
7255. *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae)
7256. *Xestia* (s.str.) *kecskerago* Gyulai & L.Ronkay,2006 (Noctuidae)
7257. *Xestia* (s.str.) *kermesina* (Mabille,1869) (Noctuidae)
7258. *Xestia* (s.str.) *ochreago* (Hübner,[1809]) (Noctuidae)
7259. *Xestia* (s.str.) *palaestinensis* (Kalchberg,1898) (Noctuidae)
7260. *Xestia* (s.str.) *pallidago* (Staudinger,1900) (Noctuidae)
7261. *Xestia* (s.str.) *rhomboidea* (Esper,[1790]) (Noctuidae)
7262. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851]) (Noctuidae)
7263. *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820) (Noctuidae)
7264. *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775) (Noctuidae)
7265. *Xylena exsoleta* (Linnaeus,1758) (Noctuidae)
7266. *Xylena lunifera* W.Warren,1910 (Noctuidae)
7267. *Xylena vetusta* (Hübner,[1813]) (Noctuidae)
7268. *Xylocampa mustapha* (Oberthür,1920) (Noctuidae)
7269. *Xylomoia apameaoides* (Hacker,1989) (Noctuidae)
7270. *Xystophora carchariella* (Zeller,1839) (Gelechiidae)
7271. *Yponomeuta albonigratus* Gershenson,1972 (Yponomeutidae)
7272. *Yponomeuta cognagellus* (Hübner,[1813]) (Yponomeutidae)
7273. *Yponomeuta evonymellus* (Linnaeus,1758) (Yponomeutidae)
7274. *Yponomeuta irrorellus* (Hübner,1796) (Yponomeutidae)
7275. *Yponomeuta malinellus* Zeller,1838 (Yponomeutidae)
7276. *Yponomeuta meridionalis* Gershenson,1972 (Yponomeutidae)
7277. *Yponomeuta padellus* (Linnaeus,1758) (Yponomeutidae)
7278. *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775) (Yponomeutidae)
7279. *Yponomeuta rorrellus* (Hübner,1796) (Yponomeutidae)
7280. *Yponomeuta vigintipunctatus* (Retzius,1783) (Yponomeutidae)
7281. *Ypsolopha albidorsella* (Staudinger,1879) (Yponomeutidae)
7282. *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae)
7283. *Ypsolopha asperella* (Linnaeus,1761) (Yponomeutidae)
7284. *Ypsolopha dentella* (Fabricius,1775) (Yponomeutidae)
7285. *Ypsolopha excisella* (Lederer,1855) (Yponomeutidae)
7286. *Ypsolopha indecorella* (Rebel,1903) (Yponomeutidae)
7287. *Ypsolopha instabilella* (Mann,1866) (Yponomeutidae)
7288. *Ypsolopha kotzschii* (Toll,1947) (Yponomeutidae)
7289. *Ypsolopha kristalleniae* Rebel,1916 (Yponomeutidae)
7290. *Ypsolopha manniella* (Staudinger,1879) (Yponomeutidae)
7291. *Ypsolopha mucronella* (Scopoli,1763) (Yponomeutidae)
7292. *Ypsolopha nebulella* (Staudinger,1871) (Yponomeutidae)
7293. *Ypsolopha parenthesesella* (Linnaeus,1761) (Yponomeutidae)
7294. *Ypsolopha persicella* (Fabricius,1787) (Yponomeutidae)
7295. *Ypsolopha sculpturella* (Herrich-Schäffer,[1854]) (Yponomeutidae)
7296. *Ypsolopha semitessella* (Mann,1861) (Yponomeutidae)
7297. *Ypsolopha sequella* (Clerck,1759) (Yponomeutidae)
7298. *Ypsolopha trichonella* (Mann,1861) (Yponomeutidae)
7299. *Ypsolopha ustella* (Clerck,1759) (Yponomeutidae)
7300. *Ypsolopha vittella* (Linnaeus,1758) (Yponomeutidae)
7301. *Ypthima asterope* (Klug,1832) (Satyridae)
7302. *Ypthima bolanica* Marschall,1882 (Satyridae)
7303. *Zamarada minimaria* Swinhoe,1895 (Geometridae)
7304. *Zamarada torrida* D.S.Fletcher,1974 (Geometridae)
7305. *Zebeeba falsalis* (Herrich-Schäffer,1839) (Noctuidae)
7306. *Zegrus eupheme* (Esper,[1804]) (Pieridae)
7307. *Zegrus fausti* Christoph,1877 (Pieridae)
7308. *Zeiraphera isertana* (Fabricius,1794) (Tortricidae)
7309. *Zeiraphera smaragdina* Razowski,1963 (Tortricidae)

7310. *Zekelita (Ravalita) amseloides* Hacker & Ebert, 2002 (Noctuidae)
7311. *Zekelita (Ravalita) ravalis* (Herrich-Schäffer, [1852]) (Noctuidae)
7312. *Zekelita (Rhynchodontodes) antiqualis* (Hübner, [1809]) (Noctuidae)
7313. *Zekelita (Rhynchodontodes) mardinalis* (Staudinger, 1892) (Noctuidae)
7314. *Zekelita (Rhynchodontodes) orientis* (Brandt, 1938) (Noctuidae)
7315. *Zekelita (Rhynchodontodes) pallida* Draudt, 1936 (Noctuidae)
7316. *Zekelita (Rhynchodontodes) ravulalis* (Staudinger, 1879) (Noctuidae)
7317. *Zekelita (Rhynchodontodes) revolutalis* Zeller, 1852 (Noctuidae)
7318. *Zelleria hepariella* Stainton, 1849 (Yponomeutidae)
7319. *Zenophassus schamyl* (Christoph, 1888) (Hepialidae)
7320. *Zerynthia (Allancastris) caucasica* (Lederer, 1864) (Papilionidae)
7321. *Zerynthia (Allancastris) cerisyi* (Godart, 1822) (Papilionidae)
7322. *Zerynthia (Allancastris) deyrollei* (Oberthür, 1869) (Papilionidae)
7323. *Zerynthia (Allancastris) louristana* (Le Cerf, 1908) (Papilionidae)
7324. *Zerynthia (s.str.) polyxena* ([Denis & Schiffermüller], 1775) (Papilionidae)
7325. *Zethes brandti* Janson, 1977 (Noctuidae)
7326. *Zethes insularis* Rambur, 1833 (Noctuidae)
7327. *Zethes narghisa* Brandt, 1938 (Noctuidae)
7328. *Zethes nemea* Brandt, 1938 (Noctuidae)
7329. *Zeuzera multistrigata* Moore, 1881 (Cossidae)
7330. *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae)
7331. *Zizeeria (s.str.) karsandra* (Moore, 1865) (Lycaenidae)
7332. *Zonora concatenalis* (Lederer, 1858) (Pyrilidae)
7333. *Zophodia grossulariella* (Hübner, [1809]) (Pyrilidae)
7334. *Zophiododes leucocostella* Ragonot, 1887 (Pyrilidae)
7335. *Zygaena (Agrumenia) armena* Eversmann, 1851 (Zygaenidae)
7336. *Zygaena (Agrumenia) carniolica* (Scopoli, 1763) (Zygaenidae)
7337. *Zygaena (Agrumenia) chirazica* H.Reiss, 1938 (Zygaenidae)
7338. *Zygaena (Agrumenia) christa* Reiss & Schulte, 1967 (Zygaenidae)
7339. *Zygaena (Agrumenia) escaleraei* Poujade, 1900 (Zygaenidae)
7340. *Zygaena (Agrumenia) formosa* Herrich-Schäffer, [1852] (Zygaenidae)
7341. *Zygaena (Agrumenia) fraxini* Ménétriés, 1832 (Zygaenidae)
7342. *Zygaena (Agrumenia) haberhaueri* Lederer, 1870 (Zygaenidae)
7343. *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller], 1775) (Zygaenidae)
7344. *Zygaena (Agrumenia) olivieri* Boisduval, 1828 (Zygaenidae)
7345. *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner, 1981 (Zygaenidae)
7346. *Zygaena (Agrumenia) rosinae* Korb, 1903 (Zygaenidae)
7347. *Zygaena (Agrumenia) saadii* H.Reiss, 1938 (Zygaenidae)
7348. *Zygaena (Agrumenia) sedi* Fabricius, 1787 (Zygaenidae)
7349. *Zygaena (Agrumenia) sengana* Holik & Sheljuzhko, 1956 (Zygaenidae)
7350. *Zygaena (Agrumenia) truchmena* Eversmann, 1854 (Zygaenidae)
7351. *Zygaena (Mesembrynus) adsharica* H.Reiss, 1935 (Zygaenidae)
7352. *Zygaena (Mesembrynus) aisha* Naumann & Naumann, 1980 (Zygaenidae)
7353. *Zygaena (Mesembrynus) brizae* (Esper, 1800) (Zygaenidae)
7354. *Zygaena (Mesembrynus) cacuminum* Christoph, 1877 (Zygaenidae)
7355. *Zygaena (Mesembrynus) cambysea* Lederer, 1870 (Zygaenidae)
7356. *Zygaena (Mesembrynus) cuvieri* Boisduval, 1828 (Zygaenidae)
7357. *Zygaena (Mesembrynus) cynarae* (Esper, [1789]) (Zygaenidae)
7358. *Zygaena (Mesembrynus) excellens* Reiss, 1940 (Zygaenidae)
7359. *Zygaena (Mesembrynus) fredii* Reiss, 1938 (Zygaenidae)
7360. *Zygaena (Mesembrynus) haematina* Kollar, [1849] (Zygaenidae)
7361. *Zygaena (Mesembrynus) laeta* (Hübner, 1790) (Zygaenidae)
7362. *Zygaena (Mesembrynus) lydia* Staudinger, 1887 (Zygaenidae)
7363. *Zygaena (Mesembrynus) manlia* Lederer, 1870 (Zygaenidae)
7364. *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller], 1775) (Zygaenidae)
7365. *Zygaena (Mesembrynus) nocturna* Ebert, 1974 (Zygaenidae)
7366. *Zygaena (Mesembrynus) punctum* Ochsenheimer, 1808 (Zygaenidae)
7367. *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763) (Zygaenidae)
7368. *Zygaena (Mesembrynus) rubricollis* Hampson, 1900 (Zygaenidae)
7369. *Zygaena (Mesembrynus) seitzi* H.Reiss, 1938 (Zygaenidae)
7370. *Zygaena (Mesembrynus) speciosa* Reiss, 1937 (Zygaenidae)
7371. *Zygaena (Mesembrynus) tamara* Christoph, 1889 (Zygaenidae)
7372. *Zygaena (s.str.) amanica* Reiss, 1935 (Zygaenidae)
7373. *Zygaena (s.str.) araratica* Staudinger, 1871 (Zygaenidae)
7374. *Zygaena (s.str.) dorycnii* Ochsenheimer, 1808 (Zygaenidae)
7375. *Zygaena (s.str.) ecki* Christoph, 1882 (Zygaenidae)
7376. *Zygaena (s.str.) filipendulae* (Linnaeus, 1758) (Zygaenidae)
7377. *Zygaena (s.str.) graslini* Lederer, 1855 (Zygaenidae)
7378. *Zygaena (s.str.) loniceriae* (Scheven, 1777) (Zygaenidae)

7379. **Zygaena (s.str.) naumanni Hille & Keil,1999** (Zygaenidae)
7380. **Zygaena (s.str.) osterodensis H.Reiss,1921** (Zygaenidae)
7381. **Zygaena (s.str.) problematica Naumann,1966** (Zygaenidae)
7382. **Zygaena (s.str.) ramburii Herrich-Schäffer,1861** (Zygaenidae)
7383. **Zygaena (s.str.) senescens Staudinger,1887** (Zygaenidae)
7384. **Zygaena (s.str.) viciae ([Denis & Schiffermüller],1775)** (Zygaenidae)
7385. **Zygaenoprocris (Efetovia) fredii (Alberti,1939)** (Zygaenidae)
7386. **Zygaenoprocris (Molletia) duskei (Groum-Grshimailo,1902)** (Zygaenidae)
7387. **Zygaenoprocris (Molletia) persepolis (Alberti,1938)** (Zygaenidae)
7388. **Zygaenoprocris (Molletia) taftana (Alberti,1939)** (Zygaenidae)
7389. **Zygaenoprocris (s.str.) chalcoclora (Hampson,1900)** (Zygaenidae)
7390. **Zygaenoprocris (s.str.) rjabovi (Alberti,1938)** (Zygaenidae)



Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹⁶², Miscellaneous Papers (ISSN 1015-8235)¹⁶³, Memoirs (ISSN-8227)¹⁶⁴ DVD Films¹⁶⁵, Iconographia Insectorum¹⁶⁶ Cesa Publications on African Lepidoptera (series)¹⁶⁷, Cesa News [online]¹⁶⁸, Cesa Books¹⁶⁹

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskreçki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

 Cesa © 1966-2010

¹⁶² <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

¹⁶³ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

¹⁶⁴ <http://www.cesa-tr.org/Memoirs.htm> -

¹⁶⁵ <http://www.cesa-tr.org/CDF.htm>

¹⁶⁶ <http://www.cesa-tr.org/Icon.htm>

¹⁶⁷ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

¹⁶⁸ <http://www.cesa-tr.org/Cesanews.htm>

¹⁶⁹ <http://www.cesa-tr.org/Cesabooks.htm>